1965/72
FORD CAR
FINAL ISSUE

Master Parts and Accessories
CATALOG

Form FP 7635-A & B

Supersedes All Previous Issues, Changes and Revisions

May, 1975

FINAL ISSUE

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

MASTER PARTS AND ACCESSORIES CATALOG

FORM FP 7635-A
(Text Only)
Ford Motor Company

INDEX

Abbreviations 16,17
Attaching Parts (Nuts, Bolts, etc.) 12
Body Type Codes 12
Build Date . . . . . See Owner Card
D.S.O. 13
Engine Assembly Plant Codes 39
F.S.O. 13
Formats 11
General Instructions 2
How to Order Parts 13
How to Use This Catalog 2
Identification 3
Liquid measure 12
L.P.O. 13
Locator Codes 12
Metric to Inches Conversion Chart 14,15
Model Year Application 12
Owner Card 23
Soft Trim 12
Symbols Used Regularly in Catalog 11
Vehicle Catalog Codes 11

FORD PART NUMBERING SYSTEM

Body Parts Group Numbering System 4
Explanation of the Ford Part Numbering System 3
Ford Basic Part Numbering . . . . . 8 thru 10
Group Numbers and Related Catalog Sections 7
Motorcraft Sales Numbers 11
Part Name Index (Body Parts) 6
Part Name Index (Chassis) . . . . . 4 thru 6

WARRANTY PLATE and CERTIFICATION LABEL (except BRONCO)

Assembly Plant Codes 24
Body Type Codes . . . . . 31 thru 34
Car Line Codes 39
Certification Label Diagram 22
Color Codes (Exterior Paint) 35
Diagrams and Instructions . . . . . 18 thru 23
District Codes 39
Drive Codes 38
Engine Assembly Plant Codes 39
Engine Codes 29,30
Month Codes 36
Numerical Sequence of Assembly 30
Owner Card Diagram 23
Rear Axle Ratio Codes 37
Serial Number 22
Series Codes . . . . . 25 thru 28
Transmission Codes 38
Trim Codes 35
Vehicle Identification Number 22
Warranty Plate Diagrams . . . . . 18 thru 21
Year Codes 24

BRONCO WARRANTY PLATE and CERTIFICATION LABEL

Assembly Plant Codes 43
Body Type Codes 43
Certification Label Diagram 42
Color Codes (Exterior Paint) 44
Diagrams and Instructions . . . . . 40 thru 42
Engine Codes 43
Front Axle Codes 44
Model Codes 43
Numerical Sequence of Assembly 43
Rear Axle Ratio Codes 44
Transmission Codes 44
Trim Codes 44
Warranty Plate Diagrams 40,41

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GENERAL INSTRUCTIONS

This Ford Car Master Parts Catalog contains replacement parts and accessories information for Ford, Fairlane/Torino, Mustang, Thunderbird, Bronco, Falcon, Maverick and Pinto for model years 1965 through 1972 for U.S. and Canadian built vehicles. Unique Canadian part numbers and applications have been identified by a symbol (♦) and footnoted. Unique U.S. part numbers and applications have been identified by a symbol (☆) and footnoted. Use this "text" catalog in conjunction with the "illustration" catalog, Form FP-7635-B.

Refer to the Index on page 1 for a listing of the various items appearing in the General Information Section.

HOW TO USE THIS CATALOG

There are three ways of finding part numbers.

1. By Part Name.
2. By Illustration
3. By Identification.

Should an inquiry be received for a rear carrier plate for a 1971 Thunderbird:

BY PART NAME -

A. Refer to the Chassis Parts Alphabetical Index.

B. Refer to the alphabetical nomenclature and find the part name "Plate (rear carrier)". The group number listed is 2211-2.

C. Refer to group number 2211-2 and locate vehicle catalog code "S" (for Thunderbird). Find 1971 (71) in the "YEAR" column.

D. The part numbers shown are C7AZ 2211-E for right hand and C7AZ 2212-E for left hand.

BY ILLUSTRATION -

A. Refer to the Illustration Catalog (Form FP- 7635-B) to the divider marked "WHEELS, BRAKES".

B. Refer to the index immediately behind the divider and find the illustration titles for 1971 S (Thunderbird).

C. Under the heading "BRAKES" find the "Brake details (drum rear)" illustration for the 1971 Thunderbird.

D. Refer to the illustration designated (on page 4 of Illustration Section 20.1) and find the group number for the rear carrier plate to be 2211-2.

E. Refer to group number 2211-2 in this Text catalog and locate vehicle catalog code "S" (for Thunderbird). Find 1971 (71) in the "YEAR" column.

F. The part numbers shown are C7AZ 2211-E for right hand and C7AZ 2212-E for left hand.

BY IDENTIFICATION -

Certain parts and most major assemblies are identified with a part number shown on an attached tag or plate or on the part itself. Reference to identification numbers is made throughout the catalog and cross reference charts are included in some sections to provide immediate knowledge of the service part number when the identification number is known.

IMPORTANT - Identification tags and plates must be retained with the part or assembly with which they are originally supplied.

R. H. and L. H. PARTS

The driver's side is the left hand side of the vehicle and determines whether such parts as fenders, lamps, etc. are right or left hand.

Most Right Hand and Left Hand parts are listed in the manner shown in the following examples. The model application pertaining to the Right Hand part also pertains to the Left Hand part.

EXAMPLE 1 - Right Hand and Left Hand on separate lines

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
21872-3	**SPRING - DOOR LATCH TOGGLE**				
	67	A,B,F,S,U,X	R.H.	C7AZ 6221872-B	1 or 2
	68	A			1 or 2
	68/70	S			1 or 2
			L.H.	C7AZ 6221873-B	1 or 2

EXAMPLE 2 - Right Hand and Left Hand implied by quantity

	68/69	B(54,71)		C8OZ 5421940-A	2
	68/69	B(62,63,76)		C8OZ 6321940-A	2

EXAMPLE 3 - Right Hand and Left Hand in adjacent columns

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
27846-7	**PANEL - QUARTER - continued -**		Drill holes as required			
			-B -			
	67	B(66)		C7OZ 6627846-A	C7OZ 6627847-A	1
	67	B(71)		C7OZ 7127846-A	C7OZ 7127847-A	1

EXPLANATION OF THE FORD PART NUMBERING SYSTEM

For greater convenience this catalog is divided into specific sections; such as brakes, front suspension, engine, transmission, etc. For example, FRONT SUSPENSION appears in Section 30, STEERING in Section 35, REAR AXLE in Section 40, etc. The applicable exploded illustrations are contained in separate sections which are related to the Text Section numbers. For example STEERING Illustrations appear in Illustration Section 35 of the "Illustrations" Catalog, Form FP-7635-B.

The basic part number groups and the section numbers under which each is listed are shown on page 7 of the General Information Section.

The basic part number groups shown on page 7 have been expanded as shown in the Charts on pages 8, 9 and 10 to provide for additional groups to accomodate new lines. In numerical listings, expanded numbers will be considered to follow the same sequence as the regular basic numbers from which they are expanded and are arranged in Catalogs as follows.


3538
3C538
3634
3A634

Illustrations contain basic or group numbers only, therefore, it is necessary to refer to the basic or group within this "text" catalog for complete applicable part numbers.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY PARTS GROUP NUMBERING SYSTEM

FOLLOWING IS A DIAGRAM OF THE BODY PARTS GROUP NUMBERING SYSTEM



• These five digits comprise the Body Group Numbers used throughout each body parts section.

A complete group index of body parts has been included at the end of the Alphabetical Index.

PART NAME INDEX

Below are various major groups appearing in the Chassis and Body Sections of this catalog.

CHASSIS PARTS INDEX

MAJOR GROUP	*TABBED DIVIDER TITLE	SECTION
Air Cleaner		96
Accelerator Linkage	Fuel-Carburetor-Accelerator	97
Air Conditioner	Speedometer-Bumper	190
Alternator	Generator-Starter-Distributor	103
Automatic Transmission	Automatic Transmission	A70
Axle (Rear)	Front Suspension-Steering-Rear Axle	40
Battery	Generator-Starter-Distributor	106
Belt (Drive)	Cooling-Grille	86.1
Brake System	Paint-Wheel-Brake	20
Bulbs	Lamps - Wiring	130
Bumpers	Speedometer-Bumper	176
Cap (Radiator)	Cooling-Grille	80
Carburetor	Fuel-Carburetor-Accelerator	95
Carrier (Wheel)	Paint-Wheel-Brake	10
Clutch	Manual Transmission-Clutch	75
Clutch Assy. (Fan)	Cooling-Grille	86
Cooling System	Cooling-Grille	80
Distributor	Generator-Starter-Distributor	120
Drive Belt	Cooling - Grille	86.1
Drive Shaft	Front Suspension-Steering-Rear Axle	46
Engine	Engine	60
Exhaust System	Frame-Muffler-Spring	52

* Applicable to Loose Leaf Catalogs only

PART NAME INDEX

CHASSIS PARTS INDEX - continued

MAJOR GROUP	*TABBED DIVIDER TITLE	SECTION
Fan	Cooling-Grille	86
Fenders	Fender-Hood	160
Frame	Frame-Muffler-Spring	50
Front Suspension	Front Suspension-Steering-Rear Axle	30
Fuel Pump	Fuel-Carburetor-Accelerator	93
Fuel Tank	Fuel-Carburetor-Accelerator	90
Gear Shift Lever	Manual Transmission-Clutch	71
Generator	Generator-Starter-Distributor	100
Grille	Cooling-Grille	80
Heater	Speedometer-Bumper	184
Hood	Fender-Hood	166
Horns	Lamps-Wiring	137
Hose (Radiator)	Cooling-Grille	80
Ignition Switch	Generator-Starter-Distributor	110
Instrument Cluster	Generator-Starter-Distributor	106
Jack	Speedometer-Bumper	170
Lamps	Lamps-Wiring	130
Lever (Gearshift)	Manual Transmission - Clutch	71
Linkage (Accelerator)	Fuel-Carburetor-Accelerator	97
Linkage (Steering)	Front Suspension-Steering-Rear Axle	30
Manifold	Fuel-Carburetor-Accelerator	94
Mirrors	Speedometer-Bumper	176
Main Wiring	Lamps - Wiring	140
Pulley (Water Pump)	Cooling-Grille	85
Pump (Fuel)	Fuel-Carburetor-Accelerator	93
Pump (Water)	Cooling-Grille	85
Radiator	Cooling-Grille	80
Radio	Speedometer-Bumper	184
Rear Axle	Front Suspension-Steering-Rear Axle	40
Regulator (Voltage)	Generator-Starter-Distributor	100
Shaft (Drive)	Front Suspension-Steering-Rear Axle	46
Shift (Gear)	Manual Transmission-Clutch	71
Shock Absorber	Speedometer-Bumper	180
Shroud (Fan)	Cooling-Grille	80
Spacer (Pulley to Fan)	Cooling-Grille	85
Speed Control	Fuel-Carburetor-Accelerator	97
Speedometer	Speedometer-Bumper	170
Springs	Frame-Muffler-Spring	53
Stabilizer	Frame-Muffler-Spring	54
Steering Gear	Front Suspension-Steering-Rear Axle	35
Steering Linkage	Front Suspension-Steering-Rear Axle	30
Suspension (Front)	Front Suspension-Steering-Rear Axle	30
Tachometer	Speedometer-Bumper	173
Tank (Fuel)	Fuel-Carburetor-Accelerator	90
Thermactor	Fuel-Carburetor-Accelerator	94
Thermostat (Water)	Cooling-Grille	85
Transmission (Automatic)	Automatic Transmission	A70
Transmission (Manual)	Manual Transmission-Clutch	70
Voltage Regulator	Generator-Starter-Distributor	100

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

PART NAME INDEX

CHASSIS PARTS INDEX - continued

MAJOR GROUP	*TABBED DIVIDER TITLE	SECTION
Water Pump	Cooling-Grille	85
Wheels	Paint-Wheel-Brake	10
Windshield Washer	Speedometer-Bumper	176
Windshield Wiper	Speedometer-Bumper	175
Wiring (Main)	Lamps-Wiring	140

BODY and SOFT TRIM PARTS INDEX

Auxiliary Seat	Seat	600
Center Body Pillar	Side-Door-Pillar-Quarter	240
Console	Body Front-Floor	042
Cowl	Body Front-Floor	020
Dash Panel	Body Front-Floor	000
Door (Front)	Side-Door-Pillar-Quarter	200
Door (Rear)	Side-Door-Pillar-Quarter	240
Floor	Body Front-Floor	100
Folding Top	Soft Trim	Soft Trim
Folding Top Mechanism	Back-Luggage Compartment	520
Front Door	Side-Door-Pillar-Quarter	200
Front Seat Track	Seat	617
Glove Compartment	Body Front-Floor	047
Instrument Panel	Body Front-Floor	042
Luggage Compartment	Back-Luggage Compartment	400
Package Tray	Back-Luggage Compartment	440
Pillar (Center Body)	Side-Door-Pillar-Quarter	240
Quarter	Side-Door-Pillar-Quarter	270
Rear Door	Side-Door-Pillar-Quarter	240
Rear Seat	Seat	600
Roof	Back-Luggage Compartment	500
Seat (Auxiliary)	Seat	600
Seat (Rear)	Seat	600
Tail Gate	Back-Luggage Compartment	400
Top (Folding)	Soft Trim	Soft Trim
Top Mechanism (Folding)	Back-Luggage Compartment	520
Track (Front Seat)	Seat	617
Windshield	Body Front-Floor	030

* Applicable to Loose Leaf Catalogs only

GROUP NUMBERS and RELATED CATALOG SECTIONS

Following is an index of the basic group numbers and their related catalog section numbers. A more detailed listing of the basic group numbers, their related expansion numbers and functional areas is shown on the next three pages.

CHASSIS PARTS

BASIC GROUP NUMBER	CATALOG SECTION NO.
Miscellaneous	Paint
1000 - 1999	10
2000 - 2099	20
2001 and 2200 Kit Contents	20.1
2100 - 2199	21
2200 - 2299	22
2300 - 2399	23
2400 - 2999	24
3000 - 3499	30
3500 - 3599	35
3600 - 3999	36, 37
P/S Kits	36.1
4000 - 4599	40
4600 - 4999	46
5000 - 5199	50
5200 - 5299	52
Exhaust Charts	52.65 thru 52.72
5300 - 5399	53
Spring Charts.	53.65 thru 53.72
5400 - 5999	54
6000-6898 Engine Ident. Chart	60
4 cyl. 98,122	60.1
6 cyl. 170,200,250	60.2
6 cyl. 240	60.3
8 cyl. 260,289	60.4
289 Spec.	
8 cyl. 302,	60.5
302 Spec.	
8 cyl. 351,	60.5A
351 Spec.	
8 cyl. 352,390	60.6
390 Spec.	
8 cyl. 400	60.7
8 cyl. 427	60.8
8 cyl. 428,429,	60.9
429 Spec.	

BASIC GROUP NUMBER	CATALOG SECTION NO.
Manual Trans. - except Linkage	
6900 - 7999 Identification and Application Chart	70
Parts Lists	
2.77 - 1965/67	70.1
G/4/S-1971/	70.2
E/4/S - 1971/	70.2
O/D - 1965/67	70.3
3.03 - 1965/	70.4
D/4/S - 1965/66	70.5
F/4/S - 1965/	70.6
W/4/S - 1965/66	70.7
Transfer Case	70.8
Manual Trans. - Linkage, etc.	
7000 - 7299	71
7300 - 7400	73
7500 - 7999	75
Automatic trans. except Linkage	
7000 - 7999 Identification and Application Charts	A70
Parts List	
C/M - 1965/	A70.3
C4 - 1965/	A70.4
C6 - 1966/	A70.5
Automatic Trans. Linkage, etc.	
7000 - 7199	A71
7200 - 7399	A72
7400 - 7999	A74
8000 - 8499	80
8500 - 8599	85
8600 - 8999	86
Fan Belt Ident. Chart	86.1
Ford Racing Belts	86.2
Belt Application Charts	86.65 thru 86.72
9000 - 9299	90
9300 - 9399	93
9400 - 9499	94
9500 - 9599	95
Carburetor - Parts Lists	95.1 thru 95.34

BASIC GROUP NUMBER	CATALOG SECTION NO.
Carburetor Kit Components	95A
9600 - 9699	96
9700 - 9999	97
10000 - 10299	100
10300 - 10599	103
Alternator Ident. Chart	103
Alternator Parts Lists	103.2, 103.4, 103.5
10600 - 10999	106
11000 - 11999	110
Starter Ident. Chart	110
Starter Parts Lists	110.2 thru 110.4
12000 - 12999	120
Distributor Ident. Chart	120
Distributor Parts Lists	120.1 thru 120.5
13000 - 13399	130
13400 - 13699	134
13700 - 13999	137
14000 - 14399	140
14400 - 14499	144
14500 - 14999	145
15000 - 15999	150
16000 - 16099	160
16100 - 16599	161
16600 - 16999	166
17000 - 17299	170
Speedometer Gears	172
Speedometer Gear Application Charts	172.65 thru 172.72
17300 - 17399	173
17400 - 17599	175
17600 - 17999	176
18000 - 18399	180
18400 - 18999	184
19000 - 19999	190

BODY PARTS

BASIC GROUP NUMBER	BODY SECTION NO.
70000 - 79999	A70.1 thru A70.5
00000 - 01999	000
02000 - 02999	020
03000 - 04199	030
04200 - 04699	042
04700 - 09999	047
10000 - 19999	100
20000 - 20999	200
21000 - 21999	210
22000 - 22999	220
23000 - 23999	230
24000 - 25999	240
26000 - 26999	260
27000 - 27999	270
28000 - 28999	280
29000 - 29499	290
29500 - 29999	295
30000 - 39999	300
40000 - 41999	400
42000 - 42999	420
43000 - 43999	430
44000 - 49999	440
50000 - 50999	500
51000 - 51999	510
52000 - 59999	520
60000 - 60999	600
61000 - 61999	610, 615, 617
62000 - 69999	620
00000 - 69999 (AS APPLICABLE)	SOFT TRIM - By MODEL YEAR

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FORD BASIC PART NUMBERING SYSTEM

CHASSIS, ENGINE and ELECTRICAL BASIC NUMBER SERIES

BASIC PART NO. SERIES	BASIC SERIES EXPANSION	PARTS WHICH QUALIFY BY FUNCTIONAL AREA
1000-1250	1A000-1A250	Wheels, hubs, and drums
1251-1349	1A251-1A349	Open numbers
1350-1499	1A350-1A499	Spare wheel carrier
1500-1724	1A500-1A724	Tires and tubes
1725-1999	1A725-1A999	Open numbers
2000-2874	2A000-2A874	Brakes
2875-2999	2A875-2A999	Air compressor
3000-3499	3A000-3A499	Front axles and front suspensions
3500-3776	3A500-3A776	Steering gear and steering wheel
3777-3999	3A777-3A999	Open numbers
4000-4999	4A000-4A999	Rear axle and driveshaft and coupling shaft
5000-5149	5A000-5A149	Frame and brackets
5150-5199	5A150-5A199	*
5200-5299	5A200-5A299	Muffler, exhaust pipes, and brackets
5300-5350	5A300-5A350	Front springs
5351-5416	5A351-5A416	Sub-frame (for cab mounting)
5417-5454	5A417-5A454	Open numbers
5455-5481	5A455-5A481	Front springs-clips, studs, and bushings
5482-5499	5A482-5A499	Stabilizer and attaching parts
5500-5515	5A500-5A515	Front spring covers
5516-5999	5A516-5A999	Rear springs and attaching parts
6000-6899	6A000-6A899	Engine and mounts
6900-6944	6A900-6A944	*
6945-6999	6A945-6A999	Eng. installation & dress-up kits
7000-7999	7A000-7A999	Transmission and clutch
8000-8499	8A000-8A499	Radiator and grille parts
8500-8599	8A500-8A599	Water pumps
8600-8669	8A600-8A669	Fan and brackets
8670-8999	8A670-8A999	Open numbers
9000-9423	9A000-9A423	Fuel tank, gauges, pumps & lines
9000-9269	9A000-9A269	Fuel tank, gauges, pumps & lines
9424-9499	9A424-9A499	Manifold, clamps, thermostats etc.
9500-9699	9A500-9A699	Carburetors & air cleaners
9700-9899	9A700-9A899	Thermostatic choke, acc. spark & throttle control rods
9900-9999	9A900-9A999	*
10000-10399	10A000-10A399	Generators & alternators
10400-10499	10A400-10A499	Open numbers
10500-10649	10A500-10A649	Generator regulator
10650-10837	10A650-10A837	Batteries & ammeters
10838-10999	10A838-10A999	Instrument cluster & controls
11000-11529	11A000-11A529	Starting motor & starter switch
11530-11568	11A530-11A568	Open numbers
11569-11619	11A569-11A619	Ignition switch
11620-11644	11A620-11A644	Open numbers
11645-11688	11A645-11A688	Lighting switch
11689-11999	11A689-11A999	Open numbers
12000-12427	12A000-12A427	Coil, distributor & spark plugs
12428-12449	12A428-12A449	Open numbers
12450-12499	12A450-12A499	Engine governor
12500-12999	12A500-12A999	Open numbers
13000-13299	13A000-13A299	Headlamps & parking lamps
13000-13399	13A300-13A399	Turn signal
13400-13699	13A400-13A699	License, tail, and stop lamps
13700-13799	13A700-13A799	Courtesty, dome and instrument lamps and switches
13800-13949	13A800-13A949	Horn
13950-13999	13A950-13A999	Open numbers
14000-14689	14A000-14A689	Wiring and circuit breakers, terminals and connectors, window regulator, fuse panel
14690-14724	14A690-14A724	Seat regulator (electrical)
14725-14999	14A725-14A999	Junction boxes and electric conduit
15000-15074	15A000-15A074	Clocks & cigar lighter
15075-15114	15A075-15A114	Lamp assy. -cluster
15115-15199	15A115-15A199	*
15200-15399	15A200-15A399	Road & spotlamps
15400-15489	15A400-15A489	Lamp assy. -marker
15490-15579	15A490-15A579	Lamp assy. back up & utility
15580-15599	15A580-15A599	Lamp assy. -Police flasher
15600-15649	15A600-15A649	*
15650-15655	15A650-15A655	Map lamp
15656-15699	15A656-15A699	Top control
15700-15724	15A700-15A724	Engine compartment lamp
15725-15759	15A725-15A759	Commercial pump motors Note: Not used Passenger Car, Truck & Industrial Engines
15760-15799	15A760-15A799	Open numbers
15800-15849	15A800-15A849	Lamp assy. -transmission control selector indicator
15850-15874	15A850-15A874	Parking brake signal
15875-15899	15A875-15A899	Open numbers
15900-15999	15A900-15A999	*
16000-16299	16A000-16A299	Front fender, aprons & shields
16300-16449	16A300-16A449	Rear fenders
16450-16549	16A450-16A549	Running boards and brackets
16550-16579	16A550-16A579	Splash shields
16580-16599	16A580-16A599	Open numbers
16600-16999	16A600-16A999	Hood, brackets and controls
17000-17149	17A000-17A149	Tools
17150-17249	17A150-17A249	Open numbers
17250-17384	17A250-17A384	Speedometer and tachometer
17385-17399	17A385-17A399	Open numbers
17400-17674	17A400-17A674	Wipers and washers
17675-17748	17A675-17A748	Rear view mirrors
17749-17999	17A749-17A999	Front and rear bumpers and stone deflectors
18000-18199	18A000-18A199	Shock absorbers
18200-18241	18A200-18A241	*
18242-18699	18A242-18A699	Heaters
18700-18799	18A700-18A799	Air brakes
18800-19499	18A800-19A499	Radio
19500-19549	19A500-19A549	Miscellaneous Accessories
19550-19999	19A550-19A999	Air conditioners

* This series has become inactive and parts qualifying will be identified with part numbers from a more appropriate series.

BODY BASIC NUMBERS and CORRESPONDING FUNCTIONS

BASIC PART NO. SERIES	BASIC SERIES EXPANSION	PARTS WHICH QUALIFY BY FUNCTIONAL AREA
00000-00099	000A00-000A99	Body assy. & trim sets
00100-00399	001A00-003A99	Front end assembly
01400-01499	014A00-014A99	Ventilating ducts & valves
01500-01599	015A00-015A99	Brake pedal support
01600-01799	016A00-017A99	Dash assembly
01800-01999	018A00-019A99	Ventilating ducts & valves
02000-02699	020A00-026A99	Cowl & front body pillar
02700-02899	027A00-028A99	Open
02900-02999	029A00-029A99	Body front tie bow braces, etc.
03000-03999	030A00-039A99	Windshield assembly
04000-04249	040A00-042A49	Visor assembly
04250-04399	042A50-043A99	Front belt rail inst. panel assy.
04400-04599	044A00-045A99	Panel assy. -instr. panel details
04600-04799	046A00-047A99	Cigar lighter assy. & instr. cluster
04800-04899	048A00-048A99	Ash receptacle assy.
04900-05999	049A00-059A99	Open
06000-06199	060A00-061A99	Glove compt. assy.
06200-09999	062A00-099A99	Open
10000-10999	100A00-109A99	Floor side & cross members
11000-11099	110A00-110A99	Underbody assy.
11100-11499	111A00-114A99	Floor pan assy. silencers & pads
11500-11799	115A00-117A99	Floor board assy.
11800-11999	118A00-119A99	Open
12000-12099	120A00-120A99	Floor board riser
12100-12299	121A00-122A99	Floor trans. cover dust sealer
12300-12599	123A00-125A99	Open
12600-12699	126A00-126A99	Floor skid strip
12700-12999	127A00-129A99	Open
13000-13199	130A00-131A99	Floor mat & carpet
13200-13299	132A00-132A99	Floor scuff plate
13300-13499	133A00-134A99	Open
13500-13599	135A00-135A99	Floor tool box
13600-13799	136A00-137A99	Open
14000-14199	140A00-141A99	Member assy. body side frt. & rr.
14200-14299	142A00-142A99	Sill assy. -floor pan cross front
14300-19999	143A00-199A99	Open
20000-20799	200A00-207A99	Body side and front door
20800-21099	208A00-210A99	Front door garnish mldg.
21100-21299	211A00-212A99	Front door reinforcement
21300-21399	213A00-213A99	Open
21400-22399	214A00-223A99	Front door glass, lock & frame
22400-22499	224A00-224A99	Front door handles
22500-22599	225A00-225A99	Open
22600-22699	226A00-226A99	Front door handles-inside
22700-22799	227A00-227A99	Open
22800-22899	228A00-228A99	Front door hinge
22900-22999	229A00-229A99	Front door ventilating window
23000-23399	230A00-233A99	Front door dovetail & regulator
23100-23499	231A00-234A99	Front door & window regulators
23500-23499	234A00-235A99	Front door check
23600-23699	236A00-236A99	Open
23700-24199	237A00-241A99	Front door trim & arm rest
24200-24299	242A00-242A99	Hydraulic window operating
24300-24599	243A00-245A99	Center pillar assy.
24600-24999	246A00-249A99	Rear door assy. & panels
25000-25099	250A00-250A99	Rear door frame & pillar assy.
25100-25399	251A00-253A99	Rear door header & bottom
25400-25899	254A00-258A99	Rear door glass & garnish mldg.
25900-25999	259A00-259A99	Open
26000-26199	260A00-261A99	Rear door reinforcement
26200-26399	262A00-263A99	Rear door glass frame
26400-26699	264A00-266A99	Rear door lock & handles
26700-26799	267A00-267A99	Open
26800-26899	268A00-268A99	Rear door hinge
26900-26999	269A00-269A99	Open
27000-27299	270A00-272A99	Rear door check & regulator
27300-27399	273A00-273A99	Rear door regulator vacuum lift
27400-27699	274A00-276A99	Rear door trim
27700-28099	277A00-280A99	Quarter & quarter panel assy.
28100-28399	281A00-283A99	Quarter lock pillar
28400-28499	284A00-284A99	Open
28500-28699	285A00-286A99	Quarter header & frame
28700-28799	287A00-287A99	Quarter belt rail
28800-28999	288A00-289A99	Open
29000-29199	290A00-291A99	Quarter window garnish mldg.
29200-29599	292A00-295A99	Quarter reinf. braces & brkts.
29600-29999	296A00-299A99	Quarter window, glass & channel
30000-30199	300A00-301A99	Quarter glass run & regulator
30200-30299	302A00-302A99	Quarter vent. window
30300-30699	303A00-306A99	Qtr. window regulator & frame
30700-30799	307A00-307A99	Quarter arm rest ash receptacle
30800-30999	308A00-309A99	Open
31000-31499	310A00-314A99	Quarter trim assy. & assist loop
31500-31599	315A00-315A99	Open
31600-31899	316A00-318A99	Qtr. arm rest assy.
31900-31999	319A00-319A99	Quarter panel spare wheel compt.
32000-32199	320A00-321A99	Open
32200-32399	322A00-323A99	Side slats-trim sticks-anti-squeaks
32400-32499	324A00-324A99	Quarter folding compt. -pkg.
32500-39999	325A00-399A99	Open
40000-40199	400A00-401A99	Back door & luggage compartment
40200-40399	402A00-403A99	Tail gate & back panel assy.
40400-40499	404A00-404A99	Lift gate
40500-40599	405A00-405A99	Open
40600-40699	406A00-406A99	Luggage compt. door panel
40700-40799	407A00-407A99	Tail gate panel assy.
40800-40999	408A00-409A99	Back door & tail gate frame assy.
41000-41099	410A00-410A99	Back door pillar fillers
41100-41199	411A00-411A99	Open
41200-41299	412A00-412A99	Deck pillar group
41300-41399	413A00-413A99	Luggage compt. & lift gate door header
41400-41599	414A00-415A99	Open
41600-41699	416A00-416A99	Tail gate framing
41700-41899	417A00-418A99	Back belt rail
41900-41999	419A00-419A99	Back door glass & framing
42000-42299	420A00-422A99	Back window glass & frame assy.
42300-42499	423A00-424A99	Back window garnish moulding
42500-42599	425A00-425A99	Back door finish strip-mouldings
42600-42699	426A00-426A99	Tail gate cross finish strip
42700-42899	427A00-428A99	Luggage compt. hinge assy. -lamp assy.
42900-42999	429A00-429A99	Back door hinge & reinf. assy.
43000-43099	430A00-430A99	Tail gate hinge assy.
43100-43199	431A00-431A99	Back door & tail gate lock
43200-43399	432A00-433A99	Luggage compt. lock assy.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY BASIC NUMBERS and CORRESPONDING FUNCTIONS - continued

BASIC PART NO. SERIES	BASIC SERIES EXPANSION	PARTS WHICH QUALIFY BY FUNCTIONAL AREA
43400-43499	434A00-434A99	Back door handle assembly
43500-43699	435A00-436A99	Luggage comp. locking handle
43700-43899	437A00-438A99	Back door & lugg. compt. w/strip
43900-43999	439A00-439A99	Tail gate bumper & dowel
44000-44099	440A00-440A99	Back window regulator assy.
44100-44199	441A00-441A99	Back door check assy.
44200-44299	442A00-442A99	Luggage compt. lid support
44300-44399	443A00-443A99	Open
44400-44599	444A00-445A99	Tail gate support
44600-44699	446A00-446A99	Back reinforcement brackets
44700-44799	447A00-447A99	Back door reinf.
44800-45099	448A00-450A99	L/compt. opening & tail gate reinf.
45100-45199	451A00-451A99	Luggage compt. drain trough
45200-45399	452A00-453A99	Back trim & curtain
45400-45599	454A00-455A99	Luggage compt. trim
45600-45699	456A00-456A99	Luggage tool compartment
45700-45799	457A00-457A99	Luggage comp. partition board
45800-45899	458A00-458A99	Luggage compt. shelf board
45900-45999	459A00-459A99	Luggage compt. lamp assy.
46000-46099	460A00-460A99	Compartment pkg. compartment
46100-46199	461A00-461A99	Tool compartment
46200-46299	462A00-462A99	Deck step
46300-46399	463A00-463A99	Back door trim
46400-46499	464A00-464A99	Luggage compartment trim
46500-46999	465A00-469A99	Package tray
47000-47299	470A00-472A99	Spare wheel compartment
47300-47999	473A00-479A99	Open
48000-48099	480A00-480A99	Rear rack assy.
48100-49999	481A00-499A99	Open
50000-50299	500A00-502A99	Roof & top assy.
50300-50799	503A00-507A99	Folding top parts
50800-51299	508A00-512A99	Roof reinforcement retainers
51300-51399	513A00-513A99	Roof rail assembly
51400-51599	514A00-515A99	Top bow assy. & dome lamp-brackets & attaching parts
51600-51699	516A00-516A99	Roof rib & slats
51700-51799	517A00-517A99	Roof drip & finish moulding
51800-51899	518A00-518A99	Roof partition
51900-52299	519A00-522A99	Roof headlining & support
52300-52499	523A00-524A99	Roof binding & cardboard
52500-52599	525A00-525A99	Top back curtain
52600-52699	526A00-526A99	Open
52700-52999	527A00-529A99	Top deck & slide quarter
53000-53099	530A00-530A99	Top stack-toggle
53100-53199	531A00-531A99	Top landau-folding pillar
53200-53399	532A00-533A99	Top back curtain & hyd. mech.
53400-53499	534A00-534A99	Top curtain container
53500-53699	535A00-536A99	Top side curtain front & rear
53700-53799	537A00-537A99	Top covers, pads and retainers
53800-53899	538A00-538A99	Quarter curtain
53900-54299	539A00-542A99	Folding top & back stay pad
54300-54399	543A00-543A99	Roof pads & wadding-silencers
54400-54499	544A00-544A99	Top dust hood & container
54500-54599	545A00-545A99	Open
54600-54799	546A00-547A99	Folding top compt. & w/strip
54800-54899	548A00-548A99	Top hold down strap
54900-54999	549A00-549A99	Roof ventilator
55000-55199	550A00-551A99	Top luggage carrier
55200-55999	552A00-559A99	Open
60000-60024	600A00-600A24	Front seat complete-less trim
60025-60049	600A25-600A49	Rear seat assy. -opera seat assy.
60050-60099	600A50-600A99	Front & rear seat assy.
60100-60124	601A00-601A24	Driver's seat adjustment
60125-60199	601A25-601A99	Rear & deck seat-back assy.
60200-60299	602A00-602A99	Driver's seat back assy. comp.
60300-60499	603A00-604A99	Front seat cushion frame assy.
60500-60799	605A00-607A99	Rear, aux. & opera cushion framing
60800-61299	608A00-612A99	Front seat cushion & back frame
61300-61399	613A00-613A99	Rear seat back frame
61400-61499	614A00-614A99	Rear seat side pillar-front seat side board
61500-61599	615A00-615A99	Rear seat side panel
61600-61699	616A00-616A99	Front seat back panel
61700-62099	617A00-620A99	Front seat adjusting
62100-62499	621A00-624A99	Front & rear seat back reinf.
62500-62599	625A00-625A99	Driver & passenger seat suppt. - rear seat legs
62600-62799	626A00-627A99	Front seat floor rest toe guard
62800-62899	628A00-628A99	Front seat back robe cord front seat back ash receptacle
62900-63199	629A00-631A99	Front seat cushion cover-center seat opera seat cushion
63100-63199	631A00-631A99	Front, center, opera & rear seat cushion springs
63200-63499	632A00-634A99	Seat cushion pad, facing & end pipe
63500-63699	635A00-636A99	Cushion button & welt binding
63700-63799	637A00-637A99	Front seat side carpet
63800-63899	638A00-638A99	Rear & deck seat cushion cover
64000-64099	640A00-640A99	Driver's seat rear cover
64200-64399	642A00-643A99	Partition window operating mech.
64400-64599	644A00-645A99	Front seat back cushion cover
64600-64699	646A00-646A99	Seat back, pad & division frame
64700-64899	647A00-647A99	Front & center seat spring & pad
64800-64999	648A00-649A99	Front, center & opera seat pad, cardboard & cover
65000-65099	650A00-650A99	Front seat back facing
65100-65199	651A00-651A99	Front seat back trim rail
65200-65299	652A00-652A99	Front seat back cushion welt & moulding
65300-65399	653A00-653A99	Front seat back wadding
65400-65499	654A00-654A99	Front seat back misc. trim-hassock assy.
65500-65599	655A00-655A99	Front seat back bellows
65600-65999	656A00-659A99	Open
66000-66099	660A00-660A99	Pedestal seat
66100-66599	661A00-665A99	Open
66600-66899	666A00-668A99	Rear & deck seat back cover, pad & spring
66900-67099	669A00-670A99	Rear seat cardboard & facing
67100-67199	671A00-671A99	Rear seat back arm rest cover
67200-67299	672A00-672A99	Rear seat arm rest
67300-67599	673A00-675A99	Rear seat silencer & heelboard

IMPORTANT: AS EACH INDIVIDUAL EXPANSION SERIES BECOMES EXHAUSTED of NUMBERS, ANOTHER SERIES WILL BE ESTABLISHED BY USE of THE NEXT ALPHABETICAL EXPANSION LETTER SUCH AS "B" thru "Z".

MOTORCRAFT SALES PART NUMBERS

To facilitate the stocking and handling of those service parts which are assigned both service part numbers and Motorcraft Sales Part Numbers, the Motorcraft Sales Part Numbers are shown in parenthesis immediately following or below the service part numbers.

For example, refer to Section 96, Group 9601. The service part number for a carburetor air cleaner element used on a 1969 Mustang with a 6 cylinder 250 C.I.D. engine is C9ZZ 9601-A and the Motorcraft Sales Part Number is FA-68. In the catalog this item will be shown as C9ZZ 9601-A(FA-68).

SYMBOL USED REGULARLY IN CATALOG

★ Symbol indicates part is not supplied for service due to the following:

a. Part is superseded and replaced as indicated in the description column of text.

b. Part can be improvised as indicated in the description column of text.

c. Due to its function there would be little or no demand.

NOTE: ALWAYS REFER TO THE DESCRIPTION COLUMN OF THE TEXT FOR POSSIBLE SUBSTITUTION, OR FOR MATERIAL SPECIFICATIONS AND DIMENSIONS WHICH MAY BE HELPFUL IN OBTAINING THE NON-SERVICED PART LOCALLY.

FORMATS

Various formats are used throughout this catalog to coincide with the normal procedure for selecting the affected part numbers. Most areas of the catalog use a format arranged in the order shown below:

Column -

1 Model year
2 Type of vehicle or equipment within a specific model year
3 Description, size, etc.
4 Quantity required per vehicle
5 Complete part number

Formats peculiar to a particular area of the catalog are generally self explanatory. When necessary, instructions are shown at the beginning of the affected group. For instance, the various charts and parts list method of cataloging in the Carburetor Section are explained on Page 1 of Section 95.

VEHICLES and RELATED CATALOG CODES

Bronco	U
Falcon	X(Before 1/70)
Falcon	B(From 1/70)
Fairlane/Torino	B
Ford	A
Maverick	P
Mustang	F
Pinto	L
Thunderbird	S

CATALOG CODES and RELATED VEHICLES

A	Ford
B	Fairlane/Torino and *Falcon
F	Mustang
L	Pinto
P	Maverick
S	Thunderbird
U	Bronco
X	Falcon (1965/70 - Built before January, 1970 see Code B for units built from January, 1970)

For Falcon Club Wagons - refer to Ford Truck Master Parts Catalog (Form AF 7636-A)

* Includes Falcon units built from January, 1970

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

MODEL YEAR APPLICATION

Model year application is indicated by showing the first year followed by a diagonal line to indicate continued usage in all subsequent years until the insertion of the last year of usage, which will then be inserted after the diagonal line. If no diagonal line is shown, the part is applicable only to the year indicated.

Example:

65/	Indicates part used 1965 through 1972 as shown in this catalog, for possible application beyond 1972 see 1973/ Ford Parts Catalog, Form FP 8094-A.
66/68	Indicates part used 1966 through 1968 model years.
67	Indicates part used 1967 model year only.
72	Indicates part used 1972 model year, for possible usage beyond 1973/ see Ford Car Parts Catalog, Form FP 8094-A.

BODY TYPE CODES

Most body parts and some chassis parts are identified by Body Type Codes. A complete listing of body type codes is shown on pages 31 thru 34 of this General Information Section. Similar body types are identified by the same code number; the body type suffix is used to identify a particular body type. For instance, in 1968 (Ford) body type code 54 was used as follows:

1968	A(54A)	Galaxie "500" 4 Door Sedan
	A(54B)	Custom "500" 4 Door Sedan
	A(54C)	"LTD" 4 Door Sedan
	A(54E)	Custom 4 Door Sedan
	A(54)	4 Door Sedans

Body type codes (less suffix) are shown in the model column of the catalog text or with illustration titles when all body types of a related group are affected. For example, when Body Type Code 54 is shown, it includes 54A, 54B, 54C and 54E.

SOFT TRIM

Soft Trim parts are arranged in separate sections by model year i.e. 1965, 1966 etc. Each includes facsimile trim swatches and complete trim codes. To determine the complete part number of a trim part, it is necessary to know the "Trim Code" which is shown on the Warranty Plate or Certification Label of the vehicle (refer to Pages 18 thru 22). Instructions for selecting soft trim parts are contained at the beginning of each Soft Trim Section.

ATTACHING PARTS (NUTS, BOLTS ETC.) and LOCATOR CODES

Standard and utility hardware, such as bolts, screws, fittings, etc. are listed below the part with which they are used. To facilitate the stocking and handling of standard and utility parts by Ford Dealers, locator codes are preassigned by Ford Motor Company. The locator codes are shown in parentheses immediately following or below the standard and utility part numbers. For an example, refer to Body Section 030, Page 1, Group 03014. The part number for a 1/4-20 x 1/2" hex. head bolt is 20308-S8 and the locator code is (B40). In the catalog this item will be shown as 20308-S8 (B40).

LIQUID MEASURE

Most liquid measures listed in this catalog are in U.S. sizes and certain other liquid measures (unique to Canada) listed in this catalog are in Canadian sizes. The following chart provides an understanding and a translation of U.S. to Canadian and Canadian to U.S. sizes.

	1/2 pt.	Pint	Quart	Gallon
	(capacity in ounces)		(capacity in ounces)	
Canada	10	20	40	160
U.S.	8	16	32	128

Example: 5 U.S. Quarts (160 ounces) equal 4 Canadian Quarts (160 ounces) or 1 Canadian Gallon.

D.S.O., F.S.O. or L.P.O. (SPECIAL ORDERS)

The District Code Number will appear in the D.S.O. space on the Warranty Plate or Certification Label for all units including regular production. Always furnish appropriate Warranty Plate or Certification Label information and D.S.O. Number, if applicable, when ordering parts not listed in the catalog. If the unit is D.S.O., F.S.O. or L.P.O. (Special Order), the complete Order Number will appear in the D.S.O. space in addition to the District Code Number.

HOW TO ORDER PARTS

When ordering parts, always give the complete part number.

In the event the part number is not known, the following information should be included.

A. Complete description of part.

B. Model year and body type.

C. Dimension, number of teeth, size, etc.; if possible rough sketch of part.

D. If applicable to engine, transmission, axle, steering, etc.; specify type; such as 390 C.I.D., Fordomatic, Power Steering, etc.

E. Advise how shipment is to be made - Freight, Express, Air, Parcel Post.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INCHES and MILLIMETERS CONVERSION CHART

MILLIMETERS TO DECIMAL (inches) EQUIVALENT

MM	=	DECIMAL (Inches)	MM	=	DECIMAL (Inches)	MM	=	DECIMAL (Inches)	MM	=	DECIMAL (Inches)
1		.039	29		1.142	57		2.244	85		3.346
2		.079	30		1.181	58		2.283	86		3.386
3		.118	31		1.220	59		2.323	87		3.425
4		.157	32		1.260	60		2.362	88		3.465
5		.197	33		1.299	61		2.402	89		3.504
6		.236	34		1.339	62		2.441	90		3.543
7		.276	35		1.378	63		2.480	91		3.583
8		.315	36		1.417	64		2.520	92		3.622
9		.354	37		1.457	65		2.559	93		3.661
10		.394	38		1.496	66		2.598	94		3.701
11		.433	39		1.535	67		2.638	95		3.740
12		.472	40		1.575	68		2.677	96		3.780
13		.512	41		1.614	69		2.717	97		3.819
14		.551	42		1.654	70		2.756	98		3.858
15		.591	43		1.693	71		2.795	99		3.898
16		.630	44		1.732	72		2.835	100		3.937
17		.669	45		1.772	73		2.874	125		4.921
18		.709	46		1.811	74		2.913	150		5.906
19		.748	47		1.850	75		2.953	175		6.890
20		.787	48		1.890	76		2.992	200		7.874
21		.827	49		1.929	77		3.031	225		8.858
22		.866	50		1.969	78		3.071	250		9.843
23		.906	51		2.008	79		3.110	275		10.827
24		.945	52		2.047	80		3.150	300		11.811
25		.984	53		2.087	81		3.189	325		12.795
26		1.024	54		2.126	82		3.228	350		13.780
27		1.063	55		2.165	83		3.268	375		14.764
28		1.102	56		2.205	84		3.307	400		15.748

DECIMAL (inches) TO METRIC EQUIVALENT

DECIMAL (Inches)	=	MM	DECIMAL (Inches)	=	MM	DECIMAL (Inches)	=	MM	DECIMAL (Inches)	=	MM	DECIMAL (Inches)	=	MM	DECIMAL (Inches)	=	MM
.001		.025	.120		3.048	.320		8.128	.520		13.208	.720		18.288	.920		23.368
.002		.051	.130		3.302	.330		8.382	.530		13.462	.730		18.542	.930		23.622
.003		.076	.140		3.556	.340		8.636	.540		13.716	.740		18.796	.940		23.876
.004		.102	.150		3.810	.350		8.890	.550		13.970	.750		19.050	.950		24.130
.005		.127	.160		4.064	.360		9.144	.560		14.224	.760		19.304	.960		24.384
.006		.152	.170		4.318	.370		9.398	.570		14.478	.770		19.558	.970		24.638
.007		.178	.180		4.572	.380		9.652	.580		14.732	.780		19.812	.980		24.892
.008		.203	.190		4.826	.390		9.906	.590		14.986	.790		20.066	.990		25.146
.009		.229	.200		5.080	.400		10.160	.600		15.240	.800		20.320			
.010		.254	.210		5.334	.410		10.414	.610		15.494	.810		20.574	1.000		25.400
.020		.508	.220		5.558	.420		10.668	.620		15.748	.820		20.828	2.000		50.800
.030		.762	.230		5.842	.430		10.922	.630		16.002	.830		21.082	3.000		76.200
.040		1.016	.240		6.096	.440		11.176	.640		16.256	.840		21.336	4.000		101.600
.050		1.270	.250		6.350	.450		11.430	.650		16.510	.850		21.590	5.000		127.000
.060		1.524	.260		6.604	.460		11.684	.660		16.764	.860		21.844	10.000		254.000
.070		1.778	.270		6.858	.470		11.938	.670		17.018	.870		22.098	15.000		381.000
.080		2.032	.280		7.112	.480		12.192	.680		17.272	.880		22.352	20.000		508.000
.090		2.286	.290		7.366	.490		12.446	.690		17.526	.890		22.606	25.000		635.000
.100		2.540	.300		7.620	.500		12.700	.700		17.780	.900		22.860	50.000		1270.000
.110		2.794	.310		7.874	.510		12.954	.710		18.034	.910		23.114	100.000		2540.000

INCHES and MILLIMETERS CONVERSION CHART - continued

FRACTIONS (inches) TO DECIMALS (inches) and METRIC EQUIVALENTS

FRACTION (Inches)	DECIMAL (Inches)	MM
1/64	.016	.397
1/32	.031	.794
3/64	.047	1.191
1/16	.063	1.588
5/64	.078	1.984
3/32	.094	2.381
7/64	.109	2.778
1/8	.125	3.175
9/64	.141	3.572
5/32	.156	3.969
11/64	.172	4.366
3/16	.188	4.763
13/64	.203	5.159
7/32	.219	5.556
15/64	.234	5.953
1/4	.250	6.350
17/64	.266	6.747
9/32	.281	7.144
19/64	.297	7.541
5/16	.313	7.938
21/64	.328	8.334
11/32	.344	8.731
23/64	.359	9.128
3/8	.375	9.525
25/64	.391	9.922
13/32	.406	10.319
27/64	.422	10.716
7/16	.438	11.113
29/64	.453	11.509
15/32	.469	11.906
31/64	.484	12.303
1/2	.500	12.700
33/64	.516	13.097
17/32	.531	13.494
35/64	.547	13.891
9/16	.563	14.288
37/64	.578	14.684
19/32	.594	15.081
39/64	.609	15.478
5/8	.625	15.875
41/64	.641	16.272
21/32	.656	16.669
43/64	.672	17.066
11/16	.687	17.463
45/64	.703	17.859
23/32	.719	18.256
47/64	.734	18.653
3/4	.750	19.050
49/64	.766	19.447
25/32	.781	19.844
51/64	.797	20.241
13/16	.813	20.638
53/64	.828	21.034
27/32	.844	21.431
55/64	.859	21.828
7/8	.875	22.225
57/64	.891	22.622
29/32	.906	23.019
59/64	.922	23.416
15/16	.938	23.813
61/64	.953	24.209
31/32	.969	24.606
63/64	.984	25.003
1	1.000	25.400
2	2.000	50.800
3	3.000	76.200
4	4.000	101.600
5	5.000	127.000
10	10.000	254.000
15	15.000	381.000
20	20.000	508.000
25	25.000	635.000
50	50.000	1270.000
100	100.000	2540.000

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

ABBREVIATIONS

2/b or 2/v.....2 barrel
3/T or 3/S/T.....3 speed trans.
3 or 4/S/T.....3 or 4 speed trans

4/b or 4/v.....4 barrel
4/T or 4/S/T.....4 speed trans.
6/b or 6/V.....6 barrel
8/b or 8/V.....8 barrel

A/C.....air conditioner
AR.....As Required
A/S.....air suspension
A/T or auto. trans.....automatic transmission
A.T.C.....automatic temperature control

abs.....absorber
accel.....accelerator
adj.....adjustment

alt.....alternator
altnr.....alternating
alum.....aluminum
amp.....ampere

approx.....approximately
assy.....assembly
attach.....attached

blk.....block
brg.....bearing
brkr.....breaker
brkt.....bracket
bus.....business
B/W.....Borg Warner

CJ.....Cobra Jet (engine)
C4 and/or C6.....type of automatic transmission
C/CW.....counter clockwise
C.I.D.....cubic inch displacement

C/M.....cruise-o-matic
C.P. or cp.....candle power
CS.....California Special (Mustang)
C/W.....clockwise
c/member.....crossmember
c/pin.....cotter pin
c/shaft.....crankshaft

carb.....carburetor
Chg/L.....Change level
clstr.....cluster

col.....column
com.....compressor
compt.....compartment

con.....control
cond.....conditioning
conn.....connecting

ctr.....center
cvr. or cov.....cover
cyl.....cylinder

D/4/S.....Dagenham 4 speed
def.....defroster
defl.....deflector

dia. or diam.....diameter
diff.....differential
disp.....displacement
dist.....distributor

E.S.C.....Electronic Spark Control
E/H/D.....Extra Heavy Duty
elec.....electric
em/re.....emission reduction
eng.....engine
equal.....equalizer
ev/em.....evaporative emission
exh.....exhaust
ext.....external

F/L.....Fairlane

F-1.....Ford 1 barrel carb.
F-2.....Ford 2 barrel carb.
F-4.....Ford 4 barrel carb.

F/4/S.....Ford 4 speed

fdr.....fender
fill.....fillister

flex.....flexible
flr.....floor

frt.....front
ft.....foot
f/wheel.....flywheel

gen.....generator
g/compt.....glove compartment
gov.....governor
gr.....gear
GTW.....gross tongue weight

H-1.....Holley 1 barrel carb.
H-2.....Holley 2 barrel carb.
H-4.....Holley 4 barrel carb.

H/D.....heavy duty
H/O.....high output
HP.....horsepower
hd.....head
h/lamp.....headlamp
hex.....hexagon
hsg.....housing
htr.....heater
hyd.....hydraulic

I.D.....inside diameter
I/P.....integral power steering

ident.....identification
ign.....ignition
Imco.....Improved Combustion Emission Control System
indic.....indicator
instru.....instrument
int.....internal
inter.....intermediate

K.D.....shipped in disassembled form

L.H.....left hand
lb.....pound
l/compt.....luggage compartment
lt./frame.....light weight frame
lub.....lubricator
l/washer or l/w.....lockwasher
lwr.....lower

M/L.....Mainline
M/S.....manual steering
M/T.....manual transmission
man.....manifold
med.....medium
mm.....millimeter
m.p.h.....miles per hour
mldg.....moulding
mtd.....mounted
mtg.....mounting
mtr.....motor

ABBREVIATIONS

No. ..... number

O. D. ..... outside diameter
O/D or o/drive ..... overdrive
O. H. V. ..... over head valve
O/S ..... oversize

o/all. ..... overall
oz. ..... ounce

P/A. ..... power assist steering
P/C. ..... Police Car
P/I. ..... Police Interceptor
P/L. ..... Parklane
P/S. ..... power steering
P. F. ..... premium fuel

pass. ..... passenger
pcs. ..... pieces
press. ..... pressure
pt. ..... pint

qtr. ..... quarter
qty. ..... quantity

R/A ..... rocker arm
r/b or R/B ..... replaced by

R/D. ..... regular duty
R/G. ..... ring gear

R. F. ..... regular fuel
R. H. ..... right hand
R. P. M. or RPM . . revolutions per minute

rad. ..... radiator
rd. ..... round
reg. ..... regulator
reinf. ..... reinforcement
repl. ..... replaced
req'd. ..... required
ret. ..... retainer
rr. ..... rear

S/C. ..... standard cooling
S/CJ. ..... Super Cobra Jet (engine)

s/compt. ..... storage compartment
S/D. ..... Sedan Delivery

S/E. ..... Special Economy carb.
S/L. ..... Sunliner
S/T. ..... standard transmission
S/W. ..... Station Wagon

s/member. ..... side member
s/ring. ..... snap ring
speedo. ..... speedometer
spkrs. ..... speakers
sprg. ..... spring

std. ..... standard
strg. ..... steering
suppt. ..... support
susp. ..... suspension

T/E. ..... Thermactor Emission Control System
T. V. ..... throttle valve

tach. ..... tachometer
temp. ..... temperature
t/gate. ..... tail gate
thd. ..... thread
trans. ..... transmission
Trans/ign. or Trans. ign. ..... Transistorized Ignition
T.R.S. ..... Transmission Regulated Spark Control

U/S ..... undersize
u/joint or u/jt. ..... universal joint

vac. ..... vacuum
vent. ..... ventilation

w/ ..... with
w/o. ..... without
W/4/S. ..... Warner 4 speed
w/shield or w/s. ..... windshield
w/strip. ..... weather strip
warn. ..... warning
wt. ..... weight

X/C or x/c ..... extra cooling

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 WARRANTY PLATE - TYPICAL

(U. S. built vehicles)


Located on the latch face of the left Front Door.

The Warranty Plate Includes:

1. Miscellaneous vehicle data (first line) consisting of codes which identify Body Type, Color of Exterior Paint, Trim, Production Date, District (and D.S.O. number where applicable), Rear Axle Ratio and Transmission.
2. Vehicle Warranty Number (second line) consisting of Codes which identify Model Year, Assembly Plant, Series, Engine and Numerical Sequence of Assembly.

The page number(s) on which the Codes are listed is shown in parenthesis.

MISCELLANEOUS VEHICLE DATA (54A EM 22 17 K 26 1 3) FIRST LINE



"54A"---- Galaxie 500 4 Door Sedan

"RM"---- Ivy Green lower body, Wimbledon White upper body
(For two tone vehicles first digit indicates lower body color and second digit indicates upper body color.)
Numerals following the color Code are for Company information.

"58"---- Ivy Gold cloth and vinyl
Refer to 1965 Soft Trim Section for complete instructions and Trim Code listing.

"17"---- Seventeenth Day of Month


"K"---- October

"26" ---- Washington District (and DSO number when applicable)
Refer to Page 34 for complete explanation

"1" ---- Rear Axle Ratio of 3.00 to 1

"4" ---- (FX) Dual Range Transmission


Black Background Plate Identifies a Unit Painted with M30J (Non-Acrylic) Enamel. (Solid Color Unit or the Lower Body Color when Unit is Two-Tone.)



Grey Background Plate Identifies a Unit Painted with M32J (Acrylic) Enamel. (Solid Color Unit or the Lower Body Color when Unit is Two-Tone.)

P-3941

VEHICLE WARRANTY NUMBER (*5S62X100001*) SECOND LINE



"***"---- Asterisks precede and follow the vehicle Warranty Number to prevent unauthorized addition of numbers or symbols.

"5" ---- 1965 Model

"S" ---- Assembled at Pilot Plant

"62"---- 4 Door Sedan

"X"---- 8 cyl. Engine--352 C.I.D.--4 Venturi carburetor

"100001"---- First Ford Series vehicle assembled at Pilot Plant during Model Year

1965 WARRANTY PLATE - TYPICAL

(Canadian built vehicles)

Located on the latch face of the left Front Door.


The Warranty Plate Includes:

1. Miscellaneous vehicle data (first line) consisting of codes which identify Color of Interior and Exterior Paint, Trim, Engine and Special Order Number (where applicable).


2. Vehicle Serial Number (second line) consisting of codes which identify Car Line, Body Type, Model year, Drive and Numerical Sequence of Assembly.

The page number(s) on which the Codes are listed is shown in parenthesis.

MISCELLANEOUS VEHICLE DATA (1RR 631 JB3 02-001) FIRST LINE




"1"---- Red interior
"RR"---- Rangoon Red lower body and Rangoon Red upper body
"631"---- Red vinyl and red cloth
"J"---- 8 cyl. Engine - 390 C.I.D.
"3"---- Automatic Transmission
"02-001"---- Special Order Number (when applicable)
Refer to Page 13 for complete explanation



P-8561

SERIAL NUMBER (463B 65L 700001) SECOND LINE



"4"---- Ford with 8 cylinder engine
"63B"---- Galaxie 500 2 Door Hardtop (Fastback)
"65"---- 1965 Model
"L"---- Left Hand Drive
"700000"---- First Ford Series Vehicle assembled at Oakville during Model Year

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966/69 WARRANTY PLATE - TYPICAL

(ALSO USED ON 1970 MAVERICK BEFORE 8/11/69)

Located on the latch face of the left Front Door.


The Warranty Plate includes:

1. Warranty Number (first line) consisting of Codes which identify Model Year, Assembly Plant, Series, Engine and Numerical Sequence of Assembly.

2. Miscellaneous Vehicle Data (second line) consisting of Codes which identify Body Type, Color of Exterior Paint, Trim, Production Date, District (and D.S.O. number where applicable), Rear Axle Ratio and Transmission.


The page number(s) on which the Codes are listed is shown in parenthesis.

WARRANTY NUMBER (6S62X 100001) FIRST LINE



"6"--- 1966 Model
"S"--- Assembled at Pilot Plant.
"62"--- 4 Door Sedan
"X"--- 8 Cyl. Engine - 352 C.I.D. - 4 Venturi Carburetor
"100001"--- First Ford Series vehicle assembled at Pilot Plant during Model Year


Black Background Plate identifies a Unit Painted with M32J (Acrylic) Enamel. (Solid Color Unit or the Lower Body Color when Unit is Two-Tone.)



Grey Background Plate identifies a Unit Painted with M30J (Non-Acrylic) Enamel. (Solid Color Unit or the Lower Body Color when Unit is Two-Tone.

P-5218

MISCELLANEOUS VEHICLE DATA (54A YM 32 17 K 33 1 6) SECOND LINE



"54A"--- Galaxie 500 - 4 Door Sedan
"YM"--- Silver Blue lower body, Wimbledon White upper body
"32"--- Blue cloth and vinyl
Refer to appropriate Soft Trim Section for complete instructions and Trim Code listing.
"17"--- Seventeenth Day of Month
"K"--- October
"33"--- Detroit District (and D.S.O. number when applicable)
Refer to Page 13 for complete explanation
"1"--- Rear Axle Ratio of 3.00 to 1
"6"--- C4 Automatic 3 Speed Dual Range Transmission

1969/70 SPECIAL PERFORMANCE VEHICLE WARRANTY PLATE - TYPICAL

Located on the latch face of the left Front Door.


The Warranty Plate includes:

1. Warranty Number (first line) consisting of Codes which identify Model Year, Assembly Plant, Series, Engine and Numerical Sequence of Assembly.

2. Miscellaneous Vehicle Data (second line) consisting of Codes which identify Body Type, Color of Exterior Paint, Trim, Production Date, District Code (and D.S.O. number where applicable), Rear Axle Ratio and Transmission.


The page numbers(s) on which the Codes are listed is shown in parenthesis.

WARRANTY NUMBER (9F02R 480001) FIRST LINE



" 9" ---- 1969 Model Year
" F" ---- Assembled at Dearborn Plant
" 02" ---- 2 Door Hardtop (Fastback)
" R" ---- 8 Cyl. Engine - 428 C.I.D. Cobra Jet Ram Air - 4 Venturi Carburetor
" 480001" ---- First Shelby Automotive Mustang assembled at Dearborn during Model Year


Black Background Plate Identifies a Unit Painted with M32J (Acrylic) Enamel. (Solid Color Unit or the Lower Body Color when Unit is Two-Tone.)



Grey Background Plate Identifies a Unit Painted with M30J (Non-Acrylic) Enamel. (Solid Color Unit or the Lower Body Color when Unit is Two-Tone.)

P-6817

MISCELLANEOUS VEHICLE DATA (63A Y 4A 20 J 71 W 6) SECOND LINE



"63A" ---- Mustang - 2 Door Hardtop (Fastback)
" Y" ---- Indian Fire (Burnt Orange Metallic)
" 4A" ---- Black all vinyl
Refer to appropriate Soft Trim Section for complete instructions and Trim Code listing.
"20" ---- Twentieth Day of Month
"J" ---- September
" 71" ---- Los Angeles District (and D.S.O. number when applicable)
Refer to Page 13 for complete explanation
" W" ---- Rear Axle Ratio of 4.30 to 1
" 6" ---- 4 Speed Transmission - Close Ratio (2.32 First Gear)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970/ SAFETY STANDARDS CERTIFICATION LABEL - TYPICAL

(REPLACES METAL WARRANTY PLATE)

(ALL EXCEPT BRONCO - REFER TO PAGES 40 THRU 44 FOR BRONCO WARRANTY PLATE CODES)

(NOT USED ON 1970 MAVERICK BEFORE 8/11/69)

Located on the latch face of the left Front Door.

The Certification Label includes:

1. Built date (e.g. 9/69) in upper left hand corner which indicates the month and year in which the unit was built.
2. Vehicle Identification Number (left half of first line) consisting of Codes which identify Model Year, Assembly Plant, Series, Engine and Numerical Sequence of Assembly (also shown in upper right hand corner).
3. Miscellaneous Vehicle Data (right half of first line plus second line) consisting of Codes which identify Body Type, Color of Exterior Paint, Trim, Rear Axle Ratio, Transmission and District (and D.S.O. number where applicable).

The page number(s) on which the Codes are listed is shown in parenthesis.

VEHICLE IDENTIFICATION NUMBER (0S54H100001) FIRST LINE



"0" ---- 1970 Model Year
"S" ---- Assembled at Pilot Plant
"54" ---- 4 Door Sedan
"H" ---- 8 Cyl. Engine-351 C.I.D. -2 Venturi Carburetor
"100001" ---- First Ford Series Vehicle assembled at Pilot Plant during Model Year.
"9/69" ---- Built during September, 1969

U.S. VEHICLES

MANUFACTURED BY FORD MOTOR COMPANY 500001

9/69 THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON DATE OF MANUFACTURE SHOWN ABOVE

VEH IDENT NO			BODY	COL
OS54H100001			54A	B
TRIM	AXLE	TRANS	DSO	
5A	6	X	33	

NOT FOR TITLE OR REGISTRATION

MADE IN U.S.A.

CANADIAN VEHICLES

MANUFACTURED BY FORD MOTOR COMPANY 500001

9/69 THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON DATE OF MANUFACTURE SHOWN ABOVE


VEH IDENT NO			BODY	COL
OS54H100001			54A	B
TRIM	AXLE	TRANS	DSO	
5A	6	X	33	

NOT FOR TITLE OR REGISTRATION

MADE IN CANADA

MISCELLANEOUS VEHICLE DATA (54A B 5A 6 X 33) SECOND LINE

P-7184




"54A" ---- Galaxie "500" 4 Door Sedan
"B" ---- Dark Maroon
"5A" ---- Black cloth and vinyl
Solid colors ---- 1970/71 Single digit code
---- 1972 Two digit code
Two tones ---- 1970/71 Two digit code
---- 1972 Four digit code
Refer to appropriate Soft Trim Section for complete instructions and Trim Code listing.
"6" ---- Rear Axle Ratio of 3.00 to 1
"X" ---- FMX - Cruise-O-Matic Transmission
"33" ---- Detroit District (and D.S.O. number when applicable)

Refer to Page 13 for complete explanation

1970/ OWNER CARD - TYPICAL

(ALL EXCEPT BRONCO)



P-8190

Effective dates shown in the catalog, e.g. "Before 12/15/69" and "From 12/15/69" may be determined through interpretation of the build date shown on the owner card. This information corresponds to that shown on the warranty plate from 1965 to 1969.

The numerical position of the build date represents the day of the month.

The alphabetical portion of the build date represents the month in which the unit was built.

For example - 29D indicates

29th day of month

D - April

Refer to page 36 for a complete list of month codes and the corresponding month.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


WARRANTY PLATE or CERTIFICATION LABEL

(Refer to Pages 40 thru 44 for Bronco Warranty Plate Codes)

1965 U.S. BUILT VEHICLES
1966/ U.S. and CANADIAN BUILT VEHICLES

YEAR CODES

THE FIRST DIGIT OF THE WARRANTY OR VEHICLE IDENTIFICATION NUMBER IDENTIFIES THE MODEL YEAR OF THE VEHICLE.
THE FOLLOWING CHART LISTS THESE CODES AND THE CORRESPONDING MODEL YEAR.



CERTIFICATION LABEL SHOWN
WARRANTY PLATE TYPICAL


CODE	YEAR	CODE	YEAR	CODE	YEAR	CODE	YEAR
5	1965	7	1967	9	1969	1	1971
6	1966	8	1968	0	1970	2	1972

1965 CANADIAN BUILT VEHICLES

YEAR CODES

THE FIFTH AND SIXTH DIGITS OF THE SERIAL NUMBER INDICATE THE MODEL YEAR OF THE VEHICLE.


Code 65 - 1965 Model Year.



1965 U.S. BUILT VEHICLES
1966/ U.S. and CANADIAN BUILT VEHICLES

ASSEMBLY PLANT CODES

THE SECOND DIGIT OF THE WARRANTY OR VEHICLE IDENTIFICATION NUMBER IDENTIFIES THE PLANT AT WHICH THE VEHICLE WAS ASSEMBLED.
THE FOLLOWING CHART LISTS THESE CODES AND THE CORRESPONDING ASSEMBLY PLANT.



CERTIFICATION LABEL SHOWN
WARRANTY PLATE TYPICAL

CODE	ASSEMBLY PLANT	CODE	ASSEMBLY PLANT	CODE	ASSEMBLY PLANT	CODE	ASSEMBLY PLANT
A	Atlanta	H	Lorain	R	San Jose	W	Wayne
B	Oakville	J	Los Angeles			X	St. Thomas
				S	Pilot Plant (Allen Park)		
D	Dallas	K	Kansas City			Y	Wixom
E	Mahwah	L	Long Beach (1965)			Z	St. Louis
F	Dearborn	N	Norfolk	T	Metuchen		
G	Chicago	P	Twin Cities	U	Louisville		

WARRANTY PLATE or CERTIFICATION LABEL


(Refer to Pages 40 thru 44 for Bronco Warranty Plate Codes)

1965 U.S. BUILT VEHICLES
1966/ U.S. and CANADIAN BUILT VEHICLES

SERIES CODES

THE THIRD AND FOURTH DIGITS OF THE WARRANTY OR VEHICLE IDENTIFICATION NUMBER IDENTIFY THE BODY SERIES.

THE FOLLOWING CHART LISTS THESE CODES (IN CONJUNCTION WITH THE BODY TYPE CODES) AND THE SERIES OR MODEL WHICH THEY REPRESENT.



CERTIFICATION LABEL SHOWN
WARRANTY PLATE TYPICAL

(A) FORD 1965/

CODE SERIES	CODE TYPE	YEAR	DESCRIPTION
50	62E	67, 69	Custom 2 Door Sedan
51	54B	71/	Custom 4 Door Sedan
51	54E	67/70	Custom 4 Door Sedan
51	62B	65/66	Custom 500 2 Door Sedan
52	54B	65/66	Custom 500 4 Door Sedan
52	62B	67/69	Custom 500 2 Door Sedan
52	65D	71/	Custom 500 2 Door Hardtop
53	54B	67/70	Custom 500 4 Door Sedan
53	54D	71/	Custom 500 4 Door Sedan
53	62E	65/66	Custom 2 Door Sedan
54	54A	67/70	Galaxie 500 4Door Sedan
54	54E	65/66	Custom 4 Door Sedan
54	54F	71/	Galaxie 500 4 Door Sedan
55	63B	67	Galaxie 500 2 Door Hardtop
55	63B	68/70	Galaxie 500 2 Door Hardtop (Fastback)
56	57B	67/70	Galaxie 500 4 Door Hardtop
56	57F	71/	Galaxie 500 4 Door Hardtop
57	76A	67/69	Galaxie 500 Convertible
58	63C	67	Galaxie 500 XL 2Door Hardtop(Bucket seats)
58	65C	68/70	Galaxie 500 2 Door Hardtop (Formal Roof)
58	65F	71/	Galaxie 500 2 Door Hardtop
59	76B	67	Galaxie 500 XL Convertible (Bucket seats)
59	65M	70	Custom 500 2 Door Hardtop
60	57F	65/66	LTD 4 Door Fastback
60	63C	68/70	XL 2 Door Hardtop (Fastback)
61	63D	66	7 Litre 2 Door Hardtop (Fastback)
61	76B	68/70	XL Convertible
61	76H	71/	LTD Convertible
62	54A	65/66	Galaxie 500 4 Door Sedan
62	63J	67	LTD 2 Door Hardtop
62	65A	68/70	LTD 2 Door Hardtop (Formal Roof)
62	65H	71/	LTD 2 Door Hardtop
63	53H	71/	LTD 4 Door Pillared Hardtop
63	76D	66	7 Litre Convertible
64	54C	67/70	LTD 4 Door Sedan
64	57B	65/66	Galaxie 500 4 Door Hardtop (Fastback)
64	57H	71/	LTD 4 Door Hardtop
65	76A	65/66	Galaxie 500 Convertible
66	53K	71/	LTD Brougham 4 Door Pillared Hardtop
66	57F	67/70	LTD 4 Door Hardtop
66	63B	65/66	Galaxie 500 2 Door Hardtop (Fastback)
67	57K	71/	LTD Brougham 4 Door Hardtop
67	63F	65/66	LTD 2 Door Fastback
68	63C	65/66	Galaxie 500 XL 2 Door Fastback(Bucket seats)
68	65K	71/	LTD Brougham 2 Door Hardtop
69	76B	65/66	Galaxie 500 XL Convertible
70	71B	71/	4 Door Custom Ranch Wagon
70	71D	67/70	4 Door Ranch Wagon (6 passenger)
71	71B	67	4 Door Country Sedan (6 passenger)
71	71D	65/66	4 Door Ranch Wagon (6 passenger)
71	71H	68/70	4 Door Custom 500 Ranch Wagon(6 pass.)
72	71B	65/66	4 Door Country Sedan (6 passenger)
72	71C	67	4 Door Country Sedan (10 passenger)
72	71D	71/	4 Door Custom 500 Ranch Wagon
72	71J	68/70	4 Door Custom 500 Ranch Wagon(10 pass.)
73	71B	68/70	4 Door Country Sedan(6 passenger)
73	71E	67	4 Door Country Squire (6 passenger)
74	71A	67	4 Door Country Squire (10 passenger)
74	71C	65/66, 68/70	4 Door Country Sedan (10 passenger)
74	71F	71/	4 Door Country Sedan
75	71E	68/70	4 Door Country Squire(6 passenger)
76	71A	68/70	4 Door Country Squire(10 passenger)
76	71E	65/66	4 Door Country Squire (6 passenger)
76	71H	71/	4 Door Country Squire
78	71A	65/66	4 Door Country Squire (10 passenger)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

WARRANTY PLATE or CERTIFICATION LABEL

(Refer to Pages 40 thru 44 for Bronco Warranty Plate Codes)

SERIES CODES - continued

(B) FAIRLANE/TORINO 1965/

CODE SERIES	CODE TYPE	YEAR	DESCRIPTION
25	65A	71	2 Door Hardtop (Formal Roof)
25	65B	72	2 Door Hardtop (Formal Roof)
27	54A	71	Torino 4 Door Sedan
27	53B	72	4 Door Pillared Hardtop
28	54B	70	500 4 Door Sedan
29	65B	70	500 2 Door Hardtop
30	62A	67	2 Door Sedan
30	65A	68/69	2 Door Hardtop (Formal Roof)
30	65C	70	2 Door Hardtop
30	65C	71	Torino 500 2 Door Hardtop (Formal Roof)
30	65C	71	500 2 Door Hardtop (Formal Roof)
30	65D	72	Gran Torino 2 Door Hardtop (Formal Roof)
31	54A	67/69	4 Door Sedan
31	54C	70	4 Door Sedan
31	54C	71	500 4 Door Sedan
31	62A	65/66	2 Door Sedan
31	53D	72	Gran Torino 4 Door Pillared Hardtop
32	54A	65/66	4 Door Sedan
32	57C	70	4 Door Hardtop
32	57C	71	500 4 Door Hardtop
32	71D	67/69	4 Door Station Wagon
33	62B	67	500 2 Door Sedan
33	65B	68/69	500 2 Door Hardtop (Formal Roof)
33	65E	68/69	500 2 Door Hardtop (Formal Roof-Bucket seats)
33	65E	70/71	Brougham 2 Door Hardtop (Formal Roof)
34	54B	67/69	500 4 Door Sedan
34	63C	71	500 2 Door Hardtop (Fastback)
35	63B	67	500 2 Door Hardtop
35	63B	68/69	500 2 Door Hardtop (Fastback)
35	63E	68/69	500 2 Door Hardtop (Fastback-Bucket seats)
35	63F	70/71	GT 2 Door Hardtop (Fastback)
35	63R	72	Gran Torino 2 Door Hardtop (Fastback)
36	57E	70/71	Brougham 4 Door Hardtop
36	76B	67/69	500 Convertible
36	76E	68/69	500 Convertible (Bucket seats)
37	71B	67/69	500 4 Door Station Wagon
37	76F	70/71	GT Convertible
38	63H	70/71	Cobra 2 Door Hardtop (Fastback)
38	71D	65/66	4 Door Ranch Wagon
38	71E	67	Squire 4 Door Station Wagon
38	71E	68/69	Squire 4 Door Station Wagon
38	65R	72	Gran Torino Sport 2 Door Hardtop (Formal Roof)
40	63C	67	500XL 2 Door Hardtop
40	63D	66	500GT 2 Door Hardtop
40	65C	68/69	2 Door Hardtop (Formal Roof)
40	71D	71	4 Door Station Wagon
40	71B	72	4 Door Station Wagon

CODE SERIES	CODE TYPE	YEAR	DESCRIPTION
41	54C	68	4 Door Sedan
41	62B	65/66	500 2 Door Sedan
41	71B	70	500 4 Door Station Wagon
41	76C	67	500XL Convertible
42	63D	68	GT 2 Door Hardtop (Fastback)
42	63D	69	GT 2 Door Hardtop (Fastback-Bucket seats)
42	63F	69	GT 2 Door Hardtop (Fastback)
42	54B	65/66	500 4 Door Sedan
42	63D	67	500GT 2 Door Hardtop
42	71C	70	4 Door Station Wagon
42	71C	71	500 4 Door Station Wagon
42	71D	72	Gran Torino 4 Door Station Wagon
43	63B	66	500 2 Door Hardtop
43	65A	65	500 2 Door Hardtop
43	71E	70/71	Squire 4 Door Station Wagon
43	76D	67	500GT Convertible
43	76D	68/69	GT Convertible (Bucket seats)
43	76F	69	GT Convertible (Bench seat)
43	71K	72	Gran Torino Squire 4 Door Station Wagon
44	65D	68	GT 2 Door Hardtop (Formal Roof)
44	65D	69	GT 2 Door Hardtop (Formal Roof-Bucket seats)
44	65F	69	GT 2 Door Hardtop (Formal Roof)
44	76D	66	500 GT Convertible
45	65E	69	Cobra 2 Door Hardtop(Formal Roof-Bucket seats)
45	65A	69	Cobra 2 Door Hardtop (Formal Roof-Bench seat)
45	76B	66	500 Convertible
46	63B	69	Cobra 2 Door Hardtop(Fastback-Bench seat)
46	63E	69	Cobra 2 Door Hardtop (Fastback-Bucket seats)
46	66A	70/71	Ranchero
46	76C	66	500XL Convertible
47	63C	66	500XL 2 Door Hardtop
47	65B	65	2 Door Hardtop Sport Coupe
47	66A	67/69	Ranchero
47	66B	70/71	500 Ranchero
47	97D	72	500 Ranchero
48	66B	67/69	500 Ranchero
48	66C	70/71	GT Ranchero
48	71B	65	4 Door Custom Ranch Wagon
48	71B	66	500 4 Door Custom Ranch Wagon
48	97R	72	GT Ranchero
49	66C	69	GT Ranchero (Bench seat)
49	66D	67	500XL Ranchero (Bucket seats)
49	66D	68/69	GT Ranchero
49	66E	70/71	Squire Ranchero
49	71E	66	Squire 4 Door Station Wagon
49	97K	72	Squire Ranchero

WARRANTY PLATE OR CERTIFICATION LABEL

(Refer to Pages 40 thru 44 for Bronco Warranty Plate Codes)

SERIES CODES - continued

(B) FALCON 1970 - Units Built from 1/1/70

(For Falcon units built prior to 1/1/70 - see Catalog Symbol " X" on the next page)

CODE SERIES	CODE TYPE	YEAR	DESCRIPTION
26	62A	70	Falcon 2 Door Sedan
27	54A	70	Falcon 4 Door Sedan
40	71D	70	Falcon 4 Door Station Wagon

(F) MUSTANG 1965/

CODE SERIES	CODE TYPE	YEAR	DESCRIPTION
01	65A	67/70	2 Door Hardtop
01	65B	67/69	2 Door Hardtop (Luxury trim)
01	65B	70	Flair 2 Door Hardtop
01	65C	67/68	2 Door Hardtop
01	65C	69	2 Door Hardtop
01	65D	68/69	2 Door Hardtop (Luxury trim)
01	65D	71/	2 Door Hardtop
01	65E	69	Grande 2 Door Hardtop
02	63A	67, 69/70	2 Door Hardtop (Fastback)
02	63B	67/69	2 Door Hardtop (Fastback-Luxury trim)
02	63B	70	Flair 2 Door Hardtop (Fastback)
02	63C	68	2 Door Hardtop (Fastback)
02	63C	69	Mach I 2 Door Hardtop (Fastback)
02	63D	68	2 Door Hardtop (Fastback-Luxury Trim)
02	63D	71/	2 Door Hardtop (Fastback)
03	76A	67/70	Convertible
03	76B	68/69	Convertible (Luxury trim)
03	76B	70	Flair Convertible
03	76C	67	Convertible
03	76D	67	Convertible (Luxury trim)
03	76D	71/	Convertible
04	65E	70	Grande 2 Door Hardtop
04	65F	71/	Grande 2 Door Hardtop
05	63C	70	Mach I 2 Door Hardtop (Fastback)
05	63R	71/	Mach I 2 Door Hardtop (Fastback)
07	65A	65/66	2 Door Hardtop
07	65B	65/66	2 Door Hardtop(Luxury trim)
07	65C	65/66	2 Door Hardtop
08	76A	65/66	Convertible
08	76B	65/66	Convertible (Luxury trim)
08	76C	65/66	Convertible
09	63A	65/66	2 Door Hardtop (Fastback)
09	63B	65/66	2 Door Hardtop (Fastback-Luxury trim)

(L) PINTO 1971/

CODE SERIES	CODE TYPE	YEAR	DESCRIPTION
10	62B	71/	2 Door Sedan
11	64B	71/	3 Door Sedan (Runabout)
12	73B	72	2 Door Station Wagon

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

WARRANTY PLATE OR CERTIFICATION LABEL

(Refer to Pages 40 thru 44 for Bronco Warranty Plate Codes)

SERIES CODES - continued

(P) MAVERICK 1970/

CODE SERIES	CODE TYPE	YEAR	DESCRIPTION
91	62A	70/	2 Door Sedan
92	54A	71/	4 Door Sedan
93	62D	71/	Grabber 2 Door Sedan

(S) THUNDERBIRD 1965/

CODE SERIES	CODE TYPE	YEAR	DESCRIPTION
81	63C	66	2 Door Hardtop (Blind Quarter)
81	65A	67	2 Door Hardtop
82	65B	67	2 Door Landau
83	63A	65/66	2 Door Hardtop
83	65A	68/71	2 Door Hardtop (Bucket seats)
83	65C	68/71	2 Door Hardtop (Bench seat)
84	57B	67	4 Door Landau
84	65B	68/71	2 Door Landau (Bucket seats)
84	65D	68/71	2 Door Landau (Bench seat)
85	76A	65/66	Convertible
87	57B	68/69	4 Door Landau (Bucket seats)
87	57B	70/71	4 Door Landau (Split Bench)
87	57C	68/71	4 Door Landau (Bench seat)
87	63B	65	2 Door Landau
87	65K	72	2 Door Hardtop

(X) FALCON 1965/70 - Includes Units built before 1/1/70

(For Falcon Units built from 1/1/70 - see Catalog Symbol "B" on preceding page)

CODE SERIES	CODE TYPE	YEAR	DESCRIPTION
01	62A	65	2 Door Sedan
01	62A	66	2 Door Sedan
01	62D	65	2 Door Sedan
02	54A	65/66	4 Door Sedan
02	54D	65	4 Door Sedan
06	71A	66	4 Door Station Wagon
10	62A	67/70	2 Door Sedan
11	54A	67/70	4 Door Sedan
11	62B	66	2 Door Sedan
12	54B	66	4 Door Sedan
12	71A	67/68	4 Door Station Wagon
12	71A	69/70	4 Door Standard Station Wagon
13	62C	66	2 Door Sedan (Bucket seats)
15	76A	65	Convertible (Bench seat)
15	76B	65	Convertible (Bucket seats)
15	76D	65	Convertible
16	54B	65	Futura 4 Door Sedan (Bench seat)
16	71B	66	4 Door Deluxe Station Wagon
17	63B	65	Futura 2 Door Hardtop (Bench seat)
17	63C	65	2 Door Hardtop
17	63D	65	2 Door Hardtop (Bucket seats)
19	62B	65	Futura 2 Door Sedan (Bench seat)
20	62B	67	Futura 2 Door Sedan
20	62B	68/70	Futura 2 Door Sedan (Bench seat)
21	54B	67/70	Futura 4 Door Sedan
21	59A	65	2 Door Station Wagon
22	62C	67/69	2 Door Sedan (Bucket seats)
22	71A	65	4 Door Station Wagon
23	71B	67/70	Futura 4 Door Station Wagon
24	71B	65	Futura 4 Door Station Wagon
26	71C	65	4 Door Squire
27	66A	65/66	Standard Ranchero
27	66B	65	Deluxe Ranchero
27	66G	65	Standard Ranchero (Bucket seats)
27	66H	65	Deluxe Ranchero
29	66B	66	Custom Ranchero
29	66D	66	Custom Ranchero
29	78A	65	Standard Sedan Delivery

WARRANTY PLATE or CERTIFICATION LABEL

(Refer to Pages 40 thru 44 for Bronco Warranty Plate Codes)


1965 U.S. BUILT VEHICLES
1966/ U.S. and CANADIAN BUILT VEHICLES

ENGINE CODES

THE FIFTH DIGIT OF THE WARRANTY OR VEHICLE IDENTIFICATION NUMBER INDICATES BASIC ENGINE IDENTIFICATION.

THE FOLLOWING CHART LISTS THESE CODES AS WELL AS NUMBER OF CYLINDERS, CUBIC INCH DISPLACEMENT AND NUMBER OF CARBURETOR VENTURI.

FOR FURTHER ENGINE IDENTIFICATION REFER TO SECTION 60 IN THIS CATALOG.



CERTIFICATION LABEL SHOWN
WARRANTY PLATE TYPICAL

CODE	YEAR	ENGINE CYL.	ENGINE C.I.D.	CARB.	REMARKS
A	65/67	8	289	4V	P/F
B	65/70	6	240	1V	P/C
C	65/68	8	289	2V	
	70/71	8	429	4V	Cobra Jet
D	65	8	289	4V	
	69/	8	302	2V	P/C & Taxi
E	65/	6	240	1V	Taxi
F	65	8	260	2V	
	68/	8	302	2V	
G	69/71	8	302	4V	Boss
H	66/67	8	390	2V	
	69/	8	351	2V	NOTE 1
J	68	8	302	4V	
	70/71	8	429	4V	Cobra Jet
K	65/67	8	289	4V	Hi-performance
	69/71	8	429	2V	
L	69/	6	250	1V	
M	69/71	8	351	4V	
N	68/	8	429	4V	
P	65/66	8	390	4V	P/C
	67/70	8	428	4V	P/C
	71/	8	429	4V	P/C
Q	66/70	8	428	4V	
	71/	8	351	4V	GT
R	65/67	8	427	8V	Hi-performance
	68/70	8	428	4V	Cobra Jet (hyd. lifters)
	71/	8	351	4V	Boss
S	66/69	8	390	4V	
	67	8	390	4V	GT
	71/	8	400	2V	
T	65/	6	200	1V	
U	65/	6	170	1V	
V	65/	6	240	1V	
W	66/68	8	427	4V	Hi-performance
	71/	4	98	1V	1600 cc or 1.6 litres
X	65/66	8	352	4V	
	71/	4	122	2V	2000 cc or 2.0 litres
Y	66/67	8	390	2V	
	68	8	390	2V	P/F
	69/71	8	390	2V	R/F
Z	65/68	8	390	4V	

NOTE 1 - Refer to Engine Identification Tag or Label to determine if Cleveland (351C) or Windsor (351W) built engine.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

WARRANTY PLATE OR CERTIFICATION LABEL

(Refer to Pages 40 thru 44 for Bronco Warranty Plate Codes)


ENGINE CODES

THE FIRST DIGIT OF THE "ENGINE" CODE INDICATES BASIC ENGINE IDENTIFICATION.

THE FOLLOWING CHART LISTS THESE CODES AS WELL AS NUMBER OF CYLINDERS, CUBIC INCH DISPLACEMENT AND NUMBER OF CARBURETOR VENTURI.

FOR FURTHER ENGINE IDENTIFICATION REFER TO SECTION 60 IN THIS CATALOG.

1965 CANADIAN BUILT VEHICLES




CODE	CYL.	C.I.D.	REMARKS
B	6	170	
C	6	240	
D	6	200	
F	8	289	
G	8	352	
J	8	390	
M	8	260	

NUMERICAL SEQUENCE OF ASSEMBLY

THE LAST SIX DIGITS OF THE SERIAL NUMBER CORRESPOND TO SERIAL NUMBERS SHOWN IN THE CATALOG. THESE ASSIST IN DETERMINING THE CORRECT PART NUMBER IN THE CASE OF "BEFORE..." AND "FROM..." DATES.

1965 CANADIAN BUILT VEHICLES




WARRANTY PLATE or CERTIFICATION LABEL

(Refer to Pages 40 thru 44 for Bronco Warranty Plate Codes)

1965 U.S. BUILT VEHICLES
1966/ U.S. and CANADIAN BUILT VEHICLES

BODY TYPE CODES

THIS CODE APPEARS ABOVE OR BELOW "BODY" AND IDENTIFIES THE BODY TYPE OF THE UNIT. THE FOLLOWING CHART LISTS THESE CODES (IN CONJUNCTION WITH THE SERIES CODES) AND THE BODY TYPE WHICH THEY REPRESENT.




CERTIFICATION LABEL SHOWN
WARRANTY PLATE TYPICAL

1965 CANADIAN BUILT VEHICLES

BODY TYPE CODES

THE SECOND, THIRD AND FOURTH DIGITS OF THE SERIAL NUMBER IDENTIFY THE BODY TYPE OF THE UNIT.



(A) FORD 1965/

CODE TYPE	CODE SERIES	YEAR	DESCRIPTION
53H	63	71/	LTD 4 Door Pillared Hardtop
53K	66	71/	LTD Brougham 4 Door Pillared Hardtop
54A	54	67/	Galaxie 500 4 Door Sedan
54A	62	65/66	Galaxie 500 4 Door Sedan
54B	51	71/	Custom 4 Door Sedan
54B	52	65/66	Custom 500 4 Door Sedan
54B	53	67/70	Custom 500 4 Door Sedan
54C	64	67/70	LTD 4 Door Sedan
54D	53	71/	Custom 500 4 Door Sedan
54E	51	67/70	Custom 4 Door Sedan
54E	54	65/66	Custom 4 Door Sedan
54F	54	71/	Galaxie 500 4 Door Sedan
57B	64	65/66	Galaxie 500 4 Door Hardtop (Fastback)
57B	56	67/70	Galaxie 500 4 Door Hardtop
57F	60	65/66	LTD 4 Door Hardtop
57F	66	67/70	LTD 4 Door Hardtop
57F	56	71/	Galaxie 500 4 Door Hardtop
57H	64	71/	LTD 4 Door Hardtop
57K	67	71/	LTD Brougham 4 Door Hardtop
62B	51	65/66	Custom 500 2 Door Sedan
62B	52	67/69	Custom 500 2 Door Sedan
62E	50	67, 69	Custom 2 Door Sedan
62E	53	65/66	Custom 2 Door Sedan
63B	55	67	Galaxie 500 2 Door Hardtop
63B	55	68/70	Galaxie 500 2 Door Hardtop (Fastback)
63B	66	65/66	Galaxie 500 2 Door Hardtop (Fastback)
63C	58	67	Galaxie 500XL 2 Door Hardtop(Bucket seats)
63C	60	68/70	XL 2 Door Hardtop (Fastback)
63C	68	65/66	Galaxie 500XL 2 Door(Fastback-Bucket seats)
63D	61	66	7 Litre 2 Door Hardtop (Fastback)
63F	67	65/66	LTD 2 Door Hardtop (Fastback)
63J	62	67	LTD 2 Door Hardtop

CODE TYPE	CODE SERIES	YEAR	DESCRIPTION
65A	62	68/70	LTD 2 Door Hardtop (Formal Roof)
65C	58	68/70	Galaxie 500 2 Door Hardtop (Formal Roof)
65D	52	71/	Custom 500 2 Door Hardtop
65F	58	71/	Galaxie 500 2 Door Hardtop
65H	62	71/	LTD 2 Door Hardtop Sedan
65K	68	71/	LTD Brougham 2 Door Hardtop Sedan
65M	59	70	Custom 500 2 Door Hardtop
71A	74	67	4 Door Country Squire (10 passenger)
71A	76	68/70	4 Door Country Squire (10 passenger)
71A	78	65/67	4 Door Country Squire (10 passenger)
71B	71	67	4 Door Country Sedan (6 passenger)
71B	72	65/66	4 Door Country Sedan (6 passenger)
71B	73	68/70	4 Door Country Sedan (6 passenger)
71B	70	71/	4 Door Custom Ranch Wagon
71C	72	67	4 Door Country Sedan (10 passenger)
71C	74	65/66, 68/70	4 Door Country Sedan (10 passenger)
71D	70	67/70	4 Door Ranch Wagon (6 passenger)
71D	71	65/66	4 Door Ranch Wagon (6 passenger)
71D	72	71/	4 Door Custom 500 Ranch Wagon
71E	73	67	4 Door Country Squire (6 passenger)
71E	75	68/70	4 Door Country Squire (6 passenger)
71E	76	65/66	4 Door Country Squire (6 passenger)
71F	74	71/	4 Door Country Sedan
71H	71	68/70	4 Door Custom 500 Ranch Wagon (6 pass.)
71H	76	71/	4 Door Country Squire
71J	72	68/70	4 Door Custom 500 Ranch Wagon (10 pass.)
76A	57	67/69	Galaxie 500 2 Door Convertible
76A	65	65/66	Galaxie 500 Convertible
76B	59	67	Galaxie 500XL Convertible (Bucket seats)
76B	61	68/70	XL Convertible
76B	69	65/66	Galaxie 500XL Convertible
76D	63	66	7 Litre Convertible
76H	61	71/	LTD Convertible

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

WARRANTY PLATE or CERTIFICATION LABEL

(Refer to Pages 40 thru 44 for Bronco Warranty Plate Codes)

BODY TYPE CODES - continued

(B) FAIRLANE/TORINO 1965/

CODE TYPE	CODE SERIES	YEAR	DESCRIPTION
53B	27	72	4 Door Pillared Hardtop
53D	31	72	Gran Torino 4 Door Pillared Hardtop
54A	31	67/69	4 Door Sedan
54A	32	65/66	4 Door Sedan
54A	27	71	4 Door Sedan
54B	28	70	500 4 Door Sedan
54B	34	67/69	500 4 Door Sedan
54B	42	65/66	500 4 Door Sedan
54C	41	68	4 Door Sedan
54C	31	70	4 Door Sedan
54C	31	71	500 4 Door Sedan
57C	32	70	4 Door Hardtop
57C	32	71	500 4 Door Hardtop
57E	36	70/71	Brougham 4 Door Hardtop
62A	30	67	2 Door Sedan
62A	31	65/66	2 Door Sedan
62B	33	67	500 2 Door Sedan
62B	41	65/66	500 2 Door Sedan
63B	35	67	500 2 Door Hardtop
63B	35	68/69	500 2 Door Hardtop (Fastback)
63B	46	69	Cobra 2 Door Hardtop (Fastback-Bench seat)
63B	43	66	500 2 Door Hardtop
63C	40	67	500XL 2 Door Hardtop
63C	47	66	500XL 2 Door Hardtop
63C	34	71	500 2 Door Hardtop (Fastback)
63D	40	66	500GT 2 Door Hardtop
63D	42	67	500GT 2 Door Hardtop
63D	42	68	GT 2 Door Hardtop (Fastback)
63D	42	69	GT 2 Door Hardtop (Fastback-Bucket seats)
63E	35	68/69	500 2 Door Hardtop (Fastback-Bucket seats)
63E	46	69	Cobra 2 Door Hardtop(Fastback-Bucket seats)
63F	42	69	GT 2 Door Hardtop (Fastback)
63F	35	70/71	GT 2 Door Hardtop (Fastback)
63H	38	70/71	Cobra 2 Door Hardtop (Fastback)
63R	35	72	Gran Torino Sport 2 Door Hardtop (Fastback)
65A	30	68/69	2 Door Hardtop (Formal Roof)
65A	43	65	500 2 Door Hardtop
65A	45	69	Cobra 2 Door Hardtop (Formal Roof-Bench seat)
65A	25	71	2 Door Hardtop (Formal Roof)
65B	29	70	500 2 Door Hardtop
65B	33	68/69	500 2 Door Hardtop (Formal Roof)
65B	47	65	2 Door Hardtop Sport Coupe
65B	25	72	2 Door Hardtop (Formal Roof)
65C	30	70	2 Door Hardtop
65C	30	71	500 2 Door Hardtop (Formal Roof)
65C	40	68/69	2 Door Hardtop (Formal Roof)
65D	44	68	GT 2 Door Hardtop (Formal Roof)
65D	44	69	GT 2 Door Hardtop (Formal Roof-Bucket seats)
65D	30	72	Gran Torino 2 Door Hardtop (Formal Roof)
65E	33	68/69	500 2 Door Hardtop (Formal Roof-Bucket seats)
65E	33	70/71	Brougham 2 Door Hardtop (Formal Roof)
65E	45	69	Cobra 2 Door Hardtop (Formal Roof-Bucket seats)
65F	44	69	GT 2 Door Hardtop (Formal Roof)
65R	38	72	Gran Torino Sport 2 Door Hardtop (Formal Roof)
66A	46	70/71	Ranchero
66A	47	67/69	Ranchero
66B	47	70/71	500 Ranchero
66B	48	67/69	500 Ranchero
66C	48	70/71	GT Ranchero
66C	49	69	GT Ranchero (Bench seat)
66D	49	67	500XL Ranchero (Bucket seats)
66D	49	68/69	GT Ranchero
66E	49	70/71	Squire Ranchero
71B	37	67/69	500 4 Door Station Wagon
71B	41	70	500 4 Door Station Wagon
71B	48	65	4 Door Custom Ranch Wagon
71B	48	66	500 4 Door Custom Ranch Wagon
71B	40	72	4 Door Station Wagon
71C	42	70	4 Door Station Wagon
71C	42	71	500 4 Door Station Wagon
71D	32	67/69	4 Door Station Wagon
71D	38	65/66	4 Door Ranch Wagon
71D	40	71	4 Door Station Wagon
71D	42	72	Gran Torino 4 Door Station Wagon
71E	38	67	Squire 4 Door Station Wagon
71E	38	68/69	Squire 4 Door Station Wagon
71E	43	70/71	Squire 4 Door Station Wagon
71E	49	66	Squire 4 Door Station Wagon
71K	43	72	Gran Torino Squire 4 Door Station Wagon
76B	36	67/69	500 Convertible
76B	45	66	500 Convertible
76C	41	67	500XL Convertible
76C	46	66	500XL Convertible
76D	43	67	500GT Convertible
76D	43	68/69	GT Convertible (Bucket seats)
76D	44	66	500GT Convertible
76E	36	68/69	500 Convertible (Bucket seats)
76F	37	70/	GT Convertible
76F	43	69	GT Convertible (Bench seat)
97D	47	72	500 Ranchero
97R	48	72	GT Ranchero
97K	49	72	Squire Ranchero

WARRANTY PLATE or CERTIFICATION LABEL

(Refer to Pages 40 thru 44 for Bronco Warranty Plate Codes)

BODY TYPE CODES - continued

CODE TYPE	CODE SERIES	YEAR	DESCRIPTION	CODE TYPE	CODE SERIES	YEAR	DESCRIPTION
(B) FALCON 1970 - Units Built from 1/1/70							
(For Falcon units built prior to 1/1/70 - see Catalog Symbol " X" on the next page)							
54A	27	70	Falcon 4 Door Sedan	71D	40	70	Falcon 4 Door Station Wagon
62A	26	70	Falcon 2 Door Sedan				
(F) MUSTANG 1965/							
63A	02	67, 69/70	2 Door Hardtop (Fastback)	65C	01	67/68	2 Door Hardtop
63A	09	65/66	2 Door Hardtop (Fastback)	65C	01	69	2 Door Hardtop
63B	02	67/70	2 Door Hardtop (Fastback-Luxury trim)	65C	07	65/66	2 Door Hardtop
63B	02	70	Flair 2 Door Hardtop (Fastback)	65D	01	68/69	2 Door Hardtop (Luxury trim)
63B	09	65/66	2 Door Hardtop (Fastback-Luxury trim)	65D	01	71/	2 Door Hardtop
63C	02	69	Mach I 2 Door Hardtop (Fastback)	65E	01	69	Grande 2 Door Hardtop
63C	02	68	2 Door Hardtop (Fastback)	65E	04	70	Grande 2 Door Hardtop
63C	05	70	Mach I 2 Door Hardtop (Fastback)	65F	04	71/	Grande 2 Door Hardtop
63D	02	68	2 Door Hardtop (Fastback-Luxury trim)	76A	08	65/66	Convertible
63D	02	71/	2 Door Hardtop (Fastback)	76A	03	67/70	Convertible
63R	05	71/	Mach I 2 Door Hardtop (Fastback)	76B	03	67/69	Convertible (Luxury trim)
65A	01	67/70	2 Door Hardtop	76B	03	70	Flair Convertible
65A	07	65/66	2 Door Hardtop	76B	08	65/66	Convertible (Luxury trim)
65B	01	67/69	2 Door Hardtop (Luxury trim)	76C	03	67	Convertible
65B	01	70	Flair 2 Door Hardtop	76C	08	65/66	Convertible
65B	07	65/66	2 Door Hardtop (Luxury trim)	76D	03	67	Convertible (Luxury trim)
				76D	03	71/	Convertible
(L) PINTO 1971/							
62B	10	71/	2 Door Sedan	64B	11	71/	3 Door Sedan (Runabout)
				73B	12	72	2 Door Station Wagon
(P) MAVERICK 1970/							
54A	92	71/	4 Door Sedan	62A	91	70/	2 Door Sedan
62D	93	71/	Grabber 2 Door Sedan				
(S) THUNDERBIRD 1965/							
57B	84	67	4 Door Landau	65A	81	67	2 Door Hardtop
57B	87	68/69	4 Door Landau (Bucket seats)	65A	83	68/71	2 Door Hardtop (Bucket seats)
57B	87	70/71	4 Door Landau (Split Bench)	65B	82	67	2 Door Landau
57C	87	68/71	4 Door Landau (Bench seat)	65B	84	68/71	2 Door Landau (Bucket seats)
63A	83	65/66	2 Door Hardtop	65C	83	68/71	2 Door Hardtop (Bench seat)
63B	87	65	2 Door Landau	65D	84	68/71	2 Door Landau (Bench seat)
63C	81	66	2 Door Hardtop (Blind Quarter)	65K	87	72	2 Door Hardtop
				76A	85	65/66	Convertible

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

WARRANTY PLATE OR CERTIFICATION LABEL

(Refer to Pages 40 thru 44 for Bronco Warranty Plate Codes)

BODY TYPE CODES - continued

CODE TYPE	CODE SERIES	YEAR	DESCRIPTION
54A	02	65/66	4 Door Sedan
54A	11	67/70	4 Door Sedan
54B	12	66	4 Door Sedan
54B	16	65	Futura 4 Door Sedan (Bench seat)
54B	21	67/70	Futura 4 Door Sedan
54D	02	65	4 Door Sedan
59A	21	65	2 Door Station Wagon
62A	01	65	2 Door Sedan
62A	01	66	2 Door Sedan
62A	10	67	2 Door Sedan
62A	10	68/70	2 Door Sedan
62B	11	66	2 Door Sedan
62B	19	65	Futura 2 Door Sedan (Bench seat)
62B	20	67	Futura 2 Door Sedan
62B	20	68/70	Futura 2 Door Sedan (Bench seat)
62C	13	66	2 Door Sedan (Bucket seat)
62C	22	67/69	2 Door Sedan (Bucket seats)
62D	01	65	2 Door Sedan
63B	17	65	Futura 2 Door Hardtop (Bench seat)
63C	17	65	2 Door Hardtop
63D	17	65	2 Door Hardtop (Bucket seats)
66A	27	65/66	Standard Ranchero
66B	27	65	Deluxe Ranchero
66B	29	66	Custom Ranchero
66D	29	66	Custom Ranchero
66G	27	65	Standard Ranchero (Bucket seat)
66H	27	65	Deluxe Ranchero
71A	06	66	4 Door Station Wagon
71A	12	67/68	4 Door Station Wagon
71A	12	69/70	4 Door Standard Station Wagon
71A	22	65	4 Door Station Wagon
71B	16	66	4 Door Deluxe Station Wagon
71B	23	67/70	Futura 4 Door Station Wagon
71B	24	65	Futura 4 Door Station Wagon
71C	26	65	4 Door Squire
76A	15	65	Convertible (Bench seat)
76B	15	65	Convertible (Bucket seats)
76D	15	65	Convertible
78A	29	65	Standard Sedan Delivery

(X) FALCON 1965/70 - Includes Units built before 1/1/70

(For Falcon Units built from 1/1/70 - see Catalog Symbol " B" on preceding page)


WARRANTY PLATE or CERTIFICATION LABEL

(Refer to Pages 40 thru 44 for Bronco Warranty Plate Codes)

1965 U.S. BUILT VEHICLES
1966/ U.S. and CANADIAN BUILT VEHICLES

COLOR CODES (EXTERIOR PAINT)

THE CODE ABOVE OR BELOW "COLOR" INDICATES THE EXTERIOR PAINT COLOR OF THE VEHICLE. REFER TO THE PAINT SECTION FOR A LISTING OF THESE CODES AND THE PART NUMBER OF THE REQUIRED PAINT.




CERTIFICATION LABEL SHOWN
WARRANTY PLATE TYPICAL

1965 CANADIAN BUILT VEHICLES

COLOR CODES (EXTERIOR PAINT)

THE SECOND AND THIRD DIGITS OF THE "PAINT" CODE IDENTIFY THE EXTERIOR PAINT COLOR OF THE VEHICLE. REFER TO THE PAINT SECTION FOR A LISTING OF THESE CODES AND THE PART NUMBER OF THE REQUIRED PAINT.




1965 CANADIAN BUILT VEHICLES

COLOR CODES (INTERIOR PAINT)

THE FIRST DIGIT OF THE "PAINT" CODE IDENTIFIES THE INTERIOR PAINT COLOR OF THE VEHICLE.


REFER TO THE PAINT SECTION FOR A LISTING OF THESE CODES AND THE PART NUMBER OF THE REQUIRED PAINT.



1965 U.S. BUILT VEHICLES
1966/ U.S. and CANADIAN BUILT VEHICLES

TRIM CODES

THE CODE SHOWN ABOVE OR BELOW "TRIM" INDICATES THE COLOR AND TYPE OF MATERIALS USED IN THE INTERIOR UPHOLSTERY AS WELL AS THE COLOR OF THE INTERIOR PAINT. REFER TO THE APPROPRIATE SOFT TRIM SECTION FOR A LISTING OF THESE CODES AND THE COLOR AND TYPE OF MATERIALS USED IN THE INTERIOR UPHOLSTERY. REFER TO THE PAINT SECTION FOR A LISTING OF THESE CODES AND THE PART NUMBER FOR THE REQUIRED PAINT.




CERTIFICATION LABEL SHOWN
WARRANTY PLATE TYPICAL

1965 CANADIAN BUILT VEHICLES

TRIM CODES

THE CODE UNDER "TRIM" IDENTIFIES THE COLOR AND TYPE OF MATERIALS USED IN THE INTERIOR UPHOLSTERY. REFER TO THE 1965 SOFT TRIM SECTION FOR A LISTING OF THESE CODES AND THE COLOR AND TYPE OF MATERIALS USED IN THE INTERIOR UPHOLSTERY.



COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

WARRANTY PLATE OR CERTIFICATION LABEL

(Refer to Pages 40 thru 44 for Bronco Warranty Plate Codes)

1965/69

MONTH CODES

FROM 1965/69 AN ALPHABETICAL CODE ABOVE OR BELOW "DATE" IDENTIFIES THE MONTH IN WHICH THE VEHICLE WAS BUILT. THE NUMERICAL PORTION OF THE DATE CODE IDENTIFIES THE DAY OF THE MONTH. THIS IS SELF EXPLANATORY.


THE MONTH CODES ARE LISTED IN THE FOLLOWING CHART TOGETHER WITH THE MONTH WHICH THEY REPRESENT.

1970/

BEGINNING IN 1970 THE MONTH CODE IS SHOWN ON THE CERTIFICATION LABEL IN THE UPPER LEFT HAND CORNER (E.G. 9/69 INDICATES SEPTEMBER, 1969).

1970/
OWNER CARD

BEGINNING IN 1970 THE MONTH AND DAY OF MANUFACTURE IS SHOWN ON THE OWNER CARD. THE NUMERICAL PORTION IDENTIFIES THE DAY AND THE ALPHABETICAL PORTION IDENTIFIES THE MONTH.
THE MONTH CODES ARE LISTED IN THE FOLLOWING CHART TOGETHER WITH THE MONTH WHICH THEY REPRESENT.




CODE	MONTH - FIRST YEAR	CODE	MONTH - FIRST YEAR	CODE	MONTH - SECOND YEAR	CODE	MONTH - SECOND YEAR
A	January	G	July	N	January	U	July
B	February	H	August	P	February	V	August
C	March	J	September	Q	March	W	September
D	April	K	October	R	April	X	October
E	May	L	November	S	May	Y	November
F	June	M	December	T	June	Z	December

WARRANTY PLATE or CERTIFICATION LABEL

(Refer to Pages 40 thru 44 for Bronco Warranty Plate Codes)

1965 U.S. BUILT VEHICLES
1966/ U.S. and CANADIAN BUILT VEHICLES

REAR AXLE RATIO CODES



CERTIFICATION LABEL SHOWN
WARRANTY PLATE TYPICAL

THE CODE SHOWN ABOVE OR BELOW "AXLE" IDENTIFIES THE RATIO OF THE REAR AXLE.
THE FOLLOWING CHART LISTS THESE CODES AND THE CORRESPONDING RATIO.
FOR FURTHER IDENTIFICATION REFER TO SECTION 40 IN THIS CATALOG.

To identify Rear Axle Ratios for 1965 Canadian Built vehicles Refer to Section 40 in this catalog.

CODE	YEAR	MODEL	RATIO LOCKING	RATIO NON LOCKING
A	65/67		3.00	
	68		2.75	
	69/			3.50
B	65/67		2.83	
	69/			3.07
C	65/67		2.20	
	68		2.80	
	69/70			3.08
D	65/67		3.25	
	68		2.83	
	69			3.91
E	65/67		3.50	
	68		3.00	
	69			4.30
F	65/67		2.80	
	68		3.20	
	69			2.33
G	65		3.80	
	67		3.36	
	68		3.25	
	71/			3.55
H	65/66		3.89	
	67		2.75	
	68		3.50	
	71/			3.82
I	65	Falcon	4.00	
	65	Ford, Fairlane, Mustang	4.11	
	66/67		4.11	
J	69		2.50	
K	69/		2.75	
L	68			3.36
	69		2.79	
M	68			3.07
	69/		2.80	
N	69		2.83	
O	69/		3.00	
Q	70		3.20	
R	69/		3.25	
S	69/		3.50	
V	69/		3.91	
W	69/71		4.30	
X	69		2.33	
Y	71/		4.11	

CODE	YEAR	MODEL	RATIO LOCKING	RATIO NON LOCKING
0	67	Fairlane, Falcon, Mustang		2.79
	67	Ford		3.10
	68/69			2.50
1	65/67			3.00
	68			2.75
	69			2.50
2	65/67			2.83
	68			2.79
	69/			2.75
3	65/67			3.20
	68			2.80
	69/			2.79
4	65/67			3.25
	68			2.83
	69/			2.80
5	65/67			3.50
	68			3.00
	69/70			2.83
6	65/67			2.80
	68			3.20
	69/			3.00
7	65			3.80
	67			3.36
	68			3.25
	69			3.10
	71/			3.18
8	65/66			3.89
	67			2.75
	68			3.50
	69/70			3.20
9	65	Falcon		4.00
	65	Ford, Fairlane, Mustang		4.11
	66/67			4.11
	68			3.10
	69/			3.25

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


WARRANTY PLATE or CERTIFICATION LABEL

(Refer to Pages 40 thru 44 for Bronco Warranty Plate Codes)

1965 U.S. BUILT VEHICLES
1966/ U.S. and CANADIAN BUILT VEHICLES

TRANSMISSION CODES

THE CODE SHOWN ABOVE OR BELOW "TRANS" IDENTIFIES THE TYPE OF TRANSMISSION.
THE FOLLOWING CHART LISTS THESE CODES AND THE TRANSMISSION WHICH THEY REPRESENT.



CERTIFICATION LABEL SHOWN
WARRANTY PLATE TYPICAL

CODE	YEAR	TYPE
1	65	3 Speed Manual Shift
	66/67	3 Speed Manual Shift (2.77)
	68/	3 Speed Manual Shift (3.03)
2	65/67	Overdrive
3	66/67	3 Speed Manual Shift (3.03)
4	65	Cruise-O-Matic
	66	C6 Automatic (XPL)
5	65/67	4 Speed Manual Shift
	68/	4 Speed Manual Shift (2.78 ratio-first gear)
6	65/66	C4 Automatic (XP)
	68/71	4 Speed Manual Shift (2.32 ratio-first gear)


CODE	YEAR	TYPE
7	66	Cruise-O-Matic (FX)
8	66	Cruise-O-Matic (MX)
E	71/	4 Speed Manual Shift (Colt)
T	68	Cruise-O-Matic (FMX-L)
U	67/	C6 Automatic (XPL)
V	70	C4 Semi-Automatic
W	67	C4 Automatic (XP)
	68/	C4 Automatic (XP3)
X	67	Cruise-O-Matic (FX)
	68/	Cruise-O-Matic (FMX)
Y	67/69	Cruise-O-Matic (MX)
Z	67/	C6 Automatic Special (XPL) (Police and Trailer Towing)

1965 CANADIAN BUILT VEHICLES

TRANSMISSION CODES

THE THIRD DIGIT OF THE "ENGINE" CODE IDENTIFIES THE TYPE OF TRANSMISSION.

THE FOLLOWING CHART LISTS THESE CODES AND THE TRANSMISSIONS WHICH THEY REPRESENT.




CODE	TYPE	CODE	TYPE	CODE	TYPE	CODE	TYPE
1	3 Speed Manual Shift	2	4 Speed Manual Shift	3	Automatic (column shift)	4	Automatic (console shift)

1965 CANADIAN BUILT VEHICLES

DRIVE CODES

THE SEVENTH DIGIT OF THE SERIAL NUMBER INDICATES WHETHER THE VEHICLE IS LEFT HAND DRIVE (L.H.D.) OR RIGHT HAND DRIVE (R.H.D.).



WARRANTY PLATE or CERTIFICATION LABEL


(Refer to Pages 40 thru 44 for Bronco Warranty Plate Codes)

CAR LINE CODES

THE FIRST DIGIT OF THE SERIAL NUMBER INDICATES THE CAR LINE.

THE FOLLOWING CHART LISTS THESE CODES AND THE CAR LINES WHICH THEY REPRESENT.


1965 CANADIAN BUILT VEHICLES



CODE	CAR LINE	DESCRIPTION	CODE	CAR LINE	DESCRIPTION
0	Fairlane	With 6 cylinder engine	6	Ford	With 6 cylinder engine
4	Ford	With 8 cylinder engine	7	Falcon	With 6 cylinder engine
5	Falcon	With 8 cylinder engine	8	Fairlane	With 8 cylinder engine

DISTRICT CODES

CERTIFICATION LABEL SHOWN WARRANTY PLATE TYPICAL



THE CODE SHOWN ABOVE OR BELOW "D.S.O." IDENTIFIES THE DISTRICT WHICH ORDERED THE UNIT.

THE FOLLOWING CHART LISTS THESE CODES AND THE DISTRICT WHICH THEY REPRESENT.

FOR AN EXPLANATION OF THE DSO PORTION OF THE NUMBER REFER TO PAGE 13.

CODE	DISTRICT	CODE	DISTRICT	CODE	DISTRICT	CODE	DISTRICT
11	Boston	34	Indianapolis	53	Kansas City	83	Government
12	Buffalo	35	Lansing (1965/71)	54	Omaha	84	Home Office Reserve
13	New York	37	Buffalo (1965/71)	55	St. Louis	85	American Red Cross
14	Pittsburgh (1972)	38	Pittsburgh	56	Davenport	87	Body Company
15	Newark	41	Chicago	57	Houston (1972)	89	Transportation Services
16	Philadelphia	42	Fargo (1965/71)	58	Twin Cities (1972)	90 thru 99	Export
17	Washington	42	Cleveland (1972)	61	Dallas (1965/71)		
21	Atlanta	43	Milwaukee	62	Houston (1965/71)		
22	Charlotte	44	Twin Cities	63	Memphis (1965/71)		FORD OF CANADA
23	Memphis (1972)	45	Davenport (1965/71)	64	New Orleans (1965/71)	12	Export
24	Jacksonville	45	Lansing (1972)	65	Oklahoma City		
25	Richmond	46	Indianapolis	71	Los Angeles	B1	Central
26	New Orleans (1972)	47	Cincinnati	72	San Jose	B2	Eastern
27	Cincinnati	48	Detroit (1972)	73	Salt Lake City	B3	Atlantic
28	Louisville	51	Denver (1965/71)	74	Seattle	B4	Midwestern
32	Cleveland (1965/71)	52	Des Moines (1965/71)	75	Phoenix	B6	Western
33	Detroit (1965/71)	52	Dallas (1972)	76	Denver (1972)	B7	Pacific

ENGINE ASSEMBLY PLANT CODES

CODE	ENGINE PLANT	CODE	ENGINE PLANT	CODE	ENGINE PLANT	CODE	ENGINE PLANT
C	Cleveland	E	Ensite - Canada	W	Windsor		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966/69 BRONCO WARRANTY PLATE - TYPICAL


Located on the left hand inner cowl panel.

The Warranty Plate includes:

1. Warranty Number (first line) consisting of codes which identify Series, Engine, Assembly Plant and Numerical sequence of Assembly.
2. Miscellaneous Vehicle Data (second line) consisting of codes which identify Wheelbase, Color of Exterior Paint, Model, Trim, Body Type, Transmission and Rear Axle Ratio.
3. District Code (third line) and DSO number where applicable.


The page number(s) on which the codes are listed is shown in parenthesis.

WARRANTY NUMBER (U15FL 732001) FIRST LINE



"U15"--- U100 Series - Wagon
"F"--- 6 cyl. 170 C.I.D. engine - 1 Venturi carburetor
"L"--- Assembled at Michigan Truck Plant
"732001"--- First unit built at assembly plant


Black Background Plate Identifies a Unit Painted with M32J (Acrylic) Enamel. (Solid Color Unit or the Lower Body Color when Unit is Two-Tone.)



Grey Background Plate Identifies a Unit Painted with M30J (Non-Acrylic) Enamel. (Solid Color Unit or the Lower Body Color when Unit is Two-Tone.)

P-5219

MISCELLANEOUS VEHICLE DATA (92 J U150 1 98 C 05) SECOND LINE



"92"--- 92" Wheelbase
"J"--- Rangoon Red
"U150"--- U100 Unit with necessary equipment to rate given G.V.W.
1"--- Silver vinyl
"98"--- 98 Long Roof (Wagon)
"C"--- 3 Speed Light Duty-Standard
"05"--- 4.11 to 1 (Ford 3300#)

PART of THIRD LINE (72) DISTRICT CODE

"72"--- San Jose District (and D.S.O. number when applicable)

Refer to Page 13 for complete explanation

1970/ BRONCO WARRANTY PLATE - TYPICAL


Located on the inside of the glove compartment door.

The Warranty Plate includes:


1. Warranty Number (first line) consisting of codes which identify Series, Engine, Assembly Plant and Numerical Sequence of Assembly.
2. Miscellaneous Vehicle Data (second line) consisting of codes which identify Wheelbase, Color of Exterior Paint, Model, Trim, Body Type, Transmission and Rear Axle Ratio.
3. District Code (third line) and DSO number where applicable.

The page number(s) on which the codes are listed is shown in parenthesis.

FIRST LINE (U15GLG30001) WARRANTY NUMBER




"U15" --- U100 Series - Wagon
"G" --- 8 cyl. 302 C.I.D. engine - 2 Venturi carburetor
"L" --- Assembled at Michigan Truck Plant
"G30001" --- First unit built at assembly plant



P-8188

SECOND LINE (92 MT U150 9U C A3 J) MISCELLANEOUS VEHICLE DATA



"92" --- 92" Wheelbase
"MT" --- Wimbledon White (M) lower body and Candy Apple Red (T) - upper body
"U150" --- U100 Unit with necessary equipment to rate given G.V.W.
"9U" --- Light Parchment vinyl
"C" --- 3 Speed Manual Transmission
"A3" --- Rear axle ratio of 4.11 to 1 and a capacity of 2780 lbs.
"J" --- Limited slip front axle (Dana 30).

PART of THIRD LINE (72) DISTRICT CODE

"72" --- San Jose District (and D.S.O. number when applicable)

Refer to Page 13 for complete explanation

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970/ BRONCO SAFETY STANDARD CERTIFICATION LABEL - TYPICAL

(USED IN ADDITION TO WARRANTY PLATE)


Located on the quarter pillar opposite the latch face of the left front door.

The Certification Label includes:


1. Build Date (e.g. 9/69) in upper left hand corner which indicates the month and year in which the unit was built.

2. Vehicle Identification Numbers (left half of first line) consisting of codes which will identify Series, Engine, Assembly Plant and Numerical Sequence of Assembly. (also shown in upper right hand corner).

VEHICLE IDENTIFICATION NUMBER (U14GL30001) FIRST LINE



"U14" --- Sport Car (Utility)
"G" --- 8 Cyl. 302 C.I.D. Engine - 2 Venturi Carburetor
"L" --- Assembled at Michigan Truck Plant
"30001" --- First Unit built at Assembly Plant



P-7185

For balance of Warranty Plate information refer to Warranty Plate Diagram on Page 30.

1966/ BRONCO WARRANTY PLATE - continued

BODY TYPE CODES (1966/69)

SERIES CODE	BODY TYPE CODE	DESCRIPTION	SERIES CODE	BODY TYPE CODE	DESCRIPTION
U13	96	Roadster (Open Body)	U15	98	Wagon (Long Roof)
U14	97	Sport Car (Utility)			

ENGINE CODES

Code: F Engine: 170	Code: N Engine: 289	Code: G Engine: 302

ASSEMBLY PLANT CODES

Code: L Plant: Michigan Truck

NUMERICAL SEQUENCE OF ASSEMBLY

A production serial number block system is used to identify model years.

FROM - SERIAL NUMBER	TO - SERIAL NUMBER	CATALOGED AS - MODEL YEAR
732,001	914,000	1966
A00,001	B82,000	1967
C00,001	D82,000	1968
D82,001	G30,000	1969
G30,001	J70,000	1970
J70,001	M30,000	1971
M40,001	Q00,000	1972

MODEL CODES (1970/)

MODEL CODE	DESCRIPTION	CATALOGED AS	MODEL CODE	DESCRIPTION	CATALOGED AS
U140	Sport Car (exc. H/D) (Utility)	97	U150	Wagon (exc. H/D)	98
U142	Sport Car (H/D) (Utility)	97	U152	Wagon (H/D)	98

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966/ BRONCO WARRANTY PLATE - continued

COLOR CODES (EXTERIOR PAINT)

(Refer to Paint Section)

TRIM CODES

(Refer to Soft Trim Section)

TRANSMISSION CODES

CODE	YEAR	TYPE	CODE	YEAR	TYPE
C	66/	3 speed manual			

REAR AXLE RATIO CODES

CODE	YEAR	RATIO LOCK	RATIO N-LKG.	CAP.	DESCRIPTION	CODE	YEAR	RATIO LOCK	RATIO N-LKG.	CAP.	DESCRIPTION
A3	66/	4.11		2780		04	66/		4.57	2780	
A4	66/68	4.57		2780		05	66/		4.11	3300	
A5	66/	4.11		3300		06	66/68		4.57	3300	
A6	66/67	4.57		3300		08	69/	3.50		3300	
B8	67/	3.50		2780		18	67/		3.50	2780	
B9	67/	3.50		3300		19	67/68		3.50	3300	
03	66/		4.11	2780							

FRONT AXLE CODES

CODE	YEAR	TYPE	CODE	YEAR	TYPE
J	68/	Limited Slip (Dana 30)	2	67	Front Locking
K	71/	Dana 44-1F			

INDEX

PART NAME	GROUP NUMBER
A	
Absorber (body bolt upper)	5B098
Absorber (bumper arm to bumper)	17A924
Absorber (steering shock)	3E651
Accelerator assy.	9725
Accelerator control kit	9B843
Actuator (backup lamp switch)	15540
Actuator (brake pedal)	2B187
Actuator (courtesy lamp switch)	13A786
Actuator (instrument cluster warning indicator switch)	10B998
Actuator (luggage compt. door open limit switch)	13A730-1
Actuator (P/S gear valve)	3812
Actuator (seat belt warning & ignition interlock)	14A554
Actuator (speed control release switch)	9C798
Actuator (steering column lock lever)	3E715
Actuator (top control switch limit)	15A694
Actuator (trans. console shift selector)	7E134
Actuator (trans. overdrive kickdown switch)	7A770
Actuator assy. (brake skid control)	2B002
Actuator assy. (door lock control switch)	14022
Actuator assy. (luggage compt. door open limit switch)	13A792, 13A796
Actuator assy. (speed control)	9A825
Actuator assy. (steering column lock)	3E723
Actuator kit (P/S control valve)	3783
Actuator & lens assy. (warning lamp indicator panel emergency flasher)	10B998
Adapter (A/C compressor outlet)	5A717
Adapter (A/C venturi pressure tube)	19C883
Adapter (alternator mounting bracket)	10A336
Adapter (automatic air leveler compressor outlet)	5A717
Adapter (brake pressure differential valve connector)	2B276
Adapter (carb. air cleaner to intake tube)	9D608
Adapter (carb. choke control tube)	9C786
Adapter (carb. fuel inlet)	9A520
Adapter (cigar lighter socket)	15063
Adapter (clutch pedal rod)	7B535
Adapter (eng. oil filler)	6A868
Adapter (exhaust air supply vacuum pipe to by-pass valve)	9K452
Adapter (front stabilizer bar mounting)	5B482
Adapter (front suspension lower arm)	3375-6
Adapter (fuel vapor purge tube to air cleaner)	9D692
Adapter (heater temperature control valve)	18K306
Adapter (instrument cluster control pod back plate)	10B912
Adapter (intake manifold to deceleration valve)	9K495
Adapter (manifold inlet vacuum pipe to distributor)	9K442
Adapter (muffler inlet pipe)	5D209
Adapter (muffler outlet pipe reducer)	5264
Adapter (power brake booster push rod)	2B014
Adapter (P/S pump to mounting)	3K505

PART NAME	GROUP NUMBER
A - cont'd.	
Adapter (thermostatic choke control inlet tube)	9C786
Adapter (trans. overdrive housing to trans. case)	7660
Adapter (water temperature indicator sender engine unit)	10911
Adapter (windshield defroster outlet)	18A527
Adapter assy. (A/C outlet duct)	18C387
Adapter assy. (eng. crankcase vent)	6A665
Adapter assy. (eng. oil filter)	6881
Adapter assy. (fuel tank vent expansion tank)	9A210
Adapter assy. (heater outlet duct)	18C387
Adapter assy. (oil pressure hose)	9279
Adapter assy. (speedo.)	17294
Adapter assy. (trans. extension housing)	7C386
Adapter assy. (trans. gearshift interlock rod)	7D425
Adapter assy. (windshield antenna to fender mounted)	19A130
Adapter & gusset (front suspension lower arm)	3A031-2
Adapter kit (A/C drive)	19B969
Adapter kit (A/C master)	19700
Adapter kit (carb.)	9G545
Adapter kit (exhaust air supply)	9C432
Adapter kit (headlamp alignment test)	13B121
Adapter kit (P/S)	3A705, 9103
Adapter kit (P/S to A/C)	3A635
Adapter kit (radio antenna)	18813
Adhesives	Δ
Adjuster (P/S gear control valve spool)	3B700
Adjuster (rear axle differential bearing)	4067
Adjuster (speed control connector)	9C876
Adjuster (steering gear worm thrust bearing)	3A670
Air conditioner refrigerant	Δ
Air horn kit	13800
Air valve kit (carb. spring & cam)	9S512
Alternator (mounting)	10A313
Alternator assy.	10346
Alternator terminal kit (battery insulator)	10A383
Ammeter (instrument cluster)	10850
Amplifier assy. (automatic temperature control box)	19D612
Amplifier assy. (ignition current)	12A027
Amplifier assy. (speed control)	9D843
Anchor (rear license plate support)	17A398
Anchor pin repair kit (brake shoe)	2A423
Antenna kit (radio)	18813

Δ Refer to page 1 of Paint Section

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
A - cont'd.	
Anti-freeze & coolant	Δ
Anti-rattler (fuel tank to bracket)	9A058
Anti-squeak (front fender moulding to bumper)	16304
Anti-squeak (rear spring)	5586
Applique (trans. console shift selector housing)	7E116
Applique (wheel cover)	1137
Apron (front fender)	16054-5
Arm (A/C compressor belt adjustment)	2A942
Arm (alternator belt adjustment)	10145
Arm (eng. valve rocker)	6564
Arm (exhaust air supply pump belt adjustment)	9B452
Arm (front axle spindle)	3130-1
Arm (front bumper)	17754-5, 17766-7, 17A973-6
Arm (generator belt adjustment)	10145
Arm (generator brush)	10040
Arm (heater air temperature control valve door)	18A553
Arm (rear bumper)	17787-8, 17795-6
Arm (rear view inside mirror)	17690
Arm (spare wheel carrier)	1432
Arm (steering gear sector shaft)	3590
Arm (steering idler)	3734, 3A734
Arm (trans. gearshift selector)	7302, 7346
Arm (windshield wiper motor output)	17A436
Arm (windshield wiper mounting)	17540
Arm (windshield wiper pivot)	17526-7
Arm assy. (carb. metering rod)	9D819
Arm assy. (distributor timing)	12273
Arm assy. (eng. timing chain tensioner)	6285
Arm assy. (front axle radius)	3A360
Arm assy. (front bumper inner)	17973-4
Arm assy. (front suspension lower)	3078-9
Arm assy. (front suspension upper)	3082
Arm assy. (fuel pump rocker)	9376
Arm assy. (rear suspension lower)	5A649
Arm assy. (speed control rod to throttle pivot)	9C812
Arm assy. (trans. gearshift selector)	7302-3
Arm assy. (trans. gearshift)	7302
Arm assy. (trans. intermediate & high gearshift control-column mounted)	7302
Arm assy. (trans. low & reverse gearshift control-column mounted)	7303
Arm & bracket assy. (steering idler)	3355
Arm & bushing assy. (rear suspension upper)	5500
Arm & bushing kit (steering idler)	3352
Arm & link assy. (windshield wiper motor)	17A464
Arm & pivot shaft assy. (windshield wiper mounting)	17566-7
Arm & support (trans. selector lever)	7302

PART NAME	GROUP NUMBER
A - cont'd.	
Arm kit (rear suspension)	5A826
Armature (voltage regulator relay)	10A517
Armature (windshield wiper motor)	17A485
Armature assy. (generator)	10005
Armature assy. (starter motor)	11005
Armature assy. (voltage regulator)	10551
Arrestor assy. (eng. crankcase vent flame)	6A827
Automatic timer (car warmer)	18497
Axle assy. (front driving less wheels)	3002
Axle assy. (rear)	4006
B	
Baffle (A/C evaporator core front housing)	19A675
Baffle (carb. air valve)	9S570
Baffle (carb. automatic choke plate)	9A539
Baffle (carb. equalizer passage)	9A517
Baffle (carb. float bowl)	9A517
Baffle (carb. metering body vent)	9553
Baffle (eng. cylinder block vent)	6A630
Baffle (eng. intake manifold oil)	6A630
Baffle (eng. oil pan upper)	6687
Baffle (eng. push rod crankcase vent)	6A630
Baffle (eng. valve push rod valley)	6524
Baffle (eng. valve rocker arm oil)	6524
Baffle (eng. valve spring oil)	6524
Baffle (front brake grease)	2240
Baffle (heater plenum chamber air)	18C343
Baffle (instrument cluster lamp)	10891-2
Baffle (trans. input shaft bearing oil)	7040
Baffle (trans. overdrive output shaft bearing oil)	7668
Baffle (valve push rod vent)	6A669
Ball (carb. accelerator pump check)	9576
Ball (carb. pump discharge check)	9576
Ball (carb. secondary throttle check)	9576
Ball (carb. throttle lever)	9681
Ball (clutch release equalizer shaft)	7543
Ball (clutch release equalizer shaft inner)	7A535
Ball (transfer case shift assy.)	7213
Ball (trans. coasting booster valve shuttle)	7E195
Ball joint (front suspension lower arm)	3050
Ball joint (front suspension upper arm)	3049
Ball kit (steering gear worm)	3647
Ball kit (trailer hitch)	19F503
Ball stud kit (steering drag link)	3A533
Band (A/C blower motor mounting)	19A991
Band (starter motor cover)	11126
Band (trans. intermediate servo)	7D034
Band (trans. reverse clutch)	7D095
Band assy. (trans. rear)	7A176
Band assy. (trans. rear servo)	7A162

Δ Refer to page 1 of Paint Section

INDEX

PART NAME	GROUP NUMBER
B - cont'd.	
Bar (headlamp cover center)	13B029
Bar (radiator grille)	8390
Bar (rear bumper name plate)	17B847
Bar (rear spring shackle rear)	5627
Bar assy. (clutch release equalizer)	7528
Bar assy. (front stabilizer)	5482
Bar assy. (rear stabilizer)	5A772
Bar assy. (steering front track)	3B239
Bar & bushing assy. (rear track)	5A639
Bar kit (rear track mounting)	5B640
Base (jack)	17088
Base plate (carb. air cleaner)	9D600
Battery chart	10653-5
Battery (dry charged)	10657
Battery (mounting parts)	10732
Bearing (A/C compressor belt idler pulley)	2873, 2990
Bearing (A/C compressor clutch)	2990
Bearing (alternator)	10095
Bearing (alternator front drive end)	10A303
Bearing (alternator rear)	10A304
Bearing (clutch pilot)	7600
Bearing (clutch release)	7580
Bearing (eng. camshaft)	6261-3, 6267, 6270
Bearing (eng. connecting rod)	6211
Bearing (eng. crankshaft main)	6333-7
Bearing (front axle pinion)	4621, 4630
Bearing (front axle spindle)	3123
Bearing (generator)	10095
Bearing (generator end plate)	10094
Bearing (generator rear)	10095
Bearing (moveable steering column to track lower bracket)	3C728
Bearing (power brake booster lever)	2B346
Bearing (P/S gear input shaft)	3D525
Bearing (rear axle driving pinion pilot)	4625
Bearing (rear axle pinion)	4621, 4630
Bearing (rear wheel)	1225
Bearing (speed control servo connector to bellcrank)	9D764
Bearing (starter motor drive housing)	11135
Bearing (steering column release cam)	3D581
Bearing (steering gear rack adjustment)	3F515
Bearing (steering gear worm thrust)	3571
Bearing (transfer case bellcrank)	7341
Bearing (trans. column shift selector bellcrank)	7341
Bearing (trans. control selector tube)	7347
Bearing (trans. counter shaft gear)	7121
Bearing (trans. gearshift lever opening plate)	7D440
Bearing (trans. gearshift tube)	7347

PART NAME	GROUP NUMBER
B - cont'd.	
Bearing (trans. input & output shaft)	7025, 7065
Bearing (trans. input shaft pilot)	7118, 7120
Bearing (trans. rear clutch brake drum & secondary sun gear)	7-7507
Bearing (trans. rear servo lever needle)	7-7406
Bearing (trans. second & third speed gear)	7120
Bearing (trans. shift bellcrank)	7341
Bearing (trans. steering column tube)	7347
Bearing (trans. sun gear thrust)	7D234
Bearing (windshield wiper arm)	17573
Bearing assy. (clutch release)	7580
Bearing assy. (exhaust air supply pump rear)	9B477
Bearing assy. (free running hub inner coupling)	1092
Bearing assy. (P/S gear input shaft)	3D525
Bearing assy. (steering column tube)	3517
Bearing assy. (trans. rear clutch sun gear front)	7D480
Bearing kit (eng. camshaft)	6A251
Bearing kit (P/S gear lower thrust)	3D730
Bearing kit (P/S gear upper thrust)	3D729
Bearing retainer kit (front wheel lock)	1198
Bellcrank (speed control)	9B713
Bellcrank (transfer case control)	7A188
Bellcrank (trans. accelerator)	7A185
Bellcrank (trans. column shift selector)	7A185
Bellcrank (trans. kick down control to accelerator)	7A188
Bellcrank (trans. shift)	7A185
Bellcrank assy. (carb. accelerator)	9732
Bellcrank assy. (throttle control)	9A774
Belt (drive)	8620
Belt (eng. timing)	6268
Belt kit (drive)	8A615
Bender (heater hose 90°)	18573
Bezel (A/C evaporator)	19C957, 19A995
Bezel (A/C register)	19C784, 19C871-3, 19C894
Bezel (air horn switch)	18598
Bezel (body side reflector)	13381
Bezel (body side reflector rear)	15A436
Bezel (clock)	17362
Bezel (console panel seat belt warning indicator lamp switch)	10B928
Bezel (control)	18598
Bezel (emergency warning switch)	15C580
Bezel (front or rear side lamp)	15A440
Bezel (fuel gauge)	9A283
Bezel (headlamp dimmer control)	13B081
Bezel (headlamp inner)	13048

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
B- cont'd.	
Bezel (headlamp outer)	13048
Bezel (heated backlite switch)	18598
Bezel (heater switch)	18598
Bezel (ignition switch)	11580, 11584
Bezel (instrument cluster)	10876
Bezel (instrument cluster control)	10852
Bezel (instrument cluster control housing)	10B903
Bezel (instrument cluster control outer)	10853
Bezel (instrument cluster emergency warning indicator lamp)	10B920
Bezel (instrument cluster low fuel level warning lamp)	10A838
Bezel (instrument panel parking brake warning lamp)	10A840
Bezel (map lamp lens)	13B705
Bezel (parking lamps)	13210
Bezel (radio control)	18842
Bezel (radio speaker fader control)	18A842
Bezel (rear lamp lens)	13489
Bezel (rear view outside mirror control)	17530
Bezel (rear window defogger outlet)	18C573
Bezel (roof console panel door opening warning switch)	10C863
Bezel (seat regulator control switch)	14B690, 14A706
Bezel (selector switch)	9A389
Bezel (speed control switch)	9D782
Bezel (stereo tape player)	19A112
Bezel (tachometer)	17362
Bezel (trans. console shift selector dial)	7D443
Bezel (trans. gearshift lever boot)	7E391
Bezel (turn indicator lamp)	13349
Bezel (warning lamp indicator panel door opening lamp)	10A845
Bezel assy. (clock)	15009-10
Bezel assy. (heater register)	19C894
Bezel assy. (speedo.)	17A260
Bezel & lens (instrument panel emergency flasher warning lamp)	10B920
Bezel & lens (instrument panel warning lamp)	10C876
Bezel & lens (roof console panel warning indicator)	10C876
Bezel & lens (trans. column shift selector)	7E055
Bezel & lens (warning indiçator panel lamp)	10C876
Bezel & lens assy. (instrument panel parking brake warning lamp)	10A840
Bezel & plate assy. (front fender side lamp)	15A460
Bezel kit (A/C)	19C872
Blade (windshield wiper less frame)	17593
Blade assy. (windshield wiper)	17528

PART NAME	GROUP NUMBER
B- cont'd.	
Bleed assy. (distributor vacuum air)	12A168
Block (headlamp switch junction)	11A647-8
Block (terminal)	10564
Block assy. (eng. cylinder)	6010
Block assy. (heater vacuum hose junction)	19C643
Block assy. (junction)	14448
Block assy. (vacuum hose junction)	19C643
Blower assy. (heater)	18456
Board (alternator printed circuit)	10B301
Bobbin (alternator rotor coil)	10B303
Body (carb. power valve)	9G552
Body (dome lamp)	13787
Body (map lamp)	13765
Body (rear lamp)	13440
Body (trans. front band servo)	7A094
Body (trans. governor oil collector)	7D220
Body (trans. rear band servo)	7B172
Body (windshield wiper aux. drive)	17579
Body assy. (carb. main)	9512
Body assy. (front)	8190
Body assy. (map lamp)	13786
Body assy. (parking lamp)	13206-7
Body assy. (rear lamp)	13434-5
Body assy. (trans. governor)	7C063
Body assy. (vacuum pump)	9354
Body & plugs assy. (carb. main metering)	9A511, 9A513
Body & plugs assy. (fuel pump upper)	9343
Body & shaft assy. (carb. throttle)	9518
Body & socket assy. (backup lamp)	15511-2
Body & socket assy. (interior lamp)	13A744, 13786
Body & socket assy. (rear license lamp)	13560
Body & switch assy. (interior lamp)	13749, 13786
Body stripe kit (complete car)	16224
Bolt (A/C compressor idler pulley mounting)	2A934
Bolt (alternator through)	10120, 10A396
Bolt (battery clamp)	10756
Bolt (brake master cylinder link rod)	2462
Bolt (brake pedal assy.)	2B185
Bolt (bumper)	17758
Bolt (differential carrier to rear axle housing)	4347
Bolt (driveshaft universal joint)	4529
Bolt (eng. connecting rod)	6214
Bolt (eng. crankshaft main bearing cap)	6345

INDEX

PART NAME	GROUP NUMBER
B- cont'd.	
Bolt (eng. crankshaft pulley)	6A340
Bolt (eng. cylinder block oil filter opening cover)	6A660
Bolt (eng. cylinder head)	6065
Bolt (eng. flywheel to crankshaft)	6379
Bolt (eng. front support insulator)	6047
Bolt (eng. insulator to cross member)	6047
Bolt (eng. valve rocker arm shaft support)	6A527
Bolt (eng. valve rocker arm support)	6A527
Bolt (front suspension lower arm mounting)	3057
Bolt (front suspension lower arm strut)	3B267
Bolt (fuel tank strap)	9A010
Bolt (fuse junction panel)	14A187
Bolt (generator through)	10120
Bolt (lockout hub retaining plate)	1A031
Bolt (manifold to eng.)	5260
Bolt (P/S control valve spool)	3-3698
Bolt (P/S pump oil filter support or cover retaining)	3601
Bolt (rear axle cover to housing)	4346
Bolt (rear axle differential carrier to rear axle housing)	4347
Bolt (rear axle differential gear to case)	4216
Bolt (rear brake backing plate)	2248
Bolt (rear spring tie)	5721
Bolt (spare wheel mounting)	1448
Bolt (spring seat mounting)	5A322
Bolt (starter motor through)	10120, 11091
Bolt (steering column tube flange)	3641
Bolt (trans. overrunning clutch to case)	7D167
Bolt (trans. planetary gears support to case)	7A291
Bolt (trans. rear band servo body to case)	7-7420
Bolt (wheel hub)	1107
Bolt assy. (eng. oil filter adapter mounting)	6894
Bolt & valve assy. (eng. oil filter center)	6741
Bolt & washer (eng. oil pump attaching)	6638
Bond (radio frequency interference suppression)	19A095
Booster assy. (power brake)	2005
Booster installation kit (power brake)	2A091
Booster repair kit (power brake)	2309
Boot (accelerator shaft)	9793
Boot (brake cylinder or caliper)	2206-7
Boot (brake master cylinder)	2180
Boot (brake pressure metering valve push rod)	2B445
Boot (clutch pedal rod)	7A582
Boot (collapsible steering column)	3C611
Boot (courtesy lamp switch)	13A759
Boot (front disc brake caliper)	2206-7
Boot (parking brake cable)	2K650
Boot (parking brake lever)	2A713

PART NAME	GROUP NUMBER
B- cont'd.	
Boot (power brake booster push rod)	2A477
Boot (P/S cylinder)	3C528
Boot (trans. column shift selector indicator)	7E054
Boot (trans. console shift selector linkage)	7277
Boot (trans. floor mounted gearshift control linkage lower)	7E138
Boot (trans. gearshift lever)	7277
Boot (wiring connector sleeve)	14490
Boot & insulator kit (P/S cylinder)	3C651
Bowl (fuel pump filter)	9355
Bowl & plugs assy. (carb. float)	9A507-8
Box assy. (A/C automatic temperature control)	19C730
Brace (A/C compressor)	2888, 2889, 2A951
Brace (alternator mounting)	10B315
Brace (battery hold down clamp)	10741
Brace (carb. air cleaner)	9663
Brace (front bumper inner arm)	17B962-3
Brace (front fender apron & radiator support)	16D032
Brace (front fender apron to dash)	16A052-3
Brace (front fender apron upper member)	16D154-5
Brace (front fender to apron)	16222-3
Brace (front fender to apron & radiator support)	16A023-4
Brace (front fender to bumper)	16B134
Brace (front fender to radiator support upper)	16B132-3
Brace (front valance panel)	17899
Brace (headlamp housing)	13B123
Brace (hood latch support)	16747
Brace (moveable steering column track)	3C557
Brace (moveable steering column track inner)	3C762
Brace (radiator grille center support)	8174
Brace (radiator grille outer support extension)	8303
Brace (radiator support)	16152-3
Brace (rear bumper end)	17789
Brace (rear bumper mounting bracket to cross member)	17A906
Brace (rear bumper to cross member)	17668
Brace (speed control pulley)	9C875
Brace (trans. case to eng. block)	7E234-5
Brace assy. (A/C evaporator)	19C761
Bracket (accelerator bellcrank stabilizer)	9D703
Bracket (accelerator bellcrank stabilizer rear)	9D709
Bracket (accelerator pedal lever)	9C803
Bracket (accelerator shaft)	9728
Bracket (accelerator shaft to dash)	9A762
Bracket (accelerator to retracting spring)	9741
Bracket (A/C air damper door motor mounting)	18C607
Bracket (A/C air duct support)	18C593
Bracket (A/C blower housing)	18C336

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
B- cont'd.	
Bracket (A/C blower motor mounting)	19B924, 19C924, 19C942
Bracket (A/C blower motor support)	19A992
Bracket (A/C compressor adjusting)	2883
Bracket (A/C compressor mounting)	2882
Bracket (A/C condenser mounting)	19B594, 19702, 19735
Bracket (A/C condenser tube support)	19C917
Bracket (A/C control motor mounting)	18A699
Bracket (A/C control mounting)	18531
Bracket (A/C control vacuum motor mounting)	18B258
Bracket (A/C defroster door control motor)	18B652
Bracket (A/C dehydrator tank mounting)	19B937
Bracket (A/C evaporator case damper door cable)	19C767
Bracket (A/C evaporator case mounting)	18A456, 19A822, 19A865
Bracket (A/C evaporator case support)	19A639
Bracket (A/C evaporator support)	19C897, 19C918
Bracket (A/C evaporator to instrument panel)	19A637
Bracket (A/C evaporator to instrument panel mounting)	19A993
Bracket (A/C evaporator tube support)	19C574
Bracket (A/C hose support)	19812
Bracket (A/C housing support)	19A623
Bracket (A/C motor mounting)	18A456
Bracket (A/C register)	19B942
Bracket (A/C vacuum hose connector)	19C833
Bracket (air duct support)	18C593
Bracket (alternator mounting)	10A313
Bracket (alternator mounting front)	10156
Bracket (alternator regulator mounting)	10337
Bracket (alternator to cylinder block mounting)	10151
Bracket (anti-backfire valve)	9B290
Bracket (automatic air leveler valve mounting)	5A688
Bracket (automatic headlamp dimmer sensor mounting)	13A021
Bracket (aux. fuel tank locating rear)	9K018
Bracket (backup lamp mounting)	15A507
Bracket (backup lamp switch mounting)	15517
Bracket (back window heat control warning lamp)	18C623
Bracket (battery holddown clamp to apron)	10A705
Bracket (battery support)	10769
Bracket (battery tray inner)	10729
Bracket (belt idler pulley)	8680
Bracket (brake line support)	2A051
Bracket (brake pedal actuator)	2B189
Bracket (brake pressure differential valve)	2B260
Bracket (brake skid control actuator mounting)	2B371

PART NAME	GROUP NUMBER
B- cont'd.	
Bracket (brake skid control module)	2B389
Bracket (brake speed control retarder valve mounting)	2B288
Bracket (brake tube support)	2K206, 2A275
Bracket (carb. air cleaner support)	9A627
Bracket (carb. choke control mounting)	9A700
Bracket (carb. dashpot mounting)	9B550
Bracket (carb. float bowl vent)	9E520
Bracket (carb. float pendulum)	9H546
Bracket (carb. manual choke mounting)	9A838
Bracket (carb. throttle emission control solenoid)	9J586
Bracket (cigar lighter)	15057
Bracket (circuit breaker mounting)	14A066
Bracket (clutch pedal lever assist spring)	7535
Bracket (clutch pedal retracting spring)	7535
Bracket (clutch release equalizer)	7A572
Bracket (clutch release lever)	7522
Bracket (clutch release lever retracting spring)	7542
Bracket (courtesy lamp)	13763
Bracket (cross member radiator support mounting)	5069
Bracket (emergency warning flasher switch mounting)	15595
Bracket (eng. crankcase vent valve hose clip)	6788
Bracket (eng. front insulator)	5057-8
Bracket (eng. front support)	6028-31
Bracket (eng. front support insulator)	6046
Bracket (eng. oil cooler lower)	6B634
Bracket (eng. oil cooler upper)	6B633
Bracket (eng. rear support)	6096,
Bracket (eng. timing pointer mounting)	6M026
Bracket (eng. to frame mounting bolt inner)	6B031
Bracket (eng. to frame mounting bolt outer)	6A047
Bracket (exhaust air supply pump air cleaner)	9B453
Bracket (exhaust air supply pump mounting)	9B450
Bracket (exhaust air supply pump rear)	9B463
Bracket (exhaust air supply tube)	9B481
Bracket (fan shroud)	8149, 6120
Bracket (fog lamp switch mounting)	15A218
Bracket (frame no. 3 cross member support)	5A000-1
Bracket (frame stabilizer rod)	5C027
Bracket (frame to body)	5077-8, 5080-1
Bracket (front brake hose support)	2082
Bracket (front bumper end)	17A820-1
Bracket (front bumper guard)	17B794-5
Bracket (front bumper mounting end)	17B762
Bracket (front bumper stop)	17K754
Bracket (front bumper to fender)	17A869-70
Bracket (front disc brake caliper)	2B134-5
Bracket (front fender apron front)	16596-7

INDEX

PART NAME	GROUP NUMBER
B- cont'd.	
Bracket (front fender apron rear)	16C170
Bracket (front fender apron rear mounting lower)	16B204
Bracket (front fender apron to dash)	16296-7
Bracket (front fender apron to frame)	16A200-1
Bracket (front fender extension to radiator support)	16C048
Bracket (front fender mounting rear)	16C078
Bracket (front fender to headlamp support brace)	16A280
Bracket (front fender to pillar)	16A005-6, 16C194-5
Bracket (front license plate mounting)	17A385
Bracket (front reflector mounting)	13A078
Bracket (front shock absorber lower)	18126
Bracket (front shock absorber mounting)	18183-4
Bracket (front shock absorber upper)	18A017
Bracket (front suspension bumper)	3382-3
Bracket (front suspension lower arm strut mounting)	3416
Bracket (front suspension radium arm mounting)	3B095
Bracket (front track bar mounting)	3B241
Bracket (fuel filter)	9180
Bracket (fuel gauge mounting)	9D336
Bracket (fuel line support)	9D319
Bracket (fuel tank guard lower)	9A154
Bracket (fuel tank selector valve mounting)	9A061
Bracket (fuel tank support)	9A004, 9046, 9068
Bracket (fuel tank vent expansion tank front or rear)	9A188, 9A194, 9A225
Bracket (fuel tank vent tube shield lower)	9B027
Bracket (fuel tank vent tube shield upper)	9B026
Bracket (generator mounting)	10039, 10151
Bracket (generator mounting front)	10156
Bracket (generator mounting top)	10153
Bracket (generator splash shield)	10180
Bracket (generator to cylinder block mounting)	10151
Bracket (headlamp cover control reservoir)	13B008
Bracket (headlamp dimmer control mounting)	13655, 13732
Bracket (headlamp door mounting)	13A116-7, 13A118-9
Bracket (headlamp door retaining)	13001
Bracket (headlamp housing mounting)	13A091-2, 13A114-5
Bracket (headlamp housing support)	13A088
Bracket (headlamp mounting)	8B322-3 13099-101, 13A004-5
Bracket (headlamp switch)	11A668

PART NAME	GROUP NUMBER
B- cont'd.	
Bracket (heater air damper door control)	18A272
Bracket (heater air temperature control mounting)	18B542
Bracket (heater control mounting)	18531
Bracket (heater control vacuum motor mounting)	18B258
Bracket (heater hose support)	18481
Bracket (heater water control valve mounting)	18A635
Bracket (hood aux. latch)	16C726-7
Bracket (hood bumper mounting)	16A714
Bracket (hood hinge mounting on body)	16A614-5
Bracket (ignition cable mounting)	12111-2
Bracket (ignition current amplifier)	12A072
Bracket (instrument cluster)	10A919
Bracket (instrument cluster ammeter mounting)	10847
Bracket (instrument cluster mounting)	10845
Bracket (instrument cluster warning indicator panel)	10C894
Bracket (instrument panel control)	10C935
Bracket (instrument panel seat belt warning lamp mounting)	10C893
Bracket (instrument panel wiring)	14536
Bracket (interior lamp bulb holder)	13A762
Bracket (jack handle retainer)	17A139-40
Bracket (jack stowage)	17A039-40
Bracket (license plate)	17B875
Bracket (license plate lamp shield rear)	13585
Bracket (lower cross support)	17792-3
Bracket (luggage compt. door close limit switch)	13B714
Bracket (luggage compt. door open limit switch mounting)	13A793
Bracket (map lamp)	13763
Bracket (moveable steering column track support)	3C557
Bracket (muffler inlet pipe)	5277
Bracket (muffler inlet pipe to eng. block)	5291
Bracket (muffler outlet pipe)	5A235, 5277
Bracket (muffler outlet pipe clamp)	5266
Bracket (muffler support)	5277
Bracket (oil pressure sender)	9F313
Bracket (overdrive manual control handle)	7A215
Bracket (parking brake cable)	2530-1
Bracket (parking brake cable equalizer rod)	2A816
Bracket (parking brake cable support)	2649
Bracket (parking brake control mounting)	2795
Bracket (parking brake equalizer)	2631
Bracket (parking lamp mounting)	13256
Bracket (power brake booster mounting)	2031-2, 2A248
Bracket (P/S cylinder mounting)	3A652
Bracket (P/S hose)	3C510
Bracket (P/S hose insulator)	3A611
Bracket (P/S oil cooler)	3D743
Bracket (P/S pump adjusting)	3A732

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
B- cont'd.	
Bracket (P/S pump pressure & return tube)	3E596
Bracket (P/S pump support)	3562
Bracket (radiator grille inner)	8A123
Bracket (radiator grille lower)	8232
Bracket (radiator grille mounting upper)	8217, 8A278
Bracket (radiator grille opening panel)	8B455
Bracket (radiator grille support center)	8232
Bracket (radiator mounting)	8083-4
Bracket (radiator support)	8A273-4
Bracket (radiator support lower)	8052
Bracket (radiator support upper)	8A193, 8233
Bracket (radio speaker mounting)	18815
Bracket (rear axle)	5784
Bracket (rear axle bumper)	4731
Bracket (rear axle driving pinion bearing retainer)	4298
Bracket (rear brake hose support)	2073
Bracket (rear bumper guard)	17C856, 17B876-7
Bracket (rear bumper inner arm mounting)	17A750-1
Bracket (rear bumper license plate)	17B891
Bracket (rear bumper stop)	17B965
Bracket (rear lamp mounting lower)	13A418-9
Bracket (rear license lamp)	13423
Bracket (rear license plate bottom)	13401
Bracket (rear reflector mounting)	13A527
Bracket (rear shock absorber member mounting)	18A054
Bracket (rear shock absorber stud)	18178
Bracket (rear shock absorber upper)	18192
Bracket (rear spring front)	5863
Bracket (rear spring rear)	5992
Bracket (rear stabilizer bar stud shield)	5B494
Bracket (rear stabilizer link to cross member)	5661
Bracket (rear view inside mirror)	17698
Bracket (rear view outside mirror tension)	17C697
Bracket (rear window defogger switch mounting)	18C497, 18C541
Bracket (rear window regulator control switch mounting)	14A125
Bracket (relay mounting)	14A301
Bracket (seat regulator control mounting)	14B691, 14A705
Bracket (seat regulator terminal mounting)	14652
Bracket (sliding roof panel switch)	15B692
Bracket (speed control actuator cable)	9B736
Bracket (speed control amplifier mounting)	9D845
Bracket (speed control inhibitor switch)	9C873
Bracket (speed control relay)	9C788
Bracket (speed control release switch mounting)	9A838
Bracket (speed control sensor)	9E729
Bracket (speed control servo)	9C736

PART NAME	GROUP NUMBER
B- cont'd.	
Bracket (speed control solenoid)	9C788
Bracket (speed sensor mounting)	9E719
Bracket (speedometer cable support)	17263
Bracket (spot lamp inside)	15320
Bracket (stabilizer bar)	5486-7
Bracket (steering column release motor)	3E639
Bracket (steering column support)	3B139-40
Bracket (steering column to instrument panel)	3676-8
Bracket (steering gear mounting)	3E552
Bracket (steering idler arm mounting)	3350-1
Bracket (steering shock absorber)	3E652-3
Bracket (stereo multiplex adapter)	19A079
Bracket (stereo tape player mounting)	19A055
Bracket (tachometer mounting)	17368
Bracket (throttle control mounting)	9677
Bracket (throttle modulator mounting)	9E730
Bracket (top control limit switch mounting)	15676
Bracket (track bar to axle)	5557
Bracket (track bar to frame)	5546
Bracket (trans. accelerator & kick down rod)	7B158
Bracket (trans. accelerator bellcrank mounting)	7A296
Bracket (trans. bellcrank mounting)	7E280
Bracket (trans. column shift selector bellcrank mounting)	7C431
Bracket (trans. gearshift tube steering column)	7317
Bracket (trans. kickdown lever spring)	7B159
Bracket (trans. manual control lever)	7E081
Bracket (trans. neutral switch actuating pin)	7B212
Bracket (trans. overdrive control)	7A653
Bracket (trans. overdrive manual control handle)	7A215
Bracket (trans. selector cable)	7B229
Bracket (turn indicator flasher mounting)	13351
Bracket (turn indicator lamp mounting)	13963
Bracket (valance panel front)	17A986
Bracket (wheel nut wrench retainer)	17A139
Bracket (windshield defroster nozzle mounting)	18A348
Bracket (windshield washer reservoir mounting)	17651
Bracket (windshield wiper control mounting)	17C443
Bracket (windshield wiper motor & linkage cover)	17C570-1
Bracket (windshield wiper motor mounting)	17496
Bracket (wiring connector)	14A206
Bracket (wiring shield mounting)	14A217
Bracket assy. (accelerator cable)	9723
Bracket assy. (A/C control mounting)	19A884
Bracket assy. (A/C instrument panel register)	19C964
Bracket assy. (A/C muffler & hose)	19D606
Bracket assy. (automatic air leveler compressor)	5A694
Bracket assy. (carb. air shroud support)	9C670
Bracket assy. (carb. choke control)	9595
Bracket assy. (carb. throttle control)	9764
Bracket assy. (emergency warning flasher switch mounting)	15B597

INDEX

PART NAME	GROUP NUMBER
B - cont'd.	
Bracket assy. (fog lamp mounting)	15266
Bracket assy. (front bumper jacking)	17B839
Bracket assy. (front radius arm)	3B095
Bracket assy. (front suspension lower arm mounting)	3A134
Bracket assy. (front suspension lower arm strut mounting)	3486-7
Bracket assy. (front track bar mounting)	3B241
Bracket assy. (headlamp adjusting nut)	13021
Bracket assy. (headlamp cover stop)	13A096
Bracket assy. (parking brake equalizer lever)	2A762
Bracket assy. (relay mounting)	14A323
Bracket assy. (speed control)	9C787
Bracket assy. (speed control connector pulley guide)	9C825
Bracket assy. (stereo multiplex adapter)	19A100
Bracket assy. (window regulator wiring)	14A352
Bracket assy. (wiring)	14A004
Bracket & cable assy. (trans. control selector)	7E363
Bracket & insulator assy. (muffler inlet pipe)	5A246
Bracket & insulator assy. (muffler or outlet pipe)	5260-1
Bracket & insulator kit (muffler outlet pipe)	5260
Bracket & mask assy. (A/C control)	18C540
Bracket & pad assy. (compass mounting)	19A267
Bracket & spring (hood hold down fastener)	16934
Bracket & spring assy. (horn)	13830
Bracket & strap assy. (fuel vapor storage canister)	9D664
Bracket & switch assy. (top control retract)	15A695
Brake drum & secondary sun gear (trans. rear clutch)	7A626
Brake shoe & lining assy. (front)	2018-9
Brake shoe & lining assy. (rear)	2218-9
Breaker assy. (distributor)	12151
Breaker assy. (electrical circuit)	14526
Breaker assy. (electrical circuit glass tube)	14526
Breaker assy. (fusible link wire type fuse)	14526
Brush (starter motor)	11055-6
Brush assy. (speed control)	9C899
Brush & holder (A/C compressor clutch)	2979
Brush & insulator kit (horn)	13A821
Brush & terminal (alternator)	10347
Brush & terminal assy. (windshield wiper motor)	17B566
Brush set (generator)	10069
Brush set (starter motor)	11057
Bulb (fog lamp)	15220
Bulb (headlamp)	13007
Bulb (instrument panel, rear lamp, turn signals etc.)	13465-6
Bulb (road lamp)	15220
Bulb (spotlight sealed beam)	15330
Bulb assy. (lamp)	13799
Bumper (brake pedal)	2B184, 7583
Bumper (clutch pedal)	7583

PART NAME	GROUP NUMBER
B - cont'd.	
Bumper (front)	17756-7
Bumper (front shock absorber)	18A085
Bumper (front suspension)	3019-20
Bumper (hood)	16758, 16763
Bumper (hood latch cam)	16993
Bumper (license plate)	17A396
Bumper (rear)	17906
Bumper (rear axle)	4730, 5783
Bumper (spare wheel carrier latch)	1A366
Bumper (steering column lock actuator)	3F529
Bumper (steering column tube upper flange)	3D656
Bus bar (top control relay)	15A687
Bus bar (window regulator switch)	14513
Bus bar assy. (accessory feed)	14A033
Bushing (accelerator pedal hinge)	9873
Bushing (accelerator pedal lever pivot)	9C805
Bushing (accelerator pedal to cable)	9D803
Bushing (accelerator shaft to bellcrank rod)	9A856
Bushing (A/C air outlet door control shaft)	19B985
Bushing (A/C temperature regulator control shaft)	18C327
Bushing (alternator rectifier insulator)	10A381
Bushing (alternator terminal)	10390
Bushing (brake master cylinder push rod)	2A309, 2474
Bushing (brake pedal)	2461, 2471
Bushing (carb. accelerator pump overtravel spring)	9F569
Bushing (carb. accelerator pump rod)	9F569
Bushing (carb. choke housing)	9851
Bushing (carb. choke thermostat lever)	9851
Bushing (carb. fast idle cam)	9D559
Bushing (carb. throttle control lever)	9C781
Bushing (carb. throttle shaft)	9B508
Bushing (clutch pedal)	2471
Bushing (clutch pedal clevis)	7B605
Bushing (clutch release equalizer shaft)	7517
Bushing (clutch release idler lever rod)	7526
Bushing (distributor base lower)	12132
Bushing (distributor base upper)	12120
Bushing (eng. aux. driveshaft)	6A875
Bushing (eng. connecting rod)	6207
Bushing (eng. to frame mounting bolt)	6A049
Bushing (eng. valve guide)	6510
Bushing (exhaust thermostat control valve)	9462
Bushing (front shock absorber mounting lower)	18A007
Bushing (front spring lower seat)	5A305
Bushing (front suspension lower arm mounting bolt)	3069
Bushing (front suspension track bar)	3A116
Bushing (front suspension upper arm inner shaft)	3068

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
B - cont'd.	
Bushing (front suspension upper ball joint adjusting)	3B049
Bushing (fuel pump rocker arm)	9389
Bushing (gearshift tube)	7335
Bushing (generator frame field terminal screw insulating)	10206
Bushing (generator terminal screw insulating)	10202
Bushing (headlamp cover hinge)	13A164
Bushing (headlamp cover shaft)	13B104
Bushing (heater temperature regulator control shaft)	18C327
Bushing (power brake booster lever)	2A150
Bushing (power brake booster piston guide)	2B014
Bushing (power steering control valve spool)	3A519
Bushing (rear spring)	5781
Bushing (rear stabilizer bar mounting)	5B486
Bushing (spare wheel carrier)	2461
Bushing (starter motor brush end plate)	11052
Bushing (starter motor drive housing)	11135
Bushing (starter motor field terminal insulator)	11107
Bushing (steering column shaft)	3C773
Bushing (steering gear housing sector shaft)	3571
Bushing (steering idler arm)	3356-8
Bushing (terminal)	14603
Bushing (transfer case gearshift lever shaft)	7A133
Bushing (trans. accelerator rod)	7A440
Bushing (trans. case)	7025
Bushing (trans. console shift selector shaft)	7A133
Bushing (trans. control selector arm)	7343
Bushing (trans. converter stator support)	7B261
Bushing (trans. extension)	7025, 7A034
Bushing (trans. forward clutch hub)	7E059
Bushing (trans. front oil pump)	7B258
Bushing (trans. front oil pump drive gear)	7B259
Bushing (trans. front pump support)	7D018, 7B261
Bushing (trans. gearshift cable adjusting)	7A438
Bushing (trans. gearshift lever)	7K022
Bushing (trans. gearshift lever shaft)	7A133
Bushing (trans. gearshift lever socket)	7335
Bushing (trans. gearshift selector arm insulator)	7343
Bushing (trans. gearshift shaft)	7K453
Bushing (trans. input shaft)	7120
Bushing (trans. intermediate brake drum)	7D046
Bushing (trans. kickdown control shaft)	7A440
Bushing (trans. kickdown lever & control rod)	7C484
Bushing (trans. low & reverse gearshift interlock)	7C320
Bushing (trans. planetary gear drum support flange inner)	7B257
Bushing (trans. planetary gear drum support flange outer)	7B256
Bushing (trans. planetary gears support)	7A132
Bushing (trans. rear clutch drum & secondary sun gear)	7B262
Bushing (trans. rear oil pump body)	7B260
Bushing (trans. reverse brake drum)	7D001
Bushing (trans. sun gear)	7D065
Bushing (turn indicator control)	13B301
Bushing assy. (front suspension track bar)	3A116
Bushing assy. (front suspension upper arm)	3062
Bushing & insulator kit (trans. control selector arm)	7343
Bushing & mounting kit (front suspension lower arm)	3048
Bushing & washer kit (front suspension lower arm strut)	3A187
Bushing kit (P/S cylinder mounting rod end)	3C590
Bushing kit (trans. gearshift arm)	7343
Bushing repair kit (front shock absorber)	18198
Bushing repair kit (rear shock absorber)	18198
Button (distributor breaker plate support)	12072
Button (instrument cluster clock stem opening hole plug)	10C864
Button (parking brake handle)	2791
Button (transfer case shift control handle)	7C488
Button assy. (horn)	13805, 13A805
Button assy. (speed control actuator push)	9C741
Button assy. (trans. console shift selector lever release)	7C488
Button assy. (window regulator control switch)	14530
Buzzer assy. (warning)	13150
Buzzer kit (exterior lamp warning)	14931
C	
Cable (battery booster)	14300
Cable (brake shoe adjusting lever)	2A178
Cable (clutch)	7K581
Cable (parking brake extension)	2853
Cable (parking brake intermediate)	2A815
Cable (radio antenna lead in)	18812
Cable (relay to starter motor)	14431
Cable (spare wheel carrier check)	1A403
Cable (trans. console shift selector linkage)	7D246
Cable (trans. kickdown control)	7A187
Cable (trans. shift)	7E395
Cable assy. (accelerator pedal to carb. throttle)	9A758
Cable assy. (A/C temperature)	19988
Cable assy. (battery)	14300-1
Cable assy. (dash to engine ground)	14303
Cable assy. (defroster)	18548
Cable assy. (heater air)	18552, 18C592

INDEX

PART NAME	GROUP NUMBER
C - cont'd.	
Cable assy. (heater temperature)	18518
Cable assy. (heater temperature regulator control)	19233
Cable assy. (hood latch control)	16916
Cable assy. (speed control)	9A820
Cable assy. (speedo.)	17260, 17262
Cable assy. (throttle control)	9C799
Cable assy. (trans. overdrive manual control)	7A650
Cable & conduit (parking brake front)	2853
Cable & conduit (parking brake rear)	2A635
Cable & dial assy. (speed control actuator)	9A825
Cable kit (battery booster)	14300
Cable repair kit (parking brake)	2A753
Caliper assy. (front disc brake)	2B120-1
Caliper repair kit (front disc brake)	2221
Cam (A/C damper door)	19C772
Cam (carb. accelerator pump diaphragm operating)	9526
Cam (lockout hub actuating)	1A053
Cam (rear suspension arm adjusting)	5A637, 5K751
Cam (turn indicator turn off)	13318
Cam (windshield wiper motor)	17A461
Cam assy. (distributor)	12210
Cam assy. (fast idle)	9597
Cam & bolt (front suspension lower arm)	3B236-7
Cam & shaft (trans. first & second speed shifter fork)	7282
Cam & shaft (trans. high & intermediate shifter fork)	7280
Cam & shaft (trans. low & reverse shifter fork)	7282
Cam & shaft (trans. third & fourth speed shifter fork)	7280
Cam kit (carb. fast idle)	9597
Cam kit (rear suspension lower arm)	5K751
Camshaft (eng.)	6250
Camshaft kit (eng.)	6A527
Camshaft & tappets kit (eng.)	6250
Canister assy. (fuel vapor storage)	9D653
Cap (A/C compressor belt idler pulley)	2894
Cap (air leveler cylinder protection)	5A671
Cap (battery filler)	10720
Cap (carb. air cleaner adapter)	9C639
Cap (deceleration valve adjustment screw)	9K808
Cap (eng. valve stem exhaust)	6550
Cap (front hub grease)	1131
Cap (fuel tank sender outlet tube)	9G270
Cap (fuel vapor storage canister)	9E602
Cap (headlamp dimmer foot switch)	13533
Cap (P/S control valve spool centering spring)	3C705, 3-3705
Cap (P/S cylinder piston)	3D530
Cap (P/S gear cylinder)	3A745
Cap (radiator)	8100
Cap (radiator overflow container)	8K103
Cap (rear axle universal joint knuckle dust)	4710
Cap (rear window wiper blade end)	17A402

PART NAME	GROUP NUMBER
C - cont'd.	
Cap (steering column position lock spring)	3E518
Cap (steering stop)	3B279
Cap (vacuum outlet manifold)	9C492
Cap (water outlet)	8A500, 9486
Cap (water outlet connection)	9486
Cap (wheel hub)	1130, 1132
Cap assy. (A/C charging valve)	19D702
Cap assy. (brake master cylinder filler)	2162
Cap assy. (eng. oil filler & breather)	6766
Cap assy. (fuel tank filler)	9030
Cap assy. (P/S pump oil reservoir filler)	3A006
Cap assortment (eng. oil filler & breather)	6766
Cap kit (P/S control valve spool centering spring)	3C705
Capacitor (alternator)	10A380
Capacitor (horn switch contact)	13841
Capacitor (radio voltage regulator)	18832
Carburetor assy.	9510
Carburetor repair kit	9590
Cargo lamp	15650
Carrier (battery)	10732
Carrier (spare wheel)	1433
Carrier assy. (rear axle differential)	4141
Cartridge kit (stereo tape)	18816
Case (transfer & trans.)	7005-6
Case (window regulator switch)	14A317
Case assy. (A/C evaporator)	19A626, 19897
Case assy. (A/C plenum chamber)	18A484
Case assy. (front axle differential gear)	4204
Case assy. (heater core)	18A542-3
Case assy. (heater plenum chamber)	18A484
Case assy. (rear axle differential gear)	4204
Catch (hood aux. latch)	16894
Chain (eng. timing)	6268
Chain & sprockets kit (eng. timing)	6268
Chamber assy. (heater air plenum)	18471
Chamber assy. (thermostatic choke heat)	9890
Chassis (radio receiver)	18806, 18810
Chemical (fire extinguisher recharge)	19C505
Cigar lighter kit	15A044
Circuit assy. (instrument cluster printed)	10K843
Clamp (accelerator shaft lever)	9A712
Clamp (A/C evaporator expansion valve bulb)	19A634
Clamp (A/C hose)	19B679
Clamp (A/C tube support clip)	19C862
Clamp (A/C vacuum hose to fender)	19048
Clamp (battery hold down)	10718
Clamp (carb. air vent push rod)	9565
Clamp (carb. choke cable bracket)	9792

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
C - cont'd.	
Clamp (carb. pump rod)	9565
Clamp (carb. thermostatic choke housing)	9842
Clamp (distributor terminal housing hold down)	12144
Clamp (distributor to cylinder head)	12270
Clamp (exhaust)	5253
Clamp (exhaust air supply manifold)	9D444
Clamp (exhaust air supply tube)	9D436
Clamp (exhaust manifold to cylinder block)	9443
Clamp (front bumper guard)	17934-5
Clamp (front wheel spindle correcting rod)	3287
Clamp (heater door lever)	18K254
Clamp (heater hose)	18572
Clamp (heater hose to thermostatic choke housing)	18572
Clamp (hood catch control cable)	16877
Clamp (hose)	8287, 9171
Clamp (intake manifold to cylinder block)	9443
Clamp (jack hold down)	17091
Clamp (muffler to hanger)	5A272
Clamp (power brake booster bellows)	2B155
Clamp (power brake booster hose)	2342
Clamp (P/S control valve ball stud dust cover)	3E728
Clamp (P/S control valve ball stud sleeve)	3-3739
Clamp (P/S control valve dust cover)	3A728
Clamp (P/S cylinder piston rod boot)	3C755
Clamp (P/S return line)	2344
Clamp (radio antenna hose)	18954
Clamp (rear spring)	5724
Clamp (rear stabilizer bar mounting)	5C489
Clamp (spare wheel)	1446
Clamp (speed control hose to fender)	19048
Clamp (stabilizer bar insulator)	5487
Clamp (stabilizer to suspension lower arm outer)	5476
Clamp (steering column)	3506
Clamp (steering column to instrument panel)	3668
Clamp (steering gear ball return guide)	3544
Clamp (steering shaft lower coupling)	3D699
Clamp (trans. oil filler tube)	7A229
Clamp (trans. seat belt warning sensor switch)	7E460
Clamp (water by pass)	8556
Clamp assy. (intake manifold heat inlet tube)	9D437
Clamp assy. (muffler inlet & outlet pipe yoke type)	5A231
Clamp assy. (P/S hose)	3A762
Clamp assy. (steering column)	3507
Clamp & insulator (frame No. 3 cross member)	5C021
Clamp kit (rear spring)	5724
Cleaner assy. (carb. air)	9600
Cleaner assy. (exhaust air supply)	9A492
Cleaners	Δ
Clear vision aids	Δ
Clevis (transfer case shift rod)	7354

PART NAME	GROUP NUMBER
C - cont'd.	
Clip (accelerator cable)	9792
Clip (accelerator shaft to trans. control shaft rod)	9B776
Clip (A/C evaporator)	19C824
Clip (A/C tube support)	19B632
Clip (A/C vacuum hose connector)	19C949
Clip (A/C vacuum hose harness)	19C969
Clip (air leveler hose)	5A668
Clip (brake hose)	2814
Clip (brake line)	2244
Clip (brake pressure control valve retainer)	2B266
Clip (carb. accelerator pump link rod)	9825
Clip (carb. choke rod end retaining)	9825
Clip (carb. screw lock)	9825
Clip (eng. follower arm spring retaining)	6K532
Clip (front disc brake shoe anti-rattle)	2B164
Clip (front disc brake shoe hold down spring)	2066
Clip (front side lamp bezel)	15424
Clip (fuel filter bracket)	9B281
Clip (fuel line)	9A317
Clip (fuel tank vent tube)	9031
Clip (fuse panel wiring)	14A173
Clip (headlamp door retaining)	13067
Clip (headlamp spring anchor)	13088
Clip (heater control cable)	18B561
Clip (heater core case)	19A779
Clip (heater vacuum hose connector)	19C949
Clip (hood support rod retaining)	16828
Clip (letters to luggage compt.)	16607
Clip (parking brake cable)	2860
Clip (parking brake cable spring lock)	2814
Clip (power brake booster air filter cover)	2A485
Clip (power brake booster push rod to operating lever)	2525
Clip (P/S hose)	3E523
Clip (P/S hose retaining)	3E506
Clip (radiator grille moulding)	8A310-11
Clip (rear lamp door retainer)	13A424
Clip (rear lamp ground)	14463
Clip (register retainer)	19C824
Clip (rod end clevis)	9825-6
Clip (spark control switch wire retainer)	9E756
Clip (speed control bellcrank adjusting link)	9D837
Clip (speedo. cable)	17264
Clip (speedo. drive gear retaining)	17B336
Clip (steering column shaft insulation)	3E629
Clip (throttle cable)	9792
Clip (trans. control selector indicator lamp)	15A807
Clip (trans. column shift selector dial retaining)	7D340
Clip (trans. oil screen)	7A096-7
Clip (trans. overdrive cable)	7713
Clip (trans. vacuum tube)	7C072
Clip (trans. vacuum tube retaining)	7B085
Clip (turn indicator cover)	13377

Δ Refer to page 1 of Paint Section

INDEX

PART NAME	GROUP NUMBER
C - cont'd.	
Clip (vent air valve damper door stop)	18B409
Clip (window regulator housing retainer)	14570
Clip (window regulator switch retaining)	14559
Clip (windshield defroster nozzle)	18C594
Clip (windshield wiper adapter & connecting arm)	17531
Clip (wiring)	14199
Clock assy. (electric)	15000
Clock kit (electric)	15A000
Cloth (dusting & polishing)	Δ19517
Cluster kit (aux. instrument)	10B960
Cluster kit (eng. gauge)	10B944
Clutch (disc, plate & cover)	7550, 7563
Clutch (rear axle driven)	4A233
Clutch assy. (fan)	8A616
Clutch assy. (trans. planetary gears)	7A089
Clutch & holdout ring assy. (rear axle differential)	4A351
Clutch & pulley (A/C compressor)	2884
Clutch & ring (rear axle)	4A234
Clutch kit (trans. overrunning)	7A089
Clutch pressure plate & disc. kit	7A537
Cobra kit (ignition parts)	12050
Coil (generator field)	10175
Coil (starter motor field)	11082
Coil (voltage regulator voltage limiter shunt)	10517
Coil assy. (ignition less mounting strap)	12029
Coil assy. (starter motor field)	11082
Coil assy. (voltage regulator voltage limiter shunt)	10517
Collar (distributor shaft)	12195
Collar (steering wheel hub)	3D687
Collar & connector (heater inlet)	18A566
Compass assy.	19A548
Compensator assy. (carb. hot idle)	9B532
Compensator spring kit (trans. control oil pressure)	7D245
Compressor assy. (A/C)	19703
Compressor assy. (vacuum air horn)	13801
Compressor & bracket assy. (automatic air leveler)	5A713
Compressor gasket kit (A/C)	19B684
Compressor kit (A/C)	19703
Compressor kit (automatic air leveler)	5A713
Compressor repair kit (automatic air leveler)	5A773
Condenser (radio)	18827
Condenser assy. (distributor)	12300
Condenser kit (A/C)	19708
Cone & roller (front axle differential)	1201, 4221
Cone & roller (front axle driving pinion front)	4630
Cone & roller (front axle driving pinion rear)	4621
Cone & roller (front wheel bearing inner)	1201
Cone & roller (front wheel bearing outer)	1216

PART NAME	GROUP NUMBER
C - cont'd.	
Cone & roller (rear axle differential)	4221
Cone & roller (rear axle differential bearing)	4221
Cone & roller (rear axle driving pinion)	4621
Cone & roller (rear axle pinion bearing rear)	4630
Cone & roller (transfer case front wheel outer bearing)	1216
Connection (water outlet)	8592
Connection (windshield washer jar to hose)	17615
Connector (accelerator shaft to speed control shaft)	9B705
Connector (A/C refrigerant line)	19C705
Connector (A/C register)	19C692
Connector (A/C vacuum hose)	19B650
Connector (automatic air leveler tube)	5A689
Connector (brake pedal actuator)	2B188
Connector (brake tube)	2074-5
Connector (carb. air cleaner to thermostatic choke control inlet tube)	9C704
Connector (carb. secondary diaphragm control)	9S569
Connector (carb. to manifold spacer tube)	9C525
Connector (distributor vacuum pipe)	12224
Connector (eng. crankcase vent hose)	6A706
Connector (eng. oil cooler)	6A653
Connector (fuel tank air relief to vent tube)	9A168
Connector (fuel vapor tube male)	9D689
Connector (headlamp cover check valve to vacuum hose)	13B069
Connector (headlamp cover hose)	13A170
Connector (heater inlet hose)	18A568
Connector (heater plenum chamber to defroster nozzle)	18A619-20
Connector (heater vacuum hose)	18B250, 19B650
Connector (idle speed-up valve tube)	9B761
Connector (muffler inlet pipe)	5B286
Connector (parking brake cable)	2A790
Connector (speed control servo to bellcrank)	9D763
Connector (starter motor solenoid)	11072
Connector (trans. oil cooler tubes)	7D273
Connector (voltage regulator)	10A730
Connector (windshield defroster nozzle)	18A435
Connector (windshield washer hose)	17598
Connector (windshield washer reservoir to hose)	17615
Connector (windshield wiper hose)	17489
Connector (wire)	14488
Connector (wiring)	14487
Connector assy. (A/C register)	19C626-7
Connector assy. (automatic temperature control box vacuum)	19D616
Connector assy. (fuel pump outlet)	9B376
Connector assy. (fuel tank air relief vent tube)	9A262
Connector assy. (fuel tank vent expansion tank)	9A195
Connector assy. (fuel valve tube)	9A220

Δ Refer to page 1 of Paint Section

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
C - cont'd.	
Connector assy. (headlamp cover control hose)	13A169-70
Connector assy. (sequential flasher)	13L366
Connector assy. (vacuum tube)	9D430
Connector & duct assy. (A/C register)	19C615
Connector & reducer assy. (speed control vacuum)	9C832
Connector & sleeve assy. (wiring terminal)	14487
Connector kit (trailer wiring)	14A347
Contact (console glove compt. lamp)	14A324
Contact (distributor carbon)	12011
Contact assy. (windshield washer pump to switch)	17A669
Contact & spring assy. (horn blowing)	13864
Control (radio rear seat speaker volume)	18972
Control (trans. floor mounted gearshift)	7400
Control assy. (A/C)	19980
Control assy. (A/C air)	19A522
Control assy. (air scoop)	16C716
Control assy. (carb. choke)	9700
Control assy. (carb. throttle)	9775
Control assy. (carb. vacuum brake)	9S514
Control assy. (door lock vacuum)	14028
Control assy. (heater)	18549
Control assy. (parking brake)	2780
Control assy. (starter motor relay)	11A126
Control assy. (trans. main valve body)	7A100
Control assy. (windshield wiper)	17470
Control & bracket assy. (carb. idle speed-up)	9H567
Control & wiring (headlamp dimmer)	13B080
Control kit (air level ride dash automatic)	5A589
Control switch (luggage compt. remote control)	18972
Conversion kit (carb. calibration)	9S549
Conversion kit (eng. high performance)	6A044
Conversion kit (eng. oil pump)	6600
Converter assy. (trans.)	7902
Cooler (P/S steering oil)	3D746
Cooler assy. (eng. crankcase oil)	6A642
Cooler kit (trans. aux. oil)	7K177
Cooling system aids	Δ
Core (speedo. drive)	17262
Core assy. (A/C charging valve)	19D701
Core assy. (A/C condenser)	19712
Core assy. (A/C evaporator)	19860
Core assy. (heater)	18476
Core assy. (speed control sensor coupling)	9E722
Counter shaft (trans.)	7111
Counterweight (eng. crankshaft)	6A360
Coupling (A/C condenser)	19C890-1
Coupling (A/C self-sealing)	19B595-6
Coupling (free running hub)	1090-1
Coupling (steering gear input shaft to steering column shaft)	3A525
Coupling assy. (A/C evaporator outlet tube)	19C921
Coupling assy. (speed control sensor)	9E720

PART NAME	GROUP NUMBER
C - cont'd.	
Cover (A/C compressor suction)	19D655
Cover (A/C evaporator)	19B735, 19B874
Cover (A/C evaporator drain)	19869
Cover (A/C evaporator thermostat)	19736
Cover (alternator brush spring)	10A340
Cover (alternator terminal)	10A375
Cover (back window stop lamp)	13A656-7
Cover (ballast resistor mounting plate transistorized ignition)	14A276
Cover (battery insulator)	14277
Cover (brake adjusting hole)	2092
Cover (brake pedal pad)	2A487
Cover (carb. air cleaner)	9B600, 9661
Cover (carb. choke control diaphragm)	9J554
Cover (carb. choke diaphragm)	9J563
Cover (carb. economizer valve)	9930
Cover (carb. secondary throttle diaphragm)	9507
Cover (carb. thermostatic choke heat supply)	9A705
Cover (clutch pedal pad)	7B544
Cover (crankcase vent)	6869
Cover (deck lid luggage carrier)	19B507
Cover (distributor breaker dust)	12239, 12276
Cover (eng. cylinder block oil filter opening)	6A659
Cover (eng. cylinder timing gear)	6017
Cover (eng. oil filter)	6737
Cover (eng. starter pinion)	6677
Cover (eng. valve push rod)	6519
Cover (eng. valve rocker arm front support oil passage)	6A508
Cover (front axle housing)	4033
Cover (front fender moulding access hole)	16C062
Cover (fuel pump diaphragm pulsator)	9A359
Cover (fuel pump valve opening)	9A362
Cover (fuse panel)	14A003
Cover (generator regulator terminal)	10A555
Cover (headlamp)	13A138
Cover (heat evaporator case)	19B735
Cover (heater motor dash panel opening)	18A475
Cover (heater outlet duct)	18C301
Cover (ignition switch)	11A604
Cover (instrument cluster heater blower switch opening)	10874
Cover (instrument cluster housing)	10A855
Cover (instrument cluster opening)	10A862
Cover (instrument panel trans. selector)	7B100
Cover (intake manifold)	9C483
Cover (map lamp)	13B718
Cover (parking brake pedal pad)	2A798
Cover (P/S control valve ball stud dust)	3A729
Cover (radiator grille moulding joint)	8221, 8A340

Δ Refer to page 1 of Paint Section

INDEX

PART NAME	GROUP NUMBER
C - cont'd.	
Cover (radio rear seat speaker opening)	19A132
Cover (rear axle housing)	4033
Cover (rear track bar stud)	5A750
Cover (roof luggage carrier)	19B507
Cover (speed control opening)	9D822
Cover (speed control wiring access)	9D793
Cover (starter motor plunger)	11060
Cover (steering column instrument panel opening)	3A673
Cover (steering column opening)	3C525
Cover (steering column position control)	3D505
Cover (steering column position spring)	3E541
Cover (steering gear input shaft & worm)	3568
Cover (steering gear sector shaft housing)	3580
Cover (steering idler arm bearing)	3B042
Cover (steering wheel)	3D752
Cover (steering wheel hub lower)	3491
Cover (steering wheel sport grip)	3L600
Cover (stereo tape player mounting bracket)	19A077
Cover (tissue dispenser)	19F538
Cover (trans. case access)	7222
Cover (trans. column shift control selector socket)	7E248
Cover (trans. converter housing)	7986
Cover (trans. gearshift housing lower)	7K444
Cover (trans. gearshift lever opening)	7D362
Cover (trans. gearshift sleeve)	7E405
Cover (trans. governor inspection)	7-7138
Cover (trans. intermediate band servo)	7D027
Cover (trans. oil pressure regulator body)	7A141
Cover (trans. rear oil pump)	7A152
Cover (trans. reverse band servo piston)	7D036
Cover (turn indicator switch wiring)	13376
Cover (wheel hub)	1130, 1132
Cover (windshield washer reservoir)	17632
Cover (windshield wiper motor & linkage)	17C569
Cover (windshield wiper motor gear)	17A511
Cover (windshield wiper output arm)	17C526
Cover (wiring shield)	14A390
Cover assy. (carb. accelerator pump)	9528
Cover assy. (eng. cylinder front)	6019
Cover assy. (eng. flywheel housing)	6366
Cover assy. (eng. valve rocker arm)	6582, 6A582
Cover assy. (exhaust air supply pump)	9B478
Cover assy. (front axle housing)	4033
Cover assy. (headlamp)	13A136-7
Cover assy. (heater core case)	18B299
Cover assy. (heater housing rear)	18B447
Cover assy. (horn blowing)	13A805
Cover assy. (instrument cluster trim)	10B883

PART NAME	GROUP NUMBER
C - cont'd.	
Cover assy. (P/S pump housing)	3A698
Cover assy. (P/S pump oil reservoir)	3A582
Cover assy. (rear axle housing)	4033
Cover assy. (trans. case)	7201
Cover assy. (windshield wiper motor)	17C541
Cover & plugs assy. (carb. main body)	9524
Cover & starter ring gear (trans. converter)	7950
Cover kit (battery filler channel)	10A820
Cover kit (carb. accelerator pump)	9528
Cover kit (wheel hub)	1130
Cover repair kit (eng. cylinder front)	6019
Cover screw (carb. diaphragm adjusting screw)	9S544
Crankshaft assy. (eng.)	6303
Cross member (frame rear)	5035
Cross member assy. (frame front)	5019
Cross member assy. (frame No. 2 or 3)	5025-6
Cup (brake cylinder piston)	2201-2
Cup (brake master cylinder primary)	2173
Cup (brake shoe hold down spring)	2066
Cup (carb. pump piston)	9572
Cup (distributor oil)	10141
Cup (front axle differential cone & roller)	4222
Cup (front axle pinion bearing)	4616, 4628
Cup (front axle spindle bolt bearing)	3126
Cup (front wheel bearing inner)	1202
Cup (front wheel bearing outer)	1217
Cup (generator rear end plate oil)	10141
Cup (horn blowing ring contact)	13A815
Cup (rear axle differential bearing)	4222
Cup (rear axle pinion bearing)	4616, 4628
Cup (steering gear worm bearing)	3552-3
Cup (transfer case)	1202
Cup (transfer case output shaft)	1202
Cup (transfer case rear output shaft bearing)	7169
Cup & magnet assy. (windshield wiper motor)	17B584
Cylinder (air leveler)	5A666
Cylinder (trans. forward clutch)	7A360
Cylinder assy. (brake master)	2140
Cylinder assy. (eng.)	6009
Cylinder assy. (front brake)	2061-2
Cylinder assy. (P/S)	3A540
Cylinder assy. (rear brake)	2261-2
Cylinder & keys (ignition switch lock)	11582
Cylinder & shaft assy. (A/C compressor)	19D654
Cylinder head kit (eng.)	6049
Cylinder repair kit (brake master)	2004
Cylinder repair kit (front brake)	2221
Cylinder repair kit (rear brake)	2128

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
D	
Damper (rear axle drive line vibration)	4A263
Damper (rear spring)	5A669
Damper (windshield wiper motor surge)	17C505
Damper assy. (A/C outside air intake flue)	19878
Damper assy. (eng. crankshaft)	6316
Damper assy. (eng. timing chain vibration)	6284
Dampener kit (front axle king pin)	3B289
Dashpot assy. (carb.)	9B549
Decal (hood blackout)	16B906-7
Decalcomania (fan warning)	8653
Deck assy. (stereo tape player)	19A237
Deflector (A/C floor air)	19A771
Deflector (A/C outlet)	19C714
Deflector (front axle universal joint flange oil seal dust)	4859
Deflector (front bumper stone)	17779
Deflector (front bumper stone lower)	17B769
Deflector (heater floor air)	19A771
Deflector (hood air)	16613
Deflector (radiator air upper)	8326-7
Deflector (rear axle drive pinion oil seal)	4859
Deflector (rear axle universal joint flange oil seal dust)	4859
Deflector (rear bumper stone)	17808, 17814
Deflector (rear bumper stone end)	17836-7
Deflector assy. (radiator air side)	8310-1
Defogger kit (rear window)	18397
Dehydrator & receiver tank assy. (A/C)	19959
Detent (trans. gearshift lever)	7E218
Dial (instrument cluster indicator)	10B966
Dial (instrument cluster main)	10887
Dial (instrument cluster warning lamp)	10960
Dial (trans. column shift selector)	7A213
Dial (trans. floor or console shift selector)	7A213
Dial (trans. gearshift indicator)	15805
Dial (trans. selector)	7B033
Dial assy. (speed control actuator)	9C767
Diaphragm (eng. oil filter)	6751
Diaphragm (fuel pump pulsator)	9A358
Diaphragm (power brake booster)	2A365
Diaphragm (power brake booster control valve)	2391
Diaphragm assy. (carb. accelerator pump)	9B559
Diaphragm assy. (carb. throttle modulator)	9D896
Diaphragm assy. (deceleration valve)	9K799
Diaphragm assy. (distributor vacuum control	12370
Diaphragm assy. (fuel pump)	9398
Diaphragm assy. (trans. vacuum throttle valve)	7A377
Diaphragm assy. (vacuum fuel pump)	9314
Diaphragm assy. kit (carb. secondary throttle)	9503
Diaphragm & retainer assy. (carb. choke control)	9J549

PART NAME	GROUP NUMBER
D - cont'd.	
Differential assy. (front axle)	4026
Differential assy. (rear axle)	4200
Differential kit (rear axle locking)	4026, 4880
Dimmer kit (headlamp automatic)	13A016
Diode (alternator negative)	10378
Diode (alternator positive)	10374
Diode assy. (alternator light)	10374
Diode assy. (lamp fail indicator)	10C912
Dipstick (eng. oil level)	6750
Dipstick (P/S pump)	3A006
Disc (accelerator pump check valve)	9576
Disc (A/C switch)	18830
Disc (heater switch)	18830
Disc (power brake booster control valve)	2414
Disc (radio receiver tone control)	18830
Discharge line (A/C compressor to condensor)	19C700
Distributor (eng. oil cooler)	6881
Distributor assy. (less terminal housing & rotor)	12127
Distributor kit (dual point)	12050
Distributor repair kit	12000
Dome (fuel pump air)	9414
Door (A/C air damper)	18A316
Door (A/C blower)	18B254
Door (A/C evaporator case damper)	19469
Door (fog lamp)	15214
Door (headlamp)	13052-3, 13061, 13064
Door (heater air damper)	18A361
Door (interior lamp)	13788
Door (parking lamp)	13210, 13212
Door (rear lamp)	13489, 13A537-8
Door (rear license plate lamp)	13566
Door assy. (A/C damper inlet)	19C802
Door assy. (A/C evaporator case outlet)	19B749
Door assy. (backup lamp)	15513
Door assy. (heater air temperature control)	18B545
Door assy. (rear lamp)	13448-9
Door & hinge (heater air vent)	18A646
Door & seal assy. (A/C air damper)	18A574
Door & seal assy. (heater air damper)	18A574
Dowel (eng. camshaft sprocket to camshaft)	6253
Dowel (eng. connecting rod to cap)	6217
Dowel (eng. crankshaft main bearing cap)	6A346
Dowel (eng. cylinder block)	6397
Dowel (eng. cylinder head to block)	6A008
Dowel (generator end plate locating)	10088
Dowel (transfer case input bearing cap)	7B362
Dowel (trans. gearshift housing to trans. case)	7033

INDEX

PART NAME	GROUP NUMBER
D - cont'd.	
Drag link (pitman arm & spindle end connecting)	3304
Draincock (radiator or cyl. block)	8115
Dress-up kit (eng. chrome finish)	6980
Drive assy. (starter motor)	11350
Drive element assy. (supercharger)	9655
Driveshaft	4605
Driveshaft assy.	4602
Driveshaft kit (conversion-mechanics to Dana-Spicer)	4602
Drum (front wheel brake)	1125
Drum (rear wheel brake)	1126
Drum assy. (trans. intermediate brake)	7D044
Drum assy. (trans. reverse brake)	7C498, 7-7165
Drum & planetary gears assy. (trans. rear brake)	7A398
Duct (A/C air inlet)	18B259, 18B306, 19A618
Duct (A/C air outlet)	18633
Duct (A/C evaporator outlet)	19C633
Duct (A/C evaporator to instrument panel register)	19926
Duct (A/C instrument panel register)	19C850
Duct (A/C lower)	19C620
Duct (brake scoop)	2259-60
Duct (eng. crankcase vent)	6A630
Duct (heater air inlet)	18B259
Duct (heater air outlet)	18C297, 18633
Duct (heater inlet)	18457
Duct assy. (A/C evaporator instrument panel)	19C832
Duct assy. (A/C evaporator to register)	19B680
Duct assy. (A/C recirculating air)	19C590
Duct assy. (heater evaporator to register)	19B680
Duct assy. (heater outlet to floor)	18C433
Duct assy. (heater rear seat outlet)	18C420
Duct & connector assy. (A/C junction)	19C932
Duct & valve assy. (carb. air cleaner)	9A626
Dust cap (driveshaft)	4818-20
Dusting cloth	Δ
E	
Eccentric (eng. camshaft fuel pump drive)	6287
Economizer assy. (carb.)	9A565
Economizer kit (carb.)	9A565
Elbow (brake differential valve)	2B387
Elbow (eng. crankcase vent hose)	6767
Elbow (exhaust air supply pump outlet)	9C475
Elbow (fuel tank vent valve)	9B002
Elbow (heater hose)	18599

PART NAME	GROUP NUMBER
E - cont'd.	
Electric clock kit	15A000
Electrolyte (battery)	10656
Element (automatic air leveler compressor air filter)	5A725
Element (carb. air cleaner inner)	9601
Element (eng. crankcase vent oil separator)	6A631
Element (P/S pump oil reservoir filter)	3-3538, 3837
Element assy. (carb. air cleaner)	9601
Element assy. (cigar lighter)	15054
Element assy. (eng. oil filter)	6731
Element assy. (fuel filter)	9365
Emblem (fuel tank filler cap)	9A031
Emblem (headlamp cover)	13A198
Emblem (steering wheel hub)	3649
Emission control kit (eng. exhaust)	6A603
Enclosure assy. (carb. supercharger)	9632
End (carb. throttle synchronizer rod)	9767
End assy. (front wheel spindle connecting rod)	3A130-1
End repair kit (stabilizer bar)	5A486
Engine assy.	6007
Engine compt. kit (A/C)	19B969
Engine modification kit (A/C)	19B969
Engine reconditioning paint	Δ
Engine starting fluid	Δ
Equalizer (parking brake cable)	2A602
Equalizer assy. (parking brake rear)	2768
Escutcheon (instrument cluster control housing)	10B906
Escutcheon assy. (radio receiver)	18809
Exhaust kit (dual system)	5210
Extension (clutch release rod)	7A504
Extension (eng. rear support)	6120
Extension (front bumper stone deflector)	17C782, 17A939
Extension (front bumper stone deflector outer)	17798
Extension (front fender apron & radiator support)	16C152-3
Extension (front fender apron lower rear)	16350-1
Extension (front fender apron to dash)	16A248-9
Extension (front fender front)	16018-9
Extension (front fender headlamp panel support)	16D002-3
Extension (front fender rear splash shield upper)	16B572-3
Extension (front valance center panel)	17B948-9
Extension (hood inner panel front)	16494
Extension (intake manifold to cylinder block seal)	9C495
Extension (muffler outlet pipe)	5202-3, 5232, 5255, 5263
Extension (radiator grille)	8224-5
Extension (steering column tube flange)	3790
Extension (tire valve)	1705
Extension (trans. column shift selector lever socket lower)	7228

Δ Refer to page 1 of Paint Section

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
E - cont'd.	
Extension (trans. gearshift arm)	7E409
Extension (trans. selector socket cover)	7228
Extension (windshield defroster nozzle)	18C371-2
Extension assy. (carb. air cleaner air duct)	9B629
Extension assy. (hood panel front)	16A800
Extension assy. (radiator side support)	8B466-7
Extension assy. (speed control feed wire)	9C806
Extension housing (transmission)	7A039
Extension repair kit (frame sidemember front)	5B117
Exterior paint	Δ
Extra cooling kit (A/C)	19B969
F	
Fan (alternator)	10A310
Fan assy. (exhaust air supply pump)	9C472
Fan blade assy.	8600
Felt (distributor cam lubricator)	12A055
Fender (front)	16005-6
Ferrule (fuel line)	9242
Field (A/C compressor clutch)	2987
Filler (front fender)	16570-1
Filler (front fender apron to stone deflector)	16D036-7
Filler (front fender upper front)	16114-5
Filter (brake skid control actuator air)	2B368
Filter (carb. accelerator pump cavity)	9F565
Filter (crankcase emission)	9D697
Filter (distributor vacuum control valve)	12A120
Filter (eng. oil)	6731, 6734
Filter (exhaust air supply cleaner)	9A496
Filter (fuel level indicator light)	9E301
Filter (fuel pump vent)	9A411
Filter (fuel tank sender)	9A011
Filter (gearshift indicator lamp)	15811
Filter (instrument cluster light)	10B870
Filter (power brake booster air cleaner)	2A346
Filter (rear lamp inner)	13A562
Filter (turn indicator lamp)	13B304
Filter assy. (carb. fuel)	9155
Filter assy. (crankcase air cleaner)	9D695
Filter assy. (fuel)	9155
Filter assy. (fuel vapor valve tube air)	9B008
Filter assy. (P/S pump housing oil)	3C602
Filter assy. (P/S pump reservoir oil)	3-3538
Filler assy. (radiator grille to bumper)	8B469
Filter assy. (thermostatic choke air)	9C791
Filter assy. (windshield washer fluid)	17K608
Filter assy. (windshield wiper motor)	17C600
Finger (trans. shift control)	7C124
Fire extinguisher (recharge chemical)	19C505
Fire extinguisher kit	19B540

PART NAME	GROUP NUMBER
F - cont'd.	
Fitting (carb. fuel transfer tube)	9A520
Fitting (eng. oil filter to adapter)	6882
Fitting (exhaust air supply manifold)	9B455
Fitting (fuel pump inlet)	9241
Fitting (intake manifold carb. to spacer connection)	9A455
Fitting (oil pressure sender)	9B339
Fitting assy. (intake manifold vacuum outlet)	9A474
Fitting kit (quarter panel wheel opening)	18974
Flange (eng. oil pan reinforcement)	6823
Flange (fuel tank filler inner)	9109
Flange (fuel tank filler outer)	9039
Flange (muffler inlet pipe)	5269
Flange (starter motor coil retainer)	11106
Flange (steering column tube)	3511
Flange (steering column tube lower)	3D651
Flange (transfer case output shaft)	7B214
Flange assy. (front axle universal joint)	4851
Flange assy. (rear axle universal joint)	4851
Flare kit (reflector)	19E500
Flasher (emergency warning)	15B584
Flasher assy. (turn indicator)	13350
Flasher kit (emergency warning)	15B584
Float assy. (carb.)	9550
Float assy. (fuel tank sender)	9202
Flywheel assy. (eng.)	6375
Foot control kit (rear seat speaker)	18876
Fork (transfer case gearshift)	7289
Fork (trans. gear shifter)	7230-1
Fork & rail (trans. overdrive shift)	7680
Frame (A/C heater core)	18A441
Frame (front license plate)	17A387
Frame (radiator grille)	8B271-2
Frame (rear license plate)	17A387
Frame assy.	5005
Free wheel unit assy. (trans. overdrive)	7675
Fuel filter line chart	9156
Fulcrum kit (eng. valve rocker arm)	6A585
Fuse assy. (cigar lighter)	14429
Fuse holder	14417
Fuse link (wire)	14526
G	
Gas line anti-freeze	Δ
Gasket (A/C blower housing)	18B488
Gasket (A/C compressor charging screw)	19D661
Gasket (A/C compressor valve plate)	19B994
Gasket (A/C to dash)	18570
Gasket (air cleaner to carb.)	9654
Gasket (automatic choke piston housing)	9871
Gasket (backup lamp lens)	15510

Δ Refer to page 1 of Paint Section

INDEX

PART NAME	GROUP NUMBER
G - cont'd.	
Gasket (brake cylinder mounting)	2B194
Gasket (brake line connector)	2149
Gasket (brake master cylinder filler cap)	2167
Gasket (brake master cylinder mounting adapter)	2B355
Gasket (carb. air cleaner internal)	9673
Gasket (carb. booster venturi support)	9A536
Gasket (carb. economizer cover)	9563
Gasket (carb. economizer valve)	9A588
Gasket (carb. float bowl)	9561
Gasket (carb. float bowl screw)	9592
Gasket (carb. fuel inlet fitting)	9229, 9827
Gasket (carb. fuel inlet needle seat)	9569
Gasket (carb. fuel level check plug)	9569, 9A588, 9945
Gasket (carb. main metering body)	9A518
Gasket (carb. power valve)	9A588
Gasket (carb. pump discharge nozzle)	9580, 9926
Gasket (carb. secondary diaphragm housing)	9853
Gasket (carb. spark valve)	9A588
Gasket (carb. thermostatic choke control)	9853
Gasket (carb. thermostatic choke cover)	9853
Gasket (carb. thermostatic choke housing)	9871
Gasket (carb. throttle body to main body)	9516
Gasket (carb. to manifold)	9447
Gasket (carb. to spacer)	9447
Gasket (carb. valve seat adjusting nut)	9A522
Gasket (choke bleeder valve)	9J694
Gasket (compressor valve plate)	19B994
Gasket (cover intake manifold)	9C484
Gasket (distributor base)	12143
Gasket (distributor diaphragm vacuum connector)	12320
Gasket (eng. crankcase vent oil separator)	6A632
Gasket (eng. crankcase vent tube)	6870
Gasket (eng. crankshaft rear bearing oil seal retainer)	6344
Gasket (eng. cylinder front cover)	6020
Gasket (eng. cylinder head)	6051
Gasket (eng. flywheel housing)	6435
Gasket (eng. oil distributor to oil filter)	6A734
Gasket (eng. oil filler & breather cap)	6789
Gasket (eng. oil filter adapter)	6840
Gasket (eng. oil filter adapter to cylinder block)	6A636
Gasket (eng. oil filter center bolt to adapter)	6749
Gasket (eng. oil filter center bolt to cover)	6749
Gasket (eng. oil filter element)	6746
Gasket (eng. oil filter mounting)	6838
Gasket (eng. oil pan)	6710-1
Gasket (eng. oil pan drain plug)	6734
Gasket (eng. oil pump inlet tube)	6626

PART NAME	GROUP NUMBER
G - cont'd.	
Gasket (eng. oil pump to block)	6659
Gasket (eng. valve push rod cover)	6521
Gasket (eng. valve rocker arm cover)	6584
Gasket (exhaust air supply tube)	9C435
Gasket (exhaust manifold)	9448
Gasket (exhaust manifold to muffler inlet pipe)	9450
Gasket (front axle cover)	4035-6
Gasket (front axle driving pinion oil slinger)	4671
Gasket (front brake backing plate to spindle)	2044
Gasket (front brake grease baffle)	1193, 2026
Gasket (front brake splash shield)	2B160
Gasket (front turn indicator lamp lens)	13330
Gasket (fuel filter mounting)	9229
Gasket (fuel filter to carb.)	9A588
Gasket (fuel gauge tank unit)	9276
Gasket (fuel pump diaphragm oil seal)	9408
Gasket (fuel pump filter bowl)	9364
Gasket (fuel pump mounting)	9417
Gasket (fuel tank filler to quarter panel)	9076
Gasket (fuel tank gauge wiring retainer)	9E298
Gasket (fuel tank vent expansion tank connection housing)	9A206
Gasket (fuel tank vent flange)	9F299
Gasket (fuel tank vent pipe flange adapter)	9A253
Gasket (fuel tank vent valve)	9A196
Gasket (fuel tank vent valve retainer plate)	9276
Gasket (headlamp dimmer control)	13A020
Gasket (headlamp mounting)	13044
Gasket (heater blower motor mounting)	18583
Gasket (heater core tube)	18596
Gasket (heater inlet)	18A596
Gasket (heater to dash)	18570
Gasket (instrument cluster)	10A948
Gasket (instrument cluster warning lamp)	10A995
Gasket (intake & exhaust manifold)	9448
Gasket (intake manifold heat tube)	9D429
Gasket (intake manifold to cylinder block)	9461
Gasket (intake manifold to cylinder head)	9439-41
Gasket (interior lamp)	13790
Gasket (main control valve body separator plate)	7D100
Gasket (manifold)	5260
Gasket (parking lamp lens)	13211
Gasket (power brake booster mounting bracket)	2B022
Gasket (P/S control valve body)	3A740
Gasket (P/S pump cover)	3A760
Gasket (P/S pump oil reservoir cover)	3A642
Gasket (P/S pump oil reservoir cover retaining bolt)	3C719
Gasket (radio antenna base)	18898
Gasket (rear axle differential carrier)	4035
Gasket (rear axle driving pinion shaft oil slinger)	4671

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
G - cont'd.	
Gasket (rear axle housing to cover)	4035-6
Gasket (rear lamp interior seal)	13453
Gasket (rear lamp lens)	13461
Gasket (rear license plate lamp lens)	13568
Gasket (rear view outside mirror)	17724
Gasket (rear wheel)	1001
Gasket (rear window defogger blower housing)	18C471
Gasket (resonator inlet pipe)	5B266
Gasket (separator assy. fuel vapor)	9276
Gasket (side lamp lens)	15A209
Gasket (speedo. case)	17303
Gasket (spotlamp bracket)	15324
Gasket (starter motor drive housing)	11003
Gasket (starter motor plunger cover)	11065
Gasket (steering gear housing end plate)	3593
Gasket (steering gear sector shaft housing cover)	3581
Gasket (thermostat)	8590
Gasket (thermostatic choke heat supply cover)	9S500, 9903
Gasket (transfer case)	7181
Gasket (trans. & transfer case cover)	7223
Gasket (trans. & transfer case extension housing)	7086
Gasket (trans. case access cover)	7223
Gasket (trans. extension housing to case)	7086
Gasket (trans. front oil pump to case)	7A136
Gasket (trans. gearshift housing)	7223
Gasket (trans. input shaft bearing retainer)	7051
Gasket (trans. intermediate band servo cover)	7D026
Gasket (trans. oil pan)	7A191
Gasket (trans. oil pan screen)	7E062
Gasket (trans. overdrive adapter to case)	7086
Gasket (trans. overdrive housing to adapter)	7661
Gasket (trans. rear oil pump to case)	7A222
Gasket (trans. throttle valve diaphragm)	7B426
Gasket (trans. valve body separator plate)	7D100
Gasket (turn indicator lamp)	13A368
Gasket (voltage regulator cover to base)	10623
Gasket (water outlet connection)	8255
Gasket (water pump cover)	8513
Gasket (water pump housing)	8507
Gasket (window regulator switch housing)	14A230
Gasket (windshield wiper control switch)	17C573
Gasket (windshield wiper motor cover)	17471
Gasket (windshield wiper motor seal)	17C430
Gasket assy. (headlamp switch)	11A683
Gasket & shim kit (steering gear housing cover)	3593
Gasket assortment (water outlet connection)	8255
Gasket kit (A/C compressor)	19B684
Gasket kit (trans.)	7153
Gasket set (carb.)	9502
Gasket set (eng. complete overhaul)	6008
Gasket set (eng. lower)	6E078
Gasket set (eng. oil pan)	6781
Gasket set (eng. valve grind)	6079
Gasket set (manifold)	9433
Gasket set (transfer case)	7153
Gasket set (trans.)	7153
Gate (trans. gearshift)	7K131
Gauge (ammeter)	10850
Gauge (instrument cluster temperature)	10883
Gauge (oil pressure)	10B921, 10B971
Gauge assy. (ammeter console)	10B850
Gauge assy. (fuel instrument panel unit)	9280, 9305
Gauge assy. (fuel tank unit)	9275
Gauge assy. (oil pressure eng. unit)	9278, 9D290
Gauge assy. (oil pressure instrument panel unit)	9273, 9B308
Gauge & valve assy. (automatic air leveler)	5A687
Gear (distributor driven)	12390
Gear (eng. camshaft)	6256
Gear (eng. crankshaft)	6306
Gear (eng. flywheel ring)	6384
Gear (eng. oil pump drive)	6652
Gear (front axle shaft drive)	1245
Gear (rear axle differential side)	4236
Gear (speedo. drive)	17285
Gear (speedo. driven)	17271
Gear (steering column lock)	3E717
Gear (transfer case input shaft)	7C116
Gear (transfer case intermediate)	7113
Gear (transfer case output shaft)	7100
Gear (trans. countershaft cluster)	7113
Gear (trans. first speed)	7A029, 7100
Gear (trans. forward ring)	7D392
Gear (trans. low & reverse sliding)	7100
Gear (trans. low constant mesh)	7A029
Gear (trans. output shaft parking)	7A233
Gear (trans. output shaft ring)	7A153
Gear (trans. overdrive governor driven)	6922
Gear (trans. overdrive ring)	7653
Gear (trans. overdrive sun)	7670
Gear (trans. reverse idler)	7141
Gear (trans. reverse idler sliding)	7D223
Gear (trans. second speed)	7102-3
Gear (trans. third speed)	7B340
Gear assy. (overdrive planetary)	7673
Gear assy. (speedo. driven)	17271, 17322

INDEX

PART NAME	GROUP NUMBER
G - cont'd.	
Gear assy. (steering)	3504
Gear assy. (trans. intermediate)	7102
Gear assy. (trans. primary sun)	7A399
Gear assy. (trans. sun)	7D063
Gear & bushing (trans. intermediate)	7102
Gear & bushing (trans. reverse idler)	7141
Gear & flange assy. (power steering)	3A500
Gear & pinion (windshield wiper motor)	17A479
Gear & pinion kit (front axle)	3222, 4209
Gear & pinion kit (rear axle)	4209
Gear & pitman kit (front axle differential)	4237
Gear & shaft assy. (windshield wiper motor output)	17A434
Gear & stop assy. (windshield wiper motor output)	17A556
Gear kit (front axle differential side)	4237
Gear kit (rear axle differential side)	4236
Generator assy.	10002
Glass (instrument cluster)	10880
Glass (radiator coolant level sight)	8B404
Glass (rear view outside mirror)	17723
Governor (windshield wipers)	17C476
Governor assy. (eng.)	12450
Governor assy. (trans. overdrive less gear)	6919
Governor & counterweight assy. (trans.)	7C053
Grille (front bumper)	17B968
Grille (front fender)	16D168
Grille (heater air vent outlet)	18A499
Grille (heater rear seat outlet)	18C570
Grille (hood air extractor)	16A626-7
Grille (hood air scoop)	16A624
Grille (hood top)	16B748
Grille (radiator)	8150-1, 8200, 8210, 8220
Grille (radio speaker)	18978
Grille assy. (rear window defogger)	18C490
Grille assy. kit (radiator)	8210
Grommet (A/C condenser tubes)	19C819
Grommet (A/C control cable)	19C898
Grommet (antenna lead-in seal)	18912
Grommet (carb. air cleaner)	9697
Grommet (clutch rod)	7621
Grommet (eng. crankcase vent retainer)	6A892
Grommet (eng. power steering oil reservoir cover stud)	6570
Grommet (eng. rocker arm cover seal)	6570
Grommet (eng. valve push rod cover stud)	6570
Grommet (fuel line to side apron)	9K288
Grommet (fuel tank filler pipe)	9080
Grommet (fuel tank vent pipe)	9069
Grommet (hood support to hood)	16827
Grommet (parking brake release rod)	2K606
Grommet (power brake booster check valve)	2B176
Grommet (speedo. case)	17304
Grommet (speedo. mounting)	17B303
Grommet (starter motor terminal insulator)	11A120
Grommet (steering column opening)	3K680
Grommet (steering column to dash)	3512
Grommet (windshield wiper motor mounting)	17C431
Grommet (windshield wiper pivot shaft)	17C582
Grommet (wiring)	14603
Guard (A/C evaporator fan)	19742
Guard (bumper)	17984-5, 17996-7
Guard (fan)	8A611
Guard (fuel tank)	9099
Guard (power brake master cylinder push rod)	2A021
Guard (speed control servo)	9D858
Guard (wheel splash)	16A550
Guard kit (front bumper)	17996
Guard kit (rear bumper)	17984
Guide (brake shoe adjusting lever cable)	2A179
Guide (eng. disc)	6K297
Guide (eng. valve push rod)	6A564
Guide (front axle shaft inner)	3248
Guide (fuel pump push rod)	9379
Guide (hood latch spring)	16927
Guide (parking brake cable)	2A697, 2A700
Guide (rear axle differential clutch plate)	4A323
Guide (steering gear ball return)	3523
Guide (trans. console shift control selector lever)	7E113
Guide (trans. front band servo piston)	7A269
Guide (trans. overdrive shift rail)	7730
Guide assy. (front suspension spring)	3A197
Guide assy. (tail lamp monitor)	10C944
Guide & clamp kit (steering gear ball return)	3523
Gusset assy. (front fender apron to radiator support)	16B198-9
H	
Handle (hood latch control cable)	16914
Handle (jack)	17032, 17081
Handle (trans. overdrive cable)	7D131
Handle (turn indicator switch)	13310
Handle assy. (hood fastener)	16C896
Handle assy. (parking brake release)	2760
Handle assy. (trans. reverse gear lockout)	7E231
Handle kit (heater door & air vent duct)	18B578
Hanger (rear spring)	5775
Harness assy. (A/C control motor)	18C560
Harness assy. (A/C vacuum hose)	19C827
Harness assy. (automatic temperature control box)	19D615
Harness assy. (headlamp cover vacuum hose)	13B068

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
H - cont'd.	
Head (A/C compressor)	19D646-7
Head (A/C compressor cylinder)	2995
Head (eng. cylinder)	6049
Head kit (eng. cylinder)	6049
Headlamp assy. (less bulb & wiring)	13008, 13035
Heat chamber kit (thermostatic)	9A761
Heat exchanger (eng. oil cooler assy.)	6653
Heater assy. (eng. block)	6A051
Heater & defroster kit	18455
Heater kit (eng. block)	6D008
Hinge (hood)	16796-7
Hinge (spare wheel carrier)	1478-9
Hinge assy. (headlamp cover)	13A154
Holder (distributor housing clamp)	12144
Holder assy. (alternator brush)	10320, 10351
Holder & housing assy. (speed control brush)	9C894
Holder & stud assy. (alternator brush)	10320
Holder & wire assy. (speed control brush)	9C894
Hood	16612
Hood scoop	16C630
Hook (fuel tank strap)	9A166
Hook (hood aux. latch)	16892
Hook (hood latch)	16929
Hook (jack)	17A003
Horn (carb. air)	9524
Horn assy.	13832-3
Horn kit (vacuum air)	13800
Hose (A/C control motor vacuum supply)	18A358
Hose (A/C evaporator drain)	19858
Hose (A/C floor air deflector)	19C753
Hose (air by-pass valve upper)	9H569
Hose (anti-backfire valve)	9H534
Hose (anti-backfire valve extension)	9H560
Hose (anti-backfire valve inlet)	9H548
Hose (anti-backfire valve vacuum)	9H533
Hose (anti-backfire valve vacuum tube to manifold)	9H564
Hose (automatic air leveler)	5A684
Hose (brake lines)	2270
Hose (brake skid control actuator air)	2B369
Hose (brake skid control actuator vacuum)	2B370
Hose (brake vacuum motor to parking brake switch)	2A595
Hose (carb. choke bleeder temperature control valve)	9J592
Hose (carb. choke front)	9E736
Hose (carb. choke rear)	9E736
Hose (carb. fuel)	9D281
Hose (carb. idle speed-up control)	9H566
Hose (eng. crankcase vent)	6A664, 6853

PART NAME	GROUP NUMBER
H - cont'd.	
Hose (eng. to trans. vacuum tube connecting)	7B086-7
Hose (exhaust air supply check valve inlet)	9B466
Hose (exhaust air supply pump inlet)	9B458
Hose (exhaust air supply pump outlet)	9B459-60
Hose (front brake)	2078
Hose (front disc brake)	2A420
Hose (fuel pump to fuel tank line)	9288
Hose (fuel return)	9C327
Hose (fuel tank emission tube)	9A227
Hose (fuel tank overflow)	9A129
Hose (fuel tank to filler pipe)	9047
Hose (fuel tank vent expansion tube)	9A092
Hose (fuel tank vent tube)	9170
Hose (fuel tube)	9324
Hose (fuel tube intermediate)	9C275
Hose (fuel tube to fuel filter)	9C323
Hose (fuel vapor separator to fuel tank front)	9C285
Hose (fuel vapor separator to fuel tank intermediate)	9C286
Hose (fuel vapor separator to fuel tank rear)	9C287, 9C289
Hose (headlamp cover control)	13A168
Hose (heater control motor vacuum supply)	18A358
Hose (heater temperature control vacuum inlet)	18666
Hose (heater temperature control vacuum outlet)	18668
Hose (heater water)	18472
Hose (hot water heater)	18C572
Hose (parking brake)	2A596
Hose (parking brake release)	2A804
Hose (power brake booster reservoir to manifold)	2A047
Hose (P/S reservoir to pump)	3691
Hose (P/S return line)	3A005
Hose (radiator)	8260, 8286
Hose (radiator bulk)	8333
Hose (radiator drain)	8081
Hose (radiator overflow)	8A213, 8075
Hose (radiator supply tank)	8063
Hose (rear axle)	4090
Hose (rear axle housing vent)	4A001, 4A049
Hose (rear axle vent)	4A058
Hose (rear brake)	2282
Hose (rear window washer)	17652
Hose (refrigerant line)	19C708
Hose (speed control harness)	9C746
Hose (speed control inhibitor switch)	9C874
Hose (speed control metering valve to pump)	9C745
Hose (speed control metering valve to servo)	9C746
Hose (speed control regulator to vacuum supply)	9D770
Hose (speed control regulator to valve)	9C746
Hose (speed control solenoid to metering valve)	9C747-8

INDEX

PART NAME	GROUP NUMBER
H - cont'd.	
Hose (steering column release motor)	3D539
Hose (steering column release supply)	3D585
Hose (steering column release valve & supply)	3D537
Hose (steering column reservoir)	3D584
Hose (supercharger air intake)	9630
Hose (supercharger discharge)	9652
Hose (thermactor air by-pass vacuum)	9F286
Hose (thermactor air by-pass valve inlet)	9F287
Hose (trans. oil cooler lines)	7B093, 7C332
Hose (vacuum outlet manifold)	9C493
Hose (vacuum pump outlet)	9A445
Hose (water by-pass)	8597
Hose (windshield defroster)	18556
Hose (windshield washer reservoir to pump)	17580
Hose (windshield wiper)	17543, 17A605, 17K605
Hose assy. (A/C compressor to condenser inlet valve)	19972
Hose assy. (A/C control motor vacuum)	18B372
Hose assy. (A/C control vacuum)	19A946
Hose assy. (A/C temperature regulator control motor vacuum)	19A581
Hose assy. (A/C vacuum)	19C828
Hose assy. (air leveler)	5A667
Hose assy. (automatic air leveler compressor to valve)	5A714
Hose assy. (eng. oil cooler)	6A715
Hose assy. (heater control motor vacuum)	18B372
Hose assy. (heater vacuum)	19C828
Hose assy. (oil pressure sending)	14322
Hose assy. (P/S control valve to cylinder head end)	3A714
Hose assy. (P/S control valve to cylinder rod end)	3A717
Hose assy. (P/S pressure line)	3A719
Hose assy. (P/S return line)	3A713
Hose assy. (windshield wiper motor damper drain)	17C511
Hose & connector assy. (heater)	18C533, 18C553
Hose & grommet assy. (vacuum)	12A161
Hose & muffler assy. (speed control)	9D860
Hose & wiring (door latch vacuum control front door)	14A412
Housing (A/C blower motor)	18A584, 18592-3, 19693, 19930
Housing (A/C blower outer)	18755
Housing (A/C blower top)	19C975
Housing (alternator front)	10333
Housing (alternator rear)	10334

PART NAME	GROUP NUMBER
H - cont'd.	
Housing (blower motor resistor)	19C796
Housing (carb. air valve spring)	9H557
Housing (carb. thermostatic choke)	9848
Housing (front shock absorber insulator)	18183
Housing (fuel tank to expansion tank connector)	9A205
Housing (heater blower motor)	18A584
Housing (hood front ornament)	16B782
Housing (hood hinge)	16C764
Housing (ignition switch)	10A885
Housing (instrument cluster)	10838
Housing (instrument cluster control)	10A858
Housing (instrument panel rally pac)	10B945
Housing (instrument panel tachometer)	10B945
Housing (seat belt warning lamp)	10C876
Housing (seat regulator control switch)	14B693
Housing (tachometer & clock)	17311
Housing (transfer case control selector)	7E174
Housing (trans. clutch)	7505
Housing (trans. console shift selector)	7A306
Housing (trans. converter)	7976
Housing (trans. extension)	7A039, 7A040
Housing (trans. gearshift)	7222
Housing (water pump)	8505
Housing (window regulator switch)	14527-8
Housing (windshield wiper motor)	17A431
Housing assy. (A/C evaporator core)	19A553, 19A559
Housing assy. (alternator brush end)	10334
Housing assy. (alternator drive end)	10333
Housing assy. (carb. choke)	9A575
Housing assy. (carb. secondary throttle diaphragm)	9501
Housing assy. (choke thermostat)	9848
Housing assy. (distributor terminal)	12106
Housing assy. (eng. flywheel)	6392
Housing assy. (front driving axle)	3010
Housing assy. (headlamp)	13099
Housing assy. (headlamp switch)	13A110
Housing assy. (P/S pump)	3A643
Housing assy. (rear axle)	4010
Housing assy. (starter motor rear end)	11130
Housing assy. (steering gear)	3548
Housing assy. (trans. control selector dial)	7D394
Housing assy. (trans. gearshift)	7222
Housing assy. (window regulator switch)	14A122
Housing & plugs (carb. choke)	9849
Housing & spool assy. (P/S hydraulic control valve)	3B731
Housing kit (carb. thermostatic choke)	9848
Housing kit (starter motor rear end)	11130
Hub (carb. fast idle cam)	9D558
Hub (front axle locking differential gear clutch)	4946

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
H - cont'd.	
Hub (instrument cluster dial)	10C942
Hub (instrument cluster lens)	10C839
Hub (power brake booster diaphragm guide)	2B152
Hub (power brake booster valve seat)	2B153
Hub (rear axle differential gear clutch)	4946
Hub (trans. converter impeller)	7915
Hub (trans. converter turbine)	7926
Hub (trans. front ring gear)	7B067
Hub (trans. intermediate & high clutch)	7105
Hub (trans. output shaft)	7D164
Hub (trans. overdrive intermediate & high clutch)	7105
Hub (trans. reverse ring gear)	7B067
Hub (trans. third & fourth speed synchronizer clutch)	7105
Hub (water pump pulley)	8553
Hub assy. (clutch release)	7561
Hub assy. (front wheel free running)	1104
Hub assy. (fuel & temperature indicator)	10C867
Hub & bearing (clutch release)	7548
Hub & brake drum (front wheel)	1102
Hub & rotor (front wheel disc brake)	1102
Hub kit (free running)	1104
I	
Idler (parking brake rear cable)	2A808
Idler arm & bracket assy. (steering)	3355
Idler assy. (w/bracket & pulley supercharger)	9104
Ignition cable (high tension)	12A024
Impeller (water pump)	8512
Impeller repair kit (P/S pump)	3A711
Index (steering column locking)	3B658
Indicator (eng. oil level)	6750
Indicator (trans. control selector)	7A110
Indicator (trans. oil level)	7A020
Indicator assy. (emergency warning lamp)	10A934
Indicator assy. (tail lamp monitor)	10C955
Indicator assy. (trans. shift selector)	7B053
Induction kit (eng. high performance)	6B068
Inflator kit (tire)	19C543
Input shaft assy. (steering gear)	3524
Insert (A/C control name plate)	19A980
Insert (carb. venturi)	9E514
Insert (eng. oil filter mounting bolt)	6890
Insert (eng. valve seat)	6057
Insert (hood side ornament)	16B870
Insert (steering column lock)	3E716
Insert (thermostatic choke control air intake)	9A714
Insert (trans. console shift selector)	7E133
Insert (trans. console shift selector lever handle)	7E263
Insert (trans. console shift selector position)	7A216
Insert (trans. control selector housing)	7E362

PART NAME	GROUP NUMBER
I - cont'd.	
Insert (trans. gearshift lever)	7E133
Insert (trans. synchronizer hub)	7A044
Insert (wheel spider trim)	1A079
Insert (window regulator multiple switch)	14A307
Installation kit (power brake booster)	2A091
Installation kit (P/S)	3A634-5
Insulation (A/C evaporator case cover)	19B666
Insulation (A/C evaporator core)	19A644, 19C749, 19A829
Insulator (accelerator shaft)	9B720
Insulator (alternator diode plate)	10A383
Insulator (alternator stator end)	10A361
Insulator (alternator terminal)	10329
Insulator (ammeter)	10C914
Insulator (ammeter indicator)	10C914
Insulator (automatic air leveler compressor mounting)	2A965
Insulator (carb. trans. vacuum tube)	9S547
Insulator (circuit breaker)	12289
Insulator (clutch pedal assist spring)	7A630
Insulator (clutch release idler lever)	7A641
Insulator (eng. front support)	6038
Insulator (eng. front support rebound)	6039
Insulator (fan shroud)	8B024, 8A644
Insulator (frame to body bracket)	5A103
Insulator (front bumper arm)	17B947
Insulator (front bumper stone deflector)	17C760
Insulator (front disc brake caliper locating pin)	2B299
Insulator (front shock absorber lower)	18A018
Insulator (front spring)	5415
Insulator (front stabilizer bar to lower suspension arm link bolt)	5-5490
Insulator (front suspension radium arm)	3B203
Insulator (fuel level indicator)	9E308
Insulator (fuel tank to floor pan)	9A068
Insulator (generator brush holder rivet)	10048
Insulator (hood)	16738
Insulator (horn blowing contact spring lower)	13867
Insulator (horn blowing ring)	13A816
Insulator (horn blowing ring index)	13A903
Insulator (horn blowing ring inner contact plate)	13A891, 13A895
Insulator (horn blowing ring outer contact plate)	13A890
Insulator (horn blowing ring pressure)	13A813
Insulator (horn contact)	13883
Insulator (horn ring brush)	13A822
Insulator (instrument cluster ammeter)	10A758
Insulator (non metallic wiring conduit)	14A240
Insulator (P/S control valve spool stop)	3C562
Insulator (P/S cylinder rod)	3A344
Insulator (P/S hose mounting)	3A609

INDEX

PART NAME	GROUP NUMBER
I - cont'd.	
Insulator (radiator grille ornament)	8B325
Insulator (radiator mounting)	8124-5
Insulator (rear bumper guard)	17B907
Insulator (rear spring)	5536
Insulator (rear spring center mounting)	5741
Insulator (rear spring clamp plate)	5A641
Insulator (rear stabilizer bar link)	5C492
Insulator (spark plug wire)	12113
Insulator (stabilizer bar)	5484
Insulator (starter motor brush end plate)	11431
Insulator (starter motor brush holder)	11062
Insulator (starter motor switch)	11068
Insulator (starter motor switch spring)	11181
Insulator (steering column)	3C577
Insulator (steering column bracket)	3682
Insulator (steering column lower flange)	3B564
Insulator (steering column shaft)	3E629
Insulator (steering gear)	3C716
Insulator (thermostatic choke control outlet tube)	9865
Insulator (top control circuit breaker stud)	15A691
Insulator (trans. console shift selector bezel)	7E048
Insulator (trans. control selector arm)	7341
Insulator (trans. gearshift lever)	7246, 7341
Insulator (trans. gearshift relay lever rod pin)	7D395
Insulator (trans. gearshift selector arm)	7341
Insulator (trans. gearshift selector tube)	7E111
Insulator (voltage regulator terminal)	10546
Insulator (window regulator control switch)	14A016
Insulator (windshield wiper motor water shield)	17C444
Insulator assy. (eng. rear support)	6068
Insulator assy. (eng. rear support rebound)	6A061
Insulator assy. (P/S pump)	3-3640
Insulator & post (voltage regulator voltage limiter)	10A519
Insulator & washer kit (steering shock absorber)	3F655
Intake kit (ram air)	9C654
Interior dome/map lamp kit	13776
Interior paint	Δ
Interlock (trans. gearshift control lever)	7C318
J	
Jack assy.	17080
Jet (carb. main metering)	9533
Jet assy. (carb. idle)	9542
Jet & bracket assy. (windshield washer nozzle)	17603
Jewel (high beam indicator)	13586
Joint (driveshaft universal)	4997
Joint (trans. column shift rod ball)	7A134
Joint assy. (front suspension lower arm ball)	3050
Joint assy. (front suspension upper arm ball)	3049
Joint kit (front axle shaft)	3249
Jumper (alternator brush spring to field terminal)	10A342
Junction block assy. (accessory terminal)	14A725

PART NAME	GROUP NUMBER
K	
KIT - refer to appropriate noun name For example Booster repair kit (power brake)	2309
Key (A/C compressor clutch hub)	19D651
Key (eng. camshaft gear to camshaft)	6B316-7
Key (eng. crankshaft gear or sprocket to crankshaft)	6B316
Key (eng. valve spring retainer)	6518
Key (front disc brake caliper support)	2B487
Key (ignition & door blank)	3685
Key (trans. control selector lock blank)	7E327
King pin (front axle spindle arm)	3147
Klik pin (hood)	16892
Klik pin & cable (hood)	16A892
Knob (A/C air outlet door control)	19B769
Knob (clock front reset)	15032
Knob (door lock vacuum control)	15674
Knob (heater control)	18534
Knob (light sensor switch)	11666
Knob (lockout hub actuating)	1A029
Knob (radio rear seat speaker fader control)	18958
Knob (rear view outside mirror remote control)	17B718
Knob (seat regulator control switch)	14711
Knob (steering column lock actuator)	3F531
Knob (trans. overdrive manual control)	7D131, 7A650
Knob (trans. shift lever)	7213
Knob assy. (A/C blower switch control)	18513
Knob assy. (A/C control)	18519, 18817, 19A962
Knob assy. (air scoop control)	17513
Knob assy. (air vent control)	18519
Knob assy. (carb. choke control)	9B739
Knob assy. (defroster control)	18519
Knob assy. (emergency warning flasher control)	17513
Knob assy. (fog lamp switch)	15259
Knob assy. (heated backlite switch)	18519
Knob assy. (heater blower switch control)	18513
Knob assy. (heater control)	18519, 18817
Knob assy. (map lamp control)	13772
Knob assy. (map lamp switch)	18911
Knob assy. (parking lamp switch)	13A256
Knob assy. (radio antenna control)	18911
Knob assy. (radio control)	18817
Knob assy. (radio fader control)	17513
Knob assy. (radio speaker fader control)	18817
Knob assy. (rear window defogger switch)	18513, 18519
Knob assy. (rear window defogger switch control)	17513

Δ Refer to page 1 of Paint Section

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
K - cont'd.	
Knob assy. (speed control)	18519
Knob assy. (speed control actuator)	9A832
Knob assy. (spotlamp switch control)	17513
Knob assy. (stereo tape player control)	18817
Knob assy. (tailgate window control)	18519
Knob assy. (top control)	15674
Knob assy. (windshield washer control)	17513
Knob assy. (windshield washer switch)	18817
Knob assy. (windshield wiper control)	18519
Knob assy. (windshield wiper switch control)	17513
Knob & element assy. (cigar lighter)	15052
Knob & shaft assy. (headlamp switch)	11661
L	
Lace (radiator grille)	8A212
Lamp (instrument panel parking brake warning)	10A840
Lamp assy. (backup)	15500
Lamp assy. (back window heat control warning)	18C622
Lamp assy. (back window stop)	13A613
Lamp assy. (console courtesy)	13707
Lamp assy. (eng. compt.)	15702
Lamp assy. (fog)	15200
Lamp assy. (instrument panel seat belt warning indicator)	10C859
Lamp assy. (interior)	13776
Lamp assy. (luggage compt.)	13A756
Lamp assy. (map)	15650
Lamp assy. (marker)	15A201
Lamp assy. (open door warning)	13751
Lamp assy. (parking)	13200-1
Lamp assy. (rear)	13404-5
Lamp assy. (rear license)	13550
Lamp assy. (roof warning)	15594
Lamp assy. (seat belt warning)	10B925
Lamp assy. (sport lamp)	13200
Lamp assy. (trans. control selector)	15A801
Lamp assy. (turn indicator)	13A355-6
Lamp assy. (turning light)	15A201
Lamp & retainer (front turn indicator)	13368
Lamp & wiring assy. (glove compt.)	14412
Lamp & wiring assy. (instrument panel parking brake warning)	10A841
Lamp bulbs & fuse kit	13466
Lamp kit (backup)	15499
Lamp kit (courtesy)	13760
Lamp kit (eng. compt.)	15A700
Lamp kit (luggage compt.)	15A700
Lamp kit (map)	13760
Lamp kit (parking brake indicator)	15A852
Lamp kit (parking brake warning)	15A852
Lamp kit (rear interior)	13112

PART NAME	GROUP NUMBER
L - cont'd.	
Lamp kit (trunk compt.)	15A700
Lamp kit (utility portable)	15A700
Lamp switch kit (backup)	15A490
Latch (hood)	16700-1, 16929
Latch assy. (spare wheel carrier)	1A398
Lead (alternator ground)	10A374
Leaf (rear spring)	5564-5
Lens (air control indicator lamp)	13A779
Lens (backup lamp)	15514
Lens (console panel seat belt warning indicator lamp)	10B927
Lens (dome lamp)	13783
Lens (front turn indicator lamp)	13328
Lens (fuel level gauge)	9B315
Lens (glove compt. lamp)	18263
Lens (instrument cluster control housing)	10B908
Lens (instrument cluster main)	10880, 10887
Lens (instrument cluster warning lamp)	10A936-7
Lens (instrument panel headlamp switch)	11A667
Lens (instrument panel turn indicator lamp)	13340
Lens (interior lamp)	13734
Lens (lamp fail indicator lamp)	10C950
Lens (map lamp)	13761
Lens (parking lamp)	13208-9
Lens (pillar lamp)	13783
Lens (rear lamp)	13450
Lens (rear license plate lamp)	13564
Lens (rear tail lamp)	15A215
Lens (roof console panel door opening warning lamp)	10A845
Lens (roof console panel flasher warning lamp)	10B920
Lens (roof side lamp)	13783
Lens (side lamp)	15A215
Lens (speedo. dial opening)	17259
Lens (tail lamp monitor)	10C950
Lens (trans. column shift selector dial)	7B037
Lens assy. (back window stop lamp)	13A626
Lens assy. (courtesy lamp)	13547
Lens assy. (fog lamp)	15L203
Lens assy. (map lamp)	13547
Lens assy. (rear lamp optic)	13463
Lens kit (instrument cluster)	10C867
Letter (back panel)	16606
Letter (hood)	16606
Letter (luggage compartment)	16606
Letter (radiator grille)	8316-22
Letter (tailgate)	16606, 16A606

INDEX

PART NAME	GROUP NUMBER
L - cont'd.	
Lever (accelerator shaft)	9761
Lever (A/C control switch actuating)	19A524
Lever (A/C temperature regulator control)	18A367
Lever (automatic air leveler valve actuating)	5B689
Lever (brake shoe adjusting)	2A176-7
Lever (carb. accelerator pump)	9D591, 9919
Lever (carb. accelerator pump operating)	9A506, 9529
Lever (carb. accelerator pump overtravel)	9919
Lever (carb. air valve dampener)	9H582
Lever (carb. air valve lockout)	9583
Lever (carb. choke bellcrank adjusting)	9A535
Lever (carb. choke control)	9D541
Lever (carb. choke control diaphragm)	9J553
Lever (carb. choke shaft)	9A514, 9551
Lever (carb. choke thermostat)	9A754
Lever (carb. dechoke)	9583
Lever (carb. dechoke override)	9J598
Lever (carb. fast idle adjusting)	9538
Lever (carb. fast idle cam)	9F577
Lever (carb. float bowl vent actuating)	9D585
Lever (carb. mechanical vent valve adjusting)	9H585
Lever (carb. secondary throttle diaphragm)	9583
Lever (carb. secondary throttle stop)	9583
Lever (carb. throttle)	9C504, 9583
Lever (carb. throttle shaft aux.)	9A537
Lever (console shift control selector lever left hand support)	7D282
Lever (fuel pump rocker arm return spring)	9B354
Lever (parking brake cable to secondary brake shoe)	2A637-8
Lever (parking brake equalizer)	2A605
Lever (power brake booster)	2431
Lever (starter motor drive)	11067
Lever (steering column locking)	3B661
Lever (steering column release)	3D544
Lever (transfer case shift)	7210
Lever (trans. accelerator kickdown)	7A394
Lever (trans. backup lamp switch actuating)	7B097
Lever (trans. column mounted gearshift)	7210
Lever (trans. console shift selector)	7D282
Lever (trans. downshift detent inner)	7D261
Lever (trans. floor mounted gearshift)	7210
Lever (trans. first & second gearshift upper)	7315
Lever (trans. first & second shifter fork cam & shaft)	7290
Lever (trans. front band servo actuating)	7330
Lever (trans. gearshift)	7210
Lever (trans. gearshift control)	7C312

PART NAME	GROUP NUMBER
L - cont'd.	
Lever (trans. high & intermediate gearshifter)	7285, 7302
Lever (trans. intermediate & high gearshift)	7285,
Lever (trans. intermediate band servo)	7330 7302
Lever (trans. low & reverse gearshift)	7C173, 7290, 7303
Lever (trans. manual control valve detent)	7A115
Lever (trans. parking pawl)	7A117
Lever (trans. parking pawl toggle)	7A121
Lever (trans. rear band servo actuating)	7A169
Lever (trans. reverse gearshift)	7K002
Lever (trans. reverse shifter fork cam & shaft)	7290
Lever (trans. selector neutral switch)	7B097
Lever (trans. third & fourth gearshift control)	7C313
Lever (trans. third & fourth shifter fork cam & shaft)	7285
Lever (trans. throttle control inner)	7-7283
Lever (windshield wiper motor park switch)	17B549
Lever assy. (carb. fast idle pickup)	9A535
Lever assy. (carb. throttle control)	9A514
Lever assy. (clutch release)	7515
Lever assy. (moveable steering column release)	3D543
Lever assy. (steering column lock actuator)	3F527
Lever assy. (trans. downshift control)	7A394
Lever assy. (trans. manual control)	7A256
Lever assy. (turn indicator)	13305
Lever & bracket (trans. kickdown control)	7A372
Lever & bracket assy. (carb. throttle control)	9724
Lever & bushing (power brake booster)	2A016
Lever & piston kit (trans. rear servo)	7A169
Lever & reaction ring (power brake booster)	2B154
Lever & shaft (trans. reverse gearshift)	7290
Lever & shaft assy. (carb. secondary throttle plate)	9A592
Lever & shaft assy. (carb. throttle)	9581
Lever & shaft assy. kit (carb. throttle)	9581
Lever & swivel assy. (carb. choke)	9A514
Leveler kit (air)	5A589
License plate frame (front)	17A387
License plate frame (rear)	17A387
License plate (hardware kit)	17A356
Lifter assy. (eng. valve)	6500
Light & bracket kit (snow plow)	15312
Limiting kit (P/S control valve reaction)	3C563
Liner (eng. cylinder block)	6055
Liner (rear spring)	5624, 5983
Liner (rear spring clamp)	5334
Lining (front brake shoe)	2021-2
Lining (rear brake shoe)	2284-5
Lining kit (brake shoe)	2007

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
L - cont'd.	
Link (automatic air leveler valve actuating)	5A690
Link (brake cylinder to shoe)	2042
Link (carb. accelerator pump)	9529
Link (carb. air valve dampener)	9H583
Link (carb. choke diaphragm)	9J552
Link (carb. choke thermostat)	9834
Link (carb. dashpot)	9D593
Link (carb. vacuum break)	9S515
Link (clutch pedal retracting spring)	7592
Link (distributor breaker plate)	12A186
Link (fuel pump rocker arm)	9381
Link (parking brake cable connecting)	2861
Link (parking brake lever to primary brake shoe)	2A642
Link (rear axle stabilizer)	4A343
Link (speed control bellcrank carb. rod adjusting)	9D768
Link (steering sector shaft arm to spindle connecting rod)	3B163
Link (transfer case front & rear shift rod)	7B106
Link (trans. control shaft adjusting)	7B108
Link (trans. parking pawl toggle)	7-7316
Link (trans. parking pawl toggle operating lever)	7C495
Link (windshield wiper)	17B439
Link assy. (automatic air leveler valve actuating)	5A690
Link assy. (stabilizer bar)	5K484
Link assy. (trans. accelerator kickdown shaft adjusting)	7B108
Linkage kit (P/S installation)	3A634
Liquid line (A/C dryer to evaporator)	19D567
Liquid tire chain	Δ
Litter container	19D504
Litter container (console)	19D504
Lock (exhaust manifold to cylinder head bolt tab)	9A447
Lock (rear axle differential bearing adjuster)	4143
Lock assy. (spare wheel)	1386
Lock lubricant	Δ
Lock nut (front wheel bearing)	1197
Lock ring (free running hub inner coupling)	1080
Lubricants	Δ
Lubricator (rear axle differential)	4159
Luggage carrier cover kit	19B507
M	
Main control assy. (trans.)	7A100
Manifold (exhaust)	9426, 9428, 9430-1
Manifold (intake)	9424-5
Manifold assy. (exhaust air supply)	9B445
Manifold assy. (vacuum outlet)	9C490
Manual choke kit	9850

PART NAME	GROUP NUMBER
M - cont'd.	
Mask (instrument cluster)	10890, 10894
Mask (trans. console shift selector indicator dial)	7B052
Mast (radio antenna replacement)	18A886
Master kit (A/C)	19B969
Medallion (A/C register)	19A551
Medallion (instrument cluster)	10952
Medallion (radiator grille)	8A224
Member (fuel tank support)	9064
Member (rear axle center drive)	4A347
Member (rear shock absorber mounting)	18A000-1
Metering rod holder kit (carb. secondary)	9S513
Mirror (vanity)	17A679
Mirror assy. (rear view inside)	17700
Mirror assy. (rear view outside)	17682
Mirror & cable (rear view outside)	17A708
Mirror kit (rear view inside)	17700
Mirror kit (rear view outside)	17696
Module (brake skid control)	2B373
Modulator (trans. vacuum)	7-7370
Motor (sliding roof panel)	15790
Motor (steering column release)	3D538
Motor assy. (A/C blower)	18527, 19805
Motor assy. (A/C vacuum control)	18A318
Motor assy. (electric seat regulator)	14547
Motor assy. (headlamp cover control)	13A167
Motor assy. (heater blower)	18527, 19805
Motor assy. (heater vacuum control)	18A318
Motor assy. (luggage compt. door lock)	15690
Motor assy. (radio antenna drive)	19112
Motor assy. (rear window defogger)	18527
Motor assy. (window regulator)	14553
Motor assy. (windshield wiper)	17504, 17508
Motor & tube assy. (radio antenna)	18850
Motor oils	Δ
Moulding (front bumper)	17B970
Moulding (front bumper stone deflector)	17819
Moulding (front fender)	16003-4
Moulding (front fender front)	16B124-5, 16160-1
Moulding (front fender front extension)	16074-5
Moulding (front fender grille opening)	16D014-5
Moulding (front fender lower)	16C068-9
Moulding (front fender side rear)	16A038-9
Moulding (front fender upper rear)	16C132-3
Moulding (front fender wheel opening)	16038-9

Δ Refer to page 1 of Paint Section

INDEX

PART NAME	GROUP NUMBER
M - cont'd.	
Moulding (headlamp cover)	13B088
Moulding (hood front)	16856-7
Moulding (hood front center)	16958
Moulding (hood rear)	16B918
Moulding (hood top center)	16958
Moulding (muffler outlet pipe opening)	5C299
Moulding (quarter panel)	16003-4
Moulding (radiator grille)	8418-9
Moulding (radiator grille lower)	8156
Moulding (radiator grille lower opening)	8A316
Moulding (radiator grille opening)	8242-3
Moulding (radiator grille upper opening)	8A317-20
Moulding assy. (headlamp housing)	13B166
Moulding assy. (radiator grille opening panel)	8A156
Moulding assy. (radiator grille opening panel center)	8223
Mounting (trans. clutch release equalizer bar)	7507
Mounting kit (bumper winch)	19F536
Mounting kit (rear axle stabilizer)	4A340
Muffler	5212, 5225, 5230, 5232, 5D256, 5C257, 5C258
Muffler assy. (A/C compressor)	19C836
N	
Needle (carb. idle adjusting)	9541
Nipple (eng. oil cooler)	6883
Nozzle (windshield defroster hose)	18490-1
Nozzle (windshield washer)	17A602, 17665-6
Nozzle assy. (carb. pump discharge)	9577
Nozzle assy. (rear window defogger)	18C515
Nozzle repair kit (windshield washer)	17A638
Nut (accelerator shaft to bellcrank rod)	9A857
Nut (adapter heater temperature control valve)	18K307
Nut (brake master cylinder brake tube)	2133
Nut (brake shoe adjusting screw)	2047
Nut (carb. choke plate adjusting)	9D564
Nut (carb. power valve adjusting)	9B503
Nut (carb. throttle lever & choke shaft)	9B527
Nut (carb. throttle lever retaining)	9618
Nut (clock reset knob)	15A012
Nut (courtesy & fog switch)	13753
Nut (eng. connecting rod)	6212
Nut (eng. rear support insulator)	6041
Nut (eng. valve rocker arm adjusting screw)	6552
Nut (eng. valve rocker arm stud)	6A529

PART NAME	GROUP NUMBER
N - cont'd.	
Nut (front stabilizer bar link)	5C491
Nut (front suspension lower ball joint retaining)	3A050
Nut (front suspension upper arm mounting bolt)	3B023
Nut (front suspension upper ball joint retaining)	3A049
Nut (headlamp adjusting)	13181
Nut (headlamp switch)	11650
Nut (heater blower switch)	18545
Nut (hood latch dowel spring retaining)	16B750
Nut (ignition switch retaining)	11A578
Nut (instrument panel vent control attaching)	11662
Nut (parking brake equalizer)	2091
Nut (parking brake equalizer rod)	2A796
Nut (P/S gear race)	3D627
Nut (radio antenna)	18865
Nut (radio control shaft)	18818
Nut (rear seat speaker fader control)	18A985
Nut (rear view outside mirror control knob)	17B719
Nut (rear view outside mirror remote control)	17B732
Nut (rear window defogger switch)	18A508, 18A985
Nut (rear window regulator control switch)	14A124
Nut (seat regulator control switch bezel)	14695
Nut (spare wheel mounting bolt)	1462
Nut (speed control actuator bezel)	9C752
Nut (steering column bracket retainer)	3E546
Nut (steering gear sector shaft adjusting)	3539
Nut (steering gear worm thrust bearing)	3707
Nut (top control bezel)	15A670
Nut (top control switch mounting)	15B663
Nut (trans. gear shift lever ball lock)	7C404
Nut (wheel hub bolt)	1012
Nut (windshield wiper control)	17512
Nut & ferrule (exhaust air supply)	9B471
Nut kit (A/C compressor shaft)	19D667
O	
Oil cup (distributor)	10141
Oil pump rotor kit (A/C compressor)	19D663
Oiler (distributor housing)	12135
Oils	Δ
"O" ring (A/C seal kit)	19B596
"O" ring (carb. float bowl tube connector seal)	9229
"O" ring (carb. fuel valve seat)	9609
"O" ring (eng. block heater)	6B080
"O" ring (free running hub knob)	1A030
"O" ring (P/S gear control valve to housing)	3756
"O" ring (P/S pump oil reservoir orifice)	3-3547
"O" ring (P/S pump valve cap)	3-3618
"O" ring kit (A/C compressor)	19D660
Ornament (front fender)	16228-9
Ornament (hood front)	16606, 16637

Δ Refer to page 1 of Paint Section

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
O - cont'd.	
Ornament (hood scoop)	16637
Ornament (hood side model identification plate)	16A720
Ornament (hood top)	16850
Ornament (radiator grille)	8213,
Ornament (rear lamp lens)	13616
Orifice (power steering pump tube seat)	3A700
P	
Packing (eng. crankshaft rear)	6701
Pad (A/C register louver)	19C896
Pad (brake pedal)	2454, 7A624
Pad (brake pedal plate)	2457
Pad (clutch pedal plate)	7A624
Pad (front bumper jacking bracket)	17C854
Pad (front disc brake)	2018
Pad (front fender side deflector)	13A082
Pad (front turn indicator lamp)	13332
Pad (headlamp door)	13038
Pad (hood)	16740
Pad (horn blowing ring pressure)	13A813
Pad (horn blowing ring trim)	13A818
Pad (interior lamp)	13A739
Pad (ornament)	16675
Pad (parking lamp body to fender)	13217
Pad (radio control bezel mounting)	19A169
Pad (rear bumper step)	17B821
Pad (rear lamp mounting)	13420
Pad (rear reflector mounting)	13A493
Pad (rear view inside mirror)	17A720
Pad (stereo tape player cover)	19A113
Pad (stop lamp relay mounting)	13A595
Pad (turn indicator lamp mounting)	13A326
Pad (window regulator safety relay)	14A403
Pad assy. (bumper)	17C829, 17C830, 17K331-4
Pad assy. (bumper guard)	17A807, 17A812, 17988
Pad assy. (horn blowing ring trim)	13A907
Pad assy. (steering wheel hub)	3623
Paint	Δ
Pan (A/C evaporator drain)	19859, 19B859
Pan (trans. oil)	7A194
Pan assy. (eng. oil)	6675
Pan assy. (trans. oil)	7A194
Panel (A/C evaporator case)	19801, 19803, 19A998

PART NAME	GROUP NUMBER
P - cont'd.	
Panel (fan shroud)	8147-8
Panel (front bumper finish)	17794
Panel (front fender side finish)	16410-1
Panel (front valance)	17626-7
Panel (fuse junction)	14A068
Panel (headlamp opening finish)	13B131
Panel (radiator grille backing)	8B423-4
Panel (radiator grille opening)	8190-1, 8221
Panel (relay)	14A481
Panel (top control relay mounting)	15A685
Panel assy. (A/C control)	18A651, 19808
Panel assy. (A/C register)	19C874-5
Panel assy. (A/C register trim)	19C866-70
Panel assy. (front end)	8192-6
Panel assy. (heater control)	18A651
Panel assy. (lower radiator grille opening)	17779
Panel assy. (radiator grille opening side)	8B477-8
Pawl (steering column release)	3E520
Pawl (trans. console shift selector lever)	7C441-2
Pawl (trans. gearshift cross over)	7E341
Pawl (trans. overdrive balk ring & gear sliding)	7690
Pawl (trans. parking)	7A441
Pedal (clutch)	7519
Pedal assy. (accelerator)	9735
Pedal assy. (brake)	2455
Pin (accelerator bellcrank)	9B721
Pin (A/C compressor head locator)	19D662
Pin (brake shoe hold down spring)	2069
Pin (carb. accelerator pump overtravel spring)	9C711
Pin (carb. air cleaner retainer)	9C631
Pin (carb. air valve dampener)	9H584
Pin (carb. fast idle adjusting lever)	9579
Pin (carb. power valve)	9G558
Pin (eng. crankshaft rear oil seal)	6A302
Pin (eng. piston)	6135
Pin (eng. timing chain tensioner arm)	6286
Pin (free running hub drive)	1094
Pin (free running hub stop)	1095
Pin (front brake shoe anchor)	2027
Pin (front disc brake caliper locating)	2B296
Pin (fuel pump rocker arm)	9378
Pin (headlamp cover hinge)	13A165
Pin (headlamp cover motor mounting)	13A173
Pin (headlamp dimmer control pivot)	13662
Pin (hood)	16929
Pin (ignition switch actuating rod)	11A601
Pin (parking brake handle locking)	2819
Pin (parking brake lever)	2107
Pin (power brake booster lever pivot)	2A020
Pin (P/S pump rotor shaft)	3-3633

Δ Refer to page 1 of Paint Section

INDEX

PART NAME	GROUP NUMBER
P- cont'd.	
Pin (rear axle differential & pinion shaft lock)	4241
Pin (rear axle differential bearing cap & carrier guide)	4A106
Pin (rear license plate support hinge)	13432
Pin (seat regulator control knob pivot)	14B694
Pin (spare wheel carrier hanger)	1487
Pin (speed control servo clevis)	9D841
Pin (steering column locking lever)	3B663
Pin (steering column pivot)	3D739
Pin (steering column release cable)	3E683
Pin (transfer case gear shift interlock)	7229
Pin (trans. front band anchor)	7-7377
Pin (trans. front band servo piston guide)	7A163
Pin (trans. gearshift interlock)	7235
Pin (trans. gearshift interlock rod)	7C316
Pin (trans. gearshift lever)	7A111
Pin (trans. gearshift lever pilot)	7D439
Pin (trans. gearshift lever socket retaining)	7C402
Pin (trans. gearshift relay lever rod)	7K051
Pin (trans. parking pawl)	7-7312
Pin (trans. parking pawl toggle)	7A119
Pin (trans. parking pawl toggle lever)	7A244 7A295
Pin (trans. parking pawl toggle link)	7-7318 7E415
Pin (trans. parking pawl torsion spring lever)	7-7308
Pin (trans. rear band actuating lever shaft)	7-7356
Pin (trans. reverse gearshift relay lever)	7K024, 7K218
Pin (trans. seat belt switch actuator)	7E454
Pin (trans. shifter fork cam & shaft lock plunger)	7235
Pin (trans. throttle control valve)	7A380
Pin (trans. throttle pressure booster)	7D375
Pin (windshield wiper motor)	17B563
Pin (windshield wiper motor contact operating)	17B564
Pinion (rear axle differential)	4215
Pinion gear kit (front axle differential)	4215
Pipe (eng. oil filler)	6763
Pipe (muffler inlet)	5218, 5245, 5246
Pipe (muffler inlet cross over)	5248, 5267-8
Pipe (muffler inlet extension)	5A212-3, 5A216 5230
Pipe (muffler outlet)	5D200, 5B202, 5C203, 5C207, 5C227, 5255, 5-5257, 5C262

PART NAME	GROUP NUMBER
P- cont'd.	
Pipe (resonator inlet)	5218, 5A265, 5A289
Pipe assy. (fuel tank filler)	9034
Pipe assy. (fuel tank vent)	9K079
Piston (brake cylinder)	2194-7
Piston (brake master cylinder)	2169
Piston (carb. accelerator pump)	9B544
Piston (carb. power valve)	9A565
Piston (front disc brake caliper)	2196
Piston (power brake booster body)	2395
Piston (trans. forward clutch)	7A262
Piston (trans. front band servo release)	7366
Piston (trans. front clutch)	7A262
Piston (trans. intermediate servo)	7D021-2 7A260
Piston (trans. rear band servo)	7A266
Piston (trans. rear band servo accumulator)	7A266
Piston (trans. rear clutch)	7-7514
Piston (trans. rear servo accumulator)	7E216
Piston (trans. reverse clutch)	7D402
Piston assy. (carb. automatic choke)	9840
Piston assy. (carb. power valve)	9G551, 9G553
Piston assy. (eng.)	6108-9
Piston assy. (trans. intermediate band servo)	7D021
Piston assy. (trans. rear clutch)	7D157
Piston & pin assy. (trans. front band servo)	7A164
Piston & rod assy. (carb. air valve dampener)	9H578
Piston & seal assy. (trans. reverse band servo)	7D189
Piston & stop kit (trans. rear band)	7E216
Pitman arm (steering)	3590
Pivot (clutch release equalizer shaft ball inner)	7A531
Pivot (headlamp cover hinge)	13B019
Pivot (moveable steering column)	3B650
Planet (trans. forward)	7A398
Planet assy. (trans. reverse)	7D006
Plate (accelerator shaft equalizer bracket)	9A853
Plate (A/C blower inlet)	19A821
Plate (A/C blower motor mounting)	19833
Plate (A/C compressor valve)	19656
Plate (A/C evaporator case mounting)	19804
Plate (A/C evaporator front housing cover)	19A586
Plate (A/C motor mounting)	18581
Plate (A/C mounting)	18679
Plate (A/C register mounting bracket reinforcement)	19B897
Plate (A/C register trim end)	19B781
Plate (A/C temperature control sensor mounting)	19C737
Plate (A/C tube retaining)	19C675

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
P. cont'd.	
Plate (alternator charge indicator mounting)	9304
Plate (alternator positive conductor)	10B330
Plate (ballast resistor mounting)	14A274
Plate (brake shoe anchor pin guide)	2028
Plate (bumper guard back)	17988
Plate (carb. air cleaner bracket reinforcement)	9B612
Plate (carb. air distribution)	9F553
Plate (carb. choke)	9545
Plate (carb. fast idle cam)	9838
Plate (carb. main metering)	9514
Plate (carb. thermostatic choke housing)	9844
Plate (carb. throttle)	9585
Plate (clutch equalizer bar mounting)	7B588
Plate (compass mounting)	19D503
Plate (emergency warning switch mounting)	15A598
Plate (eng. aux. shaft retaining)	6613
Plate (eng. camshaft thrust)	6269
Plate (eng. cylinder front cover)	6B070
Plate (eng. front support bracket)	6D047
Plate (eng. oil inlet tube bolt locking)	6A736
Plate (eng. oil pump body)	6616
Plate (eng. rear support)	6070
Plate (flywheel reinforcing)	6A366
Plate (front brake backing)	2012-3
Plate (front bumper arm adjusting)	17B856
Plate (front bumper to front mounting)	17B991
Plate (front bumper upper)	17B984
Plate (front disc brake caliper anchor)	2B292-3
Plate (front fender apron access hole cover)	16D200
Plate (front fender apron upper outer reinforcement)	16D114
Plate (front fender front extension)	16G556-7
Plate (front fender front extension reinforcement)	16D204-7
Plate (front fender name)	16098
Plate (fuel level indicator back)	9302
Plate (fuel pump valve retainer)	9361
Plate (fuel tank selector valve reinforcement)	9197
Plate (fuel tank skid)	9A147
Plate (fuel tank vent valve retainer upper)	9A307
Plate (headlamp door)	13059
Plate (headlamp mounting)	13A004-5
Plate (headlamp opening cover)	13B041
Plate (heater air damper door seal)	18A317
Plate (heater housing blower & plenum)	18A485
Plate (heater housing core)	18A488
Plate (heater motor mounting)	18581
Plate (hood aux. catch striker)	16918
Plate (hood hinge)	16795
Plate (hood latch)	16N782
Plate (hood pin)	16931
Plate (hood scoop name)	16720-1
Plate (hood side name)	16720-1

PART NAME	GROUP NUMBER
P. cont'd.	
Plate (horn bracket reinforcement)	13826
Plate (horn button or ring contact)	13A808
Plate (horn button or ring index)	13A809
Plate (horn switch brush)	13A823
Plate (indicator mounting instrument cluster)	10B978
Plate (instrument cluster back)	10848
Plate (instrument cluster control mounting)	10A860, 10A885-6
Plate (instrument cluster ignition switch mounting)	10A860
Plate (instrument cluster trim)	10A861
Plate (instrument panel wiring connector mounting)	10C897
Plate (lockout hub retaining)	1A050
Plate (muffler mounting)	5B236
Plate (parking brake equalizer lever bracket mounting)	2A748
Plate (power brake booster body end)	2B275
Plate (power brake booster push rod locating)	2A476
Plate (P/S control valve cap adapter)	3-3712
Plate (P/S pump pressure)	3D590
Plate (P/S pump retainer end)	3D589
Plate (quarter panel name)	16098
Plate (radio speaker mounting front)	18963
Plate (rear axle differential clutch)	4A235, 4945
Plate (rear axle differential clutch spring preload)	4A326
Plate (rear axle differential gear clutch)	4947
Plate (rear brake backing)	2211-2
Plate (rear bumper arm adjusting)	17B856
Plate (rear bumper guard)	17982
Plate (rear bumper name)	17B850
Plate (rear spring)	5796-9
Plate (rear spring front hanger anchor)	5A539
Plate (rear spring rear hanger)	5752
Plate (rear stabilizer bar link mounting bracket)	5B486
Plate (rear stabilizer bar stud mounting)	5A775
Plate (rear view outside mirror housing)	17B675
Plate (rear view outside mirror mounting)	17A717
Plate (rear view outside mirror remote control)	17B733
Plate (spare wheel carrier arm)	1A404
Plate (spare wheel mounting)	1424
Plate (spare wheel retainer)	1402
Plate (speedo. mounting)	17289
Plate (steering gear housing end)	3568
Plate (tailgate name)	16098
Plate (temperature indicator back)	9304
Plate (transfer case intermediate lock)	7155
Plate (transfer case shift pawl)	7E071
Plate (transfer case skid)	7E063
Plate (trans. clutch external spline)	7B442
Plate (trans. clutch internal & external spline)	7B164

INDEX

PART NAME	GROUP NUMBER
P- cont'd.	
Plate (trans. clutch pressure)	7B066
Plate (trans. column shift mounting)	7E046
Plate (trans. console shift selector lever opening floor pan cover)	7C309
Plate (trans. console shift selector opening cover)	7E169
Plate (trans. control selector lever guide)	7C499
Plate (trans. countershaft & reverse idler shaft lock)	7155
Plate (trans. eng. rear)	7007
Plate (trans. floor pan gear shift lever opening cover)	7B233
Plate (trans. front clutch external spline)	7-7573
Plate (trans. gear select interlock)	7K201
Plate (trans. gearshift lever opening console trim)	7D358
Plate (trans. gearshift lever opening trim rear)	7D444
Plate (trans. gearshift pattern)	7B052
Plate (trans. gearshift tube bracket)	7E417
Plate (trans. main control cover & lower valve body separating)	7734
Plate (trans. main control lower valve body)	7729
Plate (trans. main control separating)	7A008
Plate (trans. main control upper valve body front)	7A396
Plate (trans. main control upper valve body rear)	7A393
Plate (trans. main control valve assy. side)	7-7739
Plate (trans. main control valve body separating)	7A008
Plate (trans. oil pressure regulator body separating)	7A142
Plate (trans. parking rod guide)	7D419
Plate (trans. parking rod support)	7D414
Plate (trans. rear clutch pressure)	7B437
Plate (trans. selector lever opening)	7B233
Plate (trans. selector lever opening cover finish)	7C309
Plate (trans. shift control mounting)	7E046
Plate (trans. throttle pressure booster stop)	7E336
Plate (water by-pass orifice)	8K517
Plate (window regulator switch)	14523-4
Plate (window regulator switch cover)	14A020-1
Plate assy. (A/C compressor valve)	19D656-7
Plate assy. (A/C mounting)	18677
Plate assy. (A/C register)	19A568, 19B725, 19C876
Plate assy. (alternator diode)	10A377-8
Plate assy. (aux. hood lock)	16A931
Plate assy. (ballast resistor mounting transistorized ignition)	14A274
Plate assy. (distributor breaker)	12151
Plate assy. (generator front end)	10138-9
Plate assy. (heater housing air inlet)	18A493
Plate assy. (horn blowing ring contact)	13A586-7
Plate assy. (instrument panel wire connector)	10C928
Plate assy. (transfer case skid)	7E063

PART NAME	GROUP NUMBER
P- cont'd.	
Plate assy. (trans. floor pan gear shift lever opening cover)	7C309
Plate assy. (windshield wiper drive link pivot)	17C563
Plate assy. (windshield wiper motor mounting)	17B518
Plate & brushes assy. (generator rear end)	10050
Plate & bushing (P/S pump)	3D643
Plate & bushing assy. (starter motor front end)	11049
Plate & cover assy. (clutch pressure)	7563
Plate & diode assy. (alternator negative)	10377
Plate & diode assy. (alternator positive)	10373
Plate & seal (power brake booster end)	2B093
Plate & stud assy. (carb. backup)	9841
Plate & switch assy. (windshield wiper motor)	17B583
Plate & trough assy. (trans. overdrive balk ring & gear)	7665
Plate kit (distributor)	12A132
Plate kit (front axle locking differential)	4880
Plug (carb. air cleaner air intake panel mounting access hole)	9D699
Plug (carb. fuel filter retainer)	9A540
Plug (carb. fuel level check)	9562, 9944
Plug (carb. idle passage)	9523
Plug (deceleration valve sealing)	9P706
Plug (distributor diaphragm)	12A022
Plug (eng.)	6026
Plug (eng. camshaft rear bearing)	6266
Plug (eng. crankshaft)	6307
Plug (eng. cylinder block water metering)	6D039
Plug (eng. cylinder head exhaust air supply)	6052
Plug (eng. oil filter by-pass valve)	6666
Plug (eng. oil pan drain)	6730
Plug (eng. oil pump relief valve)	6666, 6A616
Plug (eng. valve oil metering)	6A580
Plug (eng. valve rocker arm shaft)	6572
Plug (exhaust air supply pump relief valve)	9C429
Plug (front axle spindle arm)	3147
Plug (fuel pump rocker arm pin hole)	9A360
Plug (fuel tank vent expansion tank connection access)	9A207
Plug (heater case)	18C636
Plug (power brake booster check valve)	2A246
Plug (P/S control valve reaction control opening)	3A512-3
Plug (steering gear housing oil filler)	3538
Plug (transfer case drain)	7A010
Plug (trans. control selector lock)	7E328
Plug (trans. extension)	7K381
Plug (trans. parking plate shaft)	6572
Plug (trans. seat belt warning switch opening)	7E461
Plug (trans. shift control adjusting hole)	7C147
Plug & wiring kit (trailer lamp)	15A416

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
P- cont'd.	
Plunger (carb. choke lever)	9537
Plunger (eng. cylinder block main oil galley relief valve)	6674
Plunger (eng. oil pump relief valve)	6674
Plunger (power brake booster)	2A385
Plunger (transfer case control selector lever)	7361
Plunger (trans. column shift selector lever)	7361
Plunger (trans. manual control valve detent)	7-7607
Plunger (trans. manual valve detent)	7D069
Plunger (trans. reverse gearshift interlock)	7233
Plunger assy. (starter motor solenoid)	11393
Point (voltage regulator unit fixed contact)	10576
Point kit (starter motor contact)	11134
Point set (distributor arm & breaker)	12171
Pointer (engine timing)	6023
Pointer assy. (speedo.)	17268
Polishes	Δ
Post (starter motor contact)	11176
Post (voltage regulator voltage limiter contact lower)	10608
Post (voltage regulator voltage limiter contact upper)	10565
Power steering installation kit	3A634-5
Power supply (citizen band transceiver)	18800
Pulley (alternator)	10344
Pulley (belt idler)	8679
Pulley (compressor mounted supercharger)	9160
Pulley (crankshaft mounted supercharger)	9107
Pulley (exhaust air supply pump)	9B447
Pulley (exhaust air supply pump drive)	9B464
Pulley (generator)	10130
Pulley (parking brake cable)	2804
Pulley (P/S pump)	3A733
Pulley (water pump)	9509
Pulley assy. (belt idler)	8678
Pulley assy. (eng. crankshaft)	6312
Pulley assy. (eng. crankshaft outer)	6A312
Pulley assy. (eng. tensioner)	6K254
Pulley & bearing assy. (A/C compressor)	19D653
Pump (carb. discharge nozzle)	9A574
Pump (trans. front oil)	7A103
Pump (trans. rear oil)	7A149
Pump (windshield washer)	17664
Pump assy. (eng. oil)	6600
Pump assy. (exhaust air supply thermactor)	9A486
Pump assy. (fuel)	9350
Pump assy. (P/S)	3A674
Pump assy. (speed control)	9C731
Pump assy. (water)	8501, 8505
Pump overhaul kit (trans. front)	7C222

PART NAME	GROUP NUMBER
P- cont'd.	
Pump repair kit (fuel)	9349
Pump repair kit (water)	8591
Push rod (fuel pump)	9400
R	
Race (trans. converter stator clutch inner)	7946
Race (trans. converter stator clutch outer)	7947
Race (trans. front clutch sun gear thrust bearing)	7-7549
Race (trans. output shaft thrust)	7A387
Race (trans. overrunning clutch inner)	7D171
Race (trans. overrunning clutch outer)	7B456
Race (trans. primary sun gear thrust)	7D235-6, 7-7549
Race (trans. sun gear thrust bearing)	7D235-6
Rack & worm (steering gear)	3524
Radiator	8005
Radio kit	18805
Radio rear seat speaker foot control kit	18876
Rail (front fender outside finish)	16250-1
Rail (trans. gearshifter fork-low & reverse)	7240
Rail (trans. third & fourth speed shifter)	7241
Rail kit (trans. intermediate & high shift rail)	7241
Recovery kit (radiator coolent)	8522
Rectifier assy. (alternator)	10304
Reducers	Δ
Reed (A/C compressor valve inlet)	19D659
Refinishing materials	Δ
Reflector (flare kit)	19E500
Reflector (rear tail lamp)	15A215
Reflector assy.	13380
Reflector assy. (rear bumper)	13A565
Refrigerant compressor oil	Δ
Register (A/C)	19893
Register (A/C air)	18C366
Register (A/C evaporator)	19A671
Register (A/C switch to blower motor)	18591
Register (air vent)	19893
Register (heater)	19893
Register (heater air)	18C366
Register assy. (A/C air distribution)	18C306
Register assy. (A/C instrument panel)	19C696
Register assy. (air distribution)	18C306
Register & connector assy. (A/C instrument panel center)	19C691
Register & duct assy. (A/C instrument panel center)	19C630
Regulator (instrument cluster voltage)	10804
Regulator (trans. oil pressure)	7A139
Regulator assy. (alternator)	10316
Regulator assy. (generator)	10505
Regulator assy. (speed control)	9D757, 9A819

Δ Refer to page 1 of Paint Section

INDEX

PART NAME	GROUP NUMBER
R - cont'd.	
Reinforcement (apron & radiator support side)	16B200-1
Reinforcement (battery support bracket)	10A674, 10A710
Reinforcement (bumper guard outer front)	17A968-9
Reinforcement (cowl top bracket to front fender apron)	16B240-1
Reinforcement (eng. rear support)	6A042
Reinforcement (front bumper center)	17A792
Reinforcement (front bumper stone deflector)	17A956
Reinforcement (front fender apron)	16A052-3
Reinforcement (front fender apron & radiator support upper)	16B048
Reinforcement (front fender apron & radiator support upper outer)	16B028-9
Reinforcement (front fender apron lower)	16060
Reinforcement (front fender apron to radiator support)	16142
Reinforcement (front fender mirror mounting)	16D122
Reinforcement (front fender rear splash shield)	16256-7
Reinforcement (front fender side)	16080-1
Reinforcement (front fender top front lower)	16D186-7
Reinforcement (front stabilizer bar mounting bracket)	5A483, 5A492
Reinforcement (front suspension lower arm)	3399, 3B329
Reinforcement (front suspension mounting housing spring seat on body)	3A072
Reinforcement (hood center)	16995
Reinforcement (hood front quarter panel)	16476
Reinforcement (hood latch on hood)	16A603
Reinforcement (impact bar)	17912-3
Reinforcement (instrument cluster housing)	10C899
Reinforcement (P/S oil reservoir orifice)	3B563
Reinforcement (radiator air side deflector)	8324
Reinforcement (radiator grille opening panel center)	8261
Reinforcement (radiator side support)	8A281
Reinforcement (radio antenna grounding)	18A954
Reinforcement (rear axle bumper mounting)	4A182-3
Reinforcement (rear axle bumper outer bracket)	4A172
Reinforcement (rear axle drive line vibration damper)	4A079
Reinforcement (rear brake hose bracket)	2B222
Reinforcement (rear bumper center)	17912, 17A914
Reinforcement (rear bumper mounting bracket)	17B862-3
Reinforcement (rear shock absorber member)	18A024
Reinforcement (rear shock absorber member inner)	18A108-9
Reinforcement (rear shock absorber mounting member)	18A114
Reinforcement (rear spring front bracket)	5920

PART NAME	GROUP NUMBER
R - cont'd.	
Reinforcement (rear spring rear bracket)	5980
Reinforcement (rear suspension lower arm)	5A770
Reinforcement (spare wheel carrier hinge)	1A399, 1A400
Reinforcement (spare wheel carrier lock latch bracket)	1A401
Reinforcement (trans. shift shaft)	7E403
Reinforcement (upper radiator grille)	8223
Reinforcement assy. (front fender top rear)	16B010-1
Reinforcement assy. (fuel vapor storage canister bracket)	9E600
Reinforcement assy. (hood hinge bracket on body)	16A609
Relay (alternator regulator field)	10A376
Relay (automatic headlamp dimmer)	13A025
Relay (automatic seat back latch)	14512
Relay (console panel seat belt warning lamp indicator)	10B926
Relay (cornering lamp)	10B926
Relay (ignition current amplifier)	12A042
Relay (instrument panel seat belt warning indicator lamp)	10B924
Relay (interior lamp)	13A777
Relay (oil temperature indicator warning lamp)	10B840
Relay (turning lamp)	15A217
Relay (warning lamp indicator)	10B926
Relay (warning lamp indicator panel low fuel level)	10A968
Relay assy. (A/C automatic temperature control box)	19D614
Relay assy. (A/C temperature control)	19D592
Relay assy. (back window heat control)	18C641
Relay assy. (parking lamp)	13A253
Relay assy. (seat regulator control)	14546, 14A707
Relay assy. (speed control)	9C733
Relay assy. (speed control release)	9D737
Relay assy. (stop lamp)	13482
Relay assy. (top control)	15672
Relay assy. (trailer light)	13A435
Relay assy. (trans. overdrive)	7A651
Relay assy. (turn indicator)	13A366
Relay assy. (warning lamp indicator)	10C838
Relay assy. (window & seat regulator control)	14512
Relay assy. (window regulator safety)	14677
Relay & bracket assy. (horn)	13853
Remote control (outside mirror)	17B676
Reservoir (windshield washer)	17618
Reservoir assy. (headlamp cover control)	13A185
Reservoir assy. (power brake booster)	2A038
Reservoir assy. (P/S pump oil)	3A697

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
R - cont'd.	
Resistor (A/C blower motor)	19A706
Resistor (alternator voltage ballast)	10632
Resistor (heater switch to blower motor)	18591
Resistor (radio receiver suppression choke)	18A952
Resistor (voltage regulator absorbing)	10594
Resistor (voltage regulator unit field)	10570
Resistor assy. (ignition coil)	12250
Resistor assy. (voltage regulator ballast)	10632
Resistor assy. (windshield wiper governor)	17C508
Resistor & bracket assy. (ignition ballast)	12A046
Resonator	5212
Resonator (inlet pipe front)	5A217
Resonator (muffler outlet pipe)	5A289
Restrictor (carb. jet)	9A521
Retainer (accclerator shaft boot)	9D747
Retainer (A/C blower motor)	19209
Retainer (A/C evaporator register)	19B635
Retainer (A/C evaporator side register)	19A683
Retainer (A/C register mounting)	19A950
Retainer (A/C tubes to dash panel)	19B589
Retainer (alternator front bearing)	10A355
Retainer (backup lamp socket)	15539
Retainer (backup lamp switch)	15A541
Retainer (brake master cylinder filler cap)	2B245
Retainer (brake master cylinder push rod)	2B224
Retainer (brake pedal shaft)	2B277
Retainer (brake skid control module)	2B375
Retainer (brake tube support)	2A407
Retainer (carb. accelerator pump check valve)	9575
Retainer (carb. accelerator pump check valve disc)	9575
Retainer (carb. accelerator pump spring)	9599
Retainer (carb. air cleaner to carb.)	9B672
Retainer (carb. air valve spring housing)	9H558
Retainer (carb. choke modulator spring)	9J548
Retainer (carb. choke rod lever & bushing spring)	9839
Retainer (carb. choke rod seal & bushing spring)	9836
Retainer (carb. choke shaft)	9B527
Retainer (carb. diaphragm rod)	9599
Retainer (carb. fast idle cam rod)	9599
Retainer (carb. fast idle rod seal)	9A576
Retainer (carb. fast idle seal)	9B501
Retainer (carb. float lever shaft)	9599
Retainer (carb. float lever to fuel inlet needle)	9B530
Retainer (carb. idle jet)	9575
Retainer (carb. pump operating lever)	9568
Retainer (carb. pump spring)	99704
Retainer (carb. throttle shaft spring & solenoid bracket)	9599
Retainer (clutch cable to pedal)	7K582
Retainer (clutch pedal retracting spring)	7540
Retainer (clutch pedal rod seal)	7B507

PART NAME	GROUP NUMBER
R - cont'd.	
Retainer (clutch release equalizer bar)	7B545
Retainer (clutch release equalizer shaft bearing)	7A629
Retainer (crankcase emission filter)	9E628
Retainer (distributor breaker plate)	12146
Retainer (distributor cam)	12177
Retainer (distributor rotor)	12213
Retainer (eng. camshaft thrust plate bolt)	6225
Retainer (eng. camshaft sprocket)	6258
Retainer (eng. crankcase vent grommet)	6A892
Retainer (eng. crankcase vent oil separator element)	6A633
Retainer (eng. oil filter element)	6898
Retainer (eng. piston pin)	6140
Retainer (eng. rear support)	6054
Retainer (eng. valve spring)	6514
Retainer (forced vent register mounting)	19A950
Retainer (frame to body insulator)	5B078
Retainer (front axle radius arm bushing)	3B186
Retainer (front disc brake caliper piston dust seal)	2A492
Retainer (front fender side lamp)	15A210
Retainer (front fender splash shield to bumper)	16D547
Retainer (front reflector mounting)	13A080, 13A134
Retainer (front shock absorber bumper)	18A086
Retainer (front spring mounting)	5B300
Retainer (front suspension lower arm ball joint seal)	3A027
Retainer (front turn indicator lamp)	13B313
Retainer (front wheel bearing lock)	1198
Retainer (front wheel hub grease)	1190
Retainer (fuel expansion vent tube to front)	9F309
Retainer (fuel pump oil seal)	9A392
Retainer (fuel pump vent filter)	9A412
Retainer (fuel tank filler pipe)	9008
Retainer (generator bearing gasket)	10213
Retainer (generator drive end packing)	10200
Retainer (headlamp cover guide rod)	13B109
Retainer (headlamp cover hinge spring)	13A166
Retainer (headlamp switch)	11A669
Retainer (heater control cable clip)	18C283
Retainer (heater core)	18C583, 18A573, 18B689
Retainer (heater rear air register)	18A395
Retainer (hood aux. latch)	16C712
Retainer (hood bumper)	16B830, 16B844
Retainer (hood front moulding)	16A746
Retainer (hood hinge housing)	16C766
Retainer (hood insulator)	16776
Retainer (hood release cable)	16930
Retainer (hood side moulding)	16B840

INDEX

PART NAME	GROUP NUMBER
R - cont'd.	
Retainer (hood weatherstrip front)	16K774
Retainer (horn ring medallion)	13A810
Retainer (instrument cluster gauge)	9B314
Retainer (instrument cluster indicator panel warning lamp)	10918
Retainer (instrument cluster jewel)	10D838
Retainer (instrument cluster pod)	10836
Retainer (interior lamp wiring)	13B732
Retainer (jack)	17A012
Retainer (jack handle)	17A038
Retainer (jack handle & wheel nut wrench)	17A091
Retainer (lockout hub clutch)	1A051
Retainer (lockout hub pressure spring)	1A055
Retainer (moveable steering column locking lever spring)	3C733
Retainer (O. D. kickdown switch actuator)	7A773
Retainer (outside mirror cable)	17B721
Retainer (outside moulding)	16A076, 16234, 16249, 16B840
Retainer (overdrive free wheel unit front)	7674
Retainer (parking brake cable rear)	2A709
Retainer (parking brake equalizer lever return spring)	2A616
Retainer (parking brake lever boot)	2A714
Retainer (parking brake lever pin)	2106
Retainer (parking brake ratchet bar locking spring)	2786
Retainer (parking brake spring)	2A787
Retainer (parking lamp)	13220-1
Retainer (power brake booster piston)	2429
Retainer (power brake booster plunger return spring)	2B157
Retainer (P/S cylinder stud seal)	3D507
Retainer (P/S hose insulator)	3A610
Retainer (P/S pump relief valve)	3-3627
Retainer (power window switch)	14489
Retainer (quarter rear reflector)	13A569
Retainer (radiator grille bar)	8B428
Retainer (radiator grille moulding)	8B251
Retainer (radiator grille name plate)	8C022
Retainer (radiator grille opening panel moulding)	8244
Retainer (radiator grille ornament)	8194
Retainer (radio antenna)	19126
Retainer (rear axle driving pinion pilot bearing)	4627
Retainer (rear axle rear wheel bearing outer)	4020
Retainer (rear axle side gear spring)	4A022
Retainer (rear lamp bezel)	13A634
Retainer (rear lamp bezel lower)	13A645
Retainer (rear lamp wiring)	13A506
Retainer (rear reflector)	13A569
Retainer (rear spring center mounting insulator)	5736
Retainer (rear spring lower)	5A569

PART NAME	GROUP NUMBER
R - cont'd.	
Retainer (rear view outside mirror)	17C700
Retainer (rear wheel bearing inner)	1180
Retainer (rear wheel bearing outer)	4020
Retainer (roof console panel warning lamp indicator)	10C860
Retainer (side marker lamp)	15A210
Retainer (spare wheel carrier)	1A406
Retainer (spare wheel carrier check cable)	1A408
Retainer (speed control switch)	9C892
Retainer (speed control switch wiring)	9D753
Retainer (speed control wiring access cover)	9D794
Retainer (speedo. case grommet)	17305
Retainer (speedo. driven gear)	17292
Retainer (speedo. sleeve)	17B302
Retainer (spotlamp control escutcheon)	15A317
Retainer (starter motor drive ring)	11223
Retainer (steering column clamp)	3D672
Retainer (steering column collar)	3E739
Retainer (steering column key cylinder lock)	3C610
Retainer (steering column lower bearing seal)	3510
Retainer (steering column opening cover)	3D638
Retainer (steering column position spring)	3E519
Retainer (steering column release cable)	3E636
Retainer (steering column release lever)	3E543
Retainer (steering column shroud)	3D695
Retainer (steering column tube)	3499
Retainer (steering column tube lower flange insulator)	3D767
Retainer (steering column upper bearing)	3B610, 3C610, 3839
Retainer (steering wheel horn ring)	3629
Retainer (tail lamp monitor housing)	10C954
Retainer (thermostatic choke plate link)	9565
Retainer (tonneau cover)	18A400
Retainer (transfer case bearing)	7050, 7085
Retainer (trans. clutch piston spring)	7A527
Retainer (trans. column shift selector lever plunger)	7A347
Retainer (trans. column shift selector lever socket)	7E083
Retainer (trans. console shift lever guide plate)	7C448
Retainer (trans. console shift selector lever pawl)	7C443
Retainer (trans. control selector bezel)	7E150
Retainer (trans. control selector dial)	7D462
Retainer (trans. gearshift lever)	7348
Retainer (trans. gearshift lever boot)	7262
Retainer (trans. governor primary spring)	7A190
Retainer (trans. governor secondary valve spring)	7D218
Retainer (trans. input shaft bearing)	7050
Retainer (trans. kickdown lever spring)	7C176

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
R - cont'd.	
Retainer (trans. main drive gear bearing)	7050
Retainer (trans. oil pressure regulator main control valve)	7A478
Retainer (trans. "O" ring)	7051
Retainer (trans. output shaft bearing)	7085
Retainer (trans. overdrive free wheel unit rear)	7676
Retainer (trans. overrunning clutch spring)	7D191
Retainer (trans. parking pawl toggle lever pin)	7-7326
Retainer (trans. parking pawl toggle return spring)	7-7323
Retainer (trans. rear band servo spring)	7E264
Retainer (trans. reverse clutch piston ball check)	7E080
Retainer (trans. reverse clutch spring)	7D406
Retainer (trans. selector indicator cable)	7E299, 7E300
Retainer (trans. socket extension)	7E083
Retainer (trans. third-second coasting orifice control valve spring)	7194
Retainer (trans. throttle pressure booster stop plate & screw)	7E396
Retainer (turn indicator switch wire)	13327
Retainer (vacuum outlet hose)	9D443
Retainer (warning indicator panel lamp)	10918
Retainer (water pump bearing)	8K537
Retainer (wheel nut wrench)	17A038, 17A091
Retainer (windshield defroster nozzle)	18C350
Retainer (windshield wiper arm)	17A504
Retainer (windshield wiper motor bushing)	17C436
Retainer (windshield wiper motor cup)	17C535
Retainer (windshield wiper switch)	17C491
Retainer (wiring grommet)	14613
Retainer (wiring harness)	14A163
Retainer assy. (back window stop lamp)	13A619
Retainer assy. (cowl wiring grommet through dash)	14608
Retainer assy. (eng. crankshaft rear bearing oil seal)	6335
Retainer assy. (jack front)	17A116
Retainer assy. (moveable steering column opening seal)	3D635
Retainer assy. (rear axle pinion bearing)	4614
Retainer assy. (steering column lower bearing)	3D681
Retainer assy. (wiring harness)	14A282
Retainer & seal assy. (A/C evaporator to blower housing)	19C847
Retainer repair kit (brake shoe hold down)	2A094
Retainer ring kit (A/C compressor)	19D664
Rim (steering wheel horn ring)	3634
Ring (alternator rotor slip)	10328
Ring (alternator rotor stop)	10370
Ring (eng. crankshaft retaining)	6307
Ring (eng. crankshaft thrust)	6334
Ring (eng. oil pump intermediate shaft retainer)	6629

PART NAME	GROUP NUMBER
R - cont'd.	
Ring (eng. piston)	6150
Ring (expansion tank to outer floor pan)	9F298
Ring (fuel tank sender retainer locking)	9277, 9A307
Ring (generator front end plate bearing stop)	10163
Ring (headlamp bulb retaining)	13015
Ring (horn blowing cam)	13A811
Ring (power brake booster bellows wear)	2B074
Ring (power brake booster plunger cushion)	2A371
Ring (power brake booster tube to rear body)	2428
Ring (P/S gear cylinder cap retaining)	3A746
Ring (P/S gear valve spool retaining)	3757
Ring (rear axle differential lock)	4588
Ring (separator assy. fuel vapor)	9A307
Ring (speed control brush outer)	9D783
Ring (starter motor drive stop)	11222
Ring (steering shaft lower bearing retainer)	3F543
Ring (steering wheel hub trim)	3656
Ring (trans. forward clutch piston spring pressure)	7D256
Ring (trans. front clutch piston disc spring)	7-7563
Ring (trans. gearshift lever boot)	7D152
Ring (trans. governor housing seal)	7D011
Ring (trans. synchronizer blocking)	7107
Ring (wheel trim)	1210
Ring assy. (headlamp adjusting)	13118-9
Ring & bushing assy. (lockout hub inner)	1A052
Ring & gear (trans. overdrive balk)	7662
Ring gear & pinion kit (front axle)	3222, 4209
Ring gear & pinion kit (rear axle differential)	4209
Ring set (eng. piston complete)	6149
Ring set (eng. piston partial)	6148
Rivet (distributor terminal housing hold down clamp)	12145
Rivet (starter motor pin lever)	11139
Road lamp (sport lamp)	13200
Rocker panel stripe kit	16A224
Rod (accelerator shaft to bellcrank)	9A702
Rod (accelerator to pedal)	9727
Rod (brake master cylinder push)	2143
Rod (carb. accelerator pump link to overtravel lever)	9B542
Rod (carb. choke control)	9A599
Rod (carb. choke diaphragm control)	9S567
Rod (carb. dashpot link to overtravel lever)	9A527
Rod (carb. fast idle)	9598
Rod (carb. fast idle cam)	9D530
Rod (carb. float bowl vent)	9A515
Rod (carb. metering)	9A526
Rod (carb. power valve)	9D597

INDEX

PART NAME	GROUP NUMBER
R - cont'd.	
Rod (carb. secondary throttle control)	9C504
Rod (carb. throttle front)	9B841
Rod (carb. throttle rear)	9B842
Rod (clutch pedal to equalizer bar)	7521
Rod (eng. valve push)	6565
Rod (equalizer bar to clutch release lever)	7521
Rod (frame stabilizer)	5C024
Rod hinge (air scoop valve)	16C722
Rod (hood latch control)	16752
Rod (hood latch release)	16B632
Rod (hood support)	16826
Rod (ignition switch actuating)	11A599
Rod (parking brake equalizer)	2628
Rod (parking brake release handle)	2A760
Rod (power brake booster push)	2377
Rod (speed control bellcrank accelerator)	9D774
Rod (speed control pivot arm to carb.)	9C740
Rod (steering column position spring)	3E517
Rod (steering column release)	3E514-5
Rod (transfer case bellcrank connecting)	7433
Rod (transfer case control)	7A315
Rod (transfer case shift)	7E072
Rod (trans. column shift selector bellcrank lever to traps)	7A024
Rod (trans. floor shift selector lock control)	7E330
Rod (trans. gear selector valve)	7C389
Rod (trans. gearshift)	7326, 7328
Rod (trans. gearshift housing selector)	7E148
Rod (trans. gearshift lever retainer)	7E257
Rod (trans. intermediate band servo piston)	7D023
Rod (trans. kickdown control shaft)	7A187
Rod (trans. manual control detent lever)	7-7322
Rod (trans. manual control selector connecting)	7326
Rod (trans. manual control valve)	7326, 7C389
Rod (trans. parking lever actuating)	7A232
Rod (trans. parking pawl actuating)	7D411
Rod (trans. parking pawl toggle)	7A232
Rod (trans. parking pawl toggle lever)	7-7322
Rod (trans. reverse band servo)	7D190
Rod (trans. reverse gearshift)	7B112
Rod (trans. throttle control valve)	7A380
Rod assy. (accelerator bellcrank to carb.)	9772
Rod assy. (accelerator pedal shaft to bellcrank)	9A701
Rod assy. (accelerator to trans. control shaft)	9784
Rod assy. (A/C register lock activator)	19C719
Rod assy. (eng. connecting)	6200
Rod assy. (front wheel spindle connecting)	3A130-1, 3280-1
Rod assy. (steering arm to idler arm)	3304

PART NAME	GROUP NUMBER
R - cont'd.	
Roller (A/C damper door actuating)	19C769
Roller (transfer case)	7065
Roller (trans. converter stator clutch)	7190, 7A813
Roller (trans. countershaft gear pilot bearing)	7121
Roller (trans. input shaft pilot bearing)	7118, 7120
Roller (trans. overdrive free wheel unit)	7679
Roller (trans. overrunning clutch)	7190
Roller (trans. planetary clutch)	7C366
Roller (trans. rear clutch sun gear)	7-7507
Roller (trans. rear clutch sun gear front bearing)	7C458
Roller assy. (trans. console shift selector lever lock)	7D328
Rotor (brake skid control)	2B384
Rotor assy. (alternator)	10335
Rotor assy. (distributor)	12200
Rotor assy. (P/S pump)	3D607
Rotor & shaft assy. (eng. oil pump drive)	6608
Rubbing compounds	Δ
Rubber lubricants	Δ
Running lamp (sport lamp)	13200
Rust penetrant and inhibitor	Δ
S	
Scoop (hood air)	16C630
Scoop (rear axle differential carrier oil)	4A050
Scoop & seal assy. (carb. air cleaner)	9D646
Screen (A/C compressor oil suction)	19D651
Screen (A/C evaporator core water impingement)	19B562
Screen (carb. fuel filter)	9F525, 9938
Screen (carb. main well tube)	9S546
Screen (fuel pump)	9368
Screen (heater plenum chamber air)	18C351
Screen (radio speaker)	18836
Screen (rear seat speaker)	18821
Screen (trans. main control pump inlet)	7E387
Screen (trans. oil pan)	7A098
Screen assy. (eng. oil pump)	6623
Screen assy. (trans. governor)	7E242
Screen tube & cover assy. (eng. oil pump)	6622
Screw (A/C compressor charging)	19D658
Screw (brake cylinder bleeder)	2208
Screw (brake shoe adjusting)	2041
Screw (carb. accelerator pump arm retainer)	9C631
Screw (carb. air cleaner retainer to carb.)	9C631
Screw (carb. air horn)	9C631
Screen (carb. air vent)	9G574
Screw (carb. choke housing cover)	9B874

Δ Refer to page 1 of Paint Section

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S- cont'd.	
Screw (carb. choke plate)	9586
Screw (carb. dashpot bracket)	9C631
Screw (carb. fast idle adjusting)	9B538
Screw (carb. float shaft)	12230
Screw (carb. idle adjusting)	9C631
Screw (carb. pump discharge nozzle)	9577
Screw (carb. retaining ring)	9B874
Screw (carb. secondary idle & diaphragm adjusting)	9B538
Screw (carb. solenoid bracket)	9C631
Screw (carb. throttle body)	9F529
Screw (carb. throttle plate)	9586
Screw (carb. water cover retaining)	9B874
Screw (distributor point)	12230
Screw (front axle cover to housing)	4346
Screw (fuel pump filter bowl)	9K353
Screw (generator pole piece)	10044
Screw (generator terminal)	10211
Screw (headlamp adjusting)	13032
Screw (spotlamp mounting)	15A315
Screw (starter motor pole piece)	10044, 11415
Screw (starter motor spring to shaft & pinion)	11382
Screw (steering gear sector shaft)	3577
Screw (transfer case shift fork set)	7B360
Screw (trans. band adjusting intermediate & reverse)	7C492
Screw (trans. front band adjusting)	7A178
Screw (trans. rear band adjusting)	7A178
Screw (trans. reverse band adjusting)	7A178
Screw (valve rocker arm adjusting)	6549
Screw (windshield wiper motor shaft stop)	17A549
Screw & washer assy. (carb. air horn)	9F529
Screw & washer assy. (carb. choke bracket)	9F529
Screw & washer assy. (carb. choke housing)	9B874
Screw & washer assy. (carb. fast idle lever)	9D558
Screw & washer assy. (carb. pump cover)	9S510
Seal (accelerator pedal rod)	9793
Seal (A/C compressor high pressure valve)	19A630
Seal (A/C evaporator case to dash panel)	19C593
Seal (A/C evaporator core side)	19A672
Seal (A/C evaporator core tube to case)	19B552
Seal (A/C evaporator drain hose to floor)	19A989
Seal (A/C register to instrument panel)	19A775
Seal (A/C tubes to dash panel)	19B588
Seal (air inlet door outer)	19A812
Seal (alternator rear housing bearing)	11K013
Seal (backup lamp socket retainer)	15A534
Seal (backup lamp to body)	15533
Seal (body side lamp)	15A447
Seal (brake & clutch pedal)	2476

PART NAME	GROUP NUMBER
S- cont'd.	
Seal (carb. accelerator pump rod)	9535
Seal (carb. air cleaner to hood)	9B624
Seal (carb. air horn)	9C527
Seal (carb. air valve dampener rod)	9H593
Seal (carb. fast idle rod)	9B501
Seal (carb. idle adjusting needle)	9634
Seal (clutch equalizer bar)	7K530
Seal (clutch pedal rod)	7A533
Seal (driveshaft centering ball)	4790
Seal (driveshaft universal joint knuckle dust cap)	4820
Seal (eng. crankcase separator spigot)	6K777
Seal (eng. crankshaft rear main bearing cap)	6336
Seal (eng. cylinder front cover oil)	6700
Seal (eng. flywheel housing cover plate)	6411
Seal (eng. oil pan)	6722-3
Seal (eng. rear cover plate)	6411, 6424
Seal (eng. valve rocker arm cover baffle)	6A545
Seal (eng. valve stem)	6571
Seal (exhaust air supply pump rear rotor)	9C478
Seal (fender)	8B391
Seal (front axle shaft oil)	3254
Seal (front axle spindle arm open yoke)	3132
Seal (front axle spindle bolt dust)	3125
Seal (front disc brake caliper)	2A418
Seal (front disc brake piston)	2B115
Seal (front fender)	16A572
Seal (front fender apron to frame)	16240, 16D076-7
Seal (front fender front extension)	16D130
Seal (front fender splash shield rear)	16D562-3, 16A582-3
Seal (front fender to front body pillar)	16246
Seal (front suspension ball stud dust)	3332
Seal (fuel pump oil)	9A393, 9469
Seal (fuel tank filler pipe lower)	9072
Seal (fuel tank filler pipe upper)	9076
Seal (headlamp)	8B391
Seal (headlamp deflector door)	13054, 13A130
Seal (headlamp switch)	11A670
Seal (headlight deflector)	13A130
Seal (heater core to housing front)	18B551
Seal (heater defroster nozzle)	18C367
Seal (heater water control valve)	19460
Seal (hood air scoop)	16C666
Seal (instrument cluster dust)	10A939
Seal (intake manifold to cylinder block)	9A424-5
Seal (knuckle pin oil)	3171

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Seal (power brake booster check valve)	2B073
Seal (power brake booster hub & diaphragm plate)	2303
Seal (power brake booster lever bushing outer)	2B347
Seal (P/S control valve spool adjuster)	3B699
Seal (P/S control valve spool centering spring cap)	3C706
Seal (P/S cylinder stud)	3C636
Seal (P/S gear adjuster plug)	3D733
Seal (P/S gear input shaft)	3D526
Seal (P/S gear input shaft dust)	3D527
Seal (P/S gear piston)	3805
Seal (P/S pump reservoir)	3D684
Seal (P/S pump rotor shaft oil)	3B592
Seal (radiator air deflector)	8B170, 8348-9
Seal (radiator air deflector side)	8B018
Seal (radiator support to hood)	16A238
Seal (rear axle drive pinion bearing retainer)	4669
Seal (rear axle driving pinion oil)	4676
Seal (rear axle shaft retainer washer)	4A332
Seal (rear bumper)	17A953
Seal (rear lamp body)	13520
Seal (rear lamp center)	13A495
Seal (rear wheel bearing oil inner)	1177
Seal (reverse clutch piston inner)	7D404
Seal (speedo. drive gear)	17298
Seal (steering ball stud dust)	3332
Seal (steering column opening weather)	3513
Seal (steering column shaft)	3B631
Seal (steering gear sector shaft housing oil)	3591
Seal (steering gear shaft oil)	3738
Seal (tailgate window regulator switch)	14A353
Seal (transfer case control)	7E182
Seal (transfer case front & rear shift rod oil)	7288
Seal (transfer case oil)	7B215
Seal (trans. case vent cap)	7E427
Seal (trans. clutch piston inner)	7A294
Seal (trans. clutch piston oil inner)	7C099
Seal (trans. clutch piston outer oil)	7A548
Seal (trans. control selector dial)	7D351
Seal (trans. control selector housing)	7C370
Seal (trans. control selector tube)	7C102
Seal (trans. downshift control lever oil)	7-7265-8
Seal (trans. extension oil)	7052
Seal (trans. forward clutch cylinder)	7D019
Seal (trans. front band servo piston oil)	7C050, 7C098, 7A294
Seal (trans. front band servo release piston oil)	7A293
Seal (trans. front clutch cylinder oil)	7C328
Seal (trans. front clutch piston oil)	7A548
Seal (trans. front clutch sun gear oil)	7-7542
Seal (trans. front clutch sun gear rear oil)	7-7543

PART NAME	GROUP NUMBER
S - cont'd.	
Seal (trans. front & rear clutch piston inner oil)	7C099
Seal (trans. front pump oil)	7A248
Seal (trans. gearshift rail)	7288
Seal (trans. input & output shaft oil)	7A011
Seal (trans. input shaft oil)	7A283
Seal (trans. intermediate band servo piston)	7D024-5
Seal (trans. intermediate brake drum)	7D025
Seal (trans. manual control lever oil)	7B498
Seal (trans. oil distributor sleeve)	7D019
Seal (trans. output shaft oil)	7A011
Seal (trans. overdrive governor to housing)	6927
Seal (trans. overdrive manual control lever shaft oil)	7288
Seal (trans. overdrive solenoid oil)	7693
Seal (trans. primary sun gear oil)	7C169
Seal (trans. rear band servo piston)	7D040, 7A294, 7423
Seal (trans. rear band servo piston cover)	7D040
Seal (trans. rear band servo piston oil)	7A294
Seal (trans. rear clutch cylinder oil)	7C099
Seal (trans. rear clutch piston)	7E212
Seal (trans. rear clutch piston inner)	7C099, 7E212
Seal (trans. rear clutch piston outer oil)	7C051
Seal (trans. rear oil pump outlet)	7-7860
Seal (trans. rear oil pump outlet tube oil)	7-7868
Seal (trans. rear pump inlet tube oil)	7C329
Seal (trans. rear servo piston oil)	7423
Seal (trans. reverse clutch cylinder)	7D020
Seal (trans. reverse clutch piston inner)	7A294, 7D404
Seal (trans. reverse clutch piston outer)	7D403, 7A548
Seal (trans. selector tube)	7C102
Seal (trans. sensor switch)	7-7868
Seal (trans. servo piston cover)	7D024
Seal (trans. shifter fork cam & shaft oil)	7288
Seal (trans. throttle control lever oil)	7-7265
Seal (water pump)	8564
Seal (wheel bearing)	1175
Seal (windshield washer nozzle)	17634
Seal (windshield washer pump)	17B610
Seal (windshield wiper pivot shaft to cowl top)	17A475
Seal (wire terminal weather)	12113
Seal assy. (A/C compressor crankshaft)	19655
Seal assy. (A/C evaporator case)	19D637
Seal assy. (front axle drive pinion oil)	4676
Seal assy. (front suspension arm ball joint dust)	3A105
Seal assy. (rear axle drive pinion oil)	4676

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Seal & gasket kit (P/S gear)	3C538
Seal & gasket kit (P/S pump)	3B584
Seal & gasket kit (P/S pump to reservoir)	3D684
Seal & gasket kit (transmission)	7153
Seal & lock ring kit (free running hub)	1097
Seal kit (A/C compressor shaft)	19D665
Seal kit (eng. crankshaft rear main bearing)	6A321
Seal kit (P/S cylinder)	3A764
Seal kit (P/S gear backup valve)	3D731
Seal kit (P/S gear guide)	3D727
Seal kit (P/S gear "O" ring)	3D734
Seal kit (P/S gear sector shaft)	3D732
Seal repair kit (rear axle)	4A031
Sealers	Δ
Seat (eng. valve rocker arm fulcrum)	6A528
Seat (eng. valve spring)	6A536
Seat (front spring lower)	5A307
Seat (P/S pump oil reservoir filter retaining spring)	3B754
Seat (rear axle differential pinion shaft)	4420
Seat (tot guard child safety)	19E535
Seat (trans. main control rear pump check valve)	7A129
Seat (trans. oil pressure regulator valve spring)	7C062
Seat (trans. rear clutch piston spring)	7-7516
Seat assy. (front spring)	5A306
Seat assy. (water pump impeller)	8517
Seat & bushing assy. (front suspension upper arm spring)	3388
Sender (water temperature indicator eng. unit)	10884
Sender assy. (fuel tank)	9275
Sensor assy. (A/C temperature control	19C734
Sensor assy. (brake skid control)	2B372
Sensor assy. (carb. air cleaner air temp. control)	9E607
Sensor assy. (speed)	9E731
Sensor assy. (speed control)	9D842
Sensor & bracket (automatic headlamp dimmer)	13A019
Separator (ignition wire)	12297
Separator assy. (eng. crankcase vent oil)	6A785
Separator assy. (fuel vapor)	9B328
Separator kit (fuel pump electric)	9C341
Servo assy. (speed control)	9C735
Servo & bracket assy. (speed control)	9C734
Servo repair kit (trans. front)	7A135
Shackle assy. (rear spring rear)	5776
Shackle kit (rear spring)	5630
Shaft (A/C air damper door)	18C466
Shaft (A/C air outlet door)	18A497, 19C717
Shaft (A/C compressor belt idler pulley)	2876
Shaft (alternator rotor)	10330

PART NAME	GROUP NUMBER
S - cont'd.	
Shaft (brake pedal)	2478
Shaft (carb. air valve)	9581
Shaft (carb. choke housing)	9A751
Shaft (carb. choke plate)	9547
Shaft (carb. float lever)	9558
Shaft (clutch & brake pedal pivot)	7506
Shaft (distributor)	12175
Shaft (eng. valve rocker arm)	6563
Shaft (front axle differential pinion)	4211
Shaft (front differential pinion)	4211
Shaft (front suspension lower arm)	3057
Shaft (front suspension upper arm)	3056
Shaft (headlamp switch knob)	11663
Shaft (heater air damper door)	18C466
Shaft (idler pulley)	8A648
Shaft (P/S pump rotor)	3B559
Shaft (rear axle differential pinion)	4211
Shaft (speed control bellcrank bracket)	9D773
Shaft (steering gear sector)	3575
Shaft (transfer case gear shift fork)	7240
Shaft (transfer case intermediate gear)	7111
Shaft (trans. & transfer case output)	7061
Shaft (trans. console shift selector lever support)	7241
Shaft (trans. front band servo actuating lever)	7A165
Shaft (trans. gearshift)	7240, 7358, 7K423
Shaft (trans. gear shifter fork)	7240-1
Shaft (trans. input)	7015-7
Shaft (trans. intermediate band actuating lever)	7D433
Shaft (trans. parking pawl)	7D071
Shaft (trans. parking plate)	7D418
Shaft (trans. rear band servo actuating lever)	7A171
Shaft (trans. reverse idler gear)	7140
Shaft assy. (accelerator control)	9C715
Shaft assy. (A/C damper door)	19C774
Shaft assy. (drive)	4602
Shaft assy. (eng. fuel pump, oil pump & distributor drive)	6A739
Shaft assy. (eng. oil pump intermediate)	6A618
Shaft assy. (front axle)	3219-20
Shaft assy. (headlamp cover)	13B013
Shaft assy. (heater air vent door)	18C638
Shaft assy. (odometer reset)	17A381
Shaft assy. (rear axle)	4234-5, 4725
Shaft assy. (steering column)	3524
Shaft assy. (steering gear input)	3524
Shaft assy. (trans. & transfer case input)	7015,
Shaft assy. (trans. gearshift)	7378
Shaft assy. (trans. kickdown control rod)	7A185
Shaft assy. (trans. output)	7060-1 7017

Δ Refer to page 1 of Paint Section

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Shaft & bearing assy. (rear axle)	4234-5&8
Shaft & bearing assy. (water pump)	8530
Shaft & cam assy. (distributor)	12175
Shaft & control assy. (P/S gear input)	3D517
Shaft & counterweight assy. (exhaust thermostat control valve)	9A430
Shaft & gear (trans. overdrive main)	7749
Shaft & joint assy. (steering column)	3B676
Shaft & lever assy. (carb. choke)	9546
Shaft & lever assy. (carb. choke housing)	9A753
Shaft & lever assy. (overdrive manual control)	7A658, 7-7685
Shaft & lever assy. (speed control)	9B711
Shaft & lever assy. (trans. overdrive manual control)	7A658, 7-7685
Shaft kit (carb. choke)	9546
Shaft kit (front suspension upper arm)	3047
Shaft kit (trans. shift rail)	7240-1
Shaft, valve & weight assy. (carb. aux. throttle)	9A534
Sheath (control cable rear view outside mirror)	17B742
Shell (trans. input)	7D064
Shell (wire connector)	14A309
Shield (A/C evaporator expansion valve)	19D595
Shield (A/C heat)	19C958
Shield (A/C valve & heater motor)	19C842
Shield (alternator bracket)	10K347
Shield (alternator splash)	10317
Shield (anti-backfire valve)	9F277
Shield (battery)	10757
Shield (battery heat)	10A682
Shield (body side lamp)	15B419
Shield (brake & fuel lines)	9C291
Shield (brake skid control speed sensor wire)	2B429
Shield (carb. choke thermostat)	9861
Shield (carb. thermostatic choke heat tube inlet)	9A745
Shield (clutch release lever dust)	7513
Shield (courtesy lamp)	13B762
Shield (eng. compt. wiring harness)	14A088
Shield (eng. front support insulator)	6035
Shield (eng. motor mount heat)	6C038
Shield (eng. splash)	6775
Shield (front disc brake)	2B116
Shield (front disc brake caliper)	2B127
Shield (front disc brake rotor)	2K004-5
Shield (front fender splash)	16102-3
Shield (front fender splash upper rear)	16D566-7
Shield (front fender to bumper splash)	16B554-5
Shield (front suspension spindle ball stud)	3B311
Shield (frost)	18460

PART NAME	GROUP NUMBER
S - cont'd.	
Shield (fuel tank heat)	9A032
Shield (fuel tank vent tubes)	9A242
Shield (fuel tank vent valve)	9B022
Shield (fuel vapor storage canister)	9D694
Shield (generator splash)	10170
Shield (headlamp splash)	13B159
Shield (heat)	9A462
Shield (idler pulley bearing dust)	8678
Shield (ignition switch terminal)	11A592
Shield (instrument panel light)	13771
Shield (luggage compt. lamp)	13A758
Shield (muffler splash)	5B241
Shield (P/S splash lower)	3E634
Shield (P/S splash upper)	3E595
Shield (radiator grille sight)	8C055
Shield (radiator lower splash)	8208
Shield (radio frequency suppression)	19A145
Shield (radio speaker)	18814
Shield (rear bumper opening)	17C857
Shield (rear lamp)	13A415
Shield (rear license plate lamp)	13508
Shield (starter motor relay)	11006
Shield (trans. column shift control selector indicator lamp)	7E285
Shield (trans. console shift selector housing)	7E271
Shield (trans. shift selector indicator)	7E130
Shield (voltage regulator)	10A506
Shield (window regulator control)	14531
Shield (wiring)	14A099, 14A177
Shield assy. (headlamp opening)	13B041
Shield assy. (instrument panel lights)	13B757
Shifter rails & pins kit (trans.)	7240
Shim (eng. rocker arm stud or bolt)	6A525
Shim (front axle differential bearing)	4067
Shim (front axle drive pinion adjusting)	4672
Shim (front axle pinion bearing adjusting)	4109
Shim (front axle spindle bolt)	3117
Shim (front bumper)	17A799
Shim (front fender to dash)	16D162
Shim (front spring)	5355
Shim (front suspension lower arm mounting)	3054
Shim (front suspension upper arm mounting)	3043
Shim (P/S gear valve centering)	3D688
Shim (radiator bottom support)	8126, 8A440
Shim (rear axle shaft)	4374
Shim (rear bumper)	17B925
Shim (transfer case)	7029

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Shim & gasket kit (steering gear sector shaft cover)	3F518
Shim kit (rear axle differential clutch)	4A324
Shim kit (steering gear mounting)	3F546
Shim kit (steering gear sector shaft adjusting)	3A657
Shock absorber kit (front)	18045, 18124
Shock absorber kit (rear)	18080, 18125
Shock absorber kit (steering)	3E650
Shoe & lining kit (brake)	2001
Shoe & lining kit (rear brake)	2200
Shroud (fan)	8146
Shroud (steering column)	3530
Shroud assy. (trans. selector indicator lamp)	15A811
Shroud & tube assy. (carb. air cleaner air duct)	9A603
Shutter (heater core)	18C418
Sight glass (A/C evaporator liquid indicator)	19B673
Silencer (clutch pedal lever assist spring)	7A575
Silencer assy. (exhaust air supply relief valve)	9B472
Sleeve (A/C refrigerant tube protective)	19D631
Sleeve (automatic air leveler valve)	5A739
Sleeve (bumper arm bolt)	17841
Sleeve (clutch release idler lever swivel)	7B515
Sleeve (distributor shaft plate)	12A075
Sleeve (eng. valve spring retainer)	6517
Sleeve (front wheel spindle connecting rod adjusting)	3310
Sleeve (fuel tank vent tube)	9A034
Sleeve (parking brake equalizer lever retracting spring)	2A754
Sleeve (radio tone control disc)	18A945
Sleeve (rear axle shaft seal)	4A300
Sleeve (rear lamp lens)	13489
Sleeve (speed control connector adjuster)	9D840
Sleeve (speedo. cable)	17B301
Sleeve (starter motor coil retaining)	11105
Sleeve (steering column tube bearing)	3518
Sleeve (trans. control selector arm)	7D383
Sleeve (trans. control selector lever impact)	7335
Sleeve (trans. control selector plunger)	7B079
Sleeve (trans. converter reactor journal)	7D345
Sleeve (trans. gearshift connecting rod adjustment)	7353
Sleeve (trans. gearshift interlock)	7233
Sleeve (trans. gearshift lever impact)	7335
Sleeve (trans. governor oil distributor)	7A168
Sleeve (trans. intermediate & high clutch hub)	7106
Sleeve (trans. main oil pressure booster)	7D002
Sleeve (trans. oil distributor)	7C232

PART NAME	GROUP NUMBER
S - cont'd.	
Sleeve (trans. output shaft)	7063
Sleeve (trans. output shaft oil)	7-7063
Sleeve (trans. selector shift rod adjustment)	7353
Sleeve (trans. shifter fork cam & shaft interlock)	7233
Sleeve (windshield wiper motor switch)	17C428
Sleeve (wire insulating)	14455
Sleeve (wiring connector)	14489
Sleeve & ring assy. (lockout hub)	1A028
Sleeve kit (front wheel spindle connecting rod adjusting)	3310
Sleeve kit (steering drag link adjusting)	3310
Slide (trans. console shift selector dial)	7C445
Slide assy. (trans. low & reverse gear shift interlock)	7C400
Slide & indicator assy. (trans. console shift selector dial)	7C444
Slinger (driveshaft stud yoke)	4791
Slinger (eng. crankshaft oil)	6310
Slinger (front axle drive pinion shaft oil)	4670
Slinger (front axle spindle yoke)	3C132
Slinger (rear axle drive pinion shaft oil)	4670
Slinger (water pump shaft)	8550
Slip yoke (driveshaft)	4841
Small parts repair kit (trans.)	7B331
Snap ring (brake master cylinder piston)	2174
Snap ring (distributor breaker plate)	12140
Snap ring (driveshaft universal joint bearing)	4891
Snap ring (power brake booster piston guide bushing)	2A368
Snap ring (steering gear sector shaft adjusting screw)	3549
Snap ring (trans. clutch pressure plate retaining)	7A577
Snap ring (trans. converter stator retaining)	7945
Snap ring (trans. front band servo piston guide to servo)	7-7366
Snap ring (trans. front clutch disc spring retaining)	7-7567
Snap ring (trans. governor)	7-7136, 7E253
Snap ring (trans. input shaft to front clutch cylinder retaining)	7-7523
Snap ring (trans. output shaft bearing to case)	7030
Snap ring (trans. rear band servo piston)	7-7417
Snap ring (trans. rear clutch piston spring retaining)	7-7517
Snap ring (trans. rear clutch pressure plate retainer)	7D483
Snap ring (trans. synchronizer blocking)	7107

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Snap ring (trans. & transfer case)	7026, 7030, 7059, 7064, 7070, 7109, 7C122, 7D176, 7654, 7656, 7666-7, 7672
Snap ring (universal joint bearing)	4891
Snap ring kit (trans. input bearing)	7160
Snow plow kit	19E537
Socket (body side lamp)	15B410
Socket (brake shoe adjusting screw)	2048
Socket (clutch shaft ball)	7543
Socket (gearshift lever)	7228
Socket (P/S control valve stud)	3A754
Socket (trans. column shift selector lever)	7228
Socket assy. (backup lamp)	15508
Socket assy. (dome lamp)	13793
Socket assy. (instrument cluster)	14A522
Socket assy. (instrument panel lamp)	13711
Socket & retainer assy. (cigar lighter)	15055
Socket & wiring assy. (A/C control lamp)	18541
Socket & wiring assy. (body side lamp)	15A442
Socket & wiring assy. (console panel seat belt warning indicator lamp)	10B925
Socket & wiring assy. (front fender side lamp)	15A434
Socket & wiring assy. (heater control lamp)	18541
Socket & wiring assy. (instrument panel lamp)	13621
Socket & wiring assy. (instrument panel seat belt warning indicator lamp)	10B925
Socket & wiring assy. (interior lamp)	13A719
Socket & wiring assy. (map lamp)	13757
Socket & wiring assy. (parking brake indicator lamp)	15883
Socket & wiring assy. (parking lamp)	13234-5
Socket & wiring assy. (rear lamp)	13410
Socket & wiring assy. (temperature & oil warning lamps)	14522
Socket & wiring assy. (warning lamp indicator panel seat belt lamp)	10B925
Solenoid assy. (carb. throttle emission control)	9D856
Solenoid assy. (seat regulator control)	14A700, 14A720
Solenoid assy. (speed control)	9C728
Solenoid assy. (starter motor)	11390
Solenoid assy. (trans. overdrive gear shifter)	6916

PART NAME	GROUP NUMBER
S - cont'd.	
Solenoid & manifold assy. (automatic temperature control box)	19D611
Solenoid & metering valve assy. (speed control)	9C726
Solenoid & valve assy. (headlamp cover)	13A161
Spacer (A/C compressor clutch hub)	19D648
Spacer (A/C compressor mounting bracket)	2887
Spacer (A/C instrument panel register)	19B696
Spacer (accelerator shaft bracket)	9K706
Spacer (air cleaner to carb.)	9E626
Spacer (air leveler hose)	5A680
Spacer (alternator fan or pulley)	10A344
Spacer (alternator rectifier mounting)	10A382
Spacer (alternator to mounting bracket)	8A652, 10A370
Spacer (body bolt)	5A076
Spacer (body side reflector)	13A398
Spacer (brake master cylinder push rod)	2B129
Spacer (brake pedal)	2A188
Spacer (brake pedal support mounting)	2B180, 2B450
Spacer (brake shoe retracting spring)	2A352
Spacer (bullet type terminal)	14A434
Spacer (bumper guard)	17120
Spacer (carb. diaphragm)	9B581
Spacer (carb. thermostatic choke shaft)	9714
Spacer (carb. to intake manifold)	9A589
Spacer (choke thermostat shield)	9C723
Spacer (clutch pedal rod to equalizer bar adjusting)	7B539
Spacer (eng. camshaft gear or sprocket)	6265
Spacer (eng. crankshaft damper)	6359
Spacer (eng. crankshaft main bearing cap)	6A354
Spacer (eng. crankshaft sprocket)	6A331
Spacer (eng. front mounting bracket)	6A059
Spacer (eng. support insulator)	6A027
Spacer (eng. timing belt cover)	6K291
Spacer (eng. timing pointer)	6B089
Spacer (eng. to frame mounting bolt)	6A046
Spacer (eng. valve spring)	6515
Spacer (exhaust air supply pump mounting bracket)	9B461
Spacer (exhaust control valve)	9A470
Spacer (exhaust manifold to muffler inlet pipe)	9A435
Spacer (fog lamp mounting)	15251
Spacer (front axle spindle bearing)	3299
Spacer (front bumper arm to frame)	17765
Spacer (front bumper pad bolt)	17C864
Spacer (front fender mounting)	16C220
Spacer (front fender side ornament)	16D070
Spacer (front fender to body pillar)	16A120
Spacer (front fender to cowl side)	16B154
Spacer (front hub)	1199

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Spacer (fuel tank strap)	9K019
Spacer (fuel tank vent pipe flange)	9A254
Spacer (horn blowing ring)	13A865
Spacer (idler pulley)	8A613
Spacer (idler pulley bracket)	8A652
Spacer (ignition switch bezel)	11A574
Spacer (instrument cluster housing)	10886
Spacer (intake manifold bolt)	9C489
Spacer (parking brake control mounting)	2849
Spacer (parking lamp)	13241
Spacer (P/S control valve spool)	3A658
Spacer (P/S cylinder mounting)	3652
Spacer (P/S gear sector shaft seal)	3D529
Spacer (P/S pump adjusting bracket)	3D600
Spacer (pulley to fan)	8546
Spacer (pump assy. exhaust air supply)	9B488
Spacer (radiator grille)	8A188
Spacer (radio control shaft)	18A830
Spacer (rear axle drive pinion bearing)	4662
Spacer (rear lamp mounting bolt)	13A547
Spacer (rear lamp reflector mounting)	13A526
Spacer (rear spring)	5997
Spacer (rear spring center bolt)	5A537
Spacer (rear spring center mounting)	5598
Spacer (rear spring front hanger)	5753
Spacer (rear stabilizer bar)	5A769
Spacer (rear view inside mirror bracket)	17B680
Spacer (rear window regulator control switch)	14A123
Spacer (speedo. dial)	17A317
Spacer (speedo. driving gear)	17288
Spacer (steering column bracket)	3578
Spacer (steering column bracket insulator)	3E742
Spacer (steering column mounting bracket lower)	3E708
Spacer (steering gear frame)	3566
Spacer (steering gear pinion bearing)	3K599
Spacer (transfer case control lever)	7A148
Spacer (trans. column shift selector connecting rod adjustment)	7323
Spacer (trans. countershaft gear)	7149
Spacer (trans. countershaft gear pilot bearing)	7115
Spacer (trans. countershaft gear roller)	7125
Spacer (trans. gearshift control arm)	7336
Spacer (trans. gearshift lever)	7E097
Spacer (trans. gearshift lever inner)	7E260
Spacer (trans. gearshift lever support)	7C383
Spacer (trans. oil pressure regulator valve)	7470
Spacer (trans. reverse band servo rod)	7D300
Spacer (trans. shift bellcrank)	7E040
Spacer (trans. throttle pressure valve secondary)	7D227
Spacer (trans. tube)	7115
Spacer (windshield wiper motor output shaft)	17A558
Spacer (windshield wiper mounting outer)	17514-5
Spacer (windshield wiper pivot shaft inner)	17B588
Spacer (wire connector)	14A468

PART NAME	GROUP NUMBER
S - cont'd.	
Spark plug assy.	12405
Speaker assy. (radio receiver)	18808
Speaker kit (radio rear seat)	18875
Speaker kit (stereo)	18808
Speed control kit	9A818
Speedometer assy.	17255, 17282
Sport lamp (grille mounted)	13200
Spotlight & bracket kit	15312-3
Spindle assy. (front wheel)	3102-6
Spring (accelerator pedal pivot)	9C804
Spring (accelerator retracting)	9737
Spring (accelerator shaft to pedal)	9760
Spring (alternator brush)	10349
Spring (back window switch control)	14A456
Spring (brake drum silencer)	1140
Spring (brake pedal retracting)	2472
Spring (brake shoe adjusting screw)	2049
Spring (brake shoe hold down)	2068
Spring (brake shoe retracting)	2035-6
Spring (carb. accelerator diaphragm return)	9636
Spring (carb. accelerator pump)	9636
Spring (carb. accelerator pump lever return)	9636
Spring (carb. accelerator pump overtravel)	9A538
Spring (carb. accelerator pump rod)	9D598
Spring (carb. adjusting needle)	9540
Spring (carb. air cleaner air duct intake valve plate)	9B684
Spring (carb. air valve)	9H556
Spring (carb. choke control)	9587
Spring (carb. choke diaphragm)	9587
Spring (carb. choke lever)	9C513
Spring (carb. choke lever plunger)	9587
Spring (carb. choke modulator)	9587
Spring (carb. choke plate)	9560
Spring (carb. dashpot diaphragm)	9636
Spring (carb. fast idle adjusting screw)	9578
Spring (carb. fast idle cam)	9G526
Spring (carb. float)	9A519
Spring (carb. float bowl vent return)	9560
Spring (carb. float dampener)	9F570
Spring (carb. float hinge)	9F570
Spring (carb. idle adjusting needle)	9578
Spring (carb. idle air by-pass screw)	9578
Spring (carb. idle speed screw)	9589
Spring (carb. idle stop)	9578
Spring (carb. metering rod tension)	9D820
Spring (carb. power valve)	9E525
Spring (carb. power valve adjusting)	9E505
Spring (carb. power valve ball check)	9578
Spring (carb. pump check valve)	9H598
Spring (carb. pump lever adjusting screw)	9571

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Spring (carb. secondary float dampener)	9F571
Spring (carb. secondary throttle diaphragm return)	9B504
Spring (carb. speedup control activator)	9C531
Spring (carb. thermostatic choke)	9A590
Spring (carb. throttle control)	9A538
Spring (carb. throttle return)	9B569
Spring clip (trans. shift lever stop)	7E444
Spring (clutch equalizer bar assist)	7534
Spring (clutch pedal lever assist)	7534
Spring (clutch pedal lever retracting)	7534
Spring (clutch release lever anti-rattle)	7562
Spring (clutch release lever retracting)	7591
Spring (clutch release lever rod retracting)	7523
Spring (distributor breaker plate)	12A187
Spring (distributor weight)	12191-2
Spring (driveshaft centering socket race ball)	4A073
Spring (eng. cylinder block main oil galley relief valve plunger)	6670
Spring (eng. follower arm)	6K524
Spring (eng. oil filter by-pass)	6837
Spring (eng. oil filter element retaining)	6889
Spring (eng. oil pump relief valve)	6670
Spring (eng. rear support)	6B056
Spring (eng. tensioner)	6L273
Spring (eng. valve)	6513
Spring (eng. valve rocker arm to shaft locating)	6587
Spring (exhaust air supply pump vane shoe)	9B476
Spring (exhaust control valve stop)	9A458
Spring (exhaust control valve tension)	9A469
Spring (exhaust thermostat control valve)	9449
Spring (exhaust thermostat control valve coil)	9467
Spring (front coil)	5310
Spring (front disc brake caliper support)	2B486
Spring (fuel indicator lens retainer)	9E292
Spring (fuel pump diaphragm)	9396
Spring (fuel pump rocker arm return)	9380
Spring (fuel pump valve)	9360
Spring (generator brush)	10057
Spring (headlamp ball ring)	13031
Spring (headlamp cover)	13B047
Spring (headlamp cover hinge)	13A163
Spring (headlamp dimmer control adjusting screw)	13654
Spring (hood aux. catch)	16897
Spring (hood hinge)	16789
Spring (hood latch)	16925
Spring (hood latch trigger)	16921
Spring (hood support rod)	16832
Spring (horn blowing)	13A807
Spring (ignition switch retaining)	11581
Spring (instrument panel parking brake warning lamp retaining)	10A848
Spring (jack hold down)	17119
Spring (lockout hub pressure)	1A054
Spring (parking brake cable positioning)	2745
Spring (parking brake lever retracting)	2L611
Spring (parking brake lever return)	2A651
Spring (parking brake link)	2A601
Spring (parking brake ratchet bar locking)	2788
Spring (parking brake release)	2634
Spring (parking brake release control)	2793
Spring (power brake booster control valve return)	2A157
Spring (power brake booster plunger return)	2B156
Spring (P/S control valve reaction limiting)	3C563
Spring (P/S gear control valve spool)	3A594
Spring (P/S pump flow control valve)	3A570
Spring (P/S pump oil filter retaining)	3B688
Spring (P/S pump pressure plate)	3D596
Spring (P/S pump slipper)	3B601
Spring (rear axle differential clutch)	4214
Spring (rear axle driveshaft centering socket race ball)	4A073
Spring (rear axle side gear)	4A024
Spring (rear coil)	5560
Spring (rear license plate support)	13455
Spring (seat regulator control knob pivot)	13703
Spring (spare wheel carrier release lever)	1A361
Spring (speed control brush holder)	9C898
Spring (starter motor brush)	11059
Spring (starter motor drive)	11375
Spring (starter motor drive roller bias)	11A000
Spring (starter motor plunger return)	11103
Spring (steering column lock)	3E696
Spring (steering column lock actuator lever)	3F532
Spring (steering column lock cylinder)	3E701
Spring (steering column lock retaining lever)	3F532
Spring (steering column locking lever)	3B664
Spring (steering column position)	3D655
Spring (steering column position lock)	3B768
Spring (steering column upper bearing)	3520
Spring (steering gear rack adjustment bearing)	3K576
Spring (transfer case control selector lever retainer)	7B071
Spring (transfer case control selector push button)	7082
Spring (transfer case shift rod poppet)	7219
Spring (trans. column shift selector stop)	7293
Spring (trans. console shift selector lever)	7E114
Spring (trans. console shift selector lever button return)	7C491
Spring (trans. console shift selector lever parking lock)	7C490

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Spring (trans. console shift selector slide)	7E114
Spring (trans. control selector pivot)	7E196
Spring (trans. control selector tube & arm torsion)	7379
Spring (trans. converter stator clutch)	7A814
Spring (trans. direct drive clutch piston)	7B488
Spring (trans. forward clutch piston disc)	7B070
Spring (trans. front band servo piston retracting)	7A003
Spring (trans. front clutch piston disc)	7B070
Spring (trans. gearshift)	7C101, 7C228
Spring (trans. gearshift control anti-rattle)	7C307
Spring (trans. gearshift detent)	7C349
Spring (trans. gearshift lever)	7208, 7E273
Spring (trans. gearshift lever inner)	7E259
Spring (trans. gearshift lever support shaft)	7227
Spring (trans. gearshift tube retracting)	7227
Spring (trans. gear shifter fork interlock)	7234
Spring (trans. intermediate band servo piston)	7D028
Spring (trans. kickdown control lever retracting)	7B146
Spring (trans. main control rear pump check valve)	7A128
Spring (trans. manual control valve detent lever)	7A261, 7-7276
Spring (trans. manual valve detent)	7E332
Spring (trans. meshlock)	7234
Spring (trans. oil pressure regulator)	7-7465
Spring (trans. oil pressure regulator front check valve)	7A205
Spring (trans. oil pressure regulator valve)	7D160
Spring (trans. overdrive shift fork & rail retractor)	7685
Spring (trans. overrunning clutch)	7D170
Spring (trans. parking pawl return)	7D070
Spring (trans. parking pawl toggle return)	7E416
Spring (trans. parking plate torsion)	7D417
Spring (trans. rear band servo accumulator)	7-7369
Spring (trans. rear band servo piston)	7-7415, 7D474
Spring (trans. rear clutch piston)	7A480
Spring (trans. rear clutch pressure)	7E085
Spring (trans. reverse band servo)	7D031
Spring (trans. reverse clutch piston return)	7D405
Spring (trans. selector lever plunger)	7B071
Spring (trans. selector lever reverse lockout return)	7C300
Spring (trans. shifter fork cam & shaft lock plunger)	7234
Spring (trans. synchronizer)	7D176
Spring (trans. synchronizer blocking)	7109
Spring (trans. synchronizer retracting)	7D049
Spring (trans. throttle modulator valve)	7A286
Spring (turn indicator switch hub)	13355

PART NAME	GROUP NUMBER
S - cont'd.	
Spring (vacuum fuel pump diaphragm)	9315
Spring (voltage regulator armature tension)	10557
Spring (wheel static collector)	18938
Spring (windshield wiper cam return)	17A501
Spring (windshield wiper motor brush)	17B599
Spring assy. (brake cylinder piston cup)	2204-5
Spring assy. (eng. valve damper)	6A511
Spring assy. (ignition switch return)	3E746
Spring assy. (rear leaf)	5560
Spring assy. (rear license plate support)	17A397
Spring centering kit (P/S control valve)	3A675
Spring & extension kit (accelerator return)	9737
Spring & insert kit (trans. low & reverse synchronizer)	7109
Spring & retainer (brake master cylinder piston return)	2145
Spring & retainer kit (trans. reverse clutch)	7A480
Spring & silencer (clutch pedal lever assist)	7A574
Spring kit (trans. main oil pressure regulator valve)	7A270
Sprocket (eng. camshaft)	6256
Sprocket (eng. crankshaft)	6306
Stabilizer (accelerator bellcrank)	9D702
Stabilizer (front disc brake caliper housing)	2B295
Stabilizer mounting kit (rear axle)	4A340
Stanchion (radio antenna)	18919
Starter (motor)	11001-2
Starter assy.	11002
Stator assy. (alternator)	10336
Stator assy. (trans. converter)	7932
Step (rear bumper)	17B807
Step kit (rear bumper)	17B820
Stereo multiplex adapter kit	19A082
Stereo tape player kit	19A035
Stiffener (front fender reinforcement rear)	16466
Stiffener (rear shock absorber member reinforcement)	18A066
Stop (alternator rotor)	10A360
Stop (distributor vacuum advance)	12202
Stop (eng. front support insulator)	6C098-9
Stop (front bumper)	17C817
Stop (power brake booster control valve piston)	2B132
Stop (P/S control valve spool travel regulator)	3C560
Stop (rear axle bumper)	4A171
Stop (rear bumper)	17B990
Stop (spare wheel)	1422
Stop (trans. band adjusting intermediate & reverse)	7C492
Stop (trans. control selector shaft to accelerator bellcrank)	7C168
Stop (trans. rear band adjustment inner)	7E284
Stop (windshield wiper arm)	17C549

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Stop assy. (windshield wiper arm)	17C583
Stop assy. (windshield wiper motor)	17C479
Strap (A/C evaporator hose retainer)	19B915-6
Strap (A/C evaporator upper case to bottom case)	19B865
Strap (ammeter wire to body support)	18572
Strap (eng. rear support rebound)	6B066
Strap (fan shroud)	8A626
Strap (hood ground)	16A600
Strap (ignition coil mounting)	12043-4
Strap (radio receiver hood bonding)	18870
Strap (windshield wiper motor ground)	17A497
Strap assy. (exhaust air supply cleaner mounting)	9B469
Strap assy. (fuel tank support)	9092
Strap assy. (fuel tank support rear)	9057
Strip (radio rear seat speaker mounting)	19A175
Strut (front suspension lower arm)	3468
Strut (trans. front band actuating)	7A158
Strut (trans. front band anchor)	7E243
Strut (trans. intermediate band anchor)	7D430
Strut (trans. intermediate brake band)	7D029
Strut (trans. rear band actuating)	7A172
Strut (trans. rear band anchor)	7A175
Strut (trans. reverse band anchor)	7A175
Stud (A/C condenser mounting)	19C658
Stud (A/C evaporator support)	19A982
Stud (clutch release lever)	7B602
Stud (eng. valve rocker arm support)	6A527
Stud (exhaust manifold to exhaust pipe)	9454
Stud (generator mounting bracket)	10282
Stud (P/S pump support)	3D683
Stud (rear axle track bar)	4269
Stud (rear shock absorber mounting)	18193
Stud (steering drag link to selector arm ball)	3311
Stud (trans. column shift selector bellcrank mounting)	7A026
Stud (trans. control selector connecting rod adjusting)	7B415
Stud (trans. converter drive)	7964
Stud (trans. gearshift connecting rod adjustment)	7B415
Stud (trans. low & reverse gearshift)	7C174
Stud repair kit (P/S hydraulic control ball)	3A533
Support (A/C compressor)	2978
Support (A/C compressor bracket)	2906
Support (A/C compressor mounting bracket)	2A881
Support (A/C evaporator core)	19784
Support (battery hold down clamp bracket)	10A691
Support (center valance panel front)	17890
Support (eng. valve rocker arm shaft)	6531

PART NAME	GROUP NUMBER
S - cont'd.	
Support (exhaust air supply pump bracket)	9B451
Support (front bumper)	17N800
Support (front bumper stone deflector)	17747, 17890
Support (front fender)	16A140
Support (front fender apron at housing)	16D120-1
Support (fuel tank)	9061
Support (fuel tank vent expansion tank)	9A249
Support (fuse junction panel upper)	14A148
Support (headlamp housing)	13B065
Support (hood front moulding)	16C694
Support (hood latch control rod)	16B698
Support (hood latch dowel)	16707
Support (idler pulley bracket)	8A653-4
Support (P/S pump)	3C511
Support (radiator)	16138
Support (radiator grille)	8182-3
Support (radiator grille center)	8A186
Support (radiator grille lower)	8B321
Support (radiator hose)	8A483
Support (radiator lower)	8A058
Support (radio receiver)	18888-90
Support (rear bumper arm)	17A858
Support (spare wheel)	1422
Support (stereo tape player)	19A071
Support (trans. converter stator)	7A108
Support (trans. front pump)	7A108
Support (trans. gearshift lever)	7398
Support (trans. gearshift lever inner)	7E291
Support (trans. planetary gears)	7A130
Support (trans. rear)	7A383
Support assy. (carb. booster venturi)	9A523
Support assy. (eng. rear)	6A023
Support assy. (headlamp cover hinge)	13A158
Support assy. (headlamp cover motor)	13B033
Support assy. (rear license plate)	13422
Support kit (eng. valve rocker arm)	6531
Support kit (stereo tape player)	19A122
Switch (backup lamp)	15520
Switch (brake pressure differential valve warning lamp)	2B264
Switch (electric radio antenna)	18863
Switch (headlamp on instrument panel)	11654
Switch (map lamp)	13764
Switch (oil pressure sender)	9278
Switch (seat regulator control)	14A701
Switch (starter motor relay solenoid)	11450
Switch (stoplight)	13480

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Switch (thermostatic evaporator de-icing)	19618
Switch (trans. control selector neutral)	7A247
Switch (trans. overdrive accelerator kickdown)	7A652
Switch (trans. seat belt warning sensor)	7E449
Switch assy. (A/C automatic temperature control box servo)	19D617
Switch assy. (A/C blower)	18578, 19986
Switch assy. (A/C damper door)	19B888
Switch assy. (A/C servo control)	18C311, 18C495
Switch assy. (A/C temperature control)	19C733, 19A945
Switch assy. (cargo lamp)	13752
Switch assy. (courtesy lamp)	13713
Switch assy. (distributor modulator ambient)	12A164
Switch assy. (door lock)	14028
Switch assy. (door open warning lamp)	14018
Switch assy. (emergency warning)	13B302, 13A350
Switch assy. (fuel low level warning)	9F326
Switch assy. (fuel pump oil pressure)	9344
Switch assy. (fuel tank selector)	9A050
Switch assy. (headlamp dimmer)	13A024
Switch assy. (heated backlite)	18578
Switch assy. (heater blower)	18578
Switch assy. (heater damper door)	19B888
Switch assy. (heater servo control)	18C311
Switch assy. (horn blowing)	13A875
Switch assy. (ignition)	11572
Switch assy. (ignition key warning)	11A127
Switch assy. (interior lamp)	13752
Switch assy. (luggage compt. door closed limit)	13A729
Switch assy. (luggage compt. door open limit)	13A727
Switch assy. (map lamp)	13713
Switch assy. (oil temperature warning)	10B921
Switch assy. (rear window defogger)	18578
Switch assy. (rear window washer time delay)	17A412
Switch assy. (roof marker lamp)	15443
Switch assy. (roof warning lamp)	15592
Switch assy. (seat regulator tilt control)	14B696
Switch assy. (sliding roof panel)	15B691
Switch assy. (spark control)	9E740
Switch assy. (speed control actuator)	9C888-9
Switch assy. (speed control inhibitor)	9C872
Switch assy. (speed control release)	9A837
Switch assy. (speed control vacuum retard)	9D734
Switch assy. (sport lamp)	13A254
Switch assy. (spotlamp)	15224
Switch assy. (top control or tailgate)	14529, 15668

PART NAME	GROUP NUMBER
S - cont'd.	
Switch assy. (trans. spark control)	7E440
Switch assy. (turn indicator)	13B302
Switch assy. (upper back panel limit)	15A674
Switch assy. (window regulator control)	14529, 14540, 14632
Switch assy. (windshield washer control)	17A625
Switch assy. (windshield washer push button)	11500
Switch assy. (windshield wiper)	17A553 17A553
Switch & bracket (parking brake signal)	15A851
Switch & bracket assy. (tailgate window limit)	14A011
Switch & bracket assy. (top control erect)	15A681
Switch & clip assy. (A/C blower control sensor)	18C561
Switch & housing assy. (window regulator control)	14046
Switch & mounting plate assy. (turn indicator)	13341
Switch & wire assy. (fog lamp)	15A214
Switch & wire assy. (glove compt. lamp)	14413
Switch & wire assy. (seat belt retractor sensor)	14A501
Switch & wiring assy. (courtesy lamp)	13713
Switch & wiring assy. (emergency warning flasher)	15B590
Switch & wiring assy. (luggage compt. control latch)	19C542
Switch & wiring assy. (window regulator)	14632-3
Switch & wiring assy. (window regulator control)	14086-7 14A265-6
Switch kit (backup lamp)	15A490
Switch repair kit (rear window defroster)	18704
Swivel (carb. choke diaphragm adjusting)	9F558
Swivel (carb. choke plate adjusting)	9F558, 9D563
Swivel (clutch release idler lever adjusting)	7A528
Swivel assy. (accelerator shaft to speed control connector)	9C824
Synchronizer assy. (trans.)	7124
T	
Tab (distributor vacuum advance control bracket lock)	12A143
Tachometer kit	17A326
Tank assy. (fuel)	9002
Tank assy. (fuel tank vent expansion)	9A091
Tank assy. (P/S pump reservoir)	3A699
Tank assy. (radiator supply)	8A080
Tank & bracket assy. (A/C vacuum reservoir)	19A566
Tank & bracket assy. (steering column control vacuum)	3E547
Tape (electrical insulating)	Δ
Tape (masking)	Δ
Tappet assy. (eng. valve)	6500

Δ Refer to page 1 of Paint Section

INDEX

PART NAME	GROUP NUMBER
T - cont'd.	
Tee (fuel vapor storage canister inlet)	9E645
Tee (tachometer)	17B308
Tee (windshield washer hose)	17A601
Tensioner assy. (eng. timing chain)	6284
Terminal (alternator field)	10383
Terminal (battery cable positive)	14450
Terminal (electric wiring solderless crimp-on type)	14294
Terminal (high tension wire)	14466
Terminal (instrument cluster fuel level indicator)	10927
Terminal (instrument cluster oil pressure gauge)	10927
Terminal (spark plug)	14453
Terminal (starter motor field)	11102
Terminal (voltage regulator)	10548
Terminal (wire bullet type)	14461
Terminal (wire flag eyelet)	14464
Terminal (wire flag type)	14468
Terminal (wire snap-on)	14474
Terminal & brush assy. (alternator)	10347
Terminal & wiring (ignition key warning switch)	11A128
Thermostat (A/C evaporator temperature control)	19618
Thermostat (water)	8575
Thermostat assy. (carb. air cleaner)	9B650
Thermostat assortment	8575
Thimble (transfer case rail shift)	7A107
Thinners	Δ
Throttle control kit	9B742
Tinting assortment	Δ19E548
Tip (radio antenna mast)	19298
Tip replacement kit (speedo. cable)	17A254
Tire inflator-kit	19C543
Tire kit (collapsible spare)	1508
Tone alert (citizens band transceiver)	18801
Tool (electrical terminal crimping)	17018
Tot guard	19E535
Track assy. (moveable steering column)	3C571
Traction master kit	18127
Trailer hitch kit	Δ19D520
Transducer assy. (A/C automatic temperature control box)	19D613
Transfer (hood emblem)	16B621
Transfer (hood stripe)	16B906
Transfer (radiator grille opening panel color stripe)	8C077
Transfer kit (model identification)	16B196
Transmission	7003
Transmission assy. (including converter)	7000
Trap (A/C evaporator drain)	19998
Tray (battery)	10732, 10764
Tray assy. (carb. air cleaner)	9A600

PART NAME	GROUP NUMBER
T - cont'd.	
Trim (aux. instrument cluster rally pac)	10C858
Trim cement (vinyl adhesive)	Δ19C525
Triple clean (leathers, vinyls, fabric)	Δ19526
Trunnion (accelerator shaft to bellcrank rod)	9A846
Trunnion (carb. throttle lever)	9C760
Trunnion (speed control servo bellcrank)	9D766
Trunnion (trans. gearshift lever)	7B125
Tube (A/C blower housing to blower motor)	19A786
Tube (A/C compressor oil inlet)	19D645
Tube (A/C control venturi pressure)	19C748
Tube (A/C water outlet)	18663
Tube (anti-backfire valve vacuum)	9H563
Tube (automatic air leveler compressor to valve)	5A718
Tube (aux. fuel tank to selector valve)	9F308
Tube (brake skid control actuator vacuum)	2B476
Tube (carb. air cleaner inlet)	9B632
Tube (carb. balance)	9A501
Tube (carb. float bowl connection)	9534
Tube (carb. fuel transfer)	9H576
Tube (carb. high speed air bleeder)	9G540
Tube (carb. main well)	9991
Tube (carb. secondary throttle balance)	9A501
Tube (carb. secondary throttle control vacuum)	9997
Tube (distributor vacuum)	12226
Tube (eng. crankcase vent)	6758
Tube (eng. dipstick)	6754
Tube (eng. relief valve oil return)	6K656
Tube (eng. to trans. vacuum)	7B094
Tube (eng. to trans. vacuum front or rear)	7B094-5
Tube (exhaust air supply lower)	9A484
Tube (exhaust air supply pump inlet)	9B456
Tube (exhaust air supply pump outlet)	9B457
Tube (fuel)	9291
Tube (fuel front)	9A318
Tube (fuel pump to carb.)	9369
Tube (fuel tank air relief)	9023
Tube (fuel tank to pump)	9282
Tube (fuel tank to pump rear)	9A084
Tube (fuel tank vent lower)	9101
Tube (fuel tank vent to storage canister)	9A228
Tube (fuel valve)	9159
Tube (fuel vapor expansion tank to canister crossover)	9D675
Tube (fuel vapor expansion tank to canister front)	9D673
Tube (fuel vapor return)	9B337
Tube (fuel vapor separator to fuel tank front)	9C288
Tube (fuel vapor separator to fuel tank rear)	9C289
Tube (heater blower housing to blower motor)	19A786
Tube (heater hot water)	18B402
Tube (heater water outlet)	18663, 18674

Δ Refer to page 1 of Paint Section

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
T - cont'd.	
Tube (P/S pressure line to valve)	3494
Tube (P/S return line hose to control valve)	3A575 3514
Tube (steering column release valve)	7E558
Tube (thermostatic choke control inlet)	9820
Tube (thermostatic choke control outlet)	9819
Tube (trans. breather)	7A246, 7034
Tube (trans. clutch & governor oil distributor)	7A170
Tube (trans. clutch & governor oil front)	7A173
Tube (trans. clutch & governor oil rear)	7A174
Tube (trans. column mounted gearshift)	7212
Tube (trans. compensator pressure oil)	7A206
Tube (trans. front band servo oil)	7-7379, 7D469
Tube (trans. main oil pressure)	7-7469
Tube (trans. oil cooler inlet)	7A030
Tube (trans. oil cooler outlet)	7A031
Tube (trans. oil distributor)	7D000
Tube (trans. oil distributor intermediate)	7A173
Tube (trans. oil distributor rear)	7A174
Tube (trans. oil filler)	7A228
Tube (trans. oil pressure regulator)	7A208
Tube (trans. rear oil pump inlet)	7A160
Tube (water by-pass)	8555
Tube (windshield wiper)	17544
Tube (windshield wiper pressure feed)	17B474
Tube assy. (air cleaner)	9D601
Tube assy. (A/C dehydrator to check valve)	19835
Tube assy. (A/C dehydrator to condenser)	19C596
Tube assy. (A/C evaporator inlet to cowl)	19A704
Tube assy. (A/C evaporator outlet to cowl)	19A705
Tube assy. (A/C evaporator to check valve)	19837
Tube assy. (A/C evaporator to compressor shut-off valve)	19867
Tube assy. (anti-backfire valve)	9B291
Tube assy. (anti-backfire valve inlet)	9H559
Tube assy. (brake & fuel line steel)	2265
Tube assy. (brake differential valve outlet)	2B329
Tube assy. (brake differential valve to actuator)	2B386
Tube assy. (brake master cylinder outlet rear)	2B253
Tube assy. (brake master cylinder to connector)	2A040
Tube assy. (brake master cylinder to front brake connector)	2-2264
Tube assy. (brake master cylinder to rear brake hose)	2265
Tube assy. (brake master cylinder to rear brake tube connector)	2A199
Tube assy. (brake pressure control valve inlet)	2B112
Tube assy. (brake pressure control valve outlet)	2B113

PART NAME	GROUP NUMBER
T - cont'd.	
Tube assy. (brake pressure metering valve inlet)	2B162
Tube assy. (brake scoop)	2250
Tube assy. (brake skid control actuator to rear brake)	2B385
Tube assy. (carb. air cleaner hot air)	9652
Tube assy. (carb. air cleaner intake)	9A624
Tube assy. (carb. fuel supply)	9D280
Tube assy. (carb. to manifold spacer outlet)	9C524
Tube assy. (eng. lubrication valve drive)	6578
Tube assy. (eng. oil level indicator)	6754
Tube assy. (eng. oil pump inlet)	6K621
Tube assy. (eng. oil pump pickup)	6617
Tube assy. (exhaust air supply intermediate)	9B480
Tube assy. (exhaust air supply pump upper)	9B448
Tube assy. (front brake)	2263-4
Tube assy. (front brake fitting to connector)	2-2272
Tube assy. (front brake hose to connector)	2K039
Tube assy. (front brake hose to cylinder)	2A361-2
Tube assy. (front brake intermediate)	2B221
Tube assy. (front brake tube fitting to connector)	2A048
Tube assy. (front brake tube to differential valve R.H.)	2B269
Tube assy. (front disc brake caliper L.H.)	2B126
Tube assy. (front disc brake caliper R.H.)	2K006
Tube assy. (front disc brake caliper inlet L.H.)	2B168
Tube assy. (front disc brake caliper inlet R.H.)	2B166
Tube assy. (fuel filter to carb.)	9A274
Tube assy. (fuel filter to fuel pump)	9B273
Tube assy. (fuel pump to carb.)	14588
Tube assy. (fuel pump to fuel manifold)	9F288
Tube assy. (fuel tank filler)	9N276
Tube assy. (fuel tank vent)	9A086
Tube assy. (fuel tank vent upper)	9049
Tube assy. (fuel vapor storage canister purge outlet)	9D667-8
Tube assy. (heater water inlet)	18696
Tube assy. (intake manifold heat)	9C498
Tube assy. (oil pressure indicator)	9B278
Tube assy. (power brake booster)	2420
Tube assy. (power brake booster connector to manifold)	2543
Tube assy. (P/S control valve to cylinder rod end)	3A717
Tube assy. (P/S pressure outlet)	3E576
Tube assy. (rear brake)	2267-8
Tube assy. (rear brake hose to valve)	2B255
Tube assy. (steering column)	3509, 3514
Tube assy. (thermostatic choke control inlet)	9B700
Tube assy. (thermostatic choke heater)	9C869
Tube assy. (trans. column shift selector)	7212

INDEX

PART NAME	GROUP NUMBER
T - cont'd.	
Tube assy. (trans. console shift steering column inner)	7212
Tube assy. (trans. rear oil pump outlet)	7A204
Tube assy. (trans. steering column inner floor shift)	7212
Tube assy. (vacuum manifold to eng.)	9D434
Tube assy. (vacuum pump)	9413
Tube assy. (windshield wiper pressure feed lower)	17C506
Tube & bracket assy. (vacuum)	12A163
Tube & fitting assy. (carb. fuel inlet)	9E321
Tube & sleeve assy. (fuel vapor purge inlet)	9E630
Tube or hose (water by-pass)	8548
Tubing (brake & fuel line)	2269
Tune-up kit (carb.)	9A586
Tune-up kit (ignition)	12405
Turbine (trans. converter)	7920
Turn kit (snow plow)	19F502
U	
"U" bolt (rear spring)	5705
"U" bolt (steering shock absorber)	3E654
Undercoating	Δ
Universal joint kit (driveshaft)	4635
Universal joint kit (front axle shaft)	3248
Upholstery color reconditioners	Δ
Used car reconditioning materials	Δ
"U" washer (rear axle shaft retaining)	4N237
V	
Vacuum motor assy. (carb. air cleaner)	9D612
Valve (A/C compressor pressure relief)	19D644
Valve (A/C evaporator expansion)	19849
Valve (A/C temperature regulator)	18502
Valve (A/C vacuum check)	19A563
Valve (brake master cylinder outlet check)	2178
Valve (brake pressure differential)	2B257
Valve (brake pressure impulse)	2B363
Valve (brake pressure metering)	2B161
Valve (brake proportioning)	2091
Valve (carb. accelerator pump check)	9576
Valve (carb. accelerator pump discharge needle)	9A516
Valve (carb. air)	9H555
Valve (carb. float bowl vent)	9557, 9D583
Valve (choke bleeder temperature control)	9J691
Valve (eng. exhaust)	6505
Valve (eng. intake)	6507
Valve (eng. positive crankcase vent-P.C.V.)	6A666

PART NAME	GROUP NUMBER
Valve (front disc brake pressure control)	2B091
Valve (fuel pump)	9358
Valve (heater temperature control)	18A545
Valve (heater vacuum check)	19A563
Valve (heater water control)	18495
Valve (power brake booster check)	2A185, 2365
Valve (power brake booster control)	2A238
Valve (speed control solenoid)	9D776
Valve (steering column release)	3D536
Valve (trans. intermediate servo accumulator check)	7D376
Valve (trans. lubrication)	7D174
Valve (trans. main control manual)	7-7764
Valve (trans. main control oil pressure booster)	7D003
Valve (trans. main control rear pump check)	7A127
Valve (trans. main valve body manual control)	7C389
Valve (trans. oil pressure regulator)	7A202
Valve (trans. rear band servo check)	7-7658
Valve (trans. rear band servo piston accumulator)	7E216, 7A266
Valve (windshield washer control)	17A614
Valve assy. (A/C compressor high pressure)	19A990
Valve assy. (A/C compressor low pressure)	19752
Valve assy. (A/C dehydrator & receiver tank)	19C573
Valve assy. (A/C evaporator suction throttle)	19D580
Valve assy. (air scoop)	16C718
Valve assy. (anti-backfire)	9B289
Valve assy. (brake speed control retard)	2B274
Valve assy. (carb. air cleaner anti-splash)	9E637
Valve assy. (carb. choke delay)	12A091
Valve assy. (carb. distributor vacuum spark control)	9B572
Valve assy. (carb. power)	9G551, 9594
Valve assy. (carb. spark control)	9B572
Valve assy. (deceleration)	9K793
Valve assy. (distributor modulator)	12A170
Valve assy. (distributor vacuum control)	12A091
Valve assy. (distributor vacuum delay control)	12A091
Valve assy. (exhaust air supply check)	9A487
Valve assy. (exhaust air supply pump)	9B479
Valve assy. (exhaust thermostat control)	9A427, 9460
Valve assy. (fuel pump)	9352
Valve assy. (fuel tank selector)	9189
Valve assy. (fuel tank vent)	9A153
Valve assy. (headlamp cover vacuum check)	13B064
Valve assy. (horn air control)	13910
Valve assy. (idle speedup)	9B756
Valve assy. (P/S hydraulic control)	3A730
Valve assy. (P/S pump)	3A561
Valve assy. (speed control metering)	9C727
Valve assy. (top control solenoid)	15A682

Δ Refer to page 1 of Paint Section

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
V - cont'd.	
Valve & bracket assy. (distributor vacuum advance control)	12A111
Valve & lever assy. (automatic air leveler)	5A712
Valve & printed circuit assy. (throttle modulator)	9E718
Valve & seat assy. (carb. fuel inlet)	9564
Valve & spring kit (trans. converter pressure relief)	7A135
Valve & wiring (A/C control solenoid)	18C536
Valve kit (carb. fuel inlet)	9564
Valve kit (P/S control valve return port relief)	3E710
Valve kit (P/S gear rear check)	3D728
Valve kit (trans. oil pressure regulator)	7B025
Valve repair kit (P/S hydraulic control)	3A650
Vane & bearing assy. (exhaust air supply pump)	9B474
Vent (rear axle housing)	4022
Vent (trans. extension housing)	7034
Vent assy. (transfer case)	7034
Vent assy. (transfer case breather)	7034
Vent kit (battery)	10A824
Venturi (A/C control)	19C747
W	
Warmer (car interior)	18A454
Washer (arm to pivot shaft)	17541
Washer (battery terminal corrosion arrestor)	10A717
Washer (carb. choke rod seal)	9C771
Washer (carb. leveling shaft)	9568
Washer (carb. throttle lever nut lock)	9568
Washer (distributor driven gear thrust)	12179
Washer (eng. camshaft sprocket)	6278
Washer (eng. crankshaft main bearing thrust)	6A355
Washer (eng. crankshaft pulley retaining)	6378
Washer (eng. cylinder head bolt)	6067
Washer (eng. valve rocker arm shaft-flat)	6590
Washer (eng. valve rocker arm shaft-spring)	6598
Washer (front shock absorber insulator)	18041
Washer (front suspension lower arm front shaft)	3B147
Washer (front wheel outer bearing retainer)	1195
Washer (fuel pump filter bowl seal)	9K354
Washer (fuel pump rocker arm pin)	9418
Washer (generator terminal screw insulating inner)	10208
Washer (P/S cylinder rod insulator)	3A345
Washer (P/S pump adjusting bracket)	3-3638
Washer (rear axle differential clutch)	4214
Washer (rear axle differential pinion thrust)	4230
Washer (rear axle differential side gear thrust)	4228
Washer (spotlamp switch bracket)	15322
Washer - spring (trans. lever socket to tube anti-vibrator)	7C228
Washer (starter motor armature thrust)	11036

PART NAME	GROUP NUMBER
W - cont'd.	
Washer (starter motor field terminal)	11093
Washer (starter motor field terminal insulating)	11094
Washer (starter motor field terminal screw)	11095
Washer (steering column socket-thrust)	3C708
Washer (steering gear worm sector thrust)	3579
Washer (steering shaft coupling bolt)	3C680
Washer (thermostat gasket)	8593
Washer (transfer case gear thrust)	7067
Washer (trans. constant mesh low gear thrust)	7071
Washer (trans. converter impeller thrust)	7A812
Washer (trans. converter stator front & rear thrust)	7937
Washer (trans. countershaft gear thrust)	7029, 7119
Washer (trans. first speed gear thrust)	7071
Washer (trans. forward clutch hub thrust)	7D090
Washer (trans. front clutch hub to input shaft thrust)	7-7577
Washer (trans. front clutch sun gear thrust)	7-7545
Washer (trans. front pump support thrust)	7D014
Washer (trans. gearshift arm thrust)	7D363
Washer (trans. gearshift lever socket anti-vibrator spring)	7242
Washer (trans. gearshift tube thrust)	7D460
Washer (trans. input shaft thrust)	7019
Washer (trans. input shell thrust)	7D068, 7937
Washer (trans. intermediate brake drum thrust)	7C096
Washer (trans. output shaft first gear thrust)	7071
Washer (trans. output shaft hub thrust)	7D422
Washer (trans. output shaft thrust)	7-7067, 7A385
Washer (trans. output shaft thrust rear)	7B368
Washer (trans. planet carrier thrust)	7A166
Washer (trans. planet pinion thrust)	7A242
Washer (trans. primary sun gear thrust)	7C096
Washer (trans. primary to secondary sun gear thrust)	7D484
Washer (trans. rear clutch sun gear thrust)	7A166, 7-7524
Washer (trans. reverse brake drum thrust)	7D072, 7937
Washer (trans. reverse drum thrust)	7C096
Washer (trans. reverse idler gear thrust)	7029, 7149
Washer (trans. selector socket anti-vibration)	7242
Washer (trans. turbine to converter thrust)	7962
Washer (trans. turbine to cover front thrust)	7937
Washer (windshield wiper arm to pivot shaft)	17541
Washer kit (trans. reverse clutch hub thrust)	7D091
Washer kit (windshield)	17A603

INDEX

PART NAME	GROUP NUMBER
W - cont'd.	
Waxes	Δ
Weatherstrip (front fender rear splash shield)	16C567
Wedge (rear axle adjusting)	5A313
Wedge (trans. low & reverse gear interlock)	7C175
Weight (carb. float pendulum)	9H545
Weight (carb. pump discharge ball)	9B511
Weight (trans. converter cover balance)	7955
Weight (wheel balance)	1040
Weight assy. (distributor)	12188
Wheel (heater blower)	18504
Wheel assy.	1007, 1015
Wheel assy. (A/C blower)	19834
Wheel assy. (steering)	3A600
Wick (distributor shaft)	12133
Winch kit (bumper mounted)	19E536
Winch kit with power take off	19E536
Wire (bulk)	14296
Wire (constant voltage regulator to gauge)	10C931
Wire (constant voltage regulator to ignition)	10C932
Wire (headlamp dimmer sensor)	13B081
Wire (headlamp dimmer sensor to amplifier)	13A106
Wire (seat control feed jumper)	14A699
Wire (trans. control selector indicator lamp ground)	15A800
Wire assy. (accessory feed)	14A318
Wire assy. (automatic seat back latch)	14B724
Wire assy. (backup lamp ground)	15A505
Wire assy. (backup lamp jumper)	15A515
Wire assy. (backup lamp socket)	15536
Wire assy. (backup lamp switch to rear lamp feed)	15525
Wire assy. (back window heater)	18C618
Wire assy. (back window heater ground)	18C620
Wire assy. (back window stop lamp)	13A625
Wire assy. (body side lamp)	15B411
Wire assy. (carb. emission control solenoid jumper)	9D866
Wire assy. (cigar lighter jumper)	15A056
Wire assy. (clock feed)	15A006
Wire assy. (console)	13C711
Wire assy. (courtesy lamp)	13B711
Wire assy. (courtesy lamp feed)	13B712
Wire assy. (courtesy lamp jumper)	13B767
Wire assy. (dash panel to headlamp junction)	14290
Wire assy. (dash to engine gauge feed)	14289

PART NAME	GROUP NUMBER
W - cont'd.	
Wire assy. (distributor breaker ground)	12264
Wire assy. (distributor primary terminal)	12216
Wire assy. (distributor to spark plug radio radio resistance)	12286
Wire assy. (distributor vacuum control valve)	12A190
Wire assy. (door lock lead)	14A412
Wire assy. (emergency warning extension)	15B583
Wire assy. (emergency warning flasher jumper)	15A599
Wire assy. (eng. block heater)	6B018
Wire assy. (eng. governor control valve)	12K454
Wire assy. (fog lamp)	15A211
Wire assy. (fog lamp feed)	15237
Wire assy. (fog lamp switch feed)	15223
Wire assy. (front door courtesy lamp switch)	13A769
Wire assy. (fuel level warning relay feed)	9F283
Wire assy. (fuel shut-off solenoid feed)	9A451
Wire assy. (fuel pump feed)	9A400
Wire assy. (glove compt. lamp feed)	13A721
Wire assy. (heater blower motor ground)	18569
Wire assy. (horn ground)	13A847
Wire assy. (horn relay to horn)	13A804
Wire assy. (horn switch)	13A843
Wire assy. (ignition circuit to overdrive relay)	7A199
Wire assy. (ignition coil ground)	12A069
Wire assy. (ignition current amplifier)	12045
Wire assy. (ignition switch feed)	14313
Wire assy. (ignition switch to heater switch)	14338
Wire assy. (ignition to window regulator safety switch)	14785
Wire assy. (interior lamp feed)	14334
Wire assy. (interior lamp lighting)	13796
Wire assy. (interior pillar lamp ground)	13A776
Wire assy. (luggage compt. lamp)	19B516
Wire assy. (main jumper)	14A411
Wire assy. (oil pressure gauge connector)	9A282
Wire assy. (overdrive relay extension)	7E047
Wire assy. (parking brake warning indicator)	15A856
Wire assy. (radio rear seat speaker extension)	14574
Wire assy. (rear door courtesy lamp)	13B721
Wire assy. (rear interior lamp)	13A710
Wire assy. (rear lamp extension)	14408
Wire assy. (rear window defogger)	18C394, 18C487

Δ Refer to page 1 of Paint Section

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
W - cont'd.	
Wire assy. (seat back control extension)	14B720
Wire assy. (seat back latch)	14C692
Wire assy. (seat back latch extension)	14C691
Wire assy. (seat back latch feed)	14C694
Wire assy. (seat belt retractor switch)	14A504
Wire assy. (seat belt switch)	14A546
Wire assy. (seat regulator control relay feed extension)	14618
Wire assy. (seat regulator feed)	14716
Wire assy. (seat regulator relay feed extension)	14B710
Wire assy. (speaker system)	15629
Wire assy. (speed control)	9A840
Wire assy. (speed control extension)	9C877, 9C887
Wire assy. (speed control feed)	9A839
Wire assy. (speed control release)	9D808
Wire assy. (spotlight feed)	15A300
Wire assy. (starter motor circuit jumper)	12638
Wire assy. (starter motor relay to solenoid)	11A004
Wire assy. (steering wheel relay switch)	3D568
Wire assy. (stop lamp switch)	13A411
Wire assy. (tachometer lamp)	14064
Wire assy. (temperature sender to indicator)	14K064
Wire assy. (top control circuit breaker to top control switch)	15A669
Wire assy. (top control feed jumper)	15A690
Wire assy. (trailer battery feed)	14A346
Wire assy. (trailer brake control switch)	14A348
Wire assy. (transistorized control selector indicator lamp feed)	15A808
Wire assy. (transistorized ignition system)	12071
Wire assy. (turn indicator extension)	13B308
Wire assy. (turn indicator jumper)	13A318
Wire assy. (voltage regulator extension)	105A45
Wire assy. (window regulator jumper)	14A630
Wire assy. (window regulator safety relay to circuit breaker)	14678
Wire & socket (instrument cluster control lamp)	10D839
Wire & socket assy. (clock or ash receptacle)	15026
Wire & terminal (steering shaft ground)	3B710

PART NAME	GROUP NUMBER
W - cont'd.	
Wire set (spark plug)	12259
Wire terminal kit	14294
Wiring (A/C blower switch feed)	19945
Wiring (front window regulator)	14630-1
Wiring (heater control)	18B604
Wiring (instrument cluster)	10B942
Wiring (interior lamp switch)	13A709
Wiring (luggage compt.)	14276
Wiring (radio receiver to rear seat speaker)	18A900
Wiring (rear quarter window regulator)	14A081, 14644
Wiring (rear window regulator)	14632-3
Wiring (rear window washer feed)	17A409
Wiring (roof console warning lamp indicator panel)	10B923
Wiring (starter motor circuit jumper extension)	11A103
Wiring (stereo tape player power feed)	19A065
Wiring (trailer wiring feed)	13A576
Wiring (trans. neutral switch)	7C078
Wiring (warning lamp indicator panel)	10B923
Wiring (windshield wiper switch to motor)	17B587, 17A622
Wiring (windshield wiper switch to ignition switch)	17A460
Wiring assy. (A/C)	19C603
Wiring assy. (A/C blower motor feed)	19949
Wiring assy. (A/C compressor clutch)	2A975
Wiring assy. (A/C compressor clutch feed jumper)	19D632
Wiring assy. (A/C temperature switch to blower switch)	19B572

INDEX

PART NAME	GROUP NUMBER
W- cont'd.	
Wiring assy. (A/C thermostat to clutch)	19A885
Wiring assy. (alternator to voltage regulator)	14305
Wiring assy. (back window regulator)	14687
Wiring assy. (back window regulator feed)	14683
Wiring assy. (body main)	14A005
Wiring assy. (brake skid control actuator)	2B516
Wiring assy. (brake skid control sensor adapter)	2B394
Wiring assy. (carb. idle speed-up control)	9H568
Wiring assy. (carb. throttle emission control solenoid)	9D857
Wiring assy. (charge indicator)	10A665
Wiring assy. (courtesy lamp switch extension)	13A724
Wiring assy. (courtesy or interior lamp switch)	13A709, 13B711
Wiring assy. (dash panel to ballast resistor)	14A273
Wiring assy. (dash panel to eng.)	14398
Wiring assy. (door lock solenoid)	14A412
Wiring assy. (door open warning lamp)	14790
Wiring assy. (emergency warning lamp)	15B581
Wiring assy. (eng. compt. lamp feed)	15A702
Wiring assy. (fuel pump)	9A350
Wiring assy. (fuel tank sender)	14406
Wiring assy. (generator to voltage regulator)	14305
Wiring assy. (headlamp leads)	13076
Wiring assy. (heater back window heat control)	18C617
Wiring assy. (heater back window heat feed)	18C619
Wiring assy. (heater blower switch jumper)	18A336
Wiring assy. (heater switch to blower motor)	18A586
Wiring assy. (horn)	13A341
Wiring assy. (ignition coil to distributor high tension)	12298
Wiring assy. (instrument cluster feed)	10817
Wiring assy. (instrument cluster warning indicator panel extension)	10C877
Wiring assy. (instrument panel)	14444
Wiring assy. (instrument panel to dash panel)	14401
Wiring assy. (interior lamp extension)	13B720
Wiring assy. (low fuel warning jumper)	14624
Wiring assy. (luggage compt. lamp)	19B516
Wiring assy. (luggage compt. remote control latch)	19D542
Wiring assy. (radio accessory connector)	19A118
Wiring assy. (radio rear seat speaker connector)	18A901
Wiring assy. (radio rear seat speaker extension)	14574
Wiring assy. (radio speaker)	19A041
Wiring assy. (radio speaker extension)	19A123
Wiring assy. (radio speaker jumper)	19A170
Wiring assy. (rear lamp)	14405
Wiring assy. (rear lamp connector)	13A409
Wiring assy. (rear lamp extension)	13A408
Wiring assy. (rear lamp jumper)	13A412

PART NAME	GROUP NUMBER
W- cont'd.	
Wiring assy. (rear window defogger)	180394, 18C487
Wiring assy. (rear window defogger switch feed)	18C496 18C538
Wiring assy. (roof exterior lamps)	14A018
Wiring assy. (seat belt warning)	10B925
Wiring assy. (seat regulator relay feed)	14A698
Wiring assy. (seat regulator switch to relay)	14A697
Wiring assy. (speed control connector)	9D821
Wiring assy. (stereo tape player to speaker)	18K825
Wiring assy. (stop lamp)	13K408
Wiring assy. (stop lamp relay)	13A573
Wiring assy. (stop lamp switch jumper)	13A427
Wiring assy. (tachometer)	17A299
Wiring assy. (throttle modulator control)	9E724
Wiring assy. (throttle modulator valve ground)	9E717
Wiring assy. (throttle modulator valve jumper)	9E754
Wiring assy. (top control)	15A659
Wiring assy. (top control relay to circuit breaker)	15A668
Wiring assy. (top control switch)	15A657
Wiring assy. (trans. overdrive solenoid to relay)	7A200
Wiring assy. (trans. seat belt warning sensor switch)	7E464
Wiring assy. (turn indicator)	13A341, 13A357
Wiring assy. (warning seat belt indicator lamp)	14A313
Wiring assy. (window regulator rear quarter)	14A081
Wiring assy. (window regulator rear switch feed)	14A027
Wiring assy. (window regulator safety relay to window regulator switch)	14A200
Wiring & bracket assy. (brake skid control speed sensor)	2B430
Wiring harness & circuit breaker (body main)	14A302
Wiring & junction block assy. (instrument panel)	14A032
Wiring & plug assy. (trailer lamp)	15436
Wiring & socket assy. (ash receptacle lamp)	13A726, 18981
Wiring & socket assy. (rear license lamp)	13412
Wiring & socket assy. (trans. selector indicator)	7B036
Worm gear & rack assy. (steering gear input)	3524
Wrench (battery venting socket)	17A126
Wrench (jack handle)	17032
Wrench (spare wheel lock bolt)	1A379
Wrench (wheel nut)	17032
Y	
Yoke (driveshaft center)	4784
Yoke (driveshaft centering socket)	4782

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

Included in the Paint Section are the following:

	Page No. U.S.	Page No. Canada
Paints, Thinners, etc., including		
Thinners and Reducers	1	2
Sealers and Undercoats	1	2
Rubbing Compounds	1	2
Specialties	1	2
Black and White Finishes	1	2
Lacquer & synthetic Enamels - Interior Paints	3,4	3,4
Engine Reconditioning-Paint	1	2
Lacquer & Synthetic Enamels-Exterior Paint-listed by Patent or Warranty Plate		
Body Color Code	5 thru 14	5 thru 14
Appearance & Maintenance Materials		
Paint & Refinishing Materials	15	18
Cleaners, Waxes & Polishes	15	18
Clear Vision Aids	15	18
Cooling System Aids	15	18
Motor Oil & Lubricants	15,16	19
Sealers & Adhesives	16,17	19,20
Special Products	17	20
Used Car Reconditioning Materials	21	22

LIQUID MEASURE

Most liquid measures listed in this catalog are in U.S. sizes; however, those measures which are specified for unique Canadian parts are in Canadian sizes.

The capacity in ounces for both U.S. & Canadian measures are specified below.

	1/2 pt.	Pint	Quart	Gallon
	(capacity in ounces)		(capacity in ounces)	
Canada	10	20	40	160
U.S.	8	16	32	128

PAINTS, THINNERS, ETC.

U.S. USAGE

DESCRIPTION	PART NUMBER
BLACK and WHITE FINISHES	
Chassis black-1 gal.can	B8A 1713-A
ENGINE RECONDITIONING - PAINT	
Clear-1 gal.	EP 50-G
Chevy Orange-1 qt.	EPC 1000-C
Buick Red-1 qt.	EPC 1001-C
Pontiac Blue-1 qt.	EPC 1002-C
Chrysler Blue-1 qt.	EPC 1003-C
Silver-1 qt.	EPC 1004-C
Ford Black-1 qt.	EP 1724-C
Ford Black-1 gal.	EP 1724-G
Corporate Blue-1 qt.	EP 2075-C
THINNERS and REDUCERS	
Leveler (over spray)-6 oz.spray can - not replaced (2-73)	★B7A 645-S
Lacquer thinner No. 2 (medium fast dry) - 5 gal. can	M14J 646-E
-55 gal. drum	M14J 646-H
Enamel reducer (for AE60 acrylic enamels)-1 gal. can	DL60 647-A
Acrylic thinner (for AR60 acrylic lacquers)-1 gal. can	AR60 647-A
Solvent retarder-general purpose--(for slowing evaporating time of acrylic lacquer or enamel thinners & reducers)-1 gal. can	AR60 648-C
Silicone Decontaminant (Fish Eye Killer)-1 qt. can	AE60 649-A
Tuluol (for organosol vinyl enamel)-1 qt.can	VO 542-A

DESCRIPTION	PART NUMBER
SEALERS and UNDERCOATS	
Sealer, acrylic enamel (non-sanding) --gray-1 gal.can	AE60 12-A
--red -1 gal.can	DL60 13-A
Sealer acrylic lacquer (non-sanding) --gray-1 gal.can	AR60 13-A
Lacquer primer-surfacer --dark gray -1 gal. can	M6J 12-D
--red -1 gal. can	M6J 13-D
--light gray -1 gal. can	M6J 13-E
--medium gray-6oz. spray can	M6J 12-S
Sealer (recoating)-1 qt. can	DL60 14-A
Interior primer-interior parts of electron cure coated ABS plastic - 16 oz. spray can	D1AZ 19000-A
RUBBING COMPOUNDS	
Compound (hand rubbing-water base)-1 gal. can	M 3789
Acrylic rubbing compound (for AR60 acrylic lacquers)-1 qt. -repl. by AR60 3789-B (10/74)	★AR60 3789-A
Mechanical wheel polishing compound-1 gal. can	AR60 3789-B
SPECIALTIES	
Silicone & wax remover-1 gal. can	DL60 3721-A
Acrylic lacquer (clear)-1 qt. can	AR60 50-C
Bonding coat (transfer film)-1 pt. can	M 4584
Solution (transfer film-water soluble)-1 pt. can	M 5412-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

PAINTS, THINNERS, ETC.

CANADIAN USAGE

DESCRIPTION	PART NUMBER
BLACK FINISHES	
Chassis black enamel (dull)-16 oz. spray bomb	CD2AZ 19500-AJ
ENGINE RECONDITIONING - PAINT	
Clear-1 gal. (U.S.)	EP 50-G
Chevy Orange-1 qt. (U.S.)	EPC 1000-C
Buick Red-1 qt. (U.S.)	EPC 1001-C
Pontiac Blue-1 qt. (U.S.)	EPC 1002-C
Chrysler Blue-1 qt. (U.S.)	EPC 1003-C
Silver-1 qt. (U.S.)	EPC 1004-C
Ford Black-1 qt. (U.S.)	EP 1724-C
Ford Black-1 gal. (U.S.)	EP 1724-G
Corporate Blue-1 qt. (U.S.)	EP 2075-C
Corporate Blue-16 oz. spray bomb	CD2AZ 19500-AB
Green-5 gal.	CB9AZ 19598-B
THINNERS and REDUCERS	
Lacquer thinner #600 (fast dry)-minor repair -1 gal.	* CC5AZ 19566-B
Lacquer thinner #650 (normal dry)-major repairs -1 gal.	* CC5AZ 19566-D
Lacquer thinner (exc. acrylic lacquers) -1 gal.	CBM 19567-C
-5 gal.	CBM 19567-A
Enamel reducer (for AE60 acrylic enamels)-1 gal. can (U.S.)	DL60 647-A
Alkyd enamel reducers-	
Hot & humid weather-1 gal.	CC0AZ 19566-A
-5 gal.	CC0AZ 19566-B
Fast drying below 70° F.-1 gal.	CBJ 19566-A
-5 gal.	CBJ 19566-B
Normal drying above 70° F.-1 gal.	CC5AZ 19566-E
-5 gal.	CC5AZ 19566-F
Leveller (over spray)-12 oz. spray can	CB7A 19500-Y
Silicone Decontaminant (Fish Eye Killer)-32 oz. can	AE60 649-A
Sila Chek - Silicone Decontaminant - (Fish Eye Eliminator) for acrylic enamel & lacquer-2 oz.	CD2AZ 649-A
Tuluol (for organosol vinyl enamel)-1 qt. can (U.S.)	VO 542-A
Solvent retarder-general purpose-- (for slowing evaporating time of acrylic lacquer or enamel thinners & reducers)-1 gal. can (U.S.)	AR60 648-C
Final car wash-thinner used to wash vehicle prior to painting-1 gal.	CD2AZ 19566-A

DESCRIPTION	PART NUMBER
SEALERS and UNDERCOATS	
Primer surfacers	
--red -1 qt.	CB9CZ 19574-A
--red -1 gal.	CB9CZ 19574-B
--gray-1 qt.	CB9CZ 19568-A
--gray-1 gal.	CB9CZ 19568-B
Lacquer primer-surfacer	
--dark gray-1 gal. (U.S.)	M6J 12-D
--red -1 gal. (U.S.)	M6J 13-D
Primer surfacer (for baked enamel or lacquer)-12 oz. spray can	CB7A 19500-W
Sealer, acrylic enamel (non-sanding) --red-1 gal. (U.S.)	DL60 13-A
Sealer, acrylic lacquer (non-sanding) --gray-1 gal. (U.S.)	AR60 13-A
Interior primer-interior parts of electron cure coated ABS plastic-16 oz. spray can	D1AZ 19000-A
RUBBING COMPOUNDS	
Acrylic rubbing compound-1 qt. (U.S.) - repl. by AR60 3789-B (10/74)	★AR60 3789-A
Mechanical wheel polishing compound-1 gal. can (U.S.)	AR60 3789-B
Acrylic enamel rubbing compound-3 lb. tin	CD2AZ 3789-A
SPECIALTIES	
Silicone & wax remover -1 gal. (U.S.)	DL60 3721-A
Acrylic lacquer (clear)-1 qt. (U.S.)	AR60 50-C

* For Canadian made acrylic paints only

LACQUERS and SYNTHETIC ENAMELS

INTERIOR PAINTS

PASSENGER AREA - LACQUER - 6 OZ. SPRAY CAN

U.S. USAGE

2ND DIGIT TRIM CODE	YEAR	COLOR NAME	PART NUMBER
	65/66	Blue Metallic (medium)	M 4J 4000-S
	67	Blue Metallic (dark)	M 4J 1847-S
B	68/	Blue Metallic (dark)	M 4J 1847-S
B	69/	Blue Metallic (medium)	M 4J 4000-S
C	72	Orange Metallic (medium)	M 4J 4041-S
E	71/	Vermillion Metallic (medium)	M 4J 4009-S
F	70/	Ginger (dark)	M 4J 3606-S
F	70/	Ginger (medium)	M 4J 3605-S
R	71/	Green Metallic (medium)	M 4J 4004-S
T	72	Beige Brown (medium)	M 4J 4025-S
T	72	Beige Brown (light)	M 4J 4028-S
T	72	Beige Brown (dark)	M 4J 4037-S
Y	71/	Gray Gold Metallic (light)	M 4J 4005-S
Z	72	Tobacco Metallic (dark)	M 4J 4018-S

PASSENGER AREA - LACQUER - 15 OZ. SPRAY CAN

U. S. and CANADIAN USAGE

2ND DIGIT TRIM CODE	YEAR	COLOR NAME	PART NUMBER
A	70/	Black	M 4J 1724-P
A	68/	Charcoal Black Metallic	M 4J 2083-P
B	68/	Blue Metallic (Dark)	M 4J 1847-P
B	69/	Blue Metallic (Medium)	M 4J 4000-P
B	71/	Blue Metallic (Medium)	M 4J 4021-P
C	72	Orange Metallic (Medium)	M 4J 4041-P
D	71/	Red Metallic (Dark)	M 4J 4020-P
F	70/	Ginger (Medium)	M 4J 3605-P
F	70/	Ginger (Dark)	M 4J 3606-P
G	72	Avocado (Light)	M 4J 4029-P
R	71/	Green Metallic (Medium)	M 4J 4004-P
R	71/	Green Metallic (Dark)	M 4J 4006-P
R	72	Green (Medium)	M 4J 4032-P
T	72	Beige Brown (Light)	M 4J 4028-P
T	72	Beige Brown (Dark)	M 4J 4037-P
U	72	Tan (Medium)	M 4J 4043-P
W	69/	White	M 4J 3290-P
Z	72	Tobacco Metallic (Dark)	M 4J 4018-P

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

LACQUERS and SYNTHETIC ENAMELS

INTERIOR PAINTS

PASSENGER AREA - ENAMEL - 1/2 PINT CAN

CANADIAN USAGE

1ST DIGIT TRIM CODE	YEAR	COLOR NAME	PART NUMBER
6	65	Black	M21J 1724-SE

YEAR	COLOR NAME	PART NUMBER
66/67	Aqua Metallic (Light)	M1J 1830
66	Aqua Metallic (Medium)	M1J 1849
67	Aqua Metallic (Dark)	M1J 1848
67	Beige Metallic (Dark)	M1J 3023
66	Black	M21J 1724-SE
66/67	Blue Metallic (Light)	M1J 1842
67	Blue Metallic (Dark)	M1J 1847
67	Charcoal Black Metallic	M1J 2083

YEAR	COLOR NAME	PART NUMBER
66/67	Ivy Gold Metallic (Light)	M1J 1973
67	Ivy Gold Metallic (Dark)	M1J 2086
67	Parchment (Light)	M1J 2085
66/67	Red Metallic	M1J 1968
67	Red Metallic (Dark)	M1J 2082
67	Saddle (Medium)	M1J 2089
67	Saddle Metallic (Dark)	M1J 2088
67	Silver Metallic (Light)	M1J 1972
67	Silver Metallic (Dark)	M1J 2087

2ND DIGIT TRIM CODE	YEAR	COLOR NAME	PART NUMBER
A	68/	Charcoal Black Metallic	M1J 2083
A	69/	Black	M21J 1724-SE
B	68/69	Blue Metallic (Light)	M1J 1842
B	68/	Blue Metallic (Dark)	M1J 1847
B	70/	Blue Metallic (Medium)	M1J 4000
B	71/	Blue Metallic (Medium)	M1J 4021
D	68/69	Red Metallic (Dark)	M1J 2082
D	70/71	Red Metallic (Dark)	M1J 3602
D	71/	Red Metallic (Dark)	M1J 4020
E	70	Vermilion Metallic	M1J 3604
E	71/	Vermilion Metallic (Medium)	M1J 4009
F	68	Saddle (Medium)	M1J 2089
F	68	Saddle Metallic (Dark)	M1J 2088
F	70/	Ginger (Medium)	M1J 3605
F	70/	Ginger (Dark)	M1J 3606
G	68	Ivy Gold Metallic (Light)	M1J 1973
G	68/69	Ivy Gold Metallic (Dark)	M1J 2086
G	70	Ivy Green Metallic (Dark)	M1J 3610
G	70	Ivy Green Metallic (Medium)	M1J 3608

2ND DIGIT TRIM CODE	YEAR	COLOR NAME	PART NUMBER
K	68/70	Aqua Metallic (Light)	M1J 1830
K	68/69	Aqua Metallic (Dark)	M1J 1848
K	69/70	Aqua Metallic (Medium)	M1J 1849
L	68	Silver Metallic (Light)	M1J 1972
L	68	Silver Metallic (Dark)	M1J 2087
R	71/	Green Metallic (Medium)	M1J 4004
R	71/	Green Metallic (Dark)	M1J 4006
T	72	Beige Brown (Medium)	*M4J 4025-S
T	72	Beige Brown (Light)	*M4J 4028-S
T	72	Beige Brown (Dark)	*M4J 4037-S
U	68	Parchment (Light)	M1J 2085
U	68	Parchment (Medium)	M1J 3023
W	69/	White	M1J 3290
Y	69	Nugget Gold Metallic (Dark)	M1J 3283
Y	70	Nugget Gold Metallic (Medium)	M1J 3356
Y	71/	Gray Gold Metallic (Light)	M1J 4005
Y	71/	Gray Gold Metallic (Medium)	M1J 4008
Z	70/71	Tobacco (Dark)	M1J 3616
Z	72	Tobacco Metallic (Dark)	M1J 4018

• ORGANOSOL VINYL ENAMEL - 1 QUART CAN

U.S. and CANADIAN USAGE

YEAR	COLOR NAME	PART NUMBER
67/69	Blue Metallic (dark)	VO 1847-C
72	Blue Metallic (medium)	VO 4021-C
67/	Charcoal Black Metallic	VO 2083-C
70/	Ginger Metallic	VO 3605-C
71/	Green Metallic (medium)	VO 4004-C
65	Ivy Gold (light)	VO 1886-C

YEAR	COLOR NAME	PART NUMBER
67/69	Ivy Gold Metallic (dark)	VO 2086-C
65	Ivy Gold Metallic (light)	VO 1819-C
65	Palomino (light)	VO 1820-C
65	Turquoise (light)	VO 1885-C
65	Turquoise Metallic (light)	VO 1844-C
69	White	VO 3290-C

LUGGAGE COMPARTMENT AREA - SPATTER PAINT

U.S. USAGE

YEAR	COLOR NAME	PART NUMBER
65/	Light Gray-1 qt. can	SP 1892-C
65/	Light Gray-1 gal.	SP 1892-G

YEAR	COLOR NAME	PART NUMBER
66/	Turquoise-1 qt. can	SP 1950-C
66/	Turquoise-1 gal.	SP 1950-G
70/	Dark Gray	SP 3639-C

TRUNK INTERIORS - SPATTER PAINT

CANADIAN USAGE

YEAR	COLOR NAME	PART NUMBER
65/	Gray/White flecks-1 gal.	CC5AZ 19505-A
65/	Black/White flecks-1 gal.	CC5AZ 19505-C
70/	Dark Gray-1 qt. can (U.S.)	SP 3639-C

YEAR	COLOR NAME	PART NUMBER
67	Turquoise-1 qt. can (U.S.)	SP 1950-C
67	Turquoise-1 gal. (U.S.)	SP 1950-G

* 6 oz. Spray Lacquer only • (Low Bake) - For Resurfacing Interior Textured or Smooth Steel Surface.

LACQUERS and SYNTHETIC ENAMELS

EXTERIOR PAINTS

CODE *	YEAR	NAME * SHOWN ON WARRANTY PLATE	U.S. PART NUMBER 3-OZ.	SUFFIX QT.	SUFFIX 6 OZ. SPRAY	CANADA PART NUMBER ALKYD ENAMEL QT. (40 OZ.)	CANADA PART NUMBER ACRYLIC ENAMEL QT. (32 OZ.)
		ACRYLIC ENAMEL					
1	70/71	Calypso Coral	AE60 1730-A	C	S	M1J 1730	AE60 1730-C
1	72	(Bronco)					
1A	72	Light Gray Metallic	AE60 5100-A	C	S	M1J 5100	AE60 5100-C
1C	72	Black	AE60 1724-A	C	S	M30J 1724-SE	AE60 1724-C
2	67	Yellow				M1J 1633	
2	69/70	Light Ivy Yellow	AE60 3071-A		S	M1J 3071	
▲	68	(Mustang)					
2	71	Medium Tan (T/Bird)	AE60 5003-A	C	S	M1J 5003	AE60 5003-C
2	71	Medium Goldenrod Yellow (Bronco)	AE60 3492-A	C	S	M1J 3492	AE60 3492-C
2	71	Medium Bright Yellow (exc. T/Bird & Bronco)	AE60 5080-A	C	S		AE60 5080-C
2	72	Maroon (Bronco)	AE60 3059-A	C	S		AE60 3059-C
2A	72	Calypso Coral	AE60 1730-A	C	S	M1J 1730	AE60 1730-C
2B	72	Bright Red	AE60 3560-A	C	S	M1J 3560	AE60 3560-C
2E	72	Red	AE60 2008-A	C	S	M1J 2008	AE60 2008-C
2G	72	Medium Red Metallic	AE60 5070-A	C	S	M1J 5070	AE60 5070-C
2J	72	Maroon	AE60 3059-A	C	S		AE60 3059-C
3	65	Vermilion	AE60 1730-A	C	S	M1J 1730	AE60 1730-C
3	69	(Mustang)					
3	70	Vermilion Metallic (Maverick)				M1J 3331	
3	70	Blue Metallic (Ford)				M1J 8821	
3	71	Bright Red (exc. Bronco)	AE60 3560-A	C	S	M1J 3560	AE60 3560-C
3	71/	Medium Bright Aqua (Bronco)	AE60 5006-A	C	S	M1J 5006	AE60 5006-C
3B	72	Light Blue	AE60 3429-A	C	S	M1J 3429	AE60 3429-C
3C	72	Lacquer only-refer to Lacquer Paint group					
3D	72	Medium Blue Metallic	AE60 5087-A	C	S	M1J 5087	AE60 5087-C
3F	72	Grabber Blue	AE60 3657-A	C	S	M1J 3657	AE60 3657-C
3H	72	Dark Blue Metallic	AE60 5088-A	C	S	M1J 5088	AE60 5088-C
3J	72	Bright Blue Metallic	AE60 3077-A	C	S	M1J 3077	AE60 3077-C
3K	72	Bright Blue Metallic	AE60 5210-A	C	S	M1J 5210	AE60 5210-C
4	66/67	Medium Gray Metallic				M1J 1901	
4	69	Medium Emerald Metallic				M1J 3230	
4	71	Bright Lime (exc. Bronco)	AE60 5022-A	C	S	M1J 5022	AE60 5022-C
4	71	Dark Red (Bronco)	AE60 3426	C	S		AE60 3426-C
4A	72	Pastel Lime	AE60 5023-A	C	S	M1J 5023	AE60 5023-C
4B	72	Bright Green Gold Metallic	AE60 5025-A	C	S	M1J 5025	AE60 5025-C
4C	72	Ivy Bronze Metallic	AE60 5072-A	C	S		AE60 5072-C
4D	72	Medium Ivy Bronze Metallic	AE60 5069-A	C	S	M1J 5069	AE60 5069-C
4E	72	Bright Lime	AE60 5022-A	C	S	M1J 5022	AE60 5022-C
4F	72	Medium Lime Metallic	AE60 5021-A	C	S	M1J 5021	AE60 5021-C
4G	72	Lacquer only-refer to Lacquer Paint group					
4P	72	Medium Green Metallic	AE60 3462-A	C	S	M1J 3462	AE60 3462-C
4Q	72	Dark Green Metallic	AE60 3542-A	C	S	M1J 3542	AE60 3542-C
4S	72	Light Green	AE60 5060-A	C	S	M1J 5060	AE60 5060-C
4U	72	Bright Lime Gold Metallic	AE60 5212-A	C	S	M1J 5212	AE60 5212-C
5	68/69	Low Gloss Black (Mustang tutone-hood-cowl-rear deck area)	AE60 1724		GS	M1J 1724-GC	
5	70	Ginger Metallic (exc. Bronco)	AE60 3564-A	C	S	M1J 3564	AE60 3564-C
5	70	Platinum (Bronco)	AE60 921-A	C	S	M30J 921-SE	AE60 921-C
5	71	Medium Ginger Metallic	AE60 3564-AA	CA	SA	M1J 3564-CA	AE60 3564-CA
5A	72	Light Pewter Metallic	AE60 3314-A	C	S	M1J 3314	AE60 3314-C
5C	72	Ginger Bronze Metallic	AE60 5008	C			AE60 5008-C
5D	72	Ginger Bronze Metallic	AE60 5102-A	C	S	M1J 5102	AE60 5102-C
5F	72	Dark Brown Metallic	AE60 5099-A	C	S	M1J 5099	AE60 5099-C

▲ 1968 with warranty plate color code stamped "1969"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

LACQUERS and SYNTHETIC ENAMELS

EXTERIOR PAINTS

CODE *	YEAR	NAME * SHOWN ON WARRANTY PLATE	U.S. PART NUMBER 3-OZ.	U.S. SUFFIX QT.	U.S. SUFFIX 6 OZ. SPRAY	CANADA PART NUMBER ALKYD ENAMEL QT. (40 OZ.)	CANADA PART NUMBER ACRYLIC ENAMEL QT. (32 OZ.)
		ACRYLIC ENAMEL - continued					
5G	72	Lacquer only-refer to Lacquer Paint group					
5H	72	Medium Ginger Metallic -Note 1	AE60 3564-AB	CB	SB	M1J 3564-CB	AE60 3564-CB
5H	72	Medium Ginger Metallic-Note 2	AE60 3564-AA	CA	SA	M1J 3564-CA	AE60 3564-CA
5J	72	Medium Ginger Bronze Metallic	AE60 5071-A	C	S	M1J 5071	AE60 5071-C
5L	72	Medium Tan	AE60 5003-A	C	S	M1J 5003	AE60 5003-C
5N	72	Medium Orange Metallic	AE60 5146-A	C	S		AE60 5146-C
6 6	67/68 69	Light Beige (Bronco)	AE60 1631-A		S		AE60 1631-C
6 6 6	69 70 71	Medium Blue Metallic (Mustang) (Exc. Bronco)	AE60 3077-A	C	S	M1J 3077	AE60 3077-C
6	71/	Bright Medium Blue (Bronco)	AE60 5004-A	C	S	M1J 5004	AE60 5004-C
6B	72	Light Goldenrod Yellow	AE60 3565-A	C	S	M1J 3565	AE60 3565-C
6C	72	Medium Goldenrod Yellow	AE60 3492-A	C	S	M1J 3492	AE60 3492-C
6D	72	Yellow	AE60 3341-A	C	S	M1J 3341	AE60 3341-C
6E	72	Medium Bright Yellow	AE60 5080-A	C	S		AE60 5080-C
6F	72	Bright Yellow Gold Metallic	AE60 5079-A	C	S	M1J 5079	AE60 5079-C
6G	72	Bright Yellow Gold Metallic	AE60 5086-A	C	S	M1J 5086	AE60 5086-C
6J	72	Medium Gray Gold Metallic	AE60 1736-AA	CA	SA	M1J 1736-CA	AE60 1736-CA
7	67/70	Dark Blue (Bronco)	AE60 2098-A	C	S	M1J 2098	AE60 2098-C
7	70	Medium Peppermint Metallic (Exc. Bronco)	AE60 3312-A				
7	71	Maroon	AE60 3059-A	C	S		AE60 3059-C
8	65/67	Yellow				M1J 1955	
8 8	69 70	Light Blue (Maverick)	AE60 3190-A			M1J 3190	
8 8	70 71	Light Gold (exc. Maverick)	AE60 3198-A		S	M1J 3198	
8	72	Yellow (Bronco)	AE60 3341-A	C	S	M1J 3341	AE60 3341-C
9	69	Yellow				M1J 3217	
9	70	Light Yellow	AE60 3120-A				
9	71	Medium Peppermint Metallic	AE60 3312-A				
9A	72	White	AE60 1619-A	C	S	M1J 1619	AE60 1619-C
9C	72	Cream White	AE60 5289-A	C	S		AE60 5289-C
39	71	Ginger Bronze Metallic	AE60 5008	C			AE60 5008-C
89	70	Lacquer only-refer to Lacquer Paint group					
A	65/71	Black	AE60 1724-A	C	S	M30J 1724-SE	AE60 1724-C
B	65	Black (Canada only)				M30J 1724-SE	
B	67	Light Aqua				M1J 1734	
B B	68/69 70	Maroon (Bronco)	AE60 3059-A	C	S		AE60 3059-C
B	70	Dark Maroon (exc. Bronco)				M1J 3316	
B	71	Maroon Metallic (exc. Bronco)	AE60 3562-A		S		
B	71	Medium Blue Metallic (Bronco)	AE60 5108	C	S		AE60 5108-C
B	72	Light Blue (Bronco)	AE60 3429-A	C	S	M1J 3429	AE60 3429-C
C	65	White (Pace Car)	AR60 1525	C			
C C	66 72	Pure White (Bronco) (Bronco)	AE60 1525-A	C	S		AE60 1525-C
C	67	Dark Gray Metallic (T/Bird)				M1J 1900	
C C	69 70	Dark Ivy Green Metallic (Maverick) "Before 10/1/69"	AE60 3197-A				
C C	70 70	Dark Ivy Green Metallic (exc. Maverick) (Maverick) "From 10/1/69"	AE60 3323-A				
C	71	Dark Green Metallic	AE60 3542-A	C	S	M1J 3542	AE60 3542-C
C9	71	Medium Red Metallic	AE60 5070-A	C	S	M1J 5070	AE60 5070-C

NOTE 1 - Except units built at Los Angeles or San Jose

NOTE 2 - Units built at Los Angeles or San Jose

LACQUERS and SYNTHETIC ENAMELS

EXTERIOR PAINTS

CODE *	YEAR	NAME * SHOWN ON WARRANTY PLATE	U.S. PART NUMBER 3-OZ.	SUFFIX QT.	SUFFIX 6 OZ SPRAY	CANADA PART NUMBER ALKYD ENAMEL QT. (40 OZ.)	CANADA PART NUMBER ACRYLIC ENAMEL QT. (32 OZ.)
		ACRYLIC ENAMEL - continued					
D	66/68	Medium Turquoise (Bronco)				M1J 1638	
D	67/68	Bright Blue Metallic (Mustang)	AE60 3077-A	C	S	M1J 3077	AE60 3077-C
D	69	Pastel Gray				M1J 3303	
D	70	Bright Yellow (exc. Bronco)				M1J 3470	
D	71						
D	70	Light Yellow (Bronco)	AE60 3439-A	C	S	M1J 3439	AE60 3439-C
D9	71	Lacquer only-refer to Lacquer Paint group					
E	67/68	Medium Beige Metallic (T/Bird)				M1J 2045	
E	68/69	Light Blue (Bronco)	AE60 1906-A		S	M1J 1906	
E	70						
E	71	(Bronco)					
E	69	Light Aqua (exc. Bronco)	AE60 3191-A			M1J 3191	
E	71	Medium Goldenrod Yellow (exc. Bronco)	AE60 3492-A	C	S	M1J 3492	AE60 3492-C
E9	71	Medium Ivy Bronze Metallic	AE60 5069-A	C	S	M1J 5069	AE60 5069-C
F	65	Light Blue (T/Bird)				M1J 1226	
F	66/67						
F	68/69	Dark Aqua Metallic	AE60 3065-A		S	M1J 3065	
F	70	(Exc. Bronco)					
F	70/71	Light Beige (Bronco)	AE60 3466		S		
F	71	Medium Blue Metallic (Ford)	AE60 5087-A	C	S	M1J 5087	AE60 5087-C
G	65	Silver Smoke Gray Metallic (Canada only)					M2J 1621
G	66/	Chrome Yellow (Bronco)	AE60 1526-A	C	S		AE60 1526-C
H	65	Arcadian Blue (Canada only)				M1J 1226	
H	67/69	Light Green (T/Bird)	AE60 2067-A			M1J 2067	
H	69	Medium Copper Orange (Bronco)				M1J 3218	
H	71	Light Green	AE60 3472-A		S		
I	67/70	Medium Lime Metallic	AE60 2041-A		S	M1J 2041	
I	71	Bright Lime Green	AE60 5001-A		S		
J	65	Red	AE60 1515-A	C	S	M30J 1515-SE	AE60 1515-C
J	66/68	(Bronco)					
J	70	Grabber Blue (exc. T/Bird)	AE60 3657-A	C	S	M1J 3657	AE60 3657-C
J	71						
K	66/67	Dark Blue Metallic	AE60 1903-A		S		
K	69	Dark Orchid Metallic (T/Bird)				M1J 3204	
K	69	Yellow (Bronco)				M1J 3217	
K	70	Yellow Metallic	AE60 3340-A			M1J 3340	
K	71	Dark Slate Gray Metallic (T/Bird)				M1J 3346	
K	71	Medium Ivy Green (Bronco)	AE60 3150-A	C	S	M1J 3150	AE60 3150-C
K	72	Medium Goldenrod Yellow (Bronco)	AE60 3492-A	C	S	M1J 3492	AE60 3492-C
L	66/68	Dark Green (Bronco)	AE60 1237-A	C	S	M30J 1237-SE	AE60 1237-C
L	68	Medium Gray Metallic (T/Bird)				M1J 3060	
L	70	Light Gray Metallic				M1J 3318	
M	65	Twilight Turquoise (Canada only)				M1J 1731	
M	65/71	White	AE60 1619-A	C	S	M1J 1619	AE60 1619-C
M	72	(Bronco)					
N	65	Platinum	AE60 921-A	C	S	M30J 921-SE	AE60 921-C
N	66	(T/Bird)					
N	67/68						
N	69	(T/Bird)					
N	70	(Exc. Bronco)					
N	71						
O	68	Light Green (exc. Bronco)				M1J 2040	
O	70	Burnt Orange Metallic	AE60 3202-A			M1J 3202	
O	71	Light Goldenrod Yellow (exc. Bronco)	AE60 3565-A	C	S	M1J 3565	AE60 3565-C
O	71	Light Green (Bronco)	AE60 3472-A		S		
O	72	Medium Green Metallic (Bronco)	AE60 5187-A	C	S	M1J 5187	AE60 5187-C

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

LACQUERS and SYNTHETIC ENAMELS

EXTERIOR PAINTS

CODE •	YEAR	NAME • SHOWN ON WARRANTY PLATE	U.S. PART NUMBER 3-OZ.	SUFFIX QT.	SUFFIX 6 OZ. SPRAY	CANADA PART NUMBER ALKYD ENAMEL QT. (40 OZ.)	CANADA PART NUMBER ACRYLIC ENAMEL QT. (32 OZ.)
		ACRYLIC ENAMEL - continued					
P	67/68	Pewter Metallic (T/Bird)				M1J 2065	
P	68/70	Medium Ivy Green (Bronco)	AE60 3150-A	C	S	M1J 3150	AE60 3150-C
P	70	Medium Ivy Green Metallic (exc. Bronco)	AE60 3401-A		S		
P	71	Medium Green Metallic	AE60 3462-A	C	S	M1J 3462	AE60 3462-C
Q	65/69	Medium Blue Metallic	AE60 1624-A	C	S		AE60 1624-C
Q	70	(Maverick) "Before 10/1/69"					
Q	70	Medium Blue Metallic (exc. Maverick)	AE60 3319-A				
Q	70	(Maverick) "From 10/1/69"					
Q	72	Light Yellow Green (Bronco)	AE60 5060-A	C	S	M1J 5060	AE60 5060-C
R	65	Rangoon Red (Canada only)				M30J 1515-SE	
R	68	Dark Green Metallic	AE60 3067-A			M1J 3067	
R	69	Light Gold	AE60 3198-A		S	M1J 3198	
R	70/71	Dark Brown Metallic (T/Bird)	AE60 3342-A			M1J 3342	
R	72	Medium Ginger Metallic (Bronco)	AE60 5186-A	C	S	M1J 5186	AE60 5186-C
S	66/67	Vermilion (Bronco)	AE60 1730-A	C	S	M1J 1730	AE60 1730-C
S	69/70	Medium Gold Metallic	AE60 3199-A		S		
▲	68	(Mustang)					
S	71	Medium Gray Gold Metallic (exc. Bronco)	AE60 1736-AA	CA	SA	M1J 1736-CA	AE60 1736-CA
S	71	Lime Gold Metallic (Bronco)	AE60 5109	C	S	M1J 5109	AE60 5109-C
T	65	Light Beige	AE60 1631-A	C	S		
T	66/71	Red	AE60 2008-A	C	S	M1J 2008	AE60 2008-C
T	72	(Bronco)					
U	65/69	Medium Aqua Metallic (exc. Bronco)				M1J 1070	
U	67/69	Medium Green (Bronco)	AE60 2097		S		
V	67	Bronze Metallic				M1J 2066	
V	68	Light Blue				M1J 3062	
V	69	Light Aurora Copper Metallic				M1J 3201	
V	71	Light Pewter Metallic (exc. Bronco)	AE60 3314-A	C	S	M1J 3314	AE60 3314-C
V	71/	Dark Green (Bronco)	AE60 5005-A	C	S	M1J 5005	AE60 5005-C
W	65	White (Canada only)				M1J 1619	
W	67	Medium Aqua Metallic				M1J 1908	
W	68/69	Yellow	AE60 3120-A				
W	70	(Maverick)					
W	70	Yellow (Ford)	AE60 3341-A	C	S	M1J 3341	AE60 3341-C
W	71						
W	72	Medium Blue Metallic (Bronco)	AE60 5108	C	S		AE60 5108-C
X	65/67	Maroon Metallic				M1J 1632	
X	68/69	Dark Blue Metallic	AE60 3061-A				
X	70	Dark Blue				M1J 3063	
X	71	Dark Blue Metallic (exc. Bronco)	AE60 1903-A		S		
X	71	Light Ginger Metallic (Bronco)	AE60 5107		S		
Y	67	Dark Green Metallic	AE60 2039	C		M1J 2039	AE60 2039-C
Y	68	Medium Gold Metallic				M1J 3037	
Y	69/70	Medium Aqua (Bronco)	AE60 3216		S	M1J 3216	
Y	69	Burnt Orange Metallic (exc. Bronco)	AE60 3202-A			M1J 3202	
Y	70	(Maverick)					
Y	71	Dark Blue Metallic (Ford)	AE60 5088-A	C	S	M1J 5088	AE60 5088-C
Y	72	Medium Mallard Green Metallic (Bronco)	AE60 5019		S		
Z	66/67	Medium Sage Gold Metallic				M1J 1915	
Z	68	Signal Flare Red (Bronco)				M1J 2025	
Z	68/69	Dark Gray Metallic (T/Bird)				M1J 2044	
Z	70	Dark Slate Gray Metallic (T/Bird)				M1J 3346	
Z	71	Grabber Green Metallic	AE60 5002-A		S		
Z	72	Light Copper Metallic (Bronco)	AE60 5035-A	C	S	M1J 5035	AE60 5035-C

▲ 1968 with warranty plate color code stamped "1969"

LACQUERS and SYNTHETIC ENAMELS

EXTERIOR PAINTS

CODE *	YEAR	NAME * SHOWN ON WARRANTY PLATE	U.S. PART NUMBER QUART (32 OZ.)		CANADA PART NUMBER QUART (40 OZ.)	CANADA PART NUMBER SPRAY BOMB (6 OZ.)
		ACRYLIC REPAIR - LACQUER				
1	70/71	Calypso Coral	AR60 1730-C			CC5ZZ 19500-A
1	72	(Bronco)				
1A	72	Light Gray Metallic	AR60 5100-C			CD2AZ 19500-J
1C	72	Black	AR60 1724-C			CC6AZ 19500-A
2	69/70	Light Ivy Yellow				CC9AZ 19500-B
▲	68	(Mustang)				
2	71	Medium Tan (T/Bird)	AR60 5003-C			CD1AZ 19500-N
2	71	Medium Goldenrod Yellow (Bronco)	AR60 3492-C			CD1AZ 19500-M
2	71	Medium Bright Yellow (exc. T/Bird & Bronco)	AR60 5080-C			CD2AZ 19500-E
2	72	Maroon (Bronco)	AR60 3059-C			CC8AZ 19500-F
2A	72	Calypso Coral	AR60 1730-C			CC5ZZ 19500-A
2B	72	Bright Red	AR60 3560-C			CD1AZ 19500-A
2E	72	Red	AR60 2008-C			CC6AZ 19500-C
2G	72	Medium Red Metallic	AR60 5070-C		@AR60 5070-C	
2J	72	Maroon	AR60 3059-C			CC8AZ 19500-F
3	69	Vermilion (Mustang)	AR60 1730-C			CC5ZZ 19500-A
3	70	Vermilion Metallic (Maverick)				CD0AZ 19500-B
3	71	Bright Red (exc. Bronco)	AR60 3560-C			CD1AZ 19500-A
3	71/	Medium Bright Aqua (Bronco)	AR60 5006-C			
3B	72	Light Blue	AR60 3429-C			CD2AZ 19500-A
3C	72	Medium Blue Metallic	AR60 5007-C		@AR60 5007-C	
3D	72	Medium Blue Metallic	AR60 5087-C			CD2AZ 19500-F
3F	72	Grabber Blue	AR60 3657-C			CD0AZ 19500-Y
3H	72	Dark Blue Metallic	AR60 5088-C			CD2AZ 19500-G
3J	72	Bright Blue Metallic	AR60 3077-C			CC7AZ 19500-G
3K	72	Bright Blue Metallic	AR60 5210-C		@AR60 5210-C	CD3AZ 19500-E
4	66/67	Medium Silver Metallic				CC6AZ 19500-P
4	69	Medium Emerald Metallic				CC9AZ 19500-N
4	71	Bright Lime (exc. Bronco)	AR60 5022-C			CD1AZ 19500-U
4A	72	Pastel Lime	AR60 5023-C			
4B	72	Bright Green Gold Metallic	AR60 5025-C			CD2AZ 19500-D
4C	72	Ivy Bronze Metallic	AR60 5072-C		@AR60 5072-C	CD2AZ 19500-M
4D	72	Medium Ivy Bronze Metallic	AR60 5069-C		@AR60 5069-C	
4E	72	Bright Lime	AR60 5022-C			CD1AZ 19500-U
4F	72	Medium Lime Metallic	AR60 5021-C			CD2AZ 19500-B
4P	72	Medium Green Metallic	AR60 3462-C			CD1AZ 19500-E
4Q	72	Dark Green Metallic	AR60 3542-C			CD1AZ 19500-F
4S	72	Light Green	AR60 5060-C			
4U	72	Bright Lime Gold Metallic	AR60 5212-C		@AR60 5212-C	
5	70	Ginger Metallic (exc. Bronco)	AR60 3564-C			CD0AZ 19500-W
5	70	Platinum (Bronco)	AR60 921-C			CC8AZ 19500-A
5	71	Medium Ginger Metallic	AR60 3564-CA			CD1AZ 19500-S
5A	72	Light Pewter Metallic	AR60 3314-C			CD1AZ 19500-P
5C	72	Ginger Bronze Metallic	AR60 5008-C		@AR60 5008-C	
5D	72	Ginger Bronze Metallic	AR60 5102-C		@AR60 5102-C	
5F	72	Dark Brown Metallic	AR60 5099-C			CD2AZ 19500-H
5G	72	Light Copper Metallic	AR60 5105-C		@AR60 5105-C	
5H	72	Medium Ginger Metallic-Note 1	AR60 3564-CB			CD2AZ 19500-N
5H	72	Medium Ginger Metallic-Note 2	AR60 3564-CA			CD1AZ 19500-S
5J	72	Medium Ginger Bronze Metallic	AR60 5071-C		@AR60 5071-C	CD2AZ 19500-K
5L	72	Medium Tan	AR60 5003-C			CD1AZ 19500-N
5N	72	Medium Orange Metallic	AR60 5146-C			

▲ 1968 with warranty plate color code stamped "1969"

@ U. S. quart (32 oz.)

NOTE 1 - Except units built at Los Angeles or San Jose

NOTE 2 - Units built at Los Angeles or San Jose

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

LACQUERS and SYNTHETIC ENAMELS

EXTERIOR PAINTS

CODE *	YEAR	NAME * SHOWN ON WARRANTY PLATE	U.S. PART NUMBER QUART (32 OZ.)		CANADA PART NUMBER QUART (40 OZ.)	CANADA PART NUMBER SPRAY BOMB (6 OZ.)
		ACRYLIC REPAIR - LACQUER - continued				
6	67/68	Light Beige				CC7AZ 19500-D
6	69	(Bronco)				
6	69	Medium Blue Metallic (Mustang)	AR60 3077-C			CC7AZ 19500-G
6	70					
6	71	(Exc. Bronco)				
6	71/	Bright Medium Blue (Bronco)	AR60 5004-C			
6B	72	Light Goldenrod Yellow	AR60 3565-C			CD1AZ 19500-L
6C	72	Medium Goldenrod Yellow	AR60 3492-C			CD1AZ 19500-M
6D	72	Yellow	AR60 3341-C			CD0AZ 19500-K
6E	72	Medium Bright Yellow	AR60 5080-C			CD2AZ 19500-E
6F	72	Bright Yellow Gold Metallic	AR60 5079-C		@AR60 5079-C	CD2AZ 19500-L
6G	72	Bright Yellow Gold Metallic	AR60 5086-C		@AR60 5086-C	
6J	72	Medium Gray Gold Metallic	AR60 1736-CA			CD1AZ 19500-K
7	67/70	Dark Blue (Bronco)	AR60 2098-C			
7	70	Medium Peppermint Metallic (exc. Bronco)				CD0AZ 19500-A
7	71	Maroon	AR60 3059-C			CC8AZ 19500-F
8	65/67	Yellow				CC6AZ 19500-Q
8	69	Light Blue				CC9AZ 19500-C
8	70	(Maverick)				
8	70	Light Gold (exc. Maverick)				CC9AZ 19500-G
8	71					
8	72	Yellow (Bronco)	AR60 3341-C			CD0AZ 19500-K
9	70	Yellow				CC8AZ 19500-Q
9	71	Medium Peppermint Metallic				CD0AZ 19500-A
9A	72	White	AR60 1619-C			CC6AZ 19500-B
9C	72	Cream White	AR60 5289-C			
39	71	Medium Ginger Bronze Metallic	AR60 5008-C		@AR60 5008-C	
		Ginger Metallic "From 4/21/70" beginning with serial No. 126239	NOTE 1		NOTE 1	
A	65/71	Black	AR60 1724-C			CC6AZ 19500-A
B	67	Light Aqua				
B	68/69	Maroon	AR60 3059-C			CC8AZ 19500-F
B	70	(Bronco)				
B	70	Dark Maroon (exc. Bronco)				CD0AZ 19500-D
B	71	Maroon Metallic (exc. Bronco)				CD1AZ 19500-B
B	71	Medium Blue Metallic (Bronco)				
B	72	Light Blue	AR60 3429-C			CD2AZ 19500-A
C	65	White (Pace Car)	AR60 1525-C			
C	66	(Bronco)				
C	72	(Bronco)				
C	69	Dark Ivy Green Metallic				CC9AZ 19500-F
C	70	(Maverick) "Before 10/1/69"				
C	70	Dark Ivy Green Metallic (exc. Maverick)				CD0AZ 19500-R
C	70	(Maverick) "From 10/1/69"				
C	71	Dark Green Metallic	AR60 3542-C			CD1AZ 19500-F
C9	71	Medium Red Metallic	AR60 5070-C		@AR60 5070-C	
D	65	Ivy Green (Canada only)				CC5AZ 19500-G
D	67/68	Bright Blue Metallic (Mustang)	AR60 3077-C			CC7AZ 19500-G
D	69	Pastel Gray				CC9AZ 19500-P
D	70	Bright Yellow (exc. Bronco)	AR60 3470-C			CD0AZ 19500-L
D	71					

NOTE 1 - Refinishing materials and instructions may be obtained in kit form from Ford Motor Co. Industrial & Chemical Products Division Automotive Paint Sales Department Paint Operations, 400 Groesbeck Highway P.O. Box 128 Mt. Clemens, Mich. 48043

@ U. S. quart (32 oz.)

LACQUERS and SYNTHETIC ENAMELS

EXTERIOR PAINTS

CODE *	YEAR	NAME * SHOWN ON WARRANTY PLATE	U.S. PART NUMBER QUART (32 OZ.)		CANADA PART NUMBER QUART (40 OZ.)	CANADA PART NUMBER SPRAY BOMB (6 OZ.)
		ACRYLIC REPAIR - LACQUER - continued				
D	70	Light Yellow (Bronco)	AR60 3439-C			
D9	71	Medium Blue Metallic	AR60 5007-C		@AR60 5007-C	
E	65	Prairie Bronze (Canada only)				CC4AZ 19500-P
E	65	Vermilion	AR60 1730-C			CC5ZZ 19500-A
E	69	Light Aqua (exc. Bronco)				CC9AZ 19500-D
E	71	Medium Goldenrod Yellow (exc. Bronco)	AR60 3492-C			CD1AZ 19500-M
E9	71	Medium Ivy Bronze Metallic	AR60 5069-C		@AR60 5069-C	
F	65/67	Light Blue				CC6AZ 19500-H
F	68/69	Dark Aqua Metallic				CC8AZ 19500-K
F	70	(Exc. Bronco)				
F	70/71	Light Beige (Bronco)				CD0AZ 19500-T
F	71	Medium Bright Aqua Metallic (T/Bird)				CD1AZ 19500-C
F	71	Medium Blue Metallic (Ford)	AR60 5087-C			CD2AZ 19500-F
G	65	Silver Smoke Gray Metallic (Canada only)				CC4AZ 19500-B
G	66/	Chrome Yellow (Bronco)	AR60 1526-C			
G	69	Medium Orchid Metallic (T/Bird)				CC9AZ 19500-L
G	70	Medium Avocado Metallic (exc. Bronco)				CD0AZ 19500-Q
G	71	Dark Vintage Green (T/Bird)				CD1AZ 19500-H
H	65	Arcadian Blue (Canada only)				CC5AZ 19500-D
H	66	Light Beige				CC6AZ 19500-R
H	67/69	Light Green (T/Bird)				CC8AZ 19500-E
H	69	Medium Copper Orange (Bronco)				
H	71	Light Green				CD1AZ 19500-D
I	67/70	Medium Lime Metallic				CC7AZ 19500-K
I	71	Bright Lime Green				CD1AZ 19500-J
J	65	Caspian Blue (Canada only)				CC5AZ 19500-B
J	65	Red	AR60 1515-C			CC2AZ 19500-L
J	66/68	(Bronco)				
J	68/69	Dark Aqua Metallic (T/Bird)				CC8AZ 19500-P
J	70	Bright Blue Metallic (Astra) (T/Bird)				CD0AZ 19500-H
J	70	Grabber Blue (exc. T/Bird)	AR60 3657-C			CD0AZ 19500-Y
J	71					
K	66/67	Dark Blue Metallic				CC6AZ 19500-F
K	69	Dark Orchid Metallic (T/Bird)				CC9AZ 19500-M
K	70	Yellow Metallic				CD0AZ 19500-C
K	71	Dark Slate Gray Metallic (T/Bird)				CD0AZ 19500-F
K	71	Medium Ivy Green (Bronco)	AR60 3150-C			
K	72	Medium Goldenrod Yellow (Bronco)	AR60 3492-C			CD1AZ 19500-M
L	65	Silver Blue (Canada only)				CC5AZ 19500-C
L	66/68	Dark Green (Bronco)	AR60 1237-C			CC3AZ 19500-C
L	68	Medium Gray Metallic (T/Bird)				CC8AZ 19500-G
L	70	Light Gray Metallic				CD0AZ 19500-E
M	65	Twilight Turquoise (Canada only)				CC5AZ 19500-E
M	65/71	White	AR60 1619-C			CC6AZ 19500-B
M	72	(Bronco)				
N	65	Platinum	AR60 921-C			CC8AZ 19500-A
N	66	(T/Bird)				
N	67/68					
N	69	(T/Bird)				
N	70	(Exc. Bronco)				
N	71					
O	70	Burnt Orange Metallic				CC9AZ 19500-K
O	71	Light Green (Bronco)				CD1AZ 19500-D
O	71	Light Goldenrod Yellow (exc. Bronco)	AR60 3565-C			CD1AZ 19500-L
O	72	Medium Green Metallic (Bronco)	AR60 5187-C			

@ U. S. quart (32 oz.)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

LACQUERS and SYNTHETIC ENAMELS

EXTERIOR PAINTS

CODE *	YEAR	NAME * SHOWN ON WARRANTY PLATE	U.S. PART NUMBER QUART (32 OZ.)	CANADA		PART NUMBER SPRAY BOMB (6 OZ.)
		ACRYLIC REPAIR - LACQUER - continued				
P	65	Champagne Beige (Canada only)				CC5AZ 19500-F
P	66	Medium Palomino Metallic				CC6AZ 19500-J
P	68/70	Medium Ivy Green (Bronco)	AR60 3150-C			
P ▲	69 68	Medium Blue Metallic (Mustang) (Mustang)				CC9AZ 19500-A
P	70	Medium Ivy Green Metallic (exc. Bronco)	AR60 3401-C			CD0AZ 19500-P
P	71	Medium Green Metallic	AR60 3462-C			CD1AZ 19500-E
Q Q	66/69 70	Medium Blue Metallic (Maverick) "Before 10/1/69"				CC7AZ 19500-J
Q Q	70 70	Medium Blue Metallic (exc. Maverick) (Maverick) "From 10/1/69"				CD0AZ 19500-G
Q	71	Medium Blue Metallic				CD1AZ 19500-R
Q	72	Light Yellow Green (Bronco)	AR60 5060-C			
R	65	Rangoon Red (Canada only)				CC2AZ 19500-L
R	65/67	Dark Ivy Green Metallic				CC6AZ 19500-M
R	69	Light Gold				CC9AZ 19500-G
R	70/71	Dark Brown Metallic (T/Bird)				CD0AZ 19500-V
R	71	Bright Blue Metallic (Astra) (Bronco)				CD0AZ 19500-H
R	72	Medium Ginger Metallic (Bronco)	AR60 5186-C			
S	65	Vintage Burgundy (Canada only)				CC4AZ 19500-H
S	66/67	Vermilion (Bronco)	AR60 1730-C			CC5ZZ 19500-A
S ▲	69/70 68	Medium Gold Metallic (Mustang)				CC9AZ 19500-H
S	71	Medium Gray Gold Metallic (exc. Bronco)	AR60 1736-CA			CD1AZ 19500-K
T	65	Dynasty Green (Canada only)				CC4AZ 19500-E
T T	66/71 72	Red (Bronco)	AR60 2008-C			CC6AZ 19500-C
U	65	Honey Gold (Canada only)				CC5AZ 19500-H
U	65/69	Medium Aqua Metallic (exc. Bronco)				CC6AZ 19500-L
U	70	Grabber Orange				CD0AZ 19500-AA
V	65/66	Emberglo Metallic				CC6AZ 19500-E
V	67	Bronze Metallic				CC7AZ 19500-E
V	69	Light Aurora Copper Metallic				CC9AZ 19500-J
V	71	Light Pewter Metallic (exc. Bronco)	AR60 3314-C			CD1AZ 19500-P
V	71/	Dark Green (Bronco)	AR60 5005-C			
W	65	White (Canada only)				CC4AZ 19500-A
W W	68/69 70	Yellow (Maverick)				CC8AZ 19500-Q
W W	70 71	Yellow (exc. Maverick)	AR60 3341-C			CD0AZ 19500-K
X	65/67	Maroon Metallic				CC6AZ 19500-D
X	68/69	Dark Blue Metallic				CC8AZ 19500-H
X	70	Dark Blue				CD0AZ 19500-J
X	71	Dark Blue Metallic (exc. Bronco)				CC6AZ 19500-F
Y	65/66	Light Blue Metallic				CC6AZ 19500-G
Y Y	69 70	Burnt Orange Metallic (exc. Bronco) (Maverick)				CC9AZ 19500-K
Y	70	Chestnut Metallic (T/Bird, Mustang)				CD0AZ 19500-X
Y	71	Bright Blue Metallic (Astra) (T/Bird)				CD0AZ 19500-H
Y	71	Dark Blue Metallic (Ford)	AR60 5088-C			CD2AZ 19500-G
Y	72	Medium Mallard Green Metallic (Bronco)	AR60 5019-C			

▲ 1968 with warranty plate color code stamped "1969"

LACQUERS and SYNTHETIC ENAMELS

EXTERIOR PAINTS

CODE *	YEAR	NAME * SHOWN ON WARRANTY PLATE	U.S. PART NUMBER QUART (32 OZ.)	CANADA		PART NUMBER SPRAY BOMB (6 OZ.)
ACRYLIC REPAIR - LACQUER - continued						
Z	66/67	Medium Sage Gold Metallic				CC6AZ 19500-N
Z	68	Signal Flare Red (Bronco)	AR60 2025-C			
Z	68/69	Dark Gray Metallic (T/Bird)				CC8AZ 19500-B
Z	70	Dark Slate Gray Metallic (T/Bird)				CD0AZ 19500-F
Z	70	Grabber Green (exc. T/Bird)				CD0AZ 19500-Z
Z	71	Grabber Green Metallic				CD1AZ 19500-G
Z	72	Light Copper Metallic	AR60 5035-C			

CODE *	YEAR	NAME * SHOWN ON WARRANTY PLATE	PART NUMBER	CODE *	YEAR	NAME * SHOWN ON WARRANTY PLATE	PART NUMBER

KIT - TOUCH UP COMPOUND
U.S. and CANADIAN USAGE

♦	71/72	Station Wagon Rail Tan	TUP 50-AA
♦	70/	Wood Grain Brown Decal	TUP 1230-AA
1	70	Calypso Coral	TUP 1730-AA
1	72	(Bronco)	
1A	72	Light Gray Metallic	TUP 5100-AA
1C	72	Black	TUP 1724-AA
2	71	Medium Tan (T/Bird)	TUP 5003-AA
2	71	Medium Bright Yellow (exc. T/Bird & Bronco)	TUP 5080-AA
2	72	Maroon (Bronco)	TUP 3059-AA
2A	72	Calypso Coral	TUP 1730-AA
2B	72	Bright Red	TUP 3560-AA
2E	72	Red	TUP 2008-AA
2J	72	Maroon	TUP 3059-AA
3	71	Bright Red (exc. Bronco)	TUP 3560-AA
3B	72	Light Blue	TUP 3429-AA
3D	72	Medium Blue Metallic	TUP 5087-AA
3F	72	Grabber Blue	TUP 3657-AA
3H	72	Dark Blue Metallic	TUP 5088-AA
3J	72	Bright Blue Metallic	TUP 3077-AA
3K	72	Bright Blue Metallic	TUP 5210-AA
4	71	Bright Lime (exc. Bronco)	TUP 5022-AA
4A	72	Pastel Lime	TUP 5023-AA
4B	72	Bright Green Gold Metallic	TUP 5025-AA
4C	72	Ivy Bronze Metallic	TUP 5072-AA
4D	72	Medium Ivy Bronze Metallic	TUP 5069-AA
4E	72	Bright Lime	TUP 5022-AA
4F	72	Medium Lime Metallic	TUP 5021-AA
4P	72	Medium Green Metallic	TUP 3462-AA
4Q	72	Dark Green Metallic	TUP 3542-AA
4S	72	Light Green	TUP 5060-AA
4U	72	Bright Lime Gold Metallic	TUP 5212-AA
5	70	Ginger Metallic (exc. Bronco)	TUP 3564-AA
5	71		
5A	72	Light Pewter Metallic	TUP 3314-AA
5D	72	Ginger Bronze Metallic	TUP 5102-AA
5F	72	Dark Brown Metallic	TUP 5099-AA
5H	72	Ginger Metallic	TUP 3564-AB
5J	72	Medium Ginger Bronze Metallic	TUP 5071-AA
5L	72	Tan	TUP 5003-AA
6	70	Medium Bright Blue Metallic	TUP 3077-AA
6	71	(Except Bronco)	
6B	72	Light Goldenrod Yellow	TUP 3565-AA
6C	72	Medium Goldenrod Yellow	TUP 3492-AA
6D	72	Yellow	TUP 3341-AA
6E	72	Medium Bright Yellow	TUP 5080-AA
6F	72	Bright Yellow Gold Metallic	TUP 5079-AA
6G	72	Bright Yellow Gold Metallic	TUP 5086-AA
6J	72	Gray Gold Metallic	TUP 1736-AA
7	71	Maroon	TUP 3059-AA
8	70	Light Gold (exc. Maverick)	TUP 3198-A
8	71		
8	72	Yellow (Bronco)	TUP 3341-AA
9A	72	White	TUP 1619-AA
9C	72	Cream White	TUP 5289-AA
A	70/71	Black	TUP 1724-AA
B	72	Light Blue (Bronco)	TUP 3429-AA
C	71	Dark Green Metallic	TUP 3542-AA
E	71	Medium Goldenrod Yellow- (exc. Bronco)	TUP 3492-AA
E9	71	Medium Ivy Bronze Metallic	TUP 5069-AA
F	71	Medium Blue Metallic (Ford)	TUP 5087-AA
H	71	Light Green	TUP 3472-A
J	71	Grabber Blue	TUP 3657-AA
K	72	Medium Goldenrod Yellow- (Bronco)	TUP 3492-AA
M	70/71	White	TUP 1619-AA
M	72	(Bronco)	
N	70	Platinum (exc. Bronco)	TUP 921-AA
N	71		
O	71	Light Goldenrod Yellow- (exc. Bronco)	TUP 3565-AA
P	71	Medium Green Metallic	TUP 3462-AA
S	71	Medium Gray Gold Metallic	TUP 1736-AA
T	70/71	Red	TUP 2008-AA
T	72	(Bronco)	
V	71	Light Pewter Metallic- (exc. Bronco)	TUP 3314-AA
W	70	Yellow (Ford)	TUP 3341-AA
W	71		
Y	71	Dark Blue Metallic (Ford)	TUP 5088-AA

♦ Station Wagons - Simulated Wood Grain - Exterior

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

LACQUERS and SYNTHETIC ENAMELS

EXTERIOR PAINTS

CODE *	YEAR	NAME * SHOWN ON WARRANTY PLATE	PART NUMBER	CODE *	YEAR	NAME * SHOWN ON WARRANTY PLATE	PART NUMBER
ELASTOMERIC PAINT - 8 OZ. CAN U.S. and CANADIAN USAGE FOR THE REPAIR OF BUMPERS and OTHER URETHANE PARTS							
	71/	Primer (air dry)--16 oz. can	EBP M18P5-A	6	71	Bright Blue Metallic	EBP 3077-B
	71/	Thinner--32 oz. can	EBP 1618-B	6C	72	Medium Goldenrod	EBP 3492-B
	71/	Clear (topcoat)--16 oz. can	EBP 1618-A	6E	72	Medium Bright Yellow	EBP 5080-B
				6F	72	Bright Yellow Gold Metallic	EBP 5079-B
2	71	Medium Bright Yellow	EBP 5080-B				
2B	72	Bright Red	EBP 3560-B				
2J	72	Maroon	EBP 3059-B	7	71	Maroon	EBP 3059-B
3	71	Bright Red	EBP 3560-B	9A	72	White	EBP 1619-B
3B	72	Light Blue	EBP 3429-B				
3J	72	Bright Blue Metallic	EBP 3077-B	A	71	Black	EBP 1724-B
				C	71	Dark Green Metallic	EBP 3542-B
4E	72	Bright Lime	EBP 5022-B	E	71	Medium Goldenrod	EBP 3492-B
4P	72	Medium Green Metallic	EBP 3462-B				
4Q	72	Dark Green Metallic	EBP 3542-B	M	71	White	EBP 1619-B
				N	71	Platinum	EBP 921-B
5	71	Ginger Metallic	EBP 3564-B				
5A	72	Pewter Metallic	EBP 3314-B	P	71	Medium Green Metallic	EBP 3462-B
5H	72	Ginger Metallic	EBP 3564-B	V	71	Pewter Metallic	EBP 3314-B

CODE *	YEAR	NAME * SHOWN ON WARRANTY PLATE	PART NUMBER	CODE *	YEAR	NAME * SHOWN ON WARRANTY PLATE	PART NUMBER
ACRYLIC REPAIR MATERIAL - LOW GLOSS - 1 QUART CAN U.S. and CANADIAN USAGE							
	70/	Black (textured)	AR60 3254-HC		71	Silver (textured)	AR60 1437-CC
	72	Black	AR60 1724-HC				
STRIPING LACQUER - 1 PINT CAN U.S. and CANADIAN USAGE							
	69/	Black	SL 1724-A		72	Lime (Mustang)	SL 5110-A
	71	Blue (medium)	SL 3661-A		72	Orange	SL 5204-A
	72	Blue	SL 3657-A		69/	Red	SL 2025-A
	72	Brown (dark)	SL 5064-A		69/	Silver	SL 1901-A
	69/	Gold	SL 3210-A		69/	White	SL 1619-A
	71 72	Lime (T/Bird)	SL 3206-A		72	Yellow	SL 5080-A
ACRYLIC LACQUER TINTS - 1 GALLON CAN CANADIAN USAGE							
	72	Extra Coarse Metallic	CD2AZ 19503-G		72	Tangerine	CD2AZ 19503-E
	72	Gold Toner	CD2AZ 19503-D				
ALKYD ENAMEL TINTS - 1 QUART CAN CANADIAN USAGE							
	72	Aluminum (high sparkle)	CD2AZ 19503-H				

APPEARANCE & MAINTENANCE MATERIALS
U.S. USAGE

PART NUMBER	DESCRIPTION
PAINTS and REFINISHING MATERIALS	
C5AZ 19000-C	Argent (Lacquer)-15 oz. net wgt. -spray can
D1ZZ 19A223-A	Elastomeric bumper repair kit-(1) 1 oz. tube clear resin, (1) 2 oz. tube black catalyst, (1) 1 oz. tube filler, (1) tongue depressor and instruction sheet
★C0AZ 19B542-A	Cream(polyfiller hardener)-1 pkg.of(6)-1 1/4 oz. tubes-supplemental supply-used with C0AZ 19A547-A or B- poly filler body repair material -replaced by D2AZ 19B542-A (10/74)
C3AZ 19B542-A	Putty (dark gray)-1 lb. tube
D2AZ 19B542-A	Cream hardener for polyfiller-use with D2AZ 19A547-A kit-polyfiller body repair-1 oz. supplemental supply--(12) 1 oz. tubes
D4AZ 19B542-A	Fiberglas repair kit (structural)
D2AZ 19A547-A	Kit-polyfiller body repair (3 lb.)-consists of (1) 3 lb. container polyfiller (1) D2AZ 19B542-A cream hardener-1 oz. tube--(12) kits
D2AZ 19A547-B	Kit-polyfiller body repair (12 lb.)-consists of (1) 12 lb. container polyfiller (1) 4 oz. tube cream hardener--(4) kits
C5AZ 19E548-A	Tinting assort.(12)-1 pint cans of Acrylic enamel repair-tinting colors
C7AZ 19E548-A	Tinting assort.(12)-1 pint cans of Acrylic Lacquer-tinting colors
C9AZ 19627-A	Tape (automotive masking)-(48) 3/4" wide-60 yd. rolls
C9AZ 19627-C	Tape (automotive masking)-(24) 2" wide-60 yd. rolls
CLEANERS, WAXES and POLISHES	
B7A 19520-A	Tar & road oil remover-(12) 1 pint cans
B7A 19521-A	Spot remover (chlorothene cleaner)-(12) 1 pint cans
D4AZ 19521-B	Cleaner (leather and vinyl)-1 gal. plastic bottle
D4AZ 19521-C	Spot remover (chlorothene cleaner)-1 gal. can
8A 19522	Bright metal cleaner-(12) 1 pint cans
B8A 19523-A	Cleaner (multi-purpose)-(6) 1 qt. plastic bottles-concentrate
B8A 19523-B	Cleaner (multi-purpose)-(6) 1 gal. plastic bottles-concentrate
B8A 19523-C	Cleaner (all purpose)-55 gal. drum-concentrate
C9AZ 19523-A	Wash & wax concentrate-(4) 1 gal. plastic containers
D4AZ 19523-A	Upholstery cleaner (multi-purpose)-foam type--5 gal. drum
C0AZ 19526-A	Triple clean-for leathers, vinyls carpet and fabric upholsteries-(12) 12 oz. bottles with brush
C9AZ 19526-A	Spot lifter-automotive fabric-(12) 8 oz. aerosol spray cans
B7A 19528-A	Porcelainize liquid-8 oz. bottles

continued

PART NUMBER	DESCRIPTION
CLEANERS, WAXES and POLISHES	
8A 19529-B	Porcelainize (wash cream)-8 oz. bottle
B7A 19530-A	Silicone body polish-(12) 16 oz. cans
B7A 19530-B	Custom silicone gloss (new car prep.)-(2) 1 gal. cans
B4A 19534-A	Custom auto wax-(12) 8 oz. cans
B8A 19534-A	Custom auto wax-(6) 1 lb. cans
C8AZ 19F535-A	Ford vinyl hardtop cleaner & reconditioner-(12) 16 oz. bottles
C8AZ 19F535-B	Ford vinyl hardtop cleaner & reconditioner-1 gal. bottle
CLEAR VISION AIDS	
★C1AZ 19C507-B	Cleaner (Convertible rear window)-12 oz. plastic bottle-not replaced (5/74)
C8AZ 19C507-A	Cleaner (automotive glass)-(12)-23 oz. aerosol cans
D3AZ 19C544-B	De-icer (window)-(12) 14 oz. aerosol cans w/wide track scraper
C9AZ 19550-A	Ford ultra clear windshield washer-solution (12) 16 oz. cans
C9AZ 19550-B	Ford ultra clear windshield washer solution-(12) 32 oz. cans
COOLING SYSTEM AIDS	
D3AZ 19A503-A	Cooling system fast flush-(12) 12 oz. cans
8A 19546-C	Radiator rust inhibitor & water pump lubricant-(12) 1 pint cans
8A 19549-A	Ford cooling system fluid (permanent anti-freeze)-(6) 1 gal. cans
8A 19549-B	Ford cooling system fluid (permanent anti-freeze)-(24) 1 qt. cans
C2AZ 19549-C	Ford cooling system fluid (permanent anti-freeze)-55 gal. drum
C9AZ 19558-A	Protector pellets (cooling system)-carton of 24 pellets
MOTOR OILS and LUBRICANTS	
C4AZ 19D530-A	Lubricant (distributor cam)-1 1/2 oz. tube
C6AZ 19542-A	Brake & hydraulic clutch fluid (extra heavy duty)-(24) 16 oz. cans for vehicles with disc or drum brakes
C6AZ 19542-B	Brake & hydraulic clutch fluid (extra heavy duty)-(12) 1 qt. cans for vehicles with disc or drum brakes

continued

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

APPEARANCE & MAINTENANCE MATERIALS

U.S. USAGE

PART NUMBER	DESCRIPTION
	MOTOR OILS and LUBRICANTS
C8AZ 19B546-A	Additive friction modifier-(hypoid gear)-4 ox. plastic bottle-(for Bronco models w/front driving axles & rear axles w/Dana Power Lock
C3RZ 19C547-B	Lubricant (std., 3 & 4 speed trans. extreme pressure-S. A. E 80)-5 gal. pail
C0AZ 19553-A	Silicone lubricant (jell type)-8 oz. tube
C0AZ 19553-C	Silicone lubricant-16 oz. aerosol spray can
C5AZ 19577-A	Fluid (speed control device)-1. 55 oz. container
C3AZ 19578-A	Steering gear lubricant (life time)-(4) 14 1/2 oz. cartridge
B7A 19579-C	Crankcase conditioner & rust inhibitor-(12) 16 oz. cans
D2AZ 19579-A	Oil conditioner-(12) 16 oz. cans
C5AZ 19579-A	◊Motor oil-10W-20W-30 (1 qt. can)
D3AZ 19579-C	◊Motor oil-10W-20W-30 (55 gal. drum)
C5AZ 19579-N	◊Motor oil-10W-20W-30 (1 gal. can)
C5AZ 19579-D	◊Motor oil-5W-10W-30 (1 qt. can)
D3AZ 19579-F	◊Motor oil-5W-10W-30 (55 gal. drum)
C5AZ 19579-P	◊Motor oil-5W-10W-30 (1 gal. can)
C5AZ 19579-G	◊ Motor oil-20W-40 (1 qt. can)
D3AZ 19579-J	◊Motor oil-20W-40 (55 gal. drum)
C5AZ 19579-R	◊ Motor oil-20W-40 (1 gal. can)
D3AZ 19579-K	†Motor oil-10W-40 (1 qt. can)
D3AZ 19579-S	†Motor oil-10W-40 (1 gal. can)
C5AZ 19579-S	†Motor oil-10W-40 (1 gal. can)
C2AZ 19580-D	Hypoid gear lubricant (rear axle)-1 gal. for high performance vehicles
C6AZ 19580-B	Hypoid gear lubricant (for Bronco models with front driving axles & rear axles with Dana Power Lock)-applicable amount of C8AZ 19B546-A additive to be used--5 gal.
D3AZ 19580-A	Hypoid gear lubricant for limited slip axle only--(12) 1 qt. plastic container with spout
D2AZ 19580-A	Hypoid gear lubricant (rear axle)-used with conventional axles only--1 gal.
★D2AZ 19580-B	Hypoid gear lubricant (rear axle)-use with conventional axles only--5 gal.
C6AZ 19580-D	Hypoid gear lubricant (rear axle)-use with conventional axles only--120 lb. keg
D2AZ 19581-A	Speedometer cable lubricant-1 lb. can

continued

PART NUMBER	DESCRIPTION
	MOTOR OILS and LUBRICANTS
C1AZ 19582-A	Fluid (automatic trans., power steering & convertible top)-red--(24) 1 qt. cans
C1AZ 19582-C	Fluid (automatic trans., power steering & convertible top)-red--(6) 1 gal. cans
C1AZ 19582-D	Fluid (automatic trans., power steering & convertible top)-red--55 gal. drum
D2AZ 19582-A	Fluid (power steering)-amber--(12) 1 qt. cans
C4AZ 19584-B	Grease (Polyethylene)-16 oz. spray can
D0AZ 19584-A	Grease (Polyethylene)-4 oz. aluminum tube with plastic cut off spout
B8A 19589-A	Lubricant (special purpose) 1 lb.
C1AZ 19590-B	Lubricant (multi-purpose long life)-(4) 14 1/2 oz. cartridge
C1AZ 19590-C	Lubricant (multi-purpose long life) - 120 lb. keg
C1AZ 19590-D	Lubricant (multi-purpose long life)-25 lb. pail
C1AZ 19590-E	Lubricant (multi-purpose long life)- (4) 5 lb. pails
★C6AZ 19590-A	Lubricant (steering linkage)-(4) 14 1/2" oz. cartridge-r/b D4AZ 19590-A (1/75)
D4AZ 19590-A	Lubricant (steering linkage)-(4) 14 1/2 oz. cartridge
C7AZ 19590-A	Steering lubricant (lower arm & spindle stop pads)-1 lb. can
	SEALERS and ADHESIVES
B9AE 19B508-A	Contact Adhesive - Gasket & Seal 16 oz. can with brush
C2AZ 19C525-A	Trim cement (vinyl adhesive)-1 pt. can
C5AZ 19C525-A	Adhesive (vinyl roof installation or replacement)-1 quart can
D4AZ 19C525-A	Adhesive (vinyl roof installation or replacement)-1 quart can
C2RZ 19C548-A	Automatic transmission & power steering sealer-(6) 8 oz. cans
8A 19552-B	Rubber cement (Black)-(12) 5 oz. tubes
C0AZ 19552-A	Rubber cement (light colored)-(12) 5 oz. tubes
B5A 19554-A	Perfect seal sealing compound-(12) 4 oz. cans
C3AZ 19554-A	Sealant (locktite)-1 2/3 oz. plastic bottle
C6AZ 19554-A	Metallic Plastic (to repair cylinder front cover and cylinder block intake manifold) (1) can-Metallic Resin, (1) Jar-Hardening agent
C9AZ 19554-A	Perfect seal sealing compound (12) 15 oz. - aerosol can
C9AZ 19554-B	Sealer (liquid butyl)-Black-for sealing butyl installed windshield and backlite-1 pint can
D0AZ 19554-A	Kit-loctite minute bond adhesive 312-Consists of (1) 50 cc. Adhesive (1) 6 oz. can-accelerator and (1) instruction sheet

continued

◊ Premium motor oil grade † Super Premium motor oil grade

APPEARANCE & MAINTENANCE MATERIALS

U.S. USAGE

PART NUMBER	DESCRIPTION
	SEALERS and ADHESIVES
D0AZ 19554-B	Accelerator for loctite minute bond-adhesive 312-6 oz. aerosol spray can
D0AZ 19554-C	Sealer tape (tetrafluoroethylene)-1/2" x 288"-used on bolt & studthreads to provide a positive liquid seal
D0SZ 19554-A	Sealer (liquid butyl)-white-for sealing butyl installed windshield and backlite on units with light color vinyl roof-1 pint can
D2AZ 19554-A	Adhesive-used for repair of loose vinyl inserts to stainless steel or aluminum body side mouldings-pressure activated-1 oz. bottle
AB 19560-A	Calking cord (6) 80 foot rolls-3/16" dia.
C3AZ 19560-A	Body sealer (synthetic resin)-3 lb. tube
C3AZ 19562-A	Sealer & filler (silicone rubber)-5 oz. tube-for Vinyl tops, also body sealer-White
C3AZ 19562-B	Sealer & filler (silicone rubber)-5 oz. tube-for Vinyl tops, also body sealer-Black
★D0AZ 19562-C	Kit-windshield and backlite seat-butyl tape-(172")-r/b D1AZ 19562-A (5/74)
D1AZ 19562-A	Kit-windshield only-butyl tape-for windshield replacement on vehicles prior to being licensed by dealer
D3AZ 19562-A	Windshield glass seal kit-5/16" round (176") includes glass primer
D2FZ 19562-A	Seal w/shield & backlite glass-foam tape-1/4" x 5/8" x 13'
D2FZ 19562-B	Seal quarter window-foam tape-1/4" x 3/8" x 5'
	SPECIAL PRODUCTS
C0AZ 19A501-A	Rust penetrant & inhibitor-8 oz. can
C4AZ 19A501-A	Rust penetrant & inhibitor-12 oz. aerosol can
C5AZ 19A501-C	Parts cleaner-immersion-refill (1) 6 gal. container with 5 gal. cleaning fluid
C9AZ 19A501-B	Automatic choke cleaner-(12) 14 oz. spray cans
D0AZ 19515-A	Undercoating-airless spray-16 gallon drum
D0AZ 19515-B	Undercoating-airless spray-55 gallon drum

continued

PART NUMBER	DESCRIPTION
	SPECIAL PRODUCTS
D3AZ 19517-A	Dusting cloth(wax treated)-plastic bag container
D3AZ 19517-B	Pad-buffing and polishing--carton of (12)
D4AZ 19B519-A *YN-1-A	Refrigerant (air conditioner)-14 oz. can
D2AZ 19523-A	Hand cleaner-waterless-(12) 14 oz. cans
D2AZ 19523-B	Hand cleaner-waterless-(2) 5 lb. cans
C8AZ 19C544-B	Gas line anti-freeze-(24) 12 oz. cans
C9AZ 19C544-A	Engine starting fluid-(12) 11oz. aerosol can
C9AZ 19577-B *YN-2	Refrigerant compressor oil-used w/York or Tecumseh compressor--1 qt. can
D1VY 19577-B *YN-4	Refrigerant compressor oil-use with Frigidaire compressors-1 qt. can
B7AZ 19579-A	Carburetor & combustion chamber cleaner-(12) 24 oz. cans
C6AZ 19579-B	Carburetor & combustion chamber cleaner-(12) 19 oz. aerosol cans
B6A 19583-A	Ru-Glyde-rubber lubricant (for tubeless tire servicing)-1 gal. can
C8AZ 19583-A	Ru-Glyde-rubber lubricant (for vacuum hose attachment)-(6) 8 oz. cans
B4A 19587-A	Lock lubricant-(12) 4 oz. cans
D2AZ 19587-A	Lock lubricant-(12) 4 oz. aerosol cans with snorkel
C6AZ 19627-A	Tape (Vinyl Foam)-1/8" x 7/8"-50 ft. roll-used to shim weatherstrip roof rails, doors and Convertible side rails
★C8AZ 19628-A	Tape (elec. insulating)-Black (shop pkg.)-3/4" 44 ft. roll-not replaced (9/74)
★C8AZ 19628-B	Tape (elec. insulating)-Black (shop pkg.)-3/4" 20 ft. roll-not replaced (11/74)
C8AZ 19628-C	Tape (elec. insulating)-Black (display pkg.)-1/2"-12 1/2 ft. roll
C8AZ 19628-D	Tape (elec. insulating)-Black (display pkg.)-3/4"-20 ft. roll
C8AZ 19628-E	Tape (elec. insulating)-Black (dispenser)-3/4" 66 ft. roll
C8AZ 19628-F	Tape (elec. insulating)-Black (individual metal can)-3/4"-66 ft. roll
C8AZ 19628-G	Tape (elec. insulating)-Black (individual skin pkg.)-3/4"-20 ft. roll
C8AZ 19628-H	Tape (elec. insulating)-Black (individual skin pkg.)-3/4"-66 ft. roll

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

APPEARANCE & MAINTENANCE MATERIALS

CANADIAN USAGE

PART NUMBER	DESCRIPTION
PAINTS and REFINISHING MATERIALS	
CC9AZ 19000-A	Clear sheen-1 gal.
CC9AZ 19000-B	Clear sheen-5 gal.
D0AZ 19000-A	Enamel-electrical insulating (alternators)-1 qt. can (U.S.)
D1ZZ 19A223-A	Elastomeric bumper repair kit-(1) 1 oz. tube clear resin, (1) 2 oz. tube black catalyst, (1) 1 oz. tube filler, (1) tongue depressor and instruction sheet
CC7AZ 19500-Y	Wrinkle roof paint (white)-1 qt. can
CC7AZ 19500-Z	Wrinkle roof paint (black)-1 qt. can
CD2AZ 19500-AB	Engine enamel-corporate blue-16 oz.spray bomb
CD2AZ 19500-AH	Engine enamel-black gloss-16 oz.spray can
CD2AZ 19500-AJ	Engine enamel-chassis black (dull)-16 oz. spray bomb
8A 19510-A	Convertible top dressing (black dye)-1 qt. can (U.S.)
★C0AZ 19B542-A	Cream (polyfiller hardener)-1 pkg. of (6)-1 1/4 oz. tubes supplemental supply-used with C0AZ 19A547-A or B polyfiller body repair material-r/b D2AZ 19B542-A(10/74)
C3AZ 19B542-A	Putty (dark gray)-1 lb. tube
D2AZ 19B542-A	Cream hardener for polyfiller-use with D2AZ 19A547-A kit-polyfiller body repair-1 oz. supplemental supply--(12) 1 oz. tubes
D4AZ 19B542-A	Fiberglas repair kit (structural)
D2AZ 19A547-A	Kit-polyfiller body repair (3 lb.)-consists of (1) 3 lb. container polyfiller (1) D2AZ 19B542-A cream hardener-1 oz. tube--(12) kits
D2AZ 19A547-B	Kit-polyfiller body repair (12 lb.)-consists of (1) 12 lb. container polyfiller (1) 4 oz. tube cream hardener--(4) kits
C5AZ 19E548-A	Tinting assort. (12) 16 oz. cans of acrylic enamel repair tinting colors
CLEANERS, WAXES and POLISHES	
CB9CZ 19514-C	Chrome rust remover-24 oz. jar
CB9CZ 19514-D	Bak-O-Chrome kit
C1A 19518-B	Polish-siliconized-10 oz. can
B7A 19520-A	Tar & road oil remover-(12) 16 oz. cans
CC9AZ 19521-B	Fabric cleaner (spotless)-1 gal.
CC9AZ 19521-C	Fabric cleaner (spotless)-5 gal.
D4AZ 19521-B	Cleaner (leather and vinyl)-1 gal. plastic bottle (U.S.)
D4AZ 19521-C	Spot remover (chlorothene cleaner)-1 gal. can (U.S.)
CAF 19522-A	Chrome cleaner-8 oz. can
B8A 19523-A	Cleaner (multi-purpose)-(6) 32 oz. plastic bottles-concentrate
CAF 19523-C	White wall cleaner-1 gal. jug
D4AZ 19523-A	Upholstery cleaner (multi-purpose)-foam type--5 gal. drum (U.S.)

continued

PART NUMBER	DESCRIPTION
CLEANERS, WAXES and POLISHES	
CC1CZ 19523-A	White wall cleaner-16 oz. bottle
CC9AZ 19523-A	Upholstery cleaner (concentrate)-5 gal.
CC9AZ 19523-B	Upholstery cleaner (concentrate)-15 gal.
CC9AZ 19523-C	Upholstery cleaner (concentrate)-45 gal.
CAJ 19524-A	Car wash-5 gal. pail
CC5AZ 19524-A	Car wash-16 oz. bottle
C8A 19524-B	Car wash-1 gal. jug
CC9AZ 19525-A	Upholstery cleaner (spray on)-15 gal.
CC9AZ 19525-B	Upholstery cleaner (spray on)-45 gal.
C0AZ 19526-A	Triple clean-for leathers, vinyls, carpets & fabric upholsteries-(12) 12 oz. bottles w/ brush
B7A 19530-B	Custom silicone gloss (new car prep.)-(2) 1 gal. cans (U.S.)
CBAC 19530-A	Lincoln body polish-16 oz.
CC5AZ 19530-A	Polish-buffer (reconditioning polish)-1 gal. can
CC9AZ 19530-B	Cleaner & polisher-1 gal.
CAF 19534-A	"Easiway" paste wax-8 oz. can
C8AZ 19F535-A	Ford vinyl hardtop cleaner & reconditioner-(12) 16 oz. bottles
C8AZ 19F535-B	Ford vinyl hardtop cleaner & reconditioner-1 gal. bottle (U.S.)
CLEAR VISION AIDS	
★C1AZ 19C507-B	Cleaner (convertible rear window)-12 oz. plastic bottle-not replaced (5/74)
D3AZ 19C544-B	De-icer (window)-(12) 14 oz. aerosol cans w/wide track scraper
CB8A 19550-B	Glass cleaner-16 oz. bottle
CB9CZ 19550-A	Windshield washer anti-freeze-16 oz. bottle
CC5AZ 19550-A	Windshield washer anti-freeze-1 gal. jug
CC5AZ 19550-B	Windshield washer anti-freeze-5 gal. pail
CC9AZ 19550-A	Windshield washer anti-freeze (pre-mixed)-1 gal. container
CC1CZ 19551-A	Windshield de-icer-16 oz. plastic bottle
COOLING SYSTEM AIDS	
CBN 18442-A	Radiator cleaner-16 oz. can
D3AZ 19A503-A	Cooling system fast flush-(12) 12 oz. cans
C000 19546-B	Rust inhibitor-8 oz.
D2AZ 19549-A	Permanent anti-freeze & coolant-1 qt. can (U.S.)
D2AZ 19549-B	Permanent anti-freeze & coolant-1 gal. can (U.S.)
D2AZ 19549-C	Permanent anti-freeze & coolant-45 gal. drum (U.S.)
D3AZ 19549-A	Cooling system fluid-1 qt. can (U.S.)
C000 19558-A	Bar's Leaks (cooling system protector)-6 oz. jar
C000 19558-B	Bar's Leaks (cooling system protector)-15 oz. bottle

APPEARANCE & MAINTENANCE MATERIALS

CANADIAN USAGE

PART NUMBER	DESCRIPTION
	MOTOR OILS and LUBRICANTS
C4AZ 19D530-A	Lubricant (distributor cam)-1 1/2 oz. tube
CC1AZ 19542-A	Brake fluid (super duty)-1 pt.
CC1AZ 19542-B	Brake fluid (super duty)-1 gal.
CC1AZ 19542-C	Brake fluid (super duty)-5 gal.
C6AZ 19542-A	Brake & hydraulic clutch fluid (extra heavy duty)-(24) 16 oz. cans for vehicles with disc or drum brakes
C6AZ 19542-B	Brake & hydraulic clutch fluid (extra heavy duty)-(12) 32 oz. cans for vehicles with disc or drum brakes
C8AZ 19B546-A	Additive friction modifier-hypoid gear-4 oz. plastic bottle (for Bronco models with front driving axles & rear axles with Dana Power Lock)
C0AZ 19553-C	Silicone lubricant-16 oz. aerosol spray can
CC0CZ 19553-B	Silicone lubricant spray-6 oz. can
C5VY 19553-A	Lubricant seal (disc brakes)-4 oz. can
C5AZ 19577-A	Fluid (speed control device)-1.55 oz. container
C3AZ 19578-A	Steering gear lubricant (lifetime)-(4) 14 1/2 oz. cartridge
CB8A 19579-A	Heat rust solvent-8 oz. can
CB8A 19579-B	Heat rust solvent-1 gal. can
CB8A 19579-C	Heat rust solvent-10.8 oz. aerosol can
CB9AZ 19579-C	Engine purge-40 oz. can
CB9CZ 19579-A	Break-in lubricant-16 oz. can
D2AZ 19579-A	Oil conditioner-(12) 16 oz. cans
CC4AZ 19579-A	Engine oil conditioner-40 oz. can
CC4AZ 19579-B	"V-11" viscosity index improver-16 oz. tin
CC5AZ 19579-A	Super motor oil-10W30-1 qt. can (pkg. 24)
CC5AZ 19579-D	Super motor oil-10W30-45 gal.
CC5AZ 19579-G	Super motor oil-20W40-1 qt. can (pkg. 24)
CC7AZ 19579-A	Super motor oil-5W30-1 qt. can (pkg. 24)
MGCA 19579-B	Fuel system cleaner-6 oz. can
CC2AZ 19580-A	Hypoid gear lubricant (temp.range-above minus 25° F.)-1 gal.
CC2AZ 19580-B	Hypoid gear lubricant (temp.range-below minus 25° F.)-1 gal.
C2AZ 19580-D	Hypoid gear lubricant (rear axle)-for high performance vehicles-1 gal. (U.S.)
C6AZ 19580-B	Hypoid gear lubricant (for Bronco models with front driving axles & rear axles with Dana Power Lock)-applicable amount of C8AZ 19B546-A additive to be used--5 gal. (U.S.)

continued

PART NUMBER	DESCRIPTION
	MOTOR OILS and LUBRICANTS
D3AZ 19580-A	Hypoid gear lubricant for limited slip axle only--(12) 1 qt. plastic container with spout
D2AZ 19580-A	Hypoid gear lubricant (rear axle)-used with conventional axles only--1 gal. (U.S.)
★D2AZ 19580-B	Hypoid gear lubricant (rear axle)-use with conventional axles only--5 gal. (U.S.)
C6AZ 19580-D	Hypoid gear lubricant (rear axle)-use with conventional axles only--120 lb. keg
D2AZ 19581-A	Speedometer cable lubricant-1 lb.can
CC1AZ 19582-A	Automatic trans. & power strng. fluid-1 qt. can (pkg. 24)
D2AZ 19582-A	Fluid (power steering)-amber--(12) 1 qt. cans (U.S.)
C4AZ 19584-B	Grease (polyehtylene)-16 oz. spray can
D0AZ 19584-A	Grease (polyethylene)-4 oz. aluminum tube with-plastic cut off spout
C1VY 19586-A	Lubricant-"U" joint-1 lb.
8L 19586-AUP	Lubriplate (regular)-1 3/4 oz. tube (pkg. 12)
C1A 19588-B	Miracle power-top cyl. lubricant-4 oz. can
C1A 19588-C	Miracle power-engine lubricant-16 oz. can
C1AZ 19590-B	Lubricant (multi-purpose long life)-(4) 14 1/2 oz. cartridge
C1AZ 19590-C	Lubricant (multi-purpose long life)-120 lb. keg
C1AZ 19590-D	Lubricant (multi-purpose long life)-25 lb. pail
★C6AZ 19590-A	Lubricant (steering linkage)-(4) 14 1/2 oz. cartridge-r/b D4AZ 19590-A (1/75)
C7AZ 19590-A	Lubricant (lower steering arm & spindle stop pads)-1 lb. can
D4AZ 19590-A	Lubricant (steering linkage)-(4) 14 1/2 oz. cartridge
	SEALERS and ADHESIVES
6175	Window glass channel tape (sold by the foot)
M 6175-C	1 1/4" wide-.062" thick
M 6175-G	1 3/8" wide-.050" thick
M 6175-B	1 1/2" wide-.055" thick
M 6175-V	1 1/2" wide-.075" thick
M 6175-J	1 1/2" wide-.090" thick
M 6175-AC	1 3/4" wide-.070" thick
CBA 18460-M	Cement (frost shield)-2 oz. tube
B9AE 19B508-A	Contact adhesive (gasket & seal)-16 oz. can-with brush
C2AZ 19C525-A	Trim cement (vinyl adhesive)-16 oz. can
C5AZ 19C525-A	Adhesive (vinyl roof installation or replacement)-1 qt. can (U.S.)
D4AZ 19C525-A	Adhesive (vinyl roof installation or replacement)-1 qt. can (U.S.)
C0AZ 19552-A	Rubber cement-(12) 5 oz. tubes (light colored)
CC3AZ 19552-B	Windshield & backlite sealer-12 3/4 oz. tube
8A 19552-B	Rubber cement-(12) 5 oz. tubes (black)
CBM 19553-A	Sealer-caulking cord

continued

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

APPEARANCE & MAINTENANCE MATERIALS

CANADIAN USAGE

PART NUMBER	DESCRIPTION
	SEALERS and ADHESIVES
B5A 19554-A	Perfect seal sealing compound-carton of 12 4 oz. cans
CB9CZ 19554-B	Exhaust system sealant-40 oz. can
CCPN 19554-A	Loctite sealant-1 2/3 oz. bottle
C6AZ 19554-A	Metallic plastic (to repair cyl. front cover & cyl. block intake manifold) (1) can-metallic resin, (1) jar-hardening agent
C9AZ 19554-A	Perfect seal sealing compound (12) 15 oz. aerosol can
C9AZ 19554-B	Sealer (liquid butyl)-black-for sealing butyl installed windshield and backlite-16 oz. can
D0AZ 19554-A	Kit-loctite minute bond adhesive 312-Consists of (1) 50cc adhesive, (1) 6 oz. can accelerator and (1) instruction sheet
D0AZ 19554-B	Accelerator for loctite minute bond adhesive 312-6 oz. aerosol spray can
D0AZ 19554-C	Sealer tape (tetrafluoroethylene)-1/2"x 288"-used on bolt & studthreads to provide a positive liquid seal
D2AZ 19554-A	Adhesive-used for repair of loose vinyl inserts to stainless steel or aluminum body side mouldings-pressure activated-1 oz.bottle
AB 19560-A	Caulking cord-(6) 80 ft. rolls-3/16" dia.
C3AZ 19560-A	Body sealer (synthetic resin)-3 lb. tube
C3AZ 19562-A	Sealer & filler (silicone rubber)-for vinyl tops, also body sealer--white-5 oz. tube
C3AZ 19562-B	Sealer & filler (silicone rubber)-for vinyl tops, also body sealer--black-5 oz. tube
CC5AZ 19562-B	Kit-windshield & backlite tape sealer-consists of 168"x 3/8"x 3/8" special tape for use on vehicles using butyl tape type installation on windshield & backlite glass
D2FZ 19562-A	Seal w/shield & backlite glass-foam tape-1/4"x 5/8"x 13'
D2FZ 19562-E	Seal quarter window-foam tape-1/4"x 3/8"x 5'
D3AZ 19562-A	Windshield glass seal kit-5/16" round (176") includes glass primer
CC2AZ 19573-A	Automatic transmission sealer-8 oz. can
	SPECIAL PRODUCTS
CB8A 19512-A	Wash mitt
CC3AZ 19514-A	Starting fluid-11 oz. spray can
CC4AZ 19515-A	Undercoating-5 gal.
D0AZ 19515-A	Undercoating-airless spray-16 gal. drum(U.S.)
8A 19515-B	Undercoating-45 gal.

continued

PART NUMBER	DESCRIPTION
	SPECIAL PRODUCTS
CBJ 19517-A	Polishing cloth-lintless-5 yds.
CBJ 19517-B	Dusting cloth-chemically treated-18"x 24"
CC3AZ 19517-A	Chamois-super sheen-approx.20"x 22"
D3AZ 19517-A	Dusting cloth (wax treated)-plastic bag container
D3AZ 19517-B	Pad-buffing and polishing--carton of (12)
D4AZ 19B519-A *YN-1-A	Refrigerant (air conditioner)-14 oz. can
D2AZ 19523-A	Hand cleaner-waterless-(12) 14 oz. cans
D2AZ 19523-B	Hand cleaner-waterless-(2) 5 lb. cans
CD4AZ 19524-A	Engine shampoo-15 gal. can
CECG 19524-A	Engine shampoo-5 gal. can
CECG 19524-B	Engine shampoo-45 gal. can
CC6AZ 19528-A	Concrete floor cleaner & degreaser-40 lb. pack
C000 19531-D	Gas line anti-freeze-12 oz. can
CC2AZ 19531-BUP	Gas line anti-freeze-4 oz. can (ctn./24)
C000 19535-A	Carburetor cleaner-5 gal. pail
C000 19535-B	Carburetor cleaner-4 gal. pail (with basket)
CC5AZ 19562-C	Putty (green HI-speed)-3 1/2 lb. tin
CC5AZ 19562-D	Putty (Super Spot-pink shade)-3 1/2 lb. can
C9AZ 19577-B *YN-2	Refrigerant compressor oil -used w/York or Tecumseh compressor--1 qt. can (U.S.)
D1VY 19577-B *YN-4	Refrigerant compressor oil-use w/Frigidaire compressors-1 qt. can (U.S.)
MGCA 19579-A	Combustion chamber conditioner-16 oz. can
C6AZ 19579-B	Carburetor & combustion chamber cleaner-(12) 19 oz. aerosol cans
B6A 19583-A	Ru-Glyde-rubber lubricant (for tubeless tire servicing)-1 gal. (U.S.)
CC0CZ 19583-A	Ru-Glyde-rubber lubricant-8 oz. can
C1A 19584	Penetrating fluid-8 oz. can
CB8A 19584-A	Penetrating fluid-1 gal. can
CB9CZ 19586-A	Door ease-stick lubricant-shop size (6 to carton)
B4A 19587-A	Lock lubricant-4 oz. can (pkg. 12)
D2AZ 19587-A	Lock lubricant (12) 4 oz. aerosol can with snorkel
C6AZ 19627-A	Tape (vinyl foam)-1/8"x 7/8"-50 ft. roll-used to shim weatherstrip roof rails, doors and convertible side rails

USED CAR RECONDITIONING MATERIALS

U.S. USAGE

PART NUMBER	DESCRIPTION
C0AZ 19A536-D	Engine shampoo (cleaner & degreaser)-5 gal. drum
C0AZ 19A536-E	Engine shampoo (cleaner & degreaser)-30 gal. drum
C0AZ 19A536-F	Engine shampoo (cleaner & degreaser)-55 gal. drum
D0AZ 19A536-A	Automotive cleaner(engine exterior & engine compartment)-(6) 20 oz. aerosol spray cans

PART NUMBER	DESCRIPTION
C7AZ 19A537-A	Color reconditioner-rubber sealer paint-(for reconditioning rubber floor mats)-1 qt. can
C1AZ 19627-A	Tape (pressure sensitized)-5"wide x 60 yards-used to recover arm rests, seats, floor mats, etc.

COLOR RECONDITIONER - AIR DRY AUTO UPHOLSTERY - QUART CAN

PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION
C7AZ 19A542-A	Saddle Brown	C7AZ 19A542-D	Med. Copper	C7AZ 19A542-G	Dark Green	C7AZ 19A542-K	Silver
C7AZ 19A542-B	Yellow	C7AZ 19A542-E	Turquoise	C7AZ 19A542-H	Red	C7AZ 19A542-L	Clear
C7AZ 19A542-C	White	C7AZ 19A542-F	Dark Blue	C7AZ 19A542-J	Black		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

USED CAR RECONDITIONING MATERIALS

CANADIAN USAGE

PART NUMBER	DESCRIPTION
CC0AZ 19525-A	D-5 convertible top cleaner-1 qt. jug
CB9AA 19A537-A	Floor mat patches-8" x 12" tapered edges-package of 6
CD5AZ 19B542-A	Cream hardener for body filler-1 oz. for quart size
CD5AZ 19B542-B	Cream hardener for body filler-4 oz. for gallon size
CD5AZ 19A547-A	Body filler-white-qt.-includes hardener
CD5AZ 19A547-B	Body filler-white-gal.-includes hardener
CC5AZ 19562-C	Green HI speed putty-3 1/2 lb. tin
CC5AZ 19562-D	Super spot putty-pink shade-3 1/2 lb. can

PART NUMBER	DESCRIPTION
C1AZ 19627-A	Tape (pressure sensitized)-5" wide x 60 yds.-used to recover arm rests, seats, floor mats, etc.
CB9CZ 7003105-A	Kit-glass scratch remover-consists of (1) hydro grinding pad & scratch remover compound
CC2CZ 7050223-A	Polyester body filler-flexible-red oxide-qt.
CC2CZ 7050223-B	Polyester body filler-flexible-red oxide-gal.
CB8A 7050224-A	Hardener (body filler)-20 cc for quart size
CB8A 7050224-B	Hardener (body filler)-2 oz. for gallon size
CC1CZ 7050224-HA	Hardener (body filler)-8 oz. economy size

FABRIC TINT - QUART

PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION
CB9AA 19A542-A	Black	CB9AA 19A542-F	Green
CB9AA 19A542-B	Blue	CB9AA 19A542-G	Turquoise
CB9AA 19A542-H	Beige (Gold)	CB9AA 19A542-J	Maroon
CB9AA 19A542-D	Brown		
CB9AA 19A542-E	Red		

LEATHER DYE & VINYL COATING - QUART

PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION
CB9AA 19A540-A	White	CB9AA 19A540-F	Yellow
CB9AA 19A540-B	Black	CB9AA 19A540-G	Red
CB9AA 19A540-C	Brown	CB9AA 19A540-H	Turquoise
CB9AA 19A540-D	Blue	CB9AA 19A540-J	Medium Gray
CB9AA 19A540-E	Green	CB9AA 19A540-K	Aluminum

PLASTIC DYE - QUART

PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION
CB9AA 19A541-E	Gray	CB9AA 19A541-K	Turquoise
CB9AA 19A541-G	Red	CB9AA 19A541-N	Ford Corporate Blue
CB9AA 19A541-H	Aluminum	CC5AZ 19A541-A	Gold
		CC5AZ 19A541-B	Chev-Orange
		CD4AZ 19A541-A	Dodge-Blue (Medium)
		CD4AZ 19A541-B	Pontiac-Blue

PLASTIC DYE - 1 GALLON

PART NUMBER	DESCRIPTION
CB9AA 19A541-B	Black

PLASTIC DYE - 5 GALLONS

PART NUMBER	DESCRIPTION
CB9AA 19A541-M	Black

INDEX

PART NAME	GROUP NUMBER
A	
Applique (wheel cover)	1137
Arm (spare wheel carrier)	1432
B	
Bearing (rear wheel)	1225
Bearing assy. (free running hub inner coupling)	1092
Bolt (lockout hub retaining plate)	1A031
Bolt (spare wheel mounting)	1448
Bolt (wheel hub)	1107
Bumper (spare wheel carrier latch)	1A366
C	
Cable (spare wheel carrier check)	1A403
Cam (lockout hub actuating)	1A053
Cap (front hub grease)	1131
Cap (wheel hub)	1130,
Carrier (spare wheel)	1433
Clamp (spare wheel)	1446
Cone & roller (front wheel bearing inner)	1201
Cone & roller (front wheel bearing outer)	1216
Coupling (free running hub)	1090-1
Cover (wheel hub)	1130, 1132
Cover kit (wheel hub)	1130
Cup (front wheel bearing inner)	1202
Cup (front wheel bearing outer)	1217
Cup (transfer case output shaft)	1202
D	
Drum (front wheel brake)	1125
Drum (rear wheel brake)	1126
E	
Extension (tire valve)	1705
G	
Gasket (front brake grease baffle)	1193
Gasket (rear wheel)	1001
Gear (front axle shaft drive)	1245
H	
Hinge (spare wheel carrier)	1478-9
Hub assy. (front wheel free running)	1104
Hub & brake drum (front wheel)	1102
Hub & rotor (front wheel disc brake)	1102
Hub kit (free running)	1104
I	
Insert (wheel spider trim)	1A079
K	
KIT - refer to appropriate noun name For example Hub kit (free running)	1104
Knob (lockout hub actuating)	1A029
L	
Latch assy. (spare wheel carrier)	1A398
Lock assy. (spare wheel)	1386
Lock nut (front wheel bearing)	1197
Lock ring (free running hub inner coupling)	1080
N	
Nut (spare wheel mounting bolt)	1462
Nut (wheel hub bolt)	1012
O	
"O" ring (free running hub knob)	1A030

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
P	
Pin (free running hub drive)	1094
Pin (free running hub stop)	1095
Pin (spare wheel carrier hanger)	1487
Plate (lockout hub retaining)	1A050
Plate (spare wheel carrier arm)	1A404
Plate (spare wheel mounting)	1424
Plate (spare wheel retainer)	1402
R	
Reinforcement (spare wheel carrier hinge)	1A399, 1A400
Reinforcement (spare wheel carrier lock latch bracket)	1A401
Retainer (front wheel bearing lock)	1198
Retainer (front wheel hub grease)	1190
Retainer (lockout hub clutch)	1A051
Retainer (lockout hub pressure spring)	1A055
Retainer (rear wheel bearing inner)	1180
Retainer (spare wheel carrier)	1A406
Retainer (spare wheel carrier check cable)	1A408
Ring (wheel trim)	1210
Ring & bushing assy. (lockout hub inner)	1A052
Ring kit (wheel trim white)	1211
S	
Seal (rear wheel bearing oil inner)	1177
Seal (wheel bearing)	1175
Seal & lock ring kit (free running hub)	1097
Sleeve & ring assy. (lockout hub)	1A028
Spacer (front hub)	1199
Spring (brake drum silencer)	1140
Spring (lockout hub pressure)	1A054
Spring (spare wheel carrier release lever)	1A361
Stop (spare wheel)	1377, 1422
Support (spare wheel)	1422
T	
Tire casing (snow)	1508
Tire kit (collapsible spare)	1508
W	
Washer (front wheel outer bearing retainer)	1195
Weight (wheel balance)	1040
Wheel assy.	1007, 1015
Wrench (spare wheel lock bolt)	1A379

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	1001 GASKET - REAR WHEEL				
	- A -				
65	A(exc. 71)		Bearing retainer-outer-2 15/16" I.D.-4 holes	2	A8AZ 1001-A
65/66	A(71 & P/C)		Bearing retainer-3 1/4" I.D.-5 holes	4	C5AZ 1001-A
65/66	A (H/D)			4	
65/66	A (except 71)		With large bearing	4	
65/66	A(exc. 71)		Backing plate-2 7/8" I.D.-4 holes	2	C1AZ 1001-A
66/70	A	"Before 9/30/69"	Backing plate-3 3/16" I.D.-4 holes	2	C6VY 1001-A
70/	A	"From 9/30/69"	Backing plate-3 3/16" I.D.-4 holes	2	D0AZ 1001-A
	- B -				
65/68	B		Bearing retainer-outer-2 15/16" I.D.-4 holes	2	A8AZ 1001-A
65/70	B	"Before 9/30/69"	Backing plate-2 7/8" I.D.-4 holes	2	C1AZ 1001-A
70/	B	"From 9/30/69"	Backing plate-2 7/8" I.D.-4 holes	2	D0OZ 1001-A
	- F -				
65/68	F(6 cyl.)		Bearing retainer-2 11/16" I.D.-4 holes	2	★C3DZ 1001-A
65/68	F(8 cyl.)		Bearing retainer-outer-2 15/16" I.D.-4 holes	2	A8AZ 1001-A
65/70	F(6 cyl.)-7 1/4" ring gear		Backing plate-2 11/16" I.D.-4 holes	2	C0DZ 1001-A
65/70	F(exc. 7 1/4" ring gear)	"Before 9/30/69"	Backing plate-2 7/8" I.D.-4 holes	2	C1AZ 1001-A
70	F(exc. 7 1/4" ring gear)	"From 9/30/69"	Backing plate-2 7/8" I.D.-4 holes	2	D0OZ 1001-A
71/	F(8" & 9" ring gear)		Backing plate-2 7/8" I.D.-4 holes	2	D0OZ 1001-A
	- L -				
71/	L		Backing plate-2 11/16" I.D.-4 holes	2	C0DZ 1001-A
	- P -				
65/70	P(6 cyl.)-7 1/4" ring gear		Backing plate-2 11/16" I.D.-4 holes	2	C0DZ 1001-A
70	P(exc. 7 1/4" ring gear)		Backing plate-2 7/8" I.D.-4 holes	2	C1AZ 1001-A
70	P(6 cyl.)-8" ring gear		Backing plate-2 11/16" I.D.-4 holes	2	C0DZ 1001-A
71/	P(9" brakes)			2	
71/	P(10" brakes)		Backing plate-2 7/8" I.D.-4 holes	2	D0OZ 1001-A
	- S -				
65/66	S		Bearing retainer-3 1/4" I.D.-5 holes	4	C5AZ 1001-A
66/70	S	"Before 9/30/69"	Backing plate-3 3/16" I.D.-4 holes	2	C6VY 1001-A
70/71	S	"From 9/30/69"	Backing plate-3 3/16" I.D.-4 holes	2	D0AZ 1001-A
72	S		Backing plate-2 7/8" I.D.-4 holes	2	D0OZ 1001-A
	- U -				
66/68	U		Bearing retainer-outer-2 15/16" I.D.-4 holes	2	A8AZ 1001-A
66/70	U(2700 lb. axle)	"Before Ser. G50,001"	Backing plate-2 7/8" I.D.-4 holes	2	C1AZ 1001-A
70/	U(2700 lb. axle)	"From Ser. G50,001"	Backing plate-2 7/8" I.D.-4 holes	2	D0OZ 1001-A
66/70	U(3300 lb. axle)	"Before Ser. G50,001"	Backing plate-3 3/16" I.D.-4 holes	2	C6VY 1001-A
70/	U(3300 lb. axle)	"From Ser. G50,001"	Backing plate-3 3/16" I.D.-4 holes	2	D0AZ 1001-A
	- X -				
65/68	X(6 cyl.)		Bearing retainer-2 11/16" I.D.-4 holes	2	★C3DZ 1001-A
65/68	X(8 cyl.)		Bearing retainer-outer-2 15/16" I.D.-4 holes	2	A8AZ 1001-A
65/70	X(6 cyl.)-7 1/4" ring gear		Backing plate-2 11/16" I.D.-4 holes	2	C0DZ 1001-A
65/70	X(exc. 7 1/4" ring gear)	"Before 9/30/69"	Backing plate-2 7/8" I.D.-4 holes	2	C1AZ 1001-A
70	X(exc. 7 1/4" ring gear)	"From 9/30/69"	Backing plate-2 7/8" I.D.-4 holes	2	D0OZ 1001-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	TYP	REMARKS	TIRES	WHEEL SIZE	NO. HOLES & BOLT CIRCLE	QTY.	PART NUMBER
	1007 WHEEL ASSY. - A -							
65	A(exc. 427 engine)-NOTE 1	P	#Orange paint-NOTE 4		15 x 5.00	5-4 1/2	5	★C8AZ 1007-D r/b D1AZ 1007-A
	A(Taxi)-NOTE 1	P			15 x 5.50	5-4 1/2	5	C1AZ 1007-A
	A(427 engine)-NOTE 1	P			15 x 6.00	5-4 1/2	5	C6AZ 1007-A
66/67	A(exc. 71, P/C)-NOTE 1	P	#Orange paint-NOTE 4		15 x 5.00	5-4 1/2	5	★C8AZ 1007-D r/b D1AZ 1007-A
	A(exc. 71, P/C)-NOTE 2	P			15 x 5.50	5-4 1/2	5	C5SZ 1007-A
	A(71, P/C)-NOTE 3	P			15 x 6.00	5-4 1/2	5	C6AZ 1007-A
68	A(exc. 71 & P/C)-NOTE 1	P	#Orange paint-NOTE 4		15 x 5.00	5-4 1/2	5	★C8AZ 1007-D r/b D1AZ 1007-A
	A(exc. 71 & P/C)-NOTE 2	P	Stamped C8SA 1007-AW or C8AA 1007-C		15 x 5.50	5-4 1/2	5	★C8AZ 1007-A r/b C8AZ 1007-E
	A(71, P/C & all R.P.O. wheels)-NOTE 3	P	Stamped C8AA 1007-DW		15 x 6.00	5-4 1/2	5	★C8AZ 1007-B r/b C8AZ 1007-F
69	A(exc. 71, P/C)-NOTE 1	P	#Orange paint-NOTE 4		15 x 5.00	5-4 1/2	5	★C8AZ 1007-D r/b D1AZ 1007-A
	A(exc. 71, P/C)-NOTE 2	P	# Yellow paint, "V"		15 x 5.50	5-4 1/2	5	C8AZ 1007-E
	A(exc. 71, P/C)-NOTE 3	P	# Brown paint		15 x 6.00	5-4 1/2	5	★C8AZ 1007-F r/b D0LY 1007-A
	A(71)-NOTE 3	P	# Violet paint		15 x 6.50	5-4 1/2	5	★C9AZ 1007-A r/b D1AZ 1007-B
	A(P/C with 8.55 x 15 tires)-NOTE 3	P			15 x 6.50	5-4 1/2	5	★C9AZ 1007-B r/b D1AZ 1007-B
70	A(exc. 71, P/C)-NOTE 1	P	#Orange paint-NOTE 4	F78, G78	15 x 5.00	5-4 1/2	5	★C8AZ 1007-D r/b D1AZ 1007-A
	A(exc. 71, P/C)-NOTE 2	P	# Yellow paint, "V"	F78, G78, H78	15 x 5.50	5-4 1/2	5	C8AZ 1007-E
	A(exc. 71, P/C)-NOTE 3	P	# Brown paint	G78-P/C, H70, 8.25-P/C	15 x 6.00	5-4 1/2	5	★C8AZ 1007-F r/b D0LY 1007-A
	A(71)-NOTE 3	P	# Violet paint	H78	15 x 6.50	5-4 1/2	5	★C9AZ 1007-A r/b D1AZ 1007-B
	A(P/C with 8.55 x 15 tires)-NOTE 3	P		H78	15 x 6.50	5-4 1/2	5	★C9AZ 1007-B r/b D1AZ 1007-B
71	A(exc. 71, P/C)-NOTE 1-"Before 11/16/70"	P	#Orange paint-NOTE 4		15 x 5.00	5-4 1/2	5	★C8AZ 1007-D r/b D1AZ 1007-A
	A(exc. 71, P/C)-NOTE 1-"From 11/16/70"	P	# White & Pink paint		15 x 5.00	5-4 1/2	5	D1AZ 1007-A
	A(exc. 71, P/C)-NOTE 2	P	# Yellow paint, "V"	H78	15 x 5.50	5-4 1/2	5	C8AZ 1007-E
	A(exc. 71, P/C)-NOTE 3	P	#Brown paint	†8.25-15 ‡8.55-15	15 x 6.00	5-4 1/2	5	★C8AZ 1007-F r/b D0LY 1007-D
	A(71)-NOTE 3	P	#Violet paint	H78	15 x 6.50	5-4 1/2	5	★C9AZ 1007-A r/b D1AZ 1007-B
	A(P/C)-NOTE 3-"Before 2/10/71"	P	# Pink & White paint, "E"	H78	15 x 6.00	5-4 1/2	5	D0LY 1007-A
	A(P/C)-NOTE 3-"From 2/10/71"	P	# Brown, Violet & Yellow paint, "F"	H78	15 x 6.50	5-4 1/2	5	D1AZ 1007-B
72	A(exc. 71, P/C)-NOTE 3	P	# White & Pink paint, "T"	F78, G78	15 x 5.00	5-4 1/2	5	D1AZ 1007-A
	A(exc. 71, P/C)-NOTE 3	P	# Yellow paint, "V"	H78	15 x 5.50	5-4 1/2	5	C8AZ 1007-E
	A(71)-NOTE 3	P	# Brown, Violet & Yellow paint, "F"	H78, HR78	15 x 6.50	5-4 1/2	5	D1AZ 1007-B
	A(P/C)-NOTE 3	P	# Pink & White paint, "E"	8.25-15, HR78	15 x 6.00	5-4 1/2	5	D0LY 1007-A
	A(P/C)-NOTE 3	P	# Brown, Violet & Yellow paint, "F"	8.55-15, HR78	15 x 6.50	5-4 1/2	5	D1AZ 1007-B

NOTE 1-Used for service replacement of all five wheels on a unit with drum front brakes.
NOTE 2-Used for service replacement of all five wheels on a unit with disc front brakes.
NOTE 3-Used for service replacement of all five wheels on a unit with drum or disc front brakes.
NOTE 4-Has 2 3/4" center hole diameter. Replaces C8AZ 1007-C with 2 7/16" center hole diameter.

P-Plain wheel
Identification marking

† P/C except A/C ‡ P/C with A/C

YEAR	MODEL	TYPE	REMARKS		WHEEL SIZE	NO. HOLES & BOLT CIRCLE	QTY.	PART NUMBER
	1007 WHEEL ASSY. - continued							
	- B -							
65	B	P	#White paint		14 x 5.00	5-4 1/2	5	C8OZ 1007-G
66	B(exc.71)-6 cyl.& 8 cyl.289	P			14 x 4.50	5-4 1/2	5	C6OZ 1007-A
	B(8 cyl.390)	P	#White paint		14 x 5.00	5-4 1/2	5	C8OZ 1007-G
	B	SS	Use with 1210 trim ring		14 x 5.00	5-4 1/2	5	C6ZZ 1007-A
	B	SS	Chrome-cavities painted grey gold		14 x 5.00	5-4 1/2	5	C5ZZ 1007-B
	B(63D,76D GT Models)	P			14 x 5.50	5-4 1/2	5	C2AZ 1007-C
67	B(exc.71)-6 cyl.& 8 cyl.289	P			14 x 4.50	5-4 1/2	5	C6OZ 1007-A
	B	P	#White paint		14 x 5.00	5-4 1/2	5	C8OZ 1007-G
	B-GT w/F70 x 14 wide oval tires	P	#Red paint		14 x 5.50	5-4 1/2	5	C8OZ 1007-H
	B	SS	Use with 1210 trim ring		14 x 5.50	5-4 1/2	5	C7ZZ 1007-B
	B(GT)	SS	Painted grey		14 x 5.50	5-4 1/2	5	C7OZ 1007-B
68	B(disc brakes)	P	Stamped C8OA 1007-EW, FW, GW or HW		14 x 5.00	5-4 1/2	5	★C8OZ 1007-C r/b C8OZ 1007-G
	B	P	#White paint		14 x 5.00	5-4 1/2	5	C8OZ 1007-G
	B(exc.GT,66,71)-disc brakes	P	Stamped C8ZA 1007-AW, BW or CW		14 x 6.00	5-4 1/2	5	★C8ZZ 1007-A r/b C8ZZ 1007-D
	B(exc.66,71)	P	#Tan paint		14 x 6.00	5-4 1/2	5	C8ZZ 1007-D
	B(exc.66)-disc brakes	SS	Black reflective paint		14 x 6.00	5-4 1/2	5	★C8OZ 1007-F m/w C8OZ 1007-K
	B(exc.66)	SS	Reflective silver		14 x 6.00	5-4 1/2	5	C8OZ 1007-K
	B (disc brakes)	SS	Chrome-stamped C8OA 1007-N, T or Z		14 x 6.00	5-4 1/2	5	★C8ZZ 1007-C r/b C8ZZ 1007-E
	B	SS	Chrome		14 x 6.00	5-4 1/2	5	C8ZZ 1007-E
	B-disc brakes	SS	Silver-stamped C8OA 1007-L or M-use w/1210 trim ring		14 x 6.00	5-4 1/2	5	★C8OZ 1007-E r/b C8OZ 1007-J
	B	SS	Silver-use with 1210 trim ring		14 x 6.00	5-4 1/2	5	C8OZ 1007-J
69	B	P	#White paint		14 x 5.00	5-4 1/2	5	C8OZ 1007-G
	B(exc.66,71)	P	#Tan paint		14 x 6.00	5-4 1/2	5	C8ZZ 1007-D
	B(exc.66)	SS	Reflective silver		14 x 6.00	5-4 1/2	5	C8OZ 1007-K
	B(exc.Rio Grande)	SS	Chrome		14 x 6.00	5-4 1/2	5	C8ZZ 1007-E
	B(exc.Rio Grande)	SS	Silver-use with 1210 trim ring		14 x 6.00	5-4 1/2	5	C8OZ 1007-J
	B(exc.Rio Grande)	SS	Primed-use with 1A079 insert		14 x 6.00	5-4 1/2	5	C9ZZ 1007-B
	B(66A,B)-Rio Grande	SS			14 x 6.00	5-4 1/2	4	C9OZ 1007-F
				TIRES				
70	B	P	#White paint	E78,F78 G78, 8.25-P/C	14 x 5.00	5-4 1/2	5	C8OZ 1007-G
	B	P	#White & Violet paint	E70,F70, G70,G78,	14 x 7.00	5-4 1/2	5	D0OZ 1007-B
	B	SS	Painted argent # White & Yellow paint, "G"	E70,F70, G70,G78	14 x 7.00	5-4 1/2	5	D0ZZ 1007-C
	B	P	Green paint, "D"	F60	15 x 7.00	5-4 1/2	5	D0OZ 1007-A
	B	SS	Chrome	F60	15 x 7.00	5-4 1/2	5	C9ZZ 1007-D
71	B	P	#White paint	E78,F78, G78% 8.25-P/C	14 x 5.00	5-4 1/2	5	C8OZ 1007-G
	B	P	#White & Violet paint	E70,F70, G70,E78, F78,G78	14 x 7.00	5-4 1/2	5	D0OZ 1007-B
	B(Halo pkg. option)						5	
	B	SS	Painted argent # White & Yellow paint, "G"	E70,F70, G70	14 x 7.00	5-4 1/2	5	D0ZZ 1007-C
	B	P	#Green paint, "D"	F60⊖	15 x 7.00	5-4 1/2	5	D0OZ 1007-A
	B "Before 4/2/71"	SS	Chrome	F60⊖	15 x 7.00	5-4 1/2	5	C9ZZ 1007-D
	B "From 4/2/71"	SS	Chrome-#Orange paint, "J"		15 x 7.00	5-4 1/2	5	D1OZ 1007-A

Identification marking P - Plain wheel SS - Styled steel wheel % Except Ranchero

⊖ Not available on 250 C.I.D. engine

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1007 WHEEL ASSY. - continued

YEAR	MODEL	TYPE	REMARKS		WHEEL SIZE	NO. HOLES & BOLT CIRCLE	QTY.	PART NUMBER
			TIRES					
	- B -							
72	B(53,63,65,97)- exc.P/C	P	#Red & Green paint, "P"	E78, F78, G78	14 x 5.00	5-4 1/2	5	★D2OZ 1007-A r/b D3OZ 1007-A
	B(Taxi) "Before 2/21/72"			G78			5	
	B(53,65)--exc. P/C	P	# White & Yellow paint, "S"	E70, F70, G70	14 x 6.00	5-4 1/2	5	D2OZ 1007-E
	B(71)-exc.P/C			H78			5	
	B(97)			E70, F70, G70, E78, F78, G78			5	
	B	SS	Chrome-#red paint, "H"	H78	14 x 7.00	5-4 1/2	5	★D2OZ 1007-F r/b D4OZ 1007-A
	B(97)	P	# Pink & White paint, "E"	F78, G78, HR78	15 x 6.00	5-4 1/2	5	D0LY 1007-A
	B(P/C)			8.25-15, HR78			5	
	B(Taxi) "From 2/21/72"			G78			5	
	B(Magnum 500 wheels)							Use S/S wheel
	- F -							
65	F(6 cyl.)	P			13 x 4.50	4-4 1/2	5	★C0DZ 1007-A r/b D0DZ 1007-A
	F(6 cyl.)	P			14 x 4.50	4-4 1/2	5	C4DZ 1007-A
	F(except GT350)-8 cyl.	P			13 x 4.50	5-4 1/2	5	C1UU 1007-A
	F(except GT350)-8 cyl.	P	#White paint		14 x 5.00	5-4 1/2	5	C8OZ 1007-G
	F(except GT350) "Before 2/1/65"	SS	Chrome-cavities painted grey		14 x 5.00	5-4 1/2	5	★C5ZZ 1007-A r/b C5ZZ 1007-B
	F(except GT350)-8 cyl.- "From 2/1/65"	SS	Chrome-cavities painted grey gold		14 x 5.00	5-4 1/2	5	C5ZZ 1007-B
	F(except GT350)-8 cyl.	P			15 x 5.50	5-4 1/2	5	C1AZ 1007-A
	F(GT350)	SS	Painted grey		14 x 6.00	5-4 1/2	5	S2MS 1007-B
	F(GT350)	SS	Chrome		14 x 6.00	5-4 1/2	5	S2MS 1007-C
66	F(6 cyl.)	P			13 x 4.50	4-4 1/2	5	★C0DZ 1007-A r/b D0DZ 1007-A
	F(6 cyl.)	P			14 x 4.50	4-4 1/2	5	C4DZ 1007-A
	F(except GT350)-8 cyl.	P	#White paint		14 x 5.00	5-4 1/2	5	C8OZ 1007-G
	F(except GT350)-8 cyl.	SS	Cavities painted grey gold		14 x 5.00	5-4 1/2	5	C5ZZ 1007-B
	F(except GT350)	SS	Use with 1210 trim ring		14 x 5.00	5-4 1/2	5	C6ZZ 1007-A
	F(except GT350)-8 cyl.	P			15 x 5.50	5-4 1/2	5	C1AZ 1007-A
	F(GT350)	SS	Painted grey		14 x 6.00	5-4 1/2	5	S2MS 1007-B
	F(GT350)	SS	Chrome		14 x 6.00	5-4 1/2	5	S2MS 1007-C
	F(GT350)	P			15 x 6.00	5-4 1/2	5	C8AZ 1007-F
67	F(6 cyl.)	P			14 x 4.50	4-4 1/2	5	C4DZ 1007-A
	F(except GT350/500)-8 cyl.	P	#White paint		14 x 5.00	5-4 1/2	5	C8OZ 1007-G
	F(except GT350/500)	SS	Use with 1210 trim ring		14 x 5.50	5-4 1/2	5	C7ZZ 1007-B
	F(GT)	SS	Painted grey		14 x 5.50	5-4 1/2	5	C7OZ 1007-B
	F(except GT350/500)- 8 cyl. 390	P	Stamped C8ZA 1007-AW, BW, CW		14 x 6.00	5-4 1/2	5	★C8ZZ 1007-A r/b C8ZZ 1007-D
	F(except GT350/500)-competition	P			15 x 6.00	5-4 1/2	5	C7ZZ 1007-D
	F(GT350/500)	P	Painted black		15 x 6.00	5-4 1/2	5	★C8AZ 1007-B r/b D0LY 1007-A
	F(GT350/500)	SA	Chromed rim-mag star		15 x 7.00	5-4 1/2	5	S7MS 1007-C
68	F(6 cyl.)	P	#Yellow & Green paint		14 x 5.00	4-4 1/2	5	C8DZ 1007-A
	F(exc.GT, GT350/500)	P	#White paint		14 x 5.00	5-4 1/2	5	C8OZ 1007-G
	F(exc.GT, GT350/500)- disc brakes	P	Stamped C8OA 1007-EW, FW, GW, HW		14 x 5.00	5-4 1/2	5	★C8OZ 1007-C r/b C8OZ 1007-G
	F(exc.GT, GT350/500)- disc brakes	P	Stamped C8ZA 1007-AW, BW, CW		14 x 6.00	5-4 1/2	5	★C8ZZ 1007-A r/b C8ZZ 1007-D

Identification marking P - Plain wheel SS - Styled steel wheel SA - Styled aluminum wheel

1007 WHEEL ASSY. - continued

YEAR	MODEL	TYPE	REMARKS		WHEEL SIZE	NO. HOLES & BOLT CIRCLE	QTY.	PART NUMBER
	- F -							
68	F(exc.GT,GT350/500-disc brakes	SS	Silver-stamped C8OA 1007-L,M-use w/1210 trim ring		14 x 6.00	5-4 1/2	5	★C8OZ 1007-E r/b C8OZ 1007-J
	F(exc.GT, GT350/500)-disc brakes	SS	Chrome-stamped C8OA 1007-N,T, Z		14 x 6.00	5-4 1/2	5	★C8ZZ 1007-C r/b C8ZZ 1007-E
	F(exc.GT, GT350/500)	P	#Red paint		14 x 6.00	5-4 1/2	5	C8ZZ 1007-D
	F(exc.GT, GT350/500)	SS	Silver-use with 1210 trim ring		14 x 6.00	5-4 1/2	5	C8OZ 1007-J
	F(exc.GT, GT350/500)	SS	Chrome		14 x 6.00	5-4 1/2	5	C8ZZ 1007-E
	F(GT)-disc brakes	SS	Black		14 x 6.00	5-4 1/2	5	★C8OZ 1007-F m/w C8OZ 1007-K
	F(GT)	SS	Reflective silver		14 x 6.00	5-4 1/2	5	C8OZ 1007-K
	F(GT350/500)	P	Painted black-stamped C8AA 1007-DW		15 x 6.00	5-4 1/2	5	C8AZ 1007-B
69	F(6 cyl.)	P	#Yellow & Green paint		14 x 5.00	4-4 1/2	5	C8DZ 1007-A
	F(exc.GT, Boss, GT350/500)	P	#White paint		14 x 5.00	5-4 1/2	5	C8OZ 1007-G
	F(exc.GT, Boss, GT350/500)	P	#Red paint		14 x 6.00	5-4 1/2	5	C8ZZ 1007-D
	F(exc.GT, Boss, GT350/500)	SS	Silver-use with 1210 trim ring		14 x 6.00	5-4 1/2	5	C8OZ 1007-J
	F(exc.GT, Boss, GT350/500) (Standard Mach I)	SS	Chrome		14 x 6.00	5-4 1/2	5	C8ZZ 1007-E
	F(exc.GT, Boss, GT350/500)-"Before 10/15/68"	SS	Primed		14 x 6.00	5-4 1/2	5	★C9ZZ 1007-A r/b C9ZZ 1007-B
	F(exc.GT, Boss, GT350/500)-"From 10/15/68"	SS	Primed-use with 1A079 insert stamped ED-C9AZ 1007-B1 or B2		14 x 6.00	5-4 1/2	5	C9ZZ 1007-B
	F(GT)	SS	Reflective silver		14 x 6.00	5-4 1/2	5	C8OZ 1007-K
	F(GT350/500)	P	Use for spare wheel-# Red paint		14 x 6.00	5-4 1/2	1	C8ZZ 1007-D
	F(GT350/500)	P	#Brown paint		15 x 6.00	5-4 1/2	4	★C8AZ 1007-F r/b D0LY 1007-A
	F(Boss 302)	SS	Chrome		15 x 7.00	5-4 1/2	5	C9ZZ 1007-D
	F(Boss 302)	SS	Painted argent		15 x 7.00	5-4 1/2	5	C9ZZ 1007-E
	F(Boss 429)	SS	Chrome		15 x 7.00	5-4 1/2	4	C9ZZ 1007-H
	F(GT350/500)	SS			15 x 7.00	5-4 1/2	4	C9ZZ 1007-J
				TIRES				
70	F(6 cyl.)	P	#Yellow & Green paint	E78	14 x 5.00	4-4 1/2	5	C8DZ 1007-A
	F(exc.Boss,GT350/500)	P	#Red paint	E70,E78, F70,F78†	14 x 6.00	5-4 1/2	5	C8ZZ 1007-D
	F(exc.Boss,GT350/500)	SS	Primed-use with 1A079 insert		14 x 6.00	5-4 1/2	5	C9ZZ 1007-B
	F(except Boss,GT350/500)	SS	Painted argent #Brown & Pink paint	E70,E78, F70	14 x 6.00	5-4 1/2	5	D0ZZ 1007-B
	F(exc.Boss,GT350/500)	P	#White & Violet paint	E70,F70	14 x 7.00	5-4 1/2	5	D0OZ 1007-B
	F (exc. Boss,GT350/500)		Painted argent # White & Yellow paint, "G"	E70,F70	14 x 7.00	5-4 1/2	5	D0ZZ 1007-C
	F(exc.GT350/500)	P	# Green paint, "D"	F60	15 x 7.00	5-4 1/2	5	D0OZ 1007-A
	F(Boss)	P	Use for spare wheel-Red paint	E70,E78, F70,F78†	14 x 6.00	5-4 1/2	1	C8ZZ 1007-D
	F(Boss)	SS	Chrome	F60	15 x 7.00	5-4 1/2	5	C9ZZ 1007-D
	F(GT350/500)	SS			15 x 7.00	5-4 1/2	4	C9ZZ 1007-J
71	F	P	# Brown & Violet paint, "N"-collapsible spare tire	E78,F78 F78	14 x 6.00	5-4 1/2	5 1	D0DZ 1007-B
	F	P	# White & Violet paint	E70,F70	14 x 7.00	5-4 1/2	5	D0OZ 1007-B
	F	SS	Painted argent # White & Yellow paint, "G"	E70,F70	14 x 7.00	5-4 1/2	5	D0ZZ 1007-C
	F	P	# Green paint, "D"	F60♦	15 x 7.00	5-4 1/2	5	D0OZ 1007-A
	F "Before 4/2/71"	SS	Chrome	F60	15 x 7.00	5-4 1/2	5	C9ZZ 1007-D
	F "From 4/2/71"	SS	Chrome-# Orange paint, "J"		15 x 7.00	5-4 1/2	5	D1OZ 1007-A

Identification marking † Collapsible tire P - Plain wheel SS - Styled steel wheel
♦ Competition handling package

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1007 WHEEL ASSY. - continued


YEAR	MODEL	TYP	REMARKS	TIRES	WHEEL SIZE	NO. HOLES & BOLT CIRCLE	QTY.	PART NUMBER
	- F -							
72	F	P	#Brown & Violet paint, "N"-collapsible spare tire	E78, F78	14 x 6.00	5-4 1/2	5 1	D0DZ 1007-B
	F	P	#White & Violet paint	E70, F70	14 x 7.00	5-4 1/2	5	D0OZ 1007-B
	F	SS	Painted argent # White & Yellow paint, "G"	E78, F70	14 x 7.00	5-4 1/2	5	D0ZZ 1007-C
	F	P	# Green paint, "D"	F60	15 x 7.00	5-4 1/2	5	D0OZ 1007-A
	F	SS	Chrome-# Orange paint, "J"	F60	15 x 7.00	5-4 1/2	5	D1OZ 1007-A
	F(Magnum 500 wheels)							Use S/S wheel
	- L -							
71	L	P	# Pink paint, "A"	6.00	13 x 4.00	4-4 1/4	5	D1FZ 1007-A
	L	P	# Green paint, "B"	A70, A78	13 x 5.00	4-4 1/4	5	★D1FZ 1007-B r/b D2FZ 1007-A
	L	SA	#B-black paint stripe	A70,A78, 175	13 x 5.00	4-4 1/4	4	§ D3FZ 1007-A
72	L(62, 64)	P	# Pink paint, "A"	6.00	13 x 4.00	4-4 1/4	5	D1FZ 1007-A
	L(62, 64)	P	# Green paint, "B"	A70,A78	13 x 5.00	4-4 1/4	5	★D1FZ 1007-B r/b D2FZ 1007-A
	L(73)	P	# Yellow paint, "C"	A70,A78, 175-13, 175R-13	13 x 5.00	4-4 1/4	5	D2FZ 1007-A
	L	SA	#B-black paint stripe	A70,A78, 175	13 x 5.00	4-4 1/4	4	§ D3FZ 1007-A
	- P -							
70	P(6 cyl.)	P	# Red & White paint	6.00	13 x 4.50	4-4 1/2	5	D0DZ 1007-A
	P(6 cyl.) "Before 8/25/69"	P	Use with hub caps only		14 x 4.50	4-4 1/2	5	C4DZ 1007-A
	P(6 cyl.) "From 8/25/69"	P	Orange & Yellow paint	B78, C78, 6.45	14 x 4.50	4-4 1/2	5	D0DZ 1007-E
	P(6 cyl.)	P	Use w/wheel covers only		14 x 5.00	4-4 1/2	5	C8DZ 1007-A
	P(6 cyl.)	P	#Brown & Green paint, "L"	D70	14 x 6.00	4-4 1/2	5	D0DZ 1007-C
71	P(6 cyl.)	P	#Red & White paint		13 x 4.50	4-4 1/2	5	D0DZ 1007-A
	P(6 cyl.)	P	#Orange & Yellow paint	B78, C78	14 x 4.50	4-4 1/2	5	D0DZ 1007-E
	P(6 cyl.)	P	#Brown & Green paint, "L"	D70	14 x 6.00	4-4 1/2	5	D0DZ 1007-C
	P(6 cyl. & 8 cyl.)	P	#Brown & Violet paint, "N"	D70	14 x 6.00	5-4 1/2	5	D0DZ 1007-B
	P(8 cyl.)	P	#White & Orange paint, "M"	B78, C78	14 x 4.50	5-4 1/2	5	D0DZ 1007-D
	P(8 cyl.)	SS	Painted argent - # Brown & Yellow paint	D70	14 x 6.00	5-4 1/2	5	★D0DZ 1007-F Not replaced
72	P(6 cyl.)	P	#Orange & Yellow paint	6.45, B78	14 x 4.50	4-4 1/2	5	D0DZ 1007-E
	P(6 cyl. 250 & 8 cyl.)-exc. Calif.	P	# "F"	ER-70	14 x 5.50	5-4 1/2	5	D3ZZ 1007-A
	P(6 cyl. 170, 200)	P	#Brown & Green paint, "L"	D70	14 x 6.00	4-4 1/2	5	D0DZ 1007-C
	P(6 cyl. 250 & 8 cyl.)	P	#Brown & Violet paint, "N"	D70	14 x 6.00	5-4 1/2	5	D0DZ 1007-B
	P(8 cyl.)	P	#White & Orange paint, "M"	6.45, B78	14 x 4.50	5-4 1/2	5	D0DZ 1007-D
	- S -							
65/67	S	P			15 x 5.50	5-4 1/2	5	C5SZ 1007-A
68/69	S	P	#Yellow paint, "V"		15 x 5.50	5-4 1/2	5	C8AZ 1007-E
70/	S	P	# Pink & White paint, "E"	H78, HR78, 215	15 x 6.00	5-4 1/2	5	D0LY 1007-A
	- U -							
66	U	P	H/D		15 x 5.50	5-5 1/2	5	C5TZ 1007-D
	U	P	External hub cap fastening or 73813	# 75160	15 x 5.50	5-5 1/2	5	★C8TZ 1007-D r/b D2TZ 1015-B
	U	P	External hub cap fastening	# 75192	16 x 5.00	5-5 1/2	5	★B4TZ 1007-C r/b D2TZ 1007-E
67	U	P	External hub cap fastening or 73813	# 75160	15 x 5.50	5-5 1/2	5	★C8TZ 1007-D r/b D2TZ 1015-B
	U	P	External hub cap fastening	# 75192	16 x 5.00	5-5 1/2	5	★B4TZ 1007-C r/b D2TZ 1007-E

Identification marking SS - Styled wheel P - Plain wheel SA - Styled aluminum wheel

1007 WHEEL ASSY. - continued

YEAR	MODEL	TYPE	REMARKS	WHEEL SIZE	NO. HOLES & BOLT CIRCLE	QTY.	PART NUMBER
	- U -						
68/71	U "Before Ser.M00,001"	P	External hub cap fastening #75160 or 73813	15 x 5.50	5-5 1/2	5	★C8TZ 1007-D r/b D2TZ 1015-B
	U " From Ser.M00,001"	P		15 x 5.50	5-5 1/2	5	D2TZ 1015-B
	U	P	External hub cap fastening #75192	16 x 5.00	5-5 1/2	5	★B4TZ 1007-C r/b D2TZ 1007-E
72	U	P		15 x 5.50	5-5 1/2	5	D2TZ 1015-B
	U	P	External hub cap fastening	16 x 5.00	5-5 1/2	5	D2TZ 1007-E
	- X -						
65	X(6 cyl.)	P		13 x 4.00	4-4 1/2	5	★C0DD 1007-J r/b D0DZ 1007-A
	X(6 cyl.)	P	Use w/6.50-13 tires -	13 x 4.50	4-4 1/2	5	★C0DZ 1007-A r/b D0DZ 1007-A
	X(6 cyl.)	P		14 x 4.50	4-4 1/2	5	C4DZ 1007-A
	X(8 cyl.)	P	#White paint	14 x 5.00	5-4 1/2	5	C8OZ 1007-G
66	X(54, 62A, B)-6 cyl.	P	Use w/6.50-13 tires-	13 x 4.50	4-4 1/2	5	★C0DZ 1007-A r/b D0DZ 1007-A
	X(54, 62)-6 cyl.	P		14 x 4.50	4-4 1/2	5	C4DZ 1007-A
	X(54, 62)-8 cyl.	P		14 x 4.50	5-4 1/2	5	C6OZ 1007-A
	X(66, 71)	P	#White paint	14 x 5.00	5-4 1/2	5	C8OZ 1007-G
67	X(54, 62)-6 cyl.	P		14 x 4.50	4-4 1/2	5	C4DZ 1007-A
	X(54, 62)-8 cyl.	P		14 x 4.50	5-4 1/2	5	C6OZ 1007-A
	X(62C)-w/185 R14 or 7.35-14 radial ply tires	P		14 x 5.00	4-4 1/2	5	★C7DZ 1007-A r/b C8DZ 1007-A
	X(66, 71)	P	#White paint	14 x 5.00	5-4 1/2	5	C8OZ 1007-G
68	X(6 cyl.)	P	#Yellow & Green paint	14 x 5.00	4-4 1/2	5	C8DZ 1007-A
	X-disc brakes	P	Stamped C8OA 1007-EW, FW, GW, HW	14 x 5.00	5-4 1/2	5	★C8OZ 1007-C r/b C8OZ 1007-G
	X	P	#White paint	14 x 5.00	5-4 1/2	5	C8OZ 1007-G
69/70	X(6 cyl.)	P	# Yellow & Green paint	14 x 5.00	4-4 1/2	5	C8DZ 1007-A
	X	P	#White paint	14 x 5.00	5-4 1/2	5	C8OZ 1007-G

1012 NUT - WHEEL HUB BOLT



S1MS 1012-A S2MS 1012-A S7MS 1012-B S7MS 1012-C S7MS 1012-D

P-6826

1965/69 WHEEL LUG NUT (MUSTANG GT350/500)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	- A -			
65	A	1/2"-20-open-zinc plate	20	C0AZ 1012-A
66/69	A	1/2"-20-open-zinc plate	20	C0AZ 1012-A
	A	1/2"-20-blind-chrome-use w/bolt-on wheel covers	20	C6AZ 1012-A
70/	A	1/2"-20-open-zinc plate	20	C0AZ 1012-A
	- B -			
65/69	B	1/2"-20-open-zinc plate-exc. w/styled wheels	20	C0AZ 1012-A
	B	1/2"-20-blind-chrome-use w/styled steel wheels	20	C5ZZ 1012-B
70/	B	1/2"-20-open-zinc plate-exc. w/styled wheels	20	C0AZ 1012-A
	B	1/2"-20-blind-chrome-use w/styled steel wheels	20	C4GY 1012-A

Identification marking P - Plain wheel SS - Styled steel wheel

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	1012 NUT - WHEEL HUB BOLT -continued			
	- F -			
65/66	F(exc. GT350)	1/2"-20-blind-chrome-use w/styled steel wheels	20	C5ZZ 1012-B
	F(exc. GT350)	1/2"-20-open-zinc plate	AR	C0AZ 1012-A
	F(GT350)	Cragar-use w/S1MS 1007-B & S2MS 1007-A	20	S1MS 1012-A
	F(exc. GT350) - 1966	1/2"-20-blind-chrome-use w/bolt-on wheel covers	AR	C6AZ 1012-A
67	F(exc. GT350/500)	1/2"-20-blind-chrome-use w/bolt-on wheel covers	AR	C6AZ 1012-A
	F(exc. GT350/500)	1/2"-20-open-zinc plate	AR	C0AZ 1012-A
	F(exc. GT350/500)	1/2"-20-blind-chrome-use w/styled steel wheels	20	C5ZZ 1012-B
	F(GT350/500)	Use w/S7MS 1007-D	20	S7MS 1012-D
	F(GT350/500)	Use w/C8AZ 1007-B	20	S7MS 1012-C
68	F(exc. GT350/500)	1/2"-20-open-zinc plate	AR	C0AZ 1012-A
	F(exc. GT350/500)	1/2"-20. blind-chrome-use w/styled steel wheels	20	C5ZZ 1012-B
	F(exc. GT350/500)	1/2"-20-blind-chrome-use w/bolt-on wheel covers	AR	C6AZ 1012-A
	F(GT350/500)	Use w/C8AZ 1007-B	20	S7MS 1012-C
69	F(exc. GT350/500)	1/2"-20-blind-chrome-use w/styled steel wheels	20	C5ZZ 1012-B
	F(exc. GT350/500)	1/2"-20-blind-chrome-use w/bolt-on wheel covers	AR	C6AZ 1012-A
	F(exc. GT350/500)	1/2"-20-open-zinc plate-exc. w/styled wheels	AR	C0AZ 1012-A
	F(GT350/500)	Use with C8AZ 1007-F	20	S7MS 1012-D
70	F(exc. Boss)	1/2"-20-open-zinc plate-exc. w/styled wheels	AR	C0AZ 1012-A
	F(exc. Boss)	1/2"-20-blind-chrome-use w/styled steel wheels	20	C4GY 1012-A
	F(Boss)	1/2"-20-blind-chrome-use w/styled steel wheels	20	C5ZZ 1012-B
71/	F	1/2"-20-open-zinc plate-exc. w/styled wheels	20	C0AZ 1012-A
	F	1/2"-20-blind-chrome-use w/styled steel wheels	20	C4GY 1012-A
	- L -			
71/	L	1/2"-20-open-zinc plate	16	C0AZ 1012-A
	- P -			
70/	P	1/2"-20-open-zinc plate	AR	C0AZ 1012-A
	- S -			
65/	S	1/2"-20-open-zinc plate	20	C0AZ 1012-A
	- U -			
66/	U	1/2"-20-open-zinc plate	20	C0AZ 1012-A
	- X -			
65/70	X	1/2"-20-open-zinc plate	AR	C0AZ 1012-A
	1015 WHEEL ASSY. - Refer to Group 1007			
	1A028 SLEEVE and RING ASSY. - LOCKOUT HUB			
66/	U	Use with Dana (Spicer) free running hub-also supplied in C4TZ 1104-D, C8TZ 1104-A	2	C4TZ 1A028-A
	1A029 KNOB - LOCKOUT HUB ACTUATING			
66/67	U	Use with Dana (Spicer) free running hub -also supplied in C4TZ 1104-D	2	C4TZ 1A029-A
68/	U	Use with Dana (Spicer) free running hub-also supplied in C8TZ 1104-A	2	C8TZ 1A029-A
	1A030 "O" RING - FREE RUNNING HUB KNOB			
66/67	U	Use with Dana (Spicer) free running hub-also supplied in C4TZ 1104-D	2	C1TZ 1A030-A
68/	U	Inner-use with Dana (Spicer) free running hub-3" I.D. -also supplied in C8TZ 1104-A	2	C8TZ 1A030-A
68/	U	Outer-use with Dana (Spicer) free running hub-2" I.D. -also supplied in C8TZ 1104-A	2	C8TZ 1A030-B

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	1A031 BOLT - LOCKOUT HUB RETAINING PLATE			
68/	U	Use with Dana (Spicer) free running hub - No. 10-24 x 1 3/32" - socket head - also supplied in C8TZ 1104-A	12	C8TZ 1A031-A
	1040 WEIGHT-WHEEL BALANCE			
65/	A,B,F,L,P,S	3/4 oz.	AR	♦C7AZ 1040-G
		1 1/4 oz.	AR	♦C7AZ 1040-H
		1 3/4 oz.	AR	♦C7AZ 1040-J
67/	A,B,F,L,P,S,X	1/4 oz.	AR	♦CC1CZ 1040-AUP
		1/2 oz.	AR	☆C7AZ 1040-A
		1/2 oz.	AR	♦CB9AA 1040-AUP
		1 oz.	AR	☆C7AZ 1040-B
		1 oz.	AR	♦CB9AA 1040-BUP
		1 1/2 oz.	AR	☆C7AZ 1040-C
		1 1/2 oz.	AR	♦CB9AA 1040-CUP
		2 oz.	AR	☆C7AZ 1040-D
		2 oz.	AR	♦CB9AA 1040-DUP
		2 1/2 oz.	AR	☆C7AZ 1040-E
		2 1/2 oz.	AR	♦CB9AA 1040-EUP
		3 oz.	AR	☆C7AZ 1040-F
		3 oz.	AR	♦CB9AA 1040-FUP
		3 1/2 oz.	AR	♦8M 1040-GUP
		4 oz.	AR	♦8M 1040-HUP
	1A050 PLATE - LOCKOUT HUB RETAINING			
66/67	U	Use with Dana (Spicer) free running hub - also supplied in C4TZ 1104-D	2	C4TZ 1A050-A
68/	U	Use with Dana (Spicer) free running hub - also supplied in C8TZ 1104-A	2	C8TZ 1A050-A
	1A051 RETAINER - LOCKOUT HUB CLUTCH			
66/67	U	Use with Dana (Spicer) free running hub - also supplied in C4TZ 1104-D	2	C4TZ 1A051-A
68/	U	Use with Dana (Spicer) free running hub - also supplied in C8TZ 1104-A	2	C8TZ 1A051-A
	1A052 RING and BUSHING ASSY. - LOCKOUT HUB-INNER			
66/	U	Use with Dana (Spicer) free running hub - also supplied in C4TZ 1104-D & C8TZ 1104-A	2	C4TZ 1A052-A
	1A053 CAM - LOCKOUT HUB ACTUATING			
66/67	U	Use with Dana (Spicer) free running hub - also supplied in C4TZ 1104-D	2	C4TZ 1A053-A
68/	U	Use with Dana (Spicer) free running hub - also supplied in C8TZ 1104-A	2	C8TZ 1A053-A
	1A054 SPRING - LOCKOUT HUB PRESSURE			
66/69	U "Before Ser.F30,001"	Use with Dana (Spicer) free running hub - also supplied in C4TZ 1104-D, C8TZ 1104-A	2	★C4TZ 1A054-A r/b C9TZ 1A054-A
69/	U "From Ser.F30,001"	Use with Dana (Spicer) free running hub - also supplied in C8TZ 1104-A	2	C9TZ 1A054-A
	1A055 RETAINER - LOCKOUT HUB PRESSURE SPRING			
66/	U	Use with Dana (Spicer) free running hub - also supplied in C4TZ 1104-D & C8TZ 1104-A	2	C4TZ 1A055-A
	1A079 INSERT - WHEEL SPIDER TRIM			
69	B,F	Use with C9ZZ 1007-B-12 required per wheel	60	C9ZZ 1A079-A
70	F		60	
	1097 SEAL and LOCK RING KIT - FREE RUNNING HUB			
66/67	U	Use for C4TZ 1104-D - Dana (Spicer) hub - Consists of 1-C1TZ 1A030-A "O" Ring - 1-378391-S "O" Ring 1-371834-S Lock Ring 1-378392-S Lock Ring	2	B9TZ 1097-A

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	1102 HUB and BRAKE DRUM - FRONT WHEEL - Also refer to Group 1102 Hub and Rotor			
	- A -			
65/68	A(11" x 2 1/2" brakes) NOTE 1	11 1/32" I.D. -2 25/32" brake surface - incl. B5A 1202-A and B5A 1217-A cups	2	C5AZ 1102-B
	A(11" x 3" brakes)-except Taxi with aluminum drums NOTE 1	11 1/32" I.D. -3 9/32" brake surface - incl. B5A 1202-A and B5A 1217-A cups	2	C5AZ 1102-A
65/67	A(11" x 3" brakes), Taxi NOTE 1	Aluminum drum-11" I.D. -3 1/4" brake surface - incl. B5A 1202-A and B5A 1217-A cups	2	C3AZ 1102-E
69	A(11" x 2 1/2" brakes) NOTE 1	11 1/32" I.D. -2 25/32" brake surface - incl. B5A 1202-A and B5A 1217-A cups	2	C9AZ 1102-B
	A(11" x 3" brakes) NOTE 1	11 1/32" I.D. -3 9/32" brake surface - incl. B5A 1202-A and B5A 1217-A cups	2	C9AZ 1102-C
70/	A(11" x 2 1/2" brakes)	Incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D0AZ 1102-B
	A(11" x 3" brakes)	Incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D0AZ 1102-C
	- B -			
65/66	B(10" x 2 1/4" brakes) NOTE 1	10" I.D. -2 13/16" brake surface-non-flared - incl. B5A 1202-A and B5A 1217-A cups	2	C3OZ 1102-D
67/68	B(10" x 2 1/2" fade resistant brakes) NOTE 1		2	
66/68	B(10" x 2 1/2" brakes) NOTE 1	10" I.D. -2 3/4" brake surface-flared - incl. B5A 1202-A and B5A 1217-A cups	2	C9OZ 1102-B
67/68	B(10" x 2 1/4" brakes) NOTE 1	10" I.D. -2 9/16" brake surface - incl. B5A 1202-A and B5A 1217-A cups	2	C7OZ 1102-A
69	B(10" x 2 1/4" & 10" x 2 1/2" brakes) NOTE 1	10" I.D. -2 3/4" brake surface-flared - incl. B5A 1202-A and B5A 1217-A cups	2	C9OZ 1102-B
70/71	B(10" x 2 1/4" & 10" x 2 1/2" brakes)	Incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D0OZ 1102-A
	- F -			
65/66	F(9" x 2 1/4" brakes)	9" x 2 1/2" brake surface - incl. C0DD 1202-A and C0DD 1217-A cups	2	C1DZ 1102-B
65/66	F(10" x 2 1/4" brakes) NOTE 1	10" I.D. -2 13/16" brake surface-non-flared- incl. B5A 1202-A and B5A 1217-A cups	2	C3OZ 1102-D
67/68	F(10" x 2 1/2" fade resistant brakes) NOTE 1		2	
67/68	F(9" x 2 1/4" brakes)	9" x 2 1/2" brake surface - incl. D0AZ 1202-A and D0AZ 1217-A cups	2	C6DZ 1102-E
	F(10" x 2 1/4" brakes) NOTE 1	10" I.D. -2 9/16" brake surface - incl. B5A 1202-A and B5A 1217-A cups	2	C7OZ 1102-A
	F(10" x 2 1/2" brakes) NOTE 1	10" I.D. -2 3/4" brake surface-flared - incl. B5A 1202-A and B5A 1217-A cups	2	C9OZ 1102-B
69	F(9" x 2 1/4" brakes) NOTE 1	9" x 2 1/2" brake surface - incl. B5A 1202-A and B5A 1217-A cups	2	C9DZ 1102-A
	F(10" x 2 1/4" & 10" x 2 1/2" brakes) NOTE 1	10" I.D. -2 3/4" brake surface-flared - incl. B5A 1202-A and B5A 1217-A cups	2	C9OZ 1102-B
70	F(6 cyl.)-9" x 2 1/4" brakes	9" x 2 1/2" brake surface - incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D0ZZ 1102-A
	F(8 cyl.)-10" x 2 1/4" & 10" x 2 1/2" brakes)	Incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D0OZ 1102-A
71	F(10" x 2 1/4" & 10" x 2 1/2" brakes)	Incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D0OZ 1102-A
72	F(10" x 2 1/2" brakes)		2	
	- L -			
71/	L(9" x 2" brakes)	Incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D1FZ 1102-A
	- P -			
70	P(6 cyl.)-9" x 2 1/4" brakes- NOTE 1 "Before 8/25/69"	9" x 2 1/2" brake surface - incl. B5A 1202-A and B5A 1217-A cups	2	C9DZ 1102-A
	P(6 cyl.)-9" x 2 1/4" brakes "From 8/25/69"	9" x 2 1/2" brake surface - incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D0ZZ 1102-A
71	P(6 cyl.)-9" x 2 1/4" brakes	9" x 2 1/2" brake surface - incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D0ZZ 1102-A
	P(6 cyl.250)-10" x 2 1/4" brakes	Incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D0OZ 1102-A
	P(8 cyl.)-10" x 2 1/2" brakes		2	
72	P(6 cyl.)-9" x 2 1/4" brakes	9" x 2 1/2" brake surface - incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D0ZZ 1102-A
	P(6 cyl.250 & 8 cyl.)-10" x 2 1/2" brakes	Incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D0OZ 1102-A

NOTE 1 - Hub and drum or hub and rotor assy. are furnished with original (B5A 1202-A, B5A 1217-A) cups. If original spindle has been replaced by later (large) spindle, it is necessary to replace cups in hub and drum or hub and rotor assy. with larger I.D. cups (D0AZ 1202-A, D0AZ 1217-A)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	1102 HUB and BRAKE DRUM - FRONT WHEEL - Also refer to Group 1102 Hub and Rotor - **continued**			
	- U -			
66/69	U(11" x 2" brakes) "Before Ser. F30,001"	Incl. B7A 4222-A and B7A 4222-B cups	2	B9TZ 1102-B
69/	U(11" x 2" brakes) "From Ser. F30,001"	Incl. B7A 4222-A and B7A 4222-B cups	2	C9TZ 1102-B
	- X -			
65	X(9" x 2 1/4" brakes)	9" x 2 1/2" brake surface - incl. C0DD 1202-A and C0DD 1217-A cups	2	C1DZ 1102-B
65/66	X(10" x 2 1/4" brakes) NOTE 1	10" I.D. -2 13/16" brake surface-non-flared - incl. B5A 1202-A and B5A 1217-A cups	2	C3OZ 1102-D
67/68	X(10" x 2 1/2" fade resistant brakes) NOTE 1		2	
66/68	X(9" x 2 1/4" brakes)	9" x 2 1/2" brake surface - incl. B5A 1202-A and B5A 1217-A cups	2	C6DZ 1102-E
67/68	X(10" x 2 1/4" brakes) NOTE 1	10" I.D. -2 9/16" brake surface - incl. B5A 1202-A and B5A 1217-A cups	2	C7OZ 1102-A
69	X(9" x 2 1/4" brakes) NOTE 1	9" x 2 1/2" brake surface - incl. B5A 1202-A and B5A 1217-A cups	2	C9DZ 1102-A
69/70	X(10" x 2 1/4" & 10" x 2 1/2" brakes) NOTE 1 "Before 8/25/69"	10" I.D. -2 3/4" brake surface-flared - incl. B5A 1202-A and B5A 1217-A cups	2	C9OZ 1102-B
70	X(10" x 2 1/4" brakes) - NOTE 1 "From 8/25/69"	10" I.D. -2 3/4" brake surface-flared - incl. B5A 1202-A and B5A 1217-A cups	2	C9OZ 1102-B
	X(10" x 2 1/2" brakes) "From 8/25/69"	Incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D0OZ 1102-A
	X(9" x 2 1/4" brakes) - NOTE 1 "Before 8/25/69"	9" x 2 1/2" brake surface - incl. B5A 1202-A and B5A 1217-A cups	2	C9DZ 1102-A
	X(9" x 2 1/4" brakes) "From 8/25/69"	9" x 2 1/2" brake surface - incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D0ZZ 1102-A
		Cotter pin-1/8"-1 1/4"	2	72053-S(N52)
		Cotter pin-5/32"-1 1/4"	2	72054-S(N61)
65/66	F(6 cyl.)	Nut (spindle)-5/8"-18 hex.	2	374502-S(MM38A)
65	X(6 cyl.)		2	
65/69	A,B	Nut (spindle)-3/4"-16 hex.	2	374504-S(MM38C)
65/66	F(8 cyl.)		2	
67/69	F		2	
65	X(8 cyl.)		2	
66/69	X		2	
70	P,X "Before 8/25/69"		2	
70/	A,B,F,L	Nut (spindle)-13/16"-20 hex.	2	383840-S100
70/	P,X "From 8/25/69"		2	(MM38G)
65/69	A,B,X	Retainer (locknut)-3/4" I.D.	2	374536-S
69	F		2	(MM304A)
70	P,X "Before 8/25/69"		2	
70/	A,B,F,L	Retainer (locknut)-13/16" I.D.	2	383841-S
70/	P,X "From 8/25/69"		2	(MM304B)
	1102 HUB and ROTOR - FRONT WHEEL DISC BRAKE - Also refer to Group 1102 Hub and Brake Drum			
	- A -			
65/67	A	Incl. B7C 1202-A and C3SZ 1217-A cups	2	C5SZ 1102-A
68	A NOTE 1	Incl. B5A 1202-A and B5A 1217-A cups	2	C8AZ 1102-A
69	A NOTE 1	Incl. B5A 1202-A and B5A 1217-A cups	2	C9AZ 1102-A
70/	A	Incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D0AZ 1102-A
	- B -			
67	B NOTE 1	Incl. B5A 1202-A and B5A 1217-A cups	2	C5ZZ 1102-B
68/69	B NOTE 1	Incl. B5A 1202-A and B5A 1217-A cups	2	C8OZ 1102-A
70/71	B	Incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D0OZ 1102-B
72	B	Use with 14" wheels - incl. D0AZ 1202-A and and D0AZ 1217-A cups	2	D2OZ 1102-A
	B	Use with 15" wheels - incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D2SZ 1102-A

NOTE 1 - Hub and drum or hub and rotor assy. are furnished with original (B5A 1202-A, B5A 1217-A) cups. If original spindle has been replaced by later (large) spindle, it is necessary to replace cups in hub and drum or hub and rotor assy. with larger I.D. cups (D0AZ 1202-A, D0AZ 1217-A)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	1102 HUB and ROTOR - FRONT WHEEL DISC BRAKE - Also refer to Group 1102 Hub and Brake Drum -			- continued
	- F -			
65/67	F NOTE 1	Incl. B5A 1202-A and B5A 1217-A cups	2	C5ZZ 1102-B
68/69	F(except Boss) NOTE 1	Incl. B5A 1202-A and B5A 1217-A cups	2	C8OZ 1102-A
69	F(Boss 302)	Incl. B7C 1202-A and C3SZ 1217-A cups	2	C9ZZ 1102-A
69	F(Boss 429)		2	C9ZZ 1102-B
70/	F	Incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D0OZ 1102-B
	- L -			
71/	L(manual disc brakes)	Incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D1FZ 1102-B
	- S -			
65/67	S	Incl. B7C 1202-A and C3SZ 1217-A cups	2	C5SZ 1102-A
68	S NOTE 1	Incl. B5A 1202-A and B5A 1217-A cups	2	C8AZ 1102-A
69	S NOTE 1	Incl. B5A 1202-A and B5A 1217-A cups	2	C9AZ 1102-A
70/71	S	Incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D0AZ 1102-A
72	S	Incl. D0AZ 1202-A and D0AZ 1217-A cups	2	D2SZ 1102-A
	- X -			
67	X NOTE 1	Incl. B5A 1202-A and B5A 1217-A cups	2	C5ZZ 1102-B
68/70	X NOTE 1	Incl. B5A 1202-A and B5A 1217-A cups	2	C8OZ 1102-A
		Cotter pin-1/8"-1 1/4"	2	72053-S(N52)
		Cotter pin-5/32"-1 1/4"	2	72054-S(N61)
66/67	B	Nut (spindle)-5/8"-18 hex.	2	374502-S(MM38A)
65/66	F		2	
67	X		2	
66/69	A	Nut (spindle)-3/4"-16 hex.	2	374504-S(MM38C)
68/69	B, X		2	
67/69	F		2	
65/69	S		2	
70	X "Before 8/25/69"		2	
70/	A, B, F, S	Nut (spindle)-13/16"-20 hex.	2	383840-S100
70	X "From 8/25/69"		2	(MM38G)
71/	L		2	
66/69	A, B	Retainer (locknut)-3/4" I. D.	2	374536-S
65/69	F, S		2	(MM304A)
67/69	X		2	
70	X "Before 8/25/69"		2	
70/	A, B, F, S	Retainer (locknut)-13/16" I. D.	2	383841-S
70	X "From 8/25/69"		2	(MM304B)
71	L		2	
	1104 HUB KIT - FREE RUNNING (WARN)			
66/	U-manual locking	Warn Mfg. Co. M167-♦	1	C6TZ 1104-B
66/	U-lockomatic	Warn Mfg. Co. M75-B (exc. R.P.O. locking differential and front shafts without hole in outer end)-♦	1	C6TZ 1104-F
	1104 HUB ASSY. - FRONT WHEEL - FREE RUNNING			
66/67	U	Dana(Spicer)-imprinted " Hub Lok" -includes C4TZ 1A028-A, C4TZ 1A029-A, C1TZ 1A030-A, C4TZ 1A050-A, C4TZ 1A051-A, C4TZ 1A052-A, C4TZ 1A053-A, C4TZ 1A054-A, C4TZ 1A055-A, 378390-S, 378391-S, 378392-S8-uses B9TZ 1097-A for seal & lock ring kit	2	C4TZ 1104-D
68/	U	Dana(Spicer)-imprinted " Ford" -includes C8TZ 1A029-A, C8TZ 1A030-A & B, C8TZ 1A031-A, C8TZ 1A050-A, C8TA 1A051-A, C4TZ 1A052-A, C8TZ 1A053-A, C9TZ 1A054-A, C4TZ 1A055-A, 378392-S8	2	C8TZ 1104-A

NOTE 1 - Hub and drum or hub and rotor assy. are furnished with original (B5A 1202-A, B5A 1217-A) cups. If original spindle has been replaced by later (large) spindle, it is necessary to replace cups in hub and drum or hub and rotor assy. with larger I.D. cups (D0AZ 1202-A, D0AZ 1217-A)
Obtain service parts from authorized Warn service outlets

YEAR	MODEL	⊕ LOCATION	SIZE	REMARKS	QTY.	PART NUMBER
	1107 BOLT - WHEEL HUB					
	- A -					
65/67	A (drum brakes)	F	1/2"-20 x 1 1/2"		AR	C1AZ 1107-A
	A (one piece drum)	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	A (drum brakes)	F	1/2"-20 x 1 11/16"		AR	C3AZ 1107-A
	A (disc brakes)	F	1/2"-20 x 2"	1966/67	1	▲C5SZ 1107-A
	A	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
68	A (drum brakes)	F	1/2"-20 x 1 1/2"		AR	C1AZ 1107-A
	A (drum brakes)	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	A (drum brakes)	F	1/2"-20 x 1 11/16"		AR	C3AZ 1107-A
	A (disc brakes)	F	1/2"-20 x 2"		1	▲C5SZ 1107-A
	A	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
69/70	A (drum brakes)	F	1/2"-20 x 1 1/2"		AR	C1AZ 1107-A
	A (drum brakes)	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	A (drum brakes)	F	1/2"-20 x 1 11/16"		AR	C3AZ 1107-A
	A (disc brakes)	F	1/2"-20 x 1 13/16"		1	▲C9AZ 1107-A
	A	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
71/	A (drum brakes)	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	A (disc brakes)	F	1/2"-20 x 1 13/16"		1	▲C9AZ 1107-A
	A	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
	- B -					
65/67	B (drum brakes)	F	1/2"-20 x 1 1/2"		AR	C1AZ 1107-A
	B (one piece drum)	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	B (drum brakes)	F	1/2"-20 x 1 11/16"		AR	C3AZ 1107-A
	B (disc brakes)	F	1/2"-20 x 1 15/16"	1967	1	▲C5ZZ 1107-A
	B	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
68	B (drum brakes)	F	1/2"-20 x 1 1/2"		AR	C1AZ 1107-A
	B (drum brakes)	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	B (drum brakes)	F	1/2"-20 x 1 11/16"		AR	C3AZ 1107-A
	B (disc brakes)	F	1/2"-20 x 1 5/8"	NOTE 1	1	▲C8OZ 1107-A
	B (disc brakes)	F	1/2"-20 x 2"	NOTE 2		▲C9OZ 1107-A
	B	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
69	B (drum brakes)	F	1/2"-20 x 1 1/2"		AR	C1AZ 1107-A
	B (drum brakes)	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	B (drum brakes)	F	1/2"-20 x 1 11/16"		AR	C3AZ 1107-A
	B (disc brakes)	F	1/2"-20 x 2"	NOTE 2	1	▲C9OZ 1107-A
	B	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
70	B (drum brakes)	F	1/2"-20 x 1 1/2"		AR	C1AZ 1107-A
	B (drum brakes)	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	B (drum brakes)	F	1/2"-20 x 1 11/16"		AR	C3AZ 1107-A
	B (disc brakes)	F	1/2"-20 x 2"	NOTE 2	1	▲C9OZ 1107-A
	B	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
71	B (drum brakes)	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	B (disc brakes)	F	1/2"-20 x 2"	NOTE 2	1	▲C9OZ 1107-A
	B	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
72	B (disc brakes)	F	1/2"-20 x 1 13/16"		1	▲C9AZ 1107-A
	B	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B

▲ When more than one hub bolt replacement is necessary on vehicles equipped with two piece design rotor, the complete hub and rotor assy. must be replaced. Hub bolts may be replaced as necessary on vehicles equipped with unicast design rotor.

⊕ F - Front R - Rear NOTE 1 - Serration at bolt head NOTE 2 - Serration at center of bolt

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	⊕ LOCATION	SIZE	REMARKS	QTY.	PART NUMBER
	1107 BOLT - WHEEL HUB - continued					
	- F -					
65	F (drum brakes)	F	1/2"-20 x 1 1/2"		AR	C1AZ 1107-A
	F (drum brakes)	F	1/2"-20 x 1 11/16"		AR	C3AZ 1107-A
	F (disc brakes)	F	1/2"-20 x 1 15/16"		1	▲C5ZZ 1107-A
	F	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
66/67	F (drum brakes)	F	1/2"-20 x 1 1/2"		AR	C1AZ 1107-A
	F (drum brakes)	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	F (drum brakes)	F	1/2"-20 x 1 11/16"		AR	C3AZ 1107-A
	F (disc brakes)	F	1/2"-20 x 1 15/16"		1	▲C5ZZ 1107-A
	F	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
68	F (drum brakes)	F	1/2"-20 x 1 1/2"		AR	C1AZ 1107-A
	F (drum brakes)	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	F (drum brakes)	F	1/2"-20 x 1 11/16"		AR	C3AZ 1107-A
	F (disc brakes)	F	1/2"-20 x 1 5/8"	NOTE 1	1	▲C8OZ 1107-A
	F (disc brakes)	F	1/2"-20 x 2"	NOTE 2	1	▲C9OZ 1107-A
	F	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
69	F (drum brakes)	F	1/2"-20 x 1 1/2"		AR	C1AZ 1107-A
	F (drum brakes)	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	F (drum brakes)	F	1/2"-20 x 1 11/16"		AR	C3AZ 1107-A
	F (exc. Boss 302)-disc brakes	F	1/2"-20 x 2"	NOTE 2	1	▲C9OZ 1107-A
	F (Boss 302)-disc brakes	F	1/2"-20 x 2"		1	▲C5ZZ 1107-A
	F	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
70	F (drum brakes)	F	1/2"-20 x 1 1/2"		AR	C1AZ 1107-A
	F (drum brakes)	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	F (drum brakes)	F	1/2"-20 x 1 11/16"		AR	C3AZ 1107-A
	F (disc brakes)	F	1/2"-20 x 2"	NOTE 2	1	▲C9OZ 1107-A
	F	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
71	F (drum brakes)	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	F (disc brakes)	F	1/2"-20 x 2"	NOTE 2	1	▲C9OZ 1107-A
	F	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
72	F (drum brakes)	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	F (disc brakes)	F	1/2"-20 x 1 13/16"		1	▲C9AZ 1107-A
	F	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
	- L -					
71	L (manual disc brakes)	F	1/2"-20 x 1 3/4"		1	▲D1FZ 1107-A
	L (drum brakes)	F	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
	L	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
	- P -					
70	P	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	P	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B

▲ When more than one hub bolt replacement is necessary on vehicles equipped with two piece design rotor, the complete hub and rotor assy. must be replaced. Hub bolts may be replaced as necessary on vehicles equipped with unicast design rotor.

⊕ F - Front R - Rear NOTE 1 - Serration at bolt head NOTE 2 - Serration at center of bolt

YEAR	MODEL	LOCATION	SIZE	REMARKS	QTY.	PART NUMBER
	1107 BOLT - WHEEL HUB - continued					
	- S -					
65/68	S (disc brakes)	F	1/2"-20 x 2"		1	▲C5SZ 1107-A
	S	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
69/	S (disc brakes)	F	1/2"-20 x 1 13/16"		1	▲C9AZ 1107-A
	S	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
	- U -					
66/69	U (drum brakes) - "Before Ser.F30,001"	F	1/2"-20 x 1 11/16"		AR	C6TZ 1107-B
	U	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
69/	U (drum brakes) - "From Ser.F30,001"	F	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
	U	R			AR	
	- X -					
65/67	X (drum brakes)	F	1/2"-20 x 1 1/2"		AR	C1AZ 1107-A
	X (one piece drum)	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	X (drum brakes)	F	1/2"-20 x 1 11/16"		AR	C3AZ 1107-A
	X (disc brakes)	F	1/2"-20 x 1 15/16"	1967	1	▲C5ZZ 1107-A
	X	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
68	X (drum brakes)	F	1/2"-20 x 1 1/2"		AR	C1AZ 1107-A
	X (drum brakes)	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	X (drum brakes)	F	1/2"-20 x 1 11/16"		AR	C3AZ 1107-A
	X (disc brakes)	F	1/2"-20 x 1 5/8"	NOTE 1	1	▲C8OZ 1107-A
	X (disc brakes)	F	1/2"-20 x 2"	NOTE 2	1	▲C9OZ 1107-A
	X	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B
69/70	X (drum brakes)	F	1/2"-20 x 1 1/2"		AR	C1AZ 1107-A
	X (drum brakes)	F	1/2"-20 x 1 9/16"		AR	C3OZ 1107-A
	X (drum brakes)	F	1/2"-20 x 1 11/16"		AR	C3AZ 1107-A
	X (disc brakes)	F	1/2"-20 x 2"	NOTE 2	1	▲C9OZ 1107-A
	X	R	1/2"-20 x 1 5/8"		AR	A9AZ 1107-B

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	1125 DRUM - FRONT WHEEL BRAKE			
66/69	U "Before Ser. F30, 001"		2	C0TZ 1125-A
69/	U "From Ser. F30, 001"	Refer to Group 1102		
	1126 DRUM - REAR WHEEL BRAKE			
	- A -			
65/68	A(11" x 2 1/4" & 11" x 2 1/2" brakes)	11 1/32" I.D. -2 3/4" brake surface-overall depth 5" -flared cross-ribbed	2	C3AZ 1126-B
65/68	A(11" x 2 1/4" brakes)	11 1/32" I.D. -2 5/8" brake surface-3 9/16" o/all depth-non-flared	2	C7AZ 1126-B
69/	A(11" x 2 1/4" brakes)	11 1/32" I.D. -2 9/32" brake surface-non-flared -grooved-3 1/2" wide drum	2	C9AZ 1126-A
69/	A(11" x 2 1/4" & 11" x 2 1/2" brakes)	11 1/32" I.D. -2 3/4" brake surface-flared & ribbed-5" wide drum	2	C9AZ 1126-B


▲ When more than one hub bolt replacement is necessary on vehicles equipped with two piece design rotor, the complete hub and rotor assy. must be replaced. Hub bolts may be replaced as necessary on vehicles equipped with unicast design rotor.

⊕ F - Front R - Rear NOTE 1 - Serration at bolt head NOTE 2 - Serration at center of bolt

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	1126 DRUM - REAR WHEEL BRAKE - continued			
	-B-			
65/67	B(10" x 1 3/4" brakes)	10" I.D.-2" brake surface	2	C3OZ 1126-B
	B(10" x 2" brakes)	10" I.D.-2 1/4" brake surface-non-flared	2	C2OZ 1126-B
	B(10" x 2 1/2" brakes)	10" I.D.-2 3/4" brake surface-non-flared	2	C3OZ 1126-A
	B(10" x 2 1/2" brakes)-1967 only	10" I.D.-2 3/4" brake surface-flared	2	C6OZ 1126-C
68/69	B(10" x 1 3/4" brakes)	10" I.D.-2" brake surface	2	C3OZ 1126-B
	B(10" x 2" brakes)	10" I.D.-2 1/4" brake surface-non-flared	2	C2OZ 1126-B
	B(10" x 2" brakes)	10" I.D.-2 1/4" brake surface-flared	2	C8OZ 1126-A
	B(10" x 2 1/2" brakes)	10" I.D.-2 3/4" brake surface-flared	2	C6OZ 1126-C
70/71	B(10" x 2" brakes)	10" I.D.-2 1/4" brake surface-non-flared	2	C2OZ 1126-B
	B(10" x 2" brakes)	10" I.D.-2 1/4" brake surface-flared	2	C8OZ 1126-A
	B(10" x 2 1/2" brakes)	10" I.D.-2 3/4" brake surface-flared	2	C6OZ 1126-C
72	B(exc. P/C)-w/10" x 2" brakes	Non-flared	2	D2OZ 1126-A
	B(exc. P/C)-w/10" x 2" brakes	Flared	2	D2OZ 1126-B
	B(exc. P/C)-w/10" x 2 1/2" brakes	Flared & ribbed	2	D2OZ 1126-C
	B(53,65-P/C)-11" x 2 1/4" brakes	11 1/32" I.D.-2 3/4" brake surface-flared and ribbed-5" wide drum	2	C9AZ 1126-B
	-F-			
65/70	F(except GT 350)-9" x 1 1/2" brakes	9" I.D.-1 3/4" brake surface	2	C0DZ 1126-C
65/	F(except GT 350)-10" x 1 3/4" brakes	10" I.D.-2" brake surface	2	C3OZ 1126-B
65/66	F(except GT 350/500)-9" x 2 1/4" brakes	9" I.D.-2 1/2" brake surface	2	C0DZ 1126-B
65/67	F(GT 350/500)	10" I.D.-2 3/4" brake surface	2	C3OZ 1126-A
69/	F(10" x 2" brakes)	10" I.D.-2 1/4" brake surface	2	C2OZ 1126-B
	-L-			
71	L(9" x 1 1/2" brakes)	9" I.D.-1 3/4" brake surface	2	D1FZ 1126-A
72	L(exc. 73)-9" x 1 1/2" brakes	9" I.D.-1 3/4" brake surface	2	D1FZ 1126-A
	L(73)-9" x 1 1/2" brakes	9" I.D.-1 3/4" brake surface-ribbed	2	D2FZ 1126-A
	-P-			
70	P(6 cyl.)-9" x 1 1/2" brakes	9" I.D.-1 3/4" brake surface	2	C0DZ 1126-C
71/	P(6 cyl.)-9" x 1 1/2" brakes	9" I.D.-1 3/4" brake surface	2	C0DZ 1126-C
	P(6 cyl.250 & 8 cyl.)-10" x 1 3/4" brakes	10" I.D.-2" brake surface	2	C3OZ 1126-B
	-S-			
65/66	S(11" x 2 1/2" brakes)	11 3/32" I.D.-2 3/4" brake surface	2	C3SZ 1126-A
67/68	S(11" x 2 1/4" brakes)	11 1/32" I.D.-2 5/8" brake surface	2	C7AZ 1126-B
69/	S(11" x 2 1/4" brakes)	11 1/32" I.D.-2 3/4" brake surface-flared & ribbed-5" wide drum	2	C9AZ 1126-B
	-U-.			
66/	U (10 x 2 1/2" brakes)	Std.-2780# rear axle-2 7/8" brake surface	2	C6TZ 1126-A
66/	U (11 x 1 3/4" brakes)	Optional-3300# rear axle-2" brake surface	2	C4TZ 1126-A
	-X-			
65/70	X(9" x 1 1/2" brakes)	9" I.D.-1 3/4" brake surface	2	C0DZ 1126-C
65	X(9" x 2 1/4" brakes)	9" I.D.-2 1/2" brake surface	2	C0DZ 1126-B
65/70	X(10" x 1 3/4" brakes)	10" I.D.-2" brake surface	2	C3OZ 1126-B
66/70	X(10" x 2" brakes)	10" I.D.-2 1/4" brake surface	2	C2OZ 1126-B
66	X(10" x 2 1/2" brakes)	10" I.D.-2 3/4" brake surface	2	C3OZ 1126-A
65/70	A,B,F,S,X	Spring nut (drum to axle shaft)-1/2"	4or6	356080-S32(MM270)

1130 CAP OR COVER - WHEEL HUB




(A)

C3AZ-1130-Z (15")
(RED CENTER WITH CREST)
MUSTANG




(B)

C3DZ-1130-A (9")
(HUB CAP)
FALCON




(C)

% C3OZ-1130-L (13")
(RED CENTER WITH CREST)
FALCON




(D)

% C3OZ-1130-K (14")
(RED CENTER WITH CREST)
FALCON




(E)

C4AZ-1130-A (10 1/2")
C4OZ-1130-A (9 1/2")
(HUB CAP)
FAIRLANE, FALCON, FORD




(F)

•★ C4AZ-1130-H (14")
•C4OZ-1130-H (13")
MUSTANG




(G)

%★C4AZ-1130-L (14")
(RED, WHITE AND BLUE CENTER)
MUSTANG




(H)

C4DZ-1130-D (9 1/2")
(BLACK CENTER)
FALCON-HUB CAP




(J)

★ S1MS-1130-A (3")
(GT-350)
MUSTANG-HUB CAP




(K)

S2MS-1130-B (2 3/4")
(GT-350)
MUSTANG-HUB CAP



(L)

★S2MS-1130-C (2 1/2")
(GT-350)
MUSTANG-HUB CAP



(M)

C5AZ-1130-A (10 1/2")
(HUB CAP)
FORD


• PLAIN CENTER
% SIMULATED WIRE WITH SPINNER
# SPINNER-RED CENTER WITH FORD CREST

P-8916


1965 HUB CAPS and WHEEL COVERS
(Page 1 of 2)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


1130 CAP OR COVER - WHEEL HUB - continued




(A) C5AZ-1130-C (15")
(BLUE CENTER)
FORD




(B) %★C5AZ-1130-D (15")
(BLUE CENTER)
FORD




(C) C5AZ-1130-F (15")
("FORD" CENTER)
FORD




(D) C5DZ-1130-A (13")
C5DZ-1130-F (14")
FALCON




(E) ★C5DZ-1130-D (13")
#★C5DZ-1130-C (14")
FALCON (RED CENTER)




(F) C5OZ-1130-A (14")
(PLAIN CENTER WITH CREST)
FAIRLANE




(G) C5OZ-1130-E (14")
(RED CENTER)
FAIRLANE




(H) C5SZ-1130-A (15")
"THUNDERBIRD"-PLAIN CENTER
THUNDERBIRD



(J) C5SZ-1130-B (15")
C5SZ-1130-C (15")
(BLACK CENTER)
THUNDERBIRD



(K) ▲C5ZZ-1130-A (13")
▲C5ZZ-1130-K (13")
●C5ZZ-1130-P (13")
▲C5ZZ-1130-C (14")
▲C5ZZ-1130-J (14")
●C5ZZ-1130-N (14")
(BLACK CENTER)
MUSTANG



(L) #▲★C5ZZ-1130-B (13")
#▲★C5ZZ-1130-M (13")
#●C5ZZ-1130-S (13")
#▲★C5ZZ-1130-L (14")
#★C5ZZ-1130-R (14")
(BLACK CENTER)
MUSTANG




(M) C5ZZ-1130-W (2 1/2")
(HUB CAP)
MUSTANG

●CHROME
▲RUSTLESS STEEL
#SPINNER IN CENTER
%SIMULATED WIRE
WITH SPINNER


P-8917

1965 HUB CAPS and WHEEL COVERS
(Page 2 of 2)


1130 CAP OR COVER - WHEEL HUB - continued




(A) C2OA-1130-A (13 1/8")
(PLAIN CENTER)
FALCON




(B) C3DZ-1130-A (9")
(HUB CAP)
FALCON




(C) %C3OZ-1130-K (14")
(RED CENTER WITH CREST)
FALCON




(D) %C3OZ-1130-L (13")
(RED CENTER WITH CREST)
FALCON




(E) C5AZ-1130-A (10 1/2")
C6DZ-1130-A (9 1/2)
(HUB CAP)
FORD, FAIRLANE, FALCON, MUSTANG




(F) %★C5AZ-1130-D (15")
(BLUE CENTER)
FORD



(G) C5DZ-1130-A (13")
C5DZ-1130-F (14")
FALCON




(H) ★C5DZ-1130-D (13")
#★C5DZ-1130-C (14")
FALCON (RED CENTER)



(J) C5OZ-1130-A (14")
(PLAIN CENTER WITH CREST)
FAIRLANE



(K) C5ZZ-1130-W (2 1/2")
("MUSTANG" EMBLEM)
MUSTANG-HUB CAP



(L) S2MS-1130-B (2 3/4")
(GT-350)
MUSTANG-HUB CAP



(M) S2MS-1130-C (2 1/2")
(GT-350)
MUSTANG-HUB CAP


SPINNER IN CENTER
% SIMULATED WIRE WITH SPINNER

P-8918


1966 HUB CAPS and WHEEL COVERS
(Page 1 of 3)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


1130 CAP OR COVER - WHEEL HUB - continued




▲C6AZ-1130-A (15")
■C6AZ-1130-G (15")
BRONCO, FORD (BLACK CENTER)




■C6AZ-1130-B (15")
▲C6AZ-1130-H (15")
FORD (BLACK CENTER)




C6AZ-1130-C (16 1/4")
(RED CENTER)
FORD




*C6AZ-1130-K (15")
#C6AZ-1130-N (15")
FORD




% C6AZ-1130-L (15")
(BLUE CENTER)
FORD



C6OZ-1130-C (14")
(RED CENTER)
FAIRLANE



*C6OZ-1130-K (14")
#C6OZ-1130-N (14")
FAIRLANE, FALCON, MUSTANG




C6OZ-1130-L (2 1/2")
(RED CENTER)
FAIRLANE RANCHERO-HUB CAP


% SIMULATED WIRE WITH SPINNER
* "FORD" CENTER
# PLAIN CENTER
■ CHROME (BELOW CENTER AREA)
▲ ARGENT (PAINTED BELOW CENTER AREA)

P-8919


1130 CAP OR COVER - WHEEL HUB - continued




(A) C6SZ-1130-A (15")
(GREY CENTER)
THUNDERBIRD




(B) C6SZ-1130-B (15")
(RED CENTER)
THUNDERBIRD




(C) C6TZ-1130-A (15")
("FORD" CENTER)
BRONCO-REAR WHEELS



(D) C6TZ-1130-B (15")
(3 5/8" HOLE IN CENTER)
BRONCO FRONT WHEELS



(E) C6ZZ-1130-A (14")
(BLACK CENTER)
MUSTANG




(F) #★C6ZZ-1130-B (14")
(BLACK CENTER)
MUSTANG

#SPINNER IN CENTER

P-8920


May, 1975 COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN FINAL ISSUE

1130 CAP OR COVER - WHEEL HUB - continued




Ⓐ

%C3OZ-1130-K (14")
(RED CENTER WITH CREST)
FALCON




Ⓑ

C5AZ-1130-A (10 1/2")
(HUB CAP)
FORD




Ⓒ

C5ZZ-1130-W (2 1/2")
("MUSTANG" EMBLEM)
MUSTANG-HUB CAP



Ⓓ

S7MS-1130-A (16 1/4")
(GT-350/500)
MUSTANG




Ⓔ

S7MS-1130-B (2 1/2")
GT-350/500
MUSTANG




Ⓕ

S7MS-1130-C (2 3/4")
GT-350/500
MUSTANG




Ⓖ

C6AZ-1130-C (16 1/4")
(RED CENTER)
FORD, MUSTANG



Ⓗ

C6AZ-1130-G (15")
(BLACK CENTER)
BRONCO




Ⓙ

*C6AZ-1130-K (15")
#C6AZ-1130-N (15")
FORD


*"FORD" CENTER
#PLAIN CENTER
%SIMULATED WIRE WITH SPINNER

P-8921


1130 CAP OR COVER - WHEEL HUB - continued




(A) C6AZ-1130-L (15")
(BLUE CENTER)
FORD




(B) *C6OZ-1130-K (14")
#C6OZ 1130-N (14")
FAIRLANE, FALCON, MUSTANG




(C) C6TZ-1130-A (15")
FORD CENTER
BRONCO-REAR WHEELS




(D) C7AZ-1130-A (10 1/2")
C7DZ-1130-A (9 5/8")
(BLACK CENTER)
FORD, FAIRLANE, FALCON, MUSTANG




(E) C7AZ-1130-B (15")
(RED CENTER)
FORD




(F) C7AZ-113-E (15")
("L T D" CENTER)
FORD



(G) %C7AZ-1130-H (15")
*%C7OZ-1130-F (14")
(BLUE CENTER)
FORD, FAIRLANE, FALCON, MUSTANG



(H) C7DZ-1130-C (14")
("FORD" CREST)
FALCON



(J) C7OZ-1130-B (14")
("FORD" CENTER)
FAIRLANE

%SIMULATED WIRE WITH SPINNER
*FORD CENTER
#PLAIN CENTER


P-8922

1967 HUB CAPS and WHEEL COVERS


May, 1975 COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE


1130 CAP OR COVER - WHEEL HUB - continued




(A)
C7OZ-1130-C (2 1/2")
(RED CENTER)
FAIRLANE, MUSTANG




(B)
C7OZ-1130-D (14")
★C7OZ-1130-G (14")
FAIRLANE (BLUE CENTER)



(C)
C7SZ-1130-A (16 1/4")
(PLAIN CENTER)
THUNDERBIRD




(D)
C7SZ-1130-B (16 1/4")
(TURQUOISE CENTER)
THUNDERBIRD




(E)
C7TZ-1130-H (15")
(FRONT WHEELS-HOLE IN CENTER)
BRONCO



(F)
C7ZZ-1130-A (3 3/4")
(MUSTANG CENTER)
MUSTANG-HUBCAP



(G)
•C7ZZ-1130-B (14")
▲C7ZZ-1130-G (14")
MUSTANG (RED CENTER)




(H)
#C7ZZ-1130-E (14")
(RED CENTER)
MUSTANG


#SIMULATED WIRE WITHOUT SPINNER
•21 DEPRESSIONS PAINTED GREY-GOLD METALIC
▲21 DEPRESSIONS PAINTED REFLECTIVE GREY

P-8923


1130 CAP OR COVER - WHEEL HUB - continued




(A) C6AZ-1130-C (16 1/4")
(RED CENTER)
FORD, MUSTANG




(B) C6AZ-1130-G (15")
(BLACK CENTER)
BRONCO-REAR WHEELS




(C) *C6AZ-1130-K (15")
#C6AZ-1130-N (15")
FORD, MUSTANG




(D) *C6OZ-1130-K (14")
#C6OZ-1130-N (14")
FAIRLANE/TORINO, FALCON, MUSTANG




(E) C7OZ-1130-C (2 1/2")
(RED CENTER)
FAIRLANE/TORINO




(F) C7SZ-1130-B (16 1/4")
(TURQUOISE CENTER)
THUNDERBIRD




(G) C7TZ-1130-H (15")
(FRONT WHEELS-HOLE IN CENTER)
BRONCO




(H) •C7ZZ-1130-E (14")
(RED CENTER)
MUSTANG




(J) C8AZ-1130-A (15")
(BLACK CENTER)
FORD




(K) %C8AZ-1130-B (15")
(BURGUNDY CENTER)
FORD



(L) ▲C8AZ-1130-D (10 1/2")
(BLACK CENTER)
C8DZ-1130-A (10 1/2")
FALCON (PLAIN CENTER)



(M) • C8AZ-1130-F (15") • C8OZ-1130-J (14")
FAIRLANE/TORINO,
FALCON, FORD, MUSTANG



(N) S8MS-1132-A (16 1/4")
(GT350/500) MUSTANG


P-8924

▲FORD, FAIRLANE/TORINO AND FALCON
%COMBINATION OF BLACK, SILVER, GOLD AND BURGUNDY IN CENTER
•SIMULATED WIRE WITHOUT SPINNER
*FORD CENTER
#PLAIN CENTER


1968 HUB CAPS and WHEEL COVERS
(Page 1 of 2)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


1130 CAP OR COVER - WHEEL HUB - continued




(A) C8OZ-1130-A (14")
(BLUE CENTER)
FAIRLANE/TORINO, FALCON




(B) C8OZ-1130-B (14")
(PLAIN CENTER)
FAIRLANE/TORINO, FALCON




(C) C8OZ-1130-C (7 1/2")
(HUB CAP)
FAIRLANE/TORINO, MUSTANG




(D) C8OZ-1130-E (14")
(BLUE CENTER)
FAIRLANE/TORINO,




(E) C8OZ-1130-G (7 1/2")
(HUB CAP)
FAIRLANE/TORINO, MUSTANG




(F) C8OZ-1130-L (15 3/8")
(BLUE CENTER)
FAIRLANE/TORINO,




(G) C8SZ-1130-A (15")
(BLACK CENTER)
THUNDERBIRD




(H) C8SZ-1130-B (16 1/4")
(PLAIN CENTER)
THUNDERBIRD




(J) #C8SZ-1130-C (16 1/4")
(THUNDERBIRD CENTER)
THUNDERBIRD



(K) C8ZZ-1130-A (14")
("MUSTANG" CENTER)
MUSTANG



(L) C8ZZ-1130-E (14")
(RED CENTER)
MUSTANG




(M) C8ZZ-1130-F (10 1/2")
(BLACK CENTER)
MUSTANG-HUB CAP

#RECESSED SPINNER
•SIMULATED WIRE WITHOUT SPINNER


P-8925

1968 HUB CAPS and WHEEL COVERS
(Page 2 of 2)


1130 CAP OR COVER - WHEEL HUB - continued




(A) C6AZ-1130-C (16 1/4")
(RED CENTER)
MUSTANG




(B) C6AZ-1130-G (15")
(BLACK CENTER)
BRONCO-REAR WHEELS




(C) C7TZ-1130-H (15")
(FRONT WHEELS-HOLE IN CENTER)
BRONCO




(D) •C7ZZ-1130-E (14")
(RED CENTER)
MUSTANG




(E) C8AZ-1130-A (15")
(BLACK CENTER)
FORD



(F) # C8AZ-1130-B (15")
(BURGUNDY CENTER)
FORD



(G) C8AZ-1130-D (10 1/2")
(BLACK CENTER)
FAIRLANE/TORINO,
FALCON, FORD, MUSTANG



(H) C8OZ-1130-C (7 1/2")
(HUB CAP)
FAIRLANE/TORINO, MUSTANG


#COMBINATION OF BLACK, SILVER, GOLD AND BURGUNDY IN CENTER
•SIMULATED WIRE WITHOUT SPINNER

P-8926


1969 HUB CAPS and WHEEL COVERS
(Page 1 of 2)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


1130 CAP OR COVER - WHEEL HUB - continued




(A)
C8OZ-1130-G (7 1/2")
(HUB CAP)
FAIRLANE/TORINO, MUSTANG



(B)
C8SZ-1130-A (15")
(BLACK CENTER)
THUNDERBIRD




(C)
C9OZ-1130-A (14")
(RED CENTER)
FAIRLANE/TORINO, FALCON




(D)
C9OZ-1130-B (14")
(PLAIN CENTER-BLACK CREST)
FAIRLANE/TORINO, FALCON




(E)
C9OZ-1130-D (2 3/4")
(BLACK CENTER)
FAIRLANE/TORINO RANCHERO
"RIO GRANDE"




(F)
C9SZ-1130-A (15")
("THUNDERBIRD" PLAIN CENTER)
THUNDERBIRD




(G)
*C9SZ-1130-D (16 1/4")
(THUNDERBIRD EMBLEM)
THUNDERBIRD



(H)
C9ZZ-1130-A (14")
(PLAIN CENTER-BLACK LETTERS)
MUSTANG



(J)
C9ZZ-1130-E (2 3/4")
(BLACK CENTER)
MUSTANG




(K)
C9ZZ-1130-D (2 3/4")
GT-350/500 (BLACK CENTER)
MUSTANG

(L)
C9ZZ-1130-F (2 3/16")
"BOSS 429"
MUSTANG


* REFER TO TEXT SECTION 10 FOR COLOR DESIRED

P-8927


1130 CAP OR COVER - WHEEL HUB - continued




(A) C6AZ-1130-G (15")
(BLACK CENTER)
BRONCO-REAR WHEELS




(B) C6AZ-1130-N (15")
(PLAIN CENTER)
FORD




(C) C6OZ-1130-N (14")
(PLAIN CENTER)
FAIRLANE/TORINO, MUSTANG




(D) C7TZ-1130-H (15")
(FRONT WHEELS-HOLE IN CENTER)
BRONCO




(E) C8AZ-1130-D (10 1/2")
(BLACK CENTER)
FALCON, FORD




(F) #C8AZ-1130-F (15")
#C8OZ-1130-J (14")
FAIRLANE/TORINO, FORD, MUSTANG



(G) C8OZ-1130-G (7 1/2")
(HUB CAP)
FAIRLANE/TORINO, MUSTANG




(H) C9OZ-1130-A (14")
(RED CENTER)
FALCON



(J) C9OZ-1130-B (14")
(PLAIN CENTER-BLACK CREST)
FALCON, FORD



(K) C9ZZ-1130-D (2 3/4")
GT-350/500 (BLACK CENTER)
MUSTANG



(L) C9ZZ-1130-E 2 3/4"
(BLACK CENTER)
MUSTANG


SIMULATED WIRE WITHOUT SPINNER

P-8928

1970 HUB CAPS and WHEEL COVERS
(Page 1 of 2)


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1130 CAP OR COVER - WHEEL HUB - continued




(A)

*D0AZ-1130-B (16 1/4")
*D0AZ-1130-K (16 1/4")
*D0AZ-1130-J (16 1/4")
(PLAIN CENTER)
FORD, THUNDERBIRD



(B)

D0AZ-1130-C (15 1/8")
(BLACK CENTER)
FORD




(C)

*D0AZ-1130-E (10 1/4")
*D0AZ-1130-H (10 1/4")
(CHROME FINISH-BLACK LETTERS)
#* D0AZ-1130-G (10 1/4")
*D5DZ-1130-B(10 1/4")
FAIRLANE/TORINO, FORD,
MAVERICK, MUSTANG-HUB CAP




(D)

D0DZ-1130-C (9 5/8")
D0DZ-1130-D (10 5/8")
(PLAIN CENTER)
MAVERICK-HUB CAP




(E)

D0DZ-1130-E (14")
(PLAIN CENTER)
MAVERICK




(F)

D0OZ-1130-A (15 3/8")
(RED CENTER)
FAIRLANE/TORINO




(G)

▼%D0OZ-1130-G (16 1/4")
▼□D0OZ-1130-D (15 1/4")
(RED CENTER)
FAIRLANE/TORINO
%D0ZZ-1130-F (16 1/4")
□D0ZZ-1130-D (15 1/4")
■D0ZZ-1130-E (15 1/4")
(BLACK CENTER)
MUSTANG




(H)

D0OZ-1130-F (2 3/4")
(PLAIN CENTER)
FAIRLANE/TORINO-HUB CAP




(J)

D0SZ-1130-A (16 1/4")
(BLACK CENTER)
THUNDERBIRD



(K)

*★ D0SZ-1130-B (16 1/4")
*D0SZ-1130-F (16 1/4")
(BLACK CENTER)
△D0SZ-1130-D (16 1/4")
△D0SZ-1130-E (16 1/4")
THUNDERBIRD




(L)

D0ZZ-1130-A (14 1/8")
("MUSTANG" CENTER)
MUSTANG


▼ ARGENT BACKGROUND
△ REFER TO TEXT SECTION 10
FOR COLOR DESIRED
■ USED ON 14"×6" WHEELS
□ USED ON 14"×7" WHEELS
% USED ON 15"×7" WHEELS
# CICULAR BRUSHED
CHROME FINISH
* REFER TO TEXT SECTION 10
TO CLARIFY MODEL APPLICATION

P-8929


1130 CAP OR COVER - WHEEL HUB - continued




(A) C6AZ-1130-G (15")
(BLACK CENTER)
BRONCO-REAR WHEELS




(B) C6OZ-1130-N (14")
(PLAIN CENTER)
MAVERICK, MUSTANG, TORINO




(C) # C8AZ-1130-B (15")
(BURGUNDY CENTER)
FORD




(D) C8OZ-1130-G (7 1/2")
(HUB CAP)
MAVERICK, TORINO




(E) ■ C8OZ-1130-J (14")
(PLAIN CENTER)
MAVERICK




(F) C7TZ-1130-H (15")
(FRONT WHEELS-HOLE IN CENTER)
BRONCO




(G) C9OZ-1130-B (14")
(PLAIN CENTER BLACK CREST)
TORINO




(H) C9ZZ-1130-E (2 3/4")
D1ZZ-1130-G (2 3/4")
(BLACK CENTER)
MUSTANG



(J) ●★ D0AZ-1130-G (10 1/4")
● D5DZ-1130-B (10 1/4")
▲ D0AZ-1130-H (10 1/4")
(HUB CAP)
FORD, MUSTANG, TORINO



(K) D0AZ-1130-J (16 1/4")
(PLAIN CENTER)
FORD



(L) D0DZ-1130-C (9 5/8")
D0DZ-1130-D (10 5/8")
(PLAIN CENTER)
MAVERICK-HUB CAP


● BRUSHED FINISH CENTER
▲ BRIGHT FINISH CENTER
■ SIMULATED WIRE WITHOUT SPINNER
COMBINATION OF BLACK, SILVER, GOLD AND BURGUNDY IN CENTER AREA

P-8930

1971 HUB CAPS and WHEEL COVERS
(Page 1 of 2)


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1130 CAP OR COVER - WHEEL HUB - continued




(A)

D0DZ-1130-E (14")
(PLAIN CENTER)
MAVERICK




(B)

D0OZ-1130-A (15 3/8")
(RED CENTER)
TORINO




(C)

•D0OZ-1130-F (2 3/4")
•D1OZ-1130-A (2 3/4")
(BRIGHT CENTER)
TORINO




(D)

▼□ D0OZ-1130-D (15 1/4")
▼% D0OZ-1130-G (16 1/4")
(RED CENTER)
TORINO
*□ D1ZZ-1130-C (15 1/4")
*▲ D1ZZ-1130-D (15 1/4")
*% D1ZZ-1130-E (16 1/4")
(BLACK CENTER)
MUSTANG




(E)

D0SZ-1130-A (16 1/4")
(BLACK CENTER)
THUNDERBIRD




(F)

D0SZ-1130-F (16 1/4")
(BLACK CENTER)
D0SZ-1130-E (16 1/4")
D1SZ-1130-A THRU N (16 1/4")
THUNDERBIRD




(G)

★D1AZ-1130-A (15 1/8")
(BLACK CENTER)
FORD




(H)

D1DZ-1130-A THRU C (10 1/4")
(PLAIN CENTER)
TORINO-HUB CAP




(J)

D1FZ-1130-A (9 1/4")
(PLAIN CENTER)
PINTO-HUB CAP



(K)

D1FZ-1130-B (13 1/8")
(PLAIN CENTER)
PINTO




(L)

D1ZZ-1130-B (14 1/8")
(PLAIN CENTER)
MUSTANG


#REFER TO TEXT SECTION 10 FOR COLOR DESIRED
□USED ON 14"×7" WHEELS ONLY
▲USED ON 14"×6" WHEELS ONLY
*ARGENT WITH BLACK BACKGROUND
▼ARGENT BACKGROUND
%USED ON 15"×7" WHEELS
•USED WITH STYLIZED STEEL WHEELS

P-8931


1130 CAP OR COVER - WHEEL HUB - continued



(A)
C6AZ-1130-G (15")
(BLACK CENTER)
BRONCO REAR WHEELS ONLY




(B)
C7TZ-1130-H (15")
(HOLE IN CENTER)
FRONT WHEELS ONLY BRONCO




(C)
#C8AZ-1130-B (15")
(BURGUNDY CENTER)
FORD




(D)
D0DZ-1130-C (9 5/8")
D0DZ-1130-D (10 5/8")
(PLAIN CENTER)
MAVERICK-HUB CAP




(E)
●D1ZZ-1130-G (2 3/4")
(BLACK CENTER)
MUSTANG




(F)
D0DZ-1130-E (14 1/8")
(PLAIN CENTER)
MAVERICK




(G)
**D0AZ-1130-G (10 1/4")
*D5DZ-1130-B(10 1/4")
*D0AZ-1130-H (10 1/4")
*D2ZZ-1130-B (10 1/4")
(BRUSHED FINISH CENTER)
FORD, MAVERICK, MUSTANG-HUB CAP




(H)
D0OZ-1130-A (15 3/8")
(RED CENTER)
TORINO




(J)
D0SZ-1130-A (16 1/4")
(BLACK CENTER)
THUNDERBIRD



(K)
*D1AZ-1130-A (15 1/8")
(BLACK CENTER)
FORD AND TORINO



(L)
*D1FZ-1130-A (9 1/4")
*D2FZ-1130-A (9 1/4")
*D2FZ-1130-B (9 1/4")
(PLAIN CENTER)
PINTO-HUB CAP



(M)
D1FZ-1130-B (13 1/8")
(PLAIN CENTER)
PINTO


* REFER TO TEXT SECTION 10 TO CLARIFY MODEL APPLICATION
● USED WITH STYLIZED STEEL WHEELS ONLY
COMBINATION OF BLACK, SILVER, GOLD AND BURGUNDY IN CENTER AREA

P-8833


1972 HUB CAPS and WHEEL COVERS
(Page 1of 2)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


1130 CAP OR COVER - WHEEL HUB - continued




(A) D1ZZ-1130-B (14 1/8")
(PLAIN CENTER)
MUSTANG




(B) □ D1ZZ-1130-D (15 1/4")
% D1ZZ-1130-E (16 1/4")
(ARGENT WITH BLACK BACKGROUND)
MUSTANG




(C) ▲ D2AZ-1130-J (15 1/8")
FORD,TORINO (BLACK CENTER)




(D) *D2OZ-1130-F (14 1/8")
(BLACK CENTER)
*D2DZ-1130-A THRU M (14 1/8")
MAVERICK,TORINO




(E) *■ D2OZ-1130-D (10 1/4")
*+ D2OZ-1130-E (10 1/4")
HUB CAP (BLACK CENTER)



(F) # D2SZ-1130-A THRU J (16 1/4")
▲ D2SZ-1130-F (16 1/4")
D3SZ-1130-E (16 1/4")
THUNDERBIRD (BLACK CENTER)



(G) D2ZZ-1130-A (14 1/8")
(BLACK CENTER)
MUSTANG



(H) ● D1OZ-1130-A (2 3/4")
(BRIGHT CENTER)
TORINO

* REFER TO TEXT SECTION 10 TO CLARIFY MODEL APPLICATION
■ TORINO-BRIGHT FINISH OUTER
+ TORINO-BLACK FINISH OUTER
● USED WITH STYLIZED STEEL WHEELS
REFER TO TEXT PORTION OF CATALOG FOR CORRECT COLOR
▲ CIRCULAR BRUSHED FINISH
□ USED ON 14" × 6" WHEELS ONLY
% USED ON 15" × 7" WHEELS ONLY

P-8834

1130 CAP or COVER - WHEEL HUB - continued

WHEEL COVER or HUB CAP IDENTIFICATION CHART

IDENTIFICATION	PART NUMBER
C2OA 1130-A	C2OA 1130-A
C3AA 1130-Z	C3AZ 1130-Z
C3AA 1130-AF	C3AZ 1130-Z
C3DA 1130-A	C3DZ 1130-A
C3OA 1130-K	★C30Z 1130-K
C3OA 1130-L	C3OZ 1130-L
C3OA 1130-R	C3OZ 1130-L
C4AA 1130-A	C4AZ 1130-A
C4AA 1130-F	★C4AZ 1130-H
C4AA 1130-R	★C4AZ 1130-L
C4DA 1130-B	C4DZ 1130-D
C4OA 1130-A	C4OZ 1130-A
C4ZA 1130-E	C5ZZ 1130-C
C4ZA 1130-F	C5ZZ 1130-A
C4ZA 1130-G	★C5ZZ 1130-D
C4ZA 1130-H	★C5ZZ 1130-B
C4ZA 1130-J	C5ZZ 1130-J
C4ZA 1130-K	C5ZZ 1130-K
C4ZA 1130-L	★C5ZZ 1130-L
C4ZA 1130-M	★C5ZZ 1130-M
C5AA 1130-A	C5AZ 1130-A
C5AA 1130-B	C5AZ 1130-F
C5AA 1130-C	C5AZ 1130-C
C5AA 1130-D	★C5AZ 1130-D
C5DA 1130-A	C5DZ 1130-A
C5DA 1130-B	★C5DZ 1130-D
C5DA 1130-C	★C5DZ 1130-C
C5DA 1130-D	C5DZ 1130-F
C5OA 1130-A	C5OZ 1130-A
C5OA 1130-B	★C5OZ 1130-B
C5OA 1130-C	C5OZ 1130-E
C5SA 1130-A	C5SZ 1130-A
C5SA 1130-B	C5SZ 1130-B
C5SA 1130-C	C5SZ 1130-C
C5ZA 1130-C	C5ZZ 1130-N
C5ZA 1130-D	C5ZZ 1130-P
C5ZA 1130-E	★C5ZZ 1130-R
C5ZA 1130-F	C5ZZ 1130-S
C5ZA 1130-J	C5ZZ 1130-W
C6AA 1130-A	C6AZ 1130-A
C6AA 1130-D	C6AZ 1130-B
C6AA 1130-E	C6AZ 1130-C
C6AA 1130-F	★C6AZ 1130-L
C6AA 1130-G	C6AZ 1130-G
C6AA 1130-H	C6AZ 1130-H
C6AA 1130-J	C6AZ 1130-K
C6DA 1130-A	C6DZ 1130-A
C6OA 1130-C	C6OZ 1130-C
C6OA 1130-E	C6OZ 1130-K
C6OA 1130-F	C6OZ 1130-L
C6OA 1130-G	★C6ZZ 1130-E
C6SA 1130-A	C6SZ 1130-A
C6SA 1130-B	C6SZ 1130-B
C6TA 1130-E	C6TZ 1130-A
C6TA 1130-F	C6TZ 1130-B
C6ZA 1130-A	C6ZZ 1130-A
C6ZA 1130-B	★C6ZZ 1130-B
C7AA 1130-A	C7AZ 1130-A
C7AA 1130-C	C7AZ 1130-E
C7AA 1130-D	C7AZ 1130-B
C7AA 1130-E	C7AZ 1130-H
C7DA 1130-C	C7DZ 1130-C
C7DA 1130-D	C7DZ 1130-A
C7OA 1130-A	C7OZ 1130-D
C7OA 1130-B	C7OZ 1130-B
C7OA 1130-C	C7OZ 1130-C
C7OA 1130-D	C7OZ 1130-F
C7OA 1130-E	C7OZ 1130-D
C7SA 1130-B	C7SZ 1130-B
C7SA 1130-D	C7SZ 1130-A
C7SA 1130-E	★C7SZ 1130-D
C7TA 1130-H	C7TZ 1130-H
C7ZA 1130-B	C7ZZ 1130-B
C7ZA 1130-E	C7ZZ 1130-A
C7ZA 1130-G	C7ZZ 1130-E
C7ZA 1130-H	C7ZZ 1130-G
C8AA 1130-D	C8AZ 1130-D
C8AA 1130-E	C8AZ 1130-B
C8AA 1130-F	C8AZ 1130-B
C8AA 1130-G	C8AZ 1130-A
C8AA 1130-H	C6AZ 1130-K
C8AA 1130-K	C8AZ 1130-F
C8AA 1130-L	C6AZ 1130-K
C8AA 1130-M	C6AZ 1130-N
C8AA 1130-N	C8AZ 1130-F
C8DA 1130-B	C8DZ 1130-A
C8OA 1130-A	C8OZ 1130-A
C8OA 1130-B	C8OZ 1130-B
C8OA 1130-C	C8OZ 1130-C
C8OA 1130-D	C8OZ 1130-C
C8OA 1130-E	C8OZ 1130-E
C8OA 1130-H	C8OZ 1130-G
C8OA 1130-J	C8OZ 1130-G
C8OA 1130-L	C8OZ 1130-L
C8OA 1130-M	C6OZ 1130-N
C8OA 1130-N	C8OZ 1130-J
C8SA 1130-B	C8SZ 1130-B
C8SA 1130-C	C8SZ 1130-C
C8SA 1130-E	C8SZ 1130-A
C8SA 1130-F	C8SZ 1130-A
C8ZA 1130-A	C8ZZ 1130-A
C8ZA 1130-D	C8ZZ 1130-F
C8ZA 1130-E	C8ZZ 1130-E
C9AA 1130-A	C8AZ 1130-B
C9OA 1130-A	C9OZ 1130-A
C9OA 1130-B	C9OZ 1130-B
C9SA 1130-A	C9SZ 1130-A
C9SA 1130-D	C8SZ 1130-A
C9SA 1130-C05P	C9SZ 1130-D05P
C9SA 1130-C13D	C9SZ 1130-D13D
C9SA 1130-C15K	C9SZ 1130-D15K
C9SA 1130-C23G	C9SZ 1130-D23G
C9SA 1130-C26B	C9SZ 1130-D26B
C9ZA 1130-B	C9ZZ 1130-A
D0AA 1130-B	D0AZ 1130-B
D0AA 1130-E	D0AZ 1130-C
D0AA 1130-F	D0AZ 1130-B
D0AA 1130-G	D0AZ 1130-H
D0AA 1130-H	D0AZ 1130-J
D0AA 1130-J	D0AZ 1130-K
D0DA 1130-A	D0DZ 1130-C
D0DA 1130-B	D0DZ 1130-D
D0DA 1130-C1	D0DZ 1130-E
D0DA 1130-E	D0DZ 1130-C
D0DA 1130-F	D0DZ 1130-D
D0OA 1130-A	D0OZ 1130-A
D0OA 1130-D	D0OZ 1130-D
D0OA 1130-F	D0OZ 1130-G
D0OA 1130-H	D0OZ 1130-D
D0OA 1130-J	D0OZ 1130-G
D0OA 1130-K	★D0AZ 1130-G
D0OA 1130-K	D5DZ 1130-B
D0SA 1130-A	D0SZ 1130-A
D0SA 1130-B1	★D0SZ 1130-B
D0SA 1130-B2	★D0SZ 1130-B
D0SA 1130-C13D	★D0SZ 1130-D13D
D0SA 1130-C15W	D0SZ 1130-D15W
D0SA 1130-C18C	D0SZ 1130-D18C
D0SA 1130-C19V	D0SZ 1130-D19V
D0SA 1130-C20F	★D0SZ 1130-D20F
D0SA 1130-C24P	D0SZ 1130-D24P
D0SA 1130-C38Y	D0SZ 1130-D38Y
D0SA 1130-C40D	D0SZ 1130-D40D
D0SA 1130-C58B	D0SZ 1130-D58B
D0SA 1130-C64B	D0SZ 1130-D64B
D0SA 1130-C64G	★D0SZ 1130-D64G
D0SA 1130-C65G	D0SZ 1130-D65G
D0SA 1130-C75G	★D0SZ 1130-D75G
D0SA 1130-D	D0SZ 1130-F
D0SA 1130-E01W	D0SZ 1130-E15W
D0SA 1130-E04V	D1SZ 1130-A
D0SA 1130-E08F	D1SZ 1130-L
D0SA 1130-E09F	D1SZ 1130-B
D0SA 1130-E10D	D0SZ 1130-E13D
D0SA 1130-E13D	D0SZ 1130-E13D
D0SA 1130-E13V	D1SZ 1130-C
D0SA 1130-E14B	D1SZ 1130-D
D0SA 1130-E14R	D1SZ 1130-E
D0SA 1130-E14T	D1SZ 1130-F
D0SA 1130-E15W	D0SZ 1130-E15W
D0SA 1130-E18C	D0SZ 1130-E18C
D0SA 1130-E19V	D0SZ 1130-E19V
D0SA 1130-E20F	D0SZ 1130-E20F
D0SA 1130-E24D	D0SZ 1130-E40D
D0SA 1130-E24P	D0SZ 1130-E24P
D0SA 1130-E25Y	D1SZ 1130-G
D0SA 1130-E28B	D1SZ 1130-H
D0SA 1130-E30D	D1SZ 1130-M
D0SA 1130-E37B	D1SZ 1130-J
D0SA 1130-E38Y	D0SZ 1130-E38Y
D0SA 1130-E40D	D0SZ 1130-E40D
D0SA 1130-E42G	D0SZ 1130-E64G
D0SA 1130-E46G	D1SZ 1130-K
D0SA 1130-E50G	D1SZ 1130-N
D0SA 1130-E58B	D0SZ 1130-E58B
D0SA 1130-E64B	D0SZ 1130-E64B
D0SA 1130-E64G	D0SZ 1130-E64G
D0SA 1130-E65G	D0SZ 1130-E65G
D0SA 1130-E75G	D0SZ 1130-E75G

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1130 CAP or COVER - WHEEL HUB - continued

WHEEL COVER or HUB CAP IDENTIFICATION CHART - continued

IDENTIFICATION	PART NUMBER	IDENTIFICATION	PART NUMBER	IDENTIFICATION	PART NUMBER	IDENTIFICATION	PART NUMBER
D0ZA 1130-E	D0ZZ 1130-D	D2AA 1130-AA	D0AZ 1130-H	D2OA 1130-AA	D2OZ 1130-D	D2ZA 1130-AA	D2ZZ 1130-A
D0ZA 1130-F	D0ZZ 1130-E	D2AA 1130-DA	D2AZ 1130-J	D2OA 1130-AB	D2OZ 1130-D	D2ZA 1130-BA	D2ZZ 1130-B
D0ZA 1130-G	D0ZZ 1130-F	D2DA 1130-AE3BA	D2DZ 1130-B	D2OA 1130-BA	D2OZ 1130-E	D22A 1130-AA	D2FZ 1130-A
D0ZA 1130-H	D0AZ 1130-E	D2DA 1130-AE5GA	D2DZ 1130-C	D2OA 1130-BB	D2OZ 1130-E	D22A 1130-BA	D2FZ 1130-B
D0ZA 1130-J	D0AZ 1130-G	D2DA 1130-AF3GA	D2DZ 1130-D	D2OA 1130-CA	D2OZ 1130-F		
D0ZA 1130-K	D0ZZ 1130-A	D2DA 1130-AH1BA	D2DZ 1130-H	D2OA 1130-CB	D2OZ 1130-F	S9MS 1130-B	C9ZZ 1130-D
D0ZA 1130-L	D0ZZ 1130-D	D2DA 1130-A13RA	D2DZ 1130-K	D2OA 1130-DA	D2OZ 1130-F		
D0ZA 1130-M	D0ZZ 1130-E	D2DA 1130-A14RA	D2DZ 1130-J	D2OA 1130-DB	D2OZ 1130-F		
D0ZA 1130-N	D0ZZ 1130-F	D2DA 1130-A14WA	D2DZ 1130-A				
		D2DA 1130-A15VA	D2DZ 1130-E	D2SA 1130-AB	D2SZ 1130-F		
D1AA 1130-AB	*D1AZ 1130-A	D2DA 1130-A24VA	D2DZ 1130-M	D2SA 1130-B50GA	D2SZ 1130-E		
D1DA 1130-A04VA	D1DZ 1130-C	D2DA 1130-A25VA	D2DZ 1130-F	D2SA 1130-C09FB	D2SZ 1130-A		
D1DA 1130-A27DA	D1DZ 1130-A	D2DA 1130-A37TA	D2DZ 1130-L	D2SA 1130-C13CB	D2SZ 1130-B		
D1DA 1130-A49GA	D1DZ 1130-B	D2DA 1130-A41BA	D2DZ 1130-H	D2SA 1130-C15VB	D2SZ 1130-C		
D1ZA 1130-BA	D1ZZ 1130-B	D2DA 1130-A80FA	D2DZ 1130-G	D2SA 1130-C16FB	D2SZ 1130-H		
D1ZA 1130-CB	D1ZZ 1130-C	D2DA 1130-A98RA	D2DZ 1130-K	D2SA 1130-C18GB	D3SZ 1130-E		
D1ZA 1130-DB	D1ZZ 1130-D	D2DA 1130-A99RA	D2DZ 1130-J	D2SA 1130-C30DB	D2SZ 1130-G		
D1ZA 1130-EB	D1ZZ 1130-E			D2SA 1130-C37BB	D2SZ 1130-D		
D12A 1130-AA	D1FZ 1130-A			D2SA 1130-C50GB	D2SZ 1130-E		
D12A 1130-BA	D1FZ 1130-B			D2SA 1130-C59GB	D2SZ 1130-J		

MODEL	IDENTIFICATION	DIAMETER (Inches)	DESCRIPTION	SHOWN ON Page Loc.	PART NUMBER
1965					
A	C5AA 1130-A	10 1/2	36 Depressions	17 M	C5AZ 1130-A
A	C4AA 1130-A	10 1/2	"Ford"letters with Black background	17 E	C4AZ 1130-A
A	C5AA 1130-C	15	Incl. crest-Blue center	18 A	C5AZ 1130-C
A	C5AA 1130-B	15	Imprinted "Ford"	18 C	C5AZ 1130-F
A	C5AA 1130-D	15	Simulated wire-incl. spinner-Blue center	18 B	** C5AZ 1130-D Not replaced
B	C4AA 1130-A	10 1/2	"Ford" letters w/Black background	17 E	C4AZ 1130-A
B	C5OA 1130-A	14	Incl. crest	18 F	C5OZ 1130-A
B	C5OA 1130-C	14	Incl. crest-Red center	18 G	C5OZ 1130-E
F(except GT 350)	C5ZA 1130-J	2 1/2	Imprinted "Ford Mustang"-includes attaching parts	18 M	C5ZZ 1130-W
F(except GT 350)	C4ZA 1130-F	13	Imprinted "Mustang"-Black center	18 K	C5ZZ 1130-A
F(except GT 350)	C4ZA 1130-H	13	Incl.spinner-imprinted "Mustang"-Black center	18 L	*C5ZZ 1130-B r/b C5ZZ 1130-A
F(except GT 350)	C4ZA 1130-K	13	Imprinted "Mustang"-Black center	18 K	C5ZZ 1130-K
F(except GT 350)	C5ZA 1130-D	13	Imprinted "Mustang"-Black center	18 K	C5ZZ 1130-P
F(except GT 350)	C4ZA 1130-M	13	Incl.spinner-imprinted "Mustang"-Black center	18 L	*C5ZZ 1130-M r/b C5ZZ 1130-J
F(except GT 350)	C5ZA 1130-F	13	Incl.spinner-imprinted "Mustang"-Black center	18 L	C5ZZ 1130-S
F(except GT 350)		13	Wire	17 F	C4OZ 1130-H
F(except GT 350)	C4ZA 1130-E	14	Imprinted "Mustang"-Black center	18 K	C5ZZ 1130-C
F(except GT 350)	C4ZA 1130-J	14	Imprinted "Mustang"-Black center	18 K	C5ZZ 1130-J
F(except GT 350)	C5ZA 1130-C	14	Imprinted "Mustang"-Black center	18 K	C5ZZ 1130-N
F(except GT 350)	C4ZA 1130-L	14	Incl.spinner-imprinted "Mustang"-Black center	18 L	*C5ZZ 1130-L r/b C5ZZ 1130-C

* Not used on vehicles equipped with fender skirts

1130 CAP or COVER - WHEEL HUB - continued

MODEL	IDENTIFICATION	DIAMETER (Inches)	DESCRIPTION	SHOWN ON Page	Loc.	PART NUMBER
1965 - continued						
F(except GT 350)	C5ZA 1130-E	14	Incl.spinner-imprinted "Mustang"-Black center	18	L	★C5ZZ 1130-R Not replaced
F(except GT 350)	C4AA 1130-F	14	Wire	17	F	★C4AZ 1130-H Not replaced
F(except GT 350)	C4AA 1130-R	14	Simulated wire-incl. spinner-Red, White & Blue center	17	G	★C4AZ 1130-L Not replaced
F(except GT 350)	C3AA 1130-Z,AF	15	Incl. spinner-stainless steel	17	A	C3AZ 1130-Z
F(GT 350)		3	Cap assy.-use with Cragar 15" wheel	17	J	★S1MS 1130-A Not replaced
F(GT 350) Consists of (1) S2MS 1131-B bracket (1) S2MS 1132-A emblem (GT 350)		2 3/4	Cap assy.-use with S2MS 1007-B & C (1) S2MS 1133-A cap (plastic) (2) S2MS 1135-A nut	17	K	S2MS 1130-B
F(GT 350) Consists of (1) S2MS 1130-A cap (die cast imprinted "CS")		2 1/2	Cap assy.-use with S2MS 1007-A (1) S7MS 1131-B bracket (1) 1/4"-20 x 5/8" bolt-hex.	17	L	★S2MS 1130-C Not replaced
S	C5SA 1130-A	15	Imprinted Thunderbird-plain center	18	H	C5SZ 1130-A
S	C5SA 1130-B	15	Incl. Thunderbird crest -Black center	18	J	C5SZ 1130-B
S	C5SA 1130-C	15	Incl. Thunderbird crest -Black center	18	J	C5SZ 1130-C
X	C3DA 1130-A	9	Black letters	17	B	C3DZ 1130-A
X	C4DA 1130-B	9 1/2	6 Embossed bars-incl. Falcon letters on Black background	17	H	C4DZ 1130-D
X	C4OA 1130-A	9 1/2	"Ford" letters with Black background	17	E	C4OZ 1130-A
X	C4AA 1130-A	10 1/2	"Ford" letters with Black background	17	E	C4AZ 1130-A
X	C3OA 1130-L,R	13	Simulated wire-incl. spinner	17	C	C3OZ 1130-L
X	C5DA 1130-B	13	Incl.spinner-imprinted "Falcon"-Red center	18	E	★*C5DZ 1130-D Not replaced
X	C5DA 1130-A	13	6 open slots-imprinted "Falcon"	18	D	C5DZ 1130-A
X	C3OA 1130-K	14	Simulated wire-incl. spinner	17	D	★*C3OZ 1130-K Not replaced
X	C5DA 1130-D	14	Imprinted "Falcon"	18	D	C5DZ 1130-F
X	C5DA 1130-C	14	Incl. spinner-imprinted "Falcon"-Red center	18	E	★* C5DZ 1130-C r/b C5DZ 1130-F
1966						
A	C5AA 1130-A	10 1/2	36 Depressions - imprinted "Ford"	19	E	C5AZ 1130-A
A	C6AA 1130-A	15	Horiz. crest-center is Black w/outer Red trim-argent section below center	20	A	C6AZ 1130-A
A	C6AA 1130-G	15	Horiz. crest-center is Black w/outer Red trim-bright section below center	20	A	C6AZ 1130-G
A	C6AA 1130-D	15	Vert. crest-center is Black w/outer Black trim-argent section below center	20	B	C6AZ 1130-B
A	C6AA 1130-H	15	Vert. crest-center is Black w/outer Black trim-bright section below center	20	B	C6AZ 1130-H
A	C6AA 1130-J, C8AA 1130-H or L	15	Simulated mag-plain chrome center	20	D	C6AZ 1130-K
A	C8AA 1130-M	15	Simulated mag-plain chrome center	20	D	C6AZ 1130-N
A	C6AA 1130-F	15	Wire-incl. spinner-Blue center	20	E	★C6AZ 1130-L Not replaced
A	C5AA 1130-D	15	Simulated wire-incl. spinner-Blue center	19	F	★*C5AZ 1130-D Not replaced
A	C6AA 1130-E	16 1/4	Simulated steel wheel-bolt on type-incl. crest-Red center	20	C	C6AZ 1130-C
B	C6OA 1130-F	2 1/2	Red center w/crest-incl.attaching parts	20	H	C6OZ 1130-L
B	C6DA 1130-A	9 1/2	36 depressions-imprinted "Ford"	19	E	C6DZ 1130-A
B	C5AA 1130-A	10 1/2	36 depressions-imprinted "Ford"	19	E	C5AZ 1130-A

* Not used on vehicles equipped with fender skirts

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1130 CAP or COVER - WHEEL HUB - continued

MODEL	IDENTIFICATION	DIAMETER (Inches)	DESCRIPTION	SHOWN ON Page Loc.	PART NUMBER
1966 - continued					
B	C5OA 1130-A	14	Incl. crest -plain center	19 J	C5OZ 1130-A
B	C6OA 1130-C	14	Incl. crest-Red center	20 F	C6OZ 1130-C
B	C8OA 1130-M	14	Simulated mag-plain chrome center	20 G	C6OZ 1130-N
B	C6OA 1130-E	14	Simulated mag-plain chrome center- Also serviced in C6OZ 1130-J kit	20 G	C6OZ 1130-K
F(except GT 350)	C5ZA 1130-J	2 1/2	Imprinted Ford Mustang-incl. attaching parts	19 K	C5ZZ 1130-W
F(except GT350)	C6DA 1130-A	9 1/2	36 depressions-imprinted "Ford"	19 E	C6DZ 1130-A
F(except GT 350)	C6ZA 1130-A	14	Black center	21 E	C6ZZ 1130-A
F(except GT 350)	C6ZA 1130-B	14	Incl. spinner-Black center	21 F	*C6ZZ 1130-B r/b C6ZZ 1130-A
F(except GT350)	C8OA 1130-M	14	Simulated mag-plain chrome center	20 G	C6OZ 1130-N
F(except GT350)	C6OA 1130-E	14	Simulated mag-plain chrome center- Also serviced in C6OZ 1130-J kit	20 G	C6OZ 1130-K
F(GT 350) Consists of (1) S2MS 1131-B bracket (1) S2MS 1132-A emblem (GT 350)		2 3/4	Cap assy. -use with S2MS 1007-B & C (1) S2MS 1133-A cap (plastic) (2) S2MS 1135-A nut	19 L	S2MS 1130-B
F(GT 350) Consists of (1) S2MS 1130-A cap (die cast imprinted "CS")		2 1/2	Cap assy. -use with S2MS 1007-A (1) S7MS 1131-B bracket (1) 1/4"-20 x 5/8" bolt-hex.	19 M	S2MS 1130-C
S	C6SA 1130-B	15	Incl. Thunderbird crest-Red center	21 B	C6SZ 1130-B
S	C6SA 1130-A	15	Incl. Thunderbird crest- Grey center	21 A	C6SZ 1130-A
U	C6TA 1130-F	15	For front wheels only-has 3-5/8" hole	21 D	C6TZ 1130-B
U	C6TA 1130-E	15	For rear wheels only-imprinted "Ford"	21 C	C6TZ 1130-A
U	C6AA 1130-G	15	For rear wheels only-incl. crest	20 A	C6AZ 1130-G
X	C3DA 1130-A	9	Black letters -imprinted "Ford"	19 B	C3DZ 1130-A
X	C6DA 1130-A	9 1/2	36 depressions-imprinted "Ford"	19 E	C6DZ 1130-A
X	C5AA 1130-A	10 1/2	36 depressions -imprinted "Ford"	19 E	C5AZ 1130-A
X	C3OA 1130-L,R	13	Incl. spinner-simulated wire-Red center	19 D	C3OZ 1130-L
X	C5DA 1130-A	13	6 open slots-imprinted "Falcon"	19 G	C5DZ 1130-A
X	C5DA 1130-B	13	Incl. spinner-imprinted "Falcon"- Red center	19 H	★*C5DZ 1130-D Not replaced
X	C2OA 1130-A	13 1/8	Coruna design -plain center	19 A	C2OA 1130-A
X	C3OA 1130-K	14	Incl. spinner-simulated wire- Red center	19 C	★C3OZ 1130-K Not replaced
X	C5DA 1130-C	14	Incl. spinner-imprinted "Falcon"-Red center	19 H	★C5DZ 1130-C r/b C5DZ 1130-F
X	C5DA 1130-D	14	6 open slots-imprinted "Falcon"	19 G	C5DZ 1130-F
X	C8OA 1130-M	14	Simulated mag-plain chrome center	20 G	C6OZ 1130-N
X	C6OA 1130-E	14	Simulated mag-plain chrome center- Also serviced in C6OZ 1130-J kit	20 G	C6OZ 1130-K
1967					
A	C5AA 1130-A	10 1/2	36 Depressions -imprinted "Ford"	22 B	C5AZ 1130-A
A	C7AA 1130-A	10 1/2	"Ford" emblem-Black center	23 D	C7AZ 1130-A
A	C6AA 1130-F	15	Wire-incl. spinner-Blue center	23 A	★C6AZ 1130-L Not replaced
A	C7AA 1130-D	15	Ford crest-Red center	23 E	C7AZ 1130-B
A	C7AA 1130-C	15	"LTD" incl. Ford crest	23 F	C7AZ 1130-E
A	C6AA 1130-J, C8AA 1130-H or L	15	Simulated mag-plain chrome center	22 J	C6AZ 1130-K
A	C8AA 1130-M	15	Simulated mag-plain chrome center	22 J	C6AZ 1130-N
A	C6AA 1130-E	16 1/4	Simulated steel wheel-bolt on type-incl. crest-Red center	22 G	C6AZ 1130-C
A	C7AA 1130-E	15	Wire-incl. spinner-Blue center	23 G	C7AZ 1130-H

* Not used on vehicles equipped with fender skirts

1130 CAP or COVER - WHEEL HUB - continued

MODEL	IDENTIFICATION	DIAMETER (Inches)	DESCRIPTION	SHOWN ON Page Loc.	PART NUMBER
1967 - continued					
B	C7OA 1130-C	2 1/2	Push-in type -incl. crest-Red center	24 A	C7OZ 1130-C
B	C7AA 1130-A	10 1/2	Ford emblem-Black center	23 D	C7AZ 1130-A
B	C6OA 1130-E	14	Simulated mag-plain chrome center - Also serviced in C6OZ 1130-J kit	23 B	C6OZ 1130-K
B	C7OA 1130-D	14	Wire-incl.spinner-Blue center	23 G	★C7OZ 1130-F Not replaced
B	C8OA 1130-M	14	Simulated mag-plain chrome center	23 B	C6OZ 1130-N
B	C7OA 1130-B	14	12 Embossments-imprinted Ford	23 J	C7OZ 1130-B
B	C7OA 1130-A, C7OA 1130-E	14	12 Embossments-painted Black w/Blue center-incl. Ford crest	24 B	C7OZ 1130-D
F(except GT 350/500)	C5ZA 1130-J	2 1/2	Imprinted "Ford Mustang"-incl. attaching parts	22 C	C5ZZ 1130-W
F(except GT 350/500)	C7OA 1130-C	2 1/2	Push-in type -incl. crest-Red center	24 A	C7OZ 1130-C
F(except GT 350/500)	C7ZA 1130-E	3 3/4	Push-in type	24 F	C7ZZ 1130-A
F(except GT 350/500)	C7DA 1130-D	9 5/8	Ford emblem-Black center	23 D	C7DZ 1130-A
F(except GT 350/500)	C7AA 1130-A	10 1/2	Ford emblem-Black center	23 D	C7AZ 1130-A
F(except GT 350/500)	C6OA 1130-E	14	Simulated mag-plain chrome center - Also serviced in C6OZ 1130-J kit	23 B	C6OZ 1130-K
F(except GT 350/500)	C7OA 1130-D	14	Wire-incl. spinner-Blue center	23 G	★C7OZ 1130-F Not replaced
F(except GT 350/500)	C8OA 1130-M	14	Simulated mag-plain chrome center	23 B	C6OZ 1130-N
F(except GT 350/500)	C7ZA 1130-H	14	21 openings-imprinted "Mustang"-Red center	24 G	C7ZZ 1130-G
F(except GT 350/500)	C7ZA 1130-G	14	Simulated wire-Red center	24 H	C7ZZ 1130-E
F(except GT 350/500)	C7ZA 1130-B	14 1/8	21 Openings-imprinted "Mustang"-Red center	24 G	C7ZZ 1130-B
F(except GT350/500)	C6AA 1130-E	16 1/4	Simulated steel wheel-bolt on type-incl. crest-Red center	22 G	C6AZ 1130-C
F(except GT350/500)	C7AA 1130-E	15	Wire-incl. spinner-Blue center	23 G	C7AZ 1130-H
F(GT 350/500) Consists of (1) S7MS 1131-B bracket (1) S7MS 1132-A emblem (Shelby Cobra)		2 1/2	Cap assy.-use with S7MS 1007-D (1) S7MS 1133-B cap (1) 1/4"-20 x 5/8" bolt-hex.	22 E	S7MS 1130-B
F(GT 350/500) Consists of (1) S7MS 1131-A bracket (1) S7MS 1132-B emblem (Shelby Cobra)		2 3/4	Cap assy.-use with S7MS 1007-C (1) S7MS 1133-A cap (2) 42127-S screws	22 F	S7MS 1130-C
F(GT 350/500)		16 1/4	Cover-styled	22 D	S7MS 1130-A
S	C7SA 1130-D	16 1/4	24 Openings-imprinted	24 C	C7SZ 1130-A
S	C7SA 1130-B	16 1/4	5 Openings, 5 simulated spokes & 5 bolt holes-incl. Thunderbird emblem in Turquoise center	24 D	C7SZ 1130-B
U	C6TA 1130-E	15	For rear wheels only-imprinted "Ford"	23 C	C6TZ 1130-A
U	C6AA 1130-G	15	For rear wheels only-incl. crest	22 H	C6AZ 1130-G
U	C7TA 1130-H	15	For front wheels only	24 E	C7TZ 1130-H
X	C7DA 1130-D	9 5/8	Ford emblem-Black center	23 D	C7DZ 1130-A
X	C7AA 1130-A	10 1/2	Ford emblem-Black center	23 D	C7AZ 1130-A
X	C3OA 1130-K	14	Simulated wire-incl. spinner	22 A	★C3OZ 1130-K Not replaced
X	C7DA 1130-C	14	12 Depressions-incl. Ford crest	23 H	C7DZ 1130-C
X	C6OA 1130-E	14	Simulated mag-plain chrome center - Also serviced in C6OZ 1130-J kit	23 B	C6OZ 1130-K
X	C7OA 1130-D	14	Wire-incl.spinner-Blue center	23 G	★C7OZ 1130-F Not replaced
X	C8OA 1130-M	14	Simulated mag-plain chrome center	23 B	C6OZ 1130-N

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1130 CAP or COVER - WHEEL HUB - continued

MODEL	IDENTIFICATION	DIAMETER (Inches)	DESCRIPTION	SHOWN ON Page	Loc.	PART NUMBER
			1968			
A	C8AA 1130-D	10 1/2	"Ford" crest -Black center	25	L	C8AZ 1130-D
A	C8AA 1130-E, F	15	Simulated wire-"Ford" crest - Burgundy center	25	K	C8AZ 1130-B
A	C6AA 1130-J C8AA 1130-H, L	15	Simulated mag-plain chrome center	25	C	C6AZ 1130-K
A	C8AA 1130-M	15	Simulated mag-plain chrome center	25	C	C6AZ 1130-N
A	C8AA 1130-G	15	"Ford" crest-Black center	25	J	C8AZ 1130-A
A	C6AA 1130-E	16 1/4	Simulated steel wheel-bolt on type-incl. crest-Red center	25	A	C6AZ 1130-C
A	C8AA 1130-K, N	15	Simulated wire-plain center hub	25	M	C8AZ 1130-F
B		2 1/2	Push-in type -incl. crest-Red center	25	E	C7OZ 1130-C
B	C8OA 1130-C, D	7 1/2	Incl. GT emblem	26	C	C8OZ 1130-C
B	C8OA 1130-H, J	7 1/2	Plain center	26	E	C8OZ 1130-G
B	C8AA 1130-D	10 1/2	"Ford" crest	25	L	C8AZ 1130-D
B	C8OA 1130-E	14	16 Openings-incl. Ford crest-Blue center	26	D	C8OZ 1130-E
B	C6OA 1130-E	14	Simulated mag-plain chrome center- Also serviced in C6OZ 1130-J kit	25	D	C6OZ 1130-K
B	C8OA 1130-M	14	Simulated mag-plain chrome center	25	D	C6OZ 1130-N
B	C8OA 1130-A	14	64 Ribs-incl. Ford crest-Blue center	26	A	C8OZ 1130-A
B	C8OA 1130-B	14	64 Ribs-incl. Ford crest-plain center	26	B	C8OZ 1130-B
B	C8OA 1130-N	14	Simulated wire-plain center hub	25	M	C8OZ 1130-J
B	C8OA 1130-L	15 3/8	Simulated wire-Ford crest-Blue center	26	F	C8OZ 1130-L
F(except GT350/500)	C8OA 1130-C, D	7 1/2	Incl. GT emblem	26	C	C8OZ 1130-C
F(except GT350/500)	C8OA 1130-H, J	7 1/2	Plain center	26	E	C8OZ 1130-G
F(except GT 350/500)	C8ZA 1130-D	10 1/2	Incl. Mustang emblem -Black center	26	M	C8ZZ 1130-F
F(except GT350/500)	C6OA 1130-E	14	Simulated mag-plain chrome center- Also serviced in C6OZ 1130-J kit	25	D	C6OZ 1130-K
F(except GT350/500)	C8OA 1130-M	14	Simulated mag-plain chrome center	25	D	C6OZ 1130-N
F(except GT 350/500)	C8ZA 1130-A	14	16 Openings-imprinted Mustang	26	K	C8ZZ 1130-A
F(except GT 350/500)	C7ZA 1130-G	14	Simulated wire-Red center	25	H	C7ZZ 1130-E
F(except GT 350/500)	C8ZA 1130-E	14	16 Openings-incl. Mustang emblem - Red center	26	L	C8ZZ 1130-E
F(except GT350/500)	C6AA 1130-J, C8AA 1130-H, L	15	Simulated "mag" wheel	25	C	C6AZ 1130-K
F(except GT350/500)	C8OA 1130-N	14	Simulated wire-plain center hub	25	M	C8OZ 1130-J
F(except GT350/500)	C6AA 1130-E	16 1/4	Simulated steel wheel-bolt-on type- crest-Red center	25	A	C6AZ 1130-C
F(GT 350/500)		16 1/4	Cover-die cast	25	N	S8MS 1132-A
S	C7SA 1130-B	16 1/4	5 Openings-5 simulated spokes & 5 bolt holes- incl. Thunderbird emblem in Turquoise center	25	F	C7SZ 1130-B
S	C8SA 1130-E, F	15	Simulated wire-incl. Thunderbird crest- Black center	26	G	C8SZ 1130-A
S	C8SA 1130-B	16 1/4	24 openings-imprinted "Thunderbird"- plain center	26	H	C8SZ 1130-B
S	C8SA 1130-C	16 1/4	24 Openings-imprinted "Thunderbird" in recessed spinner	26	J	C8SZ 1130-C
U	C6AA 1130-G	15	For rear wheels only-incl. crest	25	B	C6AZ 1130-G
U	C7TA 1130-H	15	For front wheels only	25	G	C7TZ 1130-H
X	C8AA 1130-D	10 1/2	"Ford" crest-Black center	25	L	C8AZ 1130-D
X	C8DA 1130-B	10 1/2	Stainless steel-incl. Ford crest -plain center	25	L	C8DZ 1130-A
X	C6OA 1130-E	14	Simulated mag-plain chrome center - Also serviced in C6OZ 1130-J kit	25	D	C6OZ 1130-K
X	C8OA 1130-A	14	64 Ribs-incl. Ford crest-Blue center	26	A	C8OZ 1130-A
X	C8OA 1130-B	14	64 Ribs-incl. Ford crest-plain center	26	B	C8OZ 1130-B
X	C8OA 1130-M	14	Simulated mag-plain chrome center	25	D	C6OZ 1130-N
X	C8OA 1130-N	14	Simulated wire-plain center hub	25	M	C8OZ 1130-J

1130 CAP or COVER - WHEEL HUB - continued

MODEL	IDENTIFICATION	DIAMETER (Inches)	DESCRIPTION	SHOWN ON Page	Loc.	PART NUMBER
1969						
A	C8AA 1130-D	10 1/2	"Ford" crest -Black center	27	G	C8AZ 1130-D
A	C8AA 1130-G	15	"Ford" crest -Black center	27	E	C8AZ 1130-A
A	C8AA 1130-E, F, C9AA 1130-A	15	Simulated wire-"Ford" crest - Burgundy center	27	F	C8AZ 1130-B
B(66A, B,)-Rio Grande		2 3/4	Use with C9OZ 1007-F wheel embossed- "Ranchero Rio Grande" -Black center	28	E	C9OZ 1130-D
B(except Rio Grande)	C8OA 1130-C, D	7 1/2	Includes GT emblem	27	H	C8OZ 1130-C
B(except Rio Grande)	C8OA 1130-J	7 1/2	Plain center	28	A	C8OZ 1130-G
B(except Rio Grande)	C8AA 1130-D	10 1/2	"Ford" crest -Black center	27	G	C8AZ 1130-D
B(except Rio Grande)	C9OA 1130-A	14	"Ford" crest -Red center	28	C	C9OZ 1130-A
B(except Rio Grande)	C9OA 1130-B	14	"Ford" crest stamped -plain center	28	D	C9OZ 1130-B
F (Boss 429)		2 3/16.	Use with C9ZZ 1007-H wheel- Mustang emblem in center	28	L	C9ZZ 1130-F
F (Boss 302)		2 3/4	Use with (styled steel) wheels-Mustang emblem -Black center	28	J	C9ZZ 1130-E
F(GT 350/500)	S9MS 1130-B	2 3/4	Use with (styled steel) wheels-snap on type - Black center	28	K	C9ZZ 1130-D
F(exc. Boss, GT350/500, Grande)	C8OA 1130-C, D	7 1/2	Includes GT emblem	27	H	C8OZ 1130-C
F(exc. Boss, GT350/500, Grande)	C8OA 1130-J	7 1/2	Plain center	28	A	C8OZ 1130-G
F(exc. Boss, GT350/500, Grande)	C8AA 1130-D	10 1/2	"Ford" crest -Black center	27	G	C8AZ 1130-D
F(exc. Boss, GT350/500, Grande)	C9ZA 1130-B	14	Imprinted "Mustang"-plain center- Also serviced in C9ZZ 1130-B kit	28	H	C9ZZ 1130-A
F(Grande)	C7ZA 1130-G	14	Simulated wire-Red center	27	D	C7ZZ 1130-E
F(GT 350/500)		16 1/4	Simulated steel wheel-bolt on type-includes crest-Red center	27	A	C6AZ 1130-C
S	C9SA 1130-A	15	Imprinted "Thunderbird"-plain center	28	F	C9SZ 1130-A
S	C9SA 1130-C05P	16 1/4	Thunderbird emblem-Silver cover	28	G	C9SZ 1130-D05P
S	C9SA 1130-C13D	16 1/4	Thunderbird emblem-Red cover	28	G	C9SZ 1130-D13D
S	C9SA 1130-C15K	16 1/4	Thunderbird emblem-Aqua cover	28	G	C9SZ 1130-D15K
S	C9SA 1130-C23G	16 1/4	Thunderbird emblem-Gold cover	28	G	C9SZ 1130-D23G
S	C9SA 1130-C26B	16 1/4	Thunderbird emblem-Blue cover	28	G	C9SZ 1130-D26B
S	C8SA 1130-E, F, C9SA 1130-D	15	Simulated wire-incl. "Thunderbird" crest Black center	28	B	C8SZ 1130-A
U	C6AA 1130-G	15	For rear wheels only-incl. crest	27	B	C6AZ 1130-G
U	C7TA 1130-H	15	For front wheels only	27	C	C7TZ 1130-H
X	C8AA 1130-D	10 1/2	"Ford" crest -Black center	27	G	C8AZ 1130-D
X	C9OA 1130-A	14	"Ford" crest -Red center	28	C	C9OZ 1130-A
X	C9OA 1130-B	14	"Ford" crest stamped -plain center	28	D	C9OZ 1130-B
1970						
A	D0AA 1130-G D2AA 1130-AA	10 1/4	Plain chrome finish-circular Black stripes- imprinted "Ford Motor Company"	30	C	D0AZ 1130-H
A(15" x 5.00 wheels)	C8AA 1130-D	10 1/2	"Ford" crest -Black center	29	E	C8AZ 1130-D
A	C8AA 1130-M	15	Simulated mag-plain chrome center	29	B	C6AZ 1130-N
A	D0AA 1130-E	15 1/8	31 bars-Ford crest-Black center	30	B	D0AZ 1130-C
A "Before 12/15/69"	D0AA 1130-B,F	16 1/4	5 openings-5 spokes-5 simulated nuts- imprinted "Ford Motor Company"	30	A	D0AZ 1130-B
A "From 12/15/69 to 5/28/70"	D0AA 1130-H	16 1/4	5 openings-5 spokes-5 simulated nuts- imprinted "Ford Motor Company"	30	A	D0AZ 1130-J
A "From 5/28/70"	D0AA 1130-J	16 1/4	5 openings-5 spokes-5 simulated nuts- imprinted "Ford Motor Company"	30	A	D0AZ 1130-K
A	C8AA 1130-K, N	15	Simulated wire-plain center hub	29	F	C8AZ 1130-F

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1130 CAP or COVER - WHEEL HUB - continued

MODEL	IDENTIFICATION	DIAMETER (Inches)	DESCRIPTION	SHOWN ON Page Loc.	PART NUMBER
1970 - continued					
B	None	2 3/4	Use with styled steel wheels-"Ford" crest-chrome background	30 H	D0OZ 1130-F
B	C8OA 1130-H,J	7 1/2	Use with styled steel wheels-plain center	29 G	C8OZ 1130-G
B "Before 12/24/69"	D0ZA 1130-H	10 1/4	Plain chrome finish-circular Black stripes-imprinted "Ford Motor Company"	30 C	D0AZ 1130-E
B "From 12/24/69"	D0AA 1130-G D2AA 1130-AA	10 1/4	Plain chrome finish-circular Black stripes-imprinted "Ford Motor Company"	30 C	D0AZ 1130-H
B	D0OA 1130-K, D0ZA 1130-J	10 1/4	Brushed chrome finish-circular Black stripes-imprinted "Ford Motor Company"-use with 1210 trim ring	30 C	★D0AZ 1130-G r/b D5DZ 1130-B
B	C8OA 1130-M	14	Simulated mag-plain chrome center	29 C	C6OZ 1130-N
B	C9OA 1130-B	14	"Ford" crest stamped-plain center	29 J	C9OZ 1130-B
B	D0OA 1130-D,H	15 1/4	Simulated styled steel-Ford crest-Red background-use with 14" x 7" wheels	30 G	D0OZ 1130-D
B	C8OA 1130-N	14	Simulated wire-plain center hub	29 F	C8OZ 1130-J
B	D0OA 1130-A	15 3/8	18 ribs-Ford crest-Red background - use with 14" wheels	30 F	D0OZ 1130-A
B	D0OA 1130-F,J	16 1/4	Simulated styled steel-Ford crest-Red background-use with 15" x 7" wheels	30 G	D0OZ 1130-G
F(Boss)	None	2 3/4	Use with (styled steel) wheels-Mustang emblem -Black center	29 L	C9ZZ 1130-E
F(GT350/500)	S9MS 1130-B	2 3/4	Use with styled steel wheels-snap-on type-Black center	29 K	C9ZZ 1130-D
F(exc. Boss, GT350/500)	C8OA 1130-H,J	7 1/2	Use with styled steel wheels-plain center	29 G	C8OZ 1130-G
F(exc. Boss, GT350/500)-"Before 12/24/69"	D0ZA 1130-H	10 1/4	Plain chrome finish-circular Black stripes-imprinted "Ford Motor Company"	30 C	D0AZ 1130-E
F(exc. Boss, GT350/500)-"From 12/24/69"	D0AA 1130-G D2AA 1130-AA	10 1/4	Plain chrome finish-circular Black stripes-imprinted "Ford Motor Company"	30 C	D0AZ 1130-H
F(exc. Boss, GT350/500)	D0OA 1130-K, D0ZA 1130-J	10 1/4	Brushed chrome finish-circular Black stripes-imprinted "Ford Motor Company"-use with 1210 trim ring	30 C	★D0AZ 1130-G r/b D5DZ 1130-B
F(exc. Boss, GT350/500)	C8OA 1130-M	14	Simulated mag-plain chrome center	29 C	C6OZ 1130-N
F(exc. Boss, GT350/500)	D0ZA 1130-K	14 1/8	16 depressions-chrome background-imprinted "Mustang"	30 L	D0ZZ 1130-A
F(exc. Boss, GT350/500)	D0ZA 1130-E,L	15 1/4	Simulated styled steel-Mustang emblem-Black background-use with 14" x 7" wheels	30 G	D0ZZ 1130-D
F(exc. Boss, GT350/500)	D0ZA 1130-F,M	15 1/4	Simulated styled steel-Mustang emblem-Black background-use with 14" x 6" wheels	30 G	D0ZZ 1130-E
F(exc. Boss, GT350/500)	C8OA 1130-N	14	Simulated wire-plain center hub	29 F	C8OZ 1130-J
F(exc. Boss, GT350/500)	D0ZA 1130-G,N	16 1/4	Simulated styled steel-Mustang emblem-Black background-use with 15" x 7" wheels	30 G	D0ZZ 1130-F
P	D0DA 1130-A,E	9 5/8	5 Ribs	30 D	D0DZ 1130-C
P	D0OA 1130-K, D0ZA 1130-J	10 1/4	Brushed chrome finish-circular Black-stripes-imprinted "Ford Motor Company"-use with 1210 trim ring	30 C	★D0AZ 1130-G r/b D5DZ 1130-B
P	D0DA 1130-B,F	10 5/8	5 Ribs	30 D	D0DZ 1130-D
P	D0DA 1130-C1	14	8 Ribs -also serviced in D0DZ 1130-B kit	30 E	D0DZ 1130-E
S	D0SA 1130-A	16 1/4	72 ribs-Thunderbird emblem-Black background-imprinted "Thunderbird"	30 J	D0SZ 1130-A
S "Before 5/28/70"	D0AA 1130-H	16 1/4	5 openings-5spokes-5 simulated nuts-imprinted "Ford Motor Company"	30 A	D0AZ 1130-J
S "From 5/28/70"	D0AA 1130-J	16 1/4	5 openings-5 spokes-5 simulated nuts-imprinted "Ford Motor Company"	30 A	D0AZ 1130-K
S "Before 3/16/70"	D0SA 1130-B1,B2	16 1/4	12 openings-Thunderbird emblem-Black background-imprinted "Thunderbird"	30 K	★D0SZ 1130-B r/b D0SZ 1130-F
S "From 3/16/70"	D0SA 1130-D	16 1/4	12 openings-Thunderbird emblem-Black background-imprinted "Thunderbird"	30 K	D0SZ 1130-F

1130 CAP or COVER - WHEEL HUB - continued

MODEL	IDENTIFICATION	DIAMETER (Inches)	DESCRIPTION	SHOWN ON Page	Loc.	PART NUMBER
1970 - continued						
S "Before 3/16/70"	D0SA 1130-C15W	16 1/4	12 openings-Thunderbird emblem-White cover	30	K	★D0SZ 1130-D15W r/b D0SZ 1130-E15W
S "From 3/16/70"	D0SA 1130-E01W D0SA 1130-E15W	16 1/4	12 openings-Thunderbird emblem-White cover-▲M	30	K	D0SZ 1130-E15W
S "Before 3/16/70"	D0SA 1130-C13D	16 1/4	12 openings-Thunderbird emblem-non-metallic Red cover	30	K	★D0SZ 1130-D13D r/b D0SZ 1130-E13D
S "From 3/16/70"	D0SA 1130-E10D D0SA 1130-E13D	16 1/4	12 openings-Thunderbird emblem-non-metallic Red cover-▲T	30	K	D0SZ 1130-E13D
S "Before 3/16/70"	D0SA 1130-C18C	16 1/4	12 openings-Thunderbird emblem-Copper cover	30	K	★D0SZ 1130-D18C r/b D0SZ 1130-E18C
S "From 3/16/70"	D0SA 1130-E18C	16 1/4	12 openings-Thunderbird emblem-Copper cover	30	K	D0SZ 1130-E18C
S "Before 3/16/70"	D0SA 1130-C19V	16 1/4	12 openings-Thunderbird emblem-Yellow cover	30	K	D0SZ 1130-D19V
S "From 3/16/70"	D0SA 1130-E19V	16 1/4	12 openings-Thunderbird emblem-Yellow cover	30	K	D0SZ 1130-E19V
S "Before 3/16/70"	D0SA 1130-C20F	16 1/4	12 openings-Thunderbird emblem-Ginger cover	30	K	★D0SZ 1130-D20F r/b D0SZ 1130-E20F
S "From 3/16/70"	D0SA 1130-E20F	16 1/4	12 openings-Thunderbird emblem-Ginger cover	30	K	D0SZ 1130-E20F
S "Before 3/16/70"	D0SA 1130-C24P	16 1/4	12 openings-Thunderbird emblem-Grey cover	30	K	D0SZ 1130-D24P
S "From 3/16/70"	D0SA 1130-E24P	16 1/4	12 openings-Thunderbird emblem-Grey cover	30	K	D0SZ 1130-E24P
S "Before 3/16/70"	D0SA 1130-C38Y	16 1/4	12 openings-Thunderbird emblem-Nugget cover	30	K	D0SZ 1130-D38Y
S "From 3/16/70"	D0SA 1130-E38Y	16 1/4	12 openings-Thunderbird emblem-Nugget cover	30	K	D0SZ 1130-E38Y
S "Before 3/16/70"	D0SA 1130-C40D	16 1/4	12 openings-Thunderbird emblem-coarse metallic-Red cover	30	K	D0SZ 1130-D40D
S "From 3/16/70"	D0SA 1130-E24D D0SA 1130-E40D	16 1/4	12 openings-Thunderbird emblem-coarse metallic-Red cover	30	K	D0SZ 1130-E40D
S "Before 3/16/70"	D0SA 1130-C58B	16 1/4	12 openings-Thunderbird emblem-metallic Blue cover	30	K	D0SZ 1130-D58B
S "From 3/16/70"	D0SA 1130-E58B	16 1/4	12 openings-Thunderbird emblem-metallic Blue cover	30	K	D0SZ 1130-E58B
S "Before 3/16/70"	D0SA 1130-C64B	16 1/4	12 openings-Thunderbird emblem-non-metallic Blue cover	30	K	★D0SZ 1130-D64B r/b D0SZ 1130-E64B
S "From 3/16/70"	D0SA 1130-E64B	16 1/4	12 openings-Thunderbird emblem-non-metallic Blue cover	30	K	D0SZ 1130-E64B
S "Before 3/16/70"	D0SA 1130-C64G	16 1/4	12 openings-Thunderbird emblem-metallic Ivy Green cover	30	K	★D0SZ 1130-D64G r/b D0SZ 1130-E64G
S "From 3/16/70"	D0SA 1130-E42G D0SA 1130-E64G	16 1/4	12 openings-Thunderbird emblem-metallic Ivy Green cover	30	K	D0SZ 1130-E64G
S "Before 3/16/70"	D0SA 1130-C65G	16 1/4	12 openings-Thunderbird emblem-coarse metallic Ivy Green cover	30	K	D0SZ 1130-D65G
S "From 3/16/70"	D0SA 1130-E65G	16 1/4	12 openings-Thunderbird emblem-coarse metallic Ivy Green cover	30	K	D0SZ 1130-E65G
S "Before 3/16/70"	D0SA 1130-C75G	16 1/4	12 openings-Thunderbird emblem-dark Green cover	30	K	★D0SZ 1130-D75G r/b D0SZ 1130-E75G
S "From 3/16/70"	D0SA 1130-E75G	16 1/4	12 openings-Thunderbird emblem-dark Green cover	30	K	D0SZ 1130-E75G

▲ - Warranty Plate Color Code

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1130 CAP or COVER - WHEEL HUB - continued

MODEL	IDENTIFICATION	DIAMETER (Inches)	DESCRIPTION	SHOWN ON Page	Loc.	PART NUMBER
1970 - continued						
U	C6AA 1130-G	15	For rear wheels only-incl. crest	29	A	C6AZ 1130-G
U	C7TA 1130-H	15	For front wheels only	29	D	C7TZ 1130-H
X	C8AA 1130-D	10 1/2	"Ford" crest -Black center	29	E	C8AZ 1130-D
X	C9OA 1130-A	14	"Ford" crest - Red center	29	H	C9OZ 1130-A
X	C9OA 1130-B	14	"Ford" crest stamped -plain center	29	J	C9OZ 1130-B
1971						
A	D0AA 1130-G D2AA 1130-AA	10 1/4	Plain chrome finish-circular Black stripes-imprinted "Ford Motor Company"	31	J	D0AZ 1130-H
A	C8AA 1130-E,F	15	Simulated wire-"Ford" crest - Burgundy center	31	C	C8AZ 1130-B
A	D1AA 1130-AB	15 1/8	Circular brushed finish-46 depressions-imprinted "Ford Motor Company"-Black center	32	G	★D1AZ 1130-A r/b D2AZ 1130-J
A	D0AA 1130-H	16 1/4	5 openings-5 spokes-5 simulated nuts-imprinted "Ford Motor Company"	31	K	D0AZ 1130-J
B "Before 4/2/71"	None	2 3/4	Use with (styled steel) wheels-"Ford" crest-chrome background	32	C	D0OZ 1130-F
B "From 4/2/71"	None	2 3/4	Use with (styled steel) wheels-Ford Crest-chrome background	32	C	D1OZ 1130-A
B	C8OA 1130-H,J	7 1/2	Use with (styled steel) wheels-plain center	31	D	C8OZ 1130-G
B(65C)	D1DA 1130-A27DA	10 1/4	Circular brushed center-Red stripe - imprinted "Ford" - use w/14" wheels and E78,F78,G78 tires	32	H	D1DZ 1130-A
B(65C)	D1DA 1130-A49GA	10 1/4	Circular brushed center-Lime Green stripe-imprinted "Ford" - use w/14" wheels and E78,F78,G78 tires	32	H	D1DZ 1130-B
B(65C)	D1DA 1130-A04VA	10 1/4	Circular brushed center-Yellow stripe-imprinted "Ford" - use w/14" wheels and E78,F78,G78 tires	32	H	D1DZ 1130-C
B(exc.66A,B,C with 7" rim)	D0AA 1130-G D2AA 1130-AA	10 1/4	Plain chrome finish-circular Black stripes-imprinted "Ford Motor Company"	31	J	D0AZ 1130-H
B(66A,B,C with 7" rim)	D0OA 1130-K, D0ZA 1130-J	10 1/4	Brushed chrome finish-circular Black stripes-imprinted "Ford Motor Company"-use with 1210 trim ring	31	J	★D0AZ 1130-G r/b D5DZ 1130-B
B	C8OA 1130-M	14	Simulated mag-plain chrome center	31	B	C6OZ 1130-N
B	C9OA 1130-B	14	"Ford" crest stamped -plain center	31	G	C9OZ 1130-B
B	D0OA 1130-D,H	15 1/4	Simulated styled steel-"Ford" crest-Red background-use with 14" x 7" wheels	32	D	D0OZ 1130-D
B	D0OA 1130-A	15 3/8	18 ribs-"Ford" crest-Red background-use with 14" wheels	32	B	D0OZ 1130-A
B	D0OA 1130-F,J	16 1/4	Simulated styled steel-"Ford" crest-Red background-use with 15" x 7" wheels	32	D	D0OZ 1130-G
F "Before 4/2/71"	None	2 3/4	Use with 15" x 7" (styled steel) wheels-Mustang emblem -Black center	31	H	C9ZZ 1130-E
F "From 4/2/71"	None	2 3/4	Use with 15" x 7" (styled steel) wheels-Mustang emblem-Black center	31	H	D1ZZ 1130-G
F	D0AA 1130-G D2AA 1130-AA	10 1/4	Plain chrome finish-circular Black stripes-imprinted "Ford Motor Company"	31	J	D0AZ 1130-H
F	D0OA 1130-K, D0ZA 1130-J	10 1/4	Brushed chrome finish-circular Black stripes imprinted "Ford Motor Company"-use with 1210 trim ring	31	J	★D0AZ 1130-G r/b D5DZ 1130-B
F	C8OA 1130-M	14	Simulated mag-plain chrome center	31	B	C6OZ 1130-N

1130 CAP or COVER - WHEEL HUB - continued

MODEL	IDENTIFICATION	DIAMETER (Inches)	DESCRIPTION	SHOWN ON Page	Loc.	PART NUMBER
1971 - continued						
F	D1ZA 1130-BA	14 1/8"	Circular brushed finish-15 depressions-imprinted "Mustang"-chrome center	32	L	D1ZZ 1130-B
F	D1ZA 1130-DB	15 1/4	Simulated styled steel-Mustang emblem - Black background-use with 14" x 6" wheels	32	D	D1ZZ 1130-D
F	D1ZA 1130-CB	15 1/4	Simulated styled steel-Mustang emblem - Black background-use with 14" x 7" wheels	32	D	D1ZZ 1130-C
F	D1ZA 1130-EB	16 1/4	Simulated styled steel-Mustang emblem - Black background-use with 15" x 7" wheels	32	D	D1ZZ 1130-E
L	D12A 1130-AA	9 1/4	72 bars around outer edge-standard hub cap-plain center	32	J	D1FZ 1130-A
L	D12A 1130-BA	13 1/8	Circular brushed finish-8 openings - plain center	32	K	D1FZ 1130-B
P (8 cyl.)	C8OA 1130-J	7 1/2	Use with styled steel wheels-plain center	31	D	C8OZ 1130-G
P	D0DA 1130-A,E	9 5/8	5 ribs	31	L	D0DZ 1130-C
P	D0DA 1130-B,F	10 5/8	5 ribs	31	L	D0DZ 1130-D
P	C8OA 1130-M	14	Simulated mag-plain chrome center	31	B	C6OZ 1130-N
P	D0DA 1130-C1	14	8 ribs -also serviced in D0DZ 1130-B kit	32	A	D0DZ 1130-E
P (8 cyl.)	C8OA 1130-N	14	Simulated wire-plain center hub	31	E	C8OZ 1130-J
S	D0SA 1130-A	16 1/4	72 ribs-Thunderbird emblem-Black background-imprinted "Thunderbird"	32	E	D0SZ 1130-A
S	D0SA 1130-D	16 1/4	12 openings-Thunderbird emblem-Black background-imprinted "Thunderbird"	32	F	D0SZ 1130-F
S	D0SA 1130-E30D	16 1/4	12 openings-Thunderbird emblem-glamour Red cover-▲C	32	F	D1SZ 1130-M
S	D0SA 1130-E37B	16 1/4	12 openings-Thunderbird emblem-coarse metallic Blue cover-▲D	32	F	D1SZ 1130-J
S	D0SA 1130-E50G	16 1/4	12 openings-Thunderbird emblem-glamour Green cover-▲E	32	F	D1SZ 1130-N
S	D0SA 1130-E46G	16 1/4	12 openings-Thunderbird emblem-Ivy Green cover-▲G	32	F	D1SZ 1130-K
S	D0SA 1130-E01W D0SA 1130-E15W	16 1/4	12 openings-Thunderbird emblem-White cover-▲M	32	F	D0SZ 1130-E15W
S	D0SA 1130-E14B	16 1/4	12 openings-Thunderbird emblem-Blue cover-▲N	32	F	D1SZ 1130-D
S	D0SA 1130-E13V	16 1/4	12 openings-Thunderbird emblem-medium Yellow cover-▲O	32	F	D1SZ 1130-C
S	D0SA 1130-E14R	16 1/4	12 openings-Thunderbird emblem-metallic Green cover-▲P	32	F	D1SZ 1130-E
S	D0SA 1130-E28B	16 1/4	12 openings-Thunderbird emblem-metallic Blue cover-▲Q	32	F	D1SZ 1130-H
S	D0SA 1130-E25Y	16 1/4	12 openings-Thunderbird emblem-metallic Gray Gold cover-▲S	32	F	D1SZ 1130-G
S	D0SA 1130-E10D D0SA 1130-E13D	16 1/4	12 openings-Thunderbird emblem-non-metallic Red cover-▲T	32	F	D0SZ 1130-E13D
S	D0SA 1130-E04V	16 1/4	12 openings-Thunderbird emblem-light Yellow cover-▲W	32	F	D1SZ 1130-A
S	D0SA 1130-E14T	16 1/4	12 openings-Thunderbird emblem-Tan cover-▲2	32	F	D1SZ 1130-F
S	D0SA 1130-E09F	16 1/4	12 openings-Thunderbird emblem-coarse metallic Ginger cover-▲3	32	F	D1SZ 1130-B
S	D0SA 1130-E08F	16 1/4	12 openings-Thunderbird emblem-metallic Ginger cover-▲5	32	F	D1SZ 1130-L
U	C6AA 1130-G	15	For rear wheels only-incl. crest	31	A	C6AZ 1130-G
U	C7TA 1130-H	15	For front wheels only	31	F	C7TZ 1130-H

▲ - Warranty Plate Color Code

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1130 CAP or COVER - WHEEL HUB - continued

MODEL	IDENTIFICATION	DIAMETER (Inches)	DESCRIPTION	SHOWN ON Page Loc.	PART NUMBER
			1972		
A	D0AA 1130-G D2AA 1130-AA	10 1/4	Plain chrome finish-circular Black stripes-imprinted " Ford Motor Company"	33 G	D0AZ 1130-H
A	C8AA 1130-E,F	15	Simulated wire-"Ford" crest - Burgundy center	33 C	C8AZ 1130-B
A	D1AA 1130-AB	15 1/8	Circular brushed finish-46 depressions-imprinted "Ford Motor Company" - Black center	33 K	★D1AZ 1130-A r/b D2AZ 1130-J
A	D2AA 1130-DA	15 1/8	Circular brushed finish-46 depressions-Ford crest-imprinted "Ford"	34 C	D2AZ 1130-J
B	None	2 3/4	Use with (styled steel) wheels-Ford crest-Chrome background	34 H	D1OZ 1130-A
B	D2OA 1130-AA, D2OA 1130-AB	10 1/4	Bright chrome finish-with crest	34 E	D2OZ 1130-D
B	D2OA 1130-BA, D2OA 1130-BB	10 1/4	Black finish-with crest	34 E	D2OZ 1130-E
B	D2OA 1130-CA, D2OA 1130-CB, D2OA 1130-DA, D2OA 1130-DB	14 1/8	Bright chrome finish-80 depressions-with crest-Black center-use w/14" wheels	34 D	D2OZ 1130-F
B	D1AA 1130-AB	15 1/8	Circular brushed finish-46 depressions-imprinted "Ford Motor Company" - Black center	33 K	D1AZ 1130-A
B(97)	D2AA 1130-DA	15 1/8	Circular brushed finish-46 depressions-Ford crest-imprinted "Ford"-use with 15" wheels	34 C	D2AZ 1130-J
B	D0OA 1130-A	15 3/8	18 Ribs-"Ford" crest-Red background-use with 14" wheels	33 H	D0OZ 1130-A
F	None	2 3/4	Use with 15" x 7" (styled steel) wheels-Mustang emblem -Black center	33 E	D1ZZ 1130-G
F (63,65D,76)	D0AA 1130-G, D2AA 1130-AA	10 1/4	Plain chrome finish-circular Black stripes-imprinted "Ford Motor Company"-use without 1210 trim ring	33 G	D0AZ 1130-H
F	D0OA 1130-K D0ZA 1130-J	10 1/4	Brushed Chrome finish-circular Black stripes imprinted "Ford Motor Company-use with 1210 trim ring	33 G	★D0AZ 1130-G r/b D5DZ 1130-B
F(63D,65D)-Sprint pkg.	D2ZA 1130-BA	10 1/4	Circular brushed finish-imprinted "Ford Motor Company"-circular Blue stripe-▲3F	33 G	D2ZZ 1130-B
F(exc.65F)	D1ZA 1130-BA	14 1/8	Circular brushed finish-15 depressions-imprinted "Mustang"-chrome center	34 A	D1ZZ 1130-B
F(65F)	D2ZA 1130-AA	14 1/8	Circular brushed finish-80 depressions-" Mustang" emblem -Black center	34 G	D2ZZ 1130-A
F	D1ZA 1130-DB	15 1/4	Simulated styled steel-Mustang emblem Black background-use with 14" x 6" wheels	34 B	D1ZZ 1130-D
F	D1ZA 1130-EB	16 1/4	Simulated styled steel-Mustang emblem-Black background-use with 15" x 7" wheels	34 B	D1ZZ 1130-E
L "Before 12/1/71" L "From 12/1/71"	D12A 1130-AA	9 1/4	72 Bars around outer edge-standard hub cap Use without 1210 trim ring	33 L	D1FZ 1130-A
L "From 12/1/71"	D22A 1130-AA	9 1/4	72 Bars around outer edge-use with 1210 trim ring	33 L	D2FZ 1130-A
L(64B)-Sprint pkg.	D22A 1130-BA	9 1/4	72 Bars around outer edge-circular Blue stripe-▲3F	33 L	D2FZ 1130-B
L	D12A 1130-BA	13 1/8	Circular brushed finish-8 openings	33 M	D1FZ 1130-B

▲ - Warranty Plate Color Code

1130 CAP or COVER - WHEEL HUB - continued

MODEL	IDENTIFICATION	DIAMETER (Inches)	DESCRIPTION	SHOWN ON Page	Loc.	PART NUMBER
1972 - continued						
P	D0OA 1130-K, D0ZA 1130-J	10 1/4	Brushed Chrome finish-circular Black stripes imprinted "Ford Motor Company"-use with 1210 trim ring	33	G	★D0AZ 1130-G r/b D5DZ 1130-B
P(62A)-Sprint pkg.	D2ZA 1130-BA	10 1/4	Circular brushed finish-imprinted "Ford Motor Company"-circular Blue stripe	33	G	D2ZZ 1130-B
P	D0DA 1130-B, F	10 5/8	5 Ribs	33	D	D0DZ 1130-D
P	D0DA 1130-C1	14 1/8	8 Ribs	33	F	D0DZ 1130-E
P	D2DA 1130-A41BA, D2DA 1130-AH1BA	14 1/8	80 Depressions-w/crest-circular Light Blue Metallic stripe-▲3B	34	D	D2DZ 1130-H
P	D2DA 1130-AE3BA	14 1/8	80 Depressions-w/crest-circular Bright Blue Metallic stripe-▲3J	34	D	D2DZ 1130-B
P	D2DA 1130-AF3GA	14 1/8	80 Depressions-w/crest-circular Ivy Bronze Metallic stripe-▲4C	34	D	D2DZ 1130-D
P	D2DA 1130-AE5GA	14 1/8	80 Depressions-w/crest-circular Medium Lime Metallic stripe-▲4F	34	D	D2DZ 1130-C
P	D2DA 1130-A14RA, D2DA 1130-A99RA	14 1/8	80 Depressions-w/crest-circular Medium Green Metallic stripe-▲4P	34	D	D2DZ 1130-J
P	D2DA 1130-A13RA, D2DA 1130-A98RA	14 1/8	80 Depressions-w/crest-circular Dark Green Metallic stripe-▲4Q	34	D	D2DZ 1130-K
P	D2DA 1130-A80FA	14 1/8	80 Depressions-w/crest-circular Ginger Metallic stripe-▲5H	34	D	D2DZ 1130-G
P	D2DA 1130-A37TA	14 1/8	80 Depressions-w/crest-circular Tan stripe-▲5L	34	D	D2DZ 1130-L
P	D2DA 1130-A15VA	14 1/8	80 Depressions-w/crest-circular Medium Golden Rod stripe-▲6C	34	D	D2DZ 1130-E
P	D2DA 1130-A24VA	14 1/8	80 Depressions-w/crest-circular Medium Bright Yellow stripe-▲6E	34	D	D2DZ 1130-M
P	D2DA 1130-A25VA	14 1/8	80 Depressions-w/crest-circular Bright Yellow Gold Metallic stripe-▲6F	34	D	D2DZ 1130-F
P	D2DA 1130-A14WA	14 1/8	80 Depressions-w/crest-circular Pastel White stripe-▲9C	34	D	D2DZ 1130-A
S	D0SA 1130-A	16 1/4	72 Ribs-Thunderbird emblem-Black background-imprinted "Thunderbird"	33	J	D0SZ 1130-A
S	D2SA 1130-AB	16 1/4	Circular brushed finish-58 serrations-Thunderbird emblem	34	F	D2SZ 1130-F
S	D2SA 1130-C30DB	16 1/4	58 Serrations-Thunderbird emblem-Medium Red cover-▲2G	34	F	D2SZ 1130-G
S	D2SA 1130-C37BB	16 1/4	58 Serrations-Thunderbird emblem-Blue cover-▲3C	34	F	D2SZ 1130-D
S	D2SA 1130-B50GA, D2SA 1130-C50GB	16 1/4	58 Serrations-Thunderbird emblem-Medium Ivy Bronze Metallic cover-▲4D	34	F	D2SZ 1130-E
S	D2SA 1130-C59GB	16 1/4	58 Serrations-Thunderbird emblem-Medium Ivy cover-▲4G	34	F	D2SZ 1130-J
S	D2SA 1130-C18GB	16 1/4	58 Serrations-Thunderbird emblem-Bright Lime Gold Metallic cover-▲4U	34	F	D3SZ 1130-E
S	D2SA 1130-C09FB	16 1/4	58 Serrations-Thunderbird emblem-Ginger cover-▲5C	34	F	D2SZ 1130-A
S	D2SA 1130-C16FB	16 1/4	58 Serrations-Thunderbird emblem-Medium Ginger cover-▲5D	34	F	D2SZ 1130-H
S	D2SA 1130-C13CB	16 1/4	58 Serrations-Thunderbird emblem-Copper cover-▲5G	34	F	D2SZ 1130-B
S	D2SA 1130-C15VB	16 1/4	58 Serrations-Thunderbird emblem-Yellow cover-▲6G	34	F	D2SZ 1130-C
U	C7TA 1130-H	15	For front wheels only	33	B	C7TZ 1130-H
U	C6AA 1130-G	15	For rear wheels only-includes crest	33	A	C6AZ 1130-G

▲ - Warranty Plate Color Code

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	1130 COVER KIT - WHEEL HUB			
70	A	15 1/8" dia.-31 bars-Ford crest-consists of 4-D0AZ 1130-C cover, 4-B7AZ 1705-A ext. - r/b 4-D0AZ 1130-C, 4-B7AZ 1705-A (3-74)	1	★D0AZ 1130-D
66/68	B,F,X	14" dia.-simulated magnesium-stamped 552029 or 552030-consists of 4-C6OZ 1130-K cover, 4-C6AA 1705-C ext.	1	C6OZ 1130-J
69	F	14" dia.-imprinted "Mustang"-consists of 4-C9ZZ 1130-A cover, 4-C6AA 1705-B ext.	1	C9ZZ 1130-B
70/71	P	14" dia.-imprinted "Ford Motor Company"- consists of 4-D0DZ 1130-E cover, 4-B7A 1705-A ext.	1	D0DZ 1130-B
	1131 CAP - FRONT HUB GREASE			
65/69	A, B(drum brakes)	1 25/32" O.D.	2	B5A 1131-A
65	X (10" x 2 1/4" brakes)		2	
66/70	X(drum brakes)		2	
65/66	F (8 cyl.)		2	
67/69	F(drum brakes)		2	
68/69	A, B, F(exc. Boss), S, X-disc brakes		2	
70/	A, B, F, L, P, S		2	
69	F(Boss 429)-disc brakes		2	C9ZZ 1131-A
65/67	S	1 31/32" O.D.	2	LF 1131-A
66/67	A (disc brakes)		2	
69	F(Boss 302)-disc brakes		2	
66/	U	3 1/8" O.D.	2	B9TZ 1131-A
65	X	1 37/64" O.D.	2	C3DZ 1131-A
65/66	F (6 cyl.)		2	
	1132 CAP or COVER - WHEEL HUB - Refer to Group 1130			
	1137 APPLIQUE - WHEEL COVER			
68/69	A	Also serviced in C8AZ 1130-B wheel cover	1	C7AZ 1137-A
71/	A		1	
	1140 SPRING - BRAKE DRUM SILENCER			
65/69	Taxi	32" long-use with bonded brake lining	4	B7A 1140-A
70/	A(Taxi)-drum brakes front		2	
	1175 SEAL - WHEEL BEARING - Refer to Group 1190			
	1177 SEAL - REAR WHEEL BEARING OIL - INNER			
	- A -			
65/67	A	1 3/8" I.D. -2 3/8" O.D.	2	B7A 1177-B
	A	1 1/2" I.D. -2 1/2" O.D. -r/b C9AZ 1177-A(7/74)	2	★B7A 1177-A
	A (Special duty performance)	1 1/2" I.D. -2 1/2" O.D.	2	C1AA 1177-A
	A (1967)-WER axle	1 25/64" I.D. -2 19/64" O.D. -to seal 1 13/32" shaft-r/b D1AZ 1177-A and D1AZ 1177-B(7/74)	2	★C7AZ 1177-A
68	A	1 1/2" I.D. - 2 1/2" O.D. -r/b C9AZ 1177-A(7/74)	2	★B7A 1177-A
	A (WER axle)	1 25/64" I.D. -2 19/64" O.D. -to seal 1 13/32" shaft-r/b D1AZ 1177-A and D1AZ 1177-B(7/74)	2	★C7AZ 1177-A
69/	A (exc. WER axle)	1 1/2" I.D. -2 1/2" O.D. -#red paint	2	C9AZ 1177-A
	A (WER axle) " Before 7/1/71"	1 25/64" I.D. -2 19/64" O.D. -to seal 1 13/32" shaft -r/b D1AZ 1177-A and D1AZ 1177-B(7/74)	2	★C7AZ 1177-A
	A (WER axle) " From 7/1/71"	R.H. -1 3/8" I.D. -2 19/64" O.D. -to seal 1 13/32" shaft-#green paint- r/b D5AZ 1177-A(9/24)	1	★D1AZ 1177-A
	A (WER axle) " From 7/1/71"	L.H. -1 3/8" I.D. -2 19/64" O.D. -to seal 1 13/32" shaft-#yellow paint- r/b D5AZ 1177-A(9/24)	1	★D1AZ 1177-B
	- B -			
65/67	B	1 3/8" I.D. -2 3/8" O.D.	2	B7A 1177-B
	B (exc. WEZ axle or 8 cyl. 427)	1 23/64" I.D. -2 17/64" O.D. -to seal 1 3/8" shaft-use with carrier plate flange on inside of axle housing tube	2	C4OZ 1177-A
	B (8 cyl. 427)-1967	1 1/2" I.D. -2 17/64" O.D. -13/32" thick- to seal 1 1/2" shaft -#red paint	2	C7OZ 1177-A
	B (WEZ axle)-1967	1 3/8" I.D. -2 17/64" O.D. -7/16" thick to seal 1 3/8" shaft -#red paint	2	C7OZ 1177-B

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	1177 SEAL - REAR WHEEL BEARING OIL - INNER - continued			
	- B -			
68	B (exc. WEZ axle or 8 cyl. 427)	1 23/64" I.D. -2 17/64" O.D. -to seal 1 3/8" shaft-use w/carrier plate flange on inside of axle housing tube	2	C4OZ 1177-A
	B (8 cyl. 427)	1 1/2" I.D.-2 17/64" O.D.-13/32" thick-to seal 1 1/2" shaft -#red paint	2	C7OZ 1177-A
	B (WEZ axle)	1 3/8" I.D.-2 17/64" O.D.-7/16" thick-to seal 1 3/8" shaft-#red paint	2	C7OZ 1177-B
69/71	B (31 spline axle shaft)	1 1/2" I.D.-2 17/64" O.D.-13/32" thick-to seal 1 1/2" shaft -#red paint	2	C7OZ 1177-A
	B (28 spline axle shaft)	1 3/8" I.D.-2 17/64" O.D.-7/16" thick-to seal 1 3/8" shaft -#red paint	2	C7OZ 1177-B
72	B(28 spline axle shaft) "Before 4/1/72"	1 3/8" I.D.-2 17/64" O.D.-7/16" thick-to seal 1 3/8" shaft -#red paint	2	C7OZ 1177-B
	B (28 spline axle shaft) "From 4/1/72"	1 1/2" I.D. -2 17/64" O.D. -13/32" thick-to seal 1 1/2" shaft-#red paint	2	C7OZ 1177-A
	- F -			
65/66	F (6 cyl.)	1 21/64" I.D. -2 1/16" O.D. -to seal 1 11/32" shaft	2	C1DZ 1177-A
	F (8 cyl.)	1 3/8" I.D. -2 3/32" O.D.	2	C1UW 1177-A
67/68	F	1 3/8" I.D. -2 5/16" O.D. -to seal 1 5/16" shaft	2	C6DZ 1177-A
	F	1 23/64" I.D. -2 17/64" O.D. -to seal 1 3/8" shaft-use w/carrier plate flange on inside of axle hsg. tube	2	C4OZ 1177-A
69/71	F (31 spline axle shaft)	1 1/2" I.D.-2 17/64" O.D.-13/32" thick-to seal 1 1/2" shaft -#red paint	2	C7OZ 1177-A
	F (exc. 7 1/4" ring gear)	1 3/8" I.D.-2 17/64" O.D.-7/16" thick-to seal 1 3/8" shaft-use with 28 spline axle-#red paint	2	C7OZ 1177-B
	F (7 1/4" ring gear)	1 21/64" I.D.-2 5/16" O.D. -to seal 1 5/16" shaft-#red paint	2	C9DZ 1177-A
72	F(28 spline axle shaft)	1 3/8" I.D.-2 17/64" O.D.-7/16" thick-to seal 1 3/8" shaft -#red paint	2	C7OZ 1177-B
	F(31 spline axle shaft)	1 1/2" I.D.-2 17/64" O.D.-13/32" thick-to seal 1 1/2" shaft -#red paint	2	C7OZ 1177-A
	- L -			
71/	L	R.H.-1 9/32" I.D.-1 7/8" O.D.-to seal 1 11/16" shaft -#green paint	1	D1FZ 1177-A
		L.H. -#yellow paint	1	D1FZ 1177-B
	- P -			
70	P(6 cyl.)	1 21/64" I.D. -2 5/16" O.D. -to seal 1 5/16" shaft	2	C9DZ 1177-A
71/	P(9" brakes)-4 bolt axle shaft	1 21/64" I.D. -2 5/16" O.D. -to seal 1 5/16" shaft	2	C9DZ 1177-A
	P(10 brakes)-5 bolt axle shaft	1 3/8" I.D.-2 17/64" O.D.-7/16" thick-to seal 1 3/8" shaft - #red paint	2	C7OZ 1177-B
	- S -			
65/68	S	1 1/2" I.D.-2 1/2" O.D.-r/b C9AZ 1177-A(7/74)	2	★B7A 1177-A
69/72	S "Before 4/1/72"	1 1/2" I.D. -2 1/2" O.D.-#red paint	2	C9AZ 1177-A
72	S "From 4/1/72"	1 1/2" I.D. -2 17/64" O.D. -13/32" thick-to seal 1 1/2" shaft-#red paint	2	C7OZ 1177-A
	- U -			
66/68	U (2780 lb. axle)	1 3/8" I.D. -2 3/8" O.D.	2	B7A 1177-B
	U (3300 lb. axle)	1 1/2" I.D.-2 1/2" O.D.-r/b C9AZ 1177-A(7/74)	2	★B7A 1177-A
69/	U	1 3/8" I.D. -2 3/8" O.D.	2	C9UZ 1177-A
	U	1 1/2" I.D. -2 1/2" O.D. -#red paint	2	C9AZ 1177-A

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	1177 SEAL - REAR WHEEL BEARING OIL - INNER - continued			
	- X -			
65	X(54,62,63)-6 cyl.	1 11/64" I.D.-2 1/32" O.D.-to seal 1 11/64" shaft	2	C0DW 1177-A
	X(Taxi,59,66,71,76,78)-6 cyl.	1 21/64" I.D.-2 1/16" O.D.-to seal 1 11/32" shaft	2	C1DZ 1177-A
	X(8 cyl.)-exc. WCZ,WDJ axle	1 23/64" I.D.-2 17/64" O.D.-to seal 3/8" shaft-use with carrier plate flange on inside of axle housing tube	2	C4OZ 1177-A
	X(8 cyl.)-WCZ,WDJ axle	1 3/8" I.D.-2 3/32" O.D.	2	C1UW 1177-A
66	X(54,62)-6 cyl.	1 3/8" I.D.-2 5/16" O.D.-to seal 1 5/16" shaft	2	C6DZ 1177-A
	X(Taxi,66,71)-6 cyl.	1 21/64" I.D.-2 1/16" O.D.-to seal 1 11/32" shaft	2	C1DZ 1177-A
	X(8 cyl.)-exc. WCZ,WDJ axle	1 23/64" I.D.-2 17/64" O.D.-to seal 1 3/8" shaft-use with carrier plate flange on inside of axle housing tube	2	C4OZ 1177-A
	X(8 cyl.)-WCZ,WDJ axle	1 3/8" I.D.-2 3/32" O.D.	2	C1UW 1177-A
67	X(54,62)-6 cyl.	1 3/8" I.D.-2 5/16" O.D.-to seal 1 5/16" shaft	2	C6DZ 1177-A
	X(Taxi,71)-6 cyl.	1 21/64" I.D.-2 1/16" O.D.-to seal 1 11/32" shaft	2	C1DZ 1177-A
	X(8 cyl.)	1 23/64" I.D.-2 17/64" O.D.-to seal 1 3/8" shaft-use with carrier plate flange on inside of axle housing tube	2	C4OZ 1177-A
68	X (exc.S/W)-6 cyl.	1 3/8" I.D.-2 5/16" O.D.-to seal 1 5/16" shaft	2	C6DZ 1177-A
	X	1 23/64" I.D.-2 17/64" O.D.-to seal 1 3/8" shaft-use with carrier plate flange on inside of axle hsg.tube	2	C4OZ 1177-A
69/70	X (exc.7 1/4" ring gear)	1 3/8" I.D.-2 17/64" O.D.-7/16" thick-to seal 1 3/8" shaft-#red paint	2	C7OZ 1177-B
	X (7 1/4" ring gear)	1 21/64" I.D.-2 5/16" O.D.-to seal 1 5/16" shaft	2	C9DZ 1177-A
	1180 RETAINER - REAR WHEEL BEARING - INNER			
	- A -			
65/68	A (9" ring gear)	1 3/8" I.D.-2" O.D.-r/b C9OZ 1180-A (3-74)	2	★B9AZ 1180-A
65/	A (9",9 3/8" ring gear)	1 1/2" I.D.-2 7/16" O.D.	2	C9AZ 1180-A
	- B -			
65/69	B "Before 3/15/69"	1 3/8" I.D.-2" O.D.-r/b C9OZ 1180-A (3-74)	2	★B9AZ 1180-A
69/71	B "From 3/15/69"	1 3/8" I.D.-2 1/4" O.D.	2	C9OZ 1180-A
72	B	1 3/8" I.D.-2 1/4" O.D.	2	D2OZ 1180-A
	- F -			
65/70	F (7 1/4" ring gear)	1 5/16" I.D.-1 7/8" O.D.	2	C0DW 1180-B
65/69	F (8, 8 3/4", 9" ring gear)-"Before 3/15/69"	1 3/8" I.D.-2" O.D.-r/b C9OZ 1180-A (3-74)	2	★B9AZ 1180-A
69/	F (8",9" ring gear) "From 3/15/69"	1 3/8" I.D.-2 1/4" O.D.	2	C9OZ 1180-A
	- L -			
71/72	L	1 3/16" I.D.-1 7/8" O.D.	2	D3FZ 1180-A
	- P -			
70	P (4 bolt axle shaft)	1 5/16" I.D.-1 7/8" O.D.	2	C0DW 1180-B
71/	P(9" brakes)-4 bolt axle shaft	1 5/16" I.D.-1 7/8" O.D.	2	C0DW 1180-B
	P(10" brakes)-5 bolt axle shaft	1 3/8" I.D.-2 1/4" O.D.	2	C9OZ 1180-A
	- S -			
65/71	S	1 1/2" I.D.-2 7/16" O.D.	2	C9AZ 1180-A
72	S	1 3/8" I.D.-2 1/4" O.D.	2	D2OZ 1180-A
	- U -			
66/69	U (2800 lb. axle) "Before Ser.F10,001"	1 3/8" I.D.-2" O.D.-r/b C9OZ 1180-A (3-74)	2	★B9AZ 1180-A
69/	U (2800 lb. axle) "From Ser.F10,001"	1 3/8" I.D.-2 1/4" O.D.	2	C9OZ 1180-A
66/	U (3300 lb. axle)	1 1/2" I.D.-2 7/16" O.D.	2	C9AZ 1180-A
	- X -			
65/70	X (7 1/4" ring gear)	1 5/16" I.D.-1 7/8" O.D.	2	C0DW 1180-B
66/67	X (7 3/4" ring gear)	1 3/16" I.D.-1 7/8" O.D.	2	D3FZ 1180-A
65/69	X (8",9" ring gear) "Before 3/15/69"	1 3/8" I.D.-2" O.D.-r/b C9OZ 1180-A (3-74)	2	★B9AZ 1180-A
69/70	X (8",9" ring gear) "From 3/15/69"	1 3/8" I.D.-2 1/4" O.D.	2	C9OZ 1180-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	1190 RETAINER - FRONT WHEEL HUB GREASE			
65/66	A(Taxicab)	2 1/2" & 2 11/16" O.D.-to seal 1 15/16" shaft	2	C3SZ 1190-A
65/66	A (except N.Y. Taxicab)	2 1/2" O.D. -1 15/16" I.D. -9/32" thick	2	B5AZ 1190-A
65/69	B(drum brakes)		2	
65	X (10" x 2 1/4" brakes)		2	
65	X (8 cyl.)		2	———
66/70	X(drum brakes)		2	
65/66	F (8 cyl.)-drum brakes		2	
67/69	F(drum brakes)		2	
66/67	A(disc brakes)	2 27/32" major O.D. -2 37/64" minor O.D. -	2	C6AZ 1190-A
65/67	S	1 15/16" I.D.	2	
69	F(Boss 302, 429)-disc brakes		2	
68/69	B, F (exc. Boss)	2 3/4" O.D. -9/32" thick-to seal 1 15/16" shaft	2	C8AZ 1190-A
68/	A, S		2	
67/70	X(disc brakes)		2	
70/	B, F, L, P		2	
65/67	F (disc brakes)		2	
67	B (disc brakes)		2	
67	A(drum brakes)		2	
66/70	U (steering knuckle grease seal)	3" O.D. -5/16" thick-to seal 1 15/16" shaft	2	C6TZ 1190-A
66/69	U(hub oil seal) "Before Ser. F30, 001"	3 1/4" O.D. -2 1/4" I.D. -#442380-X or 501709	2	B9TZ 1190-A
69/	U(hub oil seal) "From Ser. F30. 001"	3 5/8" O.D. -2 1/2" I.D. -#C9TA 1175-B1, B2 or B3	2	C9TZ 1175-C
65	X	2 1/16" O.D.	2	C1DZ 1190-A
65/66	F (6 cyl.)-drum brakes		2	
	1193 GASKET - FRONT BRAKE GREASE BAFFLE			
65	B (drum brakes)	Not replaced (3-74)	2	★C2OA 2026-A
66/71	B (drum brakes)		2	C6DZ 2026-A
65	F (10" brakes)	Not replaced (3-74)	2	★C2OA 2026-A
66/	F (10" brakes)		2	C6DZ 2026-A
71/	L (drum brakes)		2	C6DZ 2026-A
71/	P (6 cyl. 250 & 8 cyl.)		2	C6DZ 2026-A
66/	U		2	B9C 1193-A
65	X (10" brakes)	Not replaced	2	★C2OA 2026-A
66/70	X (10" brakes)		2	C6DZ 2026-A
	1195 WASHER - FRONT WHEEL OUTER BEARING RETAINER			
65/69	A, B, S	3/4" I.D. x 1 21/32" O.D. x 3/32" thick	2	C2AZ 1195-A
65/66	X (10" x 2 1/4" brakes)		2	
65/66	F (8 cyl.)-10" x 2 1/4" brakes		2	
67/69	F, X		2	
70	P, X "Before 8/25/69"		2	
70	A, B, F, S	13/16" I.D. x 1 21/32" O.D. x 3/32" thick	2	D0AZ 1195-A
70	P, X "From 8/25/69"		2	
71/	A, B, F, L, S, P		2	
65	X	5/8" I.D. x 1 7/16" O.D. x 3/32" thick	2	C1DD 1195-A
65/66	F (6 cyl.)		2	
	1197 LOCKNUT - FRONT WHEEL BEARING			
66/72	U	r/b D2TZ 1198-A (3-74)	2	★ B9C 1197-A
	1198 BEARING RETAINER KIT - FRONT WHEEL LOCK			
72	U	Consists of 1-Locknut & Pin 1-Locknut 1-Retainer	AR	D2TZ 1198-A
66/72	U	Retainer only-r/b D2TZ 1198-A (3-74)	2	★ B9C 1198-A
	1199 SPACER - FRONT HUB			
66/	U	R/b D4TZ 1199-A(12/74)	2	★B9C 1199-A
66/	U	Ring (hub retaining)-1 5/8"	2	374424-S(XX16E)

Identification marking

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
1201 CONE and ROLLER - FRONT WHEEL BEARING - INNER					
	- A -				
65/67	A (drum brakes)	NOTE 1	1 1/4" I.D. - #LM 67048	2	B5A 1201-A
68/69	A	NOTE 1		2	
65/67	A(drum brakes)	NOTE 1	1 3/8" I.D. -#LM 68149	2	D0AZ 1201-A
68/69	A	NOTE 1		2	
70/	A			2	
66/67	A(disc brakes)		1 5/8" I.D. - 2 9/16" O.D.-#LM 48548	2	B7C 1201-A
66/69	A		Differential-1 13/16" I.D.-#22590	2	B7T 1201-A
71	A		Differential	2	
	- B -				
65/69	B	NOTE 1	1 1/4" I.D.-#LM 67048	2	B5A 1201-A
65/69	B	NOTE 1	1 3/8" I.D.-#LM 68149	2	D0AZ 1201-A
70/	B			2	
	- F -				
65/66	F(6 cyl.)		1 1/16" I.D.-#L 44649	2	C0DD 1201-A
65/66	F(8 cyl.)-10" x 2 1/4" brakes	NOTE 1	1 1/4" I.D.-#LM 67048-also used w/disc brakes	2	B5A 1201-A
67/69	F(exc. Boss)	NOTE 1		2	
70	F(GT350/500)			2	
65/66	F(8 cyl.)-10" x 2 1/4" brakes	NOTE 1	1 3/8" I.D.-#LM 68149-also use w/disc brakes	2	D0AZ 1201-A
67/69	F(exc. Boss)	NOTE 1		2	
70/	F(exc. GT350/500)			2	
69	F(Boss 302,429)-disc brakes		1 5/8" I.D. - 2 9/16" O.D.-#LM 48548	2	B7C 1201-A
	- L -				
71/	L		1 3/8" I.D.-#LM 68149	2	D0AZ 1201-A
71/	L		Differential-1 5/8" I.D. - 2 9/16" O.D.- #LM 48548	2	B7C 1201-A
	- P -				
70	P	NOTE 1 "Before 8/25/69"	1 1/4" I.D.-#LM 67048	2	B5A 1201-A
70/	P	NOTE 1 "From 8/25/69"	1 3/8" I.D.-#LM 68149	2	D0AZ 1201-A
	- S -				
65/67	S		1 5/8" I.D. -2 9/16" O.D. -#LM 48548	2	B7C 1201-A
66/69	S		Differential-1 13/16" I.D.-#22590	2	B7T 1201-A
68/69	S	NOTE 1	1 3/8" I.D.-#LM 68149	2	D0AZ 1201-A
70/	S			2	
68/69	S	NOTE 1	1 1/4" I.D.-#LM 67048	2	B5A 1201-A
71/	S		Differential-1 13/16" I.D.-#22590	2	B7T 1201-A
	- U -				
66/	U		1 3/4" I.D. -#LM 603049	2	B7A 4221-B
	- X -				
65	X		1 1/16" I.D. -#L44649	2	C0DD 1201-A
65	X(10" x 2 1/4" brakes)	NOTE 1	1 1/4" I.D.-#LM 67048	2	B5A 1201-A
66/69	X	NOTE 1		2	
65	X(10" x 2 1/4" brakes)	NOTE 1	1 3/8" I.D.-#LM 68149	2	D0AZ 1201-A
66/69	X	NOTE 1		2	
70	X	NOTE 1 "From 8/25/69"		2	
70	X	NOTE 1 "Before 8/25/69"	1 1/4" I.D.-#LM 67048	2	B5A 1201-A

Identification marking NOTE 1 - The small I.D. bearings and cups (B5A 1201-A, B5A 1202-A, B5A 1216-A, and B5A 1217-A) are used with original spindle. If the original spindle has been replaced by the later (large) spindle, it is necessary to use the large I.D. bearings and cups. (D0AZ 1201-A, D0AZ 1202-A, D0AZ 1216-A, and D0AZ 1217-A) check for size and identification before ordering.

1202 CUP - FRONT WHEEL BEARING-INNER

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	- A -				
65/67	A(drum brakes)	NOTE 1	Use with 1 1/4" I.D. inner bearing-#LM 67010	2	B5A 1202-A
68/69	A	NOTE 1		2	
65/67	A(drum brakes)	NOTE 1	Use with 1 3/8" I.D. inner bearing-#L68110	2	D0AZ 1202-A
68/69	A	NOTE 1		2	
70/	A			2	
66/67	A(with disc brakes)		#LM 48510	2	B7C 1202-A
66/70	A		Differential-#25520-3 17/64" O.D.	2	C3TZ 1202-B
	- B -				
65/69	B	NOTE 1	Use with 1 1/4" I.D. inner bearing-#LM 67010	2	B5A 1202-A
65/69	B	NOTE 1	Use with 1 3/8" I.D. inner bearing-#LM 68110	2	D0AZ 1202-A
70/	B			2	
	- F -				
65/66	F(6 cyl.)		2" O.D.-#L44610	2	C0DD 1202-A
65/66	F(8 cyl.)-10" x 2 1/4" brakes	NOTE 1	Use with 1 1/4" I.D. inner bearing-#LM 67010-also used with disc brakes	2	B5A 1202-A
67/69	F(exc. Boss)	NOTE 1		2	
70	F(GT350/500)			2	
65/66	F(8 cyl.)-10" x 2 1/4" brakes	NOTE 1	Use with 1 3/8" I.D. inner bearing-#LM 68110 - also used with disc brakes	2	D0AZ 1202-A
67/69	F(exc. Boss)	NOTE 1		2	
70/	F(exc. GT350/500)			2	
69	F(Boss 302,429)-disc brakes		#LM 48510	2	B7C 1202-A
	- L -				
71/	L		Use with 1 3/8" I.D. inner bearing-#LM 68110	2	D0AZ 1202-A
71/	L		Differential-#LM 48510	2	B7C 1202-A
	- P -				
70	P	NOTE 1 "Before 8/25/69"	Use with 1 1/4" I.D. inner bearing-#LM 67010	2	B5A 1202-A
70/	P	NOTE 1 "From 8/25/69"	Use with 1 3/8" I.D. inner bearing-#LM 68110	2	D0AZ 1202-A
	- S -				
65/67	S		#LM 48510	2	B7C 1202-A
66/	S		Differential-#25520-3 17/64" O.D.	2	C3TZ 1202-B
68/69	S	NOTE 1	Use with 1 1/4" I.D. inner bearing-#LM 67010	2	B5A 1202-A
68/69	S	NOTE 1	Use with 1 3/8" I.D. inner bearing-#LM 68110	2	D0AZ 1202-A
70/	S			2	
	- U -				
65/	U		Transfer case-front bearing output shaft-#14276	AR	01Y 1202
66/	U		Transfer case-rear bearing output shaft-#15245	AR	8A 1202
66/	U		3 1/16" O.D.-#LM 603011	2	B7A 4222-B
	- X -				
65	X		2" O.D.-#L44610	2	C0DD 1202-A
65	X(10" x 2 1/4" brakes)	NOTE 1	Use with 1 1/4" I.D. inner bearing-#LM 67010	2	B5A 1202-A
66/69	X	NOTE 1		2	
65	X(10" x 2 1/4" brakes)	NOTE 1	Use with 1 3/8" I.D. inner bearing-#LM 68110	2	D0AZ 1202-A
66/69	X	NOTE 1		2	
70	X	NOTE 1 "From 8/25/69"		2	
70	X	NOTE 1 "Before 8/25/69"	Use with 1 1/4" I.D. inner bearing-#LM 67010	2	B5A 1202-A

1210 RING - WHEEL TRIM

	- B -				
66	B		Stainless steel-15 3/8" O.D.-12 3/16" I.D.-use with styled steel wheels	4	C6ZZ 1210-A
67	B		Stainless steel-15 3/8" O.D.-11 15/16" I.D.-use with styled steel wheels	4	C7ZZ 1210-A

Identification marking NOTE 1 - The small I.D. bearings and cups (B5A 1201-A, B5A 1202-A, B5A 1216-A, and B5A 1217-A) are used with original spindle. If the original spindle has been replaced by the later (large) spindle, it is necessary to use the large I.D. bearings and cups. (D0AZ 1201-A, D0AZ 1202-A, D0AZ 1216-A, and D0AZ 1217-A) check for size and identification before ordering.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	1210 RING - WHEEL TRIM - continued			
	- B -			
68/69	B	15 3/8" O.D.-12" I.D.-2" wide-#C8OA 1210-B-use with styled steel wheels	4	C8ZZ 1210-B
70	B	Brushed chrome-15 1/4" O.D.-11" I.D.-2 3/4" wide-#D0ZA 1210-B,E-use with 14" x 7" wheels	4	D0ZZ 1210-B
	B	Brushed chrome-16 1/4" O.D.-10 15/16" I.D.-2 11/16" wide-#D0ZA 1210-D,G-use with 15" x 7" wheels	4	D0ZZ 1210-C
71	B	Brushed chrome-16 1/4" O.D.-10 5/16" I.D.-2 11/16" wide-#D0ZA 1210-D,G-use with 15" x 7" wheels	4	D0ZZ 1210-C
	B(includes Halo pkg. option)	Brushed chrome-15 1/4" O.D.-11" I.D.-2 3/4" wide-#D0ZA 1210-B,E-use with 14" x 7" wheels	4	D0ZZ 1210-B
72	B	Brushed chrome-15 1/4" O.D.-11 3/16" I.D.-2 1/4" wide-#D0DA 1210-A,B-use with 14" x 6" wheels	4	D0DZ 1210-A
	B	Brushed chrome-16 1/4" O.D.-10 15/16" I.D.-2 11/16" wide-#D0ZA 1210-D,G-use with 15" x 7" wheels	4	D0ZZ 1210-C
	- F -			
66	F(8 cyl.)	Stainless steel-15 3/8" O.D.-12 3/16" I.D.-use with styled steel wheels	4	C6ZZ 1210-A
67	F	Stainless steel-15 3/8" O.D.-11 15/16" I.D.-use with styled steel wheels	4	C7ZZ 1210-A
68/69	F	15 3/8" O.D.-12" I.D.-2" wide-#C8OA 1210-B-use with styled steel wheels	4	C8ZZ 1210-B
70	F	Brushed chrome-15 1/4" O.D.-1 11/16" wide-#D0ZA 1210-C,F-use with 14" x 6 " wheels	4	D0ZZ 1210-A
	F	Brushed chrome-15 1/4" O.D.-11" I.D.-2 3/4" wide-#D0ZA 1210-B,E-use with 14" x 7" wheels	4	D0ZZ 1210-B
	F	Brushed chrome-16 1/4" O.D.-10 15/16" I.D.-2 11/16" wide-#D0ZA 1210-D,G-use with 15" x 7" wheels	4	D0ZZ 1210-C
71/	F	Brushed chrome-15 1/4" O.D.-11" I.D.-2 3/4" wide-#D0ZA 1210-B,E-used with 14" x 7" wheels	4	D0ZZ 1210-B
	F	Brushed chrome-15 1/4" O.D.-11 3/16" I.D.-2 1/4" wide-#D0DA 1210-A,B-use with 14" x 6" wheels	4	D0DZ 1210-A
	F	Brushed chrome-16 1/4" O.D.-10 5/16" I.D.-2 11/16" wide-#D0ZA 1210-D,G-use with 15" x 7" wheels	4	D0ZZ 1210-C
	- L -			
71/	L	Chrome-14 1/4" O.D.-11 1/4" I.D.-1 9/16" wide - #D12A 1210-AA	4	D1FZ 1210-A
	- P -			
70/	P	Brushed chrome-15 1/4" O.D. - 1 11/16" wide-#D0ZA 1210-C,F-use with 14" x 4 1/2" wheels	4	D0ZZ 1210-A
	P	Brushed chrome-15 1/4" O.D.-11 3/16" I.D.-2 1/4" wide-#D0DA 1210-A,B-use with 14" x 6" wheels	4	D0DZ 1210-A

Identification marking

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	1216 CONE and ROLLER - FRONT WHEEL BEARING-OUTER				
	- A -				
65/67	A(drum brakes)	NOTE 1	3/4" I.D.-#LM 11949	2	B5A 1216-A
68/69	A	NOTE 1		2	
65/67	A(drum brakes)	NOTE 1	7/8" I.D.-#LM 12749	2	D0AZ 1216-A
68/69	A	NOTE 1		2	
70/	A			2	
66/67	A(with disc brakes)		#M 12649	2	C3SZ 1216-A
	- B -				
65/69	B	NOTE 1	3/4" I.D.-#LM 11949	2	B5A 1216-A
65/69	B	NOTE 1	7/8" I.D.-#LM 12749	2	D0AZ 1216-A
70/	B			2	
	- F -				
65/66	F(6 cyl.)		11/16" I.D.-#LM 11749	2	C0DD 1216-A
65/66	F(8 cyl.)-10" x 2 1/4" brakes	NOTE 1	3/4" I.D.-#LM 11949-also used w/disc brakes	2	B5A 1216-A
67/69	F(exc. Boss)	NOTE 1		2	
70	F(GT350/500)			2	
65/66	F(8 cyl.)-10" x 2 1/4" brakes	NOTE 1	7/8" I.D.-#LM 12749	2	D0AZ 1216-A
67/69	F(exc. Boss)	NOTE 1		2	
70/	F(exc. GT350/500)			2	
69	F(Boss 302,429)-disc brakes		#M 12649	2	C3SZ 1216-A
	- L -				
71/	L		7/8" I.D.-#LM 12749	2	D0AZ 1216-A
	- P -				
70	P	NOTE 1 "Before 8/25/69"	3/4" I.D.-#LM 11949	2	B5A 1216-A
70/	P	NOTE 1 "From 8/25/69"	7/8" I.D.-#LM 12749	2	D0AZ 1216-A
	- S -				
65/67	S		#M 12649	2	C3SZ 1216-A
68/69	S	NOTE 1	3/4" I.D.-#LM 11949	2	B5A 1216-A
68/69	S	NOTE 1	7/8" I.D.-#LM 12749	2	D0AZ 1216-A
70/	S			2	
	- U -				
66/	U		1 5/8" I.D.-#LM 501349, HM 503049	2	B7A 4221-A
66/	U		Use for rear output shaft-front cone #25877	2	C3TZ 1216-B
	- X -				
65	X		11/16" I.D.-#LM 11749	2	C0DD 1216-A
65	X(10" x 2 1/4" brakes)	NOTE 1	3/4" I.D.-#LM 11949	2	B5A 1216-A
66/69	X	NOTE 1		2	
70	X	NOTE 1 "Before 8/25/69"	3/4" I.D.-#LM 11949	2	B5A 1216-A
65	X(10" x 2 1/4" brakes)	NOTE 1	7/8" I.D.-#LM 12749	2	D0AZ 1216-A
66/69	X	NOTE 1		2	
70	X	NOTE 1 "From 8/25/69"		2	
	1217 CUP - FRONT WHEEL BEARING - OUTER				
	- A -				
65/67	A(drum brakes)	NOTE 1	Use with 3/4" I.D. outer bearing-#LM 11910	2	B5A 1217-A
68/69	A	NOTE 1		2	
65/67	A(drum brakes)	NOTE 1	Use with 7/8" I.D. outer bearing-#LM 12700,	2	D0AZ 1217-A
68/69	A	NOTE 1	LM 12710	2	
70/	A			2	
66/67	A(disc brakes)		#M 12610	2	C3SZ 1217-A

Identification marking NOTE 1 - The small I.D. bearings and cups (B5A 1201-A, B5A 1202-A, B5A 1216-A, and B5A 1217-A) are used with original spindle. If the original spindle has been replaced by the later (large) spindle, it is necessary to use the large I.D. bearings and cups. (D0AZ 1201-A, D0AZ 1202-A, D0AZ 1216-A, and D0AZ 1217-A) check for size and identification before ordering.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	1217 CUP - FRONT WHEEL BEARING - OUTER - continued				
	- B -				
65/69	B	NOTE 1	Use with 3/4" I.D. outer bearing-#LM 11910	2	B5A 1217-A
65/69	B	NOTE 1	Use with 7/8" I.D. outer bearing-#LM 12700,	2	D0AZ 1217-A
70/	B		LM 12710	2	
	- F -				
65/66	F(6 cyl.)		1 9/16" O.D.-#LA 11710	2	C0DD 1217-A
65/66	F(8 cyl.)-10" x 2 1/4" brakes	NOTE 1	Use with 3/4" I.D. outer bearing-#LM 11910- also used with disc brakes	2	B5A 1217-A
67/69	F(exc. Boss)	NOTE 1		2	
70	F(GT350/500)			2	
65/66	F(8 cyl.)-10" x 2 1/4" brakes	NOTE 1	Use with 7/8" I.D. outer bearing-#LM 12700,	2	D0AZ 1217-A
67/69	F(exc. Boss)	NOTE 1	LM 12710	2	
70/	F(exc. GT350/500)			2	
69	F(Boss 302,429)-disc brakes		#M 12610	2	C3SZ 1217-A
	- L -				
71/	L		Use with 7/8" I.D. outer bearing-#LM 12700, LM 12710	2	D0AZ 1217-A
	- P -				
70	P	NOTE 1 "Before 8/25/69"	Use with 3/4" I.D. outer bearing-#LM 11910	2	B5A 1217-A
70/	P	NOTE 1 "From 8/25/69"	Use with 7/8" I.D. outer bearing-#LM 12700, LM 12710	2	D0AZ 1217-A
	- S -				
65/67	S		#M 12610	2	C3SZ 1217-A
68/69	S	NOTE 1	Use with 3/4" I.D. outer bearing-#LM 11910	2	B5A 1217-A
68/69	S	NOTE 1	Use with 7/8" I.D. outer bearing-#LM 12700,	2	D0AZ 1217-A
70/	S		LM 12710	2	
	- U -				
66/	U		2 7/8" O.D.-#LM 501310	2	B7A 4222-A
	- X -				
65	X		1 9/16" O.D.-#LA 11710	2	C0DD 1217-A
65	X(10" x 2 1/4" brakes)	NOTE 1	Use with 3/4" I.D. outer bearing-#LM 11910	2	B5A 1217-A
66/69	X	NOTE 1		2	
65	X(10" x 2 1/4" brakes)	NOTE 1	Use with 7/8" I.D. outer bearing-#LM 12700,	2	D0AZ 1217-A
66/69	X	NOTE 1	LM 12710	2	
70	X	NOTE 1 "From 8/25/69"		2	
70	X	NOTE 1 "Before 8/25/69"	Use with 3/4" I.D. outer bearing-#LM 11910	2	B5A 1217-A
	1225 BEARING - REAR WHEEL				
65/68	A(exc. P/C & Heavy Duty 71)		1 3/8" I.D.-2 13/16" O.D.-#207CC, 207DD,	2	☆D0AZ 1225-A
65/71	B		2-3538, F207AKK29, F207KK or RW207CE	2	
65/	F,X		(ball)-incl. B9AZ 1180-A or C9OZ 1180-A	2	
66/	U (2780 lb. axle)		retainer	2	
71/	P(5 stud axle shaft)		1 3/8" I.D.-2 13/16" O.D.-#FPP,F207AKK, USA-gold color (ball)-incl. C9OZ 1180-A retainer	2	★D0AZ 1225-B r/b D3AZ 1225-A
65/67	A(exc. P/C & Heavy Duty 71)		1 3/8" I.D.-2 13/16" O.D.-#RW207CE,	2	♦CC4AZ 1225-B
65/67	B,F,U,X		2-3538 or F207KK29-includes retainer	2	
67/	A (WER axle)		Straight roller-1 1/8" I.D.-2 1/4" O.D.- #R1563TAV retainer (1180) not reqd.	2	C7AZ 1225-A
71/	L		1 3/16" I.D.-2 11/16" O.D.-#FPP, 206AKK or USA (ball)-incl. D3FZ 1180-A retainer	2	D1FZ 1225-A
65/66	X(54,58,62,64)		1 13/16" I.D.-2 7/16" O.D.-#88506-AR- (extra small)-includes C0DW 1180-A retainer	2	☆C0DZ 1225-A
65/66	X(54,58,62,64)		1 13/16" I.D.-2 7/16" O.D.-#88506-AR- incl. retainer	2	♦CC3DZ 1225-A

☆ U.S. only ♦ Canada only # Identification marking

NOTE 1 - The small I.D. bearings and cups (B5A 1201-A, B5A 1202-A, B5A 1216-A, and B5A 1217-A) are used with original spindle. If the original spindle has been replaced by the later (large) spindle, it is necessary to use the large I.D. bearings and cups. (D0AZ 1201-A, D0AZ 1202-A, D0AZ 1216-A, and D0AZ 1217-A). Check for size and identification before ordering.

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	1225 BEARING - REAR WHEEL - continued			
65/66	F(6 cyl.)	1 5/16" I.D.-2 11/16" O.D.-#RWF34R	2	⋆D0DZ 1225-A
67/70	F,X	or F206KK-(ball)-incl. C0DW 1180-B retainer	2	
70	P		2	
71/	P(4 stud axle shaft)		2	
65/66	X(Taxicab, 66,71,78)		2	
65/66	F(6 cyl.)	1 5/16" I.D.-2 11/16" O.D.-#RWF34R	2	♦CC3DZ 1225-B
67	F		2	
65/66	X(Taxi,66,71,78)		2	
67	X		2	
65/71	A(P/C & Heavy Duty 71)	1 17/32" I.D. x 3 5/32" O.D.-#88128-	2	C9AZ 1225-A
69/	A(exc. WER axle)	FPP,F208AKK or USA (ball)-incl.	2	
65/71	S	C9AZ 1180-A retainer	2	
66/	U(3300 lb. axle)		2	
72	B	1 3/8" I.D.-2 13/16" O.D.-#Gold Paint,FPP,	2	⋆D2OZ 1225-A
		F207 AKK or USA (ball)-incl. D2OZ 1180-A retainer		r/b D2OZ 1225-B
72	S	1 3/8"I.D.-2 13/16"O.D.-#Blue Paint, F207 AKK, FPP or USA (ball)-incl. D2OZ 1180-A retainer	2	D2OZ 1225-B
	1245 GEAR - FRONT AXLE SHAFT DRIVE			
66/	U		2	C0TT 1245-A
66/	U	Retaining ring (gear to shaft)-1 1/4"	2	371834-S(QQ40)
	1A361 SPRING - SPARE WHEEL CARRIER RELEASE LEVER			
68/	U	Use with swing away carrier	1	C8TZ 1A361-A
	1A366 BUMPER - SPARE WHEEL CARRIER LATCH			
68/	U	Use with swing away carrier	1	C8TZ 1A366-A
	1A379 WRENCH - SPARE WHEEL LOCK BOLT			
65/66	A		1	C1AB 1A379-A
	1386 LOCK ASSY. - SPARE WHEEL			
65/66	A(71)	Includes keys	1	C1AZ 1386-A
65/66	B(71)		1	
65/66	A(71)	Consists of -	1	⋆C1AZ 1386-C
		1-C1AB 1A379-A Wrench 1-C1AB 1440-B Bolt		Not replaced
		1-C1AZ 1386-A Lock & Keys Assy.		
65/66	A (except 71)	Consists of	1	⋆C1AZ 1386-B
		1-C1AB 1A379-A Wrench 1-C1AB 1440-A Bolt		Not replaced
		1-C1AZ 1386-A Lock & Keys Assy.		
	1A398 LATCH ASSY. - SPARE WHEEL CARRIER			
68/	U	Use with swing away carrier	1	C8TZ 1A398-A
68/	U	Bumper (latch)-rubber	1	354860-S(CC-6)
	1A399-400 REINFORCEMENT - SPARE WHEEL CARRIER HINGE			
68/	U	Upper-use with swing away carrier	1	C8TZ 1A399-A
68/	U	Lower-use with swing away carrier	1	C8TZ 1A400-A
	1A401 REINFORCEMENT - SPARE WHEEL CARRIER LOCK LATCH BRACKET			
68/	U	Use with swing away carrier	1	C8TZ 1A401-A
	1402 PLATE - SPARE WHEEL RETAINER			
68/69	U	Use with swing away carrier	1	C8TZ 1402-A
	1A403 CABLE - SPARE WHEEL CARRIER CHECK			
68/	U	Use with swing away carrier	1	C8TZ 1A403-A
	1A404 PLATE - SPARE WHEEL CARRIER ARM			
68/	U	Use with swing away carrier	1	C8TZ 1A404-A
	1A406 RETAINER - SPARE WHEEL CARRIER			
68/69	U	Use with swing away carrier	1	C8TZ 1A406-A
	1A408 RETAINER - SPARE WHEEL CARRIER CHECK CABLE			
68/	U	Use with swing away carrier	1	C8TZ 1A408-A
	1422 SUPPORT - SPARE WHEEL			
66/	U	Mounted on tailgate	2	C6TZ 1422-A
66/	U	Screw (attaching)-1/4"-20 x 5/8"-tapping	4	379872-S2(UU86G)
	1422 STOP - SPARE WHEEL			
68	A(63)		1	C8AZ 1422-A

⋆ U. S. only ♦ Canada only # Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	1424 PLATE - SPARE WHEEL MOUNTING - Also refer to Groups 17032, 17091 and 17088			
65/67	F	4" O.D. -3 tabs	1	C5ZZ 1424-A
67	A(54, 57, 62, 63)		1	
68/	U(exc. swing away carrier)		1	
68/69	F(styled steel wheels)		1	C8MY 1424-A
71/	L		1	
68/	U(swing away carrier)	Retaining plate	1	C8TZ 1424-A
	1432 ARM - SPARE WHEEL CARRIER			
68/	U	Use with swing away carrier	1	D0TZ 1432-A
	1433 CARRIER - SPARE WHEEL			
68/	U	Use with swing away carrier	1	C8TZ 1433-A
	1446 CLAMP - SPARE WHEEL - Also Refer to Group 17091			
65/66	X(66)		1	BA 1446-A
65/66	S	With wire wheels	1	
	1448 BOLT - SPARE WHEEL MOUNTING			
	- A -			
65	A(54A,57,62,63)	3/8"-16 x 6 7/16"	1	C5AZ 1448-A
	A(54B, E, 76)	3/8"-16 x 9 1/2"-2 1/2" thread length	1	C5AZ 1448-D
	A(71)	3/8"-16 x 6 1/2"-spherical head	1	C5AZ 1448-C
66	A(54A,57,62)	3/8"-16 x 6 7/16"	1	C5AZ 1448-A
	A(54B,E,76)	3/8"-16 x 9 1/2"-2 1/2" thread length	1	C5AZ 1448-D
	A(54)-folding rear seat back	3/8"-16 x 6 1/2"-spherical head	1	C5AZ 1448-C
	A(63)	3/8" -16 x 9" -3 1/4" thread length	1	C6OZ 1448-A
	A(71)	3/8"-16 x 6 1/2"-spherical head	1	C5AZ 1448-C
67	A(54, 57, 62)	3/8"-16 x 7"-4" thread length	1	C7SZ 1448-A
	A(63)	3/8"-16 x 9 1/2"-2 1/2" thread length	1	C5AZ 1448-D
	A(71)	3/8"-16 x 6 1/2"-spherical head	1	C5AZ 1448-C
	A(76)	3/8" -16 x 9" -3 1/4" thread length	1	C6OZ 1448-A
68	A(54,57,62,65)	1/2"-13 x 7"-3 1/2" thread length	1	C8AZ 1448-A
	A(63)	3/8"-16 x 5 9/16"-1 3/4" thread length	1	C6DZ 1448-A
	A(71)	3/8"-16 x 6 1/2"-spherical head	1	C5AZ 1448-C
	A(76)	1/2"-13 x 7 3/4"-3 1/4" thread length	1	C8AZ 1448-B
69	A(except 71, 76)	3/8"-16 x 7 3/8"-2 1/16" thread length	1	C9AZ 1448-A
	A(71)	3/8"-16 x 7 1/2"-6" thread length	1	382947-S2 (BB198MA)
	A(76)	3/8"-16 x 10 1/4"-4 1/2" thread length	1	C6OZ 1448-E
70	A(except 71)	3/8"-16 x 10 1/4"-4 1/2" thread length	1	C6OZ 1448-E
	A(71)	3/8"-16 x 7 1/2"-6" thread length	1	382947-S2 (BB198MA)
71/	A(except 71,76)	3/8"-16 x 7 3/8"-2 1/16" thread length	1	C9AZ 1448-A
	A(71)	3/8"-16 x 7 1/2"-6" thread length	1	382947-S2 (BB198MA)
	A(76)	3/8"-16 x 10 1/4"-4 1/2" thread length	1	C6OZ 1448-E
	- B -			
65	B(except 71)	3/8"-16 x 6 3/4"	1	B7A 1448-A
	B(71)	3/8"-16 x 3 3/4"-includes plate	1	C0DZ 1448-B
66	B(54, 62, 63)	3/8" -16 x 9" -3 1/4" thread length	1	C6OZ 1448-A
	B(54,62,63)	3/8"-16 x 6 3/4"	1	B7A 1448-A
	B(71)	3/8"-16 x 6 1/2"-spherical head	1	C5AZ 1448-C
	B(76)	3/8"-16 x 7 11/32"-2 1/2" thread length	1	C6OZ 1448-D
67	B(54, 62, 63)	3/8"-16 x 9 1/2"-2 1/2" thread length	1	C5AZ 1448-D
	B(54,62,63)	3/8"-16 x 6 3/4"	1	B7A 1448-A
	B(66)	3/8"-16 x 5 9/16"-1 3/4" thread length	1	C6DZ 1448-A
	B(71)	3/8"-16 x 6 1/2"-spherical head	1	C5AZ 1448-C
	B(76)	3/8"-16 x 7 11/32"-2 1/2" thread length	1	C6OZ 1448-D
68	B(except 66, 71)	1/2"-13 x 10 1/2"-3" thread length	1	C8OZ 1448-A
	B(66)	3/8"-16 x 5 9/16"-1 3/4" thread length	1	C6DZ 1448-A
	B(71)	3/8"-16 x 6 1/2"-spherical head	1	C5AZ 1448-C
69	B(except 66,71)	1/2"-13 x 10 1/2"-3" thread length	1	C8OZ 1448-A
	B(66)	3/8"-16 x 5 9/16"-1 3/4" thread length	1	C6DZ 1448-A
	B(71)	3/8"-16 x 6 1/2"-spherical head	1	C5AZ 1448-C

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	1448 BOLT - SPARE WHEEL MOUNTING - continued			
70	B(except 71,76)	1/2"-13 x 10 1/2"-3" thread length	1	C8OZ 1448-A
	B(71)	3/8"-16 x 6 1/2"-spherical head	1	C5AZ 1448-C
	B(76)	1/2"-13 x 9 25/32"-4" thread length	1	C8WY 1448-A
71	B(except 71)	1/2"-13 x 10 1/2"-3" thread length	1	C8OZ 1448-A
	B(71)	3/8"-16 x 6 1/2"-spherical head	1	C5AZ 1448-C
72	B(except 71,97)	1/2"-13 x 12 7/16" -4 1/2" thread length	1	D2OZ 1448-A
	B(71)	3/8" -16 x 7 1/2" -6" thread length	1	382947-S2 (BB198MA)
	B(97)	1/2" -13 x 8 3/4" -6 1/2" thread length	1	D0DZ 1448-A
	- F -			
65	F	3/8"-16 x 9 1/2"-2 1/2" thread length	1	C5AZ 1448-D
	F	3/8"-16 x 9" -3 1/4" thread length	1	C6OZ 1448-A
66	F(styled steel wheels)	3/8"-16 x 9 1/2"-2 1/2" thread length	1	C5AZ 1448-D
	F (standard wheels)	3/8"-16 x 9" -3 1/4" thread length	1	C6OZ 1448-A
67	F(standard wheels)	3/8"-16 x 7"-4" thread length	1	C7SZ 1448-A
	F(6 cyl.& 8 cyl.289)	3/8"-16 x 7 11/32"-2 1/2" thread length	1	C6OZ 1448-D
	F(styled steel wheels)	3/8"-16 x 9" -3 1/4" thread length	1	C6OZ 1448-A
68	F(standard wheels)	1/2"-13 x 8 3/4"-4" thread length	1	C8ZZ 1448-A
	F(styled steel wheels)	1/2"-13 x 9 3/4" -4" thread length	1	C8WY 1448-A
69	F(standard wheels) "Before 5/15/69"	1/2"-13 x 6 1/4"-4" thread length	1	C9ZZ 1448-B
	F(standard wheels) "From 5/15/69"	1/2"-13 x 8 3/4"-4" thread length	1	C8ZZ 1448-A
	F(styled steel wheels)	1/2"-13 x 12"-4" thread length	1	C9ZZ 1448-A
70	F(standard wheels)	1/2"-13 x 6 1/4"-4" thread length	1	C9ZZ 1448-B
71/	F (except 76)	1/2"-13 x 8 3/4"-6 1/2" thread length	1	D0DZ 1448-A
	F (76)	1/2"-13 x 9 1/2"-5" thread length	1	D1ZZ 1448-A
	- L -			
71	L	3/8"-16 x 4 1/2"	1	D1FZ 1448-A
72	L(exc. 73)	3/8"-16 x 4 1/2"	1	D1FZ 1448-A
	L(73)	3/8"-16 x 6 3/4"	1	D2FZ 1448-A
	- P -			
70	P(except D70 x 14 tires)	1/2"-13 x 8 3/4"-6 1/2" thread length	1	D0DZ 1448-A
	P(D70 x 14 tires)	1/2"-13 x 10 3/8"-3" thread length	1	D0DZ 1448-B
71/	P	1/2"-13 x 8 3/4"-6 1/2" thread length	1	D0DZ 1448-A
	- S -			
65/66	S	3/8"-16 x 9" -3 1/4" thread length	1	C6OZ 1448-A
67/71	S	3/8"-16 x 7"-4" thread length	1	C7SZ 1448-A
72	S	1/2" -13 x 12 7/16" -4 1/2" thread length	1	D2OZ 1448-A
	- U -			
69	U (exc. swing-away carrier)	3/8"-16 x 7-3" thread length	1	359808-S2 (BB198M)
	- X -			
65	X(66)	Rod (spare wheel mounting)	1	C0DB 6647114-A
	X(71,78)	3/8"-16 x 3 3/4"-includes plate	1	C0DZ 1448-B
66	X(54,62)	3/8"-16 x 9" -3 1/4" thread length	1	C6OZ 1448-A
	X(66)	3/8"-16 x 5 9/16"-1 3/4" thread length	1	C6DZ 1448-A
	X(66)	Rod (spare wheel mounting)	1	C0DB 6647114-A
	X(71)	3/8"-16 x 6 1/2"-spherical head	1	C5AZ 1448-C
	X(71,78)	3/8"-16 x 3 3/4"-includes plate	1	C0DZ 1448-B
67	X(54,62)	3/8"-16 x 9 1/2"-2 1/2" thread length	1	C5AZ 1448-D
	X(71)	3/8"-16 x 6 1/2"-spherical head	1	C5AZ 1448-C
68	X(except 71)	1/2"-13 x 10 1/2"-3" thread length	1	C8OZ 1448-A
	X(71)	3/8"-16 x 6 1/2"-spherical head	1	C5AZ 1448-C
69/70	X(except 71)	1/2"-13 x 9 3/4" -4" thread length	1	C8WY 1448-A
	X(71)	3/8"-16 x 6 1/2"-spherical head	1	C5AZ 1448-C
65	X(except 71,78)	Bolt-3/8"-16 x 7"-carriage	1	359808-S2 (BB198M)
65	X(71,78)	Washer-flat-39/64"	1	359820-S8(XX203)
65/66	X (66)	Pin (rod)-self-locking	1	352358-S(NN127)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	1462 NUT - SPARE WHEEL MOUNTING BOLT			
	- A -			
65/67	A	Wing-3/8"-16	1	B9AZ 1462-A
68	A(exc.63,71)	Wing-1/2"-13	1	C8AZ 1462-A
	A(63,71)	Wing-3/8"-16	1	B9AZ 1462-A
69/	A	Wing-3/8"-16	1	B9AZ 1462-A
	- B -			
65/67	B	Wing-3/8"-16	1	B9AZ 1462-A
68/71	B(exc.66,71)	Wing-1/2"-13	1	C8AZ 1462-A
	B(66,71)	Wing-3/8"-16	1	B9AZ 1462-A
72	B(exc.71,97)	Wing-1/2"-13	1	C8AZ 1462-A
	B(71)	Wing-3/8"-16	1	B9AZ 1462-A
	B(97)	Wing-1/2"-13	1	C8AZ 1462-A
	- F -			
65/67	F	Wing-3/8"-16	1	B9AZ 1462-A
68/	F	Wing-1/2"-13	1	C8AZ 1462-A
	- L -			
71/	L	Wing-3/8"-16	1	B9AZ 1462-A
72	L(73)	Channel type-3/8"-16-used on top of spare wheel cover		D2FZ 1462-A
	- P -			
70	P	Wing-1/2"-13	1	C8AZ 1462-A
71/	P	Wing-1/2"-13-standard wheels	1	C8AZ 1462-A
71	P	Styled steel wheels	2	
	- S -			
65/	S	Wing-3/8"-16	1	B9AZ 1462-A
	- U -			
66/69	U(exc.swing away carrier)	Wing-3/8"-16	1	B9AZ 1462-A
70/	U(exc.swing away carrier)	Wing	1	C8UZ 1462-A
68/	U(with swing away carrier)	Wing	1	C8TZ 1462-A
	- X -			
65/67	X	Wing-3/8"-16	1	B9AZ 1462-A
68/70	X(exc.71)	Wing-1/2"-13	1	C8AZ 1462-A
	X(71)	Wing-3/8"-16	1	B9AZ 1462-A
	1478-9 HINGE - SPARE WHEEL CARRIER			
68/	U	Upper-use with swing away carrier	1	C8TZ 1478-A
		Lower-use with swing away carrier	1	C8TZ 1479-A
	1487 PIN - SPARE WHEEL CARRIER HANGER			
68/	U	4 1/4" long-use with swing away carrier	2	C8TZ 1487-A
	1508 TIRE KIT - COLLAPSIBLE SPARE			
68	F	14" x 7.35" - not replaced	1	*C8ZZ 1508-A
	Consists of 1-C8AZ 1508-C Tire	1-C8ZA 1720-A Cap	1-C8ZZ 19C543-A Inflator	
68/	F	Refer to Group 19C543		* 1508
	1705 EXTENSION - TIRE VALVE			
65/	A, B, P, X	1 1/4" long	4	B7AZ 1705-A
67/	F(except GT 350/500), S		4	
68/	S	Required to inflate inner chamber of life guard safety tires	1	C7VY 1705-A
65/70	X (with full wheel covers)	7/8" long	4	C0DZ 1705-A
65/69	B (with full wheel covers)		4	
65/69	F		4	
69	F(GT350/500)		4	
65/67	S		4	
70/	A,B,L,P,S		4	

INDEX

PART NAME	GROUP NUMBER
A	
Actuator (brake pedal)	2B187
Actuator assy. (brake skid control)	2B002
Adapter (brake pressure differential valve connector)	2B276
Adapter (power brake booster push rod)	2B014
Arm (A/C compressor belt adjustment)	2A942
B	
Baffle (front brake grease)	2240
Bearing (A/C compressor belt idler pulley)	2873, 2990
Bearing (A/C compressor clutch)	2990
Bearing (power brake booster lever)	2B346
Bolt (A/C compressor idler pulley mounting)	2A934
Bolt (brake master cylinder link rod)	2462
Bolt (brake pedal assy.)	2B185
Bolt (rear brake backing plate)	2248
Booster assy. (power brake)	2005
Booster installation kit (power brake)	2A091
Booster repair kit (power brake)	2309
Boot (brake cylinder or caliper)	2206-7
Boot (brake master cylinder)	2180
Boot (brake pressure metering valve push rod)	2B445
Boot (front disc brake caliper)	2206-7
Boot (parking brake cable)	2K650
Boot (parking brake lever)	2A713
Boot (power brake booster push rod)	2A477
Brace (A/C compressor)	2888, 2889, 2A951
Bracket (A/C compressor adjusting)	2883
Bracket (A/C compressor mounting)	2882
Bracket (brake line support)	2A051
Bracket (brake pedal actuator)	2B189
Bracket (brake pressure differential valve)	2B260
Bracket (brake skid control actuator mounting)	2B371
Bracket (brake skid control module)	2B389
Bracket (brake speed control retarder valve mounting)	2B288
Bracket (brake tube support)	2K206, 2A275
Bracket (front brake hose support)	2082
Bracket (front disc brake caliper)	2B134-5
Bracket (parking brake cable)	2530-1
Bracket (parking brake cable equalizer rod)	2A816
Bracket (parking brake cable support)	2649
Bracket (parking brake cable to dash)	2857
Bracket (parking brake control mounting)	2795
Bracket (parking brake equalizer)	2631
Bracket (power brake booster mounting)	2031-2, 2A248
Bracket (rear brake hose support)	2073

PART NAME	GROUP NUMBER
B - cont'd.	
Bracket assy. (parking brake equalizer lever)	2A762
Brake shoe & lining assy. (front)	2018-9
Brake shoe & lining assy. (rear)	2218-9
Brush & holder (A/C compressor clutch)	2979
Bumper (brake pedal)	2B184
Bushing (brake & clutch pedal)	2471
Bushing (brake master cylinder push rod)	2A309, 2474
Bushing (brake pedal)	2461
Bushing (power brake booster lever)	2A150
Bushing (power brake booster piston guide)	2B014
Bushing (spare wheel carrier)	2461
Button (parking brake handle)	2791
C	
Cable (parking brake extension)	2853
Cable (parking brake intermediate)	2A815
Cable assy. (brake shoe adjusting lever)	2A178
Cable & conduit (parking brake front)	2853
Cable & conduit (parking brake rear)	2A635
Cable repair kit (parking brake)	2A753
Caliper assy. (front disc brake)	2B120-1
Caliper repair kit (front disc brake)	2221
Cap (A/C compressor belt idler pulley)	2894
Cap assy. (brake master cylinder filler)	2162
Clamp (power brake booster bellows)	2B155
Clamp (power brake booster hose)	2342
Clamp (P/S return line)	2344
Clip (brake hose)	2814
Clip (brake line)	2244
Clip (brake pressure control valve retainer)	2B266
Clip (front disc brake shoe anti-rattle)	2B164
Clip (front disc brake shoe hold down spring)	2066
Clip (parking brake cable)	2860
Clip (parking brake cable spring lock)	2814
Clip (power brake booster air filter cover)	2A485
Clip (power brake booster push rod to operating lever)	2525
Clutch & pulley (A/C compressor)	2884
Connector (brake pedal actuator)	2B188
Connector (brake tube)	2074-5
Connector (parking brake cable)	2A790
Control assy. (parking brake)	2780
Cover (brake adjusting hole)	2092
Cover (brake pedal pad)	2A487
Cover (parking brake pedal pad)	2A798
Cup (brake cylinder piston)	2201-2
Cup (brake master cylinder primary)	2173
Cup (brake shoe hold down spring)	2066
Cylinder assy. (brake master)	2140
Cylinder assy. (front brake)	2061-2
Cylinder assy. (rear brake)	2261-2
Cylinder repair kit (brake master)	2004
Cylinder repair kit (front brake)	2221
Cylinder repair kit (rear brake)	2128

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
D	
Diaphragm (power brake booster)	2A365
Diaphragm (power brake booster control valve)	2391
Disc (power brake booster control valve)	2414
Duct (brake scoop)	2259-60
E	
Elbow (brake differential valve)	2B387
Equalizer (parking brake cable)	2A602
Equalizer assy. (parking brake rear)	2768
F	
Field (A/C compressor clutch)	2987
Filter (brake skid control actuator air)	2B368
Filter (power brake booster air cleaner)	2A346
G	
Gasket (brake cylinder mounting)	2B194
Gasket (brake line connector)	2149
Gasket (brake master cylinder filler cap)	2167
Gasket (brake master cylinder mounting adapter)	2B355
Gasket (front brake backing plate to spindle)	2044
Gasket (front brake grease baffle)	2026
Gasket (front brake splash shield)	2B160
Gasket (power brake booster mounting bracket)	2B022
Grommet (parking brake release rod)	2K606
Grommet (power brake booster check valve)	2B176
Guard (power brake master cylinder push rod)	2A021
Guide (brake shoe adjusting lever cable)	2A179
Guide (parking brake cable)	2A697, 2A700
H	
Handle assy. (parking brake release)	2760
Head (A/C compressor cylinder)	2995
Hose (brake line)	2270
Hose (brake skid control actuator air)	2B369
Hose (brake skid control actuator vacuum)	2B370
Hose (brake vacuum motor to parking brake switch)	2A595
Hose (front brake)	2078
Hose (front disc brake)	2A420
Hose (parking brake)	2A596
Hose (parking brake release)	2A804
Hose (power brake booster reservoir to manifold)	2A047
Hose (rear brake)	2282
Hub (power brake booster diaphragm guide)	2B152
Hub (power brake booster valve seat)	2B153
I	
Idler (parking brake rear cable)	2A808
Insulator (automatic air leveler compressor mounting)	2A965
Insulator (front disc brake caliper locating pin)	2B299
K	
Key (front disc brake caliper support)	2B487
KIT - refer to appropriate noun name For example	
Lining kit (brake shoe)	2007
L	
Lever (brake shoe adjusting)	2A176-7
Lever (parking brake cable to secondary brake shoe)	2A637-8
Lever (parking brake equalizer)	2A605
Lever (power brake booster)	2431
Lever & bushing (power brake booster)	2A016
Lever & reaction ring (power brake booster)	2B154
Lining (front brake shoe)	2021-2
Lining (rear brake shoe)	2284-5
Lining kit (brake shoe)	2007
Link (brake cylinder to shoe)	2042
Link (parking brake cable connecting)	2861
Link (parking brake lever to primary brake shoe)	2A642
M	
Module (brake skid control)	2B373
N	
Nut (brake master cylinder brake tube)	2133
Nut (brake shoe adjusting screw)	2047
Nut (parking brake equalizer)	2091
Nut (parking brake equalizer rod)	2A796
P	
Pad (brake pedal)	2454, 7A624
Pad (brake pedal plate)	2457
Pad (front disc brake)	2018
Pedal assy. (brake)	2455
Pin (brake shoe hold down spring)	2069
Pin (front brake shoe anchor)	2027
Pin (front disc brake caliper locating)	2B296

INDEX

PART NAME	GROUP NUMBER
P - cont'd.	
Pin (parking brake handle locking)	2819
Pin (parking brake lever)	2107
Pin (power brake booster lever pivot)	2A020
Pin repair kit (brake shoe anchor)	2A423
Piston (brake cylinder)	2194-7
Piston (brake master cylinder)	2169
Piston (front disc brake caliper)	2196
Piston (power brake booster body)	2395
Plate (brake shoe anchor pin guide)	2028
Plate (front brake backing)	2012-3
Plate (front disc brake caliper anchor)	2B292-3
Plate (parking brake equalizer lever bracket mounting)	2A748
Plate (power brake booster body end)	2B275
Plate (power brake booster push rod locating)	2A476
Plate (rear brake backing)	2211-2
Plate & seal (power brake booster end)	2B093
Plug (power brake booster check valve)	2A246
Plunger (power brake booster)	2A385
Pulley (parking brake cable)	2804
R	
Reinforcement (rear brake hose bracket)	2B222
Reservoir assy. (power brake booster)	2A038
Retainer (brake master cylinder filler cap)	2B245
Retainer (brake master cylinder push rod)	2B224
Retainer (brake pedal shaft)	2B277
Retainer (brake skid control module)	2B375
Retainer (brake tube support)	2A407
Retainer (front disc brake caliper piston dust seal)	2A492
Retainer (parking brake cable rear)	2A709
Retainer (parking brake equalizer lever return spring)	2A616
Retainer (parking brake lever boot)	2A714
Retainer (parking brake lever pin)	2106
Retainer (parking brake ratchet bar locking spring)	2786
Retainer (parking brake spring)	2A787
Retainer (power brake booster piston)	2429
Retainer (power brake booster plunger return spring)	2B157
Retainer repair kit (brake shoe hold down)	2A094
Ring (power brake booster bellows wear)	2B074
Ring (power brake booster plunger cushion)	2A371
Ring (power brake booster tube to rear body)	2428
Rod (brake master cylinder push)	2143
Rod (parking brake equalizer)	2628
Rod (parking brake release handle)	2A760
Rod (power brake booster push)	2377
Rotor (brake skid control)	2B384
S	
Screw (brake cylinder bleeder)	2208
Screw (brake shoe adjusting)	2041
Seal (brake & clutch pedal)	2476
Seal (front disc brake caliper)	2A418
Seal (front disc brake piston)	2B115
Seal (power brake booster check valve)	2B073
Seal (power brake booster hub & diaphragm plate)	2303
Seal (power brake booster lever bushing outer)	2B347
Sensor assy. (brake skid control)	2B372
Shaft (A/C compressor belt idler pulley)	2876
Shaft (brake pedal)	2478
Shield (brake skid control speed sensor wire)	2B429
Shield (front disc brake)	2B116
Shield (front disc brake caliper)	2B127
Shield (front disc brake rotor)	2K004-5
Shoe & lining kit (brake)	2001
Shoe & lining kit (rear brake)	2200
Sleeve (parking brake equalizer lever retracting spring)	2A754
Snap ring (brake master cylinder piston)	2174
Snap ring (power brake booster piston guide bushing)	2A368
Socket (brake shoe adjusting screw)	2048
Spacer (A/C compressor mounting bracket)	2887
Spacer (brake master cylinder push rod)	2B129
Spacer (brake pedal)	2A188
Spacer (brake pedal support mounting)	2B180, 2B450
Spacer (brake shoe retracting spring)	2A352
Spacer (parking brake control mounting)	2849
Spring (brake cylinder piston return)	2204-5
Spring (brake pedal retracting)	2472
Spring (brake shoe adjusting screw)	2049
Spring (brake shoe hold down)	2068
Spring (brake shoe retracting)	2035-6
Spring (front disc brake caliper support)	2B486
Spring (parking brake cable positioning)	2745
Spring (parking brake lever retracting)	2L611
Spring (parking brake lever return)	2A651
Spring (parking brake link)	2A601
Spring (parking brake ratchet bar locking)	2788
Spring (parking brake release)	2634
Spring (parking brake release control)	2793
Spring (power brake booster control valve return)	2A157
Spring (power brake booster plunger return)	2B156
Spring & retainer (brake master cylinder piston return)	2145
Spring assy. (brake cylinder piston cup)	2204-5

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Stabilizer (front disc brake caliper housing)	2B295
Stop (power brake booster control valve piston)	2B132
Support (A/C compressor)	2978
Support (A/C compressor bracket)	2906
Support (A/C compressor mounting bracket)	2A881
Switch (brake pressure differential valve warning lamp)	2B264
T	
Tube (brake skid control actuator vacuum)	2B476
Tube assy. (brake & fuel line)	2265
Tube assy. (brake differential valve outlet)	2B329
Tube assy. (brake differential valve to actuator)	2B386
Tube assy. (brake master cylinder outlet rear)	2B253
Tube assy. (brake master cylinder to connector)	2A040
Tube assy. (brake master cylinder to front brake connector)	2-2264
Tube assy. (brake master cylinder to rear brake hose)	2265
Tube assy. (brake master cylinder to rear brake tube connector)	2A199
Tube assy. (brake pressure control valve inlet)	2B112
Tube assy. (brake pressure control valve outlet)	2B113
Tube assy. (brake pressure metering valve inlet)	2B162
Tube assy. (brake scoop)	2250
Tube assy. (brake skid control actuator to rear brake)	2B385
Tube assy. (front brake)	2263-4
Tube assy. (front brake fitting to connector)	2-2272
Tube assy. (front brake hose to connector)	2K039
Tube assy. (front brake hose to cylinder)	2A361-2
Tube assy. (front brake intermediate)	2B221
Tube assy. (front brake tube fitting to connector)	2A048
Tube assy. (front brake tube to differential valve)	2B269
Tube assy. (front disc brake caliper)	2K006, 2B126
Tube assy. (front disc brake caliper inlet)	2B166-8
Tube assy. (power brake booster)	2420
Tube assy. (power brake booster connector to manifold)	2543
Tube assy. (rear brake)	2267-8
Tube assy. (rear brake hose to valve)	2B255
Tubing (brake & fuel line)	2269
V	
Valve (brake master cylinder outlet check)	2178
Valve (brake pressure impulse)	2B363
Valve (brake pressure metering)	2B161
Valve (brake proportioning)	2091
Valve (front disc brake pressure control)	2B091
Valve (power brake booster check)	2A185, 2365
Valve (power brake booster control)	2A238
Valve assy. (brake pressure differential)	2B257
Valve assy. (brake speed control retard)	2B274
W	
Wiring assy. (A/C compressor clutch)	2A975
Wiring assy. (brake skid control actuator)	2B516
Wiring assy. (brake skid control sensor adapter)	2B394
Wiring & bracket assy. (brake skid control speed sensor)	2B430

YEAR	MODEL RESTRICTIONS	BRAKE SIZE ▲ (INCHES)	FRONT	REAR
	2001 SHOE and LINING KIT - BRAKE - For contents of kit refer to Section 20.1			
	- A -			
65/66	A (exc. 71, P/C, Taxi)	11 x 2 1/2 11 x 2 1/4	D1AZ 2001-B	C5AZ 2200-E
	A (71, P/C)	11 x 3 F.R. 11 x 2 1/4 F.R.	C5AZ 2001-C	C5AZ 2200-D
	A (Taxi)	11 x 3 bonded W.R. 11 x 2 1/2 bonded W.R.	C3AZ 2001-A	C3AZ 2200-A
66/67	A (disc brakes)		C6AZ 2001-B	(NOTE 1)
67	A (exc. 71, P/C, 8 cyl. 427 Special, Taxi)	11 x 2 1/2 11 x 2 1/4	D1AZ 2001-B	C5AZ 2200-E
	A (71, P/C, 8 cyl. 427 Special)	11 x 3 F.R. 11 x 2 1/4 F.R.	C5AZ 2001-C	C5AZ 2200-D
	A (Taxi)	11 x 3 bonded W.R. 11 x 2 1/2 bonded W.R.	C3AZ 2001-A	C3AZ 2200-A
68	A (exc. 71, P/C, Taxi)	11 x 2 1/2 11 x 2 1/4	D1AZ 2001-B	C5AZ 2200-E
	A (71)	11 x 3 11 x 2 1/4	C8AZ 2001-B	C5AZ 2200-E
	A (P/C)	11 x 3 F.R. 11 x 2 1/4 F.R.	C5AZ 2001-C	C5AZ 2200-D
	A (Taxi exc. N.Y. Taxi)	11 x 3 bonded W.R. 11 x 2 1/2 bonded W.R.	C3AZ 2001-A	C3AZ 2200-A
	A (N.Y. Taxi)	Disc 11 x 2 1/2 bonded W.R.	C9AZ 2001-C	C3AZ 2200-A
	A (disc brakes exc. P/C)		C9AZ 2001-C	(NOTE 1)
	A (disc brakes-P/C)		C8AZ 2001-C	(NOTE 1)
69	A	11 x 2 1/2	D1AZ 2001-B	
	A (w/self-adjusters except locking axles)	11 x 3	C8AZ 2001-B	
	A (w/manual-adjusters & all locking axles w/self-adj.)	11 x 3 F.R.	C5AZ 2001-C	
	A (w/manual adjusters)	11 x 3 bonded W.R. 11 x 2 1/2 bonded W.R.	C3AZ 2001-A	C3AZ 2200-A
	A (disc brakes-exc. P/C)		C9AZ 2001-C	(NOTE 1)
	A (exc. P/C with H/D disc brakes)		C9AZ 2001-C	(NOTE 1)
	A (P/C with H/D disc brakes)	11 x 2 1/4	D1AZ 2001-A	C9AZ 2200-A
	A (exc. P/C, Taxi, locking axles & disc brakes)	11 x 2 1/4		C5AZ 2200-E
	A (w/disc brakes & P/C w/drum brakes & all w/locking axles)	11 x 2 1/4 F.R.		C5AZ 2200-D
70	A	11 x 2 1/2	D1AZ 2001-B	
	A (w/self adjusters exc. P/C, Taxi, locking axles)	11 x 3	C8AZ 2001-B	
	A (w/manual adjusters & all locking axles w/self-adj.)	11 x 3 F.R.	C5AZ 2001-C	
	A (w/manual adjusters)	11 x 3 bonded W.R.	C3AZ 2001-A	
	A (exc. P/C with H/D disc brakes)		D0AZ 2001-D	(NOTE 1)
	A (P/C with H/D disc brakes)		D1AZ 2001-A	(NOTE 1)
	A (w/manual adjusters & bonded brakes)	11 x 2 1/2 bonded W.R.		C3AZ 2200-A
	A (exc. P/C, Taxi, locking axles & disc brakes)	11 x 2 1/4		C5AZ 2200-E
	A (P/C w/ H/D disc brakes)	11 x 2 1/4		C9AZ 2200-A
	A (w/disc brakes & P/C w/drum brakes & all w/locking axles	11 x 2 1/4 F.R.		C5AZ 2200-D
71/	A	11 x 2 1/2	D1AZ 2001-B	
	A (exc. Taxi with H/D brakes) "Before 11/9/70"	11 x 3	C8AZ 2001-B	
	A (exc. Taxi with H/D brakes) "From 11/9/70"	11 x 3	D1AZ 2001-C	
	A (Taxi with H/D brakes)	11 x 3 W.R.	C3AZ 2001-A	

▲ F.R. - Fade Resistant optional on all models, W.R. - Wear Resistant

NOTE 1 - For rear lining on vehicles with disc brakes refer to appropriate drum brake application

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL RESTRICTIONS	BRAKE SIZE ▲ (INCHES)	FRONT	REAR
	2001 SHOE and LINING KIT - BRAKE - continued - For contents of kit refer to Section 20.1			
	- A -			
71/	A (exc. P/C)-disc brakes		D0AZ 2001-D	(NOTE 1)
	A (P/C with H/D disc brakes) "Before 1/4/71"		D0AZ 2001-D	(NOTE 1)
	A (P/C with H/D disc brakes) "From 1/4/71"		Not available	
	A (P/C with extra H/D disc brakes)- "Before 1/4/71"		D1AZ 2001-A	(NOTE 1)
	A (P/C with extra H/D disc brakes)- "From 1/4/71"		D1AZ 2001-D	(NOTE 1)
	A (exc. P/C with extra H/D disc brakes, Taxi, manual adjusters)	11 x 2 1/4		C5AZ 2200-E
	A (exc. P/C with extra H/D disc brakes, Taxi, manual adjusters)	11 x 2 1/4 F.R.		C5AZ 2200-D
	A (P/C with extra H/D disc brakes)	11 x 2 1/4		C9AZ 2200-A
	A (Taxi, manual adjusters)	11 x 2 1/2 bonded W. R.		C3AZ 2200-A
	- B -			
65	B (exc. 71, P/C, Taxi)	10 x 2 1/4 10 x 1 3/4	★C7OZ 2001-B r/b D10Z 2001-C	C7ZZ 2200-A
	B (71)	10 x 2 1/2 F.R.	C6OZ 2001-A	C6OZ 2001-A
	B (P/C)	10 x 2 1/2 F.R. 10 x 2 F.R.	C6OZ 2001-A	C6OZ 2200-A
	B (Taxi)	10 x 2 1/2 bonded W.R. 10 x 2 bonded W.R.	C2OZ 2001-E	C2OZ 2200-B
66	B (54,62)-except 8 cyl.390	10 x 2 1/4	★C7OZ 2001-B r/b D10Z 2001-C	
	B (except P/C, Taxi)	10 x 2 1/4 10 x 1 3/4	★C7OZ 2001-B r/b D10Z 2001-C	C7ZZ 2200-A
	B (54,62)-8 cyl.390	10 x 2 1/2 F.R. 10 x 2 F. R.	C6OZ 2001-A	C6OZ 2200-A
	B (63,76)	10 x 2 1/2 F.R. 10 x 2 F. R.	C6OZ 2001-A	C6OZ 2200-A
	B (71)-except 8 cyl.390	10 x 2 1/2 F.R. 10 x 2 F. R.	C6OZ 2001-A	C6OZ 2200-A
	B (P/C)	10 x 2 1/2 F.R. 10 x 2 F.R.	C6OZ 2001-A	C6OZ 2200-A
	B (71)-8 cyl.390	10 x 2 1/2 F.R.	C6OZ 2001-A	C6OZ 2001-A
	B (Taxi)	10 x 2 1/2 bonded W.R. 10 x 2 bonded W.R.	C2OZ 2001-E	C2OZ 2200-B
67	B (Taxi)	10 x 2 1/2 bonded W.R. 10 x 2 bonded W.R.	C2OZ 2001-E	C2OZ 2200-B
	B (disc brakes-exc. 8 cyl. 427)		C5ZZ 2001-B	(NOTE 1)
	B (disc brakes-8 cyl. 427)		C7OZ 2001-C	(NOTE 1)
67/68	B (exc. 71, P/C, 8 cyl. 390, 427, 428CJ, Taxi)	10 x 2 1/4 10 x 1 3/4	★C7OZ 2001-B r/b D10Z 2001-C	C7ZZ 2200-A
	B(exc.71)-8 cyl. 390 B(71)-exc.8 cyl. 390,427,428 B(P/C)	10 x 2 1/2 F.R. 10 x 2 F.R.	C6OZ 2001-A	C6OZ 2200-A
	B(exc.71)-8 cyl. 428 B (66) B(71)-8 cyl. 390,427,428	10 x 2 1/2 F.R.	C6OZ 2001-A	C6OZ 2001-A
68	B (Taxi)	10 x 2 1/2 F.R. 10 x 2 F.R.	C6OZ 2001-A	C6OZ 2200-A
	B (disc brakes)		D0OZ 2001-C	(NOTE 1)
69	B (54,63,65 w/6 cyl. 250, 8 cyl. 302 eng. exc. P/C & Taxi)	10 x 2 1/4 10 x 2 F.R.	★C7OZ 2001-B r/b D10Z 2001-C	C6OZ 2200-A
	B (54,63,65 w/6 cyl. 250, 8 cyl. 302 eng.-P/C & Taxi)	10 x 2 1/2 F.R. 10 x 2 F.R.	C6OZ 2001-A	C6OZ 2200-A
	B (66,71,76 w/6 cyl. 250, 8 cyl. 302)	10 x 2 1/2 F.R. 10 x 2 F.R.	C6OZ 2001-A	C6OZ 2200-A

▲ F. R. - Fade Resistant optional on all models, W. R. - Wear Resistant
NOTE 1 - For rear lining on vehicles with disc brakes refer to appropriate drum brake application

YEAR	MODEL RESTRICTIONS		BRAKE SIZE (INCHES)	FRONT	REAR
	2001 SHOE and LINING KIT - BRAKE - continued - For contents of kit refer to Section 20.1				
	- B -				
69	B (54,65,76 w/8 cyl. 351,390)		10 x 2 1/2 F. R. 10 x 2 F.R.	C6OZ 2001-A	C6OZ 2200-A
	B (66,71 w/8 cyl.351,390) B (8 cyl. 428)		10 x 2 1/2 F.R.	C6OZ 2001-A	C6OZ 2001-A
	B (disc brakes)			D0OZ 2001-C	(NOTE 1)
70	B(54,57,62,63,65)-6 cyl. & 8 cyl.302		10 x 2 1/4	★C7OZ 2001-B r/b D1OZ 2001-C	
	B (54,57,63,65)-8 cyl.351,429 B(62) 8 cyl.351		10 x 2 1/2 F.R.	C6OZ 2001-A	
	B (66,71,76)-6 cyl. & 8 cyl.302,351,429		10 x 2 1/2 F.R.	C6OZ 2001-A	
	B (disc brakes)-exc. P/C			D0OZ 2001-C	(NOTE 1)
	B (disc brakes)-P/C			D1GY 2001-A	(NOTE 1)
	B(exc.66,71)		10 x 2 F.R.		C6OZ 2200-A
	B (66,71)-6 cyl.& 8 cyl.302		10 x 2 F.R.		C6OZ 2200-A
	B (66,71)-8 cyl.351,429		10 x 2 1/2 F.R.		C6OZ 2001-A
71	B (54,57,63,65)-6 cyl.&8 cyl.302	"Before 10/20/70"	10 x 2 1/4	★C7OZ 2001-B r/b D1OZ 2001-C	
	B (54,57,63,65)-6 cyl.&8 cyl.302	"From 10/20/70"	10 x 2 1/4	D1OZ 2001-E	
	B (54,57,63,65)-8 cyl.351,429 B (66,71,76)	"Before 10/20/70" "Before 10/20/70"	10 x 2 1/2 F.R.	C6OZ 2001-A	
	B (54,57,63,65)-8 cyl.351,429 B (66,71,76)	"From 10/20/70" "From 10/20/70"	10 x 2 1/2	D1OZ 2001-B	
	B (disc brakes)-exc. P/C			D0OZ 2001-C	(NOTE 1)
	B (disc brakes)-P/C			D1GY 2001-A	(NOTE 1)
	B (54,57,63,65,76) B (66,71)-6 cyl. & 8 cyl. 302)		10 x 2 F.R.		C6OZ 2200-A
	B (66,71)-8 cyl.351,429)		10 x 2 1/2 F.R.		C6OZ 2001-A
72	B (exc. P/C)-disc brakes			D2OZ 2001-C	
	B (P/C)-disc brakes			D2OZ 2001-D	
	B (53,63,65) - exc. P/C		10 x 2 F.R.		C6OZ 2200-A
	B (53,65)-P/C		11 x 2 1/4 F.R.		C5AZ 2200-D
	B (71,97)-6 cyl. & 8 cyl. 302		10 x 2 F.R.		C6OZ 2200-A
	B (71,97)-8 cyl. 351,400,429		10 x 2 1/2 F.R.		C6OZ 2001-A
	- F -				
65/66	F (6 cyl.except 76)		9 x 2 1/4 9 x 1 1/2	C4DZ 2001-A	C4DZ 2200-A
	F (6 cyl.-76)		9 x 2 1/4	C4DZ 2001-A	C4DZ 2001-A
	F (8 cyl.)		10 x 2 1/4 10 x 1 3/4	★C7OZ 2001-B r/b D1OZ 2001-C	C7ZZ 2200-A
65/67	F (disc brakes)			C5ZZ 2001-B	NOTE 1
67/68	F (6 cyl.)		9 x 2 1/4 9 x 1 1/2	C4DZ 2001-A	C4DZ 2200-A
	F (8 cyl.289,302)		10 x 2 1/4 10 x 1 3/4	★C7OZ 2001-B r/b D1OZ 2001-C	C7ZZ 2200-A
	F (8 cyl.390)		10 x 2 1/2 F.R. 10 x 1 3/4	C6OZ 2001-A	C7ZZ 2200-A
68	F (8 cyl.427)		10 x 2 1/2 F.R. 10 x 2 F.R.	C6OZ 2001-A	C6OZ 2200-A
	F (8 cyl.428)		10 x 2 1/2 F.R.	C6OZ 2001-A	C6OZ 2001-A
	F (disc brakes)			D0OZ 2001-C	NOTE 1
69	F (6 cyl.200)		9 x 2 1/4 9 x 1 1/2	C4DZ 2001-A	C4DZ 2200-A
	F (6 cyl.250,8 cyl.302)		10 x 2 1/4 10 x 1 3/4	★C7OZ 2001-B r/b D1OZ 2001-C	C7ZZ 2200-A
	F (8 cyl.351,390)		10 x 2 1/2 F.R. 10 x 2 F.R.	C6OZ 2001-A	C6OZ 2200-A
	F (8 cyl.428)		10 x 2 1/2 F.R.	C6OZ 2001-A	C6OZ 2001-A
	F (disc brakes)			D0OZ 2001-C	NOTE 1

▲ F.R. - Fade Resistant optional on all models, W.R. - Wear Resistant
NOTE 1 - For rear lining on vehicles with disc brakes refer to appropriate drum brake application

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL RESTRICTIONS	BRAKE SIZE ▲ (INCHES)	FRONT	REAR
	2001 SHOE and LINING KIT - BRAKE - continued - For contents of kit refer to Section 20.1			
	- F -			
70	F (6 cyl. 200)	9 x 2 1/4 9 x 1 1/2	C4DZ 2001-A	C4DZ 2200-A
	F (6 cyl. 250, 8 cyl. 302-2/B)	10 x 2 1/4 10 x 1 3/4	★C7OZ 2001-B r/b D1OZ 2001-C	C7ZZ 2200-A
	F (Boss 302)	10 x 2 F.R.		C6OZ 2200-A
	F (8 cyl. 351, 428)	10 x 2 1/2 F.R. 10 x 2 F.R.	C6OZ 2001-A	C6OZ 2200-A
	F (disc brakes)		D0OZ 2001-C	NOTE 1
71	F (6 cyl. & 8 cyl. 302) "Before 10/20/70"	10 x 2 1/4	★C7OZ 2001-B r/b D1OZ 2001-C	
	F (6 cyl. & 8 cyl. 302) "From 10/20/70 to 5/21/71"	10 x 2 1/4	D1OZ 2001-C	
	F (6 cyl. & 8 cyl. 302) "From 5/21/71"	10 x 2 1/4	D1OZ 2001-E	
	F (8 cyl. 351, 429) "Before 10/20/70"	10 x 2 1/2 F.R.	C6OZ 2001-A	
	F (8 cyl. 351, 429) "From 10/20/70 to 5/21/71"	10 x 2 1/2	D1OZ 2001-B	
	F (8 cyl. 351, 429) "From 5/21/71"	10 x 2 1/2	D1OZ 2001-B	
	F (disc brakes)		D0OZ 2001-C	NOTE 1
	F (6 cyl. & 8 cyl. 302-2/B)	10 x 1 3/4		C7ZZ 2200-A
	F (Boss 302 & 8 cyl. 351, 429)	10 x 2 F.R.		C6OZ 2200-A
72	F	10 x 2 1/2	D1OZ 2001-B	
	F (disc brakes)		D0OZ 2001-C	
	F (6 cyl. & 8 cyl. 302)	10 x 1 3/4		C7ZZ 2200-A
	F (8 cyl. 351, 429)	10 x 2 F.R.		C6OZ 2200-A
	- L -			
71	L	9 x 2	D1FZ 2001-A	
	L (disc brakes)		D1FZ 2001-B	NOTE 1
	L "Before 4/21/71"	9 x 1 1/2		★D1FZ 2200-A r/b D1FZ 2200-B
	L "From 4/21/71"	9 x 1 1/2		D1FZ 2200-B
72	L	9 x 2	D1FZ 2001-A	
	L (disc brakes)		D1FZ 2001-B	NOTE 1
	L (exc. 73)	9 x 1 1/2		D1FZ 2200-B
	L (73)	9 x 1 3/4		D2FZ 2200-A
	-P -			
70	P (6 cyl.)	9 x 2 1/4 9 x 1 1/2	C4DZ 2001-A	C4DZ 2200-A
71	P (6 cyl.)	9 x 2 1/4	D1DZ 2001-B	
	P (6 cyl. 250) "Before 10/20/70"	10 x 2 1/4	★C7OZ 2001-B r/b D1OZ 2001-C	
	P (6 cyl. 250 & 8 cyl.) "From 10/20/70 to 5/21/71"	10 x 2 1/4	D1OZ 2001-C	
	P (6 cyl. 250 & 8 cyl.) "From 5/21/71"	10 x 2 1/4	D1OZ 2001-E	
	P (6 cyl.) "Before 4/21/71"	9 x 1 1/2		D1DZ 2200-A
	P (6 cyl.) "From 4/21/71"	9 x 1 1/2		D1DZ 2200-B
	P (6 cyl. 250 & 8 cyl.)	10 x 1 3/4		C7ZZ 2200-A
72	P (6 cyl.)	9 x 2 1/4	D1DZ 2001-B	
	P (6 cyl. 250 & 8 cyl.)	10 x 2 1/2	D1OZ 2001-B	
	P (6 cyl.)	9 x 1 1/2		D1DZ 2200-B
	P (6 cyl. 250 & 8 cyl.)	10 x 1 3/4		C7ZZ 2200-A
	-S -			
65/66	S	Disc 11 x 2 1/2	C7VY 2001-A	C3SZ 2200-B
67	S	Disc 11 x 2 1/4 11 x 2 1/4 F.R.	C6AZ 2001-B	C5AZ 2200-E C5AZ 2200-D
68	S	Disc 11 x 2 1/4 11 x 2 1/4 F.R.	C9AZ 2001-C	C5AZ 2200-E C5AZ 2200-D
69	S	Disc 11 x 2 1/4 F.R.	C9AZ 2001-C	C5AZ 2200-D

▲ F.R. - Fade Resistant optional on all models

NOTE 1 - For rear lining on vehicles with disc brakes refer to appropriate drum brake application

YEAR	MODEL RESTRICTIONS	BRAKE SIZE ▲ (INCHES)	FRONT	REAR
	2001 SHOE and LINING KIT - BRAKE - continued - For contents of kit refer to Section 20.1			
	- S -			
70/71	S	Disc 11 x 2 1/4 F.R.	D0AZ 2001-D	C5AZ 2200-D
72	S	Disc 11 x 2 1/4 F.R.	D3SZ 2001-A	C5AZ 2200-D
	- U -			
66/	U	11 x 2	C8TZ 2001-B	
	U (2780 lb. axle) " Before Ser. 872,001"	10 x 2 1/2 Wagner		C6TZ 2001-E
	U (2780 lb. axle) " From Ser. 872,001"	10 x 2 1/2 Wagner		C6TZ 2001-F
	U (3300 lb. axle)	11 x 1 3/4 Bendix		C8TZ 2200-C
	- X -			
65	X (8 cyl.)	10 x 2 1/4 10 x 1 3/4	★C7OZ 2001-B r/b D1OZ 2001-C	C7ZZ 2200-A
	X (6 cyl. -54, 62, 63)-	9 x 2 1/4 9 x 1 1/2	C4DZ 2001-A	C4DZ 2200-A
	X (6 cyl. -59, 66, 71, 76, 78)-	9 x 2 1/4	C4DZ 2001-A	C4DZ 2001-A
66	X (6 cyl. -54, 62)	9 x 2 1/4 9 x 1 1/2	C4DZ 2001-A	C4DZ 2200-A
	X (6 cyl. -66)	10 x 2 1/2 F.R. 10 x 2 F.R.	C6OZ 2001-A	C6OZ 2200-A
	X (6 cyl. -71)	10 x 2 1/4 10 x 2 F.R.	★C7OZ 2001-B r/b D1OZ 2001-C	C6OZ 2200-A
	X (8 cyl. 54, 62)	10 x 2 1/4 10 x 1 3/4	★C7OZ 2001-B r/b D1OZ 2001-C	C7ZZ 2200-A
	X (8 cyl. -66)	10 x 2 1/2 F.R.	C6OZ 2001-A	C6OZ 2001-A
	X (8 cyl. -71)	10 x 2 1/2 F.R. 10 x 2 F.R.	C6OZ 2001-A	C6OZ 2200-A
67	X (disc brakes)		C5ZZ 2001-B	(NOTE 1)
67/68	X (6 cyl. -54, 62)	9 x 2 1/4 9 x 1 1/2	C4DZ 2001-A	C4DZ 2200-A
67	X (6 cyl. -71) " Before 10/20/66"	10 x 2 1/4 10 x 2 F.R.	★C7OZ 2001-B r/b D1OZ 2001-C	C6OZ 2200-A
67/68	X (6 cyl. -71) " From 10/20/66"	10 x 2 1/2 F.R. 10 x 2 F.R.	C6OZ 2001-A	C6OZ 2200-A
	X (8 cyl. -54, 62)	10 x 2 1/4 10 x 1 3/4	★C7OZ 2001-B r/b D1OZ 2001-C	C7ZZ 2200-A
	X (8 cyl. -71)	10 x 2 1/2 F.R. 10 x 2 F.R.	C6OZ 2001-A	C6OZ 2200-A
68	X (disc brakes)		D0OZ 2001-C	(NOTE 1)
69	X (54, 62 w/6 cyl. engine)	9 x 2 1/4 9 x 1 1/2	C4DZ 2001-A	C4DZ 2200-A
	X (71)	10 x 2 1/2 F.R. 10 x 2 F.R.	C6OZ 2001-A	C6OZ 2200-A
	X (54, 62 w/8 cyl. engine)	10 x 2 1/4 10 x 2 F.R.	★C7OZ 2001-B r/b D1OZ 2001-C	C6OZ 2200-A
	X (disc brakes)		D0OZ 2001-C	(NOTE 1)
70	X (54, 62 w/6 cyl.)	9 x 2 1/4 9 x 1 1/2	C4DZ 2001-A	C4DZ 2200-A
	X (54, 62 w/8 cyl.)	10 x 2 1/4 10 x 2 F.R.	★C7OZ 2001-B r/b D1OZ 2001-C	C6OZ 2200-A
	X (71)	10 x 2 1/2 F.R. 10 x 2 F.R.	C6OZ 2001-A	C6OZ 2200-A
	X (disc brakes)		D0OZ 2001-C	(NOTE 1)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2B002 ACTUATOR ASSY. - BRAKE SKID CONTROL			
69	S		1	D0SZ 2B002-A
70	S "Before 3/16/70"		1	D0SZ 2B002-A
	S "From 3/16/70"		1	D1SZ 2B002-B
71	S		1	D1SZ 2B002-A
72	S	#D2LA 2B002-AB,AC	1	D2LY 2B002-A

▲ F.R. - Fade Resistant optional on all models # Identification Marking

NOTE 1 - For rear lining on vehicles with disc brakes refer to appropriate drum brake application

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

2004 CYLINDER REPAIR KIT - BRAKE MASTER

Refer to Group 2140 for Model Application

C1SZ 2004-A - consists of

1	C1VV	2A034-A	Seat
1	C1SS	2169-A	Piston
1	C1VV	2173-A	Cup
1	C1VV	2178-A	Valve
1	97421-S		Ring

C4AZ 2004-A - consists of

1	C3AA	2169-A	Piston
1	C2AA	2173-A	Cup
1	C4AA	2178-A	Valve
1	0A	2180	Boot
1	C1TT	7821-A	Snap ring

C4OZ 2004-A - consists of

1	C3AA	2169-B	Piston
1	C2AA	2173-A	Cup
1	C4AA	2178-A	Valve
1	C1TT	7821-A	Snap ring

C5SZ 2004-A - consists of

1	C1VV	2A034-A	Seat
1	C5SZ	2172-A	Piston
1	C5SZ	2173-A	Cup
1	C1VV	2178-A	Valve
1	97614-S		Snap ring

C5TZ 2004-A - consists of

1	C5TZ	2169-A	Piston
1	C5TZ	2173-A	Cup
1	C5TZ	2174-A	Snap ring
1	C5TZ	2178-A	Valve
1	C5TZ	2180-A	Boot

C5VY 2004-A - consists of

1	C5VY	2172-A	Piston
1	C2AA	2173-A	Cup
1	C4AA	2178-A	Valve
1	97615-S		Retainer

C6AZ 2004-A - consists of

1	C6AA	2143-A	Rod
1	C6AA	2169-A	Piston
1	C2AA	2173-A	Cup
1	C4AA	2178-A	Valve
1	0A	2180	Boot
1	C6AA	2B224-A	Retainer
1	C1TT	7821-A	Snap ring

C6ZZ 2004-A - consists of

1	C1VV	2A034-A	Seat
1	C5SZ	2173-A	Cup
1	C1VV	2178-A	Valve
1	97614-S		Retainer
1	616034		Boot
1	2226008		Piston

C7AZ 2004-B - consists of

1	C7AZ	2169-A	Piston
2	C7AA	2175-A	Valve
2	C7AA	2183-A	Spring
2	C7AA	2B220-A	Seat
1	C7AZ	2A502-A	Piston
1	C7AA	2A511-B	Stop
1	87002-S93		"O" ring
1	97614-S		Retainer
2	381752-S200		Screw

C7AZ 2004-C - consists of

1	C7AZ	2169-B	Piston
1	C7AZ	2A502-B	Piston
1	C7AA	2175-A	Valve
1	C7AA	2183-A	Spring
1	C7AA	2B220-A	Seal
1	C7AA	2A511-B	Stop
1	TAAK	7821-A	Snap ring
1	87002-S93		"O" ring

C7AZ 2004-F - consists of

1	C7AZ	2169-E	Piston
1	C7AA	2175-A	Valve
1	0A	2180	Boot
1	C7AA	2183-A	Spring
1	C7AA	2B220-A	Seat
1	C7AZ	2B224-A	Retainer
1	C7AZ	2A502-E	Piston
1	C7AA	2A511-B	Stop
1	C1TT	7821-A	Snap ring
1	87002-S93		"O" ring

C7AZ 2004-G - consists of

1	C7AA	2143-C	Rod
1	C8AA	2169-A	Piston
2	C7AA	2175-A	Valve
1	0A	2180	Boot
2	C7AA	2183-A	Spring
2	C7AA	2B220-A	Seat
1	C7AZ	2B224-A	Retainer
1	C8AA	2A502-A	Piston
1	C7AA	2A511-B	Stop
1	C1TT	7821-A	Snap ring
1	87002-S93		"O" ring

C7OZ 2004-D - consists of

1	C7OA	2143-A	Rod
1	C8AA	2169-A	Piston
2	C7AA	2175-A	Valve
1	0A	2180	Boot
2	C7AA	2183-A	Spring
2	C7AA	2B220-A	Seat
1	C7AZ	2B224-A	Retainer
1	C8AA	2A502-A	Piston
1	C7AA	2A511-B	Stop
1	C1TT	7821-A	Snap ring
1	87002-S93		"O" ring

★C7VY 2004-A - r/b D0AZ 2004-C consists of

1	C7VY	2169-A	Piston
1	C7AA	2175-A	Valve
1	C7AA	2183-A	Spring
1	C7AA	2B220-A	Seat
1	C8AZ	2A502-B	Piston
1	C8AZ	2A512-A	"O" ring
1	C1TT	7821-A	Snap ring
1	87002-S93		"O" ring
1	381752-S200		Screw

C8AZ 2004-A - consists of

1	C8AZ	2143-A	Rod
1	C8AZ	2169-A	Piston
1	C7AA	2175-A	Valve
1	0A	2180	Boot
1	C7AA	2183-A	Spring
1	C7AA	2B220-A	Seat
1	C7AA	2B224-A	Retainer
1	C8AZ	2A502-C	Piston
1	C8AZ	2A512-A	"O" ring
1	C1TT	7821-A	Snap ring
1	87002-S93		"O" ring
1	381752-S200		Screw

★C8OZ 2004-A - r/b C9OZ 2004-B consists of

1	C7OZ	2169-A	Piston
1	C7AA	2175-A	Valve
1	C7AA	2183-A	Spring
1	C7AA	2B220-A	Seat
1	C8OZ	2A502-B	Piston
1	C8AZ	2A512-A	"O" ring
1	87002-S93		"O" ring
1	97614-S		Snap ring
1	381752-S200		Screw

2004 CYLINDER REPAIR KIT - BRAKE MASTER - continued - Refer to Group 2140 for Model Application

★C8ZZ 2004-A - r/b D0AZ 2004-B consists of

1	C7ZZ	2169-B	Piston
1	C7AA	2175-A	Valve
1	C7AA	2183-A	Spring
1	C7AA	2B220-A	Seat
1	C8ZZ	2A502-B	Piston
1	C8AZ	2A512-A	"O" ring
1	C1TT	7821-A	Snap ring
1	87002-S93		"O" ring
1	381752-S200		Screw

C9AZ 2004-A - consists of

1	C9AA	2143-C	Rod
1	C9AA	2169-C	Piston
2	C9AA	2175-A	Valve
1	0A	2180	Boot
2	C7AA	2183-A	Spring
2	C9AA	2B220-A	Seat
1	C7AZ	2B224-A	Retainer
1	C9AA	2A502-C	Piston
1	D2AA	2A511-AA	Stop
1	C1TT	7821-A	Snap ring
1	87002-S93		"O" ring

★C9AZ 2004-B - r/b D0AZ 2004-C consists of

1	C9AZ	2169-D	Piston
1	C7AA	2175-A	Valve
1	C7AA	2183-A	Spring
1	C9AZ	2B220-A	Seat
1	C9AZ	2A502-D	Piston
1	C9AZ	2A511-A	Stop
1	C8AZ	2A512-A	"O" ring
1	97615-S		Ring
1	381752-S200		Screw

C9AZ 2004-C - consists of

1	C9AZ	2143-A	Pad
1	C9AZ	2169-B	Piston
1	C7AA	2175-A	Valve
1	C5TZ	2180-A	Boot
1	C7AA	2183-A	Spring
1	C9AZ	2B220-A	Seat
1	C7AZ	2B224-A	Retainer
1	C9AZ	2A502-B	Piston
1	C9AZ	2A511-A	Stop
1	C8AZ	2A512-A	"O" ring
1	97615-S		Ring
1	381752-S200		Screw

C9AZ 2004-D - consists of

1	C9AZ	2169-E	Piston
1	C7AA	2175-A	Valve
1	C7AA	2183-A	Spring
1	C9AZ	2B220-A	Seat
1	C9AZ	2A502-C	Piston
1	C9AZ	2A511-A	Stop
1	C8AZ	2A512-A	"O" ring
1	97615-S		Ring
1	381752-S200		Screw

C9OZ 2004-A - consists of

1	C9OZ	2143-B	Rod
1	C9AA	2169-C	Piston
2	C9AA	2175-A	Valve
1	0A	2180	Boot
2	C7AA	2183-A	Spring
2	C9AA	2B220-A	Seat
1	C7AZ	2B224-A	Retainer
1	C9AA	2A502-C	Piston
1	D2AA	2A511-AA	Stop
1	C1TT	7821-A	Snap ring
1	87002-S93		"O" ring

C9OZ 2004-B - consists of

1	C7OZ	2169-A	Piston
1	C7AA	2175-A	Valve
1	C7AA	2183-A	Spring
1	C9AZ	2B220-A	Seat
1	C8OZ	2A502-B	Piston
1	C9AZ	2A511-A	Stop
1	C8AZ	2A512-A	"O" ring
1	97614-S		Ring
1	381752-S200		Screw

C9ZZ 2004-A - consists of

1	C9ZZ	2169-A	Piston
1	C7AA	2175-A	Valve
1	C7AA	2183-A	Spring
1	C9AZ	2B220-A	Seat
1	C9ZZ	2A502-B	Piston
1	C9AZ	2A511-A	Stop
1	C8AZ	2A512-A	"O" ring
1	97615-S		Ring
1	381752-S200		Screw

D0AZ 2004-B - consists of

1	C8ZZ	2004-A	Kit
1	C7AA	2A511-B	Stop
1	C9AZ	2A511-A	Stop

D0AZ 2004-C - consists of

1	C9AZ	2169-D	Piston
1	C7AA	2175-A	Valve
1	C7AA	2183-A	Spring
1	C7AA	2B220-A	Seat
1	C9AZ	2A502-D	Piston
1	C9AZ	2A511-A	Stop
1	C7AA	2A511-B	Stop
1	C8AZ	2A512-A	"O" ring
1	87002-S93		"O" ring
1	97615-S		Ring
1	381752-S200		Screw

D1FZ 2004-A - consists of

1	C9AA	2143-C	Rod
1	D12A	2169-AB	Piston
2	C9AA	2175-A	Valve
1	0A	2180	Boot
2	C7AA	2183-A	Spring
2	C9AA	2B220-A	Seat
1	C7AZ	2B224-A	Retainer
1	D12A	2A502-AB	Piston
1	D2AA	2A511-AA	Stop
1	87002-S93		Ring
1	97614-S		Ring

D1FZ 2004-C - consists of

1	C0DD	2A122-A	or
	D4DA	2B220-AA	Seat
1	C9AA	2143-C	Rod
1	D12A	2169-BB	Piston
1	C9AA	2175-A	Valve
1	0A	2180	Boot
1	C7AA	2183-A	Spring
1	C9AA	2B220-A	Seat
1	C7AZ	2B224-A	Retainer
1	D12A	2A502-BA	Piston
1	D2AA	2A511-AA	Stop
1	87002-S93		Ring
1	97614-S		Ring

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

2004 CYLINDER REPAIR KIT - BRAKE MASTER - continued - Refer to Group 2140 for Model Application

D1ZZ 2004-A - consists of

1	D1ZA 2143-AA	Rod
1	C9AA 2169-C	Piston
2	C9AA 2175-A	Valve
1	0A 2180	Boot
2	C7AA 2183-A	Spring
2	C9AA 2B220-A	Seat
1	C7AZ 2B224-A	Retainer
1	C9AA 2A502-C	Piston
1	D2AA 2A511-AA	Stop
1	87002-S93	Ring
1	97615-S	Ring

D2AZ 2004-A - consists of

1	C9AA 2143-C	Rod
1	D2AA 2169-AA	Piston
1	0A 2180	Boot
2	C0DD 2A122-A	or
	D4DA 2B220-AA	Seat
1	C7AZ 2B224-A	Retainer
1	D2AA 2A502-AA	Piston
1	D2AA 2A511-AA	Stop
1	87002-S93	"O" ring
1	97615-S	Ring

D2AZ 2004-C - consists of

1	D2AZ 2169-B	Piston
2	D2AZ 2B220-A	Seat
1	D2AZ 2A502-B	Piston
1	D2AZ 2A511-A	Stop
1	97614-S	Ring
1	381752-S200	Screw

D2DZ 2004-A - consists of

1	C90A 2143-B	Rod
1	D2AA 2169-AA	Piston
1	0A 2180	Boot
2	C0DD 2A122-A	or
	D4DA 2B220-AA	Seat
1	C7AZ 2B224-A	Retainer
1	D2AA 2A502-AA	Piston
1	D2AA 2A511-AA	Stop
1	87002-S93	"O" ring
1	97615-S	Ring

D2FZ 2004-C - consists of

1	C9AA 2143-C	Rod
1	D2AA 2169-CA	Piston
1	0A 2180	Boot
2	C0DD 2A122-A	or
	D4DA 2B220-AA	Seat
1	C7AZ 2B224-A	Retainer
1	D12A 2A502-BA	Piston
1	D2AA 2A511-AA	Stop
1	87002-S93	"O" ring
1	97614-S	Ring

D2FZ 2004-E - consists of

1	C9AA 2143-C	Rod
1	D22A 2169-CB	Piston
1	0A 2180	Boot
2	C0DD 2A122-A	or
	D4DA 2B220-AA	Seat
1	C7AZ 2B224-A	Retainer
1	D22A 2A502-AA	Piston
1	D2AA 2A511-AA	Stop
1	87002-S93	"O" ring
1	97614-S	Ring

★D2OZ 2004-A - r/b D4OZ 2004-A consists of

1	C0DD 2A122-A	Seat
1	D2OA 2143-AA	Rod
1	D3AA 2169-AA	Piston
1	0A 2180	Boot
1	C7AZ 2B224-A	Retainer
1	D2OA 2A502-AD	Piston
1	D2OA 2A511-AD	Stop
1	97615-S	Ring

D2OZ 2004-B - consists of

1	C0DD 2A122-A	or
	D4DA 2B220-AA	Seat
1	D2OA 2169-AC	Piston
1	D2OA 2A502-AD	Piston
1	D2OA 2A511-AD	Stop
1	97615-S	Ring

D2ZZ 2004-A - consists of

1	D1ZA 2143-AA	Rod
1	D2AA 2169-AA	Piston
1	0A 2180	Boot
2	C0DD 2A122-A	or
	D4DA 2B220-AA	Seat
1	C7AZ 2B224-A	Retainer
1	D2AA 2A502-AA	Piston
1	D2AA 2A511-AA	Stop
1	87002-S93	"O" ring
1	97615-S	Ring

D2ZZ 2004-B - consists of

1	D2ZZ 2169-A	Piston
2	D2AZ 2B220-A	Seat
1	C9ZZ 2A502-B	Piston
1	C9AZ 2A511-A	Stop
1	C8AZ 2A512-A	"O" ring
1	97615-S	Ring
1	381752-S200	Screw

D3ZZ 2004-A - consists of

1	D3ZZ 2169-A	Piston
2	D3AZ 2B220-A	Seat
1	C8OZ 2A502-B	Piston
1	C9AZ 2A511-A	Stop
1	C8AZ 2A512-A	Seal
1	97614-S	Ring
1	381752-S200	Screw

D4OZ 2004-A - consists of

1	C0DD 2A122-A	or
	D4DA 2B220-AA	Seat
1	D2OA 2143-AA	Push rod
1	D3AA 2169-AA	Piston
1	D0UZ 2180-A	Boot
1	C7AZ 2B224-A	Retainer
1	D2OA 2A502-AD	Piston
1	D2OA 2A511-AD	Stop
1	97615-S	Ring

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2K004-5 SHIELD - FRONT DISC BRAKE ROTOR			
66	A	R.H. & L.H.	2	C7AZ 2K004-A
67	A	R.H. & L.H.	2	
68/	A (exc. P/C & New York Taxi)	R.H.	1	C9AZ 2K004-C
		L.H.	1	C9AZ 2K005-A
69/	A (P/C & New York Taxi)	R.H.	1	C9AZ 2K004-D
		L.H.	1	C9AZ 2K004-E
67	B	R.H.	1	C7OZ 2K004-B
		L.H.	1	C7OZ 2K005-B
68	B	R.H. & L.H.	2	C8OZ 2K004-A
69/71	B	R.H.	1	C9OZ 2K004-A
		L.H.	1	C9OZ 2K005-A
72	B (exc. P/C)	R.H.	1	D2SZ 2K004-A
		L.H.	1	D2SZ 2K005-A
	B (P/C)	R.H.	1	D2OZ 2K004-A
		L.H.	1	D2OZ 2K005-A
65/66	F	R.H. -not replaced	1	★C5ZZ 2K004-A
		L.H.	1	C5ZZ 2K005-A
67	F	R.H.	1	C7OZ 2K004-B
		L.H.	1	C7OZ 2K005-B
68	F	R.H. & L.H.	2	C8OZ 2K004-A
69/	F	R.H.	1	C9OZ 2K004-A
		L.H.	1	C9OZ 2K005-A
71/72	L (manual disc brakes) "Before 11/1/71"	R.H. & L.H.	2	D1FZ 2K004-A
72	L (manual disc brakes) "From 11/1/71"	R.H.	1	D2FZ 2K004-A
		L.H.	1	D2FZ 2K005-A
65/66	S "Before 3/15/66"	R.H. -r/b C5SZ 2K004-B	1	★C5SZ 2K004-A
		L.H.	1	C5SZ 2K005-A
66	S "From 3/15/66"	R.H.	1	C5SZ 2K004-B
		L.H.	1	C5SZ 2K005-B
67	S	R.H. & L.H.	2	C7AZ 2K004-A
68/71	S	R.H.	1	C9AZ 2K004-C
		L.H.	1	C9AZ 2K005-A
72	S "Before 11/1/71"	R.H.	1	D2SZ 2K004-A
		L.H.	1	D2SZ 2K005-A
	S "From 11/1/71"	R.H.	1	D2OZ 2K004-A
		L.H.	1	D2OZ 2K005-A
68	X	R.H. & L.H.	2	C8OZ 2K004-A
69/70	X	R.H.	1	C9OZ 2K004-A
		L.H.	1	C9OZ 2K005-A
72	A,B,F,S	Screw & washer (shield to spindle)-5/16"-18 x 1/2"	AR	383755-S2 (BB574CD)

YEAR	MODEL	DESCRIPTION	MFR.	QTY.	PART NUMBER
	2005 BOOSTER ASSY. - POWER BRAKE				
	- A -				
65/66	A(drum brakes) -exc. Montreal Police	Midland-Ross tag C-4201-V	B/M	1	C5AZ 2005-D
	A(disc brakes)-exc. Montreal Police	Use for 1966 only-includes linkage-less master cylinder	B	1	C6AZ 2005-A
	A(Montreal Police)	Use without dual master cylinder		1	♦CC5AA 2005-A
	A(Montreal Police)	Use with dual master cylinder		1	♦CC5AA 2005-B
67	A(exc. 71 & Montreal Police)-drum brakes	Includes linkage-less master cylinder-tagged C-4201-AP	M	1	C7AZ 2005-J
	A(71-exc. Montreal Police)-drum brakes			1	C8AZ 2005-B
	A(disc brakes)-exc. Montreal Police	Includes linkage-less master cylinder	B	1	C7AZ 2005-E
	A(disc brakes)-exc. Montreal Police	Tagged C-4278-E	M	1	C7AZ 2005-H
	A(Montreal Police)	Use without dual master cylinder		1	♦CC5AA 2005-A
	A(Montreal Police)	Use with dual master cylinder		1	♦CC5AA 2005-B
68	A (disc brakes) "Before 8/15/67"		B	1	C8AZ 2005-A
	A(71 & P/C)-disc brakes "From 8/15/67 to 6/10/68"			1	
	A(71)-disc brakes "From 6/10/68"			1	
	A(except 71 & P/C)-disc brakes "From 8/15/67"	Midland-Ross tag C-4291-E, K or M	B/M	1	C8AZ 2005-C
	A(P/C)-disc brakes "From 6/10/68"	Imprinted " Police"		1	C8AZ 2005-D
	A(drum brakes)			1	C8AZ 2005-B

B - Bendix ♦ Canada only M - Midland-Ross B/M - Bendix or Midland-Ross

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	MFR.	QTY.	PART NUMBER
	2005 BOOSTER ASSY. - POWER BRAKE - continued				
	- A -				
69	A(71)-disc brakes		B	1	C9AZ 2005-A
	A(P/C)-disc brakes	Imprinted " Police"	B	1	C9AZ 2005-C
	A(except 71 & P/C)-disc brakes		B	1	D0AZ 2005-A
	A(drum brakes)			1	
70	A(exc. 71 & P/C)-disc brakes		B	1	D0AZ 2005-A
	A(drum brakes)			1	
	A(71)-disc brakes		B	1	C9AZ 2005-A
	A(P/C)-disc brakes			1	D0AZ 2005-C
71	A (exc. P/C)-drum brakes		B	1	D0AZ 2005-A
	A (P/C)-drum brakes			1	D1AZ 2005-A
	A (exc. 71 & P/C)-disc brakes		B	1	D0AZ 2005-A
	A (71)-disc brakes		B	1	C9AZ 2005-A
	A (P/C)-disc brakes			1	D0AZ 2005-C
72	A (exc. P/C & New York Taxi)		B	1	D2AZ 2005-A
	A (P/C & New York Taxi)		B	1	D2AZ 2005-B
	- B -				
65	B	Tilted type-includes linkage-less master cylinder-tagged C-4202-A	M	1	C5OZ 2005-B
66	B(8 cyl. 390)	Includes linkage-less master cylinder-tagged C-4251-J	M	1	C6OZ 2005-A
	B(except 8 cyl. 390)	Includes linkage-less master cylinder-tagged C-4202-H	M	1	C6OZ 2005-B
67	B(disc brakes)	Tagged C-4261-N	M	1	C7OZ 2005-C
	B(drum brakes)	Tagged C-4261-M	M	1	C7OZ 2005-D
68	B(disc brakes)	Midland-Ross tagged C-4261-AJ	B/M	1	C8OZ 2005-A
	B(drum brakes)	Tagged C-4261-C	M	1	C8OZ 2005-B
69	B(disc brakes)		B	1	C9OZ 2005-A
	B (drum brakes)			1	C9OZ 2005-B
70	B(disc brakes)-exc. P/C		B	1	D0OZ 2005-A
	B(disc brakes)-P/C			1	D1OZ 2005-A
	B(drum brakes)			1	D0GY 2005-B
71	B(disc brakes)-exc. P/C		B	1	D0OZ 2005-A
	B(disc brakes)-P/C			1	D1OZ 2005-A
	B(drum brakes)			1	D0GY 2005-B
72	B(exc. 71 & P/C)-disc brakes		B	1	D2OZ 2005-B
	B(71-exc. P/C)-disc brakes		B	1	D2OZ 2005-A
	B(P/C)-disc brakes		B	1	D2OZ 2005-C
	- F -				
65	F "Before 5/24/65"	Vertical type-includes linkage-less master cylinder-r/b C5ZZ 2005-D(3-74)	B	1	★C5ZZ 2005-C
	F "From 5/24/65"	Vertical type-includes linkage-less master cylinder	B	1	C5ZZ 2005-D
66	F	Includes linkage-less master cylinder	B	1	C6ZZ 2005-A
67	F(disc brakes)	Tagged C-4262-M	M	1	C7ZZ 2005-C
	F(drum brakes)	Tagged C-4262-G	M	1	C7WY 2005-A
68	F(disc brakes)	Midland-Ross tag C-4262-AD, AF	B/M	1	C8ZZ 2005-A
	F(drum brakes)		B	1	C8WY 2005-A
69	F(except Boss 429)-disc brakes	Stamped 6586	B	1	C9ZZ 2005-A
	F(except Boss 429)-drum brakes			1	C9ZZ 2005-B
	F(Boss 429)	Use with C9ZZ 2140-B #2508790	B	1	C9ZZ 2005-C
70	F(except Boss 429)-disc brakes			1	D0ZZ 2005-A
	F(except Boss 429)-drum brakes			1	C9ZZ 2005-B
	F(Boss 429)	Use with C9ZZ 2140-B #2508790	B	1	C9ZZ 2005-C
71	F (drum brakes)		B	1	D1ZZ 2005-B
	F (disc brakes)		B	1	D1ZZ 2005-A
72	F(drum brakes)		B	1	D1ZZ 2005-B
	F(disc brakes) "Before 7/1/72"		B	1	D2ZZ 2005-A
	F(disc brakes) "From 7/1/72"		B	1	D3ZZ 2005-A
	- S -				
65/66	S "Before 3/30/66"	Tagged C-4276-AH	M	1	C6SZ 2005-E
66	S "From 3/30/66"	Includes linkage-less master cylinder-tagged C-4276-AJ	M	1	C6SZ 2005-F

B - Bendix M - Midland-Ross B/M - Bendix or Midland-Ross # Identification marking

YEAR	MODEL	DESCRIPTION	MFR.	QTY.	PART NUMBER
	2005 BOOSTER ASSY. - POWER BRAKE - continued				
	- S -				
67	S(with speed control)		B	1	C7SZ 2005-E
	S(without speed control)	Tagged C-4276-AK	M	1	C7SZ 2005-F
68	S(without speed control)		B	1	C8SZ 2005-A
	S(with speed control)		B	1	C8SZ 2005-B
69	S		B	1	C9SZ 2005-A
70/71	S			1	D0SZ 2005-B
72	S		B	1	D2SZ 2005-A
	- X -				
65	X	Includes linkage-less master cylinder	B	1	C5DZ 2005-B
66	X	Includes linkage-less master cylinder - tagged C-4202-H	M	1	C6OZ 2005-B
67	X(disc brakes)	Tagged C-4261-N	M	1	C7OZ 2005-C
	X(drum brakes)	Tagged C-4261-M	M	1	C7OZ 2005-D
68	X(disc brakes	Midland-Ross tag C-4261-AJ	B/M	1	C8OZ 2005-A
	X(drum brakes)	Tagged C-4261-C	M	1	C8OZ 2005-B
69/70	X(disc brakes)		B	1	C9OZ 2005-A
	X (drum brakes)			1	C9OZ 2005-B
		Lockwasher-5/16"		4	34806-S7(X64)
65/	A, S	Screw (booster to dash panel)-No. 14 x 5/8"		2	31498-S8(U253B)
65/	A	Locknut (to pedal bracket)-3/8"-16		4	34394-S7-8(M93A)
65/	A, B	Bolt (booster to dash panel)-3/8"-16 x 1 3/8"		4	20448-S8(B83)
		Nut-3/8"-16			33799-S7(M52)
65/	B	Bolt (to dash panel)-3/8"-16 x 1 1/8"		1	354135-S7-8
65/	F			4	(BB155A)
65/66	F	Bolt (to pedal bracket)-5/16"-24 x 1/2"		1	20311-S8(B153)
65/	A	Screw & Lockwasher (to dash panel)-3/8"-16 x 1"		2or4	43514-S8(U17)
65	B, F	Pin-self-locking (to brake pedal)		1	379897-S2(NN128)A
66	B(except 8 cyl. 390), X	Stud (to dash panel)-3/8"-16 & 3/8"-16 x 2 1/4"		4	380200-S2(WW12B)
66/68	B, X "Before 1/2/68"	Stud (to dash panel)-3/8"-16 & 3/8"-16 x 3"		4	372637-S7-8 (WW110A)
68	B, X "From 1/2/68"	Screw & washer (to dash panel)-upper holes-3/8"-16 x 2" pilot lead		2	350879-S(BB566X)
68	B, X "From 1/2/68"	Stud (to dash panel)-lower holes-3/8"-16 & 3/8"-16 x 2 7/8"		2	381694-S(WW131A)
	2K005 SHIELD - FRONT DISC BRAKE ROTOR - Refer to Group 2K004-5				
	2K006 TUBE ASSY. - FRONT DISC BRAKE CALIPER				
65/66	A, S "Before 5/2/66"	R.H. -14 1/2" developed length		1	C5SZ 2K006-B
		L.H. -14 1/4" developed length		1	C7AZ 2B126-A
66/67	A, S "From 5/2/66"	R.H. -14 1/4" developed length		1	C7AZ 2K006-A
		L.H. -14 1/4" developed length		1	C7AZ 2B126-A
65/66	F	R.H. -Make from 8C 2269-B & 2 87942-S8 Nuts		1	★C5ZA 2K006-B
65/66	F	L.H. -Make from 8C 2269-B & 2 87942-S8 Nuts		1	★C5ZA 2B126-B
67	B, F	R.H. -9 9/16" developed length		1	C7OZ 2K006-A
		L.H. -9 9/16" developed length		1	C7OZ 2B126-A
65/67	S (1966/67 A)	Clip (to housing)		2	380287-S100(GG239)

YEAR 19__	MODEL RESTRICTIONS	BRAKE SIZE ▲ (INCHES)	FRONT	REAR
	2007 LINING KIT - BRAKE SHOE - For contents of kit refer to Section 20.1			
	- A -			
65/66	A (exc. 71, P/I, Taxi) (NOTE 2)	11 x 2 1/2	★C2AZ 2007-A	
		11 x 2 1/4	r/b D1AZ 2007-A	C5AZ 2007-E
	A (71, P/I)	11 x 3 F.R.	C2AZ 2007-B	
		11 x 2 1/4 F.R.		C5AZ 2007-D
	A (disc brakes)	11 x 2 1/4 F.R.		C5AZ 2007-D
67	A (exc. 71, P/C, 8 cyl. 427 Special, Taxi) (NOTE 2)	11 x 2 1/2	★C2AZ 2007-A	
		11 x 2 1/4	r/b D1AZ 2007-A	C5AZ 2007-E
	A (71, P/C, 8 cyl. 427 Special)	11 x 3 F.R.	C2AZ 2007-B	
		11 x 2 1/4 F.R.		C5AZ 2007-D
	A (disc brakes)	11 x 2 1 /2 F.R.		C5AZ 2007-D

B - Bendix M - Midland-Ross B/M - Bendix or Midland-Ross

NOTE 2 - Taxis are equipped with Bonded Wear Resistant Linings-available in 2001 and 2200 Kits only

▲ F.R. - Fade Resistant optional on all models

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL RESTRICTIONS	BRAKE SIZE ▲ (INCHES)	FRONT	REAR
	2007 LINING KIT - BRAKE SHOE - continued - For contents of kit refer to Section 20.1			
	- A -			
68	A (exc. 71, P/C, Taxi) (NOTE 2)	11 x 2 1/2	★C2AZ 2007-A	
		11 x 2 1/4	r/b D1AZ 2007-A	C5AZ 2007-E
	A (71)	11 x 3	C8AZ 2007-A	
		11 x 2 1/4		C5AZ 2007-E
	A (P/C)	11 x 3 F.R.	C2AZ 2007-B	
		11 x 2 1/4 F.R.		C5AZ 2007-D
	A (disc brakes)	11 x 2 1/2 F.R.		C5AZ 2007-D
69	A	11 x 2 1/2	★C2AZ 2007-A	
			r/b D1AZ 2007-A	
	A (w/manual-adjusters & all locking axles w/self-adjusters)	11 x 3 F.R.	C2AZ 2007-B	
	A (w/self-adjusters except P/C, Taxi and locking axles)	11 x 3	C8AZ 2007-A	
	A (P/C w/disc brakes)	11 x 2 1/4		C9AZ 2007-A
	A (exc. P/C, Taxi, locking axles, disc brakes)	11 x 2 1/4		C5AZ 2007-E
	A (w/disc brakes & P/C w/drum brakes & all w/locking axles	11 x 2 1/4 F.R.		C5AZ 2007-D
70	A	11 x 2 1/2	★C2AZ 2007-A	
			r/b D1AZ 2007-A	
	A (w/manual-adjusters & all locking axles)	11 x 3 F.R.	C2AZ 2007-B	
	A (w/self adjusters exc. locking axles)	11 x 3	C8AZ 2007-A	
	A (P/C w/disc brakes)	11 x 2 1/4		C9AZ 2007-A
	A (exc. disc brakes, P/C, locking axles)	11 x 2 1/4		C5AZ 2007-E
	A (w/disc brakes & P/C w/drum brakes & all w/locking axles)	11 x 2 1/4		C5AZ 2007-D
	A	11 x 2 1/2	D1AZ 2007-A	
	A (exc. Taxi with H/D brakes) "Before 11/9/70"	11 x 3	C8AZ 2007-A	
	A (exc. Taxi with H/D brakes) "From 11/9/70"	11 x 3	D1AZ 2007-B	
	A (Taxi with H/D brakes)	11 x 3 W.R.	C2AZ 2007-B	
	A (exc. P/C with H/D disc brakes)	11 x 2 1/4		C5AZ 2007-E
	A (exc. P/C with H/D disc brakes)	11 x 2 1/4 F. R.		C5AZ 2007-D
	A (P/C with H/D disc brakes)	11 x 2 1/4		C9AZ 2007-A
	- B -			
65	B (except 71, P/C, Taxi) (NOTE 2)	10 x 2 1/4	D1OZ 2007-B	
		10 x 1 3/4		C7ZZ 2007-A
	B (71)	10 x 2 1/2	D1OZ 2007-A	D1OZ 2007-A
	B (P/C)	10 x 2 1/2	D1OZ 2007-A	
		10 x 2 F.R.		C6OZ 2007-A
66	B (54, 62 except 8 cyl. 390, P/C, Taxi) (NOTE 2)	10 x 2 1/4	D1OZ 2007-B	
		10 x 1 3/4		C7ZZ 2007-A
	B (54, 62-8 cyl. 390, 71-exc. 8 cyl. 390, P/C, 63, 76)-	10 x 2 1/2	D1OZ 2007-A	
		10 x 2 F.R.		C6OZ 2007-A
	B (71-8 cyl. 390)	10 x 2 1/2	D1OZ 2007-A	D1OZ 2007-A
67/68	B (exc. 71, P/C, 8 cyl. 390, 427, 428CJ, Taxi) (NOTE 2)	10 x 2 1/4	D1OZ 2007-B	
		10 x 1 3/4		C7ZZ 2007-A
	B (exc. 71)-8 cyl. 390 B(71)-exc. 8 cyl. 390, 427, 428 B(P/C)	10 x 2 1/2	D1OZ 2007-A	
		10 x 2 F.R.		C6OZ 2007-A
	B(exc. 71)-8 cyl. 428 B(66) B(71)-8 cyl. 390, 427, 428	10 x 2 1/2	D1OZ 2007-A	D1OZ 2007-A
69	B (54, 63, 65 w/6 cyl. 250, 8 cyl. 302 engine)	10 x 2 1/4	D1OZ 2007-B	
	B (exc. 54, 63, 65 w/6 cyl. 250, 8 cyl. 302 engine)	10 x 2 1/2	D1OZ 2007-A	
	B (exc. 66, 71, w/8 cyl. 351, 390 engine)	10 x 2 F.R.		C6OZ 2007-A
	B (66, 71 w/8 cyl. 351, 390 engine)	10 x 2 1/2		D1OZ 2007-A
	B (8 cyl. 351) B (54, 57, 63, 65 w/8 cyl. 429) B (66, 71, 76 w/6 cyl., 8 cyl. 302)	10 x 2 1/2	D1OZ 2007-A	
	B (exc. 66, 71) B (66, 71 w/6 cyl., 8 cyl. 302)	10 x 2 F.R.		C6OZ 2007-A
	B (66, 71 w/8 cyl. 351, 429)	10 x 2 1/2		D1OZ 2007-A

▲ F.R. - Fade Resistant optional on all models W.R. - Wear resistant

NOTE 2 - Taxis are equipped with Bonded Wear Resistant Linings-available in 2001 and 2200 Kits Only

YEAR	MODEL RESTRICTIONS	BRAKE SIZE ▲ (INCHES)	FRONT	REAR
	2007 LINING KIT - BRAKE SHOE - continued - For contents of kit refer to Section 20.1			
	- B -			
70/71	B(54,57,62,63,65)-6cyl.&8cyl.302	10 x 2 1/4	D1OZ 2007-B	
	B (54,57,62,63,65)-8 cyl. 351,429 B (66,71,76)	10 x 2 1/2	D1OZ 2007-A	
	B (54,57,63,65,76) B (66, 71)-6 cyl. & 8 cyl. 302	10 x 2 F.R.		C6OZ 2007-A
	B (66,71)-8 cyl. 351, 429	10 x 2 1/2		D1OZ 2007-A
72	B (53,63,65) - exc. P/C	10 x 2 F.R.		C6OZ 2007-A
	B (53,65)-P/C	11 x 2 1/4 F.R.		C5AZ 2007-D
	B (71,97)-6 cyl. & 8 cyl. 302	10 x 2 F.R.		C6OZ 2007-A
	B (71,97)-8 cyl. 351,400,429	10 x 2 1/2		D1OZ 2007-A
	- F -			
65/66	F (6 cyl. except 76)	9 x 2 1/4 9 x 1 1/2	C3DZ 2007-A	C3DZ 2007-B
	F (6 cyl. -76)	9 x 2 1/4	C3DZ 2007-A	C3DZ 2007-A
	F (8 cyl.)	10 x 2 1/4 10 x 1 3/4	D1OZ 2007-B	C3OZ 2007-B
67/68	F (6 cyl.)	9 x 2 1/4 9 x 1 1/2	C3DZ 2007-A	C3DZ 2007-B
	F (8 cyl. 289,302)	10 x 2 1/4 10 x 1 3/4	D1OZ 2007-B	C7ZZ 2007-A
	F (8 cyl. 390)	10 x 2 1/2 10 x 1 3/4	D1OZ 2007-A	C7ZZ 2007-A
68	F (8cyl. 427)	10 x 2 1/2 10 x 2 F. R.	D1OZ 2007-A	C6OZ 2007-A
	F (8 cyl.428CJ)	10 x 2 1/2	D1OZ 2007-A	D1OZ 2007-A
69	F (6 cyl. 200)	9 x 2 1/4 9 x 1 1/2	C3DZ 2007-A	C3DZ 2007-B
	F (6 cyl. 250, 8 cyl. 302)	10 x 2 1/4 10 x 1 3/4	D1OZ 2007-B	C7ZZ 2007-A
	F (8 cyl. 351, 390)	10 x 2 1/2 10 x 2 F.R.	D1OZ 2007-A	C6OZ 2007-A
	F (8 cyl. 428CJ)	10 x 2 1/2	D1OZ 2007-A	D1OZ 2007-A
70	F (6 cyl. 200)	9 x 2 1/4 9 x 2 1/2	C3DZ 2007-A	C3DZ 2007-B
	F (6 cyl. 250, 8 cyl. 302)	10 x 2 1/4 10 x 1 3/4	D1OZ 2007-B	C7ZZ 2007-A
	F (8 cyl. 351, 428)	10 x 2 1/2 10 x 2 F.R.	D1OZ 2007-A	C6OZ 2007-A
71	F (6 cyl. & 8 cyl. 302)	10 x 2 1/4	D1OZ 2007-B	
	F (8 cyl. 351, 429)	10 x 2 1/2	D1OZ 2007-A	
	F (6 cyl. & 8 cyl. 302-2/B)	10 x 1 3/4		C7ZZ 2007-A
	F (Boss 302, 8 cyl. 351, 429)	10 x 2 F. R.		C6OZ 2007-A
72	F	10 x 2 1/2	D1OZ 2007-A	
	F (6 cyl. & 8 cyl. 302)	10 x 1 3/4		C7ZZ 2007-A
	F (8 cyl. 351,429)	10 x 2 F.R.		C6OZ 2007-A
	- L -			
71	L	9 x 2	D1FZ 2007-A	
	L "Before 4/21/71"	9 x 1 1/2		★D1FZ 2007-B r/b D1FZ 2007-C(3-74)
	L "From 4/21/71"	9 x 1 1/2		D1FZ 2007-C
72	L	9 x 2	D1FZ 2007-A	
	L (exc. 73)	9 x 1 1/2		D1FZ 2007-C
	L (73)	9 x 1 3/4		D2FZ 2007-A
	- P -			
70	P (6 cyl.)	9 x 2 1/4 9 x 1 1/2	C3DZ 2007-A	C3DZ 2007-B
71	P (6 cyl.)	9 x 2 1/4	D1DZ 2007-A	
	P (6 cyl.) "Before 4/21/71"	9 x 1 1/2		D1DZ 2007-B
	P (6 cyl.) "From 4/21/71"	9 x 1 1/2		D1DZ 2007-C
	P (6 cyl. 250 & 8 cyl.)	10 x 2 1/4	D1OZ 2007-B	
	P (6 cyl. 250 & 8 cyl.)	10 x 1 3/4		C7ZZ 2007-A
72	P (6 cyl.)	9 x 2 1/4	D1DZ 2007-A	
	P (6 cyl.)	9 x 1 1/2		D1DZ 2007-C
	P (6 cyl. 250 & 8 cyl.)	10 x 2 1/2	D1OZ 2007-A	
	P (6 cyl. 250 & 8 cyl.)	10 x 1 3/4		C7ZZ 2007-A

▲ F.R. - Fade Resistant optional on all models

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL RESTRICTIONS	BRAKE SIZE ▲ (INCHES)	FRONT	REAR
	2007 LINING KIT - BRAKE SHOE - continued - For contents of kit refer to Section 20.1			
	- S -			
65/66	S	11 x 2 1/2	(NOTE 3)	C3SZ 2007-D
67/68	S	11 x 2 1/4	(NOTE 3)	C5AZ 2007-E
		11 x 2 1/4 F.R.		C5AZ 2007-D
69/	S	11 x 2 1/4 F.R.	(NOTE 3)	C5AZ 2007-D
	- U -			
66/67	U	11 x 2 Bendix	C8TZ 2007-D	
66	U (2780 lb.axle) "Before Ser. 872,001"	10 x 2 1/2 Wagner		C6TZ 2007-U
66/67	U (2780 lb.axle) "From Ser. 872,001"	10 x 2 1/2 Wagner		C6TZ 2007-L
66/67	U (2780 lb.axle) "From Ser. 872,001"	10 x 2 1/2 Marshall		C6TZ 2007-U
66/67	U (3300 lb.axle)	11 x 1 3/4 Bendix		C8TZ 2007-E
68/71	U	11 x 2 Bendix	C8TZ 2007-D	
	U (2780 lb.axle)	10 x 2 1/2 Wagner		C6TZ 2007-L
	U (2780 lb.axle)	10 x 2 1/2 Marshall		C6TZ 2007-U
	U (3300 lb.axle)	11 x 1 3/4 Bendix		C8TZ 2007-E
72	U	11 x 2 Bendix	C8TZ 2007-D	
	U (2780 lb.axle)	10 x 2 1/2 Wagner		D1UZ 2007-A
	U (3300 lb.axle)	11 x 1 3/4 Bendix		C8TZ 2007-E
	-X -			
65	X (6 cyl.-54, 58, 62, 63, 64)	9 x 2 1/4	C3DZ 2007-A	
		9 x 1 1/2		C3DZ 2007-B
	X (6 cyl.-59, 66, 71, 76, 78)	9 x 2 1/4	C3DZ 2007-A	C3DZ 2007-A
	X (8 cyl.)	10 x 2 1/4	D1OZ 2007-B	
		10 x 1 3/4		C7ZZ 2007-A
66	X (6 cyl.-54, 62)	9 x 2 1/4	C3DZ 2007-A	
		9 x 1 1/2		C3DZ 2007-B
	X (6 cyl.-66)	10 x 2 1/2	D1OZ 2007-A	
		10 x 2 F.R.		C6OZ 2007-A
	X (6 cyl.-71)	10 x 2 1/4	D1OZ 2007-B	
		10 x 2 F.R.		C6OZ 2007-A
	X (8 cvl.-54, 62)	10 x 2 1/4	D1OZ 2007-B	
		10 x 1 3/4		C7ZZ 2007-A
	X (8 cyl.-66)	10 x 2 1/2	D1OZ 2007-A	D1OZ 2007-A
	X (8 cyl.-71)	10 x 2 1/2	D1OZ 2007-A	
		10 x 2 F.R.		C6OZ 2007-A
	- X -			
67	X (6 cyl.-71) "Before 10/20/66"	10 x 2 1/4	D1OZ 2007-B	
		10 x 2 F.R.		C6OZ 2007-A
67/68	X (6 cyl.-54, 62)	9 x 2 1/4	C3DZ 2007-A	
		9 x 1 1/2		C3DZ 2007-B
	X (8 cyl.-54, 62)	10 x 2 1/4	D1OZ 2007-B	
		10 x 1 3/4		C7ZZ 2007-A
	X (6 cyl.-71) "From 10/20/66"	10 x 2 1/2	D1OZ 2007-A	
		10 x 2 F.R.		C6OZ 2007-A
	X (8 cyl.-71)	10 x 2 1/2	D1OZ 2007-A	
		10 x 2 F.R.		C6OZ 2007-A
69/70	X (54, 62 w/6 cyl. engine)	9 x 2 1/4	C3DZ 2007-A	
		9 x 1 1/2		C3DZ 2007-B
	X (54, 62 w/8 cyl. engine)	10 x 2 1/4	D1OZ 2007-B	
		10 x 2 F.R.		C6OZ 2007-A
	X (71)	10 x 2 1/2	D1OZ 2007-A	
		10 x 2 F.R.		C6OZ 2007-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2012-3 PLATE - FRONT BRAKE BACKING			
	- A -			
65/	A(Taxi)-11" x 3" bonded W.R. brakes	R.H. & L.H.	2	C3AZ 2012-C
65/	A(11" x 2 1/2" brakes)	R.H.	1	C5AZ 2012-A
		L.H.	1	C5AZ 2013-A
65/	A(11" x 3" self-adjusting brakes)	R.H.	1	C5AZ 2012-B
65/	A(11" x 3" manual-adjusting brakes)	R.H. & L.H.	2	
65/	A(11" x 3" self-adjusting brakes)	L.H.	1	C5AZ 2013-B

▲ F.R. - Fade Resistant optional on all models

NOTE 3 - 1965/ Thunderbird equipped with Front Wheel Disc Brakes as Standard Equipment-available in 2001 Kits Only

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	2012-3 PLATE - FRONT BRAKE BACKING - continued				
		- B -			
65/67	B(Taxi)-bonded wear resistant brakes		R.H. & L.H.	2	C3OZ 2013-A
65/69	B (10" x 2 1/4" brakes)	"Before 8/12/68"	R.H.	1	C3OZ 2012-B
			L.H.	1	C3OZ 2013-B
69/71	B (10" x 2 1/4" brakes)	"From 8/12/68"	R.H.	1	C9OZ 2012-B
			L.H.	1	C9OZ 2013-A
65/69	B (10" x 2 1/2" brakes)	"Before 8/12/68"	R.H.	1	C9OZ 2012-A
			L.H.	1	C3OZ 2013-C
69/71	B (10" x 2 1/2" brakes)	"From 8/12/68"	R.H.	1	C9OZ 2012-A
			L.H.	1	C9OZ 2013-B
		- F -			
65	F(9" x 2 1/4" brakes)	" Before 8/17/64"	R.H. -not replaced	1	★C4DZ 2012-B
		" Before 8/17/64"	L.H.	1	C5DZ 2013-B
65/66	F(9" x 2 1/4" brakes)	" From 8/17/64"	R.H.	1	C5DZ 2012-B
			L.H.	1	C5DZ 2013-B
67/70	F(9" x 2 1/4" brakes)		R.H.	1	C6DZ 2012-A
			L.H.	1	C6DZ 2013-A
65/69	F(10" x 2 1/4" brakes)	"Before 8/12/68"	R.H.	1	C3OZ 2012-B
			L.H.	1	C3OZ 2013-B
69/71	F(10" x 2 1/4" brakes)	"From 8/12/68"	R.H.	1	C9OZ 2012-B
			L.H.	1	C9OZ 2013-A
65/69	F(10" x 2 1/2" brakes)	"Before 8/12/68"	R.H.	1	C9OZ 2012-A
			L.H.	1	C3OZ 2013-C
69/	F(10" x 2 1/2" brakes)	"From 8/12/68"	R.H.	1	C9OZ 2012-A
			L.H.	1	C9OZ 2013-B
		- L -			
71/	L(9" x 2" brakes)		R.H.	1	D1FZ 2012-A
			L.H.	1	D1FZ 2013-A
		- P -			
70	P(6 cyl.)-9" x 2 1/4" brakes		R.H.	1	C6DZ 2012-A
			L.H.	1	C6DZ 2013-A
71	P(6 cyl.)-9" x 2 1/4" brakes		R.H.	1	C6DZ 2012-A
			L.H.	1	C6DZ 2013-A
	P(6 cyl. 250 & 8 cyl.)-10" x 2 1/4" brakes		R.H.	1	C9OZ 2012-B
			L.H.	1	C9OZ 2013-A
72	P(6 cyl.)-9" x 2 1/4" brakes		R.H.	1	C6DZ 2012-A
			L.H.	1	C6DZ 2013-A
	P(6 cyl. 250 & 8 cyl.)-10" x 2 1/2" brakes		R.H.	1	C9OZ 2012-A
			L.H.	1	C9OZ 2013-B
		- U -			
66	U		R.H. & L.H. -11" x 2"	2	C6TZ 2012-B
67/	U		R.H.	1	
67/	U		L.H. -11" x 2"	1	C7TZ 2013-C
		- X -			
65	X(9" x 2 1/4" brakes)		R.H.	1	C5DZ 2012-B
			L.H.	1	C5DZ 2013-B
66/70	X (9" x 2 1/4" brakes)		R.H.	1	C6DZ 2012-A
			L.H.	1	C6DZ 2013-A
65/69	X(10" x 2 1/4" brakes)	"Before 8/12/68"	R.H.	1	C3OZ 2012-B
			L.H.	1	C3OZ 2013-B
69/70	X(10" x 2 1/4" brakes)	"From 8/12/68"	R.H.	1	C9OZ 2012-B
			L.H.	1	C9OZ 2013-A
65/69	X(10" x 2 1/2" brakes)	"Before 8/12/68"	R.H.	1	C9OZ 2012-A
			L.H.	1	C3OZ 2013-C
69/70	X(10" x 2 1/2" brakes)	"From 8/12/68"	R.H.	1	C9OZ 2012-A
			L.H.	1	C9OZ 2013-B
65/70	B,P		Bolt (plate to spindle)-3/8"-24 x 1 3/8"-"T" hd.	6	375748-S(BB807EA)
65/70	X (10" X 2 1/4" brakes)			6	
65/70	F (8 cyl.)-10" x 2 1/4" brakes			6	
71	B,F,L,P (drum brakes)		Bolt (plate to spindle)-3/8"-16 x 1 3/16" "T" hd.	6	384552-S100 (BB818A)
65/70	B,P		Bolt (plate to spindle)-3/8"-24 x 2 3/16"-"T" head	2	375381-S(BB807D)
65/70	X (10" x 2 1/4" brakes)			2	
65/70	F (8 cyl.)-10" x 2 1/4" brakes			2	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2012-3 PLATE - FRONT BRAKE BACKING - continued			
71	B,F,L,P (drum brakes)	Bolt (plate to spindle)-3/8"-16 x 2 3/16"-"T" hd.	2	384553-S100 (BB818B)
65/	B,F,X	Locknut-3/8" -24	8	382832-S (MM169JF)
65/	S	Locknut-3/8"-24	4	34445-S8(M80)
65/68	A	Bolt (plate to spindle)-lower-3/8"-24 x 1 1/8"	2	373186-S(BB376)
66/68	A	Bolt (plate to spindle)-lower-3/8"-24 x 1 3/4"	2	373187-S(BB380)
69	A	Bolt (plate to spindle)-3/8" -16 x 1 1/8"	2	382630-S100 (BB390DF)
69	A	Bolt (plate to spindle)-3/8" -16 x 1 13/16"	2	382631-S100 (BB390DK)
69	A	Locknut (plate to spindle)-3/8" -16	4	382834-S100 (MM170B)
65/70 65	X F (6 cyl.)	Bolt (plate to spindle)-3/8"-24 x 1"-special head	6 6	378493-S(BB709)
65/70 65/	X F (6 cyl.)	Bolt (plate to spindle)-3/8"-24 x 1 53/64"-special head	2 2	378494-S(BB800)
65/	A (except 57C,63C,65B,76B)-wear resistant brakes	Bolt (plate to spindle)-lower-3/8"-24 x 1 1/8"-hex. washer head	2	377762-S (BB390W)
65/	A (except 57C,63C,65B,76B)-wear resistant brakes	Bolt (plate to spindle)-lower-3/8"-24 x 1 3/4"-hex. washer head	2	377763-S (BB390X)
		Nut-3/8" -24		382832-S (MM169JF)
		Lockwasher - 3/8"		357629-S7(XX303)
65/	A	Bolt (plate to spindle)-upper-9/16"-18 x 2"	2	359788-S(BB265)
		Lockwasher-9/16"		34810-S (X-69)
67	A(except New York Taxicab)	Bolt (to spindle)-7/16"-14 x 1 25/64"-"T" head	6	380955-S (BB871BF)
67	A(except New York Taxicab)	Bolt (to spindle)-7/16"-14 x 1 27/32"-"T" head	2	380956-S (BB817BG)
68	A	Bolt (to spindle)-3/8"-16 x 1 1/8"	2	382630-S100 (BB390DF)
68	A	Bolt (to spindle)-3/8"-16 x 1 7/8"	2	382631-S100 (BB390-DK)
68 68 68	B F,X(8 cyl.) F,X(6 cyl.)	Bolt (to spindle)-3/8"-16 x 1 3/16"-"T" head	6 6 4	382312-S2 (BB817BD)
		Locknut-1/2"-20	4	34449-S7-8(M85)
68 72	A F,L,P	Nut (to spindle)-3/8"-16	2 8	382834-S100 (MM170B)
	2B014 ADAPTER - POWER BRAKE BOOSTER PUSH ROD			
65/67	B(Midland-Ross)		1	C3TZ 2B014-A
	2B014 BUSHING - POWER BRAKE BOOSTER PISTON GUIDE			
65/67 65/66	A B,X(except 8 cyl. 390)	2 1/2" O.D.	1 1	C5AZ 2B014-A
66 67 67	B(8 cyl. 390) B,F,X S(without speed control)	1 5/8" O.D.	1 1 1	C6OZ 2B014-A
66 67 67	B(8 cyl. 390) B,F,X S(without speed control)	2 3/32" O.D.	1 1 1	C6OZ 2B014-B
	2A016 LEVER and BUSHING - POWER BRAKE BOOSTER			
65	S	Not replaced	1	★C5SZ 2A016-A
		Locknut (lever to bracket)-3/8"-24	1	34370-S8(M99)
66 67	A(disc brakes) S(with speed control)	"T" on lever	1 1	C6AZ 2A016-A
67	A(71)-drum brakes "Before 9/1/66"		1	C7AZ 2A016-A
67	A(71)-drum brakes "From 9/1/66"		1	C7AZ 2A016-B
	2018 PAD - FRONT DISC BRAKE			
65/66	F(GT 350)	Repl. by C5ZZ 2001-B	4	★S2MR 2018-A
	2018-9 BRAKE SHOE and LINING ASSY. - FRONT - Serviced in 2001 kits			

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2A020 PIN - POWER BRAKE BOOSTER LEVER PIVOT			
65	A	2 19/64" long -not replaced	1	★C5AZ 2A020-A
65	A	1 13/64" long	2	C5AZ 2A020-B
65	S	3/8"-24 x 3"-with Bendix boosters	1	B9MM 2A020-B
67	A(S/W)-drum brakes		1	
67	S(with speed control)		1	
66	S(with speed control & deluxe steering column)	1/2" O.D. -29/32" long-not replaced	1	★C6SZ 2A020-A
66	S(with speed control & deluxe steering column)	9/16" O.D. -59/64" long-not replaced	1	★C6SZ 2A020-B
	2021-2 LINING - FRONT BRAKE SHOE - Serviced in 2007 kits			
	2A021 GUARD - POWER BRAKE MASTER CYLINDER PUSH ROD			
65/66	A (drum brakes)	2 3/8" long-with Bendix & Midland-Ross boosters	1	C0AA 2A021-A
66/71	B, X	- Also serviced in 2309 kit	1	
66	A(disc brakes)-Bendix	2 1/2" long -not replaced	1	★C6AZ 2A021-A
65	S	2.02" long -not replaced	1	★C5SZ 2A021-A
66	S	2 1/2" long-for C6SZ 2005-C & F boosters	1	C6SZ 2A021-A
67	A(except S/W)-drum brakes	For C7AZ 2005-B booster-Also serviced in 2309 kit	1	
	2B022 GASKET - POWER BRAKE BOOSTER MOUNTING BRACKET			
69	B, X		1	C9OZ 2B022-A
71	B		1	
69/71	F		1	C9ZZ 2B022-A
	2026 GASKET - FRONT BRAKE GREASE BAFFLE - Refer to Group 1193			
	2027 PIN - FRONT BRAKE SHOE ANCHOR			
65/	A (11" x 2 1/2" brakes)	5/16"-16 x 2 5/8"	2	C2AZ 2027-D
65/	A (11" x 3" brakes)-except Taxi	15/16"-16 x 2 7/8"	2	C2AZ 2027-E
65/	A (Taxi)-11" x 3"bonded Ware Resistant brakes	15/16"-16 x 2 15/16"	2	C3AZ 2027-A
65/	A	Nut (front anchor pin)-15/16"-16	2	359398-S(MM126)
		Lockwasher-61/64"		358771-S(XX340)
65/	A	Nut (rear anchor pin)-5/8"-18	2	33850-S8(M72)
		Lockwasher-5/8"		34811-S2(X71)
	2028 PLATE - BRAKE SHOE ANCHOR PIN GUIDE			
65/	A	Front & rear	4	C0MM 2028-A
65/	S	Rear	2	
71	B, F	Front & rear	4	
71	P (6 cyl. 250 & 8 cyl.)-10" brakes	Front & rear	4	
72	B	Rear	2	C4UZ 2028-A
65/70	F(9" x 1 1/2" brakes)	Rear	2	
72	F	Front & rear	4	
71	L(9" x 1 1/2" brakes)	Rear	2	
70	P	Front & rear	4	
71	P(6 cyl.)-9" brakes	Rear	2	
72	P	Front & rear	4	
66	U "Before Ser. 872, 001"	Rear	2	
66/	U	Front	2	
65/70	X(9" x 1 1/2" brakes)	Rear	2	
66/	U "From Ser. 872, 001"	Rear brake	2	C6TZ 2028-B
	2031-2 BRACKET - POWER BRAKE BOOSTER MOUNTING			
67	A(S/W)-with Power Drum Brakes	R.H.	1	C7AZ 2032-A
67	A (with Power Disc Brakes)		1	
		L.H.	1	C7AZ 2031-A
65/67	B(drum brakes)	R.H.-Midland-Ross	1	C4OZ 2031-A
		L.H.-Midland-Ross	1	C4OZ 2032-A
69	B, X(Power Disc Brakes)	R.H.	1	C9OZ 2031-A
		L.H.	1	C9OZ 2032-A
70	B (Power Disc Brakes)	R.H.	1	D0OZ 2031-A
		L.H.	1	D0OZ 2032-A
65	S	R.H. -not replaced	1	★C5SZ 2031-A
		L.H. -not replaced	1	★C5SZ 2032-A
67	S	Kit-consists of (1) R.H. Bracket (1) L.H. Bracket	1	C7SZ 2031-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2035-6 SPRING - BRAKE SHOE RETRACTING			
	- A -			
65	A(self-adjusting brakes)	Front & rear-primary-4 7/16"long-Brown	4	B5A 2035-A
66/	A(self-adjusting brakes)	Front-primary	2	
65/	A(11" x 3" brakes)	Front-lower-shoe to shoe-7 13/16" long-(7) 5/8" dia. coils at each end-Red	2	C3AZ 2035-A
65/69	A(manual adjusting brakes)	Front & rear-4 1/2" long-(17 1/2) 3/4" dia. coils-Red	8	C3SZ 2035-A
66/69	A(self-adjusting brakes)-except P/C	Rear-primary	2	
70/	A(exc. P/C)	Front & rear	4	
69	A(self-adjusting brakes)-P/C	Rear-primary-2 15/16"long-Red	2	C0MM 2036-A
70/	A(P/C)	Rear-primary	2	
65/	A(self-adjusting brakes)	Front & rear-secondary-4 19/32" long-Black	4	C0MM 2035-A
69/	A(P/C)	Rear-secondary	2	
	- B -			
65/71	B(10" brakes)	Front & rear-primary-4 9/64" long-(12 1/2) 9/16" dia. coils & (4) 23/32" dia. coils-Green	4	C2OZ 2035-C
65/67	B(Taxi)	Front & rear-secondary	4	
65/69	B(except Taxi)	Front & rear-secondary-4 1/64" long-(18 1/2) 35/64" dia. coils-Yellow	4	C2OZ 2035-A
70/71	B(drum brakes)	Front & rear-secondary	4	
72	B(drum brakes)	Rear-secondary	2	
65/70	B	Front-lower-shoe to shoe-6 13/16" long-(6 1/4) 5/8" dia. coils at each end-Blue	2	C2OZ 2035-D
72	B(drum brakes)	Rear-primary-(13 3/4)coils-Brown	2	D2OZ 2035-A
	- F -			
65/70	F(9" brakes)	Front-3 33/64" long-(11 1/2) 11/16" dia. coils-Black	4	C3DZ 2035-A
	F(9" brakes)	Rear-3 33/64" long-(12 1/2) 39/64" dia. coils-Blue	4	C3DZ 2296-A
	F(10" brakes)	Front & rear-primary-4 9/64" long-(12 1/2)-9/16" dia. coils & (4) 23/32" dia. coils-Green	4	C2OZ 2035-C
	F(10" brakes)	Front & rear-secondary-4 1/64" long-(18 1/2)-35/64" dia. coils-Yellow	4	C2OZ 2035-A
	F	Front-lower-shoe to shoe-6 13/16" long-(6 1/4)-5/8" dia. coils at each end-Blue	2	C2OZ 2035-D
70	F(10" brakes)	Front & rear-primary-4 9/64" long-(12 1/2) 9/16" dia. coils & (4) 23/32" dia. coils-Green	4	C2OZ 2035-C
	F(10" brakes)	Front & rear-secondary-4 1/64" long-(18 1/2) 35/64" dia. coils-Yellow	4	C2OZ 2035-A
	F	Front-lower-shoe to shoe-6 13/16" long-(6 1/4) 5/8" dia. coils at each end-Blue	2	C2OZ 2035-D
71	F(drum brakes)	Front & rear-primary-4 9/64" long-(12 1/2) 9/16" dia. coils & (4) 23/32" dia. coils-Green	4	C2OZ 2035-C
	F(drum brakes)	Front & rear-secondary-4 1/64" long-(18 1/2) 35/64" dia. coils-Yellow	4	C2OZ 2035-A
72	F(drum brakes)	Front & rear-primary-(13 3/4)coils-Brown	4	D2OZ 2035-A
	F(drum brakes)	Front & rear-secondary-4 1/64" long-(18 1/2) 35/64" dia. coils-Yellow	4	C2OZ 2035-A
	- L -			
71/	L(9" x 2" brakes)	Front-primary-4 3/16" long (12 1/2)-39/64" dia. coils-Blue	2	D1FZ 2296-C
	L(9" x 2" brakes)	Front-secondary-4 3/16" long (11 1/2)-39/64" dia. coils-Green	2	D1FZ 2296-B
	L(9" x 1 1/2",9" x 1 3/4" brakes)	Rear-primary	2	
	L(9" x 1 1/2",9" x 1 3/4" brakes)	Rear-secondary-4 3/16" long (12 1/2) 35/64" dia. coils-White	2	D1FZ 2296-A
	- P -			
70/	P(6 cyl.)-9" brakes	Front-3 33/64" long-(11 1/2) 11/16" dia. coils-Black	4	C3DZ 2035-A
	P(6 cyl.)-9" brakes	Rear-3 33/64" long-(12 1/2) 39/64" dia. coils - Blue	4	C3DZ 2296-A
71	P(6 cyl.250 & 8 cyl.)-10" brakes	Front & rear-primary-4 9/64" long (12 1/2)-9/16" dia. coils & (4) 23/32" dia. coils-Green	4	C2OZ 2035-C
	P(6 cyl.250 & 8 cyl.)-10" brakes	Front & rear-secondary-4 1/64" long (18 1/2)-35/64" dia.coils-Yellow	4	C2OZ 2035-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2035-6 SPRING - BRAKE SHOE RETRACTING - continued			
	- P -			
71	P(8 cyl.)-10" brakes	Front-lower-shoe to shoe-6 13/16" long-(6 1/4) 5/8" dia. coils at each end-Blue	2	C2OZ 2035-D
72	P(6 cyl. 250 & 8cyl.)-10" brakes	Front & rear-primary-(13 3/4)coils-Brown	4	D2OZ 2035-A
	P(6 cyl. 250 & 8cyl.)-10" brakes	Front & rear-secondary-4 1/64" long-(18 1/2)-35/64" dia. coils-Yellow	4	C2OZ 2035-A
	- S -			
65/66	S	Rear-4 31/64"long-(16 1/2) 3/4"dia. coils-Yellow	4	C3SZ 2296-A
67/	S	Rear-secondary	2	C0MM 2035-A
67/70	S	Rear-primary-4 9/16"long-(17 1/2) 5/8"dia. coils-Red	2	C3SZ 2035-A
71/	S	Rear primary-2 15/16" long-Red	2	C0MM 2036-A
	- U -			
66/	U	Front-lower-shoe to shoe	2	C3AZ 2035-A
66/	U(10" brakes)	Rear-primary-2 7/16" long-(13 3/4) 43/64" dia. coils-Silver	2	C4UZ 2035-B
66	U(10" Bendix brakes)	Rear-secondary	2	C2OZ 2035-C
66	U(10" Wagner brakes)	Rear-secondary-4 15/64" long-(19 1/2) 17/32" dia. coils-Clear	2	C4UZ 2035-A
67/	U(10" brakes)	Rear-secondary	2	
66	U(11" brakes)	Front & rear-primary & secondary	8	B5A 2035-A
67/	U(11" brakes)	Front-primary	2	
67/	U(11" brakes)	Rear-primary	2	C0MM 2036-A
67/	U(11" brakes)	Front & rear-secondary	4	C0MM 2035-A
	- X -			
65/70	X(9" brakes)	Front-3 33/64"long-(11 1/2) 11/16" dia. coils - Black	4	C3DZ 2035-A
65	X(9" brakes)-S/D, S/W, 66, 76	Rear	4	
65	X(9" brakes)-except S/D, S/W, 66, 76	Rear-3 33/64"long-(12 1/2)39/64"dia. coils-Blue	4	C3DZ 2296-A
66/70	X(9" brakes)	Rear	4	
65/70	X(10" brakes)	Front-lower-shoe to shoe-6 13/16" long-(6 1/4) 5/8" dia. coils at each end-Blue	2	C2OZ 2035-D
65/70	X(10" brakes)	Front & rear-primary-4 9/64" long-(12 1/2) 9/16" dia. coils & (4) 23/32" dia. coils-Green	4	C2OZ 2035-C
65/70	X(10" brakes)	Front & rear-secondary-4 1/64" long-(18 1/2) 35/64" dia. coils-Yellow	4	C2OZ 2035-A
	2A038 RESERVOIR ASSY. - POWER BRAKE BOOSTER			
65/67	S		1	C1AA 2A038-B
65/67	S	Nut (reservoir to fender apron)-5/16"-24	2	33798-S8(M82)
		Lockwasher-5/16"		34806-S7(X64)
65/67	S (76A)	"O" ring (reservoir bolt)	1	IP 77265-B
	@2K039 TUBE ASSY. - FRONT BRAKE HOSE TO CONNECTOR			
67/	U	Fitting-3/16" tube-3/8" -24	2	87942-S8 (I20)
	@2A040 TUBE ASSY. - BRAKE MASTER CYLINDER TO CONNECTOR			
66	A(drum brakes)	26 7/32" developed length	1	C6AZ 2A040-A
69/	U		1	C9TZ 2A040-A
65	F (without Power Brake Booster)	Connector (tube to master cylinder)-3/16" tube	1	358165-S(II-65)
65	B		1	
65/	B	Connector (tube to master cylinder)-3/16" tube	1	87531-S(I-11)
65/	A		1	
65/	A,	Tee (tube to master cylinder)-1/8" pipe thread-3/16" tube	1	375776-S (II-146BA)
67	A(power drum brakes)	Nut (to master cylinder)-3/16" tube	1	381615-S36 (MM105FA)

@ Replacement tubes except as indicated by part number are to be made from bulk tubing stock listed by size and part number under basic Group 2269. Insulators are to improvised from rubber hose, friction tape, etc., as required.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
@	**2A040 TUBE ASSY. - BRAKE MASTER CYLINDER TO CONNECTOR - continued**			
65	X with Automatic trans. & Power Brake booster)	Elbow (outlet tube)-90°	1	87380-S(134A)
65	F (with Power Brake Booster)		1	
66	B, X	Clip assy. (to dash panel)	3	375819-S100 (GG245)
65/66	B (1966 X)	Clip (to side member)	1or2	372323-S(GG154B)
68	A, B, F, S, X	Clip (to outlet tube)	1	381799-S2(GG274)
68	A(except 71)-power disc brakes	Nut (to valve)-3/16" tube	1	382404-S100 (II-63D)
		Nut-3/16" tube-9/16"-18	AR	351736-S36 (MM105H)
		Nut-3/16" tube-1/2"-20	AR	375096-S36 (MM105-F)
		Fitting 3/16" tube-3/8" -24	AR	87942-S8 (I-20)
		Nut-3/16" tube-7/16"-24	AR	358609-S8(MM103)
		Nut-3/16" tube-3/8" -24	AR	381809-S36 (MM105D)
		Fitting-1/4" tube-7/16" -24	AR	87943-S8(I-21)
		Nut-3/16" tube-7/16" -24	AR	382404-S100(II63D)
		Nut-3/16" tube-3/8" -24	AR	382967-S100 (MM102)
		Nut-3/16" tube-3/8" -24	AR	383060-S36 (II63E)
	2041 SCREW - BRAKE SHOE ADJUSTING			
65/69	A(with manual adjusters)	Front & rear- R.H. & L.H.-1/2"-20 x 2 1/2"	4	B7A 2041-A
70	A(exc. P/C, Taxi)-manual adjusters	Front & rear-R.H. & L.H.	4	
70	A(P/C, Taxi)-manual adjusters	Front	4	
70	A(P/C, Taxi)-manual adjusters	Rear	2	
71/	A(P/C, Taxi)	Front & rear-R.H. & L.H.	4	
65/70	A(with self-adjusters)	Front & rear-L.H. -7/16"-20 x 2 1/2"- #"L"	2	C1AZ 2041-A
71/	A(exc. P/C, Taxi)	Front & rear-L.H.	2	
67/	S	Rear-L.H.	1	
67/	U	Front & rear-L.H.	2	
65/70	A(with self-adjusters)	Front & rear-R.H. -7/16" -20 x 2 1/2"- #"R"	2	C4TZ 2041-A
71/	A(exc. P/C, Taxi)	Front & rear-R.H.	2	
67/	U	Front & rear-R.H.	2	
67/	S	Rear-R.H.	1	
65/67	B(Taxi)	Front & rear-7/16"-20 x 2 1/4"	4	8A 2041
66	U	Rear	2	
65/67	B (except Taxi)	Front & rear-R.H. -7/16"-20 x 2 1/4"-#"R"- has 3 double nibs equally spaced	2	C2OZ 2041-A
68/71	B	Front & rear-R.H.	2	
72	B	Rear-R.H.	1	
65/	F, X	Front & rear-R.H.	2	
70	P	Front & rear-R.H.	2	
71/	P (6 cyl.250 & 8 cyl.)-10" brakes	Front & rear-R.H.	2	
65/67	B (except Taxi)	Front & rear-L.H.-7/16"-20 x 2 1/4"-#"L"- has 3 double nibs equally spaced	2	C2OZ 2041-B
68/71	B	Front & rear-L.H.	2	
72	B	Rear-L.H.	1	
65/	F, X	Front & rear-L.H.	2	
70	P	Front & rear-L.H.	2	
71/	P (6 cyl.250 & 8 cyl.)-10" brakes	Front & rear-L.H.	2	
71/	L	Front & rear-R.H.-3/8"-24 x 2 1/4"-#"R"	2	D1FZ 2041-A
71/	L	Front & rear-L.H.-3/8"-24 x 2 1/4"-#"L"	2	D1FZ 2041-B

@ Replacement tubes except as indicated by part number are to be made from bulk tubing stock listed by size and part number under basic Group 2269. Insulators are to improvised from rubber hose, friction tape, etc., as required.

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2041 SCREW - BRAKE SHOE ADJUSTING - continued			
71/	P (6 cyl.200, 250)-9" brakes	Front & rear-R.H.	2	D1DZ 2041-A
71/	P (6 cyl.200, 250)-9" brakes	Front & rear-L.H.	2	D1DZ 2041-B
65/66	S	R.H.	AR	C3SZ 2041-A
65/66	S	L.H.	AR	C3SZ 2041-B
	2042 LINK - BRAKE CYLINDER TO SHOE			
65/	A, U	Front & rear-2 1/16" long	8	B7A 2042-A
65/71	B	Front & rear	8	
72	B	Rear	4	
65/69	F(10" brakes)	Front & rear	8	
67/	S	Rear	4	
70/	F	Front & rear	8	
71/	P	Front & rear	8	
65/70	X (10" brakes)	Front & rear	8	
65/66	S	1 7/8" long	AR	C3SZ 2042-A
	2044 GASKET - FRONT BRAKE BACKING PLATE TO SPINDLE			
65/67	A (Taxi)	2 3/8" I.D. -not replaced	2	★B7AZ 2044-A
65/	A(drum brakes)		2	C2AZ 2044-C
65	B	2" I.D. -not replaced	2	★C2OZ 2044-A
65	X (10" brakes)		2	
65/66	F (10"brakes)		2	
66/71	B	2" I.D.	2	C6DZ 2044-A
67/	F, L		2	
66/	P, X		2	
65	X (9" brakes)	2 3/8" I.D. -not replaced	2	★C4DZ 2044-A
65/66	F (9" brakes)		2	
	2047 NUT - BRAKE SHOE ADJUSTING SCREW			
65/	A(with self-adjusters)	Front & rear-L.H.	2	C1AZ 2047-A
65/	A(with manual adjusters)	Front & rear-R.H. & L.H.	4	
68/	S	Rear-L.H.	1	
65/	A(with self-adjusters)	Front & rear-R.H.	2	C2AZ 2047-A
68/	S	Rear-R.H.	1	
65/67	B (Taxi)	Front & rear-7/16"-20-three grooves on body for identification-not replaced	4	★AD 2047-A
65/67	B (except Taxi)	Front & rear-R.H. -7/16"-20 x 2 1/8"	2	C2OZ 2047-A
68/69	B	Front & rear-R.H.	2	
70/71	B (10" brakes)	Front & rear-R.H.	2	
72	B	Rear-R.H.	1	
65/	F, X (10" brakes)	Front & rear-R.H.	2	
71/	P (6 cyl.250 & 8 cyl.)-10" brakes	Front & rear-R.H.	2	
65/67	B (except Taxi)	Front & rear-L.H. -7/16"-20 x 2 1/8"	2	C2OZ 2047-B
68/69	B	Front & rear-L.H.	2	
70/71	B (10" brakes)	Front & rear-L.H.	2	
72	B	Rear-L.H.	1	
65/	F, X (10" brakes)	Front & rear-L.H.	2	
71/	P (6 cyl.250 & 8 cyl.)-10" brakes	Front & rear-L.H.	2	
65/70	F, X (9" brakes)	Front & rear-R.H. -7/16"-20 x 2 1/8"-2 grooves	2	C3DZ 2047-A
70/	P(6 cyl.)-9" brakes	Front & rear-R.H.	2	
65/70	F, X (9" brakes)	Front & rear-L.H. -7/16"-20 x 2 1/8"-1 groove	2	C3DZ 2047-B
70/	P(6 cyl.)-9" brakes	Front & rear-L.H.	2	
71/	L	Front & rear-R.H.-3/8"-24 x 2 1/8"	2	D1FZ 2047-A
71/	L	Front & rear-L.H.-3/8"-24 x 2 1/8"	2	D1FZ 2047-B
65/67	S	R.H.	AR	C3SZ 2047-A
65/67	S	L.H.	AR	C3SZ 2047-B

Identification marking

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2047 NUT - BRAKE SHOE ADJUSTING SCREW - continued			
66	U " Before 6/15/66"	10" rear brakes	2	C1UU 2047-A
66	U " From 6/15/66"	10" rear brakes-not replaced	2	★C6TZ 2047-D
66	U	11" front & rear brakes	4	B7A 2047-A
67/	U	10" rear brakes-R. H.	1	C4UZ 2047-B
67/	U	10" rear brakes-L. H.	1	C4UZ 2047-A
67/	U	11" front & rear brakes-R. H.	2	C2AZ 2047-A
67/	U	11" front & rear brakes-L. H.	2	C1AZ 2047-A
	2A047 HOSE - POWER BRAKE BOOSTER RESERVOIR TO MANIFOLD - Make from B4C 4090-A			
65/	A(8 cyl. 352, 390)	Elbow (hose to manifold)-3/8"-18-90°	1	374632-S(II-11A)
65/	S	Clip (hose to windshield wiper line)	1	353547-S2(GG173)
65/	S	Tee-1/4"-3/8" hose	1	374759-S(II98)
	2048 SOCKET - BRAKE SHOE ADJUSTING SCREW			
65/	A	Front & rear-5/8" O. D. -1 7/64" long-3 grooves	AR	C1AA 2048-A
67/	U	Front & rear	4	
65/	S	Rear	2	
65/67	B (Taxi)	Front & rear-1" long-three grooves	4	AD 2048-A
65/67	B (except Taxi)	Front & rear-5/8" O.D.-31/32" long	4	C3OZ 2048-A
68/71	B (10" brakes)	Front & rear	4	
72	B	Rear	2	
65/	F, X (10" brakes)	Front & rear	4	
71/	P(6 cyl.250 & 8 cyl.)-10" brakes	Front & rear	4	
65/70	F, X (9" brakes)	Front & rear-5/8" O. D. -1" long	4	C3DZ 2048-B
70/	P(6 cyl.)-9" brakes	Front & rear	4	
71/	L	Front & rear-9/16" O.D.-1" long	4	D1FZ 2048-A
66	U	Front-11/16" O. D. -1 3/32" long-one groove	4	B7A 2048-A
66	U	Rear-5/8" O. D. -1" long-2 grooves	2	C1UU 2048-A
65/	S	Washer-flat-7/16" I. D.	4	372583-S(XX168)
65/	A, B		4	
65/70	X		4	
65/	F		4	
66/	U		4	
	@2A048 TUBE ASSY. - FRONT BRAKE TUBE FITTING TO CONNECTOR			
		Nut-3/16" tube-3/8"-24	AR	87942-S8(I-20)
	2049 SPRING - BRAKE SHOE ADJUSTING SCREW			
65/	A (manual-adjusting brakes)	Front & rear-5/8" diameter-3 1/4" long	4	H 2049
66	U	Front	2	
65/	A (self-adjusting brakes)	Front & rear-3/4" dia. -3 1/8" long-Blue	4	C1SS 2049-A
65/	F, X (10" brakes)	Front & rear	4	
67/	S	Rear	2	
67/	U	Front & rear	4	
65/69	B (self-adjusting brakes)	Front & rear	4	
70/71	B(10" brakes)	Front & rear	4	
72	B	Rear	2	
71/	P (6 cyl.250 & 8 cyl.)-10" brakes	Front & rear	4	
65/70	F, X (9" brakes)	Front & rear-35/64"dia. -3 15/64" long-25 1/2 coils-Green	4	C3DZ 2049-B
70	P(6 cyl.)-9" brakes	Front & rear	4	
71/	L	Front & rear-5/8" dia.-4 5/16" long-19 1/2 coils-White	4	D1FZ 2049-A
71/	P (6 cyl.)9" brakes	Front & rear	4	
65/66	S	Front & rear-49/64" dia. -3 13/32" long-21 1/2 coils-Red	AR	C3SZ 2049-A
66	U	Rear	2	8A 2049
	2A051 BRACKET - BRAKE LINE SUPPORT			
70/71	F		1	D0ZZ 2A051-A
71/	L		1	D1FZ 2A051-B

@ Replacement tubes except as indicated by part number are to be made from bulk tubing stock listed by size and part number under basic Group 2269. Insulators are to be improvised from rubber hose, friction tape, etc., as required.

2061-2 CYLINDER ASSY. - FRONT BRAKE

IDENTIFICATION CHART

DIAMETER (INCHES)	• IDENTIFICATION	PART NUMBER
1	1Y	D1FZ 2061-A
1	1Y	D1FZ 2062-A
1	1Y-1OR	D2FZ 2061-A
1	1Y-1OR	D2FZ 2062-A
1 1/16	1G	C5DZ 2061-A
1 1/16	1G	C5DZ 2062-A
1 1/16	2R	C3OZ 2061-C
1 1/16	2R	C3OZ 2062-C
1 3/32	1B	★C5AZ 2061-A r/ D2AZ 2061-A
1 3/32	1B	★C5AZ 2062-A r/b D2AZ 2062-A
1 3/32	1B	★C6OZ 2061-A r/b C9TZ 2061-B
1 3/32	1B	★C6OZ 2062-A r/b C9TZ 2062-B
1 3/32	2G	C9TZ 2061-B
1 3/32	2G	C9TZ 2062-B
1 3/32	1B-1OR	D2AZ 2061-A
1 3/32	1B-1OR	D2AZ 2062-A
1 1/8	None	C1TT 2261-A
1 1/8	None	C1TT 2262-A
1 1/8	1BL-1OR	D2ZZ 2061-A
1 1/8	1BL-1OR	D2ZZ 2062-A
1 1/8	1R-1OR	D2DZ 2061-A
1 1/8	1R-1OR	D2DZ 2062-A
1 1/8	2W	C3OZ 2061-B
1 1/8	2W	C3OZ 2062-B
1 1/8	1Y	★C9AZ 2061-A r/b D2AZ 2061-B
1 1/8	1Y	C9AZ 2062-A
1 1/8	1Y	D1DZ 2061-A
1 1/8	1Y	D1DZ 2062-A
1 1/8	1Y-1BL	D1TZ 2061-A
1 1/8	1Y-1BL	D1TZ 2062-A
1 1/8	1Y-1OR	D2AZ 2061-B
1 1/8	1Y-1OR	D2AZ 2062-B

MODEL APPLICATION

YEAR	MODEL	LOCATION	DIAMETER (Inches)		QTY.	PART NUMBER CYLINDER ASSY.	PART NUMBER REPAIR KIT ▲
	- A -						
65/68	A (Drum Brakes)	R.H.	1 3/32		1	★♦C5AZ 2061-A ◊D2AZ 2061-A	♦C3AZ 2221-A ◊D2AZ 2221-A
		L.H.			1	★♦C5AZ 2062-A ◊D2AZ 2062-A	♦C3AZ 2221-A ◊D2AZ 2221-A
69/71	A (except 71) - Drum Brakes	R.H.	1 1/8		1	★♦C9AZ 2061-A	♦C8UZ 2221-A
	A (P/C) - Drum Brakes	R.H.			1	★♦C9AZ 2061-A ◊D2AZ 2061-B	♦C8UZ 2221-A ◊D2AZ 2221-B
		L.H.			1	C9AZ 2062-A	C8UZ 2221-A
	A (71) - Drum Brakes	R.H.	1 3/32		1	★♦C5AZ 2061-A ◊D2AZ 2061-A	♦C3AZ 2221-A ◊D2AZ 2221-A
		L.H.			1	★♦C5AZ 2062-A ◊D2AZ 2062-A	♦C3AZ 2221-A ◊D2AZ 2221-A
72	A (except 71)	R.H.	1 1/8		1	D2AZ 2061-B	D2AZ 2221-B
		L.H.			1	D2AZ 2062-B	D2AZ 2221-B
	A (71)	R.H.	1 3/32		1	D2AZ 2061-A	D2AZ 2221-A
		L.H.			1	D2AZ 2062-A	D2AZ 2221-A
	- B -						
65	B (10" x 2 1/4" brakes)	R.H.	1 1/8		1	C3OZ 2061-B	C3OZ 2221-B
		L.H.			1	C3OZ 2062-B	C3OZ 2221-B
	B (10" x 2 1/2" brakes)	R.H.	1 1/16		1	C3OZ 2061-C	C3OZ 2221-C
		L.H.			1	C3OZ 2062-C	C3OZ 2221-C
66/69	B (10" x 2 1/4" brakes)	R.H.	1 1/8		1	C3OZ 2061-B	C3OZ 2221-B
		L.H.			1	C3OZ 2062-B	C3OZ 2221-B
	B (10" x 2 1/2" brakes)	R.H.	1 3/32		1	★♦C6OZ 2061-A ◊C9TZ 2061-B	♦C3AZ 2221-A ◊C3AZ 2221-A
		L.H.			1	★♦C6OZ 2062-A ◊C9TZ 2062-B	♦C3AZ 2221-A ◊C3AZ 2221-A
70	B (10" x 2 1/4", 10" x 2 1/2" brakes)	R.H.	1 1/8		1	C3OZ 2061-B	C3OZ 2221-B
		L.H.			1	C3OZ 2062-B	C3OZ 2221-B
71	B (10" x 2 1/4", 10" x 2 1/2" brakes)	R.H.	1 1/8		1	C3OZ 2061-B	C8UZ 2221-A
		L.H.			1	C3OZ 2062-B	C8UZ 2221-A

▲ Refer to Group 2221 for contents of kit ♦ Original ◊ Service Replacement

• Paint Code Identification B - Blue BL - Black G - Green OR - Orange R - Red W - White Y - Yellow

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

SECTION 20

2061-2 CYLINDER ASSY. - FRONT BRAKE - continued

YEAR	MODEL	LOCATION	DIAMETER (Inches)		QTY.	PART NUMBER CYLINDER ASSY.	PART NUMBER REPAIR KIT ▲
	- F -						
65/69	F (9" x 2 1/4" brakes)	R.H.	1 1/16		1	C5DZ 2061-A	C1DZ 2221-B
		L.H.			1	C5DZ 2062-A	C1DZ 2221-B
	F (10" x 2 1/4" brakes)	R.H.	1 1/8		1	C3OZ 2061-B	C3OZ 2221-B
		L.H.			1	C3OZ 2062-B	C3OZ 2221-B
	F (10" x 2 1/2" brakes)-1966/69	R.H.	1 3/32		1	★♦C6OZ 2061-A	♦C3AZ 2221-A
						◊C9TZ 2061-B	◊C3AZ 2221-A
		L.H.			1	★♦C6OZ 2062-A	♦C3AZ 2221-A
						◊C9TZ 2062-B	◊C3AZ 2221-A
70	F (9" x 2 1/4" brakes)	R.H.	1 1/16		1	C5DZ 2061-A	C1DZ 2221-B
		L.H.			1	C5DZ 2062-A	C1DZ 2221-B
	F (10" x 2 1/4", 10" x 2 1/2" brakes)	R.H.	1 1/8		1	C3OZ 2061-B	C3OZ 2221-B
		L.H.			1	C3OZ 2062-B	C3OZ 2221-B
71	F (10" x 2 1/4", 10 x 2 1/2" brakes)	R.H.	1 1/8		1	C3OZ 2062-B	C8UZ 2221-A
		L.H.			1	C3OZ 2061-B	C8UZ 2221-A
72	F (10" x 2 1/2" brakes)	R.H.	1 1/8		1	D2ZZ 2061-A	D2AZ 2221-B
		L.H.			1	D2ZZ 2062-A	D2AZ 2221-B
	- L -						
71	L (9" x 2" brakes)	R.H.	1		1	D1FZ 2061-A	D1FZ 2221-A
		L.H.			1	D1FZ 2062-A	D1FZ 2221-A
72	L (9" x 2" brakes)	R.H.	1		1	D2FZ 2061-A	D2FZ 2221-A
		L.H.			1	D2FZ 2062-A	D2FZ 2221-A
	- P -						
70	P (9" x 2 1/4" brakes)	R.H.	1 1/16		1	C5DZ 2061-A	C1DZ 2221-B
		L.H.			1	C5DZ 2062-A	C1DZ 2221-B
71	P (6 cyl.)-9" x 2 1/4" brakes	R.H.	1 1/8		1	D1DZ 2061-A	D1DZ 2221-A
		L.H.			1	D1DZ 2062-A	D1DZ 2221-A
	P (6 cyl. 250 & 8 cyl.)-10" x 2 1/4" brakes	R.H.	1 1/8		1	C3OZ 2061-B	C8UZ 2221-A
		L.H.			1	C3OZ 2062-B	C8UZ 2221-A
72	P (6 cyl. -except 6 cyl. 250 with D70 x 14 tires)-9" x 2 1/4" brakes	R.H.	1 1/8		1	D2DZ 2061-A	D2DZ 2221-A
		L.H.			1	D2DZ 2062-A	D2DZ 2221-A
	P (6 cyl. 250 with D70 x 14 tires & 8 cyl.)-10" x 2 1/2" brakes	R.H.	1 1/8		1	D2ZZ-2061-A	D2AZ 2221-B
		L.H.			1	D2ZZ 2062-A	D2AZ 2221-B
	- U -						
66/71	U (11" x 2" brakes) "Before Ser. K20,001"	R.H.	1 1/8		1	C1TT 2262-A	C8UZ 2221-A
		L.H.			1	C1TT 2261-A	C8UZ 2221-A
71/	U (11" x 2" brakes) "From Ser. K20,001"	R.H.	1 1/8		1	D1TZ 2061-A	C8UZ 2221-A
		L.H.			1	D1TZ 2062-A	C8UZ 2221-A
	- X -						
65/70	X (9" x 2 1/4" brakes)	R.H.	1 1/16		1	C5DZ 2061-A	C1DZ 2221-B
		L.H.			1	C5DZ 2062-A	C1DZ 2221-B
	X (10" x 2 1/4" brakes)	R.H.	1 1/8		1	C3OZ 2061-B	C3OZ 2221-B
		L.H.			1	C3OZ 2062-B	C3OZ 2221-B
	X (10" x 2 1/2" brakes)-1966/70	R.H.	1 3/32		1	★♦C6OZ 2061-A	♦C3AZ 2221-A
						◊C9TZ 2061-B	◊C3AZ 2221-A
		L.H.			1	★♦C6OZ 2062-A	♦C3AZ 2221-A
						◊C9TZ 2062-B	◊C3AZ 2221-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
65/	B	Bolt (cylinder to carrier plate)-5/16"-18 x 1/2"	4	20310-S8(B48)
65/66	A		4	
65/70	X (10" x 2 1/4" brakes)		4	
65/	F (8 cyl.)-10" x 2 1/4" brakes		4	
		Lockwasher-5/16"		★34941-S7
65/70	X	Screw & washer (cylinder to carrier plate)-1/4"-28 x 3/8"	4	42741-S7-8(U2)
65/69	F (6 cyl.)		4	
67/69	A		4	
70	A, B, F, P, U, X	Screw & washer (cylinder to carrier plate)-1/4"-28 x 3/8"	4	383755-S2BB574CD

▲ Refer to Group 2221 for contents of kit ♦ Original ◊ Service Replacement

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2066 CUP - BRAKE SHOE HOLD DOWN SPRING - Also refer to Group 2A094			
65/	A, F, L, P, U (drum brakes)	Cup-front & rear	16	B7A 2066-A
65/71	B (drum brakes)	Front & rear	16	
72	B (drum brakes)	Rear	8	
65/	S (drum brakes)	Rear	8	
65/70	X (9" brakes)	Front & rear	8	
65/70	X (10" brakes)	Front & rear	16	
68/	A, F, X (disc brakes)	Clip	4	C8AZ 2066-A
68/71	B, S (disc brakes)		4	
68/	A (disc brakes)	Screw & washer (to anchor)-1/4" -20 x 7/16"	2	382563-S100
68/71	S (disc brakes)		2	(BB554H)

YEAR	MODEL	DESCRIPTION	LENGTH (INCHES)	COILS	COLOR IDENT.	QTY.	PART NUMBER
	2068 SPRING - BRAKE SHOE HOLD DOWN - Also refer to Group 2A094						
	- A -						
65/	A(manual-adjusters)	Front & rear-upper	1 1/16	5 1/4	Silver	8	C3SZ 2068-A
	A(self-adjusters)	Front & rear-lower	1	5 1/4	Purple	8	D3TZ 2068-A
	- B -						
65/67	B	Front & rear-primary	1 1/16			4	H 2068
	B(exc. Taxi)	Front & rear-secondary			Black	4	TDAA 2068-A
	B(Taxi)	Front & rear-secondary	1 1/16			4	H 2068
68/71	B	Front & rear-primary	1 1/16			4	H 2068
	B	Front & rear-secondary			Black	4	TDAA 2068-A
72	B	Rear			Black	8	TDAA 2068-A
	- F -						
65/70	F(9" brakes)	Front & rear-primary	13/16	5 1/2	Gray	4	C5DZ 2068-A
	F(9" brakes)	Front & rear-secondary	7/8	5 1/2	Bronze	4	C5DZ 2068-B
	F(10" brakes)	Front & rear-primary	1 1/16			4	H 2068
	F(10" brakes)	Front & rear-secondary			Black	4	TDAA 2068-A
71	F(10" brakes)	Front & rear-primary	1 1/16			4	H 2068
	F(10" brakes)	Front & rear-secondary			Black	4	TDAA 2068-A
72	F	Front & rear			Black	8	TDAA 2068-A
	- L -						
71	L(9" brakes)	Front & rear-primary	1 1/16			4	H 2068
	L(9" brakes)	Front & rear-secondary			Black	4	TDAA 2068-A
72	L	Front-primary	1 1/16			2	H 2068
	L	Front-secondary			Black	2	TDAA 2068-A
	L	Rear-primary	13/16	5 1/2	Gray	2	C5DZ 2068-A
	L	Rear-secondary	7/8	5 1/2	Bronze	2	C5DZ 2068-B
	- P -						
70	P(6 cyl.)-9" brakes	Front & rear-primary	13/16	5 1/2	Gray	4	C5DZ 2068-A
	P(6 cyl.)-9" brakes	Front & rear-secondary	7/8	5 1/2	Bronze	4	C5DZ 2068-B
71	P(6 cyl.)-9" brakes	Front & rear-primary	13/16	5 1/2	Gray	4	C5DZ 2068-A
	P(6 cyl.)-9" brakes	Front & rear-secondary	7/8	5 1/2	Bronze	4	C5DZ 2068-B
	P(6 cyl. 250 & 8 cyl.)-10" brakes	Front & rear-primary	1 1/16			4	H 2068
	P(6 cyl. 250 & 8 cyl.)-10" brakes	Front & rear-secondary			Black	4	TDAA 2068-A
72	P(6 cyl.)-9" brakes	Front & rear-primary	13/16	5 1/2	Gray	4	C5DZ 2068-A
	P(6 cyl.)-9" brakes	Front & rear-primary	13/16	5 1/2	Gray	4	C5DZ 2068-B
	P(6 cyl. 250 & 8 cyl.)-10" brakes	Front & rear-primary			Black	4	TDAA 2068-A
	P(6 cyl. 250 & 8 cyl.)-10" brakes	Front & rear-secondary			Black	4	TDAA 2068-A
	- S -						
65	S	Front & rear-upper	1 1/16	5 1/4	Silver	8	C3SZ 2068-A
	S	Front & rear-lower	1	5 1/4	Purple	8	D3TZ 2068-A
66/	S	Rear	1	5 1/4	Purple	4	D3TZ 2068-A
	- U -						
66	U	Front & rear	1 1/16	5 1/4	Silver	8	C3SZ 2068-A
67/	U	Front & rear	1	5 1/4	Purple	8	D3TZ 2068-A
	- X -						
65/70	X(9" brakes)	Front & rear-primary	13/16	5 1/2	Gray	4	C5DZ 2068-A
	X(9" brakes)	Front & rear-secondary	7/8	5 1/2	Bronze	4	C5DZ 2068-B
	X(10" brakes)	Front & rear-primary	1 1/16			4	H 2068
	X(10" brakes)	Front & rear-secondary			Black	4	TDAA 2068-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	LENGTH (INCHES)	STAMPING IDENT.	QTY.	PART NUMBER
	2069 PIN - BRAKE SHOE HOLD DOWN SPRING - Also refer to Group 2A094					
	- A -					
65/67	A(11" x 2 1/4" & 11" x 2 1/2" brakes)	Front & rear	2 5/16	I	8	B7A 2069-A
	A(11" x 3" brakes)	Front	2 9/16		4	B8E 2069-A
68/69	A(11" x 2 1/4" & 11" x 2 1/2" brakes)	Front & rear	2 5/16	I	8	B7A 2069-A
	A(11" x 3" brakes)	Front	2 9/16		4	B8E 2069-A
	A(disc brakes)	Front	1 5/16		4	C8AZ 2069-A
70/	A(11" x 2 1/2" brakes)	Front	2 5/16	I	4	B7A 2069-A
	A(11" x 3" brakes)	Front	2 9/16		4	B8E 2069-A
	A(disc brakes)	Front	1 5/16		4	C8AZ 2069-A
	A	Rear	2 5/16	I	4	B7A 2069-A
	- B -					
65/67	B(10" brakes)	Front	2 5/16	I	4	B7A 2069-A
	B(10" x 1 3/4" brakes)	Rear	2 1/8	8	4	8A 2069-A
	B(10" x 2" brakes)	Rear	2 5/16	I	4	B7A 2069-A
	B(10" x 2 1/2" brakes)	Rear	2 7/16	6	4	B7T 2069-A
68	B(10" brakes)	Front	2 5/16	I	4	B7A 2069-A
	B(disc brakes)	Front	1 5/16		4	C8AZ 2069-A
	B(10" x 1 3/4" brakes)	Rear	2 1/8	8	4	8A 2069-A
	B(10" x 2" brakes)	Rear	2 5/16	I	4	B7A 2069-A
	B(10" x 2 1/2" brakes)	Rear	2 7/16	6	4	B7T 2069-A
69/71	B(10" brakes)	Front	2 5/16	I	4	B7A 2069-A
	B(disc brakes)	Front	1 5/16		4	C8AZ 2069-A
	B(10" x 2" brakes)	Rear	2 5/16	I	4	B7A 2069-A
	B(10" x 2 1/2" brakes)	Rear	2 7/16	6	4	B7T 2069-A
72	B(10" x 2" brakes)	Rear	2 5/16	I	4	B7A 2069-A
	B(10" x 2 1/2" brakes)	Rear	2 7/16	6	4	B7T 2069-A
	- F -					
65/66	F(9" brakes)	Front & rear	2 1/8	8	8	8A 2069-A
	F(10" brakes)	Front	2 5/16	I	4	B7A 2069-A
	F(10" x 1 3/4" brakes)	Rear	2 1/8	8	4	8A 2069-A
	F(10" x 2" brakes)	Rear	2 5/16	I	4	B7A 2069-A
67/68	F(9" brakes)	Front & rear	2 1/8	8	8	8A 2069-A
	F(10" brakes)	Front	2 5/16	I	4	B7A 2069-A
	F(disc brakes)-1968	Front	1 5/16		4	C8AZ 2069-A
	F(10" x 1 3/4" brakes)	Rear	2 1/8	8	4	8A 2069-A
	F(10 x 2" brakes)	Rear	2 5/16	I	4	B7A 2069-A
	F(10" x 2 1/2" brakes)	Rear	2 7/16	6	4	B7T 2069-A
69/70	F(9" brakes)	Front & rear	2 1/8	8	8	8A 2069-A
	F(10" brakes)	Front	2 5/16	I	4	B7A 2069-A
	F(disc brakes)	Front	1 5/16		4	C8AZ 2069-A
	F(10" x 1 3/4" brakes)	Rear	2 1/8	8	4	8A 2069-A
	F(10" x 2" brakes)	Rear	2 5/16	I	4	B7A 2069-A
71/	F(10" brakes)	Front	2 5/16	I	4	B7A 2069-A
	F(disc brakes)	Front	1 5/16		4	C8AZ 2069-A
	F(10" x 1 3/4" brakes)	Rear	2 1/8	8	4	8A 2069-A
	F(10" x 2" brakes)	Rear	2 5/16	I	4	B7A 2069-A
	- L -					
71	L	Front	2 5/16	I	4	B7A 2069-A
	L	Rear	2 1/8	8	4	8A 2069-A
72	L	Front	2 5/16	I	4	B7A 2069-A
	L (exc. 73)	Rear	2 1/8	8	4	8A 2069-A
	L (73)	Rear			4	8L 2069

YEAR	MODEL	DESCRIPTION	LENGTH (INCHES)	STAMPING IDENT.	QTY.	PART NUMBER
	2069 PIN - BRAKE SHOE HOLD DOWN SPRING - continued - Also refer to Group 2A094					
	- P -					
70	P(6 cyl.)-9" brakes	Front & rear	2 1/8	8	8	8A 2069-A
71/	P(6 cyl.)-9" brakes	Front & rear	2 1/8	8	8	8A 2069-A
	P(6 cyl. 250 & 8 cyl.)-10" brakes	Front	2 5/16	I	4	B7A 2069-A
	P(6 cyl. 250 & 8 cyl.)-10" brakes	Rear	2 1/8	8	4	8A 2069-A
	- S -					
65/71	S	Rear	2 5/16	I	4	B7A 2069-A
68/71	S(disc brakes)		1 5/16		4	C8AZ 2069-A
72	S	Rear	2 5/16	I	4	B7A 2069-A
	- U -					
66/	U	Front			4	8L 2069
	U(10" x 2 1/2" brakes)	Rear	2 7/16	6	4	B7T 2069-A
	U(11" x 1 3/4" brakes)	Rear			4	H 2069
	- X -					
65/68	X(9" brakes)	Front & rear	2 1/8	8	8	8A 2069-A
	X(10" brakes)	Front	2 5/16	I	4	B7A 2069-A
	X(disc brakes)-1968	Front	1 5/16		4	C8AZ 2069-A
	X(10" x 1 3/4" brakes)	Rear	2 1/8	8	4	8A 2069-A
	X(10" x 2" brakes)	Rear	2 5/16	I	4	B7A 2069-A
66/68	X(10" x 2 1/2" brakes)	Rear	2 7/16	6	4	B7T 2069-A
69/70	X(9" brakes)	Front & rear	2 1/8	8	8	8A 2069-A
	X(10" brakes)	Front	2 5/16	I	4	B7A 2069-A
	X(disc brakes)	Front	1 5/16		4	C8AZ 2069-A
	X(10" x 2" brakes)	Rear	2 5/16	I	4	B7A 2069-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2073 BRACKET - REAR BRAKE HOSE SUPPORT			
67/70	A		1	C7AZ 2073-A
71/	A		1	D0AZ 2073-A
66/67	B, X	Not replaced	1	★C6OZ 2073-B
68/71	B, X		1	C8OZ 2073-A
71	F "Before 12/15/70"		1	D1WY 2073-A
71/	F "From 12/15/70"		1	D1ZZ 2073-A
67/70	S		1	C7AZ 2073-A
71	S		1	D0AZ 2073-A
65/	A	Screw (hose to frame)-5/16"-18 x 7/8"-tapping	1	40182-S(U269)
72	A	Screw (to No.4 c/member)-5/16"-18 x 3/4"	1	381877-S2 (UU52AF)
65/71	B	Screw (hose to underbody)-5/16"-18 x 1/2"-tapping	1	40923-S8(U264)
65/66	S	Screw (to cross member)-5/16"-18 x 5/8"-tapping	1	40936-S8(U265)
65/71	S	Screw (hose to frame)-5/16"-18 x 7/8"-tapping	1	40182-S(U269)
	2B073 SEAL - POWER BRAKE BOOSTER CHECK VALVE - Also refer to Group 2B176			
65/67	A, B(Midland-Ross)		1	C3TZ 2B073-A
66/67	X(Midland-Ross)		1	
67	F(Midland-Ross)		1	
67	S(without speed control)-Midland-Ross		1	
	2074-5 CONNECTOR - BRAKE TUBE			
65	A	Front	1	C5AZ 2075-A
66	A(drum brakes) "Before 12/27/65"	Front-not replaced	1	★C6AZ 2075-B
66	A(drum brakes) "From 12/27/65"	Front-not replaced	1	★C6AZ 2075-C
65/67	A	Rear-not replaced	1	★C0AZ 2074-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2074-5 CONNECTOR - BRAKE TUBE - continued			
65/67	B (except S/W)	Rear	1	C2OZ 2074-A
65/67	B(S/W)	Rear-not replaced	1	★C3OZ 2074-A
65/67	B Special (8 cyl. 289 4/B carb.)	Rear	1	
65	F	Front	1	C2OZ 2075-A
65/67	F(disc brakes)	Front	1	C5ZZ 2075-A
66	F(without Power Brake Booster)	Front-not replaced	1	★C6ZZ 2075-A
65	X(without Power Brake Booster)	Front	1	C4DZ 2075-A
65	X(with Power Brake Booster)	Front-not replaced	1	★C4GY 2075-A
65	X	Rear	1	C4DZ 2074-A
65/66	A	Screw (front connector to frame)-5/16"-18 x 7/8" tapping	1	40182-S(U269)
65	F	Screw (to fender apron)	1	
65/66	B	Screw (front connector to fender apron) - 5/16"-18 x 1/2" -tapping	1	40923-S8(U264)
	2B074 RING - POWER BRAKE BOOSTER BELLOWS WEAR			
65/67	A,B(Midland-Ross)		1	C3TZ 2B074-A
66/67	X(Midland-Ross)		1	
67	F(Midland-Ross)		1	
67	S(without speed control)-Midland-Ross		1	

YEAR	MODEL		DESCRIPTION	LENGTH	QTY.	PART NUMBER
	2078 HOSE - FRONT BRAKE					
	- A -					
65	A		R.H. & L.H.	12 1/4	2	C5AZ 2078-A
66	A (drum brakes)		R.H. & L.H.	12 1/4	2	C5AZ 2078-A
	A (disc brakes)		R.H.	10 3/4	1	C6AZ 2A420-G
			L.H.	10 3/4	1	C6AZ 2A420-H
67	A (drum brakes)		R.H. & L.H.	11 1/2	2	C7AZ 2078-A
	A (disc brakes)	" Before 10/15/66"	R.H.	10 3/4	1	C7SZ 2078-A
			L.H.	10 3/4	1	C7SZ 2078-B
	A (disc brakes)	"From 10/15/66"	R.H.	10 3/4	1	C7SZ 2078-C
			L.H.	10 3/4	1	C7SZ 2078-D
68	A (drum brakes)		R.H.& L.H.	11 1/2	2	C7AZ 2078-A
	A (disc brakes)		R.H.	12 1/4	1	C8AZ 2078-A
			L.H.	12 1/4	1	C8AZ 2078-B
69	A (drum brakes)	"Before 4/1/69"	R.H. & L.H.		2	C9AZ 2078-C
	A (drum brakes)	"From 4/1/69"	R.H. -#D0AA 2B171-E	12 3/16	1	D0AZ 2078-C
			L.H. -#D0AA 2B218-E	12 3/16	1	D0AZ 2078-D
	A (disc brakes)		R.H.	16 1/4	1	C9AZ 2078-A
			L.H.	16 1/4	1	C9AZ 2078-B
70	A (drum brakes)		R.H. -#D0AA 2B171-E	12 3/16	1	D0AZ 2078-C
			L.H. -#D0AA 2B218-E	12 3/16	1	D0AZ 2078-D
	A (disc brakes)		R.H. -r/b D0AZ 2078-E (4-74)	16 3/8	1	★D0AZ 2078-A
			L.H.-r/b D0AZ 2078-F (4-74)	16 3/8	1	★D0AZ 2078-B
71/	A (drum brakes)		R.H. -#D0AA 2B171-E	12 3/16	1	D0AZ 2078-C
			L.H. -#D0AA 2B218-E	12 3/16	1	D0AZ 2078-D
	A (disc brakes)		R.H. - #D0AA 2B171-D	16 5/16	1	D0AZ 2078-E
			L.H. -#D0AA 2B218-D	16 5/16	1	D0AZ 2078-F
	- B -					
65/66	B		R.H. & L.H.	13 7/8	2	LD 2078-A
67	B (drum brakes)		R.H. & L.H.	12 5/8	2	C7OZ 2078-A
	B (disc brakes)		R.H. & L.H.	14 1/4	2	C7OZ 2078-B
68	B (drum brakes)		R.H. & L.H.	12 5/8	2	C7OZ 2078-A
	B (disc brakes)		R.H.	12 1/4	1	C8OZ 2078-A
			L.H.	12 1/4	1	C8OZ 2078-B
69	B (drum brakes)		R.H. & L.H.	12 5/8	2	C7OZ 2078-A
	B (disc brakes)		R.H.	12 1/4	1	C8OZ 2078-A
			L.H.	12 1/4	1	C8OZ 2078-B

Identification marking

YEAR	MODEL	DESCRIPTION	LENGTH	QTY.	PART NUMBER
	2078 HOSE - FRONT BRAKE - continued				
	- B -				
70	B (drum brakes)	R.H. & L.H.	12 5/8	2	C7OZ 2078-A
	B (disc brakes)	R.H. -r/b D0OZ 2078-C (11/73)	12 7/16	1	★D0OZ 2078-A
		L.H. -r/b D0OZ 2078-D (11/73)	12 7/16	1	★D0OZ 2078-B
71	B (drum brakes)	R.H. & L.H.	12 5/8	2	C7OZ 2078-A
	B (disc brakes)	R.H. - #D0OA 2B171-C	12 7/16	1	D0OZ 2078-C
		L.H. - #D0OA 2B218-D	12 7/16	1	D0OZ 2078-D
72	B	R.H. & L.H.	14 3/8	2	D2OZ 2078-A
	- F -				
65/66	F (disc brakes)	R.H. & L.H.	15	2	C5ZZ 2078-A
	F (drum brakes) "Before 8/17/64"	R.H. & L.H.	15	2	B7AZ 2078-A
	F (drum brakes) "From 8/17/64"	R.H. & L.H.	13 1/4	2	C5ZZ 2078-B
67	F (drum brakes)	R.H. & L.H.	13 1/4	2	C7ZZ 2078-A
	F (disc brakes)	R.H. & L.H.	14 1/4	2	C7OZ 2078-B
68/70	F (drum brakes)	R.H. & L.H.	13 1/4	2	C7ZZ 2078-A
	F (disc brakes)	R.H.	13 13/16	1	C8ZZ 2078-A
		L.H.	13 13/16	1	C8ZZ 2078-B
71	F (drum brakes) "Before 9/17/70"	R.H. & L.H.		2	D1FZ 2078-A
	F (drum brakes) "From 9/17/70 to 5/3/71"	R.H. & L.H.		2	D1ZZ 2078-D
	F (drum brakes) "From 5/3/71"	R.H. & L.H.	13 7/8	2	D1ZZ 2078-E
	F (disc brakes)	R.H.		1	D1ZZ 2078-A
		L.H.		1	D1ZZ 2078-B
72	F (drum brakes)	R.H. & L.H.	13 7/8	2	D1ZZ 2078-E
	F (disc brakes)	R.H.		1	D1ZZ 2078-A
		L.H.		1	D1ZZ 2078-B
	- L -				
71/	L (drum brakes)	R.H. & L.H.		2	D1ZZ 2078-D
	L (disc brakes) "Before 1/17/72"	R.H. & L.H.	13 7/8	2	D1FZ 2078-B
	L (disc brakes) "From 1/17/72"	R.H. & L.H.	15 11/16	2	D2FZ 2078-A
	- P -				
70	P	R.H.	12 3/4	1	D0DZ 2078-E
		L.H.	12 3/4	1	D0DZ 2078-F
71/	P	R.H. & L.H.	12 5/8	2	C7OZ 2078-A
	- S -				
65/66	S		13 15/16	2	C5SZ 2078-B
67	S "Before 10/15/66	R.H.	10 3/4	1	C7SZ 2078-A
		L.H.	10 3/4	1	C7SZ 2078-B
	S "From 10/15/66"	R.H.	10 3/4	1	C7SZ 2078-C
		L.H.	10 3/4	1	C7SZ 2078-D
68/69	S	R.H.	12 1/4	1	C8AZ 2078-A
		L.H.	12 1/4	1	C8AZ 2078-B
70/71	S	R.H.	12 5/16	1	D0SZ 2078-A
		L.H.	12 5/16	1	D0SZ 2078-B
72	S	R.H. & L.H.	14 3/8	2	D2OZ 2078-A
	- U -				
66	U	R.H. & L.H.	11 20/32	2	C6TZ 2078-A
	U "Before Ser. B72,001"	Center-with connector	20 1/2	1	C6TZ 2078-B
	U "From Ser. B72,001"	Center-with connector	16 3/4	1	C6TZ 2078-F
67/70	U	R.H. & L.H.	11 20/32	2	C6TZ 2078-A
	U	Center-with connector	14 5/8	1	C7TZ 2078-B
71/	U	R.H. & L.H.	12 7/8	2	D1TZ 2078-C
	U	Center-with connector	14 5/8	1	C7TZ 2078-B
	- X -				
65	X		13 15/32	2	C5DZ 2078-A
66	X		13 7/8	2	LD 2078-A
67	X (drum brakes)		12 5/8	2	C7OZ 2078-A
	X (disc brakes)		14 1/4	2	C7OZ 2078-B
68/70	X (drum brakes)		12 5/8	2	C7OZ 2078-A
	X (disc brakes)	R.H.	12 1/4	1	C8OZ 2078-A
		L.H.	12 1/4	1	C8OZ 2078-B

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2078 HOSE - FRONT BRAKE - continued			
68	A,B,F,S,X(disc brakes)	Bolt (to caliper)-3/8"-24 x 1"	2	382365-S100 (BB817CS)
65/	S	Bolt (to disc)-3/8"-24 x 1"-hollow	2	380086-S7-8 (BB539F)
68	A(71),A(54,62 P/C)		2	
68	B(8 cyl.427)		2	
68	B(63D,65D,66D,76D)		2	
68	F(8 cyl.289-4/B)		2	
66/67	A		2	
68	S	Screw (to frame)-5/16"-18 x 3/4"	2	381877-S2 (UU52AF)
68	F(8 cyl.289-4/B)		4	
68	B(8 cyl.427)		4	
68	B(63D,65D,66D,76D)		4	
	2082 BRACKET - FRONT BRAKE HOSE SUPPORT			
	- A -			
65/66	A(drum brakes)	R.H.-not replaced	1	★C5AZ 2082-A
		L.H.	1	C5AZ 2082-B
67/68	A (disc brakes)	R.H.	1	C7SZ 2082-A
		L.H.	1	C7SZ 2082-B
67/70	A(drum brakes)	R.H.	1	C7AZ 2082-A
		L.H.	1	C7AZ 2082-B
	- B -			
65	B	R.H. & L.H.	2	C1SS 2082-C
67/71	B	R.H.	1	C7OZ 2082-A
		L.H.	1	C7OZ 2082-B
72	B	R.H.	1	D2OZ 2082-A
		L.H.	1	D2OZ 2082-B
	- F -			
67/70	F(drum brakes)	R.H. & L.H.	2	C1SS 2082-C
71/	F (drum brakes)	R.H.	1	D1ZZ 2082-A
		L.H.	1	D1ZZ 2082-B
	- L -			
71	L	R.H.	1	D1FZ 2082-A
		L.H.	1	D1FZ 2082-B
72	L "Before 1/17/72"	R.H.	1	D1FZ 2082-A
		L.H.	1	D1FZ 2082-B
	L (drum brakes) "From 1/17/72"	R.H.	1	D1FZ 2082-A
		L.H.	1	D1FZ 2082-B
	L (disc brakes) "From 1/17/72"	R.H. & L.H.	2	D2FZ 2082-A
	- P -			
71/	P(drum brakes)	R.H.	1	D0DZ 2082-C
		L.H.	1	D0DZ 2082-D
	- S -			
67/68	S	R.H.	1	C7SZ 2082-A
		L.H.	1	C7SZ 2082-B
72	S	R.H.	1	D2OZ 2082-A
		L.H.	1	D2OZ 2082-B
	- U -			
66/70	U	Inner bracket	2	C6TZ 2082-A
71/	U		2	D1TZ 2082-C
	- X -			
67/70	X	R.H.	1	C7OZ 2082-A
		L.H.	1	C7OZ 2082-B
		Lockwasher-5/16"		34806-S7(X64)
65/67	A "Before 2/1/67"	Screw (bracket to frame)-5/16"-18x7/8"-tapping	2	40182-S(U269)
67/	A, S "From 2/1/67"	Screw (to frame)-5/16"-18 x 3/4"-washer head	2	381877-S2(UU52AF)
67/	F,L,P	Screw (to side member)	AR	
65/69	B	Screw (bracket to underbody)-5/16"-18 x 1/2"-tapping	2	40923-S8(U264)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2091 NUT - PARKING BRAKE EQUALIZER			
65/66	A, S	5/16"-24	1	8A 2091
67	A, S	5/16"-18	1	C7AZ 2091-A
68/71	A, S	5/16"-18	1	C8AZ 2091-A
72	A(76)		1	
	2A091 BOOSTER INSTALLATION KIT - POWER BRAKE			
	- A -			
65/66	A	Not replaced	1	★C5AZ 2A091-A

Consists of

1-C5AA 2A040-D	Tube	1-C5AA 2420-B	Tube	1-375786-S	Tee
1-C1SS 2A047-C	Hose	1-C5MA 2420-A	Tube	1-375787-S	Tee
1-C5AA 2B195-B	Booster & Master Cyl.	1-353808-S8	Plug	2-376428-S8	Clamp
1-C5AA 2420-A	Tube	1-374134-S8	Clip	1-Installation sketch	

67	A(drum brakes)	Not replaced		1	★C7AZ 2A091-A

Consists of

1-C7AA 2A040-L	Tube	1-C6AA 2420-B	Tube	1-374134-S8	Clip
1-B9SS 2A047-C	Hose	1-C6AA 2420-E	Tube	2-376428-S8	Clamp
1-C7AA 2B195-AB	Booster & Master Cyl.	1-C6AZ 9A474-A	Fitting	1-380613-S	Cap
1-C7AA 2B253-E	Tube	1-C6AZ 9A474-B	Fitting	1-380614-S	Cap
1-C6AA 2420-A	Tube	2-351415-S	Washer	1-Installation sketch	

68	A(drum brakes)	Not replaced		1	★C8AZ 2A091-A

Consists of

1-C8AA 2A040-J	Tube	1-C8AA 2B253-F	Tube	1-353777-S	Connector
1-C8AA 2A047-A	Hose	1-C8AA 2420-C	Tube	2-376428-S8	Clamp
1-C8AA 2B195-M	Booster & Master Cyl.	2-351415-S	Washer	1-381799-S2	Clip
				1-Installation sketch	

69	A (drum brakes)	When used with M/T, procure appropriate 2455 brake pedal in place of kit pedal-not replaced		1	★C9AZ 2A091-A

Consists of

1-C9AJ 2005-B	Booster	1-C9AZ 2169-F	Piston	1-351053-S	Strap
1-C9AJ 2A040-A	Tube	1-C9AJ 2B253-A	Tube	2-379059-S8	Clamp
1-C9AA 2A047-A	Hose	1-C9AZ 2455-A	Pedal (A/T)	6-382802-S100	Locknut
				1-Installation sketch	

70/	A (drum brakes)	When used with M/T, procure appropriate 2455 brake pedal in place of kit pedal-not replaced		1	★D0AZ 2A091-A

Consists of

1-C9AJ 2005-B	Booster	1-C9AZ 2169-F	Piston	1-351053-S	Strap
1-D0AJ 2A040-A	Tube	1-D0AJ 2B253-A	Tube	2-376428-S8	Clamp
1-C9AA 2A047-A	Hose	1-C9AZ 2455-A	Pedal (A/T)	6-382802-S100	Lock nut
				1-Installation sketch	

- B -

66	B (6 cyl. 200 & 8 cyl. 289)			1	C6OZ 2A091-A

Consists of

1-C6OA 2A040-E	Tube	1-C6AA 2420-B	Tube	2-351415-S	Washer
1-C1SS 2A047-C	Hose	1-C6OA 2420-D	Tube	2-376428-S	Clamp
1-C6OA 2B195-F	Booster & Master Cyl.	1-C6AZ 9A474-A	Fitting	1-380613-S	Cap
1-C6OA 2264-F	Tube	1-C6AZ 9A474-B	Fitting	1-380614-S	Cap
				1-Installation sketch	

66	B (8 cyl. 390)	Not replaced		1	★C6OZ 2A091-B

Consists of

1-C6OA 2A040-F	Tube	1-C6OA 2264-D	Tube	2-376428-S8	Clamp
1-C4GA 2A047-C	Hose	1-C6AA 2420-E	Tube	1-380613-S	Cap
1-C6OZ 2075-B	Connector	1-C6AZ 9A474-D	Fitting	1-380614-S	Cap
1-C6OA 2B195-J	Booster & Master Cyl.	1-40923-S2	Screw	1-Installation sketch	
1-C6OA 2B221-A	Tube	2-351415-S	Washer		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2A091 BOOSTER INSTALLATION KIT - POWER BRAKE - continued			
	- B -			
67	B	Not replaced	1	★C7OZ 2A091-A
	Consists of			
	1-C7OA 2A040-J Tube	1-C6AA 2420-E Tube	1-351053-S	Strap
	1-C1AA 2A047-D Hose	1-C6OA 2420-D Tube	2-351415-S	Washer
	1-C9AZ 2178-A Valve	1-C7OA 2420-A Tube	2-376428-S	Clamp
	1-C7OA 2B195-S Booster & Master Cyl.	1-C7OA 7B086-A Connector	1-380613-S	Cap
	1-C7OA 2B253-F Tube	1-C6AZ 9A474-A Fitting	1-380614-S	Cap
	1-C6AA 2420-B Tube	1-C6AZ 9A474-B Fitting	1-Installation sketch	
68	B (drum brakes)	Not replaced	1	★C8OZ 2A091-A
	Consists of			
	1-C8OA 2A040-K Tube	1-C8OA 2B253-M Tube	1-353777-S	Connector
	1-C8AA 2A047-A Hose	1-C8AA 2420-G Tube	2-376428-S8	Clamp
	1-C9AZ 2178-A Valve	1-351053-S Strap	1-381799-S2	Clip
	1-C8OA 2B195-L Booster & Master Cyl.	2-351415-S Washer	1-Installation sketch	
69	B (drum brakes)	Not replaced	1	★C8OZ 2A091-B
	Consists of			
	1-C0AA 2A021-A Guard	1-C9AZ 2178-A Valve	1-351053-S	Strap
	1-C9OZ 2B022-A Gasket	1-C9OJ 2B195-C Booster & Master Cyl.	2-351415-S	Washer
	1-C8OA 2A040-K Tube	1-C8OA 2B253-M Tube	1-353777-S	Connector
	1-C8AA 2A047-A Hose	1-C8AA 2420-G Tube	2-376428-S8	Clamp
			1-381799-S2	Clip
			1-Installation sketch	
70	B(drum brakes)	Not replaced	1	★D0OZ 2A091-A
	Consists of			
	1-C0AA 2A021-A Guard	1-D0GY 2178-A Valve	2-351415-S	Washer
	1-C9OZ 2B022-A Gasket	1-D0GA 2B195-B Booster & Master Cyl.	2-379059-S8	or
	1-D0GA 2A040-A Tube	1-D0GA 2B253-A Tube	382984-S32	Clamp
	1-B9SS 2A047-A Hose	1-351053-S Strap	1-381799-S2	Clip
			1-Installation sketch	
71	B (drum brakes)	Not replaced	1	★D1OZ 2A091-A
	Consists of			
	1-C0AA 2A021-A Guard	1-D0GY 2178-A Valve	1-351053-S	Strap
	1-C9OZ 2B022-A Gasket	1-D1GA 2B195-AA Booster &	2-351415-S	Washer
	1-D0GA 2A040-A Tube	Master cyl.	2-379059-S8	or
	1-C8AA 2A047-A Hose	1-D0GA 2B253-A Tube	382984-S32	Clamp
			1-381799-S2	Clip
			1-Installation sketch	
72	B (manual disc brakes)	Not replaced	1	★D2OZ 2A091-A
	Consists of			
	1-D2OA 2A040-BF Tube	1-D2SZ 2455-A Pedal	2-379059-S2	or
	1-C1AA 2A047-F Hose	1-D1ZZ 13480-B Switch	382984-S32	Clamp
	1-D2OA 2B195-BJ Booster & Master Cyl.	2-356403-S2 Washer	1-380699-S100	Pin
	1-D2OA 2B253-BE Tube	1-377689-S2 Nut	4-382802-S100	Nut
	1-D2AA 2A407-BA Retainer		1-384007-S	Clip
			1-Installation sketch	
	- F -			
65/66	F (drum brakes)	Not replaced	1	★ C6ZZ 2A091-A
	Consists of			
	1-C6ZA 2A040-C Tube	1-C6ZA 2420-A Tube	2-376428-S8	Clamp
	1-B9SS 2A047-A Hose	1-C6AZ 9A474-A Fitting	2-376977-S2	Screw & washer
	1-C6ZA 2B195-A Booster & Master Cyl.	1-C6AZ 9A474-B Fitting	1-380613-S	Cap
	1-C6OA 2420-D Tube		1-380614-S	Cap
			1-Installation sketch	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2A091 BOOSTER INSTALLATION KIT - POWER BRAKE - continued			
	- F -			
67	F(drum brakes)- w/out collapsible strg. column	Not replaced	1	★C7ZZ 2A091-A

Consists of

1-C7ZA 2A040-F	Tube	1-C7ZZ 2455-B	Pedal (M/T)	4-55748-S	Locknut
1-C1AA 2A047-D	Hose	1-C7ZZ 2455-K	Pedal (A/T)	1-351053-S	Strap
1-C7ZA 2A188-A	Spacer	2-B7AZ 2471-A	Bushing	1-353574-S7	Washer
1-C7WA 2B195-E	Booster & Master Cyl.	1-C7OA 7B086-A	Connector	2-376428-S8	Clamp
1-C7ZA 2B253-E	Tube	1-C6AZ 9A474-A	Fitting	1-376977-S2	Screw & washer
1-C6OA 2420-D	Tube	1-C6AZ 9A474-B	Fitting	1-380613-S	Cap
1-C7OA 2420-A	Tube	1-34419-S2	Locknut	1-380614-S	Cap
1-C7ZA 2420-A	Tube	4-44728-S	Washer	1-Installation sketch	
1-C7ZA 2420-B	Tube	1-45534-S2	Bolt		

68	F(drum brakes)	Not replaced	1	★C8ZZ 2A091-A

Consists of

1-C8WY 2005-A	Booster	1-C8AA 2420-G	Tube	1-45534-S2	Bolt
1-C8ZA 2A040-E	Tube	1-C8ZZ 2455-A	Pedal (A/T)	4-55748-S	Locknut
1-C8AA 2A047-A	Hose	1-C8ZZ 2455-C	Pedal (M/T)	1-351053-S	Strap
1-C8ZA 2169-A	Piston	2-33799-S2	Nut	1-353574-S7	Washer
1-C7ZA 2A188-A	Spacer	1-34419-S2	Locknut	1-353777-S	Connector
1-C8ZA 2B253-E	Tube	2-34807-S2	Lockwasher	2-376428-S8	Clamp
		4-44728-S	Washer	1-376977-S2	Screw & washer
				1-Installation sketch	

69	F (drum brakes)	When used with manual trans., (1) C9ZZ 2455-D brake pedal must be used in place of kit pedal	1	C9ZZ 2A091-A

Consists of

1-C9ZJ 2005-B	Booster	1-C8ZA 2B253-E	Tube	1-353777-S	Connector
1-C9ZZ 2B022-A	Gasket	1-C8AA 2420-G	Tube	2-376428-S8	Clamp
1-C8ZA 2A040-E	Tube	1-C9ZZ 2455-E	Pedal (A/T)	1-376977-S2	Screw & washer
1-C8AA 2A047-A	Hose	1-56349-S4	Bolt	6-377706-S	Locknut
1-C9AZ 2169-F	Piston	1-351053-S	Strap	1-380699-S100	Pin
1-C7ZA 2A188-A	Spacer	1-353574-S7	Washer	1-382802-S100	Locknut
				1-Installation sketch	

70	F (drum brakes)	When used with manual trans., (1) D0ZZ 2455-B brake pedal must be used in place of kit pedal -not replaced	1	★D0ZZ 2A091-A

Consists of

1-C9ZJ 2005-B	Booster	1-C7ZA 2A188-A	Spacer	1-353574-S7	Washer
1-C9ZZ 2B022-A	Gasket	1-D0ZJ 2B253-A	Tube	2-376428-S8	Clamp
1-D0ZJ 2A040-A	Tube	1-C9ZZ 2455-A	Pedal (A/T)	1-376977-S2	Screw & washer
1-B9SS 2A047-A	Hose	1-D0ZA 3A762-A	Clamp	6-377706-S	Locknut
1-C9AZ 2169-F	Piston	1-56349-S4	Bolt	1-380699-S100	Pin
				1-382802-S100	Locknut
				1-Installation sketch	

71/72	F (drum brakes) "Before 2/28/72"	When used with manual trans., (1) D1ZZ 2455-A brake pedal must be used in place of kit pedal	1	D1ZZ 2A091-A

Consists of

1-D1ZZ 2005-B	Booster	1-D1ZA 2420-AA	Tube	2-376428-S8	or
1-D1ZJ 2A040-AA	Tube	4-D1ZJ 2B450-AA	Spacer	382984-S32	Clamp
1-C1AA 2A047-A	Hose	1-D1ZZ 2455-B	Pedal	1-378672-S	Clip
1-C9AZ 2169-F	Piston	1-55981-S2	Screw	1-380699-S100	Pin
1-D1ZJ 2B253-AA	Tube			6-382802-S100	Nut
				1-Installation sketch	

72	F(drum brakes) "From 2/28/72"	Repl. by D3ZZ 2A091-A	1	★D2ZZ 2A091-A

Consists of

1-D1ZZ 2005-B	Booster	1-D1ZA 2420-AA	Tube	2-376428-S8	or
1-D1ZJ 2A040-AA	Tube	4-D1ZZ 2B450-A	Spacer	379059-S2	or
1-C1AA 2A047-A	Hose	1-D1ZZ 2455-B	Pedal	382984-S32	Clamp
1-C9AZ 2169-F	Piston	1-D1ZZ 13480-B	Switch	1-380699-S100	Pin
1-D1ZJ 2B253-AA	Tube	1-55981-S36M	Screw	6-382802-S100	Nut
1-D2ZJ 2B253-AA	Tube	1-378672-S	Clip	1-Installation sketch	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2A091 BOOSTER INSTALLATION KIT - POWER BRAKE - continued			
	- X -			
65	X(with Automatic trans.)	Not replaced	1	★C5DZ 2A091-A
	Consists of			
	1-C5DA 2005-D Booster	1-C5AZ 13480-B Switch	2-376428-S8 Clamp	
	1-C4GA 2A040-A Tube	1-34664-S Nut & washer	1-379641-S Bolt	
	1-B9SS 2A047-A Hose	5-44727-S8 Washer	1-379794-S Tee	
	1-C3OA 2420-B Tube	5-55693-S8 Nut	1-380149-S Tee	
	1-C3OA 2420-C Tube	1-353808-S8 Plug	1-Installation sketch	
66	X (6 cyl. 170, 200 & 8 cyl. 289)	For contents of kit refer to "B" Section 20, Page 31	1	C6OZ 2A091-A
67	X (drum brakes)	For contents of kit refer to "B" Section 20, Page 32-not replaced	1	★C7OZ 2A091-A
68	X (drum brakes)	For contents of kit refer to "B" Section 20, Page 32 -not replaced	1	★C8OZ 2A091-A
69/70	X (drum brakes)	For contents of kit refer to "B" Section 20, Page 32-Not replaced	1	★C8OZ 2A091-B
	2B091 VALVE - FRONT DISC BRAKE PRESSURE CONTROL - Also refer to Groups 2B161 & 2B257			
67/69	A, S		1	C7AZ 2B091-A
67/69	B, F, X		1	C7OZ 2B091-B
65/66	F(exc. GT 350)		1	C5ZZ 2B091-B
66	A		1	
65/66	F (GT 350)	Not replaced	1	★C5ZX 2B091-A
65/66	S		1	C5SZ 2B091-A
67/69	A, S	Screw (to frame)-5/16"-18 x 3/4"-washer head	1	381877-S2(UU52AF)
	2092 COVER - BRAKE ADJUSTING HOLE			
65/	A, F, L, P, U, X	Front & rear-rubber	4	8A 2092
65/71	B	Front & rear	4	
72	B	Rear	2	
65/	S	Rear	2	
	2B093 PLATE and SEAL - POWER BRAKE BOOSTER END - Also refer to Groups 2B275 & 2329			
66	A (drum brakes)-Bendix Booster	Not replaced	1	★C6AZ 2B093-A
65	S		1	C5SZ 2B093-A
66	A(disc brakes)-Bendix Booster		1	
	2A094 RETAINER REPAIR KIT - BRAKE SHOE HOLD DOWN			
65/	A, S	Consists of 4-B7A 2066-A Cup 2-C3SZ 2068-B Spring 2-B7A 2069-A Pin	AR	C5AZ 2A094-A
65/67	B (Taxi)-front & rear	Consists of	4	B5AZ 2A094-A
71	B(10" brakes)-front	4-B7A 2066-A Cup 2-H 2068 Spring	2	
71/	F (10" x 2" brakes)-rear	2-B7A 2069-A Pin	2	
71/	P(6 cyl. 250 & 8 cyl. w/10" brakes)-front		2	
65/68	B, X (10" x 1 3/4" brakes)-rear	Consists of	2	C2OZ 2A094-D
65/	F (10" x 1 3/4" brakes)-rear	4-B7A 2066-A Cup 1-TDAA 2068-A Spring	2	
67/70	F, X (9" brakes)-front & rear	1-H 2068 Spring 2-8A 2069-A Pin	4	
71/	P(6 cyl. 250 & 8 cyl. w/10" brakes)-rear		2	
65/67	B (except Taxi)-front	Consists of	2	C2OZ 2A094-E
65/70	B, F, X (10" x 2" brakes-except Taxi)-rear	4-B7A 2066-A Cup 1-TDAA 2068-A Spring	2	
65/	F, X (10" brakes)-front	1-H 2068 Spring 2-B7A 2069-A Pin	2	
71/	B (10" x 2" brakes)-rear		2	
65/	B (10" x 2 1/2" brakes)-rear	Consists of 4-B7A 2066-A Cup 1-TDAA 2068-A Spring 1-H 2068 Spring 2-B7T 2069-A Pin	2	C3OZ 2A094-A
65/66	F, X (9" brakes)-front & rear	Consists of	4	C5DZ 2A094-A
71/	L, P(6 cyl. w/9" brakes)-front & rear	2-B7A 2066-A Cup 1-C5DZ 2068-B Spring 1-C5DZ 2068-A Spring 2-8A 2069-A Pin	2	

INCLUDED IN THIS SECTION ARE THE CONTENTS FOR KITS 2001, 2007 and 2200.

2001 SHOE and LINING KIT - BRAKE - Refer to Group 2001 in Section 20 for Model Application

C2OZ 2001-E - consists of

2-C2OA	2018-N	Shoe & lining-primary
2-C2OA	2019-N	Shoe & lining-secondary

C3AZ 2001-A - consists of

2-C3AA	2018-K	Shoe & lining-primary
2-C3AA	2019-K	Shoe & lining-secondary

★C3OZ 2001-C - r/b C7OZ 2001-B - consists of

2-C2OA	2018-S	Shoe & lining-primary
2-C2OA	2019-E	Shoe & lining-secondary

★C3OZ 2001-D - r/b C6OZ 2001-A - consists of

2-C3OA	2018-K	Shoe & lining-primary
2-C3OA	2219-K	Shoe & lining-secondary

C4DZ 2001-A- consists of

2-C4DA	2018-B	Shoe & lining-primary
2-C4DA	2019-B	Shoe & lining-secondary

★C5AZ 2001-A - r/b D1AZ 2001-B - consists of

2-C5AA	2018-B	Shoe & lining-primary
2-C5AA	2019-B	Shoe & lining-secondary

C5AZ 2001-C - consists of

2-C5AA	2018-F	Shoe & lining-primary
2-C5AA	2019-D	Shoe & lining-secondary

C5ZZ 2001-B - consists of

4-C7OA	2018-C	Shoe & lining

C6AZ 2001-B - consists of

4-C7AA	2018-H	Shoe & lining

C6OZ 2001-A - consists of

2-C6OA	2218-B	Shoe & lining-primary
2-C6OA	2219-L	Shoe & lining-secondary

C6TZ 2001-E - consists of

2-C6TA	2018-D, E	Shoe & lining-primary
2-C6TA	2019-R, S	Shoe & lining-secondary

C6TZ 2001-F - consists of

2-C6TZ	2018-C	Shoe & lining-primary
2-C6TZ	2019-C	Shoe & lining-secondary

★C7OZ 2001-B - r/b D1OZ 2001-C - consists of

2-C7OA	2018-E	Shoe & lining-primary
2-C7OA	2019-B	Shoe & lining-secondary

C7OZ 2001-C - consists of

4-C7OA	2018-F	Shoe & lining

C7VY 2001-A - consists of

4-C7VA	2018-B	Shoe & lining

★C8AZ 2001-A - r/b C9AZ 2001-B - consists of

2-C9AA	2018-C	Shoe & lining-primary
2-C9AA	2019-C	Shoe & lining-secondary
4-C8AZ	2066-A	Clip
4-C8AZ	2069-A	Pin
4-C8AZ	2B164-A	Clip
4-C8AZ	2B295-A	Stabilizer
4-C8AZ	2B299-A	Insulator

C8AZ 2001-B - consists of

2-C5AA	2018-F	Shoe & lining-primary
2-C8AA	2019-G	Shoe & lining-secondary

C8AZ 2001-C - consists of

2-C8AA	2018-H	Shoe & lining-primary
2-C8AA	2019-E	Shoe & lining-secondary
4-C8AZ	2066-A	Clip
4-C8AZ	2069-A	Pin
4-C8AZ	2B164-A	Clip
4-C8AZ	2B295-A	Stabilizer
4-C8AZ	2B299-A	Insulator

★C8OZ 2001-A - r/b C9OZ 2001-B - consists of

2-C8OA	2018-F	Shoe & lining-primary
2-C8OA	2019-F	Shoe & lining-secondary
4-C8AZ	2066-A	Clip
4-C8AZ	2069-A	Pin
4-8M	2149	Washer
4-C8AZ	2B164-A	Clip
2-C8OZ	2B295-A	Stabilizer
4-C8AZ	2B299-A	Insulator

C8TZ 2001-B - consists of

2		Shoe & lining-primary
2		Shoe & lining-secondary

★C9AZ 2001-A - r/b D0AZ 2001-A - consists of

2-C9AA	2018-A	Shoe & lining-primary
2-C9AA	2019-A	Shoe & lining-secondary
4-C8AZ	2066-A	Clip
4-C8AZ	2069-A	Pin
4-C8AZ	2B164-A	Clip
4-C8AZ	2B295-A	Stabilizer
4-C8AZ	2B299-A	Insulator

★C9AZ 2001-B - r/b C9AZ 2001-C - consists of

2-C9AA	2018-B	Shoe & lining-primary
2-C9AA	2019-B	Shoe & lining-secondary
4-C8AZ	2066-A	Clip
4-C8AZ	2069-A	Pin
4-C8AZ	2B164-A	Clip
4-C8AZ	2B295-A	Stabilizer
4-C8AZ	2B299-A	Insulator

C9AZ 2001-C - consists of

2-C9AA	2018-B or alternate	
D0AA	2018-4	Shoe & lining-primary
2-C9AA	2019-B or alternate	
D0AA	2019-B	Shoe & lining-secondary
4-C8AZ	2066-A	Clip
4-C8AZ	2069-A	Pin
4-C8AZ	2B164-A	Clip
4-C8AZ	2B295-A	Stabilizer
4-C8AZ	2B299-A	Insulator

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

2001 SHOE and LINING KIT - BRAKE - continued - Refer to Group 2001 in Section 20 for Model Application

★C9OZ 2001-B - r/b D0OZ 2001-C - consists of

2-C9OA	2018-C	Shoe & lining-primary
2-C9OA	2019-B	Shoe & lining-secondary
4-C8AZ	2066-A	Clip
4-C8AZ	2069-A	Pin
4-C9AZ	2149-A	Gasket
4-C8AZ	2B164-A	Clip
2-C8OZ	2B295-A	Stabilizer
4-C8AZ	2B299-A	Insulator

★D0AZ 2001-A - r/b D1AZ 2001-A - consists of

2-D0AA	2018-K	Shoe & lining-outer
2-D0AA	2019-F	Shoe & lining-inner
4-C8AZ	2066-A	Clip
4-C8AZ	2069-A	Pin
4-C8AZ	2B164-A	Clip
4-C8AZ	2B295-A	Stabilizer
4-C8AZ	2B299-A	Insulator

★D0AZ 2001-B - r/b D0AZ 2001-D - consists of

2-C9AA	2018-K or alternate	
D0AA	2018-C	Shoe & lining-primary
2-C9AA	2019-B or alternate	
D0AA	2019-B	Shoe & lining-secondary
4-C8AZ	2066-A	Clip
4-C8AZ	2069-A	Pin
4-C8AZ	2B164-A	Clip
4-C8AZ	2B295-A	Stabilizer
4-C8AZ	2B299-A	Insulator

D0AZ 2001-D - consists of

2-D2AA	2018-AA or alternate	
D2AA	2018-BA	Shoe & lining-outer
2-D2AA	2019-AA or alternate	
D2AA	2019-BA	Shoe & lining-inner
4-C8AZ	2066-A	Clip
4-C8AZ	2069-A	Pin
4-C8AZ	2B164-A	Clip
4-C8AZ	2B295-A	Stabilizer
4-C8AZ	2B299-A	Insulator

★D0GY 2001-B - r/b D1GY 2001-A - consists of

2-D0GA	2018-G	Shoe & lining-primary
2-D0GA	2019-D	Shoe & lining-secondary
4-C8AZ	2066-A	Clip
4-C8AZ	2069-A	Pin
4-8M	2149	Gasket
4-C8AZ	2B164-A	Clip
2-C8OZ	2B295-A	Stabilizer
4-C8AZ	2B299-A	Insulator

★D0OZ 2001-A - r/b D0OZ 2001-C - consists of

2-C9OA	2018-D	Shoe & lining-primary
2-C9OA	2019-B	Shoe & lining-secondary
4-C8AZ	2066-A	Clip
4-C8AZ	2069-A	Pin
4-8M	2149-A	Gasket
4-C8AZ	2B164-A	Clip
2-C8OZ	2B295-A	Stabilizer
4-C8AZ	2B299-A	Insulator

D0OZ 2001-C - consists of

2-D2ZA	2018-AA	Shoe & lining-outer
2-D2ZA	2019-AA	Shoe & lining-inner
4-C8AZ	2066-A	Clip
4-C8AZ	2069-A	Pin
4-8M	2149	Gasket
4-C8AZ	2B164-A	Clip
2-C8OZ	2B295-A	Stabilizer
4-C8AZ	2B299-A	Insulator

D1AZ 2001-A - consists of

2-D2AA	2018-DA	Shoe & lining-outer
2-D2AA	2019-DA	Shoe & lining-inner
4-C8AZ	2066-A	Clip
4-C8AZ	2069-A	Pin
4-C8AZ	2B164-A	Clip
4-C8AZ	2B295-A	Stabilizer
4-C8AZ	2B299-A	Insulator

D1AZ 2001-B - consists of

2-C5AA	2018-B	Shoe & lining - primary
2-D1AA	2019-AA	Shoe & lining - secondary

D1AZ 2001-C - consists of

2-C5AA	2018-F	Shoe & lining - primary
2-D1AA	2019-DA	Show & lining - secondary

D1AZ 2001-D - consists of

2-D2AA	2018-CA	Shoe & lining - primary
2-D2AA	2019-CA	Shoe & lining - secondary
4-C8AZ	2066-A	Clip
4-C8AZ	2069-A	Pin
4-C8AZ	2B164-A	Clip
4-C8AZ	2B295-A	Stabilizer
4-C8AZ	2B299-A	Insulator

D1DZ 2001-B - consists of

2-D1DA	2018-CB	Shoe & lining-primary
2-D1DA	2019-BC	Shoe & lining-secondary

D1FZ 2001-A - consists of

2-D12A	2018-BC	Shoe & lining-primary
2-D12A	2019- BC	Shoe & lining-secondary

D1FZ 2001-B - consists of

4-D22A	2018-BB	Shoe & lining
4-D1FZ	2B164-A	Clip
4-384467-S		Cotter pin

D1GY 2001-A-consists of

2-D1OA	2018-AA	Shoe & lining-outer
2-D1OA	2019-AA	Shoe & lining-inner
4-C8AZ	2066-A	Clip
4-C8AZ	2069-A	Pin
4-8M	2149	Gasket
4-C8AZ	2B164-A	Clip
2-C8OZ	2B295-A	Stabilizer
4-C8AZ	2B299-A	Insulator

D1OZ 2001-B - consists of

2-D1OA	2018-EA	Shoe & lining - primary
2-D1OA	2019-EA	Shoe & lining - secondary

D1OZ 2001-C - consists of

2-D1OA	2018-DA	Shoe & lining - primary
2-D1OA	2019-DA	Shoe & lining - secondary

★D1OZ 2001-D - r/b D1OZ 2001-B - consists of

2-D1OA	2018-EB	Shoe & lining-primary
2-D1OA	2019-EB	Shoe & lining-secondary

D1OZ 2001-E - consists of

2-D1OA	2018-DB	Shoe & lining-primary
2-D1OA	2019-DB	Shoe & lining-secondary

2001 SHOE and LINING KIT - BRAKE - continued - Refer to Group 2001 in Section 20 for Model Application

D2OZ 2001-C - consists of

2-D2OA	2018-DA	Shoe & lining-outer
2-D3OA	2019-BA	Shoe & lining-inner
2-D3AZ	2B164-A	Clip (Blue)
2-D2OZ	2B486-A	Spring
2-D2OZ	2B487-A	Key

D2OZ 2001-D - consists of

2-D2OA	2018-EA	Shoe & lining-outer
2-D3AA	2019-DA	Shoe & lining-inner
2-D3AZ	2B164-A	Clip (Blue)
2-D2OZ	2B486-A	Spring
2-D2OZ	2B487-A	Key

2007 LINING KIT - BRAKE SHOE - Refer to Group 2007 in Section 20 for Model Application

★C2AZ 2007-A - r/b D1AZ 2007-A - consists of

2-C1AA	2021-Z	Lining-primary
2-C1AA	2022-J	Lining-secondary
45-351939-S		Rivets

C2AZ 2007-B - consists of

2-C1AA	2021-AF	Lining-primary
2-C1AA	2022-N	Lining-secondary
45-351939-S		Rivets

★C2OZ 2007-D - r/b C6OZ 2007-A - consists of

2-C2OZ	2284-E	Lining-primary
2-C2OZ	2285-E	Lining-secondary
45-351939-S		Rivets

C3DZ 2007-A - consists of

2-C2DZ	2021-B	Lining-primary
2-C3DZ	2022-B	Lining-secondary
45-351939-S		Rivets

C3DZ 2007-B - consists of

2-C1DZ	2284-B	Lining-primary
2-C3DZ	2285-B	Lining-secondary
45-351939-S		Rivets

★C3OZ 2007-B - r/b C7ZZ 2007-A - consists of

2-C3OZ	2284-A	Lining-primary
2-C2OZ	2285-A	Lining-secondary
45-351939-S		Rivets

★C3OZ 2007-C - r/b C6OZ 2007-B - consists of

2-C3OZ	2021-D	Lining-primary
2-C3OZ	2285-A	Lining-secondary
45-351939-S		Rivets

C3SZ 2007-D - consists of

2-C3SZ	2284-C	Lining-primary
2-C3SZ	2285-C	Lining-secondary
45-375991-S		Rivets

C5AZ 2007-D - consists of

2-C5AA	2284-F	Lining-primary
2-C5AA	2285-E	Lining-secondary
45-351939-S		Rivets

C5AZ 2007-E - consists of

2-C5AA	2284-F	Lining-primary
2-C6AA	2285-C	Lining-secondary
45-351939-S		Rivets

C6OZ 2007-A - consists of

2-C6OZ	2284-A	Lining-primary
2-C2OZ	2285-E	Lining-secondary
45-351939-S		Rivets

★C6OZ 2007-B - r/b D1OZ 2007-A - consists of

2-C6OZ	2021-B	Lining-primary
2-C2OZ	2022-E	Lining-secondary
45-351939-S		Rivets

★C6TZ 2007-F - r/b C6TZ 2007-U - consists of

2-C4UZ	2021-A	Lining-primary
2-C6TA	2022-C	Lining-secondary
45-351939-S		Rivets

C6TZ 2007-L - consists of

2-C6TZ	2021-A	Lining-primary
2-C6TZ	2022-G	Lining-secondary
40-351939-S		Rivets

★C6TZ 2007-M - r/b C6TZ 2007-U - consists of

2-C6TA	2021-J	Lining-primary
2-C6TA	2022-U	Lining-secondary
45-351939-S		Rivets

C6TZ 2007-U - consists of

2-C6TA	2021-E	Lining-primary
2-C6TA	2022-R	Lining-secondary
45-351939-S		Rivets

★C7OZ 2007-A - r/b D1OZ 2007-B - consists of

2-C7OZ	2021-A	Lining-primary
2-C7OZ	2022-A	Lining-secondary
45-351939-S		Rivets

C7ZZ 2007-A - consists of

2-C7ZZ	2284-A	Lining-primary
2-C7ZZ	2285-A	Lining-secondary
45-351939-S		Rivets

C8AZ 2007-A - consists of

2-C1AA	2021-AF	Lining-primary
2-C8AA	2022-B	Lining-secondary
45-351939-S		Rivets

C8TZ 2007-D - consists of

2-C8TZ	2021-B	Lining-primary
2-C8TZ	2022-B	Lining-secondary
45-351939-S		Rivets

C8TZ 2007-E - consists of

2-C8TZ	2284-B	Lining-primary
2-C8TZ	2285-C	Lining-secondary
45-351939-S		Rivets

C9AZ 2007-A - consists of

2-C9AZ	2284-B	Lining-primary
2-C9AZ	2285-B	Lining-secondary
50-351939-S		Rivets

D1AZ 2007-A - consists of

2-C1AA	2021-Z	Lining-primary
2-D1AA	2022-CA	Lining-secondary
50-351939-S		Rivets

D1AZ 2007-B - consists of

2-C1AA	2021-AF	Lining-primary
2-D1AA	2022-EA	Lining-secondary
50-351939-S		Rivets

D1DZ 2007-A - consists of

2-D1DA	2021-BA	Lining-primary
2-D1DA	2022-BB	Lining-secondary
50-351939-S		Rivets

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

2007 LINING KIT - BRAKE SHOE - continued -Refer to Group 2007 in Section 20 for Model Application

D1DZ 2007-B - consists of

2-D1DA	2284-BA	Lining-primary
2-D1DA	2285-BA	Lining-secondary
40-351939-S		Rivets

D1DZ 2007-C - consists of

2-D1DA	2284-BA	Lining-primary
2-D1DA	2285-BB	Lining-secondary
50-351939-S		Rivets

D1FZ 2007-A - consists of

2-D12A	2021-BA	Lining-primary
2-D12A	2022-BA	Lining-secondary
40-351939-S		Rivets

★D1FZ 2007-B - r/b D1FZ 2007-C

2-D12A	2284-CA	Lining-primary
2-D12A	2285-CA	Lining-secondary
40-351939-S		Rivets

D1FZ 2007-C - consists of

2-D12A	2284-CA	Lining-primary
2-D12A	2285-CB	Lining-secondary
50-351939-S		Rivets

D1OZ 2007-A - consists of

2-D1OA	2021-FA	Lining-primary
2-D1OA	2022-FA	Lining-secondary
45-351939-S		Rivets

D1OZ 2007-B - consists of

2-D1OA	2021-DA	Lining-primary
2-D1OA	2022-DA	Lining-secondary
45-351939-S		Rivets

D1UZ 2007-A - consists of

2-D1UZ	2021-A	Lining-primary
2-D1UZ	2022-A	Lining-secondary
50-351939-S		Rivets

D2FZ 2007-A - consists of

2-D42A	2284-CA	Lining-primary
2-D22A	2285-BC	Lining-secondary
50-351939-S		Rivets

2200 SHOE and LINING - KIT - REAR BRAKE - Refer to Group 2001 in Section 20 for Model Application

C2OZ 2200-B - consists of

2-C2OA	2218-F	Shoe & lining-primary
2-C2OA	2219-F	Shoe & lining-secondary

C2OZ 2200-C - r/b C6OZ 2200-A - consists of

2-C2OA	2218-H	Shoe & lining-primary
2-C2OA	2219-H	Shoe & lining-secondary

C3AZ 2200-A - consists of

2-C3AA	2218-B	Shoe & lining-primary
2-C3AA	2219-F	Shoe & lining-secondary

★C3OZ 2200-A - r/b C7ZZ 2200-A - consists of

2-C2OA	2218-L	Shoe & lining-primary
2-C2OA	2219-D	Shoe & lining-secondary

C3SZ 2200-B - consists of

2-C3SA	2218-J	Shoe & lining-primary
2-C3SA	2219-J	Shoe & lining-secondary

C4DZ 2200-A - consists of

2-C4DA	2218-B	Shoe & lining-primary
2-C4DA	2219-B	Shoe & lining-secondary

C5AZ 2200-D - consists of

2-C5AA	2218-E	Shoe & lining-primary
2-C5AA	2219-D	Shoe & lining-secondary

C5AZ 2200-E - consists of

2-C5AA	2218-E	Shoe & lining-primary
2-C6AA	2219-B	Shoe & lining-secondary

C6OZ 2200-A - consists of

2-C6OA	2218-D	Shoe & lining-primary
2-C2OA	2219-H	Shoe & lining-secondary

C7ZZ 2200-A - consists of

2-D4DA	2218-BA	Shoe & lining-primary
2-C7ZA	2219-B	Shoe & lining-secondary

C8TZ 2200-C - consists of

2		Shoe & lining-primary
2		Shoe & lining-secondary

C9AZ 2200-A - consists of

2-C9AA	2218-B	Shoe & lining-primary
2-C9AA	2219-B	Shoe & lining-secondary

D1DZ 2200-A - consists of

2-D1DA	2218-BB	Shoe & lining-primary
2-D1DA	2219-BB	Shoe & lining-secondary

D1DZ 2200-B - consists of

2-D1DA	2218-BB	Shoe & lining-primary
2-D1DA	2219-BC	Shoe & lining-secondary

D1FZ 2200-A - consists of

2-D12A	2218-BA	Shoe & lining-primary
2-D12A	2219-BA	Shoe & lining-secondary

★D1FZ 2200-B - r/b D1FZ 2200-B

2-D12A	2218-BA	Shoe & lining-primary
2-D12A	2219-BB	Shoe & lining-secondary

D2FZ 2200-A - consists of

2-D22A	2218-BA	Shoe & lining-primary
2-D22A	2219-BC	Shoe & lining-secondary

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2106 RETAINER - PARKING BRAKE LEVER PIN			
65/	A,B,F,L,P,S,U,X		2	91A 2106
65/	A,B,F,S,U,X	Washer-spring (parking brake lever pin)-anti-rattle-3/8"	2	351467-S(XXJ52)
	2107 PIN - PARKING BRAKE LEVER			
65/69	F (9" brakes)		1	C1SZ 2107-A
65/70	X (9" brakes)		1	
70/	A,B,F,S		2	
70/	L,P (9" brakes)		2	
	@2B112 TUBE ASSY. - BRAKE PRESSURE CONTROL VALVE INLET			
66/	A(disc brakes)	Nut (to valve)-3/16" tube - 1/2" -20	1	375096-S36 (MM105F)
		Fitting-3/16" tube-3/8" -24	AR	87942-S8(I20)
		Nut-3/16" tube-7/16" -24	AR	358609-S8(MM103)
65	S	Connector (to booster)	1	358165-S(II65)
	@2B113 TUBE ASSY. - BRAKE PRESSURE CONTROL VALVE OUTLET			
65/	S	Clip (to dash panel)	1	356626-S32(GG22)
		Fitting-3/16" tube-3/8" -24	AR	87942-S8(I20)
		Nut-3/16" tube-7/16" -24	AR	358609-S8(MM103)
	2B115 SEAL - FRONT DISC BRAKE PISTON - Also supplied in 2221 kit			
65/67	A,S	Rubber-1.935" I.D. -Yellow dot	8	C5SZ 2B115-B
68/69	A,S	Rubber-2 3/4" I.D. -3" O.D. -1/8" thick - r/b C8AZ 2221-A	2	★C8AZ 2B115-A
67	B,F,X	Rubber-1.618" I.D. -r/b C7ZZ 2221-A	8	★C7ZZ 2B115-A
68/69	B,F,X	Rubber-2 3/8" I.D. -2 5/8" O.D. -5/32" thick- r/b C8OZ 2221-A	2	★C8OZ 2B115-A
65/66	F	Rubber-1.618" I.D.- r/b C5ZZ 2221-A	8	★C5ZZ 2B115-A
	2B116 SHIELD - FRONT DISC BRAKE			
68/71	B,X		2	C8OZ 2B116-A
68/69	F(exc. Boss 302)		2	
69	F(Boss 302)		2	D0ZZ 2B116-A
70/	F		2	C8OZ 2B116-A

2B120-1 CALIPER ASSY. - FRONT DISC BRAKE

YEAR	MODEL		DESCRIPTION	QTY.	CALIPER ASSY.	▲ REPAIR KIT
		- A -				
65/66	A	"Before 10/1/66"	R.H.	1	C5SZ 2B120-G	C5VY 2221-A
			L.H.	1	C5SZ 2B121-G	C5VY 2221-A
66/67	A	"From 10/1/66"	R.H.	1	C7SZ 2B120-A	C5SZ 2221-A
			L.H.	1	C7SZ 2B121-A	C5SZ 2221-A
68/	A		R.H.	1	C8AZ 2B120-A	C8AZ 2221-A
			L.H.	1	C8AZ 2B121-A	NOTE 1
		- B -				
67	B		R.H.	1	C7OZ 2B120-C	C7ZZ 2221-A
			L.H.	1	C7OZ 2B121-C	C7ZZ 2221-A
68/71	B		R.H.	1	C8OZ 2B120-A	C8OZ 2221-A
			L.H.	1	C8OZ 2B121-A	NOTE 1
72	B		R.H.	1	D2OZ 2B120-A	D2OZ 2221-A
			L.H.	1	D2OZ 2B121-A	NOTE 1
		- F -				
65/66	F		R.H.	1	C5ZZ 2B120-C	C5ZZ 2221-A
			L.H.	1	C5ZZ 2B121-C	C5ZZ 2221-A

@ Replacement tubes except as indicated by part number are to be made from bulk tubing stock listed by size and part number under basic Group 2269. Insulators are to be improvised from rubber hose, friction tape, etc., as required.

▲ Refer to Group 2221 for contents of kit

NOTE 1 - 1 Kit required per vehicle (to be used for R.H. and L.H. calipers)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		DESCRIPTION	QTY.	CALIPER ASSY.	▲REPAIR KIT
	2B120-1	CALIPER ASSY. - FRONT DISC BRAKE - continued				
67	F		R.H.	1	C7OZ 2B120-C	C7ZZ 2221-A
			L.H.	1	C7OZ 2B121-C	C7ZZ 2221-A
68/	F		R.H.	1	C8OZ 2B120-A	C8OZ 2221-A
			L.H.	1	C8OZ 2B121-A	NOTE 1
		- L -				
71/	L		R.H.	1	D1FZ 2B120-C	D1FZ 2221-B
			L.H.	1	D1FZ 2B121-C	NOTE 1
		- S -				
65/66	S	"Before 10/1/66"	R.H.	1	C5SZ 2B120-G	C5VY 2221-A
			L.H.	1	C5SZ 2B121-G	C5VY 2221-A
66/67	S	"From 10/1/66"	R.H.	1	C7SZ 2B120-A	C5SZ 2221-A
			L.H.	1	C7SZ 2B121-A	C5SZ 2221-A
68/71	S		R.H.	1	C8AZ 2B120-A	C8AZ 2221-A
			L.H.	1	C8AZ 2B121-A	NOTE 1
72	S		R.H.	1	D2OZ 2B120-A	D2OZ 2221-A
			L.H.	1	D2OZ 2B121-A	NOTE 1
		- X -				
67	X		R.H.	1	C7OZ 2B120-C	C7ZZ 2221-A
			L.H.	1	C7OZ 2B121-C	C7ZZ 2221-A
68/70	X		R.H.	1	C8OZ 2B120-A	C8OZ 2221-A
			L.H.	1	C8OZ 2B121-A	NOTE 1

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
66	A		Bolt (to spindle)-9/16" -12 x 1 3/8" -hex. head	4	★ 43139
67	A		Bolt (to spindle)-9/16" -12 x 1 3/8" -hex. head	4	352344-S2 (BB341M)
67	A,S		Bolt (caliper)-5/8" -11 x 1 5/8"	4	381551-S2 (BB201A)
68/	A		Bolt (to spindle)-upper-9/16" -12 x 2 5/8" - hex. head	2	382713-S101 (BB429T)
68/	A		Lockwasher (to spindle)-upper-9/16"	2	372520-S2 (XX305A)
68/71	A		Bolt (to spindle)-lower-1/2" -13 x 1 1/2" hex. head drilled	2	382564-S101 (BB429UA)
68/	A		Lockwasher (to spindle)-lower 1/2"	2	34809-S8 (X68)
72	A		Bolt (to spindle)-lower-1/2" -13 x 1 5/16" - hex. head drilled	2	384862-S100 (BB429WQ)
65/66	F		Bolt (caliper)-1/2" -13 x 1 9/16" -12 point head	4	378773-S2 (BB815B)
67	B,F		Bolt (caliper)-1/2" -13 x 1 9/16"	2	379027-S2 (BB194M)
67	B,X	"Before 2/9/67"	Bolt (to bracket)-7/16" -14 x 1 5/8" -lock shoulder	4	378225-S2 (BB445R)
65/67	F	"Before 2/9/67"		4	
67	B,F,X	"From 2/9/67"	Bolt (to bracket)-7/16" -14 x 1 3/4" -head drilled locking		382101-S2 (BB429R)
68/71	B,F,X		Bolt (to spindle)-upper-9/16" -12 x 2 5/8" - hex. head	2	382713-S101 (BB429T)
68/71	B,F,X		Lockwasher (to spindle)-upper-9/16"		372520-S2 (XX305A)
68/71	B,F,X		Bolt (to spindle)-lower-7/16" -14 x 1 1/2" hex. head drilled	2	384114-S100 (BB429WF)
68/71	B,F,X		Lockwasher (to spindle)-lower 7/16"	2	34808-S8 (X67)
72	B,S		Bolt (to spindle)-upper-1/2" -13 x 2 1/4" - hex. head	2	383601-S100 (BB429WP)
72	B,S		Bolt (to spindle)-lower-1/2" -13 x 1 1/4" - hex. head	2	383600-S100 (BB429WM)

▲ Refer to Group 2221 for contents of kit

NOTE 1 - 1 Kit required per vehicle (to be used for R.H. and L.H. calipers)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2B120-1 CALIPER ASSY. - FRONT DISC BRAKE - continued			
72	F	Bolt (to spindle)-upper-9/16"-12 x 2 5/8"-hex. head drilled	2	382713-S101 (BB429T)
72	F	Lockwasher (to spindle)-upper-9/16"	2	372520-S2 (XX305A)
72	F	Bolt (to spindle)-lower-7/16"-14 x 1 1/2"-hex. head drilled	2	384114-S100 (BB429WF)
72	F	Lockwasher (to spindle)-lower 7/16"	2	34808-S8 (X67)
71/	L	Bolt (to spindle)-upper-1/2"-13 x 2"-hex. head	2	383412-S (BB429WC)
71/	L	Lockwasher (to spindle)-upper-1/2"	2	34809-S8 (X68)
71/	L	Bolt (to spindle)-lower-7/16"-14 x 1 1/4"-hex. head	2	383411-S (BB429WX)
71/	L	Lockwasher (to spindle)-lower-7/16"	2	34808-S8 (X67)
65/66	S	Bolt (to caliper)-5/8"-11 x 1 5/8"-12 point head	4	379726-S2(BB815C)
65/66	S	Bolt (to spindle)-upper-9/16"-12 x 1 3/8"-hex. head	2	380437-S2 (BB199H)
		Bolt (to spindle)-lower-9/16"-12 x 2"-hex. hd.	2	380436-S2(BB199N)
		Lockwasher (to spindle)-9/16"	4	34810-S7-8 (X69)
67	S	Bolt (to spindle)-9/16"-12 x 1 3/8"-hex. head	4	352344-S2(BB341M)
68/71	S	Bolt (to spindle)-upper-9/16"-12 x 2 5/8"-hex. head drilled	2	382713-S101 (BB429T)
68/71	S	Lockwasher (to spindle)-upper-9/16"	2	372520-S2 (XX305A)
68/71	S	Bolt (to spindle)-lower-1/2"-13 x 1 1/2"-hex. head drilled	2	382564-S101 (BB429UA)
68/71	S	Lockwasher (to spindle)-lower 1/2"	2	34809-S8 (X68)
	2B126 TUBE ASSY. - FRONT DISC BRAKE CALIPER - L.H - Refer to Group 2K006			
	2B127 SHIELD - FRONT DISC BRAKE CALIPER			
65/66	A, S		2	C5SZ 2B127-A
65/66	F		2	C5ZZ 2B127-A
65/66	A, S	Screw & washer (to caliper)-1/4"-20 x 3/8"	4	378659-S2 (BB574C)

2128 CYLINDER REPAIR KIT - REAR BRAKE - Refer to Group 2261-2 for Model Application

C0DZ 2128-A (13/16" dia. cyl.) - consists of
2-C0DD 2201-A Cup 2-C0DD 2206-A Boot

C1UZ 2128-A (13/16" dia. cyl.) - consists of
2-C0DD 2201-A Cup 2-96H 2206 Boot

C3OZ 2128-A (15/16" dia. cyl.) - consists of
2-C3OZ 2201-B Cup 2-96H 2206 Boot

C3OZ 2128-B (29/32" dia. cyl.) - consists of
2-D2ZA 2201-AA Cup 2-96H 2206 Boot

C3OZ 2128-C (27/32" dia. cyl.) - consists of
2-C3OZ 2201-F Cup 2-96H 2206 Boot

C5AZ 2128-A (31/32" dia. cyl.) - consists of
2-C5AZ 2201-B Cup 2-96H 2206 Boot

C5DZ 2128-A (29/32" dia. cyl.) - consists of
2-C3OZ 2201-E Cup 2-C0DD 2206-A Boot

C5DZ 2128-B (27/32" dia. cyl.) - consists of
2-C3OZ 2201-F Cup 2-C0DD 2206-A Boot

C6OZ 2128-A (7/8" dia. cyl.) - consists of
2-C0DD 2202-B Cup 2-96H 2206 Boot

C9AZ 2128-B (1" dia. cyl.) - consists of
2-C9AA 2201-B Cup 2-96H 2206 Boot

D1FZ 2128-A (23/32" dia. cyl.) - consists of
2-D12A 2201-AA Cup 2-D12A 2206-AA Boot

D2DZ 2128-A (27/32" dia. cyl.) - consists of
2-D2DA 2201-AA Cup 2-96H 2206 Boot
1-D2ZZ 2204-B Expander

D2DZ 2128-B (27/32" dia. cyl.) - consists of
2-D2DA 2201-AA Cup 2-C0DD 2206-A Boot
1-D2ZZ 2204-B Expander

D2FZ 2128-A (23/32" dia. cyl.) - consists of
2-D22A 2201-AA Cup 2-D12A 2206-AA Boot
1-D22A 2204-AA Spring 2-D22A 2B508-AA Expander
1-D32A 2204-AA Spring 2-D32A 2B508-AA Expander

D2FZ 2128-C (7/8" dia. cyl.)-consists of
2-D2ZA 2201-BA Cup 2-D22A 2206-AA Boot
1-D2ZZ 2204-B Expander

D2OZ 2128-A (15/16" dia. cyl.)-consists of
2-D2OA 2201-AA Cup 2-D2AA 2206-AA Boot
1-D2ZZ 2204-A Expander

D2OZ 2128-B (15/16" dia. cyl.) - consists of
2-C3OZ 2201-B Cup 2-96H 2206 Boot
1-D1AZ 2204-A Expander

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

2128 CYLINDER REPAIR KIT - REAR BRAKE - continued - Refer to Group 2261-2 for Model Application

D2SZ 2128-A (1" dia. cyl.) - consists of
2-D2SA 2201-AA Cup 2-96H 2206 Boot
1-D2SZ 2204-A Expander

D2ZZ 2128-A (7/8" dia. cyl.) - consists of
2-D2ZA 2201-BA Cup 2-96H 2206 Boot
1-D2SA 2204-AA Spring 2-D2ZA 2B508-BA Expander

D2ZZ 2128-B (29/32" dia. cyl.) - consists of
2-D2ZA 2201-AA Cup 2-96H 2206 Boot
1-D2SA 2204-AA Spring 2-D2ZA 2B508-AA Expander

D3OZ 2128-A (15/16" dia. cyl.) - consists of
2-D2OA 2201-AA Cup 1-96H 2206 Boot
1-D2ZZ 2204-A Expander

D3UZ 2128-A (13/16" dia. cyl.) - consists of
2-D3UZ 2201-D Cup 2-96H 2206 Boot
1-D3UZ 2204-E Expander

D3UZ 2128-B (13/16" dia. cyl.) - consists of
2-D3UZ 2201-C Cup 2-96H 2206 Boot
1-D3UZ 2204-C Expander

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2B129 SPACER - BRAKE MASTER CYLINDER PUSH ROD			
65/	A, B, F, L, P, U, X	9/16" I.D. -13/16" O.D. -1/8" thick	2	C5DZ 2B129-A
	2B132 STOP - POWER BRAKE BOOSTER CONTROL VALVE PISTON			
65/67	F, X		1	C4DZ 2B132-A
	2133 NUT - BRAKE MASTER CYLINDER BRAKE TUBE			
65/67	S	Front brake tube to hose-3/8"-24	2	AD 2133-A
	2B134-5 BRACKET - FRONT DISC BRAKE CALIPER			
67	B, F	R.H.	1	C7OZ 2B134-A
		L.H.	1	C7OZ 2B135-A
65/66	F	R.H.	1	C5ZZ 2B134-A
		L.H.	1	★C5ZZ 2B135-A
66/67	B	Bolt (to spindle)-upper-3/8"-24 x 1 1/4" - hex. head	6	379787-S2
65/67	F		6	(BB390L)
67	X		6	
66	B	Bolt (to spindle)-lower-3/8"-24" x 2 5/16" - hex. head	2	379788-S2
65/66	F		2	(BB390M)
67	B, F, X	Bolt (to spindle)-lower-3/8"-24" x 2 7/16" - hex.head	2	381776-S2 (BB390MA)

YEAR	MODEL	DESCRIPTION	DIAMETER	QTY.	CYLINDER ASSY.	● REPAIR KIT
	2140 CYLINDER ASSY. - BRAKE MASTER					
	- A -					
65	A (manual drum brakes)	Less push rod	1	1	C5AZ 2140-A	C4AZ 2004-A
	A (power drum brakes)	Less push rod	7/8	1	C5ZZ 2140-B	C1SZ 2004-A
66	A (power drum brakes) "Before 1/3/66"	Less push rod	7/8	1	C5ZZ 2140-B	C1SZ 2004-A
	A (power drum brakes) "From 1/3/66"	Less push rod	7/8	1	C6AZ 2140-B	C1SZ 2004-A
	A (manual drum brakes)	Includes push rod	1	1	C6AZ 2140-D	C6AZ 2004-A
	A(disc brakes)	Less push rod	1	1	C6AZ 2140-A	C5VY 2004-A
67	A (manual drum brakes) "Before 11/1/66"	Includes push rod	1	1	★♦C7AZ 2140-C ◊C9AZ 2140-D	♦C7AZ 2004-G ◊C9AZ 2004-A
	A (manual drum brakes) "From 11/1/66"	Includes push rod	1	1	★♦C7AZ 2140-H ◊C9AZ 2140-D	♦C7AZ 2004-G ◊C9AZ 2004-A
	A (manual disc brakes)	Includes push rod	1	1	C7AZ 2140-J	C7AZ 2004-F
	A(power disc brakes)	Less push rod	1	1	C7AZ 2140-K	C7AZ 2004-C
	A(power drum brakes)	Less push rod	15/16	1	C7AZ 2140-L	C7AZ 2004-B
68	A (manual drum brakes)	Includes push rod	1	1	★♦C7AZ 2140-M ◊C9AZ 2140-D	♦C7AZ 2004-G ◊C9AZ 2004-A
	A(manual disc brakes)	Includes push rod	1	1	C8AZ 2140-B	C8AZ 2004-A
	A(power drum brakes)	Less push rod	15/16	1	C7AZ 2140-L	C7AZ 2004-B
	A (71)-power disc brakes 3/8"-24 primary outlet-1/2"-20 secondary outlet		1	1	C7VY 2140-A	★C7VY 2004-A r/b D0AZ 2004-C
	A(except 71)-(power disc brakes)-7/16"-24"-24 primary outlet-9/16"-18 secondary outlet		1	1	C9AZ 2140-A	D0AZ 2004-C

♦ Original ◊ Service Replacement ● For Kit Components, Refer to Section 20 - Group 2004

YEAR	MODEL	DESCRIPTION	DIAMETER	QTY.	CYLINDER ASSY.	● REPAIR KIT
	2140 CYLINDER ASSY. - BRAKE MASTER - continued					
	- A -					
69/71	A(manual drum brakes)	Includes push rod	1	1	C9AZ 2140-D	C9AZ 2004-A
	A(power drum brakes)-dealer installed	Includes push rod	1	1	NOTE 1	NOTE 2
	A(power drum brakes-Fleet)-factory installed	Less push rod	1	1	C9AZ 2140-E	C9AZ 2004-D
	A(manual disc brakes)	Includes push rod	1	1	C9AZ 2140-C	C9AZ 2004-C
	A(except 71 & P/C)-power disc brakes	Less push rod	1	1	C9AZ 2140-A	★C9AZ 2004-B r/b D0AZ 2004-C
	A(71 & P/C)-power disc brakes	Less push rod	1	1	C9AZ 2140-B	★C9AZ 2004-B r/b D0AZ 2004-C
72	A(manual drum brakes)	Includes push rod	1	1	D2AZ 2140-B	D2AZ 2004-A
	A(power drum brakes)-dealer installed	Includes push rod	1	1	Note 1	Note 2
	A(power drum or disc brakes)-factory installed	Less push rod	15/16	1	D2AZ 2140-A	D2AZ 2004-C
	- B -					
65	B(with P/B)	Less push rod	1	1	C5OZ 2140-A	C4OZ 2004-A
	B(without P/B)	Less push rod	1	1	C5AZ 2140-A	C4AZ 2004-A
66	B(with P/B) "Before 1/3/66"	Less push rod	1	1	C5OZ 2140-A	C4OZ 2004-A
	B(with P/B)-8 cyl. 390 "From 1/3/66"	Less push rod	1	1	C6OZ 2140-A	C4OZ 2004-A
	B(w/P/B)-exc. 8 cyl. 390 "From 1/3/66"	Less push rod	1	1	C6OZ 2140-B	C4OZ 2004-A
	B(without P/B)	Includes push rod	1	1	C6OZ 2140-D	C4AZ 2004-A
67	B(manual drum brakes)	Includes push rod	1	1	★♦C7OZ 2140-H ◊C9OZ 2140-A	♦C7OZ 2004-D ◊C9OZ 2004-A
	B(power disc brakes)-except 8 cyl. 427	Less push rod	15/16	1	C8OZ 2140-A	C9OZ 2004-B
	B(disc brakes)-8 cyl. 427	Includes push rod	1	1	C7OZ 2140-J	C7AZ 2004-F
	B(power drum brakes)	Less push rod	15/16	1	C9OZ 2140-B	C7AZ 2004-B
68	B(manual drum brakes)	Includes push rod	1	1	C9OZ 2140-A	C9OZ 2004-A
	B(disc brakes)-8 cyl. 427	Includes push rod	1	1	C7OZ 2140-J	C7AZ 2004-F
	B(power drum brakes)	Less push rod	15/16	1	C9OZ 2140-B	C7AZ 2004-B
	B(power disc brakes)	Less push rod	15/16	1	C8OZ 2140-A	C9OZ 2004-B
69	B(manual drum brakes)	Includes push rod	1	1	C9OZ 2140-A	C9OZ 2004-A
	B(power drum brakes)	Less push rod	15/16	1	C9OZ 2140-B	C7AZ 2004-B
	B(power disc brakes)	Less push rod	15/16	1	C8OZ 2140-A	C9OZ 2004-B
70/71	B(manual drum brakes)	Includes push rod	1	1	C9OZ 2140-A	C9OZ 2004-A
	B (power drum brakes)	Less push rod	15/16	1	D0GY 2140-A	C9OZ 2004-B
	B (power disc brakes)	Less push rod	15/16	1	C8OZ 2140-A	C9OZ 2004-B
72	B(manual disc brakes)	Includes push rod	1	1	D2OZ 2140-A	★D2OZ 2004-A r/b D4OZ 2004-A
	B (power disc brakes)	Less push rod	1	1	D2OZ 2140-B	D2OZ 2004-B
	- F -					
65	F(without P/B) "Before 8/17/64"	Less push rod	1	1	C4AZ 2140-B	C4AZ 2004-A
65	F(without P/B) "From 8/17/64"	Less push rod	1	1	C5AZ 2140-A	C4AZ 2004-A
65	F(with P/B) "Before 8/17/64"	Less push rod	7/8	1	C1SZ 2140-A	C1SZ 2004-A
65/66	F(exc. GT350)-(power drum brakes)-"From 8/17/64 to 1/3/66"	Less push rod	7/8	1	C5ZZ 2140-B	C1SZ 2004-A
65/66	F(exc. GT350)(w/disc brakes)-"Before 1/3/66"	Less push rod	15/16	1	C5ZZ 2140-C	C5SZ 2004-A
66	F(exc. GT350)(power drum brakes)-"From 1/3/66"	Less push rod	7/8	1	C6AZ 2140-B	C1SZ 2004-A
66	F(exc. GT350)-(w/disc brakes)-"From 1/3/66"	Includes push rod	15/16	1	C6ZZ 2140-C	C6ZZ 2004-A
66	F(GT350)-Almico Piggy Back			1	★S2MS 2140-A	
66	F(exc. GT350) -(manual drum brakes)	Includes push rod	1	1	C6ZZ 2140-B	C4AZ 2004-A
67	F(manual drum brakes)	Includes push rod	1	1	★♦C7AZ 2140-H ◊C9AZ 2140-D	♦C7AZ 2004-G ◊C9AZ 2004-A
67/70	F(power drum brakes)	Less push rod	1	1	C7ZZ 2140-G	C7ZZ 2004-A
67	F(power disc brakes)	Less push rod	1	1	C8ZZ 2140-A	D0AZ 2004-B
68	F(manual drum brakes)	Includes push rod	1	1	★♦C7AZ 2140-M ◊C9AZ 2140-D	♦C7AZ 2004-G ◊C9AZ 2004-A
68	F(power disc brakes)	Less push rod	1	1	C8ZZ 2140-A	★C8ZZ 2004-A r/b D0AZ 2004-B
69/70	F(manual drum brakes)	Includes push rod	1	1	C9AZ 2140-D	C9AZ 2004-A
	F(except Boss 429)-power disc brakes	Less push rod	1	1	C8ZZ 2140-A	C9ZZ 2004-A
	F(Boss 429)-power disc brakes	Less push rod	9/16	1	C9ZZ 2140-B	None

NOTE 1 - Use C9AZ 2140-D cylinder for dealer installed power drum brakes when reworked to installation sketch supplied in 2A091 kit.

NOTE 2 - When repairing master cylinder on vehicles with dealer installed power drum brakes use C9AZ 2169-F in place of piston supplied in C9AZ 2004-A repair kit.

● For Kit Components, refer to Section 20 - Group 2004 ♦ Original ◊ Service replacement

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	DIAMETER (INCHES)	QTY.	CYLINDER ASSY.	• REPAIR KIT
	2140 CYLINDER ASSY. - BRAKE MASTER - continued					
	- F -					
71	F (manual drum brakes)	Includes push rod	1	1	D1ZZ 2140-A	D1ZZ 2004-A
	F(power drum brakes)-dealer installed	Includes push rod	1	1	NOTE 1	NOTE 2
	F (power disc brakes)	Less push rod	1	1	C8ZZ 2140-A	C9ZZ 2004-A
72	F(manual drum brakes) "Before 2/28/72"	Includes push rod	1	1	D2ZZ 2140-B	D2ZZ 2004-A
	F(manual drum brakes) "From 2/28/72"	Includes push rod	1	1	D2ZZ 2140-C	D2ZZ 2004-A
	F(power drum brakes)-dealer installed- "Before 2/28/72"	Includes push rod	1	1	NOTE 1	NOTE 2
	F(power drum brakes)-dealer installed- "From 2/28/72"	Includes push rod	1	1	NOTE 3	NOTE 4
	F(power disc brakes) "Before 7/1/72"	Less push rod	1	1	♦★D2ZZ 2140-A ◊C8ZZ 2140-A	♦D2ZZ 2004-B ◊D0AZ 2004-B
	F(power disc brakes) "From 7/1/72"	Less push rod-#Gray paint	15/16	1	D3ZZ 2140-A	D3ZZ 2004-A
	- L -					
71	L (manual drum brakes)	Includes push rod	15/16	1	D1FZ 2140-A	D1FZ 2004-A
	L (manual disc brakes)	Includes push rod	15/16	1	D1FZ 2140-B	D1FZ 2004-C
72	L "Before 1/17/72"	Includes push rod	15/16	1	D2FZ 2140-C	D2FZ 2004-C
	L "From 1/17/72"	Includes push rod	15/16	1	♦★D2FZ 2140-E ◊D3FZ 2140-A	♦D2FZ 2004-E ◊D2FZ 2004-E
	- P -					
70/71	P (drum brakes)	Includes push rod	1	1	C9OZ 2140-A	C9OZ 2004-A
72	P	Includes push rod	1	1	D2DZ 2140-A	D2DZ 2004-A
	- S -					
65/66	S "Before 1/3/66"	Less push rod	15/16	1	C5SZ 2140-A	C5SZ 2004-A
	S "From 1/3/66 to 4/1/66"	Less push rod	7/8	1	★C6SZ 2140-A r/b C6SZ 2140-B	C1SZ 2004-A
	S "From 4/1/66"	Less push rod	1	1	C6SZ 2140-B	None
67	S	Less push rod	1	1	C7SZ 2140-C	C7AZ 2004-C
68/69	S	Less push rod	1	1	C8SZ 2140-A	D0AZ 2004-C
70/71	S	Less push rod	1	1	C9AZ 2140-B	D0AZ 2004-C
72	S	Less push rod	1	1	D2OZ 2140-B	D2OZ 2004-B
	- U -					
66	U	Less push rod	1	1	C5TZ 2140-A	C5TZ 2004-A
67	U	Includes push rod	1	1	C7TZ 2140-D	C7TZ 2004-C
68	U	Includes push rod	1	1	C8TZ 2140-A	C8TZ 2004-A
69/	U	Includes push rod	1	1	C9TZ 2140-A	C9TZ 2004-F
	- X -					
65	X(with P/B)	Less push rod	7/8	1	C5ZZ 2140-B	C1SZ 2004-A
	X(without P/B)	Less push rod	1	1	C5DZ 2140-A	C4AZ 2004-A
66	X(with P/B)- "Before 1/3/66"	Less push rod	7/8	1	C5ZZ 2140-B	C1SZ 2004-A
	X(with P/B)- "From 1/3/66"	Less push rod	1	1	C6OZ 2140-B	C4OZ 2004-A
	X(without P/B)	Includes push rod	1	1	C6OZ 2140-D	C4AZ 2004-A
67	X(manual drum brakes	Includes push rod	1	1	★♦C7OZ 2140-H ◊C9OZ 2140-A	♦C7OZ 2004-D ◊C9OZ 2004-A
	X(power drum brakes)	Less push rod	15/16	1	C9OZ 2140-B	C7AZ 2004-B
	X(power disc brakes)	Less push rod	15/16	1	C8OZ 2140-A	C9OZ 2004-B
68	X(manual drum brakes)	Includes push rod	1	1	C9OZ 2140-A	C9OZ 2004-A
	X(power drum brakes)	Less push rod	15/16	1	C9OZ 2140-B	C7AZ 2004-B
	X(power disc brakes)	Less push rod	15/16	1	C8OZ 2140-A	C9OZ 2004-B
69/70	X(manual drum brakes)	Includes push rod	1	1	C9OZ 2140-A	C9OZ 2004-A
	X(power drum brakes)	Less push rod	15/16	1	C9OZ 2140-B	C7AZ 2004-B
	X(power disc brakes)	Less push rod	15/16	1	C8OZ 2140-A	C9OZ 2004-B

• For Kit Components, refer to Section 20 - Group 2004 ♦ Original ◊ Service replacement

NOTE 1 - Use D1ZZ 2140-A cylinder for dealer installed power drum brakes when reworked to installation sketch supplied in 2A091 kit.

NOTE 2 - When repairing master cylinder on vehicles with dealer installed power drum brakes use C9AZ 2169-F in place of piston supplied in D1ZZ 2004-A repair kit

NOTE 3 - Use D2ZZ 2140-C cylinder for dealer installed power drum brakes when reworked to installation sketch supplied in 2A091 kit

NOTE 4 - When repairing master cylinder on vehicles with dealer installed power drum brakes use C9AZ 2169-F in place of piston supplied in D2ZZ 2004-A repair kit

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2140 CYLINDER ASSY. - BRAKE MASTER - continued			
65/	A	Bolt (cylinder to brake booster)-5/16"-24 x 1 1/2"	2	20467-S7(B160)
65/	S	Bolt & retainer assy. (cylinder to dash panel)-5/16"-24 x 1 1/8"	4	371468-S2(RR26)
65/	S(with Power Brake Booster)	Bolt (cyl. to pedal support brkt.)-5/16"-24 x 2"	2	20521-S8(B162)
		Nut-5/16"-24		33798-S8(M62)
		Washer-flat-5/16"		44722-S8(X19)
		Lockwasher-5/16"		34806-S7(X64)
65/	S (except A/C)	Nut (cylinder to booster)-5/16"-24	4	33798-S8(M62)
		Lockwasher-5/16"		34806-S7(X64)
		Lockwasher-3/8"		351487-S(XX291)
65/	B	Bolt (cylinder to dash panel)-3/8"-16 x 1 1/4"	2	359266-S8(BB157)
65/	F		2	
65	F	Nut-3/8"-16 (to booster)	2	33799-S7(M52)
		Lockwasher-3/8"		34807-S8(X66)
65/66	A	Stud (to dash panel)-3/8"-16 & 3/8"-16 x 2 7/8"	2	377103-S(WW12D)
67	A	Stud (to dash panel)-3/8"-16 & 3/8"-16 x 2 7/8"	2	381694-S(WW131A)
66	B, X(without Power Brake Booster)	Stud (to dash panel)-3/8"-16 & 3/8"-16 x 2 1/4"	2	380200-S2(WW12B)
66/	B, X(without Power Brake Booster)	Stud (to dash panel)-3/8"-16 & 3/8"-16 x 3"	2	372637-S7-8
67/	B(8 cyl. 427)-with S/T & disc brakes		2	(WW110A)
66	B, F, X(Automatic Transmission)	Pin-self-locking (to brake pedal or booster)	1	380699-S2
67/68	B, X		1	(NN128F)
68	F	Pin-retaining (to pedal)	1	
	2143 ROD -BRAKE MASTER CYLINDER PUSH			
65/66	A	4 61/64" hole center to end	1	C5DZ 2143-B
65	B	6 3/16" hole center to end	1	C5OZ 2143-B
66	B	5 5/16" hole center to end	1	C6OZ 2143-A
65	F "Before 5/24/65"	6" long	1	C4AZ 2143-A
65/66	F "From 5/24/65 to 12/1/65"	6" hole center to end	1	C5ZZ 2143-C
66	U	7 43/64" hole center to end-not replaced	1	★C6TZ 2143-A
67	U	7 43/64" hole center to end	1	C7TZ 2143-C
68/	U	8 3/16" long	1	C8TZ 2143-A
65	X	4 61/64" hole center to end	1	C5DZ 2143-B
66	X	5 5/16" hole center to end	1	C6OZ 2143-A
65	F "Before 8/17/64"	Ring (rod to brake pedal)-"C" washer-7/16" I. D. -7/8" O. D.	1	372878-S7(XX16)
65	F "From 8/17/64"	Pin-self locking (to link pin)	1	379897-S2
65	S		1	(NN128A)
66	A(Automatic Transmission)	Pin-self-locking (to brake pedal)	1	380699-S2
67/68	A "Before 12/16/67"		1	(NN128F)
66	F, S	Pin-self-locking (to brake pedal pin)	1	
68	A "From 12/16/67"	Pin-retaining(to brake pedal)-3/32"	1	382797-S100 (NN128M)
	2145 SPRING and RETAINER - BRAKE MASTER CYLINDER PISTON RETURN			
65/67	A, B, X		1	C4AZ 2145-A
65/67	F(drum brakes)		1	
65/67	F, S (disc brakes with Power Brake Booster)		1	C5SZ 2145-A
66	A(disc brakes)	Not replaced	1	★C5VY 2145-A
65	B		1	
	2149 GASKET - BRAKE LINE CONNECTOR			
65/69	A, B, F, S, X "Before 10/15/68"	3/8" I.D.-5/8" O.D.	AR	8M 2149
70/	A, F, P		2	
70/71	B, S, X		AR	
71/	L(drum brakes)		AR	
69	A, B, F, S, X(drum brakes) "From 10/15/68"	3/8" I.D.-5/8" O.D.-5 grooves	2	C9AZ 2149-A
67	B, F, X(disc brakes)	7/16" I.D.-5/8" O.D.	2	C7OZ 2149-A
72	B, S		2	
71/	L(disc brakes)		2	
	2A150 BUSHING - POWER BRAKE BOOSTER LEVER			
65/67	S	1/2" long	2	B9MM 2A150-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2B152 HUB - POWER BRAKE BOOSTER DIAPHRAGM GUIDE			
65/67	A	2 63/64" long	1	C5AZ 2B152-A
66	B, X(except 8 cyl. 390)	2 13/32" long-use with C2AZ 2005-F tagged C-4201-J-not replaced	1	★C2AZ 2B152-A
66	B(8 cyl. 390)	External-4 27/32" long	1	C6OZ 2B152-B
66	B(8 cyl. 390)	Internal-2 39/64" long	1	C6OZ 2B152-A
67	B, F, X		1	
67	S(without speed control)	Internal	1	
67	B, F, X	External-4 31/32" long	1	C7OZ 2B152-A
	2B153 HUB - POWER BRAKE BOOSTER VALVE SEAT			
65/67	A, B		1	C5AZ 2B153-A
66/67	X		1	
67	F		1	
	2B154 LEVER and REACTION RING - POWER BRAKE BOOSTER			
66	S(with speed control & Deluxe steering column)	Not replaced	1	★C6SZ 2B153-A
67	S(without speed control)		1	
65/67	A	7 to 10 lb. load-#Red & Green paint-M/W C6SZ 2B154-A	1	★C5AZ 2B154-B
67	A(drum brakes)-Midland-Ross	13 to 16 lb. load-#Green paint daub	1	C7AZ 2B154-A
65	B	17 to 20 lb. load-#Blue paint daub-not replaced	1	★C5OZ 2B154-A
66	B, X(except 8 cyl. 390)	21 to 25 lb. load-#White paint daub	1	C6OZ 2B154-A
66	B(8 cyl. 390)	28 to 32 lb. load-#Yellow paint daub-not replaced	1	★C6OZ 2B154-B
66	S(with speed control & Deluxe steering column)	6 to 9 lb. load-#Orange paint daub	1	C6SZ 2B154-A
67	B, X(drum brakes)	17 to 20 lb. load-#Blue paint daub	1	C7OZ 2B154-B
67	F(disc brakes)		1	
67	B(disc brakes)	21 to 25 lb. load-#White paint daub	1	C7OZ 2B154-A
67	F(drum brakes)		1	
	2B155 CLAMP - POWER BRAKE BOOSTER BELLOWS			
65/67	A, B	2 47/64" I. D. -2 7/8" O. D.	1	C5AZ 2B155-A
66/67	X		1	
67	F		1	
	2B156 SPRING - POWER BRAKE BOOSTER PLUNGER RETURN			
66	S(with speed control & deluxe steering column)	3/4" I.D.-1" O.D.-15/16" long-3.8 coils	1	C6SZ 2B156-A
67	S(without speed control)		1	
67	F		1	
	2A157 SPRING - POWER BRAKE BOOSTER CONTROL VALVE RETURN			
65/67	B (Midland-Ross)	3/4" I.D.-3/4" long-4 coils	1	C2AZ 2A157-A
65/67	F, X (Bendix)	10 3/4" long	1	C4DZ 2A157-A
65	S (Bendix)	Control valve diaphragm return	1	
66	A (disc brakes)-Bendix	Control valve diaphragm return	1	
65	S (Bendix)	7/8" O.D. -not replaced	1	★C5SZ 2A157-A
66	A (disc brakes)-Bendix		1	
	2B160 GASKET - FRONT BRAKE SPLASH SHIELD			
67/	A, S	1 15/16" I. D. -3 3/4" O. D.	2	C7AZ 2B160-A
72	B		2	
71	L		2	
68/71	B, X	2" I.D. -3 13/16" O.D.	2	C8OZ 2B160-A
68/	F		2	
65/66	S	1 15/16" I. D. -3" O. D. -not replaced	2	★C5SZ 2B160-A
	2B161 VALVE - BRAKE PRESSURE METERING			
68/69	A(New York taxi)	With disc brakes	1	C7VY 2B161-B
69	A(P/C)	With disc brakes	1	
70/71	A, S	With disc brakes	1	D0AZ 2B161-B
70/71	A, S	Screw & washer (to No. 2 cross member) - 5/16"-18 x 1 3/4"	2	383692-S2 (UU52AG)
	2162 CAP ASSY. - BRAKE MASTER CYLINDER FILLER			
65/66	A, B, F, X (drum brakes)	Includes (1) 2167 gasket	1	C5ZZ 2162-B
67/71	A, B, X(drum brakes)	Repl. by D5TZ 2162-A	1	★C7AZ 2162-A
67/	F, P(drum brakes)		1	
67	A, B, F, S, X(disc brakes)		1	C7AZ 2162-B
68/71	A, B, S(disc brakes)		1	C9AZ 2162-A
68/	F(disc brakes)		1	
68/70	X(disc brakes)		1	
65/66	A, F, S(disc brakes)		1	C5SZ 2162-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2162 CAP ASSY. - BRAKE MASTER CYLINDER FILLER - continued			
72	A		1	D2AZ 2162-A
72	B,S		1	D2OZ 2162-A
71/	L		1	D1FZ 2162-A
66	U		1	C5TZ 2162-A
67/	U		1	C7AZ 2162-B
	@ 2B162 TUBE ASSY. - BRAKE PRESSURE METERING VALVE INLET			
		Fitting-3/16"tube-3/8"-24	AR	87942-S8(I-20)
		Nut-3/16" tube-1/2"-20	AR	375096-S36 (MM105F)
		Nut-3/16" tube-3/8" -24	AR	332967-S100 (MM102)
	2B164 CLIP - FRONT DISC BRAKE SHOE ANTI RATTLE			
67	A,S		4	C7AZ 2B164-C
68/	A,F		AR	C8AZ 2B164-A
68/71	B,S,X		AR	
72	B,S	# Plain - use when inner brake shoe to anchor plate clearance is less than .032"	2	D2OZ 2B164-A
72	B,S	# Blue - use when inner brake shoe to anchor plate clearance is .032" or greater- r/b D4FZ 2B164-A (3-74)	2	★D3AZ 2B164-A
67	B,F,X		4	C7OZ 2B164-C
71/	L		4	D1FZ 2B164-A
67	A,B,F,S,X	Screw & washer (to caliper)-1/4"-20 x 3/8"	4	378659-S2(BB574C)
	@ 2B166-8 TUBE ASSY. - FRONT DISC BRAKE CALIPER INLET			
		Connector-3/8" -24-R.H. & L.H.	AR	357444-S(II64A)
		Fitting-3/16" tube-3/8" -24 -R.H. & L.H.	AR	87942-S8(I-20)
	2167 GASKET - BRAKE MASTER CYLINDER FILLER CAP			
65/66	A, B, F, X(drum brakes)	2 7/8" O.D.	1	C5ZZ 2167-A
65/66	A, F, S(disc brakes)	4 7/64" O.D.	1	C5SZ 2167-A
67/71	A, B, X(drum brakes)	5" long	1	C7AZ 2167-A
67/71	F(drum brakes)		1	
72	F(drum or disc brakes)		1	
71/	P(drum brakes)		1	
67/71	A, B, F, S, X(disc brakes)	Repl. by D1FZ 2167-A	1	★C7AZ 2167-B
67/	U		1	
72	A		1	D2AZ 2167-A
72	B,S		1	D2OZ 2167-A
71/	L		1	D1FZ 2167-A
66	U	2 7/8" O.D.	1	C5TZ 2167-A
	2169 PISTON - BRAKE MASTER CYLINDER			
69/	A	Use with dealer installed power drum brake kit- 2169 also supplied in 2A091 kit	1	C9AZ 2169-F
69/	F		1	
	2173 CUP - BRAKE MASTER CYLINDER PRIMARY - Supplied in 2004 kits			
	2174 SNAP RING - BRAKE MASTER CYLINDER PISTON - Supplied in 2004 kits			
	2A176-7 LEVER - BRAKE SHOE ADJUSTING			
65/	A, B, S	R.H.	AR	COLL 2A176-A
65/	F, X(10" brakes)	R.H.	AR	
71/	P(6 cyl. 250 & 8 cyl.)-10" brakes	R.H.	2	
		L.H.	AR	COLL 2A177-A
65/70	F, X(9" brakes)	R.H.	AR	C3DZ 2A176-B
70/	P(6 cyl.)-9" brakes	R.H.	AR	
		L.H.	AR	C3DZ 2A177-B
71/	L	R.H.	2	D1FZ 2A176-A
		L.H.	2	D1FZ 2A177-A
67/	U	R.H.	2	C4UZ 2A176-A
		L.H.	2	C4UZ 2A177-A

@ Replacement tubes except as indicated by part number are to be made from bulk tubing stock listed by size and part number under basic Group 2269. Insulators are to be improvised from rubber hose, friction tape, etc., as required.

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2B176 GROMMET - POWER BRAKE BOOSTER CHECK VALVE			
69/	A(disc brakes)-exc. S/W,P/C-Bendix		1	C9AZ 2B176-C
69/	B,F,S,X (disc brakes)		1	
70/	A(drum brakes)		1	
65/69	F,S (Bendix)	Rubber-7/8" I.D.-1 5/16" O.D.-Also supplied in	1	C9AZ 2B176-A
65	X	2309 Kit	1	
66/69	A(drum brakes)-Bendix		1	
67	S (with speed control)		1	C9AZ 2B176-B
69/	A(disc brakes)-S/W,P/C-Bendix		1	
	2178 VALVE - BRAKE MASTER CYLINDER OUTLET CHECK			
66	A(disc brakes)	1 7/8" long	1	C6AZ 2178-A
67/68	A(manual disc brakes)	Not replaced	1	★C7AZ 2178-A
69/71	A(power drum brakes)-Fleet		1	C9AZ 2178-A
67	B (power drum brakes)		1	C9AZ 2178-A
70/71	B (power drum brakes)		1	D0GY 2178-A
70	S (Bendix)		1	C7TZ 2178-B
67	X (power drum brakes)		1	C9AZ 2178-A
	2A178 CABLE - BRAKE SHOE ADJUSTING LEVER			
65/	A	11 1/8" long-front & rear	AR	C1SS 2A178-A
67/	S	Rear	2	
65/71	B,X (10" brakes)	9 3/4" long-front & rear	AR	C2OZ 2A178-A
72	B	Rear	2	
65/	F(10" brakes)	Front & rear	4	
71/	P(6 cyl. 250 & 8 cyl.)-10" brakes	Front & rear	4	
65/70	F,X(9" brakes)	8 7/16" long-front & rear	AR	C3DZ 2A178-A
71/	L (9" brakes)	Front & rear	4	
70/	P(6cyl.)-9" brakes	Front & rear	4	
65/66	S	10 15/16" long	AR	C3SZ 2A178-A
67/	U(11" x 2" brakes)	11 1/4" long-front	2	C4TZ 2A178-A
67/	U(10" x 2 1/2" brakes)	9 13/16" long-rear	2	C4UZ 2A178-A
67/	U(11" x 1 3/4" brakes)	11 1/4" long-rear	2	C4TZ 2A178-A
	2A179 GUIDE - BRAKESHOE ADJUSTING LEVER CABLE			
65/	A,B,F,L,P,S,U,X		AR	C1SS 2A179-A
	2180 BOOT - BRAKE MASTER CYLINDER			
65/66	A(Midland-Ross booster)	1 3/4" O.D.-2" long	1	C5AZ 2180-A
65	B(Midland-Ross booster)		1	
67	A(Midland-Ross power drum brakes)		1	
67	B,F,X (power brakes)		1	
67	S(without speed control)		1	
65/	A,B,F,L,P,X (drum brakes)	9/32" & 1 5/16" I.D.-2" long	1	0A 2180
66	B,X (Midland-Ross booster)	5/16" & 1 5/16" I.D.-1 1/2" long-use with	1	★C1AZ 2180-A
		C3AZ 2005-A tagged C-4201-L-not replaced	1	
65/67	F,X (Bendix Booster)	Rubber-1 9/16" long-2" O.D.-not replaced	1	★C4DZ 2180-A
66	A (drum brakes)-Bendix Booster		1	
	2B180 SPACER - BRAKE PEDAL SUPPORT MOUNTING - Also refer to Group 2849			
69/	A(manual drum brakes)		1	C9AZ 2B180-A
70/71	B		1	D0OZ 2B180-A
72	B(6 cyl. & 8 cyl. 302,351)-manual disc brakes-"Before 6/26/72"		1	D2OZ 2B180-B
	B(6 cyl. & 8 cyl. 302,351)-manual disc brakes-"From 6/26/72"		1	D3OZ 2B180-B
	B(power disc brakes)		1	D2OZ 2B180-A
71/	F (manual drum brakes)		1	D1ZZ 2B180-A
	F (power drum brakes)		4	D1ZZ 2B450-A
	F (power disc brakes)		1	D1ZZ 2B180-B
66/	P,X		1	C6OZ 2B180-A
66/69	B		1	
69/71	S		1	C9SZ 2B180-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2B180 SPACER - BRAKE PEDAL SUPPORT MOUNTING - continued - Also refer to Group 2849			
72	S		1	D2SZ 2B180-A
66/	B,X	Stud (to dash)-3/8"-16 & 3/8"-16 x 3"	2	372637-S7-8 (WW110A)
		Locknut-3/8"-16		373403-S8 (MM173J)
	2B184 BUMPER - BRAKE PEDAL			
66/69	U	1.08" long-make from B3T 4090-B	2	★C6TA 2B184-A
	2A185 VALVE - POWER BRAKE BOOSTER CHECK -Also refer to Group 2365			
65	B		1	C1AA 2A185-A
	2B185 BOLT - BRAKE PEDAL ASSY.			
66/	U	1/4"-20 x 1 3/4"	2	C6TZ 2B185-A
	2B187 ACTUATOR - BRAKE PEDAL			
66	S(with speed control & deluxe steering column)	Not replaced	1	★C6SZ 2B187-A
	2A188 SPACER - BRAKE PEDAL			
72	B,S(A/T)		1	D2OZ 2A188-A
	2B188 CONNECTOR - BRAKE PEDAL ACTUATOR			
66	S(with speed control & deluxe steering column)	Not replaced	1	★C6SZ 2B188-A
	2B189 BRACKET - BRAKE PEDAL ACTUATOR			
66	S(with speed control & deluxe steering column)	Not replaced	1	★C6SZ 2B189-B
		Bolt (to pedal)-No. 10-24 x 3/4"	2	371698-S8(BB122)
	2194-7 PISTON - BRAKE CYLINDER			
	- A -			
65/69	A(drum brakes)	Front-1 3/32" O.D.	4	C0LL 2196-A
70/	A (71,Taxi)-11" x 3" brakes	Front	4	
67/	A	Rear-15/16" diameter	4	C3OZ 2196-D
65/66	A	Rear-7/8" O.D.	4	8A 2197-A
65/66	A	Front-1 1/16" O.D.	4	C3OZ 2196-B
65/66	A	Rear-31/32" O.D.	4	C5AZ 2196-A
66/67	A(disc brakes)	Front caliper-1 15/16" O.D. -1 9/64" long	8	C5SZ 2196-A
68/	A(disc brakes)	Front caliper-2 9/32" I.D. -2 3/4" O.D.	2	C8AZ 2196-A
69/71	A(P/C)	Rear-1" O.D.	4	C9AZ 2196-A
70/	A (exc.71,Taxi)-11" x 2 1/2" & 11"x 3" brakes	Front	4	C3OZ 2196-A
	- B -			
66/69	B	Rear-7/8" O.D.	4	8A 2197-A
65	B(10" x 2 1/2" brakes)	Front-1 1/16" O.D.	4	C3OZ 2196-B
65/69	B(10" x 2 1/4" brakes)	Front-1 1/8" O.D.	4	C3OZ 2196-A
70/71	B(10" x 2 1/4" & 10" x 2 1/2" brakes)	Front	4	
65	B	Rear-27/32" diameter-with fade resistant brakes	4	C3OZ 2196-E
65/68	B	Rear-29/32" O.D.	4	C3OZ 2196-C
70/71	B(exc.66,71)	Rear	4	
65/69	B	Rear-15/16" diameter	4	C3OZ 2196-D
66/69	B(10" x 2 1/2" brakes)	Front-1 3/32" O.D.	4	C0LL 2196-A
67	B(disc brakes)	Front caliper-1 5/8" O.D. -1 1/8" long	8	C7ZZ 2196-B
68/71	B(disc brakes)	Front caliper-1 59/64" I.D. -2 3/8" O.D.	2	C8OZ 2196-A
70/71	B(66,71)-10" x 2" & 10" x 2 1/2" brakes	Rear	4	C5AZ 2196-A
72	B(disc brakes)	Front caliper	2	D2OZ 2196-A
	B(53,63,65-exc. P/C)-10" x 2" brakes	Rear-1" O.D.	4	C9AZ 2196-A
	B(71,97)-10" x 2",10" x 2 1/2" brakes		4	
	B(53,65-P/C)-11" x 2 1/4" brakes	Rear-15/16" O.D.	4	C3OZ 2196-D
	- F -			
65/70	F (9" x 2 1/4" brakes)	Front - 1 1/16" O.D. -includes "O" ring	4	C2DZ 2196-A
65/69	F (10" x 2 1/4" brakes)	Front-1 1/8" O.D.	4	C3OZ 2196-A
70/	F(10" x 2 1/4" & 10" x 2 1/2" brakes)	Front	4	
65	F	Rear-13/16" O.D.	4	C0DD 2195-A
65	F	Rear-29/32" O.D.	4	C5DZ 2196-C
65/69	F	Rear-27/32" O.D.	4	C5DZ 2196-B
70	F(9" x 1 1/2" brakes)	Rear	4	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2194-7 PISTON - BRAKE CYLINDER - continued			
	- F -			
65/66	F "Before 4/15/66"	Rear-29/32" O.D.	4	C3OZ 2196-C
70	F	Rear	4	
71/	F (10" x 2" brakes)	Rear	4	
65/66	F(disc brakes)	Front caliper-1 5/8" O.D. -1 1/16" long	8	C5ZZ 2196-A
66/69	F (10" x 2 1/2" brakes)	Front-1 3/32" O.D.	4	C0LL 2196-A
66/69	F "From 4/15/66"	Rear-7/8" O.D.	4	8A 2197-A
71/	F (10" x 1 3/4" brakes)	Rear	4	
67	F (disc brakes)	Front caliper-1 5/8" O.D. -1 1/8" long	8	C7ZZ 2196-B
67/68	F	Rear-13/16" diameter	4	C7ZZ 2196-A
68/	F (disc brakes)	Front caliper-1 59/64" I.D. -2 3/8" O.D.	2	C8OZ 2196-A
	- L -			
71	L (9" x 2" brakes)	Front-1" O.D.	4	D1FZ 2196-B
	L (disc brakes)	Front caliper	2	D1FZ 2196-A
	L (9" x 1 1/2" brakes)	Rear-29/32" O.D.	2	D1FZ 2196-C
72	L (9" x 2" brakes)	Front-1" O.D.	4	D1FZ 2196-B
	L (disc brakes)	Front caliper	2	D1FZ 2196-A
	L (exc. 73)-9" x 1 1/2" brakes	Rear-29/32" O.D.	2	D1FZ 2196-C
	L (73)-9" x 1 3/4" brakes	Rear-7/8" O.D.	4	D2FZ 2196-C
	- P -			
70	P(6 cyl.)-9" brakes	Front-1 1/16" O.D. -includes "O" ring	4	C2DZ 2196-A
	P(6 cyl.)-9" brakes	Rear-27/32" O.D.	4	C5DZ 2196-B
71/	P (6 cyl.)-9" brakes	Front-1 1/8" O.D.	2	D1DZ 2196-A
	P (6 cyl.)-9" brakes	Rear-27/32" O.D.	4	C5DZ 2196-B
	P (6 cyl.250 & 8 cyl.)-10" brakes	Front-1 1/8" O.D.	4	C3OZ 2196-A
	P (6 cyl.250 & 8 cyl.)-10" brakes	Rear-27/32" O.D.	2	C3OZ 2196-E
	- S -			
65/67	S	Front caliper-1 15/16" O.D. -1 9/64" long	8	C5SZ 2196-A
68/71	S	Front caliper-2 9/32" I.D. -2 3/4" O.D.	2	C8AZ 2196-A
65/71	S	Rear-15/16" diameter	4	C3OZ 2196-D
72	S	Front caliper	2	D2OZ 2196-A
	S	Rear - 1" O.D.	4	C9AZ 2196-A
	- U -			
66/	U	Rear-13/16" diameter	4	C1UU 2197-A
	- X -			
65/70	X (9" x 2 1/4" brakes)	Front-1 1/16" O.D. -includes "O" ring	4	C2DZ 2196-A
65/70	X (10" x 2 1/4" brakes)	Front-1 1/8" O.D.	4	C3OZ 2196-A
65/68	X	Rear-29/32" O.D.	4	C3OZ 2196-C
65/70	X	Rear-15/16" diameter	4	C3OZ 2196-D
65	X	Rear-29/32" O.D.	4	C5DZ 2196-C
65/70	X	Rear-27/32" O.D.	4	C5DZ 2196-B
66/70	X (10" x 2 1/2" brakes)	Front-1 3/32" O.D.	4	C0LL 2196-A
67	X (disc brakes)	Front caliper-1 5/8" O.D. -1 1/8" long	8	C7ZZ 2196-B
68/70	X (disc brakes)	Front caliper-1 59/64" I.D. -2 3/8" O.D.	2	C8OZ 2196-A
69/70	X	Rear-7/8" O.D.	4	8A 2197-A
	2B194 GASKET - BRAKE CYLINDER MOUNTING			
65/	A	Front-1 3/32" & 2 3/32" I.D.	2	C5AZ 2B194-A
67/70	F, X (9" brakes)	Front	2	C7DZ 2B194-A
71/	L (9" brakes)	Front	2	
70/	P(6 cyl.)-9" brakes	Front	2	
	2196 PISTON - FRONT DISC BRAKE CALIPER - Refer to Group 2194-7			
	@2A199 TUBE ASSY. - BRAKE MASTER CYLINDER TO REAR BRAKE TUBE CONNECTOR			
		Fitting-3/16" tube-3/8" -24	AR	87942-S8(I-20)

@ Replacement tubes except as indicated by part number are to be made from bulk tubing stock listed by size and part number under basic Group 2269. Insulators are to be improvised from rubber hose, friction tape, etc., as required.

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
2200 SHOE and LINING KIT - REAR BRAKE - Refer to Group 2001 in Section 20 For Model Application and for contents of Kit refer to Section 20.1				
	2201-2 CUP - BRAKE CYLINDER PISTON			
65/68	A	Front-1 3/32" diameter -serviced in 2221 kit	4	★C3AZ 2201-A
66/69	B, F, X (10" x 2 1/2" brakes)		4	
65/66	A	Rear-7/8" diameter - serviced in 2128 kit	4	★C3AZ 2201-B
65/66	A	Front-1 1/16" diameter-serviced in 2221 kit	4	★C4TZ 2201-A
65/68	A	Rear-31/32" diameter	4	C5AZ 2201-B
65/68	B, F, X (10" x 2 1/4" brakes)	Front-1 1/8" diameter - serviced in 2221 kit	4	★C3OZ 2201-C
65/68	B	Rear-29/32" diameter-serviced in 2128 kit	4	C3OZ 2201-E
65/69	X		4	
65/66	F		4	
65/68	B, X	Rear-15/16" diameter-serviced in 2128 kit	4	★C3OZ 2201-B
67/68	A		4	
65/68	S		4	
65	B(10" x 2 1/2" brakes)	Front-1 1/16" diameter-serviced in 2221 kit	4	★C3OZ 2201-D
65/68	F, X (9" x 2 1/4" brakes)		4	
65	B	Rear-27/32" diameter -serviced in 2128 kit	4	★C3OZ 2201-F
65/68	F, X		4	
66/68	B, F	Rear-7/8" diameter	4	C0DD 2202-B
65	F	Rear-13/16" diameter	4	C0DD 2201-A
67/68	F		4	
66/68	U		4	
66/68	U	Front-1 1/8" diameter - serviced in 2221 kit	4	★91A 2202-A
	2204-5 SPRING ASSY. - BRAKE CYLINDER PISTON CUP - Also refer to Groups 2128 or 2221			
65/70	A(drum brakes)	Front-w/o expander	2	A0A 2205-A
65/70	A	Rear-w/o expander	2	A0A 2204-A
71	A(drum brakes)	Front-w/o expander	2	A0A 2205-A
	A	Rear-# 15/16"-with 1/2" I.D. expander	2	D1AZ 2204-A
72	A	Front-# 1 1/8"-with expander	2	D2AZ 2204-A
	A	Rear-#15/16"-with 1/2" I.D. expander	2	D1AZ 2204-A
65/71	B(drum brakes)	Front-w/o expander	2	A0A 2205-A
	B	Rear-w/o expander	2	A0A 2204-A
72	B(53, 63, 65-exc. P/C)-10" x 2" brakes	Rear-# 1"-with expander	2	D2SZ 2204-A
	B(53, 65-P/C)-11" x 2 1/4" brakes	Rear # 15/16"-with 3/8" I.D. expander	2	D2ZZ 2204-A
	B(71, 97)-10" x 2", 10" x 2 1/2" brakes	Rear-# 1"-with expander	2	D2SZ 2204-A
65/70	F(drum brakes)	Front-w/o expander	2	A0A 2205-A
	F(9" brakes)	Rear-w/o expander	2	C0DD 2204-A
	F(10" brakes)	Rear-w/o expander	2	A0A 2204-A
71	F(drum brakes)	Front-w/o expander	2	A0A 2205-A
	F(10" brakes)	Rear-w/o expander	2	A0A 2204-A
72	F(10" x 2 1/2" brakes)	Front-# 1 1/8"-with expander	2	D2AZ 2204-A
	F(6 cyl. & 8 cyl. 302)-10" x 1 3/4" brakes	Rear-# 7/8"-with expander	2	D2ZZ 2204-B
	F(8 cyl. 351, 400)-10" x 2" brakes	Rear-# 15/16"-with 3/8" I.D. expander	2	D2ZZ 2204-A
71	L	Front-w/o expander	2	A0A 2204-A
	L(9" x 1 1/2" brakes)	Rear-w/o expander	2	D1FZ 2204-A
72	L(exc. 73)-9" x 2" brakes	Front-# 1"-with expander	2	D2SZ 2204-A
	L(73)-9" x 2" brakes	Front-# 15/16"-with 3/8" I.D. expander	2	D2ZZ 2204-A
	L(9" x 1 1/2" brakes)	Rear-# 3/4"-with expander	2	D2FZ 2204-A
70	P	Front-w/o expander	2	A0A 2205-A
	P(6 cyl.)-9" brakes	Rear-w/o expander	2	C0DD 2204-A
71	P	Front-w/o expander	2	A0A 2205-A
	P(6 cyl.)-9" brakes	Rear-w/o expander	2	C0DD 2204-A
	P(6 cyl. 250 & 8 cyl.)-10" brakes	Rear-w/o expander	2	A0A 2204-A
72	P	Front-# 1 1/8"-with expander	2	D2AZ 2204-A
	P	Rear-# 7/8"-with expander	2	D2ZZ 2204-B
65/70	S	Rear-w/o expander	2	A0A 2204-A
71	S	Rear-# 15/16"-with 1/2" I.D. expander	2	D1AZ 2204-A
72	S	Rear-# 1"-with expander	2	D2SZ 2204-A
66/72	U "Before Ser. P40, 001"	Rear-w/o expander	2	C0DD 2204-A
72	U(10" x 2 1/2" brakes) "From Ser. P40, 001"	Rear-w/expander	2	D3UZ 2204-E
	U(11" x 1 3/4" brakes) "From Ser. P40, 001"	Rear-w/expander	2	D3UZ 2204-C

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2204-5 SPRING ASSY. - BRAKE CYLINDER PISTON CUP - continued - Also refer to Groups 2128 or 2221			
65/70	X(drum brakes)	Front-w/o expander	2	A0A 2205-A
	X(9" brakes)	Rear-w/o expander	2	C0DD 2204-A
	X(10" brakes)	Rear-w/o expander	2	A0A 2204-A
	2206-7 BOOT - BRAKE CYLINDER or CALIPER - Also refer to Group 2128 or 2221			
65/	A, B, F, S, U, X (except 9" brakes)	Rear	8	96H 2206
71/	P (except 9" brakes)	Rear	4	
68/71	A, S(disc brakes)	Front caliper-2 19/64" I. D. -3 7/32" O. D. - r/b C8AZ 2221-A	2	★C8AZ 2207-A
65/69	A, B, F, S, X (drum brakes)-except 9" brakes	Front-Replaced by 2221 Kit	4	★B8E 2207-A
67	B, F, X(disc brakes)	Front caliper-2.38" O. D.	4	C7ZZ 2207-A
68/71	B, F, X(disc brakes)	Front caliper-1 15/16" I. D. -2 13/16" O. D. - r/b C8OZ 2221-A	2	★C8OZ 2207-A
65/66	F (disc brakes)	Front caliper-2.44" O. D.	8	C5ZZ 2206-A
66/67	A, S (disc brakes) "From 10/3/66"	Front caliper-2 45/64" O. D. -rubber	8	C5SZ 2207-A
65/70	F, X (9" brakes)	Front cylinder	4	C0DD 2207-A
70/	L, P (9" brakes)		4	
65/70	F, X (9" brakes)	Rear	4	C0DD 2206-A
70/	L, P (9" brakes)		4	
66	U	Front cylinder	4	C5TZ 2206-A
67/	U	Front cylinder	4	C7TZ 2206-A
	2K206 BRACKET - BRAKE TUBE SUPPORT			
71/	F		1	D1ZZ 2K206-A
	2208 SCREW - BRAKE CYLINDER BLEEDER			
65/	A, S, U (drum brakes)	Brake cylinder-3/8"-24 x 1 11/64"	AR	8M 2208
65/69	A, B	Master cylinder	1	
65/67	A, B, F, S (disc brakes)	Front brake caliper	2	
72	B, S (disc brakes)	Front brake caliper	2	
72	B(53, 63, 65-P/C)	Rear	2	
71/	L (disc brakes)	Front brake caliper	2	
67/69	S, X	Master cylinder	1	
68/	A, F(disc brakes)	Front brake caliper	2	C8AZ 2208-A
68/71	B, S, X(disc brakes)	Front brake caliper	2	
65/71	B, X(drum brakes)	Brake cylinder-1/4"-28 x 59/64"-front & rear	4	C0DZ 2208-A
72	B(53, 65-exc. P/C)	Rear	2	
72	B(71, 97)	Rear	2	
65/	F(drum brakes)	Front and rear	4	
70/	L, P (drum brakes)	Front and rear	4	

2211-12 PLATE - REAR BRAKE BACKING

YEAR	MODEL	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
	- A -				
65	A(P/C)		C7AZ 2211-E	C6AZ 2212-C	1
	A(Taxi)		C6AZ 2211-B	C6AZ 2212-B	1
65/71	A(exc. 71)-6 cyl. & 8 cyl. 289, 302, 352		C7AZ 2211-D	C7AZ 2212-D	1
70/71	A(exc. 71)-8 cyl. 351				1
66/67	A(Taxi)		C6AZ 2211-B	C6AZ 2212-B	1
68/	A(Taxi)-exc. New York Taxi				1
66/	A(P/C)-manual-adjusters		C6AZ 2211-C	C6AZ 2212-C	1
65/69	A(71)-exc. axle tagged WER		C7AZ 2211-E	C7AZ 2212-E	1
65/69	A(8 cyl. 390, 427)-exc. 71				1
67/69	A(P/C)-self-adjusters				1
69	A(8 cyl. 351)				1
70/71	A(exc. 6 cyl. & 8 cyl. 302, 351, std. Taxi, P/C)-11" x 2 1/4" brakes w/self-adjusters				1
72	A(w/locking axle)				1
68/69	A(71)-w/axle tagged WER		C7AZ 2211-D	C8AZ 2212-A	1
70/71	A(71)-6 cyl. & 8 cyl. 302, 351 w/ 11" x 2 1/4" brakes				1
72	A(w/o locking axle)		D2AZ 2211-A	D2AZ 2212-A	1

Identification marking

YEAR	MODEL	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
	2211-12 PLATE - REAR BRAKE BACKING - continued				
	- B -				
65	B(Taxi)-10" x 2" bonded wear resistant brakes		★C2OZ 2211-H Not replaced	★C2OZ 2212-G Not replaced	1
	B(exc. 71, Taxi)-10" x 2" brakes		★C2OZ 2211-G Not replaced	C2OZ 2212-F	1
	B(71)-10" x 2 1/2" brakes		C3OZ 2211-A	C3OZ 2212-A	1
	B(10" x 1 3/4" brakes)		C6OZ 2211-D	C6OZ 2212-D	1
66/67	B(10" x 1 3/4" brakes)		C6OZ 2211-D	C6OZ 2212-D	1
	B(Taxi)-10" x 2" bonded wear resistant brakes		★C6OZ 2211-C Not replaced	★C6OZ 2212-C Not replaced	1
	B(10" x 2" brakes)		C6OZ 2211-B	C6OZ 2212-B	1
	B(10" x 2 1/2" brakes)		C9OZ 2211-A	C9OZ 2212-A	1
68	B(10" x 1 3/4" brakes)		C6OZ 2211-D	C6OZ 2212-D	1
	B(10" x 2" brakes)		C6OZ 2211-B	C6OZ 2212-B	1
	B(10" x 2 1/2" brakes)		C9OZ 2211-A	C9OZ 2212-A	1
69/71	B(10" x 2" brakes) "Before 8/12/68"		C6OZ 2211-B	C6OZ 2212-B	1
	B(10" x 2" brakes) "From 8/12/68"		C9OZ 2211-B	C9OZ 2212-B	1
	B(10" x 2 1/2" brakes)		C9OZ 2211-A	C9OZ 2212-A	1
72	B(53, 63, 65-exc. P/C)-10" x 2" brakes		C9OZ 2211-B	C9OZ 2212-B	1
	B(53, 65-P/C)-11" x 2 1/4" brakes		D2SZ 2211-A	D2SZ 2212-A	1
	B(71, 97-6 cyl. & 8 cyl. 302)-10" x 2" brakes		C9OZ 2211-B	C9OZ 2212-B	1
	B(71, 97-8 cyl. 351, 400, 429)-10" x 2 1/2" brakes		C9OZ 2211-A	C9OZ 2212-A	1
	- F -				
65	F(9" x 1 1/2" brakes)		★C4DZ 2211-C Not replaced	C4DZ 2212-C	1
	F(9" x 2 1/4" brakes)		C4DZ 2211-B	★C4DZ 2212-B Not replaced	1
66/70	F(9" x 1 1/2" brakes)		C6DZ 2211-A	C6DZ 2212-A	1
65/69	F(10" x 1 3/4" brakes) - "Before 8/12/68"		C6OZ 2211-D	C6OZ 2212-D	1
68/69	F(10" x 2 1/2" brakes)		C9OZ 2211-A	C9OZ 2212-A	1
69	F(10" x 2" brakes) "Before 8/12/68"		C6OZ 2211-B	C6OZ 2212-B	1
69/	F(10" x 1 3/4" brakes)- "From 8/12/68"		C9OZ 2211-C	C9OZ 2212-C	1
	F(10" x 2" brakes) "From 8/12/68"		C9OZ 2211-B	C9OZ 2212-B	1
	- L -				
71	L(9" x 1 1/2" brakes)		D1FZ 2211-A	D1FZ 2212-A	1
72	L(exc. 73)-9" x 1 1/2" brakes		D2FZ 2211-D	D2FZ 2212-B	1
	L(73)-9" x 1 3/4" brakes		D2FZ 2211-C	D2FZ 2212-A	1
	- P -				
70	P(6 cyl.)-9" x 1 1/2" brakes		C6DZ 2211-A	C6DZ 2212-A	1
71/	P(6 cyl.)-9" brakes		C6DZ 2211-A	C6DZ 2212-A	1
	P(6 cyl. 250 & 8 cyl.)-10" brakes		C9OZ 2211-C	C9OZ 2212-C	1
	- S -				
65/66	S		★C6SZ 2211-A Not replaced	★C6SZ 2212-A Not replaced	1
67/70	S(exc. skid control)		C7AZ 2211-E	C7AZ 2212-E	1
69/70	S(w/skid control)		C9SZ 2211-A	C9SZ 2212-A	1
71	S		C7AZ 2211-E	C7AZ 2212-E	1
72	S(11" x 2 1/4" brakes)		D2SZ 2211-A	D2SZ 2212-A	1
	- U -				
66	U(2780 lb. rear axle)		C4UZ 2211-A	C6TZ 2212-L	1
	U(3300 lb. rear axle) - "Before Ser. 816,001"		C6TZ 2211-H	C6TZ 2212-H	1
	U(3300 lb. rear axle) - "From Ser. 816,001"	R.H. - #318100R, L.H. - #318099L	C6TZ 2211-K	★C6TZ 2212-K Not replaced	1
67/	U(2780 lb. rear axle)		C4UZ 2211-A	C4UZ 2212-A	1
	U(3300 lb. rear axle)		C6TZ 2211-H	C7TZ 2212-A	1

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
	2211-12 PLATE - REAR BRAKE BACKING - continued				
	- X -				
65	X(9" x 2 1/4" brakes)		C4DZ 2211-B	★C4DZ 2212-B Not replaced	1
	X(9" x 1 1/2" brakes)		★C4DZ 2211-C Not replaced	C4DZ 2212-C	1
66/70	X(9" x 1 1/2" brakes)		C6DZ 2211-A	C6DZ 2212-A	1
65/68	X(10" x 1 3/4" brakes)		C6OZ 2211-D	C6OZ 2212-D	1
65/69	X(10" x 2" brakes) 'Before 8/12/68"		C6OZ 2211-B	C6OZ 2212-B	1
69/70	X(10" x 2" brakes) 'From 8/12/68"		C9OZ 2211-B	C9OZ 2212-B	1

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
65/	A, B, F, U	Bolt (plate to rear axle)-3/8"-24 x 1 3/16"	8	378884-S(BB807E)
65/70	X		8	
		Locknut-3/8"-24	8	34445-S7(M80)
65/	66, 71, P/I, S	Locknut (plate to rear axle)-1/2"-20	8	34424-S7(M84)

2218-9 BRAKE SHOE and LINING ASSY. - REAR - Serviced in 2200 kits

2221 CYLINDER REPAIR KIT - FRONT BRAKE - For Model Application Refer to Group 2061-2 (Drum brakes) or 2B120-1(Disc brakes)

C1DZ 2221-B - (1 1/16" dia.cyl.) - consists of
2-C3OZ 2201-D Cup
2-C0DD 2207-A Boot

C3AZ 2221-A - (1 3/32" dia.cyl.) - consists of
2-D2AA 2201-AA Cup
2-0M 2207-A Boot

C3OZ 2221-B - (1 1/8" dia.cyl.) - consists of
2-C3OZ 2201-C Cup
2-B8E 2207-A Boot

C3OZ 2221-C - (1 1/16" dia.cyl.) - consists of
2-C3OZ 2201-D Cup
2-B8E 2207-A Boot

C5SZ 2221-A - (disc) - consists of
4-C5SZ 2B115-B Seal
4-C5SZ 2207-A Boot

C5TZ 2221-A - (1 1/16" dia.cyl.) - consists of
2-C4TZ 2201-A or
C5AZ 2202-A Cup
2-C5TZ 2206-A Boot

C5VY 2221-A - (disc) - consists of
4-C5SZ 2B115-B Seal
4-C5SZ 2A418-A Boot

C5ZZ 2221-A - (disc) - consists of
4-C7ZZ 2B115-A Seal
4-C5ZZ 2206-A Boot

C7ZZ 2221-A - (disc) - consists of
4-C7ZZ 2B115-A Seal
4-C7ZZ 2207-A Boot

C8AZ 2221-A - (disc) - consists of
2-C8AZ 2B115-A Seal
2-C8AZ 2207-A Boot

C8OZ 2221-A - (disc) - consists of
2-C8OZ 2B115-A Seal
2-C8OZ 2207-A Boot

C8UZ 2221-A - (1 1/8" dia.cyl.) - consists of
2-Cups 2-Boots

D1DZ 2221-A - (1 1/8" dia.cyl.) - consists of
2-C9AA 2201-A Cup
2-D1DA 2207-A1A
or
A2A Boot

D1FZ 2221-A - (1" dia.cyl.) - consists of
2-C9AA 2201-B Cup
2-D12A 2207-AA Boot

D1FZ 2221-B - (disc) - consists of
2-D12A 2B115-AA Seal
2-D12A 2207-BA Boot

D2AZ 2221-A - (1 3/32" dia.cyl.) - consists of
2-D2AA 2201-AA Cup
1-D2AA 2205-AA Spring
2-0M 2207-A Boot
2-D2AA 2B508-AA Expander

D2AZ 2221-B - (1 1/8" dia.cyl.) - consists of
2-D2AA 2201-BA Cup
1-D2AA 2205-AA Spring
2-0M 2207-A Boot
2-D2AA 2B508-AA Expander

D2DZ 2221-A - (1 1/8" dia.cyl.) - consists of
2-D2AA 2201-BA Cup
1-D2AZ 2204-A Expander
2-D1DA 2207-AA Boot

D2FZ 2221-A - (1" dia.cyl.) - consists of
2-D2SA 2201-AA Cup
1-D2SZ 2204-A Expander
2-D12A 2207-AA Boot

D2OZ 2221-A - (disc) - consists of
2-D2OA 2B115-A Seal
2-D3OA 2207-AA Boot

	@2B221 TUBE ASSY. - FRONT BRAKE INTERMEDIATE			
		Fitting-3/16"tube-3/8"-24	AR	87942-S8(I-20)
	2B222 REINFORCEMENT - REAR BRAKE HOSE BRACKET			
66/67	B, X	Not replaced	1	★C6OZ 2B222-B
68/	B, X		1	C8OZ 2B222-A
66	B, X	Screw (to bracket)-No. 10-24 x 3/8"-tapping	1	40905-S7(U258)
	2B224 RETAINER - BRAKE MASTER CYLINDER PUSH ROD			
66/	A, B, F, L, P, U, X (manual brakes)		1	C7AZ 2B224-A
	2A238 VALVE - POWER BRAKE BOOSTER CONTROL			
66/67	A(disc brakes)		1	C6AZ 2A238-A

@ Replacement tubes except as indicated by part number are to be made from bulk tubing stock listed by size and part number under Basic Group 2269. Insulators are to be improvised from rubber hose, friction tape, etc., as required.

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2240 BAFFLE - FRONT BRAKE GREASE			
65/70	B, F, X (10" brakes)		2	C2OZ 2240-A
71	B		2	
71/	F, L		2	
71/	P (6 cyl. 250 & 8 cyl.)-10" brakes		2	
	2244 CLIP - BRAKE LINE			
65	S	Not replaced	AR	★B4A 2244-A
65/	A	Clip (rear brake tube connector to rear hose to frame)	3	356626-S32(GG22)
65/70	X	Clip (master cylinder to rear brake tube connector tube to underbody)	1	
65/66	A (drum brakes)	Clip (front brake tube to side member)	1	372323-S(GG154B)
66	A (disc brakes)		3	
66/	A (disc brakes)	Clip (master cylinder to rear brake hose to side member)	4	
65/	S	Clip (front brake tube to side member)	1	
65/66	S	Clip (master cylinder to rear brake hose to side member)	4	373744-S7-8 (GG163P)
65/70	X	Clip (brake tube to dash panel)	3	358360-S32(GG143)
65/	F		2or3	
67/	F	Clip(brake tube to floor pan & side member)	3	
67/	S	Right rear brake tube to axle	1	
67	A, S	Nut-spring (right rear brake tube to axle-1/4"-14	1	382071-S2 (MM276D)
65/70	X	Screw (R. H. front brake pipe clip to cross member)-No. 12-24 x 1"	1	26546-S7-8(U170B)
65/	A Spec. (4 & 6/B carb.), P/I(8 cyl. 352,390,406,427)	Clip (right front brake tube to frame	3	354417-S32(GG83)
65/	B	Clip assy. (brake tube to dash panel)	AR	376234-S100(GG95)
65/	B	Clip ass'y. (rear brake tube connector to rear brake hose to underbody)	2	
65/	B	Clip assy. (brake tube to underbody)	AR	373842-S100
65/70	X		1	(GG207)
65	F		1	
65/	B, X	Grommet (front brake tube to fender apron)	2	354002-S(KK7)
65	F		1	
65/	F	Clip (rear brake tube & fuel line to crossmember)	1	379605-S8(GG234)
65/	F	Screw (clip to cross member)-5/16"-18 x 3/4"-tapping	1	39909-S7 (U269D)
66	B, X	Clip assy. (left front brake tube to fender apron)	1	375819-S100
66/	B, X	Clip assy. (master cylinder to rear brake hose to dash & floor pan)	2or3	(GG245)
66	S "Before 4/18/66"	Clip (left front brake & fuel tank to pump tube to side rail)	1	380694-S(GG250)
65/66	S	Clip (L. H. front brake tube to side member)	1	375222-S8 (GG154D)
65/	S	Clip (rear brake line to underbody)	2	380374-S100
65/67	F "Before 3/1/67"		2	(GG241)
67	S "From 2/1/67"	Screw (right front brake tube clip to side member)-5/16"-18 x 3/4"-washer head	3	381877-S2(UU52AF)
68	A	Screw (master cylinder to rear brake hose clip to frame)	1	
	2B245 RETAINER - BRAKE MASTER CYLINDER FILLER CAP			
67/71	A(drum brakes)	5" opening	1	C7AZ 2B245-C
72	A(manual drum brakes)		1	
67/	F, P(drum brakes)		1	
67/71	B, X(drum brakes)		1	
67/71	A, B, S, X (disc brakes)	5 1/2" opening	1	C8OZ 2B245-A
67/	F(disc brakes)		1	
67/	U		1	
72	A(power drum or disc brakes)		1	D2AZ 2B245-A
72	B, S(disc brakes)	6" opening	1	D2OZ 2B245-A
71/	L	5 1/2" opening	1	D1FZ 2B245-A
	2A246 PLUG - POWER BRAKE BOOSTER CHECK VALVE			
65/67	A		1	C1SS 2A246-A
	2248 BOLT - REAR BRAKE BACKING PLATE			
65/70	A, S, U	1/2"-20 x 1 3/16"	8	C2AZ 2248-A
		Locknut-1/2"-20	8	34424-S7(M84)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2A248 BRACKET - POWER BRAKE BOOSTER MOUNTING			
65/67	X		1	C4DZ 2A248-A
	2250 TUBE ASSY. - BRAKE SCOOP			
65/66	F(GT350)	3" diameter x 17" long	2	★S2MS 2250-A
69/70	F(GT350/500)-63		2	C9ZZ 2250-A
69/70	F(GT350/500)-76		2	C9ZZ 2250-B
	@2B253 TUBE ASSY. - BRAKE MASTER CYLINDER OUTLET - REAR			
69/	U		1	C9TZ 2B253-A
		Nut-3/16" tube-9/16"-18	AR	351736-S36 (MM105H)
		Nut-3/16" tube-7/16"-24	AR	358609-S8(MM103)
		Nut-3/16"tube-1/2"-20	AR	375096-S36 (MM105F)
		Nut-3/16" tube-3/8"-24	AR	382967-S100 (MM102)
	@ 2B255 TUBE ASSY. - REAR BRAKE HOSE TO VALVE			
67	S	Clip(to frame)	4	353491-S2(GG259)
67	S "Before 12/17/66"	Clip (to rear torque box)	1	380694-S(GG250)
67	S "From 12/17/66"	Clip (to rear torque box)	2	381919-S2(GG277)
67	S "From 2/1/67"	Screw (to frame)-5/16"-18 x 3/4"-washer head	1	381877-S2(UU52AF)
68	S	Clip (to L.H. side member)	1	372323-S(GG154B)
68	S	Clip (to frame)	4	381599-S2(GG260)
		Fitting-3/8"tube-3/8"-24	AR	87942-S8(I-20)
		Nut-3/16"tube-7/16"-24	AR	358609-S8(MM103)
		Nut-3/16" tube-3/8"-24	AR	382967-S100 (MM102)
		Nut-3/16" tube-9/16"-18	1	351736-S36 (MM105H)
	2B257 VALVE - BRAKE PRESSURE DIFFERENTIAL - Also Refer to Group 2B091			
	- A -			
67	A (drum brakes)		1	C7AZ 2B257-D
	A (disc brakes)		1	C7AZ 2B257-C
68	A(drum brakes)		1	C8AZ 2B257-B
	A(disc brakes) -except New York Taxi		1	C8AZ 2B257-A
	A(disc brakes)-New York Taxi-"Before 12/1/67"		1	
	A(disc brakes)-New York Taxi-"From 12/1/67"		1	C8AZ 2B257-C
69	A(drum brakes)		1	C9AZ 2B257-B
	A(manual disc brakes)		1	C9AZ 2B257-C
	A(power disc brakes)		1	C9AZ 2B257-A
70/71	A(drum brakes)		1	D0AZ 2B257-B
	A(disc brakes)		1	D0AZ 2B257-C
72	A(drum brakes)		1	D0AZ 2B257-B
	A(disc brakes)	3-way control valve - iron	1	D2AZ 2B257-A
	A(disc brakes)	2-way control valve - brass	1	D0AZ 2B257-C
	- B -			
67	B(drum brakes)		1	C7OZ 2B257-C
	B(disc brakes)		1	C7OZ 2B257-D
68/69	B(drum brakes)		1	C8OZ 2B257-A
	B(disc brakes)		1	C8OZ 2B257-B
70/71	B(drum brakes)		1	D0OZ 2B257-B
	B(disc brakes)		1	D0OZ 2B257-C
72	B		1	D2OZ 2B257-A
	- F -			
67	F(drum brakes)		1	C7ZZ 2B257-C
	F(Power Disc Brakes)		1	C7ZZ 2B257-D
68/69	F(drum brakes)		1	C8ZZ 2B257-B
	F(disc brakes)		1	C8ZZ 2B257-A
70/	F(drum brakes)		1	D0OZ 2B257-B
	F(disc brakes)		1	D0OZ 2B257-C
	- L -			
71	L(drum brakes)		1	D0OZ 2B257-B
	L(disc brakes)		1	D1FZ 2B257-A
72	L(drum brakes)		1	D0OZ 2B257-B
	L(exc.73)-disc brakes "Before 1/17/72"		1	D1FZ 2B257-A
	L(exc.73)-disc brakes "From 1/17/72"		1	D2FZ 2B257-A
	L(73)-disc brakes		1	D0OZ 2B257-C

@ Replacement tubes except as indicated by part number are to be made from bulk tubing stock listed by size and part number under Basic Group 2269. Insulators are to be improvised from rubber hose, friction tape, etc., as required.

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2B257 VALVE - BRAKE PRESSURE DIFFERENTIAL - continued. Also Refer to Group 2B091			
	- P -			
70	P "Before 7/14/69"		1	D0DZ 2B257-A
	P "From 7/14/69"		1	D0DZ 2B257-C
71/	P		1	D0DZ 2B257-C
	- S -			
67	S		1	C7SZ 2B257-B
68/69	S		1	C8SZ 2B257-A
70/71	S		1	D0AZ 2B257-C
72	S	3-way control valve-iron	1	D2AZ 2B257-A
	- U -			
67	U		1	C7TZ 2B257-B
68/	U		1	C8TZ 2B257-B
	- X -			
67	X (drum brakes)		1	C7OZ 2B257-C
	X (disc brakes)		1	C7OZ 2B257-D
68/70	X (drum brakes)		1	C8OZ 2B257-A
	X (disc brakes)		1	C8OZ 2B257-B
72	B	Bolt (to bracket)-5/16"-18 x 1 5/8" Hex. hd.	2	383420-S100 (BB428WK)
67/	A, S	Screw (to frame)-5/16"-18 x 3/4"-washer head	1	381877-S2(UU52AF)
	2259-60 DUCT - BRAKE SCOOP			
65/66	F (GT350)	Inlet-not replaced	2	★S2MS 2259-A
		Outlet-not replaced	2	★S2MS 2260-A
69/70	F(GT 350/500)-63	R. H. -use with C9ZZ 2250-A	1	C9ZZ 2260-A
		L. H. -use with C9ZZ 2250-A	1	C9ZZ 2260-B
	2B260 BRACKET - BRAKE PRESSURE DIFFERENTIAL VALVE			
72	A		1	D2AZ 2B260-A
	B, S		1	D2OZ 2B260-A
	2261-2 CYLINDER ASSY. - REAR BRAKE - Also refer to Group 2061-2			

IDENTIFICATION CHART

DIAMETER (INCHES)	● IDENTIFICATION	PART NUMBER
23/32	1B	D1FZ 2261-A
23/32	1W-1OR	D2FZ 2261-A
13/16	1G-1W	D3TZ 2261-C
13/16	1G-1W	D3TZ 2262-C
13/16	1OR	C3DZ 2261-A
13/16	2OR	C1UZ 2261-A
13/16	2OR	D3TZ 2261-E
13/16	2OR	D3TZ 2262-E
13/16	1W	C7ZZ 2262-A
27/32	1B	C5DZ 2261-A
27/32	1B-1OR	D2DZ 2261-A
27/32	1B-1OR	D2DZ 2261-B
27/32	1B-1OR	D2DZ 2262-A
27/32	2R	C3OZ 2261-C
27/32	2R	C3OZ 2262-C
27/32	2R	D1DZ 2261-A
27/32	2R	★D1DZ 2262-A r/b D2DZ 2262-A
7/8	1BR-1OR	D2ZZ 2261-A
7/8	1BR-1OR	D2ZZ 2262-A
7/8	1G-1OR	D2FZ 2261-C
7/8	2G	★C6OZ 2261-A r/b D2ZZ 2261-A
7/8	2G	★C6OZ 2262-A r/b D2ZZ 2262-A

DIAMETER (INCHES)	● IDENTIFICATION	PART NUMBER
29/32	1R	C5DZ 2261-B
29/32	1W-1OR	D2ZZ 2262-B
29/32	2W	C3OZ 2261-B
29/32	2W	★C3OZ 2262-B r/b D2ZZ 2262-B
15/16	1G-1OR	D1AZ 2261-A
15/16	1G-1OR	D1AZ 2262-A
15/16	2BR	★C2VY 2261-A r/b C7AZ 2261-C
15/16	2BR	★C2VY 2262-A r/b C7AZ 2262-C
15/16	2G	C7AZ 2261-C
15/16	2G	C7AZ 2262-C
15/16	1OR-1Y	D2OZ 2261-B
15/16	1OR-1Y	D2OZ 2262-B
15/16	1Y-1W	D2OZ 2261-A
15/16	1Y-1W	D2OZ 2262-A
31/32	1GR	★C5AZ 2261-A r/b D0OZ 2261-A
31/32	1GR	★C5AZ 2262-A r/b D0OZ 2262-A
31/32	2G	D0OZ 2261-A
31/32	2G	D0OZ 2262-A
1	1R-1OR	D3OZ 2261-D
1	1R-1OR	D3OZ 2262-D
1	2Y	C9AZ 2261-A
1	2Y	C9AZ 2262-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

2261-2 CYLINDER ASSY. - REAR BRAKE - continued - Also refer to Group 2061-2

MODEL APPLICATION

YEAR	MODEL	LOCATION	DIAMETER (Inches)		QTY.	PART NUMBER	
						CYLINDER ASSY.	REPAIR KIT
	- A -						
65/66	A	R.H.	7/8		1	★♦C6OZ 2261-A	♦C6OZ 2128-A
						◊D2ZZ 2261-A	◊D2ZZ 2128-A
		L.H.			1	★♦C6OZ 2262-A	♦C6OZ 2128-A
						◊D2ZZ 2262-A	◊D2ZZ 2128-A
	A	R.H.	31/32		1	D0OZ 2261-A	C5AZ 2128-A
		L.H.			1	D0OZ 2262-A	C5AZ 2128-A
67/68	A	R.H.	15/16		1	C7AZ 2261-C	C3OZ 2128-A
		L.H.			1	C7AZ 2262-C	C3OZ 2128-A
	A	R.H.	31/32		1	D0OZ 2261-A	C5AZ 2128-A
		L.H.			1	D0OZ 2262-A	C5AZ 2128-A
69/70	A	R.H.	15/16		1	C7AZ 2261-C	C3OZ 2128-A
		L.H.			1	C7AZ 2262-C	C3OZ 2128-A
	A(P/C)-disc brakes	R.H.	1		1	C9AZ 2261-A	C9AZ 2128-B
		L.H.			1	C9AZ 2262-A	C9AZ 2128-B
71	A	R.H.	15/16		1	D1AZ 2261-A	C3OZ 2128-A
		L.H.			1	D1AZ 2262-A	C3OZ 2128-A
72	A	R.H.	15/16		1	D1AZ 2261-A	D2OZ 2128-B
		L.H.			1	D1AZ 2262-A	D2OZ 2128-B
	- B -						
65	B(Taxi)	R.H.	27/32		1	C3OZ 2261-C	C3OZ 2128-C
		L.H.			1	C3OZ 2262-C	C3OZ 2128-C
	B	R.H.	29/32		1	C3OZ 2261-B	C3OZ 2128-B
		L.H.			1	★♦C3OZ 2262-B	♦C3OZ 2128-B
						◊D2ZZ 2262-B	◊D2ZZ 2128-B
	B	R.H.	15/16		1	C7AZ 2261-C	C3OZ 2128-A
		L.H.			1	C7AZ 2262-C	C3OZ 2128-A
66/69	B	R.H.	7/8		1	★♦C6OZ 2261-A	♦C6OZ 2128-A
						◊D2ZZ 2261-A	◊D2ZZ 2128-A
		L.H.			1	★♦C6OZ 2262-A	♦C6OZ 2128-A
						◊D2ZZ 2262-A	◊D2ZZ 2128-A
	B-1966/68	R.H.	29/32		1	C3OZ 2261-B	C3OZ 2128-B
		L.H.			1	★♦C3OZ 2262-B	♦C3OZ 2128-B
						◊D2ZZ 2262-B	◊D2ZZ 2128-B
	B	R.H.	15/16		1	C7AZ 2261-C	C3OZ 2128-A
		L.H.			1	C7AZ 2262-C	C3OZ 2128-A
70/71	B(except 66, 71)-10" x 2" brakes	R.H.	29/32		1	C3OZ 2261-B	C3OZ 2128-B
		L.H.			1	★♦C3OZ 2262-B	♦C3OZ 2128-B
						◊D2ZZ 2262-B	◊D2ZZ 2128-B
	B(66, 71)-10" x 2", 10" x 2 1/2" brakes	R.H.	31/32		1	D0OZ 2261-A	C5AZ 2128-A
		L.H.			1	D0OZ 2262-A	C5AZ 2128-A
72	B(53, 63, 65-exc. P/C)-10" x 2" brakes-"Before 1/15/72"	R.H.	1		1	D3OZ 2261-D	D2SZ 2128-A
		L.H.			1	D3OZ 2262-D	D2SZ 2128-A
	B(53, 63, 65-exc. P/C)-6 cyl. & 8 cyl. 302 & 10" x 2" brakes "From 1/15/72"	R.H.	15/16		1	D2OZ 2261-B	D3OZ 2128-A
	B(53, 63, 65-exc. P/C)-8 cyl. 351, 400, 429 & 10" x 2 1/2" brakes "From 1/15/72"	R.H.			1		
		L.H.			1	D2OZ 2262-B	D3OZ 2128-A
	B(53, 65-P/C)-11" x 2 1/4" brakes-"Before 1/15/72"	R.H.	15/16		1	★♦D2OZ 2261-A	♦D2OZ 2128-B
						◊D3OZ 2261-C	◊D3OZ 2128-A
		L.H.			1	★♦D2OZ 2262-A	♦D2OZ 2128-B
						◊D3OZ 2262-C	◊D3OZ 2128-A
	B(53, 65-P/C)-11" x 2 1/4" brakes-"From 1/15/72"	R.H.	15/16		1	★♦D2OZ 2261-B	♦D3OZ 2128-A
						◊D3OZ 2261-C	◊D3OZ 2128-A
		L.H.			1	★♦D2OZ 2262-B	♦D3OZ 2128-A
						◊D3OZ 2262-C	◊D3OZ 2128-A

♦ Original ◊ Service replacement

2261-2 CYLINDER ASSY. - REAR BRAKE - continued - Also refer to Group 2061-2

YEAR	MODEL	LOCATION	DIAMETER (Inches)		QTY.	PART NUMBER CYLINDER ASSY.	PART NUMBER REPAIR KIT
	- B -						
72	B(71)-6 cyl. & 8 cyl. 302 & 10" x 2" brakes- "Before 1/15/72"	R.H.	1		1	D3OZ 2261-D	D2SZ 2128-A
		L.H.			1	D3OZ 2262-D	D2SZ 2128-A
	B(71)-6 cyl. & 8 cyl. 302 & 10" x 2" brakes- "From 1/15/72"	R.H.	15/16		1	D2OZ 2261-B	D3OZ 2128-A
		L.H.			1	D2OZ 2262-B	D3OZ 2128-A
	B(71)-8 cyl. 351, 400, 429 & 10" x 2 1/2" brakes	R.H.	1		1	D3OZ 2261-D	D2SZ 2128-A
		L.H.			1	D3OZ 2262-D	D2SZ 2128-A
	B(97)-10" x 2", 10" x 2 1/2" brakes- "Before 1/15/72"	R.H.	1		1	D3OZ 2261-D	D2SZ 2128-A
		L.H.			1	D3OZ 2262-D	D2SZ 2128-A
	B(97)-10" x 2", 10" x 2 1/2" brakes- "From 1/15/72"	R.H.	15/16		1	D2OZ 2261-B	D3OZ 2128-A
		L.H.			1	D2OZ 2262-B	D3OZ 2128-A
	- F -						
65/66	F(1965)	R.H.	13/16		1	C3DZ 2261-A	C0DZ 2128-A
		L.H.			1	C3DZ 2261-A	C0DZ 2128-A
	F(6 cyl.)-1965	R.H.	29/32		1	C5DZ 2261-B	C5DZ 2128-A
		L.H.			1	C5DZ 2261-B	C5DZ 2128-A
	F(6cyl.)	R.H.	27/32		1	C5DZ 2261-A	C5DZ 2128-B
		L.H.			1	C5DZ 2261-A	C5DZ 2128-B
	F(1966)	R.H.	7/8		1	★♦C6OZ 2261-A ◊D2ZZ 2261-A	♦C6OZ 2128-A ◊D2ZZ 2128-A
		L.H.			1	★♦C6OZ 2262-A ◊D2ZZ 2262-A	♦C6OZ 2128-A ◊D2ZZ 2128-A
	F(8 cyl.)	R.H.	29/32		1	C3OZ 2261-B	C3OZ 2128-B
		L.H.			1	★♦C3OZ 2262-B ◊D2ZZ 2262-B	♦C3OZ 2128-B ◊D2ZZ 2128-B
67/69	F (8 cyl. 390-4/B)-1967/68	R.H.	13/16		1	C7ZZ 2262-A	C1UZ 2128-A
		L.H.				C7ZZ 2262-A	C1UZ 2128-A
	F(6 cyl.)	R.H.	27/32		1	C5DZ 2261-A	C5DZ 2128-B
		L.H.			1	C5DZ 2261-A	C5DZ 2128-B
	F(8 cyl. 289-4/B-GT)	R.H.	7/8		1	★♦C6OZ 2262-A ◊D2ZZ 2262-A	♦C6OZ 2128-A ◊D2ZZ 2128-A
		L.H.			1	★♦C6OZ 2262-A ◊D2ZZ 2262-A	♦C6OZ 2128-A ◊D2ZZ 2128-A
	F	R.H.	7/8		1	★♦C6OZ 2261-A ◊D2ZZ 2261-A	♦C6OZ 2128-A ◊D2ZZ 2128-A
		L.H.			1	★♦C6OZ 2262-A ◊D2ZZ 2262-A	♦C6OZ 2128-A ◊D2ZZ 2128-A
70	F(6 cyl. 200)	R.H.	27/32		1	C5DZ 2261-A	C5DZ 2128-B
		L.H.			1	C5DZ 2261-A	C5DZ 2128-B
	F(6 cyl. 250, 8 cyl. 302)	R.H.	7/8		1	★♦C6OZ 2261-A ◊D2ZZ 2261-A	♦C6OZ 2128-A ◊D2ZZ 2128-A
		L.H.			1	★♦C6OZ 2262-A ◊D2ZZ 2262-A	♦C6OZ 2128-A ◊D2ZZ 2128-A
	F(8 cyl. 351, 428)	R.H.	29/32		1	★♦C3OZ 2262-B ◊D2ZZ 2262-B	♦C3OZ 2128-B ◊D2ZZ 2128-B
		L.H.			1	★♦C3OZ 2262-B ◊D2ZZ 2262-B	♦C3OZ 2128-B ◊D2ZZ 2128-B
71	F(6 cyl. & 8 cyl. 302-2/B)-10" x 1 3/4" brakes	R.H.	7/8		1	★♦C6OZ 2261-A ◊D2ZZ 2261-A	♦C6OZ 2128-A ◊D2ZZ 2128-A
		L.H.			1	★♦C6OZ 2262-A ◊D2ZZ 2262-A	♦C6OZ 2128-A ◊D2ZZ 2128-A
	F(Boss 302, 8 cyl. 351, 429)-10" x 2" brakes	R.H.	29/32		1	★♦C3OZ 2262-B ◊D2ZZ 2262-B	♦C3OZ 2128-B ◊D2ZZ 2128-B
		L.H.			1	★♦C3OZ 2262-B ◊D2ZZ 2262-B	♦C3OZ 2128-B ◊D2ZZ 2128-B

♦ Original ◊ Service replacement

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

2261-2 CYLINDER ASSY. - REAR BRAKE - continued - Also refer to Group 2061-2

YEAR	MODEL	LOCATION	DIAMETER (Inches)		QTY.	PART NUMBER CYLINDER ASSY.	PART NUMBER REPAIR KIT
	- F -						
72	F(6 cyl. & 8 cyl. 302)-10" x 1 3/4" brakes	R.H.	7/8		1	D2ZZ 2261-A	D2ZZ 2128-A
		L.H.			1	D2ZZ 2262-A	D2ZZ 2128-A
	F(8 cyl. 351,429)-10" x 2" brakes	R.H.	29/32		1	D2ZZ 2262-B	D2ZZ 2128-B
		L.H.			1	D2ZZ 2262-B	D2ZZ 2128-B
	- L -						
71	L(9" x 1 1/2" brakes)	R.H.	23/32		1	D1FZ 2261-A	D1FZ 2128-A
		L.H.			1	D1FZ 2261-A	D1FZ 2128-A
72	L(exc.73)-9" x 1 1/2" brakes	R.H.	23/32		1	D2FZ 2261-A	D2FZ 2128-A
		L.H.			1	D2FZ 2261-A	D2FZ 2128-A
	L(73)-9" x 1 3/4" brakes	R.H.	7/8		1	D2FZ 2261-C	D2FZ 2128-C
		L.H.			1	D2FZ 2261-C	D2FZ 2128-C
	- P -						
70	P(6 cyl.)-9" x 1 1/2" brakes	R.H.	27/32		1	C5DZ 2261-A	C5DZ 2128-B
		L.H.			1	C5DZ 2261-A	C5DZ 2128-B
71	P(6 cyl.)-9" x 1 1/2" brakes	R.H.	27/32		1	C5DZ 2261-A	C5DZ 2128-B
		L.H.			1	C5DZ 2261-A	C5DZ 2128-B
	P(6 cyl. 250 & 8 cyl.)-10" x 1 3/4" brakes	R.H.	27/32		1	★D1DZ 2261-A r/b D2DZ 2261-A	C3OZ 2128-C
		L.H.			1	★♦D1DZ 2262-A ◊D2DZ 2262-A	♦C3OZ 2128-C ◊D2DZ 2128-A
72	P(6 cyl.-exc.6 cyl.250 w/d 70 x 14 tires)-9" x 1/2" brakes	R.H.	27/32		1	D2DZ 2261-B	D2DZ 2128-B
		L.H.			1	D2DZ 2261-B	D2DZ 2128-B
	P(6 cyl.250 w/d 70 x 14 tires & 8 cyl.)-10 x 1 3/4" brakes	R.H.	27/32		1	D2DZ 2261-A	D2DZ 2128-A
		L.H.			1	D2DZ 2262-A	D2DZ 2128-A
	- S -						
65/70	S	R.H.	15/16		1	C7AZ 2261-C	C3OZ 2128-A
		L.H.			1	C7AZ 2262-C	C3OZ 2128-A
71	S	R.H.	15/16		1	D1AZ 2261-A	C3OZ 2128-A
		L.H.			1	D1AZ 2262-A	C3OZ 2128-A
72	S	R.H.	1		1	D3OZ 2261-D	D2SZ 2128-A
		L.H.			1	D3OZ 2262-D	D2SZ 2128-A
	- U -						
66/72	U(10" x 2 1/2", 11" x 1 3/4" brakes) "Before Ser. P40,001"	R.H.	13/16		1	C1UZ 2261-A	C1UZ 2128-A
		L.H.			1	C7ZZ 2262-A	C1UZ 2128-A
72	U(10" x 2 1/2" brakes) "From Ser. P40,001"	R.H.	13/16		1	D3TZ 2261-E	D3UZ 2128-A
		L.H.			1	D3TZ 2262-E	D3UZ 2128-A
	U(11" x 1 3/4" brakes) "From Ser. P40,001"	R.H.	13/16		1	D3TZ 2261-C	D3UZ 2128-B
		L.H.			1	D3TZ 2262-C	D3UZ 2128-B
	- X -						
65/68	X(54, 62, 63, 65)-6 cyl.	R.H.	27/32		1	C5DZ 2261-A	C5DZ 2128-B
		L.H.			1	C5DZ 2261-A	C5DZ 2128-B
	X(59, 66, 71, 76, 78)-6 cyl.-1965	R.H.	29/32		1	C5DZ 2261-B	C5DZ 2128-A
		L.H.			1	C5DZ 2261-B	C5DZ 2128-A
	X(8 cyl.)	R.H.	29/32		1	C3OZ 2261-B	C3OZ 2128-B
		L.H.			1	★♦C3OZ 2262-B ◊D2ZZ 2262-B	♦C3OZ 2128-B ◊D2ZZ 2128-B
	X	R.H.	15/16		1	C7AZ 2261-C	C3OZ 2128-A
		L.H.			1	C7AZ 2262-C	C3OZ 2128-A
69/70	X(54, 62, 63, 65)-6 cyl.	R.H.	27/32		1	C5DZ 2261-A	C5DZ 2128-B
		L.H.			1	C5DZ 2261-A	C5DZ 2128-B
	X(1969)	R.H.	7/8		1	★♦C6OZ 2261-A ◊D2ZZ 2261-A	♦C6OZ 2128-A ◊D2ZZ 2128-A
		L.H.			1	★♦C6OZ 2262-A ◊D2ZZ 2262-A	♦C6OZ 2128-A ◊D2ZZ 2128-A
	X	R.H.	15/16		1	C7AZ 2262-C	C3OZ 2128-A
		L.H.			1	C7AZ 2262-C	C3OZ 2128-A

♦ Original ◊ Service replacement

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2261-2 CYLINDER ASSY. - REAR BRAKE - continued			
65/66	A	Bolt (cylinder to carrier plate)-5/16"-18 x 1/2"	4	20310-S8(B48)
65/	B, S		4	
65/70	X (10" x 1 3/4" brakes)		4	
65/	F (8 cyl.)-10" x 1 3/4" brakes		4	
		Lockwasher-5/16"		*34941-S7
65/70	X	Screw & washer (cylinder to carrier plate)-	4	42741-S7-8(U2)
65/69	F (6 cyl.)	1/4"-20 x 3/8"	4	
67	A		4	
70/	A, B, F, P, U, X	Screw & washer (cylinder to carrier plate)-	4	383755-S2
		5/16"-18 x 1/2"		(BB574CD)
	@ 2263-4 TUBE ASSY. - FRONT BRAKE			
		Fitting-3/16" tube-3/8"-24	AR	87942-S8(I-20)
		Nut-3/16" tube 3/8"-24	AR	382967-S100
				(MM102)
		Nut-3/16" tube-7/16"-24	AR	358609-S8(MM103)
		Nut-3/16" tube-1/2"-20	AR	375096-S36
				(MM105F)
	2B264 SWITCH - BRAKE PRESSURE DIFFERENTIAL VALVE WARNING LAMP			
67	A, B, F, S, U, X		1	C7AZ 2B264-A
68/69	A, B, F, S, X		1	C8AZ 2B264-A
68/	U		1	
70	P "Before 7/14/69"		1	
70/	A, B, F, L, S, X		1	D0AZ 2B264-A
70/	P "From 7/14/69"		1	
	@2-2264 TUBE ASSY. - BRAKE MASTER CYLINDER TO FRONT BRAKE CONNECTOR			
	@ 2265 TUBE ASSY. - BRAKE MASTER CYLINDER TO REAR BRAKE HOSE			
		Clip (tube to front C/M)-3/4" x 1 5/16"	AR	383369-S
				(GG163YH)
		Clip (tube to floor pan)-3/4" x 1 5/16"	AR	383368-S2
				(GG163YM)
		Clip (tube to underbody)-3/4" x 1 5/8"	AR	352605-S8
				(GG149)
		Clip (tube to frame side rail)-5/8" x 1 1/2"	AR	381599-S2
				(GG260)
		Fitting-3/16" tube-3/8"-24	AR	87942-S8(I-20)
		Nut-3/16" tube-3/8"-24	AR	382967-S100
				(MM102)
		Nut-3/16" tube-7/16"-24	AR	358609-S8(MM103)
		Nut-3/16" tube-1/2"-20	AR	375096-S36
				(MM105F)
		Nut-3/16" tube-9/16"-18	AR	351736-S36
				(MM105H)
72	A, B, S	Screw (tube to frame)-5/16"-18 x 3/4" hex. hd.	AR	381877-S2
				(UU52AF)
72	L, P	Screw (retain clip to underbody)-1/4"-14 x 1/2"	AR	55981-S2
		hex. hd.		(UU254E)
	2265 TUBE ASSY. - BRAKE and FUEL LINE - INCLUDES FLARED ENDS and FITTINGS			
65/	A, B, F, L, P, S, U, X	3/16" x 12"-steel	AR	B6A 2265-AA
	A, B, F, L, P, S, U, X	3/16" x 20"-steel	AR	B6A 2265-AB
	A, B, F, L, P, S, U, X	3/16" x 30"-steel	AR	B6A 2265-AC
	A, B, F, L, P, S, U, X	3/16" x 40"-steel	AR	B6A 2265-AD
	A, B, F, L, P, S, U, X	3/16" x 51"-steel	AR	B6A 2265-AE
	A, B, F, L, P, S, U, X	3/16" x 60"-steel	AR	B6A 2265-AF
	A, B, F, L, P, S, U, X	1/4" x 12"-steel	AR	B6A 2265-BA
	A, B, F, L, P, S, U, X	1/4" x 20"-steel	AR	B6A 2265-BB
	A, B, F, L, P, S, U, X	1/4" x 30"-steel	AR	B6A 2265-BC
	A, B, F, L, P, S, U, X	1/4" x 40"-steel		B6A 2265-BD
	A, B, F, L, P, S, U, X	1/4" x 51"-steel		B6A 2265-BE

@ Replacement tubes except as indicated by part number are to be made from bulk tubing stock listed by size and part number under basic group 2269. Insulators are to be improvised from rubber hose, friction tape, etc., as required.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2B266 CLIP - BRAKE PRESSURE CONTROL VALVE RETAINER			
68/70	B, X(disc brakes)		1	C8OZ 2B266-A
68/70	F(disc brakes)		1	C8ZZ 2B266-A
	@ 2267-8 TUBE ASSY. - REAR BRAKE			
		Fitting-3/16" tube-3/8"-24	AR	87942-S8(I-20)
		Nut-3/16" tube-7/16"-24	AR	358609-S8(MM103)
		Nut-3/16" tube-1/2"-20	AR	375096-S36 (MM105F)
		Nut-3/16" tube-3/8"-24	AR	382967-S100 (MM102)
72	A, B, S	Screw (tube to rear axle)-5/16"-18 x 3/4" - hex. hd.	AR	381877-S2 (UU52AF)
	2269 TUBING - BRAKE and FUEL LINE			
65/	A, B, F, L, P, S, U, X	3/16" O.D. -steel-supplied in 25 ft. rolls		8C 2269-B
	A, B, F, L, P, S, U, X	1/4" O.D. -steel-supplied in 25 ft. rolls		91A 2269
	A, B, F, L, P, S, U, X	5/16" O.D. -steel-supplied in 25 ft. rolls		8C 2269-A
	A, B, F, L, P, S, U, X	3/8" O.D. -steel-supplied in 25 ft. rolls		B7Q 2269-A
	A, B, F, L, P, S, U, X	1/4" O.D. -copper-supplied in 25 ft. rolls		8QH 2269-D
	A, B, F, L, P, S, U, X	3/8" O.D. -copper-supplied in 25 ft. rolls		8QH 2269-A
	A, B, F, L, P, S, U, X	1/2" O.D. -copper-supplied in 25 ft. rolls		8QH 2269-B
	A, B, F, L, P, S, U, X	5/8" O.D. -copper-supplied in 15 ft. lengths		8QH 2269-C
	A, B, F, L, P, S, U, X	Nut-5/8"-18-use with B7Q 2269-A & 8QH 2269-A		87945-S8(I-23)
	@ 2B269 TUBE ASSY. - FRONT BRAKE TUBE TO DIFFERENTIAL VALVE			
67/	B, F	Clip (to dash panel)	3	381676-S32 (GG163B)
70	B	Clip (to steering column reinf.)-3/16"	1	383908-S2 (GG163YS)
68	B, X	Clip (to dash panel)	1	382200-S2(GG284)
72	L - 4 cyl. 98 (1600 CC)	Clip (tube to no. 2 crossmember)-3/4"x1 5/16"	3	383368-S2 (GG163YM)
72	L - 4 cyl. 122 (2000 CC)	Clip (tube to no. 2 crossmember)-1/2"x 1 1/8"	3	377774-S(GG270)
72	P	Clip (tube to dash panel)	1	
72	P	Clip (tube to dash panel)-3/4"x 1 5/16"	AR	383368-S2 (GG163YM)
		Fitting-3/16" tube-3/8"-24	AR	87942-S8(I-20)
		Nut-3/16" tube-1/2"-20	AR	375096-S36 (MM105F)
		Nut-3/16" tube-3/8"-24	AR	382967-S100 (MM102)
		Nut-3/16" tube-7/16"-24	AR	358609-S36 (MM103)
72	P	Screw (tube to dash panel & fender apron)-1/4" - 14 x 1/2" hex. hd.	AR	55981-S2 (UU254E)
72	P	Union - 3/16" tube	1	383057-S(II61X)
	2270 HOSE - BRAKE LINE			
65/70	A	Use with bulk tubing & 1/2" O.D. nuts	AR	B8T 2270-A
	@ 2-2272 TUBE ASSY. - FRONT BRAKE FITTING TO CONNECTOR			
	2B274 VALVE ASSY. - BRAKE SPEED CONTROL RETARD			
67/68	S		1	C7SZ 2B274-A
	2A275 BRACKET - BRAKE TUBE SUPPORT			
66	U(8 cyl. 289)	Not replaced	1	★C6TZ 2A275-A
67/	U	7 3/4" long	1	C7TZ 2A275-C
	2B275 PLATE - POWER BRAKE BOOSTER BODY END			
66	A	Not replaced	1	★C6AZ 2B275-A

@ Replacement tubes except as indicated by part number are to be made from bulk tubing stock listed by size and part number under basic group 2269. Insulators are to be improvised from rubber hose, friction tape, etc., as required.

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2B276 ADAPTER - BRAKE PRESSURE DIFFERENTIAL VALVE CONNECTOR			
67	A, B, F, X(Power Disc Brakes)		1	C7AZ 2B276-C
67	A, B, F, X (drum brakes)		1	C7AZ 2B276-D
67	S		1	
68/69	A, B, F, X (drum brakes)	3/8"-24 bolt hole	1	C7AZ 2B276-F
70	P (drum brakes) "Before 7/14/69"		1	
70	A, S	Serviced in 2B257	1	★ 2B276
70	B, F, X (drum brakes)		1	
70	P (drum brakes) "From 7/14/69"		1	
70	B, F (disc brakes)			
	2B277 RETAINER - BRAKE PEDAL SHAFT			
68/	A, B, L, P, X		1	C8AZ 2B277-A
68/70	F		1	
71/	F		1	D1ZZ 2B277-A
	2282 HOSE - REAR BRAKE			
	- A -			
65/66	A	13 3/16" long-includes connector	1	C6AZ 2282-A
67/68	A (with axle-tagged WER) "Before 1/3/67"	10 5/8" long-includes connector	1	C7AZ 2282-B
	A (with axle-tagged WER)- "From 1/3/67"	10 5/8" long-includes connector	1	C7AZ 2282-C
	A(except axle tagged WER)		1	C7SZ 2282-B
69/70	A (except axle tagged WER)		1	C7SZ 2282-B
	A (with axle tagged WER)		1	C9AZ 2282-A
71/	A (except axle tagged WER)	9 7/8" long-includes connector-# D1AA 2A448-AA	1	D1AZ 2282-A
	A (with axle tagged WER)	9 7/8" long-includes connector-# D1AA 2A448-BB	1	D1AZ 2282-B
	- B -			
65	B(except 289-4/B)	15" long	1	B7AZ 2078-A
	B(289-4B)	17 3/16" long	1	C4OZ 2282-B
66	B(except 71)	17 1/8" long	1	C6OZ 2282-D
	B(71)	15 1/8" long-includes connector-#Yellow paint	1	C6OZ 2282-C
67/68	B(66,71)	15 1/8" long-includes connector-#Yellow paint	1	C7OZ 2282-A
67/68	B(except 54, 62, 63-6 cyl., 66 & 71)	17 1/8" long-includes connector	1	C7OZ 2282-B
67	B(54, 62, 63)-6 cyl. "Before 4/3/67"		1	
67/68	B(54, 62, 63)-6 cyl. "From 4/3/67"	Includes connector	1	C7OZ 2282-C
69/71	B(except 66 & 71)	17 1/8" long-includes connector	1	C7OZ 2282-B
	B(66, 71)	15 1/8" long-includes connector	1	C7OZ 2282-A
72	B(8" ring gear)	11 5/8" long-includes connector	1	D2OZ 2282-A
	B(9" ring gear)		1	D2OZ 2282-B
	- F -			
65/66	F (6 cyl.)	13 1/2" long-includes connector	1	C5ZZ 2282-B
	F (8 cyl. 260, 289-2B)	14 1/2" long-includes connector	1	C5ZZ 2282-A
	F (8 cyl. 289-4B)-Special	13 7/16" long-includes connector	1	C5ZZ 2282-D
	F (8 cyl. 289-4B)-premium fuel	13 7/16" long-includes connector	1	C5ZZ 2282-E
67	F	11 3/4" long-includes connector	1	C7ZZ 2282-A
68/69	F(except Boss 302, 8 cyl. 428CJ)	11 3/4" long-includes connector	1	C7ZZ 2282-A
68/69	F (8 cyl. 428CJ)	11 7/8" long-includes connector-# C9ZA 2A448-A	1	C9ZZ 2282-A
69	F (Boss 302)		1	
70	F	10 3/4" long-includes connector-# D0ZA 2A448-B	1	D0ZZ 2282-A
71/	F	10 3/4" long-includes connector	1	D1ZZ 2282-A
	- L -			
71/	L	12 3/8" long-includes connector	1	D0DZ 2282-C
	- P -			
70	P (6 cyl.)	12 3/8" long-includes connector	1	D0DZ 2282-C
71/	P (6 cyl.)-9" brakes	12 3/8" long-includes connector	1	D0DZ 2282-C
	P (6 cyl. 250 & 8 cyl.)-10" brakes	10 5/8" long-includes connector	1	D0DZ 2282-B

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2282 HOSE - REAR BRAKE - continued			
	- S -			
65/66	S	13 5/32" long-includes connector	1	C4SZ 2282-A
67/70	S		1	C7SZ 2282-B
71	S	9 7/8" long-includes connector-# D1AA 2A448-AA	1	D1AZ 2282-A
72	S(9",9 3/8" ring gear)		1	D2OZ 2282-B
	- U -			
66/	U	14 1/8" long	1	C6TZ 2282-B
	- X -			
65	X	15" long	1	B7AZ 2078-A
66	X(except 66 , 71)	12 3/4" long-includes connector-#Green paint	1	C6DZ 2282-B
	X(66,71)	15 1/8" long-includes connector-#Yellow paint	1	C6OZ 2282-C
67/70	X (except 71)	12 3/4" long-includes connector-#Green paint	1	C7DZ 2282-A
	X(71)	15 1/8" long-includes connector-#Yellow paint	1	C7OZ 2282-A
67/	A (6 cyl. & 8 cyl. 289)	Nut (attach hose & tube assy. to cyl.)-7/16"-24 x 7/16"-5/16"	2	358609-S8(MM103)
65/	F	Lockwasher (connector to axle)-7/16"	1	34808-S8(X-67)
71	L	Screw & washer-hex.head (hose to axle)-9/16"-18 x 1 1/4"	1	384510-S(BB567F)
65/	S	Bolt (hose to axle)-5/16"-18 x 1/2"	1	20310-S8(B48)
		Lockwasher-5/16"		34806-S7(X64)
	2284-5 LINING - REAR BRAKE SHOE - Serviced in 2007 Kits			
	2B292-3 PLATE - FRONT DISC BRAKE CALIPER ANCHOR			
68/	A	R.H.	1	C8AZ 2B292-A
		L.H.	1	C8AZ 2B293-A
68/71	B,X	R.H.	1	C8OZ 2B292-A
		L.H.	1	C8OZ 2B293-A
72	B(53, 63, 65, 71, 97-exc.P/C & Taxi)	R.H.	1	D2OZ 2B292-A
	B(53, 63, 65-P/C & Taxi)-6 cyl.& 8 cyl. 302	R.H.	1	
		L.H.	1	D2OZ 2B293-A
	B(53, 63, 65-P/C & Taxi)-8 cyl. 351, 400, 429	R.H.	1	D2SZ 2B292-A
		L.H.	1	D2SZ 2B293-A
69/	F	R.H.	1	C8OZ 2B292-A
		L.H.	1	C8OZ 2B293-A
71/	L	R.H.	1	D1FZ 2B292-A
		L.H.	1	D1FZ 2B293-A
68/71	S	R.H.	1	C8AZ 2B292-A
		L.H.	1	C8AZ 2B293-A
72	S	R.H.	1	D2SZ 2B292-A
		L.H.	1	D2SZ 2B293-A
68/	B,F,X	Screw (to spindle)-9/16"-12 x 2 5/8"-hex.head drilled	4	382713-S101 (BB429T)
68/	B, F, X	Bolt-(to spindle)-7/16" -14 x 1 1/2" -head lock	4	384114-S100 (BB429WF)
	2B295 STABILIZER - FRONT DISC BRAKE CALIPER HOUSING			
68/	A,		4	C8AZ 2B295-A
68/71	S		4	
68/71	B, X		2	C8OZ 2B295-A
68/	F		2	
68/	A, F	Screw & lockwasher assy. (to anchor plate)-5/16"-18 x 1/2"	4	381985-S2(BB555A
68/71	B,S,X		4	
	2296 SPRING - REAR BRAKE SHOE RETRACTING - Refer to Group 2035-6			
	2B296 PIN - FRONT DISC BRAKE CALIPER LOCATING			
68/	A, F	2 5/64" long	4	C8AZ 2B296-A
68/71	B,S,X		4	
	2B299 INSULATOR - FRONT DISC BRAKE CALIPER LOCATING PIN			
68/	A, F	1 3/8" long-stamped C8AA 2B299-C	4	C8AZ 2B299-A
68/71	B,S,X		4	

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2303 SEAL - POWER BRAKE BOOSTER HUB & DIAPHRAGM PLATE			
66	S	1.78" I. D. -2.34" O. D. -. 085" thick	1	C6SZ 2303-B
	2309 BOOSTER REPAIR KIT - POWER BRAKE			
	- A -			
65/66	A(Drum brakes)-Midland-Ross	Consists of	1	C5AZ 2309-A
	1-C5AZ 2B014-A Bushing	1-C5AZ 2B157-A Retainer	1-C3TZ 2A346-A	Filter
	1-C0AA 2A021-A Guard	1-C5AZ 2180-A Boot	1-C5AZ 2A365-A	Diaphragm
	1-C3TZ 2B073-A Seal	1-C5AZ 2A238-A Valve	1-C5AZ 2366-A	Bellows
	1-C3TZ 2B074-A Ring	1-C5AZ 2302-A Ring	2-C1AA 2A386-A	Bushing
	1-C5AZ 2B154-A Lever	1-C5AZ 2302-B Ring	1-C4AZ 2A411-A	Connector
	1-C5AZ 2B155-A Clamp	1-C5AZ 2303-A Washer	1-376417-S	Retainer
	1-C5AZ 2B156-A Spring	1- Washer (Teflon)		
66	A (Drum brakes)-Bendix	Consists of - not replaced	1	★C6AZ 2309-A
	1-C4DZ 2180-A Boot	1-C5SZ 2365-A Valve	1-C4DZ 2384-A	Seal
	1-C4DZ 2A346-B Filter	1-C5DZ 2372-A Seal	1-C4DZ 2414-A	Disc
	1-C9AZ 2B176-A Grommet	1-C6AZ 2377-A Rod		
67	A(except S/W)-Drum brakes-Midland-Ross	Consists of	1	C7AZ 2309-A
	1-C5AZ 2B014-A Bushing	1-C5AZ 2B157-A Retainer	1-C3TZ 2A346-A	Filter
	1-C6SZ 2A021-A Guard	1-C7AZ 2180-B Boot	1-C5AZ 2A365-A	Diaphragm
	1-C3TZ 2B073-A Seal	1-C5AZ 2A238-A Valve	1-C5AZ 2366-A	Bellows
	1-C3TZ 2B074-A Ring	1-C5AZ 2302-A Ring	1-C5AZ 2A385-A	Plunger
	1-C7AZ 2B154-A Lever	1-C5AZ 2302-B Ring	1-C3TZ 2A386-A	Bushing
	1-C5AZ 2B155-A Clamp	1-C6SZ 2303-A Washer	1-376417-S	Retainer
	1-C5AZ 2B156-A Spring			
68/	A	Not available - use (2005)		★
	- B -			
65	B(Midland-Ross)	Consists of - not replaced	1	★C5OZ 2309-A
	1-C5AZ 2B014-A Bushing	1-C5AZ 2180-A Boot	1-C5AZ 2A365-A	Diaphragm
	1-C3TZ 2B073-A Seal	1-C5AZ 2A238-A Valve	1-C5AZ 2366-A	Bellows
	1-C3TZ 2B074-A Ring	1-C5AZ 2302-A Ring	2-C1AA 2A386-A	Bushing
	1-C5OZ 2B154-A Lever	1-C5AZ 2302-B Ring	1-C4OZ 2A411-A	Connector
	1-C5AZ 2B155-A Clamp	1-C5AZ 2303-A Washer	1-C2AZ 2A477-A	Boot
	1-C5OZ 2B156-A Spring	1-C3TZ 2A346-A Filter	1-376417-S	Retainer
	1-C5AZ 2B157-A Retainer			
66	B(except 8 cyl. 390)-Midland-Ross	Consists of - not replaced	1	★C6OZ 2309-A
	1-C5AZ 2B014-A Bushing	1-C5AZ 2B157-A Retainer	1-C3TZ 2A346-B	Filter
	1-C0AA 2A021-A Guard	1-C1AZ 2180-A Boot	1-C5AZ 2A365-A	Diaphragm
	1-C3TZ 2B073-A Seal	1-C5AZ 2A238-A Valve	1-C5AZ 2366-A	Bellows
	1-C3TZ 2B074-A Ring	1-C5AZ 2302-A Ring	2-C3TZ 2A386-A	Bushing
	1-C6OZ 2B154-A Lever	1-C5AZ 2302-B Ring	1-C4AZ 2A411-A	Connector
	1-C5AZ 2B155-A Clamp	1-C5AZ 2303-A Washer	1-376417-S	Retainer
	1-C5OZ 2B156-A Spring			
66	B(8 cyl. 390)-Midland-Ross	Consists of - not replaced	1	★C6OZ 2309-B
	1-C6OZ 2B014-A Bushing	1-C5AZ 2B157-A Retainer	1-C3TZ 2A346-B	Filter
	1-C6OZ 2B014-B Bushing	1-C1AZ 2180-A Boot	1-C6OZ 2A365-A	Diaphragm
	1-C0AA 2A021-A Guard	1-C5AZ 2A238-A Valve	1-C6OZ 2A365-B	Diaphragm
	1-C3TZ 2B073-A Seal	1-C5AZ 2302-A Ring	1-C5AZ 2366-A	Bellows
	1-C3TZ 2B074-A Ring	1-C5AZ 2302-B Ring	2-C3TZ 2A386-A	Bushing
	1-C6OZ 2B154-B Lever	1-C6OZ 2302-A Ring	1-C4AZ 2A411-A	Connector
	1-C5AZ 2B155-A Clamp	1-C6OZ 2302-B Ring	1-375283-S	Washer
	1-C5AZ 2B156-B Spring	1-C5AZ 2303-A Washer	1-376417-S	Retainer
67	B (Drum brakes)-Midland-Ross	Consists of	1	C7OZ 2309-A
	1-C6OZ 2B014-A Bushing	1-C7AZ 2180-B Boot	1-C3TZ 2A346-B	Filter
	1-C6OZ 2B014-B Bushing	1-C5AZ 2A238-A Valve	1-C7OZ 2A365-A	Diaphragm
	1-C3TZ 2B073-A Seal	1-C5AZ 2302-A Ring	1-C7OZ 2A365-B	Diaphragm
	1-C3TZ 2B074-A Ring	1-C5AZ 2302-B Ring	1-C5AZ 2366-A	Bellows
	1-C7OZ 2B154-B Lever	1-C6OZ 2302-A Ring	1-C6SZ 2A385-A	Plunger
	1-C5AZ 2B155-A Clamp	1-C6OZ 2302-B Ring	1-C3TZ 2A386-A	Bushing
	1-C5OZ 2B156-A Spring	1-C5AZ 2303-A Washer	1-376417-S	Retainer
	1-C5AZ 2B157-A Retainer	1-C6SZ 2303-A Washer		
68/	B	Not available - use (2005)		★

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2309 BOOSTER REPAIR KIT - POWER BRAKE - continued			
	- F -			
65/66	F(Bendix)	Details listed under 1965 - X - listed below	1	C5DZ 2309-A
67	F(Drum brakes)-Midland-Ross	Consists of - not replaced	1	★C7ZZ 2309-A
	1-C6OZ 2B014-A Bushing	1-C7AZ 2180-B Boot	1-C3TZ 2A346-B	Filter
	1-C6OZ 2B014-B Bushing	1-C5AZ 2A238-A Valve	1-C7OZ 2A365-A	Diaphragm
	1-C3TZ 2B073-A Seal	1-C5AZ 2302-A Ring	1-C7OZ 2A365-B	Diaphragm
	1-C3TZ 2B074-A Ring	1-C5AZ 2302-B Ring	1-C5AZ 2366-A	Bellows
	1-C7AZ 2B154-A Lever	1-C6OZ 2302-A Ring	1-C6SZ 2A385-A	Plunger
	1-C5AZ 2B155-A Clamp	1-C6OZ 2302-B Ring	1-C3TZ 2A386-A	Bushing
	1-C6SZ 2B156-A Spring	1-C5AZ 2303-A Washer	1-376417-S	Retainer
	1-C5AZ 2B157-A Retainer			
68/	F	Not available - use (2005)		★
	- X -			
65	X(Bendix)	Consists of	1	C5DZ 2309-A
	1-C4DZ 2B132-A Stop	1-C4DZ 2A346-B Filter	1-C4DZ 2372-A	Seal
	1-C4DZ 2A157-A Spring	1-C5DZ 2A345-A Filter	1-C4DZ 2384-A	Seal
	1-C4DZ 2B176-A Grommet	1-C4DZ 2365-A Valve	1-C4DZ 2391-A	Diaphragm
	1-C4DZ 2180-A Boot	1-C4DZ 2A365-A Diaphragm	1-C4DZ 2414-A	Disc
	1-C4DZ 2A346-A Filter			
66	X (Midland-Ross)	Details listed under 1966 - B - on page 1	1	★C6OZ 2309-A
67	X(Drum brakes)-Midland-Ross	Details listed under 1967 - B - listed above	1	C7OZ 2309-A
68/70	X	Not available - use (2005)		★
	2A309 BUSHING - BRAKE MASTER CYLINDER PUSH ROD - Refer to Group 2474			
	@**2B329 TUBE ASSY. - BRAKE DIFFERENTIAL VALVE OUTLET**			
68	B, X (except 8 cyl. 427)	Union (tube)-3/8"-24	1	382714-S(II-61)
68	F (drum brakes)	Union (to right front brake tube)	1	
70	B	Clip (to steering column reinf.)-3/16"	1	383908-S2 (GG164YS)
		Fitting-3/16" tube-3/8"-24	AR	87942-S8(I-20)
		Nut-3/16" tube-7/16"-24	AR	358609-S(MM103)
		Nut-3/16" tube-3/8"-24-(steel)	AR	382967-S100 (MM102)
		Nut-3/16" tube-3/8"-24-(Brass)	AR	383057-S(II61X)
		Nut-3/16" tube-1/2"-20	AR	375096-S36 (MM105F)
	2342 CLAMP - POWER BRAKE BOOSTER HOSE			
65/69	A, B, F, S, X		AR	59T 2342-A
	2344 CLAMP - POWER STEERING RETURN LINE			
65/70	A, B, F, S, X		AR	B5A 2344-A
65/70	S	To windshield wiper motor return tube -lower	1	
	2A346 FILTER - POWER BRAKE BOOSTER AIR CLEANER - Also serviced in Group 2309			
65/66	A, B (Midland-Ross)	1/4" I.D. x 1 5/16" O.D.-r/b C6TZ 2167-A	1	★C3TZ 2A346-A
67	A, B, F, X(Midland-Ross)	1 11/16" I.D.	1	C3TZ 2A346-B
67	S(without speed control)-Midland-Ross		1	
66	B(8 cyl. 390)		1	
65/66	F, X(Bendix)	Steel-7/8" I.D. x 1 7/16" O.D. - not replaced	1	★C4DZ 2A346-A
65/66	F, S, X(Bendix)	Plastic-1/4" I.D. x 2" O.D.	1	C4DZ 2A346-B
66	A (Bendix)		1	
65/66	S, X(Bendix)	Felt-5/16" I.D. x 1 1/4" O.D. x 1/4" thick-	2	★C5DZ 2A346-A
66	A(Disc brakes)-Bendix	Not replaced	2	
	2B346 BEARING - POWER BRAKE BOOSTER LEVER			
68	B, X(disc brakes)	1/2" O. D. -1 3/4" long	1	C8OZ 2B346-A
	2B347 SEAL - POWER BRAKE BOOSTER LEVER BUSHING - OUTER			
68	B, X(disc brakes)	3/4" I. D. -1" O. D. -9/16" thick	2	C8OZ 2B347-A
	2A352 SPACER - BRAKE SHOE RETRACTING SPRING			
65/66	S		AR	C1VV 2A352-A
	2B355 GASKET - BRAKE MASTER CYLINDER MOUNTING ADAPTER			
69	B, F, X (drum brakes)	To master cylinder	1	C9AZ 2B355-B
70/	A, B, F, L, P, X (drum brakes)	To master cylinder	1	
@	**2A361-2 TUBE ASSY. - FRONT BRAKE HOSE TO CYLINDER**			
		Fitting-3/16" tube-3/8"-24	2	87942-S8(I-20)

@ Replacement tubes except as indicated by part number are to be made from bulk tubing stock listed by size and part number under basic group 2269. Insulators are to be improvised from rubber hose, friction tape, etc., as required.

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2B363 VALVE - BRAKE PRESSURE IMPULSE			
69	A, B (power disc brakes)-exc. Taxi		1	C8AZ 2B363-A
	F, S, X (power disc brakes)		1	
	2365 VALVE - POWER BRAKE BOOSTER CHECK			
69/	A, B, F, X (disc brakes)-Bendix Booster		1	D0AZ 2365-A
70/	A(drum brakes)-Bendix Booster		1	
65/68	A(Midland-Ross booster)	Includes grommet & plug	1	C4AZ 2365-A
65/68	B(Midland-Ross booster)		1	
67/68	F (Midland-Ross booster)		1	
66/68	X(Midland-Ross booster)		1	
67/68	S(without speed control)-Midland-Ross booster		1	
65/69	F, X(Bendix Booster)	Steel-1 5/8" long- Also Serviced in 2309 Kit	1	C4DZ 2365-A
65/69	S(Bendix Booster) "Before 8/12/68"	Also Serviced in 2309 Kit	1	C5SZ 2365-A
66/69	A(Drum brakes)-Bendix Booster		1	
66	A(Disc brakes)-Bendix Booster		1	
69	S (Bendix Booster) "From 8/12/68"		1	C9SZ 2365-A
71/	S (Bendix Booster)		1	
	2A365 DIAPHRAGM - POWER BRAKE BOOSTER			
65	A, B(Midland-Ross)		1	C5AZ 2A365-A
66/67	A		1	
66	B, X(except 390)		1	
66	A (Drum brakes)-Bendix	8.135" O.D.	1	C6AZ 2A365-A
66	B(8 cyl. 390)	6 15/16" O.D.	1	C6OZ 2A365-A
66	B(8 cyl. 390)	1 25/32" I.D. -6 5/16" O.D. -Rubber	1	C6OZ 2A365-B
67	B, F, X	7 7/16" O.D.	1	C7OZ 2A365-A
67	B, F, X	Boot diaphragm-1 25/32" I.D. - 6 17/32" O.D.	1	C7OZ 2A365-B
65	S(Bendix)	Front	1	C5SZ 2A365-A
66	A(Disc brakes)-Bendix		1	
65	S(Bendix)	Rear	1	C5SZ 2A365-B
66	A(Disc brakes)-Bendix		1	
66	S	7.42" O.D.	1	C6SZ 2A365-A
66	S	7.88" O.D.	1	C6SZ 2A365-B
	2A368 SNAP RING - POWER BRAKE BOOSTER PISTON GUIDE BUSHING			
65	B(Midland-Ross)	Not replaced	1	★C1AA 2A368-A
	2B368 FILTER - BRAKE SKID CONTROL ACTUATOR AIR			
69/	S		1	C9SZ 2B368-A
	2B369 HOSE - BRAKE SKID CONTROL ACTUATOR AIR			
69	S	33" long	1	C9SZ 2B369-A
70/	S	50" long	1	D0SZ 2B369-A
	2B370 HOSE - BRAKE SKID CONTROL ACTUATOR VACUUM			
69/	S	28 1/4" long	2	C9SZ 2B370-A
	2A371 RING- POWER BRAKE BOOSTER PLUNGER CUSHION			
65	B(Midland-Ross)	Not replaced	1	★C1AA 2A371-A
	2B371 BRACKET - BRAKE SKID CONTROL ACTUATOR MOUNTING			
69/71	S		1	C9SZ 2B371-A
72	S		1	D2SZ 2B371-A
	2B372 SENSOR ASSY. - BRAKE SKID CONTROL			
69	S	R.H.	1	C9SZ 2B372-A
		L.H.	1	C9SZ 2B372-B
70	S "Before 1/12/70"		2	D0SZ 2B372-A
	S "From 1/12/70"		1	D0SZ 2B372-B
71/72	S "Before 5/17/72"		1	D0SZ 2B372-B
72	S "From 5/17/72"		1	D3MY 2B372-A
70	S "Before 1/19/70"	Bolt (to rear axle)-1/4"-20 x 3/4"-hex. hd.	1	20344-S8(B42)
	S "From 1/19/70"	Bolt (to pinion bearing retainer)-5/16"-18 x 7/8"-hex.hd.-lock	4	384237-S4 (BB552CX)
	2B373 MODULE - BRAKE SKID CONTROL			
69/70	S "Before 3/16/70"		1	D0SZ 2B373-A
	S " From 3/16/70"	♯D3LA 2B373-AA	1	D0SZ 2B373-B
71/	S	♯D3LA 2B373-AA	1	D0SZ 2B373-B
70	S "Before 3/16/70"	Screw & washer assy. (to module bracket)-1/4"-14 x 1/2"-hex.hd.tapping	4	55981-S2 (U254E)
	S "From 3/16/70"	Screw & washer assy. (to module bracket)-No.8-18 x 3/4"-hex.hd.	4	384275-S (UU52AP)

♯ Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2B375 RETAINER - BRAKE SKID CONTROL MODULE			
69/70	S		1	C9SZ 2B375-A
	2377 ROD - POWER BRAKE BOOSTER PUSH			
66/67	A (Drum brakes)-Bendix	Check rod	1	C6AZ 2377-A
66/67	A (Disc brakes)-Bendix	Stamped FM-3.55" hole center to end	1	C6AZ 2377-B
65	B	9 7/64" long	1	C5OZ 2377-A
65	F "Before 8/17/64"	Stamped FA	1	C5ZZ 2377-A
65	F "From 8/17/64 to 12/1/64"	Stamped FA 1 -not replaced	1	★C5ZZ 2377-B
65	F "From 12/1/64"	Stamped FA 2 - not replaced	1	★C5ZZ 2377-C
65/66	F	3 7/8" long -not replaced	1	★C4DZ 2377-B
67	F	3 7/16" long	1	C7TZ 2377-B
65	S	3 29/32" long	1	C5SZ 2377-A
65	X	Stamped CO 2 - not replaced	1	★C5DZ 2377-A
65/66	X	3 7/8" long- not replaced	1	★C4DZ 2377-B
67	X	3 7/16" long	1	C7TZ 2377-B
65/67	A, B (Midland-Ross)	7/16"-snap	1	376417-S(QQ60)
67	F, X		1	
	2B384 ROTOR - BRAKE SKID CONTROL			
69/70	S "Before 1/12/70"		2	C9SZ 2B384-A
70/	S "From 1/12/70"		1	D0SZ 2B384-A
	2A385 PLUNGER - POWER BRAKE BOOSTER			
65/67	A(Midland-Ross)	2 23/32" long	1	C5AZ 2A385-A
65/66	B(Midland-Ross)		1	
66	X(Midland-Ross)		1	
66	A (Drum brakes)-Bendix	4" long-not replaced	1	★C6AZ 2A385-A
66	S	2.69" long-not replaced	1	★C6SZ 2A385-A
67	B, F, X(Midland-Ross)		1	
@	**2B385 TUBE ASSY. - BRAKE SKID CONTROL ACTUATOR TO REAR BRAKE**			
		Nut 3/16" tube 3/8"-24	AR	382967-S100 (MM102)
		Nut 3/16" tube 7/16"-24	AR	358609-S36 (MM103)
@	**2B386 TUBE ASSY. - BRAKE DIFFERENTIAL VALVE TO ACTUATOR**			
		Nut-3/16" tube 7/16"-24	AR	358609-S36 (MM103)
		Nut-3/16" tube 1/2"-20	AR	375096-S36 (MM105F)
		Nut-3/16" tube-9/16"-18	AR	351736-S36 (MM105H)
	2B387 ELBOW - BRAKE DIFFERENTIAL VALVE			
69/70	S	With skid control system	1	C9SZ 2B387-A
	2B389 BRACKET - BRAKE SKID CONTROL MODULE			
70	S "Before 3/16/70"		1	D0SZ 2B389-A
	S " From 3/16/70 to 5/1/70"		1	D0SZ 2B389-B
	S " From 5/1/70"		1	D0SZ 2B389-C
71	S		1	D0SZ 2B389-C
72	S		1	D2SZ 2B389-A
70	S "Before 3/16/70"	Screw (to glove box)-No. 8-15 x 1/2" -tapping	4	52012-S8(U202)
	S "From 3/16/70"	Screw & washer assy.(to glove box)- No.8-18 x 3/4"-hex.hd.	4	384275-S (UU52AG)
	2391 DIAPHRAGM - POWER BRAKE BOOSTER CONTROL VALVE			
66/67	A (Drum brakes)-Bendix	3.981" long-7.72" O.D.	1	C6AZ 2391-A
65/67	F, X	3 57/64" long-Plastic-not replaced	1	★ C4DZ 2391-A
65	S		1	C5SZ 2391-A
	2B394 WIRING ASSY. - BRAKE SKID CONTROL SENSOR ADAPTER			
70	S	With skid control system-used to connect single sensor axle wiring	1	D0LY 2B394-A
	2395 PISTON - POWER BRAKE BOOSTER BODY			
66/67	A (Disc brakes)-Bendix	Stamped "6" - 7.53" O.D.	1	C6AZ 2395-A

@ Replacement tubes except as indicated by part number are to be made from bulk tubing stock listed by size and part number under Basic Group 2269. Insulators are to be improvised from rubber hose, friction tape, etc., as required.

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2A407 RETAINER - BRAKE TUBE SUPPORT			
72	A,B,S (Disc brakes)		1	D2AZ 2A407-A
	2A418 SEAL - FRONT DISC BRAKE CALIPER - Also refer to Group 2207			
65/66	S "Before 10/3/66"	Rubber-2 45/64" O.D.-replaced by	8	★C5SZ 2A418-A
66	A (Disc brakes) "Before 10/3/66"	C5SZ 2207-A	8	
@	**2420 TUBE ASSY. - POWER BRAKE BOOSTER**			
65/	B (8 cyl.)	Elbow (tube to intake manifold)-3/8" tube	1	354584-S(II-162)
65/	A(8 cyl. 260, 289, 302)		1	
65/	F (8 cyl.)-with S/T		1	
65/	B (8 cyl.)	Tee-3 way (tube to intake manifold)	1	375786-S(II-116A)
65/	A(8 cyl. 260, 289, 302)		1	
65	F (8 cyl.)		1	
65/	B (6 cyl.)	Tee-3 way (tube to intake manifold)	1	375787-S(II-116B)
65	F (6 cyl.)		1	
65	A		1	
65/	B (with S/T)	Plug (tee)-1/4"	1	353808-S8(PP38)
65/	A(8 cyl. 260, 289, 302)-with S/T		1	
65	F (8 cyl.)-with S/T		1	
67	A(8 cyl. 427)-with Power Disc brakes	Connector (to intake manifold)-3/8" x 1/4" pipe x 5/8" tube	1	381964-S(II-59D)
65	X	Tee-4 way (tube to engine)	1	C5AZ 57018B14-B
		Fitting-3/8" tube-5/8"-18	AR	87945-S8(I-23)
	2A420 HOSE - FRONT DISC BRAKE - Also refer to Group 2078			
	2A423 PIN REPAIR KIT - BRAKE SHOE ANCHOR			
65	S(Rear)	Consists of 2-C1VV 2028-A Plate 2-C1VV 2A413-A Spring	1	C1VY 2A423-A
	2428 RING - POWER BRAKE BOOSTER TUBE TO REAR BODY			
65/67	A, B, F, X	Not replaced	2	★B4A 2428-A
	2429 RETAINER - POWER BRAKE BOOSTER PISTON			
65	S(Bendix)	Steel	1	C5SZ 2429-A
66	A(Disc brakes)-Bendix		1	
	2B429 SHIELD - BRAKE SKID CONTROL SPEED SENSOR WIRE			
70/72	S "Before 5/17/72"		1	D0SZ 2B429-A
72	S "From 5/17/72"		1	D3MY 2B429-A
	2B430 WIRING & BRACKET ASSY. - BRAKE SKID CONTROL SPEED SENSOR			
70	S "Before 1/12/70"		1	D0SZ 2B430-A
70/71	S "From 1/12/70"		1	D0LY 2B430-A
72	S		1	D2LY 2B430-A
70/	S	Screw(to No. 4 crossmember)-5/16"-18 x 3/4"	AR	381877-S2 (UU52AF)
	2B445 BOOT - BRAKE PRESSURE METERING VALVE PUSH ROD			
70/	A, S(disc brakes)		1	D0AZ 2B445-A
	2B450 SPACER - BRAKE PEDAL SUPPORT MOUNTING - Refer to Group 2B180 in Section 21			
	2454 PAD - BRAKE PEDAL - Also refer to Groups 2457 & 7A624			
	- A -			
65	A(A/T)-except 63C,76B-use with moveable steering column	Power brake -not replaced	1	★C3AZ 2454-A
65	A(A/T)-except 63C,76B-use with moveable steering column	Manual brake - not replaced	1	★C3AZ 2454-B
65	A(A/T)-63C,76B-use with moveable steering column	Manual brake-not replaced	1	★C3AZ 2454-C
65/67	A(A/T)	Manual drum brake	1	AB 2454-B
65/67	A(M/T)-except 63C,76B	Power drum brake	1	B4A 2454-B
65/67	A(A/T)-except 63C,76B	Power drum brake	1	B9A 2454-B
65/67	A(M/T)-63C,76B	Manual drum brake & clutch	2	C2AZ 2454-A
65/67	A(A/T)-63C,76B-use with fixed steering column	Power drum brake- stainless steel frame	1	C2AZ 2454-B
66	A(A/T)	Disc brake -not replaced	1	★C6AZ 2454-A
66	A(M/T)	Disc brake-not replaced	1	★C6AZ 2454-B

@ Replacement tubes except as indicated by part number are to be made from bulk tubing stock listed by size and part number under basic group 2269. Insulators are to be improvised from rubber hose, friction tape, etc., as required.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2454 PAD - BRAKE PEDAL - continued - Also refer to Groups 2457 & 7A624			
	- A -			
67	A(A/T)	7" long-disc brake	1	C7AZ 2454-A
67	A(M/T)	3 9/16" long-disc brake-not replaced	1	★C7AZ 2454-B
65/	A	Parking brake-#C8SZ 2454-A & C8AA 2A647-A	1	C8SZ 2454-A
	- B -			
65/67	B(M/T)	Power drum brake-3 17/64" wide-not replaced	1	★C2OZ 2454-A
65/67	B(A/T)	Power drum brake-5" wide	1	C2OZ 2454-B
66/67	B	Parking brake	1	C6OZ 2454-A
67/71	B(M/T)	Disc brake	1	C5ZZ 2454-D
67/71	B(A/T)	Disc brake	1	D3ZZ 2454-A
68/71	B	Parking brake	1	C8OZ 2454-A
72	B	Parking brake-#C8SZ 2454-A & C8AA 2A647-A	1	C8SZ 2454-A
	- F -			
65	F(M/T) "Before 3/8/65"	Disc brake	1	★C5ZZ 2454-A
65/	F(M/T) "From 3/8/65"	Disc brake	1	C5ZZ 2454-D
65/67	F(A/T)	Disc brake	1	C5ZZ 2454-C
68/	F(A/T)	Disc brake	1	D3ZZ 2454-A
69	F	Parking brake	1	C9ZZ 2454-A
70	F	Parking brake	1	C8OZ 2454-A
71/	F	Parking brake	1	C9ZZ 2454-A
	- L -			
71	L(M/T) "Before 5/24/71"	Disc brakes	1	D1FZ 2454-A
71/	L(M/T) "From 5/24/71"	Disc brakes	1	D1FZ 2454-B
71/	L(A/T)	Disc brakes	1	D3ZZ 2454-A
	- S -			
65/	S		1	C5SZ 2454-A
66	S(without speed control)		1	
66	S(with speed control)	Not replaced	1	★C6SZ 2454-A
67	S		1	C7SZ 2454-A
65/	S	Parking brake-#C8SZ 2454-A & C8AA 2A647-A	1	C8SZ 2454-A
	- U -			
66/	U	Parking brake-#C8SZ 2454-A & C8AA 2A647-A	1	C8SZ 2454-A
	- X -			
65	X(A/T)	Power drum brake-5" wide	1	C2OZ 2454-B
66/67	X	Parking brake	1	C6OZ 2454-A
68/70	X	Parking brake	1	C8OZ 2454-A
68/70	X(M/T)	Disc brake	1	C5ZZ 2454-D
68/70	X(A/T)	Disc brake	1	D3ZZ 2454-A
65/	A	Bolt (pad to brake pedal)-5/16"-24 x 1"	1	20387-S8(B157)
65	A (with moveable steering column)	Bolt (pad to brake pedal)-5/16"-24 x 1 1/8"	1	20427-S8(B158)
		Locknut-5/16"-24		34393-S7(M98)
		Locknut-3/8"-24		351022-S2(MM138)
65	S	Bolt (pad to brake pedal)-5/16"-24 x 1"	1	20387-S8(B157)
66/	S	Bolt (pad to pedal)-5/16"-18 x 1"	1	20386-S8(B53)
	2455 PEDAL ASSY. - BRAKE			
	- A -			
65	A(A/T)		1	C5AZ 2455-A
65/66	A(M/T)		1	C5AZ 2455-E
66	A(A/T)	Not replaced	1	★C6AZ 2455-C
67	A(M/T)-except P/C & New York Taxi	Not replaced	1	★C7AZ 2455-B
67	A(M/T)-P/C & New York Taxi with disc brakes	Not replaced	1	★C7AZ 2455-F
67	A(A/T)-except P/C & New York Taxi- "Before 1/9/67"	Not replaced	1	★C7AZ 2455-A
67	A(A/T)-except P/C & New York Taxi- "From 1/9/67"	Not replaced	1	★C7AZ 2455-G
67	A(A/T)-P/C & New York Taxi with disc brakes	Not replaced	1	★C7AZ 2455-E
68	A(M/T)-manual brakes		1	C8AZ 2455-C
68	A(M/T)-power brakes		1	C8AZ 2455-B
68	A(A/T)-manual brakes		1	C8AZ 2455-D
68	A(A/T)-power brakes		1	C8AZ 2455-A
69/71	A(M/T)-drum brakes except fleet		1	C9AZ 2455-C

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2455 PEDAL ASSY. - BRAKE - continued			
	- A -			
69/71	A(M/T)-fleet with power drum brakes		1	C9AZ 2455-B
70/71	A(M/T)-power disc brakes		1	
69/71	A(M/T)-manual disc brakes		1	C9AZ 2455-D
69/	A(A/T)-drum brakes except fleet		1	C9AZ 2455-F
69/	A(A/T)-fleet with power drum brakes		1	C9AZ 2455-A
69/	A(A/T)-power disc brakes		1	
69/71	A(A/T)-manual disc brakes		1	C9AZ 2455-E
	- B -			
66/67	B(M/T)-drum brakes	Not replaced	1	★C6OZ 2455-A
66/67	B(A/T)		1	C6OZ 2455-B
67	B(8 cyl. 427)-disc brakes	Not replaced	1	★C7OZ 2455-E
68	B(M/T)		1	C8OZ 2455-B
68	B(A/T)	Not replaced	1	★C8OZ 2455-A
69	B(M/T)		1	C9OZ 2455-A
69	B(A/T)		1	C9OZ 2455-B
70/71	B(M/T)		1	D0OZ 2455-A
70/71	B(A/T)		1	D0OZ 2455-B
72	B(M/T)-manual disc brakes		1	D2OZ 2455-D
72	B(A/T)-manual disc brakes		1	D2OZ 2455-B
72	B(M/T)-power disc brakes		1	D2OZ 2455-C
72	B(A/T)-power disc brakes		1	D2SZ 2455-A
	- F -			
65/66	F(M/T)-drum brakes		1	C5ZZ 2455-J
65/66	F(A/T)-drum brakes		1	C7ZZ 2455-J
65/66	F(M/T)-disc brakes		1	C5ZZ 2455-G
65/66	F(A/T)-disc brakes		1	C5ZZ 2455-H
67	F(M/T)-drum brakes		1	C7ZZ 2455-G
67	F(M/T)-power disc brakes		1	C7ZZ 2455-B
67	F(A/T)-drum brakes		1	C7ZZ 2455-J
67	F(A/T)-power disc brakes		1	C7ZZ 2455-K
68	F(M/T)-manual brakes		1	C8ZZ 2455-E
68	F(M/T)-power brakes		1	C8ZZ 2455-C
68	F(A/T)-manual brakes		1	C8ZZ 2455-B
68	F(A/T)-power brakes		1	C8ZZ 2455-A
69	F(M/T)-disc brakes		1	C9ZZ 2455-D
69	F(A/T)-disc brakes		1	C9ZZ 2455-A
69/70	F(M/T)-drum brakes		1	C9ZZ 2455-B
69/70	F(A/T)-drum brakes		1	C9ZZ 2455-C
69/70	F-BOSS 429		1	C9ZZ 2455-E
70	F(A/T)-power disc brakes		1	D0ZZ 2455-A
70	F(M/T)-power disc brakes		1	D0ZZ 2455-B
71/	F(M/T)-drum brakes		1	D1ZZ 2455-D
71/	F(A/T)-drum brakes		1	D1ZZ 2455-C
71/	F(M/T)-power disc brakes		1	D1ZZ 2455-A
71/	F(A/T)-power disc brakes		1	D1ZZ 2455-B
	- L -			
71	L(M/T) "Before 5/24/71"		1	D1FZ 2455-A
71/	L(M/T) "From 5/24/71"		1	D4FZ 2455-B
71	L(A/T) "Before 3/8/71"		1	D1FZ 2455-B
71/	L(A/T) "From 3/8/71"		1	D1FZ 2455-F
	- P -			
70/	P(M/T)		1	D0DZ 2455-C
70/72	P(A/T) "Before 4/3/72"		1	D0DZ 2455-A
72	P(A/T) "From 4/3/72"		1	D2DZ 2455-A
	- S -			
67	S	Not replaced	1	★C7SZ 2455-B
68	S	Not replaced	1	★C8SZ 2455-A
69	S		1	C9SZ 2455-A
70/71	S		1	D0SZ 2455-A
72	S		1	D2SZ 2455-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2455 PEDAL ASSY. - BRAKE - continued			
	- U -			
66	U		1	C6TZ 2455-A
67/	U		1	C7TZ 2455-H
	- X -			
65	X(M/T)	Not replaced	1	★C5DZ 2455-B
65	X(A/T)	Not replaced	1	★ C5DZ 2455-A
66/67	X(M/T)-drum brakes	Not replaced	1	★C6OZ 2455-A
66/67	X(A/T)		1	C6OZ 2455-B
68	X(M/T)		1	C8OZ 2455-B
68	X(A/T)	Not replaced	1	★C8OZ 2455-A
69/70	X(M/T)		1	C9OZ 2455-A
69/70	X(A/T)		1	C9OZ 2455-B
65/	S	Nut (pedal to support)-7/16"-20	1	34671-S8(M67)
65/	S	Lockwasher-7/16"	1	357625-S7-8 (XX304)
65/	A, S	Locknut (pedal to master cylinder)-3/8"-24	1	34370-S8(M99)
65/	A, S, X	Bumper (brake pedal)	1	MA 7583-A
65/	A	Locknut (power brake pedal to master cyl. push rod)-5/16"-24	1	34443-S7-8(M79)
65/	S	Screw-set (power brake pedal to pivot pin)-1/4"-28 x 1/2"	1 1	370070-S(UU35)
65/71	S	Bolt(pedal to bracket)-3/8"-24 x 5 1/2"	1	378319-S2 (BB227C)
72	S	Bolt(pedal to support)-3/8"-16 x 3 1/2 hex. hd.	1	56350-S4(B317)
65/66	A	Stud(to dash)-3/8"-16 & 3/8"-16 x 2 1/2"	2	381684-S2(WW130)
67/	A, S	Stud (to dash)-3/8"-16 & 3/8"-16 x 2 1/2"	2to4	381684-S7(WW130)
68	A(76)	Stud (to dash)-lower-3/8"-16 & 3/8"-16 x 3 1/2"	2	381782-S2 (WW110D)
65/	F	Bolt (to dash)-3/8"-16 x 1"	2	20388-S8(B80)
65	B, X		2	
		Nut-3/8"-16		33799-S7(M52)
		Lockwasher-3/8"		351487-S(XX291)
		Locknut-3/8"-24		351022-S2(MM138)
66	S	Pin-self-locking (push rod link to pedal)	1	380699-S2
66/67	B, X(Automatic Transmission), F	Pin-self-locking (to support)	1	(NN128F)
	2457 PAD - BRAKE PEDAL PLATE - Also refer to Groups 2454 and 7A624			
	- A -			
65/66	A(M/T)	Brake -4" long	2	C5AZ 2457-A
	A(A/T)	Brake-7 1/2" long	1	C5AZ 2457-B
67	A(M/T)-drum brakes	Brake & clutch-3 19/32" long	1	C7AZ 2457-A
	A(A/T)-drum brakes	Brake-7 3/32" long	1	C7AZ 2457-B
68	A(M/T)-drum brakes	Brake	1	C8AZ 2457-B
	A(M/T)-disc brakes	Brake-not replaced	1	★C8AZ 2457-C
	A(A/T)-drum brakes	Brake	1	C8AZ 2457-A
	A(A/T)-disc brakes	Brake	1	C8AZ 2457-D
69	A(M/T)-drum brakes	Brake	1	C9AZ 2457-A
	A(M/T)-disc brakes	Brake	1	C9AZ 2457-B
	A(A/T)-drum brakes	Brake	1	C9AZ 2457-C
	A(A/T)-disc brakes	Brake	1	C9AZ 2457-D
70/71	A(M/T)	Brake	1	C9AZ 2457-A
	A(A/T)-drum brakes	Brake	1	C9AZ 2457-C
	A(A/T)-disc brakes	Brake	1	C9AZ 2457-D
72	A(A/T)-drum brakes	Brake	1	C9AZ 2457-C
	A(A/T)-disc brakes	Brake	1	C9AZ 2457-D
	- B -			
65	B(M/T)	Brake & clutch	2	B7A 2457-A
	B(A/T)	Brake	1	C0DD 2457-A
66/67	B(M/T)	Clutch	1	B7A 2457-A
	B(A/T)-power brakes	Brake	1	C6OZ 2457-C
	B(M/T)-manual brakes	Brake	1	C5ZZ 2457-G
	B(A/T)-manual brakes	Brake	1	C6OZ 2457-A
68/69	B(M/T)-manual brakes	Brake	1	C5ZZ 2457-G
	B(A/T)-manual brakes	Brake	1	C6OZ 2457-A

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	2457 PAD - BRAKE PEDAL PLATE - continued - Also refer to Groups 2454 and 7A624				
	- B -				
70/71	B(M/T)-drum brakes		Brake	1	C5ZZ 2457-G
	B(A/T)-drum brakes		Brake	1	C6OZ 2457-A
72	B(M/T)-disc brakes		Brake	1	C5ZZ 2457-G
	B(A/T)-disc brakes		Brake	1	D2SZ 2457-A
	- F -				
65	F(M/T)-manual brakes		Brake	1	C5ZZ 2457-C
	F(A/T)-power brakes		Brake	1	C5ZZ 2457-E
	F(A/T)-manual brakes		Brake	1	C5ZZ 2457-F
66/67	F(A/T)-power brakes		Brake	1	C5ZZ 2457-E
	F(A/T)-manual brakes		Brake	1	C5ZZ 2457-F
	F(M/T)-manual brakes		Brake	1	C5ZZ 2457-G
68/69	F(M/T)-manual brakes		Brake	1	C5ZZ 2457-G
	F(A/T)-manual brakes		Brake	1	C6OZ 2457-A
70/	F(M/T)-drum brakes		Brake	1	C5ZZ 2457-G
	F(A/T)-drum brakes		Brake	1	C6OZ 2457-A
	- L -				
71	L(M/T)-drum brakes	"Before 5/24/71"	Brake	1	D1FZ 2457-A
	L(M/T)	"Before 5/24/71"	Clutch	1	
71/	L(M/T)-drum brakes	"From 5/24/71"	Brake	1	D1FZ 2457-B
	L(M/T)	"From 5/24/71"	Clutch	1	
71/	L(A/T)-drum brakes		Brake	1	C6OZ 2457-A
	- P -				
70/72	P(M/T)		Brake	2	C5ZZ 2457-G
	P(A/T)	"Before 4/3/72"	Brake	1	D0DZ 2457-B
	P(A/T)	"From 4/3/72"	Brake	1	C6OZ 2457-A
	- S -				
68/71	S			1	C8SZ 2457-A
72	S			1	D2SZ 2457-A
	- U -				
66/	U		Brake & clutch	2	B7A 2457-A
	- X -				
65	X(M/T)		Brake & clutch	2	B7A 2457-A
	X(A/T)		Brake	1	C0DD 2457-A
66/67	X(M/T)		Clutch	1	B7A 2457-A
	X(A/T)-power brakes		Brake	1	C6OZ 2457-C
	X(M/T)-manual brakes		Brake	1	C5ZZ 2457-G
	X(A/T)-manual brakes		Brake	1	C6OZ 2457-A
68/70	X(M/T)-manual brakes		Brake	1	C5ZZ 2457-G
	X(A/T)-manual brakes		Brake	1	C6OZ 2457-A
	2461 BUSHING - BRAKE PEDAL -Refer to Group 2471				
	2461 BUSHING - SPARE WHEEL CARRIER - Refer to Group 2471				
	2462 BOLT - BRAKE MASTER CYLINDER LINK ROD				
65/67	B (with Power Brake Booster)		3/8"-24 x 1 11/32"	1	C0TT 2462-A
66	U		3/8"-24 x 1 1/8"	1	C6TZ 2462-A
			Locknut-3/8"-24		34370-S8(M99)
	2471 BUSHING - BRAKE and CLUTCH PEDAL				
65/	A		5/8" long-brake or clutch	AR	B7AZ 2471-A
65/68	B, F, X			AR	
69/	B, F, L, P, X		Brake	AR	
66/	U		Brake	4	
66/	U		Clutch	2	
70/	S			2	
69/	B, F, L, P, X		Clutch	2	C9OZ 2471-A
65/69	S		Brake- 3/4" long	2	C1SZ 2471-A
70/	U		7/8" long - use with swing away carrier	4	C5TZ 2471-A
	2472 SPRING - BRAKE PEDAL RETRACTING				
67/68	A(manual disc brakes)		1 25/32" long-5. 3 coils	1	C7AZ 2472-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2474 BUSHING - BRAKE MASTER CYLINDER PUSH ROD			
65	F "Before 8/17/64"	1/8" long	2	B2A 2474-A
65/68	A,B,S,X	9/16" I.D. -13/16" O.D. -5/16" long	1	C5DZ 2474-A
65/68	F "From 8/17/64"		1	
67/68	U		1	
69/	A, B, F, L, P, S, U, X	9/16" I.D. -13/16" O.D. -5/16" long-Nylon	1	C9AZ 2474-A
66	U	9/16" I.D. -5/8" O.D. -5/16" long-Nylon	1	C1TT 2A309-A
65/66	F	7/16" I.D. washer-retaining (to push rod)	AR	372878-S(XX16)
	2476 SEAL - BRAKE and CLUTCH PEDAL			
66/68	U		2	C1UZ 2476-B
	2B476 TUBE - BRAKE SKID CONTROL ACTUATOR VACUUM			
70/	S	Improvise from 8QH 2269-B & 87947-S		★2B476
	2A477 BOOT - POWER BRAKE BOOSTER PUSH ROD			
65/67	A (with S/T)	Not replaced	1	★C2AZ 2A477-A
65/67	B		1	
	2478 SHAFT - BRAKE PEDAL			
65	A, B, F, X	9/16" diameter-3 7/8" long	1	B7A 2478-A
66/67	A, B, F, X	5/8" diameter-3 5/8" long	1	C6AZ 2478-A
68/	A, F, L, P	5/8" diameter-3 5/8" long	1	C8AZ 2478-A
68/71	B, X		1	
65	F(with power brake booster)	1/2" diameter -2 1/8" long	1	C5ZZ 2478-A
65/	A, B, S, X	Washer-spring (shaft to support)-5/8"	1	358981-S(XX364)
65/	F		1	
65/	A, B, X(with power brakes)	Retainer-spring (shaft to support)-9/16"	1	74279-S(R5)
65/	S(with power brakes)		1	
65	F		1	
66/	A	Pin-self-locking (to support)	1	380699-S2 (NN128F)
	2B486 SPRING - FRONT DISC BRAKE CALIPER SUPPORT			
72	B,S		2	D2OZ 2B486-A
71/	L		4	D1FZ 2B486-A
	2A487 COVER - BRAKE PEDAL PAD			
65	A(M/T)-drum brakes	Stainless steel-4" long-brake & clutch	2	C5AZ 2A487-A
	A(A/T)-drum brakes	Stainless steel-7 1/2" long	1	C5AZ 2A487-B
66	A(M/T)-drum brakes	Stainless steel-4" long-brake & clutch	2	C5AZ 2A487-A
	A(A/T)-drum brakes	Stainless steel-7 1/2" long	1	C5AZ 2A487-B
	A(M/T)-disc brakes	Not replaced	1	★C6AZ 2A487-B
	A(A/T)-disc brakes	Not replaced	1	★C6AZ 2A487-A
67	A(M/T)-drum brakes	3 5/8" long	1	C7AZ 2A487-A
	A(A/T)-drum brakes	7 1/8" long	1	C7AZ 2A487-B
	A(M/T)-disc brakes	3 5/8" long-not replaced	1	★C7AZ 2A487-D
	A(A/T)-disc brakes	7 1/8" long-not replaced	1	★C7AZ 2A487-C
68	A(M/T)-drum brakes	Not replaced	1	★C8AZ 2A487-A
	A(A/T)-drum brakes		1	C8AZ 2A487-C
	A(M/T)-disc brakes	Not replaced	1	★C8AZ 2A487-B
	A(A/T)-disc brakes		1	C8AZ 2A487-D
69	A(M/T)-drum brakes		1	C9AZ 2A487-D
	A (A/T)-drum brakes		1	C9AZ 2A487-B
	A(M/T)-disc brakes		1	C9AZ 2A487-C
	A (A/T)-disc brakes		1	C9AZ 2A487-A
70/71	A(M/T)		1	C9AZ 2A487-D
	A(A/T)-drum brakes		1	C9AZ 2A487-B
	A(A/T)-disc brakes		1	C9AZ 2A487-A
72	A(A/T)-drum brakes		1	C9AZ 2A487-B
	A(A/T)-disc brakes		1	C9AZ 2A487-A
66/71	B(M/T)	Stainless steel	1	C5ZZ 2A487-C
	B(A/T)		1	C6OZ 2A487-A
72	B(M/T)		1	D1ZZ 2A487-B
	B(A/T)		1	D2OZ 2A487-A
65/67	F(M/T)	Stainless steel	1	C5ZZ 2A487-C
	F(A/T)	Stainless steel	1	C5ZZ 2A487-B
68/70	F(M/T)	Stainless steel	1	C5ZZ 2A487-C
	F(A/T)		1	C6OZ 2A487-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2A487 COVER - BRAKE PEDAL PAD - continued			
71/	F(M/T)		1	D1ZZ 2A487-B
	F(A/T)		1	D1ZZ 2A487-A
65/66	S	Stainless steel-6 7/8" long -not replaced	1	★C5SZ 2A487-A
67	S	Stainless steel-6 7/8" long-not replaced	1	★C7SZ 2A487-A
68/71	S (without skid control)	8 7/16" long	1	C8SZ 2A487-A
69/ 71	S(with skid control)		1	C9SZ 2A487-A
72	S(without skid control)		1	D2SZ 2A487-A
	S(with skid control)		1	D2SZ 2A487-B
68	X(M/T)	Stainless steel	1	C5ZZ 2A487-C
	X(A/T)		1	C6OZ 2A487-A
	2B487 KEY - FRONT DISC BRAKE CALIPER SUPPORT			
72	B,S		2	D2OZ 2B487-A
71/	L		2	D1FZ 2B487-A
72	B,S	Screw (to anchor plate)-5/16"-18 x 5/8"	2	385217-S100 (BB839J)
	2A492 RETAINER - FRONT DISC BRAKE CALIPER PISTON DUST SEAL			
65/66	A,S	Steel-2 1/4" I.D.-2 1/2" O.D.	4	C5SZ 2A492-A
65/67	F	Steel-1 7/8" I.D.-2 1/16" O.D.	4	C5ZZ 2A492-A
	2B516 WIRING ASSY. - BRAKE SKID CONTROL ACTUATOR			
72	S		1	D2LY 2B516-A
	2525 CLIP - POWER BRAKE BOOSTER PUSH ROD TO OPERATING LEVER			
65/67	A,S	Not replaced	1	★C4AZ 2525-A
65/67	B		1	
66/67	X		1	
65/67	A,S	Includes retainer	1	C4AZ 2525-B
65/67	B		1	
66/67	X		1	
	2530-1 BRACKET - PARKING BRAKE CABLE			
65/66	A (except 76)	R.H.-rear-not replaced	1	★ C3AZ 2530-A
		L.H.-rear-not replaced	1	★ C3AZ 2531-B
65/66	A (76)	Rear-not replaced	2	★ C3AZ 2530-B
66	B,X	R.H.-rear -not replaced	1	★ C6OZ 2530-A
		L.H.-rear -not replaced	1	★ C6OZ 2531-A
67/68	B,F,X	R.H.-rear	1	C7ZZ 2530-A
		L.H.-rear	1	C7ZZ 2531-A
72	B,S	Front	1	D2OZ 2530-A
72	B,S	R.H.-rear	1	D2OZ 2530-B
72	B,S	L.H.-rear	1	D2OZ 2530-C
65/66	F	Front	1	C5ZZ 2530-B
66	F	R.H. & L.H.-rear-r/b 377673-S8(GG213C)	2	★C6ZZ 2530-A
71/	F		1	D1ZZ 2530-A
71	L "Before 4/19/71"	R.H.-front	1	D1FZ 2530-B
71	L "Before 4/19/71"	L.H.-front	1	D1FZ 2530-C
71/	L "From 4/19/71"	R.H.-front	1	D1FZ 2530-D
71/	L "From 4/19/71"	L.H.-front	1	D1FZ 2530-E
71/	L	Rear	2	D1FZ 2530-A
65/68	F	Screw (attaching)-No. 14-14 x 1/2"	2	31497-S8(U254)
67	S	Screw (attaching)-5/8"-18 x 1/2" tapping	1	40923-S8 (U264)
@	**2543 TUBE ASSY. - POWER BRAKE BOOSTER CONNECTOR TO MANIFOLD**			
	2A595 HOSE - BRAKE VACUUM MOTOR TO PARKING BRAKE SWITCH			
65/66	S	1/8" I.D.-3/8" O.D.-22 1/2" long-cut from C4SZ 2A596-A	1	★C4SA 2A595-B
	2A596 HOSE - PARKING BRAKE			
65/67	S	Switch to tee-reducer to vent tee-1/8" I.D.-3/4" O.D.-81 3/16" long-not replaced	1	★C4SZ 2A596-A
70/71	S	Switch to tee-21 15/16" long	1	D0SZ 2A596-B
72	S	Release valve-13 1/4" long	1	D2SZ 2A596-C
	S "Before 2/14/72"	Switch to tee-15 1/2" long	1	D2SZ 2A596-B
	S "From 2/14/72"	Switch to tee-12 1/2" long-improvise from 17543 bulk hose	1	★ 2A596
65/66	S	Strap-adjustable (to wire harness)-Nylon	2	376914-S(YY2)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2A601 SPRING - PARKING BRAKE LINK			
67/68	A	Cam tension	2	C6TZ 2A601-A
72	A,S		2	D1AZ 2A601-A
65/	B, F, X(10" brakes)	1" long-5 coils-#Japan Red	2	C2OZ 2A601-A
65/71	S		2	
65/71	A		2	
71/	P(6 cyl. 250 & 8 cyl.)-10" brakes		2	
65/70	F, X(9" brakes)		2	C0DD 2A601-A
70/	P(6 cyl.)-9" brakes		2	
71/	L	7/8" long-4 1/4" coils-#White	2	D1FZ 2A601-A
66/	U(10" x 2 1/2" Bendix brakes)	1 1/4" long-5 coils-#Yellow	2	C4UZ 2A601-A
66/	U(except 10" x 2 1/2" Bendix brakes)	1" long-5 coils-#Japan Red	2	C2OZ 2A601-A
	2A602 EQUALIZER - PARKING BRAKE CABLE			
66	A		1	C6AZ 2A602-A
67	A		1	C7AZ 2A602-A
68/	A		1	C8AZ 2A602-A
65	B		1	C0DD 2A602-A
66/	B		1	C6OZ 2A602-A
65	F		1	C5ZZ 2A602-A
66	F		1	C0DD 2A602-A
67/	F		1	C6OZ 2A602-A
71/	L		1	D1FZ 2A602-A
70/	P		1	C6OZ 2A602-A
67	S		1	C7AZ 2A602-A
68/71	S		1	C8AZ 2A602-A
72	S		1	C6OZ 2A602-A
66/67	U		1	C5UZ 2A602-A
68/	U		1	C6AZ 2A602-A
65	X		1	C0DD 2A602-A
66/70	X		1	C6OZ 2A602-A
67	B, X	Check nut-5/16"-24	1	33923-S7 (M32)
67/	F	Locknut (to rod)-5/16"-18	1	379930-S2 (MM173M)
	2A605 LEVER - PARKING BRAKE EQUALIZER			
65/66	A		1	C5AZ 2A605-A
69/	A		1	C9AZ 2A605-A
65	B		1	C2OZ 2A605-A
65/66	F		1	C5ZZ 2A605-A
67/68	F		1	C7ZZ 2A605-A
70	P "Before 7/1/69"		1	D0DZ 2A605-A
70/	P "From 7/1/69"		1	D0DZ 2A605-B
65/66	S		1	C0AA 2A605-A
67	S	Includes bracket	1	C7SZ 2A605-A
68/71	S		1	C8SZ 2A605-B
66/	U		1	C6TZ 2A605-A
65	X (except 76)		1	C1DD 2A605-A
65	X (76)		1	C3DZ 2A605-B
65	B, X	Clevis pin (lever to bracket)-5/16" x 15/16"	1	76007-S8(N6)
66/	U		1	
		Cotter pin-3/32" x 3/4"		72016-S7-8(N44)
65	B	Pin-self-locking (lever to bracket)	1	358883-S7-8 (NN128)
67/68	F	Pin-self-locking (to underbody)	1	352358-S(NN127B)
67/68	F	Washer-3 spring (to underbody)-3/8"	1	381629-S2(XX368D)
	2K606 GROMMET - PARKING BRAKE RELEASE ROD			
71/	L		1	D1FZ 2K606-A
	2L611 SPRING - PARKING BRAKE LEVER RETRACTING			
72	S	2 1/8" long-29 1/4 coils	1	D2SZ 2L611-A

@ Replacement tubes except as indicated by part numbers are to be made from bulk tubing stock listed by size and part number under basic group 2269. Insulators are to be improvised from rubber hose, friction tape, etc., as required.
# Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2A616 RETAINER - PARKING BRAKE EQUALIZER LEVER RETURN SPRING			
67/68	A		1	C7AZ 2A616-A
68	S		1	
66/71	B, X		1	C6OZ 2A616-A
69/71	F		1	
	2628 ROD - PARKING BRAKE EQUALIZER			
65/	A,B,F,P,S,U,X	Universal-12" long-cut from thread end to required length	1	B7A 2628-B
71/	L	6 3/16" long	1	D1FZ 2628-A
		Locknut-5/16"-24		34443-S7-8(M79)
		Check nut-5/16"-24		33923-S7(M32)
	2631 BRACKET - PARKING BRAKE EQUALIZER			
65	A(except 76)		1	C3AZ 2631-A
65	A(76)	Not replaced	1	★C3AZ 2631-B
66	A		1	C6AZ 2631-A
70	P		1	D0DZ 2631-A
71/	P		1	D1DZ 2631-A
65	B	Locknut (bracket to underbody)-3/8"-16	3	382535-S100 (MM173MX)
66/67	A	Bolt & retainer (to No. 3 cross member)-5/16"-18 x 7/8"	1	379881-S2 (BB643D)
	2634 SPRING - PARKING BRAKE RELEASE - Also refer to Group 2A651			
65/66	A	7/8" O. D. -6 3/16" long-20 coils	1	C5AZ 2634-A
69/71	A	1/2" O.D.-6 1/2" long-36 3/4 coils	1	C9AZ 2634-A
72	B	1 7/8" long-30 coils	1	D2OZ 2634-A
67/71	S	5" long-37 1/4 coils-#Black	1	C7SZ 2634-A
72	S	1 7/8" long-30 coils	1	D2OZ 2634-A
	2A635 CABLE and CONDUIT - PARKING BRAKE REAR - Also refer to groups 2A753 & 2853			
	- A -			
65/66	A	R.H. & L.H.-87 7/16" long	2	C5AZ 2A635-B
67/68	A	R. H. -76 29/32" long	1	C7AZ 2A635-D
		L.H. - 35 3/8" long	1	C7AZ 2A635-B
69	A	R. H. -88 3/4" long	1	C9AZ 2A635-A
		L. H. -36" long	1	C9AZ 2A635-B
70/	A	R.H.-88 3/4" long	1	C9AZ 2A635-A
		L.H.-36 3/16" long	1	D0AZ 2A635-B
	- B -			
65	B	162 1/2" long	1	C2OZ 2A635-A
	B(54, 62, 65)-8 cyl. 289-4B-premium fuel	162 1/2" long	1	C5OZ 2A635-A
66/68	B(except 66, 71)	R.H. & L.H.-91" long-#Blue	2	C6OZ 2A635-C
	B(66, 71)	176" long-#Orange	1	C6OZ 2A635-D
69/71	B(except 66, 71)	R. H. -152" long	1	C9OZ 2A635-A
		L. H. -30" long	1	C9OZ 2A635-B
	B(66, 71)	176" long-#Orange	1	C6OZ 2A635-D
72	B (exc. P/C)	R.H.& L.H.-37" long	2	D2OZ 2A635-A
	B(P/C)	R.H.& L.H.-36 3/4" long	2	D2AZ 2A635-A
	- F -			
65	F (6 cyl.)	R.H. & L.H.-79 11/16" long-#Yellow	2	C5ZZ 2A635-D
	F (8 cyl.)	R.H. & L.H.-79 11/16" long-#Blue	2	C5ZZ 2A635-E
66	F	160 1/4" long-#Red	1	C6ZZ 2A635-C
67	F	R.H. & L.H.-82 3/4" long -r/b B2PZ 2A753-A & B5PZ 2853-B	2	★C7ZZ 2A635-A
68	F(6 cyl.)	R.H. -137 5/32" long-ball painted Red	1	C8ZZ 2A635-B
		L. H. -33 3/8" long-ball painted Red	1	C8ZZ 2A635-C
	F(8 cyl.)	R. H. -136 5/8" long	1	C8ZZ 2A635-A
		L. H. - 31 5/8" long	1	C8ZZ 2A635-D
69	F(6 cyl.) "Before 2/17/69"	R. H. -131" long	1	C9ZZ 2A635-A
		L. H. -33 3/8" long	1	C8ZZ 2A635-C
	F(6 cyl.) "From 2/17/69"	R. H. -131 7/16" long	1	C9ZZ 2A635-C
		L. H. -33 3/8" long	1	C8ZZ 2A635-C
	F(8 cyl.)	R. H. -133 3/4" long	1	C9ZZ 2A635-D
		L. H. - 31 5/8" long	1	C8ZZ 2A635-D

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2A635 CABLE and CONDUIT - PARKING BRAKE REAR - continued - Also refer to groups 2A753 & 2853			
	- F -			
70	F(6 cyl. 200)	R.H. -131 7/16" long	1	C9ZZ 2A635-C
		L.H. -33 3/8" long	1	C8ZZ 2A635-C
	F(6 cyl. 250, 8cyl.)	R.H. -133 1/8" long	1	D0ZZ 2A635-A
		L.H. -31" long	1	D0ZZ 2A635-B
71/	F	R.H. -133 1/8" long	1	D0ZZ 2A635-A
		L.H. -31" long	1	D0ZZ 2A635-B
	- L -			
71/	L	109 1/4" long	1	D1FZ 2A635-A
	- P -			
70	P	R.H. & L.H.-68 5/8" long	2	D0DZ 2A635-A
71/	P	R.H. -62 1/8" long	1	D1DZ 2A635-A
		L.H. -75 15/16" long -r/b D3DZ 2A635-A	1	★D1DZ 2A635-B
	- S -			
65	S	82 1/2" long-r/b B8PZ 2A753-A & B5PZ 2853-A	2	★C4SZ 2A635-A
66	S	84 7/8" long-r/b B8PZ 2A753-A & B2PZ 2853-A	2	★C6SZ 2A635-A
67/68	S	R.H. -76 7/8" long	1	C7AZ 2A635-D
		L.H. -35 3/8" long	1	C7AZ 2A635-B
69	S	R.H. -88 3/4" long	1	C9AZ 2A635-A
		L.H. -36" long	1	C9AZ 2A635-B
70/71	S	R.H. -88 3/4" long	1	C9AZ 2A635-A
		L.H. -35 3/8" long	1	D0SZ 2A635-B
72	S	R.H. & L.H.-36 3/4" long	2	D2AZ 2A635-A
	- U -			
66/	U(2780 lb.rear axle)	R.H.-60 5/8" long-r/b C1PZ 2A753-A	1	★C6TZ 2A635-A
		L.H. -49 5/8" long	1	C6TZ 2A635-B
	U(3300 lb.rear axle)	R.H.-60 5/8" long-r/b C1PZ 2A753-A	1	★C6TZ 2A635-C
		L.H. -49 5/8" long	1	C6TZ 2A635-D
	- X -			
65	X(76)-6 cyl.	129 1/4" long	1	C4DZ 2A635-B
	X(76)-8 cyl.	129 1/4" long	1	C4DZ 2A635-D
	X(except 76)-8 cyl.	152 5/16" long	1	C4DZ 2A635-C
	X(except 76)-6 cyl.	152 5/16" long	1	C4DZ 2A635-A
66/70	X(54, 62)	170" long-#Green	1	C6DZ 2A635-B
	X(66, 71)	176" long-#Orange	1	C6OZ 2A635-D
65/	A, S	Pin (cable to equalizer)	1	352358-S(NN127B)
65/	S	Clip (cable to rear suspension arm)	2	352977-S100 (GG156)
65/66	B	Retainer (cable to underbody)-7/16" spring	2	383475-S100
65/	F		2	(RR4A)
65/66	X(except 76)		2	
65/	A	Retainer (cable to frame)	2	
65/66	X(76)	Retainer (cable to bracket)	2	
67/	B, X		2	
72	S	Retainer (cable to frame)	2	
68	S	Screw (to No. 4 cross member)-3/8"-16 x 1 1/4"- washer head	2	382062-S2 (UU52AA)
	2A637-8 LEVER - PARKING BRAKE CABLE TO SECONDARY BRAKE SHOE			
65/69	A(except Taxi)	R.H.	1	C5AZ 2A637-A
70/71	A(11 x 2 1/4" brakes)	R.H.	1	
72	A	R.H.	1	
67/	S		1	
		L.H.	1	C5AZ 2A638-A
65/	B, F, X(10" brakes)	R.H.	1	C9ZZ 2A637-A
71/	P(6 cyl. 250 & 8 cyl.)-10" brakes	R.H.	1	
		L.H.	1	C9ZZ 2A638-A
65/70	F, X(9" brakes)	R.H.	1	C9ZZ 2A637-B
70/	P(6 cyl.)-9" brakes	R.H.	1	
		L.H.	1	C9ZZ 2A638-B
71	L	R.H.	1	D1FZ 2A637-A
		L.H.	1	D1FZ 2A638-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2A637-8 LEVER - PARKING BRAKE CABLE TO SECONDARY BRAKE SHOE - continued			
72	L(exc. 73)	R.H.	1	D1FZ 2A637-A
		L.H.	1	D1FZ 2A638-A
	L(73)	R.H.	1	D2FZ 2A637-A
		L.H.	1	D2FZ 2A638-A
65/66	S	R.H.	1	C3SZ 2A637-A
65/69	A(Taxi)	R.H.	1	
70/71	A(11" x 2 1/2'-brake)	R.H.	1	
66/	U(11" x 1 3/4" brakes)	R.H.	1	
		L.H.	1	C3SZ 2A638-A
66/	U(10" x 2 1/2" brakes)	R.H.	1	C3UZ 2A637-A
		L.H.	1	C3UZ 2A638-A
65/	A	Washer-flat (lever to brake shoe web)-3/8"	2	371617-S(XX149)
65/	S		2	
	2A642 LINK - PARKING BRAKE LEVER TO PRIMARY BRAKE SHOE			
65/69	A (Taxi)	7 13/16" long	2	C3AZ 2A642-A
70/71	A(11" x 2 1/2"-brakes)		2	
65/69	A (except Taxicab)	7 7/8" long	2	C5AZ 2A642-A
70/71	A(11" x 2 1/4" brakes)		2	
67/71	S		2	
72	A,S		2	D1AZ 2A642-A
65/71	B, F, X(10" brakes)	6 7/8" long	2	C2OZ 2A642-A
71	P(6 cyl. 250 & 8 cyl.)-10" brakes		2	
72	B,F		2	D1OZ 2A642-A
72	P(6 cyl.250 & 8 cyl.)-10" brakes		2	
65/70	F, X(9" brakes)	6" long	2	C1DD 2A642-A
70/	P(6 cyl.)-9" brakes		2	
71/	L(9" brakes)		2	D1FZ 2A642-A
65/66	S	7 5/8" long	2	C3SZ 2A642-A
66/	U(10" x 2 1/2" Wagner brakes)		2	C6TZ 2A642-A
66/	U(10" x 2 1/2" Bendix brakes)	R.H.	1	C3UZ 2A642-A
		L.H.	1	C3UZ 2A642-B
66/68	U(11" x 1 3/4" brakes) "Before Ser.C14,001"		2	C4TZ 2A642-B
68/	U(11" x 1 3/4" brakes) "From Ser. C14,001"	R.H.-#321817	1	C8TZ 2A642-A
		L.H.-#321816	1	C8TZ 2A642-B
	2649 BRACKET - PARKING BRAKE CABLE SUPPORT			
	- A -			
67/68	A	R.H.	1	C7AZ 2649-A
		L.H.	2	C7AZ 2649-B
69/71	A		1	C9AZ 2649-A
72	A(76)		1	
	- B -			
66/67	B(except 65,66,76)	R.H.	1	C6OZ 2649-A
		L.H.	1	C6OZ 2649-C
68	B(except 65,66,76)	R.H.	1	C6OZ 2649-F
69	B(except 76)	R.H.	1	
68/69	B(except 65,66,76)	L.H.	1	C6OZ 2649-G
66/69	B(76)	R.H.-not replaced	1	★C6OZ 2649-E
		L.H.-not replaced	1	★C6OZ 2649-D
70/71	B	R.H.	1	C6OZ 2649-F
70/71	B(except 76)	L.H.	1	C6OZ 2649-G
70/71	B(76)	L.H.	1	D0OZ 2649-A
	- F -			
65	F	To floor pan	2	C5ZZ 2649-A
	F	R.H.-side rail	1	C5ZZ 2649-C
		L.H.-side rail	1	C5ZZ 2649-D
66	F	To floor pan	2	C5ZZ 2649-A
67/68	F		1	C7ZZ 2649-A
69/70	F		1	C9ZZ 2649-A
	- L -			
71/	L		1	D1FZ 2649-B
	- P -			
70/	P	R.H.	1	D0DZ 2649-A

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
2649	**BRACKET - PARKING BRAKE CABLE SUPPORT - continued**			
	- S -			
67/68	S	R.H.	1	C7AZ 2649-A
		L.H.	2	C7AZ 2649-B
69/71	S		1	C9AZ 2649-A
	- X -			
65	X(except 76)		2	C0DZ 2649-A
66/67	X	R.H.	1	C6OZ 2649-A
		L.H.	1	C6OZ 2649-C
68/70	X	R.H.	1	C6OZ 2649-F
		L.H.	1	C6OZ 2649-G
2K650	**BOOT PARKING BRAKE CABLE**			
71/	L		1	D1FZ 2K650-A
2A651	**SPRING - PARKING BRAKE LEVER RETURN** - Also refer to Group 2634			
65	B	8 3/8" long-69 3/4 coils	1	C2OZ 2A651-A
66/71	B	Approx. 7 7/8" long-35 1/4 coils	1	C6OZ 2A651-A
72	B	6 11/16" long-40 coils	1	D2OZ 2A651-A
65/68	F	15 1/8" long-25 coils	1	C5ZZ 2A651-A
69/70	F	8 7/8" long-52 coils	1	C9ZZ 2A651-A
71/	F	11 1/8" long-55 coils	1	D1ZZ 2A651-A
70/	P		1	D0DZ 2A651-A
72	S	6 11/16" long-40 coils	1	D2OZ 2A651-A
66/	U	10 1/8" long-13/16" diameter	1	C5TZ 2A651-A
65	X(except 76)	6 7/8" long-15 1/4 coils	1	C1DD 2A651-A
65	X(76)	8 5/16" long-30 1/4 coils-not replaced	1	★C3DZ 2A651-B
66/70	X	Approx.7 7/8" long-35 1/4 coils	1	C6OZ 2A651-A
2A697	**GUIDE - PARKING BRAKE CABLE**			
69/	A(76)		1	C9AZ 2A697-A
69/70	F		1	C9ZZ 2A700-A
69/	A(76)	Screw (to underbody)-5/16"-18 x 3/4" hex. head	1	381877-S2 (UU52AF)
2A700	**GUIDE - PARKING BRAKE CABLE** - Refer to group 2A697			
2A709	**RETAINER - PARKING BRAKE CABLE - REAR**			
71/72	L "Before 12/1/71"		2	D1FZ 2A709-A
72	L "From 12/1/71"		2	D2FZ 2A709-A
70	P "Before 9/2/69"		2	D0DZ 2A709-A
70/	P "From 9/2/69"		2	D0DZ 2A709-B
66/	U	Approximately 6" long-67 coils	1	C6TZ 2A709-A
2A713	**BOOT - PARKING BRAKE LEVER**			
71	L "Before 10/15/70"		1	D1FZ 2A713-A
	L "From 10/15/70"	Includes attaching parts	1	D1FZ 2A713-B
72	L "Before 4/3/72"	Includes attaching parts	1	D1FZ 2A713-B
	L "From 4/3/72"	Avocado	1	D4FZ 2A713-E
	L "From 4/3/72"	Beige	1	D2FZ 2A713-F
	L "From 4/3/72"	Black	1	D4FZ 2A713-A
	L "From 4/3/72"	Blue	1	D4FZ 2A713-B
	L "From 4/3/72"	Ginger	1	D2FZ 2A713-G
	L "From 4/3/72"	Green	1	D2FZ 2A713-B
	L "From 4/3/72"	Orange	1	D4FZ 2A713-C
		Screw (to floor pan)- No.8-18 x 3/4"	4	380651-S13 (UU140)
2A714	**RETAINER - PARKING BRAKE LEVER BOOT**			
71	L "Before 10/15/70"		1	D1FZ 2A714-A
	L "From 10/15/70"	Refer to Group 2A713	1	2A714
2745	**SPRING - PARKING BRAKE CABLE POSITIONING**			
65/66	B	6" long-69 1/4 coils-to rear spring-not replaced	2	★C1SS 2745-A
72	L		2	D2FZ 2745-A
2A753	**CABLE REPAIR KIT - PARKING BRAKE** - Also refer to groups 2A635 & 2853			
67	F	70 1/2" long	2	B2PZ 2A753-A
65/66	S	70 1/2" long	2	B8PZ 2A753-A
66/	U	R.H.-60" long	1	C1PZ 2A753-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
2A754	**SLEEVE - PARKING BRAKE EQUALIZER LEVER RETRACTING SPRING**			
65/67	B	5 1/8" long-improvise from 17543 bulk hose	1	★C2OA 2A754-A
2760	**HANDLE ASSY. - PARKING BRAKE RELEASE** - Also refer to Group 2A760			
	- A -			
65/68	A		1	C5AZ 2760-A
69	A "Before 4/3/69"		1	C9AZ 2760-A
	A "From 4/3/69"		1	C9AZ 2760-B
70	A		1	D0AZ 2760-A
71/	A		1	D1AZ 2760-A
	- B -			
65	B	Includes C0DZ 2819-A pin	1	C0DZ 2760-B
66/69	B		1	C5AZ 2760-A
70	B "Before 1/5/70"		1	C5AZ 2760-A
	B "From 1/5/70"		1	D0OZ 2760-A
71	B		1	D0OZ 2760-A
72	B	Includes 305018-S2 pin	1	D2OZ 2760-A
	- F -			
65/66	F	Includes C0DZ 2819-A pin	1	C0DZ 2760-B
67/68	F	Includes C0DZ 2819-A pin	1	C7ZZ 2760-B
69	F		1	C5AZ 2760-A
70	F "Before 1/5/70"		1	C9ZZ 2760-A
	F "From 1/5/70"		1	D0ZZ 2760-A
71/	F		1	D1ZZ 2760-A
	- P -			
70/	P	Includes C0DZ 2819-A pin	1	D0DZ 2760-A
	- U -			
66/69	U		1	C5AZ 2760-A
70	U "Before Ser. E50,001"		1	C5AZ 2760-A
	U "From Ser. E50,001"		1	D0OZ 2760-A
71/	U		1	D0OZ 2760-A
	- X -			
65	X	Includes C0DZ 2819-A pin	1	C0DZ 2760-B
66/70	X		1	C5AZ 2760-A
2A760	**ROD - PARKING BRAKE RELEASE HANDLE** - Also refer to group 2760			
69	A	14 1/2" long-also supplied in C9AZ 2780-C	1	C9AZ 2A760-A
70	A		1	D0AZ 2A760-A
71/	A		1	D1AZ 2A760-A
72	B	8 5/8" long	1	D2OZ 2A760-A
2A762	**BRACKET ASSY. - PARKING BRAKE EQUALIZER LEVER**			
67/68	F		1	C7ZZ 2A762-A
2768	**EQUALIZER ASSY. - PARKING BRAKE - REAR**			
65/66	A		1	C5AZ 2768-A
65	S		1	C0AZ 2768-A
66	S	Not replaced	1	★C6SZ 2768-A
65/66	A, S	Washer-flat (trunnion to cable)-5/16"	1	359638-S(XX103)
65/66	A	Cotter pin (trunnion to cable)-1/16" x 1/2"	1	72004-S7(N41)
2780	**CONTROL ASSY. - PARKING BRAKE**			
	- A -			
65/66	A		1	D0TZ 2780-A
67	A "Before 4/12/67"		1	C7AZ 2780-A
	A "From 4/12/67"		1	C7AZ 2780-C
68	A	Includes (2) 379930-S Nut	1	C7AZ 2780-E
69/70	A	Includes 2A760 rod	1	D0AZ 2780-B
71/	A		1	D1AZ 2780-B
	- B -			
65	B		1	C2OZ 2780-A
66/67	B		1	C6OZ 2780-A
68/71	B		1	D0OZ 2780-A
72	B		1	D2AZ 2780-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2780 CONTROL ASSY. - PARKING BRAKE - continued			
	- F -			
65/66	F		1	C5ZZ 2780-B
67/68	F		1	C7ZZ 2780-B
69/70	F		1	D0ZZ 2780-A
71/	F		1	D1ZZ 2780-A
	- L -			
71	L	Black finish	1	D1FZ 2780-A
72	L "Before 7/22/72"	Black finish	1	D1FZ 2780-A
	L "From 7/22/72"	Black finish	1	D3FZ 2780-B
	L	Walnut wood grain finish	1	D3FZ 2780-C
	- P -			
70/71	P "Before 1/4/71"		1	D0DZ 2780-A
71/	P "From 1/4/71"		1	D0DZ 2780-B
	- S -			
65/66	S		1	C5SZ 2780-A
67	S		1	C7SZ 2780-A
68/71	S	Include parking brake release valve	1	C9SZ 2780-A
72	S		1	D3SZ 2780-B
	- U -			
66/	U		1	D0TZ 2780-B
	- X -			
65	X		1	C0DZ 2780-A
66/67	X		1	C6OZ 2780-A
68/70	X		1	C8OZ 2780-B
67/	A	Locknut (to cowl)-5/16"-24	2	378200-S7-8 (MM173K)
68	A	Screw(to instrument panel)-5/16"-18 x 1"	1	378178-S2 (BB412B)
65/	B	Bolt (control to dash panel)-5/16"-24 x 3/4"	2	355471-S8(BB651)
		Locknut-5/16"-24		34393-S7(M98)
65/66	F	Bolt (to dash)-5/16"-24 x 3/4"	2	20347-S8(B156)
		Lockwasher-5/16"		34906-S8(X98)
71	L	Screw & washer (control to floor pan)-15/16"-18 x 7/8"	8	384676-S2 (BB551DC)
72	L	Bolt(to instrument panel)-5/16"-18 x 3/4" hex hd.	2	56320-S4(B318GD)
65	X	Screw (control to body)-5/16" -24 x 3/4"	2	★50540-S8
		Nut-check-5/16"-24	2	33923-S7(M32)
		Lockwasher-5/16"	4	★34941-S7
		Washer-flat-5/16"	2	44722-S8(X19)
	2786 RETAINER - PARKING BRAKE RATCHET BAR LOCKING SPRING			
65	B,X		1	0M 2786
65/68	F		1	
70	P		1	D0DZ 2786-A
71/	P		1	D0DZ 2786-B
	2A787 RETAINER - PARKING BRAKE SPRING			
66/68	U		2	C4UZ 2A787-A
72	A,B,F,S		1	
72	P(6 cyl.250 & 8 cyl.)-10" brakes		1	
	2788 SPRING - PARKING BRAKE RATCHET BAR LOCKING			
65	B,X		1	0M 2788
65/68	F		1	
71/	P "Before 1/4/71"		1	D0DZ 2788-A
	P "From 1/4/71"		1	D1DZ 2788-A
	2A790 CONNECTOR - PARKING BRAKE CABLE			
66/71	B(exc. 66, 71)		1	C6OZ 2A790-A
66/	F		1	
70/	P		1	
72	B,S		2	D2AZ 2A790-A
	2791 BUTTON - PARKING BRAKE HANDLE			
71/	L		1	D1FZ 2791-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2793 SPRING - PARKING BRAKE RELEASE CONTROL			
71/	L		1	D1FZ 2793-A
	2795 BRACKET - PARKING BRAKE CONTROL MOUNTING			
69/71	S		1	C9SZ 2795-A
	2A796 NUT - PARKING BRAKE EQUALIZER ROD			
66/68	U	5/16"-24	1	C5UZ 2A796-A
	2A798 COVER - PARKING BRAKE PEDAL PAD			
65/67	A,S	Stainless steel	1	C5AZ 2A798-A
68/71	A	Stainless steel	1	C8SZ 2A798-A
72	B		1	
68/	S		1	
66/67	B(63,66,76)	Stainless steel	1	C6OZ 2A798-A
68/71	B,X	Stainless steel	1	C8OZ 2A798-A
69	F(63C,65E)		1	C9ZZ 2A798-A
70/	F		1	
	2804 PULLEY - PARKING BRAKE CABLE			
65	B,X		1	0M 2804
65/68	F		1	
71/	P		1	
		Clevis pin (pulley to handle)-5/16" x 13/16"	1	★73880-S8
		Pin-self-locking		352358-S100 (NN127B)
	2A804 HOSE - PARKING BRAKE RELEASE			
67	S	18 1/2" long-improvise from C4SZ 2A596-A	1	★C7SA 2A804-B
68/69	S	23" long-improvise from 17543 bulk hose	1	★C8SA 2A804-B
72	S	Improvise from 17543 bulk hose	1	★
		Clamp (to control & neutral switch)	2	377931-S8(EE5)
	2A808 IDLER - PARKING BRAKE REAR CABLE			
66/	B,X		1	C6OZ 2A808-A
72	S		1	
67/	F,P		1	C7ZZ 2A808-A
	2814 CLIP - BRAKE HOSE			
65/66	A	Brake hose	AR	A7AZ 2814-A
65/71	B,X		AR	
67	A(New York Taxicab with disc brakes)		1	
65/	F,P,U		AR	
71/	L	Rear	1	
65/66	S		3	
67/	A,S	Brake hose	AR	C7AZ 2814-A
72	B		3	
71/	L	Front	1	
65	B	Parking brake cable to control	2	8M 2814
65/66	S	Parking brake cable to underbody	2	MC 2814-A
65/66	S	Parking brake cable to engine rear support	2	
	2A815 CABLE - PARKING BRAKE INTERMEDIATE			
69/	A	64 1/2" long	1	D3AZ 2A815-B
72	B(53,71)	108 5/16" long	1	D2OZ 2A815-B
	B(63,65,97)	100 5/8" long	1	D2OZ 2A815-A
71/	P(54)	11 3/4" long	1	D1DZ 2A815-A
67	S(57)	62 5/16" long	1	C7SZ 2A815-D
	S(65)	59 3/8" long	1	C7SZ 2A815-C
68	S(57) "Before 1/15/68"	62 5/16" long	1	C7SZ 2A815-D
	S(57) "From 1/15/68"		1	C8SZ 2A815-B
	S(65) "Before 1/15/68"	59 3/8" long	1	C7SZ 2A815-C
	S(65) "From 1/15/68"	49 1/2" long	1	C8SZ 2A815-A
69/71	S(57)	51 7/8" long-#Yellow	1	C9SZ 2A815-B
	S(65)	49 3/8" long-#Green	1	C9SZ 2A815-A
72	S	104" long	1	D2SZ 2A815-A

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2A816 BRACKET - PARKING BRAKE CABLE EQUALIZER ROD			
72	B	98 7/8" long	1	D2OZ 2A816-A
67/69	F "Before 12/2/68"		1	C7ZZ 2A816-A
69	F "From 12/2/68"		1	C9ZZ 2A816-A
70/	F		1	D0ZZ 2A816-A
72	S	98 7/8" long	1	D2OZ 2A816-A
	2819 PIN - PARKING BRAKE HANDLE LOCKING			
65	X	.162" O.D. - .41" long	1	C0DZ 2819-A
65	B		1	
65/68	F		1	
70/	P		1	
	2849 SPACER - PARKING BRAKE CONTROL MOUNTING - Also refer to group 2B180			
65	A	Parking brake-3/8" I. D. - 3/4" O.D.-1" long - not replaced	2	★C5AZ 2849-A
65/68	A	Brake pedal-7/16" I. D. -7/8" long	4	C5AZ 2849-B
67/68	S		4	
	2853 CABLE - PARKING BRAKE EXTENSION - Also refer to groups 2A635 & 2A753			
67	F	23 1/4" long	2	B5PZ 2853-B
65	S	9 1/4" long	2	B5PZ 2853-A
66	S	13 1/4" long	2	B2PZ 2853-A
	2853 CABLE and CONDUIT - PARKING BRAKE FRONT			
	- A -			
65	A	Approx. 44 1/2" long	1	C5AZ 2853-A
66	A	46 5/8" long	1	C6AZ 2853-A
67/68	A	Front-89 7/8" long	1	C8AZ 2853-A
69/	A	Front-26 1/2" long	1	C9AZ 2853-A
	- B -			
65	B	57" long	1	C3OZ 2853-A
66/67	B	44 3/8" long	1	C6OZ 2853-A
68/71	B	43 5/8" long	1	C8OZ 2853-A
72	B	49 3/4" long	1	D2OZ 2853-A
	- F -			
65/66	F	38 5/8" long	1	C5ZZ 2853-B
67/68	F	38 3/8" long	1	C7ZZ 2853-B
69/70	F	Front-43 5/8" long	1	C9ZZ 2853-A
71/	F	Front-43 1/8" long	1	D1ZZ 2853-A
	- P -			
70/	P	50 3/4" long	1	D0DZ 2853-B
	- S -			
65/66	S	64 15/16" long	1	C2SZ 2853-A
67	S	Front-23 5/8" long	1	C7SZ 2853-C
68	S(57) "Before 1/15/68"	84 3/4" long-#Red	1	C8SZ 2853-B
	S(65) "Before 1/15/68"	82 1/4" long	1	C8SZ 2853-A
	S(57,65) "From 1/15/68"	31 3/8" long	1	C8SZ 2853-C
69/71	S	Front-31 1/8" long	1	C9SZ 2853-A
72	S	54 1/2" long	1	D2SZ 2853-A
	- U -			
66/	U	52 1/8" long	1	C6TZ 2853-F
	- X -			
65	X(except 76)	50 3/4" long	1	C3DZ 2853-B
	X(76)	63 7/8" long	1	C4DZ 2853-A
66/67	X	44 3/8" long	1	C6OZ 2853-A
68/70	X	43 5/8" long	1	C8OZ 2853-A
65/69	S	Clip (cable conduit to body)	1	★95824-S32
65/	S	Clip (cable to floor support)	1	357946-S8(GG152)
65/	S	Clip (cable to floor)	1	352977-S100 (GG156)
65/70	X	Screw (cable to dash panel)-No. 14 x 3/4"-tapping	2	42143-S8(U255)
65/	A	Screw (cable to dash panel)-No. 14 x 5/8"-tapping	2	31498-S8(U253B)
65/	S		2	

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2853 CABLE and CONDUIT - PARKING BRAKE FRONT - continued			
65/	A	Retainer (cable to frame)-7/16" spring	AR	383475-S100
65/70	X(54, 62, 63, 76)		1	(RR4A)
65/70	X(S/D 66)	Retainer (cable to engine rear support)	1	
65/	B	Retainer (cable to bracket)	1	
72	B	Retainer (to crossmember)	1	
67/	A, B, F, S, X	Retainer (cable to control)	2	
72	P	Retainer (to bracket & dash panel)	2	
65/	A	Pin-self-locking (cable to control)	1	358883-S7(NN128)
65/	A	Clevis pin (cable to control)-5/16" x 1"	1	73931-S7(N9)
65/	F	Screw (to dash panel)-No. 14-14 x 1/2"-tapping	2	31497-S8(U254)
68	F	Clip (to inner body member)	1	381930-S2 (GG155F)
68	F	Screw (clip to inner body member)-5/16"-18 x 3/4"	1	381877-S2 (UU52AF)
72	P	Screw (to side rail)-1/4"-14 x 1/2" hex. hd.	1	55981-S2 (U254E)
66/	U	Clip (to floor pan)	2	352204-S100 (GG148)
	2860 CLIP - PARKING BRAKE CABLE			
65/68	A, S	To lower control arm	2	C5AZ 2860-C
69/71	A, S		2	C9AZ 2860-A
72	A(76)		2	
72	A	Screw (to rear suspension lower arm)-5/16 - 18 x 3/4" hex. hd.	2	381877-S2 (UU52AF)
	2861 LINK - PARKING BRAKE CABLE CONNECTING			
65/67	A		1	C3AZ 2861-A
71	L		1	D1FZ 2861-A
65/67	S		1	B9A 2861-A
71	L	Pin (link to clutch pedal)-3/8" x 7/8"-clevis	1	384632-S(NN49Z)
	2873 BEARING - AIR CONDITIONER COMPRESSOR BELT IDLER PULLEY			
65	B(6 cyl. 170, 200)	7/16" I.D.-1 1/4" O.D.-5/8" thick-#207-used	1	C3OZ 2873-A
65/67	A(6 cyl.)	in 8678 pulley assy.	1	(YP-22)
	2876 SHAFT - AIR CONDITIONER COMPRESSOR BELT IDLER PULLEY			
65/67	A (6 cyl.)	1 1/16" long	1	B8QH 2876-A
68/69	A, B, F, S, X(8 cyl.)	1 15/16" long-not replaced	1	★C8AZ 2876-A
70	A. B. F. S. X		1	(YS-25)
	2A881 SUPPORT - AIR CONDITIONER COMPRESSOR MOUNTING BRACKET			
66	B, X (6 cyl. 170, 200) "Before 4/1/66"	Not replaced	1	★C6DZ 2A881-A
66/67	B, X (6 cyl. 170, 200) "From 4/1/66"	Not replaced	1	★C6DZ 2A881-B
	2882 BRACKET - AIR CONDITIONER COMPRESSOR MOUNTING - Also refer to group 10A313			
	-A-			
65/66	A(6 cyl.)	With A/C	1	C7AZ 2882-A
	A(8 cyl. 289)	With A/C-not replaced	1	★C5AZ 2882-D
	A(8 cyl. 352, 390, 428)	With A/C	1	C6SZ 2882-A
67	A(6 cyl.)	With integral A/C	1	C7AZ 2882-A
	A(6 cyl.)	With hang-on A/C-not replaced	1	★C7AZ 2882-E
	A(8 cyl. 289) "Before 1/3/67"	With integral A/C-not replaced	1	★C7AZ 2882-F
	"From 1/3/67"	With integral A/C	1	C7AZ 2882-G
	A(8 cyl. 289)	With hang-on A/C -not replaced	1	★C7AZ 2882-D
	A(P/I)-8 cyl. 390, 428 "Before 3/15/67"	With integral A/C	1	C7AZ 2882-B
	"From 3/15/67"	With integral A/C	1	C7ZZ 2882-A
	A(8 cyl. 390, 428)	With hang-on A/C -not replaced	1	★C7AZ 2882-C
68	A(6 cyl.)	With A/C	1	C8AZ 2882-A
	A(8 cyl. 289, 302)	With A/C	1	C7AZ 2882-G
	A(8 cyl. 390, 428)	With A/C	1	C7ZZ 2882-A
	A(8 cyl. 429-4/B)	With A/C	1	C8VZ 2882-A
69	A(6 cyl.)	With A/C	1	C8AZ 2882-A
	A(8 cyl. 302)	With A/C	1	C7AZ 2882-G
	A(8 cyl. 351)	With A/C	1	C9OZ 2882-B
	A(8 cyl. 390, 428)	With A/C	1	C9AZ 2882-A
	A(8 cyl. 429-4/B)	With A/C	1	C8VZ 2882-A

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2882 BRACKET - AIR CONDITIONER COMPRESSOR MOUNTING - continued - Also refer to group 10A313			
	- A - continued			
70	A(6 cyl.)	With A/C	1	C8AZ 2882-A
	A(8 cyl. 302)	With A/C	1	D0OZ 2882-A
	A(8 cyl. 351)	With A/C	1	D0ZZ 2882-A
	A(8 cyl. 390, 428)	With A/C	1	C9AZ 2882-A
	A(8 cyl. 429)	With A/C	1	D0AZ 2882-A
71	A(6 cyl.)	With A/C	1	C8AZ 2882-A
	A(8 cyl. 302)	With A/C	1	D0OZ 2882-A
	A(8 cyl. 351-2/B)-engine tag code C	With A/C	1	D1AZ 2882-C
	A(8 cyl. 351-2/B)-engine tag code W	With A/C	1	D1AZ 2882-B
	A(8 cyl. 390)	With A/C	1	C9AZ 2882-A
	A(8 cyl. 400)	With A/C	1	D1AZ 2882-A
	A(8 cyl. 429)	With A/C	1	D0AZ 2882-A
72	A(6 cyl.)	With integral A/C	1	C8AZ 2882-A
	A(6 cyl.)	With hang-on A/C	1	D2AZ 2882-C
	A(8 cyl.302)	With A/C	1	D0OZ 2882-A
	A(8 cyl.351-2/B)-engine tag code C	With integral A/C	1	D1AZ 2882-C
	A(8 cyl. 351-2/B)-engine tag code C	With hang-on A/C	1	D2AZ 2882-B
	A(8 cyl.351-2/B)-engine tag code W	With A/C	1	D1AZ 2882-B
	A(8 cyl.400)	With integral A/C	1	D1AZ 2882-A
	A(8 cyl. 400)	With hang-on A/C	1	D2AZ 2882-B
	A(8 cyl.429)	With integral A/C	1	D0AZ 2882-A
	A(8 cyl. 429)	With hang-on A/C	1	D2AZ 2882-A
	- B -			
65/66	B(6 cyl.)-1965	With A/C-not replaced	1	★C5OZ 2882-A
	B(6 cyl.)-1966	With A/C	1	C5OZ 10A313-B
	B(8 cyl. 260, 289)	With A/C- not replaced	1	★C5AZ 2882-D
	B(8 cyl. 390)-1966	With A/C	1	C6SZ 2882-A
67	B(6 cyl.)	With hang-on A/C-not replaced	1	★C7OZ 2882-A
	B(6 cyl.)	With integral A/C	1	C5OZ 10A313-B
	B(8 cyl. 289) "Before 1/3/67"	With integral A/C-not replaced	1	★C7AZ 2882-F
	"From 1/3/67"	With integral A/C	1	C7AZ 2882-G
	B(8 cyl. 289)	With hang-on A/C-not replaced	1	★C7AZ 2882-D
	B(8 cyl. 390)	With integral A/C	1	C7AZ 2882-B
	B(8 cyl. 390)	With hang-on A/C-not replaced	1	★C7AZ 2882-C
68	B(6 cyl.)	With A/C	1	C8OZ 2882-B
	B(8 cyl. 289, 302)	With A/C	1	C7AZ 2882-G
	B(8 cyl. 390) "Before 12/1/67"	With integral A/C	1	C8OZ 2882-A
	"From 12/1/67"	With integral A/C	1	C7ZZ 2882-A
	B(8 cyl. 390, 428CJ)	With hang-on A/C	1	C7ZZ 2882-A
69	B(6 cyl.)	With A/C	1	C9OZ 2882-A
	B(8 cyl. 302)	With A/C	1	C7AZ 2882-G
	B(8 cyl. 351)	With A/C	1	C9OZ 2882-B
	B(8 cyl. 390, 428)	With A/C	1	C9AZ 2882-A
70	B(6 cyl.)	With A/C	1	C9OZ 2882-A
	B(8 cyl. 302)	With A/C	1	D0OZ 2882-A
	B(8 cyl. 351-2V)	With A/C	1	D0ZZ 2882-B
	B(8 cyl. 429)	With A/C	1	D0AZ 2882-A
71	B(exc. 66, 71)-6 cyl.	With A/C	1	C9OZ 2882-A
	B(8 cyl. 302)	With A/C	1	D0OZ 2882-A
	B(8 cyl. 351)	With A/C	1	D0ZZ 2882-B
	B(8 cyl. 429)	With A/C	1	D0AZ 2882-A
72	B(6 cyl.250)	With integral A/C	1	C9OZ 2882-A
	B(6 cyl. 250)	With hang-on A/C	1	D2DZ 2882-A
	B(8 cyl.302)	With A/C	1	D0OZ 2882-A
	B(8 cyl.351)	With integral A/C	1	D0ZZ 2882-B
	B(8cyl. 351)	With hang-on A/C	1	D2AZ 2882-B
	B(8 cyl.400)	With integral A/C	1	D1AZ 2882-A
	B(8 cyl. 400)	With hang-on A/C	1	D2AZ 2882-B
	B(8 cyl.429)	With integral A/C	1	D0AZ 2882-A
	B(8 cyl. 429)	With hang-on A/C	1	D2AZ 2882-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2882 BRACKET - AIR CONDITIONER COMPRESSOR MOUNTING - continued - Also refer to group 10A313			
	- F -			
65	F(6 cyl.)-with generator	With A/C -not replaced	1	★C4DZ 2882-A
	F(6 cyl.)-with alternator	With A/C -not replaced	1	★C5DZ 2882-B
	F(8 cyl.)-with generator	With A/C -not replaced	1	★C5ZZ 2882-A
	F(8 cyl.)-with alternator	With A/C -not replaced	1	★C5AZ 2882-D
66	F(6 cyl.)	With A/C-not replaced	1	★C6ZZ 2882-A
	F(8 cyl.)	With A/C -not replaced	1	★C5AZ 2882-D
67	F(6 cyl.)	With integral A/C-not replaced	1	★C6ZZ 2882-A
	F(6 cyl.)	With hang-on A/C-not replaced	1	★C7OZ 2882-A
	F(8 cyl. 289) "Before 1/3/67"	With integral A/C-not replaced	1	★C7ZZ 2882-B
	"From 1/3/67"	With integral A/C	1	C7AZ 2882-G
	F(8 cyl. 289)	With hang-on A/C -not replaced	1	★C7AZ 2882-D
	F(8 cyl. 390)	With integral A/C	1	C7ZZ 2882-A
	F(8 cyl. 390)	With hang-on A/C -not replaced	1	★C7AZ 2882-C
68	F(6 cyl.)	With A/C	1	C8OZ 2882-B
	F(8 cyl. 289, 302)	With A/C	1	C7AZ 2882-G
	F(8 cyl. 390, 428CJ)	With A/C	1	C7ZZ 2882-A
69	F(6 cyl.)	With A/C	1	C9OZ 2882-A
	F(8 cyl. 302)	With A/C	1	C7AZ 2882-G
	F(8 cyl. 351)	With A/C	1	C9OZ 2882-B
	F(8 cyl. 390)	With integral A/C	1	C7ZZ 2882-A
	F(8 cyl. 390)	With hang-on A/C	1	C9AZ 2882-A
70	F(6 cyl.)	With A/C	1	C9OZ 2882-A
	F(8 cyl. 302)	With A/C	1	D0OZ 2882-A
	F(8 cyl. 351-2V)-Engine tag code W	With A/C	1	D0ZZ 2882-A
	F(8 cyl. 351)-Engine tag code C	With A/C	1	D0ZZ 2882-B
	F(8 cyl. 390, 428)	With A/C	1	C9AZ 2882-A
71	F(6 cyl.)	With A/C	1	C9OZ 2882-A
	F(8 cyl. 302)	With A/C	1	D0OZ 2882-A
	F(8 cyl. 351)	With A/C	1	D0ZZ 2882-B
	F(8 cyl. 429)	With A/C	1	D0AZ 2882-A
72	F(6 cyl.250)	With integral A/C	1	C9OZ 2882-A
	F(6 cyl. 250)	With hang-on A/C	1	D2DZ 2882-A
	F(8 cyl.302)	With A/C	1	D0OZ 2882-A
	F(8 cyl.351)	With integral A/C	1	D0ZZ 2882-B
	F(8 cyl. 351)	With hang-on A/C	1	D2AZ 2882-B
	- L -			
71	L(4 cyl. 98-1600cc)	With hang-on A/C	1	D1FZ 2882-B
	L(4 cyl. 122-2000cc)	With integral A/C	1	D1FZ 2882-A
	L(4 cyl. 122-2000cc)	With hang-on A/C	1	D3FZ 2882-A
72	L(4 cyl. 98-1600cc)	With hang-on A/C	1	D2FZ 2882-A
	L(4 cyl. 122-2000cc)	With hang-on A/C	1	D3FZ 2882-A
	L(4 cyl. 122-2000cc) "Before 1/10/72"	With integral A/C	1	D1FZ 2882-A
	L(4 cyl.122-2000cc) "From 1/10/72"	With integral A/C	1	D2FZ 2882-B
	- P -			
70	P(6 cyl.)	With A/C	1	C8OZ 2882-B
71	P(6 cyl. 170, 200)	With A/C	1	C9OZ 2882-A
	P(6 cyl. 250)	With A/C	1	C8OZ 2882-B
	P(8 cyl.)	With A/C	1	D0OZ 2882-A
72	P(6 cyl.170, 200)	With integral A/C	1	C8OZ 2882-B
	P(6 cyl. 170, 200)	With hang-on A/C	1	D2DZ 2882-A
	P(6 cyl.250)	With integral A/C	1	C9OZ 2882-A
	P(6 cyl. 250)	With hang-on A/C	1	D2DZ 2882-A
	P(8 cyl.)	With A/C	1	D0OZ 2882-A
	- S -			
65/66	S	With A/C	1	C6SZ 2882-A
67	S	With A/C	1	C7ZZ 2882-A
68	S(8 cyl. 390)	With A/C	1	C7ZZ 2882-A
	S(8 cyl. 429)	With A/C	1	C8VZ 2882-A
69	S	With A/C	1	C8VZ 2882-A
70/71	S	With A/C	1	D0AZ 2882-A
72	S(8 cyl.400)	With A/C	1	D2SZ 2882-A
	S(8 cyl.429)	With A/C	1	D2VY 2882-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2882 BRACKET - AIR CONDITIONER COMPRESSOR MOUNTING - continued - Also refer to group 10A313			
	- X -			
65	X(6 cyl.)	With A/C-not replaced	1	★C5DZ 2882-B
	X(8 cyl.)	With A/C-not replaced	1	★C5AZ 2882-D
66	X(6 cyl.)	With A/C	1	C5OZ 10A313-B
	X(8 cyl.)	With A/C-not replaced	1	★C5AZ 2882-D
67	X(6 cyl.)	With hang-on A/C-not replaced	1	★C7GZ 2882-A
	X(6 cyl.)	With integral A/C	1	C5OZ 10A313-B
	X(8 cyl.) "Before 1/3/67"	With integral A/C-not replaced	1	★C7AZ 2882-F
	"From 1/3/67"	With integral A/C	1	C7AZ 2882-G
	X(8 cyl.)	With hang-on A/C-not replaced	1	★C7AZ 2882-D
68/69	X(6 cyl.)	With A/C	1	C8OZ 2882-B
	X(8 cyl.)	With A/C	1	C7AZ 2882-G
70	X(6 cyl.)	With A/C	1	C8OZ 2882-B
	X(8 cyl.)	With A/C	1	D0OZ 2882-A
65/70	X	Bolt (bracket to compressor)-3/8"-16 x 1 1/4"	1	20428-S7-8(B82)
65/	A (8 cyl.), S	Bolt (bracket to compressor)-3/8"-16 x 1"	4	20388-S8(B80)
65/	A (8 cyl.), S	Bolt (bracket to cylinder head)	2	
65/	A (8 cyl.)	Bolt (bracket to cyl. head)-3/8"-16 x 1 3/8"	1	20448-S8(B83)
65	A(6 cyl.)-with economy hang-on A/C	Washer-flat(to cylinder block)-7/16"	4	352153-S(XX173)
65/	A (8 cyl.)	Bolt (bracket to cyl. head)-3/8"-16 x 1 5/8"	1	20488-S8(B86)
65/	A(8 cyl.)	Bolt (brkt. to P/S pump brkt.)-3/8"-16 x 2 1/2"	1	45522-S8(B93)
		Nut-3/8"-16		33799-S7(M52)
		Washer-flat-13/32"		351415-S(XX128)
65/	A(8 cyl. 260, 289, 302, 352, 390)	Bolt(bracket to cylinder head)-3/8"-16 x 7/8"	1 or 2	356685-S8(BB153)
65/	S		2	
65/	A(6 cyl. & 8 cyl. 260, 289, 302), X(8 cyl.)	Bolt (bracket to compressor	4	
		Lockwasher-3/8"		34807-S8(X66)
65/	A(8 cyl. 292, 352, 390)	Bolt (bracket to compressor)-3/8"-16 x 1 1/8"	4	354135-S7-8 (BB155A)
65/	B	Bolt (bracket to cylinder block)-5/16"-18 x 4"	1 or 2	45562-S8(B69)
65/	A(8 cyl. 260, 289, 302), X		1 or 2	
65	F		1	
68	A(6 cyl.)-integral A/C	Screw & washer assy. (to engine block)-7/16"-14 x 1 1/4"	2	382013-S2 (BB546A)
68	B, X(6 cyl.)- integral A/C	Screw & washer assy. (to water pump)-5/16"-18 x 2 1/4"	1	382010-S2 (BB545E)
70	A, B, S	Screw & washer assy. (cylinder block)-7/16"-14 x 1 1/4"	2	384094-S2 (BB563BJ)
65/	B (8 cyl.)	Bolt (compressor to cyl. block)-5/16"-18 x 2 1/2"	1	376765-S(BB416F)
65/	B, X (6 cyl.)	locking	1	
65/	A(8 cyl. 260, 289), B, X(8 cyl.)	Bolt (bracket to cyl. front cover)-5/16"-18 x 1 1/2"	1	20466-S8 (B61)
65/	A(8 cyl. 260, 289), B, X(8 cyl.)	Bolt (bracket to cyl. head)-3/8"-16 x 3/4"	1	42996-S7-8(B251F)
65	F (6 cyl.)	Bolt (to engine)-3/8"-16 x 1 1/8"	2	371186-S(BB441)
65/70	X(6 cyl.)	Bolt (compressor adjusting)-3/8"-24 x 2"	1	20523-S8(B177)
65/	A	Stud (to cyl. head)-3/8"-16 x 2"	3	377278-S7-8 (WW6E)
67/	S		1	
66/	F, X, (8 cyl. 289, 302)		2 or 3	
65/	A	Stud (to cyl. head)-7/16"-14 x 2 1/8"	3	377279-S7-8 (WW6F)
72	S(8 cyl. 400)	Screw & washer assy. (bracket to cyl. head)-7/16"-14 x 1 1/2"	1	384387-S2
71/	L	Stud (to engine)-M10 x 7/16"-14 x 1 5/8"	4	N800004-S (AB35C)
72	L	Bolt (to engine)-M10 x 3/4" hex. head	4	N800017-S100 (AB38)
	2883 BRACKET - AIR CONDITIONER COMPRESSOR ADJUSTING			
66/67	B, X (6 cyl.)	Not replaced	1	★C6OZ 2883-A
72	S(8 cyl.429)		1	D2VY 2883-A
65	X (6 cyl.)	Not replaced	1	★C0DE 2883-A
65	X (6 cyl.)	Bolt (bracket to compressor)-3/8"-16 x 1 1/2"	2	20468-S8(B85)

2884 CLUTCH and PULLEY - AIR CONDITIONER COMPRESSOR - Also refer to group 8678

CLUTCH CROSS-REFERENCE GUIDE

Use the chart below to translate stamped number into service part number.

Also refer to illustration on the next page and the model application listing on page 25.


IDENTIFICATION	PART NUMBER
B8AA 2981-A	C0AZ 2884-D
C2AA 2981-A	C8OZ 2884-B
C2AA 2981-A1	C8OZ 2884-B
C2AA 2981-A2	C8OZ 2884-B
C2AA 2981-C	▲C8OZ 2884-G
C2OA 2981-A	C2OZ 2884-A
C2SA 2981-A	▲C8OZ 2884-G
C3AA 2981-A	C3AZ 2884-A
C3AA 2981-A1	C3AZ 2884-A
C3AA 2981-A2	C3AZ 2884-A
C3AA 2981-B	▲C3AZ 2884-C
C4AA 2981-A	C6AZ 2884-A
C4DA 2981-B	▲C8OZ 2884-G
C4DA 2981-B1	▲C8OZ 2884-G
C4DA 2981-B2	▲C8OZ 2884-G
C4DA 2981-C	C5DZ 2884-A
C4OA 2981-A	▲C3AZ 2884-C
C5AA 2981-A	C5AZ 2884-A
C5AA 2981-B	C9TZ 2884-A
C5AA 2981-C	C9TZ 2884-A
C5OA 2981-A1	C6OZ 2884-A
C7AA 2981-B	C7AZ 2884-B
C7AA 2981-C	C7AZ 2884-C
C7AA 2981-D	C9AZ 2884-F
C7AA 2981-F	C9AZ 2884-A
C7AA 2981-G	▲C9AZ 2884-H
C7AA 2981-H	C9AZ 2884-B
C7AA 2981-J	C8AZ 2884-F
C7OA 2981-A	C7OZ 2884-A
C7OA 2981-B	C7OZ 2884-B
C7OA 2981-F	C8OZ 2884-B
C7SA 2981-A	C9AZ 2884-B
C7SA 2981-B	C7AZ 2884-D
C7ZA 2981-C	C7ZZ 2884-B
C8OA 2981-A	C8OZ 2884-A
C8VA 2981-A	C8VZ 2884-A

IDENTIFICATION	PART NUMBER
C9AA 2981-D	C9AZ 2884-D
C9AA 2881-D1	C9AZ 2884-D
C9AA 2981-D2	C9AZ 2884-D
C9AA 2981-E	▲C9AZ 2884-K
C9AA 2981-E1	▲C9AZ 2884-K
C9AA 2981-E2	▲C9AZ 2884-K
C9AA 2981-F	C9AZ 2884-A
C9AA 2981-G	C9AZ 2884-B
C9AA 2981-H	C9AZ 2884-C
C9AJ 2981-A	C9AZ 2884-F
C9OA 2981-E	C9OZ 2884-B
C9OA 2981-F	C9OZ 2884-C
C9RJ 2981-A	▲C9AZ 2884-L
C9TA 2981-A	C9TZ 2884-A
D0VA 2981-A	▲C9AZ 2884-K
D1AA 2981-AA	D1AZ 2884-A
D1AA 2981-A1A	D1AZ 2884-A
D1AA 2981-A1B	D1AZ 2884-A
D1AA 2981-A2A	D1AZ 2884-A
D1AA 2981-A2B	D1AZ 2884-A
D1OA 2981-AA	D1OZ 2884-A
D1OA 2981-A1A	D1OZ 2884-A
D1OA 2981-A1B	D1OZ 2884-A
D1OA 2981-A2A	D1OZ 2884-A
D1OA 2981-A2B	D1OZ 2884-A
D1ZA 2981-AA	D1OZ 2884-A
D2AA 2981-A1A	D1AZ 2884-A
D2AA 2981-A1B	D1AZ 2884-A
D2AA 2981-A2A	D1AZ 2884-A
D2OA 2981-AA	D2OZ 2884-A
D2OA 2981-A1A	D2OZ 2884-A
D2OA 2981-A1B	D2OZ 2884-A
D2OA 2981-A1C	D2OZ 2884-A
D2OA 2981-A2A	D2OZ 2884-A
D2OA 2981-A2B	D2OZ 2884-A
D2OA 2981-BA	D2OZ 2884-B
D2OA 2981-CA	▲C9AZ 2884-K
D2ZA 2981-A1A	D1OZ 2884-A
D2ZA 2981-A1B	D1OZ 2884-A
D2ZA 2981-A2A	D1OZ 2884-A
D22A 2981-AA	D2FZ 2884-A


▲ Clutch and pulley kit - refer to group 2884 Page 33 for contents of kit

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


2884 CLUTCH and PULLEY - AIR CONDITIONER COMPRESSOR - continued- Also refer to group 8678




TYPE-1




TYPE-2A 2B AND 2C




TYPE-3A AND 3B



TYPE-4A 4B AND4C



TYPE-5A 5B AND 5C



TYPE-6A 6B AND 6C

P-6828

AIR CONDITIONING CLUTCH PULLEYS

(See Chart Next Page)

2884 CLUTCH and PULLEY - AIR CONDITIONER COMPRESSOR - continued Also refer to group 8678

A/C CLUTCH IDENTIFICATION CHART

For Model Application see Page 27

TYPE	A	B	C	D	E	NO. SHEAVES	VENDOR	STAMPED NO.	REMARKS	PART NUMBER
2A	6 3/4	2 5/16	5/16	3/8		1	E	B8AA 2981-A	Has integral field-use w/C0AE 2979-A	C0AZ 2884-D (YB-54)
2B	6 3/4	1 3/4	3/8	1/2	5 5/16	1	E	C7AA 2981-C	Has integral field-use w/C8SZ 2979-A	C7AZ 2884-C (YB-73)
2B	6 3/4	1 7/8	7/16	1/2	6 1/16	1	E	C3AA 2981-A C3AA 2981-A1	Has integral field-use w/C8SZ 2979-A	C3AZ 2884-A
2B	6 3/4	2 1/4	3/8	1/2	6 3/8	1	E	C2AA 2981-A C2AA 2981-A1	Used on 1967 Ford-has integral field-use w/ C8SZ 2979-A	★‡C2AZ 2884-A r/b C8OZ 2884-B
2C	6 1/4	1 1/2	1/2	1/2	1 3/16	2	E	C7AA 2981-B	Has integral field-use w/ C8SZ 2979-A	C7AZ 2884-B
2C	6 3/4	1 7/8	3/8	3/8	1 7/16	2	E	C9OA 2981-F	Has integral field-use w/C8SZ 2979-A	C9OZ 2884-C (YB-83)
2C	6 3/4	2 5/16	1/2	3/8	1 1/16	2	E	C4DA 2981-B C4DA 2981-B1	Has integral field-use w/C8SZ 2979-A	★‡C4DZ 2884-A (YB-59) r/b ▲C8OZ 2884-G
3A	5 7/8	1 5/8	3/8	1/2		1	E	C8VA 2981-A	Has integral field-use w/C8SZ 2979-A	C8VZ 2884-A
3A	6	1 5/8	3/8	1/2		1	E	C9AA 2981-H	Has integral field-use w/ C8SZ 2979-A	C9AZ 2884-C
3A	6	1 13/16	3/8	1/2		1	E	C7AA 2981-D	Has integral field-use w/C8SZ 2979-A	★C8AZ 2884-A r/b C9AZ 2884-F
3A	6 1/16	1 13/16	3/8	1/2		1	E	C5AA 2981-A	Used on 1965/67 Ford-has integral field-use w/C8SZ 2979-A	★C5AZ 2884-A (YB-65) Not replaced
3A	6 1/16	1 13/16	3/8	1/2		1	E	C9AJ 2981-A	Used on 1969 Ford-has integral field-use w/C8SZ 2979-A	C9AZ 2884-F (YB-33)
3A	6 3/16	2 3/8	3/8	1/2		1	E	C5AA 2981-B	Has integral field-use w/C8SZ 2979-A	★C5AZ 2884-B r/b C9TZ 2884-A
3A	6 5/16	2 5/16	3/8	1/2		1	E	C9TA 2981-A	Has integral field-use w/C8SZ 2979-A	C9TZ 2884-A
3B	6 5/16	2 1/16	3/8	1/2	6	1	E	C7AA 2981-F C9AA 2981-F	Has integral field-use w/C8SZ 2979-A	C9AZ 2884-A
4A	6 7/8	2 1/8	3/8	1/2		1	W	C2AA 2981-C	Has wire and field assy.	★C2AZ 2884-C (YB-27) r/b ▲C8OZ 2884-G
4A	6 7/8	1 7/16	7/16	1/2		1	W	C3AA 2981-B	Less field-use w/C3SZ 2987-A	★C3AZ 2884-B (YB-57) r/b ▲C3AZ 2884-C
4C	6 7/8	1 3/4	1/2	3/8	11/16	2	W	C7OA 2981-A	Less field-use w/C7AZ 2987-A	C7OZ 2884-A (YB-74)
4C	6 7/8	2	1/2	3/8	1	2	W	C4DA 2981-C	Less field-use w/C3SZ 2987-A	C5DZ 2884-A (YB-66)
4C	6 7/8	2 1/16	1/2	3/8	1 1/16	2	W	C7ZA 2981-C	Less field-use w/C7AZ 2987-A	C7ZZ 2884-B (YB-76)
5A	6	1 3/8	3/8	1/2			P	C9AA 2981-E	Less field-use w/C9AZ 2987-A	★C9AZ 2884-E r/b▲C9AZ 2884-K
5A	5 5/16	1 3/8	3/8	1/2		1	G	C9AA 2981-E1		
5A	5 5/16	1 3/8	3/8	1/2		1	P	C9AA 2981-E2, D0VA 2981-A		
5A	5 5/16	1 3/8	3/8	1/2		1	P	D2OA 2981-CA		
5A	6 3/4	1 5/8	7/16	1/2		1	P	C4OA 2981-A	Less field-use w/C4AZ 2987-A	★C4OZ 2884-A r/b▲C3AZ 2884-C
5B	6	1 1/4	3/8	1/2	5	1		D22A 2981-AA	Less field-use w/D2FZ 2987-A	D2FZ 2884-A (YB-37)
5B	6 1/4	5/8	5/16	1/2	6	1	P	C7AA 2981-G	Less field-use w/C8AZ 2987-D	★C8AZ 2884-E (YB-48) r/b ▲C9AZ 2884-H

E - Eaton G - GPD P - Pitts W - Warner ‡ Production alternates

▲ Clutch and pulley kit - refer to group 2884 page 33 for contents of kit

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

2884 CLUTCH and PULLEY - AIR CONDITIONER COMPRESSOR - continued - Also refer to group 8678

A/C CLUTCH IDENTIFICATION CHART

TYPE	A	B	C	D	E	NO. SHEAVES	VENDOR	STAMPED NO.	REMARKS	PART NUMBER
5B	6 3/8	1 11/16	3/8	1/2	5 3/16	1	P	C9AA 2981-D	Less field-use w/C9AZ 2987-A	C9AZ 2884-D
5B	6 5/16	1 1/2	3/8	1/2	5 3/16	1	G	C9AA 2981-D1		
5B	6 5/16	1 1/2	3/8	1/2	5 3/16	1	P	C9AA 2981-D2		
5B	6 5/16	1 11/16	3/8	1/2	5 1/8	1	P	D1OA 2981-AA	Less field-use w/C9AZ 2987-A	D1OZ 2884-A (YB-19)
							G	D1OA 2981-A1A		
							G	D1OA 2981-A1B		
							P	D1OA 2981-A2A		
							P	D1OA 2981-A2B		
							G	D2ZA 2981-A1A		
							P	D2ZA 2981-A1B		
							P	D2ZA 2981-A2A		
5B	6 5/16	1 11/16	3/8	1/2	5 1/8	1		D1ZA 2981-AA	Less field-use w/C9AZ 2987-A	★D1ZZ 2884-A r/b D1OZ 2884-A
5B	6 5/16	1 11/16	3/8	1/2	5 1/8	1	P	D1AA 2981-AA	Less field-use w/C9AZ 2987-A	D1AZ 2884-A (YB-18)
							G	D1AA 2981-A1A		
							G	D1AA 2981-A1B		
							P	D1AA 2981-A2A		
							P	D1AA 2981-A2B		
							G	D2AA 2981-A1A		
							P	D2AA 2981-A1B		
							P	D2AA 2981-A2A		
5B	6 5/16	1 11/16	3/8	1/2	5 1/8	1	P	D2OA 2981-AA	Less field-use w/C9AZ 2987-A	D2OZ 2884-A (YB-38)
							G	D2OA 2981-A1A		
							G	D2OA 2981-A1B		
							P	D2OA 2981-A1C		
							P	D2OA 2981-A2A		
							P	D2OA 2981-A2B		
5B	6 11/16	1 5/8	3/8	1/2	6	1	P	C7SA 2981-B	Less field-use w/C4AZ 2987-A	C7AZ 2884-D
5B	6 11/16	2 1/8	3/8	1/2	6 3/8	1	P	C4AA 2981-A	Less field-use w/C6AZ 2987-A	C6AZ 2884-A
5B	6 11/16	1 5/8	3/8	1/2	6	1	P	C7AA 2981-J	Less field-use w/C8AZ 2987-C	C8AZ 2884-F
5C	6 1/4	1 7/16	3/8	3/8	1	2	P	C9OA 2981-E	Less field-use w/C9AZ 2987-A	C9OZ 2884-B (YB-34)
5C	6 5/16	1 3/8	3/8	3/8	1 1/16	2	P	D2OA 2981-BA	Less field-use w/C9AZ 2987-A	D2OZ 2884-B (YB-39)
5C	6 11/16	1 7/16	1/2	3/8	1 1/8	2	P	C5OA 2981-A1	Less field-use w/C4AZ 2987-A	C6OZ 2884-A (YB-72)
5C	6 3/4	1 7/16	3/8	3/8	1 1/8	2	P	C8OA 2981-A	Less field-use w/C8AZ 2987-C	C8OZ 2884-A (YB-49)
6B	6 3/4	1 7/8	7/16	1/2	6 1/16	1	E	C3AA 2981-A2	Has integral field-use w/C8SZ 2979-A	C3AZ 2884-A
6B	6 3/4	2 1/4	3/8	1/2	6 3/8	1	E	C2AA 2981-A2	Has integral field-use w/C8SZ 2979-A	★‡C2AZ 2884-A r/b C8OZ 2884-B
6B	6 3/4	2	5/8	1/2	6	1	E	C7AA 2981-H	Has integral field-use w/C8SZ 2979-A	C9AZ 2884-B
6B	6 3/4	2 1/16	3/8	1/2	6	1	E	C7SA 2981-A	Has integral field-use w/C8SZ 2979-A	C9AZ 2884-B
6B	6 3/4	2 1/16	5/8	1/2	6	1	E	C9AA 2981-G	Has integral field-use w/C8SZ 2979-A	C9AZ 2884-B
6B	6 3/4	2 1/4	3/8	1/2	6 3/8	1	E	C7OA 2981-F	Used on 1968 Fairlane-has integral field-use w/C8SZ 2979-A	C8OZ 2884-B
6C	6 1/8	1 7/8	3/8	3/8	1 3/8	2		C9RJ 2981-A	Has integral field-use w/C8SZ 2979-A	★C9RZ 2884-A r/b▲C9AZ 2884-L
6C	6 3/4	2 5/16	1/2	3/8	1 1/16	2	E	C4DA 2981-B2	Has integral field-use w/C8SZ 2979-A	★‡C4DZ 2884-A (YB-59) r/b ▲C8OZ 2884-G
6C	7	1 1/2	1/2	3/8	1 1/16	2	E	C7OA 2981-B	Has integral field-use w/C8SZ 2979-A	C7OZ 2884-B (YB-75)
							F		Less field-use w/D1VY 2987-A field and D1VY 19D653-A pulley	D1VY 2884-A (YB-36)

E - Eaton F - Frigidaire G - GPD P - Pitts ‡ Production alternates

▲ Clutch and pulley kit - refer to group 2884 page 33 for contents of kit

2884 CLUTCH and PULLEY - AIR CONDITIONER COMPRESSOR - continued - Also refer to group 8678

MODEL APPLICATION

For illustration of Air Conditioning Clutch Pulleys see Page 22 . For Cross Reference Chart Refer to Page 21.

YEAR	MODEL	REMARKS	TYPE †	STAMPED IDENTIFICATION	USE WITH -	PART NUMBER
	- A -					
65/66	A(6 cyl.)		4A	C2AA 2981-C		★C2AZ 2884-C (YB-27) r/b ▲C8OZ 2884-G
	A(6 cyl.)		2B	C2AA 2981-A,	C8SZ 2979-A,	★C2AZ 2884-A
			2B	C2AA 2981-A1,	C8SZ 2979-A,	r/b C8OZ 2884-B
			6B	C2AA 2981-A2	C8SZ 2979-A	
	A(6 cyl.)		3A	C5AA 2981-A	C8SZ 2979-A	C5AZ 2884-A (YB-65)
	A(8 cyl. 260, 289)		2B	C3AA 2981-A,	C8SZ 2979-A,	C3AZ 2884-A
			2B	C3AA 2981-A1,	C8SZ 2979-A,	
			6B	C3AA 2981-A2	C8SZ 2979-A	
	A(8 cyl. 260, 289)		4A	C3AA 2981-B	C3SZ 2987-A	★C3AZ 2884-B (YB-57) r/b▲C3AZ 2884-C
	A(8 cyl. 289)		3A	C5AA 2981-B	C8SZ 2979-A	★C5AZ 2884-B r/b C9TZ 2884-A
	A(8 cyl. 352, 390)		4A	C2AA 2981-C		★C2AZ 2884-C (YB-27) r/b ▲C8OZ 2884-G
	A(8 cyl. 352, 390)		2B	C2AA 2981-A,	C8SZ 2979-A,	★C2AZ 2884-A
			2B	C2AA 2981-A1,	C8SZ 2979-A,	r/b C8OZ 2884-B
			6B	C2AA 2981-A2	C8SZ 2979-A	
	A(8 cyl. 352, 390)-1966		5B	C4AA 2981-A	C6AZ 2987-A	C6AZ 2884-A
	A		2A	B8AA 2981-A	C0AE 2979-A	C0AZ 2884-D (YB-54)
67	A(6 cyl.)		3A	C5AA 2981-A	C8SZ 2979-A	C5AZ 2884-A (YB-65)
	A(6 cyl.)		2C	C7AA 2981-B	C8SZ 2979-A	C7AZ 2884-B
	A(8 cyl. 289)		2B	C3AA 2981-A,	C8SZ 2979-A,	C3AZ 2884-A
			2B	C3AA 2981-A1,	C8SZ 2979-A,	
			6B	C3AA 2981-A2	C8SZ 2979-A	
	A(8 cyl. 289)		4A	C3AA 2981-B	C3SZ 2987-A	★C3AZ 2884-B (YB-57) r/b ▲C3AZ 2884-C
	A(8 cyl. 289)		3A	C5AA 2981-B	C8SZ 2979-A	★C5AZ 2884-B r/b C9TZ 2884-A
	A(8 cyl. 289)		2C	C7AA 2981-B	C8SZ 2979-A	C7AZ 2884-B
	A(8 cyl. 289)		3B	C7AA 2981-F,	C8SZ 2979-A,	C9AZ 2884-A
			3B	C9AA 2981-F	C8SZ 2979-A	
	A(8 cyl. 390)		6B	C7AA 2981-H,	C8SZ 2979-A,	C9AZ 2884-B
			6B	C7SA 2981-A,	C8SZ 2979-A,	
			6B	C9AA 2981-G	C8SZ 2979-A	
	A(8 cyl. 390, 428)		2B	C7AA 2981-C	C8SZ 2979-A	C7AZ 2884-C (YB-73)
	A(8 cyl. 390, 428)		5B	C7SA 2981-B	C4AZ 2987-A	C7AZ 2884-D
	A(8 cyl.428)-exc.428 P/C		6B	C7AA 2981-H,	C8SZ 2979-A,	C9AZ 2884-B
			6B	C7SZ 2981-A,	C8SZ 2979-A,	
			6B	C9AA 2981-G	C8SZ 2979-A	
	A(exc. 8 cyl. 428 P/C)		2B	C2AA 2981-A,	C8SZ 2979-A,	★C2AZ 2884-A
			2B	C2AA 2981-A1	C8SZ 2979-A	r/b C8OZ 2884-B
			6B	C2AA 2981-A2,	C8SZ 2979-A,	
	A(8 cyl. 428 P/C) "Before 3/15/67"		2B	C2AA 2981-A,	C8SZ 2979-A,	★C2AZ 2884-A
			2B	C2AA 2981-A1,	C8SZ 2979-A,	r/b C8OZ 2884-B
			6B	C2AA 2981-A2	C8SZ 2979-A	
	A(8 cyl. 428 P/C) "From 3/15/67"		6B	C7AA 2981-H,	C8SZ 2979-A,	C9AZ 2884-B
			6B	C7SA 2981-A,	C8SZ 2979-A,	
			6B	C9AA 2981-G	C8SZ 2979-A	

† See Illustration Page 22 ▲ Clutch and pulley kit - refer to group 2884 page 33 for contents of kit

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

2884 CLUTCH and PULLEY - AIR CONDITIONER COMPRESSOR - continued - Also refer to group 8678

MODEL APPLICATION

YEAR	MODEL	REMARKS	TYPE †	STAMPED IDENTIFICATION	USE WITH -	PART NUMBER
	- A -					
67	A(8 cyl. 428 P/C) "Before 3/15/67"		5B	C4AA 2981-A	C6AZ 2987-A	C6AZ 2884-A
	A(8 cyl. 428 P/C) "From 3/15/67"		5B	C7SA 2981-B	C4AZ 2987-A	C7AZ 2884-D
	A		2A	B8AA 2981-A	C0AE 2979-A	C0AZ 2884-D (YB-54)
68	A(6 cyl.)		3A	C7AA 2981-D	C8SZ 2979-A	★C8AZ 2884-A r/b C9AZ 2884-F
	A(8 cyl. 289, 302)		3B	C7AA 2981-F,	C8SZ 2979-A,	C9AZ 2884-A
			3B	C9AA 2981-F	C8SZ 2979-A	
	A(8 cyl. 289, 302)		5B	C7AA 2981-G	C8AZ 2987-D	★C8AZ 2884-E (YB-48) r/b ▲C9AZ 2884-H
	A(8 cyl. 390, 428)		6B	C7AA 2981-H,	C8SZ 2979-A,	C9AZ 2884-B
			6B	C7SA 2981-A,	C8SZ 2979-A,	
			6B	C9AA 2981-G	C8SZ 2979-A	
	A(8 cyl. 390, 428)		5B	C7AA 2981-J	C8AZ 2987-C	C8AZ 2884-F
69	A(6 cyl.)		3A	C9AJ 2981-A	C8SZ 2979-A	C9AZ 2884-F (YB-33)
	A(8 cyl. 302, 390)		3B	C7AA 2981-F,	C8SZ 2979-A,	C9AZ 2884-A
			3B	C9AA 2981-F	C8SZ 2979-A	
	A(8 cyl. 302, 351, 390)		5B	C9AA 2981-D,	C9AZ 2987-A,	C9AZ 2884-D
			5B	C9AA 2881-D1,	C9AZ 2987-A,	
			5B	C9AA 2981-D2	C9AZ 2987-A	
	A(8 cyl. 428)		6B	C7AA 2981-H,	C8SZ 2979-A,	C9AZ 2884-B
			6B	C7SA 2981-A,	C8SZ 2979-A,	
			6B	C9AA 2981-G	C8SZ 2979-A	
	A(8 cyl. 428)		5B	C7AA 2981-J	C8AZ 2987-C	C8AZ 2884-F
	A(8 cyl. 429)		3A	C9AA 2981-H	C8SZ 2979-A	C9AZ 2884-C
70	A(6 cvl.)		3A	C9AJ 2981-A	C8SZ 2979-A	C9AZ 2884-F (YB-33)
	A(8 cyl. 302, 390, 428)		5B	C9AA 2981-D,	C9AZ 2987-A,	C9AZ 2884-D
			5B	C9AA 2981-D1,	C9AZ 2987-A,	
			5B	C9AA 2981-D2	C9AZ 2987-A	
	A(8 cyl. 351)	Engine tag code-W	5B	C9AA 2981-D,	C9AZ 2987-A,	C9AZ 2884-D
			5B	C9AA 2981-D1,	C9AZ 2987-A,	
			5B	C9AA 2981-D2	C9AZ 2987-A	
	A(8 cyl. 429)		5A	C9AA 2981-E,	C9AZ 2987-A,	★C9AZ 2884-E
			5A	C9AA 2981-E1,	C9AZ 2987-A,	r/b▲C9AZ 2884-K
			5A	C9AA 2981-E2	C9AZ 2987-A	
			5A	D0VA 2981-A	C9AZ 2987-A	
			5A	D2OA 2981-CA	C9AZ 2987-A	
71	A(6 cyl.)		3A	C9AJ 2981-A	C8SZ 2979-A	C9AZ 2884-F (YB-33)
	A(8 cyl. 302, 390)		5B	C9AA 2981-D,	C9AZ 2987-A,	C9AZ 2884-D
			5B	C9AA 2981-D1	C9AZ 2987-A	
			5B	C9AA 2981-D2	C9AZ 2987-A	
	A(8 cyl. 351, 400)	Includes rubber dampener	5B	D1AA 2981-AA,	C9AZ 2987-A,	D1AZ 2884-A (YB-18)
			5B	D1AA 2981-A1A,	C9AZ 2987-A,	
			5B	D1AA 2981-A1B,	C9AZ 2987-A,	
			5B	D1AA 2981-A2A,	C9AZ 2987-A,	
			5B	D1AA 2981-A2B,	C9AZ 2987-A,	
			5B	D2AA 2981-A1A	C9AZ 2987-A,	
			5B	D2AA 2981-A1B,	C9AZ 2987-A,	
			5B	D2AA 2981-A2A	C9AZ 2987-A	
	A(8 cyl. 429)		5A	C9AA 2981-E,	C9AZ 2987-A,	★C9AZ 2884-E
			5A	C9AA 2981-E1,	C9AZ 2987-A,	r/b▲C9AZ 2884-K
			5A	C9AA 2981-E2,	C9AZ 2987-A,	
			5A	D0VA 2981-A	C9AZ 2987-A	
			5A	D2OA 2981-CA	C9AZ 2987-A	

† See Illustration Page 22 ▲ Clutch and pulley kit - refer to group 2884 page 33 for contents of kit

2884 CLUTCH and PULLEY - AIR CONDITIONER COMPRESSOR - continued - Also refer to group 8678

MODEL APPLICATION

YEAR	MODEL	REMARKS	TYPE †	STAMPED IDENTIFICATION	USE WITH -	PART NUMBER
	- A -					
72	A(6 cyl.)	Use w/ integral A/C	3A	C9AJ 2981-A	C8SZ 2979-A	C9AZ 2884-F (YB-33)
	A(8 cyl. 302)	Use w/ integral A/C	5B	C9AA 2981-D,	C9AZ 2987-A,	C9AZ 2884-D
			5B	C9AA 2981-D1,	C9AZ 2987-A,	
			5B	C9AA 2981-D2	C9AZ 2987-A	
	A(8 cyl. 351,400)	Use w/ integral A/C Includes rubber dampner	5B	D1AA 2981-AA,	C9AZ 2987-A,	D1AZ 2884-A (YB-18)
			5B	D1AA 2981-A1A,	C9AZ 2987-A,	
			5B	D1AA 2981-A1B,	C9AZ 2987-A,	
			5B	D1AA 2981-A2A,	C9AZ 2987-A,	
			5B	D1AA 2981-A2B,	C9AZ 2987-A,	
			5B	D2AA 2981-A1A,	C9AZ 2987-A,	
			5B	D2AA 2981-A1B,	C9AZ 2987-A,	
			5B	D2AA 2981-A2A	C9AZ 2987-A	
	A(8 cyl. 429)	Use w/ integral A/C	5A	C9AA 2981-E,	C9AZ 2987-A,	★C9AZ 2884-E
			5A	C9AA 2981-E1,	C9AZ 2987-A,	r/b▲C9AZ 2884-K
			5A	C9AA 2981-E2,	C9AZ 2987-A,	
			5A	D0VA 2981-A ,	C9AZ 2987-A ,	
			5A	D2OA 2981-CA	C9AZ 2987-A	
	A	Use w/ hang-on A/C	6C	C9RJ 2981-A	C8SZ 2979-A	★C9RZ 2884-A r/b▲C9AZ 2884-L
	- B -					
65	B(6 cyl. & 8 cyl.)		2B	C3AA 2981-A,	C8SZ 2979-A,	C3AZ 2884-A
			2B	C3AA 2981-A1,	C8SZ 2979-A,	
			6B	C3AA 2981-A2	C8SZ 2979-A	
	B(6 cyl. & 8 cyl.)		4A	C3AA 2981-B	C3SZ 2987-A	★C3AZ 2884-B (YB-57) r/b▲C3AZ 2884-C
	B(6 cyl. & 8 cyl.)		5A	C4OA 2981-A	C4AZ 2987-A	★C4OZ 2884-A r/b ▲C3AZ 2884-C
	B(8 cyl. 289)		2B	C2AA 2981-A,	C8SZ 2979-A,	★C2AZ 2884-A
			2B	C2AA 2981-A1,	C8SZ 2979-A,	r/b C8OZ 2884-B
			6B	C2AA 2981-A2	C8SZ 2979-A	
	B(8 cyl. 289)		4A	C2AA 2981-C		★C2AZ 2884-C (YB-27) r/b▲C8OZ 2884-G
66	B(6 cyl.)		5C	C5OA 2981-A1	C4AZ 2987-A	C6OZ 2884-A (YB-72)
	B(8 cyl. 289)		3A	C5AA 2981-B	C8SZ 2979-A	★C5AZ 2884-B r/b C9TZ 2884-A
	B(8 cyl. 289)		4A	C2AA 2981-C		★C2AZ 2884-C (YB-27) r/b▲C8OZ 2884-G
	B(8 cyl. 289)		2B	C2AA 2981-A,	C8SZ 2979-A,	★C2AZ 2884-A
			2B	C2AA 2981-A1,	C8SZ 2979-A,	r/b C8OZ 2884-B
			6B	C2AA 2981-A2	C8SZ 2979-A	
	B(8 cyl. 390)		5B	C4AA 2981-A	C6AZ 2987-A	C6AZ 2884-A
67	B(6 cyl.)		3C	C7AA 2981-B	C8SZ 2979-A	C7AZ 2884-B
	B(6 cyl.)		6C	C7OA 2981-B	C8SZ 2979-A	C7OZ 2884-B (YB-75)
	B(6 cyl.)		5C	C5OA 2981-A1	C4AZ 2987-A	C6OZ 2884-A (YB-72)
	B(6 cyl.)		4C	C7OA 2981-A	C7AZ 2987-A	C7OZ 2884-A (YB-74)
	B(8 cyl. 289)		3A	C5AA 2981-B	C8SZ 2979-A	★C5AZ 2884-B r/b C9TZ 2884-A
	B(8 cyl. 289)		2B	C2AA 2981-A,	C8SZ 2979-A,	★C2AZ 2884-A
			2B	C2AA 2981-A1,	C8SZ 2979-A,	r/b C8OZ 2884-B
			6B	C2AA 2981-A2	C8SZ 2979-A	

† See Illustration Page 22 ▲ Clutch and pulley kit - refer to group 2884 Page 33 for contents of kit

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

2884 CLUTCH and PULLEY - AIR CONDITIONER COMPRESSOR - continued - Also refer to group 8C78

MODEL APPLICATION

YEAR	MODEL	REMARKS	TYPE †	STAMPED IDENTIFICATION	USE WITH -	PART NUMBER
	- B -					
67	B(8 cyl. 289)		2C	C7AA 2981-B	C8SZ 2979-A	C7AZ 2884-B
	B(8 cyl. 289)		3B	C7AA 2981-F,	C8SZ 2979-A,	C9AZ 2884-A
			3B	C9AA 2981-F	C8SZ 2979-A	
	B(8 cyl. 390)		2B	C2AA 2981-A,	C8SZ 2979-A,	★C2AZ 2884-A
			2B	C2AA 2981-A1,	C8SZ 2979-A,	r/b C8OZ 2884-B
			6B	C2AA 2981-A2	C8SZ 2979-A	
	B(8 cyl. 390)		2B	C7AA 2981-C	C8SZ 2979-A	C7AZ 2884-C (YB-73)
68	B(6 cyl.)		5C	C8OA 2981-A	C8AZ 2987-C	C8OZ 2884-A (YB-49)
	B(8 cyl. 289, 302)		3B	C7AA 2981-F,	C8SZ 2979-A,	C9AZ 2884-A
			3B	C9AA 2981-F	C8SZ 2979-A	
	B(8 cyl. 289, 302)		5B	C7AA 2981-G	C8AZ 2987-D	★C8AZ 2884-E (YB-48) r/b▲C9AZ 2884-H
	B(8 cyl. 390) "Before 12/1/67"		6B	C7OA 2981-F	C8SZ 2979-A	C8OZ 2884-B
	B(8 cyl. 390) "From 12/1/67"		6B	C7AA 2981-H,	C8SZ 2979-A,	C9AZ 2884-B
			6B	C7SA 2981-A,	C8SZ 2979-A,	
			6B	C9AA 2981-G	C8SZ 2979-A	
	B(8 cyl. 390)		5B	C7AA 2981-J	C8AZ 2987-C	C8AZ 2884-F
	B(8 cyl. 390, 428)		6B	C7AA 2981-H,	C8SZ 2979-A,	C9AZ 2884-B
			6B	C7SA 2981-A,	C8SZ 2979-A,	
			6B	C9AA 2981-G	C8SZ 2979-A	
69	B(6 cyl.		5C	C9OA 2981-E	C9AZ 2987-A	C9OZ 2884-B (YB-34)
	B(8 cyl. 302, 351)		3B	C7AA 2981-F,	C8SZ 2979-A,	C9AZ 2884-A
			3B	C9AA 2981-F	C8SZ 2979-A	
	B(8 cyl. 302, 351)		5B	C9AA 2981-D,	C9AZ 2987-A,	C9AZ 2884-D
			5B	C9AA 2981-D1,	C9AZ 2987-A,	
			5B	C9AA 2981-D2	C9AZ 2987-A	
	B(8 cyl. 390, 428)		6B	C7AA 2981-H,	C8SZ 2979-A,	C9AZ 2884-B
			6B	C7SA 2981-A,	C8SZ 2979-A,	
			6B	C9AA 2981-G	C8SZ 2979-A	
	B(8 cyl. 390, 428)		5B	C7AA 2981-J	C8AZ 2987-C	C8AZ 2884-F
70	B(6 cyl.)-exc. 65, 66, 71		5A	C9AA 2981-E,	C9AZ 2987-A,	★C9AZ 2884-E
			5A	C9AA 2981-E1,	C9AZ 2987-A,	r/b▲C9AZ 2884-K
			5A	C9AA 2981-E2,	C9AZ 2987-A,	
			5A	D0VA 2981-A,	C9AZ 2987-A,	
			5A	D2OA 2981-CA	C9AZ 2987-A	
	B(8 cyl. 302, 351)		5B	C9AA 2981-D,	C9AZ 2987-A,	C9AZ 2884-D
			5B	C9AA 2981-D1,	C9AZ 2987-A,	
			5B	C9AA 2981-D2	C9AZ 2987-A	
	B(8 cyl. 302, 351)		3B	C7AA 2981-F,	C8SZ 2979-A,	C9AZ 2884-A
			3B	C9AA 2981-F	C8SZ 2979-A	
	B(8 cyl. 429)		5A	C9AA 2981-E,	C9AZ 2987-A,	★C9AZ 2884-E
			5A	C9AA 2981-E1,	C9AZ 2987-A,	r/b▲C9AZ 2884-K
			5A	C9AA 2981-E2,	C9AZ 2987-A,	
			5A	D0VA 2981-A,	C9AZ 2987-A,	
			5A	D2OA 2981-CA	C9AZ 2987-A	
71	B(6 cyl.)		5C	C9OA 2981-E	C9AZ 2987-A	C9OZ 2884-B (YB-34)
	B(8 cyl. 302, 351) "Before 11/23/70"		5B	C9AA 2981-D,	C9AZ 2987-A,	C9AZ 2884-D
			5B	C9AA 2981-D1,	C9AZ 2987-A,	
			5B	C9AA 2981-D2	C9AZ 2987-A	
	B(8 cyl. 302, 351) "From 11/23/70"		5B	D1OA 2981-AA,	C9AZ 2987-A,	D1OZ 2884-A (YB-19)
			5B	D1OA 2981-A1A,	C9AZ 2987-A,	
			5B	D1OA 2981-A1B,	C9AZ 2987-A,	
			5B	D1OA 2981-A2A,	C9AZ 2987-A,	
			5B	D1OA 2981-A2B,	C9AZ 2987-A,	
			5B	D2ZA 2981-A1A,	C9AZ 2987-A,	
			5B	D2ZA 2981-A1B,	C9AZ 2987-A,	
			5B	D2ZA 2981-A2A	C9AZ 2987-A	

† See Illustration Page 22 ▲ Clutch and pulley kit - refer to group 2884 page 33 for contents of kit

2884 CLUTCH and PULLEY - AIR CONDITIONER COMPRESSOR - continued - Also refer to group 8678

MODEL APPLICATION

YEAR	MODEL	REMARKS	TYPE †	STAMPED IDENTIFICATION	USE WITH -	PART NUMBER
	- B -					
71	B(8 cyl. 429)		5A	C9AA 2981-E,	C9AZ 2987-A,	★C9AZ 2884-E
			5A	C9AA 2981-E1,	C9AZ 2987-A,	r/b▲C9AZ 2884-K
			5A	C9AA 2981-E2,	C9AZ 2987-A,	
			5A	D0VA 2981-A,	C9AZ 2987-A,	
			5A	D2OA 2981-CA	C9AZ 2987-A	
72	B(53,63,65)-6 cyl.	Use w/ integral A/C	5C	D2OA 2981-BA	C9AZ 2987-A	D2OZ 2884-B (YB-39)
	B(71,97)-6 cyl.	Use w/ integral A/C	5C	C9OA 2981-E	C9AZ 2987-A	C9OZ 2884-B (YB-34)
	B(8 cyl.302,351,400)	Use w/ integral A/C	5B	D2OA 2981-AA,	C9AZ 2987-A,	D2OZ 2884-A (YB-38)
			5B	D2OA 2981-A1A,	C9AZ 2987-A,	
			5B	D2OA 2981-A1B,	C9AZ 2987-A,	
			5B	D2OA 2981-A1C,	C9AZ 2987-A,	
			5B	D2OA 2981-A2A,	C9AZ 2987-A,	
			5B	D2OA 2981-A2B	C9AZ 2987-A	
	B(8 cyl.429)	Use w/ integral A/C	5A	C9AA 2981-E,	C9AZ 2987-A,	★C9AZ 2884-E
			5A	C9AA 2981-E1,	C9AZ 2987-A,	r/b▲C9AZ 2884-K
			5A	C9AA 2981-E2,	C9AZ 2987-A,	
			5A	D0VA 2981-A,	C9AZ 2987-A,	
			5A	D2OA 2981-CA	C9AZ 2987-A	
	B	Use w/hang-on A/C	6C	C9RJ 2981-A	C8SZ 2979-A	★C9RZ 2884-A r/b▲C9AZ 2884-L
	- F -					
65/66	F(6 cyl.)		2C	C4DA 2981-B,	C8SZ 2979-A,	★C4DZ 2884-A
			6C	C4DA 2981-B2,	C8SZ 2979-A,	(YB-59)
			2C	C4DA 2981-B1	C8SZ 2979-A	r/b▲C8OZ 2884-G
	F(6 cyl.)		4C	C4DA 2981-C	C3SZ 2987-A	C5DZ 2884-A
	F(8 cyl. 260, 289)		2B	C3AA 2981-A,	C8SZ 2979-A,	C3AZ 2884-A
			2B	C3AA 2981-A1,	C8SZ 2979-A,	
			6B	C3AA 2981-A2	C8SZ 2979-A	
	F(8 cyl. 260,289)-1965		5A	C4OA 2981-A	C4AZ 2987-A	★C4OZ 2884-A r/b▲C3AZ 2884-C
	F(8 cyl. 260, 289)-1965		4A	C3AA 2981-B	C3SZ 2987-A	★C3AZ 2884-B (YB-57) r/b▲C3AZ 2884-C
	F(8 cyl. 260, 289)		4A	C2AA 2981-C		★C2AZ 2884-C (YB-27) r/b▲C8OZ 2884-G
	F(8 cyl. 289)		2B	C2AA 2981-A,	C8SZ 2979-A,	★C2AZ 2884-A
			2B	C2AA 2981-A1,	C8SZ 2979-A,	r/b C8OZ 2884-B
			6B	C2AA 2981-A2	C8SZ 2979-A	
	F(8 cyl. 390)-1966		5B	C4AA 2981-A	C6AZ 2987-A	C6AZ 2884-A
67	F(6 cyl.)		2C	C7AA 2981-B	C8SZ 2979-A	C7AZ 2884-B
	F(6 cyl.)		6C	C7OA 2981-B	C8SZ 2979-A	C7OZ 2884-B (YB-75)
	F(6 cyl.)		2C	C4DA 2981-B,	C8SZ 2979-A,	★C4DZ 2884-A
			2C	C4DA 2981-B1,	C8SZ 2979-A,	(YB-59)
			6C	C4DA 2981-B2	C8SZ 2979-A	r/b▲C8OZ 2884-G
	F(6 cyl.)		4C	C7ZA 2981-C	C7AZ 2987-A	C7ZZ 2884-B (YB-76)
	F(exc. GT 350)-8 cyl. 289		2C	C7AA 2981-B	C8SZ 2979-A	C7AZ 2884-B
	F(exc. GT 350)-8 cyl. 289		3B	C7AA 2981-F,	C8SZ 2979-A,	C9AZ 2884-A
			3B	C9AA 2981-F	C8SZ 2979-A	
	F(exc. GT 350)-8 cyl. 289		2B	C2AA 2981-A,	C8SZ 2979-A,	★C2AZ 2884-A
			2B	C2AA 2981-A1,	C8SZ 2979-A,	r/b C8OZ 2884-B
			6B	C2AA 2981-A2	C8SZ 2979-A	
	F(GT 350)-8 cyl. 289	Painted aluminum	5B	C7SA 2981-B	C4AZ 2987-A	C7AZ 2884-D
	F (8 cyl. 390)		6B	C7AA 2981-H,	C8SZ 2979-A,	C9AZ 2884-B
			6B	C7SA 2981-A,	C8SZ 2979-A,	
			6B	C9AA 2981-G	C8SZ 2979-A	

† See Illustration Page 22 ▲ Clutch and pulley kit - refer to group 2884 page 33 for contents of kit

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

2884 CLUTCH and PULLEY - AIR CONDITIONER COMPRESSOR - continued - Also refer to group 8678

MODEL APPLICATION

YEAR	MODEL	REMARKS	TYPE †	STAMPED IDENTIFICATION	USE WITH -	PART NUMBER
	- F -					
67	F (8 cyl. 390)		2B	C2AA 2981-A,	C8SZ 2979-A,	★C2AZ 2884-A
			2B	C2AA 2981-A1,	C8SZ 2979-A,	r/b C8OZ 2884-B
			6B	C2AA 2981-A2	C8SZ 2979-A	
	F(8 cyl. 390)		2B	C7AA 2981-C	C8SZ 2979-A	C7AZ 2884-C (YB-73)
68	F(6 cyl.)		5C	C8OA 2981-A	C8AZ 2987-C	C8OZ 2884-A (YB-49)
	F(8 cyl. 289, 302)		3B	C7AA 2981-F,	C8SZ 2979-A,	C9AZ 2884-A
			3B	C9AA 2981-F	C8SZ 2979-A	
	F(8 cyl. 289, 302)		5B	C7AA 2981-G	C8AZ 2987-D	★C8AZ 2884-E (YB-48) r/b▲C9AZ 2884-H
	F(8 cyl. 390)		6B	C7AA 2981-H,	C8SZ 2979-A,	C9AZ 2884-B
			6B	C7SA 2981-A,	C8SZ 2979-A,	
			6B	C9AA 2981-G	C8SZ 2979-A	
	F(8 cyl. 390, 428)		5B	C7AA 2981-J	C8AZ 2987-C	C8AZ 2884-F
69	F(6 cyl. 250)		5C	C9OA 2981-E	C9AZ 2987-A	C9OZ 2884-B (YB-34)
	F(8 cyl. 302, 351)		3B	C7AA 2981-F,	C8SZ 2979-A,	C9AZ 2884-A
			3B	C9AA 2981-F	C8SZ 2979-A	
	F(8 cyl. 302, 351)		5B	C9AA 2981-D,	C9AZ 2987-A,	C9AZ 2884-D
			5B	C9AA 2981-D1,	C9AZ 2987-A,	
			5B	C9AA 2981-D2	C9AZ 2987-A	
	F(8 cyl. 390, 428)		6B	C7AA 2981-H,	C8SZ 2979-A,	C9AZ 2884-B
			6B	C7SA 2981-A,	C8SZ 2979-A,	
			6B	C9AA 2981-G	C8SZ 2979-A	
	F(8 cyl. 390, 428)		5B	C7AA 2981-J	C8AZ 2987-C	C8AZ 2884-F
70	F(6 cyl.)		5C	C9OA 2981-E	C9AZ 2987-A	C9OZ 2884-B (YB-34)
	F(8 cyl. 302-2B, 351, 428)		5B	C9AA 2981-D,	C9AZ 2987-A,	C9AZ 2884-D
			5B	C9AA 2981-D1,	C9AZ 2987-A,	
			5B	C9AA 2981-D2	C9AZ 2987-A	
	F(8 cyl. 351)		3B	C7AA 2981-F,	C8SZ 2979-A,	C9AZ 2884-A
			3B	C9AA 2981-F	C8SZ 2979-A	
71	F(6 cyl.)		5C	C9OA 2981-E	C9AZ 2987-A	C9OZ 2884-B (YB-34)
	F(8 cyl. 302, 351) "Before 10/26/70"		5B	D1ZA 2981-AA	C9AZ 2987-A	★D1ZZ 2884-A r/b D1OZ 2884-A
	F(8 cyl. 302, 351) "From 10/26/70"		5B	D1OA 2981-AA,	C9AZ 2987-A,	D1OZ 2884-A (YB-19)
			5B	D1OA 2981-A1A,	C9AZ 2987-A,	
			5B	D1OA 2981-A1B,	C9AZ 2987-A,	
			5B	D1OA 2981-A2A,	C9AZ 2987-A,	
			5B	D1OA 2981-A2B,	C9AZ 2987-A,	
			5B	D2ZA 2981-A1A,	C9AZ 2987-A,	
			5B	D2ZA 2981-A1B,	C9AZ 2987-A,	
			5B	D2ZA 2981-A2A	C9AZ 2987-A	
	F(8 cyl. 429)		5A	C9AA 2981-E,	C9AZ 2987-A,	★C9AZ 2884-E
			5A	C9AA 2981-E1,	C9AZ 2987-A,	r/b▲C9AZ 2284-K
			5A	C9AA 2981-E2,	C9AZ 2987-A,	
			5A	D0VA 2981-A,	C9AZ 2987-A,	
			5A	D2OA 2981-CA	C9AZ 2987-A	
72	F(6 cyl.)	Use w/ integral A/C	5C	C9OA 2981-E	C9AZ 2987-A	C9OZ 2884-B (YB-34)
	F(8 cyl. 302, 351)	Use w/ integral A/C	5B	D1OA 2981-AA,	C9AZ 2987-A,	D1OZ 2884-A (YB-19)
			5B	D1OA 2981-A1A,	C9AZ 2987-A,	
			5B	D1OA 2981-A1B,	C9AZ 2987-A,	
			5B	D1OA 2981-A2A,	C9AZ 2987-A,	
			5B	D1OA 2981-A2B,	C9AZ 2987-A,	
			5B	D2ZA 2981-A1A,	C9AZ 2987-A,	
			5B	D2ZA 2981-A1B,	C9AZ 2987-A,	
			5B	D2ZA 2981-A2A	C9AZ 2987-A	
	F	Use w/ hang-on A/C	6C	C9RJ 2981-A	C8SZ 2979-A	★C9RZ 2884-A r/b▲C9AZ 2884-L

† See Illustration Page 22 ▲ Clutch and pulley kit - refer to group 2884 page 33 for contents of kit

2884 CLUTCH and PULLEY - AIR CONDITIONER COMPRESSOR - continued - Also refer to group 8678

MODEL APPLICATION

YEAR	MODEL	REMARKS	TYPE †	STAMPED IDENTIFICATION	USE WITH -	PART NUMBER
	- L -					
71	L	Use w/ hang-on A/C	6C	C9RJ 2981-A	C8SZ 2979-A	★C9RZ 2884-A r/b▲C9AZ 2884-L
	L(4 cyl.122-2000cc)	Use w/ integral A/C	5B	C9AA 2981-D,	C9AZ 2987-A,	C9AZ 2884-D
			5B	C9AA 2981-D1,	C9AZ 2987-A,	
			5B	C9AA 2981-D2	C9AZ 2987-A	
72	L	Use w/hang-on A/C	6C	C9RJ 2981-A	C8SZ 2979-A	★C9RZ 2884-A r/b▲C9AZ 2884-L
	L(4 cyl.122-2000cc)- "Before 1/10/72"	Use w/integral A/C	5B	C9AA 2981-D,	C9AZ 2987-A,	C9AZ 2884-D
			5B	C9AA 2981-D1,	C9AZ 2987-A,	
			5B	C9AA 2981-D2	C9AZ 2987-A	
	L(4 cyl.122-2000cc)- "From 1/10/72"	Use w/integral A/C	5B	D22A 2981-AA	D2FZ 2987-A	D2FZ 2884-A (YB-37)
	- P -					
70	P(6 cyl.)		5C	C9OA 2981-E	C9AZ 2987-A	C9OZ 2884-B (YB-34)
71	P(6 cyl.)		5C	C9OA 2981-E	C9AZ 2987-A	C9OZ 2884-B (YB-34)
	P(8 cyl.)		5B	D1OA 2981-AA,	C9AZ 2987-A,	D1OZ 2884-A (YB-19)
			5B	D1OA 2981-A1A,	C9AZ 2987-A,	
			5B	D1OA 2981-A1B,	C9AZ 2987-A,	
			5B	D1OA 2981-A2A,	C9AZ 2987-A,	
			5B	D1OA 2981-A2B,	C9AZ 2987-A,	
			5B	D2ZA 2981-A1A,	C9AZ 2987-A,	
			5B	D2ZA 2981-A1B,	C9AZ 2987-A,	
			5B	D2ZA 2981-A2A	C9AZ 2987-A	
72	P(6 cyl.)	Use w/ integral A/C	5C	C9OA 2981-E	C9AZ 2987-A	C9OZ 2884-B (YB-34)
	P(8 cyl.)	Use w/ integral A/C	5B	D1OA 2981-AA,	C9AZ 2987-A,	D1OZ 2884-A (YB-19)
			5B	D1OA 2981-A1A,	C9AZ 2987-A,	
			5B	D1OA 2981-A1B,	C9AZ 2987-A,	
			5B	D1OA 2981-A2A,	C9AZ 2987-A,	
			5B	D1OA 2981-A2B,	C9AZ 2987-A,	
			5B	D2ZA 2981-A1A,	C9AZ 2987-A,	
			5B	D2ZA 2981-A1B,	C9AZ 2987-A,	
			5B	D2ZA 2981-A2A	C9AZ 2987-A	
	P	Use w/ hang-on A/C	6C	C9RJ 2981-A	C8SZ 2979-A	★C9RZ 2884-A r/b▲C9AZ 2884-L
	- S -					
65/66	S		2B	C2AA 2981-A,	C8SZ 2979-A,	★C2AZ 2884-A r/b C8OZ 2884-B
			2B	C2AA 2981-A1,	C8SZ 2979-A,	
			6B	C2AA 2931-A2	C8SZ 2979-A	
	S(8 cyl. 390)-1966		5B	C4AA 2981-A	C6AZ 2987-A	C6AZ 2884-A
	S		4A	C2AA 2981-C		★C2AZ 2884-C (YB-27) r/b▲C8OZ 2884-G
67	S		6B	C7AA 2981-H,	C8SZ 2979-A,	C9AZ 2884-B
			6B	C7SA 2981-A,	C8SZ 2979-A,	
			6B	C9AA 2981-G	C8SZ 2979-A	
68	S(8 cyl. 390)		6B	C7AA 2981-H,	C8SZ 2979-A,	C9AZ 2884-B
			6B	C7SA 2981-A,	C8SZ 2979-A,	
			6B	C9AA 2981-G	C8SZ 2979-A	
	S(8 cyl. 390)		5B	C7AA 2981-J	C8AZ 2987-C	C8AZ 2884-F
	S(8 cyl. 429)		3A	C8VA 2981-A	C8SZ 2979-A	C8VZ 2884-A
69	S(8 cyl. 429)		3A	C9AA 2981-H	C8SZ 2979-A	C9AZ 2884-C

† See Illustration Page 22 ▲ Clutch and pulley kit - refer to group 2884 page 33 for contents of kit

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

2884 CLUTCH and PULLEY - AIR CONDITIONER COMPRESSOR - continued - Also refer to group 8678

MODEL APPLICATION

YEAR	MODEL	REMARKS	TYPE †	STAMPED IDENTIFICATION	USE WITH -	PART NUMBER
	- S -					
70/71	S		5A	C9AA 2981-E,	C9AZ 2987-A,	★C9AZ 2884-E
			5A	C9AA 2981-E1,	C9AZ 2987-A,	r/b▲C9AZ 2884-K
			5A	C9AA 2981-E2,	C9AZ 2987-A,	
			5A	D0VA 2981-A,	C9AZ 2987-A,	
			5A	D2OA 2981-CA	C9AZ 2987-A	
72	S				D1VY 2987-A,	D1VY 2884-A
					D1VY 19D653-A	(YB-36)
	- X -					
65/66	X(6 cyl.)		2C	C4DA 2981-B,	C8SZ 2979-A,	★C4DZ 2884-A
			2C	C4DA 2981-B1,	C8SZ 2979-A,	(YB-59)
			6C	C4DA 2981-B2	C8SZ 2979-A	r/b▲C8OZ 2884-G
	X(6 cyl.)-1965		4C	C4DA 2981-C	C3SZ 2987-A	C5DZ 2884-A
						(YB-66)
	X(6 cyl.)-1966		5C	C5OA 2981-A1	C4AZ 2987-A	C6OZ 2884-A
						(YB-72)
	X(8 cyl. 289)		2B	C3AA 2981-A,	C8SZ 2979-A,	C3AZ 2884-A
			2B	C3AA 2981-A1,	C8SZ 2979-A,	
			6B	C3AA 2981-A2	C8SZ 2979-A	
	X(8 cyl. 289)		2B	C2AA 2981-A,	C8SZ 2979-A,	★C2AZ 2884-A
			2B	C2AA 2981-A1,	C8SZ 2979-A,	r/b C8OZ 2884-B
			6B	C2AA 2981-A2	C8SZ 2979-A	
	X(8 cyl. 289)		4A	C2AA 2981-C		★C2AZ 2884-C
						(YB-27)
						r/b▲C8OZ 2884-G
	X(8 cyl. 289)		4A	C3AA 2981-B	C3SZ 2987-A	★C3AZ 2884-B
						(YB-57)
						r/b▲C3AZ 2884-C
	X(8 cyl. 289-2/B)-1966		3A	C5AA 2981-B	C8SZ 2979-A	★C5AZ 2884-B
						r/b C9TZ 2884-A
67	X(6 cyl.)		2C	C4DA 2981-B,	C8SZ 2979-A,	★C4DZ 2884-A
			2C	C4DA 2981-B1,	C8SZ 2979-A,	(YB-59)
			6C	C4DA 2981-B2	C8SZ 2979-A	r/b▲C8OZ 2884-G
	X(6 cyl.)		2C	C7AA 2981-B	C8SZ 2979-A	C7AZ 2884-B
	X(6 cyl.)		6C	C7OA 2981-B	C8SZ 2979-A	C7OZ 2884-B
						(YB-75)
	X(6 cyl.)		5C	C5OA 2981-A1	C4AZ 2987-A	C6OZ 2884-A
						(YB-72)
	X(6 cyl.)		4C	C7OA 2981-A	C7AZ 2987-A	C7OZ 2884-A
						(YB-74)
	X(8 cyl. 289-2/B)		3A	C5AA 2981-B	C8SZ 2979-A	★C5AZ 2884-B
						r/b C9TZ 2884-A
	X(8 cyl. 289)		2B	C3AA 2981-A,	C8SZ 2979-A,	C3AZ 2884-A
			2B	C3AA 2981-A1,	C8SZ 2979-A,	
			6B	C3AA 2981-A2	C8SZ 2979-A	
	X(8 cyl. 289)		2B	C2AA 2981-A,	C8SZ 2979-A,	★C2AZ 2884-A
			2B	C2AA 2981-A1,	C8SZ 2979-A,	r/b C8OZ 2884-B
			6B	C3AA 2981-A2	C8SZ 2979-A	
	X(8 cyl. 289)		2C	C7AA 2981-B	C8SZ 2979-A	C7AZ 2884-B
	X(8 cyl. 289)		2B	C7AA 2981-C	C8SZ 2979-A	C7AZ 2884-C
						(YB-73)
	X(8 cyl. 289)		3B	C7AA 2981-F,	C8SZ 2979-A,	C9AZ 2884-A
			3B	C9AA 2981-F	C8SZ 2979-A	
	X(8 cyl. 289)		4A	C3AA 2981-B	C3SZ 2987-A	★C3AZ 2884-B
						(YB-57)
						r/b ▲C3AZ 2884-C
68	X(6 cyl.)		5C	C8OA 2981-A	C8AZ 2987-C	C8OZ 2884-A
						(YB-49)
						r/b ▲C9AZ 2884-H
	X(8 cyl. 289, 302)		3B	C7AA 2981-F,	C8SZ 2979-A,	C9AZ 2884-A
			3B	C9AA 2981-F	C8SZ 2979-A	
	X(8 cyl. 289, 302)		5B	C7AA 2981-G	C8AZ 2987-D	★C8AZ 2884-E
						(YB-48)
						r/b ▲ C9AZ 2884-H

† See Illustration Page 22 ▲ Clutch and pulley kit - refer to group 2884 page 33 for contents of kit

2884 CLUTCH and PULLEY - AIR CONDITIONER COMPRESSOR - continued - Also refer to group 8678

MODEL APPLICATION

YEAR	MODEL	REMARKS	TYPE †	STAMPED IDENTIFICATION	USE WITH -	PART NUMBER
	- X -					
69	X(6 cyl. 200)		2C	C9OA 2981-F	C8SZ 2979-A	C9OZ 2884-C (YB-83)
	X(6 cyl. 200)		5C	C8OA 2981-A	C8AZ 2987-C	C8OZ 2884-A (YB-49)
	X(8 cyl. 302)		3B 3B	C7AA 2981-F, C9AA 2981-F	C8SZ 2979-A, C8SZ 2979-A	C9AZ 2884-A
	X(8 cyl. 302)		5B 5B 5B	C9AA 2981-D, C9AA 2981-D1, C9AA 2981-D2	C9AZ 2987-A, C9AZ 2987-A, C9AZ 2987-A	C9AZ 2884-D
70	X(6 cyl. 200)		2C	C9OA 2981-F	C8SZ 2979-A	C9OZ 2884-C (YB-83)
	X(6 cyl. 200)		5C	C8OA 2981-A	C8AZ 2987-C	C8OZ 2884-A (YB-49)
	X(8 cyl. 302)		3B 3B	C7AA 2981-F, C9AA 2981-F	C8SZ 2979-A, C8SZ 2979-A	C9AZ 2884-A
	X(8 cyl. 302)		5B 5B 5B	C9AA 2981-D, C9AA 2981-D1, C9AA 2981-D2	C9AZ 2987-A, C9AZ 2987-A, C9AZ 2987-A	C9AZ 2884-D

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
65/ 65	B (6 cyl.) A (6 cyl.)	Snap ring (pulley to shaft)	2 2	353650-S100(QQ11)
65/ 65/ 65/70	A (6 cyl. & 8 cyl. 352, 390), S F (6 cyl.) X	Screw & washer(to compressor)-5/16"-24 x 1 3/4"	1 1 1	359780-S7(BB83)
		Lockwasher-3/4" external tooth		34940-S7-8(X88)
65/69	A "Before 12/15/69"	Bolt (to compressor)-5/16"-24 x 1 1/2"-locking	1	374411-S8
65/	B, F, S, X		1	(BB435C)
69	A "From 12/15/69"	Bolt-hex. hd. (to compressor)-5/16"-24 x 1 3/4"	1	378741-S2 (BB428F)

CONTENTS OF KITS

Refer to group 2884, page 27, for Model Application

1 C3AZ 2884-C

Consists of

1-C4OZ 2884-A	Clutch and pulley	1-358605-S8	Washer	4-378859-S8	Screw
1-C8AZ 2987-C	Coil	1-378741-S2	Bolt		

1 C8OZ 2884-G

Consists of

1-C4DA 2981-D	Clutch	1-358605-S8	Washer	4-378859-S8	Screw
1-C6AZ 2987-A	Coil	1-378741-S2	Bolt		

1 C9AZ 2884-H

Consists of

1-C9AZ 2884-D	Clutch	1-358605-S8	Washer	4-378859-S8	Screw
1-C9AZ 2987-A	Coil	1-378741-S2	Bolt		

1 C9AZ 2884-K

Consists of

1-C9AZ 2884-E	Clutch	1-358605-S8	Washer	4-378859-S8	Screw
1-D4AZ 2987-A	Coil	1-378741-S2	Bolt		

1 C9AZ 2884-L

Consists of

1-D1AZ 2884-B	Clutch	1-378605-S8	Washer	4-378859-S8	Screw
1-C6TZ 2987-A	Coil	1-378740-S2	Bolt		

† See Illustration Page 22

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	2887 SPACER - AIR CONDITIONER COMPRESSOR MOUNTING BRACKET				
65/68	A(8 cyl.352,390, 428)-exc. models w/bucket seats		17/32" I. D. -1 1/64" O. D. -49/64" long	1	C4AZ 2887-B
65	S			1	
67/68	S			1	
67	F(8 cyl. 390)			1	
65/67	A(6 cyl.)-with economy hang-on A/C		13/32" I. D. -49/64" O. D. -1 1/8" long	1	C5AZ 2887-A
69	A(6 cyl.)		Use as alternator bracket spacer	1	
67	A, B, F(8 cyl. 390, 428)		Two holes-use with hang-on A/C -not replaced	1	★C7AZ 2887-A
67	A, B, F, X(8 cyl. 289)		Three holes-use with hang-on A/C -not replaced	1	★C7AZ 2887-B
66	S		33/64" I. D. -1 1/64" O. D. -1 1/4" long - not replaced	2	★ C6SZ 2887-A
	2888 BRACE - AIR CONDITIONER COMPRESSOR - Also refer to groups 2889 & 2A951				
	- A -				
65	A (8 cyl. 352, 390)		Front-with A/C	1	C5AZ 2888-C
65/66	A(6 cyl.)		With economy hang-on A/C -not replaced	1	★C5AZ 2888-A
	A (6 cyl.)		Front-with A/C -not replaced	1	★C5AZ 2888-D
	A(8 cyl. 289)		Lateral-with A/C	1	C5AZ 2888-B
66/67	A (6 cyl.)-with T/E		Front	1	C6AZ 2888-D
66/67	A (6 cyl.)-with T/E		Rear	1	C6AZ 2888-C
67	A(6 cyl.)		Rear-with hang-on A/C -not replaced	1	★C7AZ 2888-D
	A(6 cyl.)		Lateral-with hang-on A/C-not replaced	1	★C7AZ 2888-C
	A(8 cyl.)		Front-with hang-on A/C -not replaced	1	★C7AZ 2888-E
	A(8 cyl. 289)		Lateral-with hang-on A/C-not replaced	1	★C7AZ 2888-B
	A(8 cyl. 289)	"Before 1/3/67"	Lateral-with integral A/C -not replaced	1	★C7AZ 2888-A
	A(8 cyl. 289)	"From 1/3/67"	Lateral-with integral A/C	1	C7AZ 2888-F
67	A(P/C)-8 cyl. 428	"Before 3/15/67"	Front-with A/C	1	C5AZ 2888-C
66/67	A (8 cyl. 390, 428)			1	
67	A(8 cyl. 390)		Lateral-with integral A/C	1	C7ZZ 2888-A
	A(P/C -8 cyl.428)	"From 3/15/67"	Lateral-with integral A/C	1	
	A(8 cyl. 428)-except P/C		Lateral-with integral A/C	1	
68/69	A		Front-with hang-on A/C	1	C6AZ 2888-D
68/69	A(6 cyl.)		Rear-with hang-on A/C	1	C6AZ 2888-C
68	A(8 cyl. 302)	"Before 3/1/68"	Lateral-with A/C	1	C7AZ 2888-F
68/69	A(8 cyl. 302)	"From 3/1/68"	Lateral-with A/C	1	C8AZ 2888-B
68	A(8 cyl. 390, 428), P/C		Lateral-with A/C	1	C8AZ 2888-A
69	A(8 cyl. 302, 390)		Lateral-with A/C	1	C9OZ 2888-B
	A(8 cyl. 351)		Lateral-with A/C	1	D0OZ 2888-A
	A(8 cyl. 390, 428)		Lateral-with A/C	1	D0AZ 2888-B
	A(8 cyl. 429)		Lateral-with A/C	1	C8VZ 2888-A
	A(8 cyl. 429)		Front-with A/C	1	C9AZ 2888-B
70	A(6 cyl.)		Rear-with hang-on A/C	1	C6AZ 2888-C
	A(8 cyl. 302)		Lateral-with A/C	1	D0OZ 2888-A
	A(8 cyl. 351)		Lateral with A/C-engine tag code-W	1	D0OZ 2888-A
	A(8 cyl. 390, 428)		Lateral-with A/C	1	D0AZ 2888-B
	A(8 cyl. 429)		Front-with A/C	1	C9AZ 2888-B
	A(8 cyl.429)		Lateral-with A/C	1	D0AZ 2888-A
71	A(6 cyl.)		Rear-with hang-on A/C	1	C6AZ 2888-C
	A(6 cyl.)		Lateral-with hang-on A/C	1	C6AZ 2888-D
	A(8 cyl. 302)		Lateral-with A/C	1	D0OZ 2888-A
	A(8 cyl.351, 400)		Front-with A/C	1	D1AZ 2888-B
	A(8 cyl. 351, 400)	"Before 4/27/71"	Lateral-with A/C	1	D1ZZ 2888-A
	A(8 cyl.351, 400)	"From 4/27/71"	Lateral-with A/C	1	D1AZ 2888-A
	A(8 cyl. 390)		Lateral-with A/C	1	D0AZ 2888-B
	A(8 cyl. 429)		Lateral-with A/C	1	D0AZ 2888-A
72	A(6 cyl.)		Rear-with hang-on A/C	1	C6AZ 2888-C
	A(6 cyl.)		Lateral-with hang-on A/C	1	C6AZ 2888-D
	A(8 cyl. 302)		Rear-with hang-on A/C	1	D2AZ 2888-B
	A(8 cyl.302)		Lateral-with integral A/C	1	D0OZ 2888-A
	A(8 cyl. 302)		Lateral-with hang-on A/C	1	D2AZ 2888-A
	A(8 cyl. 351)		Rear-with hang-on A/C - Engine tag code-W	1	D2AZ 2888-B
	A(8 cyl. 351)		Lateral-with integral A/C	1	D1ZZ 2888-A
	A(8 cyl. 351)		Lateral-with hang-on A/C - Engine tag code-C	1	D2AZ 2888-D
	A(8 cyl. 351)		Lateral-with hang-on A/C - Engine tag code-W	1	D2AZ 2888-A
	A(8 cyl. 400)		Lateral-with integral A/C	1	D1ZZ 2888-A
	A(8 cyl. 400)		Lateral-with hang-on A/C	1	D2AZ 2888-D
	A(8 cyl.429)		Lateral-with integral A/C	1	D0AZ 2888-A
	A(8 cyl. 429)		Lateral-with hang-on A/C	1	D2AZ 2888-C

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	2888 BRACE - AIR CONDITIONER COMPRESSOR - continued - Also refer to groups 2889 & 2A951				
	- B -				
65	B(8 cyl. 289)		Lateral-with A/C	1	C5AZ 2888-B
66	B(8 cyl.289)		Lateral-with A/C	1	C5AZ 2888-B
	B(8 cyl. 390)		Front-with A/C	1	C5AZ 2888-C
67	B(6 cyl.)		Front-with hang-on A/C-not replaced	1	★C7OZ 2888-A
	B(8 cyl.)		Front-with hang-on A/C-not replaced	1	★C7AZ 2888-E
	B(8 cyl. 289)	"Before 1/3/67"	Lateral-with integral A/C-not replaced	1	★C7AZ 2888-A
	B(8 cyl. 289)	"From 1/3/67"	Lateral-with integral A/C	1	C7AZ 2888-F
	B(8 cyl. 289)		Lateral-with hang-on A/C-not replaced	1	★C7AZ 2888-B
	B(8 cyl.390)		Front-with A/C	1	C5AZ 2888-C
68	B(6 cyl.)		Front-with A/C	1	C8OZ 2888-A
	B(8 cyl. 289, 302)	"Before 3/1/68"	Lateral-with A/C	1	C7AZ 2888-F
	B(8 cyl. 289, 302)	"From 3/1/68"	Lateral-with A/C	1	C8AZ 2888-B
	B(8 cyl. 390)		Front - with integral A/C	1	C8OZ 2888-B
	B(8 cyl. 390, 428CJ)		Lateral-with A/C	1	C8AZ 2888-A
69	B(6 cyl. 250)		Front-with A/C	1	C9OZ 2888-A
	B(8 cyl. 302)		Lateral-with A/C	1	C8AZ 2888-B
	B(8 cyl. 351)		Lateral-with A/C	1	C9OZ 2888-B
	B(8 cyl. 390, 428)		Lateral-with A/C	1	D0AZ 2888-B
70	B(6 cyl. 250)		Front-with A/C	1	C9OZ 2888-A
	B(8 cyl. 302)		Lateral-with A/C	1	D0OZ 2888-A
	B(8 cyl. 351)		Lateral-with A/C-engine tag code-C	1	D0OZ 2888-A
	B(8 cyl. 429)		Front-with A/C	1	C9AZ 2888-B
	B(8 cyl. 429)		Lateral-with A/C	1	D0AZ 2888-A
71	B(6 cyl.)		Front-with A/C	1	C9OZ 2888-A
	B(8 cyl.302, 351)		Front-with A/C	1	D1AZ 2888-B
	B(8 cyl. 302, 351)	"Before 11/23/70"	Lateral-with A/C	1	D0OZ 2888-A
	B(8 cyl. 302, 351)	"From 11/23/70 to 4/27/71"	Lateral-with A/C	1	D1ZZ 2888-A
	B(8 cyl.302, 351)	"From 4/27/71"	Lateral-with A/C	1	D1AZ 2888-A
	B(8 cyl. 429)		Lateral-with A/C	1	D0AZ 2888-A
72	B(6 cyl.)		Front-with integral A/C	1	C9OZ 2888-A
	B(6 cyl.)		Lateral-with hang-on A/C	1	D2OZ 2888-A
	B(8 cyl. 302)		Front-with integral A/C	1	D1AZ 2888-B
	B(8 cyl. 302)		Lateral-with integral A/C	1	D1AZ 2888-A
	B(8 cyl. 302)		Lateral-with hang-on A/C	1	D2AZ 2888-A
	B(8 cyl. 302)		Rear-with hang-on A/C	1	D2AZ 2888-B
	B(8 cyl. 351,400)		Front-with integral A/C	1	D1AZ 2888-B
	B(8 cyl. 351,400)		Lateral-with integral A/C	1	D1AZ 2888-A
	B(8 cyl. 351,400)		Lateral-with hang-on A/C	1	D2AZ 2888-D
	B(8 cyl.429)		Lateral-with integral A/C	1	D0AZ 2888-A
	B(8 cyl. 429)		Lateral-with hang-on A/C	1	D2AZ 2888-C
	- F -				
65	F(6 cyl.)		Front-with A/C	1	C4DZ 2888-B
	F(8 cyl. 289)		Lateral-with A/C	1	C5AZ 2888-B
66	F (6 cyl.)		Front-with A/C	1	C6ZZ 2888-A
	F(8 cyl.289)		Laterial-with A/C	1	C5AZ 2888-B
67	F(6 cyl.)		Front-with A/C	1	C6ZZ 2888-A
	F(8 cyl.)		Front-with hang-on A/C -not replaced	1	★C7AZ 2888-E
	F(8 cyl. 289)	"Before 1/3/67"	Lateral-with integral A/C-not replaced	1	★C7ZZ 2888-B
	F(8 cyl. 289)	"From 1/3/67"	Lateral-with integral A/C	1	C7AZ 2888-F
	F(8 cyl. 289)		Lateral-with hang-on A/C -not replaced	1	★C7AZ 2888-B
	F(8 cyl. 390-4/B)		Lateral-with integral A/C	1	C7ZZ 2888-A
68	F(6 cyl.)		Front-with A/C	1	C8OZ 2888-A
	F(8 cyl. 289, 302)	"Before 3/1/68"	Lateral-with A/C	1	C7AZ 2888-F
	F(8 cyl. 289, 302)	"From 3/1/68"	Lateral-with A/C	1	C8AZ 2888-B
	F(8 cyl. 390)-integral or hang-on A/C		Lateral-with A/C	1	C8AZ 2888-A
69	F(6 cyl. 250)		Front-with A/C	1	C9OZ 2888-A
	F(8 cyl. 302)		Lateral-with A/C	1	D0AZ 2888-B
	F(8 cyl. 351)		Lateral-with A/C	1	C9OZ 2888-B
	F(8 cyl. 390, 428)		Lateral-with A/C	1	D0AZ 2888-B
70	F(6 cyl. 250)		Front-with A/C	1	C9OZ 2888-A
	F(8 cyl. 302,351)		Lateral-with A/C	1	D0OZ 2888-A
	F(8 cyl. 390, 428)		Lateral-with A/C	1	D0AZ 2888-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	2888 BRACE - AIR CONDITIONER COMPRESSOR - continued - Also refer to groups 2889 & 2A951				
	- F -				
71	F(6 cyl.)		Front-with A/C	1	C9OZ 2888-A
	F(8 cyl.302,351)		Front-with A/C	1	D1AZ 2888-B
	F(8 cyl. 302, 351)	"Before 4/27/71"	Lateral-with A/C	1	D1ZZ 2888-A
	F(8 cyl.302,351)	"From 4/27/71"	Lateral-with A/C	1	D1AZ 2888-A
	F(8 cyl. 429)		Lateral-with A/C	1	D0AZ 2888-A
72	F(6 cyl.)		Front-with integral A/C	1	C9OZ 2888-A
	F(6 cyl.)		Lateral-with hang-on A/C	1	D2OZ 2888-A
	F(8 cyl. 302)		Front-with integral A/C	1	D1AZ 2888-B
	F(8 cyl. 302)		Lateral-with integral A/C	1	D1AZ 2888-A
	F(8 cyl. 302)		Lateral-with hang-on A/C	1	D2AZ 2888-A
	F(8 cyl. 302)		Rear-with hang-on A/C	1	D2AZ 2888-B
	F(8 cyl. 351)		Front-with integral A/C	1	D1AZ 2888-B
	F(8 cyl. 351)		Lateral-with integral A/C	1	D1AZ 2888-A
	F(8 cyl. 351)		Lateral-with hang-on A/C	1	D2AZ 2888-D
	- L -				
71	L(4 cyl. 122-2000cc)		Lateral-with A/C	1	D1FZ 2888-A
72	L(4 cyl. 98-1600cc)		Lateral-with hang-on A/C	1	D2FZ 2888-A
	L(4 cyl. 122-2000cc)	"Before 1/10/72"	Lateral-with A/C	1	D1FZ 2888-A
	L(4 cyl.122-2000cc)	"From 1/10/72"	Lateral-with A/C	1	D2FZ 2888-B
	- P -				
70	P(6 cyl.)		Front-with A/C	1	C8OZ 2888-A
71	P(6 cyl. 170, 200)		Front-with A/C	1	C8OZ 2888-A
	P(6 cyl. 250)		Front-with A/C	1	C9OZ 2888-A
	P(8 cyl.)		Front-with A/C	1	D1AZ 2888-B
	P(8 cyl.)	"Before 4/27/71"	Lateral - with A/C	1	D1ZZ 2888-A
	P(8 cyl.)	"From 4/27/71"	Lateral-with A/C	1	D1AZ 2888-A
72	P(6 cyl. 170,200)		Front-with integral A/C	1	C8OZ 2888-A
	P(6 cyl. 170,200)		Lateral-with hang-on A/C	1	D2DZ 2888-A
	P(6 cyl. 250)		Front-with integral A/C	1	C9OZ 2888-A
	P(6 cyl. 250)		Lateral-with hang-on A/C	1	D2OZ 2888-A
	P(8 cyl. 302)		Front-with integral A/C	1	D1AZ 2888-B
	P(8 cyl. 302)		Lateral-with integral A/C	1	D1AZ 2888-A
	P(8 cyl. 302)		Lateral-with hang-on A/C	1	D2AZ 2888-A
	P(8 cyl. 302)		Rear-with hang-on A/C	1	D2AZ 2888-B
	- S -				
65	S		Front-with A/C	1	C5AZ 2888-C
66	S(with automatic temperature control)		Front-with A/C	1	C5AZ 2888-C
67	S		Lateral-with integral A/C	1	C7ZZ 2888-A
68	S(8 cyl. 390)		Lateral-with A/C	1	C8AZ 2888-A
	S(8 cyl. 429)		Lateral-with A/C	1	C8VZ 2888-A
69	S(8 cyl.429)		Front-with A/C	1	C9AZ 2888-B
	S(8 cyl. 429)		Lateral-with A/C	1	C8VZ 2888-A
70/71	S(8 cyl. 429)		Lateral-with A/C	1	D0AZ 2888-A
72	S(8 cyl.429)		Front-with A/C	1	D2VY 2888-A
	- X -				
65/66	X (6 cyl.)		Front-with A/C	1	C4DZ 2888-B
	X(8 cyl. 289)		Lateral-with A/C	1	C5AZ 2888-B
67	X(6 cyl.)		Front-with hang-on A/C -not replaced	1	★C7OZ 2888-A
	X(6 cyl.)		Front-with integral A/C	1	C4DZ 2888-B
	X(8 cyl.)		Front-with hang-on A/C-not replaced	1	★C7AZ 2888-E
	X(8 cyl. 289)	"Before 1/3/67"	Lateral-with integral A/C -not replaced	1	★C7AZ 2888-A
	X(8 cyl. 289)	"From 1/3/67"	Lateral-with integral A/C	1	C7AZ 2888-F
	X(8 cyl. 289)		Lateral-with hang-on A/C-not replaced	1	★C7AZ 2888-B
68	X(6 cyl.)		Front-with A/C	1	C8OZ 2888-A
	X(8 cyl. 289, 302)	"Before 3/1/68"	Lateral-with A/C	1	C7AZ 2888-F
68/69	X(289, 302)	"From 3/1/68"	Lateral-with A/C	1	C8AZ 2888-B
69/70	X(6 cyl. 200)		Front-with A/C	1	C8OZ 2888-A
70	X(8 cyl. 302)		Lateral-with A/C	1	D0OZ 2888-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2888 BRACE - AIR CONDITIONER COMPRESSOR - continued - Also refer to group 2889 & 2A951			
65/70	X	Bolt (brace to cylinder block)-3/8"-16 x 1"	1	20388-S8(B80)
65/70	X	Bolt (brace to bracket)	1	
65/	A (6 cyl.)	Bolt (to compressor)	2	
65/	F (6 cyl.)		1	
		Nut-3/8"-16	1	33799-S7(M52)
		Lockwasher-3/8"		34807-S8(X66)
		Washer-flat-3/8"		44727-S8(X24)
65	F, X	Bolt (to water pump)-5/16"-18 x 2"	1	371454-S(BB145)
67	F(8 cyl. 289, 390)	Bolt & washer (lateral brace to compressor)-3/8"-16 x 1 1/8"	1 or 2	373162-S(BB563A)
67	S	To water pump & compressor	2	
68	B, F, X(6 cyl.)-integral A/C	Screw & lockwasher (to compressor)-3/8"-16 x 3/4"	1	370608-S2(BB579)
68	A(6 cyl.) -integral A/C	Screw & washer (rear brace to compressor)-3/8"-16 x 1 1/4"	3	382011-S2 (BB545J)
71	L(4 cyl.122)	Screw & washer (to engine)-M10 x 3/4" hex. head	2	N602569-S51M (AB69)
72	L	Bolt (to engine)-M10 x 3/4" hex. head	2	N800017-S100 (AB38)
	2889 BRACE - AIR CONDITIONER COMPRESSOR - Also refer to groups 2888 & 2A951			
	- A -			
65	A(8 cyl. 289)	Upper rear-with A/C	1	C5AZ 2889-B
	A(8 cyl. 289)	Lower rear-with A/C-not replaced	1	★C5AZ 2889-C
	A(8 cyl. 352, 390)	Rear-with A/C	1	C5AZ 2889-A
	A (P/I)-8 cyl. 390-4/B	Rear-with A/C	1	C5MY 2889-A
66	A (8 cyl. 289) "Before 5/10/66"	Upper rear-with A/C	1	C5AZ 2889-B
66/67	A (8 cyl. 289) "From 5/10/66"	Upper rear-with A/C-not replaced	1	★C5AZ 2889-D
66	A (8 cyl. 289)	Lower rear-with A/C-not replaced	1	★C5AZ 2889-C
66/68	A(8 cyl. 352, 390, 428)	Rear-with A/C	1	C5AZ 2889-A
66	A (8 cyl. 390, 428)	Rear-with A/C	1	C5AZ 2889-A
66	A (P/I)-8 cyl. 428-4/B & C4	Rear-with economy hang-on A/C	1	
66/68	A(P/I)-8 cyl. 428	Rear-with integral A/C	1	C5MY 2889-A
67	A(8 cyl. 289)	Rear bracket-with A/C-not replaced	1	★C7AZ 2889-B
67	A(8 cyl. 289)	Rear-with hang-on A/C-not replaced	1	★C7AZ 2889-D
67	A(8 cyl. 390, 428)	Rear-with hang-on A/C	1	C7AZ 2889-C
69	A(8 cyl. 302)	Rear-with A/C	1	C9AZ 2889-A
69/71	A(8 cyl. 390)	Rear-with A/C	1	C9AZ 2889-B
72	A(6 cyl.)	Rear-with hang-on A/C	1	D2AZ 2889-E
	A(8 cyl. 302)	Strap-with hang-on A/C	1	D2AZ 2889-A
	A(8 cyl. 351)	Strap-with hang-on A/C - Engine tag code-C	1	D2AZ 2889-C
	A(8 cyl. 351)	Strap-with hang-on A/C - Engine tag code-W	1	D2AZ 2889-B
	A(8 cyl. 400)	Strap-with hang-on A/C	1	D2AZ 2889-D
	- B -			
66/67	B(6 cyl.)	With A/C-not replaced	1	★C6OZ 2889-B
65/66	B(8 cyl. 289) "Before 5/10/66"	Rear-with A/C-not replaced	1	★C5OZ 2889-A
66/67	B(8 cyl. 289) "Before 1/3/67"	Rear-with A/C-not replaced	1	★C6OZ 2889-D
67	B(8 cyl. 289) "From 1/3/67"	Rear-with A/C-not replaced	1	★C7ZZ 2889-A
67	B(6 cyl.)	Rear-with hang-on A/C-not replaced	1	★C7OZ 2889-A
67	B(8 cyl. 289)	Rear-with hang-on A/C-not replaced	1	★C7AZ 2889-D
68	B(6 cyl.)	Rear-with A/C-not replaced	1	★C8OZ 2889-A
68	B(8 cyl. 302)	Rear-with A/C	1	C8ZZ 2889-A
69/71	B(6 cyl.)	Rear-with A/C	1	C9OZ 2889-A
72	B(6 cyl.)	Rear-with integral A/C	1	C9OZ 2889-A
	B(6 cyl.)	Strap-with hang-on A/C	1	D2OZ 2889-A
	B(8 cyl. 302)	Strap-with hang-on A/C	1	D2AZ 2889-A
	B(8 cyl. 351)	Strap-with hang-on A/C	1	D2AZ 2889-C
	B(8 cyl. 400)	Strap-with hang-on A/C	1	D2AZ 2889-D
	- F -			
65	F(6 cyl.)	Lower-with A/C-not replaced	1	★C4DZ 2889-A
66/67	F (6 cyl.)	Lower-with A/C-not replaced	1	★C6ZZ 2889-B
66/67	F (6 cyl.)	Rear-with economy A/C-not replaced	1	★C6ZZ 2889-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	2889 BRACE - AIR CONDITIONER COMPRESSOR - continued- Also refer to groups 2888 & 2A951				
	- F -				
65/66	F (8 cyl. 289)	"Before 5/10/66"	Rear-with A/C-not replaced	1	★C5OZ 2889-A
66/67	F (8 cyl. 289)	"From 5/10/66"	Rear-with A/C-not replaced	1	★C6OZ 2889-D
67	F(6 cyl.)		Rear-with hang-on A/C-not replaced	1	★C7OZ 2889-A
67	F(8 cyl.390)		Rear-with hang-on A/C	1	C7AZ 2889-C
67	F(8 cyl. 289)		Rear-with integral A/C-not replaced	1	★C7ZZ 2889-A
68	F(6 cyl.)		Rear-with A/C -not replaced	1	★C8OZ 2889-A
	F(8 cyl. 302)		Rear-with A/C	1	C8ZZ 2889-A
69/71	F(6 cyl.)		Rear-with A/C	1	C9OZ 2889-A
72	F(6 cyl.)		Rear-with integral A/C	1	C9OZ 2889-A
	F(6 cyl.)		Strap-with hang-on A/C	1	D2OZ 2889-A
	F(8 cyl. 302)		Strap-with hang-on A/C	1	D2AZ 2889-A
	F(8 cyl. 351)		Strap-with hang-on A/C	1	D2AZ 2889-C
	- S -				
65	S		Rear-with A/C	1	C5AZ 2889-A
66	S		Rear-with A/C-not replaced	1	★C6SZ 2889-A
67	S (with T/E)		Rear-with A/C-not replaced	1	★C7SZ 2889-A
72	S(8 cyl.400)		Rear-with A/C	1	D2SZ 2889-A
	S(8 cyl.429)		Rear-with A/C	1	D2VY 2889-A
	- L -				
71	L		Rear-with hang-on A/C	1	D1FZ 2889-A
72	L(4 cyl. 98-1600cc)		Strap-front-with hang-on A/C	1	D2FZ 2889-B
	L(4 cyl. 98-1600cc)		Strap-rear-with hang-on A/C	1	D2FZ 2889-A
	- P -				
70/71	P(6 cyl.)		Rear-with A/C	1	C9OZ 2889-A
72	P(6 cyl.)		Rear-with integral A/C	1	C9OZ 2889-A
	P(6 cyl. 170,200)		Strap-with hang-on A/C	1	D2DZ 2889-A
	P(6 cyl. 250)		Strap-with hang-on A/C	1	D2OZ 2889-A
	P(8 cyl. 302)		Strap-with hang-on A/C	1	D2AZ 2889-A
	- X -				
65/67	X (6 cyl.)		Lower-with A/C-not replaced	1	★C4DZ 2889-A
66/67	X(6 cyl.)		Lower-with A/C-not replaced	1	★C6OZ 2889-B
65/66	X(8 cyl. 289)		Rear-with A/C-not replaced	1	★C5OZ 2889-A
66/67	X(8 cyl. 289)	"Before 1/3/67"	Rear-with A/C-not replaced	1	★C6OZ 2889-D
67	X(8 cyl. 289)	"From 1/3/67"	Rear-with A/C-not replaced	1	★C7ZZ 2889-A
	X(6 cyl.)		Rear-with hang-on A/C-not replaced	1	★C7OZ 2889-A
68	X(6 cyl.)		Rear-with A/C-not replaced	1	★C8OZ 2889-A
	X(8 cyl. 302)		Rear-with A/C	1	C8ZZ 2889-A
69/70	X(6 cyl. 200)		Rear-with A/C	1	C8OZ 2889-A
65/	B, X, F(8 cyl. 289, 302)		Screw & washer (rear brace to manifold)-5/16"-18 x 3/4"	1	42789-S8(U-10)
66/	A (8 cyl. 390, 428)- with T/E		Bolt (to L. H. manifold)-1/2"-13 x 2"	1	380732-S2
67	S			1	(BB815E)
67	B, X(8 cyl. 289)		Bolt (to compressor)-3/8"-16 x 7/8"-washer head	1	371041-S2 (BB575B)
67	B, X(8 cyl. 289)		Washer-flat (to intake manifold)-5/16"	1	373513-S7-8 (XX119M)
65/	B, X(6 cyl.)		Bolt (to bracket)-3/8"-16 x 7/8"	1	20368-S8(B79)
	2894 CAF - AIR CONDITIONER COMPRESSOR BELT IDLER PULLEY				
65	B (6 cyl. 170, 200)		Used in 8678 idler pulley assy.	1	B8QH 2894-A
65/67	A (6 cyl.)			1	(YS-26)
	2906 SUPPORT - AIR CONDITIONER COMPRESSOR BRACKET				
71/	L(4 cyl. 98-1600CC)-with hang-on A/C			1	D1FZ 2906-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2A934 BOLT - AIR CONDITIONER IDLER PULLEY MOUNTING			
70/	A, B, F(8 cyl. 390, 429)		1	D0AZ 2A934-A (YS-27)
72	A, B, F, P(with hang-on A/C)		1	D1FZ 2A934-A
71/	L(4 cyl. 122-1600CC)-with hang-on A/C		1	(YS-28)
	2A942 ARM - AIR CONDITIONER COMPRESSOR BELT ADJUSTMENT - Also refer to group 10A313			
65/66	A(6 cyl.)-with economy hang-on A/C-	Not replaced	1	★C5AZ 2A942-A
65/68	X (6 cyl.)	Not replaced	1	★C4DZ 2A942-A
65/68	F (6 cyl.)		1	
		Bolt (to compressor)-3/8"-16 x 1 1/8"	1	20408-S7(B81)
		Nut-3/8"-16	1	34057-S8(M161)
		Lockwasher-3/8"		34807-S8(X66)
	2A951 BRACE - AIR CONDITIONER COMPRESSOR - Also refer to groups 2888 & 2889			
66/68	B, X(6 cyl.)	Upper-not replaced	1	★C6OZ 2A951-A
	2A965 INSULATOR - AUTOMATIC AIR LEVELER COMPRESSOR MOUNTING			
68	A	Not replaced	1	★C7AZ 2A965-A
69/71	A, S		3	C9AZ 2A965-A
72	A, B, S	Also serviced w/D2AZ 5A713-A, B compressors	3	D0VY 2A965-A
	2A975 WIRING ASSY. - AIR CONDITIONER COMPRESSOR CLUTCH			
72	S(8 cyl.400, 429)		1	D2SZ 2A975-A
	2978 SUPPORT - AIR CONDITIONER COMPRESSOR			
66/68	B, X(6 cyl.)	Not replaced	1	★C6OZ 2978-A
71/	L(4 cyl. 122)-with hang-on A/C	Front	1	D3FZ 2889-A
		Rear	1	D3FZ 2889-B
	2979 BRUSH and HOLDER - AIR CONDITIONER COMPRESSOR CLUTCH - Also Refer to group 2884			
65/67	A	Use w/C0AZ 2884-D	1	C0AE 2979-A
65/69	A, B, F, S, X	Eaton-tagged C3SZ 2979-A, C7AA 2979-A,	1	C8SZ 2979-A
70/71	A(6 cyl.)	C7ZA 2987-A	1	
72	A, B, F, P	Hang-on A/C	1	
70	B (8 cyl. 302, 351)		1	
70	F(8 cyl. 351)		1	
71/	L (4 cyl.98, 122)		1	
70	X (6 cyl. & 8 cyl. 302)		1	
65/69	S	Bolt (to compressor base)-1/4"-20 x 1/2"	2	20308-S7-8(B40)
65/	B, F, X		2	
65/	A		2 or 4	
	2987 FIELD - AIR CONDITIONER COMPRESSOR CLUTCH - Also Refer to group 2884			
65/67	A, B, S, X	Warner-includes (1) C0AE 2988-A pilot bushing-	1	C3SZ 2987-A
65/66	F (6 & 8 cyl.)	metal tag or stamped C3SA 2987-A - 1.763"/1.795" thick	1	(YB-40)
67	A (8 cyl. 390, 428), S	Warner-metal tag or stamped C7AA 2987-A -	1	C7AZ 2987-A
67	B, F(except GT350)-6 cyl. & 8 cyl. 390	1.763"/1.795" thick	1	(YB-51)
67	X (6 cyl.)		1	
66/67	A, B, F(except GT350), S-8 cyl. 352, 390	Pitts-metal tag or stamped C4AA 2987-A -	1	C6AZ 2987-A
67	A(P/C)-8 cyl. 428 "Before 3/15/67"	1.885"/1.915" thick	1	(YB-41)
67	A(P/C)-8 cyl. 428 "From 3/15/67"	Pitts Industries-metal tag or stamped	1	★C4AZ 2987-A
65	B (6 & 8 cyl.)	C4VA 2987-A - 1.697"/1.727" thick	1	m/w C8AZ 2987-C
66/67	B, X (6 cyl.)		1	
67	F(GT350)		1	
65	F (8 cyl.)		1	
66	A (except 76B)	Hang-on A/C	1	
69	A(8 cyl. 302, 390, 429)	Pitts Industries-stamped C9AA 2987-B	1	C9AZ 2987-A
69	B, F (6 cyl. 250 & 8 cyl. 302, 351)		1	(YB-20)
69	S(8 cyl. 429)		1	
70/	A(8 cyl.)		1	
70	B(exc. 71)-6 cyl.		1	
70	B(8 cyl. 302, 351, 429)		1	
70/	F, P, S		1	
71/	B		1	
71/	L(exc.4 cyl.122)		1	
69/70	X(8 cyl. 302)		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	2987 FIELD - AIR CONDITIONER COMPRESSOR CLUTCH - continued			
68	B, F, X(289, 302)	Pitts-Integral or hang-on A/C stamped -	1	C8AZ 2987-D
68	B(8 cyl. 390)-integral A/C	C7AA 2987-E - 1.985"/2.015" thick	1	(YB-43)
68	A(8 cyl. 390, 428)-Integral or hang-on A/C	Pitts-stamped C7AA 2987-D or C9AA 2987-C -	1	C8AZ 2987-C
69	A(8 cyl. 428)	1.697"/1.727" thick	1	(YB-52)
68	F, S(8 cyl. 390, 428CJ)- Integral or hang-on A/C		1	
68	B, F, X(6 cyl.)-Integral or hang-on A/C		1	
68	B(8 cyl. 390)-hang-on A/C		1	
69	F(8 cyl. 390, 427, 428)		1	
69	B(8 cyl. 390, 428)		1	
69/70	X(6 cyl. 200)		1	
71/72	L(4 cyl.122-2000CC) "Before 1/10/72"	Pitts-stamped D1HA 2987-AA	1	D1HZ 2987-A
72	L(4 cyl. 122 2000cc) "From 1/10/72"	Pitts-stamped D22A 2987-AA	1	D2FZ 2987-A (YB-46)
72	S(8 cyl.400, 429)		1	D1VY 2987-A (YB-45)
65	F	Bolt (to compressor)-1/4"-20 x 1/2"	AR	20308-S7-8(B40)
65/	A, B, F, S, X	Bolt (to compressor)-1/4"-20 x 9/16"	4	357144-S(BB123C)
72	L	Bolt (to compressor)-1/4"-20 x 1/2"	4	382445-S101 (BB429WS)
	2990 BEARING - AIR CONDITIONER COMPRESSOR PULLEY			
65/	A, B, F, L, P	For A/C compressor clutch-1.18" I. D. - 2.16" O.D.	1	C9AZ 2990-A (YP-20)
65/71	S, X		1	
72	S(8 cyl.400, 429)	For A/C compressor clutch-1.57" I.D. - 2.44" O.D.	1	D1VY 2990-A (YP-23)
65/67	A(8 cyl. 289,352,390)-exc. 4/S/T, S	For idler pulley-.626" & 1.18"O. D.-2 13/16"long	1	C4AZ 2990-A
65/67	B, F, X(8 cyl. 289) "Before 1/3/67"		1	(YP-21)
68	A(8 cyl. 302), B(8 cyl. 302, 390)		1	
68	F(8 cyl. 289-2/B, 302), X(8 cyl. 289, 302)		1	
65/67	A(8 cyl. 352, 390), S	For idler pulley-.626" & 1.119" O.D.-2 7/16" long	1	C5AZ 2990-B
66/67	B, F(8 cyl. 390)		1	(YP-19)
67	A(8 cyl. 289)-Selectaire		1	
67	A, B, F, X(8 cyl. 289) "From 1/3/67"		1	
68	A(8 cyl. 302), B(8 cyl. 302, 390)		1	
68	F(8 cyl. 289-2/B, 302-4/B), X(8 cyl. 289, 302)		1	
68/69	S(8 cyl. 429)		1	
69	A(8 cyl. 429)		1	
65/69	A, S	Snap ring (bearing to clutch shoe)	1	370377-S(QQ16)
65/69	A, S	Retainer-snap (brg. to clutch field hsg.)-2 1/4"	1	372642-S(QQ80)
	2995 HEAD - AIR CONDITIONER COMPRESSOR CYLINDER			
65/68	A, B, F, S, X(integral or hang-on A/C)	Tecumseh compressor	1	C3GY 2995-A
69/71	A, B, F, L, P, X(hang-on A/C)		1	
65/67	S	York compressor	1	C2SZ 2995-A
65/67	A. B, X		1	
65/67	F		1	
65/67	X	Tecumseh compressor - not replaced	1	★C0AE 2995-A
65/67	X	Lehigh or York compressor- not replaced	1	★C1AE 2995-A
68/69	A, B, F, S, X	York-Roto-lock type service valve-consists of	1	C8SZ 2995-A
70/71	A, B, F, L, P, X(hang-on A/C)	1 head & 2 gaskets	1	
72	A, B, F, P(hang-on A/C)	York-bolt down type service valves-consists of 1 head & 2 gaskets	1	D1FZ 2995-A
71/	L(hang-on A/C)		1	
70/	A, B, F, L, P, S, X(integral A/C)	Tecumseh compressor	1	D0AZ 2995-A
70/	A, B, F, L, P, S, X(integral A/C)	York compressor	1	D0AZ 2995-B

INDEX

PART NAME	GROUP NUMBER
A	
Absorber (steering shock)	3E651
Actuator (P/S gear valve)	3812
Actuator (steering column lock lever)	3E715
Actuator assy. (steering column lock)	3E723
Actuator kit (P/S control valve)	3783
Adapter (front suspension lower arm)	3375-6
Adapter (P/S pump to mounting)	3K505
Adapter & gusset (front suspension lower arm)	3A031-2
Adapter kit (P/S installation)	3A705
Adapter kit (P/S to A/C)	3A635
Adjuster (P/S control valve spool)	3B700
Adjuster (steering gear worm thrust bearing)	3A670
Arm (front axle spindle)	3130-1
Arm (steering gear sector shaft)	3590
Arm (steering idler)	3734, 3A734
Arm assy. (front axle radius)	3A360
Arm assy. (front suspension lower)	3078-9
Arm assy. (front suspension upper)	3082
Arm & bracket assy. (steering idler)	3355
Arm & bushing kit (steering idler)	3352
Axle assy. (front driving less wheels)	3002
B	
Ball joint (front suspension lower arm)	3050
Ball joint (front suspension upper arm)	3049
Ball kit (steering gear worm)	3647
Ball stud kit (steering drag link)	3A533
Bar assy. (steering front track)	3B239
Bearing (front axle spindle)	3123
Bearing (moveable steering column to track lower bracket)	3C728
Bearing (P/S gear input shaft)	3D525
Bearing (steering column release cam)	3D581
Bearing (steering gear rack adjustment)	3F515
Bearing (steering gear worm thrust)	3571
Bearing assy. (steering column tube)	3517
Bearing kit (P/S gear lower thrust)	3D730
Bearing kit (P/S gear upper thrust)	3D729
Bolt (front suspension lower arm mounting)	3057
Bolt (front suspension lower arm strut)	3B267
Bolt (P/S control valve spool)	3-3698
Bolt (P/S pump oil filter support or cover retaining)	3601
Bolt (steering column tube flange)	3641

PART NAME	GROUP NUMBER
B - cont'd.	
Boot (P/S cylinder)	3C528
Boot (steering column tube)	3C611
Boot & insulator kit (P/S cylinder)	3C651
Brace (moveable steering column track)	3C557
Bracket (front suspension bumper)	3382-3
Bracket (front suspension lower arm strut mounting)	3416
Bracket (front suspension radius arm mounting)	3B095
Bracket (front track bar mounting)	3B241
Bracket (moveable steering column track support)	3C574
Bracket (P/S cylinder mounting)	3A652
Bracket (P/S hose)	3C510
Bracket (P/S hose insulator)	3A611
Bracket (P/S oil cooler)	3D743
Bracket (P/S pump adjusting)	3A732
Bracket (P/S pump pressure & return tube)	3E596
Bracket (P/S pump support)	3562
Bracket (steering column release motor)	3E639
Bracket (steering column support)	3B139-40
Bracket (steering column to instrument panel)	3676-8
Bracket (steering gear mounting)	3E552
Bracket (steering idler arm mounting)	3350-1
Bracket (steering shock absorber)	3E652-3
Bracket assy. (front radius arm)	3B095
Bracket assy. (front suspension lower arm mounting)	3A134
Bracket assy. (front suspension lower arm strut mounting)	3486-7
Bracket assy. (front track bar mounting)	3B241
Bumper (front suspension)	3019-20
Bumper (steering column tube upper flange)	3D656
Bumper (steering column lock actuator)	3F529
Bushing (front suspension lower arm mounting bolt)	3069
Bushing (front suspension track bar)	3A116
Bushing (front suspension upper arm ball joint adjusting)	3B049
Bushing (front suspension upper arm inner shaft)	3068
Bushing (P/S control valve spool)	3A519
Bushing (steering column shaft)	3C773

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
B. cont'd.	
Bushing (steering gear housing sector shaft)	3576
Bushing (steering idler arm)	3356-8
Bushing assy. (front suspension track bar)	3A116
Bushing assy. (front suspension upper arm)	3062
Bushing kit (P/S cylinder mounting rod end)	3C590
Bushing & mounting kit (front suspension lower arm)	3048
Bushing & washer kit (front suspension lower arm strut)	3A187
C	
Cam & bolt (front suspension lower arm)	3B236-7
Cap (P/S control valve spool centering spring)	3C705
Cap (P/S gear cylinder)	3A745
Cap (P/S gear cylinder piston)	3D530
Cap (steering column position lock spring)	3E518
Cap (steering stop)	3B279
Cap assy. (P/S pump oil reservoir filler)	3A006
Cap kit (P/S control valve spool centering spring)	3C705
Case assy. (front axle differential gear)	4204
Clamp (front wheel spindle connecting rod)	3287
Clamp (P/S control valve ball stud dust cover)	3A728
Clamp (P/S control valve ball stud sleeve)	3-3739
Clamp (P/S cylinder piston rod boot)	3C755
Clamp (steering column)	3506
Clamp (steering column shaft lower coupling)	3D699
Clamp (steering column to instrument panel)	3668
Clamp (steering gear ball return guide)	3544
Clamp assy. (P/S hose)	3A762
Clamp assy. (steering column)	3507
Clip (P/S hose)	3E523
Clip (P/S hose retaining)	3E506
Clip (steering column shaft insulation)	3E629
Collar (steering wheel hub)	3D687
Cone & roller (front axle differential)	1201, 4221
Cone & roller (front axle driving pinion front)	4630
Cone & roller (front axle driving pinion rear)	4621
Cooler assy. (P/S oil)	3D746
Coupling (steering gear input shaft to steering column shaft)	3A525
Cover (front axle housing)	4033
Cover (P/S control valve ball stud dust)	3A729
Cover (steering column instrument panel opening)	3A673
Cover (steering column opening)	3C525
Cover (steering column position control)	3D505
Cover (steering column position spring)	3E541
Cover (steering gear input shaft & worm)	3568

PART NAME	GROUP NUMBER
C. con'td.	
Cover (steering gear sector shaft housing)	3580
Cover (steering idler arm bearing)	3B042
Cover (steering wheel)	3D752
Cover (steering wheel hub lower)	3491
Cover (steering wheel sport grip)	3L600
Cover assy. (P/S pump housing)	3A698
Cover assy. (P/S pump oil reservoir)	3A582
Cup (front axle differential cone & roller)	4222
Cup (front axle driving pinion cone & roller front)	4628
Cup (front axle driving pinion cone & roller rear)	4616
Cup (front axle spindle bolt bearing)	3126
Cup (steering gear worm bearing)	3552-3
Cylinder assy. (P/S)	3A540
D	
Dampener kit (front axle king pin)	3B289
Deflector (front axle universal joint flange oil seal dust)	4859
Deflector (rear axle universal joint flange oil seal dust)	4859
Differential assy. (front axle)	4026
Dipstick (P/S pump)	3A006
Drag link (pitman arm & spindle end connecting)	3304
E	
Element (P/S pump oil reservoir filter)	3-3538, 3837
Emblem (steering wheel hub)	3649
End assy. (front wheel spindle connecting rod)	3A130-1
Extension (steering column tube flange)	3790
F	
Filter assy. (P/S pump housing oil)	3C602
Filter assy. (P/S pump reservoir oil)	3-3538
Fitting (P/S pump valve outlet)	3D654
Flange (steering column tube)	3511
Flange (steering column tube lower)	3D651
Flange assy. (front axle universal joint)	4851

INDEX

PART NAME	GROUP NUMBER
G	
Gasket (front axle cover)	4035-6
Gasket (front axle driving pinion oil slinger)	4671
Gasket (P/S control valve body)	3A740
Gasket (P/S pump cover)	3A760
Gasket (P/S pump oil reservoir cover)	3A642
Gasket (P/S pump oil reservoir cover retaining bolt)	3C719
Gasket (steering gear housing end plate)	3593
Gasket (steering gear sector shaft housing cover)	3581
Gasket & shim kit (steering gear housing cover)	3593
Gear (steering column lock)	3E717
Gear assy. (steering)	3504
Gear & flange assy. (power steering)	3A500
Gear kit (front axle differential side)	4236-7
Gear & pinion kit (front axle)	3222, 4209
Grommet (steering column opening)	3K680
Grommet (steering column to dash)	3512
Guide (front axle shaft inner)	3248
Guide (steering gear ball return)	3523
Guide assy. (front suspension spring)	3A197
Guide & clamp kit (steering gear ball return)	3523
Guide kit (P/S gear ball return)	3D727
H	
Hose (P/S reservoir to pump)	3691
Hose (P/S return line)	3A005
Hose (steering column release motor)	3D539
Hose (steering column release supply)	3D585
Hose (steering column release valve & supply)	3D537
Hose (steering column reservoir)	3D584
Hose assy. (P/S control valve to cylinder pressure)	3A714
Hose assy. (P/S control valve to cylinder return)	3A717
Hose assy. (P/S pressure line)	3A719
Hose assy. (P/S return line)	3A713
Housing assy. (front driving axle)	3010
Housing assy. (P/S pump)	3A643
Housing assy. (steering gear)	3548
Housing & spool assy. (P/S hydraulic control valve)	3B731
Hub (front axle locking differential gear clutch)	4946
I	
Idler arm & bracket assy. (steering)	3355
Impeller repair kit (P/S pump)	3A711
Index (steering column locking)	3B658
Input shaft assy. (steering gear)	3524
Insert (steering column lock)	3E716
Installation kit (P/S)	3A634-5
Insulator (front suspension radius arm)	3B203
Insulator (P/S control valve spool stop)	3C562
Insulator (P/S cylinder rod)	3A344
Insulator (P/S hose mounting)	3A609
Insulator (steering column)	3C577
Insulator (steering column bracket)	3682
Insulator (steering column lower flange)	3B564
Insulator (steering column shaft)	3E629
Insulator (steering gear)	3C716
Insulator assy. (P/S pump)	3-3640
Insulator & washer kit (steering shock absorber)	3F655
J	
Joint assy. (front suspension lower arm ball)	3050
Joint assy. (front suspension upper arm ball)	3049
Joint kit (front axle shaft)	3249
K	
Kit - refer to appropriate noun name For example Guide kit (P/S gear ball return)	3D727
Key (front door & ignition lock blank)	3685, 22053
Knob (steering column lock actuator)	3F531
L	
Lever (steering column locking)	3B661
Lever (steering column release)	3D544
Lever assy. (moveable steering column release)	3D543
Lever assy. (steering column lock actuator)	3F527
Limiting kit (P/S control valve reaction)	3C563
Link (steering sector shaft arm to spindle connecting rod)	3B163
Linkage kit (P/S installation)	3A634

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
M	
Motor (steering column release)	3D538
N	
Nut (front suspension lower ball joint retaining)	3A050
Nut (front suspension upper arm mounting bolt)	3B023
Nut (front suspension upper ball joint retaining)	3A049
Nut (P/S gear race)	3D627
Nut (steering column bracket retainer)	3E546
Nut (steering gear sector shaft adjusting)	3539
Nut (steering gear worm thrust bearing)	3707
O	
Orifice (P/S pump tube seat)	3A700
"O" ring (P/S gear control valve to housing)	3756
"O" ring (P/S pump oil reservoir orifice)	3-3547
"O" ring (P/S pump valve cap)	3-3618
P	
Pad assy. (steering wheel hub)	3623
Pawl (steering column release)	3E520
Pin (P/S pump rotor shaft)	3-3633
Pin (steering column locking lever)	3B663
Pin (steering column pivot)	3D739
Pin (steering column release cable)	3E683
Pinion gear kit (front axle differential)	4215
Pitman arm (steering)	3590
Pivot (moveable steering column)	3B650
Plate (P/S control valve cap adapter)	3-3712
Plate (P/S pump pressure)	3D590
Plate (P/S pump retainer end)	3D589
Plate (steering gear housing end)	3568
Plate kit (front axle locking differential)	4880
Plate & bushing (P/S pump)	3D643
Plug (front axle spindle arm)	3147
Plug (P/S control valve reaction control opening)	3A512-3
Plug (steering gear housing oil filler)	3538
Power steering installation kit	3A634-5
Pulley (P/S pump)	3A733
Pump assy. (P/S)	3A674

PART NAME	GROUP NUMBER
R	
Rack & worm assy. (steering gear)	3524
Reinforcement (front suspension housing spring seat)	3A072
Reinforcement (front suspension lower arm)	3399, 3B329
Reinforcement (P/S oil reservoir orifice)	3B563
Reservoir assy. (P/S pump oil)	3A697
Retainer (front axle radius arm bushing)	3B186
Retainer (front suspension lower arm ball joint seal)	3A027
Retainer (moveable steering column locking lever spring)	3C733
Retainer (P/S cylinder stud seal)	3D507
Retainer (P/S hose insulator mounting)	3A610
Retainer (P/S pump relief valve)	3-3627
Retainer (steering column clamp)	3D672
Retainer (steering column collar)	3E739
Retainer (steering column key cylinder lock)	3C610
Retainer (steering column lower bearing seal)	3510
Retainer (steering column opening cover)	3D638
Retainer (steering column position spring)	3E519
Retainer (steering column release cable)	3E636
Retainer (steering column release lever)	3E543
Retainer (steering column shroud)	3D695
Retainer (steering column tube)	3499
Retainer (steering column tube lower flange insulator)	3D767
Retainer (steering column upper bearing)	3B610, 3C610, 3839
Retainer (steering wheel horn ring)	3629
Retainer assy. (moveable steering column opening seal)	3D635
Retainer assy. (steering column lower bearing)	3D681
Rim (steering wheel horn ring)	3634
Ring (P/S gear cylinder cap retaining)	3A746
Ring (steering shaft lower bearing retainer)	3F543
Ring (steering wheel hub trim)	3656
Ring gear & pinion kit (front axle)	3222, 4209
Ring kit (P/S gear valve spool retaining)	3757
Rod (steering column position spring)	3E517
Rod (steering column release)	3E514-5
Rod assy. (front wheel spindle connecting)	3A130-1, 3280-1
Rod assy. (steering arm to idler arm)	3304
Rotor assy. (P/S pump)	3D607

INDEX

PART NAME	GROUP NUMBER
S	
Screw (front axle cover to housing)	4346
Screw (steering gear sector shaft adjusting)	3577
Seal (front axle shaft oil)	3254
Seal (front axle spindle arm open yoke)	3132
Seal (front axle spindle bolt dust)	3125
Seal (front axle spindle pin bearing grease)	3171
Seal (front suspension arm ball joint dust)	3A105
Seal (front suspension ball stud dust)	3332
Seal (P/S control valve spool centering spring cap)	3C706
Seal (P/S gear input shaft)	3D526
Seal (P/S gear input shaft dust)	3D527
Seal (P/S gear piston)	3805
Seal (P/S pump reservoir)	3D684
Seal (P/S pump rotor shaft oil)	3B592
Seal (steering ball stud dust)	3332
Seal (steering column opening weather)	3513
Seal (steering column shaft)	3B631
Seal (steering gear sector shaft housing oil)	3591
Seal (steering gear sector shaft oil)	3738
Seal assy. (front axle driving pinion oil)	4676
Seal assy. (rear axle driving pinion oil)	4676
Seal & gasket kit (P/S gear)	3C538
Seal & gasket kit (P/S pump)	3B584
Seal & gasket kit (P/S pump to reservoir)	3D684
Seal kit (P/S cylinder)	3A764
Seal kit (P/S gear adjuster plug)	3D733
Seal kit (P/S gear backup valve)	3D731
Seal kit (P/S gear guide)	3D727
Seal kit (P/S gear "O" ring)	3D734
Seal kit (P/S gear sector shaft)	3D732
Seat (P/S pump oil reservoir filter retaining spring)	3B754
Seat & bushing assy. (front suspension upper arm spring)	3388
Shaft (front axle differential pinion)	4211
Shaft (front suspension lower arm)	3057
Shaft (front suspension upper arm)	3056
Shaft (P/S pump rotor)	3B559
Shaft (steering gear sector)	3575
Shaft assy. (front axle)	3219-20
Shaft assy. (steering column)	3524
Shaft assy. (steering gear input)	3524

PART NAME	GROUP NUMBER
S. cont'd.	
Shaft & control assy. (P/S gear input)	3D517
Shaft & control kit (P/S gear input)	3524
Shaft & joint assy. (steering column)	3B676
Shaft kit (front suspension upper arm)	3047
Shield (front suspension spindle ball stud)	3B311
Shield (P/S splash lower)	3E634
Shield (P/S splash upper)	3E595
Shim (front axle differential bearing adjusting)	4067
Shim (front axle driving pinion adjusting)	4672
Shim (front axle spindle bolt)	3117
Shim (front suspension lower arm mounting)	3054
Shim (front suspension upper arm mounting)	3043
Shim, (P/S gear valve centering)	3D688
Shim kit (steering gear mounting)	3F546
Shim kit (steering gear sector shaft adjusting)	3A657
Shim & gasket kit (steering gear sector shaft cover)	3F518
Shock absorber (steering)	3E651
Shock absorber kit (steering)	3E650
Shroud (steering column)	3530
Sleeve (front wheel spindle connecting rod adjusting)	3310
Sleeve (steering column tube bearing)	3518
Sleeve kit (front wheel spindle connecting rod adjusting)	3310
Sleeve kit (steering drag link adjusting)	3310
Slinger (front axle driving pinion shaft oil)	4670
Slinger (front axle spindle yoke)	3C132
Snap ring (steering gear sector shaft adjusting screw)	3549
Socket (P/S control valve stud)	3A754
Spacer (front axle spindle bearing)	3299
Spacer (P/S control valve spool)	3A658
Spacer (P/S cylinder mounting)	3652
Spacer (P/S gear sector shaft seal)	3D529
Spacer (P/S pump adjusting bracket)	3D600
Spacer (steering column bracket)	3578
Spacer (steering column bracket insulator)	3E742
Spacer (steering column mounting bracket lower)	3E708
Spacer (steering gear frame)	3566
Spacer (steering gear pinion bearing)	3K599

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S. cont'd.	
Spindle assy. (front wheel)	3102-6
Spring (P/S control valve reaction limiting)	3C563
Spring (P/S gear control valve spool)	3A594
Spring (P/S pump flow control valve)	3A570
Spring (P/S pump oil filter retaining)	3B688
Spring (P/S pump pressure plate)	3D596
Spring (P/S pump slipper)	3B601
Spring (steering column lock)	3E696
Spring (steering column lock cylinder)	3E701
Spring (steering column lock retaining lever)	3F532
Spring (steering column locking lever)	3B664
Spring (steering column position)	3D655
Spring (steering column position lock)	3B768
Spring (steering column upper bearing)	3520.
Spring (steering gear rack adjustment bearing)	3K576
Spring assy. (ignition switch return)	3E746
Spring centering kit (P/S control valve)	3A675
Stop (P/S control valve spool travel regulator)	3C560
Strut (front suspension lower arm)	3468
Stud (P/S pump support)	3D683
Stud (steering drag link to selector arm ball)	3311
Stud repair kit (P/S hydraulic control ball)	3A533
Support (P/S pump)	3C511

PART NAME	GROUP NUMBER
T	
Tank assy. (P/S pump reservoir)	3A699
Tank & bracket assy. (steering column control vacuum)	3E547
Track assy. (moveable steering column)	3C571
Tube (P/S pressure line to valve)	3494
Tube (P/S return line hose to control valve)	3A575
Tube (steering column release valve)	3E558
Tube assy. (P/S control valve to cylinder rod end)	3A717
Tube assy. (P/S pressure outlet)	3E576
Tube assy. (steering column prime)	3509, 3514
U	
U-bolt (steering shock absorber)	3E654
Universal joint kit (front axle shaft)	3248
V	
Valve (steering column release)	3D536
Valve assy. (P/S hydraulic control)	3A730
Valve assy. (P/S pump)	3A561
Valve housing & spool (P/S hydraulic control)	3B731
Valve kit (P/S control valve return port relief)	3E710
Valve kit (P/S gear rear check)	3D728
Valve repair kit (P/S hydraulic control)	3A650
W	
Washer (P/S cylinder rod insulator)	3A345
Washer (P/S pump adjusting bracket)	3-3638
Washer (steering column socket-thrust)	3C708
Washer (steering gear worm sector thrust)	3579
Washer (steering shaft coupling bolt)	3C660
Wheel assy. (steering)	3600
Wire assy. (steering wheel relay switch)	3D568
Wire & terminal (steering shaft ground)	3B710
Worm gear & rack assy. (steering gear input)	3524

3002 AXLE ASSY. - FRONT DRIVING - LESS WHEELS


FRONT DRIVING AXLE IDENTIFICATION TAG

Each front driving axle is identified by a number which appears on a metal tag attached to the axle. In addition to this identification number the Dana part number, month and year of production and axle ratio also appear on this tag.

A second tag is attached to those axles which are equipped with locking type differentials.

Refer to the illustration below for the location of these identification tags. A guide listing these axle identification numbers in numerical and alphabetical sequence follows the illustration.

Axle assemblies, although not normally stocked as service items, may be obtained from the nearest assembly plant when used in current production. Order through your local Parts Distribution Center.



DANA AXLE IDENTIFICATION P.5383

AXLE IDENTIFICATION CHART

FORD I.D.NO.	DANA I.D.NO.	RATIO	FREE RUN. HUB	LOCK DIFF.	AXLE MODEL
C6TA-D	2760-5	4.56	No	No	30
C6TA-H	2760-1	4.10	Yes	No	30
C6TA-N	2760-3	4.10	No	No	30
C6TA-R	2760-7	4.56	Yes	No	30
C6TA-AB	602760-7	4.56	Yes	No	30
C6TA-AC	602760-3	4.10	No	No	30
C6TA-AD	602760-1	4.10	Yes	No	30
C6TA-AE	602760-5	4.56	No	No	30
C6TA-AM	602845-7	4.56	No	No	30
C6TA-AN	602845-3	4.10	No	No	30
C6TA-AR	602834-1	4.10	Yes	No	30
C6TA-AS	602845-5	4.56	No	No	30
C6TA-CT	602901-1	4.10	Yes	No	30
C6TA-CU	602901-2	4.10	Yes	Yes	30
C6TA-CV	602901-3	4.10	No	No	30
C6TA-CY	602901-4	4.56	Yes	No	30
C6TA-CZ	602901-5	4.56	Yes	Yes	30
C6TA-DA	602901-6	4.56	No	No	30
C6TA-DB	602901-7	3.50	Yes	No	30
C6TA-DC	602901-8	3.50	Yes	Yes	30
C6TA-DD	602901-9	3.50	No	No	30
C7TA-N	602905-5	4.56	Yes	Yes	30
C7TA-R	602905-4	4.56	Yes	No	30
C7TA-S	602905-6	4.56	No	No	30
C7TA-T	602905-2	4.10	Yes	Yes	30
C7TA-U	602905-1	4.10	Yes	No	30
C7TA-V	602905-3	4.10	No	No	30
C7TA-Y	602905-8	3.50	Yes	Yes	30
C7TA-Z	602905-7	3.50	Yes	No	30
C7TA-AA	602905-9	3.50	No	No	30
C8TA-AA	602990-8	3.50	Yes	Yes	30
C8TA-AB	602990-7	3.50	Yes	No	30
C8TA-AC	602990-9	3.50	No	No	30
C8TA-AD	602990-5	4.56	Yes	Yes	30
C8TA-AE	602990-4	4.56	Yes	No	30
C8TA-AF	602990-6	4.56	No	No	30
C8TA-AG	602990-2	4.10	Yes	Yes	30
C8TA-AH	602990-1	4.10	Yes	No	30
C8TA-AJ	602990-3	4.10	No	No	30
C9TA-V	603127-8	3.50	Yes	Yes	30
C9TA-Y	603127-7	3.50	Yes	No	30
C9TA-Z	603127-9	3.50	No	No	30
C9TA-AA	603127-4	4.56	Yes	No	30
C9TA-AB	603127-2	4.10	Yes	Yes	30
C9TA-AC	603127-1	4.10	Yes	No	30
C9TA-AD	603127-3	4.10	No	No	30
D1TA-LB	603218-4	3.54	Yes	Yes	44
D1TA-MB	603218-3	3.54	Yes	No	44
D1TA-NB	603218-1	3.54	No	No	44
D1TA-SB	603218-8	4.09	Yes	Yes	44
D1TA-RB	603218-11	4.55	Yes	No	44
D1TA-TB	603218-7	4.09	Yes	No	44
D1TA-UB	603218-5	4.09	No	No	44

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

3002 AXLE ASSY. - FRONT DRIVING - LESS WHEELS - continued

YEAR	MODEL	RATIO	WITH FREE RUNNING HUBS	W/O FREE RUNNING HUBS	AXLE IDENT. TAG	AXLE MODEL	QTY.	PART NUMBER
71/	U	4.55	x		D1TA-RA-RB	44	1	D1TA 3002-RB
71/	U(locking differential)	3.54	x		D1TA-LA-LB	44	1	D1TA 3002-LB

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A005 HOSE - POWER STEERING RETURN LINE. Also refer to Group 3A719			
65/	A, B, F, S, X	3/8" I.D.-5/8" O.D.-25" long bulk	AR	C7AZ 3A005-A
	3A006 CAP ASSY. - POWER STEERING PUMP OIL RESERVOIR FILLER			
65	A, B, F, S, X(8 cyl.)-without A/C	Dip stick approx. 3" long-Eaton-belt driven-side mounted pump	1 1	C1AA 3A006-A
65/66	A, B, F, X	Use with straight vertical reservoir filler tube for Ford pumps marked HBA-AC thru AC4, -AE thru AE4, -AG thru AG4, -AJ thru AJ2, -AN thru AN4, -AR thru AR4, -AS, -AS3, - -AT, AT3, -BC, -BC3	1	C5AZ 3A006-B
65/66	A, B, F, S, X	Use with angular reservoir filler tube for Ford pumps marked HBA-AD thru AD4, -AF thru AF4, -AH thru AH4, -AU, -AU3, -BB thru BB3	1	C5AZ 3A006-C
67/	A, B, F, P, X		1	D1VY 3A006-A
71/72	S	#HBA-BX, CR Ford type	1	
72	S	#HBA-CJ, Saginaw type	1	D2VY 3A006-A
65	B, F, X(6 cyl. 170, 200)-without A/C	Eaton-belt driven-side mounted pump	1	C3DZ 3A006-A
72	U		1	D1VY 3A006-A
	3010 HOUSING ASSY. - FRONT AXLE			
66	U	Use 1 each 8A 4616 outer cup & 8M 4621 outer brg.	1	C6TZ 3010-L
67	U	Use 1 ea. 8A 4616 outer cup & 8M 4621 outer brg.	1	C7TZ 3010-B
68/71	U "Before Ser. K20, 001"	Use 1 ea. 8A 4616 outer cup & 8M 4621 outer brg.	1	C8TZ 3010-A
71/	U "From Ser. K20, 001"		1	D1TZ 3010-B
	3019-20 BUMPER - FRONT SUSPENSION			
65/	A	Upper arm	2	C9AZ 3020-B
67/	S	Upper arm	2	
65/71	A	Lower arm	2	D1AZ 3020-A
67/71	S	Lower arm	2	
72	A, B, S	Lower arm	2	D3AZ 3020-A
65	B		2	C3OZ 3020-B
66/68	B, X		2	C6OZ 3020-A
67/69	F		2	
69/71	B		2	C9OZ 3020-A
69/70	X		2	
70/	F, P		2	
72	B	Upper arm	2	C9AZ 3020-B
65/66	S		2	C1SZ 3020-A
65	X(6 cyl.)		2	C3DZ 3020-A
65/66	F(6 & 8 cyl.)		2	
65	X(8 cyl.)		2	C5DZ 3020-B
66/	U	7/16"-20	2	C1TT 3020-C
65/	B, X	Nut (bumper to underbody)-5/16"-24	2	33798-S7-8(M62)
65/66	F		2	
66/68	B, X	Nut-5/16"-24 (bumper to 3382-3 bracket)	2	34443-S7-8(M79)
67/69	F		2	
		Lockwasher-5/16"		34806-S7(X64)
		Nut-(upper arm)-3/8"-24		33800-S8(M63)
		Lockwasher-3/8" I.D.-1/8" thick		34847-S8(X74)
68	S	Locknut (to upper arm)-3/8"-16	2	376575-S(MM173H)
65/	A	Locknut (lower arm bumper to arm)-3/8"-16	2	33799-S7(M52)
65/	A	Bolt (to arm)-1/2"-20 x 1 5/8"-serrated	4	382403-S7-8
67/	S		4	(BB243G)

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3B023 NUT - FRONT SUSPENSION UPPER ARM MOUNTING BOLT			
65/68	A	9/16"-12 square	4	C5AZ 3B023-A
67/68	S		4	
69/	A,S		4	C9AZ 3B023-A
72	B		4	
65	B	5/8"-11	4	C5OZ 3B023-B
	3A027 RETAINER - FRONT SUSPENSION LOWER ARM BALL JOINT SEAL			
65/71	A		2	C5AZ 3A027-A
67/71	S		2	
65/71	B		2	C5OZ 3A027-A
65/70	X		2	
66/	F		2	
70/	P		2	
68	A	Bolt-3/8"-24 x 1"	2	20389-S8(B171)
	A	Nut-3/8"-24	2	34445-S(M80)
	3A031-2 ADAPTOR and GUSSET - FRONT SUSPENSION LOWER ARM			
65	B	R. H. - On body	1	C2OZ 3A031-B
		L. H.	1	★C2OZ 3A032-A
		Bolt (bracket to body)-7/16"-14 x 1 1/8"	8	20410-S8(B103)
		Lockwasher-7/16"		34808-S8(X67)
		Nut-1/2"-13 x 3/4" (bracket to body)	4	33845-S8(M57)
		Lockwasher-1/2"	4	34809-S(X68)
66/69	B, X	Gusset only-R. H. to side member	1	C6OZ 3A031-A
		Gusset only-L. H. to side member	1	C6OZ 3A032-A
65	X	R. H.	1	C5DZ 3A031-A
		L. H. - not replaced	1	★C5DZ 3A032-A
	3B042 COVER - STEERING IDLER ARM BEARING			
65	X		2	C3DZ 3B042-A
65/66	F(6 cyl.)-M/S		2	
	3043 SHIM - FRONT SUSPENSION UPPER ARM MOUNTING			
65/71	F	1/8" thick-1.54" wide	AR	C5ZZ 3043-A
65	X		AR	
67/69	A		AR	
		1/32" thick-1.54" wide	AR	C5ZZ 3043-B
		1/64" thick-1.54" wide	AR	C5ZZ 3043-C
67/	A	1/8" thick	AR	LA 3043-B
69	F		AR	
		1/16" thick (also used as front fender shim)	AR	LA 3043-D
		1/32" thick	AR	LA 3043-A
72	S		2	D2SZ 3043-A
	3047 SHAFT KIT - FRONT SUSPENSION UPPER ARM			
65/72	A(all exc. H/D susp.) "Before 3/15/72"	Use with arm having rubber bushings with steel backing	2	C5AZ 3047-A
72	B(all exc. P/C & taxi) "Before 3/15/72"		2	
67/72	S "Before 3/15 72"	Consists of	2	
		1-C5AA 3056-A Shaft(11/16"-16 x 12 9/32")		
		2-C5AZ 3068-A Bushing(1 5/8" long)		
		2-C8AA 3A275-A Washer		
		2-380013-S8 Nut		
72	A,B,(exc.P/C & Taxi),S-"From 3/15/72"	Use with arm having rubber bushings with steel backing-consists of	2	D2AZ 3047-A
		1-D1SA 3056-AA Shaft(11/16"-16x 12 25/32")		
		2-D1SZ 3068-A Bushing (1 15/16" long)		
		2-C8AA 3A275-A Washer		
		2-380013-S100 Nut		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3047 SHAFT KIT - FRONT SUSPENSION UPPER ARM - continued			
65/	A(H/D susp.)	Use with arm having all steel bushings with	2	C5AZ 3047-B
72	B(P/C & Taxi)	internal & external thread & 1 7/16" hex. head	2	
		Consists of		
		1-C5AA 3056-B Shaft(3/4"-8 x 10 7/8")		
		2-C5AA 3056-D Bushing(1 29/32" long)		
		2-370367-S100 Seal		
65	B	Consists of	2	C3OZ 3047-B
		2-C5OZ 3B023-B Nut 2-87924-S7-8 Washer		
		1-C3OA 3056-B Shaft 2-370367-S100 Ring		
		2-C8OA 3068-AorB Bushing 2-377261-S8 Bolt		
		2-376539-S7 Washer		
66/71	B	Consists of	2	C6OZ 3047-A
67/	F	1-D5BW 3056-AA Shaft 2-380952-S100 Nut	2	
70/	P	2-C8OA 3068-A Bushing 2-381683-S8M Plug	2	
66/70	X	2-34849-S2 Washer 2-385148-S8M Fitting	2	
		2-370367-S100 "O" ring 2-384626-S100 Bolt		
71/72	L "Before 10/26/71"	Consists of	2	D1FZ 3047-A
		2-D12A 3A275-AA Washer 2-384376-S100 Nut		
		1-D12A 3056-AB Shaft		
		2-D1FZ 3068-A Bushing		
72	L "From 10/26/71"	Consists of	2	D2FZ 3047-A
		2-D12A 3A275-AA Washer 2-384376-S100 Nut		
		1-D12A 3056-AB Shaft		
		2-D2FZ 3068-A Bushing		
65/66	S	Consists of	2	C3SZ 3047-A
		1-C3SA 3056-A Shaft 2-373518-S2 Bolt		
		2-C2SZ 3068-A Bushing 2-374268-S L/washer		
		2-55752-S7 Nut 2-374269-S Seal		
		2-87921-S Fitting		
65	X	Consists of	2	C3DZ 3047-A
65/66	F	1-C3DA 3056-A Shaft 2-87924-S7-8 Fitting	2	
		2-C8OA 3068-AorB Bushing 2-370367-S100 Ring		
	3048 BUSHING and MOUNTING KIT - FRONT SUSPENSION LOWER ARM			
65/	A	Lower arm-consists of	2	C5AZ 3048-A
67/	S	1-C5AZ 3069-A Bushing 1-34448-S8 Nut	2	
72	B	1-381668-S100 Bolt	2	
66/71	B	Control arm mounting-consists of	2	C6OZ 3048-A
67/	F	1-C6OZ 3069-A Bushing 1-C6OA 3B238-A Cam	2	
70/	P	1-C8OA 3B236-A Bolt 1-33845-S8 Nut	2	
66/70	X		2	
	3049 JOINT ASSY. - FRONT SUSPENSION UPPER ARM BALL			
65/71	A	Repl. by assy. - refer to Group 3082	2	★C7AZ 3049-C
67/71	S		2	
72	A,B,S	Serviced in 3082 upper arm assy.		★
65	B	R.H.-includes (1) stud nut,(2) bolts & nuts,(1) plug & (1) ball joint	1	C2OZ 3049-C
		L.H.-includes (1) stud nut, (2) bolts & nuts, (1) plug & (1) ball joint	1	C2OZ 3049-D
66/69	B	4 bolt pattern	2	•C7OZ 3049-A
65/69	F,X		2	
70	P "Before 7/14/69"		2	
70/71	B	3 bolt pattern-includes (1) stud nut, (3) bolts &	2	D0OZ 3049-A
70/	F	nuts, (1) fitting & (1) ball joint	2	
70/	P "From 7/14/69"		2	
70	X		2	
71/	L	Includes (1) stud nut, (2) bolts & nuts, (1) plug & (1) ball joint	2	D1FZ 3049-A
65/66	S	Includes (1) stud nut & (1) ball joint	2	C3SZ 3049-A
71/	U "From Ser. K20,001"		2	D3TZ 3049-A

• When upper arm & joint assy.(basic 3082-3) with 4 bolt ball joint pattern has been replaced by assembly with 3 bolt joint pattern, D0OZ 3049-A must be used for subsequent ball joint replacement.

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3049 JOINT ASSY. - FRONT SUSPENSION UPPER ARM BALL - continued			
65/71	A	Nut 9/16"-18 castle head, 7/8" wide, 5/8" thick (stud nut)	1	382826-S100
67/71	S		1	(MM59U)
		Bolt 3/8"-24 x 1" hex hd.(joint to arm)	2	20389-S7-8(B171)
		Nut 3/8"-24 lock, 9/16" wide, 13/32" thick (joint to arm)	2	34445-S8(M80)
		Fitting 1/4"-28 (ball joint lube)	1	381682-S(II206H)
65	B	Nut 9/16"-18 castle hd.hex., 7/8" wide, 5/16" thick(stud nut)	1	34033-S18(M11)
66/71	B	Nut 9/16"-18 castle hd.hex.7/8" wide, 5/8" thick(stud nut)	1	382826-S100
65/71	F, P, X			(MM59U)
65/71	B, F, P, X	Bolt 5/16"-24 x 1" special socket pen hd.(joint to arm)	3or4	378268-S2
71/	L		2	(BB817T)
		Nut 5/16"-24 lock hex.hd., grade 8 steel (joint to arm)	3or4	34445-S8(M80)
		Fitting 3/8"-24 (ball joint tube)	1	381682-S(II206-H)
65/66	S	Nut 5/8"-18 hex.hd., 7/32" thick (joint to arm)	1	★378029-S
	3A049 NUT - FRONT SUSPENSION UPPER BALL JOINT RETAINING			
71/	U "From Ser. K20, 001"		1	D1TZ 3A049-A
	3B049 BUSHING - FRONT SUSPENSION UPPER BALL JOINT ADJUSTING			
71/	U "From Ser. K20, 001"		1	D1TZ 3B049-A
	3050 JOINT ASSY. - FRONT SUSPENSION LOWER ARM BALL			
65/71	A	Repl. by assy. - refer to Group 3078-9	2	★C7AZ 3050-B
67/71	S		2	
72	A, B, F, P, S	Serviced in 3078 (R.H.) or 3079 (L.H.) arm assy.		3050
71/	L		2	D1FZ 3050-A
65/66	S	R.H.	1	C3SZ 3050-A
	Consists of			
	1-C3SA 3A027-A Retainer	1-34033-S8 Nut	3-34806-S7 Lockwasher	
	1-C3SA 3A105-B Seal	1-72035-S7-8 Cotter pin	3-378064-S8 Screw	
	1-C4SA 3395-A Ball joint	3-351089-S8 Nut	1-I.S. No. 875	
65/66	S	L.H.	1	C3SZ 3050-B
	Consists of			
	1-C3SA 3A027-A Retainer	1-34033-S8 Nut	3-351089-S8 Nut	
	1-C3SA 3A105-B Seal	3-34806-S7 Lockwasher	3-378064-S8 Screw	
	1-C4SA 3A106-A Ball joint	1-72035-S7-8 Cotter pin	1-I.S. No. 875	
71/	U (front axle) "From Ser. K20, 001"		2	D3TZ 3050-A
67/71	A	Fitting-1/4"-28-lube-break-off	2	381682-S(II-206H)
68	S	Locknut (joint to arm)-3/8"-24	4	34445-S(M80)
68	A, S	Plug-1/4"-28	2	374714-S(PP35A)
68	S	Bolt (joint to arm)-3/8"-24 x 1"	4	20389-S8(B171)
65/71	A, S	Nut (joint to spindle)-5/8"-18	2	381612-S(MM61A)
	3A050 NUT - FRONT SUSPENSION LOWER BALL JOINT RETAINING			
71/	U (front axle) "From Ser. K20, 001"		1	D1TZ 3A050-A
	3054 SHIM - FRONT SUSPENSION LOWER ARM MOUNTING			
65/66	S	3 3/4" x 2 1/2"- 1/8" thick	AR	C1SS 3054-C
	S	3 3/4" x 2 1/2"- 1/32" thick	AR	C1SS 3054-D
	3056 SHAFT - FRONT SUSPENSION UPPER ARM - Serviced in 3047 kit			

YEAR	MODEL	OVERALL LENGTH	HOLE CENTER	THREAD	QTY.	PART NUMBER
65/69	A (except 8 cyl. 427)	12 9/32"	6"	11/16"-16	2	*C5AA 3056-A
67/69	S				2	
65/69	A (8 cyl. 427)	10 7/8"	6"	3/4"-8	2	*C5AA 3056-B
65	B	9 3/8"	4 1/4"	3/4"-11	2	*C3OA 3056-B
66/71	B, X	9 23/64"	4 3/4"	3/4"-8	2	*C6OA 3056-A
67/	F, P				2	
65/66	F	8 23/32"	3 3/4"	3/4"-8	2	*C3DA 3056-A
65	X				2	
65/66	S	10 19/32"	5 1/2"	7/8"-8	2	*C3SA 3056-A

* Supplied in 3047 kits

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3056 SHAFT - FRONT SUSPENSION UPPER ARM - continued - Serviced in 3047 kit			
65/66	S	Bolt (shaft to upper arm)-7/16"-20 x 1 1/8"	4	20411-S7(B184)
65	X		4	
		Lockwasher-7/16"		34808-S8(X67)
65/	A, B, F, X	Seal (shaft)-. 736" I. D.	4	370367-S100(KK49)
65/	S	Seal (shaft)-. 859" I. D. -. 189" wide-Rubber	4	374269-S(KK49B)
65/	A	Locknut(to arm)-11/16"-16	2	380013-S7-8
67/	S		2	(MM179B)
72	B		2	
66/71	B	Bolt-1/2" x 13-1 7/8" (shaft to body)	4	380459-S
66/	F, P, X			(BB390AC)
		Nut-1/2"-13	4	380952-S
				(MM-II-B)
		Lockwasher-1/2"	4	34809-S(X68)
65/66	F	Bolt-1/2"-20 x 2 3/8" (shaft to body)	4	379329-S(BB390Y)
65	X		4	
		Nut-1/2"-20 x 3/4"	4	33846-S(M69)
		Washer-1/2"	4	34809-S(X68)
	3068 BUSHING - FRONT SUSPENSION UPPER ARM SHAFT - Also supplied in 3047 Kit			
65/72	A(all exc. H/D susp.) "Before 3/15/72"	Rubber bushing with steel backing-1 5/8" long,	4	C5AZ 3068-A
72	B(all exc. P/C & Taxi) "Before 3/15/72"	3/4" I.D., step shoulder O.D.	4	
67/72	S "Before 3/15/72"		4	
72	A, B, (exc. P/C & Taxi), S- "From 3/1/72"	Rubber bushing with steel backing-1 15/16" long (use with arm #D2AA 3392-AC or D3AA 3392-AA)	4	D1SZ 3068-A
65/	A(H/D susp.)	All steel-1 29/32" long, 16 pitch special	4	★C5AA 3068-D
72	B(P/C & Taxi)	thread on O.D., 3/4"-8 thread on I.D., 1 7/16" hex. head-serviced in 3047 kit only	4	
65/66	S	1/4"-28 lube fitting hole	4	C2SZ 3068-A
71/72	L "Before 10/26/71"		4	D1FZ 3068-A
72	L "From 10/26/71"		4	D2FZ 3068-A
	3069 BUSHING - FRONT SUSPENSION LOWER ARM MOUNTING BOLT - Also supplied in 3048 Kit			
65/	A	1/2" I. D. -3 3/8" long	2	C5AZ 3069-A
72	B		2	
67/	S		2	
65	B	1/2" I. D. -2 13/16" long	2	C2OZ 3069-B
66/71	B, X	1/2" I. D.	2	C6OZ 3069-A
67/	F		2	
70/	P		2	
71/	L		2	D1FZ 3069-A
65/66	S	1/2" I. D.	2	C1SS 3069-C
65/	A	Bolt-1/2"-13 x 4 3/4" hex. hd. (lower arm	1	381668-S
67/	S	bushing mounting)		(BB199E)
		Locknut-1/2"-13	1	375032-S36
				(MM173D)
	3A072 REINFORCEMENT - FRONT SUSPENSION HOUSING SPRING SEAT			
65	X	On body	2	C4DZ 3A072-B
	3078-9 ARM ASSY. - FRONT SUSPENSION LOWER			
65/68	A	R.H.-includes arm, bushings, joint and nut	1	C8AZ 3078-A
		L.H.-includes arm, bushings, joint and nut	1	C8AZ 3079-A
69	A	R.H.-includes arm, bushings, joint and nut	1	C9AZ 3078-C
		L.H.-includes arm, bushings, joint and nut	1	C9AZ 3079-C
70/72	A "Before 5/22/72"	R.H.-includes arm, bushings, joint and nut	1	D2AZ 3078-A
		L.H.-includes arm, bushings, joint and nut	1	D2AZ 3079-A
72	A "From 5/22/72"	R.H.-includes arm, bushings, joint & nut	1	D3AZ 3078-A
		L.H.-includes arm, bushings, joint & nut	1	D3AZ 3079-A

Identification marking

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	3078-9 ARM ASSY. - FRONT SUSPENSION LOWER - continued				
65	B		R. H. -includes joint	1	C4OZ 3078-A
			L. H. -includes joint	1	C4OZ 3079-A
66/67	B		R.H.& L.H.includes arm,bushings,joint & nut	2	C7OZ 3078-B
68/71	B		R.H.& L.H.includes arm,bushings,joint & nut	2	D1OZ 3078-A
72	B		R.H.-includes arm, bushings, joint and nut	1	D3AZ 3078-A
			L.H.-includes arm, bushings, joint and nut	1	D3AZ 3079-A
65/66	F		R.H. & L.H.includes arm,bushings,joint & nut	2	C4DZ 3078-A
67	F		R.H. & L.H.includes arm,bushings,joint & nut	2	C7OZ 3078-B
68/	F		R.H. & L.H. includes arm,bushings,joint & nut	2	D1OZ 3078-A
71	L	"Before 11/23/70"		2	D1FZ 3078-A
71/	L	"From 11/23/70"		2	D1FZ 3078-B
70/	P		R.H. & L.H. includes arm, bushings, joint & nut	2	D1OZ 3078-A
65/66	S		R. H. -includes joint - not replaced	1	★C5SZ 3078-A
			L. H. -includes joint	1	C5SZ 3079-A
67/68	S		R.H.-includes arm, bushings, joint and nut	1	C8AZ 3078-A
			L.H.-includes arm, bushings, joint and nut	1	C8AZ 3079-A
69	S		R.H.-includes arm, bushings, joint and nut	1	C9LY 3078-C
			L.H.-includes arm, bushings, joint and nut	1	C9LY 3079-C
70/71	S		R.H.-includes arm, bushings, joint and nut	1	D0VY 3078-A
			L. H. -includes arm, bushings, joint and nut	1	D0VY 3079-A
72	S		R.H.-includes arm, bushings, joint and nut	1	D3AZ 3078-A
			L.H.-includes arm, bushings, joint and nut	1	D3AZ 3079-A
65	X		R.H. & L.H.includes arm,bushings,joint & nut	2	C4DZ 3078-A
66/67	X		R.H. & L.H. includes arm,bushings, joint & nut	2	C7OZ 3078-B
68/70	X		R.H. & L.H. includes arm,bushings,joint & nut	2	D1OZ 3078-A
65/	A,S		Bolt (to No. 2 cross member)-1/2"-13 x 4 3/4"	2	381668-S7-8 (BB199E)
65/66	A		Nut-5/8"-18 castle slotted hd. (lower arm joint to spindle)	AR	34034-S(M12)
65/	A, B, F, S, X		Plug-1/4"-28 threaded	AR	374714-S(PP35A)
65	B		Bolt (arm to bracket)-1/2"-13 x 3 15/16"	2	C1VE 6345-A
65/66	S		Bolt (arm to underbody)-7/16"-20 x 1 1/2"	4	20471-S7(B188)
65/66	S		Screw (arm to reinforcement)-5/16"-24 x 1"	6	378064-S7-8 (BB380D)
65	B		Nut-9/16"-18 (arm to spindle)	2	34033-S(M11)
65/	A, B, F, S, X		Fitting-lubricator-1/4"-28	AR	87924-S8(I-9)
67/	A,S		Nut-slotted (to spindle)-5/8"-18	2	381612-S36 (MM61A)
68	B, F, X		Nut (arm to underbody)-1/2"-13	2	380952-S(MM11B)
68/	A,S		Nut-1/2"-20 (arm to frame)	2	375032-S36 (MM173D)
69	A		Nut-1/2"-13 (arm to frame)	AR	382599-S100 (MM173MZ)
71/	L		Nut-1/2"-13 (arm to frame)	2	384389-S2 (BB405HB)
	3082-3 ARM ASSY. - FRONT SUSPENSION UPPER				
65/72	A(exc. P/C & Taxi)		With rubber bushings	2	▲D2AZ 3082-A
65/69	A(P/C & Taxi)		With steel bushings	2	■ C9AZ 3082-B
70/72	A(P/C & Taxi)		With steel bushings	2	■ C9AZ 3082-D
65	B		R.H.includes arm,shaft,bushings & joint	1	C3OZ 3082-A
			L.H.includes arm,shaft,bushings & joint	1	C3OZ 3083-A
66/71	B		Includes arm, shaft, bushings & joint	2	•D0OZ 3082-A
72	B(exc. P/C & Taxi)	"Before 3/15/72"	With rubber bushings	2	▲D2AZ 3082-A
	B(exc.P/C & Taxi)	"From 3/15/72	#D2AA 3392-AC with rubber bushings	2	▲D3AZ 3082-C
	B(P/C & Taxi)		With steel bushings	2	■ D3AZ 3082-B
65/66	F		Includes arm,shaft,bushings,joint & attaching bolts	2	C4DZ 3082-B
67/	F		Includes arm, shaft, bushings and joint	2	•D0OZ 3082-A

• Arm has ball joint with (3) bolts pattern and replaces arms with (4) bolts pattern # Identification marking

▲ Includes arm, shaft, bushings, washers, nuts and ball joint ■ Includes arm, shaft, bushings, ball joint and stud nut

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3082-3 ARM ASSY. - FRONT SUSPENSION UPPER - continued			
71/72	L	#D32A 3392-AA	2	D3FZ 3082-A
70/	P	Includes arm, shaft, bushings and joint	2	●D0OZ 3082-A
65/66	S	R.H.includes arm & joint assy.(see basic 3047 for shaft & bushings)	1	C3SZ 3082-B
		L.H.includes arm & joint assy.(see basic 3047 for shaft & bushings)	1	C3SZ 3083-A
67/72	S	#D2AA 3392-AC	2	▲D2AZ 3082-A
65	X	Includes arm,shaft,bushings,joint & attaching bolts	2	C4DZ 3082-B
66/70	X	Includes arm, shaft, bushings and joint	2	●D0OZ 3082-A
65/	A	Bolt (to frame)-9/16"-12 x 2 3/8"	4	★371602-S7-8
67/	S		4	
		Nut-1/2"-20		33846-S8(M69)
		Lockwasher-1/2"		34809-S8(X68)
65/	A, B	Plug-1/4"-28 (threaded)-upper arm ball joint	AR	374714-S(PP35A)
67/	S		AR	
72	B		AR	
		Nut-9/16"-18 castle slotted hd. (upper arm ball joint to spindle)	AR	34033-S(M11)
		Cotter pin	AR	72035-S(N51)
72	A,S,F,P,S	Fitting 1/4"-28 (ball joint)	2	385148-S8M(II206K)
65	B	Bolt-5/8"-18 x 2 13/16" pilot (upper arm shaft to adaptor)	2	★376537-S
		Nut-1/2"-13		380952-S2(MM11B)
65/71	B	Fitting-lubricator (arm) - 1/4"-28-90°	4	87924-S8(I-9)
65	B	Bolt (to underbody)-5/8"-11 x 2.83"-washer hd.	4	377261-S7-8(BB412)
66/	B, X	Bolt (to underbody)-1/2"-13 x 1 7/8" serrated	2	380459-S2
67/	F		2	(BB390AC)
65	F, X	Bolt (arm to underbody) 1/2"-20 x 2 25/64"-serrated	4	379329-S(BB390Y)
66	F		4	
71/	L	Nut & retainer assy.-1/2"-13 (arm to frame)	4	384504-S100 (MM192VX)
		Bolt-1/2"-13 x 1 1/2" (arm to frame)	4	384503-S100 (BB552CG)
		Nut-9/16"-18 (arm to spindle)	2	382826-S100 (MM59W)
65/66	S	Bolt (arm to underbody)-1/2"-13 x 2 1/4" serrated	4	373518-S2(BB390E)
	3B095 BRACKET - FRONT SUSPENSION RADIUS ARM MOUNTING			
66/	U	R. H.	1	C6TZ 3B095-C
		L. H.	1	C6TZ 3B095-D
	3102-6 SPINDLE ASSY. - FRONT WHEEL			
	- A -			
65/68	A(drum brakes)	R.H.	1	C5AZ 3105-A
		L.H.	1	C5AZ 3106-A
66/67	A(disc brakes)	R.H.-#C6AA 3107-C or #C7AA 3107-B	1	C7SZ 3105-A
		L.H.-#C6AA 3108-C or #C7AA 3108-B	1	C7SZ 3106-A
68	A(exc.Special)(disc brakes)	R.H.-#C8SA 3107-B	1	C8SZ 3105-A
		L.H.-#C8SA 3108-B	1	C8SZ 3106-A
	A(Special)-track use only	R. H.	1	★C0AZ 3102-B
		L. H.	1	★C0AZ 3103-B
69	A (drum brakes)	R.H.	1	C9AZ 3105-B
		L.H.	1	C9AZ 3106-B
	A(disc brakes)	Spindle-R.H.	1	● C9SZ 3105-E
		-L.H.	1	C9SZ 3106-A
70/71	A (drum brakes)	R. H. -#D0AA 3107-A-13/16-20 thread at stud	1	D0AZ 3105-A
		L. H. -#D0AA 3108-A-13/16-20 thread at stud	1	D0AZ 3106-A
	A(Disc brakes)	R.H.-#D0SA 3107-A, #D2AA 3107-BA,BB-13/16-20 thrd. at stud	1	D2AZ 3105-B
		L.H.-#D0SA 3108-A, #D2AA-3108-BA,BB-13/16-20 thrd. at stud	1	D2AZ 3106-B

● Arm has ball joint with 3 bolts pattern & replaces arms with 4 bolts pattern

▲ Includes arm, shaft, bushings, washers, nuts & ball joint

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3102-6 SPINDLE ASSY. - FRONT WHEEL - continued			
	- A -			
72	A(disc brakes)	R.H.-#D0SA 3107-A, #D2AA 3107-BA, BB-13/16-20 thrd. at stud	1	D2AZ 3105-B
		L.H.-#D0SA 3108-A, #D2AA 3108-BA, BB-13/16-20 thrd. at stud	1	D2AZ 3106-B
	A(drum brakes)-exc. P/C & Taxi	R.H.-#D0AA 3107-A-13/16-20 thrd. at stud	1	D0AZ 3105-A
		L.H.-#D0AA 3108-A-13/16-20 thrd. at stud	1	D0AZ 3106-A
	A(drum brakes)-P/C & Taxi	R.H.-#D2AA 3107-AA-13/16-20 thrd. at stud	1	D2AZ 3105-A
		L.H.-#D2AA 3108-AA-13/16-20 thrd. at stud	1	D2AZ 3106-A
	- B -			
65	B	R.H.	1	C4OZ 3105-A
		L.H.	1	C4OZ 3106-A
66	B(drum brakes)	Kit - R.H.	1	▲●C9OZ 3105-C
		- L.H.	1	▲●C9OZ 3106-C
67	B(drum or disc brakes)	Kit - R.H.	1	▲●C9OZ 3105-C
		- L.H.	1	▲●C9OZ 3106-C
68/69	B(drum brakes)	Kit - R.H.	1	▲●C9OZ 3105-C
		- L.H.	1	▲●C9OZ 3106-C
	B(disc brakes)	Spindle - R.H.	1	C8OZ 3105-A
		- L.H.	1	C8OZ 3106-A
		Kit - R.H.	1	●C9OZ 3105-D
		- L.H.	1	●C9OZ 3106-D
70/71	B (drum brakes)	R.H. - 13/16"-20 thread at stud	1	D3DZ 3105-A
		L.H. - 13/16"-20 thread at stud	1	D3DZ 3106-A
	B (disc brakes)	R.H.-#D0ZA 3107-C	1	D0OZ 3105-B
		L.H.-#D0ZA 3108-C	1	D0OZ 3106-B
72	B	R.H.-#D2OA 3107-AE,BA	1	D2OZ 3105-B
		L.H.-#D2OA 3108-AE,BA	1	D2OZ 3106-B
	- F -			
65/66	F(6 cyl.)	R.H.	1	C3DZ 3105-A
		L.H.	1	C3DZ 3106-A
	F(8 cyl.)	Kit - R.H.	1	●C9ZZ 3105-C
		- L.H.	1	●C9ZZ 3106-C
67	F(drum or disc brakes)	Kit - R.H.	1	▲●C9OZ 3105-C
		- L.H.	1	▲●C9OZ 3106-C
68/69	F(drum brakes)	Kit - R.H.	1	▲●C9OZ 3105-C
		- L.H.	1	▲●C9OZ 3106-C
	F(exc.Boss) (disc brakes)	Spindle - R.H.	1	C8OZ 3105-A
		- L.H.	1	C8OZ 3106-A
		Kit - R.H.	1	●C9OZ 3105-D
		- L.H.	1	●C9OZ 3106-D
69	F-Boss 302 (disc brakes)	R.H.-#D0ZA 3107-B	1	C9ZZ 3105-A
		L.H.-#D0ZA 3108-B	1	C9ZZ 3106-A
	F-Boss 429 (disc brakes)	R.H.	1	C9ZZ 3105-B
		L.H.	1	C9ZZ 3106-B
70	F(exc.GT350/500)(disc brakes)	R.H.-#D0ZA 3107-C	1	D0OZ 3105-B
		L.H.-#D0ZA 3108-C	1	D0OZ 3106-B
	F(GT350/500)(disc brakes)	Spindle - R.H.	1	C8OZ 3105-A
		- L.H.	1	C8OZ 3106-A
		Kit - R.H.	1	●C9OZ 3105-D
		- L.H.	1	●C9OZ 3106-D
	F(drum brakes)	R.H.-13/16"-20 thread at stud	1	D3DZ 3105-A
		L.H.-13/16"-20 thread at stud	1	D3DZ 3106-A

● Includes spindle, inner-outer cup & bearing, washer, retaining nut & cotter pin # Identification marking

▲ For disc brakes use w/2 B134 R.H. or 2 B135 L.H. brackets for caliper mounting

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	3102-6 SPINDLE ASSY. - FRONT WHEEL - continued				
	- F -				
71/72	F(drum brakes)		R.H.-#D1OA 3107-AA-13/16"-20 thrd.at stud	1	D1OZ 3105-A
			L.H.-#D1OA 3108-AA-13/16"-20 thrd at stud	1	D1OZ 3106-A
	F(disc brakes)		R.H.-#D1ZA 3107-AA-13/16"-20 thread at stud	1	D1ZZ 3105-A
			L.H.-#D1ZA 3108-AA-13/16"-20 thread at stud	1	D1ZZ 3106-A
	- L -				
71/72	L(drum brakes)		R.H.-#D12A 3105-AA, AB-13/16"-20 thrd.at stud	1	D1FZ 3105-A
			L.H.-#D12A 3106-AA, AB-13/16"-20 thrd.at stud	1	D1FZ 3106-A
	L(disc brakes)		R.H.-#D12A 3105-BA, BB, BC, BD-13/16"-20 thread at stud	1	D1FZ 3105-B
			L.H.-#D12A 3106-BA, BB, BC, BD-13/16"-20 thread at stud	1	D1FZ 3106-B
	- P -				
70	P(drum brakes)	"Before 8/25/69"	R.H.-#D0OA 3107-A-3/4"-16 thread at stud	1	D0OZ 3105-A
			L.H.-#D0OA 3108-A-3/4"-16 thread at stud	1	D0OZ 3106-A
	P(drum brakes)	"From 8/25/69"	R.H. - #D0OA 3107-E - 13/16"-20 thread at stud	1	D3DZ 3105-A
			L.H. - #D0OA 3105-E - 13/16"-20 thread at stud	1	D0OZ 3106-C
71/72	P	"Before 5/22/72"	Spindle - R.H.-#D0OA 3107-F-13/16"-20 thread at stud	1	D3DZ 3105-A
			- L.H.-#D0OA 3108-F-13/16"-20 thread at stud	1	D3DZ 3106-A
72	P	"From 5/22/72"	Spindle - R.H.-#D3DA 3107-AA	1	D3DZ 3105-A
			- L.H.-#D3DA 3108-AA	1	D3DZ 3106-A
	- S -				
65/66	S		R.H.	1	C5SZ 3105-A
			L.H.	1	C5SZ 3106-A
67	S		Spindle - R.H.-#C6AA 3107-C or #C7AA 3107-B	1	C7SZ 3105-A
			- L.H.-#C6AA 3108-C or #C7AA 3108-B	1	C7SZ 3105-A
68	S		R.H.	1	C8SZ 3105-A
			L.H.	1	C8SZ 3106-A
69	S		Kit - R.H.	1	•C9AZ 3105-E
			- L.H.	1	C9SZ 3106-A
70/71	S		Spindle - R.H.-#D0SA 3107-A, D2AA 3107-BA, BB	1	D2AZ 3105-B
			- L.H.-#D0SA 3108-A, D2AA 3108-BA, BB	1	D2AZ 3106-B
72	S		R.H.-#D2OA 3107-AD, AE	1	D2OZ 3105-A
			L.H.-#D2OA 3108-AD, AE	1	D2OZ 3106-B
	- U -				
66/	U			2	C6TZ 3105-A
	- X -				
65	X(6 cyl.)		Spindle - R.H.	1	C3DZ 3105-A
			- L.H.	1	C3DZ 3106-A
			Kit - R.H.	1	•C9ZZ 3105-C
			- L.H.	1	•C9ZZ 3106-C
66	X(drum brakes)		Kit - R.H.	1	▲•C9OZ 3105-C
			- L.H.	1	▲•C9OZ 3106-C
67	X(drum or disc brakes)		Kit - R.H.	1	▲•C9OZ 3105-C
			- L.H.	1	▲•C9OZ 3106-C
68/69	X(drum brakes)		Kit - R.H.	1	▲•C9OZ 3105-C
			- L.H.	1	▲•C9OZ 3106-C
	X(disc brakes)		Spindle - R.H.	1	C8OZ 3106-A
			- L.H.	1	C8OZ 3106-A
			Kit - R.H.	1	•C9OZ 3105-D
			- L.H.	1	•C9OZ 3106-D
70	X(disc brakes)		Spindle - R.H.	1	C8OZ 3105-A
			- L.H.	1	C8OZ 3106-A
			Kit - R.H.	1	•C9OZ 3105-D
			- L.H.	1	•C9OZ 3106-D

• Includes spindle, inner-outer cup & bearing, washer, retaining nut & cotter pin # Identification marking

▲ For disc brakes use w/2B134 R.H. or 2B135 L.H. brackets for caliper mounting

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3102-6 SPINDLE ASSY. - FRONT WHEEL - continued			
	- X -			
70	X(drum brakes) "Before 8/25/69"	Kit - R.H.-#D0OA 3107-A-3/4"-16 thread at stud	1	D0OZ 3105-A
		- L.H.-#D0OA 3108-A-3/4"-16 thread at stud	1	D0OZ 3106-A
	X(drum brakes) "From 8/25/69 to 9/15/69"	Spindle - R.H.-#D0OA 3107-E - 13/16"-20 thread at stud	1	D3DZ 3105-A
		- L.H.-#D0OA 3108-E - 13/16"-20 thread at stud	1	D0OZ 3106-C
	X(drum brakes) "From 9/15/69"	R.H.-3/4"-16 thread at stud	1	D3DZ 3105-A
		L.H.-3/4"-16 thread at stud	1	D3DZ 3106-A
65/	A, B, F, P, S, X	Nut & nut retainer-front wheel spindle bearing-Refer to Group 1102		
	3A105 SEAL - FRONT SUSPENSION ARM BALL JOINT DUST			
	- A -			
65/	A	Upper arm	2	C7AZ 3A105-B
	A	Lower arm	2	C7AZ 3A105-A
	- B -			
65/69	B	Upper arm	2	C7OZ 3A105-B
		Lower arm	2	C7OZ 3A105-A
70/71	B	Upper arm	2	D0OZ 3A105-A
		Lower arm	2	C7OZ 3A105-A
72	B	Upper arm	2	C7AZ 3A105-B
		Lower arm-#D2OA 3A105-AA	2	C7AZ 3A105-A
	- F -			
65/69	F	Upper arm	2	C7OZ 3A105-B
		Lower arm	2	C7OZ 3A105-A
70/	F	Upper arm	2	D0OZ 3A105-A
		Lower arm	2	C7OZ 3A105-A
	- L -			
71/	L	Upper arm	2	C7AZ 3A105-B
		Lower arm	2	C7OZ 3A105-A
	- P -			
70	P "Before 7/14/69"	Upper arm	2	C7OZ 3A105-B
	"From 7/14/69"	Upper arm	2	D0OZ 3A105-A
		Lower arm	2	C7OZ 3A105-A
71/	P	Upper arm	2	D0OZ 3A105-A
		Lower arm	2	C7OZ 3A105-A
	- S -			
67/72	S	Upper arm	2	C7AZ 3A105-B
		Lower arm	2	C7AZ 3A105-A
	- X -			
65/70	X	Upper arm	2	C7OZ 3A105-B
	X	Lower arm	2	C7OZ 3A105-A
	3A116 BUSHING ASSY. - FRONT SUSPENSION TRACK BAR			
66/	U	L.H.-frame end-9/16" I.D.-1 13/32" O.D.	1	C6TZ 3A116-A
		R.H.-axle end-3/4" I.D.-9/16" O.D.	1	C6TZ 3A116-B
		Nut-3/4"-16	1	34405-S7-8 (M106A)
	3117 SHIM - FRONT AXLE SPINDLE BOLT			
66/71	U "Before Ser.K20,001"	1 5/64" I.D. - .005" thick	AR	B9C 3117-A

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3123 BEARING - FRONT AXLE SPINDLE BOLT			
66/	U	Spindle bearing-1 5/16" I.D.-1 5/8" O.D.-5/8" thick-#B2110	2	C6TZ 3123-A
66/71	U "Before Ser.K20,001"	Spindle bolt bearing-5/8" I.D.-1 11/16" O.D.-9/16" thick-stamped 11590	4	B9C 3123-B
	3125 SEAL - FRONT AXLE SPINDLE BOLT DUST			
67	U		4	C4UZ 3125-A
	3126 CUP - FRONT AXLE SPINDLE BOLT BEARING			
66/71	U "Before Ser.K20,001"	Stamped 11520	4	B9C 3126-A
	3130-1 ARM - FRONT AXLE SPINDLE			
66/71	U "Before Ser.K20,001"	R.H.	1	C6TZ 3130-C
		L.H.	1	C6TZ 3131-C
71/	U "From Ser.K20,001"	R.H.	1	D1UZ 3130-A
		L.H.	1	D1UZ 3131-A

3A130-1 ROD or END - FRONT WHEEL SPINDLE CONNECTING

YEAR	MODEL & DESCRIPTION	MANUAL STEERING				POWER STEERING				PART NUMBER
		RIGHT HAND		LEFT HAND		RIGHT HAND		LEFT HAND		
		OUTER	INNER	INNER	OUTER	OUTER	INNER	INNER	OUTER	
	- A -									
65/68	A (exc. Special duty performance)	1			1	1			1	C5AZ 3A130-A
			1	1			1	1		C9AZ 3280-A
	A (Special duty performance)	1			1	1			1	C1AA 3289-D
			1	1			1	1		C0AA 3280-C
69/70	A (exc. Special duty performance)	1			1	1			1	•C9AZ 3A130-A
			1	1			1	1		•C9AZ 3280-A
	A (Special duty performance)	1			1	1			1	C1AA 3289-D
			1	1			1	1		C0AA 3280-C
71/72	A "Before 8/8/72	1			1	1			1	•C9AZ 3A130-A
			1	1			1	1		•C9AZ 3280-A
	A "From 8/8/72"					1			1	▲D2OZ 3A130-A
							1	1		▲D2OZ 3A131-A
	- B -									
65	B	1			1					C3OZ 3A130-A
			1	1						C3OZ 3280-A
						1				C3OZ 3A130-B
							1	1		C3OZ 3280-B
									1	C3OZ 3A131-A
66	B	1			1	1			1	C6OZ 3A130-A
			1	1			1	1		C6OZ 3A130-B
67/69	B	1			1	1			1	C7ZZ 3A130-A
			1	1			1	1		C7OZ 3A130-A
70/71	B	1			1	1			1	D0OZ 3A130-B
			1	1			1	1		D0OZ 3A131-A
72	B	1			1	1			1	D2OZ 3A130-A
			1	1			1	1		D2OZ 3A131-A

Identification marking • 5/8"-18 thread at sleeve ends ▲ 11/16"-18 thread at sleeve ends

3A130-1 ROD or END - FRONT WHEEL SPINDLE CONNECTING - continued

YEAR	MODEL & DESCRIPTION	MANUAL STEERING				POWER STEERING				PART NUMBER
		RIGHT HAND		LEFT HAND		RIGHT HAND		LEFT HAND		
		OUTER	INNER	INNER	OUTER	OUTER	INNER	INNER	OUTER	
	- F -									
65/66	F-6 cyl.	1			1					C3DZ 3A130-K
			1	1						C3DZ 3A130-L
						1				C4DZ 3A130-C
							1			C4DZ 3A130-D
								1		C4DZ 3A131-C
									1	C4DZ 3A131-D
	F-8 cyl.	1			1	1				C5ZZ 3A130-D
			1	1			1			C5ZZ 3A131-D
								1		C5ZZ 3A131-C
									1	C5ZZ 3A130-C
67/69	F(all exc. Boss)	1			1	1			1	C7ZZ 3A130-A
			1	1			1	1		C7ZZ 3A131-A
69	F(Boss 302, 429)	1			1	1			1	D0OZ 3A130-B
			1	1			1	1		D0ZZ 3A131-B
70	F	1			1	1			1	D0OZ 3A130-B
			1	1			1	1		D0ZZ 3A131-B
71/	F	1			1	1			1	D0OZ 3A130-B
			1	1			1	1		D1ZZ 3A131-A
	- L -									
71/	L	1			1					D1FZ 3A130-A
	- P -									
70/	P	1			1	1			1	D0OZ 3A130-B
			1	1			1	1		D0ZZ 3A131-B
	- S -									
65/66	S					1			1	C5SZ 3A130-A
							1	1		C5SZ 3A131-A
67/68	S					1			1	C5AZ 3A130-A
							1	1		C5AZ 3280-A
69/71	S					1			1	C9AZ 3A130-A
							1	1		C9AZ 3280-A
72	S					1			1	D2OZ 3A130-A
							1	1		D2OZ 3A131-A
	- U -									
66/	U-tie rod end assy.	1			♦	1			♦	•C6TZ 3A130-A
	U-adj. sleeve assy.		1	♦			1	♦		•C6TZ 3281-A
	- X -									
65	X-6 cyl.	1			1					C3DZ 3A130-K
			1	1						C3DZ 3A130-L
	X-6 cyl.					1				C4DZ 3A130-C
							1			C4DZ 3A130-D
								1		C4DZ 3A131-C
									1	C4DZ 3A131-D
	X-8 cyl.	1			1	1				C5ZZ 3A130-D
			1	1			1			C5ZZ 3A131-D
								1		C5ZZ 3A131-C
									1	C5ZZ 3A130-C
66	X-6 & 8 cyl.	1			1	1			1	C6OZ 3A130-A
			1	1			1	1		C6OZ 3A130-B
67/70	X-6 & 8 cyl.	1			1	1			1	C7ZZ 3A130-A
			1	1			1	1		C7OZ 3A130-A

• Also serviced in assy.-group 3280 ♦ Serviced in 3280 assy.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A130-1 ROD or END - FRONT WHEEL SPINDLE CONNECTING - continued			
65/	A, S	Nut-castle-1/2"-20	2	385002-S(MM66A)
		Cotter pin-1/8" x 1"		72035-S7-8(N51)
65/	A, S	Fitting-lubricator-1/4"-28-90°	2	87924-S8(I-9)
68/	A, S	Plug-1/4"-28 tapered	2or4	374714-S8(PP35A)
68	B, F, X	Nut-7/16"-20	4	★B8TZ 4322-A
65/	X	Nut-castle-3/8"-24	2	★34030-S8
		Cotter pin-3/32 x 3/4"		72016-S8(N44)
71/72	L	Nut-3/8"-24 slotted	2	384487-S2(MM65E)
	3132 SEAL - FRONT AXLE SPINDLE ARM OPEN YOKE			
67/	U	2" I.D.-3"O.D.-5/16" thick	2	C9TZ 3132-C
	3C132 SLINGER - FRONT AXLE SPINDLE YOKE			
67/71	U (front axle) "Before Ser.K20,001"	Inboard & outboard	2	D1UZ 3C132-B
71/	U(front axle) "From Ser.K20,001"	Axle shaft-inboard-2 1/2" flange O.D. x 1 3/8" I.D. x 3/8" thick	1	D1UZ 3C132-A
		Axle shaft-outboard-3 7/16" flange O.D. x 1 7/8" I.D. x 9/16" thick	1	D1UZ 3C132-B
	3A134 BRACKET ASSY. - FRONT SUSPENSION LOWER ARM MOUNTING			
65/66	S		2	C1SZ 3A134-A
		Bolt (bracket to underbody)-5/8"-11 x 2 9/16"-serrated	2	376270-S7-8 (BB390P)
		Nut-5/8"-11		356085-S8(MM14)
		Bolt (bracket to arm)-1/2"-13 x 3 61/64"	2	C1VE 6345-A
		Nut-1/2"-13		33845-S8(M57)
	3B139-40 BRACKET - STEERING COLUMN SUPPORT			
70	A		1	D0AZ 3B139-A
71/	A		1	D1AZ 3B139-A
68/69	B		1	C9OZ 3B139-A
70/71	B		1	D0OZ 3B139-B
69	F		1	C9ZZ 3B140-A
70/71	F		1	D0ZZ 3B139-A
72	F		1	D1AZ 3B139-A
70	P		1	D0DZ 3B139-A
		Bolt-3/8"-16 x 1 3/4" (bracket to 3668)	2	383243-S2 (BB839F)
71/	P		1	D0ZZ 3B139-A
70/71	S	Column to dash panel bracket	1	D0SZ 3B139-A
	S	Dash panel bracket	1	D0SZ 3B139-C
68/70	X		1	C9OZ 3B139-A
	3147 PLUG - FRONT AXLE SPINDLE ARM			
66/67	U		4	C6TZ 3147-A
68/70	U "Before Ser.K20,001"		4	C8TZ 3147-A
	3B163 LINK - POWER STEERING SECTOR SHAFT ARM TO SPINDLE CONNECTING ROD			
65	X (6 & 8 cyl.)		1	C3DZ 3B163-B
65/66	F(6 cyl.)		1	
65	X (6 & 8 cyl.)	Bolt (link to idler arm rod)-3/8"-24 x 2 1/2"	2	351816-S(BB224)
65/66	F(6 cyl.)		2	
		Locknut-3/8"-24		373173-S8 (MM169C)
		Locknut-3/8"-16		382535-S (MM173MX)
	3171 SEAL - FRONT AXLE SPINDLE PIN BEARING GREASE			
66/71	U "Before Ser.K20,001"		4	C6TZ 3171-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3B186 RETAINER - FRONT AXLE RADIUS ARM BUSHING			
66/__	U		2	C6TZ 3B186-A
	3A187 BUSHING and WASHER KIT - FRONT SUSPENSION LOWER ARM STRUT - Also refer to Group 3468			
65/72	A		1	D2AZ 3A187-B
67/69	S		2	
	Consists of			
	1-C5AA 3A141-B Washer	1-C7AA 3470-A Bushing	1-381612-S100 Nut	
	1-D2AA 3A142-A A Washer	1-72044-S Cotter pin	1-34981-S100 Nut	
	1-D1AA 3B197-AA Bushing			
65	B		2	C2OZ 3A187-A
	Consists of			
	1-C4DA 3A140-B Bushing	1-C2OA 3A142-D Washer	1-72035-S7-8 Cotter pin	
	1-C2OA 3A141-C Washer	1-34033-S18 Nut	1-C4DA 3A225-B Bushing	
66/67	B, X		2	C6OZ 3A187-A
67	F		2	
	Consists of			
	1-C6OA 3A140-D Bushing	1-C6OA 3A225-D Bushing	1-380517-S2 Nut	
	2-C6OA 3A142-D Washer	1-C6OA 3473-C Spacer		
68/71	B		2	D0OZ 3A187-B
68/69	F(exc. Boss)		2	
70/72	F(exc. Boss 429) "Before 9/10/71"		2	
70/	P		2	
68/70	X		2	
	Consists of			
	1-C8OA 3A140-A Bushing (for F only)	1-D0OA 3A142-A Washer-frt.	1-33985-S2 Nut	
		1-D4DW 3A225-AA Bushing	1-72035-S Cotter pin	
	1-D0OA 3A140-A Bushing (for B, P, X only)	1-C8OA 3B282-A Ferrule	1-380460-S100 Nut	
		1-D0OA 3B283-A Ferrule	1-380517-S100 Nut	
	1-D0OA 3A141-A Washer-rear			
72	B (exc. P/C & Taxi w/8 cyl. 429), S		2	D2AZ 3A187-A
	Consists of			
	1-D0OA 3A142-A Retainer-rear	2-D3OA 3470-AA Insulator	1-34981-S100 Nut-5/8"-11	
	1-D2OA 3A142-AA Retainer-front			
72	B (P/C & Taxi w/8 cyl. 429)		1	D2OZ 3A187-A
	Consists of			
	1-D0OA 3A142-A Retainer-rear	2-D2OA 3470-AA Insulator	1-383381-S101 Nut	
	1-D0VA 3A142-B Retainer-front			
69	F(Boss 302)		2	C9ZZ 3A187-A
	Consists of			
	1-C8OA 3A140-B Bushing	1-C8OA 3A225-A Bushing	1-33985-S8 Nut	
	1-C8OA 3A141-B Washer	1-C8OA 3B282-A Ferrule	1-72035-S Cotter pin	
	1-D0ZA 3A142-A Washer	1-D0ZA 3B282-A Ferrule	1-380460-S100 Nut	
			1-380517-S100 Nut	
69/70	F (Boss 429)		1	C9ZZ 3A187-B
	Consists of			
	1-C6OA 3A140-D Bushing	1-C9ZX 3A142-A Washer	1-C6OA 3473-C Spacer	
	1-C6OA 3A142-D Washer	1-C6OA 3A225-D Bushing	1-380517-S Nut	
72	F "From 9/10/71"		1	D3ZZ 3A187-A
	Consists of			
	1-C8OA 3A140-B Bushing-front	1-C8OA 3A225-A Bushing-rear		
	1-D2ZA 3A141-AA Washer-rear	1-D2ZA 3B282-AA Ferrule-outer	1-380460-S100 Nut-front	
	1-D2ZA 3A142-AA Washer-front	1-D2ZA 3B283-AA Ferrule-inner	1-380517-S100 Nut-rear	
			1-385454-S Washer	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A187 BUSHING and WASHER KIT - FRONT SUSPENSION LOWER ARM STRUT - continued			
				Also refer to Group 3468
71	L		2	D1FZ 3A187-B
72	L(drum brakes)		2	
	Consists of			
	1-D12A 3A141-AB Rear retainer	1-D12A 3B197-AC Rear insulator 1-34980-S4		Nut-9/16"-12 hex. lock
	1-D12A 3A142-AB Front retainer	1-D12A 3470-AC Front insulator		
72	L(disc brakes)		2	D2FZ 3A187-A
	1-D12A 3A141-AB Rear retainer	1-D22A 3B197-AA Rear insulator 1-34980-S4		Nut-9/16"-12 hex. lock
	1-D12A 3A142-AB Front retainer	1-D22A 3470-AA Front insulator		
65/66	S		2	C2SZ 3A187-A
	Consists of			
	1-C2SA 3A183-B Bushing	1-C1VV 3433-B Spacer 1-45301-S8		Nut
	1-C2SA 3A184-B Bushing	2-C1VV 3434-B Washer 1-72071-S		Cotter pin
70/71	S		2	D0SZ 3A187-A
	Consists of			
	1-D0SA 3A141-A Washer (inner)	1-D1AA 3B197-AA Bushing (inner) 1-72044-S		Cotter pin
	1-D0SA 3A142-A Washer (outer)	1-C7AA 3470-A Bushing (outer) 1-381612-S100		Nut
65	X		2	C4DZ 3A187-A
65/66	F		2	
	Consists of			
	1-C5DA 3A141-A Washer	1-C4DA 3A140-B Bushing 1-34426-S8		Nut
	1-C5DA 3A142-A Washer	1-C4DA 3A225-B		Bushing
	3A197 GUIDE ASSY. - FRONT SUSPENSION SPRING			
65/67	S		2	C3SZ 3A197-A
	3B203 INSULATOR - FRONT SUSPENSION RADIUS ARM			
66	U "Before Ser. 788,001"	Rear-7/8" I.D.-2" O.D.-1 5/32" long-rubber	2	C5TZ 3B203-B
	U "Before Ser. 788,001"	Front-7/8" I.D.-2" O.D.-2 7/16" long	2	C5TZ 3B203-C
66/	U "From Ser. 788,001"	Front & rear-1.71" long-rubber	4	C6TZ 3B203-B
	U	Wedge-at axle-steel & rubber	4	C6TZ 3B203-A
	3219-20 SHAFT ASSY. - FRONT AXLE			
66/67	U	R.H. -includes u/joint-37 25/32" long	1	C6TZ 3219-A
		L.H. -includes u/joint-28 5/32" long	1	C6TZ 3220-A
68/71	U "Before Ser. K20,001"	R.H. - includes u/joint - 37 25/32" long	1	C8TZ 3219-A
		L.H. - includes u/joint - 28 5/32" long	1	C8TZ 3220-A
71/	U "From Ser. K20,001"	R.H. - includes U/joint - 37 11/16" long	1	D1TZ 3219-B
		L.H. - includes U/joint - 28" long	1	D1TZ 3220-B
	3222 RING GEAR and PINION KIT - FRONT AXLE			
66/71	U "Before Ser.K20,001"	4.10 to 1 ratio-gear 7 1/8" O.D.-41 teeth-pinion 10 teeth-#32906 & #32980 set or #32918 & 32919 set	1	C6TZ 3222-A
	U "Before Ser.K20,001"	4.56 to 1 ratio-gear 7 1/8" O.D.-41 teeth-stamped 32938-pinion 9 teeth-stamped 32937	1	C6TZ 3222-B
	U "Before Ser.K20,001"	3.50 to 1 ratio-gear 7 1/8" O.D.-42 teeth-stamped 34411-pinion 12 teeth-stamped 34410-includes nut	1	C6TZ 3222-G
71/	U "From Ser.K20,001"	3.54 to 1 ratio-8 1/2" O.D. ring gear-46 teeth-stamped 18437-pinion 13 teeth-stamped 32171 or 18438	1	C6TZ 4209-C
		4.09 to 1 ratio-8 1/2" O.D. ring gear-45 teeth-stamped 18428 or 18520-pinion 11 teeth-stamped 32073 or 18446	1	C6TZ 4209-B
		4.55 to 1 ratio-8 1/2" O.D. ring gear-50 teeth-stamped 31491-pinion 11 teeth-stamped 18679	1	C7TZ 3222-A
	3B236-38 CAM and BOLT - FRONT SUSPENSION LOWER ARM			
66/67	B, F, X	Serviced in 3048 kit only		
	B, X	Nut-1/2"-13 x 3/4" (cam bolt to 3078)	2	33845-S(M57)
67	F	Nut-1/2"-13 x 3/4" (cam bolt to 3078)	2	380952-S (MM11B)
		Lockwasher-1/2"	2	34809-S(X68)

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	3B239	**BAR ASSY. - STEERING FRONT TRACK**			
66/	U(6 & 8 cyl.)			1	D1TZ 3B239-A
	U		Bolt (to bracket)-9/16"-18 x 3 13/64"-end drilled	1	370112-S8(BB324)
	3B241	**BRACKET ASSY. - FRONT TRACK BAR MOUNTING**			
66/	U			1	C6TZ 3B241-B
	3248	**GUIDE - FRONT AXLE SHAFT - INNER**			
66/71	U	"Before Ser.K20,001"		AR	C6TZ 3248-A
71/	U	"From Ser.K20,001"		2	B9TZ 3248-A
	3249	**UNIVERSAL JOINT KIT - FRONT AXLE SHAFT**			
66/	U		Joint size 1310-Consists of 1-Cross 4-Bearing 4-Snap ring	2	C6TZ 3249-A
	3254	**SEAL - FRONT AXLE SHAFT OIL**			
66/71	U	"Before Ser.K20,001"	Housing-inner-2" O.D.-1/4"-5/16" thick-to seal 1 1/4" shaft-stamped 34465 or 519130	2	C6TZ 3254-D
	U	"Before Ser.K20,001"	Shaft-outer-2" O.D.-5/16" thick-to seal 1 3/8" shaft-stamped 33995 or 519034	AR	C6TZ 3254-B
71/	U	"From Ser.K20,001"	Housing-inner-stamped 513108 or 525085 - (discard 3248 guide when using this seal)	2	C6TZ 3254-C
	3B267	**BOLT - FRONT SUSPENSION LOWER ARM STRUT**			
70/	A,S		1/2"-13 x 1 3/8"	4	D2AZ 3B267-A
72	B			4	
68/71	B		1/2"-13 threads	4	C9OZ 3B267-A
68/	F,P			4	
68/70	X			4	
71/	L(62,64)		1 9/32" long-3/8"-16 thread-9/16" bolt hd.	4	D1FZ 3B267-A
			Nut-3/8"-16	4	384586-S100 (MM173CJ)
72	L(73)			2	D1FZ 3B267-A
			Nut-3/8"-16	4	384586-S100 (MM173CJ)
			Stud-3/8"-16 x 5/16"-18 x 3 7/16"	2	384961-S100 (WW143)
68/69	B,F,X	"Before 11/11/68"	Nut-1/2"-20	4	382857-S100 (MM169P)
69/	B,F,X	"From 11/11/68"	Nut-1/2"-13	4	382599-S
70/	A,S				(MM173MZ)
	3B279	**CAP - STEERING STOP**			
67/	U		Use with 9.15" x 15" snow tires	2	C7TZ 3B279-A
	3280	**ROD ASSY. - FRONT WHEEL SPINDLE CONNECTING** - Also refer to group 3A130-1			
66/	U		Rod assy.	1	C6TZ 3280-A

Consists of

1-C6TZ 3A130-A	Rod	2-TGAA 3287-A	Clamp	2-34979-S4	Nut
1-★C6TZ 3A131-B	Rod	2-C7TZ 3332-F	Cover	2-58679-S2	Bolt
1-C6TZ 3281-A	Tube	2-34033-S18	Nut	2-★375601-S2	Washer-flat

	3281	Refer to group 3A130-1			
	3287	**CLAMP - FRONT WHEEL SPINDLE CONNECTING ROD**			
65/	A			4	C2OZ 3287-A
65/66	B(M/S)		Spindle connecting rod end	4	C2OZ 3287-A
	B(P/S)		Not replaced	4	★C1MM 3287-A
67/	B			4	B7A 3287-A
65/66	F(M/S)-6 cyl.		Not replaced	1	★C3DZ 3287-A
	F(M/S)-8 cyl.		Not replaced	4	★C1MM 3287-A
	F(P/S)		R.H.-not replaced	2	★C1MM 3287-A
	F(P/S)		L.H.	2	C2VY 3287-A
67/	F			4	B7A 3287-A
70/	P			4	B7A 3287-A
65/66	S			4	B7A 3287-A
67/71	S			4	B7A 3287-A
72	S			4	C2OZ 3287-A
66/	U			4	B7A 3287-A
65/66	X(M/S)-6 cyl.		Not replaced	2	TGAA 3287-A
65/66	X(P/S)		Not replaced	1	★C3DZ 3287-A
67/70	X			4	★C1MM 3287-A
				4	B7A 3287-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3287 CLAMP - FRONT WHEEL SPINDLE CONNECTING ROD - continued			
65/	A,B	Bolt (clamp)-5/16"-24 x 1 1/2"	4	★355236-S2
68	A,B,F,S,X	Locknut-5/16"-24	4	34443-S7-8(M79)
65/	A Special(8 cyl. 352, 390, 406, 427)	Bolt (clamp)-3/8"-24 x 1 3/4"	4	★20507-S
	S		4	
	X		4	
	F		4	
	B (P/S)		4	
		Locknut-3/8"-24		34445-S7(M80)
65/	A,B,F,S,X(P/S)	Locknut-3/8"-24	AR	372755-S(MM140C)
68	A,B,F,S,X	Bolt-5/16"-24 x 1 3/8"	4	★350758-S
68	A	Bolt-3/8"-24 x 1 5/8"	4	376179-S (BB838Z)
69/	A,B,F,X	Bolt-5/16"-18 x 1 1/2"(clamp to sleeve)	4	383400-S100 (BB144)
		Nut-5/16"	4	382634-S (MM173NE)
	3289 END - FRONT WHEEL SPINDLE CONNECTING ROD - Refer to Group 3A130-1			
	3B289 DAMPENER KIT - FRONT AXLE KING PIN			
66/71	U "Before Ser.K20,001"		4	C8TZ 3B289-B
	Consists of 1-C8TZ 3B289-A Dampener 1-C8TZ 3B290-A Cup 1-C8TZ 3B291-A Washer			
	3299 SPACER - FRONT AXLE SPINDLE BEARING			
66/	U	1 5/16" I.D. -1 7/8" O.D. -1/8" thick	2	D1UZ 3299-A
	3304 ROD ASSY. - STEERING ARM TO IDLER ARM			
	- A -			
65/68	A		1	C5AZ 3304-D
69/	A (except 71)	R/b D3AZ 3304-A (1/75)	1	★C9AZ 3304-A
	A (71)	R/b D3AZ 3304-B (1/75)	1	★C9AZ 3304-B
	- B -			
65	B (P/S)		1	C3OZ 3304-A
	B (M/S)		1	C4OZ 3304-A
66	B (P/S)		1	D0DZ 3304-C
	B (M/S)		1	C6OZ 3304-B
67/69	B(P/S)	Orange stripe	1	D0DZ 3304-C
	B(M/S)	Green stripe	1	C7OZ 3304-B
70/71	B(M/S)	29" between stud & hole at ends	1	D0OZ 3304-A
	B(P/S)	27" between stud & threaded end	1	D0OZ 3304-B
72	B	27 5/16" long between stud center & mounting center hole-#D2OA 3305-AA	1	D2OZ 3304-A
	- F -			
65/66	F(P/S)-6 cyl.		1	C5ZZ 3304-B
	F(M/S)-6 cyl.		1	C5ZZ 3304-E
	F(M/S)-8 cyl.		1	C5ZZ 3304-C
	F(P/S)-8 cyl.		1	C5ZZ 3304-D
67/68	F(M/S)	Pink stripe	1	C7ZZ 3304-A
	F(P/S)	Yellow stripe	1	C7ZZ 3304-B
69	F(M/S)-exc. Boss 302	Pink stripe	1	C9ZZ 3304-A
	F(P/S)-exc. Boss 302	Yellow stripe	1	C9ZZ 3304-B
	F(M/S)-Boss 302	25 1/2" between stud & hole at ends	1	D0ZZ 3304-A
	F(P/S)-Boss 302	23 1/2" between stud & threaded end	1	D0ZZ 3304-B
70	F(M/S)	25 1/2" between stud & hole at ends	1	D0ZZ 3304-A
	F(P/S)	23 1/2" between stud & threaded end	1	D0ZZ 3304-B
71/	F(M/S & P/S)	#Pink stripe-approx. 27 3/4" long	1	D3ZZ 3304-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3304 ROD ASSY. - STEERING ARM TO IDLER ARM - continued			
	- P -			
70/	P(M/S)	26" long	1	D0DZ 3304-A
	P(P/S)		1	D3DZ 3304-B
	- S -			
65/66	S		1	C5SZ 3304-A
67/68	S		1	C5AZ 3304-D
69/71	S		1	C9SZ 3304-A
72	S	27 5/16" long between stud center & mounting center hole-#D2OA 3305-AA	1	D2OZ 3304-A
	- U -			
66	U	Replaced by C6TZ 3304-S & C6TZ 3590-J	1	★C6TZ 3304-C
67/	U	Adjustable ball stud at one end or solid ball studs at both ends	1	C6TZ 3304-S
	- X -			
65	X(M/S)-6 cyl.		1	C3DZ 3304-L
	X(P/S)-6 cyl.		1	C4DZ 3304-B
	X(M/S)-8 cyl.	With 1" sector shaft	1	C3DZ 3304-B
	X(M/S)-8 cyl.	1 1/8" dia. sector shaft	1	C5DZ 3304-A
	X(P/S)-8 cyl.		1	C5DZ 3304-B
66	X(P/S)		1	D0DZ 3304-C
	X(M/S)		1	C6OZ 3304-B
67/69	X(P/S)	Orange stripe	1	D0DZ 3304-C
	X(M/S)	Green stripe	1	C7OZ 3304-B
70	X(P/S)	Silver stripe	1	D0DZ 3304-C
	X(M/S)	Green stripe	1	C7OZ 3304-B
65/	A, S	Nut-castle-1/2"-20	2	385002-S(MM66A)
65/	B, F, X(8 cyl.)		2	
		Cotter pin-1/8" x 1"	1	72035-S7-8(N51)
		Lockwasher-3/8"		34807-S8(X66)
65/	A	Nut-castle (to idler arm)-9/16"-18	1	34033-S18(M11)
68	A, B, F, S, X	Washer-flat-9/16"	1	371613-S7-8(XX202)
68	A	Washer-flat-1/2"	1	356606-S(XX184)
65/	B	Nut-slotted (arm to spindle connecting rod)-7/16"-20	2	★353583-S
	B	Nut-slotted (arm to sector shaft arm)	1	
65/	X	Nut-castle (rod to idler arm)-3/8"-24	1	★34030-S8
	F		1	
65/	X	Plug (rod)-1/4"-28 tapered	1	374714-S7-8 (PP35A)
		Locknut-3/8"-24		34370-S8(M99)
		Cotter pin-3/32" x 3/4"		72016-S8(N44)
	3310 SLEEVE - FRONT WHEEL SPINDLE CONNECTING ROD ADJUSTING			
65/69	A(Special)		2	C2VY 3310-A
65/72	A(except Special) "Before 8/8/72"	5/8"-18 x 4 1/2"	1	C2OZ 3310-A
72	A "From 8/8/72"	11/16"-18 x 4 1/4"-incl. sleeve, 2 bolts & nuts	2	D3AZ 3310-A
65	B(M/S)		1	C2OZ 3310-A
	B(P/S)	11/16"-18 x 4 1/2"	2	C2AA 3310-B
66/71	B		2	C2AA 3310-B
72	B	4 1/4" long, 11/16"-18 internal threads-includes sleeve, 2 bolts & nuts	2	D3AZ 3310-A
65/66	F(6 cyl.)-M/S	1/2"-20 x 5 7/8" includes 2 each-clamp, 358655-S bolts & 377703-S nuts	2	C5ZZ 3310-A
	F(8 cyl.)-M/S	11/16"-18 x 4 1/2"	2	C2AA 3310-B
	F(P/S)	R.H.-11/16"-18 x 4 1/2"	1	C2AA 3310-B
		L.H.	1	C2VY 3310-A
67/	F	11/16"-18 x 4 1/2"	2	C2AA 3310-B
70/72	P "Before 8/8/72"		2	C2AA 3310-B
72	P "From 8/8/72"	11/16"-18 x 4 1/4"-incl. sleeve, 2 bolts & nuts	2	D3AZ 3310-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3310 SLEEVE - FRONT WHEEL SPINDLE CONNECTING ROD ADJUSTING - continued			
65/66	S		2	C2AA 3310-B
67/71	S		1	C2OZ 3310-A
72	S	4 1/4" long, 11/16"-18 internal threads-includes sleeve, 2 bolts & nuts	2	D3AZ 3310-A
65	X(8 cyl.)		2	C2AA 3310-B
66/70	X		2	
	3310 SLEEVE KIT - FRONT WHEEL SPINDLE CONNECTING ROD ADJUSTING			
65	X (6 cyl.)	1/2"-20 x 6 1/2" sleeve-Consists of 2-C3DA 3287-A Clamp 2-358655-S Bolt 1-C0DD 3314-B Sleeve 2-34443-S Nut	2	C3DZ 3310-A
	3311 STUD - DRAG LINK TO SELECTOR ARM BALL - Supplied in 3A533 Kit			
	3B311 SHIELD - FRONT SUSPENSION SPINDLE BALL STUD			
70	F (Boss 429)		1	D0ZZ 3B311-A
	3B329 REINFORCEMENT - FRONT SUSPENSION LOWER			
70/71	•Unique competition part		1	D0ZX 3B329-A
	3332 SEAL - FRONT SUSPENSION OR STEERING BALL STUD DUST			
65/68	A	Spindle arm connecting rod end	4	C1AA 3332-C
67/68	S		4	
69/	A,S	Spindle arm connecting rod end	4	C9AZ 3332-A
65/70	B	Spindle connecting rod end to spindle-1 7/32" high	2	C2OZ 3332-B
	B	Spindle connecting rod to idler arm-15/16" high	2	C2OZ 3332-C
	B	P/S cylinder stud-13/16" high	1	C2OZ 3332-A
66/69	B,X	Spindle arm connecting rod end	2	C6OZ 3332-A
67/69	F(exc. Boss 302)		2	
69	F(Boss 302)	Spindle connecting rod end ball stud-1 3/16" high-1 1/2" dia.	4	D0OZ 3332-C
70/71	B		4	
70/	F,P		4	
72	B		4	C9AZ 3332-A
65/66	F(6 cyl)	Spindle connecting rod end	1	C3DZ 3332-A
65	X(6 cyl.)		4	
65/66	F(8 cyl.)	Spindle connecting rod end	1	C5ZZ 3332-A
65	X(8 cyl)		1	
71/	L	R.H.-steering gear housing & spindle connecting rod dust-6 13/32" long	1	D1FZ 3332-A
		L.H.-5 13/32" long	1	D1FZ 3332-B
65/66	S	Spindle connecting rod end	4	C3SZ 3332-A
		Sector shaft arm ball stud-not replaced	1	★C5SZ 3332-A
66	U	Drag link stud-rubber	1	C6TZ 3332-A
		Drag link stud-steel	1	C6TZ 3332-B
		Spindle connecting rod end stud	2	C6TZ 3332-C
67/	U-Adjustable type	Drag link-pitman arm end stud-1 1/8" dia.-3/8" thick-rubber	1	C7TZ 3332-C
		Drag link-pitman arm end stud-3/4" I.D.-1 3/8" wide-2 1/2" long-steel	1	C7TZ 3332-B
		Drag link-spindle connecting rod end stud-1/2" thick-flat-rubber	1	C5TZ 3332-B
		Drag link-spindle connecting rod end stud-3/16" high-steel	1	C5TZ 3332-C
	U-Non-adjustable type	Drag link-pitman arm end stud-rubber	1	C7TZ 3332-A
		Drag link-spindle connecting rod end stud-1/2" thick-flat-rubber	1	C5TZ 3332-B
		Drag link-spindle connecting rod end stud-3/16" high-steel	1	C5TZ 3332-C
	U-All	Spindle connecting rod end stud-rubber-Also serviced in assy.-Group 3280	2	C7TZ 3332-F
71/	L	Clamp-5/8"	1	384494-S(EE20)
		Clamp-1 7/16"	1	384495-S(EE18)
		Clamp-2 1/8"	1	384496-S(EE19)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A344 INSULATOR - POWER STEERING CYLINDER ROD - Serviced in 3C590 Kit			
	3A345 WASHER - POWER STEERING CYLINDER ROD INSULATOR - Serviced in 3C590 Kit			
	3350 ARM - STEERING IDLER - Refer to Group 3355			
	3350-1 BRACKET - STEERING IDLER ARM MOUNTING			
	- A -			
65/	A	Refer to Group 3355		
	- B -			
65	B(M/S)	Includes bushing	1	C2OA 3350-A
	B(P/S)	Includes bushing	1	C4OZ 3350-A
66/	B	Refer to Group 3355		
	- F -			
65/66	F	Use with 3352 kit	1	C3DZ 3351-A
67/	F	Refer to Group 3355		
	- P -			
70/	P	Refer to Group 3355		
	- S -			
65/66	S	Includes bushing	1	C4SZ 3351-A
67/	S	Refer to Group 3355		
	- X -			
65	X	Use with 3352 kit	1	C3DZ 3351-A
66/70	X	Refer to Group 3355		
		ATTACHING PARTS for BRACKET TO FRAME		
65	B, X	Bolt-3/8"-24 x 3 1/2"	AR	378405-S(BB226A)
65/66	F			
		Nut-3/8"-24 x 9/16"	AR	382832-S100 (MM169JF)
		Washer-flat-3/8"	AR	44707-S7(X8)
65/66	S	Bolt-3/8"-16 x 1 1/2"	3	20468-S8(B85)
		Nut-3/8"-16 x 9/16"	AR	34394-S7(M93A)
		Washer-flat-3/8"	AR	382585-S100 (XX143A)
	3352 ARM and BUSHING KIT - STEERING IDLER			
65	B(M/S)	Consists of 1-C4OA 3355-A Arm 2-72026-S Cotter pin 1-C5ZZ 3356-A Bushing 2-351059-S8 Nut 1-C4OZ 3358-A Bushing 2-375569-S8 Washer	1	C4OZ 3352-A
	B(P/S)	Consists of 1-C3OA 3355-A Arm 2-72026-S Cotter pin 1-C1AA 3356-A Bushing 2-351059-S8 Nut 1-C3AZ 3358-A Bushing 2-375569-S8 Washer	1	C2OZ 3352-B
65/66 65	F(P/S)-6 cyl. X(P/S)-6 cyl.	Consists of 1-Arm with Stud 1-72026-S Cotter pin 1-C3DZ 3356-A Bushing 1-351059-S8 Nut	1	C4DZ 3352-B
65/66 65	F(M/S)-6 cyl. X(M/S)-6 cyl.	Consists of 1-C4DA 3355-A Arm 1-72035-S Cotter pin 1-C5ZZ 3356-A Bushing 1-378583-S Washer 1-33985-S8 Nut	1 1	C3DZ 3352-L
65/66 65	F(P/S)-8 cyl. exc. GT 350 X(P/S)-8 cyl.	Consists of 1-Arm with stud (daub of #Blue paint) 1-C3DZ 3356 Bushing 1-351059-S8 Nut 1-72026-S Cotter pin	1 1	C5ZZ 3352-B
65/66 65	F(M/S)-8 cyl. exc. GT 350 X(M/S)-8 cyl.	Consists of 1-Arm with stud (daub of #Brown paint) 1-C5ZZ 3356-A Bushing 1-351059-S8 Nut 1-72026-S Cotter pin	1 1	C5ZZ 3352-A
65/66	F-GT350	Arm assy. with stud & bushing-not replaced	1	★S1MS 3734-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3355 ARM and BRACKET ASSY. - STEERING IDLER			
	- A -			
65/68	A		1	•C5AZ 3350-A
69/	A		1	•D3AZ 3355-A
	- B -			
65	B	Refer to Group 3352 (kit)		
66	B		1	•C6OZ 3350-A
67/69	B(M/S)	#Green stripe	1	•C7OZ 3350-A
	B(P/S)	#Orange stripe	1	•C7OZ 3350-B
70/71	B(M/S)	#Green stripe	1	•D0OZ 3350-A
	B(P/S)	#Orange stripe	1	•D0OZ 3350-B
72	B		1	•D3OZ 3355-A
	- F -			
65/66	F	Refer to Group 3352 (kit)		
67/70	F(M/S)	#Pink stripe	1	•C7ZZ 3350-B
	F(P/S)	#Yellow stripe	1	•C7ZZ 3350-A
71/	F(M/S & P/S)	#Pink stripe	1	•D3ZZ 3355-A
	- P -			
70/	P	#D0DA 3355-A-Includes bracket, arm with stud, bushing, washer & nut	1	D0DZ 3350-A
	- S -			
65/66	S	Arm with stud-includes bushing	1	C5SZ 3A734-A
67/68	S		1	•C5AZ 3350-A
69/71	S	#Violet stripe	1	•C9SZ 3350-A
72	S		1	•D3OZ 3355-A
	- X -			
65	X	Refer to Group 3352 (kit)		
66	X		1	•C6OZ 3350-A
67/70	X(M/S)	#Green stripe	1	•C7OZ 3350-A
	X(P/S)	#Orange stripe	1	•C7OZ 3350-B
		ATTACHING PARTS for BRACKET TO FRAME		
65/67	A	Bolt - 3/8"-24 x 1 1/4"	AR	20429-S8(BB172)
67	S	Nut & retainer assy. - 3/8"-24	AR	379711-S8 (MM200D)
		Lockwasher - 3/8"	AR	34807-S(X66)
68	A,S	Bolt-3/8"-24 x 1 1/2"	2	371198-S8(BB217)
		Nut-retainer-3/8"-24	2	379711-S(MM200D)
69/	A,S	Retainer assy.-3/8"-16	2	383121-S100
72	B		2	(MM192UA)
69	A,S	Bolt-3/8"-16 x 1 1/4"	2	378487-S2(BB545F)
70/	A,S	Bolt-3/8"-16 x 1 1/2"	2	383994-S100
72	B		2	(BB545FA)
66/68	B,F,X	Bolt-3/8"-14 x 3 1/2"	AR	378405-S(BB226A)
		Nut-3/8"-24-9/16"	AR	382832-S100 (MM169JF)
		Washer-flat-3/8"	AR	44707-S7(X8)
69/71	B,X	Bolt-3/8"-16 x 3 5/8"	2	383496-S100
69/	F,P		2	(BB168)
		Nut-3/8"-16	2	383406-S100 (MM173MY)
		ATTACHING PARTS for ARM to BRACKET		
65/67	A	Nut-9/16"-18	1	34033-S18(M11)
67	S		1	
65/66	F		1	
65	X		1	
		Washer-flat-9/16"	1	371613-S(XX202)
65	B	Nut-1/2"-20	1	385002-S(MM66A)
		Washer-flat-1/2"-20	1	356606-S8(XX184)
		Cotter pin	1	72035-S7(N51)
66/68	B,X	Nut-9/16"-18	1	377330-S(MM169K)
67/68	F		1	
68	A,S		1	
		Washer-9/16"	1	371613-S(XX202)
65/66	S	Nut-3/4"-16	1	351125-S(MM62)
		Washer-flat-5/8"	1	378539-S(XX340H)
69/	A,B,F,P,S,X	Attaching parts serviced in assy. only due to swaged bracket end		

Identification marking • Includes arm, bracket, bushings, nut & washer

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3356-8 BUSHING - STEERING IDLER ARM			
	- A -			
65/68	A	Upper-5/8" I.D.-1 1/8" O.D.-2 5/16" long	1	▲C5ZZ 3356-A
		Lower-9/16" I.D.-1 3/8" O.D.	1	▲C5AZ 3358-A
69/	A	Upper-serviced in 3350 assy. due to swaged bracket end		3356
		Lower-9/16" I.D.-1 3/8" O.D.	1	▲C5AZ 3358-A
	- B -			
65	B(M/S)	Upper-5/8" I.D.-1 1/8" O.D.-2 5/16" long	1	♦C5ZZ 3356-A
		Lower-5/8" I.D.-19/32" O.D.-1 3/4" long	1	♦C4OZ 3358-A
	B(P/S)	Upper-5/8" I.D.-1 9/32" O.D.-2 7/16" long	1	♦C3AZ 3356-A
		Lower-5/8" I.D.-1 9/32" O.D.-1 3/4" long	1	♦C3AZ 3358-A
66	B	Upper-5/8" I.D.-1 1/8" O.D.-2 5/16" long	1	▲C5ZZ 3356-A
		Lower-9/16" I.D.-1 9/32" O.D.	1	▲C6OZ 3358-A
67/68	B	Upper-5/8" I.D.-1 1/8" O.D.-2 5/16" long	1	▲C5ZZ 3356-A
69/	B	Upper-serviced in 3350 assy. due to swaged bracket end		3356
67/71	B(M/S)	Lower-9/16" I.D.-1 3/8" O.D.	1	▲C5AZ 3358-A
	B(P/S)	Lower-19/32" I.D.-1 1/4" O.D.	1	▲C7OZ 3358-A
72	B	Lower-9/16" I.D.-1 3/8" O.D.	1	▲C5AZ 3358-A
	- F -			
65/66	F(M/S)	Upper-5/8" I.D.-1 1/8" O.D.-2 5/16" long	1	♦C5ZZ 3356-A
	F(P/S)	Upper-7/8" I.D.-1 11/16" O.D.	1	♦C3DZ 3356-A
67/68	F	Upper-5/8" I.D.-1 1/8" O.D.-2 5/16" long	1	▲C5ZZ 3356-A
69/	F	Upper-serviced in 3350 assy. due to swaged bracket end		3356
67/70	F(M/S)	Lower-9/16" I.D.-1 3/8" O.D.	1	▲C5AZ 3358-A
	F(P/S)	Lower-19/32" I.D.-1 1/4" O.D.	1	▲C7OZ 3358-A
71/	F	Lower-9/16" I.D.-1 3/8" O.D.	1	▲C5AZ 3358-A
	- P -			
70/	P	Upper-serviced in 3350 assy. due to swaged bracket end		3356
		Lower-9/16" I.D.-1 3/8" O.D.	1	•C5AZ 3358-A
	- S -			
65/66	S	7/8" I.D.-1 7/16" O.D.	1	C3DZ 3356-C
67/68	S	Upper-5/8" I.D.-1 1/8" O.D.-2 5/16" long	1	▲C5ZZ 3356-A
		Lower-9/16" I.D.-1 3/8" O.D.	1	▲C5AZ 3358-A
69/	S	Upper-serviced in 3350 assy. due to swaged bracket end		3356
69/71	S	Lower-19/32" I.D.-1 1/4" O.D.	1	▲C7OZ 3358-A
72	S	Lower-9/16" I.D.-1 3/8" O.D.	1	▲C5AZ 3358-A
	- X -			
65	X(M/S)-6 cyl.	5/8" I.D.-1 1/8" O.D.-2 5/16" long	1	♦C5ZZ 3356-A
	X(P/S)-6 cyl.	5/8" I.D.-1 5/8" O.D.	1	♦C3DZ 3356-A
	X(M/S)-8 cyl.	7/8" I.D.-1 7/16" O.D.	1	♦C3DZ 3356-C
	X(P/S)-8 cyl.	7/8" I.D.-1 11/16" O.D.	1	♦C3DZ 3356-D
66/68	X	Upper-5/8" I.D.-1 1/8" O.D.-2 5/16" long	1	▲C5ZZ 3356-A
69/70	X	Upper-serviced in 3350 assy. due to swaged bracket end		3356
67/70	X(M/S)	Lower-9/16" I.D.-1 3/8" O.D.	1	▲C5AZ 3356-A
	X(P/S)	Lower-19/32" I.D.-1 1/4" O.D.	1	▲C7OZ 3358-A
	3A360 ARM ASSY. - FRONT AXLE RADIUS			
66/	U		2	C6TZ 3A360-A
	U	Bolt (to cap)-9/16"-12 x 2 3/8"	2	371602-S7-8 (BB200)

▲ Also supplied in 3350 arm & bracket assy. ♦ Also supplied in 3352 kit
• Also supplied in 3304 assy.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3375-6 ADAPTOR - FRONT SUSPENSION LOWER ARM			
65/66	F	R.H.-not replaced	1	★C5ZZ 3375-A
		L.H.-not replaced	1	★C5ZZ 3376-A
67/69	F	R.H.	1	C7ZZ 3375-A
		L.H.	1	C7ZZ 3376-A
70	F	R.H.	1	D0ZZ 3375-A
		L.H.	1	C7ZZ 3376-A
71/	F	R.H.	1	D1ZZ 3375-A
		L.H.	1	D1ZZ 3376-A
	3382-3 BRACKET - FRONT SUSPENSION BUMPER			
66/71	B	R.H.	1	C6OZ 3382-A
		L.H.	1	C6OZ 3383-A
67/70	F (except Boss 429)	R.H.	1	C7ZZ 3382-A
		L.H.	1	C7ZZ 3383-A
69/70	F (Boss 429)	R.H.	1	C9ZZ 3382-A
		L.H.	1	C9ZZ 3383-A
71	F	R.H.	1	D1ZZ 3382-C
		L.H.	1	D1ZZ 3383-B
72	F	R.H.	1	D1ZZ 3382-C
		L.H.	1	D1ZZ 3383-C
70/	P	R.H.	1	C6OZ 3382-A
		L.H.	1	C6OZ 3383-A
65/67	S	Not replaced (12/74)	2	★C1SS 3382-D
66/70	X	R.H.	1	C6OZ 3382-A
		L.H.	1	C6OZ 3383-A
65/66	F	Screw (bracket attaching)-5/16"-24 x 1 1/8"	AR	353483-S2(BB588)
		Nut-5/16"-24	1	354299-S(MM156)
		Locknut-5/16" - 24		34393-S7(M98)
65/67	S	Bolt (bracket to underbody)-5/16"-18 x 1"	8	20386-S8(B53)
		Lockwasher-5/16"		34906-S8(X98)
67	F	Screw(to apron & side member)-5/16"-18 x 3/4"	6	359662-S7-8 (BB575A)
		Locknut-5/16"-18		34392-S7(M93)
66/71	B, X	Bolt & lockwasher assy.-5/16"-18 x 7/8"	6	57140-S(B340H)
68/	F	(bracket to body)		
		Nut-5/16"-18	6	33770-S(M89K)
	3388 SEAT and BUSHING ASSY. - FRONT SUSPENSION UPPER ARM SPRING			
65/71	B,X		2	C7OZ 3388-B
65/66	F		2	
67/	F(exc.Boss 429,GT350/500)		2	
70/72	P "Before 3/1/72"		2	
67	F(GT350/500)	Not replaced	2	★Z7WD 3388-A
69/70	F-Boss 429		2	C9ZZ 3388-A
72	P "From 3/1/72"		2	D2DZ 3388-A
65/70	X	Locknut (seat to arm)-3/8"-24	4	34370-S8(M99)
65/	F		4	
65/70	X	Plug (seat)-1/4"-28	2	374714-S7-8 (PP35A)
67/71	B,X "From 11/14/66"	Bolt (to arm)-3/8"-16 x 1"	4	381792-S2
67/	F,P		4	(BB429AA)
68	B,X	Nut-3/8"-16	4	382535-S100 (MM173MX)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3399 REINFORCEMENT - FRONT SUSPENSION LOWER ARM			
65/66	S		2	C5SZ 3399-A
	3416 BRACKET - FRONT SUSPENSION LOWER ARM STRUT MOUNTING BOLT			
65	B		2	C2OZ 3416-A
65/66	S		2	C4SZ 3416-A
65	B	Bolt (bracket to body)-7/16"-14 x 1 1/4"	8	20430-S8(B104)
		Lockwasher-7/16"		34808-S8(X67)
	3468 STRUT - FRONT SUSPENSION LOWER ARM - Also refer to Group 3A187			
65/69	A		2	C5AZ 3468-A
70/71	A "Before 7/1/71"	27 1/2" overall length	2	D0AZ 3468-A
71/	A "From 7/1/71"	28" overall length	2	D2AZ 3468-B
65	B		2	C2OZ 3468-A
65	B(8 cyl. 289-Special-4/B carb.)		2	C2OZ 3468-B
66/67	B		2	C6OZ 3468-A
67	F		2	
68/69	B, F(exc. Boss)	R.H.	1	C8OZ 3468-A
		L.H.	1	C9ZZ 3468-D
72	B	27 1/4 overall length	2	D2AZ 3468-A
65/66	F (6 & 8 cyl.)		2	C5ZZ 3468-B
69	F(Boss)	R.H.	1	C9ZZ 3468-C
70/71	B		1	
70/	F		1	
		L.H.	1	C9ZZ 3468-D
71/	L		2	D1FZ 3468-A
70	P	R.H.	1	C8OZ 3468-A
		L.H.	1	C8OZ 3468-B
71/	P	R.H.	1	C9ZZ 3468-C
		L.H.	1	C9ZZ 3468-D
65/66	S			C2SZ 3468-A
67/69	S		2	C5AZ 3468-A
70/71	S		2	D0AZ 3468-A
72	S	27 1/4" overall length	2	D2AZ 3468-A
65	X (6 & 8 cyl.)		2	C5ZZ 3468-B
66/67	X		2	C6OZ 3468-A
68/69	X	R.H.	1	C8OZ 3468-A
		L.H.	1	C9ZZ 3468-D
70	X	R.H.	1	C9ZZ 3468-C
		L.H.	1	C9ZZ 3468-D
65/68	A	Bolt (strut to arm)-1/2"-20 x 1 5/8"-serrated	4	376250-S7-8
65	B		4	(BB390V)
67/68	S		4	
69/	A, S	Bolt-1/2"-20 x 1 5/8" (strut to arm)	4	382403-S(BB243G)
		Nut-1/2"-20		33882-S8(M24)
		Lockwasher-1/2"		34809-S8(X68)
65/	A	Nut-5/8"-18 (strut to frame)	2	381612-S36
				(MM61A)
65/	A	Nut-castle(to No. 1 cross member)-5/8"-18	2	34034-S18(M12)
67/	S	Nut-castle(to frame)	2	
65	B	Nut-9/16"-18 (strut to 3416 bracket)	1	34033-S(M11)
68/	B, F, X	(Strut to 16054-5)	1	
		Cotter pin	1	72035-S(N51)
66	B, X	Nut-11/16"-18 (strut to underbody)	2	380517-S100
				(MM40D)
68	B, F, X	Nut (strut to arm)-1/2" -20	4	382857-S100
				(MM169P)


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3468 STRUT - FRONT SUSPENSION LOWER ARM - continued - Also refer to Group 3A187			
66/67	B, F, X	Locknut-7/16"-20		34447-S(M83)
65/66	S	Bolt (to arm)-5/8"-11 x 2 1/8"-square head	4	379986-S2(BB842A)
		Nut-5/8"-11		356085-S8(MM14)
		Lockwasher-5/8"		34811-S2(X71)
		Locknut-5/8"-18		371171-S(MM161)
65	X (6 cyl.)	Bolt (strut to arm)-7/16"-20 x 1 1/2"	4	352621-S(BB234)
65	X	Locknut(strut to underbody)-11/16"-18	4	376680-S7-8 (MM179F)
65/	X	Locknut (strut to bracket)-9/16"-18	2	34426-S7(M86)
65	B		2	
65/66	F(6 & 8 cyl.)	Locknut (to underbody)	2	
66/67	B, X	Bolt(to arm)-7/16"-20 x 1 1/4"-serrated	4	380571-S2
67	F		4	(BB390AE)
66/	B, X	Locknut(to underbody)-11/16"-18	2	380460-S7-8
67/	F		2	(MM179J)
66/	B, X	Nut(to underbody)-11/16"-18-serrated	2	380517-S2(MM40D)
67/	F		2	
	3486-7 BRACKET ASSY. - FRONT SUSPENSION LOWER ARM STRUT MOUNTING			
66/67	B, X	R. H.	1	C6OZ 3486-C
		L. H.	1	C6OZ 3487-C
68/69	B, X	R. H.	1	C8OZ 3486-A
		L. H.	1	C8OZ 3487-A
65/66	F	R. H.	1	C5ZZ 3486-A
		L. H.	1	C5ZZ 3487-A
67/70	F	R. H.	1	C8ZZ 3486-A
		L. H.	1	C8ZZ 3487-A
	3491 COVER - STEERING WHEEL HUB - LOWER			
66	B	With simulated wood grain wheel-not replaced	1	★C6OZ 3491-A
66	A(8 cyl. 428-4/B)-7 litre	(12/74)	1	
67	B, F	With wood grain wheel & P/S	1	C7OZ 3491-A
65/67	F(63B, 65B, 76B)		1	C5ZZ 3491-A
	3494 TUBE ASSY. - POWER STEERING PRESSURE LINE TO VALVE - Refer to Group 3A719			
	3499 RETAINER - STEERING COLUMN TUBE			
67	F, S(tilt column)		3	C7SZ 3499-A
68/	A, F, S(tilt column)		3	C8SZ 3499-A
71/	L		3	D1FZ 3499-A
72	B		3	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A500	**GEAR & FLANGE ASSY. - POWER STEERING**-Serviced by details (3504 & 3A525)		

STEERING GEAR IDENTIFICATION TAG

To facilitate the identification of Ford-designed steering gear parts for 1965 and subsequent model years, a metal identification tag is attached to the steering gear housing as shown in the illustration below.



THUNDERBIRD

FORD, FAIRLANE/TORINO, FALCON, MAVERICK AND MUSTANG P-4253

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	3504	**GEAR ASSY. - STEERING**			
		- A -			
65/68	A(P/S)		#HCE-B, SPA-H, N-Saginaw built	1	C9AZ 3504-B
	A(P/S)		#HCE-C, D, SPA-A, A1, B-Ford built	1	C8AZ 3504-A
	A(M/S)		#HCD-A, A1, SMA-D-Ford built	1	C5AZ 3504-B
69	A(P/S)		#HCE-B, SPA-H, N-Saginaw built	1	C9AZ 3504-B
69/70	A(M/S)		#SMA-D1-Ford built	1	C9AZ 3504-C
	A(P/S)		#SPA-A1, A2, A3-Ford built	1	C9AZ 3504-A
71	A(M/S)		#SMA-D	1	C5AZ 3504-B
			#SMA-D1	1	C9AZ 3504-C
71/	A(M/S)		#SMA-T	1	D1AZ 3504-A
70/72	A(P/S)	"Before 2/1/72"	#SPA-E3, E4-Ford built	1	C9SZ 3504-A
72	A(P/S)	"From 2/1/72"	#SPA-E4, AA	1	D3AZ 3504-A
		- B -			
65	B(M/S)		#HCA-BU-39 1/2" long input shaft	1	C4OZ 3504-A
66/67	B(M/S)		#HCA-CA, SMA-C-39 1/2" long input shaft	1	C6DZ 3504-B
66/67	B(P/S)		#HCA-BY, CD, SMA-A-39 1/2" long input shaft	1	C6DZ 3504-A
65/71	B(P/S)		#HCA-BV, BZ, CE, SMA-B-7 3/16" long input shaft	1	C5OZ 3504-B
68/71	B(M/S)		#SMA-F-7 3/16" long input shaft	1	C7OZ 3504-A
72	B(M/S)		#SMA-T	1	D1AZ 3504-A
	B(P/S)	"Before 3/15/72"	#SPA-Y	1	D2OZ 3504-A
	B(P/S)	"From 3/15/72"	#SPA-E4, AA	1	D3AZ 3504-A
		- F -			
65/66	F(P/S)		#HCC-AX, SMB-B-41 7/8" long input shaft, 1" dia. sector shaft and 16: 1 ratio	1	C5ZZ 3504-C
65/67	F(M/S)		#HCC-AT, SMB-A-41 7/8" long input shaft, 1" dia. sector shaft, and 19: 1 ratio	1	C5ZZ 3504-A
			#HCC-AW, SMB-B-41 7/8" long input shaft, 1" dia. sector shaft and 16: 1 ratio	1	C5ZZ 3504-C
67	F(M/S)		#SMB-H-41 7/8" long input shaft, 1 1/8" dia. sector shaft and 19: 1 ratio	1	C7ZZ 3504-G
			#SMB-C-6 3/16" long input shaft, 1" dia. sector shaft and 19: 1 ratio - R/B C7ZZ 3504-A and C7ZZ 3590-B	1	★C7ZZ 3504-D

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	3504 GEAR ASSY. - STEERING - continued				
		- F -			
67	F(P/S)		#SMB-J-41 7/8" long input shaft, 1 1/8" dia. sector shaft and 16: 1 ratio	1	C7ZZ 3504-E
			#SMB-E-6 3/16" long input shaft, 1" dia. sector shaft and 16: 1 ratio	1	C7ZZ 3504-B
67/70	F(M/S)		#SMB-D-6 3/16" long input shaft, 1 1/8" dia. sector shaft and19: 1 ratio	1	C7ZZ 3504-A
			#SMB-F-6 3/16" long input shaft, 1 1/8" dia. sector shaft and 16: 1 ratio	1	C7ZZ 3504-F
	F(P/S)		#SMB-K-6 3/16" long input shaft, 1 1/8" dia. sector shaft and 16: 1 ratio	1	C7ZZ 3504-F
71/	F(M/S)		#SMA-R,T	1	D1AZ 3504-A
	F(P/S)		Constant ratio-Saginaw type-#SPA-S,U	1	D1ZZ 3504-B
			Variable ratio-Saginaw type-#SPA-T,V	1	D1ZZ 3504-C
		- L -			
71/72	L(M/S)		Kit-consists of (1) D22R 3504-BB gear assy.-ident. as SMC-E, incl. (1) D1ZA 3F546-AB shims & (2) 384587-S100 nut	1	D2FZ 3504-B
		- P -			
70/	P(M/S)		#SMA-F, F1-7 3/16" long input shaft	1	C7OZ 3504-A
	P(P/S)		#SMA-B,B1-7 3/16" long input shaft	1	C5OZ 3504-B
		- S -			
65/66	S(P/S)		#HCF-B,#SPA-C	1	C8VY 3504-A
67/68	S(P/S)		#SPA-E,F	1	C8SZ 3504-A
69/72	S(P/S)	"Before 2/1/72"	#SPA-E1, E2, E3, E4	1	C9SZ 3504-A
72	S(P/S)	"From 2/1/72"	#SPA-E4, AA	1	D3AZ 3504-A
		- U -			
66/	U(M/S)		♯C7TA 3504-U or #24JC05	1	C7TZ 3504-L
72	U(P/S)	"From Ser.P40,001"	#SPA-Z	1	D3TZ 3504-A
		- X -			
65	X-6 cyl.(M/S)		♯HCC-AM, AM1-39" long input shaft & 1" dia. sector shaft	1	C4DZ 3504-A
	X-8 cyl.(M/S)		♯HCC-AP, AP1-39" long input shaft & 1 1/8" dia. sector shaft-not replaced	1	★C4DZ 3504-B
	X(P/S)		♯HCC-AZ, BB-40" long input shaft & 1" dia. sector shaft-not replaced	1	★C5DZ 3504-A
66/67	X(M/S)		#HCA-CA, #SMA-C-39 1/2" long input shaft & 1 1/8" dia. sector shaft	1	C6DZ 3504-B
	X(P/S)		♯HCC-BY, CD, SMA-A-39 1/2" long input shaft & 1 1/8" dia. sector shaft	1	C6DZ 3504-A
68/70	X(M/S)		♯SMA-F-7 3/16" long input shaft & 1 1/8" dia. sector shaft	1	C7OZ 3504-A
	X(P/S)		♯SMA-B, B1-7 3/16" long input shaft & 1 1/8" dia. sector shaft	1	C5OZ 3504-B
68/	A,S		Washer-flat-7/16"	3	382580-S100 (XX173B)
65/	B, F, X		Bolt (housing to underbody)-7/16"-14 x 3 1/4"	3	C1AE 6A527-C
65/	X, S		Washer-flat-39/64"	3	359820-S8(XX203)
66/	A				
65	B		Bolt (housing to underbody)-7/16"-14 x 3 3/4"	3	351988-S8(BB187)
65/	S		Bolt (to underbody)	1	
65/66	S		Bolt (to underbody)-7/16"-14 x 4 5/8"	2	351989-S8(BB188)
65/	B		Washer-flat-7/16"	3	351428-S7(XX166)
65/	A		Bolt (to frame)-7/16"-14 x 4 1/32"	3	379905-S(BB187C)
65/	A, B, S, X		Lockwasher-7/16"		34808-S8(X67)
66/	A, S, X		Bolt (frame or underbody)-7/16"-14 x 4 3/16"	3	383497-S(BB187E)
71/	F		Bolt-7/16"-14 x 3 5/8" (gear assy. to body)	3	376355-S(BB186)
71/	L		Bolt-7/16"-14 x 1 3/8" (gear 3504 & bracket 3E552 & insulator 5484 to frame)	4	384588-S100 (BB390NK)

♯ Identification Marking

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	3D505 COVER - STEERING COLUMN POSITION CONTROL				
68/69	A, F (tilt wheel)		Upper	1	C8MY 3D505-A
68/69	S(tilt wheel)		Upper-w/speed control	1	
68/69	A, F, S(tilt wheel)		Lower	1	C8SZ 3D505-B
70/71	A, F(tilt wheel)		Upper	1	D1AZ 3D505-A
70	S(tilt wheel)			1	
72	A, F, S(tilt wheel)			1	
67	F(tilt column)	"Before 2/15/67"	Upper - not replaced	1	★C7ZZ 3D505-A
	F(tilt column)	"From 2/15/67"	Upper - not replaced	1	★C7ZZ 3D505-B
67	F, S(tilt column)		Lower	1	C7SZ 3D505-B
67	S(tilt wheel)		Upper	1	C8SZ 3D505-A
68/69	S(tilt wheel)		Upper - w/o speed control	1	C8SZ 3D505-A
71	S(tilt wheel)		#D1SA 3D505-AWA, lower	1	D1SZ 3D505-A
68	A, F, S		Screw (cover to cover)-No. 6-20 x 1/4"	2	50386-S(U119)
	3K505 ADAPTER - POWER STEERING PUMP MOUNTING				
69	A, B, F(8 cyl. 351)-except A/C		(a)	1	C9OZ 3K505-A
69	F(Boss 302)		(a)	1	C9ZZ 3K505-A
		(a)	Nut-3/8"-16 locking (adapter to cylinder head)	2	382535-S100 (MM173MX)
		(a)	Stud-3/8"-16 x 2" (adapter to cyl. head)	2	377278-S(WW6E)
		(a)	Bolt & washer-3/8"-16 x 1 1/8"(adapter to cyl. hd.)	2	373162-S(BB563A)
	3506 CLAMP - STEERING COLUMN				
65/68	A(fixed column)		Lower	1	C5AZ 3506-B
65/68	A(P/I & Taxicab)-S/T & O/D			1	
67/68	A		Marked C7AA 3A543-BW-die cast	1	C7AZ 3506-A
68	A		Upper	1	C8AZ 3506-A
69	A		Upper	1	C9AZ 3506-C
69/	A		Opening cover-upper	1	C9AZ 3506-B
65/67	B			1	C2OZ 3506-B
68	B	"Before 3/1/68"	Upper	1	C8OZ 3506-A
68/69	B	"From 3/1/68"	Upper	1	C8OZ 3506-B
68	F			1	C7ZZ 3506-B
69	F		Upper	1	C9ZZ 3506-A
69/	F		Bracket	1	C9ZZ 3506-B
70/	P		Upper-3 1/4" x 1 5/8" stud pattern	1	D0DZ 3506-A
68/69	S			1	C8SZ 3506-A
65/67	S(63A, C, 76A)			1	C5SZ 3506-A
65	S(63B)	"Before 2/10/65"		1	C5SZ 3506-B
65/67	S(63B)	"From 2/10/65"		1	C5SZ 3506-C
66	S(63D)			1	
68	X	"Before 3/1/68"	Upper	1	C8OZ 3506-A
68/69	X	"From 3/1/68"	Upper	1	C8OZ 3506-B
67	A		Screw(to support)-1/4"-20 x 1 1/4"-12 point	4	381666-S2 (BB815AC)
65/69	B		Stud (clamp to brkt.)-5/16"-18 & 5/16"-24 x 3 3/4	2	354527-S(WW15)
68	F		Nut & washer-5/16"-18	2	34661-S(M107F)
68	S		Locknut-5/16"-18	4	379930-S2 (MM173M)
	3E506 CLIP - P/S HOSE RETAINING - Improvise				
	3507 CLAMP ASSY.- STEERING COLUMN				
70/71	B		Lower	1	D0OZ 3507-C
			Upper	1	D0OZ 3507-D
72	B, S		Steering column fire wall opening cover ring	1	D2OZ 3507-A
71/72	L	"Before 1/11/72"	Steering column shaft boot	2	D1FZ 3507-A
70/	P		Lower	1	D0DZ 3507-A
			Upper	1	D0DZ 3507-B

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3D507 RETAINER - POWER STEERING CYLINDER STUD SEAL			
65/70	F, X	1 15/16" I. D.	1	C3DZ 3D507-A
65/70	B		1	
	3509 TUBE ASSY. - STEERING COLUMN - PRIME - Also refer to Group 3514			
65	F	Includes flange	1	C5ZZ 3509-B
	3510 RETAINER - STEERING COLUMN LOWER BEARING SEAL			
66/	U	Includes washer	1	D0TZ 3510-A
	3C510 BRACKET - POWER STEERING HOSE			
70	A	Pressure hose index bracket	1	D0AZ 3C510-A
71/	A		1	D1AZ 3C510-A
66	B, X (6 cyl. & 8 cyl. 289)	Not replaced	1	★C6OZ 3C510-D
66/69	B(8 cyl. 390)	Lower	1	C6OZ 3C510-F
69	B, X(8 cyl. 302, 351)		1	C9OZ 3C510-A
67/68	B, X(6 cyl. & 8 cyl. 289, 302)		1	C7OZ 3C510-A
69	B, X(6 cyl.)		1	
70/71	B, X(8 cyl. 302, 351)	Pressure hose index bracket	1	D0OZ 3C510-B
70	X(8 cyl.)		1	
70/71	B(8 cyl. 429)	Pressure hose index bracket	1	D0OZ 3C510-C
72	B(8 cyl.)		1	D1AZ 3C510-A
67	F(6 cyl. & 8 cyl. 289)		1	C7ZZ 3C510-B
67/68	F(8 cyl. 390)	Bracket for hose insulator	1	C7ZZ 3C510-C
69/70	F(8 cyl.)		1	
68	F(6 cyl. & 8 cyl. 289, 302)	Bracket for hose insulator	1	C8ZZ 3C510-A
69/70	F(6 cyl.)		1	
71/	F(8 cyl.)		1	D1ZZ 3C510-A
70/	P(6 cyl.)	Improvise	1	★D0DA 3C510-B
71/	P(8 cyl. 302)	Bracket for hose insulator	1	D0DZ 3C510-A
70	S		1	D0AZ 3C510-A
71	S		1	D1AZ 3C510-A
72	S(8 cyl. 400, 429 w/o-A/C)		1	
70/	A, B, S, X(8 cyl.)	Nut-5/8" -18 (bracket to pump)	1	378720-S (MM-123-B)
68	B, F, X(8 cyl. 390)	Screw (bracket to stop)-5/16"-18 x 5/8"	2	378459-S(UU52K)
	3511 FLANGE - STEERING COLUMN TUBE			
	- A -			
65/66	A(column shift-M/T exc. P/C & Taxi)		1	C5AZ 3511-A
	A(all floor shift)		1	
	A(column shift-A/T)		1	C5AZ 3511-B
67	A(column shift-M/T & all floor shift)		1	C7AZ 3511-A
	A(column shift-A/T)		1	C7AZ 3511-C
68	A(fixed wheel-column shift A/T)	#C8AA 3508-AW, C9OW 3508-AW	1	●C9OZ 3511-A
		#D0DA 3508-AW	1	▲D0DZ 3511-A
	A(fixed wheel-all exc. column shift A/T)	#C8AA 3511-DW	1	●C8AZ 3511-B
		#D0DA 3511-BW	1	▲D0DZ 3511-B
	A(tilt wheel)	#C8MA 3511-A	1	C8MY 3511-A
69	A(fixed wheel)	#C9AA 3511-CW	1	●C9AZ 3511-B
		#D0DA 3511-BW	1	▲D0DZ 3511-B
	A(tilt wheel)	#C8MA 3511-A	1	C8MY 3511-A
70/71	A(fixed wheel)	#D0AA 3511-GW	1	D0AZ 3511-C
	A(tilt wheel)	#D0AA 3511-DW, -FW, -HW	1	D1AZ 3511-A
72	A(tilt wheel)	#D1AA 3511-AW	1	D1AZ 3511-A
	A(fixed wheel)	#D0AA 3511-GW	1	D0AZ 3511-C

● Use for original production replacement (.060" tube (3514) wall thickness) # Identification marking

▲ Use only when 3514 tube assembly has been previously replaced (.072" tube (3514) wall thickness)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3511 FLANGE - STEERING COLUMN TUBE - continued			
	- B -			
65	B(A/T)		1	C5OZ 3511-B
	B(M/T)		1	C5OZ 3511-A
66	B(M/T)		1	C5AZ 3511-A
	B(A/T)		1	C5AZ 3511-B
67	B(column shift-M/T)	#C7OA 3511-AW	1	C7OZ 3511-A
	B(floor shift)		1	
	B(column shift-A/T with P/S)	#C7OA 3511-DW,-EW (not replaced)	1	★
	B(column shift-A/T with M/S)	#C7OA 3511-CW-not replaced (12/74)	1	★C7OZ 3511-C
68	B(column shift-A/T)	#C8AA 3508-AW,#C9OA 3508-AW	1	●C9OZ 3511-A
	B(column shift-A/T)	#D0DA 3508-AW	1	▲D0DZ 3511-A
	B(all except column shift-A/T)	#C8AA 3511-DW	1	●C8AZ 3511-B
	B(all except column shift-A/T)	#D0DA 3511-BW	1	▲D0DZ 3511-B
69	B(column shift-A/T)	#C9OA 3508-AW	1	●C9OZ 3511-A
		#D0DA 3508-AW	1	▲D0DZ 3511-A
	B(all except column shift-A/T)	#C9AA 3511-CW	1	●C9AZ 3511-B
		#D0DA 3511-BW	1	▲D0DZ 3511-B
70/71	B(all except column shift-A/T)	#D0AA 3511-GW	1	D0AZ 3511-C
	B(column shift-A/T)	#D0OA 3508-AW,-BW,-CW	1	D3OZ 3511-A
72	B(column shift-M/T)		1	D2AZ 3511-A
	B(column shift A/T)		1	D3OZ 3511-A
	B(floor shift)		1	D0AZ 3511-C
	- F -			
65/66	F		1	C5DZ 3511-A
67	F(tilt wheel)		1	C7SZ 3511-A
	F(fixed wheel)		1	C7OZ 3511-A
68	F(fixed wheel)	#C8AA 3511-DW	1	●C8AZ 3511-B
		#D0DA 3511-BW	1	▲D0DZ 3511-B
	F(tilt wheel)	#C8MA 3511-A	1	C8MY 3511-A
69	F(fixed wheel)	#C9AA 3511-CW	1	●C9AZ 3511-B
		#D0DA 3511-BW	1	▲D0DZ 3511-B
	F(tilt wheel)	#C8MA 3511-A	1	C8MY 3511-A
70	F(except GT350/500)-fixed wheel	#D0AA 3511-GW	1	D0AZ 3511-C
	F(GT350/500)-fixed wheel	#C9AA 3511-CW	1	●C9AZ 3511-B
		#D0DA 3511-BW	1	▲D0DZ 3511-B
	F(except GT350/500)-tilt wheel	#D0AA 3511-DW,-EW,-HW	1	D0AZ 3511-D
	F(GT350/500)-tilt wheel	#C8MA 3511-A	1	C8MY 3511-A
71	F(fixed wheel)	#D0AA 3511-GW	1	D0AZ 3511-C
	F(tilt wheel)	#D0AA 3511-DW,-EW,-HW	1	D1AZ 3511-A
72	F(tilt wheel)	#D1AA 3511-AWA	1	D1AZ 3511-A
	F(fixed wheel)	#D0AA 3511-GW	1	D0AZ 3511-C
	- L -			
71/	L		1	D0AZ 3511-C
	- P -			
70	P(non-locking column-A/T)	#C9OA 3508-AW	1	●C9OZ 3511-A
		#D0DA 3508-AW	1	▲D0DZ 3511-A
	P(non-locking column-M/T)	#C9AA 3511-CW	1	●C9AZ 3511-B
		#D0DA 3511-BW	1	▲D0DZ 3511-B
70/	P(locking column-column shift-A/T)- "Before 3/18/70"	#D0OA 3508-AW,-BW	1	D0OZ 3511-A
	P(locking column-column shift-A/T)- "From 3/18/70"	#D0OA 3508-CW,D3OW 3511-AWC	1	D3OZ 3511-A
	P(locking column-all exc.column shift-A/T)	#D0AA 3511-GW	1	D0AZ 3511-C

● Use for original production replacement (.060" tube (3514) wall thickness) # Identification marking

▲ Use only when 3514 tube assembly has been previously replaced (.072" tube (3514) wall thickness)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	3511 FLANGE - STEERING COLUMN TUBE - continued				
	- S -				
65	S		Not replaced (12/74)	1	★C5SZ 3511-A
66	S(exc. deluxe steering column & wheel)			1	C5SZ 3511-A
	S(Deluxe steering column & wheel)		Not replaced	1	★C6SZ 3511-A
67	S			1	C7SZ 3511-A
68/69	S(fixed wheel)		#C8AA 3508-AW,#C9OA 3508-AW	1	●C9OZ 3511-A
	S(fixed wheel)		#D0DA 3508-AW	1	▲D0DZ 3511-A
	S(tilt wheel)		#C8MA 3511-A	1	C8MY 3511-A
70	S(fixed wheel)	"Before 3/18/70"	#D0OA 3511-B	1	D0OZ 3511-A
70/71	S(fixed wheel)	"From 3/18/70"	#D0OZ 3508-CW	1	D3OZ 3511-A
	S(tilt wheel)		#D0AA 3511-DW,-EW,-HW	1	D1AZ 3511-A
72	S(fixed wheel)			1	D0AZ 3511-C
	S(tilt wheel)			1	D1AZ 3511-A
	-U -				
66/	U			1	C5DZ 3511-A
	- X -				
65	X(M/T)			1	C5DZ 3511-A
	X(A/T)			1	C5DZ 3511-B
66	X(M/T)			1	C5AZ 3511-A
	X(A/T)			1	C5AZ 3511-B
67	X(column shift-M/T & floor shift)		#C7OA 3511-AW	1	C7OZ 3511-A
	X(column shift-A/T with P/S)		#C7OA 3511-DW,-EW (not replaced)	1	★
	X(column shift-A/T with M/S)		#C7OA 3511-CW	1	C7OZ 3511-C
68/70	X(A/T)		#C8AA 3508-AW,C9OA 3508-AW	1	●C9OZ 3511-A
	X(A/T)		#D0DA 3508-AW	1	▲D0DZ 3511-A
68	X(M/T)		#C8AA 3511-DW	1	●C8AZ 3511-B
69/70	X(M/T)		#C9AA 3511-CW	1	●C9AZ 3511-B
68/70	X(M/T)		#D0DA 3511-BW	1	▲D0DZ 3511-B
65/	S		Washer-spring (flange to trans. control lever socket)-1"	1	370948-S(XX365)
68	A,B,F,S,X		Locknut (to tube)-1/4"-28	2	34391-S7-8(M97)
	3C511 SUPPORT - POWER STEERING PUMP - Also refer to Group 3A732				
	- A -				
65	A(8 cyl.289)		With Eaton pump & A/C-not replaced	1	★C5AZ 3C511-C
			With Eaton pump & w/o A/C	1	C5OZ 3C511-C
65/66	A(6 cyl.240)			1	C5AZ 3C511-B
67/69	A(8 cyl.289,302,351)		Front-support	1	C7AZ 3C511-A
67/71	A(8 cyl.390,428)		Front-support	1	C7SZ 3C511-A
67	A(8 cyl.)		Rear-support	1	C7AZ 3C511-B
68	A(8 cyl.)		Rear-support	1	C8AZ 3C511-A
69	A(8 cyl. exc.429)	"Before 12/5/68"	Rear-support-3/8" dia. pivot hole	1	C9AZ 3C511-B
		"From 12/5/68"	Rear-support-7/16" dia. pivot hole	1	C9AZ 3C511-E
	A(8 cyl.429)	"Before 12/5/68"	Rear-support-3/8" dia. pivot hole	1	C9AZ 3C511-A
		"From 12/5/68"	Rear-support-7/16" dia. pivot hole	1	C9AZ 3C511-C
69	A(8 cyl.429)		Front-support-7/16" dia. pivot hole(replaces 3/8" dia.)	1	C9AZ 3C511-D
70	A(8 cyl.351)		Front-support	1	D0AZ 3C511-A
70/	A(8 cyl.302)		Front-support-#D1AA 3C511-CA	1	D0AZ 3C511-E
70/	A(8 cyl.429)		Top-support for 3A732	1	D0AZ 3C511-F
70/71	A(8 cyl.390,428)		Rear-support	1	D0AZ 3C511-D
71/	A(8 cyl.351,400)		Top-support for 3A732-#D1AA 3C511-AA	1	D1AZ 3C511-A
	- B -				
65	B(6 cyl.)		With Eaton pump-front support-not replaced	1	★C5OZ 3C511-B
	B(8 cyl.289)		With Eaton pump-front support	1	C5OZ 3C511-C
65/67	B(6 cyl.)		With Ford pump-support mounted on engine side	1	C5OZ 3C511-A
65/66	B(8 cyl.)		With Ford pump-part of 3A732 bracket		3C511
67	B(8 cyl.)		Rear-support	1	C7AZ 3C511-B
67/69	B(8 cyl.289,302,351)		Front-support	1	C7AZ 3C511-A
	B(8 cyl.390,427,428)		Front-support	1	C7SZ 3C511-A

● Use for original production replacement (.060" tube (3514) wall thickness) # Identification marking

▲ Use only when 3514 tube assembly has been previously replaced (.072" tube (3514) wall thickness)

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	3C511 SUPPORT - POWER STEERING PUMP - continued - Also refer to Group 3A732				
	- B -				
68	B(6 cyl.200)		Front-support	1	C8OZ 3C511-A
			Rear upper-support for 3A732 bracket	1	C8OZ 3C511-B
			Rear-support & hose indexing bracket	1	C8OZ 3C511-D
68	B(8 cyl.289,302)		Rear-support	1	C8OZ 3C511-C
68/69	B(8 cyl.390,427,428)		Rear-support	1	C8OZ 3C511-B
69	B(8 cyl.302,351)		Rear-support	1	C9OZ 3C511-A
70/	B(8 cyl.429)		Top-support for 3A732 bracket	1	D0AZ 3C511-F
70/71	B(8 cyl.351)	"Before 11/23/70"	Front-support-#D1OA 3C511-AA	1	D0ZZ 3C511-A
71	B(8 cyl.351)	"From 11/23/70"	Front-support-#D1ZA 3C511-AB	1	D1ZZ 3C511-A
70/71	B(8 cyl.302)	"Before 11/23/70"	Front-support-#D1AA 3C511-CA	1	D0AZ 3C511-E
71	B(8 cyl.302)	"From 11/23/70"	Front-support-#D1ZA 3C511-AB	1	D1ZZ 3C511-A
72	B(8 cyl.302 w/o/A/C)			1	
72	B(8 cyl.302 w/A/C)		Front support-#D1AA 3C511-AA	1	D1AZ 3C511-A
	B(8 cyl.351C)		Front-support-#D1OA 3C511-AA	1	D0ZZ 3C511-A
	B(8 cyl.351W,400)		Top-support	1	D1AZ 3C511-A
	- F -				
65	F(6 cyl. 170)		With Eaton pump-front support for #HBA-BD	1	★C4DZ 3C511-A
	F(6 cyl. 200)		With Eaton pump-front support for #HBA-BD	1	★C5OZ 3C511-B
	F(8 cyl.)		Front-support	1	C5OZ 3C511-C
65/67	F (6 cyl. 200)		With Ford pump-support mounted on engine side for #HBA,HBA-BD,BF pump	1	C5OZ 3C511-A
67	F(8 cyl.)		Rear-support	1	C7AZ 3C511-B
67/69	F(8 cyl.289,302,351)		Front-support	1	C7AZ 3C511-A
67/70	F(8 cyl.390,428)			1	C7SZ 3C511-A
68	F(8 cyl.289,302)		Rear-upper support for 3A732 bracket	1	C8OZ 3C511-A
68/69	F(6 cyl.)		Rear-upper support to 3A732 bracket	1	C8OZ 3C511-D
68/70	F(6 cyl.)		Front-support	1	C8OZ 3C511-A
	F(6 cyl.)		Rear-pressure hose index & support bracket	1	C8OZ 3C511-B
	F(8 cyl.390,427,428)		Rear-support & hose index bracket	1	C8OZ 3C511-B
69	F(8 cyl.302,351)		Rear-support & hose index bracket	1	C9OZ 3C511-A
69/70	F(8 cyl. Boss 429)		Front-support	1	C9ZZ 3C511-A
70	F(6 cyl.)		Rear-upper support for 3A732 bracket	1	D0ZZ 3C511-B
	F(8 cyl.302 exc. Boss)			1	D0AZ 3C511-E
	F(8 cyl.351W)		Front-support	1	D0AZ 3C511-A
70/71	F(8 cyl. Boss 302)		#D1OA 3C511-AA	1	D0ZZ 3C511-A
	F(8 cyl.351C)		Front-support	1	D0ZZ 3C511-A
71	F(8 cyl.429)		Top-support	1	D0AZ 3C511-F
71	F(8 cyl.302 exc. Boss)		#D1ZA 3C511-AB	1	D1ZZ 3C511-A
72	F(8 cyl.302)			1	
72	F(8 cyl.351)		Top-support-#D1OA 3C511-AA	1	D0ZZ 3C511-A
	- P -				
70/	P(6 cyl.170,200)		Front-support	1	C8OZ 3C511-A
			Rear-support & hose index bracket	1	D0ZZ 3C511-B
			Rear-upper support	1	D0DZ 3C511-B
71/	P(8 cyl.302)		Front-support-#D1ZA 3C511-AA,AB	1	D1ZZ 3C511-A
	- S -				
65/66	S			1	C5SZ 3C511-B
67/68	S(8 cyl.390)		Front	1	C7SZ 3C511-A
67	S(8 cyl.)		Rear	1	C7AZ 3C511-B
68	S(8 cyl.390)		Rear-not replaced	1	★C8SZ 3C511-C
	S(8 cyl.429)		Rear-not replaced	1	★C8SZ 3C511-B
68/69	S(8 cyl.429)		Front-7/16" dia. pivot stud hole (replaces 3/8" dia.)	1	C9AZ 3C511-D
69	S(8 cyl.429)	"Before 12/5/68"	Rear-3/8" dia. pivot stud hole	1	C9AZ 3C511-A
		"From 12/5/68"	Rear-7/16" dia. pivot stud hole	1	C9AZ 3C511-C
70/71	S(8 cyl.429)		#D0AA 3C511-F	1	D0AZ 3C511-F
72	S (8 cyl. 429 w/o A/C)			1	
72	S(8 cyl. 429 w/ A/C)		Refer to Group 3A732		3C511
	S(8 cyl.400)		#D1AA 3C511-AA	1	D1AZ 3C511-A

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3C511 SUPPORT - POWER STEERING PUMP - continued - Also Refer to Group 3A732			
	- U -			
72	U(8 cyl. 302)		1	D2TZ 3C511-A
	- X -			
65	X(6 cyl.)	With Eaton pump-front support-not replaced	1	★C5OZ 3C511-B
	X(8 cyl.289)	Front-support	1	C5OZ 3C511-C
65/67	X(6 cyl.)	With Ford pump-support mounted on engine side	1	C5OZ 3C511-A
67	X(8 cyl.)	Rear	1	C7AZ 3C511-B
67/69	X(8 cyl.)	Front-support	1	C7AZ 3C511-A
68	X(8 cyl.)	Rear	1	C8OZ 3C511-C
68/70	X(6 cyl.200)	Front-support	1	C8OZ 3C511-A
	X(6 cyl.200)	Rear-upper support for 3A732 bracket	1	C8OZ 3C511-D
	X(6 cyl.200)	Rear-support & pressure hose index	1	C8OZ 3C511-B
69	X(8 cyl.)	Rear	1	C9OZ 3C511-A
70	X(8 cyl.)	Front-#D1AA 3C511-CA	1	D0AZ 3C511-E
65/	A(8 cyl.)	Bolt (support to water pump)-5/8"-18 x 1 1/8"	1	370851-S8(BB268)
65/	B(8 cyl.)	Bolt (support to cylinder head)-3/8"-16 x 1 1/4"	1	359266-S8(BB157)
		Washer-flat-3/8"	2	351385-S7(XX158)
		Lockwasher-3/8"	1	34807-S8(X66)
67/	A,B,F,S,X	Stud(to cyl. head)-3/8"-16 & 3/8"-16 x 7 3/8"	1	377060-S2(WW13W)
67	A(P/C)-8 cyl. 428	Bolt (to cyl. head)-3/8"-16 x 6 3/4"	1	381808-S2(BB171G)
68	S		1	
67/	A,B,F,S,X	Nut (to pump)-5/8"-18	1	378720-S2(MM123B)
68	B,F,X	Bolt (to engine)-5/16"-18 x 3/4"	2	20346-S(B50)
68/	A,S	Screw (to water pump)-3/8"-16 x 3/4"	1	370608-S(BB579)
68/	A,B,F,S,X	Bolt-3/8"-16 x 7/8"	2or3	371041-S(BB575B)
68	A,B,F,S,X	Nut-3/8"-16	1	382535-S (MM173MX)
68	S	Stud (to water pump)-3/8"-16 x 2"	1	377278-S(WW6E)
68	B,F,X(6 cyl.)	Stud(to engine block)-5/16"-18 x 1 5/8"	3	382392-S(WW4E)
68	B,F,X(6 cyl.),S	Washer(to cylinder head)-3/8"-flat	1	351415-S(XX128)
69	A,S(8 cyl. 429)	Stud (support to engine)-7/16"-14-14 x 7.62"	1	383216-S2(WW50K)
69/	A(429)	Stud (support to engine)-7/16"-14 x 2 5/8"	1	383723-S2 (WW6FD)
		Nut 7/16"-14	1	34988-S(M89D)
70/	A,S(8 cyl. 429)	Nut (support to 3A732 bracket)-3/8"-16	4	373403-S (MM173J)
70/	A(8 cyl. 302, 351)	Bolt (adj. support to bracket & engine)-7/16"-14 x 6 3/8"	1	383722-S (BB518K)
		Screw (adj. support to bracket)-7/16"-14 x 3/4"	1	382092-S (BB563BE)
70/	F,X	Screw (support to engine)-5/16"-18 x 1.00" hex. washer head locking	AR	384072-S2 (BB575C)
72	U(8 cyl. 302)	Stud(support & brkt. to eng.)-3/8"-16x7 3/8"	1	★385018-S2
		Nut-3/8"-16	1	34987-S4(M89CF)
		Bolt (suppt. to water pump hsg.)-5/16"-18x1 3/4"	1	★304794-S2
		Bolt (suppt. to water pump hsg.)-5/16"-18 x 4"	1	45562-S8(B69)
		Lockwasher-5/16"	2	34806-S(X65)
	3512 GROMMET - STEERING COLUMN TO DASH			
65	A		1	C4AZ 3512-A
65/67	X		1	B5S 3512-A
65/67	F		1	
	3A512-3 PLUG - POWER STEERING CONTROL VALVE REACTION SPRING			
65/71	B	Spindle end	1	B9M 3A512-A
65/70	F,X		1	
70/	P		1	
		Cap end	1	B9M 3A513-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3513 SEAL - STEERING COLUMN OPENING WEATHER			
69/71	A	Refer to Body Group 01738		
68/69	B, X "Before 3/3/69"	Refer to Body Group 01738 for units from 3/3/69	1	C9OZ 3513-A
70/71	B		1	D0OZ 3513-A
69	F		1	C9ZZ 3513-A
71/	F(M/T)		1	D1ZZ 3513-A
70/	P	Refer to Body Group 01738	1	
68/69	S	Assembly includes 01738 seal-not replaced	1	★C8SZ 3513-B
70/71	S		1	D0SZ 3513-A
66/	U		1	C6TZ 3513-A
65/68	A	Bolt & retainer (to floor pan)-5/16"-18 x 7/8"	AR	379881-S2(BB643D)
65/71	B	Screw (attaching)-No. 14-10 x 1"-tapping	5	42154-S7-8(U256)
67	F(except 8 cyl. 390)		4	
	3514 TUBE ASSY. - STEERING COLUMN - PRIME			
	- A -			
65/66	A(fixed wheel, column shift-M/T exc. P/C & Taxi)		1	C5AZ 3514-C
	A(all other types)	Not replaced	1	★
68	A(fixed wheel, column shift-A/T)	.060" thick tube wall	1	●C8AZ 3514-B
		.072" thick tube wall	1	▲C8AZ 3514-D
	A(fixed wheel, column shift-M/T)	.072" thick tube wall	1	▲C8AZ 3514-E
	A(fixed wheel, floor shift)	.060" thick tube wall	1	C8AZ 3514-A
	A(tilt wheel, column shift)		1	C8MY 3514-A
	A(tilt wheel, floor shift)		1	C8MY 3514-B
69	A(fixed wheel-column shift-A/T)	.072" thick tube wall	1	▲C9AZ 3514-G
	A(column shift-M/T)	.072" thick tube wall	1	▲C9AZ 3514-F
	A(fixed wheel-floor shift)	.070" thick tube wall	1	▲C9AZ 3514-H
	A(tilt wheel-column shift-A/T)		1	C9AZ 3514-D
	A(tilt wheel-floor shift)		1	C9AZ 3514-E
70/72	A(fixed wheel-all exc. column shift-M/T) "Before 8/16/71"	28 3/16" long	1	D0AZ 3514-A
	A(column shift-M/T) "Before 8/16/71"	28 5/16" long	1	D0AZ 3514-B
	A(tilt wheel) "Before 8/16/71"	25 5/8" long	1	D0AZ 3514-C
72	A(fixed wheel-all exc. column shift-M/T)- "From 8/16/71"		1	D1AZ 3514-A
	A(fixed wheel-column shift-M/T) "From 8/16/71"		1	D1AZ 3514-B
	A(tilt wheel) "From 8/16/71"		1	D1AZ 3514-C
	- B -			
66	B(column shift-M/T)	30 7/16" long	1	C6OZ 3514-A
	B(all other types)	Not replaced	1	★
67	B(column shift-M/T)	30" long	1	C7OZ 3514-A
	B(all other types)	Not replaced	1	★
68	B(column shift-A/T)	.060" thick tube wall-26 1/2" long	1	●C8AZ 3514-B
		.072" thick tube wall-26 1/2" long	1	▲C8AZ 3514-D
	B(column shift-M/T)	.072" thick tube wall-26 5/8" long	1	▲C8AZ 3514-E
	B(floor shift)	.060" thick tube wall-26 5/8" long	1	C8AZ 3514-A
69	B(column shift-A/T)	.060" thick tube wall-26 5/8" long	1	●C9OZ 3514-A
		.072" thick tube wall-26 5/8" long	1	▲C9OZ 3514-D
	B(column shift-M/T)	.060" thick tube wall-26 1/2" long	1	●C9OZ 3514-C
		.072" thick tube wall-26 1/2" long	1	▲C9OZ 3514-E
	B(floor shift)	.060" thick tube wall-26 5/8" long	1	C9OZ 3514-B
70/71	B(all exc. column shift-M/T)	27" long	1	D0OZ 3514-A
	B(column shift-M/T)	27 1/4" long	1	D0OZ 3514-B
72	B (column shift-A/T)	Includes collar-16 15/16" long	1	D2OZ 3514-B
	B(column shift-M/T)	Includes collar-16 15/16" long	1	D2OZ 3514-A
	B(floor shift)		1	D2OZ 3514-C

● For original production replacement

▲ Used as service only tube assembly. Includes (1) 3511 flange, (2) 3641 bolts and (2) retaining nuts.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3514 TUBE ASSY. - STEERING COLUMN - PRIME - continued			
	- F -			
69	F(fixed wheel)	.072" thick tube wall-28 3/16" long	1	▲C9ZZ 3514-C
	F(tilt wheel)		1	C9ZZ 3514-B
70	F(GT350/500)-fixed wheel		1	▲C9ZZ 3514-C
	F(GT350/500)-tilt wheel		1	C9ZZ 3514-B
	F(exc. GT350/500)-fixed wheel-		1	D0ZZ 3514-C
	F(exc. GT350/500)-tilt wheel - "Before 3/2/70"	25 1/4" long	1	D0ZZ 3514-B
	F(exc. GT350/500)-tilt wheel- "From 3/2/70"		1	D0ZZ 3514-D
71	F(fixed wheel) "Before 6/25/71"		1	D1ZZ 3514-A
	F(tilt wheel) "Before 6/25/71"		1	D1ZZ 3514-B
71/72	F(fixed wheel) "From 6/25/71 to 8/16/71"		1	D1ZZ 3514-C
	F(tilt wheel) "From 6/25/71 to 8/16/71"		1	D1ZZ 3514-D
72	F(fixed wheel) "From 8/16/71"		1	D1ZZ 3514-E
	F(tilt wheel) "From 8/16/71"		1	D1ZZ 3514-F
	- L -			
71	L		1	D1FZ 3514-A
72	L		1	D2FZ 3514-A
	- P -			
70	P(with A/T-non locking wheel)	.060" thick tube wall	1	●D0DZ 3514-A
		.072" thick tube wall	1	▲D0DZ 3514-E
	P(with M/T-non locking wheel)	.060" thick tube wall-r/b D0DZ 3514-F	1	★●D0DZ 3514-B
		.072" thick tube wall	1	▲D0DZ 3514-F
70/72	P(M/T column shift-locking wheel)- "Before 8/16/71"	24 15/16" long	1	D0DZ 3514-D
	P(A/T all, M/T floor shift-locking wheel)- "Before 8/16/71"	25 3/16" long	1	D0DZ 3514-C
72	P(A/T all, M/T floor shift) "From 8/16/71"		1	D1DZ 3514-A
	P(M/T column shift) "From 8/16/71"		1	D1DZ 3514-B
	- S -			
68	S(fixed wheel)	.060" thick tube wall-27 13/16" long	1	C8SZ 3514-B
	S(tilt wheel)	24 5/16" long	1	C8SZ 3514-A
69	S(fixed wheel)	.060" thick tube wall-27 13/16" long	1	C9SZ 3514-A
	S(tilt wheel)	24 5/16" long	1	C9SZ 3514-B
70/71	S(fixed wheel)	27 15/16" long	1	D0SZ 3514-A
	S(tilt wheel)	25 1/4" long	1	D0SZ 3514-B
72	S(fixed wheel)	Includes collar-16 15/16" long	1	D2OZ 3514-B
	S(tilt wheel)	Includes collar-14 1/2" long	1	D2SZ 3514-A
	-U -			
66/	U(M/S)		1	C6TZ 3514-B
72	U(P/S) "From Ser.P40,001"		1	D3TZ 3514-B
	- X -			
66	X(column shift-M/T)	30 7/16" long	1	C6OZ 3514-A
	X(column shift-A/T with M/S)	30" long	1	C6OZ 3514-C
	X(column shift-A/T with P/S)	26 15/16" long	1	C6OZ 3514-D
	X(floor shift with M/S)	30 7/16" long	1	C6OZ 3514-E
67	X(column shift-M/T)	30" long	1	C7OZ 3514-A
	X(all other types)	Not replaced	1	★
68	X(column shift-A/T)	.060" thick tube wall-26 1/2" long	1	●C8AZ 3514-B
		.072" thick tube wall-26 1/2" long	1	▲C8AZ 3514-D
	X(column shift-M/T)	.072" thick tube wall-26 5/8" long	1	▲C8AZ 3514-E
	X(floor shift)	.060" thick tube wall-26 5/8" long	1	C8AZ 3514-A
69	X(column shift-A/T)	.060" thick tube wall-26 5/8" long	1	★●C9OZ 3514-A
		.072" thick tube wall-26 5/8" long	1	▲C9OZ 3514-D
	X(column shift-M/T)	.060" thick tube wall-26 1/8" long	1	●C9OZ 3514-C
		.072" thick tube wall-26 1/8" long	1	▲C9OZ 3514-E
	X(floor shift)	.060" thick tube wall-26 1/8" long	1	C9OZ 3514-B

● For original production replacement
▲ Used as service only tube assembly. Includes (1) 3511 flange, (2) 3641 bolts and (2) retaining nuts.

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3514 TUBE ASSY. - STEERING COLUMN - PRIME - continued			
	- X -			
70	X(with A/T-non locking column)	.060" thick tube wall-24 15/16" long	1	●D0DZ 3514-A
		.072" thick tube wall-24 15/16" long	1	▲D0DZ 3514-E
	X(with M/T-non locking column)	.060" thick tube wall-25 1/8" long	1	●D0DZ 3514-B
		.072" thick tube wall-25 1/8" long	1	▲D0DZ 3514-F
65/	A	Bolt (tube to moveable column track & bracket)-5/16"-18 x 1" shoulder	2	377944-S2 (BB445N)
65/	B	Nut-square (to support)-5/16"-18	2	34130-S8(M149)
65/	A (fixed column)	Stud (to dash panel)-5/16"-18 & 5/16"-18 x 2 1/4"	2	380150-S2(WW14C)
65/66	S (moveable column)	Bumper (tube)-Rubber	2	373628-S(CC-28)
	3E514-15 ROD - STEERING COLUMN RELEASE			
67	F(tilt column)	No. 8-32 x 10 15/16"	1	C7ZZ 3E514-A
67	S	No. 8-32" x 11 53/64"	1	C7SZ 3E515-A
	3F515 BEARING - STEERING GEAR RACK ADJUSTMENT			
71/	L	Use with gears identified #SMC-A	1	D1FZ 3F515-A
	3517 BEARING ASSY. - STEERING COLUMN TUBE			
65/66	A(moveable column)	1 3/16" O.D.-3/4" I.D.-1/4" thick		C7SZ 3517-D
67/	A(tilt wheel)	Upper-1 3/16" O.D.-3/4" I.D.-1/4" thick	1	C7SZ 3517-D
		Lower-1 1/2" O.D.-1 1/16" I.D.-1/4" thick	1	C7SZ 3517-C
65/	A(fixed wheel)	1 3/16" O.D.-3/4" I.D.-1/4" thick	1	C7SZ 3517-D
65/67	B(M/S)	1 5/16" O.D.	1	C4OZ 3517-A
	B(P/S)	1 3/16" O.D.	1	C7SZ 3517-D
68/71	B		1	
72	B	Upper-1 3/16" O.D.-3/4" I.D.-1/4" thick	1	C7SZ 3517-D
		Lower-1 1/2" O.D.-1" I.D.-1/2" thick	1	D1FZ 3517-A
65/66	F	1 7/16" O.D.-3/8" thick	1	C3DZ 3517-A
67	F(fixed wheel)	1 5/16" O.D.	1	C4OZ 3517-A
68/71	F(fixed wheel)	1 3/16" O.D.	1	D0AZ 3517-A
72	F(fixed wheel)	1 3/16" O.D.	1	C7SZ 3517-D
67/	F(tilt wheel)	Upper-1 3/16" O.D.-3/4" I.D.-1/4" thick	1	C7SZ 3517-D
		Lower-1 1/2" O.D.-1 1/16" I.D.-1/4" thick	1	C7SZ 3517-C
71/	L	Upper	1	C7SZ 3517-D
		Lower	1	D1FZ 3517-A
70/72	P	1 3/16" O.D.	1	C7SZ 3517-D
65/71	S (fixed wheel)		1	C7SZ 3517-D
67/71	S(tilt wheel)	Upper	1	C7SZ 3517-D
		Lower	1	C7SZ 3517-C
72	S(fixed wheel)	Upper	1	C7SZ 3517-D
		Lower	1	D1FZ 3517-A
72	S(tilt wheel)	Flange bearing-upper	1	C7SZ 3517-D
		Flange bearing-lower	1	C7SZ 3517-C
		Steering shaft-lower	1	D1FZ 3517-A
66/	U(M/S)	Upper & lower	1	C3DZ 3517-A
72	U(P/S) "From Ser.P40,001"	Upper-1 7/16" O.D. x 3/8" thick	1	C3DZ 3517-A
		Lower-1 3/16" O.D. x 3/4" I.D. x 1/4" thick	1	C7SZ 3517-D
65	X	1 7/16" O.D.-3/4" thick	1	C3DZ 3517-A
66/67	X	1 5/16" O.D.	1	C4OZ 3517-A
68/70	X	1 3/16" O.D.	1	D0AZ 3517-A
65/	A,B,F,L,P,S,U,X	Ring-11/16" I.D.-13/16" O.D.-3/64" thick-upper	AR	97663-S(Q4A)
		Ring-11/16" I.D.-3/4" O.D.-1/64" thick- upper	AR	372876-S(QQ38A)
		Ring-21/32" I.D.-7/8" O.D.-3/64" thick-lower	AR	372875-S(QQ88)

● For original production replacement # Identification marking

▲ Used as service only tube assembly. Includes (1) 3511 flange, (2) 3641 bolts and (2) retaining nuts.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3D517 SHAFT and CONTROL ASSY. - POWER STEERING GEAR INPUT			
65/68	A	Kit	1	C8AZ 3D517-C
	Consists of			
	1-D2OZ 3D517-A Shaft & control	1-C7AR 3756-A Seal	1-384223-S Seal	
	1-C9AZ 3575-A Sector shaft	1-87008-S94 "O" ring	1-385084-S Seal	
	1-D1AZ 3580-A Cover	1-374454-S94 "O" ring		
69	A	Shaft & control - #SPA-A,A1	1	C9AZ 3D517-A
69	A	Shaft & control - #SPA-A2	1	D1TZ 3D517-A
69/70	A "Before 5/1/70"	Shaft & control - #SPA-A3	1	C9SZ 3D517-B
70	A "From 5/1/70"	Shaft & control - #SPA-A3	1	C5AZ 3D517-B
70/	A	#SPA-E3,E4,AA-replaced by D5AZ 3D517-A (rotary valve type) and (1) D5AZ 3A525-D insulator for fixed wheel or (1) D5AZ 3A525-E for tilt wheel	1	★D3SZ 3D517-A
72	B	#SPA-E4,Y,AA-replaced by D5AZ 3D517-A	1	★D3SZ 3D517-A
65/66	S	Kit	1	C8VY 3D517-B
	Consists of			
	1-C9VY 3D517-B Input shaft	1-C7AR 3756-A Seal	1-384223-S Seal	
	1-C9VY 3575-A Sector shaft	1-87008-S94 "O" ring	1-385084-S Seal	
	1-C5AZ 3580-D Cover	1-374454-S94 "O" ring		
67/68	S	#SPA-E,E1- kit	1	C8SZ 3D517-C
	Consists of			
	1-D1AZ 3D517-A Shaft control	1-C7AR 3756-A Seal	1-384223-S Seal	
	1-C9AZ 3575-A Sector shaft	1-87008-S94 "O" ring	1-385084-S Seal	
	1-D1AZ 3580-A Cover	1-374454-S94 "O" ring		
69/71	S	#SPA-E2,E3,E4-replaced by D5AZ 3D517-A (rotary valve type) and (1) D5AZ 3A525-E insulator	1	★D3SZ 3D517-A
72	S	Replaced by D5AZ 3D517-A only	1	★D3SZ 3D517-A
65/	A,S	Bolt(to housing)-3/8"-16 x 1 1/8"	4	42999-S(B253)
68/	A,S	Screw 10-32 x .18" set	1	382095-S(UU33X)
65/	S	Ring-retaining-3 1/4" I.D.	1	380306-S(QQ30)
	3E517 ROD - STEERING COLUMN POSITION SPRING			
67/70	A,F,S (tilt column)	3 1/32" long	1	C7SZ 3E517-A
	3518 SLEEVE - STEERING COLUMN TUBE BEARING			
65	A "Before 6/1/65"	1 5/16" O.D.-1 3/16" I.D.-3/8" thick-8 ribs on O.D.	1	D1AZ 3518-A
65/66	A "From 6/1/65 to 11/1/65"	1 3/8" O.D.-1 1/16" I.D.-1/4" thick-8 ribs on O.D.	1	C5SZ 3518-A
66/67	A "From 11/1/65"	1 3/16" O.D.-1 1/16" I.D.-3/8" thick	1	C4VY 3518-A
68/	A		1	D1AZ 3518-A
65/67	B(M/S)	1" O.D.-3/4" I.D.-1/2" thick-16 ribs on O.D.	1	B1AZ 3518-A
	B(P/S)	1 5/16" O.D.-1 3/16" I.D.-3/8" thick	1	D1AZ 3518-A
68/71	B		1	
72	B	Upper-1 5/16" O.D.-1 3/16" I.D.-3/8" thick	1	D1AZ 3518-A
		Lower-1 9/16" O.D.-1 1/2" I.D.-11/32" thick	1	D2OZ 3518-A
65/67	F,X	1" O.D.-3/4" I.D.-1/2" thick	1	B1AZ 3518-A
68/	F(fixed wheel),X	1 5/16" O.D.-1 3/16" I.D.-3/8" thick-8 ribs	1	D1AZ 3518-A
70/	L,P		1	
65/67	S(fixed wheel)	1 3/8" O.D.-1 1/16" I.D.-1/4" thick-8 ribs	1	C5SZ 3518-A
68/71	S(fixed wheel)		1	D1AZ 3518-A
72	S(fixed wheel)	Upper	1	D1AZ 3518-A
		Lower	1	D2OZ 3518-A
66/	U(M/S)	Upper & lower-3/4" I.D. x 1" O.D.	1	B1AZ 3518-A
72	U(P/S)	Upper-3/4" I.D. x 1" O.D.	1	B1AZ 3518-A
		Lower-1" I.D. x 15/32" thick	1	C6TZ 3518-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3E518 CAP - STEERING COLUMN POSITION LOCK SPRING			
67/	A, F, S (tilt wheel)	1/2" I.D. -to retain 3B768 spring	2	C7SZ 3E518-A
67	F, S(tilt wheel)	1/8" I.D. -3/8" long-to retain 3B664 spring	1	C7SZ 3E518-B
68/	A, F, S(tilt wheel)		1	
	3F518 GASKET & SHIM KIT - STEERING GEAR SECTOR SHAFT HOUSING COVER			
71	L "Before 5/24/71"	Use with gear tagged #SMC-A	1	D1FZ 3F518-A
	Consists of			
	1-D12R 3F518-AA Shim-.005 thick	1-D12R 3F518-CA Shim-.010 thick	1-D12R 3F518-EA	Shim-.020 thick
	1-D12R 3F518-BA Shim-.0075 thick	1-D12R 3F518-DA Shim-.015 thick	1-D12R 3F519-AA	Gasket
71/	L "From 5/24/71"	Use with gear tagged #SMC-A	1	D1FZ 3F518-B
	Consists of			
	1-D12R 3F518-AA Shim-.005 thick	1-D12R 3F518-DA Shim-.015 thick	1-D12R 3F519-AA	Gasket
	1-D12R 3F518-BA Shim-.0075 thick	1-D12R 3F518-EA Shim-.020 thick	1-D12R 3F519-FA	Shim-.0024 thick
	1-D12R 3F518-CA Shim-.010 thick			
	3A519 BUSHING - POWER STEERING CONTROL VALVE SPOOL			
65/71	B		2	C2OZ 3A519-B
65/70	F, X		2	
70/	P		2	
	3E519 RETAINER - STEERING COLUMN POSITION SPRING			
67/69	A, F, S (tilt column) " Before 8/12/68"	13/16" I.D.	1	C7SZ 3E519-A
69	A, F, S (tilt column) " From 8/12/68"		1	C9AZ 3E519-A
	3520 SPRING - STEERING COLUMN UPPER BEARING			
65	A	Not replaced (12/74)	1	★C4AZ 3520-A
67/69	A, F, S (tilt column)		1	C7SZ 3520-A
65	B		1	C5OZ 3520-A
66	B, X(without P/S)		1	C6OZ 3520-A
67/68	F(6 cyl. & 8 cyl. 289) -fixed column		1	
67/68	B, F, X(fixed column)		1	C7OZ 3520-A
65	F, X		1	C3DZ 3520-A
66/	U		1	
	3E520 PAWL - STEERING COLUMN RELEASE			
67	F, S(tilt column)	No. 8-32" x 2 5/8"	1	C7SZ 3E520-A
68	F(tilt column)	Includes cable	1	C8ZZ 3E520-A
69	F	Includes cable	1	C9ZZ 3E520-A
68	S(tilt column)	Includes cable	1	C8SZ 3E520-A
69	S(tilt column)	Includes cable	1	C9SZ 3E520-A
	3523 GUIDE - STEERING GEAR BALL RETURN -Also refer to Group 3523 kit			
65/	A(M/S)		4	C5AZ 3523-B
65/68	A, S(P/S)		2	C5AZ 3523-A
69/	A, S (P/S)		2	C9AZ 3523-A
65/71	B(P/S)	Use with gears identified HCA, BV, BY, BZ, CD, CE, or SMA-A, B	4	C5OZ 3523-A
66/70	X(P/S)		4	
65/71	B(M/S)	Use basic 3523 kit for #HCA-AV, AW, BU, CA SMA-C, F		
72	B(M/S)	#SMA-T	4	C5AZ 3523-B
	B(P/S)	#SPA-E4, Y, AA	4	C9AZ 3523-A
65/70	F	Use with gears identified HCC-AW, AX, SMB-B, E, F, J or K 16:1 ratio)	4	C5ZZ 3523-A
65	X(P/S)	Use with gears identified as HCC-AZ or BB	4	C5ZZ 3523-A
65	X(M/S)	Use with gears identified HCC-AM, AP	4	C0DR 3523-A
65/67	F(M/S)	Use with gears identified HCC-AT, SMB-A, C (19:1 ratio)	4	
67/70	F	With #SMB-D, H-use 3523 kit		
71/	F(M/S) "Before 5/3/71"	Use basic 3523 kit for #SMA-R		3523
	F(M/S) "From 5/3/71"	Use w/#SMA-T	1	C5AZ 3523-B
70/	P(P/S)	Use with gears identified SMA-B	4	C5OZ 3523-A
	P(M/S)	Use basic 3523 kit for SMA-F		3523
72	U(P/S)		2	D3TZ 3523-A

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3523 GUIDE and CLAMP KIT - STEERING GEAR BALL RETURN -Also Refer to Group 3523 Guide			
65/71	B(M/S)	Use w/#HCA-AV,AW,BU,CA,SMA-C or F	1	•C7OZ 3523-B
70/	P(M/S)	Use with #SMA-F	1	
66/70	X(M/S)		1	
67/70	F(M/S)	Use w/#SMB-H,D	1	•C7ZZ 3523-A
71	F(M/S) "Before 5/3/71"	Use w/#SMA-R	1	•C7OZ 3523-B
71/	F(P/S)	#SPA-S,T,U,V	2	D1ZZ 3523-A
	3E523 CLIP - POWER STEERING HOSE			
67/70	A	Improvise	2	★C7AA 3E523-A
67	B,F,X(8 cyl. 289)		2	C7OZ 3E523-A
68/71	B,X(8 cyl. 289, 302)		4	
	3524 WORM GEAR & RACK ASSY. - STEERING GEAR INPUT			
65	A(M/S)	Use w/ Ford gear-#HCD-A model only-depth of rack teeth is 5/16"	1	C5AZ 3524-C
65/68	A(M/S)	Use w/ Ford gear-#HCD-A1 and #SMA-D models-depth of rack teeth is 1/4"	1	C5AZ 3524-K
70/71	A(M/S)	Use with gear tagged #SMA-D	1	
69/71	A(M/S)	Use w/ Ford gear-#SMA-D1 model	1	C9AZ 3524-C
72	A(M/S)	#SMA-T	1	D1AZ 3524-A
65/69	A(P/S)	Use w/ Saginaw gear	1	C5AZ 3524-D
65	B	39 1/2" long	1	C4OZ 3524-A
66/67	B(M/S)	39 1/2" long, #HCA-CA,SMA-C	1	C6DZ 3524-C
68/71	B(M/S)	7 3/16" long, #SMA-F	1	C7OZ 3524-A
66/67	B(P/S)	39 1/2" long, #HCA-BY,CD,SMA-A	1	C6DZ 3524-A
65/71	B(P/S)	#HCA-BV,BZ,CE,SMA-B	1	D1OZ 3524-A
72	B(M/S)	#SMA-T	1	D1AZ 3524-A
	B(P/S)	#SPA-Y-refer to group 3D517		
65/67	F	41 7/8" long-approx. 10 worm grooves-19:1 ratio	1	C5ZZ 3524-A
		41 7/8" long-approx. 8 worm grooves-16:1 ratio	1	C5ZZ 3524-B
67/70	F	6 3/16" long-approx. 10 worm grooves-19:1 ratio	1	C7ZZ 3524-C
		6 3/16" long-approx. 8 worm grooves-16:1 ratio	1	C7ZZ 3524-D
71/	F(M/S)	#SMA-R,T-10 3/32" long	1	D1AZ 3524-A
	F(P/S)	#SPA-T,V (Saginaw gear)	1	D1ZZ 3524-D
		#SPA-S,U (Saginaw gear)	1	C5AZ 3524-D
71/72	L	#SMC-A,D,E	1	D2FZ 3524-C
70/	P(M/S)	#SMA-F	1	C7OZ 3524-A
70/	P(P/S)	#SMA-B	1	D1OZ 3524-A
66/	U(M/S)		1	C7TZ 3524-E
72	U(P/S)		1	D3TZ 3524-B
65	X(M/S)	39" long	1	C4DZ 3524-A
66/67	X(M/S)	39 1/2" long	1	C6DZ 3524-C
68/70	X(M/S)	7 3/16" long	1	C7OZ 3524-A
66/67	X(P/S)	39 1/2" long	1	C6DZ 3524-A
68/70	X(P/S)	7 3/16" long	1	D1OZ 3524-A

• Includes - (4) guides, (1) clamp # Identification marking

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	3524 SHAFT ASSY. - STEERING COLUMN				
65	A(fixed column-exc. P/C & Taxi)		W/flange	1	♦ C5AZ 3524-L
	A(fixed column-w/P/C & Taxi)		W/flange	1	◊ C5AZ 3524-B
	A(moveable column)		W/o flange	1	◊ C5AZ 3524-G
66	A		W/flange	1	♦ C5AZ 3524-L
67	A		W/flange	1	◊ C7AZ 3524-A
68	A(fixed wheel)		W/flange	1	C9OZ 3524-A
	A(tilt wheel)	"Before 3/15/68"	W/o flange	1	C8MY 3524-A
	A(tilt wheel)	"From 3/15/68"	W/o flange	1	C8AZ 3524-B
69	A(fixed wheel)		W/flange	1	C9AZ 3524-D
	A(tilt wheel)	"Before 2/3/69"	W/o flange	1	C9AZ 3524-A
	A(tilt wheel)	"From 2/3/69"	W/o flange	1	C9AZ 3524-E
70/71	A(fixed wheel)	"Before 1/4/71"		1	D0AZ 3524-D
71	A(fixed wheel)	"From 1/4/71"		1	D1AZ 3524-B
70	A(tilt wheel)	"Before 1/5/70"	30" long up to knuckle	1	D0AZ 3524-A
70/	A(tilt wheel)	"From 1/5/70"		1	D4AZ 3524-B
72	A(fixed wheel)		34 9/16" long	1	D2AZ 3524-A
66/67	B			1	C6OZ 3524-B
68/69	B		23 1/8 long	1	C9OZ 3524-A
70/71	B	"Before 1/4/71"	33 5/8"long	1	D0OZ 3524-C
71	B	"From 1/4/71"		1	D1OZ 3524-B
72	B		Upper shaft-27 7/8" long	1	D2OZ 3524-A
			Lower shaft-with M/S-6 11/16" long	1	D2OZ 3B676-C
			Lower shaft with P/S	1	D2OZ 3B676-D
65/67	F		Part of steering gear, see basic 3524 input shafts (41 7/8" long)		
67	F(fixed wheel)		Use with 6 3/16" steering gear input shaft	1	C7ZZ 3524-B
	F (tilt wheel)		Use with 6 3/16" steering gear input shaft	1	C7ZZ 3524-A
68/69	F(fixed wheel)	"Before 1/13/69"		1	C8ZZ 3524-D
69	F(fixed wheel)	" From 1/13/69"		1	C9ZZ 3524-A
68	F(tilt wheel)	" Before 3/15/68"		1	C8ZZ 3524-B
68/69	F(tilt wheel)	" From 3/15/68 to 2/3/69"		1	C8ZZ 3524-C
69	F(tilt wheel)	" From 2/3/69"		1	C9ZZ 3524-B
70	F(exc. GT350/500)-fixed wheel-	"Before 1/16/70"	35 7/8" long	1	D0ZZ 3524-B
	F(exc. GT350/500)-fixed wheel-	"From 1/16/70"		1	D0ZZ 3524-E
	F(GT350/500)-fixed wheel			1	C9ZZ 3524-A
	F(exc. GT350/500)-tilt wheel	"Before 1/5/70"	31 1/8" long up to knuckle	1	D0ZZ 3524-A
	F(exc. GT350/500)-tilt wheel	"From 1/5/70"		1	D0ZZ 3524-D
	F(GT350/500)-tilt wheel			1	C9ZZ 3524-B
71	F(fixed wheel)	"Before 1/4/71"	33 5/32" long	1	D1ZZ 3524-A
	F(fixed wheel)	"From 1/4/71"		1	D1ZZ 3524-E
71/	F(tilt wheel)		28 13/32" long	1	D1ZZ 3524-B
72	F(fixed wheel)		33 1/8" long	1	D2ZZ 3524-A
71/72	L		Kit-replaces (1) piece shaft & cable type assy.	1	D1FZ 3524-E

Consists of

1-D5FZ 3524-A	Shaft assy.-upper				
1-D2FZ 3A525-A	Flange	1-D3FZ 3B676-B	Shaft-lower	4-55907-S2	Screw
1-D42W 3C611-AA	Boot	1-D42W 6501811-AA	Plate	1-358794-S100	Bolt
		2-34977-S2	Nut	1-385349-S100	Nut

70/71	P(non-locking column)			1	D0DZ 3524-D
	P(locking column)			1	D1DZ 3524-A
72	P		31 1/4" long	1	D2DZ 3524-A
67	S			1	C7SZ 3524-A
68/69	S(fixed wheel)			1	C9SZ 3524-A
68/69	S(tilt wheel)	" Before 2/3/69"		1	C8SZ 3524-C
69	S(tilt wheel)	" From 2/3/69"		1	C9SZ 3524-B
70	S (fixed wheel)	"Before 1/15/70"	33 1/2" long	1	D0SZ 3524-A
70/71	S(fixed wheel)	"From 1/15/70 to 1/4/71"		1	D0SZ 3524-E
71	S(fixed wheel)	"From 1/4/71"		1	D1SZ 3524-A
70/71	S(tilt wheel)			1	D0SZ 3524-D

♦ Includes 3517 bearing, 3520 spring, retainer ring and nut ◊ Includes 3517 bearing, retainer ring, nut & washers

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	3524 STEERING SHAFT ASSY. - STEERING COLUMN - continued				
72	S(fixed wheel)-	"Before 5/22/72"	Upper shaft-29 7/32" long	1	D2SZ 3524-A
	S(fixed wheel)-	"From 5/22/72"	Upper shaft-29 7/32" long	1	D2SZ 3524-C
	S(tilt wheel)-	"Before 5/22/72"	Upper shaft-25" long	1	D2SZ 3524-B
	S(tilt wheel)-	"From 5/22/72"	Upper shaft-25" long	1	D2SZ 3524-D
	S(fixed & tilt wheel)		Lower shaft-8 5/16" long	1	D2SZ 3B676-B
66/72	U(M/S)		23 splines-59 15/16" long	1	D2TZ 3524-A
72	U(P/S)	"From Ser.P40,001"	Upper-38 3/16" long	1	D3TZ 3524-A
			Lower-15 1/2" long from center of joint to spline end	1	D3TZ 3B676-A
			Bolt-7/16"-14 x 2"(lower shaft clamp yoke to gear input shaft)	1	★58657-S2
			Nut-7/16"-14	1	384353-S4(MM173X)
65/67	X		Part of steering gear, see basic 3524 input shafts		
68/70	X			1	C9OZ 3524-A
72	B,F,S		Bolt 3/8"-16 x 1 1/2"(upper shaft to lower)	1	★58636-S2
			Nut 3/8"-16	1	34987-S2(M89CF)
	3A525 COUPLING - STEERING GEAR INPUT SHAFT TO STEERING COLUMN SHAFT				
65/66	A(M/S)-fixed wheel	"Before 8/8/66"		1	C5AZ 3A525-A
66/70	A(M/S)-fixed wheel	"From 8/8/66"		1	D4DZ 3A525-A
71/	A(M/S)			1	
65/66	A(P/S)-fixed wheel	"Before 8/8/66"	Use w/Ford built gears	1	C5AZ 3A525-B
66/	A(P/S)-fixed wheel	"From 8/8/66"	#Green or white paint on insulator-must be used with Ford built axial/spool valve type power steering gear	1	C6AZ 3A525-B
65/66	A(P/S)-fixed wheel		Use w/Saginaw built gears	1	C5AZ 3A525-D
67/69	A(P/S)-fixed wheel		Use w/Saginaw built gears	1	C7AZ 3A525-A
65	A(moveable column)		Replaced by D5AZ 3A525-E (2/75)	1	★C5AZ 3A525-C
67	A(P/S)-tilt wheel			1	
68	A(P/S)-tilt wheel-column shift		*	1	
69/	A(P/S)-tilt wheel		#Green or white paint on insulator-must be used with Ford built axial/spool valve type power steering gear	1	
68	A(P/S)-tilt wheel-floor shift			1	C7ZZ 3A525-A
69/	A(P/S)-fixed wheel		#White or silver paint on insulator-must be used with Ford built rotary valve type power steering gears	1	●D5AZ 3A525-D
	A(P/S)-tilt wheel		#White or silver paint on insulator-must be used with Ford built rotary valve type power steering gears	1	●D5AZ 3A525-E
65/66	B(P/S)	"Before 8/8/66"		1	C5AZ 3A525-B
66/68	B(P/S)	"From 8/8/66"		1	C6AZ 3A525-B
68/71	B(M/S)			1	D4DZ 3A525-A
69/71	B(P/S)			1	
72	B			1	D3OZ 3A525-A
67/70	F(M/S)-fixed wheel			1	D4DZ 3A525-A
71/	F(M/S)			1	
69/70	F(P/S)-fixed wheel			1	
67/70	F(M/S)-tilt wheel			1	C7ZZ 3A525-A
69/70	F(P/S)-tilt wheel	"From 11/4/68"		1	
67/68	F(P/S)-fixed wheel			1	C6AZ 3A525-B
67/69	F(P/S)-tilt wheel	"Before 11/4/68"		1	C5AZ 3A525-C
71/	F(P/S)-fixed wheel			1	D1ZZ 3A525-A
	F(P/S)-tilt wheel			1	D1ZZ 3A525-B
71/72	L	"Before 1/11/72"		1	D1FZ 3A525-A
72	L	"From 1/11/72"		1	D2FZ 3A525-A
70/	P			1	D4DZ 3A525-A
65	S			1	C5AZ 3A525-C
66	S			1	C6SZ 3A525-A

Identification marking

● Care must be used to ensure proper coupling replacement when axial/spool valve type steering gear (3504) or shaft and control assy. (3D517) has been replaced by 1975 rotary valve type assemblies. For additional information refer to Technical Service Bulletin No. 76, dated Sept. 27, 1974, article 837 on page 26.

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A525 COUPLING - STEERING GEAR INPUT SHAFT TO STEERING COLUMN SHAFT - continued			
67/71	S	#Green or white paint on insulator-must be used with Ford built axial/spool valve type power steering gear	1	•C7SZ 3A525-A
69/71	S	#White or silver paint on insulator-must be used with Ford built rotary valve type power steering gears	1	•D5AZ 3A525-E
72	S		1	D3OZ 3A525-A
72	U(P/S) "From Ser.P40,001"		1	C9TZ 3A525-B
68/70	X(M/S)		1	D4DZ 3A525-A
69	X(P/S)		1	
68	X(P/S)		1	C6AZ 3A525-B
65/	A, B, F, S, X	Bolt-3/8"-24 x 1 1/4" (to retain coupling)	AR	358794-S(BB815AB)
65/66	A	Bolt-5/16"-24 x 1" (to retain coupling)	AR	377937-S(BB210B)
65/67	A, B, F, S, X	Nut-5/16"-24 (coupling studs to shaft flange)	2	34443-S(M79)
		Lockwasher-5/16"	2	34906-S8(X98)
68	A, B, F, S	Nut-5/16"-24 (coupling studs to shaft flange)	2	382835-S100 (MM173V)
69	A, B, F, X	Nut-5/16"-18 (coupling studs to shaft flange)	2	382634-S100 (MM173NE)
71	L	Bolt-1/4"-20 x 3/4" (flange to column)	1	370519-S(BB125)
	3C525 COVER - STEERING COLUMN OPENING			
69	F		1	C9ZZ 3C525-A
68/69	S	At firewall	1	C8SZ 3C525-A
70/71	S	At firewall	1	D0SZ 3C525-A
65/71	S	Washer-spring (shroud to cover)-3/16"	AR	378733-S(XX360)
	S	Washer-spring (lever to cover)	AR	
	S	Spring nut (lever to cover)-3/16"	4	372927-S2(MM260)
	S	Pin (lever to cover)-3/16" x 5/8"	4	378873-S(NN63B)
	S	Pin (lever to shroud)	AR	
67	S	Screw (to dash panel)-1/4"-14 x 1"	4	376714-S(BB536A)
	3D525 BEARING - POWER STEERING GEAR INPUT SHAFT			
65/	A,B,S	Alternate with C5AZ 3D525-C, #8750	1	C5AZ 3D525-A
		Alternate with C5AZ 3D525-A	1	C5AZ 3D525-C
65/69	A	Saginaw gear	1	C5AZ 3D525-B
71/	F	#SPA-S, T, U, V	1	
72	U	Saginaw gear	1	C5AZ 3D525-B
	3D526 SEAL - POWER STEERING GEAR INPUT SHAFT			
65/	A, S		1	C5AZ 3D526-A
72	B		1	
65/	A,S	Snap ring	1	352109-S(QQ12)
	3D527 SEAL - POWER STEERING GEAR INPUT SHAFT DUST			
65/	A, S		1	D5AZ 3D527-A
72	B		1	
	3F527 LEVER ASSY. - STEERING COLUMN LOCK ACTUATOR			
71/	L		1	D1FZ 3F527-A
72	B		1	
	3C528 BOOT - POWER STEERING CYLINDER - Supplied in 3C651 kits			
	3D529 SPACER - POWER STEERING GEAR SECTOR SHAFT SEAL			
65/	A, S		2	C5AZ 3D529-A
72	B		2	
	3F529 BUMPER - STEERING COLUMN LOCK ACTUATOR LEVER			
71	L	Improvise - 7/32" O.D.-1/8" I.D.-7/32" long	1	★ D12A3F529-AA
72	B,S	Neoprene	1	

• Care must be used to ensure proper coupling replacement when axial/spool valve type steering gear (3504) or shaft and control assy. (3D517) has been replaced by 1975 rotary valve type assemblies. For additional information refer to Technical Service Bulletin No. 76 dated Sept. 27, 1974, article 837 on page 26.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3530 SHROUD - STEERING COLUMN			
68	A	Gold (Dark Ivy)-other colors not replaced	1	C8AZ 3530-D2G
69	A	Upper-Aqua-not replaced	1	★C9AZ 3530-G3K
		-Black-not replaced	1	★C9AZ 3530-G5A
		-Blue (medium)-not replaced	1	★C9AZ 3530-G3B
		-Blue (dark)-not replaced	1	★C9AZ 3530-G4B
		-Ivy Gold-not replaced	1	★C9AZ 3530-G4G
		-Nugget Gold-not replaced	1	★C9AZ 3530-G4Y
		-Red-not replaced	1	★C9AZ 3530-G4D
69	A	Lower-Aqua-not replaced	1	★C9AZ 3530-H3K
		-Black-not replaced	1	★C9AZ 3530-H5A
		-Blue (medium)-not replaced	1	★C9AZ 3530-H3B
		-Blue (dark)-not replaced	1	★C9AZ 3530-H4B
		-Ivy Gold-not replaced	1	★C9AZ 3530-H4G
		-Nugget Gold-not replaced	1	★C9AZ 3530-H4Y
		-Red-not replaced	1	★C9AZ 3530-H4D
70	A(tilt wheel)	Upper-paint to match	1	D0AZ 3530-A
	A(fixed wheel) "Before 12/1/69"		1	
		Lower-paint to match	1	D0AZ 3530-B
	A(fixed wheel) "From 12/1/69"	Upper-paint to match	1	D0AZ 3530-C
		Lower-paint to match	1	D0AZ 3530-D
71/	A(fixed wheel)	Paint to match	1	D1AZ 3530-B
	A(tilt wheel)	Paint to match	1	D1AZ 3530-C
70/71	B(exc. model 63 w/bucket seats)	Paint to match	1	D0OZ 3530-A
	B(model 63 w/bucket seats)	Paint to match	1	D0OZ 3530-B
72	B	Lower-paint to match	1	D3OZ 3530-A
		Upper-paint to match	1	D3OZ 3530-B
70	F	Paint to match	1	D0ZZ 3530-A
71/	F "From 5/1/72"	Paint to match	1	D3ZZ 3530-A
71/72	L "From 5/1/72"	Upper top-paint to match	1	D3FZ 3530-A
		Upper bottom-paint to match	1	D3FZ 3530-B
		Lower bottom-paint to match	1	D3FZ 3530-C
70/72	P "Before 5/1/72"	Cover plate-steering column mounting bracket-paint to match	1	D3DZ 3530-A
		Steering column tube shroud-paint to match	1	D0DZ 3530-C
72	P "From 5/1/72"	Cover plate-steering column brkt.-paint to match	1	D3DZ 3530-A
		Steering column tube shroud-paint to match	1	D3DZ 3530-B
70/71	S (fixed wheel)	Paint to match	1	D0SZ 3530-B
70/71	S (tilt wheel)	Paint to match	1	D0SZ 3530-A
72	S	Lower-paint to match	1	D3OZ 3530-A
		Upper-paint to match	1	D3OZ 3530-B
	3D530 CAP - POWER STEERING GEAR CYLINDER PISTON			
65/	A, S	Ford gear	1	C5AZ 3D530-A
72	B		1	
65/69	A	Saginaw gear	1	C5AZ 3D530-B
71/	F, U	#SPA-S, T, U, V, Z	1	
	3F531 KNOB - STEERING COLUMN LOCK ACTUATOR			
71/	L		1	D1FZ 3F531-A
72	B	Fixed wheel	1	
	3F532 SPRING - STEERING COLUMN LOCK ACTUATOR LEVER			
71	L		1	D1FZ 3F532-A
72	B, L		1	D2AZ 3F532-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A533 BALL STUD KIT - STEERING DRAG LINK			
66	U		1	C6TZ 3A533-B
	Consists of			
	1-C6TA 3311-A Stud 2-C6TA 3326-A Seat 1-C6TA 3328-B Plug 1-C6TZ 3332-B Cover			
	2-C6TA 3320-A Seat 2-C6TA 3327-A Spring 1-C6TZ 3332-A Cover 1-72098-S Cotter pin			
67/72	U	Use w/adjustable drag link ball stud	1	C7TZ 3A533-B
	Consists of			
	1-C7TA 3311-B Stud 2-C6TA 3326-A Seat 1-C6TA 3228-B Plug 1-C7TZ 3332-C Cover			
	2-C6TA 3320-A Seat 2-C6TA 3327-A Spring 1-C7TZ 3332-B Cover 1-72098-S Cotter pin			
	3A533 REPAIR KIT - POWER STEERING HYDRAULIC CONTROL BALL STUD			
65/71	B	Consists of	1	C2AZ 3A533-A
65/70	F,X	2-AJ 3320-A Seat 1-AJ 33711-A Spring	1	
70/	P	1-AJ 33327-A Bumper 1-C2AZ 3A728-A Clamp	1	
		1-C0AA 3A533-A Stud 1-C7OZ 3A729-A Cover		
		1-C2AZ 3C706-A Seal 2-32875-S8 Screw		
	3D536 VALVE ASSY. - STEERING COLUMN RELEASE			
67	F(tilt column)		1	C7ZZ 3D536-A
68	F(tilt column)		1	C7ZZ 3D536-B
69	F(tilt column)		1	C9ZZ 3D536-A
67	S(tilt column)		1	C7SZ 3D536-A
68/69	S(tilt column)		1	C8SZ 3D536-A
	3D537 HOSE - STEERING COLUMN RELEASE VALVE and SUPPLY			
67	F(tilt column)	11/16" long-cut to length from C8ZZ 3D537-A		
68	F,S(tilt column)	235" I.D. -70" long	1	C8ZZ 3D537-A
69	S (tilt column)		1	
69	F(tilt column)		1	C9ZZ 3D537-A
	3538 PLUG - STEERING GEAR HOUSING OIL FILLER			
65/71	A,B,F,X	5/8"-24	1	B6A 3538-A
70/	P		1	
66/67	U "Before Ser. B26,001"		1	C6TZ 3538-A
67/	U "From Ser. B26,001"	3/4"-20	1	B 3538
	3C538 SEAL and GASKET KIT - POWER STEERING GEAR			
64/	A,B,S	Ford gear	1	D3AZ 3C538-A
	Consists of			
	1-D5AW 3D526-AA Seal 1-D3AZ 3756-A "O" ring 1-352109-S7 Ring			
	1-D5AW 3D527-AA Seal 1-C5AZ 3805-A Seal 1-382743-S94 "O" ring			
	2-D3AZ 3D529-A Spacer 1-97625-S Ring 1-386265-S "O" ring			
	1-D5AW 3591-AA Seal 1-97628-S Ring 1-386266-S "O" ring			
	1-D5AW 3D642-AA Seal 1-Instruction sheet			
65/69	A	Saginaw gear-r/b C5AZ 3C538-D (1/75)	1	★C5AZ 3C538-C
71/72	F "Before 12/20/71"	#SPA-S,T,U,V	1	
72	F "From 12/20/71"	#SPA-S,T,U,V	1	C5AZ 3C538-D
72	U	#SPA-Z	1	
	Consists of			
	1-Snap ring-adj. plug seal	3-Snap ring-valve body	Δ1-Seal-sector shaft (inner)	
	1-Seal-actuator shaft dust	3-"O" ring-valve body	1-Seal-sector shaft cover	
	1-Seal-actuator shaft oil	Δ1-Snap ring-sector shaft seal retaining	2-Seal-housing end plug	
	1-"O" ring-adj. plug	Δ2-Washers-sector shaft seal backup	2-Snap ring-end plug retainer	
	2-"O" ring-valve spool dampener	Δ1-Seal-sector shaft (outer)	1-Nut-sector shaft adj.	
	1-"O" ring-actuator valve cap			
	3D538 MOTOR - STEERING COLUMN RELEASE			
67	F,S (tilt column)		1	C7SZ 3D538-B
68/69	F(tilt column)		1	C7ZZ 3D538-A
68/69	S(tilt column)		1	C8SZ 3D538-A

★ Identification Marking Δ Also serviced in C5AZ 3D732-A kit

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3-3538 FILTER ASSY. - POWER STEERING PUMP OIL RESERVOIR			
65	A,B,F,X		1	B7A 33538-A
	3539 NUT - STEERING GEAR SECTOR SHAFT ADJUSTING			
66/	U	7/8"-14	1	C6TZ 3539-A
	3D539 HOSE - STEERING COLUMN RELEASE MOTOR			
67	F(tilt column)	Cut from C4SZ 2A596-A	1	★C7ZA 3D539-A
68	F (tilt column)	Cut 6" from C8ZZ 3D537-A	1	★C8ZA 3D539-A
69	F(tilt column)	Cut 1 13/32" from C8ZZ 3D537-A	1	★C9ZA 3D539-A
68/69	S(tilt column)	Cut 8" from C8ZZ 3D537-A	1	★C8SA 3D539-B
	3A540 CYLINDER ASSY. - POWER STEERING			
65	B	Includes ball stud	1	C3OZ 3A540-A
66/69	B,X		1	C6OZ 3A540-B
70	X		1	
70/71	B		1	D0OZ 3A540-A
70/	P		1	
67/70	F	Includes ball stud	1	C7ZZ 3A540-A
65	X (6 cyl.)	Includes ball stud	1	C3DZ 3A540-B
65	X(8 cyl.)		1	
65/66	F		1	
65/	B	Nut (cylinder to idler arm bracket)-3/8"-24	1	33925-S7(M33)
65/70	X, F	Nut (cylinder to mounting bracket)	1	
65/	B	Check nut (cyl. to idler arm brkt.)-3/8"-24	1	45218-S8(M172)
65/70	X, F	Check nut (cylinder to mounting bracket)	1	
65/	B	Nut-castle (cylinder to idler arm)-9/16"-18	1	34033-S18(M11)
65/70	F	Nut-castle (to valve)	1	
65/	B,F,X	Seat-5/16" tube-aluminum	2	373430-S(TT5)
65/	B,F,X	Snap ring (scraper retainer)	1	371033-S(QQ77)
	3E541 COVER - STEERING COLUMN POSITION SPRING			
67	F,S(tilt column)	27/64" I. D. -3/4" O. D. -15/16" long	1	C7SZ 3E541-A
68/69	A, F, S (tilt column)		1	
	3D543 LEVER ASSY. — MOVEABLE STEERING COLUMN RELEASE			
65	A		1	C5AZ 3D543-A
	3E543 RETAINER - STEERING COLUMN RELEASE LEVER			
71/	A, F, S(tilt column)		2	D1AZ 3E543-A
67	F, S(tilt column)		2	D0AZ 3E543-A
68/70	A, F, S(tilt column)		2	
	3F543 RING - STEERING SHAFT LOWER BEARING RETAINER			
72	B(all exc. column shift A/T)	1 5/16" I.D.-3" dia. bolt hole pattern-3 tabs	1	D2OZ 3F543-B
72	B,S(column shift-A/T)	1 5/16" I.D.-1 11/16" O.D.-4 tabs	1	D2OZ 3F543-A
	3544 CLAMP - STEERING GEAR BALL RETURN GUIDE			
65/	A	Ford gear	1	C5AZ 3544-A
65/	A(M/S)	Use w/#HCD-A,A1,SMA-D,D1,T	1	C5AZ 3544-B
65/69	A(P/S)	Saginaw	1	C5AZ 3544-C
65/71	B(P/S)	Use w/#HCA-BV,BZ,BY,CD,CE,SMA-A,B	1	C5OZ 3544-A
65/71	B(M/S)	Use basic 3523 kit for #HCA-AV,AW,BU,CA, SMA-C,F	AR	3544
72	B(M/S)	#SMA-T	1	C5AZ 3544-B
	B(P/S)	#SPA-EU,Y	1	C5AZ 3544-A
65/67	F(M/S)	Use w/#HCC-AT,SMB-A & C	1	C0DR 3544-A
65/70	F(M/S & P/S)	Use w/#HCC-AX,AW,SMB-B,E,F,J or K	1	★C5ZZ 3544-A
67/70	F(M/S)	Use basic 3523 kit for #SMB-H or D	AR	3544
71	F(M/S) "Before 5/3/71"	Use basic 3523 kit for #SMA-R	AR	3544
71/	F(M/S) "From 5/3/71"	Use w/#SMA-T	1	C5AZ 3544-B
71/	F(P/S)	#SPA-S,T,U,V	1	C5AZ 3544-C

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3544 CLAMP - STEERING GEAR BALL RETURN GUIDE - continued			
70/	P(M/S)	#SMA-F	1	C5OZ 3544-A
	P(P/S)	#SMA-B-use basic 3523 kit		3544
65/	S(P/S)	Ford gear	1	C5AZ 3544-A
72	U(P/S)		1	C5AZ 3544-C
65	X(P/S)	Use w/#HCC-AZ or BB	1	★C5ZZ 3544-A
65/70	X(M/S)	Use w/#HCC-AM,AM1,AP,AP1	1	C0DR 3544-A
66/70	X(M/S)	Use basic 3523 kit for #HCA-AV,AW,BU,CA, SMA-C,F	AR	3544
66/70	X(P/S)		1	C5OZ 3544-A
65/	A(P/S),S		2	352518-S(BB80)
67/	B,X(P/S)		1	
65/70	X	Screw & washer (clamp)-No. 10-32 x 3/8"	2	★372133-S
65/	S		2	
68	A,B,F,X	Screw & washer(clamp)-No. 10-32 x 5/16"	2	355177-S(BB77M)
	3D544 LEVER - STEERING COLUMN RELEASE			
67	F,S(tilt wheel)		1	C7SZ 3D544-A
68/69	A, F, S(tilt wheel)		1	C8SZ 3D544-A
70/72	A,F,S(tilt wheel)		1	D1AZ 3D544-A
	3E546 NUT - STEERING COLUMN BRACKET RETAINER			
67/68	A,S	5/16"-18-1 1/4" O.D.	AR	C7AZ 3E546-A
	3F546 SHIM KIT - STEERING GEAR MOUNTING			
71/	L	Includes (1) shim & (2) 384587-S100 nuts	AR	D1FZ 3F546-B
	3E547 TANK and BRACKET ASSY. - STEERING COLUMN CONTROL VACUUM			
68	F(tilt wheel)		1	C8ZZ 3E547-A
69	F(tilt wheel)		1	C9ZZ 3E547-A
67/69	S(tilt wheel)		1	C8SZ 3E547-A
67	F(tilt wheel)		1	
	3-3547 "O" RING - POWER STEERING PUMP OIL RESERVOIR ORIFICE			
65/67	A,F,S,X	53/64" I.D.	1 or 2	B5A 33547-A
65/67	B		2	
	3548 HOUSING ASSY. - STEERING GEAR			
65/71	A(M/S)	Use with gears-models HCD-A, A1 & SMA-D, casting #C5AR 3550-B	1	C5AZ 3548-B
69/71	A(M/S)	Use with gears-model SMA-D1, casting #C9AR 3550-A	1	C9AZ 3548-B
72	A(M/S)	Use w/gear #SMA-T, stamping #D1ZR 3550-AA	1	D1ZZ 3548-A
65/66	A(P/S)	Use with Ford gears-models HCE-C,D, casting #C6AR 3550-B	1	C5AZ 3548-D
67/68	A(P/S)	Use with Ford gears-models #SPA-A & B, casting #C9AR 3550-C incl.(1) 385084-S seal	1	C5AZ 3548-F
69	A(P/S)	Use with Ford gears-models SPA-A1,A2, casting #C9AR 3550-B	1	C9AZ 3548-A
69/72	A(P/S)	Use with Ford gears-models #SPA-A3,E3,E4 casting # C9AR 3550-C, incl. 385348-S "O" ring	1	•D2AZ 3548-A
65/68	A(P/S)	Use with Saginaw gears-models HCE-B & SPA-H	1	C5AZ 3548-C
69	A(P/S)	Use with Saginaw gear-model SPA-N	1	C5AZ 3548-E
65/71	B	Casting #D2DR 3550-A (replaces #C6OR 3550-B & C7OR 3550-A)	1	D2DZ 3548-A
72	B(M/S)	Use w/gear #SMA-T, casting #D1ZR 3550-AA	1	D1ZZ 3548-A
	B(P/S)	W/gear #SPA-E3,E4,Y, casting #C9AR 3550-C incl. 385348-S "O" ring	1	•D2AZ 3548-A

• To eliminate oil leakage due to excessive wear of the sector shaft, bore hole in the housing. Refer to T.S.B. No. 31, Article 282, dated 12/1/72.

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3548 HOUSING ASSY. - STEERING GEAR - continued			
65/67	F	Use with 1" dia. sector shaft for models #HCC-AT,AX,AW & SMB-A,B,C,E - casting #C4DR 3550-A or C6ZR 3550-A	1	C3DZ 3548-E
67/70	F	Use with 1 1/8" dia. sector shaft for models #SMB-D,F,J,K - casting #C4DR 3550-B or C7ZR 3550-A	1	C7ZZ 3548-A
71/	F(M/S)	Use with #SMA-R,T	1	D1ZZ 3548-A
71/	F(P/S)	#SPA-S.T.U.V	1	D1ZZ 3548-B
70/72	P	#D2DR 3550-A (replaces #C7OR 3550-A)	1	D2DZ 3548-A
65/66	S	Use w/#HCF-F & SPA-C, casting #C5VR 3550-A, #C6VR 3550-A,B,C or #C8VR 3550-A	1	C5SZ 3548-C
67/68	S	Use w/#SPA-E or F	1	C5AZ 3548-D
69	S	Use w/#SPA-A1,A2,E1,E2 ·	1	C9AZ 3548-A
69/72	S	Use w/#SPA-E3,E4-incl. 385348-S "O" ring	1	•D2AZ 3548-A
66/	U(M/S)	#C7TA 3504-U or #35JC05	1	C6TZ 3548-K
72	U(P/S)		1	D3TZ 3548-A
65	X	Use with 1" dia. sector shaft for models #HCC-AM,AM-1,AZ & BB - casting #C4DR 3550-A or C6ZR 3550-A	1	C3DZ 3548-E
65	X	Use with 1 1/8" dia. sector shaft for model HCC-AP,AP-1 - casting #C4DR 3550-B or C7ZR 3550-A	1	C7ZZ 3548-A
66/70	X	#C6OR 3550-B or #C7OR 3550-A	1	C2OZ 3548-F
65/	A,S,X,U	Plug (expansion)-1 5/16"	1	351701-S(PP87)
	A,S(P/S)	"O" ring (piston to housing)-2 13/16 I.D.	1	★87150-S94
	S	Seat (oil intake tube)-5/16" tube	1	374309-S(TT5A)
	A(P/S)		1	
	S	Seat (oil outlet tube)-3/8" tube	1	374480-S(TT7A)
	A(P/S)	Saginaw	1	
	3549 SNAP RING - STEERING GEAR SECTOR SHAFT ADJUSTING SCREW			
66/67	U "Before Ser. B26,001"		1	C6TZ 3549-A
67/	U "From Ser. B26,001"		1	B3W 3549-A
	3552-3 CUP - STEERING GEAR WORM BEARING			
65/	A,B,F,P,S,X	Upper & lower-for manual or power assist gears	2	C2AZ 3552-A
71/	L	Bearing assy.-Use with #SMA-C	1	D1FZ 3552-A
66/	U	1 13/16" O.D.	1	C6TZ 3552-A
		Adjusting-1 15/16" O.D.	1	C6TZ 3553-A
	3E552 BRACKET - STEERING GEAR MOUNTING			
71/	L	R.H.	1	D1FZ 3E552-A
	3C557 BRACE - MOVEABLE STEERING COLUMN TRACK - Also refer to Group 3C762			
65	A(P/S)		1	C5AZ 3C557-A
	A(A/T)	Bolt & lockwasher (brace to brake pedal support bracket)-5/16"-18 x 7/16"	1	350211-S(BB413)
	A(A/T)	Nut (brace to track)-5/16"-18	1	33797-S7(M50)
		Washer-flat-5/16"	1	44722-S8(X19)
	@3E558 TUBE - STEERING COLUMN RELEASE VALVE			

• To eliminate oil leakage due to excessive wear of the sector shaft, bore hole in the housing. Refer to T.S.B. No. 31, Article 282, dated 12/1/72. # Identification marking

@ Replacement tubes are to be made from bulk tubing stock listed by size and part number under Basic Group 2269. Insulators are to be improvised from rubber hose, friction tape, etc., as required.

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	3B559 SHAFT - POWER STEERING PUMP ROTOR				
65	A,B,F,S,X		Eaton Pump- 3 23/32" long	1	C2AZ 3B559-A
			Snap ring (rotor to housing)	1	359290-S(QQ49)
65/69	A,B,F,S,X		Ford pump-#HBA-All	1	C5AZ 3B559-B
70/72	A		#HBA-CA,CA1,CT	1	
70/72	B,P		#HBA-BM,BN,BR,CA1,CT	1	
70	F,X		#HBA-BR,CC	1	
70/	A		Use W/#HBA-BV, BV1, CK	1	D0AZ 3B559-A
72	B,P,U		#HBA-CK,CL,CM,CN	1	
70/	S		#HBA-BX, BX1	1	
71/	F		#HBA-CG,CN	1	
72	S		#HBA-CJ	1	D2VY 3B559-A
	3C560 STOP - POWER STEERING CONTROL VALVE SPOOL TRAVEL REGULATOR				
65/67	B,F,X			1	C1AA 3C560-A
	3A561 VALVE ASSY. - POWER STEERING PUMP				
65	A (8 cyl. 289)-without A/C		Eaton-belt driven-side mounted pump	1	B8LY 3A561-A
65	A		For Ford pumps tagged HBA-AJ, -AJ1	1	D3AZ 3A561-C
65/69	A		For Ford pumps tagged HBA-AJ2, -BC, -BC1, -BC3, -BH	1	C5AZ 3A561-G
65/66	A		For Ford pumps tagged HBA-AG, -AG1, -AG4, AH, -AH4, -AM, -AM1	1	C5AZ 3A561-H
65/69	A		For Ford pumps tagged HBA-AG2, -AG3, -AH2, -AM2, -BB, -BB1, -BB3, -BG, -BG1	1	C5SZ 3A561-A
65/69	S				
70/72	A	"Before 6/1/72	#HBA-BV, BV1, CA, CA1	1	
72	A	"From 6/1/72"	#HBA-CK	1	D3AZ 3A561-B
65	B,F,X		For Eaton pump-#E	1	C1SS 3A561-A
65/66	B,F,X		For Ford pumps tagged HBA-AC, -AC1, -AC4, -AD, -AD4, -AE, -AE1, -AE4, -AF, -AF1, -AF4, -AN, -AN1, -AN4, -AR, -AR1, -AR4	1	C5OZ 3A561-A
65/67	B,F,X		For Ford pumps tagged HBA-AC2, -AC3, -AD2, -AD3, -AE2, -AE3, -AF2, -AF3, -AN2, -AN3, -AR2, -AR3, -AS, -AS3, -AT, -AT3, -AU, -AU3, -BF, -BF1, -BK	1	C5DZ 3A561-D
68/69	B,F,X			1	D3OZ 3A561-A
70/71	B		#HBA-BM, BR, CC	1	C5SZ 3A561-A
72	B	"Before 6/1/72"	#HBA-CA1, CT	1	C5SZ 3A561-A
	B	"From 6/1/72"	#HBA-CK	1	D3AZ 3A561-B
67/68	F		#HBA-BH, BH1	1	C5AZ 3A561-G
69/70	F		#HBA-BZ	1	C5DZ 3A561-D
70	F,X		#HBA-BR, CC	1	C5SZ 3A561-A
71/72	F	"Before 7/1/72"	For Ford pumps tagged #HBA-CG	1	D1ZZ 3A561-A
72	F,S	"From 7/1/72"	#HBA-CN,CR	1	D3ZZ 3A561-A
70/72	P	"Before 8/8/72"	#HBA-BN, BR	1	C5SZ 3A561-A
72	P	"From 8/8/72"	#HBA-CL,CM	1	D3DZ 3A561-A
70/72	S	"Before 7/1/72"	Use with #HBA-BX,BX1	1	D0VY 3A561-A
72	S		#HBA-CJ	1	D2VY 3A561-A
72	U		#HBA-CN	1	D3ZZ 3A561-A
			Screw-set (adjusting)-5/16"-32 x 11/16"	2	378562-S2(UU38)
			Nut-5/16"-32		378563-S2(MM54D)

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3562 BRACKET - POWER STEERING PUMP SUPPORT			
65/66	B (6 cyl. 170)-with Automatic trans.	Upper	1	★C3OZ 3562-A
65/67	B, F, X (6 cyl.)	Brace	1	C5OZ 3562-A
65	B, F, X (6 cyl.)-without A/C	With Eaton pump - to pump	1	★C5ZZ 3562-A
	B, F, X (6 cyl.)-without A/C	With Eaton pump - to cylinder head	1	★C5ZZ 3562-B
65/67	B (6 cyl.)-with Automatic trans.	Bolt (upper to lower brkt.)-3/8"-24 x 1 1/2"	1	20469-S8(B174)
65/67	F (6 cyl.)		1	
		Lockwasher-3/8"		34807-S8(X66)
		Washer-flat-3/8"		352981-S(XX143)
		Washer-flat-13/32"		354193-S(XX141)
67	B, F, X(6 cyl.)	Screw(to adjusting bracket)-3/8"-16 x 3/4"	1	370608-S2(BB579)
	3C562 INSULATOR - POWER STEERING CONTROL VALVE SPOOL STOP			
65/67	A, F		2	C1AA 3C562-A
65/66	X		2	
65/70	B		2	C2OZ 3C562-A
67/70	X		2	
	3B563 REINFORCEMENT - POWER STEERING OIL RESERVOIR ORIFICE			
65/67	A (8 cyl.)		1	B5AZ 3B563-A
65/67	S		1	
65/67	B, F, X		1	
	3C563 SPRING - POWER STEERING CONTROL VALVE REACTION LIMITING - Also serviced in 3C563 kit			
65/71	B		2	C3AZ 3C563-A
65/70	F, X		2	
70/	P		2	
	3C563 LIMITING KIT - POWER STEERING CONTROL VALVE REACTION			
65/70	B, F, X	Consists of	1	C3AZ 3C563-C
71	B,	1-B9M 3A512-A plug 2-C3AZ 3C563-A spring	1	
70/	P	1-B9M 3A513-A plug 2-372299-S washer	1	
		1-B4A 2428-A "O" ring 1-C1AA 3A740-A gskt.		
	3B564 INSULATOR - STEERING COLUMN LOWER FLANGE - Also refer to Group 3674			
65/67	B, F, X		1	C6OZ 3B564-A
	3566 SPACER - STEERING GEAR TO FRAME			
65/68	A		1	C5AZ 3566-A
	3568 PLATE - STEERING GEAR HOUSING END			
66/	U		1	C6TZ 3568-A
		Bolt (to housing)-5/16"-18 x 7/8"	4	357235-S(BB136)
	3568 COVER - HOUSING END SHAFT & WORM			
71/	L	Use with gear #SMC-A-stamped 18275	1	D1FZ 3568-A
	3D568 WIRE ASSY. - STEERING WHEEL RELAY SWITCH			
69	F(tilt column) "Before 4/30/69"		1	C9ZZ 3D568-A
	F(tilt column) "From 4/30/69"		1	C9ZZ 3D568-B
	3A570 SPRING - POWER STEERING PUMP FLOW CONTROL VALVE			
65/67	A, B, F, S, X		1	B8AZ 3A570-A
	3571 BEARING - STEERING GEAR WORM THRUST			
65/	A, B, F, P, S, X	Use with manual & power assist gears	2	C2AZ 3571-A
66/	U		2	C6TZ 3571-A
	3C571 TRACK ASSY. - MOVEABLE STEERING COLUMN			
65	A		1	C5AZ 3C571-A
		Bolt (track to pedal support)-3/8"-16 x 1 1/4"	2	359266-S8(BB157)

* Identification marking

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	3575 SHAFT - STEERING GEAR SECTOR				
65	A(M/S)	"Before 6/20/65"	Use with #HCD-A	1	C5AZ 3575-A
65/	A(M/S)	"From 6/20/65"	Use with HCD-A1,SMA-D,D1,T	1	C5AZ 3575-D
65/66	A(P/S)	"Before 1/13/66"	Ford gear-use w/#HCE-C,C1,C2,D	1	C5AZ 3575-B
66	A(P/S)	"From 1/13/66"	Ford gear-use w/#HCE-C3,C4	1	D3AZ 3575-A
67/	A(P/S)		Ford gear	1	
65/69	A(P/S)		Saginaw gear	1	C5AZ 3575-E
65	B		1 1/8" dia.-9 1/4" long	1	C2OZ 3575-B
66/71	B(P/S)			1	
66/71	B(M/S)		1 1/8" dia.-9 11/32" long	1	C6OZ 3575-A
72	B(M/S)		#SMA-T	1	C5AZ 3575-D
	B(P/S)		#SPA-E4,Y,AA	1	D3AZ 3575-A
65/67	F		1" dia. 7/8"-14 x 9 5/32" long, use w/#HCC-AT, AX,AW & SMB-A,B,C,E	1	C3DZ 3575-F
67/70	F		1 1/8" dia. 7/8"-14 x 9 15/32" long-use w/#SMB-D,F,H,J,K	1	C3DZ 3575-E
71/	F(M/S)		#SMA-B T	1	C5AZ 3575-D
	F(P/S)		#SPA-T,V	1	D1ZZ 3575-A
			#SPA-S ,U	1	C5AZ 3575-E
	L		Serviced in 3504 assy.	1	
70/	P(M/S)		1 1/8" dia., 9 11/32" long	1	C6OZ 3575-A
	P(P/S)		1 1/8" dia., 9 1/4" long	1	C2OZ 3575-B
65/66	S		Use with #HCF-B,B1,B2,B3,B4,B5,B6	1	C9VY 3575-A
67/	S			1	D3AZ 3575-A
66/	U(M/S)			1	C6TZ 3575-H
72	U(P/S)			1	D3TZ 3575-A
65	X		1" dia. 7/8"-14 x 9 5/32" long, use w/#HCC-AM,AM1,AZ& BB	1	C3DZ 3575-F
	X		1 1/8" dia. 7/8"-14 x 9 15/32" long, use w/#HCC-AP,AP1	1	C3DZ 3575-E
66/70	X(M/S)		1 1/8" dia., 9 11/32" long	1	C6OZ 3575-A
	X(P/S)		1 1/8" dia., 9 1/4" long	1	C2OZ 3575-B
	3A575 TUBE ASSY. - POWER STEERING RETURN LINE HOSE TO CONTROL VALVE - Refer to group 3A719				
	3576 BUSHING - STEERING GEAR HOUSING SECTOR SHAFT				
65/	A(M/S)		Bushing-lower-1 1/8" I.D.-1 3/8" O.D.-1" long	1	C1AZ 3576-B
65/66	A(P/S)		Ford gear-use only with housing assy. (3548)-stamped C5AR 3550-A or C6AR 3550-A, 1 5/16" I.D.-1 7/16" O.D.-1" long	1	C5AZ 3576-A
65/69	A(P/S)		Saginaw gear	1	C5AZ 3576-B
66/70	A(P/S)		Not required with housing assy. (3548)-stamped C6AR 3550-B,C9AR 3550-C		3576
71/72	A(P/S)	"Before 3/15/72"	Refer to T.S.B. #31, article 282, dated 12/1/72	1	C5AZ 3576-A
65	B		1 1/8" I.D.-1 3/8" O.D.-1" long	2	C1AZ 3576-B
66/71	B		Lower	1	
			Upper 1 1/8" I.D.-1 3/8" O.D.-1" long	1	C4DZ 3576-B
72	B(M/S)		Lower for #SMA-T	1	C1AZ 3576-B
			Upper-not required-see 3580		3576
	B(P/S)		Refer to T.S.B. #31, article 282, dated 12/1/72	1	C5AZ 3576-A
65/67	F		Use with 1" dia. sector shaft for models #HCC-AT,AX,AW & SMB-A,B,C,F		
			Upper-1" I.D.-1 1/4" O.D.-1" long	1	C4DZ 3576-A
			Lower-1" I.D.-1 1/4" O.D.-1" long	1	C3DZ 3576-A

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3576 BUSHING - STEERING GEAR HOUSING SECTOR SHAFT - continued			
67/70	F	Use with 1 1/8" dia. sector shaft for models #SMB-D,F,J,K		
		Upper-1 1/8" I.D.-1 3/8" O.D.-1" long	1	C4DZ 3576-B
		Lower-1 1/8" I.D.-1 3/8" O.D.-1" long	1	C1AZ 3576-B
71/	F(M/S)	Lower	1	C1AZ 3576-B
		Upper-serviced in 3580 only		
	F(P/S)	Saginaw gear	1	C5AZ 3576-B
70/	P	Upper	1	C4DZ 3576-B
		Lower	1	C1AZ 3576-B
65/66	S	Use only with housing assy. (3548) stamped C5VR 3550-A, C6VR 3550-A & B		
		Center-1 5/16" I.D.-1 7/16" O.D.-1" long	1	C5AZ 3576-A
		Lower-1 5/16" I.D.-1 7/16" O.D.-3/4" long	1	C5SZ 3576-A
	S	Not required with housing assy. (3548) - stamped C6VR 3550-C or C8VR 3550-A		3576
71/72	S(P/S) "Before 3/15/72"	Refer to T.S.B. #31, article 282, dated 12/1/72	1	C5AZ 3576-A
66/	U(M/S)	1 1/4" I.D. -1 3/8" O.D. -1" long	2	C6TZ 3576-B
72	U(P/S)		2	C5AZ 3576-B
65	X	Use with 1" dia. sector shaft for models #HCC-AM,AM1,AZ & BB		
		Upper	1	C4DZ 3576-A
		Lower	1	C3DZ 3576-A
	X	Use with 1 1/8" dia. sector shaft for models #HCC-AP,AP1		
		Upper	1	C4DZ 3576-B
		Lower	1	C1AZ 3576-B
66/70	X	Upper	1	C4DZ 3576-B
		Lower	1	C1AZ 3576-B
	3E576 TUBE ASSY. - POWER STEERING PRESSURE OUTLET - Refer to group 3A719			
	3K576 SPRING - STEERING GEAR RACK ADJUSTMENT			
71/	L	Use with gear #SMC-A-#Yellow paint on coil	1	D1FZ 3K576-A
	3577 SCREW - STEERING GEAR SECTOR SHAFT ADJUSTING			
65/	A,B,F,P,X (M/S)	7/16"-20 x 1 15/32"	1	B8AZ 3577-A
65/71	B,F (P/S)		1	
65/72	P,X (P/S)		1	
65/67	S		1	WAN 3577-A
66/	U	1/2"-20 x 1 17/64"	1	B7J 3577-A
65/	A,S,X	Nut-jam (screw)-7/16"-20	1	34690-S8(M34)
65/	S	Locknut-7/16"-20	1	371782-S8
	A(P/S)	Saginaw	1	(MM160X)
		Washer-flat		356395-S(XXI65D)
66/	U	Nut-1/2"-20	1	33943-S8(M36)
	3C577 INSULATOR - STEERING COLUMN			
67	B,X(except floor shift transmission)		1	C7OZ 3C577-A
	A,S(except floor or console shift)		1	
67	B(P/S & floor shift automatic or 4 speed S/T)		1	C7OZ 3C577-B
	B(8 cyl. 390)-fixed wheel		1	
	A(with floor or console shift)		1	
67	F(tilt wheel)		1	
	3578 SPACER - STEERING COLUMN BRACKET			
67	S	1/16" thick	AR	★C7SZ 3578-A
	3579 WASHER - STEERING GEAR WORM SECTOR THRUST			
66/	U	.55" I.D. -.113" thick	1	C7TZ 3579-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3580 COVER - STEERING GEAR SECTOR SHAFT HOUSING			
65/71	A(M/S)		1	C5AZ 3580-E
65/	A,S(P/S)	#D1AR 3583-AA	1	D1AZ 3580-A
72	B(P/S)		1	
72	A,B(M/S)	#D1ZR 3583-AA	1	D1ZZ 3580-A
65/69	A(P/S)	Saginaw gear	1	C5AZ 3580-F
65/71	B,		1	C3AZ 3580-A
66/70	X		1	
71/	F(M/S)	Use w/#SMA-R,T-stamped D1ZR 3583-AA	1	D1ZZ 3580-A
	F(P/S)	#SPA-S,T,U,V	1	C5AZ 3580-G
71/	L	Use with gear #SMC-A	1	D1FZ 3580-A
70/	P		1	C3AZ 3580-A
66/	U(M/S)		1	C6TZ 3580-A
72	U(P/S)		1	C5AZ 3580-G
65	X		1	C1DZ 3580-A
65/70	F		1	
65/66	A	Bolt (cover to housing)-3/8"-16 x 3/4"	3	20348-S8(B77)
		Lockwasher-3/8"		34807-S8(X66)
65/70	X	Bolt (cover to housing)-5/16"-18 x 5/8" washer head-locking	3	371065-S(BB549)
66/	U(M/S)	Bolt (cover to housing)-5/16"-18 x 7/8"	4	357235-S(BB136)
65/	A,S(P/S)	"O" ring (cover)-2 13/16" I.D.	1	★87150-S94
65/	A,S(P/S)	Bolt (to housing)-7/16"-20 x 1 1/8" hex.	2	383685-S7 (BB395F)
65/69	A(P/S)	Bolt (to housing)-3/8"-16 x 1 1/4"	4	359266-S8(BB157)
71/	F,U(P/S)		4	
68	B,X	Bolt (to housing)-3/8"-16 x 3/4"	3	42996-S(B251F)
72	A,B,S	"O" ring-2 11/16" I.D. (cover to housing)	1	385348-S(KK52CG)
	3581 GASKET - STEERING GEAR SECTOR SHAFT HOUSING COVER			
65/	A,B,P	Housing cover for Ford gears	1	C3AZ 3581-A
65/70	X		1	
71/	F(M/S)		1	
65/69	A(P/S)	Use w/#HCE-B,SPA-H,N-Saginaw gear	1	C5AZ 3581-A
71/	F(P/S)	Use w/#SPA-S,T,U,V-Saginaw gear	1	
65/70	F	Housing cover	1	C3DZ 3581-A
66/	U(M/S)		1	C6TZ 3581-A
72	U(P/S)		1	C5AZ 3581-A
	3D581 BEARING - STEERING COLUMN RELEASE CAM			
65/67	S	Nylon	2	C4VY 3D581-A
65/69	A(6 cyl.)-automatic transmission		2	
67/	A(8 cyl.)-speed control		2	
68/	S(speed control)		2	
	3A582 COVER ASSY. - POWER STEERING PUMP OIL RESERVOIR			
65	A,B,F,S,X(8 cyl.)-without A/C	Pump mtd. reservoir with filler neck-5 5/8" O. D.	1	C0AA 3A582-A
65	F	Remote mounted reservoir-4 1/4" O. D.	1	C1AA 3A582-A
65	B,F,X(6 cyl.)-without A/C	Includes gasket -pump mounted reservoir-less filler neck-5 5/8" O. D.	1	C3DZ 3A582-A
65	A,B,F,S,X	Stud(cvr.to reservoir)-5/16"-18 & 5/16"-18 x 4 5/8"	1	359841-S8(WW22)
		Nut-wing-5/16"-18	1	33896-S8(M182)
		Washer - flat 5/16"		359840-S8(XX107)
65	A,B,F,S,X	Bolt (cover to reservoir)-5/16"-18 x 3 1/2"	1	354668-S8(BB516)
		Spring nut	1	353766-S(MM269)
		Washer-flat-5/16"	1	44722-S8(X19)

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3B584 SEAL AND GASKET KIT - POWER STEERING PUMP			
65	A,B,F,S,X	For Eaton pump-Consists of 2-B5A 33547-A Ring 1-C0AA 3A642-B Gskt. 1-C2SZ 3B592-A Seal 1-EAA 6589-B Seal 1-B7A 33617-A Gasket 1-87014-S91 Ring 1-LA 33618-A Ring 1-87147-S91 Ring 1-B7A 33619-A Ring 1-372144-S Gasket 1-C0AA 3A642-A Gasket	1	C2SZ 3D584-A
65/	A,B,F,P,S,U,X	Overhaul seal kit for Ford pumps Consists of 1-C5AR 3D587-B Seal 1-C5AR 3D684-A Gskt. 1-C5AZ 3B592-C Seal 1-C9AZ 3A760-A Gskt. 1-C5AR 3D594-B Seal 1-383201-S Seal 1-D0ZR 3D594-A Seal 1-383213-S94 Seal 1-D1AR 3D594-AA Seal	1	D1AZ 3B584-A
72	S	With Saginaw pump-#HBA-CJ	1	D2VY 3B584-A
	3D584 HOSE - STEERING COLUMN RESERVOIR			
69	F	Cut 47" from C8ZZ 3D537-A	1	★C9ZA 3D584-A
	3B585 INSERT - POWER STEERING PUMP CAM			
72	S	#HBA-CJ	1	D2VY 3B585-A
	3D585 HOSE - STEERING COLUMN RELEASE SUPPLY -Cut from C8ZZ 3D537-A			
67/69	F(tilt wheel)	Grommet	1	354002-S(KK7)
	F(tilt wheel)	Clip (to dash panel)	1	358350-S(GG172)
	3D586 SPRING - P/S PUMP FLOW CONTROL VALVE			
72	S	#HBA-CJ	1	D2VY 3D586-A
	3D589 PLATE - P/S PUMP RETAINER END			
65/69	A, B, F, S, X	Use with C5AZ 3D590-F	1	C5AZ 3D589-B
70	A	Use with #HBA-CA	1	
70	B, F, X		1	
72	S	#HBA-CJ	1	D2VY 3D589-A
	3590 ARM - STEERING GEAR SECTOR SHAFT			
	- A -			
65/68	A Special (8 cyl. 352, 390, 406, 427)-For Special Duty Performance		1	C0AA 3590-D
	A (M/S)		1	C5AZ 3590-A
	A(P/S)	Saginaw gear-stamped C5AA 3B153-E	1	C5AZ 3590-C
	A (P/S)	Ford gear	1	C5AZ 3590-E
69/	A (M/S)		1	C9AZ 3590-A
	A(P/S)		1	C9AZ 3590-B
	- B -			
65	B(P/S)		1	C2OZ 3590-B
	B (M/S)		1	C3OZ 3590-C
66/69	B(M/S)		1	C8OZ 3590-A
	B(P/S)		1	C6OZ 3590-B
70/71	B(M/S)		1	C8OZ 3590-A
	B(P/S)	#D0OA 3590-A	1	D0OZ 3590-A
72	B(M/S)	#D2OA 3B153-AA, D3OA 3B153-AB	1	D2OZ 3590-A
	B(P/S)	#D2OA 3B153-BA, D3OA 3B153-BB	1	D2OZ 3590-B
	- F -			
65/66	F(6 cyl.)(M/S)		1	C0DD 3590-B
	F(6 cyl.)(P/S)		1	C4DZ 3590-A
	F(8 cyl. GT350)		1	S1MS 3590-A
	F(8 cyl. exc. GT350)	Marked C4ZA 3590-A- with 1" sector shaft	1	C5ZZ 3590-A
67	F(6 & 8 cyl.)(P/S) "Before 5/1/67"	Marked C4ZA 3590-A-with 1" sector shaft	1	C5ZZ 3590-A
67/70	F(6 & 8 cyl.) (P/S) "From 5/1/67"	Marked C7ZA 3590-C-with 1 1/8" sector shaft	1	C7ZZ 3590-C
67/70	F(8 cyl.)(M/S)	Marked C7ZA 3590-B-with 1 1/8" sector shaft	1	C7ZZ 3590-B
67/70	F(6 cyl.)(M/S) "From 5/1/67"		1	
67	F(6 cyl.)(M/S) "Before 5/1/67"	Marked C7ZA 3590-A-with 1" sector shaft	1	C7ZZ 3590-A
71/	F(M/S)	#D1ZA 3B153-AA, D3ZA 3B153-AB	1	D1ZZ 3590-A
	F(P/S)	#D1ZA 3B153-BA, D3ZA 3B153-BB	1	D1ZZ 3590-B

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3590 ARM - STEERING GEAR SECTOR SHAFT - continued			
	- P -			
70/	P(M/S)		1	D0DZ 3590-A
	P(P/S)		1	C9DZ 3590-A
	- S -			
65/66	S		1	C5SZ 3590-A
67	S		1	C5AZ 3590-B
68	S(P/S)		1	C5AZ 3590-E
69/71	S(P/S)		1	C9AZ 3590-B
72	S(P/S)	#D2OA 3B153-BA	1	D2OZ 3590-B
	- U -			
66	U	R/B C6TZ 3304-S & C6TZ 3590-J	1	★C6TZ 3590-C
67	U		1	C6TZ 3590-J
68/	U(M/S)		1	C8TZ 3590-E
72	U(P/S)	#D3TA 3590-AA	1	D3TZ 3590-A
	- X -			
65	X(6 cyl.) (M/S)		1	C0DD 3590-B
	X(8 cyl.) (M/S)	With 1 1/8" sector shaft	1	C3DZ 3590-H
	X(6 cyl.) (P/S)		1	C4DZ 3590-A
	X(8 cyl.) (P/S)	Marked C4ZA 3590-A-with 1" sector shaft	1	C5ZZ 3590-A
66/70	X(M/S)		1	C8OZ 3590-A
66/69	X(P/S) "Before 6/2/69"		1	C6OZ 3590-B
69/70	X(P/S) "From 6/2/69"		1	C9DZ 3590-A
65/70	X	Nut-castle (arm to idler arm rod)-3/8"-24	1	★34030-S8
	X	Nut-castle (arm to spindle arm end)	1	
	X, F	Nut (arm to steering gear)-3/4"-16	1	34692-S8(M74)
		Cotter pin-3/32" x 3/4"		72016-S8(N44)
65/66	A, B, S, U	Nut (steering sector shaft & worm)-7/8"-14	1	351153-S(MM32)
65/70	X(8 cyl.)		1	
		Lockwasher-7/8"		★34814-S
65/	B, X, F (M/S)	Nut-castle (arm to control valve & link)-1/2"-20	1	★385002-S(MM66A)
65/	A, S	(Arm to 3304 idler arm)	1	
67/	U	Nut(to steering gear)-7/8"-14	1	380771-S100
67/	F(8 cyl. 289, 390)		1	(MM38FA)
67/	A, S	(Arm to steering sector shaft)	1	
65/70	F, X	Washer(arm to steering gear) 3/4" lock	1	34813-S(X71A)
	3C590 BUSHING KIT - POWER STEERING CYLINDER MOUNTING ROD END			
65	B	Consists of	1	C1AZ 3C590-A
65	F (8 cyl.)	2-C1AA 3A344-A Insulator 1-AJ 3652-A Spacer 2-C3AA 3A345-A Washer 1-33925-S8 Nut 1-45218-S8 Locknut	1	
66/71	B	Consists of	1	C6OZ 3C590-A
66/70	X	2-C7OA 3A344-A Insulator 1-AJ 3652-A Spacer	1	
67/70	F	2-C3AA 3A345-A Washer 1-33925-S8 Nut	1	
70/	P	1-45218-S8 Nut	1	
	3D590 PLATE - POWER STEERING PUMP PRESSURE			
65/69	A, B, F, S, X	Front-for Ford pumps	1	C5AZ 3D590-E
70/72	A	Use w/#HBA-CA, CA1, CT	1	
70/72	B, P,	Use w/#HBA-BM, BN, BR, CA1, CT	1	
70	F, X		1	
70/72	A	Front-use w/#HBA-BV, BV1	1	D0AZ 3D590-A
70/72	S	Use w/#HBA-BX, BX1	1	
71/72	F	Use w/#HBA-BR, CC, CG	1	
72	A, B, F, P, U	#HBA-CK, CL, CM, CN	1	
72	S	Front-use w/#HBA-CJ	1	D2VY 3D590-A
65/69	A, B, F, S, X	Rear-5/16" thick-must be used with 3D589 cover-alternate plate D1AZ 3D590-A used w/o 3D589 cover	1	C5AZ 3D590-F
70	A, B, F, X	Alternate plate may be used for HBA-BM, BR, BN, CA, CC	1	

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3D590 PLATE - POWER STEERING PUMP PRESSURE - continued			
70	A,B,F,P,X	Rear-25/64" thick-alternate plate C5AZ 3D590-F must be used w/3D589 cover for #HBA-BM,BN,BR,CA,CC	1	D1AZ 3D590-A
70	A,S	Must be used with #HBA-BV and BX	1	
71/	A,B,F,P,U		1	
71/	S	#HBA-BX (Ford pump)	1	
72	S	Rear plate-#HBA-CJ (Saginaw pump)	1	D2VY 3D590-B
	3591 SEAL - STEERING GEAR SECTOR SHAFT HOUSING OIL			
65/	A,B,F,P,X	For manual & power assist gears with 1 1/8" dia. sector shaft	1	C7OZ 3591-A
65/	A,S(P/S)	Upper & lower-r/b D5AZ 3E501-A (2/75)	2	★C5AZ 3591-B
72	B(P/S)	#SPA-E4,Y,AA	2	
66/	U	Column seal-43/64" I.D.-1 3/16" O.D.	1	C6TZ 3591-A
	U	1 1/4" I.D.-1 11/16" O.D.	1	C1TT 3591-G
65/66	X	With 1" sector shaft	1	C0DR 3591-A
65/70	F		1	
65/	A,S(P/S)	Ring (retaining)-1 13/16"	1	97628-S(QQ7)
	3B592 SEAL - POWER STEERING PUMP ROTOR SHAFT OIL			
65	A,B,F,S,X	Eaton-belt driven-side mounted pump	1	C2SZ 3B592-A
65/	A,B,F,P,U,X	Ford pump-also supplied in 3B584 kit	1	C5AZ 3B592-C
65/71	S	#HBA-all	1	
72	S	#HBA-BX (Ford pump)	1	
72	S	#HBA-CJ (Saginaw pump)	1	D2VY 3B592-A
	3593 GASKET - STEERING GEAR HOUSING END PLATE			
66/	U	.002" thick	AR	C6TZ 3593-A
		.005" thick	AR	C6TZ 3593-B
		.010" thick	AR	C6TZ 3593-C
67/70	U	.0075" thick-1 31/32" I.D.	1	C7TZ 3593-D
	3593 GASKET & SHIM KIT - STEERING GEAR HOUSING COVER			
71	L "Before 5/24/71"	Use with gear #SMC-A-consists of 1 D12R 3595-AA shim-.005 thick 1 D12R 3595-BA shim-.0075 thick 1 D12R 3595-CA shim-.010 thick 1 D12R 3595-DA shim-.093 thick 1 D12R 3593-AA gasket	1	D1FZ 3593-A
71/	L "From 5/24/71"	Use with gear #SMC-A-consists of 1 D12R 3595-AA shim-.005 thick 1 D12R 3595-BA shim-.0075 thick 1 D12R 3595-CA shim-.010 thick 1 D12R 3595-DA shim-.093 thick 1 D12R 3595-EA shim-.0024 thick 1 D12R 3593-AA gasket	1	D1FZ 3593-B
	3A594 SPRING - POWER STEERING GEAR CONTROL VALVE SPOOL			
65/70	A(P/S)	Saginaw-control valve spool	1	C5AZ 3A594-A
71/	F		1	
72	U		1	
65/67	S	Not replaced (2/75)	1	★C2SZ 3A594-A
	3E595 SHIELD - POWER STEERING SPLASH - UPPER - Improvise			
	3D596 SPRING - P/S PUMP PRESSURE PLATE			
65/	A,B,F,P,U,X	For Ford pumps	2	C5AZ 3D596-C
65/71	S	#HBA-all	2	
72	S	#HBA-BX (Ford pump)	2	
72	S	#HBA-CJ (Saginaw pump)	1	D2VY 3D596-A
	3E596 BRACKET - POWER STEERING PUMP PRESSURE & RETURN TUBE - Improvise			
	3K599 SPACER - STEERING GEAR PINION BEARING			
71/72	L "Before 1/17/72"	Use with gear #SMC-A between pinion and upper bearing	1	D1FZ 3K599-A
72	L "From 1/17/72"	Use with gear #SMC-D,E	1	D2FZ 3K599-A

Identification marking

3600 WHEEL ASSY. - STEERING

HOW TO FIND STEERING WHEELS, PADS, CAPS & COVERS

To find Steering Wheel and/or Caps you must know:

YEAR, MODEL and COLOR

1. Identify Year and Model by referring to Warranty Plate Codes as shown in the General Information Section.

2. Determine color by:
   (a) Visual identification
   or
   (b) Trim code (second character of trim code generally applicable to each color)

3. Refer to listing below and find the appropriate Year and Model.

4. Match Year and Model with appropriate color and/or trim code to select desired part number.

   For example, should an Ivy Gold steering wheel and/or wheel pad be required for a 1967 Ford LTD -

   1. Refer to 1967.
   2. Read list of colors to find Ivy Gold.
   3. Read down to find A (XL and LTD).
   4. Part number shown (for wheel) is C7AZ 3600 and suffix in "Ivy Gold" column is L and Cap part number is C7AZ 3623-AF.

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →		SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	OTHER	OTHER	
		D	0 or 3	1	2	4	5	7	8	9	9					
COLORS →		PARCHMENT	BURGUNDY	SILVER (GREY)	BLUE	BEIGE	RED	AQUA or TURQ.	IVY GOLD	GREEN	PALOMINO	BLACK	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
- A -					1965											
Wheel (all exc. XL & LTD)	C5AZ 3600				T	★	★	★	H●	★	★	S				1
(XL & LTD)	C5AZ 3600				★		●	★	★		M	H				1
- B -																
Wheel (with M/S)	C5OZ 3600				★		★	★	★		★	★				1
(with P/S)	C5OZ 3600				★		★	★	★		★	★				1
- F -																
Wheel (exc. GT 350) - "Before 8/17/64"	C5ZZ 3600				★		★				★ ★	A	★			1 1
"From 8/17/64"	C5ZZ 3600				●		G		★		K ★	F	M	N▲		1 1
Cap	C5ZZ 3623													A▲		1
Wheel (GT 350)	S2MS 3A600													★■		1
Pad	S2MS 3623													★		1
- S -																
Wheel	C5SZ 3600	★	★	★	★	★	★	★	★		★	★	★	★		1
Cap	C5SZ 3623	★		★		★		★			★	★	J			1
	C6SZ 3623		C		A		F		★							1
- X -																
Wheel - (all exc. 54D, 62D) - w/convenience pkg.	C5DZ 3600				★		★	F	★		★	★				1
	C7TZ 3600											E				1
Wheel - (54D, 62D) - with convenience pkg.	C5DZ 3600				★		★									1
	C7TZ 3600											E				1

● Use Black ▲ Simulated wood grain ■ Wood

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →		SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
COLORS →		_0 or 3 BURGUNDY	_1 SILVER (GREY)	_2 BLUE	_4 EMBERGLO	_5 RED	_7 AQUA	_8 IVY GOLD	_9 PALOMINO	_G GREEN		BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
- A -	**1966**															
Wheel-2 spoke																
(all exc. XL & LTD)	C5AZ 3600			T				U	★	★		S	★			1
	C6AZ 3600		★		★	★	★									1
(XL & LTD)	C5AZ 3600			●				★	M			H				1
	C6AZ 3600	★	★		★	★	★									1
Wheel-3 spoke	C5ZZ 3600														N▲	1
Cap	C6AZ 3623														★	1
- B -																
Wheel																
Solid color	C6OZ 3600			★	★	F	★	★				★	★			1
Two-tone color	C6OZ 3600			★	★	★	★	★	★			★	★			1
Woodgrain	C5ZZ 3600														N▲	1
Cap-Woodgrain	C6OZ 3623														★	1
- F -																
Wheel-3 spoke(exc. GT350)	C5ZZ 3600											F			N▲	1
	C6ZZ 3600			A		C	B						D			1
Cap (includes emblem & trim ring)	C5ZZ 3623														A▲	1
Cap	S2MS 3623														★■	1
Wheel (GT 350)	⊙S2MS 3A600														★■	1
- S -																
Wheel (w/o speed control)																
	C5SZ 3600		F									A	M	J	★	1
	C6SZ 3600	★		★	★	★	★	★								1
Cap	C5SZ 3623		★				★					★	★	J		1
	C6SZ 3623	★		A	★	★		★								1
Wheel (with speed control)																
"Before 2/15/66"	C6SZ 3600	★	★	★	★	★	★	★				★	★	★		1
"From 2/15/66"	C6SZ 3600	★	★	★	★	★	★	★				★	★	★		1
Cover-front	C6SZ 3D752	★	★	★	★	★	★	★				★	★	★		1
Cover-rear	C6SZ 3D752	★	★	★	★	★	★	★				★	★	★		1
Horn ring pad	C6SZ 13A818	H	K	C	L	D	J	F				B	E	G		1
- U -																
U	C7TZ 3600											E				1
- X -																
X	C6OZ 3600			B	G	F	E	C				A	D			1

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →		SECOND CHARACTER OF TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
COLORS →		_B or 2 BLUE	_D RED	_D BURGUNDY	_E BEIGE	_F SADDLE	_G IVY GOLD	_K AQUA	_L SILVER (GREY)	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
- A -	**1967**														
Wheel -2 spoke															
(all exc. XL & LTD)	C7AZ 3600	★	★			★	★	A	★	D	★				1
Cap	C7AZ 3623	AD	AC			AA	★	AG	★	AB	AE				1
Wheel-2 spoke															
(XL & LTD)	C7AZ 3600	K	★			★	L	★	★	J	M				1
Cap (includes emblem and trim ring)	C7AZ 3623	AD	●			AA	★	AG	AS	AB	AE				1
Wheel -3 spoke	‡C7AZ 3600													★	1
	‡C7OZ 3600													AJ*	1
Cap (includes emblem and trim ring)	C7AZ 3623	★	★			★	★	★		T	★				1
- B -															
Wheel(exc.63C,D,76C,D) 2 spoke	C7OZ 3600	U	●				★	★		Y	Z				1
Cap	C7OZ 3623	U	●			★	●	●		★	★				1

■ Wood ▲ Simulated woodgrain • Use black * Simulated wood grain w/horn button

‡ See Tech. Service Bulletin #94, Article #1429 ● Cap (3623) not required - used with horn button (13805)

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →		SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
		B or 2	D	D	E	F	G	K	L							
COLORS →		BLUE	RED	BURGUNDY	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)		BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
- B -		1967 - continued														
Wheel (63C, D, 76C, D) 2 spoke	C7OZ 3600	★	★			★	★	★			AF	★				1
Cap-2 spoke	C7OZ 3623	U	●			★	●	●			★	★				
Wheel-3 spoke	‡ C7OZ 3600														AJ*	1
Cap (includes emblem and trim ring	C7OZ 3623	★	★			A	★	★			B	★				1
- F -																
Wheel (exc. GT 350/500)																
Solid color	C7ZZ 3600	L	J			P	K	H			M	N				1
Cap-solid color	C7ZZ 3623	B	C			D	E	F			A	G				1
Woodgrain	‡ C7OZ 3600														AJ*	1
Cap-Woodgrain	C7ZZ 3623	★	★			★	★	★			H	★				1
Wheel (GT 350/500) includes horn button	S7MS 3600														★■	1
Emblem (horn button)	S7MS 3624														★	1
- S -																
Wheel (w/o speed control)																
Solid colors	C7SZ 3600	★	●			★	●	★			F	★				1
Woodgrain	C7SZ 3600	★	★				★	★	★		★	★				1
Cap	C7SZ 3623	E	★			★	★	★	★		B	★				1
Wheel (with speed control)	C7SZ 3600	★	★	★		★	★	★	★		★	★				1
Pad	Refer to Group 13A907															
Cover	C7SZ 3D752	★	★	★		★	★	★	★		★	★				2
- U -																
Wheel	C7TZ 3600										E					1
- X -																
Wheel	C7OZ 3600	U	●				V	W			Y	Z				1
Cap	C7OZ 3623	U	●				●	●			★	★				1

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →		SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
		B	D	E	F	G	K	L	P	Y					
COLORS →		BLUE	RED	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
- A -		1968													
Wheel	C8AZ 3600	A2B	A2D			A2G	★			★	A1A	★			1
Cap	C8AZ 3623	A2B	A2D			A2G	A2K			★	A1A	★			1
Cover (exc. XL & LTD)	C8AZ 3D752	★	★			★	★			★	F1A	★			1
Cover (XL & LTD)	C8AZ 3D752													B▲	1
- B -															
Wheel	C8AZ 3600	A1B◊	A2D			A1G	A1K			A5G	A1A	A1U			1
	C8AZ 3600	A2B♦													1
Cap-solid colors	C8AZ 3623	A1B◊	A2D			A1G	A1K			A5G	A1A	A2U			1
	C8AZ 3623	A2B♦													1
Cover-solid colors	C8AZ 3D752	★	F2D			★	★			★	F1A	★			1
Cover-Woodgrain	C8OZ 3D752													A▲	1
- F -															
Wheel-solid colors	C8AZ 3600	A1B	A2D		★	A1G	A1K			A5G	A1A	A1U			1
-Woodgrain & colors	C8MY 3600	★	A2D		★	★	★			★	A1A	★			1
Cap	C8AZ 3623	A1B	A2D		★	A1G	A1K			A5G	A1A	A2U			1
Cover (exc. GT 350/500)	C8ZZ 3D752	★	★		★	★	★			★	★	★		G▲	1
(GT 350/500)	S8MS 3D752													A	1

‡ See Tech. Service Bulletin #94, Article #1429 * Simulated woodgrain w/horn button ◊ Medium ♦ Dark
■ Wood ● Use black ▲ Simulated woodgrain

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →		SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
		—B	—D	—E	—F	—G	—K	—L	—P	—Y					
COLORS →		BLUE	RED	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
- S -						**1968 - continued**									
Wheel (w/o speed control)															
Solid colors	C8AZ 3600	A2B	A2D		★	A2G	★			★	A1A				1
Woodgrain & colors															
Before 11/20/67	C8SZ 3600	★	★							★	★				1
From 11/20/67	C8MY 3600	★	★		★	A2G	★				A1A				1
Cap	C8AZ 3623	A2B	A2D		★	A2G	★			★	A1A				1
Cover-Woodgrain	C8SZ 3D752	★	★		★	★	★			★	★				1
Wheel (with speed control)															
Solid colors	C8SZ 3600	★	★		★	★	★			★	★				1
Woodgrain & colors	C8SZ 3600	★	★		★	★	★			★	★				1
Cap	C8SZ 3623	★	★							★	★				1
Cover-Woodgrain	C8SZ 3D752	★	★		★	★	★			★	★				1
- U -															
Wheel	C7TZ 3600										E				1
- X -															
Wheel	C8AZ 3600	A1B	A2D			A1G					A1A	A1U			1
Cap	C8AZ 3623	A1B	A2D			A1G					A1A	A2U			1
Cover	C8AZ 3D752	★	F2D			★					F1A	★			1
- A -						**1969**									
Wheel (w/o speed control)															
2 spoke	C8AZ 3600	A2B♦	A2D			A2G					A1A				1
	C9AZ 3600	E3B◊					E3K			E4Y					1
Cap-solid colors	C9AZ 3623	E3B◊	E4D			E4G	★			D4Y	D5A				1
	C9AZ 3623	E4B♦													1
Cap-Woodgrain	C9AZ 3623	D3B◊	D4D			D4G	D3K			D4Y	D5A				1
	C9AZ 3623	D4B♦													1
Cover (emblem)	Refer to Group 3649														
Wheel (with speed control)															
2 spoke	C9SZ 3600	A3B◊	A4D			A4G	A3K			A4Y	A5A				1
	C9SZ 3600	A4B♦													1
Cap	C9SZ 3623	E3B◊	E4D			E4G	★			E4Y	E5A				1
	C9SZ 3623	E4B♦													1
Cover	C9AZ 3D752	A	A			A	A			A	A				1
Wheel-3 spoke (rim blow)-NOTE 1	C9AZ 3600	B3B◊	B4D			B4G	★			B4Y	B5A				1
	C9AZ 3600	B4B♦													1
Cap	C9AZ 3623	C3B◊	★			C4G	C3K			C4Y	C5A				1
	C9AZ 3623	C4B♦													1
Cover	C9AZ 3D752	C3B◊	★			C4G	C3K			C4Y	C5A				1
	C9AZ 3D752	C4B♦													1
- B -															
Wheel-2 spoke	C9AZ 3600	E3B◊					E3K			E3Y					1
	C8AZ 3600	A2B♦	A2D			A2G					A1A				1
Cap-solid colors	C9AZ 3623	E3B◊	E4D			E4G	E3K			E3Y	E5A				1
	C8AZ 3623	A2B♦													1
Cap-Woodgrain	C9AZ 3623	D3B◊	D4D			D4G	D3K			D4Y	D5A				1
	C9AZ 3623	D4B♦													1
Cover	Refer to Group 3649														
Wheel-3 spoke (rim blow)-NOTE 1	C9AZ 3600	B3B◊	B4D			B4G	★			★	B5A				1
	C9AZ 3600	B4B♦													1
Cap	C9AZ 3623	C3B◊	C4D			C4G	C3K			C3Y	C5A				1
	C9AZ 3623	C4B♦													1
Cover	C9AZ 3D752	C3B◊	C4D			C4G	C3K			C3Y	C5A				1
	C9AZ 3D752	C4B♦													1
- F -															
Wheel-2 spoke	C9AZ 3600	E3B								E4Y					1
	C8AZ 3600		A2D			A2G					A1A				1
Cap	C9AZ 3623	E3B	E4D			E4G				E4Y	E5A				1
Cover	Refer to Group 3649														

◊ Medium ♦ Dark ▲ Simulated Woodgrain

NOTE 1 - Wheel assy. is woodgrain toward driver & color coded toward instrument panel

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES → / COLORS →		SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
		—B BLUE	—D RED	—E BEIGE	—F SADDLE	—G IVY GOLD	—K AQUA	—L SILVER (GREY)	—P GREY	—Y NUGGET GOLD		BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
- F -	**1969 - continued**															
Wheel-3 spoke (rim blow)-NOTE 1	C9AZ 3600	B3B	B4D			B4G				B4Y		B5A				1
Cap	C9AZ 3623	C3B	C4D			C4G				★		C5A				1
Cover	C9ZZ 3D752	★	★			B4G				B4Y		♦B5A				1
- S -																
Wheel (w/o speed control) Solid colors	C8AZ 3600	A2B	A2D			A2G						A1A				1
	C9AZ 3600									E4Y						1
Cap	C9AZ 3623	D4B	D4D			D4G				D4Y		D5A				1
Emblem		Refer to Group 3649														1
Wheel (w/o speed control)-NOTE 1	C8MY 3600	★	★			A2G						A1A				1
	C9MY 3600									E4Y						1
Cap	C9MY 3623	★	★			B4G				B4Y		B5A				1
Cap (emblem)	C9SZ 3D752	★	★			★				★		★				1
Wheel (with speed control)-NOTE 1	C9SZ 3600	★	★			★				★		★				1
Cap	C8SZ 3623					A4G										1
	C9SZ 3623	★	★							E4Y		★				1
Cap (emblem)	C9SZ 3D752	B	B			B				B		B				1
- U -																
Wheel	C7TZ 3600											E				1
- X -																
Wheel-2 spoke	C8AZ 3600	A2B	A2D									A1A				1
	C9AZ 3600									E4Y						1
Cap	C9AZ 3623	E4B	E4D							E4Y		E5A				1

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES → / COLORS →		SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
		—B BLUE	—D RED	—E VERMILION	—F GINGER	—G IVY GREEN	—K AQUA	—P GREY	—Y NUGGET GOLD	—Z TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
- A -	**1970**														
Wheel-2 spoke (w/o speed control)	D0AZ 3600	B	C			H	E		G			•	•		1
	D2AZ 3600				N						K				1
Pad assy.	D0AZ 3623	N	U		R	P	T		V		S	•	•		1
Cover & horn ring		Refer to Group 13A805													
Emblem		Refer to Group 3649													
Wheel-2 spoke (w/ speed control)-rim blow, NOTE 1	D0AZ 3600								AF				•		1
	D2AZ 3600				AE	AG	AD								1
	D3AZ 3600	H	J								G				1
Pad assy.	D0AZ 3623				AC	AB	AE		AG		AD		•		1
	D3AZ 3623	BA	BF												1
Cover (includes emblem)	D0AZ 3D752	A	A		A	A	A		A		A		•		1
Wheel-3 spoke-rim blow, NOTE 1	D0AZ 3600	L	M		R	V	P		T				•		1
	D2AZ 3600										BA				1
Pad assy.	D0AZ 3623	B	H		E	D	G		J				•		1
	D3AZ 3623										AF				1
Cover (includes emblem)	D0AZ 3D752	G	E		B	H	D		F		C		•		1
- B -															
Wheel - 2 spoke	D0AZ 3600	B	C			H			G				•		1
	D2AZ 3600				N						K				1
Pad assy.	D0AZ 3623	N	U		R	P			V		S		•		1
Cover & horn ring		Refer to Group 13A805													
Emblem		Refer to Group 3649													

◊ Medium ♦ Dark • Use black

♦ For Shelby Cobra, substitute existing Mustang emblem with C9ZZ 3649-B Shelby Cobra emblem & improvise mounting to cover assy.

NOTE 1 - Wheel assy. is woodgrain toward driver & color coded toward instrument panel

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →		SECOND CHARACTER of TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
		—B	—D	—E	—F	—G	—K	—P	—Y	—Z						
COLORS →		BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
- B -	**1970 - continued**															
Wheel-3 spoke-rim blow, NOTE 1	D0AZ 3600		L	M		R	V			T				•		1
	D2AZ 3600										BA					1
Pad assy.	$D0AZ 3623		B	H		E	D			J				•		1
	$D3AZ 3623										AF					1
Pad assy.	*D0OZ 3623		A	E		C	B			F				•		1
	*D3OZ 3623										A					1
Cover (includes emblem)	$D0AZ 3D752		G	E		B	H			F	C			•		1
Cover (serviced in 3623 pad assy.)	* 3D752															
Emblem	* 3649	Refer to Group 3649														
- F -																
Wheel-2 spoke	D0AZ 3600		B		•		H							•		1
	D2AZ 3600					N					K					1
Pad assy.	D0AZ 3623		N		•	R	P				S			•		1
Cover & horn ring		Refer to Group 13A805														
Emblem		Refer to Group 3649														
Wheel-3 spoke (exc. Shelby Cobra) - NOTE 1	D0AZ 3600		L		•	R	V				K			•		1
	D3ZZ 3623					D					E					1
Pad assy.	D0ZZ 3623		A		•		B							•		1
Emblem		Refer to Group 3649														
Wheel-3 spoke (Shelby Cobra) - NOTE 1	C9AZ 3600										B5A					1
Cap	C9AZ 3623										C5A					1
Cover	C9ZZ 3D752										♦B5A					1
- P -																
Wheel-2 spoke - without locking column	C8AZ 3600										A1A					1
	C9AZ 3600		E3B					E3K		E3Y						1
	D0DZ 3600			A												1
Cap - solid colors	C9AZ 3623		E3B					E3K		E3Y	E5A					1
	D0DZ 3623			B												1
Cap - Woodgrain	C9AZ 3623		D3B					D3K		D3Y	D5A					1
	D0DZ 3623			A												1
Wheel-2 spoke - with locking column	D0AZ 3600		B	C				E		G						1
	D2AZ 3600										K					1
Pad assy.	D0AZ 3623		N	U				T		V	S					1
Cover & horn ring		Refer to Group 13A805														
Emblem		Refer to Group 3649														
Wheel-3 spoke-rim blow, w/o locking column, NOTE 1	C9AZ 3600		B3B					B3K		B3Y	B5A					1
	D0AZ 3600			M												1
Cap	C9AZ 3623		C3B					C3K		C3Y	C5A					1
	D0AZ 3623			H												1
Cover	C9AZ 3D752		C3B					C3K		C3Y	C5A					1
	D0AZ 3D752			E												1
Wheel-3 spoke-rim blow, with locking column, NOTE 1	D0AZ 3600		L	M				P		T						1
	D2AZ 3600										BA					1
Pad assy.	D0AZ 3623		B	H				G		J						1
Pad assy.	%D3AZ 3623										AF					1
Pad assy.	‡D0OZ 3623										D					1
Cover (includes emblem)	D0AZ 3D752		G	E				D		F	C					1

• Use Black $ "Before 1/5/70" * "From 1/5/70" % Before 2/2/70" ‡ "From 2/2/70"

♦ For Shelby Cobra, substitute existing Mustang emblem with C9ZZ 3649-B Shelby Cobra emblem & improvise mounting to cover assy.

NOTE 1 - Wheel assy. is woodgrain toward driver & color coded toward instrument panel

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	SECOND CHARACTER of TRIM CODE: —B BLUE	—D RED	—E VERMILION	—F GINGER	—G IVY GREEN	—K AQUA	—P GREY	—Y NUGGET GOLD	—Z TOBACCO	ALL CODES BLACK	ALL CODES PARCHMENT	ALL CODES WHITE	OTHER SEE FOOTNOTE	QTY.
- S -					**1970 - continued**										
Wheel-2 spoke (w/o speed control)	D0AZ 3600	J				Y									1
	D2AZ 3600										K				1
Pad assy.	D0AZ 3623	W				Y					S				1
Cover & horn ring		Refer to Group 13A805													
Emblem		Refer to Group 3649													
Wheel-2 spoke (w/speed control)-rim blow, NOTE 1	D0AZ 3600	AJ							AF				•		1
	D3AZ 3600		J								G				1
	D2AZ 3600				AE	AG				AK					1
Pad assy.	D0AZ 3623	AH			AC	AJ			AG	AK	AD		•		1
	D3AZ 3623		BF												1
Cover (includes emblem)	D0SZ 3D752	A	A		A	A			A	A	A		A		1
Wheel-3 spoke-rim blow, NOTE 1	D0AZ 3600	W	M		R	U			T	N			•		1
	D2AZ 3600										BA				1
Pad assy.	D0AZ 3623		H		E	L			J	A			•		1
	D3AZ 3623	AK									AF				1
Cover (includes emblem)	D0SZ 3D752	C	E		B	G			F	H	D		•		1
- U -															
Wheel	C7TZ 3600										E				1
- X -															
Wheel-2 spoke	C8AZ 3600	A2B	A2D								A1A				1
	C9AZ 3600								E4Y						1
Pad assy.	C9AZ 3623	E4B	E4D						E4Y		E5A				1

MODEL	PART NUMBER LESS SUFFIX	SECOND CHARACTER of TRIM CODE: —B BLUE	—D RED	—E VERMILION	—F GINGER	—K AQUA	—P GREY	—R GREEN	—Y GREY GOLD	—Z TOBACCO	ALL CODES BLACK	ALL CODES PARCHMENT	ALL CODES WHITE	OTHER SEE FOOTNOTE	QTY.
- A -					**1971**										
Wheel-2 spoke (w/o speed control)	D0AZ 3600	B	C									•	•		1
	D1AZ 3600							A	C						1
	D2AZ 3600				N						K				1
Pad assy.	D0AZ 3623	N	U		R						S	•	•		1
	D1AZ 3623							D	F						1
Cover & horn ring		Refer to Group 13A805													
Emblem		Refer to Group 3649													
Wheel-2 spoke (with speed control)-rim blow, NOTE 1	D0AZ 3600	AB										•	•		1
	D3AZ 3600		J					M			G				1
	D2AZ 3600				AE				AN						1
Pad assy.	D0AZ 3623				AC						AD	•	•		1
	D3AZ 3623	BA	BF					BL	BN						1
Cover (includes emblem)	D1AZ 3D752	A	A		A			A	A		A	A	A		1
Wheel-3 spoke-rim blow, NOTE 1	D0AZ 3600	L	M		R							•	•		1
	D1AZ 3600							D	F						1
	D2AZ 3600										BA				1
Pad assy.	D0AZ 3623	B	H		E							•	•		1
	D3AZ 3623										AF				1
	D1AZ 3623							A	C						1
Cover (includes emblem)	D0AZ 3D752	G	E		B						C	•	•		1
	D1AZ 3D752							B	C						1

• Use Black

NOTE 1 - Wheel assy. is woodgrain toward driver & color coded toward instrument panel

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →		SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
		_B	_D	_E	_F	_K	_P	_R	_Y	_Z					
COLORS →		BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE	
- B -		**1971 - continued**													
Wheel-2 spoke	D0AZ 3600	B		•									•		1
	D1AZ 3600							A	C						1
	D2AZ 3600				N						K				1
Pad assy.	D0AZ 3623	N		•	R						S		•		1
	D1AZ 3623							D	F						1
Cover & horn ring		Refer to Group 13A805													
Emblem		Refer to Group 3649													
Wheel-3 spoke-rim blow, NOTE 1	D0AZ 3600	L		•	R								•		1
	D1AZ 3600							D	F						1
	D2AZ 3600										BA				1
Pad assy.	D0OZ 3623	A		•	C								•		1
	D3OZ 3623										A				1
	D1OZ 3623							A	B						1
Emblem		Refer to Group 3649													
- F -															
Wheel-2 spoke-standard- (with horn button)	D1FZ 3600	•		•	•			•			E		•		1
Horn button		Refer to Group 13A805													
Wheel-2 spoke-deluxe - (with horn bars)	D0AZ 3600	B		•									•		1
	D2AZ 3600				N						K				1
	D1AZ 3600							A							1
Pad assy.	D0AZ 3623	N		•	R						S		•		1
	D1AZ 3623							D							1
Cover & horn ring		Refer to Group 13A805													
Emblem		Refer to Group 3649													
Wheel-3 spoke-rim blow, NOTE 1	D0AZ 3600	L		•	R								•		1
	D1AZ 3600							D							1
	D2AZ 3600										BA				1
Pad assy.	D0ZZ 3623	A											•		1
	D3ZZ 3623			•	D						E				1
	D1ZZ 3623							A							1
Emblem		Refer to Group 3649													
- L -															
Wheel-2 spoke-standard- (with horn button)	D2FZ 3600	•						S			R				1
Horn button		Refer to Group 13A805													
Wheel-2 spoke-deluxe- (with horn bars)	D0AZ 3600	•													1
	D2AZ 3600				N						K				1
	D1AZ 3600							A							1
Pad assy.	D0AZ 3623	•			R						S				1
	D1AZ 3623							D							1
Cover & horn ring		Refer to Group 13A805													
Emblem		Refer to Goup 3649													
- P -															
Wheel-2 spoke-standard- (with horn button)	D1FZ 3600	•		•					G						1
	D2FZ 3600										R				1
Horn button		Refer to Group 13A805													
Wheel-2 spoke-deluxe - (with horn bars)	D0AZ 3600	B		•											1
	D2AZ 3600										K				1
	D1AZ 3600								C						1
Pad assy.	D0AZ 3623	N		•							S				1
	D1AZ 3623								F						1
Cover & horn ring		Refer to Group 13A805													
Emblem		Refer to Group 3649													

6 Use Black NOTE 1 - Wheel assy. is woodgrain toward driver & color coded toward instrument panel

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES	QTY.
TRIM CODES → / COLORS →		SECOND CHARACTER of TRIM CODE: _B BLUE; _D RED; _E VERMILION; _F GINGER; _K AQUA; _P GREY; _R GREEN; _Y GREY GOLD; _Z TOBACCO; ALL CODES BLACK; ALL CODES PARCHMENT; ALL CODES WHITE; OTHER SEE FOOT NOTE	
- S -		**1971 - continued**	
Wheel-2 spoke(w/o speed control)	D0AZ 3600	◊B	1
		♦J	1
	D1AZ 3600	B	1
	D2AZ 3600	K	1
Pad assy.	D0AZ 3623	◊N	1
		♦W	1
	D1AZ 3623	E	1
Cover & horn ring		Refer to Group 13A805	
Emblem		Refer to Group 3649	
Wheel-2 spoke (with speed control)-rim blow, NOTE 1	D0AZ 3600		1
	D3AZ 3600	L J N G	1
	D2AZ 3600	AE AN AK	1
Pad assy.	D0AZ 3623	AH	1
	D3AZ 3623	AC AK AD	1
Cover(includes emblem)	D0SZ 3D752	BF BM BN	1
Wheel-3 spoke-rim blow, NOTE 1	D0AZ 3600	A A A A A A A	1
	D1AZ 3600	W M R N	1
	D2AZ 3600	E F	1
Pad assy.	D0AZ 3623	BA	1
	D1AZ 3623	H E A	1
	D3AZ 3623	C	1
Cover(includes emblem)	D0SZ 3D752	AK AN AF	1
	D1SZ 3D752	C E B H D	1
		A B	1
- U -			
Wheel	C7TZ 3600	E	1

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES	QTY.
TRIM CODES → / COLORS →		SECOND CHARACTER of TRIM CODE: _B or L BLUE; _D or N RED; _E VERMILION; _F GINGER; _H CRANBERRY; _R or 5 GREEN; _Y or 8 GREY GOLD; _Z or 9 TOBACCO; ALL CODES BLACK; ALL CODES BEIGE; ALL CODES WHITE; OTHER SEE FOOT-NOTE; OTHER SEE FOOT NOTE	
- A -		**1972**	
Wheel-2 spoke(w/o speed control)	◊D0AZ 3600	B C	1
	◊D2AZ 3600	▲ A K	1
	◊D1AZ 3600	A C	1
	♦D2AZ 3600	L M ▲ P R S K	1
Pad assy.	⊟D0AZ 3623	N U S	1
	⊟D1AZ 3623	D	1
	D1AZ 3623	F	1
	⊟D2AZ 3623	▲ A	1
	■D3AZ 3623	B G ▲ L P E	1
Cover & horn pad		Refer to Group 13A805	
Emblem		Refer to Group 3649	
Wheel-2 spoke(with speed control)-rim blow, NOTE 1	◊D0AZ 3600	AB	1
	D2AZ 3600	AN	1
	D3AZ 3600	H J ▲ M R G	1
Pad assy.	⊟D0AZ 3623	AD	1
	■D3AZ 3623	▲ BL BR BD	1
	D3AZ 3623	BA BF BL BN	1
Cover(includes emblem)	D3AZ 3D752	A A A A A A A	1

• Use Black ♦ Dark ◊ Medium NOTE 1-Wheel assy. is woodgrain toward driver & color coded toward instrument panel

⊟ "Before 5/1/72" ■ " From 5/1/72" ◊ "Before 6/23/72" ♦ "From 6/23/72"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES	QTY.

TRIM CODES → SECOND CHARACTER of TRIM CODE

COLORS →

		_B or L	_D or N	_E	_F	_H	_R or 5	_Y or 8	_Z or 9	ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
		BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	BLACK	BEIGE	WHITE	SEE FOOTNOTE	SEE FOOT NOTE	
- A -							**1972 - continued**								
Wheel-3 spoke-rim blow, NOTE 1	◊D0AZ 3600	L	M						C			•			1
	◊D2AZ 3600				▲										1
	◊D1AZ 3600						D	F							1
	♦D2AZ 3600	BB	BC		▲		BF	BH	BK	BA		•			1
Pad assy.	⊟D0AZ 3623	B	H							F		•			1
	⊟D1AZ 3623						A	C							1
	⊟D2AZ 3623				▲				C						
	■D3AZ 3623	AB	AH		▲		AM	AP	AS	AF		•			1
Cover (includes emblem)	⊟D0AZ 3D752	G	E									•			1
	⊟D1AZ 3D752						B	C							1
	⊟D2AZ 3D752				▲				B						1
	⊟D3AZ 3D752									C					1
	■D3AZ 3D752	G	E		▲		J	K	L	C		•			1
- B -															
Wheel-2 spoke	◊D0AZ 3600	•		•	•		•	•	•			•			1
	◊D2AZ 3600									K					1
	♦D2AZ 3600	•		•	•		•	•	•	K		•			1
Pad assy.	⊟D0AZ 3623	•		•	•		•	•	•	S		•			1
	■D3AZ 3623	•		•	•		•	•	•	E		•			1
Cover & horn pad		Refer to Group 13A805													
Emblem		Refer to Group 3649													
Wheel-3 spoke-rim blow, NOTE 1	◊D0AZ 3600	•		•	•		•	•	•	K		•			1
	♦D2AZ 3600	•		•	•		•	•	•	BA		•			1
Pad assy.	D3OZ 3623	•		•	•		•	•	•	A		•			1
	■D3OZ 3623	•		•	•		•	•	•	A		•			1
Emblem		Refer to Group 3649													
- F -															
Wheel-2 spoke-standard-(with horn button)	D2FZ 3600	•		•	•		•			R		•			1
	♦D2FZ 3600	•		•	•		•			R		•			1
Horn button		Refer to Group 13A805													
Wheel-2 spoke-deluxe-(with horn bars)	◊D0AZ 3600	B		•	F							•			1
	◊D1AZ 3600						A								1
	◊D2AZ 3600									K					1
	♦D2AZ 3600	L		•	N		P			K		•			1
Pad assy.	⊟D0AZ 3623	N		•	R					S		•			1
	⊟D1AZ 3623						D								1
	■D3AZ 3623	B		•	D		L			E		•			1
Cover & horn pad		Refer to Group 13A805													
Emblem		Refer to Group 3649													
Wheel-3 spoke-rim blow, NOTE 1	◊D0AZ 3600	L		•	R							•			1
	◊D1AZ 3600						D								1
	♦D2AZ 3600	BB		•	BD		BF			BA		•			1
Pad assy.	D0ZZ 3623	⊟A													1
	D1ZZ 3623						⊟A								1
	D3ZZ 3623	■B		•	D		■A			E		•			1
- L -															
Wheel-2 spoke-standard-(with horn button)	⊟D2FZ 3600	D			E						F				1
	■D2FZ 3600	T			U		S			R	V				1
Horn button		Refer to Group 13A805													
Wheel-2 spoke-leather covered rim-(with horn button)	■D2FZ 3600	N			K						P		$J	ΔL	1
	■D3FZ 3600						K			B					
Horn button		Refer to Group 13A805													

• Use Black NOTE 1 - Wheel assy. is wood grain toward driver & color coded toward instrument panel

⊟ "Before 5/1/72" ■ "From 5/1/72" ◊ "Before 6/23/72" ♦ "From 6/23/72" ▲ Use Tobacco

$ Orange Δ Avocado

3600 WHEEL ASSY. - STEERING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
		SECOND CHARACTER of TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
		_B or L	_D or N	___E	___F	___H	_R or 5	_Y or 8	_Z or 9						
TRIM CODES →															
COLORS →		BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	BLACK	BEIGE	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
- L -															
						1972 - continued									
Wheel-2 spoke-deluxe - (with horn bars)	◊D0AZ 3600	B			F										1
	◊D1AZ 3600						A								1
	◊D2AZ 3600									K					1
	*D2AZ 3600										H				1
	‡D2AZ 3600										J				1
	♦D2AZ 3600	L			N		P			K	T		$V	ΔW	1
Pad assy.	⊟D0AZ 3623	N			R					S					1
	⊟D1AZ 3623						D								1
	*D2AZ 3623										H				1
	‡D2AZ 3623										J				1
	■D3AZ 3623	B			D		L			E	S		$U	ΔV	1
Cover & horn pad		Refer to Group 13A805													
Emblem		Refer to Group 3649													
- P -															
Wheel-2 spoke-standard- (with horn button)	⊟D1FZ 3600			•				G		E					1
	⊟D2FZ 3600	A													1
	■D1FZ 3600							G							1
	■D2FZ 3600	T		•						R					1
Horn button		Refer to Group 13A805													
Wheel-2 spoke-deluxe- (with horn bars)	◊D0AZ 3600	B		•	F										1
	◊D1AZ 3600							C							1
	◊D2AZ 3600									K	H				1
	♦D2AZ 3600	L		•	N			R		K	T		▲U		1
Pad assy.	⊟D0AZ 3623	•		•	•					S	•				1
	⊟D1AZ 3623														1
	D1AZ 3623							F							
	■D3AZ 3623	•		•	•					E	•		▲T		1
Cover & horn pad		Refer to Group 13A805													
Emblem		Refer to Group 3649													
- S -															
Wheel-2 spoke(w/o speed control)	◊D0AZ 3600	•	•		•		•		•			•			1
	◊D2AZ 3600									K					1
	♦D2AZ 3600	•	•		•		•		•	K		•			1
Pad assy.	⊟D0AZ 3623	•	•		•		•		•	S		•			1
	■D3AZ 3623	•	•		•		•		•	E		•			1
Cover & horn pad		Refer to Group 13A805													
Emblem		Refer to Group 3649													
Wheel-2 spoke (with speed control)-rim blow, NOTE 1	D3AZ 3600	•	•		•		•		•	G		•			1
Pad assy.	⊟D0AZ 3623	•	•		•		•		•	AD		•			1
	■D3AZ 3623	•	•		•		•		•	BD		•			1
Cover (includes emblem)	D3AZ 3D752	A	A		A		A		A	A		A			1
Wheel-3 spoke-rim blow, NOTE 1	◊D0AZ 3600	•	•		•		•		•	K					1
	♦D2AZ 3600	•	•		•		•		•	BA					1
Pad assy.	D3AZ 3623	•	•		•		•		•	AF					1
	■D3AZ 3623	•	•		•		•		•	AF					1
Cover (includes emblem)	⊟D2SZ 3D752	•	•		•		•		•	A					1
	■D3SZ 3D752	•	•		•		•		•	A					1
- U -															
Wheel	C7TZ 3600									E					1

• Use Black

NOTE 1 - Wheel assy. is woodgrain toward driver & color coded toward instrument panel

⊟ "Before 5/1/72" ■ "From 5/1/72" * "Before 2/1/72" ‡ "From 2/1/72 to 6/23/72"

◊ "Before 6/23/72" ♦ "From 6/23/72" ▲ Tan $ Orange Δ Avocado

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3600 WHEEL ASSY. - STEERING - continued			
65/67	A,B,S,U,X	Nut (wheel to shaft)-5/8"-18	1	350983-S(MM38B)
67	F		1	
65/66	F	Locknut (wheel to column)-5/8"-18	1	371530-S7 (MM161A)
68/	A,B,F,S,X	Locknut (to column)-5/8"-18	1	382412-S (MM169RA)
68/	U	Nut (wheel to shaft)-5/18" -18 special	1	382982-S100 (MM38BA)
	3A600 WHEEL ASSY. STEERING - Refer to Group 3600			
	3D600 SPACER - POWER STEERING PUMP ADJUSTING BRACKET			
65/70	A(6 cyl. 240)	13/32" I.D. -1" O.D. -3/8" thick	2 or 3	C5AZ 3D600-B
69/	A(8 cyl.429)-without A/C		1	C9AZ 3D600-A
69/71	S(8 cyl.429)-without A/C		1	
70/	A(302,351)-without A/C	7/16" flat x 3/4" thick-use as a spacer between	AR	384542-S2
70/	B(302)-without A/C	the 3D515 bracket & the 6049 engine head assy.	AR	(XX173G)
70	F(8 cyl.)-without A/C		AR	
70	X(302)-without A/C		AR	
71/	A(240)	Washer-1/2" flat-use as a spacer between the 3D515 bracket & the 6049 engine head assy.	1	382582-S100 (XX179A)
71/	A(400)-without A/C	Washer-7/16"-use as a spacer between the 3D515 bracket & the 6049 engine head assy.	1	384545-S (XX16H)
71/	B,F(351)-without A/C	Washer-7/16" flat-1/2"thick-use as a spacer between the 3D515 bracket & the 6049 engine head assy.	1	384543-S8 (XX173F)
65	F (8 cyl.)-with A/C	Front-27/64"I.D. -13/16" O.D. -59/64" long	1	C5ZZ 3D600-A
67	S	7/16" I.D. -1" O.D. -9/16" thick	1	C7SZ 3D600-A
67/69	A,B,F,X (8 cyl. except 351, 429)-without A/C		1	
65/66	S(without A/C)	7/16" I.D. -7/8" O.D. -9/16" thick	3	C8SZ 3D600-A
68/70	S(8 cyl. 429)		1	
70	B(8 cyl. 351)-w/o A/C		1	
65/70	A(6 & 8 cyl. 240,352,390)-w/o A/C		1	
72	S		1	D2SZ 3D600-A
72	U	Spacer-15/32" I.D. x 1 1/16" long cut to length (1/2" long)	1	385049-S100 (VV-5)
	3L600 COVER - STEERING WHEEL SPORTS GRIP			
70	F(GT350/500)		1	C8WY 3L600-A
	3601 BOLT - POWER STEERING PUMP OIL FILTER SUPPORT OR COVER RETAINING			
65	B,F,X	5/16"-18 & 3/4"-16	1	B4A 3601-A
	3B601 SPRING - POWER STEERING PUMP SLIPPER			
65/	A,B,F,P,S,X,U	For Ford pumps	8	C5AZ 3B601-B
	3C602 FILTER ASSY. - POWER STEERING PUMP OIL			
71/	A,S		1	D1AZ 3C602-A
72	B,F,P,U		1	
	3D607 ROTOR ASSY. - POWER STEERING PUMP			
65/69	A		1	C5AZ 3D607-D
70/72	A	Use with #HBA-CA,CA1	1	C5AZ 3D607-D
72	A,B,F,P,S,U	Use with #HBA-CK,CL,CM,CN,CR	1	D3AZ 3D607-A
70/72	A " Before 2/1/72"	Use with #HBA-BV	1	D0AZ 3D607-A
72	A "From 2/1/72"	Use with #HBA-BV1,CT	1	D3AZ 3D607-A
65/72	B	Use with all #HBA exc. CK,CT	1	C5AZ 3D607-D
72	B	#HBA-CT	1	D3AZ 3D607-A
65/70	F		1	C5AZ 3D607-D
71/72	F " Before 2/1/72"	#HBA-CG	1	D0AZ 3D607-A
72	F " From 2/1/72"	Use with #HBA-CG	1	D3AZ 3D607-A
70/72	P	Use with #HBA-BN,BR	1	C5AZ 3D607-D
65/69	S		1	C5AZ 3D607-D
70/72	S " Before 2/1/72"	Use with #HBA-BX-for Ford pump	1	D0AZ 3D607-A
72	S " From 2/1/72"	Use with #HBA-BV1,BX1 for Ford pumps	1	D3AZ 3D607-A
72	S	Use with #HBA-CJ-for Saginaw pump	1	D2VY 3D607-A
65/70	X		1	C5AZ 3D607-D

Identification marking

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	3A609 INSULATOR - POWER STEERING HOSE MOUNTING - Also refer to Group 3A719				
65/	A,B,F,P,S,U		Cut to length from bulk stock	AR	C7AZ 3A609-A
65	B,X			1	C2OZ 3A609-A
65/66	F			1	
66	B(8 cyl. 390)	"Before 2/1/66"	Not replaced	1	★C6OZ 3A609-B
66	B(8 cyl. 390)	"From 2/1/66"		1	C7ZZ 3A609-A
67/71	B			1	
67/70	F,X			1	
71/	P			1	
71/	F			1	D1ZZ 3A609-A
65	S(without A/C & speed control)		Pressure hose pump-use with Eaton pump	1	★C4SZ 3A609-A
65	S(without A/C & speed control)		Pressure & return hoses - use with Eaton pump	1	★C4SZ 3A609-B
65/	B,X,F		Screw (insulator to underbody)-5/16"-18 x 1/2"-tapping	1	40923-S8(U264)
	3A610 RETAINER - POWER STEERING HOSE MOUNTING INSULATOR				
68/69	A(8 cyl. except 429)		Ford gear	1	C8AZ 3A610-A
70/	A,S			1	
72	B(8 cyl.)			1	
68/69	A(8 cyl. 302)		Saginaw gear	1	★C8AZ 3A610-B
66	B,X (6 cyl. & 8 cyl. 289)			1	★C6OZ 3A610-A
66	B(8 cyl. 390)	"Before 2/1/66"		1	★C6OZ 3A610-B
66	B(8 cyl. 390)	"From 2/1/66"		1	C7ZZ 3A610-A
67/69	B,F,X			1	
70	F			1	
70/71	B			1	D0OZ 3A610-A
70	X			1	
71/	F,P			1	
65	X (6 cyl.)			1	C3DZ 3A610-A
65	X (8 cyl.)			1	C3DZ 3A610-B
65/66	F (6 & 8 cyl.)			1	
67/	B,F,X		Screw (to bracket) 5/16"-18 x 1 1/2"	1	40923-S(U264)
69	B,X		Nut-1/4"-20 hex. head (retainer to bracket)	1	33795-S(M49)
			Screw-5/16"-18 x 5/8" (retainer to bracket)	1	378459-S(UU52K)
	3B610 RETAINER - STEERING COLUMN UPPER BEARING -Also refer to Group 3839				
67/69	A,B,X			1	C7OZ 3B610-A
68/69	F (fixed wheel)			1	
68/69	S (tilt wheel)-speed control			1	
	3C610 RETAINER - STEERING COLUMN UPPER BEARING				
69/71	A,B,F,P,S,X		Bearing (3517 & 3518) retainer	1	C9AZ 3C610-A
70/71	A,B,F,L,P,S,X(fixed wheel)		Key lock (11582) retainer	1	D0AZ 3C610-A
72	A,B,F,L,P,S		Key lock (11582) retainer	1	
70/71	A,F,S(tilt wheel)		Key lock (11582) retainer	1	D0AZ 3C610-A
72	A,B,F,L,P,S		Used as bearing (3517 & 3518) retainer	1	
	3A611 BRACKET - POWER STEERING HOSE INSULATOR				
69	B,X(8 cyl. 302, 351)			1	C9OZ 3A611-A
70	X(8 cyl. 302)			1	
70/71	B(8 cyl.)			1	D0OZ 3A611-A
71/	P(8 cyl. 302)			1	D0DZ 3A611-A
67	S		Pressure & return hoses	1	C7SZ 3A611-A
68/69	S(8 cyl. 429)		Pressure & return tube	1	C8SZ 3A611-A
68/69	S(8 cyl. 429)		Rear	1	C8VY 3A611-A
	3C611 BOOT - STEERING COLUMN TUBE				
68/71	A,B,P,S			1	C7ZZ 3C611-A
68/70	F,X			1	
72	B,S	" Before 12/13/71"	Steering column tube-#D2OA 3C611-AB	1	D2OZ 3C611-A
72	B,S	" From 12/13/71"	Steering column tube-#D2OA 3E735-AD,AE,AF	1	D2OZ 3C611-C
71/	F			1	D1ZZ 3C611-A
71/72	L	" Before 1/11/72"	Steering gear cable-4 5/8" long-#D12A 3C611-A	1	D1FZ 3C611-A
71/72	L	" Before 1/11/72"	Steering column tube boot-11 11/16" long, 1" I.D.-1 1/2" O.D.	1	D1FZ 3C611-B
72	L	" From 1/11/72"	Steering column tube boot-#D22A 3C611-AB	1	D2FZ 3C611-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	3-3618 "O" RING - POWER STEERING PUMP VALVE CAP				
65	A, B, F, S, X(8 cyl.)		51/64" I. D. -9/64" thick-Eaton-belt driven-side mounted pump	1	LA 33618-A
	3623 PAD ASSY. - STEERING WHEEL HUB - Refer to Group 3600				
	3624 EMBLEM - HORN BUTTON - Refer to group 3600				
	3D627 NUT - POWER STEERING GEAR RACE				
65/68	A, S	"Before 6/5/68"		1	C5AZ 3D627-A
68/	A, S	"From 6/5/68"		1	C8AZ 3D627-A
72	B			1	
	3-3627 RETAINER - POWER STEERING PUMP RELIEF VALVE				
65	A, B, F, S, X		Eaton-belt driven-side mounted pump	1	B8E 33627-A
	3629 RETAINER - STEERING WHEEL HORN RING				
65/66	A(57F, 63C, F, 76B)		Steering wheel hub emblem -not replaced	1	★C5AZ 3629-A
65	B		Steering wheel hub emblem	1	★C5OZ 3629-A
	3E629 INSULATOR - STEERING COLUMN SHAFT				
68/72	A, F, P	"Before 8/16/71"	Polyurathane-1 15/16" O. D. -15/16" I. D. -1" thick	1	C9AZ 3E629-A
68/71	B, S			1	
68/70	X			1	
72	A, F, P	"From 8/16/71"	Part of 7347 lower bearing		3E629
72	B, S		Polyurethane-1 13/16" O.D.-1 5/16" I.D.-1" thick	1	D2OZ 3E629-B
	3E629 CLIP - STEERING COLUMN SHAFT INSULATOR				
71/	A, B, F, P, S		Steel	2	●C9AZ 3E629-B
71/	L			1	D2OZ 3E629-A
	3B631 SEAL - STEERING COLUMN SHAFT				
67	F(8 cyl. 390)		23/32" & 1" I. D. -2 9/32" O. D.	1	C7ZZ 3B631-A
68/69	F(8 cyl. 428CJ)		Improvise-felt washer 3/4" thick	1	★B8LY 3B631-A
71	F		Used as clutch equalizer ball stud seal	1	
70/	A, B, F, P, S		Improvise-15/16"-1"thick foam rubber		
	3-3633 PIN - POWER STEERING PUMP ROTOR SHAFT				
65	A, B, F, S, X		Eaton pump	1	LA 33633-A
	3634 RIM - STEERING WHEEL HORN RING				
65/67	F			1	C5ZZ 3634-B

3A634-35 INSTALLATION KIT - POWER STEERING

POWER STEERING INSTALLATION KITS

- FOR USE ON BASE ENGINE ONLY -

REFER TO SECTION 36.1 FOR KIT DETAILS

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	NO. REQ'D.	LINKAGE KIT	PUMP KIT	POWER STEERING TO AIR CONDITIONER ADAPTER KIT
	- A -						
65	A (fixed column)	6	240	1 ea.	None required	★†C5AZ 3A635-AM	★C5AZ 3A635-J
	A	6	240	1 ea.	None required	★‡C5AZ 3A635-H	★C5AZ 3A635-F
	A (except A/C & H/D alternator)	8	352, 390	1	None required	★*C5AZ 3A635-P	Not applicable
	A (except A/C & H/D alternator)	8	352, 390	1	None required	★⊕C5AZ 3A635-R	Not applicable
	A (except H/D alternator)	8	289	1 ea.	None required	★*C5AZ 3A635-M	★ØC5AZ 3A635-S
	A (fixed wheel & H/D alt.)	8	289	1 ea.	None required	★⊕C5AZ 3A635-N	★ØC5AZ 3A635-S
	A (fixed wheel) "Before 4/22/65"	8	289	1 ea.	None required	★†C5AZ 3A635-A	★@C5AZ 3A635-AA
	A "Before 4/22/65"	8	289	1 ea.	None required	★‡C5AZ 3A635-G	★@C5AZ 3A635-AA

● Refer to T.S.B. 139, article 2307 (May 8, 1970) for installation procedures

‡ Includes Ford Gear & Ford Pump

† Includes Saginaw Gear & Ford Pump

* Includes Ford Gear & Eaton Pump

⊕ Includes Saginaw Gear & Eaton Pump

3A634-35 INSTALLATION KIT - POWER STEERING - continued

POWER STEERING INSTALLATION KITS

- FOR USE ON BASE ENGINE ONLY - (1965/70)

REFER TO SECTION 36.1 FOR KIT DETAILS

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	NO. REQ'D	LINKAGE KIT	PUMP KIT	POWER STEERING TO AIR CONDITIONER ADAPTER KIT
	- A -						
65/66	A(except moveable column)- "From 4/22/65 to 12/1/65"	8	289	1 ea.	None required	★†C5AZ 3A635-A	★%C5AZ 3A635-AB
	A "From 4/22/65 to 12/1/65"	8	289	1 ea.	None required	★‡C5AZ 3A635-G	★%C5AZ 3A635-AB
66	A "From 12/1/65"	8	289	1 ea.	None required	★†C5AZ 3A635-A	★%C5AZ 3A635-AF
	A "From 12/1/65"	8	289	1 ea.	None required	★‡C5AZ 3A635-G	★%C5AZ 3A635-AF
65	A (except moveable column)- "Before 4/22/65"	8	352, 390	1 ea.	None required	★†C5AZ 3A635-B	★@C5AZ 3A635-AC
65/66	A (except moveable column)- "From 4/22/65"	8	352,390, 428	1 ea.	None required	★†C5AZ 3A635-B	★%C5AZ 3A635-AG
66	A "Before 12/10/65"	6	240	1 ea.	None required	★‡C5AZ 3A635-AM	★C5AZ 3A635-V
	A "From 12/10/65"	6	240	1 ea.	None required	★‡C5AZ 3A635-AM	★C5AZ 3A635-AJ
67	A	6	240	1 ea.	None required	★C7AZ 3A635-A	★C7AZ 3A635-D
	A "Before 9/12/66"	8	289	1 ea.	None required	★C7AZ 3A635-C	★C7AZ 3A635-F
	A "From 9/12/66"	8	289	1 ea.	None required	★C7AZ 3A635-C	★C7AZ 3A635-L
	A	8	390, 428	1 ea.	None required	★C7AZ 3A635-B	★C7AZ 3A635-E
68	A	8	390, 428	1 ea.	None required	★C8AZ 3A635-A	★C8AZ 3A635-E
	A	8	302	1 ea.	None required	★C8AZ 3A635-B	★C8AZ 3A635-D
	A	6	240	1	None required	★C8AZ 3A635-C	None required
69	A	6	240	1	None required	★C9AZ 3A635-A	None required
	A	8	302, 351	1 ea.	None required	★C9AZ 3A635-F	★C9AZ 3A635-E
	A	8	390, 428	1 ea.	None required	★C9AZ 3A635-C	★C9AZ 3A635-D
	A	8	429		Not available	Not available	Not available
70	A	6	240	1 ea.	None required	★D0AZ 3A635-B	None required
	A	8	302, 351	1 ea.	None required	★D0AZ 3A635-C	★D0AZ 3A635-E
	A	8	390	1 ea.	None required	★D0AZ 3A635-A	★D0AZ 3A635-D "Before 6/1/70" ★D0AZ 3A635-G "From 6/1/70"
	A	8	429	1 ea.	None required	★D0AZ 3A635-F	None required
71	A	6	240	1 ea.	None required	★D1AZ 3A635-E	
	A	8	302	1 ea.	None required	★D1AZ 3A635-F	
	A	8	351	1 ea.	None required	★D1AZ 3A635-B	★D1AZ 3A635-H
	A	8	390	1 ea.	None required	★D1AZ 3A635-D	
	A	8	400	1 ea.	None required	★D1AZ 3A635-B	None required
	A	8	429 exc. P/C	1 ea.	None required	★D1AZ 3A635-A	None required
	A	8	429 P/C	1 ea.	None required	★D1AZ 3A635-A ★D1AZ 3A705-A	

‡ Includes Ford Gear & Ford Pump

† Includes Saginaw Gear & Ford Pump

* Includes Ford Gear & Eaton Pump

ŧ Includes Saginaw Gear & Eaton Pump

@ Use with pumps identified with tag number HBA-AE, HBA-AE1, HBA-AF, HBA-AF1, HBA-AR, HBA-AR1, HBA-AG, HBA-AG1, HBA-AH, HBA-AH1, HBA-AJ, HBA-AJ1, HBA-AM, HBA-AM1

% Use with pumps identified with tag number HBA-AE2, HBA-AE3, HBA-AE4, HBA-AF2, HBA-AF3, HBA-AF4, HBA-AR2, HBA-AR3, HBA-AR4, HBA-AG2, HBA-AG3, HBA-AG4, HBA-AH2, HBA-AH3, HBA-AH4, HBA-AJ2, HBA-AM2, HBA-BB, HBA-BB1, HBA-BC, HBA-BC1

/ For units with Eaton P/S pump. Not for units with cast iron water pump.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

POWER STEERING INSTALLATION KITS

- FOR USE ON BASE ENGINE ONLY - (1965/70)

REFER TO SECTION 36.1 FOR KIT DETAILS

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	NO. REQ'D.	LINKAGE KIT	PUMP KIT	POWER STEERING TO AIR CONDITIONER ADAPTER KIT
	- B -						
65	B	6	200	1 ea.	★C5OZ 3A634-A	★♦C5OZ 3A635-B	Note 1
	B	6	200	1 ea.	★C5OZ 3A634-A	★#C5OZ 3A635-E	Note 2
	B "Before 4/22/65"	8	289	1 ea.	★C5OZ 3A634-A	★♦C5OZ 3A635-A	★@C5OZ 3A635-G
	B "From 4/22/65"	8	289	1 ea.	★C5OZ 3A634-A	★♦C5OZ 3A635-A	★%C5OZ 3A635-H
	B	8	289	1 ea.	★C5OZ 3A634-A	★#C5OZ 3A635-D	★ℓC5OZ 3A635-F
66	B	6	200	1 ea.	★C6OZ 3A634-A	★C6OZ 3A635-J	Note 1
	B	8	289	1 ea.	★C6OZ 3A634-A	★C6OZ 3A635-H	★C6OZ 3A635-C
	B	8	390	1 ea.	★C6OZ 3A634-A	★C6OZ 3A635-L	★◊C6OZ 3A635-K
67	B	6	200	1 ea.	★C7OZ 3A634-A	★C7OZ 3A635-B	★C7DZ 3A635-B
	B "Before 9/12/66"	8	289	1 ea.	★C7OZ 3A634-A	★C7OZ 3A635-C	★C7OZ 3A635-D
	B "From 9/12/66"	8	289	1 ea.	★C7OZ 3A634-A	★C7OZ 3A635-C	★C7OZ 3A635-H
	B	8	390	1 ea.	★C7OZ 3A634-A	★C7OZ 3A635-A	★C7OZ 3A635-E
68	B	6	200	1 ea.	★C8OZ 3A634-A	★C8OZ 3A635-A	None required
	B	8	289, 302	1 ea.	★C8OZ 3A634-A	★C8OZ 3A635-C	★C8OZ 3A635-E
	B	8	390	1 ea.	★C8OZ 3A634-A	★C8OZ 3A635-B	★C8OZ 3A635-D
69	B	6	250	1 ea.	★C8OZ 3A634-A	★C9OZ 3A635-D	None required
	B	8	302	1 ea.	★C8OZ 3A634-A	★C9OZ 3A635-A	★C9ZZ 3A635-E
	B	8	351	1 ea.	★C8OZ 3A634-A	★C9OZ 3A635-B	★C9ZZ 3A635-E
	B	8	390	1 ea.	★C8OZ 3A634-A	★C9OZ 3A635-C	★C9ZZ 3A635-F
	B	8	428		Not available	Not available	Not available
70	B	6	250	1 ea.	D0OZ 3A634-A	★D1DZ 3A635-C	None required
	B	8	302	1 ea.	D0OZ 3A634-A	★D0OZ 3A635-C	None required
	B	8	351	1 ea.	★D0OZ 3A634-A	★D0OZ 3A635-E	None required
	B "Before 5/11/70"	8	429	1 ea.	D0OZ 3A634-A	★D0OZ 3A635-F	None required
	B "From 5/11/70"	8	429	1 ea.	D0OZ 3A634-A	★D0OZ 3A635-H	None required
71	B	6	250	1 ea.	★D1OZ 3A634-A	★D1OZ 3A635-D	None required
	B	8	302	1 ea.	★D1OZ 3A634-A	★D1OZ 3A635-A	None required
	B	8	351	1 ea.	★D1OZ 3A634-A	★D1OZ 3A635-B	None required
	B	8	429	1 ea.	★D1OZ 3A634-A	●D1OZ 3A635-C	None required
72	B	6	250	1	None required	★D2OZ 3A635-A	None required
	B-w/o A/C	8	302	1 ea.	None required	★D2OZ 3A635-B	None required
	B-w/A/C	8	302	1	None required	★D2OZ 3A635-H	None required
	B	8	351-2V (C)	1 ea.	None required	★D2OZ 3A635-C	★D2OZ 3A635-F
	B	8	351-W	1	None required	★D2OZ 3A635-J	None required
	B	8	351CJ. 351-4V	1	None required	★D2OZ 3A635-G	★D2OZ 3A635-F
	B	8	400	1	None required	★D2OZ 3A635-D	None required
	B	8	429	1	None required	★D2OZ 3A635-E	None required
	- F -						
65	F-with generator "Before 6/10/64"	6	170, 200	1 ea.	★C5ZZ 3A634-A	★C5ZZ 3A635-C	★C4DZ 3A635-D
	F-with generator- " From 6/10/64 to 8/17/64"	6	170, 200	1 ea.	★C5ZZ 3A634-C	★C5ZZ 3A635-C	★C4DZ 3A635-D
	F-with alternator	6	200	1 ea.	★C5ZZ 3A634-F	★♦C5ZZ 3A635-D	★C5DZ 3A635-C
	F-with alternator	6	200	1 ea.	C5ZZ 3A634-F	★#C5ZZ 3A635-G	Note 2
	F-with generator "Before 6/10/64"	8	260, 289	1 ea.	★C5ZZ 3A634-B	★C5ZZ 3A635-B	★C5ZZ 3A635-A
	F-with generator- " From 6/10/64 to 8/17/64"	8	260, 289	1 ea.	★C5ZZ 3A634-D	★C5ZZ 3A635-B	★C5ZZ 3A635-A

Note 1 To adapt to A/C use C5DZ 3A733-A Pulley # Includes Eaton Pump ♦ Includes Ford Pump

Note 2 To adapt to A/C use C2OZ 3A733-A Pulley and (2) 351405-S7 Spacers

◊ Use with pumps identified with tag number HBA-AC2, HBA-AC3, HBA-AC4, HBA-AD2, HBA-AD3, HBA-AD4, HBA-AN3, HBA-AN4

% Use with pumps identified with tag number HBA-AE2, HBA-AE3, HBA-AE4, HBA-AF2, HBA-AF3, HBA-AF4, HBA-AR2, HBA-AR3, HBA-AR4, HBA-AG2, HBA-AG3, HBA-AG4, HBA-AH2, HBA-AH3, HBA-AH4, HBA-AJ2, HBA-AM2, HBA-BB, HBA-BB1, HBA-BC, HBA-BC1

@ Use with pumps identified with tag number HBA-AE, HBA-AE1, HBA-AF, HBA-AF1, HBA-AR, HBA-AR1, HBA-AG, HBA-AG1, HBA-AH, HBA-AH1, HBA-AJ, HBA-AJ1, HBA-AM, HBA-AM1

ℓ For units with Eaton P/S pump. Not for units with cast iron water pump.

● Use D0VZ 8620-B belt for 429-CJ police conversions

3A634-35 INSTALLATION KIT - POWER STEERING - continued

POWER STEERING INSTALLATION KITS

- FOR USE ON BASE ENGINE ONLY - (1965/70)

REFER TO SECTION 36.1 FOR KIT DETAILS

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	NO. REQ'D.	LINKAGE KIT	PUMP KIT	POWER STEERING TO AIR CONDITIONER ADAPTER KIT
	- F -						
65	F-with alternator	8	289	1 ea.	★C5ZZ 3A634-D	★#C5ZZ 3A635-F	★%∅C5ZZ 3A635-H
	F-with alternator "Before 4/22/65"	8	289	1 ea.	★C5ZZ 3A634-D	★♦C5ZZ 3A635-K	★@ C5OZ 3A635-G
	F-with alternator "From 4/22/65"	8	289	1 ea.	★C5ZZ 3A634-D	★♦C5ZZ 3A635-K	★◊ C5ZZ 3A635-L
66	F	6	200	1 ea.	★C5ZZ 3A634-F	★C6ZZ 3A635-C	★C5DZ 3A635-C
	F	8	289	1 ea.	★C5ZZ 3A634-G	★♦C5ZZ 3A635-K	◊C5ZZ 3A635-L
67	F	6	200	1 ea.	★C7ZZ 3A634-A	★C7OZ 3A635-B	★C7DZ 3A635-B
	F "Before 5/1/67"	8	289	1 ea.	†★C7ZZ 3A634-A	★$ C7OZ 3A635-C	★C7ZZ 3A635-E
	F "From 5/1/67"	8	289	1 ea.	★*C7ZZ 3A634-B	★$C7OZ 3A635-C	★C7ZZ 3A635-E
	F "Before 5/1/67"	8	390	1 ea.	★C7ZZ 3A634-A	★‡C7ZZ 3A635-C	★C7OZ 3A635-E
	F "From 5/1/67"	8	390	1 ea.	★C7ZZ 3A634-B	★‡C7ZZ 3A635-C	★C7OZ 3A635-E
68	F	6	200	1 ea.	★C8ZZ 3A634-A	★C8OZ 3A635-A	None required
	F	8	289,302	1 ea.	★C8ZZ 3A634-A	★C8OZ 3A635-C	★C8OZ 3A635-E
	F	8	390	1 ea	★C8ZZ 3A634-A	★C8ZZ 3A635-A	★C8OZ 3A635-D
69	F	6	200	1 ea.	★C8ZZ 3A634-B	★C9ZZ 3A635-A	None required
	F	6	250	1 ea.	★C8ZZ 3A634-B	★C9OZ 3A635-D	None required
	F	8	302	1 ea.	★C8ZZ 3A634-B	★C9ZZ 3A635-B	★C9ZZ 3A635-E
	F	8	351	1 ea.	★C8ZZ 3A634-B	★C9ZZ 3A635-C	★C9ZZ 3A635-E
	F	8	390	1 ea.	★C8ZZ 3A634-B	★C9ZZ 3A635-D	C9ZZ 3A635-F
	F	8	428		Not available	Not available	Not available
70	F	6	200	1 ea.	★D0ZZ 3A634-A	★● D0ZZ 3A635-G	None required
	F	6	250	1 ea.	★D0ZZ 3A634-A	★D0ZZ 3A635-F	None required
	F	8	302	1 ea.	★D0ZZ 3A634-A	★● D0ZZ 3A635-C	None required
	F Note 1	8	351-W	1 ea.	★D0ZZ 3A634-A	★● D0ZZ 3A635-D	None required
	F Note 1	8	351-C	1 ea.	★D0ZZ 3A634-A	★● D0ZZ 3A635-E	None required
	F	8	428	1 ea.	Not available	Not available	Not available
71	F	6	250	1 ea.	None required	D2ZZ 3A635-A	None required
	F	8	302 exc. Boss	1 ea.	None required	★D1ZZ 3A635-B	None required
	F	8	302 Boss	1 ea.		Not available	
	F	8	351	1 ea.	None required	★▲D1ZZ 3A635-D	None required
	F	8	429 CJ	1 ea.	None required	★D1ZZ 3A635-F	None required
	F	8	429SCJ	1 ea.	None required	★D1ZZ 3A635-F ★D1ZZ 3A705-A	None required
72	F	6	250	1 ea.	None required	D2ZZ 3A635-A	None required
	F	8	302	1 ea.	None required	★D2ZZ 3A635-B	None required
	F	8	351-2V	1 ea.	None required	★D2ZZ 3A635-C	None required
	F	8	351-4V	1 ea.	None required	★D2ZZ 3A635-D	D2ZZ 3A635-E

Note 1 W - Windsor-built engine, C - Cleveland-built engine

♦ Includes Ford Pump

∅ For units with Eaton P/S pump. Not for units with cast iron water pump.

◊ Use with pumps identified with tag number HBA-AC2, HBA-AC3, HBA-AC4, HBA-AD2, HBA-AD3, HBA-AD4, HBA-AN2, HBA-AN3, HBA-AN4

% Use with pumps identified with tag number HBA-AE2, HBA-AE3, HBA-AE4, HBA-AF2, HBA-AF3, HBA-AF4, HBA-AR2, HBA-AR3, HBA-AR4, HBA-AG2, HBA-AG3, HBA-AG4, HBA-AH2, HBA-AH3, HBA-AH4, HBA-AJ2, HBA-AM2, HBA-BB, HBA-BB1, HBA-BC, HBA-BC1

@ Use with pumps identified with tag number HBA-AE, HBA-AE1, HBA-AF, HBA-AF1, HBA-AR, HBA-AR1, HBA-AG, HBA-AG1, HBA-AH, HBA-AH1, HBA-A1, HBA-A11, HBA-AM, HBA-AM1

* Use C5ZZ 3590-A with this kit for models without special handling package " Before 5/1/67"

† Use C7ZZ 3590-C with this kit for models with special handling package

$ Not for use on High Performance engines

‡ Includes Ford Gear & Ford Pump

● Not to be used with C78 x 14 tires

Includes Eaton Pump

▲ For 351-4V Boss use these additional parts D1ZZ 3A732-A, D1ZZ 3D746-A, D0ZZ 6A312-A, C9DZ 8620-A & 378459-S36 for 351CJ use D0ZZ 6A312-A, D1ZZ 3D746-A, C9PZ 8620-K & 378459-S2. Improvise oil cooler hoses from bulk stock C7AZ 3A005-A & C7AZ 3A609-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

3A634-35 INSTALLATION KIT - POWER STEERING - continued

POWER STEERING INSTALLATION KITS

-FOR USE ON BASE ENGINE ONLY- (1965/70)

REFER TO SECTION 36.1 FOR KIT DETAILS

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	NO. REQ'D.	LINKAGE KIT	PUMP KIT	POWER STEERING TO AIR CONDITIONER ADAPTER KIT
	- P -						
70	P	6	170, 200	1 ea.	D3DZ 3A634-A	D3DZ 3A635-A	None required
	P	6	250	1 ea.	D3DZ 3A634-A	★D1DZ 3A635-C	None required
71	P	6	170, 200	1 ea.	D3DZ 3A634-A	D1DZ 3A635-B	None required
	P	6	250	1 ea.	D3DZ 3A634-A	★D1DZ 3A635-C	None required
	P	8	302	1 ea.	D3DZ 3A634-A	★D1DZ 3A635-A	None required
72	P	6	170, 200	1 ea.	D3DZ 3A634-A	D3DZ 3A635-A	None required
	P	6	250	1 ea.	D3DZ 3A634-A	★D2DZ 3A635-C	None required
	P	8	302	1 ea.	D3DZ 3A634-A	★D2DZ 3A635-A	None required
	- X -						
65	X	6	170, 200	1 ea.	★C5DZ 3A634-B	★♦C5DZ 3A635-A	★C5DZ 3A635-C
	X	6	170, 200	1 ea.	★C5DZ 3A634-B	★#C5ZZ 3A635-G	Note 2
	X "Before 4/22/65"	8	289	1 ea.	★C5DZ 3A634-A	★♦C5DZ 3A635-B	★@ C5OZ 3A635-G
	X "From 4/22/65"	8	289	1 ea.	★C5DZ 3A634-A	★♦C5DZ 3A635-B	★◊ C5ZZ 3A635-L
	X	8	289	1 ea.	★C5DZ 3A634-A	★#C5DZ 3A635-D	★ C5DZ 3A635-E
66	X	6	170, 200	1 ea.	★C6OZ 3A634-A	★C6DZ 3A635-D	★C5DZ 3A635-G
	X	8	289	1 ea.	★C6OZ 3A634-A	★C6OZ 3A635-H	★C6OZ 3A635-C
67	X	6	170, 200	1 ea.	★C7OZ 3A634-A	★C7OZ 3A635-B	★C7DZ 3A635-B
	X "Before 9/12/66"	8	289	1 ea.	★C7OZ 3A634-A	★C7OZ 3A635-C	★C7OZ 3A635-D
	X "From 9/12/66"	8	289	1 ea.	★C7OZ 3A634-A	★C7OZ 3A635-C	★C7OZ 3A635-H
68	X	6	170, 200	1 ea.	★C8OZ 3A634-A	★C8OZ 3A635-A	None required
	X	8	289, 302	1 ea.	★C8OZ 3A634-A	★C8OZ 3A635-C	★C8OZ 3A635-E
69	X	6	170, 200	1 ea.	★C8OZ 3A634-A	★C9ZZ 3A635-A	None required
	X	8	302	1 ea.	★C8OZ 3A634-A	★C9OZ 3A635-A	★C9ZZ 3A635-E

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3E634 SHIELD - POWER STEERING SPLASH - LOWER			
67/68	A		1	C7MY 3E634-A
	3A635 KIT - POWER STEERING INSTALLATION - Refer to Group 3A634-35 for Model Usage			
	3A635 ADAPTER KIT - AIR CONDITIONER DRIVE - Refer to Section 36.1 for Kit Details			
66	A, B(8 cyl. 390, 428 with P/S)-exc. GT & P/I	Use when installing 1967 A/C on 1966 vehicles	1	★C6AZ 3A635-F
	3A635 ADAPTER KIT - EXHAUST AIR SUPPLY - POWER STEERING - Also refer to Group 9C432 - Refer to Section 36.1 for Kit Details			
67	A(6 cyl. 240)-with T/E	Not replaced	1	★C7AZ 3A635-G
67	A, B, F, X(8 cyl. 289)-with T/E	Not replaced	1	★C7AZ 3A635-H
67	A(8 cyl. 390, 428)-with T/E	Not replaced	1	★C7AZ 3A635-J
67	B, F, X(8 cyl. 390)-with T/E		1	
	3D635 RETAINER ASSY. - MOVABLE STEERING COLUMN OPENING SEAL			
65	A(A/T), (P/S)		1	★C5AZ 3D635-A
		Bolt & retainer (to floor pan or dash panel)- 5/16"-18 x 1 1/4"	3or5	380893-S2 (BB643G)
	3E636 RETAINER - STEERING COLUMN RELEASE CABLE			
68	F (tilt wheel)		1	C7ZZ 3E636-A
68	S		1	
69	F, S (tilt wheel)		1	C9ZZ 3E636-A

Note 2 To adapt to A/C use C2OZ 3A733-A Pulley and (2) 351405-S7 Spacers

\# Includes Eaton Pump

@ Use with pumps identified with tag number HBA-AE, HBA-AE1, HBA-AF, HBA-AF1, HBA-AR, HBA-AR1, HBA-AG, HBA-AG1, HBA-AH, HBA-AH1, HBA-A1, HBA-A11, HBA-AM, HBA-AM1

◊ Use with pumps identified with tag number HBA-AC2, HBA-AC3, HBA-AC4, HBA-AD2, HBA-AD3, HBA-AD4, HBA-AN2, HBA-AN3, HBA-AN4

♦ Includes Ford Pump

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3-3638 WASHER - POWER STEERING PUMP ADJUSTING BRACKET			
65/67	A(8 cyl. 352, 390)-without A/C	35/64" I.D. -1 1/16" O.D. -1/16" thick	6	B4Q 33638-B
65/67	S(with A/C)		5 or 6	
	3D638 RETAINER - STEERING COLUMN OPENING COVER			
72	B		1	D2GZ 3D638-A
	3E639 BRACKET - STEERING COLUMN RELEASE MOTOR			
68	F(tilt wheel)		1	C7ZZ 3E639-A
69	F(tilt wheel)		1	C9ZZ 3E639-A
68/69	S(tilt wheel) "Before 10/1/68"		1	C8SZ 3E639-A
69	S(tilt wheel) "From 10/1/68"		1	C9SZ 3E639-A
	3-3640 INSULATOR ASSY. - POWER STEERING PUMP			
65/67	S(with A/C)	25/64" I.D. -3/4" O.D. -25/32" long	3	EAD 33640-A
	3641 BOLT - STEERING COLUMN TUBE FLANGE			
69	A, B, F, S, X (fixed wheel)		2	C9AZ 3641-A
70	P (non-locking) "Before 7/14/69"		2	
70/	A, B, F, S (fixed wheel)	1/4"-20 x 13/16"	2	D0AZ 3641-A
70/	P (locking) "From 7/14/69"		2	
71/	L		2	
65/68	A,B,F,S,U,X	1/4"-28 x 3/4"	2	8M 3641-B
65/	B,F,S,U,X	Nut-1/4"-28	2	351754-S33
65	A		2	(MM167)
	3A642 GASKET - POWER STEERING PUMP OIL RESERVOIR COVER			
65	A,B,F,S,X(8 cyl.)-without A/C	5 29/64" O.D. -Eaton-belt driven-side mounted pump	1	C0AA 3A642-B
65	F (6 cyl.)-with A/C	4 5/32" O.D.	1	C0AA 3A642-C
65	F (8 cyl.)-with A/C	1 1/4" O.D. -use with wing nut	1	C0AA 3A642-A
	3A643 HOUSING ASSY. - POWER STEERING PUMP			
65	A, B, F, S, X	Eaton	1	C2SZ 3A643-A
65/66	A,B,F,S,X	Use with Ford pumps tagged HBA-AC, -AC1, -AC4, -AD, -AD1, -AD4, -AE, -AE1, AE4, -AF, -AF1, -AF4, -AG, -AG1, -AG4, -AH, -AH1, -AH4, -AJ, -AJ1, -AN, -AN1, -AN4, -AR, -AR1, -AR4	1	C5AZ 3A643-D
		Use with Ford pumps tagged HBA-AC2, -AC3, -AD2, -AD3, -AE2, -AE3, -AF2, -AF3, -AG2, -AG3, -AH2, -AJ2, -AN2, -AN3, -AR2, -AR3, -AS, -AT, -AU, -BB, -BC	1	★C5AZ 3A643-E
67/69	A,B,F,S,X	Use with Ford pumps tagged HBA-BF, -BG, -BH, -BK, 5/8"-18 thread at fitting	1	C7AZ 3A643-B
69/70	F	#HBA-BZ	1	
70	A, B, F, P, S	Use with all models exc. #HBA-BZ, CC, 5/8"-18 thread at fitting	1	D0AZ 3A643-A
71	A	Use w/#HBA-BV, CA	1	
71	B, F, P	Use w/#HBA-BM, BR, CG	1	
71	S	Use w/#HBA-BX	1	
71	A,S	Use w/#HBA-BX1, BV1, CA1-includes oil filter	1	D1AZ 3A643-A
72	A,B,F,S,U	#HBA-all	1	
72	P	Use with #HBA-BR, CL	1	D1AZ 3A643-A
70	F,X	Use with #HBA-CC, 7/8"-20 thread at fitting	1	D0ZZ 3A643-A
71/	P	Use w/#HBA-BN, CM	1	
72	S	Use with #HBA-CJ-Saginaw pump	1	D2VY 3A643-A
65/67	A, B, F, S, X (Eaton pump)	Seal (cover)-2 5/8" I.D.	1	87147-S91(T38)
65/	A, B, F, S, X (Ford pumps)	Screw assy. (to housing)-3/8"-16 x 3/4"	3or4	379376-S(BB562X)
67/	A, B, F, S, X	Nut-5/8"-18 x 15/16" (housing fitting to reservoir)	AR	351335-S38 (MM123D)
70	F,X	Nut-7/8"-20	AR	383671-S2 (MM125AA)

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	3D643 PLATE & BUSHING - POWER STEERING PUMP				
65/69	A,B,F,S,X		Use with Ford pumps	1	C5AZ 3D643-B
70/72	A		Use with #HBA-CA,CA1	1	
70/72	B,P		Use with #HBA-BM,BN,BR,CA1,CT	1	
70	F,X			1	
70/72	A		Use with #HBA-BV,BV1	1	D0AZ 3D643-A
70/72	S		Use with #HBA-BX,BX1	1	
71/72	F		Use with #HBA-CG	1	
72	A,B,F,P,S,U		Use with #HBA-CK,CL,CM,CN,CR	1	D3AZ 3D643-A
65/	A,B,F,S,X		Pin (pump)-3/16" x 2 1/32"dowel	2	379375-S(NN143H)
71/	A,F,S		Bolt-3/8" -16 x 29/32" (cover to housing)	3	384454-S2 (BB416BE)
	3647 BALL KIT - STEERING GEAR WORM				
65/	A(M/S)		Consists of 60 balls-.28125" dia. balls	1	B8A 3647-B
65/	B,F,P,X		Use with #HCA-BV,BY,BZ,CA,CD,CE, -#SMA-A,B,C,F,G,R,T	1	
65/71	B,F,X		Consists of 62 balls-.23" diameter -	1	C0DR 3647-A
			Use with #HCC-AM,AN,AP,AT,AU,AY,AX, -AZ,BB,#SMB-A,B,C,D,E,F,H,J,K	1	
65/69	A(P/S)-Saginaw		Consists of 22 balls-.28117" diameter	1	C5AZ 3647-B
71/	F(P/S)-Saginaw		Use with #SPA-S,T,U,V	1	
			Consists of 22 balls-.28125" diameter	1	C5AZ 3647-C
			Consists of 22 balls-.28133" diameter	1	C5AZ 3647-D
			Consists of 22 balls-.28141" diameter	1	C5AZ 3647-E
			Consists of 22 balls-.28149" diameter	1	C5AZ 3647-F
			Consists of 22 balls-.28157" diameter	1	C5AZ 3647-G
72	U(P/S)			1	D3TZ 3647-A
	3649 EMBLEM - STEERING WHEEL HUB - Also refer to Group 3600				
69/72	A,B,L,P (with std. wheel)	"Before 5/1/72"	"Ford" emblem only	1	C9AZ 3649-A
69/72	A,B(with deluxe wheel)	"Before 5/1/72"	"Ford" emblem with crown and leaves	1	C9AZ 3649-B
70/72	P(with deluxe wheel)	"Before 5/1/72"	2 spoke wheel	1	
71/72	L (with deluxe wheel)	"Before 5/1/72"		1	
72	A,B,L,P	"From 5/1/72"	" Ford" emblem with crown and leaves- 2 spoke wheel	1	D3AZ 3649-B
67	B(except Wood Grain wheel)			1	C7OZ 3649-B
67	B(with Wood Grain wheel)			1	★C7OZ 3649-C
70/	B	"From 1/5/70"	3 spoke wheel	1	D0OZ 3649-A
65/66	F			1	C5ZZ 3649-A
67	F			1	C7ZZ 3649-A
69/72	F	"Before 5/1/72"	2 spoke wheel	1	C9ZZ 3649-A
72	F	"From 5/1/72"	2 spoke wheel	1	D3ZZ 3649-A
68	F(GT350/500)			1	★S8MS 3649-A
69/70	F(GT350/500)		"Cobra"	1	C9ZZ 3649-B
70/	F(exc. GT 350/500)		3 spoke wheel	1	D0ZZ 3649-A
65	S (except 63B)		Not replaced (12/74)	1	★C4SZ 3649-A
65	S(63B)			1	C5SZ 3649-A
66/67	S			1	
69/72	S(w/o speed control)		2 spoke wheel	1	D3SZ 3649-A
65/67	X (with Horn Ring) -except Sprint models			1	★ C0DF 3649-B
67	X(54B,62B,C,71B)			1	C7OZ 3649-B
69/70	X(with standard wheel)		"Ford" emblem only	1	D3AZ 3649-A
	3A650 REPAIR KIT - POWER STEERING HYDRAULIC CONTROL VALVE				
65/71	B			1	C3AZ 3A650-B
65/70	F,X			1	
71/	P			1	

Consists of

2-B4A	2428-A	" O" ring	1-C2AZ	3A728-A	Clamp	1-C1AA	3A740-C	Gasket
2-C2OA	3C513-A	Seal	1-C7OZ	3A729-A	Cover	2-32873-S7		Screw
2-C2OZ	3A519-B	Bushing						

	3B650 PIVOT ASSY. - MOVABLE STEERING COLUMN				
65	A (A/T)(P/S)		1	C5AZ 3B650-A	
65/66	A,S	Nut(pivot to trans. control selector)-5/16"-18	1	33797-S7(M50)	
		Washer-flat-5/16"		44725-S8(X22)	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3E650 SHOCK ABSORBER KIT - STEERING			
66/67	U	Replaced by the following details	1	★C6TZ 3E650-A
	1-C8TZ 3E651-B Shock	1-C8TZ 3E653-A Bracket	1-C8TZ 3E655-B	Insulator
	1-C8TZ 3E652-A Bracket	2-C8TZ 3E654-A U-bolt	4-34443-S7	Nut
	3C651 BOOT and INSULATOR KIT - POWER STEERING CYLINDER			
65	B, X		1	C3AZ 3C651-A
65	F (8 cyl.)		1	
66	F		1	
	Consists of			
	2-C1AA 3A344-A Washer	2-C3AA 3A345-A Insulator	1-C3AA 3C528-A	Boot
		1-C3AZ 3C755-A Clamp		
66/71	B		1	C6OZ 3C651-A
67/70	F		1	
70/	P		1	
66/70	X		1	
	Consists of			
	2-C7OA 3A344-A Insulator	2-C3AA 3A345-A Washer	1-C3AA 3C528-A	Boot
		1-C3AZ 3C755-A Clamp		
	3D651 FLANGE - STEERING COLUMN TUBE - LOWER			
68/69	A(tilt wheel) "Before 7/29/68"		1	C8MY 3D651-A
69	A(tilt wheel) "From 7/29/68"		1	C9AZ 3D651-A
67	F, S(tilt wheel)		1	C7SZ 3D651-A
68	F, S(tilt wheel)		1	C8ZZ 3D651-A
69	F, S (tilt wheel)		1	C9ZZ 3D651-A
70/	A, F, S(tilt wheel)	#D0AA 3508-A,B,C,D,E,F,D1AA 3508-AA or D2SA 3508-AA	1	D1AZ 3D651-A
		Washer-7/8"-spring (to socket)	1	374280-S(XX364B)
		Screw & washer(to tube)-1/4"-20x1 1/8"-socket	3	381658-S2(BB817CD)
	3E651 SHOCK ABSORBER - STEERING			
68/	U	3/8"-16 threaded studs	1	C8TZ 3E651-B
	3652 SPACER - POWER STEERING CYLINDER MOUNTING - Serviced in 3C590 kit			
	3A652 BRACKET - POWER STEERING CYLINDER MOUNTING			
65	B, X		1	C2OZ 3A652-A
66/69	B, X		1	C6OZ 3A652-A
70	X		1	
70/71	B		1	D0OZ 3A652-A
67/70	F		1	C7ZZ 3A652-A
70/	P		1	D0DZ 3A652-A
65/	B, F, P, X	Bolt (bracket to frame)-3/8"-16 x 1 1/2"	1	376058-S(BB157A)
65/	B	Bolt (bracket to underbody)-3/8"-24 x 3 1/2"	1	45549-S(B179)
65/68	F		1	
69	F	Bolt (brkt. to underbody)-3/8"-16 x 3 1/2"	1	383496-S100 (BB168)
		Nut-3/8"-16	1	383406-S100 (MM173MY)
65/	B, F	Nut-3/8"-16-rivet type	2	375474-S8 (MM120B)
65/	B, F, P, X	Nut (bracket to underbody)-3/8"-16	1	377605-S7-8 (MM151G)
		Nut-3/8"-24	1	382832-S100 (MM169JF)
65/	B, F, P, X	Washer-flat-3/8"	AR	353992-S(XX127)
		Washer-flat-1/2"	1	356474-S18(XX183)
		Washer-flat-7/16"	2	44730-S8(X26)
	3E652-3 BRACKET - STEERING SHOCK ABSORBER			
68/69	U	R. H.	1	C8TZ 3E652-A
		L. H.	1	C8TZ 3E653-A
70/	U	R. H.	1	D0TZ 3E652-A
70	U "Before Ser.J30,001"	L.H.	1	C8TZ 3E653-A
70/	U "From Ser.J30,001"	L.H.	1	D1TZ 3E653-A
68/	U	Bolt(bracket to frame)-5/16"-18 x 4 3/4"	2	300946-S8(B73)

Identification

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3D654 FITTING - POWER STEERING PUMP VALVE OUTLET			
65/66	A,B,F,X	Used with Ford pumps tagged HBA-AC, -AC1, -AC4, -AD, -AD1, -AD4, -AE, -AE1, -AE4, -AF, -AF1, -AF4, -AG, -AG1, -AG4, -AH, -AH1, -AH4, -AJ, -AJ1, -AN, -AN1, -AN4, -AR, -AR1, -AR4	1	★C5AZ 3D654-D
65/66	A,B,F,S,X	Use with Ford pumps tagged HBA-AC2, -AC3, -AD2, -AD3, -AE2, -AE3, -AF2, -AF3, -AG2, -AG3, -AH2, -AJ2, -AN2, -AN3, -AR2, -AR3, -AS, -AT, -AU, -BB, -BC	1	C5AZ 3D654-E
72	S	Use with #HBA-CJ-Saginaw pump	1	D2VY 3D654-A
	3E654 U-BOLT - STEERING SHOCK ABSORBER			
68	U "Before Ser.D68,001"	3/8"-24 thread	2	C8TZ 3E654-A
68/	U "From Ser. D68,001"	3/8"-16 thread	2	C8TZ 3E654-B
	3D655 SPRING - STEERING COLUMN POSITION			
68/69	A, F, S(tilt column)		1	C7SZ 3D655-C
70/	A, F, S (tilt column)	11/16" diameter-3" free length	1	D0AZ 3D655-A
67	F, S(tilt column)	11/16" diameter-2 1/4" free length	1	C7SZ 3D655-A
	3E655 INSULATOR and WASHER KIT - STEERING SHOCK ABSORBER			
68	U	Use with 3/8" -24 threaded shock absorber studs	1	C8TZ 3E655-A
	Consists of 2-C5TA 18041-B Washer 4-I-500939 Insulator 2-C5TA 18171-B Washer 2-34664-S2 Nut & washer			
68/	U	Use with 3/8" -16 threaded shock absorber studs	1	C8TZ 3E655-B
	3656 RING - STEERING WHEEL HUB TRIM			
67	A(7 litre)-with P/S	3.72" O. D. -zinc die cast-retainer	1	★C7AZ 3656-A
67	A(7 litre)-with Manual steering		1	★C7AZ 3656-C
67	A,X	4.42" O. D.-plastic-trim ring	1	C7AZ 3656-B
67	S(except 57B, 65B with De luxe wheel)		1	
67	B(except Wood Grain steering wheel)		1	
67	B, F(with Wood Grain steering wheel)	Plastic-trim ring	1	C7ZZ 3656-A
67	B, F(with Wood Grain steering wheel)-P/S		1	C7OZ 3656-A
67	B, F(with Wood Grain steering wheel)-Man. strg.		1	★C7OZ 3656-B
67	S(except speed control)	3.74" O. D. -zinc cast-retainer	1	★C7SZ 3656-A
	3D656 BUMPER - STEERING COLUMN TUBE UPPER FLANGE			
67	F, S(tilt column)	21/64" O.D.-1/2" long	1	C7SZ 3D656-A
67/69	A, F, S (tilt column)	Lower-1/4" x 5/16" x 59/64" long	1	C7SZ 3D656-C
70/	A, F, S (tilt column)		1	D0AZ 3D656-A
	3A657 SHIM KIT - STEERING GEAR SECTOR SHAFT ADJUSTING			
65/	A,B,F,P,X	Use with Ford built manual (M/S) and power assist (P/A) gears-consists of 4 shims (1) .063" thick (1) .067" thick (1) .065" thick (1) .069" thick	1	B8AZ 3A657-A
	3A658 SPACER - POWER STEERING CONTROL VALVE SPOOL			
65/71	B		1	C1AA 3A658-A
65/70	F,X		1	
70/	P		1	
65/	B,F,X	Washer-flat (spacer retainer)-5/8"	1	370232-S(XX207)
	3B658 INDEX - STEERING COLUMN LOCKING			
67	F, S(tilt wheel)		1	C7SZ 3B658-A
68/69	A, F, S(tilt wheel)		1	C8SZ 3B658-A
	3C660 WASHER - STEERING SHAFT COUPLING BOLT			
65/	A,S	19/64" I.D. & 25/64" I.D.-5/8" O.D.	AR	C3OZ 3C660-A
65/70	B,F,X		AR	
71/	P		2	

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3B661 LEVER - STEERING COLUMN LOCKING			
65	A "Before 9/15/64"		1	★C4AZ 3B661-A
65	A "From 9/15/64"		1	C5AZ 3B661-A
68/69	A, F, S(tilt wheel)		2	C8SZ 3B661-A
70/	A, F, S (tilt wheel)		1	D0AZ 3B661-A
67	F, S(tilt wheel)		2	C7SZ 3B661-A
67	F, S	Pin-straight (to flange)-3/16" x 1 1/8"	2	374341-S(NN143D)
65	A	Stud (lever to track)-5/16"-18 x 3/8"-16 x 3 25/64" hex. shoulder	1	378212-S2(WW121)
65/66	S	Stud (to track)-3/8"-16 & 5/16"-18 x 2.36"	1	378972-S2(WW124)
		Nut-3/8"-16		34057-S8(M161)
		Lockwasher-3/8"		34807-S8(X66)
		Washer-flat-33/64"		371703-S(XX179)
		Washer-spring-33/64"		356460-S8(XX369)
68	A, F, S	Pin-straight (to flange)-3/16" x 1 1/4"	2	382715-S(NN143E)
	3B663 PIN - STEERING COLUMN LOCKING LEVER			
68/69	A(tilt wheel)		1	C7VY 3B663-A
	3B664 SPRING - STEERING COLUMN LOCKING LEVER			
67	F, S (tilt wheel)		1	C7SZ 3B664-A
68/69	A, F, S (tilt wheel)		1	C8SZ 3B664-A
70/	A, F, S (tilt wheel)		1	D0AZ 3B664-A
	3668 CLAMP - STEERING COLUMN TO INSTRUMENT PANEL			
69	A	Lower-not replaced (12/74)	1	★C9AZ 3668-A
67	B	Clamp assy.	1	C0DF 3668-BF
68/69	B	Clamp-upper-not replaced (12/74)	1	★C8OZ 3668-B
69	B	Clamp-lower	1	C8OZ 3668-C
72	B	Bracket-steering column-lower	1	D2OZ 3668-B
65/66	F	Clamp assy.	1	C0DF 3668-BF
69	F	Lower-not replaced (12/74)	1	★C9ZZ 3668-A
71	L	Lower	1	D1FZ 3668-A
72	L	Bracket-steering column-lower	1	D2OZ 3668-B
70	P (non-locking column)	Lower	1	D0DZ 3668-A
68/69	S	Lower-not replaced (12/74)	1	★C8SZ 3668-A
72	S	Bracket-steering column-lower	1	D2OZ 3668-B
66/	U		1	C5TZ 3668-B
66/	U	Bracket-lower	1	C6TZ 3668-D
65/67	X	Clamp Assy.	1	C0DF 3668-BP
68/69	X	Clamp-upper-not replaced (12/74)	1	★C8OZ 3668-B
70	X		1	
69	X	Clamp-lower	1	C8OZ 3668-C
70	X		1	
65/66	X	Nut (clamp to pedal support)-5/16"-24	2	33798-S8(M62)
		Lockwasher-5/16"		34806-S7(X64)
67/	B, X	Stud(to pedal support)-5/16"-18 & 5/16"-18 x 1 3/4"	2	381597-S2 (WW76W)
67/68	B, X	Nut(to bracket)-5/16"-18	4	379930-S (MM173M)
69	B, X	Nut 1/8"-20 locking (lower clamp to retainer bolt)	1	371068-S(MM171)
69	A, B, X	Nut-5/16"-18 locking (upper clamp to column bracket)	4	379930-S (MM173M)
68/	F	Stud-5/16"-18 x 1 15/16" (clamp to instru.panel)	2	382722-S(WW131D)
69/	U	Nut 5/16"-18 hex.head (clamp to dash)	3	33797-S(M50)
		Washer 5/16"	3	356309-S(XX299)
69/	U	Nut-3/8"-16 (clamp to support)	1	382535-S (MM173HMY)
		Bolt-3/8"-16 x 5/8" carrier (clamp to support)	1	23440-S(B10)
	3A670 ADJUSTER ASSY. - STEERING GEAR WORM THRUST BEARING			
65	A, B		1	C3AZ 3A670-A
66/	A (M/S)		1	
66/	B	#HCA-BZ, CE, SMA-B, F, T	1	
71	F (M/S)		1	
70/	P		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	3A670 ADJUSTER ASSY. - STEERING GEAR WORM THRUST BEARING - continued				
66/70	B, X(M/X)		#HCA-CA, CF or SMA-C	1	★C6OZ 3A670-A
66/67	B		#HCA-BY, CD or SMA-A	1	
66/70	X(P/S)		#HCA-BY, CD or SMA-A	1	
65/70	F		#HCC-AT, AX, AW, SMB-A, B or J	1	C3DZ 3A670-C
65	X			1	
67/70	F		#SMB-C, D, E, F or K	1	C7ZZ 3A670-A
	3D672 RETAINER - STEERING COLUMN CLAMP				
70/71	S			1	D0SZ 3D672-A
71/72	L	"Before 1/10/72"		2	D1FZ 3D672-A
72	B, S	"Before 1/10/72"		2	D2OZ 3D672-A
72	B, L, S	"From 1/10/72"		2	D2OZ 3D672-B
	3A673 COVER - STEERING COLUMN INSTRUMENT PANEL OPENING				
70/	P			1	D0DZ 3A673-A
			Spring-nut-No. 8		353464-S8(MM248)
	3A674 PUMP ASSY. - POWER STEERING				
	- A -				
65	A(8 cyl. 289)-without A/C		Eaton pump-use with Ford P/S gear marked HCE-C	1	C5AZ 3A674-C
			Eaton pump-use with Saginaw P/S gear marked HCE-B	1	C5AZ 3A674-D
65/66	A(8 cyl.)-without A/C		#HBA-AG, AG1, AG2, AG3, AJ, AJ1, AJ2, BC, BC1, BC3(Ford pump)	1	C5AZ 3A674-ARM
	A(6 cyl.) A(8 cyl.)-without A/C		#HBA-AH, AH1, AH2, AH3, AH4, AM1, AM2, BB, BB1, BB3(Ford pump)	1	C5AZ 3A674-DRM
67/69	A		#HBA-BG, BG1, BJ, HCE-C, D, SPA-A or E (use with Ford P/S gears)	1	C7AZ 3A674-A
	A		#HBA-BH, BH1, SPA-H, N (use with Saginaw P/S gears)	1	C7TZ 3A674-A
70/71	A		#HBA-BV, BV1, CA, CA1	1	C9TZ 3A674-D
72	A(exc. P/C)	"Before 6/1/72"	#HBA-BV, BV1, CA, CA1	1	C9TZ 3A674-D
	A(exc. P/C)	"From 6/1/72"	#HBA-CK	1	D3AZ 3A674-A
	A(P/C)		#HBA-CT, CV	1	D3AZ 3A674-B
	- B -				
65	B(6 cyl.)		#HBA-AR, AR1, AR2, AR3, AR4(Ford pump)	1	C5OZ 3A674-CRM
	B(8 cyl.)-without A/C		#HBA-AE, AE1, AE2, AE3, AE4(Ford pump)	1	C5OZ 3A674-ARM
	B(8 cyl.)-with A/C		#HBA-AF, AF1, AF2, AF3, AF4	1	C5OZ 3A674-BRM
	B(6 cyl.)-without A/C		Eaton pump	1	C2AZ 3A674-B
	B(8 cyl.)-without A/C		Eaton pump	1	C5OZ 3A674-B
66	B(6 cyl.)		#HBA-AS	1	C6OZ 3A674-ARM
	B(8 cyl. 289)-without A/C		#HBA-AT	1	C6OZ 3A674-BRM
	B(8 cyl. 289)-with A/C		#HBA-AU	1	C6OZ 3A674-CRM
	B(8 cyl. 390)-without A/C		#HBA-AC, AC1, AC2, AC3, AC4	1	C5DZ 3A674-ARM
	B(8 cyl. 390)-with A/C		#HBA-AD, AD1, AD2, AD3, AD4	1	C5DZ 3A674-CRM
67/68	B		#HBA-BF, BF1	1	C7OZ 3A674-A
69	B(8 cyl. 302, 351)		#HBA-BK	1	C9OZ 3A674-A
	B(6 & 8 cyl. 390, 428)		#HBA-BF, BF1	1	C7OZ 3A674-A
70/71	B(6 cyl.)		#HBA-BR	1	D0OZ 3A674-B
	B(8 cyl.)		#HBA-BM	1	D0OZ 3A674-A
72	B(exc. P/C)	"Before 6/1/72"	#HBA-CA1	1	C9TZ 3A674-D
	B(exc. P/C)	"From 6/1/72"	#HBA-CK	1	D3AZ 3A674-A
	B(P/C)	"From 1/3/72"	#HBA-CT, CV	1	D3AZ 3A674-B
	- F -				
65	F(6 cyl. 170)-without A/C		Eaton pump	1	C2AZ 3A674-B
	F(8 cyl. 260)-without A/C		Eaton pump	1	C5OZ 3A674-B
	F(8 cyl. 260)-with A/C		Eaton pump	1	C5AZ 3A674-D
65/66	F(6 cyl. 200)		#HBA-AN, AN1, AN2, AN3, AN4(Ford pump)	1	C5DZ 3A674-BRM
	F(8 cyl. 289)-without A/C		#HBA-AC, AC1, AC2, AC3, AC4(Ford pump)	1	C5DZ 3A674-ARM
	F(8 cyl. 289)-with A/C		#HBA-AD, AD1, AD2, AD3, AD4(Ford pump)	1	C5DZ 3A674-CRM

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A674 PUMP ASSY. - POWER STEERING - continued			
	- F -			
67/68	F(exc. GT 350/500)	#HBA-BF, BF1	1	C7OZ 3A674-A
	F(GT350/500)	#HBA-BH, BH1	1	C7TZ 3A674-A
69	F(exc. Boss 429)	#HBA-BF, BF1	1	C7OZ 3A674-A
	F(Boss 429)	#HBA-BZ, CD	1	D0ZZ 3A674-C
70	F(8 cyl. 302, 351)	#HBA-CC	1	D0ZZ 3A674-B
	F(6 cyl. & 8 cyl. 428)	#HBA-BR	1	D0OZ 3A674-B
	F(Boss 429)	#HBA-BZ, CD	1	D0ZZ 3A674-C
71/72	F "Before 7/1/72"	#HBA-CG	1	D1ZZ 3A674-B
72	F "From 7/1/72"	#HBA-CN	1	D3ZZ 3A674-A
	- P -			
70/72	P(6 cyl.) "Before 8/8/72"	#HBA-BR	1	D0OZ 3A674-B
72	P(6 cyl.) "From 8/8/72"	#HBA-CL	1	D3DZ 3A674-A
71/72	P(8 cyl.) "Before 8/8/72"	#HBA-BN	1	D0ZZ 3A674-A
72	P(8 cyl.) "From 8/8/72"	#HBA-CM	1	D3DZ 3A674-B
	- S -			
65	S-without A/C	Eaton pump	1	C3SZ 3A674-A
65/66	S	HBA-AM, AM1, AM2, BB, BB1(Ford pump)	1	C5AZ 3A674-DRM
67/69	S	#HBA-BG1	1	C7AZ 3A674-A
70/71	S	#HBA-BX1, A2	1	D0VY 3A674-B
72	S(8 cyl. 400, 429)-without A/C "Before 7/1/72"	#HBA-BX1, A3(Ford pump)	1	D0VY 3A674-C
	S(8 cyl. 400, 429)-without A/C "From 7/1/72"	#HBA-CR(Ford pump)	1	D3TZ 3A674-A
	S(8 cyl. 429, 460)-with A/C	#HBA-CJ(Saginaw pump)	1	D2VY 3A674-A
	- U -			
72	U	#HBA-CN	1	D3ZZ 3A674-A
	- X -			
65	X(6 cyl.)	#HBA-AN, AN1, AN2, AN3, AN4(Ford pump)	1	C5DZ 3A674-BRM
	X(8 cyl.)-without A/C	#HBA-AC, AC1, AC2, AC3, AC4(Ford pump)	1	C5DZ 3A674-ARM
	X(8 cyl.)with A/C	#HBA-AD, AD1, AD2, AD3, AD4(Ford pump)	1	C5DZ 3A674-CRM
	X(6 cyl.)-without A/C)	Eaton pump	1	C2AZ 3A674-B
	X(8 cyl.)-without A/C	Eaton pump	1	C5OZ 3A674-B
66	X(6 cyl.)	#HBA-AS, AS3	1	C6OZ 3A674-ARM
	X(8 cyl. 289)-without A/C	#HBA-AT, AT3	1	C6OZ 3A674-BRM
	X(8 cyl. 289)-with A/C	#HBA-AU, AU3	1	C6OZ 3A674-CRM
67/68	X	#HBA-BF, BF1	1	C7OZ 3A674-A
69	X(6 cyl.)	#HBA-BF, BF1	1	C7OZ 3A674-A
	X(8 cyl.)	#HBA-BK	1	C9OZ 3A674-A
70	X(6 cyl.)	#HBA-BR	1	D0OZ 3A674-B
	X(8 cyl.)	#HBA-CC	1	D0ZZ 3A674-B
	3A675 SPRING CENTERING KIT - POWER STEERING CONTROL VALVE			
65/71	B	Consists of	1	C3AZ 3A675-B
65/66	F(6 cyl.)	1-C7OZ 3A594-A Spring 2-B9M 3799-A Seat	1	
67/70	F	1-C2OA 3C706-A "O" ring 1-55672-S Nut	1	
65	X	1-AJ 33707-B Spacer 2-372300-S Washer	1	
67/70	X		1	
70/	P		1	
65/66	F (8 cyl.)	Consists of 1-C3DA 3A594-B Spring 1-AJ 33707-B Spacer 1-C2AZ 3C706-A Seal 2-B9M 3799-A Washer 2-372300-S Washer	1	C3DZ 3A675-A
66	X	Consists of 1-C6DZ 3A594-A Spring 1-AJ 33707-B Spacer 1-C2AZ 3C706-A Seal 2-B9M 3799-A Washer 2-372300-S Washer	1	C6DZ 3A675-A

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	3676-8 BRACKET - STEERING COLUMN TO INSTRUMENT PANEL				
68	A		"L" shape	1	★C8AZ 3676-A
	A		Lower-at dash panel-not replaced	1	★C8AZ 3676-B
	A		Upper-to brake pedal support	1	★C8AZ 3678-A
69	A		Upper-not replaced	1	★C9AZ 3678-A
70	A			1	D0AZ 3676-A
71/	A			1	D1AZ 3676-A
68	B	"Before 3/1/68"		1	★C8OZ 3676-B
68/69	B	"From 3/1/68"	Not replaced	1	★C8OZ 3676-C
70/71	B			1	D0OZ 3676-A
72	B		Bracket-column mounting upper-(see basic 3668 for lower)	1	D2OZ 3678-D
	B		Brace-column support-R.H.	1	D2OZ 3678-B
			Brace-column support-L.H.	1	D2OZ 3678-C
65	F		With charge indicator & oil pressure warning lights- "Rally-Pac"	1	★C5ZZ 3678-A
65/66	F		With ammeter & oil pressure gauge-"Rally-Pac"	1	C5ZZ 3678-B
69	F		Upper-not replaced	1	★C9ZZ 3676-A
70/71	F			1	D0AZ 3676-A
72	F			1	D1AZ 3676-A
71	L			1	D1FZ 3678-A
72	L	"Before 1/10/72"		1	D2FZ 3678-A
	L	"From 1/10/72"		1	D2FZ 3678-B
70/	P			1	D0AZ 3676-A
67	S		Brace-brake pedal suppt. to cowl-7/16" dia. rod	1	C7SZ 3678-A
68/69	S		"L"-shape	1	C8LY 3676-A
	S		Straight-5 1/4" long-not replaced	1	★C8SZ 3678-A
	S		Brace-brake pedal suppt.-7/16" dia. rod	1	C7SZ 3678-A
70/71	S		Bracket-column support	1	D0SZ 3676-A
	S		Brace-brake pedal suppt. to cowl-7/16" dia. rod	1	C7SZ 3678-A
72	S	"Before 1/10/72"	Bracket-column mounting upper (see basic 3668 for lower)	1	D2OZ 3678-A
	S	"From 1/10/72"	Bracket-column mounting upper-(see basic 3668 for lower)	1	D2OZ 3678-D
68	X	"Before 3/1/68"		1	★C8OZ 3676-B
68/70	X	"From 3/1/68"	Not replaced	1	★C8OZ 3676-C
65/	A		Bolt (brkt. to instrument panel)-5/16"-24 x 1 1/4"	2	20427-S8(B158)
65	A		Bolt (bracket to cover plate)-5/16"-18 x 3/4"	2	20346-S8(B50)
66	A		Bolt (to column)-5/16"-18 x 1"	2	20386-S8(B53)
68	A,S		Screw(bracket to pedal support)-7/16"-14 x 3/4"	2	382092-S(BB563BE)
69	A		Screw & washer 5/16"-18 x 1" (bracket to column)	AR	379058-S(BB574E)
69	A		Bolt 5/16"-18 x 3/4" (bracket to clamp)	2	56320-S(B318GD)
65/66	F		Screw & washer (rally-pac to column)-No.10-24 x 5/8"	2	377297-S7-8 (BB817AL)
69	F		Bolt-3/8"-16 x 3/4" carrier (upper bracket to pedal support)	1	383092-S(BB706X)
67/69	S		Screw (upper to lower bracket)-5/16" x 3/4"-washer head	2	359662-S7-8 (BB575A)
			Locknut-5/16"-18		34392-S7(M93)
			Nut-5/16"-24		33798-S7-8(M62)
			Lockwasher-5/16"		34806-S7(X64)
			Lockwasher-5/16"-external tooth		★34941-S7
			Washer-flat-5/16"		44722-S8(X19)
71/	A		Bolt-3/8"-16 x 1" square neck (2 required to attach 3676 & 3B139 brackets to brake pedal support)(2 required to attach 3676 & 3B139 brackets to steering column)	AR	384527-S2 (BB688D)
71/	A,B,F,P,S	"From 4/16/71"	Bolt-3/8"-16 x 1/2" (bracket to column)	4	383481-S2 (BB545EU)
72	B		Screw & washer (brace to brake pedal support)-5/16"-18 x 1"	4	57140-S(B340H)
			Nut & retainer-5/16"-18	4	★45268-S101

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3B676 SHAFT and JOINT ASSY. - STEERING COLUMN - Refer to group 3524			
	3K680 GROMMET - STEERING COLUMN OPENING			
69	F(65,76)		1	C9ZZ 3K680-A
69	F(63)		1	C9ZZ 3K680-B
	3D681 RETAINER ASSY. - STEERING COLUMN LOWER BEARING			
72	B(all exc. column shift A/T)		1	D2OZ 3D681-A
72	B,S(column shift-A/T)		1	D2OZ 3D681-B
71/	L		1	D1FZ 3D681-A
66/	U		1	C5TZ 3D681-A
	3682 INSULATOR - STEERING COLUMN BRACKET			
65/66	A(fixed column)		1	C5AZ 3682-B
72	B,L,S		1	D2OZ 3682-A
71	L		2	D1FZ 3682-A
	3D683 STUD - POWER STEERING PUMP SUPPORT			
65/66	A,B,F,S,X	5/16"-18 & 3/8"-16 x 4 7/8"-use with Ford pumps tagged HBA-AC thru AC4, -AD thru AD4, -AE thru AE4, -AF thru AF4, -AG thru AG4, -AH thru AH4, -AJ thru AJ2, -AT, -AT3, -AU, -AU3, -BB, -BB1, -BB3, -BC, -BC1, -BC3	1	C5AZ 3D683-B
	3E683 PIN - STEERING COLUMN RELEASE CABLE			
68/69	F,S(tilt column)		1	C8ZZ 3E683-A
	3D684 SEAL and GASKET KIT - POWER STEERING PUMP TO RESERVOIR - Also supplied in 3B584 kit			
65/69	A,B,F,S,X	Use with Ford pumps tagged HBA-consists of 1-C5AR 3D594-A Seal 1-C5AR 3D684-A Gasket 1-383213-S Seal	1	C5AZ 3D684-A
70/	A,B,F,P,S,U,X	Consists of 1-D1AR 3D594-A seal 1-D0ZR 3D594-A seal 1-C5AR 3D684-A gasket 1-383212-S94 seal	1	D1AZ 3D684-A
	3D684 SEAL - POWER STEERING PUMP RESERVOIR			
65	A,B,F,S,X "From 12/1/64 to 2/1/65"	.142"/.150" thick-1 1/4" White Stripe-for oversize reservoir on Ford pumps	1	C5AZ 3D684-B
	3685 KEY - FRONT DOOR and IGNITION LOCK - BLANK			
65/67	A,B,F,S,X	Refer to 22053 Group		B9A 3685-A
66/	U		1	
	3D687 COLLAR - STEERING WHEEL HUB			
65/66	A,B	Black	1	C5OZ 3D687-A
66	X		1	
67	B,X	Black	1	★C7OZ 3D687-A
	3B688 SPRING - POWER STEERING PUMP OIL FILTER RETAINING			
65	A,B,F,S,X (without A/C)	1.85" long-8 coils	1	C2SZ 3B688-A
65	F(8 cyl.)-with A/C	2.20"long-9 coils	1	★C2SZ 3B688-B
	3D688 SHIM - POWER STEERING GEAR VALVE CENTERING			
65/	A,S	1.61" I.D. -.0057"/.0063" thick	1	C5AZ 3D688-A
72	B	1.61" I.D. -.0077"/.0083" thick	1	C5AZ 3D688-B
		1.61" I.D. -.0097"/.0103" thick	1	C5AZ 3D688-C
		1.61" I.D. -.0117"/.0123" thick	1	C5AZ 3D688-D
		1.61" I.D. -.0137"/.0143" thick	1	C5AZ 3D688-E
	3691 HOSE - POWER STEERING RESERVOIR TO PUMP			
65/67	A (6 cyl.)	15 5/8" long	1	C1TZ 3691-A
65/67	A (8 cyl. 352, 390), B(8 cyl.)-with A/C	11 1/4" long-make from C7TZ 3691-B	1	★C3AA 3691-G
65/67	A(8 cyl. 260, 289)-with A/C	13 1/4" long-make from C7TZ 3691-B	1	★C3AA 3691-H
65	F(8 cyl.)	10 3/8" long-make from C7TZ 3691-B	1	★ C4ZA 3691-A
65/67	X(8 cyl.)-with A/C	8 1/8" long-make from C2SZ 3691-A	1	★C3DA 3691-A
	3D695 RETAINER - STEERING COLUMN SHROUD			
65/66	A(fixed column) "Before 11/1/65"	6" overall length	1	C5AZ 3D695-A
65	A(moveable column)	Cut to length	1	
70/	A,F,S (tilt wheel)		1	D1AZ 3D695-B
70/	A,B,F,P,S (fixed wheel)		1	D1AZ 3D695-A
	3E696 SPRING - STEERING COLUMN LOCK			
70/	A.P(column shift-M/T)	5/8" free length-5/16" dia.	1	D0AZ 3E696-A
70/71	B(column shift-M/T)		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

SECTION 36

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A697 RESERVOIR ASSY. - POWER STEERING PUMP OIL			
65	A, B(without A/C)	For Eaton pump	1	C3OZ 3A697-A
65/66	A, B	For Ford pumps tagged HBA-AE, -AE1, -AE4, -AF, -AF1, -AF4, -AG, -AG1, -AG4, -AH, -AH1, -AH4, -AJ, -AJ1, -AR, -AR1, -AR4	1	C5AZ 3A697-B
65/66	A, B, S, X	For Ford pumps tagged HBA-AE2, -AE3, -AF2, -AF3, -AG2, -AG3, -AH2, -AJ2, -AM, -AM1, -AM2, -AR2, -AR3, -AS, -AS3, -AT, -AT3, -AU, AU3, -BB, -BB1, -BB3, -BC, -BC1, -BC3	1	C5AZ 3A697-D
67/	A, S	For Ford pumps tagged HBA-BG, BH, BJ, BV, BX, BY, CA, CK, CR	1	C7AZ 3A697-A
72	A, B	For Ford pump tagged HBA-CT	1	D1ZZ 3A697-A
65/66	B, F, X	For Ford pumps tagged HBA-AC, -AC1, -AC4, -AD, -AD1, -AD4, -AN, -AN1, -AN4	1	C5DZ 3A697-B
	B, F, X	For Ford pumps tagged HBA-AC2, -AC3, -AD2, -AD3, -AN2, -AN3	1	C5DZ 3A697-C
67/71	B	For Ford pumps tagged HBA-BF, -BF1, BR	1	C7OZ 3A697-A
69	B	For Ford pumps tagged HBA-BK	1	C9OZ 3A697-A
70/71	B	For Ford pumps tagged HBA-BM	1	D0OZ 3A697-A
72	B	For Ford pumps tagged HBA-CA1, CK	1	C7AZ 3A697-A
65	F(8 cyl. 260)-with A/C	For Eaton pump-includes cover, filter and tank	1	C5ZZ 3A697-A
65	F(6 & 8 cyl. 260)-without A/C	For Eaton pump-oil tank	1	C2SZ 3A699-A
67/68	F	For Ford pumps tagged HBA-BH	1	C7AZ 3A697-A
67/70	F	For Ford pumps tagged HBA-BF, BFL, BR	1	C7OZ 3A697-A
69/70	F	For Ford pumps tagged HBA-BZ, CD	1	C9ZZ 3A697-A
70	F	For Ford pumps tagged HBA-CC	1	D0ZZ 3A697-A
71/	F	For Ford pumps tagged HBA-CG, CN	1	D1ZZ 3A697-A
70/	P	For Ford pumps tagged HBA-BR, CL	1	C7OZ 3A697-A
71/	P	For Ford pumps tagged HBA-BN, CM	1	D0ZZ 3A697-A
72	S	For Ford pumps tagged HBA-CJ	1	D2VY 3A697-A
72	U	For Ford pumps tagged HBA-CN	1	D1ZZ 3A697-A
65	X(6 & 8 cyl.)	For Eaton pump-oil tank	1	C2SZ 3A699-A
69	X	For Ford pumps tagged HBA-BK	1	C9OZ 3A697-A
67/70	X	For Ford pumps tagged HBA-BF, BF1, BR	1	C7OZ 3A697-A
65	A, B, F, S, X	Bolt (Reservoir to fender apron)-5/16"-24 x 3/4"	2	20347-S8(B156)
	A, B, F, S, X	Locknut-5/16"-24	2	34443-S7-8(M79)
65/66	A, B, F, S, X (Ford pumps)	Nut (stud)-5/16"-18 - jam	1	378055-S2 (MM121X)
	A, B, F, S, X (Ford pumps)	Nut (to pump)-5/8"-18	1	378720-S2 (MM123B)
67/	A, B, F, S, X (Ford pumps)	Nut (to pump)-5/8"-18	1	351335-S38 (MM123D)
	3A698 COVER ASSY. - POWER STEERING PUMP HOUSING			
65	A	Eaton pump	1	★C5AZ 3A698-A
65	A (8 cyl. 289)-Saginaw steering	Without A/C-Eaton-belt driven-side mounted pump	1	C3OZ 3A698-A
65	B, F, X (8 cyl. 289)		1	
65	B, F, X (6 cyl.)-without A/C	Eaton-belt driven-side mounted pump	1	C0AA 3A698-A
65	S		1	★B9MM 3A698-A
65	A, B, F, S, X	Seal (cover)-2 5/8" I.D.	1	87147-S91(T38)
65	B, X, F (6 & 8 cyl.)	Bolt (cover to housing)-3/8"-16 x 2 1/8"	1	370967-S(BB158)
65	B (8 cyl.)	Bolt (cover to housing)-3/8"-16 x 3 3/4"	1	377957-S7-8
65	X, F(8 cyl.)		2	(BB169A)
65	S	Pin (cover to housing)-5/16" x 3/4"	2	357648-S8(NN55)
	3-3698 BOLT - POWER STEERING CONTROL VALVE SPOOL			
65/71	B	5/16"-24-overall length 5 1/16"	1	AC 33698-A
65/70	F, X		1	
70/	P		1	
65/	B, F, X	Locknut-5/16"-24		34443-S7-8(M79)
		Washer-flat-5/16"		44722-S8(X19)
		Pin-straight (bolt retainer)-1/8" x 1"	1	370235-S(NN102)
	3A699 TANK ASSY. - POWER STEERING PUMP OIL RESERVOIR - Refer to Group 3A697			
	3D699 CLAMP - STEERING COLUMN SHAFT LOWER COUPLING			
66/70	U		1	C9TZ 3D699-A
71/	U	Includes - carriage bolt 384192-S2 & nut 34978-S4	1	D1TZ 3D699-A

POWER STEERING KIT PARTS LISTS

Model application for power steering kits is shown in Groups 3A633-5.
Use the Page Index below to find the page in this group where the components of each kit are listed.

PAGE INDEX

POWER STEERING LINKAGE KITS - GROUP NO. 3A634

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
C5DZ 3A634-A	2	C5ZZ 3A634-C	3	C7OZ 3A634-A	4	D0OZ 3A634-A	6
C5DZ 3A634-B	2	C5ZZ 3A634-D	3	C7ZZ 3A634-A	4	D0ZZ 3A634-A	6
C5OZ 3A634-A	2	C5ZZ 3A634-F	3	C7ZZ 3A634-B	5	D1DZ 3A634-A	6
C5ZZ 3A634-A	2	C5ZZ 3A634-G	4	C8OZ 3A634-A	5	D1OZ 3A634-A	6
C5ZZ 3A634-B	3	C6OZ 3A634-A	4	C8ZZ 3A634-A	5	D2DZ 3A634-A	7
				C8ZZ 3A634-B	5	D3DZ 3A634-A	7

POWER STEERING PUMP KITS - GROUP NO. 3A635
AIR CONDITIONER ADAPTER KITS - GROUP NO. 3A635
POWER STEERING ADAPTER KITS - GROUP NO. 3A635
OPTIONAL ENGINE P/S KIT ADAPTER TO BASE ENGINE P/S KIT - GROUP NO. 3A705

C4DZ 3A635-D	8	C6AZ 3A635-F	14	C8OZ 3A635-C	19	D1AZ 3A635-A	25
		C6AZ 3A635-G	14	C8OZ 3A635-D	19	D1AZ 3A635-B	25
C5AZ 3A635-A	8	C6DZ 3A635-D	14	C8OZ 3A635-E	19	D1AZ 3A635-D	25
C5AZ 3A635-B	8					D1AZ 3A635-E	26
C5AZ 3A635-F	8	C6OZ 3A635-C	14	C8ZZ 3A635-A	19	D1AZ 3A635-F	26
C5AZ 3A635-G	8	C6OZ 3A635-H	14			D1AZ 3A635-H	26
C5AZ 3A635-H	9	C6OZ 3A635-J	14	C9AZ 3A635-A	20		
C5AZ 3A635-J	9	C6OZ 3A635-K	14	C9AZ 3A635-C	20	D1DZ 3A635-A	26
C5AZ 3A635-M	9	C6CZ 3A635-L	15	C9AZ 3A635-D	20	D1DZ 3A635-B	26
C5AZ 3A635-N	9			C9AZ 3A635-E	20	D1DZ 3A635-C	26
C5AZ 3A635-P	9	C6ZZ 3A635-C	15	C9AZ 3A635-F	20		
C5AZ 3A635-R	9					D1OZ 3A635-A	27
C5AZ 3A635-S	9	C7AZ 3A635-A	15	C9OZ 3A635-A	20	D1OZ 3A635-B	27
C5AZ 3A635-V	10	C7AZ 3A635-B	15	C9OZ 3A635-B	21	D1OZ 3A635-C	27
C5AZ 3A635-AA	10	C7AZ 3A635-C	16	C9OZ 3A635-C	21	D1OZ 3A635-D	27
C5AZ 3A635-AB	10	C7AZ 3A635-D	16	C9OZ 3A635-D	21		
C5AZ 3A635-AC	10	C7AZ 3A635-E	16			D1ZZ 3A635-A	28
C5AZ 3A635-AF	10	C7AZ 3A635-F	16	C9ZZ 3A635-A	21	D1ZZ 3A635-B	28
C5AZ 3A635-AG	10	C7AZ 3A635-G	16	C9ZZ 3A635-B	21	D1ZZ 3A635-D	28
C5AZ 3A635-AJ	10	C7AZ 3A635-H	16	C9ZZ 3A635-C	22	D1ZZ 3A635-F	28
C5AZ 3A635-AM	10	C7AZ 3A635-J	16	C9ZZ 3A635-D	22		
		C7AZ 3A635-L	16	C9ZZ 3A635-E	22	D2DZ 3A635-A	28
C5DZ 3A635-A	11			C9ZZ 3A635-F	22	D2DZ 3A635-B	29
C5DZ 3A635-B	11	C7DZ 3A635-B	16			D2DZ 3A635-C	29
C5DZ 3A635-C	11			D0AZ 3A635-A	22		
C5DZ 3A635-D	11	C7OZ 3A635-A	16	D0AZ 3A635-B	22	D2OZ 3A635-A	29
C5DZ 3A635-E	11	C7OZ 3A635-B	17	D0AZ 3A635-C	22	D2OZ 3A635-B	29
C5DZ 3A635-G	11	C7OZ 3A635-C	17	D0AZ 3A635-D	23	D2OZ 3A635-C	29
		C7OZ 3A635-D	17	D0AZ 3A635-E	23	D2OZ 3A635-D	30
C5OZ 3A635-A	11	C7OZ 3A635-E	17	D0AZ 3A635-F	23	D2OZ 3A635-E	30
C5OZ 3A635-B	12	C7OZ 3A635-H	17	D0AZ 3A635-G	23	D2OZ 3A635-F	30
C5OZ 3A635-D	12					D2OZ 3A635-G	30
C5OZ 3A635-F	12	C7ZZ 3A635-C	17	D0OZ 3A635-C	23	D2OZ 3A635-H	30
C5OZ 3A635-G	12	C7ZZ 3A635-E	17	D0OZ 3A635-D	23	D2OZ 3A635-J	31
C5OZ 3A635-H	12			D0OZ 3A635-E	23	D2ZZ 3A635-A	31
		C8AZ 3A635-A	18	D0OZ 3A635-F	24	D2ZZ 3A635-B	31
C5ZZ 3A635-A	12	C8AZ 3A635-B	18	D0OZ 3A635-H	24	D2ZZ 3A635-C	31
C5ZZ 3A635-B	12	C8AZ 3A635-C	18			D2ZZ 3A635-D	32
C5ZZ 3A635-C	13	C8AZ 3A635-D	18	D0ZZ 3A635-C	24	D2ZZ 3A635-E	32
C5ZZ 3A635-D	13	C8AZ 3A635-E	18	D0ZZ 3A635-D	24		
C5ZZ 3A635-F	13			D0ZZ 3A635-E	25		
C5ZZ 3A635-H	13	C8OZ 3A635-A	19	D0ZZ 3A635-F	25	D1AZ 3A705-A	32
C5ZZ 3A635-K	13	C8OZ 3A635-B	19	D0ZZ 3A635-G	25	D1ZZ 3A705-A	32
C5ZZ 3A635-L	13						

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

POWER STEERING KIT PARTS LISTS

C5DZ 3A634-A		Consists of the following
1	C5DA 3B161-A	Sleeve & end assy.-L.H.
2	C1AA 3A344-A	Insulator-piston rod
2	C3AA 3A345-A	Washer-insulator-outer
1	C5ZZ 3352-A	Arm & bush. assy.-strg. idler
1	C3AA 3C528-A	Boot-cyl. piston rod
1	C3DZ 3A540-B	Cyl. & ball stud assy.
1	C3DA 3A594-B	Spring-control valve spool
1	AJ 3652-A	Spacer-piston rod insulator
1	C3DZ 3A652-C	Bracket-cyl. mounting
1	C3DZ 3A714-A	Hose-control valve cyl. head
1	C3DZ 3A717-A	Hose-control valve cyl. end
1	C5DZ 3A730-A	Valve & link assy.
1	C3AZ 3C755-A	Clamp-cyl. piston rod boot
1	33800-S8	Nut-light hex.-3/8"-24
1	33925-S8	Nut-light hex.jam-3/8"-24
3	34782-S	Washer-lock-3/8"
1	45218-S8	Nut-hex. stamped-3/8"-24
1	45300-S8	Nut-hex. slotted-7/16"-20
3	72016-S	Pin-3/32" x 3/4"
2	72026-S	Pin-cotter-1/8" x 7/8"
2	72035-S	Pin-cotter-1/8" x 1.00"
1	300905-S8	Bolt-hex.hd.-3/8"-24 x 3 1/2"
1	353992-S	Washer-flat-3/8"
2	374706-S	Bolt-hex.hd.-3/8"-16 x 1 1/2"
1	377604-S8	Bolt-hex.hd.-3/8"-16 x 1 1/2"
1	377605-S8	Nut-hex.-3/8"-16
1		Sketch-installation

C5DZ 3A634-B		Consists of the following
1	C4DA 3A035-B	Sleeve & end assy.-R.H.
1	C4DA 3B161-A	Sleeve & end assy.-L.H.
1	C5DA 3B164-D	Valve & link assy.-control
1	C4DZ 3304-B	Rod-Pitman to idler
2	C1AA 3A344-A	Insulator-piston rod
2	C3AA 3A345-A	Washer-insulator-outer
1	C4DZ 3352-B	Arm & bush. assy.-idler
1	C3DZ 3C626-A	Spacer-cyl. mtg. bracket
1	C3AA 3C528-A	Boot-power cyl.
1	C3DA 3A540-B	Cyl. & ball stud assy.
1	C4DZ 3590-A	Arm-pitman
1	C3DA 3A594-B	Spring-control valve spool
1	AJ 3652-A	Spacer-piston rod insulator
1	C3DZ 3A652-C	Bracket-cyl. mounting
1	C5DZ 3A714-A	Hose-control valve cyl. head
1	C5DZ 3A717-A	Hose-control valve cyl. end
1	C3AZ 3C755-A	Clamp-cyl. piston rod boot
1	33800-S8	Nut-light hex.-3/8"-24
1	33925-S8	Nut-hex.-3/8"-24
4	34030-S	Nut-slotted-3/8"-24
1	34692-S	Nut-lock-3/4"-16
3	34782-S	Washer-lock-3/8"
1	34813-S8	Washer-lock-3/4"
1	45218-S8	Nut-hex. stamped-3/8"-24
4	72016-S	Pin-cotter-3/32" x 3/4"
2	72026-S	Pin-cotter-1/8" x 7/8"
2	72035-S	Pin-cotter-1/8" x 1.00"
1	300905-S8	Bolt-hex.-3/8"-24 x 3 1/2"
1	351059-S8	Nut-hex. slotted-1/2"-20
1	353992-S	Washer-flat-3/8"
2	354869-S8	Bolt-hex.hd.-3/8"-16 x 2.00"
2	374706-S	Bolt-3/8"-16 x 1 1/2"
2	375374-S8	Nut-hex.lock-3/8"-16
2	375474-S8	Nut-rivet type-3/8"-16
1	377604-S8	Bolt-hex.head-3/8"-16 x 1 1/2"
1	377605-S8	Nut-hex.-3/8"-16
1		Sketch-installation

C5OZ 3A634-A		Consists of the following
1	C3OA 3278-C	Rod & end assy.
1	C3OA 3279-B	Rod & end assy.-L.H.
1	C3OZ 3304-A	Rod assy.-pitman to idler
2	C1AA 3A344-A	Insulator-piston rod
2	C3AA 3A345-A	Washer-piston rod insulator
1	C2OA 3350-A	Bracket & bush. assy.-idler arm
1	C3OA 3355-A	Arm-steering idler-power
1	C3AA 3C528-A	Boot-power cyl.
1	C3OZ 3A540-A	Cyl. & ball stud assy.
1	C2OZ 3590-B	Arm steering pitman
1	C3DA 3A594-A	Spring-control valve spool
1	AJ 3652-A	Spacer-piston rod insulator
1	C3DZ 3A652-C	Bracket-cyl. mounting
1	C3OZ 3A714-A	Hose-control valve to cyl. head
1	C3OZ 3A717-A	Hose-control valve to cyl. rod
1	C5OZ 3A730-A	Valve assy.-gear hyd. control
1	C3DZ 3C750-B	Clamp-hoses to valve actuator
1	C3AZ 3C755-A	Clamp - piston rod boot
1	33800-S8	Nut-hex.-3/8"-24
1	33925-S8	Nut-hex.-3/8"-24
3	34782-S	Washer-lock-3/8"
1	45218-S8	Nut-hex. stamped-3/8"-24
4	72016-S	Pin-cotter-3/32" x 3/4"
3	72026-S	Pin-cotter-1/8" x 7/8"
1	72035-S	Pin-cotter-1/8" x 1.00"
1	300905-S8	Bolt-hex.-3/8"-24 x 3 1/2"
3	351059-S8	Nut-slotted hex.-1/2"-20
1	352146-S	Pin-roll-1/8" x 7/8"
1	353992-S	Washer-flat-3/8"
2	374706-S	Bolt-3/8"-16 x 1 1/2"
2	375474-S8	Nut-rivet type-3/8"-16
2	375569-S8	Washer-flat-1/2"
1	377604-S8	Bolt-hex.hd.-3/8"-16 x 1 1/2"
1	377605-S8	Nut-hex.-3/8"-16
2	377861-S8	Nut-hex. slotted-7/16"-20
1		Sketch-installation

C5ZZ 3A634-A		Consists of the following
1	C3DA 3A035-L	Sleeve & end-spindle arm-R.H.
1	C4ZA 3B161-B	Sleeve & end-spindle arm-L.H.
1	C3DA 3B164-D	Valve & link assy.-control
1	C5ZZ 3304-B	Rod-pitman to idler
2	C1AA 3A344-A	Insulator-piston rod
2	C3AA 3A345-A	Washer-insulator-outer
1	C4DZ 3352-B	Arm & bushing assy.-idler
1	C3AA 3C528-A	Boot-power cylinder
1	C3DZ 3A540-B	Cylinder & ball stud assy.
1	C4DZ 3590-A	Arm-steering gear pitman
1	AJ 3652-A	Spacer-piston rod insulator
1	C5ZA 3A652-A	Bracket-cyl. mounting
1	C5ZZ 3A706-B	Stop-steering arm-R.H.
1	C5ZZ 3A707-B	Stop-steering arm-L.H.
1	C3DZ 3A714-A	Hose-control valve cyl. head
1	C3DZ 3A717-A	Hose-control valve cyl. end
1	C3AZ 3C755-A	Clamp-cyl. piston rod boot
1	33800-S8	Nut-light hex.-3/8"-24
1	33925-S8	Nut-hex.-3/8"-24
2	34030-S	Nut-slotted-3/8"-24
3	34782-S	Washer-lock-3/8"
1	45218-S8	Nut-hex. stamped-3/8"-24
4	72016-S	Pin-cotter-3/32" x 3/4"
2	72026-S	Pin-cotter-1/8" x 7/8"
2	72035-S	Pin-cotter-1/8" x 1.00"
1	300905-S8	Bolt-hex.-3/8"-24 x 3 1/2"
2	351059-S8	Nut-hex. slotted-1/2"-20
1	353992-S	Washer-flat-3/8"
2	374706-S	Bolt-3/8"-16 x 1 1/2"
2	375301-S7	Nut-hex.lock-3/8"-24
2	375474-S8	Nut-rivet type-3/8"-16
1	377604-S8	Bolt-hex.hd.-3/8"-16 x 1 1/2"
1	377605-S8	Nut-hex.-3/8"-16
4	378593-S	Bolt-hex.hd.-3/8"-24 x 2 5/16"
1		Sketch-installation

POWER STEERING KIT PARTS LISTS - continued

C5ZZ 3A634-B	Consists of the following
1 C4ZA 3B161-A	Sleeve & end-spindle arm-L.H.
2 C1AA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-insulator outer
1 C5ZZ 3352-B	Arm & bushing assy.-idler
1 C3AA 3C528-A	Boot-cyl. piston rod
1 C3DZ 3A540-B	Cylinder & ball stud assy.
1 AJ 3652-A	Spacer-piston rod insulator
1 C4ZA 3A652-A	Bracket-cyl. mounting
1 C3DZ 3A714-A	Hose-control valve cyl. head
1 C3DZ 3A717-A	Hose-control valve cyl. end
1 C5ZZ 3A730-A	Valve & link assy.-control
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33800-S8	Nut-light hex.-3/8"-24
1 33925-S8	Nut-light hex. jam-3/8"-24
3 34782-S	Washer-lock-3/8"
1 45218-S8	Nut-stamped-3/8"-24
1 45300-S8	Nut-hex. slotted-7/16"-20
3 72016-S	Pin-3/32" x 3/4"
2 72026-S	Pin-cotter-1/8" x 7/8"
2 72035-S	Pin-cotter-1/8" x 1.00"
1 300905-S8	Bolt-hex.hd.-3/8"-24 x 3 1/2"
1 351059-S8	Nut-hex. slotted-1/2"-20
1 353992-S	Washer-flat-3/8"
2 374706-S	Bolt-hex.hd.-3/8"-16 x 1 1/2"
2 375474-S8	Nut-rivet type-3/8"-16
1 377604-S8	Bolt-hex.hd.-3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex.-3/8"-16
1	Sketch-installation

C5ZZ 3A634-C	Consists of the following
1 C4DA 3A035-B	Sleeve & end-spindle arm-R.H.
1 C4ZA 3B161-C	Sleeve & end-spindle arm-L.H.
1 C5DA 3B164-B	Valve & link assy.-control
1 C5ZZ 3305-B	Rod-pitman to idler arm
2 C1AA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-insulator-outer
1 C4DZ 3352-B	Arm & bushing assy.-steering idler
1 C3AA 3C528-A	Boot-power cylinder
1 C3DZ 3A540-B	Cylinder & ball stud assy.
1 C4DZ 3590-A	Arm-steering gear pitman
1 C3DA 3A594-B	Spring-control valve spool
1 AJ 3652-A	Spacer-piston rod insulator
1 C5ZZ 3A652-A	Bracket-cyl. mounting
1 C5ZZ 3A706-B	Stop-steering arm-R.H.
1 C5ZZ 3A707-B	Stop-steering arm-L.H.
1 C3DZ 3A714-A	Hose-control valve cyl. head
1 C3DZ 3A717-A	Hose-control valve cyl. end
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33800-S8	Nut-light hex.-3/8"-24
1 33925-S8	Nut-hex.-3/8"-24
2 34030-S	Nut-slotted-3/8"-24
3 34782-S	Washer-lock-3/8"
1 45218-S8	Nut-hex. stamped-3/8"-24
4 72016-S	Pin-cotter-3/32" x 3/4"
2 72026-S	Pin-cotter-1/8" x 7/8"
2 72035-S	Pin-cotter-1/8" x 1.00"
1 300905-S8	Bolt-hex.-3/8"-24 x 3 1/2"
2 351059-S8	Nut-hex. slotted-1/2"-20
1 353992-S	Washer-flat-3/8"
2 374706-S	Bolt-3/8"-16 x 1 1/2"
2 375361-S7	Nut-hex. lock-3/8"-24
2 375474-S8	Nut-rivet type-3/8"-16
1 377604-S8	Bolt-hex.hd.-3/8" x 1 1/2"
1 377605-S8	Nut-hex.-3/8"-16
2 378593-S	Bolt-hex.hd.-3/8"-24 x 2 5/16"
1	Sketch-installation

C5ZZ 3A634-D	Consists of the following
1 C5DA 3B161-A	Sleeve & end assy.
1 C5ZZ 3B164-A	Valve & link assy.
2 C1AA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-insulator outer
1 C5ZZ 3352-B	Arm & bush. assy.-idler
1 C3AA 3C528-A	Boot-cyl.piston rod
1 C3DZ 3A540-B	Cyl. & ball stud assy.
1 C3DA 3A594-B	Spring-control valve spool
1 AJ 3652-A	Spacer-insulator
1 C5ZZ 3A652-A	Bracket-cyl. mounting
1 C3DZ 3A714-A	Hose-control valve cyl. head
1 C3DZ 3A717-A	Hose-control valve cyl. end
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33800-S8	Nut-light hex.-3/8"-24
1 33925-S8	Nut-light hex.jam-3/8"-24
3 34782-S	Washer-lock-3/8"
1 45218-S8	Nut-stamped-3/8"-24
1 45300-S8	Nut-slotted hex.-7/16"-20
3 72016-S	Pin-3/32" x 3/4"
2 72026-S	Pin-cotter-1/8" x 7/8"
2 72035-S	Pin-cotter-1/8" x 1.00"
1 300905-S8	Bolt-hex.hd.-3/8"-24 x 3 1/2"
1 353992-S	Washer-flat-3/8"
2 374706-S	Bolt-hex.hd.-3/8"-16 x 1 1/2"
2 375474-S8	Nut-rivet type-3/8"-16
1 377604-S8	Bolt-hex.hd.-3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex.-3/8"-16
1	Sketch-installation

C5ZZ 3A634-F	Consists of the following
1 C4DA 3A035-B	Sleeve & end assy.-spindle arm-R.H.
1 C4ZA 3B161-C	Sleeve & end assy.-spindle arm-L.H.
1 C5DA 3B164-D	Valve & link assy.-control
1 C5ZZ 3304-B	Rod-pitman to idler
2 C6OA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-insulator-outer
1 C4DZ 3352-B	Arm & bush. assy.-idler
1 C3AA 3C528-A	Boot-power cyl.
1 C3DZ 3A540-B	Cyl. & ball stud assy.
1 C4DZ 3590-A	Arm-pitman
1 C3DA 3A594-B	Spring-control valve spool
1 AJ 3652-A	Spacer-piston rod insulator
1 C6ZZ 3A652-A	Bracket-cyl. mounting
1 C5DZ 3A706-A	Stop-steering arm-R.H.
1 C5DZ 3A707-A	Stop-steering arm-L.H.
1 C5DZ 3A714-A	Hose-control valve cyl. head
1 C5DZ 3A717-A	Hose-control valve cyl. end
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33925-S8	Nut-hex.-3/8"-24
2 34030-S	Nut-slotted-3/8"-24
2 34782-S	Washer-lock-3/8"
1 45218-S8	Nut-hex.stamped-3/8"-24
1 55769-S7	Nut-hex.-3/8"-24
4 72016-S	Pin-cotter-3/32" x 3/4"
2 72026-S	Pin-cotter-1/8" x 7/8"
2 72035-S	Pin-cotter-1/8" x 1.00"
1 351059-S8	Nut-slotted hex.-1/2"-20
2 354869-S	Bolt-hex.hd.-3/8"-16 x 2.00"
1 374420-S	Bolt-hex.hd.-3/8"-24 x 3 5/8"
2 374706-S	Bolt-3/8"-16 x 1 1/2"
2 375374-S8	Nut-hex. lock-3/8"-16
2 375474-S8	Nut-rivet type-3/8"-16
1 377604-S8	Bolt-hex.head-3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex.-3/8"-16
1 378544-S	Washer-flat-3/8"
1	Sketch-installation

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

POWER STEERING KIT PARTS LISTS continued

C5ZZ 3A634-G	Consists of the following
1 C5DA 3B161-A	Sleeve & end-spindle conn. -L.H.
2 C6OA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-piston rod insulator-outer
1 C5ZZ 3352-B	Arm & bushing-steering idler
1 C3AA 3C528-A	Boot-cyl. piston rod
1 C3DZ 3A540-B	Cylinder & ball stud assy.
1 C3DA 3A594-B	Spring-control valve spool
1 AJ 3652-A	Spacer-piston rod insulator
1 C6ZZ 3A652-A	Bracket-cyl. mounting
1 C3DZ 3A714-A	Hose assy. -control valve cyl. head
1 C3DZ 3A717-A	Hose assy. -control valve cyl. end
1 C5ZZ 3A730-B	Valve & link assy. -control
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33925-S8	Nut-light hex. jam-3/8"-24
2 34782-S	Washer-lock-3/8"
1 45218-S8	Nut-stamped-3/8"-24
1 45300-S8	Nut-hex. slotted-7/16"-20
1 55769-S7	Nut-hex. -3/8"-24
3 72016-S	Pin-3/32" x 3/4"
2 72026-S	Pin-cotter-1/8" x 7/8"
2 72035-S	Pin-cotter-1/8" x 1.00"
1 374420-S	Bolt-hex. hd. -3/8"-24 x 3 5/8"
2 374706-S	Bolt-hex. hd. -3/8"-16 x 1 1/2"
2 375474-S8	Nut-rivet type-3/8"-16
1 377604-S8	Bolt-hex. hd. -3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex. -3/8"-16
1 478544-S	Washer-flat-3/8"
1	Sketch-installation

C6OZ 3A634-A	Consists of the following
1 C6OZ 3304-A	Rod assy. -pitman to idler
2 C6OA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-piston rod insulator outer
1 C6OZ 3350-A	Arm & brkt. assy. -idler
1 C3AA 3C528-A	Boot-power cyl.
1 C6OZ 3A540-A	Cyl. & ball stud assy.
1 C6OZ 3590-B	Arm-steering gear pitman
1 C3DA 3A594-B	Spring-control valve spool
1 AJ 3652-A	Spacer-piston rod insulator
1 C6OZ 3A652-A	Bracket-cyl. mounting
1 C6OZ 3A714-A	Hose-control valve cyl. head
1 C6OZ 3A717-A	Hose-control valve cyl. end
1 C6OZ 3A730-A	Valve assy. -control
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33925-S8	Nut-hex. -3/8"-24
1 33985-S8	Nut-hex. hd. -slotted-9/16"-18
1 34443-S7	Nut-hex. lock-5/16"-24
1 34692-S	Nut-lock-3/4"-16
2 34782-S	Washer-lock-3/8"
1 34813-S8	Washer-lock-3/4"
1 45218-S8	Nut-hex. stamped-3/8"-24
3 55769-S7	Nut-hex. -3/8"-24
4 72025-S	Pin-cotter-3/32" x 7/8"
2 72026-S	Pin-cotter-1/8" x 7/8"
1 72035-S	Pin-1/8" x 1.00"
1 304740-S	Bolt-hex. hd. -5/16"-24 x 1 3/8"
1 305033-S	Pin-1/8" x 5/8"
1 351059-S8	Nut-slotted hex. -1/2"-20
1 374420-S	Bolt-hex. hd. -3/8"-24 x 3 5/8"
2 374706-S	Bolt-3/8"-16 x 1 1/2"
2 375474-S8	Nut-rivet type-3/8"-16
1 377112-S	Washer-flat-3/8"
1 377604-S8	Bolt-hex. hd. -3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex. -3/8"-16
4 377861-S43	Nut-slotted hex. -7/16"-20
1 379297-S	Washer-flat-9/16"
1	Sketch-installation

C7OZ 3A634-A	Consists of the following
1 C7OZ 3304-A	Rod assy. -pitman to idler
2 C7OA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-insulator-outer
1 C7OZ 3350-B	Arm & brkt. assy. -idler
1 C3AA 3C528-A	Boot-power cylinder
1 C6OZ 3A540-B	Cyl. & ball stud assy.
1 C6OZ 3590-B	Arm-steering gear pitman
1 C3DA 3A594-B	Spring-control valve spool
1 AJ 3652-A	Spacer-piston rod insulator
1 C6OZ 3A652-A	Bracket-cyl. mounting
1 C6OZ 3A714-A	Hose-control valve cyl. head
1 C6OZ 3A717-A	Hose-control valve cyl. end
1 C6OZ 3A730-A	Valve assy. -control
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33925-S8	Nut-hex. -3/8"-24
1 33985-S8	Nut-slotted hex. hd. -9/16"-18
1 34443-S7	Nut-hex. lock-5/16"-24
1 34692-S	Nut-lock-3/4"-16
2 34782-S	Washer-lock-3/8"
1 34813-S8	Washer-lock-3/4"
1 45218-S8	Nut-hex. -3/8"-24
3 55769-S7	Nut-hex. -3/8"-24
4 72025-S	Pin-cotter-3/32" x 7/8"
2 72026-S	Pin-cotter-1/8" x 7/8"
1 72035-S	Pin-1/8" x 1.00"
1 304740-S	Bolt-hex. hd. -5/16"-24 x 1 3/8"
1 305033-S	Pin-1/8" x 5/8"
1 351059-S8	Nut-slotted hex. -1/2"-20
1 374420-S	Bolt-hex. -3/8"-24 x 3 5/8"
2 374706-S	Bolt-3/8"-16 x 1 1/2"
2 375474-S8	Nut-rivet type-3/8"-16
1 377112-S	Washer-flat-3/8"
1 377604-S8	Bolt-hex. hd. -3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex. -3/8"-16
4 377861-S43	Nut-slotted-7/16"-20
1 379297-S	Washer-flat-9/16"
1	Sketch-installation

C7ZZ 3A634-A	Consists of the following
1 C7ZZ 3304-B	Rod assy. -pitman to idler
2 C7OA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-insulator-outer
1 C7ZZ 3350-A	Arm & brkt. assy. -idler
1 C3AA 3C528-A	Boot-power cyl.
1 C7ZZ 3A540-A	Cyl. & ball stud assy.
1 C5ZZ 3590-A	Arm-steering gear pitman
1 C3DA 3A594-B	Spring-control valve spool
1 AJ 3652-A	Spacer-piston rod insulator
1 C7ZZ 3A652-A	Bracket-cyl. mounting
1 C6OZ 3A714-A	Hose-control valve cyl. head
1 C6OZ 3A717-A	Hose-control valve cyl. end
1 C6OZ 3A730-B	Valve-hyd. control
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33925-S8	Nut-hex. -3/8"-24
1 34443-S7	Nut-hex. lock-5/16"-24
2 34722-S	Washer-lock-3/8"
1 45218-S8	Nut-hex. stamped-3/8"-24
1 55769-S7	Nut-lock-hex. -3/8"-24
2 72025-S	Pin-cotter-3/32" x 7/8"
2 72026-S	Pin-cotter-1/8" x 7/8"
1 72035-S	Pin-cotter-1/8" x 1.00"
1 304740-S	Bolt-hex. hd. -5/16"-24 x 1 3/8"
1 305033-S	Pin-1/8" x 5/8"
1 374420-S	Bolt-hex. hd. -3/8"-24 x 3 5/8"
2 374706-S	Bolt-3/8"-16 x 1 1/2"
2 375474-S8	Nut-rivet type-3/8"-16
1 377604-S8	Bolt-hex. hd. -3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex. -3/8"-16
1 378544-S	Washer-flat-3/8"
1	Sketch-installation

POWER STEERING KIT PARTS LISTS continued

C7ZZ 3A634-B	Consists of the following
1 C7ZZ 3304-B	Rod-pitman to idler
2 C7OA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-piston rod
1 C7ZZ 3350-A	Arm-idler
1 C3AA 3C528-A	Boot-power cylinder
1 C7ZZ 3A540-A	Cylinder and stud
1 C7ZZ 3590-C	Arm-pitman
1 C3DA 3A594-B	Spring-valve spool
1 AJ 3652-A	Spacer-insulator
1 C7ZA 3A652-A	Bracket-cylinder mounting
1 C6OZ 3A714-A	Hose-pressure
1 C6OZ 3A717-A	Hose-valve
1 C6CZ 3A730-B	Valve-control
1 C3AZ 3C755-A	Clamp-rod boot
1 33925-S8	Nut-3/8"-24
1 34443-S7	Nut-5/16"-24
2 34782-S	Washer-locking-3/8"
1 45218-S8	Nut-3/8"-24
1 55769-S7	Nut-3/8"-24
1 72025-S	Pin-3/32" x 7/8"
2 72026-S	Pin-1/8" x 7/8"
1 72035-S	Pin-1/8" x 1.00"
1 304759-S2	Bolt-5/16"-24 x 1 1/2"
1 305039-S	Pin-1/8" x 5/8"
1 374420-S	Bolt-3/8"-24 x 3 5/8"
2 374706-S	Bolt-3/8"-16 x 1 1/2"
2 375474-S8	Nut-3/8"-16
1 377604-S8	Bolt-3/8"-16 x 1 1/2"
1 377605-S8	Nut-3/8"-16
1 No. 2830	Sketch-installation

C8OZ 3A634-A	Consists of the following
1 C7OZ 3304-A	Rod assy.-Pitman to idler
2 C7OA 3A344-A	Insulator-piston rod
2 C5AA 3A345-A	Washer-insulator-outer
1 C7OZ 3350-B	Arm & bracket assy.-idler
1 C3AA 3C528-A	Boot-power cyl.
1 C6CZ 3A540-B	Cyl. & ball stud assy.
1 C6OZ 3590-B	Arm-steering gear pitman
1 AJ 3652-A	Spacer-piston rod insulator
1 C6OZ 3A652-A	Bracket-cyl. mounting
1 C6CZ 3A714-A	Hose assy.-valve cyl. head
1 C6OZ 3A717-A	Hose assy.-valve cyl. end
1 C8OZ 3A730-A	Valve assy.-gear hyd.
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33925-S8	Nut-hex.-3/8"-24
1 33985-S4	Nut-hex. slotted-9/16"-18
2 34782-S2	Washer-lock-3/8"
1 45218-S8	Nut-hex. stamped-3/8"-24
2 72025-S	Pin-cotter-3/32" x 7/8"
1 72026-S	Pin-cotter-1/8" x 7/8"
1 72035-S	Pin-1/8" x 1.00"
1 72044-S	Pin-cotter-1/8" x 1 1/8"
1 305039-S	Pin-1/8" x 5/8"
1 351819-S	Clamp-power steering hose
2 374706-S	Bolt-hex.hd.-3/8"-16 x 1 1/2"
2 375474-S8	Nut-rivet type-3/8"-16
1 377112-S2	Washer-flat-3/8"
1 377604-S8	Bolt-hex.hd.-3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex.-3/8"-16
1 382634-S100	Nut-hex.lock-5/16"-18
1 383400-S100	Bolt-hex.hd.-5/16"-18 x 1 1/2"
1 383402-S	Bolt-hex.hd.-3/8"-16 x 3 5/8"
1 383406-S	Nut-hex.lock-3/8"-16
1	Sketch-installation

C8ZZ 3A634-A	Consists of the following
1 C7ZZ 3304-B	Rod assy.-pitman to idler
2 C7OA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-insulator-outer
1 C7ZZ 3350-A	Arm & brkt. assy.-steering idler
1 C3AA 3C528-A	Boot-power cyl.
1 C7ZZ 3A540-A	Cyl. & ball stud assy.
1 C7ZZ 3590-C	Arm-pitman
1 AJ 3652-A	Spacer-insulator
1 C7ZZ 3A652-A	Bracket-cyl. mounting
1 C6OZ 3A714-A	Hose-control valve cyl. head
1 C6OZ 3A717-A	Hose-control valve cyl. end
1 C8OZ 3A730-A	Valve-hyd. control
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33925-S8	Nut-hex.-3/8"-24
1 34443-S7	Nut-hex.lock-5/16"-24
2 34782-S	Washer-lock-3/8"
1 45218-S8	Nut-hex. stamped-3/8"-24
1 55769-S7	Nut-lock-hex.-3/8"-24
2 72025-S	Pin-cotter-3/32" x 7/8"
1 72026-S	Pin-cotter-1/8" x 7/8"
2 72035-S	Pin-cotter-1/8" x 1.00"
1 304759-S2	Bolt-hex.hd.-5/16"-24 x 1 1/2"
1 305039-S	Pin-1/8" x 5/8"
1 374420-S	Bolt-hex.hd.-3/8"-24 x 3 5/8"
2 374706-S	Bolt-3/8"-16 x 1 1/2"
2 375474-S8	Nut-rivet type-3/8"-16
1 377604-S8	Bolt-hex.hd.-3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex.-3/8"-16
1 378544-S	Washer-flat-3/8"
1	Sketch-installation

C8ZZ 3A634-B	Consists of the following
2 C7OA 3A344-A	Insulator-piston rod
2 C3AA 3A345-A	Washer-insulator-outer
1 C7ZZ 3350-A	Arm & bracket-steering idler
1 C9ZZ 3304-B	Rod assy.-pitman to idler arm
1 C3AA 3C528-A	Boot-power cylinder
1 C7ZZ 3A540-A	Cylinder & ball stud assy.
1 C7ZZ 3590-C	Arm-steering gear pitman
1 AJ 3652-A	Spacer-piston rod insulator
1 C7ZZ 3A652-A	Bracket-cyl. mounting
1 C6OZ 3A714-A	Hose assy.-control valve cyl. head
1 C6OZ 3A717-A	Hose assy.-control valve cyl. end
1 C8OZ 3A730-A	Valve assy.-gear hyd. control
1 C3AZ 3C755-A	Clamp-cyl. piston rod boot
1 33925-S8	Nut-hex.-3/8"-24
1 33985-S4	Nut-hex.slotted-9/16"-18
2 34782-S2	Washer-lock-3/8"
1 45218-S8	Nut-hex.stamped-3/8"-24
2 72025-S	Pin-cotter-3/32" x 7/8"
1 72026-S	Pin-cotter-1/8" x 7/8"
1 72035-S	Pin-cotter-1/8" x 1.00"
1 72044-S	Pin-cotter-1/8" x 1 1/8"
1 305039-S	Pin-1/8" x 5/8"
1 351819-S	Clamp-hose
2 374706-S	Bolt-3/8"-16 x 1 1/2"
2 376474-S8	Nut-rivet type-3/8"-16
1 377604-S8	Bolt-hex.hd.-3/8"-16 x 1 1/2"
1 377605-S8	Nut-hex.-3/8"-16
1 378544-S2	Washer-flat-3/8"
1 382634-S100	Nut-hex.lock-5/16"-18
1 383400-S100	Bolt-hex.hd.-5/16"-18 x 1 1/2"
1 383402-S	Bolt-hex.hd.-3/8"-16 x 3 5/8"
1 383406-S	Nut-hex.lock-3/8"-16
1	Sketch-installation

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

POWER STEERING KIT PARTS LISTS - continued

D0OZ 3A634-A		Consists of the following
1	D0OZ 3304-B	Rod assy. -Pitman to idler
2	C7OA 3A344-A	Insulator-piston rod
2	C3AA 3A345-A	Washer-insulator-outer
1	D0OZ 3350-B	Arm & bracket assy. -idler
1	C3AA 3C528-A	Boot-power cylinder
1	D0OZ 3A540-A	Cylinder & ball stud assy.
1	D0OZ 3590-A	Arm-steering gear pitman
1	AJ 3652-A	Spacer-piston rod insulator
1	D0OZ 3A652-A	Bracket-cylinder mounting
1	C6OZ 3A714-A	Hose assy. -valve cylinder head
1	C6OZ 3A717-A	Hose assy. -valve cylinder end
1	C8OZ 3A730-A	Valve assy. -gear hyd.
1	C3AZ 3C755-A	Clamp-cylinder piston rod boot
1	33925-S8	Nut-hex. -3/8"-24
1	33985-S4	Nut-hex. slotted-9/16"-18
2	34782-S2	Washer-lock-3/8"
1	45218-S8	Nut-hex. stamped-3/8"-24
2	72025-S	Pin-cotter-3/32" x 7/8"
1	72026-S	Pin-cotter-1/8" x 7/8"
1	72035-S	Pin-1/8" x 1.00"
1	72044-S	Pin-cotter-1/8" x 1 1/8"
1	305039-S	Pin-1/8" x 5/8"
1	351819-S	Clamp-power steering hose
2	374706-S	Bolt-hex. head-3/8"-16 x 1 1/2"
2	375474-S8	Nut-rivet type-3/8"-16
1	377112-S2	Washer-flat-3/8"
1	377604-S8	Bolt-hex. head-3/8"-16 x 1 1/2"
1	377605-S8	Nut-hex. -3/8"-16
1	382634-S100	Nut-hex. lock-5/16"-18
1	383400-S100	Bolt-hex. head-5/16"-18 x 1 1/2"
1	383496-S100	Bolt-3/8"-16 x 3 5/8"
1	383406-S	Nut-hex. lock-3/8"-16
1		Sketch-installation

D0ZZ 3A634-A		Consists of the following
1	D0ZZ 3304-B	Rod assy. -pitman to idler
2	C7OA 3A344-A	Insulator-piston rod
2	C3AA 3A345-A	Washer-insulator-outer
1	C7ZZ 3350-B	Arm & bracket-steering idler
1	C3AA 3C528-A	Boot-power cylinder
1	C7ZZ 3590-C	Arm-steering gear pitman
1	C7ZZ 3A540-A	Cylinder & ball stud assy.
1	AJ 3652-A	Spacer-piston rod insulator
1	C7ZZ 3A652-A	Bracket-cylinder mounting
1	C6OZ 3A714-A	Hose assy. -control valve cylinder head
1	C6OZ 3A717-A	Hose assy. -control valve cylinder end
1	C8OZ 3A730-A	Valve assy. -gear hyd. control
1	C3AZ 3C755-A	Clamp-cylinder piston rod boot
1	33925-S8	Nut-hex. -3/8"-24
1	33985-S4	Nut-hex. slotted-9/16"-18
2	34782-S2	Washer-lock-3/8"
1	45218-S8	Nut-hex. stamped-3/8"-24
2	72025-S	Pin-cotter-3/32" x 7/8"
2	72035-S	Pin-cotter-1/8" x 1.00"
1	305039-S	Pin-1/8" x 5/8"
1	351819-S	Clamp-hose
2	374706-S	Bolt-3/8"-16 x 1 1/2"
2	376474-S8	Nut-rivet type-3/8"-16
1	377604-S8	Bolt-hex. head-3/8"-16 x 1 1/2"
1	377605-S8	Nut-hex. -3/8"-16
1	378544-S2	Washer-flat-3/8"
1	382634-S100	Nut-hex. lock-5/16"-18
1	383400-S100	Bolt-hex. head-5/16"-18 x 1 1/2"
1	383496-S100	Bolt-hex. head-3/8"-16 x 3 5/8"
1	383406-S	Nut-hex. lock-3/8"-16
1		Sketch-installation

D1DZ 3A364-A		Consists of the following
1	D0DZ 3304-B	Rod assy.-pitman to idler arm
2	C7OA 3A344-A	Insulator-piston rod
2	C3AA 3A345-A	Washer-insulator-outer
1	C3AA 3C528-A	Boot-cylinder
1	D0OZ 3A540-A	Cylinder assy.-power steering
1	C9DZ 3590-A	Arm-pitman
1	AJ 3652-A	Spacer-piston rod insulator
1	D0DZ 3A652-A	Bracket-cyl.mounting
1	C6OZ 3A714-A	Hose assy.-valve cyl.-head
1	C6OZ 3A717-A	Hose assy.-valve cyl.end
1	C8OZ 3A730-A	Valve assy.-P/S gear hyd. control
1	C3AZ 3C755-A	Clamp-piston rod boot
1	33925-S8	Nut-3/8"-24 hex.hd.
1	33985-S2	Nut-9/16"-18-hex.hd.-cylinder to rod (3304)
1	34443-S7	Nut-5/16"-24 hex.lock
2	34782-S2	Washer-3/8"-lock
1	45218-S8	Nut-3/8"-24 hex.hd.-3A730 to bracket (3A652)
5	72035-S	Pin-1/8" x 1"-cotter
1	304759-S2	Bolt-5/16"-24 x 1 1/2" hex.hd.-valve (3A730) to rod (3304)
1	305039-S	Pin-1/8" x 5/8"-spring
1	351819-S	Clamp-hose (3A713) to (3A730)
2	374706-S2	Bolt-3/8"-16 x 1 1/2"-hex.hd.-bracket (3A652) to underbody
2	375474-S100	Nut-3/8"-16-rivet type
1	377604-S8	Bolt-3/8"-16 x 1 1/2"-hex.hd.
1	377605-S8	Nut-3/8"-16 hex.hd.
1	378544-S2	Washer-3/8"-flat
1	383406-S100	Nut-3/8"-16 hex.lock
1	383496-S100	Bolt-3/8"-16 x 3 5/8" hex.hd.-bracket (3A652) to underbody
1		Installation sketch

D1OZ 3A634-A		Consists of the following
1	D0OZ 3304-B	Rod assy.-pitman to idler arm
2	C7OA 3A344-A	Insulator-piston rod
1	C3AA 3A345-A	Washer-rod insulator-outer
1	D0OZ 3350-B	Arm & bracket assy.-idler
1	C3AA 3C528-A	Boot-cylinder
1	D0OZ 3A540-A	Cylinder-power steering
1	D0OZ 3590-A	Arm-pitman
1	AJ 3652-A	Spacer-piston rod insulator
1	D0OZ 3A652-A	Bracket-cyl.mounting
1	C6OZ 3A714-A	Hose assy.-valve cyl.head
1	C6OZ 3A717-A	Hose assy.-valve cyl.end
1	C8OZ 3A730-A	Valve assy.-P/S gear hyd.control
1	C3AZ 3C755-A	Clamp-cyl.piston rod boot
1	33925-S8	Nut-3/8"-24
1	33985-S2	Nut-9/16"-18 hex.-(3A730) to rod assy.(3304)
1	34443-S7	Nut-5/16"-24 hex.lock
2	34782-S2	Washer-3/8" lock
1	45218-S8	Nut-3/8"-24 hex.hd.
5	72035-S	Pin-1/8" x 1"-cotter
1	304759-S2	Bolt-5/16"-24 x 1 1/2"-hex.hd.-valve (3A730) to rod assy.(3304)
1	305039-S	Pin-1/8"x 5/8"-spring
1	351819-S	Clamp-hose
2	374706-S2	Bolt-3/8"-16 x 1 1/2"hex. hd.
2	375474-S100	Nut-3/8"-16-rivet type
1	377604-S8	Bolt-3/8"-16 x 1 1/2" hex.hd.
1	377605-S8	Nut-3/8"-16 hex.hd.
2	378544-S2	Washer-3/8"-flat
1	383496-S100	Bolt-3/8"-16 x 3 5/8"-hex.hd. -mounting bracket (3A652) to underbody
1		Installation sketch

POWER STEERING KIT PARTS LISTS - continued

D2DZ	3A634-A	Consists of the following
1	D0DZ 3304-B	Rod assy.-pitman to idler arm
2	C7OA 3A344-A	Insulator-piston rod
2	C3AA 3A345-A	Washer-piston rod insulator-outer
1	C3AA 3C528-A	Boot-power steering cylinder
1	D0OZ 3A540-A	Cylinder assy.-power steering
1	C9DZ 3590-A	Arm-pitman
1	C3DA 3A594-B	Spring-control valve spool
1	AJ 3652-A	Spacer-piston rod insulator
1	D0DZ 3A652-A	Bracket-cyl. mounting
1	C6OZ 3A714-A	Hose assy.-control valve cyl. end
1	C6OZ 3A717-A	Hose assy.-control valve cyl.-hd.
1	C8OZ 3A730-A	Valve assy.-steering gear hyd. control
1	C3AA 3C755-A	Clamp-cyl. piston rod boot
1	33799-S2	Nut-3/8"-16 hex.
1	33925-S8	Nut-3/8" -24 hex jam
1	33985-S2	Nut-9/16" -18-hex slotted
1	34443-S7	Nut-5/16" -24 hex lock
2	34782-S2	Washer-3/8" lock
1	45218-S8M	Nut-3/8" -24 hex
5	72035-S	Pin-1/8" x 1" cotter
1	304759-S2	Bolt-5/16" -24 x 1 1/2" hex hd.
1	304760-S2	Bolt-3/8"-16 x 1 1/2" hex. hd.
1	305039-S	Pin-1/8" x 5/8" spring
1	351819-S	Clamp-hose
2	374706-S2	Bolt-3/8" -16 x 1 1/2" hex hd.
2	375474-S100	Nut-3/8" -16 rivet type
1	378544-S2	Washer-3/8" flat
1	383406-S100	Nut-3/8" -16 hex lock
1	383496-S100	Bolt-3/8" -16 x 3 5/8" hex hd.
1		Installation sketch

D3DZ	3A634-A	Consists of the following
1	D3DZ 3304-B	Rod assy.-pitman to idler arm
2	C7OA 3A344-A	Insulator-piston rod
2	C3AA 3A345-A	Washer-cyl. insulator
1	C3AA 3C528-A	Boot-cyl.
1	D0OZ 3A540-A	Cylinder assy.
1	C9DZ 3590-A	Arm-steering gear-pitman
1	C3DA 3A594-B	Spring-control valve spool
1	AJ 3652-A	Spacer-cyl. insulator
1	D0DZ 3A652-A	Bracket-cyl. mounting
1	C6OZ 3A714-A	Hose assy.-control valve cyl. hd.
1	C6OZ 3A717-A	Hose assy.-control valve cyl. end
1	C8OZ 3A730-A	Valve assy.-hydraulic control
1	C3AA 3C755-A	Clamp-cyl. piston rod boot
1	33799-S36	Nut-3/8"-16
1	33925-S8	Nut-3/8"-14
1	34443-S7	Nut-lock-5/16"-24
2	34782-S2	Washer-lock-3/8"
1	45218-S8M	Nut-3/8"-24
2	58636-S2	Bolt-3/8"-16 x 1 1/2"
5	72044-S100	Pin-cotter-1/8" x 1 1/8"
1	304759-S2	Bolt-5/16"-24 x 1 1/2"
1	304760-S36	Bolt-3/8"-16 x 1 1/2"
1	305039-S	Pin-spring-1/8" x 5/8"
1	351819-S	Clamp-hose
2	375474-S100	Nut-rivet type-3/8"-16
1	378544-S2	Washer-flat-3/8"
1	383406-S100	Nut-lock-3/8"-16
1	383496-S100	Bolt-3/8"-16 x 3 5/8"
2	386034-S100	Nut-9/16"-18
1		Installation sketch

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

C4DZ 3A635-D		Consists of the following
1	C3OZ 3C511-A	Support-pump
1	C2OZ 3A609-A	Insulator-hose
1	C3DZ 3A610-A	Retainer-hose insulator
1	C3DZ 3A611-B	Bracket-hose insulator
1	C2OZ 3C682-A	Bracket-pump support
1	C3OZ 3C682-A	Bracket-pump support
1	C4DZ 3A691-B	Pump-reservoir & pulley assy.
1	C3DZ 3A706-A	Stop-steering arm-R.H.
1	C3DZ 3A707-A	Stop-steering arm-L.H.
1	C3DZ 3A713-A	Hose assy.-return line
1	C3DZ 3A719-A	Hose assy.-pressure line
1	C3DZ 3C750-A	Clamp assy.
1	C2OZ 6023-B	Pointer-timing
2	C2OE 6B089-A	Spacer-timing pointer
1	C2DZ 6A312-A	Pulley-vibration damper
1	C3DZ 8509-A	Pulley-water pump
1	C1DD 8600-D	Blade assy.-fan
1	B8A 8620-C	Belt-drive V-15/32" x 44 1/2"
1	C3DZ 9737-A	Spring-accelerator retract
1	C3OA 9B756-B	Valve & bracket-idle speed up
1	C3OZ 9B758-B	Valve assy.-idle speed up
1	C3DZ 9B864-A	Lever-idle speed up
4	20387-S8	Bolt-hex.hd.-5/16"-24 x 1.00"
1	20449-S8	Bolt-hex.hd.-3/8"-24 x 1 3/8"
1	34656-S	Nut & washer assy.-No.10-32
4	34805-S8	Washer-lock-1/4"
1	34806-S8	Washer-lock-5/16"
1	34807-S8	Washer-lock-3/8"
4	34826-S8	Washer-lock-5/16"
1	40923-S8	Screw-hex.hd.tap.-5/16"-18 x 1/2"
1	54643-S	Screw-mach.hex.hd.-No.10-32 x 7/16"
Δ1	97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1	97237-S8	Clamp-hose-5/8" dia.-solid
2	300860-S	Bolt-1/4"-20 x 1 7/8"
2	300876-S8	Bolt-hex.hd.-1/4"-20 x 2 1/2"
1	304803-S8	Bolt-hex.hd.-9/16"-18 x 1 3/4"
1	304828-S8	Bolt-hex.hd.-5/16"-18 x 2.00"
3	352981-S8	Washer-flat-3/8"
1	357655-S	Clip-1/4" to 1/4" diameter
3	359080-S8	Screw & washer-3/8"-16 x 7/8"
1	359083-S8	Screw & washer-hex.hd.-3/8"-16 x 1 1/8"
1	376025-S	Screw & washer-hex.hd.-3/8"-16 x 1.00"
1	376409-S8	Screw & washer-hex.hd.-5/16"-18 x 7/8"
1		Sketch-installation

C5AZ 3A635-A		Consists of the following
1	C5AZ 3504-A	Gear assy.
1	C5AZ 3A525-B	Coupling
1	C5AZ 3590-B	Arm-pitman
1	C5AZ 3A691-D	Pump & pulley assy.
1	C5AA 3A713-A	Hose assy.-return line
1	C5AZ 3A719-B	Hose assy.-pressure line
1	C5AZ 3A732-B	Bracket-adj.
1	C3AZ 3A762-A	Clamp assy.-hose
1	C5AZ 6312-C	Pulley-crankshaft
1	C2OZ 8620-B	Belt-pump-1/2" x 45 3/4"
5	42996-S8	Bolt-self-lock.-3/8"-16 x 3/4"
3	42997-S8	Bolt-lock.-3/8"-16 x 7/8"
2	55672-S8	Nut-5/16"-24
1	72026-S	Pin-cotter-1/8" x 7/8"
Δ1	97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1	97237-S8	Clamp-hose-5/8" dia.-solid
2	353497-S8	Washer-flat-3/8"
1	379930-S2	Nut-hex.washer lock-5/16"-18
1		Sketch-installation

C5AZ 3A635-B		Consists of the following	
◊1	C5AZ 3504-C	Gear assy. (Saginaw)	#
◊1	C5AZ 3504-A	Gear assy.	⊕
1	C5AZ 3A525-B	Coupling	⊕
♦1	C5AZ 3590-B	Arm-steering pitman	⊕
♦1	C5AZ 3590-C	Arm-steering pitman	#
1	C5AA 3A713-C	Hose assy.-return line	
‡1	C5AA 3A719-J	Hose-pressure line	⊖
‡1	C5AZ 3A719-F	Hose-pressure line	#
☆1	C5AZ 3A674-A	Pump assy.	⊕
☆1	C5AZ 3A674-B	Pump assy.	#
†1	C5AZ 3A732-A	Bracket-pump mounting	
†1	C6OA 3A732-A	Bracket-pump mounting	
1	C5AZ 3A733-C	Pulley assy.-pump	
1	C3AZ 3A762-A	Clamp-hose	
1	C1AZ 6A312-D	Pulley-crankshaft	
1	C6AZ 8620-B	Belt-pump-1/2" x 46.00"	
2	55672-S8	Nut-5/16"-24	
2	55768-S2	Nut-hex. lock-3/8"-16	
1	72026-S	Pin-cotter-1/8" x 7/8"	
Δ1	97201-S8	Clamp-hose-5/8" dia.-slotted	
Δ1	97237-S8	Clamp-hose-5/8" dia.-solid	
5	370608-S2	Screw-hex.hd.lock.-3/8"-16 x 3/4"	
2	371983-S8	Washer-flat-3/8"	
2	377278-S8	Stud-3/8"-16 x 2.00"	
3	378604-S8	Screw & washer assy.-3/8"-16 x 3/4"	
1	378702-S8	Washer-flat-3/8"	
Δ1	379278-S8	Clamp-hose	
1	379930-S2	Nut-hex.washer lock-5/16"-18	
1		Sketch-installation	

C5AZ 3A635-F		Consists of the following
1	C5AZ 3A733-H	Pulley assy.-pump
1	C5AZ 8620-D	Belt-drive-pump
Δ1	97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1	97237-S8	Clamp-hose-5/8" dia.-solid
1		Sketch-installation

C5AZ 3A635-G		Consists of the following	
♦1	C5AZ 3390-B	Arm-pitman	⊖
♦1	C5AZ 3390-C	Arm-pitman	#
†1	C5AZ 3504-A	Gear assy.	⊕
†1	C5AZ 3504-C	Gear assy. (Saginaw)	#
‡1	C5AZ 3A525-B	Coupling	⊕
‡1	C5AZ 3A525-D	Coupling	#
☆1	C5AZ 3A674-A	Pump assy.	⊕
☆1	C5AZ 3A674-B	Pump assy.	#
1	C5AA 3A713-A	Hose assy.-return line	
◊1	C5AZ 3A719-B	Hose assy.-pressure line	⊕
◊1	C5AZ 3A719-D	Hose assy.-pressure line	#
1	C5AZ 6312-C	Pulley-crankshaft	
1	C2OZ 8620-B	Belt-pump drive-1/2" x 45 3/4"	
1	C5AA 3A732-H	Bracket-adjustment	
1	C5AZ 3A733-C	Pulley assy.-pump	
1	C3AZ 3A762-A	Clamp assy.-hose	
Δ1	97201-S8	Clamp-hose-5/8" dia.-slotted	
Δ1	97237-S8	Clamp-hose-5/8" dia.-solid	
5	42996-S8	Bolt-self-lock.-3/8"-16 x 3/4"	
3	42997-S8	Bolt-lock.-3/8"-16 x 7/8"	
2	55672-S8	Nut-5/16"-24	
1	72026-S	Pin-cotter-1/8" x 7/8"	
1	351318-S8	Washer-flat-5/16"	
2	353497-S8	Washer-flat-3/8"	
Δ1	379278-S8	Clamp-hose	
1	379930-S2	Nut-hex.washer lock-5/16"-18	
1		Sketch-installation	

and ⊕ - Kit must contain only parts marked # or parts marked ⊕ - they cannot be mixed. Parts marked # cannot be used on vehicles with moveable steering column.

† - Optional Δ - Optional ♦ - Optional ‡ - Optional ☆ - Optional ◊ - Optional

POWER STEERING KIT PARTS LISTS - continued

C5AZ 3A635-H	Consists of the following
◊1 C5AZ 3504-A	Gear assy. ⊕
◊1 C5AZ 3504-C	Gear assy. (Saginaw) #
1 C5AZ 3C511-B	Support-pump
1 C5AZ 3A525-B	Coupling ⊕
†1 C5AZ 3590-B	Arm-steering pitman ⊖
†1 C5AZ 3590-C	Arm-steering pitman #
3 C5AZ 3D600-B	Spacer-pump
☆1 C5AZ 3A674-A	Pump assy. ⊕
☆1 C5AZ 3A674-B	Pump assy. ♯
1 C5AZ 3A713-A	Hose assy.-return line
♦1 C5AZ 3A719-C	Hose-pressure line ⊕
♦1 C5AZ 3A719-E	Hose-pressure line ♯
1 C5AZ 3A732-C	Bracket-pump adj.
1 C5AZ 3A733-B	Pulley-pump
1 C3AA 3A762-A	Clamp assy.-hose
1 C5AZ 6A312-A	Pulley-crankshaft
1 C2AZ 8620-K	Belt-pump drive
2 42848-S8	Screw & washer-5/16"-18 x 1 1/8"
3 46005-S8	Bolt-self-lock.-3/8"-16 x 5/8"
2 55672-S8	Nut-5/16"-24
3 55770-S2	Nut-hex.lock-7/16"-14
1 72026-S	Pin-cotter-1/8" x 7/8"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
3 370608-S2	Screw-hex.hd.lock.-3/8"-16 x 3/4"
3 376102-S	Washer-flat-7/16"
3 377279-S8	Stud-7/16"-14 x 2 1/8"
1 378702-S8	Washer-flat-3/8"
Δ1 379278-S8	Clamp-hose
1 379930-S2	Nut-flange lock-5/16"-18
1	Sketch-installation

C5AZ 3A635-J	Consists of the following
1 C5AA 3A005-A	Hose-return
1 C5AZ 3D673-H	Pulley-pump
1 C5AZ 3D746-B	Cooler-oil
1 C5AZ 8620-J	Belt-pump drive
1 44726-S2	Washer-3/8 flat
Δ2 97201-S	Clamp-hose-5/8" dia. slotted
Δ2 97237-S8	Clamp-hose-5/8" dia.-solid
1 304703-S	Bolt-3/8-16 x 1 1/8"
1	Sketch-installation

C5AZ 3A635-M	Consists of the following
1 C5AZ 3504-D	Gear assy.-steering
1 C5OZ 3C511-C	Support-pump
1 C5AZ 3A525-E	Coupling-flange and shaft
1 C5AZ 3590-B	Arm-pitman
1 C5AA 3A691-C	Pump
1 C5AA 3A713-C	Hose-pressure
1 C5AZ 3A719-H	Hose-return
1 C3AZ 3A762-A	Clamp-hose
1 C5AZ 6312-C	Pulley-crankshaft
1 C3OZ 8620-A	Belt-V-drive
1 20408-S8	Bolt-5/16"-18 x 1 1/8"
1 33799-S	Nut-hex.hd.-3/8"-16
1 34782-S	Washer-lock-3/8"
1 42961-S	Bolt-5/16"-18 x 1 5/8"
1 42997-S8	Bolt-3/8"-16 x 7/8"
1 44722-S	Washer-flat-3/8"
1 55672-S8	Nut-5/16"-24
1 97237-S8	Clamp-hose-5/8" dia.
1 351318-S8	Washer-flat-5/16"
2 352981-S8	Washer-flat-3/8"
2 373293-S8	Screw & washer-3/8"-16 x 1.00"
1 376437-S	Bolt-5/16"-18 x 4.00"
1 376900-S	Bolt-3/8"-16 x 2 1/2"
1 377958-S8	Stud-5/16"-18(both ends) x 4 9/16"
1 379930-S2	Nut-hex.washer lock-5/16"-18
1	Sketch-installation

C5AZ 3A635-N	Consists of the following
1 C5AZ 3504-C	Gear assy.-steering
1 C5OZ 3C511-C	Support-pump
1 C5AZ 3590-C	Arm
1 C5AA 3A691-D	Pump
1 C5AA 3A713-C	Hose-pressure
1 C5AZ 3A719-C	Hose-return
1 C3AZ 3A762-A	Clamp
1 C5AZ 6312-C	Pulley
1 C3OZ 8620-F	Belt
1 20408-S8	Bolt-5/16"-18 x 2 1/2"
1 33799-S	Nut-hex.hd.-3/8"-16
1 34782-S	Washer-lock-3/8"
1 42961-S	Bolt-5/16"-18 x 1 5/8"
3 42997-S8	Bolt-3/8"-16 x 7/8"
2 44722-S	Washer-flat-3/8"
2 55672-S8	Nut-5/16"-24
1 351318-S8	Washer-5/16"
2 352981-S8	Washer-flat-3/8"
1 373293-S8	Screw & washer-3/8"-16 x 1.00"
1 376437-S	Bolt-5/16"-18 x 4.00"
1 377958-S8	Stud-5/16"-18(both ends) x 4 9/16"
1 379278-S8	Clamp-hose-5/8" dia.
1 379930-S2	Nut-hex.washer lock-5/16"-18
1	Sketch-installation

C5AZ 3A635-P	Consists of the following
1 C5AA 3A691-F	Pump
1 C5AA 3A719-N	Hose-return
1 C5AE 8620-V	Belt-V-drive
1 42998-S	Bolt-3/8"-16 x 1.00"
1 43003-S	Bolt-3/8"-16 x 1 9/16"
2 374886-S8	Washer
3 376900-S	Bolt-3/8"-16 x 2 1/2"
1 380257-S	Spacer-3/8" x 13/16" x 11/16" thick
1	Sketch-installation

C5AZ 3A635-R	Consists of the following
1 C5AA 3A691-E	Pump
1 C5AA 3A719-M	Hose-return
1 C5AE 8620-V	Belt-V-drive
1 42998-S	Bolt-3/8"-16 x 1.00"
1 43003-S	Bolt-3/8"-16 x 1 9/16"
1 44726-S8	Washer-flat-3/8"
2 374886-S8	Washer
3 376900-S	Bolt-3/8"-16 x 2 1/2"
1 380257-S	Spacer-3/8" x 13/16" x 11/16" thick
1	Sketch-installation

C5AZ 3A635-S	Consists of the following
1 C5AZ 3C511-C	Support assy.-pump
1 C5AZ 3A732-E	Bracket-pump adj.
1 C5AZ 3A732-F	Bracket-pump adj.-rear
1 C4AZ 3A733-B	Pulley-pump
1 C4TE 8620-AG	Belt-drive-15/32" x 45 1/2"
1 C5AA 19972-B	Hose-A/C to condenser
1 20388-S8	Bolt-hex.-3/8"-16 x 1.00"
1 34782-S8	Washer-lock-3/8"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
1 376258-S	Bolt-hex.washer hd.-5/16"-18 x 3 1/2"
1 376900-S	Bolt-hex.-3/8"-16 x 2 3/16"
1	Sketch-installation

♯ and ⊖ - Kit must contain only parts marked ♯ or parts marked ⊖ - they cannot be mixed. Parts marked ♯ cannot be used on vehicles with moveable steering column.

† - Optional ♦ - Optional ☆ - Optional ◊ - Optional Δ - Optional

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

POWER STEERING KIT PARTS LISTS - continued

C5AZ 3A635-V	Consists of the following
1 C5AA 3A005-B	Hose-return line
1 C5AZ 3A713-C	Hose assy.-return line
1 C5AZ 3A739-H	Pulley assy.-pump
1 C5AZ 3D746-A	Cooler assy.-oil
1 C5AZ 8620-J	Belt-drive-pump
2 31498-S2	Screw-hex.head tapping-No.14-10 x 3/8"
Δ3 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ3 97237-S8	Clamp-hose-5/8" dia.-solid
2 380795-S	Clip
1	Sketch-installation

C5AZ 3A635-AA	Consists of the following
1 C5AA 3A005-B	Hose-return line
1 C5AZ 3A006-C	Cap assy.-reservoir filler
1 C5AR 3D587-A	Seal-reservoir
1 C5AR 3D594-C	Seal-pump outlet fitting
1 C5AZ 3E683-A	Gasket-support stud
1 C5AZ 3A697-B	Reservoir assy.-pump
1 C5AZ 3A713-C	Hose assy.-return line
1 C5AZ 3A733-A	Pulley assy.-pump
1 C5AZ 3D746-C	Cooler assy.-oil
1 C5AZ 8620-C	Belt-drive-15/32" x 49 3/4"
2 31498-S2	Screw-hex.head tap.-No.14-10 x 3/8"
Δ3 97201-S8	Clamp-hose-5/8" dia.slotted
Δ3 97237-S8	Clamp-hose-5/8" dia.-solid
2 380795-S100	Clip
1	Sketch-installation

C5AZ 3A635-AB	Consists of the following
1 C5AA 3A005-B	Hose-return line
1 C5AZ 3A006-C	Cap assy.-reservoir filler
1 C5AR 3D587-A	Seal-reservoir
1 C5AR 3D594-C	Seal-pump outlet fitting
1 C5AZ 3E683-A	Gasket-support stud
1 C5AZ 3A697-C	Reservoir assy.-pump
1 C5AZ 3A713-C	Hose assy.-return line
1 C5AZ 3A733-A	Pulley assy.-pump
1 C5AZ 3D746-C	Cooler assy.-oil
1 C5AZ 8620-C	Belt-drive-15/32" x 49 3/4"
2 31498-S2	Screw-hex.head tap.-No.14-10 x 3/8"
Δ3 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ3 97237-S8	Clamp-hose-5/8" dia.-solid
2 380795-S100	Clip
1	Sketch-installation

C5AZ 3A635-AC	Consists of the following
1 C5AA 3A005-B	Hose-return line
1 C5AZ 3A006-C	Cap assy.-reservoir filler
1 C5AR 3D587-A	Seal-reservoir
1 C5AR 3D594-C	Seal-pump outlet fitting
1 C5AZ 3E688-A	Gasket-support stud
1 C5AZ 3A697-B	Reservoir assy.-pump
1 C5AZ 3A713-C	Hose assy.-return line
1 C5AZ 3A733-F	Pulley assy.-pump
1 C5AZ 3D746-C	Cooler assy.-oil
1 C5AZ 8620-A	Belt-drive-15/32" x 53 1/2"
2 31498-S2	Screw-hex.head tap. No. 14-10 x 3/8"
Δ3 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ3 97237-S8	Clamp-hose-5/8" dia.-solid
2 380795-S100	Clip
1	Sketch-installation

C5AZ 3A635-AF	Consists of the following
1 C5AA 3A005-B	Hose-return line
1 C5AZ 3A006-C	Cap assy.-oil reservoir filler
1 C5AR 3D587-A	Seal-reservoir
1 C5AR 3D594-C	Seal-valve outlet fitting
1 C5AZ 3E683-A	Gasket-pump-support stud
1 C5AZ 3A697-C	Reservoir assy.-pump
1 C5AZ 3A713-C	Hose assy.-return line
1 C5AZ 3A733-A	Pulley assy.-pump
1 C6AZ 3D746-A	Cooler assy.-oil
1 C5AZ 8620-L	Belt-drive-15/32" x 49 3/4"
2 31498-S2	Screw-hex.washer hd.tap.-No.14-10 x 3/8"
Δ3 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ3 97237-S8	Clamp-hose-5/8" dia.-solid
2 380735-S100	Clip
1	Sketch-installation

C5AZ 3A635-AG	Consists of the following
1 C5AA 3A005-B	Hose-return line
1 C5AZ 3A006-C	Cap assy.-reservoir filler
1 C5AR 3D587-A	Seal-reservoir
1 C5AR 3D594-C	Seal-valve outlet fitting
1 C5AZ 3E683-A	Gasket-pump-support stud
1 C5AZ 3A697-C	Reservoir assy.-pump
1 C5AZ 3A713-E	Hose assy.-return line
1 C5AZ 3A733-F	Pulley assy.-pump
1 C6AZ 3D746-A	Cooler assy.-oil
1 C5AZ 8620-P	Belt-drive-15/32" x 53 1/2"
2 31498-S2	Screw-hex.washer hd.tap.-No.14-10 x 3/8"
Δ3 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ3 97237-S8	Clamp-hose-5/8" dia.-solid
2 380795-S100	Clip
1	Sketch-installation

C5AZ 3A635-AJ	Consists of the following
1 C5AZ 3A733-H	Pulley assy.-pump
1 C3OZ 8620-F	Belt-drive-pump-15/32" x 51 1/2"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
1	Sketch-installation

C5AZ 3A635-AM	Consists of the following
1 C5AZ 3504-A	Gear-integral
1 C5AZ 3C511-B	Support-pump
1 C5AZ 3590-B	Arm-steering pitman
3 C5AZ 3D600-B	Spacer-pump
1 C5AZ 3A674-A	Pump assy.
1 C5AZ 3A713-A	Hose assy.-return line
1 C5AZ 3A719-C	Hose assy.-pressure line
1 C5AZ 3A732-C	Bracket-pump adj.
1 C5AZ 3A733-B	Pulley-pump
1 C3AZ 3A762-A	Clamp assy.-hose
1 C5AZ 6A312-A	Pulley-crankshaft
1 C2AZ 8620-N	Belt-drive-pump-15/32" x 44.00"
2 42848-S8	Screw & washer-5/16"-18 x 1 1/8"
3 46005-S8	Bolt-self-lock.-3/8"-16 x 5/8"
3 55770-S2	Nut-hex.lock-7/16"-14
1 72026-S	Pin-cotter-1/8" x 7/8"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
3 370608-S2	Screw-hex.hd.lock.-3/8"-16 x 3/4"
3 376102-S	Washer-flat-7/16"
3 377279-S8	Stud-7/16"-14 x 2 1/8"
1 378702-S8	Washer-flat-3/8"
1 379930-S2	Nut-flange lock-5/16"-18
1	Sketch installation

Δ - Optional

POWER STEERING KIT PARTS LISTS - continued

C5DZ 3A635-A	Consists of the following
1 C5OZ 3C511-A	Support-pump
1 C5OZ 3562-A	Brace-pump brkt. support
1 C2OZ 3A609-A	Insulator-hose
1 C3DZ 3A610-B	Retainer-insulator
1 C3DZ 3A611-C	Bracket-insulator
1 C5DZ 3A674-B	Pump assy.
1 C5DZ 3A706-A	Stop-R. H.
1 C5DZ 3A707-A	Stop-L. H.
1 C5DZ 3A713-A	Hose assy. -return line
1 C5DZ 3A719-A	Hose assy. -pressure line
1 C5OZ 3A732-A	Bracket-pump adjusting
1 C5AZ 3A733-B	Pulley assy. -pump
1 C3DZ 3C750-B	Clamp assy.
1 C3AZ 3A762-A	Clamp assy. -hose
1 C2OZ 6023-B	Pointer-timing
2 C2OE 6B089-A	Spacer-timing pointer
1 C2DZ 6A312-A	Pulley-damper outer
1 C4DZ 8509-A	Pulley-water pump
☆1 C4DZ 8546-A	Spacer-water pump to fan
☆1 C4GY 8546-A	Spacer-water pump to fan
1 C4DE 8600-A	Blade assy. -fan
1 C5DE 8620-E	Belt-drive V-15/32" x 48 3/4"
1 20466-S8	Bolt-hex. hd. -5/16"-18 x 1 1/2"
2 34790-S8	Washer-lock-1/4"
2 34805-S8	Washer-lock-1/4"
1 34806-S8	Washer-lock-5/16"
1 40923-S8	Screw-hex. hd. tapping-5/16"-18 x 1/2"
1 42997-S8	Bolt-hex. hd. self-lock. -3/8"-16 x 7/8"
1 44726-S8	Washer-flat-3/8"
2 45506-S8	Bolt-hex. hd. -1/4"-20 x 2 1/8"
4 45964-S8	Bolt-hex. hd. self-lock. -5/16"-18 x 3/4"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
2 300860-S8	Bolt-1/4"-20 x 1 7/8"
1 304803-S8	Bolt-hex. hd. -9/16"-18 x 1 3/4"
3 370608-S2	Screw-hex. hd. lock-3/8"-16 x 3/4"
3 374525-S8	Screw & washer-3/8"-18 x 1.00"
4 379552-S8	Screw & washer-5/16"-24 x 1 3/8"
1	Sketch-installation

C5DZ 3A635-B	Consists of the following
1 C2OZ 3A609-A	Insulator-hose
1 C3DZ 3A610-B	Retainer-hose insulator
1 C5DZ 3A611-A	Bracket-hose insulator
1 C5DZ 3A674-A	Pump assy.
1 C5DZ 3A713-B	Hose-return line
1 C5DZ 3A719-B	Hose-pressure line
1 C5AZ 3A732-B	Bracket-pump adjustment
1 C5AZ 3A733-C	Pulley assy. -pump
1 C3DZ 3C750-B	Clamp-hose
1 C5AZ 6312-C	Pulley-crankshaft
1 C5AE 8620-F	Belt drive-1/2" x 45 3/4"
1 40923-S8	Screw-hex. hd. tapping-5/16"-18 x 1/2"
3 42997-S8	Bolt-self-locking-3/8"-16 x 7/8"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
5 370608-S2	Screw-hex. hd. locking-3/8"-16 x 3/4"
1 378702-S8	Washer-flat-3/8"
1 379930-S2	Nut-hex. washer lock-5/16"-18
1	Sketch-installation

C5DZ 3A635-C	Consists of the following
1 C5DZ 3A733-A	Pulley assy. -pump
1 C3OZ 8620-D	Belt-drive-15/32" x 32 1/2" (alternator)
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
1	Sketch-installation

C5DZ 3A635-D	Consists of the following
1 C5OZ 3C511-C	Bracket-pump support
1 C5DA 3A691-B	Pump
1 20408-S8	Bolt-5/16"-18 x 1 1/8"
2 34806-S7	Washer-flat-5/16"
1 45554-S8	Bolt-5/16"-18 x 3 3/4"
2 352981-S8	Washer-flat-3/8"
1 373293-S8	Screw & washer-3/8"-16 x 1.00"
1	Sketch-installation

C5DZ 3A635-E	Consists of the following
1 C5AZ 3C511-C	Support assy. -pump
1 C5AZ 3A732-E	Bracket-pump adj.
1 C5AZ 3A732-F	Bracket-pump adj. -rear
1 C4AZ 3A733-B	Pulley-pump
1 C4TE 8620-AG	Belt-drive-15/32" x 45 1/2"
1 C5DA 19972-A	Hose-A/C to condenser
1 20388-S8	Bolt-hex. -3/8"-16 x 1.00"
1 34782-S8	Washer-lock-3/8"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
1 376258-S	Bolt-hex. washer head-5/16"-18 x 3 1/2"
1 376900-S	Bolt-hex. -3/8"-16 x 2 3/16"
1	Sketch-installation

C5DZ 3A635-G	Consists of the following
1 C5DZ 3A733-A	Pulley assy. -pump
1 C5OE 8620-J	Belt-drive-15/32" x 28.00"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
1	Sketch-installation

C5OZ 3A635-A	Consists of the following
1 C2OZ 3A609-A	Insulator-hose
1 C2OZ 3A610-A	Retainer-insulator
1 C5OZ 3A674-A	Pump assy.
1 C2OA 3C696-B	Strap-hose
1 C2OA 3C697-A	Spring-hose
1 C3OZ 3A713-A	Hose-return line
1 C5OZ 3A719-A	Hose-pressure line
1 C5AZ 3A732-B	Bracket-pump adj.
1 C5AZ 3A733-C	Pulley assy. -pump
1 C3DZ 3C750-B	Clamp-hose
1 C5AZ 6312-C	Pulley-crankshaft dual
1 C2OZ 7542-A	Bracket-clutch release spring
1 C5AE 8620-F	Belt-1/2" x 45 3/4"
1 34670-S8	Nut-7/16"-14
1 34808-S7	Washer-lock-7/16"
1 40260-S8	Screw-self-tapping-5/16" x 3/8"
1 40923-S8	Screw-self-tapping-5/16"-18 x 1/2"
1 40949-S8	Screw-self-tapping-5/16"-18 x 3/4"
3 42997-S8	Bolt-locking-3/8"-16 x 7/8"
1 44722-S8	Washer-flat-5/16"
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
5 370608-S2	Screw-hex. hd. lock-3/8"-16 x 3/4"
1 376239-S8	Clip
1 378702-S8	Washer-flat-3/8"
1 379930-S2	Nut-hex. washer lock-5/16"-18
1	Sketch-installation

Δ - Optional ☆ - Alternate

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

POWER STEERING KIT PARTS LISTS - continued

C5OZ 3A635-B	Consists of the following
1 C5OZ 3C511-A	Support assy.-pump
1 C5OZ 3562-A	Brace-pump support
1 C2OZ 3A609-A	Insulator-hose
1 C2OZ 3A610-A	Retainer-insulator
1 C5OZ 3A674-A	Pump assy.
1 C2OA 3C696-B	Strap-hose
1 C2OA 3C697-A	Spring-hose retainer
1 C3OZ 3A713-B	Hose-return line
1 C5OZ 3A719-B	Hose-pressure line
1 C5OZ 3A732-A	Bracket assy.-pump adj.
*1 C5AZ 3A733-B	Pulley-pump
1 C3DZ 3C750-B	Clamp-hose
1 C2OZ 6023-B	Pointer-timing
2 C2OE 6B089-A	Spacer-timing pointer
1 C2DZ 6A312-A	Pulley-vibration damper
1 C2OZ 7542-A	Bracket-retracting spring
1 C5AZ 8509-K	Pulley-water pump
1 C5DE 8620-E	Belt-pump drive
4 20368-S8	Bolt-hex.hd.-3/8"-16 x 7/8"
1 20466-S8	Bolt-hex.hd.-5/16"-18 x 1 1/2"
1 34670-S8	Nut-7/16"-14
4 34782-S7	Washer-spring lock-3/8"
☆4 34790-S8	Washer-lock-1/4"
☆4 34805-S8	Washer-lock-1/4"
1 34806-S8	Washer-lock-5/16"
1 34808-S7	Washer-lock-7/16"
1 40260-S8	Screw-self-tapping-5/16"-18 x 3/8"
1 40923-S8	Screw-self-tapping-5/16"-18 x 1/2"
1 40949-S8	Screw-self-tapping-5/16"-18 x 3/4"
1 42997-S8	Bolt-hex.hd.self-lock.-3/8"-16 x 7/8"
1 44722-S8	Washer-flat-5/16"
1 44726-S8	Washer-flat-3/8"
2 45506-S8	Bolt-hex.hd.-1/4"-20 x 2 1/8"
4 45964-S8	Bolt-hex.hd.self-lock.-5/16"-18 x 3/4"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
2 300860-S8	Bolt-1/4"-20 x 1 7/8"
1 304803-S8	Bolt-9/16"-18 x 1 3/4"
1 359083-S36	Screw & washer-3/8"-16 x 1 1/8"
3 370608-S2	Screw-hex.head lock-3/8"-16 x 3/4"
3 374525-S8	Screw & washer-3/8"-16 x 1.00"
1 376239-S8	Clip
1	Sketch-installation

C5OZ 3A635-D	Consists of the following
1 C5OZ 3C511-C	Bracket-pump support
1 C5OA 3A691-B	Pump
1 20408-S8	Bolt-5/16"-18 x 1 1/8"
2 34806-S7	Washer-flat-5/16"
1 45554-S8	Bolt-5/16"-18 x 3 3/4"
2 352981-S8	Washer-flat-3/8"
1 373293-S8	Screw & washer-3/8"-16 x 1.00"
1	Sketch-installation

C5OZ 3A635-F	Consists of the following
1 C5AZ 3C511-C	Support assy.-pump
1 C5AZ 3A732-E	Bracket-pump adj.
1 C5AZ 3A732-F	Bracket-pump adj.-rear
1 C4AZ 3A733-B	Pulley-pump
1 C4TE 8620-AG	Belt-drive-15/32" x 45 1/2"
1 C5OZ 19972-G	Hose-A/C to condenser
1 20388-S8	Bolt-hex.-3/8"-16 x 1.00"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
1 34782-S8	Washer-lock-3/8"
1 376258-S	Bolt-hex.washer hd.-5/16"-18 x 3 1/2"
1 376900-S	Bolt-hex.-3/8"-16 x 2 3/16"
1	Sketch-installation

C5OZ 3A635-G	Consists of the following
1 C5AZ 3A006-C	Cap-reservoir filler
1 C5AR 3D587-A	Seal-reservoir
1 C5AR 3D594-C	Seal-pump valve outlet fitting
1 C5AR 3D684-A	Gasket-pump-support stud
1 C5AZ 3A697-B	Reservoir assy.-pump
1 C5AZ 3A733-A	Pulley-pump
1 C5AZ 8620-C	Belt-drive-15/32" x 49 3/4"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
1	Sketch-installation

C5OZ 3A635-H	Consists of the following
1 C5AZ 3A006-C	Cap assy.-oil reservoir
1 C5AR 3D587-A	Seal-reservoir
1 C5AR 3D594-C	Seal-valve outlet fitting
1 C5AZ 3E683-A	Gasket-pump-support stud
1 C5AZ 3A697-C	Reservoir assy.-pump
1 C5AZ 3A733-A	Pulley assy.-pump
1 C5AZ 8620-C	Belt-drive-15/32" x 49 3/4"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
1	Sketch-installation

C5ZZ 3A635-A	Consists of the following
1 C5ZZ 3D600-A	Spacer
1 C3AZ 3670-A	Adapter-pump to reservoir
1 C4ZA 3691-A	Hose-reservoir to pump
1 C5ZZ 3A697-A	Reservoir assy.-pump
1 C5ZZ 3A713-B	Hose assy.-return line
1 C5ZZ 3A719-B	Hose assy.-pressure line
1 C5ZZ 3A732-A	Bracket-pump-front
1 C5ZZ 3A732-B	Bracket-pump-rear
2 20347-S8	Bolt-hex.hd.-5/16"-24 x 3/4"
2 34443-S8	Nut-lt.thick hex.lock-5/16"-24
2 44724-S8	Washer-flat-5/16"
1 45757-S	Bolt-hex.hd.-3/4"-16 x 1 3/4"
♦2 97209-S8	Clamp-hose-1 1/8"
♦2 97245-S8	Clamp-hose-1 1/8"
1 370063-S8	Bolt-hex.hd.-3/8"-16 x 3 1/16"
1	Sketch-installation

C5ZZ 3A635-B	Consists of the following
1 C2OZ 3A609-A	Insulator-hose
1 C3DZ 3A610-B	Retainer-hose insulator
1 C5DZ 3A611-A	Bracket-hose insulator
1 C4DZ 3A691-A	Pump-reservoir & pulley
1 C5ZZ 3A713-A	Hose assy.-return line
1 C5ZZ 3A719-A	Hose assy.-pressure line
1 C3DZ 3C750-B	Clamp-hose
1 C2OZ 6312-B	Pulley-crankcase
1 C3OZ 8620-A	Belt-drive-1/2" x 39 1/2"
1 33797-S8	Nut-hex.-5/16"-18
1 34806-S8	Washer-lock-5/16"
3 34807-S8	Washer-lock-3/8"
1 40923-S8	Screw-hex.hd.tap.-5/16"-18 x 1/2"
2 44724-S8	Washer-flat-5/16"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
3 304703-S8	Bolt-hex.hd.-3/8"-16 x 1 1/8"
2 352981-S8	Washer-flat-3/8"
1 356478-S8	Washer-flat-13/32" I.D. x 3/4" O.D.
2 373293-S8	Screw & washer-3/8"-16 x 1.00"
1 377958-S8	Stud-hex.shoulder-5/16"-18 x 4.55"
1	Sketch-installation

☆ - Alternate Δ - Optional ♦ - Optional

* - Use C5DZ 3A733-A pulley assy.-p/s pump when vehicle is equipped with a/cond.

POWER STEERING KIT PARTS LISTS - continued

C5ZZ 3A635-C	Consists of the following
1 C4DZ 3C511-A	Support-hose
1 C2OZ 3A609-A	Insulator-hose
1 C3DZ 3A610-B	Retainer-hose insulator
1 C5DZ 3A611-A	Bracket-retainer hose insulator
1 C4DA 3C682-A	Bracket-pump mounting
1 C4DA 3C682-B	Bracket-pump mounting
1 C5ZZ 3A691-B	Pump-reservoir & pulley
1 C5ZZ 3A713-A	Hose assy.-return line
1 C5ZZ 3A719-C	Hose assy.-pressure line
1 C3DZ 3C750-B	Clamp-hose
1 C2OZ 6023-B	Pointer-timing
2 C2OE 6B089-A	Spacer-timing pointer
1 C2DZ 6A312-A	Pulley-vibration damper
1 C4DZ 8509-A	Pulley-water pump
1 C3OZ 8546-B	Spacer-fan
1 B7Q 8620-A	Belt-drive V
1 C5ZZ 9C531-A	Spring-idle speed-up control
1 C5ZZ 9A774-A	Bellcrank assy.-throttle control
1 C5ZZ 9792-A	Clip-throttle cable
1 C5ZZ 9C799-A	Cable assy.-throttle control
1 20449-S8	Bolt-hex.hd.-3/8"-24 x 1 3/8"
4 34805-S8	Washer-lock-1/4"
1 34806-S8	Washer-lock-5/16"
1 34807-S8	Washer-lock-3/8"
1 40923-S8	Screw-hex.hd.tap.-5/16"-10 x 1/2"
1 42537-S8	Screw-tap.hex.hd.slotted-No.6-20 x 3/8"
1 42719-S8	Screw & washer-hex.hd.-5/16"-18 x 5/8"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
2 300860-S8	Bolt-1/4"-20 x 1 7/8"
2 300876-S	Bolt-hex.hd.-1/4"-20 x 2 1/2"
1 304739-S8	Bolt-hex.head-5/16"-18 x 1 3/8"
1 304803-S8	Bolt-hex.head-9/16"-18 x 1 3/4"
3 352981-S8	Washer-flat-3/8"
3 359080-S8	Screw & washer-hex.hd.-3/8"-16 x 7/8"
1 359083-S8	Screw & washer-3/8"-16 x 1 1/8"
1 376025-S8	Screw & washer-3/8"-16 x 1.00"
1 376409-S8	Screw & washer-5/16"-18 x 7/8"
1 379702-S32	Nut-spring-No.10-32
1	Sketch-installation

C5ZZ 3A635-D	Consists of the following
1 C5OZ 3C511-A	Support assy.-pump
1 C2OZ 3A609-A	Insulator-hose
1 C3DZ 3A610-B	Retainer-insulator
1 C5DZ 3A611-A	Bracket-hose insulator
1 C5DZ 3A674-A	Pump assy.
1 C5DZ 3A713-A	Hose assy.-return line
1 C5DZ 3C718-A	Brace-bracket support
1 C5DZ 3A719-A	Hose assy.-pressure line
1 C5OZ 3A730-A	Bracket assy.-pump adj.
1 C5AZ 3A733-B	Pulley assy.-pump
1 C3DZ 3C750-B	Clamp assy.
1 C3AZ 3A762-A	Clamp assy.-hose
1 C2OZ 6023-B	Pointer-timing
2 C2OE 6B089-A	Spacer-timing
1 C2DZ 6A312-A	Pulley-vibration damper
1 C5AZ 8509-K	Pulley-water pump
1 C5DE 8620-E	Belt-drive V-15/32" x 48 3/4"
1 20466-S8	Bolt-hex.hd.-5/16"-18 x 1 1/2"
◊2 34790-S8	Washer-lock-1/4"
◊4 34805-S8	Washer-lock-1/4"
1 34806-S8	Washer-lock-5/16"
1 40923-S8	Screw-hex.hd.tapping-5/16"-18 x 1/2"
3 42996-S8	Bolt-lock-3/8"-16 x 3/4"
1 42997-S8	Bolt-hex.hd.self-lock.-3/8"-16 x 7/8"
1 44726-S8	Washer-flat-3/8"
2 45506-S8	Bolt-hex.hd.-1/4"-20 x 2 1/8"
4 45964-S8	Bolt-hex.hd.self-lock-5/16"-18 x 3/4"

Continued in next column

C5ZZ 3A635-D	Continued from previous column
†1 97201-S8	Clamp-hose
†1 97237-S8	Clamp-hose
2 300860-S8	Bolt-1/4"-20 x 1 7/8"
1 304803-S8	Bolt-hex.hd.-9/16"-18 x 1 3/4"
2 353497-S8	Washer-flat-3/8"
3 374525-S8	Screw & washer assy.-3/8"-16 x 1.00"
†1 379278-S8	Clamp-5/8" dia.-solid band hose
1	Sketch-installation

C5ZZ 3A635-F	Consists of the following
1 C5OZ 3C511-C	Bracket-pump
1 C5DA 3A691-B	Pump-reservoir & pulley assy.
1 20408-S8	Bolt-3/8"-16 x 1 1/8"
1 20486-S	Bolt-3/8"-16 x 1 1/2"
2 34806-S7	Lockwasher-5/16"
1 45554-S8	Bolt-5/16"-18 x 3 3/4"
1 373293-S8	Screw & washer-3/8"-16 x 2.00"
1	Sketch-installation

C5ZZ 3A635-H	Consists of the following
1 C5AZ 3C511-C	Support assy.-pump
1 C5AZ 3A732-E	Bracket-pump adj.
1 C5AZ 3A732-F	Bracket-pump adj.-rear
1 C4AZ 3A733-B	Pulley-pump
1 C4TE 8620-AG	Belt-drive-15/32" x 45 1/2"
1 C5ZA 19972-A	Hose assy.A/C to condenser
1 20388-S8	Bolt-hex.-3/8"-16 x 1.00"
1 34782-S8	Washer-lock-3/8"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
1 376258-S	Bolt-hex.washer hd.-5/16"-18 x 3 1/2"
1 376900-S	Bolt-hex.-3/8"-16 x 2 3/16"
1	Sketch-installation

C5ZZ 3A635-K	Consists of the following
1 C2OZ 3A609-A	Insulator-hose
1 C3DZ 3A610-B	Retainer-hose insulator
1 C5DZ 3A611-A	Bracket-hose insulator
1 C5AR 3D673-C	Pulley assy.-pump
1 C5DZ 3A674-A	Pump assy.
1 C5ZZ 3A713-D	Hose assy.-return line
1 C5ZZ 3A719-D	Hose assy.-pressure line
1 C5AZ 3A732-B	Bracket-pump adj.
1 C3DZ 3C750-B	Clamp-hose
1 C5AZ 6312-C	Pulley-crankshaft
1 C5AZ 8509-J	Pulley-water pump
Δ1 C5AE 8620-U	Belt-drive-1/2" x 45 1/2"
Δ1 C6DE 8620-A	Belt-drive-1/2" x 45 1/2"
1 40923-S8	Screw-hex.head tap.-5/16"-18 x 1/2"
3 42997-S8	Bolt-self-lock.-3/8"-16 x 7/8"
5 70608-S2	Screw-hex.hd.lock.-3/8"-16 x 3/4"
☆1 97201-S8	Clamp-hose-5/8" dia.-slotted
☆1 97237-S8	Clamp-hose-5/8" dia.-solid
1 378702-S8	Washer-flat-3/8"
1 379930-S2	Nut-hex.washer lock-5/16"-18
1	Sketch-installation

C5ZZ 3A635-L	Consists of the following
1 C5AZ 3A006-C	Cap assy.-oil reservoir filler
1 C5AZ 3D587-A	Seal-reservoir
1 C5AR 3D594-C	Seal-valve outlet fitting
1 C5AR 3D694-A	Gasket-pump-support stud
1 C5DZ 3A697-A	Reservoir assy.-pump
1 C5AZ 3A733-A	Pulley assy.-pump
1 C6OE 8620-D	Belt-drive-15/32" x 49 1/4"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
1	Sketch-installation

☆ - Alternate ◊ - Alternate † - Alternate Δ - Optional

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

POWER STEERING KIT PARTS LISTS - continued

C6AZ 3A635-F	Consists of the following
1 C7SZ 3C511-A	Support-pump
1 C7SZ 3A732-A	Bracket-pump adj.
Δ1 55713-S7	Nut-hex.lock-3/8"-16
Δ1 55768-S7	Nut-hex.lock-3/8"-16
1 356403-S2	Washer-flat-.39" x .75" x .06" thick
4 371041-S2	Bolt-hex.hd.lock-3/8"-16 x 7/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1	Sketch-installation

C6AZ 3A635-G	Consists of the following
1 C7AZ 3C511-A	Support-pump
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7ZZ 9B339-A	Fitting-oil pressure sender
1 356403-S2	Washer-flat-.39" x .75" x .06" thick
4 371041-S2	Bolt-hex.hd.lock-3/8"-16 x 7/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8" long
1	Sketch-installation

C6DZ 3A635-D	Consists of the following
1 C6OZ 3C510-D	Bracket-hose
1 C5OZ 3C511-A	Support assy.-pump
1 C5DZ 3562-A	Brace-pump bracket support
1 C6OZ 3A609-A	Insulator-hose
1 C6OZ 3A610-A	Retainer-insulator
1 C6OZ 3A674-A	Pump assy.
1 C6OZ 3A713-B	Hose assy.-return line
1 C6OZ 3A719-B	Hose assy.-pressure line
1 C5OZ 3A732-A	Bracket assy.-pump adj.
1 C5AZ 3A733-B	Pulley assy.-pump
1 C6OZ 3C750-A	Clamp-hose
1 C3AZ 3A762-A	Clamp assy.-hose
1 C2OZ 6023-B	Pointer-timing
2 C2OE 6B089-A	Spacer-timing pointer
1 C2DZ 6A312-A	Pulley-vibration damper
1 C4DZ 8509-A	Pulley-water pump
☆1 C4DZ 8546-A	Spacer-water pump to fan
☆1 C4GY 8546-A	Spacer-water pump to fan
1 C2DZ 8600-C	Blade assy.-fan
1 C6OE 8620-A	Belt-drive V-15/32" x 47 1/4"
1 20466-S8	Bolt-hex.hd.-5/16"-18 x 1 1/2"
2 34790-S8	Washer-lock-1/4"
2 34805-S8	Washer-lock-1/4"
1 34806-S8	Washer-lock-5/16"
1 42997-S8	Bolt-hex.hd.self-lock.-3/8"-16 x 7/8"
1 44726-S8	Washer-flat-3/8"
2 45506-S8	Bolt-hex.hd.-1/4"-20 x 2 1/8"
4 45964-S8	Bolt-hex.hd.self-lock.-5/16"-18 x 3/4"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
2 300860-S8	Bolt-1/4"-20 x 1 7/8"
1 304803-S8	Bolt-hex.hd.-9/16"-18 x 1 3/4"
3 370608-S2	Screw-hex.hd.-3/8"-16 x 3/4"
3 374525-S8	Screw & washer assy.-3/8"-16 x 1.00"
4 379552-S8	Screw & washer-5/16"-24 x 1 3/8"
1	Sketch-installation

C6OZ 3A635-C	Consists of the following
1 C5AZ 3A006-C	Cap assy.-reservoir filler
1 C5AZ 3D587-A	Seal-reservoir
1 C5AR 3D594-C	Seal-valve outlet fitting
1 C5AZ 3E683-A	Gasket-pump-support stud
1 C5AZ 3A697-D	Reservoir assy.-pump
1 C5AZ 3A733-A	Pulley assy.-pump
1 C6DE 8620-B	Belt-Drive-15/32" x 49 3/4"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
1	Sketch-installation

C6OZ 3A635-H	Consists of the following
1 C6OZ 3C510-D	Bracket-hose
1 C6OZ 3A609-A	Insulator-hose
1 C6OZ 3A610-A	Retainer-insulator
1 C6OZ 3A674-B	Pump assy.
1 C6OZ 3A713-A	Hose-return line
1 C6OZ 3A719-D	Hose-pressure line
1 C5AZ 3A732-B	Bracket-pump adj.
1 C5AZ 3A733-C	Pulley assy.-pump
1 C6OZ 3C750-A	Clamp-hose
1 C5AZ 6312-A	Pulley-crankshaft
1 C5AZ 8509-J	Pulley-water pump
Δ1 C5AE 8620-U	Belt-1/2" x 45 1/2"
Δ1 C6DE 8620-A	Belt-1/2" x 45 1/2"
3 42997-S8	Bolt-lock.-3/8"-16 x 7/8"
†1 97201-S8	Clamp-hose-5/8" dia.-slotted
†1 97237-S8	Clamp-hose-5/8" dia.-solid
5 370608-S2	Screw-hex.washer hd.lock.-3/8"-16 x 3/4"
1 378702-S8	Washer-flat-3/8"
1 379930-S2	Nut-hex.washer lock.-5/16"-18
1	Sketch-installation

C6OZ 3A635-J	Consists of the following
1 C6OZ 3C510-D	Bracket-hose
1 C5OZ 3C511-A	Support assy.-pump
1 C5OZ 3562-A	Brace-pump support
1 C6OZ 3A609-A	Insulator-hose
1 C6OZ 3A610-A	Retainer-insulator
1 C6OZ 3A674-A	Pump assy.
1 C6OZ 3A713-B	Hose assy.-return line
1 C6OZ 3A719-B	Hose assy.-pressure line
1 C5OZ 3A732-A	Bracket assy.-pump adj.
*1 C5AZ 3A733-B	Pulley assy.-pump
1 C6OZ 3C750-A	Clamp-hose
1 C2OZ 6023-B	Pointer-timing
2 C2OE 6B089-A	Spacer-timing
1 C2DZ 6A312-A	Pulley-vibration damper
1 C4DZ 8509-A	Pulley-water pump
1 C6OE 8620-A	Belt-pump-15/32" x 47 1/4"
1 20466-S8	Bolt-hex.hd.-5/16"-18 x 1 1/2"
☆4 34790-S8	Washer-lock-1/4"
☆4 34805-S8	Washer-lock-1/4"
1 34806-S8	Washer-lock-5/16"
1 42997-S8	Bolt-hex.hd.lock.-3/8"-16 x 7/8"
1 44726-S8	Washer-flat-3/8"
2 45506-S8	Bolt-hex.hd.-1/4"-20 x 1/8"
4 45964-S8	Bolt-hex.hd.lock.-5/16"-18 x 3/4"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
2 300860-S8	Bolt-1/4"-20 x 1 7/8"
1 304803-S8	Bolt-9/16"-18 x 1 3/4"
1 359083-S36	Screw & washer assy.-3/8"-16 x 1 1/8"
3 370608-S2	Screw-hex.washer hd.lock.-3/8"-16 x 3/4"
3 374525-S8	Screw & washer assy.-3/8"-16 x 1.00"
1	Sketch-installation

C6OZ 3A635-K	Consists of the following
1 C5AZ 3A006-C	Cap assy.-oil reservoir filler
1 C5AR 3D587-A	Seal-reservoir
1 C5AR 3D594-C	Seal-valve outlet fitting
1 C5AR 3D684-A	Gasket-pump-support stud
1 C5DZ 3A697-C	Reservoir assy.-pump
1 C5AZ 3A733-F	Pulley assy.-pump
1 C6AE 8620-G	Belt-drive-15/32" x 53 1/2"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
1	Sketch-installation

☆ - Alternate Δ - Optional † - Optional

* - Use C5DZ 3A733-A pulley assy.-p/s pump when the vehicle is equipped with a/cond.

POWER STEERING KIT PARTS LISTS - continued

C6OZ 3A635-L	Consists of the following
1 C6OZ 3494-A	Tube-pressure line
1 C6OA 3E506-A	Clip
1 C6OZ 3C510-F	Bracket assy.-insulator
1 C6OZ 3A575-A	Tube-return line
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C5DZ 3A674-A	Pump assy.
1 C6OZ 3A713-D	Hose assy.-return line
1 C6OZ 3A719-E	Hose assy.-pressure line
1 C6OA 3A732-A	Bracket-pump adj.
1 C5AZ 3A733-C	Pulley assy.-pump
1 C6OZ 6C099-B	Stop-engine front support-L.H.
1 C1AZ 6A312-D	Pulley-crankshaft
☆1 C5AE 8620-C	Belt-1/2" x 46"
☆1 C6AE 8620-C	Belt-1/2" x 46"
1 34440-S	Nut-hex.lock-1/4"-20
1 40923-S2	Screw-self-tapping-5/16"-18 x 1/2"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
1 351819-S	Clamp-hose
5 370608-S2	Screw-hex.washer hd.lock.-3/8"-16 x 3/4"
2 371983-S8	Washer-flat-3/8"
3 374525-S8	Bolt-lock.-3/8"-16 x 7/8"
1 378702-S8	Washer-flat-3/8"
1 379930-S2	Nut-hex.washer lock.-5/16"-18
1	Sketch-installation

C6ZZ 3A635-C	Consists of the following
1 C5OZ 3C511-A	Support assy.-pump
1 C2OZ 3A609-A	Insulator-hose
1 C3DZ 3A610-B	Retainer-insulator
1 C5DZ 3A611-A	Bracket-hose insulator
1 C5DZ 3A674-B	Pump assy.
1 C5DZ 3A713-A	Hose assy.-return line
1 C5OZ 3C718-A	Brace-pump support
1 C5DZ 3A719-A	Hose assy.-pressure line
1 C5OZ 3A732-A	Bracket assy.-pump adj.
1 C5AZ 3A733-B	Pulley assy.-pump
1 C3DZ 3C750-B	Clamp assy.
1 C3AZ 3A762-A	Clamp assy.-hose
1 C6OZ 6023-B	Pointer-timing
2 C2OE 6B089-A	Spacer-timing
1 C2DZ 6A312-A	Pulley-vibration damper
1 C4DZ 8509-A	Pulley-water pump
1 C6OE 8620-A	Belt-drive V-15/32" x 47 1/4"
1 20466-S8	Bolt-hex.hd.-5/16"-18 x 1 1/2"
☆2 34790-S8	Washer-lock-1/4"
☆4 34805-S8	Washer-lock-1/4"
1 34806-S8	Washer-lock-5/16"
1 40923-S8	Screw-hex.hd.tap.-5/16"-18 x 1/2"
1 42997-S8	Bolt-hex.hd.lock-3/8"-16 x 7/8"
1 44726-S8	Washer-flat-3/8"
2 45506-S8	Bolt-hex.head-1/4"-20 x 2 1/8"
4 45964-S8	Bolt-hex.hd.lock.-5/16"-18 x 3/4"
◊1 97201-S8	Clamp-hose-5/8" dia.-slotted
◊1 97237-S8	Clamp-hose-5/8" dia.-solid
2 300860-S8	Bolt-1/4"-20 x 1 7/8"
1 304803-S8	Bolt-hex.hd.-9/16"-18 x 1 3/4"
3 370608-S2	Screw-hex.hd.lock.-3/8"-16 x 3/4"
3 374525-S8	Screw & washer assy.-3/8"-16 x 1.00"
1	Sketch-installation

C7AZ 3A635-A	Consists of the following
1 C5AZ 3504-A	Gear-integral
1 C5AZ 3590-B	Arm-pitman
1 C7MY 3E595-A	Shield-splash
2 C5AZ 3D600-B	Spacer-pump
1 C7SZ 3A610-B	Clip
1 C7MY 3E634-A	Shield-splash lower
1 C7AZ 3A674-A	Pump assy.
1 C7AZ 3A713-C	Hose assy.-return line
1 C7AZ 3A719-A	Hose-pressure line
1 C7AZ 3A732-A	Bracket-pump adj.
1 C5AZ 3A733-B	Pulley-pump
♦1 C3AZ 3A762-A	Clamp assy.-hose
1 C5AZ 6A312-A	Pulley-crankshaft
1 C5AZ 8509-A	Pulley-water pump
1 C7AE 8620-B	Belt-pump-15/32" x 42 1/2"
3 42848-S8	Screw & washer-5/16"-18 x 1 1/8"
3 46005-S8	Bolt-self-lock.-3/8"-16 x 5/8"
2 55770-S2	Nut-hex.lock-7/16"-14
1 72026-S	Pin-cotter-1/8" x 7/8"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
3 370608-S2	Screw-hex.hd.lock.-3/8"-16 x 3/4"
6 375372-S	Pin-drive-1/4" x 5/8"
2 377279-S8	Stud-7/16"-14 x 2 1/8"
♦1 380396-S100	Clip
1	Sketch-installation

C7AZ 3A635-B	Consists of the following
1 C5AZ 3504-A	Gear-integral
1 C7AZ 3C511-B	Support-pump rear
1 C7SZ 3C511-A	Support-pump
2 C7AA 3E523-A	Clip-hose
1 C5AZ 3590-B	Arm-pitman
1 C7MY 3E595-A	Shield-splash
1 C7SZ 3D600-A	Spacer-adjusting bracket
1 C7SZ 3A610-B	Clip-tube
1 C7MY 3E634-A	Shield-splash-lower
1 C7AZ 3A674-A	Pump assy.
2 C7AA 3C696-B	Strap-hose
1 C7AZ 3A713-E	Hose-return line
1 C7AZ 3A719-B	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C5AZ 3A733-C	Pulley assy.-pump
1 C1AZ 6A312-D	Pulley-crankshaft
1 ECG 8509-H	Pulley-water pump
1 C6VE 8620-A	Belt-pump pulley-1/2" x 44.00"
1 55768-S2	Nut-hex.lock-3/18"-16
1 72026-S	Pin-cotter-1/8" x 7/8"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
6 371041-S8	Bolt-hex.washer hd.lock.-3/8"-16 x 7/8"
6 375372-S	Pin-drive-1/4" x 5/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
3 378604-S8	Screw & washer assy.-3/8"-16 x 3/4"
1 378720-S	Nut-hex.-5/8"-18
1	Sketch-installation

☆ - Alternate ◊ - Alternate Δ - Optional ♦ - Optional

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

POWER STEERING KIT PARTS LISTS - continued

C7AZ 3A635-C	Consists of the following
1 C5AZ 3504-A	Gear assy.
1 C7AZ 3C511-A	Support-pump
1 C7AZ 3C511-B	Support-pump-rear
2 C7AA 3E523-A	Clip-hose
1 C5AZ 3590-B	Arm-pitman
1 C7MY 3E595-A	Shield-splash
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C7SZ 3A610-B	Clip
1 C7MY 3E634-A	Shield-splash-lower
1 C7AZ 3A674-A	Pump assy.
2 C7AA 3C696-B	Strap-hose
1 C7AZ 3A713-E	Hose-return line
1 C7AZ 3A719-B	Hose-pressure line
1 C7SZ 3A732-A	Bracket-adjustment
1 C5AZ 3A733-C	Pulley assy.-pump
1 C5AZ 6312-E	Pulley-crankshaft
1 C7OE 8620-A	Belt-pump drive-1/2" x 41 3/4"
3 42997-S8	Bolt-lock-3/8"-16 x 7/8"
1 55768-S2	Nut-hex.lock-3/8"-16
1 72026-S	Pin-cotter-1/8" x 7/8"
Δ1 97201-S8	Clamp-hose-5/8"
Δ1 97237-S8	Clamp-hose-5/8"
4 371041-S8	Bolt-hex.hd.lock.-3/8"-16 x 7/8"
6 375372-S	Pin-drive-1/4" x 5/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex.-5/8"-18
1	Sketch-installation

C7AZ 3A635-D	Consists of the following
1 C5AZ 3A733-H	Pulley assy.-pump
1 C7AE 8620-C	Belt-drive-15/32" x 50.00"
1	Sketch-installation

C7AZ 3A635-E	Consists of the following
1 C5AA 3A005-B	Hose-return line
1 C7AZ 3A713-F	Hose assy.-return line
1 C5AZ 3A733-F	Pulley assy.-pump
1 C6AZ 3D746-A	Cooler assy.-oil
1 C3AZ 3A762-A	Clamp assy.-hose
1 C6AE 8620-A	Belt-drive-15/32" x 52.00"
2 31498-S2	Screw-hex.washer hd.tap.-No.14-10 x 3/8"
Δ3 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ3 97237-S8	Clamp-hose-5/8" dia.-solid
1 380397-S	Clip
1	Sketch-installation

C7AZ 3A635-F	Consists of the following
1 C7AZ 3A713-A	Hose assy.-return line
1 C7AZ 3A713-B	Hose-return line
1 C7AZ 3A733-A	Pulley assy.-pump
1 C6AZ 3D746-A	Cooler assy.-oil
1 C3AZ 3A762-A	Clamp assy.-hose
1 C6OZ 8620-A	Belt-drive-15/32" x 47 1/4"
2 31498-S2	Screw-hex.washer hd.tap.-No.14-10 x 3/8"
Δ3 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ3 97237-S8	Clamp-hose-5/8" dia.-solid
1 380397-S	Clip
1	Sketch-installation

C7AZ 3A635-G	Consists of the following
1 C5AZ 3A733-D	Pulley assy.-pump
1 C7AE 8620-D	Belt-drive-1/2" x 43.00"
1	Sketch-installation

C7AZ 3A635-H	Consists of the following
1 C7AZ 3A733-A	Pulley assy.-pump
1 C6OE 8620-A	Belt-drive-15/32" x 47 1/4"
1 C7OE 8620-C	Belt-drive-air pump
1	Sketch-installation

C7AZ 3A635-J	Consists of the following
1 C5AZ 3A733-G	Pulley assy.-pump
1 C1AZ 6A312-C	Pulley-crankshaft
1 C7AE 8620-A	Belt-drive-1/2" x 42 1/4"
1	Sketch-installation

C7AZ 3A635-L	Consists of the following
1 C5AA 3A005-B	Hose-return line
1 C7AZ 3A713-F	Hose assy.-return line
1 C7AZ 3A733-D	Pulley assy.-pump
1 C6AZ 3D746-A	Cooler assy.-oil
1 C3AZ 3A762-A	Clamp assy.-hose
1 C7OE 8620-C	Belt-drive-15/32" x 47.00"
2 31498-S2	Screw-hex.washer hd.tap.-No. 14-10 x 3/8"
Δ3 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
1 380397-S	Clip
1	Sketch-installation

C7DZ 3A635-B	Consists of the following
1 C5DZ 3A733-A	Pulley assy.-pump
♦1 C5OE 8620-J	Belt-drive-15/32" x 28.00"
☆1 C6ZE 8620-A	Belt-drive-15/32" x 32 1/2"
1	Sketch-installation

C7OZ 3A635-A	Consists of the following
1 C6OZ 3494-A	Tube assy.-pressure line
1 C6OA 3E506-A	Clip
1 C6OZ 3C510-F	Bracket assy.-insulator
1 C7AZ 3C511-B	Support-pump-rear
1 C7SZ 3C511-A	Support-pump
1 C6OZ 3A575-A	Tube assy.-return line
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C7OZ 3A674-A	Pump assy.
1 C7OZ 3A713-B	Hose-return line
1 C7OZ 3A719-B	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C5AZ 3A733-C	Pulley assy.-pump
1 C6OZ 6C099-B	Stop-eng. mount support-L.H.
1 C1AZ 6A312-D	Pulley-crankshaft dual
1 C6OZ 8509-A	Pulley-water pump
1 C6VE 8620-A	Belt-1/2" x 44.00"
1 34440-S	Nut-hex.lock-1/4"-20
1 40923-S8	Screw-self-tap.-5/16"-18 x 1/2"
1 55768-S2	Nut-hex.lock-3/8"-16
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
1 351819-S	Clamp-hose
6 371041-S8	Bolt-hex.hd.self-lock.-3/8"-16 x 7/8"
3 374525-S8	Screw & washer assy.-3/8"-16 x 1.00"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex.-5/8"-18
1	Sketch-installation

Δ - Optional ♦ - Not required for Mustang ☆ - Mustang only

POWER STEERING KIT PARTS LISTS - continued

C7OZ 3A635-B	Consists of the following
1 C7OZ 3C510-A	Bracket-hose(Fairlane, Falcon, Comet)
1 C7ZZ 3C510-B	Bracket-hose(Mustang only)
1 C5OZ 3C511-A	Support assy.-pump
1 C7OA 3D515-B	Bracket assy.-pump adj.
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C5OZ 3652-A	Brace-pump support
1 C7OZ 3A674-A	Pump assy.
1 C7OZ 3A713-A	Hose-return line
1 C7OZ 3A719-D	Hose-pressure line
1 C5AZ 3A733-B	Pulley assy.-pump
1 C6OZ 3C750-A	Clamp-hose
1 C2OZ 6023-B	Pointer-timing
2 C2OE 6B089-A	Spacer-timing
1 C2DZ 6A312-A	Pulley-vibration damper
1 C4DZ 8509-A	Pulley-water pump
1 C6OE 8620-A	Belt-drive V-15/32" x 47 1/4"
1 20466-S2	Bolt-hex.hd.-5/16"-18 x 1 1/2"
Δ2 34790-S8	Washer-lock-1/4"
2 34805-S2	Washer-lock-1/4"
Δ2 34805-S8	Washer-lock-1/4"
1 34806-S2	Washer-lock-5/16"
1 40923-S2	Screw-hex.hd.tap.-5/16"-18 x 1/2"
2 45506-S2	Bolt-hex.hd.-1/4"-20 x 2 1/8"
4 45964-S2	Bolt-hex.hd.self-lock.-5/16"-18 x 3/4"
♦1 97201-S8	Clamp-hose-5/8" dia.-slotted
♦1 97237-S8	Clamp-hose-5/8" dia.-solid
2 300860-S8	Bolt-1/4"-20 x 1 7/8"
1 304803-S8	Bolt-hex.hd.-9/16"-18 x 1 3/4"
4 352460-S2	Screw-hex.hd.lock.-3/8"-16 x 3/4"
3 374525-S8	Screw & washer assy.-3/8"-16 x 1.00"
1	Sketch-installation

C7OZ 3A635-C	Consists of the following
1 C7OZ 3C510-A	Bracket-hose(Fairlane, Falcon, Comet)
1 C7ZZ 3C510-B	Bracket-hose(Mustang, Cougar)
1 C7AZ 3C511-A	Support-pump adj.
1 C7AZ 3C511-B	Support-pump-rear
2 C7OA 3E523-A	Clip-hose
1 C7SZ 3D600-A	Spacer-adj.bracket
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C7OZ 3A674-A	Pump assy.
2 C7AA 3C696-A	Strap-hose
1 C7OZ 3A713-C	Hose-return line
1 C7OZ 3A719-E	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C5AZ 3A733-C	Pulley-pump
1 C6OZ 3C750-A	Clamp-hose
1 C5AZ 6312-E	Pulley-crankshaft-dual
1 C7OE 8620-A	Belt-1/2" x 41 3/4"
1 40323-S2	Screw-hex.hd.tap.-5/16"-18 x 1/2"
3 42997-S8	Bolt-lock.-3/8"-16 x 7/8"
♦1 55713-S7	Nut-hex.lock-3/8"-16
♦1 55768-S7	Nut-hex.lock-3/8"-16
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp.hose-5/8" dia.-solid
4 371041-S2	Bolt-hex.hd.self-lock.-3/8"-16 x 7/8"
1 377060-S2	Stud-hex.lock-3/8"-16
1 378720-S2	Nut-hex.-5/8"-18
1	Sketch-installation

C7OZ 3A635-D	Consists of the following
1 C7AZ 3A733-A	Pulley assy.-pump
1 C6OZ 8620-A	Belt-drive-15/32" x 47 1/4"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
1	Sketch-installation

C7OZ 3A635-E	Consists of the following
1 C5AZ 3A733-F	Pulley-pump
1 C6AE 8620-A	Belt-drive-15/32" x 52.00"
1	Sketch-installation

C7OZ 3A635-H	Consists of the following
1 C7AZ 3A733-D	Pulley assy.-pump
1 C7OE 8620-C	Belt-drive-15/32" x 47.00"
1	Sketch-installation

C7ZZ 3A635-C	Consists of the following
1 C7ZZ 3494-A	Hose assy.-pressure line
1 C7ZZ 3504-B	Gear assy.-steering
1 C7ZZ 3C510-C	Bracket-hose
1 C7AZ 3C511-B	Support-pump-rear
1 C7SZ 3C511-A	Support-pump
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C7OZ 3A674-A	Pump assy.
1 C7ZZ 3A713-B	Hose-return line
1 C7ZZ 3A713-C	Hose-return line
1 C7ZZ 3A719-B	Hose-pressure line
1 C7SZ 3A732-B	Bracket-pump adj.
1 C5AZ 3A733-C	Pulley assy.-pump
1 C3AZ 3A762-A	Clamp assy.-hose
1 C1AZ 6A312-D	Pulley-crankshaft
1 C6OZ 8509-A	Pulley-water pump
1 C6VE 8620-A	Belt-drive-1/2" x 44.00"
2 40923-S8	Screw-hex.hd.tap.-5/16"-18 x 1/2"
1 55768-S2	Nut-hex.lock-3/8"-16
♦2 97201-S8	Clamp-hose-5/8" dia.-slotted
♦2 97237-S8	Clamp-hose-5/8" dia.-solid
1 351819-S	Clamp-hose
6 371041-S8	Bolt-hex.hd.self-lock-3/8"-16 x 7/8"
3 374525-S8	Screw & washer assy.-3/8"-16 x 1.00"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex.-5/8"-18
1	Sketch-installation

C7ZZ 3A635-E	Consists of the following
1 C7AZ 3A733-D	Pulley assy.-pump-4 27/64"
1 C6DE 8620-G	Belt-drive-15/32" x 48 3/4"
1	Sketch-installation

Δ - Optional ♦ - Optional

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

POWER STEERING KIT PARTS LISTS - continued

C8AZ 3A635-A	Consists of the following
†1 C5AZ 3504-A	Gear-integral
†1 C8AR 3504-A	Gear-integral
1 C7SZ 3C511-A	Support-pump
1 C8AZ 3C511-A	Support-pump-rear
☆1 C7AA 3E523-A	Clip-hose
☆1 C8AA 3E523-A	Clip-hose
1 C5AZ 3590-E	Arm assy.-pitman
1 C7MY 3E595-A	Shield-splash
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C8AZ 3A610-A	Clip-tube
1 C7MY 3E634-A	Shield-splash-lower
1 C7AZ 3A674-A	Pump assy.
1 C8AA 3C696-A	Strap-hose
1 C8AZ 3A713-A	Hose-return line
1 C8AZ 3A719-A	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7AZ 3A733-E	Pulley-pump-4 1/2" dia.
◊1 C3AZ 3A762-A	Clamp assy.-hose
1 C8AZ 6A312-C	Pulley-crankshaft
1 C8SE 8620-B	Belt-pump pulley-1/2" x 42 1/2"
Δ1 55713-S7	Nut-hex.lock-3/8"-16
Δ1 55768-S7	Nut-hex.lock-3/8"-16
1 72026-S	Pin-cotter-1/8" x 7/8"
♦1 97201-S8	Clamp-hose-5/8" dia.-slotted
♦1 97237-S8	Clamp-hose-5/8" dia.-solid
6 371041-S2	Bolt-hex.hd.self-lock.-3/8"-16 x 7/8"
8 375372-S	Pin-drive-1/4" x 5/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
3 378604-S8	Screw & washer assy.-3/8"-16 x 3/4"
1 378720-S2	Nut-hex.-5/8"-18
◊1 380396-S100	Clip-hose
1	Sketch-installation

C8AZ 3A635-B	Consists of the following
1 C5AZ 3504-A	Gear assy.
1 C7AZ 3C511-A	Support-pump
1 C8AZ 3C511-A	Support-pump-rear
‡1 C8AA 3E523-A	Clip-hose
‡1 C7AA 3E523-A	Clip-hose
1 C5AZ 3590-E	Arm assy.-pitman
1 C7MY 3E595-A	Shield-splash
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C8AZ 3A610-A	Clip-tube
1 C7MY 3E634-A	Shield-splash-lower
1 C7AZ 3A674-A	Pump assy.
1 C8AA 3C696-A	Strap-hose
1 C8AZ 3A713-A	Hose-return line
1 C8AZ 3A719-A	Hose-pressure line
1 C7SZ 3A732-A	Bracket-adj.
1 C7AZ 3A733-F	Pulley assy.-pump-4 1/2" dia.
†1 C3AZ 3A762-A	Clamp assy.-hose
1 C7AZ 6A312-A	Pulley assy.-crankshaft
1 C8OZ 8509-B	Pulley-water pump
1 C6DE 8620-G	Belt-pump drive-15/32" x 46 3/4"
3 42997-S8	Bolt-lock-3/8"-16 x 7/8"
Δ1 55713-S7	Nut-hex.lock-3/8"-16
Δ1 55768-S7	Nut-hex.lock-3/8"-16
1 72026-S	Pin-cotter-1/8" x 7/8"
♦1 97201-S8	Clamp-hose-5/8" dia.-slotted
♦1 97237-S8	Clamp-hose-5/8" dia.-solid
4 371041-S8	Bolt-hex nd.lock.-3/8"-16 x 7/8"
8 375372-S	Pin-drive-1/4" x 5/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex.-5/8"-18
†1 380396-S100	Clip-hose
1	Sketch-installation

C8AZ 3A635-C	Consists of the following
Δ1 C5AZ 3504-A	Gear-integral
Δ1 C8AR 3504-A	Gear-integral
1 C5AZ 3590-E	Arm assy.-pitman
1 C7MY 3E595-A	Shield-splash
2 C5AZ 3D600-B	Spacer-pump
1 C8AZ 3A610-A	Clip-tube
1 C7MY 3E634-A	Shield-splash-lower
1 C7AZ 3A674-A	Pump assy.
1 C8AZ 3A713-A	Hose-return line
1 C8AZ 3A719-B	Hose-pressure line
1 C7AZ 3A732-A	Bracket-pump adj.
1 C5AZ 3A733-H	Pulley-pump-5 1/8" dia.
†1 C3AZ 3A762-A	Clamp assy.-hose
1 C5AZ 6A312-A	Pulley-crankshaft
1 C7AE 8620-E	Belt-pump drive-15/32" x 42 3/4"
2 42848-S2	Screw & washer-5/16"-18 x 1 1/8"
3 46005-S8	Bolt-self-lock.-3/8"-16 x 5/8"
2 55770-S7	Nut-hex.lock-7/16"-14
1 72026-S	Pin-cotter-1/8" x 7/8"
♦1 97201-S8	Clamp-hose-5/8" dia.-slotted
♦1 97237-S8	Clamp-hose-5/8" dia.-solid
3 352460-S2	Screw-hex.hd.lock.-3/8"-16 x 3/4"
6 375372-S	Pin-drive-1/4" x 5/8"
2 377279-S8	Stud-7/16"-14 x 2 1/8"
†1 380396-S100	Clip
1	Sketch-installation

C8AZ 3A635-D	Consists of the following
1 C7SA 3A005-A	Hose-return line
1 C8AZ 3A713-B	Hose assy.-return line
1 C7AZ 3A733-D	Pulley assy.-pump-4 27/64"
1 C8AZ 3D746-A	Cooler assy.-oil
1 C6OE 8620-N	Belt-drive-15/32" x 47 1/4"
Δ3 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ3 97237-S8	Clamp-hose-5/8" dia.-solid
1	Sketch-installation

C8AZ 3A635-E	Consists of the following
1 C7ZZ 3A713-C	Hose-return line
1 C8AZ 3A713-B	Hose assy.-return line
1 C7AZ 3A733-A	Pulley assy.-pump
1 C8AZ 3D746-A	Cooler assy.-oil
1 C8AA 8620-A	Belt-drive
Δ3 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ3 97237-S8	Clamp-hose-5/8" dia.-solid
1	Sketch-installation

Δ - Optional ♦ - Optional † - Optional ◊ - Optional ☆ - Optional ‡ - Optional

POWER STEERING KIT PARTS LISTS - continued

C8OZ 3A635-A	Consists of the following
1 C7OZ 3C510-A	Bracket-hose(Fairlane, Falcon, Comet)
1 C8ZZ 3C510-A	Bracket-hose(Mustang only)
1 C8OZ 3C511-A	Support-pump
1 C8OZ 3C511-B	Support-rear
1 C8OZ 3C511-D	Support-bracket-rear
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C7OZ 3A674-A	Pump assy.
1 C7OZ 3A713-C	Hose-return line
1 C8OZ 3A719-B	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C8OZ 3A733-A	Pulley assy. -pump-4 1/4" dia.
1 C8DZ 6A312-A	Pulley-vibration damper
1 C9PZ 8620-6M	Belt-drive V-15/32" x 41.00"
5 34805-S2	Washer-lock-1/4"
1 40923-S2	Screw-hex. hd. tap. -5/16"-18 x 1/2"
Δ3 55711-S7	Nut-hex. lock-5/16"-16
Δ3 55766-S7	Nut-hex. lock-5/16"-18
♦1 97201-S8	Clamp-hose-5/8" dia. -slotted
♦1 97237-S8	Clamp-hose-5/8" dia. -solid
2 300864-S2	Bolt-hex. hd. -1/4"-20 x 2 1/8"
1 304775-S2	Bolt-hex. hd. -1/4"-20 x 1 5/8"
1 304803-S8	Bolt-hex. hd. -9/16"-18 x 1 3/4"
3 351415-S2	Washer-flat-3/8"
1 351819-S	Clamp-hose
4 371041-S2	Screw-hex. hd. lock. -3/8"-16 x 7/8"
3 374525-S8	Screw & washer assy. -3/8"-16 x 1.00"
1 378720-S2	Nut-hex. -5/8"-16
3 382392-S2	Stud-5/16"-18 x 1 5/8"
1 383291-S2	Bolt-hex. hd. -3/8"-16 x 6 7/8"
1	Sketch-installation

C8OZ 3A635-B	Consists of the following
1 C6OA 3E506-A	Clip
1 C6OZ 3C510-F	Bracket assy. -insulator
1 C7SZ 3C511-A	Support-pump
1 C8OZ 3C511-B	Support-pump-rear
1 C6OZ 3A515-B	Tube assy. -return line
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C7OZ 3A674-A	Pump assy.
1 C8OZ 3A713-B	Hose assy. -return line
1 C8OZ 3A719-B	Hose assy. -pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7AZ 3A733-E	Pulley-assy. -pump-4 1/2" dia.
1 C6OZ 6C099-B	Stop-engine support-L. H.
1 C8AZ 6A312-C	Pulley-crankshaft
1 C8SE 8620-B	Belt-1/2" x 42 1/2"
1 34440-S	Nut-hex. lock-1/4"-20
1 40923-S2	Screw-self-tap. -5/16"-18 x 1/2"
♦1 55713-S7	Nut-hex. lock-3/8"-16
♦1 55768-S7	Nut-hex. lock-3/8"-16
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
1 351819-S	Clamp-hose
6 371041-S2	Bolt-hex. hd. self-lock. -3/8"-16 x 7/8"
3 374525-S8	Screw & washer assy. -3/8"-16 x 1.00"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex. -5/8"-18
1	Sketch-installation

C8OZ 3A635-C	Consists of the following
1 C7OZ 3C510-A	Bracket-hose(Fairlane, Falcon, Comet)
1 C8ZZ 3C510-A	Bracket-hose(Mustang, Cougar)
1 C7AZ 3C511-A	Support-pump adj.
1 C8OZ 3C511-C	Support-pump-rear
†2 C7AA 3E523-A	Clip-hose attaching
†2 C8AA 3E523-A	Clip-hose attaching
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C7OZ 3A674-A	Pump assy.
2 C8OA 3C696-A	Strap-hose
1 C7OZ 3A713-C	Hose-return line
1 C8OZ 3A719-C	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7AZ 3A733-F	Pulley assy. -pump-4 1/2" dia.
1 C7AZ 6A312-A	Pulley assy. -crankshaft
1 C8OZ 8509-B	Pulley-water pump
1 C9PZ 8620-FR	Belt-15/32" x 46 3/4"
1 40923-S2	Screw-hex. hd. tap-5/16"-18 x 1/2"
3 42997-S8	Bolt-lock. -3/8"-16 x 7/8"
♦1 55713-S7	Nut-hex. lock. -3/8"-16
♦1 55768-S7	Nut-hex. lock. -3/8"-16
Δ1 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ1 97237-S8	Clamp-hose-5/8" dia. -solid
1 351819-S	Clamp-hose
4 371041-S2	Bolt-hex. hd. self-lock. -3/8"-16 x 7/8"
1 377060-S2	Stud-hex. lock-3/8"-16
1 378720-S2	Nut-hex. -5/8"-18
1	Sketch-installation

C8OZ 3A635-D	Consists of the following
1 C7AZ 3A733-A	Pulley-pump
1 C8AA 8620-A	Belt-drive
1	Sketch-installation

C8OZ 3A635-E	Consists of the following
1 C7AZ 3A733-D	Pulley assy. -pump
1 C6OZ 8620-A	Belt-drive-15/32" x 47 1/4"
1	Sketch-installation

C8ZZ 3A635-A	Consists of the following
1 C7ZZ 3494-B	Hose assy. -pressure line
1 C7ZZ 3C510-C	Bracket-hose
1 C7AZ 3C511-B	Bracket-pump-rear
1 C7SZ 3C511-A	Support-pump
1 C7SZ 3D600-A	Spacer-pump adj. bracket
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-hose insulator
1 C7OZ 3A674-A	Pump assy.
1 C7ZZ 3A713-C	Hose-return line
1 C7ZZ 3A713-D	Hose assy. -return line
1 C7ZZ 3A719-B	Hose assy. -pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7AZ 3A733-E	Pulley assy. -pump-4 1/2" dia.
1 C3AZ 3A762-A	Clamp assy. -hose
1 C8AZ 6A312-C	Pulley-crankshaft
1 C9PZ 8620-GU	Belt-drive-1/2" x 42 1/2"
1 40923-S2	Screw-hex. hd. tap. -5/16"-18 x 1/2"
♦1 55713-S7	Nut-hex. lock-3/8"-16
♦1 55768-S7	Nut-hex. lock-3/8"-16
Δ2 97201-S8	Clamp-hose-5/8" dia. -slotted
Δ2 97237-S8	Clamp-hose-5/8" dia. -solid
1 351819-S	Clamp-hose
6 371041-S2	Bolt-hex. hd. self-lock. -3/8"-16 x 7/8"
1 374525-S8	Screw & washer assy. -3/8"-16 x 1.00"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex. -5/8"-18
1	Sketch-installation

Δ - Optional ♦ - Optional † - Optional

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

POWER STEERING KIT PARTS LISTS - continued

C9AZ 3A635-A	Consists of the following
1 C9AZ 3504-A	Gear-integral
1 C9AZ 3590-B	Arm-pitman
2 C5AZ 3D600-B	Spacer-pump
1 C8AZ 3A610-A	Clip-tube
1 C7AZ 3A674-A	Pump assy.
1 C9AZ 3A713-A	Hose-return line
1 C9AZ 3A719-B	Hose-pressure line
1 C7AZ 3A732-A	Bracket-pump adj.
1 C5AZ 3A733-D	Pulley-pump-5 1/8" dia.
1 C9AA 3C746-C	Clamp-hose
1 C6AZ 6A312-B	Pulley-crankshaft
1 C7AE 8620-D	Belt-pump drive-1/2" x 43.00"
3 42848-S2	Screw & washer-5/16"-18 x 1 1/8"
3 42938-S2	Bolt-self-lock.-3/8"-16 x 1.00"
2 55770-S7	Nut-hex.lock-7/16"-14
1 72026-S	Pin-cotter-1/8" x 7/8"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
3 370608-S2	Screw-hex.hd.lock-3/8"-16 x 3/4"
2 377279-S2	Stud-7/16"-14 x 2 1/8"
1	Sketch-installation

C9AZ 3A635-C	Consists of the following
1 C9AZ 3504-A	Gear-integral
1 C7SZ 3C511-B	Support-pump
1 C9AZ 3C511-B	Support-pump-rear
1 C9AZ 3590-B	Arm assy.-pitman
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C8AZ 3A610-A	Clip-tube
1 C7AZ 3A674-A	Pump assy.
1 C9AZ 3A713-E	Hose assy.-return line
1 C9AZ 3A719-A	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7AZ 3A733-A	Pulley assy.-pump-4 1/2" dia.
1 C9AA 3C746-C	Clamp-hose
1 C8AZ 6A312-C	Pulley-crankshaft
1 C8SE 8620-B	Belt-pump pulley-1/2" x 42 1/2"
♦1 55713-S7	Nut-hex.lock-3/8"-16
♦1 55768-S7	Nut-hex.lock-3/8"-16
1 72026-S	Pin-cotter-1/8" x 7/8"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
6 371041-S2	Bolt-hex.hd.lock.-3/8"-16 x 7/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex.-5/8"-18
1	Sketch-installation

C9AZ 3A635-D	Consists of the following
1 C9AA 3A005-A	Hose-return line
1 C9AZ 3A713-A	Hose assy.-return line
1 C7AZ 3A733-A	Pulley assy.-pump
1 C9AZ 3D746-A	Cooler assy.-oil
1 C8AA 8620-A	Belt-drive-15/32 x 50 3/4"
Δ3 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ3 97237-S8	Clamp-hose-5/8" dia.-solid
1	Sketch-installation

C9AZ 3A635-E	Consists of the following
1 C9AA 3A005-A	Hose-return line
1 C9AZ 3A713-A	Hose assy.-return line
1 C7AZ 3A733-D	Pulley assy.-pump
1 C9AZ 3D746-A	Cooler assy.-oil
1 C6OZ 8620-A	Belt-drive-15/32" x 47 1/4"
Δ3 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ3 97237-S8	Clamp-hose-5/8" dia.-solid
1	Sketch-installation

C9AZ 3A635-F	Consists of the following
1 C9AZ 3504-A	Gear assy.
1 C9OZ 3K505-A	Adaptor-pump
1 C7AZ 3C511-A	Support-pump
1 C9AZ 3C511-B	Support-pump-rear
‡1 C7AA 3E523-A	Clip-hose
‡1 C8AA 3E523-A	Clip-hose
1 C9AZ 3590-B	Arm assy.-pitman
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C8AZ 3A610-A	Clip-tube
1 C7AZ 3A674-A	Pump assy.
1 C8AA 3C696-A	Strap-hose
1 C9AZ 3A713-A	Hose-return line
1 C9AZ 3A719-D	Hose-pressure line
1 C7SZ 3A732-A	Bracket-adj.
1 C7AZ 3A733-F	Pulley assy.-pump-4 1/2" dia.
1 C9AA 3C746-C	Clamp-hose
1 C9OZ 6A312-B	Pulley assy.-crankshaft
1 C8OZ 8509-B	Pulley-water pump
1 C2TZ 8620-H	Belt-15/32" x 46 3/4"
♦1 55713-S7	Nut-hex.lock-3/8"-16
1 72026-S	Pin-cotter-1/8" x 7/8"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
4 371041-S2	Bolt-hex.head lock-3/8"-16 x 7/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex.-5/8"-18
2 381649-S2	Screw-3/8"-16 x 1"
1 382860-S2	Bolt-3/8"-16 x 6 1/4"
1	Sketch-installation

C9OZ 3A635-A	Consists of the following
1 C8OA 3A005-A	Hose-return line upper
1 C9OZ 3494-A	Hose-pressure line to valve
1 C6OA 3E506-A	Clip-pressure & return tube
1 C9OZ 3C510-A	Bracket assy.-pressure & return tube
1 C7AZ 3C511-A	Support-pump adj.
1 C9OZ 3C511-A	Support-pump-rear
1 C7SZ 3D600-A	Spacer-pump adj. bracket
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-hose insulator
1 C9OZ 3A611-A	Bracket-hose
1 C9OZ 3A674-A	Pump assy.
1 C9OZ 3A713-A	Hose assy.-return line
1 C9OZ 3A719-A	Hose assy.-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7AZ 3A733-A	Pulley assy.-pump
1 C9OZ 6A312-B	Pulley assy.-crankshaft
1 C8OZ 8509-B	Pulley-water pump
1 C6DE 8620-G	Belt-drive-15/32" x 46 3/4"
1 34440-S2	Nut-lock-1/4"-20
1 34987-S4	Nut-hex.lock-3/8"-16
1 40923-S2	Screw-hex.hd.tap.-5/16"-18 x 1/2"
Δ2 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ2 97237-S8	Clamp-hose-5/8" dia.-solid
4 371041-S2	Screw-hex.hd.lock.-3/8"-16 x 7/8"
1 377060-S2	Stud-hex.lock.-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex.-5/8"-18
1	Sketch-installation

♦ - Optional Δ - Optional ‡ - Optional

POWER STEERING KIT PARTS LISTS - continued

C9OZ 3A635-B	Consists of the following
1 C8OA 3A005-A	Hose-return-upper
1 C9OZ 3494-A	Hose assy.-pressure line
1 C9OZ 3K505-A	Adaptor-pump mounting
1 C6OA 3E506-A	Clip-tube
1 C9OZ 3C510-A	Bracket assy.-tube
1 C7AZ 3C511-A	Support-pump adj.
1 C9OZ 3C511-A	Support-pump-rear
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-hose insulator
1 C9OZ 3A611-A	Bracket-hose
1 C9OZ 3A674-A	Pump assy.
1 C9OZ 3A713-A	Hose-return line
1 C9OZ 3A719-A	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7AZ 3A733-A	Pulley assy.-pump-4 1/2" dia.
1 C9OZ 6A312-B	Pulley-crankshaft
1 C8OZ 8509-B	Pulley-water pump
1 C6DE 8620-G	Belt-15/32" x 46 3/4"
1 34440-S2	Nut-lock-1/4"-20
1 40923-S2	Screw-hex.hd.tap.-5/16"-18 x 1/2"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
4 371041-S2	Screw-hex.hd.lock.-3/8"-16 x 7/8"
1 378720-S2	Nut-hex.-5/8"-18
2 381649-S2	Screw-hex.lock-3/8"-16 x 1.00"
1 382860-S2	Bolt-3/8"-16 x 6 7/8"
1	Sketch-installation

C9OZ 3A635-C	Consists of the following
1 C7OZ 3494-A	Tube-pressure line
1 C6OA 3E506-A	Clip-tube
1 C6OZ 3E510-F	Bracket-hose insulator
1 C7SZ 3C511-A	Support-pump
1 C8OZ 3C511-B	Support-pump-rear
1 C6OZ 3A515-B	Tube-return line
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C7OZ 3A674-A	Pump assy.
1 C8OZ 3A713-B	Hose-return line
1 C8OZ 3A719-A	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C9OZ 3A733-B	Pulley assy.-pump
1 C6OZ 6C099-B	Stop-front support-L.H.
1 C8AZ 6312-D	Pulley-crankshaft
1 C7SE 8620-A1	Belt-1/2" x 45 3/4"
1 34440-S	Nut-hex.lock-1/4"-20
1 34987-S4	Nut-hex.lock-3/8"-16
1 40923-S2	Screw-self-tap.-5/16"-18 x 1/2"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
6 371041-S2	Screw-hex.hd.lock.-3/8"-16 x 7/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex.-5/8"-18
1	Sketch-installation

C9OZ 3A635-D	Consists of the following
1 C7OZ 3C510-A	Bracket-hose(Fairlane, Comet)
1 C7ZZ 3C510-C	Bracket-hose(Mustang only)
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-hose insulator
1 C7OZ 3A674-A	Pump assy.
1 C7OZ 3A713-A	Hose assy.-return line
1 C8OZ 3A719-B	Hose assy.-pressure line
1 C9ZZ 3A732-A	Bracket-pump adj.
1 C9OZ 3A733-A	Pulley assy.-pump-4 3/4" dia.
1 C9ZZ 6A312-A	Pulley assy.-crankshaft
1 C9ZE 8620-A	Belt-pump-15/32" x 44 1/4"
1 40923-S2	Screw-hex.hd.tap.-5/16"-18 x 1/2"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
7 370608-S2	Screw-hex.hd.lock-3/8"-16 x 3/4"
3 383165-S	Bolt-hex.hd.-3/8"-16 x 3/4"
1	Sketch-installation

C9ZZ 3A635-A	Consists of the following
1 C7OZ 3C510-A	Bracket-hose(Fairlane, Falcon, Comet)
1 C8ZZ 3C510-A	Bracket-hose(Mustang only)
1 C8OZ 3C511-A	Support-pump
1 C8OZ 3C511-B	Support-pump-rear
1 C8OZ 3C511-D	Support-pump bracket-rear
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C8OZ 3D673-A	Pulley assy.-pump-4 1/4" dia.
1 C7OZ 3A674-A	Pump assy.
1 C7OZ 3A713-A	Hose-return line
1 C8OZ 3A719-B	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C8DZ 6A312-A	Pulley-vibration damper
1 C8DE 8620-C	Belt-drive V-15/32" x 41.00"
3 34805-S2	Washer-lock-1/4"
1 40923-S2	Screw-hex.hd.-5/16"-18 x 1/2"
3 55711-S7	Nut-hex.lock-5/16"-18
3 56138-S2	Screw & washer assy.-3/8"-16 x 1.00"
Δ1 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ1 97237-S8	Clamp-hose-5/8" dia.-solid
2 300864-S2	Bolt-hex.hd.-1/4"-20 x 2 1/8"
1 304775-S2	Bolt-hex.hd.-1/4"-20 x 1 5/8"
1 304803-S8	Bolt-hex.hd.-9/16"-18 x 1 3/4"
3 351415-S2	Washer-flat-3/8"
4 371041-S2	Screw-hex.hd.lock.-3/8"-16 x 7/8"
3 382392-S2	Stud-5/16"-18 x 1 5/8"
1 382720-S2	Nut-hex.-5/8"-18
1 382860-S	Bolt-hex.hd.-3/8-16 x 6 7/8"
1	Sketch-installation

C9ZZ 3A635-B	Consists of the following
1 C9ZA 3A005-A	Hose-return
1 C7ZZ 3494-A	Hose-pressure line
1 C7ZZ 3C510-A	Bracket-hose
1 C7AZ 3C511-A	Support-pump adj.
1 C9OZ 3C511-A	Support-pump-rear
1 C7SZ 3D600-A	Spacer-adj. bracket
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C9OZ 3A674-A	Pump assy.
1 C8ZZ 3A713-A	Hose-return line
1 C9ZZ 3A719-A	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7AZ 3A733-A	Pulley assy.-pump-4 1/2" dia.
1 C9OZ 6A312-B	Pulley assy.-crankshaft
1 C8OZ 8509-B	Pulley-water pump
1 C6DE 8620-G	Belt-15/32" x 46 3/4"
1 40923-S2	Screw-hex.hd.tap.-5/16"-18 x 1/2"
♦1 55713-S7	Nut-hex.lock-3/8"-16
♦1 55768-S7	Nut-hex.lock-3/8"-16
Δ2 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ2 97237-S8	Clamp-hose-5/8" dia.-solid
4 371041-S2	Screw-hex.hd.lock.-3/8"-16 x 7/8"
1 377060-S2	Stud-hex.lock-3/8"-16
1 378459-S2	Screw-tap.-5/16"-18 x 5/8"
1 378720-S2	Nut-hex.-5/8"-18
1	Sketch-installation

Δ - Optional

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

POWER STEERING KIT PARTS LISTS - continued

C9ZZ 3A635-C	Consists of the following
1 C9ZA 3A005-A	Hose assy.-return
1 C7ZZ 3494-A	Hose assy.-pressure line
1 C9OZ 3K505-A	Adaptor-pump mounting
1 C7ZZ 3C510-C	Bracket-hose
1 C7AZ 3C511-A	Support-pump adj.
1 C9OZ 3C511-A	Support-pump-rear
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C9OZ 3A674-A	Pump assy.
1 C8ZZ 3A713-A	Hose-return line
1 C9ZZ 3A719-A	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7AZ 3A733-A	Pulley assy.-pump-4 1/2" dia.
1 C9OZ 6A312-B	Pulley assy.-crankshaft
1 C8OZ 8509-B	Pulley-water pump
1 C6DE 8620-G	Belt-15/32" x 46 3/4"
1 40923-S2	Screw-hex.hd.tap.-5/16"-18 x 1/2"
Δ2 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ2 97237-S8	Clamp-hose-5/8" dia.-solid
4 371041-S2	Screw-hex.hd.lock.-3/8"-16 x 7/8"
1 378459-S2	Screw-5/16"-18 x 5/8"
1 378720-S2	Nut-hex.-5/8"-18
2 381649-S2	Screw-hex.lock-3/8"-16 x 1.00"
1 382860-S2	Bolt-hex.hd.-3/8"-16 x 6 7/8"
1	Sketch-installation

C9ZZ 3A635-D	Consists of the following
1 C9ZA 3A005-A	Hose-return line
1 C7ZZ 3494-B	Hose assy.-pressure line
1 C7ZZ 3C510-C	Bracket-hose
1 C7SZ 3C511-A	Support-pump
1 C8OZ 3C511-B	Support-pump-rear
1 C7SZ 3D600-A	Spacer-pump adj. bracket
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-insulator
1 C7OZ 3A674-A	Pump assy.
1 C8ZZ 3A713-A	Hose assy.-return line
1 C8ZZ 3A719-A	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C8OZ 3A733-A	Pulley assy.-pump
1 C8AZ 6A312-D	Pulley-crankshaft
1 C7SE 8620-A	Belt-drive-1/2" x 43 3/4"
1 34987-S4	Nut-hex.lock-3/8"-16
1 40923-S2	Screw-hex.hd.tap.-5/16"-18 x 1/2"
Δ2 97201-S8	Clamp-hose-5/8" dia.-slotted
Δ2 97237-S8	Clamp-hose-5/8" dia.-solid
6 371041-S2	Screw-hex.hd.lock.-3/8"-16 x 7/8"
1 377060-S2	Stud-3/8"-16 x 3/8"
3 378459-S2	Screw-hex.hd.tap.-5/16"-18 x 5/8"
1 378720-S2	Nut-hex.-5/8"-18
1	Sketch-installation

C9ZZ 3A635-E	Consists of the following
1 C5AZ 3A733-F	Pulley assy.-pump
1 C6OZ 8620-A	Belt-drive-15/32" x 47 1/4"
1	Sketch-installation

C9ZZ 3A635-F	Consists of the following
1 C5AZ 3A733-F	Pulley-pump-5 5/8" dia.
1 C3OZ 8620-F	Belt-drive-15/32" x 51 1/2"
1	Sketch-installation

D0AZ 3A635-A	Consists of the following
1 C9AZ 3504-A	Gear-integral
1 D0AZ 3C510-A	Bracket-pump-front
1 C7SZ 3C511-A	Support-pump
1 D0AZ 3C511-D	Support-pump-rear
1 C7AA 3E523-A	Clip-hose
1 C9AZ 3590-B	Arm assy.-pitman
1 C8SZ 3D600-A	Spacer-adj.bracket
1 C8AZ 3A610-A	Clip-tube
1 D0AZ 3A674-A	Pump assy.
1 C8AA 3C696-A	Strap-hose
1 D0AA 3C696-A	Strap-hose
1 D0AZ 3A713-B	Hose assy.-return line
1 D0AZ 3A719-A	Hose-pressure line
1 C7SZ 3A732-A	Bracket-pump adj.
1 C7AZ 3A733-A	Pulley assy.-pump-4 1/2" dia.
1 C9AA 3C746-C	Clamp-hose
1 C8AZ 6A312-C	Pulley-crankshaft
1 C5TZ 8620-B	Belt-pump pulley-1/2" x 42 1/2"
1 34987-S	Nut-hex.lock-3/8"-16
1 72035-S	Pin-1/8" x 1" cotter
1 97237-S8	Clamp-hose-5/8" dia.
6 371041-S2	Bolt-hex.head lock-3/8"-16 x 7/8"
1 377060-S2	Stud-3/8"-16 x 7 3/8"
1 378720-S2	Nut-hex.-5/8"-18
1	Sketch-installation

D0AZ 3A635-B	Consists of the following
1 C9AZ 3504-A	Integral power steering gear
1 C9AZ 3590-B	Arm assy.-steering pitman (power)
2 C5AZ 3D600-B	Spacer-power steering pump
1 C8AZ 3A610-B	Clip-P/S pressure return tube
1 D0AZ 3A674-A	Pump assy.-power steering
1 D0AZ 3A713-B	Hose assy.-power steering return line
1 C9AZ 3A719-B	Hose assy.-P/S pressure line
1 C7AZ 3A732-A	Bracket-power steering pump adjusting
1 C5AZ 3A733-D	Pulley-power steering pump-5.12 dia. Code AD
1 C9AA 3C746-C	Clamp-power steering hose
1 C6TZ 6A312-A	Pulley-crankshaft
1 B8QH 8620-F	Belt-power steering pump drive
2 34988-S4	Nut-7/16"-14 Hex.lock
3 56323-S4	Screw & washer assy.-5/16"-18 x 1.25
1 72035-S	Pin-1/8" x 1" cotter
1 97201-S8	Clamp-5/8" hose
1 97237-S8	Clamp-5/8" hose
3 370608-S2	Screw-3/8"-16 x .75"hex.hd.locking
2 377279-S2	Stud-7/16"-14 x 2.12"
3 383165-S	Bolt-3/8"-16 x 7/8"
1	Sketch-installation

D0AZ 3A635-C	Consists of the following
1 C9AZ 3504-A	Gear assy.
1 D0AZ 3C510-A	Support-pump
1 D0AZ 3C511-E	Support-pump-rear
1 C9AZ 3590-B	Arm assy.-pitman
1 C8SZ 3D600-A	Spacer-adj.bracket
1 C8AZ 3A610-A	Clip-tube
1 D0AZ 3A674-A	Pump assy.
1 D0AZ 3A713-B	Hose-return line
1 D0AZ 3A719-A	Hose-pressure line
1 D0AZ 3A732-C	Bracket-adj.
1 C9TZ 3A733-D	Pulley assy.-pump-4 1/2" dia.
1 C9AA 3C746-C	Clamp-hose
1 D0AZ 6A312-C	Pulley assy.-crankshaft
1 C9OZ 8509-A	Pulley-water pump
1 C9PZ 8620-CP	Belt-1/2" x 53"
1 D0TZ 8620-B	Belt-1/2" x 50 1/2"
1 72035-S	Pin-1/8" x 1" cotter
1 384161-S100	Clamp-hose-5/8" dia.
5 370608-S2	Screw-3/8"-16 x 3/4"hex.head lock
1 378720-S2	Nut-hex.-5/8"-18
1 382092-S2	Screw-7/16"-14 x 3/4" hex.head
1 383722-S2	Bolt-7/16"-14 x 6 3/8"
1	Sketch-installation

♦ - Optional Δ - Optional

POWER STEERING KIT PARTS LISTS - continued

D0AZ 3A635-D	Consists of the following
1 D0AA 3A005-A	Hose-return line
1 C5AZ 3A733-F	Pulley assy. -pump
1 D0AZ 3D746-A	Cooler assy. -pump oil
1 D0AZ 8620-H	Belt-drive-15/32" x 52 1/4"
2 56138-S4	Bolt-3/8"-16 x 3/4"
2 97237-S8	Clamp-5/8" dia.
1 351184-S2	Washer-3/8" flat
1	Sketch-installation

D0AZ 3A635-E	Consists of the following
1 C7AZ 3A005-A	Hose-power steering return line
1 D0AZ 3A713-A	Hose assy. -power steering return line
1 D0AZ 3D746-B	Cooler assy. -power steering oil
1 D0OZ 8620-B	Belt-drive-1/2" x 52 1/4"
1 D0TZ 8620-A	Belt-drive 1/2" x 49 1/2"
2 56138-S4	Bolt-3/8"-16 x 3/4" hex. head
2 97201-S8	Clamp-5/8" dia. slotted band hose
2 381673-S2	Screw & washer assy. -3/8"-16 x 5/8"
1	Sketch-installation

D0AZ 3A635-F	Consists of the following
1 C9AZ 3504-A	Gear-integral power steering
1 D0AZ 3C510-A	Bracket-power steering tube-front
1 D0AZ 3C511-C	Support-power steering pump
1 C9AZ 3590-B	Arm assy. -steering pitman (power)
1 C8AZ 3A610-B	Clip-P/S pressure & return tube
1 D0AZ 3A674-A	Pump assy. -power steering
1 D0AZ 3A713-B	Hose assy. -power steering return line
1 D0AZ 3A719-A	Hose assy. -power steering pressure line
1 D0AZ 3A732-B	Bracket assy. -power steering pump adj.
1 C9TZ 3A733-D	Pulley assy. -power steering pump
1 C9AA 3C746-C	Clamp-power steering hose
1 C9PZ 8620-CM	Belt-P/S pump pulley- 1/2" x 52.00"
1 D0SZ 10A370-A	Spacer-power steering pump adj. bracket
1 34988-S4	Nut-7/16"-14 lock
4 55738-S2	Nut-3/8"-16 hex. washer head locking
2 56138-S4	Bolt-3/8"-16 x 3/4"
3 56138-S4	Bolt-3/8"-16 x 3/4" hex. washer head
1 72035-S	Pin-1/8" x 1" cotter
1 97201-S8	Clamp-power steering hose
1 97237-S8	Clamp-power steering hose
1 378720-S2	Nut-5/8"-18 hex.
1 383723-S2	Stud-7/16"-14 x 2 5/8"
1	Sketch-installation

D0AZ 3A635-G	Consists of the following
1 D0AA 3A005-B	Hose-return line
1 C5AZ 3A733-F	Pulley assy.-pump
1 D1AZ 3D746-E	Cooler assy.-P/S oil
1 C9PZ 8620-AE	Belt-alternator drive-15/32" x 45"
1 C9PZ 8620-GB	Belt-P/S drive-15/32" x 52 1/4"
1 C5AZ 10344-K	Pulley-alternator-2 5/8" dia.
1 351124-S36	Nut-11/16"-20 hex.hd.
1 351496-S36	Washer-11/16" I.D.-lock
2 381673-S2	Screw & washer assy.-3/8"-16 x 5/8"-hex.hd.
2 384161-S100	Clamp-5/8" dia.
1	Installation sketch

D0OZ 3A635-C	Consists of the following
1 C7AZ 3A005-A	Hose-power steering return line
1 D0OZ 3494-A	Hose-pressure line to valve
1 C6OA 3E506-A	Clip-P/S hose
1 D0OZ 3C510-B	Bracket-power steering hose
1 D0AZ 3C511-E	Support-power steering pump adjusting
1 D0OA 3E596-A	Brkt. assy.-P/S pressure & return tube
1 D0AZ 3D600-A	Spacer-p/s pump adj. bracket
1 C7ZZ 3A609-A	Insulator-power steering hose
1 D0OZ 3A610-A	Retainer-power steering hose insulator

(continued next column)

D0OZ 3A635-C	Consists of the following (continued)
1 D0OZ 3A611-A	Bracket-power steering hose
1 D0OZ 3A733-B	Pulley assy. -power steering pump
1 D0OZ 3A674-A	Pump assy. -power steering
1 D0OZ 3A713-B	Hose assy. -power steering return line
1 D0OZ 3A719-D	Hose assy. -power steering pressure line
1 D0AZ 3A732-C	Bracket assy. -power steering pump adj.
1 D0OZ 3A733-B	Pulley-P/S pump
1 C9AA 3C746-C	Clamp-power steering hose
1 D0OZ 6A312-E	Pulley assy. -crankshaft
1 C9OZ 8509-D	Pulley-water pump
1 C4AZ 8620-C	Belt-alternator drive (15/32" x 39")
1 D0TZ 8620-B	Belt-P/S drive (1/2" x 50 1/2")-not incl. in kit-use w/factory installed A/C
1 D0VZ 8620-B	Belt-power steering-1/2" x 51 1/2"
1 34975-S4	Nut-1/4"-20 lock
1 40923-S2	Screw-5/16"-18 x 1/2" hex. head tap
2 97237-S8	Clamp-5/8" dia.
5 370608-S2	Screw-3/8"-16 x 3/4" hex. head locking
1 378720-S2	Nut-5/8"-18 hex.
1 382092-S2	Screw-7/16"-14 x 3/4" hex. washer head
1 383722-S2	Bolt-7/16"-14 x 6 3/8"
1	Sketch-installation

D0OZ 3A635-D	Consists of the following
1 D0OZ 3C510-A	Bracket-hose (Fairlane, Comet)
1 C7ZZ 3A609-A	Insulator-hose
1 C7ZZ 3A610-A	Retainer-hose insulator
1 D0OZ 3A674-B	Pump assy.
1 D0OZ 3A713-A	Hose assy. -return line
1 D0OZ 3A719-A	Hose assy. -pressure line
1 C9ZZ 3A732-A	Bracket-pump adj.
1 D0OZ 3A733-A	Pulley assy. -pump-4 3/4" dia.
1 C9ZZ 6A312-A	Pulley assy. -crankshaft
1 C9ZZ 8620-A	Belt-pump-15/32" x 44 1/4"
1 40923-S2	Screw-hex. hd. tap-5/16"-18 x 1/2"
Δ 1 97237-S8	Clamp-hose-5/8" dia. -solid
7 370608-S2	Screw-hex. hd. lock-3/8"-16 x 3/4"
3 383165-S	Bolt-hex. hd. -3/8"-16 x 3/4"
1	Sketch-installation

D0OZ 3A635-E	Consists of the following
1 C7AZ 3A005-A	Hose-power steering return line upper
1 D0OZ 3494-A	Hose assy.-p/s pressure line to valve
1 C6OA 3E506-A	Clip-p/s pressure & return tube
1 D0OZ 3C510-B	Bracket-power steering pump(6.12"dia.)
1 D0ZZ 3C511-A	Support-power steering pump adj.
1 C9OA 3E596-A	Brkt. assy.-P/S pressure & return tube
1 D0OZ 3D600-A	Spacer-P/S pump adj. (.50" thick)
1 C7ZZ 3A609-A	Insulator-power steering hose
1 D0OZ 3A610-A	Retainer-power steering hose insulator
1 D0OZ 3A611-A	Bracket-P/S hose
1 D0OZ 3A674-A	Pump assy. -power steering
1 D0OZ 3A713-B	Hose assy. -power steering return line
1 D0OZ 3A719-E	Hose assy. -power steering pressure line
1 D0AZ 3A732-C	Bracket assy. -power steering pump adj.
1 D0OZ 3A733-B	Pulley-power steering pump
1 C9AA 3C746-C	Clamp-P/S hose
1 D0OZ 6A312-E	Pulley assy. -crankshaft
1 C9OZ 8509-D	Pulley-water pump
1 C4AZ 8620-C	Belt-alternator drive (15/32" x 39")
1 D0AZ 8620-F	Belt-P/S drive (1/2" x 51 1/2")-not incl. in kit-use w/factory installed A/C
1 D0OZ 8620-B	Belt-power steering-1/2" x 52 1/4"
1 34440-S2	Nut-1/4"-20 lock
1 40923-S2	Screw-5/16"-18 x 1/2" hex. head tap
5 56138-S4	Bolt-3/8"-16 x 3/4" hex. washer head self locking
1 56358-S4	Bolt-7/16"-14 x 3/4" pilot end
2 97237-S8	Clamp-5/8" dia.
1 378720-S2	Nut-5/8"-18 hex.
1 383721-S2	Bolt-7/16"-14 x 6 3/8"
1	Sketch-installation

Δ Optional

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

POWER STEERING KIT PARTS LISTS - continued

D0OZ 3A635-F		Consists of the following
1	C7AZ 3A005-A	Hose-power steering return line upper
1	D0OZ 3494-A	Hose assy.-p/s pressure line to valve
1	C6OA 3E506-A	Clip-p/s pressure & return tube
1	D0OZ 3C510-C	Bracket-power steering hose
1	D0AZ 3C511-F	Support-power steering pump adjusting
1	D0OA 3E596-A	Bracket assy.-power steering pressure & return tube
1	C7ZZ 3A609-A	Insulator-power steering hose
1	D0OZ 3A610-A	Retainer-power steering hose insulator
1	D0OZ 3A611-A	Bracket-power steering hose
1	D0OZ 3A674-A	Pump assy.-power steering
1	D0OZ 3A713-B	Hose assy.-power steering return line
1	D0OZ 3A719-D	Hose assy.-power steering pressure line
1	D1AZ 3A732-A	Bracket assy.-power steering pump adj.
1	D0OZ 3A733-B	Pully assy.-power steering pump
1	C9AA 3C746-C	Clamp-P/S hose
1	C9PZ 8620-CP	Belt-power steering-1/2" x 53.00"
1	D0SZ 10A370-A	Spacer-power steering pump
1	34975-S4	Nut-1/4"-20 lock
1	34988-S4	Nut-7/16"-14 hex. head lock
1	40923-S2	Screw-5/16"-18 x 1/2" hex. head tap
4	55738-S2	Nut-3/8"-16 hex. washer
5	370608-S2	Screw-3/8"-16 x 3/4" hex. head locking
1	378720-S2	Nut-5/8"-18 hex.
1	383723-S2	Stud-7/16"-14 x 2 5/8"
2	384161-S100	Clamp-5/8" dia.
1		Sketch-installation

D0OZ 3A635-H		Consists of the following
1	D0OA 3A005-A	Hose-power steering return line upper
1	D0OZ 3494-A	Hose assy.-P/S pressure line to valve
1	C6OA 3E506-A	Clip-P/S pressure and return line
1	D0OZ 3C510-C	Bracket-power steering hose
1	D0AZ 3C511-F	Support-power steering pump adjusting
1	D0OA 3E596-A	Bracket assy.-power steering pressure and return tube
1	C7ZZ 3A609-A	Insulator-power steering hose
1	D0OZ 3A610-A	Retainer-power steering hose insulator
1	D0OZ 3A611-A	Bracket-power steering hose
1	D0OZ 3A674-A	Pump assy.-power steering
1	D0OZ 3A713-B	Hose assy.-power steering return line
1	D0OZ 3A719-F	Hose assy.-power steering pressure
1	D0AZ 3A732-B	Bracket assy.-P/S pump adjusting
1	D0AZ 3A733-A	Pulley assy.-P/S pump (5.72" dia.)
1	C9AA 3C746-C	Clamp-power steering hose
1	C9PZ 8620-CM	Belt-power steering (1/2" x 52 1/2")
1	D0SZ 10A370-A	Spacer-power steering pump
1	34975-S4	Nut-1/4"-20 lock
1	34988-S4	Nut-7/16"-14 hex. head lock
1	40923-S2	Screw-5/16"-18 x 1/2" hex. head tap.
4	55738-S2	Nut-3/8"-16 hex. washer
5	370608-S2	Screw-3/8"-16 x 3/4" hex. head locking
1	378720-S2	Nut-5/8"-18 hex.
1	383723-S2	Stud-7/16"-14 x 2 5/8"
2	384161-S100	Clamp-5/8" dia.
1		Sketch-installation

D0ZZ 3A635-C		Consists of the following
1	C7AZ 3A005-A	Hose-power steering return
1	C7ZZ 3494-B	Hose-pressure line to valve
1	D0DA 3E506-A	Clip-power steering pressure & return hose
1	C7ZZ 3C510-A	Bracket-power steering hose
1	D0AZ 3C511-E	Support-power steering pump adjusting
1	D0AZ 3D600-A	Spacer-P/S pump adj. bracket
1	C7ZZ 3A609-A	Insulator-power steering hose
1	C7ZZ 3A610-A	Retainer-power steering hose insulator
1	D0OZ 3A610-A	Retainer-power steering hose insulator
1	D0ZZ 3A674-B	Pump assy.-power steering
1	C8ZZ 3A713-A	Hose assy.-power steering return line
1	D0ZZ 3A719-H	Hose assy.-P/S pressure line
1	D0ZZ 3A732-A	Bracket assy.-power steering pump adj.
1	D0OZ 3A733-B	Pulley assy.-power steering pump
1	C3AZ 3A762-A	Clamp assy.-P/S hose
1	D0ZA 3E772-A	Bracket-P/S hose holding
1	D0OZ 6A312-E	Pulley assy.-crankshaft
1	C9OZ 8509-D	Pulley-water pump (6.82" dia.)
1	C4AZ 8620-C	Belt-alternator drive (15/32" x 39")
1	D0TZ 8620-B	Belt-P/S drive (1/2"-50 1/2")
1	D0VZ 8620-B	Belt-power steering-1/2" x 51 1/2"
1	40923-S2	Screw-5/16"-18 x 1/2" hex. head tap
2	97237-S8	Clamp-5/8" dia.
5	370608-S2	Screw-3/8"-16 x 3/4" hex. head locking
1	378459-S2	Screw-5/16"-18 x 5/8" tapping
1	382092-S2	Screw-7/16" x 14 x 3/4" hex. washer head
1	383671-S2	Nut-7/8"-20
1	383722-S2	Bolt-7/16" washer hex. head
1		Sketch-installation

D0ZZ 3A635-D		Consists of the following
1	C7AZ 3A005-A	Hose assy.-P/S return
1	C7ZZ 3494-B	Hose assy.-pressure line to valve
1	D0DA 3E506-A	Clip-power steering pressure & return hose
1	C7ZZ 3C510-A	Bracket-power steering hose
1	D0AZ 3C511-A	Support-power steering pump adjusting
1	D0AZ 3D600-A	Spacer-power steering pump adj. bracket
1	C7ZZ 3A609-A	Insulator-power steering hose
1	C7ZZ 3A610-A	Retainer-power steering hose insulator
1	D0OZ 3A610-A	Retainer-power steering hose insulator
1	D0ZZ 3A674-B	Pump assy.-power steering
1	C8ZZ 3A713-A	Hose assy.-power steering return line
1	D0ZZ 3A719-H	Hose assy.-P/S pressure line
1	D0ZZ 3A732-A	Bracket assy.-power steering pump adj.
1	D0AZ 3A733-A	Pulley assy.-power steering pump
1	C3AZ 3A762-A	Clamp assy.-P/S hose
1	D0ZA 3E772-A	Bracket-P/S hose holding
1	D0OE 6312-B	Pulley assy.-crankshaft
1	C9OZ 8509-B	Pulley-water pump
1	C4AZ 8620-C	Belt-alternator drive (15/32" x 39")
1	C9PZ 8620-CR	Belt-power steering -1/2" x 53 1/2"
1	D0TZ 8620-B	Belt-P/S drive (1/2"-50 1/2")
1	40923-S2	Screw-5/16"-18 x 1/2" hex. head tap
1	97237-S8	Clamp-5/8" dia.
5	370608-S2	Screw-3/8"-16 x 3/4" hex. head locking
1	378459-S2	Screw-5/16"-18 x 5/8"
1	382092-S2	Screw-7/16"-14 x 3/4" hex. washer head
1	383671-S2	Nut-7/8"-20
1	383722-S2	Bolt-7/16"-14 x 6 3/8"
1		Sketch-installation

POWER STEERING KIT PARTS LISTS - continued

D0ZZ 3A635-E		Consists of the following
1	C7AZ 3A005-A	Hose assy. -P/S return
1	C7ZZ 3494-B	Hose assy. -pressure line to valve
1	D0DA 3E506-A	Clip-P/S hose line
1	C7ZZ 3C510-A	Bracket-P/S hose
1	D0ZZ 3C511-A	Support-pump adjusting
1	D0AZ 3D600-A	Spacer-pump adjusting bracket
1	C7ZZ 3A609-A	Insulator-P/S hose
1	D0OZ 3A610-A	Retainer-P/S hose insulator
1	D0ZZ 3A674-B	Pump assy. -P/S
1	C8ZZ 3A713-A	Hose assy. -P/S return line
1	D0ZZ 3A719-H	Hose assy. -P/S pressure line
1	D0ZZ 3A732-A	Bracket assy. -P/S pump adjusting
1	D0OZ 3A733-B	Pulley assy. -P/S pump
1	C3AZ 3A762-A	Clamp assy. -P/S hose
1	D0ZA 3E772-A	Bracket-P/S hose holding
1	D0OE 6312-B	Pulley assy. -crankshaft
1	C9OZ 8509-B	Pulley-water pump
1	C4AZ 8620-C	Belt-alternator drive (15/32" x 39")
1	D0OZ 8620-B	Belt-P/S-1/2" x 52 1/4"
1	D0TZ 8620-B	Belt-P/S drive (1/2"-50 1/2")
1	40923-S2	Screw-5/16'-18 x 1/2" hex. head tap
1	97237-S8	Clamp-5/8" dia.
5	370608-S2	Screw-3/8"-16 x 3/4" hex. head locking
1	378459-S2	Screw-5/16"-18 x 5/8"
1	382092-S2	Screw-7/16"-14 x 3/4"
1	383671-S2	Nut-7/8"-20 x 7/32"
1	383722-S2	Bolt-7/16"-14 x 6 3/8"
1		Sketch-installation

D0ZZ 3A635-F		Consists of the following
1	C7ZZ 3A609-A	Insulator-P/S hose
1	D0ZZ 3A610-A	Retainer-P/S hose insulator
1	D0OZ 3A674-B	Pump assy. -P/S
1	D0ZZ 3A713-A	Hose assy. -return line
1	D0ZA 3A719-H	Hose assy. -pressure line
1	C9ZZ 3A732-B	Bracket-pump adjusting
1	D0OZ 3A733-C	Pulley-pump assy.
1	C9ZZ 6A312-A	Pulley assy. -crankshaft
1	C9ZZ 8620-C	Belt-P/S pump (15/32" x 45 1/4")
1	40923-S2	Screw-5/16"-18 x 1/2" hex. hd. tapping
1	97237-S8	Clamp-P/S hose
7	370608-S2	Screw-3/8"-16 x 3/4" hex. head lock
3	383165-S4	Bolt-3/8"-16 x 3/4"
1		Sketch-installation

D0ZZ 3A635-G		Consists of the following
1	C8ZZ 3C510-A	Bracket-power steering hose
1	C8OZ 3C511-A	Support-power steering pump
1	C8OZ 3C511-B	Support-P/S pump rear
1	D0ZA 3E670-A	Support-P/S pump bracket-rear
1	C7ZZ 3A609-A	Insulator-power steering hose
1	D0OZ 3A610-A	Retainer-power steering hose insulator
1	D0OZ 3A674-B	Pump assy. -power steering
1	D0ZZ 3A713-A	Hose assy. -power steering return line
1	D0ZA 3A719-H	Hose assy.-power steering pressure line
1	C7SZ 3A732-A	Bracket-power steering pump adjusting
1	C8OZ 3A733-A	Pulley assy. -power steering pump
1	C8DZ 6A312-A	Pulley-vibration damper outer
1	C5OZ 8620-C	Belt-drive V-15/32" x 41"
3	34805-S2	Washer-1/4" lock
1	40923-S2	Screw-5/16"-18 x 1/2" hex. head tapping
1	97237-S8	Clamp-hose power steering
2	300864-S2	Bolt-1/4"-20 x 2 1/8" hex. head
1	304775-S2	Bolt-1/4"-20 x 1 5/8" hex. head
1	304803-S8	Bolt-9/16"-18 x 1 3/4" hex. head to crankshaft
1	371041-S2	Screw-3/8"-16 x 7/8" hex. washer head self locking
3	371041-S2	Screw-3/8"-16 x 7/8" hex. washer head locking
1	378720-S2	Nut-5/8"-18 hex.
1	382860-S2	Bolt-3/8"-16 x 6 3/8" hex. head
3	383165-S4	Bolt-3/8"-16 x 3/4" hex. head
3	384072-S2	Screw-5/16"-18 x 1"
1		Sketch-installation

D1AZ 3A635-A		Consists of the following
1	C9SZ 3504-A	Gear assy.-steering
1	D1AZ 3C510-A	Bracket-tube-index
1	D0AZ 3C511-F	Support-pump
1	C9AZ 3590-B	Arm assy.-pitman
1	C8AZ 3A610-A	Clip-hose
1	D0AZ 3A674-A	Pump assy.-steering
1	D0AZ 3A713-B	Hose assy.-return line
1	D1AZ 3A719-A	Hose assy.-pressure
1	D1AZ 3A732-A	Bracket assy.-pump adjusting
1	C9TZ 3A733-D	Pulley assy.-pump
1	C9AA 3C746-C	Clamp-hose
1	C9PZ 8620-CM	Belt-pump pulley-1/2" x 52"
1	D0SZ 10A370-A	Spacer-pump adj. bracket
1	34988-S2	Nut-7/16"-14 lock
4	55738-S2	Nut-3/8"-16 hex.
1	72035-S	Pin-1/8" x 1"-cotter
5	370608-S2	Screw-3/8"-16 x 3/4" hex.hd.lock
1	378720-S2	Nut-5/8"-18 hex.hd.
1	383723-S2	Stud-7/16"-14 x 2 5/8"
1	384161-S100	Clamp-hose
1		Installation sketch

D1AZ 3A635-B		Consists of the following
1	C9SZ 3504-A	Gear assy.-steering
1	C8AA 3E506-A	Clip-hose
1	D1AZ 3C510-A	Bracket-tube-index
1	D1AZ 3C511-A	Support-pump
1	C9AZ 3590-B	Arm assy.-pitman
1	C9TZ 3A674-D	Pump assy.-power steering
1	D0AZ 3A713-B	Hose assy.-return line
1	D1AZ 3A719-A	Hose assy.-pressure line
1	D1AZ 3A732-A	Bracket assy.-adjustment
1	C9TZ 3A733-D	Pulley assy.-pump
1	C9AA 3C746-C	Clamp-hose
1	D0OZ 6A312-E	Pulley assy.-crankshaft
1	C9OZ 8509-D	Pulley-water pump
1	C9PZ 8620-S	Belt-alternator drive-15/32" x 35 1/4"
1	D0VZ 8620-B	Belt-pump drive-1/2" x 51 1/2"
4	55738-S2	Nut-3/8"-16 hex.washer lock
1	72035-S	Pin-1/8" x 1"-cotter
5	370608-S2	Screw-3/8"-16 x 3/4" hex.hd.
1	378720-S2	Nut-5/8"-18 hex.hd.
1	384161-S100	Clamp-5/8" hose dia.
1	384387-S2	Screw-7/16"-14 x 1 1/2"-hex.hd.lock
1	384545-S	Washer-7/16"-"C"
1		Installation sketch

D1AZ 3A635-D		Consists of the following
1	C9SZ 3504-A	Gear-steering
1	C8AA 3E506-A	Clip-hose
1	D1AZ 3C510-A	Bracket-tube-index
1	C7SZ 3C511-A	Support-pump
1	D0AZ 3C511-D	Support-pump rear
1	C9AZ 3590-B	Arm assy.-pitman
1	D0AZ 3A674-A	Pump assy.-power steering
1	D0AZ 3A713-B	Hose assy.-return line
1	D1AZ 3A719-A	Hose assy.-pressure line
1	C7SZ 3A732-A	Bracket-pump adjusting
1	C7AZ 3A733-E	Pulley assy.-w/o A/C
1	C9AA 3C746-C	Clamp-hose
1	C8AZ 6A312-C	Pulley-crankshaft-6" dia.-w/o A/C
1	C9PZ 8620-GU	Belt-pump pulley-1/2'x 42 1/2"
1	34987-S2	Nut-3/8"-16 hex.lock
1	72035-S	Pin-1/8" x 1"-cotter
	371041-S2	Bolt-3/8"-16 x 7/8" hex.washer head locking
1	377060-S2	Stud-3/8"-16 x 7 3/8"
1	378720-S	Nut-5/8"-18 hex.hd.
1	384161-S100	Clamp-hose
1	384543-S8	Washer-7/16" flat-1/2" thick-w/o A/C
1		Installation sketch

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

POWER STEERING KIT PARTS LISTS - continued

D1AZ 3A635-E	Consists of the following
1 C9SZ 3504-A	Power steering gear
1 C8AA 3E506-A	Clip-hose
1 C9AZ 3590-B	Arm assy.-pitman
1 D0AZ 3A674-A	Pump assy.-power steering
1 D0AZ 3A713-B	Hose assy.-return line
1 C9AZ 3A719-B	Hose assy.-pressure line
1 C7AZ 3A732-A	Bracket-pump adjusting
1 C5AZ 3A733-A	Pulley-pump
1 C9AA 3C746-C	Clamp-hose
1 C6TZ 6A312-A	Pulley-crankshaft
1 C9PZ 8620-PU	Belt-pump drive-1/2" x 43"
2 34988-S2	Nut-7/16"-14 hex.lock
3 56323-S2	Screw & washer assy.-5/16"-18 x 1 1/4"
1 72035-S	Pin-1/8" x 1"
3 370608-S2	Screw-3/8"-16 x 3/4" hex.hd.lock
2 377279-S2	Stud-7/16"-14 x 2 1/8"-3A732 to engine
3 383165-S4	Bolt-3/8"-16 x 3/4" lock
1 384161-S100	Clamp-5/8" hose
2 384544-S100	Washer-1/2" flat
1	Installation sketch

D1AZ 3A635-F	Consists of the following
1 C9SZ 3504-A	Gear assy.-power steering
1 C8AA 3E506-A	Clip-hose
1 D1AZ 3C510-A	Bracket-tube-index
1 D0AZ 3C511-E	Support-302 eng.
1 C9AZ 3590-B	Arm assy.pitman
1 D0AZ 3A674-A	Pump assy.-power steering
1 D0AZ 3A713-B	Hose assy.-return line
1 D1AZ 3A719-A	Hose assy.-pressure line
1 D0AZ 3A732-C	Bracket assy.-adjustment
1 C9TZ 3A733-D	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D0OZ 6A312-E	Pulley assy.-crankshaft
1 C9OZ 8509-D	Pulley-water pump
1 C9PZ 8620-CP	Belt-pump drive-1/2" x 53"-351 eng.
1 C9PZ 8620-P	Belt-alternator drive 15/32" x 39"
1 D0TZ 8620-B	Belt-pump drive-1/2" x 50 1/2"-302 eng.
1 72035-S	Pin-1/8" x 1" cotter
5 370608-S2	Screw-3/8"-16 x 3/4" hex.hd.
1 378720-S2	Nut-5/8"-18" hex. hd.
1 382092-S2	Screw-7/16"-14 x 3/4" hex.washer hd.
1 383722-S2	Volt-7/16"-14" x 6 3/8"
1 384161-S100	Clamp-5/8" dia.
1 384542-S2	Washer-7/16" flat x 3/4" thick-w/o A/C
1	Installation sketch

D1AZ 3A635-H	Consists of the following
1 D0AA 3A005-B	Hose-return line
1 D0AZ 3D746-B	Cooler assy.-oil
1 D0OZ 8620-B	Belt-drive-1/2" x 52 1/4"
1 34987-S2	Nut-3/8"-16 lock
1 377278-S2	Stud-3/8"-16 x 2"
2 381673-S2	Screw & washer assy.-3/8"-16 x 5/8"-hex.hd.
2 384161-S100	Clamp-5/8" dia.
1	Installation sketch

D1DZ 3A635-A	Consists of the following
1 D1DA 3A005-AA	Hose-return line upper
1 D0DZ 3494-A	Hose-pressure line to valve
1 C6OA 3E506-A	Clip-hose
1 D0DA 3E506-A	Clip-tube
1 D0AZ 3C511-E	Support-pump adjusting
1 C7ZZ 3A609-A	Insulator-hose
1 D0OZ 3A610-A	Retainer-hose insulator

(continued next column)

D1DZ 3A635-A	Consists of the following (continued)
1 D0DZ 3A611-A	Bracket assy.-tubes
1 D0ZZ 3A674-A	Pump assy.-power steering
1 D0DZ 3A713-A	Hose assy.-return line
1 D0DZ 3A719-A	Hose assy.-pressure line
1 D0ZZ 3A732-A	Bracket assy.-pump adjusting
1 D0OZ 3A733-B	Pulley assy.-pump
1 D0OZ 6A312-E	Pulley assy.-crankshaft
1 C9OZ 8509-D	Pulley-water pump
1 C9PZ 8620-CE	Belt-power steering-1/2" x 46 3/4"-w/ A/C
1 C9PZ 8620-P	Belt-alternator drive-15/32" x 39"
1 D0VZ 8620-B	Belt-power steering-1/2" x 51 1/2"-w/o A/C
1 34975-S2	Nut-1/4"-20 lock
1 34987-S2	Nut-3/8"-16 lock
3 40923-S2	Screw-5/16"-18 x 1/2" hex.hd.
5 370608-S2	Screw-3/8"-16 x 3/4"-hex.hd.
1 377278-S2	Stud-3/8"-16 x 2"
1 382092-S2	Screw-7/16"-14 x 3/4"hex.washer hd.
1 383671-S2	Nut-7/8"-20 hex.hd.
1 383722-S2	Bolt-7/16"-14 x 6 3/8"
2 384161-S100	Clamp-5/8" dia.
1 384542-S2	Washer-7/16" flat-3/4" thick-w/o A/C
1	Installation sketch

D1DZ 3A635-B	Consists of the following
1 D0DA 3C510-B	Bracket-hose
1 C8OZ 3C511-A	Support-pump
1 D0DZ 3C511-B	Support-pump-rear
1 D0ZZ 3C511-B	Support-pump bracket-rear
1 C7ZZ 3A609-A	Insulator-hose
1 D0OZ 3A610-A	Retainer-hose insulator
1 D0OZ 3A674-B	Pump assy.-power steering
1 D0DZ 3A713-B	Hose assy.-return line
1 D0DZ 3A719-B	Hose assy.-pressure line
1 C7SZ 3A732-A	Bracket-pump adjusting
1 C8OZ 3A733-A	Pulley assy.-pump
1 C8DZ 6A312-A	Pulley-vibration damper
1 C9PZ 8620-GM	Belt-drive-15/32" x 41"
3 34790-S2	Washer-1/4" lock
1 304803-S8	Bolt-9/16"-18 x 1 3/4" hex.hd.
3 40923-S2	Screw-5/16"-18 x 1/2" hex.hd.
2 300864-S2	Bolt-1/4"-20 x 2 1/8" hex.hd.
1 304775-S2	Bolt-1/4"-20 x 1 5/8" hex.hd.
4 371041-S2	Screw-3/8"-16 x 7/8" hex.hd.
1 378720-S2	Nut-5/8"-18 hex.
1 382860-S2	Bolt-3/8"-16 x 6 3/8"hex.hd.
3 383165-S4	Bolt-3/8"-16 x 3/4" hex.head
3 384072-S2	Screw-5/16"-18 x 1"-hex.washer hd.lock
1 384161-S100	Clamp-hose
1	Installation sketch

D1DZ 3A635-C	Consists of the following
1 D0DA 3C510-B	Bracket-hose
1 C7ZZ 3A609-A	Insulator-hose
1 D0OZ 3A610-A	Retainer-hose insulator
1 D0OZ 3A674-B	Pump assy.-power steering
1 D0OZ 3A713-A	Hose assy.-return line
1 D0OZ 3A719-A	Hose assy.-pressure line
1 C9ZZ 3A732-A	Bracket-pump adjusting
1 D0OZ 3A733-C	Pulley assy.-pump
1 C9ZZ 6A312-A	Pulley assy.-crankshaft
1 C9ZZ 8620-C	Belt-pump-15/32" x 45 1/4"
3 40923-S2	Screw-5/16"-18 x 1/2" hex.hd.
7 370608-S2	Screw-3/8"-16 x 3/4" hex.hd.lock
3 383165-S4	Bolt-3/8"-16 x 3/4" hex.hd.
1 384161-S100	Clamp-hose
1	Installation sketch

POWER STEERING KIT PARTS LISTS - continued

D1OZ 3A635-A	Consists of the following
1 D0OA 3A005-A	Hose-return line upper
1 D0OZ 3494-A	Hose assy.-pressure line to valve
1 C6OA 3E506-A	Clip-hose
1 D0OZ 3C510-B	Bracket-power steering hose
1 D0AZ 3C511-E	Support-pump adjusting
1 D0OA 3E596-A	Bracket assy.-tubes
1 C7ZZ 3A609-A	Insulator-hose
1 D0OZ 3A610-A	Retainer-hose insulator
1 D0OZ 3A611-A	Bracket-power steering hose
1 D0OZ 3A674-A	Pump assy.-power steering
1 D0OZ 3A713-B	Tube assy.-return line
1 D0OZ 3A719-F	Hose assy.-pressure line
1 D0AZ 3A732-C	Bracket assy.-pump adjusting
1 D0OZ 3A733-B	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D0OZ 6A312-E	Pulley assy.-crankshaft-w/o A/C
1 C9OZ 8509-D	Pulley-water pump-w/o A/C
1 C9PZ 8620-P	Belt-alternator drive 15/32" x 39"
1 D0TZ 8620-B	Belt-power steering-1/2" x 50 1/2"-w/ A/C
1 D0VZ 8620-B	Belt-power steering-1/2" x 51 1/2"-w/o A/C
1 34972-S2	Nut-1/4"-20 lock
1 34987-S2	Nut-3/8"-16 lock
1 40923-S2	Screw-5/16"-18 x 1/2" hex.hd.
5 370608-S2	Screw-3/8"-16 x 3/4" hex.hd.lock
1 377278-S2	Stud-3/8"-16 x 2" w/ A/C
1 378720-S2	Nut-5/8"-18 hex.hd.
1 382092-S2	Screw-7/16"-14 x 3/4" hex.washer hd.
1 383722-S2	Bolt-7/16"-14 x 6 3/8"
2 384161-S100	Clamp-5/8" dia.
1 384542-S2	Washer-7/16" flat-3/4" thick-w/o A/C
1	Installation sketch

D1OZ 3A635-B	Consists of the following
1 D0OA 3A005-A	Hose-return line upper
1 D0OZ 3494-A	Hose assy.-pressure line to valve
1 C6OA 3E506-A	Clip-tubes
1 D0OZ 3C510-B	Bracket-hose
1 D0ZZ 3C511-A	Support-pump adjusting
1 D0OA 3E596-A	Bracket assy.-tubes
1 C7ZZ 3A609-A	Insulator-hose
1 D0OZ 3A610-A	Retainer-hose insulator
1 D0OZ 3A611-A	Bracket-hose
1 D0OZ 3A674-A	Pump assy.-power steering
1 D0OZ 3A713-A	Tube assy.-return line
1 D0OZ 3A719-E	Hose assy.-pressure line
1 D0AZ 3A732-C	Bracket assy.-pump adjusting
1 D0OZ 3A733-A	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D0OZ 6A312-E	Pulley assy.-crankshaft
1 C9OZ 8509-D	Pulley-water pump-w/o A/C
1 C9PZ 8620-P	Belt-alternator drive-15/32" x 39"

(continued next column)

D1OZ 3A635-B	Consists of the following (continued)
1 D0AZ 8620-F	Belt-power steering-1/2" x 51 1/4"-w/ A/C
1 D0OZ 8620-B	Belt-power steering-1/2" x 52 1/4"-w/o A/C
1 34975-S2	Nut-1/4"-20 lock
1 34987-S2	Nut-3/8"-16 lock
1 40923-S2	Screw-5/16"-18 x 1/2" hex.hd.tap-attach (3A610) to (3C510)
5 370608-S2	Screw-3/8"-16 x 3/4" hex.hd.lock
1 377278-S2	Stud-3/8"-16 x 2"
1 378720-S2	Nut-5/8"-18 hex.hd.
1 382092-S2	Screw-7/16"-14 x 3/4" hex.washer hd.
1 383721-S2	Bolt-7/16"-14 x 6 3/8"
2 384161-S100	Clamp-5/8" dia.
1 384543-S8	Washer-7/16" flat-1/2" thick-w/o A/C
1	Installation sketch

D1OZ 3A635-C	Consists of the following
1 D0OA 3A005-A	Hose-return line upper
1 D0OZ 3494-A	Hose assy.-pressure line to valve
1 C6OA 3E506-A	Clip-tubes
1 D0OZ 3C510-C	Bracket-hose
1 D0AZ 3C511-F	Support-pump adjusting
1 D0OA 3E596-A	Bracket assy.-tubes
1 C7ZZ 3A609-A	Insulator-hose
1 D0OZ 3A610-A	Retainer-hose insulator
1 D0OZ 3A611-A	Bracket-hose
1 D0OZ 3A674-A	Pump assy.-power steering
1 D0OZ 3A713-B	Tube assy.-return line
1 D0OZ 3A719-A	Hose assy.-pressure line
1 D1AZ 3A732-A	Bracket assy.-pump adjusting
1 D0AZ 3A733-A	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 C9PZ 8620-CM	Belt-power steering-1/2" x 52"
1 D0SZ 10A370-A	Spacer-pump
1 34975-S2	Nut-1/4"-20-lock
1 34988-S2	Nut-7/16"-14 hex.lock
1 40923-S2	Screw-5/16"-18 x 1/2"-hex.hd.
4 55738-S2	Nut-3/8"-16 hex.washer
5 370608-S2	Screw-3/8"-16 x 3/4" hex.hd.lock
1 378720-S2	Nut-5/8"-18 hex.hd.
1 383723-S2	Stud-7/16"-14 x 2 5/8"
2 384161-S100	Clamp-5/8" dia.
1	Installation sketch

D1OZ 3A635-D	Consists of the following
1 C7ZZ 3A609-A	Insulator-hose
1 D0OZ 3A610-A	Retainer-hose insulator
1 D0OZ 3A674-B	Pump assy.-power steering
1 D0DZ 3A713-A	Hose assy.-return line
1 D0OZ 3A719-A	Hose assy.-pressure line
1 C9ZZ 3A732-A	Bracket-pump adjusting
1 D0OZ 3A733-C	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 C9ZZ 6A312-A	Pulley-crankshaft
1 C9ZZ 8620-C	Belt-pump-15/32" x 45 1/4"
1 40923-S2	Screw-5/16"-18 x 1/2" hex.head
7 370608-S2	Screw-3/8"-16 x 3/4" hex.head lock
3 383165-S4	Bolt-3/8"-16 x 3/4" hex.head-attach (6312) to crankshaft
1 384161-S100	Clamp-hose
1	Installation sketch

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

POWER STEERING KIT PARTS LISTS - continued

D1ZZ 3A635-A	Consists of the following
1 D1ZA 3A500-AA	Gear & flange assy.-steering
1 D1ZA 3E506-AC	Clip-hose
1 D1ZZ 3590-B	Arm assy.-pitman
1 D1ZZ 3A674-B	Pump assy.-power steering
1 D1ZZ 3A713-A	Hose assy.-return line
1 D1ZZ 3A719-B	Hose assy.-pressure line
1 C9ZZ 3A732-A	Bracket-pump adjusting
1 D0OZ 3A733-C	Pulley assy.-pump
1 C9ZZ 6A312-A	Pulley-crankshaft
1 C9ZZ 8620-C	Belt-power steering pump-15/32" x 45 1/4"
1 72035-S	Pin-1/8" x 1"-cotter
7 370608-S2	Screw-3/8"-16 x 3/4" hex.hd.lock
3 383165-S4	Bolt-3/8"-16 x 3/4" hex.head
1 384161-S100	Clamp-5/8" dia.
1	Installation sketch

D1ZZ 3A635-B	Consists of the following
1 D1ZA 3A500-AA	Gear & flange assy.-steering
1 D1ZA 3E506-AC	Clip-hose
1 D1ZZ 3C510-A	Bracket-tube index
1 D1ZZ 3C511-A	Support-pump
1 D1ZA 3E576-AC	Tube assy.-pressure line outlet
1 D1ZZ 3590-B	Arm assy.-pitman
1 D1ZZ 3A674-B	Pump assy.-power steering
1 D1ZZ 3A713-A	Hose assy.-return line
1 D1ZZ 3A719-A	Hose assy.-pressure line
1 D1ZZ 3A732-A	Bracket assy.-pump adjusting
1 D0AZ 3A733-A	Pulley assy.-pump
1 D0OZ 6A312-E	Pulley assy.-crankshaft-w/o A/C
1 C9OZ 8509-D	Pulley-water pump-w/o A/C
1 C9PZ 8620-P	Belt-alternator drive-15/32" x 39"
1 C9PZ 8620-CL	Belt-power steering-1/2" x 51"-w/o A/C
1 72035-S	Pin-1/8" x 1" cotter
5 370608-S2	Screw-3/8"-16 x 3/4" hex.head lock
1 378720-S2	Nut-5/8"-18
1 382092-S2	Screw-7/16"-14 x 3/4" hex.washer hd.
1 383722-S2	Bolt-7/16"-14 x 6 5/16" hex.washer hd.
1 384161-S100	Clamp-5/8" dia.
1 384542-S2	Washer-7/16" flat-3/4" thick
1	Installation sketch

D1ZZ 3A635-D	Consists of the following
1 D1ZA 3A500-AA	Gear & flange assy.-steering
1 D1ZA 3E506-AC	Clip-tube
1 D1ZZ 3C510-A	Bracket-hose
1 D0ZZ 3C511-A	Support-pump adjusting
1 D1ZA 3E576-AC	Tube assy.-pressure line outlet
1 D1ZZ 3590-B	Arm assy.-pitman
1 D1ZZ 3A674-B	Pump assy.-power steering
1 D1ZZ 3A713-A	Hose assy.-return line
1 D1ZZ 3A719-A	Hose assy.-pressure line
1 D0AZ 3A732-C	Bracket assy.-pump adjusting
1 D0OZ 3A733-B	Pulley assy.-pump
1 D0OZ 6A312-E	Pulley assy.-crankshaft-w/o A/C
1 C9OZ 8509-D	Pulley-water pump-w/o A/C
1 C9PZ 8620-P	Belt alternator drive-15/32" x 39"
1 C9PZ 8620-BU	Belt-power steering-1/2" x 52 1/4"-w/o A/C
1 72035-S	Pin-1/8" x 1"-cotter
5 370608-S2	Screw-3/8"-16 x 3/4" hex.head lock
1 378720-S2	Nut-5/8"-18
1 382092-S2	Screw-7/16"-14 x 3/4" hex.washer hd.
1 383721-S2	Bolt-7/16"-14 x 6 3/8"
1 384161-S100	Clamp-5/8" dia.
1 384543-S8	Washer-3/16" flat-1/2" thick
1	Installation sketch

D1ZZ 3A635-F	Consists of the following
1 D1ZA 3A500-AA	Gear & flange assy.-steering
1 D1ZA 3E506-AC	Clip-hose
1 D1ZZ 3C510-A	Bracket-tube index
1 D0AZ 3C511-F	Support-pump
1 D1ZA 3E576-AC	Tube assy.-pressure line
1 D1ZZ 3590-B	Arm assy.-pitman
1 D1ZZ 3A674-B	Pump assy.-power steering
1 D1ZZ 3A713-A	Hose assy.-return line
1 D1ZZ 3A719-A	Hose assy.-pressure line
1 D1AZ 3A732-A	Bracket assy.-pump adjust
1 D0AZ 3A733-A	Pulley assy.-pump
1 C9PZ 8620-CM	Belt-P/S drive-1/2" x 52"
1 D0SZ 10A370-A	Spacer-alternator
1 34988-S2	Nut-7/16"-14
4 55738-S2	Nut-3/8"-16 hex. lock
5 370608-S2	Screw-3/8"-16 x 3/4" hex.hd.lock
1 378720-S2	Nut-5/8"-18
1 383723-S2	Stud-7/16"-14 x 2 5/8"
1 384161-S100	Clamp-5/8" dia.
1	Installation sketch

D2DZ 3A635-A	Consists of the following
1 D1DA 3A005-AA	Hose-return line
1 D0DA 3E506-A	Clip-pressure & return tube
1 D1ZZ 3C511-A	Support-pump adjusting
1 D1DA 3E601-AA	Insulator assy.-P/S hose
1 D0ZZ 3A674-A	Pump assy.-power steering
1 D0DZ 3A719-A	Hose assy.-pressure line
1 D0ZZ 3A732-A	Bracket assy.-pump adjusting
1 D0AZ 3A733-A	Pulley assy.-pump
1 D0OZ 6A312-E	Pulley assy.-crankshaft-w/o A/C
1 C9OZ 8509-D	Pulley-water pump-w/o A/C
1 C9PZ 8620-CK	Belt-power steering-1/2"x 50"-w/ A/C
1 C9PZ 8620-CL	Belt-power steering-1/2"x 51"-w/o A/C
1 C9PZ 8620-P	Belt-alternator drive-15/32"x 39"-w/o A/C
1 34987-S2	Nut-3/8" - 16 lock
1 40962-S2	Screw-5/16" - 18 x 7/8"
5 370608-S2	Screw-3/8" - 16 x 3/4" hex. hd. locking
1 377278-S2	Stud-3/8" - 16 x 2"
1 382092-S2	Screw-7/16" - 14 x 3/4" hex. washer hd.
1 383671-S2	Nut-7/8"-20 hex.
1 383722-S2	Bolt-7/16" - 14 x 6 3/8"
2 384161-S100	Clamp-5/8" dia.
1 384542-S2	Washer-7/16" flat-3/4" thick
1	Installation sketch

POWER STEERING KIT PARTS LISTS - continued

D2DZ 3A635-B	Consists of the following
1 C8OZ 3C511-A	Support-pump
1 D0DZ 3C511-B	Support-pump-rear
1 D0ZZ 3C511-B	Support-pump bracket-rear
1 D1DA 3E601-BA	Insulator assy.-P/S hose
1 D0OZ 3A674-B	Pump assy.-power steering
1 C7SZ 3A732-A1	Bracket-pump adjusting
1 C8OZ 3A733-A	Pulley assy.-pump
1 C8DZ 6A312-A	Pulley-vibration damper-outer
1 C9PZ 8620-GM	Belt-drive-15/32" x 41"
3 34790-S2	Washer-1/4" lock
2 40923-S2	Screw-5/16" - 18 x 1/2" hex. hd. tapping
2 300864-S2	Bolt-1/4" -20 x 2 1/8" hex. hd.
1 304775-S2	Bolt-1/4"-20 x 1 5/8" hex. hd.
1 304803-S8	Bolt-9/16" -18 x 1 3/4" hex hd.
4 371041-S2	Screw-3/8" - 16 x 7/8" hex. washer-hd. locking
1 378720-S2	Nut-5/8" - 18 hex.
1 382860-S2	Bolt-3/8" - 16 x 6 3/8" hex. hd.
3 383165-S2	Bolt-3/8" -16 x 3/4" hex hd.
3 384072-S2	Screw-5/16" - 18 x 1" hex. washer - hd. locking
1 384161-S100	Clamp-5/8" dia.
1	Installation sketch

D2DZ 3A635-C	Consists of the following
1 D1DA 3E601-CA	Insulator assy.-P/S hose
1 D0OZ 3A674-B	Pump assy.-power steering
1 C9ZZ 3A732-A	Bracket-pump adjusting
1 D0OZ 3A733-C	Pulley assy.-pump
1 C9ZZ 6A312-A	Pulley assy.-crankshaft
1 C9PZ 8620-FY	Belt-pump-15/32" x 45 1/4"
2 40923-S2	Screw-5/16" - 18 x 1/2" hex. hd. tapping
7 370608-S2	Screw-3/8" - 16 x 3/4" hex. hd. lock
3 383165-S2	Bolt-3/8" - 16 x 3/4" hex. hd.
1 384161-S100	Clamp-P/S hose
1	Installation sketch

D2OZ 3A635-A	Consists of the following
1 C9SZ 3504-B	Steering gear assy.-power
1 D2AA 3E506-AA	Clip-pressure and return line
1 D2OZ 3590-B	Arm assy.-pitman
1 C9TZ 3A674-D	Pump assy.-power steering
1 D2OZ 3A713-A	Hose assy.-return line
1 D2OZ 3A719-G	Hose assy.-pressure line
1 C9ZZ 3A732-A	Bracket-pump adjusting
1 D0OZ 3A733-C	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 C9ZZ 6A312-A	Pulley-crankshaft-outer
1 C9PZ 8620-FY	Belt-power steering drive-15/32" x 45 1/4"
1 72035-S	Pin-1/8" x 1" - cotter
7 370608-S2	Screw-3/8" - 16 x 3/4" hex. hd. locking
3 383165-S2	Bolt-3/8" - 16 x 3/4"
1 384161-S100	Clamp-hose 5/8" dia.
1	Installation sketch

D2OZ 3A635-B	Consists of the following
1 C9SZ 3504-B	Steering gear assy.-power
1 D2AA 3E506-AA	Clip-pressure and return line
1 D1AZ 3C510-A	Bracket-tube-front
1 D1ZZ 3C511-A	Support-pump
1 D2OZ 3590-B	Arm assy.-pitman
1 C9TZ 3A674-D	Pump assy.-power steering
1 D2OZ 3A713-A	Hose assy.-return line
1 D2OZ 3A719-H	Hose assy.-pressure line
1 D0AZ 3A732-C	Bracket assy.-pump
1 C9TZ 3A733-D	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D0OZ 6A312-E	Pulley assy.-crankshaft
1 C9OZ 8509-D	Pulley assy.-water pump
1 C9PZ 8620-P	Belt-alternator drive 15/32" x 39"
1 D0TZ 8620-B	Belt-pump drive 1/2" x 50 1/2"
1 72035-S	Pin-1/8" x 1" cotter
5 370608-S2	Screw-3/8" - 16 x 3/4" hex. hd. locking
1 378720-S2	Nut-5/8" - 18" hex.
1 382092-S2	Screw-7/16" - 14 x 3/4" hex. washer hd.
1 383722-S2	Bolt-7/16" - 14 x 6 3/8" hex. hd.
1 384161-S100	Clamp-hose 5/8" dia.
1 384542-S2	Washer-7/16" flat x 3/4" thick
1	Installation sketch

D2OZ 3A635-C	Consists of the following
1 D0AA 3A005-B	Hose-oil cooler return line
1 C9SZ 3504-B	Steering gear assy.-power
1 D2AA 3E506-AA	Clip-pressure and return line
1 D1AZ 3C510-A	Bracket-tube front
1 D0ZZ 3C511-A	Support-pump
1 D2OZ 3590-B	Arm assy.-pitman
1 C9TZ 3A674-D	Pump assy.-power steering
1 D2OZ 3A713-A	Hose assy.-return line
1 D2OZ 3A719-H	Hose assy.-pressure line
1 D0AZ 3A732-C	Bracket assy.-pump
1 C9TZ 3A733-D	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D2AZ 3D746-A	Cooler assy.-oil
1 D0OZ 6A312-E	Pulley assy.-crank shaft-w/o A/C
1 C9OZ 8509-D	Pulley assy.-water pump-w/o A/C
1 C9PZ 8620-P	Belt-alternator drive-15/32" x 39" - w/o A/C
1 D0TZ 8620-B	Belt-power steering drive - 1/2" x 51 1/4" -w/o A/C
1 72035-S	Pin-1/8" x 1" cotter
5 370608-S2	Screw-3/8" -16 x 3/4" hex hd. locking
1 378720-S2	Nut-5/8" -18 hex
1 382092-S2	Screw-7/16" -14 x 3/4" hex washer hd.
1 383721-S100	Bolt-7/16" -14 x 6 3/16" hex hd.
1 384161-S100	Clamp-hose 5/8" dia.
1 384543-S8	Washer-7/16" flat-1/2" thick
1	Installation sketch

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

POWER STEERING KIT PARTS LISTS - continued

D2OZ 3A635-D	Consists of the following
1 D0AA 3A005-B	Hose-oil cooler return line
1 C9SZ 3504-B	Steering gear assy.-power
1 D2AA 3E506-AA	Clip-pressure and return line
1 D1AZ 3C510-A	Bracket-tube-front
1 D1AZ 3C511-A	Support-power steering pump
1 D2OZ 3590-B	Arm assy.-pitman
1 C9TZ 3A674-D	Pump assy.-power steering
1 D2OZ 3A713-A	Hose assy.-return line
1 D2OZ 3A719-H	Hose assy.-pressure line
1 D1AZ 3A732-A	Bracket assy.-pump adjusting
1 C9TZ 3A733-D	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D2AZ 3D746-A	Cooler assy.-oil
1 D0OZ 6A312-E	Pulley assy.-crankshaft
1 C9OZ 8509-D	Pulley assy.-water pump
1 C9PZ 8620-S	Belt-alternator drive 15/32"x40 1/4"
1 D0TZ 8620-B	Belt-power steering drive 1/2"x51 1/2"
4 55738-S2	Nut-3/8"-16" hex. hd. locking
1 72035-S	Pin-1/8"x1" cotter
5 370608-S2	Screw-3/8"-16x3/4" hex. hd. locking
1 378720-S2	Nut-5/8"-18" hex.
2 382092-S2	Screw-7/16"-14 x 3/4"-hex. washer hd.
1 384161-S100	Clamp-hose 5/8" dia.
1 384387-S2	Screw-7/16"-14 x 1 1/2" hex.washer-head locking
1 384545-S	Washer-7/16"x13/16" thick
1	Installation sketch

D2OZ 3A635-E	Consists of the following
1 D0AA 3A005-B	Hose-oil cooler return line
1 C9SZ 3504-B	Steering gear assy.-power
1 D2AA 3E506-AA	Clip-pressure and return line
1 D1AZ 3C510-A	Bracket-tube front
1 D0AZ 3C511-F	Support-pump
1 D2OZ 3590-B	Arm assy.-pitman
1 C9TZ 3A674-D	Pump assy.-power steering
1 D2OZ 3A713-A	Hose assy.-return line
1 D2OZ 3A719-J	Hose assy.-pressure line
1 D1AZ 3A732-A	Bracket assy.-pump adjusting
1 C9TZ 3A733-D	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D2AZ 3D746-A	Cooler assy.-oil
1 C9PZ 8620-CM	Belt-power steering drive-1/2"x52"
4 55738-S2	Nut-3/8"-16 hex. hd. locking
1 72035-S	Pin-1/8"x1" cotter
5 370608-S2	Screw-3/8"-16x3/4" hex. hd. locking
1 378720-S2	Nut-5/8"-18 hex.
2 381673-S2	Screw-3/8"-16 x 5/8" hex. washer hd.
3 384161-S100	Clamp-hose 5/8" dia.
1 385049-S100	Spacer-7/16" flat
1 385243-S2	Bolt-7/16"-14 x 1 7/8" hex. washer hd.
1	Installation sketch

D2OZ 3A635-F	Consists of the following
1 D1AZ 3D746-D	Cooler assy.-P/S oil
1 D0TZ 8620-B	Betl-P/S drive-1/2"x50 1/2"
1 34987-S2	Nut-3/8"-16 lock
1 377278-S2	Stud-3/8"-16 x 2"
2 381673-S2	Screw-3/8"-16 x 5/8" hex washer hd.
1	Installation sketch

D2OZ 3A635-G	Consists of the following
1 D0AA 3A005-B	Hose-oil cooler return line
1 C9SZ 3504-B	Steering gear assy.-power
1 D2AA 3E506-AA	Clip-pressure and return line
1 D1AZ 3C510-A	Bracket-tube
1 D0ZZ 3C511-A	Support-pump
1 D2OZ 3590-B	Arm assy.-pitman
1 C9TZ 3A674-D	Pump assy.-power steering
1 D2OZ 3A713-A	Hose assy.-return line
1 D2OZ 3A719-H	Hose assy.-pressure line
1 D0AZ 3A732-C	Bracket assy.-pump
1 D0AZ 3A733-A	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D2AZ 3D746-A	Cooler assy.-oil
1 D2OZ 6312-B	Pulley assy.-crank shaft-w/o A/C
1 D1AZ 8509-B	Pulley assy.-water pump-w/o A/C
1 C9PZ 8620-CM	Belt-power steering drive-1/2" x 51 3/4" -w/o A/C
1 C9PZ 8620-K	Belt-alternator drive-15/32" x 37 1/2" -w/o A/C
1 72035-S	Pin-1/8" x 1" cotter
5 370608-S2	Screw-3/8"-16 x 3/4" hex hd. locking
1 378720-S2	Nut-5/8"-18 hex
1 382092-S2	Screw-7/16"-14 x 3/4" hex washer hd.
1 383721-S100	Bolt-7/16"-14 x 6 3/8" hex hd.
1 384161-S100	Clamp-hose 5/8" dia.
1 384543-S8	Washer-7/16" flat-1/2" thick
1	Installation sketch

D2OZ 3A635-H	Consists of the following
1 D0AA 3A005-B	Hose-return line-18 1/2"
1 C9SZ 3504-B	Steering gear assy.-power
1 D2AA 3E506-AA	Clip-pressure and return line
1 D1AZ 3C510-A	Bracket-tube-front
1 D1AZ 3C511-A	Support-pump
1 D2OZ 3590-B	Arm assy.-pitman
1 C9TZ 3A674-D	Pump assy.-power steering
1 D2OZ 3A713-A	Hose assy.-return line
1 D2OZ 3A719-H	Hose assy.-pressure line
1 D1AZ 3A732-A	Bracket assy.-pump
1 C9TZ 3A733-D	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D1AZ 3D746-D	Cooler assy.-P/S oil
1 D0TZ 8620-B	Belt-power steering drive-1/2 x 50 3/4"
1 34987-S2	Nut-3/8"-16 lock
4 55738-S2	Nut-3/8"-16 hex hd. locking
1 72035-S	Pin-1/8" x 1" cotter
4 370608-S2	Screw-3/8"-16 x 3/4" hex hd. locking
1 377278-S2	Stud-3/8"-16 x 2"
1 378720-S	Nut-5/8"-18 hex
4 381673-S2	Screw-3/8"-16 x 5/8" hex washer hd.
3 384161-S100	Clamp-hose-5/8" dia.
1 384906-S	Washer-7/16" flat
1 385243-S2	Bolt-7/16"-14 x 1 7/8" hex. washer hd.
1	Installation sketch

POWER STEERING KIT PARTS LISTS - continued

D2OZ 3A635-J	Consists of the following
1 C9SZ 3504-B	Steering gear assy.-power
1 D2AA 3E506-AA	Clip-pressure & return tube
1 D1AZ 3C510-A	Bracket-tube-front
1 D1AZ 3C511-A	Support-power steering pump
1 D2OZ 3590-B	Arm assy.-pitman
1 D0AZ 3A674-A	Pump assy.-power steering
1 D2OZ 3A713-A	Hose assy.-return line
1 D2OZ 3A719-H	Hose assy.-pressure line
1 D1AZ 3A732-A	Bracket assy.-pump adjusting
1 C9TZ 3A733-D	Pulley assy.-pump
1 C9AA 3C746-C	Clamp-hose
1 D0OZ 6A312-E	Pulley assy.-crankshaft
1 D1AZ 8509-B	Pulley assy.-water pump
1 C9PZ 8620-P	Belt-alternator drive 15/32" x 40 1/4"
1 D0VZ 8620-B	Belt-power steering drive 1/2 x 51 1/2"
4 55738-S2	Nut-3/8"-16 hex. hd. locking
1 72035-S	Pin-1/8" x 1" cotter
5 370608-S2	Screw-3/8"-16 x 3/4" hex.hd.locking
2 372223-S2	Clip
1 378720-S2	Nut-5/8"-18-hex.
1 384161-S100	Clam-hose 5/8" dia.
1 384387-S2	Screw-7/16"-14 x 1 1/2" hex. washer-head locking
1 384545-S	Washer-7/16" x 13/16" thick
1 385049-S100	Spacer-7/16"
1 385243-S2	Bolt 7/16"-14 x 1 7/8"
1	Installation sketch

D2ZZ 3A635-A	Consists of the following
1 D1ZA 3A500-AB	Gear and flange assy.-steering
1 D1ZA 3E506-AC	Clip-pressure & return line
1 D1ZZ 3590-B	Arm assy.-pitman
1 D1ZZ 3A674-B	Pump assy.-power steering
1 D1ZZ 3A713-A	Hose assy.-return line
1 D2ZZ 3A719-B	Hose assy.-pressure line
1 C9ZZ 3A732-A	Bracket-pump adjusting
1 D0OZ 3A733-C	Pulley assy.-pump
1 C9ZZ 6A312-A	Pulley-crankshaft
1 C9PZ 8620-FY	Belt-power steering pump-15/32"x45 1/4"
1 72035-S	Pin-1/8"x1" cotter
7 370608-S2	Screw-3/8"-16 x 3/4"hex. hd. lock
3 383165-S2	Bolt-3/8" - 16 x 3/4"hex. hd.
1 384161-S100	Clamp-hose
1	Installation sketch

D2ZZ 3A635-B	Consists of the following
1 D1ZA 3A500-AB	Gear and flange assy.-steering
1 D1ZA 3E506-AC	Clip-return hose
1 D1ZZ 3C510-A	Bracket-power steering tube
1 D1ZZ 3C511-A	Support-pump
1 D1ZA 3E576-AC	Tube assy.-pressure line
1 D1ZZ 3590-B	Arm assy.-pitman
1 D1ZZ 3A674-B	Pump assy.-power steering
1 D1ZZ 3A713-A	Hose assy.-return line
1 D2ZZ 3A719-A	Hose assy.-pressure line
1 D0AZ 3A732-C	Bracket assy.-pump adjusting
1 D0AZ 3A733-A	Pulley assy.-pump
1 D0OZ 6A312-E	Pulley assy.-crankshaft-w/o A/C
1 C9OZ 8509-D	Pulley-water pump-6 13/16" dia.-w/o A/C
1 C9PZ 8620-CK	Belt-power steering-1/2" x 50" w/A/C
1 C9PZ 8620-CL	Belt-power steering-1/2" x 51" w/o A/C
1 C9PZ 8620-P	Belt-alternator drive 15/32" x 39" - w/o A/C
1 34987-S2	Nut-3/8" 16 lock
1 72035-S	Pin-1/8" x 1" cotter
5 370608-S2	Screw-3/8" -16 x 3/4" hex hd. locking
1 377278-S2	Stud-3/8" -16 x 2"
1 378720-S2	Nut-5/8" -18
1 382092-S2	Screw-7/16" -14 x 3/4" hex washer hd.
1 383722-S2	Bolt-7/16" -14 x 6 3/8" hex washer hd.
1 384161-S100	Clamp-5/8" dia.
1 384542-S2	Washer-7/16" flat
1	Installation sketch

D2ZZ 3A635-C	Consists of the following
1 D1ZA 3A500-AB	Gear and flange assy.-steering
1 D1ZA 3E506-AC	Clip-pressure & return line
1 D1ZZ 3C510-A	Bracket-hose
1 D0ZZ 3C511-A	Support-pump adjusting
1 D1ZA 3E576-AC	Tube assy.-pressure line
1 D1ZZ 3590-B	Arm assy.-pitman
1 D1ZZ 3A674-B	Pump assy.-power steering
1 D1ZZ 3A713-A	Hose assy.-return line
1 D2ZZ 3A719-A	Hose assy.-pressure line
1 D0AZ 3A732-C	Bracket assy.-pump adjusting
1 D0OZ 3A733-A	Pulley assy.-pump
1 D0OZ 6A312-E	Pulley assy.-crankshaft w/o A/C
1 D1AZ 8509-B	Pulley-water pump-w/o A/C
1 C9PZ 8620-CM	Belt-power steering-1/2"x 52 1/4"-w/o A/C
1 C9PZ 8620-P	Belt alternator drive-15/32"x 39"-w/o A/C
1 D0TZ 8620-B	Belt-power steering-1/2"x 51 1/4"-w/ A/C
1 34987-S2	Nut-3/8" - 16" lock
1 72035-S	Pin-1/8"x 1" - cotter
5 370608-S2	Screw-3/8" - 16 x 3/4"hex.hd. locking
1 377278-S2	Stud-3/8" - 16 x 2"
1 378720-S2	Nut-5/8" - 18"
1 382092-S2	Screw-7/16" - 14 x 3/4" hex. washer hd.
1 383721-S100	Bolt-7/16" - 14 x 6 3/8"
1 384161-S100	Clamp-5/8" dia.
1 384543-S2	Washer-7/16" flat
1	Installation sketch

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

POWER STEERING KIT PARTS LISTS - continued

D2ZZ 3A635-D	Consists of the following
1 D1ZA 3A005-AA	Hose-return (cooler to pump)
1 D1ZA 3A500-BB	Gear and flange assy.-steering
1 D1ZA 3E506-AC	Clip-pressure and return hose
1 D1ZZ 3C510-A	Bracket-tube front
1 D0ZZ 3C511-A	Support-pump
1 D1ZA 3E576-AC	Tube assy.-pressure line
1 D1ZZ 3590-B	Arm assy.-pitman
1 D1ZZ 3A674-B	Pump assy.-power steering
1 D1ZZ 3A713-A	Hose assy.-return line
1 D2ZZ 3A719-A	Hose assy.-pressure line
1 D1ZZ 3A732-A	Bracket assy.-pump adjusting
1 D0OZ 3A733-B	Pulley assy.-pump
1 D1ZZ 3D746-A	Cooler assy.-oil-w/o A/C
1 D2OZ 6312-B	Pulley assy.-crankshaft-w/o A/C
1 C9OZ 8509-D	Pulley-water pump-w/o A/C
1 C9PZ 8620-A	Belt-alternator drive-3/8" x 37 1/2"-(for 351 Special)
1 C9PZ 8620-CM	Belt-power steering-1/2"x 52 1/4"-w/o A/C
1 72035-S	Pin-1/8" x 1" cotter
5 370608-S2	Screw-3/8"-16 x 3/4" hex.hd. locking
1 378459-S36M	Screw-3/8"-16 x 5/8"
1 378720-S2	Nut-5/8"-18
1 382092-S2	Screw-7/16"-14 x 3/4" hex.washer hd.
1 383721-S100	Bolt-7/16"-14 x 6 3/16" hex.washer hd.
3 384161-S100	Clamp-5/8" dia.
1 384543-S2	Washer-7/16" flat-1/2" thick
1	Installation sketch

D2ZZ 3A635-E	Consists of the following
1 D1AZ 3D746-D	Cooler assy.-oil
1 D0VZ 8620-B	Belt-power steering(51 1/4" x 1/2")
1 34987-S2	Nut-3/8-16 hex lock
1 377278-S2	Stud-3/8"-16 x 2"
2 381673-S2	Screw-3/8"-16 x 5/8" hex hd. lock
1	Installation sketch

D1AZ 3A705-A	Consists of the following
1 D0AA 3A005-B	Hose-return line
1 D1AZ 3A719-C	Hose assy.-P/S pressure line
1 D0AZ 3A733-A	Pulley assy.-pump
1 D1AZ 3D746-B	Cooler assy.-oil
2 381673-S2	Screw-3/8"-16 x 5/8" hex.
2 384161-S100	Clamp-5/8" dia.
1	Installation sketch

D1ZZ 3A705-A	Consists of the following
1 D1ZA 3A005-AA	Hose-return line
1 D1AZ 3D746-B	Cooler assy.-oil
2 381673-S2	Screw-3/8"-16 hex.hd. lock
2 384161-S100	Clamp-5/8" dia.
1	Installation sketch

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A700 ORIFICE - POWER STEERING PUMP TUBE SEAT			
65	A,S		1	C1SS 3A700-A
	3B700 ADJUSTER - POWER STEERING CONTROL VALVE SPOOL			
65/69	A	Saginaw gear	1	C5AZ 3B700-A
71/	F		1	
65/67	S		1	C0LR 3B700-A
72	U	Saginaw gear	1	C5AZ 3B700-A
	3E701 SPRING - STEERING COLUMN LOCK CYLINDER			
70/	A,B,F,P,S		2	D0AZ 3E701-A
71/	L		2	
	3A705 ADAPTER KIT - POWER STEERING - Refer to Group 3A635			
	3C705 CAP - POWER STEERING CONTROL VALVE SPOOL CENTERING SPRING			
65/71	B		1	C2AZ 3C705-A
65/70	F,X		1	
70/	P		1	
		Bolt (cap to adapter)-1/4"-20 x 1 1/2"	2	353620-S100(BB18)
		Lockwasher-1/4"		34805-S8 (X62)
	3C705 CAP KIT - POWER STEERING CONTROL VALVE SPOOL CENTERING SPRING			
65/71	B	Consists of-(1) C2AZ 3C705-A cap	1	C2AZ 3C705-B
65/70	F,X	(1) C2AZ 3C706-A "O" ring (1) B9M 33712-A	1	
70/	P	plate (2) 358533-S screw & washer	1	
	3C706 SEAL - POWER STEERING CONTROL VALVE SPOOL CENTERING SPRING CAP			
65/71	B		1	C2AZ 3C706-A
65/70	F,X		1	
70/	P		1	
	3707 NUT - STEERING GEAR WORM THRUST BEARING			
65/	A,B,F,P,S,X(M/S)	3 1/4" hex.dia., 3/4"-16 thread on I.D.	1	B8A 3707-A
65/	A,S(P/S)	Ford gear	1	C5AZ 3707-A
72	B(P/S)		1	
65/69	A(P/S)	Saginaw gear	1	C5AZ 3707-B
71/	F(P/S)		1	
72	U(P/S)		1	
65/71	B,X,(P/S)	2 15/16" hex.dia., 7/16"-16 thread on I.D.	1	C3DZ 3707-A
65/70	F(P/S)		1	
	3C708 WASHER - STEERING COLUMN SOCKET - THRUST			
65/66	A (auto. trans.)		1	C5AZ 3C708-A
66/67	B (auto. trans.)-54, 62, 63B, 71, 76B		1	
66/67	X (auto. trans.)		1	
68	A,B,S,X(A/T column shift)-fixed wheel		1	C8AZ 3C708-A
68	A,S(tilt wheel)		1	C7ZZ 3C708-A
68	F(tilt wheel)		1	
69	A,S (tilt wheel)		1	C9AZ 3C708-B
69	A,B,S,X(A/T column shift)-fixed wheel		1	C9AZ 3C708-A
70	P		1	
70/	A,B,F,S(fixed wheel)	2 1/8" dia.	1	D0AZ 3C708-A
71/	P		1	
70/	A,F,S(tilt wheel)	1 7/8" dia.	1	D0AZ 3C708-B
67	F,S (tilt wheel)		1	C7SZ 3C708-A
69	F(tilt wheel)		1	C9ZZ 3C708-A
66	S (deluxe steering column & wheel)		1	★C6SZ 3C708-A
65/66	S(except 1966 deluxe steering column & wheel)		1	C5AZ 3C708-A
	3B710 WIRE and TERMINAL - STEERING SHAFT GROUND			
65/66	S	3 1/2" long-cut from B6A 14296-C	1	★C3SA 3B710-A
	3E710 VALVE KIT - POWER STEERING CONTROL VALVE RETURN PORT RELIEF			
65/70	F,X	Includes valve & seat	1	C0AZ 3E710-A
65/71	B	1-AC 33710-A Valve	1	
70/	P	1-372896-S Tube seat	1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A711 IMPELLER REPAIR KIT - POWER STEERING PUMP			
65	A, B, F, S, X	Use with Eaton roll type pump-consists of 1-C0AA 3B561-A Carrier 1-C0AA 3B585-A Insert 6-KD 33684-A Roller	1	B9MY 3A711-A
72	S	#HBA-CJ	1	D2VY 3A711-A
	3-3712 PLATE - POWER STEERING CONTROL VALVE CAP ADAPTER			
65/71	B		1	B9M 33712-A
65/70	F, X		1	
70/	P		1	
	3A713 HOSE ASSY. - POWER STEERING RETURN LINE - Refer to Group 3A719			
	3A714 HOSE ASSY. - POWER STEERING CONTROL VALVE TO CYLINDER - HEAD END - Refer to Group 3A719			
	3E715 ACTUATOR - STEERING COLUMN LOCK LEVER			
70/	A, F, S (tilt wheel)	#D0AA 3E715-E	1	D0AZ 3E715-A
	3C716 INSULATOR -STEERING GEAR			
65/68	S	7/16"-14-2 3/4" O.D.	3	C3SZ 3C716-B
71/	L	Mounting bracket-inner	1	D1FZ 3C716-A
	3E716 INSERT - STEERING COLUMN LOCK			
70/	A, B, F, P, S (fixed wheel)		1	D0AZ 3E716-A
71/	L		1	
70/	A, F, S (tilt wheel)		1	D0AZ 3E716-B
	3A717 HOSE ASSY. - POWER STEERING CONTROL VALVE TO CYLINDER - ROD END - Refer to Group 3A719			
	3E717 GEAR - STEERING COLUMN LOCK			
70/	A, B, F, P, S	8 teeth, 7/16" thick	1	D0AZ 3E717-A
71/	L		1	
		7/16" I.D.-3/4" O.D.-.030" thick-(used as spacer between gear & 3C610 retainer)	1	356214-S8(XX162)
	3A719 HOSE ASSY. - POWER STEERING PRESSURE			

POWER STEERING HOSE APPLICATION CHART

All power steering hoses are listed under basic number 3A719.
The description column indicates functions of the parts.

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER
	- A -				
65/66	A-6 cyl.-w/A/C "Before 3/16/65"	From gear to cooler-return	30	1	C5AZ 3A713-B
	-w/A/C "Before 3/16/65"	From cooler to pump-return	AR	1	@ ★3A005
	-w/A/C "From 3/16/65"	From gear to cooler-return	47	1	C5AZ 3A713-C
	-w/A/C "From 3/16/65"	From cooler to pump-return	A/R	1	@ ★3A005
	-w/o A/C	Gear to pump-return	27 1/8	1	C5AZ 3A713-A
		Pump to control valve-pressure-with Ford pump and Ford gear	28 1/2	1	C5AZ 3A719-C
		Pump to control valve-pressure-with Ford pump and Saginaw gear	29	1	C5AZ 3A719-E
	A-8 cyl.-w/A/C	From gear to cooler-return	47	1	C5AZ 3A713-C
	-8 cyl.-w/A/C	From cooler to gear-return	AR	1	@ 3A005
	-8 cyl.-w/o A/C	From gear to pump-return	cut to fit	1	C5AZ 3A713-A
	-8 cyl. 289	Pump to gear-pressure-with Eaton pump and Saginaw gear	31	1	C5AZ 3A719-G
		Pump to gear-pressure-with Eaton pump and Ford gear		1	C5AZ 3A719-H
		Pump to gear-pressure-with Ford pump and Saginaw gear	25	1	C5AZ 3A719-D
		Pump to gear-pressure-with Ford pump and Ford gear	25 1/2	1	C5AZ 3A719-B
	-8 cyl. 352, 390	Pump to gear-pressure-with Ford pump and Saginaw gear	30	1	C5AZ 3A719-F
		Pump to gear-pressure- with Ford pump and Ford gear		1	C5MY 3A719-A

@ Cut to appropriate length from C7AZ 3A005-A (3/8" I.D.-5/8" O.D.) bulk hose and use (2) B5A 2344-A clamps ★Identification marking

3A719 HOSE ASSY. - POWER STEERING PRESSURE - continued

POWER STEERING HOSE APPLICATION CHART

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER
	- A -				
67	A-6 cylinder	From gear to pump-return	32 3/4	1	C7AZ 3A713-D
		Pump to gear-pressure-with Ford pump and Saginaw gear	29	1	C5AZ 3A719-E
		Pump to gear-pressure-with Ford pump and Ford gear	50	1	C7AZ 3A719-A
	-8 cyl. -w/A/C	From gear to cooler-return	45 1/4	1	C7AZ 3A713-F
	-w/A/C	From cooler to pump-return	24	1	C7AZ 3A713-B
	-w/o A/C	From gear to pump-return	27	1	C7AZ 3A713-E
		Pump to gear-pressure-with Ford pump and Saginaw gear	30	1	C5AZ 3A719-F
		Pump to gear-pressure-with Ford pump and Ford gear	30	1	C7AZ 3A719-B
68	A-6 cylinder	From gear to pump-return	12	1	C8AZ 3A713-A
		From pump to gear-pressure	32 1/2	1	C8AZ 3A719-B
	-8 cyl. -w/o A/C	From gear to pump-return	12	1	C8AZ 3A713-A
	-w/A/C	From gear to cooler-return	32 1/2	1	C8AZ 3A713-B
	-w/A/C	From cooler to pump-return	AR	1	@ 3A005
		From pump to gear-pressure-w/Ford gear	32	1	C8AZ 3A719-A
		From pump to gear-pressure-with Saginaw gear	36	1	C8AZ 3A719-C
69	A-6 cylinder	From gear to pump-return	31 1/2	1	C9AZ 3A713-A
		From pump to gear-pressure	30 1/2	1	C9AZ 3A719-B
	-8 cyl. -w/o A/C	From gear to pump-return	31 1/2	1	C9AZ 3A713-A
	-w/A/C	From gear to cooler-return	31 1/2	1	C9AZ 3A713-A
	-w/A/C	From cooler to pump-return	AR	1	@ 3A005
		From pump to gear-pressure-with Ford gear	30	1	C9AZ 3A719-D
	-8 cyl.351	From pump to gear-pressure-with Saginaw gear		1	C9AZ 3A719-E
	-8 cyl.302	From pump to gear-pressure-with Saginaw gear	29	1	C9AZ 3A719-C
70	A-6 cyl.	From gear to pump-return	31 1/2	1	C9AZ 3A713-A
		From pump to gear-pressure	30 1/2	1	C9AZ 3A719-B
	-8 cyl. -w/o A/C	From gear to pump-return	32 1/8	1	D0AZ 3A713-B
	-w/A/C	From gear to cooler-return	29 1/8	1	D0AZ 3A713-A
	-w/A/C	From cooler to gear-return	AR	1	@ 3A005
		From pump to gear-pressure		1	D0AZ 3A719-A
71	A-6 cylinder	From gear to pump-return	32 1/8	1	D0AZ 3A713-B
		From pump to gear-pressure		1	C9AZ 3A719-B
	-8 cyl. -w/oA/C	From gear to pump-return	32 1/8	1	D0AZ 3A713-B
	-w/A/C	From gear to cooler-return	29 1/8	1	D0AZ 3A713-A
	-w/A/C	From cooler to pump-return	AR	1	@ 3A005
	-exc. 429	From pump to gear-pressure		1	D1AZ 3A719-A
	-429(Pass.)	From pump to gear-pressure		1	D1AZ 3A719-A
	-429(P/C)	From pump to gear-pressure		1	D1AZ 3A719-C
72	A-6 cyl. "Before 3/13/72"	From gear to pump-return	32 1/8	1	D2AZ 3A713-B
	"From 3/13/72"	From gear to pump-return	32	1	D2AZ 3A713-C
	"Before 3/13/72	From pump to gear-pressure		1	D2AZ 3A719-A
	"From 3/13/72"	From pump to gear-pressure		1	D2AZ 3A719-C
	-8 cyl. "Before 3/13/72"	From gear to pump-return	♦	1	D2AZ 3A713-B
	"From 3/13/72"	From gear to pump-return	♦	1	D2AZ 3A713-C
	"Before 3/13/72"	From pump to gear-pressure		1	D2AZ 3A719-B
	"From 3/13/72"	From pump to gear-pressure		1	D3AZ 3A719-B
	-w/oil cooler "Before 3/13/72"	From cooler to pump-return	AR	1	@ 3A005
	-w/oil cooler "From 3/13/72"	From cooler to pump-return		AR	@ 3A005

@ Cut to appropriate length from C7AZ 3A005-A (3/8"I. D. -5/8"O. D.) bulk hose and use (2) B5A 2344-A clamps

♦ Cut hose portion to required length

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

3A719 HOSE ASSY. - POWER STEERING PRESSURE - continued

POWER STEERING HOSE APPLICATION CHART

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER
	- B -				
65	B-6 cylinder	Control valve to pump-return	47	1	C3OZ 3A713-B
		Valve to cylinder	8 1/2	1	C3OZ 3A714-A
		Cylinder to valve	9 1/8	1	C3OZ 3A717-A
		Pump to control valve-pressure	31	1	C5OZ 3A719-B
	-8 cyl. -w/A/C	Control valve to pump-return	53 1/2	1	C3OZ 3A713-C
	-w/o A/C	Control valve to pump-return	41 1/2	1	C3OZ 3A713-A
		Valve to cylinder	8 1/2	1	C3OZ 3A714-A
		Cylinder to valve	9 1/2	1	C3OZ 3A717-A
		Pump to control valve-pressure - with Ford pump	28 1/2	1	C5OZ 3A719-A
		Pump to control valve-pressure- with Eaton pump	44 1/2	1	C3OZ 3A719-B
66	B-6 cylinder	Control valve to pump-return	31 1/2	1	C6OZ 3A713-B
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	39 3/8	1	C6OZ 3A719-B
	-8 cyl. 289	Control valve to pump-return	28 1/2	1	C6OZ 3A713-A
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	35	1	C6OZ 3A719-D
	-8 cyl. 390 "Before 2/1/66"	Control valve to pump-return	35 1/2	1	C6OZ 3A713-C
	"From 2/1/66"	From pump to valve outlet tube-return	30 1/2	1	C6OZ 3A713-D
	"From 2/1/66"	Valve outlet tube to return hose	7 1/2	1	C6OZ 3A575-B
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
	"Before 2/1/66"	Pump to control valve-pressure	37	1	C6OZ 3A719-C
	"From 2/1/66	From pump to valve outlet tube-pressure	35	1	C6OZ 3A719-E
	"From 2/1/66"	Valve outlet tube to pressure hose	6 1/2	1	C6OZ 3494-A
67	B-6 cylinder	Control valve to pump-return	32 1/2	1	C7OZ 3A713-A
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	31	1	C7OZ 3A719-A
	-8 cyl. 289	Control valve to pump-return	30	1	C7OZ 3A713-C
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	41	1	C7OZ 3A719-C
	-8 cyl. 390, 427	From pump to valve outlet tube-return	30 1/2	1	C8OZ 3A713-B
		Valve outlet tube to return hose	7 1/2	1	C6OZ 3A575-B
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		From pump to valve outlet tube-pressure	30 1/2	1	C7OZ 3A719-B
		Valve outlet tube to pressure hose	6 9/16	1	C7OZ 3494-A
68	B-6 cyl. 170, 200	Control valve to pump-return	32 1/2	1	C7OZ 3A713-A
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	30	1	C8OZ 3A719-B
	-8 cyl. 289, 302	Control valve to pump-return	30	1	C7OZ 3A713-C
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	51	1	C8OZ 3A719-C
	-8 cyl. 390	From pump to valve outlet tube-return	30 1/2	1	C8OZ 3A713-B
	-8 cyl. 428 (w/o A/C)				
		Valve outlet tube to return hose	7 1/2	1	C6OZ 3A575-B
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		From pump to valve outlet tube-pressure	29 1/2	1	C8OZ 3A719-A
		Valve outlet tube to pressure hose	6 9/16	1	C7OZ 3494-A

3A719 HOSE ASSY. - POWER STEERING PRESSURE - continued

POWER STEERING HOSE APPLICATION CHART

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER
	- B -				
68	B-8 cyl.428-w/A/C	From valve outlet tube to cooler-return		1	C9OZ 3A713-B
		Valve outlet tube to return hose	7 1/2	1	C6OZ 3A575-B
		From cooler to pump-return	AR	1	@ 3A005
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		From pump to valve outlet tube-pressure	27 1/2	1	C9OZ 3A719-C
		Valve outlet tube to pressure hose	6 9/16	1	C7OZ 3494-A
69	B-6 cyl. 250	Control valve to pump-return	32 1/2	1	C7OZ 3A713-A
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	32 1/2	1	C9OZ 3A719-B
	-8 cyl. 302, 351	Control valve to pump-return	24 3/4	1	C9OZ 3A713-A
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		From pump to valve outlet tube-pressure	22	1	C9OZ 3A719-A
		Valve outlet tube to pressure hose	25 9/16	1	C9OZ 3494-A
	B-8 cyl.390 B-8 cyl.428 (w/o A/C)	From pump to valve outlet tube-return	30 1/2	1	C8OZ 3A713-B
		Valve outlet tube to return hose	7 1/2	1	C6OZ 3A575-B
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		From pump to valve outlet tube-pressure	29 1/2	1	C8OZ 3A719-A
		Valve outlet tube to pressure hose	6 9/16	1	C7OZ 3494-A
	-8 cyl. 428-w/A/C	From valve outlet tube to cooler-return		1	C9OZ 3A713-B
		Valve outlet tube to return hose	7 1/2	1	C6OZ 3A575-B
		From cooler to pump-return	AR	1	@ 3A005
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		From pump to valve outlet tube-pressure		1	C9OZ 3A719-C
		Valve outlet tube to pressure hose	6 9/16	1	C7OZ 3494-A
70/71	B-6 cyl.	Control valve to pump-return	30 3/4	1	D0OZ 3A713-A
		Valve to cylinder-rear	9 1/2	1	C6OZ 3A714-A
		Valve to cylinder-front	9 3/4	1	C6OZ 3A717-A
		From pump to valve-pressure	33 1/4	1	D0OZ 3A719-A
	-8 cyl. 302, 351	Control valve to pump-return	25 1/2	1	D0OZ 3A713-B
		Valve to cylinder-rear	9 1/2	1	C6OZ 3A714-A
		Valve to cylinder-front	9 3/4	1	C6OZ 3A717-A
		From pump to valve-pressure		1	D0OZ 3A719-E
		Valve outlet tube to pressure hose	26 1/2	1	D0OZ 3494-A
	-8 cyl.429				
		From pump to valve-pressure	23 1/2	1	D0OZ 3A719-F
		Valve outlet tube to pressure hose	26 1/2	1	D0OZ 3494-A
	-w/o oil cooler	Control valve to pump-return	25 1/2	1	D0OZ 3A713-B
	-w/ oil cooler	Control valve to pump-return	23	1	D0OZ 3A713-C
	-w/ oil cooler	From cooler to pump-return	32	1	@ 3A005
		Valve to cylinder-rear	9 1/2	1	C6OZ 3A714-A
		Valve to cylinder-front	9 3/4	1	C6OZ 3A717-A
72	B-6 & 8 cyl. "Before 3/13/72"				
	-6 & 8 cyl.	From gear to pump-return	♦	1	D2AZ 3A713-B
	-6 cyl.	From pump to gear-pressure		1	D2OZ 3A719-C
	-8 cyl.	From pump to gear-pressure		1	D2AZ 3A719-B
	-w/oil cooler	From cooler to pump-return		AR	@ 3A005
	B-6 & 8 cyl. - "From 3/13/72 to 5/15/72"				
	-6 & 8 cyl.	From gear to pump-return	♦	1	D2OZ 3A713-A
	-6 cyl.	From pump to gear-pressure		1	D2OZ 3A719-G
	-8 cyl. exc.429	From pump to gear-pressure		1	D2OZ 3A719-H
	-8 cyl.429	From pump to gear-pressure		1	D5OZ 3A719-A
	-8 cyl.w/oil cooler	From cooler to pump-return		1	@ 3A005

@ Cut to appropriate length from C7AZ 3A005-A (3/8" I. D. -5/8" O. D.) bulk hose and use (2) B5A 2344-A clamps
♦ Cut hose portion to required length

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

3A719 HOSE ASSY. - POWER STEERING PRESSURE - continued

POWER STEERING HOSE APPLICATION CHART

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER
	- B -				
72	B-6 & 8 cyl. "From 5/15/72"				
	-6 & 8 cyl.	From gear to pump-return	♦	1	D2OZ 3A713-A
	-6 cyl.	From pump to gear-pressure		1	D2OZ 3A719-G
	-8 cyl. exc. 429	From pump to gear-pressure		1	D2OZ 3A719-H
	-8 cyl. 429	From pump to gear-pressure		1	D5OZ 3A719-A
	-8 cyl. w/oil cooler	From cooler to pump-return		1	@ 3A005
	- F -				
65	F-6 cyl. 170, 200-with EATON pump	Control valve to pump-return	43 1/2	1	C5DZ 3A713-C
	"Before 3/2/64"	Control valve to cylinder	9	1	C3DZ 3A714-A
	"From 3/2/64"	Control valve to cylinder	9 1/4	1	C5DZ 3A714-A
	"Before 3/2/64"	Cylinder to valve	9 1/2	1	C3DZ 3A717-A
	"From 3/2/64"	Cylinder to valve	10	1	C5DZ 3A717-A
		Pump to control valve-pressure	34	1	C5DZ 3A719-D
	-6 cyl. 170-with FORD pump	Control valve to pump-return	32	1	C5ZZ 3A713-E
		Control valve to cylinder	9	1	C3DZ 3A714-A
		Cylinder to valve	9 1/2	1	C3DZ 3A717-A
		Pump to control valve-pressure	31	1	C5ZZ 3A719-C
	-6 cyl. 200-with FORD pump	Control valve to pump-return	45	1	C5DZ 3A713-A
		Control valve to cylinder	9 1/2	1	C5DZ 3A714-A
		Cylinder to valve	10	1	C5DZ 3A717-A
		Pump to control valve-pressure	70	1	C5DZ 3A719-A
	-8 cyl. 260,289-with EATON pump	Control valve to pump-return	32	1	C5ZZ 3A713-E
		Control valve to cylinder	9	1	C3DZ 3A714-A
		Cylinder to valve	9 1/2	1	C3DZ 3A717-A
		Pump to control valve-pressure	41	1	C5ZZ 3A719-E
	-8 cyl.260-with FORD pump	Control valve to pump-return-w o A C	29 3/4	1	C5ZZ 3A713-A
		Control valve to pump-return-w/A/C	34 1/2	1	C5ZZ 3A713-B
		Control valve to cylinder	9	1	C3DZ 3A714-A
		Cylinder to valve	9 1/2	1	C3DZ 3A717-A
		Pump to control valve-pressure	29 3/4	1	C5ZZ 3A719-A
	-8 cyl. 289-with FORD pump	Control valve to pump-return	35	1	C5ZZ 3A713-D
		Control valve to pump-return	35	1	C5ZZ 3A713-D
		Control valve to cylinder	9	1	C3DZ 3A714-A
		Cylinder to valve	9 1/2	1	C3DZ 3A717-A
		Pump to control valve-pressure	42 1/2	1	C5ZZ 3A719-D
66	F-6 cyl. 200	Control valve to pump-return	45	1	C5DZ 3A713-A
		Control valve to cylinder	9 1/2	1	C5DZ 3A714-A
		Cylinder to valve	10	1	C5DZ 3A717-A
		Pump to control valve-pressure	70	1	C5DZ 3A719-A
	-8 cyl. 289	Control valve to pump-return	35	1	C5ZZ 3A713-D
		Control valve to cylinder	9	1	C3DZ 3A714-A
		Cylinder to valve	9 1/2	1	C3DZ 3A717-A
		Pump to control valve-pressure	42 1/2	1	C5ZZ 3A719-D
67	F-6 cylinder	Control valve to pump-return	32 1/2	1	C7OZ 3A713-A
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	31	1	C7OZ 3A719-A
	-8 cyl. 289	Control valve to pump-return	30	1	C7OZ 3A713-C
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
	(exc. GT350)	Pump to control valve-pressure	41	1	C7OZ 3A719-C
	(GT 350)	Pump to control valve-pressure		1	C7ZX 3A719-A
	-8 cyl. 390	Pump outlet tube to insulator-return	15 1/2	1	C7ZZ 3A713-C
		From insulator to valve-return		1	C7ZZ 3A713-B
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to valve outlet tube-pressure	17 1/2	1	C7ZZ 3A719-B
		Valve outlet tube to pressure hose	17 1/4	1	C7ZZ 3494-A

@ Cut to appropriate length from C7AZ 3A005-A (3/8" I. D. -5/8" O. D.) bulk hose and use (2) B5A 2344-A clamps
♦ Cut hose portion to required length

3A719 HOSE ASSY. - POWER STEERING PRESSURE - continued

POWER STEERING HOSE APPLICATION CHART

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER
	- F -				
68	F-6 cyl. 200	Control valve to pump-return	32 1/2	1	C7OZ 3A713-A
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	30	1	C8OZ 3A719-B
	-8 cyl. 289, 302	Control valve to pump-return	30	1	C7OZ 3A713-C
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	51	1	C8OZ 3A719-C
	-8 cyl. 390, 428CJ (w/o A/C)	Pump outlet tube to insulator-return	15 1/2	1	C7ZZ 3A713-C
		From insulator to valve-return	21	1	C8ZZ 3A713-A
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
	(exc. GT 350/500)	From pump to valve outlet tube-pressure	16	1	C9ZZ 3A719-B
	(GT 350/500)	From pump to valve outlet tube-pressure		1	C7ZX 3A719-A
		Valve outlet tube to pressure hose	17 1/2	1	C7ZZ 3494-B
	-8 cyl. 428CJ-w/A/C	From valve to insulator-return	21	1	C8ZZ 3A713-A
		From insulator to cooler-return	15 1/2	1	C7ZZ 3A713-C
		From cooler to pump-return	AR	1	@ 3A005
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
	(exc. GT 350/500)	From pump to valve outlet tube-pressure	16	1	C9ZZ 3A719-B
	(GT 350/500)	From pump to valve outlet tube-pressure		1	C7ZX 3A719-A
		Valve outlet tube to pressure hose	17 1/2	1	C7ZZ 3494-B
69	F-6 cyl. 200	Control valve to pump-return	32 1/2	1	C7OZ 3A713-A
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	30	1	C8OZ 3A719-B
	-6 cyl. 250	Control valve to pump-return		1	C7OZ 3A713-A
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	32 1/2	1	C9OZ 3A719-B
	-8 cyl. 302(w/o oil cooler), 351	Control valve to pump-return		1	C8ZZ 3A713-A
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		From pump to valve outlet tube-pressure	27	1	C9ZZ 3A719-A
		Valve outlet tube to pressure hose	17 1/2	1	C7ZZ 3494-B
	-8 cyl. 302(w/oil cooler)	Control valve to cooler-return		1	C8ZZ 3A713-A
		From cooler to pump-return		AR	@ 3A005
		Insulator for return line		AR	• 3A609
		Control valve to cylinder-inner	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve-outer	9 3/4	1	C6OZ 3A717-A
		From pump to valve outlet tube-pressure		1	C9ZZ 3A719-C
		Valve outlet tube to pressure hose	17 1/2	1	C7ZZ 3494-B
	-8 cyl. 390, 428 CJ, 429 Boss	From valve to insulator-return	21	1	C8ZZ 3A713-A
		From insulator to cooler-return	15 1/2	1	C7ZZ 3A713-C
		From cooler to pump-return		1	@ 3A005
		Insulator for return line	AR	1	• 3A609
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
	(exc. Boss)	From pump to valve outlet tube-pressure		1	C9ZZ 3A719-B
	Boss 429	From pump to valve outlet-pressure		1	C9ZZ 3A719-D
		Valve outlet tube to pressure hose	17 1/2	1	C7ZZ 3494-B

@ Cut to appropriate length from C7AZ 3A005-A (3/8" I. D. -5/8" O. D.) bulk hose and use (2) B5A 2344-A clamps
• Cut to appropriate length from C7AZ 3A609-A bulk stock

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

3A719 HOSE ASSY.- POWER STEERING PRESSURE - continued

POWER STEERING HOSE APPLICATION CHART

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER
	- F -				
70	F-6 cyl. 200	Control valve to pump-return	29	1	D0ZZ 3A713-A
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	30	1	D0ZZ 3A719-F
	-6 cyl. 250	Control valve to pump-return	29	1	D0ZZ 3A713-A
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	32 1/2	1	D0ZZ 3A719-F
	-8 cyl.302(w/o oil cooler),351	Control valve to pump-return	21	1	C8ZZ 3A713-A
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
	"Before 1/26/70"	From pump to valve outlet tube-pressure	22 1/2	1	D0ZZ 3A719-H
	"From 1/26/70"	From pump to valve outlet tube-pressure	25	1	D0ZZ 3A719-E
		Valve outlet tube to pressure hose	17 1/2	1	C7ZZ 3494-B
		From cooler to pump-return		AR	@ 3A005
		Insulator for above return line		AR	• 3A609
	-8 cyl. 302(w/oil cooler)	Control valve to cooler-return	21	1	C8ZZ 3A713-A
		From cooler to pump-return		AR	@ 3A005
		Insulator for above return line		AR	• 3A609
		Control valve to cylinder-inner	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve-outer	9 3/4	1	C6OZ 3A717-A
		From pump to valve outlet tube-pressure	24 1/2	1	D0ZZ 3A719-G
		Valve outlet tube to pressure hose	17 1/2	1	C7ZZ 3494-B
	-8 cyl. 428CJ, 429 Boss	From valve to insulator-return	21	1	C8ZZ 3A713-A
		From insulator to cooler-return	AR	AR	@ 3A005
		From cooler to pump-return	AR	AR	@ 3A005
		Insulator for return line	AR	AR	• 3A609
		Control valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
	428 CJ	From pump to valve outlet tube-pressure		1	C9ZZ 3A719-B
	429 Boss	From pump to valve outlet tube-pressure		1	C9ZZ 3A719-D
		Valve outlet tube to pressure hose	17 1/2	1	C7ZZ 3494-B
71	F-6 cyl.	From gear to pump-return		1	D1ZZ 3A713-A
		From pump to gear-pressure		1	D1ZZ 3A719-B
	-8 cyl.	From gear to pump-return		1	D1ZZ 3A713-A
	-with oil cooler	From cooler to pump-return		AR	@ 3A005
	-with oil cooler	Insulator for above return line		AR	• 3A609
		Pressure line outlet tube		▲	★D1ZA 3E576-AC
	302,351	From pump to gear-pressure		1	D1ZZ 3A719-C
	429	From pump to gear-pressure		1	D1ZZ 3A719-A
72	F-6 cyl.	From gear to pump-return		1	D1ZZ 3A713-A
	"Before 5/1/72"	From pump to gear-pressure	71 1/2	1	D1ZZ 3A719-D
	"From 5/1/72"	From pump to gear-pressure	27 3/4	1	D2ZZ 3A719-B
	-8 cyl.	From gear to pump-return		1	D1ZZ 3A713-A
	-with oil cooler	From cooler to pump-return		AR	@ 3A005
	-with oil cooler	Insulator for above return line		AR	• 3A609
		Pressure line outlet tube		▲	★D1ZA 3E576-AC
	"Before 5/1/72"	From pump to gear-pressure	38 1/2	1	D1ZZ 3A719-C
	"From 5/1/72"	From pump to gear-pressure	26 1/2	1	D2ZZ 3A719-A
	- P -				
70/	P-6 cyl. 170, 200	From control valve to pump-return	26 3/4	1	D0DZ 3A713-B
		From control valve to cylinder-front	9 1/2	1	C6OZ 3A714-A
		From cylinder to valve-rear	9 3/4	1	C6OZ 3A717-A
		From pump to control valve-pressure	22	1	D0DZ 3A719-B

@ Cut to appropriate length from C7AZ 3A005-A (3/8" I. D. -5/8" O. D.) bulk hose and use (2) B5A 2344-A clamps
• Cut to appropriate length from C7AZ 3A609-A bulk stock
▲ Cut to length from B7Q 2269-A (7 3/4") & use (1) 87945-S8 & (1) 379429-S8

3A719 HOSE ASSY.- POWER STEERING PRESSURE - continued

POWER STEERING HOSE APPLICATION CHART

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER
	- P -				
70/	P-6 cyl. 250	From control valve to pump-return	30 3/4	1	D0OZ 3A713-A
		From pump to control valve-pressure	33 1/4	1	D0OZ 3A719-A
		From control valve to cylinder-front	9 1/2	1	C6OZ 3A714-A
		From cylinder to valve-rear	9 3/4	1	C6OZ 3A717-A
71/	P-8 cyl.302	From control valve to insulator-return		1	D0DZ 3A713-A
		From pump to control valve-pressure		1	D0DZ 3A719-A
		From control valve to cylinder-front	9 1/2	1	C6OZ 3A714-A
		From cylinder to valve-rear	9 3/4	1	C6OZ 3A717-A
		Valve outlet tube to pressure hose		1	D0DZ 3494-A
		From insulator to pump-return		AR	@ 3A005
	- S -				
65/66	S	From w/s wiper motor tube to pump - return-cut to size-from B4C 4090-A bulk hose to fit from w/s wiper motor tube to reservoir or pump	AR	1	@ 3A005
	-with Eaton pump 1965	Pump to gear-pressure	39 1/2	1	C5SZ 3A719-B
	- with Ford pump 1965/66	From pump outlet tube to gear-pressure	28 1/2	1	C5SZ 3A719-A
		Pump outlet tube-pressure		1	C5SZ 3494-B
67	S	From w/s wiper motor to pump or cooler-return	30 1/2	1	C7SZ 3A713-A
		From cooler to pump-return	AR	1	@ 3A005
		From pump outlet tube to gear-pressure	30	1	C7SZ 3A719-B
		Pump outlet tube-pressure	15 3/4	1	C7SZ 3494-A
68/69	S	From gear to pump or cooler-return	28	1	C8SZ 3A713-A
		From cooler to pump-return	AR	1	@ 3A005
		From pump outlet tube to gear-pressure	30	1	C8SZ 3A719-A
		Pump outlet tube-pressure	17 1/2	1	C8SZ 3494-A
70	S "Before 9/22/69" (w/electric w/s wiper)				
	-w/o A/C	From gear to pump-return		1	C9AZ 3A713-A
	-w/A/C	From gear to cooler-return		1	D0AZ 3A713-A
	-w/A/C	From cooler to pump-return		AR	@ 3A005
		From pump to gear-pressure		1	D0AZ 3A719-A
70/71	S "From 9/22/69" (w/hydraulic w/s wiper)				
		From gear to windshield wiper motor-see basic 17C506			
	w/o A/C	From windshield wiper motor to pump - return		1	D0SZ 3A713-B
	w/A/C	From windshield wiper motor to cooler-return		1	D0SZ 3A713-A
	w/A/C	From cooler to pump-return		AR	@ 3A005
		From pump to gear-pressure		1	D0AZ 3A719-A
72	S-8 cyl. "Before 3/13/72"				
		From gear to pump-return	♦	1	D2VY 3A713-A
	-8 cyl. 400 & (429-w/o A/C)	From pump to gear-pressure		1	D2AZ 3A719-B
	-8 cyl. 429 w/A/C,460	From pump to gear-pressure		1	D2VY 3A719-B
	-w/A/C	From cooler to pump-return		AR	@ 3A005
72	S-8 cyl. "From 3/13/72"				
		From gear to pump-return		1	D2SZ 3A713-C
	-w/oil cooler	From cooler to pump-return		1	@ 3A005
	-w/o A/C	From pump to gear-pressure		1	D2SZ 3A719-C
	-w/A/C "From 3/13/72 to 5/15/72"	From pump to gear-pressure		1	D2SZ 3A719-D
	-w/A/C "From 5/15/72"	From pump to gear-pressure		1	D2SZ 3A719-E

@ Cut to appropriate length from C7AZ 3A005-A (3/8" I.D. -5/8" O.D.) bulk hose and use (2) B5A 2344-A clamps

♦ Cut hose portion to required length

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

3A719 HOSE ASSY.- POWER STEERING PRESSURE - continued

POWER STEERING HOSE APPLICATION CHART

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER
	- U -				
72	U 'From Ser. P40,001"	From gear to cooler-return		1	D3TZ 3A713-B
		From cooler to pump-return		1	@ 3A005
		From pump to gear-pressure		1	D3TZ 3A719-E
	- X -				
65	X-6 cylinder	Control valve to pump-return-w/Ford pump	45	1	C5DZ 3A713-A
		Control valve to pump-return-w/Eaton pump	43 1/2	1	C5DZ 3A713-C
	"Before 8/17/64"	Valve to cylinder	9	1	C3DZ 3A714-A
	"Before 8/17/64"	Cylinder to valve	9 1/2	1	C3DZ 3A717-A
	"From 8/17/64"	Valve to cylinder	10	1	C5DZ 3A714-A
	"From 8/17/64"	Cylinder to valve	10	1	C5DZ 3A717-A
		Pump to control valve-pressure-with Eaton pump	34	1	C5DZ 3A719-D
		Pump to control valve-pressure-with Ford pump	70	1	C5DZ 3A719-A
	-8 cylinder	Control vlv.to pump-return-w/Eaton pump	34	1	C5DZ 3A713-D
		Control vlv. to pump-return-w/Ford pump	33 3/4	1	C5DZ 3A713-B
		Control valve to cylinder	9 1/2	1	C3DZ 3A714-B
		Cylinder to valve	10	1	C3DZ 3A717-B
		Pump to control valve-pressure-with Eaton pump	39 3/4	1	C5DZ 3A719-C
		Pump to control valve-pressure-with Ford pump	54 1/2	1	C5DZ 3A719-B
66	X-6 cylinder	Control valve to pump-return	31 1/2	1	C6OZ 3A713-B
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	32	1	C6OZ 3A719-B
	-8 cyl. 289	Control valve to pump-return	28 1/2	1	C6OZ 3A713-A
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	35	1	C6OZ 3A719-D
67	X-6 cylinder	Control valve to pump-return	32 1/2	1	C7OZ 3A713-A
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	31	1	C7OZ 3A719-A
	-8 cyl. 289	Control valve to pump-return	30	1	C7OZ 3A713-C
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	41	1	C7OZ 3A719-C
68	X-6 cyl.	Control valve to pump-return	32 1/2	1	C7OZ 3A713-A
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	30	1	C8OZ 3A719-B
	-8 cyl. 289, 302	Control valve to pump-return	30	1	C7OZ 3A713-C
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	51	1	C8OZ 3A719-C
69	X-6 cyl.	Control valve to pump-return	32 1/2	1	C7OZ 3A713-A
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	30	1	C8OZ 3A719-B
	-8 cyl. 302	Control valve to pump-return	24 3/4	1	C9OZ 3A713-A
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		From pump to valve outlet tube-pressure	22	1	C9OZ 3A719-A
		Valve outlet tube to pressure hose	25 9/16	1	C9OZ 3494-A

@ Cut to appropriate length from C7AZ 3A005-A (3/8" I.D.-5/8" O.D.) bulk hose and use (2) B5A 2344-A clamps

3A719 HOSE ASSY. - POWER STEERING PRESSURE - continued

POWER STEERING HOSE APPLICATION CHART

YEAR	MODEL	DESCRIPTION	APPROX. DEVEL. LENGTH (INCHES)	QTY.	PART NUMBER
	- X -				
70	X-6 cyl.	Control valve to pump-return	32 1/2	1	C7OZ 3A713-A
		Valve to cylinder	9 1/2	1	C6OZ 3A714-A
		Cylinder to valve	9 3/4	1	C6OZ 3A717-A
		Pump to control valve-pressure	30	1	C8OZ 3A719-B
	-8 cyl. 302	Control valve to pump-return	29	1	D0ZZ 3A713-A
		Valve to cylinder-rear	9 1/2	1	C6OZ 3A714-A
		Valve to cylinder-front	9 3/4	1	C6OZ 3A717-A
		From pump to valve	20 1/4	1	D0OZ 3A719-F
		Valve outlet tube to pressure hose	26 1/2	1	D0OZ 3494-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
65/	A,S	Clamp-5/8"dia.-spring wire (3A713 hose to pump)	AR	97326-S35(E1C)
65/	A(with A/C)	Clip-11/16" & 5/16" dia. (3A713 hose and fuel line to fender apron)	2	380397-S100 (GG242)
66/	A	Clip-1 1/16" & 7/32" dia. (3A713 hose and fuel line to fender apron)	2	380795-S100 (GG251)
67/	A,B,F,S,X	Clamp (3A713 hose to pump on reservoir)	1	B5A 2344-A
68/	A,S	Clamp-11/16" dia. (3A713 hose to pump or reservoir)	1	B7A 8287-A
67/68	S	Nut-9/16"-18 x 1 3/32" (3A713 hose to windshield wiper motor)		379005-S (MM130M)
65	F(with Eaton pump)	Nut-7/16"-24 (3A719 hose to valve)	1	87943-S8(I-21)
65/	B,F,X(with Ford pump)	Nut-5/8"-18 (3A719 hose to valve)	1	379429-S7-8 (MM113)
	3C719 GASKET - POWER STEERING PUMP OIL RESERVOIR COVER RETAINING BOLT			
65	B,F,S,X	17/64" I.D.-13/16" O.D.-1/16" thick	1	★C2SZ 3C719-A
	3E723 ACTUATOR ASSY. - STEERING COLUMN LOCK			
70/	A,B,F,P,S(fixed wheel)		1	D0AZ 3E723-A
71/	L		1	
70/71	A,F,S(tilt wheel) " Before 4/12/71"		1	D0AZ 3E723-B
71/	A,F,S(tilt wheel) " From 4/12/71"		1	D1AZ 3E723-C
	3D727 GUIDE KIT - POWER STEERING GEAR BALL RETURN			
65/69	A(with Saginaw gear)	Consists of 2 guides	1	C5AZ 3D727-A
71/	F,U(with Saginaw gear)		1	
	3A728 CLAMP - POWER STEERING CONTROL VALVE DUST COVER			
65/71	B		1	C2AZ 3A728-A
65/70	F		1	
70/	P		1	
65	X		1	
	3D728 VALVE KIT - POWER STEERING GEAR REAR CHECK VALVE			
65/69	A(with Saginaw gear)	Consists of	1	C5AZ 3D728-A
71/	F,U(with Saginaw gear)	1-Connector 1-Poppet 1-Spring	1	
	3A729 COVER - POWER STEERING CONTROL VALVE BALL STUD DUST			
65/71	B		1	C7OZ 3A729-A
65/70	F,X		1	
70/	P		1	
	3D729 BEARING KIT - POWER STEERING GEAR UPPER THRUST			
65/69	A(with Saginaw gear)	Consists of	1	C5AZ 3D729-A
71/	F,U(with Saginaw gear)	1-Bearing 2-Races 1-Retainer 1-Spacer	1	
	3A730 VALVE ASSY. - POWER STEERING HYDRAULIC CONTROL			
65	B		1	C5OZ 3A730-A
66/67	B		1	C6OZ 3A730-B
68/71	B		1	C8OZ 3A730-A
67	F		1	C6OZ 3A730-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A730 VALVE ASSY. - POWER STEERING HYDRAULIC CONTROL - continued			
65	F(6 cyl.) "Before 4/9/64"		1	C3DZ 3A730-B
65/66	F(6 cyl.) "From 4/9/64"		1	C5DZ 3A730-C
65/66	F(8 cyl.)	For appropriate details of repair kits refer to Illus. Sect. 36.2 page 4 or to replace complete assy. use the following:	1	★C5ZZ 3A730-B
	(1) C5ZZ 3304-D Link assy.	(2) C1AA 3C562-A Insulator	(1) C5ZZ 3B731-A	Valve assy.
	(1) C2AZ 3A533-A Kit	(1) C3DZ 3A675-A Spring kit	(1) C1AA 3A754-C	Socket
	(1) C1AA 3C560-A Stop	(1) C2AZ 3C705-B Cap kit	(1) AC 33698-A	Bolt
68/70	F		1	C8OZ 3A730-A
70/	P		1	C8OZ 3A730-A
65	X(6 cyl.)		1	C5DZ 3A730-C
65	X(8 cyl.)	Replaced by details-see Illustration Section 36.2 Page 4	1	★C5DZ 3A730-A
66/67	X		1	C6DZ 3A730-B
68/70	X		1	C8OZ 3A730-A
65/	B,F,X	Bolt (clamp)-3/8"-24 x 1 1/2"	1	20469-S8(B174)
		Nut 3/8"-24		33800-S8(M63)
		Lockwasher-3/8"		357629-S7(XX303)
		Seat-3/8" tube-aluminum	1	372896-S(TT6)
		Seat-5/16" tube-aluminum	2	373430-S(TT5)
		Seat-1/4" tube-aluminum	1	372895-S
		Screw & washer assy. (valve housing to ball stud)-5/16"-18 x 7/8"	2	★373406-S
			2	
		Lockwasher-5/16"		34806-S7(X64)
65/	X	Fitting (lubricator)-1/4"-28	1	87907-S(I-3)
65/	F,X	Plug (valve)-1/4"-28	1	374714-S7-8 (PP35A)
67/	B,F,X	Bolt(clamp)-5/16"-24 x 1 1/2"	1	20467-S(B160)
		Nut(clamp)-5/16"-24	1	34443-S(M79)
	3D730 BEARING KIT - POWER STEERING GEAR LOWER THRUST			
65/69	A (with Saginaw gear)	Consists of 1-Bearing 2-Races	1	C5AZ 3D730-A
71/	F, U(with Saginaw gear)		1	
	3B731 HOUSING and SPOOL ASSY- POWER STEERING HYDRAULIC CONTROL VALVE			
65/66	F(8 cyl.)		1	C5ZZ 3D731-A
65	X(8 cyl.)		1	
	3D731 SEAL KIT - POWER STEERING GEAR BACK UP VALVE			
65/69	A (with Saginaw gear)	Consists of 3-Rings 3-Seals	1	C5AZ 3D731-A
71/	F, U(with Saginaw gear)		1	
	3A732 BRACKET - POWER STEERING PUMP ADJUSTING - Also refer to Group 3C511			
	- A -			
65/66	A(6 cyl.)		1	C5AZ 3A732-C
65	A(8 cyl. 289)-with Eaton pump	Not Replaced	2	★
65/66	A(8 cyl. 289)-with Ford pump		1	C5AZ 3A732-B
	A(8 cyl. 352, 390, 428)		1	C5AZ 3A732-G
67/	A(6 cyl.)		1	C7AZ 3A732-A
67/69	A(8 cyl. exc. 429)		1	C7SZ 3A732-A
70/71	A(8 cyl. 390, 428)		1	
69	A(8 cyl. 429) " Before 12/5/68"	Use with 3/8" dia. pivot stud	1	C8SZ 3A732-A
	A(8 cyl. 429) " From 12/5/68"	Use with 7/16" dia. pivot stud	1	C9AZ 3A732-A
70/	A(8 cyl. 302)		1	D0AZ 3A732-C
70	A(8 cyl. 351)		1	
70/	A(8 cyl. 400, 429)		1	D1AZ 3A732-A
71/	A(8 cyl. 351)		1	
	- B -			
65/67	B(6 cyl.)	Ford pump	1	C7OZ 3A732-A
65	B(8 cyl. 289)-with Eaton pump	Not Replaced	2	★
65/66	B(8 cyl. 289)-with Ford pump		1	C5AZ 3A732-B
66	B(8 cyl. 390)		1	C5AZ 3A732-G

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A732 BRACKET - POWER STEERING PUMP ADJUSTING - continued			
	- B -			
68	B(6 & 8 cyl.)		1	C7SZ 3A732-A
69	B(8 cyl.)		1	
69/	B(6 cyl. 250)		1	C9ZZ 3A732-A
70/71	B(8 cyl. 302)		1	D0AZ 3A732-C
70/	B(8 cyl. 351-C*)		1	
72	B(8 cyl. 302)-without A/C		1	
70/	B(8 cyl. 429)		1	D1AZ 3A732-A
72	B(8 cyl. 302)-with A/C		1	
72	B(8 cyl. 400)		1	
72	B(8 cyl. 351-W*)		1	
	- F -			
65	F(6 cyl. 170)	Front-Not Replaced	1	★C3OZ 3A732-A
		Rear-Not Replaced	1	★C3OZ 3A732-C
		Side support-not replaced	1	★C2OZ 3A732-A
65/66	F(6 cyl. 200)		1	C7OZ 3A732-A
65	F(8 cyl. 260)	Front-Not Replaced	1	★C5ZZ 3A732-A
		Rear-not replaced	1	★C5ZZ 3A732-B
	F(8 cyl. 289)-with Eaton pump	Not Replaced	2	★
65/66	F(8 cyl. 289)-with Ford pump		1	C5AZ 3A732-B
67/68	F(6 & 8 cyl.)		1	C7SZ 3A732-A
69	F(6 & 8 cyl. 200, 302, 351)		1	
69/70	F(8 cyl. 427, 428)		1	
69/	F(6 cyl. 250)		1	C9ZZ 3A732-A
70	F(8 cyl. 302, 351)		1	D0ZZ 3A732-A
71/	F(8 cyl. 302 & 351 exc. Boss & CJ)		1	D0AZ 3A732-C
71/	F(8 cyl. 351 CJ)-with A/C		1	
71	F(8 cyl. 302 & 351 Boss)		1	D1ZZ 3A732-A
71/	F(8 cyl. 351 CJ)-without A/C		1	
69/70	F(8 cyl. 429 Boss)		1	C9ZZ 3A732-B
71	F(8 cyl. 429)		1	D1AZ 3A732-A
	- P -			
70/	P(6 cyl. 170, 200)		1	C7SZ 3A732-A
71/	P(6 cyl. 250)		1	C9ZZ 3A732-A
	P(8 cyl. 302)		1	D0ZZ 3A732-A
	- S -			
65/66	S(without A/C)		1	C5SZ 3A732-B
	S(with A/C)		1	D0TZ 3A732-A
67	S		1	C7SZ 3A732-A
68	S(8 cyl. 390)		1	C7SZ 3A732-A
	S(8 cyl. 429)		1	C8SZ 3A732-A
69	S(8 cyl. 429) " Before 12/5/68"	Use with 3/8" dia. pivot stud	1	C8SZ 3A732-A
	S(8 cyl. 429) " From 12/5/68"	Use with 7/16" dia. pivot stud	1	C9AZ 3A732-A
70/71	S(8 cyl. 429)		1	D1AZ 3A732-A
72	S(8 cyl. 400)		1	D1AZ 3A732-A
	S(8 cyl. 429)-with Ford pump & without A/C)		1	D1AZ 3A732-A
	S(8 cyl.429-w/A/C,460)-with Saginaw pump		1	D2VY 3A732-A
	- U -			
72	U 'From Ser. P40,001"		1	C7SZ 3A732-A
	-X -			
65	X(8 cyl. 289)-with Eaton pump	Not Replaced	2	★
65/66	X(8 cyl. 289)-with Ford pump		1	C5AZ 3A732-B
65/67	X(6 cyl.)		1	C7OZ 3A732-A
67/70	X(6 & 8 cyl.)		1	C7SZ 3A732-A
65/	A (8 cyl.), S	Bolt (bracket to water pump)	2	20428-S7(B82)
65/	A (8 cyl.)-with A/C		1	

* Engine code

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A732 BRACKET - POWER STEERING PUMP ADJUSTING - continued			
65/	B-8 cyl.	Bolt (bracket to compressor mounting bracket)-3/8"-24 x 3/4"	2	20349-S7-8(B170)
		Washer-flat-3/8"		382585-S(XX143A)
		Lockwasher-3/8"		34807-S8(X66)
65	F(8 cyl.)-with A/C	Bolt (to pump)-3/8"-16 x 3 1/16"-self-locking	1	359099-S(BB417)
		Washer-flat-3/8"		356951-S(XX134)
		Nut-3/8"-16	1	33799-S7(M52)
		Lockwasher-3/8"		34807-S8(X66)
65/	A-6 cyl.	Bolt (bracket to generator mounting bracket)-3/8"-16 x 1 1/8"	1	20408-S7(B81)
65/	A(6 cyl.)	Bolt (brkt.to generator mounting brkt)-3/8"-16 x 1"	1	20388-S8(B80)
65/	A(8 cyl.)	Bolt (bracket to support)	1	
65	F(6 cyl.)		1	
65/	A(8 cyl.),S	Washer-flat-3/8"		44727-S8(X24)
		Lockwasher-3/8"		34807-S8(X66)
65/	A	Bolt (bracket to pump)-3/8"-16 x 2"	3	20522-S8(B89)
65/	B (8 cyl.)-without A/C	Screw (bracket to support)-upper hole-3/8"-16 x 1 9/16"	1	376532-S8(WW118)
65/	A(8 cyl. 352, 390)-with A/C	Bolt (bracket to pump)-3/8"-16 x 2 3/8"	1	350388-S(BB159)
65/	S		3	
65/	A (6 cyl. & 8 cyl.)	Bolt (bracket to pump)-3/8"-16 x 2 1/8"	1 or 3	370967-S(BB158)
65/	B (6 cyl.)-with Automatic Trans.		5	
65/	B(8 cyl.)		3	
65	F		5	
65/	A(8 cyl. 352, 390)	Bolt (bracket to pump)-3/8"-16 x 2 1/2"	1	371741-S(BB160)
65	A, B, F, X (8 cyl. 289)-Eaton pump		1	
65	F(6 cyl.)	Bolt (bracket to pump)-3/8"-16 x 1 1/8"	1	354135-S7-8 (BB155A)
65/	A (8 cyl. 260, 289)	Screw & washer (bracket to cyl. head)-3/8"-16 x 1"	2	373293-S8(BB563)
65	F(8 cyl.)		2	
65/	X(8 cyl.)		3	
65	A (8 cyl. 260, 289), B, X, F(8 cyl.)	Bolt (bracket to pump)-3/8"-16 x 3 3/4"	1or2	377957-S7-8(BB169A)
65/	A (8 cyl. 260, 289), B, X(8 cyl.)	Stud (bracket to cylinder block)-5/16"-18 & 5/16"-18 x 4 9/16" hex. shoulder	1	377958-S7-8 (WW104)
65	F(8 cyl.)-without A/C		1	
65	F(8 cyl.)	Stud (to water pump)	1	
		Nut-5/16"-18		33797-S7(M50)
65	S(with A/C)	Stud (to water pump)-3/8"-16 x 2.24"	2	380033-S2(WW6G)
67	A(8 cyl. 289)-Saginaw gear	Stud(to engine)-3/8"-16 & 3/8"-16 x 7 3/8"	1	377060-S2 (WW13W)
66/69	B, F, X(8 cyl.)		1	377060-S2 (WW13W)
67	S(with super extra cooling)	Bolt & washer (pump to bracket)-3/8"-16 x 1 1/8"	2	373162-S(BB563A)
67/	A	Screw (to Power Steering pump)-3/8"-16 x 3/4"	3	370608-S2(BB579)
67/	A, B, F, X	Screw (to engine)	2	
67/	B, X	Screw (to water pump)	2	
67/	B, X(8 cyl. 289)	Bolt (to pump)-3/8"-16 x 7/8"-washer head	2	371041-S7-8(BB575B)
67/	F(8 cyl. 390)		3	
67/	A(8 cyl. 289)-Saginaw gear		3	
67/	A(8 cyl. 289)-Saginaw gear	Bolt(to pump support)	1	
69/	A, S(8 cyl. 429)	Stud(bracket to engine)-7/16"-14 x 7 13/16"	1	383791-S (WW22G)
		Washer-7/16"	1	★354149-S8
69	B (8 cyl. 351)	Bolt 3/8"-16 x 6 3/8"-hex. hd.	1	382860-S(BB890)
69/	X(6 cyl.)			
72	U 'From Ser. P40, 001"	Bolt (bracket to pump)-3/8"-16 x 7/8"	3	371041-S(BB575B)
	3D732 SEAL KIT - POWER STEERING GEAR SECTOR SHAFT ARM SEAL			
65/69	A(Saginaw)	Also serviced in C5AZ 3C538-D kit	1	C5AZ 3D732-A
71/	F, U		1	

Consists of

1-Sector shaft seal retaining ring
1-Sector shaft seal (outer)
1-Sector shaft seal (inner)
2-Sector shaft seal back-up washers

3A733 PULLEY - POWER STEERING PUMP - Also refer to Group 6A312

PULLEY IDENTIFICATION CHART

An identification number appears on the front portion of the pulley assembly. The following chart will provide a quick cross reference to the service part number when the identification is known. Pulleys may also be selected by year, model and description in the model application chart which follows the identification chart.

PULLEY				PULLEY			
IDENTIFICATION	O.D.	SHEAVE WIDTH	SERVICE NUMBER	IDENTIFICATION	O.D.	SHEAVE WIDTH	SERVICE NUMBER
AA	5 1/4"	3/8"	C7AZ 3A733-A	80A			C8OZ 3A733-A
AB	4 7/8"	5/16"	C5AZ 3A733-B	80B	5 1/2"	7/16"	C9OZ 3A733-B
AC	4 7/8"	7/16"	C5AZ 3A733-C	8SA	4 5/8"	7/16"	C8SZ 3A733-A
AD	5 1/4"	7/16"	C5AZ 3A733-D	90A	4 7/8"	5/16"	C9OZ 3A733-A
AE	4 5/8"		C5AZ 3A733-J	90B	6 3/8"	5/16"	C9OZ 3A733-C
AF	5 3/4"	5/16"	★C5AZ 3A733-F r/b C7AZ 3A733-A	D0AR 3D673-A	5 5/8"	7/16"	D0AZ 3A733-A
AG	4 5/8"	7/16"	C5AZ 3A733-G	D0AR 3D673-B	5 13/32"	7/16"	C9TZ 3A733-D
AJ	4 5/8"		C5AZ 3A733-J	D0OR 3D673-A	6 1/2"	7/16"	D0OZ 3A733-A
DA	4 7/8"	5/16"	C5DZ 3A733-A	D0OR 3D673-B	6 1/4"	7/16"	D0OZ 3A733-B
6AA	4 21/32"	7/16"	C7AZ 3A733-E	D0OR 3D673-C	5 1/2"	5/16"	D0OZ 3A733-C
7AA			C7AZ 3A733-A	D1VR 3D673-AA	5 13/32"	7/16"	D1VY 3A733-A
7AB	4 5/8"	7/16"	C5AZ 3A733-G	D2VR 3D673-AA			D2VY 3A733-A
7AC	5 3/4"	5/16"	C5AZ 3A733-F		4 11/16"	7/16"	C1SE 3A733-B
7AD	5"	3/8"	C7AZ 3A733-D		4 7/16"	3/8"	C2OZ 3A733-A
7AE	4 5/8"	5/16"	C7AZ 3A733-F		4 5/8"	3/8"	C3DZ 3A733-A

MODEL APPLICATION CHART

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	- A -			
65	A(8 cyl.289)-w/Eaton pump	4 7/16" O.D.-1/2" sheave	1	C1SE 3A733-B
65/66	A(6 cyl.240)	Without A/C,without dual belt alternator	1	C5AZ 3A733-B
		Without A/C, with dual belt alternator	1	C5AZ 3A733-D
		With A/C,without dual belt alternator	1	C5AZ 3A733-H
	A(8 cyl.289)-w/Ford pump	Without A/C, without dual belt alternator	1	C5AZ 3A733-C
		Without A/C, with dual belt alternator	1	C5AZ 3A733-J
		With A/C	1	C7AZ 3A733-A
	A(8 cyl.352,390,428)	Without A/C, without dual belt alternator	1	C5AZ 3A733-C
		Without A/C, with dual belt alternator	1	C5AZ 3A733-G
		With A/C	1	C7AZ 3A733-A
67	A(6 cyl.240)	Without A/C, without dual belt alternator	1	C5AZ 3A733-B
		Without A/C, with dual belt alternator	1	C5AZ 3A733-D
		With A/C	1	C5AZ 3A733-H
	A(8 cyl.289)	Without A/C, without dual belt alternator	1	C5AZ 3A733-D
		Without A/C, without dual belt alternator	1	C7AZ 3A733-F
		Without A/C, with T/E	1	C7AZ 3A733-A
		With A/C	1	C7AZ 3A733-D
	A(8 cyl.390,428)	Without A/C, without dual belt alternator	1	C5AZ 3A733-C
		Without A/C, without dual belt alternator, with super extra cooling	1	C7AZ 3A733-E
		Without A/C, with dual belt alternator	1	C5AZ 3A733-G
		With A/C	1	C7AZ 3A733-A
68	A(6 cyl.240)	Without dual belt alternator	1	C5AZ 3A733-H
		With dual belt alternator	1	C5AZ 3A733-D
	A(8 cyl.302,351)	Without A/C, without T/E	1	C7AZ 3A733-F
		Without A/C, without dual belt alternator	1	C7AZ 3A733-E
		With A/C	1	C7AZ 3A733-D
	A(8 cyl.390,428)	Without A/C	1	C7AZ 3A733-E
		With A/C	1	C7AZ 3A733-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A733 PULLEY - POWER STEERING PUMP - continued			
	- A -			
69	A(6 cyl.240)		1	C5AZ 3A733-D
	A(8 cyl.302,351)	Without A/C, without T/E	1	C7AZ 3A733-F
		Without A/C, with dual belt alternator	1	C7AZ 3A733-E
		With A/C	1	C7AZ 3A733-D
	A(8 cyl.390,428)	Without A/C	1	C7AZ 3A733-E
		With A/C	1	C7AZ 3A733-A
	A(8 cyl.429)		1	C8SZ 3A733-A
70	A(6 cyl.)		1	C5AZ 3A733-D
	A(8 cyl.302,351)		1	C9TZ 3A733-D
	A(8 cyl.390)	Without A/C	1	C7AZ 3A733-E
	A(8 cyl.390,428)	With A/C	1	C7AZ 3A733-A
	A(8 cyl.428)	Without A/C	1	C9OZ 3A733-B
	A(8 cyl.429)	Without A/C	1	C9TZ 3A733-D
		With A/C	1	D0AZ 3A733-A
71/	A(6 cyl.)		1	C5AZ 3A733-D
	A(8 cyl.302,351,400)		1	C9TZ 3A733-D
	A(8 cyl. 390)	Without A/C	1	C7AZ 3A733-E
	A(8 cyl. 390)	With A/C	1	C7AZ 3A733-A
	A(8 cyl.429 exc.P/C)	Without A/C	1	C9TZ 3A733-D
		With A/C	1	D0AZ 3A733-A
	A(8 cyl.429 P/C)		1	C9TZ 3A733-D
	- B -			
65	B(6 cyl.)-w/Eaton pump	Without A/C-4 7/16" O.D.-7/16" single sheave	1	C3DZ 3A733-A
		With A/C	1	C2OZ 3A733-A
	B(8 cyl.289)-w/Eaton pump	4 7/16" O.D.-1/2" single sheave	1	C1SE 3A733-B
65/66	B(6 cyl.)-w/Ford pump	Without A/C	1	C5AZ 3A733-B
		With A/C	1	C5DZ 3A733-A
	B(8 cyl.289)-w/Ford pump	Without A/C, without dual belt alternator	1	C5AZ 3A733-C
		Without A/C, with dual belt alternator	1	C5AZ 3A733-J
		With A/C	1	C7AZ 3A733-A
	B(8 cyl.390)	Without A/C, without dual belt alternator	1	C5AZ 3A733-A
		Without A/C, with dual belt alternator	1	C5AZ 3A733-G
		With A/C	1	C7AZ 3A733-A
67	B(6 cyl.)	Without A/C	1	C5AZ 3A733-B
		With A/C	1	C5DZ 3A733-A
	B(8 cyl.289)	Without A/C, without dual belt alternator	1	C5AZ 3A733-C
		Without A/C, with dual belt alternator	1	C5AZ 3A733-D
		With A/C	1	C7AZ 3A733-D
	B(8 cyl.390,427)	Without A/C-without dual belt alternator	1	C5AZ 3A733-C
		Without A/C, with dual belt alternator	1	C5AZ 3A733-G
		With A/C	1	C7AZ 3A733-A
68	B(6 cyl.)		1	C8OZ 3A733-A
	B(8 cyl.302)	Without A/C, without dual belt alternator	1	C7AZ 3A733-F
		Without A/C, with dual belt alternator	1	C7AZ 3A733-E
		With A/C	1	C7AZ 3A733-D
	B(8 cyl.390)	Without A/C	1	C7AZ 3A733-E
	B(8 cyl.390-exc.GT)	With A/C	1	C7AZ 3A733-A
	B(8 cyl.390 GT)	With A/C	1	C7AZ 3A733-A
	B(8 cyl.428)		1	C9OZ 3A733-B
69	B(6 cyl.)		1	C9OZ 3A733-A
	B(8 cyl.302,351)	Without A/C, without dual belt alternator	1	C7AZ 3A733-A
		Without A/C, with dual belt alternator	1	C9OZ 3A733-B
		With A/C	1	C7AZ 3A733-A
	B(8 cyl.390,428)	Without A/C	1	C9OZ 3A733-B
		With A/C	1	C7AZ 3A733-A
70	B(6 cyl.)		1	D0OZ 3A733-C
	B(8 cyl.302,351)		1	D0OZ 3A733-B
	B(8 cyl.429-exc.CJ)	Without A/C	1	D0OZ 3A733-A
		With A/C	1	D0OZ 3A733-B
	B(8 cyl.429 CJ)		1	D0OZ 3A733-B
71	B(6 cyl.)		1	D0OZ 3A733-C
	B(8 cyl.302,351)		1	D0OZ 3A733-B
	B(8 cyl.429)		1	D0AZ 3A733-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A733 PULLEY - POWER STEERING PUMP - continued			
	- B -			
72	B(6 cyl.)		1	D0OZ 3A733-C
	B(8 cyl.302,351-2V)		1	C9TZ 3A733-D
	B(8 cyl.400 exc. P/C)		1	
	B(8 cyl.351CJ)		1	D0AZ 3A733-A
	B(8 cyl.429 exc. P/C)	Without A/C	1	C9TZ 3A733-D
		With A/C	1	D0OZ 3A733-B
	B-Police (8 cyl.400,429)		1	D0AZ 3A733-A
	- F -			
65	F(6 cyl.170)	Without A/C -4 7/8" O.D.-5/16" sheave	1	C3DZ 3A733-A
		With A/C-4 7/16" O.D.-7/16" sheave	1	C2OZ 3A733-A
	F(8 cyl.260)	4 7/16" O.D.-1/2" sheave	1	C1SE 3A733-B
65/66	F(6 cyl.200)	Without A/C	1	C5AZ 3A733-B
		With A/C	1	C5DZ 3A733-A
	F(8 cyl.289)-w/Ford pump	Without A/C	1	C5AZ 3A733-C
		With A/C	1	C7AZ 3A733-A
	F(8 cyl.289)-w/Eaton pump	4 7/16" O.D.-1/2" sheave	1	C1SE 3A733-B
67	F(6 cyl.)	Without A/C	1	C5AZ 3A733-B
		With A/C	1	C5DZ 3A733-A
	F(8 cyl.289)	Without A/C	1	C5AZ 3A733-C
		With A/C	1	C7AZ 3A733-D
	F(8 cyl.390)	Without A/C, without dual belt alternator	1	C5AZ 3A733-C
		Without A/C, with dual belt alternator	1	C5AZ 3A733-G
		With A/C	1	C7AZ 3A733-A
68	F(6 cyl.)		1	C8OZ 3A733-A
	F(8 cyl.289,302)	Without A/C, without dual belt alternator	1	C7AZ 3A733-F
		Without A/C, with dual belt alternator	1	C7AZ 3A733-E
		With A/C	1	C7AZ 3A733-D
	F(8 cyl.390)	Without A/C	1	C7AZ 3A733-E
	F(8 cyl.390 exc. GT)	With A/C	1	C7AZ 3A733-A
	F(8 cyl.390 GT)	With A/C	1	C7AZ 3A733-A
69	F(6 cyl.200)		1	C8OZ 3A733-A
	F(6 cyl.250)		1	C9OZ 3A733-A
	F(8 cyl.302 exc. Boss,351)	Without A/C, without dual belt alternator	1	C7AZ 3A733-A
		Without A/C, with dual belt alternator	1	C9OZ 3A733-B
		With A/C	1	C7AZ 3A733-A
	F(8 cyl.302 Boss)		1	C9OZ 3A733-B
	F(8 cyl.390,428)	Without A/C	1	C9OZ 3A733-B
		With A/C	1	C7AZ 3A733-A
70	F(6 cyl.200)		1	C8OZ 3A733-A
	F(6 cyl.250)		1	D0OZ 3A733-C
	F(8 cyl.302 exc. Boss,351 (C)*)		1	D0OZ 3A733-B
	F(8 cyl.302 Boss)		1	D0OZ 3A733-A
	F(8 cyl.351 (W)*)		1	D0AZ 3A733-A
	F(8 cyl.390,428)	Without A/C	1	C9OZ 3A733-B
		With A/C	1	C7AZ 3A733-A
71/	F(6 cyl.)		1	D0OZ 3A733-C
	F(8 cyl.302 exc. Boss)		1	D0AZ 3A733-A
	F(8 cyl.302 Boss,351)		1	D0OZ 3A733-B
	F(8 cyl.429)		1	D0AZ 3A733-A
	- P -			
70/	P(6 cyl.170,200)		1	C8OZ 3A733-A
71/	P(6 cyl.250)		1	D0OZ 3A733-C
71	P(8 cyl.302)		1	D0OZ 3A733-B
72	P(8 cyl.302)		1	D0AZ 3A733-A
	- S -			
65	S(8 cyl.)-w/Eaton pump	4 7/16" O.D.-1/2" sheave	1	C1SE 3A733-B
65/66	S(8 cyl.)-w/Ford pump	Without A/C, without T/E	1	C5AZ 3A733-C
		Without A/C, with T/E	1	C5AZ 3A733-G
		With A/C	1	C7AZ 3A733-A

* Engine tag code

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3A733 PULLEY - POWER STEERING PUMP - continued			
	- S -			
67	S(8 cyl.)	Without T/E	1	C7AZ 3A733-A
		With T/E	1	C7AZ 3A733-E
68/69	S(8 cyl.390)		1	C7AZ 3A733-A
	S(8 cyl.429)		1	C8SZ 3A733-A
70/71	S(8 cyl.)	Without A/C	1	C9TZ 3A733-D
		With A/C	1	D0AZ 3A733-A
72	S(8 cyl.400,429-w/o A/C		1	C9TZ 3A733-D
	S(8 cyl.429-w/A/C)		1	D2VY 3A733-A
	S(8 cyl.460		1	
	- U -			
72	U "From Ser. P40,001"		1	C7AZ 3A733-A
	- X -			
65	X(6 cyl.)-w/Eaton pump	Without A/C-4 7/16" O.D.-7/16" sheave	1	C3DZ 3A733-A
		With A/C-4 7/16" O.D.-7/16" sheave	1	C2OZ 3A733-A
	X(8 cyl.)-w/Eaton pump	4 7/16" O.D.-1/2" sheave	1	C1SE 3A733-B
65/66	X(6 cyl.)-w/Ford pump	Without A/C	1	C5AZ 3A733-B
		With A/C	1	C5DZ 3A733-A
	X(8 cyl.)-w/Ford pump	Without A/C, without dual belt alternator	1	C5AZ 3A733-C
		Without A/C, with dual belt alternator	1	C5AZ 3A733-J
		With A/C	1	C7AZ 3A733-A
67	X(6 cyl.)	Without A/C	1	C5AZ 3A733-B
		With A/C	1	C5DZ 3A733-A
	X(8 cyl.)	Without A/C, without dual belt alternator	1	C5AZ 3A733-C
		Without A/C, with dual belt alternator	1	C5AZ 3A733-D
		With A/C	1	C7AZ 3A733-D
68	X(6 cyl.)		1	C8OZ 3A733-A
	X(8 cyl.)	Without A/C, without dual belt alternator	1	C7AZ 3A733-F
		Without A/C, with dual belt alternator	1	C7AZ 3A733-E
		With A/C	1	C7AZ 3A733-D
69/70	X(6 cyl.)		1	C8OZ 3A733-A
	X(8 cyl.)	Without A/C, without dual belt alternator	1	C7AZ 3A733-F
		Without A/C, with dual belt alternator	1	C9OZ 3A733-B
		With A/C	1	C7AZ 3A733-A
65/	A,B,F,S,X	Bolt (pulley to pump)-5/16"-18 x 7/8"	1	20366-S8(B52)
		Lockwasher-5/16"		34806-S7(X64)
		Washer-flat-5/16"		353846-S8(XX120)
		Washer-flat-5/16"		44725-S8(X22)
		Key-woodruff (pulley to pump)-1/8" x 1/2"	1	74172-S(L3)
	3C733 RETAINER - MOVABLE STEERING COLUMN LOCKING LEVER SPRING			
65	A(with Automatic Trans.)		1	C3AZ 3C733-A
65/66	S		1	
	3D733 SEAL KIT - POWER STEERING GEAR ADJUSTER PLUG			
65/69	A	Saginaw gear-consists of 3 seals	1	C5AZ 3D733-A
71/	F,U		1	
	3734 ARM - STEERING IDLER - Refer to Group 3352			
	3A734 ARM - STEERING IDLER - Refer to Group 3350			
	3D734 SEAL KIT - POWER STEERING GEAR "O" RING			
65/69	A	Saginaw gear-consists of	1	C5AZ 3D734-B
71/	F,U	(1) "O" ring seal kit (1) Seal-adj. plug (1) Seal-cap to worm (1) Seal-side cover (1) Seal-valve spool (1)Seal-hsng.end plug (1) Seal-input shaft end plug		
	3738 SEAL - STEERING GEAR SECTOR SHAFT OIL			
65/	A,B,F,P,X	Rubber-23/32" I.D.-1" O.D.	1	B5S 3738-A
71/	L	Use with gear tagged #SMC-A	1	D1FZ 3738-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3D739 PIN - STEERING COLUMN PIVOT			
67/69	A, F, S (tilt wheel)	7/8" long with shoulder top with 5 threads	4	C7SZ 3D739-A
70/	A, F, S (tilt wheel)	9/32" diameter-5/8" long	2	D0AZ 3D739-A
	3E739 RETAINER - STEERING COLUMN COLLAR			
72	B, S		1	D2OZ 3E739-A
	3-3739 CLAMP - POWER STEERING CONTROL VALVE BALL STUD SLEEVE			
65/71	B		1	B7A 33739-A
65/70	F, X		1	
70/	P		1	
	3A740 GASKET - POWER STEERING CONTROL VALVE BODY			
65/71	B		1	C1AA 3A740-C
65/70	F, X		1	
	3B740 PLUG - POWER STEERING CONNECTING LINK BALL STUD SEAT			
65/67	B, F, X		1	C1AA 3B740-B
	3E742 SPACER - STEERING COLUMN BRACKET INSULATOR			
71/	L		1	D1FZ 3E742-A
72	B, S		1	
	3D743 BRACKET ASSY. - POWER STEERING OIL COOLER			
65	A (with A/C) "Before 3/16/65"		1	★C5AZ 3D743-A
68/70	A (428 P/C) - without A/C		1	C8AZ 3D743-A
67/69	S (with A/C)		1	C7SZ 3D743-C
68/70	A	Bolt (to pump) - 3/8"-16 x 1 1/8"	1	373162-S(BB563A)
	3A745 CAP - POWER STEERING GEAR CYLINDER			
65/69	A	Saginaw gear	1	C5AZ 3A745-A
71/	F, U		1	D1ZZ 3A745-A
	3A746 RING - POWER STEERING GEAR CYLINDER CAP RETAINING			
65/69	A	Saginaw gear	1	C5AZ 3A746-A
71/	F, U		1	
	3D746 COOLER ASSY. - POWER STEERING OIL			

OIL COOLER IDENTIFICATION CHART

An identification number appears on the front portion of the cooler assembly. The following chart will provide quick identification of the service part number when identification is known. Coolers may also be selected by year, model and description following this chart

IDENTIFICATION NUMBER	SERVICE PART NUMBER	IDENTIFICATION NUMBER	SERVICE PART NUMBER
C5AA 3D746-A	C5AZ 3D746-A	D0ZA 3D746-A	D0ZZ 3D746-A
C5AA 3D746-B	C5AZ 3D746-B	D1AA 3D746-AA	D1AZ 3D746-D
C5AA 3D746-C	C6AZ 3D746-A	D1AA 3D746-AB	D1AZ 3D746-D
C6AA 3D746-A	C6AZ 3D746-A	D1AA 3D746-BA	D2AZ 3D746-A
C8AA 3D746-A,B,C	C8AZ 3D746-A	D1AA 3D746-CA	D1AZ 3D746-E
C8OA 3D746-A	C8OZ 3D746-A	D1OA 3D746-AA	D2AZ 3D746-A
C9AA 3D746-B	C9AZ 3D746-A	D1VA 3D746-AA,AB	D1VY 3D746-B
C9AA 3D746-C	C9AZ 3D746-B	D1ZA 3D746-AA	D1ZZ 3D746-A
C9ZA 3D746-A	C9ZZ 3D746-A	D2AA 3D746-AA	D2AZ 3D746-A
D0AA 3D746-B	D1AZ 3D746-E	D2AA 3D746-BA,CA,CB	D2AZ 3D746-B
ED-D0AA 3D746-C	D1AZ 3D746-E	D2OA 3D746-AB	D2OZ 3D746-A
D0AA 3D746-D	D0AZ 3D746-D	D2SA 3D746-AC	D3SZ 3D746-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3D746 COOLER ASSY. - POWER STEERING OIL - continued			
65	A	Use with Saginaw P/S gear	1	★C5AZ 3D746-B
	A "Before 3/16/65"	Use with Ford P/S gear	1	C5AZ 3D746-A
	A "From 3/16/65"		1	C6AZ 3D746-A
66/67	A		1	C6AZ 3D746-A
68	A		1	C8AZ 3D746-A
69	A(8 cyl. exc. 428 P/C)w-A/C		1	C9AZ 3D746-A
69/70	A(8 cyl. 428 P/C) "Before 9/18/69"		1	C9AZ 3D746-B
70	A(Police)-8 cyl. "From 9/18/69"		1	D0AZ 3D746-D
70	A(exc. Police)-8 cyl.		1	D1AZ 3D746-E
71	A(exc. Police)-8 cyl. 351, 390- "Before 12/2/70"		1	D1AZ 3D746-E
71/	A(exc. Police)-8 cyl. 351 "From 12/2/70"		1	D1AZ 3D746-D
	A(exc. Police)-8 cyl. 400, 429		1	
	A(Police)-8 cyl. with A/C		1	
	A-8 cyl. 390 "From 12/2/70"		1	D1AZ 3D746-E
	A(Police)-8 cyl. w/o A/C		1	D2AZ 3D746-A
72	A(exc. Police)-8 cyl. 351		1	D2AZ 3D746-A
	A(Police)-8 cyl. "Before 11/1/71"		1	
	A(Police)-8 cyl. "From 11/1/71"		1	D2AZ 3D746-B
68/70	B(8 cyl. 427, 428)		1	C8OZ 3D746-A
70	B(8 cyl. 429 SCJ)		1	D1AZ 3D746-B
71	B(8 cyl. 429 CJ)		1	D1AZ 3D746-D
72	B(exc. Police)-8 cyl. with A/C		1	D1AZ 3D746-D
	B(exc. Police)-8 cyl. w/o A/C		1	D2AZ 3D746-A
	B(Police)-8 cyl. "Before 2/15/72"		1	
	B(Police)-8 cyl. "From 2/15/72"		1	D2OZ 3D746-A
67/68	F(GT 350/500)		1	C6AZ 3D746-A
68/70	F(8 cyl. 427, 428 CJ, 429 Boss)		1	C8OZ 3D746-A
69	F(Boss 302)		1	C9ZZ 3D746-A
70	F(Boss 302)		1	D0ZZ 3D746-A
71	F(8 cyl. 302 exc. Boss)		1	D1AZ 3D746-D
	F(Boss 302 w/A/C		1	
	F(8 cyl. 351-w/A/C		1	
	F(8 cyl. 429 CJ)		1	
	F(Boss 302 w/o A/C)		1	D1ZZ 3D746-A
	F(8 cyl. 351, w/o A/C)		1	
	F(8 cyl. 429 SCJ)		1	D1AZ 3D746-B
72	F(8 cyl. 351-w/A/C)		1	D1AZ 3D746-D
67	S		1	C7SZ 3D746-A
68/69	S(with A/C)		1	C8SZ 3D746-A
70	S(8 cyl. 428)		1	D1AZ 3D746-E
71	S		1	D1AZ 3D746-D
72	S		1	D3SZ 3D746-A
72	U "From Ser. P40, 001"		1	D2TZ 3D746-A
68	B, F(8 cyl. 427, 428 CJ)	Screw (to side rail)-5/16"-18 x 5/8"	1	378459-S2(UU52K)
72	U		AR	
	3C746 CLAMP - P/S HOSE - Improvise			
	3E746 SPRING ASSY. - IGNITION SWITCH RETURN			
70/	A, F, S(tilt wheel)	7/8" approx. free length	1	D0AZ 3E746-A
	3D752 COVER - STEERING WHEEL PAD - Refer to Group 3600			
	3A754 SOCKET - POWER STEERING CONTROL VALVE BALL STUD			
65/71	B		1	C1AA 3A754-C
65/70	F, X		1	
70/	P		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3B754 SEAT - POWER STEERING PUMP OIL FILTER RETAINING SPRING			
65	A,B,F,S,X	Depth 1/8"	1	B4AZ 3B754-A
	3C755 CLAMP - POWER STEERING CYLINDER PISTON ROD BOOT			
65/71	B		1	C3AZ 3C755-A
65/70	F,X		1	
70/	P		1	
	3756 "O" RING - POWER STEERING GEAR CONTROL VALVE TO HOUSING			
65/	A,S	Ford gear-square cut	1	C5AZ 3756-A
72	B		1	
	3757 RING KIT - POWER STEERING GEAR VALVE SPOOL RETAINING			
65/67	A,S "Before 4/1/67"	Consists of (1 ea.) WAN 3757-A, B, C, D, E Ring	1	C1SZ 3757-A
67/	A,S "From 4/1/67"	Consists of (1 ea.) C7AR 3757-A, B, C, D, E Ring	1	C7AZ 3757-A
72	B		1	
	3A760 GASKET - POWER STEERING PUMP COVER - Also supplied in 3B584 kit			
65/	A,B,F,P,S,X		1	C9AZ 3A760-A
	3A762 CLAMP ASSY. - POWER STEERING HOSE			
65/70	A,B,F,P,S,X	Return line to pressure line at coupling	AR	C3AZ 3A762-A
65/70	A	Vacuum door lock	1or2	
67	A(except 428-4/B P/I)	Use with air leveler system-to attach 5A714 to dash panel	2	
68/71	S	Use with speed control-to attach 9C746 hose	2	
	3A764 SEAL KIT - POWER STEERING CYLINDER			
65/71	B	Consists of	1	C1AZ 3A764-A
65/70	F,X	1-C1AA 3C561-A Spacer 1-C0AA 3A753-A Scraper	1	
70/	P	1-C1AA 3A751-A Bushing 2-AJ 33656-A Seal	1	
		1-C1AA 3A752-A Seal 1-371033-S Ring		
	3B768 SPRING - STEERING COLUMN POSITION LOCK			
67	F,S(tilt column)	15/32" diameter-1" free length	2	C7SZ 3B768-A
68/	A,F,S(tilt column)		2	
	3C773 BUSHING - STEERING COLUMN SHAFT			
65/67	S		1	C3SZ 3C773-B
	3783 ACTUATOR KIT - POWER STEERING CONTROL VALVE			
66/71	B	Includes actuator assy. & roll pin	1	C6OZ 3783-B
67/70	F,X		1	
70/	P		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	3790 EXTENSION - STEERING COLUMN TUBE FLANGE			
65/66	A (floor shift)	2 53/64" long-with fixed steering wheel	1	C3DZ 3790-A
67	A(with floor or console shift)		1	C7ZZ 3790-C
68	A(floor or console shift)	Fixed wheel	1	C8AZ 3790-A
	A(XL)-floor or console shift	Tilt wheel-not replaced	1	★C8AZ 3790-B
69	A(floor or console shift)	Fixed wheel-not replaced	1	★C9AZ 3790-A
	A(floor or console shift)	Tilt wheel-not replaced	1	★C9AZ 3790-B
70/	A-floor shift	Fixed wheel	1	D0AZ 3790-A
	A-floor shift	Tilt wheel	1	D0AZ 3790-B
65/66	B(floor shift)	2 53/64" long-w/fixed steering wheel	1	C3DZ 3790-A
67	B	2 53/64" long	1	C7ZZ 3790-C
68/69	B(floor or console shift)	Fixed wheel	1	C8AZ 3790-A
70/71	B-floor shift		1	D0AZ 3790-A
72	B	♯Black	1	D2FZ 3790-A
65/66	F(floor shift)	2 53/64" long-w/fixed steering wheel	1	C3DZ 3790-A
67	F(tilt wheel)	Upper-3 27/32" long	1	★C7ZZ 3790-A
	F(fixed wheel)		1	C7ZZ 3790-C
68/69	F(fixed wheel)		1	C8AZ 3790-A
	F(tilt wheel)	Not replaced	1	★C8AZ 3790-B
70/	F(fixed wheel)		1	D0AZ 3790-A
	F(tilt wheel)		1	D0ZZ 3790-A
71	L	#Black	1	D1FZ 3790-B
71/	L	#Ginger	1	D1FZ 3790-C
		#Green	1	D1FZ 3790-D
72	L	♯Black	1	D2FZ 3790-A
		#Blue	1	D1FZ 3790-A
		#Medium beige-"Before 6/26/72"	1	D2FZ 3790-B
		#Dark beige-"From 6/26/72"	1	D2FZ 3790-C
		#Avacado	1	D3FZ 3790-D
		#Orange	1	D3FZ 3790-B
71/	P-floor shift		1	D0AZ 3790-A
65/66	X(floor shift)	2 53/64" long-w/fixed steering wheel	1	C3DZ 3790-A
67	X	2 53/64" long	1	C7ZZ 3790-C
68/69	X(floor or console shift)	Fixed wheel	1	C8AZ 3790-A
67/69	F(fixed column)	Screw (to tube)-1/4"-20 x 5/16" tapping	1	379272-S7-8 (UU52H)
	3805 SEAL - POWER STEERING GEAR PISTON			
65/	A, S	3 1/32" I.D.	1	C5AZ 3805-A
72	B		1	
65/69	A	Saginaw-2 5/8" I.D.	1	C5AZ 3805-B
71/	F, U		1	
		"O" Ring-2 27/64" I.D.	1	87144-S91(T5D)
	3812 ACTUATOR - POWER STEERING GEAR VALVE			
65/69	A	Saginaw	1	C5AZ 3812-A
71/	F(P/S)	Saginaw	1	D1ZZ 3812-B
72	U		1	D3TZ 3812-A
	3839 RETAINER - STEERING COLUMN UPPER BEARING			
65/67	S	Retainer only	1	C6SZ 3839-A
65/66	A, B, X		1	
65/67	F, U		1	
72	U "From Ser. P40,001"		1	

♯ Identification marking

INDEX

PART NAME	GROUP NUMBER
A	
Adjuster (rear axle differential bearing)	4067
Axle assy. (rear)	4006
B	
Bearing (rear axle driving pinion pilot)	4625
Bolt (driveshaft universal joint)	4529
Bracket (rear axle bumper)	4731
Bolt (rear axle differential carrier to rear axle housing)	4347
Bolt (rear axle differential cover to housing)	4346
Bolt (rear axle differential gear)	4216
Bracket (rear axle driving pinion bearing retainer)	4298
Bracket (rear axle driving pinion bearing retainer)	4298
Bumper (rear axle)	4730
C	
Cap (rear axle universal joint knuckle dust)	4710
Carrier assy. (rear axle differential)	4141
Case assy. (rear axle differential)	4204-5
Clutch (rear axle driven)	4A233
Clutch & holdout ring assy. (rear axle differential)	4A351
Clutch & ring (rear axle)	4A234
Cone & roller (rear axle differential bearing)	4221
Cone & roller (rear axle driving pinion)	4621
Cone & roller (rear axle pinion bearing rear)	4630
Cover assy. (rear axle housing)	4033
Cup (rear axle differential bearing)	4222
Cup (rear axle driving pinion bearing)	4616, 4628, 4630
D	
Damper (rear axle drive line vibration)	4A263
Deflector (rear axle driving pinion oil seal)	4859
Differential assy. (rear axle)	4200
Differential assy. (rear axle locking)	4026, 4880
Driveshaft	4605
Driveshaft assy.	4602
Dust cap (driveshaft)	4818-20
F	
Flange assy. (rear axle universal joint)	4851
G	
Gasket (rear axle differential carrier)	4035
Gasket (rear axle driving pinion shaft oil slinger)	4671
Gasket (rear axle housing to cover)	4036
Gear (rear axle differential side)	4236-7
Gear & pitman kit (front axle differential)	4237
Guide (rear axle differential clutch plate)	4A323
H	
Hose (rear axle)	4090
Hose (rear axle housing vent)	4A001, 4A049
Hose (rear axle vent)	4A058
Housing assy. (rear axle)	4010
Hub (rear axle differential gear clutch)	4946
J	
Joint (driveshaft universal)	4997
K	
KIT - refer to appropriate noun name For example Gear & pitman kit (front axle differential)	4237
L	
Link (rear axle stabilizer)	4A343
Lock (rear axle differential bearing adjuster)	4143
Lubricator (rear axle differential)	4159
M	
Member (rear axle center drive)	4A347
P	
Pin (rear axle differential & pinion shaft lock)	4241
Pin (rear axle differential bearing cap & carrier guide)	4A106
Pinion (rear axle differential)	4215
Plate (rear axle differential clutch)	4214, 4A325, 4945
Plate (rear axle differential clutch spring preload)	4A326
Plate (rear axle differential gear clutch)	4947
R	
Reinforcement (rear axle bumper mounting)	4A182-3
Reinforcement (rear axle bumper outer bracket)	4A172
Reinforcement (rear axle drive line vibration damper)	4A079
Retainer (rear axle driving pinion pilot bearing)	4627
Retainer (rear axle rear wheel bearing outer)	4020
Retainer (rear axle side gear spring)	4A022
Retainer assy. (rear axle driving pinion)	4614
Ring (rear axle differential lock)	4588
Ring gear & pinion kit (rear axle differential)	4209

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S	
Scoop (rear axle differential carrier oil)	4A050
Seal (driveshaft centering ball)	4790
Seal (driveshaft universal joint knuckle dust cap)	4820
Seal (rear axle drive pinion bearing retainer)	4669
Seal (rear axle driving pinion oil)	4676
Seal (rear axle shaft retainer washer)	4A332
Seal repair kit (rear axle yoke)	4A031
Seat (rear axle differential pinion shaft)	4420
Shaft (rear axle)	4238
Shaft (rear axle differential pinion)	4211
Shaft assy. (drive)	4602
Shaft & bearing assy. (rear axle)	4234-5&8
Shim (front axle differential bearing)	4067
Shim (front axle driving pinion)	4672
Shim (front axle pinion bearing adjusting)	4109
Shim (rear axle shaft bearing)	4374
Shim kit (rear axle differential clutch)	4A324
Sleeve (rear axle shaft seal)	4A300
Slinger (drive shaft stud yoke)	4791
Slinger (rear axle drive pinion shaft oil)	4670
Slip yoke (driveshaft universal joint)	4841
Snap ring (driveshaft universal joint bearing)	4891
Spacer (rear axle drive pinion bearing)	4662
Spring (rear axle differential clutch)	4214
Spring (rear axle driveshaft centering socket race ball)	4A073
Spring (rear axle side gear)	4A024
Stabilizer mounting kit (rear axle)	4A340
Stop (rear axle bumper)	4A171
Stud (rear axle track bar)	4269

PART NAME	GROUP NUMBER
U	
Universal joint kit (driveshaft)	4635
"U" washer (rear axle shaft retaining)	4N237
V	
Vent (rear axle housing)	4022
W	
Washer (rear axle differential pinion thrust)	4230
Washer (rear axle differential side gear thrust)	4228
Washer (rear axle differential clutch)	4214
Y	
Yoke (driveshaft center)	4784
Yoke (driveshaft centering socket)	4782


4001 REAR AXLE ASSY.

HOW TO FIND REAR AXLE PARTS

1. Determine the basic number of the part
   a. Use the Illustration Index to find a detailed view of the rear axle on the unit being repaired and identify the part needed.
   b. Use the Alphabetical Index which follows the General Information Section of the catalog.
2. Determine the axle model tag number
   The picture below shows the location of axle model identification tags.
3. Find the axle model tag number in the Identification Chart which starts on the next page and note the information given there about ratio, ring gear, type, wheel bearings, differential bearings and shaft splines.
4. Turn to the Group Number of the part needed and select the correct part, using the information on ring gear size, type, etc.

FORD DESIGN REAR AXLE MODEL IDENTIFICATION TAG

Effective with the 1964 models, a service identification tag was attached to the Ford design rear axles as illustrated below. Inquiries pertaining to rear axles used on 1965 and subsequent models should include the axle model identification number.



REAR AXLE IDENTIFICATION CHART

The following chart lists models of Ford design rear axles built since 1965 in alphabetical order. Axle model suffixes with numerical codes are shown where interchangeability is affected. This chart will assist in determining the application for rear axle components which are cataloged throughout Sections 40 & 46 by size, description, ratio, type of differential or reference to size of ring gear, wheel bearings & differential bearings. Abbreviations used in the 'type', 'whl.brg." and 'diff.brg. & cup" columns have the following meanings:

TYPE

C . . . . . Conventional - 2 pinion - non-locking
C4 . . . . . Conventional - 4 pinion - non-locking
E . . . . . Equalock - 2 pinion - limited slip
E4 . . . . . Equalock - 4 pinion - limited slip
T . . . . . Traction Lok - 2 pinion - locking
T4 . . . . . Traction Lok - 4 pinion - locking

WHEEL BEARING					DIFFERENTIAL BEARING				DIFFERENTIAL CUP	
CODE	TYPE	PART NO.	I.D.(INCHES)	O.D.(INCHES)	CODE	TYPE	PART NO.	I.D.(INCHES)	PART NO.	O.D.(INCHES)
R	Straight roller	C7AZ 1225-A #R 1563-TAV	1 1/8	2 1/4	XS	Extra small	B7C 1201-A #LM 48548	1 3/8	B7C 1202-A #LM 48510	2 3/16
XS	Extra small	D1FZ 1225-A	1 3/16	2 43/64	S	Small	C1UW 4221-A #LM 29749	1 1/2	C1UW 4222-A #LM 29710	2 9/16
S	Small	D0DZ 1225-A	1 21/64	2 43/64						
M 65/71	Medium	D0AZ 1225-A #207-CC,DD	1 3/8	2 13/16	M	Medium	B7A 4221-A #LM 501349 #HM 503049	1 5/8	B7A 4222-A #LM 501310	2 57/64
M 72	Medium	D2OZ 1225-A	1 3/8	2 13/16	SL	Slim line	C9AZ 4221-A #LM 102949	1 25/32	C9AZ 4222-A #LM 102910	2 57/64
L	Large	C9AZ 1225-A	1 17/32	3 5/32	L	Large	B7A 4221-B #LM 603049	1 25/32	B7A 4222-B #LM 603011	3 1/16
					XL	Extra large	B7T 1201-A #25590	1 51/64	C3TZ 1202-B #25520	3 17/64

Industry number

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

4001 REAR AXLE ASSY. - continued

REAR AXLE IDENTIFICATION CHART

AXLE MODEL	YEAR	CAR LINE	RATIO	RING GEAR O.D. (Inches)	* TYPE	* WHL. BRG.	* DIFF. BRG. & CUP	REMARKS
WCD-E	65	S	3.00	9	C	L	L	28 Spline Shaft
WCD-F	65	S	3.50	9	C	L	L	28 Spline Shaft
WCD-G	65	S	3.25	9	C4	L	L	28 Spline Shaft
WCD-H	66	S	3.00	9	C	L	L	28 Spline Shaft
WCD-J	66	S	3.00	9	E	L	L	28 Spline Shaft
WCL-H	65	B	3.00	8	C	M	M	28 Spline Shaft
WCL-J	65	B	3.50	8	C	M	M	28 Spline Shaft
WCL-K	65	B	3.25	8	C	M	M	28 Spline Shaft
WCL-N	65	B	2.80	7 3/4	C	M	M	28 Spline Shaft
WCU-B	65	B	3.50	9	C	M	M	Hi-Performance - 28 Spline Shaft
WCU-C	65	B	3.89	9	C	M	M	Hi-Performance - 28 Spline Shaft
WCU-D	65	B	4.11	9	C	M	M	Hi-Performance - 28 Spline Shaft
WCY-E	65	X	3.20	7 1/4	C	S	S	Integral Carrier-
WCY-E	65/70	F						24 Spline Shaft
WCY-F	65	X	3.50	7 1/4	C	S	S	Integral Carrier-
WCY-F	65	F						24 Spline Shaft
WCY-L	65	X	3.20	7 1/4	E	S	S	Integral Carrier-
WCY-L	65/66	F						24 Spline Shaft
WCY-M	65	X	3.50	7 1/4	E	S	S	Integral Carrier- 24 Spline Shaft
WCY-N	65	X	2.83	7 1/4	C	S	S	Integral Carrier- 24 Spline Shaft
WCY-R	65	X	2.83	7 1/4	C	S	S	Integral Carrier -
WCY-R	65/70	F						24 Spline Shaft
WCY-AA	65	X	2.83	7 1/4	E	S	S	Integral Carrier -
WCY-AA	65/66	F						24 Spline Shaft
WCY-AJ, AJ1	66/68	F	3.20	7 1/4	C	S	S	Integral Carrier - 24 Spline Shaft
WCY-AJ2	69/70	F	3.08	7 1/4	C	S	S	Integral Carrier- 24 Spline Shaft
WCZ-E	65	X	2.80	8	C	M	M	28 Spline Shaft
WCZ-E	65/67	F						
WCZ-F, F1	65/70	F	3.00	8	C	M	M	28 Spline Shaft
WCZ-F2	71/	F	3.00	8	C	M	M	28 Spline Shaft
WCZ-G	65	F	3.50	8	C	M	M	28 Spline Shaft
WCZ-H	65	F	3.89	9	C	M	M	28 Spline Shaft
WCZ-J	65	F	4.11	9	C	M	M	28 Spline Shaft
WCZ-P	65	F	3.50	9	C	M	M	28 Spline Shaft
WCZ-R	66	F	3.89	9	C	M	M	28 Spline Shaft
WCZ-S	66	F	3.50	9	C	M	M	28 Spline Shaft
WCZ-T	66	F	3.50	9	E	M	M	28 Spline Shaft
WCZ-V	72	F	2.79	8	C	M	M	28 Spline Shaft
WCZ-V, V1	67/70	F	2.79	8	C	M	M	28 Spline Shaft
‡WCZ-V2	71/	F	2.79	8	C	M	M	28 Spline Shaft
WCZ-W	68	F	3.25	8	C	M	M	28 Spline Shaft
†WDC-A	72	A	2.75	9	C	L	SL	28 Spline Shaft
WDC-A, B	65	A	3.00	9	C	L	M	28 Spline Shaft
WDC-C	65	A	3.00	9	C	L	M	28 Spline Shaft
WDC-D	65	A	3.25	9	C	L	M	28 Spline Shaft
WDC-E	65	A	3.25	9	C	L	M	Damper Type Flange 28 Spline Shaft
WDC-F	65	A	3.50	9	C	L	M	28 Spline Shaft
WDC-G	65	A	3.50	9	C	L	M	Damper Type Flange 28 Spline Shaft
WDC-H	65	A	3.89	9	C	L	M	28 Spline Shaft
WDC-J	65	A	3.89	9	C	L	M	Damper Type Flange 28 Spline Shaft
WDC-K	65	A	3.00	9	C	L	L	28 Spline Shaft
WDC-L	65	A	3.25	9	C	L	L	Damper Type Flange 28 Spline Shaft
WDC-M	65	A	3.50	9	C	L	L	28 Spline Shaft
WDC-N	65	A	3.50	9	C	L	L	Damper Type Flange 28 Spline Shaft
WDC-P	65	A	3.89	9	C	L	L	Damper Type Flange 28 Spline Shaft
WDC-U	65	A	3.89	9	C4	L	L	Damper Type Flange 28 Spline Shaft
WDC-W	65	A	3.50	9	C4	L	L	31 Spline Shaft
WDC-X	65	A	4.11	9	C4	L	L	31 Spline Shaft
WDC-AA	65	A	3.50	9	C	L	L	28 Spline Shaft
WDC-AB	65	A	3.00	9	C4	L	L	Damper Type Flange 28 Spline Shaft
WDC-AC	65	A	3.25	9	C4	L	L	Damper Type Flange 28 Spline Shaft
WDC-AD	65	A	3.50	9	C4	L	L	Damper Type Flange 28 Spline Shaft
WDC-AE	65	A	3.89	9	C4	L	L	Damper Type Flange 28 Spline Shaft
WDC-AF	65	A	4.11	9	C4	L	L	Damper Type Flange 28 Spline Shaft
WDC-AG	65	A	3.00	9	C	L	L	28 Spline Shaft
WDC-AK	65	A	3.25	9	C	L	L	28 Spline Shaft
WDC-AL	65	A	3.89	9	C	L	L	28 Spline Shaft
WDC-AM	65	A	3.25	9	C	L	L	28 Spline Shaft
WDC-AN	65	A	3.25	9	C4	L	L	Damper Type Flange 28 Spline Shaft
WDC-AP	65	A	3.50	9	C	L	L	Damper Type Flange 28 Spline Shaft
WDC-AS	66/69	A	3.25	9	C	L	M	28 Spline Shaft
WDC-AT	66/68	A	3.00	9	C	L	L	28 Spline Shaft
WDC-AT	67	S						
WDC-AU	66/68	A	3.25	9	C	L	L	28 Spline Shaft
WDC-AV	66/69	A	3.00	9	C	L	M	28 Spline Shaft
WDC-AVX	66	A	3.00	9	C	L	L	28 Spline Shaft
WDC-BS	66	A	3.00	9	C	L	L	28 Spline Shaft
WDC-BT	66	A	3.00	9	C	L	L	28 Spline Shaft
WDC-BU	66	A	3.50	9	C	L	M	28 Spline Shaft
WDC-BY	66	A	3.25	9	C	L	L	28 Spline Shaft
WDC-BZ	67	S	3.00	9	C	L	L	28 Spline Shaft
◊WDC-CA	72	A	3.00	9	C	L	SL	28 Spline Shaft
WDC-CA, CA4	67/70	A	2.75	9	C	L	L	28 Spline Shaft
WDC-CA4	70/	A	2.75	9	C	L	SL	28 Spline Shaft
WDC-CAX	67	A	2.75	9	C	L	M	28 Spline Shaft
WDC-CB	67	A	3.00	9	C	M	M	28 Spline Shaft
WDC-CC, CC4	68/70	A	3.00	9	C4	L	L	28 Spline Shaft
WDC-CC4	70/	A	3.00	9	C4	L	SL	28 Spline Shaft
WDC-CE	68	A	3.25	9	C	L	L	28 Spline Shaft
WDC-CF	68	A	3.50	9	C	L	L	28 Spline Shaft
WDC-CG	68	A	3.00	9	C	L	M	28 Spline Shaft

* Refer to page 1 of section 40 for an explanation of the codes shown.

† In 1972 WDC-A is alternate with WDC-CA4

‡ In 1972 WCZ-V2 is alternate with WCZ-V

◊ In 1972 WDC-CA is alternate with WDC-CS

4001 REAR AXLE ASSY. - continued

REAR AXLE IDENTIFICATION CHART

AXLE MODEL	YEAR	CAR LINE	RATIO	RING GEAR O.D. (Inches)	* TYPE	* WHL BRG.	* DIFF. BRG. & CUP	REMARKS
WDC-CH	68	A	3.25	9	C	L	M	28 Spline Shaft
WDC-CJ	68	A	2.75	9	C	L	L	28 Spline Shaft
WDC-CK, CK4	68/70	A	3.25	9	C	L	L	28 Spline Shaft
WDC-CK4	70/	A	3.25	9	C	L	SL	28 Spline Shaft
WDC-CL	68/69	A	3.25	9	C4	L	L	28 Spline Shaft
WDC-CM	68/69	A	3.50	9	C4	L	L	28 Spline Shaft
WDC-CN, CN4	69/70	A	2.75	9	C4	L	L	28 Spline Shaft
WDC-CN4	70/	A	2.75	9	C4	L	SL	28 Spline Shaft
WDC-CR	69/70	A	3.25	9	C4	L	L	28 Spline Shaft
WDC-CR	72	A	3.25	9	C4	L	SL	28 Spline Shaft
† WDC-CR4	70/	A	3.25	9	C4	L	SL	28 Spline Shaft
WDC-CS	70	A	3.00	9	C	L	L	28 Spline Shaft
WDC-CS	70/	A	3.00	9	C	L	SL	28 Spline Shaft
WDD-B,D	65	A	3.00	9	C	M	M	28 Spline Shaft
WDD-C	65	A	3.00	9	C	M	M	Damper Type Flange 28 Spline Shaft
WDD-E	65	A	3.50	9	C	M	M	28 Spline Shaft
WDD-F	65	A	3.50	9	C	M	M	Damper Type Flange 28 Spline Shaft
WDD-G,J	65	A	3.00	9	C	M	L	Damper Type Flange 28 Spline Shaft
WDD-H	65	A	3.00	9	C	M	L	28 Spline Shaft
WDD-K	66	A	3.50	9	C	M	M	28 Spline Shaft
WDD-L	66	A	3.00	9	C	M	M	28 Spline Shaft
WDD-LX	66	A	3.00	9	C	M	L	28 Spline Shaft
WDD-T	66	A	3.00	9	C	M	M	28 Spline Shaft
WDD-TX	66	A	3.00	9	C	M	L	28 Spline Shaft
WDE-B	65	S	3.00	9	E	L	L	28 Spline Shaft
WDJ-B	65/66	F,X	2.80	8	E	M	M	28 Spline Shaft
WDJ-C,C1	65/69	F	3.00	8	E	M	M	28 Spline Shaft
WDJ-C2	69	F	3.00	8	T2	M	M	28 Spline Shaft
WDK-A	65	B	3.00	8	E	M	M	28 Spline Shaft
WDK-B	65	B	3.50	8	E	M	M	28 Spline Shaft
WDK-C	65	B	3.25	8	E	M	M	28 Spline Shaft
WDL-A	65	A	3.00	9	E	L	M	28 Spline Shaft
WDL-B	65	A	3.25	9	E	L	M	28 Spline Shaft
WDL-C,D	65	A	3.25	9	E	L	M	Damper Type Flange 28 Spline Shaft
WDL-E	65	A	3.00	9	E	L	L	28 Spline Shaft
WDL-F	65	A	3.25	9	E	L	L	Damper Type Flange 28 Spline Shaft
WDL-H	65	A	3.50	9	E	L	M	28 Spline Shaft
WDL-K	65	A	3.25	9	E	L	L	28 Spline Shaft
WDL-L	65	A	3.25	9	E	L	L	Damper Type Flange 28 Spline Shaft
WDL-M	66	A	3.25	9	E	L	M	28 Spline Shaft
WDL-N	66/68	A	3.00	9	E	L	L	28 Spline Shaft
WDL-P	66	A	3.50	9	E	L	M	28 Spline Shaft
WDL-W, W1, W4	66/69	A	3.00	9	E	L	M	28 Spline Shaft
WDL-W5	69	A	3.00	9	T	L	M	28 Spline Shaft
WDL-WIX	67	A	3.00	9	E	L	L	28 Spline Shaft
WDL-Z	67/68	A	3.25	9	E	L	M	28 Spline Shaft
WDL-AA, AA4	68/69	A	2.75	9	E	L	L	28 Spline Shaft
WDL-AA5	69	A	2.75	9	T2	L	L	28 Spline Shaft
WDL-AB	68	A	3.00	9	E	L	M	28 Spline Shaft
WDL-AC, AC4	68/69	A	3.25	9	E	L	M	28 Spline Shaft
WDL-AC5	69	A	3.25	9	T	L	M	28 Spline Shaft
WDL-AD	68	A	2.75	9	E	L	L	28 Spline Shaft
WDL-AE	68/69	A	3.25	9	E	L	L	28 Spline Shaft
WDL-AE5	69	A	3.25	9	T	L	L	28 Spline Shaft
WDL-AF	69	A	2.75	9	E4	L	L	28 Spline Shaft
WDL-AF5	69	A	2.75	9	T4	L	L	28 Spline Shaft
WDL-AG	69	A	3.25	9	E4	L	L	28 Spline Shaft
WDL-AG5	69	A	3.25	9	T4	L	L	28 Spline Shaft
WDL-ZX	67	A	3.25	9	E	L	L	28 Spline Shaft
WDO-M2	71	F	3.25	9	T4	M	SL	31 Spline Shaft
WDT-F	66/70	A	2.80	9 3/8	C	L	XL	31 Spline Shaft
WDT-G	66/68	A,S	3.00	9 3/8	C	L	XL	31 Spline Shaft
WDT-H	66	A	3.00	9 3/8	E	L	XL	31 Spline Shaft
WDT-H	67	S						
WDT-J	66/68	A	3.25	9 3/8	C	L	XL	31 Spline Shaft
WDT-L	66/68	A	3.50	9 3/8	C	L	XL	31 Spline Shaft
WDT-N	66/68	A	3.25	9 3/8	E	L	XL	31 Spline Shaft
WDT-R	66/70	A	3.25	9 3/8	C	L	XL	Damper Type Flange 31 Spline Shaft
WDT-S	66/68	A	3.50	9 3/8	C	L	XL	Damper Type Flange 31 Spline Shaft
WDT-T	66/68	A	3.25	9 3/8	E	L	XL	Damper Type Flange 31 Spline Shaft
WDT-U	66/68	A	2.80	9 3/8	E	L	XL	31 Spline Shaft
WDT-Z	67	S	3.00	9 3/8	C	L	XL	31 Spline Shaft
WDT-AA	67	S	3.00	9 3/8	E	L	XL	31 Spline Shaft
WDT-AG	68	S	2.80	9 3/8	C	L	XL	31 Spline Shaft
WDT-AH	68	S	3.00	9 3/8	C	L	XL	31 Spline Shaft
WDT-AJ	68	S	2.80	9 3/8	E	L	XL	31 Spline Shaft
WDT-AK	68	S	3.00	9 3/8	E	L	XL	31 Spline Shaft
WDT-AL	68/70	A	3.25	9 3/8	C	L	XL	31 Spline Shaft
WDT-AM	68/69	A	3.50	9 3/8	C	L	XL	Damper Type Flange 31 Spline Shaft
WDT-AN	68/69	A	3.25	9 3/8	E	L	XL	Damper Type Flange 31 Spline Shaft
WDT-AR	68	A	2.80	9 3/8	C	L	XL	31 Spline Shaft
WDT-AS	68/69	A	2.80	9 3/8	E	L	XL	31 Spline Shaft
WDT-AU	69/70	A	3.00	9 3/8	C	L	XL	31 Spline Shaft
WDT-AV	69	A	3.00	9 3/8	E	L	XL	31 Spline Shaft
WDT-AY	69	A	3.25	9 3/8	E	L	XL	31 Spline Shaft
WDT-BA	69	A	3.00	9 3/8	C	L	XL	31 Spline Shaft
WDV-A,B	66/70	P,X	2.83	7 1/4	C	S	S	Integral Carrier-24 Spline Shaft
WDV-C	66/68	X	3.20	7 1/4	C	S	S	Integral Carrier-24 Spline Shaft
WDV-D	66	X	2.83	7 1/4	E	S	S	Integral Carrier-24 Spline Shaft
WDV-E	66/68	X	3.20	7 1/4	E	S	S	Integral Carrier-24 Spline Shaft
WDV-F	66	X	3.20	7 1/4	C	S	S	Integral Carrier-24 Spline Shaft
WDV-G	67/69	X	3.20	7 1/4	C	S	S	Integral Carrier-24 Spline Shaft

* Refer to page 1 of section 40 for an explanation of the codes shown.

† In 1972 WDC-CR4 is alternate with WDC-CR

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

4001 REAR AXLE ASSY. - continued

REAR AXLE IDENTIFICATION CHART

AXLE MODEL	YEAR	CAR LINE	RATIO	RING GEAR O.D. (Inches)	* TYPE	* WHL. BRG.	* DIFF. BRG. & CUP	REMARKS
WDV-H	67/68	X	3.20	7 1/4	E	S	S	Integral Carrier-24 Spline Shaft
WDV-H1	69	X	3.08	7 1/4	E	S	S	Integral Carrier-24 Spline Shaft
WDV-J	70	P	2.83	7 1/4	C	S	S	Integral Carrier 24 Spline Shaft
WDV-K	70	P	3.08	7 1/4	C	S	S	Integral Carrier 24 Spline Shaft
WDV-L	70	P	3.20	7 1/4	C	S	S	Intregal Carrier 24 spline shaft
WDV-M	70	P	2.79	8	C	S1	M	28 spline shaft
WDV-N	70	P	3.00	8	C	S1	M	28 spline shaft
WDV-R	71	L	3.55	6 3/4	C	XS	XS	23 spline shaft
WDV-T	71	L	3.18	6 3/4	C	XS	XS	23 spline shaft
WDW-A	66/67	B	2.80	8	C	M	M	28 Spline Shaft
WDW-B, B1	66/	B	3.00	8	C	M	M	28 Spline Shaft
WDW-C	66/70	B	3.25	8	C	M	M	28 Spline Shaft
WDW-D	66/67	B	3.50	8	C	M	M	28 Spline Shaft
WDW-E	66/67	X	2.80	8	C	M	M	28 Spline Shaft
WDW-F	67/70	X	3.00	8	C	M	M	28 Spline Shaft
WDW-J	67/70	X	2.79	8	C	M	M	28 Spline Shaft
WDW-K	67	B	2.79	8	C	M	M	28 Spline Shaft
WDW-K1	68/71	B	2.79	8	C	M	M	28 Spline Shaft
WDW-K2	68	B	2.75	9	C	M	M	28 Spline Shaft
WDW-L	70/	P	3.00	8	C	S1	M	28 Spline Shaft
WDW-M	70/	P	2.79	8	C	S1	M	28 Spline Shaft
WDW-T	71/	P	2.79	8	C	M	M	28 spline shaft
WDW-U	71/	P	3.00	8	C	M	M	28 spline shaft
WDY-A,A1	66/	B,X	3.00	8	C	M	M	28 Spline Shaft
WDY-B	66/	B,X	3.25	8	C	M	M	28 Spline Shaft
WDY-C	66/67	B,X	3.50	8	C	M	M	28 Spline Shaft
WDY-F	72	B	3.00	8	C	M	M	28 spline shaft
WDY-G	72	B	2.79	8	C	M	M	28 spline shaft
WDZ-A	66	X	2.80	8	E	M	M	28 Spline Shaft
WDZ-B,B1	66/69	B	3.00	8	E	M	M	28 Spline Shaft
WDZ-B2	69	X	3.00	8	T	M	M	28 Spline Shaft
WDZ-C	66/68	B	3.25	8	E	M	M	28 Spline Shaft
WDZ-E	67/69	X	3.00	8	E	M	M	28 Spline Shaft
WDZ-E1	69	X	3.00	8	T	M	M	28 Spline Shaft
WEA-A,A1	66/69	B,X	3.00	8	E	M	M	28 Spline Shaft
WEA-A2	69	B,X	3.00	8	T	M	M	28 Spline Shaft
WEA-B	66/67	B,X	3.50	8	E	M	M	28 Spline Shaft
WEA-F,F1	66/69	B,X	3.25	8	E	M	M	28 Spline Shaft
WEA-F2	69	B,X	3.25	8	T	M	M	28 Spline Shaft
WEB-B	66	B	3.00	9	C	M	L	28 spline shaft 1330 "U" joint
WEB-B1	66	B	3.00	9	C	M	L	28 spline shaft 1310 "U" joint
WEB-B5	67	B	3.00	9	C	M	L	28 spline shaft 1330 "U" joint
WEB-C	66/67	B	3.25	9	C	M	L	28 Spline Shaft
WEB-E	66/70	B	3.00	9	C4	M	L	28 Spline Shaft
WEB-F	66/69	B	3.25	9	C4	M	L	28 Spline Shaft 1330 Flange
†WEB-F	72	B	3.25	9	C4	M	SL	28 Spline Shaft
WEB-G	67	B	3.89	9	C4	M	L	31 Spline Shaft
WEB-H, H2	67/70	B	2.75	9	C	M	L	28 Spline Shaft
WEB-H2	70/	B	2.75	9	C	M	SL	28 spline shaft
WEB-J	67/68	B	2.75	9	C4	M	L	28 Spline Shaft
WEB-K	68	B	3.25	9	C4	M	L	31 Spline Shaft
WEB-L	69/70	B	3.50	9	C4	M	L	31 Spline Shaft
WEB-L	70/71	B	3.50	9	C4	M	SL	31 spline shaft
WEB-L3	71	B	3.50	9	C4	M	SL	28 spline shaft
WEB-M	69/70	B	3.00	9	C4	M	L	28 Spline Shaft 1310 Flange
WEB-M	70/71	B	3.00	9	C4	M	SL	28 spline shaft
WEB-P	69	B	2.75	9	C4	M	L	28 Spline Shaft
WEB-R	69/70	B	3.00	9	C	M	L	28 spline shaft
WEB-R	70/71	B	3.00	9	C	M	SL	28 spline shaft
WEB-S	69	B	3.25	9	C	M	L	28 Spline Shaft
WEB-T	69/70	B	3.25	9	C4	M	L	28 Spline Shaft
WEB-T	70/71	B	3.25	9	C4	M	SL	28 spline shaft
WEB-Z	69/70	B	3.00	9	C4	M	L	31 Spline Shaft
WEB-AA	69/70	B	3.25	9	C4	M	L	31 Spline Shaft
WEB-AA	70/71	B	3.25	9	C4	M	SL	31 spline shaft
WEB-AA3	71	B	3.25	9	C4	M	SL	28 spline shaft
WEB-AD	72	B	2.75	9	C	M	SL	28 spline shaft
WEB-AF	72	B	3.25	9	C4	M	SL	28 spline shaft
◊WEB-AG	72	B	3.00	9	C	M	SL	28 spline shaft
WEB-AH	72	B	3.25	9	C4	M	SL	28 spline shaft
WEB-AM	72	B	3.25	9	C2	M	SL	28 spline shaft
WEC-A	66	B	3.00	9	C	M	L	28 spline shaft 1330 "U" joint
WEC-A1	66	B	3.00	9	C	M	L	28 spline shaft 1310 "U" joint
WEC-A5	67	B	3.00	9	C	M	L	28 spline shaft 1330 "U" joint
WEC-B	66/67	B	3.25	9	C	M	L	28 Spline Shaft
WEC-D	66/70	B	3.00	9	C4	M	L	28 Spline Shaft 1330 Flange
WEC-E	66/69	B	3.25	9	C4	M	L	28 Spline Shaft
WEC-F	67	B	2.75	9	C	M	L	28 Spline Shaft
WEC-G	67	B	2.75	9	C4	M	L	28 Spline Shaft
WEC-H	69/70	B	3.00	9	C4	M	L	28 Spline Shaft 1310 Flange
WEC-K	69/70	B	3.00	9	C	M	L	28 Spline Shaft
WEC-K	70/	B	3.00	9	C	M	SL	28 spline shaft
WEC-L	69/70	B	3.25	9	C4	M	L	28 Spline Shaft
WEC-L	70/71	B	3.25	9	C4	M	SL	28 spline shaft
WEC-N	69	B	3.25	9	C	M	L	28 Spline Shaft
WEC-R	69/70	B	3.50	9	C4	M	L	31 Spline Shaft
WEC-R	70/71	B	3.50	9	C4	M	SL	31 spline shaft
WEC-S	69/70	B	3.25	9	C4	M	L	31 Spline Shaft
WEC-S	70/71	B	3.25	9	C4	M	SL	31 spline shaft
WEC-S3	71	B	3.25	9	C4	M	SL	28 spline shaft
WEC-T	71	B	3.00	9	C4	M	SL	31 spline shaft
WEC-T3	71	B	3.00	9	C4	M	SL	28 spline shaft
WEC-V	72	B	3.50	9	C4	M	SL	28 spline shaft
WEC-Z	72	B	3.25	9	C4	M	SL	28 spline shaft
WEC-AB	72	B	3.00	9	C	M	SL	28 spline shaft
◊WEC-AG	72	B	3.00	9	C	M	SL	28 spline shaft
‡WEC-AH	72	B	3.25	9	C4	M	SL	28 spline shaft
WED-A,A1	66	B	3.25	9	E	M	L	28 Spline Shaft
WED-A4, A5, A6	66/68	B	3.25	9	E4	M	L	28 Spline Shaft
WED-C	66/67	B	3.00	9	E	M	L	28 Spline Shaft
WED-D	66/68	B	3.00	9	E4	M	L	28 Spline Shaft
WED-E	68	B	3.50	9	E4	M	L	28 Spline Shaft
WED-F,F1	66/69	B,X	3.25	All	E	M	M	28 Spline Shaft
WEE-A	66	B	3.25	9	E	M	L	28 Spline Shaft
WEE-C	66/67	B	3.00	9	E	M	L	28 Spline Shaft
WEE-D	66/68	B	3.00	9	E4	M	L	28 Spline Shaft
WEF-D	66	S	2.80	9 3/8	C	L	XL	31 Spline Shaft
WEF-E	66	S	2.80	9 3/8	E	L	XL	31 Spline Shaft
WEF-H	66	S	3.00	9 3/8	C	L	XL	31 Spline Shaft
WEF-J	66	S	3.00	9 3/8	E	L	XL	31 Spline Shaft

* Refer to page 1 of Section 40 for an explanation of the codes shown.

◊ WEC-AG is alternate with WEB-AG

† In 1972 WEB-F is alternate with WEB-AF

‡ In 1972 WEC-AH is alternate with WEB-AH

4001 REAR AXLE ASSY. - continued

REAR AXLE IDENTIFICATION CHART

AXLE MODEL	YEAR	CAR LINE	RATIO	RING GEAR O.D. (Inches)	* TYPE	* WHL. BRG.	* DIFF. BRG. & CUP	REMARKS
WEM-A, A2	66/70	U	4.11	9	C	M	M	28 Spline Shaft
WEM-A2	70/	U	4.11	9	C	M	SL	28 spline shaft
WEM-B	66/69	U	4.11	9	E	M	M	28 Spline Shaft
WEM-BIX	67	U	4.11	9	E	M	L	28 Spline Shaft
WEM-C, C2	66/70	U	4.57	9	C	M	M	28 Spline Shaft
WEM-C2	70/	U	4.57	9	C	M	SL	28 spline shaft
WEM-D	66/67	U	4.57	9	E	M	M	28 Spline Shaft
WEM-E, E2	66/70	U	3.50	9	C	M	M	28 Spline Shaft
WEM-E2	70/	U	3.50	9	C	M	SL	28 spline shaft
WEM-F	66/69	U	3.50	9	E	M	M	28 Spline Shaft
WEM-FIX	67	U	3.50	9	E	M	L	28 Spline Shaft
WEN-A, A2	66/70	U	4.11	9	C	L	M	28 Spline Shaft
WEN-A2	70/	U	4.11	9	C	M	SL	28 spline shaft
WEN-B	66/69	U	4.11	9	E	L	M	28 Spline Shaft
WEN-BIX	67	U	4.11	9	E	L	L	28 Spline Shaft
WEN-C	66/67	U	4.57	9	C	L	M	28 Spline Shaft
WEN-D	66/67	U	4.57	9	E	L	M	28 Spline Shaft
WEN-E, E2	66/70	U	3.50	9	C	L	M	28 Spline Shaft
WEN-E2	70/	U	3.50	9	C	M	SL	28 spline shaft
WEN-F	66/69	U	3.50	9	E	L	M	28 Spline Shaft
WEN-FIX	67	U	3.50	9	E	L	L	28 Spline Shaft
WER-A	67/69	A	3.10	8 1/2	C	R	M	Integral Carrier
WER-C	67/69	A	2.80	8 1/2	C	R	M	Integral Carrier
WER-E	69	A	3.25	8 1/2	C	R	M	Integral Carrier
WER-F	69/	A	2.75	8.7	C	R	SL	Integral Carrier
WER-G	69/71	A	3.07	8.7	C	R	SL	Integral Carrier
WER-H	69/	A	3.25	8.7	C	R	SL	Integral Carrier
WER-J	72	A	2.75	8.7	C	R	SL	Integral Carrier
WES-F	67/70	F	3.00	9	C4	M	L	28 Spline Shaft
WES-G	67	F	3.25	9	E4	M	L	28 Spline Shaft
WES-H	67/68	F	3.50	9	C4	M	L	28 Spline Shaft
WES-J	67	F	3.89	9	C4	M	L	28 Spline Shaft
WES-K	67	F	3.50	9	E4	M	L	28 Spline Shaft
WES-M	68/70	F	3.25	9	C4	M	L	28 Spline Shaft
WES-N	68	F	3.00	9	C	M	M	28 Spline Shaft
WES-P	68	F	3.25	9	C	M	M	28 Spline Shaft
WES-R	68	F	3.25	9	E	M	M	28 Spline Shaft
WES-S	68	F	2.75	9	C4	M	L	28 Spline Shaft
WES-T	69/70	F	2.75	9	C	M	L	28 Spline Shaft
WES-T1	70	F	2.75	9	C	M	SL	28 spline shaft
WES-T1	72	F	2.75	9	C	M	SL	28 spline shaft
♦WES-T2	71/	F	2.75	9	C	M	SL	28 spline shaft
WES-U	68	F	3.50	9	C4	M	L	31 Spline Shaft
WES-V	68	F	3.00	9	E	M	M	28 Spline Shaft
WES-Y	68	F	3.50	9	E4	M	L	31 Spline Shaft
WES-Z	68	F	3.00	9	E4	M	L	28 Spline Shaft
WES-AA	69/70	F	3.00	9	C	M	L	28 Spline Shaft
WES-AA	70/	F	3.00	9	C	M	SL	28 spline shaft
WES-AB	69/70	F	3.25	9	C	M	L	28 Spline Shaft
WES-AB	70	F	3.25	9	C	M	SL	28 spline shaft
WES-AB2	71/	F	3.25	9	C	M	SL	28 spline shaft
WES-AC	69/70	F	3.00	9	C4	M	L	28 spline shaft
WES-AD	72	F	3.25	9	C4	M	SL	28 spline shaft
WES-AD	69/70	F	3.25	9	C4	M	L	28 spline shaft
WES-AD	70	F	3.25	9	C4	M	SL	28 spline shaft
†WES-AD2	71/	F	3.25	9	C4	M	SL	28 spline shaft
WES-AE	69/70	F	3.50	9	C4	M	L	31 Spline Shaft
WES-AE	70	F	3.50	9	C4	M	SL	31 spline shaft
WES-AE2	71	F	3.50	9	C4	M	SL	31 spline shaft
WES-AE3	71	F	3.50	9	C4	M	SL	28 spline shaft
WES-AG	69/70	F	2.75	9	C4	M	L	28 Spline Shaft
WES-AG	70/	F	2.75	9	C4	M	SL	28 spline shaft
WES-AH	69/70	F	3.00	9	C4	M	L	31 Spline Shaft
WES-AH	70/	F	3.00	9	C4	M	SL	31 spline shaft
WES-AJ	69/70	F	3.25	9	C4	M	L	31 Spline Shaft
WES-AJ	70	F	3.25	9	C4	M	SL	31 spline shaft
WES-AJ2	71	F	3.25	9	C4	M	SL	31 spline shaft
WES-AJ3	71	F	3.25	9	C4	M	SL	28 spline shaft
WES-AK	71	F	3.50	9	C4	M	SL	28 spline shaft
WES-AK2	72	F	3.50	9	C4	M	SL	28 spline shaft
WEZ-A	67/68	B	3.20	7 1/4	C4	M	S	Integral Carrier 24 Spline Shaft
WEZ-C	67/68	B	2.83	7 1/4	C4	M	S	Integral Carrier 24 Spline Shaft
WFA-A,C	69	B	3.25	9	T4	M	L	28 Spline Shaft
WFA-B	69	B	3.00	9	T4	M	L	28 Spline Shaft
WFA-D	69/70	B	3.25	9	T4	M	L	28 Spline Shaft
WFA-D	70/71	B	3.25	9	T4	M	SL	28 spline shaft
WFA-E	69/70	B	3.25	9	T4	M	L	28 Spline Shaft
WFA-E	70/71	B	3.25	9	T4	M	SL	28 spline shaft
WFA-G,H	69/70	B	3.00	9	T4	M	L	28 Spline Shaft
WFA-G,H	70/71	B	3.00	9	T4	M	SL	28 spline shaft
WFA-J	70	B	3.00	9	T4	M	L	28 Spline Shaft
WFA-L	72	B	3.25	9	C4	M	SL	28 spline shaft
WFA-L4	72	B	2.75	9	T4	M	SL	28 spline shaft
WFA-M	72	B	3.25	9	T4	M	SL	28 spline shaft
WFA-N	72	B	3.00	9	T4	M	SL	28 spline shaft
WFA-R	72	B	3.25	9	T4	M	SL	28 spline shaft
WFA-S	72	B	3.00	9	T4	M	SL	28 spline shaft
WFB-A	69/70	F	3.25	9	T4	M	L	28 Spline Shaft
WFB-C	69/70	F	3.25	9	T4	M	L	28 Spline Shaft
WFB-C	70	F	3.25	9	T4	M	SL	28 spline shaft
WFB-C	72	F	3.25	9	T4	M	SL	28 spline shaft
‡WFB-C2	71/	F	3.25	9	T4	M	SL	28 spline shaft
WFB-D	69/70	F	3.00	9	T4	M	L	28 spline shaft
WFB-D	70/	F	3.00	9	T4	M	SL	28 spline shaft
WFB-D2	72	F	2.75	9	T4	M	SL	28 spline shaft
WFC-A	69	B	3.50	9	T4	M	L	31 Spline Shaft
WFC-B	68/70	B	3.91	9	T4	M	L	31 Spline Shaft
WFC-C	68/70	B	4.30	9	T4	M	L	31 Spline Shaft
WFC-D	69	B	3.91	9	T4	M	L	31 Spline Shaft
WFC-E	69	B	3.91	9	T4	M	L	31 Spline Shaft
WFC-F	69/70	B	3.91	9	T4	M	L	31 Spline Shaft
WFC-G	69/70	B	3.00	9	T4	M	L	31 Spline Shaft
WFC-J	69/70	B	3.50	9	T4	M	L	31 Spline Shaft
WFC-J	70/71	B	3.50	9	T4	M	SL	31 spline shaft
WFC-J	72	B	3.50	9	T4	M	SL	28 spline shaft
WFC-J3	71	B	3.50	9	T4	M	SL	28 spline shaft
WFC-K	69	B	4.30	9	T4	M	L	31 Spline Shaft
WFC-L	69/70	B	3.50	9	T4	M	L	31 Spline Shaft
WFC-L	70/71	B	3.50	9	T4	M	SL	31 spline shaft
WFC-L	72	B	3.50	9	T4	M	SL	28 spline shaft
WFC-L3	71	B	3.50	9	T4	M	SL	28 spline shaft
WFC-M	69	B	3.00	9	T4	M	L	31 Spline Shaft
WFC-N,R	70	B	3.25	9	T4	M	L	31 Spline Shaft
WFC-N,R	70/71	B	3.25	9	T4	M	SL	31 spline shaft
WFC-N3,RS	71	B	3.25	9	T4	M	SL	28 spline shaft
WFC-S	71	B	3.00	9	T4	M	SL	31 spline shaft
WFC-S3	71	B	3.00	9	T4	M	SL	28 spline shaft
WFC-T	72	B	3.25	9	T4	M	SL	28 spline shaft

* Refer to page 1 of section 40 for an explanation of the codes shown.

♦ In 1972 WES-T2 is alternate with WES-T1

† In 1972 WES-AD2 is alternate with WES-AD

‡ In 1972 WFB-C2 is alternate with WFB-C

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

4001 REAR AXLE ASSY. - continued

REAR AXLE IDENTIFICATION CHART

AXLE MODEL	YEAR	CAR LINE	RATIO	RING GEAR O.D. (Inches)	*TYPE	*WHL. BRG.	*DIFF. BRG. & CUP	REMARKS
WFD-A	69/70	F	3.50	9	T4	M	L	31 Spline Shaft
WFD-B	68/70	F	3.91	9	T4	M	L	31 Spline Shaft
WFD-C	68/70	F	4.30	9	T4	M	L	31 Spline Shaft
WFD-D	69/70	F	3.91	9	T4	M	L	31 Spline Shaft
WFD-D	70	F	3.91	9	T4	M	SL	31 spline shaft
WFD-D	72	F	3.91	9	T4	M	SL	31 spline shaft
◊WFD-D2	71/	F	3.91	9	T4	M	SL	31 spline shaft
WFD-E	69/70	F	4.30	9	T4	M	L	31 Spline Shaft
WFD-F	69/70	F	3.50	9	T4	M	L	31 Spline Shaft
WFD-F	70	F	3.50	9	T4	M	SL	31 spline shaft
WFD-F2	71	F	3.50	9	T4	M	SL	31 spline shaft
WFD-F3	71/	F	3.50	9	T4	M	SL	28 spline shaft
WFD-J	69	F	3.25	9	T4	M	L	31 Spline Shaft
WFD-K,L	69/70	F	3.00	9	T4	M	L	31 Spline Shaft
WFD-M	70	F	3.25	9	T4	M	L	31 Spline Shaft
WFD-M	70	F	3.25	9	T4	M	SL	31 spline shaft
WFD-M2	71	F	3.25	9	T4	M	SL	31 spline shaft
WFD-M3	71	F	3.25	9	T4	M	SL	28 spline shaft
WFG-A	70	A	2.75	9	T	L	L	28 Spline Shaft
WFG-A	70/	A	2.75	9	T	L	SL	28 spline shaft
WFG-C	70	A	3.25	9	T	L	L	28 Spline Shaft
WFG-C	70/	A	3.25	9	T	L	SL	28 spline shaft
WFG-D	70	A	2.75	9	T4	L	L	28 Spline Shaft
WFG-D	70/	A	2.75	9	T4	L	SL	28 spline shaft
WFG-E	70	A	3.25	9	T4	L	L	28 Spline Shaft
WFG-E	70/	A	3.25	9	T4	L	SL	28 spline shaft
WFG-G	70	A	3.00	9	T4	L	L	28 Spline Shaft
WFG-G	70/	A	3.00	9	T4	L	SL	28 spline shaft
WFG-J	72	A	3.00	9	T	L	SL	28 spline shaft
WFH-A	70	A	3.25	9 3/8	T	L	XL	Torsional Damper 31 Spline Shaft
WFH-B	70	A	2.80	9 3/8	T	L	XL	31 Spline Shaft
WFH-C	70	A	3.25	9 3/8	T	L	XL	31 Spline Shaft
WFH-D	70	A	3.00	9 3/8	T	L	XL	31 Spline Shaft
WFJ-A	70/	B	3.00	8	T	M	M	28 Spline Shaft
WFK-A	70/	B	3.00	8	T	M	M	28 Spline Shaft
WFK-B	70/	B	3.25	8	T	M	M	28 Spline Shaft
WFK-C	72	B	3.00	8	T	M	M	28 spline shaft
WFL-A	70	F	3.00	8	T	M	M	28 spline shaft
WFL-A	72	F	3.00	8	T	M	M	28 spline shaft
†WFL-A2	71/	F	3.00	8	T	M	M	28 spline shaft
WFL-B	72	F	2.79	8	T	M	M	28 spline shaft
WFN-A	70	S	2.80	9 3/8	T	L	XL	31 Spline Shaft
WFN-B	70	S	3.00	9 3/8	T	L	XL	31 Spline Shaft
WFN-F2	70/71	S	3.00	9 3/8	T	L	XL	31 Spline Shaft
•WFN-F3	72	S	3.25	9 3/8	T	M	XL	31 spline shaft
•WFN-F4	72	S	3.25	9 3/8	T	M	XL	31 spline shaft
WFN-G2	70/71	S	2.80	9 3/8	T	L	XL	31 Spline Shaft
•WFN-G2	72	S	2.80	9 3/8	T	M	XL	31 spline shaft
•WFN-G4	72	S	2.80	9 3/8	T	M	XL	31 spline shaft
•WFN-H4	72	S	3.00	9 3/8	T	M	XL	31 spline shaft
•WFN-J	72	S	3.00	9 3/8	T	M	XL	31 spline shaft
‡WFN-5	72	S	3.00	9 3/8	T	M	XL	31 spline shaft
WFP-A, A2	70	U	4.11	9	T	M	M	28 spline shaft
WFP-A2	70/	U	4.11	9	T	M	SL	28 spline shaft
WFP-B, B2	70	U	3.50	9	T	M	M	28 spline shaft
WFP-B2	70/	U	3.50	9	T	M	SL	28 spline shaft
WFR-A, A2	70	U	4.11	9	T	L	M	28 spline shaft
WFR-A2	70/	U	4.11	9	T	L	SL	28 spline shaft
WFR-B, B2	70	U	3.50	9	T	L	M	28 spline shaft
WFR-B2	70/	U	3.50	9	T	L	SL	28 spline shaft
WFS-B	70/71	P	3.00	8	T	S1	M	28 Spline Shaft
WFS-C	71	P	3.00	8	T	M	M	28 spline shaft
WFU-D	70	B	4.30	9	N	M	L	31 Spline Shaft
WFU-E	70	F	4.30	9	N	M	L	31 Spline Shaft
WFU-E	70	F	4.30	9	T4	M	SL	31 spline shaft
WFU-E1	71	F	4.11	9	T4	M	SL	31 spline shaft
WFV-A	70	S	2.75	9	T4	L	L	28 Spline Shaft
WFV-A	70/71	S	2.75	9	T4	L	SL	28 spline shaft
WFV-A	72	S	2.75	9	T4	M	SL	28 spline shaft
WFV-A4,5	72	S	2.75	9	T4	M	SL	28 spline shaft
WFV-B	70	S	3.00	9	T4	L	L	28 Spline Shaft
WFV-B	70/71	S	3.00	9	T4	L	SL	28 spline shaft
WFV-B3	72	S	3.25	9	T4	M	SL	28 spline shaft
WFV-B4,5	72	S	3.00	9	T4	M	SL	28 spline shaft
WFV-C	72	S	3.00	9	T4	M	SL	28 spline shaft
WFV-C4	72	S	3.00	9	T4	M	SL	28 spline shaft
WFV-D5	72	S	2.75	9	T4	L	SL	28 spline shaft
WFV-E	72	S	3.00	9	T4	L	SL	28 spline shaft
WFV-F5	72	S	3.25	9	T4	L	SL	28 spline shaft
WGA-A	69/70	S	2.80	9 3/8	C	L	XL	31 Spline Shaft
WGA-B	69/70	S	3.00	9 3/8	C	L	XL	31 Spline Shaft
WGA-C	69	S	2.80	9 3/8	E	L	XL	31 Spline Shaft
WGA-D	69	S	3.00	9 3/8	E	L	XL	31 Spline Shaft
WGA-E	69	S	2.80	9 3/8	C4	L	XL	31 Spline Shaft
WGA-E2	70/71	S	2.80	9 3/8	C	L	XL	31 Spline Shaft
•WGA-E2	72	S	2.80	9 3/8	C	M	XL	31 spline shaft
•WGA-E4	72	S	2.80	9 3/8	C	M	XL	31 spline shaft
WGA-F	69	S	3.00	9 3/8	C	L	XL	31 Spline Shaft
WGA-F2	70/71	S	3.00	9 3/8	C	L	XL	31 Spline Shaft
•WGA-F3	72	S	3.25	9 3/8	C	M	XL	31 spline shaft
•WGA-L4	72	S	3.00	9 3/8	C	M	XL	31 spline shaft
WGB-C	70	S	2.75	9	C4	L	L	28 spline shaft
WGB-C	70/	S	2.75	9	C4	L	SL	28 spline shaft
WGB-D	70	S	3.00	9	C4	L	L	28 spline shaft
WGB-D	70/71	S	3.00	9	C4	L	SL	28 spline shaft
WGB-D3	72	S	3.25	9	C4	M	SL	28 spline shaft
WGB-D4,5	72	S	3.25	9	C4	M	SL	28 spline shaft
WGB-E	72	S	2.75	9	C	M	SL	28 spline shaft
WGB-E4,5	72	S	2.75	9	C	M	SL	28 spline shaft
WGB-F	72	S	3.00	9	C	M	SL	28 spline shaft
WGB-F4	72	S	3.00	9	C	M	SL	28 spline shaft
WGB-G	72	S	2.75	9	C4	M	SL	28 spline shaft
WGB-G4,5	72	S	2.75	9	C4	M	SL	28 spline shaft
WGB-H	72	S	3.00	9	C4	M	SL	28 spline shaft
WGB-H4	72	S	3.00	9	C4	M	SL	28 spline shaft
WGB-J	72	S	2.75	9	C	L	SL	28 spline shaft
WGB-K5	72	S	2.75	9	C4	L	SL	28 spline shaft
WGB-L	72	S	3.00	9	C	L	SL	28 spline shaft
WGB-N5	72	S	3.25	9	C4	L	SL	28 spline shaft
WGF-A	71/	L	3.55	6 3/4	C	XS	XS	23 spline shaft
WGF-C	72	L	3.18	6 3/4	C	XS	XS	23 spline shaft
WGF-D	72	L	3.55	6 3/4	C	X5	X5	23 spline shaft
WGF-E	72	L	2.78	6 3/4	C4	X5	X5	23 spline shaft

* Refer to page 1 of section 40 for an explanation of the codes shown.

† In 1972 WFL-A2 is alternate with WFL-A

‡ In 1972 WFN-5 is alternate with WFN-J

◊ In 1972 WFD-D2 is alternate with WFD-D

• Production inadvertently installed axle tags with 9 3/8" ring gear model identification on some vehicles that have 9" ring gears. Vehicles with 9" ring gears can be identified by the differential carrier which has four horizontal and one vertical reinforcement rib and a 4 1/2" I.D. pinion hole. If a service differential carrier is installed it can be identified by five horizontal and two vertical reinforcement ribs and an "N" embossed between the two vertical ribs.

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4A001 HOSE - REAR AXLE HOUSING - VENT - Improvise from 9324 or 17543 bulk hose				
65/	A, B, F, S, X		C9AZ 8287-A	1	Clamp-9/16" hose
65/	B		★353473-S8	1	Clip (rubber coated)
65/	B, F		355428-S(KK9)	1	Grommet-.50" diam. hole
65/	B		40923-S8(U264)	1	Screw (tube to underbody)-
66	U			1	5/16"-18 x 1/2" washer head tapping
68	S		55981-S(U254E)	1	Screw(to underbody)-1/4"-14
68	S		374998-S(GG213A)	1	Clip (to underbody)

YEAR	MODEL	AXLE MODEL IDENTIFICATION NO.	PART NUMBER	QTY.	RATIO	GEAR SIZE	EQUA LOCK	DESCRIPTION
	‡ **4006 AXLE ASSY. - REAR INTEGRAL**							
69/	A	WER-F	D0AW 4006-G	1	2.75	8.7"	No	

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4010 HOUSING ASSY. - REAR AXLE				
	- A -				
66/68	A	WDC exc. CB, WDL, WDT	C6AZ 4010-H	1	Standard or locking axle
68	A	WDC, WDL		1	
67/68	A	WER	D0AZ 4010-B	1	Integral axle
69/72	A	WDC, WDL, WDT, WFG, WFH	D0VY 4010-A	1	
69/72	A	WER	C9AZ 4010-D	1	Integral axle-use with C9AZ 4022-A on vehicles with 8 1/2", 8.7" ring gear
	- B -				
68/69	B(exc. 66, 71), (8" R/G)	WDW(exc. K2), WDZ	C9OZ 4010-D	1	Medium wheel brgs. -44 1/2" spring seat center
67/69	B(66, 71), (8" R/G)	WDY, WEA	C9OZ 4010-A	1	Medium wheel brgs.-41 1/4" spring seat center
65	B(9" R/G)	WCU	C3OZ 4010-C	1	Backing plate flange inside of hsg. tube-use C4OZ 1177-A seal
68/69	B(exc. 66, 71), (9" R/G)	WDW-K2, WEB, WED, WFC, WFA-A, E	C9OZ 4010-C	1	Medium wheel brgs. -44 1/2" spring seat center
66/69	B(66, 71), (9" R/G)	WEC, WEE, WFA-B, C	C9OZ 4010-B	1	Medium wheel brgs.-41 3/16" spring seat center
70/71	B(exc. 66, 71), (8" R/G)	WDW, WFJ	D0OZ 4010-B	1	44 7/16" center spring seats-Medium size wheel brg.
70/71	B(66, 71), (8" R/G)	WDY, WFK	D0OZ 4010-A	1	41 3/16" center spring seats-Medium size wheel brg.
70/71	B (exc. 66, 71), (9" R/G)	WEB, WFA-E, G WFC-B, C, G, N	D0OZ 4010-C	1	44 7/16" center spring seats- Medium size wheel brg.
70	B	WFU-D		1	No-spin differential
70/71	B(66, 71), (9" R/G)	WEC, WFA-D, H, J, WFC-F, J, R	D0OZ 4010-D	1	41 5/16" center spring seats-Medium size wheel brg.
72	B(8" R/G)	All	D2OZ 4010-A	1	
72	B(9" R/G)	All	D2SZ 4010-B	1	
	- F -				
65/66	F(7 1/4" R/G)	WCY	C4DZ 4010-G	1	Integral carrier
67/69	F(7 1/4" R/G)	WCY	C7ZZ 4010-A	1	Integral carrier
70	F(7 1/4" R/G)	WCY	D0ZZ 4010-B	1	Integral carrier
65/66	F(8" R/G)	WCZ, WDJ	C4DZ 4010-F	1	Includes (1) 378511-S clamp
67/69	F(8" R/G)	WCZ, WDJ	C7ZZ 4010-E	1	
70	F(8" R/G)	WCZ, WFL	D0ZZ 4010-A	1	
71/	F(8" R/G)	WCZ, WFL	D1ZZ 4010-A	1	Medium wheel bearing

‡ Rear axle assemblies although not normally stocked as service items may be obtained from the nearest assembly plant when used in current production. Order through your local distribution center.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4010 HOUSING ASSY. - REAR AXLE - continued				
	- F -				
67/68	F(9" R/G) "Before 4/1/68"	WES, WFD	C9ZZ 4010-B	1	
68/70	F(9" R/G)- "From 4/1/68 to 6/1/70"	WES, WFB, WFD, WFU	D0ZZ 4010-C	1	
70	F(9" R/G)- "From 6/1/70 to 9/25/70"	WES, WFB, WFD, WFU	D0ZZ 4010-D	1	
70	F(9" R/G)- "From 9/25/70"	WES, WFB, WFD, WFU	D0ZZ 4010-E	1	
71/	F(9" R/G)	WES, WFB, WFD, WFU	D1ZZ 4010-B	1	Medium wheel bearing
	- L -				
71/72	L(71), (6 3/4" R/G)	All	@D2FZ 4010-B	1	Extra small wheel bearing
	- P -				
70	P(7 1/4" R/G)	WDV	D0DZ 4010-A	1	Small wheel brg. -Integral carrier
70/	P(8" R/G)	WDV, WDW, WFS	D0DZ 4010-B	1	Small wheel brg. -w/4 stud wheel
71/	P(8" R/G)	WDW, WFS	D0DZ 4010-D	1	Medium wheel brg. -w/5 stud wheel
	- S -				
67/68	S	WDC, WDT	C6AZ 4010-H	1	Standard or locking axle
70	S "Before 1/19/70"	All	D0SZ 4010-A	1	Without sure-track
70	S	All	D0SZ 4010-C	1	With sure-track
70	S "From 1/19/70"	All		1	Without sure-track
69	S	WGA		1	
71	S	All		1	
72	S(9" R/G)	All	D2SZ 4010-B	1	
72	S(9 3/8" R/G)	All	D2SZ 4010-B	1	
	- U -				
66	U(2700 lb.) - "Before Ser. 844, 001"	WEM-A, B, C, D, E, F	C6TZ 4010-B	1	Medium wheel bearings
66	U(3300 lb.)- "Before Ser. 844, 001"	WEN-A, B, C, D, E, F	C6TZ 4010-A	1	Large wheel bearings
66/70	U "From Ser. 844, 001 to Ser. J30, 001"	WEM, WFP	D0TZ 4010-C	1	Medium wheel bearing
70/	U "From Ser. J30, 001"	WEM, WFP	D0TZ 4010-H	1	Medium wheel bearing
67/70	U "Before Ser. J30, 001"	WEN, WFR	D0TZ 4010-D	1	Large wheel bearing
66	U "From Ser. 844, 001"	WEN-A1, B1, C1, D1, E1, F1		1	
70/	U "From Ser. J30, 001"	WEN, WFR	D0TZ 4010-J	1	Large wheel bearing
	- X -				
65	X(7 1/4" R/G)	WCY	C4DZ 4010-G	1	Small wheel brg. 2 43/64" O. D. - 1 21/64" I. D.
65	X(8" R/G)	WCZ, WDJ	C4DZ 4010-F	1	Includes (1) 378511-S clamp- medium wheel bearing
66	X(8" R/G)	WDY, WEA	C9OZ 4010-A	1	Medium wheel brgs. -41 1/4" spring seat centers
66/70	X(7 1/4" R/G)	WDV	C6DZ 4010-B	1	Small wheel brg. 2 7/16" I. D.
66/70	X(8" R/G)- "Before 9/30/69"	WDW, WDZ	C6DZ 4010-C	1	Medium wheel brgs. -44 1/2" spring seat centers-includes lubricator
70	X(8" R/G)- "From 9/30/69	WDW	D0DZ 4010-C	1	Medium wheel bearing- 44 1/2" spring seat centers
67/70	X(8" R/G)	WDY, WEA	C9OZ 4010-A	1	Medium wheel bearings.- 41 3/16" spring seat centers
65/	A		358048-S(PP43)	1	Plug(filler)- 3/4"-14 -sq. countersunk
65/	A, B, F, S, X			1	Plug (drain)
65	A		87675-S(P17)	1	Plug(drain&fill)-1/2"-14-hex.countersunk
70	P	WDV		1	
65/	A, B, F, S, U		379166-S(PP54-N)	1	Plug (filler) -7/8" -18-hex. head
			352733-S100(XX247)	1	Washer(plug sealing)-7/18" flat
65/	A, B, P, S, X		373820-S(XX155A)	5	Washer-flat (housing to carrier)- lower bolts-3/8"
66/	A	All	382599-S100 (MM173MZ)	2	Nut-1/2"-13 attach spring retainer to axle seat

@ Use with (2) pieces D2FZ 5A313-A wedge on 1971 vehicles

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4010 HOUSING ASSY. - REAR AXLE - continued				
65/	F,X(6 cyl.)		★43005-S	4	Bolt(cap to carrier)-3/8"-16 x 1 7/8" -locking
70/	F	WES,WFB,WFD,WFJ	310485-S(P12B)	AR	Plug (filler)-3/8"-24-hex.head
66/	U		377574-S7-8(PP41B)	1	Plug (filler)-7/8" -18-hex. head
	4020 RETAINER - REAR WHEEL BEARING - OUTER				
65/	A,B,F,S,P,U,X		C8UZ 4020-A	2	Used with medium wheel bearings
65/	A,S(exc. skid control),U		C6AZ 4020-A	2	Used with large wheel bearings
65	F,X		C3DZ 4020-A	2	Used with small wheel bearings
70/71	P			2	
71/	L		D1FZ 4020-A	2	Use with small wheel bearings
72	B		385262-S	8	Attach 4020 to 4010
	4022 VENT - REAR AXLE HOUSING				
65/66	A		C2AZ 4022-C	1	Right angle outlet
67/68	A,S		★C7AZ 4022-A	1	Press in type for 3/8" hole-R/B C2AZ 4022-C (3-73)
69/	A(8 1/2" & 8.7" R/G)		★C9AZ 4022-B	1	3/8"-24 x 1 3/8"-r/b D1FZ 4022-A (10-74)
69/71	A,S (9" & 9 3/8" R/G)		C9AZ 4022-A	1	7/16"-20
72	B,S(9" & 9 3/8" R/G)		D2OZ 4022-A	1	45° angle-9/16"-18 thread
72	B(8" R/G)		D2OZ 4022-B	1	45° angle-1/2"-20 thread
67/71	B(66,71),X(71)		C7OZ 4022-A	1	2 1/8" long-1/2" -20 thread-3/4" long
66/71	B(exc. 66,71)		D1OZ 4022-A	1	2 1/8" long-7/16"-20 thread
65/66	B			1	
71/	P(with 10" brakes & 5 stud axle)			1	
66/	U			1	
65/70	X(exc.71)			1	
65/	F		C5ZZ 4022-B	1	
71/	L		D1FZ 4022-A	1	
70/	P(with 9" brakes & 4 stud axle)		D1OZ 4022-B	1	
66	S		C2AZ 4022-A	1	
	4A022 RETAINER - REAR AXLE SIDE GEAR SPRING				
65/67	A(8 cyl. 427)		C5AZ 4A022-A	2	1 5/8" I. D. -2 3/8" O. D. -1 5/32" thick-
70/71	B,F	WFU-D,E		2	no spin differential
	4A024 SPRING - REAR AXLE SIDE GEAR				
65/67	A(8 cyl. 427)		C5AZ 4A024-A	2	1 11/32" free length-1 7/8" O. D. -
70/71	B,F	WFU-D,E		2	no spin differential
	4026 DIFFERENTIAL ASSY. - FRONT AXLE LOCKING				
71/	U		D1UZ 4026-C	1	4.09 ratio
			D1UZ 4026-D	1	3.54 ratio
	4026 DIFFERENTIAL ASSY. - REAR AXLE LOCKING				
69/70	A,B,F,S,U(9" R/G)	All	▲C9OZ 4026-B	1	Large differential brg.,28 spline shafts 2 or 4 pinion
70/	A,B,F,S,U(9" R/G)	All		1	Slim-line differential brg., 28 spline shaft, 2 or 4 pinions
70	A,S(9 3/8 R/G)	All	D0AZ 4026-A	1	XL differential brg., 31 spline shafts,
71/	S(9 3/8" R/G)	All		1	2 or 4 pinion
68/	B,F(9" R/G)		§D3TZ 4026-A	1	Large or Slim-line diff. brg., 31 spline
72	A(9" R/G)			1	shaft
69/71	B,F,P,X(8" R/G)	All	C9OZ 4026-D	1	Medium differential brg., 28 spline shaft
72	B,F(8" R/G)	All		1	
70	B,F (9" R/G)	WFU-D,E	D0OZ 4026-A	1	Dapco No-spin w/large or Slim-line
71	F(9" R/G)	WFU-E1		1	diff.brg.,31 spline shaft
	4A031 SEAL REPAIR KIT - REAR AXLE				
68/	S		C8SZ 4A031-A	2	

▲ When used to replace differential assy. with medium differential bearing, use slim-line bearing (C9AZ 4221-A) and cup (C9AZ 4222-A).

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4033 COVER ASSY. - FRONT AXLE HOUSING				
66/71	U Front drive axle- "Before Ser.K20,001"	Dana (Spicer) 30	C6TZ 4033-D	1	
71/	U Front drive axle- "From Ser.K20,001"	Dana (Spicer) 44	D1UZ 4033-A	1	
	4033 COVER ASSY. - REAR AXLE HOUSING				
67/69	A(8 1/2" R/G)	WER	C7AZ 4033-A	1	
69/	A(8.7" R/G)	WER	C9AZ 4033-A	1	
65/70	B, F, P, X (6 3/4", 7", 7 1/4" R/G)		C1DW 4033-A	1	
71/	L(6 3/4" R/G)		D1FZ 4033-A	1	
65/70	F, X		20348-S8(B77)	8	Bolt (cover to carrier)-3/8"-16 x 3/4"
71/	L			8	
65/70	F, X		34807-S8(X66)	8	Lockwasher-3/8"
71/	L			8	
	4035 GASKET - REAR AXLE DIFFERENTIAL CARRIER				
65/	A, B, F, S, U (9" & 9 3/8" R/G)		B7A 4035-A	1	
65/	B, F, P, X(7 3/4", 8" R/G)		C9OZ 4035-A	1	Carrier to housing
	4036 GASKET - REAR AXLE HOUSING TO COVER				
67/68	A(8 1/2" R/G)	WER	C7AZ 4036-A	1	
69/	A(8.7" R/G)	WER	C9AZ 4036-A	1	
65/70	B, F, P, X(6 3/4", 7 1/4" R/G)		C1DZ 4036-A	1	Cover to housing
71/	L(6 3/4" R/G)		D1FZ 4036-B	1	Cover to housing
66/71	U Front drive axle- "Before Ser.K20,001"	Dana (Spicer) 30	C7TZ 4036-A	1	Cover to housing
71/	U Front drive axle- "From Ser.K20,001"	Dana (Spicer) 44	C7TZ 4036-B	1	Cover to housing
	4A049 HOSE - REAR AXLE HOUSING VENT -Improvise from B4C 4090-A or 9324 bulk hose				
65/70	A, B		★375416-S35	1	Clamp-19/32" hose-r/b C9AZ 8287-A
65/70	A, B		C9AZ 8287-A	1	Clamp-9/16" hose
	4A050 SCOOP - REAR AXLE DIFFERENTIAL CARRIER OIL				
65/67	A, B, F, S, U, X (7 3/4", 8", 9" R/G)	Except WDT, WEF	C2OZ 4A050-A	1	
66/67	A, S (9 3/8" R/G)	WDT, WEF	C6AZ 4A050-A	1	2 5/16" I. D.-3/4" thick
	4067 ADJUSTER - REAR AXLE DIFFERENTIAL BEARING				
65/	A, B, F, P, U, X		B7AZ 4067-A	2	Nut-2 31/32"-16-for medium bearing carriers-includes 1-C6AZ 4143-B lock
70/	A, B, F, S, U	All		2	W/ Slim-line bearing
65/70	A, B, F, S, U		B9AZ 4067-A	2	Nut-3 5/32"-16 for large bearing carriers-includes 1-C6AZ 4143-B lock
66/	A, S		C6AZ 4067-B	2	Nut-3 11/32"-16-for extra large bearing carriers-includes 1-C6AZ 4143-B lock
65/70	B, F, P, X(7 1/4" R/G)		C0DZ 4067-A	2	Nut-2 5/8"-16-for integral carrier
71/	L(6 3/4")			2	
	4067 SHIM - FRONT AXLE DIFFERENTIAL BEARING				
66/71	U-front drive axle- "Before Ser.K20,001"		8M 4067-A	AR	2 1/4" O.D.-1 49/64" I.D.- .003" thick
			8M 4067-B	AR	.005" thick
			8M 4067-C	AR	.010" thick
			8M 4067-D	AR	.030" thick
71/	U-front drive axle- "From Ser.K20,001"		8L 4067-A	AR	1 5/16" I.D.- .003" thick
			8L 4067-B	AR	.005" thick
			8L 4067-C	AR	.010" thick
			8L 4067-D	AR	.030" thick
	4A073 SPRING - DRIVE SHAFT CENTERING SOCKET RACE BALL				
67	S(57)		C3VY 4A073-A	1	
69/	U(w/Dana shaft)		C9TZ 4A073-A	1	Serviced only for front shaft

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4A079 REINFORCEMENT - REAR AXLE DRIVE LINE VIBRATION DAMPER - IMPROVISE				
	4090 HOSE - REAR AXLE				
65/67	A		B3T 4090-B	AR	1/2" I. D. -25 ft. roll
65/69	A,B,F,P,S,U,X		C9PZ 4090-F (KK-6)	AR	15/32" I.D.-13/16" O.D.- 50 ft.roll
65/69	A,B,F,P,S,U,X		C9PZ 4090-C (KK-3)	AR	3/4" I.D.-29/32" O.D.-10 ft.roll
65/	A,B,F,L,P,S,U,X		C9PZ 4090-G (KK-7)	AR	11/32" I.D.-11/16" O.D.-50 ft.roll
65/	A,B,F,L,P,S,U,X		C9PZ 4090-E (KK-5)	AR	1/2" I.D.-15/16" O.D.-50 ft.roll
	4A106 PIN - REAR AXLE DIFFERENTIAL CAP & CARRIER GUIDE				
66/68	A,S "Before 11/20/67"	WDT,WEF	C6AZ 4A106-A	2	1 9/32" O. D. -15/32" I. D. -1" long
66/68	A,S "Before 11/20/67"	WDT,WEF	377146-S(BB401E)	2	Bolt (cap to carrier)-7/16"-13 x 2 3/4" locking
	4109 SHIM - FRONT PINION BEARING ADJUSTING				
66/71	U(front drive axle) "Before Ser.K20,001"	Dana (Spicer) 30	C6TZ 4109-A C6TZ 4109-B	AR AR	.003" thick .005" thick
71/	U(front drive axle) - "From Ser.K20,001"	Dana (Spicer) 44	8M 4109-B 8M 4109-C	AR AR	.005" thick .010" thick
	4141 CARRIER ASSY. - REAR AXLE DIFFERENTIAL				
65/70	A,B,F,S,U,X		C0AZ 4141-C	1	9" R/G w/med.brgs. & cups
66/67	A,S		C6AZ 4141-B	1	9 3/8" ring gear extra lge.carrier brgs.
68/69	A,S		C6AZ 4141-C	1	9 3/8" ring gear-extra lge.carrier brgs.
65/	A,B,F,S,U		▲D0OZ 4141-A	1	9" R/G w/Slim-line or large diff. rg.-includes (2) B7AZ 4067-A adjusters
70/	A,S		D0TZ 4141-A	1	9 3/8" R/G with XL bearings & cups
65/66	B,F,X		★C2OZ 4141-C	1	8" R/G with medium bearings & cups-repl. by C2OZ 4141-D (2-74)
67/	B,F,P,X		C2OZ 4141-D	1	8" R/G with medium bearings & cups
65/	A (8 cyl. 406, 427)		372116-S(MM140E)	10	Nut (carrier to hsg.)-3/8"-24 thickload
65/	A,F,S,X		20538-S8(B125)	4	Bolt(cap to carrier)-1/2"-13 x 2 1/4"
			34809-S8(X68)		Washer-1/2" Lock
65/	A,B,F,S,U,X		373820-S(XX155A)	10	Washer (5 bottom carrier to housing bolts)-3/8" flat
			34445-S7(M80)		Nut-carrier to hsg. 3/8"-24 (hex. lock)
66/68	A,S "Before 11/20/67"	WDT,WEF	377146-S(BB401E)	2	Bolt (cap to carrier)-7/16"-13 x 2 3/4" locking-use with 4A106
68/	A,S "From 11/20/67"	WDT,WEF	46108-S(B271D)	2	Bolt (cap to carrier)-1/2"-13 x 2 1/4" locking
67	A,B,F,S,U,X		87675-S(P17)	1	Plug-filler 1/2"-14
	4143 LOCK - REAR AXLE DIFFERENTIAL BEARING ADJUSTER				
65/	A,B,F,S,U,X(7 3/4", 8", 8 1/2",8.7",9",9 3/8" R/G)		C6AZ 4143-B	2	
65/70	B,F,X (6 3/4",7",7 1/4" R/G)		D0ZZ 4143-A	2	
71/	L(6 3/4" R/G)			2	
70	P(7 1/4" R/G)			2	
65/	A,B,F,P,S,X		350211-S(BB413)	2	Bolt(lock to diff.brg.cap)-5/16"-18 x 7/16"
65/	B,X		34806-S7(X64)		Lockwasher-5/16"
	4159 LUBRICATOR - REAR AXLE DIFFERENTIAL				
65/67	A,B,F,S,U(9" R/G)		B9A 4159-A	1	With locking axle
65/67	B,F,X(7 3/4",8" R/G)		C4OZ 4159-A	1	With locking axle
	4A171 STOP - REAR AXLE BUMPER				
66/	U		C6TZ 4A171-A	2	
	4A172 REINFORCEMENT - REAR AXLE BUMPER OUTER BRACKET - IMPROVISE				

▲ When used to replace large differential bearing carrier, use (2) B7AZ 4067-A adjuster, (2) C9AZ 4221-A cone and roller assembly and (2) C9AZ 4222-A cup. When used to replace medium differential bearing carrier, use existing (2) B7AZ 4067-A adjuster, (2) B7A 4221-A cone and roller assembly and (2) B7A 4222-A cup.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	RATIO	GEAR SIZE	LOCK	DESCRIPTION
‡4200	DIFFERENTIAL ASSY. - REAR AXLE - For integral type assy. refer to Group 4006							
	- A -							
67/	A	WDC-CA,CJ	C7AW 4200-BF	1	2.75	9"	No	Large or Slim-line bearing
67/	A	WDC-AU,CK	C7AW 4200-AN	1	3.25	9"	No	Large or Slim-line bearing
68/	A	WDC-CE,CL,CR	C8AW 4200-B	1	3.25	9"	No	Large bearing
69/	A	WDC-CN	C9AW 4200-C	1	2.75	9"	No	
70/	A	WFG-A	D0AW 4200-A	1	2.75	9"	Yes	Traction Lok
70/	A	WFG-D	D0AW 4200-D	1	2.75	9"	Yes	Traction Lok
70/	A	WDC-CS	D0AW 4200-S	1	3.00	9"	No	Large bearing
70/	A	WFG-G,L	D0AW 4200-T	1	3.00	9"	Yes	Large bearing-
70/	A	WFG-C	D0AW 4200-C	1	3.25	9"	Yes	Traction Lok
70/	A	WFG-E	D0AW 4200-E	1	3.25	9"	Yes	Traction Lok 28 spline shaft
	- B -							
67/	B	WDW-K,K1,WDY-G	C7OW 4200-F	1	2.79	8"	No	
67/	B	WDW-B,WDY-A,F	C7OW 4200-G	1	3.00	8"	No	
67/	B	WDW-C,WDY-B	C7OW 4200-H	1	3.25	8"	No	
68/70	B	WFC-B,E,F	C8OW 4200-C	1	3.91	9"	Yes	
69/71	B	WEB-H	C9OW 4200-H	1	2.75	9"	No	
69/71	B	WEB-T,WEC-L	C9OW 4200-K	1	3.25	9"	No	
69/71	B	WFA-D,E	C9OW 4200-V	1	3.25	9"	Yes	
70/	B	WDW-A,WFJ-A, WFK-A,C	D0OW 4200-A	1	3.00	8"	Yes	Traction Lok
70/	B	WFK-B	D0OW 4200-B	1	3.25	8"	Yes	Traction Lok
71	B	WFC-S3	D1OW 4200-E	1	3.00	9"	Yes	
71	B	WEB-L3	D1ZW 4200-D	1	3.50	9"	No	
71	B	WFC-J3,L3	D1ZW 4200-F	1	3.50	9"	Yes	
72	B	WEB-AD,H2	C7AW 4200-BF	1	2.75	9"	No	
72	B	WEB-AF,AH	C8AW 4200-B	1	3.25	9"	No	
72	B	WFA-M,R	D0AW 4200-E	1	3.25	9"	Yes	
72	B	WFC-J,L	D2OW 4200-M	1	3.50	9"	Yes	
72	B	WEC-K,WEB-AG,AJ, WEC-AG	D0AW 4200-S	1	3.00	9"	No	
72	B	WFA-L4	D0AW 4200-D	1	2.75	9"	Yes	
72	B	WFA-S,U	D0AW 4200-T	1	3.00	9"	Yes	28 spline shaft
72	B	WEC-Z	D4OW 4200-C	1	3.25	9"	No	
72	B	WFC-T	D4OW 4200-D	1	3.25	9"	Yes	
72	B	WEC-AB	D2OW 4200-AA	1	3.00	9"	No	28 spline shaft
72	B	WFC-V	D2OW 4200-AB	1	3.00	9"	Yes	28 spline shaft
	- F -							
67/	F	WCZ-V,V2	C7OW 4200-F	1	2.79	8"	No	
67/	F	WCZ-F,F2	C7OW 4200-G	1	3.00	8"	No	
68	F	WCZ-W	C7OW 4200-H	1	3.25	8"	No	
68/	F	WFD-B,D,D2	C8OW 4200-C	1	3.91	9"	Yes	
69/70	F	WES-AC	C9OW 4200-D	1	3.00	9"	No	
69/	F	WES-T,T1,T2	C9OW 4200-H	1	2.75	9"	No	
69/	F	WES-AA	C9OW 4200-G	1	3.00	9"	No	
71/	F	WFD-F3	D1ZW 4200-F	1	3.50	9"	Yes	
69/	F	WES-AD,AD2	C9OW 4200-K	1	3.25	9"	No	
69/	F	WFB-C,C2	C9OW 4200-V	1	3.25	9"	Yes	Traction Lok
70/	F	WFL-A,A2	D0OW 4200-A	1	3.00	8"	Yes	Traction Lok
71	F	WES-AK	D1ZW 4200-A	1	3.50	9"	No	
71	F	WFU-E1	D1ZW 4200-B	1	4.11	9"	Yes	No-spin differential

‡ Differential assemblies although not normally stocked as service items may be obtained from the nearest assembly plant when used in current production. Order through your local distribution center.

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	RATIO	GEAR SIZE	LOCK	DESCRIPTION
‡ 4200 DIFFERENTIAL ASSY. - REAR AXLE - continued - For integral type assy. refer to Group 4006								
	- F -							
71/	F	WES-AE3,AK2	D1ZW 4200-D	1	3.50	9"	No	
71/	F	WFD-F3	D1ZW 4200-F	1	3.50	9"	Yes	
72	F	WFB-D2	D0OW 4200-L	1	2.75	9"	Yes	Traction Lok
72	F	WFL-B	D2ZW 4200-B	1	2.79	8"	Yes	Traction Lok
	- P -							
70/	P	WDV-M,WDW-M,T	C7OW 4200-F	1	2.79	8"	No	
70/	P	WDV-N,WDW-L,U	C7OW 4200-G	1	3.00	8"	No	
70/71	P	WFS-B,C	D0OW 4200-A	1	3.00	8"	Yes	Traction Lok
	- S -							
68	S	WDT-AC	★C8SW 4200-A	1	2.50	9 3/8"	No	R/b C8SW 4200-B & use 1-C7VY 17271-A
70/71	S	WFV-B	D0SW 4200-Z	1	3.00	9"	Yes	28 spline shaft
70/71	S	WGB-D	D0SW 4200-AB	1	3.00	9"	No	28 spline shaft
72	S	WGB-E4	D2SW 4200-AL	1	2.75	9"	No	
72	S	WGB-G	D2SW 4200-AS	1	2.75	9"	No	
72	S	WFV-H	D3SW 4200-C	1	2.75	9"	Yes	Sure-Track
72	S	WFV-C	D2SW 4200-AA	1	3.00	9"	Yes	
72	S	WFV-J	D3SW 4200-D	1	3.00	9"	Yes	Sure-Track
72	S	WFV-K	D2SW 4200-AY	1	3.00	9"	Yes	
72	S	WGB-F	D2SW 4200-Z	1	3.00	9"	No	
72	S	WGB-F4	D2SW 4200-AM	1	3.00	9"	No	
72	S	WGB-H	D2SW 4200-AT	1	3.00	9"	No	
72	S	WGB-S	D2SW 4200-AV	1	3.00	9"		
72	S	WFV-G	D3SW 4200-E	1	3.25	9"	Yes	
	- U -							
67/	U	WEM-E,WEN-E	C7UW 4200-N	1	3.50	8 3/4"	No	
67/	U	WEM-A,WEN-A	C7TW 4200-N	1	4.11	8 3/4"	No	
69/	U	WEM-C	C7UW 4200-H	1	4.57	9"	No	
70/	U	WFP-B,WFR-B	D0TW 4200-G	1	3.50	9"	Yes	
70/	U	WFP-A,WFR-A	D0TW 4200-F	1	4.11	9"	Yes	
	- X -							
67/70	X	WDW-J	C7OW 4200-F	1	2.79	8"	No	
67/70	X	WDW-F,WDY-A	C7OW 4200-G	1	3.00	8"	No	
67/70	X	WDY-B	C7OW 4200-H	1	3.25	8"	No	

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
4204 CASE ASSY. - REAR AXLE DIFFERENTIAL GEAR					
	- A -				
65/67	A	WDC,WDD	★C3AZ 4204-B	1	Use w/9" R/G medium diff. brg. To convert from 2 to 4 pinion type axle, w/28 spline shaft-repl. by D0OZ 4204-D (10-74)
67	A	WDC-CAX	D0OZ 4204-D	1	Use w/9" R/G small diff. brg. conventional 28 spline shaft
65/69	A	WBV,WDL	C4AZ 4204-E	1	W/9" R/G, medium diff. brg., & 2 pinion Equalock axle
65	A	WDC-CB	D0OZ 4204-D	1	Use w/9" R/G medium diff. brg., 2
66/69	A	WDC,WDD		1	pinion conventional 28 spline shaft
65/69	A	WDL	C4AZ 4204-F	1	W/9" R/G, large diff. brg., 2 or 4 pinion equalock, 28 spline shaft (1/2" dia. bolt holes)

‡ Differential assemblies although not normally stocked as service items may be obtained from the nearest assembly plant when used in current production.

May, 1975 COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
4204 CASE ASSY. - REAR AXLE DIFFERENTIAL GEAR - continued					
	- A -				
65/	A	All	▲D0OZ 4204-D	1	W/9" R/G, Slim-line diff. brg., conventional 4 pinion, 28 or 31 spline shaft (incl. C9AZ 4221-A brg., C9AZ 4222-A cup)
65/	A	All	▲D2AZ 4204-A	1	With 9" R/G, Slim-line or large diff. brg., conventional 2 pinion, 28 spline shaft
69/	A	All	▲D0OZ 4204-C	1	With 9" R/G, large or slim-line diff. brg., traction-lok, 2 or 4 pinion, 28 spline shaft (incl. C9AZ 4221-A, C9AZ 4222-A cup, (2) C9OZ 4228-A washers)
66/69	A	WDT	C6AZ 4204-D	1	With 9 3/8" R/G, XL diff. brg., 2 pinion Equalock, 31 spline shaft
66/70	A	WDT	C9AZ 4204-A	1	W/9 3/8" R/G, XL diff. brg., 2 pinion conventional, 31 spline shaft
67/69	A	WER-A, C, E	D0AZ 4204-B	1	W/8 1/2" R/G, integral type axle (incl. (2) D0AW 4220-A brg.)
69/	A	WER-F, G, H, J	C9AZ 4204-B	1	W/8.7" R/G, integral type axle
70	A	WFH	D0AZ 4204-A	1	W/9 3/8", XL diff. brg., 2 pinion traction-lock, 31 spline shaft
	- B -				
65/69	B	WDK, WDZ, WEA	C4OZ 4204-B	1	W/8" R/G, medium diff. brg. 2 pinion equalock
65/	B	WCL, WDW (exc. K2)	D0OZ 4204-A	1	W/8" R/G, medium diff. brg. 2 pinion conventional
		WDY		1	
65	B	WCU	D0OZ 4204-D	1	W/9" R/G, medium diff. brg., 2 pinion conventional
68	B	WDW-K2		1	
66/70	B "Before 5/13/70"	WEB, WEC		1	W/9" R/G, large diff., brg., 2 or 4 pinion conventional, 28 spline shaft
66/68	B	WED, WEE	C4AZ 4204-F	1	W/9" R/G large diff. brg., 2 or 4 pinion equalock, 28 spline shaft, 7/16" or 1/2" dia. bolt holes optional
67/68	B	WEZ	C1DW 4204-B	1	W/7 1/4" R/G, small diff. brg. 4 pinion conventional
69/	B	WFJ	C9OZ 4204-F	1	W/8" R/G, medium diff. brg., 2 pinion traction-lok
69/72	"Before 5/15/72"	WFK		1	
67/70	B "Before 5/13/70"	WEB	C9OZ 4204-B	1	W/9" R/G large diff. brg., 4 pinion conventional, 31 spline shaft
69/70	B "Before 5/13/70"	WFA	D0OZ 4204-C	1	W/9" R/G, large diff. brg., 4 pinion Traction Lok, 28 spline shaft
68/70	B "Before 5/13/70"	WFC		1	W/9" R/G, large diff. brg., 4 pinion Traction Lok, 31 spline shaft
72	B "From 5/15/72"	WFK	D3OZ 4204-A	1	W/8" R/G, medium diff. brg., 2 pinion Traction Lok
70/	B "From 5/13/70"	All	▲D0OZ 4204-D	1	W/9" R/G, Slim-line diff. brg., conventional 4 pinion, 31 spline shaft (incl. C9AZ 4221-A brg., C9AZ 4222-A cup, (2) C9AZ 4228-A washers)
			▲D2AZ 4204-A	1	W/9" R/G Slim-line diff. brg., conventional 2 pinion, 28 spline shaft
			▲D0OZ 4204-C	1	W/9" R/G, Slim-line diff. brg., traction-lok, 2 or 4 pinion, 28 or 31 spline shaft, (incl. C9AZ 4221-A brg., C9AZ 4222-A cup)
70	B	WFU-D	▲D0OZ 4204-E	1	W/9" R/G, slim line diff. brg., no-spin locker, 31 spline shaft
			24633-S(U107K)	3	Bolt-1/4"-20 x 5/8" (attach R.H. case to L.H. case)

● Includes (2) C9OZ 4228-A washers

▲ When used to replace case with large differential bearing, use existing large bearing (B7A 4221-B) and cup (B7A 4222-B). When used to replace case with medium differential bearing, use slim-line bearing (C9AZ 4221-A) and cup (C9AZ 4222-A).

YEAR	MODEL		AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
4204	**CASE ASSY. - REAR AXLE DIFFERENTIAL GEAR - continued**					
	- F -					
65/	F		WCL,WCZ	D0OZ 4204-A	1	W/8" R/G, medium diff. brg., 2 pinion conventional
65/69	F		WDJ	C4OZ 4204-B	1	W/8" R/G, medium diff. brg., 2 pinion equalock
69/72	F	"Before 5/15/72"	WFL	C9OZ 4204-F	1	W/8" R/G, medium diff. brg., 2 pinion traction-lok
65/70	F	"Before 5/13/70"	WCZ,WES	D0OZ 4204-D	1	W/9" R/G, medium diff. brg., 2 pinion conventional
67/70	F	"Before 5/13/70"	WES	• C2AZ 4204-K	1	W/9" R/G, large diff. brg., 2 or 4 pinion conventional, 28 spline shaft
69/70	F	"Before 5/13/70"	WES	C9OZ 4204-B	1	W/9" R/G, large diff. brg., 4 pinion conventional, 31 spline shaft
67/68	F		WES	C4AZ 4204-F	1	W/9" R/G, large diff. brg., 2 or 4 pinion equalock, 28 spline shaft, 7/16" or 1/2" dia. bolt holes optional
69/70	F	"Before 5/13/70"	WFB	D0OZ 4204-C	1	W/9" R/G, large diff.brg., 4 pinion Traction-Lok, 28 spline shaft
69/70	F	"Before 5/13/70"	WFD		1	W/9" R/G, large diff. brg., 4 pinion Traction-Lok, 31 spline shaft
70/	F	"From 5/13/70"	All	▲ D0OZ 4204-D	1	W/9" R/G, slim line diff. brg., 4 pinion conventional, 31 spline shaft (incl. C9AZ 4221-A brg., C9AZ 4222-A cup, (2) C9AZ 4228-A washers)
				▲D2AZ 4204-A	1	W/9" R/G, Slim-line diff. brg., conventional 2 pinion, 28 spline shaft
				▲D0OZ 4204-C	1	W/9" R/G, slim line diff. brg., 2 or 4 pinion traction-lok, 28 or 31 spline shaft, (incl. C9AZ 4221-A brg., C9AZ 4222-A cup)
				▲ D0OZ 4204-E	1	W/9" R/G, slim line diff. brg., no-spin 2 pinion, 31 spline shaft (incl. C9AZ 4221-A brg., C9AZ 4222-A cup)
70	F	"Before 5/13/70"	WFU-E	D0OZ 4204-B	1	W/9" R/G, large diff. brg., no-spin differential, 31 spline shaft
70	F	"From 5/13/70"	WFU-E	D0OZ 4204-E	1	W/9" R/G, slim line diff. brg., no-spin locker, 31 spline shaft
				24633-S(U107K)	3	Bolt-1/4"-20 x 5/8" (attach R.H. case to L.H. case)
65/68	F		WCY	C4DZ 4204-A	1	W/7 1/4" R/G, small diff. brg., 2 pinion equalock
66	F		WCZ	C4AZ 4204-E	1	W/9" R/G, medium diff. brg.,
68	F		WES-R		1	2 pinion equalock, 28 spline shaft
72	F	"From 5/15/72"	WFL	D3OZ 4204-A	1	W/8" R/G, medium diff. brg., 2 pinion Traction-Lok
65/70	F		WCY	★C1DW 4204-A	1	W/7 1/4" R/G, small diff. brg., 2 pinion conventional -repl. by C1DW 4204-B (10-74)
65/70	F		WCY	C1DW 4204-B	1	W/7 1/4" R/G, small diff. brg., 4 pinion conventional
72	F		WFL-A,B	D3OZ 4204-A	1	W/8" R/G traction-lok, 2 pinion
	- L -					
71/	L		WDV,WGF	D1FZ 4204-A	1	W/6 3/4" R/G, extra small differential brg., conventional 2 or 4 pinion

• Includes (2) C9OZ 4228-A washers

▲ When used to replace case with large differential bearing, use existing large bearing (B7A 4221-B) and cup (B7A 4222-B). When used to replace case with medium differential bearing, use slim-line bearing (C9AZ 4221-A) and cup (C9AZ 4222-A).

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
4204 CASE ASSY. - REAR AXLE DIFFERENTIAL GEAR - continued					
	- P -				
70	P	WDV	C1DW 4204-A	1	W/7 1/4" R/G, small diff. brg., 2 pinion conventional
70	P	WDV	C4DZ 4204-A	1	W/7 1/4" R/G, small diff. brg., 2 pinion equalock
70/71	P	WFS	C9OZ 4204-F	1	W/8" R/G, medium diff. brg., 2 pinion traction-lok
70/	P	WDV, WDW	D0OZ 4204-A	1	W/8" R/G, medium diff. brg., 2 pinion conventional
	- S -				
65/66	S	WCD-J, WDE	C4AZ 4204-F	1	W/9" R/G, large diff.brg., 2 or 4 pinion, Equalock axle, 28 spline shaft, 1/2" dia. bolt holes
65/67	S	WCD-H, WDC	C2AZ 4204-K	1	W/9" R/G, large diff.brg., 2 or 4
70	S		r/b D0OZ 4204-D (12/72)	1	pinion conventional, 28 spline shaft, no oil scoop
66/69	S	WDT, WEF, WGA	C6AZ 4204-D	1	W/9 3/8" R/G, XL diff.brg., 2 pinion Equalock, 31 spline shaft
66/70	S	WDT, WEF, WGA	C9AZ 4204-A	1	W/9 3/8" R/G, XL diff.brg., 2 pinion
71/	S	All		1	conventional, 31 spline shaft
70	S "Before 5/13/70"	WFV	C9OZ 4204-D	1	W/9" R/G, large diff.brg., 2 or 4 pinion Traction-lok, 28 spline shaft
70/	S "From 5/13/70"	All	▲D0OZ 4204-D	1	W/9" R/G, Slim-line diff. brg., conventional 4 pinion 31 spline shaft (inc: C9AZ 4221-A brg., C9AZ 4222-A cup)
			ΔD2AZ 4204-A	1	W/9" R/G slim-line diff. brg. conventional 2 pinion 28 spline shaft
			▲D0OZ 4204-C	1	W/9" R/G, Slim-line diff.brg., traction-lok, 2 or 4 pinion, 28 spline shaft (inc: C9AZ 4221-A, C9AZ 4222-A cup, (2) C9OZ 4228-A washers)
70/	S	WFN	D0AZ 4204-A	1	W/9 3/8", XL diff. brg., 2or4 pinion Traction-lok, 31 spline shaft
	- U -				
66/69	U	WEM	C4AZ 4204-E	1	W/9" R/G, medium diff. brg., 2 pinion equalock
66/69	U	WEN	C4AZ 4204-F	1	W/9" R/G, large diff. brg., 2 pinion equalock, 1/2" dia. bolt holes
66/70	U "Before Ser.J10,001"	WEN	C2AZ 4204-H	1	W/9" R/G, medium diff. brg.
69/70	U "Before Ser.J10,001"	WEN	D0OZ 4204-D	1	W/9" R/G, large diff. brg., 2 pinion conventional
69/70	U "Before Ser.J10,001"	WFP	★D0TZ 4204-A	1	W/9" R/G, medium diff. brg., 2 pinion traction-lok-repl. by D0OZ 4204-C (10-74)
69/70	U "Before Ser.J10,001"	WFR	C9OZ 4204-D	1	W/9" R/G, large diff. brg., 2 pinion traction-lok
70/	U "From Ser.J10,001"	All	D0OZ 4204-D	1	W/9" R/G, slim line diff. brg., 4 conventional pinion, 31 spline shaft, (incl. C9AZ 4221-A brg., C9AZ 4222-A cup, (2) C9AZ 4228-A washers)
			D2AZ 4204-A	1	W/9" R/G slim-line diff. brg., conventional 2 pinion, 28 spline shaft
			D0OZ 4204-C	1	W/9" R/G, slim line diff. brg., traction-lok, 2 or 4 pinion, 28 or 31 spline shaft (incl. C9AZ 4221-A brg., C9AZ 4222-A cup)

▲ When used to replace case with large differential bearing, use existing large bearing (B7A 4221-B) and cup (B7A 4222-B). When used to replace case with medium differential bearing, use slim-line bearing (C9AZ 4221-A) and cup (C9AZ 4222-A).

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4204 CASE ASSY. - REAR AXLE DIFFERENTIAL GEAR - continued				
	- X -				
65/67	X	WCY, WDV	C1DW 4204-B	1	W/7 1/4" R/G, small diff. brg., used to convert 2 to 4 pinion conventional
65/69	X	WDW, WDY, WCZ	D0OZ 4204-A	1	W/8" R/G, medium diff. brg. 2 pinion conventional
65/69	X	WDZ, WEA	C4OZ 4204-B	1	W/8" R/G, medium diff. brg., 2 pinion equalock
65/70	X	WCY, WDV	C1DW 4204-A	1	W/7 1/4" R/G, small diff. brg., 2 pinion conventional
65/70	X	WCY, WDV	C4DZ 4204-A	1	W/7 1/4" R/G, small diff. brg., 2 pinion equalock
	4204 CASE ASSY. - FRONT AXLE DIFFERENTIAL GEAR				
66/71	U (front drive axle)- "Before Ser.K20,001"	Dana (Spicer) 30	C6TZ 4204-L	1	3.50 ratio-std.
66/71	U (front drive axle)- "Before Ser.K20,001" "Before Ser.K20,001"	Dana (Spicer) 30	C6TZ 4204-M	1	3.50 ratio-locker
66/71	U (front drive axle)-	Dana (Spicer) 30	C6TZ 4204-C	1	4.10, 4.56 ratio-std.
66/71	U (front drive axle) - "Before Ser.K20,001"	Dana (Spicer) 30	C6TZ 4204-N	1	4.10, 4.56 ratio-locker
71/	U(front drive axle)- "From Ser.K20,001"	Dana (Spicer) 44	C6TZ 4204-P	1	3.54 ratio-std.
71/	U(front drive axle)- "From Ser.K20,001"	Dana (Spicer) 44	D1TZ 4204-D	1	3.54 ratio-locker
71/	U(front drive axle)- "From Ser.K20,001"	Dana (Spicer) 44	C6TZ 4204-G	1	4.09, 4.55 ratio-std.
71/	U(front drive axle)- "From Ser.K20,001"	Dana (Spicer) 44	D1TZ 4204-C	1	4.09 ratio-locker

4209 RING GEAR and PINION KIT - REAR AXLE DIFFERENTIAL -Also refer to Group 3222 (Bronco Front Axle)

RING GEAR and PINION IDENTIFICATION CHART LISTED NUMERICALLY BY STAMPED NUMBER ON RING GEAR

IDENTIFICATION NUMBER		RING GEAR & PINION PART NUMBER	REPLACED BY
RING GEAR	PINION		
C0AW 4210-A	C0AW 4610-A	C0AZ 4209-A	C0AZ 4209-E
C1DW 4210-A	C1DW 4610-A		C1DZ 4209-Y
C1DW 4210-B	C1DW 4610-B		C1DZ 4209-Z
C1DW 4210-C	C1DW 4610-C		C1DZ 4209-Z
C1DW 4210-C	C1DW 4610-F	C1DZ 4209-Z	
C1DW 4210-D	C1DW 4610-G	C1DZ 4209-V	
C1DW 4210-D	C1DW 4610-R		C1DZ 4209-Z
C1DW 4210-E	C1DW 4610-D	C1DZ 4209-Y	
C2AW 4210-A	C2AW 4610-A	C2AZ 4209-A	B7AZ 4209-K
C2AW 4210-A	C2AW 4610-H	C2AZ 4209-A	B7AZ 4209-K
C2AW 4210-A	C2AW 4610-J	B7AZ 4209-F	B7AZ 4209-K
C2AW 4210-A	C2AW 4610-J	B7AZ 4209-K	
C2AW 4210-B	C2AW 4610-B	C2AZ 4209-B	C9OZ 4209-A
C2AW 4210-B	C2AW 4610-K	C2AZ 4209-B	C9OZ 4209-A
C2AW 4210-B	C2AW 4610-L	B7AZ 4209-G	C9OZ 4209-A
C2AW 4210-B	C2AW 4610-L	B7AZ 4209-L	C9OZ 4209-A
C2AW 4210-B	C2AW 4610-R		C0AZ 4209-E
C2AW 4210-C	C2AW 4610-C	C2AZ 4209-C	C9OZ 4209-A
C2AW 4210-C	C2AW 4610-M	C2AZ 4209-C	C9OZ 4209-A

IDENTIFICATION NUMBER		RING GEAR & PINION PART NUMBER	REPLACED BY
RING GEAR	PINION		
C2AW 4210-D	C2AW 4610-D	C2AZ 4209-D	C9OZ 4209-A
C2AW 4210-D	C2AW 4610-N	C2AZ 4209-D	C0AZ 4209-E
C2AW 4210-D	C2AW 4610-R	C0AZ 4209-D	C0AZ 4209-E
C2AW 4210-D	C2AW 4610-R	C0AZ 4209-E	
C2AW 4210-E	C2AW 4610-D	C2AZ 4209-E	C0AZ 4209-E
C2AW 4210-E	C2AW 4610-N	C2AZ 4209-E	C0AZ 4209-E
C2AW 4210-E	C2AW 4610-R		C0AZ 4209-E
C2AW 4210-F	C2AW 4610-B	C2AZ 4209-F	C9OZ 4209-A
C2AW 4210-F	C2AW 4610-K	C2AZ 4209-F	C9OZ 4209-A
C2AW 4210-F	C2AW 4610-L	C2AZ 4209-F	C9OZ 4209-A
C2AW 4210-G	C2AW 4610-C	C2AZ 4209-G	C8OZ 4209-A
C2AW 4210-G	C2AW 4610-M	C2AZ 4209-G	C8OZ 4209-A
C2AW 4210-H	C2AW 4610-A	C2AZ 4209-H	B7AZ 4209-K
C2AW 4210-H	C2AW 4610-H	C2AZ 4209-H	B7AZ 4209-K
C2AW 4210-H	C2AW 4610-J	C3AZ 4209-D	B7AZ 4209-K
C2AW 4210-J	C2AW 4610-E	C2AZ 4209-J	C0AZ 4209-E
C2AW 4210-J	C2AW 4610-J		C0AZ 4209-E
C2AW 4210-J	C2AW 4610-R	C2AZ 4209-J	C0AZ 4209-E

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

4209 RING GEAR and PINION KIT - REAR AXLE DIFFERENTIAL - continued -Also refer to Group 3222 (Bronco Front Axle)

RING GEAR and PINION IDENTIFICATION CHART LISTED NUMERICALLY BY STAMPED NUMBER ON RING GEAR

RING GEARS ARE ALSO LISTED BY MODEL APPLICATION, BEGINNING ON THE NEXT PAGE.

IDENTIFICATION NUMBER		RING GEAR & PINION PART NUMBER	REPLACED BY
RING GEAR	PINION		
C2AW 4210-K	C2AW 4610-F	C2AZ 4209-K	C9OZ 4209-A
C2AW 4210-K	C2AW 4610-L	C2AZ 4209-K	C9OZ 4209-A
C2AW 4210-L	C2AW 4610-G	C2AZ 4209-L	B7AZ 4209-K
C2AW 4210-L	C2AW 4610-J	C2AZ 4209-L	B7AZ 4209-K
C2OW 4210-A	C2OW 4610-A	C2OZ 4209-A	C4OZ 4209-H
C2OW 4210-A	C2OW 4610-D	C2OZ 4209-A	C4OZ 4209-H
C2OW 4210-A	C2OW 4610-G	C2OZ 4209-A	C4OZ 4209-H
C2OW 4210-B	C2OW 4610-B	C2OZ 4209-B	C4OZ 4209-F
C2OW 4210-B	C2OW 4610-E	C2OZ 4209-B	C4OZ 4209-F
C2OW 4210-B	C2OW 4610-H	C2OZ 4209-B	C4OZ 4209-F
C2OW 4210-C	C2OW 4610-C	C2OZ 4209-C	C4DZ 4209-D
C2OW 4210-C	C2OW 4610-F	C2OZ 4209-C	C4DZ 4209-D
C2OW 4210-C	C2OW 4610-J	C2OZ 4209-C	C4DZ 4209-D
C3AW 4210-A	C3AW 4610-A	C3AZ 4209-A	B8AZ 4209-C
C3AW 4210-B	C3AW 4610-A	B8AZ 4209-B	B8AZ 4209-C
C3AW 4210-B	C3AW 4610-A	B8AZ 4209-C	
C3AW 4210-B	C3AW 4610-D	B7AZ 4209-E	C8OZ 4209-A
C3AW 4210-C	C3AW 4610-B		C9OZ 4209-A
C3AW 4210-D	C3AW 4610-B	B7AZ 4209-J	C8OZ 4200-A
C3AW 4210-D	C3AW 4610-B	B7AZ 4209-N	C8OZ 4200-A
C3AW 4210-D	C3AW 4610-D	C3AZ 4209-B	C9OZ 4209-A
C3UW 4210-A	C3UW 4610-A	C3UZ 4209-A	C3UZ 4209-C
C3UW 4210-B	C3UW 4610-A	C3UZ 4209-B	C3UZ 4209-C
C3UW 4210-B	C3UW 4610-A	C3UZ 4209-C	
C4AW 4210-A	WAB 4610-A	C4AZ 4209-L	C4AZ 4209-V
C4AW 4210-B	C4AW 4610-A	C4AZ 4209-B	Not replaced
C4AW 4210-B	C4AW 4610-A	C4AZ 4209-M	Not replaced
C4AW 4210-C	C4AW 4610-B	C4AZ 4209-C	C8OZ 4209-B
C4AW 4210-C	C4AW 4610-B	C4AZ 4209-N	C8OZ 4209-B
C4AW 4210-D	C4AW 4610-C	C3AZ 4209-H	
C4AW 4210-E	C4AW 4610-D	C4AZ 4209-E	
C4AW 4210-E	C4AW 4610-D	C4AZ 4209-P	Not replaced
C4AW 4210-F	C4AW 4610-E	C4AZ 4209-R	C4AZ 4209-AB
C4AW 4210-G	C4AW 4610-F	C4AZ 4209-S	C4AZ 4209-AC
C4AW 4210-H	C4AW 4610-G	C4AZ 4209-T	Not replaced
C4AW 4210-J	C4AW 4610-H	C4AZ 4209-U	Not replaced
C4DW 4210-A	C4DW 4610-A	C4DZ 4209-D	
C4OW 4210-A	C3OW 4610-A	C3OZ 4209-A	C3OZ 4209-D
C4OW 4210-A	C4OW 4610-A	C4OZ 4209-D	C4OZ 4209-K
C4OW 4210-B	C4OW 4610-B	C4OZ 4209-H	
C4OW 4210-C	C4OW 4610-C	C4OZ 4209-J	
C4OW 4210-D	C3OW 4610-A	C3OZ 4209-C	C3OZ 4209-D
C5DW 4210-A	C5DW 4610-A	C5DZ 4209-C	

IDENTIFICATION NUMBER		RING GEAR & PINION PART NUMBER	REPLACED BY
RING GEAR	PINION		
C6AW 4210-A	C6AW 4610-C	C6AZ 4209-A	D2AZ 4209-A
C6AW 4210-A	D0AW 4610-E	D2AZ 4209-A	
C6AW 4210-B	C6AW 4610-B	C6AZ 4209-B	
C6AW 4210-C	C6AW 4610-A	C6AZ 4209-C	
C6AW 4210-D	C6AW 4610-D	C6AZ 4209-D	
C6AW 4210-D	D0AW 4610-F	D2AZ 4209-B	
C6OW 4210-A	C6OW 4610-A	C4OZ 4209-K	
C7AW 4210-C	C7AW 4610-F	C7AZ 4209-H	
C7AW 4210-E	C7AW 4610-E	C7AZ 4209-G	
C7AW 4210-F	C7AW 4610-H	C7AZ 4209-J	
C8AW 4210-A	C8AW 4610-A	C8AZ 4209-A	Not replaced
C8AW 4210-D	C8AW 4610-D	C9AZ 4209-A	
C8OW 4210-A	C8OW 4610-A	C8OZ 4209-A	
C8OW 4210-B	C8OW 4610-B	C8OZ 4209-B	
C9OW 4210-A	C9OW 4610-A	C9OZ 4209-A	
C9ZW 4210-A	C9ZW 4610-A	C9ZZ 4209-A	
C9ZW 4210-C	C9ZW 4610-C	C9ZZ 4209-B	C4OZ 4209-K
D0AW 4210-A	D0AW 4610-A	C9AZ 4209-B	
D0AW 4210-B	D0AW 4610-B	C9AZ 4209-C	
D0AW 4210-C	D0AW 4610-C	C9AZ 4209-D	
D12W 4210-A	D12W 4610-A	D1FZ 4209-A	
D12W 4210-C	D12W 4610-C	D1FZ 4209-C	
D22W 4210-A	D22W 4610-A	D2FZ 4209-A	
WAA 4210-B	WAB 4610-A	B7A 4209-B	C0AZ 4209-E
WAA 4210-B	C1AW 4610-B	C1AZ 4209-B	C0AZ 4209-E
WAB 4210-A	WAB 4610-C	B7A 4209-C	B7AZ 4209-K
WAB 4210-A	C1TW 4610-A	C1TW 4209-A	B7AZ 4209-K
WAB 4210-B	WAB 4610-C	WAB 4209-J	C4AZ 4209-C
WAB 4210-C	WAB 4610-E	WAB 4209-H	C3UZ 4209-C
WAB 4210-D	WAB 4610-F	WAB 4209-G	C4AZ 4209-E
WAB 4210-E	WAB 4610-G	WAB 4209-F	C4AZ 4209-AB
WAB 4210-F	WAB 4610-H	WAB 4209-E	C4AZ 4209-AC
WAB 4210-G	WAB 4610-K	WAB 4209-D	Not replaced
WAB 4210-H	WAB 4610-J	WAB 4209-C	Not replaced
WAB 4210-J	WAB 4610-H	WAB 4209-C	Not replaced
WAB 4210-K	WAB 4610-D	WAB 4209-K	C4AZ 4209-M
WAC 4210-A	WAS 4610-A	B7A 4209-D	C9OZ 4209-A
WAC 4210-A	C1AW 4610-C	C1AZ 4209-C	C9OZ 4209-A
WAC 4210-B	WAM 4610-D	B7A 4209-E	C8OZ 4209-A
WAC 4210-B	C1AW 4610-D	C1AZ 4209-D	C8OZ 4209-A
WAL 4210-B	WAM 4610-B	B8E 4209-A	C0AZ 4209-E
WAL 4210-B	C1AW 4610-A	C1AZ 4209-A	C0AZ 4209-E
WAM 4210-A	WAM 4610-A	B8A 4209-E	B8AZ 4209-C
WAM 4210-B	WAM 4610-B	B8A 4209-F	B8AZ 4209-C
WAR 4210-B	WAR 4610-D	B8A 4209-D	C0AZ 4209-E
32919	32918	C6TZ 3222-A	
32938	32937	C6TZ 3222-B	
34411	34410	C6TZ 3222-G	

4209 RING GEAR and PINION KIT - REAR AXLE DIFFERENTIAL - continued -

Also refer to Group 3222 (Bronco Front Axle)

YEAR	MODEL	AXLE IDENTIFICATION	RATIO	PART NUMBER	QTY.	NO. of TEETH GEAR	NO. of TEETH PINION	REMARKS
	- A -							
	8 1/2" R/G							
67/68	A	WER-C	2.80	C7AZ 4209-H	1	42	15	
		WER-A	3.10	C7AZ 4209-G	1	31	10	
69	A	WER-C	2.80	C7AZ 4209-H	1	42	15	
		WER-A	3.10	C7AZ 4209-G	1	31	10	
		WER-E	3.25	C9AZ 4209-A	1	39	12	
	8.7" R/G							
69/71	A	WER-F	2.75	C9AZ 4209-B	1	44	16	
		WER-G	3.07	C9AZ 4209-C	1	43	14	
		WER-H	3.25	C9AZ 4209-D	1	39	12	
72	A	WER-F,J	2.75	C9AZ 4209-B	1	44	16	
		WER-H	3.25	C9AZ 4209-D	1	39	12	
	8 3/4" R/G - USE 9" for service							
	9" R/G							
65/67	A(high performance engine)-includes lubricant-for service installation only		3.10	C4AZ 4209-V	1	31	10	
			3.40	★C4AZ 4209-Y	1	34	10	Not replaced (10-74)
			4.30	C8OZ 4209-B	1	43	10	
			4.44	C3AZ 4209-H	1	40	9	
			4.71	C4AZ 4209-E	1	33	7	
			4.71	★C4AZ 4209-AA	1	33	7	Not replaced (10-74)
			4.86	C4AZ 4209-AB	1	34	7	
			5.14	C4AZ 4209-AC	1	36	7	
			5.43	★C4AZ 4209-AD	1	38	7	Not replaced
			5.67	★C4AZ 4209-AE	1	34	6	Not replaced (10-74)
65	A		3.00	C0AZ 4209-E	1	39	13	
			3.25	B8AZ 4209-C	1	39	12	
			3.50	C9OZ 4209-A	1	35	10	
			3.89	★B7AZ 4209-N	1	35	9	Note 1 -repl. by C8OZ 4209-A(9-73)
			4.11	B7AZ 4209-K	1	37	9	
66	A		3.00	C0AZ 4209-E	1	39	13	
			3.25	B8AZ 4209-C	1	39	12	
			3.50	C9OZ 4209-A	1	35	10	
67	A		2.75	C7AZ 4209-J	1	44	16	
			3.00	C0AZ 4209-E	1	39	13	
			3.25	B8AZ 4209-C	1	39	12	
68	A		2.75	C7AZ 4209-J	1	44	16	
			3.00	C0AZ 4209-E	1	39	13	
*			3.25	B8AZ 4209-C	1	39	12	
			3.50	C9OZ 4209-A	1	35	10	
69/	A	Exc. WER	2.75	C7AZ 4209-J	1	44	16	
			3.00	C0AZ 4209-E	1	39	13	
		Exc. WER	3.25	B8AZ 4209-C	1	39	12	
	9 3/8" R/G							
66/68	A		2.80	★C6AZ 4209-A	1	42	15	r/b D2AZ 4209-A(9-73)
			3.00	C6AZ 4209-C	1	39	13	
			3.25	C6AZ 4209-D	1	39	12	
			3.50	C6AZ 4209-B	1	35	10	
69/70	A		2.80	C6AZ 4209-A	1	42	15	
			3.00	C6AZ 4209-C	1	39	13	
			3.25	C6AZ 4209-B	1	35	10	
			2.80	D2AZ 4209-A	1	42	15	
	- B -							
	7 1/4" R/G							
67/68	B		2.83	C5DZ 4209-C	1	34	12	
	7 3/4" R/G - Use 8" R/G for service							

Note 1 - When using this kit to replace one with 1/2"-20 holes - use C5AZ 4216-A bolt

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

4209 RING GEAR and PINION KIT - REAR AXLE DIFFERENTIAL - continued -

Also refer to group 3222 (Bronco Front Axle)

YEAR	MODEL	AXLE IDENTIFICATION	RATIO	PART NUMBER	QTY.	NO. of TEETH GEAR	NO. of TEETH PINION	REMARKS
	- B -							
	8" R/G							
65/67	B		2.79	C4OZ 4209-K	1	39	14	
			2.80	C4OZ 4209-K	1	39	14	
			3.00	C4OZ 4209-H	1	39	13	
			3.25	C4DZ 4209-D	1	39	12	
			3.50	C4OZ 4209-J	1	35	10	
68/	B		2.79	C4OZ 4209-K	1	39	14	
			3.00	C4OZ 4209-H	1	39	13	
			3.25	C4DZ 4209-D	1	39	12	
	8 3/4" R/G - Use 9" R/G for service							
	9" R/G							
65	B		3.50	C9OZ 4209-A	1	35	10	
			3.89	B7AZ 4209-N	1	35	9	Note 1
			4.11	B7AZ 4209-K	1	37	9	
66	B		3.00	C0AZ 4209-E	1	39	13	
			3.25	B8AZ 4209-C	1	39	12	
67	B		2.75	C7AZ 4209-J	1	44	16	
			3.00	C0AZ 4209-E	1	39	13	
			3.25	B8AZ 4209-C	1	39	12	
			3.89	B7AZ 4209-N	1	35	9	Note 1
68/71	B		2.75	C7AZ 4209-J	1	44	16	
			3.00	C0AZ 4209-E	1	39	13	
			3.25	B8AZ 4209-C	1	39	12	
			3.50	C9OZ 4209-A	1	35	10	
			3.91	C8OZ 4209-A	1	43	11	
			4.30	C8OZ 4209-B	1	43	10	
72	B		2.75	C7AZ 4209-J	1	44	16	
			3.00	C0AZ 4209-E	1	39	13	
			3.25	B8AZ 4209-C	1	39	12	
			3.50	C9OZ 4209-A	1	35	10	
	- F -							
	7 1/4" R/G							
65	F		2.83	C5DZ 4209-C	1	34	12	
			3.50	C1DZ 4209-Z	1	35	10	
66/68	F		2.83	C5DZ 4209-C	1	34	12	
69/70	F		2.83	C5DZ 4209-C	1	34	12	
			3.08	C9ZZ 4209-A	1	37	12	
	7 3/4" R/G - Use 8" R/G for service							
	8" R/G							
65	F		2.80	C4OZ 4209-K	1	39	14	
			3.00	C4OZ 4209-H	1	39	13	
			3.50	C4OZ 4209-J	1	35	12	
66/67	F		2.79	C4OZ 4209-K	1	39	14	
			2.80	C4OZ 4209-K	1	39	14	
			3.00	C4OZ 4209-H	1	39	13	
68	F		2.79	C4OZ 4209-K	1	39	14	
			3.00	C4OZ 4209-H	1	39	13	
			3.25	C4DZ 4209-D	1	39	12	
69	F		2.79	C4OZ 4209-K	1	39	14	
			3.00	C4OZ 4209-H	1	39	13	
70/	F		2.79	C4OZ 4209-K	1	39	14	
			3.00	C4OZ 4209-H	1	39	12	
	8 3/4" R/G - Use 9" R/G for service							

Note 1 - When using this kit to replace one with 1/2"-20 holes - use C3AZ 4216-A bolt

4209 RING GEAR and PINION KIT - REAR AXLE DIFFERENTIAL - continued -

Also refer to Group 3222 (Bronco Front Axle)

YEAR	MODEL	AXLE IDENTIFICATION	RATIO	PART NUMBER	QTY.	NO. of TEETH GEAR	NO. of TEETH PINION	REMARKS
	- F -							
	9" R/G							
65	F		3.50	C9OZ 4209-A	1	35	10	
			3.89	B7AZ 4209-N	1	35	9	Note 1
			4.11	B7AZ 4209-K	1	37	9	
66	F		3.50	C9OZ 4209-A	1	35	10	
			3.89	B7AZ 4209-N	1	35	9	Note 1
67	F		3.00	C0AZ 4209-E	1	39	13	
			3.25	B8AZ 4209-C	1	39	12	
			3.50	C9OZ 4209-A	1	35	10	
			3.89	B7AZ 4209-N	1	35	9	
68/70	F		2.75	C7AZ 4209-J	1	44	16	
			3.00	C0AZ 4209-E	1	39	13	
			3.25	B8AZ 4209-C	1	39	12	
			3.50	C9OZ 4209-A	1	35	10	
			3.91	C8OZ 4209-A	1	43	11	
			4.30	C8OZ 4209-B	1	43	10	
71	F		2.75	C7AZ 4209-J	1	44	16	
			3.00	C0AZ 4209-E	1	39	13	
			3.25	B8AZ 4209-C	1	39	12	
			3.50	C9OZ 4209-A	1	35	10	
			3.91	C8OZ 4209-A	1	43	11	
			4.11	B7AZ 4209-K	1	37	9	
			4.30	C8OZ 4209-B	1	43	10	
72	F		2.75	C7AZ 4209-J	1	44	16	
			3.25	B8AZ 4209-C	1	39	12	
			3.50	C9OZ 4209-A	1	35	10	
			3.91	C8OZ 4209-A	1	43	11	
	- L -							
	6 3/4" R/G							
71	L		3.18	D1FZ 4209-C	1	35	11	
			3.55	D1FZ 4209-A	1	39	11	
72	L		3.18	D1FZ 4209-C	1	35	11	
			3.55	D1FZ 4209-A	1	39	11	
	- P -							
	7 1/4" R/G							
70	P		2.83	C5DZ 4209-C	1	34	12	
			3.08	C9ZZ 4209-A	1	37	12	
	8" R/G							
70/	P		2.79	C4OZ 4209-K	1	39	14	
			3.00	C4OZ 4209-H	1	39	13	
	- S -							
	9" R/G							
65	S		3.00	C0AZ 4209-E	1	39	13	
			3.25	B8AZ 4209-C	1	39	12	
			3.50	C9OZ 4209-A	1	35	10	
66/67	S		3.00	C0AZ 4209-E	1	39	13	
70/71	S		2.75	C7AZ 4209-J	1	44	16	
			3.00	C0AZ 4209-E	1	39	13	
72	S		2.75	C7AZ 4209-J	1	44	16	
			3.25	B8AZ 4209-C	1	39	12	
			3.00	C0AZ 4209-E	1	39	13	

Note 1 - When using this kit to replace one with 1/2"-20 holes - use C3AZ 4216-A bolt

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	AXLE IDENTIFICATION	RATIO	PART NUMBER	QTY.	NO. of TEETH GEAR	NO. of TEETH PINION	REMARKS
4209	**RING GEAR and PINION KIT - REAR AXLE DIFFERENTIAL - continued -** Also refer to Group 3222 (Bronco Front Axle)							
	- S -							
	9 3/8" R/G							
66/67	S		2.80	C6AZ 4209-A	1	42	15	
			3.00	C6AZ 4209-C	1	39	13	
68	S		3.00	C6AZ 4209-C	1	39	13	
69/71			2.80	C6AZ 4209-A	1	42	15	
			3.00	C6AZ 4209-C	1	39	13	
72	S		2.80	D2AZ 4209-A	1	42	15	
			3.00	C6AZ 4209-C	1	39	13	
			3.25	D2AZ 4209-B	1	39	12	
	- U -							
	8 3/4" R/G - Use 9" R/G for service							
	9" R/G							
66/	U		3.50	C9OZ 4209-A	1	35	10	
			4.11	B7AZ 4209-K	1	37	9	
			4.57	C3UZ 4209-C	1	32	7	
	- X -							
	7 1/4" R/G							
65	X		2.83	C5DZ 4209-C	1	34	12	
			3.50	C1DZ 4209-Z	1	35	10	
66/70	X		2.83	C5DZ 4209-C	1	34	12	
	7 3/4" R/G - Use 8" R/G for service							
	8" R/G							
65	X		2.80	C4OZ 4209-K	1	39	14	
66/67	X		2.79	C4OZ 4209-K	1	39	14	
			2.80	C4OZ 4209-K	1	39	14	
			3.00	C4OZ 4209-H	1	39	13	
			3.25	C4DZ 4209-D	1	39	12	
			3.50	C4OZ 4209-J	1	35	10	
68/70			2.79	C4OZ 4209-K	1	39	14	
			3.00	C4OZ 4209-H	1	39	13	
			3.25	C4DZ 4209-D	1	39	12	

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
65/	A, S, X		371518-S(MM180)	1	Locknut (pinion flange to pinion)-3/4"-20
65/	A, B, F, S, X		356214-S8(XX162)		Washer-flat-29/64"
65/	A(exc. locking axle)-exc. WER axle-refer to group 4216		372487-S(BB395)	10	Bolt (gear to case)-7/16"-20 x 15/16"-locking
65/	B, X (8 cyl.)			10	
66	U	WEM, WEN		8	
70	B, F	WFU-D, E		10	
65/	A, B, F, S, X -locking axles		350627-S(BB432)	10	Bolt (gear to case)-7/16"-20 x 1 1/8"-self locking
66/	A-exc. WER axle-refer to group 4216		377574-S7-8(PP41B)	10	Plug (gear to case)-7/16"-20 x .96" locking
65/70	F, X		379237-S(BB394A)	8	Bolt (ring gear to case)-3/8"-24 x 1.17"-locking
66/70	F, X		372768-S(BB347)	8	Bolt (gear to case)-3/8"-24 x 3/4 locking
66/	U (front drive axle)		350672-S(BB214)	10	Bolt (gear to case)-3/8"-24 x 15/16"
67	U(front locking axle)		350672-S(BB214)	10	Bolt (gear to case)-3/8"-24 x 15/16"
65/	X		372768-S(BB437)	8	Bolt (gear to case)-3/8"-24 x 3/4"-locking
65	F			8	
67	B	WEZ		8	
70	P	WDV		8	

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4211 SHAFT - REAR AXLE DIFFERENTIAL PINION				
	- A -				
65/	A(2 pinion diff.)-8.7" 9" R/G		B7AZ 4211-A	1	Includes (1) C9AW 4211-A shaft & (1) 305105-S pin-(when replacing 69/ 8.7" R/G, use C7AZ 4241-A pin)
65/	A(4 pinion diff.)-9" R/G		C1AZ 4211-B	1	Includes (1) C9OW 4420-B seat, (2) WAB 44207-A shaft & (3) 359475-S pin-also use B7AZ 4211-A to replace long shaft if required
67/69	A(8 1/2" R/G)		C7AZ 4211-B	1	Includes (1) C7AZ 4241-A pin
66/71	A(9 3/8" R/G)		C6AZ 4211-B	1	7/8" dia.-5 3/8" long-includes (1) 359475-S pin & (1) C9AW 4211-B shaft
	- B -				
67/68	B(2 pinion diff.)-7 1/4" R/G		C0DZ 4211-A	1	Includes (1) 305086-S pin
67/68	B(4 pinion diff.)-7 1/4" R/G		C1DZ 4211-A	1	Includes (2) C1DW 4419-A shaft, (1) C1DW 4420-A seat & (3) 305110-S pin
65/	B(2 pinion diff.)-7 3/4", 8",9" R/G		B7AZ 4211-A	1	Includes (1) C9AW 4211-A shaft & (1) 305105-S pin
65/	B(4 pinion diff.)-9" R/G		C1AZ 4211-B	1	Includes (1) C9OW 4420-B seat, (2) WAB 44207-A shaft & (3) 359475-S pins-also use B7AZ 4211-A to replace long shaft if required
	- F -				
65/70	F(2 pinion diff.)-7 1/4" R/G		C0DZ 4211-A	1	Includes (1) 305086-S pin
65/70	F(4 pinion diff.)-7 1/4" R/G		C1DZ 4211-A	1	Includes (2) C1DW 4419-A shaft, (1) C1DW 4420-A seat & (3) 305110-S pin
65/	F(4 pinion diff.)-9" R/G		C1AZ 4211-B	1	Includes (1) C9OW 4420-B seat, (2) WAB 44207-A shaft & (3) 359475-S pin -also use B7AZ 4211-A to replace long shaft if required
65/	F(2 pinion diff.)-8", 9" R/G		B7AZ 4211-A	1	Includes (1) C9AW 4211-A shaft & (1) 305105-S pin
	- L -				
71/	L-6 3/4" R/G		C0DZ 4211-A	1	Includes (1) 305086-S pin
	- P -				
70	P-7 1/4" R/G		C0DZ 4211-A	1	Includes (1) 305086-S pin
70/	P-8" R/G		B7AZ 4211-A	1	Includes (1) C9AW 4211-A shaft & (1) 305105-S pin
	- S -				
65/	S(2 pinion diff.)-9" R/G		B7AZ 4211-A	1	Includes (1) C9AW 4211-A shaft & (1) 305105-S pin
65/	S(4 pinion diff.)-9" R/G	Exc. WFV-G,H,J,K, WGB-R,S	C1AZ 4211-B	1	Includes (1) C9OW 4420-B seat, (2) WAB 44207-A shaft & (3) 359475-S pin also use B7AZ 4211-A to replace long shaft if required
72	S(4 pinion)-9" R/G	WFV-G,H,J,K, WGB-R,S	D3SZ 4211-A	1	
66/	S-9 3/8" R/G		C6AZ 4211-B	1	Includes (1) C9AW 4211-B shaft & (1) 359475-S pin

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4211 SHAFT - REAR AXLE DIFFERENTIAL PINION - continued				
	- U -				
66/	U(rear drive axle)		B7AZ 4211-A	1	Includes (1) C9AW 4211-A shaft & (1) 305105-S pin
66/71	U(front drive axle)- "Before Ser.K20,001"		C6TZ 4211-A	1	11/16" dia.-4 3/8" long-without locking differential
71/	U(front drive axle)- "From Ser.K20,001"		8L 4211	1	5" long-without locking differential
66/	U(front drive axle)		C6TZ 4211-D	2	4 19/64" long-with locking differential
	- X -				
67/68	X(2 pinion diff.)-7 1/4" R/G		C0DZ 4211-A	1	Includes (1) 305086-S pin
67/68	X(4 pinion diff.)-7 1/4" R/G		C1DZ 4211-A	1	Includes (2) C1DW 4419-A shaft, (1) C1DW 4420-A seat & (3) 305110-S pin
65/70	X-7 3/4",8" R/G		B7AZ 4211-A	1	Includes (1) C9AW 4211-A shaft & (1) 305105-S pin
65/	A (with locking axle)		352506-S(NN115)	1	Pin (shaft lock)-1/4"-1 1/2"
65/	A, B, F, S, U, X		359475-S(NN116)	1or3	Pin (shaft lock)-1/4" x 1 3/4"
66/	A, S	WDT, WEF	305140-S(NN117)	1	Pin (shaft lock)-1/4" x 2 1/4"
67/	A	WER	34806-S7(X64)	1	Lockwasher-7/16"
65/	B, F, P, X (6 cyl.)		353909-S8(NN109)	1	Pin (shaft lock)-3/16" x 1 1/2"
66/	U (front drive axle)		357228-S(NN130)	1	Pin (shaft lock)-15/64" x 1 7/16"
65	X (locking axle)		★350086-S	1	Pin (shaft lock)-3/16" x 1 1/8" spring
	4214 WASHER - REAR AXLE DIFFERENTIAL CLUTCH - SPRING				
65/69	A, B, F, U, S, X (w/equalock)		C4AZ 4214-A	1	8",9" & 9 3/8" R/G
68/	A, B, F, P, S, U, X- (w/traction lok)		D0AZ 4214-A	4	1 1/16" free length-7/16" O.D. -8 coils - 8",9" & 9 3/8" R/G
65/70	F, X(w/equalock)		C4DZ 4214-A	1	Locking axle-integral carrier-7 1/4"R/G
	4215 PINION KIT - REAR AXLE DIFFERENTIAL				
65/69	A, B, F, S, U, X(7 3/4", 8", 9" ring gear) (W/equalock axles)		★C1AZ 4215-C r/b C8OZ 4215-A (11-73)	1or2	Consists of -2-C1AW 4215-C pinion 2- B7A 4230-A washer
69/ 65/72	A(8.7" ring gear) A, B, F, P, S, U, X(7 3/4" 8",9" ring gear) (w/conventional axles)	WER-F, G, H	C9AZ 4215-A	1 1or2	Consists of -2-D0AW 4215-A pinion 2-D0AZ 4230-A washer
66/	A, S (9 3/8" ring gear)		C6AZ 4215-A	1	Consists of-2-C6AW 4215-A pinion gears 2-C6AZ 4230-A thrust washer
67/69	A (8 1/2" ring gear)	WER-A, C, E	C7AZ 4215-A	1	Consists of-(2)C7AZ 4215-A pinion gears (2)-C7AZ 4230-A thrust washer
68/	A, B, F, P, S, U, X-(8" & 9" R/G)-w/traction lok axles)		C8OZ 4215-A	1	Consists of -4-C9OW 4215-A gears 4-C9OZ 4230-A washers
65/	B, F, L, P, X(6 3/4", 7", 7 1/4" ring gear)		C0DZ 4215-C	1	Consists of- 2-C0DW 4215-C pinion 2-C0DW 4230-C washer
66/71	U (front drive axle)- "Before Ser.K20,001"		C6TZ 4215-A	AR	
71/	U(front drive axle)- "From Ser.K20,001"		8M 4215	AR	
	4216 BOLT - REAR AXLE DIFFERENTIAL GEAR TO CASE				
65/67	A (8 cyl. 406, 427)		C3AZ 4216-A	10	To attach ring gear with 7/16" holes to case with 1/2" holes
66/69	A, S (9 3/8" ring gear)	WDT, WEF	C6AZ 4216-A	10	7/16"-20 x .96" use with Equa Lock diff. only
67/	A(8 1/2", 8.7" ring gear)	WER	C7AZ 4216-A	10	7/16"-20 x 3/4"
66/	U (front drive axle)		C6TZ 4216-D	8	3/8"-24 x 2 29/32" L.H. thread for locking diff. only
65/	A		350627-S	10	7/16" x 20" x 1 3/16"

4221-2 CONE - ROLLER and CUP - REAR AXLE DIFFERENTIAL BEARING

CONE-ROLLER and CUP CROSS-REFERENCE CHART

(FOR MODEL APPLICATION, REFER TO MODEL APPLICATION CHART ON THIS PAGE)

CONE-ROLLER	
IDENTIFICATION	SERVICE PART NUMBER
25590	B7T 1201-A
29749	C1UW 4221-A
LM48548	B7C 1201-A
LM102949	C9AZ 4221-A
LM501349	B7A 4221-A
LM603049	B7A 4221-B

CUP	
IDENTIFICATION	SERVICE PART NUMBER
25520	C3TZ 1202-B
25523	8M 4222
29710	C1UW 4222-A
48510	B7C 1202-A
LM102910	C9AZ 4222-A
LM501310	B7A 4222-A
LM501314	C6TZ 4222-A
LM603011	B7A 4222-B

YEAR	MODEL	CONE-ROLLER	QTY.	CUP	QTY	DESCRIPTION
	- A -					
65/70	A(8 1/2",9" R/G)- "Before 5/13/70"	B7A 4221-A	2	B7A 4222-A	2	•M-medium size
65/70	A(9" R/G)-"Before 5/13/70"	B7A 4221-B	2	B7A 4222-B	2	•L-large size
69/	A(8.7" R/G)	C9AZ 4221-A	2	C9AZ 4222-A	2	•SL-slim-line size
70/	A(9" R/G)-"From 5/13/70"		2		2	
66/70	A(9 3/8" R/G)	B7T 1201-A	2	C3TZ 1202-B	2	•XL-extra large size
	- B -					
67/68	B(7 1/4" R/G)	C1UW 4221-A	2	C1UW 4222-A	2	•S-small size
65/	B(7 3/4",8" R/G)	B7A 4221-A	2	B7A 4222-A	2	•M-medium size
65/70	B(9" R/G)-"Before 5/13/70"		2		2	
65/70	B(9" R/G)-"Before 5/13/70"	B7A 4221-B	2	B7A 4222-B	2	•L-large size
70/	B(9" R/G)-"From 5/13/70"	C9AZ 4221-A	2	C9AZ 4222-A	2	•SL-slim-line size
	- F -					
65/70	F(7 1/4" R/G)	C1UW 4221-A	2	C1UW 4222-A	2	•S-small size
65/	F(7 3/4",8" R/G)	B7A 4221-A	2	B7A 4222-A	2	•M-medium size
65/70	F(9" R/G)-"Before 5/13/70"		2		2	•M-medium size
65/70	F(9" R/G)-"Before 5/13/70"	B7A 4221-B	2	B7A 4222-B	2	•L-large size
70/	F(9" R/G)-"From 5/13/70"	C9AZ 4221-A	2	C9AZ 4222-A	2	•SL-slim-line size
	- L -					
71/	L(6 3/4" R/G)	B7C 1201-A	2	B7C 1202-A	2	•XS-extra small size
	- P -					
70	P(7 1/4" R/G)	C1UW 4221-A	2	C1UW 4222-A	2	•S-small size
70/	P(8" R/G)	B7A 4221-A	2	B7A 4222-A	2	•M-medium size
	- S -					
65/70	S(9" R/G)-"Before 5/13/70"	B7A 4221-B	2	B7A 4222-B	2	•L-large size
70/	S(9" R/G)-"From 5/13/70"	C9AZ 4221-A	2	C9AZ 4222-A	2	•SL-slim-line size
66/	S(9 3/8" R/G)	B7T 1201-A	2	C3TZ 1202-B	2	•XL-extra large size
	- U -					
66/70	U(rear drive axle)- "Before 5/13/70"	B7A 4221-A	2	B7A 4222-A	2	•M-medium size
67	U(rear drive axle)	B7A 4221-B	2	B7A 4222-B	2	•L-large size
70/	U(rear drive axle)	C9AZ 4221-A	2	C9AZ 4222-A	2	•SL-slim-line size
66/	U(front drive axle)-Dana (Spicer) 30,44	B7A 4221-B	2	B7A 4222-B	2	•L-large size-used as inner wheel bearing & cup
66/71	U(front drive axle)-Dana (Spicer) 30- "Before Ser.K20,001"	B7A 4221-A	2			Used as outer wheel & differential bearing
	"Before Ser.K20,001"			B7A 4222-A	2	Used as outer wheel bearing cup
	"Before Ser.K20,001"			C6TZ 4222-A	2	Used as differential bearing cup

• Refer to Page 1, Section 40 for explanation.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CONE-ROLLER	QTY.	CUP	QTY.	DESCRIPTION
	4221-2 CONE - ROLLER and CUP - DIFFERENTIAL BEARING - continued					
	- U -					
71/	U(front drive axle)-Dana(Spicer) (Spicer) 44- "From Ser.K20,001"	B7A 4221-A	2	B7A 4222-A	2	Used as outer wheel bearing & cup
71/	U(front drive axle)-Dana (Spicer) 44- "From Ser.K20,001"	B7T 1201-A	2	8M 4222	2	Used as differential bearing & cup
	- X -					
65/70	X(7 1/4" R/G)	C1UW 4221-A	2	C1UW 4222-A	2	•S-small size
65/70	X(8" R/G)	B7A 4221-A	2	B7A 4222-A	2	•M-medium size

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4228 WASHER - REAR AXLE DIFFERENTIAL SIDE GEAR THRUST				
65/69	A,B,F,S,U,X(7 3/4",8", 8 1/2",8.7", 9" R/G) "Before 11/18/68"		C2OW 4228-A	2	1 25/32" I.D.-2 7/8" O.D.-.031" thick
69/	A,B,F,S,U,X(7 3/4",8", 8 1/2",8.7",9" R/G) "From 11/18/68"		C9OZ 4228-A	2	2.84 O.D.-1.78 I.D.-.030 to .032 thick color code yellow-also supplied in 4236 kit
69/	A,S (9 3/8" R/G)	Traction Lok		1	
66/	A,S(9 3/8" ring gear)	All exc.Traction Lok	C6AZ 4228-A	2	1 25/32" I.D.-3 3/64" O.D.-.032" thick-also supplied in 4236 kit
69/	A,S(9 3/8" R/G)	Traction Lok		1	
65/70	B,F,P,X(6 3/4",7",7 1/4" ring gear)		C0DW 4228-A	2	1 25/64" I.D.-2 1/4" O.D.-.032" thick-also supplied in 4236 kit
71/	L(6 3/4" R/G)			2	
66/71	U (front drive axle)- "Before Ser.K20,001"		C6TZ 4228-A	2	1 37/64" I.D.-2 3/8" O.D.-.032" thick
71/	U(front drive axle)- "From Ser.K20,001"		C1VY 4228-A	1	1 49/64" I.D.-2 13/16" O.D.-.031" thick
	4230 WASHER - REAR AXLE DIFFERENTIAL PINION THRUST				
65/71	A,B,F,P,S,U,X(7 3/4", 8", 9" R/G)	All exc.Traction Lok	B7AZ 4230-A	2or4	25/32" I.D.-1 33/64" O.D.-.032" thick-phosphate coated
66/	A,S (9 3/8" ring gear)		C6AZ 4230-A	2	29/32" I.D.-1 3/4" O.D.-.031" thick-phosphate coated-also supplied in 4215 kit
67/69	A(8 1/2" ring gear)	WER-A,C,E	C7AZ 4230-A	2	49/64" I.D.-1 33/64" O.D.-032" thick-phosphate coated-also supplied in 4215 kit
68/	A,B,F,P,U,X (8", 9" R/G)	Traction Lok	C9OZ 4230-A	4	1 7/16" O.D.-3/4" I.D.-also supplied in 4215 kit
70/	S(9" ring gear)			4	
69/	A(8.7" R/G)	WER-F,G,H	D0AZ 4230-A	2	3/4" I.D.-1 1/2" O.D. -also supplied in 4215 kit
72	A,B,F,P,S(8", 9" R/G) all exc. Traction Lok..			2or4	
65/70	B,F,P,X(6 3/4",7",7 1/4" ring gear)		C0DW 4230-C	2	21/32" I.D.-1 11/32" O.D.-032" thick-cadmium plate - White-also supplied
71/	L(6 3/4" R/G)			2	in 4215 kit
66/71	U (front drive axle)- "Before Ser.K20,001"		C6TZ 4230-A	AR	45/64" I.D.-1 19/32" O.D.-.032" thick
71/	U(front drive axle)- "From Ser.K20,001"		8M 4230-A	AR	
	4A233 CLUTCH - REAR AXLE DRIVEN				
65/67	A (8 cyl. 427)		C5AZ 4A233-A	2	20 teeth-27 splines-no spin differential

• Refer to Page 1, Section 40 for explanation

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4234-5 SHAFT ASSY. - REAR AXLE				
	- A -				
65	A (9" R/G)	WDC-W, X	▲C5AZ 4234-C	1	31 splines-R. H. -32 5/16" long
			▲C5AZ 4234-D	1	-L. H. -29 19/32" long
65/67	A (9" R/G)	WDC-CB, WDD	●C5AZ 4234-A	1	28 splines-R. H. -32 1/4" long
			●C5AZ 4234-B	1	-L. H. -29 19/32" long
65/68	A (9" R/G)	WDC(exc. CB) WDL	▲C5AZ 4234-G	1	28 splines-R. H. -32 5/16" long
			▲C5AZ 4234-H	1	-L. H. -29 19/32" long
66/68	A (9 3/8" R/G)	WDT	▲C6SZ 4234-A	1	31 splines-R. H. -31 7/8" long
			▲C6AZ 4234-B	1	-L. H. -29 13/16" long
67/68	A (8 1/2" R/G)	WER	*C7AZ 4234-C	1	28 splines-R. H. -32 7/32" long
			*C7AZ 4234-D	1	-L. H. -30 1/8" long
69/70	A (9 3/8" R/G)	WDT, WFH	▲C9AZ 4234-E	1	31 splines-R. H. -33" long
			▲C9AZ 4234-F	1	-L. H. -30 3/4" long
69/	A (9" R/G)	WDC, WDL, WFG	▲C9AZ 4234-C	1	28 splines-R. H. -33 1/4" long
			▲C9AZ 4234-D	1	-L. H. -30 9/16" long
69/	A (8 1/2" & 8.7" R/G)	WER	*C9AZ 4234-A	1	28 splines-R. H. -33 3/16" long
			*C9AZ 4234-B	1	-L. H. -31 1/8" long
	- B -				
65	B (8" R/G)	WCL, WDK	●C2OZ 4234-A	1	28 splines-R. H. -30 1/8" long
			●C2OZ 4235-A	1	-L. H. -26 5/64" long
65	B (9" R/G)	WCU-B, C, D	●C5OZ 4234-B	1	28 splines-R. H. -30 1/8" long
			●C5OZ 4234-A	1	-L. H. -26 5/64" long
66/69	B (8" & 9" R/G)		●C9OZ 4234-A	1	28 splines-R. H. -31 1/8" long
			●C9OZ 4234-B	1	-L. H. -27 1/16" long
67/68	B (7 1/4" R/G)	WEZ	● C7OZ 4234-C	1	24 splines-R. H. -30 59/64" long
			● C7OZ 4234-D	1	-L. H. -27 27/64" long
67/69	B (9" R/G)		●C9OZ 4234-C	1	31 splines-R. H. -31 1/8" long
			●C9OZ 4234-D	1	-L. H. -27 1/16" long
70/71	B (8" & 9" R/G)		●D0OZ 4234-C	1	28 splines-R. H. -31 7/8" long
			●D0OZ 4234-D		-L. H. -27 13/16" long
70/71	B (9" R/G)		● D0OZ 4234-A	1	31 splines-R.H.-31 7/8" long
			●D0OZ 4234-B	1	-L. H. -27 13/16" long
72	B (8 & 9" R/G)	All	†D2OZ 4234-C	1	28 splines-R. H. -32 29/64" long
			†D2OZ 4234-D	1	-L. H. -29 51/64" long
	- F -				
★65/66	F (7 1/4" R/G)	WCY	◊C4DZ 4234-A	1	24 splines-R. H. -29 15/16" long
			◊C4DZ 4234-B	1	-L. H. 26 7/16" long
♦65/66	F (7 1/4" R/G)	WCY	◊C4DZ 4234-A	1	24 splines-R.H.-29 15/16" long
			CC4DW 4275-A	1	-L.H.-26 7/16" long
65/66	F (8" R/G)	WCZ, WDJ	● C2OZ 4234-A	1	28 splines-R. H. -30 1/8" long
			● C2OZ 4235-A	1	-L. H. -26 5/64" long
65/66	F (9" R/G)	WCZ	● C5OZ 4234-B	1	28 splines-R. H. -30 1/8" long
			● C5OZ 4234-A	1	-L. H. -26 5/64" long
67/69	F(8" & 9" R/G)- "Before 3/15/69"	WCZ, WDJ, WES exc. U, WFB	● C6OZ 4234-F	1	28 splines-R. H. -31 1/8" long
			● C9OZ 4234-B	1	-L. H. -27 1/16" long
69/70	F(8" & 9" R/G)- "From 3/15/69"		● C9OZ 4234-A	1	28 splines-R.H.-31 1/8" long
			● C9OZ 4234-B	1	-L. H. -27 1/16" long
67/70	F (7 1/4" R/G)	WCY	◊C6DZ 4234-C	1	24 splines-R. H. -30 15/16" long
			◊C6DZ 4234-D	1	-L. H. -27 7/16" long
67/70	F(9" R/G)		● C9OZ 4234-C	1	31 splines-R.H.-31 1/8" long
			● C9OZ 4234-D	1	-L.H.-27 1/16" long
71	F(8" & 9" R/G)	All-exc. WES-AE3, AJ3, WFD-F3, M3	● D0OZ 4234-C	1	28 splines-R.H.-31 7/8" long
			● D0OZ 4234-D	1	-L.H.-27 13/16" long

▲ Includes C9AZ 1225-A bearing (large) ● Includes D0AZ 1225-A bearing (med.) * Includes C7AZ 1225-A bearing

★ U.S. Only ♦ Canada Only ◊ Includes C0DZ 1225-C bearing (small) † Includes D2OZ 1225-A bearing

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4234-5 SHAFT ASSY. - REAR AXLE - continued				
	- F -				
71	F(9" R/G)	WES-AE3, AJ3,	★●D1ZZ 4234-C	1	28 splines-R.H.-31 49/64" long -repl. by D3ZZ 4234-A (10-74)
		WFD-F3, M3	●D1ZZ 4234-D	1	-L.H.-27 13/16" long
71/	F(9" R/G)		●D1ZZ 4234-A	1	31 splines-R.H.-31 25/32" long
			●D1ZZ 4234-B	1	-L.H.-27 13/16" long
72	F(8" & 9" R/G)	WCZ, WES(exc. AK). WFL. WFB	●D0OZ 4234-C	1	28 splines-R.H.-31 7/8" long
			●D0OZ 4234-D	1	-L.H.-27 13/16" long
72	F(9" R/G)	WES-AK, WFD-F3	●D1ZZ 4234-C	1	28 splines-R.H.-31 49/64" long
			●D1ZZ 4234-D	1	-L.H.-27 13/16" long
	- L -				
71/72	L(6 3/4" R/G)	WDV, WGF	†D3FZ 4234-A	1	23 splines-R.H.-29 11/16" long
			†D3FZ 4234-B	1	-L.H.-26 3/16" long
	- P -				
70	P(7 1/4" R/G)	WDV	◊D0DZ 4234-A	1	24 splines-R.H.-29 7/16" long
			◊D0DZ 4234-B	1	-L.H.-25 15/16" long
70/	P(8" R/G)	WDV-M, N, WDW-L, M WFS-B	♦D0DZ 4234-E	1	28 splines-4 wheel bolts- -R.H.-29 1/2" long
			♦D0DZ 4234-F	1	-L.H.-25 9/16" long
71/	P(8" R/G)	WDW-T, U, WFS-C	●D3DZ 4234-A	1	28 splines-5 wheel bolts- -R.H.-29 5/8" long
			§●D3DZ 4234-B	1	-L.H.-25 9/16" long
	- S -				
65	S (9" R/G)	WCD, WDE	▲C2SZ 4234-C	1	28 splines-R.H.-32 1/4" long
			▲C2SZ 4234-D	1	-L.H.-27 15/16" long
66	S(9"R/G)	WCD	▲C6SZ 4234-C	1	28 splines-L.H.-27 7/8" long
			▲C6SZ 4234-D	1	-R.H.-32 1/4" long
66	S(9 3/8" R/G)	WEF	▲C6SZ 4234-A	1	31 splines-R.H.-31 7/8" long
			▲C6SZ 4234-B	1	-L.H.-27 31/32" long
67/68	S (9 3/8" R/G)	WDT	▲C6SZ 4234-A	1	31 splines-R.H.-31 7/8" long
			▲C6AZ 4234-B	1	-L.H.-29 13/16" long
67	S (9" R/G)	WDC	▲C5AZ 4234-G	1	28 splines-R.H.-32 5/16" long
69	S (9" R/G) - "Before 6/15/70"	WFV, WGB	▲C5AZ 4234-H	1	-L.H.-29 19/32" long
69/71	S(9" R/G) - "From 6/15/70"	WFV, WGB	▲C9SZ 4234-F	1	28 splines-R.H.-32 5/16" long
			▲C9SZ 4234-E	1	-L.H.-29 19/32" long
69/71	S (9 3/8" R/G)	WGA, WFN (w/o anti-skid system)	▲C9SZ 4234-A	1	31 splines-R.H.-31 7/8" long
			▲C9SZ 4234-B	1	-L.H.-29 13/16" long
69	S (9 3/8" R/G)	WGA (with anti-skid system)	▲C9SZ 4234-C	1	31 splines-R.H.-31 7/8" long
			▲C9SZ 4234-D	1	-L.H.-29 13/16" long
70	S (9 3/8" R/G)- "Before 1/19/70"	WGA, WFN (with anti-skid system)	$D0SZ 4234-A	1	31 splines-R.H.-31 7/8" long
			$D0SZ 4234-B	1	-L.H.-29 13/16" long
70/71	S (9 3/8" R/G)- "From 1/19/70"	WGA, WFN (with sure-track)	▲C9SZ 4234-A	1	31 splines-R.H.-31 7/8" long
			▲C9SZ 4234-B	1	-L.H.-29 13/16" long
72	S(9" R/G)-		ø‡D2OZ 4234-C	1	28 splines-R.H.-32 29/64" long
			ø‡D2OZ 4234-D	1	-L.H.-29 51/64" long
72	S(9 3/8" R/G)		‡D2SZ 4234-A	1	31 splines-R.H.-32 3/16" long
			‡D2SZ 4234-B	1	-L.H.-29 63/64" long
	- U -				
66/	U (8 3/4" & 9" R/G w/ medium wheel brg.)	WEM, WFP	★●C6TZ 4234-A	1	28 splines-R.H.-29 11/16" long- repl. by D3TZ 4234-G (10-74)
	medium wheel brg.)		★●C6TZ 4234-B	1	-L.H.-27 1/4" long-repl. by D3TZ 4234-F (10-74)
66/	U(8 3/4" & R/G w/ large wheel brg.)	WEN, WFP	★▲C6TZ 4234-D	1	28 splines-R.H.-29 3/21" long- repl. by D3TZ 4234-H (10-74)
			★▲C6TZ 4234-C	1	-L.H.-26 31/32" long-repl. by D3TZ 4234-J (10-74)

▲ Includes C9AZ 1225-A bearing (large)
● Includes D0AZ 1225-A bearing (medium)
♦ Includes D0DZ 1225-A bearing (small)
$ Includes rotor, sensor & bearing
◊ Includes C0DZ 1225-C bearing (small)
†† Includes D5DZ 1225-A bearing
† Includes D1FZ 1225-A bearing (extra small)
‡ Includes D2OZ 1225-A bearing

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4234-5 SHAFT ASSY. - REAR AXLE - continued				
	- X -				
65	X(7 1/4" R/G)	WCY	◊ C4DZ 4234-A	1	24 splines-R. H. -29 15/16" long
			◊ C4DZ 4234-B	1	-L. H. -26 7/16" long
65	X(8" R/G)	WCZ, WDJ	• C2OZ 4234-A	1	28 splines-R. H. -30 1/8" long
			• C2OZ 4235-A	1	-L. H. -26 5/64" long
66	X(7 1/4" R/G)	WDV	◊ C6DZ 4234-C	1	24 splines-R. H. -30 15/16" long
			★◊ C6DZ 4234-B r/b C6DZ 4234-D(5-73)	1	-L. H. -27 7/16" long
66/67	X(8" R/G)	WDW, WDY, WDZ, WEA	• C6OZ 4234-F	1	28 splines-R. H. -31 1/4" long
			• C9OZ 4234-B	1	-L. H. -27 1/16" long
67/70	X(7 1/4" R/G)	WDV	◊ C6DZ 4234-C	1	24 splines-R. H. -30 15/16" long
			◊ C6DZ 4234-D	1	-L. H. -27 7/16" long
68/69	X(8" R/G)- "Before 3/15/69"	WDW, WDY, WDZ, WEA	• C6OZ 4234-F	1	28 splines-R. H. -31 1/8" long
			• C9OZ 4234-B	1	-L. H. -27 1/16 long
69/70	X(8" R/G)- "From 3/15/69"	WDW, WDY-A, WDZ, WEA	• C9OZ 4234-A	1	28 splines-R.H.-31 1/8" long
			• C9OZ 4234-B	1	-L. H. -27 1/16" long
70	X(8 & 9" R/G)	WDY-A1	• D0OZ 4234-C	1	28 splines-R. H. -31 7/8" long
			• D0OZ 4234-D	1	-L. H. -27 13/16" long
65/	A, S, X		356080-S32(MM270)	4or6	Spring nut (shaft to brake drum)-1/2"
	4A234 CLUTCH & RING REAR AXLE				
65/67	A (8 cyl. 427)		C5AZ 4A234-A	1	No spin differential
	4236 GEAR - REAR AXLE DIFFERENTIAL SIDE - Also refer to group 4236-7 kits				
65/68	A, B, F, S, U, X (with locking axle)-except 7 1/4", 9 3/8" ring gear		C2AZ 4236-B	1	28 splines-4 omitted-no hub-use with 1 pc. C2AW 4236-A included in C2AZ 4236-A kit
66/70	B, F, X(7 1/4" R/G)		C4DZ 4236-B	1	24 splines-no hub-with locking axle
68/71	B, F, (9" R/G)-traction lok		C8OZ 4236-A	1	31 spline-R. H. -16 teeth, 1 3/16" long
			C8OZ 4236-B	1	-L. H. -16 teeth-2 1/32" long
72	F(9" R/G)-traction lok			1	
69/71	B, F, (9" R/G)-conventional		C8OZ 4236-A	2	31 spline-16 teeth-1 3/16" long
72	F(9" R/G)-conventional			2	
65/70	B, F, P, X(7 1/4" R/G)		D0DZ 4236-A	AR	16 teeth-24 spline
				1	with locking axle
				2	with non-locking axle
71/	L(6 3/4" R/G)		D1FZ 4236-A	1	16 teeth-23 spline-also serviced in D1FZ 4263-B kit
	4236 GEAR - REAR AXLE DIFFERENTIAL SIDE - Also refer to group 4236-7 kits				
65	A (8 cyl. 427)- with locking axle		C5AZ 4236-A	2	27 teeth -31 splines- no spin differential
	4236 GEAR KIT - REAR AXLE DIFFERENTIAL SIDE				
65/68	A, B, F, S, U, X(8", 9" R/G)		★C2AZ 4236-A r/b C9AZ 4236-B (3-74)	1	28 splines-4 omitted-with hub Consists of 2-C2AW 4236-A Gear (use 1 pc. for locking axle) 2-C9OZ 4228-A Washer
65/68	A, B(8 cyl. 427)- Exc. locking axle		C4AZ 4236-A	1	31 splines-4 omitted-with hub Consists of - 2-C4AW 4236-A Gear, 2-C9OZ 4228-A Washer
70/71	B, F	WFU-D, E		2	
66/	A, S (with locking axle)- 9 3/8" R/G		C6AZ 4236-A	1	Consists of 1-C6AW 4236-A side gear w/o hub-1-C6AW 4236-B side gear with hub-2-C6AZ 4228-A thrust washer-31 splines/4 omitted
66/	A, S(Exc. locking axle) - 9 3/8" R/G		C6AZ 4236-B	1	Consists of 2-C6AW 4236-B side gear with hub-2-C6AZ 4228-A thrust washer 31 spines 4 omitted

• Includes D0AZ 1225-A bearing (med.) ◊ Includes C0DZ 1225-C bearing (small)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4236 GEAR KIT - REAR AXLE DIFFERENTIAL SIDE -continued				
67/	A(8 1/2", 8.7" R/G)	WER	C7AZ 4236-A	1	28 splines-4 omitted-with hub includes (2)C7AW 4236-A Gear, (2) C9OZ 4228-A Washer
69/	A, B, F, P, S, U, X(8", 9"R/G)		C9AZ 4236-A	1	With locking differential-28 spline includes: (1) C9OW 4236-A gear-21/32" long (1) C9OW 4236-B gear-1 3/16" long (2) C9OZ 4228-A Washers
			C9AZ 4236-B	1	With standard differential-28 spline includes: (2) C9OW 4236-B gears-1 3/16" long (2) C9OZ 4228-A washers
65/70	B, F, P, X(6 3/4", 7", 7 1/4" R/G		C1DZ 4236-C	1	24 splines - Consists of 2 - D0DZ 4236-A Gear 2 - C0DW 4228-A Washer
71/	L(6 3/4" R/G)	WDV, WGF	D1FZ 4236-B	1	Includes (2) D1FZ 4236-A gears, (2) C0DW 4228-A washers
	4237 GEAR KIT - FRONT AXLE DIFFERENTIAL SIDE				
66/71	U (front drive axle)- "Before Ser.K20,001"	Dana (Spicer) 30	C6TZ 4236-D	2	Except locking differential
66/71	U (front drive axle)- "Before Ser.K20,001"	Dana (Spicer) 30	C6TZ 4237-A	1	With locking differential - consists of 2 side gears stamped 34007, 4 pinions stamped 34011
71/	U(front drive axle)- "From Ser.K20,001"	Dana (Spicer) 44	D1TZ 4237-A	1	With locking differential-includes (2) side gears, (2) pinions, (1) shaft, (2) snap rings, (2) thrust washers
71/	U(front drive axle)- "From Ser.K20,001"	Dana (Spicer) 44	D1TZ 4237-B	1	Except locking differential-includes (1) 8L 4211 shaft, (2) 8M 4215 pinions, (2) C1VY 4228-A thrust washers, (2) 8M 4230 thrust washers, (2) C6TZ 4236-E gears, (1) 357228-Slock
	4N237 "U" WASHER - REAR AXLE SHAFT RETAINING				
67/	A(8 1/2", 8.7" R/G)	WER	C7AZ 4N237-A	2	
	4238 SHAFT - REAR AXLE - Refer to Group 4234-5				
	4241 PIN - REAR AXLE DIFFERENTIAL & PINION SHAFT LOCK				
67/	A(8 1/2", 8.7" R/G)	WER	C7AZ 4241-A	1	2" long-1/2" shoulder with 5/16"-18 thread-pin 1/4" dia.
	4A263 DAMPER - REAR AXLE DRIVE LINE VIBRATION				
66	A(63)240, 289, 352, 390- (except 390 LTD)-not used with 4 speed trans. - "From 5/2/66"		★C6AZ 4A263-C	1	On axle
69/	A(8 cyl. 302-w/C4 A/T)		C9AZ 4A263-A	1	15" long
70/	A(8 cyl. 351 w/all-A/T)			1	
71/	A(8 cyl. 400, 429 w/A/T)			1	
67	B(exc. 66, 76)(6 cyl. auto. trans.)(8 cyl. 289, 302 3/S/T or auto. trans.)- "Before 2/1/68"		C7OZ 4A263-C	1	On transmission
68	B(exc. 66, 76)(6 cyl. auto. trans.)(8 cyl. 302 3/S/T or A/T)-"From 2/1/68"		C7OZ 4A263-D	1	
69	B(exc. 66, 76)(6 & 8cyl., 250, 302, 351 with A/T)			1	
70/71	B(exc. 66, 71)-6&8 cyl. 250, 302, 351		D0OZ 4A263-B	1	

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4A263 DAMPER - REAR AXLE DRIVE LINE VIBRATION -continued				
71	L(4 cyl. 122 with A/T&A/C)	All	D1FZ 4A263-C	1	On transmission - stamped L
72	L(4 cyl. 122 with A/T)	All	D2FZ 4A263-A	1	On transmission
72	L(4 cyl.122 with M/T)	All	D2FZ 4A263-B	1	On transmission
68/71	S		C8SZ 4A263-A	1	
67	B		381813-S2 (BB545AB)	2	Bolt(damper assy. to transmission) 5/16"-18 x 1 3/4"
68/	B		56324-S(B318GH)	3	Bolt-hex. head-5/16"-18 x 1 1/2" (damper assy. to transmission extension)
71	L(4 cyl. 122 with A/T & A/C		384720-S100 (BB545AD)	2	Bolt-hex. head-5/16"-18 x 1 1/2" (damper assy. to transmission extension)
	4269 STUD - REAR AXLE TRACK BAR				
65/71	A		C6AZ 4269-A	1	Rear
67/70	S			1	
67/	A, S		33847-S(M58)	1	Nut (to axle)-9/16"-12
67/	A, S		34810-S(X69)	1	Washer (to axle)-9/16" lock
	4298 BRACKET - REAR AXLE DRIVING PINION BEARING RETAINER - Also refer to group 4730				
65/67	A	WDC, WDD, WDL	C6AZ 4298-B	1	Bracket
66/67	B "From 10/24/65"	WEB, WED		1	
66	A "Before 3/23/66"	WDT	C6AZ 4298-D	1	Bracket-except model 63 with damper
66/67	A "From 3/23/66"	WDT	C6AZ 4298-D	1	Bracket
66	B "Before 10/24/65"	WEB, WED		1	
67/68	B	WEC, WEE	C7OZ 4298-A	1	Bracket
68/71	B(exc. 66 & 71)-9"R/G		C8OZ 4298-A	1	Bracket
69/	B (66, 71 & 96)-9" R/G		C5ZZ 4298-B	1	
65/67	F (8 cyl. 289-4/B Special-4/S/T)	WCZ	★C5ZZ 4298-A	1	Repl. by C5ZZ 4298-B (2-74)
67	F "Before 11/15/66"	WES		1	
67/	F "From 11/15/66"	WES, WFB, WFD	C5ZZ 4298-B	1	
71	L	All	D1FZ 4298-A	1	
72	L	All	D2FZ 4298-A	1	
70/	P	All	D0DZ 4298-A	1	
72	S(9" R/G)	WFV-A, E, WGB-D, E, G	D2SZ 4298-A	1	
72	S(9" R/G)	WFV-G, H, J, K, WGB, R, S	D3SZ 4298-A	1	
72	S(9 3/8" R/G)		D2SZ 4298-B	1	
	4A300 SLEEVE - REAR AXLE SHAFT SEAL				
67/	B, F(9" R/G)		C7OZ 4A300-A	2	1 3/8" I. D. -1 1/2" O. D. -5/8" long
72	S(9 3/8" R/G)			2	Use w/31 spline side gears
	4A323 GUIDE - REAR AXLE DIFFERENTIAL CLUTCH PLATE				
68/	A, B, F, P, U, X (8" & 9" R/G traction lok)		D0OZ 4A323-A	4	
70/	S(9" R/G traction-lok)			4	
70/	A, S, (9 3/8" R/G traction-lock)		D0AZ 4A323-A	4	
	4A324 SHIM KIT - REAR AXLE DIFFERENTIAL CLUTCH				
68/	A, B, F, P, S, U, X, (all traction lok)		C8OZ 4A324-A	1	Includes 4-C9OW 4A324-E-.010" thick 2-C9OW 4A324-F-.005" thick
	4A325 PLATE - REAR AXLE DIFFERENTIAL CLUTCH				
68/	A, B, F, P, S, U, X, (all traction lok)		C8OZ 4A325-B	1	4 7/8" O. D. with 4 tabs-.085" thick
	4A326 PLATE - REAR AXLE DIFFERENTIAL CLUTCH SPRING PRELOAD				
68/	A, B, F, P, U, X (8" & 9" R/G traction lok)		C8OZ 4A326-A	1or2	
70/	S(9" R/G)			1	Traction Lok-28 spline shaft
70/	A, S, (9 3/8" R/G traction lok)		D0AZ 4A326-A	1	


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4A332 SEAL - REAR AXLE SHAFT RETAINER WASHER				
67/71	A	WER	C7AZ 4A332-A	1	5/8" I.D.-11/16" O.D.
	4A340 MOUNTING KIT - REAR AXLE STABILIZER				
69	F-Boss 429		★C9ZZ 4A340-A	2	Includes 1-C9ZZ 5486-A bracket 1-C9ZX 4A340-A "U" bolt 1-C9ZX 4A341-A plate 2-33771-S4 nut
	4A343 LINK - REAR AXLE STABILIZER				
69	F-Boss 429		C9ZZ 4A343-A	2	Includes-link assy, bushing, stud & nut
	4346 BOLT - REAR AXLE COVER TO HOUSING				
67/69	A	WER-A, C, E	C7AZ 4346-A	10	3/8"-16 x 5/8" locking
69/	A	WER-F, G, H	C9AZ 4346-A	10	5/16"-18 x 5/8" hex. washer head locking
66/	U(front drive axle)		C6TZ 4346-B	AR	
	4347 BOLT - DIFFERENTIAL CARRIER TO REAR AXLE HOUSING				
65/66	A, S, U		C1AW 4347-A	10	3/8"-24 x 1 9/16"
65/66	B, F, X			10	
67/	A, B, F, P, S, U, X		C1AZ 4347-A	10	3/8"-24 x 1 11/16"
			34445-S7-8(M80)	10	Locknut-3/8"-24
			353667-S(XX156)	5or10	Washer-flat (copper)-25/64"
	4A347 MEMBER - REAR AXLE CENTER DRIVE				
70/71	B, F	WFU-D, E	D0OZ 4A347-A	1	No-spin differential -1 Includes 1-D0OW 4A021-B cam 1-D0OW 4A348-A member 1-D0OW 4A349-A snap ring
	4A351 CLUTCH & HOLDOUT RING ASSY. - REAR AXLE DIFFERENTIAL				
70/71	B, F	WFU-D, E	D0OZ 4A351-A	2	No-spin differential - Includes 1-D0OW 4A232-A clutch 1-D0OW 4A353-B holdout ring
	4374 SHIM - REAR AXLE SHAFT				
70/71	• Unique competition part		★D0ZX 4374-A	2	
	4420 SEAT - REAR AXLE DIFFERENTIAL PINION SHAFT				
69/	A, B, F, P, S, U, X (8" & 9" R/G, 2 pinion traction-lock)		C9AZ 4420-A	1	
70/71	L				
70/	A, S(9 3/8" R/G, 2 pinion traction-lock)		D0AZ 4420-A	1	
72	L		D2FZ 4420-A	1	
	4529 BOLT - DRIVESHAFT UNIVERSAL JOINT				
65/72	A, B "Before 5/1/72"	(a)	★C1AZ 4529-A	2	5/16"-24 for 1 1/8" bearing caps
65/67	X, F(8 cyl.)		r/b D3AZ 4529-A(7-73)	2	
68/70	X(66, 71)			2	
68/70	X(54, 62)-6 cyl. 200 with A/T & 8 cyl. 289, 302			2	
68/72	F, L, P "Before 5/1/72"			2	
72	A, B, F, L, P - "From 5/1/72"	(c)	D3AZ 4529-A	2	5/16"-18
		(c)	34976-S4(M89CA)	4	Locknut-5/16"-18
65/67	S, P/C	(a)	C8UZ 4529-A	2	5/16"-24-for 1 1/16" bearing caps
66/	U			4	
65/67	X, F(6 cyl.)	(b)	C0DD 4529-A	2	1/4"-28 for 1" bearing caps
68/70	X(54, 62)-Except 6 cyl. 200 with A/T			2	
		(a)	33798-S7-8(M62)		Nut-5/16"-24
		(a)	34806-S7(X64)		Lockwasher-5/16"
		(b)	33796-S7(M61)		Nut-1/4"-28
		(b)	34805-S8(X62)		Lockwasher-1/4"
	4588 RING - REAR AXLE DIFFERENTIAL LOCK				
65/67	A (8 cyl. 427)		★C5AZ 4528-A	2	No spin differential

• Refer to appropriate muscle parts catalog

4602 DRIVE SHAFT ASSY.

Drive Shafts Group 4602, Universal Joints Group 4635 and Knuckle & Plug Assemblies Group 4841 are cataloged in chart form under group numbers 4602. The drive shafts and related parts are listed by model years and within the model years designated by car line. The various codes designating the universal joints and knuckle & plug assemblies are explained below. Identification charts showing the various dimensions of universal joints and knuckle & plug assemblies appear under Groups 4635 and 4841.



Universal Joint Codes used throughout the chart apply to Part Numbers as indicated
Also refer to Group 4635 for Universal Joint Identification Chart

CODE	PART NO.	TYPE
A	B6TZ 4635-A	Dana (Spicer) or Ford-1310-3 15/32" span
B	C3DZ 4635-A	Mechanics or SACO-1100-2 21/32"span
C	★C3AZ 4635-C r/b C3AZ 4635-E	Dana (Spicer) or Ford-1260-3 15/32" span
D	★C3AZ 4635-D r/b C3AZ 4635-F	Dana (Spicer) or Ford-1260-3 15/32" span (2-73)
E	C3AZ 4635-E	Cleveland Steel-1310-3 1/4" span
F	C3AZ 4635-F	Cleveland Steel-1310-3 1/4" span
G	C3AZ 4635-G	Cleveland Steel-1330-3 5/8" span
H	C3AZ 4635-H	Cleveland Steel-1330-3 5/8" span
J	C3UZ 4635-B	Dana(Spicer)- 1100-2 21/32" span
K	C4SZ 4635-B	Dana(Spicer)- 1330-3 5/8" span
L	C5DZ 4635-A	Mechanics-1260-3 15/32" span
M	C5DZ 4635-B	Mechanics-1260-3 15/32" span
N	C8SZ 4635-A	Saginaw-1330
P	C6TZ 4635-H	Mechanic-2.5 RL
Q	C9TZ 4635-B	Dana(Spicer)- 1310

Slip Yoke Codes used throughout the chart apply to part numbers as indicated
Also refer to Group 4841 for Knuckle and Plug Identification Chart

CODE	PART NO.	A	B	NO. SPLINES	REPLACED BY
1	C1DD 4841-D	7 3/4"	2 15/32"	25	
2	C3AZ 4841-A	8 7/32"	3 1/2"	31	
3	C3AZ 4841-D	8 3/32"	3 1/2"	28	
4	C3AZ 4841-G	8 7/32"	3 7/8"	28	
5	C1UZ 4841-A	5 29/32"	2 15/32"	25	
6	C5DZ 4841-A	8 3/32"	3 3/16"	28	
7	C5DZ 4841-B	8 1/4"	3 3/16"	25	
8	C3DZ 4841-A	8 1/4"	3 1/2"	25	
9	C6DZ 4841-A	5 29/32"	3 3/16"	25	
10	C6DZ 4841-B	5 29/32"	2 15/32"	25	
11	C7AZ 4841-A	8 3/32"	3 1/2"	28	
12	C7AZ 4841-B	8 7/32"	3 1/2"	31	
13	C7AZ 4841-C	8 7/32"	3 15/16"	31	
14	C5ZZ 4841-B	5 29/32"		28	
15	★C6DZ 4841-D	5 29/32"	2 1/2"	25	C6DZ 4841-B (12-73)
16	C7SZ 4841-A	8 5/32"	3 29/32"	31	
17	C7SZ 4841-B	7 1/2"	3 7/8"	31	
18	C8SZ 4841-A	9 7/16"	3 1/2"	31	
19	C5TZ 4841-F	6"	3 11/32"	16	
20	C9TZ 4841-A	7 7/8"	3 15/32"	16	
21	D1AZ 4841-A	8 1/2"	3 1/2"	28	
22	D1AZ 4841-B	8 1/8"	3 1/2"	31	
23	D1FZ 4841-A	5 3/16"	3 1/2"	20	
24	D1FZ 4841-B	5 29/32"	3 1/2"	25	
25	D1AZ 4841-C	8 1/8"	3 15/16"	31	
26	D2SZ 4841-A	8 9/64"	3 15/16"	31	
27	D2AZ 4841-A	8 9/16"	3 29/32"	31	
28	D2ZZ 4841-A	8 1/4"	3 17/32"	28	
29	D2AZ 4841-B	6 7/8"	3 15/16"	31	
30	C7SZ 4841-C	8 5/32"	3 29/32"	31	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

4602 DRIVE SHAFT ASSY. - continued

APPLICATION CHART

YEAR	MODEL	ENGINE	TRANSMISSION						U JOINT			SLIP YOKE CODE •	DRIVE SHAFT TYPE #	DRIVE SHAFT D DIAMETER (INCHES)	DRIVE SHAFT C LENGTH (INCHES)	PART NUMBER
			C4	C/M	C6	3/S/T	4/S/T	O/D	SIZE	FRONT	REAR					
	- A -					*1965*										
65	A	240,289 2/B				x		x	1260	C	D	3		3 3/8	62 55/64	C8AZ 4602-F
65	A	240,289 2/B	x	x					1310	E	F	3	4	3 3/8	62 7/16	C8AZ 4602-G
65	A (PCT-J1 trans.)-A	289 2/B 352 4/B		x		x			1310	A	F	3	2	3 3/8	59 9/32	★C5AZ 4602-H
65	A(3.00,3.25 ratio) axle mod.WDC-AG, BB,BN,WDL-E,S	352 4/B	x	x					1330	K	H	4	4	3 3/8	62 9/32	C5AZ 4602-S
65	A-axle mod.WDD-D, N,WDC-A,AW	352 4/B	x	x					1310	A	F	3	4	3 3/8	62 9/32	★C5AZ 4602-Z r/b C6AZ 4602-E
65	A (3.00 ratio & PCD-U,V trans. long extension housing	352 4/B		x					1310	A	F	3	3	3 3/8	59 3/32	★C5AZ 4602-D
65	A (exc. 3.00 ratio) PDC-U, V trans. long extension housing	352 4/B		x					1310	A	F	3	1	3 3/8	59 3/32	★C5AZ 4602-Y
65	A (3.00, 3.25 ratio) "Before 3/8/65"	352 4/B				x			1310	A	F	3	3	3 3/8	59 9/32	★C5AZ 4602-E
65	A	427					x		1330	K	H	4	4	3 3/8	59 9/32	★C5AZ 4602-W
65	A	390 4/B				x	x									
65	A(exc. XL)(exc. 3.00 ratio)-"From 3/8/65	352 4/B				x	x									
65	A (exc. XL)(exc. 3.00 ratio)	390 4/B		x				x	1330	K	H	16	4	3 3/8	59 9/32	C5AZ 4602-V
65	A (3.25 ratio)	390 4/B		x												
65	A(P/T)	352 4/B		x												
	- B -															
65	B	200	x						1260	C	D	3	4	3	58	★C5OZ 4602-A r/b C5OZ 4602-C
									1260	C	D	3	4	3	57 21/32	★C5OZ 4600-C
65	B (except 71)-"Before 2/1/65"	200 H/D				x			1260	C	D	8	4	3	57 21/32	★C4OZ 4602-E
65	B (except 71)-"From 2/1/65"	200 H/D				x			1260	C	D	3	4	3	57 25/32	C5OZ 4602-C
65	B (except 71)	200				x			1260	C	D	8	4	3	58 1/2	★C4OZ 4602-C
65	B (exc. 71) "Before 2/1/65"	289 2/B				x		x								
65	B (except 71) "From 2/1/65"	289 Exc.Special	x			x		x	1260	C	D	3	4	3	58 43/64	C6OZ 4602-V
65	B (except 71)	289 Exc.Special					x		1260	C	D	3	4	3	57 1/8	★C4OZ 4602-H r/B C5OZ 4602-B(1-74)
65	B (except 71)	289 4/B Special	x						1260	C	D	3	2	3	57 35/64	★C4OZ 4602-G
65	B (except 71)	289 4/B Special					x		1260	C	D	3	2	3	56 7/64	★C4OZ 4602-F
65	B (71) "Before 2/1/65"	170, 200 H/D				x			1260	C	D	8	4	3	57 5/32	★C3OZ 4602-A
65	B (71) "From 2/1/65"	200 H/D			x				1260	C	D	3	4	3	57 5/32	C5OZ 4602-B
65	B (71) "Before 2/1/65"	200			x				1260	C	D	8	4	3	58	★C3OZ 4602-B
65	B (71)	260,289 2/B				x		x								
65	B (71) "From 2/1/65"	260, 289 2/B	x			x		x	1260	C	D	3	4	3	58 13/64	★C4OZ 4602-A
65	B (71)	289 4/B exc. Special				x										r/b C5OZ 4602-C
									1260	C	D	3	4	3	57 21/32	★C5OZ 4602-C

• Refer to Page 1 of Section 46 to translate Codes into Part Numbers

Type 1 - Steel shaft, 2 - Cardboard lined, 3 - (2C) Integral rubber biscuits, 4 - (T/T) Tube in tube drive thru rubber

4602 DRIVE SHAFT ASSY. - continued

APPLICATION CHART

YEAR	MODEL	ENGINE	TRANSMISSION						U JOINT			SLIP YOKE CODE	DRIVE SHAFT			
			C4	C/M	C6	3/S/T	4/S/T	O/D	SIZE	FRONT	REAR		TYPE	D DIAMETER (INCHES)	C LENGTH (INCHES)	PART NUMBER
	- F -								*1965* - continued			•	#			
65	F	170, 200				x	x		1100	J	J	5	2	2 1/2	51	C5ZZ 4602-G
65	F	170, 200	x						1100	J	J	14	1	2 1/2	51	C5ZZ 4602-B
65	F	200	x						1260	M	L	6	2	2 3/4	50 25/32	C5ZZ 4602-J
	F "From 12/15/64"	289 2 & 4/B exc. Special				x	x									
65	F "Before 12/15/64"	289 exc.4/B Special				x	x		1260	M	L	7	2	2 3/4	50 25/32	C5ZZ 4602-D
65	F-Mechanics	260 289 exc.4/B Special	x						1260	M	L	6	2	2 3/4	51 1/16	C5ZZ 4602-H
	-Ford								1260	C	D	3				
65	F "From 10/5/64"	289 4/B Special					x		1260	M	L	7	2	2 3/4	49 23/32	C5ZZ 4602-E
	F "Before 10/5/64"						x			C	D	3				
	- S -															
65	S			x					1330	K	K	17	4	3	52 1/8	C4SZ 4602-B
	- X -															
65	X (66, 78)	170, 200					x		1100	B	B	5	1	2 1/2	52 17/32	C3DZ 4602-C
65	X(66, 71, 78)	170, 200				x			1100	B	B	5	2	2 3/4	54 17/32	C3DZ 4602-A
65	X-Spicer	170	x						1100	J	J	14	2	2 1/2	52 17/32	C5DZ 4602-F
	-Mechanics								1100	B	B	14				
65	X(exc. 71)-Mechanics	170, 200				x			1100	B	B	1	2	2 1/2	54 17/32	★C5DZ 4602-C
	-Spicer								1100	J	J	5	2			
65	X(66,71,78)-Spicer	200	x						1260	C	D	3	2	2.75	52 23/64	★C5DZ 4602-E
	-Spicer	289 2/B				x	x									
	-Spicer	289 4/B				x	x									
	-Mechanics								1260	M	L	6	2			
65	X-Spicer	289	x						1260	C	D	3	2	2 3/4	52 45/64	C4GY 4602-B
65	X(66,71,78)-Spicer	289 4/B Premium	x													
	-Mechanics								1260	M	L	6	2			
65	X(exc.66,71,78)-	200	x													
	Spicer															
65	X-Spicer	289				x	x		1260	C	D	8	2	2 3/4	52 23/64	C3DZ 4602-G
	-Mechanics								1260	M	L	7	2			
	- A -								*1966*							
66	A (N.Y. Taxi)-P/I	240, 289 2/B		x					1310	A	F	2	3	3 3/8	59 35/64	C7AZ 4602-K
66	A	240, 289 2/B				x		x	1260	C	D	3	4	3 3/8	62 55/64	C8AZ 4602-F
66	A	240, 289 2/B	x	x					1260	C	D	3	4	3 3/8	62 7/16	★C5AZ 4602-U
																r/b C8AZ 4602-G
									1310	E	F	3	4	3 3/8	62 7/16	C8AZ 4602-G
66	A	352 4/B	x	x					1330	K	H	4	4	3 3/8	62 9/32	C5AZ 4602-S
66	A	352 4/B	x	x					1310	A	F	3	4	3 3/8	62 9/32	C5AZ 4602-Z
	A(71)	352 4/B		x												
66	A	352 4/B	x	x					1330-F	G	F	4	4	3 3/8	62 9/32	★C6AZ 4602-E
									1310-R							
66	A	390 2/B, 4/B		x	x				1330	K	H	16	4	3 3/8	59 9/32	C5AZ 4602-V
66	A	390 2/B, 4/B		x					1330-F	G	F	16	4	3 3/8	59 9/32	C6AZ 4602-F
									1310-R							
66	A	390 2/B, 4/B				x	x		1330	G	H	4	4	3 3/8	58 25/32	C6AZ 4602-B

• Refer to Page 1 of Section 46 to translate Codes into Part Numbers.

Type 1 - Steel shaft, 2 - Cardboard lined, 3 - (2C) Integral rubber biscuits, 4 - (T/T) Tube in tube drive thru rubber

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

4602 DRIVE SHAFT ASSY. - continued

APPLICATION CHART

YEAR	MODEL	ENGINE	TRANSMISSION						U JOINT			SLIP YOKE CODE •	DRIVE SHAFT TYPE #	DRIVE SHAFT D DIAMETER (INCHES)	DRIVE SHAFT C LENGTH (INCHES)	PART NUMBER
			C4	C/M	C6	3/S/T	4/S/T	O/D	SIZE	FRONT	REAR					
	- A -					*1966* - continued										
66	A	390 4/B		x	x				1330	G	H	16	4	3 3/8	58 25/32	C6AZ 4602-A
	A(71)	390 4/B			x											
	A	428 4/B			x		x									
66	A-P/I	428 4/B P/I			x		x		1330	G	H	16	1	4	58 25/32	★C6AZ 4602-D
	A(71), P/I				x											
	A	427					x									
	- B -															
66	B (except 71)	200				x			1260	C	D	8	4	3	57 25/32	★C6OZ 4602-G
66	B(except 71)	200 H/D				x			1260	C	D	3	4	3	57 25/32	C5OZ 4602-C
66	B (except 71)	200	x						1260	C	D	3	4	3	58 43/64	C6OZ 4602-V
	B (except 71)	289 2/B	x			x	x	x								
66	B(except 71)- " Before 1/3/66"	390 2/B, 4/B			x				1330-F 1310-R	K	F	16	4	3	54 1/32	★C6OZ 4602-P
66	B (except 71)- " From 1/3/66"	390 2/B, 4/B			x				1330	K	H	16	4	3	54 1/32	★C6OZ 4602-B r/b C7SZ 4602-EQ12-73)
66	B (except 71)	390 2/B, 4/B				x	x		1330	K	H	4	2	3	57 7/16	C6OZ 4602-D
66	B(except 71)	390 2/B, 4/B				x	x		1330-F 1310-R	K	F	4	4	3	57 7/16	★C6OZ 4602-R
66	B (71)	200				x			1260	C	D	8	4	3	54 3/4	★C6OZ 4602-F
66	B (71)	200 H/D				x			1260	C	D	3	4	3	54 3/4	★C6OZ 4602-J
66	B (71)	289 2/B	x			x		x	1260	C	D	3	4	3	55 41/64	C6OZ 4602-U
	B (71)	200	x													
66	B (71)	390 2/B, 4/B			x				1330	K	H	16	4	3	51 1/64	C6OZ 4602-A
66	B(71)	390 2/B, 4/B			x				1330-F 1310-R	K	F	16	4	3	51 1/64	★C6OZ 4602-N
66	B (71)	390 2/B, 4/B				x			1330	K	H	4	4	3	54 15/32	C6OZ 4602-E
66	B(71)	390 2/B, 4/B				x			1330-F 1310-R	K	F	4	4	3	54 15/32	★C6OZ 4602-S
	- F -															
66	F	200				x			1100	J	J	5	2	2 1/2	49 63/64	C6ZZ 4602-A
66	F	200					x		1100	J	J	5	2	2 1/2	51	C5ZZ 4602-G
66	F	200	x						1260	M	L	6	2	2 3/4	50 25/32	C5ZZ 4602-J
	F	289 2/B, 4/B Premium fuel				x	x									
66	F	289 2/B, 4/B Premium fuel	x						1260	M	L	6	2	2 3/4	51 1/16	C5ZZ 4602-H
66	F	289 4/B-Special				x	x		1260	M	L	6	2	2 3/4	49 23/32	C5ZZ 4602-E
	- S -															
66	S-(axles with 9" ring gear)	390 4/B		x					1330	K	K	17	4	3	52 1/8	C4SZ 4602-B
66	S-(axles with 9 3/8" ring gear)	390 4/B,428 4/B			x				1330	K	K	17	4	3	51 5/8	★C6SZ 4602-A
	- U -															
66	U (Front)	170,289				x			2.5 RL	P	P	Δ	1	2	%†‡	★C7TZ 4602-DB r/b C9TZ 4602-Z(6-72)
						x			2.5 RL	P		Δ	1	2	18 1/16	▲C6TZ 4605-A
66	U (Rear)	170,289				x			2.5 RL	P	P	Δ	1	2	%†‡	★C7TZ 4602-DC r/b C9TZ 4602-AA(6-72)
						x			2.5 RL		P	Δ	1	2	25 17/32	▲C6TZ 4605-B

• Refer to Page 1 of Section 46 to translate Codes into Part Numbers. † Double Cardan Universal Joints

Type 1 - Steel shaft, 2 - Cardboard lined, 4 - (T/T) Tube in tube drive thru rubber

Δ Knuckle and plug and intermediate universal joint serviced in 4997 assembly only ▲ Drive shaft tube assembly

% Also refer to basic 4602 Kit drive shaft (Conversion-Mechanics to Dana-Spicer) ‡ Drive shaft complete

4602 DRIVE SHAFT ASSY. - continued

APPLICATION CHART

YEAR	MODEL	ENGINE	TRANSMISSION						U JOINT			SLIP YOKE CODE	DRIVE SHAFT			PART NUMBER
			C4	C/M	C6	3/S/T	4/S/T	O/D	SIZE	FRONT	REAR		TYPE	D DIAMETER (INCHES)	C LENGTH (INCHES)	
	- X -					*1966* - continued						•	#			
66	X (except 66, 71)	170, 200	x						1100	J	J	14	2	2 1/2	53 3/8	C6DZ 4602-A
66	X (except 66, 71)	170				x			1100	J	J	5	1	2 1/2	55 7/16	C6DZ 4602-G
66	X (except 66, 71)	200				x			1100	J	J	10	2	2 1/2	52 41/64	C6DZ 4602-F
	X (except 66, 71)	200				x			1100	B	B	10				
66	X (except 66, 71)	200	x						1260	M	L	6	2	2 3/4	53 35/64	C6DZ 4602-C
		289 2/B	x			x	x									
66	X(66)	170, 200	x						1260	M	L	6	2	2 3/4	55 33/64	C6DZ 4602-D
	X(66)	289 2/B, 4/B Premium fuel	x			x	x									
	X(71)	200	x													
	X(71)	289 2/B	x			x										
66	X(66)	170				x			1260	M	L	9	2	2 3/4	55 33/64	★C6DZ 4602-B
66	X(66, 71)	200				x			1260	M	L	7	2	2 3/4	54 5/8	C6DZ 4602-E
	- A -					*1967*										
67	A(8 3/4" ring gear except 3.10 ratio)	240, 289 2/B				x		x	1260	C	D	3	4	3 3/8	62 55/64	C8AZ 4602-F
67	A(8 1/2"Ring gear 3.10 ratio)	240, 289 2/B				x			1260	C	D	3	4	3 3/8	63 7/64	C7AZ 4602-J
67	A(8 1/2" ring gear 2.80 ratio)	240	x						1260	C	D	11	2	3 3/8	62 29/32	★C7AZ 4602-B
		289 2/B	x	x												
67	A(8 3/4" ring gear except 2.80 ratio)	240	x						1260	C	D	3	4	3 3/8	62 7/16	★C5AZ 4602-U r/b C8AZ 4602-G
		289 2/B	x	x												
									1310	E	F	3	4	3 3/8	62 7/16	C8AZ 4602-G
67	A	240	x						1260	C	D	11	2	3 3/8	62 7/16	C7AZ 4602-D
	A	289 2/B	x	x												
67	A	240, 289 2/B				x		x	1260	C	D	11	2	3 3/8	62 55/64	★C7AZ 4602-C r/b C8AZ 4602-F(2-74)
67	A(P/I, Fleet & Taxi)	240, 289 2/B		x					1310	A	F	2	4	3 3/8	59 35/64	★C7AZ 4602-K
67	A	390		x	x				1330	G	H	16	4	3 3/8	59 9/32	C5AZ 4602-V
67	A(P/I, Fleet & Taxi)	390				x	x		1330	G	H	4	4	3 3/8	58 25/32	C6AZ 4602-B
67	A	428 4/B			x		x		1330	G	H	16	4	3 3/8	58 25/32	C6AZ 4602-A
67	A	428 P/I			x		x		1330	G	H	16	1	4	58 25/32	C6AZ 4602-D
67	A	427 4/B, 8/B					x									
	- B -															
67	B(except 66, 71)-H/D clutch	200				B			1260	C	D	3	4	3	57 25/32	★C5OZ 4602-C
67	B(66, 71)-H/D clutch	200				B			1260	C	D	3	4	3	54 3/4	★C6OZ 4602-J
67	B(except 66, 71)-(P/I, Fleet & Taxi)	200	x						1260	C	D	3	4	3	58 43/64	C6OZ 4602-V
		289 2/B	x			B	x	x								
67	B(66)	200	x			B			1260	C	D	3	4	3	55 41/64	C6OZ 4602-U
	B(66)	289 2/B	x			B	x									
	B(71)	200	x													
	B(71)	289 2/B	x			B		x								
67	B(except 66, 71)	390				B	x		1330	K	H	4	2	3	57 7/16	C6OZ 4602-D
67	B(71)	390				B			1330	K	H	4	4	3	54 15/32	C6OZ 4602-E
67	B(66)	390				B	x									
67	B(except 66, 71)	390			x				1330	K	H	16	4	3	54 1/32	C6OZ 4602-B
67	B(66, 71)	390			x				1330	K	H	16	4	3	51 1/64	C6OZ 4602-A
67	B(except 66, 71)	427					x		1330	G	H	16	2	3	57 7/16	C7OZ 4602-A

• Refer to Page 1 of Section 46 to translate codes into Part Numbers

B - Standard 3 speed 3.03

Type 1 - Steel shaft, 2 - Cardboard lined, 4 - (T/T) Tube in tube drive thru rubber

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

4602 DRIVE SHAFT ASSY. - continued

APPLICATION CHART

YEAR	MODEL	ENGINE	TRANSMISSION							U JOINT			SLIP YOKE CODE •	DRIVE SHAFT TYPE #	D DIAMETER (INCHES)	C LENGTH (INCHES)	PART NUMBER
			C4	C/M MX	C/M FMX	C6	3/S/T	4/S/T	O/D	SIZE	FRONT	REAR					
	- F -									*1967* - continued							
67	F	200					B			1100	J	J	14	2	2 1/2	51	C7ZZ 4602-E
67	F	200	x							1260	C	D	3	4	2 3/4	50 31/32	★C7ZZ 4602-F
67	F	289 2/B, 4/B Premium fuel	x				B	x									r/b C7ZZ 4602-G
										1310	E	F	3	4	3	50 31/32	C7ZZ 4602-G
67	F	390 4/B					B	x		1330	G	H	4	2	3	50 1/64	C7ZZ 4602-C
67	F	289 4/B	x					x									
67	F	390 4/B				x				1330	G	H	16	2	3 1/2	46 19/32	C8ZZ 4602-C
67	F(GT350/500)							x		1330	G	H	16	2	3	50 1/64	★C7ZX 4602-A
	- S -																
67	S(Model 65)-WDC axles	390 4/B				x				1330	K	H	30	4	3	54 39/64	C7SZ 4602-F
67	S(Model 65)-WDT axles	390, 428 4/B				x				1330	K	H	30	4	3	54 1/8	C7SZ 4602-E
	- U -																
67	U (Front)	170, 289					x			2.5 RL	P	P	A	1	2		★%‡† C7TZ 4602-DB r/b C9TZ 4602-Z(4-72)
							x			2.5 RL	P		A	1	2	18 1/16	▲C6TZ 4605-A
67	U (Rear)	170, 289					x			2.5 RL	P	P	A	1	2		★%‡† C7TZ 4602-DC r/b C9TZ 4602-AA(6-72)
							x			2.5 RL		P	A	1	2	25 27/32	▲C6TZ 4605-B
	- X -																
67	X(except 71)	170					A			1100	J	J	5	1	2 1/2	55 7/16	C6DZ 4602-G
67	X(except 71)	170	x							1100	J	J	14	2	2 1/2	53 3/8	C6DZ 4602-A
	X(except 71)	200					B										
67	X(except 71)	200					A			1100	J	J	10	2	2 1/2	52 41/64	C6DZ 4602-F
67	X(except 71)	200, 289 2/B	x							1260	C	D	3	4	3	53 35/64	C7DZ 4602-D
67	X(except 71)	289 2/B					B	x		1260	C	D	3	2	2 3/4	53 35/64	C7DZ 4602-D
67	X (71) " Before 9/19/66"	200					B			1260	C	D	8	2		54 3/4	★C7DZ 4602-C
67	X(71)	200, 289 2/B	x				B			1260	C	D	3	2	2 3/4	55 33/64	C7DZ 4602-B
	- A -									*1968*							
68	A(8 1/2" ring gear, 2.80 ratio)	240, 302	x							1310	E	F	11	2	3 3/4	62 55/64	★C7AZ 4602-L r/b C8AZ 4602-F(1-74)
68	A(8 1/2" ring gear, 3.10 ratio)	240, 302	x							1310	E	F	3	4	3 3/4	62 55/64	C8AZ 4602-F
68	A(9" ring gear)	240, 302					x										
68	A(9" ring gear, 3.00 ratio)	240, 302	x							1310	E	F	11	2	3 3/4	62 7/16"	★C7AZ 4602-M r/b C8AZ 4602-G(4-72)
	(3.25 ratio)		x							1310	E	F	3	4	3 3/8	62 7/16	C8AZ 4602-G
68	A(8 1/2" ring gear, 3.10 ratio)	240					x			1260	C	D	3	4	3 3/8	63 7/64	C7AZ 4602-J
		302					x			1310	E	F	3	4	3 3/4	63 7/64	★C8AZ 4602-C

• Refer to Page 1 of Section 46 to translate codes into Part Numbers
† Double Cardan Universal Joints
# Type 1 - Steel shaft. 2 - Cardboard lined. 4 - (T/T) Tube in tube drive thru rubber
⁂ Knuckle and plug and intermediate universal joint serviced in 4997 assy. only
▲ Drive shaft tube assembly
A - Standard 3 speed 2.77, B - Standard 3 speed 3.03
‡ Drive shaft complete
% Also refer to basic 4602 Kit drive shaft (Conversion-Mechanics to Dana-Spicer)

4602 DRIVE SHAFT ASSY. - continued

APPLICATION CHART

YEAR	MODEL	ENGINE	TRANSMISSION							U JOINT			SLIP YOKE CODE •	DRIVE SHAFT TYPE #	DRIVE SHAFT D DIAMETER (INCHES)	DRIVE SHAFT C LENGTH (INCHES)	PART NUMBER
			C4	C M MX	C M FMX	C6	3'S'T	4'S'T	O D	SIZE	FRONT	REAR					
	- A -									*1968* - continued							
68	A(2.80 ratio) Use with ⊕ PHA-B trans.	302			x					1310	E	F	12	2	3 3/4	63 9/32	C8AZ 4602-A
	Use with ⊕ PHA-C trans.				x					1310	E	F	12	2	3 3/8	59 15/16	C8AZ 4602-K
	A(3.10 ratio) Use with ⊕ PHA-B trans.	302			x					1310	E	F	2	4	3 3/4	63 9/32	C8AZ 4602-E
	Use with ⊕ PHA-C trans.				x					1310	E	F	2	4	3 3/8	59 15/16	C8AZ 4602-K
	A(3.00 ratio)	302			x					1310	E	F	12	2	3 3/4	63 7/64	★C8AZ 4602-B r/b C8AZ 4602-H(2-74)
	A(3.25 ratio)	302			x					1310	E	F	3	4	3 3/8	63 7/64	C8AZ 4602-H
	A(all ratios)	240, 302		x						1310	A	F	2	4	3 3/8	59 35/64	★C7AZ 4602-K
68	A(9" ring gear & 3.00 & lower ratios)	390		x	x	x				1330	G	H	13	2	3 3/8	59 9/32	★C8AZ 4602-J r/b C5AZ 4602-V(1-74)
68	A(9" ring gear & 3.25 & higher ratios)	390		x		x				1330	G	H	16	4	3 3/8	59 9/32	C5AZ 4602-V
68	A(Police & Fleet with 9" ring gear)	390		x		x											
68	A(9 3/8" ring gear)	390, 428		x		x		x		1330	G	H	16	4	3 3/8	58 25/32	C6AZ 4602-A
68	A	390					x			1330	G	H	4	4	3 3/8	58 25/32	C6AZ 4602-B
68	A	427						x		1330	G	H	16	1	4	58 25/32	C6AZ 4602-D
		428 P/C				x		x									
	- B -																
68	B(66, 71)	200, 289, 302	x				x	x		1310	E	F	3	4	3	55 41/64	C6OZ 4602-U
68	B(except 66, 71)	200, 289, 302	x				x	x		1310	E	F	3	4	3	58 43/64	C6OZ 4602-V
68	B (66, 71)	390				x				1330	K	H	16	4	3	51 1/64	C6OZ 4602-A
68	B (except 66, 71)	390				x				1330	K	H	16	4	3	54 1/32	C6OZ 4602-B
68	B (except 66, 71)	390					x	x		1330	K	H	4	2	3	57 7/16	C6OZ 4602-D
68	B (66)	390					x	x		1330	K	H	4	4	3	54 15/32	C6OZ 4602-E
	B (71)	390					x										
68	B	428CJ				x				1330	G	H	16	2	3	54 1/32	C8OZ 4602-B
68	B	428CJ						x		1330	G	H	16	2	3	57 7/16	C7OZ 4602-A
	- F -																
68	F	289 4/B	x					x		1330	G	H	4	2	3	50 1/64	C7ZZ 4602-C
		390					x	x									
68	F	390, 427, 428CJ				x				1330	G	H	16	2	3 1/2	46 19/32	C8ZZ 4602-C
68	F	200					x			1100	J	J	14	2	2 1/2	51	C7ZZ 4602-E
68	F	200	x							1310	E	F	3	4	3	50 31/32	C7ZZ 4602-G
	F(except GT)	289 2/B, 302	x				x	x									
68	F(GT)	289 2/B, 302	x				x	x		1310	E	F	3	4	3	50 7/32	C8ZZ 4602-A
68	F	428CJ						x		1330	G	H	16	2	3	50	C8ZZ 4602-B
	- S -																
68	S (model 57)	390, 429				x				1330	2-N	2-N	18	4	3 1/4	57 7/32	C8SZ 4602-B
68	S (model 65)	390, 429				x				1330	2-N	2-N	18	4	3 1/4	54 23/32	C8SZ 4602-A
	- U -																
68	U(front)	170, 289					x			2.5 RL	P	P	⁂	1	2		★%‡†C7TZ 4602-DB r/b C9TZ 4602-Z(4-72)
							x			2.5 RL	P		⁂	1	2	18 1/16	▲C6TZ 4605-A
68	U(rear)	170, 289					x			2.5 RL	P	P	⁂	1	2		★%‡† C7TZ 4602-DC r/b C9TZ 4602-AA(6-72)
							x			2.5 RL		P	⁂	1	2	25 27/32	▲C6TZ 4605-B

• Refer to Page 1 of Section 46 to translate codes into Part Numbers † Double Cardan Universal Joints

Type 1 - Steel shaft, 2 - Cardboard lined, 4 - (T/T) Tube in tube drive thru rubber ⊕ Identification marking

⁂ Knuckle and plug and intermediate universal joint serviced in 4997 assy. only ▲ Drive shaft tube assembly

% Also refer to basic 4602 Kit drive shaft (Conversion-Mechanics to Dana-Spicer) ‡ Drive shaft complete

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

4602 DRIVE SHAFT ASSY. - continued

APPLICATION CHART

YEAR	MODEL	ENGINE	TRANSMISSION							U JOINT			DRIVE SHAFT				
			C4	C-M MX	C-M FMX	C6	3/S/T	4/S/T	O/D	SIZE	FRONT	REAR	SLIP YOKE CODE •	TYPE #	D DIAMETER (INCHES)	C LENGTH (INCHES)	PART NUMBER
	- X -									*1968* - continued							
68	X (except 71)	170	x				x			1100	J	J	14	2	2 1/2	53 3/8	C6DZ 4602-A
		200					x										
68	X(71)	200, 289, 302	x				x	x		1260	C	D	3	2	2 3/4	55 33/64	C7DZ 4602-B
68	X(except 71)	200	x							1260	C	D	3	4	3	53 35/64	C7DZ 4602-D
		289, 302	x				x	x									
	- A -									*1969*							
69	A(8 1/2" ring gear,	240, 302	x		x					1310	E	F	3	4	3 1/2	64 15/16	C9AZ 4602-A
	A(8.7" ring gear)		x		x		x										
69	A(P/C & Fleet 9" ring gear)	240, 302			x					1310	E	F	2	4	3 1/2	61 11/16	C9AZ 4602-B
69	A(8 1/2" ring gear, 3.10 ratio)	240, 302					x			1310	E	F	3	4	3 1/2	65 5/32	D0AZ 4602-D
69	A	351			x					1330	G	H	16	4	3 1/2	61 11/16	D0AZ 4602-E
69	A(9" ring gear, 3.00 or higher ratio)	390					x			1330	G	H	4	4	3 1/2	61 5/16	C9AZ 4602-E
69	A(9 3/8" ring gear)	390					x			1330	G	H	4	4	3 1/2	60 13/16	C9AZ 4602 -N
69	A(9" ring gear, 2.75 ratio exc. P/C & Fleet, 3.25 ratio)	390, 429		x	x	x				1330	G	H	16	4	3 1/2	61 5/16	C9AZ 4602-H
69	A(9 3/8" ring gear, 3.25 or higher ratio)	390, 429			x	x		x		1330	G	H	16	4	3 1/2	60 13/16	C9AZ 4602-L
69	A(9 3/8" ring gear, 3.25 ratio)	428, 429				x				1330	G	H	16	1	4	60 13/16	C9AZ 4602-K
69	A(9 3/8" ring gear, 2.80 ratio exc. P/C & Fleet)	429				x				1330	G	H	13	2	3 1/2	60 13/16	C9AZ 4602-J
	- B -																
69	B(exc.66, 71)	250	x				x			1310	E	F	3	4	3	58 1/4	C9OZ 4602-A
69	B(66, 71)	250	x				x			1310	E	F	3	4	3	55 1/4	C9OZ 4602-B
69	B(exc.66, 71)	302	x				x	x		1310	E	F	3	4	3	58 43/64	C6OZ 4602-V
69	B(66, 71)	302	x				x	x		1310	E	F	3	4	3	55 41/64	C6OZ 4602-U
69	B(exc.66, 71)	351			x					1310	E	F	2	4	3	58 1/4	C9OZ 4602-D
69	B(66, 71)	351			x					1310	E	F	2	4	3	55 1/4	C9OZ 4602-F
69	B(exc.66, 71)	351					x	x		1310	E	F	3	4	3	57 13/16	C9OZ 4602-C
69	B(66, 71)	351					x	x		1310	E	F	3	4	3	54 13/16	C9OZ 4602-E
69	B(exc.66, 71)	390				x				1330	K	H	16	4	3	54 1/32	C6OZ 4602-B
69	B(66, 71)	390				x				1330	K	H	16	4	3	51 1/64	C6OZ 4602-A
69	B(exc.66, 71)	390					x	x		1330	K	H	4	4	2	57 7/16	C6OZ 4602-D
69	B(66, 71)	390					x	x		1330	K	H	4	4	3	54 15/32	C6OZ 4602-E
69	B(exc.66)	428						x		1330	G	H	16	2	3	57 7/16	C7OZ 4602-A
69	B(66)	428						x		1330	G	H	16	2	3	54 15/32	C9OZ 4602-G
69	B(exc.66)	428				x				1330	G	H	16	2	3 1/2	54	C8OZ 4602-B
69	B(66)	428				x				1330	G	H	16	2	3	51	C9OZ 4602-H
	- F -																
69	F	200					x			1100	J	J	14	2	2 1/2	51	C7ZZ 4602-E
69	F(7 1/4", 8" ring gear)	200	x							1310	E	F	3	4	3	50 31/32	C7ZZ 4602-G
69	F(7 1/4", 8" ring gear)-exc. Boss	200, 302	x				x	x		1310	E	F	3	4	3	50 31/32	C7ZZ 4602-G
69	F	250	x				x			1310	E	F	3	4	3	50 11/16	C9ZZ 4602-A
69	F(8 3/4", 9" ring gear)-exc. Boss	302	x				x	x		1310	E	F	3	4	3	50 7/32	C8ZZ 4602-A
69	F	250	x														
69	F	351					x	x									

• Refer to Page 1 of Section 46 to translate codes into Part Numbers

Type 1 - Steel shaft, 2 - Cardboard lined, 4 - (T/T) Tube in tube drive thru rubber

4602 DRIVE SHAFT ASSY. - continued

APPLICATION CHART

YEAR	MODEL	ENGINE	TRANSMISSION							U JOINT			SLIP YOKE CODE	DRIVE SHAFT			PART NUMBER
			C4	C-M MX	C-M FMX	C6	3/S/T	4/S/T	O/D	SIZE	FRONT	REAR		TYPE	D DIAMETER (INCHES)	C LENGTH (INCHES)	
	- F -									*1969* - continued			•	#			
69	F	351			x					1310	E	F	2	4	3	50 5/8	C9ZZ 4602-B
69	F	390					x	x		1330	G	H	4	2	3	50 1/64	C7ZZ 4602-C
69	F(Boss)	302						x									
69	F	390, 428				x				1330	G	H	16	2	3 1/2	46 19/32	C8ZZ 4602-C
69	F	428						x		1330	G	H	16	2	3	50	C8ZZ 4602-B
69	F	429 Boss					x			1330	G	H	16	2	3	50 7/8	C9ZZ 4602-C
	- S -																
69	S(57)	429				x				1330	2-N	2-N	18	4	3 1/4	57 7/32	†C8SZ 4602-B
69	S(65)	429				x				1330	2-N	2-N	18	4	3 1/4	54 23/32	†C8SZ 4602-A
	- U -																
69	U(front)	All					x			2.5 RL	P	P	Δ	1	2		★%†C7TZ 4602-DB r/b C9TZ 4602-Z(4-72)
							x			2.5 RL	P		Δ	1	2	18 1/16	C6TZ 4605-A
69	U(rear)	All					x			2.5 RL	P	P	Δ	1	2		★%†C7TZ 4602-DC r/b C9TZ 4602-AA(6-72)
							x			2.5 RL		P	Δ	1	2	25 27/32	C6TZ 4605-B
	- X -																
69	X(except 71)	170, 200	x				x			1260	C	D	3	4	3	53 35/64	C7DZ 4602-D
		302	x				x	x									
69	X(71)	200, 302	x				x	x		1260	C	D	3	2	2 3/4	55 33/64	C7DZ 4602-B
	- A -									*1970*							
70	A-exc. P/C (8.7" R/G integral axle)	240,302,351	x				x			1310	E	F	3	4	3 1/2	64 15/16	C9AZ 4602-A
70	A-P/C (8.7" R/G integral axle)	240, 302					x			1310	E	F	3	4	3 1/2	65 5/32	D0AZ 4602-D
70	A(8.7" ring gear-integral axle)	240,302,351			x					1310	E	F	2	4	3 1/2	62	D0AZ 4602-C
	A-exc. P/C(9" R/G)	240,302,351	x				x			1330	G	H	4	4	3 1/2	64 11/16	D0AZ 4602-B
					x					1330	G	H	16	4	3 1/2	61 11/16	D0AZ 4602-E
70	A-P/C(9" R/G)	302					x			1330	G	H	4	4	3 1/2	64 15/16	★D0AZ 4602-A r/b D0AZ 4602-B(4/74)
70	A(9 3/8" R/G)	351					x			1330	G	H	4	4	3 1/2	60 13/16	C9AZ 4602-N
70	A(9" R/G)	390, 429				x				1330	G	H	16	4	3 1/2	61 5/16	C9AZ 4602-H
70	A(9 3/8" R/G)	390, 429				x		x		1330	G	H	16	4	3 1/2	60 13/16	C9AZ 4602-L
70	A(9" R/G)	390					x			1330	G	H	4	4	3 1/2	61 5/16	C9AZ 4602-E
70	A(P/C)-(9 3/8" R/G)	428,429				x				1330	G	H	16	1	4	60 13/16	C9AZ 4602-K
70	A (9" R/G)	428,429				x				1330	G	H	16	1	4	61 5/16	D0AZ 4602-F
	- B -																
70	B(exc. 66,71)	250, 302	x				x			1310	E	F	3	4	3	59 13/16	D0OZ 4602-E
70	B(66, 71)	250, 302	x				x			1310	E	F	3	4	3	56 13/16	D0OZ 4602-F
70	B (Police & Fleet)	302-2V					x			1310	E	F	3	4	3	58 5/8	D0OZ 4602-J
70	B(exc.66,71) w/28 spline axle shaft	351	x				x	x		1310	E	F	3	4	3 1/2	58 5/8	D0OZ 4602-J
70	B(66,71) w/28 spline axle shaft	351	x				x	x		1310	E	F	3	4	3 1/2	55 11/16	D0OZ 4602-L

• Refer to Page 1 of Section 46 to translate Codes into Part Numbers.

Type 1 - Steel shaft, 2 - Cardboard lined, 4 - (T/T) Tube in tube drive thru rubber

Δ Knuckle and plug and intermediate universal joint serviced in 4997 assy. only † Double Cardan Universal Joints

% Also refer to basic 4602 Kit drive shaft (Conversion-Mechanics to Dana-Spicer)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

4602 DRIVE SHAFT ASSY. - continued

APPLICATION CHART

YEAR	MODEL	ENGINE	TRANSMISSION							U JOINT			SLIP YOKE CODE	TYPE	DRIVE SHAFT		
			C4	C/M MX	C/M FMX	C6	3/S/T	4/S/T	O/D	SIZE	FRONT	REAR			D DIA. (INCHES)	C LENGTH (INCHES)	PART NUMBER
	- B -									*1970* - continued			•	#			
70	B(exc.66,71)	351			x					1310	E	F	2	4	3	59 7/32	D0OZ 4602-G
70	B(66,71)	351			x					1310	E	F	2	4	3	56 1/4	D0OZ 4602-N
70	B(exc.66,71) w/31 spline axle shaft	351						x		1330	G	H	16	2	3 1/2	55 9/32	D0OZ 4602-A
70	B(exc.66,71)	429				x		x									
70	B(66,71) w/31 spline axle shaft	351						x		1330	G	H	16	2	3 1/2	52 5/16	D0OZ 4602-B
70	B(66,71)	429				x		x									
	F																
70	F	200,250	x				x			1310	E	F	3	4	3	50 11/16	C9ZZ 4602-A
70	F(7 1/4", 8" ring gear)	200,302	x				x	x		1310	E	F	3	4	3	50 31/32	C7ZZ 4602-G
70	F(W/28 spline axle shaft)	351	x				x	x		1310	E	F	3	4	3	50 7/32	C8ZZ 4602-A
70	F(W/28 spline axle shaft)	351			x					1310	E	F	2	4	3	50 5/8	C9ZZ 4602-B
70	F(W/31 spline axle shaft)	302,351						x		1330	G	H	4	2	3	50 1/64	C7ZZ 4602-C
70	F(W/31 spline axle shaft)	351			x					1330	G	H	16	2	3 1/2	50 5/8	D0ZZ 4602-A
70	F	428				x				1330	G	H	16	2	3 1/2	46 19/32	C8ZZ 4602-C
70	F	428						x		1330	G	H	16	2	3	50	C8ZZ 4602-B
70	F	429						x		1330	G	H	16	2	3	50 7/8	C9ZZ 4602-C
	P																
70	P	170,200,250	x				x			1310	E	F	3	1	2 1/4	46 5/8	D2DZ 4602-B
	S																
70	S(57)	429				x				1330	2-N	2-N	18	4	3 1/4	57 7/32	†C8SZ 4602-B
70	S(65)	429				x				1330	2-N	2-N	18	4	3 1/4	54 23/32	†C8SZ 4602-A
	U																
	Mechanics Type - "BEFORE SER.G70,001"																
70	U(front)	All					x			2.5RL	P	P	4	1	2		★%‡† C7TZ 4602-DB r/b C9TZ 4602-Z(4-72)
							x			2.5RL	P		4	1	2	18 1/16	▲C6TZ 4605-A
70	U(rear)	All					x			2.5RL	P	P	4	1	2		★%‡† C7TZ 4602-DC r/b C9TZ 4602-AA(6-72)
							x			2.5RL		P	4	1	2	25 27/32	▲C6TZ 4605-B
	Dana (Spicer) Type - "FROM SER.G70,001"																
70	U(front)	All					x			1310	Q	Q	19	1	2 1/2	23 1/4	‡C9TZ 4602-V
							x			1310		Q	19	1	2 1/2	19	▲C9TZ 4605-A
70	U(rear)	All					x			1310	Q	Q	20	1	2 1/2	26 1/2	‡C9TZ 4602-W
							x			1310	Q		20	1	2 1/2	26 3/8	▲C9TZ 4605-B
	X																
70	X(except 71)	200	x				x			1260	C	D	3	4	3	53 35/64	C7DZ 4602-D
70	☆X(except 71)	302	x				x	x									
70	X(71)	200,302	x				x	x		1260	C	D	3	2	2 3/4	55 33/64	C7DZ 4602-B
70	♦X(except 71)	302	x				x			1260	C	D	3	4	2 3/4	53 35/64	CC7DW 4602-E

• Refer to Page 1 of Section 46 to translate codes into Part Numbers
Type 1 - Steel shaft, 2 - Carboard lined, 4 - (T/T) Tube in tube drive thru rubber
† Double Cardan Universal Joints ‡ Drive shaft complete ▲ Drive shaft tube assembly
% Also refer to basic 4602 Kit drive shaft (Conversion-Mechanics to Dana-Spicer)
∡ Knuckle and plug and intermediate universal joint serviced in 4997 assy. only ☆ U.S. only ♦ Canada only

4602 DRIVE SHAFT ASSY. - continued

APPLICATION CHART

YEAR	MODEL	ENGINE	TRANSMISSION							U JOINT			SLIP YOKE CODE •	DRIVE SHAFT			
			C4	C/M MX	C/M FMX	C6	3/S/T	4/S/T	O/D	SIZE	FRONT	REAR		TYPE #	D DIA. (INCHES)	C LENGTH (INCHES)	PART NUMBER
	- A -									*1971* - continued							
71	A-exc.P/C(8.7" R/G-integral axle)	240, 302, 351	x				x			1310	E	F	3	4	3 1/2	64 15/16	C9AZ 4602-A
71	A-P/C(8.7"R/G-integral axle)	240, 302					x			1310	E	F	3	4	3 1/2	65 5/32	D0AZ 4602-D
71	A(8.7"R/G-integral axle)	240, 302, 351			x					1310	E	F	2	4	3 1/2	62	D0AZ 4602-C
71	A(8.7"R/G - integral axle)	240, 302, 351	x				x			1310	E	F	21	5	3 1/2	64 15/16	D1AZ 4602-A
71	A(8.7"R/G - integral axle)	302, 351			x					1310	E	F	22	5	3 1/2	61 15/16	D1AZ 4602-B
71	A(9" R/G)	351					x			1330	G	H	4	4	3 1/2	61 5/16	C9AZ 4602-E
71	A(9" R/G)	240, 302, 351	x				x			1330	G	H	4	4	3 1/2	64 11/16	D0AZ 4602-B
					x					1330	G	H	16	4	3 1/2	61 11/16	D0AZ 4602-E
71	A(9"R/G)	390, 400, 429-exc.P/C				x				1330	G	H	16	4	3 1/2	61 5/16	C9AZ 4602-H
71	A(9" R/G)	429 P/C				x				1330	G	H	25	2	3 3/4	57 13/16	D1AZ 4602-C
	- B -																
71	B(exc. 66, 71)	250, 302	x				x			1310	E	F	3	4	3	59 13/16	D0OZ 4602-E
71	B(66, 71)	250. 302	x				x			1310	E	F	3	4	3	56 13/16	D0OZ 4602-F
71	B(exc. 66, 71)-w/28 spline axle shaft	351	x				x	x		1310	E	F	3	4	3 1/2	58 5/8	D0OZ 4602-J
71	B(66, 71)-w/28 spline axle shaft	351	x				x	x		1310	E	F	3	4	3 1/2	55 11/16	D0OZ 4602-L
71	B(exc. 66, 71)	351				x				1310	E	F	2	4	3 1/2	55 1/4	D1OZ 4602-A
71	B(66, 71)	351				x				1310	E	F	2	4	3 1/2	52 5/16	D1OZ 4602-B
71	B(exc. 66, 71) w/31 spline axle shaft	351						x		1330	G	H	16	2	3 1/2	55 9/32	D0OZ 4602-A
71	B(exc. 66, 71)	429				x		x									
71	B(66, 71) w/31 spline axle shaft	351						x		1330	G	H	16	2	3 1/2	52 5/16	D0OZ 4602-B
71	B(66, 71)	429				x		x									
	- F -																
71	F	250, 302	x				x			1310	E	F	3	4	3	51 3/4	D1ZZ 4602-A
71	F	351			x					1310	E	F	2	2	2 3/4	51 3/32	D1ZZ 4602-C
71	F	351				x				1310	E	F	2	2	3	47 7/32	D1ZZ 4602-D
71	F	351					x	x		1310	E	F	3	2	2 3/4	50 13/16	D1ZZ 4602-B
71	F	302, 351						x		1330	G	H	4	2	3	50 21/32	D1ZZ 4602-E
71	F	351, 429				x				1330	G	H	16	2	3 1/2	47 7/32	D1ZZ 4602-F
71	F	429						x		1330	G	H	16	2	3	50 21/32	D1ZZ 4602-G
	- L -																
71	L(20 spline yoke)-(E/4/S)	98						x		1310	E	F	23	4	2 3/4	46 15/16	D1FZ 4602-A
71	L(25 spline yoke)-(G/4/S)	98, 122						x		1310	E	F	24	4	2 3/4	46 15/16	D1FZ 4602-B
71	L	122	x							1310	E	F	3	4	2 3/4	45 3/4	D1FZ 4602-C
	- P -																
71	P(54)	170, 200, 250	x				x			1310	E	F	3	1	2 3/4	52 9/16	D1DZ 4602-A
71	P(62)	170, 200, 250	x				x			1310	E	F	3	1	2 1/4	46 5/8	D0DZ 4602-B
71	P(54)	302	x				x			1310	E	F	3	1	2 3/4	53 9/16	D1DZ 4602-B
71	P(62)	302	x				x			1310	E	F	3	1	2 1/4	46 5/8	D1DZ 4602-C

• Refer to Page 1 of Section 46 to translate Codes into Part Numbers.

Type 1 - Steel shaft, 2 - Carboard lined, 4 - (T/T) Tube in tube drive thru rubber 5 - Tuned yoke & damper

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

4602 DRIVE SHAFT ASSY. - continued

APPLICATION CHART

YEAR	MODEL	ENGINE	TRANSMISSION							U JOINT			SLIP YOKE CODE	DRIVE SHAFT			
			C4	C/M MX	C/M FMX	C6	3/S/T	4/S/T	O/D	SIZE	FRONT	REAR		TYPE	D DIA. (INCHES)	C LENGTH (INCHES)	PART NUMBER
	- S -									*1971* - continued			•	#			
71	S(57)	429				x				1330	2-N	2-N	18	4	3 1/4	57 7/32	†C8SZ 4602-B
71	S(65)	429				x				1330	2-N	2-N	18	4	3 1/4	54 23/32	†C8SZ 4602-A
	- U -																
71	U(front)	All					x			1310	Q	Q	19	1	2 1/2	22 1/4	D1TZ 4602-G
							x			1310	Q		19	1	2 1/2	17 31/32	D1TZ 4605-A
71	U(rear)	All					x			1310	Q	Q	20	1	2 1/2	26 1/2	†C9TZ 4602-W
							x			1310		Q	20	1	2 1/2	26 3/8	▲C9TZ 4605-B
	- A -									*1972*							
72	A(8.7" R/G)	240, 302, 351	x							1310	E	F	21	5	3 1/2	64 15/16	D1AZ 4602-A
72	A(8.7" R/G)	240 Taxi w/disc brakes, 302, 351			x					1310	E	F	22	5	3 1/2	61 15/16	D1AZ 4602-B
72	A(8.7" R/G)	400				x				1330	G	H	27	5	3 1/2	61 3/64	D2AZ 4602-A
72	A(9" R/G)	240 Taxi w/disc brakes, 302, 351			x					1330	G	H	16	4	3 1/2	61 11/16	D0AZ 4602-E
72	A(9" R/G)	240, 302, 351	x							1330	G	H	4	4	3 1/2	64 11/16	D0AZ 4602-B
72	A(9" R/G)	400, 429 exc. P/C				x				1330	G	H	16	4	3 1/2	61 5/16	C9AZ 4602-H
72	A(3.25 ratio)	429 P/C				x											
72	A(9" R/G) (3.00 ratio)	429 P/C				x				1330	G	H	25	2	3 3/4	57 13/16	D1AZ 4602-C
	- B -																
72	B(53B, D, K, 71B, D, K, 97D, K, R)(8" R/G)	250, 302					x			1310	E	F	3	2	3	61 39/64	D2OZ 4602-B
72	B(63D, R, 65B, D, R)(8" R/G)	250, 302	x				x			1310	E	F	3	2	3	57 29/32	D2OZ 4602-A
72	B(53B, D, K, 71B, D, K, 97D, K, R)(9" R/G)- 28 spline yoke	250, 302, 351	x				x	x		1330	G	H	4	2	3 1/2	60 11/32	D2OZ 4602-D
72	B(63D, R, 65B, D, R)(9" R/G)- 28 spline yoke	250, 302, 351	x		x		x	x		1330	G	H	4	1	3 1/2	56 13/32	D2OZ 4602-C
72	B(53B, D with 2.79/3.00 ratio)	302			x					1310	E		2	2	3	61 31/32	D2OZ 4602-L
72	B(53B, D, K, 71B, D, K, 97D, K, R)(8" R/G)	302	x				x			1310	E	F	3	2	3 to 3 1/2	61 3/4	D2OZ 4602-J
72	B(65B, D, R with 2.79/3.00 ratio)- 31 spline yoke	302			x		x			1310	E		2	2	3	58 9/64	D2OZ 4602-K
72	B(53, 71, 97)	302, 351-2/B			x					1330	G		16	5	3 1/2	60 13/16	D2AZ 4602-B
										1310		F					
72	B(63, 65)	302, 351-2/B			x					1330	G	H	16	2	3 1/2	57	D2OZ 4602-F
72	B(53, 63, 71, 97) (9" R/G)- 31 spline yoke	351, 400, 429			x	x		x		1330	G	H	16	2	3 1/2	57	@D2OZ 4602-F
72	B(63D, R, 65B, D, R)(9" R/G) - 31 spline yoke	351-4/B, 400, 429			x	x		x		1330	G	H	16	2	3 1/2	53 3/16	D2OZ 4602-E

• Refer to Page 1 of Section 46 to translate Codes into Part Numbers

Type 1 - Steel Shaft, 2 - Carboard lined, 4 - (T/T) Tube in tube drive thru rubber 5 - Tuned yoke & damper

† Double Cardan Universal Joints ▲ Drive shaft tube assembly @ Requires C7SZ 4841-A slip yoke

4602 DRIVE SHAFT ASSY. - continued

APPLICATION CHART

YEAR	MODEL	ENGINE	TRANSMISSION							U JOINT			SLIP YOKE CODE	TYPE	DRIVE SHAFT		
			C4	C/M MX	C/M FMX	C6	3/S/T	4/S/T	O/D	SIZE	FRONT	REAR			D DIA. (INCHES)	C LENGTH (INCHES)	PART NUMBER
	- F -						*1972* - continued						•	#			
72	F	250, 302	x				x			1310	E	F	3	4	3	51 3/4	D1ZZ 4602-A
72	F	302			x					1310	E	F	3	4	3	52 3/16	D2ZZ 4602-A
72	F	302, 351				x				1310	E	F	2	2	3	47 7/32	D1ZZ 4602-D
72	F	351			x					1310	E	F	2	2	2 3/4	51 3/32	D1ZZ 4602-C
72	F	351					x	x		1310	E	F	3	2	2 3/4	50 13/16	D1ZZ 4602-B
72	F	351						x		1330	G	H	4	2	3	50 21/32	D1ZZ 4602-E
72	F	351				x				1330	G	H	16	2	3 1/2	47 7/32	D1ZZ 4602-F
	- L -																
72	L(20 spline yoke)-(E/4/S)	98						x		1310	E	F	23	4	2 3/4	46 15/16	D1FZ 4602-A
72	L(25 spline yoke)-(G/4/S)	98, 122						x		1310	E	F	24	4	2 3/4	46 15/16	D1FZ 4602-B
72	L(25 spline yoke)	122	x							1310	E	F	24	4	2 3/4	45 3/4	D1FZ 4602-C
72	L(28 spline yoke)	122	x							1310	E	F	3	4	2 3/4	45 23/32	D2FZ 4602-B
72	L(28 spline yoke)	122	x							1310	E	F	28	1		45 23/32	D2FZ 4602-A
	- P -																
72	P(62)	170, 200, 250	x				x			1310	E	F	3	1	2 1/4	46 5/8	D2DZ 4602-B
72	P(62)	302	x				x			1310	E	F	3	1	2 1/4	46 5/8	D1DZ 4602-C
72	P(54)	170, 200, 250	x				x			1310	E	F	3	1	2 3/4	52 9/16	D1DZ 4602-A
72	P(54)	302	x				x			1310	E	F	3	1	2 3/4	53 9/16	D1DZ 4602-B
	- S -																
72	S-w/sure track- "Before 12/1/71"	All				x				1330	G	H	26	4	3 1/2	55 19/32	D2SZ 4602-B
72	S-w/o sure track- "Before 12/1/71"	All				x				1330	G	H	26	4	3 1/2	56 7/64	D2SZ 4602-A
72	S-w or w/o sure track- "From 12/1/71"	All				x				1330	G	G	26	4	3 1/2	55 19/32	D2SZ 4602-C
	- U -																
72	U(front)	All					x			1310	Q	Q	19	1	2 1/2	22 1/4	D1TZ 4602-G
										1310	Q		19	1	2 1/2	17 31/32	D1TZ 4605-A
72	U(rear)	All					x			1310	Q	Q	20	1	2 1/2	26 1/2	†C9TZ 4602-W
							x			1310		Q	20	1	2 1/2	26 3/8	▲C9TZ 4605-B

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
69/	S		384341-S4 (BB425FA)	4	Bolt-7/16"-14 x 1 3/8" hex. hd. - (attach 4602 to 4001)
			384353-S4 (MM173X)	4	Nut-7/16"-14
70/	U		384036-S2 (BB210E)	8	Bolt-5/16"-24 x 1 1/4" hex. hd.-(attach 4602 driveshaft to 7E028 transfer case)
	4602 DRIVE SHAFT KIT - (CONVERSION-MECHANICS TO DANA - SPICER)				
66/70	U(front)		C9TZ 4602-Z	1	Kit consists of (1)C9TZ 4602-V drv/shft. (1) C9TZ 7B214-B flange (4) 34791-S2 lockwasher (4) 384036-S2 bolt
66/70	U(rear)		C9TZ 4602-AA	1	Kit consists of (1)C9TZ 4602-W drv/shft. (1) C9TZ 7B214-B flange (4) 34791-S2 lockwasher (4) 384036-S2 bolt

4605 DRIVE SHAFT -Refer to Group 4602

• Refer to page 1 of Section 46 to translate codes into Part Numbers

Type 1 - Steel shaft, 2 - Carboard lined, 4 - (T/T) Tube in tube drive thru rubber

† Double Cardan Universal Joints ▲ Drive shaft tube assembly

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

4614-21 RETAINER ASSY. - REAR AXLE PINION BEARING

BEARING & CUP CROSS REFERENCE CHART

(FOR MODEL APPLICATION, REFER TO MODEL APPLICATION CHART ON THIS PAGE)

BEARING IDENTIFICATION NUMBER	P & A NUMBER
02872	8M 4621
31594	8M 4630
HM88649	C0DW 4630-A
HM89443	TBAA 4621-A
HM89444	C6AZ 4630-A
HM89446	C1DZ 4630-A
M86647	C6TZ 4621-B
M86649	C0DW 4621-A
M88048	B7A 4621-A
M802048	C7AZ 4630-A

CUP IDENTIFICATION NUMBER	P & A NUMBER
02820	8A 4616
31520	8A 4628
HM88610	C0DW 4628-A
HM89410	TBAA 4616-A
M86610	C0DW 4616-A
M88010	B7A 4616-A
M802011	C7AZ 4628-A
HM88510	B5A 4616-B
HM88542	B5A 4621-B

YEAR	MODEL APPLICATION	RETAINER & CUP ASSY. 4614 ▲	CUPS 4616 ●	FRONT	REAR	BEARINGS 4621	FRONT	REAR
	- A -							
67/	A(8 1/2", 8.7" R/G)-integral carrier	None req'd	B7A 4616-A	1		B7A 4621-A	1	
			C7AZ 4628-A		1	C7AZ 4630-A		1
65	A(9" R/G-2 pinion)	D2SZ 4614-A	B7A 4616-A	1	1	B7A 4621-A	1	1
	A(9" R/G-4 pinion)	C3AZ 4614-B	B7A 4616-A	1		B7A 4621-A	1	
			TBAA 4616-A		1	TBAA 4621-A		1
66	A(9" R/G)	D2SZ 4614-A	B7A 4616-A	1	1	B7A 4621-A	1	1
67	A(9" R/G)	C7AZ 4614-A	B7A 4616-A	1	1	B7A 4621-A	1	1
68/	A(9" R/G)	C7AZ 4614-D	B7A 4616-A	1	1	B7A 4621-A	1	1
66	A(9 3/8" R/G)	D2VY 4614-A	B7A 4616-A	1		B7A 4621-A	1	1
			TBAA 4616-A		1			
67	A(9 3/8" R/G)	★C7AZ 4614-B r/b C7AZ 4614-C(1-74)	B7A 4616-A	1		B7A 4621-A	1	
			TBAA 4616-A		1	C6AZ 4630-A		1
68/70	A(9 3/8" R/G)	D2VY 4614-A	B7A 4616-A	1		B7A 4621-A	1	1
			TBAA 4616-A		1			
	- B -							
67/68	B(7 1/4" R/G)-integral carrier	None req'd	C0DW 4616-A	1		C0DW 4621-A	1	
			TBAA 4616-A		1	C1DZ 4630-A		1
65/67	B(7 3/4", 8" R/G)	★C6OZ 4614-A r/b C6OZ 4614-B(10/74)	C0DW 4616-A	1	1	C0DW 4621-A	1	1
68/	B(8" R/G)	C6OZ 4614-B	C0DW 4616-A	1	1	C0DW 4621-A	1	1
65/71	B(9" R/G-28 spline shaft)	D2SZ 4614-A	B7A 4616-A	1	1	B7A 4621-A	1	1
67/71	B(9" R/G-31 spline shaft)	C3AZ 4614-B	B7A 4616-A	1		B7A 4621-A	1	
			TBAA 4616-A		1	TBAA 4621-A		1
72	B(9" R/G)-WEC, WFC	D2OZ 4614-A	B7A 4616-A	1		B7A 4621-A	1	1
			TBAA 4616-A		1			
72	B(9" R/G)-WEB, WFA	C7AZ 4614-D	B7A 4616-A	1	1	B7A 4621-A	1	1
	- F -							
65/70	F(7 1/4" R/G)-integral carrier	None req'd	C0DW 4616-A	1		C0DW 4621-A	1	
			TBAA 4616-A		1	C1DZ 4630-A		1
65/67	F(8" R/G)	★C6OZ 4614-A r/b C6OZ 4614-B(10/74)	C0DW 4616-A	1	1	C0DW 4621-A	1	1
68/	F(8" R/G)	C6OZ 4614-B	C0DW 4616-A	1	1	C0DW 4621-A	1	1
65/71	F(9" R/G-28 spline shaft)	D2SZ 4614-A	B7A 4616-A	1	1	B7A 4621-A	1	1
67/	F(9" R/G-31 spline shaft)	C3AZ 4614-B	B7A 4616-A	1		B7A 4621-A	1	
			TBAA 4616-A		1	TBAA 4621-A		1
72	F(9" R/G-28 spline shaft)	D2SZ 4614-A	B7A 4616-A	1	1	B7A 4621-A	1	1
	- L -							
71/	L(6 3/4" R/G)-integral carrier	None req'd	C0DW 4616-A	1		C0DW 4621-A	1	
			B7A 4616-A		1	B7A 4621-A		1

▲ Consists of retainer and two (4616) cups ● Also serviced in retainer and cup assy. (4614)

YEAR	MODEL APPLICATION	RETAINER & CUP ASSY. 4614 ▲	CUPS 4616 ●	FRONT	REAR	BEARINGS 4621	FRONT	REAR
	4614-21 RETAINER ASSY. - REAR AXLE PINION BEARING - continued							
	- P -							
70	P(7 1/4" R/G)-integral carrier	None req'd	C0DW 4616-A TBAA 4616-A	1	 1	C0DW 4621-A C1DZ 4630-A	1	 1
70/	P(8" R/G)	C6OZ 4614-B	C0DW 4616-A	1	1	C0DW 4621-A	1	1
	- S -							
65/66	S	D2SZ 4614-A	B7A 4616-A	1	1	B7A 4621-A	1	1
67	S(9" R/G)	C7AZ 4614-D	B7A 4616-A	1	1	B7A 4621-A	1	1
67	S(9 3/8" R/G)	C7AZ 4614-B	B7A 4616-A TBAA 4616-A	1	 1	B7A 4621-A C6AZ 4630-A	1	 1
68/70	S "Before 1/19/70"	D2VY 4614-A	B7A 4616-A TBAA 4616-A	1	 1	B7A 4621-A	1	1
70/71	S-w/o sure-track "From 1/19/70"	D2VY 4614-A	B7A 4616-A TBAA 4616-A	1	 1	B7A 4621-A	1	1
70/71	S-w/sure track "From 1/19/70"	★D0SZ 4614-A r/b D2SZ 4614-B(10/74)	B7A 4616-A TBAA 4616-A	1	 1	B7A 4621-A C6AZ 4630-A	1	 1
72	S(9 3/8" R/G) -exc. WFN-J	D2SZ 4614-B	B7A 4616-A TBAA 4616-A	1	 1	B7A 4621-A	1	1
72	S(9" R/G) -exc. WFV-G,H,J, WGB-R,S	D2SZ 4614-A	B7A 4616-A	1	1	B7A 4621-A	1	1
72	S(9 3/8" R/G)-WFN-J	D2VY 4614-A	B7A 4616-A TBAA 4616-A	1	 1	B7A 4621-A	1	1
72	S(9" R/G)-WFV-G,H,J, WGB-R,S	D3SZ 4614-A	B7A 4616-A	1	1	B7A 4621-A	1	1
	- U -							
66/71	U(rear drive axle)	D2SZ 4614-A	B7A 4616-A	1	1	B7A 4621-A	1	1
72	U(rear drive axle)	D2SZ 4614-A	B7A 4616-A	1	1	B7A 4621-A	1	1
66	U(front drive axle)- "Before Ser. 816,001"	None req'd.	C0DW 4628-A C0DW 4616-A	1	 1	C0DW 4630-A C6TZ 4621-B	1	 1
66/71	U(front drive axle)- "From Ser. 816,001 to K20,001"	None req'd.	C0DW 4628-A 8A 4616	1	 1	C0DW 4630-A 8M 4621	1	 1
71/	U(front drive axle)- "From Ser. K20,001"	None req'd.	8A 4628 8A 4616	1	 1	8M 4630 8M 4621	1	 1
	- X -							
65/70	X(7 1/4" R/G)-integral carrier	None req'd.	C0DW 4616-A TBAA 4616-A	1	 1	C0DW 4621-A C1DZ 4630-A	1	 1
65/67	X(8" R/G)	★C6OZ 4614-A r/b C6OZ 4614-B(10/74)	C0DW 4616-A	1	1	C0DW 4621-A	1	1
68/70	X(8" R/G)	C6OZ 4614-B	C0DW 4616-A	1	1	C0DW 4621-A	1	1

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
65/	A, B, S, U		42999-S(B253)	5	Bolt (retainer to differential carrier)-3/8"-16 x 1 1/8" self locking
70/	S		384245-S (WW97CX)	1	Stud-5/16"-18 & 3/8"-16 x 1 29/32"-(retainer to differential carrier)-with sure-track
	4616-21 Refer to Group 4614				
	4625 BEARING - REAR AXLE DRIVING PINION PILOT				
65/	A, B, F, S, U(8 3/4" & 9" R/G)		C2AZ 4625-B	1	1.10"I.D.-1.85" O.D.-21/32" thick
66/	A, S(9 3/8" R/G)		ø C6AZ 4625-A (N 5204-TV)	1	1.10" I.D.-1.85" O.D.-13/16" thick
65/	B, F, P, X(7 3/4"& 8" R/G)		ø C2OZ 4625-B (R 1558-TAV)	1	3/4" I.D.-1 1/4" O.D.-5/8" thick
	4627 RETAINER - REAR AXLE DRIVING PINION PILOT BEARING				
65/	A, B, F, S, U(8 3/4" & 9",9 3/8" R/G)		B7AZ 4627-A	1	
65/	B, F, P, X(7 3/4" & 8" R/G)		C2OZ 4627-A	1	1 1/4" O.D.-7/8" I.D.- 12 tabs
	4628-30 Refer to Group 4614				


▲ Consists of retainer and two (4616) cups ● Also serviced in retainer and cup assy. (4614)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


4635 UNIVERSAL JOINT KIT - DRIVESHAFT

UNIVERSAL JOINT IDENTIFICATION CHART

Universal joints, Group 4635 are cataloged also by year and model on the pages following the Identification Chart
Universal joints are also listed by code in Group 4602



DANA (SPICER) OR FORD DESIGN



MECHANICS, CLEVELAND STEEL OR SACO DESIGN

P-4917

*U/IT CODE	PART NUMBER	INDUSTRY DESIGNATION	A	B	C	D	E	F	G	H	DESIGN
A	B6TZ 4635-A	1310	3 1/4"	3 1/4"	2 31/32"	2 31/32"	1 1/16"	1 1/16"	21/32"	11/16"	Dana (Spicer) or Ford
B	C3DZ 4635-A	1100	2 11/16"	2 11/16"	2 1/4"	2 1/4"	1"	1"	37/64"	37/64"	Mech., or Saco
C	C3AZ 4635-C	1260	3 15/32"	3 15/32"	2 31/32"	2 31/32"	1 1/16"	1 1/16"	19/32"	9/16"	Dana (Spicer) or Ford
D	★C3AZ 4635-D r/b C3AZ 4635-F (2-73)	1260	3 15/32"	3 15/32"	2 31/32"	2 31/32"	1 1/16"	1 1/8"	19/32"	9/16"	Dana (Spicer) or Ford
E	C3AZ 4635-E	1310	3 1/4"	3 1/4"	3"	3"	1 1/16"	1 1/16"	11/16"	17/32"	Cleveland
F	C3AZ 4635-F	1310	3 1/4"	3 1/4"	3"	3"	1 1/16"	1 1/8"	11/16"	17/32"	Cleveland
G	C3AZ 4635-G	1330	3 5/8"	3 5/8"	3 13/32"	3 13/32"	1 1/16"	1 1/16"	11/16"	19/32"	Cleveland
H	C3AZ 4635-H	1330	3 5/8"	3 5/8"	3 13/32"	3 13/32"	1 1/16"	1 1/8"	11/16"	19/32"	Cleveland
J	C3UZ 4635-B	1100	2 21/32"	2 21/32"	2 13/64"	2 1/2"	1"	1"	35/64"	17/32"	Dana (Spicer)
K	C4SZ 4635-B	1330	3 5/8"	3 5/8"	3 3/8"	3 3/8"	1 1/16"	1 1/16"	21/32"	35/64"	Dana (Spicer)
L	C5DZ 4635-A	1260	3 15/32"	3 15/32"	2 31/32"	2 31/32"	1"	1 1/8"	19/32"	29/64"	Mechanics
M	C5DZ 4635-B	1260	3 15/32"	3 15/32"	2 31/32"	2 31/32"	1"	1"	19/32"	29/64"	Mechanics
N	C8SZ 4635-A	1330									Saginaw
P	C6TZ 4635-H	2.5RL									Mechanics
Q	C9TZ 4635-B	1310	3 1/4"	3 1/4"	2 31/32"	2 31/32"	1 1/16"	1 1/16"	21/32"	11/16"	Dana (Spicer)

* Universal joints are listed by model application with the related drive shafts-see page 1 of Section 46 for additional information

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4662 SPACER - REAR AXLE DRIVING PINION BEARING - Selective fit				
65/	A,B,F,S,U(9" R/G)	28 spline shaft	B7A 4662-A	1	1.315" I.D.-.480" long (collapsible)
67/69	A(8 1/2" R/G)	WER		1	
65/	A,S(9",9 3/8" R/G)	31 spline shaft	C4AZ 4662-A	AR	1.313" I.D.-1.625" O.D.-.466" long
67/	B,F(9" R/G)	31 spline shaft	C4AZ 4662-B	AR	(solid) .468" long
			C4AZ 4662-C	AR	.470" long
			C4AZ 4662-D	AR	.472" long
			C4AZ 4662-E	AR	.474" long
			C4AZ 4662-F	AR	.476" long
			C4AZ 4662-L	AR	.477" long
			C4AZ 4662-G	AR	.478" long
			C4AZ 4662-M	AR	.479" long
			C4AZ 4662-H	AR	.480" long
			C4AZ 4662-N	AR	.481" long
			C4AZ 4662-J	AR	.482" long
			C4AZ 4662-P	AR	.483" long
			C4AZ 4662-K	AR	.484" long
			C4AZ 4662-R	AR	.485" long
			C6AZ 4662-A	AR	.486" long
			C6AZ 4662-B	AR	.487" long
			C6AZ 4662-C	AR	.488" long
			C6AZ 4662-D	AR	.489" long
			C6AZ 4662-E	AR	.490" long
69/	A(8.7" R/G)	WER	D0AZ 4662-A	1	1 3/8" small I.D.-1 21/32" large I.D.-1 9/16" small O.D.-1 27/32" large O.D.
65/70	B,F,P,X(7 1/4" R/G)		C3DZ 4662-B	1	2.014" long
65/	B,F,P,X(7 3/4" & 8" R/G)		C2OW 4662-A	1	.480" long-1.21" I.D.-collapsible
71/	L(6 3/4" R/G)		D1FZ 4662-A	1	2 1/8" long tapered I.D. 1 1/4" x 1 11/32"
	4669 SEAL - REAR AXLE DRIVING PINION BEARING RETAINER				
65/	A,B,F,S,U(9" R/G)		B7A 4669-A	1	4 3/4" I.D.
65/	A,S(9 3/8" R/G)	WDT,WEF	C6AZ 4669-A	1	5 1/2" I.D.
65/	B,F,P,X(7 3/4" & 8" R/G)		C2OZ 4669-A	1	4" I.D.
	4670 SLINGER - REAR AXLE DRIVING PINION SHAFT OIL				
65/	A,B,F,S,U(9,9 3/8" R/G)		C3AZ 4670-A	1	2 5/8" O.D.-1 5/16" I.D.-.020" thick
65/67	B,F,X(7 3/4" & 8" R/G)		C3OZ 4670-A	1	2 15/32" O.D.-1 3/16" I.D.-.020" thick
66/71	U(front axle) "Before Ser.K20,001"		C0TT 4670-A	1	Pinion gear shaft-inner brg.-front 4 1/8" O.D.-1 7/16" I.D.-1/32" thick
			C6TZ 4670-A	1	Pinion gear shaft-front brg.-rear-2 7/8" O.D.-1 1/8" I.D.-1/32" thick
			C6TZ 4670-C	1	Baffle-pinion gear shaft rear brg.-saucer shaped
71/	U(front axle) "From Ser.K20,001"		C0TT 4670-A	1	Pinion gear shaft-inner bearing-front-4 1/8" O.D.-1 7/16" I.D.-1/32" thick
			C6TZ 4670-B	1	Pinion gear shaft-inner bearing-rear-2 63/64" O.D.-1 7/16" I.D.-1/64" thick
			8M 4670	1	Baffle-front bearing-rear
	4671 GASKET - FRONT AXLE DRIVING PINION SHAFT OIL SLINGER				
66/71	U	Dana (Spicer) 30	8M 4671	1	
	4672 SHIM - FRONT AXLE DRIVE PINION ADJUSTING				
66/71	U "Before Ser.K20,001"	Dana (Spicer) 30	C6TZ 4672-E	1	2 53/64" O.D.-2 3/8" I.D.-.003" thick
			C6TZ 4672-F	1	.005" thick
71/	U "From Ser.K20,001"	Dana (Spicer) 44	8M 4672-A	1	.003" thick
			8M 4672-C	1	.010" thick
			8M 4672-D	1	.030" thick

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4676 SEAL ASSY. - REAR AXLE DRIVE PINION OIL				
65/67	A (8 cyl. 406, 427)		C3AZ 4676-A	1	1 13/16" I. D. -3" O. D. -1/2" thick - silicone rubber
67	A(8 1/2", 8.7" R/G)	WER	C7AZ 4676-A	1	1 13/16" I. D. -3 1/8" flange dia.,
68/	✡ A(8 1/2", 8.7" R/G)			1	2 25/32 seal dia. -17/32" thick
65/67	✡A,B,F,S,U(9", 9 3/8" R/G)	EXC. WER	★C2AZ 4676-B	1	1 13/16" I. D. -3 5/16" flange dia.,
71	U(9" R/G)- "Before Ser. K80,001"		R/B D1UZ 4676-A (10-72)	1	3" seal dia. -1/2" thick-double lip seal
68/70	✡A,B,F,S,U(9", 9 3/8" R/G)			1	
71/	U(9" R/G)- "From Ser. K80,001"		D1UZ 4676-A	1	1 13/16" I.D. -3 5/16" flange dia., 3" seal dia. -1/2" thick
71/	A, B, F, S(9", 9 3/8" R/G)			1	
65/67	B, F, X(7 1/4", 8" R/G)		C2OZ 4676-B	1	1 13/16" I.D. -2 15/16" flange dia.,
71/	L(6 3/4" R/G)			1	2 5/8" seal dia. -29/64" thick
68/	✡ B, F, P, X(7", 8" R/G)			1	
65/69	F, X (7 1/4" R/G)		C1UZ 4676-C	1	1 21/32" I.D. -2 5/8" O.D. -29/64" thick - use with 1100 universal joints only
66	U (front drive axle)		B6A 4676-A	1	1 1/2" I. D. -3. 16" O. D. -19/32" thick
67/	U(front drive axle)		C6TZ 4676-A	1	#34027, #35723
68/	♦A(8 1/2", 8.7" R/G)	WER	CC7AZ 4676-A	1	
68/	♦A,B,F,S,U(9", 9 3/8" R/G)	EXC. WER	CC2AZ 4676-B	1	
68/	♦B, F, P, X(7", 8" R/G)		CC2OZ 4676-B	1	
	4710 CAP - REAR AXLE UNIVERSAL JOINT KNUCKLE - DUST				
66/70	U	Mechanics	C6TZ 4710-C	2	
	4730 BUMPER - REAR AXLE - Also refer to Groups 4298 and 5783				
65/	A		C9AZ 4730-A	2	Axle
68/71	S			2	Crossmember or frame
66/67	A		C6AZ 4730-A	1	Carrier
71/	F, P			2	Crossmember or frame
71/72	L "Before 1/17/72"			2	Crossmember or frame
72	L "From 1/17/72"		D2FZ 4730-A	2	Crossmember or frame
65/68	B(exc. 8 cyl. 260, 3/S/T, O/D)		C3OZ 4730-A	1	Differential carrier
65/68	B			2	Axle
65/68	F(exc. 289 4/B Special)			1	Carrier
65/68	B (exc. 71)(8 cyl. 289 4/B)		C3OZ 4730-D	1	Differential carrier
65/67	F (8 cyl. 289 4/B Special)			1	Carrier
66/67	B, X		C6DZ 4730-C	2	Axle bumper
66/71	B, X			1	Pinion bumper
65/68	F (8 cyl. 289 2/B & 4/B Premium fuel)		C5ZZ 4730-B	1	On floor pan
68/	A			1	Carrier
65	F(8 cyl. 289 4/B Special)		C3AZ 4730-B	1	Differential carrier
66/70	B(71)-8 cyl. 390			1	Differential carrier
68/70	B(8 cyl. 351, 390, 427, 428)			1	Differential carrier
68/70	F(8 cyl. 289, 302GT, 390, 428)			1	Differential carrier
71/	F		D1ZZ 4730-A	1	Pinion bumper
70	P		D0DZ 4730-A	1	Bumper-pinion
71/	P		D1DZ 4730-A	1	Bumper-pinion
65/68	S		C1VV 4730-B	2	Axle
67	S		C7SZ 4730-B	1	Carrier
68/71	S		C8SZ 4730-A	1	Carrier
66/	U		C1TT 4730-B	2	On frame
71/	L		D1FZ 4730-A	1	Axle
65/67	X		★C0DZ 4730-A	3	Axle-r/b C6AZ 4730-A(10/74)
65/67	X(6 cyl.)			3	Axle to frame & carrier
65/67	F(6 cyl.)			1	Axle to frame
65/70	F(8 cyl.)			1	
65/70	X(8 cyl. 260, 289)			1or3	Differential carrier
68/70	B, P, X			2	Axle to frame
65/67	X (8 cyl.)		★C3DZ 4730-A	2	Axle-r/b C6AZ 4730-A(10/74)
65/70	F			2	Axle

Identification marking ✡ U.S. only ♦ Canada only


YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4730 BUMPER - REAR AXLE - continued -Also refer to Groups 4298 and 5783				
65/70	X (8 cyl.)		C3DZ 4730-B	1	Differential carrier
65/67	B (8 cyl.)			1	Differential carrier
68/70	F(8 cyl. 289, 302)-except GT			1	Differential carrier
72	B(71, 97), S		D2OZ 4730-A	2	Axle bumper
72	B(exc.71, 97)		D2OZ 4730-C	2	Axle bumper
72	B		D2OZ 4730-E	1	Differential carrier
72	S		D2SZ 4730-A	1	Differential carrier
	4731 BRACKET - REAR AXLE BUMPER				
66	B		C6OZ 4731-A	1	Center
67	B (except 54, 62, 63-6 cyl.) "From 4/3/67"			1	
68/71	B(54,57,62,63,65,76)-6 & 8 cyl.250,302			1	Center
68/71	B (76)-6 cyl. & 8 cyl. 302			1	
67	B, X(66, 71)-6 & 8 cyl. 289		C7OZ 4731-A	1	Axle bumper
68/71	B(66, 71)-6 & 8 cyl.200, 250, 302			1	
68/70	X(71)-6 & 8 cyl.200, 289, 302			1	
72	L		D4DZ 4731-A	1	Pinion
72	L(73)		D2FZ 4731-A	1	Axle bumper inner R.H.
72	L(73)		D2FZ 4731-C	1	Axle bumper inner L.H.
72	L(73)		D2FZ 4731-B	1	Axle bumper outer R.H. & L.H.
70	P		D0DZ 4731-A	1	Axle
71	P		D1DZ 4731-A	1	Axle
72	S		D2SZ 4731-A	1	Axle bumper
66/	U		C6TZ 4731-A	2	On frame
66/67	X (54, 62)		C6DZ 4731-A	1	Axle
67/	B		378459-S2(UU52K)	2	Screw (Bracket to underbody)-5/16"-18 x 5/8"
65/68	S		372158-S8(BB572F)	8	Bolt (bracket to underbody)-3/8"-16 x 1 1/8" washer head
65/68	S		373139-S(BB163)		Bolt (rear axle bumper to underbody)-3/8"-16 x 2 3/4"
			44727-S8(X24)		Washer-3/8"
65/	X		★41209-S8	AR	Screw (bracket to rail)-5/16"-18 x 3/4" tapping
	4782 YOKE - DRIVE SHAFT CENTERING SOCKET				
67	S(57)		C3VY 4782-A	1	Used with double cardan joint
68/71	S		C8SZ 4782-A	1	Rear support
72	S		D2SZ 4782-A	1	Rear support
70/72	U "Before Ser. N40,001"	Dana (Spicer)	★C9TZ 4782-A	1	R/b D2TZ 4782-A (2-73)
72	U "From Ser. N40,001"	Dana (Spicer)	D2TZ 4782-A	2	Used front and rear
	4784 YOKE - DRIVE SHAFT CENTER				
67	S(57)		C3VY 4784-A	1	Used with double cardan joint
68/71	S		C8SZ 4784-A	2	Link
70/	U	Dana (Spicer)	C9TZ 4784-A	2	Used front and rear
	4790 SEAL - DRIVE SHAFT CENTERING BALL				
67	S(57)		C3VY 4790-A	1	Used with double cardan joint
	4791 SLINGER - DRIVE SHAFT STUD YOKE				
67	S(57)		C3VY 4791-A	1	Used with double cardan joint
	4819-20 DUST CAP - DRIVE SHAFT				
70/	U	Dana (Spicer)	01Y 7077	1	Dust cap - 1 11/16" - 24
			B5T 4819-A	1	Split washer-1 5/32" I.D.-1 1/2" O.D., 1/32" thick
70/72	U "Before Ser. N40,001"		B9T 4820-A	1	Seal-1 1/8" I.D.-1 5/8" O.D.-5/16" thick
72	U "From Ser. N40,001"		D2TZ 4820-A	1	Seal-1 5/8" O.D.
	4820 SEAL - DRIVE SHAFT UNIVERSAL JOINT KNUCKLE DUST CAP				
66/70	U	Mechanic	C6TZ 4820-C	2	4 5/16" long

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


4841 SLIP YOKE - DRIVE SHAFT

UNIVERSAL JOINT SLIP YOKE IDENTIFICATION CHART


Universal joint knuckle and plug assemblies, Group 4841 are cataloged also by year and model in the Drive Shaft and Universal Joint Chart under Group 4602.




TYPE 1




TYPE 2



TYPE 3



TYPE 4



TYPE 5

P-3758

PART NUMBER	SLIP YOKE CODE ♦	A	B	C	H	J	L	TYPE
4841 SLIP YOKE - DRIVESHAFT - continued								
C1DD 4841-D	1	7 3/4"	2 15/32"	1 3/8"	1 7/64"	63/64"	25	2
C1UZ 4841-A	5	5 29/32"	2 15/32"	1 3/8"	1 7/64"	63/64"	25	2
C3AZ 4841-A	2	8 7/32"	3 1/2"	1 11/16"	1 3/8"	1 17/64"	31	1
C3AZ 4841-D	3	8 3/32"	3 1/2"	1 1/2"	1 7/32"	1 3/32"	28	1
C3AZ 4841-G	4	8 7/32"	3 7/8"	1 1/2"	1 7/32"	1 3/32"	28	1
C3DZ 4841-A	8	8 1/4"	3 1/2"	1 1/2"	1 7/64"	63/64"	25	1
C5DZ 4841-A	6	8 3/32"	3 3/16"	1 1/2"	1 7/32"	1 3/32"	28	2
C5DZ 4841-B	7	8 1/4"	3 3/16"	1 1/2"	1 7/64"	63/64"	25	2
C5TZ 4841-F	19	6	3 11/32"	1 3/4"	1 3/8"	1 3/16"	16	1
C5ZZ 4841-B	14	5 29/32"		1 1/2"	1 7/32"	1 3/32"	28	2
C6DZ 4841-A	9	5 29/32"	3 3/16"	1 3/8"	1 7/64"	63/64"	25	2
C6DZ 4841-B	10	5 29/32"	2 15/32"	1 1/2"	1 7/64"	63/64"	25	2
C7AZ 4841-A △	11	8 3/32"	3 1/2"	1 1/2"	1 7/32"	1 3/32"	28	1
C7AZ 4841-B △	12	8 7/32"	3 1/2"	1 11/16"	1 3/8"	1 17/64"	31	1
★C7AZ 4841-C △ r/b C7SZ 4841-A	13	8 7/32"	3 15/16"	1 11/16"	1 3/8"	1 17/64"	31	1
C7SZ 4841-A	16	8 5/32"	3 29/32"	1 11/16"	1 3/8"	1 17/64"	31	1
C7SZ 4841-B	17	7 1/2"	3 7/8"	1 13/16"	1 3/8"	1 17/64"	31	1
C8SZ 4841-A	18	9 7/16"	3 1/2"	1 11/16"	1 3/8"	1 17/64"	31	3
C9TZ 4841-A	20	7 7/8"	3 15/32"	1 11/16"	1 3/16"	1 3/8"	16	1
D1AZ 4841-A	21	8 1/8"	3 1/2"	1 1/2"	1 7/32"	1 3/32"	28	5
D1AZ 4841-B	22	8 1/8"	3 1/2"	1 11/16"	1 3/8"	1 1/4"	31	5
D1FZ 4841-A	23	5 3/16"	3 1/2"	1 3/16"	1 1/64"	13/16"	20	1
D1FZ 4841-B	24	5 29/32"	3 1/2"	1 3/8"	1 1/8"	1	25	1
D1AZ 4841-C	25	8 1/8"	3 15/16"	1 11/15"	1 25/64"	1 17/64"	31	1
D2AZ 4841-A	27	8 9/16"	3 29/32"	1 11/16"	1 25/64"	1 5/32"	31	5
D2SZ 4841-A	26	8 9/64"	3 15/16"	1 11/16"	1 25/64"	1 1/8"	31	1
D2ZZ 4841-A	28	8 1/4"	3 17/32"	1 1/2"	1 13/64"	1 7/64"	28	1
D2AZ 4841-B	29	6 7/8"	3 15/16"	1 11/16"	1 25/64"	1 17/64"	31	6
C7SZ 4841-C	30	8 5/32"	3 29/32"	1 11/16"	1 3/8"	1 17/64"	31	1

△ Inertia type

♦ This Code shown with Driveshaft in Group 4602.

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


FINAL ISSUE

SECTION 46

4851 FLANGE ASSY. - REAR AXLE UNIVERSAL JOINT

UNIVERSAL JOINT FLANGE IDENTIFICATION CHART

Universal joint flanges, Group 4851 are also listed by year and model following the identification chart.



P-10732

PART NUMBER	A	B	C	D	E	F	G	H	J	K	M	TYPE
C5DZ 4851-A	2 59/64"	1 13/64"	3 7/32"	1 13/16"		1 1/8"	2 31/32"	1 37/64"	1 1/64"	15/16"	23	2
★C7AZ 4851-A r/b D2AZ 4851-A (3-73)	2 59/64"	1 5/16"	3 7/32"	1 13/16"		1 1/8"	2 31/32"	1 37/64"	1 7/32"	1 9/64"	28	2
★C5DZ 4851-B r/b D2FZ 4851-A (3-73)	2 15/16"	1 15/64"		1 21/32"		1"	2 7/32"	1 23/64"	1 1/64"	15/16"	23	2
C2DZ 4851-A	2 15/16"	1 15/64"		1 21/32"		1"	2 7/32"	1 23/64"	1 1/64"	15/16"	23	2
C8SZ 4851-A	3 1/4"	2 27/64"	4 45/64"	1 13/16"			2 21/32"	2 15/16"	1 15/64"	1 9/64"	28	3
D0SZ 4851-A	3 1/4"	2 27/64"	4 45/64"	1 13/16"			2 21/32"	2 15/16"	1 15/64"	1 9/64"	28	3
D0SZ 4851-B	3 3/4"	2 27/64"	4 45/64"	2 3/16"							28	3
C7SZ 4851-A	4 1/32"	2 27/64"	3 5/8"	1 13/16"		1 1/16"	2 7/8"	1 1/2"	1 15/64"	1 9/64"	28	2
C3SZ 4851-A	4 1/16"	2 27/64"	3 5/8"	1 13/16"		1 1/16"	3 5/16"	1 13/32"	1 15/64"	1 9/64"	28	2
C3TZ 4851-A	4 1/16"	2 27/64"	3 15/64"	1 13/16"		1 1/16"	2 29/32"	1 13/32"	1 15/64"	1 9/64"	28	2
C3OZ 4851-A	4 13/32"	2 5/8"	3 7/32"	1 13/16"		1 1/8"	2 31/32"	1 37/64"	1 7/64"	1 1/64"	25	2
★C4AZ 4851-A	4 25/32"	2 9/64"	3 5/8"	1 13/16"		1 1/8"	3 5/16"	1 37/64"	1 15/64"	1 9/64"	28	2
★C5AZ 4851-C	4 25/32"	2 9/64"	3 5/8"	1 13/16"		1 1/8"	3 5/16"	1 37/64"	1 15/64"	1 9/64"	28	1
C6VY 4851-B	5 1/32"	2 27/64"	3 5/8"	1 13/16"		1 1/16"	2 7/8"	1 1/2"	1 15/64"	1 9/64"	28	2
C3AZ 4851-L	5 1/16"	2 27/64"	3 7/32"	1 13/16"		1 1/8"	2 31/32"	1 37/64"	1 15/64"	1 9/64"	28	2
C3AZ 4851-M	5 1/16"	2 27/64"	3 5/8"	1 13/16"		1 1/8"	3 5/16"	1 37/64"	1 15/64"	1 9/64"	28	2
C3OZ 4851-C	5 1/16"	2 5/8"	3 7/32"	1 13/16"		1 1/8"	2 31/32"	1 37/64"	1 7/64"	1 1/64"	25	2
C6AZ 4851-B	5 1/16"	2 27/64"	3 5/8"	1 13/16"		1 1/8"	3 5/16"	1 37/64"	1 15/64"	1 9/64"	28	1
D2OZ 4851-A	4 25/32"	2 9/64"	3 5/8"	1 23/64"		1 1/8"	3 5/16"	1 37/64"	1 15/64"	1 9/64"	28	4
D2SZ 4851-A	5 1/16"		3 5/8"	1 13/64"			3 5/16"	1 37/64"	1 15/64"	1 9/64"	28	5
D0SZ 4851-C	3 29/64"	2 27/64"	4 45/64"	1 13/16"			2 21/32"	2 15/16"	1 7/32"	1 9/64"	28	3
D2SZ 4851-B	5 1/16"	2 27/64"	4"	1 13/16"		1 1/8"	3 5/16"	1 37/64"	1 7/32"	1 9/64"	28	5

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
4851 FLANGE ASSY. - REAR AXLE UNIVERSAL JOINT - continued					
	- A -				
65	A	28 spline axle shaft	★C5AZ 4851-C	1	•1330-with torsional damper stamped "B", "C", "D" or "E"
65	A	31 spline axle shaft	★C4AZ 4851-A	1	• 1330 - without torsional damper-r/b D2OZ 4851-A (10-73)
65/71	A(9" R/G)	28 spline axle shaft	C3AZ 4851-L	1	•1310-without torsional damper
66/71	A(9",9 3/8" R/G)	28 & 31 spline axle shaft	D2SZ 4851-A	1	•1330-without torsional damper
66/70	A(9 3/8" R/G)	31 spline axle shaft	C6AZ 4851-B	1	•1330-with torsional damper
72	A(9" R/G)		D2SZ 4851-A	1	•1330
67/71	A(8 1/2",8.7" R/G)	WER	C7AZ 4851-A	1	•1260
72	A(8.7" R/G)	WER-F,H	D2AZ 4851-A	1	•1310
72	A(8.7" R/G)	WER-J	D2AZ 4851-B	1	•1330
	- B -				
65/	B(8" R/G)		C3OZ 4851-A	1	•1260,•1310
65/71	B(9" R/G)		C3AZ 4851-L	1	•1310
66/71	B(9" R/G)	28 spline axle shaft	D2SZ 4851-A	1	•1330
67/68	B(7 1/4" R/G)		C5DZ 4851-B	1	•1260
67/	B(9" R/G)	31 spline axle shaft	C4AZ 4851-A	1	•1330
72	B(9" R/G)	WEB,WFA	D2SZ 4851-A	1	•1330
72	B(9" R/G)	WEC,WFC	D2OZ 4851-A	1	•1330
	- F -				
65/68	F(7 1/4" R/G)	WCY (exc.R,AA,AJ)	C2DZ 4851-A	1	•1100
65/70	F(7 1/4" R/G)	WCY-R,AA,AJ	C5DZ 4851-B	1	•1260
65/	F(8" R/G)	WCZ,WDJ	C3OZ 4851-A	1	•1260-without torsional damper
65/	F(9" R/G)		C3AZ 4851-L	1	•1310
67/71	F(9" R/G)	28 spline axle shaft	D2SZ 4851-A	1	•1330
68/71	F(9" R/G)	31 spline axle shaft	★C4AZ 4851-A	1	•1330-r/b D2OZ 4851-A (10-73)
72	F(9" R/G)		D2OZ 4851-A	1	•1330
	- L -				
71	L(6 3/4" R/G)		C5DZ 4851-B	1	•1260
72	L(6 3/4" R/G)		D2FZ 4851-A	1	•1260
	- P -				
70	P(7 1/4" R/G)	WDV	C5DZ 4851-B	1	•1260
70/	P(8" R/G)		C3OZ 4851-A	1	•1260
	- S -				
65/66	S	WCD,WDE,WEF	C3SZ 4851-A	1	•1330-without torsional damper
67	S(57)-9" R/G	WDC	C6VY 4851-B	1	•1330-without torsional damper
67	S(57)-9 3/8" R/G	WDT	C7SZ 4851-A	1	•1330-without torsional damper
67	S(65)	WDC,WDT	D2SZ 4851-A	1	•1330-without torsional damper
68/71	S (w/o sure-track)	WGA,WDT	C8SZ 4851-A	1	•1330-without torsional damper
70	S (w/sure-track)- "Before 1/19/70"	WGA,WFN		1	
72	S(9 3/8" R/G)	WFN-J		1	
70/71	S (w/sure-track)- "From 1/19/70"	WGA,WFN	D0SZ 4851-C	1	•1330-without torsional damper
70/71	S (9" R/G)	WFV,WGB	D0SZ 4851-B	1	•1330-without torsional damper
72	S(9" R/G)-"Before 12/1/71"	WGB,WFV	D2SZ 4851-A	1	•1330
72	S(9" R/G)- "From 12/1/71"	WGB,WFV	D0SZ 4851-B	1	•1330-without torsional damper
72	S(9 3/8" R/G)- "Before 12/1/71"	WGA,WFN(exc.WFN-J)	D2SZ 4851-B	1	•1330
72	S(9 3/8" R/G)- "From 12/1/71"	WGA,WFN(exc.WFN-J)	D0SZ 4851-C	1	•1330-without torsional damper
72	S(9" R/G w/sure-track)	WFV-G,H,J,WGB-R,S	D3SZ 4851-A	1	

• Industry designation

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4851 FLANGE ASSY. - REAR AXLE UNIVERSAL JOINT - continued				
	- U -				
66/	U	WEM, WEN	C3TZ 4851-A		
	- X -				
65	X(7 1/4" R/G)	WCY-R, AA	C5DZ 4851-B	1	•1260-r/b C5DZ 4851-B(4-72)
65/68	X(7 1/4" R/G)	Exc.WCY-R, AA	C2DZ 4851-A	1	•1100
65/70	X (8" R/G)	WCZ, WDJ	C3OZ 4851-A	1	•1260
66/70	X	WDW, WDY, WDZ, WEA		1	
66/70	X(7 1/4" R/G)	WDV-B, D, G, H	C5DZ 4851-B	1	•1260-use C5DZ 4859-A deflector
65/	A, F, S, X		371518-S(MM180)	1	Locknut u/jt.(flange to pinion)-3/4"-20
65/	A, S		351588-S(XX227)	1	Washer-flat-.77" I. D.
70/	P	WDV	375646-S(MM180L)	1	Locknut(flange to pinion)-3/4"-20
65/70	X		351521-S(XX237)	1	Washer-flat-3/4" I. D.
	4851 FLANGE ASSY. - FRONT AXLE UNIVERSAL JOINT				
66/	U (front drive axle)		C6TZ 4851-D	1	Includes 8M 4859
66/	U (front drive axle)		351126-S(MM145)	1	Locknut (flange to pinion)-3/4"-16
66/	U (front drive axle)		356504-S(XX238)	1	Washer-flat-3/4"
	4859 DEFLECTOR - REAR AXLE DRIVING PINION OIL SEAL				
65/71	A, B, F, U (9", 9 3/8" R/G)		C8SZ 4859-A	1	3 1/2" large I.D. x 2" small I.D.
65/71	S			1	Without sure-track
65/70	S "Before 1/19/70"			1	With sure-track & 9 3/8" ring gear
70/	S "From 1/19/70"		D0SZ 4859-A	1	With sure-track-2 3/16" I.D.
67/71	A(8 1/2", 8.7" R/G)	WER	C5DZ 4859-A	1	2 31/32" large I.D. x 1 43/64" small I.D. use w/C7AZ 4851-A
65/71	B (8" R/G)		C3OZ 4859-A	1	3" large I.D. x 2" small I.D.
65/70	F(6 cyl.)(7 1/4" R/G)	WCY-E, F, L, M, N, AB, AC, AD	C2DZ 4859-A	1	3 9/16" large I.D. x 1 11/16" small I.D. use with 1100 universal joint
65/71	F, X(8" R/G)	WCZ-A, E, F, G, L, WDJ-A, B, C, E, WDW	C3OZ 4859-A	1	3" large I.D. x 2" small I.D.
71	P(8" R/G)	WDV, WDW		1	
72	A, B, F, L, P(8 3/4", 8.7" R/G)		D2AZ 4859-A	1	2 15/16" large I.D. x 2" small I.D.
72	S	WFV-K		1	
65/70	F, X(6 cyl. 200)-C4 trans. (7 1/4" R/G)	WCY-R, AA, AF, AH, AJ, AK, AL, WDV-B, D, G, H	C5DZ 4859-A	1	2 31/32" large I.D. x 1 43/64" small I.D.-use with 1260 universal joint
67/69	B(7 1/4" R/G)	WEZ		1	
70	P(7 1/4" R/G)	WDV		1	
72	A, B, F, U(9" R/G)		D2SZ 4859-A	1	2 25/32" large I.D. x 2" small I.D.
72	S			1	Without sure-track
66/	U (front drive axle)		8M 4859		2 1/8" large I.D. x 135/64" small I.D.
65/70	X(7 1/4" R/G)	WCY-E, F, L, M, N, AB, AC, AD, WDV-A, C, E	C2DZ 4859-A	1	3 9/16" large I.D. x 1 11/16" small I.D. use with 1100 universal joint

• Industry Number

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4880 DIFFERENTIAL KIT - REAR AXLE LOCKING (For complete repair or conversion of "EQUALOCK" type locking axles) For TRACTION-LOK kits refer to Group 4026				
65/66	A, S, U (8 3/4" &9" R/G)		B9AZ 4880-C	1	Use with 2 pinion medium bearing diff.- for original installation or pinion replacement also use C1AZ 4215-C
	Consists of				
	1-B9A 4159-A Lubricator	1-352506-S	Pin	4-B9AZ 4947-A	Clutch plate
	1-C4AZ 4204-E Case	1-C4AZ 4214-A	Spring	10-371246-S	Bolt-7/16"-20
	1-C2AW 4236-A Side gear	3-B9AZ 4945-A	Clutch plate	1-4121	Identification tag
	1-C4AZ 4946-A Hub	1-C2AZ 4236-B	Side gear	5 1/2 Pts.	Lubricant
65/69	A, B, F, S (8 3/4" &9" R/G)		C9OZ 4026-B	1	Use with 2 or 4 pinion large bearing differential & 28 spline axle shaft-for original installation or pinion replacement also use C1AZ 4215-C
	Consists of				
	1-C4AZ 4204-F Case	1-C2AZ 4236-B	Gear	4-B9AZ 4947-A	Plate
	1-C4AZ 4214-A Spring	3-B9AZ 4945-A	Plate	1-352506-S	Pin
	1-C2AW 4236-A Gear	1-C4AZ 4946-A	Hub	10-350627-S	Bolt
				5 1/2 Pts.	Lubricant
67/69	A, U (8 3/4" &9" R/G)		C9AZ 4026-A	1	Use with 2 pinion medium bearing diff. -for original installation or pinion replacement also use C1AZ 4215-C
	Consists of				
	1-C4AZ 4204-E Case	1-C2AZ 4236-B	Gear	4-B9AZ 4947-A	Plate
	1-C4AZ 4214-A Spring	3-B9AZ 4945-A	Plate	1-352506-S	Pin
	1-C2AW 4236-A Gear	1-C4AZ 4946-A	Hub	10-350627-S	Bolt
				5 1/2 Pts.	Lubricant
66/69	A, S (9 3/8" R/G)		C6AZ 4880-B	1	Use with extra large diff. bearing-for pinion replacement use C6AZ 4215-A
	Consists of				
	1-C6AZ 4204-D Case	1-C6AW 4236-B	Gear	4-C6AZ 4947-A	Plate
	1-C4AZ 4214-A Spring	3-B9AZ 4945-A	Plate	1-359475-S	Pin
	1-C6AW 4236-A Gear	1-C6AZ 4946-A	Hub	5 1/2 Pts.	Lubricant
65/70	B, F, X (7" & 7 1/4" R/G)		C4DZ 4880-B	1	With integral carrier
	Consists of				
	1-C4DZ 4204-A Case	1-C4DZ 4236-B	Side gear	4-C4DZ 4947-A	Plate
	1-C4DZ 4214-A Spring	3-C4DZ 4945-A	Plate assy.	1-305086-S	Pin
	1-C4DZ 4236-A Side gear	1-C4DZ 4946-A	Hub	8-379237-S	BOLT 3/8" 24 X 1 11/64"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	AXLE IDENTIFICATION	PART NUMBER	QTY.	DESCRIPTION
	4880 DIFFERENTIAL KIT - REAR AXLE LOCKING - continued				
65/67	F(GT350)(8" R/G)		★S1MS 4880-B	1	●LS 124D
	F(GT350)(9" R/G) 8 cyl. 289)		S1MS 4880-A	1	Use w/small differential bearing- ●LS 124B
			S2MS 4880-C	1	Use w/large differential bearing- 28 spline shaft-●LS 124A
	4880 PLATE KIT - FRONT AXLE LOCKING DIFFERENTIAL				
66/71	U (front drive axle) "Before Ser.K20,001"	Dana (Spicer) 30	C6TZ 4880-A	1	Locking differential repair kit only Consists of 10 friction plates and disc
71/	U (front drive axle) "From Ser. K20,001"	Dana (Spicer) 44	D1TZ 4880-B	1	
	4891 SNAP RING - UNIVERSAL JOINT BEARING				
65/	A,B,F,P,X		C3AZ 4891-A	AR	1 1/4" Major O.D.
68/	S		C8SZ 4891-A	AR	
65/68	X		★A8AZ 4891-A	8	.918" I.D.
	4945 PLATE - REAR AXLE DIFFERENTIAL CLUTCH				
65/69	A,B,F,S,U,X- (8",9",9 3/8" R/G)	Equalock axles	B9AZ 4945-A	3	
65/70	F,X (7 1/4" R/G)	Equalock axles	C4DZ 4945-A	3	Locking axle with integral carrier
68/	A,B,F,P,S,U,X- (8",9",9 3/8" R/G)	Traction-lock axles	C8OZ 4945-B	4	4 7/8" O.D.-3 3/4" I.D.-46 splines-.062" thick
	4946 HUB - REAR AXLE DIFFERENTIAL GEAR CLUTCH				
65/69	A,B,F,S,U,X- (8",9" R/G)	Equalock axles	C4AZ 4946-A	1	With locking axle-with 28 spline shafts
66/69	A,S(9 3/8" R/G)	Equalock axles	C6AZ 4946-A	1	With 31 spline shafts
69/	A,B,F,P,U,X- (8",9" R/G)	Traction-lock axles	C9OZ 4946-B	1	4 57/64" O.D.-41 teeth-28 splines
70/	S (9" ring gear)			1	
70	A,S(9 3/8" R/G)	Traction-lock axles	D0AZ 4946-A	1	With 31 spline shafts
71/	S(9 3/8" R/G)			1	
68/	B,F(9" R/G)	Traction-lock axles	C9OZ 4946-C	1	4 57/64" O.D.-41 teeth-31 splines
65/70	F,X (7 1/4" R/G)	Equalock axles	C4DZ 4946-A	1	Locking axle with integral carrier
66/71	U (front drive axle)	Dana(Spicer)30	C6TZ 4946-B	2	With locking axle 20 internal teeth
	4947 PLATE - REAR AXLE DIFFERENTIAL GEAR CLUTCH				
65/69	A,B,F,S,U,X- (8",9" R/G)	Equalock axles	B9AZ 4947-A	4	
66/69	A,S(9 3/8" R/G)	Equalock axles	C6AZ 4947-A	4	
68/	A,B,F,P,S,U,X- (8",9",9 3/8" R/G)	Traction-lock axles	C8OZ 4947-A	4	4 7/8" O.D.-3 3/4" I.D.-.050" thick
65/70	F,X(7 1/4" R/G)	Equalock axles	C4DZ 4947-A	4	
	4997 JOINT - DRIVESHAFT UNIVERSAL				
66/70	U "Before Ser.G70,001"		C9TZ 4602-Z (front)or C9TZ 4602-AA (rear)	1	Mechanics type-includes knuckles and plugs-universal joints and centering yoke
70/	U "From Ser.G70,001"				Not required - Dana (Spicer) type drive shaft assy.

▲ Refer to basic 4602 Kit drive shaft (Conversion-Mechanics to Dana Spicer) ● Detroit Automotive Number

INDEX

PART NAME	GROUP NUMBER
A	
Absorber (body bolt upper)	5B098
Adapter (A/C compressor outlet)	5A717
Adapter (automatic air leveler compressor outlet)	5A717
Adapter (front stabilizer bar mounting)	5B482
Adapter (muffler inlet pipe)	5D209
Adapter (muffler outlet pipe reducer)	5264
Anti-squeak (rear spring)	5586
Arm assy. (rear suspension lower)	5464-9
Arm & bushing assy. (rear suspension upper)	5500
Arm kit (rear suspension)	5A826
B	
Bar (rear spring shackle rear)	5627
Bar assy. (front stabilizer)	5482
Bar assy. (rear stabilizer)	5A772
Bar & bushing assy. (rear track)	5A639
Bar kit (rear track mounting)	5B640
Bolt (manifold to eng.)	5260
Bolt (rear spring tie)	5721
Bolt (spring seat mounting)	5A322
Bracket (automatic air leveler valve mounting)	5A688
Bracket (cross member radiator support mounting)	5069
Bracket (eng. front insulator)	5057-8
Bracket (frame No.3 cross member support)	5A000-1
Bracket (frame stabilizer rod)	5C027
Bracket (frame to body)	5077-8 5080-1
Bracket (muffler inlet pipe)	5277
Bracket (muffler inlet pipe to eng. block)	5291
Bracket (muffler outlet pipe)	5A235, 5277
Bracket (muffler outlet pipe clamp)	5266
Bracket (muffler support)	5277
Bracket (rear axle)	5784
Bracket (rear spring front)	5863
Bracket (rear spring rear)	5992
Bracket (rear stabilizer bar stud shield)	5B494
Bracket (rear stabilizer link to cross member)	5661
Bracket (stabilizer bar)	5486-7
Bracket (track bar to axle)	5557
Bracket (track bar to frame)	5546
Bracket assy. (automatic air leveler compressor)	5A694
Bracket & insulator assy. (muffler inlet pipe)	5A246
Bracket & insulator assy. (muffler or outlet pipe)	5260
Bracket & insulator kit (muffler outlet pipe)	5260
Bumper (rear axle)	5783
Bushing (front spring lower seat)	5A305
Bushing (rear spring)	5781
Bushing (rear stabilizer bar mounting)	5B486
C	
Cam (rear suspension arm adjusting)	5A637, 5K751
Cam kit (rear suspension lower arm)	5K751
Clamp (muffler to hanger)	5A272

PART NAME	GROUP NUMBER
C - cont'd.	
Clamp (rear spring)	5724
Clamp (rear stabilizer bar mounting)	5C489
Clamp (stabilizer bar insulator)	5487
Clamp (stabilizer to suspension lower arm outer)	5476
Clamp (exhaust)	5253
Clamp assy. (muffler inlet & outlet pipe yoke type)	5A231
Clamp & insulator (frame No.3 cross member)	5C021
Clamp kit (rear spring)	5724
Clip (air leveler hose)	5A668
Compressor & bracket assy. (automatic air leveler)	5A713
Compressor kit (automatic air leveler)	5A713
Compressor repair kit (automatic air leveler)	5A773
Connector (automatic air leveler tube)	5A689
Connector (muffler inlet pipe)	5B286
Control kit (automatic air leveler)-instrument panel mounted	5A589
Cover (rear track bar stud)	5A750
Cross member assy. (frame front)	5019
Cross member assy. (frame No.2 or 3)	5025-6
Cross member (frame rear)	5035
Cylinder (air leveler)	5A666
D	
Damper (rear spring)	5A669
E	
Element (automatic air leveler compressor air filter)	5A725
End repair kit (stabilizer bar)	5A486
Exhaust kit (dual system)	5210
Extension (muffler outlet pipe)	5202-3, 5232, 5255, 5263
Extension repair kit (frame sidemember front)	5B117
F	
Flange (muffler inlet pipe)	5269
Frame assy.	5005
G	
Gasket (manifold)	5260
Gasket (resonator inlet pipe)	5B266
Gauge & valve assy. (automatic air leveler)	5A687
H	
Hanger (rear spring)	5775
Horn (frame)	5B117
Hose (automatic air leveler)	5A684
Hose assy. (air leveler)	5A667
Hose assy. (automatic air leveler compressor to valve)	5A714

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
I	
Insulator (frame to body bracket)	5A103
Insulator (front spring)	5415
Insulator (front stabilizer bar to lower suspension arm link bolt)	5-5490
Insulator (rear spring)	5536
Insulator (rear spring center mounting)	5741
Insulator (rear spring clamp plate)	5A641
Insulator (rear stabilizer bar link)	5C492
Insulator (stabilizer bar)	5484
K	
KIT - refer to appropriate noun name For example	
Clamp kit (rear spring)	5724
L	
Leaf (rear spring)	5564-5
Leveler kit (air)	5A589
Lever (automatic air leveler valve actuating)	5B689
Liner (rear spring)	5624, 5983
Liner (rear spring clamp)	5334
Link (automatic air leveler valve actuating)	5A690
Link assy. (automatic air leveler valve actuating)	5A690
Link assy. (stabilizer bar)	5K484
M	
Moulding (muffler outlet pipe opening)	5C299
Muffler	5212, 5225, 5230, 5232, 5D256, 5C257, 5C258
N	
Nut (front stabilizer bar link)	5C491
P	
Pipe (muffler inlet)	5218, 5245, 5246
Pipe (muffler inlet cross over)	5248, 5267-8
Pipe (muffler inlet extension)	5A212-3, 5A216, 5230
Pipe (muffler outlet)	5D200, 5B202, 5C203, 5C207, 5C227, 5255, 5-5257, 5C262

PART NAME	GROUP NUMBER
P - cont'd.	
Pipe (resonator inlet)	5218, 5A265, 5A289
Plate (muffler mounting)	5B236
Plate (rear spring)	5796-9
Plate (rear spring front hanger anchor)	5A539
Plate (rear spring rear hanger)	5752
Plate (rear stabilizer bar link mounting bracket)	5B486
Plate (rear stabilizer bar stud mounting)	5A775
R	
Reinforcement (front stabilizer bar mounting bracket)	5A483, 5A492
Reinforcement (rear spring front bracket)	5920
Reinforcement (rear spring rear bracket)	5980
Reinforcement (rear suspension lower arm)	5A770
Resonator	5212
Resonator (inlet pipe front)	5A217
Resonator (muffler outlet pipe)	5A289
Retainer (frame to body insulator)	5B078
Retainer (front spring mounting)	5B300
Retainer (rear spring center mounting insulator)	5736
Retainer (rear spring lower)	5A569
Rod (frame stabilizer)	5C024
S	
Seat (front spring lower)	5A307
Seat assy. (front spring)	5A306
Shackle assy. (rear spring rear)	5776
Shackle kit (rear spring)	5630
Shield (muffler splash)	5B241
Shim (front spring)	5355
Sleeve (automatic air leveler valve)	5A739
Spacer (air leveler hose)	5A680
Spacer (body bolt)	5A076
Spacer (rear spring)	5997
Spacer (rear spring center bolt)	5A537
Spacer (rear spring center mounting)	5598
Spacer (rear spring front hanger)	5753
Spacer (rear stabilizer bar)	5A769
Spring (front coil)	5310
Spring (rear coil)	5560
Spring assy. (rear leaf)	5560
T	
Tube (automatic air leveler compressor to valve)	5A718
U	
"U" bolt (rear spring)	5705
V	
Valve & lever assy. (automatic air leveler)	5A712
W	
Wedge (rear axle adjusting)	5A313

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5A000-T BRACKET - FRAME NO. 3 CROSS MEMBER SUPPORT - (Serviced in 5005 Assy.)			
	5005 FRAME ASSY.			
	- A -			
65	A(54, 57, 62, 63), A(71 P/C)		1	C5AZ 5005-F
	A (Taxicab)		1	
	A (71)-exc. P/C	Not replaced	1	★C5AZ 5005-J
	A(76)	Not replaced	1	★C5AZ 5005-H
66	A (54, 62, 63)	Replaced by C8AZ 5005-L	1	★C6AZ 5005-A
	A(54B, E, 62)-Taxi, Police & Fleet	Heavy Duty	1	
	A(57)	Not replaced	1	★C8AZ 5005-K
	A(71)	Not replaced	1	C8AZ 5005-K
	A (76)		1	C6AZ 5005-C
67/68	A(54, 62, 63, 65)		1	C8AZ 5005-L
	A(57)	Not replaced	1	★C8AZ 5005-K
	A(71)	Not replaced	1	★C8AZ 5005-M
	A (76)		1	C8AZ 5005-B
69	A(54, 57, 62, 63, 65)	#C9AA 5005-Z1, Z2, AC1, AC2, AK1 or AK2	1	C9AZ 5005-A
	A(71)	#C9AA 5005-AA, AF, AG, AH or AL	1	C9AZ 5005-B
	A(76)	#D0AA 5005-AC	1	D0AZ 5005-B
70	A(54, 57, 62, 63, 65)	#D0AA 5005-AB1 or AB2	1	D0AZ 5005-A
	A(71)	#D0AA 5005-AA or AD	1	D0AZ 5005-C
	A(76)	#D0AA 5005-AC	1	D0AZ 5005-B
71/	A(53, 54, 57, 65)	#D1AA 5005-DC, D2AA 5005-D1, DU, DV	1	D1AZ 5005-A
	A(71)	#D1AA 5005-FC, D2AA 5005-FU, FV, FY	1	D1AZ 5005-C
	A(76)	#D1AA 5005-EC, D2AA 5005-ES, ET, EU	1	D1AZ 5005-B
	- B -			
72	B(53)	#D2OA 5005-BR, BS, BT, ED, GD or GH	1	D2OZ 5005-E
	B(63, 65)	#D2OA 5005-AN, AR, AS, ED, FD or FH	1	D2OZ 5005-D
	B(71, 97)	#D2OA 5005-CR, CS, CT, CY or LD	1	D2OZ 5005-C
	- S -			
67	S (57)	Not replaced	1	★C7SZ 5005-A
	S (65)	Not replaced	1	★C7SZ 5005-B
68	S(57)	Not replaced	1	★C8SZ 5005-H
	S(65)	#D1-C8SA 5005-AF - not replaced	1	★C8SZ 5005-G
69	S(57)	#C9SA 5005-M or V	1	C9SZ 5005-B
	S(65)	#C9SA 5005-L, N, S or U	1	C9SZ 5005-A
70	S(57)	#D0SA 5005-AH - r/b D0SZ 5005-E	1	★D0SZ 5005-B
	S(57)	#D0SA 5005-AK, AN, ED-D0SA 5005-AU or ED1-D0SA 5005-AU	1	D0SZ 5005-E
	S(65) "Before 10/6/69"	#D0SA 5005-AJ	1	D0SZ 5005-A
	S(65) "From 10/6/69"	#D0SA 5005-AL, AM, ED-D0SA 5005-AT or ED1-D0SA 5005-AT - r/b D1SZ 5005-A	1	★D0SZ 5005-F
71	S(57)	#D1SA 5005-BC, BD - not replaced	1	★D1SZ 5005-B
	S(65)	#D1SA 5005-AD, AE	1	D1SZ 5005-A
72	S "Before 1/3/72"	#D2SA 5005-AN, AR, AS, ED-D2SA 5005-AS - r/b D2SZ 5005-B	1	★D2SZ 5005-A
	S " From 1/3/72"	#D2SA 5005-AV, AZ, BB, BC	1	D2SZ 5005-B
	- U -			
66/	U (6 cyl.)	#C6TA 5005-FC, JK, C7TA 5005-GJ, C9TA 5005-BG, D0TA 5005-CY, D1TA 5005-BVA or ED-D1TA 5005-BVA	1	C6TZ 5005-MM
66	U (8 cyl.)	#C6TA 5005-FA-R/B C6TZ 5005-ML	1	★C6TZ 5005-BM
66/	U (8 cyl.)	#C7TA 5005-GH, C9TA 5005-BF, D0TA 5005-CV, D1TA 5005-BUA or ED-D1TA 5005-BUA	1	C6TZ 5005-ML

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5005 FRAME ASSY. - continued			
65	A(54, 62, 63, 71)	Stud (body to frame at No. 1 mount)-7/16"-14 x 3 1/2"	4	379966-S2 (WW98H)
65	A(71)	Bolt (body to frame at No. 5 mount)-7/16"-14 x 2 1/16"	2	358911-S(BB179)
	5019 CROSS MEMBER ASSY. - FRAME FRONT			
65/68	A		1	C8SZ 5019-A
69/	A		1	C9AZ 5019-A
72	B	Replaced by D2SZ 5019-A	1	★D2OZ 5019-B
65/66	S	Refer to page 1 Body Sheet Metal-Illus. Section		
67	S	When necessary - bend ends to fit	1	C5AZ 5019-B
68/71	S		1	C8SZ 5019-A
72	S		1	D2SZ 5019-A
66/	U		1	C6TZ 5019-F
	5C021 CLAMP & INSULATOR - FRAME NO. 3 CROSS MEMBER			
72	S		2	D2SZ 5C021-A
	5C024 ROD - FRAME STABILIZER			
72	S " Before 11/15/71"	R. H.	1	D2SZ 5C024-A
	S " Before 11/15/71"	L. H.	1	D2SZ 5C024-B
	S " From 11/15/71"	R. H.	1	D2SZ 5C024-C
	S " From 11/15/71"	L. H.	1	D2SZ 5C024-D
	5025-6 CROSS MEMBER ASSY. - FRAME No. 2 or 3			
65	A	No. 3	1	C5AZ 5025-A
66/68	A	No. 3	1	C6AZ 5025-A
69/	A	No. 3	1	C9AZ 5025-A
65	B	No. 2 - not replaced	1	★C2OZ 5026-B
72	B	No. 3	1	D2OZ 5025-A
65/	F	No. 2 - Tubular	1	C5ZZ 5026-A
71/	P (8 cyl.)	No. 2	1	D0DZ 5025-A
67	S	No. 3 - not replaced	1	★ C7SZ 5025-A
68/71	S	No. 3	1	C8SZ 5025-B
72	S	No. 3	1	D2SZ 5025-A
65/	A (except 76)	Bolt (cross member to support brkt. R. H. &L. H.) - 1/2"-20 x 4 39/64"	2	372190-S8(BB254)
65	B	Bolt (attach No. 2 member to underbody)-7/16"-14 x 1"	6	375293-S8 (BB817P)
72	B	Bolt (c/member to frame)-9/16"-12 x 1 1/2"	2	384928-S100 (BB429WN)
72	B	Nut & retainer assy. (c/member to frame)-9/16" - 12	2	384650-S2 (MM192XA)
72	B	Clip (No. 3 c/member to siderail)	2	★384651-S2
72	B	Washer (c/member to frame)-9/16" tab	2	383386-S2(XX345F)
65/	F	Bolt (No. 2 C/M to side rail)-1/2"-13 x 1 1/8"	2	379068-S(BB817Q)
65/	A, X	Bolt (c/member to support brkt.)-1/2"-20 x 1"	4	20393-S(B197)
		Locknut-1/2"-20		34449-S7-8(M85)
		Flat washer-1/2"		44735-S8(X32)
67	A, S	Locknut (No. 3 crossmember to frame)-1/2" x 13	2	375710-S7-8 (MM173F)
68/	A, S	Bolt (No. 3 crossmember to frame)-9/16"-12 x 1 3/8"	2	380437-S2 (BB199H)
		Locknut-9/16"-12		382484-S (MM173FA)
	5C027 BRACKET - FRAME STABILIZER ROD			
72	S	R. H.	1	D2SZ 5C027-B
		L. H.	1	D2SZ 5C027-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5035 CROSS MEMBER - FRAME REAR			
65	A(71)	Not replaced	1	★ C5AZ 5035-C
65/68	A(76)	Not replaced	1	★ C5AZ 5035-B
65	A(exc. 71, 76)		1	C5AZ 5035-D
66	A(exc. 76)		1	
67/68	A (exc. 76)		1	C5AZ 5035-E
69	A(exc. 71, 76)	Std. -channel type	1	C9AZ 5035-B
	A(exc. 71, 76)	H/duty-box type	1	C9AZ 5035-A
	A(71)		1	C9AZ 5035-C
	A(76)	Std. -box type	1	C9AZ 5035-A
72	B(53, 63, 65)	Std.	1	D2OZ 5035-B
	B(53, 63, 65)	H/duty	1	D2OZ 5035-C
	B(71, 97)	Std.	1	D2OZ 5035-A
37/71	S		1	C5AZ 5035-E
72	S	Std.	1	D2OZ 5035-B
66/	U (6 cyl. & 8 cyl. 289)		1	C6TZ 5035-A
	5057-8 BRACKET - ENGINE FRONT INSULATOR			
66/	U (6 cyl.)	R. H.	1	C6TZ 5057-A
		L. H.	1	C6TZ 5058-A
66/	U (8 cyl.)	Serviced in frame assembly only	1	★
	5069 BRACKET - CROSS MEMBER RADIATOR SUPPORT MOUNTING			
69	A(76)		1	C9AZ 5069-A
72	A		1	
	5A076 SPACER - BODY BOLT - Refer to Body Bolt Chart in Section 020 for mounting location)			
67/68	A(except 76), S	At "F" mount-1" long	2	C7AZ 5A076-A
	5077-8 BRACKET - FRAME TO BODY			
69	A(76)	Inner-R. H.	1	C9AZ 5077-A
		Inner-L. H.	1	C9AZ 5077-C
	A(71, 76)	Inner	2	C9AZ 5077-B
72	A	Inner-R. H.	1	C9AZ 5077-A
		Inner-L. H.	1	C9AZ 5077-C
66/	U (6 cyl. & 8 cyl. 289)	Front Intermediate & R. H.	3	C6TZ 5077-A
		Front-L. H.	1	C6TZ 5078-A
66/	U (6 cyl. & 8 cyl. 289)	Rear Intermediate	2	C6TZ 5077-B
	5B078 RETAINER - FRAME TO BODY INSULATOR - Also refer to Body Bolt Chart in Body Section 020 for Model Application			
65/66	A(54, 57, 62, 63)		4	C5AZ 5B078-B
65/66	A(71, 76)		2	
67	S		2	
	5080 BRACKET - FRAME TO BODY			
68/69	S	Front-upper-R. H. - not replaced	1	★C8SZ 5080-A
		Front-upper-L. H. - not replaced	1	★C8SZ 5080-B
	5B098 ABSORBER - BODY BOLT UPPER - Refer to Body Bolt Chart in Section 020 for Mounting location			
65/67	A		2	C5AZ 5B098-B
67/68	S		2	
65/66	A(54, 57, 62, 63, 71, 76)		4	C5AZ 5B098-C
69	A(except 76)		2	C9AZ 5B098-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5A103 INSULATOR - FRAME TO BODY BRACKET- (Refer to Body Bolt Chart in Section 020 for mounting location)			
65	A(54, 57, 62, 63)		2	C5AZ 5A103-E
66	A(54, 57, 62, 63, 71)		2	
65/66	A(54, 57, 62, 63, 76)		2	C5AZ 5A103-A
67	A(except 71, 76)	Not replaced	2	★C7AZ 5A103-B
	A(except 71)		2	C7AZ 5A103-A
68	A (except 76)		2	C8AZ 5A103-A
	A (except 71)		2	C8AZ 5A103-B
69	A		2	C9AZ 5A103-A
70/	A(exc. 71, 76)		2	
69/	A (exc. 71)		2	C9AZ 5A103-B
69/	A(71)	Refer to Body Group 00396		
72	B		2	D2OZ 5A103-B
	B(53)		AR	D2OZ 5A103-C
67	S	Not replaced	2	★C7SZ 5A103-A
71	S		2	D1SZ 5A103-A
72	S		2	D2SZ 5A103-A
	S		2	D2SZ 5A103-B
	5B117 EXTENSION REPAIR KIT - FRAME SIDEMEMBER FRONT (FRAME HORNS)			
65/68	A	R.H.-not replaced	1	★C5AZ 5B117-A
67/69	S		1	
	Consists of			
	1-D1AJ 5023-BA Extension R.H. inner	1-D1AJ 5023-AA Extension R.H. outer		
65/68	A	L.H.-not replaced	1	★C5AZ 5B117-B
67/69	S		1	
	Consists of			
	1-D1AJ 5B010-BA Extension L.H. inner	1-D1AJ 5B010-AA Extension L.H. outer		
69/	A	R.H.	1	C9AZ 5B117-A
	Consists of			
	1-D2AJ 5023-AA Extension R.H. inner	1-D2AJ 5023-BA Extension R.H. outer		
	1-D0AA 17B991-A Plate			
69/	A	L.H.	1	C9AZ 5B117-B
	Consists of			
	1-D2AJ 5B010-AA Extension L.H. inner	1-D2AJ 5B010-BA Extension L.H. outer		
	1-D0AA 17B992-A Plate			

HOW TO FIND EXHAUST SYSTEM PARTS

1. USE CAR MODEL APPLICATION

Refer to the Year - Model index as follows:

YEAR	MODELS	SECTION	PAGE
1965	All	52.65	1
1966	All	52.66	1
1967	All	52.67	1
1968	All	52.68	1
1969	All	52.69	1
1970	All	52.70	1
1971	All	52.71	1
1972	All	52.72	1

These symbols are used in the parts tables:

□ is used for major components. They are numbered in order from engine to end of exhaust system.

o is used for clamps. They are marked A, B, C from front to rear.

Δ is used for brackets or hangers. They are numbered from front to rear.

2. USE STAMPED NUMBERS

Refer to Cross-Reference charts in Section 52, as follows:

NAME	BASIC NUMBER	SECTION	PAGE
Intermediate pipe	5A212, 5A289	52	2
Muffler	5230	52	3
Inlet pipe	5246	52	18
Outlet pipe	5255	52	21

3. USE SIZES

Refer to Size charts in Section 52, as follows:

NAME	BASIC NUMBER	SECTION	PAGE
Intermediate pipe	5A212, 5A289	52	2
Muffler	5230	52	6
Inlet pipe	5246	52	19
Outlet pipe	5255	52	23

4. USE SIMPLIFICATION REPLACEMENT CHARTS

(Summary charts of replacements made under Exhaust Simplification Programs).

PAGE
1965/66 12
1967/71 13

5. USE HANGER REPAIR KITS

Many original-equipment hangers may be repaired by universal-type replacement kits. Refer to page 25 to determine which kit to use.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5D200 **PIPE - MUFFLER OUTLET** -Refer to Group 5255 Cross Reference Chart

5202 **EXTENSION - MUFFLER OUTLET PIPE** -Refer to Group 5255 Cross Reference Chart

5B202 **PIPE - MUFFLER OUTLET** -Refer to Group 5255 Cross Reference Chart

5203 **EXTENSION - MUFFLER OUTLET PIPE** -Refer to Group 5255 Cross Reference Chart

5C203 **PIPE - MUFFLER OUTLET** -Refer to Group 5255 Cross Reference Chart

5C207 **PIPE - MUFFLER OUTLET** -Refer to Group 5255 Cross Reference Chart

5D209 **ADAPTER - MUFFLER INLET PIPE** - Refer to Model Application Index on page 1 of Section 52

5210 **EXHAUST KIT - DUAL SYSTEM** -No longer serviced

5212 **MUFFLER** -Refer to Group 5230 Cross Reference Chart

5212 **PIPE - MUFFLER INLET** -Refer to Group 5A212 Cross Reference Chart

5212 **RESONATOR** -Refer to Group 5A289 Cross Reference Chart

5A212-3 **PIPE - MUFFLER INLET EXTENSION**

CROSS REFERENCE CHART

Also refer to Size Chart below. For model application, refer to Section 52, page 1.
Use the Chart below to translate the Number Stamped on the Extension Pipe to a Service Part Number.

STAMPED NUMBER	PART NUMBER
C4SA 5212-C	C4SZ 5A212-A
C4ZA 5212-B	★C5ZZ 5A212-E
C5ZA 5212-A	★C5ZZ 5A212-E
C5ZA 5212-B	C5ZZ 5A212-G
C6ZA 5212-B	C5ZZ 5A212-G
D2OJ 5212-CA	C6OZ 5A212-C
C4OA 5A212-B	C4OZ 5A212-B
C4OA 5A212-C	C4OZ 5A212-C
C4OA 5A212-D	C4OZ 5A212-D
C4ZA 5A212-E	C5ZZ 5A212-G
C4ZA 5A212-F	C5ZZ 5A212-G
C4ZA 5A212-G	C5ZZ 5A212-G
ED-C4ZA 5A212-C	C5ZZ 5A212-G
C5DA 5A212-A	C5DZ 5A212-D
D2DJ 5A212-AA	C6DZ 5A212-F
C5DA 5A212-B	C5DZ 5A212-E
C5DA 5A212-C	C5DZ 5A212-C
C5DA 5A212-D	C5DZ 5A212-D

STAMPED NUMBER	PART NUMBER
C5DA 5A212-E	C5DZ 5A212-E
C5OA 5A212-A	C5OZ 5A212-A
C6DA 5A212-B	C6DZ 5A212-E
C6DA 5A212-C	C6DZ 5A212-F
C6DA 5A212-D	C6DZ 5A212-E
C6DA 5A212-E	C6DZ 5A212-H
C6DA 5A212-F	C6DZ 5A212-E
C6DA 5A212-G	C6DZ 5A212-F
C6DA 5A212-H	C6DZ 5A212-E
C6DA 5A212-J	C6DZ 5A212-H
C6OA 5A212-J	C6OZ 5A212-E
C6OA 5A212-L	C6OZ 5A212-G
D2AJ 5A212-CA	C6OZ 5A212-E
D32J 5A212-AA	D3FZ 5A212-B
D32J 5A212-BA	D3FZ 5A212-A
D32J 5A212-CA	D3FZ 5A212-D
D32J 5A212-DA	D3FZ 5A212-C
C4ZA 5A213-A	★C5ZZ 5A213-B

STAMPED NUMBER	PART NUMBER
D2OJ 5A213-BA	C6OZ 5A212-G
D0DJ 5A216-A	D0DZ 5A212-A
D0DJ 5A216-B	D0DZ 5A212-B
D0OJ 5A216-A	D0OZ 5A212-A
D0OJ 5A216-B	D0OZ 5A212-B
D0OJ 5A216-C	D0OZ 5A212-C
D0OJ 5A216-D	D0OZ 5A212-D
D0OJ 5A216-E	D0OZ 5A212-E
D0OJ 5A216-F	D0OZ 5A212-F
D0OJ 5A216-G	D0OZ 5A212-G
D0OJ 5A216-H	D0OZ 5A212-H
D0ZJ 5A216-A	D0ZZ 5A212-C
D0ZJ 5A216-B	D0ZZ 5A212-D
D0ZJ 5A216-C	D0ZZ 5A212-E
D0ZJ 5A216-D	D0ZZ 5A212-F
D0ZJ 5A216-E	D0ZZ 5A212-G
D0ZJ 5A216-F	D0ZZ 5A212-H

STAMPED NUMBER	PART NUMBER
D1ZJ 5A216-AA	D1ZZ 5A212-A
D1ZJ 5A216-BA	D1ZZ 5A212-B
D3OJ 5A216-AA	D3OZ 5A212-A
D3OJ 5A216-BA	D3OZ 5A212-B
C6OA 5230-AM	★C6OZ 5A212-A
C6OA 5230-AR	C6OZ 5A212-C
C6OA 5230-BD	★C6OZ 5A212-A
C6OA 5230-BE	C6OZ 5A212-B
C6OA 5230-BR	C6OZ 5A212-C
C6OA 5230-BS	C6OZ 5A212-C
C6OA 5230-CB	★C6OZ 5A212-A
C6OA 5230-CC	C6OZ 5A212-B
C6OA 5230-CD	C6OZ 5A212-C
C6OA 5230-CE	C6OZ 5A212-C
D1DJ 5245-AA	D1DZ 5A212-A
D1DJ 5245-BA	D1DZ 5A212-C
C4ZA 5A289-B	★C5ZZ 5A213-B
C5ZA 5A289-A	★C5ZZ 5A213-B

SIZE CHART

Also refer to Cross Reference Chart above. For model application, refer to Section 52, page 1.

PART NUMBER	LENGTH (INCHES)	DIAM. (INCHES)
C4OZ 5A212-B	85 1/4	1 3/4
C4OZ 5A212-C	78 1/2	2
C4OZ 5A212-D	80 3/8	2
C4SZ 5A212-A	49 7/8	2
C5DZ 5A212-C	91 7/8	2
C5DZ 5A212-D	90	2
C5DZ 5A212-E	90	2
C5OZ 5A212-A	81 1/4	1 3/4
★C5ZZ 5A212-A R/B C5ZZ 5A212-G	70 5/8	2
‡★C5ZZ 5A212-B R/B ★C5ZZ 5A212-E	36 3/4	2
★C5ZZ 5A212-E	67 3/4	2
C5ZZ 5A212-G	70 5/8	2
★C6DZ 5A212-A R/B C6DZ 6A212-E	76 3/4	2
★C6DZ 5A212-B R/B C6DZ 5A212-E	76 3/4	2

PART NUMBER	LENGTH (INCHES)	DIAM. (INCHES)
★C6DZ 5A212-C R/B C6DZ 5A212-F	72 1/4	2
★C6DZ 5A212-D R/B C6DZ 5A212-H		
C6DZ 5A212-E	76 3/4	2
C6DZ 5A212-F	72 1/4	2
★‡ C6OZ 5A212-A R/B C6DZ 5A212-E	76 3/4	2
C6DZ 5A212-H	72 1/4	2
‡C6OZ 5A212-A	76 3/4	2 1/2
‡ C6OZ 5A212-B	76 3/4	2 1/2
‡C6OZ 5A212-C	75 3/4	2 1/2
C6OZ 5A212-E	78 1/4	2
C6OZ 5A212-G	76 7/8	2
★‡C6ZZ5A212-A R/B C5ZZ 5A212-G	70 5/8	2
D0DZ 5A212-A	36 5/8	2
D0DZ 5A212-B	36 5/8	1 3/4 & 2

PART NUMBER	LENGTH (INCHES)	DIAM. (INCHES)
D0OZ 5A212-A	36 5/8	2
D0OZ 5A212-B	40 1/8	2 & 2 1/4
D0OZ 5A212-C	40 1/8	2 1/4
D0OZ 5A212-D	37 3/8	2 & 2 1/4
D0OZ 5A212-E	37 3/8	2 1/4
D0OZ 5A212-F	35 5/8	2 1/2& 2 1/4
D0OZ 5A212-G	43	2 1/2& 2 1/4
D0OZ 5A212-H	34 3/4	2 1/2& 2 1/4
D0ZZ 5A212-C	35 1/8	2 1/2& 2 1/4
D0ZZ 5A212-D	34 7/8	2
D0ZZ 5A212-E	34 7/8	2 1/4
D0ZZ 5A212-F	70 1/8	2
D0ZZ 5A212-G	112 3/8	2

PART NUMBER	LENGTH (INCHES)	DIAM. (INCHES)
D0ZZ 5A212-H	35 3/8	2 1/4
D1DZ 5A212-A	50 3/4	1 3/4
D1DZ 5A212-C	61 1/4	1 3/4
D1ZZ 5A212-A	35 3/8	2
D1ZZ 5A212-B	35 3/8	2 1/4
D3FZ 5A212-A	64 5/8	1 3/4& 1 5/8
D3FZ 5A212-B	64 5/8	1 3/4& 1 5/8
D3FZ 5A212-C	70 3/4	1 3/4& 1 5/8
D3FZ 5A212-D	65 1/4	1 3/4& 1 5/8
D3OZ 5A212-A	35 1/2	2 1/2& 2 1/4
D3OZ 5A212-B	37 7/8	2
★C5ZZ 5A213-A R/B ★C5ZZ 5A213-B	36 3/4	2
★C5ZZ 5A213-B	67 3/4	2

‡ Includes resonator

5A216 PIPE - MUFFLER INLET EXTENSION -Refer to Group 5A212-3 Cross Reference Chart

5A217 RESONATOR - INLET PIPE FRONT -Refer to Group 5A289 Cross Reference Chart

5218 PIPE - MUFFLER INLET -Refer to Group 5246 Cross Reference Chart

5218 PIPE - RESONATOR INLET -Refer to Group 5A289 Cross Reference Chart

5C219 PIPE - MUFFLER OUTLET -Refer to Group 5255 Cross Reference Chart

5225 MUFFLER -Refer to Group 5230 Cross Reference Chart

5C227 PIPE - MUFFLER OUTLET -Refer to Group 5255 Cross Reference Chart

5230 MUFFLER

CROSS REFERENCE CHART

Refer to Page 12 (1965/66) and Page 13 (1967/71) for Simplification Charts.

For model application, refer to Section 52, page 1.

Refer to Muffler Size Chart (on page 6)
Also refer to Group 5A212-3
Use the Chart below to translate the number stamped on the Muffler to a Service Part Number

STAMPED NUMBER	PART NUMBER
C6OA 5212-K	C6OZ 5230-S
C6OA 5212-M	C6OZ 5230-J
D2OJ 5212-DA	C6OZ 5230-J
D3AJ 5212-AA	C6OZ 5230-S
D2TA 5225-YA	C6TZ 5230-G
D2TA 5225-ABA	C7TZ 5230-L
D2TA 5225-AJA	C6TZ 5230-G
C4GA 5230-K	C0DZ 5230-A
C4OA 5230-N	C2OZ 5230-J
C4OA 5230-R	C2OZ 5230-J
C4RA 5230-A	C5ZZ 5230-U
C4SA 5230-D	C4SZ 5230-A
C4ZA 5230-N	★C5ZZ 5230-C
C5AA 5230-K	C7AZ 5230-AH
C5AA 5230-L	C7AZ 5230-AH
C5AA 5230-AG	C7AZ 5230-AH
C5AA 5230-AJ	★C5AZ 5230-M
C5DA 5230-C	C5DZ 5230-E
C5DA 5230-D	C5DZ 5230-E
C5DA 5230-E	C5DZ 5230-E
C5GA 5230-A	C5DZ 5230-E
C5OA 5230-A	C2OZ 5230-J
C5OA 5230-B	C2OZ 5230-J
C5OA 5230-E	C5OZ 5230-D
C5RA 5230-C1	C2OZ 5230-J
C5RA 5230-C2	C2OZ 5230-J
C5RA 5230-C3	C2OZ 5230-J
C5ZA 5230-B	C5ZZ 5230-V
C5ZA 5230-E	C5ZZ 5230-V
C6AA 5230-J	C7AZ 5230-AH
C6AA 5230-K	C7AZ 5230-AH
C6AA 5230-L	C7AZ 5230-AH
C6AA 5230-N	C7AZ 5230-AH
C6AA 5230-S	C7AZ 5230-AH
C6AA 5230-U	C6AZ 5230-J
C6AA 5230-Y	C7AZ 5230-AH
C6AA 5230-AD	C7AZ 5230-AH
C6AA 5230-AH	C7AZ 5230-AJ
C6AA 5230-AK	C7AZ 5230-AJ

STAMPED NUMBER	PART NUMBER
C6AA 5230-AM	C7AZ 5230-AJ
C6AA 5230-AR	C7AZ 5230-AJ
C6AA 5230-AT	C7AZ 5230-AH
C6AA 5230-AY	C7AZ 5230-AH
C6AA 5230-BA	C7AZ 5230-AJ
C6AA 5230-BC	C7AZ 5230-AJ
C6AA 5230-BE	C7AZ 5230-AJ
C6AA 5230-BG	C6AZ 5230-AM
C6AA 5230-BH	C6AZ 5230-AM
C6AA 5230-BJ	C7AZ 5230-AH
C6AA 5230-BL	C7AZ 5230-AJ
C6AA 5230-BN	C7AZ 5230-AH
C6AA 5230-BR	C7AZ 5230-AH
C6AA 5230-BS	C7AZ 5230-AH
C6DA 5230-D	C5DZ 5230-E
C6DA 5230-F	C5DZ 5230-E
C6DA 5230-J	C5DZ 5230-E
C6DA 5230-K	C5DZ 5230-E
C6DA 5230-M	C5DZ 5230-E
C6DA 5230-N	C5DZ 5230-E
C6DA 5230-S	C5DZ 5230-E
C6DA 5230-T	C5DZ 5230-E
C6DA 5230-V	C5DZ 5230-E
C6OA 5230-L	C5DZ 5230-E
C6OA 5230-AF	C6OZ 5230-AB
C6OA 5230-AH	C6OZ 5230-AB
C6OA 5230-AT	C6OZ 5230-AB
C6OA 5230-AV	C6OZ 5230-AB
C6OA 5230-BB	C5DZ 5230-E
C6OA 5230-BH	C5DZ 5230-E
C6OA 5230-BK	C6OZ 5230-AB
C6OA 5230-BM	C6OZ 5230-AB
C6OA 5230-BU	C6OZ 5230-AB
C6OA 5230-BV	C6OZ 5230-U
C6OA 5230-BZ	C5DZ 5230-E
C6OA 5230-CF	C6OZ 5230-AC
C6OA 5230-CG	C6OZ 5230-AB
C6RA 5230-C	C2OZ 5230-J
C6RA 5230-D	C0DZ 5230-A
C6TA 5230-A	C7TZ 5230-L
C6TA 5230-AG	C7TZ 5230-C
C6TA 5230-AJ	C7TZ 5230-C
C6TA 5230-AK	C7TZ 5230-L

STAMPED NUMBER	PART NUMBER
C6TA 5230-AY	C6TZ 5230-G
C6TA 5230-AZ	C6TZ 5230-H
C6TA 5230-BA	C6TZ 5230-G
C6TA 5230-BE	C7TZ 5230-C
C6ZA 5230-A	C5ZZ 5230-V
C6ZA 5230-B	C5ZZ 5230-V
C7AA 5230-L	C7AZ 5230-AJ
C7AA 5230-N	C7AZ 5230-AA
C7AA 5230-T	C7AZ 5230-AH
C7AA 5230-U	C7AZ 5230-AH
C7AA 5230-Z	C7AZ 5230-AA
C7AA 5230-AB	C7AZ 5230-AJ
C7AA 5230-AV	C7AZ 5230-AA
C7AA 5230-AY	C7AZ 5230-AA
C7AA 5230-AZ	C7AZ 5230-AH
C7AA 5230-BA	C7AZ 5230-AH
C7AA 5230-BB	C7AZ 5230-AH
C7AA 5230-BC	C7AZ 5230-AA
C7AA 5230-BD	C7AZ 5230-AH
C7AA 5230-BE	C7AZ 5230-AA
C7AA 5230-BH	C7AZ 5230-AH
C7AA 5230-BJ	C7AZ 5230-AH
C7AA 5230-BK	C7AZ 5230-AH
C7AA 5230-BL	C7AZ 5230-AH
C7AA 5230-BT	C7AZ 5230-S
C7AA 5230-BU	C7AZ 5230-S
C7AA 5230-BV	C7AZ 5230-AH
C7AA 5230-BZ	C7AZ 5230-AH
C7AA 5230-CB	C7AZ 5230-AH
C7AA 5230-CC	C7AZ 5230-AH
C7AA 5230-CD	C7AZ 5230-AA
C7AA 5230-CE	C7AZ 5230-AA
C7AA 5230-CF	C7AZ 5230-AA
C7AA 5230-CG	C7AZ 5230-AA
C7AA 5230-CM	C7AZ 5230-AJ
C7AA 5230-CN	C7AZ 5230-AJ
C7AA 5230-CR	C7AZ 5230-AJ
C7AA 5230-CS	C7AZ 5230-AJ
C7AA 5230-CT	C7AZ 5230-AJ
C7AA 5230-CU	C7AZ 5230-AJ
C7AA 5230-CV	C7AZ 5230-AJ

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5230 MUFFLER - continued

CROSS REFERENCE CHART - continued

STAMPED NUMBER	PART NUMBER
C7AA 5230-CY	C7AZ 5230-AJ
C7AA 5230-CZ	C7AZ 5230-AH
C7AA 5230-DA	C7AZ 5230-AH
C7AA 5230-DB	C7AZ 5230-AH
C7AA 5230-DC	C7AZ 5230-AH
C7AA 5230-DH	C7AZ 5230-AJ
C7AA 5230-DJ	C7AZ 5230-AJ
C7AA 5230-DK	C7AZ 5230-AJ
C7AA 5230-DL	C7AZ 5230-AJ
C7AA 5230-DR	D0AZ 5230-S
C7AA 5230-DS	D0AZ 5230-S
C7AA 5230-DT	C7AZ 5230-AH
C7AA 5230-DV	C7AZ 5230-AA
C7AA 5230-DZ	D0AZ 5230-S
C7AA 5230-EA	D0AZ 5230-S
C7AA 5230-EC	D0AZ 5230-S
C7AA 5230-ED	D0AZ 5230-S
C7AA 5230-EF	D0AZ 5230-S
C7AA 5230-EG	D0AZ 5230-S
C7DA 5230-E	D0DZ 5230-C
C7DA 5230-J	D0DZ 5230-C
C7DA 5230-L	D0DZ 5230-C
C7DA 5230-M	D0DZ 5230-C
C7OA 5230-A	♦ C7OZ 5230-A
C7OA 5230-B	♦ C7OZ 5230-B
C7OA 5230-C	♦ C7OZ 5230-C
C7OA 5230-E	C7OZ 5230-E
C7OA 5230-F	C7OZ 5230-E
C7OA 5230-G	★C7OZ 5230-H
C7OA 5230-H	♦C7OZ 5230-G
C7OA 5230-J	♦C7OZ 5230-K
C7OA 5230-L	D0ZZ 5230-R
ED-C7OA 5230-L	D0ZZ 5230-R
C7OA 5230-M	♦C7OZ 5230-G
C7RA 5230-A	C5ZZ 5230-V
C7RA 5230-B	C6OZ 5230-AB
C7RA 5230-C	C7AZ 5230-AH
C7RA 5230-D	C7AZ 5230-AH
C7RA 5230-D1	C7AZ 5230-AH
C7RA 5230-D2	C7AZ 5230-AH
C7RA 5230-E	C7AZ 5230-AJ
C7RA 5230-E1	C7AZ 5230-AJ
C7RA 5230-E2	C7AZ 5230-AJ
C7SA 5230-B	C7SZ 5230-B
C7ZA 5230-AJ	D0ZZ 5230-M
C7ZA 5230-AK	D0ZZ 5230-M
C7ZA 5230-AN	D0ZZ 5230-M
C8AA 5230-AC	D0AZ 5230-S
C8AA 5230-AD	C7AZ 5230-AJ
C8AA 5230-AJ	D0AZ 5230-S
C8AA 5230-AL	C7AZ 5230-AH
C8AA 5230-AR	D0AZ 5230-S
C8AA 5230-AS	D0AZ 5230-S
C8AA 5230-AV	C7AZ 5230-AH
ED-C8AA 5230-AY	C7AZ 5230-AJ
C8AA 5230-AZ	D0AZ 5230-S
C8DA 5230-B	D0DZ 5230-C
C8OA 5230-T1	D0ZZ 5230-N
C8OA 5230-T2	D0ZZ 5230-N
C8OA 5230-U1	D0ZZ 5230-N
C8OA 5230-U2	D0ZZ 5230-N
C8OA 5230-V1	D0ZZ 5230-R
C8OA 5230-V2	D0ZZ 5230-R
C8OA 5230-Y1	D0ZZ 5230-N
C8OA 5230-Y2	D0ZZ 5230-N
C8OA 5230-Z1	D0ZZ 5230-N
C8OA 5230-Z2	D0ZZ 5230-N
C8OA 5230-AA	D0ZZ 5230-R
C8OA 5230-AB	D0ZZ 5230-R
C8OA 5230-AC	D0ZZ 5230-R
C8OA 5230-AD	D0ZZ 5230-R
C8OA 5230-AE	D0ZZ 5230-R
C8OA 5230-AE1	D0ZZ 5230-R
C8OA 5230-AE2	D0ZZ 5230-R
C8OA 5230-AF	D0ZZ 5230-R
C8OA 5230-AJ	D0ZZ 5230-R
C8OA 5230-AK	D0ZZ 5230-R
C8SA 5230-E	C8SZ 5230-J
C8SA 5230-G	C8SZ 5230-J
C8TA 5230-DH	C6TZ 5230-G
C8TA 5230-DJ	C7TZ 5230-L
C8ZA 5230-A	D0ZZ 5230-N
C8ZA 5230-C	C9ZZ 5230-E
C8ZA 5230-D	D0ZZ 5230-R
ED-C8ZA 5230-E	C9ZZ 5230-C
C9AA 5230-AT	D0AZ 5230-T
C9AA 5230-AZ	D0AZ 5230-U
C9AA 5230-BA	D0AZ 5230-U
C9AA 5230-BB	D0AZ 5230-U
C9AA 5230-BD1	C9AZ 5230-Y
C9AA 5230-BD2	C9AZ 5230-Y
C9AA 5230-BJ	D0AZ 5230-T
C9AA 5230-BN1	C9AZ 5230-C
C9AA 5230-BN2	C9AZ 5230-C
C9AA 5230-BR	D0AZ 5230-U
C9AA 5230-BV1	D0AZ 5230-U
C9AA 5230-BV2	D0AZ 5230-U
C9AA 5230-CL	D0AZ 5230-U
C9AA 5230-CM	D0AZ 5230-U
C9AA 5230-DE	D0AZ 5230-U
C9AA 5230-DG	C9AZ 5230-Y
C9AA 5230-DJ	D0AZ 5230-U
C9AA 5230-DK	D0AZ 5230-U
C9DA 5230-A	D0DZ 5230-C
C9OA 5230-H	D0ZZ 5230-R
C9OA 5230-J	D0ZZ 5230-R
C9OA 5230-K	D0ZZ 5230-R
C9OA 5230-L	D0ZZ 5230-R
C9OA 5230-M	D0ZZ 5230-R
C9OA 5230-N	D0ZZ 5230-N
C9OA 5230-R	D0ZZ 5230-N
C9OA 5230-S	D0ZZ 5230-R
C9OA 5230-T	D0ZZ 5230-R
C9OA 5230-U	D0ZZ 5230-R
C9OA 5230-V	D0ZZ 5230-R
C9OA 5230-Y	D0ZZ 5230-R
C9OA 5230-Z	D0ZZ 5230-N
C9OA 5230-AA	D0ZZ 5230-N
C9OA 5230-AB1	C8OZ 5230-F
C9OA 5230-AB2	C8OZ 5230-F
C9OA 5230-AC1	C8OZ 5230-E
C9OA 5230-AC2	C8OZ 5230-E
C9TA 5230-V	C7TZ 5230-L
C9TA 5230-Z	C6TZ 5230-G
C9ZA 5230-C	C9ZZ 5230-C
C9ZA 5230-E	D0ZZ 5230-N
C9ZA 5230-G	C9ZZ 5230-E
C9ZA 5230-J	D0ZZ 5230-R
C9ZA 5230-K	D0ZZ 5230-R
C9ZA 5230-L	C9ZZ 5230-C
C9ZA 5230-M	D0ZZ 5230-R
D0AA 5230-AH	D0AZ 5230-T
D0AA 5230-AN	D0ZZ 5230-R
D0AA 5230-BY	D0AZ 5230-V
D0AA 5230-BZ	D0AZ 5230-V
D0AA 5230-CA	D0AZ 5230-U
D0AA 5230-CB	D0AZ 5230-R
D0AA 5230-CC1	D0AZ 5230-U
D0AA 5230-CC2	D0AZ 5230-U
D0AA 5230-CF	D0AZ 5230-D
D0AA 5230-CG	D0AZ 5230-V
D0AA 5230-CH	D0AZ 5230-U
D0AA 5230-CL1	D0AZ 5230-U
D0AA 5230-CL2	D0AZ 5230-U
D0AA 5230-DU	D0AZ 5230-T
ED-D0AA 5230-DY1	D0AZ 5230-V
ED-D0AA 5230-DY2	D0AZ 5230-V
ED-D0AA 5230-EA	D0AZ 5230-V
D0AA 5230-EC1	D0AZ 5230-U
D0AA 5230-EC2	D0AZ 5230-U
D0AA 5230-ED1	D0AZ 5230-U
D0AA 5230-ED2	D0AZ 5230-U
D0AA 5230-EE1	D0AZ 5230-U
D0AA 5230-EE2	D0AZ 5230-U
D0AJ 5230-A	D0AZ 5230-S
D0AJ 5230-B	D0AZ 5230-T
D0AJ 5230-C	D0AZ 5230-U
D0AJ 5230-D	D0AZ 5230-V
D0DA 5230-D	D1DZ 5230-L
D0DJ 5230-A	D0DZ 5230-C
D0OA 5230-J1	D0ZZ 5230-N
D0OA 5230-J2	D0ZZ 5230-N
D0OA 5230-K1	D0ZZ 5230-N
D0OA 5230-K2	D0ZZ 5230-N
D0OA 5230-M1	D0ZZ 5230-N
D0OA 5230-M2	D0ZZ 5230-N
D0OA 5230-N1	D0ZZ 5230-N
D0OA 5230-N2	D0ZZ 5230-N
D0OA 5230-S	D0ZZ 5230-R
D0OA 5230-V1	D0ZZ 5230-R
D0OA 5230-V2	D0ZZ 5230-R
D0OA 5230-Z	D0ZZ 5230-R
D0OA 5230-Z1	D0ZZ 5230-R
D0OA 5230-Z2	D0ZZ 5230-R
D0OA 5230-AA	D0ZZ 5230-R
D0OA 5230-AB	D0ZZ 5230-R
D0OA 5230-AC	D0ZZ 5230-R
D0OA 5230-AD	D0ZZ 5230-R
D0OA 5230-AE	D0ZZ 5230-R
D0OA 5230-AF	D0ZZ 5230-R
D0OA 5230-AG1	D0ZZ 5230-N
D0OA 5230-AG2	D0ZZ 5230-N
D0OA 5230-AH1	D0ZZ 5230-N

♦ Parts no longer Serviced. For correct Muffler Replacement Refer to Exhaust System Simplification Section 52, Page 13

5230 MUFFLER - continued

CROSS REFERENCE CHART -continued


STAMPED NUMBER	PART NUMBER
D0OA 5230-AH2	D0ZZ 5230-N
D0OA 5230-AJ1	D0ZZ 5230-N
D0OA 5230-AJ2	D0ZZ 5230-N
D0OA 5230-AK1	D0ZZ 5230-N
D0OA 5230-AK2	D0ZZ 5230-N
D0OA 5230-AL1	D0ZZ 5230-R
D0OA 5230-AL2	D0ZZ 5230-R
D0OA 5230-AM	D0ZZ 5230-R
D0SA 5230-E	D0SZ 5230-A
D0ZA 5230-A	D0ZZ 5230-R
D0ZA 5230-B	D0ZZ 5230-B
D0ZA 5230-C	D0ZZ 5230-C
D0ZA 5230-D	D0ZZ 5230-F
D0ZA 5230-E	D0ZZ 5230-H
D0ZA 5230-F	D0ZZ 5230-N
D0ZA 5230-G	D0ZZ 5230-R
D0ZA 5230-H	D0ZZ 5230-R
D0ZA 5230-K	D0ZZ 5230-N
D0ZA 5230-L	D0ZZ 5230-R
D0ZA 5230-M	D0ZZ 5230-R
D0ZJ 5230-A	D0ZZ 5230-M
D0ZJ 5230-B	D0ZZ 5230-R
D0ZJ 5230-C	D0ZZ 5230-N
D1AA 5230-R	D0AZ 5230-V
D1AA 5230-S1A	D0AZ 5230-U
D1AA 5230-S2A	D0AZ 5230-U
D1AA 5230-T1A	D0AZ 5230-U
D1AA 5230-T2A	D0AZ 5230-U
D1AA 5230-UA	D0AZ 5230-R
D1AJ 5230-CA	D0AZ 5230-U
D1AJ 5230-DA	D0AZ 5230-V
D1DA 5230-C1A	★D1DZ 5230-C
D1DA 5230-C1B	D1DZ 5230-L
D1DA 5230-C2A	★D1DZ 5230-C
D1DA 5230-C2B	D1DZ 5230-L
D1DA 5230-D1A	D1DZ 5230-L
D1DA 5230-D1B	D1DZ 5230-L
D1DA 5230-D2A	D1DZ 5230-D
D1DA 5230-D2B	D1DZ 5230-L
D1DJ 5230-AA	D0DZ 5230-C
D1DJ 5230-BA	D1DZ 5230-L
D1DJ 5230-CA	D1DZ 5230-L
D1OA 5230-AB	D1OZ 5230-C
D1OA 5230-BB	D0ZZ 5230-R
D1OA 5230-CA	D0ZZ 5230-R
D1OA 5230-DA	D0ZZ 5230-R
D1OA 5230-EA	D0ZZ 5230-R
D1OA 5230-FA	D0ZZ 5230-R
D1UA 5230-LA	C6TZ 5230-G
D1ZA 5230-AA	D0ZZ 5230-R
D1ZA 5230-BA	D1ZZ 5230-C
D1ZA 5230-BB	D1ZZ 5230-C
D1ZA 5230-CA	D0ZZ 5230-R
D1ZA 5230-DA	D0ZZ 5230-N
D1ZA 5230-EB	D1ZZ 5230-F
D1ZA 5230-EC	D1ZZ 5230-F
D1ZA 5230-FD	D1ZZ 5230-G
D1ZA 5230-FE	D1ZZ 5230-G
D1ZA 5230-GC	D1ZZ 5230-D
D1ZA 5230-GD	D1ZZ 5230-D
D1ZJ 5230-BA	D0ZZ 5230-R
D1ZJ 5230-CA	D0ZZ 5230-N
D12A 5230-BG	D3FZ 5230-A
D12A 5230-DC	D3FZ 5230-A

STAMPED NUMBER	PART NUMBER
D2AJ 5230-AA	C8SZ 5230-J
D2OA 5230-JC	D2OZ 5230-AC
D2OA 5230-JD	D2OZ 5230-AC
D2OA 5230-SB	D2OZ 5230-AA
D2OA 5230-SC	D2OZ 5230-AA
D2OA 5230-TB	D2OZ 5230-AH
D2OA 5230-ZA	D2OZ 5230-AE
D2OJ 5230-AA	D2OZ 5230-AC
D2OJ 5230-BA	D2OZ 5230-AA
D2ZJ 5230-AA	C9ZZ 5230-E
D22A 5230-BD	D3FZ 5230-A
D22A 5230-BF	D3FZ 5230-A
D22A 5230-BG	D3FZ 5230-A
D22A 5230-CB	D3FZ 5230-A
D22A 5230-CC	D3FZ 5230-A
D22A 5230-CD	D3FZ 5230-A
D22A 5230-EA	D2FZ 5230-C
D22A 5230-EB	D2FZ 5230-C
D3AJ 5230-AA	C9ZZ 5230-C
D32J 5230-AA	D3FZ 5230-A
C4SA 5232-C	C4SZ 5230-B
C5AA 5232-H	C7AZ 5230-AH
C5AA 5232-J	C7AZ 5230-AH
C5AA 5232-L	★C5AZ 5230-N
C5OA 5232-B	C5OZ 5230-C
C6AA 5232-N	C6AZ 5230-AR
C6AA 5232-R	★C6AZ 5230-AS
C6AA 5232-S	C7AZ 5230-AH
C6AA 5232-U	C7AZ 5230-AH
C6AA 5232-Y	C7AZ 5230-AH
C6AA 5232-Z	C7AZ 5230-AH
C6OA 5232-D	C6OZ 5230-V
C7AA 5232-AA	C7AZ 5230-Z
C7AA 5232-AG	C7AZ 5230-AH
C7AA 5232-AL	C7AZ 5230-C
C7OA 5232-A	C7OZ 5230-F
C7OA 5232-C	★C7OZ 5230-J
C7SA 5232-B	C7SZ 5230-A
C8AA 5232-T	C8AZ 5230-A
ED-C8AA 5232-U	C8AZ 5230-N
C8OA 5232-E	C8OZ 5230-T
C8OA 5232-F	C8OZ 5230-U
C8OA 5232-K	C8OZ 5230-T
C8OA 5232-L	C8OZ 5230-U
C8SA 5232-E	C8SZ 5230-K
C8SA 5232-G	C8SZ 5230-K
C9AA 5232-L	D0AZ 5230-U
C9AA 5232-U	C9AZ 5230-R
C9OA 5232-D	D0ZZ 5230-R
C9OA 5232-E	D0ZZ 5230-R
C9OA 5232-F	D0ZZ 5230-R
C9OA 5232-G	D0ZZ 5230-R
C9OA 5232-H	D0ZZ 5230-R
D0AA 5232-F	D0AZ 5230-N
D0AA 5232-L	D0ZZ 5230-R
D0AA 5232-M	D0AZ 5230-N
D0OA 5232-M	D0ZZ 5230-R
D0OA 5232-N	D0ZZ 5230-R

STAMPED NUMBER	PART NUMBER
D0OA 5232-R	D0ZZ 5230-R
D0OA 5232-S1	D0ZZ 5230-R
D0OA 5232-S2	D0ZZ 5230-R
D0OA 5232-T	D0ZZ 5230-R
D0OA 5232-U	D0ZZ 5230-R
D0OA 5232-V1	D0ZZ 5230-R
D0OA 5232-V2	D0ZZ 5230-R
D0OA 5232-Y	D0ZZ 5230-R
D0OA 5232-Z	D0ZZ 5230-R
D0SA 5232-E	D0SZ 5230-B
D0ZA 5232-A	D0ZZ 5230-D
D0ZA 5232-B	D0ZZ 5230-E
D0ZA 5232-C	D0ZZ 5230-G
D0ZA 5232-D	D0ZZ 5230-J
D1AA 5232-BA	D0AZ 5230-N
D1OA 5232-AA	D0ZZ 5230-R
D1OA 5232-BA	D0ZZ 5230-R
D1OA 5232-CA	D0ZZ 5230-R
D1OA 5232-DA	D0ZZ 5230-R
D1ZA 5232-AA	D1ZZ 5230-H
D1ZA 5232-AB	D1ZZ 5230-H
D1ZA 5232-BB	D1ZZ 5230-J
D1ZA 5232-BC	D1ZZ 5230-J
D1ZA 5232-CD	D1ZZ 5230-L
D1ZA 5232-CE	D1ZZ 5230-L
D1ZA 5232-DB	D1ZZ 5230-K
D1ZA 5232-DC	D1ZZ 5230-K
D1ZA 5232-DD	D1ZZ 5230-K
D2AJ 5232-AA	C8SZ 5230-K
D2LA 5232-AA	D2SZ 5230-E
D2LA 5232-AB	D2SZ 5230-E
D2LA 5232-AC	D2SZ 5230-E
D2OA 5232-GB	D2OZ 5230-AG
D2OA 5232-JA	D2OZ 5230-AD
D2SA 5232-AA	D2SZ 5230-D
D2SA 5232-BB	D2SZ 5230-E
D2SA 5232-BC	D2SZ 5230-E
C7RA 5D256-A	C5ZZ 5230-V
C7RA 5D256-B	C6OZ 5230-AB
C7RA 5D256-C	C5DZ 5230-E
C7RA 5D256-D	C7AZ 5230-AH
C7RA 5D256-E	C7AZ 5230-AJ
D0ZJ 5D256-A	D0ZZ 5230-M
C4OA 5C257-B	C4OZ 5230-F
C6ZA 5C257-B	C6ZZ 5230-E
C6ZA 5C257-C	C6ZZ 5230-H
D1DA 5C257-AB	D1DZ 5230-L
D1DA 5C257-BB	D1DZ 5230-L
D1DA 5C257-A1B	D1DZ 5230-L
D1DA 5C257-A2B	D1DZ 5230-L
D1DA 5C257-B1B	D1DZ 5230-L
D1DA 5C257-B2B	D1DZ 5230-L
D2AJ 5C257-AA	C6ZZ 5230-E
D2ZJ 5C257-AA	C6ZZ 5230-E
C4OA 5C258-B	C4OZ 5230-G
C6ZA 5C258-B	C6ZZ 5230-F
C6ZA 5C258-C	C6ZZ 5230-G
D2ZJ 5C258-AA	C6ZZ 5230-F
D3AJ 5C258-AA	C6ZZ 5230-G

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5230 MUFFLER - continued



SIZE CHART

MUFFLER REPLACEMENTS FOR 1965/66 SIMPLIFICATION PROGRAM ARE SHOWN ON PAGE 12.

MUFFLER REPLACEMENTS FOR 1967/71 SIMPLIFICATION PROGRAM ARE SHOWN ON PAGES 13 thru 17.

Also refer to Muffler Cross Reference Chart on page 3

For model application, refer to Section 52, page 1.

PART NUMBER	A (INCHES)	B (INCHES)	C (INCHES)	D (INCHES)	E (INCHES)	F (INCHES)	G (INCHES)
C0DZ 5230-A	22 1/8	2 1/8	2 1/8		5	1 3/4	1 1/2
C2OZ 5230-J	22	2		6	6	1 3/4	1 1/2
★C4GY 5230-C	22 1/8	2	2 1/8	6	6	1 3/4	1 1/2
★C4GY 5230-E							
★C4OZ 5230-B							
★C4OZ 5230-C							
C4OZ 5230-F	110 7/8					2	2
C4OZ 5230-G	110 7/8					2	2
C4SZ 5230-A	20			6	6	2	1 3/4
C4SZ 5230-B	20			6	6	2	1 3/4
★C5AZ 5230-A	21 3/4	2	2	4	10 1/2	2	2
★C5AZ 5230-E	21 3/4	2	2	4	10 1/2	2	2
★C5AZ 5230-F	21 3/4	2	2	4	10 1/2	2	2
★C5AZ 5230-G	25 3/4	2	4 1/4	4	10 1/2	2	2
★C5AZ 5230-H	25 3/4	2	4 3/8	4	10 1/2	2	2
★C5AZ 5230-L	25 3/4	2	4 3/8	4	10 1/2	2	2
★C5AZ 5230-M	83 1/2					2	2 1/4
★C5AZ 5230-N	83 5/8					2	2 1/4
★C5AZ 5230-R	21 3/4	1 7/8	1 7/8	4	10 1/2	2	2
★C5AZ 5230-S	21 3/4	1 7/8	1 7/8	4	10 1/2	2 1/4	2
★C5DZ 5230-A	25	2	26 1/8	6	6	2	2
★C5DZ 5230-B	22	2	26 3/8	6	6	1 3/4	1 3/4
C5DZ 5230-E	22	2	2		6	2	2
★C5OZ 5230-A	22					1 3/4	1 1/2
★C5OZ 5230-B	27					2	2
C5OZ 5230-C	24	29 1/4	31 1/8	3 1 4	7 3/4	2	2
C5OZ 5230-D	24	29 1/4	31 1/8	3 1 4	7 3/4	2	2
★C5ZZ 5230-C	15	2	2	3 1 4	7 3/4	2	2
★C5ZZ 5230-D	29	2	21	3 1 4	7 3/4	2	2
★C5ZZ 5230-T	25	2	21	3 1 4	7 3/4	1 3/4	1 3/4
C5ZZ 5230-U	17	3 3/8	2 3/4	4	4	1 7/8	1 3/4
C5ZZ 5230-V	25			3 1 4	7 3/4	2	2

5230 MUFFLER - continued

SIZE CHART - continued

PART NUMBER	A (INCHES)	B (INCHES)	C (INCHES)	D (INCHES)	E (INCHES)	F (INCHES)	G (INCHES)
★C6AZ 5230-C	21 3/4	2	2	4	10 1/2	2	2
★C6AZ 5230-J	25 3/4	2	4	4	10 1/2	2 1/4	2 1/4
★C6AZ 5230-M	21 3/4	2	2	4	10 1/2	2	2
★C6AZ 5230-N	21 3/4	2	2	4	10 1/2	2	2
★C6AZ 5230-R	25 3/4	2	3 3/4	4	10 1/2	1 7/8	2
★C6AZ 5230-S	25 3/4	2	4	4	10 1/2	2	2
★C6AZ 5230-U	25 3/4	2	4	4	10 1/2	2	2 1/4
★C6AZ 5230-V	25 3/4	2	4	4	10 1/2	2	2 1/4
★C6AZ 5230-Y	25 3/4	2	4	4	10 1/2	2	2
★C6AZ 5230-AA	25 3/4	2	4	4	10 1/2	2	2
★C6AZ 5230-AB							
★C6AZ 5230-AC	25 3/4	2	4	4	10 1/2	2	2
★C6AZ 5230-AD	25 3/4	2	4	4	10 1/2	2	2
★C6AZ 5230-AF	25 3/4	2	4	4	10 1/2	2 1/4	2 1/4
★C6AZ 5230-AH	25 3/4	2	4	4	10 1/2	2 1/4	2 1/4
★C6AZ 5230-AK	25 3/4	2	4	4	10 1/2	2 1/4	2 1/4
C6AZ 5230-AM	23	2	6	3 1/2	3 1/2	2	2
C6AZ 5230-AN	23	2	6	3 1/2	3 1/2	2	2
C6AZ 5230-AR	23	2	6 5/8	3 1/2	3 1/2	2	2
★C6AZ 5230-AS	23	2	6 5/8	3 1/2	3 1/2	2	2
★C6DZ 5230-A	22	2	25 1/2	6	6	1 3/4	1 3/4
★C6DZ 5230-C							
★C6DZ 5230-E	22	2	40 1/4	6	6	1 3/4	1 3/4
★C6DZ 5230-F	22	2	40 1/4	6	6	1 3/4	1 3/4
★C6DZ 5230-G	25	2	25 1/2	6	6	2	2
★C6OZ 5230-E	25	2	26	6	6	1 3/4	1 3/4
★C6OZ 5230-G	25	2	26	6	6	2	2
★C6OZ 5230-H	21	34 7/8	21	4	9 3/4	2	2 1/4
C6OZ 5230-J	24	2	23 7/8	6	6	2 1/4	2
★C6OZ 5230-N	22	2	31 7/8	6	6	1 3/4	1 3/4
C6OZ 5230-S	24	2	32 1/8	6	6	2 1/4	2
★C6OZ 5230-T	24	2	32 1/8	6	6	2 1/4	2
C6OZ 5230-U	23	34 5/8	2	4	9 3/4	2	2
C6OZ 5230-V	23	34 5/8	2	4	9 3/4	2	2
★C6OZ 5230-AA	26	2	32	6	6	2	2
C6OZ 5230-AB	26 7/8	1 7/8	7/8			1 3/4	1 3/4
C6OZ 5230-AC	21	34 1/2	22 3/8	4	9 3/4	2	2 1/4
C6TZ 5230-G	27	2 1/2	3 5/8	6	6	2	2
C6TZ 5230-H	27	2 1/2	3 5/8	6	6	2	2
★C6UZ 5230-A	22	2 3/8	3 5/8	6	6	2	1 3/4
★C6UZ 5230-B	22	2 3 8	3 5/8	6	6	2 1/8	1 3/4
★C6ZZ 5230-A	29	2	21	3 1/4	7 3/4	2	2
Δ★C6ZZ 5230-C	15	37	37		7 3/4	2	1 3/4
Δ★C6ZZ 5230-D	15	37	37		7 3/4	2	1 3/4
C6ZZ 5230-E	89 Overall length A-B-C					2	1 3/4
C6ZZ 5230-F	89 Overall length A-B-C					2	1 3/4
C6ZZ 5230-G	89 Overall length A-B-C					2	1 3/4
C6ZZ 5230-H	89 Overall length A-B-C					2	1 3/4

Δ Includes resonator

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5230 MUFFLER - continued

SIZE CHART - continued

PART NUMBER	A (INCHES)	B (INCHES)	C (INCHES)	D (INCHES)	E (INCHES)	F (INCHES)	G (INCHES)
★C7AZ 5230-A	25 3/4	2	6 3/8	4	10 1/2	2	2
★C7AZ 5230-C	25 3/4	2	6 3/8	4	10 1/2	2	2 1 4
★C7AZ 5230-E	25 3/4	2	3 3/4	4	10 1/2	2	2
★C7AZ 5230-G	25 3/4	2	3 3/4	4	10 1/2	2 1/2	2 1 4
★C7AZ 5230-L	25 3/4	2	3 3/4	4	10 1/2	2 1 4	2 1 4
★C7AZ 5230-N	25 3/4	2	3 3/4	4	10 1/2	2 1 4	2 1 4
C7AZ 5230-S	23	2	9 1/8	3 1/2	3 1/2	2	2
★C7AZ 5230-T	25 3/4	2	6 3/8	4	10 1/2	2	2
★C7AZ 5230-Z	23	2	9 1/6	3 1/2	3 1/2	2	2
C7AZ 5230-AA	25 3/4	2	6 3/8	4	10 1/2	2	2 1 4
★C7AZ 5230-AB	21 3/4	2	2	4	10 1/2	2	2
★C7AZ 5230-AC	25 3/4	2	4 1/4	4	10 1/2	2 1/2	2 1 4
★C7AZ 5230-AD	25 3/4	2	4 3/4	4	10 1/2	2 1/2	2 1 4
★C7AZ 5230-AE	25 3/4	2	3 3/4	4	10 1/2	2 1 2	2 1 4
★C7AZ 5230-AF	25 3/4	2	3 3/4	4	10 1/2	2 1 2	2 1 4
C7AZ 5230-AH	21 7/8	1 7/8	1 3/4	4	10 1/2	2	2
C7AZ 5230-AJ	21 7/8	1 7/8	1 3/4	4	10 1/2	2 1/4	2
★C7DZ 5230-A	21 3/4	34 1/4	35 1/2	4	10 1/2	1 3 4	1 7/8
★C7DZ 5230-B	21 3/4	34 1/4	35 1/2	4	10 1/2	1 3/4	1 7 8
★C7DZ 5230-C	21 3/4	34 1/4	35 1/2	4	10 1/2	2	1 7 8
★C7DZ 5230-E	21 3/4	34 1/4	35 3/8	4	10 1/2	2	1 7 8
★C7OZ 5230-A	21 3/4	34 1/4	2	4	10 1/2	1 3/4	1 7 8
★C7OZ 5230-B	21 3/4	34 1/4	2	4	10 1/2	1 3 4	1 7 8
★C7OZ 5230-C	21 3/4	34 1/4	2	4	10 1/2	2	1 7 8
C7OZ 5230-E	21 3/4	34 1/4	2	4	10 1/2	2	2 1 4
C7OZ 5230-F	21 3/4	34 1/4	2	4	10 1/2	2	2 1 4
★C7OZ 5230-G	21 3/4	33 1/8	2	4	10 1/2	2 1/2	2 1 4
★C7OZ 5230-H	21 3/4	34 1/4	2	4	10 1/2	2 1/4	2 1/4
★C7OZ 5230-J	21 3/4	34 1/4	2	4	10 1/2	2 1 4	2 1/4
★C7OZ 5230-K	21 3/4	34 1/4	2	4	10 1/2	2	1 7 8
★C7OZ 5230-M	25 3/4	37	30 1/2	4	10 1/2	2 1/2	2 1/4
C7SZ 5230-A	20	8 3/8	4 1/8	6	6	2	2
C7SZ 5230-B	20	9 1/4	4 1/2	6	6	2	2
★C7TZ 5230-B	22	2 1/2	3 5/8	6	6	2	1 3 4
C7TZ 5230-C	22	2 1/2	3 5/8	6	6	2	1 3 4
C7TZ 5230-L	22	2 3/8	3 5/8	6	6	2	1 3 4
★C7ZZ 5230-A	25	2	20 7/8	3 1/4	7 3/4	2	2
★C7ZZ 5230-C	25	2	20 7/8	3 1/4	7 3/4	1 3/4	1 3/4
★C7ZZ 5230-F	25	2	20 7/8	3 3/4	7 3/4	2	2
★C7ZZ 5230-H	22 1/2	2	2	3 1/4	7 3/4	2	2
★C8AZ 5230-A	25 3/4	2	4	4	10 1/2	2	2 1/4
★C8AZ 5230-B	25 3/4	2	3 3/4	4	10 1/2	2	2 1 4
★C8AZ 5230-C	25 3/4	2	3 3/4	4	10 1/2	2	2 1 4
★C8AZ 5230-D	25 3/4	2	3 3/4	4	10 1/2	2 1/4	2 1 4
★C8AZ 5230-E	25 3/4	2	3 3/4	4	10 1/2	2 1/4	2 1 4
★C8AZ 5230-F	25 3/4	2	3 3/4	4	10 1/2	2 1 2	2 1 4
★C8AZ 5230-G	25 3/4	2	3 3/4	4	10 1/2	2 1/2	2
★C8AZ 5230-H	25 3/4	2	3 3/4	4	10 1/2	2 1/2	2
★C8AZ 5230-J	25 3/4	2	3 3/4	4	10 1/2	2 1/2	2 1/4
★C8AZ 5230-K	21 3/4	2	2	4	10 1/2	2	2
★C8AZ 5230-L	25 3/4	2	3 7/8	4	10 1/2	2 1/4	2 1 4
★C8AZ 5230-M	25 3/4	2	3 7/8	4	10 1/2	2 1/4	2 1 4
★C8AZ 5230-N							
★C8DZ 5230-A	21 3/4	34 1/4	35 1/2	4	10 1/2	2	1 7/8
★C8DZ 5230-B	21 3/4	34 1/4	35 1/2	4	10 1/2	2	2

5230 MUFFLER - continued

SIZE CHART - continued

PART NUMBER	A (INCHES)	B (INCHES)	C (INCHES)	D (INCHES)	E (INCHES)	F (INCHES)	G (INCHES)
★C8OZ 5230-A	25 3/4	34	34 3/4	4	10 1/2	2	2 1/4
★C8OZ 5230-B	25 3/4	34	34 3/4	4	10 1/2	2	2 1/4
★C8OZ 5230-C	25 3/4	34	34 3/4	4	10 1/2	2 1/4	2 1/4
★C8OZ 5230-D	25 3/4	34	34 3/4	4	10 1/2	2 1/4	2 1/4
★C8OZ 5230-E	21 3/4	34 1/8	28 7/8	4	10 1/2	2	2
★C8OZ 5230-F	21 3/4	35 1/4	37 1/2	4	10 1/2	2	2
★C8OZ 5230-G	21 3/4	33	31 1/8	4	10 1/2	2 1/2	2 1/4
★C8OZ 5230-H	21 3/4	34 1/8	37 1/2	4	10 1/2	2 1/2	2 1/4
★C8OZ 5230-J	25 3/4	36 7/8	34 3/4	4	10 1/2	2 1/2	2 1/4
★C8OZ 5230-K	21 3/4	34 1/8	31 1/8	4	10 1/2	2	1 7/8
★C8OZ 5230-L	21 3/4	35 1/4	37 1/2	4	10 1/2	2	1 7/8
★C8OZ 5230-M	25 3/4	37 3/8	34 1/2	4	10 1/2	2 1/2	2 1/4
★C8OZ 5230-N	21 3/4	34	37 1/2	4	10 1/2	2 1/2	2 1/4
★C8OZ 5230-R	25 3/4	34	34 3/4	4	10 1/2	2	2 1/4
★C8OZ 5230-S	25 3/4	34	34 3/4	4	10 1/2	2 1/4	2 1/4
★C8OZ 5230-T	25 3/4	34	34 3/4	4	10 1/2	2	2 1/4
★C8OZ 5230-U	25 3/4	34	34 3/4	4	10 1/2	2 1/4	2 1/4
★C8SZ 5230-A	20	2	21 1/4	4	10 1/2	2 1/4	2 1/4
★C8SZ 5230-B	20	2	20 1/2	4	10 1/2	2 1/4	2 1/4
★C8SZ 5230-C	20	9 7/8	3 1/8	6	6	2	2
★C8SZ 5230-D	20	10 1/8	3 1/8	6	6	2	2
★C8SZ 5230-E	20	2	21	4	10 1/2	2 1/4	2
★C8SZ 5230-F	20	2	20 1/2	4	10 1/2	2 1/4	2
★C8SZ 5230-G	20	2	21 1/4	4	10 1/2	2 1/4	2
★C8SZ 5230-H	20	2	20 1/2	4	10 1/2	2 1/4	2
C8SZ 5230-J	20	2	21 1/4	4	10 1/2	2 1/2	2
C8SZ 5230-K	20	2	20 1/2	4	10 1/2	2 1/2	2
★C8ZZ 5230-A	19	35 1/2	36	10 1/2		2	2
★C8ZZ 5230-B	19	35 1/2	36	4	10 1/2	2 1/4	2
†★C8ZZ 5230-C	22 1/2	2 1/4	2 1/4	3 1/4	7 3/4	2 1/8	2 1/8
★C9AZ 5230-A	21 1/2	2	6 1/8	11	4 1/2	2	2
★C9AZ 5230-B	24 1/2	2	3 1/8	4 1/2	11	2 1/2	2
C9AZ 5230-C	24 1/2	2	3 1/8	4 1/2	11	2 1/2	2 1/4
★C9AZ 5230-E	24 1/2	2	3 1/8	4 1/2	11	2 1/2	2
★C9AZ 5230-J	24 1/2	2	3 1/8	4 1/2	11	2 1/2	2 1/4
★C9AZ 5230-K	24 1/2	2	3 1/8	4 1/2	11	2 1/2	2 1/4
★C9AZ 5230-L	24 1/2	2	3 1/8	4 1/2	11	2 1/2	2
★C9AZ 5230-M	21 1/2	2	6 1/8	11	4 1/2	2	2
★C9AZ 5230-N	24 1/2	2	3 1/8	4 1/2	11	2 1/2	2
C9AZ 5230-R	24 1/2	2	3 1/8	4 1/2	11	2 1/2	2 1/4
★C9AZ 5230-T	24 1/2	2	3 1/8	4 1/2	11	2 1/2	2 1/4
★C9AZ 5230-U	24 1/2	2	3 1/8	4 1/2	11	2 1/2	2 1/4
★C9AZ 5230-V	24 1/2	2	3 1/8	4 1/2	11	2 1/2	2
C9AZ 5230-Y	24 1/2	2	3 1/8	4	11	2 1/2	2 1/4
★C9AZ 5230-Z	24 1/2	2	3 1/8	4 1/2	11	2 1/2	2 1/4
★C9AZ 5230-AA	24 1/2	2	3 1/8	4 1/2	11	2 1/2	2
★C9OZ 5230-A	21 3/4	35 1/8	27 3/4	4	10 1/2	2 1/4	2 1/4
★C9OZ 5230-B	21 3/4	34	28 7/8	4	10 1/2	2 1/4	2 1/4
★C9OZ 5230-C	21 3/4	38 1/8	37 1/2	4	10 1/2	2 1/4	2
★C9OZ 5230-D	21 3/4	38 1/8	37 1/2	4	10 1/2	2 1/4	2
★C9OZ 5230-E	21 3/4	32 7/8	37 1/2	4	10 1/2	2 1/2	2 1/4
★C9OZ 5230-F	21 3/4	31 1/2	29	4	10 1/2	2 1/2	2 1/4
★C9OZ 5230-G	21 1/2	35 3/8	37 1/2	4	10 1/2	2	2
★C9OZ 5230-H	21 3/4	34 1/8	28 7/8	4	10 1/2	2	2
★C9OZ 5230-J	21 3/4	35 1/4	47 5/8	4	10 1/2	2 1/4	2 1/4

† Dual inlet & outlet

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5230 MUFFLER - continued

SIZE CHART - continued

PART NUMBER		A (INCHES)	B (INCHES)	C (INCHES)	D (INCHES)	E (INCHES)	F (INCHES)	G (INCHES)
★C9OZ	5230-K	21 3/4	35 1/4	47 5/8	4	10 1/2	2 1/4	2 1/4
★C9OZ	5230-L	21 3/4	33	28 7/8	4	10 1/2	2 1/2	2 1/4
★C9OZ	5230-M	21 3/4	35 1/4	37 1/2	4	10 1/2	2	2 1/4
★C9OZ	5230-N	21 3/4	35 1/4	37 1/2	4	10 1/2	2	2 1/4
★C9OZ	5230-R	21 3/4	33 1/4	37 1/2	4	10 1/2	2	2
★C9OZ	5230-S	21 3/4	32 1/8	28 7/8	4	10 1/2	2	2
★C9OZ	5230-T	21 3/4	35 1/2	22	4	10 1/2	2 1/4	2 1/4
★C9OZ	5230-U	21 3/4	34	29	4	10 1/2	2 1/4	2 1/4
★C9OZ	5230-V	21 3/4	30 1/2	30 1/8	4	10 1/2	2 1/2	2 1/4
★C9OZ	5230-Y	21 3/4	33 1/2	38 1/2	4	10 1/2	2 1/2	2 1/4
C9OZ	5230-Z	23	34 5/8	2	4	9 3/4	2	2
★C9ZZ	5230-A	19	36	35 7/8	4	10 1/2	2 1/2	2 1/4
C9ZZ	5230-C	22 1/2	2 1/4	2 1/4	3 1/4	7 1/2	2 1/8	2 1/8
★C9ZZ	5230-D	19	35 1/2	36	4	10 1/2	2	2
C9ZZ	5230-E	22 1/2	2	2	3 1/4	7 3/4	2	2
★C9ZZ	5230-F	19	36 1/4	34 3/4	4	10 1/2	2	2
★D0AZ	5230-A	24 1/2	2	3 1/8	4 1/2	11	2 1/4	2
★D0AZ	5230-B	24 1/2	2	3 1/8	4 1/2	11	2 1/4	2
★D0AZ	5230-C	24 1/2	2	3 1/8	4 1/2	11	2 1/4	2
D0AZ	5230-D	24 1/2	2	3 1/8	4 1/2	11	2 1/4	2
★D0AZ	5230-F	21 1/2	2	6 1/8	4 1/2	11	2	2
★D0AZ	5230-K	24 1/2	2	3 1/8	4 1/2	11	2 1/2	2 1/4
★D0AZ	5230-L	24 1/2	2	3 1/8	4 1/2	11	2 1/2	2 1/4
D0AZ	5230-N	24 1/2	2	3 1/8	4 1/2	11	2 1/2	2 1/4
D0AZ	5230-R	24 1/2	2	3 1/8	4 1/2	11	2 1/2	2 1/4
D0AZ	5230-S	21 3/4	1 3/4	1 3/4	4 1/2	10 1/2	2 1/2	2
D0AZ	5230-T	22 1/2	1 3/4	1 3/4	4 1/2	11	2	2
D0AZ	5230-U	22 1/2	1 3/4	1 3/4	4 1/2	11	2 1/2	2
D0AZ	5230-V	22 1/2	1 5/8	1 5/8	4 5/8	11	2 1/4	2
★D0DZ	5230-A	19	69	2 3/4	6	6	1 3/4	1 1/2
D0DZ	5230-C	19	1 3/4	1 3/4	4	10 1/2	2	1 7/8
★D0OZ	5230-A	21 3/4	32 3/8	28 1/2	4	10 1/2	2	2
★D0OZ	5230-B	21 3/4	32 3/8	28 1/2	4	10 1/2	2	2
★D0OZ	5230-C	21 1/2	34 5/8	28 1/2	4	10 1/2	2 1/4	2
★D0OZ	5230-D	21 3/4	35 1/4	37 1/8	4	10 1/2	2 1/4	2
★D0OZ	5230-E	21 1/2	34 5/8	28 1/2	4	10 1/2	2 1/4	2
★D0OZ	5230-F	21 3/4	34 3/8	28 1/2	4	10 1/2	2 1/4	2 1/4
★D0OZ	5230-H	21 3/4	35 1/4	37 1/8	4	10 1/2	2 1/4	2
★D0OZ	5230-J	21 3/4	35 1/4	37 1/4	4	10 1/2	2 1/4	2 1/4
★D0OZ	5230-K	21 3/4	35 1/4	49 1/2	4	10 1/2	2 1/4	2 1/4
★D0OZ	5230-L	21 3/4	34 3/8	28 1/2	4	10 1/2	2 1/4	2 1/4
★D0OZ	5230-N	21 3/4	35 1/4	49 1/2	4	10 1/2	2 1/4	2 1/4
★D0OZ	5230-R	21 3/4	34 3/8	28 1/2	4	10 1/2	2 1/4	2 1/4
★D0OZ	5230-S	21 1/2	27 1/4	37 1/8	4	10 1/2	2	2
★D0OZ	5230-T	21 1/2	27 1/4	37 1/8	4	10 1/2	2	2
★D0OZ	5230-U	21 3/4	35 1/4	49 1/2	4	10 1/2	2 1/4	2 1/4
★D0OZ	5230-V	21 3/4	35 1/4	49 1/2	4	10 1/2	2 1/4	2 1/4
★D0OZ	5230-Y	21 3/4	34 3/8	28 1/2	4	10 1/2	2 1/4	2 1/4
★D0OZ	5230-Z	21 3/4	34 3/8	28 1/2	4	10 1/2	2 1/4	2 1/4
★D0OZ	5230-AA	21 3/4	35 1/4	49 1/2	4	10 1/2	2 1/4	2 1/4
★D0OZ	5230-AB	21 3/4	35 1/4	49 1/2	4	10 1/2	2 1/4	2 1/4
★D0OZ	5230-AC	21 3/4	35 3/8	28 1/2	4	10 1/2	2 1/4	2 1/4
★D0OZ	5230-AD	21 3/4	35 3/8	28 1/2	4	10 1/2	2 1/4	2 1/4
D0SZ	5230-A	20	2	21 1/4	4	10 1/2	2 1/4	1 3/4
D0SZ	5230-B	20	2	20 3/4	4	10 1/2	2 1/4	1 3/4

5230 MUFFLER - continued

SIZE CHART - continued

PART NUMBER		A (INCHES)	B (INCHES)	C (INCHES)	D (INCHES)	E (INCHES)	F (INCHES)	G (INCHES)
★D0ZZ	5230-A	19	36 1/4	36	4	10 1/2	2 1/4	2 1/4
D0ZZ	5230-B	19	36	38	4	10 1/2	2 1/8	2 1/4
D0ZZ	5230-C	19	36	34 7/8	4	10 1/2	2 1/8	2 1/4
D0ZZ	5230-D	19	36	38	4	10 1/2	2 1/8	2 1/4
D0ZZ	5230-E	19	36 1/4	38	4	10 1/2	2 1/4	2 1/4
D0ZZ	5230-F	19	36 1/4	38	4	10 1/2	2 1/4	2 1/4
D0ZZ	5230-G	19	36 1/4	19 1/8	4	10 1/2	2 1/4	2 1/4
D0ZZ	5230-H	19	36 1/4	34 7/8	4	10 1/2	2 1/4	2 1/8
D0ZZ	5230-J	19	36	19 1/2	4	10 1/2	2 1/8	2 1/8
★D0ZZ	5230-K	19	34 1/2	36	4	10 1/2	2 1/4	2
★D0ZZ	5230-L	19	34 1/2	36	4	10 1/2	2	2
D0ZZ	5230-M							
D0ZZ	5230-N	19	1 3/4	1 3/4	4	10 1/2	2	1 7/8
D0ZZ	5230-R	19	1 3/4	1 3/4	4	10 1/2	2 1/4	1 7/8
★D1AZ	5230-A	24 1/2	2	3 1/8	4 1/2	11	2 1/4	2
★D1AZ	5230-B	24 1/2	2	8 1/8	4 1/2	11	2 1/2	2
★D1DZ	5230-C	19	75 7/8	2 3/4	6	6	1 3/4	1 1/2
★D1DZ	5230-D	19	69	2 3/4	6	6	1 3/4	1 1/2
★D1DZ	5230-E	19	73 1/2	2	6	6	2	2
★D1DZ	5230-F	19	66 5/8	2	6	6	2	2
★D1DZ	5230-J	19	78	2 3/4	6	6	1 3/4	1 1/2
★D1DZ	5230-K	19	64 3/4	2 3/4	6	6	1 3/4	1 1/2
D1DZ	5230-L	19	1 1/2	2 3/4	6	6	1 3/4	1 3/4
★D1FZ	5230-G	14	61 3/4	9 7/8	4	10 1/2	1 3/4	1 7/8
★D1FZ	5230-H	15	61	9 7/8	4 1/2	11	1 3/4	1 7/8
★D1OZ	5230-A	21 3/4	33 1/2	84 5/8	4	10 1/2	2 1/4	2
★D1OZ	5230-B	21 3/4	33 1/2	84 5/8	4	10 1/2	2 1/4	2
★D1OZ	5230-C	21 3/4	33 1/2	94	4	10 1/2	2 1/4	2
★D1OZ	5230-D	21 3/4	33 1/2	94	4	10 1/2	2 1/4	2
★D1OZ	5230-E	21 3/4	33 1/2	94	4	10 1/2	2 1/4	2
★D1OZ	5230-F	21 3/4	33 1/2	94	4	10 1/2	2 1/4	2
★D1OZ	5230-G	21 3/4	33 1/2	84 5/8	4	10 1/2	2 1/4	2
★D1OZ	5230-H	21 3/4	33 1/2	84 5/8	4	10 1/2	2 1/4	2
★D1ZZ	5230-A	19	36 1/8	93 1/4	4	10 1/2	2 1/4	2 1/4
★D1ZZ	5230-B	19	36 1/8	38	4	10 1/2	2 1/4	2
D1ZZ	5230-C	19	36 1/8	38	4	10 1/2	2 1/4	2 1/4
D1ZZ	5230-D	19	36 1/8	38	4	10 1/2	2 1/4	2 1/4
★D1ZZ	5230-E	19	36 1/4	38	4	10 1/2	2	2
D1ZZ	5230-F	19	36 1/8	33 3/4	4	10 1/2	2 1/4	2 1/8
D1ZZ	5230-G	19	36 1/8	33 3/4	4	10 1/2	2 1/4	2 1/8
D1ZZ	5230-H	19	36 1/8	38	4	10 1/2	2 1/4	2 1/4
D1ZZ	5230-J	19	36 1/8	33 3/4	4	10 1/2	2 1/4	2 1/8
D1ZZ	5230-K	19	36 1/8	38	4	10 1/2	2 1/4	2 1/4
D1ZZ	5230-L	19	36 1/8	33 3/4	4	10 1/2	2 1/4	2 1/8
★D2FZ	5230-A	17	67 3/4	5 1/8	4 1/2	11	1 3/4	1 7/8
★D2FZ	5230-B	15	62	10	4 1/2	11	1 3/4	1 7/8
D2FZ	5230-C	14	64 3/8	10 1/8	4	10 1/2	1 3/4	1 7/8
★D2FZ	5230-D	15	64 3/8	10 7/8	4 1/2	11	1 3/4	1 7/8
★D2LY	5230-A	21 3/4	2	52 7/8	4	10 1/2	2 1/2	2 1/4
★D2OZ	5230-J	24	2	29 3/8	4	10 1/2	2	2
★D2OZ	5230-R	24	2	18 1/4	4	10 1/2	2 1/4	2 1/4
D2OZ	5230-AA	21 3/4	1 5/8	1 5/8	4	10 1/2	2 1/4	2
D2OZ	5230-AC	21 3/4	1 5/8	1 5/8	4	10 1/2	2	2
D2OZ	5230-AD	26 1/2	2	46 3/4	4	10 1/2	2 1/4	2 1/4
D2OZ	5230-AE	26 1/2	2	46 3/4	4	10 1/2	2 1/4	2 1/4
D2OZ	5230-AG	24	2	49 1/8	4	10 1/2	2 1/4	2 1/4
D2OZ	5230-AH	24	2	49 1/8	4	10 1/2	2 1/4	2 1/4
D2SZ	5230-D	48 7/8	2	22 1/4	4	10 1/2	2 1/4	2 1/4
D2SZ	5230-E	48 7/8	2	22 1/4	4	10 1/2	2 1/4	2 1/4
★D2TZ	5230-K	27	2 1/2	3 1/2	6		2	2
D3FZ	5230-A	14	1 3/4	2	4 1/2	11	1 5/8	1 3/4

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965/66 EXHAUST SYSTEM SIMPLIFICATION REPLACEMENT CHARTS

MUFFLER REPLACEMENTS

FOR MODEL APPLICATION, REFER TO SECTION 52, PAGE 1.

REPLACED PART NUMBER	REPLACED BY		REMARKS
	MUFFLER	OUTLET PIPE	
C4GY 5230-C	C0DZ 5230-A		
C4GY 5230-E	C5DZ 5230-E		
C4OZ 5230-B, C	C2OZ 5230-J		
C5AZ 5230-E, F	C5AZ 5230-R		
C5AZ 5230-G	C5AZ 5230-R	C5AZ 5255-T	1965 A (352, 390, 427 eng.)-R. H. Dual-exc. S/W
	C5AZ 5230-R	C5AZ 5255-F, N, U	1965 A (352, 390 eng.)-R. H. Dual-S/W
C5AZ 5230-H	C5AZ 5230-R	C5AZ 5255-S	1965 A (352, 290, 427 eng.)-L. H. Dual-exc. S/W
	C5AZ 5230-R	C5AZ 5255-M, N, R	1965 A (352, 390 eng.)-L. H. Dual-S/W
C5AZ 5230-L	C5AZ 5230-R	C5AZ 5255-M, N, R	
C5DZ 5230-A, B	C5DZ 5230-E	C5DZ 5255-C	
C5OZ 5230-A, B	C2OZ 5230-J		
C5ZZ 5230-D, T	C5ZZ 5230-V	C5ZZ 5255-G	
C6AZ 5230-J	C5AZ 5230-S	C5AZ 5255-T	
C6AZ 5230-M, N	C5AZ 5230-R		
C6AZ 5230-R	C5AZ 5230-R	C6AZ 5255-U	
C6AZ 5230-S	C5AZ 5230-R	C5AZ 5255-T	
C6AZ 5230-U, V, Y, AA	C5AZ 5230-R	C5AZ 5255-S	
C6AZ 5230-AC, AD	C5AZ 5230-R	C5AZ 5255-T	
C6AZ 5230-AF, AH, AK	C5AZ 5230-S	C6AZ 5255-U	
C6DZ 5230-A	C5DZ 5230-E	C6DZ 5255-B	
C6DZ 5230-C, E, F	C5DZ 5230-E	C6DZ 5255-A	
C6DZ 5230-G	C5DZ 5230-E	C6DZ 5255-B	
C6OZ 5230-E, G, H	C6OZ 5230-AB	C6OZ 5255-C	
C6OZ 5230-N, AA	C5DZ 5230-E	C6OZ 5255-D	
C6ZZ 5230-A, B	C5ZZ 5230-V	C5ZZ 5255-G	

OUTLET PIPE REPLACEMENTS

FOR MODEL APPLICATION, REFER TO SECTION 52, PAGE 1.

REPLACED PART NUMBER	REPLACED BY		REMARKS
	OUTLET PIPE	MUFFLER	
C5AZ 5255-C	C5AZ 5255-S		
C5AZ 5255-D	C5AZ 5255-T		
C5AZ 5255-E	C5AZ 5255-M, N, U		
C5AZ 5255-H	C5AZ 5255-T	C5AZ 5230-R	
C5AZ 5255-J	C5AZ 5255-S	C5AZ 5230-R	
C5AZ 5255-K	C5AZ 5255-M, N, R	C5AZ 5230-R	
C5AZ 5255-L	C5AZ 5255-F, N, U	C5AZ 5230-R	
C6AZ 5255-A	C6AZ 5255-U	C5AZ 5230-R	
C6AZ 5255-C	C5AZ 5255-T	C5AZ 5230-R	1966 A (427 eng.)-R. H. Dual
	C5AZ 5255-T	C5AZ 5230-S	1966 A (390 eng.)-Single Exhaust
	C5AZ 5255-T	C5AZ 5230-R	1966 A (428 eng.)-R. H. Dual-Police
C6AZ 5255-E, G	C5AZ 5255-S	C5AZ 5230-R	
C6AZ 5255-J, K	C5AZ 5255-T	C5AZ 5230-R	
C6AZ 5255-L	C6AZ 5255-U	C5AZ 5230-S	
C6AZ 5255-N, R	C5AZ 5255-T		
C6AZ 5255-S, T	C5AZ 5255-N C6AZ 5255-U		

5230 MUFFLER - continued

1967/71 EXHAUST SYSTEM SIMPLIFICATION REPLACEMENT CHART

Exhaust systems for 1967/71 cars have been simplified. For those applications where mating parts are affected, the affected parts are shown in the "MUST BE USED WITH" column. For example: Muffler C7AZ 5230-A is replaced by simplified muffler C7AZ 5230-AH. Since the new muffler is shorter than the original, a longer outlet pipe (D0AZ 5255-T) MUST BE USED.

For model application, refer to Section 52, page 1.

REPLACED PART	REPLACED BY			MUST BE USED WITH	REMARKS
	INTERMEDIATE PIPE	MUFFLER	OUTLET PIPE		
C7AZ 5230-A		C7AZ 5230-AH		D0AZ 5255-T	
C7AZ 5230-E		C7AZ 5230-AH		D0AZ 5255-N	
C7AZ 5230-L		C7AZ 5230-AJ		D0AZ 5255-N	
C7AZ 5230-T		C7AZ 5230-AH		D0AZ 5255-M	
C7AZ 5230-AB		C7AZ 5230-AH			
C7AZ 5230-AC		D0AZ 5230-S		D0AZ 5255-M	
C7AZ 5230-AD		D0AZ 5230-S		D0AZ 5255-N	
C7AZ 5230-AE		D0AZ 5230-S		D0AZ 5255-M	
C7AZ 5230-AF		D0AZ 5230-S		D0AZ 5255-N	
C7DZ 5230-A	D0DZ 5A212-B	D0DZ 5230-C	D0DZ 5255-B		
C7DZ 5230-C	D0DZ 5A212-A	D0DZ 5230-C	D0DZ 5255-B		
C7DZ 5230-E	D0DZ 5A212-A	D0DZ 5230-C	D0DZ 5255-B		
C7OZ 5230-A	D0DZ 5A212-B	D0ZZ 5230-N		D0OZ 5255-E	1967 F/lane(exc.66,71)
	D0DZ 5A212-B	D0ZZ 5230-N		D0DZ 5255-A	1967 F/lane (66,71)
	D0DZ 5A212-B	D0DZ 5230-C		D0DZ 5255-A	Falcon
C7OZ 5230-B	D0DZ 5A212-B	D0ZZ 5230-N		D0OZ 5255-E	1967 F/lane(exc.66,71)
	D0DZ 5A212-B	D0ZZ 5230-N		D0DZ 5255-A	1967 F/lane (71)
	D0DZ 5A212-B	D0DZ 5230-C		D0DZ 5255-A	Falcon
C7OZ 5230-C	D0DZ 5A212-A	D0DZ 5230-C		D0DZ 5255-A	Falcon
	D0DZ 5A212-A	D0ZZ 5230-N		D0OZ 5255-E	1967 F/lane(exc.66,71)
	D0DZ 5A212-A	D0ZZ 5230-N		D0DZ 5255-A	1967 F/lane(66,71)
C7OZ 5230-G	D0OZ 5A212-F	D0ZZ 5230-R		D0OZ 5255-E	1967 F/lane(exc.66,71)
	D0OZ 5A212-F	D0ZZ 5230-R		D0DZ 5255-A	1967 F/lane(66,71)
C7OZ 5230-K	D0DZ 5A212-A	D0DZ 5230-C		D0DZ 5255-A	Falcon
	D0DZ 5A212-A	D0ZZ 5230-N		D0OZ 5255-E	1967 F/lane(exc.66,71)
	D0DZ 5A212-A	D0ZZ 5230-N		D0DZ 5255-A	1967 F/lane(71)
C7OZ 5230-M	D0OZ 5A212-G	D0ZZ 5230-R	D0OZ 5255-E		
C7ZZ 5230-A		D0ZZ 5230-M	D0ZZ 5255-F		
C7ZZ 5230-C		D0ZZ 5230-M	D0ZZ 5255-F		
C7ZZ 5230-F		D0ZZ 5230-M	D0ZZ 5255-F		
C7ZZ 5230-H		C9ZZ 5230-E			
C8AZ 5230-A		C7AZ 5230-AH		D0AZ 5255-R	
C8AZ 5230-B		D0AZ 5230-S		D0AZ 5255-N	
C8AZ 5230-C		C7AZ 5230-AH		D0AZ 5255-S	
C8AZ 5230-E		C7AZ 5230-AJ		D0AZ 5255-N	
C8AZ 5230-F		D0AZ 5230-S		D0AZ 5255-S	
C8AZ 5230-G		D0AZ 5230-S		D0AZ 5255-S	
C8AZ 5230-H		D0AZ 5230-S		D0AZ 5255-N	
C8AZ 5230-J		D0AZ 5230-S		D0AZ 5255-N	
C8AZ 5230-K		C7AZ 5230-AH			
C8AZ 5230-M		C7AZ 5230-AJ		D0AZ 5255-S	
C8AZ 5230-N		C7AZ 5230-AJ		D0AZ 5255-R	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5230 MUFFLER - continued

1967/71 EXHAUST SYSTEM SIMPLIFICATION REPLACEMENT CHART

REPLACED PART	REPLACED BY			MUST BE USED WITH	REMARKS
	INTERMEDIATE PIPE	MUFFLER	OUTLET PIPE		
C8DZ 5230-A	D0DZ 5A212-A	D0DZ 5230-C	D0DZ 5255-B		
C8DZ 5230-B	D0DZ 5A212-A	D0DZ 5230-C	D0DZ 5255-B		
C8OZ 5230-E	D0DZ 5A212-A	D0ZZ 5230-N	D0DZ 5255-A		
C8OZ 5230-F	D3OZ 5A212-B	D0ZZ 5230-N	D0OZ 5255-E		
C8OZ 5230-G	D0OZ 5A212-F	D0ZZ 5230-R	D0DZ 5255-A		
C8OZ 5230-K	D0DZ 5A212-A	D0ZZ 5230-N	D0DZ 5255-A		
C8OZ 5230-L	D3OZ 5A212-B	D0ZZ 5230-N	D0OZ 5255-E		
C8OZ 5230-M	D0OZ 5A212-G	D0ZZ 5230-R	D0OZ 5255-C		
C8OZ 5230-N	D0OZ 5A212-F	D0ZZ 5230-R	D0OZ 5255-E		
C8OZ 5230-R	D0OZ 5A212-B	D0ZZ 5230-R	D0OZ 5255-D		
C8OZ 5230-S	D0OZ 5A212-C	D0ZZ 5230-R	D0OZ 5255-D		
C8OZ 5230-T	D0OZ 5A212-B	D0ZZ 5230-R	D0OZ 5255-C		
C8OZ 5230-U	D0OZ 5A212-C	D0ZZ 5230-R	D0OZ 5255-C		
C8ZZ 5230-A	D0ZZ 5A212-D	D0ZZ 5230-N	D0ZZ 5255-E		
C8ZZ 5230-B	D0ZZ 5A212-E	D0ZZ 5230-R	D0ZZ 5255-E		
C9AZ 5230-A		D0AZ 5230-T		D0AZ 5255-K	
C9AZ 5230-B		D0AZ 5230-U		D0AZ 5255-K	
•C9AZ 5230-C		D0AZ 5230-U		D0AZ 5255-K	Retain for Police car only
C9AZ 5230-E		D0AZ 5230-U		D0AZ 5255-K	
C9AZ 5230-J		D0AZ 5230-U		D0AZ 5255-U	
C9AZ 5230-L		D0AZ 5230-U		D0AZ 5255-U	
C9AZ 5230-M		D0AZ 5230-T		D0AZ 5255-U	
C9AZ 5230-N		D0AZ 5230-U		D0AZ 5255-L	
C9AZ 5230-U		D0AZ 5230-U		D0AZ 5255-U	
C9AZ 5230-V		D0AZ 5230-U		D0AZ 5255-K	1969 Ford (exc. 71)
		D0AZ 5230-U		D0AZ 5255-U	1969 Ford (71)
• C9AZ 5230-Y		D0AZ 5230-U		D0AZ 5255-K	Retain for Police car only
C9AZ 5230-Z		D0AZ 5230-U		D0AZ 5255-U	
C9AZ 5230-AA		D0AZ 5230-U		D0AZ 5255-U	
C9OZ 5230-C	D0OZ 5A212-C	D0ZZ 5230-R	D0OZ 5255-F		
C9OZ 5230-D	D0OZ 5A212-C	D0ZZ 5230-R	D0OZ 5255-E		
C9OZ 5230-E	D3OZ 5A212-A	D0ZZ 5230-R	D0OZ 5255-E		
C9OZ 5230-G	D3OZ 5A212-B	D0ZZ 5230-N	D0OZ 5255-E		
C9OZ 5230-H	D0DZ 5A212-A	D0ZZ 5230-N	D0DZ 5255-A		
C9OZ 5230-J	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-H		
C9OZ 5230-K	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-G		
C9OZ 5230-M	D0OZ 5A212-D	D0ZZ 5230-R	D0OZ 5255-F		
C9OZ 5230-N	D0OZ 5A212-D	D0ZZ 5230-R	D0OZ 5255-E		
C9OZ 5230-R	D0OZ 5A212-A	D0ZZ 5230-N	D0OZ 5255-E		
C9OZ 5230-S	D0OZ 5A212-A	D0ZZ 5230-N	D0DZ 5255-A		
C9OZ 5230-T	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-B		
C9OZ 5230-U	D0OZ 5A212-E	D0ZZ 5230-R	D0DZ 5255-A		
C9OZ 5230-V	D0OZ 5A212-H	D0ZZ 5230-R	D0DZ 5255-A		
C9OZ 5230-Y	D0OZ 5A212-F	D0ZZ 5230-R	D0DZ 5255-A		
C9ZZ 5230-A	D0ZZ 5A212-C	D0ZZ 5230-R	D0ZZ 5255-E		
C9ZZ 5230-D	D0ZZ 5A212-D	D0ZZ 5230-N	D0ZZ 5255-E		
C9ZZ 5230-F	D0ZZ 5A212-E	D0ZZ 5230-R	D0ZZ 5255-E		
D0AZ 5230-A		D0AZ 5230-V		D0AZ 5255-K	
D0AZ 5230-B		D0AZ 5230-V		D0AZ 5255-K	
D0AZ 5230-C		D0AZ 5230-V		D0AZ 5255-U	
D0AZ 5230-F		D0AZ 5230-T		D0AZ 5255-K	
D0AZ 5230-H		D0AZ 5230-U		D0AZ 5255-K	Ford (exc. 71)
		D0AZ 5230-U		D0AZ 5255-U	Ford (71)
D0AZ 5230-K		D0AZ 5230-U		D0AZ 5255-K	
D0AZ 5230-L		D0AZ 5230-U		D0AZ 5255-V	Ford (71) - 428 & 429
		D0AZ 5230-U		D0AZ 5255-U	Ford (71) - 390 & 400

• CAUTION - this part is not discontinued. Application removed for all except Police cars.

5230 MUFFLER - continued

1967/71 EXHAUST SYSTEM SIMPLIFICATION REPLACEMENT CHART

REPLACED PART	REPLACED BY			MUST BE USED WITH	REMARKS
	INTERMEDIATE PIPE	MUFFLER	OUTLET PIPE		
D0DZ 5230-A	D1DZ 5A212-A, D1DZ 5246-E	D1DZ 5230-L			
D0OZ 5230-A	D0OZ 5A212-A	D0ZZ 5230-N	D0DZ 5255-A		
D0OZ 5230-B	D0OZ 5A212-A	D0ZZ 5230-N	D0DZ 5255-A		
D0OZ 5230-C	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-B		
D0OZ 5230-D	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-F		
D0OZ 5230-E	D0OZ 5A212-E	D0ZZ 5230-R	D0DZ 5255-A		
D0OZ 5230-F	D0OZ 5A212-E	D0ZZ 5230-R	D0DZ 5255-A		
D0OZ 5230-H	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-E		
D0OZ 5230-J	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-E		
D0OZ 5230-S	D0OZ 5A212-A	D0ZZ 5230-N	D0OZ 5255-E		
D0OZ 5230-T	D0OZ 5A212-A	D0ZZ 5230-N	D0OZ 5255-E		
D0OZ 5230-U	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-G		
D0OZ 5230-V	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-H		
D0OZ 5230-Y	D0OZ 5A212-E	D0ZZ 5230-R	D0DZ 5255-A		
D0OZ 5230-Z	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-B		
D0OZ 5230-AA	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-H		
D0OZ 5230-AB	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-G		
D0OZ 5230-AC	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-B		
D0OZ 5230-AD	D0OZ 5A212-E	D0ZZ 5230-R	D0DZ 5255-A		
D0ZZ 5230-A	D0ZZ 5A212-H	D0ZZ 5230-R	D0ZZ 5255-E		
D0ZZ 5230-K	D0ZZ 5A212-E	D0ZZ 5230-R	D0ZZ 5255-E		
D0ZZ 5230-L	D0ZZ 5A212-D	D0ZZ 5230-N	D0ZZ 5255-E		
D1AZ 5230-A		D0AZ 5230-V		D0AZ 5255-K	Ford (exc. 71)
		D0AZ 5230-V		D0AZ 5255-U	Ford (71)
D1AZ 5230-B		D0AZ 5230-U		D0AZ 5255-K	
D1DZ 5230-E	D1DZ 5A289-C, D1DZ 5246-E	D1DZ 5230-L			
D1DZ 5230-F	D1DZ 5A289-D, D1DZ 5246-E	D1DZ 5230-L			
D1DZ 5230-J	D1DZ 5A212-C, D1DZ 5246-E	D1DZ 5230-L			
D1DZ 5230-K	D1DZ 5A212-A, D1DZ 5246-E	D1DZ 5230-L			
D1FZ 5230-G	D3FZ 5A212-B	D3FZ 5230-A	D3FZ 5255-A		
D1FZ 5230-H	D3FZ 5A212-B	D3FZ 5230-A	D3FZ 5255-A		
D1OZ 5230-A	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-B		
D1OZ 5230-B	D0OZ 5A212-E	D0ZZ 5230-R	D0DZ 5255-A		
D1OZ 5230-C	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-F		
D1OZ 5230-D	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-E		
D1OZ 5230-E	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-F		
D1OZ 5230-F	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-E		
D1OZ 5230-G	D0OZ 5A212-E	D0ZZ 5230-R	D0DZ 5255-A		
D1OZ 5230-H	D0OZ 5A212-E	D0ZZ 5230-R	D0OZ 5255-B		
D1ZZ 5230-A	D1ZZ 5A212-B	D0ZZ 5230-R	D1ZZ 5255-C		
D1ZZ 5230-B	D1ZZ 5A212-B	D0ZZ 5230-R	D1ZZ 5255-C		
D1ZZ 5230-E	D1ZZ 5A212-A	D0ZZ 5230-N	D1ZZ 5255-C		
C7AZ 5255-A			D0AZ 5255-M		
C7AZ 5255-B			D0AZ 5255-M		
C7AZ 5255-C			D0AZ 5255-N		
C7AZ 5255-D			D0AZ 5255-N		
C7AZ 5255-E			D0AZ 5255-T	C7AZ 5230-AH	
C7AZ 5255-J			D0AZ 5255-N	C7AZ 5230-AH	
C7AZ 5255-L			D0AZ 5255-N	D0AZ 5230-S	1967 Ford (71) 8 cyl. 289-2 1/2" mflr. inlet dia.
			D0AZ 5255-N	D0AZ 5230-S	1967 Ford (71) 8 cyl. 390-2/B
			D0AZ 5255-N	C7AZ 5230-AJ	1967 Ford (71) 8 cyl. 390-4/B, 428

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

1967/71 EXHAUST SYSTEM SIMPLIFICATION REPLACEMENT CHART

REPLACED PART	REPLACED BY			MUST BE USED WITH	REMARKS
	INTERMEDIATE PIPE	MUFFLER	OUTLET PIPE		
C7AZ 5255-N			D0AZ 5255-M	D0AZ 5230-S	
C7AZ 5255-S			D0AZ 5255-M	C7AZ 5230-AH	
C7AZ 5255-V			D0AZ 5255-M		
C7AZ 5255-AA			D0AZ 5255-T	C7AZ 5230-AH	
C7AZ 5255-AB			D0AZ 5255-M		
C7OZ 5255-A			D0DZ 5255-A	D0DZ 5A212-B, D0ZZ 5230-N	1967 F/lane (66,71)-6 cyl. w/o Imco
			D0DZ 5255-A	D0DZ 5A212-A, D0ZZ 5230-N	1967 F/lane (71)-6 cyl. w/Imco
			D0DZ 5255-A	D0DZ 5A212-A, D0ZZ 5230-N	1967 F/lane (66,71)-8 cyl.289
			D0DZ 5255-A	D0DZ 5A212-B, D0DZ 5230-C	1967 Falcon (71)-6 cyl. w/o Imco
			D0DZ 5255-A	D0DZ 5A212-A, D0DZ 5230-C	1967 Falcon (71)-6 cyl. w/Imco
			D0DZ 5255-A	D0DZ 5A212-A, D0DZ 5230-C	1967 Falcon (71)-8 cyl. 289
C7OZ 5255-C			D0DZ 5255-A	D0OZ 5A212-F, D0ZZ 5230-R	
C7OZ 5255-G			D0OZ 5255-E	D0DZ 5A212-B, D0ZZ 5230-N	1967 F/lane (exc.66,71)-6 cyl.w/o Imco
			D0OZ 5255-E	D0DZ 5A212-A, D0ZZ 5230-N	1967 F/lane (exc.66,71)-6 cyl.w/Imco
			D0OZ 5255-E	D0DZ 5A212-A, D0ZZ 5230-N	1967 F/lane (exc.66,71)-8 cyl.289
C7OZ 5255-H			D0OZ 5255-E	D0OZ 5A212-F, D0ZZ 5230-R	
C8AZ 5255-H			D0AZ 5255-N		
C8AZ 5255-L			D0AZ 5255-N	D0AZ 5230-S	1968 Ford (71 exc.P/C)-8 cyl.428
			D0AZ 5255-N	D0AZ 5230-S	1968 Ford (71)-8 cyl.390
			D0AZ 5255-N	C7AZ 5230-AJ	1968 Ford (71 P/C)-8 cyl.428
C8AZ 5255-N			D0AZ 5255-N	D0AZ 5230-S	
C8AZ 5255-U			D0AZ 5255-S	D0AZ 5230-S	1968 Ford (exc.71)-8 cyl.390-2/B
			D0AZ 5255-S	C7AZ 5230-AH	1968 Ford-8 cyl.427
			D0AZ 5255-S	C7AZ 5230-AH	1968 Ford (P/C-exc.71)-8 cyl.428
			D0AZ 5255-S	C7AZ 5230-AJ	1968 Ford (exc.71, P/C)-8 cyl.428
			D0AZ 5255-S	C7AZ 5230-AJ	1968 Ford (exc.71)-8 cyl.390-4/B
C8AZ 5255-V			D0AZ 5255-S		
C8AZ 5255-Z			D0AZ 5255-R	C7AZ 5230-AH	1968 Ford-8 cyl.427
			D0AZ 5255-R	C7AZ 5230-AH	1968 Ford (P/C-exc.71)-8 cyl.428
			D0AZ 5255-R	C7AZ 5230-AJ	1968 Ford (exc.71, P/C)-8 cyl.428
			D0AZ 5255-R	C7AZ 5230-AJ	1968 Ford (exc.71)-8 cyl.390-4/B
C8AZ 5255-AA			D0AZ 5255-S	D0AZ 5230-S	

5230 MUFFLER - continued

1967/71 EXHAUST SYSTEM SIMPLIFICATION REPLACEMENT CHART

REPLACED PART	REPLACED BY			MUST BE USED WITH	REMARKS
	INTERMEDIATE PIPE	MUFFLER	OUTLET PIPE		
C9AZ 5255-A			D0AZ 5255-K	D0AZ 5230-T	1969 Ford (exc.71)-6 cyl.
			D0AZ 5255-K	D0AZ 5230-U	1969 Ford (exc.71)-8 cyl.
•C9AZ 5255-B			D0AZ 5255-K	D0AZ 5230-U	Retain for Police car only
C9AZ 5255-C			D0AZ 5255-U	D0AZ 5230-T	1969 Ford (71)-6 cyl.
			D0AZ 5255-U	D0AZ 5230-U	1969 Ford (71)-8 cyl.
C9AZ 5255-D			D0AZ 5255-U	D0AZ 5230-U	
C9AZ 5255-F			D0AZ 5255-L	D0AZ 5230-U	
D0AZ 5255-F			D0AZ 5255-U	D0AZ 5230-V	
D0AZ 5255-G			D0AZ 5255-U	D0AZ 5230-U	8 cyl. 390 & 400
			D0AZ 5255-V	D0AZ 5230-U	8 cyl. 428 & 429
•D0AZ 5255-H			D0AZ 5255-K	D0AZ 5230-U	Retain for Police car only
D0AZ 5255-J			D0AZ 5255-K	D0AZ 5230-V	8 cyl. 302 & 351
			D0AZ 5255-K	D0AZ 5230-T	6 cyl. 240
			D0AZ 5255-K	D0AZ 5230-U	8 cyl. 429-4B
•D1AZ 5255-B			D0AZ 5255-K	D0AZ 5230-U	
D1AZ 5255-C			D0AZ 5255-K	D0AZ 5230-T	Ford 6 cyl. 240
			D0AZ 5255-K	D0AZ 5230-V	Ford 8 cyl. 302 & 351

5230 PIPE MUFFLER INLET EXTENSION -Refer to Group 5A212-3 Cross Reference Chart

5A231 CLAMP ASSY. - MUFFLER INLET and OUTLET PIPE - YOKE TYPE

SIZE CHART

For model application, refer to Section 52, page 1.

SIZE (Inches)	PART NUMBER
1 1/2	♦C000 5253-A
1 5/8	♦C000 5253-B
1 3/4	☆A9AA 5A231-A
1 3/4	♦C000 5253-C
1 3/4	☆D1AZ 5A231-B
1 7/8	♦C000 5253-D

SIZE (Inches)	PART NUMBER
2	☆A9AA 5A231-B
2	★C0AZ 5A231-A r/b D1AZ 5A231-C
2	♦C000 5253-E
2	C5ZZ 5A231-B
2	C8ZZ 5A231-A (w/bracket)
2	☆D1AZ 5A231-C

SIZE (Inches)	PART NUMBER
2 1/8	C8ZZ 5A231-B
2 1/4	★☆A9AA 5A231-C r/b D1AZ 5A231-A
2 1/4	♦C000 5253-F
2 1/4	C5AZ 5A231-A
2 1/4	☆D1AZ 5A231-A

SIZE (Inches)	PART NUMBER
2 1/2	♦C000 5253-G
2 1/2	★C3OZ 5A231-A r/b D1AZ 5A231-D
2 1/2	☆D1AZ 5A231-D
2 3/4	♦C000 5253-H
2 3/4	C5ZZ 5A231-A
3	♦C000 5253-J
3 7/8	C6AZ 5A231-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5232 EXTENSION - MUFFLER OUTLET PIPE -Refer to Model Application Index on Page 1 of Section 52			
	5232 MUFFLER -Refer to Group 5230 Cross Reference Chart			
	5A235 BRACKET - MUFFLER OUTLET PIPE- Refer to Model Application Index on Page 1 of Section 52			
	5B236 PLATE - MUFFLER MOUNTING-Refer to Model Application Index on Page 1 of Section 52			
	5B241 SHIELD - MUFFLER SPLASH -Refer to Model Application Index on Page 1 of Section 52			
	5245 PIPE - MUFFLER INLET - Refer to Groups 5A212-3 & 5246 Cross Reference Charts			

• CAUTION - this part is not discontinued. Application removed for all except Police Cars. ☆ - U.S. only ♦ - Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5246 PIPE - MUFFLER INLET - Also Refer to Group 5A289

For Dimensions refer to Size Chart, Page 19

For model application, refer to Section 52, page 1.

Use the Chart below to translate the number stamped on the inlet pipe to a Service Part Number

CROSS REFERENCE CHART

STAMPED NUMBER	PART NUMBER
C7SA 5218-J	C7SZ 5246-A
C7SA 5218-K	C7SZ 5246-C
C7SA 5218-L	C7SZ 5246-A
C7SA 5218-M	C7SZ 5246-C
C8SA 5218-Y	C8SZ 5246-L
ED-C8SA 5218-Y	C8SZ 5246-L
C8SA 5218-Z	C8SZ 5246-M
ED-C8SA 5218-Z	C8SZ 5246-M
C8SA 5218-AF	C8SZ 5246-L
ED-C8SA 5218-AH	C8SZ 5246-M
C9LA 5218-A	C9ZY 5246-A
C9SA 5218-B	C9SZ 5246-A
C9SA 5218-C	C9SZ 5246-B
D0SA 5218-A	D0SZ 5246-A
C6TA 5245-L	C6TZ 5246-A
C6TA 5245-Z	C6TZ 5246-A
C8TA 5245-D	C8TZ 5246-G
C4OA 5246-A	C4OZ 5246-A
C4OA 5246-B	C4OZ 5246-B
C4OA 5246-C	C4OZ 5246-C
C4OA 5246-D	C4OZ 5246-D
C4OA 5246-H	C4OZ 5246-C
C4ZA 5246-F	C5ZZ 5246-B
C4ZA 5246-G	C5ZZ 5246-K
C4ZA 5246-H	C5ZZ 5246-D
ED-C4ZA 5246-H	C5ZZ 5246-D
C4ZA 5246-J	C5ZZ 5246-B
C4ZA 5246-L	C5ZZ 5246-D
C4ZA 5246-M	C5ZZ 5246-K
C5AA 5246-Y	C5AZ 5246-E
C5AA 5246-AA	C5AZ 5246-B
C5AA 5246-AC	C5AZ 5246-F
C5AA 5246-AD	C6AZ 5246-H
C5DA 5246-B	C5DZ 5246-A
C5DA 5246-F	C5DZ 5246-D
C5DA 5246-G	C5DZ 5246-E
C5DA 5246-H	C5DZ 5246-F
C5DA 5246-J	C5DZ 5246-D
C5DA 5246-K	C5DZ 5246-F
C5DA 5246-L	C5DZ 5246-E
C5DA 5246-M	C5DZ 5246-F
C5OA 5246-A	C5OZ 5246-A
C5OA 5246-C	C5OZ 5246-C
C5OA 5246-D	C5OZ 5246-B
C5OA 5246-F	C5OZ 5246-D
C5SA 5246-B	C5SZ 5246-A
C5SA 5246-C	C5SZ 5246-A
C5ZA 5246-A	C5ZZ 5246-J
C5ZA 5246-B	C5ZZ 5246-F
C5ZA 5246-C	C5ZZ 5246-K
C5ZA 5246-D	C5ZZ 5246-D

STAMPED NUMBER	PART NUMBER
C6AA 5246-K	C6AZ 5246-C
C6AA 5246-L	C6AZ 5246-B
C6AA 5246-M	C6AZ 5246-E
C6AA 5246-N	C6AZ 5246-E
C6AA 5246-R	C6AZ 5246-G
C6AA 5246-S	C6AZ 5246-G
C6AA 5246-U	★C6AZ 5246-H
C6AA 5246-V	C6AZ 5246-J
C6AA 5246-Y	C6AZ 5246-J
C6DA 5246-A	C6DZ 5246-E
C6DA 5246-C	C6DZ 5246-F
C6DA 5246-F	C6DZ 5246-E
C6DA 5246-G	★C6DZ 5246-H
C6DA 5246-J	C6DZ 5246-F
C6DA 5246-K	C6DZ 5246-E
C6DA 5246-L	C6DZ 5246-H
C6DA 5246-M	C6DZ 5246-E
C6OA 5246-E	C6OZ 5246-A
C6OA 5246-F	C6OZ 5246-L
C6OA 5246-G	C6OZ 5246-E
C6OA 5246-H	C6OZ 5246-L
C6OA 5246-K	★C6OZ 5246-F
C6OA 5246-L	C6OZ 5246-A
C6OA 5246-V	C6OZ 5246-J
C6OA 5246-Y	C6OZ 5246-J
C6OA 5246-Z	C6OZ 5246-G
C6OA 5246-AA	★C6OZ 5246-H
C6OA 5246-AB	C6OZ 5246-L
C6OA 5246-AD	C7OZ 5246-H
C6SA 5246-F	C6SZ 5246-B
C6SA 5246-J	★C6SZ 5246-D
C6SA 5246-K	★C6SZ 5246-C
C6SA 5246-M	C6SZ 5246-A
C6TA 5246-K	C6TZ 5246-T
C6TA 5246-L	C6TZ 5246-U
C6ZA 5246-B	C6ZZ 5246-E
C6ZA 5246-C	★C6ZZ 5246-C
C6ZA 5246-D	★C6ZZ 5246-D
C6ZA 5246-F	C5ZZ 5246-J
C6ZA 5246-G	C5ZZ 5246-K
C6ZA 5246-H	C6ZZ 5246-E
C6ZA 5246-J	C5ZZ 5246-D
C6ZA 5246-K	★C6ZZ 5246-A

STAMPED NUMBER	PART NUMBER
C7AA 5246-L	C8AZ 5246-G
C7AA 5246-M	C8AZ 5246-G
C7AA 5246-N	C7AZ 5246-C
C7AA 5246-S	C7AZ 5246-E
C7AA 5246-U	C7AZ 5246-G
C7AA 5246-Y	C7AZ 5246-J
C7AA 5246-AA	C7AZ 5246-N
C7AA 5246-AB	C7AZ 5246-N
C7AA 5246-AC	C8AZ 5246-F
C7OA 5246-J	C7OZ 5246-M
C7OA 5246-K	C7OZ 5246-M
C7OA 5246-M	C7OZ 5246-N
C7OA 5246-S	C7OZ 5246-E
C7OA 5246-T	C7OZ 5246-E
C7OA 5246-U	C7OZ 5246-L
C7OA 5246-V	C7OZ 5246-L
C7OA 5246-Y	C7OZ 5246-J
C7OA 5246-Z	C7OZ 5246-R
C7OA 5246-AA	C7OZ 5246-E
C7ZA 5246-L	C7ZZ 5246-A
C7ZA 5246-M	C7ZZ 5246-A
C7ZA 5246-N	C7ZZ 5246-M
C7ZA 5246-R	C7ZZ 5246-M
C7ZA 5246-U	C7ZZ 5246-E
C7ZA 5246-V	C7ZZ 5246-E
C7ZA 5246-Y	C7ZZ 5246-L
C7ZA 5246-Z	C7ZZ 5246-M
C7ZA 5246-AA	C7ZZ 5246-M
C7ZA 5246-AB	★C7ZZ 5246-J
C8AA 5246-C	C8AZ 5246-A
C8AA 5246-D	C8AZ 5246-A
C8AA 5246-E	C8AZ 5246-B
C8AA 5246-F	C8AZ 5246-G
C8AA 5246-G	★C8AZ 5246-H
C8AA 5246-H	C8AZ 5246-E
ED-C8AA 5246-H	C8AZ 5246-E
C8AA 5246-J	C8AZ 5246-D
ED-C8AA 5246-J	C8AZ 5246-D
C8AA 5246-L	C8AZ 5246-F
C8AA 5246-M	C8AZ 5246-G
C8OA 5246-C	C7OZ 5246-M
C8OA 5246-D	C7OZ 5246-N
C8OA 5246-E	C7OZ 5246-L
C8OA 5246-F	C7OZ 5246-R
C8OA 5246-G	C8OZ 5246-A
C8OA 5246-H	C8OZ 5246-D
C8OA 5246-J	C8OZ 5246-C
C8OA 5246-K	C8OZ 5246-E
C8TA 5246-D	C8TZ 5246-J
C8TA 5246-M	C8TZ 5246-J
C8ZA 5246-D	C7ZZ 5246-L
C8ZA 5246-E	C7ZZ 5246-M
C8ZA 5246-F	C8ZZ 5246-A
C8ZA 5246-G	C8ZZ 5246-B
C8ZA 5246-H	C8ZZ 5246-C
C8ZA 5246-J	C8ZZ 5246-D
C8ZA 5246-K	C8ZZ 5246-E
C8ZA 5246-L	C8ZZ 5246-F

5246 PIPE - MUFFLER INLET - continued

CROSS REFERENCE CHART - continued

STAMPED NUMBER	PART NUMBER
C9AA 5246-A	C9AZ 5246-A
C9AA 5246-C	C9AZ 5246-C
C9AA 5246-D	C9AZ 5246-D
C9AA 5246-E	C9AZ 5246-L
C9AA 5246-F	C9AZ 5246-G
C9AA 5246-G	C9AZ 5246-M
C9AA 5246-K	C9AZ 5246-J
C9AA 5246-M	C9AZ 5246-G
C9AA 5246-N	C9AZ 5246-H
C9AA 5246-R	C9AZ 5246-L
C9AA 5246-S	C9AZ 5246-M
C9AA 5246-T	C9AZ 5246-G
C9AA 5246-U	C9AZ 5246-H
C9AA 5246-V	C9AZ 5246-N
C9DA 5246-A	C9DZ 5246-A
C9OA 5246-D	C9OZ 5246-B
C9OA 5246-E	C9OZ 5246-A
C9OA 5246-F	C9OZ 5246-D
C9OA 5246-G	C9OZ 5246-C
C9OA 5246-H	C9OZ 5246-E
C9ZA 5246-D	C9ZZ 5246-B
C9ZA 5246-F	C9ZZ 5246-D
C9ZA 5246-G	C9ZZ 5246-B
C9ZA 5246-K	C9ZZ 5246-C
C9ZA 5246-L	C9ZZ 5246-A
C9ZA 5246-M	C9ZZ 5246-E
C9ZA 5246-N	C9ZZ 5246-F
C9ZA 5246-R	C9ZZ 5246-K
C9ZA 5246-S	C9ZZ 5246-G
C9ZX 5246-A	C9ZZ 5246-J
D0AA 5246-A	D0AZ 5246-A
D0AA 5246-B	D0AZ 5246-B
D0AA 5246-C	D0AZ 5246-B
D0AJ 5246-A	C8AZ 5246-D
D0AJ 5246-B	C8AZ 5246-E
D0DA 5246-A	D0DZ 5246-A
D0DA 5246-D	D0DZ 5246-C
D0OA 5246-H	D0OZ 5246-A
D0OA 5246-J	D0OZ 5246-B
D0OA 5246-N	D0OZ 5246-E
D0OA 5246-R	D0OZ 5246-F
D0OA 5246-S	D0OZ 5246-C
D0OA 5246-T	D0OZ 5246-G
D0OA 5246-U	D0OZ 5246-C

STAMPED NUMBER	PART NUMBER
D0TA 5246-G	D1TZ 5246-C
D0ZA 5246-B	C9ZZ 5246-H
D0ZA 5246-C	D0ZZ 5246-B
D0ZA 5246-D	D0ZZ 5246-C
D0ZA 5246-E	D0ZZ 5246-A
D0ZA 5246-F	D0ZZ 5246-D
D0ZA 5246-G	D0ZZ 5246-C
D1AA 5246-AB	D1AZ 5246-A
D1AA 5246-BA	D1AZ 5246-B
D1AA 5246-CA	D1AZ 5246-C
D1AA 5246-DA	D1AZ 5246-D
D1AA 5246-EA	D2AZ 5246-C
D1AA 5246-GA	D1AZ 5246-G
D1DA 5246-BB	D1DZ 5246-B
D1DA 5246-CA	D1DZ 5246-C
D1DA 5246-CB	D1DZ 5246-D
D1DJ 5246-AA	▲D1DZ 5246-E
D1OA 5246-BA	D1OZ 5246-B
D1ZA 5246-AA	D1ZZ 5246-C
D1ZA 5246-BA	D1ZZ 5246-D
D1ZA 5246-CA	D1ZZ 5246-E
D1ZA 5246-DA	D1ZZ 5246-F
D1ZA 5246-EA	D1ZZ 5246-A
D1ZA 5246-FA	D1ZZ 5246-B
D1ZA 5246-GA	D1ZZ 5246-H
D1ZA 5246-HA	D1ZZ 5246-H
D1ZX 5246-AA	D1ZZ 5246-G
D12A 5246-AC	D1FZ 5246-C
D12A 5246-AD	D1FZ 5246-C
D12A 5246-BD	D1FZ 5246-B
D2AA 5246-A	D2AZ 5246-A
D2AA 5246-BA	D2AZ 5246-B
D2AA 5246-CA	D2AZ 5246-C
D2AA 5246-DA	D1AZ 5246-D
D2AJ 5246-AA	C9AZ 5246-N
D2AJ 5246-DA	C5DZ 5246-E
D2AJ 5246-EA	C5ZZ 5246-B
D2AJ 5246-FA	C6DZ 5246-E
D2AJ 5246-GA	C7OZ 5246-L
D2AJ 5246-HA	C7OZ 5246-R
D2AJ 5246-JA	C7ZZ 5246-A

STAMPED NUMBER	PART NUMBER
D2DA 5246-AA	D2DZ 5246-A
D2OA 5246-AB	D2OZ 5246-A
D2OA 5246-CB	D2OZ 5246-AR
D2OA 5246-CC	D2OZ 5246-AR
D2OA 5246-GB	D2OZ 5246-G
D2OA 5246-JB	D2OZ 5246-J
D2OA 5246-JC	D2OZ 5246-AS
D2OA 5246-SB	D2OZ 5246-M
D2OA 5246-TB	D2OZ 5246-N
D2OA 5246-UA	D2OZ 5246-AD
D2OA 5246-VA	D2OZ 5246-AE
D2OA 5246-YA	D2OZ 5246-AF
D2OA 5246-ZB	D2OZ 5246-AG
D2OA 5246-ZC	D2OZ 5246-AV
D2OA 5246-AAA	D2OZ 5246-AH
D2OA 5246-ABB	D2OZ 5246-AW
D2OA 5246-ABC	D2OZ 5246-AW
D2OA 5246-ACA	D2OZ 5246-AK
D2OA 5246-ADA	D2OZ 5246-AL
D2OA 5246-AEA	D2OZ 5246-AM
D2OA 5246-AFA	D2OZ 5246-AN
D2OA 5246-AGA	D2OZ 5246-AT
D2OA 5246-AHA	D2OZ 5246-AU
D2OJ 5246-AA	C7OZ 5246-M
D2SA 5246-CB	D2SZ 5246-C
D2SA 5246-DB	D2SZ 5246-B
D2ZA 5246-AA	D1ZZ 5246-A
D2ZA 5246-AA	D2FZ 5246-A
D2ZJ 5246-AA	D0AZ 5246-B
D3AJ 5246-AA	C4OZ 5246-D
D3AJ 5246-BA	C4OZ 5246-C
D3AJ 5246-CA	C4OZ 5246-B
D2TA 5248-BA	@D2TZ 5246-B
C8TA 5267-E	@C8TZ 5267-H
D0TA 5267-E	@D1TZ 5267-A
C6TA 5268-F	@C6TZ 5267-F
C6TA 5268-K	★@C6TZ 5267-E
C8TA 5268-E	@C8TZ 5267-H

SIZE CHART

For model application, refer to Section 52, page 1.

PART NO.	*TYPE	LENGTH (INCHES)	DIAM. (INCHES)
C4OZ 5246-A		46 7/8	1 3/4
C4OZ 5246-B		46 13/16	1 3/4
C4OZ 5246-C		52 13/16	1 3/4
C4OZ 5246-D		52 7/16	1 3/4
C5AZ 5246-B		84 1/8	2
C5AZ 5246-E	h	80 7/8	2
C5AZ 5246-F	y	78 11/16	2
★C5AZ 5246-G	h	64 7/16	2
C5DZ 5246-A	y	24 5/16	2
★C5DZ 5246-B		115 13/16	1 3/4
C5DZ 5246-D		122 11/16	1 3/4
C5DZ 5246-E		115 13/16	1 3/4
C5DZ 5246-F		115 13/16	1 3/4
C5OZ 5246-A	y	38 13/16	2
C5OZ 5246-B	h	43 3/8	2
C5OZ 5246-C	y	44 5/8	2
C5OZ 5246-D	h	41 1/2	2
C5SZ 5246-A	h	47 3/4	2
C5ZZ 5246-B	y	35 1/8	2
C5ZZ 5246-D	y	112 1/4	1 3/4
C5ZZ 5246-F	y	35 1/8	2
★C5ZZ 5246-G	h	37 1/4	2
C5ZZ 5246-J	h	35 7/16	2
C5ZZ 5246-K	h	37 1/4	2

* Types "h" and "y" apply to those pipes which in a general way resemble the letters "H" and "Y". Pipes for which no type is shown do not conform to either of these patterns. @ Inlet pipe cross over ▲ Intermediate pipe rear

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5246 PIPE - MUFFLER INLET - continued

SIZE CHART - continued

PART NO.	*TYPE	LENGTH (INCHES)	DIAM. (INCHES)
★C6AZ 5246-A		84 1/8	2
C6AZ 5246-B	y	78 13/16	2
C6AZ 5246-C	y	78 13/16	2
★C6AZ 5246-D	y	79 1/8	2 1/2
C6AZ 5246-E	y	80 7/8	2 & 2 1/4
★C6AZ 5246-F	h	80 7/8	2
C6AZ 5246-G	h	80 7/8	2
★C6AZ 5246-H	h	64 7/16	2
C6AZ 5246-J		84 1/8	2
★C6DZ 5246-B		115 1/2	1 3/4
★C6DZ 5246-D		119 7/8	1 3/4
C6DZ 5246-E		115 1/2	1 3/4
C6DZ 5246-F		119 7/8	1 3/4
★C6DZ 5246-G		115 1/2	1 3/4
★C6DZ 5246-H		119 7/8	1 3/4
C6OZ 5246-A	y	36 3/4	2
★C6OZ 5246-B	y	36 3/4	2
★C6OZ 5246-C	h	39 1/2	2
★C6OZ 5246-D	h	39 1/2	2
C6OZ 5246-E	y	40 5/8	2 & 2 1/2
★C6OZ 5246-F	y	40 5/8	2 & 2 1/2
C6OZ 5246-G		120 1/8	1 3/4
★C6OZ 5246-H		120 1/8	1 3/4
C6OZ 5246-J		121 1/2	1 3/4
★C6OZ 5246-K		121 1/2	1 3/4
C6OZ 5246-L	h	39 1/2	2
C6SZ 5246-A	h	47 11/16	2
C6SZ 5246-B	h	47 3/4	2
★C6ZZ 5246-C	h	47 11/16	2
C6SZ 5246-D	h	47 11/16	2
C6TZ 5246-A		42 5/16	2
★C6TZ 5246-B		42 5/16	2
C6TZ 5246-T		36 7/8	2
C6TZ 5246-U	y	36 7/8	2
★C6ZZ 5246-A		112 1/4	1 3/4
★C6ZZ 5246-C	y	35 1/8	2
★C6ZZ 5246-D	h	37 1/4	2
C6ZZ 5246-E	h	35 7/16	2
★C7AZ 5246-A		84	2
★C7AZ 5246-B		84	2
C7AZ 5246-C	y	78 7/8	2
C7AZ 5246-E	y	80 7/8	2 2 1/4
C7AZ 5246-G	h	80 3/4	2
C7AZ 5246-J	h	70 3/16	2
★C7AZ 5246-L	y	80 7/8	2 & 2 1/2
★C7AZ 5246-M	y	78 13/16	2 & 2 1/2
C7AZ 5246-N	y	80 7/8	2 & 2 1/2
★C7AZ 5246-R		84	2
★C7OZ 5246-A	y	36 3/4	2
★C7OZ 5246-C	y	40 3/8	2 & 2 1/2
C7OZ 5246-E		45	1 3/4
★C7OZ 5246-F		45	1 3/4
★C7OZ 5246-G	h	39 1/4	2
C7OZ 5246-H	h	34	2 1/4
C7OZ 5246-J		45	2
★C7OZ 5246-K	y	34	2
C7OZ 5246-L	y	36 3/4	2
C7OZ 5246-M	y	40 3/8	2 & 2 1/2
C7OZ 5246-N	h	39 1/4	2
C7OZ 5246-R	y	35 9/16	2 & 2 1/2
C7SZ 5246-A	h	83 7/8	2
★C7SZ 5246-B	h	83 7/8	2
C7SZ 5246-C	h	83 7/8	2
★C7SZ 5246-D	h	83 7/8	2
C7ZZ 5246-A	y	35 13/16	2
★C7ZZ 5246-C	h	37 15/16	2
C7ZZ 5246-E		112 7/16	1 3/4
★C7ZZ 5246-F		112 7/16	1 3/4
★C7ZZ 5246-G	h	37 15/16	2
★C7ZZ 5246-H		37 7/16	2
★C7ZZ 5246-J		112 7/16	2
★C7ZZ 5246-K		37 15/16	2
C7ZZ 5246-L	h	37 7/16	2
C7ZZ 5246-M	h	37 15/16	2
C8AA 5246-K			
C8AZ 5246-A	y	80	2 1/4 & 2 1/2
C8AZ 5246-B	h	80 3/4	2 1/4
C8AZ 5246-D	h	80 3/4	2
★C8AZ 5246-E	y	80 7/8	2 & 2 1/4
C8AZ 5246-F	y	79	2 & 2 1/2
C8AZ 5246-G		84	2
★C8AZ 5246-H	h	78 5/16	2 1/4 & 2
C8OZ 5246-A		45	2
C8OZ 5246-C	y	40 5/16	2 & 2 1/2
C8OZ 5246-D	h	39 3/16	2
C8OZ 5246-E	h	39 1/4	2 1/4
★C8SZ 5246-D	h	83 1/4	2 1/2
★C8SZ 5246-J	h		
C8SZ 5246-L	h	80 11/16	2 1/2
C8SZ 5246-M	h	83 1/4	2 1/2
C8TZ 5246-G		42 5/16	2
C8TZ 5246-J		36 7/8	2
C8ZZ 5246-A	h	35 9/16	2
C8ZZ 5246-B		44 3/8	2
C8ZZ 5246-C	y	38 1/8	2 & 2 1/4
C8ZZ 5246-D	h	37 15/16	2
C8ZZ 5246-E	h	37 15/16	2
C8ZZ 5246-F	h	37 15/16	2 1/4
C9AZ 5246-A	h	82 7/8	2 1/2
★C9AZ 5246-B	y	82	2 & 2 1/2
C9AZ 5246-C		87 5/16	2
C9AZ 5246-D	y	82 7/8	2 1/2
★C9AZ 5246-E		83 15/16	2 1/4 & 2 1/2
C9AZ 5246-G	h	83 15/16	2 1/4 & 2 1/2
C9AZ 5246-H	y	83 15/16	2 1/4 & 2 1/2
C9AZ 5246-J	h	83 15/16	2 & 2 1/2
C9AZ 5246-L	y	83 15/16	2 1/4 & 2 1/2
C9AZ 5246-M	y	82	2 & 2 1/2
C9AZ 5246-N	y	80 1/4	2 1/4 & 2 1/2
C9DZ 5246-A		45	2
C9OZ 5246-A	h	36 3/8	2 1/4
C9OZ 5246-B	y	41 11/16	2 1/4 & 2 1/2
C9OZ 5246-C		44 3/4	2
C9OZ 5246-D	h	39 3/16	2 1/4
C9OZ 5246-E	y	46 11/16	2
C9SZ 5246-A	h	80 3/4	2 1/2
C9SZ 5246-B	h	83 1/4	2 1/2
C9ZY 5246-A	h	83 1/4	2 1/4
C9ZZ 5246-A	h	38 5/16	2 1/4 & 2 1/8
C9ZZ 5246-B	y	38 1/4	2 1/4 & 2 1/2
C9ZZ 5246-C		44	2
C9ZZ 5246-D	y	36 1/8	2 & 2 1/4
C9ZZ 5246-E	h	38 1/4	2 &
C9ZZ 5246-F	h	37 15/16	2 1/4
C9ZZ 5246-G	y	38 1/4	2 1/4 & 2 1/2
C9ZZ 5246-H	h	37 15/16	2 1/4
C9ZZ 5246-J	h	38	2 1/4
C9ZZ 5246-K	h	38	2 1/4 2 1/8
D0AZ 5246-A	y	82	2 & 2 1/4
D0AZ 5246-B	y	81 1/4	2 & 2 1/4
D0DZ 5246-A		41 5/16	1 3/4
D0DZ 5246-C		41 3/16	2 & 1 3/4
D0OZ 5246-A		48	2
D0OZ 5246-B	y	39 3/4	2

* Types "h" and "y" apply to those pipes which in a general way resemble the letters "H" and "Y". Pipes for which no type is shown do not conform to either of these patterns.

5246 PIPE - MUFFLER INLET - continued

SIZE CHART - continued

PART NO.	*TYPE	LENGTH (INCHES)	DIAM. (INCHES)
D0OZ 5246-C	h	43	2 1/4
D0OZ 5246-E	y	40 5/16	2 1/4
D0OZ 5246-F	h	37 1/4	2 1/4
D0OZ 5246-G	h	40 5/16	2 1/4
D0SZ 5246-A	h	81	2 1/4
D0ZZ 5246-A	h	38 3/16	2 1/4 & 2 1/8
D0ZZ 5246-B	y	36 1/8	2 & 2 1/4
D0ZZ 5246-C	y	37 15/16	2 & 2 1/4
D0ZZ 5246-D	h	38	2 1/4
D1AZ 5246-A	y	81 1/4	2 1/4 & 2 1/2
D1AZ 5246-B	h	79 7/8	2 1/2
D1AZ 5246-C	y	79 7/8	2 1/2
D1AZ 5246-D	y	81 1/4	2 &
★D1AZ 5246-E	y	82 7/8	2 1/2
D1AZ 5246-G	y	81 3/8	2 1/4
D1DZ 5246-B	y	39	2
D1DZ 5246-C		41 3/16	2
D1DZ 5246-D	y	41 1/4	1 3/4
▲D1DZ 5246-E		19 3/8	1 3/4
D1FZ 5246-A		39 15/16	1 3/4
D1FZ 5246-B		39 3/8	1 1/2
★D1FZ 5246-C		40	1 3/4
D1OZ 5246-B	h	40 5/16	2 1/4
D1TZ 5246-C	y	35 1/2	2
D1ZZ 5246-A	y	40 9/16	2 & 2 1/4
D1ZZ 5246-B	y	39 13/16	2 & 2 1/4
D1ZZ 5246-C	h	38 7/16	2 1/2 & 2 1/4
D1ZZ 5246-D		44 5/8	2
D1ZZ 5246-E	h	32 7/16	2 1/2 & 2 1/4
D1ZZ 5246-F	h	39 15/16	2 1/4
D1ZZ 5246-G	h	40	2 1/4
D1ZZ 5246-H	h	40	2 1/4
D2AZ 5246-A	h	79 7/8	2 1/2
D2AZ 5246-B	y	79 7/8	2 1/2
D2AZ 5246-C	y	82 7/8	2 1/2
D2DZ 5246-A		41 3/16	1 3/4
D2FZ 5246-A		39 1/4	1 3/4
D2OZ 5246-A		77 1/2	2
★D2OZ 5246-D	y	72 5/8	2 1/4
D2OZ 5246-G		81 1/2	2
D2OZ 5246-J		72 5/8	2 1/4
D2OZ 5246-M	y	72 5/8	2 1/4
D2OZ 5246-N	y	76 5/8	2 1/4
D2OZ 5246-AD	h	72 3/4	2 1/4
D2OZ 5246-AE	h	76 3/4	2 1/4
D2OZ 5246-AF	y	73 1/4	2
D2OZ 5246-AG	y	69 1/4	2
D2OZ 5246-AH	y	77 1/4	2
★D2OZ 5246-AJ	y	73 1/4	2
D2OZ 5246-AK	y	71 1/4	2 1/4
D2OZ 5246-AL	y	75 1/4	2 1/4
D2OZ 5246-AM	h	71 1/4	2 1/4
D2OZ 5246-AN	h	75 1/4	2 1/4
D2OZ 5246-AR	y	72 1/2	2 1/4
D2OZ 5246-AS	y	76 1/2	2 1/4
D2OZ 5246-AT	y	72 3/4	2 1/4
D2OZ 5246-AU	y	76 3/4	2 1/4
D2OZ 5246-AV		69 1/8	2
D2OZ 5246-AW		73 1/8	2
D2SZ 5246-B	y	81 1/2	2 1/4
D2SZ 5246-C	y	83	2 1/4
D2TZ 5246-B	@	23	2
★C6TZ 5267-E	@	21 7/8	2
C6TZ 5267-F	@	21 7/8	2
C8TZ 5267-H	@	21 7/8	2
D1TZ 5267-A	@	23	2

YEAR | MODEL | DESCRIPTION | QTY. | PART NUMBER

5A246 BRACKET and INSULATOR ASSY. - MUFFLER INLET PIPE - Refer to Model Application Index on page 1 of Section 52

5248 PIPE - MUFFLER INLET (CROSSOVER) - Refer to Group 5246 Cross Reference Chart

5253 CLAMP - EXHAUST - UNIVERSAL SADDLE TYPE - Refer to Group 5A231

5255 EXTENSION - MUFFLER OUTLET PIPE - Refer to Model Application Index on page 1 of Section 52

5255 PIPE - MUFFLER OUTLET - For Dimensions Refer to Size Chart Page 23

Refer to Page 12 (1965/66) and page 13 (1967/71) for Simplification Program Charts.
For model application, refer to Section 52, page 1.

USE THE CHART BELOW TO TRANSLATE THE NUMBER STAMPED ON THE OUTLET PIPE TO A SERVICE PART NUMBER

CROSS REFERENCE CHART

STAMPED NUMBER	PART NUMBER
C5ZA 5D200-A	C5ZZ 5255-D
D1ZA 5202-BB	D1ZZ 5255-A
C5AA 5B202-B	C5AZ 5255-M
C5AA 5B202-C	C5AZ 5255-M
D1ZA 5203-AB	D1ZZ 5255-B
C4ZA 5C203-A	C5ZZ 5255-A
C5AA 5C203-D	C5AZ 5255-S
C5AA 5C203-E	C5AZ 5255-M
	C5AZ 5255-N
	C5AZ 5255-R
C5AA 5C203-F	C5AZ 5255-S
C6AA 5C203-A	C5AZ 5255-S
C6AA 5C203-C	C5AZ 5255-S
C6OA 5C203-B	C6OZ 5255-A
C7AA 5C203-E	★C7AZ 5255-Z
C7AA 5C203-F	D0AZ 5255-T
C7AA 5C203-G	★C7AZ 5255-Z
C7AA 5C203-H	D0AZ 5255-T

* Types "h" and "y" apply to those pipes which in a general way resemble the letters "H" and "Y". Pipes for which no type is shown do not conform to either of these patterns.

▲ Intermediate pipe rear

@ Inlet Pipe Cross Over

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5255 PIPE - MUFFLER OUTLET - continued

CROSS REFERENCE CHART - continued

STAMPED NUMBER	PART NUMBER
C7OA 5C203-C	D0OZ 5255-E
ED-C7OA 5C203-C	D0OZ 5255-E
C7OA 5C203-D	D0OZ 5255-E
ED-C7OA 5C203-D	D0OZ 5255-E
C7OA 5C203-E	D0DZ 5255-A
C7OA 5C203-F	D0DZ 5255-A
C7OA 5C203-H	C7OZ 5255-J
ED-C7OA 5C203-H	C7OZ 5255-J
C8AA 5C203-B	D0AZ 5255-R
C8AA 5C203-D	D0AZ 5255-R
C8AA 5C203-G	D0AZ 5255-R
C8AA 5C203-H	D0AZ 5255-R
C8ZA 5C203-A	C9ZZ 5255-A
C9AA 5C203-C	C9AZ 5255-E
C9AA 5C203-D	D0AZ 5255-L
C9ZA 5C203-A	C9ZZ 5255-A
C9ZA 5C203-B	C9ZZ 5255-D
D0AA 5C203-E	D0AZ 5255-C
D0AA 5C203-G	D0AZ 5255-C
D0ZA 5C203-C	D0ZZ 5255-A
D1AA 5C203-AA	D1AZ 5255-A
C7ZA 5C207-A	C7ZZ 5255-B
D0AJ 5C207-A	D0AZ 5255-U
D0DJ 5C207-A	D0DZ 5255-B
D0ZJ 5C207-A	D0ZZ 5255-F
D0ZJ 5C207-B	D0ZZ 5255-E
D2OJ 5C219-AA	D2OZ 5255-H
D2OJ 5C219-BA	D2OZ 5255-J
C5ZA 5C227-A	C5ZZ 5255-C
C5AA 5255-B	C5AZ 5255-F
C6AA 5255-A	C6AZ 5255-U
C6AA 5255-B	C6AZ 5255-U
C6AA 5255-C	C6AZ 5255-U
C6AA 5255-D	C6AZ 5255-U
C6TA 5255-N	C7TZ 5255-C
C6TA 5255-R	C6TZ 5255-D
C6TA 5255-S	C6TZ 5255-J
C6TA 5255-AC	C7TZ 5255-C
C6TA 5255-AF	C6TZ 5255-J
C6TA 5255-AG	C7TZ 5255-C
C6TA 5255-AH	C7TZ 5255-AE
C7RA 5255-A	C5ZZ 5255-G
C7RA 5255-B	C5DZ 5255-C
C7RA 5255-C	C6OZ 5255-C
C7RA 5255-D	C6DZ 5255-A
C7RA 5255-E	C6DZ 5255-B
C7RA 5255-F	C6OZ 5255-D
C7ZA 5255-A	C7ZZ 5255-C
D0AJ 5255-A	D0AZ 5255-M
D0AJ 5255-B	D0AZ 5255-N
D0AJ 5255-C	D0AZ 5255-S
D0AJ 5255-D	D0AZ 5255-K
D0OJ 5255-A	D0OZ 5255-B
D0OJ 5255-B	D0OZ 5255-D
D0OJ 5255-C	D0OZ 5255-F
D0OJ 5255-D	D0OZ 5255-H
D1ZJ 5255-AA	D1ZZ 5255-C
D2OJ 5255-AA	D2OZ 5255-G
D2OJ 5255-BA	D2OZ 5255-D
D2OJ 5255-CA	D2OZ 5255-F
D2OJ 5255-DA	D2OZ 5255-B
D2OZ 5255-EA	D2OZ 5255-C
D32J 5255-AA	D3FZ 5255-A
D32J 5255-BA	D3FZ 5255-B
C5AA 5C262-C	C5AZ 5255-M
	C5AZ 5255-N
	C5AZ 5255-U
C5AA 5C262-D	C5AZ 5255-T
C5AA 5C262-G	C5AZ 5255-T
C5AA 5C262-J	C5AZ 5255-T
C5AA 5C262-K	C5AZ 5255-F
	C5AZ 5255-N
	C5AZ 5255-U
C5DA 5C262-A	C5DZ 5255-B
C5DA 5C262-B	C5DZ 5255-A
C5DA 5C262-C	C5DZ 5255-B
C5ZA 5C262-A	C5ZZ 5255-F
C5ZA 5C262-B	C5ZZ 5255-F
C6AA 5C262-A	C5AZ 5255-T
C6AA 5C262-D	C5AZ 5255-T
C6AA 5C262-F	C5AZ 5255-N
	C6AZ 5255-U
C6AA 5C262-G	C5AZ 5255-N
	C6AZ 5255-U
C6AA 5C262-M	C5AZ 5255-T
C6AA 5C262-N	C5AZ 5255-T
C6AA 5C262-R	C5AZ 5255-T
C6AA 5C262-S	C5AZ 5255-T
C6AA 5C262-T	C5AZ 5255-T
C6OA 5C262-B	C6OZ 5255-B
C7AA 5C262-F	D0AZ 5255-M
C7AA 5C262-J	D0AZ 5255-N
C7AA 5C262-L	D0AZ 5255-N
C7AA 5C262-U	D0AZ 5255-M
ED-C7AA 5C262-U	D0AZ 5255-M
C7AA 5C262-V	C7AZ 5255-B
C7AA 5C262-Y	D0AZ 5255-N
C7AA 5C262-Z	D0AZ 5255-N
C7AA 5C262-AA	D0AZ 5255-M
C7AA 5C262-AB	★C7AZ 5255-U
C7AA 5C262-AC	D0AZ 5255-M
C7AA 5C262-AD	D0AZ 5255-M
C7OA 5C262-C	C7OZ 5255-K
ED-C7OA 5C262-C	C7OZ 5255-K
C7RA 5C262-A	C6AZ 5255-U
C7RA 5C262-B	C5AZ 5255-R
C7RA 5C262-C	C5AZ 5255-S
C7RA 5C262-D	C5AZ 5255-T
C7RA 5C262-E	C5AZ 5255-U
C7ZA 5C262-G	C7ZZ 5255-D
C7ZA 5C262-H	C9ZZ 5255-C
C8AA 5C262-F	D0AZ 5255-N
C8AA 5C262-H	D0AZ 5255-N
C8AA 5C262-L	C8AZ 5255-C
C8AA 5C262-M	D0AZ 5255-N
C8AA 5C262-N	D0AZ 5255-N
C8AA 5C262-S	D0AZ 5255-S
C8AA 5C262-T	D0AZ 5255-S
C8AA 5C262-U	D0AZ 5255-S
C8AA 5C262-V	D0AZ 5255-S
C8AA 5C262-Y	D0AZ 5255-N
C8AA 5C262-Z	D0AZ 5255-N
C8AA 5C262-AA	D0AZ 5255-N
C8TA 5C262-A	C6TZ 5255-J
C8TA 5C262-B	C7TZ 5255-AE
C8ZA 5C262-A	C9ZZ 5255-B
C9AA 5C262-H	D0AZ 5255-U
C9AA 5C262-J	D0AZ 5255-K
C9AA 5C262-K	C9AZ 5255-B
C9AA 5C262-L	D0AZ 5255-U
C9AA 5C262-M	D0AZ 5255-U
C9AA 5C262-N	D0AZ 5255-U
C9ZA 5C262-A	C9ZZ 5255-B
C9ZA 5C262-B	C9ZZ 5255-C
C9ZA 5C262-C	C9ZZ 5255-E
D0AA 5C262-E	D0AZ 5255-U
D0AA 5C262-G	♦D0AZ 5255-G
D0AA 5C262-H	D0AZ 5255-K
D0AA 5C262-J	D0AZ 5255-B
D0AA 5C262-K	D0AZ 5255-K
D0AA 5C262-L	D0AZ 5255-B
D0AA 5C262-M	♦D0AZ 5255-J
D0AA 5C262-N	D0AZ 5255-H
D0AJ 5C262-A	D0AZ 5255-V
D0ZA 5C262-C	D0ZZ 5255-B
D1AA 5C262-AA	D1AZ 5255-B
D1AA 5C262-BA	D0AZ 5255-K
D1TA 5C262-AA	D1TZ 5255-A
C9OA 5263-A	C9OZ 5255-A
C9OA 5263-B	C9OZ 5255-B
D0AA 5263-A	D0OZ 5255-A
D0AJ 55257-A	D0AZ 5255-R
D0AJ 55257-B	D0AZ 5255-T
D0AJ 55257-C	D0AZ 5255-L
D0DJ 55257-A	D0DZ 5255-A
D0OJ 55257-A	D0OZ 5255-C
D0OJ 55257-B	D0OZ 5255-E
D0OJ 55257-C	D0OG 5255-G
D2OJ 55257-AA	D2OZ 5255-E
D2OJ 55257-BA	D2OZ 5255-A


♦ Parts no longer serviced. For correct outlet pipe replacement refer to Exhaust System Simplification Section 52, page 13

5255 PIPE - MUFFLER OUTLET - continued -For Cross Reference Chart Refer to Page 21

Refer to Page 12 (1965/66) and Page 13 (1967/71) for Simplification Program Charts.

For model application, refer to Section 52, page 1.

SIZE CHART



P-2921

PART NUMBER	A (INCHES)	B (INCHES)
★C5AZ 5255-C	61 11/16	2
★C5AZ 5255-D	61 3/4	2
★C5AZ 5255-E	41 5/16	2
C5AZ 5255-F	35 5/16	2
★C5AZ 5255-H	53 13/16	2
★C5AZ 5255-J	53 9/16	2
★C5AZ 5255-K	11 7/8	2
★C5AZ 5255-L	15 1/2	2
C5AZ 5255-M	41 7/8	2
C5AZ 5255-N	9	2 1/16
C5AZ 5255-R	20 1/8	2
C5AZ 5255-S	43 11/16	2
C5AZ 5255-T	43 11/16	2
C5AZ 5255-U	23 1/2	2
C5DZ 5255-A	7 5/8	1 1/2
C5DZ 5255-B	17 15/16	2
C5DZ 5255-C	20 1/8	2
C5ZZ 5255-A		2
C5ZZ 5255-C	9 5/8	1 3/4
C5ZZ 5255-D	9 5/8	1 3/4
★C5ZZ 5255-E	6 11/16	1 3/4
C5ZZ 5255-F	6 11/16	1 3/4
C5ZZ 5255-G	21	2
★C6AZ 5255-A	46 1/2	2
★C6AZ 5255-B	46 1/2	2
★C6AZ 5255-C	53 3/4	2 1/4
★C6AZ 5255-D	53 3/4	2 1/4
★C6AZ 5255-E	57 13/16	2 1/4
★C6AZ 5255-G	55 3/4	2
★C6AZ 5255-J	53 13/16	2

PART NUMBER	A (INCHES)	B (INCHES)
★C6AZ 5255-K	53 13/16	2
★C6AZ 5255-L	47 1/2	2 1/4
★C6AZ 5255-M	47 1/2	2 1/4
★C6AZ 5255-N	45 3/4	2
★C6AZ 5255-R	45 3/4	2
★C6AZ 5255-S	60	2
★C6AZ 5255-T	60	2
C6AZ 5255-U	54 1/2	2
C6DZ 5255-A	38 1/8	2
C6DZ 5255-B	23 1/8	2
C6OZ 5255-A	52 11/16	2
C6OZ 5255-B	52 11/16	2
C6OZ 5255-C	9 3/16	1 3/4
C6OZ 5255-D	32 13/16	2
C6TZ 5255-D	43 3/16	1 3/4
★C6TZ 5255-E	43 3/16	1 3/4
★C6TZ 5255-G	37 1/2	2
★C6TZ 5255-H	43 3/16	1 3/4
C6TZ 5255-J	37 1/2	2
★C7AZ 5255-A	45 3/16	2
★C7AZ 5255-B		
★C7AZ 5255-C	54 9/16	2
★C7AZ 5255-D	54 9/16	2
★C7AZ 5255-E	53 1/2	2
★C7AZ 5255-G	53 13/16	2 1/4
★C7AZ 5255-J	46 1/2	2
★C7AZ 5255-L	48 1/4	2 1/4
★C7AZ 5255-N	53 7/8	2 1/4

PART NUMBER	A (INCHES)	B (INCHES)
★C7AZ 5255-S	53 3/8	2
★C7AZ 5255-U	53 13/16	2 1/4
★C7AZ 5255-V	45 3/16	2
★C7AZ 5255-Z	53 5/8	2 1/4
★C7AZ 5255-AA	53 1/2	2
★C7AZ 5255-AB	45 1/4	2
★C7OZ 5255-A	29	1 7/8
★C7OZ 5255-B	34 11/16	1 7/8
★C7OZ 5255-C	28 3/4	2 1/4
★C7OZ 5255-D	34 11/16	2 1/4
★C7OZ 5255-E	34 11/16	2 1/4
★C7OZ 5255-F	34 11/16	2 1/4
★C7OZ 5255-G	34 11/16	1 7/8
★C7OZ 5255-H	34 11/16	2 1/4
C7OZ 5255-J	34 11/16	2 1/4
C7OZ 5255-K	34 11/16	2 1/4
★C7TZ 5255-B	43 3/16	1 3/4
C7TZ 5255-C	43 3/16	1 3/4
C7TZ 5255-AE	43 3/16	1 3/4
★C7ZZ 5255-A		1 3/4 & 2
C7ZZ 5255-B	18 5/16	2 & 1 3/4
C7ZZ 5255-C	18 5/16	2 & 1 3/4
C7ZZ 5255-D	6 7/8	1 3/4 & 2
★C8AZ 5255-A	51 13/16	2 1/4
★C8AZ 5255-B	51 7/8	2 1/4
C8AZ 5255-C	45 1/4	2
★C8AZ 5255-G	46 5/8	2 1/4
★C8AZ 5255-H	54 9/16	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5255 PIPE - MUFFLER OUTLET - continued

SIZE CHART - continued

PART NUMBER	A (INCHES)	B (INCHES)
★C8AZ 5255-L	46 9/16	2 1/4
★C8AZ 5255-N	46 9/16	2
★C8AZ 5255-T	51 13/16	2 1/4
★C8AZ 5255-U	51 7/8	2 1/4
★C8AZ 5255-V	45 1/4	2
★C8AZ 5255-Y	51 13/16	2 1/4
★C8AZ 5255-Z		
★C8AZ 5255-AA	51 7/8	2
★C8ZZ 5255-A	27 7/16	2 1/8 & 2
★C8ZZ 5255-B	27 7/16	2 1/8 & 2
★C9AZ 5255-A	49 9/16	2
C9AZ 5255-B	49 9/16	2 1/4
★C9AZ 5255-C	50 1/4	2
★C9AZ 5255-D	50 5/16	2 1/4
C9AZ 5255-E	49 9/16	2 1/4
★C9AZ 5255-F	49 9/16	2
C9OZ 5255-A	15 7/8	2 1/4 & 2 3/4
C9OZ 5255-B	10	2 1/4
C9ZZ 5255-A	27 7/16	2 1/4 & 2
C9ZZ 5255-B	27 7/16	2
C9ZZ 5255-C	11 3/16	2
★C9ZZ 5255-D	22 5/8	2 1/8 & 2 1/4
C9ZZ 5255-E	22 5/8	2 1/8 & 2 1/4
★C9ZZ 5255-F	26 1/4	2
★C9ZZ 5255-G	10	2
★C9ZZ 5255-H	26 1/4	2 1/8 & 2 1/4
★C9ZZ 5255-J	10	2 1/4
C9ZZ 5255-M	26	2 1/4
C9ZZ 5255-N	26	2 1/4
★D0AZ 5255-A	50 15/16	1 7/8 & 2
D0AZ 5255-B	51 15/16	2 1/8 & 2 1/4
D0AZ 5255-C	51 15/16	2 1/8 & 2 1/4
★D0AZ 5255-F	50 5/16	1 7/8 & 2
★D0AZ 5255-G	50 5/16	2 1/8 & 2 1/4
D0AZ 5255-H	51 1/4	2 1/4
★D0AZ 5255-J	51 1/4	1 7/8 & 2
D0AZ 5255-K	54 3/4	2
D0AZ 5255-L	54 3/4	2
D0AZ 5255-M	59 3/4	2
D0AZ 5255-N	54 1/2	2
D0AZ 5255-R	59 3/4	2
D0AZ 5255-S	59 3/4	2
D0AZ 5255-T	60	2
D0AZ 5255-U	55 1/2	2
D0AZ 5255-V	29 3/4	2 & 2 1/2
D0DZ 5255-A	28 3/8	1 7/8
D0DZ 5255-B	36	2
D0OZ 5255-A	11	2 1/4 & 2 3/4
D0OZ 5255-B	28 3/8	1 7/8
D0OZ 5255-C	34 7/8	1 7/8
D0OZ 5255-D	34 7/8	1 7/8
D0OZ 5255-E	37 1/2	1 7/8
D0OZ 5255-F	37 1/2	1 7/8
D0OZ 5255-G	49 1/4	1 7/8 & 2 1/4
D0OZ 5255-H	49 1/4	1 7/8 & 2 1/4
D0ZZ 5255-A	25 7/16	2 1/8 & Oval
D0ZZ 5255-B	10	2 1/8 & Oval
D0ZZ 5255-E	36 3/8	1 7/8 & 2
D0ZZ 5255-F	21	1 7/8 & 2
D1AZ 5255-A	50 7/8	2 1/4
D1AZ 5255-B	50 7/8	2 1/8 & 2 1/4
★D1AZ 5255-C	51 5/8	1 7/8 & 2
D1TZ 5255-A	38 1/2	2
D1ZZ 5255-A	12 1/2	2 1/8 & 3
D1ZZ 5255-B	12 1/2	2 1/8 & 3
D1ZZ 5255-C	38 7/8	1 7/8
D2OZ 5255-A	32 1/8	2
D2OZ 5255-B	32 1/8	2
D2OZ 5255-C	21	2 & 2 1/4
D2OZ 5255-D	21	2
D2OZ 5255-E	49 3/8	2 & 2 1/4
D2OZ 5255-F	49 3/8	2 & 2 1/4
D2OZ 5255-G	43 1/2	2
D2OZ 5255-H	41 3/4	2
D2OZ 5255-J	41 3/4	2
D3FZ 5255-A	10 1/2	1 3/4
D3FZ 5255-B	12 3/8	1 3/4


5D256 MUFFLER -Refer to Group 5230 Cross Reference Chart

5-5257 PIPE - MUFFLER OUTLET -Refer to Group 5255 Cross Reference Chart

5C257 MUFFLER -Refer to Group 5230 Cross Reference Chart

5C258 MUFFLER -Refer to Group 5230 Cross Reference Chart

5260 BRACKET and INSULATOR KIT - MUFFLER OUTLET PIPE



P-5905

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
65/	All	Type 1	AR	C3OZ 5260-A
65/	All	Type 2-Dimension "A"-1"	AR	C3DZ 5260-A
65/	All	Type 2-Dimension "A" - 9/16"	AR	C3DZ 5260-B
65/	All	Type 3-Dimension "B"-29/32"	AR	C0AZ 5260-A
65/	All	Type 3-Dimension "B"-1 1/8"	AR	C3AZ 5260-C
65/	All	Type 4	AR	C2TZ 5260-C
65/	All	Type 5	AR	C5AZ 5260-U

5260 BRACKET and INSULATOR KIT - MUFFLER OUTLET PIPE-For Model Application, also refer to Section 52, Page 1.

The following Bracket Assemblies can be repaired with the kit shown.

ORIGINAL HANGER	MAY BE REPAIRED BY	ORIGINAL HANGER	MAY BE REPAIRED BY
C6AZ 5260-K	C3OZ 5260-A	C7AZ 5260-B	C3OZ 5260-A
C6AZ 5260-L	C3OZ 5260-A	C7AZ 5260-D	C3OZ 5260-A
C6DZ 5260-A	C3OZ 5260-A	C7AZ 5260-E	C3OZ 5260-A
C6DZ 5260-C	C3OZ 5260-A	C7AZ 5260-G	C0AZ 5260-A
C6DZ 5260-E	C3OZ 5260-A	C7DZ 5260-B	C3OZ 5260-A
C6OZ 5260-B	C0AZ 5260-A	C7OZ 5260-B	C3OZ 5260-A
C6TZ 5260-G	C3OZ 5260-A	C7OZ 5260-C	C3OZ 5260-A
C6TZ 5260-H	C3OZ 5260-A	C7OZ 5260-D	C3OZ 5260-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5260 BRACKET and INSULATOR KIT - MUFFLER OUTLET PIPE - continued -For Model Application, also refer to Section 52, Page 1.

The following Bracket Assemblies can be repaired with the kit shown.

ORIGINAL HANGER	MAY BE REPAIRED BY
C8OZ 5260-A	C3OZ 5260-A
C8OZ 5260-B	C3OZ 5260-A
C8OZ 5260-C	D1AZ 5260-C
C8OZ 5260-D	D1AZ 5260-B
C8OZ 5260-E	D1AZ 5260-B
C8ZZ 5260-B	C3OZ 5260-A
C8ZZ 5260-C	D1AZ 5260-C
C9AZ 5260-A	C0AZ 5260-A
C9OZ 5260-A	D1AZ 5260-C
C9OZ 5260-B	C3OZ 5260-A
C9ZZ 5260-A	D1AZ 5260-C
C9ZZ 5260-B	D1AZ 5260-B
D0AZ 5260-A	C3OZ 5260-A
D0DZ 5260-A	C3OZ 5260-A

ORIGINAL HANGER	MAY BE REPAIRED BY
D0OZ 5260-A	C3OZ 5260-A
D0OZ 5260-B	C3OZ 5260-A
D0OZ 5260-C	C3OZ 5260-A
D0OZ 5260-D	D1AZ 5260-A
D0OZ 5260-E	D1AZ 5260-A
D0VY 5260-B	C0AZ 5260-A
D0ZZ 5260-A	D1AZ 5260-C
D0ZZ 5260-B	D1AZ 5260-C
D0ZZ 5260-C	C3OZ 5260-A
D1DZ 5260-A	C3OZ 5260-A
D1ZZ 5260-A	C3OZ 5260-A
D1ZZ 5260-B	C3OZ 5260-A
D1ZZ 5260-E	C3OZ 5260-A
D2OZ 5260-A	C3OZ 5260-A
★D2OZ 5260-B	C3OZ 5260-A
D2OZ 5260-E	C3OZ 5260-A
D2OZ 5260-G	D1AZ 5260-C
D2OZ 5260-H	D1AZ 5260-C

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER

5260 BOLT - MANIFOLD TO ENGINE -Refer to Model Application Index on Page 1 of Section 52, see 1965/66 Mustang GT350

5260 GASKET - MANIFOLD-Refer to Model Application Index on Page 1 of Section 52, see 1965/66 Mustang GT 350

5260 BRACKET and INSULATOR ASSY. - MUFFLER OR OUTLET PIPE -Refer to Model Application Index Page 1 of Section 52

5C262 PIPE - MUFFLER OUTLET-Refer to Group 5255 Cross Reference Chart

5263 EXTENSION - MUFFLER OUTLET PIPE -Refer to Group 5255 Cross Reference Chart

5264 ADAPTER - MUFFLER OUTLET PIPE REDUCER - Refer to Model Application Index on page 1 of Section 52, see Mustang GT 350/500 for 1969/70

5A265 PIPE - RESONATOR INLET-Refer to Group 5A289 Cross Reference Chart

5266 BRACKET - MUFFLER OUTLET PIPE CLAMP - Refer to Model Application Index on page 1 of Section 52

5B266 GASKET - RESONATOR INLET PIPE -Refer to Model Application Index on Page 1 of Section 52

5267-8 PIPE - MUFFLER INLET CROSSOVER - Refer to Model Application Index on Page 1 of Section 52
- For cross reference & dimensions, refer to Group 5246, in Section 52

5269 FLANGE - MUFFLER INLET PIPE- Refer to Model Application Index on page 1 of Section 52

5A272 CLAMP MUFFLER TO HANGER-Refer to Model Application Index on Page 1 of Section 52

5277 BRACKET - MUFFLER INLET PIPE -Refer to Model Application Index on Page 1 of Section 52

5277 BRACKET - MUFFLER OUTLET PIPE -Refer to Model Application Index on Page 1 of Section 52

5277 BRACKET - MUFFLER SUPPORT -Refer to Model Application Index on Page 1 of Section 52

5B286 CONNECTOR - MUFFLER INLET PIPE - Refer to Model Application Index on page 1 of Section 52


YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5A289	PIPE - RESONATOR INLET-Also Refer to Group 5A212-3 Cross Reference Chart		
	5A289	RESONATOR - MUFFLER OUTLET PIPE		

CROSS REFERENCE CHART

Also refer to Size Chart below
Use the Chart below to translate the number stamped on the Resonator to a Service Part Number
For model application, refer to Section 52, page 1

STAMPED NO.	PART NO.
C5OA 5212-A	C5OZ 5A289-A
C5ZA 5212-C	C5ZZ 5A289-B
C6AA 5212-A	C6AZ 5A289-A
C6AA 5212-B	C6AZ 5A289-B
C7AA 5212-C	★C7AZ 5A289-A
C7AA 5212-D	C7AZ 5A289-D
C7OA 5212-A	C7OZ 5A289-A
C7SA 5212-D	C7SZ 5A289-B
C8SA 5212-F	C8SZ 5A289-H
ED-C8ZA 5212-B	C8ZZ 5A289-B
C9ZA 5212-F	C9ZZ 5A289-C
D0SA 5212-D	D0SZ 5A289-C
D0ZA 5212-A	C9ZZ 5A289-H
D2AJ 5212-AA	C8SZ 5A289-H
D2OA 5212-AB	D2OZ 5A289-F
D2OA 5212-AC	D2OZ 5A289-F
D2OA 5212-CA	★D2OZ 5A289-D
D2OA 5212-CB	★D2OZ 5A289-D
D2OA 5212-EC	D2OZ 5A289-F
D2OJ 5212-AA	D2OZ 5A289-C
D2OJ 5212-BA	C7OZ 5A289-A
D2ZJ 5212-AA	C9ZZ 5A289-C
D1DJ 5A217-AA	▲D1DZ 5A289-D
D1DJ 5A217-BA	▲D1DZ 5A289-C

STAMPED NO.	PART NO.
D0ZJ 5218-A	D0ZZ 5A289-B
D0ZJ 5A265-A	D0ZZ 5A289-A
C5ZA 5A289-B	C5ZZ 5A289-A
C6AA 5A289-A	C6AZ 5A289-C
C6AA 5A289-B	★C6AZ 5A289-D
C7AA 5A289-C	★C7AZ 5A289-B
C7AA 5A289-D	C7AZ 5A289-C
C7SA 5A289-E	C7SZ 5A289-A
C8SA 5A289-F	C8SZ 5A289-G
C8ZA 5A289-B	C8ZZ 5A289-A
ED-C8ZA 5A289-B	C8ZZ 5A289-A
ED-C8ZA 5A289-C	C8ZZ 5A289-C
C9ZA 5A289-F	C9ZZ 5A289-B
D0SA 5A289-D	D0SZ 5A289-D
D0ZA 5A289-A	C9ZZ 5A289-G
D2AJ 5A289-AA	C8SZ 5A289-G
D2LA 5A289-AA	D2LY 5A289-A
D2LA 5A289-AB	D2LY 5A289-A
D2SA 5A289-AA	D2SZ 5A289-A
D2SA 5A289-AB	D2SZ 5A289-A
D2SA 5A289-BA	D2SZ 5A289-B
D2SA 5A289-BC	D2SZ 5A289-B
D2SA 5A289-BD	D2SZ 5A289-C
D2ZJ 5A289-AA	C9ZZ 5A289-B



P-2912

SIZE CHART

Also refer to Cross Reference Chart above. For model application, refer to Section 52, page 1.

PART NUMBER	A (INCHES)	B (INCHES)	C (INCHES)	D (INCHES)	E (INCHES)	F (INCHES)	G (INCHES)
C5OZ 5A289-A	18 1/8	2 1/8	5 1/8	5 1/8	5 1/8	2	2
C5ZZ 5A289-A	14 7/8	21 5/8	3 3/8	2 7/8	2 7/8	2	2
C5ZZ 5A289-B	14 7/8	21 5/8	3 3/8	2 7/8	2 7/8	2	2
C6AZ 5A289-A	22 1/2	23 3/4	5 3/8	3 1/2	3 1/2	2	2
C6AZ 5A289-B	22 1/2	23 3/4	5 3/8	3 1/2	3 1/2	2	2

▲ Intermediate pipe front

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5A289 RESONATOR - MUFFLER OUTLET PIPE - continued

SIZE CHART - continued

Also refer to Cross Reference Chart on page 27. For model application, refer to Section 52, page 1.

PART NUMBER		A (INCHES)	B (INCHES)	C (INCHES)	D (INCHES)	E (INCHES)	F (INCHES)	G (INCHES)
C6AZ	5A289-C	22 1/2	23 3/4	5 3/8	3 1/2	3 1/2	2	2
★C6AZ	5A289-D	22 1/2	23 3/4	5 3/8	3 1/2	3 1/2	2	2
★C7AZ	5A289-A	22 1/2	24 1/4	5 5/8	3 1/2	3 1/2	2	2
★C7AZ	5A289-B	22 1/2	24 1/4	5 5/8	3 1/2	3 1/2	2	2
C7AZ	5A289-C	22 1/2	22 3/8	4 7/8	3 1/2	3 1/2	2	2
C7AZ	5A289-D	22 1/2	23 3/4	3 1/2	3 1/2	3 1/2	2	2
C7OZ	5A289-A	22	2	2	6	6	1 3/4	1 3/4
C7SZ	5A289-A	17	2	22 1/4	3 1/4	7 3/4	2	2
C7SZ	5A289-B	17	2	22 3/8	3 1/4	3 1/4	2	2
C8SZ	5A289-G	20	10 3/8	3 7/8	6	6	2	2
C8SZ	5A289-H	20	9 7/8	3 7/8	6	6	2	2
C8ZZ	5A289-A	24 1/2	29	17 3/4	3 1/2	3 1/2	2 1/4	2 1/4
C8ZZ	5A289-B	24 1/2	29	17 3/4	3 1/2	3 1/2	2 1/4	2 1/4
C8ZZ	5A289-C	24 1/2	29	17 3/4	3 1/2	3 1/2	2 1/4	2 1/4
C9ZZ	5A289-B	22 1/2	28 3/4	19 3/4	3 5/8	3 5/8	2 1/8	2 1/8
C9ZZ	5A289-C	22 1/2	28 3/4	19 3/4	3 5/8	3 5/8	2 1/8	2
C9ZZ	5A289-G	24 1/2	29	17 3/4	3 1/2	3 1/2	2 1/4	2 1/8
C9ZZ	5A289-H	24 1/2	29	19 3/8	3 1/2	3 1/2	2 1/4	2 1/8
D0SZ	5A289-C	20	9 7/8	4	6	6	1 3/4	2
D0SZ	5A289-D	20	9 3/8	4	6	6	1 3/4	2
D0ZZ	5A289-A	22 5/8	29	19 3/4	3 1/2	3 1/2	2	2
D0ZZ	5A289-B	22 5/8	29	19 3/4	3 1/2	3 1/2	2	2
▲D1DZ	5A289-C	10 1/8	43 1/2	1 3/4	7 7/8	7 7/8	2	1 3/4
▲D1DZ	5A289-D	10 1/8	36 5/8	1 3/4	7 7/8	7 7/8	2	1 3/4
★D2LY	5A289-A	20 1/8	11 1/8	4 3/4	7 1/8	7 1/8	2 1/4	2 1/2
D2OZ	5A289-C	51 3/4 overall length A-B-C					2	2 1/4
★D2OZ	5A289-D	42 3/4 overall length A-B-C					2	2
★D2OZ	5A289-E	42 3/4 overall length A-B-C					2 1/4	2 1/4
D2OZ	5A289-F	18	2	21 1/8	5	5	2 1/4	2 1/4
D2SZ	5A289-A						2 1/4	2 1/4
D2SZ	5A289-B						2 1/4	2 1/2
D2SZ	5A289-C						2 1/4	2 1/4

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
5291	**BRACKET - MUFFLER INLET PIPE TO ENGINE BLOCK**	-Refer to Model Application Index on page 1 of Section 52		
5C299	**MOULDING - MUFFLER OUTLET PIPE OPENING**	-Refer to Model Application Index on Page 1 of Section 52		

▲ Intermediate pipe front

EXHAUST PARTS MODEL INDEX

How to use this index -

1. Find the car model desired.
2. Find the line which lists the engine displacement needed.
3. Select the correct page, and turn to that page.

Explanation of picture - text catalog sheets -

In sections 52.65 through 52.72, the complete present service system is shown at the top of the page, with an illustration and a complete bill of materials. If a second illustration appears below, that is the service system before simplification. In the lower system (before simplification), parts which are changed are shown by dotted lines, and the part numbers are shown in the table. Parts shown in black are parts which are unchanged and shown above in the upper illustration.

For stamped number cross-reference information and for size information, refer to Section 52, page 1.

1965


CYL.	C.I.D.	MODEL	TYPE ▲	SECTION	PAGE	ILLUS. NO. ♦
A (FORD)						
6	240-1B	Exc.71	S	52.65	2	EF 77
		71	S	52.65	3	EF 76
8	289-4B	Exc.71	S	52.65	4	EF 78
		71	S	52.65	5	EF 79
	352-2B	Exc.71 (Canada only)	S	52.65	6	EF 106
		71 (Canada only)	S	52.65	7	EF 107
	352-4B	Exc.71	D	52.65	8	EF 80
		71	D	52.65	9	EF 81
	390-4B	Exc.71, P/C	D	52.65	8	EF 80
		71	D	52.65	9	EF 81
		P/C-"Before 4/15/65"	D	52.65	10	EF 82
		-"From 4/15/65"	D	52.65	11	EF 83
	427-8B		D	52.65	12	EF 84
B (FAIRLANE)						
6	200-1B	Exc.71	S	52.65	13	EC 55
		71	S	52.65	14	EC 57
8	289-2B	Exc.71	S	52.65	15	EC 56
		71	S	52.65	16	EC 58
	289-4B	Special	D	52.65	17	EC 59
		Premium fuel	D	52.65	18	EC 60
F (MUSTANG) - INCLUDES SHELBY						
6	170-1B		S	52.65	19	EA 22
	200-1B		S	52.65	19	EA 22
8	260-2B	Regular fuel	S	52.65	20	EA 21
		With dual exhaust kit	D	52.65	21	EA 27
	289-2B	Regular fuel	S	52.65	20	EA 21
		With dual exhaust kit	D	52.65	21	EA 27
	289-4B	Premium fuel	S	52.65	20	EA 21
		GT	D	52.65	21	EA 27
		Spec.-"Before 10/15/64"- transverse muffler	D	52.65	22	EA 28
		-" Before 10/15/64" - inline muffler	D	52.65	23	EA 45
		-"From 10/15/64"	D	52.65	21	EA 27
		Shelby-"Before 10/15/64"	D	52.65	22	EA 28
		-"From 10/15/64"	D	52.65	21	EA 27
S (THUNDERBIRD)						
8	390-4B		D	52.65	24	EH 1
X (FALCON)						
6	170-1B	54,62,63,76	S	52.65	25	EE 1
		59,66,71,78	S	52.65	26	EE 3
	200-1B	54,62,63,76	S	52.65	25	EE 1
		59,66,71,78	S	52.65	26	EE 3
8	289-2B	54,62,63,76	S	52.65	27	EE 5
		59,66,71,78	S	52.65	28	EE 4
	289-4B	54,62,63,76	S	52.65	27	EE 5
		59,66,71,78	S	52.65	28	EE 4

♦ For control purposes only ▲ S - Single D - Dual

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 FORD 6 CYL 240-1B SEDAN, HARDTOP, & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C5AZ 5246-B (U.S.) C6AZ 5246-J (CANADA)
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230 -AH
4	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	39885-S 7-8 (U-263-E) BOLT-HEX. HD. 3/8-16 x 1/2 ATT. BRKT. TO CROSS MEMBER	
B	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	C5AZ-5255-T
	BRACKET & INSULATOR ASSY.	C5AZ-5260-A
5	378836-S (UU-39-J) BOLT-HEX. HD. NO.20-9 x 1-1/2 ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	★ C5AZ-5230-E
3	OUTLET PIPE	★ C5AZ-5255-D

E-F-77

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1965 FORD—6 CYL. 240-1B STATION WAGON

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C5AZ 5246-B (U.S.) C6AZ 5246-J (CANADA)
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH
4	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	39885-S7-8 (U-263-E) BOLT-HEX HD. 3/8-16 x 1/2 ATT. BRKT. TO NO.4 CROSS MEMBER	
B	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE (FRONT)	C5AZ-5255-U
C	CLAMP ▲	D1AZ-5A231-C
D	CLAMP ▲	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C5AZ-5260-E
	39885-S7-8 (U-263-E) BOLT-HEX HD. 3/8-16 x 1/2 ATT. BRKT. TO NO.5 CROSS MEMBER	
3A	OUTLET PIPE (REAR)	C5AZ-5255-M
E	CLAMP ▲	D1AZ-5A231-C
3B	EXTENSION	C5AZ-5255-N

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ C5AZ-5230-E
3	OUTLET PIPE	★ C5AZ-5255-E


E-F-76

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 FORD—8 CYL. 289-2B SEDAN, HARDTOP, & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C5AZ-5246-F
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	39885-S 7-8 (U-263-E) BOLT-HEX.HD. 3/8-16 x 1/2 ATT. BRKT. TO CROSS MEMBER	
3	OUTLET PIPE	C5AZ-5255-S
5	BRACKET ASSY.	C5AZ-5260-D
	39885-S 7-8 (U-263-E) BOLT-HEX. HD. 3/8-16 x 1/2 ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE




	ITEM	PART NO.
2	MUFFLER	★C5AZ-5230-F
3	OUTLET PIPE	★C5AZ-5255-C

E-F-78

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada


1965 FORD—8 CYL. 289-2B STATION WAGON

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C5AZ-5246-F
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
	C5AZ-5B236-A PLATE 373403-S8 (MM-173-J) NUT-HEX 3/8-16 (2) REQ'D. 39909-S7 (U-269-D) BOLT-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER & OUTLET PIPE	
3	OUTLET PIPE (FRONT)	C5AZ-5255-R
C	CLAMP ▲	D1AZ-5A231-C
3A	OUTLET PIPE (REAR)	C5AZ-5255-M
D	CLAMP ▲	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	39885-S7-8 (U-263-E) BOLT-HEX HD 3/8-16 x 1/2 ATT. BRKT. TO FRAME	
E	CLAMP ▲	D1AZ-5A231-C
3B	EXTENSION	C5AZ-5255-N

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ C5AZ-5230-L
3	OUTLET PIPE	★ C5AZ-5255-K


E-F-79

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 FORD—8 CYL. 352-2B SEDAN, HARDTOP & CONVERTIBLE (CANADA ONLY)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C5MY-5246-A
A	CLAMP	C000-5253-E
2	MUFFLER	C7AZ-5230-AJ
4	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
	C5AZ-5B236-A PLATE 373403-S8 (MM-173-J) NUT - HEX (2) REQ'D. ATT. BRKT. TO PLATE 39909-S7 (U-269-D) BOLT - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO MUFFLER	
B	CLAMP	C000-5253-E
3	OUTLET PIPE	C5AZ-5255-S
5	BRACKET & INSULATOR ASSY.	C5AZ-5260-D
	39885-S7-8 (U-263-E) SCREW - HEX HD. 3/8-16 x 1/2 ATT. BRKT. TO SIDE RAIL	
C	CLAMP	C000-5253-E

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.


ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★CC5AA-5230-D
3	OUTLET PIPE	★C5AZ-5255-J

1965 FORD—8 CYL. 352-2B STATION WAGON (CANADA ONLY)

CONSOLIDATED SERVICE REPLACEMENT



	ITEM	PART NUMBER
1	INLET PIPE	C5MY-5246-A
A	CLAMP	C000-5253-F
2	MUFFLER	C7AZ-5230-AJ
4	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
	C5AZ-5B236-A PLATE 373403-S8 (MM-173-J) NUT - HEX (2) REQ'D. ATT. BRKT. TO PLATE 39909-S7 (U-269-D) BOLT - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO MUFFLER	
B	CLAMP	C000-5253-E
3	OUTLET PIPE (FRONT)	C5AZ-5255-R
C	CLAMP	C000-5253-E
3A	OUTLET PIPE (REAR)	C5AZ-5255-M
	CLAMP	C000-5253-E
5	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
D	CLAMP	C000-5253-E
E	CLAMP	C000-5253-E
3B	EXTENSION	C5AZ-5255-N

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.


E-F-107

▲ DIAZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 FORD—8 CYL. 352-4B & 390-4B SEDAN, HARDTOP & CONVERTIBLE (EXCEPT POLICE CAR)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	C5AZ-5246-E	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH	C7AZ-5230-AH
4	BRACKET & INSULATOR ASSY.	C3OZ-5260-A	C3OZ-5260-A
	C5AZ-5B236-A PLATE (2) REQ'D. 373403-S8 (MM-173-J) NUT-HEX 3/8-16 (4) REQ'D. 39909-S7 (U-269-D) BOLT-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO CROSS MEMBER & TO MUFFLERS		
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	C5AZ-5255-S	C5AZ-5255-T
5	BRACKET & INSULATOR ASSY.	C5AZ-5260-E	C3DZ-5260-B
	39885-S8 (U-263-E) BOLT-HEX HD. 3/8-16 x 1/2 (2) REQ'D. ATT. BRKT. TO FRAME		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	L.H.	R.H.
2	MUFFLER	*C5AZ-5230-H	*C5AZ-5230-G
3	OUTLET PIPE	*C5AZ-5255-J	*C5AZ-5255-H


E-F-80

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1965 FORD—8 CYL 352-4B & 390-4B STATION WAGON

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)






	ITEM	L.H.	R.H.
1	INLET PIPE	C5AZ-5246-E	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH	C7AZ-5230-AH
4	BRACKET & INSULATOR ASSY.	C3OZ-5260-A	C3OZ-5260-A
	C5AZ-5B236-A PLATE (2) REQ'D. 373403-S8 (MM-173-J) NUT-HEX 3/8-16 (4) REQ'D. 39909-S7 (U-269-D) BOLT-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLERS & TO CROSS MEMBER		
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE (FRONT)	C5AZ-5255-R	C5AZ-5255-U
C	CLAMP ▲	C5AZ-5A231-A	D1AZ-5A231-C
3A	OUTLET PIPE (REAR)	C5AZ-5255-M	C5AZ-5255-F
5	BRACKET & INSULATOR ASSY.	C5AZ-5260-E	C3DZ-5260-B
	39885-S8 (U-263-E) BOLT-HEX HD. 3/8-16 x 1/2 (2) REQ'D. ATT. BRKT. TO FRAME		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
E	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3B	EXTENSION	C5AZ-5255-N	C5AZ-5255-N

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★C5AZ-5230-H	★C5AZ-5230-G
3	OUTLET PIPE (FRONT)	★C5AZ-5255-K	★C5AZ-5255-L


E-F-81

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 FORD—8 CYL 390-4B SEDAN, HARDTOP & CONVERTIBLE (POLICE CAR ONLY) (BEFORE 4-15-65) (U.S. ONLY)

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	L.H.	R.H.
1	INLET PIPE	C5AZ-5246-E	
A	CLAMP	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230 -AH	C7AZ-5230 -AH
4	BRACKET & INSULATOR ASSY.	C3OZ-5260-A	C3OZ-5260-A
	C5AZ-5B236-A PLATE (2) REQ'D. 373403-S8 (MM-173-J) NUT-HEX 3/8-16 (4) REQ'D. 39909-S7 (U-269-D) BOLT-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO CROSS MEMBER & TO MUFFLERS		
B	CLAMP	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	C5AZ-5255-S	C5AZ-5255-T
5	BRACKET & INSULATOR ASSY.	C5AZ-5260-D	C5AZ-5260-A
	39885-S8 (U-263-E) BOLT-HEX HD. 3/8-16 x 1/2 (2) REQ'D. ATT. BRKT. TO FRAME		
C	CLAMP	D1AZ-5A231-C	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.


ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★C5AZ-5230-H	★C5AZ-5230-G
3	OUTLET PIPE	★C5AZ-5255-J	★C5AZ-5255-H

E-F-82

1965 FORD—8 CYL 390-4B (FROM 4-15-65) SEDAN, HARDTOP, & CONVERTIBLE (POLICE CAR ONLY) (U.S. ONLY)




	ITEM	L.H.	R.H.
1	INLET PIPE	C5AZ-5246-E	
A	CLAMP	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	★C5AZ-5230-N	★C5AZ-5230-M
3	BRACKET & INSULATOR ASSY.	C3OZ-5260-A	C3OZ-5260-A
	C5AZ-5B236-A PLATE (2) REQ'D. 373403-S (MM-173-J) NUT-HEX 3/8-16 (4) REQ'D. 39909-S (U-269-D) BOLT-HEX HD. 5/16-18 x3/4 (4) REQ'D. ATT. BRKT. TO CROSS MEMBER & TO MUFFLERS		
B	CLAMP	D1AZ-5A231-A	D1AZ-5A231-A
4	BRACKET & INSULATOR ASSY.	C5AZ-5260-D (BEFORE 6-3-65)	C5AZ-5260-A (BEFORE 6-3-65)
		C3DZ-5260-B (FROM 6-3-65)	C3DZ-5260-B (FROM 6-3-65)
	39885-S (U-263-E) BOLT-HEX HD. 3/8-16 x 1/2 (2) REQ'D. ATT. BRKT. TO FRAME		

E-F-83

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 FORD—8 CYL 427-8B SEDAN, HARDTOP, & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	★ C6AZ-5246-H	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH	C7AZ-5230-AH
4	BRACKET & INSULATOR ASSY.	C3OZ-5260-A	C3OZ-5260-A
	C5AZ-5B236-A PLATE (2) REQ'D. 373403-S8 (MM-173-J) NUT-HEX 3/8-16 (4) REQ'D. 39909-S7 (U-269-D) BOLT-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO CROSS MEMBER & TO MUFFLERS		
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	C5AZ-5255-S	C5AZ-5255-T
5	BRACKET & INSULATOR ASSY.	C5AZ-5260-D	C5AZ-5260-A
	39885-S8 (U-263-E) BOLT-HEX HD. 3/8-16 x 1/2 (2) REQ'D. ATT. BRKT. TO FRAME		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	L.H.	R.H.
2	MUFFLER	★C5AZ-5230-H	★C5AZ-5230-G
3	OUTLET PIPE	★C5AZ-5255-J	★C5AZ-5255-H

E-F-84

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1965 FAIRLANE—6 CYL. 200-1B SEDAN, HARDTOP & CONVERTIBLE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
A	CLAMP #	A9AA-5A231-A
3	BRACKET	C3OZ-5291-A
	20348-S8 (B-77) BOLT-HEX HD. 3/8-16 x 3/4 ATT. BRKT. & WASHER TO BLOCK 34807-S8 (X-66) WASHER-LOCK 1/2-3/8 OD ATT. BRKT. TO BLOCK	
1	INLET PIPE	C4OZ-5246-B A/T C4OZ-5246-A M/T
B	CLAMP #	A9AA-5A231-A
1A	INTERMED. PIPE	C5OZ-5A212-A
C	CLAMP #	A9AA-5A231-A
4	BRACKET & INSULATOR ASSY.	C3OZ-5A246-C
	20347-S8 (B-156) BOLT-HEX HD. 5/16-24 x 3/4 ATT. BRKT. TO FLOOR PAN	
D	CLAMP #	A9AA-5A231-A
2	MUFFLER	C2OZ-5230-J
5	BRACKET	C3OZ-5260-A
	20347-S8 (B-156) BOLT-HEX HD. 5/16-24 x 3/4 ATT. BRKT. TO SIDE RAIL	
E	CLAMP #	A9AA-5A231-A

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	*C4OZ-5230-B


E-C-55

Use A9AA 5A231-A in U.S. only; use C000 5253-C in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 FAIRLANE—6 CYL. 200-1B STATION WAGON

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
A	CLAMP ▲	A9AA-5A231-B
3	BRACKET	C3DZ-5291-A
	20348-S8 (B-77) BOLT - HEX HD. 3/8-16 x 3/4 ATT. BRKT. & WASHER TO BLOCK 34807-S8 (X-66) WASHER-LOCK 1/2-3/8 O.D. (ATT. BRKT. TO BLOCK)	
1	INLET PIPE	C4OZ-5246-D A.T C4OZ-5246-C M.T
B	CLAMP #	A9AA-5A231-A
1A	INTERMED. PIPE	C4OZ-5A212-B
C	CLAMP #	A9AA-5A231-A
4	BRACKET & HANGER ASSY.	C3OZ-5260-A
	20347-S8 (B-156) BOLT-HEX HD. 5/16-24 x 3/4 (2) REQ'D. (ATT. BRKT. TO FLOOR PAN)	
D	CLAMP #	A9AA-5A231-A
2	MUFFLER	C2OZ-5230-J
5	BRACKET & HANGER ASSY.	C3OZ-5260-A
	20347-S8 (B-156) BOLT-HEX HD. 5/16-24 x 3/4 (4) REQ'D. (ATT. BRKT. TO FRAME & MUFFLER)	

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	*C5OZ-5230-A


E-C-57

Use A9AA 5A231-A in U.S. only; use C000 5253-C in Canada

▲ Use A9AA 5A231-B in U.S. only; use C000 5253-E in Canada


1965 FAIRLANE---8 CYL. 289-2B SEDAN, HARDTOP & CONVERTIBLE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C5OZ-5246-A
A	CLAMP ▲	A9AA-5A231-B
1A	INTERMED. PIPE	C4OZ-5A212-C
3	BRACKET & INSULATOR ASSY.	C3OZ-5A246-C
	20347-S8 (B-156) BOLT - HEX HD. 5/16-24 x 3/4 (2) REQ'D. ATT. BRKT. TO FLOOR PAN	
B	CLAMP ▲	A9AA-5A231-B
C	CLAMP ▲	A9AA-5A231-B
2	MUFFLER	C2OZ-5230-J
4	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
	20347-S8 (B-156) BOLT - HEX HD. 5/16-24 x 3/4 (4) REQ'D. ATT. BRKT. TO FRAME	

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	*C4OZ-5230-C


E-C-56

▲ Use A9AA 5A231-B in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN


1965 FAIRLANE—8 CYL. 289-2B STATION WAGON

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C5OZ-5246-C
A	CLAMP ▲	A9AA-5A231-B
1A	INTERMED. PIPE	C4OZ-5A212-D
B	CLAMP ▲	A9AA-5A231-B
3	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
	20347-S8 (B-156) BOLT - HEX HD. 5/16-24 x 3/4 (2) REQ'D. ATT. BRKT. TO FLOOR PAN	
C	CLAMP ▲	A9AA-5A231-B
2	MUFFLER	C2OZ-5230-J
4	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
	20347-S8 (B-156) BOLT - HEX HD. 5/16-24 x 3/4 (2) REQ'D. ATT. TO FRAME	

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)





	ITEM	PART NUMBER
2	MUFFLER	★C5OZ-5230-B

E-C-58

▲ Use A9AA 5A231-B in U.S. Only; use C000 5253-E in Canada

1965 FAIRLANE—8 CYL. 289-4B HIGH PERFORMANCE






	ITEM	L.H.	R.H.
1	INLET PIPE	C5OZ-5246-B	
A	CLAMP ▲	A9AA-5A231-B	A9AA-5A231-B
2	MUFFLER	C4OZ-5230-G	C4OZ-5230-F
B	CLAMP ▲	A9AA-5A231-B	A9AA-5A231-B
3	BRACKET & HANGER ASSY.	C4OZ-5A246-C	C4OZ-5A246-C
	40923-S8 (U-264) SCREW -HEX HD. 5/16-18 x 1/2) (2) REQ'D. 51765-S8 (U-370) SCREW PAN HD. #10-24 x 1/2 (2) REQ'D. 34394-S7-8 (M-93-A) NUT LOCK 3/8-16 ATT. BRKT. TO FLOOR PAN		
C	CLAMP ▲	A9AA-5A231-B	A9AA-5A231-B
4	BRACKET & HANGER ASSY.	C3OZ-5260-A	C3OZ-5260-A
	45550-S7-8 (B-116) BOLT-HEX HD. 7/16-14 x 3-1/2 (2) REQ'D. R.H. 375355-S8 (BB-405-G) BOLT-HEX HD. 1/2-13 x 3-51/64 (2) REQ'D. L.H. 34809-S8 (X-68) WASHER-LOCK 1/2 x 7/8 O.D. (4) REQ'D. -ATT. BRKT. TO FRAME		

E-C-59

▲ Use A9AA 5A231-B in U.S. Only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 FAIRLANE—8 CYL. 289-4B PREMIUM FUEL




	ITEM	L.H.	R.H.
1	INLET PIPE	C5OZ-5246-D	
A	CLAMP ▲	A9AA-5A231-B	A9AA-5A231-B
2	MUFFLER	C5OZ-5230-C	C5OZ-5230-D
B	CLAMP ▲	A9AA-5A231-B	A9AA-5A231-B
4	BRACKET & INSULATOR ASSY.	C3OZ-5260-A	C3OZ-5260-A
	20366-S8 (B-52) BOLT - HEX HD. 5/16-18 x 7/8 (2) REQ'D. ATT. BRKT. TO FLOOR PAN		
C	CLAMP ▲	A9AA-5A231-B	A9AA-5A231-B
3	RESONATOR	C5OZ-5A289-A	C5OZ-5A289-A
5	BRACKET & INSULATOR ASSY.	C3AZ-5260-C	C3AZ-5260-C
	45550-S7-S8 (B-116) BOLT - HEX HD. 7/16-14 x 3-1/2 (2) REQ'D. 44730-S8 (X-26) WASHER - FLAT 7/16 x 1-1/8 O.D. (2) REQ'D. ATT. BRKT. TO SIDE RAIL 40923-S8 (U-264) SCREW-HEX HD. 5/16-18 x 1/2 (4) REQ'D. ATT. BRKT. TO MUFFLER		

E-C-60

▲ Use A9AA 5A231-B in U.S. Only; use C000 5253-E in Canada

1965 MUSTANG—6 CYL. 170-1B & 200-1B

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
4	BRACKET	C3DZ-5291-A
	20348-S8 (B-77) BOLT-HEX HD. 3/8-16 x 3/4 ATT BRACKET TO PANEL 34807-S8 (X-66) WASHER-LOCK 3/8	
A	CLAMP #	A9AA-5A231-A
1	INLET PIPE	C5ZZ-5246-D
5	BRACKET & INSULATOR ASSY.	* C5ZZ-5A246-C (BEFORE 8-20-64) C3OZ-5260-A (FROM 8-20-64)
	39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO UNDERBODY	
B	CLAMP ▲	A9AA-5A231-B
2	MUFFLER KIT	C5ZZ-5230-V
6	BRACKET & INSULATOR ASSY.	C5ZZ-5A246-A
	40182-S (U-269) SCREW - HEX HD. 5/16-18 x 7/8 (4) REQ'D. ATT. BRKT. TO MUFFLER & BODY	

	ITEM	PART NUMBER
C	CLAMP ▲	A9AA-5A231-B
3	OUTLET PIPE	C5ZZ-5255-G

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
A	CLAMP #	A9AA-5A231-A
2	MUFFLER	*C5ZZ-5230-T

E-A-22


Use A9AA-5A231-A in U.S. only; use C000-5253-C in Canada

▲ Use A9AA-5A231-B in U.S. only; use C000-5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 MUSTANG—8 CYL. 289-4B PREMIUM FUEL & 8 CYL. 260-2B, 289-2B REGULAR FUEL


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C5ZZ-5246 B C5ZZ-5246-F (289 PREM. FUEL ONLY)
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	C5ZZ-5A212-G
4	BRACKET & INSULATOR ASSY.	★C5ZZ-5A246-C (BEFORE 8-20-64) C3OZ-5260-A (FROM 8-20-64)
	39909-S7 (U-269-D) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO UNDERBODY	
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C5ZZ 5230-V
5	BRACKET & INSULATOR ASSY.	C5ZZ-5A246-A
	40182-S (U-269) SCREW-HEX HD. 5/16-18 x 7/8 (4) REQ'D. ATT. BRKT. TO MUFFLER & BODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	C5ZZ 5255-G

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	★C5ZZ-5230-D

E-A-21

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1965 MUSTANG—8 CYL. 289-4B GT & 289-4B SPECIAL (FROM 10-15-64)
INCLUDES SHELBY GT 350 & MODELS W/DUAL EXHAUST KIT - ✱



C6AZ-9450-D GASKET (EXC. SHELBY)
★ S1MS-5260-A3A HEADER-TO-FLG. GASKET (SHELBY GT 350)
★ S1MS-5260-A1A HEADER-TO-ENG. GASKET (SHELBY GT 350) (2) REQ'D.
★S1MS-5260-A2A HEADER-TO-ENG. BOLT (SHELBY GT 350)
R/B 56138-S4 (B319V) (16) REQ'D.


	ITEM	L.H.	R.H.
1	INLET PIPE	C5ZZ-5246-J (GT) C5ZZ-5246-K (SPECIAL) ★S2MS-5246-A (SHELBY GT 350)	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C6ZZ-5230-F (EXC. DUAL KIT) C5ZZ-5230-U✱ (DUAL KIT)	C6ZZ-5230-E (EXC. DUAL KIT) C5ZZ-5230-U✱ (DUAL KIT)
4	BRACKET & INSULATOR ASSY.	C3OZ-5260-A	C3OZ-5260-A
	C1VV-5B236-C PLATE ASSY. (2) REQ'D. (BEFORE 3-30-65) 51765-S8 (U-370) SCREW-PAN HD.#10-24 x 1/2 (2) REQ'D. ATT. PLATE TO FLOOR PAN 373403-S8 (MM-173-J) NUT-HEX 3/8-16 (4) REQ'D. ATT. BRKT. TO MUFFLER C1VV-5B236-C PLATE ASSY. (2) REQ'D. (FROM 3-30-65) 51765-S8 (U-370) SCREW-HEX HD.#10-24 x 1/2 (2) REQ'D. ATT. PLATE TO FLOOR PAN 373403-S8 (MM-173-J) NUT-HEX 3/8-16 (4) REQ'D. ATT. BRKT. TO PLATE 351945-S2(UU-52-J)SCREW-HEX HD.5/16-18 x 1-1/2 (4) REQ'D. ATT. BRKT. TO MUFFLER		
B	CLAMP	C5ZZ-5A231-B	C5ZZ-5A231-B
	PIPE MOULDING	C5ZZ-5C299-A (GT or PERF. IMAGE)	C5ZZ-5C299-A
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-A (Before 3/22/65) C5ZZ-5277-A (From 3/22/65) C5ZZ-5260-F (From 3/22/65) C5ZZ-5277-A (From 3/22/65)	C3DZ-5260-A (Before 3/22/65) C5ZZ-5277-B (From 3/22/65) C5ZZ-5260-F (From 3/22/65) C5ZZ-5277-B (From 3/22/65)
	23575-S8 (B-13) BOLT-HEX HD. 3/8-16 x 3 (4 REQ'D) ATT BRKT 5277 TO UNDERBODY 40182-S(U269) SCREW-HEX HD.5/16-18 x 7/8 (2 REQ'D) ATT 5260 TO 5277 373403-S8 (MM-173-J) NUT-HEX 3/8-16-16 (4 REQ'D) ATT BRKT TO UNDERBODY		
C	CLAMP	C5ZZ-5A231-A	C5ZZ-5A231-A
3	PIPE EXTENSION	C5ZZ-5255-F (SPECIAL) C5ZZ-5255-D (GT or PERF. IMAGE)	C5ZZ-5255-F (SPECIAL) C5ZZ-5255-C

✱ - MUFFLER ONLY - OTHER PARTS OF 5210 KIT NOT SERVICED
E-A-27

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 MUSTANG-8 CYL. 289-4B SPECIAL (BEFORE 10-15-64)-TRANSVERSE MUFFLER (INCLUDES SHELBY GT-350)




	ITEM	L.H.	R.H.
1	INLET PIPE	C5ZZ-5246-K (EXC. SHELBY) ★S2MS-5246-A (SHELBY GT-350)	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
1A	INTERMED. PIPE	★C5ZZ-5A213-B	★C5ZZ-5A212-E
4	BRACKET & INSULATOR ASSY.	C3OZ-5260-A	C3OZ-5260-A
	C1VV-5B236-C PLATE ASSY. (2) REQ'D. 51765-S8 (U-370) SCREW-PAN HD. #10-24 x 1/2 (2) REQ'D. ATT. PLATE TO FLOOR PAN 373403-S8 (MM-173-J) NUT-HEX 3/8-16 (4) REQ'D. ATT. BRKT. TO PLATE 351945-S (UU-52-J) SCREW-HEX HD. 5/16-18 x 1 1/2 (4) REQ'D. ATT. BRKT. TO MUFFLER		
2	MUFFLER	★C5ZZ-5230-C	
B	CLAMP ▲	D1AZ-5A231-C	
3	OUTLET PIPE	C5ZZ-5255-A	ATTACHED TO MUFFLER
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-A	C3DZ-5260-A
	351945-S (UU-52-J) SCREW-HEX HD. 5/16-18 x 1 1/2 (4) REQ'D. ATT. BRKT. TO UNDERBODY & MUFFLER		
C	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A

E-A-28

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada
♦ Use D1AZ-5A231-A in U.S. only; use C000-5253-F in Canada

1965 MUSTANG—8 CYL. 289-4B SPECIAL (BEFORE 10-15-64)—INLINE MUFFLER




	ITEM	L.H.	R.H.
1	INLET PIPE	C5ZZ-5246-J	
A	CLAMP	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C5ZZ-5230-S	C5ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C3OZ-5260-A	C3OZ-5260-A
	C1VV-5B236-C PLATE ASSY. (2) REQ'D. ★51766-S8 SCREW - HEX HD. (2) REQ'D. ATT. PLATE TO FLOOR PAN 373403-S8 (MM-173-J) NUT 3/8-16 (4) REQ'D. ATT. BRKT. FOR FLOOR		
B	CLAMP	D1AZ-5A231-C	D1AZ-5A231-C
3	RESONATOR	C5ZZ-5A289-A	C5ZZ-5A289-B
5	BRACKET & INSULATOR ASSY.	C5ZZ-5277-A C5ZZ-5260-F C5ZZ-5266-B	C5ZZ-5277-B C5ZZ-5260-F C5ZZ-5266-B
C	CLAMP	D1AZ-5A231-C	D1AZ-5A231-C
	39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO UNDERBODY		

E-A-45

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 THUNDERBIRD—8 CYL. 390-4B ALL MODELS



	ITEM	L.H.	R.H.
1	INLET PIPE	C5SZ-5246-A	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
1A	RESONATOR	C4SZ-5A212-A	C4SZ-5A212-A
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
1B	CONNECTOR	C4SZ-5B286-A	C4SZ-5B286-A
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	BRACKET-FRAME	C4SZ-5277-A	C4SZ-5277-A
	40182-S (U-269) SCREW-HEX HD. 5/16-18 x 7/8 4) REQ'D. ATT. BRKT. TO FRAME		
4	INSULATOR ASSY.	C4SZ-5260-C	C4SZ-5260-C
	20348-S8 (B-77) BOLT-HEX HD.3/8 16 x 3/4 373403-S8 (MM-173-J) NUT-LOCK 3/8-16 (4) REQ'D ATT. INSULATOR TO BRKT. 5277		
5	KIT - PIPE ATTACHING	C4SZ-5A246-A	C4SZ-5A246-A
	CONSISTS OF: C4SA-5A206-C BRACKET 374351-S8 BOLT-HEX HD. 3/8-16 x 3-3/4 373403-S8 (MM-173-J) NUT-LOCK 3/8-16 C4DA-5A272-C CLAMP 378836-S7-8 (UU-39-J) SCREW-HEX HD. #20-9 x 1-1, 2		


	ITEM	L.H.	R.H.
2	MUFFLER	C4SZ-5230-B	C4SZ-5230-A
6	BRACKET - ARM	C5SZ-5A235-A	C5SZ-5A235-A
	20348-S8 (B-77) BOLT-HEX HD. 3 8-16 x 3 4 (4) REQ'D 373403-S8 (MM-173-J) NUT-LOCK 3/8-16 (4) REQ'D. ATT. BRKT. TO ARM 17796-5		
7	INSULATOR ASSY.	C4SZ-5260-C	C4SZ-5260-C
	C1VY-5B236-C PLATE ASSY. (2) REQ'D. 373403-S8 (MM-173-J) NUT-LOCK 3/8-16 (4) REQ'D. ATT. INSULATOR TO BRKT. 5277		
8	KIT - PIPE ATTACHING	C4SZ-5260-E	C4SZ-5260-E
	CONSISTS OF: C4SA-5271-B BRACKET 374351-S8 BOLT-HEX HD. 3/8-16 x 3-3/4 373403-S8 (MM-173-J) NUT-LOCK 3/8-16 C4SA-5B201-A CLAMP 23410-S8 (B-9) BOLT-CARRIAGE 3/8-16 x 1 373403-S8 (MM-173-J) NUT-LOCK 3/8-16		

E-H-1

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1965 FALCON—6 CYL. 170-1B & 200-1B SEDAN, HARDTOP & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
4	BRACKET	C3DZ-5291-A
	20348-S8 (B-77) BOLT-HEX HD.-3/8-16 x 3/4 ATT. BRKT. TO PANEL 34807-S8 (X-66) WASHER-LOCK 3/8	
A	CLAMP #	A9AA-5A231-A
1	INLET PIPE	C5DZ-5246-E (SEDAN & H/T) C5DZ-5246-F (CONVERTIBLE)
5	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
	40936-S8 (U-265) SCREW-HEX HD. 5/16-18 x 5/8 (2) REQ'D. ATT. BRKT. TO FRAME	
B	CLAMP #	A9AA-5A231-A
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C5DZ-5230-E
D	CLAMP ▲	D1AZ-5A231-C
6	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
	40936-S8 (U-265) SCREW-HEX HD. 5/16-18 x 5/8 (2) REQ'D. ATT. BRKT. TO FRAME	
E	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	C5DZ-5255-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	★C5DZ-5230-B


E-E-1

Use A9AA-5A231-A in U.S. only; use C000-5253-C in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 FALCON—6 CYL. 170-1B & 200-1B STATION WAGON, RANCHERO & SEDAN DELIVERY

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
4	BRACKET	C3DZ-5291-A
	20348-S8 (B-77) BOLT-HEX HD. 3/8-16 x 3/4 ATT. BRKT. TO PANEL 34807-S8 (X-66) WASHER-LOCK 3/8	
A	CLAMP #	A9AA-5A231-A
1	INLET PIPE	C5DZ-5246-D
B	CLAMP #	A9AA-5A231-A
2	MUFFLER	C0DZ-5230-A
5	BRACKET & INSULATOR ASSY.	C5GY-5A246-D
	20348-S8 (B-77) BOLT-HEX HD. 3/8-16 x 3/4 (4) REQ'D. C5GY-5A272-A CLAMP ★380059-S BOLT-HEX HD. 1/4-20 x 3 44719-S8 (X-17) WASHER - LOCK 33795-S7 (M-49) NUT-HEX 1/4-20	
C	CLAMP #	A9AA-5A231-A
3	OUTLET PIPE	C5DZ-5255-A

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	★C4GY-5230-C

E-E-3

Use A9AA-5A231-A in U.S. only; use C000-5253-C in Canada

1965 FALCON—8 CYL 289-2B & 4B SEDAN, HARDTOP & CONVERTIBLE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	C5DZ-5246-A
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	C5DZ-5A212-D (SEDAN & H/T) C5DZ-5A212-E (CONVERTIBLE)
5	BRACKET & INSULATOR ASSY.	★C5DZ-5A246-B
B	CLAMP ▲	D1AZ-5A231-C
6	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
	39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C
D	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C5DZ-5230-E
E	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	C5DZ-5255-C

	ITEM	PART NUMBER
7	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
	40936-S8 (U-265) SCREW - HEX HD. 5/16-18 x 5/8 (2) REQ'D. ATT. BRKT. TO FRAME	
F	CLAMP ▲	COAZ-5A231-A

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★C5DZ-5230-A

E-E-5

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 FALCON—8CYL 289-2B & 4B
STATION WAGON, RANCHERO & SEDAN DELIVERY
CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C5DZ-5246-A
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	C5DZ-5A212-C
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C5DZ-5230-E
4	BRACKET & INSULATOR ASSY.	C5GY-5A246-D
	20348-S8 (B-77) BOLT-HEX HD. 3/8-16 x 3/4 (4) REQ'D. C5GY-5A272-A CLAMP ★380059-S BOLT-HEX HD. 1/4-20 x 3 44719-S8 (X-17) WASHER-LOCK 33795-S7 (M-49) NUT-HEX 1/4-20	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	C5DZ-5255-B

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C4GY-5230-E

E-E-4

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

EXHAUST PARTS MODEL INDEX

How to use this index -

1. Find the car model desired.
2. Find the line which lists the engine displacement needed.
3. Select the correct page, and turn to that page.

Explanation of picture - text catalog sheets -

In sections 52.65 through 52.72, the complete present service system is shown at the top of the page, with an illustration and a complete bill of materials. If a second illustration appears below, that is the service system before simplification. In the lower system (before simplification), parts which are changed are shown by dotted lines, and the part numbers are shown in the table. Parts shown in black are parts which are unchanged and shown above in the upper illustration.

For stamped number cross-reference information and for size information, refer to Section 52, page 1.

1966

CYL.	C.I.D.	MODEL	TYPE▲	SECTION	PAGE	ILLUS. NO. ♦
		A (FORD)				
6	240-1B	Exc.71	S	52.66	2	EF 52
		71	S	52.66	3	EF 53
8	289-2B	Exc.71	S	52.66	4	EF 56
		71	S	52.66	5	EF 58
	352-4B	Exc.71 -w/o T/E	D	52.66	6	EF 62
		-w/T/E (U.S. only)	D	52.66	7	EF 61
		71 -w/or w/o T/E	S	52.66	8	EF 72
	390-2B	Exc.71	S	52.66	9	EF 71
		71	S	52.66	8	EF 72
	390-4B	Exc.71	D	52.66	10	EF 60
		71	S	52.66	8	EF 72
	427-4B	(U.S. only) w/o T/E	D	52.66	11	EF 70
		(Canada only) w/o T/E	D	52.66	12	EF 68
	427-8B	(U.S. only) w/T/E	D	52.66	11	EF 70
	428-4B	Exc.71, P/C, 7 litre	D	52.66	10	EF 60
		P/C-exc. 71	D	52.66	13	EF 66
		71	D	52.66	8	EF 72
		7 litre	D	52.66	12	EF 68
		B (FAIRLANE)				
6	200-1B	Exc.71	S	52.66	14	EC 50
		71	S	52.66	15	EC 53
8	289-2B	Exc.71	S	52.66	16	EC 51
			S	52.66	17	EC 52
		71	S	52.66	18	EC 54
	390-2B	Exc.71,76	S	52.66	19	EC 62
		71	S	52.66	20	EC 61
		76	D	52.66	21	EC 63
	390-4B	Exc.71	D	52.66	21	EC 63
		71	S	52.66	20	EC 61


CYL.	C.I.D.	MODEL	TYPE▲	SECTION	PAGE	ILLUS. NO. ♦
		F (MUSTANG) - INCLUDES SHELBY				
6	200-1B		S	52.66	22	EA 23
8	289-2B		S	52.66	23	EA 24
		With dual exhaust kit	D	52.66	24	EA 25
					26	EA 26
					25	EA 29
	289-4B	Premium fuel	S	52.66	23	EA 24
		Prem.fuel (exc.GT, Perf. Image Option, Special) - with std. pipe extensions	D	52.66	25	EA 29
		Prem.fuel (GT or Perf.Image Option) - with exhaust port extensions	D	52.66	24	EA 25
		Special	D	52.66	26	EA 26
		Shelby GT350	D	52.66	26	EA 26
		S (THUNDERBIRD)				
8	390-4B		D	52.66	27	EH 2
	428-4B		D	52.66	27	EH 2
		U (BRONCO)				
6	170-1B		S	52.66	28	EN 1
8	289-2B		S	52.66	29	EN 2
		X (FALCON)				
6	170-1B	54,62	S	52.66	30	EE 7
	200-1B	54,62	S	52.66	30	EE 7
	200-1B	66,71-w/o T/E	S	52.66	31	EE 8
		-w/T/E (U.S. only)	S	52.66	32	EE 10
8	289	54,62	S	52.66	33	EE 15
		66,71	S	52.66	34	EE 17

♦ For control purposes only ▲ S - Single D - Dual

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

1966 FORD—6 CYL. 240-1B SEDAN, HARDTOP & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NO.
1	INLET PIPE	C6AZ-5246-J
4	BRACKET & INSULATOR ASSY.	★C6AZ-5A246-A
	20346-S8 (B-50) BOLT - HEX HD. 5/16-18 x 3/4 (2) REQ'D. 34392-S7-8 (M-93) NUT - LOCK 5/16-18 (2) REQ'D. ATT. 5246 THRU 5A246 TO CROSS MEMBER	
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH
B	CLAMP ▲	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	C5AZ-5B236-A PLATE ASSY. 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (2) REQ'D. ATT. 5260 TO SUPPORT	
3	OUTLET PIPE	C5AZ-5255-T
6	BRACKET & INSULATOR ASSY.	C6AZ-5260-K
	39885-S7-8 (U-263-E) SCREW - HEX HD. 3/8-16 x 1/2 (2) REQ'D. ATT. 5260 TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	★C6AZ-5230-M
3	OUTLET PIPE	★C6AZ-5255-N (w/o T/E)
		★C6AZ-5255-R (w/T/E)

E-F-52

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1966 FORD—6 CYL. 240-1B STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C6AZ-5246-J
4	BRACKET & INSULATOR ASSY.	★C6AZ-5A246-A
	20346-S8 (B-50) BOLT - HEX HD. 5/16-18 x 3/4 (2) REQ'D. 34392-S7-8 (M-93) NUT - LOCK 5/16-18 (2) REQ'D. ATT. 5246 THRU 5A246 TO CROSS MEMBER	
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH
B	CLAMP ▲	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	C5AZ-5B236-A PLATE ASSY. 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (2) REQ'D. ATT. 5260 TO SUPPORT	
3	OUTLET PIPE	C6AZ-5255-U
6	BRACKET & INSULATOR ASSY.	C6AZ-5260-F
	20346-S8 (B-50) BOLT - HEX HD. 5/16-18 x 3/4 (2) REQ'D. 33800-S8 (M-63) NUT - LOCK 5/16-18 (2) REQ'D. ATT. 5260 TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C
7	BRACKET	C8AZ-5266-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C6AZ-5230-M
3	OUTLET PIPE	★C6AZ-5255-S (w/o T/E)
		★C6AZ-5255-T (w/T/E)


E-F-53

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

1966 FORD—8 CYL. 289-2B SEDAN, HARDTOP, & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C6AZ-5246-B (W/T/E) C6AZ-5246-C (W/O T/E)
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	C5AZ-5B236-A PLATE ASSY. 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO SUPPORT	
3	OUTLET PIPE	C5AZ-5255-T
5	BRACKET & INSULATOR ASSY.	C6AZ-5260-K
	39885-S7-8 (U-263-E) SCREW - HEX HD. 3/8-16 x 1/2 (2) REQ'D. ATT. 5260 TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★ C6AZ-5230-N
3	OUTLET PIPE	★ C6AZ-5255-R (W/T/E) ★ C6AZ-5255-N (W/OT/E)

E-F-56

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1966 FORD—8 CYL. 289-2B STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C6AZ-5246-C (W/O T/E) C6AZ-5246-B) (WITH T/E)
4	BRACKET & INSULATOR ASSY.	★C6AZ-5A246-A
	20346-S8 (B-50) BOLT - HEX HD. 5/16-18 x 3/4 (2) REQ'D. 34392-S7-8 (M-93) NUT - LOCK 5/16-18 (2) REQ'D. ATT. 5246 THRU 5A246 TO #3 CROSS MEMBER	
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH
B	CLAMP ▲	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
	C5AZ-5B236-A PLATE ASSY. 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (2) REQ'D. ATT. 5260 TO SUPPORT 40182-S (U-269) SCREW - HEX HD. 5/16-18 x 7/8 (2) REQ'D. ATT. 5260 TO MUFFLER	
3	OUTLET PIPE	C6AZ-5255-U
6	BRACKET & INSULATOR ASSY.	C6AZ-5260-F
	20346-S8 (B-50) BOLT - HEX HD. 5/16-18 x 3/4 (2) REQ'D. 34392-S7-8 (M-93) NUT - LOCK 5/16-18 (2) REQ'D. ATT. 5260 TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C
7	BRACKET	C8AZ-5266-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	★C6AZ-5230-R
3	OUTLET PIPE	★C6AZ-5255-A


E-F-58

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 FORD—8 CYL. 352-4B (W/O T/E) SEDAN, HARDTOP & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
△4	BRACKET	★C6AZ-5A246-B	★C6AZ-5A246-A
1	INLET PIPE	C5AZ-5246-E	
Ⓐ	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH	C7AZ-5230-AH
Ⓑ	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
△5	BRACKET & INSULATOR ASSY.	C6AZ-5260-E	C3OZ-5260-A
	C5AZ-5B236-A PLATE ASSY. (2) REQ'D. 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. ATT. 5260 TO FRAME 39909-S7 (U-269-D) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. 5260 TO MUFFLER		
3	OUTLET PIPE	C5AZ-5255-S	C5AZ-5255-T
△6	BRACKET & INSULATOR ASSY.	C5AZ-5260-D	C6AZ-5260-K
	39885-S7-8 (U-263-E) SCREW - HEX HD. 3/8-16 x 1/2 (4) REQ'D. ATT. 5260 TO FRAME		
Ⓒ	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	L.H.	R.H.
2	MUFFLER	★C6AZ-5230-AA	★C6AZ-5230-AC
3	OUTLET PIPE	★C6AZ-5255-G	★C6AZ-5255-J

E-F-62

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1966 FORD—8 CYL. 352-4B (W/T/E) SEDAN, HARDTOP & CONVERTIBLE (U.S. ONLY)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
4	BRACKET	★C6AZ-5A246-B	★C6AZ-5A246-A
1	INLET PIPE	C6AZ-5246-G	
A	CLAMP	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH	C7AZ-5230-AH
B	CLAMP	D1AZ-5A231-C	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C6AZ-5260-E	C3OZ-5260-A
	C5AZ-5B236-A PLATE ASSY. (2) REQ'D. 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. ATT. 5260 TO FRAME 39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. 5260 TO MUFFLER		
3	OUTLET PIPE	C5AZ-5255-S	C5AZ-5255-T
6	BRACKET & INSULATOR ASSY.	C5AZ-5260-D	C6AZ-5260-K
	39885-S7-8 (U-263-E) SCREW - HEX HD. 3/8-16 x 1/2 (4) REQ'D. ATT. 5260 TO FRAME		
C	CLAMP	D1AZ-5A231-C	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	L.H.	R.H.
2	MUFFLER	★C6AZ-5230-AA	★C6AZ-5230-AB
3	OUTLET PIPE	★C6AZ-5255-G	★C6AZ-5255-K

E-F-61

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 FORD—8 CYL. 352-4B, 390-2B, 390-4B & 428-4B STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
△4	HANGER & SUPPORT BRKT.	★C6AZ-5A246-A
	20346-S8 (B-50) BOLT - HEX HD. 5/16-18 x 3/4 (2) REQ'D. 34392-S7-8 (M-93) NUT - LOCK 5/16-18 (2) REQ'D. ATT. 5A246 TO FRAME	
1	INLET PIPE	C6AZ-5246-E
Ⓐ	CLAMP	♦D1AZ-5A231-A
2	MUFFLER	C7AZ-5230-AJ
Ⓑ	CLAMP	▲D1AZ-5A231-C
△5	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
	C5AZ-5B236-A PLATE ASSY. 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (2) REQ'D. ATT. 5260 TO FRAME 39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. 5260 TO MUFFLER	
3	OUTLET PIPE	C6AZ-5255-U
△6	BRACKET & INSULATOR ASSY.	C6AZ-5260-F
	C8AZ-5266-C BRKT.-MUFFLER OUTLET PIPE CLAMP 20346-S8 (B-50) BOLT - HEX HD. 5/16-18 x 3/4 (2) REQ'D. 34392-S7-8 (M-93) NUT - LOCK 5/16-18 (2) REQ'D. ATT. 5260 TO FRAME	
Ⓒ	CLAMP	▲D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	★C6AZ-5230-AK (352-4B, 390-4B) ★C6AZ-5230-AF (390-2B) ★C6AZ-5230-AH (428-4B)
3	OUTLET PIPE	★C6AZ-5255-L


E-F-72

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

♦ Use D1AZ 5A231-A in U. S. only; use C000 5253-F in Canada

1966 FORD—8 CYL. 390-2B SEDAN, HARDTOP, & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
△4	HANGER & SUPPORT BRACKET	★C6AZ-5A246-A
	20346-S8 (B-50) BOLT - HEX HD. 5/16-18 x 3/4 (2) REQ'D. 34392-S7-8 (M-93) NUT - LOCK 5/16-18 (2) REQ'D. ATT. 5A246 TO FRAME	
1	INLET PIPE	C6AZ-5246-E
Ⓐ	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	C7AZ-5230-AJ
Ⓑ	CLAMP ▲	D1AZ-5A231-C
△5	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
	C5AZ-5B236-A PLATE ASSY. 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (2) REQ'D. ATT. 5260 TO FRAME 39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. 5260 TO MUFFLER	
3	OUTLET PIPE	C5AZ-5255-T
△6	BRACKET & INSULATOR ASSY.	C6AZ-5260-K
	39885-S7-8 (U-263-E) SCREW - HEX HD. 3/8-16 x 1/2 ATT. BRKT. TO FRAME	
Ⓒ	CLAMP ▲	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	★C6AZ-5230-J
3	OUTLET PIPE	★C6AZ-5255-C

E-F-71

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada


♦ Use D1AZ 5A231-A in U. S. only; use C000 5253-F in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

1966 FORD—8 CYL. 390-4B & 428-4B SEDAN, HARDTOP & CONVERTIBLE (EXCEPT 428-4B P/C & 7-LITRE)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
4	HANGER & BRACKET ASSY.	★C6AZ-5A246-B	★C6AZ-5A246-A
1	INLET PIPE	C6AZ-5246-G	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH	C7AZ-5230-AH
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C5AZ-5260-D	C3OZ-5260-A
	C5AZ-5B236-A PLATE ASSY. 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. ATT. 5260 TO FRAME 39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. 5260 TO MUFFLER		
3	OUTLET PIPE	C5AZ-5255-S	C5AZ-5255-T
6	BRACKET & INSULATOR ASSY.	C5AZ-5260-D	C6AZ-5260-K
	39885-S7-8 (U-263-E) SCREW - HEX HD. 3/8-16 x 1/2 (4) REQ'D. ATT. 5260 TO FRAME		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	L.H.	R.H.
2	MUFFLER	★C6AZ-5230-Y	★C6AZ-5230-AD
3	OUTLET PIPE	★C6AZ-5255-G	★C6AZ-5255-J (w/o T/E)
		★C6AZ-5255-G	★C6AZ-5255-K (w/T/E)

E-F-60

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1966 FORD- 8 CYL. 427-4B (W/O T/E) & 427-8B (W/T/E) SEDAN, HARDTOP, & CONVERTIBLE (U.S. ONLY)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
4	BRACKET	★C6AZ-5A246-B	★C6AZ-5A246-A
1	INLET PIPE	★C6AZ-5246-H	
A	CLAMP	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH	C7AZ-5230-AH
B	CLAMP	D1AZ-5A231-C	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C6AZ-5260-E	C3OZ-5260-A
	C5AZ-5B236-A PLATE ASSY. 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. ATT. 5260 TO FRAME 39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. 5260 TO MUFFLER		
3	OUTLET PIPE	C5AZ-5255-S	C5AZ-5255-T
6	BRACKET & INSULATOR ASSY.	C5AZ-5260-D	C6AZ-5260-K
	39885-S7-8 (U-263-E) SCREW - HEX HD. 3/8-16 x 1/2 (2) REQ'D. ATT. 5260 TO FRAME		
C	CLAMP	D1AZ-5A231-C	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	L.H.	R.H.
2	MUFFLER	★ C6AZ-5230-Y (BEFORE 10/1/65 - W/O T/E) ★ C6AZ-5230-U (FROM 10/1/65 - W/O T/E) ★ C6AZ-5230-Y (W/T/E)	★ C6AZ-5230-AD (BEFORE 10/1/65 - W/O T/E) ★ C6AZ-5230-S (FROM 10-1-65 - W/O T/E) ★ C6AZ-5230-AD (W/T/E)
3	OUTLET PIPE	★ C6AZ-5255-E (W/O T/E) ★ C6AZ-5255-E (W/T/E)	★ C6AZ-5255-C (W/O T/E) ★ C6AZ-5255-K (W/T/E)

E-F-70

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 FORD—8 CYL. 427-4B (W/O T/E) SEDAN & HARDTOP (CANADA ONLY)

1966 FORD—8CYL. 428-4B 7-LITRE HARDTOP




	ITEM	L.H.	R.H.
4	BRACKET	★C6AZ-5A246-B	★C6AZ-5A246-A
1	INLET PIPE	C6AZ-5246-G	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C6AZ-5230-AR (W/O T/E) ★C6AZ-5230-AS (W/T/E)	C6AZ-5230-AM (W/O T/E) C6AZ-5230-AN (W/T/E)
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C6AZ-5260-E	C3OZ-5260-A
	C5AZ-5B236-A PLATE ASSY. 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. ATT. 5260 TO FRAME 39909-S7 (U-269-D) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. 5260 TO MUFFLER		
3	RESONATOR OUTLET PIPE	C6AZ-5A289-C (W/O T/E) ★C6AZ-5A289-D (W/T/E)	C6AZ-5A289-A (W/O T/E) C6AZ-5A289-B (W/T/E)
6	BRACKET & INSULATOR ASSY.	C6AZ-5260-H	C6AZ-5260-G
	39885-S7-8 (U-263-E) SCREW - HEX HD. 3/8-16 x 1/2 (2) REQ'D. ATT. 5260 TO FRAME		
C	CLAMP	C6AZ-5A231-A	C6AZ-5A231-A
7	BRACKET	★C6AZ-5266-C	★C6AZ-5266-B

E-F-68

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1966 FORD—8 CYL. 428-4B SEDAN (POLICE CAR ONLY)

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	L.H.	R.H.
4	BRACKET	*C6AZ-5A246-B	*C6AZ-5A246-A
1	INLET PIPE	C6AZ-5246-G	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH	C7AZ-5230-AH
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C6AZ-5260-E	C3OZ-5260-A
	C5AZ-5B236-A PLATE ASSY 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. (ATT. 5260 TO FRAME) 39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. (ATT. 5260 TO MUFFLER)		
3	OUTLET PIPE	C5AZ-5255-S	C5AZ-5255-T
6	BRACKET & INSULATOR ASSY.	C5AZ-5260-D	C6AZ-5260-K
	39885-S8 (U-263-E) SCREW - HEX HD. 3/8-16 x 1/2 (2) REQ'D. (ATT. 5260 TO FRAME)		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	*C6AZ-5230-U	*C6AZ-5230-S
3	OUTLET PIPE	*C6AZ-5255-E	*C6AZ-5255-C


E-F-66

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 FAIRLANE—6 CYL. 200-1B SEDAN, HARDTOP & CONVERTIBLE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




ITEM	PART NUMBER
△6 BRACKET & INSULATOR ASSY.	C3DZ-5260-B
C6OZ-5B236-A PLATE ASSY. 42014-S8 (U-240) SCREW - HEX HD. #10-12 x 5/8 ATT. PLATE TO FL. PAN ★55802-S NUT - 5/16-18 ATT. BRKT. TO FLOOR PAN	
Ⓔ CLAMP ▲	D1AZ-5A231-C
3 OUTLET PIPE	C6OZ-5255-D

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ITEM	PART NUMBER
△4 BRACKET	C3DZ-5291-A
20348-S8 (B-77) BOLT - HEX HD. 3/8-16 x 3/4 34807-S (X-66) WASHER - 3/8 ATT. BRKT. TO ENGINE BLOCK	
Ⓐ CLAMP #	A9AA-5A231-A
1 INLET PIPE	C6OZ-5246-J
△5 BRACKET & INSULATOR ASSY.	C6OZ-5260-G
★380586-S PLATE 20428-S7-8 (B-82) BOLT - HEX HD. (2) REQ'D. 3/8-16 x 1-1/4 ATT. BRKT. & PLATE TO BODY	
Ⓑ CLAMP #	A9AA-5A231-A
Ⓒ CLAMP ▲	D1AZ-5A231-C
2 MUFFLER	C5DZ-5230-E
Ⓓ CLAMP ▲	D1AZ-5A231-C

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



ITEM	PART NO.
2 MUFFLER	*C6OZ-5230-N


E-C-50

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

\# Use A9AA 5A231-A in U. S. only; use C000 5253-C in Canada

1966 FAIRLANE—6 CYL. 200-1B STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
4	BRACKET	C3DZ-5291-A
	20346-S8 (B-77) BOLT - HEX HD. 3/8-16 x 3/4 34807-S8 (X-66) WASHER - 3/8 ATT. BRKT. TO ENGINE BLOCK	
A	CLAMP #	A9AA-5A231-A
1	INLET PIPE	C6OZ-5246-G (W/O T/E) ★C6OZ-5246-H (WITH T/E)
B	CLAMP #	A9AA-5A231-A
2	MUFFLER	C6OZ-5230-AB
5	BRACKET & INSULATOR ASSY.	C6OZ-5260-B
	★C6OZ-5277-A BRKT. - USED WITH C6OZ-5260-B 39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO MUFFLER 20428-S7-S8 (B-82) BOLT-HEX HD. 3/8 x 1-1/4 (2) REQ'D. ATT. BRKT. TO BODY RAIL	
C	CLAMP #	A9AA-5A231-A
6	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
	39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 ATT. BRKT. TO SIDE RAIL	
D	CLAMP #	A9AA-5A231-A
3	OUTLET PIPE	C6OZ-5255-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	★C6OZ-5230-E


E-C-53

Use A9AA 5A231-A in U. S. only, use C000 5253-C in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

1966 FAIRLNE—8 CYL. 289-2B SEDAN, HARDTOP, CONVERTIBLE (W/O THERMACTOR)

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

	ITEM	PART NUMBER
1	INLET PIPE	C6OZ-5246-A
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	C6OZ-5A212-E
4	BRACKET & INSULATOR ASSY.	C6OZ-5260-G
	★380586-S PLATE 20428-S7-8 (B-82) BOLT - HEX HD. 3/8-16 x 1-1/4 (2) REQ'D. ATT. BRKT. & PLATE TO BODY	
B	CLAMP ▲	D1AZ-5A231-C
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C5DZ-5230-E
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	C6OZ-5255-D
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	PLATE ASSY. C6OZ-5B236-A 42014-S8 (U-240) SCREW-HEX HD. #10-12 x 5/8 ATT. PLATE TO FLOOR PAN ★55802-S NUT - LOCK 5/16-18 ATT. BRKT. TO FLOOR PAN	
E	CLAMP ▲	D1AZ-5A231-C


ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C6OZ-5230-AA

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1966 FAIRLANE—8 CYL. 289-2B SEDAN, HARDTOP & CONVERTIBLE WITH T/E (U.S. ONLY)




	ITEM	PART NUMBER
1	INLET PIPE	C6OZ-5246-A
A	CLAMP	D1AZ-5A231-C
2	MUFFLER	C6OZ-5230-AC
3	BRACKET & INSULATOR ASSY.	C6OZ-5260-G
	★380586-S PLATE ★20428-S7-8 (B-82) BOLT - HEX HD. 3/8-16 x 1-1/4 (2) REQ'D. (ATT. BRKT. & PLATE TO BODY)	
B	CLAMP	D1AZ-5A231-A
C	CLAMP	D1AZ-5A231-A
2A	RESONATOR	C6OZ-5230-S
4	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	PLATE ASSY. - C6OZ-5B236-A 42014-S8 (U-240) SCREW - HEX HD. #10-12 x 5/8 (ATT. PLATE TO FLOOR PAN) ★55802-S NUT 5/16-18 NUT - LOCK (ATT. BRKT. TO FLOOR PAN)	
D	CLAMP	D1AZ-5A231-C

E-C-52

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 FAIRLANE—8 CYL. 289-2B STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C6OZ-5246-A
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	C6OZ-5A212-G
B	CLAMP #	A9AA-5A231-A
2	MUFFLER	C6OZ-5230-AB
4	BRACKET & INSULATOR ASSY.	C6OZ-5260-B
	*C6OZ-5277-A BRKT.-USED W/C6OZ-5260-B 39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO MUFFLER 20428-S7 (B-82) BOLT - HEX HD. 3/8-16 x 1-1/4 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
C	CLAMP #	A9AA-5A231-A
5	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
	39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 ATT. BRKT. TO SIDE RAIL	
D	CLAMP #	A9AA-5A231-A
3	OUTLET PIPE	C6OZ-5255-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	*C6OZ-5230-G (WITHOUT T/E) *C6OZ-5230-H (WITH T/E)

E-C-54

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

\# Use A9AA 5A231-A in U. S. only; use C000 5253-C in Canada

1966 FAIRLANE—8 CYL. 390-2B SEDAN & HARDTOP




	ITEM	PART NUMBER
1	INLET PIPE	C6OZ-5246-E (WITHOUT T/E) ★C6OZ-5246-F (WITH T/E)
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	★C6OZ-5A212-A (WITHOUT T/E) C6OZ-5A212-B (WITH T/E)
3	BRACKET & INSULATOR ASSY.	C6OZ-5260-G
	★380586-S PLATE 20428-S7-8 (B-82) BOLT - HEX HD. 3/8-16 x 1-1/4 (2) REQ'D. ATT. BRKT. & PLATE TO BODY	
B	CLAMP ‡	D1AZ-5A231-D
C	CLAMP ‡	D1AZ-5A231-D
2A	RESONATOR	C6OZ-5230-S
4	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	C6OZ-5B236-A PLATE ASSY. 42014-S2 (U-240) SCREW #10-12 x 5/8 ATT. PLATE TO FLOOR PAN ★55802-S NUT - LOCK 5/16-18 ATT. BRKT. TO FLOOR PAN	
D	CLAMP ▲	D1AZ-5A231-C

E-C-62

‡ Use D1AZ-5A231-D in U.S. only; use C000 5253-G in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 FAIRLANE—8 CYL. 390-2B & 4B STATION WAGON




	ITEM	PART NUMBER
1	INLET PIPE	C6OZ-5246-E (WITHOUT T/E) ★C6OZ-5246-F (WITH T/E)
A	CLAMP ‡	D1AZ-5A231-D
1A	INTERMED. PIPE	C6OZ-5A212-C
B	CLAMP ‡	D1AZ-5A231-D
4	BRACKET & INSULATOR ASSY.	C6OZ-5260-B
	★C6OZ-5277-A BRKT.-USED W/C6OZ-5260-B ★380586-S PLATE ASSY. 20428-S7-8 (B-82) BOLT - HEX HD. 3/8-16 x 1-1/4 (2) REQ'D. ATT. BRKT. & PLATE TO FLOOR PAN	
C	CLAMP ‡	D1AZ-5A231-D
5	BRACKET & INSULATOR ASSY.	★C6OZ-5260-H
	39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO MUFFLER 20428-S7-8 (B-82) BOLT - HEX HD. 3/8-16 x 1-1/4 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
2	MUFFLER	C6OZ-5230-J
6	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
	39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 ATT. BRKT. TO SIDE RAIL	
D	CLAMP ▲	D1AZ-5A231-C

E-C-61

‡ Use D1AZ 5A231-D in U.S. only; use C0OO 5253-G in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1966 FAIRLANE—8 CYL. 390-2B & 4B CONVERTIBLE
8 CYL. 390-4B SEDAN & HARDTOP
(INCLUDES MODELS W/8 CYL. 390-2B & DUAL EXHAUST KIT)



	ITEM	L.H.	R.H.
1	INLET PIPE	C6OZ-5246-L	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C6OZ-5230-V	C6OZ-5230-U
4	BRACKET & INSULATOR ASSY.	C6OZ-5260-C	C6OZ-5260-C
	20428-S7-8 (B-82) BOLT - HEX HD. 3/8-16 x 1-1/4 44720-S8 (X-18) WASHER - FLAT (4) REQ'D. PLATE ASSY. ★380586-S (2) REQ'D. ATT. BRKT. TO FLOOR PAN		
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-B	C3DZ-5260-B
	SCREW 42014-S8 (U-240) SCREW - HEX HD. #10-12 x 5/8 (2) REQ'D. PLATE C6OZ-58236-A (2) REQ'D NUT #10-12 (4) REQ'D. ATT. BRKT. & PLATE TO FRAME		
3	OUTLET PIPE	C6OZ-5255-A	C6OZ-5255-B


E-C-63

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 MUSTANG—6 CYL. 200-1B

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
4	BRACKET	C3DZ-5291-A
	20348-S8 (B-77) BOLT - HEX HD. 3/8-16 x 3/4 ATT. BRKT. TO PANEL 34807-S8 (X-66) 3/8 WASHER - LOCK	
A	CLAMP #	A9AA-5A231-A
1	INLET PIPE	C5ZZ-5246-D (W/O THERMACTOR) ★ C6ZZ-5246-A (W/THERMACTOR)
5	BRACKET & INSULATOR ASSY	C3OZ-5260-A
	39909-S7 (U-269) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO UNDERBODY	
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C5ZZ-5230-V

	ITEM	PART NUMBER
6	BRACKET & INSULATOR ASSY.	C5ZZ-5A246-A
	40182-S (U-269) SCREW - HEX HD. 5/16-18 x 7/8 (4) REQ'D. ATT. BRKT. TO MUFFLER & BODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	C5ZZ-5255-G

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
A	CLAMP #	A9AA-5A231-A
2	MUFFLER	★C5ZZ-5230-T (W/O T/E)
		★C6ZZ-5230-B (WITH T/E)


E-A-23

Use A9AA 5A231-A in U.S. only; use C000 5253-C in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1966 MUSTANG—8 CYL. 289-2B & 4B


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C5ZZ-5246-F (W/O THERMACTOR) ★ C6ZZ-5246-C (W/THERMACTOR
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	C5ZZ-5A212-G
4	BRACKET & INSULATOR ASSY.	★ C5ZZ-5A246-C (BEFORE 8-20-64) C3OZ-5260-A (FROM 8-20-64)
	39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO UNDERBODY	
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C5ZZ-5230-V
5	BRACKET & INSULATOR ASSY.	C5ZZ-5A246-A
	40182-S (U-269) SCREW - HEX HD. 5/16-18 x 7/8 (4) REQ'D. ATT. BRKT. TO MUFFLER & BODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	C5ZZ-5255-G

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★C6ZZ-5230-A (WITH T/E) ★C5ZZ-5230-D (W/O T/E)

E-A-24

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 MUSTANG-8 CYL. 289-4B GT & PERF. IMAGE-WITH EXHAUST PORT EXTENSIONS (INCLUDES MODELS W/289-2B & DUAL EXHAUST KIT - ✱)




	ITEM	L.H.	R.H.
1	INLET PIPE	C5ZZ-5246-J (W/O THERMACTOR, C6ZZ-5246-E (WITH THERMACTOR)	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C6ZZ-5230-F | C6ZZ-5230-E (WITHOUT THERMACTOR) 289-4B C6ZZ-5230-G | C6ZZ-5230-H (WITH THERMACTOR) 289-4B C5ZZ-5230-U | C5ZZ-5230-U ✱ (W/DUAL KIT) 289-2B	
5	BRACKET & INSULATOR ASSY.	C3OZ-5260-A	C3OZ-5260-A
	C1VV-5B236-C PLATE ASSY. (2) REQ'D. 51765-S8 (U-370) SCREW - PAN HD. #10-24 x 1/2 (2) REQ'D. (ATT. PLATE TO UNDERBODY) 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. (ATT. BRKT. TO PLATE) 351945-S2 (UU-52-J) SCREW - HEX HD. 5/16-18 x 1-1/2 (4) REQ'D. (ATT. BRKT. TO MUFFLER)		
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
	PIPE MOULDING	C5ZZ-5C299-A	C5ZZ-5C299-A
6	BRACKET & INSULATOR ASSY.	C5ZZ-5277-A C5ZZ-5260-F C6ZZ-5266-A	C5ZZ-5277-B C5ZZ-5260-F C6ZZ-5266-A
	23575-S8 (B-13) BOLT - CARRIAGE 3/8-16 x 3 (4) REQ'D. (ATT. BRKT. TO UNDERBODY) 40182-S (U-269) SCREW - HEX HD. 5/16-18 x 7/8 (2) REQ'D. (ATT. 5260 TO 5277) 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. ATT. BRKT. TO UNDERBODY		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
4	PIPE EXTENSION	C5ZZ-5255-D	C5ZZ-5255-C

✱ - MUFFLER ONLY - OTHER PARTS OF 5210 KIT NOT SERVICED.

E-A-25

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1966 MUSTANG—8 CYL. 289-4B PREM. FUEL - WITH STD. PIPE EXTENSIONS (INCLUDES MODELS W/289-2B & DUAL EXHAUST KIT -✱)



	ITEM	L.H.	R.H.
1	INLET PIPE	C5ZZ-5246-J W/O THERMACTOR) C6ZZ-5246-E (WITH THERMACTOR)	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C6ZZ-5230-F (WITHOUT THERMACTOR 289-4B)	C6ZZ-5230-E
		C6ZZ-5230-G (WITH THERMACTOR 289-4B)	C6ZZ-5230-H
		C5ZZ-5230-U (289-2B W/DUAL KIT)✱	C5ZZ-5230-U
5	BRACKET & INSULATOR ASSY.	C3OZ-5260-A	C3OZ-5260-A
	C1VV-5B236-C PLATE ASSY. (2) REQ'D. 51765-S8 (U-370) SCREW - PAN HD. #10-24 x 1/2 (2) REQ'D. ATT. PLATE TO UNDERBODY 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. ATT. BRKT. TO PLATE 351945-S2 (UU-52-J) SCREW - HEX HD. 5/16-18 x 1-1/2 (4) REQ'D. ATT. BRKT. TO MUFFLER		
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
6	BRACKET & INSULATOR ASSY.	C5ZZ-5277-A C5ZZ-5260-F C6ZZ-5266-A	C5ZZ-5277-B C5ZZ-5260-F C6ZZ-5266-A
	23575-S8 (B-13) BOLT - CARRIAGE 3/8-16 (4) REQ'D. ATT. BRKT. TO UNDERBODY 40182-S (U-269) SCREW - HEX HD. 5/16-18 x 7/8 (2) REQ'D. ATT. 5260 TO 5277) 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. ATT. BRKT. TO UNDERBODY		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
4	PIPE EXTENSION	C5ZZ-5255-F	C5ZZ-5255-F


✱ - MUFFLER ONLY - OTHER PARTS OF 5210 KIT NOT SERVICED.


E-A-29

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 MUSTANG—8 CYL. 289-4B SPECIAL—INCLUDES SHELBY GT 350
1966 MUSTANG—8 CYL. 289 W/DUAL EXHAUST KIT - ✱





C6AZ-9450-D GASKET (EXC. SHELBY)
★ S1MS-5260-A3A HEADER-TO-FLG. GASKET (SHELBY GT 350)
★ S1MS-5260-A1A HEADER-TO-ENG. GASKET (SHELBY GT 350) (2) REQ'D.
★S1MS-5260-A2A HEADER-TO-ENG. BOLT (SHELBY GT 350)
R/B 56138-S4 (B319V) (16) REQ'D.


	ITEM	L.H.	R.H.
1	INLET PIPE	C5ZZ-5246-K (EXC. SHELBY) ★S2MS-5246-A (SHELBY GT 350)	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C6ZZ-5230-F (EXC. DUAL KIT) C5ZZ-5230-U ✱ (W/DUAL KIT)	C6ZZ-5230-E (EXC. DUAL KIT) C5ZZ-5230-U ✱ (W/DUAL KIT)
5	BRACKET & INSULATOR ASSY.	C3OZ-5260-A	C3OZ-5260-A
	C1VV-5B236-C PLATE ASSY. (2) REQ'D. 51765-S8 (U-370) SCREW - PAN HD. #10-24 x 1/2 (4) REQ'D. ATT. BRKT. TO UNDERBODY 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. ATT. BRKT. TO PLATE 351945-S2 (UU-52-J) SCREW - HEX HD. 5/16-16 x 1-1/2 (4) REQ'D. ATT. BRKT. TO MUFFLER		
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
6	BRACKET & INSULATOR ASSY.	C5ZZ-5277-A C5ZZ-5260-F C5ZZ-5266-B (BEFORE 11/1/65) C6ZZ-5266-A (FROM 11-1-65)	C5ZZ-5277-B C5ZZ-5260-F C5ZZ-5266-B (BEFORE 11/1/65) C6ZZ-5266-A (FROM 11-1-65)
	23575-S8 (B-13) BOLT - CARRIAGE 3/8-16 x 3 (4) REQ'D. ATT. BRKT. TO UNDERBODY 40182-S (U-269) SCREW - HEX HD. 15/16-18 x 7/8 (2) REQ'D. ATT. 5260 TO 5277 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. ATT. BRKT. TO UNDERBODY		
C	CLAMP	C5ZZ-5A231-B	C5ZZ-5A231-B
4	PIPE EXTENSION	C5ZZ-5255-F (STANDARD ONLY) C5ZZ-5255-D (GT ONLY)	C5ZZ-5255-F C5ZZ-5255-C

- MUFFLER ONLY - OTHER PARTS OF 5210 KIT NOT SERVICED.

E-A-26

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1966 THUNDERBIRD—8 CYL. 390 -4B & 428-4B



	ITEM	L.H.	R.H.
1	INLET PIPE C/M TRANS. W/O T/E W T/E C/6 TRANS. W/O T/E W T/E	 C6SZ-5246-B ★ C6SZ-5246-C C6SZ-5246-A ★ C6SZ-5246-D	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
1A	RESONATOR	C4SZ-5A212-A	C4SZ-5A212-A
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
1B	CONNECTOR	C4SZ-5B286-A	C4SZ-5B286-A
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
4	BRACKET-FRAME	C4SZ-5277-A	C4SZ-5277-A
	40936-S8 (U-265) SCREW - HEX HD. 5/16-18 x 5/8 (4) REQ'D. ATT. BRKT. TO FRAME		
5	INSULATOR ASSY.	C4SZ-5260-C	C4SZ-5260-C
	C1VV-5B236-C PLATE ASSY. (2) REQ'D. 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. ATT. INSULATOR TO BRKT. 5277		
6	KIT - PIPE ATTACHING	C4SZ-5A246-A	C4SZ-5A246-A
	CONSISTS OF: C4SA-5A206-C BRACKET 374351-S8 BOLT - HEX HD. 3/8-16 x 3-3/4 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 C4DA-5A272-C CLAMP 378836-S7-8 (UU-39-J) SCREW - HEX HD. #20-9 x 1-1/2		
2	MUFFLER	C4SZ-5230-B	C4SZ-5230-A
7	INSULATOR ASSY.	C4SZ-5260-C	C4SZ-5260-C
	C5SZ-5A235-A BRACKET-PANEL LOWER BACK SIDE (2) REQ'D.		
	C1VV-5B236-C PLATE ASSY. (2) REQ'D. 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. ATT. INSULATOR TO BODY		


	ITEM	L.H.	R.H.
8	KIT - PIPE ATTACHING	C4SZ-5260-E	C4SZ-5260-E
	CONSISTS OF: C4SA-5271-B BRACKET 374351-S8 BOLT -HEX HD. 3/8-16 x 3-3/4 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 C4SA-5B201-A CLAMP 23410-S8 (B-9) BOLT - CARRIAGE 3/8-16 x 1 373403-S8 (MM-173-J) NUT - LOCK 3/8-16		

E-H-2

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 BRONCO—6 CYL. 170-1B




	ITEM	PART NUMBER
1	INLET PIPE	C8TZ-5246-G
A	CLAMP ▲	D1AZ-5A231-C
4	BRACKET	C5UZ-5277-B
	20348-S8 (B77) BOLT-HEX HD. 3/8 -16 x 3/4 (1) REQ'D. ATT. BRKT. TO ENGINE BLOCK 34807-S8 (X66) WASHER-LOCK 3/8 (1) REQ'D. ATT. BRKT. TO ENGINE BLOCK	
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7TZ-5230-L WITHOUT T/E C7TZ-5230-C WITH T/E
C	CLAMP #	A9AA-5A231-A
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-A
	20366-S8 (B52) BOLT-HEX HD. 5/16 -18 x 7/8 (2) REQ'D. ATT. BRKT. TO FRAME 34806-S7 (X64) WASHER-LOCK 5/16 (2) REQ'D. ATT. BRKT. TO FRAME	
3	OUTLET PIPE	C6TZ-5255-D WITHOUT T/E C7TZ-5255-C WITH T/E
6	BRACKET & INSULATOR ASSY.	C30Z-5260-A
	20366-S8 (B52) BOLT-HEX HD. 5/16 -18 x 7/8 (2) REQ'D. ATT. BRKT. TO FRAME 34806-S7 (X64) WASHER-LOCK 5/16 (2) REQ'D. ATT. BRKT. TO CROSS MEMBER	
D	CLAMP #	A9AA-5A231-A

EN-1

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

Use A9AA 5A231-A in U.S. only; use C000 5253-C in Canada

1966 BRONCO—8 CYL. 289-2B



	ITEM	PART NUMBER
1	INLET PIPE	C6TZ-5246-T WITHOUT T/E C6TZ-5246-U WITH T/E
A	CLAMP ▲	D1AZ-5A231-C
1A	INLET PIPE CROSSOVER	C6TZ-5267-F WITHOUT T/E ★ C6TZ-5267-E WITH T/E
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C6TZ-5230-G WITHOUT T/E C6TZ-5230-H WITH T/E
C	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C6TZ-5260-H
	20366-S8 (B52) BOLT-HEX HD. 5/16 -18 x 7/8 (2) REQ'D. ATT. **BRKT. TO FRAME** 34806-S7 (X64) WASHER-LOCK 5/16 (2) REQ'D. ATT. BRKT. **TO FRAME**	
3	OUTLET PIPE	C6TZ-5255-J
5	BRACKET & INSULATOR ASSY.	C6TZ-5260-G
	20366-S8 (B52) BOLT-HEX HD. 5/16 -18 x 7/8 (2) REQ'D. ATT. **BRKT. TO FRAME** 34806-S7 (X64) WASHER-LOCK 5/16 (2) REQ'D. ATT. BRKT. **TO FRAME** 23438-S8 (B4) BOLT-CARRIAGE 5/16 -18 x 1 1/4 (1) REQ'D. ATT. OUTLET PIPE TO BRKT. 34806-S7 (X64) WASHER-LOCK 5/16 (1) REQ'D. ATT. OUTLET PIPE TO BRKT. 33797-S7-8 (M50) NUT-LOCK 5/16 (1) REQ'D. ATT. OUTLET PIPE TO BRKT.	


EN-2


▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 FALCON—6 CYL. 170-1B & 200-1B SEDAN WITH OR WITHOUT T/E

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)






	ITEM	PART NUMBER
4	BRACKET	C3DZ-5291-A
	20348-S (B-77) BOLT - HEX HD. 3/8-16 x 3/4 34807-S (X-66) WASHER - LOCK 3/8 ATT. BRKT. TO ENG. BLOCK	
A	CLAMP ▲	D1AZ-5A231-C
1	INLET PIPE	C6DZ-5246-E
5	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
	★C6DZ-58236-A PLATE 42120-S8(U248) SCREW #10-16 x 3/8 (2) REQ'D ★55802-S NUT - LOCK 5/16-18 (2) REQ'D. 39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO MUFFLER	

	ITEM	PART NUMBER
B	CLAMP ▲	D1AZ-5A231-C
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C5DZ-5230-E
D	CLAMP ▲	D1AZ-5A231-C
6	BRACKET & INSULATOR ASSY.	C6DZ-5260-A BEFORE 3-14-66) C6DZ-5260-E (FROM 3-14-66)
	★C6DZ-5B236-A PLATE 42014-S8 (U-240) SCREW - HEX HD. #10-12 x 5/8 (2) REQ'D. ★55802-S NUT 5/16-18 (2) REQ'D.	
E	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	C6DZ-5255-B

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	★C6DZ-5230-A

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1966 FALCON—6 CYL. 200-1B (W/O T/E) STATION WAGON & RANCHERO

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NO.
4	BRACKET	C3DZ-5291-A
	20348-S (B-77) BOLT - HEX HD. 3/8-16 x 3/4 34807-S (X-66) WASHER - LOCK 3/8 ATT. BRKT. TO ENG. BLOCK	
A	CLAMP ▲	D1AZ-5A231-C
1	INLET PIPE	C6DZ-5246-F
5	BRACKET & INSULATOR ASSY.	C6DZ-5A246-A
	39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO FRAME	
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C5DZ-5230-E
C	CLAMP ▲	D1AZ-5A231-C

	ITEM	PART NO.
6	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO SIDE RAIL.	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	C6DZ-5255-A
7	BRACKET & INSULATOR ASSY.	C2TZ-5260-C
	39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
E	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	*C6DZ-5230-E


E-E-8

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 FALCON—6 CYL. 200-1B W/T/E STATION WAGON & RANCHERO (U.S. ONLY)

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




ITEM	PART NUMBER
4 BRACKET & INSULATOR ASSY.	C3DZ-5260-B
39909-S7 (U-263-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
E CLAMP	D1AZ-5A231-C

ITEM	PART NUMBER
5 BRACKET & INSULATOR ASSY.	C2TZ-5260-C
39909-S7 (U-263-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
F CLAMP	D1AZ-5A231-C

ITEM	PART NUMBER
4 BRACKET	C3DZ-5291-A
20348-S8 (B-77) BOLT - HEX HD. 3/8-16 x 3/4 34807-S8 (X-66) WASHER - LOCK 3/8 ATT. BRKT. TO ENG. BLOCK	
A CLAMP	D1AZ-5A231-C
1 INLET PIPE	★C6DZ-5246-H
5 BRACKET & INSULATOR ASSY.	C6DZ-5A246-A
39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO FRAME	
B CLAMP	D1AZ-5A231-C
C CLAMP	D1AZ-5A231-C
2 MUFFLER	C5DZ-5230-E
D CLAMP	D1AZ-5A231-C
3 OUTLET PIPE	C6DZ-5255-A

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.


ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



ITEM	PART NO.
2 MUFFLER	★C6DZ-5230-F

1966 FALCON—8 CYL. 289 SEDAN

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C6OZ-5246-A
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	C6DZ-5A212-F (W/O T/E) C6DZ-5A212-H (W/T/E)
5	BRACKET & INSULATOR ASSY.	C3OZ-5260-A
	★C6DZ-5B236-B PLATE 42120-S (U-248) SCREW - HEX HD. #10-16 x 3/8 (1) REQ'D. ★55802-S NUT - LOCK 5/16-18 (2) REQ'D. 39909-S7 (U-269-D) SCREW -HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO MUFFLER	
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C5DZ-5230-E
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	C6DZ-5255-B
6	BRACKET & INSULATOR ASSY.	C6DZ-5260-A
	★C6DZ-5B236-A PLATE 42014-S8 (U-240) SCREW - HEX HD. #10-12 x 5/8 (1) REQ'D.	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C6DZ-5230-G


E-E-15

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 FALCON—8 CYL. 289 STATION WAGON & RANCHERO

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C6OZ-5246-A
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	C6DZ-5A212-E (U.S.) C6DZ-5A212-F (CANADA)
4	BRACKET & INSULATOR ASSY.	C6DZ-5A246-A
	39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO FRAME	
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C5DZ-5230-E
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	C6DZ-5255-A (U.S.) C6DZ-5255-B (CANADA)
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	★C6DZ-5B236-A PLATE 39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ★55802-S NUT - LOCK (2) REQ'D. ATT. BRKT. TO RAIL	
	BRACKET & INSULATOR ASSY.	C2TZ-5260-C
	39909-S7 (U-269-D) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D.	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C6DZ-5230-C

E-E-17

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

EXHAUST PARTS MODEL INDEX

How to use this index -

1. Find the car model desired.
2. Find the line which lists the engine displacement needed.
3. Select the correct page, and turn to that page.

Explanation of picture - text catalog sheets -

In sections 52.65 through 52.72, the complete present service system is shown at the top of the page, with an illustration and a complete bill of materials. If a second illustration appears below, that is the service system before simplification. In the lower system (before simplification), parts which are changed are shown by dotted lines, and the part numbers are shown in the table. Parts shown in black are parts which are unchanged and shown above in the upper illustration.

For stamped number cross-reference information and for size information, refer to Section 52, page 1.

1967

CYL	C.I.D.	MODEL	TYPE▲	SECTION	PAGE	ILLUS. NO. ♦
		A (FORD)				
6	240-1B	Exc.71	S	52.67	2	EF 26
		71	S	52.67	3	EF 23
8	289-2B	Exc.71-2" mflr.inlet dia.	S	52.67	4	EF 39
		-2 1/2" mflr.inlet dia.	S	52.67	5	EF 40
		71-2" mflr.inlet dia.	S	52.67	6	EF 42
		-2 1/2" mflr.inlet dia.	S	52.67	7	EF 41
	390-2B	Exc.71	S	52.67	8	EF 38
		71	S	52.67	9	EF 44
	390-4B	Exc.71	D	52.67	10	EF 43
		71	S	52.67	11	EF 49
	427-4B		D	52.67	12	EF 48
	427-8B		D	52.67	12	EF 48
	428-4B	Exc.71, P/C, 7 litre	D	52.67	10	EF 43
		71 (includes P/C)	S	52.67	11	EF 49
		P/C (exc.71)	D	52.67	13	EF 59
		7 litre	D	52.67	13	EF 59
		B (FAIRLANE)				
6	200-1B	Exc.66,71-1 3/4" mflr. inlet dia.	S	52.67	14	EC 34
		- 2" mflr.inlet dia.	S	52.67	15	EC 36
		66	S	52.67	16	EC 37
		71-1 3/4" mflr.inlet dia.	S	52.67	17	EC 33
		-2" mflr.inlet dia.	S	52.67	18	EC 35
8	289-2B	54, 62, 63	S	52.67	19	EC 32
		66, 71	S	52.67	20	EC 31
		76	S	52.67	19	EC 32
	390-2B	Exc.66, 71, 76	S	52.67	21	EC 30
		66, 71	S	52.67	22	EC 29
		76	D	52.67	23	EC 28
	390-4B	Exc.66, 71	D	52.67	23	EC 28
		66, 71	S	52.67	22	EC 29
	427-4B		D	52.67	24	EC 27
	427-8B		D	52.67	24	EC 27


CYL	C.I.D.	MODEL	TYPE▲	SECTION	PAGE	ILLUS. NO. ♦
		F (MUSTANG) - INCLUDES SHELBY				
6	200-1B		S	52.67	25	EA 18
8	289-2B		S	52.67	26	EA 8
		With dual exhaust kit	D	52.67	27	EA 7
	289-4B	Premium fuel	S	52.67	26	EA 8
		High Performance	D	52.67	27	EA 7
		Shelby GT350	D	52.67	27	EA 7
	390-4B	Includes GT	D	52.67	27	EA 7
	428-8B	Shelby GT500	D	52.67	27	EA 7
		S (THUNDERBIRD)				
8	390-4B		D	52.67	28	EH 3
	428-4B		D	52.67	28	EH 3
		U (BRONCO)				
6	170-1B		S	52.67	29	EN 3
8	289-2B		S	52.67	30	EN 4
		X (FALCON)				
6	170-1B	54, 62-1 3/4" mflr. inlet dia.	S	52.67	31	EE 20
		-2" mflr. inlet dia.	S	52.67	32	EE 27
	200-1B	54, 62-1 3/4" mflr. inlet dia.	S	52.67	31	EE 20
		-2" mflr. inlet dia.	S	52.67	32	EE 27
		71-1 3/4" mflr. inlet dia.	S	52.67	33	EE 28
		-2" mflr. inlet dia.	S	52.67	34	EE 22
8	289-2B	54, 62	S	52.67	35	EE 21
		71	S	52.67	36	EE 29
	289-4B	54, 62	S	52.67	35	EE 21
		71	S	52.67	36	EE 29

♦ For control purposes only ▲ S - Single D - Dual

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


1967 FORD—6 CYL. 240-1B SEDAN, HARDTOP, & CONVERTIBLE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C8AZ-5246-G
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. ★ 40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER	
3	OUTLET PIPE	D0AZ-5255-M
5	BRACKET & INSULATOR ASSY.	C6AZ-5260-K
	39885-S7-8 (U-263-E) SCREW-HEX HD. 3/8-16 x 1/2 ATT. BRKT. TO SIDE RAIL	
C	CLAMP ▲	D1AZ-5A231-C

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★C7AZ-5230-AB
3	OUTLET PIPE	★C7AZ-5255-A (BEFORE 10-3-66)-w/o T/E ★C7AZ-5255-AB (FROM 10-3-66)-w/o T/E ★C7AZ-5255-AB-w/T/E

E-F-26

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada


1967 FORD—6 CYL. 240-1B STATION WAGON

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C8AZ-5246-G
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO #4 CROSS MEMBER	
3	OUTLET PIPE	D0AZ-5255-N
5	BRACKET & INSULATOR ASSY.	C6AZ-5260-F
	C8AZ-5266-C PLATE 20346-S8 (B-50) BOLT -HEX HD. 5/16-18 x 3/4 34392-S7-8 (M-93) NUT-LOCK 5/16-18 ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C7AZ-5230-AB
3	OUTLET PIPE	★C7AZ-5255-C


E-F-23

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

1967 FORD—8 CYL. 289-2B SEDAN, HARDTOP & CONVERTIBLE WITH 2" MUFFLER INLET

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	C7AZ-5246-C
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER	
3	OUTLET PIPE	D0AZ-5255-M
5	BRACKET ASSY.	C6AZ-5260-K
	39885-S7-8 (U-263-E) SCREW-HEX HD. 3/8-16 x 1/2 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
C	CLAMP ▲	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★C7AZ-5230-AB
3	OUTLET PIPE	★C7AZ-5255-A (BEFORE 10-3-66) ★C7AZ-5255-AB (FROM 10-3-66)

E-F-39

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1967 FORD—8 CYL. 289-2B SEDAN, HARDTOP, & CONVERTIBLE WITH 2½" MUFFLER INLET


CONSOLIDATED SERVICE REPLACEMENT **(REPLACES ORIGINAL SERVICE SYSTEM BELOW)**



	ITEM	PART NUMBER
1	INLET PIPE	C8AZ-5246-F
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-S
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER	
3	OUTLET PIPE	D0AZ-5255-M
5	BRACKET ASSY.	C6AZ-5260-K
	39885-S7-8 (U-263-E) SCREW-HEX HD. 3/8-16 x 1/2 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
C	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM **(REPLACED BY CONSOLIDATED SYSTEM ABOVE)**



	ITEM	PART NO.
2	MUFFLER	★C7AZ-5230-AC
3	OUTLET PIPE	★C7AZ-5255-N

E-F-40


‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1967 FORD—8 CYL. 289-2B STATION WAGON WITH 2" MUFFLER INLET


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7AZ 5246-C
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW -HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER	
3	OUTLET PIPE	D0AZ-5255-N
5	BRACKET ASSY.	C6AZ-5260-F
	C8AZ-5266-C PLATE ?0346-S8 (B-50) BOLT -HEX HD. 5/16-18 x 3/4 34392-S7-8 (M-93) NUT -LOCK 5/16-18 ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	*C7AZ 5230-E
3	OUTLET PIPE	*C7AZ 5255-J

E-F-42

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1967 FORD—8 CYL. 289-2B STATION WAGON WITH 2½" MUFFLER INLET

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	C8AZ-5246-F
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	DOAZ-5230-S
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★ C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER	
3	OUTLET PIPE	DOAZ-5255-N
5	BRACKET ASSY.	C6AZ-5260-F
	C8AZ-5266-C PLATE 20346-S8 (B-50) BOLT-HEX HD. 5/16-18 x 3/4 34392-S7-8 (M-93) NUT-LOCK 5/16-18 ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	*C7AZ-5230-AD
3	OUTLET PIPE	*C7AZ-5255-L

E-F-41


‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

1967 FORD—8 CYL. 390-2B SEDAN, HARDTOP, & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7AZ-5246-N
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-S
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ★C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER	
3	OUTLET PIPE	D0AZ-5255-M
5	BRACKET ASSY.	C6AZ-5260-K
	39885-S7-8 (U-263-E) SCREW-HEX HD. 3/8-16 x 1/2 - (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
C	CLAMP ▲	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	★C7AZ 5230-AE
3	OUTLET PIPE	★C7AZ-5255-N


E-F-38

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1967 FORD—8 CYL. 390-2B STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7AZ-5246-N
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	DOAZ-5230-S
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW -HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER	
B	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DOAZ-5255-N
5	BRACKET & INSULATOR ASSY.	C6AZ-5260-F
	C8AZ-5266-C PLATE 20346-S8 (B-50) BOLT -HEX HD. 5/16-18 x 3/4 34392-S8 (M-93) NUT -LOCK 5/16-18 ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	★C7AZ-5230-AF
3	OUTLET PIPE	★C7AZ-5255-L
C	CLAMP ♦	D1AZ-5A231-A


E-F-44

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN
FINAL ISSUE

1967 FORD—8 CYL. 390-4B & 428-4B SEDAN, HARDTOP, & CONVERTIBLE (EXCEPT 428-4B P/C & 7-LITRE)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	C7AZ-5246-G	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH	C7AZ-5230-AH
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★C7AA-5299-A PLATE ASSY. ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER		
3	OUTLET PIPE	DOAZ-5255-T	DOAZ-5255-M
5	BRACKET & INSULATOR ASSY.	C5AZ-5260-D	C6AZ-5260-K
	39885-S7-8 (U-263-E) SCREW-HEX HD. 3/8-16 x 1/2 (4) REQ'D. ATT. BRKT. TO SIDE RAIL		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	L.H.	R.H.
2	MUFFLER	★ C7AZ-5230-A	★C7AZ-5230-T
3	OUTLET PIPE	★C7AZ-5255-E (BEFORE 11-3-66) ★C7AZ-5255-AA (FROM 11-3-66)	★C7AZ-5255-S

E-F-43

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1967 FORD—8 CYL. 390-4B & 428-4B STATION WAGON (INCLUDING P/C)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7AZ-5246-E
A	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	C7AZ-5230-AJ
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G
	381877-S (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW -HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER	
3	OUTLET PIPE	D0AZ-5255-N
5	BRACKET ASSY.	C6AZ-5260-F
	20346-S8 (B-50) BOLT -HEX HD. 5/16-18 x 3/4 34392-S8 (M-93) NUT-LOCK 5/16-18 ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	★C7AZ-5230-L
3	OUTLET PIPE	★C7AZ-5255-L

E-F-49


♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

1967 FORD—8 CYL. 427-4B & 8B SEDAN, HARDTOP & CONVERTIBLE





	ITEM	L.H.	R.H.
1	INLET PIPE	C7AZ-5246-J	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	★C7AZ-5230-C	C7AZ-5230-AA
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G	C7AZ-5260-G
	381877-S (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER		
3	OUTLET PIPE	★C7AZ-5255-G (BEFORE 12-15-66) ★C7AZ-5255-Z (FROM 12-15-66)	C7AZ-5255-U
5	BRACKET & INSULATOR ASSY.	C5AZ 5260-D	C6AZ-5260-K
	39885-S7-8 (U-263-E) SCREW-HEX HD. 3/8-16 x 1/2 (4) REQ'D. ATT. BRKT. TO SIDE RAIL		
C	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A

E-F-48

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

1967 FORD—8 CYL. 428-4B 7-LITRE SEDAN, HARDTOP, CONVERTIBLE & P/C





	ITEM	L.H.	R.H.
1	INLET PIPE	C7AZ-5246-G	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	★C7AZ-5230-Z	C7AZ-5230-S
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE (RESONATOR)	★C7AZ-5A289-B (BEFORE 10-21-66) C7AZ-5A289-C (FROM 10-21-66)	★C7AZ-5A289-A (BEFORE 10-21-66) C7AZ-5A289-D (FROM 10-21-66)
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. (2) REQ'D. ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER		
5	BRACKET ASSY.	C7AZ-5260-E	C7AZ-5260-D
	39885-S7-8 (U-263-E) SCREW-HEX HD. 3/8-16 x 1/2 (4) REQ'D. ATT. 5260 TO FRAME		
6	BRACKET	★C7AZ-5266-B	★C7AZ-5266-B
	39885-S7-8 (U-263-E) SCREW-HEX HD. 3/8-16 x 1/2 (2) REQ'D. ATT. 5266 TO OUTLET PIPE		


E-F-59

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1967 FAIRLANE—6 CYL. 200-1B SEDAN, HARDTOP & CONVERTIBLE (EXCEPT RANCHERO) WITH 1 3/4" INLET PIPE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
4	BRACKET	C3DZ-5291-A
	20348-S8 (B-77) BOLT-HEX HD. 3/8-16 x 3/4 34807-S8 (X-66)WASHER -LOCK 3/8 ATT. BRKT. TO UNDERBODY	
A	CLAMP #	A9AA-5A231-A
1	INLET PIPE	C7OZ-5246-E (1 3/4" DIA.)
B	CLAMP #	A9AA-5A231-A
1A	INTERMED. PIPE	DODZ-5A212-B
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
5	BRACKET & INSULATOR ASSY.	C7OZ-5260-F
	★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DOOZ-5255-E
6	BRACKET & INSULATOR ASSY.	C7OZ-5260-B
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY	
E	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with both parts (muffler and intermediate pipe) used together.

Consolidated muffler, intermediate pipe and outlet pipe must be used together as a complete unit. They will not mate with original sevice components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C7OZ-5230-A W/O T/E-1 3/4" INLET DIA. ★C7OZ-5230-B W/T/E-1 3/4" INLET DIA.
3	OUTLET PIPE	★C7OZ-5255-G


E-C-34

Use A9AA 5A231-A in U.S. only; use C000 5253-C in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1967 FAIRLANE—6 CYL 200-1B SEDAN, HARDTOP & CONVERTIBLE (EXCEPT RANCHERO) WITH 2" INLET PIPE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
A	CLAMP ▲	D1AZ-5A231-C
4	BRACKET	C7OZ-5277-A
	20348-S8 (B-77) BOLT-HEX HD. 3/8-16 x 3/4 ATT. BRKT. TO UNDERBODY 34807-S8 (X-66) WASHER-LOCK 3/8 ATT. BRKT. TO ENG. BLOCK	
1	INLET PIPE	C7OZ-5246-J
B	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
5	BRACKET & INSULATOR ASSY.	C7OZ-5260-F
	★40980-S SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY & MUFF.	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DOOZ-5255-E
6	BRACKET & INSULATOR ASSY.	C7OZ-5260-B
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 ATT. BRKT. & INSULATOR ASSY TO U BODY	
E	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with both parts (muffler and intermediate pipe) used together.

Consolidated muffler, intermediate pipe and outlet pipe must be used together as a complete unit. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	★C7OZ-5230-K (2" INLET DIA.)
3	OUTLET PIPE	★C7OZ-5255-G


E-C-36

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1967 FAIRLANE—6 CYL. 200-1B RANCHERO

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
Ⓐ	CLAMP #	A9AA-5A231-A
4	BRACKET	C3DZ-5291-A (EXC.A/T W/IMCO) C7OZ-5277-A (A/T/IMCO)
	20348-S8 (B-77) BOLT-HEX HD. 3/8-16 x 3/4 34807-S8 (X-66) WASHER-LOCK 3/8 ATT. BRKT. TO ENG. BLOCK	
1	INLET PIPE	C7OZ-5246-E (1 3/4" DIA.)
Ⓑ	CLAMP #	A9AA-5A231-A
1A	INTERMED. PIPE	DODZ-5A212-B
Ⓒ	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
5	BRACKET & INSULATOR ASSY.	C7OZ-5260-F
	★40980-S SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO U/BODY	
Ⓓ	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
6	BRACKET & INSULATOR ASSY.	C7DZ-5260-B
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 ATT. BRKT. & INSULATOR ASSY. TO U/BODY	
Ⓔ	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with both parts (muffler and intermediate pipe) used together.

Consolidated muffler, intermediate pipe and outlet pipe must be used together as a complete unit. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	★C7OZ-5230-A (1 3/4" INLET DIA.)
3	OUTLET PIPE	★C7OZ-5255-A

E-C-37

Use A9AA 5A231-A in U.S. only; use C000 5253-C in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1967 FAIRLANE—6 CYL. 200-1B STATION WAGON WITH 1 3/4" INLET PIPE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
A	CLAMP ♯	A9AA-5A231-A
4	BRACKET	C3DZ-5291-A
	20348-S8 (B-77) BOLT-HEX HD. 3/8-16 × 3/4 ATT. BRKT. TO U/BODY 34807-S8 (X-66) WASHER-LOCK 3/8 ATT. BRKT. TO U/BODY	
1	INLET PIPE	C7OZ-5246-E (1 3/4" DIA.)
B	CLAMP ♯	A9AA-5A231-A
1A	INTERMED. PIPE	D0DZ-5A212-B
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
5	BRACKET & INSULATOR ASSY.	C7OZ-5260-F
	★40980-S SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO U/BODY	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
6	BRACKET & INSULATOR ASSY.	C7DZ-5260-B
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 × 3/4 ATT. BRKT. & INSULATOR ASSY. TO U/BODY	
E	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with both parts (muffler and intermediate pipe) used together.

Consolidated muffler, intermediate pipe and outlet pipe must be used together as a complete unit. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C70Z-5230-B (W/T/E) 1 3/4" INLET DIA. ★C70Z-5230-A (W/O T/E) 1 3/4" INLET DIA.
3	OUTLET PIPE	★C70Z-5255-A


E-C-33

♯ Use A9AA 5A231-A in U.S. only; use C000 5253-C in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1967 FAIRLANE—6 CYL. 200-1B STATION WAGON WITH 2" INLET PIPE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
(A)	CLAMP ▲	D1AZ-5A231-C
(4)	BRACKET	C7OZ-5277-A
	20348-S8 (B-77) BOLT-HEX HD. 3/8-16 x 3/4 ATT. BRKT. TO ENGINE BLOCK 34807-S (X-66) WASHER-LOCK 3/8	
[1]	INLET PIPE	C7OZ-5246-J (2" DIA.)
(B)	CLAMP ▲	D1AZ-5A231-C
[1A]	INTERMED. PIPE	DODZ-5A212-A
(C)	CLAMP ▲	D1AZ-5A231-C
[2]	MUFFLER	DOZZ-5230-N
(5)	BRACKET & INSULATOR ASSY.	C7OZ-5260-F
	★40980-S SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO U/BODY	
(D)	CLAMP ▲	D1AZ-5A231-C
[3]	OUTLET PIPE	DODZ-5255-A
(6)	BRACKET & INSULATOR ASSY.	C7DZ-5260-B
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 ATT. BRKT. & INSULATOR ASSY. TO U/BODY	
(E)	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with both parts (muffler and intermediate pipe) used together.

Consolidated muffler, intermediate pipe and outlet pipe must be used together as a complete unit. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
[2]	MUFFLER	★C7OZ-5230-K (2" INLET DIA.)
[3]	OUTLET PIPE	★C7OZ-5255-A

E-C-35

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1967 FAIRLANE—8 CYL. 289-2B SEDAN, HARDTOP & CONVERTIBLE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-L (NOTE 1) C7OZ-5246-R (NOTE 2)
A	CLAMP ▲ ‡	D1AZ-5A231-C (NOTE 1) D1AZ-5A231-D (NOTE 2)
1A	INTERMED. PIPE	D0DZ-5A212-A (NOTE 1) D00Z-5A212-G (NOTE 2)
B	CLAMP ▲ ♦	D1AZ-5A231-C (NOTE 1) D1AZ-5A231-A (NOTE 2)
2	MUFFLER	D0ZZ-5230-N (NOTE 1) D0ZZ-5230-R (NOTE 2)
4	BRACKET & INSULATOR ASSY.	C7OZ-5260-G (SEDAN & H.T.) C7OZ-5260-F (ALL CONVERTIBLES)
	★40980-S SCREW-HEX HD. 3/8-16 X 1 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO U/BODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D00Z-5255-E
5	BRACKET & INSULATOR ASSY.	C7OZ-5260-B
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 X 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO U/BODY	
D	CLAMP ▲	D1AZ-5A231-C

NOTE 1 - FOR USE W/2" MUFFLER INLET
NOTE 2 - FOR USE W/2 1/2" MUFFLER INLET

Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with both parts (muffler and intermediate pipe) used together.

Consolidated muffler, intermediate pipe and outlet pipe must be used together as a complete unit. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C7OZ 5230-C (NOTE 1) ★C7OZ 5230-M (NOTE 2)
3	OUTLET PIPE	★C7OZ-5255-G

NOTE 1 - FOR USE W/2" MUFFLER INLET
NOTE 2 - FOR USE W/2 1/2" MUFFLER INLET
E-C-32


▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada
‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
♦ Use D1AZ 5A231-A in U.S. only, use C000 5253-F in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

1967 FAIRLANE—8 CYL. 289-2B RANCHERO & STATION WAGON

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-L
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
4	BRACKET & INSULATOR ASSY.	C7OZ-5260-F
	★40980-S SCREW -HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-B (RANCHERO) C7OZ-5260-D (STA. WGN.)
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3 4 ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with both parts (muffler and intermediate pipe) used together.

Consolidated muffler, intermediate pipe and outlet pipe must be used together as a complete unit. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	★C7OZ-5230-C
3	OUTLET PIPE	★C7OZ-5255-A

E-C-31

▲ Use D1AZ 5A231-C in U.S. only: use C000 5253-E in Canada

1967 FAIRLANE—8CYL. 390-2B SEDAN & HARDTOP STATION WAGON, RANCHERO & CONVERTIBLE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-M
A	CLAMP ‡	D1AZ-5A231-D
1A	INTERMED. PIPE	DOOZ-5A212-F
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C7OZ-5260-F
	★40980-S SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DOOZ-5255-E
5	BRACKET & INSULATOR ASSY.	C7OZ-5260-B
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3 4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with both parts muffler and intermediate pipe) used together.

Consolidated muffler, intermediate pipe and outlet pipe must be used together as a complete unit. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
B	CLAMP ‡	★C3OZ-5A231-A
2	MUFFLER	★C7OZ-5230-G
3	OUTLET PIPE	★C7OZ-5255-F (BEFORE 1-9-67) C7OZ-5255-H (FROM 1-9-67)


E-C-30

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN
FINAL ISSUE

1967 FAIRLANE—8 CYL. 390-2B & 4B STATION WAGON & RANCHERO

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-M
A	CLAMP ‡	D1AZ-5A231-D
1A	INTERMED. PIPE	DOOZ-5A212-F
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C7OZ-5260-F
	★40980-S SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO U/BODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-B (RANCHERO) C7OZ-5260-D (S/W)
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO U/BODY	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with both parts (muffler and intermediate pipe) used together.

Consolidated muffler, intermediate pipe and outlet pipe must be used together as a complete unit. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C7OZ-5230-G
C	CLAMP ♦	D1AZ-5A231-A
3	OUTLET PIPE	★C7OZ-5255-C
D	CLAMP ♦	D1AZ-5A231-A


E-C-29

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1967 FAIRLANE—8 CYL. 390-4B SEDAN & HARDTOP & 8 CYL.—390-2B OR 4B CONVERTIBLE (INCLUDES MODELS W/390-2B & DUAL EXHAUST KIT)



	ITEM	L.H.	R.H.
1	INLET PIPE	C7OZ-5246-N	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C7OZ-5230-F	C7OZ-5230-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
5	BRACKET & INSULATOR ASSY.	C7OZ-5260-F	C7OZ-5260-F
	★40980-S SCREW - HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY		
3	OUTLET PIPE	C7OZ-5255-J	C7OZ-5255-K
6	BRACKET & INSULATOR ASSY.	C7OZ-5260-B	C7OZ-5260-C
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO U/BODY		
C	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
4	RESONATOR	C7OZ-5A289-A	
D	CLAMP	C7OZ-5A231-A	C7OZ-5A231-A

E-C-28


▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

FINAL ISSUE

1967 FAIRLANE—8 CYL. 427-4B & 8B SEDAN, HARDTOP & CONVERTIBLE




	ITEM	L.H.	R.H.
1	INLET PIPE	C7OZ-5246-H	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	C7OZ-5230-J	C7OZ-5230-H
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
5	BRACKET & INSULATOR ASSY.	C7OZ-5260-F	C7OZ-5260-F
	20428-S7-8 (B-82) BOLT-HEX HD. 3/8-16 x 1-1/4; 44720-S8 (X-18) WASHER-FLAT 3/8 ATT. BRKT. & INSULATOR ASSY. TO U/BODY		
C	CLAMP	C7OZ-5A231-A	C7OZ-5A231-A
2A	RESONATOR	C7OZ-5A289-A	
3	OUTLET PIPE	C7OZ-5255-J	C7OZ-5255-K
6	BRACKET & INSULATOR ASSY.	C7OZ-5260-B	C7OZ-5260-C
	381877-S2 (UU-52-AF) SCREW-HEX HD.5/16-18 x 3/4 (4) REQ'D.ATT.BRKT.& INSULATOR ASSY.TO U/BODY		
D	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A

E-C-27

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

1967 MUSTANG—6 CYL. 200-1B

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
4	BRACKET ASSY.	C3DZ 5291-A(M/T) C7OZ 5277-A(A/T)
	20348-S8(B-77) BOLT-HEX HD. 3/8-16 x 3 1/4 ATT. BRKT TO PANEL 34807-S8(X-66) 3/8 WASHER LOCK	
A	CLAMP	▲D1AZ-5A231-C(A/T) ♯ A9AA 5A231-A(M/T)
1	INLET PIPE	C7ZZ 5246-E(M/T) ★C7ZZ 5246-J(A/T) r/bD0ZZ-5A212-G
5	BRACKET & INSULATOR ASSY.	C7ZZ-5A246-D
	40182-S (U-269) SCREW-HEX HD. 5/16-18 x 7/8(4) REQ'D. ATT. BRKT. TO SIDE RAIL & MUFFLER - R.H.	
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	D0ZZ-5230-M
6	BRACKET & INSULATOR ASSY.	C5ZZ-5A246-A
	40182-S (U-269) SCREW-HEX HD. 5/16-18 x 7/8(4) REQ'D. ATT. BRKT. TO SIDE RAIL & MUFFLER - L.H.	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D0ZZ-5255-F

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)

	ITEM	PART NUMBER
2	MUFFLER	★C7ZZ 5230-C(M/T) ★C7ZZ 5230-F(A/T)



E-A-18

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada


♯ Use A9AA 5A231-A in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

FINAL ISSUE

1967 MUSTANG—8 CYL 289-2B & 4B P.F.


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7ZZ-5246-A
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE -	DOZZ-5A212-F
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7ZZ 5A246-D
	40182-S (U-269) SCREW-HEX HD. 5/16-18 x 7/8 (4) REQ'D. ATT. BRKT. TO SIDE RAIL & MUFFLER TO BRKT.	
2	MUFFLER	DOZZ-5230-M
5	BRACKET & INSULATOR ASSY.	C7ZZ-5A246-C
	40182-S (U-269) SCREW-HEX HD. 5/16-18 x 7/8(4) REQ'D. ATT. BRKT. TO SIDE RAIL & MUFFLER TO BRKT.	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DOZZ-5255-F

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
1A	INTERMED. PIPE	★C7ZZ-5A289-C
2	MUFFLER	★C7ZZ-5230-A

E-A-8

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1967 MUSTANG—8 CYL 289-4B GT, 390-4B GT, 390-4B STANDARD (INCLUDES SHELBY GT350/500 W/289-4B & 428-4B & 8B & MODELS W/DUAL EXHAUST KIT ✱)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	C7ZZ-5246-M (390,428) C7ZZ-5246-L (289)	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
1A	INTERMED. PIPE	DOZZ-5A289-A	DOZZ-5A289-B
5	BRACKET & INSULATOR ASSY.	C7ZZ-5A246-F (390) C7ZZ-5A246-D (289)	C7ZZ-5A246-G C7ZZ-5A246-C
	C1VV-5B236-C PLATE ASSY. (2) REQ'D. 51765-S8 (U-370) SCREW-PAN HD. #10-24 x 1/2 (2) REQ'D. ATT. PLATE TO FLOOR PAN 373403-S8 (MM-173-J) NUT-LOCK 3/8-16 x 9/16 (4) REQ'D. ATT. BRKT. TO PLATE 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER		
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C9ZZ-5230-E (EXC. DUAL KIT) C5ZZ-5230-U (W/DUAL KIT) ✱	C5ZZ-5230-U

	ITEM	L.H.	R.H.
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	C7ZZ-5255-B	C7ZZ-5255-C
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
	PIPE MOULDING	C5ZZ-5C299-A (SHELBY GT-350/500)	C5ZZ-5C299-A
6	BRACKET & INSULATOR ASSY.	C5ZZ-5277-A C7ZZ-5266-A C5ZZ-5260-F C7ZZ-5A231-B	C7ZZ-5277-A C7ZZ-5266-A C5ZZ-5260-F C7ZZ-5A231-B
	23575-S8 (B-13) BOLT-CARRIAGE 3/8-16 x 3 (4) REQ'D. ATT. BRKT. TO UNDERBODY 40920-S8 (U-264) SCREW-HEX HD. 5/16-18 x 1/2 (2) REQ'D. ATT. 5260 TO 5277		
E	CLAMP	C5ZZ-5A231-B	C5ZZ-5A231-B
4	PIPE EXTENSION	C9ZZ-5255-C (GT ONLY) C7ZZ-5255-D (EXCEPT GT) S7MS-5232-A (SHELBY GT-350/500)	S7MS-5232-A

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



✱ - MUFFLER ONLY - OTHER PARTS OF 5210 KIT NOT SERVICED


	ITEM	L.H.	R.H.
1A	INTERMED. PIPE	✱C7ZZ-5A289-G	✱C7ZZ-5A289-H
2	MUFFLER	★C7ZZ-5230-H	


E-A-7

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1967 THUNDERBIRD—8 CYL. 390-4B & 428-4B ALL MODELS






MUFFLER SPLASH SHIELD

	ITEM	L.H.	R.H.
1	INLET PIPE 2 DR. HT. 4 DR. HT.	 C7SZ-5246-A C7SZ-5246-C	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
1A	RESONATOR	C7SZ-5A289-A	C7SZ-5A289-B
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G	C7AZ-5260-G
	★40980-S2 SCREW-HEX HD.3/8-16 x 1 ★C7SA-5299-A PLATE (2) REQ'D. ATT. BRKT. TO FRAME 381877-S2 (UU-52-AF) SCREW-HEX HD.5/16-18 x 3/4 (4) REQ'D. ATT. PIPE TO BRKT.		
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C7SZ-5230-A	C7SZ-5230-B
5	BRACKET & INSULATOR ASSY.	C7SZ-5260-A	C7SZ-5260-B
	39909-S7 (U-269-D) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO FRAME C7SZ-5266-A BRACKET (2) REQ'D. ATT. PIPE TO BRKT. & INSULATOR ASSY.		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

E-H-3

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1967 BRONCO—6 CYL. 170-1B




	ITEM	PART NUMBER
1	INLET PIPE	C8TZ-5246-G
A	CLAMP ▲	D1AZ-5A231-C
4	BRACKET	C5UZ-5277-B
	20348-S8 (B77) BOLT-HEX HD. 3/8 -16x3/4 (1) REQ'D. ATT. BRKT. TO ENGINE BLOCK 34807-S8 (X66) WASHER-LOCK 3/8 (1) REQ'D. ATT. BRKT. TO ENGINE BLOCK	
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7TZ-5230-L WITHOUT T/E C7TZ-5230-C WITH T/E
C	CLAMP #	A9AA-5A231-A
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-A
	20366-S8 (B52) BOLT-HEX HD. 5/16 -18x7/8 (2) REQ'D. ATT. BRKT. TO FRAME 34806-S7 (X64) WASHER-LOCK 5/16 (2) REQ'D. ATT. BRKT. TO FRAME	
3	OUTLET PIPE	C7TZ-5255-AE WITHOUT T/E C7TZ-5255-C WITH T/E
6	BRACKET & INSULATOR ASSY.	C30Z-5260-A
	20366-S8 (B52) BOLT-HEX HD. 5/16 -18x7/8 (2) REQ'D. ATT. BRKT. TO FRAME 34806-S7 (X64) WASHER-LOCK 5/16 (2) REQ'D. ATT. BRKT. TO FRAME	
D	CLAMP #	A9AA-5A231-A

EN-3

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada
Use A9AA 5A231-A in U.S. only; use C000 5253-C in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1967 BRONCO—8 CYL. 289-2B




	ITEM	PART NUMBER
1	INLET PIPE	C6TZ-5246-T WITHOUT T/E C6TZ-5246-U WITH T/E
A	CLAMP ▲	D1AZ-5A231-C
1A	INLET PIPE CROSSOVER	C6TZ-5267-F WITHOUT T/E ★C6TZ-5267-E WITH T/E
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C6TZ-5230-G WITHOUT T/E C6TZ-5230-H WITH T/E
C	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C6TZ-5260-H
	20366-S8 (B52) BOLT-HEX HD. 5/16 -18x7/8 (2) REQ'D. ATT. BRKT. TO FRAME 34806-S7 (X64) WASHER-LOCK 5/16 (2) REQ'D. ATT. BRKT. TO FRAME	
3	OUTLET PIPE	C6TZ-5255-J
5	BRACKET & INSULATOR ASSY.	C6TZ-5260-G
	20366-S8 (B52) BOLT-HEX HD. 5/16 -18x7/8 (2) REQ'D. ATT. BRKT. TO FRAME 34806-S7 (X64) WASHER-LOCK 5/16 (2) REQ'D. ATT. BRKT. TO FRAME 23438-S8 (B4) BOLT-CARRIAGE 5/16 -18x1 1/4 (1) REQ'D. ATT. OUTLET PIPE TO BRKT. 34806-S7 (X64) WASHER-LOCK 5/16 (1) REQ'D. ATT. OUTLET PIPE TO BRKT. 33797-S7-8 (M50) NUT-LOCK 5/16 (1) REQ'D. ATT. OUTLET PIPE TO BRKT.	

EN-4

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1967 FALCON—6 CYL. 170-1B & 200-1B SEDAN WITH 1 3/4" INLET PIPE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
4	BRACKET	C3DZ-5291-A
	20348-S8 (B-77) BOLT- HEX HD. 3/8-16 x 3/4 34807-S8 (X-66) WASHER-LOCK 3/8	
A	CLAMP ▲	D1AZ-5A231-C
1	INLET PIPE	C7OZ-5246-E (1 3/4" DIA.)
B	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-B
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DODZ-5230-C
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-A
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-B
6	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	C8OZ-5B236-A PLATE ASSY. 42014-S8(U-240) SCREW-HEX HD. No.10-12 x 5 8 ★55802-S NUT-LOCK 5/16-18 (2) REQ'D. ATT. PLATE ASSY. & BRKT. TO SIDE RAIL	
E	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	★C7DZ-5230-A (1 3 4"INLET DIA.)


E-E-20

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1967 FALCON—6 CYL. 170-1B & 200-1B SEDAN WITH 2" INLET PIPE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
4	BRACKET & INSULATOR ASSY.	C7OZ 5?77-A
	20348-S8 (B-77) BOLT HEX HD. - 3/8-16 x 3/4 (1) REQ'D. 34807-S8(X-66) WASHER-LOCK3/8 (1) REQ'D.	
A	CLAMP	▲D1AZ-5A231-C
1	INLET PIPE	C7OZ-5246-J (2" DIA.)
B	CLAMP	▲D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
C	CLAMP	▲D1AZ-5A231-C
2	MUFFLER	DODZ-5230-C
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-A
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & UNDERBODY	
D	CLAMP	▲D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-B
6	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	C8OZ-5B236-A PLATE ASSY. (1) REQ'D. 42014-S8(U-240) SCREW-HEX HD. No.10-12 x 5/8(1) REQ'D. ★55802-S NUT-LOCK 5/16-18 x 3/4 (2) REQ'D. ATT. PLATE ASSY. & BRKT. TO SIDE RAIL	
E	CLAMP	▲D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	★C7DZ-5230-E

E-E-27

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1967 FALCON—6 CYL. 200-1B STATION WAGON WITH 1 3/4" INLET PIPE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
4	BRACKET	C3DZ-5291-A
	20348-S8 (B-77) BOLT-HEX HD. 3/8-16 x 3 1/4 34807-S8 (X-66) WASHER-LOCK 3/8 ATT. BRKT. TO ENG. BLOCK	
A	CLAMP ‡	A9AA-5A231-A
1	INLET PIPE	C7OZ-5246-E (1 3/4" DIA.)
B	CLAMP ‡	A9AA-5A231-A
1A	INTERMED. PIPE	DODZ-5A212-B
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DODZ-5230-C
5	BRACKET & INSULATOR ASSY.	C7OZ-5260-F
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. (ATT. BRKT. TO MUFFLER & UNDERBODY)	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
6	BRACKET & INSULATOR ASSY.	C7DZ-5260-B
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. (ATT. BRKT. TO SIDE RAIL)	
E	CLAMP ▲	D1AZ-5A231-C

Consolidated muffler, intermediate pipe and outlet pipe must be used together as a complete unit. They will not mate with original service components.

Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with both parts (muffler and intermediate pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C7OZ-5230 A W/O T/E 1 3/4" INLET DIA. ★C7OZ-5230-B W/T/E 1 3/4" INLET DIA.
3	OUTLET PIPE	★C7OZ-5255-A


E-E-28

‡ Use A9AA 5A231-A in U.S. only; use C000 5253-C in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1967 FALCON—6 CYL. 200-1B STATION WAGON WITH 2" INLET PIPE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
4	BRACKET	C7OZ-5277-A
	20348-S8 (B-77) BOLT-HEX HD. 3/8-16 x 3/4 34807-S (X-66) WASHER-LOCK 3/8 ATT. BRKT. TO ENG. BLOCK	
A	CLAMP ▲	D1AZ-5A231-C
1	INLET PIPE	C7OZ-5246-J (2" DIA.)
B	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DODZ-5230-C
5	BRACKET & INSULATOR ASSY.	C7OZ-5260-F
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
6	BRACKET & INSULATOR ASSY.	C7DZ-5260-B
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
E	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with both parts (muffler and intermediate pipe) used together.

Consolidated muffler, intermediate pipe and outlet pipe must be used together as a complete unit. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	★C7OZ-5230-K
3	OUTLET PIPE	★C7OZ-5255-A

E-E-22

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1967 FALCON—8 CYL. 289-2B & 4B SEDAN


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-L
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DODZ-5230-C
4	BRACKET & INSULATOR ASSY.	C7DZ-5260-A
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-B
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	C8OZ-5B236-A PLATE ASSY. (1) REQ'D. 42014-S8 (U-240) SCREW-HEX HD. #10-12 x 5/8 ★55802-S NUT-LOCK #10-12 (2) REQ'D. (ATT. PLATE & BRKT. TO SIDE RAIL	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C7DZ-5230-C


E-E-21

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

1967 FALCON—8 CYL. 289-2B & 4B STATION WAGON

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-L
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DODZ-5230-C
4	BRACKET & INSULATOR ASSY.	C7OZ-5260-F
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-B
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
D	CLAMP ▲	D1AZ-5A231-C

Consolidated muffler, intermediate pipe and outlet pipe must be used together as a complete unit. They will not mate with original service components.

Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with both parts (muffler and intermediate pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C7OZ-5230-C
3	OUTLET PIPE	★C7OZ-5255-A

E-E-29

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

EXHAUST PARTS MODEL INDEX

How to use this index -

1. Find the car model desired.
2. Find the line which lists the engine displacement needed.
3. Select the correct page, and turn to that page.

Explanation of picture - text catalog sheets -

In sections 52.65 through 52.72, the complete present service system is shown at the top of the page, with an illustration and a complete bill of materials. If a second illustration appears below, that is the service system before simplification. In the lower system (before simplification), parts which are changed are shown by dotted lines, and the part numbers are shown in the table. Parts shown in black are parts which are unchanged and shown above in the upper illustration.

For stamped number cross-reference information and for size information, refer to Section 52, page 1.

1968

CYL	C.I.D.	MODEL	TYPE▲	SECTION	PAGE	ILLUS. NO. ♦
		A (FORD)				
6	240-1B	Exc.71	S	52.68	2	EF 7
		71	S	52.68	3	EF 8
8	302-2B	Exc.71	S	52.68	4	EF 9
		71	S	52.68	5	EF 10
	390-2B	Exc.71	S	52.68	6	EF 17
		71	S	52.68	7	EF 18
	390-4B	Exc.71 (U.S.)	D	52.68	8	EF 19
		Exc. 71 (Canada)	D	52.68	9	EF 108
		71 (U.S.)	S	52.68	10	EF 16
		71 (Canada)	S	52.68	11	EF 21
	427-4B		D	52.68	12	EF 20
	428-4B	Exc.71 or P/C (U.S.)	D	52.68	8	EF 19
		Exc. 71 or P/C (Canada)	D	52.68	9	EF 108
		P/C exc.71	D	52.68	13	EF 22
		71-exc.P/C	S	52.68	10	EF 16
		-P/C	S	52.68	11	EF 21
		B (FAIRLANE/TORINO)				
6	200-1B	Exc.66,71	S	52.68	14	EC 8
		66,71	S	52.68	15	EC 7
	289-2B	Exc.66,71,76	S	52.68	16	EC 14
		66,71	S	52.68	17	EC 12
		76	S	52.68	18	EC 13
	302-2B	Exc.66,71,76	S	52.68	16	EC 14
		66,71	S	52.68	17	EC 12
		76	S	52.68	18	EC 13
	390-2B	54	S	52.68	19	EC 11
		54	D	52.68	20	EC 17
		63B	S	52.68	19	EC 11
		63B-w/dual exhaust kit	D	52.68	20	EC 17
		63D	D	52.68	20	EC 17
		63E	S	52.68	19	EC 11
		63E-w/dual exhaust kit	D	52.68	20	EC 17
		65A, B, C	S	52.68	19	EC 11
		65A, B, C-w/dual exhaust kit	D	52.68	20	EC 17
		65D	D	52.68	20	EC 17
		65E	S	52.68	19	EC 11
		65E-w/dual exhaust kit	D	52.68	20	EC 17
		66,71	S	52.68	21	EC 10
		76	D	52.68	20	EC 17
	390-4B	54,63,65	D	52.68	20	EC 17
		66,71	S	52.68	21	EC 10
		76	D	52.68	20	EC 17
8	427-4B		D	52.68	22	EC 16
	428-4B		D	52.68	23	EC 15


CYL	C.I.D.	MODEL	TYPE▲	SECTION	PAGE	ILLUS. NO. ♦
		F (MUSTANG) - INCLUDES SHELBY				
6	200-1B		S	52.68	24	EA 19
8	289-2B		S	52.68	25	EA 20
		GT	D	52.68	26	EA 6
	302-4B		S	52.68	25	EA 20
		GT	D	52.68	26	EA 6
		Shelby GT350	D	52.68	26	EA 6
	390-2B		D	52.68	27	EA 5
	390-4B	GT	D	52.68	27	EA 5
	427-4B	GT	D	52.68	27	EA 5
	428-4B		D	52.68	28	EA 9
		Shelby GT500	D	52.68	28	EA 9
		S (THUNDERBIRD)				
8	429-4B		D	52.68	29	EH 4
		U (BRONCO)				
6	170-1B		S	52.68	30	EN 5
8	289-2B		S	52.68	31	EN 6
		X (FALCON)				
6	170-1B	54,62	S	52.68	32	EE 23
	200-1B	54,62	S	52.68	32	EE 23
		71	S	52.68	33	EE 24
8	289-2B	54,62	S	52.68	34	EE 25
		71	S	52.68	35	EE 26
	302-4B	54,62	S	52.68	34	EE 25
		71	S	52.68	35	EE 26

♦ For control purposes only ▲ S - Single D - Dual

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


1968 FORD—6 CYL. 240-1B SEDAN, HARDTOP, & CONVERTIBLE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C8AZ-5246-G
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★ C7SA-5299-A PLATE ASSY. ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER	
3	OUTLET PIPE	D0AZ-5255-S
5	BRACKET ASSY.	C7AZ-5260-D
	C8AZ-5266-A PLATE 39885-S2 (U-263-E) SCREW - HEX HD. 3/8-16 x 1/2 (2) REQ'D. ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★C8AZ-5230-K
3	OUTLET PIPE	★C8AZ-5255-C (BEFORE 10-1-67) ★C8AZ-5255-V (FROM 10-1-67)

E-F-7

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada


1968 FORD—6 CYL. 240-1B STATION WAGON

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C8AZ-5246-G
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH
B	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DOAZ-5255-N
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER	
5	BRACKET ASSY.	C6AZ-5260-F
	C8AZ-5266-C PLATE 20346-S8 (B-50) BOLT - HEX HD. 5/16-18 x 3/4 34392-S7-8 (M-93) NUT - LOCK 5/16-18 ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	★C7AZ-5230-AB
3	OUTLET PIPE	★C8AZ-5255-H


E-F-8

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 FORD—8 CYL. 302-2B SEDAN, HARDTOP, & CONVERTIBLE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	C8AZ-5246-F
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-S
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. (ATT. BRKT. TO PIPE) ★C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. (ATT. BRKT. & PLATE TO CROSS MEMBER)	
3	OUTLET PIPE	D0AZ-5255-S
5	BRACKET ASSY.	C7AZ-5260-D
	C8AZ-5266-A PLATE 39885-S8 (U-263-E) SCREW - HEX HD. 3/8-16 x 1/2 (2) REQ'D. ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	★C8AZ-5230-G
3	OUTLET PIPE	★C8AZ-5255-AA

E-F-9

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1968 FORD—8 CYL. 302-2B STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C8AZ-5246-F
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	DOAZ-5230-S
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER	
3	OUTLET PIPE	DOAZ-5255-N
5	BRACKET ASSY.	C6AZ-5260-F
	C8AZ-5266-C PLATE 20346-S8 (B-50) BOLT - HEX HD. 5/16-18 x 3/4 34392-S7-8 (M-93) NUT - LOCK 5/16-18 ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	★C8AZ-5230-H
3	OUTLET PIPE	★C8AZ-5255-N

E-F-10


‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 FORD—8 CYL. 390-2B SEDAN, HARDTOP, & CONVERTIBLE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	C8AZ-5246-A (U.S.) C8AA-5246-K (CANADA)
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	DOAZ-5230-S
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER	
3	OUTLET PIPE	DOAZ-5255-S
5	BRACKET ASSY.	C7AZ-5260-D
	PLATE C8AZ-5266-A 39885-S8 (U-263-E) SCREW - HEX HD. 3/8-16 x 1/2 (2) REQ'D. ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	*C8AZ-5230-F
3	OUTLET PIPE	*C8AZ-5255-U

E-F-17

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1968 FORD—8 CYL 390-2B STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C8AZ-5246-A (U.S.) C8AA-5246-K (CANADA)
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	DOAZ-5230-S
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER	
3	OUTLET PIPE	DOAZ-5255-N
5	BRACKET ASSY.	C6AZ-5260-F
	C8AZ-5266-C PLATE 20346-S8 (B-50) BOLT - HEX HD. 5/16-18 x 3/4 34392-S7-8 (M-93) NUT - LOCK 5/16-18 ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	C8AZ-5230-J
3	OUTLET PIPE	★C8AZ-5255-L

E-F-18


‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 FORD—8 CYL. 390-4B & 428-4B SEDAN, HARDTOP, & CONVERTIBLE (EXCEPT 428 P/C) (U.S. ONLY)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	C8AZ-5246-B	
A	CLAMP	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	C7AZ-5230-AJ	C7AZ-5230-AJ
B	CLAMP	D1AZ-5A231-C	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER		
3	OUTLET PIPE	D0AZ-5255-R	D0AZ-5255-S
5	BRACKET ASSY.	C7AZ-5260-E	C7AZ-5260-D
	C8AZ-5266-A PLATE 39885-S8 (U-263-E) SCREW - HEX.HD. 3/8-16 x 1/2 (2) REQ'D. ATT. BRKT. TO FRAME		
C	CLAMP	D1AZ-5A231-C	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.


ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H
2	MUFFLER	★C8AZ-5230-N	★C8AZ-5230-M (2 1/4" INLET DIA.)
3	OUTLET PIPE	★C8AZ-5255-Z	★C8AZ-5255-U

1968 FORD—8 CYL. 390-4B & 428-4B SEDAN, HARDTOP, & CONVERTIBLE (EXCEPT 428 P/C) (CANADA ONLY)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	C8AZ-5246-D	
A	CLAMP	C000-5253-E	C000-5253-E
2	MUFFLER	C7AZ-5230-AH	C7AZ-5230-AH
B	CLAMP	C000-5253-E	C000-5253-E
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER		
3	OUTLET PIPE	D0AZ-5255-T	D0AZ-5255-M
5	BRACKET ASSY.	C7AZ-5260-E	C7AZ-5260-D
	C8AZ-5266-A PLATE 39885-S8 (U-263-E) SCREW - HEX HD. 3/8-16 x 1/2 (2) REQ'D. ATT. BRKT. TO FRAME		
C	CLAMP	C000-5253-E	C000-5253-E

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	L.H.	R.H.
2	MUFFLER	★C7AZ-5230-A (2" INLET DIA.)	★C7AZ-5230-T
3	OUTLET PIPE	C8AZ-5255-J	★C8AZ-5255-AA

E-F-108

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 FORD—8 CYL. 390-4B & 428-4B STATION WAGON EXCEPT 428 P/C (U.S. ONLY)

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NO.
1	INLET PIPE	C8AZ-5246-A
A	CLAMP	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-S
B	CLAMP	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER	
3	OUTLET PIPE	D0AZ-5255-N
5	BRACKET ASSY.	C6AZ-5260-F
	C8AZ-5266-C PLATE 20346-S8 (B-50) BOLT - HEX HD. 5/16-18 x 3/4 34392-S7-8 (M-93) NUT - LOCK 5/16-18 ATT. BRKT. TO FRAME	
C	CLAMP	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	★C8AZ-5230-B (2" INLET DIA.)
3	OUTLET PIPE	★C8AZ-5255-L

E-F-16

1968 FORD—8 CYL. 390-4B & 428-4B STATION WAGON (CANADA ONLY)
1968 FORD--8 CYL. 428-4B STATION WAGON (POLICE CAR)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	★C8AZ-5246-E
A	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	C7AZ-5230-AJ
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW - HEX HD 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO #4 CROSS MEMBER	
3	OUTLET PIPE	D0AZ-5255-N
5	BRACKET ASSY.	C6AZ-5260-F
	C8AZ-5266-C PLATE 20346-S8 (B-50) BOLT - HEX HD. 5/16-18 x 3/4 34392-S7-8 (M-93) NUT - LOCK 5/16-18 ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	C8AZ-5230-E (2 1/4" INLET DIA.)
3	OUTLET PIPE	★C8AZ-5255-L


E-F-21

♦ Use D1AZ-5A231-A in U.S. only; use C000 5253-F in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

1968 FORD—8 CYL. 427-4B SEDAN, HARDTOP, & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	★C8AZ-5246-H	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	C7AZ-5230-AH	C7AZ-5230-AH
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER		
3	OUTLET PIPE	D0AZ-5255-R	D0AZ-5255-S
5	BRACKET ASSY.	C7AZ-5260-E	C7AZ-5260-D
	C8AZ-5266-A PLATE (2) REQ'D. 39885-S8 (U-263-E) SCREW - HEX HD. 3/8-16 x 1/2 (2) REQ'D. ATT. BRKT. TO FRAME		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	L.H.	R.H.
2	MUFFLER	★C8AZ-5230-A	★C8AZ-5230-C
3	OUTLET PIPE	★C8AZ-5255-Z	★C8AZ-5255-U

E-F-20

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1968 FORD—8 CYL. 428-4B SEDAN (POLICE CAR ONLY)

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	L.H.	R.H.
1	INLET PIPE	C8AZ-5246-D	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C7AZ-5230-AH	C7AZ-5230-AH
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G	C7AZ-5260-G
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO PIPE ★C7SA-5299-A PLATE ASSY. ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER		
3	OUTLET PIPE	D0AZ-5255-R	D0AZ-5255-S
5	BRACKET ASSY.	C7AZ-5260-E	C7AZ-5260-D
	39885-S2 (U-263-E) SCREW - HEX HD. 3/8-16 x 1/2 (2) REQ'D. ATT. BRKT. TO FRAME C8AZ-5266-A PLATE (2) REQ'D.		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★C8AZ-5230-A	★C8AZ-5230-C
3	OUTLET PIPE	★C8AZ-5255-Z	★C8AZ-5255-U


E-F-22

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 FAIRLANE/TORINO—6 CYL. 200-1B SEDAN, HARDTOP & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
△4	BRACKET & INSULATOR ASSY.	C7OZ-5277-A
	20348-S7 (B-77) BOLT - HEX HD. 3/8-16 x 3/4 ATT. CLAMP & WASHER TO BLOCK 34807-S8 (X-66) WASHER - LOCK #12-3/8 O.D. ATT. CLAMP TO BLOCK	
(A)	CLAMP ▲	D1AZ-5A231-C
1	INLET PIPE	C8OZ-5246-A
(B)	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	D3OZ-5A212-B
(C)	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
△5	BRACKET & INSULATOR ASSY.	C8OZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & FLOOR PAN	
(D)	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DOOZ-5255-E
△6	BRACKET & INSULATOR ASSY.	C8OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
(E)	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	★C8OZ-5230-L

E-C-8

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1968 FAIRLANE/TORINO—6 CYL. 200-1B RANCHERO & STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
4	BRACKET	C7OZ-5277-A
	20348-S7 (B-77) BOLT - HEX HD. 3/8-16 x 3/4 ATT. BRKT. & WASHER TO BLOCK 34807-S8 (X-66) WASHER - LOCK #12-3/8 O.D. ATT. CLAMP TO BLOCK	
A	CLAMP ▲	D1AZ-5A231-C
1	INLET PIPE	C8OZ-5246-A
B	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-C
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & FLOOR PAN	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
6	BRACKET & INSULATOR ASSY.	C7OZ-5260-B (RANCHERO) C7OZ-5260-D (STA. WAG.)
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
E	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	C8OZ-5230-K


E-C-7

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 FAIRLANE/TORINO—8 CYL. 289-2B & 302-2B SEDAN & HARDTOP


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-R
A	CLAMP ‡	D1AZ-5A231-D
1A	INTERMED. PIPE	DOOZ-5A212-G
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C8OZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER AND FLOOR PAN	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DOOZ-5255-C
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 ATT. BRKT. TO SIDE RAIL	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★ C8OZ-5230-J (BEFORE 12-15-67) ★ C8OZ-5230-M (FROM 12-15-67)
D	CLAMP	♦ D1AZ-5A231-A

E-C-14

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1968 FAIRLANE/TORINO—8 CYL. 289-2B & 302-2B
STATION WAGON & RANCHERO


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-L
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
4	BRACKET & INSULATOR ASSY.	C8OZ-5260-C
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & FLOOR PAN	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-B (RANCHERO) C7OZ-5260-D (S/W)
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ C8OZ-5230-E


E-C-12

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 FAIRLANE/TORINO—8 CYL. 289-2B & 302-2B CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-L
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	D3OZ-5A212-B
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
4	BRACKET & INSULATOR ASSY.	C8OZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & FLOOR PAN	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DOOZ-5255-E
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 ATT. BRKT. TO SIDE RAIL	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★C8OZ-5230-F

E-C-13

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1968 FAIRLANE/TORINO—8 CYL. 390-2B SEDAN & HARDTOP


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-M
A	CLAMP ‡	D1AZ-5A231-D
1A	INTERMED. PIPE	DOOZ-5A212-F
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C8OZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & FLOOR PAN	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DOOZ-5255-E
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 ATT. BRKT. TO SIDE RAIL	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	*C8OZ-5230-H (BEFORE 12-15-67) *C8OZ-5230-N (FROM 12-15-67)
D	CLAMP	C7OZ-5A231-A


E-C-11

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 FAIRLANE/TORINO—8 CYL. 390-2B & 4B SEDAN, HARDTOP & CONVERTIBLE (INCLUDES MODELS WITH 390-2B & DUAL EXHAUST KIT)

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

	ITEM	L.H.	R.H.
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D0OZ-5255-C (EXC. KIT) D0OZ-5255-E (W/DUAL KIT)	D0OZ-5255-D (EXC. KIT) D0OZ-5255-F (W/DUAL KIT)
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-A	C8OZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO SIDE RAIL		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

	ITEM	L.H.	R.H.
1	INLET PIPE	C7OZ-5246-N	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
1A	INTERMED. PIPE	D0OZ-5A212-B (EXC. KIT) D0OZ-5A212-D (W. DUAL KIT)	D0OZ-5A212-B (EXC. KIT) D0OZ-5A212-D (W. DUAL KIT)
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C8OZ-5260-E	C8OZ-5260-E
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & FLOOR PAN		

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	L.H.	R.H.
2	MUFFLER	★C8OZ-5230-T (EXC. KIT) ★C9OZ-5230-N (W/DUAL KIT)	★C8OZ-5230-R (EXC. KIT) ★C9OZ-5230-M (W/DUAL KIT)
4	BRACKET & INSULATOR ASSY.	C8OZ-5260-D (W/DUAL KIT)	C8OZ-5260-D (W/DUAL KIT)
D	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

1968 FAIRLANE/TORINO—8 CYL. 390-2B & 4B STATION WAGON & RANCHERO


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-M
A	CLAMP ‡	D1AZ-5A231-D
1A	INTERMED. PIPE	DOOZ-5A212-F
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C8OZ-5260-C
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & FLOOR PAN	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-B (RANCHERO) C7OZ-5260-D (STA. WAG.)
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 ATT. BRKT. TO SIDE RAIL	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C8OZ-5230-G
D	CLAMP	C7OZ-5A231-A


E-C-10

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN
FINAL ISSUE

1968 FAIRLANE/TORINO—8 CYL. 427-4B


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	C7OZ-5246-H	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	DOOZ-5A212-C	DOOZ-5A212-C
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R	DOZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C8OZ-5260-E	C8OZ-5260-E
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (8) REQ'D. ATT. BRKT. TO MUFFLER & FLOOR PAN		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	DOOZ-5255-C	DOOZ-5255-D
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-A	C8OZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO SIDE RAIL		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★C8OZ-5230-D (BEFORE 1-2-68) ★C8OZ-5230-U (FROM 1-2-68)	★C8OZ-5230-S
D	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A


E-C-16

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1968 FAIRLANE/TORINO—8 CYL. 428-4B CJ


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	C8OZ-5246-E	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	DOOZ-5A212-C	DOOZ-5A212-C
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R	DOZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C8OZ-5260-E	C8OZ-5260-E
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (8) REQ'D. ATT. BRKT. TO MUFFLER & FLOOR PAN		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	DOOZ-5255-C	DOOZ-5255-D
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-A	C8OZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO SIDE RAIL		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★ C8OZ-5230-U	★C8OZ-5230-S
D	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A

E-C-15

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada


▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

1968 MUSTANG—6 CYL.200-1B


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C8ZZ-5246-B
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DOZZ-5A212-D
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
4	BRACKET & INSULATOR ASSY.	C8ZZ-5260-C
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO FLOOR PAN & MUFFLER	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DOZZ-5255-E
5	BRACKET & INSULATOR ASSY.	C8ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★C8ZZ-5230-A

E-A-19

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1968 MUSTANG—8 CYL. 289-2B & 302-4B


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C8ZZ-5246-C
A	CLAMP ♦	D1AZ-5A231-A
1A	INTERMED. PIPE	D0ZZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C8ZZ-5260-C
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO FLOOR PAN & MUFFLER	
C	CLAMP ♦	D1AZ-5A231-A
3	OUTLET PIPE	D0ZZ-5255-E
5	BRACKET & INSULATOR ASSY.	C8ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO SIDE RAIL	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ C8ZZ-5230-B


E-A-20

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN


1968 MUSTANG—8 CYL. 289-2B GT & 302-4B GT (INCLUDES SHELBY GT-350) (INCLUDES MODELS W/DUAL EXHAUST KIT - ✱)

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	C8ZZ-5246-A	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
1A	INTERMED. PIPE	D0ZZ-5A289-A	D0ZZ-5A289-B
5	BRACKET & INSULATOR ASSY.	C7ZZ-5A246-F	C7ZZ-5A246-G
	C1VY-5B236-C PLATE ASSY. (2) REQ'D. 51765-S8 (U-370) SCREW - PAN HD. #10-24 x 1/2 (2) REQ'D. ATT. PLATE TO FLOOR PAN 373403-S8 (M-M-173-J) NUT - LOCK 3/8-16 x 9/16 (4) REQ'D. ATT. BRKT. TO PLATE 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER		
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C9ZZ-5230-E (EXC. W/KIT) C5ZZ-5230-U ✱(W/DUAL KIT)	C5ZZ-5230-U ✱(W/DUAL KIT)
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	C7ZZ-5255-B	C7ZZ-5255-C
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
6	BRACKET & INSULATOR ASSY.	C5ZZ-5277-A C7ZZ-5A231-B C5ZZ-5260-F	C7ZZ-5277-A C7ZZ-5266-A C5ZZ-5260-F
	23575-S8 (B-13) BOLT - CARRIAGE 3/8-16 x 3 (4) REQ'D. ATT. BRKT. TO UNDERBODY 40923-S8 (U-264) SCREW - HEX HD. 5/16-18 x 1/2 (2) REQ'D. ATT. 5260 TO 5277		
E	CLAMP #	A9AA-5A231-A	A9AA-5A231-A
4	PIPE EXTENSION	C7ZZ-5255-D (EXC. GT) C9ZZ-5255-C (GT) ★S8MS-5232-B (SHELBY GT-350)	C7ZZ-5255-D (EXC. GT) C9ZZ-5255-C (GT) ★S8MS-5232-B (SHELBY GT-350)

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
1A	INTERMED. PIPE	★C7ZZ-5A289-G	★C7ZZ-5A289-H
2	MUFFLER	★ C7ZZ-5230-H	

✱ - MUFFLER ONLY - OTHER PARTS OF 5210 KIT NOT SERVICED


E-A-6

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

\# Use A9AA 5A231-A in U.S. only; use C000 5253-C in Canada

1968 MUSTANG—8 CYL. 390-2B & 4B 427-4B


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	C7ZZ-5246-M (BEFORE 12-11-67) (390-4B & 427) C8ZZ-5246-E (FROM 12-11-67) (390-4B ONLY) C8ZZ-5246-D (FROM 12-11-67) (390-2B & 427)	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
1A	INTERMED. PIPE	DOZZ-5A289-A	DOZZ-5A289-B
5	BRACKET & INSULATOR ASSY.	C7ZZ-5A246-F	C7ZZ-5A246-G
	C1VV-5B236-C PLATE ASSY. (2) REQ'D. 51765-S8 (U-370) SCREW - PAN HD. #10-24 x 1/4 (2) REQ'D. ATT. PLATE TO FLOOR PAN 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 x 9/16 (4) REQ'D. ATT. BRKT. TO PLATE 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER		

	ITEM	L.H.	R.H.
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C9ZZ-5230-E	
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	C7ZZ-5255-B	C7ZZ-5255-C
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
6	BRACKET & INSULATOR ASSY.	C5ZZ-5260-F C7ZZ-5A231-B C5ZZ-5277-A	C5ZZ-5260-F C7ZZ-5266-A C7ZZ-5277-A
	23575-S8 (B-13) BOLT - CARRIAGE 3/8-16 x 3 (4) REQ'D. ATT. BRKT. TO UNDERBODY 40923-S8 (U-264) SCREW - HEX HD. 5/16-18 x 1/2 (2) REQ'D. ATT. 5260 TO 5277)		
E	CLAMP #	A9AA-5A231-A	
3A	PIPE EXTENSION	C7ZZ-5255-D (NON GT) 2 REQ'D. C9ZZ-5255-C (GT) 2 REQ'D.	

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
1A	INTERMED. PIPE	*C7ZZ-5A289-G	*C7ZZ-5A289-H
2	MUFFLER	*C7ZZ-5230-H	


E-A-5

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

Use A9AA 5A231-A in U.S. only; use C000 5253-C in Canada


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 MUSTANG—8 CYL. 428-4B—INCLUDES SHELBY GT 500



	ITEM	L.H.	R.H.
1	INLET PIPE	C8ZZ-5246-F	
A	CLAMP	C8ZZ-5A231-B	C8ZZ-5A231-B
1A	INTERMED. PIPE	C8ZZ-5A289-A (AUTOMATIC) C8ZZ-5A289-C (STANDARD)	C8ZZ-5A289-B (AUTOMATIC & STANDARD)
4	BRACKET & INSULATOR ASSY.	C7ZZ-5A246-F	C7ZZ-5A246-G
	C1VV-5B236-C PLATE ASSY. (2) REQ'D. 51765-S8 (U-370) SCREW - PAN HD. #10-24 x 1/2 (2) REQ'D. ATT. PLATE TO FLOOR PAN 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 x 9/16 (4) REQ'D. ATT. BRKT. TO PLATE 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER		
B	CLAMP	C8ZZ-5A231-B	C8ZZ-5A231-B
2	MUFFLER	C9ZZ-5230-C (EXC. SHELBY) C9ZZ-5230-E SHELBY	
C	CLAMP	C8ZZ-5A231-B	C8ZZ-5A231-B
3	OUTLET PIPE	C9ZZ-5255-A (EXC. SHELBY) C7ZZ-5255-B (SHELBY)	C9ZZ-5255-B (EXC. SHELBY) C7ZZ-5255-C (SHELBY)
5	BRACKET & INSULATOR ASSY.	C5ZZ-5277-A C5ZZ-5260-F C8ZZ-5A231-A	C7ZZ-5277-A C5ZZ-5260-F C7ZZ-5266-A
	23575-S8 (B-13) BOLT - CARRIAGE 3/8-16 x 3 (4) REQ'D. ATT. BRKT. TO UNDERBODY 40923-S8 (U-264) SCREW - HEX HD. 5/16-18 x 1/2 (2) REQ'D. ATT. 5260 TO 5277		
D	CLAMP	C6AZ-5A231-A	C6AZ-5A231-A
3A	PIPE EXTENSION	★S8MS-5232-B (SHELBY GT-500)	★S8MS-5232-B (SHELBY GT-500)

1968 THUNDERBIRD—8 CYL. 429-4B ALL MODELS




	ITEM	L.H.	R.H.
1	INLET PIPE 2 DR. HT. 4 DR. HT.	 C8SZ-5246-L C8SZ-5246-M	
A	CLAMP ‡	D1AZ-5A231-D	D1AZ-5A231-D
2	MUFFLER	C8SZ-5230-K	C8SZ-5230-J
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G	C7AZ-5260-G
	★C7SA-5299-A PLATE (2) REQ'D. ★40980-S2 SCREW - HEX HD. (4) REQ'D. 3/8-16 x 1 ATT. BRKT. TO FRAME 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. PIPE TO BRKT.		
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	RESONATOR	C8SZ-5A289-G	C8SZ-5A289-H
5	BRACKET & INSULATOR ASSY.	C7SZ-5260-A	C7SZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO FRAME C8SZ-5266-A BRACKET (2) REQ'D. ATT. PIPE TO BRKT. & INSULATOR ASSY.		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

E-H-4

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 BRONCO—6 CYL. 170-1B




	ITEM	PART NUMBER
1	INLET PIPE	C8TZ-5246-G
A	CLAMP ▲	D1AZ-5A231-C
4	BRACKET	C5UZ-5277-C
	20348-S8 (B77) BOLT-HEX HD. 3/8 -16x3/4 (1) REQ'D. ATT. BRKT. TO ENGINE BLOCK 34807-S8 (X66) WASHER-LOCK 3/8 (1) REQ'D. ATT. BRKT. TO ENGINE BLOCK	
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7TZ-5230-L
C	CLAMP #	A9AA-5A231-A
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-A
	39909-S7 (U269D) SCREW-HEX HD. 5/16 -18x3/4 (2) REQ'D. ATT. BRKT. TO FRAME	
3	OUTLET PIPE	C7TZ-5255-AE
6	BRACKET & INSULATOR ASSY.	C30Z-5260-A
	39909-S7 (U269D) SCREW-HEX HD. 5/16 -18x3/4 (2) REQ'D. ATT. BRKT. TO FRAME	
D	CLAMP #	A9AA-5A231-A

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

Use A9AA 5A231-A in U.S. only; use C000 5253-C in Canada

1968 BRONCO—8 CYL. 289-2B



	ITEM	PART NUMBER
1	INLET PIPE	C8TZ-5246-J
A	CLAMP ▲	D1AZ-5A231-C
1A	INLET PIPE CROSSOVER	C8TZ-5267-H
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C6TZ-5230-G
C	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C6TZ-5260-H
	39909-S7 (U269D) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. **ATT. BRKT. TO FRAME**	
3	OUTLET PIPE	C6TZ-5255-J
5	BRACKET & INSULATOR ASSY.	C6TZ-5260-G
	39909-S7 (U269D) SCREW-HEX HD. 5/16 -18 x 3/4 (2) REQ'D. **ATT. BRKT. TO FRAME** 23440-S8 (B10) BOLT-CARRIAGE 3/8 -16 x 1 1/4 (1) REQ'D. ATT. OUTLET PIPE TO BRKT. 34807-S8 (X66) WASHER-LOCK 3/8 (1) REQ'D. ATT. OUTLET PIPE TO BRKT. 33799-S7 (M52) NUT-HEX 3/8 - 16 (1) REQ'D. ATT. OUTLET PIPE TO BRKT.	


EN-6

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 FALCON—6 CYL. 170-1B & 200-1B SEDAN


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
4	BRACKET	C7OZ-5277-A
	20348-S8 (B-77) BOLT - HEX HD. 3/8-16 x 3/4 WASHER 3/8 LOCK ATT. BRKT. TO ENG. BLOCK	
A	CLAMP ▲	D1AZ-5A231-C
1	INLET PIPE	C8OZ-5246-A
B	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DODZ-5230-C
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-B
6	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	C8OZ-5B236-A PLATE ASSY. (1) REQ'D. 42014-S8 (U-240) SCREW - HEX HD. #10-12 x 5/8 ★55802-S NUT - LOCK #10-12 (2) REQ'D. ATT. PLATE & BRKT. TO SIDE RAIL	
E	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★C8DZ-5230-A

E-E-23

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1968 FALCON—6 CYL. 200-1B STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
4	BRACKET	C7OZ-5277-A
	20348-S8 (B-77) BOLT - HEX HD. 3/8-16 x 3/4 WASHER 3/8 LOCK ATT. BRKT. TO ENG. BLOCK	
A	CLAMP ▲	D1AZ-5A231-C
1	INLET PIPE	C8OZ-5246-A
B	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-C
	381877-S2 (UU-52-AF) SCREW - HEX HD 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
6	BRACKET & INSULATOR ASSY.	C7DZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
E	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	*C8OZ-5230-K


E-E-24

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 FALCON—8 CYL. 289-2B & 302-2B SEDAN


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-L
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DODZ-5230-C
4	BRACKET & INSULATOR ASSY.	C7DZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-B
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	C8OZ-5B236-A PLATE ASSY. (1) REQ'D. 42014-S8 (U-240) SCREW - HEX HD. #10-12 x 5/8 ★55802-S NUT - LOCK #10-12 (2) REQ'D. ATT. PLATE & BRKT. TO SIDE RAIL	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★C8DZ-5230-B

E-E-25

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1968 FALCON—8 CYL. 289-2B & 302-2B STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-L
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
4	BRACKET & INSULATOR ASSY.	C8OZ-5260-C
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C8OZ-5230-E

E-E-26

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

EXHAUST PARTS MODEL INDEX

How to use this index -

1. Find the car model desired.
2. Find the line which lists the engine displacement needed.
3. Select the correct page, and turn to that page.

Explanation of picture - text catalog sheets -

In sections 52.65 through 52.72, the complete present service system is shown at the top of the page, with an illustration and a complete bill of materials. If a second illustration appears below, that is the service system before simplification. In the lower system (before simplification), parts which are changed are shown by dotted lines, and the part numbers are shown in the table. Parts shown in black are parts which are unchanged and shown above in the upper illustration.

For stamped number cross-reference information and for size information, refer to Section 52, page 1.

1969

CYL.	C.I.D.	MODEL	TYPE▲	SECTION	PAGE	ILLUS. NO. ♦
		A (FORD)				
6	240-1B	Exc.71	S	52.69	2	EF 1
		71	S	52.69	3	EF 2
8	302-1B	Exc.71	S	52.69	4	EF 3
		71	S	52.69	5	EF 6
	351-2B	Exc.71	S	52.69	4	EF 3
		71	S	52.69	5	EF 6
	390-2B	Exc.71	S	52.69	6	EF 15
		71	S	52.69	7	EF 14
	428-4B	P/C-exc.71	D	52.69	8	EF 13
		P/C-71	S	52.69	9	EF 27
	429-2B	Exc.71	S	52.69	6	EF 15
		71	S	52.69	9	EF 27
	429-4B	Exc.71	D	52.69	10	EF 11
		71	S	52.69	9	EF 27
		B (FAIRLANE/TORINO)				
6	250-1B	Exc.66,71	S	52.69	11	EC 39
		66,71	S	52.69	12	EC 40
8	302-2B	Exc.66,71	S	52.69	13	EC 42
		66,71	S	52.69	14	EC 41
	351-2B	Exc.66,71	S	52.69	15	EC 43
		66,71	S	52.69	16	EC 45
	351-4B	Exc.66,71	D	52.69	17	EC 44
		66,71	S	52.69	16	EC 45
	390-4B	Exc.66,71	D	52.69	18	EC 47
		66,71	S	52.69	19	EC 48
	428-4B	Exc.66	D	52.69	20	EC 49
		66	D	52.69	21	EC 46

CYL.	C.I.D.	MODEL	TYPE▲	SECTION	PAGE	ILLUS. NO. ♦
		F (MUSTANG) - INCLUDES SHELBY				
6	200-1B		S	52.69	22	EA 1
	250-1B		S	52.69	22	EA 1
8	302-2B		S	52.69	23	EA 12
		w/dual exhaust kit	D	52.69	24	EA 14
	302-4B	Boss	D	52.69	24	EA 14
	351-2B		S	52.69	25	EA 13
	351-4B	Except Shelby GT350	D	52.69	26	EA 17
		Shelby GT350	D	52.69	27	EA 53
	390-4B		D	52.69	26	EA 17
	428-4B	Except Shelby GT500	D	52.69	28	EA 15
		Shelby GT500	D	52.69	29	EA 54
	429-4B	Boss	D	52.69	30	EA 16
		S (THUNDERBIRD)				
8	429-4B		D	52.69	31	EH 5
		U (BRONCO)				
6	170-1B		S	52.69	32	EN 7
8	302-2B		S	52.69	33	EN 8
		X (FALCON)				
6	170-1B	54,62	S	52.69	34	EE 11
	200-1B	54,62	S	52.69	34	EE 11
		71	S	52.69	35	EE 12
8	302-1B	54,62	S	52.69	36	EE 13
		71	S	52.69	37	EE 14


♦ For control purposes only

▲ S - Single D - Dual

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1969 FORD—6 CYL. 240-1B SEDAN, HARDTOP, & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C9AZ-5246-C
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	D0AZ-5230-T
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★40980-S2 SCREW - HEX HD. 3/8-16 x 1" (2) REQ'D. 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER & OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-K
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-F
	★40980 S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	★C9AZ-5230-A
3	OUTLET PIPE	★C9AZ 5255 A

E-F-1

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1969 FORD—6 CYL. 240-1B STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C9AZ-5246-C
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	D0AZ-5230-T
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA 5299-A PLATE ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & PLATE TO #4 CROSS MEMBER & OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-U
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-C
	56320-S4 (B-318-GD) BOLT-HEX HD. 5/16-18 x 3/4 (2) REQ'D. 34976-S4 (M-89-CA) NUT-HEX 5/16-18 (2) REQ'D. 381877-S2 (UU-52-AF) BOLT-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO OUTLET PIPE & FRAME	

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	★C9AZ-5230-M
3	OUTLET PIPE	★C9AZ-5255-C


E-F-2

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1969 FORD—8 CYL. 302-2B & 351-2B SEDAN, HARDTOP, & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C9AZ 5246-M (302) C9AZ 5246-N (351)
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	DOAZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & PLATE TO #4 CROSS MEMBER & OUTLET PIPE	
3	OUTLET PIPE	DOAZ-5255-K
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-F
	★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	★C9AZ-5230-B (302) ★C9AZ-5230-V (351)
3	OUTLET PIPE	★C9AZ-5255-A


E-F-3

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1969 FORD—8 CYL. 302-2B & 351-2B STATION WAGON

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	C9AZ 5246-M (302) C9AZ 5246-N (351)
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	DOAZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★ 40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. (ATT. PLATE & BRKT. TO CROSS MEMBER & OUTLET PIPE)	
3	OUTLET PIPE	DOAZ-5255-U
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-C
	56320-S4 (B-318-GD) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. 34976-S4 (M-89-CA) NUT-HEX 5/16-18 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. (ATT. BRKT. TO FRAME & OUTLET PIPE)	

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ C9AZ-5230-L (302) ★ C9AZ-5230-V (BEFORE 3/3/69)-351 ★ C9AZ-5230-AA (FROM 3/3/69)-351
3	OUTLET PIPE	★ C9AZ-5255-C

E-F-6


‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

1969 FORD—8 CYL. 390-2B & 429-2B SEDAN, HARDTOP, & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C9AZ-5246-L (390) C9AZ-5246-D (429)
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	DOAZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. PLATE & BRKT. TO CROSS MEMBER & OUTLET PIPE	
3	OUTLET PIPE	DOAZ-5255-K
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-F
	★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	C9AZ-5230-C (390) C9AZ-5230-T (429) - BEFORE 1-27-69 C9AZ-5230-Y (429) - FROM 1-27-69
B	CLAMP ♦	D1AZ-5A231-A
3	OUTLET PIPE	C9AZ-5255-B
C	CLAMP ♦	D1AZ-5A231-A

E-F-15

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

1969 FORD—8 CYL. 390-2B STATION WAGON

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	C9AZ-5246-L
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	DOAZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER & OUTLET PIPE	
3	OUTLET PIPE	DOAZ-5255-U
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-C
	56320-S4 (B-318-GD) SCREW-HEX HD. 5/16-18 x 7/8 (2) REQ'D. 34976-S4 (M-89-CA) NUT-HEX 5/16-18 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO FRAME & OUTLET PIPE	

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★C9AZ-5230-U
B	CLAMP ♦	D1AZ-5A231-A
3	OUTLET PIPE	★C9AZ-5255-D


E-F-14

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

1969 FORD—8 CYL. 428-4B SEDAN & HARDTOP (POLICE CAR ONLY)






	ITEM	L.H.	R.H.
1	INLET PIPE	C9AZ-5246-J (BEFORE 12-23-68) C9AZ-5246-G (AFTER 12-23-68)	
A	CLAMP ‡	D1AZ-5A231-D	D1AZ-5A231-D
2	MUFFLER	C9AZ-5230-R	C9AZ-5230-Y (BEFORE 11-25-68) C9AZ-5230-C (FROM 11-25-68)
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A	C9AZ-5260-A
	★C9AA-5299-A PLATE (2) REQ'D. ★ 40980-S2 SCREW HEX 3/8-16 x 1 (4) REQ'D. 381877-S2 (UU-52-AF) SCREW 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER & OUTLET PIPE		
3	OUTLET PIPE	C9AZ-5255-E	C9AZ-5255-B
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-E (BEFORE 11-11-68) C9AZ-5260-G (FROM 11-11-68)	C9AZ-5260-F
	★40980-S2 SCREW HEX 3/8-16 x 1 (4) REQ'D. ATT. BRKT. TO FRAME		
C	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A

E-F-13

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

1969 FORD—8 CYL 428-4B & 429-2B & 4B STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C9AZ-5246-H (428 CID) C9AZ-5246-D (429 CID)
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★ 40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. PLATE & BRKT. TO CROSS MEMBER & OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-U
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-C
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. 34976-S4 (M-89-CA) NUT-HEX 5/16 (2) REQ'D. 56320-S4 (B-318-GD) SCREW-HEX HD. 5/16-18 x 7/8 ATT. BRKT. TO FRAME & OUTLET PIPE	

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C9AZ-5230-J (BEFORE 3-3-69) ★C9AZ-5230-Z (FROM 3-3-69)
B	CLAMP ♦	D1AZ-5A231-A
3	OUTLET PIPE	★C9AZ-5255-D

E-F-27

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada


♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

FINAL ISSUE

1969 FORD—8 CYL. 429-4B SEDAN, HARDTOP & CONVERTIBLE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	L.H.	R.H.
1	INLET PIPE	C9AZ-5246-A	
A	CLAMP ‡	D1AZ-5A231-D	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-U	D0AZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A	C9AZ-5260-A
	★ C9AA-5299-A PLATE (2) REQ'D. ★40980-S SCREW-HEX HD. 3/8-16 x 1 (4) REQ'D. 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER & OUTLET PIPE		
3	OUTLET PIPE	D0AZ-5255-L	D0AZ-5255-K
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-E (BEFORE 11-11-68) C9AZ-5260-G (FROM 11-11-68)	C9AZ-5260-F
	★ 40980-S2 SCREW-HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. TO FRAME		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C9AZ-5230-N (L.H.) ★C9AZ-5230-E (R.H.)
3	OUTLET PIPE	★C9AZ-5255-F (L.H.) ★C9AZ-5255-A (R.H.)


E-F-11

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1969 FAIRLANE/TORINO—6 CYL. 250-1B SEDAN, HARDTOP & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
(A)	CLAMP ▲	D1AZ-5A231-C
4	BRACKET	C9OZ-5277-A
	20348-S8 (R 77 BOLT - HEX HD. 3/8-16 x 3/4 34807-S8 (X-66) WASHER-LOCK ATT BRKT TO ENGINE BLOCK	
1	INLET PIPE	C9OZ-5246-C (BEFORE 11-1-68) C9OZ-5246-E (FROM 11-1-68)
(B)	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	D3OZ-5A212-B (BEFORE 11-1-68) DOOZ-5A212-A (FROM 11-1-68)
(C)	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & U/BODY	
(D)	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DOOZ-5255-E
6	BRACKET & INSULATOR ASSY.	C8OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO U/BODY	
(E)	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C9OZ-5230-G (BEFORE 11-1-68) ★C9OZ-5230-R (FROM 11-1-68)


E-C-39

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1969 FAIRLANE/TORINO—6 CYL. 250-1B STATION WAGON & RANCHERO


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
A	CLAMP ▲	D1AZ-5A231-C
4	BRACKET	C9OZ-5277-A
	20348-S8 (B-77) BOLT-HEX HD. 3/8-16 x 3/4 34807-S8 (X-66) WASHER-LOCK ATT. BRKT. TO ENGINE BLOCK	
1	INLET PIPE	C9OZ-5246-C (BEFORE 11-1-68) C9OZ-5246-E (FROM 11-1-68)
B	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	D0DZ-5A212-A (BEFORE 11-1-68) D0OZ-5A212-A (FROM 11-1-68)
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
5	BRACKET & INSULATOR ASSY.	C9OZ-5260-A
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & U/BODY	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
6	BRACKET & INSULATOR ASSY.	C7DZ-5260-B (RANCHERO) C70Z-5260-D (S/W)
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO U/BODY	
E	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★C9OZ-5230-H (BEFORE 11-1-68) ★C9OZ-5230-S (FROM 11-1-68)

E-C-40

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1969 FAIRLANE/TORINO—8 CYL. 302-2B SEDAN, HARDTOP & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-L
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	D3OZ-5A212-B
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
C	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C8OZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRACKET TO MUFFLER & U/BODY	
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO U BODY	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DOOZ-5255-E

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	★C8OZ-5230-F


E-C-42

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1969 FAIRLANE/TORINO—8 CYL 302-2B STATION WAGON & RANCHERO


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-L
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
4	HANGER	C9OZ-5260-A
	381877-S (UU-52-AF) SCREW - HEX HD. 5 16-28 x 3 4 (4) REQ'D. ATT. BRKT. TO MUFFLER & U BODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
5	HANGER	C7OZ-5260-B (RANCHERO) C7OZ-5260-D (S. W)
	381877-S (UU-52-AF) SCREW - HEX HD. 5 16-18 x 3 4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO U BODY	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	*C8OZ-5230-E

E-C-41

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1969 FAIRLANE/TORINO—8 CYL 351-2B SEDAN, HARDTOP & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACED BY CONSOLIDATED ABOVE)



	ITEM	PART NUMBER
1	INLET PIPE	C9OZ-5246-B
A	CLAMP ‡	D1AZ-5A231-D
1A	INTERMED. PIPE	D3OZ-5A212-A
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C8OZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & U/BODY	
C	CLAMP ▲	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO U/BODY	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DOOZ-5255-E

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	*C9OZ-5230-E


E-C-43

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

1969 FAIRLANE/TORINO—8 CYL. 351-2B & 4B STATION WAGON & RANCHERO


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C9OZ-5246-B
A	CLAMP ‡	D1AZ-5A231-D
1A	INTERMED. PIPE	D0OZ-5A212-H
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C9OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & U/BODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
5	BRACKET & INSULATOR ASSY.	C7OZ-5260-D (STA. WAG.) C7DZ-5260-B (RANCHERO)
	381877-S2 (UU-52-AF) SCREW- HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO U/BODY	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★C9OZ-5230-V (CALIFORNIA ONLY) ★C9OZ-5230-F (EXC. CALIF.)
D	CLAMP	★ C3OZ-5A231-A

E-C-45

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1969 FAIRLANE/TORINO—8 CYL. 351-4B SEDAN, HARDTOP & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	C9OZ-5246-A	
A	CLAMP ♦	A9AA-5A231-C	A9AA-5A231-C
1A	INTERMED. PIPE	DOOZ-5A212-C	DOOZ-5A212-C
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R	DOZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C8OZ-5260-D	C8OZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (8) REQ'D. ATT. BRKT. TO MUFFLER & U/BODY		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-A	C8OZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO U/BODY		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	DOOZ-5255-E	DOOZ-5255-F

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	*C9OZ-5230-D	*C9OZ-5230-C

E-C-44

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada


▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

1969 FAIRLANE/TORINO—8 CYL. 390-4B SEDAN, HARDTOP & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	C8OZ-5246-D	
A	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
1A	INTERMED. PIPE	DOOZ-5A212-D	DOOZ-5A212-D
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R	DOZZ-5230-R
4	HANGER	C8OZ-5260-D	C8OZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (8) REQ'D. ATT. BRKT. TO MUFFLER & U/BODY		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
5	HANGER	C8OZ-5260-A	C8OZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR TO U/BODY		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	DOOZ-5255-E	DOOZ-5255-F

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	L.H.	R.H.
2	MUFFLER	*C9OZ-5230-N	*C9OZ-5230-M
D	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A

E-C-47

▲ Use D1AZ 5A231-C in U.S. only, use C000 5253-E in Canada
♦ Use D1AZ 5A231-A in U.S. only, use C000 5253-F in Canada

1969 FAIRLANE/TORINO-8 CYL.390-4B STATION WAGON & RANCHERO


CONSOLIDATED SYSTEM REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C8OZ-5246-C
A	CLAMP ‡	D1AZ-5A231-D
1A	INTERMED. PIPE	DOOZ-5A212-F
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C9OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
5	BRACKET & INSULATOR ASSY.	C7OZ-5260-D (S/W) C7DZ-5260-B (RANCHERO)
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	*C9OZ-5230-Y


E-C-48

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

1969 FAIRLANE/TORINO - 8 CYL. 428-4B C.J. SEDAN, HARDTOP & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	C9OZ-5246-D	
A	CLAMP ♦	A9AA-5A231-C	A9AA-5A231-C
1A	INTERMED. PIPE	DOOZ-5A212-E	DOOZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R	DOZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C8OZ-5260-D	C8OZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (8) REQ'D. ATT. BRKT. TO MUFFLER & U/BODY		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-B	C3DZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR TO U/BODY		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	DOOZ-5255-G	DOOZ-5255-H
E	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
3A	OUTLET PIPE EXTENSION	C9OZ-5255-A (GT MODELS) C9OZ-5255-B (ALL NON GT MODELS)	C9OZ-5255-A (GT MODELS) C9OZ-5255-B (ALL NON GT MODELS)

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★C9OZ-5230-K	★C9OZ-5230-J
D	CLAMP	D1AZ-5A231-A	D1AZ-5A231-A


E-C-49

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1969 FAIRLANE/TORINO—8 CYL. 428-4B C.J. RANCHERO


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	C9OZ-5246-D	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	DOOZ-5A212-E	DOOZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R	DOZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C9OZ-5260-A	C9OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (8) REQ'D. ATT. BRKT. TO MUFFLER & U/BODY		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-B	C9OZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO U/BODY		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A	DOOZ-5255-B

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★C9OZ-5230-U	★C9OZ-5230-T
C	CLAMP ♦	A9AA-5A231-C	A9AA-5A231-C
D	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A

E-C-46

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada


▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

FINAL ISSUE

1969 MUSTANG—6 CYL. 200-1B & 250-1B

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NO.
4	BRACKET (250 ONLY)	C9OZ-5277-A
A	CLAMP ▲	D1AZ-5A231-C
	20348-S8 (B-77) BOLT -HEX HD. 3/8-16 x 3/4 ATT. BRKT. TO ENG. BLOCK 34807-S8 (X-66) WASHER-LOCK 3/8 (2) REQ'D.	
1	INLET PIPE	C9ZZ-5246-C
B	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DOZZ-5A212-D
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
5	BRACKET & INSULATOR ASSY.	C9ZZ-5260-B

	ITEM	PART NO.
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (8) REQ'D. ATT. BRKT. TO MUFFLER & BODY	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DOZZ-5255-E
6	BRACKET & RESONATOR ASSY.	C8ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO BODY	
E	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	*C9ZZ-5230-D

E-A-1

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1969 MUSTANG—8 CYL. 302-2B


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C9ZZ-5246-D
A	CLAMP ♦	D1AZ-5A231-A
1A	INTERMED. PIPE	DOZZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C9ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & BODY	
C	CLAMP ▲	A9AA-5A231-B
3	OUTLET PIPE	DOZZ-5255-E
5	BRACKET & INSULATOR ASSY.	C8ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO BODY	
D	CLAMP ▲	A9AA-5A231-B

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C9ZZ-5230-F

E-A-12


♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use A9AA 5A231-B in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

1969 MUSTANG—8 CYL. BOSS 302-4B
(INCLUDES MODELS W/302-2B & DUAL EXHAUST KIT - ✱)



	ITEM	L.H.	R.H.
1	INLET PIPE	C9ZZ-5246-H	
A	CLAMP ‡	D1AZ-5A231-D	D1AZ-5A231-D
1A	INTERMED. PIPE	C9ZZ-5A289-G	C9ZZ-5A289-H
4	BRACKET & INSULATOR ASSY.	C7ZZ-5A246-F	C7ZZ-5A246-G
	C1VV-5B236-C PLATE ASSY. (2) REQ'D. 51765-S8 (U-370) SCREW -PAN HD. #10-24 x 1/2 (2) REQ'D. (ATT. PLATE TO FLOOR PAN) 373403-S8 (MM-173-J) NUT -LOCK 3/8-16 x 9/16 (4) REQ'D. (ATT. BRKT. TO PLATE) 381877-S2 (UU-52-AF) SCREW -HEX HD.5/16-18 x 3/4 (4) REQ'D. (ATT. BRKT. TO MUFFLER)		
B	CLAMP	C8ZZ-5A231-B	C8ZZ-5A231-B
2	MUFFLER	C9ZZ-5230-C (302-4B) C5ZZ-5230-U (302-2B W/DUAL KIT)✱	C5ZZ-5230-U
C	CLAMP	C8ZZ-5A231-B	C8ZZ-5A231-B
5	BRACKET ASSY.	C5ZZ-5260-F C5ZZ-5277-A C8ZZ-5A231-A	C5ZZ-5260-F C7ZZ-5277-A C7ZZ-5266-A
	23575-S8 (B-13) BOLT -CARRIAGE 3/8-16 x 3 (4) REQ'D. (ATT. BRKT. TO UNDERBODY) 40923-S8 (U-264) SCREW -HEX HD 5/16-18 x 1/2 (2) REQ'D. (ATT. 5260 TO 5277) 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. (ATT. BRKT. TO UNDERBODY)		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	C9ZZ-5255-D	C9ZZ-5255-E


✱ - MUFFLER ONLY - OTHER PARTS OF 5210 KIT NOT SERVICED.

E-A-14

‡ Use D1AZ 5A231-D in U.S. only, use C000 5253-G in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1969 MUSTANG-8 CYL. 351-2B


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C9ZZ-5246-B (BEFORE 1-27-69) C9ZZ-5246-G (FROM 1-27-69)
A	CLAMP ‡	D1AZ-5A231-D
1A	INTERMED. PIPE	D0ZZ-5A212-C
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C9ZZ-5260-A
	381877-S2 (UU-52-AF) SCREW HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & BODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D0ZZ-5255-E
5	BRACKET & INSULATOR ASSY.	C8ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO BODY	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	*C9ZZ-5230-A
D	CLAMP ♦	D1AZ-5A231-A


E-A-13

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

1969 MUSTANG—8 CYL. 351-4B & 390-4B (STANDARD & GT) (EXCEPT SHELBY GT-350)




	ITEM	L. H.	R. H.
1	INLET PIPE	C9ZZ-5246-A (351) C9ZZ-5246-E (390)	
A	CLAMP	C8ZZ-5A231-B	C8ZZ-5A231-B
1A	INTERMED. PIPE	C9ZZ-5A289-B	C9ZZ-5A289-C
5	BRACKET & INSULATOR ASSY.	C7ZZ-5A246-F	C7ZZ-5A246-G
	C1VV-5B236-C PLATE ASSY. (2) REQ'D. 51765-S8 (U-370) SCREW - PAN HD. NO. 10-24 x 1/2 (2) REQ'D. (ATT. PLATE TO FLOOR PAN) 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 x 9/16 (4) REQ'D. (ATT. BRKT. TO PLATE) 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. (ATT. BRKT. TO MUFFLER)		
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C9ZZ-5230-E	
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	C7ZZ-5255-B	C7ZZ-5255-C
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
6	BRACKET ASSY.	C5ZZ-5260-F C5ZZ-5277-A C7ZZ-5A231-B	C5ZZ-5260-F C7ZZ-5277-A C7ZZ-5266-A
	23575-S8 (B-13) BOLT - CARRIAGE 3/8-16 x 3 (4) REQ'D. (ATT. BRKT. TO UNDERBODY) 40923-S8 (U-264) SCREW - HEX HD. 5/16-18 x 1/2 (2) REQ'D. (ATT. 5260 TO 5277) 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. (ATT. BRKT. TO UNDERBODY)		
4	EXTENSION PIPE	C9ZZ-5255-C (GT)	
4A	EXTENSION PIPE	C9ZZ-5255-D (STANDARD)	

E-A-17

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1969 MUSTANG—8 CYL. 351-4B SHELBY GT-350




	ITEM	L. H.	R. H.
1	INLET PIPE	C9ZZ-5246-A	
A	CLAMP	C8ZZ-5A231-B	C8ZZ-5A231-B
1A	INTERMED. PIPE	C9ZZ-5A289-B	C9ZZ-5A289-C
5	BRACKET & INSULATOR ASSY.	C7ZZ-5A246-F	C7ZZ-5A246-G
	C1VV-5B236-C PLATE ASSY. (2) REQ'D. 51765-S8 (U-370) SCREW - PAN HD. NO. 10-24 x 1/2 (2) REQ'D. (ATT. PLATE TO FLOOR PAN) 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 x 9/16 (4) REQ'D. (ATT. BRKT. TO PLATE) 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D (ATT. BRKT. TO MUFFLER)		
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C9ZZ-5230-E	
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	C7ZZ-5255-B	C7ZZ-5255-C
6	BRACKET ASSY.	C5ZZ-5260-F C5ZZ-5277-A C7ZZ-5A231-B	C5ZZ-5260-F C7ZZ-5277-A C7ZZ-5266-A
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
	23575-S8 (B-13) BOLT - CARRIAGE 3/8-16 x 3 (4) REQ'D. (ATT. BRKT. TO UNDERBODY) 40923-S8 (U-264) SCREW - HEX HD. 5/16-18 x 1/2 (2) REQ'D. (ATT. 5260 TO 5277) 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. (ATT. BRKT. TO UNDERBODY)		
3A	PIPE ADAPTER	C9ZZ-5264-A	C9ZZ-5264-A
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3B	OUTLET CONNECTOR	C9ZZ-5255-K (STAMPED S9MS-5265-A OR B)	
4	OUTLET PORTS	C9ZZ-5255-L	

E-A-53

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1969 MUSTANG—8 CYL. 428-4B STANDARD & GT (EXCEPT SHELBY GT-500)




	ITEM	L. H.	R. H.
1	INLET PIPE ♦	C9ZZ-5246-F	
A	CLAMP	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	C9ZZ-5A289-G	C9ZZ-5A289-H
4	BRACKET & INSULATOR ASSY.	C7ZZ-5A246-F	C7ZZ-5A246-G
	C1VV-5B236-C PLATE ASSY. (2) REQ'D. 51765-S8 (U-370) SCREW - PAN HD. NO. 10-24 x 1/2 (2) REQ'D. ATT. PLATE TO FLOOR PAN 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 x 9/16 (4) REQ'D. ATT. BRKT. TO PLATE 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER		
B	CLAMP	C8ZZ-5A231-B	C8ZZ-5A231-C
2	MUFFLER	C9ZZ-5230-C	
C	CLAMP	C8ZZ-5A231-B	C8ZZ-5A231-B
3	OUTLET PIPE	C9ZZ-5255-A (GT)	C9ZZ-5255-B (GT)
5	BRACKET ASSY.	C5ZZ-5260-F C5ZZ-5277-A C7ZZ-5A231-B	C5ZZ-5260-F C7ZZ-5277-A C7ZZ-5266-A
	23575-S8 (B-13) BOLT - CARRIAGE 3/8-16 x 3 (4) REQ'D. ATT. BRKT. TO UNDERBODY 40923-S8 (U-264) SCREW - HEX HD. 5/16-18 x 1/2 (2) REQ'D. ATT. 5260 TO 5277 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. ATT. BRKT. TO UNDERBODY		
D	CLAMP ▲	A9AA-5A231-B	A9AA-5A231-B
3A	OUTLET PIPE	C9ZZ-5255-D (STANDARD)	C9ZZ-5255-E (STANDARD)

E-A-15

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use A9AA 5A231-B in U.S. only; use C000 5253-E in Canada

1969 MUSTANG—8 CYL. 428-4B SHELBY GT-500



	ITEM	L. H.	R. H.
1	INLET PIPE	C9ZZ-5246-F	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	C9ZZ-5A289-G	C9ZZ-5A289-H
4	BRACKET & INSULATOR ASSY.	C7ZZ-5A246-F	C7ZZ-5A246-G
	C1VV-5B236-C PLATE ASSY. (2) REQ'D. 51765-S8 (U-370) SCREW - PAN HD. NO. 10-24 x 1/2 (2) REQ'D. ATT. PLATE TO FLOOR PAN 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 x 9/16 (4) REQ'D. ATT. BRKT. TO PLATE 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER		
B	CLAMP	C8ZZ-5A231-B	C8ZZ-5A231-B
2	MUFFLER	C9ZZ-5230-C	
C	CLAMP	C8ZZ-5A231-B	C8ZZ-5A231-B
3	OUTLET PIPE	C9ZZ-5255-N	C9ZZ-5255-M
5	BRACKET ASSY.	C5ZZ-5260-F C5ZZ-5277-A C7ZZ-5A231-B	C5ZZ-5260-F C7ZZ-5277-A C7ZZ-5266-A
	23575-S8 (B-13) BOLT - CARRIAGE 3/8-16 x 3 (4) REQ'D. ATT. BRKT. TO UNDERBODY 40923-S8 (U-264) SCREW - HEX HD. 5/16-18 x 1/2 (2) REQ'D. ATT. 5260 TO 5277 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. ATT. BRKT. TO UNDERBODY		
D	CLAMP ▲	A9AA-5A231-B	A9AA-5A231-B
3A	OUTLET CONNECTOR	C9ZZ-5255-K (STAMPED S9MS-5265-A OR B)	
4	OUTLET PORTS	C9ZZ-5255-L	


E-A-54

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use A9AA 5A231-B in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1969 MUSTANG—8 CYL. BOSS 429-4B




	ITEM	L.H.	R.H.
1	INLET PIPE	C9ZZ-5246-J	
♦A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	C9ZZ-5A289-G	C9ZZ-5A289-H
4	BRACKET & INSULATOR ASSY.	C7ZZ-5A246-F	C7ZZ-5A246-G
	C1VV-5B236-C PLATE ASSY. (2) REQ'D. 51765-S8 (U-370) SCREW-PAN HD. #10-24 x 1/2 (2) REQ'D. (ATT. PLATE TO FLOOR PAN) 373403-S8 (MM-173-J) NUT-LOCK 3/8-16 x 9/16 (4) REQ'D. (ATT. BRKT. TO PLATE) 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. (ATT. BRKT. TO MUFFLER)		
B	CLAMP	C8ZZ-5A231-B	C8ZZ-5A231-B
2	MUFFLER	C9ZZ-5230-C	
C	CLAMP	C8ZZ-5A231-B	C8ZZ-5A231-B
3	OUTLET PIPE	C9ZZ-5255-D (STANDARD) C9ZZ-5255-A (GT)	C9ZZ-5255-E (STANDARD) C9ZZ-5255-B (GT)
5	BRACKET ASSY.	C5ZZ-5260-F C5ZZ-5277-A C8ZZ-5A231-A	C5ZZ-5260-F C7ZZ-5277-A C7ZZ-5266-A
	23575-S8 (B-13) BOLT-CARRIAGE 3/8-16 x 3 (4) REQ'D. (ATT. BRKT. TO UNDERBODY) 40923-S8 (U-264) SCREW-HEX HD. 5/16-18 x 1/2 (2) REQ'D. (ATT. 5260 TO 5277) 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. (ATT. BRKT. TO UNDERBODY)		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C


E-A-16


♦ Use D1AZ 5A231-A in U.S. only, use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1969 THUNDERBIRD—8 CYL. 429-4B ALL MODELS







	ITEM	L.H.	R.H.
1	INLET PIPE 2 DR. HT. 4 DR. HT.	 C9SZ-5246-A C9SZ-5246-B	
A	CLAMP ‡	D1AZ-5A231-D	D1AZ-5A231-D
2	MUFFLER	C8SZ-5230-K	C8SZ-5230-J
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G	C7AZ-5260-G
	★C7SA-5299-A PLATE (2) REQ'D. ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. TO FRAME 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. PIPE TO BRKT.		
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	RESONATOR	C8SZ-5A289-G	C8SZ-5A289-H
5	BRACKET & INSULATOR ASSY.	C7SZ-5260-A	C7SZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO FRAME C8SZ-5266-A BRACKET (2) REQ'D. ATT. PIPE TO BRKT. W/CLAMP		
C	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A


E-H-5

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE


1969 BRONCO—6 CYL. 170-1B



	ITEM	PART NUMBER
1	INLET PIPE	C8TZ-5246-G
A	CLAMP ▲	D1AZ-5A231-C
4	BRACKET	C5UZ-5277-C
	20348-S8 (B77) BOLT-HEX HD. 3/8 -16x3/4 (1) REQ'D. ATT. BRKT. TO ENGINE BLOCK 34807-S8 (X66) WASHER-LOCK 3/8 (1) REQ'D. ATT. BRKT. TO ENGINE BLOCK	
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7TZ-5230-L
C	CLAMP #	A9AA-5A231-A
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-A
	39909-S7 (U269D) SCREW-HEX HD. 5/16 -18x3/4 (2) REQ'D. ATT. BRKT. TO FRAME	
3	OUTLET PIPE	C7TZ-5255-AE
6	BRACKET & INSULATOR ASSY.	C30Z-5260-A
	39909-S7 (U269D) SCREW-HEX HD. 5/16 -18x3/4 (2) REQ'D. ATT. BRKT. TO FRAME	
D	CLAMP #	A9AA-5A231-A

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada
Use A9AA 5A231-A in U.S. only; use C000 5253-C in Canada

1969 BRONCO—8 CYL. 302-2B



	ITEM	PART NUMBER
1	INLET PIPE	C8TZ-5246-J
A	CLAMP ▲	D1AZ-5A231-C
1A	INLET PIPE CROSSOVER	C8TZ-5267-H
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C6TZ-5230-G
C	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C6TZ-5260-H
	39909-S7 (U269D) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO FRAME	
3	OUTLET PIPE	C6TZ-5255-J
5	BRACKET & INSULATOR ASSY.	C6TZ-5260-G
	39909-S7 (U269D) SCREW-HEX HD. 5/16 -18 x 3/4 (2) REQ'D. ATT. BRKT. TO FRAME 23440-S8 (B10) BOLT-CARRIAGE 3/8 -16 x 1 1/4 (1) REQ'D. ATT. OUTLET PIPE TO BRKT. 34807-S8 (X66) WASHER-LOCK 3/8 (1) REQ'D. ATT. OUTLET PIPE TO BRKT. 33799-S7 (M52) NUT-HEX 3/8 16 (1) REQ'D. ATT. OUTLET PIPE TO BRKT.	


EN-8

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1969 FALCON—6 CYL. 170-1B & 200-1B SEDANS


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
A	CLAMP ▲	D1AZ-5A231-C
4	BRACKET	C7OZ-5277-A
	20348-S8 (B-77) BOLT -HEX HD. 3/8-16 x 3/4 (1) REQ'D. 34807-S8 (X-66) WASHER -LOCK (1) REQ'D. ATT. BRKT. TO ENGINE BLOCK	
1	INLET PIPE	C9DZ-5246-A
B	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DODZ-5230-C
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-A
	381877-S2 (UU-52-AF) SCREW -HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO UNDERBODY (2) REQ'D. ATT. BRKT. TO MUFFLER	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-B
6	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	C8OZ-5B236-A PLATE ASS'Y (1) REQ'D. 42014-S8 (U-240) SCREW-HEX HD. #10-12 x 5/8 (1) REQ'D. A.T. PLATE ASSY. TO SIDE RAIL ★55802-S NUT -LOCK 5/16-18 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
E	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	★C8DZ-5230-A

E-E-11

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1969 FALCON—6 CYL. 200-1B STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
Ⓐ	CLAMP ▲	D1AZ-5A231-C
△4	BRACKET	C7OZ-5277-A
	382965-S100 (BB-429-UD) BOLT -HEX HD. 3/8-16 x 3/4 (1) REQ'D. 34807-S8 (X-66) WASHER-LOCK (1) REQ'D. ATT. BRKT. TO BRKT. TO ENGINE BLOCK	
1	INLET PIPE	C9DZ-5246-A
Ⓑ	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
Ⓒ	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
△5	BRACKET & INSULATOR ASSY.	C9OZ-5260-A
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO UNDERBODY & MUFFLER	
Ⓓ	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
△6	BRACKET & INSULATOR ASSY.	C7DZ-5260-B
	381877-S2 (UU-52-AF) SCREW. HEX HD. . 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
Ⓔ	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	*C8OZ-5230-K


E-E-12

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1969 FALCON -8 CYL. 302-2B SEDAN


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-L
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DODZ-5230-C
4	BRACKET & INSULATOR ASSY.	C7DZ-5260-A
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO UNDERBODY (2) REQ'D. ATT. BRKT. TO MUFFLER	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-B
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	C8OZ-5B236-A PLATE ASSY. (1) REQ'D. 52012-S8 (U-202) SCREW -FLAT HD. #8-15 x 1/2 (1) REQ'D. ATT. PLATE ASSY. TO SIDE RAIL 34976-S4 (M89-CA) NUT-HEX. (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★C8DZ-5230-B

E-E-13

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1969 FALCON - 8 CYL. 302-2B STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-L
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	D0ZZ-5230-N
5	BRACKET & INSULATOR ASSY.	C9OZ-5260-A
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO UNDERBODY & MUFFLER	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
6	BRACKET & INSULATOR ASSY.	C7DZ-5260-B
	381877-S2 (UU-52-AF) SCREW -HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	*C80Z-5230-E

E-E-14

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

EXHAUST PARTS MODEL INDEX

How to use this index -

1. Find the car model desired.
2. Find the line which lists the engine displacement needed.
3. Select the correct page, and turn to that page.

Explanation of picture - text catalog sheets -

In sections 52.65 through 52.72, the complete present service system is shown at the top of the page, with an illustration and a complete bill of materials. If a second illustration appears below, that is the service system before simplification. In the lower system (before simplification), parts which are changed are shown by dotted lines, and the part numbers are shown in the table. Parts shown in black are parts which are unchanged and shown above in the upper illustration.

For stamped number cross-reference information and for size information, refer to Section 52, page 1.

1970

CYL.	C.I.D.	MODEL	TYPE▲	SECTION	PAGE	ILLUS. NO. ♦
		A (FORD)				
6	240-1B		S	52.70	2	EF 29
8	302-2B	Exc.71	S	52.70	3	EF 30
		71	S	52.70	4	EF 31
	351-2B	Exc.71	S	52.70	3	EF 30
		71	S	52.70	4	EF 31
	390-2B	Exc.71	S	52.70	5	EF 34
		71	S	52.70	6	EF 35
	428-4B	P/C-exc.71	D	52.70	7	EF 36
		P/C-71	S	52.70	6	EF 35
	429-2B	Exc.71	S	52.70	5	EF 34
		71	S	52.70	8	EF 47
	429-4B	Exc.71	S	52.70	5	EF 34
		71	S	52.70	8	EF 47
		B (FAIRLANE/TORINO) B(FALCON) - FROM 1/2/70				
6	250-1B	54, 57, 62, 63, 65	S	52.70	9	EC 1
		66, 71	S	52.70	10	EC 2
8	302-2B	54, 57, 62, 63, 65	S	52.70	11	EC 3
		66, 71	S	52.70	12	EC 4
		76	S	52.70	11	EC 3
	351-2B	54, 57, 62, 63, 65	S	52.70	13	EC 5
		66A, B	S	52.70	14	EC 6
		66C "Before 2/1/70"	D	52.70	15	EC 22
		66C "From 2/1/70"	S	52.70	14	EC 6
		66E	S	52.70	14	EC 6
		71	S	52.70	14	EC 6
		76	S	52.70	13	EC 5
	351-4B	54, 57, 62, 63, 65	D	52.70	16	EC 24
		66	D	52.70	17	EC 20
		71	D	52.70	18	EC 23
		76	D	52.70	16	EC 24
		STANDARD 429-4B ENGINE (NOT COBRA JET or SUPER COBRA JET ENGINES)				
8	429 Std.	54, 57, 62, 63, 65 Quiet dual	D	52.70	19	EC 21
		54, 57, 62, 63, 65 Sporty dual	D	52.70	20	EC 25
		66 (Sporty dual)	D	52.70	17	EC 20
		66 (Quiet dual)	D	52.70	21	EC 18
		71	D	52.70	21	EC 18
		76	D	52.70	20	EC 25

(continued)


CYL.	C.I.D.	MODEL	TYPE▲	SECTION	PAGE	ILLUS. NO. ♦
		B (FAIRLANE/TORINO) (continued) B(FALCON) - FROM 1/2/70 OPTIONAL 429 COBRA JET & SUPER COBRA JET ENGINES (NOT 429-4B STANDARD ENGINE)				
8	429-CJ	54, 57, 62, 63, 65	D	52.70	20	EC 25
	429-SCJ	54, 57, 62, 63, 65	D	52.70	22	EC 26
	429-CJ	66	D	52.70	17	EC 20
	429-SCJ	66	D	52.70	23	EC 19
	429-CJ	76	D	52.70	20	EC 25
	429-SCJ	76	D	52.70	22	EC 26
		F (MUSTANG) - INCLUDES SHELBY				
6	200-1B		S	52.70	24	EA 11
	250-1B		S	52.70	24	EA 11
8	302-2B		S	52.70	25	EA 4
	302-4B	Boss	D	52.70	26	EA 30
	351-2B	Engine code C	S	52.70	27	EA 2
		Engine code W	S	52.70	28	EA 3
	351-4B	Except Shelby GT350	D	52.70	29	EA 32
		Shelby GT350	D	52.70	30	EA 55
	428-4B	Except Shelby GT500	D	52.70	31	EA 31
		Shelby GT500	D	52.70	32	EA 56
	429-4B	Boss	D	52.70	33	EA 10
		P (MAVERICK)				
6	170-1B		S	52.70	34	EL 1A
	200-1B		S	52.70	34	EL 1A
	250-1B		S	52.70	35	EL 2A
		S (THUNDERBIRD)				
8	429-4B		D	52.70	36	EH 6
		U (BRONCO)				
6	170-1B		S	52.70	37	EN 9
8	302-2B		S	52.70	38	EN 10
		X (FALCON) - BEFORE 1/2/70 FOR UNITS BUILT FROM 1/2/70, REFER TO B (FALCON)				
6	200-1B	54, 62	S	52.70	39	EE 30
		71	S	52.70	40	EE 31
8	302-2B	54, 62	S	52.70	41	EE 32
		71	S	52.70	42	EE 33

♦ For control purposes only ▲ S - Single D - Dual

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970 FORD—6 CYL. 240-1B SEDAN, HARDTOP, & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C9AZ-5246-C
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOAZ-5230-T
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW-HEX HD.5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & PLATE TO #4 CROSS MEMBERS & OUTLET PIPE	
3	OUTLET PIPE	DOAZ-5255-K
5	BRACKET & INSULATOR ASSY.	DOAZ-5260-B
	★40980-S2 SCREW-HEX.HD.-3/8-16 x 1 (2) REQ'D. ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★D0AZ-5230-F
3	OUTLET PIPE	★D0AZ-5255-A (BEFORE 10-13-69) ★D0AZ-5255-J (FROM 10-13-69)

E-F-29

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1970 FORD—8 CYL. 302-2B & 351-2B SEDAN, HARDTOP, & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	DOAZ-5246-A (302) DOAZ-5246-B (351)
A	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	DOAZ-5230-V
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & PLATE TO #4 CROSS MEMBER & OUTLET PIPE	
3	OUTLET PIPE	DOAZ-5255-K
5	BRACKET & INSULATOR ASSY.	DOAZ-5260-B
	★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★DOAZ-5230-A (302) ★DOAZ-5230-B (351)
3	OUTLET PIPE	★DOAZ-5255-A (BEFORE 10-13-69) ★DOAZ-5255-J (FROM 10-13-69)

E-F-30

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada


▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

FINAL ISSUE

1970 FORD—8 CYL. 302-2B & 351-2B STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	DOAZ-5246-A (302) DOAZ-5246-B (351)
A	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	DOAZ-5230-V
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & PLATE TO #4 CROSS MEMBER & OUTLET PIPE	
3	OUTLET PIPE	DOAZ-5255-U
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-C
	56320-S4 (B-318-GD) BOLT-HEX HD. 5/16-18 x 3/4 (2) REQ'D. 33770-S4 (M-89-K) NUT-HEX 5/16-18 (2) REQ'D. 381877-S2 (UU-52-AF) BOLT-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO OUTLET PIPE & FRAME	

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	DOAZ-5230-D (302) ★DOAZ-5230-C (351)
3	OUTLET PIPE	★DOAZ-5255-F


E-F-31

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1970—FORD 8 CYL 390-2B & 429-2B & 4B SEDAN, HARDTOP, & CONVERTIBLE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C9AZ-5246-L (390) C9AZ-5246-D (429)
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	DOAZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★40980-S2 SCREW-HEX HD. 5/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. PLATE & BRKT. TO CROSS MEMBER & OUTLET PIPE	
3	OUTLET PIPE	DOAZ-5255-K
5	BRACKET & INSULATOR ASSY.	DOAZ-5260-B
	★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ DOAZ-5230-K
B	CLAMP ♦	D1AZ-5A231-A
3	OUTLET PIPE	★DOAZ-5255-B (2 BBL.-BEFORE 10-13-69) DOAZ-5255-H (2 BBL.-FROM 10-13-69) ★DOAZ-5255-J (4 BBL.)
C	CLAMP ♦	D1AZ-5A231-A


E-F-34

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

1970 FORD—8 CYL. 390-2B & 428-4B STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C9AZ-5246-L (390) C9AZ-5246-H (428)
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★ 40980-S2 SCREW-HEX HD.-3/8-16 × 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER & OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-U (390) D0AZ-5255-V (428)
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-C
	56320-S4 (B-318-GD) SCREW-HEX HD. 5/16-18 x 7/8 (2) REQ'D. 33770-S4 (M-89-K) NUT-HEX 5/16-18 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO FRAME & OUTLET PIPE	

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)





	ITEM	PART NO.
2	MUFFLER	★D0AZ-5230-K (390) ★D0AZ-5230-L (428)
B	CLAMP ♦	D1AZ-5A231-A
3	OUTLET PIPE	★D0AZ-5255-G

E-F-35

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

1970 FORD--8 CYL. 428-4B SEDAN & HARDTOP (POLICE CAR ONLY)





	ITEM	L.H.	R.H.
1	INLET PIPE	C9AZ-5246-G	
A	CLAMP ‡	D1AZ-5A231-D	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-N	D0AZ-5230-R
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A	C9AZ-5260-A
	★C9AA-5299-A PLATE (2) REQ'D. ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (4) REQ'D. 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & PLATE TO CROSS MEMBER & OUTLET PIPE		
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
3	OUTLET PIPE	D0AZ-5255-C	D0AZ-5255-B (BEFORE 10-13-69) D0AZ-5255-H (FROM 10-13-69)
5	BRACKET & INSULATOR ASSY.	D0AZ-5260-A	D0AZ-5260-B
	★ 40980-S2 SCREW-HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. TO FRAME		
C	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A

E-F-36

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada


♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

1970 FORD—8 CYL. 429-2B & 4B STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C9AZ-5246-D
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF)SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. PLATE & BRKT. TO CROSS MEMBER & OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-V
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-C
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. 33770-S4 (M-89-K) NUT-HEX 5/16 (2) REQ'D. 56320-S4 (B-318-GD) SCREW-HEX HD. 5/16-18 x 7/8 ATT. BRKT. TO FRAME & OUTLET PIPE	

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	★D0AZ-5230-L
B	CLAMP ♦	D1AZ-5A231-A
3	OUTLET PIPE	★D0AZ-5255-G


E-F-47

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

1970 FAIRLANE/TORINO & (1970 FALCON-FROM 1-2-70)— 6 CYL. 250-1B SEDAN, HARDTOP & CONVERTIBLE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)






	ITEM	PART NUMBER
4	BRACKET	C9OZ-5277-A
	34807-S8 (X-66) WASHER-LOCK 3/8" 20348-S8 (B-77) BOLT-HEX.HD. 3/8-16 X 3/4 ATT. BRKT. TO ENGINE BLOCK	
A	CLAMP ▲	D1AZ-5A231-C
1	INLET PIPE	DOOZ-5246-A
B	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DOOZ-5A212-A
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
5	BRACKET & INSULATOR ASSY.	DOOZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO MUFFLER ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DOOZ-5255-E
6	BRACKET & INSULATOR ASSY.	C8OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY	
E	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★DOOZ-5230-S


E-C-1

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970 FAIRLANE/TORINO—6 CYL. 250-1B STATION WAGON & RANCHERO


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
4	BRACKET	C9OZ-5277-A
A	CLAMP ▲	D1AZ-5A231-C
1	INLET PIPE	DOOZ-5246-A
B	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DOOZ-5A212-A
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
5	BRACKET & INSULATOR ASSY.	DOOZ-5260-E
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO MUFFLER	
	*40980-S2 SCREW-HEX HD. 3 8-16 x 1 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ 5A231 C
3	OUTLET PIPE	DODZ-5255-A
6	BRACKET & INSULATOR ASSY.	C7DZ-5260-B (RANCHERO) C7OZ-5260-D (STA. WAGON)
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY	
E	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	* DOOZ-5230-A

E-C-2

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1970 FAIRLANE/TORINO & (1970 FALCON-FROM 1-2-70)— 8 CYL 302-2B SEDAN, HARDTOP & CONVERTIBLE


CONSOLIDATED SYSTEM REPLACEMENT **(REPLACES ORIGINAL SERVICE SYSTEM BELOW)**



	ITEM	PART NUMBER
1	INLET PIPE	DOOZ-5246-B
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DOOZ-5A212-A
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
4	BRACKET & INSULATOR ASSY.	DOOZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD.5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO MUFFLER ★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT.& INSULATOR ASSY. TO UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DOOZ-5255-E
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 × 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM **(REPLACED BY CONSOLIDATED SYSTEM ABOVE)**



	ITEM	PART NUMBER
2	MUFFLER	★DOOZ-5230-T


E-C-3

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

1970 FAIRLANE/TORINO & (1970 FALCON-FROM 1-2-70)— 8 CYL. 302-2B STATION WAGON & RANCHERO


CONSOLIDATED SYSTEM REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D0OZ-5246-B
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	D0OZ-5A212-A
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	D0ZZ-5230-N
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-E
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO MUFFLER ★ 40980-S2 SCREW-HEX HD. 3 8-16 x 1 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D0DZ-5255-A
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-B (RANCHERO) C7OZ-5260-D (STA. WAGON)
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★D0OZ-5230-B

E-C-4

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1970 FAIRLANE/TORINO & (1970 FALCON - FROM 1-2-70)— 8 CYL. 351-2B SEDAN, HARDTOP & CONVERTIBLE


CONSOLIDATED SYSTEM REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	DOOZ-5246-E
A	CLAMP ♦	D1AZ-5A231-A
1A	INTERMED. PIPE	DOOZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R
4	BRACKET & INSULATOR ASSY.	DOOZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO MUFFLER ★40980-S2 SCREW-HEX HD. 3 8-16 x 1 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D0OZ-5255-E
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★DOOZ-5230-J
D	CLAMP ♦	D1AZ-5A231-A

E-C-5


♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970 FAIRLANE/TORINO & (1970 FALCON-FROM 1-2-70)— 8 CYL 351-2B STATION WAGON & RANCHERO


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	DOOZ-5246-E
A	CLAMP ♦	D1AZ-5A231-A
1A	INTERMED. PIPE	DOOZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R
4	BRACKET & INSULATOR ASSY.	DOOZ-5260-E
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO MUFFLER *40980-S2 SCREW-HEX HD. 3. 8-16 x 1 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
5	BRACKET & INSULATOR ASSY.	C7OZ-5260-D (STA. WAGON) C7DZ-5260-B (RANCHERO)
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	*DOOZ-5230-F
D	CLAMP ♦	D1AZ-5A231-A


E-C-6

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1970 FAIRLANE/TORINO-8 CYL. 351-2B RANCHERO (QUIET DUAL)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	D0OZ-5246-F	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	D0OZ-5A212-E	D0OZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-E	D0OZ-5260-E
	★ 40980-S SCREW-HEX.HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO MUFFLER		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D0DZ-5255-A	D0OZ-5255-B
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-B	C9OZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO SIDE RAIL		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★D0OZ-5230-Y	★D0OZ-5230-Z
D	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A

E-C-22


♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970 FAIRLANE/TORINO—8 CYL. 351-4B
SEDAN, HARDTOP & CONVERTIBLE (QUIET DUAL)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	D0OZ-5246-F	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	D0OZ-5A212-E	D0OZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-D	D0OZ-5260-D
	★40980-S2 SCREW-HEX HD.3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO MUFFLER		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D0OZ-5255-E	D0OZ-5255-F
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-A	C8OZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR TO SIDE RAIL		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★D0OZ-5230-H	★D0OZ-5230-D


E-C-24

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1970 FAIRLANE/TORINO RANCHERO—8 CYL 351-4B, 429-4B & 429-CJ (SPORTY DUAL)


CONSOLIDATED SYSTEM REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	D0OZ-5246-F (351-4B) D0OZ-5246-C (429-4B) D0OZ-5246-G (429-CJ)	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	D0OZ-5A212-E	D0OZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-E	D0OZ-5260-E
	★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSULATOR TO U/BODY 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR TO MUFFLER		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D0DZ-5255-A (28 3/8" LONG)	D0OZ-5255-B
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-B	C9OZ-5260-B
D	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO SIDE RAIL		
	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★D0OZ-5230-Y (2¼" OUTLET DIA.)	★D0OZ-5230-Z
D	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A

E-C-20

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada


▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

1970 FAIRLANE/TORINO—8 CYL. 351-4B STATION WAGON (QUIET DUAL)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	D0OZ-5246-F	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	D0OZ-5A212-E	D0OZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-D	D0OZ-5260-D
	*40980-S2 SCREW-HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO MUFFLER		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D0DZ-5255-A	D0OZ-5255-B
5	BRACKET & INSULATOR ASSY.	C7OZ-5260-D	D0OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO SIDE RAIL		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	*D0OZ-5230-C (R.H.) *D0OZ-5230-E (L.H.)


E-C-23

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1970 FAIRLANE/TORINO-8 CYL. 429-4B SEDAN & HARDTOPS (QUIET DUAL)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	D0OZ-5246-C	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	D0OZ-5A212-E	D0OZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R	D0OZ-5230-R
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-D	D0OZ-5260-D
	★40980-S SCREW-HEX.HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO MUFFLER		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D0OZ-5255-E (37½" LONG)	D0OZ-5255-F
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-B	C8OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO SIDE RAIL		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★D0OZ-5230-H (2" OUTLET DIA.)	★D0OZ-5230-D
D	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A

E-C-21


♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE


1970 FAIRLANE/TORINO—8 CYL. 429-4B & 429-CJ
SEDANS, HARDTOPS, & CONVERTIBLES (SPORTY DUAL)
CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	D0OZ-5246-C (EXCEPT 429 CJ) D0OZ-5246-G (429 CJ)	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	DO0Z-5A212-E	D0OZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R	D0OZ-5230-R
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-D	DOOZ-5260 D
	★40980-S2 SCREW-HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSULATOR TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO MUFFLER		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D0OZ-5255-G (49¼" LONG)	DOOZ-5255-H
5	BRACKET & INSULATOR ASSY.	D0OZ-5230-C	DOOZ-5260-C
	DOOZ-5B236-A ASSY. (2) REQ'D. ATT. (5260) ASSY. TO UNDERBODY 52012-S8 (U-202) SCREW-FLAT HD. #8 x 1/2 LG - ATT. (5B236) ASSY. TO REAR FLOOR 33770-S4 (M-89-K) NUT-HEX 5/16 x 18 (4) REQ'D. ATT. (5B236) ASSY. TO (5260) ASSY. (M-89-K)		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
E	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
4	EXTENSION (RAM AIR)	DOOZ-5255-A	DOOZ-5255-A

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★DOOZ-5230-N (#D0OA-5232-N) ★DOOZ-5230-U (#D0OA-5232-T) (2¼" OUTLET DIA.)	★DOOZ-5230-K (#D0OA-5230-AC) ★DOOZ-5230-V (#D0OA-5230-AE)
D	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A

STAMPED IDENTIFICATION


E-C-25

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1970 FAIRLANE/TORINO—8 CYL. 429-4B STATION WAGON & RANCHERO (QUIET DUAL)


CONSOLIDATED SYSTEM REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	D0OZ-5246-C	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	D0OZ-5A212-E	D0OZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-E	D0OZ-5260-E
	★40980-S SCREW-HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO MUFFLER		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D0DZ-5255-A	D0OZ-5255-B (28 3/8" LONG)
5	BRACKET & INSULATOR ASSY.	C7OZ-5260-D	D0OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO SIDE RAIL		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★D0OZ-5230-C (R.H.) ★D0OZ-5230-E (L.H.) (2" OUTLET DIA.)


E-C-18


♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

1970 FAIRLANE/TORINO—8 CYL. 429-SCJ
SEDAN, HARDTOP & CONVERTIBLE (SPORTY DUAL)
CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)






	ITEM	L.H.	R.H.
1	INLET PIPE	D0OZ-5246-G	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	D0OZ-5A212-E	D0OZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-D	D0OZ-5260-D
	★ 40980-S SCREW-HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSULATOR TO U/BODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT BRKT. & INSULATOR TO MUFFLER		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D0OZ-5255-G	D0OZ-5255-H ($49\frac{1}{4}$" LONG)
5	BRACKET & INSULATOR ASSY.	D0OZ-5260-C	D0OZ-5260-C
	D0OZ-5B236-A ASSY. (2) REQ'D. ATT. (5260) ASSY. TO UNDERBODY 52012-S8 (U-202) SCREW-FLAT HD. #8 x 1/2 LG - ATT. (5B236) ASSY. TO REAR FLOOR 33770-S4 (M-89-K) NUT-HEX 5/16-18 (4) REQ'D. ATT. (5B236) ASSY. TO (5260) ASSY.		
D	CLAMP	D1AZ-5A231-C	D1AZ-5A231-C
E	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
4	EXTENSION (RAM AIR)	D0OZ-5255-A	D0OZ-5255-A

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★D0OZ-5230-AB ($2\frac{1}{4}$" OUTLET DIA.)	♦D0OZ-5230-AA ($2\frac{1}{4}$" OUTLET DIA.)
D	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A


E-C-26

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1970 FAIRLANE/TORINO—8 CYL. 429-SCJ RANCHERO (SPORTY DUAL)


CONSOLIDATED SYSTEM REPLACEMENT **REPLACES ORIGINAL SERVICE SYSTEM BELOW)**



	ITEM	L.H.	R.H.
1	INLET PIPE	D0OZ-5246-G	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	D0OZ-5A212-E	D0OZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-E	D0OZ-5260-E
	★40980-S SCREW-HEX.HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO MUFFLER		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D0DZ-5255-A	D0OZ-5255-B (28 3/8" LONG)
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-B	C9OZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSULATOR ASSY. TO SIDE RAIL		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★D0OZ-5230-AC (R.H.) ★D0OZ-5230-AD (L.H.) (2¼" OUTLET DIA.)
D	CLAMP ♦	D1AZ-5A231-A

E-C-19


♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

1970 MUSTANG-6 CYL. 200-1B & 250-1B


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NO.
1	INLET PIPE	C8ZZ-5246-B (200 ENG.) C9ZZ-5246-C (250 ENG.)
4	BRACKET	C9OZ-5277-A
	34807-S8 (X-66) WASHER-LOCK 3/8 (1) REQ'D. 20348-S8 (B-77) BOLT-HEX HD. 3/8-16 x 3/4 ATT. BRKT. TO ENG. BLOCK	
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DOZZ-5A212-D
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
5	BRACKET & INSULATOR ASSY.	C9ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & BODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DOZZ-5255-E
6	BRACKET & INSULATOR ASSY.	C8ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO BODY	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	★DOZZ-5230-L

E-A-11

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1970 MUSTANG - 8CYL. 302-2B


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	DOZZ-5246-B
A	CLAMP ♦	D1AZ-5A231-A
1A	INTERMED. PIPE	DOZZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C9ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & BODY	
C	CLAMP ▲	A9AA-5A231-B
3	OUTLET PIPE	DOZZ-5255-E
5	BRACKET & INSULATOR ASSY.	C8ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO BODY	
D	CLAMP ▲	A9AA-5A231-B

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	♦DOZZ-5230-K

E-A-4


♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use A9AA 5A231-B in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

1970 MUSTANG—8 CYL. BOSS 302-4B




	ITEM	L.H.	R.H.
1	INLET PIPE	C9ZZ-5246-H	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-E	D0ZZ-5230-F
5	BRACKET & INSULATOR ASSY.	D0ZZ-5260-B	D0ZZ-5260-A
	381877-S2 (UU-52-AF) SCREW-HEX.HD.5/16-18 x 3/4 (8) REQ'D. ATT. BRKT. TO MUFFLER & FLOOR PAN		
6	BRACKET & INSULATOR ASSY.	D0ZZ-5260-C	C8ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW-HEX.HD.5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO SIDE RAIL		
C	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A

E-A-30

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

1970 MUSTANG—8 CYL. 351-2B ("C" ENGINE)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D0ZZ-5246-C
A	CLAMP ♦	D1AZ-5A231-A
1A	INTERMED. PIPE	D0ZZ-5A212-H
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D0ZZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & BODY	
C	CLAMP ♦	D1AZ-5A231-A
3	OUTLET PIPE	D0ZZ-5255-E
5	BRACKET & INSULATOR ASSY.	C8ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO BODY	
D	CLAMP ♦	D1AZ-5A231-A

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★D0ZZ-5230-A


E-A-2

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970 MUSTANG—8 CYL. 351-2B ("W" ENGINE)


CONSOLIDATED SERVICE REPLACEMENT **REPLACES ORIGINAL SERVICE SYSTEM BELOW)**



	ITEM	PART NUMBER
1	INLET PIPE	C9ZZ-5246-G
A	CLAMP ‡	D1AZ-5A231-D
1A	INTERMED. PIPE	D0ZZ-5A212-C
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	C9ZZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER & BODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D0ZZ-5255-E
5	BRACKET & INSULATOR ASSY.	C8ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO BODY	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★C9ZZ-5230-A
D	CLAMP ♦	D1AZ-5A231-A

E-A-3

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1970 MUSTANG--8 CYL. 351-4B STD. & GT
(EXCEPT SHELBY GT-350)




	ITEM	L.H.	R.H.
1	INLET PIPE	D0ZZ-5246-A	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-D (STANDARD) D0ZZ-5230-J (GT)	D0ZZ-5230-B (STANDARD) D0ZZ-5230-C (GT)
5	BRACKET & INSULATOR ASSY.	D0ZZ-5260-B	D0ZZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (8) REQ'D. ATT. BRKT. TO MUFFLER		
6	BRACKET & INSULATOR ASSY.	D0ZZ-5260-C	C8ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX.HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO UNDERBODY		
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
4	PIPE EXTENSION	D0ZZ-5255-A (GT & MOD.63C)	D0ZZ-5255-B (GT & MOD.63C)


E-A-32

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970 MUSTANG —8 CYL. 351-4B SHELBY GT-350






	ITEM	L. H.	R. H.
1	INLET PIPE	C9ZZ-5246-A	
A	CLAMP	C8ZZ-5A231-B	C8ZZ-5A231-B
1A	INTERMED. PIPE	C9ZZ-5A289-B	C9ZZ-5A289-C
5	BRACKET & INSULATOR ASSY.	C7ZZ-5A246-F	C7ZZ-5A246-G
	C1VV-58236-C PLATE ASSY. (2) REQ'D. 51765-S8 (U-370) SCREW - PAN HD. NO. 10-24 x 1/2 (2) REQ'D. (ATT. PLATE TO FLOOR PAN) 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 x 9/16 (4) REQ'D. (ATT. BRKT. TO PLATE) 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. (ATT. BRKT. TO MUFFLER)		
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
2	MUFFLER	C9ZZ-5230-E	
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	C7ZZ-5255-B	C7ZZ-5255-C
6	BRACKET ASSY.	C5ZZ-5260-F C5ZZ-5277-A C7ZZ-5A231-B	C5ZZ-5260-F C7ZZ-5277-A C7ZZ-5266-A
	23575-S8 (B-13) BOLT - CARRIAGE 3/8-16 x 3 (4) REQ'D. (ATT. BRKT. TO UNDERBODY) 40923-S8 (U-264) SCREW - HEX HD. 5/16-18 x 1/2 (2) REQ'D. (ATT. 5260 TO 5277) 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. (ATT. BRKT. TO UNDERBODY)		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3A	PIPE ADAPTER	C9ZZ-5264-A	C9ZZ-5264-A
3B	OUTLET CONNECTOR	C9ZZ-5255-K (STAMPED S9MS-5265-A OR B)	
4	OUTLET PORTS	C9ZZ-5255-L	

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1970 MUSTANG—8 CYL. 428-4B STD. & GT (EXCEPT SHELBY GT-500)




	ITEM	L.H.	R.H.
1	INLET PIPE	C9ZZ-5246-F (BEFORE 12-1-69) C9ZZ-5246-K (BETWEEN 12-1-69 & 1-15-70) DOZZ-5246-D (FROM 1-15-70)	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	DOZZ-5230-E (STANDARD) DOZZ-5230-G (GT)	DOZZ-5230-F (STANDARD) DOZZ-5230-H (GT)
5	BRACKET & INSULATOR ASSY.	DOZZ-5260-B	DOZZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (8) REQ'D. ATT. BRKT. TO MUFFLER		
6	BRACKET & INSULATOR ASSY.	DOZZ-5260-C	C8ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW-HEX.HD. 5/16-18 x 3/4 (8) REQ'D. ATT. BRKT. TO UNDERBODY		
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
4	PIPE EXTENSION	DOZZ-5255-A (GT & MOD. 63-C)	DOZZ-5255-B

E-A-31

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

1970 MUSTANG—8 CYL. 428-4B SHELBY GT-500




	ITEM	L. H.	R. H.
1	INLET PIPE	C9ZZ-5246-F	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	C9ZZ-5A289-G	C9ZZ-5A289-H
6	BRACKET & INSULATOR ASSY.	C7ZZ-5A246-F	C7ZZ-5A246-G
	C1VV-5B236-C PLATE ASSY. (2) REQ'D. 51765-S8 (U-370) SCREW - PAN HD. NO. 10-24 x 1/2 (2) REQ'D. ATT. PLATE TO FLOOR PAN 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 x 9/16 (4) REQ'D. ATT. BRKT. TO PLATE 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER		
B	CLAMP	C8ZZ-5A231-B	C8ZZ-5A231-B
2	MUFFLER	C9ZZ-5230-C	
C	CLAMP	C8ZZ-5A231-B	C8ZZ-5A231-B
3	OUTLET PIPE	C9ZZ-5255-N	C9ZZ-5255-M
7	BRACKET ASSY.	C5ZZ-5260-F C5ZZ-5277-A C7ZZ-5A231-B	C5ZZ-5260-F C7ZZ-5277-A C7ZZ-5266-A
	23575-S8 (B-13) BOLT - CARRIAGE 3/8-16 x 3 (4) REQ'D. ATT. BRKT. TO UNDERBODY 40923-S8 (U-264) SCREW - HEX HD. 5/16-18 x 1/2 (2) REQ'D. ATT. 5260 TO 5277 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. ATT. BRKT. TO UNDERBODY		
D	CLAMP ▲	A9AA-5A231-B	A9AA-5A231-B
4	OUTLET CONNECTOR	C9ZZ-5255-K (STAMPED S9MS-5265-A OR B)	
5	OUTLET PORTS	C9ZZ-5255-L	

E-A-56

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use A9AA 5A231-B in U.S. only; use C000 5253-E in Canada

1970 MUSTANG—8 CYL. BOSS 429-4B



	ITEM	L.H.	R.H.
1	INLET PIPE	C9ZZ-5246-J	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	C9ZZ-5A289-G	C9ZZ-5A289-H
4	BRACKET & INSULATOR ASSY.	C7ZZ-5A246-F	C7ZZ-5A246-G
	C1VY-5B236-C PLATE ASSY. (2) REQ'D. 51765-S8 (U-370) SCREW-PAN HD.#10-24 x 1/2 (2) REQ'D. ATT. PLATE TO FLOOR PAN 373403-S8 (MM-173-J) NUT-LOCK 3/8-16 x 9/16 (4) REQ'D. ATT. BRKT. TO PLATE 381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO MUFFLER		
B	CLAMP	C8ZZ-5A231-B	C8ZZ-5A231-B
2	MUFFLER	C9ZZ-5230-C	
C	CLAMP	C8ZZ-5A231-B	C8ZZ-5A231-B
3	OUTLET PIPE	C9ZZ-5255-D (STANDARD) C9ZZ-5255-A (GT)	C9ZZ-5255-E (STANDARD) C9ZZ-5255-B (GT)
5	BRACKET & INSULATOR ASSY.	C8ZZ-5A231-A C5ZZ-5260-F C5ZZ-5277-A	C7ZZ-5266-A C5ZZ-5260-F C7ZZ-5277-A
	23575-S8 (B-13) BOLT-CARRIAGE 3/8-16 x 3 (4) REQ'D. ATT. BRKT. TO UNDERBODY 40923-S8 (U-264) SCREW-HEX HD.5/16-18 x 1/2 (2) REQ'D. ATT. 5260 TO 5277 373403-S8 (MM-173-J) NUT - LOCK 3/8-16 (4) REQ'D. ATT. BRKT. TO UNDERBODY		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

E-A-10

♦ Use D1AZ, 5A231-A in U.S. only; use C000 5253-F in Canada


▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

1970 MAVERICK—6 CYL 170-1B & 200-1B 2 DOOR SEDAN


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D0DZ-5246-A
A	CLAMP #	D1AZ-5A231-B
1A	INTERMED. PIPE – FRONT	D1DZ-5A212-A
B	CLAMP #	D1AZ-5A231-B
1B	INTERMED. PIPE – REAR	D1DZ-5246-E
3	BRACKET & INSULATOR ASSY.	D0DZ-5A246-B
	★ D0DA-5299-A PLATE ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. PLATE & BRKT. & INSUL. ASSY. TO PINION BUMPER & TO INTERMED. PIPE ★ D0DB-5B241-A MUFFLER SPLASH SHIELD - IMPROVISE	
C	CLAMP #	D1AZ-5A231-B
2	MUFFLER	D1DZ-5230-L
4	BRACKET & INSULATOR ASSY.	D0DZ-5260-A
	D0DZ-5277-A BRKT. MUFFLER SUPPORT (1) REQ'D. - WELDED TO REAR FLOOR PAN 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER & UNDERBODY	

Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with three parts (muffler and two intermediate pipes) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★ D0DZ-5230-A

E-L-1A

Use D1AZ 5A231-B in U.S. only; use C000 5253-C in Canada

1970 MAVERICK—6 CYL 250-1B 2 DOOR SEDAN


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D0DZ-5246-C
A	CLAMP #	D1AZ-5A231-B
1A	INTERMED. PIPE - FRONT	D1DZ-5A212-A
B	CLAMP #	D1AZ-5A231-B
1B	INTERMED. PIPE - REAR	D1DZ-5246-E
3	BRACKET & INSULATOR ASSY.	D0DZ-5A246-B
	★ D0DA-5299-A PLATE ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. PLATE & BRKT. & INSUL. ASSY. TO PINION BUMPER & TO INTERMED. PIPE ★ D0DB-5B241-A MUFFLER SPLASH SHIELD - IMPROVISE	
C	CLAMP #	D1AZ-5A231-B
2	MUFFLER	D1DZ-5230-L
4	BRACKET & INSULATOR ASSY.	D0DZ-5260-A
	D0DZ-5277-A BRKT. MUFFLER SUPPORT (1) REQ'D. - WELDED TO REAR FLOOR PAN 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER & UNDERBODY	

Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with three parts (muffler and two intermediate pipes) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★ D0DZ-5230-A

E-L-2A


Use D1AZ 5A231-B in U.S. only; use C000 5253-C in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970 THUNDERBIRD—8 CYL. 429-4B ALL MODELS



	ITEM	L.H.	R.H.
1	INLET PIPE 2 DR. HT. 4 DR. HT.	D0SZ-5246-A C9ZY-5246-A	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0SZ-5230-B	D0SZ-5230-A
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G	C7AZ-5260-G
	★ C7SA-5299-A PLATE (2) REQ'D. ★ 40980-S2 SCREW-HEX.HD.-3/8-16 x 1 (4) REQ'D. ATT. BRKT. TO FRAME 381877-S2 (UU-52-AF) SCREW - HEX HD 5/16-18 x 3/4 (4) REQ'D. ATT. PIPE TO BRKT.		
B	CLAMP #	A9AA-5A231-A	A9AA-5A231-A
3	RESONATOR ASSY.	D0SZ-5A289-D	D0SZ-5A289-C
5	BRACKET & INSULATOR ASSY.	C7SZ-5260-A	C7SZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. !5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO FRAME C8SZ-5266-A BRACKET (2) REQ'D. ATT. PIPE TO BRKT. W/CLAMP C		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C




MUFFLER SPLASH SHIELD

E-H-6

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada
Use A9AA 5A231-A in U.S. only; use C000 5253-C in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1970 BRONCO—6 CYL. 170-1B



	ITEM	PART NUMBER
1	INLET PIPE	C8TZ-5246-G
A	CLAMP ▲	D1AZ-5A231-C
4	BRACKET	C5UZ-5277-C
	20348-S8 (B77) BOLT-HEX HD. 3/8 -16x3/4 (1) REQ'D. ATT. BRKT. TO ENGINE BLOCK 34807-S8 (X66) WASHER-LOCK 3/8 (1) REQ'D. ATT. BRKT. TO ENGINE BLOCK	
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7TZ-5230-L
C	CLAMP #	A9AA-5A231-A
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-A
	39909-S7 (U269D) SCREW-HEX HD. 5/16 -18x3/4 (2) REQ'D. ATT. BRKT. TO FRAME	
3	OUTLET PIPE	C7TZ-5255-AE
6	BRACKET & INSULATOR ASSY.	C30Z-5260-A
	39909-S7 (U269D) SCREW-HEX HD. 5/16 -18x3/4 (2) REQ'D. ATT. BRKT. TO FRAME	
D	CLAMP #	A9AA-5A231-A


EN-9

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

Use A9AA 5A231-A in U.S. only; use C000 5253-C in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970 BRONCO—8 CYL. 302-2B




	ITEM	PART NUMBER
1	INLET PIPE	C8TZ-5246-J
A	CLAMP ▲	D1AZ-5A231-C
1A	INLET PIPE CROSSOVER	C8TZ-5267-H
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C6TZ-5230-G
C	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C6TZ-5260-H
	39909-S7 (U269D) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO FRAME	
3	OUTLET PIPE	C6TZ-5255-J
5	BRACKET & INSULATOR ASSY.	C6TZ-5260-G
	39909-S7 (U269D) SCREW-HEX HD. 5/16 -18 x 3/4 (2) REQ'D. ATT. BRKT. TO FRAME 23440-S8 (B10) BOLT-CARRIAGE 3/8 -16 x 1 1/4 (1) REQ'D. ATT. OUTLET PIPE TO BRKT. 34807-S8 (X66) WASHER-LOCK 3/8 (1) REQ'D. ATT. OUTLET PIPE TO BRKT. 33799-S7 (M52) NUT-HEX 3/8 - 16 (1) REQ'D. ATT. OUTLET PIPE TO BRKT.	

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1970 FALCON—6 CYL. 200-1B SEDAN (BEFORE 1-2-70)
(FROM 1-2-70 SEE FAIRLANE/TORINO SECTION)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
	CLAMP ▲	D1AZ-5A231-C
(A)	BRACKET	C7OZ-5277-A
4	20348-S8 (B-77) BOLT-HEX HD. 3/8-16 x 3/4 34807-S8 (X-66) WASHER-LOCK 3/8 I.D. ATT. BRKT. TO ENGINE BLOCK	
1	INLET PIPE	C9DZ-5246-A
(B)	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
(C)	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DODZ-5230-C
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-A
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO UNDERBODY (2) REQ'D. ATT. BRKT. TO MUFFLER	
(D)	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-B
6	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	C8OZ-58236-A PLATE ASSY. 42014-S8 (U-240) SCREW-HEX HD. #10-12 x 5/8 ATT. PLATE ASSY. TO SIDE RAIL ★ 55802-S NUT-LOCK 5/16-18 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
(E)	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	★C8DZ-5230-A


E-E-30

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970 FALCON—6 CYL. 200-1B STATION WAGON (BEFORE 1-2-70)
(FROM 1-2-70 SEE FAIRLANE/TORINO SECTION)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
A	CLAMP ▲	D1AZ-5A231-C
4	BRACKET	C7OZ-5277-A
	382965-S100 (BB-429-UD) BOLT-HEX HD. 3/8-16 x 3/4 (1) REQ'D. 34807-S8 (X-66) WASHER-LOCK 3/8 I.D. (1) REQ'D. ATT. BRKT. TO BRKT. TO ENGINE BLOCK	
1	INLET PIPE	C9DZ-5246-A
B	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	DOZZ-5230-N
5	BRACKET & INSULATOR ASSY.	C9OZ-5260-A
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO UNDER-BODY & MUFFLER	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
6	BRACKET & INSULATOR ASSY.	C7DZ-5260-B
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
E	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NO.
2	MUFFLER	*C8OZ-5230-K

E-E-31

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1970 FALCON- 8CYL. 302-2B SEDAN (BEFORE 1-2-70)
(FROM 1-2-70 SEE FAIRLANE/TORINO SECTION


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-L
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	D0DZ-5230-C
4	BRACKET & INSULATOR ASSY.	C7DZ-5260-A
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO UNDERBODY (2) REQ'D. ATT. BRKT. TO MUFFLER	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D0DZ-5255-B
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-B
	52012-S8 (U-202) SCREW-FLAT HD. #8-15 x 1/2 (1) REQ'D. ATT. PLATE ASSY. TO SIDE RAIL 34976-S4 (M-89-CA) NUT-HEX (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★C8DZ-5230-B


E-E-32

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970 FALCON—8 CYL. 302-2B STATION WAGON (BEFORE 1-2-70)
(FROM 1-2-70 SEE FAIRLANE/TORINO SECTION)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	C7OZ-5246-L
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	DODZ-5A212-A
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	D0ZZ-5230-N
4	BRACKET & INSULATOR ASSY.	C9OZ-5260-A
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO UNDERBODY & MUFFLER	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	DODZ-5255-A
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-B
	381877-S2 (UU-52-AF) SCREW-HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO SIDE RAIL	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NO.
2	MUFFLER	★C80Z-5230-E

E-E-33

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

EXHAUST PARTS MODEL INDEX

How to use this index -

1. Find the car model desired.
2. Find the line which lists the engine displacement needed.
3. Select the correct page, and turn to that page.

Explanation of picture - text catalog sheets -

In sections 52.65 through 52.72, the complete present service system is shown at the top of the page, with an illustration and a complete bill of materials. If a second illustration appears below, that is the service system before simplification. In the lower system (before simplification), parts which are changed are shown by dotted lines, and the part numbers are shown in the table. Parts shown in black are parts which are unchanged and shown above in the upper illustration.

For stamped number cross-reference information and for size information, refer to Section 52, page 1.

1971

CYL.	C.I.D.	MODEL	TYPE▲	SECTION	PAGE	ILLUS. NO. ♦
		A (FORD)				
6	240-1B		S	52.71	2	EF 85
8	302-2B	Exc.71	S	52.71	3	EF 86
		71	S	52.71	4	EF 87
	351-2B	Exc.71	S	52.71	5	EF 88
		71	S	52.71	6	EF 89
	390-2B	Exc.71	S	52.71	7	EF 90
		71	S	52.71	8	EF 91
	400-2B	Exc.71	S	52.71	9	EF 92
		71	S	52.71	10	EF 93
	429-2B	Exc.71	S	52.71	11	EF 94
		71	S	52.71	12	EF 95
	429-4B	Exc. P/C, 71	S	52.71	11	EF 94
		P/C-exc.71	D	52.71	13	EF 96
		71 (includes P/C)	S	52.71	12	EF 95
		B (TORINO)				
6	250-1B	Exc.66, 71	S	52.71	14	EC 64
		66, 71	S	52.71	15	EC 65
8	302-2B	Exc.66, 71	S	52.71	16	EC 66
		66, 71	S	52.71	17	EC 67
	351-2B	Exc.66, 71	S	52.71	18	EC 68
		66, 71	S	52.71	19	EC 69
	351-4B	54, 57, 63C, F, 65, 76-quiet dual-2" outlet pipe	D	52.71	20	EC 70
		63H-sporty dual-2 1/4" outlet pipe	D	52.71	21	EC 71
		66	D	52.71	22	EC 72
		71	D	52.71	23	EC 73
	429 CJ	54, 57, 63C, 65 w/ auto. trans.-quiet dual-2" outlet pipe	D	52.71	24	EC 74
		57, 63C, 65 w/man. trans.-sporty dual-2 1/4" outlet pipe	D	52.71	25	EC 75
		63F, H, 76F	D	52.71	25	EC 75
		66	D	52.71	22	EC 72
		71	D	52.71	26	EC 76


CYL.	C.I.D.	MODEL	TYPE▲	SECTION	PAGE	ILLUS. NO. ♦
		F (MUSTANG)				
6	250-1B		S	52.71	27	EA 33
8	302-2B		S	52.71	28	EA 34
	302-4B	Boss	D	52.71	29	EA 35
	351-2B		S	52.71	30	EA 36
	351-4B	Std., CJ & Spec. (Boss)	D	52.71	31	EA 37
	429 CJ & S/CJ		D	52.71	32	EA 38
		L (PINTO)				
4	98-1B (1600 cc)		S	52.71	33	ER 1
	122-2B (2000 cc)		S	52.71	34	ER 2
		P (MAVERICK)				
6	170-1B		S	52.71	35	EL 4
	200-1B		S	52.71	35	EL 4
	250-1B		S	52.71	36	EL 6
	302-2B		S	52.71	37	EL 8
		S (THUNDERBIRD)				
8	429-4B		D	52.71	38	EH 7
		U (BRONCO)				
6	170-1B		S	52.71	39	EN 11
8	302-2B		S	52.71	40	EN 12

♦ For control purposes only ▲ S - Single D - Dual

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

1971 FORD—6 CYL. 240-1B SEDAN & HARDTOP

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	C9AZ-5246-C
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	D0AZ-5230-T
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★ C9AA-5299-A PLATE ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSS MEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-K
5	BRACKET & INSULATOR ASSY.	D0AZ-5260-B
	★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★ D0AZ-5230-F
3	OUTLET PIPE	★ D1AZ-5255-C

E-F-85

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1971 FORD—8 CYL. 302-2B SEDAN & HARDTOP

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	D0AZ-5246-A
A	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D0AZ-5230-V
B	CLAMP ♦ ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★ C9AA-5299-A PLATE ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSS MEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-K
5	BRACKET & INSULATOR ASSY.	D0AZ-5260-B
	★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ D1AZ-5230-A
3	OUTLET PIPE	★ D1AZ-5255-C

E-F-86


♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 FORD—8 CYL. 302-2B STATION WAGON

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	D0AZ-5246-A
A	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D0AZ-5230-V
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★ C9AA-5299-A PLATE ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSS MEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-U
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-C
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. 33770-S4 (M-89-K) NUT - HEX 5/16 (2) REQ'D. 56320-S4 (B-318-GD) SCREW - HEX HD. 5/16-18 x 7/8 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME & OUTLET PIPE	

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★D1AZ-5230-A
3	OUTLET PIPE	★D1AZ-5255-C


E-F-87

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1971 FORD—8 CYL. 351-2B SEDAN, HARDTOP & CONVERTIBLE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	D1AZ-5246-D ("W" ENGINE) D1AZ-5246-G ("C" ENGINE)
A	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D0AZ-5230-V
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★ C9AA-5299-A PLATE ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSS MEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-K
5	BRACKET & INSULATOR ASSY.	D0AZ-5260-B
	★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ D1AZ-5230-A
3	OUTLET PIPE	★ D1AZ-5255-C

E-F-88


♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 FORD—8 CYL. 351-2B STATION WAGON

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	D1AZ-5246-D ("W" ENGINE) D1AZ-5246-G ("C" ENGINE)
A	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D0AZ-5230-V
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★ C9AA-5299-A PLATE ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSS MEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-U
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-C
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. 33770-S4 (M-89-K) NUT - HEX 5/16 (2) REQ'D. 56320-S4 (B-318-GD) SCREW - HEX HD. 5/16-18 x 7/8 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME & OUTLET PIPE	

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ D1AZ-5230-A
3	OUTLET PIPE	★ D1AZ-5255-C (BEFORE 12/15/70) ★ D0AZ-5255-F (FROM 12/15/70)


E-F-89

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1971 FORD—8 CYL. 390-2B SEDAN, HARDTOP & CONVERTIBLE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	C9AZ-5246-L
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★ C9AA-5299-A PLATE ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSS MEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-K
5	BRACKET & INSULATOR ASSY.	D0AZ-5260-B
	★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ D0AZ-5230-K
B	CLAMP ♦	D1AZ-5A231-A
3	OUTLET PIPE	D1AZ-5255-B
C	CLAMP ♦	D1AZ-5A231-A


E-F-90

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 FORD—8 CYL. 390-2B STATION WAGON

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	C9AZ-5246-L
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★ C9AA-5299-A PLATE ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSS MEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-U
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-C
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. 33770-S4 (M-89-K) NUT - HEX 5/16 (2) REQ'D. 56320-S4 (B-318-GD) SCREW - HEX HD. 5/16-18 x 7/8 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME & OUTLET PIPE	

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ D0AZ-5230-L
B	CLAMP ♦	D1AZ-5A231-A
3	OUTLET PIPE	★ D0AZ-5255-G

E-F-91


‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

1971 FORD—8 CYL. 400-2B SEDAN, HARDTOP & CONVERTIBLE

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	D1AZ-5246-A
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★ C9AA-5299-A PLATE ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSS MEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-K
5	BRACKET & INSULATOR ASSY.	D0AZ-5260-B
	★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ D1AZ-5230-B
B	CLAMP ♦	D1AZ-5A231-A
3	OUTLET PIPE	D1AZ-5255-B
C	CLAMP ♦	D1AZ-5A231-A


E-F-92

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 FORD—8 CYL. 400-2B STATION WAGON

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	D1AZ-5246-A
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★ C9AA-5299-A PLATE ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSS MEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-U
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-C
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. 33770-S4 (M-89-K) NUT - HEX 5/16 (2) REQ'D. 56320-S4 (B-318-GD) SCREW - HEX HD. 5/16-18 x 7/8 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME & OUTLET PIPE	

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★D0AZ-5230-L
B	CLAMP ♦	D1AZ-5A231-A
3	OUTLET PIPE	★D0AZ-5255-G

E-F-93

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

1971 FORD—8 CYL. 429-2B & 429-4B SEDAN, HARDTOP & CONVERTIBLE (EXCEPT POLICE)

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	D2AZ-5246-C
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★ C9AA-5299-A PLATE ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSS MEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-K
5	BRACKET & INSULATOR ASSY.	D0AZ-5260-B
	★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ D0AZ-5230-K
B	CLAMP ♦	D1AZ-5A231-A
3	OUTLET PIPE	D1AZ-5255-B
C	CLAMP ♦	D1AZ-5A231-A


E-F-94

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 FORD—8 CYL. 429-2B & 429-4B STATION WAGON (INCLUDES POLICE)

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)




	ITEM	PART NUMBER
1	INLET PIPE	D2AZ-5246-C (EXC. POLICE) D1AZ-5246-C (POLICE ONLY) (BEFORE 6/14/71) D2AZ-5246-B (POLICE ONLY) (FROM 6/14/71)
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★ C9AA-5299-A PLATE ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSS MEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-V
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-C
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. 33770-S4 (M-89-K) NUT - HEX 5/16 (2) REQ'D. 56320-S4 (B-318-GD) SCREW - HEX HD. 5/16-18 x 7/8 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME & OUTLET PIPE	

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

Consolidated muffler and outlet pipe must be used together as a matched pair. They will not mate with original service components.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★ D0AZ-5230-L
B	CLAMP ♦	D1AZ-5A231-A
3	OUTLET PIPE	★ D0AZ-5255-G

E-F-95

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada
♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

1971 FORD—8 CYL. 429-4B SEDAN (POLICE ONLY)



	ITEM	L.H.	R.H.
1	INLET PIPE	D1AZ-5246-B (BEFORE 6/14/71) D2AZ-5246-A (FROM 6/14/71)	
A	CLAMP ‡	D1AZ-5A231-D	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-N	D0AZ-5230-R
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A	C9AZ-5260-A
	★C9AA-5299-A PLATE (2) REQ'D. ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT&INSUL. ASSY. & PLATE TO CROSS MEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE		
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
3	OUTLET PIPE	D1AZ-5255-A	D1AZ-5255-B
5	BRACKET & INSULATOR ASSY.	D0AZ-5260-A	D0AZ-5260-B
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. TO FRAME		
C	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A

E-F-96


‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 TORINO—6 CYL. 250-1B SEDAN & HARDTOP (EXCEPT RANCHERO)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
△4	BRACKET	C9OZ-5277-A
Ⓐ	CLAMP ▲	D1AZ-5A231-C
1	INLET PIPE	D0OZ-5246-A
Ⓑ	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	D0OZ-5A212-A
Ⓒ	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	D0ZZ-5230-N
△5	BRACKET & INSULATOR ASSY.	D0OZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
Ⓓ	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D0OZ-5255-E
△6	BRACKET & INSULATOR ASSY.	C8OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO SIDE RAIL	
Ⓔ	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★ D0OZ-5230-S

E-C-64

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1971 TORINO—6 CYL. 250-1B STATION WAGON & RANCHERO


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
4	BRACKET	C9OZ-5277-A
A	CLAMP ▲	D1AZ-5A231-C
1	INLET PIPE	D0OZ-5246-A
B	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	D0OZ-5A212-A
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	D0ZZ-5230-N
5	BRACKET & INSULATOR ASSY.	D0OZ-5260-E
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D0DZ-5255-A
6	BRACKET & INSULATOR ASSY.	C7DZ-5260-B (RANCHERO) C7OZ-5260-D (STA. WAGON)
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO SIDE RAIL	
E	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ D0OZ-5230-A


E-C-65

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

1971 TORINO—8 CYL. 302-2B SEDAN, HARDTOP & CONVERTIBLE (EXCEPT RANCHERO)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D0OZ-5246-B
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	D0OZ-5A212-A
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	D0ZZ-5230-N
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D0OZ-5255-E

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★ D0OZ-5230-T

E-C-66

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1971 TORINO—8 CYL. 302-2B STATION WAGON & RANCHERO


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D0OZ-5246-B
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	D0OZ-5A212-A
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	D0ZZ-5230-N
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-E
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-B (RANCHERO) C7OZ-5260-D (STA. WAGON)
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D0DZ-5255-A

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★D0OZ-5230-B


E-C-67

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 TORINO—8 CYL. 351-2B SEDAN, HARDTOP & CONVERTIBLE (EXCEPT RANCHERO)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D0OZ-5246-E
A	CLAMP ♦	D1AZ-5A231 A
1A	INTERMED. PIPE	D0OZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D0OZ-5255-E

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★D0OZ-5230-J


E-C-68

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only, use C000 5253-E in Canada

1971 TORINO—8 CYL. 351-2B STATION WAGON & RANCHERO


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D0OZ-5246-E
A	CLAMP ♦	D1AZ-5A231-A
1A	INTERMED. PIPE	D0OZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-E
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-B (RANCHERO) C7OZ-5260-D (STA. WAGON)
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D0DZ-5255-A

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ D0OZ-5230-F
D	CLAMP	C7OZ-5A231-A

E-C-69


♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

1971 TORINO—8 CYL. 351-4B SEDAN, HARDTOP & CONVERTIBLE (EXCEPT COBRA & RANCHERO) (QUIET DUAL)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	D1OZ-5246-B	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	D0OZ-5A212-E	D0OZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-D	D0OZ-5260-D
	★ 40980-S SCREW - HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D0OZ-5255-E	D0OZ-5255-F
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-A	C8OZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO SIDE RAIL		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★ D1OZ-5230-D (2" OUTLET PIPE)	★ D1OZ-5230-C (2" OUTLET PIPE)


E-C-70

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1971 TORINO—8 CYL. 351-4B COBRA (SPORTY DUAL)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	D1OZ-5246-B	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	D0OZ-5A212-E	D0OZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-D	D0OZ-5260-D
	★ 40980-S SCREW - HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D0OZ-5255-G	D0OZ-5255-H
5	BRACKET & INSULATOR ASSY.	D0OZ-5260-C	D0OZ-5260-C
	D1OZ-5B236-A PLATE (2) REQ'D. ATT. (5260) TO UNDERBODY 55981-S2 (U-254-E) SCREW - HEX HD. 1/4-14 x 1/2 (2) REQ'D. ATT. (5B236) TO REAR FLOOR 33770-S4 (M-89-K) NUT - HEX 5/16-18 (4) REQ'D. ATT. (5B236) TO (5260)		
D	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★ D0OZ-5230-U (2¼" OUTLET PIPE)	★ D0OZ-5230-V (2¼" OUTLET PIPE)

E-C-71


♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 TORINO—8 CYL. 351-4B & 429-4B CJ RANCHERO


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	D1OZ-5246-B(351) D0OZ-5246-G(429)	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	D0OZ-5A212-E	D0OZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-E	D0OZ-5260-E
	★ 40980-S SCREW - HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D0DZ-5255-A	D0OZ-5255-B
5	BRACKET & INSULATOR ASSY.	C7DZ-5260-B	C9OZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO SIDE RAIL		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★ D0OZ-5230-Y	★ D0OZ-5230-Z
D	CLAMP	C7OZ-5A231-A	C7OZ-5A231-A


E-C-72

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1971 TORINO—8 CYL. 351-4B STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	D1OZ-5246-B	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	D0OZ-5A212-E	D0OZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-E	D0OZ-5260-E
	★ 40980-S SCREW - HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D0DZ-5255-A	D0OZ-5255-B
5	BRACKET & INSULATOR ASSY.	C7OZ-5260-D	D0OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO SIDE RAIL		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★ D1OZ-5230-B	★ D1OZ-5230-A

E-C-73


♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 TORINO—8 CYL. 429-CJ SEDAN, HARDTOP & CONVERTIBLE W/AUTO TRANS. (EXCEPT GT, COBRA & RANCHERO) (QUIET DUAL)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	D0OZ-5246-G	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	D0OZ-5A212-E	D0OZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-D	D0OZ-5260-D
	★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D0OZ-5255-E	D0OZ-5255-F
5	BRACKET & INSULATOR ASSY.	C8OZ-5260-A	C8OZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO SIDE RAIL		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★ D1OZ-5230-F (2" OUTLET PIPE)	★ D1OZ-5230-E (2" OUTLET PIPE)


E-C-74

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1971 TORINO—8CYL. 429-CJ SEDAN, HARDTOP & CONVERTIBLE W/MAN. TRANS. (EXCEPT RANCHERO) (SPORTY DUAL)
1971 TORINO GT & COBRA W/AUTO. TRANS. OR MAN. TRANS.


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	D0OZ-5246-G	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	D0OZ-5A212-E	D0OZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R	D0ZZ-5230-R
5	BRACKET & INSULATOR ASSY.	D0OZ-5260-D	D0OZ-5260-D
	★ 40980-S SCREW - HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D0OZ-5255-G	D0OZ-5255-H
6	BRACKET & INSULATOR ASSY.	D0OZ-5260-C	D0OZ-5260-C
	D1OZ-5B236-A PLATE (2) REQ'D. ATT. (5260) TO UNDERBODY 55981-S2 (U-254-E) SCREW - HEX HD. 1/4-14 x 1/2 (2) REQ'D. ATT. (5B236) TO REAR FLOOR 33770-S4 (M-89-K) NUT - HEX 5/16-18 (4) REQ'D. ATT. (5B236) TO (5260)		
D	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
E	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
4	OUTLET PIPE EXTENSION	D0OZ-5255-A	D0OZ-5255-A

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★ D0OZ-5230-U (2¼" OUTLET PIPE)	★ D0OZ-5230-V (2¼" OUTLET PIPE)

E-C-75


♦ Use D1AZ 5A231-A in U.S. only, use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only, use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

1971 TORINO—8 CYL. 429-CJ STATION WAGON (QUIET DUAL)


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	L.H.	R.H.
1	INLET PIPE	D0OZ-5246-G	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
1A	INTERMED. PIPE	D0OZ-5A212-E	D0OZ-5A212-E
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D0OZ-5260-E	D0OZ-5260-E
	★40980-S SCREW - HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D0DZ-5255-A	D0OZ-5255-B
5	BRACKET & INSULATOR ASSY.	C7OZ-5260-D	D0OZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO SIDE RAIL		
D	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	L.H.	R.H.
2	MUFFLER	★D1OZ-5230-G	★D1OZ-5230-H


E-C-76

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1971 MUSTANG—6 CYL. 250-1B


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
4	BRACKET	C9OZ-5277-A
A	CLAMP ▲	D1AZ-5A231-C
1	INLET PIPE	D1ZZ-5246-D
B	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	D1ZZ-5A212-A
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	D0ZZ-5230-N
5	BRACKET & INSULATOR ASSY.	D1ZZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER & UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D1ZZ-5255 -C
6	BRACKET & INSULATOR ASSY.	D1ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
E	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ D1ZZ-5230-E


E-A-33

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 MUSTANG—8 CYL. 302-2B


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D1ZZ-5246-A
A	CLAMP ♦	D1AZ-5A231-A
1A	INTERMED. PIPE	D1ZZ-5A212-B
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D1ZZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER & UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D1ZZ-5255-C
5	BRACKET & INSULATOR ASSY.	D1ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★ D1ZZ-5230-B

E-A-34

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1971 MUSTANG—8 CYL. BOSS 302-4B



	ITEM	L.H.	R.H.
1	INLET PIPE	D1ZZ-5246-C	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D1ZZ-5230-H	D1ZZ-5230-C
4	BRACKET & INSULATOR ASSY.	D1ZZ-5260-C	D1ZZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (8) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER & UNDERBODY		
5	BRACKET & INSULATOR ASSY.	D1ZZ-5260-E	D1ZZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY		
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A


E-A-35

♦ Use D1AZ 5A231-A in U.S. only, use C000 5253-F in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 MUSTANG—8 CYL. 351-2B


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D1ZZ-5246-B
A	CLAMP ♦	D1AZ-5A231-A
1A	INTERMED. PIPE	D1ZZ-5A212-B
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D1ZZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER & UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D1ZZ-5255-C
5	BRACKET & INSULATOR ASSY.	D1ZZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★D1ZZ-5230-A
D	CLAMP ♦	D1AZ-5A231-A

E-A-36

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1971 MUSTANG—8 CYL. 351-4B STD, CJ & SPEC. (BOSS)




	ITEM	L.H.	R.H.
1	INLET PIPE	D1ZZ-5246-F (STD.) D1ZZ-5246-G (SPEC.) D1ZZ-5246-H (CJ)	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D1ZZ-5230-K (EXCEPT MACH I) D1ZZ-5230-L (MACH I)	D1ZZ-5230-D (EXCEPT MACH I) D1ZZ-5230-G (MACH I)
5	BRACKET & INSULATOR ASSY.	D1ZZ-5260-C	D1ZZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (8) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER & UNDERBODY		
6	BRACKET & INSULATOR ASSY.	D1ZZ-5260-E	D1ZZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY		
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
C	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
4	PIPE EXTENSION	D1ZZ-5255-B (MACH I)	D1ZZ-5255-A (MACH I)

E-A-37

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 MUSTANG—8 CYL. 429-4B CJ & SCJ




	ITEM	L.H.	R.H.
1	INLET PIPE	D1ZZ-5246-E	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D1ZZ-5230-H (EXCEPT MACH I) D1ZZ-5230-J (MACH I)	D1ZZ-5230-C (EXCEPT MACH I) D1ZZ-5230-F (MACH I)
5	BRACKET & INSULATOR ASSY.	D1ZZ-5260-C	D1ZZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (8) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY		
6	BRACKET & INSULATOR ASSY.	D1ZZ-5260-E	D1ZZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY		
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
C	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
4	PIPE EXTENSION	D1ZZ-5255-B (MACH I)	D1ZZ-5255-A (MACH I)

E-A-38

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

1971 PINTO—4 CYL. 98-1B (1600cc) STD. & RALLYE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D1FZ-5246-B
4	BRACKET	D1FZ-5277-C
A	CLAMP #	D1AZ-5A231-B
B	CLAMP #	D1AZ-5A231-B
1A	INTERMED. PIPE	D3FZ-5A212-B
5	INSULATOR	C0AZ-5260-A
	★D12A-5A238-AA INSULATOR (1) REQ'D. - IMPROVISE ★D12A-5299-AB PLATE (2) REQ'D. 40182-S (U-269) SCREW-HEX HD. 5/16-18 x 7/8 (4) REQ'D. ATT. PLATE & INSUL. TO MUFFLER & UNDERBODY	
C	CLAMP	D1AZ-5A231-B
2	MUFFLER	D3FZ-5230-A
6	INSULATOR	C0AZ-5260-A
	★D12A-5A238-AA INSULATOR (1) REQ'D. - IMPROVISE ★D12A-5299-AB PLATE (2) REQ'D. 40182-S (U-269) SCREW-HEX HD. 5/16-18 x 7/8 (4) REQ'D. ATT. PLATE & INSUL. ASSY. TO MUFFLER & UNDERBODY	
D	CLAMP	D1AZ-5A231-B
3	OUTLET PIPE	D3FZ-5255-A

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★D1FZ-5230-G


E-R-1

Use D1AZ 5A231-B in U.S. only, use C000 5253-C in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 PINTO—4 CYL. 122-2B (2000cc) STD. & RALLYE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D2FZ-5246-A
4	BRACKET	D1FZ-5277-D
A	CLAMP ▲	D1AZ-5A231-C
B	CLAMP #	D1AZ-5A231-B
1A	INTERMED. PIPE	D3FZ-5A212-B
5	INSULATOR	C0AZ-5260-A
	★D12A-5A238-AA INSULATOR (1) REQ'D. - IMPROVISE ★D12A-5299-AB PLATE (2) REQ'D. 40182-S (U-269) SCREW-HEX HD. 5/16-18 x 7/8 (4) REQ'D. ATT. PLATE & INSUL. TO MUFFLER & UNDERBODY	
C	CLAMP	D1AZ-5A231-B
2	MUFFLER	D3FZ-5230-A
6	INSULATOR	C0AZ-5260-A
	★D12A-5A238-AA INSULATOR (1) REQ'D. - IMPROVISE ★D12A-5299-AB PLATE (2) REQ'D. 40182-S (U-269) SCREW-HEX HD. 5/16-18 x 7/8 (4) REQ'D. ATT. PLATE & INSUL. ASSY. TO MUFFLER & UNDERBODY	
D	CLAMP	D1AZ-5A231-B
3	OUTLET PIPE	D3FZ-5255-A

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★D1FZ-5230-H


E-R-2

▲ Use D1AZ 5A231-C in U.S. only, use C0OO 5253-E in Canada

\# Use D1AZ 5A231-B in U.S. only, use C0OO 5253-C in Canada

1971 MAVERICK—6 CYL. 170-1B & 200-1B


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D0DZ-5246-A
A	CLAMP #	D1AZ-5A231-B
1A	INTERMED. PIPE FRONT	D1DZ-5A212-A (2 DR.) D1DZ-5A212-C (4 DR.)
B	CLAMP #	D1AZ-5A231-B
1B	INTERMED. PIPE REAR	D1DZ-5246-E
3	BRACKET & INSULATOR ASSY.	D0DZ-5A246-B (BEFORE 12/14/70) D1DZ-5A246-A (FROM 12/14/70)
	★ D0DA-5299-A PLATE ★ 40980-S SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. PLATE & BRKT. & INSUL. ASSY. TO PINION BUMPER & TO MUFFLER	
C	CLAMP #	D1AZ-5A231-B
2	MUFFLER	D1DZ-5230-L
4	BRACKET & INSULATOR ASSY.	D1DZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER & UNDERBODY	

Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with three parts (muffler and two intermediate pipes) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★D1DZ-5230-D (2 DR.) - BEFORE 12/14/70 ★D1DZ-5230-K (2 DR.) - FROM 12/14/70 D1DZ-5230-C (4 DR.) - BEFORE 12/14/70 ★D1DZ-5230-J (4 DR.) - FROM 12/14/70


E-L-4

Use D1AZ 5A231-B in U.S. only; use C000 5253-C in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 MAVERICK—6 CYL. 250-1B


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



ITEM		PART NUMBER
1	INLET PIPE	D1DZ-5246-C (BEFORE 12/14/70) D1DZ-5246-D (FROM 12/14/70)
3	BRACKET	D1DZ-5277-B
A	CLAMP	D1DZ-5A231-A
B	CLAMP #	D1AZ-5A231-B
1A	INTERMED. PIPE FRONT	D1DZ-5A212-A (2 DR.) D1DZ-5A212-C (4 DR.)
C	CLAMP	D1AZ-5A231-B
1B	INTERMED. PIPE REAR	D1DZ-5246-E
4	BRACKET & INSULATOR ASSY.	D0DZ-5A246-B (BEFORE 12/14/70) D1DZ-5A246-A (FROM 12/14/70)
	★ D0DA-5299-A PLATE ★ 40980-S SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. PLATE & BRKT. & INSUL. ASSY. TO PINION BUMPER & TO MUFFLER	
D	CLAMP #	D1AZ-5A231-B
2	MUFFLER	D1DZ-5230-L
5	BRACKET & INSULATOR ASSY.	D1DZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER & UNDERBODY	

Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with three parts (muffler and two intermediate pipes) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




ITEM		PART NUMBER
2	MUFFLER	★D1DZ-5230-D (2 DR.) - BEFORE 12/14/70 ★D1DZ-5230-K (2 DR.) - FROM 12/14/70 ★D1DZ-5230-C (4 DR.) - BEFORE 12/14/70 ★D1DZ-5230-J (4 DR.) - FROM 12/14/70

E-L-6

Use D1AZ 5A231-B in U.S. only; use C000 5253-C in Canada

1971 MAVERICK—8 CYL. 302-2B


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D1DZ-5246-B
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE FRONT	D1DZ-5A289-D (2 DR.) D1DZ-5A289-C (4 DR.)
B	CLAMP ▲	D1AZ-5A231-C
1B	INTERMED. PIPE REAR	D1DZ-5246-E
3	BRACKET & INSULATOR ASSY.	D0DZ-5A246-B (BEFORE 12/14/70) D1DZ-5A246-A (FROM 12/14/70)
	★ D0DA-5299-B PLATE ★ 40980-S SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. PLATE & BRKT. & INSUL. ASSY. TO PINION BUMPER & TO MUFFLER	
C	CLAMP #	D1AZ-5A231-B
2	MUFFLER	D1DZ-5230-L
4	BRACKET & INSULATOR ASSY.	D1DZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER & UNDERBODY	

Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with three parts (muffler and two intermediate pipes) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ D1DZ-5230-F (2 DR.) ★ D1DZ-5230-E (4 DR.)


E-L-8

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada


\# Use D1AZ 5A231-B in U.S. only; use C000 5253-C in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 THUNDERBIRD—8 CYL. 429-4B 2 DOOR & 4 DOOR HARDTOP



	ITEM	L.H.	R.H.
1	INLET PIPE 2 DR. HT. 4 DR. HT.	 D0SZ-5246-A C9ZY-5246-A	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D0SZ-5230-B	D0SZ-5230-A
4	BRACKET & INSULATOR ASSY.	C7AZ-5260-G	C7AZ-5260-G
	★ C7SA-5299-A PLATE ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. TO FRAME 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. PIPE TO BRKT.		
B	CLAMP #	D1AZ-5A231-B	D1AZ-5A231-B
3	RESONATOR	D0SZ-5A289-D	D0SZ-5A289-C
5	BRACKET & INSULATOR ASSY.	C7SZ-5260-A	C7SZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. TO FRAME C8SZ-5266-A BRACKET (2) REQ'D. ATT. PIPE TO BRKT. WITH CLAMP		
C	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C




MUFFLER SPLASH SHIELD

E-H-7

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada
\# Use D1AZ 5A231-B in U.S. only; use C000 5253-C in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1971 BRONCO—6 CYL. 170-1B




	ITEM	PART NUMBER
1	INLET PIPE	C8TZ-5246-G
A	CLAMP ♦	D1AZ-5A231-A
4	BRACKET	C5UZ-5277-C
	20348-S8 (B77) BOLT-HEX HD. 3/8 -16 x 3/4 (1) REQ'D. ATT. BRKT. TO ENGINE BLOCK 34807-S8 (X66) WASHER-LOCK 3/8 (1) REQ'D. ATT. BRKT. TO ENGINE BLOCK	
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7TZ-5230-L
C	CLAMP #	D1AZ-5A231-B
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-A
	39909-S7 (U269D) SCREW-HEX HD. 5/16 -18 x 3/4 (2) REQ'D. ATT. BRKT. TO FRAME	
3	OUTLET PIPE	C7TZ-5255-AE
6	BRACKET & INSULATOR ASSY.	C30Z-5260-A
	39909-S7 (U269D) SCREW-HEX HD. 5/16 -18 x 3/4 (2) REQ'D. ATT. BRKT. TO FRAME	
D	CLAMP #	D1AZ-5A231-B

EN-11

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada
Use D1AZ 5A231-B in U.S. only; use C000 5253-C in Canada

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

1971 BRONCO—8 CYL. 302-2B



	ITEM	PART NUMBER
1	INLET PIPE	D1TZ-5246-C
A	CLAMP ▲	D1AZ-5A231-C
1A	INLET PIPE CROSSOVER	D1TZ-5267-A
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C6TZ-5230-G
C	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C6TZ-5260-H
	39909-S7 (U269D) SCREW-HEX HD. 5/16 -18 x 3/4 (2) REQ'D. **ATT. BRKT. TO FRAME**	
3	OUTLET PIPE	C6TZ-5255-J 37 1/2" LONG W/STRAIGHT OUTLET END - NOTE 1 D1TZ-5255-A 38 1/2" LONG W/CURVED OUTLET END - NOTE 2
5	BRACKET & INSULATOR ASSY.	C6TZ-5260-G
	39909-S7 (U269D) SCREW-HEX HD. 5/16 -18 x 3/4 (2) REQ'D. **ATT. BRKT. TO FRAME** 23440-S8 (B10) BOLT-HEX HD. 3/8 -16 x 1 1/4 (1) REQ'D. ATT. OUTLET PIPE TO BRKT. 34807-S8 (X66) WASHER-LOCK 3/8 (1) REQ'D. ATT. OUTLET PIPE TO BRKT. 33799-S7 (M52) NUT-LOCK 3/8 -16 (1) REQ'D. ATT. OUTLET PIPE TO BRKT.	

▲ Use D1AZ 5A231-A in U.S. only; use C000 5253-E in Canada

NOTE 1 - "Before Ser. M00,001" use except in states of California and Colorado.
"From Ser. M00,001" use except in states of California, Colorado and Chicago Sales District.

NOTE 2 - "Before Ser. M00,001" use in states of California and Colorado.
"From Ser. M00,001" use in states of California, Colorado and Chicago Sales District.

EXHAUST PARTS MODEL INDEX

How to use this index -

1. Find the car model desired.
2. Find the line which lists the engine displacement needed.
3. Select the correct page, and turn to that page.

Explanation of picture - text catalog sheets -

In sections 52.65 through 52.72, the complete present service system is shown at the top of the page, with an illustration and a complete bill of materials. If a second illustration appears below, that is the service system before simplification. In the lower system (before simplification), parts which are changed are shown by dotted lines, and the part numbers are shown in the table. Parts shown in black are parts which are unchanged and shown above in the upper illustration.

For stamped number cross-reference information and for size information, refer to Section 52, page 1.

1972

CYL.	C.I.D.	MODEL	TYPE▲	SECTION	PAGE	ILLUS. NO. ♦
		A (FORD)				
6	240-1B		S	52.72	2	EF 97
8	302-2B	Exc.71	S	52.72	3	EF 98
		71	S	52.72	4	EF 99
	351-2B	Exc.71	S	52.72	5	EF 100
		71	S	52.72	6	EF 101
	400-2B	Exc.71	S	52.72	7	EF 102
		71	S	52.72	8	EF 103
	429-4B	Exc.P/C,71	S	52.72	9	EF 104
		P/C-exc.71	D	52.72	10	EF 109
		71 (includes P/C)	S	52.72	11	EF 105
		B (TORINO)				
6	250-1B	Exc.71,97	S	52.72	12	EC 77
		71,97	S	52.72	13	EC 78
8	302-2B	Exc.71,97	S	52.72	14	EC 79
		71,97	S	52.72	15	EC 81
	351-2B	Exc.71,97	S	52.72	16	EC 82
		71,97	S	52.72	17	EC 83
	351-CJ	53 (P/C)	D	52.72	19	EC 91
		53,63,65 (exc. P/C)	D	52.72	18	EC 84
		97	D	52.72	20	EC 85
	400-2B	Exc.71,97	S	52.72	21	EC 86
		71,97	S	52.72	17	EC 83
	429-4B	Exc. 71,97,P/C	S	52.72	22	EC 88
		71,97	S	52.72	24	EC 89
		P/C	D	52.72	23	EC 90


CYL.	C.I.D.	MODEL	TYPE▲	SECTION	PAGE	ILLUS. NO. ♦
		F (MUSTANG)				
6	250-1B		S	52.72	25	EA 39
8	302-2B		S	52.72	26	EA 40
	351-2B		S	52.72	27	EA 42
	351-4B	CJ & Special (Boss)	D	52.72	28	EA 43
		L (PINTO)				
4	98-1B (1600cc)		S	52.72	29	ER 3
	122-2B (2000cc)	Exc. 73	S	52.72	30	ER 4
	122-2B (2000cc)	73	S	52.72	31	ER 5
		P (MAVERICK)				
6	170-1B		S	52.72	32	EL 9
	200-1B		S	52.72	32	EL 9
	250-1B		S	52.72	33	EL 11
	302-2B		S	52.72	34	EL 13
		S (THUNDERBIRD)				
8	400-2B		S	52.72	35	EH 8
	429-4B		S	52.72	36	EH 9
	460-4B		S	52.72	36	EH 9
		U (BRONCO)				
6	200-1B		S	52.72	37	EN 13
8	302-2B		S	52.72	38	EN 14

♦ For control purposes only

▲ S - Single D - Dual

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 FORD—6 CYL. 240-1B SEDAN & HARDTOP




Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

	ITEM	PART NUMBER
1	INLET PIPE	C9AZ-5246-C
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	D0AZ-5230-T
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSSMEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-K
5	BRACKET & INSULATOR ASSY.	D0AZ-5260-B
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME & OUTLET PIPE	
C	CLAMP ▲	D1AZ-5A231-C

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1972 FORD—8 CYL. 302-2B SEDAN & HARDTOP



	ITEM	PART NUMBER
1	INLET PIPE	D0AZ-5246-A
A	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D0AZ-5230-V
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★ C9AA-5299-A PLATE ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSSMEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-K
5	BRACKET & INSULATOR ASSY.	D0AZ-5260-B
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME & OUTLET PIPE	
C	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.


E-F-98

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 FORD—8 CYL. 302-2B STATION WAGON



	ITEM	PART NUMBER
1	INLET PIPE	D0AZ-5246-A
A	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D0AZ-5230-V
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSSMEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-16 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-U
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-C "BEFORE 9/27/71" D2AZ 5260-A "FROM 9/27/71"
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. 33770-S4 (M-89-K) NUT - HEX HD. 5/16 (2) REQ'D. 56320-S4 (B-318-GD) SCREW - HEX HD. 5/16-18 x 7/8 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME & OUTLET PIPE	


Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

E-F-99

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1972 FORD—8 CYL. 351-2B SEDAN, HARDTOP & CONVERTIBLE



Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

	ITEM	PART NUMBER
1	INLET PIPE	D1AZ-5246-D ("W" ENGINE) D1AZ-5246-G ("C" ENGINE)
A	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D0AZ-5230-V
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSSMEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-16 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-K
5	BRACKET & INSULATOR ASSY.	D0AZ-5260-B
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C


E-F-100

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 FORD—8 CYL. 351-2B STATION WAGON



	ITEM	PART NUMBER
1	INLET PIPE	D1AZ-5246-D ("W" ENGINE) D1AZ-5246-G ("C" ENGINE)
A	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D0AZ-5230-V
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSSMEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18x3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-U
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-C "BEFORE 9/27/71" D2AZ-5260-A "FROM 9/27/71"
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. 33770-S4 (M-89-K) NUT - HEX HD. 5/16 (2) REQ'D. 56320-S4 (B-318-GD) SCREW - HEX HD. 5/16-18 x 7/8 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME & OUTLET PIPE	


Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

E-F-101

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1972 FORD—8 CYL. 400-2B SEDAN, HARDTOP & CONVERTIBLE



	ITEM	PART NUMBER
1	INLET PIPE	D1AZ-5246-A
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★ C9AA-5299-A PLATE ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSSMEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-K
5	BRACKET & INSULATOR ASSY.	D0AZ-5260-B
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.


E-F-102

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 FORD—8 CYL. 400-2B STATION WAGON



	ITEM	PART NUMBER
1	INLET PIPE	D1AZ-5246-A
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSSMEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18x3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-U
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-C "BEFORE 9/27/71" D2AZ-5260-A "FROM 9/27/71"
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. 33770-S4 (M-89-K) NUT - HEX HD. 5/16 (2) REQ'D. 56320-S4 (B-318-GD) SCREW - HEX HD. 5/16-18 x 7/8 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME & OUTLET PIPE	


Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

E-F-103

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada

▲ Use D1AZ-5A231-C in U.S. only; use C000 5253-E in Canada

1972 FORD—8 CYL. 429-4B SEDAN, HARDTOP & CONVERTIBLE (EXCEPT POLICE)



	ITEM	PART NUMBER
1	INLET PIPE	D2AZ-5246-C
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSSMEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-K
5	BRACKET & INSULATOR ASSY.	D0AZ-5260-B
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.


E-F-104

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 FORD—8 CYL. 429-4B SEDAN (POLICE ONLY)




	ITEM	L.H.	R.H.
1	INLET PIPE	D2AZ-5246-A	
A	CLAMP ‡	D1AZ-5A231-D	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-N	D0AZ-5230-R
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A	C9AZ-5260-A
	★C9AA-5299-A PLATE (2) REQ'D. ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-16 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE		
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
3	OUTLET PIPE	D1AZ-5255-A	D1AZ-5255-B
5	BRACKET & INSULATOR ASSY.	D0AZ-5260-A	D0AZ-5260-B
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. TO FRAME		
C	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A

E-F-109

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

1972 FORD—8 CYL. 429-4B STATION WAGON (INCLUDES POLICE)



	ITEM	PART NUMBER
1	INLET PIPE	D2AZ-5246-C (EXCEPT POLICE) D2AZ-5246-B (POLICE)
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	D0AZ-5230-U
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C9AZ-5260-A
	★C9AA-5299-A PLATE ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. & PLATE TO CROSSMEMBER 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18x3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D0AZ-5255-V
5	BRACKET & INSULATOR ASSY.	C9AZ-5260-C "BEFORE 9/27/71" D2AZ 5260-A "FROM 9/27/71"
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. 33770-S4 (M-89-K) NUT - HEX HD. 5/16 (2) REQ'D. 56320-S4 (B-318-GD) SCREW - HEX HD. 5/16-18 x 7/8 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO FRAME & OUTLET PIPE	

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.


E-F-105

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 TORINO—6 CYL. 250-1B SEDAN & HARDTOP




Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

	ITEM	PART NUMBER
1	INLET PIPE	D2OZ-5246-A (2 DR.) D2OZ-5246-G (4 DR.)
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	D2OZ-5230-AC
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	D2OZ-5260-D "BEFORE 9/27/71" D20Z 5260-G "FROM 9/27/71 TO 3/15/72" D4OZ-5260-E "FROM 3/15/72"
	★C9AA-5299-A PLATE ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & PLATE TO OUTLET PIPE	
3	OUTLET PIPE	D2OZ-5255-G
5	BRACKET & INSULATOR ASSY.	D2OZ-5260-A
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (1) REQ'D. ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1972 TORINO—6 CYL. 250-1B STATION WAGON & RANCHERO

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D2OZ-5246-G
A	CLAMP	D1AZ-5A231-C
2	MUFFLER	D2OZ-5230-AC
B	CLAMP	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	D2OZ-5260-G "BEFORE 3/15/72" D4OZ-5260-E "FROM 3/15/72"
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. -ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE (FRONT)	D2OZ-5255-D
C	CLAMP	D1AZ-5A231-C
4	OUTLET PIPE (REAR)	D2OZ-5255-H
6	BRACKET & INSULATOR ASSY.	D2OZ-5260-K
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (1) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
D	CLAMP	D1AZ-5A231-C


VEHICLES BUILT BEFORE 3/15/72

The consolidated outlet pipe (rear) is interchangeable with the original service or original equipment resonator. The consolidated muffler and outlet pipe (front) used together are interchangeable with the original service or original equipment muffler.

VEHICLES BUILT FROM 3/15/72

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it completely with three parts (muffler and two outlet pipes) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★ D2OZ-5230-J
4	RESONATOR	★D2OZ-5A289-D

EC-78

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 TORINO—8 CYL. 302-2B SEDAN & HARDTOP



	ITEM	PART NUMBER
1	INLET PIPE	D2OZ-5246-AF (M/T - 2 DR.) D2OZ-5246-AH (M/T - 4 DR.) D2OZ-5246-AG
		D2OZ-5246-AV (A/T - 2 DR.) D2OZ-5246-AW (A/T - 4 DR.)
A	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	D2OZ-5230-AC
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	D2OZ-5260-D "BEFORE 9/27/71" D2OZ 5260-G "FROM 9/27/71 TO 3/15/72" D4OZ-5260-E "FROM 3/15/72"
	★C9AA-5299-A PLATE ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW-HEX HD., 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & PLATE TO OUTLET PIPE	
3	OUTLET PIPE	D2OZ-5255-G
5	BRACKET & INSULATOR ASSY.	D2OZ-5260-A
	★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (1) REQ'D. ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C


Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1972 TORINO—8 CYL. 302-2B STATION WAGON & RANCHERO

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)

	ITEM	PART NUMBER
1	INLET PIPE	D2OZ-5246-AH (M/T) D2OZ-5246-AW (A/T)
A	CLAMP	D1AZ-5A231-C
2	MUFFLER	D2OZ-5230-AC
B	CLAMP	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	D2OZ-5260-G "BEFORE 3/15/72" D4OZ-5260-E "FROM 3/15/72"
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE (FRONT)	D2OZ-5255-D
C	CLAMP	D1AZ-5A231-C
4	OUTLET PIPE (REAR)	D2OZ-5255-H
6	BRACKET & INSULATOR ASSY.	D2OZ-5260-K
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (1) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
D	CLAMP	D1AZ-5A231-C




VEHICLES BUILT BEFORE 3/15/72

The consolidated outlet pipe (rear) is interchangeable with the original service or original equipment resonator. The consolidated muffler and outlet pipe (front) used together are interchangeable with the original service or original equipment muffler.

VEHICLES BUILT FROM 3/15/72

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it completely with three parts (muffler and two outlet pipes) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★ D2OZ-5230-J
4	RESONATOR	★D2OZ-5A289-D

E-C-81

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 TORINO—8 CYL. 351-2B SEDAN & HARDTOP



Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

	ITEM	PART NUMBER
1	INLET PIPE	D2OZ-5246-AR (2 DR.-"C" ENGINE) D2OZ-5246-AT (2 DR.-"W" ENGINE)
		D2OZ-5246-AS (4 DR.-"C" ENGINE) D2OZ-5246-AU (4 DR.-"W" ENGINE)
A	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D2OZ-5230-AA
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	D2OZ-5260-D "BEFORE 9/27/71" D2OZ 5260-G "FROM 9/27/71 TO 3/15/72" D4OZ-5260-E "FROM 3/15/72"
	★C9AA-5299-A PLATE ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & PLATE TO OUTLET PIPE	
3	OUTLET PIPE	D2OZ-5255-G
5	BRACKET & INSULATOR ASSY.	D2OZ-5260-A
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (1) REQ'D. ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C

E-C-82


♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1972 TORINO—8 CYL. 351-2B & 400-2B STATION WAGON & RANCHERO

CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)

	ITEM	PART NUMBER
1	INLET PIPE	D2OZ-5246-AS (351-C) D2OZ-5246-N (400-2B)
A	CLAMP	D1AZ-5A231-A
2	MUFFLER	D2OZ-5230-AA
B	CLAMP	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	D2OZ-5260-G "BEFORE 3/15/72" D4OZ-5260-E "FROM 3/15/72"
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE (FRONT)	D2OZ-5255-D (351-C) D2OZ-5255-C (400-2B)
C	CLAMP	D1AZ-5A231-C (351-C) D1AZ-5A236-A (400-2B)
4	OUTLET PIPE (REAR)	D2OZ-5255-H (351-C) D2OZ-5255-J (400-2B)
6	BRACKET & INSULATOR ASSY.	D2OZ-5260-K
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (1) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDER BODY	
D	CLAMP	D1AZ-5A231-C (351-C) D1AZ-5A231-A (400-2B)




VEHICLES WITH 351-2B ENGINES BUILT BEFORE 3/15/72
Consolidated muffler and outlet pipes must be used together as matched parts. They will not mate with original service or original equipment components.

VEHICLES WITH 400-2B ENGINES BUILT BEFORE 3/15/72
The consolidated outlet pipe (rear) is interchangeable with the original equipment resonator. The consolidated muffler and outlet pipe (front) used together are interchangeable with the original service or original equipment muffler.

VEHICLES WITH 351-2B AND 400-2B ENGINES BUILT FROM 3/15/72
Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it completely with three parts (muffler and two outlet pipes) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★ D2OZ-5230-R
4	RESONATOR	★ D2OZ-5A289-E

E-C-83

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 TORINO—8 CYL. 351-CJ SEDAN & HARDTOP (EXCEPT POLICE)




	ITEM	L.H.	R.H.
1	INLET PIPE	D2OZ-5246-AD (2 DR.) D2OZ-5246-AE (4 DR.)	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D2OZ-5230-AA	D2OZ-5230-AA
5	BRACKET & INSULATOR ASSY.	D2OZ-5260-D "BEFORE 9/27/71" D2OZ 5260-G "FROM 9/27/71 TO 3/15/72" D4OZ-5260-E "FROM 3/15/72"	D2OZ-5260-D "BEFORE 9/27/71" D2OZ 5260-G "FROM 9/27/71 TO 3/15/72" D4OZ-5260-E "FROM 3/15/72"
	★C9AA-5299-A PLATE ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE		
B	CLAMP ▲	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D2OZ-5255-E	D2OZ-5255-F
6	BRACKET & INSULATOR ASSY.	D2OZ-5260-A	D2OZ-5260-A
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY		
C	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
D	CLAMP ♦	D1AZ-5A231-A (SPORTY OPTION)	D1AZ-5A231-A (SPORTY OPTION)
4	OUTLET PIPE EXTENSION	D0OZ-5255-A (SPORTY OPTION)	D0OZ-5255-A (SPORTY OPTION)

Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1972 TORINO—8 CYL. 351—CJ 4 DOOR SEDAN (POLICE ONLY)




	ITEM	L.H.	R.H.
1	INLET PIPE	D2OZ-5246-AE	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D2OZ-5230-AG	D2OZ-5230-AH
3	BRACKET & INSULATOR ASSY.	D4OZ-5260-E	D4OZ-5260-E
	★ 40980-S2 SCREW-HEX. HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW-HEX. HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER		
4	BRACKET & INSULATOR ASSY.	D2OZ-5260-A	D2OZ-5260-A
	★ 40980-S2 SCREW-HEX. HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY		
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A

E-C-91

♦ Use D1AZ 5A231-A in U.S. only, Use C00Z 5253-F in Canada

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

1972 TORINO—8 CYL. 351-CJ RANCHERO



	ITEM	L.H.	R.H.
1	INLET PIPE	D2OZ-5246-AE	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D2OZ-5230-AA	D2OZ-5230-AA
4	BRACKET & INSULATOR ASSY.	D2OZ-5260-D "BEFORE 9/27/71" D2OZ 5260-G "FROM 9/27/71 TO 3/15/72" D4OZ-5260-E "FROM 3/15/72"	D2OZ-5260-D "BEFORE 9/27/71" D2OZ 5260-G "FROM 9/27/71 TO 3/15/72" D4OZ-5260-E "FROM 3/15/72"
	★C9AA-5299-A PLATE ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE		
B	CLAMP	D1AZ-5A231-C	D1AZ-5A231-C
3	OUTLET PIPE	D2OZ-5255-A	D2OZ-5255-B
5	BRACKET & INSULATOR ASSY.	D2OZ-5260-K	D2OZ-5260-J
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY		
C	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A


Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

E-C-85

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1972 TORINO—8 CYL. 400-2B SEDAN & HARDTOP



	ITEM	PART NUMBER
1	INLET PIPE	D2OZ-5246-M (2 DR.) D2OZ-5246-N (4 DR.)
A	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D2OZ-5230-AA
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	D2OZ-5260-D "BEFORE 9/27/71" D2OZ 5260-G "FROM 9/27/71 TO 3/15/72" D4OZ-5260-E "FROM 3/15/72"
	★C9AA-5299-A PLATE ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & PLATE TO OUTLET PIPE	
3	OUTLET PIPE	D2OZ-5255-G
5	BRACKET & INSULATOR ASSY.	D2OZ-5260-A
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (1) REQ'D. ATT. BRKT. TO FRAME	
C	CLAMP ▲	D1AZ-5A231-C


Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

E-C-86

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada
▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 TORINO—8 CYL. 429-4B SEDAN & HARDTOP (EXCEPT POLICE)



	ITEM	PART NUMBER
1	INLET PIPE	D2OZ-5246-AK (2 DR.) D2OZ-5246-AL (4 DR.)
A	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D2OZ-5230-AA
B	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	D2OZ-5260-D "BEFORE 9/27/71" D2OZ 5260-G "FROM 9/27/71 TO 3/15/72" D4OZ-5260-E "FROM 3/15/72"
	★C9AA-5299-A PLATE ★40980-S2 SCREW - HEX HD. (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	RESONATOR	D2OZ-5A289-C
5	BRACKET & INSULATOR ASSY.	D2OZ 5260-F
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (1) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
C	CLAMP ♦	D1AZ-5A231-A


Original equipment muffler and outlet pipe are a welded assembly. To service this assembly you must replace it with both parts (muffler and outlet pipe) used together.

E-C-88

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1972 TORINO—8 CYL. 429-4B SEDAN & HARDTOP (POLICE ONLY)




	ITEM	L.H.	R.H.
1	INLET PIPE	D20Z-5246-AM (2 DR.) D20Z-5246-AN (4 DR.)	
A	CLAMP	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D20Z-5230-AD	D20Z-5230-AE
3	BRACKET & INSULATOR ASSY.	D20Z-5260-G "BEFORE 3/15/72" D4OZ-5260-E "FROM 3/15/72"	D20Z-5260-G "BEFORE 3/15/72" D4OZ-5260-E "FROM 3/15/72"
	★ 40980-S2 SCREW-HEX. HD. 3/8-16x1 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW-HEX. HD. 5/16-18x3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER		
4	BRACKET & INSULATOR ASSY.	D20Z-5260-A	D20Z-5260-A
	★ 40980-S2 SCREW-HEX. HD. 3/8-16x1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY		
B	CLAMP	D1AZ-5A231-A	D1AZ-5A231-A

E-C-90

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 TORINO—8 CYL. 429-4B STATION WAGON & RANCHERO


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D2OZ-5246-AL
A	CLAMP	D1AZ-5A231-A
2	MUFFLER	D2OZ-5230-AA
B	CLAMP	D1AZ-5A231-C
5	BRACKET & INSULATOR ASSY.	D2OZ-5260-G "BEFORE 3/15/72" D4OZ-5260-E "FROM 3/15/72"
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO OUTLET PIPE	
3	OUTLET PIPE	D2OZ-5255-C
C	CLAMP	D1AZ-5A231-A
4	RESONATOR	D2OZ-5A289-F
6	BRACKET & INSULATOR ASSY.	D2OZ-5260-K
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (1) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
D	CLAMP	D1AZ-5A231-A

The resonator assemblies are interchangeable. The consolidated muffler and outlet pipe (front) used together are interchangeable with the original service or original equipment muffler.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)




	ITEM	PART NUMBER
2	MUFFLER	★ D2OZ-5230-R
4	RESONATOR	★D2OZ-5A289-E

E-C-89

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

1972 MUSTANG—6 CYL. 250-1B




	ITEM	PART NUMBER
1	INLET PIPE	D1ZZ-5246-D
4	BRACKET	C9OZ-5277-A
A	CLAMP ▲	D1AZ-5A231-C
B	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE	D1ZZ-5A212-A
C	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	D0ZZ-5230-N
5	BRACKET & INSULATOR ASSY.	D1ZZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER & UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D1ZZ-5255-C
6	BRACKET & INSULATOR ASSY.	D1ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
E	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

E-A-39

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 MUSTANG—8 CYL. 302-2B



	ITEM	PART NUMBER
1	INLET PIPE	D1ZZ-5246-A
A	CLAMP ♦	D1AZ-5A231-A
1A	INTERMED. PIPE	D1ZZ-5A212-B
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D1ZZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER & UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D1ZZ-5255-C
5	BRACKET & INSULATOR ASSY.	D1ZZ-5260-B
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C


Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

- E-A-40

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

1972 MUSTANG—8 CYL. 351-2B



	ITEM	PART NUMBER
1	INLET PIPE	D1ZZ-5246-B
A	CLAMP ♦	D1AZ-5A231-A
1A	INTERMED. PIPE	D1ZZ-5A212-B
B	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D0ZZ-5230-R
4	BRACKET & INSULATOR ASSY.	D1ZZ-5260-D
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER & UNDERBODY	
C	CLAMP ▲	D1AZ-5A231-C
3	OUTLET PIPE	D1ZZ-5255-C
5	BRACKET & INSULATOR ASSY.	D1ZZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY	
D	CLAMP ▲	D1AZ-5A231-C

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler; intermediate pipe and outlet pipe) used together.


E-A-42

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 MUSTANG—8 CYL. 351-4B CJ & SPECIAL (BOSS)




	ITEM	L.H.	R.H.
1	INLET PIPE	D1ZZ-5246-G SPECIAL (BOSS) D1ZZ-5246-H (CJ)	
A	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
2	MUFFLER	D1ZZ-5230-H | D1ZZ-5230-C 63D,65,76 W/351 (CJ) D1ZZ-5230-J | D1ZZ-5230-F 63R W/351 (CJ) D1ZZ-5230-L | D1ZZ-5230-G 63 W. 351 (BOSS) D1ZZ-5230-K | D1ZZ-5230-D 65, 76 W. 351 (BOSS)	
5	BRACKET & INSULATOR ASSY.	D1ZZ-5260-C	D1ZZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (8) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER & UNDERBODY		
6	BRACKET & INSULATOR ASSY.	D1ZZ-5260-E	D1ZZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY		
B	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
C	CLAMP ♦	D1AZ-5A231-A	D1AZ-5A231-A
4	PIPE EXTENSION	D1ZZ-5255-B | D1ZZ-5255-A 63R W/351 (CJ) 63 W/351 (BOSS)	

E-A-43

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

1972 PINTO—4 CYL. 98-1B (1600cc) SEDANS - STD. & RALLYE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D1FZ-5246-B
4	BRACKET	D1FZ-5277-C
A	CLAMP #	D1AZ-5A231-B
B	CLAMP #	D1AZ-5A231-B
1A	INTERMED. PIPE	D3FZ-5A212-B "BEFORE 11/1/71" D3FZ-5A212-A "FROM 11/1/71"
5	INSULATOR KIT	C0AZ-5260-A
	★D22A-5A238-AA INSULATOR (1) REQ'D. - IMPROVISE ★D12A-5299-AB PLATE (2) REQ'D. 40182-S (U-269) SCREW-HEX HD. 5/16-18 x 7/8 (4) REQ'D. ATT. PLATE & INSUL. TO MUFFLER & UNDERBODY	
C	CLAMP	D1AZ-5A231-B
2	MUFFLER	D3FZ-5230-A
6	INSULATOR KIT	C0AZ-5260-A
	★D22A-5A238-AA INSULATOR (1) REQ'D. IMPROVISE ★D12A-5299-AB PLATE (2) REQ'D. 40182-S (U-269) SCREW-HEX HD. 5/16-18 x 7/8 (4) REQ'D. ATT. PLATE & INSUL. ASSY. TO MUFFLER & UNDERBODY	
D	CLAMP	D1AZ-5A231-B
3	OUTLET PIPE	D3FZ-5255-A

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ D1FZ-5230-G "BEFORE 11/1/71" D2FZ-5230-C "FROM 11/1/71"


E-R-3

Use D1AZ 5A231-B in U.S. only; use C000 5253-C in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 PINTO—4 CYL. 122-2B (2000cc) SEDANS - STD. & RALLYE


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D2FZ-5246-A
4	BRACKET	D1FZ-5277-D "BEFORE 11/1/71" D2FZ-5277-A "FROM 11/1/71"
A	CLAMP ▲	D1AZ-5A231-C
B	CLAMP #	D1AZ-5A231-B
1A	INTERMED. PIPE	D3FZ-5A212-B "BEFORE 11/1/71" D3FZ-5A212-D "FROM 11/1/71"
5	INSULATOR KIT	C0AZ-5260-A
	★D22A-5A238-AA INSULATOR (1) REQ'D. - IMPROVISE ★D12A-5299-AB PLATE (2) REQ'D. 40182-S (U-269) SCREW-HEX HD. 5/16-18 x 7/8 (4) REQ'D. ATT. PLATE & INSUL. TO MUFFLER & UNDERBODY	
C	CLAMP	D1AZ-5A231-B
2	MUFFLER	D3FZ-5230-A
6	INSULATOR KIT	C0AZ-5260-A
	★D22A-5A238-AA INSULATOR (1) REQ'D. - IMPROVISE ★D12A-5299-AB PLATE (2) REQ'D. 40182-S (U-269) SCREW-HEX HD. 5/16-18 x 7/8 (4) REQ'D. ATT. PLATE & INSUL. ASSY. TO MUFFLER & UNDERBODY	
D	CLAMP	D1AZ-5A231-B
3	OUTLET PIPE	D3FZ-5255-A

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ D1FZ-5230-H "BEFORE 11/1/71" ★D2FZ-5230-D "FROM 11/1/71"


E-R-4

▲ Use D1AZ 5A231-C in U.S. only; use C0OO 5253-C in Canada

Use D1AZ 5A231-B in U.S. only; use C0OO 5253-C in Canada

1972 PINTO—4 CYL. 122-2/B (2000cc) STATION WAGON


CONSOLIDATED SERVICE REPLACEMENT (REPLACES ORIGINAL SERVICE SYSTEM BELOW)



	ITEM	PART NUMBER
1	INLET PIPE	D2FZ-5246-A
4	BRACKET	D2FZ-5277-A
A	CLAMP ▲	D1AZ-5A231-C
B	CLAMP #	D1AZ-5A231-B
1A	INTERMED. PIPE	D3FZ-5A212-C
5	BRACKET & INSULATOR ASSY.	D2FZ-5260-A
	★D12A-5299-AB PLATE (2) REQ'D. 40182-S (U-269) SCREW-HEX HD. 5/16-18 x 7/8 (4) REQ'D. ATT. PLATE & INSUL. TO MUFFLER & UNDERBODY	
C	CLAMP	D1AZ-5A231-B
2	MUFFLER	D3FZ-5230-A
6	INSULATOR	★D22A-5A238-AA IMPROVISE
	★D12A-5299-AB PLATE (2) REQ'D. 40182-S (U-269) SCREW-HEX HD. 5/16-18 x 7/8 (4) REQ'D. ATT. PLATE & INSUL. ASSY. TO MUFFLER & UNDERBODY	
D	CLAMP	D1AZ-5A231-B
3	OUTLET PIPE	D3FZ-5255-B

Original equipment and original service muffler, intermediate pipe and outlet pipe are a welded assembly. To service this assembly you must replace it with all three parts (muffler, intermediate pipe and outlet pipe) used together.

ORIGINAL SERVICE SYSTEM (REPLACED BY CONSOLIDATED SYSTEM ABOVE)



	ITEM	PART NUMBER
2	MUFFLER	★ D2FZ-5230-A


ER-5

▲ Use D1AZ 5A231-C in U.S. only; use C0OO 5253-E in Canada

Use D1AZ 5A231-B in U.S. only; use C0OO 5253-C in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 MAVERICK—6 CYL. 170-1B & 200-1B




	ITEM	PART NUMBER
1	INLET PIPE	D0DZ-5246-A "BEFORE 10/11/71" D2DZ 5246-A "FROM 10/11/71"
A	CLAMP #	D1AZ-5A231-B
1A	INTERMED. PIPE FRONT	D1DZ-5A212-C (4 DR.) D1DZ-5A212-A (2 DR.)
B	CLAMP #	D1AZ-5A231-B
1B	INTERMED. PIPE REAR	D1DZ-5246-E
3	BRACKET & INSULATOR ASSY.	D1DZ-5A246-A
	★ D0DA-5299-A PLATE ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. PLATE & BRKT. & INSUL. ASSY. TO PINION BUMPER & TO MUFFLER ASSY.	
C	CLAMP #	D1AZ-5A231-B
2	MUFFLER	D1DZ-5230-L
4	BRACKET & INSULATOR ASSY.	D1DZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER & UNDERBODY	

Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with three parts (muffler and two intermediate pipes) used together.

E-L-9

Use D1AZ 5A231-B in U.S. only; use C000 5253-C in Canada

1972 MAVERICK—6 CYL. 250-1B



	ITEM	PART NUMBER
1	INLET PIPE	D1DZ-5246-D
A	CLAMP #	D1AZ-5A231-B
1A	INTERMED. PIPE FRONT	D1DZ-5A212-C (4 DR.) D1DZ-5A212-A (2 DR.)
B	CLAMP #	D1AZ-5A231-B
1B	INTERMED. PIPE REAR	D1DZ-5246-E
3	BRACKET & INSULATOR ASSY.	D1DZ-5A246-A
	★ D0DA-5299-A PLATE ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. PLATE & BRKT. & INSUL. ASSY. TO PINION BUMPER & TO MUFFLER ASSY.	
C	CLAMP #	D1AZ-5A231-B
2	MUFFLER	D1DZ-5230-L
4	BRACKET & INSULATOR ASSY.	D1DZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER & UNDERBODY	


Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with three parts (muffler and two intermediate pipes) used together.

E-L-11

Use D1AZ 5A231-B in U.S. only; use C000 5253-C in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 MAVERICK—8 CYL. 302-2B



	ITEM	PART NUMBER
1	INLET PIPE	D1DZ-5246-B
A	CLAMP ▲	D1AZ-5A231-C
1A	INTERMED. PIPE FRONT	D1DZ-5A289-D (2 DR.), D1DZ-5A289-C (4 DR.)
B	CLAMP ▲	D1AZ-5A231-C
1B	INTERMED. PIPE REAR	D1DZ-5246-E
3	BRACKET & INSULATOR ASSY.	D1DZ-5A246-A
	★ D0DA-5299-A PLATE ★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. PLATE & BRKT. & INSUL. ASSY. TO PINION BUMPER & TO MUFFLER ASSY.	
C	CLAMP #	D1AZ-5A231-B
2	MUFFLER	D1DZ-5230-L
4	BRACKET & INSULATOR ASSY.	D1DZ-5260-A
	381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (4) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER & UNDERBODY	


Original equipment muffler and intermediate pipe are a welded assembly. To service this assembly you must replace it completely with three parts (muffler and two intermediate pipes) used together.

E-L-13

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada


\# Use D1AZ 5A231-B in U.S. only; use C000 5253-C in Canada

1972 THUNDERBIRD—8 CYL. 400-2B



	ITEM	PART NUMBER
1	INLET PIPE	D2SZ-5246-B
A	CLAMP ♦	D1AZ-5A231-A
2	MUFFLER	D2SZ-5230-D
4	BRACKET & INSULATOR ASSY.	D2OZ-5260-D "BEFORE 9/27/71" D2OZ 5260-G "FROM 9/27/71 TO 3/15/72" D4OZ-5260-E "FROM 3/15/72"
	★ C9AA-5299-A PLATE ★ 40980-S2 SCREW-HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER	
B	CLAMP ♦	D1AZ-5A231-A
3	RESONATOR	D2SZ-5A289-A
5	BRACKET & INSULATOR ASSY.	D2SZ-5260-D
	★ 40980-S2 SCREW - HEX HD. 3/8-16 x 1 (1) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO INSUL. ASSY. TO RESONATOR ASSY.	

Original equipment muffler and resonator assembly are a welded assembly. To service this assembly you must replace it with both parts (muffler and resonator assembly) used together.




MUFFLER SPLASH SHIELD

E-H-8

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 THUNDERBIRD—8 CYL. 429-4B & 460-4B



	ITEM	PART NUMBER
1	INLET PIPE	D2SZ-5246-C
A	CLAMP ‡	D1AZ-5A231-D
2	MUFFLER	D2SZ-5230-E (429-4B) D2SZ-5230-E (460-4B)
4	BRACKET & INSULATOR ASSY.	D2OZ-5260-D "BEFORE 9/27/71" D2OZ 5260-G "FROM 9/27/71 TO 3/15/72" D4OZ-5260-E "FROM 3/15/72"
	★C9AA-5299-A PLATE ★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. & INSUL. ASSY. TO MUFFLER	
B	CLAMP ♦	D1AZ-5A231-A
3	RESONATOR	D2SZ-5A289-C (429-4B) D2SZ-5A289-C (460-4B)
5	BRACKET & INSULATOR ASSY.	D2SZ-5260-D
	★40980-S2 SCREW - HEX HD. 3/8-16 x 1 (1) REQ'D. ATT. BRKT. & INSUL. ASSY. TO UNDERBODY 381877-S2 (UU-52-AF) SCREW - HEX HD. 5/16-18 x 3/4 (2) REQ'D. ATT. BRKT. TO INSUL. ASSY. TO RESONATOR ASSY.	

Original equipment muffler and resonator assembly are a welded assembly. To service this assembly you must replace it with both parts (muffler and resonator assembly) used together.




MUFFLER SPLASH SHIELD

E-H-9

‡ Use D1AZ 5A231-D in U.S. only; use C000 5253-G in Canada

♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

1972 BRONCO—6 CYL. 200-1B



	ITEM	PART NUMBER
1	INLET PIPE	C8TZ-5246-G
A	CLAMP ♦	D1AZ-5A231-A
4	BRACKET	C5UZ-5277-C
	20348-S8 (B77) BOLT-HEX HD. 3/8 -16x3/4 (1) REQ'D. ATT. BRKT. TO ENGINE BLOCK 34807-S8 (X66) WASHER-LOCK 3/8 (1) REQ'D. ATT. BRKT. TO ENGINE BLOCK	
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C7TZ-5230-L
C	CLAMP #	D1AZ-5A231-B
5	BRACKET & INSULATOR ASSY.	C3DZ-5260-A
	39909-S7 (U269D) SCREW-HEX HD. 5/16 -18x3/4 (2) REQ'D. ATT. BRKT. TO FRAME	
3	OUTLET PIPE	C7TZ-5255-AE
6	BRACKET & INSULATOR ASSY.	C30Z-5260-A
	39909-S7 (U269D) SCREW-HEX HD. 5/16 -18x3/4 (2) REQ'D. ATT. BRKT. TO FRAME	
D	CLAMP #	D1AZ-5A231-B

EN-13


♦ Use D1AZ 5A231-A in U.S. only; use C000 5253-F in Canada

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

Use D1AZ 5A231-B in U.S. only; use C000 5253-C in Canada

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 BRONCO—8 CYL. 302-2B



	ITEM	PART NUMBER
1	INLET PIPE	D1TZ-5246-C
A	CLAMP ▲	D1AZ-5A231-C
1A	INLET PIPE CROSSOVER	D2TZ-5246-B
B	CLAMP ▲	D1AZ-5A231-C
2	MUFFLER	C6TZ-5230-G
C	CLAMP ▲	D1AZ-5A231-C
4	BRACKET & INSULATOR ASSY.	C6TZ-5260-H
	39909-S7 (U269D) SCREW-HEX HD. 5/16 -18 x 3/4 (2) REQ'D. ATT. BRKT. TO FRAME	
3	OUTLET PIPE	C6TZ-5255-J 37 1/2" LONG W/STRAIGHT OUTLET END - NOTE 1
		D1TZ-5255-A 38 1/2" LONG W/STRAIGHT OUTLET END - NOTE 2
5	BRACKET & INSULATOR ASSY.	C6TZ-5260-G
	39909-S7 (U269D) SCREW-HEX HD. 5/16 -18 x 3/4 (2) REQ'D. ATT. BRKT. TO FRAME 23440-S8 (B10) BOLT-HEX HD. 3/8 -16 x 1 1/4 (1) REQ'D. ATT. OUTLET PIPE TO BRKT. 34807-S8 (X66) WASHER-LOCK 3/8 (1) REQ'D. ATT. OUTLET PIPE TO BRKT. 33799-S7 (M52) NUT-LOCK 3/8 -16 (1) REQ'D. ATT. OUTLET PIPE TO BRKT.	

EN-14

▲ Use D1AZ 5A231-C in U.S. only; use C000 5253-E in Canada

NOTE 1 - "Before Ser. N20,000" use except in states of California, Colorado and Chicago Sales District.
"From Ser. N20,000" use except in states of California, Colorado, Minnesota and Chicago Sales District.

NOTE 2 - "Before Ser. N20,000" use in states of California, Colorado and Chicago Sales District.
"From Ser. N20,000" use in states of California, Colorado, Minnesota and Chicago Sales District.

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5B300 RETAINER - FRONT SPRING MOUNTING			
66/	U	Upper	2	C6TZ 5B300-B
66/	U	Lower	2	C6TZ 5B300-C
	5A305 BUSHING - FRONT SPRING LOWER SEAT			
66/	B		2	C7OZ 5A305-A
65/66	F	Upper pivot	2	
67/	F		2	
71/	P		2	
65/70	X		2	
	5A306 SEAT ASSY. - FRONT SPRING			
65/67	B		2	C5OZ 5A306-A
	5A307 SEAT - FRONT SPRING LOWER			
66/70	U		2	C6TZ 5A307-A
71/	U		2	D1TZ 5A307-A

5310 SPRING - FRONT - COIL

REFER TO THE FOLLOWING SECTIONS FOR MODEL APPLICATION ON FRONT COIL SPRINGS:

YEAR	SECTION
1965	53.65
1966	53.66
1967	53.67
1968	53.68

YEAR	SECTION
1969	53.69
1970	53.70
1971	53.71
1972	53.72

PART NUMBERS FOR SPRING CODES USED FROM 1967 THRU 1972 ARE SHOWN IN THE "IDENTIFICATION & CROSS REFERENCE CHART" BELOW:

FRONT SPRING IDENTIFICATION and CROSS REFERENCE CHART

Refer to appropriate section to obtain code.

FRT. SPRING CODE NO.	• PART NUMBER	COLOR IDENTIFICATION	NORMAL LOAD (POUNDS)	NUMBER OF COILS	WIRE DIAM. (INCHES)	FREE LENGTH (INCHES)
1	AJ 5310-R	1 Pink stripe	2100	8	.823	13
2	B7A 5310-L	1 Purple stripe	2500	9 1/2	.710	15 1/2
3	★C0AA 5310-A r/b C2AZ 5310-B(21)	1 Red stripe	2425	10	.710	16 5/8
4	★C0AA 5310-B r/b C0AA 5310-C(5)	1 Green stripe	2325	10	.710	16 3/8
5	C0AA 5310-C	1 Blue stripe	2225	10	.710	16 1/8
6	★C0AA 5310-D r/b C2AZ 5310-B(21)	1 Yellow stripe	2550	10 3/4	.725	16 7/8
7	★C0AA 5310-E r/b C0AA 5310-F(8)	2 Red stripes	2425	9	.725	15 3/8
8	C0AA 5310-F	2 Green stripes	2325	9	.725	15 1/4
9	★C0AA 5310-G r/b C0AA 5310-F(8)	2 Blue stripes	2225	9	.725	15
10	★C0DD 5310-C r/b C1DD 5310-D(12)	1 Red stripe	1210	10 3/8	.560	16 1/2
11	★C0DD 5310-D r/b C1DD 5310-D(12)	1 Green stripe	1140	9 1/4	.540	16
12	C1DD 5310-D	1 Blue or 1 Red stripe	1215	9 1/2	.560	15 5/8

• Recommended to be serviced in pairs only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 FRONT SPRING IDENTIFICATION and CROSS REFERENCE CHART - continued

Refer to appropriate section to obtain code.

FRT. SPRING CODE NO.	• PART NUMBER	COLOR IDENTIFICATION	NORMAL LOAD (POUNDS)	NUMBER OF COILS	WIRE DIAM. (INCHES)	FREE LENGTH (INCHES)
13	★C1DD 5310-E r/b C1DD 5310-D(12)	1 Green stripe	1145	8 7/8	.545	15 3/8
14	★C1DD 5310-F r/b C1DD 5310-D(12)	1 Blue stripe	1215	8 1/2	.560	15 1/8
15	★C1MM 5310-J r/b C1MM 5310-L(17)	1 Silver stripe	2700	11	.740	16 3/4
16	★C1MM 5310-K r/b C1MM 5310-L(17)	2 Lavender stripes	2525	10	.735	15 7/8
17	C1MM 5310-L	2 Orange stripes	2600	10	.735	15 7/8
18	★C1MM 5310-M r/b C1MM 5310-L(17)	2 Silver stripes	2700	10 1/4	.745	16 1/8
19	C1SS 5310-C	3 Red stripes	1930	10	.663	17
20	C2AZ 5310-A		2425	7	.853	12 1/2
21	C2AZ 5310-B	1 Brown stripe	2425	10 3/4	.725	16 3/4
22	★C2OZ 5310-A Not replaced	1 Yellow stripe	1610	10 3/4	.665	19 3/4
23	★C2OZ 5310-B Not replaced	1 Green stripe	1660	10 3/4	.665	20
24	★C2OZ 5310-E r/b C4OZ 5310-B(51)	1 Blue stripe	1610	9 3/4	.675	18 1/2
25	★C7ZZ 5310-AJ r/b C7ZZ 5310-C(4F)	1 Orange stripe	1580	9 1/2	.600	16 1/2
26	★C2OZ 5310-F r/b C4OZ 5310-B(51)	1 Orange stripe	1660	9 3/4	.675	18 3/4
27	C2SZ 5310-A	1 Yellow stripe	2110	10	.663	17 1/2
28	★C3AZ 5310-A r/b C2AZ 5310-B(21)	1 Red stripe	2425	10 1/2	.708	16 3/4
29	★C3AZ 5310-B r/b C0AA 5310-C(5)	1 Green stripe	2325	10 1/2	.703	16 3/4
30	★C3AZ 5310-C r/b C0AA 5310-C(5)	1 Pink stripe	2175	10	.710	17
31	★C3AZ 5310-D Not replaced	2 Gold stripes	2425	8 3/4	.745	14 5/8
32	C3DZ 5310-AA	1 Brown stripe or 1 Orange daub	1460	8 3/4	.585	14 1/4
33	★C3DZ 5310-AB r/b C3DZ 5310-AC(34)	1 Gray stripe or 1 Orange daub	1585	9	.605	14 3/8
34	★C3DZ 5310-AC r/b C9OZ 5310-L(6X)	1 Pink stripe	1668	9	.615	14 3/8
35	C3DZ 5310-U	1 Silver stripe	1370	9	.585	14 1/4
36	★C3DZ 5310-Y r/b C3DZ 5310-Z(37)	1 Red stripe	1196	9 1/2	.560	15
37	C3DZ 5310-Z	1 Yellow stripe	1275	9 1/4	.570	14 1/2
38	★C3OZ 5310-A Not replaced	1 Violet stripe	1550	10 3/4	.665	19 3/8
39	★C3OZ 5310-B r/b C3OZ 5310-G(42)	1 Brown stripe	1700	11	.685	19 1/2
40	★C3OZ 5310-C r/b C4OZ 5310-B(51)	2 Yellow stripes	1550	9 3/4	.675	18 1/4
41	★C3OZ 5310-D r/b C3OZ 5310-K(45)	2 Green stripes	1700	9 3/4	.695	18 1/8
42	C3OZ 5310-G	1 Orange	1765	10 3/4	.685	19 3/4
43	★C3OZ 5310-H r/b C3OZ 5310-K(45)	1 Pink stripe	1765	9 3/4	.695	18 3/8
45	C3OZ 5310-K	1 White stripe	1815	9 3/4	.695	18 1/2
46	C3SZ 5310-B	1 Silver stripe	2600	11 1/2	.740	20
47	C3SZ 5310-C	1 Purple stripe	2700	9 1/2	.740	20

• Recommended to be serviced in pairs only

5310 FRONT SPRING IDENTIFICATION and CROSS REFERENCE CHART - continued

Refer to appropriate section to obtain code.

FRT. SPRING CODE NO.	•PART NUMBER	COLOR IDENTIFICATION	NORMAL LOAD (POUNDS)	NUMBER OF COILS	WIRE DIAM. (INCHES)	FREE LENGTH (INCHES)
48	★C4DZ 5310-A r/b C3DZ 5310-U(35)	1 Tan stripe	1370	7 1/2	.585	13 1/8
49	★C4DZ 5310-B r/b C3DZ 5310-U(35)	1 Orange stripe	1275	7 1/2	.570	13 3/8
50	★C4OZ 5310-A r/b C4OZ 5310-B(51)	2 Orange stripes	1585	9 3/4	.675	18 1/2
51	C4OZ 5310-B	2 Red stripes	1635	9 3/4	.675	18 5/8
52	★C4OZ 5310-C r/b C4OZ 5310-B(51)	2 Brown stripes	1685	9 3/4	.675	18 7/8
53	★C4SZ 5310-D r/b C4SZ 5310-E(54)	1 Green stripe	2460	12	.720	20 3/4
54	C4SZ 5310-E	1 Purple stripe	2460			
55	★C5AZ 5310-A r/b C6AZ 5310-A(91)	1 Red stripe	1660	10	.615	18 7/8
56	★C5AZ 5310-B r/b C6AZ 5310-A(91)	2 Blue stripes	1730	10	.615	19 1/8
57	★C5AZ 5310-C r/b C6AZ 5310-C(93)	1 Yellow stripe	1800	9 3/4	.633	18 1/2
58	★C5AZ 5310-D r/b C6AZ 5310-C(93)	1 Pink stripe	1875	9 3/4	.633	18 3/4
59	★C5AZ 5310-E r/b C6AZ 5310-C(93)	1 Orange stripe	1950	9 3/4	.653	18 1/4
60	★C5AZ 5310-F r/b C6AZ 5310-C(93)	1 Brown stripe	2030	9 3/4	.653	18 1/2
61	★C5AZ 5310-G r/b D2AZ 5310-A(8A)	1 Green stripe	2116	9 3/4	.675	18
62	★C5AZ 5310-S Not replaced	1 Gray stripe	1680	9 1/4	.659	16 3/8
63	★C5AZ 5310-T Not replaced	2 Blue stripes	1760	9 1/4	.659	16 5/8
64	★C5AZ 5310-U r/b D2OZ 5310-K(1M)	2 Pink or 2 Yellow stripes	2235	9 1/4	.730	16
65	★C5AZ 5310-W r/b D2OZ 5310-K(1M)	2 Pink or 2 Yellow stripes	2345	9 1/4	.674	16 7/8
66	★C5AZ 5310-Y Not replaced	2 Orange stripes	1845	8 3/4	.675	17 1/8
67	★C5AZ 5310-Z Not replaced	2 Brown or 2 Silver stripes	1935	9 1/4	.679	16 3/4
68	★C7ZZ 5310-AL r/b C7ZZ 5310-Z(4J)	1 Brown stripe	1454	9 3/16	.575	16 5/8
69	C5AZ 5310-AA	2 Red or 2 Silver stripes	2235	9	.700	17
70	C9OZ 5310-A	2 Red stripes	1520	8	.600	16 5/8
71	C9OZ 5310-B	2 Orange strips	1580	9 3/8	.600	16 7/8
72	C9OZ 5310-C	2 Violet stripes	1640	8	.615	16 5/8
73	C9OZ 5310-D	1 Violet and 1 Gold stripe	1693	8	.615	16 7/8
74	★C5AZ 5310-AB r/b D2OZ 5310-K(1M)	2 Green or 2 Violet stripes	2130	9 1/4	.704	16 1/2
75	★C5AZ 5310-AM r/b C6AZ 5310-G(97)	1 Gold or 2 Orange stripes	2290	10	.692	17 5/8
76	C9OZ 5310-E	1 Violet and 1 Pink stripe	1766	9 1/2	.630	16 5/8
77	★C5AZ 5310-AN r/b C6AZ 5310-G(97)	2 Brown stripes or 1 Violet stripe	2380	10	.692	18
78	C9AZ 5310-A	2 Green and 1 Gray stripe	2200	8 3/4	.768	15 5/16
79	★C5AZ 5310-AR r/b D2OZ 5310-L(1T)	1 Blue stripe	2460	9 1/4	.730	16 1/2
80	★C5MY 5310-A Not replaced	1 Silver stripe	2200	9 3/4	.675	18 1/4

• Recommended to be serviced in pairs only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 FRONT SPRING IDENTIFICATION and CROSS REFERENCE CHART - continued

Refer to appropriate section to obtain code.

FRT. SPRING CODE NO.	• PART NUMBER	COLOR IDENTIFICATION	NORMAL LOAD (POUNDS)	NUMBER OF COILS	WIRE DIAM. (INCHES)	FREE LENGTH (INCHES)
81	C9AZ 5310-B	2 Green and 1 Yellow stripe	2380	8 3/4	.768	15 9/16
82	★C5ZZ 5310-A r/b C5ZZ 5310-B(84)	1 Pink stripe	1279	8 1/2	.570	15 1/8
83	C8LY 5310-A	1 Orange and 1 Green stripe	2487	10 7/16	.687	19 1/16
84	C5ZZ 5310-B	1 Green stripe	1344	8 1/2	.570	15 3/8
85	C9OZ 5310-F	1 Green and 1 Yellow stripe	1832	8 1/2	.630	16 5/8
86	C5ZZ 5310-C	1 Gray stripe	1490	8 1/2	.585	15 1/2
87	C9OZ 5310-G	1 Yellow and 1 Gray stripe	1900	8 1/4	.644	16 1/2
88	★C5ZZ 5310-D r/b C5ZZ 5310-C(86)	1 Violet stripe	1413	8 1/2	.585	15 1/4
89	C5ZZ 5310-E	1 Brown stripe	1491	8	.600	14 1/8
90	★C5ZZ 5310-F r/b C5ZZ 5310-E(89)	1 Red stripe	1413	8	.600	13 7/8
91	C6AZ 5310-A	1 Green and 1 Yellow stripe	1800	10 1/2	.628	18 7/8
92	C6AZ 5310-B	1 Red and 1 Yellow stripe	1875	10 1/2	.628	19 1/8
93	C6AZ 5310-C	1 Violet and 1 Yellow stripe	1950	10 1/4	.648	18 5/8
94	C6AZ 5310-D	1 Green and 1 Red stripe	2030	10 1/4	.648	18 7/8
95	★C6AZ 5310-E r/b D2AZ 5310-A(8A)	1 Red and 1 Violet stripe	2116	10 1/4	.666	18 3/8
96	★C6AZ 5310-F r/b C6AZ 5310-E(95)	1 Orange and 1 Yellow stripe	2200	10 1/4	.666	18 5/8
97	C6AZ 5310-G	1 Brown and 1 Yellow stripe	2290	10 1/4	.683	18 1/4
98	C6AZ 5310-H	1 Gold and 1 Yellow stripe	2380	10 1/4	.683	18 5/8
99	C6AZ 5310-J	1 Brown and 1 Red stripe	1730	10 1/2	.628	18 1/2
1A	C6AZ 5310-K	1 Gold and 1 Green stripe	1760	10	.657	17 1/2
1B	C6AZ 5310-L	1 Gold and 1 Red stripe	1845	10	.657	17 3/4
1C	C6AZ 5310-M	1 Gold and 1 Violet stripe	1935	10	.680	17 1/4
1D	C6AZ 5310-N	1 Gold and 1 Orange stripe	2030	10	.680	17 5/8
1E	C6AZ 5310-R	1 Brown and 1 Gold stripe	2130	10	.699	17 1/4
1F	C6AZ 5310-S	1 Gold and 1 Pink stripe	2276	9 7/8	.699	17 1/2
1G	C6AZ 5310-T	1 Gold and 1 Gray stripe	2345	9 7/8	.717	17 3/8
1H	C6AZ 5310-U	1 Orange and 1 Red stripe	2505	9 7/8	.717	17 5/8
1J	C6AZ 5310-V	1 Brown and 1 Pink stripe	1650	10 1/2	.628	18 1/4
1K	D2AZ 5310-C	1 Violet and 2 Red stripes	2776	9	.775	16 1/8
1L	★C6DZ 5310-A r/b C6DZ 5310-C(1N)	1 Gray daub or 1 Blue and 1 Lavender stripe or 2 Yellow stripes	1240	9 3/4	.585	16 1/4
1M	D2OZ 5310-K	1 Green, 1 Gray & 1 Yellow stripe	2509	9 1/8	.728	16 3/8
1N	C6DZ 5310-C	2 Brown stripes	1325	9 3/4	.585	16 3/4
1P	★C6DZ 5310-D r/b C6OZ 5310-C(1Z)	2 Pink stripes	1410	9 3/4	.585	17 1/8
1Q	C7ZZ 5310-AR	1 Gold and 1 Gray stripe	1850	8 3/4	.650	15 1/8
1R	C5MY 5310-D	1 Red stripe	2475	10	.692	18 1/4
1S	C9OZ 5310-H	3 Yellow stripes	1968	8 1/4	.644	16 3/4
1T	D2OZ 5310-L	1 Green, 1 Gray and 1 Pink stripe	2419	9 5/16	.734	16 5/8
1U	★C6OZ 5310-A r/b C6DZ 5310-C(1N)	1 Violet daub or 1 Blue and 1 Yellow stripe or 2 Gray stripes	1344	9 3/4	.575	17 3/8
1V						
1W	★C6OZ 5310-B r/b C6OZ 5310-C(1Z)	1 Lavender daub or 1 Blue and 1 Red stripe	1415	9 3/4	.575	17 3/4
1X	C9OZ 5310-J	1 Gold, 1 Pink and 1 Brown stripe	1776	8 15/16	.685	14 13/16
1Y	C9OZ 5310-K	1 Gold, 1 Pink and 1 Violet stripe	1884	8 15/16	.685	15 1/16
1Z	C6OZ 5310-C	1 Green daub or 1 Blue and 1 Pink stripe	1490	9 3/4	.585	17 3/8

• Recommended to be serviced in pairs only

5310 FRONT SPRING IDENTIFICATION and CROSS REFERENCE CHART - continued

Refer to appropriate section to obtain code.

FRT. SPRING CODE NO.	•PART NUMBER	COLOR IDENTIFICATION	NORMAL LOAD (POUNDS)	NUMBER OF COILS	WIRE DIAM. (INCHES)	FREE LENGTH (INCHES)
2A						
2B	★C6OZ 5310-D r/b C6OZ 5310-C(1N)	1 Red daub or 1 Blue and 1 Gold stripe	1570	9 3/4	.585	17 7/8
2C						
2D						
2E	★C6OZ 5310-E r/b C6OZ 5310-AC(3H)	1 Yellow daub or 1 Blue and 1 Tan stripe	1655	9 3/4	.610	17 1/4
2F						
2G						
2H	★C6OZ 5310-F r/b C8OZ 5310-K(5P)	1 Blue daub or 1 Blue and 1 Silver stripe	1740	9 3/4	.610	17 5/8
2J						
2K						
2L	★C6OZ 5310-G r/b C8OZ 5310-K(5P)	1 Orange daub or 1 Blue and 1 Brown stripe	1835	9 3/4	.625	17 3/8
2M						
2N						
2P	★C6OZ 5310-H r/b C8OZ 5310-K(5P)	1 Brown daub	1930	9 3/4	.625	17 3/4
2R						
2S	C6OZ 5310-J	1 Gold daub	1400	8 3/4	.600	16
2T						
2U	★C6OZ 5310-K r/b C6OZ 5310-AC(3H)	1 Pink daub	1490	9 3/4	.610	16 1/2
2V						
2W	★C6OZ 5310-L r/b C6OZ 5310-M(2Y)	1 or 2 Gold stripes	1970	9 3/4	.650	16 3/4
2X						
2Y	C6OZ 5310-M	1 or 2 Lavender stripes	1865	9 3/4	.650	16 3/8
2Z						
3A	★C6OZ 5310-N r/b C8OZ 5310-AC(3H)	1 or 2 Orange stripes	1660	9 3/4	.635	16 1/4
3B						
3C	★C6OZ 5310-P r/b C8OZ 5310-K(5P)	1 or 2 Green stripes	1760	9 3/4	.635	16 5/8
3E	★C6OZ 5310-R r/b C6OZ 5310-J(2S)	1 or 2 Red stripes	1310	8 3/4	.600	15 3/4
3F						
3G	★C6OZ 5310-AB r/b C6DZ 5310-C(1N)	1 Gray daub	1265	9 3/4	.575	17
3H	C6OZ 5310-AC	1 Tan daub	1580	9 3/4	.610	16 7/8
3J	★C6OZ 5310-AD r/b C6OZ 5310-M(2Y)	1 Gold and 1 Green stripe	1735	8 3/4	.660	15 3/8
3K	C6OZ 5310-AE	1 Green and 1 Orange stripe	1850	8 3/4	.660	15 5/8
3L	★C6OZ 5310-AF r/b C8OZ 5310-M(2Y)	1 Brown and 1 Green stripe	1965	8 3/4	.660	16
3M	C8SZ 5310-A	1 Yellow stripe	2410	10 3/4	.700	20 1/4
3N	★C8SZ 5310-B r/b C8SZ 5310-A(3M)	1 Red stripe	2310	10 3/4	.700	20 5/8
3P	★C8SZ 5310-C r/b C8SZ 5310-A(3M)	1 Blue stripe	2510	10 3/4	.700	20

• Recommended to be serviced in pairs only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 FRONT SPRING IDENTIFICATION and CROSS REFERENCE CHART - continued

Refer to appropriate section to obtain code.

FRT. SPRING CODE NO.	•PART NUMBER	COLOR IDENTIFICATION	NORMAL LOAD (POUNDS)	NUMBER OF COILS	WIRE DIAM. (INCHES)	FREE LENGTH (INCHES)
3R	C6TZ 5310-B	1 Red stripe	739	8 3/4	.527	16 7/8
3S	C6TZ 5310-D	1 Green stripe	1000	10 3/4	.620	16 3/4
3T						
3U						
3V	C6TZ 5310-E	1 Blue stripe	816	9 3/4	.565	16 3/4
3W	C7AZ 5310-D	1 Pink and 2 Green stripes	1690	8 3/4	.717	15 1/4
3X	C7AZ 5310-E	1 Orange and 2 Green stripes	1800	8 3/4	.717	15 3/8
3Y	C7AZ 5310-F	1 Gold and 2 Green stripes	1920	8 3/4	.740	15 1/8
3Z	C7AZ 5310-G	1 Brown and 2 Green stripes	2040	8 3/4	.740	15 3/8
4A	★C7AZ 5310-H r/b C9AZ 5310-A(78)	1 Gray and 1 Green stripe	2130	8 1/2	.760	15 1/8
4B	C7SZ 5310-A	1 Brown and 1 Orange stripe	2460	10 1/4	.683	18 3/4
4C	C7ZZ 5310-BB	1 Gray and 1 Yellow stripe	1900	9	.635	16
4D	C7ZZ 5310-A	1 Pink and 1 Violet stripe	1790	9 1/2	.610	16 7/8
4E	C7ZZ 5310-B	1 Tan and 1 Violet stripe	1650	9	.600	16 3/8
4F	C7ZZ 5310-C	1 Orange and 1 Violet stripe	1580	9	.600	16 1/8
4G	C7ZZ 5310-F	1 Green stripe	1342	9 1/4	.575	16 1/8
4H	★C7ZZ 5310-Y r/b C7ZZ 5310-Z(4J)	1 Orange and 1 Red stripe	1400	8 3/4	.585	15 3/4
4J	C7ZZ 5310-Z	1 Gold and 1 Red stripe	1460	8 3/4	.585	16
4K	C7ZZ 5310-AA	1 Gold and 1 Orange stripe	1580	8	.635	14 3/8
4L	C7ZZ 5310-AB	1 Gold and 1 Tan stripe	1670	8 3/4	.650	14 5/8
4M	C7ZZ 5310-AC	1 Gold and 1 Pink stripe	1760	8 3/4	.650	14 7/8
4N	C7ZZ 5310-AD	1 Green and 1 Yellow stripe	1820	9	.635	15 3/4
4P	★C7ZZ 5310-AE r/b C7ZZ 5310-AD(4N)	1 Gold and 1 Yellow stripe	1740	9	.635	15 1/2
4R	C7ZZ 5310-AF	1 Tan and 1 Yellow stripe	1660	8 3/4	.625	15 1/4
4S	C7ZZ 5310-AG	1 Orange and 1 Yellow stripe	1580	8 3/4	.625	15
4T	★C7ZZ 5310-AH r/b C7ZZ 5310-F(4G)	1 Pink stripe	1286	9 1/4	.575	15 7/8
4U	C7ZZ 5310-AK	1 Gold and 1 Violet stripe	1720	9 1/2	.610	16 5/8
4V	C7ZZ 5310-AN	1 Red and 1 Yellow stripe	1520	9 1/2	.600	16 1/4
4W	★C7ZZ 5310-AP r/b C7ZZ 5310-Z(4J)	1 Brown and 1 Gray stripe	1398	9 1/4	.575	16 3/8
4X	C7ZZ 5310-AZ	1 Violet and 1 Yellow stripe	1500	8 3/4	.625	14 3/4
4Y	C7ZZ 5310-BA	1 Gray and 1 Violet stripe	1860	9 1/2	.610	17 1/8
4Z	C8MY 5310-A	1 Pink and 1 Red stripe	2116	10 9/16	.652	19 1/4
5A	C8MY 5310-B	1 Pink and 1 Yellow stripe	2200	10 9/16	.652	19 9/16
5B	C8OZ 5310-A	1 Brown and 1 Pink stripe	1292	9 1/2	.585	16 3/8
5C	★C8OZ 5310-AA r/b C8OZ 5310-AB(5D)	1 Green and 2 Yellow stripes	1944	9 3/4	.660	16 3/8
5D	C8OZ 5310-AB	1 Gray and 2 Yellow stripes	2030	9 3/4	.660	16 5/8
5E	C8OZ 5310-AC	1 Brown and 2 Yellow stripes	2120	9 3/4	.660	17
5F	C8OZ 5310-B	1 Brown and 1 Green stripe	1348	9 1/2	.585	16 5/8
5G	C8OZ 5310-C	1 Brown and 1 Gray stripe	1404	9 1/2	.585	16 7/8
5H	C8OZ 5310-D	2 Brown stripes	1460	9 1/2	.585	17 1/8
5J	C8OZ 5310-E	2 Red stripes	1520	10	.600	17 1/8
5K	C8OZ 5310-F	2 Orange stripes	1580	10	.600	17 3/8
5L	C8OZ 5310-G	2 Violet stripes	1640	10	.600	17 5/8
5M	C8OZ 5310-H	1 Gold and 1 Violet stripe	1702	9 3/4	.610	17 3/8
5N	C8OZ 5310-J	1 Pink and 1 Violet stripe	1766	9 3/4	.610	17 1/2
5P	C8OZ 5310-K	1 Green and 1 Yellow stripe	1832	9 3/4	.625	17 3/8
5R	C8OZ 5310-L	1 Gray and 1 Yellow stripe	1900	9 3/4	.625	17 1/2
5S	C8OZ 5310-M	3 Yellow stripes	1968	9 3/4	.625	17 7/8
5T	★C8OZ 5310-N r/b C8OZ 5310-R(5U)	3 Gray stripes	1344	8 3/4	.610	15 3/8
5U	C8OZ 5310-R	3 Pink stripes	1414	8 3/4	.610	15 5/8

• Recommended to be serviced in pairs only

5310 FRONT SPRING IDENTIFICATION and CROSS REFERENCE CHART - continued

Refer to appropriate section to obtain code.

FRT. SPRING CODE NO.	•PART NUMBER	COLOR IDENTIFICATION	NORMAL LOAD (POUNDS)	NUMBER OF COILS	WIRE DIAM. (INCHES)	FREE LENGTH (INCHES)
5V	★C8OZ 5310-S r/b C8OZ 5310-R(5U)	3 Green stripes	1484	8 3/4	.610	15 7/8
5W	★C8OZ 5310-T r/b C8OZ 5310-U(5X)	3 Gold stripes	1556	9	.625	15 7/8
5X	C8OZ 5310-U	1 Orange and 2 Violet stripes	1630	9	.625	16 1/8
5Y	C8OZ 5310-V	1 Tan and 2 Violet stripes	1704	9	.625	16 3/8
5Z	C8OZ 5310-Y	1 Gold and 2 Violet stripes	1781	9 3/4	.645	16 3/8
6A	C8OZ 5310-Z	1 Pink and 2 Violet stripes	1861	9 3/4	.645	16 5/8
6B	C8SZ 5310-A	1 Green and 1 Pink stripe	2242	10 1/2	.670	19
6C	★C8SZ 5310-B r/b D4AZ 5310-M	1 Pink and 1 Violet stripe	2380	10 1/2	.670	19 3/8
6D	C8ZZ 5310-A	1 Gray and 1 Gold stripe	1850	8 3/4	.650	15 1/8
6E	C8OZ 5310-AD	1 Blue, 1 Gold and 1 Orange stripe	2080	9 1/4	.665	16 3/8
6F	C7SZ 5310-B	2 Blue and 1 Gold stripe	2275	10	.717	17 1/8
6G	C8TZ 5310-A	3 Yellow stripes	850	8 3/4	.582	16 3/8
6H	C8TZ 5310-B	3 Red stripes	750	8 3/4	.565	16 3/8
6J	C8TZ 5310-C	3 Blue stripes	800	8 3/4	.577	16 3/8
6K	★C9SZ 5310-A r/b C6AZ 5310-R(1E)	1 Red and 2 Blue stripes	2030	9 7/8	.699	17 1/16
6L	C9ZZ 5310-B					
6M	D0DZ 5310-A	2 Pink and 1 Green stripe	1302	8 3/4	.569	15 3/8
6N	D0DZ 5310-B	3 Pink stripes	1358	8 3/4	.569	15 5/8
6P	D0DZ 5310-C	3 Orange stripes	1414	8 3/4	.569	15 7/8
6R	D0DZ 5310-D	2 Pink and 1 Red stripe	1582	9 1/8	.577	16 5/8
6S	D0DZ 5310-E	2 Orange and 1 Tan stripe	1470	9 1/8	.577	16 1/8
6T	D0DZ 5310-F	2 Pink and 1 Gray stripe	1526	9 1/8	.577	16 3/8
6U	D0OZ 5310-A	2 Gold and 1 Red stripe	1900	8 7/16	.704	14 7/16
6V	D0OZ 5310-B	2 Gold and 1 Green stripe	2024	8 7/16	.704	14 11/16
6W	D0OZ 5310-C	2 Gold and 1 Orange stripe	1652	8 3/16	.696	14 3/16
6X	C9OZ 5310-L	2 Gold and 1 Violet stripe	1776	8 3/16	.696	14 3/16
6Y	★D0ZZ 5310-A r/b C7ZZ 5310-AA(4K)	2 Gold and 1 Violet stripe	1490	8 1/8	.629	14 5/16
6Z	D0DZ 5310-G	2 Blue and 1 Brown stripe	1415	8 9/16	.602	14 9/16
7A	D0DZ 5310-H	2 Blue and 1 Gray stripe	1485	8 9/16	.602	14 13/16
7B	D0DZ 5310-J	1 Blue and 2 Orange stripes	1555	8 9/16	.602	15 1/16
7C	D0DZ 5310-M	1 Blue and 1 Green stripe	1345	8 3/16	.593	14 5/16
7D	D0DZ 5310-N	1 Blue and 1 Gray stripe	1280	8 3/16	.593	14 1/16
7E	C8ZZ 5310-C	2 Blue and 1 Tan stripe	1940	8 11/16	.650	15 3/8
7F	D1FZ 5310-D	1 Orange or 1 Pink & 1 Yellow or 2 Green Stripes	1135	7	.530	10 13/16
7G	D1FZ 5310-E	1 Red or 1 Pink or 1 Yellow stripe	1060	6 7/8	.519	10 13/16
7H	D1FZ 5310-F	1 Green or 1 Pink & 2 Green stripes or 1 Red & 1 Green stripe	1285	7 1/8	.547	11
7J	★D1ZZ 5310-E r/b C8ZZ 5310-C(7E)	3 Red stripes	1830	8 7/16	.657	14 5/8
7K	D1ZZ 5310-C	3 Green stripes	1930	8 5/8	.661	14 7/8
7L	D1ZZ 5310-D	3 Gray stripes	2030	8 3/4	.664	15 1/8
7M	C7ZZ 5310-AS	2 Blue and 1 Gold stripe	1740	9 1/4	.622	16
7N	D1ZZ 5310-E	2 Pink and 1 Blue or 3 Blue stripes	1950	9 1/2	.628	16 3/4
7P	D1DZ 5310-A	1 Blue and 2 Red stripes	1625			

• Recommended to be serviced in pairs only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 FRONT SPRING IDENTIFICATION and CROSS REFERENCE CHART - continued

Refer to appropriate section to obtain code.

FRT. SPRING CODE NO.	• PART NUMBER	COLOR IDENTIFICATION	NORMAL LOAD (POUNDS)	NUMBER OF COILS	WIRE DIAM. (INCHES)	FREE LENGTH (INCHES)
7R	D2OZ 5310-A	1 Orange and 2 Red stripes	1693	10 1/8	.615	18 15/16
7S	D2OZ 5310-B	1 Gray and 2 Red stripes	1908	10 1/8	.637	18 15/16
7T	D2OZ 5310-G	1 Green, 1 Gray & 1 Tan stripe	2089	9 1/8	.728	15 15/16
7U	D2SZ 5310-B	1Green and 2 Yellow stripes	2500	10 1/2	.702	18 3/16
7V	D2SZ 5310-D	1 Tan 1 Red & 1 Yellow stripe	2386	9 7/8	.699	17 7/8
7W	D2OZ 5310-C	1 Violet and 2 Red stripes	1623	10 1/8	.615	18 5/8
7X	D2OZ 5310-H	1 Green & 2 Brown stripes	2199	9 1/8	.728	16 1/8
7Y	D2OZ 5310-F	1 Maroon & 2 Green stripes	1979	8 3/4	.717	15 11/16
7Z	★D2FZ 5310-A r/b D1FZ 5310-F(7H)	1 Red & 1 Orange stripe	1190	7 1/8	.547	10 11/16
8A	D2AZ 5310-A	1 Yellow, 1 Pink & 1 Orange stripe	2152	10	.670	18 13/16
8B	★D2AZ 5310-B r/b D4AZ 5310-M	1 Violet, 1 Pink & 1 Orange stripe	2327	10 1/4	.683	18 3/4
8C	D2FZ 5310-B	1 Tan stripe	1135	7 1/16	.519	11 1/16
8D	★D2FZ 5310-C r/b D1FZ 5310-E(7G)	1 Gray stripe	1075	7 1/16	.509	11 3/16
8E	D2MY 5310-A	1 Red & 2 Green stripes	2596	8 13/16	.768	15 7/8

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5A313 WEDGE - REAR AXLE ADJUSTING			
71/	F	1°	2	D1ZZ 5A313-A
	F	1 1/2°	2	D1ZZ 5A313-B
	F	2°	2	D1ZZ 5A313-C
71	L	2° - use with D2FZ 4010-B housing	2	D2FZ 5A313-A
65/66	S	1°	AR	C2SZ 5A313-A
	S	0°-30'	AR	C2SZ 5A313-B
	S	1°-30'	AR	C2SZ 5A313-C
	5A322 BOLT - SPRING SEAT MOUNTING			
65/67	S	3/8"-16 special	4	C1SZ 5A322-A
65/67	S	Fitting (lubrication)	4	374281-S8(II-207)
	5334 LINER - REAR SPRING CLAMP			
65/67	S	1 3/4" x 2 5/8"-Rubber	2	C1SS 5334-A
	5355 SHIM - FRONT SPRING			
65	B (with A/C)	Not replaced	2	★C2OZ 5355-A
65	F	Upper suspension arm-see front spring chart	2	C6OZ 5355-A
65/67	S	Use with air conditioning	2	C1SS 5355-A
65/67	S	Without A/C	2	C3SZ 5355-A
65/67	X (with A/C)		2or4	C1DZ 5355-A
		Spring nut (shim to pocket)-3/16"	4	45052-S7(M119)

• Recommended to be serviced in pairs only

5310 SPRING (FRONT COIL) 1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	FM 2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART • NUMBER
					"A" (FORD) -- BEFORE 11/23/64											
65	A(54A) ♦	6	240	1760	x				x		M		N	2 Blue	2	★C5AZ 5310-T
																Not replaced
65	A(54A) ♦	6	240	2030	x		x		x			P	N	2 Orange	2	★C5AZ 5310-Y
65	A(54A) ♦	6	240				x				M		N		2	Not replaced
65	A(54A) ♦	6	240	2130	x		x		x		M		A	2 Brown	2	★C5AZ 5310-Z
65	A(54A) ♦	6	240		x				x			P	A		2	Not replaced
65	A(54A) ♦	6	240	2235			x					P	A	2 Silver	2	C5AZ 5310-AA
65	A(54A)	8	289	1800	x				x		M		N	1 Yellow	2	★ C5AZ 5310-C
																r/b C6AZ 5310-C
65	A(54A)	8	289	1875	x		x		x			P	N	1 Pink	2	★C5AZ 5310-D
65	A(54A)	8	289				x				M		N		2	r/b C6AZ 5310-C
65	A(54A)	8	289	1950	x		x		x		M		A	1 Orange	2	★C5AZ 5310-E
65	A(54A)	8	289		x							P	A		2	r/b C6AZ 5310-C
65	A(54A)	8	289	2030			x		x			P	A	1 Brown	2	★C5AZ 5310-F
																r/b C6AZ 5310-C
65	A(54A)-H/D	8	289	1845	x		x		x		M		N	2 Green	2	★C5AZ 5310-Y
65	A(54A)-H/D	8	289		x				x			P	N		2	Not replaced
65	A(54A)-H/D	8	289	1935	x				x		M		A	2 Silver	2	★C5AZ 5310-Z
65	A(54A)-H/D	8	289				x					P	N		2	Not replaced
65	A(54A)-H/D	8	289	2030	x		x		x			P	A	2 Gold	2	C5AZ 5310-AA
65	A(54A)-H/D	8	289				x				M		A		2	
65	A(54A)	8	352	1950	x						M		N	1 Orange	2	★C5AZ 5310-E
																r/b C6AZ 5310-C
65	A(54A)	8	352	2030			x		x		M		N	1 Brown	2	★C5AZ 5310-F
65	A(54A)	8	352		x		x		x			P	N		2	r/b C6AZ 5310-C
65	A(54A)	8	352	2116	x		x		x		M		A	1 Green	2	★C5AZ 5310-G
65	A(54A)	8	352		x							P	A		2	r/b D2AZ 5310-A
65	A(54A)	8	352	2200			x		x			P	A	1 Silver	2	★C5MY 5310-A
																Not replaced
65	A(54A)-H/D	8	352	2030	x		x		x		M		N	2 Gold	2	C5AZ 5310-AA
65	A(54A)-H/D	8	352		x				x			P	N		2	
65	A(54A)-H/D	8	352	2130			x					P	N	2 Violet	2	★C5AZ 5310-AB
65	A(54A)-H/D	8	352		x		x		x		M		A		2	r/b D2OZ 5310-K
65	A(54A)-H/D	8	352		x							P	A		2	
65	A(54A)-H/D	8	352	2235			x		x			P	A	2 Pink	2	★C5AZ 5310-U
																r/b D2OZ 5310-K
65	A(54A)	8	390	1950	x						M		N	1 Orange	2	★C5AZ 5310-E
																r/b C6AZ 5310-C
65	A(54A)	8	390	2030		x	x			x	M		N	1 Brown	2	★C5AZ 5310-F
65	A(54A)	8	390		x	x				x		P	N		2	r/b C6AZ 5310-C
65	A(54A)	8	390	2116	x	x				x	M		A	1 Green	2	★C5AZ 5310-G
65	A(54A)	8	390				x					P	N		2	r/b C6AZ 5310-E
65	A(54A)	8	390	2200	x	x	x			x		P	A	1 Silver	2	★C5MY 5310-A
																Not replaced
65	A(54A)	8	390	2200			x				M		A	1 Silver	2	★C5MY 5310-A
																Not replaced
65	A(54A)-H/D	8	390	2030	x	x	x			x	M		N	2 Gold	2	C5AZ 5310-AA
65	A(54A)-H/D	8	390		x	x				x		P	N		2	
65	A(54A)-H/D	8	390	2130			x					P	N	2 Violet	2	★C5AZ 5310-AB
65	A(54A)-H/D	8	390		x	x	x			x	M		A		2	r/b D2OZ 5310-K
65	A(54A)-H/D	8	390		x							P	A		2	
65	A(54A)-H/D	8	390	2235		x	x			x		P	A	2 Pink	2	★C5AZ 5310-U
																r/b D2OZ 5310-K
65	A(54A)-H/D	8	427	2130		x					M		N	2 Violet	2	★C5AZ 5310-AB
																r/b D2OZ 5310-K
65	A(54B, E) ♦	6	240	1760	x		x		x		M		N	2 Blue	2	★C5AZ 5310-T
65	A(54B, E) ♦	6	240		x							P	N		2	Not replaced

♦ Used with or without Stabilizer • Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued — 1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	F/M-2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART ● NUMBER
					"A" (FORD) -- BEFORE 11/23/64											
65	A(54B, E) ♦	6	240	1845			x		x			P	N	2 Green	2	★C5AZ 5310-Y
65	A(54B, E) ♦	6	240		x						M		A		2	Not replaced
65	A(54B, E) ♦	6	240	1935			x		x		M		A	2 Silver	2	★C5AZ 5310-Z
65	A(54B, E) ♦	6	240		x				x			P	A		2	Not replaced
65	A(54B, E) ♦	6	240	2030			x					P	A	2 Gold	2	C5AZ 5310-AA
65	A(54B, E)	8	289	1800	x		x		x		M		N	1 Yellow	2	★C5AZ 5310-C
65	A(54E)	8	289		x							P	N		2	r/b C6AZ 5310-C
65	A(54B, E)	8	289	1875			x		x			P	N	1 Pink	2	★C5AZ 5310-D
65	A(54B)	8	289		x							P	N		2	r/b C6AZ 5310-C
65	A(54B, E)	8	289	1950	x		x		x		M		A	1 Orange	2	★C5AZ 5310-E
65	A(54B, E)	8	289		x							P	A		2	r/b C6AZ 5310-C
65	A(54E)	8	289						x			P	A		2	
65	A(54B, E)	8	289	2030			x					P	A	1 Brown	2	★C5AZ 5310-F
65	A(54B)	8	289						x			P	A		2	r/b C6AZ 5310-C
65	A(54B, E)-H/D	8	289	1760	x						M		N	2 Blue	2	★C5AZ 5310-T
																Not replaced
65	A(54B, E)-H/D	8	289	1845			x		x		M		N	2 Green	2	★C5AZ 5310-Y
65	A(54B, E)-H/D	8	289		x				x			P	N		2	Not replaced
65	A(54B, E)-H/D	8	289	1935			x					P	N	2 Silver	2	★C5AZ 5310-Z
65	A(54B, E)-H/D	8	289		x				x		M		A		2	Not replaced
65	A(54E)-H/D	8	289				x				M		A		2	
65	A(54B)-H/D	8	289	2030			x				M		A	2 Gold	2	C5AZ 5310-AA
65	A(54B, E)-H/D	8	289		x		x		x			P	A		2	
65	A(54B, E)	8	352	1950	x				x		M		N	1 Orange	2	★C5AZ 5310-E
																r/b C6AZ 5310-C
65	A(54B, E)	8	352	2030			x				M		N	1 Brown	2	★C5AZ 5310-F
65	A(54B, E)	8	352		x		x		x			P	N		2	r/b C6AZ 5310-C
65	A(54B, E)	8	352	2116	x		x		x		M		A	1 Green	2	★C5AZ 5310-G
65	A(54B, E)	8	352		x							P	A		2	r/b D2AZ 5310-A
65	A(54E)	8	352						x			P	A		2	
65	A(54B)	8	352	2200					x			P	A	1 Silver	2	★C5MY 5310-A
																Not replaced
65	A(54B, E)-H/D	8	352	1935	x						M		N	2 Silver	2	★C5AZ 5310-Z
																Not replaced
65	A(54B, E)-H/D	8	352	2030			x		x		M		N	2 Gold	2	C5AZ 5310-AA
65	A(54B, E)-H/D	8	352		x		x		x			P	N		2	
65	A(54B, E)-H/D	8	352	2130	x		x		x		M		A	2 Violet	2	★C5AZ 5310-AB
65	A(54B, E)-H/D	8	352		x				x			P	A		2	r/b D2OZ 5310-K
65	A(54B, E)-H/D	8	352	2235			x					P	A	2 Pink	2	★C5AZ 5310-U
																r/b D2OZ 5310-K
65	A(54B, E)	8	390	1950	x	x				x	M		N	1 Orange	2	★C5AZ 5310-E
																r/b C6AZ 5310-C
65	A(54B, E)	8	390	2030			x				M		N	1 Brown	2	★C5AZ 5310-F
65	A(54B, E)	8	390		x	x	x			x		P	N		2	r/b C6AZ 5310-C
65	A(54B, E)	8	390	2116	x	x	x			x	M		A	1 Green	2	★C5AZ 5310-G
65	A(54B, E)	8	390		x							P	A		2	r/b D2AZ 5310-A
65	A(54B, E)	8	390	2200		x	x			x		P	A	1 Silver	2	★C5MY 5310-A
																Not replaced
65	A(54B, E)-H/D	8	390	1935	x						M		N	2 Silver	2	C5AZ 5310-Z
65	A(54B, E)-H/D	8	390	2030		x	x			x	M		N	2 Gold	2	C5AZ 5310-AA
65	A(54B, E)-H/D	8	390		x	x	x			x		P	N		2	
65	A(54B, E)-H/D	8	390	2130	x	x	x			x	M		N	2 Violet	2	★C5AZ 5310-AB
65	A(54E)-H/D	8	390							x		P	A		2	r/b D2OZ 5310-K
65	A(54B, E)-H/D	8	390		x							P	A		2	
65	A(54B)-H/D	8	390	2235						x		P	A	2 Pink	2	★C5AZ 5310-U
65	A(54B, E)-H/D	8	390			x	x					P	A		2	r/b D2OZ 5310-K
65	A(54B, E)-H/D	8	427	2030		x					M		N	2 Gold	2	C5AZ 5310-AA
65	A(57B) ♦	6	240	1760	x				x		M		N	2 Blue	2	★C5AZ 5310-T
																Not replaced

♦ Used with or without Stabilizer ● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	F/M 2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART ● NUMBER
					"A" (FORD) -- BEFORE 11/23/64											
65	A(57B) ♦	6	240	1845			x				M		N	2 Green	2	★C5AZ 5310-Y
65	A(57B) ♦	6	240		x		x		x			P	N		2	Not replaced
65	A(57B) ♦	6	240	1935	x		x		x		M		A	2 Silver	2	★C5AZ 5310-Z
65	A(57B) ♦	6	240		x							P	A		2	Not replaced
65	A(57B) ♦	6	240	2030			x		x			P	A	2 Gold	2	C5AZ 5310-AA
65	A(57B)	8	289	1800	x				x		M		N	1 Yellow	2	★C5AZ 5310-C r/b C6AZ 5310-C
65	A(57B)	8	289	1875			x				M		N	1 Pink	2	★C5AZ 5310-D
65	A(57B)	8	289		x		x		x			P	N		2	r/b C6AZ 5310-C
65	A(57B)	8	289	1950	x		x		x		M		A	1 Orange	2	★C5AZ 5310-E r/b C6AZ 5310-C
65	A(57B)	8	289	2030	x		x		x			P	A	1 Brown	2	★C5AZ 5310-F r/b C6AZ 5310-C
65	A(57B)-H/D	8	289	1845	x		x		x		M		N	2 Green	2	★C5AZ 5310-Y
65	A(57B)-H/D	8	289		x							P	N		2	Not replaced
65	A(57B)-H/D	8	289	1935			x		x			P	N	2 Silver	2	★C5AZ 5310-Z
65	A(57B)-H/D	8	289		x				x		M		A		2	Not replaced
65	A(57B)-H/D	8	289	2030			x				M		A	2 Gold	2	C5AZ 5310-AA
65	A(57B)-H/D	8	289		x		x		x			P	A		2	
65	A(57B)	8	352	1950	x						M		N	1 Orange	2	★C5AZ 5310-E r/b C6AZ 5310-C
65	A(57B)	8	352	2030			x		x		M		N	1 Brown	2	★C5AZ 5310-F
65	A(57B)	8	352		x				x			P	N		2	r/b C6AZ 5310-C
65	A(57B)	8	352	2116			x					P	N	1 Green	2	★C5AZ 5310-G
65	A(57B)	8	352		x				x		M		A		2	r/b D2AZ 5310-A
65	A(57B)	8	352	2200			x				M		A	1 Silver	2	★C5MY 5310-A
65	A(57B)	8	352		x		x		x			P	A		2	Not replaced
65	A(57B)-H/D	8	352	2030	x		x		x		M		N	2 Gold	2	C5AZ 5310-AA
65	A(57B)-H/D	8	352		x				x			P	N		2	
65	A(57B)-H/D	8	352	2130			x					P	N	2 Violet	2	★C5AZ 5310-AB
65	A(57B)-H/D	8	352		x		x		x		M		A		2	r/b D2OZ 5310-K
65	A(57B)-H/D	8	352	2235	x		x		x			P	A	2 Pink	2	★C5AZ 5310-U r/b D2OZ 5310-K
65	A(57B)	8	390	1950	x						M		N	1 Orange	2	★C5AZ 5310-E r/b C6AZ 5310-C
65	A(57B)	8	390	2030		x	x			x	M		N	1 Brown	2	★C5AZ 5310-F
65	A(57B)	8	390		x	x				x		P	N		2	r/b C6AZ 5310-C
65	A(57B)	8	390	2116			x					P	N	1 Green	2	★C5AZ 5310-G
65	A(57B)	8	390		x	x				x	M		A		2	r/b D2AZ 5310-A
65	A(57B)	8	390	2200			x				M		A	1 Silver	2	★C5MY 5310-A
65	A(57B)	8	390		x	x	x			x		P	A		2	Not replaced
65	A(57B)-H/D	8	390	2030	x	x	x			x	M		N	2 Gold	2	C5AZ 5310-AA
65	A(57B)-H/D	8	390		x					x		P	N		2	
65	A(57B)-H/D	8	390	2130		x	x					P	N	2 Violet	2	★C5AZ 5310-AB
65	A(57B)-H/D	8	390		x	x				x	M		A		2	r/b D2OZ 5310-K
65	A(57B)-H/D	8	390	2235			x				M		A	2 Pink	2	★C5AZ 5310-U
65	A(57B)-H/D	8	390		x	x	x			x		P	A		2	r/b D2OZ 5310-K
65	A(57B)-H/D	8	427	2130		x					M		N	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(57F)	8	289	1800					x		M		N	1 Yellow	2	★C5AZ 5310-C r/b C6AZ 5310-C
65	A(57F)	8	289	1875					x			P	N	1 Pink	2	★C5AZ 5310-D r/b C6AZ 5310-C
65	A(57F)	8	289	1950					x		M		A	1 Orange	2	★C5AZ 5310-E r/b C6AZ 5310-C
65	A(57F)	8	289	2030					x			P	A	1 Brown	2	★C5AZ 5310-F r/b C6AZ 5310-C

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued — 1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	F/M 2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART ● NUMBER
					"A" (FORD) -- BEFORE 11/23/64											
65	A(57F)-H/D	8	289	1845					x		M		N	2 Green	2	★C5AZ 5310-Y Not replaced
65	A(57F)-H/D	8	289	1935					x			P	N	2 Silver	2	★C5AZ 5310-Z
65	A(57F)-H/D	8	289						x		M		A		2	Not replaced
65	A(57F)-H/D	8	289	2030					x			P	A	2 Gold	2	C5AZ 5310-AA
65	A(57F)	8	352	2030					x		M	P	N	1 Brown	2	★C5AZ 5310-F r/b C6AZ 5310-C
65	A(57F)	8	352	2116					x		M		A	1 Green	2	★C5AZ 5310-G r/b D2AZ 5310-A
65	A(57F)	8	352	2290					x			P	A	2 Orange	2	★C5AZ 5310-AM r/b C6AZ 5310-G
65	A(57F)-H/D	8	352	2030					x		M	P	N	2 Gold	2	C5AZ 5310-AA
65	A(57F)-H/D	8	352	2130					x		M		A	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(57F)-H/D	8	352	2235					x			P	A	2 Pink	2	★C5AZ 5310-U r/b D2OZ 5310-K
65	A(57F)	8	390	2030						x	M	P	N	1 Brown	2	★C5AZ 5310-F r/b C6AZ 5310-C
65	A(57F)	8	390	2116						x	M		A	1 Green	2	★C5AZ 5310-G r/b D2AZ 5310-A
65	A(57F)	8	390	2200						x		P	A	1 Silver	2	★C5MY 5310-A Not replaced
65	A(57F)-H/D	8	390	2030						x	M	P	N	2 Gold	2	C5AZ 5310-AA
65	A(57F)-H/D	8	390			x					M		N		2	
65	A(57F)-H/D	8	390	2130		x				x	M		A	2 Violet	2	★C5AZ 5310-AB
65	A(57F)-H/D	8	390			x						P	N		2	r/b D2OZ 5310-K
65	A(57F)-H/D	8	390	2235		x				x		P	A	2 Pink	2	★C5AZ 5310-U r/b D2OZ 5310-K
65	A(57F)-H/D	8	427	2130		x					M		N	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(62B, E) ♦	6	240	1760	x		x		x		M		N	2 Blue	2	★C5AZ 5310-T
65	A(62B, E) ♦	6	240		x				x			P	N		2	Not replaced
65	A(62B, E) ♦	6	240	1845			x					P	N	2 Green	2	★C5AZ 5310-Y
65	A(62B, E) ♦	6	240		x				x		M		A		2	Not replaced
65	A(62B, E) ♦	6	240	1935			x				M		A	2 Silver	2	★C5AZ 5310-Z
65	A(62B, E) ♦	6	240		x		x		x			P	A		2	Not replaced
65	A(62E)	8	289	1730	x						M		N	1 Blue	2	★C5AZ 5310-B r/b C6AZ 5310-A
65	A(62B, E)	8	289	1800					x		M		N	1 Yellow	2	★C5AZ 5310-C
65	A(62B)	8	289		x		x				M		N		2	r/b C6AZ 5310-C
65	A(62E)	8	289						x			P	N		2	
65	A(62B, E)	8	289		x							P	N		2	
65	A(62B)	8	289	1875					x			P	N	1 Pink	2	★C5AZ 5310-D
65	A(62B, E)	8	289				x					P	N		2	r/b C6AZ 5310-C
65	A(62B, E)	8	289		x						M		A		2	
65	A(62B, E)	8	289	1950			x		x		M		A	1 Orange	2	★C5AZ 5310-E
65	A(62B, E)	8	289		x				x			P	A		2	r/b C6AZ 5310-C
65	A(62B, E)	8	289	2030			x					P	A	1 Brown	2	★C5AZ 5310-F r/b C6AZ 5310-C
65	A(62B, E)-H/D	8	289	1760	x				x		M		N	2 Blue	2	★C5AZ 5310-T Not replaced
65	A(62B, E)-H/D	8	289	1845			x				M		N	2 Green	2	★C5AZ 5310-Y
65	A(62B, E)-H/D	8	289		x		x		x			P	N		2	Not replaced
65	A(62B, E)-H/D	8	289	1935	x		x		x		M		A	2 Silver	2	C5AZ 5310-Z
65	A(62B, E)-H/D	8	289		x							P	A		2	
65	A(62B, E)-H/D	8	289	2030			x		x			P	A	2 Gold	2	C5AZ 5310-AA
65	A(62B, E)	8	352	1950	x		x		x		M		N	1 Orange	2	★C5AZ 5310-E
65	A(62B, E)	8	352		x							P	N		2	r/b C6AZ 5310-C
65	A(62B, E)	8	352	2030			x		x			P	N	1 Brown	2	★C5AZ 5310-F
65	A(62B)	8	352		x						M		A		2	r/b C6AZ 5310-C

♦ Used with or without Stabilizer
● Recommended to be serviced in pairs only
A - Air Conditioning
M - Manual Steering
N - Less Air Conditioning
P - Power Steering

5310 - continued

1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	FM 2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART ● NUMBER
					"A" (FORD) -- BEFORE 11/23/64											
65	A(62B, E)	8	352	2116			x		x		M		A	1 Green	2	★C5AZ 5310-G
65	A(62B)	8	352		x						M		A		2	r/b D2AZ 5310-A
65	A(62B, E)	8	352		x				x			P	A		2	
65	A(62B, E)-H/D	8	352	1935	x				x		M		N	2 Silver	2	★C5AZ 5310-Z
																Not replaced
65	A(62B, E)-H/D	8	352	2030			x				M		N	2 Gold	2	C5AZ 5310-AA
65	A(62B, E)-H/D	8	352		x		x		x			P	N		2	
65	A(62B, E)-H/D	8	352	2130	x		x		x		M		A	2 Violet	2	★C5AZ 5310-AB
65	A(62B, E)-H/D	8	352		x				x			P	A		2	r/b D2OZ 5310-K
65	A(62B, E)-H/D	8	352	2235			x					P	A	2 Pink	2	★C5AZ 5310-U
																r/b D2OZ 5310-K
65	A(62B, E)	8	390	1950	x	x				x	M		N	1 Orange	2	★C5AZ 5310-E
65	A(62E)	8	390				x				M		N		2	r/b C6AZ 5310-C
65	A(62E)	8	390		x							P	N		2	
65	A(62B)	8	390	2030			x				M		N	1 Brown	2	★C5AZ 5310-F
65	A(62B, E)	8	390			x	x			x		P	N		2	r/b C6AZ 5310-C
65	A(62B)	8	390		x							P	N		2	
65	A(62B, E)	8	390	2116	x	x	x			x	M		A	1 Green	2	★C5AZ 5310-G
65	A(62B, E)	8	390		x	x				x		P	A		2	r/b D2AZ 5310-A
65	A(62B, E)	8	390	2200			x					P	A	1 Silver	2	★C5MY 5310-A
																Not replaced
65	A(62B, E)-H/D	8	390	1935	x	x				x	M		N	2 Silver	2	★C5AZ 5310-Z
																Not replaced
65	A(62B, E)-H/D	8	390	2030			x				M		N	2 Gold	2	C5AZ 5310-AA
65	A(62B, E)-H/D	8	390		x	x	x			x		P	N		2	
65	A(62B, E)-H/D	8	390	2130	x	x	x			x	M		A	2 Violet	2	★C5AZ 5310-AB
65	A(62B, E)-H/D	8	390		x	x				x		P	A		2	r/b D2OZ 5310-K
65	A(62B, E)-H/D	8	390	2235			x					P	A	2 Pink	2	★C5AZ 5310-U
																r/b D2OZ 5310-K
65	A(62B, E)-H/D	8	427	2030		x					M		N	2 Gold	2	C5AZ 5310-AA
65	A(63B) ♦	6	240	1760	x				x		M		N	2 Blue	2	★C5AZ 5310-T
																Not replaced
65	A(63B) ♦	6	240	1845			x				M		N	2 Green	2	★C5AZ 5310-Y
65	A(63B) ♦	6	240		x		x		x			P	N		2	Not replaced
65	A(63B) ♦	6	240	1935	x		x		x		M		A	2 Silver	2	★C5AZ 5310-Z
65	A(63B) ♦	6	240		x				x			P	A		2	Not replaced
65	A(63B) ♦	6	240	2030			x					P	A	2 Gold	2	C5AZ 5310-AA
65	A(63B)	8	289	1800	x						M		N	1 Yellow	2	★C5AZ 5310-C
65	A(63B)	8	289		x		x					P	N		2	r/b C6AZ 5310-C
65	A(63B)	8	289	1875			x				M		N	1 Pink	2	★C5AZ 5310-D
																r/b C6AZ 5310-C
65	A(63B)	8	289	1950	x		x				M		A	1 Orange	2	★C5AZ 5310-E
																r/b C6AZ 5310-C
65	A(63B)	8	289	2030	x		x					P	A	1 Brown	2	★C5AZ 5310-F
																r/b C6AZ 5310-C
65	A(63B)-H/D	8	289	1845	x		x				M		N	2 Green	2	★C5AZ 5310-Y
65	A(63B)-H/D	8	289		x							P	N		2	Not replaced
65	A(63B)-H/D	8	289	1935			x					P	N	2 Silver	2	C5AZ 5310-Z
65	A(63B)-H/D	8	289		x						M		A		2	
65	A(63B)-H/D	8	289	2030			x				M		A	2 Gold	2	C5AZ 5310-AA
65	A(63B)-H/D	8	289		x		x					P	A		2	
65	A(63B)	8	352	1950	x						M		N	1 Orange	2	★C5AZ 5310-E
																r/b C6AZ 5310-C
65	A(63B)	8	352	2030			x				M		N	1 Brown	2	★C5AZ 5310-F
65	A(63B)	8	352		x		x					P	N		2	r/b C6AZ 5310-C
65	A(63B)	8	352	2116	x		x				M		A	1 Green	2	★C5AZ 5310-G
																r/b C6AZ 5310-E

♦ Used with or without Stabilizer ● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued — 1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	TRANSMISSION 4/S	TRANSMISSION O/D	TRANSMISSION FM 2	TRANSMISSION C4	TRANSMISSION C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART ●NUMBER
							"A" (FORD) -- BEFORE 11/23/64									
65	A(63B)	8	352	2200	x		x					P	A	1 Silver	2	★C5MY 5310-A Not replaced
65	A(63B)-H/D	8	352	2030	x		x				M		N	2 Gold	2	C5AZ 5310-AA
65	A(63B)-H/D	8	352		x							P	N		2	
65	A(63B)-H/D	8	352	2130			x					P	N	2 Violet	2	★C5AZ 5310-AB
65	A(63B)-H/D	8	352		x		x				M		A		2	r/b D2OZ 5310-K
65	A(63B)-H/D	8	352		x							P	A		2	
65	A(63B)-H/D	8	352	2235			x					P	A	2 Pink	2	★C5AZ 5310-U r/b D2OZ 5310-K
65	A(63B)	8	390	1950	x						M		N	1 Orange	2	★C5AZ 5310-E r/b C6AZ 5310-C
65	A(63B)	8	390	2030			x				M		N	1 Brown	2	★C5AZ 5310-F
65	A(63B)	8	390		x							P	N		2	r/b C6AZ 5310-C
65	A(63B)	8	390	2116			x					P	N	1 Green	2	★C5AZ 5310-G
65	A(63B)	8	390		x						M		A		2	r/b D2AZ 5310-A
65	A(63B)	8	390	2200			x				M		A	1 Silver	2	★C5MY 5310-A
65	A(63B)	8	390		x		x					P	A		2	Not replaced
65	A(63B)-H/D	8	390	2030	x		x				M		N	2 Gold	2	C5AZ 5310-AA
65	A(63B)-H/D	8	390		x							P	N		2	
65	A(63B)-H/D	8	390	2130			x					P	N	2 Violet	2	★C5AZ 5310-AB
65	A(63B)-H/D	8	390		x		x				M		A		2	r/b D2OZ 5310-K
65	A(63B)-H/D	8	390		x							P	A		2	
65	A(63B)-H/D	8	390	2235			x					P	A	2 Pink	2	★C5AZ 5310-U r/b D2OZ 5310-K
65	A(63B, C, F)	8	289	1800					x		M		N	1 Yellow	2	★C5AZ 5310-C r/b C6AZ 5310-C
65	A(63B, C, F)	8	289	1875					x			P	N	1 Pink	2	★C5AZ 5310-D r/b C6AZ 5310-C
65	A(63B, C, F)	8	289	1950					x		M		A	1 Orange	2	★C5AZ 5310-E r/b C6AZ 5310-C
65	A(63B, C, F)	8	289	2030					x			P	A	1 Brown	2	★C5AZ 5310-F r/b C6AZ 5310-C
65	A(63B, C, F)-H/D	8	289	1845					x		M	P	N	2 Green	2	★C5AZ 5310-Y Not replaced
65	A(63B, C, F)-H/D	8	289	1935					x		M		A	2 Silver	2	★C5AZ 5310-Z Not replaced
65	A(63B, C, F)-H/D	8	289	2030					x			P	A	2 Gold	2	C5AZ 5310-AA
65	A(63F)	8	352	1950					x		M		N	1 Orange	2	★C5AZ 5310-E r/b C6AZ 5310-C
65	A(63B, C)	8	352	2030					x		M		N	1 Brown	2	★C5AZ 5310-F
65	A(63B, C, F)	8	352						x			P	N		2	r/b C6AZ 5310-C
65	A(63B, C, F)	8	352	2116					x		M		A	1 Green	2	★C5AZ 5310-G r/b D2AZ 5310-A
65	A(63B)	8	352	2200					x			P	A	1 Silver	2	★C5MY 5310-A Not replaced
65	A(63C, F)	8	352	2290					x			P	A	2 Orange	2	★C5AZ 5310-AM r/b C6AZ 5310-G
65	A(63B, C, F)-H/D	8	352	2030					x		M	P	N	2 Gold	2	C5AZ 5310-AA
65	A(63B, C, F)-H/D	8	352	2130					x		M		A	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(63B, C, F)-H/D	8	352	2235					x			P	A	2 Pink	2	★C5AZ 5310-U r/b D2OZ 5310-K
65	A(63B, C, F)	8	390	2030		x				x	M	P	N	1 Brown	2	★C5AZ 5310-F r/b C6AZ 5310-C
65	A(63B, C, F)	8	390	2116		x				x	M		A	1 Green	2	★C5AZ 5310-G r/b D2AZ 5310-A
65	A(63B, C, F)	8	390	2200		x						P	A	1 Silver	2	★C5MY 5310-A Not replaced

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued — 1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	F-M/Z	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART • NUMBER
					"A" (FORD) -- BEFORE 11/23/64											
65	A(63B, C, F)	8	390	2290						x		P	A	2 Orange	2	★C5AZ 5310-AM r/b C6AZ 5310-G
65	A(63B, C, F)-H/D	8	390	2030		x				x	M	P	N	2 Gold	2	C5AZ 5310-AA
65	A(63B, C, F)-H/D	8	390	2130		x				x	M		A	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(63B, C, F)-H/D	8	390	2235		x			x			P	A	2 Pink	2	★C5AZ 5310-U r/b D2OZ 5310-K
65	A(63B, C, F)-H/D	8	427	2130		x					M		N	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(71A, B, C)	6	240	1660	x				x		M		N	1 Red	2	★C5AZ 5310-A
65	A(71E)	6	240		x						M		N		2	r/b C6AZ 5310-A
65	A(71E)	6	240	1730					x		M		N	1 Blue	2	★C5AZ 5310-B
65	A(71A, B, C, E)	6	240				x				M		N		2	r/b C6AZ 5310-A
65	A(71A, B, C, E)	6	240		x				x			P	N		2	
65	A(71C)	6	240				x					P	N		2	
65	A(71A, B, E)	6	240	1800			x					P	N	1 Yellow	2	★C5AZ 5310-C
65	A(71A, B, C, E)	6	240		x		x		x		M	P	A		2	r/b C6AZ 5310-C
65	A(71A, B, C, E)-H/D	6	240	1680	x				x		M		N	2 Red	2	★C5AZ 5310-S Not replaced
65	A(71A, B, C, E)-H/D	6	240	1760			x				M		N	2 Blue	2	★C5AZ 5310-T
65	A(71A, B, C, E)-H/D	6	240		x		x		x			P	N		2	Not replaced
65	A(71A, B, C, E)-H/D	6	240	1845	x		x		x		M		A	2 Green	2	★C5AZ 5310-Y
65	A(71A, B, C, E)-H/D	6	240		x							P	A		2	Not replaced
65	A(71B, C)-H/D	6	240						x			P	A		2	
65	A(71A, E)-H/D	6	240	1935					x			P	A	2 Silver	2	★C5AZ 5310-Z
65	A(71A, B, C, E)-H/D	6	240				x					P	A		2	Not replaced
65	A(71A, B, C, E)	8	289	1730	x				x		M		N	1 Blue	2	★C5AZ 5310-B
65	A(71B, C)	8	289				x				M		N		2	r/b C6AZ 5310-A
65	A(71C)	8	289		x							P	N		2	
65	A(71A, E)	8	289	1800			x				M		N	1 Yellow	2	★C5AZ 5310-C
65	A(71A, B, E)	8	289		x		x		x			P	N		2	r/b C6AZ 5310-C
65	A(71C)	8	289				x		x			P	N		2	
65	A(71A, B, C, E)	8	289	1875	x		x		x		M		A	1 Pink	2	★C5AZ 5310-D
65	A(71A, B, C, E)	8	289		x							P	A		2	r/b C6AZ 5310-C
65	A(71A, B, C, E)	8	289	1950			x		x			P	A	1 Orange	2	★C5AZ 5310-E r/b C6AZ 5310-C
65	A(71A, B, C, E)-H/D	8	289	1760	x		x		x		M		N	2 Blue	2	★C5AZ 5310-T
65	A(71A, B, C, E)-H/D	8	289		x							P	N		2	Not replaced
65	A(71A, B, C)-H/D	8	289						x			P	N		2	
65	A(71E)-H/D	8	289	1845					x			P	N	2 Green	2	★C5AZ 5310-Y
65	A(71A, B, C, E)-H/D	8	289				x					P	N		2	Not replaced
65	A(71A, B, C, E)-H/D	8	289		x						M		A		2	
65	A(71A, B, C)-H/D	8	289						x		M		A		2	
65	A(71E)-H/D	8	289	1935					x		M		A	2 Silver	2	★C5AZ 5310-Z
65	A(71A, B, C, E)-H/D	8	289				x				M		A		2	Not replaced
65	A(71A, B, C, E)-H/D	8	289		x		x		x			P	A		2	
65	A(71A, B, C, E)	8	352	1875	x				x		M		N	1 Pink	2	★C5AZ 5310-D r/b C6AZ 5310-C
65	A(71A, B, C, E)	8	352	1950			x				M		N	1 Orange	2	★C5AZ 5310-E
65	A(71A, B, C, E)	8	352		x				x			P	N		2	r/b C6AZ 5310-C
65	A(71A, B, C)	8	352				x					P	N		2	
65	A(71E)	8	352	2030			x					P	N	1 Brown	2	★C5AZ 5310-F
65	A(71A, B, C, E)	8	352		x				x		M		A		2	r/b C6AZ 5310-C
65	A(71A, B, C)	8	352				x				M		A		2	
65	A(71B, C)	8	352		x							P	A		2	

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued

1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	F M 2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART NUMBER •
				"A" (FORD) -- BEFORE 11/23/64												
65	A(71E)	8	352	2116			x				M		A	1 Green	2	★C5AZ 5310-G
65	A(71A, B, C, E)	8	352				x		x			P	A		2	r/b D2AZ 5310-C
65	A(71A, E)	8	352		x							P	A		2	
65	A(71A, B, C, E)-H/D	8	352	2030			x					P	N	2 Gold	2	C5AZ 5310-AA
65	A(71A, B, C, E)-H/D	8	352		x				x		M		A		2	
65	A(71A, B, C, E)-H/D	8	352	2130	x		x		x		M		N	2 Brown	2	★C5AZ 5310-Z
65	A(71A, B, C, E)-H/D	8	352		x				x			P	N		2	Not replaced
65	A(71A, B, C, E)-H/D	8	352	2130			x				M		A	2 Violet	2	★C5AZ 5310-AB
65	A(71A, B, C, E)-H/D	8	352		x		x		x			P	A		2	r/b D2OZ 5310-K
65	A(71A, B, C, E)	8	390	1875	x						M		N	1 Pink	2	★C5AZ 5310-D
65	A(71A, B, C)	8	390						x		M		N		2	r/b C6AZ 5310-C
65	A(71E)	8	390	1950					x		M		N	1 Orange	2	★C5AZ 5310-E
65	A(71A, B, C, E)	8	390				x				M		N		2	r/b C6AZ 5310-C
65	A(71A, B, C, E)	8	390		x				x			P	N		2	
65	A(71B, C)	8	390				x					P	N		2	
65	A(71A, E)	8	390	2030			x					P	N	1 Brown	2	★C5AZ 5310-F
65	A(71A, B, C, E)	8	390		x				x		M		A		2	r/b C6AZ 5310-C
65	A(71B, C)	8	390				x				M		A		2	
65	A(71A, E)	8	390	2116			x				M		A	1 Green	2	★C5AZ 5310-G
65	A(71A, B, C, E)	8	390		x		x		x			P	A		2	r/b D2AZ 5310-A
65	A(71A, B, C, E)-H/D	8	390	2030			x					P	N	2 Gold	2	C5AZ 5310-AA
65	A(71A, B, C, E)-H/D	8	390	1935	x		x			x	M		N	2 Silver	2	C5AZ 5310-Z
65	A(71A, B, C, E)-H/D	8	390		x					x		P	N		2	
65	A(71A, B, C, E)-H/D	8	390		x					x	M		A		2	
65	A(71A, B, C, E)-H/D	8	390	2130			x				M		A	2 Violet	2	★C5AZ 5310-AB
65	A(71A, B, C, E)-H/D	8	390		x		x			x		P	A		2	r/b D2OZ 5310-K
65	A(76A) ♦	6	240	1845	x				x		M	P	N	2 Green	2	★C5AZ 5310-Y
65	A(76A) ♦	6	240				x				M		N		2	Not replaced
65	A(76A) ♦	6	240	1935	x				x		M		A	2 Silver	2	★C5AZ 5310-Z
65	A(76A) ♦	6	240				x					P	N		2	Not replaced
65	A(76A) ♦	6	240	2030	x		x		x			P	A	2 Gold	2	C5AZ 5310-AA
65	A(76A) ♦	6	240				x				M		A		2	
65	A(76A)	8	289	1875	x		x		x		M		N	1 Pink	2	★C5AZ 5310-D
65	A(76A)	8	289		x							P	N		2	r/b C6AZ 5310-C
65	A(76A)	8	289	1950			x		x			P	N	1 Orange	2	C5AZ 5310-E
65	A(76A)	8	289		x						M		A		2	r/b C6AZ 5310-C
65	A(76A)	8	289	2030			x		x		M		A	1 Brown	2	★C5AZ 5310-F
65	A(76A)	8	289		x				x			P	A		2	r/b C6AZ 5310-C
65	A(76A)	8	289	2116			x					P	A	1 Green	2	★C5AZ 5310-G r/b D2AZ 5310-A
65	A(76A)-H/D	8	289	1845	x				x		M		N	2 Green	2	★C5AZ 5310-Y Not replaced
65	A(76A)-H/D	8	289	1935	x		x		x			P	N	2 Silver	2	★C5AZ 5310-Z
65	A(76A)-H/D	8	289				x				M		N		2	Not replaced
65	A(76A)-H/D	8	289	2030	x		x		x		M		A	2 Gold	2	C5AZ 5310-AA
65	A(76A)-H/D	8	289		x				x			P	A		2	
65	A(76A)-H/D	8	289	2130			x					P	A	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(76A)	8	352	2030	x		x		x		M		N	1 Brown	2	★C5AZ 5310-F
65	A(76A)	8	352		x							P	N		2	r/b C6AZ 5310-C
65	A(76A)	8	352	2116			x		x			P	N	1 Green	2	★C5AZ 5310-G
65	A(76A)	8	352		x						M		A		2	r/b D2AZ 5310-A
65	A(76A)	8	352	2290					x		M		A	2 Orange	2	★C5AZ 5310-AM
65	A(76A)	8	352		x				x			P	A		2	r/b C6AZ 5310-G
65	A(76A)-H/D	8	352	2030	x		x		x		M		N	2 Gold	2	C5AZ 5310-AA
65	A(76A)-H/D	8	352	2130	x		x		x			P	N	2 Violet	2	★C5AZ 5310-AB
65	A(76A)-H/D	8	352		x						M		A		2	r/b D2OZ 5310-K
65	A(76A)-H/D	8	352	2235			x		x		M		A	2 Pink	2	★C5AZ 5310-U
65	A(76A)-H/D	8	352		x		x		x			P	A		2	r/b D2OZ 5310-K

• Recommended to be serviced in pairs only ♦ Used with or without Stabilizer

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	F/M/2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART • NUMBER
					"A" (FORD) -- BEFORE 11/23/64											
65	A(76A)	8	390	2030	x	x	x			x	M		N	1 Brown	2	★C5AZ 5310-F
65	A(76A)	8	390		x							P	N		2	r/b C6AZ 5310-C
65	A(76A)	8	390	2116		x	x			x		P	N	1 Green	2	★C5AZ 5310-G
65	A(76A)	8	390		x						M		A		2	r/b D2AZ 5310-A
65	A(76A)	8	390	2290		x	x			x	M		A	2 Orange	2	★C5AZ 5310-AM
65	A(76A)	8	390		x	x	x			x		P	A		2	r/b C6AZ 5310-G
65	A(76A)	8	390				x					P	A		2	
65	A(76A)-H/D	8	390	2030	x	x				x	M		N	2 Gold	2	C5AZ 5310-AA
65	A(76A)-H/D	8	390	2130			x				M		N	2 Violet	2	★C5AZ 5310-AB
65	A(76A)-H/D	8	390		x	x	x			x		P	N		2	r/b D2OZ 5310-K
65	A(76A)-H/D	8	390		x						M		A		2	
65	A(76A)-H/D	8	390	2235		x	x			x	M		A	2 Pink	2	★C5AZ 5310-U
65	A(76A)-H/D	8	390		x	x	x			x		P	A		2	r/b D2OZ 5310-K
65	A(76A)-H/D	8	427	2130		x					M		N	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(76B)	8	289	1875					x		M		N	1 Pink	2	★C5AZ 5310-D r/b C6AZ 5310-C
65	A(76B)	8	289	1950					x			P	N	1 Orange	2	★C5AZ 5310-E r/b C6AZ 5310-C
65	A(76B)	8	289	2030					x		M		A	1 Brown	2	★C5AZ 5310-F r/b C6AZ 5310-C
65	A(76B)	8	289	2116					x			P	A	1 Green	2	★C5AZ 5310-G r/b D2AZ 5310-A
65	A(76B)-H/D	8	289	1935					x		M	P	N	2 Silver	2	★C5AZ 5310-Z Not replaced
65	A(76B)-H/D	8	289	2030					x		M		A	2 Gold	2	C5AZ 5310-AA
65	A(76B)-H/D	8	289	2130					x			P	A	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(76B)	8	352	2030					x		M		N	1 Brown	2	★C5AZ 5310-F r/b C6AZ 5310-C
65	A(76B)	8	352	2116					x			P	N	1 Green	2	★C5AZ 5310-G r/b D2AZ 5310-A
65	A(76B)	8	352	2290					x		M		A	2 Orange	2	★C5AZ 5310-AM r/b C6AZ 5310-G
65	A(76B)	8	352	2380					x			P	A	2 Brown	2	★C5AZ 5310-AN r/b C6AZ 5310-G
65	A(76B)-H/D	8	352	2130					x		M	P	N	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(76B)-H/D	8	352	2235					x		M	P	A	2 Pink	2	★C5AZ 5310-U r/b D2OZ 5310-K
65	A(76B)	8	390	2116		x				x	M	P	N	1 Green	2	★C5AZ 5310-G r/b D2AZ 5310-A
65	A(76B)	8	390	2290		x				x	M		A	2 Orange	2	★C5AZ 5310-AM r/b C6AZ 5310-G
65	A(76B)	8	390	2290		x						P	A	2 Orange	2	★C5AZ 5310-AM r/b C6AZ 5310-G
65	A(76B)	8	390	2380						x		P	A	2 Brown	2	★C5AZ 5310-AN r/b C6AZ 5310-G
65	A(76B)-H/D	8	390	2130		x				x	M	P	N	2 Violet	2	C5AZ 5310-AB r/b D2OZ 5310-K
65	A(76B)-H/D	8	390	2235		x				x	M	P	A	2 Pink	2	★C5AZ 5310-U r/b D2OZ 5310-K
65	A(76B)-H/D	8	427	2130		x					M		N	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued **1965 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	TRANSMISSION 4/S	TRANSMISSION O/D	TRANSMISSION FM 2	TRANSMISSION C4	TRANSMISSION C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART • NUMBER
					"A" (FORD) -- FROM 11/23/64											
65	A(54A)	6	240	1875	x		x		x		M		N	1 Pink	2	★C5AZ 5310-D
65	A(54A)	6	240		x							P	N		2	r/b C6AZ 5310-C
65	A(54A)	6	240	1950			x		x			P	N	1 Orange	2	★C5AZ 5310-E
65	A(54A)	6	240		x						M		N		2	r/b C6AZ 5310-C
65	A(54A)	6	240	2030	x		x		x		M		A	1 Brown	2	★C5AZ 5310-F
65	A(54A)	6	240		x				x			P	A		2	r/b C6AZ 5310-C
65	A(54A)	6	240	2116			x					P	A	1 Green	2	★C5AZ 5310-G
																r/b D2AZ 5310-A
65	A(54A)-H/D	6	240	1845					x		M		N	2 Green	2	★C5AZ 5310-Y
																Not replaced
65	A(54A)-H/D	6	240	1935	x		x		x			P	N	2 Silver	2	★C5AZ 5310-Z
65	A(54A)-H/D	6	240				x				M		N		2	Not replaced
65	A(54A)-H/D	6	240	2030	x		x		x		M		A	2 Gold	2	C5AZ 5310-AA
65	A(54A)-H/D	6	240		x				x			P	A		2	
65	A(54A)-H/D	6	240	2130			x					P	A	2 Violet	2	★C5AZ 5310-AB
																r/b D2OZ 5310-K
65	A(54A)	8	289	1875	x		x		x	x	M		N	1 Pink	2	★C5AZ 5310-D
																r/b C6AZ 5310-C
65	A(54A)	8	289	1950	x		x		x	x		P	N	1 Orange	2	★C5AZ 5310-E
65	A(54A)	8	289				x			x	M		N		2	r/b C6AZ 5310-C
65	A(54A)	8	289	2030	x		x		x	x	M		A	1 Brown	2	★C5AZ 5310-F
65	A(54A)	8	289		x				x			P	A		2	r/b C6AZ 5310-C
65	A(54A)	8	289	2116	x		x		x	x		P	A	1 Green	2	★C5AZ 5310-G
																r/b D2AZ 5310-A
65	A(54A)-H/D	8	289	1845	x						M		N	2 Green	2	★C5AZ 5310-Y
																Not replaced
65	A(54A)-H/D	8	289	1935	x		x		x	x	M		N	2 Silver	2	★C5AZ 5310-Z
65	A(54A)-H/D	8	289		x				x			P	N		2	Not replaced
65	A(54A)-H/D	8	289	2030	x		x		x	x	M		A	2 Gold	2	C5AZ 5310-AA
65	A(54A)-H/D	8	289				x			x		P	N		2	
65	A(54A)-H/D	8	289	2130	x		x		x	x		P	A	2 Violet	2	★C5AZ 5310-AB
																r/b D2OZ 5310-K
65	A(54A)	8	352	2030	x						M		N	1 Brown	2	★C5AZ 5310-F
																r/b C6AZ 5310-C
65	A(54A)	8	352	2116	x					x		P	N	1 Green	2	★C5AZ 5310-G
65	A(54A)	8	352							x	M		N		2	r/b D2AZ 5310-A
65	A(54A)	8	352	2200	x					x	M		A	1 Silver	2	★C5MY 5310-A
																Not replaced
65	A(54A)	8	352	2290	x					x		P	A	2 Orange	2	★C5AZ 5310-AM
																r/b C6AZ 5310-G
65	A(54A)-H/D	8	352	2130	x					x	M	P	N	2 Violet	2	★C5AZ 5310-AB
																r/b D2OZ 5310-K
65	A(54A)-H/D	8	352	2235	x					x	M		A	2 Pink	2	★C5AZ 5310-U
65	A(54A)-H/D	8	352		x							P	A		2	r/b D2OZ 5310-K
65	A(54A)-H/D	8	352	2345						x		P	A	2 Yellow	2	★C5AZ 5310-W
																r/b D2OZ 5310-K
65	A(54A)	8	390	2116	x	x	x			x	M		N	1 Green	2	★C5AZ 5310-G
65	A(54A)	8	390		x	x						P	N		2	r/b D2AZ 5310-A
65	A(54A)	8	390	2200	x	x					M		A	1 Silver	2	★C5MY 5310-A
65	A(54A)	8	390				x			x		P	N		2	Not replaced
65	A(54A)	8	390	2290	x	x	x			x		P	A	2 Orange	2	★C5AZ 5310-AM
65	A(54A)	8	390				x			x	M		A		2	r/b C6AZ 5310-G
65	A(54A)-H/D	8	390	2130	x	x	x			x	M		N	2 Violet	2	★C5AZ 5310-AB
65	A(54A)-H/D	8	390		x	x						P	N		2	r/b D2OZ 5310-K
65	A(54A)-H/D	8	390	2235	x	x	x			x	M		A	2 Pink	2	★C5AZ 5310-U
65	A(54A)-H/D	8	390		x							P	A		2	r/b D2OZ 5310-K
65	A(54A)-H/D	8	390				x			x			N		2	
65	A(54A)-H/D	8	390	2345		x	x			x		P	A	2 Yellow	2	★C5AZ 5310-W
																r/b D2OZ 5310-K

• Recommended to be serviced in pairs only
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	F/M/2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART ● NUMBER
					"A" (FORD) -- FROM 11/23/64											
65	A(54A)-H/D	8	427	2130		x					M		N	2 Violet	2	★C5AZ 5310-AB
																r/b D2OZ 5310-K
65	A(54B, E)	6	240	1875	x		x		x		M		N	1 Pink	2	★C5AZ 5310-D
65	A(54B, E)	6	240		x				x			P	N		2	r/b C6AZ 5310-C
65	A(54B, E)	6	240	1950	x				x		M		A	1 Orange	2	★C5AZ 5310-E
65	A(54B, E)	6	240				x					P	N		2	r/b C6AZ 5310-C
65	A(54B, E)	6	240	2030	x		x		x			P	A	1 Brown	2	★C5AZ 5310-F
65	A(54B, E)	6	240				x				M		A		2	r/b C6AZ 5310-C
65	A(54B, E)-H/D	6	240	1845	x				x		M		N	2 Green	2	★C5AZ 5310-Y
65	A(54E)-H/D	6	240				x				M		N		2	Not replaced
65	A(54B, E)-H/D	6	240	1935	x		x		x			P	N	2 Silver	2	★C5AZ 5310-Z
65	A(54B)-H/D	6	240				x				M		N		2	Not replaced
65	A(54B, E)-H/D	6	240	2030	x		x		x		M		A	2 Gold	2	C5AZ 5310-AA
65	A(54B, E)-H/D	6	240		x				x			P	A		2	
65	A(54E)-H/D	6	240				x					P	A		2	
65	A(54B)-H/D	6	240	2130			x					P	A	2 Violet	2	★C5AZ 5310-AB
																r/b D2OZ 5310-K
65	A(54B, E)	8	289	1875	x		x		x	x	M		N	1 Pink	2	★C5AZ 5310-D
																r/b C6AZ 5310-C
65	A(54B, E)	8	289	1950	x		x		x	x		P	N	1 Orange	2	★C5AZ 5310-E
																r/b C6AZ 5310-C
65	A(54B, E)	8	289	2030	x		x		x	x	M		A	1 Brown	2	★C5AZ 5310-F
65	A(54B, E)	8	289		x				x			P	A		2	r/b C6AZ 5310-C
65	A(54B, E)	8	289	2116			x			x		P	A	1 Green	2	★C5AZ 5310-G
																r/b D2AZ 5310-A
65	A(54E)-H/D	8	289	1845	x						M		N	2 Green	2	★C5AZ 5310-Y
																Not replaced
65	A(54B, E)-H/D	8	289	1935			x		x	x	M		N	2 Silver	2	★C5AZ 5310-Z
65	A(54B, E)-H/D	8	289		x		x		x	x		P	N		2	Not replaced
65	A(54B, E)-H/D	8	289	2030	x		x		x	x	M		A	2 Gold	2	C5AZ 5310-AA
65	A(54B, E)-H/D	8	289		x							P	A		2	
65	A(54B, E)-H/D	8	289	2130			x		x	x		P	A	2 Violet	2	★C5AZ 5310-AB
																r/b D2OZ 5310-K
65	A(54B, E)	8	352	2030	x						M		N	1 Brown	2	★C5AZ 5310-F
																r/b C6AZ 5310-C
65	A(54B, E)	8	352	2116	x					x		P	N	1 Green	2	★C5AZ 5310-G
65	A(54B, E)	8	352							x	M		N		2	r/b D2AZ 5310-A
65	A(54B, E)	8	352	2200	x					x	M		A	1 Silver	2	★C5MY 5310-A
65	A(54B, E)	8	352		x							P	A		2	Not replaced
65	A(54B, E)	8	352	2290						x		P	A	2 Orange	2	★C5AZ 5310-AM
																r/b C6AZ 5310-G
65	A(54B, E)-H/D	8	352	2030	x						M		N	2 Gold	2	C5AZ 5310-AA
65	A(54B, E)-H/D	8	352	2130	x					x		P	N	2 Violet	2	★C5AZ 5310-AB
65	A(54B, E)-H/D	8	352							x	M		N		2	r/b D2OZ 5310-K
65	A(54B, E)-H/D	8	352	2235	x					x	M		A	2 Pink	2	★C5AZ 5310-U
65	A(54B, E)-H/D	8	352		x							P	A		2	r/b D2OZ 5310-K
65	A(54E)-H/D	8	352							x		P	A		2	
65	A(54B)-H/D	8	352	2345						x		P	A	2 Yellow	2	★C5AZ 5310-W
																r/b D2OZ 5310-K
65	A(54B, E)	8	390	2030	x						M		N	1 Brown	2	★C5AZ 5310-F
																r/b C6AZ 5310-C
65	A(54B, E)	8	390	2116	x	x	x			x		P	N	1 Green	2	★C5AZ 5310-G
65	A(54B, E)	8	390			x	x			x	M		N		2	r/b D2AZ 5310-A
65	A(54B, E)	8	390	2200	x	x	x			x	M		A	1 Silver	2	★C5MY 5310-A
65	A(54E)	8	390		x							P	A		2	Not replaced
65	A(54B)	8	390	2290	x							P	A	2 Orange	2	★C5AZ 5310-AM
65	A(54B, E)	8	390			x				x		P	A		2	r/b C6AZ 5310-G

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued

1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	FM 2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART ● NUMBER
					"A" (FORD) -- FROM 11/23/64											
65	A(54E)-H/D	8	390	2030	x						M		N	2 Gold	2	C5AZ 5310-AA
65	A(54B)-H/D	8	390	2130	x						M		N	2 Violet	2	★C5AZ 5310-AB
65	A(54B, E)-H/D	8	390		x	x	x			x		P	N		2	r/b D2OZ 5310-K
65	A(54B, E)-H/D	8	390			x	x			x	M		N		2	
65	A(54B, E)-H/D	8	390	2235	x	x	x			x	M		A	2 Pink	2	★C5AZ 5310-U
65	A(54B, E)-H/D	8	390		x							P	A		2	r/b D2OZ 5310-K
65	A(54E)-H/D	8	390			x						P	A		2	
65	A(54B)-H/D	8	390	2345		x						P	A	2 Yellow	2	★C5AZ 5310-W
65	A(54B, E)-H/D	8	390				x			x		P	A		2	r/b D2OZ 5310-K
65	A(54B, E)-H/D	8	427	2130		x					M		N	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(57B)	6	240	1875	x		x		x		M		N	1 Pink	2	★C5AZ 5310-D r/b C6AZ 5310-C
65	A(57B)	6	240	1950	x		x		x			P	N	1 Orange	2	★C5AZ 5310-E r/b C6AZ 5310-C
65	A(57B)	6	240	2030	x		x		x		M		A	1 Brown	2	★C5AZ 5310-F
65	A(57B)	6	240		x				x			P	A		2	r/b C6AZ 5310-C
65	A(57B)	6	240	2116			x					P	A	1 Green	2	★C5AZ 5310-G r/b D2AZ 5310-A
65	A(57B)-H/D	6	240	1845	x						M		N	2 Green	2	★C5AZ 5310-Y Not replaced
65	A(57B)-H/D	6	240	1935			x		x		M		N	2 Silver	2	★C5AZ 5310-Z
65	A(57B)-H/D	6	240		x		x		x			P	N		2	Not replaced
65	A(57B)-H/D	6	240	2030	x		x		x		M		A	2 Gold	2	C5AZ 5310-AA
65	A(57B)-H/D	6	240		x							P	A		2	
65	A(57B)-H/D	6	240	2130			x		x			P	A	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(57B)	8	289	1875	x				x		M		N	1 Pink	2	★C5AZ 5310-D r/b C6AZ 5310-C
65	A(57B)	8	289	1950	x				x			P	N	1 Orange	2	★C5AZ 5310-E
65	A(57B)	8	289				x			x	M		N		2	r/b C6AZ 5310-C
65	A(57B)	8	289	2030	x				x		M		A	1 Brown	2	★C5AZ 5310-F
65	A(57B)	8	289				x			x		P	N		2	r/b C6AZ 5310-C
65	A(57B)	8	289	2116	x		x		x	x		P	A	1 Green	2	★C5AZ 5310-G
65	A(57B)	8	289				x			x	M		A		2	r/b D2AZ 5310-A
65	A(57B)-H/D	8	289	1935	x		x		x	x	M		N	2 Silver	2	★C5AZ 5310-Z
65	A(57B)-H/D	8	289		x				x			P	N		2	Not replaced
65	A(57B)-H/D	8	289	2030	x				x		M		A	2 Gold	2	C5AZ 5310-AA
65	A(57B)-H/D	8	289				x			x		P	N		2	
65	A(57B)-H/D	8	289	2130	x		x		x	x		P	A	2 Violet	2	★C5AZ 5310-AB
65	A(57B)-H/D	8	289				x			x	M		A		2	r/b D2OZ 5310-K
65	A(57B)	8	352	2116	x					x	M		N	1 Green	2	★C5AZ 5310-G
65	A(57B)	8	352		x							P	N		2	r/b D2AZ 5310-A
65	A(57B)	8	352	2200	x						M		A	1 Silver	2	★C5MY 5310-A
65	A(57B)	8	352						x		P	N			2	Not replaced
65	A(57B)	8	352	2290	x					x		P	A	2 Orange	2	★C5AZ 5310-AM
65	A(57B)	8	352							x	M		A		2	r/b C6AZ 5310-G
65	A(57B)-H/D	8	352	2130	x						M	P	N	2 Violet	2	★C5AZ 5310-AB
65	A(57B)-H/D	8	352							x	M		N		2	r/b D2OZ 5310-K
65	A(57B)-H/D	8	352	2235	x					x	M		A	2 Pink	2	★C5AZ 5310-U
65	A(57B)-H/D	8	352							x		P	N		2	r/b D2OZ 5310-K
65	A(57B)-H/D	8	352		x							P	A		2	
65	A(57B)-H/D	8	352	2345						x		P	A	2 Yellow	2	★C5AZ 5310-W r/b D2OZ 5310-K

● Recommended to be serviced in pairs only
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued — 1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	F/M/2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART ● NUMBER
					"A" (FORD) -- FROM 11/23/64											
65	A(57B)	8	390	2116	x	x	x			x	M		N	1 Green	2	★C5AZ 5310-G
65	A(57B)	8	390		x							P	N		2	r/b D2AZ 5310-A
65	A(57B)	8	390	2200	x						M		A	1 Silver	2	★C5MY 5310-A
65	A(57B)	8	390			x	x			x		P	N		2	Not replaced
65	A(57B)	8	390	2290	x	x	x			x		P	A	2 Orange	2	★C5AZ 5310-AM
65	A(57B)	8	390			x	x			x	M		A		2	r/b C6AZ 5310-G
65	A(57B)-H/D	8	390	2130	x	x	x			x	M		N	2 Violet	2	★C5AZ 5310-AB
65	A(57B)-H/D	8	390		x							P	N		2	r/b D2OZ 5310-K
65	A(57B)-H/D	8	390	2235	x	x	x			x	M		A	2 Pink	2	★C5AZ 5310-U
65	A(57B)-H/D	8	390			x	x			x		P	N		2	r/b D2OZ 5310-K
65	A(57B)-H/D	8	390	2345	x	x	x			x		P	A	2 Yellow	2	★C5AZ 5310-W
																r/b D2OZ 5310-K
65	A(57F)	8	289	2030					x	x		P	N	1 Brown	2	★C5AZ 5310-F
65	A(57F)	8	289							x	M		N		2	r/b C6AZ 5310-C
65	A(57F)	8	289	2116					x	x	M		A	1 Green	2	★C5AZ 5310-G
65	A(57F)	8	289						x			P	A		2	r/b D2AZ 5310-A
65	A(57F)	8	289	2200						x		P	A	1 Silver	2	★C5MY 5310-A
																Not replaced
65	A(57F)-H/D	8	289	2030					x	x		P	N	2 Gold	2	C5AZ 5310-AA
65	A(57F)-H/D	8	289							x	M		N		2	
65	A(57F)-H/D	8	289	2130					x	x	M		A	2 Violet	2	★C5AZ 5310-AB
65	A(57F)-H/D	8	289						x			P	A		2	r/b D2OZ 5310-K
65	A(57F)-H/D	8	289	2235						x		P	A	2 Pink	2	★C5AZ 5310-U
																r/b D2OZ 5310-K
65	A(57F)	8	352	2200						x	M	P	N	1 Silver	2	★C5MY 5310-A
																Not replaced
65	A(57F)	8	352	2290						x	M		A	2 Orange	2	★C5AZ 5310-AM
																r/b C6AZ 5310-G
65	A(57F)	8	352	2380						x		P	A	2 Brown	2	★C5AZ 5310-AN
																r/b C6AZ 5310-G
65	A(57F)-H/D	8	352	2235						x	M	P	N	2 Pink	2	★C5AZ 5310-U
																r/b D2OZ 5310-K
65	A(57F)-H/D	8	352	2345						x	M	P	A	2 Yellow	2	★C5AZ 5310-W
																r/b D2OZ 5310-K
65	A(57F)	8	390	2200		x				x	M	P	N	1 Silver	2	★C5MY 5310-A
																Not replaced
65	A(57F)	8	390	2290		x				x	M		A	2 Orange	2	★C5AZ 5310-AM
																r/b C6AZ 5310-G
65	A(57F)	8	390	2380		x				x		P	A	2 Brown	2	★C5AZ 5310-AN
																r/b C6AZ 5310-G
65	A(57F)-H/D	8	390	2235		x				x	M	P	N	2 Pink	2	★C5AZ 5310-U
																r/b D2OZ 5310-K
65	A(57F)-H/D	8	390	2345		x				x	M	P	A	2 Yellow	2	★C5AZ 5310-W
																r/b D2OZ 5310-K
65	A(57F)-H/D	8	427	2130		x					M		N	2 Violet	2	★C5AZ 5310-AB
																r/b D2OZ 5310-K
65	A(57F)-H/D	8	427	2235		x					M		N	2 Pink	2	★C5AZ 5310-U
																r/b D2OZ 5310-K
65	A(62B, E)	6	240	1800	x				x		M		N	1 Yellow	2	★C5AZ 5310-C
																r/b C6AZ 5310-C
65	A(62B, E)	6	240	1875	x		x		x			P	N	1 Pink	2	★C5AZ 5310-D
65	A(62B, E)	6	240				x				M		N		2	r/b C6AZ 5310-C
65	A(62B, E)	6	240	1950	x				x		M		A	1 Orange	2	★C5AZ 5310-E
																r/b C6AZ 5310-C
65	A(62B, E)	6	240	2030	x		x		x			P	A	1 Brown	2	★C5AZ 5310-F
65	A(62B, E)	6	240				x				M		A		2	r/b C6AZ 5310-C

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued — 1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	F/M-2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART ●NUMBER
					"A" (FORD) -- FROM 11/23/64											
65	A(62B, E)-H/D	6	240	1845	x		x		x		M		N	2 Green	2	★C5AZ 5310-Y
65	A(62B, E)-H/D	6	240		x							P	N		2	Not replaced
65	A(62B, E)-H/D	6	240	1935			x		x			P	N	2 Silver	2	★C5AZ 5310-Z
65	A(62B, E)-H/D	6	240		x				x		M		A		2	Not replaced
65	A(62B, E)-H/D	6	240	2030	x		x		x			P	A	2 Gold	2	C5AZ 5310-AA
65	A(62B, E)-H/D	6	240				x				M		A		2	
65	A(62B, E)	8	289	1875	x		x		x	x	M		N	1 Pink	2	★C5AZ 5310-D
65	A(62E)	8	289		x				x			P	N		2	r/b C6AZ 5310-C
65	A(62B)	8	289	1950					x			P	N	1 Orange	2	★C5AZ 5310-E
65	A(62B, E)	8	289		x						M		A		2	r/b C6AZ 5310-C
65	A(62B, E)	8	289				x			x		P	N		2	
65	A(62B, E)	8	289	2030			x		x	x	M		A	1 Brown	2	★C5AZ 5310-F
65	A(62B, E)	8	289		x				x			P	A		2	r/b C6AZ 5310-C
65	A(62B, E)	8	289	2116			x			x		P	A	1 Green	2	★C5AZ 5310-G r/b D2AZ 5310-A
65	A(62B, E)-H/D	8	289	1845	x				x		M		N	2 Green	2	★C5AZ 5310-Y Not replaced
65	A(62B, E)-H/D	8	289	1935	x		x		x	x		P	N	2 Silver	2	★C5AZ 5310-Z
65	A(62B, E)-H/D	8	289				x			x	M		N		2	Not replaced
65	A(62B, E)-H/D	8	289	2030	x		x		x	x	M		A	2 Gold	2	C5AZ 5310-AA
65	A(62B, E)-H/D	8	289		x				x			P	A		2	
65	A(62B, E)-H/D	8	289	2130			x			x		P	A	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(62B, E)	8	352	2030	x					x	M		N	1 Brown	2	★C5AZ 5310-F r/b C6AZ 5310-C
65	A(62B, E)	8	352	2116	x					x		P	N	1 Green	2	★C5AZ 5310-G r/b D2AZ 5310-A
65	A(62B, E)	8	352	2200	x					x	M		A	1 Silver	2	★C5MY 5310-A
65	A(62B, E)	8	352		x							P	A		2	Not replaced
65	A(62B, E)	8	352	2290						x		P	A	2 Orange	2	★C5AZ 5310-AM r/b C6AZ 5310-G
65	A(62B, E)-H/D	8	352	2030	x						M		N	2 Gold	2	C5AZ 5310-AA
65	A(62B, E)-H/D	8	352	2130	x					x		P	N	2 Violet	2	★C5AZ 5310-AB
65	A(62B, E)-H/D	8	352							x	M		N		2	r/b D2OZ 5310-K
65	A(62B, E)-H/D	8	352		x						M		A		2	
65	A(62B, E)-H/D	8	352	2235	x					x		P	A	2 Pink	2	★C5AZ 5310-U
65	A(62B, E)-H/D	8	352							x	M		A		2	r/b D2OZ 5310-K
65	A(62B, E)	8	390	2030	x	x					M		N	1 Brown	2	★C5AZ 5310-F r/b C6AZ 5310-C
65	A(62B, E)	8	390	2116	x	x	x			x		P	N	1 Green	2	★C5AZ 5310-G
65	A(62B, E)	8	390				x			x	M		N		2	r/b D2AZ 5310-A
65	A(62B, E)	8	390	2200	x	x	x			x	M		A	1 Silver	2	★C5MY 5310-A
65	A(62B, E)	8	390		x							P	A		2	Not replaced
65	A(62B, E)	8	390	2290		x	x			x		P	A	2 Orange	2	★C5AZ 5310-AM r/b C6AZ 5310-G
65	A(62B, E)-H/D	8	390	2030	x						M		N	2 Gold	2	C5AZ 5310-AA
65	A(62B, E)-H/D	8	390	2130	x	x	x			x		P	N	2 Violet	2	★C5AZ 5310-AB
65	A(62B, E)-H/D	8	390			x	x			x	M		N		2	r/b D2OZ 5310-K
65	A(62B, E)-H/D	8	390	2235	x	x	x			x	M	P	A	2 Pink	2	★C5AZ 5310-U r/b D2OZ 5310-K
65	A(62B, E)-H/D	8	427	2130		x					M		N	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(63B)	6	240	1875	x		x		x		M		N	1 Pink	2	★C5AZ 5310-D
65	A(63B)	6	240		x							P	N		2	r/b C6AZ 5310-C
65	A(63B)	6	240	1950			x		x			P	N	1 Orange	2	★C5AZ 5310-E r/b C6AZ 5310-C
65	A(63B)	6	240	2030	x		x		x		M		A	1 Brown	2	★C5AZ 5310-F
65	A(63B)	6	240		x				x			P	A		2	r/b C6AZ 5310-C
65	A(63B)	6	240	2116			x					P	A	1 Green	2	★C5AZ 5310-G r/b D2AZ 5310-A

● Recommended to be serviced in pairs only
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	TRANSMISSION 4/S	TRANSMISSION O/D	TRANSMISSION F/M/2	TRANSMISSION C4	TRANSMISSION C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART • NUMBER
							"A" (FORD) -- FROM 11/23/64									
65	A(63B)-H/D	6	240	1845	x				x		M		N	2 Green	2	★C5AZ 5310-Y
																Not replaced
65	A(63B)-H/D	6	240	1935	x		x		x			P	N	2 Silver	2	★C5AZ 5310-Z
65	A(63B)-H/D	6	240				x				M		N		2	Not replaced
65	A(63B)-H/D	6	240	2030	x		x		x		M		A	2 Gold	2	C5AZ 5310-AA
65	A(63B)-H/D	6	240		x				x			P	A		2	
65	A(63B)-H/D	6	240	2130			x					P	A	2 Violet	2	★C5AZ 5310-AB
																r/b D2OZ 5310-K
65	A(63B)	8	289	1875	x				x		M		N	1 Pink	2	★C5AZ 5310-D
																r/b C6AZ 5310-C
65	A(63B)	8	289	1950	x		x		x	x		P	N	1 Orange	2	★C5AZ 5310-E
65	A(63B)	8	289				x			x	M		N		2	r/b C6AZ 5310-C
65	A(63B)	8	289	2030	x		x		x	x	M		A	1 Brown	2	★C5AZ 5310-F
65	A(63B)	8	289		x							P	A		2	r/b C6AZ 5310-C
65	A(63B)	8	289	2116			x		x	x		P	A	1 Green	2	★C5AZ 5310-G
																r/b D2AZ 5310-A
65	A(63B)-H/D	8	289	1935	x		x		x	x	M		N	2 Silver	2	★C5AZ 5310-Z
65	A(63B)-H/D	8	289		x				x			P	N		2	Not replaced
65	A(63B)-H/D	8	289	2030	x		x		x	x	M		A	2 Gold	2	C5AZ 5310-AA
65	A(63B)-H/D	8	289				x			x		P	N		2	
65	A(63B)-H/D	8	289	2130	x		x		x	x		P	A	2 Violet	2	★C5AZ 5310-AB
																r/b D2OZ 5310-K
65	A(63B)	8	352	2030	x						M		N	1 Brown	2	★C5AZ 5310-F
																r/b C6AZ 5310-C
65	A(63B)	8	352	2116	x					x		P	N	1 Green	2	★C5AZ 5310-G
65	A(63B)	8	352							x	M		N		2	r/b D2AZ 5310-A
65	A(63B)	8	352	2200	x					x	M		A	1 Silver	2	★C5MY 5310-A
																Not replaced
65	A(63B)	8	352	2290	x					x		P	A	2 Orange	2	★C5AZ 5310-AM
																r/b C6AZ 5310-G
65	A(63B)-H/D	8	352	2130	x					x	M		N	2 Violet	2	★C5AZ 5310-AB
65	A(63B)-H/D	8	352		x					x		P	N		2	r/b D2OZ 5310-K
65	A(63B)-H/D	8	352	2235	x					x	M		A	2 Pink	2	★C5AZ 5310-U
65	A(63B)-H/D	8	352		x							P	A		2	r/b D2OZ 5310-K
65	A(63B)-H/D	8	352	2345						x		P	A	2 Yellow	2	★C5AZ 5310-W
																r/b D2OZ 5310-K
65	A(63B)	8	390	2116	x	x	x			x	M		N	1 Green	2	★C5AZ 5310-G
																r/b D2AZ 5310-A
65	A(63B)	8	390	2200	x	x					M		A	1 Silver	2	★C5MY 5310-A
65	A(63B)	8	390				x			x		P	N		2	Not replaced
65	A(63B)	8	390	2290	x	x	x			x		P	A	2 Orange	2	★C5AZ 5310-AM
65	A(63B)	8	390				x			x	M		A		2	r/b C6AZ 5310-G
65	A(63B)-H/D	8	390	2130	x	x	x			x	M	P	N	2 Violet	2	★C5AZ 5310-AB
																r/b D2OZ 5310-K
65	A(63B)-H/D	8	390	2235	x	x	x			x	M		A	2 Pink	2	★C5AZ 5310-U
65	A(63B)-H/D	8	390		x							P	A		2	r/b D2OZ 5310-K
65	A(63B)-H/D	8	390	2345		x	x			x		P	A	2 Yellow	2	★C5AZ 5310-W
																r/b D2OZ 5310-K
65	A(63B)-H/D	8	427	2130		x					M		N	2 Violet	2	★C5AZ 5310-AB
																r/b D2OZ 5310-K
65	A(63C, F)	8	289	1950					x			P	N	1 Orange	2	★C5AZ 5310-E
65	A(63F)	8	289							x	M		N		2	r/b C6AZ 5310-C
65	A(63C, F)	8	289	2030					x		M		A	1 Brown	2	★C5AZ 5310-F
65	A(63F)	8	289							x		P	N		2	r/b C6AZ 5310-C
65	A(63C, F)	8	289	2116					x			P	A	1 Green	2	★C5AZ 5310-G
65	A(63F)	8	289							x	M	P	A		2	r/b D2AZ 5310-A

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued — 1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	F'M 2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART ● NUMBER
					"A" (FORD) -- FROM 11/23/64											
65	A(63C, F)-H/D	8	289	1935					x		M		N	2 Silver	2	★C5AZ 5310-Z
65	A(63F)-H/D	8	289							x	M		N		2	Not replaced
65	A(63C, F)-H/D	8	289	2030					x			P	N	2 Gold	2	C5AZ 5310-AA
65	A(63F)-H/D	8	289						x		M		A		2	
65	A(63F)-H/D	8	289							x		P	N		2	
65	A(63C)-H/D	8	289	2130					x		M		A	2 Violet	2	★C5AZ 5310-AB
65	A(63C, F)-H/D	8	289						x			P	A		2	r/b D2OZ 5310-K
65	A(63F)-H/D	8	289							x	M	P	A		2	
65	A(63C, F)	8	352	2116						x	M		N	1 Green	2	★C5AZ 5310-G r/b D2AZ 5310-A
65	A(63C, F)	8	352	2200						x		P	N	1 Silver	2	★C5MY 5310-A Not replaced
65	A(63C, F)	8	352	2290						x	M	P	A	2 Orange	2	★C5AZ 5310-AM r/b C6AZ 5310-G
65	A(63C, F)-H/D	8	352	2130						x	M		N	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(63C, F)-H/D	8	352	2235						x		P	N	2 Pink	2	★C5AZ 5310-U
65	A(63F)-H/D	8	352							x	M		A		2	r/b D2OZ 5310-K
65	A(63C, F)-H/D	8	352	2345						x		P	A	2 Yellow	2	★C5AZ 5310-W
65	A(63C)-H/D	8	352							x	M		A		2	r/b D2OZ 5310-K
65	A(63C, F)	8	390	2116		x				x	M		N	1 Green	2	★C5AZ 5310-G r/b D2AZ 5310-A
65	A(63C, F)	8	390	2200		x						P	N	1 Silver	2	★C5MY 5310-A
65	A(63C)	8	390							x		P	N		2	Not replaced
65	A(63C, F)	8	390	2290		x				x	M	P	A	2 Orange	2	★C5AZ 5310-AM r/b C6AZ 5310-G
65	A(63C, F)-H/D	8	390	2130		x				x	M		N	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(63C, F)-H/D	8	390	2235		x				x		P	N	2 Pink	2	★C5AZ 5310-U
65	A(63F)-H/D	8	390			x					M		A		2	r/b D2OZ 5310-K
65	A(63C, F)-H/D	8	390	2345		x				x		P	A	2 Yellow	2	★C5AZ 5310-W
65	A(63C, F)-H/D	8	390			x				x	M		A		2	r/b D2OZ 5310-K
65	A(63C)-H/D	8	390			x					M		A		2	
65	A(63C, F)-H/D	8	427	2235		x					M		N	2 Pink	2	★C5AZ 5310-U r/b D2OZ 5310-K
					"A(71)" (FORD) -- FROM 11/23/64 TO 5/7/65											
65	A(71A, B, C, D, E)	6	240	1800	x		x		x		M		N	1 Yellow	2	★C5AZ 5310-C
65	A(71A, E)	6	240		x							P	N		2	r/b C6AZ 5310-C
65	A(71A, B, C, D, E)	6	240	1875	x		x		x			P	N	1 Pink	2	★C5AZ 5310-D
65	A(71A)	6	240		x						M		A		2	r/b C6AZ 5310-C
65	A(71A, B, C, D, E)	6	240	1950			x		x		M		A	1 Orange	2	★C5AZ 5310-E
65	A(71A, B, C, D, E)	6	240		x				x			P	A		2	r/b C6AZ 5310-C
65	A(71B, C, E)	6	240		x						M		A		2	
65	A(71A, B, C, D, E)	6	240	2030			x					P	A	1 Brown	2	★C5AZ 5310-F r/b C6AZ 5310-C
65	A(71A, B, C, D, E)-H/D	6	240	1845	x		x		x		M		N	2 Green	2	★C5AZ 5310-Y
65	A(71A, B, C, D, E)-H/D	6	240		x				x			P	N		2	Not replaced
65	A(71A, E)-H/D	6	240				x					P	N		2	
65	A(71A, B, C, D, E)-H/D	6	240	1935	x		x		x		M		A	2 Silver	2	★C5AZ 5310-Z
65	A(71A, E)-H/D	6	240		x							P	A		2	Not replaced
65	A(71B, C)-H/D	6	240				x					P	N		2	
65	A(71A, B, C, D, E)-H/D	6	240	2030			x		x			P	A	2 Gold	2	C5AZ 5310-AA
65	A(71B, D)-H/D	6	240		x							P	A		2	

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued — 1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	F/M/2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART • NUMBER
					"A(71)" (FORD) -- FROM 11/23/64 TO 5/7/65											
65	A(71A, B, C, D, E)	8	289	1800	x				x		M		N	1 Yellow	2	★C5AZ 5310-C
																r/b C6AZ 5310-C
65	A(71A, B, C, D, E)	8	289	1875	x		x		x	x		P	N	1 Pink	2	★C5AZ 5310-D
65	A(71A, B, C, D, E)	8	289				x			x	M		N		2	r/b C6AZ 5310-C
65	A(71A, B, C, D, E)	8	289	1950	x				x		M		A	1 Orange	2	★C5AZ 5310-E
65	A(71A, E)	8	289				x			x	M		A		2	r/b C6AZ 5310-C
65	A(71A, E)	8	289		x						M		N		2	
65	A(71A, B, C, D, E)	8	289	2030	x		x		x	x		P	A	1 Brown	2	★C5AZ 5310-F
65	A(71B, C, D)	8	289				x			x	M		A		2	r/b C6AZ 5310-C
65	A(71A, B, C, D, E)-H/D	8	289	1845	x		x		x	x	M		N	2 Green	2	★C5AZ 5310-Y
65	A(71A, B, C, D, E)-H/D	8	289		x							P	N		2	Not replaced
65	A(71A, E)-H/D	8	289						x			P	N		2	
65	A(71A, B, C, D, E)-H/D	8	289	1935	x				x		M		A	2 Silver	2	★C5AZ 5310-Z
65	A(71A, B, C, D, E)-H/D	8	289				x			x		P	N		2	Not replaced
65	A(71B, C, D)-H/D	8	289						x			P	N		2	
65	A(71A, B, C, D, E)-H/D	8	289	2030	x		x		x	x		P	A	2 Gold	2	C5AZ 5310-AA
65	A(71A, B, C, D, E)-H/D	8	289				x			x	M		A		2	
65	A(71A, B, C, D, E)	8	352	2030	x							P	N	1 Brown	2	★C5AZ 5310-F
65	A(71A, B, C, D, E)	8	352							x	M		N		2	r/b C6AZ 5310-C
65	A(71B, C, D)	8	352		x						M		N		2	
65	A(71A, B, C, D, E)	8	352	2116	x						M		A	1 Green	2	★C5AZ 5310-G
65	A(71A, B, C, D, E)	8	352							x		P	N		2	r/b D2AZ 5310-A
65	A(71A)	8	352							x	M		A		2	
65	A(71A, B, C, D, E)	8	352	2200	x					x		P	A	1 Silver	2	★C5MY 5310-A
65	A(71B, C, D, E)	8	352							x	M		A		2	Not replaced
65	A(71A, B, C, D, E)-H/D	8	352	2030	x						M		N	2 Gold	2	C5AZ 5310-AA
65	A(71A, B, C, D, E)-H/D	8	352		x					x		P	N		2	
65	A(71A, B, C, D, E)-H/D	8	352	2130	x						M		A	2 Violet	2	★C5AZ 5310-AB
65	A(71A,B,C, D, E)-H/D	8	352							x		P	N		2	r/b D2OZ 5310-K
65	A(71A)-H/D	8	352							x	M		A		2	
65	A(71A, B, C, D, E)-H/D	8	352	2235	x					x		P	A	2 Pink	2	★C5AZ 5310-U
65	A(71B, C, D)-H/D	8	352							x	M		A		2	r/b D2OZ 5310-K
65	A(71A, B, C, D, E)	8	390	2030	x	x					M		N	1 Brown	2	★C5AZ 5310-F
65	A(71A, B, C, D, E)	8	390			x						P	N		2	r/b C6AZ 5310-C
65	A(71A, B, C, D, E)	8	390	2116	x						M		A	1 Green	2	★C5AZ 5310-G
65	A(71A, B, C, D, E)	8	390				x			x		P	N		2	r/b D2AZ 5310-A
65	A(71A, B, C, D, E)	8	390	2200	x		x			x		P	A	1 Silver	2	★C5MY 5310-A
65	A(71A, B, C, D, E)	8	390				x			x	M		A		2	Not replaced
65	A(71A, B, C, D, E)-H/D	8	390	2030	x		x			x	M		N	2 Gold	2	C5AZ 5310-AA
65	A(71A, C, D, E)-H/D	8	390		x							P	N		2	
65	A(71A, B, C, D, E)-H/D	8	390	2130	x						M		A	2 Violet	2	★C5AZ 5310-AB
65	A(71A, B, C, D, E)-H/D	8	390				x			x		P	N		2	r/b D2OZ 5310-K
65	A(71B)-H/D	8	390		x							P	N		2	
65	A(71A, B, C, D, E)-H/D	8	390	2235	x		x			x		P	A	2 Pink	2	★C5AZ 5310-U
65	A(71A, B, C, D, E)-H/D	8	390				x			x	M		A		2	r/b D2OZ 5310-K
					"A(71)" (FORD) -- FROM 5/7/65											
65	A(71A, B, C, D, E)	6	240	1730	x			x		x		M		N	1 Blue	2	★C5AZ 5310-B
65	A(71A, D, E)	6	240		x							P	N		2	r/b C6AZ 5310-A
65	A(71A, D)	6	240							x		P	N		2	

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5310 **1965 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANS 3/S	TRANS 4/S	TRANS O/D	TRANS F M 2	TRANS C4	TRANS C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART • NUMBER
								"A(71)" (FORD) -- FROM 5/7/65								
65	A(71A, B, C, D, E)	6	240	1800			x					P	N	1 Yellow	2	★C5AZ 5310-C
65	A(71B, C)	6	240		x				x			P	N		2	r/b C6AZ 5310-C
65	A(71E)	6	240						x			P	N		2	
65	A(71A, D)	6	240		x						M		A		2	
65	A(71B, C, E)	6	240	1875	x						M		A	1 Pink	2	★C5AZ 5310-D
65	A(71A, B, C, D, E)	6	240				x		x		M		A		2	r/b C6AZ 5310-C
65	A(71A, D, E)	6	240				x		x			P	A		2	
65	A(71B)	6	240						x			P	A		2	
65	A(71A, B, C, D, E)	6	240		x							P	A		2	
65	A(71B, C)	6	240	1950			x					P	A	1 Orange	2	★C5AZ 5310-E
65	A(71C)	6	240						x			P	A		2	r/b C6AZ 5310-C
65	A(71A, D)-H/D	6	240	1680	x				x		M		N	2 Red	2	★C5AZ 5310-S
65	A(71E)-H/D	6	240		x						M		N		2	Not replaced
65	A(71B, C)-H/D	6	240	1760	x				x		M		N	2 Blue	2	★C5AZ 5310-T
65	A(71E)-H/D	6	240						x		M		N		2	Not replaced
65	A(71A,B,C,D,E)-H/D	6	240				x				M		N		2	
65	A(71A,B,C,D,E)-H/D	6	240		x		x		x			P	N		2	
65	A(71A,B,C,D,E)-H/D	6	240	1845	x		x		x		M		A	2 Green	2	★C5AZ 5310-Y
																Not replaced
65	A(71A,B,C,D,E)-H/D	6	240	1935	x		x		x			P	A	2 Silver	2	★C5AZ 5310-Z
																Not replaced
65	A(71A, B, C, D, E)	8	289	1730	x						M		N	1 Blue	2	★C5AZ 5310-B
65	A(71A, D, E)	8	289				x		x		M		N		2	r/b C6AZ 5310-A
65	A(71B)	8	289						x		M		N		2	
65	A(71B)	8	289	1800			x				M		N	1 Yellow	2	★C5AZ 5310-C
65	A(71C)	8	289				x		x		M		N		2	r/b C6AZ 5310-C
65	A(71A, B, C, D, E)	8	289							x	M		N		2	
65	A(71A, B, C, D, E)	8	289		x							P	N		2	
65	A(71A, D, E)	8	289				x		x			P	N		2	
65	A(71B)	8	289						x			P	N		2	
65	A(71A, B, D, E)	8	289							x		P	N		2	
65	A(71B, C)	8	289				x					P	N		2	
65	A(71C)	8	289						x			P	N		2	
65	A(71C)	8	289	1875						x		P	N	1 Pink	2	★C5AZ 5310-D
65	A(71A, B, C, D, E)	8	289		x		x		x		M		A		2	r/b C6AZ 5310-C
65	A(71A, D, E)	8	289							x	M		A		2	
65	A(71B, C)	8	289	1950						x	M		A	1 Orange	2	★C5AZ 5310-E
65	A(71A, B, C, D, E)	8	289				x		x	x		P	A		2	r/b C6AZ 5310-C
65	A(71A,B,C,D,E)-H/D	8	289	1760	x		x		x	x	M		N	2 Blue	2	★C5AZ 5310-T
65	A(71A, D, E)-H/D	8	289		x							P	N		2	Not replaced
65	A(71D)-H/D	8	289						x			P	N		2	
65	A(71A,B,C,D,E)-H/D	8	289	1845			x			x		P	N	2 Green	2	★C5AZ 5310-Y
65	A(71A, B, C, E)-H/D	8	289						x			P	N		2	Not replaced
65	A(71B, C)-H/D	8	289		x							P	N		2	
65	A(71A, D, E)-H/D	8	289		x				x		M		A		2	
65	A(71A,B,C,D,E)-H/D	8	289	1935			x			x	M		A	2 Silver	2	★C5AZ 5310-Z
65	A(71B, C)-H/D	8	289		x				x		M		A		2	Not replaced
65	A(71A,B,C,D,E)-H/D	8	289		x		x		x			P	A		2	
65	A(71A, B, D, E)-H/D	8	289							x		P	A		2	
65	A(71C)-H/D	8	289	2030						x		P	A	2 Gold	2	C5AZ 5310-AA
65	A(71A, D)	8	352	1825					x		M		N	1 Pink	2	★C5AZ 5310-D
																r/b C6AZ 5310-C

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued **1965 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	F/M/2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART ● NUMBER
					"A(71)" (FORD) -- FROM 5/7/65											
65	A(71A, B, C, D, E)	8	352	1950	x						M		N	1 Orange	2	★C5AZ 5310-E
65	A(71B, C, E)	8	352						x		M		N		2	r/b C6AZ 5310-C
65	A(71A, B, C, D, E)	8	352							x	M		N		2	
65	A(71A, B, C, D, E)	8	352						x			P	N		2	
65	A(71D)	8	352							x		P	N		2	
65	A(71A, D, E)	8	352		x							P	N		2	
65	A(71A, B, C, E)	8	352	2030						x		P	N	1 Brown	2	★C5AZ 5310-F
65	A(71B, C)	8	352		x							P	N		2	r/b C6AZ 5310-C
65	A(71A, B, C, D, E)	8	352						x		M		A		2	
65	A(71A, D, E)	8	352		x						M		A		2	
65	A(71D)	8	352							x	M		A		2	
65	A(71A, B, C, E)	8	352	2116						x	M		A	1 Green	2	★C5AZ 5310-G
65	A(71B, C)	8	352		x						M		A		2	r/b D2AZ 5310-A
65	A(71A, B, C, D, E)	8	352		x				x	x		P	A		2	
65	A(71A,B,C,D,E)-H/D	8	352	1935	x				x	x	M		N	2 Silver	2	★C5AZ 5310-Z Not replaced
65	A(71A,B,C,D,E)-H/D	8	352	2030					x		M		A	2 Gold	2	C5AZ 5310-AA
65	A(71A, D, E)-H/D	8	352		x						M		A		2	
65	A(71D)-H/D	8	352							x	M		A		2	
65	A(71A,B,C,D,E)-H/D	8	352		x					x		P	N		2	
65	A(71B, C)-H/D	8	352						x			P	N		2	
65	A(71A,B,C,D,E)-H/D	8	352	2130	x				x	x		P	A	2 Violet	2	★C5AZ 5310-AB
65	A(71A,B,C,E)-H/D	8	352							x	M		A		2	r/b D2OZ 5310-K
65	A(71B, C)-H/D	8	352		x						M		A		2	
65	A(71A, B, C, D, E)	8	390	1950	x		x			x	M		N	1 Orange	2	★C5AZ 5310-E
65	A(71A, D, E)	8	390		x							P	N		2	r/b C6AZ 5310-C
65	A(71A, B, C, D, E)	8	390	2030			x			x		P	N	1 Brown	2	★C5AZ 5310-F
65	A(71B, C)	8	390		x							P	N		2	r/b C6AZ 5310-C
65	A(71A, D, E)	8	390		x						M		A		2	
65	A(71A, B, C, D, E)	8	390	2116			x			x	M		A	1 Green	2	★C5AZ 5310-G
65	A(71B, C)	8	390		x						M		A		2	r/b D2AZ 5310-A
65	A(71A, B, C, D, E)	8	390		x					x		P	A		2	
65	A(71A, B, D, E)	8	390				x					P	A		2	
65	A(71C)	8	390	2200			x					P	A	1 Silver	2	★C5MY 5310-A Not replaced
65	A(71A,B,C,D,E)-H/D	8	390	1935						x	M		N	2 Silver	2	★C5AZ 5310-Z
65	A(71A, B, D, E)-H/D	8	390				x				M		N		2	Not replaced
65	A(71C)-H/D	8	390	2030			x				M		N	2 Gold	2	C5AZ 5310-AA
65	A(71A, D, E)-H/D	8	390		x						M		A		2	
65	A(71A,B,C,D,E)-H/D	8	390		x		x			x		P	N		2	
65	A(71A,B,C,D,E)-H/D	8	390	2130	x		x			x		P	A	2 Violet	2	★C5AZ 5310-AB
65	A(71B, C)-H/D	8	390		x						M		A		2	r/b D2OZ 5310-K
65	A(71A,B,C,D,E)-H/D	8	390				x			x	M		A		2	
					"A" (FORD) -- FROM 11/23/64												
65	A(76A)	6	240	1950	x		x		x		M		N	1 Orange	2	★C5AZ 5310-E
65	A(76A)	6	240		x							P	N		2	r/b C6AZ 5310-C
65	A(76A)	6	240	2030			x		x			P	N	1 Brown	2	★C5AZ 5310-F
65	A(76A)	6	240		x						M		A		2	r/b C6AZ 5310-C
65	A(76A)	6	240	2116			x		x		M		A	1 Green	2	★C5AZ 5310-G
65	A(76A)	6	240		x				x			P	A		2	r/b D2AZ 5310-A
65	A(76A)	6	240	2200			x					P	A	1 Silver	2	★C5MY 5310-A Not replaced
65	A(76A)-H/D	6	240	1935	x				x		M		N	2 Silver	2	★C5AZ 5310-Z Not replaced
65	A(76A)-H/D	6	240	2030	x		x		x			P	N	2 Gold	2	C5AZ 5310-AA
65	A(76A)-H/D	6	240				x				M		N		2	
65	A(76A)-H/D	6	240	2130	x		x		x		M	P	A	2 Silver	2	★C5AZ 5310-AB r/b D2OZ 5310-K

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued **1965 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	F M 2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART ● NUMBER
					"A" (FORD) -- FROM 11/23/64											
65	A(76A)	8	289	1950	x						M		N	1 Orange	2	★C5AZ 5310-E r/b C6AZ 5310-C
65	A(76A)	8	289	2030	x		x		x	x		P	N	1 Brown	2	★C5AZ 5310-F
65	A(76A)	8	289				x			x	M		N		2	r/b C6AZ 5310-C
65	A(76A)	8	289	2116	x		x		x	x	M		A	1 Green	2	★C5AZ 5310-G
65	A(76A)	8	289		x							P	A		2	r/b D2AZ 5310-A
65	A(76A)	8	289	2200			x		x	x		P	A	1 Silver	2	★C5MY 5310-A Not replaced
65	A(76A)-H/D	8	289	1935	x						M		N	2 Silver	2	★C5AZ 5310-Z Not replaced
65	A(76A)-H/D	8	289	2030			x		x	x	M		N	2 Gold	2	C5AZ 5310-AA
65	A(76A)-H/D	8	289		x		x		x	x		P	N		2	
65	A(76A)-H/D	8	289	2130	x		x		x	x	M		A	2 Violet	2	★C5AZ 5310-AB
65	A(76A)-H/D	8	289		x				x			P	A		2	r/b D2OZ 5310-K
65	A(76A)-H/D	8	289	2235			x			x		P	A	2 Pink	2	★C5AZ 5310-U r/b D2OZ 5310-K
65	A(76A)	8	352	2116	x						M		N	1 Green	2	★C5AZ 5310-G r/b D2AZ 5310-A
65	A(76A)	8	352	2200	x					x		P	N	1 Silver	2	★C5MY 5310-A
65	A(76A)	8	352							x	M		N		2	Not replaced
65	A(76A)	8	352	2290	x					x	M		A	2 Orange	2	★C5AZ 5310-AM
65	A(76A)	8	352		x							P	A		2	r/b C6AZ 5310-G
65	A(76A)	8	352	2380						x		P	A	2 Brown	2	★C5AZ 5310-AN r/b C6AZ 5310-G
65	A(76A)-H/D	8	352	2130	x						M		N	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(76A)-H/D	8	352	2235	x					x		P	N	2 Pink	2	★C5AZ 5310-U
65	A(76A)-H/D	8	352							x	M		N		2	r/b D2OZ 5310-K
65	A(76A)-H/D	8	352	2345	x					x	M	P	A	2 Yellow	2	★C5AZ 5310-W r/b D2OZ 5310-K
65	A(76A)	8	390	2116	x						M		N	1 Green	2	★C5AZ 5310-G r/b D2AZ 5310-A
65	A(76A)	8	390	2200	x	x	x			x		P	N	1 Silver	2	★C5MY 5310-A
65	A(76A)	8	390			x	x			x	M		N		2	Not replaced
65	A(76A)	8	390	2290	x	x	x			x	M		A	2 Orange	2	★C5AZ 5310-AM r/b C6AZ 5310-G
65	A(76A)	8	390	2380	x	x	x			x		P	A	2 Brown	2	★C5AZ 5310-AN r/b C6AZ 5310-G
65	A(76A)-H/D	8	390	2130	x						M		N	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(76A)-H/D	8	390	2235	x	x	x			x		P	N	2 Pink	2	★C5AZ 5310-U
65	A(76A)-H/D	8	390			x	x			x	M		N		2	r/b D2OZ 5310-K
65	A(76A)-H/D	8	390	2345	x	x	x			x	M	P	A	2 Yellow	2	★C5AZ 5310-W r/b D2OZ 5310-K
65	A(76A)-H/D	8	427	2235		x					M		N	2 Pink	2	★C5AZ 5310-U r/b D2OZ 5310-K
65	A(76B)	8	289	2030					x		M	P	N	1 Brown	2	★C5AZ 5310-F r/b C6AZ 5310-C
65	A(76B)	8	289	2116					x		M		A	1 Green	2	★C5AZ 5310-G r/b D2AZ 5310-A
65	A(76B)	8	289	2200					x			P	A	1 Silver	2	★C5MY 5310-A Not replaced
65	A(76B)-H/D	8	289	2030					x		M	P	N	2 Gold	2	C5AZ 5310-AA
65	A(76B)-H/D	8	289	2130					x		M		A	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
65	A(76B)-H/D	8	289	2235					x			P	A	2 Pink	2	★C5AZ 5310-U r/b D2OZ 5310-K

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	F/M/2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART • NUMBER
					"A" (FORD) -- FROM 11/23/64											
65	A(76B)	8	352	2200						x	M		N	1 Silver	2	★C5MY 5310-A Not replaced
65	A(76B)	8	352	2290						x		P	N	2 Orange	2	★C5AZ 5310-AM r/b C6AZ 5310-G
65	A(76B)	8	352	2380						x	M	P	A	2 Brown	2	★C5AZ 5310-AN r/b C6AZ 5310-G
65	A(76B)-H/D	8	352	2235						x	M	P	N	2 Pink	2	★C5AZ 5310-U r/b D2OZ 5310-K
65	A(76B)-H/D	8	352	2345						x	M		A	2 Yellow	2	★C5AZ 5310-W r/b D2OZ 5310-K
65	A(76B)-H/D	8	352	2460						x		P	A	1 Blue	2	★C5AZ 5310-AR r/b D2OZ 5310-L
65	A(76B)	8	390	2200		x				x	M		N	1 Silver	2	★C5MY 5310-A Not replaced
65	A(76B)	8	390	2290		x					M		N	2 Orange	2	★C5AZ 5310-AM
65	A(76B)	8	390							x		P	N		2	r/b C6AZ 5310-G
65	A(76B)	8	390	2380		x				x	M	P	A	2 Brown	2	★C5AZ 5310-AN r/b C6AZ 5310-G
65	A(76B)-H/D	8	390	2235		x				x	M		N	2 Pink	2	★C5AZ 5310-U
65	A(76B)-H/D	8	390			x						P	N		2	r/b D2OZ 5310-K
65	A(76B)-H/D	8	390	2345		x				x	M		A	2 Yellow	2	★C5AZ 5310-W r/b D2OZ 5310-K
65	A(76B)-H/D	8	390	2460		x				x		P	A	1 Blue	2	★C5AZ 5310-AR r/b D2OZ 5310-L
65	A(76B)-H/D	8	427	2235		x					M		N	2 Pink	2	★C5AZ 5310-U r/b D2OZ 5310-K
					"B" (FAIRLANE)											
65	B(54, 62)-R.H.	6	200	1585	x					x	M		‡	Silver	1	★C4OZ 5310-A r/b C4OZ 5310-B
65	B(54, 62)-L.H.	6	200	1635	x					x	M		‡	Red	1	C4OZ 5310-B
65	B(54, 62)-R.H.	6	200	1635						x		P	‡	Red	1	C4OZ 5310-B
65	B(54, 62)-L.H.	6	200	1685						x		P	‡	Brown	1	★C4OZ 5310-C r/b C4OZ 5310-B
65	B(54, 62)	8	289	1765	x						M		‡	Silver	2	C3OZ 5310-G
65	B(54, 62)	8	289	1815	x	x	x			x		P	‡	Red or Silver	2	
65	B(54, 62)	8	289			x	x			x	M		‡		2	
65	B(54, 62)-H/D	8	289	1765	x						M		‡	Pink	2	★C3OZ 5310-H r/b C3OZ 5310-K
65	B(54, 62)-H/D	8	289	1815		x	x			x	M		‡	White	2	C3OZ 5310-K
65	B(54, 62)-H/D	8	289	1815	x	x	x			x		P	‡	White	2	C3OZ 5310-K
65	B(54,62)-Special	8	289 4/B			x				x	M	P	‡		2	
65	B(65)-R.H.	6	200	1585	x						M		‡	Silver	1	★C4OZ 5310-A r/b C4OZ 5310-B
65	B(65)-L.H.	6	200	1635	x						M		‡	Red	1	C4OZ 5310-B
65	B(65)-R.H.	6	200	1635						x	M	P	‡	Red	1	C4OZ 5310-B
65	B(65)-L.H.	6	200	1685						x	M	P	‡	Brown	1	★C4OZ 5310-C r/b C4OZ 5310-B
65	B(65)	8	289	1765	x						M		‡	Silver	2	C3OZ 5310-G
65	B(65)	8	289	1815		x	x			x	M		‡	Red or Silver	2	
65	B(65)	8	289	1815	x	x	x			x		P	‡	Red or Silver	2	
65	B(65)-H/D	8	289	1765	x						M		‡	Pink	2	★C3OZ 5310-H r/b C3OZ 5310-K
65	B(65)-H/D	8	289	1815		x	x			x	M		‡	White	2	C3OZ 5310-K
65	B(65)-H/D	8	289	1815	x	x	x			x		P	‡	White	2	C3OZ 5310-K
65	B(65)-Special	8	289 4/B			x				x	M	P	‡		2	

• Recommended to be serviced in pairs only ‡ Used with or without A/cond. - Use C2OZ 5355-A Shim with A/cond.
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5310 - continued **1965 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	F/M/2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART • NUMBER
								"B" (FAIRLANE)								
65	B(71)	6	200	1550	x				x		M		‡	Violet	2	★C3OZ 5310-A Not replaced
65	B(71)	6	200	1610					x			P	‡	Yellow	2	★C2OZ 5310-A Not replaced
65	B(71)-H/D	6	200	1550	x				x		M		‡	2 Yellow	2	★C3OZ 5310-C r/b C4OZ 5310-B
65	B(71)-H/D	6	200	1635					x			P	‡	Red	2	C4OZ 5310-B
65	B(71)	8	289	1660	x						M		‡	Green	2	★C2OZ 5310-B Not replaced
65	B(71)	8	289	1700			x				M		‡	Brown	2	★C3OZ 5310-B
65	B(71)	8	289		x							P	‡		2	r/b C3OZ 5310-G
65	B(71)	8	289	1765					x		M	P	‡	Silver	2	C3OZ 5310-G
65	B(71)	8	289				x					P	‡		2	
65	B(71)-H/D	8	289	1635	x						M		‡	Red	2	C4OZ 5310-B
65	B(71)-H/D	8	289	1700			x				M		‡	2 Green	2	★C3OZ 5310-D
65	B(71)-H/D	8	289		x							P	‡		2	r/b C3OZ 5310-K
65	B(71)-H/D	8	289	1765					x		M	P	‡	Pink	2	★C3OZ 5310-H
65	B(71)-H/D	8	289				x					P	‡		2	r/b C3OZ 5310-K
								"F" (MUSTANG) -- BEFORE 8/20/64								
65	F(65)	6	170	1304	x	x			x		M		N	Pink	2	★C5ZZ 5310-A r/b C5ZZ 5310-B
65	F(65)	6	170	1304	x							P	N	Pink	2	★C5ZZ 5310-A r/b C5ZZ 5310-B
65	F(65)	6	170	1369		x			x			P	N	Green	2	C5ZZ 5310-B
65	F(65)	6	170	1369	x						M		A	Green	2	C5ZZ 5310-B
65	F(65)	6	170	1438	x	x			x			P	A	Violet	2	★C5ZZ 5310-D r/b C5ZZ 5310-C
65	F(65)	6	170	1438		x			x		M		A	Violet	2	★C5ZZ 5310-D r/b C5ZZ 5310-C
65	F(65)	6	200	1279		x					M		N	Pink	2	★C5ZZ 5310-A r/b C5ZZ 5310-B
65	F(65)	8	260	1438	x				x		M		N	Violet	2	★C5ZZ 5310-D r/b C5ZZ 5310-C
65	F(65)	8	260	1438	x							P	N	Violet	2	★C5ZZ 5310-D r/b C5ZZ 5310-C
65	F(65)	8	260	1438	x	x			x		M		N	Red	2	★C5ZZ 5310-F r/b C5ZZ 5310-E
65	F(65)	8	260	1516					x			P	N	Gray	2	C5ZZ 5310-C
65	F(65)	8	260	1516	x				x		M		A	Gray	2	C5ZZ 5310-C
65	F(65)	8	260	1516	x	x			x		M	P	N	Brown	2	C5ZZ 5310-E
65	F(65)	8	260	1516	x	x			x		M	P	A	Brown	2	C5ZZ 5310-E
65	F(65)	8	260	1516	x				x			P	A	Gray	2	*C5ZZ 5310-C
65	F(65)	8	289 4/B	1438		x			x		M		N	Violet	2	★C5ZZ 5310-D r/b C5ZZ 5310-C
65	F(65)	8	289 4/B	1516		x			x			P	N	Gray	2	C5ZZ 5310-C
65	F(65)	8	289 4/B	1516		x			x		M		A	Gray	2	C5ZZ 5310-C
65	F(65)	8	289 4/B	1516		x			x			P	A	Gray	2	*C5ZZ 5310-C
65	F(65) Special	8	289 4/B	1438		x					M		N	Red	2	★C5ZZ 5310-F r/b C5ZZ 5310-E
65	F(65) Special	8	289 4/B	1516		x						P	N	Brown	2	C5ZZ 5310-E
65	F(65) Special	8	289 4/B	1516		x					M		A	Brown	2	C5ZZ 5310-E
65	F(65) Special	8	289 4/B	1516		x						P	A	Brown	2	*C5ZZ 5310-E

• Recommended to be serviced in pairs only ‡ Used with or without A/cond. - Use C2OZ 5355-A Shim with A/cond.
* Used with C4DZ 5355-A Shim A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	F/M/2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART • NUMBER
					"F" (MUSTANG) -- BEFORE 8/20/64											
65	F(76)	6	170	1304	x	x			x		M		N	Pink	2	★C5ZZ 5310-A r/b C5ZZ 5310-B
65	F(76)	6	170	1369	x	x						P	N	Green	2	C5ZZ 5310-B
65	F(76)	6	170	1438	x							P	A	Violet	2	★C5ZZ 5310-D r/b C5ZZ 5310-C
65	F(76)	6	170	1438					x			P	N	Violet	2	★C5ZZ 5310-D r/b C5ZZ 5310-C
65	F(76)	6	170	1438	x	x			x		M		A	Violet	2	★C5ZZ 5310-D r/b C5ZZ 5310-C
65	F(76)	6	170	1516		x			x			P	A	Gray	2	C5ZZ 5310-C
65	F(76)	8	260	1516	x				x		M	P	N	Gray	2	C5ZZ 5310-C
65	F(76)	8	260	1516	x	x			x		M	P	N	Brown	2	C5ZZ 5310-E
65	F(76)	8	260	1516	x	x			x		M	P	A	Brown	2	C5ZZ 5310-E
65	F(76)	8	260	1516	x				x		M	P	A	Gray	2	*C5ZZ 5310-C
65	F(76)	8	289 4/B	1516		x			x		M	P	N	Gray	2	C5ZZ 5310-C
65	F(76) Special	8	289 4/B	1516	x	x					M	P	N	Brown	2	C5ZZ 5310-E
65	F(76)	8	289 4/B	1516		x			x		M	P	A	Gray	2	*C5ZZ 5310-C
65	F(76) Special	8	289 4/B	1491	x	x					M	P	A	Brown	2	*C5ZZ 5310-E
					"F" (MUSTANG) -- FROM 8/20/64 TO 4/1/65											
65	F(63,65)	6	200	1279	x						M		N	Pink	2	★C5ZZ 5310-A
65	F(65)	6	200			x					M		N		2	r/b C5ZZ 5310-B
65	F(63,65)	6	200	1344	x	x			x			P	N	Green	2	C5ZZ 5310-B
65	F(63,65)	6	200		x						M		A		2	
65	F(63)	6	200	1344		x			x		M		N	Green	2	C5ZZ 5310-B
65	F(65)	6	200			x					M		A		2	
65	F65)	6	200						x		M		N		2	
65	F(63,65)	6	200	1413	x	x			x			P	A	Violet	2	★C5ZZ 5310-D r/b C5ZZ 5310-C
65	F(63,65)	6	200	1413					x		M		A	Violet	2	★C5ZZ 5310-D
65	F(63)	6	200			x					M		A		2	r/b C5ZZ 5310-C
65	F(63,65)	8	289	1413	x						M		N	Violet	2	★C5ZZ 5310-D r/b C5ZZ 5310-C
65	F(63,65)	8	289	1490	x							P	N	Gray	2	C5ZZ 5310-C
65	F(63,65)	8	289		x						M		A		2	
65	F(63,65)	8	289			x			x		M	P	N		2	
65	F(63,65)	8	289	1490	x	x			x			P	A	Gray	2	*C5ZZ 5310-C
65	F(63,65)	8	289			x			x		M		A		2	
65	F(63,65) Special	8	289 4/B	1413	x	x					M		N	Red	2	★C5ZZ 5310-F r/b C5ZZ 5310-E
65	F(63,65) Special	8	289 4/B	1491	x	x						P	N	Brown	2	C5ZZ 5310-E
65	F(63,65) Special	8	289 4/B		x	x					M		A		2	
65	F(63,65) Special	8	289 4/B	1491	x	x						P	A	Brown	2	*C5ZZ 5310-E
65	F(76)	6	200	1344	x						M	P	N	Green	2	C5ZZ 5310-B
65	F(76)	6	200			x					M		N		2	
65	F(76)	6	200						x		M		N		2	
65	F(76)	6	200	1490		x						P	A	Gray	2	C5ZZ 5310-C
65	F(76)	6	200						x			P	A		2	
65	F(76)	6	200	1413	x						M	P	A	Violet	2	★C5ZZ 5310-D
65	F(76)	6	200			x						P	N		2	r/b C5ZZ 5310-C
65	F(76)	6	200			x					M		A		2	
65	F(76)	6	200						x			P	N		2	
65	F(76)	6	200						x		M		A		2	

* Used with C4DZ 5355-A Shim
• Recommended to be serviced in pairs only
A - Air Conditioning
M - Manual Steering
N - Less Air Conditioning
P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5310 - continued — 1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANS 3/S	TRANS 4/S	TRANS O/D	TRANS F/M 2	TRANS C4	TRANS C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART ● NUMBER
								"F" (MUSTANG) -- FROM 8/20/64 TO 4/1/65								
65	F(76)	8	289	1490	x	x			x		M		N	Gray	2	C5ZZ 5310-C
65	F(76)	8	289		x							P	N		2	
65	F(76)	8	289	1490	x	x				x	M		A	Gray	2	*C5ZZ 5310-C
65	F(76)	8	289		x	x			x			P	A		2	
65	F(76)	8	289			x			x			P	N		2	
65	F(76) Special	8	289 4/B	1516	x	x					M	P	A	Brown	2	* C5ZZ 5310-E
65	F(76) Special	8	289 4/B	1491	x	x					M	P	N	Brown	2	C5ZZ 5310-E
								"F" (MUSTANG) -- FROM 4/1/65								
65	F(63, 65)	6	200	1279	x	x			x		M		N	Pink	2	★C5ZZ 5310-A r/b C5ZZ 5310-B
65	F(63, 65)	6	200	1344	x	x			x		M	P	A	Green	2	C5ZZ 5310-B
65	F(63, 65)	6	200		x	x			x			P	N		2	
65	F(63, 65)	8	289	1413	x	x			x		M	P	N	Violet	2	★C5ZZ 5310-D r/b C5ZZ 5310-C
65	F(63, 65)	8	289	1491	x	x			x		M	P	A	Gray	2	C5ZZ 5310-C
65	F(63, 65) Special	8	289 4/B	1413	x	x					M		N	Red	2	★C5ZZ 5310-F
65	F(63, 65) GT	8	289 4/B		x	x			x		M	P	N		2	r/b C5ZZ 5310-E
65	F(63, 65) GT	8	289 4/B	1491	x	x			x		M	P	A	Brown	2	C5ZZ 5310-E
65	F(76)	6	200	1279	x						M		N	Pink	2	★C5ZZ 5310-A r/b C5ZZ 5310-B
65	F(76)	6	200	1344		x			x		M	P	N	Green	2	C5ZZ 5310-B
65	F(76)	6	200		x							P	N		2	
65	F(76)	6	200	1413	x	x			x		M	P	A	Violet	2	★C5ZZ 5310-D r/b C5ZZ 5310-C
65	F(76)	8	289	1491	x	x			x		M		N	Gray	2	C5ZZ 5310-C
65	F(76)	8	289		x	x			x		M		A		2	
65	F(76)	8	289	1491		x			x			P	N	Gray	2	*C5ZZ 5310-C
65	F(76)	8	289		x	x			x			P	A		2	
65	F(76) Special	8	289 4/B	1491	x	x					M		N	Brown	2	C5ZZ 5310-E
65	F(76) GT	8	289 4/B	1491	x	x			x					Brown	2	C5ZZ 5310-E
								"S" (THUNDERBIRD)								
65	S	8	390	2360						x		P	A	Silver	2	★C4SZ 5310-D
65	S	8	390							x		P	N		2	r/b C4SZ 5310-E
65	S	8	390	2460						x		P	A	Purple	2	C4SZ 5310-E
65	S-H/D(with trailer hauling pkg.)	8	390	2560						x		P		Blue or Yellow	2	★C4SZ 5310-F
65	S-H/D	8	390							x		P	A		2	r/b C3SZ 5310-C
								"X" (FALCON)								
65	X(54)	6	170	1370	x				x		M	P	N	Tan	2	★C4DZ 5310-A r/b C3DZ 5310-U
65	X(54)	6	170	1383	x				x		M	P	A	Orange	2	★C4DZ 5310-B r/b C3DZ 5310-U
65	X(54)	6	200	1370	x						M	P	N	Tan	2	★C4DZ 5310-A
65	X(54)	6	200						x		M		N		2	r/b C3DZ 5310-U
65	X(54)	6	200	1383	x				x		M	P	A	Orange	2	★C4DZ 5310-B
65	X(54)	6	200						x			P	N		2	r/b C3DZ 5310-U
65	X(54)	8	289 2/B	1460	x				x		M	P	N	Brown	2	C3DZ 5310-AA
65	X(54)	8	289 2/B			x					M		N		2	
65	X(54A)	8	289 2/B			x						P	N		2	
65	X(54)	8	289 2/B	1585	x	x			x		M	P	A	Gray	2	★C3DZ 5310-AB
65	X(54B, D)	8	289 2/B			x						P	N		2	r/b C3DZ 5310-AC

* Used with C4DZ 5355-A Shim ● Recommended to be serviced in pairs only
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	F-M-2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART • NUMBER
								"X" (FALCON)								
65	X(59)	6	170	1196	x				x		M	P	N	Red	2	C3DZ 5310-Y
65	X(59)	6	170	1275	x				x		M	P	A	Yellow	2	C3DZ 5310-Z
65	X(59)	6	200	1196	x				x		M	P	N	Red	2	C3DZ 5310-Y
65	X(59)	6	200	1275	x				x		M	P	A	Yellow	2	C3DZ 5310-Z
65	X(59)	8	289 2/B	1370	x				x		M	P	N	Silver	2	C3DZ 5310-U
65	X(59)	8	289 2/B	1460	x				x		M	P	A	Brown	2	C3DZ 5310-AA
65	X(62)	6	170	1370	x				x		M	P	N	Tan	2	★C4DZ 5310-A r/b C3DZ 5310-U
65	X(62)	6	170	1275	x				x		M	P	A	Orange	2	★C4DZ 5310-B r/b C3DZ 5310-U
65	X(62)	6	200	1370	x				x		M	P	N	Tan	2	★C4DZ 5310-A r/b C3DZ 5310-U
65	X(62)	6	200	1275	x				x		M	P	A	Orange	2	★C4DZ 5310-B r/b C3DZ 5310-U
65	X(62)	8	289 2/B	1460	x	x			x		M	P	N	Brown	2	C3DZ 5310-AA
65	X(62)	8	289 2/B	1585	x	x			x		M	P	A	Gray	2	★C3DZ 5310-AB r/b C3DZ 5310-AC
65	X(63B)	6	170	1370	x						M		N	Tan	2	★C4DZ 5310-A r/b C3DZ 5310-U
65	X(63B)	6	170	1275	x						M	P	A	Orange	2	★C4DZ 5310-B
65	X(63B)	6	170		x				x			P	N		2	r/b C3DZ 5310-U
65	X(63B)	6	170						x		M		A		2	
65	X(63B)	6	170						x		M		N		2	
65	X(63B)	6	170						x			P	A		2	
65	X(63B)	6	200	1370	x						M		N	Tan	2	★C4DZ 5310-A r/b C3DZ 5310-U
65	X(63B)	6	200	1275					x		M		N	Orange	2	★C4DZ 5310-B
65	X(63B)	6	200		x				x			P	N		2	r/b C3DZ 5310-U
65	X(63B)	6	200		x				x		M	P	A		2	
65	X(63B)	8	289 2/B	1460	x				x		M	P	N	Brown	2	C3DZ 5310-AA
65	X(63B)	8	289 2/B			x					M		N		2	
65	X(63B)	8	289 2/B	1585	x	x			x		M	P	A	Gray	2	★C3DZ 5310-AB
65	X(63B)	8	289 2/B			x						P	N		2	r/b C3DZ 5310-AC
65	X(66)	6	170	1196	x						M	P	N	Red	2	C3DZ 5310-Y
65	X(66)	6	170						x		M		N		2	
65	X(66)	6	170	1275	x						M	P	A	Yellow	2	C3DZ 5310-Z
65	X(66)	6	170						x			P	N		2	
65	X(66)	6	170						x		M		A		2	
65	X(66)	6	170	1370					x			P	A	Silver	2	C3DZ 5310-U
65	X(66)	6	200	1196	x						M	P	N	Red	2	C3DZ 5310-Y
65	X(66)	6	200						x		M		N		2	
65	X(66)	6	200	1275	x						M	P	A	Yellow	2	C3DZ 5310-Z
65	X(66)	6	200						x			P	N		2	
65	X(66)	6	200						x		M		A		2	
65	X(66)	6	200	1370					x			P	A	Silver	2	C3DZ 5310-U

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued — 1965 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	F/M/2	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	PART • NUMBER
								"X" (FALCON)								
65	X(66)	8	289	1370	x						M	P	N	Silver	2	C3DZ 5310-U
65	X(66)	8	289			x			x		M		N		2	
65	X(66)	8	289	1460	x						M	P	A	Brown	2	C3DZ 5310-AA
65	X(66)	8	289			x			x			P	N		2	
65	X(66)	8	289			x			x		M		A		2	
65	X(66)	8	289						x			P	A		2	
65	X(66)	8	289	1585		x						P	A	Gray	2	★C3DZ 5310-AB
																r/b C3DZ 5310-AC
65	X(71)	6	170	1196	x						M	P	N	Red	2	C3DZ 5310-Y
65	X(71)	6	170						x		M		N		2	
65	X(71A)	6	170						x			P	N		2	
65	X(71)	6	170	1275	x						M	P	A	Yellow	2	C3DZ 5310-Z
65	X(71B, C)	6	170						x			P	N		2	
65	X(71)	6	170						x		M		A		2	
65	X(71)	6	170	1370					x			P	A	Silver	2	C3DZ 5310-U
65	X(71)	6	200	1196	x						M	P	N	Red	2	C3DZ 5310-Y
65	X(71)	6	200						x		M		N		2	
65	X(71)	6	200	1275	x						M	P	A	Yellow	2	C3DZ 5310-Z
65	X(71)	6	200						x			P	N	Yellow	2	
65	X(71)	6	200						x		M		A	Yellow	2	
65	X(71)	6	200	1370					x			P	A	Silver	2	C3DZ 5310-U
65	X(71)	8	289	1370	x				x		M	P	N	Silver	2	C3DZ 5310-U
65	X(71)	8	289	1460	x				x		M	P	A	Brown	2	C3DZ 5310-AA
65	X(76A)	6	170	1275	x				x		M	P	N	Orange	2	★C4DZ 5310-B
65	X(76A)	6	170		x						M		A		2	r/b C3DZ 5310-U
65	X(76A)	6	170		x				x			P	A		2	
65	X(76A)	6	170						x		M		A		2	
65	X(76A)	6	200	1275	x				x		M	P	N	Orange	2	★C4DZ 5310-B
65	X(76A)	6	200		x				x		M	P	A		2	r/b C3DZ 5310-U
65	X(76A)	8	289	1460	x						M		N	Brown	2	C3DZ 5310-AA
65	X(76A)	8	289	1585	x	x			x			P	N	Gray	2	★C3DZ 5310-AB
65	X(76A)	8	289		x	x			x		M	P	A		2	r/b C3DZ 5310-AC
65	X(76A)	8	289			x			x		M		N		2	
65	X(78)	6	170	1196	x				x		M	P	N	Red	2	C3DZ 5310-Y
65	X(78)	6	170	1275	x				x		M	P	A	Yellow	2	C3DZ 5310-Z
65	X(78)	6	200	1196	x				x		M	P	N	Red	2	C3DZ 5310-Y
65	X(78)	6	200	1275	x						M	P	A	Yellow	2	C3DZ 5310-Z
65	X(78)	6	200						x		M		A		2	
65	X(78)	6	200	1370					x			P	A	Silver	2	C3DZ 5310-U
65	X(78)	8	289	1370	x	x			x		M	P	N	Silver	2	C3DZ 5310-U
65	X(78)	8	289	1460	x	x			x		M	P	A	Brown	2	C3DZ 5310-AA

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 SPRING (FRONT COIL) 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"A" (FORD) -- WITHOUT THERMACTOR - BEFORE 2/14/66											
66	A(54A, B, E)	6	240	1800	x		x		x		M		N	Yellow Green	2	C6AZ 5310-A
66	A(54B)	6	240		x		x		x			P	N		2	
66	A(54E)	6	240		x		x		x			P	N		2	
66	A(54A)	6	240		x		x		x			P	N		2	
66	A(54B)	6	240		x				x		M		A		2	
66	A(54A, E)	6	240	1950	x		x		x		M		A	Yellow Violet	2	C6AZ 5310-C
66	A(54B)	6	240				x				M		A		2	
66	A(54A, B, E)	6	240		x				x			P	A		2	
66	A(54B, E)	6	240				x					P	A		2	
66	A(54A)	6	240	2030			x					P	A	Red Green	2	C6AZ 5310-D
66	A(54A, B, E)-H/D	6	240	1845	x						M		N	Gold Red	2	C6AZ 5310-L
66	A(54A, B, E)-H/D	6	240				x		x		M		N		2	
66	A(54A, B, E)-H/D	6	240		x		x		x			P	N		2	
66	A(54A, B, E)-H/D	6	240	1935	x		x		x		M		A	Gold Violet	2	★C6AZ 5310-M
66	A(54A, B, E)-H/D	6	240		x							P	A		2	r/b C6AZ 5310-N
66	A(54B)-H/D	6	240				x		x			P	A		2	
66	A(54A, E)-H/D	6	240	2030			x		x			P	A	Gold Orange	2	C6AZ 5310-N
66	A(54A, B, E)	8	289	1800	x				x		M		N	Yellow Green	2	C6AZ 5310-A
66	A(54B)	8	289				x			x	M		N		2	
66	A(54A, E)	8	289				x			x	M		N		2	
66	A(54A, B, E)	8	289		x		x		x	x		P	N		2	
66	A(54A, B, E)	8	289	1950	x		x		x		M		A	Yellow Violet	2	C6AZ 5310-C
66	A(54B, E)	8	289							x	M		A		2	
66	A(54B)	8	289		x							P	A		2	
66	A(54A)	8	289	2030						x	M		A	Red Green	2	C6AZ 5310-D
66	A(54A, B, E)	8	289				x		x	x		P	A		2	
66	A(54A, E)	8	289		x							P	A		2	
66	A(54A, B, E)-H/D	8	289	1845	x		x		x	x	M		N	Gold Red	2	C6AZ 5310-L
66	A(54A, B, E)-H/D	8	289		x							P	N		2	
66	A(54B)-H/D	8	289				x		x			P	N		2	
66	A(54E)	8	289						x			P	N		2	
66	A(54A, E)-H/D	8	289	1935			x			x		P	N	Gold Violet	2	★C6AZ 5310-M
66	A(54A)-H/D	8	289						x			P	N		2	r/b C6AZ 5310-N
66	A(54B)-H/D	8	289							x		P	N		2	
66	A(54A, B, E)-H/D	8	289		x				x		M		A		2	
66	A(54B)-H/D	8	289				x			x	M		A		2	
66	A(54E)-H/D	8	289				x				M		A		2	
66	A(54A)-H/D	8	289	2030			x			x	M		A	Gold Orange	2	C6AZ 5310-N
66	A(54E)-H/D	8	289							x	M		A		2	
66	A(54A, B, E)-H/D	8	289		x		x			x		P	A		2	
66	A(54A, B, E)	8	352	2030						x	M		N	Red Green	2	C6AZ 5310-D
66	A(54B)	8	352							x		P	N		2	
66	A(54A, E)	8	352	2116						x		P	N	Red Violet	2	★C6AZ 5310-E
66	A(54B, E)	8	352							x	M		A		2	r/b D2AZ 5310-A
66	A(54A)	8	352	2200						x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(54A, B, E)	8	352							x		P	A		2	r/b D2AZ 5310-A
66	A(54A, B, E)-H/D	8	352	2030						x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(54B)-H/D	8	352							x		P	N		2	
66	A(54A, E)-H/D	8	352	2130						x		P	N	Gold Brown	2	C6AZ 5310-R
66	A(54A, B, E)-H/D	8	352							x	M		A		2	
66	A(54A, B, E)-H/D	8	352	2235						x		P	A	Gold Pink	2	C6AZ 5310-S

● Recommended to be serviced in pairs only
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	TRANSMISSION 4/S	TRANSMISSION O/D	TRANSMISSION C6	TRANSMISSION C4	TRANSMISSION C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	● PART NUMBER
		"A" (FORD) -- WITHOUT THERMACTOR - BEFORE 2/14/66 - continued														
66	A(54A)-H/D	8	390 4/B	2235			x				M		A	Gold Pink	2	C6AZ 5310-S
66	A(54A, B, E)-H/D	8	390 4/B		x	x	x	x		x		P	A		2	
66	A(54A, B, E)-H/D	8	390 4/B	2030	x	x		x		x	M		N	2 Gold	2	⅄C5AZ 5310-AA
66	A(54B, E)-H/D	8	390 4/B		x							P	N		2	
66	A(54B)-H/D	8	390 4/B			x		x		x		P	N		2	
66	A(54A)-H/D	8	390 4/B	2130	x							P	N	2 Violet	2	★⅄C5AZ 5310-AB
66	A(54A, E)-H/D	8	390 4/B			x		x		x		P	N		2	r/b D2OZ 5310-K
66	A(54A, B, E)-H/D	8	390 4/B		x	x		x		x	M		A		2	
66	A(54A, B, E)-H/D	8	390 4/B	2235	x	x		x		x		P	A	2 Pink	2	★⅄C5AZ 5310-U
																r/b D2OZ 5310-K
66	A(54B, E)	8	427	2030		x					M		N	Gold Orange	2	C6AZ 5310-N
66	A(54A)	8	427	2130		x					M		N	Gold Brown	2	C6AZ 5310-R
66	A(54A, B, E)	8	427			x						P	N		2	
66	A(54A, B, E)	8	427	2235		x					M	P	A	Gold Pink	2	C6AZ 5310-S
66	A(54A, B, E)	8	428	2030		x		x			M		N	Red Green	2	C6AZ 5310-D
66	A(54B)	8	428			x		x				P	N		2	
66	A(54A, E)	8	428	2116		x		x				P	N	Red Violet	2	★C6AZ 5310-E
66	A(54B)	8	428			x		x			M		A		2	r/b D2AZ 5310-A
66	A(54E)	8	428			x					M		A		2	
66	A(54A)	8	428	2200		x		x			M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(54E)	8	428					x			M		A		2	r/b D2AZ 5310-A
66	A(54A, B, E)	8	428			x		x				P	A		2	
66	A(54A, B, E)-H/D	8	428	2030		x		x			M		N	Gold Orange	2	C6AZ 5310-N
66	A(54B)-H/D	8	428			x		x				P	N		2	
66	A(54A, E)-H/D	8	428	2130		x		x				P	N	Gold Brown	2	C6AZ 5310-R
66	A(54A, B, E)-H/D	8	428			x		x			M		A		2	
66	A(54A, B, E)-H/D	8	428	2235		x		x				P	N	Gold Pink	2	C6AZ 5310-S
66	A(54A, B, E)-P/I	8	428	2030	x	x	x	x			M		N	Gold Orange	2	C6AZ 5310-N
66	A(54B)-P/I	8	428		x	x		x				P	N		2	
66	A(54E)-P/I	8	428		x							P	N		2	
66	A(54A)-P/I	8	428	2130	x	x	x	x				P	N	Gold Brown	2	C6AZ 5310-R
66	A(54B)-P/I	8	428				x					P	N		2	
66	A(54E)-P/I	8	428			x	x	x				P	N		2	
66	A(54A, B, E)-P/I	8	428		x	x		x			M		A		2	
66	A(54B, E)-P/I	8	428				x				M		A		2	
66	A(54A)-P/I	8	428	2235			x				M		A	Gold Pink	2	C6AZ 5310-S
66	A(54A, B, E)-P/I	8	428		x	x	x	x				P	A		2	
66	A(54A, B, E)-H/D	8	428	2030				x			M		N	2 Gold	2	⅄C5AZ 5310-AA
66	A(54B)-H/D	8	428					x				P	N		2	
66	A(54A, E)-H/D	8	428	2130				x				P	N	2 Violet	2	★⅄C5AZ 5310-AB
66	A(54A, B, E)-H/D	8	428					x			M		A		2	r/b D2OZ 5310-K
66	A(54A, B, E)-H/D	8	428	2235				x				P	A	2 Pink	2	★⅄C5AZ 5310-U
																r/b D2OZ 5310-K
66	A(57B)	6	240	1800	x		x		x		M	P	N	Yellow Green	2	C6AZ 5310-A
66	A(57B)	6	240	1950	x		x		x		M		A	Yellow Violet	2	★C6AZ 5310-C
66	A(57B)	6	240	2030	x		x		x			P	A	Red Green	2	C6AZ 5310-D
66	A(57B)-H/D	6	240	1845	x		x		x		M		N	Gold Red	2	C6AZ 5310-L
66	A(57B)-H/D	6	240		x				x			P	N		2	
66	A(57B)-H/D	6	240	1935			x					P	N	Gold Violet	2	★C6AZ 5310-M
66	A(57B)-H/D	6	240		x		x		x		M		A		2	r/b C6AZ 5310-N
66	A(57B)-H/D	6	240	2030	x		x		x			P	A	Gold Orange	2	C6AZ 5310-N

4 Must be used with high speed ride & handling package for Police use only

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	● PART NUMBER
"A" (FORD) -- WITHOUT THERMACTOR - BEFORE 2/14/66 - continued																
66	A(57B)	8	289	1800	x		x		x	x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(57F)	8	289						x		M		N		2	
66	A(57B)	8	289		x				x			P	N		2	
66	A(57B, F)	8	289	1950			x			x		P	N	Yellow Violet	2	C6AZ 5310-C
66	A(57F)	8	289							x	M		N		2	
66	A(57B)	8	289		x						M		A		2	
66	A(57B, F)	8	289	2030			x		x	x	M		A	Red Green	2	C6AZ 5310-D
66	A(57B)	8	289		x		x		x	x		P	A		2	
66	A(57F)	8	289	2116					x	x		P	A	Red Violet	2	★C6AZ 5310-E
																r/b D2AZ 5310-A
66	A(57B)-H/D	8	289	1845	x		x		x		M		N	Gold Red	2	C6AZ 5310-L
66	A(57B)-H/D	8	289	1935						x	M		N	Gold Violet	2	★C6AZ 5310-M
66	A(57F)-H/D	8	289						x	x	M		N		2	r/b C6AZ 5310-N
66	A(57B)-H/D	8	289		x		x		x	x		P	N		2	
66	A(57F)-H/D	8	289						x			P	N		2	
66	A(57F)-H/D	8	289	2030						x		P	N	Gold Orange	2	C6AZ 5310-N
66	A(57B, F)-H/D	8	289		x		x		x	x	M		A		2	
66	A(57B)-H/D	8	289		x		x		x	x		P	A		2	
66	A(57F)-H/D	8	289	2130					x	x		P	A	Gold Brown	2	C6AZ 5310-R
66	A(57B)	8	352	2030						x	M		N	Red Green	2	C6AZ 5310-D
66	A(57F)	8	352	2116						x	M	P	N	Red Violet	2	★C6AZ 5310-E
66	A(57B)	8	352							x		P	N		2	r/b D2AZ 5310-A
66	A(57B, F)	8	352	2200						x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(57B)	8	352							x		P	A		2	r/b D2AZ 5310-A
66	A(57F)	8	352	2290						x		P	A	Yellow Brown	2	C6AZ 5310-G
66	A(57B)-H/D	8	352	2030						x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(57F)-H/D	8	352	2130						x	M	P	N	Gold Brown	2	C6AZ 5310-R
66	A(57B)-H/D	8	352							x		P	N		2	
66	A(57B, F)-H/D	8	352	2235						x	M	P	A	Gold Pink	2	C6AZ 5310-S
66	A(57B)-H/D	8	352	2030						x	M		N	2 Gold	2	⁂C5AZ 5310-AA
66	A(57B)-H/D	8	352	2130						x		P	N	2 Violet	2	★⁂C5AZ 5310-AB
																r/b D2OZ 5310-K
66	A(57B)-H/D	8	352	2035						x	M	P	A	2 Pink	2	★⁂C5AZ 5310-U
																r/b D2OZ 5310-K
66	A(57B)	8	390 2/B	2030	x			x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(57F)	8	390 2/B	2116				x		x	M	P	N	Red Violet	2	★C6AZ 5310-E
66	A(57B)	8	390 2/B		x			x		x		P	N		2	r/b D2AZ 5310-A
66	A(57B, F)	8	390 2/B	2200	x			x		x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(57B)	8	390 2/B		x			x		x		P	A		2	r/b D2AZ 5310-A
66	A(57F)	8	390 2/B	2290				x		x		P	A	Yellow Brown	2	C6AZ 5310-G
66	A(57B)-H/D	8	390 2/B	2030	x			x		x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(57F)-H/D	8	390 2/B	2130				x		x	M	P	N	Gold Brown	2	C6AZ 5310-R
66	A(57B)-H/D	8	390 2/B		x			x		x		P	N		2	
66	A(57B, F)-H/D	8	390 2/B	2235	x			x		x	M		A	Gold Pink	2	C6AZ 5310-S
66	A(57B)-H/D	8	390 2/B		x			x		x		P	A		2	
66	A(57F)-H/D	8	390 2/B					x				P	A		2	
66	A(57F)-H/D	8	390 2/B	2345						x		P	A	Gold Gray	2	C6AZ 5310-T
66	A(57B)-H/D	8	390 2/B	2030				x		x	M		N	2 Gold	2	⁂C5AZ 5310-AA
66	A(57B)-H/D	8	390 2/B	2130				x		x		P	N	2 Violet	2	⁂C5AZ 5310-AB
																r/b D2OZ 5310-K
66	A(57B)-H/D	8	390 2/B	2235				x		x	M	P	A	2 Pink	2	★⁂C5AZ 5310-U
																r/b D2OZ 5310-K

⁂ Must be used with high speed ride & handling package for Police use only

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	•PART NUMBER
"A" (FORD) -- WITHOUT THERMACTOR - BEFORE 2/14/66 - continued																
65	A(57B)	8	390 4/B	2030	x	x	x	x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(57F)	8	390 4/B	2116		x		x		x	M	P	N	Red Violet	2	★C6AZ 5310-E
66	A(57B)	8	390 4/B		x	x	x	x		x		P	N		2	r/b D2AZ 5310-A
66	A(57B, F)	8	390 4/B		x	x	x	x		x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(57B)	8	390 4/B		x	x		x				P	A		2	r/b D2AZ 5310-A
66	A(57B)	8	390 4/B	2290			x			x		P	A	Yellow Brown	2	C6AZ 5310-G
66	A(57F)	8	390 4/B			x		x		x		P	A		2	
66	A(57B)-H/D	8	390 4/B	2030	x	x	x	x		x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(57F)-H/D	8	390 4/B	2130		x		x		x	M	P	N	Gold Brown	2	C6AZ 5310-R
66	A(57B)-H/D	8	390 4/B		x	x	x	x		x		P	N		2	
66	A(57B, F)-H/D	8	390 4/B	2235	x	x	x	x		x	M		A	Gold Pink	2	C6AZ 5310-S
66	A(57B)-H/D	8	390 4/B		x	x	x	x		x		P	A		2	
66	A(57F)-H/D	8	390 4/B			x		x				P	A		2	
66	A(57F)-H/D	8	390 4/B	2345						x		P	A	Gold Gray	2	C6AZ 5310-T
66	A(57B)-H/D	8	390 4/B	2030	x	x		x		x	M		N	2 Gold	2	⁂C5AZ 5310-AA
66	A(57B)-H/D	8	390 4/B	2130	x	x		x		x		P	N	2 Violet	2	★⁂C5AZ 5310-AB r/b D2OZ 5310-K
66	A(57B)-H/D	8	390 4/B	2235	x	x		x		x	M	P	A	2 Pink	2	★⁂C5AZ 5310-U r/b D2OZ 5310-K
66	A(57B, F)	8	427	2130		x					M		N	Gold Brown	2	C6AZ 5310-R
63	A(57B)	8	427			x						P	N		2	
66	A(57F)	8	427	2235		x						P	N	Gold Pink	2	C6AZ 5310-S
66	A(57B, F)	8	427			x					M		A		2	
66	A(57B, F)	8	427	2345		x						P	A	Gold Gray	2	C6AZ 5310-T
66	A(57B)	8	428	2030		x		x			M		N	Red Green	2	C6AZ 5310-D
66	A(57F)	8	428	2116		x		x			M	P	N	Red Violet	2	★C6AZ 5310-E
66	A(57B)	8	428			x		x				P	N		2	r/b D2AZ 5310-A
66	A(57B, F)	8	428	2200		x		x			M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(57B)	8	428			x		x				P	A		2	r/b D2AZ 5310-A
66	A(57F)	8	428	2290		x		x				P	A	Yellow Brown	2	C6AZ 5310-G
65	A(57B)-H/D	8	428	2030		x		x			M		N	Gold Orange	2	C6AZ 5310-N
66	A(57F)-H/D	8	428	2130		x		x			M	P	N	Gold Brown	2	C6AZ 5310-R
66	A(57B)-H/D	8	428			x		x				P	N		2	
66	A(57B, F)-H/D	8	428	2235		x		x			M		A	Gold Pink	2	C6AZ 5310-S
66	A(57B)-H/D	8	428			x		x				P	A		2	
66	A(57F)-H/D	8	428			x						P	A		2	
66	A(57F)-H/D	8	428	2345				x				P	A	Gold Gray	2	C6AZ 5310-T
66	A(57B)-P/I	8	428	2030	x	x	x	x			M		N	Gold Orange	2	C6AZ 5310-N
66	A(57F)-P/I	8	428	2130		x		x			M	P	N	Gold Brown	2	C6AZ 5310-R
66	A(57B)-P/I	8	428		x	x	x	x				P	N		2	
66	A(57B, F)-P/I	8	428	2235	x	x	x	x			M		A	Gold Pink	2	C6AZ 5310-S
66	A(57B)-P/I	8	428		x	x	x	x				P	A		2	
66	A(57F)-P/I	8	428			x						P	A		2	
66	A(57F)-P/I	8	428	2345				x				P	A	Gold Gray	2	C6AZ 5310-T
66	A(57B)-H/D	8	428	2030				x			M		N	2 Gold	2	⁂C5AZ 5310-AA
66	A(57B)-H/D	8	428	2130				x				P	N	2 Violet	2	★⁂C5AZ 5310-AB r/b D2OZ 5310-K
66	A(57B)-H/D	8	428	2235				x			M	P	A	2 Pink	2	★⁂C5AZ 5310-U r/b D2OZ 5310-K

⁂ Must be used with high speed ride & handling package for Police use only

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

May, 1975 COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	•PART NUMBER
"A" (FORD) -- WITHOUT THERMACTOR - BEFORE 2/14/66 - continued																
66	A(62B)	6	240	1730	x				x		M		N	Red Brown	2	★C6AZ 5310-J
66	A(62E)	6	240		x		x		x		M		N		2	r/b C6AZ 5310-A
66	A(62B)	6	240	1800			x				M		N	Yellow Green	2	C6AZ 5310-A
66	A(62B, E)	6	240		x		x		x			P	N		2	
66	A(62B, E)	6	240		x		x		x		M		A		2	
66	A(62B, E)	6	240	1750	x		x		x			P	A	Yellow Violet	2	C6AZ 5310-C
66	A(62B, E)-H/D	6	240	1845	x		x		x		M	P	N	Gold Red	2	C6AZ 5310-L
66	A(62E)-H/D	6	240		x		x		x			P	N		2	
66	A(62E)-H/D	6	240		x						M		A		2	
66	A(62E)-H/D	6	240	1935			x		x		M		A	Gold Violet	2	★C6AZ 5310-M
66	A(62B)-H/D	6	240		x		x		x		M		A		2	r/b C6AZ 5310-N
66	A(62B, E)-H/D	6	240		x		x		x			P	A		2	
66	A(62B, E)	8	289	1800	x		x		x	x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(62B)	8	289		x		x		x	x		P	N		2	
66	A(62E)	8	289		x		x		x	x		P	N		2	
66	A(62E)	8	289		x						M		A		2	
66	A(62B)	8	289	1950	x		x		x	x	M		A	Yellow Violet	2	C6AZ 5310-C
66	A(62E)	8	289				x		x	x	M		A		2	
66	A(62B, E)	8	289		x		x		x			P	A		2	
66	A(62B, E)	8	289	2030						x		P	A	Red Green	2	C6AZ 5310-D
66	A(62B, E)-H/D	8	289	1845	x				x		M		N	Gold Red	2	C6AZ 5310-L
66	A(62B, E)-H/D	8	289	1845			x			x	M		N	Gold Red	2	C6AZ 5310-L
66	A(62B, E)-H/D	8	289		x		x		x	x		P	N		2	
66	A(62B, E)-H/D	8	289	1935	x		x		x	x	M		A	Gold Violet	2	★C6AZ 5310-M
66	A(62B)-H/D	8	289		x							P	A		2	r/b C6AZ 5310-N
66	A(62E)-H/D	8	289		x				x			P	A		2	
66	A(62B)-H/D	8	289	2030			x		x	x		P	A	Gold Orange	2	C6AZ 5310-N
66	A(62E)-H/D	8	289				x			x		P	A		2	
66	A(62B, E)	8	352	1950						x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(62B, E)	8	352	2030						x		P	N	Red Green	2	C6AZ 5310-D
66	A(62B, E)	8	352	2116						x	M		A	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(62B, E)	8	352	2200						x		P	A	Yellow Orange	2	★C6AZ 5310-F r/b D2AZ 5310-A
66	A(62B, E)-H/D	8	352	2030						x	M	P	N	Gold Orange	2	C6AZ 5310-N
66	A(62B, E)-H/D	8	352	2130						x	M	P	A	Gold Brown	2	C6AZ 5310-R
66	A(62, B, E)-H/D	8	352	2030						x	M	P	N	2 Gold	2	⁂C5AZ 5310-AA
66	A(62, B, E)-H/D	8	352	2130						x	M	P	A	2 Violet	2	★⁂C5AZ 5310-AB r/b D2OZ 5310-K
66	A(62B)	8	390 2/B	1950	x			x			M		N	Yellow Violet	2	C6AZ 5310-C
66	A(62E)	8	390 2/B		x			x		x	M		N		2	
66	A(62B)	8	390 2/B	2030						x	M		N	Red Green	2	C6AZ 5310-D
66	A(62B, E)	8	390 2/B		x			x		x		P	N		2	
66	A(62B, E)	8	390 2/B	2116	x			x		x	M		A	Red Violet	2	★C6AZ 5310-E
66	A(62E)	8	390 2/B		x			x				P	A		2	r/b D2AZ 5310-A
66	A(62B)	8	390 2/B	2200	x			x		x		P	A	Yellow Orange	2	★C6AZ 5310-F
66	A(62E)	8	390 2/B							x		P	A		2	r/b D2AZ 5310-A
66	A(62E)-H/D	8	390 2/B	1935	x						M		N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(62E)-H/D	8	390 2/B	2030				x		x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(62B)-H/D	8	390 2/B		x			x		x	M	P	N		2	
66	A(62E)-H/D	8	390 2/B		x			x		x		P	N		2	

⁂ Must be used with high speed ride & handling package for Police use only

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
					"A" (FORD) --WITHOUT THERMACTOR - BEFORE 2/14/66 - continued											
66	A(62B, E)-H/D	8	390 2/B	2130	x			x		x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(62B)-H/D	8	390 2/B		x			x				P	A		2	
66	A(62E)-H/D	8	390 2/B		x			x		x		P	A		2	
66	A(62B)-H/D	8	390 2/B	2235						x		P	A	Gold Pink	2	C6AZ 5310-S
66	A(62B, E)-H/D	8	390 2/B	2030				x		x	M	P	N	2 Gold	2	⁄C5AZ 5310-AA
66	A(62B, E)-H/D	8	390 2/B	2130				x		x	M		A	2 Violet	2	★⁄C5AZ 5310-AB
66	A(62B, E)-H/D	8	390 2/B					x				P	A		2	r/b D2OZ 5310-K
66	A(62E)-H/D	8	390 2/B							x		P	A		2	
66	A(62B)-H/D	8	390 2/B	2235						x		P	A	2 Pink	2	★⁄C5AZ 5310-U r/b D2OZ 5310-K
66	A(62B)	8	390 4/B	1950	x						M		N	Yellow Violet	2	C6AZ 5310-C
66	A(62E)	8	390 4/B		x	x		x			M		N		2	
66	A(62B)	8	390 4/B	2030		x	x	x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(62E)	8	390 4/B				x			x	M		N		2	
66	A(62B, E)	8	390 4/B		x	x	x	x		x		P	N		2	
66	A(62B, E)	8	390 4/B	2116	x	x	x	x		x	M		A	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(62B, E)	6	390 4/B	2200	x	x	x	x		x		P	A	Yellow Orange	2	★C6AZ 5310-F r/b D2AZ 5310-A
66	A(62B, E)-H/D	8	390 4/B	2030	x	x	x	x		x	M	P	N	Gold Orange	2	C6AZ 5310-N
66	A(62B, E)-H/D	8	390 4/B	2130	x	x	x	x		x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(62B)-H/D	8	390 4/B		x							P	A		2	
66	A(62E)-H/D	8	390 4/B		x	x		x				P	A		2	
66	A(62B)-H/D	8	390 4/B	2235		x	x	x		x		P	A	Gold Pink	2	C6AZ 5310-S
66	A(62E)-H/D	8	390 4/B				x			x		P	A		2	
66	A(62B, E)-H/D	8	390 4/B	2030	x	x		x		x	M	P	N	2 Gold	2	⁄C5AZ 5310-AA
66	A(62B, E)-H/D	8	390 4/B	2130	x	x		x		x	M		A	2 Violet	2	⁄C5AZ 5310-AB
66	A(62B, E)-H/D	8	390 4/B		x							P	A		2	r/b D2OZ 5310-K
66	A(62E)-H/D	8	390 4/B			x		x				P	A		2	
66	A(62B)-H/D	8	390 4/B	2235		x		x				P	A	2 Pink	2	★⁄C5AZ 5310-U
66	A(62B, E)-H/D	8	390 4/B							x		P	A		2	r/b D2OZ 5310-K
66	A(62B, E)	8	427	2030		x					M		N	Gold Orange	2	C6AZ 5310-N
66	A(62B, E)	8	427	2130		x						P	N	Gold Brown	2	C6AZ 5310-R
66	A(62B, E)	8	427			x					M		A		2	
66	A(62B, E)	8	427	2235		x						P	A	Gold Pink	2	C6AZ 5310-S
66	A(62E)	8	428	1950		x		x			M		N	Yellow Violet	2	C6AZ 5310-C
66	A(62B)	8	428	2030		x		x			M	P	N	Red Green	2	C6AZ 5310-D
66	A(62E)	8	428			x		x				P	N		2	
66	A(62B, E)	8	428	2116		x		x			M		A	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(62B, E)	8	428	2200		x		x				P	A	Yellow Orange	2	★C6AZ 5310-F r/b D2AZ 5310-A
66	A(62B, E)-H/D	8	428	2030		x		x			M	P	N	Gold Orange	2	C6AZ 5310-N
66	A(62B, E)-H/D	8	428	2130		x		x			M		A	Gold Brown	2	C6AZ 5310-R
66	A(62E)-H/D	8	428			x		x				P	A		2	
66	A(62B)-H/D	8	428	2235		x		x				P	A	Gold Pink	2	C6AZ 5310-S
66	A(62B, E)-P/I	8	428	2030	x	x	x	x			M	P	N	Gold Orange	2	C6AZ 5310-N
66	A(62B, E)-P/I	8	428	2130	x	x	x	x			M		A	Gold Brown	2	C6AZ 5310-R
66	A(62B)-P/I	8	428		x							P	A		2	
66	A(62E)-P/I	8	428		x	x		x				P	A		2	
66	A(62B)-P/I	8	428	2235		x	x	x				P	A	Gold Pink	2	C6AZ 5310-S
66	A(62E)-P/I	8	428				x					P	A		2	

▲ Must be used with high speed ride & handling package for Police use only

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"A" (FORD) --WITHOUT THERMACTOR - BEFORE 2/14/66 - continued											
66	A(62B, E)-H/D	8	428	2030				x			M	P	N	2 Gold	2	⁂C5AZ 5310-AA
66	A(62B, E)-H/D	8	428	2130				x			M		A	2 Violet	2	⁂C5AZ 5310-AB
66	A(62E)-H/D	8	428					x				P	A		2	r/b D2OZ 5310-K
66	A(62B)-H/D	8	428	2235				x				P	A	2 Pink	2	C5AZ 5310-U r/b D2OZ 5310-K
66	A(63B)	6	240	1800	x		x		x		M		N	Yellow Green	2	C6AZ 5310-A
66	A(63B)	6	240		x				x			P	N		2	
66	A(63B)	6	240	1800			x					P	N	Yellow Green	2	C6AZ 5310-A
66	A(63B)	6	240		x				x		M		A		2	
66	A(63B)	6	240	1950			x				M		A	Yellow Violet	2	C6AZ 5310-C
66	A(63B)	6	240		x		x		x			P	A		2	
66	A(63B)-H/D	6	240	1845	x		x		x		M		N	Gold Red	2	C6AZ 5310-L
66	A(63B)-H/D	6	240	1845	x		x		x			P	N	Gold Red	2	C6AZ 5310-L
66	A(63B)-H/D	6	240	1935	x		x		x		M	P	A	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(63B)	8	289	1800	x		x		x		M		N	Yellow Green	2	C6AZ 5310-A
66	A(63B)	8	289	1800						x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(63C)	8	289						x		M		N		2	
66	A(63F)	8	289						x	x	M		N		2	
66	A(63B)	8	289		x		x		x	x		P	N		2	
66	A(63F)	8	289						x			P	N		2	
66	A(63C)	8	289	1950						x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(63C)	8	289						x	x		P	N		2	
66	A(63F)	8	289							x		P	N		2	
66	A(63B)	8	289		x		x		x	x	M		A		2	
66	A(63B)	8	289		x							P	A		2	
66	A(63C, F)	8	289	2030					x	x	M		A	Red Green	2	C6AZ 5310-D
66	A(63B, F)	8	289				x		x	x		P	A		2	
66	A(63C)	8	289	2116					x	x		P	A	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(63B)-H/D	8	289	1845	x		x		x	x	M		N	Gold Red	2	C6AZ 5310-L
66	A(63F)-H/D	8	289						x		M		N		2	
66	A(63B)-H/D	8	289		x		x		x			P	N		2	
66	A(63F)H/D	8	289	1935						x	M		N	Gold Violet	2	★C6AZ 5310-M
66	A(63C)-H/D	8	289						x	x	M		N		2	r/b C6AZ 5310-N
66	A(63B)-H/D	8	289							x		P	N		2	
66	A(63F)-H/D	8	289						x	x		P	N		2	
66	A(63C)-H/D	8	289						x			P	N		2	
66	A(63B)-H/D	8	289		x		x		x	x	M		A		2	
66	A(63C)-H/D	8	289	2030						x		P	N	Gold Orange	2	C6AZ 5310-N
66	A(63C, F)-H/D	8	289						x	x	M		A		2	
66	A(63B)-H/D	8	289		x		x		x	x		P	A		2	
66	A(63F)-H/D	8	289						x	x		P	A		2	
66	A(63C)-H/D	8	289	2130					x	x		P	A	Gold Brown	2	C6AZ 5310-R
66	A(63B, F)	8	352	2030						x	M		N	Red Green	2	C6AZ 5310-D
66	A(63B)	8	352							x		P	N		2	
66	A(63C)	8	352	2116						x	M		N	Red Violet	2	★C6AZ 5310-E
66	A(63C, F)	8	352							x		P	N		2	r/b D2AZ 5310-A
66	A(63B)	8	352							x	M		A		2	
66	A(63C, F)	8	352	2200						x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(63B, F)	8	352							x		P	A		2	r/b D2AZ 5310-A
66	A(63C)	8	352	2290						x		P	A	Yellow Brown	2	C6AZ 5310-G

⁂ Must be used with high speed ride & handling package for Police use only

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
					"A" (FORD) --WITHOUT THERMACTOR - BEFORE 2/14/66 - continued											
66	A(63B, F)-H/D	8	352	2030						x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(63B)-H/D	8	352							x		P	N		2	
66	A(63C)-H/D	8	352	2130						x	M	P	N	Gold Brown	2	C6AZ 5310-R
66	A(63F)-H/D	8	352							x		P	N		2	
66	A(63B)-H/D	8	352							x	M		A		2	
66	A(63C, F)-H/D	8	352	2235						x	M		A	Gold Pink	2	C6AZ 5310-S
66	A(63B, C, F)-H/D	8	352							x		P	A		2	
66	A(63B)-H/D	8	352	2030						x	M	P	N	2 Gold	2	⁄C5AZ 5310-AA
66	A(63B)-H/D	8	352	2130						x	M		A	2 Violet	2	★⁄C5AZ 5310-AB r/b D2OZ 5310-K
66	A(63B)-H/D	8	352	2235						x		P	A	2 Pink	2	★⁄C5AZ 5310-U r/b D2OZ 5310-K
66	A(63B, F)	8	390 2/B	2030	x			x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(63B)	8	390 2/B		x			x		x		P	N		2	
66	A(63C)	8	390 2/B	2116				x		x	M	P	N	Red Violet	2	★C6AZ 5310-E
66	A(63F)	8	390 2/B					x		x		P	N		2	r/b D2AZ 5310-A
66	A(63B)	8	390 2/B		x			x		x	M		A		2	
66	A(63C, F)	8	390 2/B	2200				x		x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(63B, F)	8	390 2/B		x			x		x		P	A		2	r/b D2AZ 5310-A
66	A(63C)	8	390 2/B	2290				x		x		P	A	Yellow Brown	2	C6AZ 5310-G
66	A(63B, F)-H/D	8	390 2/B	2030	x			x		x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(63B)-H/D	8	390 2/B		x			x		x		P	N		2	
66	A(63C)-H/D	8	390 2/B	2130				x		x	M	P	N	Gold Brown	2	C6AZ 5310-R
66	A(63F)-H/D	8	390 2/B					x		x		P	N		2	
66	A(63B)-H/D	8	390 2/B		x			x		x	M		A		2	
66	A(63C, F)-H/D	8	390 2/B	2235				x		x	M		A	Gold Pink	2	C6AZ 5310-S
66	A(63B, F)-H/D	8	390 2/B		x			x		x		P	A		2	
66	A(63C)-H/D	8	390 2/B					x				P	A		2	
66	A(63C)-H/D	8	390 2/B	2345						x		P	A	Gold Gray	2	C6AZ 5310-T
66	A(63B)-H/D	8	390 2/B	2030				x		x	M	P	N	2 Gold	2	⁄C5AZ 5310-AA
66	A(63B)-H/D	8	390 2/B	2130				x		x	M		A	2 Violet	2	★⁄C5AZ 5310-AB r/b D2OZ 5310-K
66	A(63B)-H/D	8	390 2/B	2235				x		x		P	A	2 Pink	2	★⁄C5AZ 5310-U r/b D2OZ 5310-K
66	A(63B, F)	8	390 4/B	2030	x	x	x	x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(63B)	8	390 4/B		x	x		x		x		P	N		2	
66	A(63C)	8	390 4/B	2116		x		x		x	M	P	N	Red Violet	2	★C6AZ 5310-E
66	A(63B)	8	390 4/B				x					P	N		2	r/b D2AZ 5310-A
66	A(63F)	8	390 4/B			x		x		x		P	N		2	
66	A(63B)	8	390 4/B		x	x	x	x		x	M		A		2	
66	A(63C, F)	8	390 4/B	2200		x		x		x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(63B)	8	390 4/B		x	x	x	x		x		P	A		2	r/b D2AZ 5310-A
66	A(63F)	8	390 4/B			x		x				P	A		2	
66	A(63F)	8	390 4/B	2290						x		P	A	Yellow Brown	2	C6AZ 5310-G
66	A(63C)	8	390 4/B			x		x		x		P	A		2	
66	A(63B, F)-H/D	8	390 4/B	2030	x	x	x	x		x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(63B)-H/D	8	390 4/B		x	x		x		x		P	N		2	
66	A(63C)-H/D	8	390 4/B	2130		x		x		x	M	P	N	Gold Brown	2	C6AZ 5310-R
66	A(63F)-H/D	8	390 4/B			x		x		x		P	N		2	
66	A(63B)-H/D	8	390 4/B				x					P	N		2	
66	A(63B)-H/D	8	390 4/B		x	x	x	x		x	M		A		2	

4 Must be used with high speed ride & handling package for Police use only

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

- continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	TRANSMISSION 4/S	TRANSMISSION O/D	TRANSMISSION C6	TRANSMISSION C4	TRANSMISSION C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
"A" (FORD) -- WITHOUT THERMACTOR - BEFORE 2/14/66 - continued																
66	A(71A, B, C, D, E)	6	240	1730	x		x		x		M		N	Red Brown	2	★C6AZ 5310-J
66	A(71A, B, E)	6	240		x							P	N		2	r/b C6AZ 5310-A
66	A(71D)	6	240		x				x			P	N		2	
66	A(71C)	6	240	1800	x		x		x			P	N	Yellow Green	2	C6AZ 5310-A
66	A(71A, B, E)	6	240				x		x			P	N		2	
66	A(71D)	6	240				x					P	N		2	
66	A(71D)	6	240		x						M		A		2	
66	A(71A, B, C, E)	6	240	1800	x		x		x		M		A	Yellow Green	2	C6AZ 5310-A
66	A(71D)	6	240				x		x		M		A		2	
66	A(71A, B, C, D, E)	6	240		x				x			P	A		2	
66	A(71B, D)	6	240				x					P	A		2	
66	A(71A, C, E)	6	240	1950			x					P	A	Yellow Violet	2	C6AZ 5310-C
66	A(71A, B, C, D, E)-H/D	6	240	1845	x		x		x		M	P	N	Gold Red	2	C6AZ 5310-L
66	A(71A, B, C, D, E)-H/D	6	240	1845	x		x		x		M		A	Gold Red	2	C6AZ 5310-L
66	A(71D)-H/D	6	240		x							P	A		2	
66	A(71D)-H/D	6	240	1935			x		x			P	A	Gold Violet	2	★C6AZ 5310-M
66	A(71A, B, C, E)-H/D	6	240		x		x		x			P	A		2	r/b C6AZ 5310-N
66	A(71A, B, C, D, E)	8	289	1730	x				x		M		N	Red Brown	2	★C6AZ 5310-J
66	A(71A, B, D)	8	289				x				M		N		2	r/b C6AZ 5310-A
66	A(71C, E)	8	289	1800			x				M		N	Yellow Green	2	C6AZ 5310-A
66	A(71A, B, C, D, E)	8	289							x	M		N		2	
66	A(71A, B, C, D, E)	8	289		x		x		x			P	N		2	
66	A(71A, B, D, E)	8	289							x		P	N		2	
66	A(71C)	8	289	1800						x		P	N	Yellow Green	2	C6AZ 5310-A
66	A(71A, B, C, D, E)	8	289		x		x		x		M		A		2	
66	A(71B, D)	8	289							x	M		A		2	
66	A(71A, C, E)	8	289	1950						x	M		A	Yellow Violet	2	C6AZ 5310-C
66	A(71A, B, C, D, E)	8	289		x		x		x	x		P	A		2	
66	A(71A, B, C, D, E)-H/D	8	289	1845	x		x		x	x	M		N	Gold Red	2	C6AZ 5310-L
66	A(71D)-H/D	8	289		x				x			P	N		2	
66	A(71A, B, C, E)-H/D	8	289	1845	x		x		x	x		P	N	Gold Red	2	C6AZ 5310-L
66	A(71D)-H/D	8	289				x			x		P	N		2	
66	A(71A, B, D, E)-H/D	8	289		x						M		A		2	
66	A(71D)-H/D	8	289				x		x		M		A		2	
66	A(71C)-H/D	8	289	1935	x						M		A	Gold Violet	2	★C6AZ 5310-M
66	A(71A, B, C, E)-H/D	8	289				x		x		M		A		2	r/b C6AZ 5310-N
66	A(71A, B, C, D, E)-H/D	8	289							x	M		A		2	
66	A(71A, B, C, D, E)-H/D	8	289		x		x		x	x		P	A		2	
66	A(71A, B, C, D, E)	8	352	1950						x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(71D)	8	352							x		P	N		2	
66	A(71A, B, C, E)	8	352	2030						x		P	N	Red Green	2	C6AZ 5310-D
66	A(71D)	8	352							x	M		A		2	
66	A(71A, B, C, E)	8	352	2116						x	M		A	Red Violet	2	★C6AZ 5310-E
66	A(71A, B, C, D, E)	8	352							x		P	A		2	r/b D2AZ 5310-A
66	A(71A, B, C, D, E)-H/D	8	352	1935						x	M		N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(71A, B, C, D, E)-H/D	8	352	2030						x		P	N	Gold Orange	2	C6AZ 5310-N
66	A(71D)-H/D	8	352							x	M		A		2	
66	A(61A, B, C, E)-H/D	8	352	2130						x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(71A, B, C, D, E)-H/D	8	352							x		P	A		2	

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
					"A" (FORD) -- WITHOUT THERMACTOR - BEFORE 2/14/66 - continued											
66	A(71A, B, C, D, E)-H/D	8	352	1935						x	M		N	2 Silver	2	★/C5AZ 5310-Z Not replaced
66	A(71A, B, C, D, E)-H/D	8	352	2030						x		P	N	2 Gold	2	/C5AZ 5310-AA
66	A(71D)-H/D	8	352							x	M		A		2	
66	A(71A, B, C, E)-H/D	8	352	2130						x	M		A	2 Violet	2	★/C5AZ 5310-AB
66	A(71A, B, C, D, E)-H/D	8	352							x		P	A		2	r/b D2OZ 5310-K
66	A(71A, B, C, D, E)	8	390 2/B	1950	x			x		x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(71A, B, D, E)	8	390 2/B		x							P	N		2	
66	A(71D)	8	390 2/B					x		x		P	N		2	
66	A(71A, B, E)	8	390 2/B	2030				x		x		P	N	Red Green	2	C6AZ 5310-D
66	A(71C)	8	390 2/B		x			x		x		P	N		2	
66	A(71A, B, E)	8	390 2/B		x						M		A		2	
66	A(71D)	8	390 2/B		x			x		x	M		A		2	
66	A(71A, B, E)	8	390 2/B	2116				x		x	M		A	Red Violet	2	★C6AZ 5310-E
66	A(71C)	8	390 2/B		x			x		x	M		A		2	r/b D2AZ 5310-A
66	A(71A, B, C, D, E)	8	390 2/B		x			x		x		P	A		2	
66	A(71A, B, C, D, E)-H/D	8	390 2/B	1935	x			x		x	M		N	Gold Violet	2	★C6AZ 5310-M
66	A(71D)-H/D	8	390 2/B		x							P	N		2	r/b C6AZ 5310-N
66	A(71A, B, C, E)-H/D	8	390 2/B	2030	x			x		x		P	N	Gold Orange	2	C6AZ 5310-N
66	A(71D)-H/D	8	390 2/B					x		x		P	N		2	
66	A(71A, B, E)-H/D	8	390 2/B		x						M		A		2	
66	A(71D)-H/D	8	390 2/B		x			x		x	M		A		2	
66	A(71C)-H/D	8	390 2/B	2130	x			x		x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(71A, B, E)-H/D	8	390 2/B					x		x	M		A		2	
66	A(71A, B, C, D, E)-H/D	8	390 2/B		x			x		x		P	A		2	
66	A(71A, B, C, D, E)-H/D	8	390 2/B	1935				x		x	M		N	2 Silver	2	★/C5AZ 5310-Z Not replaced
66	A(71A, B, C, D, E)-H/D	8	390 2/B	2030				x		x		P	N	2 Gold	2	/C5AZ 5310-AA
66	A(71D)-H/D	8	390 2/B					x		x	M		A		2	
66	A(71A, B, C, E)-H/D	8	390 2/B	2130				x		x	M		A	2 Violet	2	★/C5AZ 5310-AB
66	A(71A, B, C, D, E)-H/D	8	390 2/B					x		x		P	A		2	r/b D2OZ 5310-K
66	A(71A, B, C, D, E)	8	390 4/B	1950	x		x	x		x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(71D)	8	390 4/B		x			x				P	N		2	
66	A(71A, B, C, E)	8	390 4/B	2030	x		x	x		x		P	N	Red Green	2	C6AZ 5310-D
66	A(71D)	8	390 4/B				x			x		P	N		2	
66	A(71D)	8	390 4/B		x			x			M		A		2	
66	A(71A, B, C, E)	8	390 4/B	2116	x		x	x		x	M		A	Red Violet	2	★C6AZ 5310-E
66	A(71D)	8	390 4/B				x			x	M		A		2	r/b D2AZ 5310-A
66	A(71A, B, C, D, E)	8	390 4/B		x		x	x		x		P	A		2	
66	A(71A, B, C, D, E)-H/D	8	390 4/B	1935	x		x	x		x	M		N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(71A, B, C, D, E)-H/D	8	390 4/B	2030	x		x	x		x		P	N	Gold Orange	2	C6AZ 5310-N
66	A(71D)-H/D	8	390 4/B		x			x			M		A		2	
66	A(71A, B, C, E)-H/D	8	390 4/B	2130	x		x	x		x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(71D)-H/D	8	390 4/B				x			x	M		A		2	
66	A(71A, B, C, D, E)-H/D	8	390 4/B		x		x	x		x		P	A		2	
66	A(71A, B, C, D, E)-H/D	8	390 4/B	1935	x			x		x	M		N	2 Silver	2	★/C5AZ 5310-Z Not replaced

★ Must be used with high speed ride & handling package for Police use only

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"A" (FORD) -- WITHOUT THERMACTOR - BEFORE 2/14/66 - continued											
66	A(71A, B, C, D, E)-H/D	8	390 4/B	2030	x			x		x		P	N	2 Gold	2	⁄C5AZ 5310-AA
66	A(71D)-H/D	8	390 4/B		x			x			M		A		2	
66	A(71A, B, C, E)-H/D	8	390 4/B	2130	x			x			M		A	2 Violet	2	★⁄C5AZ 5310-AB
66	A(71A, B, C, D, E)-H/D	8	390 4/B							x	M		A		2	r/b D2OZ 5310-K
66	A(71A, B, C, D, E)-H/D	8	390 4/B		x			x		x		P	A		2	
66	A(71A, B, C, D, E)	8	428	1950				x			M		N	Yellow Violet	2	C6AZ 5310-C
66	A(71D)	8	428					x				P	N		2	
66	A(71A, B, C, E)	8	428	2030				x				P	N	Red Green	2	C6AZ 5310-D
66	A(71D)	8	428					x			M		A		2	
66	A(71A, B, C, E)	8	428	2116				x			M		A	Red Violet	2	★C6AZ 5310-E
66	A(71A, B, C, D, E)	8	428					x				P	A		2	r/b D2AZ 5310-A
66	A(71A, B, C, D, E)-H/D	8	428	1935				x			M		N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(71A, B, C, D, E)-H/D	8	428	2030				x				P	N	Gold Orange	2	C6AZ 5310-N
66	A(71D)-H/D	8	428					x			M		A		2	
66	A(71A, B, C, E)-H/D	8	428	2130				x			M		A	Gold Brown	2	C6AZ 5310-R
66	A(71A, B, C, D, E)-H/D	8	428					x				P	A		2	
66	A(71A, B, C, D, E)-P/I	8	428	1935	x			x			M		N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(71A, B, C, D, E)-P/I	8	428	2030	x			x				P	N	Gold Orange	2	C6AZ 5310-N
66	A(71D)-P/I	8	428		x			x			M		A		2	
66	A(71A, B, C, E)-P/I	8	428	2130	x			x			M		A	Gold Brown	2	C6AZ 5310-R
66	A(71A, B, C, D, E)-P/I	8	428		x			x				P	A		2	
66	A(71A, B, C, D, E)-H/D	8	428	1935				x			M		N	2 Silver	2	★⁄C5AZ 5310-Z Not replaced
66	A(71A, B, C, D, E)-H/D	8	428	2030				x				P	N	2 Gold	2	⁄C5AZ 5310-AA
66	A(71D)-H/D	8	428					x			M		A		2	
66	A(71A, B, C, E)-H/D	8	428	2130				x			M		A	2 Violet	2	★⁄C5AZ 5310-AB
66	A(71A, B, C, D, E)-H/D	8	428					x				P	A		2	r/b D2OZ 5310-K
66	A(76A)	6	240	1800	x		x		x		M		N	Yellow Green	2	C6AZ 5310-A
66	A(76A)	6	240	1950	x		x		x			P	N	Yellow Violet	2	C6AZ 5310-C
66	A(76A)	6	240	2030	x		x		x		M	P	A	Red Green	2	C6AZ 5310-D
66	A(76A)-H/D	6	240	1845	x				x		M		N	Gold Red	2	C6AZ 5310-L
66	A(76A)-H/D	6	240	1935			x				M	P	N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(76A)-H/D	6	240		x				x			P	N		2	
66	A(76A)-H/D	6	240	2030	x		x		x		M	P	A	Gold Orange	2	C6AZ 5310-N
66	A(76A)	8	289	1800	x				x		M		N	Yellow Green	2	C6AZ 5310-A
66	A(76A)	8	289	1950			x			x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(76B)	8	289						x		M		N		2	
66	A(76A)	8	289		x		x		x	x		P	N		2	
66	A(76B)	8	289	2030						x	M	P	N	Red Green	2	C6AZ 5310-D
66	A(76B)	8	289						x			P	N		2	
66	A(76A)	8	289		x		x		x	x	M		A		2	
66	A(76B)	8	289	2116					x	x	M		A	Red Violet	2	★C6AZ 5310-E
66	A(76A)	8	289		x		x		x	x		P	A		2	r/b D2AZ 5310-A
66	A(76B)	8	289						x			P	A		2	
66	A(76B)	8	289	2200						x		P	A	Yellow Orange	2	★C6AZ 5310-F r/b D2AZ 5310-A

4 Must be used with high speed ride & handling package for Police use only

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
					"A" (FORD) -- WITHOUT THERMACTOR - BEFORE 2/14/66 - continued											
66	A(76A)-H/D	8	289	1935	x		x		x	x	M		N	Gold Violet	2	★C6AZ 5310-M
66	A(76A)-H/D	8	289		x		x		x			P	N		2	r/b C6AZ 5310-N
66	A(76B)-H/D	8	289						x		M		N		2	
66	A(76B)-H/D	8	289	2030						x	M	P	N	Gold Orange	2	C6AZ 5310-N
66	A(76B)-H/D	8	289						x			P	N		2	
66	A(76A)-H/D	8	289							x		P	N		2	
66	A(76A)-H/D	8	289		x		x		x	x	M		A		2	
66	A(76B)-H/D	8	289	2130					x	x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(76B)-H/D	8	289						x			P	A		2	
66	A(76A)-H/D	8	289		x		x		x	x		P	A		2	
66	A(76B)-H/D	8	289	2235						x		P	A	Gold Pink	2	C6AZ 5310-S
66	A(76A)	8	352	2116						x	M	P	N	Red Violet	2	★C6AZ 5310-E
																r/b D2AZ 5310-A
66	A(76B)	8	352	2200						x	M	P	N	Yellow Orange	2	★C6AZ 5310-F
66	A(76A)	8	352							x	M		A		2	r/b D2AZ 5310-A
66	A(76B)	8	352	2290						x	M		A	Yellow Brown	2	C6AZ 5310-G
66	A(76A)	8	352							x		P	A		2	
66	A(76B)	8	352	2380						x		P	A	Yellow Gold	2	C6AZ 5310-H
66	A(76A)-H/D	8	352	2130						x	M	P	N	Gold Brown	2	C6AZ 5310-R
66	A(76B)-H/D	8	352							x	M		N		2	
66	A(76B)-H/D	8	352	2235						x		P	N	Gold Pink	2	C6AZ 5310-S
66	A(76A)-H/D	8	352							x	M		A		2	
66	A(76B)-H/D	8	352	2345						x	M	P	A	Gold Gray	2	C6AZ 5310-T
66	A(76A)-H/D	8	352							x		P	A		2	
66	A(76A)	8	390 2/B	2116	x				x	x	M	P	N	Red Violet	2	★C6AZ 5310-E
																r/b D2AZ 5310-A
66	A(76B)	8	390 2/B	2200					x	x	M	P	N	Yellow Orange	2	★C6AZ 5310-F
66	A(76A)	8	390 2/B		x				x	x	M		A		2	r/b D2AZ 5310-A
66	A(76B)	8	390 2/B	2290					x	x	M		A	Yellow Brown	2	C6AZ 5310-G
66	A(76A)	8	390 2/B		x				x	x		P	A		2	
66	A(76B)	8	390 2/B	2380					x	x		P	A	Yellow Gold	2	C6AZ 5310-H
66	A(76A)-H/D	8	390 2/B	2130	x				x	x	M	P	N	Gold Brown	2	C6AZ 5310-R
66	A(76B)-H/D	8	390 2/B						x	x	M		N		2	
66	A(76B)-H/D	8	390 2/B	2235					x	x		P	N	Gold Pink	2	C6AZ 5310-S
66	A(76A)-H/D	8	390 2/B		x				x	x	M		A		2	
66	A(76A)-H/D	8	390 2/B		x				x			P	A		2	
66	A(76B)-H/D	8	390 2/B	2345						x		P	A	Gold Gray	2	C6AZ 5310-T
66	A(76B)-H/D	8	390 2/B						x	x	M	P	A		2	
66	A(76A)	8	390 4/B	2116	x	x	x	x		x	M		N	Red Violet	2	★C6AZ 5310-E
66	A(76A)	8	390 4/B		x	x		x				P	N		2	r/b D2AZ 5310-A
66	A(76A)	8	390 4/B	2200			x			x		P	N	Yellow Orange	2	★C6AZ 5310-F
66	A(76B)	8	390 4/B			x		x		x	M	P	N		2	r/b D2AZ 5310-A
66	A(76A)	8	390 4/B		x	x		x			M		A		2	
66	A(76A)	8	390 4/B	2290			x			x	M		A	Yellow Brown	2	C6AZ 5310-G
66	A(76B)	8	390 4/B			x		x		x	M		A		2	
66	A(76A)	8	390 4/B		x	x	x	x		x		P	A		2	
66	A(76B)	8	390 4/B	2380		x		x		x		P	A	Yellow Gold	2	C6AZ 5310-H
66	A(76A)-H/D	8	390 4/B	2130	x	x	x	x		x	M	P	N	Gold Brown	2	C6AZ 5310-R
66	A(76B)-H/D	8	390 4/B			x		x			M		N		2	
66	A(76B)-H/D	8	390 4/B	2235						x	M		N	Gold Pink	2	C6AZ 5310-S
66	A(76B)-H/D	8	390 4/B			x		x		x		P	N		2	
66	A(76A)-H/D	8	390 4/B		x	x	x	x		x	M		A		2	
66	A(76A)-H/D	8	390 4/B		x							P	A		2	
66	A(76A)-H/D	8	390 4/B	2345		x	x	x		x		P	A	Gold Gray	2	C6AZ 5310-T
66	A(76B)-H/D	8	390 4/B			x		x		x	M	P	A		2	

• Recommended to be serviced in pairs only
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	•PART NUMBER
"A" (FORD) -- WITHOUT THERMACTOR - BEFORE 2/14/66 - continued																
66	A(76A)	8	427	2130		x					M		N	Gold Brown	2	C6AZ 5310-R
66	A(76A)	8	427	2235		x						P	N	Gold Pink	2	C6AZ 5310-S
66	A(76B, D)	8	427			x					M	P	N		2	
66	A(76A, B, D)	8	427	2345		x					M		A	Gold Gray	2	C6AZ 5310-T
66	A(76A)	8	427			x						P	A		2	
66	A(76B, D)	8	427	2460		x						P	A	Red Orange	2	C6AZ 5310-U
66	A(76A)	8	428	2116		x		x			M	P	N	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(76B, D)	8	428	2200		x		x			M	P	N	Yellow Orange	2	★C6AZ 5310-F
66	A(76A)	8	428			x		x			M		A		2	r/b D2AZ 5310-A
66	A(76B, D)	8	428	2290		x		x			M		A	Yellow Brown	2	C6AZ 5310-G
66	A(76A)	8	428			x		x				P	A		2	
66	A(76B, D)	8	428	2380		x		x				P	A	Yellow Gold	2	C6AZ 5310-H
66	A(76A)-H/D	8	428	2130		x		x			M	P	N	Gold Brown	2	C6AZ 5310-R
66	A(76B, D)-H/D	8	428			x		x			M		N		2	
66	A(76B, D)-H/D	8	428	2235		x		x				P	N	Gold Pink	2	C6AZ 5310-S
66	A(76A)-H/D	8	428			x		x			M		A		2	
66	A(76B, D)-H/D	8	428	2345		x		x			M	P	A	Gold Gray	2	C6AZ 5310-T
66	A(76A)-H/D	8	428			x		x				P	A		2	
66	A(76A, B)-P/I	8	428	2130	x	x	x	x			M		N	Gold Brown	2	C6AZ 5310-R
66	A(76A)-P/I	8	428		x	x	x	x				P	N		2	
66	A(76B)-P/I	8	428	2235		x		x				P	N	Gold Pink	2	C6AZ 5310-S
66	A(76A)-P/I	8	428		x	x	x	x			M		A		2	
66	A(76A)-P/I	8	428		x							P	A		2	
66	A(76B)-P/I	8	428	2345		x		x			M	P	A	Gold Gray	2	C6AZ 5310-T
66	A(76A)-P/I	8	428			x	x	x				P	A		2	
"A" (FORD) -- WITHOUT THERMACTOR - FROM 2/14/66																
66	A(54A, B, E)	6	240	1730	x		x		x		M		N	Red Brown	2	★C6AZ 5310-J r/b C6AZ 5310-A
66	A(54A, B, E)	6	240	1800	x		x		x			P	N	Yellow Green	2	C6AZ 5310-A
66	A(54A, B, E)	6	240	1800	x		x		x		M		A	Yellow Green	2	C6AZ 5310-A
66	A(54B)	6	240		x							P	A			
66	A(54A, E)	6	240	1950	x							P	A	Yellow Violet	2	C6AZ 5310-C
66	A(54A, B, E)	6	240				x		x			P	A		2	
66	A(54A, B, E)-H/D	6	240	1845	x		x		x	x	M		N	Gold Red	2	C6AZ 5310-L
66	A(54A, B, E)-H/D	6	240		x							P	N		2	
66	A(54B, E)-H/D	6	240						x			P	N		2	
66	A(54A)-H/D	6	240	1845					x			P	N	Gold Red	2	C6AZ 5310-L
66	A(54A, B, E)-H/D	6	240				x			x		P	N		2	
66	A(54A, B, E)-H/D	6	240		x						M		A		2	
66	A(54B)-H/D	6	240				x				M		A		2	
66	A(54B, E)-H/D	6	240						x		M		A		2	
66	A(54A, E)-H/D	6	240	1935			x				M		A	Gold Violet	2	★C6AZ 5310-M
66	A(54A)-H/D	6	240						x		M		A		2	r/b C6AZ 5310-N
66	A(54A, B, E)-H/D	6	240							x	M		A		2	
66	A(54A, B, E)-H/D	6	240		x		x		x	x		P	A		2	

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	•PART NUMBER
					"A" (FORD) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued											
66	A(54B, E)-H/D	6	240	1760	x		x			x	M		N	2 Blue	2	★/C5AZ 5310-T
66	A(54B, E)-H/D	6	240		x							P	N		2	Not replaced
66	A(54B, E)-H/D	6	240	1845			x			x		P	N	2 Green	2	★/C5AZ 5310-Y
66	A(54B, E)-H/D	6	240		x		x			x	M		A		2	Not replaced
66	A(54B, E)-H/D	6	240		x		x					P	A		2	
66	A(54B, E)-H/D	6	240	1935						x		P	A	2 Silver	2	★/C5AZ 5310-Z
																Not replaced
66	A(54A, B, E)	8	289	1800	x		x		x	x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(54A, B, E)	8	289		x				x			P	N		2	
66	A(54A, B, E)	8	289				x					P	N		2	
66	A(54A)	8	289	1800			x					P	N	Yellow Green	2	C6AZ 5310-A
66	A(54A, B, E)	8	289							x		P	N		2	
66	A(54A, B, E)	8	289		x						M		A		2	
66	A(54B, E)	8	289						x		M		A		2	
66	A(54A, B, E)	8	289	1950	x							P	A	Yellow Violet	2	C6AZ 5310-C
66	A(54A, B, E)	8	289				x				M	P	A		2	
66	A(54A)	8	289						x		M		A		2	
66	A(54B, E)	8	289						x			P	A		2	
66	A(54A, B, E)	8	289							x	M		A		2	
66	A(54A)	8	289	2030						x		P	A	Red Green	2	C6AZ 5310-D
66	A(54A, B, E)-H/D	8	289	1845	x		x		x		M		N	Gold Red	2	C6AZ 5310-L
66	A(54A, B, E)-H/D	8	289	1845	x		x		x	x		P	N	Gold Red	2	C6AZ 5310-L
66	A(54A, B, E)-H/D	8	289							x	M		N		2	
66	A(54A, B, E)-H/D	8	289	1935	x		x		x	x	M		A	Gold Violet	2	★C6AZ 5310-M
66	A(54A, B, E)-H/D	8	289		x				x			P	A		2	r/b C6AZ 5310-N
66	A(54B, E)-H/D	8	289				x					P	A		2	
66	A(54A)-H/D	8	289	2030			x					P	A	Gold Orange	2	C6AZ 5310-N
66	A(54A, B, E)-H/D	8	289							x		P	A		2	
66	A(54B, E)-P/I	8	289	1760	x		x				M		N	2 Blue	2	★C5AZ 5310-T
																Not replaced
66	A(54B, E)-P/I	8	289	1845						x	M		N	2 Green	2	★C5AZ 5310-Y
66	A(54E)-P/I	8	289		x		x			x		P	N		2	Not replaced
66	A(54B, E)-P/I	8	289		x		x			x	M		A		2	
66	A(54B, E)-P/I	8	289	1935	x		x					P	A	2 Silver	2	★C5AZ 5310-Z
																Not replaced
66	A(54B, E)-P/I	8	289	2030						x		P	A	2 Gold	2	C5AZ 5310-AA
66	A(54A, B, E)	8	352	1950						x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(54A, B, E)	8	352	2030						x		P	N	Red Green	2	C6AZ 5310-D
66	A(54A, B, E)	8	352	2116						x	M		A	Red Violet	2	★C6AZ 5310-E
66	A(54B, E)	8	352							x		P	A		2	r/b D2AZ 5310-A
66	A(54A)	8	352	2200						x		P	A	Yellow Orange	2	★C6AZ 5310-F
																r/b D2AZ 5310-A
66	A(54B, E)-H/D	8	352	1935						x	M		N	Gold Violet	2	★C6AZ 5310-M
																r/b C6AZ 5310-N
66	A(54A)-H/D	8	352	2030						x	M	P	N	Gold Orange	2	C6AZ 5310-N
66	A(54B, E)-H/D	8	352							x		P	N		2	
66	A(54A, B, E)-H/D	8	352	2130						x	M	P	A	Gold Brown	2	C6AZ 5310-R

★ Must be used with high speed ride & handling package for Police use only

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
"A" (FORD) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued																
66	A(54A, B, E)	8	390 2/B	1950				x		x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(54A, B, E)	8	390 2/B	2030				x		x		P	N	Red Green	2	C6AZ 5310-D
66	A(54A, B, E)	8	390 2/B	2116				x		x	M		A	Red Violet	2	★C6AZ 5310-E
66	A(54B, E)	8	390 2/B							x		P	A		2	r/b D2AZ 5310-A
66	A(54A, B, E)	8	390 2/B					x				P	A		2	
66	A(54A)	8	390 2/B	2200						x		P	A	Yellow Orange	2	★C6AZ 5310-F
																r/b D2AZ 5310-A
66	A(54A)-H/D	8	390 2/B	1935				x			M		N	Gold Violet	2	★C6AZ 5310-M
																r/b C6AZ 5310-N
66	A(54A)-H/D	8	390 2/B	2030				x		x	M	P	N	Gold Orange	2	C6AZ 5310-N
66	A(54B, E)-H/D	8	390 2/B					x		x	M		N		2	
66	A(54B, E)-H/D	8	390 2/B					x		x		P	N		2	
66	A(54A, B, E)-H/D	8	390 2/B	2130				x		x	M	P	A	Gold Brown	2	C6AZ 5310-R
66	A(54B, E)-P/I	8	390 2/B	1935				x			M		N	2 Silver	2	★C5AZ 5310-Z
																Not replaced
66	A(54B, E)-P/I	8	390 2/B	2030				x				P	N	2 Gold	2	C5AZ 5310-AA
66	A(54B, E)-P/I	8	390 2/B	2130				x			M	P	N	2 Violet	2	★C5AZ 5310-AB
																r/b D2OZ 5310-K
66	A(54A, B, E)	8	390 4/B	1950	x	x		x		x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(54A, B, E)	8	390 4/B	2030	x	x		x		x		P	N	Red Green	2	C6AZ 5310-D
66	A(54A, B, E)	8	390 4/B	2116	x			x			M	P	A	Red Violet	2	★C6AZ 5310-E
66	A(54A, B, E)	8	390 4/B			x				x	M		A		2	r/b D2AZ 5310-A
66	A(54B, E)	8	390 4/B			x		x				P	A		2	
66	A(54A)	8	390 4/B	2200		x		x				P	A	Yellow Orange	2	★C6AZ 5310-F
66	A(54A, B, E)	8	390 4/B							x		P	A		2	r/b D2AZ 5310-A
66	A(54A, B, E)-H/D	8	390 4/B	1935	x			x			M		N	Gold Violet	2	★C6AZ 5310-M
66	A(54B, E)-H/D	8	390 4/B			x					M		N		2	r/b C6AZ 5310-N
66	A(54A)-H/D	8	390 4/B	2030		x		x		x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(54B, E)-H/D	8	390 4/B							x	M		N		2	
66	A(54A, B, E)-H/D	8	390 4/B		x	x		x		x		P	N		2	
66	A(54A, B, E)-H/D	8	390 4/B	2130	x	x		x		x	M	P	A	Gold Brown	2	C6AZ 5310-R
66	A(54B, E)-P/I	8	390 4/B	1935	x	x		x			M		N	2 Silver	2	★C5AZ 5310-Z
																Not replaced
66	A(54B, E)-P/I	8	390 4/B	2030	x	x		x				P	N	2 Gold	2	C5AZ 5310-AA
66	A(54B, E)-P/I	8	390 4/B	2130	x	x		x			M	P	A	2 Violet	2	★C5AZ 5310-AB
																r/b D2OZ 5310-K
66	A(54A, B, E)	8	427	2030		x					M		N	Gold Orange	2	C6AZ 5310-N
66	A(54B, E)	8	427 8/B			x						P	N		2	
66	A(54A, B, E)	8	427 4/B			x						P	N		2	
66	A(54A)	8	427 8/B	2130		x						P	N	Gold Brown	2	C6AZ 5310-R
66	A(54A, B, E)	8	427			x					M		A		2	
66	A(54A, B, E)	8	427	2235		x						P	A	Gold Pink	2	C6AZ 5310-S
66	A(54A, B, E)	8	428	1950		x		x			M		N	Yellow Violet	2	C6AZ 5310-C
66	A(54A, B, E)	8	428	2030		x		x				P	N	Red Green	2	C6AZ 5310-D
66	A(54A, B, E)	8	428	2116		x		x			M		A	Red Violet	2	★C6AZ 5310-E
66	A(54B, E)	8	428			x		x				P	A		2	r/b D2AZ 5310-A
66	A(54A)	8	428	2200		x		x				P	A	Yellow Orange	2	★C6AZ 5310-F
																r/b D2AZ 5310-A

• Recommended to be serviced in pairs only
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	TRANSMISSION 4/S	TRANSMISSION O/D	TRANSMISSION C6	TRANSMISSION C4	TRANSMISSION C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
"A" (FORD) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued																
66	A(57B, F)	8	390 2/B	2030				x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(57B)	8	390 2/B					x		x		P	N		2	
66	A(57F)	8	390 2/B	2116				x		x		P	N	Red Violet	2	★C6AZ 5310-E
66	A(57B)	8	390 2/B					x		x	M		A		2	r/b D2AZ 5310-A
66	A(57F)	8	390 2/B					x			M		A		2	
66	A(57F)	8	390 2/B	2200						x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(57B, F)	8	390 2/B					x		x		P	A		2	r/b D2AZ 5310-A
66	A(57B, F)-H/D	8	390 2/B	2030				x		x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(57B)-H/D	8	390 2/B					x		x		P	N		2	
66	A(57F)-H/D	8	390 2/B	2130				x		x		P	N	Gold Brown	2	C6AZ 5310-R
66	A(57B, F)-H/D	8	390 2/B					x		x	M		A		2	
66	A(57B, F)-H/D	8	390 2/B	2235				x		x		P	A	Gold Pink	2	C6AZ 5310-S
66	A(57B)	8	390 4/B	2030	x	x		x		x	M	P	N	Red Green	2	C6AZ 5310-D
66	A(57B)	8	390 4/B	2116	x	x		x		x	M		A	Red Violet	2	★C6AZ 5310-E
																r/b D2AZ 5310-A
66	A(57B)	8	390 4/B	2200	x	x		x		x		P	A	Yellow Orange	2	★C6AZ 5310-F
																r/b D2AZ 5310-A
66	A(57F)	8	390 4/B	2030		x		x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(57F)	8	390 4/B	2116		x		x		x		P	N	Red Violet	2	★C6AZ 5310-E
																r/b D2AZ 5310-A
66	A(57F)	8	390 4/B	2200		x		x		x	M	P	A	Yellow Orange	2	★C6AZ 5310-F
																r/b D2AZ 5310-A
66	A(57B)-H/D	8	390 4/B	2030	x	x		x		x	M	P	N	Gold Orange	2	C6AZ 5310-N
66	A(57F)-H/D	8	390 4/B			x		x		x	M		N		2	
66	A(57B)-H/D	8	390 4/B	2130	x	x		x		x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(57F)-H/D	8	390 4/B			x		x		x		P	N		2	
66	A(57F)-H/D	8	390 4/B			x		x			M		A		2	
66	A(57B)-H/D	8	390 4/B	2235	x	x		x		x		P	A	Gold Pink	2	C6AZ 5310-S
66	A(57F)-H/D	8	390 4/B			x				x	M		A		2	
66	A(57F)-H/D	8	390 4/B			x		x		x		P	A		2	
66	A(57B)	8	427 8/B	2030		x					M		N	Gold Orange	2	C6AZ 5310-N
66	A(57B, F)	8	427 4/B			x					M		N		2	
66	A(57F)	8	427 8/B	2130		x					M		N	Gold Brown	2	C6AZ 5310-R
66	A(57B, F)	8	427			x						P	N		2	
66	A(57B)	8	427 4/B			x					M		A		2	
66	A(57B, F)	8	427 8/B	2235		x					M	P	A	Gold Pink	2	C6AZ 5310-S
66	A(57B, F)	8	427 4/B			x						P	A		2	
66	A(57F)	8	427 4/B			x					M		A		2	
66	A(57B, F)	8	428	2030		x		x			M		N	Red Green	2	C6AZ 5310-D
66	A(57B)	8	428			x		x				P	N		2	
66	A(57F)	8	428	2116		x		x				P	N	Red Violet	2	★C6AZ 5310-E
66	A(57B)	8	428			x		x			M		A		2	r/b D2AZ 5310-A
66	A(57F)	8	428	2200		x		x			M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(57B, F)	8	428			x		x				P	A		2	r/b D2AZ 5310-A
66	A(57B, F)-H/D	8	428	2030		x		x			M		N	Gold Orange	2	C6AZ 5310-N
66	A(57B)-H/D	8	428			x		x				P	N		2	
66	A(57F)-H/D	8	428	2130		x		x				P	N	Gold Brown	2	C6AZ 5310-R
66	A(57B, F)-H/D	8	428			x		x			M		A		2	
66	A(57B, F)-H/D	8	428	2235		x		x				P	A	Gold Pink	2	C6AZ 5310-S

• Recommended to be serviced in pairs only
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	•PART NUMBER
"A" (FORD) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued																
66	A(62B, E)	6	240	1730	x		x		x		M		N	Red Brown	2	★C6AZ 5310-J
66	A(62B, E)	6	240		x				x			P	N		2	r/b C6AZ 5310-A
66	A(62E)	6	240				x					P	N		2	
66	A(62B, E)	6	240	1800	x						M		A	Yellow Green	2	C6AZ 5310-A
66	A(62B)	6	240				x				M		P		2	
66	A(62B, E)	6	240	1800			x		x		M		A	Yellow Green	2	C6AZ 5310-A
66	A(62B, E)	6	240		x		x		x			P	A		2	
66	A(62B, E)-H/D	6	240	1845	x		x		x	x	M	P	N	Gold Red	2	C6AZ 5310-L
66	A(62B, E)-H/D	6	240	1845	x		x		x	x	M		A	Gold Red	2	C6AZ 5310-L
66	A(62E)-H/D	6	240		x							P	A		2	
66	A(62B)-H/D	6	240	1935	x							P	A	Gold Violet	2	★C6AZ 5310-M
66	A(62B, E)-H/D	6	240				x		x		x	P	A		2	r/b C6AZ 5310-N
66	A(62B, E)-P/I	6	240	1760	x		x			x	M	P	N	2 Blue	2	★C5AZ 5310-T Not replaced
66	A(62B, E)-P/I	6	240	1845	x		x			x	M	P	A	2 Green	2	★C5AZ 5310-Y Not replaced
66	A(62B, E)	8	289	1730	x		x		x		M		N	Red Brown	2	★C6AZ 5310-J
66	A(62E)	8	289							x	M		N		2	r/b C6AZ 5310-A
66	A(62B, E)	8	289	1800	x		x		x	x		P	N	Yellow Green	2	C6AZ 5310-A
66	A(62B)	8	289							x	M		N		2	
66	A(62B, E)	8	289	1800	x		x		x	x	M		A	Yellow Green	2	C6AZ 5310-A
66	A(62B, E)	8	289	1950	x		x		x	x		P	A	Yellow Violet	2	C6AZ 5310-C
66	A(62B, E)-H/D	8	289	1845	x		x		x	x	M		N	Gold Red	2	C6AZ 5310-L
66	A(62B, E)-H/D	8	289		x				x			P	N		2	
66	A(62B, E)-H/D	8	289	1845			x			x		P	N	Gold Red	2	C6AZ 5310-L
66	A(62B, E)-H/D	8	289		x						M		A		2	
66	A(62E)-H/D	8	289				x		x		M		A		2	
66	A(62B)-H/D	8	289	1935			x				M		A	Gold Violet	2	★C6AZ 5310-M
66	A(62B, E)-H/D	8	289							x	M		A		2	r/b C6AZ 5310-N
66	A(62B, E)-H/D	8	289		x		x		x	x		P	A		2	
66	A(62B, E)-P/I	8	289	1760	x		x			x	M		N	2 Blue	2	★C5AZ 5310-T
66	A(62B, E)-P/I	8	289		x							P	N		2	Not replaced
66	A(62B, E)-P/I	8	289	1845			x			x		P	N	2 Green	2	★C5AZ 5310-Y
66	A(62B, E)-P/I	8	289		x		x			x	M		A		2	Not replaced
66	A(62B, E)-P/I	8	289		x							P	A		2	
66	A(62E)-P/I	8	289				x					P	A		2	
66	A(62B)-P/I	8	289	1935			x					P	A	2 Silver	2	★C5AZ 5310-Z
66	A(62B, E)-P/I	8	289							x		P	A		2	Not replaced
66	A(62B, E)	8	352	1950						x	M	P	N	Yellow Violet	2	C6AZ 5310-C
66	A(62B, E)	8	352	2030						x	M		A	Red Green	2	C6AZ 5310-D
66	A(62B, E)	8	352	2116						x		P	A	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(62B, E)-H/D	8	352	1935						x	M		N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(62B, E)-H/D	8	352	2030						x		P	N	Gold Orange	2	C6AZ 5310-N
66	A(62B, E)-H/D	8	352							x	M		A		2	
66	A(62B, E)-H/D	8	352	2130						x		P	A	Gold Brown	2	C6AZ 5310-R
66	A(62B, E)	8	390 2/B	1950					x	x	M		A	Yellow Violet	2	C6AZ 5310-C
66	A(62E)	8	390 2/B							x		P	N		2	
66	A(62B, E)	8	390 2/B						x			P	N		2	
66	A(62B)	8	390 2/B	2030						x		P	N	Red Green	2	C6AZ 5310-D
66	A(62E)	8	390 2/B							x	M		A		2	
66	A(62B, E)	8	390 2/B						x		M		A		2	
66	A(62B)	8	390 2/B	2116						x	M		A	Red Violet	2	★C6AZ 5310-E
66	A(62B, E)	8	390 2/B						x	x		P	A		2	r/b D2AZ 5310-A

• Recommended to be serviced in pairs only
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	•PART NUMBER
					"A" (FORD) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued											
66	A(62B,E)-H/D	8	390 2/B	1935				x		x	M		N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(62B,E)-H/D	8	390 2/B	2030				x		x		P	N	Gold Orange	2	C6AZ 5310-N
66	A(62E)-H/D	8	390 2/B							x	M		A		2	
66	A(62B,E)-H/D	8	390 2/B					x			M		A		2	
66	A(62B)-H/D	8	390 2/B	2130						x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(62B,E)-H/D	8	390 2/B					x		x		P	A		2	
66	A(62B,E)-P/I	8	390 2/B	1845				x			M		N	2 Green	2	★C5AZ 5310-Y Not replaced
66	A(62B,E)-P/I	8	390 2/B	2030				x				P	N	2 Gold	2	C5AZ 5310-AA
66	A(62B,E)-P/I	8	390 2/B								M		A		2	
66	A(62B,E)-P/I	8	390 2/B	2130				x				P	A	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
66	A(62B,E)	8	390 4/B	1950	x	x		x		x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(62B,E)	8	390 4/B		x	x						P	N		2	
66	A(62E)	8	390 4/B					x				P	N		2	
66	A(62B)	8	390 4/B	2030				x				P	N	Red Green	2	C6AZ 5310-D
66	A(62B,E)	8	390 4/B							x		P	N		2	
66	A(62B,E)	8	390 4/B		x						M		A		2	
66	A(62E)	8	390 4/B			x		x			M		A		2	
66	A(62B)	8	390 4/B	2116		x		x			M		A	Red Violet	2	★C6AZ 5310-E
66	A(62B,E)	8	390 4/B							x	M		A		2	r/b D2AZ 5310-A
66	A(62B,E)	8	390 4/B		x	x		x		x		P	A		2	
66	A(62B,E)-H/D	8	390 4/B	1935	x	x		x		x	M		N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(62B,E)-H/D	8	390 4/B	2030	x	x		x		x		P	N	Gold Orange	2	C6AZ 5310-N
66	A(62B,E)-H/D	8	390 4/B		x						M		A		2	
66	A(62E)-H/D	8	390 4/B			x		x			M		A		2	
66	A(62B)-H/D	8	390 4/B	2130		x		x			M		A	Gold Brown	2	C6AZ 5310-R
66	A(62B,E)-H/D	8	390 4/B							x	M		A		2	
66	A(62B,E)-H/D	8	390 4/B		x	x		x		x		P	A		2	
66	A(62B)-P/I	8	390 4/B	1935	x	x		x			M		N	2 Silver	2	★C5AZ 5310-Z Not replaced
66	A(62E)-P/I	8	390 4/B	1845	x	x		x			M		N	2 Green	2	★C5AZ 5310-Y Not replaced
66	A(62B,E)-P/I	8	390 4/B	2030	x	x		x				P	N	2 Gold	2	C5AZ 5310-AA
66	A(62B,E)-P/I	8	390 4/B		x						M		A		2	
66	A(62E)-P/I	8	390 4/B			x		x			M		A		2	
66	A(62B,E)-P/I	8	390 4/B	2130	x	x		x				P	A	2 Violet	2	★C5AZ 5310-AB
66	A(62B)-P/I	8	390 4/B			x		x			M		A		2	r/b D2OZ 5310-K
66	A(62B,E)	8	427 4/B	1935		x					M		N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(62B,E)	8	427 8/B	2030		x					M		N	Gold Orange	2	C6AZ 5310-N
66	A(62B,E)	8	427			x						P	N		2	
66	A(62B,E)	8	427	2130		x					M	P	A	Gold Brown	2	C6AZ 5310-R
66	A(62B,E)	8	428	1950		x		x			M		N	Yellow Violet	2	C6AZ 5310-C
66	A(62B,E)	8	428			x						P	N		2	
66	A(62E)	8	428					x				P	N		2	
66	A(62B)	8	428	2030				x				P	N	Red Green	2	C6AZ 5310-D
66	A(62E)	8	428			x		x			M		A		2	
66	A(62B)	8	428	2116		x		x			M		A	Red Violet	2	★C6AZ 5310-E
66	A(62B,E)	8	428			x		x				P	A		2	r/b D2AZ 5310-A

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
					"A" (FORD) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued											
66	A(62B, E)-H/D	8	428	1935		x		x			M		N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(62B, E)-H/D	8	428	2030		x		x				P	N	Gold Orange	2	C6AZ 5310-N
66	A(62E)-H/D	8	428			x		x			M		A		2	
66	A(62B)-H/D	8	428	2130		x		x			M	P	A	Gold Brown	2	C6AZ 5310-R
66	A(62B)-P/I	8	428	1935		x					M		N	2 Silver	2	★C5AZ 5310-Z
66	A(62B, E)-P/I	8	428					x			M		N		2	Not replaced
66	A(62B, E)-P/I	8	428	2030		x		x				P	N	2 Gold	2	C5AZ 5310-AA
66	A(62E)-P/I	8	428			x		x			M		A		2	
66	A(62B)-P/I	8	428	2130		x		x			M		A	2 Violet	2	★C5AZ 5310-AB
66	A(62B, E)-P/I	8	428			x		x				P	A		2	r/b D2OZ 5310-K
66	A(63B)	6	240	1730	x		x		x		M		N	Red Brown	2	★C6AZ 5310-J r/b C6AZ 5310-A
66	A(63B)	6	240	1800	x		x		x			P	N	Yellow Green	2	C6AZ 5310-A
66	A(63B)	6	240	1800	x		x		x		M		A	Yellow Green	2	C6AZ 5310-A
66	A(63B)	6	240	1950	x		x		x			P	A	Yellow Violet	2	C6AZ 5310-C
66	A(63B)-H/D	6	240	1845	x		x		x	x	M		N	Gold Red	2	C6AZ 5310-L
66	A(63B)-H/D —	6	240		x							P	N		2	
66	A(63B)-H/D	6	240	1845			x		x	x		P	N	Gold Red	2	C6AZ 5310-L
66	A(63B)-H/D	6	240		x				x		M		A		2	
66	A(63B)-H/D	6	240	1935			x			x	M		A	Gold Violet	2	★C6AZ 5310-M
36	A(63B)-H/D	6	240		x			x	x	x		P	A		2	r/b C6AZ 5310- N
66	A(63B)	8	289	1800	x		x		x	x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(63F)	8	289						x		M		N		2	
66	A(63B)	8	289		x				x			P	N		2	
66	A(63C)	8	289	1800					x		M		N	Yellow Green	2	C6AZ 5310-A
66	A(63F)	8	289						x	x	M		N		2	
66	A(63B)	8	289				x			x		P	N		2	
66	A(63C, F)	8	289						x			P	N		2	
66	A(63F)	8	289							x		P	N		2	
66	A(63B)	8	289		x				x	x	M		A		2	
66	A(63B, C, F)	8	289	1950				x		x			A	Yellow Violet	2	C6AZ 5310-C
66	A(63F)	8	289							x	M		A		2	
66	A(63B)	8	289		x			x		x		P	A		2	
66	A(63C, F)	8	289	2030					x			P	A	Red Green	2	C6AZ 5310-D
66	A(63B, F)	8	289							x		P	A		2	
66	A(63B)-H/D	8	289	1845	x		x		x		M		N	Gold Red	2	C6AZ 5310-L
66	A(63C, F)-H/D	8	289	1845						x	M		N	Gold Red	2	C6AZ 5310-L
66	A(63B)-H/D	8	289		x		x			x		P	N		2	
66	A(63F)-H/D	8	289						x			P	N		2	
66	A(63B)-H/D	8	289	1935	x		x			x	M		A	Gold Violet	2	★C6AZ 5310-M
66	A(63F)-H/D	8	289		x		x				M		A		2	r/b C6AZ 5310-N
66	A(63C)-H/D	8	289						x	x		P	N		2	
66	A(63F)-H/D	8	289							x		P	N		2	
66	A(63B)-H/D	8	289		x		x		x			P	A		2	
66	A(63C)-H/D	8	289	2030					x		M	P	A	Gold Orange	2	C6AZ 5310-N
66	A(63C, F) H/D	8	289							x	M		A		2	
66	A(63F)-H/D	8	289						x			P	A		2	
66	A(63B, C, F) H/D	8	289							x		P	A		2	

• Recommended to be serviced in pairs only
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	● PART NUMBER
					"A" (FORD) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued											
66	A(63B)	8	352	1950						x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(63C, F)	8	352	2030						x	M		N	Red Green	2	C6AZ 5310-D
66	A(63B, F)	8	352							x		P	N		2	
66	A(63C)	8	352	2116						x		P	N	Red Violet	2	★C6AZ 5310-E
66	A(63B, F)	8	352							x	M		A		2	r/b D2AZ 5310-A
66	A(63B)	8	352							x		P	A		2	
66	A(63C)	8	352	2200						x	M	P	A	Yellow Orange	2	★C6AZ 5310-F
66	A(63F)	8	352							x		P	A		2	r/b D2AZ 5310-A
66	A(63B)-H/D	8	352	1935						x	M		N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(63C, F)-H/D	8	352	2030						x	M		N		2	C6AZ 5310-N
66	A(63B, F)-H/D	8	352							x		P	N		2	
66	A(63C)-H/D	8	352	2130						x		P	N	Gold Brown	2	C6AZ 5310-R
66	A(63B, F)-H/D	8	352							x	M		A		2	
66	A(63B)-H/D	8	352							x		P	A		2	
66	A(63C)-H/D	8	352	2235						x	M		A	Gold Pink	2	C6AZ 5310-S
66	A(63C, F)-H/D	8	352							x		P	A		2	
66	A(63B)	8	390 2/B	1950				x		x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(63C, F)	8	390 2/B	2030				x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(63B, F)	8	390 2/B					x		x		P	N		2	
66	A(63C)	8	390 2/B	2116				x		x		P	N	Red Violet	2	★C6AZ 5310-E
66	A(63B, F)	8	390 2/B					x			M		A		2	r/b D2AZ 5310-A
66	A(63B)	8	390 2/B					x				P	A		2	
66	A(63C)	8	390 2/B	2200				x		x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(63B, C, F)	8	390 2/B							x		P	A		2	r/b D2AZ 5310-A
66	A(63C, F)	8	390 2/B					x				P	A		2	
66	A(63B)-H/D	8	390 2/B	1935				x			M		N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(63B, C, F)-H/D	8	390 2/B	2030						x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(63C, F)-H/D	8	390 2/B					x			M		N		2	
66	A(63B, F)-H/D	8	390 2/B					x		x		P	N		2	
66	A(63C)-H/D	8	390 2/B	2130				x		x		P	N	Gold Brown	2	C6AZ 5310-R
66	A(63B, F)-H/D	8	390 2/B					x		x	M		A		2	
66	A(63C)-H/D	8	390 2/B							x	M	P	A		2	
66	A(63B)-H/D	8	390 2/B					x				P	A		2	
66	A(63C)-H/D	8	390 2/B	2235						x	M		A	Gold Pink	2	C6AZ 5310-S
66	A(63C, F)-H/D	8	390 2/B					x		x		P	A		2	
66	A(63B)	8	390 4/B	1950	x	x		x		x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(63C, F)	8	390 4/B	2030		x		x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(63B, F)	8	390 4/B		x	x		x				P	N		2	
66	A(63B)	8	390 4/B						x			P	N		2	
66	A(63B, F)	8	390 4/B	2116	x	x		x		x	M		A	Red Violet	2	★C6AZ 5310-E
66	A(63B)	8	390 4/B		x	x						P	A		2	r/b D2AZ 5310-A
66	A(63C)	8	390 4/B			x		x				P	N		2	
66	A(63C, F)	8	390 4/B						x			P	N		2	
66	A(63C)	8	390 4/B	2200		x		x		x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(63B, C, F)	8	390 4/B					x		x		P	A		2	r/b D2AZ 5310-A
66	A(63C, F)	8	390 4/B			x						P	A		2	

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	TRANSMISSION 4/S	TRANSMISSION O/D	TRANSMISSION C6	TRANSMISSION C4	TRANSMISSION C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
	"A" (FORD) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued															
66	A(63B)-H/D	8	390 4/B	1935	x						M		N	Gold Violet	2	★C6AZ 5310-M
																r/b C6AZ 5310-N
66	A(63B, C, F)-H/D	8	390 4/B	2030		x		x		x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(63B)-H/D	8	390 4/B		x	x		x		x		P	N		2	
66	A(63F)-H/D	8	390 4/B			x		x				P	N		2	
66	A(63B, F)-H/D	8	390 4/B	2130	x	x		x		x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(63C)-H/D	8	390 4/B			x		x		x		P	N		2	
66	A(63F)-H/D	8	390 4/B							x		P	N		2	
66	A(63B)-H/D	8	390 4/B		x	x		x		x		P	A		2	
66	A(63C)-H/D	8	390 4/B	2235		x		x		x	M		A	Gold Pink	2	C6AZ 5310-S
66	A(63C,.F)-H/D	8	390 4/B			x		x		x		P	A		2	
66	A(63B, F)	8	427 8/B	2030		x					M		N	Gold Orange	2	C6AZ 5310-N
66	A(63B, C, F)	8	427 4/B			x					M		N		2	
66	A(63B)	8	427 4/B			x						P	N		2	
66	A(63B, C, F)	8	427 8/B	2130		x						P	N	Gold Brown	2	C6AZ 5310-R
66	A(63C)	8	427 8/B			x					M		N		2	
66	A(63C, F)	8	427 4/B			x						P	N		2	
66	A(63B)	8	427			x					M		A		2	
66	A(63C, F)	8	427	2235		x					M		A	Gold Pink	2	C6AZ 5310-S
66	A(63B, C, F)	8	427			x						P	A		2	
66	A(63B)	8	428	1950		x		x			M		N	Yellow Violet	2	C6AZ 5310-C
66	A(63C, F)	8	428	2030		x		x			M		N	Red Green	2	C6AZ 5310-D
66	A(63B, F)	8	428			x		x				P	N		2	
66	A(63C)	8	428	2116		x		x				P	N	Red Violet	2	★C6AZ 5310-E
66	A(63B, F)	8	428			x		x			M		A		2	r/b D2AZ 5310-A
66	A(63B)	8	428			x						P	A		2	
66	A(63C)	8	428	2200		x		x			M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(63C, F)	8	428			x						P	A		2	r/b D2AZ 5310-A
66	A(63B, C, F)	8	428					x				P	A		2	
66	A(63B, C, F)-H/D	8	428	2030		x		x			M		N	Gold Orange	2	C6AZ 5310-N
66	A(63B, F)-H/D	8	428			x		x				P	N		2	
66	A(63C)-H/D	8	428	2130		x		x				P	N	Gold Brown	2	C6AZ 5310-R
66	A(63B, F)-H/D	8	428			x		x			M		A		2	
66	A(63B)-H/D	8	428			x		x				P	A		2	
66	A(63C)-H/D	8	428	2235		x		x			M		A	Gold Pink	2	C6AZ 5310-S
66	A(63C, F)-H/D	8	428			x		x				P	A		2	
66	A(71A, B, C, D, E)	6	240	1650	x				x		M		N	Brown Pink	2	C6AZ 5310-V
66	A(71B, C, D)	6	240				x				M		N		2	
66	A(71A, E)	6	240	1730			x				M		N	Red Brown	2	★C6AZ 5310-J
66	A(71A, B, C, D, E)	6	240		x		x		x			P	N		2	r/b C6AZ 5310-A
66	A(71A, B, C, D, E)	6	240	1800	x		x		x		M		A	Yellow Green	2	C6AZ 5310-A
66	A(71A, B, C, D, E)	6	240	1800	x		x		x			P	A	Yellow Green	2	C6AZ 5310-A
66	A(71A,B,C,D,E)-H/D	6	240	1845	x		x		x	x	M	P	N	Gold Red	2	C6AZ 5310-L
66	A(71A,B,C,D,E)-H/D	6	240	1845	x		x		x	x	M		A	Gold Red	2	C6AZ 5310-L
66	A(71A,B,C,D,E)-H/D	6	240		x		x		x			P	A		2	
66	A(71B, D)-H/D	6	240							x		P	A		2	
66	A(71A, C, E)-H/D	6	240	1935						x		P	A	Gold Violet	2	★C6AZ 5310-M
																r/b C6AZ 5310-N
66	A(71B, C, D)-P/I	6	240	1760	x		x			x	M	P	N	2 Blue	2	★C5AZ 5310-T
66	A(71B, C, D)-P/I	6	240		x						M		A		2	Not replaced
66	A(71B, C, D)-P/I	6	240	1845			x			x	M		A	2 Green	2	★C5AZ 5310-Y
66	A(71B, C, D)-P/I	6	240		x		x			x		P	A		2	Not replaced

• Recommended to be serviced in pairs only
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"A" (FORD) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued											
66	A(71A, B, C, D, E)	8	289	1730	x		x		x	x	M		N	Red Brown	2	★C6AZ 5310-J
66	A(71A, B, C, D, E)	8	289		x				x			P	N			r/b C6AZ 5310-A
66	A(71B, D)	8	289				x					P	N		2	
66	A(71A, C, E)	8	289	1800			x					P	N	Yellow Green	2	C6AZ 5310-A
66	A(71A, B, C, D, E)	8	289							x		P	N		2	
66	A(71B, C, D, E)	8	289		x						M		A		2	
66	A(71B, D)	8	289						x		M		A		2	
66	A(71A)	8	289	1800	x						M		A	Yellow Green	2	C6AZ 5310-A
66	A(71A, B, C, D, E)	8	289				x			x	M		A		2	
66	A(71A, C, E)	8	289						x		M		A		2	
66	A(71A, B, C, D, E)	8	289		x		x		x			P	A		2	
66	A(71B, D)	8	289							x		P	A		2	
66	A(71A, C, E)	8	289	1950						x		P	A	Yellow Violet	2	C6AZ 5310-C
66	A(71A,B,C,D,E)-H/D	8	289	1845	x		x		x	x	M	P	N	Gold Red	2	C6AZ 5310-L
66	A(71A,B,C,D,E)-H/D	8	289	1845	x		x		x	x	M		A	Gold Red	2	C6AZ 5310-L
66	A(71B, C, D)-H/D	8	289		x							P	A		2	
66	A(71D)-H/D	8	289						x			P	A		2	
66	A(71A, E)-H/D	8	289	1935	x							P	A	Gold Violet	2	★C6AZ 5310-M
66	A(71A,B,C,D,E)-H/D	8	289				x			x		P	A		2	r/b C6AZ 5310-N
66	A(71A, B, C, E)-H/D	8	289						x			P	A		2	
66	A(71B, C, D)-P/I	8	289	1760	x		x			x	M	P	N	2 Blue	2	★C5AZ 5310-T
66	A(71B, C, D)-P/I	8	289	1845	x		x			x	M	P	A	2 Green	2	Not replaced
																★C5AZ 5310-Y
																Not replaced
66	A(71A, B, C, D, E)	8	352	1800						x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(71A, B, C, D, E)	8	352	1950						x		P	N	Yellow Violet	2	C6AZ 5310-C
66	A(71A, B, C, D, E)	8	352	2030						x	M		A	Red Green	2	C6AZ 5310-D
66	A(71A, B, C, D, E)	8	352	2116						x		P	A	Red Violet	2	★C6AZ 5310-E
																r/b D2AZ 5310-A
66	A(71A,B,C,D,E)-H/D	8	352	1935						x	M	P	N	Gold Violet	2	★C6AZ 5310-M
66	A(71A,B,C,D,E)-H/D	8	352	2030						x	M		A	Gold Orange	2	r/b C6AZ 5310-N
66	A(71A,B,C,D,E)-H/D	8	352	2130						x		P	A	Gold Brown	2	C6AZ 5310-N
																C6AZ 5310-R
66	A(71A, B, C, D, E)	8	390 2/B	1800				x		x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(71A, B, C, D, E)	8	390 2/B	1950				x		x		P	N	Yellow Violet	2	C6AZ 5310-C
66	A(71A, B, C, D, E)	8	390 2/B	2030				x		x	M		A	Red Green	2	C6AZ 5310-D
66	A(71A, B, C, D, E)	8	390 2/B	2116				x		x		P	A	Red Violet	2	★C6AZ 5310-E
																r/b D2AZ 5310-A
66	A(71A,B,C,D,E)-H/D	8	390 2/B	1935				x		x	M	P	N	Gold Violet	2	★C6AZ 5310-M
66	A(71A,B,C,D,E)-H/D	8	390 2/B	2030				x		x	M		A	Gold Orange	2	r/b C6AZ 5310-N
66	A(71A,B,C,D,E)-H/D	8	390 2/B	2130				x		x		P	A	Gold Brown	2	C6AZ 5310-N
66	A(71B, C, D)-P/I	8	390 2/B	1845				x			M		N	2 Green	2	C6AZ 5310-R
66	A(71B, C, D)-P/I	8	390 2/B	1935				x				P	N	2 Silver	2	★C5AZ 5310-Y
																Not replaced
66	A(71B, C, D)-P/I	8	390 2/B	2030				x			M		A	2 Gold	2	★C5AZ 5310-Z
66	A(71D)-P/I	8	390 2/B					x				P	A		2	Not replaced
66	A(71B, C)-P/I	8	390 2/B	2130				x				P	A	2 Violet	2	C5AZ 5310-AA
																★C5AZ 5310-AB
																r/b D2OZ 5310-K

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	•PART NUMBER
					"A" (FORD) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued											
66	A(71A, B, C, D, E)	8	390 4/B	1800	x			x			M		N	Yellow Green	2	C6AZ 5310-A
66	A(71B, C, D)	8	390 4/B							x	M		N		2	
66	A(71A, B, C, D, E)	8	390 4/B	1950	x			x		x		P	N	Yellow Violet	2	C6AZ 5310-C
66	A(71A, E)	8	390 4/B							x	M		N		2	
66	A(71A, B, C, D, E)	8	390 4/B	2030	x			x		x	M		A	Red Green	2	C6AZ 5310-D
66	A(71A, B, C, D, E)	8	390 4/B	2116	x			x		x		P	A	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(71A,B,C,D,E)-H/D	8	390 4/B	1935	x			x		x	M	P	N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(71A,B,C,D,E)-H/D	8	390 4/B	2030	x			x		x	M		A	Gold Orange	2	C6AZ 5310-N
66	A(71A,B,C,D,E)-H/D	8	390 4/B	2130	x			x		x		P	A	Gold Brown	2	C6AZ 5310-R
66	A(71B, C, D)-P/I	8	390 4/B	1845	x			x			M		N	2 Green	2	★C5AZ 5310-Y Not replaced
66	A(71B, C, D)-P/I	8	390 4/B	1935	x			x				P	N	2 Silver	2	★C5AZ 5310-Z Not replaced
66	A(71B, C, D)-P/I	8	390 4/B	2030	x			x			M		A	2 Gold	2	C5AZ 5310-AA
66	A(71B, C, D)-P/I	8	390 4/B	2130	x			x				P	A	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
66	A(71A, B, C, D, E)	8	428	1800				x			M		N	Yellow Green	2	C6AZ 5310-A
66	A(71A, B, C, D, E)	8	428	1950				x				P	N	Yellow Violet	2	C6AZ 5310-C
66	A(71A, B, C, D, E)	8	428	2030				x			M		A	Red Green	2	C6AZ 5310-D
66	A(71A, B, C, D, E)	8	428	2116				x				P	A	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(71A,B,C,D,E)-H/D	8	428	1935				x			M	P	N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(71A,B,C,D,E)-H/D	8	428	2030				x			M		A	Gold Orange	2	C6AZ 5310-N
66	A(71A,B,C,D,E)-H/D	8	428	2130				x				P	A	Gold Brown	2	C6AZ 5310-R
66	A(71B, C, D)-P/I	8	428	1845				x			M		N	2 Green	2	★C5AZ 5310-Y Not replaced
66	A(71B, C, D)-P/I	8	428	1935				x				P	N	2 Silver	2	★C5AZ 5310-Z Not replaced
66	A(71B, C, D)-P/I	8	428	2030				x			M		A	2 Gold	2	C5AZ 5310-AA
66	A(71B, C, D)-P/I	8	428	2130				x				P	A	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
66	A(76A)	6	240	1800	x				x		M		N	Yellow Green	2	C6AZ 5310-A
66	A(76A)	6	240	1800			x				M		N	Yellow Green	2	C6AZ 5310-A
66	A(76A)	6	240		x		x		x			P	N		2	
66	A(76A)	6	240	1950	x		x		x		M		A	Yellow Violet	2	C6AZ 5310-C
66	A(76A)	6	240	2030	x		x		x			P	A	Red Green	2	C6AZ 5310-D
66	A(76A)-H/D	6	240	1845	x		x		x	x	M		N	Gold Red	2	C6AZ 5310-L
66	A(76A)-H/D	6	240		x				x			P	N		2	
66	A(76A)-H/D	6	240	1935			x			x		P	N	Gold Violet	2	★C6AZ 5310-M
66	A(76A)-H/D	6	240		x		x		x		M		A		2	r/b C6AZ 5310-N
66	A(76A)-H/D	6	240	2030						x	M		A	Gold Orange	2	C6AZ 5310-N
66	A(76A)-H/D	6	240		x		x		x	x		P	A		2	
66	A(76A)	8	289	1800	x		x		x	x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(76A)	8	289		x				x			P	N		2	
66	A(76B)	8	289	1950					x		M		N	Yellow Violet	2	C6AZ 5310-C
66	A(76A)	8	289				x			x		P	N		2	
66	A(76B)	8	289						x			P	N		2	
66	A(76A)	8	289		x						M		A		2	

• Recommended to be serviced in pairs only
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
"A" (FORD) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued																
66	A(76A)	8	289	2030			x				M		A	Red Green	2	C6AZ 5310-D
66	A(76A, B)	8	289						x		M		A		2	
66	A(76A)	8	289							x	M		A		2	
66	A(76A)	8	289		x		x		x			P	A		2	
66	A(76A)	8	289	2116						x		P	A	Red Violet	2	★C6AZ 5310-E
66	A(76B)	8	289						x			P	A		2	r/b D2AZ 5310-A
66	A(76A)-H/D	8	289	1845	x		x		x		M		N	Gold Red	2	C6AZ 5310-L
66	A(76B)-H/D	8	289	1935					x		M		N	Gold Violet	2	★C6AZ 5310-M
66	A(76A, B)-H/D	8	289							x	M		N		2	r/b C6AZ 5310-N
66	A(76A)-H/D	8	289		x		x		x	x		P	N		2	
66	A(76B)-H/D	8	289						x			P	N		2	
66	A(76B)-H/D	8	289	2030						x		P	N	Gold Orange	2	C6AZ 5310-N
66	A(76A)-H/D	8	289		x		x		x	x	M		A		2	
66	A(76B)-H/D	8	289						x		M		A		2	
66	A(76A)-H/D	8	289		x		x		x			P	A		2	
66	A(76B)-H/D	8	289	2130						x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(76B)-H/D	8	289						x			P	A		2	
66	A(76A, B)-H/D	8	289							x		P	A		2	
66	A(76A)	8	352	2030						x	M		N	Red Green	2	C6AZ 5310-D
66	A(76B)	8	352	2116						x	M		N	Red Violet	2	★C6AZ 5310-E
66	A(76A)	8	352							x		P	N		2	r/b D2AZ 5310-A
66	A(76B)	8	352	2200						x		P	N	Yellow Orange	2	★C6AZ 5310-F
66	A(76A)	8	352							x	M	P	A		2	r/b D2AZ 5310-A
66	A(76B)	8	352	2290						x	M	P	A	Yellow Brown	2	C6AZ 5310-G
66	A(76A)-H/D	8	352	2030						x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(76B)-H/D	8	352	2130						x	M		N	Gold Brown	2	C6AZ 5310-R
66	A(76A, B)-H/D	8	352							x		P	N		2	
66	A(76A, B)-H/D	8	352	2235						x	M		A	Gold Pink	2	C6AZ 5310-S
66	A(76A)-H/D	8	352							x		P	A		2	
66	A(76B)-H/D	8	352	2345						x		P	A	Gold Gray	2	C6AZ 5310-T
66	A(76A)	8	390 2/B	2030				x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(76B)	8	390 2/B	2116				x		x	M		N	Red Violet	2	★C6AZ 5310-E
66	A(76A)	8	390 2/B					x		x		P	N		2	r/b D2AZ 5310-A
66	A(76B)	8	390 2/B	2200				x		x		P	N	Yellow Orange	2	★C6AZ 5310-F
66	A(76A)	8	390 2/B					x		x	M		A		2	r/b D2AZ 5310-A
66	A(76B)	8	390 2/B					x			M	P	A		2	
66	A(76A)	8	390 2/B							x		P	A		2	
66	A(76B)	8	390 2/B	2290						x	M	P	A	Yellow Brown	2	C6AZ 5310-G
66	A(76B)	8	390 2/B					x				P	A		2	
66	A(76A)-H/D	8	390 2/B	2030				x		x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(76B)-H/D	8	390 2/B	2130				x		x	M		N	Gold Brown	2	C6AZ 5310-R
66	A(76A, B)-H/D	8	390 2/B					x		x		P	N		2	
66	A(76A, B)-H/D	8	390 2/B	2235				x		x	M		A	Gold Pink	2	C6AZ 5310-S
66	A(76A)-H/D	8	390 2/B					x		x		P	A		2	
66	A(76B)-H/D	8	390 2/B	2345				x		x		P	A	Gold Gray	2	C6AZ 5310-T

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANS 3/S	TRANS 4/S	TRANS O/D	TRANS C6	TRANS C4	TRANS C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	•PART NUMBER
	"A" (FORD) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued															
66	A(76A)	8	390 4/B	2030	x	x		x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(76B)	8	390 4/B	2116		x		x		x	M		N	Red Violet	2	★C6AZ 5310-E
66	A(76A)	8	390 4/B		x	x		x		x	M	P			2	r/b D2AZ 5310-A
66	A(76B)	8	390 4/B	2200		x		x		x		P	N	Yellow Orange	2	★C6AZ 5310-F
66	A(76A)	8	390 4/B		x	x		x		x	M		A		2	r/b D2AZ 5310-A
66	A(76A)	8	390 4/B		x	x		x				P	A		2	
66	A(76B)	8	390 4/B	2290		x		x		x	M		A	Yellow Brown	2	C6AZ 5310-G
66	A(76A, B)	8	390 4/B							x		P	A		2	
66	A(76B)	8	390 4/B			x		x				P	A		2	
66	A(76A)-H/D	8	390 4/B	2030	x	x		x		x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(76B)-H/D	8	390 4/B	2130		x		x		x	M		N	Gold Brown	2	C6AZ 5310-R
66	A(76A)-H/D	8	390 4/B		x	x		x		x		P	N		2	
66	A(76B)-H/D	8	390 4/B			x		x				P	N		2	
66	A(76B)-H/D	8	390 4/B	2235						x		P	N	Gold Pink	2	C6AZ 5310-S
66	A(76A, B)-H/D	8	390 4/B		x	x		x		x	M		A		2	
66	A(76A)-H/D	8	390 4/B		x	x		x		x		P	A		2	
66	A(76B)-H/D	8	390 4/B	2345		x		x		x		P	A	Gold Gray	2	C6AZ 5310-T
66	A(76A, B)	8	427	2130		x					M		N	Gold Brown	2	C6AZ 5310-R
66	A(76A)	8	427			x						P	N		2	
66	A(76B)	8	427	2235		x						P	N	Gold Pink	2	C6AZ 5310-S
66	A(76A)	8	427			x					M		A		2	
66	A(76B)	8	427 4/B			x					M		A		2	
66	A(76A)	8	427 4/B			x						P	A		2	
66	A(76D)	8	427			x					M	P	N		2	
66	A(76B)	8	427 8/B	2345		x					M		A	Gold Gray	2	C6AZ 5310-T
66	A(76A)	8	427 8/B			x						P	A		2	
66	A(76B)	8	427			x						P	A		2	
66	A(76D)	8	427			x					M		A		2	
66	A(76D)	8	427	2460		x						P	A	Red Orange	2	C6AZ 5310-U
66	A(76A)	8	428	2030		x		x			M		N	Red Green	2	C6AZ 5310-D
66	A(76B)	8	428	2116		x		x			M		N	Red Violet	2	★C6AZ 5310-E
66	A(76A)	8	428			x		x				P	N		2	r/b D2AZ 5310-A
66	A(76B)	8	428	2200		x		x				P	N	Yellow Orange	2	★C6AZ 5310-F
66	A(76A)	8	428			x		x			M	P	A		2	r/b D2AZ 5310-A
66	A(76D)	8	428			x		x			M	P	N		2	
66	A(76B)	8	428	2290		x		x			M	P	A	Yellow Brown	2	C6AZ 5310-G
66	A(76D)	8	428			x		x			M		A		2	
66	A(76D)	8	428	2380		x		x				P	A	Yellow Gold	2	C6AZ 5310-H
66	A(76A)-H/D	8	428	2030		x		x			M		N	Gold Orange	2	C6AZ 5310-N
66	A(76B, D)-H/D	8	428	2130		x		x			M		N	Gold Brown	2	C6AZ 5310-R
66	A(76A, B)-H/D	8	428			x		x				P	N		2	
66	A(76A, B)-H/D	8	428	2235		x		x			M		A	Gold Pink	2	C6AZ 5310-S
66	A(76A)-H/D	8	428			x		x				P	A		2	
66	A(76D)-H/D	8	428			x		x				P	N		2	
66	A(76B)-H/D	8	428	2345		x		x				P	A	Gold Grey	2	C6AZ 5310-T
66	A(76D)-H/D	8	428			x		x			M	P	A		2	

• Recommended to be serviced in pairs only
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	•PART NUMBER
					"A" (FORD) -- WITH THERMACTOR - BEFORE 2/14/66											
66	A(54A, B, E)	6	240	1800	x		x		x		M		N	Yellow Green	2	C6AZ 5310-A
66	A(54A, B, E)	6	240	1800	x		x		x			P	N	Yellow Green	2	C6AZ 5310-A
66	A(54A, B, E)	6	240	1950	x		x		x		M		A	Yellow Violet	2	C6AZ 5310-C
66	A(54B)	6	240		x				x			P	A		2	
66	A(54E)	6	240		x							P	A		2	
66	A(54A)	6	240	2030	x		x		x			P	A	Red Green	2	C6AZ 5310-D
66	A(54B)	6	240				x					P	A		2	
66	A(54E)	6	240				x		x			P	A		2	
66	A(54B)-H/D	6	240	1845	x						M		N	Gold Red	2	C6AZ 5310-L
66	A(54B)-H/D	6	240	1845			x		x		M		N	Gold Red	2	C6AZ 5310-L
66	A(54A, E)-H/D	6	240		x		x		x		M		N		2	
66	A(54A, B, E)-H/D	6	240		x		x		x			P	N		2	
66	A(54A, B, E)-H/D	6	240		x		x		x		M		A	Gold Violet	2	★C6AZ 5310-M
66	A(54B)-H/D	6	240		x							P	A		2	r/b C6AZ 5310-N
66	A(54B)-H/D	6	240				x		x			P	A		2	
66	A(54A, E)-H/D	6	240	2030	x		x		x			P	A	Gold Orange	2	C6AZ 5310-N
66	A(54B)	8	289	1800	x				x		M		N	Yellow Green	2	C6AZ 5310-A
66	A(54B)	8	289	1800			x			x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(54A, E)	8	289		x		x		x	x	M		N		2	
66	A(54A)	8	289		x				x			P	N		2	
66	A(54B)	8	289		x		x		x	x		P	N		2	
66	A(54E)	8	289		x		x		x			P	N		2	
66	A(54A)	8	289	1950			x			x		P	N	Yellow Violet	2	C6AZ 5310-C
66	A(54E)	8	289							x		P	N		2	
66	A(54A, B, E)	8	289		x				x		M		A		2	
66	A(54B)	8	289				x				M		A		2	
66	A(54B)	8	289	2030						x	M		A	Red Green	2	C6AZ 5310-D
66	A(54E)	8	289				x			x	M		A		2	
66	A(54A, B, E)	8	289		x		x		x	x		P	A		2	
66	A(54A, B, E)-H/D	8	289	1845	x		x		x	x	M		N	Gold Red	2	C6AZ 5310-L
66	A(54B)-H/D	8	289		x				x			P	N		2	
66	A(54B)-H/D	8	289	1935			x			x		P	N	Gold Violet	2	★C6AZ 5310-M
66	A(54A, E)-H/D	8	289		x		x		x	x		P	N		2	r/b C6AZ 5310-N
66	A(54B)-H/D	8	289		x				x		M		A		2	
66	A(54B)-H/D	8	289	2030			x			x	M		A	Gold Orange	2	C6AZ 5310-N
66	A(54A, E)-H/D	8	289		x		x		x	x	M		A		2	
66	A(54A, B, E)-H/D	8	289		x		x		x	x		P	A		2	
66	A(54A, B, E)	8	352	2030						x	M		N	Red Green	2	C6AZ 5310-D
66	A(54A, B, E)	8	352	2116						x		P	N	Red Violet	2	★C6AZ 5310-E
66	A(54B)	8	352							x	M		A		2	r/b D2AZ 5310-A
66	A(54A, E)	8	352	2200						x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(54A, B, E)	8	352							x		P	A		2	r/b D2AZ 5310-A
66	A(54A, B, E)-H/D	8	352	2030						x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(54A, B, E)-H/D	8	352	2130						x		P	N	Gold Brown	2	C6AZ 5310-R
66	A(54B)-H/D	8	352							x	M		A		2	
66	A(54A, E)-H/D	8	352	2235						x	M		A	Gold Pink	2	C6AZ 5310-S
66	A(54A, B, E)-H/D	8	352							x		P	A		2	
66	A(54A, B, E)-H/D	8	352	2030						x	M		N	2 Gold	2	⅄C5AZ 5310-AA
66	A(54A, B, E)-H/D	8	352	2130						x		P	N	2 Violet	2	★⅄C5AZ 5310-AB
66	A(54B)-H/D	8	352							x	M		A		2	r/b D2OZ 5310-K
66	A(54A, E)-H/D	8	352	2235						x	M		A	2 Violet	2	★⅄C5AZ 5310-U
66	A(54A, B, E)-H/D	8	352							x		P	A		2	r/b D2OZ 5310-K

⚠ Must be used with high speed ride & handling package for Police use only

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	◐ PART NUMBER
					"A" (FORD) -- WITH THERMACTOR - BEFORE 2/14/66 - continued											
66	A(54A, B, E)	8	390 2/B	2030	x			x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(54B)	8	390 2/B		x							P	N		2	
66	A(54B)	8	390 2/B	2116				x		x		P	N	Red Violet	2	★C6AZ 5310-E
66	A(54A, E)	8	390 2/B		x			x		x		P	N		2	r/b D2AZ 5310-A
66	A(54B)	8	390 2/B		x			x			M		A		2	
66	A(54B)	8	390 2/B	2200						x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(54A, E)	8	390 2/B		x			x		x	M		A		2	r/b D2AZ 5310-A
66	A(54A, B, E)	8	390 2/B		x			x		x		P	A		2	
66	A(54A, B, E)-H/D	8	390 2/B	2030	x			x		x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(54B)-H/D	8	390 2/B		x							P	N		2	
66	A(54B)-H/D	8	390 2/B	2130				x		x		P	N	Gold Brown	2	C6AZ 5310-R
66	A(54A, E)-H/D	8	390 2/B		x			x		x		P	N		2	
66	A(54A)-H/D	8	390 2/B		x						M		A		2	
66	A(54B)-H/D	8	390 2/B		x			x		x	M		A		2	
66	A(54E)-H/D	8	390 2/B		x			x			M		A		2	
66	A(54A)-H/D	8	390 2/B	2235				x		x	M		A	Gold Pink	2	C6AZ 5310-S
66	A(54E)-H/D	8	390 2/B							x	M		A		2	
66	A(54A, B, E)-H/D	8	390 2/B		x			x		x		P	A		2	
66	A(54A, B, E)-H/D	8	390 2/B	2030				x		x	M		N	2 Gold	2	⁂C5AZ 5310-AA
66	A(54A, B, E)-H/D	8	390 2/B	2130				x		x		P	N	2 Violet	2	★⁂C5AZ 5310-AB
66	A(54B)-H/D	8	390 2/B							x	M		A		2	r/b D2OZ 5310-K
66	A(54B, E)-H/D	8	390 2/B					x			M		A		2	
66	A(54A, E)-H/D	8	390 2/B	2235						x	M		A	2 Pink	2	★⁂C5AZ 5310-U
66	A(54A)-H/D	8	390 2/B					x			M		A		2	r/b D2OZ 5310-K
66	A(54A, B, E)-H/D	8	390 2/B					x		x		P	A		2	
66	A(54A, B, E)	8	390 4/B	2030	x	x	x	x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(54A, B, E)	8	390 4/B	2116	x	x	x	x		x		P	N	Red Violet	2	★C6AZ 5310-E
66	A(54B)	8	390 4/B		x						M		A		2	r/b D2AZ 5310-A
66	A(54B)	8	390 4/B	2200		x	x	x		x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(54A, E)	8	390 4/B		x	x	x	x		x	M		A		2	r/b D2AZ 5310-A
66	A(54B, E)	8	390 4/B		x	x	x	x		x		P	A		2	
66	A(54A)	8	390 4/B		x	x		x		x		P	A		2	
66	A(54A)	8	390 4/B	2290			x					P	A	Yellow Brown	2	C6AZ 5310-G
66	A(54A, B, E)-H/D	8	390 4/B	2030	x	x	x	x		x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(54A, B, E)-H/D	8	390 4/B	2130	x	x	x	x		x		P	N	Gold Brown	2	C6AZ 5310-R
66	A(54B)-H/D	8	390 4/B		x	x		x		x	M		A		2	
66	A(54E)-H/D	8	390 4/B		x						M		A		2	
66	A(54A)-H/D	8	390 4/B	2235	x	x	x	x		x	M		A	Gold Pink	2	C6AZ 5310-S
66	A(54B)-H/D	8	390 4/B				x				M		A		2	
66	A(54E)-H/D	8	390 4/B			x	x	x		x	M		A		2	
66	A(54A, B, E)-H/D	8	390 4/B		x	x	x	x		x		P	A		2	
66	A(54A, B, E)-H/D	8	390 4/B	2030	x	x		x		x	M		N	2 Gold	2	⁂C5AZ 5310-AA
66	A(54A, B, E)-H/D	8	390 4/B	2130	x	x		x		x		P	N	2 Violet	2	★⁂C5AZ 5310-AB
66	A(54B, E)-H/D	8	390 4/B		x						M		A		2	r/b D2OZ 5310-K
66	A(54B)-H/D	8	390 4/B			x		x		x	M		A		2	
66	A(54A)-H/D	8	390 4/B	2235	x						M		A	2 Pink	2	★⁂C5AZ 5310-U
66	A(54A, E)-H/D	8	390 4/B			x		x		x	M		A		2	r/b D2OZ 5310-K
66	A(54A, B, E)-H/D	8	390 4/B		x	x		x		x		P	A		2	

⁂ Must be used with high speed ride & handling package for Police use only

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"A" (FORD) -- WITH THERMACTOR - BEFORE 2/14/66 - continued											
66	A(54A, B, E)	8	427	2130		x					M	P	N	Gold Brown	2	C6AZ 5310-R
66	A(54A, B, E)	8	427	2235		x					M	P	A	Gold Pink	2	C6AZ 5310-S
66	A(54A, B, E)	8	428	2030		x		x			M		N	Red Green	2	C6AZ 5310-D
66	A(54A, B, E)	8	428	2116		x		x				P	N	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(54A, B, E)	8	428	2200		x		x			M	P	A	Yellow Orange	2	★C6AZ 5310-F r/b D2AZ 5310-A
66	A(54A, B, E)-H/D	8	428	2030		x		x			M		N	Gold Orange	2	C6AZ 5310-N
66	A(54A, B, E)-H/D	8	428	2130		x		x				P	N	Gold Brown	2	C6AZ 5310-R
66	A(54B)-H/D	8	428			x		x			M		A		2	
66	A(54A, E)-H/D	8	428	2235							M		A	Gold Pink	2	C6AZ 5310-S
66	A(54A, B, E)-H/D	8	428			x		x				P	A		2	
66	A(54A, B, E)-P/I	8	428	2030	x	x	x	x			M		N	Gold Orange	2	C6AZ 5310-N
66	A(54A, B, E)-P/I	8	428	2130	x	x	x	x				P	N	Gold Brown	2	C6AZ 5310-R
66	A(54B)-P/I	8	428		x	x		x			M		A		2	
66	A(54E)-P/I	8	428		x						M		A		2	
66	A(54A)-P/I	8	428	2235	x	x	x	x			M		A	Gold Pink	2	C6AZ 5310-S
66	A(54B)-P/I	8	428				x				M		A		2	
66	A(54E)-P/I	8	428			x	x	x			M		A		2	
66	A(54A, B, E)-P/I	8	428		x	x	x	x				P	A		2	
66	A(54A, B, E)-H/D	8	428	2030				x			M		N	2 Gold	2	⁂C5AZ 5310-AA
66	A(54A, B, E)-H/D	8	428	2130				x				P	N	2 Violet	2	★⁂C5AZ 5310-AB
66	A(54B)-H/D	8	428					x			M		A		2	r/b D2OZ 5310-K
66	A(54A, E)-H/D	8	428	2235				x			M		A	2 Pink	2	★⁂C5AZ 5310-U
66	A(54A, B, E)-H/D	8	428					x				P	A		2	r/b D2OZ 5310-K
66	A(57B)	6	240	1800	x						M		N	Yellow Green	2	C6AZ 5310-A
66	A(57B)	6	240	1800			x		x		M		N	Yellow Green	2	C6AZ 5310-A
66	A(57B)	6	240		x		x		x			P	N		2	
66	A(57B)	6	240	1950	x		x		x		M		A	Yellow Violet	2	C6AZ 5310-C
66	A(57B)	6	240	2030	x		x		x			P	A	Red Green	2	C6AZ 5310-D
66	A(57B)-H/D	6	240	1845	x		x		x		M		N	Gold Red	2	C6AZ 5310-L
66	A(57B)-H/D	6	240	1935	x		x		x			P	N	Gold Violet	2	★C6AZ 5310-M
66	A(57B)-H/D	6	240		x						M		A		2	r/b C6AZ 5310-N
66	A(57B)-H/D	6	240	2030			x		x		M		A	Gold Orange	2	C6AZ 5310-N
66	A(57B)-H/D	6	240		x		x		x			P	A		2	
66	A(57B)	8	289	1800	x		x		x	x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(57F)	8	289	1950					x	x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(57B)	8	289		x		x		x	x		P	N		2	
66	A(57F)	8	289						x			P	N		2	
66	A(57F)	8	289	2030						x		P	N	Red Green	2	C6AZ 5310-D
66	A(57B)	8	289		x		x		x	x	M		A		2	
66	A(57B)	8	289		x				x			P	A		2	
66	A(57F)	8	289						x		M		A		2	
66	A(57F)	8	289	2116						x	M		A	Red Violet	2	★C6AZ 5310-E
66	A(57B)	8	289				x			x		P	A		2	r/b D2AZ 5310-A
66	A(57F)	8	289						x	x		P	A		2	

⁂ Must be used with high speed ride & handling package for Police use only

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	TRANSMISSION 4/S	TRANSMISSION O/D	TRANSMISSION C6	TRANSMISSION C4	TRANSMISSION C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	● PART NUMBER

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	● PART NUMBER
					"A" (FORD) -- WITH THERMACTOR - BEFORE 2/14/66 - continued											
66	A(57B)	8	390 4/B	2030	x						M		N	Red Green	2	C6AZ 5310-D
66	A(57B, F)	8	390 4/B	2116		x	x	x		x	M		N	Red Violet	2	★C6AZ 5310-E
66	A(57B)	8	390 4/B		x	x	x	x		x		P	N		2	r/b D2AZ 5310-A
66	A(57F)	8	390 4/B	2200		x		x		x		P	N	Yellow Orange	2	★C6AZ 5310-F
66	A(57B)	8	390 4/B		x	x	x	x		x	M		A		2	r/b D2AZ 5310-A
66	A(57F)	8	390 4/B	2290		x		x		x	M		A	Yellow Brown	2	C6AZ 5310-G
66	A(57B, F)	8	390 4/B		x	x	x	x		x		P	A		2	
66	A(57B)-H/D	8	390 4/B	2030	x						M		N	Gold Orange	2	C6AZ 5310-N
66	A(57B, F)-H/D	8	390 4/B	2130		x	x	x		x	M		N	Gold Brown	2	C6AZ 5310-R
66	A(57B)-H/D	8	390 4/B		x	x	x	x		x		P	N		2	
66	A(57F)-H/D	8	390 4/B			x		x				P	N		2	
66	A(57F)-H/D	8	390 4/B	2235						x		P	N	Gold Pink	2	C6AZ 5310-S
66	A(57B, F)-H/D	8	390 4/B		x	x	x	x		x	M		A		2	
66	A(57B)-H/D	8	390 4/B		x	x	x	x		x		P	A		2	
66	A(57F)-H/D	8	390 4/B	2345		x		x		x		P	A	Gold Gray	2	C6AZ 5310-T
66	A(57B)-H/D	8	390 4/B	2030	x						M		N	2 Gold	2	●C5AZ 5310-AA
66	A(57B)-H/D	8	390 4/B	2130		x		x		x	M	P	N	2 Violet	2	★●C5AZ 5310-AB
66	A(57B)-H/D	8	390 4/B		x							P	N		2	r/b D2OZ 5310-K
66	A(57B)-H/D	8	390 4/B	2235	x	x		x		x	M	P	A	2 Pink	2	★▲C5AZ 5310-U r/b D2OZ 5310-K
66	A(57B, F)	8	427	2130		x					M		N	Gold Brown	2	C6AZ 5310-R
66	A(57B)	8	427			x						P	N		2	
66	A(57F)	8	427	2235		x						P	N	Gold Pink	2	C6AZ 5310-S
66	A(57B)	8	427			x					M		A		2	
66	A(57F)	8	427	2345		x					M	P	A	Gold Gray	2	C6AZ 5310-T
66	A(57B)	8	427			x						P	A		2	
66	A(57B, F)	8	428	2116		x		x			M		N	Red Violet	2	★C6AZ 5310-E
66	A(57B)	8	428			x		x				P	N		2	r/b D2AZ 5310-A
66	A(57F)	8	428	2200		x		x				P	N	Yellow Orange	2	★C6AZ 5310-F
66	A(57B)	8	428			x		x			M		A		2	r/b D2AZ 5310-A
66	A(57F)	8	428	2290		x		x			M	P	A	Yellow Brown	2	C6AZ 5310-G
66	A(57B)	8	428			x		x				P	A		2	
66	A(57B, F)-H/D	8	428	2130		x		x			M	P	N	Gold Brown	2	C6AZ 5310-R
66	A(57B, F)-H/D	8	428	2235		x		x			M		A	Gold Pink	2	C6AZ 5310-S
66	A(57B)-H/D	8	428			x		x				P	A		2	
66	A(57F)-H/D	8	428	2345		x		x				P	A	Gold Gray	2	C6AZ 5310-T
66	A(57B)-P/I	8	428	2030	x						M		N	Gold Orange	2	C6AZ 5310-N
66	A(57B, F)-P/I	8	428	2130		x	x	x			M		N	Gold Brown	2	C6AZ 5310-R
66	A(57B, F)-P/I	8	428		x	x	x	x				P	N		2	
66	A(57B, F)-P/I	8	428	2235	x	x	x	x			M		A	Gold Pink	2	C6AZ 5310-S
66	A(57B)-P/I	8	428		x	x	x	x				P	A		2	
66	A(57F)-P/I	8	428	2345		x		x				P	A	Gold Gray	2	C6AZ 5310-T
66	A(57B)-H/D	8	428	2130				x			M	P	N	2 Violet	2	★●C5AZ 5310-AB r/b D2OZ 5310-K
66	A(57B)-H/D	8	428	2235				x			M	P	A	2 Pink	2	★●C5AZ 5310-U r/b D2OZ 5310-K

▲ Must be used with high speed ride & handling package for Police use only

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
					"A" (FORD) -- WITH THERMACTOR - BEFORE 2/14/66 - continued											
66	A(62E)	6	240	1730	x						M		N	Red Brown	2	★C6AZ 5310-J
																r/b C6AZ 5310-A
66	A(62B)	6	240	1800	x		x		x		M		N	Yellow Green	2	C6AZ 5310-A
66	A(62E)	6	240				x		x		M		N		2	
66	A(62B)	6	240		x				x			P	N		2	
66	A(62E)	6	240		x		x		x			P	N		2	
66	A(62B)	6	240	1800			x					P	N	Yellow Green	2	C6AZ 5310-A
66	A(62B)	6	240		x						M		A		2	
66	A(62E)	6	240		x				x		M		A		2	
66	A(62B)	6	240	1950			x		x		M		A	Yellow Violet	2	C6AZ 5310-C
66	A(62E)	6	240				x				M		A		2	
66	A(62B, E)	6	240		x		x		x			P	A		2	
66	A(62B, E)-H/D	6	240	1845	x		x		x		M		N	Gold Red	2	C6AZ 5310-L
66	A(62B, E)-H/D	6	240	1845	x		x		x			P	N	Gold Red	2	C6AZ 5310-L
66	A(62B, E)-H/D	6	240	1935	x		x		x		M		A	Gold Violet	2	★C6AZ 5310-M
66	A(62B)-H/D	6	240		x				x			P	A		2	r/b C6AZ 5310-N
66	A(62E)-H/D	6	240		x		x		x			P	A		2	
66	A(62B)-H/D	6	240	2030			x					P	A	Gold Orange	2	C6AZ 5310-N
66	A(62B)	8	289	1800	x		x		x		M		N	Yellow Green	2	C6AZ 5310-A
66	A(62E)	8	289		x		x		x	x	M		N		2	
66	A(62B)	8	289	1800						x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(62B, E)	8	289		x		x		x	x		P	N		2	
66	A(62B, E)	8	289	1950	x		x		x	x	M		A	Yellow Violet	2	C6AZ 5310-C
66	A(62E)	8	289		x				x			P	A		2	
66	A(62E)	8	289	2030			x			x		P	A	Red Green	2	C6AZ 5310-D
66	A(62B)	8	289		x		x		x	x		P	A		2	
66	A(62B, E)-H/D	8	289	1845	x		x		x	x	M		N	Gold Red	2	C6AZ 5310-L
66	A(62B, E)-H/D	8	289		x		x		x			P	N		2	
66	A(62B, E)-H/D	8	289	1935						x		P	N	Gold Violet	2	★C6AZ 5310-M
66	A(62B, E)-H/D	8	289		x		x		x		M		A		2	r/b C6AZ 5310-N
66	A(62E)-H/D	8	289							x	M		A		2	
66	A(62B)-H/D	8	289	2030						x	M		A	Gold Orange	2	C6AZ 5310-N
66	A(62B, E)-H/D	8	289		x		x		x	x		P	A		2	
66	A(62B, E)	8	352	2030						x	M	P	N	Red Green	2	C6AZ 5310-D
66	A(62B, E)	8	352	2116						x	M		A	Red Violet	2	★C6AZ 5310-E
																r/b D2AZ 5310-A
66	A(62B, E)	8	352	2200						x		P	A	Yellow Orange	2	★C6AZ 5310-F
																r/b D2AZ 5310-A
66	A(62B, E)-H/D	8	352	2030						x	M	P	N	Gold Orange	2	C6AZ 5310-N
66	A(62B, E)-H/D	8	352	2130						x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(62B, E)-H/D	8	352	2235						x		P	N	Gold Pink	2	C6AZ 5310-S
66	A(62B, E)-H/D	8	352	2030						x	M	P	A	2 Gold	2	⁂C5AZ 5310-AA
66	A(62B, E)-H/D	8	352	2130						x	M		A	2 Violet	2	★⁂C5AZ 5310-AB
																r/b D2OZ 5310-K
60	A(62B, E)-H/D	8	352	2235						x		P	A	2 Pink	2	★⁂C5AZ 5310-U
																r/b D2OZ 5310-K

⁂ Must be used with high speed ride & handling package for Police use only

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"A" (FORD) --WITH THERMACTOR - BEFORE 2/14/66 - continued											
66	A(62E)	8	390 2/B	1950	x						M		N	Yellow Violet	2	C6AZ 5310-C
66	A(62E)	8	390 2/B	2030				x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(62B)	8	390 2/B		x			x		x	M		N		2	
66	A(62B, E)	8	390 2/B		x			x		x		P	N		2	
66	A(62B, E)	8	390 2/B	2116	x			x		x	M		A	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(62B, E)	8	390 2/B	2200	x			x		x		P	A	Yellow Orange	2	★C6AZ 5310-F r/b D2AZ 5310-A
66	A(62B, E)-H/D	8	390 2/B	2030	x			x		x	M	P	N	Gold Orange	2	C6AZ 5310-N
66	A(62B, E)-H/D	8	390 2/B	2130	x			x		x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(62E)-H/D	8	390 2/B		x							P	A		2	
66	A(62E)-H/D	8	390 2/B	2235				x		x		P	A	Gold Pink	2	C6AZ 5310-S
66	A(62B)-H/D	8	390 2/B		x			x		x		P	A		2	
66	A(62B, E)-H/D	8	390 2/B	2030				x		x	M	P	N	2 Gold	2	/C5AZ 5310-AA
66	A(62B, E)-H/D	8	390 2/B	2130				x		x	M		A	2 Violet	2	★/C5AZ 5310-AB r/b D2OZ 5310-K
66	A(62B, E)-H/D	8	390 2/B	2235				x		x		P	A	2 Pink	2	★/C5AZ 5310-U r/b D2OZ 5310-K
66	A(62B, E)	8	390 4/B	2030	x	x	x	x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(62B)	8	390 4/B		x	x		x				P	N		2	
66	A(62E)	8	390 4/B		x	x	x	x		x		P	N		2	
66	A(62B)	8	390 4/B	2116			x			x		P	N	Red Violet	2	★C6AZ 5310-E
66	A(62B)	8	390 4/B		x	x		x		x	M		A		2	r/b D2AZ 5310-A
66	A(62E)	8	390 4/B		x	x	x	x		x	M		A		2	
66	A(62B)	8	390 4/B	2200			x				M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(62B, E)	8	390 4/B		x	x	x	x		x		P	A		2	r/b D2AZ 5310-A
66	A(62B, E)-H/D	8	390 4/B	2030	x	x	x	x		x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(62B)-H/D	8	390 4/B		x	x		x				P	N		2	
66	A(62E)-H/D	8	390 4/B		x	x	x	x		x		P	N		2	
66	A(62B)-H/D	8	390 4/B	2130			x			x		P	N	Gold Brown	2	C6AZ 5310-R
66	A(62B, E)-H/D	8	390 4/B		x	x	x	x		x	M		A		2	
66	A(62B, E)-H/D	8	390 4/B	2235	x	x	x	x		x		P	A	Gold Pink	2	C6AZ 5310-S
66	A(62B, E)-H/D	8	390 4/B	2030	x	x		x		x	M		N	2 Gold	2	/C5AZ 5310-AA
66	A(62B, E)-H/D	8	390 4/B		x	x		x				P	N		2	
66	A(62E)-H/D	8	390 4/B							x		P	N		2	
66	A(62B)-H/D	8	390 4/B	2130						x		P	N	2 Violet	2	★/C5AZ 5310-AB
66	A(62B, E)-H/D	8	390 4/B		x	x		x		x	M		A		2	r/b D2OZ 5310-K
66	A(62B, E)-H/D	8	390 4/B	2235	x	x		x		x		P	A	2 Pink	2	★/C5AZ 5310-U r/b D2OZ 5310-K
66	A(62B, E)	8	427	2030		x					M		N	Gold Orange	2	C6AZ 5310-N
66	A(62B, E)	8	427	2130		x						P	N	Gold Brown	2	C6AZ 5310-R
66	A(62B, E)	8	427	2235		x					M	P	A	Gold Pink	2	C6AZ 5310-S
66	A(62B, E)	8	428	2030		x		x			M	P	N	Red Green	2	C6AZ 5310-D
66	A(62B, E)	8	428	2116		x		x			M		A	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(62B, E)	8	428	2200		x		x				P	A	Yellow Orange	2	★C6AZ 5310-F r/b D2AZ 5310-A
66	A(62B, E)-H/D	8	428	2030		x		x			M	P	N	Gold Orange	2	C6AZ 5310-N
66	A(62B, E)-H/D	8	428	2130		x		x			M		A	Gold Brown	2	C6AZ 5310-R
66	A(62B, E)-H/D	8	428	2235		x		x				P	A	Gold Pink	2	C6AZ 5310-S

★ Must be used with high speed ride & handling package for Police use only

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	•PART NUMBER
					"A" (FORD) --WITH THERMACTOR - BEFORE 2/14/66 - continued											
66	A(62B, E)-P/I	8	428	2030	x	x	x	x			M		N	Gold Orange	2	C6AZ 5310-N
66	A(62B)-P/I	8	428		x	x		x				P	N		2	
66	A(62E)-P/I	8	428		x	x	x	x				P	N		2	
66	A(62B)-P/I	8	428	2130			x					P	N	Gold Brown	2	C6AZ 5310-R
66	A(62B, E)-P/I	8	428		x	x	x	x			M		A		2	
66	A(62B, E)-P/I	8	428	2235	x	x	x	x				P	A	Gold Pink	2	C6AZ 5310-S
66	A(62B, E)-H/D	8	428	2030				x			M	P	N	2 Gold	2	/C5AZ 5310-AA
66	A(62B, E)-H/D	8	428	2130				x			M		A	2 Violet	2	★/C5AZ 5310-AB r/b D2OZ 5310-K
66	A(62B, E)-H/D	8	428	2235				x				P	A	2 Pink	2	★/C5AZ 5310-U r/b D2OZ 5310-K
66	A(63B)	6	240	1800	x		x		x		M		N	Yellow Green	2	C6AZ 5310-A
66	A(63B)	6	240	1800	x		x		x			P	N	Yellow Green	2	C6AZ 5310-A
66	A(63B)	6	240	1950	x		x		x		M		A	Yellow Violet	2	C6AZ 5310-C
66	A(63B)	6	240		x				x			P	A		2	
66	A(63B)	6	240	2030			x					P	A	Red Green	2	C6AZ 5310-D
66	A(63B)-H/D	6	240	1845	x						M		N	Gold Red	2	C6AZ 5310-L
66	A(63B)-H/D	6	240	1845			x		x		M		N	Gold Red	2	C6AZ 5310-L
66	A(63B)-H/D	6	240		x		x		x			P	N		2	
66	A(63B)-H/D	6	240	1935	x		x		x		M		A	Gold Violet	2	★C6AZ 5310-M
66	A(63B)-H/D	6	240		x							P	A		2	r/b C6AZ 5310-N
66	A(63B)-H/D	6	240	2030			x		x			P	A	Gold Orange	2	C6AZ 5310-N
66	A(63B)	8	289	1800	x				x		M		N	Yellow Green	2	C6AZ 5310-A
66	A(63B)	8	289	1800			x			x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(63F)	8	289						x	x	M		N		2	
66	A(63B)	8	289		x		x		x	x		P	N		2	
66	A(63C)	8	289	1950					x	x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(63F)	8	289						x	x		P	N		2	
66	A(63C)	8	289						x			P	N		2	
66	A(63B)	8	289		x		x		x		M		A		2	
66	A(63C)	8	289	2030						x		P	N	Red Green	2	C6AZ 5310-D
66	A(63B)	8	289							x	M		A		2	
66	A(63C)	8	289						x		M		A		2	
66	A(63F)	8	289						x	x	M		A		2	
66	A(63B)	8	289		x		x		x	x		P	A		2	
66	A(63F)	8	289						x			P	A		2	
66	A(63F)	8	289	2116						x		P	A	Red Violet	2	★C6AZ 5310-E
66	A(63C)	8	289						x	x		P	A		2	r/b D2AZ 5310-A
66	A(63C)	8	289							x	M		A		2	
66	A(63B)-H/D	8	289	1845	x		x		x	x	M		N	Gold Red	2	C6AZ 5310-L
66	A(63F)-H/D	8	289						x		M		N		2	
66	A(63B)-H/D	8	289		x				x			P	N		2	
66	A(63C)-H/D	8	289	1935					x	x	M		N	Gold Violet	2	★C6AZ 5310-M
66	A(63F)-H/D	8	289							x	M		N		2	r/b C6AZ 5310-N
66	A(63B)-H/D	8	289				x			x		P	N		2	
66	A(63C)-H/D	8	289						x			P	N		2	
66	A(63F)-H/D	8	289						x	x		P	N		2	
66	A(63B)-H/D	8	289		x		x		x		M		A		2	

★ Must be used with high speed ride & handling package for Police use only

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
"A" (FORD) --WITH THERMACTOR - BEFORE 2/14/66 - continued																
66	A(63C)-H/D	8	289	2030						x		P	N	Gold Orange	2	C6AZ 5310-N
66	A(63B)-H/D	8	289							x	M		A		2	
66	A(63C)-H/D	8	289						x		M		A		2	
66	A(63F)-H/D	8	289						x	x	M		A		2	
66	A(63B)-H/D	8	289		x		x		x	x		P	A		2	
66	A(63F)-H/D	8	289						x			P	A		2	
66	A(63C)-H/D	8	289	2130						x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(63C)-H/D	8	289						x	x		P	A		2	
66	A(63F)-H/D	8	289							x		P	A		2	
66	A(63B)	8	352	2030						x	M		N	Red Green	2	C6AZ 5310-D
66	A(63C, F)	8	352	2116						x	M		N	Red Violet	2	★C6AZ 5310-E
66	A(63B, F)	8	352							x		P	N		2	r/b D2AZ 5310-A
66	A(63B)	8	352							x	M		A		2	
66	A(63C)	8	352	2200						x		P	N	Yellow Orange	2	★C6AZ 5310-F
66	A(63F)	8	352							x	M		A		2	r/b D2AZ 5310-A
66	A(63B)	8	352							x		P	A		2	
66	A(63C)	8	352	2290						x	M		A	Yellow Brown	2	C6AZ 5310-G
66	A(63C, F)	8	352							x		P	A		2	
66	A(63B)-H/D	8	352	2030						x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(63C, F)-H/D	8	352	2130						x	M		N	Gold Brown	2	C6AZ 5310-R
66	A(63B, C, F)-H/D	8	352							x		P	N		2	
66	A(63B)-H/D	8	352							x	M		A		2	
66	A(63C, F)-H/D	8	352	2235						x	M		A	Gold Pink	2	C6AZ 5310-S
66	A(63B, F)-H/D	8	352							x		P	A		2	
66	A(63C)-H/D	8	352	2345						x		P	A	Gold Gray	2	C6AZ 5310-T
66	A(63B)-H/D	8	352	2030						x	M		N	2 Gold	2	⁂C5AZ 5310-AA
66	A(63B)-H/D	8	352	2130						x		P	N	2 Violet	2	★⁂C5AZ 5310-AB
66	A(63B)-H/D	8	352							x	M		A		2	r/b D2OZ 5310-K
66	A(63B)-H/D	8	352	2235						x		P	A	2 Pink	2	★⁂C5AZ 5310-U
																r/b D2OZ 5310-K
66	A(63B)	8	390 2/B	2030	x			x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(63F)	8	390 2/B					x			M		N		2	
66	A(63B)	8	390 2/B		x			x				P	N		2	
66	A(63C)	8	390 2/B	2116				x		x	M		N	Red Violet	2	★C6AZ 5310-E
66	A(63F)	8	390 2/B							x	M		N		2	r/b D2AZ 5310-A
66	A(63B)	8	390 2/B							x		P	N		2	
66	A(63F)	8	390 2/B					x		x		P	N		2	
66	A(63B)	8	390 2/B		x			x			M		A		2	
66	A(63C)	8	390 2/B	2200				x		x		P	N	Yellow Orange	2	★C6AZ 5310-F
66	A(63B)	8	390 2/B							x	M		A		2	r/b D2AZ 5310-A
66	A(63C)	8	390 2/B					x			M		A		2	
66	A(63F)	8	390 2/B					x		x	M		A		2	
66	A(63B)	8	390 2/B		x			x		x		P	A		2	
66	A(63C)	8	390 2/B	2290						x	M		A	Yellow Brown	2	C6AZ 5310-G
66	A(63C, F)	8	390 2/B					x		x		P	A		2	
66	A(63B)-H/D	8	390 2/B	2020	x			x		x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(63F)-H/D	8	390 2/B					x			M		N		2	
66	A(63B)-H/D	8	390 2/B		x			x				P	N		2	

⁂ Must be used with high speed ride & handling package for Police use only

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	TRANSMISSION 4/S	TRANSMISSION O/D	TRANSMISSION C6	TRANSMISSION C4	TRANSMISSION C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
								"A" (FORD) -- WITH THERMACTOR - BEFORE 2/14/66 - continued								
66	A(63C)-H/D	8	390 2/B	2130				x		x	M	P	N	Gold Brown	2	C6AZ 5310-R
66	A(63F)-H/D	8	390 2/B							x	M		N		2	
66	A(63F)-H/D	8	390 2/B					x		x		P	N		2	
66	A(63B)-H/D	8	390 2/B							x		P	N		2	
66	A(63B)-H/D	8	390 2/B		x			x		x	M		A		2	
66	A(63C, F)-H/D	8	390 2/B	2235				x		x	M		A	Gold Pink	2	C6AZ 5310-S
66	A(63B, F)-H/D	8	390 2/B		x			x		x		P	A		2	
66	A(63C)-H/D	8	390 2/B	2345				x		x		P	A	Gold Gray	2	C6AZ 5310-T
66	A(63B)-H/D	8	390 2/B	2030				x		x	M		N	2 Gold	2	⁄C5AZ 5310-AA
66	A(63B)-H/D	8	390 2/B					x				P	N		2	
66	A(63B)-H/D	8	390 2/B	2130						x		P	N	2 Violet	2	★⁄C5AZ 5310-AB
66	A(63B)-H/D	8	390 2/B					x		x	M		A		2	r/b D2OZ 5310-K
66	A(63B)-H/D	8	390 2/B	2235				x		x		P	A	2 Pink	2	★⁄C5AZ 5310-U r/b D2OZ 5310-K
66	A(63B)	8	390 4/B	2030	x	x	x	x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(63C, F)	8	390 4/B	2116		x		x		x	M		N	Red Violet	2	★C6AZ 5310-E
66	A(63B, F)	8	390 4/B		x	x	x	x		x		P	N		2	r/b D2AZ 5310-A
66	A(63B)	8	390 4/B		x	x					M		A		2	
66	A(63C)	8	390 4/B	2200		x		x		x		P	N	Yellow Orange	2	★C6AZ 5310-F
66	A(63B)	8	390 4/B				x	x		x	M		A		2	r/b D2AZ 5310-A
66	A(63F)	8	390 4/B			x		x		x	M		A		2	
66	A(63B)	8	390 4/B		x	x	x	x		x		P	A		2	
66	A(63C)	8	390 4/B	2290		x		x		x	M	P	A	Yellow Brown	2	C6AZ 5310-G
66	A(63F)	8	390 4/B			x		x		x		P	A		2	
66	A(63B)-H/D	8	390 4/B	2030	x	x	x	x		x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(63C, F)-H/D	8	390 4/B	2130		x		x		x	M		N	Gold Brown	2	C6AZ 5310-R
66	A(63B, F)-H/D	8	390 4/B		x	x	x	x		x		P	N		2	
66	A(63C)-H/D	8	390 4/B			x		x				P	N		2	
66	A(63B)-H/D	8	390 4/B		x	x		x		x	M		A		2	
66	A(63C)-H/D	8	390 4/B	2235						x		P	N	Gold Pink	2	C6AZ 5310-S
66	A(63B)-H/D	8	390 4/B				x				M		A		2	
66	A(63C, F)-H/D	8	390 4/B			x		x		x	M		A		2	
66	A(63B, F)-H/D	8	390 4/B		x	x	x	x		x		P	A		2	
66	A(63C)-H/D	8	390 4/B	2345		x		x		x		P	A	Gold Gray	2	C6AZ 5310-T
66	A(63B)-H/D	8	390 4/B	2030	x	x		x		x	M		N	2 Gold	2	⁄C5AZ 5310-AA
66	A(63B)-H/D	8	390 4/B	2130	x	x		x		x		P	N	2 Violet	2	★⁄C5AZ 5310-AB
66	A(63B)-H/D	8	390 4/B		x	x		x		x	M		A		2	r/b D2OZ 5310-K
66	A(63B)-H/D	8	390 4/B	2235	x	x		x		x		P	A	2 Pink	2	★⁄C5AZ 5310-U r/b D2OZ 5310-K
66	A(63B, C, D, F)	8	427	2130		x					M		N	Gold Brown	2	C6AZ 5310-R
66	A(63B, F)	8	427			x						P	N		2	
66	A(63C, D)	8	427	2235		x						P	N	Gold Pink	2	C6AZ 5310-S
66	A(63B, F)	8	427			x					M		A		2	
66	A(63B)	8	427			x						P	A		2	
66	A(63C, D)	8	427	2345		x					M		A	Gold Gray	2	C6AZ 5310-T
66	A(63C, D, F)	8	427			x						P	A		2	
66	A(63B)	8	428	2030		x		x			M		N	Red Green	2	C6AZ 5310-D
66	A(63C, D, F)	8	428	2116		x		x			M		N	Red Violet	2	★C6AZ 5310-E
66	A(63B, F)	8	428			x		x				P	N		2	r/b D2AZ 5310-A
66	A(63B)	8	428			x					M		A		2	

★ Must be used with high speed ride & handling package for Police use only

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"A" (FORD) -- WITH THERMACTOR - BEFORE 2/14/66 - continued											
66	A(63C, D)	8	428	2200		x		x				P	N	Yellow Orange	2	★C6AZ 5310-F
66	A(63B)	8	428					x			M		A		2	r/b D2AZ 5310-A
66	A(63F)	8	428			x		x			M		A		2	
66	A(63B)	8	428			x		x				P	A		2	
66	A(63C, D)	8	428	2290		x		x			M		A	Yellow Brown	2	C6AZ 5310-G
66	A(63C, D, F)	8	428			x		x				P	A		2	
66	A(63B)-H/D	8	428	2030		x		x			M		N	Gold Orange	2	C6AZ 5310-N
66	A(63C, D, F)-H/D	8	428	2130		x		x			M		N	Gold Brown	2	C6AZ 5310-R
66	A(63B, C, D, F)-H/D	8	428			x		x				P	N		2	
66	A(63B)-H/D	8	428			x		x			M		A		2	
66	A(63C, D, F)-H/D	8	428	2235		x		x			M		A	Gold Pink	2	C6AZ 5310-S
66	A(63B, F)-H/D	8	428			x		x				P	A		2	
66	A(63C, D)-H/D	8	428	2345		x		x				P	A	Gold Gray	2	C6AZ 5310-T
66	A(63B)-P/I	8	428	2030	x	x	x	x			M		N	Gold Orange	2	C6AZ 5310-N
66	A(63C, F)-P/I	8	428	2130		x		x			M		N	Gold Brown	2	C6AZ 5310-R
66	A(63B, C, F)-P/I	8	428		x	x	x	x				P	N		2	
66	A(63B)-P/I	8	428		x	x		x			M		A		2	
66	A(63B)-P/I	8	428	2235			x				M		A	Gold Pink	2	C6AZ 5310-S
66	A(63C, F)-P/I	8	428			x		x			M		A		2	
66	A(63B, F)-P/I	8	428		x	x	x	x				P	A		2	
66	A(63C)-P/I	8	428	2345		x		x				P	A		2	C6AZ 5310-T
66	A(63B)	8	428	2030				x			M		N	2 Gold	2	⁂C5AZ 5310-AA
66	A(63B)	8	428	2130				x				P	N	2 Violet	2	★⁂C5AZ 5310-AB
66	A(63B)	8	428					x			M		A		2	r/b D2OZ 5310-K
66	A(63B)	8	428	2235				x				P	A	2 Pink	2	★⁂C5AZ 5310-U r/b D2OZ 5310-K
66	A(71A, B, C, D, E)	6	240	1730	x		x		x		M		N	Red Brown	2	★C6AZ 5310-J r/b C6AZ 5310-A
66	A(71A, B, C, D, E)	6	240	1800	x		x		x			P	N	Yellow Green	2	C6AZ 5310-A
66	A(71A, B, C, D, E)	6	240	1800	x		x		x		M		A	Yellow Green	2	C6AZ 5310-A
66	A(76B)	6	240		x							P	A		2	
66	A(71D)	6	240		x				x			P	A		2	
66	A(71A, C, E)	6	240	1950	x		x		x			P	A	Yellow Violet	2	C6AZ 5310-C
66	A(71B)	6	240				x		x			P	A		2	
66	A(71D)	6	240				x					P	A		2	
66	A(71A, B, C, D, E)-H/D	6	240	1845	x		x		x		M		N	Gold Red	2	C6AZ 5310-L
66	A(71A, B, C, D, E)-H/D	6	240		x							P	N		2	
66	A(71A, B, D, E)-H/D	6	240						x			P	N		2	
66	A(71D)-H/D	6	240				x					P	N		2	
66	A(71A, B, C, E)-H/D	6	240	1845			x					P	N	Gold Red	2	C6AZ 5310-L
66	A(71C)-H/D	6	240						x			P	N		2	
66	A(71A, B, C, D, E)-H/D	6	240		x				x		M		A		2	
66	A(71B, D)-H/D	6	240				x				M		A		2	
66	A(71A, C, E)-H/D	6	240	1935			x				M		A	Gold Violet	2	★C6AZ 5310-M
66	A(71A, B, C, D, E)-H/D	6	240		x		x		x			P	A		2	r/b C6AZ 5310-N

⁂ Must be used with high speed ride & handling package for Police use only

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
	"A" (FORD) -- WITH THERMACTOR - BEFORE 2/14/66 - continued															
66	A(71D)	8	289	1730	x				x		M		N	Red Brown	2	★C6AZ 5310-J r/b C6AZ 5310-A
66	A(71A, B, C, E)	8	289	1800	x		x		x	x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(71D)	8	289				x			x	M	P	N		2	
66	A(71A, B, D, E)	8	289		x		x		x			P	N		2	
66	A(71C)	8	289		x				x			P	N		2	
66	A(71C)	8	289	1800			x					P	N	Yellow Green	2	C6AZ 5310-A
66	A(71A, B, C, E)	8	289							x		P	N		2	
66	A(71A, B, C, D, E)	8	289		x						M		A		2	
66	A(71A, B, D, E)	8	289						x		M		A		2	
66	A(71C)	8	289				x				M		A		2	
66	A(71A, B, C, E)	8	289	1950			x				M		A	Yellow Violet	2	C6AZ 5310-C
66	A(71A, B, C, D, E)	8	289							x	M		A		2	
66	A(71C)	8	289						x		M		A		2	
66	A(71A, B, C, D, E)	8	289		x		x		x			P	A		2	
66	A(71A, B, D, E)	8	289							x		P	A		2	
66	A(71C)	8	289	2030						x		P	A	Red Green	2	C6AZ 5310-D
66	A(71A, B, C, D, E)-H/D	8	289	1845	x		x		x		M		N	Gold Red	2	C6AZ 5310-L
66	A(71D)-H/D	8	289							x	M		N		2	
66	A(71A, B, C, D, E)-H/D	8	289	1845	x		x		x	x		P	N	Gold Red	2	C6AZ 5310-L
66	A(71A, B, C, E)-H/D	8	289							x	M		N		2	
66	A(71A, B, C, D, E)-H/D	8	289	1935	x		x		x	x	M		A	Gold Violet	2	★C6AZ 5310-M
66	A(71A, B, D, E)-H/D	8	289		x		x		x			P	A		2	r/b C6AZ 5310-N
66	A(71C)-H/D	8	289		x				x			P	A		2	
66	A(71D)-H/D	8	289							x		P	A		2	
66	A(71C)-H/D	8	289	2030			x					P	A	Gold Orange	2	C6AZ 5310-N
66	A(71A, B, C, E)-H/D	8	289							x		P	A		2	
66	A(71A, B, C, D, E)	8	352	1950						x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(71A, B, C, D, E)	8	352	2030						x		P	N	Red Green	2	C6AZ 5310-D
66	A(71A, B, C, D, E)	8	352	2116						x	M	P	A	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(71A, B, D, E)-H/D	8	352	1935						x	M		N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(71C)-H/D	8	352	2030						x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(71A, B, C, D, E)-H/D	8	352							x		P	N		2	
66	A(71A,B,D,E)-H/D	8	352	1935						x	M		N	2 Silver	2	★⁂C5AZ 5310-Z Not replaced
66	A(71C)-H/D	8	352	2030						x	M		N	2 Gold	2	⁂C5AZ 5310-AA
66	A(71A, B, C, D, E)-H/D	8	352							x		P	N		2	
66	A(71A, B, C, D, E)-H/D	8	352	2130						x	M	P	A	2 Violet	2	★⁂C5AZ 5310-AB r/b D2OZ 5310-K
66	A(71A, B, C, D, E)-H/D	8	352	2130						x	M	P	A	Gold Brown	2	C6AZ 5310-R
66	A(71A, B, C, D, E)	8	390 2/B	1950	x			x		x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(71A, B, C, D, E)	8	390 2/B	2030	x			x		x		P	N	Red Green	2	C6AZ 5310-D
66	A(71A, B, C, D, E)	8	390 2/B	2116	x			x		x	M		A	Red Violet	2	★C6AZ 5310-E
66	A(71A, B, D, E)	8	390 2/B		x			x		x		P	A		2	r/b D2AZ 5310-A
66	A(71C)	8	390 2/B		x			x				P	A		2	
66	A(71C)	8	390 2/B	2200						x		P	A	Yellow Orange	2	★C6AZ 5310-F r/b D2AZ 5310-A

⁂ Must be used with high speed ride & handling package for Police use only

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	•PART NUMBER
					"A" (FORD) -- WITH THERMACTOR - BEFORE 2/14/66 - continued											
66	A(71A, B, C, D, E)-H/D	8	390 2/B	1935	x			x			M		N	Gold Violet	2	★C6AZ 5310-M
66	A(71A, B, D)-H/D	8	390 2/B							x	M		N		2	r/b C6AZ 5310-N
66	A(71C, E)-H/D	8	390 2/B							x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(71A, B, C, D, E)-H/D	8	390 2/B		x			x		x		P	N		2	
66	A(71A, B, C, D, E)-H/D	8	390 2/B	2130	x			x		x	M	P	A	Gold Brown	2	C6AZ 5310-R
66	A(71A, B, D)-H/D	8	390 2/B	1935						x	M		N	2 Silver	2	★⁄C5AZ 5310-Z
66	A(71A, B, C, D, E)-H/D	8	390 2/B					x			M		N		2	Not replaced
66	A(71C, E)-H/D	8	390 2/B	2030						x	M		N	2 Gold	2	⁄C5AZ 5310-AA
66	A(71A, B, C, D, E)-H/D	8	390 2/B					x		x		P	N		2	
66	A(71A, B, C, D, E)-H/D	8	390 2/B	2130				x		x	M	P	A	2 Violet	2	★⁄C5AZ 5310-AB r/b D2OZ 5310-K
66	A(71A, B, C, D, E)	8	390 4/B	1950	x			x		x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(71A, B, D, E)	8	390 4/B				x				M		N		2	
66	A(71C)	8	390 4/B	2030			x				M		N	Red Green	2	C6AZ 5310-D
66	A(71A, B, C, D, E)	8	390 4/B		x		x	x		x		P	N		2	
66	A(71A, B, C, D, E)	8	390 4/B	2116	x		x	x		x	M		A	Red Violet	2	★C6AZ 5310-E
66	A(71A, B, C, D, E)	8	390 4/B		x							P	A		2	r/b D2AZ 5310-A
66	A(71D)	8	390 4/B				x	x		x		P	A		2	
66	A(71A, B, E)	8	390 4/B					x				P	A		2	
66	A(71A, B, C, E)	8	390 4/B	2200			x			x		P	A	Yellow Orange	2	★C6AZ 5310-F
66	A(71C)	8	390 4/B					x				P	A		2	r/b D2AZ 5310-A
66	A(71A, B, C, D, E)-H/D	8	390 4/B	1935	x						M		N	Gold Violet	2	★C6AZ 5310-M
66	A(71D)-H/D	8	390 4/B				x	x		x	M		N		2	r/b C6AZ 5310-N
66	A(71A, B, E)-H/D	8	390 4/B					x			M		N		2	
66	A(71A, B, C, E)-H/D	8	390 4/B	2030			x			x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(71C)-H/D	8	390 4/B					x			M		N		2	
66	A(71A, B, C, D, E)-H/D	8	390 4/B		x		x	x		x		P	N		2	
66	A(71A, B, C, D, E)-H/D	8	390 4/B	2130	x		x	x		x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(71A, B, C, D, E)-H/D	8	390 4/B		x			x		x		P	A		2	
66	A(71A, B, D, E)-H/D	8	390 4/B				x					P	A		2	
66	A(71C)-H/D	8	390 4/B	2235			x					P	A	Gold Pink	2	C6AZ 5310-S
66	A(71A, B, C, D, E)-H/D	8	390 4/B	1935	x						M		N	2 Silver	2	★⁄C5AZ 5310-Z
66	A(71D)-H/D	8	390 4/B							x	M		N		2	Not replaced
66	A(71A, B, D, E)-H/D	8	390 4/B					x			M		N		2	
66	A(71A, B, C, E)-H/D	8	390 4/B	2030						x	M		N	2 Gold	2	⁄C5AZ 5310-AA
66	A(71C)-H/D	8	390 4/B					x			M		N		2	
66	A(71A, B, C, D, E)-H/D	8	390 4/B		x			x		x		P	N		2	
66	A(71A, B, C, D, E)-H/D	8	390 4/B	2130	x			x		x	M	P	A	2 Violet	2	★⁄C5AZ 5310-AB r/b D2OZ 5310-K
66	A(71A, B, C, D, E)	8	428	1950				x			M		N	Yellow Violet	2	C6AZ 5310-C
66	A(71A, B, C, D, E)	8	428	2030				x				P	N	Red Green	2	C6AZ 5310-D
66	A(71A, B, C, D, E)	8	428	2116				x			M		A	Red Violet	2	★C6AZ 5310-E
66	A(71A, B, D, E)	8	428					x				P	A		2	r/b D2AZ 5310-A
66	A(71C)	8	428	2200				x				P	A	Yellow Orange	2	★C6AZ 5310-F r/b D2AZ 5310-A
66	A(71A, B, D)-H/D	8	428	1935				x			M		N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(71C, E)-H/D	8	428	2030				x			M		N	Gold Orange	2	C6AZ 5310-N
66	A(71A, B, C, D, E)-H/D	8	428					x				P	N		2	
66	A(71A, B, C, D, E)-H/D	8	428	2130				x			M	P	A	Gold Brown	2	C6AZ 5310-R

★ Must be used with high speed ride & handling package for Police use only

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"A" (FORD) -- WITH THERMACTOR - BEFORE 2/14/66 - continued											
66	A(71A, B, C, D, E)-P/I	8	428	1935	x						M		N	Gold Violet	2	★C6AZ 5310-M
66	A(71A, B, D)-P/I	8	428					x			M		N		2	r/b C6AZ 5310-N
66	A(71C, E)-P/I	8	428	2030				x			M		N	Gold Orange	2	C6AZ 5310-N
66	A(71A, B, C, D, E)-P/I	8	428		x			x				P	N		2	
66	A(71A, B, C, D, E)-P/I	8	428	2130	x			x			M	P	A	Gold Brown	2	C6AZ 5310-R
66	A(71A, B, D)-H/D	8	428	1935				x			M		N	2 Silver	2	★/C5AZ 5310-Z Not replaced
66	A(71C, E)-H/D	8	428	2030				x			M		N	2 Gold	2	/C5AZ 5310-AA
66	A(71A, B, C, D, E)-H/D	8	428					x				P	N		2	
66	A(71A, B, C, D, E)-H/D	8	428	2130				x			M	P	A	2 Violet	2	★/C5AZ 5310-AB r/b D2OZ 5310-K
66	A(76A)	6	240	1800	x		x		x		M		N	Yellow Green	2	C6AZ 5310-A
66	A(76A)	6	240	1950	x		x		x			P	N	Yellow Violet	2	C6AZ 5310-C
66	A(76A)	6	240	2030	x		x		x		M		A	Red Green	2	C6AZ 5310-D
66	A(76A)	6	240		x							P	A		2	
66	A(76A)	6	240	2116			x		x			P	A	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(76A)-H/D	6	240	1935	x		x		x		M	P	N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(76A)-H/D	6	240	2030	x		x		x		M		A	Gold Orange	2	C6AZ 5310-N
66	A(76A)-H/D	6	240		x							P	A		2	
66	A(76A)-H/D	6	240	2130			x		x			P	A	Gold Brown	2	C6AZ 5310-R
66	A(76A)	8	289	1950	x		x		x	x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(76A)	8	289		x		x		x			P	N		2	
66	A(76B)	8	289	2030					x	x	M		N	Red Green	2	C6AZ 5310-D
66	A(76A)	8	289							x		P	N		2	
66	A(76B)	8	289						x			P	N		2	
66	A(76A)	8	289		x		x		x		M		A		2	
66	A(76B)	8	289	2116						x		P	N	Red Violet	2	★C6AZ 5310-E
66	A(76B)	8	289						x	x	M		A		2	r/b D2AZ 5310-A
66	A(76A)	8	289							x	M		A		2	
66	A(76A)	8	289		x		x		x	x		P	A		2	
66	A(76B)	8	289	2200					x	x		P	A	Yellow Orange	2	★C6AZ 5310-F r/b D2AZ 5310-A
66	A(76A)-H/D	8	289	1935	x		x		x	x	M		N	Gold Violet	2	★C6AZ 5310-M
66	A(76A)-H/D	8	289		x							P	N		2	r/b C6AZ 5310-N
66	A(76B)-H/D	8	289	2030					x	x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(76A)-H/D	8	289				x		x	x		P	N		2	
66	A(76B)-H/D	8	289						x			P	N		2	
66	A(76A)-H/D	8	289		x		x		x		M		A		2	
66	A(76B)-H/D	8	289	2130						x		P	N	Gold Brown	2	C6AZ 5310-R
66	A(76A)-H/D	8	289						x	x	M		A		2	
66	A(76B)-H/D	8	289						x	x	M		A		2	
66	A(76A)-H/D	8	289		x		x		x	x		P	A		2	
66	A(76B)-H/D	8	289	2235					x	x		P	A	Gold Pink	2	C6AZ 5310-S
66	A(76A)	8	352	2116						x	M		N	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(76B)	8	352	2200						x	M	P	N	Yellow Orange	2	★C6AZ 5310-F
66	A(76A)	8	352							x		P	N		2	r/b D2AZ 5310-A
66	A(76A, B)	8	352	2290						x	M		A	Yellow Brown	2	C6AZ 5310-G
66	A(76A)	8	352							x		P	A		2	
66	A(76B)	8	352	2380						x		P	A	Yellow Gold	2	C6AZ 5310-H

/ Must be used with high speed ride & handling package for Police use only

● Recommended to be serviced in pairs only

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
"A" (FORD) -- WITH THERMACTOR - BEFORE 2/14/66 - continued																
66	A(76A)-H/D	8	352	2130						x	M	P	N	Gold Brown	2	C6AZ 5310-R
66	A(76B)-H/D	8	352	2235						x	M	P	N	Gold Pink	2	C6AZ 5310-S
66	A(76A)-H/D	8	352							x	M		A		2	
66	A(76B)-H/D	8	352	2345						x	M	P	A	Gold Gray	2	C6AZ 5310-T
66	A(76A)-H/D	8	352							x		P	A		2	
66	A(76A)	8	390 2/B	2116	x			x		x	M		N	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(76B)	8	390 2/B	2200				x		x	M	P	N	Yellow Orange	2	★C6AZ 5310-F
66	A(76A)	8	390 2/B		x			x		x		P	N		2	r/b D2AZ 5310-A
66	A(76A)	8	390 2/B		x						M		A		2	
66	A(76A, B)	8	390 2/B	2290				x		x	M		A	Yellow Brown	2	C6AZ 5310-G
66	A(76A)	8	390 2/B		x			x		x		P	A		2	
66	A(76B)	8	390 2/B	2380				x		x		P	A	Yellow Gold	2	C6AZ 5310-H
66	A(76A)-H/D	8	390 2/B	2130	x			x		x	M		N	Gold Brown	2	C6AZ 5310-R
66	A(76A)-H/D	8	390 2/B		x			x				P	N		2	
66	A(76B)-H/D	8	390 2/B	2235				x		x	M	P	N	Gold Pink	2	C6AZ 5310-S
66	A(76A)-H/D	8	390 2/B							x		P	N		2	
66	A(76A)-H/D	8	390 2/B		x			x		x	M		A		2	
66	A(76B)-H/D	8	390 2/B	2345				x		x	M	P	A	Gold Gray	2	C6AZ 5310-T
66	A(76A)-H/D	8	390 2/B		x			x		x		P	A		2	
66	A(76A)	8	390 4/B	2116	x	x	x	x		x	M		N	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(76B)	8	390 4/B	2200		x		x		x	M		N	Yellow Orange	2	★C6AZ 5310-F
66	A(76A)	8	390 4/B		x	x	x	x		x		P	N		2	r/b D2AZ 5310-A
66	A(76B)	8	390 4/B			x		x				P	N		2	
66	A(76B)	8	390 4/B	2290						x		P	N	Yellow Brown	2	C6AZ 5310-G
66	A(76A, B)	8	390 4/B		x	x	x	x		x	M		A		2	
66	A(76A)	8	390 4/B		x	x	x	x		x		P	A		2	
66	A(76B)	8	390 4/B	2380		x		x		x		P	A	Yellow Gold	2	C6AZ 5310-H
66	A(76A)-H/D	8	390 4/B	2130	x	x	x	x		x	M		N	Gold Brown	2	C6AZ 5310-R
66	A(76A)-H/D	8	390 4/B		x	x						P	N		2	
66	A(76A)-H/D	8	390 4/B	2235			x	x		x		P	N	Gold Pink	2	C6AZ 5310-S
66	A(76B)-H/D	8	390 4/B			x		x		x	M	P	N		2	
66	A(76A)-H/D	8	390 4/B		x	x	x	x		x	M		A		2	
66	A(76B)-H/D	8	390 4/B	2345		x		x		x	M	P	A	Gold Gray	2	C6AZ 5310-T
66	A(76A)-H/D	8	390 4/B		x	x	x	x		x		P	A		2	
66	A(76A)	8	427	2130		x					M		N	Gold Brown	2	C6AZ 5310-R
66	A(76B, D)	8	427	2235		x					M		N	Gold Pink	2	C6AZ 5310-S
66	A(76A)	8	427			x						P	N		2	
66	A(76B, D)	8	427	2345		x						P	N	Gold Gray	2	C6AZ 5310-T
66	A(76A, B, D)	8	427			x					M		A		2	
66	A(76A)	8	427			x						P	A		2	
66	A(76B, D)	8	427	2460		x						P	A	Red Orange	2	C6AZ 5310-U
66	A(76A)	8	428	2116		x		x			M		N	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(76B, D)	8	428	2260		x		x			M	P	N	Yellow Orange	2	★C6AZ 5310-F
66	A(76A)	8	428			x		x				P	N		2	r/b D2AZ 5310-A
66	A(76A, B, D)	8	428	2290		x		x			M		A	Yellow Brown	2	C6AZ 5310-G
66	A(76A)	8	428			x		x				P	A		2	
66	A(76B, D)	8	428	2380		x		x				P	A	Yellow Gold	2	C6AZ 5310-H

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
					"A" (FORD) -- WITH THERMACTOR - BEFORE 2/14/66 - continued											
66	A(76A)-H/D	8	428	2130		x		x			M		N	Gold Brown	2	C6AZ 5310-R
66	A(76A)-H/D	8	428			x						P	N		2	
66	A(76B, D)-H/D	8	428	2235		x		x			M	P	N	Gold Pink	2	C6AZ 5310-S
66	A(76A)-H/D	8	428					x				P	N		2	
66	A(76A)-H/D	8	428			x		x			M		A		2	
66	A(76B, D)-H/D	8	428	2345		x		x			M	P	A	Gold Gray	2	C6AZ 5310-T
66	A(76A)-H/D	8	428			x		x				P	A		2	
66	A(76A)-P/I	8	428	2130	x	x	x	x			M		N	Gold Brown	2	C6AZ 5310-R
66	A(76A)-P/I	8	428		x	x						P	N		2	
66	A(76A)-P/I	8	428	2235			x	x				P	N	Gold Pink	2	C6AZ 5310-S
66	A(76B)-P/I	8	428			x		x			M	P	N		2	
66	A(76A)-P/I	8	428		x	x	x	x			M		A		2	
66	A(76B)-P/I	8	428	2345		x		x			M	P	A	Gold Gray	2	C6AZ 5310-T
66	A(76A)-P/I	8	428		x	x	x	x				P	A		2	
					"A" (FORD) -- WITH THERMACTOR - FROM 2/14/66											
66	A(54A, B, E)	6	240	1730	x				x		M		N	Red Brown	2	★C6AZ 5310-J
66	A(54B, E)	6	240								M		N		2	r b C6AZ 5310-A
66	A(54A, B, E)	6	240	1800			x				M		N	Yellow Green	2	C6AZ 5310-A
66	A(54A)	6	240						x		M		N		2	
66	A(54A, B, E)	6	240		x		x		x			P	N		2	
66	A(54A, B, E)	6	240	1800	x				x		M		A	Yellow Green	2	C6AZ 5310-A
66	A(54B, E)	6	240				x				M		A		2	
66	A(54A)	6	240	1950			x				M		A	Yellow Violet	2	C6AZ 5310-C
66	A(54A, B, E)	6	240		x		x		x			P	A		2	
66	A(54A, B, E)-H/D	6	240	1845	x		x		x		M		N	Gold Red	2	C6AZ 5310-L
66	A(54B, E)-H/D	6	240							x	M		N		2	
66	A(54A)-H/D	6	240	1845						x	M		N	Gold Red	2	C6AZ 5310-L
66	A(54A, B, E)-H/D	6	240		x		x		x	x		P	N		2	
66	A(54B)-H/D	6	240		x						M		A		2	
66	A(54A, E)-H/D	6	240	1935	x						M		A	Gold Violet	2	★C6AZ 5310-M
66	A(54A, B, E)-H/D	6	240				x		x	x	M		A		2	r/b C6AZ 5310-N
66	A(54A, B, E)-H/D	6	240		x		x		x			P	A		2	
66	A(54B, E)-H/D	6	240							x		P	A		2	
66	A(54A)-H/D	6	240	2030						x		P	A	Gold Orange	2	C6AZ 5310-N
66	A(54B, E)-P/I	6	240	1760	x		x			x	M		N	2 Blue	2	★C5AZ 5310-T Not replaced
66	A(54B, E)-P/I	6	240	1845	x		x			x		P	N	2 Green	2	★C5AZ 5310-Y
66	A(54B, E)-P/I	6	240		x		x			x	M		A		2	Not replaced
66	A(54B)-P/I	6	240		x							P	A		2	
66	A(54B)-P/I	6	240	1935			x			x		P	A	2 Silver	2	★C5AZ 5310-Z
66	A(54E)-P/I	6	240		x		x			x		P	A		2	Not replaced
66	A(54A, B, E)	8	289	1800	x		x		x	x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(54B)	8	289		x							P	N		2	
66	A(54A, E)	8	289	1800	x							P	N	Yellow Green	2	C6AZ 5310-A
66	A(54A, B, E)	8	289				x		x	x		P	N		2	
66	A(54A, B, E)	8	289	1950	x		x		x	x	M		A	Yellow Violet	2	C6AZ 5310-C
66	A(54A, B, E)	8	289		x					x		P	A		2	
66	A(54B, E)	8	289				x					P	A		2	
66	A(54A)	8	289	2030			x					P	A	Red Green	2	C6AZ 5310-D
66	A(54A, B, E)	8	289							x		P	A		2	

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	TRANSMISSION 4/S	TRANSMISSION O/D	TRANSMISSION C6	TRANSMISSION C4	TRANSMISSION C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	● PART NUMBER
	"A" (FORD) -- WITH THERMACTOR - FROM 2/14/66 - continued															
66	A(54A)-H/D	8	289	1845	x				x		M		N	Gold Red	2	C6AZ 5310-L
66	A(54A, B, E)-H/D	8	289				x			x	M		N		2	
66	A(54A, B, E)-H/D	8	289		x		x		x	x		P	N		2	
66	A(54B, E)-H/D	8	289	1845	x				x		M		N	Gold Red	2	C6AZ 5310-L
66	A(54A, B, E)-H/D	8	289	1935	x		x		x	x	M		A	Gold Violet	2	★C6AZ 5310-M
66	A(54B, E)-H/D	8	289		x							P	A		2	r/b C6AZ 5310-N
66	A(54A)-H/D	8	289	2030	x							P	A	Gold Orange	2	C6AZ 5310-N
66	A(54A, B, E)-H/D	8	289				x		x	x		P	A		2	
66	A(54B, E)-P/I	8	289	1760	x						M		N	2 Blue	2	★C5AZ 5310-T
																Not replaced
66	A(54B, E)-P/I	8	289	1845			x			x	M	P	N	2 Green	2	★C5AZ 5310-Y
66	A(54B, E)-P/I	8	289		x						M		A		2	Not replaced
66	A(54B, E)-P/I	8	289	1935			x			x	M		A	2 Silver	2	★C5AZ 5310-Z
66	A(54B, E)-P/I	8	289		x							P	A		2	Not replaced
66	A(54B, E)-P/I	8	289	2030			x			x		P	A	2 Gold	2	C5AZ 5310-AA
66	A(54A)	8	352	2030						x	M		N	Red Green	2	C6AZ 5310-D
66	A(54A, B, E)	8	352							x		P	N		2	
66	A(54B, E)	8	352	1950						x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(54A, B, E)	8	352	2116						x	M		A	Red Violet	2	★C6AZ 5310-E
																r/b D2AZ 5310-A
66	A(54A, B, E)	8	352	2200						x		P	A	Yellow Orange	2	★C6AZ 5310-F
																r/b D2AZ 5310-A
66	A(54A, B, E)-H/D	8	352	2030						x	M	P	N	Gold Orange	2	C6AZ 5310-N
66	A(54A, B, E)-H/D	8	352	2130						x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(54B, E)-H/D	8	352							x		P	A		2	
66	A(54A)-H/D	8	352	2335						x		P	A	Gold Pink	2	C6AZ 5310-S
66	A(54A, B, E)	8	390 2/B	2030				x		x	M	P	N	Red Green	2	C6AZ 5310-D
66	A(54A)	8	390 2/B					x			M		N		2	
66	A(54B, E)	8	390 2/B	1950				x			M		N	Yellow Violet	2	C6AZ 5310-C
66	A(54A, B, E)	8	390 2/B	2116				x		x	M		A	Red Violet	2	★C6AZ 5310-E
																r/b D2AZ 5310-A
66	A(54A, B, E)	8	390 2/B	2200				x		x		P	A	Yellow Orange	2	★C6AZ 5310-F
																r/b D2AZ 5310-A
66	A(54A, B, E)-H/D	8	390 2/B	2030				x		x	M	P	N	Gold Orange	2	C6AZ 5310-N
66	A(54A, B, E)-H/D	8	390 2/B	2130				x		x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(54B, E)-H/D	8	390 2/B					x				P	A		2	
66	A(54A, B, E)-H/D	8	390 2/B	2235						x		P	A	Gold Pink	2	C6AZ 5310-S
66	A(54A)-H/D	8	390 2/B					x				P	A		2	
66	A(54B, E)-P/I	8	390 2/B	2030				x			M	P	N	2 Gold	2	C5AZ 5310-AA
66	A(54B, E)-P/I	8	390 2/B					x			M	P	A		2	
66	A(54A)	8	390 4/B	2030	x	x		x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(54A, B, E)	8	390 4/B		x	x		x	x			P	N		2	
66	A(54E)	8	390 4/B					x			M		N		2	
66	A(54B, E)	8	390 4/B							x	M		N		2	
66	A(54B, E)	8	390 4/B	1950	x	x					M		N	Yellow Violet	2	C6AZ 5310-C
66	A(54B)	8	390 4/B					x			M		N		2	
66	A(54A, B, E)	8	390 4/B	2116	x	x		x		x	M		A	Red Violet	2	★C6AZ 5310-E
																r/b D2AZ 5310-A
66	A(54A, B, E)	8	390 4/B	2200	x	x		x		x		P	A	Yellow Orange	2	★C6AZ 5310-F
																r/b D2AZ 5310-A

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"A" (FORD) -- WITH THERMACTOR - FROM 2/14/66 - continued											
66	A(54A, B, E)-H/D	8	390 4/B	2030	x	x		x		x	M	P	N	Gold Orange	2	C6AZ 5310-N
66	A(54A, B, E)-H/D	8	390 4/B	2130	x	x		x		x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(54B, E)-H/D	8	390 4/B		x	x						P	A		2	
66	A(54B)-H/D	8	390 4/B					x				P	A		2	
66	A(54A)-H/D	8	390 4/B	2235	x	x		x		x		P	A	Gold Pink	2	C6AZ 5310-S
66	A(54E)-H/D	8	390 4/B					x				P	A		2	
66	A(54B, E)-H/D	8	390 4/B							x		P	A		2	
66	A(54B, E)-P/I	8	390 4/B	2030	x	x		x			M	P	N	2 Gold	2	C5AZ 5310-AA
66	A(54B, E)-P/I	8	390 4/B	2130	x	x		x			M		A	2 Violet	2	★C5AZ 5310-AB
66	A(54B, E)-P/I	8	390 4/B		x	x						P	A		2	r/b D2OZ 5320-K
66	A(54A)-P/I	8	390 4/B					x				P	A		2	
66	A(54B)-P/I	8	390 4/B	2235				x				P	A	2 Pink	2	★C5AZ 5310-U r/b D2OZ 5310-K
66	A(54A, B, E)	8	427	2030		x					M		N	Gold Orange	2	C6AZ 5310-N
66	A(54B, E)	8	427 4/B			x						P	N		2	
66	A(54A, B, E)	8	427 8/B	2130		x						P	N	Gold Brown	2	C6AZ 5310-R
66	A(54A)	8	427 4/B			x						P	N		2	
66	A(54B, E)	8	427 8/B			x					M		A		2	
66	A(54A, B, E)	8	427 4/B			x					M		A		2	
66	A(54A)	8	427 8/B	2235		x					M		A	Gold Pink	2	C6AZ 5310-S
66	A(54A, B, E)	8	427			x						P	A		2	
66	A(54A)	8	428	2030		x		x			M	P	N	Red Green	2	C6AZ 5310-D
66	A(54B, E)	8	428					x			M	P	N		2	
66	A(54B, E)	8	428	1950		x					M		N	Yellow Violet	2	C6AZ 5310-C
66	A(54A, B, E)	8	428	2116		x		x			M		A	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(54A, B, E)	8	428	2200		x		x				P	A	Yellow Orange	2	★C6AZ 5310-F r/b D2AZ 5310-A
66	A(54A, B, E)-H/D	8	428	2030		x		x			M	P	N	Gold Orange	2	C6AZ 5310-N
66	A(54A, B, E)-H/D	8	428	2130		x		x			M		A	Gold Brown	2	C6AZ 5310-R
66	A(54B, E)-H/D	8	428			x						P	A		2	
66	A(54A)-H/D	8	428	2235		x		x				P	A	Gold Pink	2	C6AZ 5310-S
66	A(54B, E)-H/D	8	428					x				P	A		2	
66	A(54B, E)-P/I	8	428	2030		x		x			M	P	N	2 Gold	2	C5AZ 5310-AA
66	A(54B, E)-P/I	8	428	2130		x		x			M		A	2 Violet	2	★C5AZ 5310-AB
66	A(54B, E)-P/I	8	428			x						P	A		2	r/b D2OZ 5310-K
66	A(54B, E)-P/I	8	428	2235				x				P	A	2 Pink	2	★C5AZ 5310-U r/b D2OZ 5310-K
66	A(57B)	8	240	1800	x		x			x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(57B)	6	240	1800	x		x			x		P	N	Yellow Green	2	C6AZ 5310-A
66	A(57B)	6	240	1950	x		x			x	M		A	Yellow Violet	2	C6AZ 5310-C
66	A(57B)	6	240		x				x			P	A		2	
66	A(57B)	6	240	2030			x					P	A	Red Green	2	C6AZ 5310-D
66	A(57B)-H/D	6	240	1845	x						M		N	Gold Red	2	C6AZ 5310-L
66	A(57B)-H/D	6	240	1845			x		x	x	M		N	Gold Red	2	C6AZ 5310-L
66	A(57B)-H/D	6	240		x		x		x	x		P	N		2	
66	A(57B)-H/D	6	240	1935	x		x		x	x	M		A	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(57B)-H/D	6	240	2030	x		x		x	x		P	A	Gold Orange	2	C6AZ 5310-N

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"A" (FORD) -- WITH THERMACTOR - FROM 2/14/66 - continued											
66	A(57B)	8	289	1800	x				x		M		N	Yellow Green	2	C6AZ 5310-A
66	A(57B)	8	289	1800			x			x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(57F)	8	289						x	x	M		N		2	
66	A(57B)	8	289		x		x		x	x		P	N		2	
66	A(57F)	8	289						x			P	N		2	
66	A(57F)	8	289	1950						x		P	N	Yellow Violet	2	C6AZ 5310-C
66	A(57B, F)	8	289		x		x		x		M		A		2	
66	A(57B, F)	8	289	2030						x	M		A	Red Green	2	C6AZ 5310-D
66	A(57B, F)	8	289		x		x		x	x		P	A		2	
66	A(57B)-H/D	8	289	1845	x		x		x	x	M		N	Gold Red	2	C6AZ 5310-L
66	A(57F)-H/D	8	289						x		M		N		2	
66	A(57B)-H/D	8	289		x							P	N		2	
66	A(57B)-H/D	8	289	1935	x				x		M		A	Gold Violet	2	★C6AZ 5310-M
66	A(57B, F)-H/D	8	289				x		x	x		P	N		2	r/b C6AZ 5310-N
66	A(57B)-H/D	8	289	2030	x				x			P	A	Gold Orange	2	C6AZ 5310-N
66	A(57B)-H/D	8	289				x			x	M	P	A		2	
66	A(57F)-H/D	8	289						x	x	M	P	A		2	
66	A(57B, F)	8	352	2030						x	M		N	Red Green	2	C6AZ 5310-D
66	A(57B, F)	8	352	2116						x		P	N	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(57B, F)	8	352	2200						x	M	P	A	Yellow Orange	2	★C6AZ 5310-F r/b D2AZ 5310-A
66	A(57B, F)-H/D	8	352	2030						x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(57B, F)-H/D	8	352	2130						x		P	N	Gold Brown	2	C6AZ 5310-R
66	A(57B)-H/D	8	352							x	M		A			
66	A(57B)-H/D	8	352	2235						x		P	A	Gold Pink	2	C6AZ 5310-S
66	A(57F)-H/D	8	352							x	M	P	A		2	
66	A(57B, F)	8	390 2/B	2030				x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(57B, F)	8	390 2/B	2116				x		x		P	N	Red Violet	2	★C6AZ 5310-E
66	A(57B)	8	390 2/B					x			M		A		2	r/b D2AZ 5310-A
66	A(57B, F)	8	390 2/B	2200						x	M	P	A	Yellow Orange	2	★C6AZ 5310-F
66	A(57F)	8	390 2/B					x			M		A		2	r/b D2AZ 5310-A
66	A(57B, F)	8	390 2/B					x		x		P	A		2	
66	A(57B, F)-H/D	8	390 2/B	2030				x		x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(57B, F)-H/D	8	390 2/B					x		x		P	N		2	
66	A(57B)-H/D	8	390 2/B	2130				x		x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(57F)-H/D	8	390 2/B	2235				x		x	M		A	Gold Pink	2	C6AZ 5310-S
66	A(57B, F)-H/D	8	390 2/B					x		x		P	A		2	
66	A(57B, F)	8	390 4/B	2030	x	x		x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(57B, F)	8	390 4/B	2116	x	x		x		x		P	N	Red Violet	2	★C6AZ 5310-E
66	A(57B)	8	390 4/B		x						M		A		2	r/b D2AZ 5310-A
66	A(57B, F)	8	390 4/B	2200		x		x		x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(57B)	8	390 4/B		x	x		x		x		P	A		2	r/b D2AZ 5310-A
66	A(57F)	8	390 4/B			x		x				P	A		2	
66	A(57B, F)-H/D	8	390 4/B	2030	x	x		x		x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(57F)	8	390 4/B	2290						x		P	A	Yellow Brown	2	C6AZ 5310-G
66	A(57B)-H/D	8	390 4/B	2130	x	x		x		x		P	N	Gold Brown	2	C6AZ 5310-R
66	A(57F)-H/D	8	390 4/B			x		x		x		P	N		2	
66	A(57B)-H/D	8	390 4/B		x	x		x		x	M		A		2	
66	A(57F)-H/D	8	390 4/B	2235		x		x		x	M		A	Gold Pink	2	C6AZ 5310-S
66	A(57B, F)-H/D	8	390 4/B		x	x		x		x		P	A		2	

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
"A" (FORD) --WITH THERMACTOR - FROM 2/14/66 - continued																
66	A(62B, E)-H/D	8	289	1845	x		x		x	x	M		N	Gold Red	2	C6AZ 5310-L
66	A(62B, E)-H/D	8	289	1845	x		x		x	x		P	N	Gold Red	2	C6AZ 5310-L
66	A(62B, E)-H/D	8	289	1935	x		x		x	x	M		A	Gold Violet	2	★C6AZ 5310-M
66	A(62B, E)-H/D	8	289		x		x		x			P	A		2	r/b C6AZ 5310-N
66	A(62E)-H/D	8	289							x		P	A		2	
66	A(62B)-H/D	8	289	2030						x		P	A	Gold Orange	2	C6AZ 5310-N
66	A(62B, E)-P/I	8	289	1760	x		x			x	M		N	2 Blue	2	★C5AZ 5310-T Not replaced
66	A(62B, E)-P/I	8	289	1845	x		x			x		P	N	2 Green	2	★C5AZ 5310-Y
66	A(62B, E)-P/I	8	289		x		x			x	M		A		2	Not replaced
66	A(62B, E)-P/I	8	289	1935	x		x					P	A	2 Silver	2	★C5AZ 5310-Z
66	A(62E)-P/I	8	289							x		P	A		2	Not replaced
66	A(62B)-P/I	8	289	2030						x		P	A	2 Gold	2	C5AZ 5310-AA
66	A(62B, E)	8	352	1950						x	M		N	Yellow Violet	2	C6AZ 5310-C
66.	A(62B, E)	8	352	2030						x		P	N	Red Green	2	C6AZ 5310-D
66	A(62B, E)	8	352	2116						x	M	P	A	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(62B, E)-H/D	8	352	1935						x	M		N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(62B, E)-H/D	8	352	2030						x		P	N	Gold Orange	2	C6AZ 5310-N
66	A(62B, E)-H/D	8	352	2130						x	M	P	A	Gold Brown	2	C6AZ 5310-R
66	A(62B, E)	8	390 2/B	1950				x		x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(62B, E)	8	390 2/B	2030				x		x		P	N	Red Green	2	C6AZ 5310-D
66	A(62B, E)	8	390 2/B	2116				x		x	M	P	A	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(62B, E)-H/D	8	390 2/B	1935				x		x	M		N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(62B, E)-H/D	8	390 2/B	2030				x		x		P	N	Gold Orange	2	C6AZ 5310-N
66	A(62B, E)-H/D	8	390 2/B	2130				x		x	M	P	A	Gold Brown	2	C6AZ 5310-R
66	A(62B, E)-P/I	8	390 2/B	1935				x			M		N	2 Silver	2	★C5AZ 5310-Z Not replaced
66	A(62B, E)-P/I	8	390 2/B	2030				x				P	N	2 Gold	2	C5AZ 5310-AA
66	A(62B, E)-P/I	8	390 2/B	2130				x			M	P	A	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
66	A(62B, E)	8	390 4/B	1950	x	x		x		x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(62B, E)	8	390 4/B	2030	x	x		x		x		P	N	Red Green	2	C6AZ 5310-D
66	A(62B, E)	8	390 4/B	2116	x	x		x		x	M	P	A	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(62B, E)-H/D	8	390 4/B	1935	x	x		x		x	M		N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(62B, E)-H/D	8	390 4/B	2030	x	x		x		x		P	N	Gold Orange	2	C6AZ 5310-N
66	A(62B, E)-H/D	8	390 4/B	2130	x	x		x		x	M	P	A	Gold Brown	2	C6AZ 5310-R
66	A(62B, E)-P/I	8	390 4/B	1935	x	x		x			M		N	2 Silver	2	★C5AZ 5310-Z Not replaced
66	A(62B, E)-P/I	8	390 4/B	2030	x	x		x				P	N	2 Gold	2	C5AZ 5310-AA
66	A(62B, E)-P/I	8	390 4/B	2130	x	x		x			M	P	A	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
66	A(62B, E)	8	427	2030		x					M	P	N	Gold Orange	2	C6AZ 5310-N
66	A(62B, E)	8	427	2130		x					M		A	Gold Brown	2	C6AZ 5310-R
66	A(62B, E)	8	427 4/B			x						P	A		2	
66	A(62B, E)	8	427 8/B	2235		x						P	A	Gold Pink	2	C6AZ 5310-S

• Recommended to be serviced in pairs only
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	TRANSMISSION 4/S	TRANSMISSION O/D	TRANSMISSION C6	TRANSMISSION C4	TRANSMISSION C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
	"A" (FORD) -- WITH THERMACTOR - FROM 2/14/66 - continued															
66	A(62B, E)	8	428	1950		x		x			M		N	Yellow Violet	2	C6AZ 5310-C
66	A(62B, E)	8	428	2030		x		x				P	N	Red Green	2	C6AZ 5310-D
66	A(62B, E)	8	428	2116		x		x			M	P	A	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(62B, E)-H/D	8	428	1935		x		x			M		N	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(62B, E)-H/D	8	428	2030		x		x				P	N	Gold Orange	2	C6AZ 5310-N
66	A(62B, E)-H/D	8	428	2130		x		x			M	P	A	Gold Brown	2	C6AZ 5310-R
66	A(62B, E)-P/T	8	428	1935		x		x			M		N	2 Silver	2	★C5AZ 5310-Z Not replaced
66	A(62B, E)-P/T	8	428	2030		x		x				P	N	2 Gold	2	C5AZ 5310-AA
66	A(62B, E)-P/T	8	428	2130		x		x			M	P	A	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
66	A(63B)	6	240	1730	x						M		N	Red Brown	2	★C6AZ 5310-J r/b C6AZ 5310-A
66	A(63B)	6	240	1800			x		x		M		N	Yellow Green	2	C6AZ 5310-A
66	A(63B)	6	240		x		x		x			P	N		2	
66	A(63B)	6	240	1800	x		x		x		M		A	Yellow Green	2	C6AZ 5310-A
66	A(63B)	6	240	1950	x		x		x			P	A	Yellow Violet	2	C6AZ 5310-C
66	A(63B)-H/D	6	240	1845	x		x		x		M		N	Gold Red	2	C6AZ 5310-L
66	A(63B)-H/D	6	240	1845						x	M		N	Gold Red	2	C6AZ 5310-L
66	A(63B)-H/D	6	240		x		x		x	x		P	N		2	
66	A(63B)-H/D	6	240	1935	x		x		x		M	P	A	Gold Violet	2	★C6AZ 5310-M
66	A(63B)-H/D	6	240							x	M		A		2	r/b C6AZ 5310-N
66	A(63B)-H/D	6	240	2030						x		P	A	Gold Orange	2	C6AZ 5310-N
66	A(63B)	8	289	1800	x		x		x	x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(63B)	8	289	1800	x		x		x	x		P	N	Yellow Green	2	C6AZ 5310-A
66	A(63C, F)	8	289						x		M		N		2	
66	A(63F)	8	289							x	M	P	N		2	
66	A(63C)	8	289	1950					x	x		P	N	Yellow Violet	2	C6AZ 5310-C
66	A(63B)	8	289		x		x		x	x	M		A		2	
66	A(63F)	8	289						x		M		A		2	
66	A(63B)	8	289		x				x			P	A		2	
66	A(63B)	8	289	2030			x			x		P	A	Red Green	2	C6AZ 5310-D
66	A(63C)	8	289						x		M		A		2	
66	A(63F)	8	289						x	x	M	P	A		2	
66	A(63B)-H/D	8	289	1845	x						M		N	Gold Red	2	C6AZ 5310-L
66	A(63B)-H/D	8	289	1845			x		x	x	M		N	Gold Red	2	C6AZ 5310-L
66	A(63C, F)-H/D	8	289						x		M		N		2	
66	A(63F)-H/D	8	289							x	M		N		2	
66	A(63B)-H/D	8	289		x		x		x	x		P	N		2	
66	A(63B)-H/D	8	289	1935	x		x		x	x	M		A	Gold Violet	2	★C6AZ 5310-M
66	A(63C, F)-H/D	8	289						x	x		P	N		2	r/b C6AZ 5310-N
66	A(63F)-H/D	8	289						x		M		A		2	
66	A(63C)-H/D	8	289							x	M		N		2	
66	A(63B)-H/D	8	289	2030	x		x		x	x		P	A	Gold Orange	2	C6AZ 5310-N
66	A(63C)-H/D	8	289						x	x	M		A		2	
66	A(63C, F)-H/D	8	289						x			P	A		2	
66	A(63F)-H/D	8	289							x	M	P	A		2	
66	A(63C)-H/D	8	289	2130						x		P	A	Gold Brown	2	C6AZ 5310-R

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

- continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	TRANSMISSION 4/S	TRANSMISSION O/D	TRANSMISSION C6	TRANSMISSION C4	TRANSMISSION C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
	"A" (FORD) --WITH THERMACTOR - FROM 2/14/66 - continued															
66	A(63B, C, F)	8	352	2030						x	M		N	Red Green	2	C6AZ 5310-D
66	A(63B)	8	352							x		P	N		2	
66	A(63B)	8	352	2116						x	M		A	Red Violet	2	★C6AZ 5310-E
66	A(63C, F)	8	352							x		P	N		2	r/b D2AZ 5310-A
66	A(63C, F)	8	352	2200						x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(63B, C, F)	8	352							x		P	A		2	r/b D2AZ 5310-A
66	A(63B, C, F)-H/D	8	352	2030						x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(63B)-H/D	8	352							x		P	N		2	
66	A(63B, F)-H/D	8	352	2130						x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(63C, F)-H/D	8	352							x		P	N		2	
66	A(63C)-H/D	8	352	2235						x	M	P	A	Gold Pink	2	C6AZ 5310-S
66	A(63B, F)-H/D	8	352							x		P	A		2	
66	A(63B, C, F)	8	390 2/B	2030				x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(63B)	8	390 2/B					x		x		P	N		2	
66	A(63C, F)	8	390 2/B	2116				x		x		P	N	Red Violet	2	★C6AZ 5310-E
66	A(63B)	8	390 2/B					x		x	M		A		2	r/b D2AZ 5310-A
66	A(63C, F)	8	390 2/B	2200				x		x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(63B, F)	8	390 2/B					x		x		P	A		2	r/b D2AZ 5310-A
66	A(63C)	8	390 2/B					x				P	A		2	
66	A(63C)	8	390 2/B	2290						x		P	A	Yellow Brown	2	C6AZ 5310-G
66	A(63B, C, F)-H/D	8	390 2/B	2030				x		x	M		N	Gold Orange	2	C6AZ 5310-N
66	A(63B)-H/D	8	390 2/B					x		x		P	N		2	
66	A(63C, F)-H/D	8	390 2/B	2130				x		x		P	N	Gold Brown	2	C6AZ 5310-R
66	A(63B, F)-H/D	8	390 2/B					x		x	M		A		2	
66	A(63B)-H/D	8	390 2/B					x				P	A		2	
66	A(63C)-H/D	8	390 2/B	2235				x		x	M		A	Gold Pink	2	C6AZ 5310-S
66	A(63B)-H/D	8	390 2/B							x		P	A		2	
66	A(63C, F)-H/D	8	390 2/B					x		x		P	A		2	
66	A(63B, C, F)	8	390 4/B	2030	x	x		x		x	M		N	Red Green	2	C6AZ 5310-D
66	A(63B)	8	390 4/B		x	x		x		x		P	N		2	
66	A(63B)	8	390 4/B	2116	x	x		x		x	M		A	Red Violet	2	★C6AZ 5310-E
66	A(63C, F)	8	390 4/B			x		x		x		P	N		2	r/b D2AZ 5310-A
66	A(63B)	8	390 4/B	2200	x	x		x		x		P	A	Yellow Orange	2	★C6AZ 5310-F
66	A(63C, F)	8	390 4/B			x		x		x	M		A		2	r/b D2AZ 5310-A
66	A(63F)	8	390 4/B			x		x		x		P	A		2	
66	A(63C)	8	390 4/B	2290		x		x		x		P	A	Yellow Brown	2	C6AZ 5310-G
66	A(63B, C, F)-H/D	8	390 4/B	2030	x	x		x			M		N	Gold Orange	2	C6AZ 5310-N
66	A(63B, F)-H/D	8	390 4/B							x	M		N		2	
66	A(63B)-H/D	8	390 4/B		x	x		x		x		P	N		2	
66	A(63B)-H/D	8	390 4/B	2130	x	x		x		x	M		A	Gold Brown	2	C6AZ 5310-R
66	A(63C)-H/D	8	390 4/B							x	M		N		2	
66	A(63C, F)-H/D	8	390 4/B			x		x		x		P	N		2	
66	A(63F)-H/D	8	390 4/B			x		x			M		A		2	
66	A(63B)-H/D	8	390 4/B	2235	x	x		x		x		P	A	Gold Pink	2	C6AZ 5310-S
66	A(63C)-H/D	8	390 4/B			x		x		x	M		A		2	
66	A(63C, F)-H/D	8	390 4/B			x		x		x		P	A		2	
66	A(63F)-H/D	8	390 4/B							x	M		A		2	

● Recommended to be serviced in pairs only
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
					"A" (FORD) --WITH THERMACTOR - FROM 2/14/66 - continued											
66	A(63B)	8	427	2030		x					M		N	Gold Orange	2	C6AZ 5310-N
66	A(63F)	8	427 4/B			x					M		N		2	
66	A(63C, F)	8	427 8/B	2130		x					M		N	Gold Brown	2	C6AZ 5310-R
66	A(63C)	8	427 8/B			x					M		N		2	
66	A(63B, C, F)	8	427			x						P	N		2	
66	A(63B)	8	427 4/B			x					M		A		2	
66	A(63B, C, F)	8	427 8/B	2235		x					M		A	Gold Pink	2	C6AZ 5310-S
66	A(63B, F)	8	427 8/B			x						P	A		2	
66	A(63C, F)	8	427 4/B			x					M		A		2	
66	A(63B, C, F)	8	427 4/B			x						P	A		2	
66	A(63C)	8	427 8/B	2345		x						P	A	Gold Gray	2	C6AZ 5310-T
66	A(63B, C, F)	8	428	2030		x		x			M		N	Red Green	2	C6AZ 5310-D
66	A(63B)	8	428			x		x				P	N		2	
66	A(63C, F)	8	428	2116		x		x				P	N	Red Violet	2	★C6AZ 5310-E
66	A(63B)	8	428			x		x			M		A		2	r/b D2AZ 5310-A
66	A(63C, F)	8	428	2200		x		x			M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(63B, F)	8	428			x		x				P	A		2	r/b D2AZ 5310-A
66	A(63C)	8	428	2290		x		x				P	A	Yellow Brown	2	C6AZ 5310-G
66	A(63B, C, F)-H/D	8	428	2030		x		x			M		N	Gold Orange	2	C6AZ 5310-N
66	A(63B)-H/D	8	428			x		x				P	N		2	
66	A(63C, F)-H/D	8	428	2130		x		x				P	N	Gold Brown	2	C6AZ 5310-R
66	A(63B, F)-H/D	8	428			x		x			M		A		2	
66	A(63B, F)-H/D	8	428	2235		x		x				P	A	Gold Pink	2	C6AZ 5310-S
66	A(63C)-H/D	8	428			x		x			M	P	A		2	
66	A(71A, E)	6	240	1730	x						M		N	Red Brown	2	★C6AZ 5310-J
66	A(71A, B, C, D, E)	6	240				x				M	P	N		2	r/b C6AZ 5310-A
66	A(71A, B, C, D, E)	6	240						x		M	P	N		2	
66	A(71A, B, C, D, E)	6	240		x							P	N		2	
66	A(71B, C, D)	6	240	1650	x						M		N	Brown Pink	2	C6AZ 5310-V
66	A(71A, B, C, D, E)	6	240	1800	x				x		M		A	Yellow Green	2	C6AZ 5310-A
66	A(71B, C, D)	6	240				x				M		A		2	
66	A(71A, B, C, D, E)	6	240	1800	x		x		x			P	A	Yellow Green	2	C6AZ 5310-A
66	A(71A, E)	6	240				x				M		A		2	
66	A(71A, B, C, D, E)-H/D	6	240	1845	x		x		x	x	M	P	N	Gold Red	2	C6AZ 5310-L
66	A(71B, C, D)-H/D	6	240		x						M		A		2	
66	A(71A, E)-H/D	6	240	1845	x						M		A	Gold Red	2	C6AZ 5310-L
66	A(71A, B, C, D, E)-H/D	6	240				x		x	x	M		A		2	
66	A(71A, B, C, D, E)-H/D	6	240		x		x		x			P	A		2	
66	A(71B, D)-H/D	6	240							x		P	A		2	
66	A(71A, C, E)-H/D	6	240	1935						x		P	A	Gold Violet	2	★C6AZ 5310-M r/b C6AZ 5310-N
66	A(71B, C, D)-P/I	6	240	1760	x		x			x	M	P	N	2 Blue	2	C5AZ 5310-T
66	A(71B, C, D)-P/I	6	240	1845	x						M	P	A	2 Green	2	★C5AZ 5310-Y Not replaced
66	A(71A, B, C, D, E)	8	289	1730	x		x		x	x	M		N	Red Brown	2	★C6AZ 5310-J
66	A(71D)	8	289		x							P	N		2	r/b C6AZ 5310-A
66	A(71A, B, C, E)	8	289	1800	x		x		x	x		P	N	Yellow Green	2	C6AZ 5310-A
66	A(71D)	8	289				x		x	x		P	N		2	
66	A(71A, B, C, D, E)	8	289	1800	x		x		x	x	M		A	Yellow Green	2	C6AZ 5310-A
66	A(71A, B, C, D, E)	8	289		x							P	A		2	
66	A(71D)	8	289				x		x			P	A		2	
66	A(71B, C, E)	8	289						x			P	A		2	

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
					"A" (FORD) -- WITH THERMACTOR - FROM 2/14/66 - continued											
66	A(71A, B, C, E)	8	289	1950			x					P	A	Yellow Violet	2	C6AZ 5310-C
66	A(71A)	8	289						x			P	A		2	
66	A(71A,B,C, D,E)	8	289							x		P	A		2	
66	A(71A,B,C,D,E)-H/D	8	289	1845	x		x		x	x	M		N	Gold Red	2	C6AZ 5310-L
66	A(71A,B,C,D,E)-H/D	8	289		x		x		x			P	N		2	
66	A(71A,B,C,D,E)-H/D	8	289	1845						x		P	N	Gold Red	2	C6AZ 5310-L
66	A(71A,B,C,D,E)-H/D	8	289		x		x		x		M		A		2	
66	A(71D)-H/D	8	289							x	M		A		2	
66	A(71A,B,C,D,E)-H/D	8	289	1935	x		x		x	x		P	A	Gold Violet	2	★C6AZ 5310-M
66	A(71A, B, C, E)-H/D	8	289							x	M		A		2	r/b C6AZ 5310-N
66	A(71B, C, D)-P/I	8	289	1760	x		x			x	M		N	2 Blue	2	★C5AZ 5310-T
66	A(71B, C, D)-P/I	8	289		x		x					P	N		2	Not replaced
66	A(71B, C, D)-P/I	8	289	1845						x		P	N	2 Green	2	★C5AZ 5310-Y
66	A(71B, C, D)-P/I	8	289		x		x			x	M		A		2	Not replaced
66	A(71B, C, D)-P/I	8	289		x		x					P	A		2	
66	A(71B, D)-P/I	8	289							x		P	A		2	
66	A(71C)-P/I	8	289	1935						x		P	A	2 Silver	2	★C5AZ 5310-Z
																Not replaced
66	A(71D)	8	352	1800						x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(71A, B, C, E)	8	352	1950						x	M		N	Yellow Violet	2	C6AZ 5310-C
66	A(71A,B,C,D,E)	8	352							x		P	N		2	
66	A(71A, B, C, D, E)	8	352	2030						x	M		A	Red Green	2	C6AZ 5310-D
66	A(71A, B, C, D, E)	8	352	2116						x		P	A	Red Violet	2	★C6AZ 5310-E
																r/b D2AZ 5310-A
66	A(71A,B,C, D,E)-H/D	8	352	1935						x	M		N	Gold Violet	2	★C6AZ 5310-M
66	A(71B, C, D, E)-H/D	8	352							x		P	N		2	r/b C6AZ 5310-N
66	A(71A)-H/D	8	352	2030						x		P	N	Gold Orange	2	C6AZ 5310-N
66	A(71A,B,C,D,E)-H/D	8	352							x	M		A		2	
66	A(71A,B, C,D,E)-H/D	8	352	2130						x		P	A	Gold Brown	2	C6AZ 5310-R
66	A(71A,B,C, D,E)	8	390 2/B	1950						x	M	P	N	Yellow Violet	2	C6AZ 5310-C
66	A(71A, C, E)	8	390 2/B					x			M		N		2	
66	A(71A, B, C, D, E)	8	390 2/B					x				P	N		2	
66	A(71B, D)	8	390 2/B	1800				x			M		N	Yellow Green	2	C6AZ 5310-A
66	A(71A, B, C, D, E)	8	390 2/B	2030				x		x	M		A	Red Green	2	C6AZ 5310-D
66	A(71A, B, C, D, E)	8	390 2/B	2116				x		x		P	A	Red Violet	2	★C6AZ 5310-E
																r/b D2AZ 5310-A
66	A(71A,B,C,D,E)-H/D	8	390 2/B	1935				x		x	M		N	Gold Violet	2	★C6AZ 5310-M
66	A(71A,B,C,D,E)-H/D	8	390 2/B					x				P	N		2	r/b C6AZ 5310-N
66	A(71B, D)-H/D	8	390 2/B							x		P	N		2	
66	A(71A, C, E)-H/D	8	390 2/B	2030						x		P	N	Gold Orange	2	C6AZ 5310-N
66	A(71A,B,C,D,E)-H/D	8	390 2/B					x		x	M		A		2	
66	A(71A,B,C, D,E)-H/D	8	390 2/B	2130				x		x		P	A	Gold Brown	2	C6AZ 5310-R
66	A(71B, C, D)-P/I	8	390 2/B	1845				x			M		N	2 Green	2	★C5AZ 5310-Y
																Not replaced
66	A(71B, C, D)-P/I	8	390 2/B	1935				x				P	N	2 Silver	2	★C5AZ 5310-Z
																Not replaced
66	A(71B, C, D)-P/I	8	390 2/B	2030				x			M		A	2 Gold	2	C5AZ 5310-AA
66	A(71B, C, D)-P/I	8	390 2/B	2130				x				P	A	2 Violet	2	★C5AZ 5310-AB
																r/b D2OZ 5310-K

• Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

May, 1975 COPYRIGHT © 1975 — FORD MOTOR COMPANY —DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	•PART NUMBER
	"A" (FORD) -- WITH THERMACTOR - FROM 2/14/66 - continued															
66	A(71B, D)	8	390 4/B	1800	x			x			M		N	Yellow Green	2	C6AZ 5310-A
66	A(71A, C, E)	8	390 4/B	1950	x			x			M		N	Yellow Violet	2	C6AZ 5310-C
66	A(71A, B, C, D, E)	8	390 4/B					x		x	M		N		2	
66	A(71A, B, C, D, E)	8	390 4/B		x			x		x		P	N		2	
66	A(71A, B, C, D, E)	8	390 4/B	2030	x			x		x	M		A	Red Green	2	C6AZ 5310-D
66	A(71A, B, C, D, E)	8	390 4/B	2116	x			x		x		P	A	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(71A, B, C, D, E)-H/D	8	390 4/B	1935	x			x		x	M		N	Gold Violet	2	★C6AZ 5310-M
66	A(71A, B, C, D, E)-H/D	8	390 4/B		x							P	N		2	r/b C6AZ 5310-N
66	A(71B, C, D)-H/D	8	390 4/B					x				P	N		2	
66	A(71A,B,C, D,E)-H/D	8	390 4/B	2030						x		P	N	Gold Orange	2	C6AZ 5310-N
66	A(71A, E)-H/D	8	390 4/B					x				P	N		2	
66	A(71A,B,C,D,E)-H/D	8	390 4/B		x			x		x	M		A		2	
66	A(71A,B,C, D,E)-H/D	8	390 4/B	2130	x			x		x		P	A	Gold Brown	2	C6AZ 5310-R
66	A(71B, C, D)-P/I	8	390 4/B	1845	x			x			M		N	2 Green	2	★C5AZ 5310-Y Not replaced
66	A(71B, C, D)-P/I	8	390 4/B	1935	x			x				P	N	2 Silver	2	★C5AZ 5310-Z Not replaced
66	A(71B, C, D)-P/I	8	390 4/B	2030	x			x			M		A	2 Gold	2	C5AZ 5310-AA
66	A(71B, C, D)-P/I	8	390 4/B	2130	x			x				P	A	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
66	A(71A, B, C, D, E)	8	428	1950				x			M	P	N	Yellow Violet	2	C6AZ 5310-C
66	A(71A, B, C, D, E)	8	428	2030				x			M		A	Red Green	2	C6AZ 5310-D
66	A(71A, B, C, D, E)	8	428	2116				x				P	A	Red Violet	2	★C6AZ 5310-E r/b D2AZ 5310-A
66	A(71A, B,C,D,E)-H/D	8	428	1935				x			M		N	Gold Violet	2	★C6AZ 5310-M
66	A(71B, D)-H/D	8	428					x				P	N		2	r/b C6AZ 5310-N
66	A(71A, C, E)-H/D	8	428	2030				x				P	N	Gold Orange	2	C6AZ 5310-N
66	A(71A,B,C, D,E)-H/D	8	428					x			M		A		2	
66	A(71A,B,C,D,E)-H/D	8	428	2130				x				P	A	Gold Brown	2	C6AZ 5310-R
66	A(71B, C, D)-P/I	8	428	1845				x			M		N	2 Green	2	★C5AZ 5310-Y Not replaced
66	A(71B, D)-P/I	8	428	1935				x				P	N	2 Silver	2	★C5AZ 5310-Z Not replaced
66	A(71C)-P/I	8	428	2030				x				P	N	2 Gold	2	C5AZ 5310-AA
66	A(71B, C, D)-P/I	8	428					x			M		A		2	
66	A(71B, C, D)-P/I	8	428	2130				x				P	A	2 Violet	2	★C5AZ 5310-AB r/b D2OZ 5310-K
66	A(76A)	6	240	1800	x		x		x		M	P	N	Yellow Green	2	C6AZ 5310-A
66	A(76A)	6	240	1950	x				x		M		A	Yellow Violet	2	C6AZ 5310-C
66	A(76A)	6	240	2030	x				x			P	A	Red Green	2	C6AZ 5310-D
66	A(76A)	6	240				x				M	P	A		2	
66	A(76A)-H/D	6	240	1845	x		x		x	x	M		N	Gold Red	2	C6AZ 5310-L
66	A(76A)-H/D	6	240	1935	x		x		x	x		P	N	Gold Violet	2	★C6AZ 5310-M
66	A(76A)-H/D	6	240		x						M		A		2	r/b C6AZ 5310-N
66	A(76A)-H/D	6	240	2030	x							P	A	Gold Orange	2	C6AZ 5310-N
66	A(76A)-H/D	6	240				x		x	x	M	P	A		2	
66	A(76A)	8	289	1800	x		x		x	x	M		N	Yellow Green	2	C6AZ 5310-A
66	A(76A)	8	289	1950	x		x		x	x		P	N	Yellow Violet	2	C6AZ 5310-C
66	A(76B)	8	289						x		M		N		2	

• Recommended to be serviced in pairs only
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	● PART NUMBER
					"A" (FORD) -- WITH THERMACTOR - FROM 2/14/66 - continued											
66	A(76A)	8	289	2030	x		x		x	x	M		A	Red Green	2	C6AZ 5310-D
66	A(76A)	8	289		x				x			P	A		2	
66	A(76B)	8	289						x			P	N		2	
66	A(76A)	8	289	2116			x			x		P	A	Red Violet	2	★C6AZ 5310-E
66	A(76B)	8	289						x		M	P	A		2	r/b D2AZ 5310-A
66	A(76A)-H/D	8	289	1845	x				x		M		N	Gold Red	2	C6AZ 5310-L
66	A(76A)-H/D	8	289	1935			x			x	M		N	Gold Violet	2	★C6AZ 5310-M
66	A(76A)-H/D	8	289		x		x		x	x		P	N		2	r/b C6AZ 5310-N
66	A(76B)-H/D	8	289						x	x	M		N		2	
66	A(76A)-H/D	8	289	2030	x		x		x	x	M		A	Gold Orange	2	C6AZ 5310-N
66	A(76A)-H/D	8	289		x				x			P	A		2	
66	A(76B)-H/D	8	289						x	x		P	N		2	
66	A(76A)-H/D	8	289	2130			x			x		P	A	Gold Brown	2	C6AZ 5310-R
66	A(76B)-H/D	8	289						x	x	M	P	A		2	
66	A(76A, B)	8	352	2116						x	M		N	Red Violet	2	★C6AZ 5310-E
66	A(76A)	8	352							x		P	N		2	r/b D2AZ 5310-A
66	A(76A)	8	352	2200						x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(76B)	8	352	-						x		P	N		2	r/b D2AZ 5310-A
66	A(76B)	8	352	2290						x	M	P	A	Yellow Brown	2	C6AZ 5310-G
66	A(76A)	8	352							x		P	A		2	
66	A(76A)-H/D	8	352	2130						x	M	P	N	Gold Brown	2	C6AZ 5310-R
66	A(76B)-H/D	8	352							x	M		N		2	
66	A(76A)-H/D	8	352	2235						x	M	P	A	Gold Pink	2	C6AZ 5310-S
66	A(76B)-H/D	8	352							x		P	N		2	
66	A(76B)-H/D	8	352							x	M		A		2	
66	A(76B)-H/D	8	352	2345						x		P	A	Gold Gray	2	C6AZ 5310-T
66	A(76A, B)	8	390 2/B	2116				x		x	M		N	Red Violet	2	★C6AZ 5310-E
66	A(76A)	8	390 2/B					x		x		P	N		2	r/b D2AZ 5310-A
66	A(76A)	8	390 2/B	2200				x		x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(76B)	8	390 2/B					x		x		P	N		2	r/b D2AZ 5310-A
66	A(76B)	8	390 2/B	2290				x		x	M		A	Yellow Brown	2	C6AZ 5310-G
66	A(76A, B)	8	390 2/B					x		x		P	A		2	
66	A(76A, B)-H/D	8	390 2/B	2130				x		x	M		N	Gold Brown	2	C6AZ 5310-R
66	A(76A)-H/D	8	390 2/B					x		x		P	N		2	
66	A(76A)-H/D	8	390 2/B	2235				x		x	M	P	A	Gold Pink	2	C6AZ 5310-S
66	A(76B)-H/D	8	390 2/B					x		x		P	N		2	
66	A(76B)-H/D	8	390 2/B					x		x	M		A		2	
66	A(76B)-H/D	8	390 2/B	2345				x		x		P	A	Gold Gray	2	C6AZ 5310-T
66	A(76A, B)	8	390 4/B	2116	x	x		x		x	M		N	Red Violet	2	C6AZ 5310-E
66	A(76A)	8	390 4/B		x	x		x		x		P	N		2	r/b D2AZ 5310-A
66	A(76A)	8	390 4/B	2200	x	x		x		x	M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(76B)	8	390 4/B			x		x		x		P	N		2	r/b D2AZ 5310-A
66	A(76A)	8	390 4/B	2290	x	x		x		x		P	A	Yellow Brown	2	C6AZ 5310-G
66	A(76B)	8	390 4/B			x		x		x	M	P	A		2	
66	A(76A, B)-H/D	8	390 4/B	2130	x	x		x			M		N	Gold Brown	2	C6AZ 5310-R
66	A(76A)-H/D	8	390 4/B		x	x		x		x		P	N		2	
66	A(76A)-H/D	8	390 4/B	2235	x	x		x		x	M	P	A	Gold Pink	2	C6AZ 5310-S
66	A(76B)-H/D	8	390 4/B			x		x		x		P	N		2	
66	A(76B)-H/D	8	390 4/B			x		x		x	M		A		2	
66	A(76B)-H/D	8	390 4/B	2345		x		x		x		P	A	Gold Gray	2	C6AZ 5310-T

● Recommended to be serviced in pairs only

A - Air Conditioner M - Manual Steering N - Less Air Conditioning P - Power Steering

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	● PART NUMBER
					"A" (FORD) -- WITH THERMACTOR - FROM 2/14/66 - continued											
66	A(76A)	8	427	2130		x					M		N	Gold Brown	2	C6AZ 5310-R
66	A(76A)	8	427 4/B			x						P	N		2	
66	A(76B)	8	427 4/B			x					M		N		2	
66	A(76A, B)	8	427 8/B	2235		x						P	N	Gold Pink	2	C6AZ 5310-S
66	A(76B)	8	427 8/B			x					M		N		2	
66	A(76A)	8	427			x					M		A		2	
66	A(76B)	8	427 4/B			x						P	N		2	
66	A(76A)	8	427	2345		x						P	A	Gold Gray	2	C6AZ 5310-T
66	A(76B)	8	427			x					M	P	A		2	
66	A(76A, B)	8	428	2116		x		x			M		N	Red Violet	2	★C6AZ 5310-E
66	A(76A)	8	428			x		x				P	N		2	r/b D2AZ 5310-A
66	A(76A)	8	428	2200		x		x			M		A	Yellow Orange	2	★C6AZ 5310-F
66	A(76B)	8	428			x		x				P	N		2	r/b D2AZ 5310-A
66	A(76B)	8	428	2290		x		x			M		A	Yellow Brown	2	C6AZ 5310-G
66	A(76A, B)	8	428			x		x				P	A		2	
66	A(76A, B)-H/D	8	428	2130		x		x			M		N	Gold Brown	2	C6AZ 5310-R
66	A(76A)-H/D	8	428			x		x				P	N		2	
66	A(76B)-H/D	8	428	2235		x		x				P	N	Gold Pink	2	C6AZ 5310-S
66	A(76A)-H/D	8	428			x		x			M	P	A		2	
66	A(76B)-H/D	8	428			x		x			M		A		2	
66	A(76B)-H/D	8	428	2345		x		x				P	A	Gold Gray	2	C6AZ 5310-T
					"B" (FAIRLANE) -- WITHOUT THERMACTOR - BEFORE 10/1/65											
66	B(54A, B)	6	200	1400	x				x		M	P	N	Gold Δ	2	C6OZ 5310-J
66	B(54A, B)	6	200	1490	x				x		M	P	A	Pink Δ	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC
66	B(54A, B)	8	289	1490	x	x	x		x		M		N	Green Δ	2	C6OZ 5310-C
66	B(54A)	8	289		x							P	N		2	
66	B(54B)	8	289	1570	x							P	N	Red Δ	2	★C6OZ 5310-D
66	B(54A, B)	8	289			x	x		x			P	N		2	r/b C6OZ 5310-C
66	B(54A, B)	8	289		x	x	x		x		M		A		2	
66	B(54A)	8	289		x							P	A		2	
66	B(54B)	8	289	1655	x							P	A	Yellow Δ	2	★C6OZ 5310-E
66	B(54A, B)	8	289			x	x		x			P	A		2	r/b C6OZ 5310-AC
66	B(54A, B)-H/D	8	289	1490	x	x	x		x		M		N	Pink Δ	2	★C6OZ 5310-K
66	B(54A)-H/D	8	289		x							P	N		2	r/b C6OZ 5310-AC
66	B(54B)-H/D	8	289	1580	x							P	N	Tan Δ	2	C6OZ 5310-AC
66	B(54A, B)-H/D	8	289			x	x		x			P	N		2	
66	B(54A, B)-H/D	8	289		x	x	x		x		M		A		2	
66	B(54A, B)-H/D	8	289		x							P	A		2	
66	B(54A, B)-H/D	8	289	1660		x	x		x			P	A	Orange ▲	2	★C6OZ 5310-N
																r/b C6OZ 5310-AC
66	B(54A, B)	8	390 2/B	1655	x	x					M		N	Yellow Δ	2	★C6OZ 5310-E
66	B(54A)	8	390 2/B		x	x						P	N		2	r/b C6OZ 5310-AC
66	B(54B)	8	390 2/B		x							P	N		2	
66	B(54A, B)	8	390 2/B	1740				x			M	P	N	Blue Δ	2	★C6OZ 5310-F
66	B(54B)	8	390 2/B			x						P	N		2	r/b C8OZ 5310-K
66	B(54A, B)	8	390 2/B		x	x					M	P	A		2	
66	B(54A, B)	8	390 2/B	1835				x			M	P	A	Orange Δ	2	★C6OZ 5310-G
																r/b C8OZ 5310-K

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
"B" (FAIRLANE) -- WITHOUT THERMACTOR - BEFORE 10/1/65 - continued																
66	B(54A, B)-H/D	8	390 2/B	1660	x	x					M	P	N	Orange ▲	2	★C6OZ 5310-N
																r/b C6OZ 5310-AC
66	B(54A, B)-H/D	8	390 2/B	1760				x			M	P	N	Green ▲	2	★C6OZ 5310-P
66	B(54A, B)-H/D	8	390 2/B		x	x		x			M		A		2	r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 2/B		x	x						P	A		2	
66	B(54A, B)-H/D	8	390 2/B	1865				x				P	A	Lavender ▲	2	C6OZ 5310-M
66	B(54A, B)	8	390 4/B	1655	x	x					M		N	Yellow Δ	2	★C6OZ 5310-E
66	B(54A)	8	390 4/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(54A, B)	8	390 4/B	1740				x			M	P	N	Blue Δ	2	★C6OZ 5310-F
66	B(54B)	8	390 4/B		x							P	N		2	r/b C8OZ 5310-K
66	B(54A, B)	8	390 4/B			x						P	N		2	
66	B(54A, B)	8	390 4/B		x	x					M		A		2	
66	B(54A, B)	8	390 4/B		x							P	A		2	
66	B(54A)	8	390 4/B			x						P	A		2	
66	B(54B)	8	390 4/B	1835		x						P	A	Orange Δ	2	★C6OZ 5310-G
66	B(54A, B)	8	390 4/B					x				P	A		2	r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 4/B	1660	x	x					M		N	Orange ▲	2	★C6OZ 5310-N
66	B(54A, B)-H/D	8	390 4/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(54A)-H/D	8	390 4/B			x						P	N		2	
66	B(54A, B)-H/D	8	390 4/B	1760				x			M	P	N	Green ▲	2	★C6OZ 5310-P
66	B(54B)-H/D	8	390 4/B			x						P	N		2	r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 4/B		x	x		x			M		A		2	
66	B(54A, B)-H/D	8	390 4/B		x	x						P	A		2	
66	B(54A, B)-H/D	8	390 4/B	1865				x				P	A	Lavender ▲	2	C6OZ 5310-M
66	B(62A, B)	6	200	1400	x				x		M	P	N	Gold Δ	2	C6OZ 5310-J
66	B(62A, B)	6	200	1490	x				x		M	P	A	Pink Δ	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC
66	B(62A, B)	8	289	1415	x	x	x		x		M		N	Lavender Δ	2	★ C6OZ 5310-B
66	B(62A, B)	8	289		x							P	N		2	r/b C6OZ 5310-C
66	B(62A)	8	289						x			P	N		2	
66	B(62B)	8	289	1570					x			P	N	Red Δ	2	★C6OZ 5310-D
66	B(62A, B)	8	289			x	x					P	N		2	r/b C6OZ 5310-C
66	B(62A, B)	8	289		x	x	x		x		M		A		2	
66	B(62A, B)	8	289		x							P	A		2	
66	B(62A)	8	289						x			P	A		2	
66	B(62B)	8	289	1655					x			P	A	Yellow Δ	2	★C6OZ 5310-E
66	B(62A, B)	8	289			x	x					P	A		2	r/b C6OZ 5310-AC
66	B(62A, B)-H/D	8	289	1490	x	x	x		x		M		N	Pink Δ	2	★C6OZ 5310-K
66	B(62A, B)-H/D	8	289		x							P	N		2	r/b C6OZ 5310-AC
66	B(62A)-H/D	8	289						x			P	N		2	
66	B(62B)-H/D	8	289	1580					x			P	N	Tan Δ	2	C6OZ 5310-AC
66	B(62A, B)-H/D	8	289			x	x					P	N		2	
66	B(62A, B)-H/D	8	289		x	x	x		x		M	P	A		2	
66	B(62A, B)	8	390 2/B	1655	x	x		x			M		N	Yellow Δ	2	★C6OZ 5310-E
66	B(62A, B)	8	390 2/B		x	x						P	N		2	r/b C6OZ 5310-AC
66	B(62A, B)	8	390 2/B	1740				x				P	N	Blue Δ	2	★C6OZ 5310-F
66	B(62A, B)	8	390 2/B		x	x		x			M		A		2	r/b C8OZ 5310-K
66	B(62A, B)	8	390 2/B		x	x						P	A		2	
66	B(62A, B)	8	390 2/B	1835				x				P	A	Orange Δ	2	★C6OZ 5310-G
																r/b C8OZ 5310-K

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	● PART NUMBER
					"B" (FAIRLANE) -- WITHOUT THERMACTOR - BEFORE 10/1/65 - continued											
66	B(62A, B)-H/D	8	390 2/B	1660	x	x		x			M		N	Orange Δ	2	★C6OZ 5310-N
66	B(62A, B)-H/D	8	390 2/B		x	x						P	N		2	r/b C6OZ 5310-AC
66	B(62A, B)-H/D	8	390 2/B	1760				x				P	N	Green	2	★C6OZ 5310-P
66	B(62A, B)-H/D	8	390 2/B		x	x		x			M	P	A		2	r/b C8OZ 5310-K
66	B(62A, B)	8	390 4/B	1655	x	x		x			M		N	Yellow Δ	2	★C6OZ 5310-E
66	B(62A, B)	8	390 4/B		x	x						P	N		2	r/b C6OZ 5310-AC
66	B(62A, B)	8	390 4/B	1740				x				P	N	Blue Δ	2	★C6OZ 5310-F
66	B(62A, B)	8	390 4/B		x	x		x			M		A		2	r/b C8OZ 5310-K
66	B(62A, B)	8	390 4/B		x	x						P	A		2	
66	B(62A, B)	8	390 4/B	1835				x				P	A	Orange Δ	2	★C6OZ 5310-G
																r/b C8OZ 5310-K
66	B(62A, B)-H/D	8	390 4/B	1660	x	x		x			M		N	Orange ▲	2	★C6OZ 5310-N
66	B(62A, B)-H/D	8	390 4/B		x	x						P	N		2	r/b C6OZ 5310-AC
66	B(62A, B)-H/D	8	390 4/B	1760				x				P	N	Green ▲	2	★C6OZ 5310-P
66	B(62A, B)-H/D	8	390 4/B		x	x		x			M		A		2	r/b C8OZ 5310-K
66	B(62A, B)-H/D	8	390 4/B		x	x						P	A		2	
66	B(62A)-H/D	8	390 4/B					x				P	A		2	
66	B(62B)-H/D	8	390 4/B	1865				x				P	A	Lavender ▲	2	C6OZ 5310-M
66	B(63B, C)	6	200	1400	x						M		N	Gold Δ	2	C6OZ 5310-J
66	B(63B, C)	6	200	1490					x		M	P	N	Pink Δ	2	★C6OZ 5310-K
66	B(63B, C)	6	200		x							P	N		2	r/b C6OZ 5310-AC
66	B(63B, C)	6	200		x						M		A		2	
66	B(63B)	6	200						x		M		A		2	
66	B(63B)	6	200		x							P	A		2	
66	B(63C)	6	200	1580					x		M		A	Tan Δ	2	C6OZ 5310-AC
66	B(63C)	6	200		x							P	A		2	
66	B(63B, C)	6	200						x			P	A		2	
66	B(63B, C)	8	289	1570	x	x	x		x		M	P	N	Red Δ	2	★C6OZ 5310-D
																r/b C6OZ 5310-C
66	B(63B, C)	8	289	1655	x	x	x		x		M	P	A	Yellow Δ	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(63B, C)-H/D	8	289	1580	x	x	x		x		M	P	N	Tan Δ	2	C6OZ 5310-AC
66	B(63B, C)-H/D	8	289	1660	x	x	x		x		M	P	A	Orange ▲	2	★C6OZ 5310-N
																r/b C6OZ 5310-AC
66	B(63B, C)	8	390 2/B	1740	x	x		x			M		N	Blue Δ	2	★C6OZ 5310-F
66	B(63B, C)	8	390 2/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(63B)	8	390 2/B					x				P	N		2	
66	B(63C)	8	390 2/B	1835				x				P	N	Orange Δ	2	★C6OZ 5310-G
66	B(63B, C)	8	390 2/B		x	x		x			M	P	A		2	r/b C8OZ 5310-K
66	B(63B, C)-H/D	8	390 2/B	1760	x	x		x			M	P	N	Green ▲	2	★C6OZ 5310-P
66	B(63B)-H/D	8	390 2/B		x	x					M		A		2	r/b C8OZ 5310-K
66	B(63C)-H/D	8	390 2/B	1865	x	x					M		A	Lavender ▲	2	C6OZ 5310-M
66	B(63B, C)-H/D	8	390 2/B					x			M		A		2	
66	B(63B, C)-H/D	8	390 2/B		x	x		x				P	A		2	
66	B(63B, C)	8	390 4/B	1740	x	x		x			M		N	Blue Δ	2	★C6OZ 5310-F
66	B(63B, C)	8	390 4/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(63B, C)	8	390 4/B	1835				x				P	N	Orange Δ	2	★C6OZ 5310-G
66	B(63B, C)	8	390 4/B		x	x		x			M		A		2	r/b C8OZ 5310-K
66	B(63B, C)	8	390 4/B		x	x						P	A		2	
66	B(63B)	8	390 4/B					x				P	A		2	
66	B(63C)	8	390 4/B	1930				x				P	A	Brown Δ	2	★C6OZ 5310-H
																r/b C8OZ 5310-K

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
"B" (FAIRLANE) -- WITHOUT THERMACTOR - BEFORE 10/1/65 - continued																
66	B(63B, C)-H/D	8	390 4/B	1760	x	x		x			M	P	N	Green ▲	2	★C6OZ 5310-P
66	B(63B)-H/D	8	390 4/B		x						M		A		2	r/b C8OZ 5310-K
66	B(63C)-H/D	8	390 4/B	1865	x						M		A	Lavender ▲	2	C6OZ 5310-M
66	B(63B, C)-H/D	8	390 4/B			x		x			M		A		2	
66	B(63B, C)-H/D	8	390 4/B		x	x		x				P	A		2	
66	B(63D)	8	390 4/B	1735	x	x					M	P	N	Green ▲	2	★C6OZ 5310-AD
66	B(63D)	8	390 4/B					x			M		N		2	r/b C60Z 5310-M
66	B(63D)	8	390 4/B		x	x		x			M	P	A	Gold ▲	2	C6OZ 5310-AE
66	B(63D)	8	390 4/B	1850				x				P	N	Green,Orange	2	
66	B(71B, D, E)	6	200	1263	x				x		M		N	Gray Δ	2	★C6OZ 5310-AB
66	B(71B, D, E)	6	200		x							P	N		2	r/b C6DZ 5310-C
66	B(71B, D, E)	6	200	1344					x			P	N	Violet Δ	2	★C6OZ 5310-A
66	B(71B, D, E)	6	200		x				x		M		A		2	r/b C6DZ 5310-C
66	B(71B, D, E)	6	200		x							P	A		2	
66	B(71B, D, E)	6	200	1415					x			P	A	Lavender Δ	2	★ C6OZ 5310-B
																r/b C6OZ 5310-C
36	B(71B, D, E)-H/D	6	200	1310	x				x		M	P	N	Red ▲	2	★C6OZ 5310-R
																r/b C6OZ 5310-J
66	B(71B, D, E)-H/D	6	200	1400	x				x		M	P	A	Gold Δ	2	C6OZ 5310-J
66	B(71B, D, E)	8	289	1415	x		x		x		M	P	N	Lavender Δ	2	★ C6OZ 5310-B
																r/b C6OZ 5310-C
66	B(71B, D, E)	8	289	1490	x		x		x		M	P	A	Green Δ	2	C6OZ 5310-C
66	B(71B, D, E)-H/D	8	289	1400	x		x		x		M		N	Gold Δ	2	C6OZ 5310-J
66	B(71B)-H/D	8	289		x				x			P	N		2	
66	B(71D)-H/D	8	289		x		x		x			P	N		2	
66	B(71E)-H/D	8	289		x							P	N		2	
66	B(71B)-H/D	8	289	1490			x					P	N	Pink Δ	2	★C6OZ 5310-K
66	B(71E)-H/D	8	289				x		x			P	N		2	r/b C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	289		x		x		x		M	P	A		2	
66	B(71B, D, E)	8	390 2/B	1570	x			x			M		N	Red Δ	2	★C6OZ 5310-D
66	B(71B, D, E)	8	390 2/B		x							P	N		2	r/b C6OZ 5310-C
66	B(71B, D, E)	8	390 2/B	1655				x				P	N	Yellow Δ	2	★C6OZ 5310-E
66	B(71B, D, E)	8	390 2/B		x			x			M		A		2	r/b C6OZ 5310-AC
66	B(71B, D, E)	8	390 2/B		x							P	A		2	
66	B(71B, D, E)	8	390 2/B	1740				x				P	A	Blue Δ	2	★ C6OZ 5310-F
																r/b C8OZ 5310-K
66	B(71B, D, E)-H/D	8	390 2/B	1580	x			x			M		N	Tan Δ	2	C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	390 2/B		x							P	N		2	
66	B(71B, D, E)-H/D	8	390 2/B	1660				x				P	N	Orange ▲	2	★C6OZ 5310-N
66	B(71B, D, E)-H/D	8	390 2/B		x			x			M		A		2	r/b C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	390 2/B		x							P	A		2	
66	B(71B, D, E)-H/D	8	390 2/B	1760				x				P	A	Green ▲	2	★C6OZ 5310-P
																r/b C8OZ 5310-K
66	B(71B, D, E)	8	390 4/B	1570	x						M	P	N	Red Δ	2	★C6OZ 5310-D
66	B(71D)	8	390 4/B					x			M		N		2	r/b C6OZ 5310-C
66	B(71B, E)	8	390 4/B	1655				x			M		N	Yellow Δ	2	★C6OZ 5310-E
66	B(71B, D, E)	8	390 4/B					x				P	N		2	r/b C6OZ 5310-AC
66	B(71B, D, E)	8	390 4/B		x			x			M		A		2	
66	B(71B, D, E)	8	390 4/B		x							P	A		2	
66	B(71B, D, E)	8	390 4/B	1740				x				P	A	Blue Δ	2	★C6OZ 5310-F
																r/b C8OZ 5310-K

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"B" (FAIRLANE) -- WITHOUT THERMACTOR - BEFORE 10/1/65 - continued											
66	B(71B, D, E)-H/D	8	390 4/B	1580	x			x			M		N	Tan Δ	2	C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	390 4/B		x							P	N		2	
66	B(71B, D, E)-H/D	8	390 4/B	1660				x				P	N	Orange ▲	2	★C6OZ 5310-N
66	B(71B, D, E)-H/D	8	390 4/B		x			x			M		A		2	r/b C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	390 4/B		x							P	A		2	
66	B(71B, D, E)-H/D	8	390 4/B	1760				x				P	A	Green ▲	2	★C6OZ 5310-P
																r/b C8OZ 5310-K
66	B(76B, C)	6	200	1490	x				x		M		N	Green Δ	2	C6OZ 5310-C
66	B(76B, C)	6	200		x							P	N		2	
66	B(76B)	6	200						x			P	N		2	
66	B(76C)	6	200	1570					x			P	N	Red Δ	2	★C6OZ 5310-D
66	B(76B, C)	6	200		x				x		M		A		2	r/b C6OZ 5310-C
66	B(76B, C)	6	200		x							P	A		2	
66	B(76B)	6	200						x			P	A		2	
66	B(76C)	6	200	1655					x			P	A	Yellow Δ	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(76B, C)	8	289	1570	x						M		N	Red Δ	2	★C6OZ 5310-D
66	B(76B)	8	289						x		M		N		2	r/b C6OZ 5310-C
66	B(76B)	8	289	1655		x	x				M		N	Yellow Δ	2	★C6OZ 5310-E
66	B(76C)	8	289			x	x		x		M		N		2	r/b C6OZ 5310-AC
66	B(76B, C)	8	289		x	x	x		x			P	N		2	
66	B(76B)	8	289		x	x	x		x		M		A		2	
66	B(76C)	8	289		x						M		A		2	
66	B(76C)	8	289	1940		x	x		x		M		A	Blue Δ	2	★C6OZ 5310-F
66	B(76B, C)	8	289		x	x	x		x			P	A		2	r/b C8OZ 5310-K
66	B(76B)-H/D	8	289	1580	x	x	x		x		M		N	Tan Δ	2	C6OZ 5310-AC
66	B(76C)-H/D	8	289		x						M		N		2	
66	B(76B)-H/D	8	289		x							P	N		2	
66	B(76C)-H/D	8	289	1660		x	x		x		M		N	Orange ▲	2	★C6OZ 5310-N
66	B(76C)-H/D	8	289		x							P	N		2	r/b C6OZ 5310-AC
66	B(76B, C)-H/D	8	289			x	x		x			P	N		2	
66	B(76B)-H/D	8	289		x	x	x		x		M		A		2	
66	B(76C)-H/D	8	289		x						M		A		2	
66	B(76B)-H/D	8	289		x							P	A		2	
66	B(76C)-H/D	8	289	1760		x	x		x		M		A	Green ▲	2	★C6OZ 5310-P
66	B(76B)-H/D	8	289			x	x		x			P	A		2	r/b C8OZ 5310-K
66	B(76C)-H/D	8	289		x	x	x		x			P	A		2	
66	B(76B, C)	8	390 2/B	1740	x	x					M		N	Blue Δ	2	★C6OZ 5310-F
66	B(76B)	8	390 2/B		x							P	N		2	r/bC8OZ 5310-K
66	B(76B, C)	8	390 2/B	1835				x			M		N	Orange Δ	2	★C6OZ 5310-G
66	B(76C)	8	390 2/B		x							P	N		2	r/b C8OZ 5310-K
66	B(76B, C)	8	390 2/B			x		x				P	N		2	
66	B(76B, C)	8	390 2/B		x	x					M		A		2	
66	B(76B)	8	390 2/B					x			M		A		2	
66	B(76B)	8	390 2/B		x	x						P	A		2	
66	B(76C)	8	390 2/B	1930				x			M		A	Brown Δ	2	★C6OZ 5310-H
66	B(76B)	8	390 2/B					x				P	A		2	r/b C8OZ 5310-K
66	B(76C)	8	390 2/B		x	x		x				P	A		2	

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	● PART NUMBER
					"B" (FAIRLANE) -- WITHOUT THERMACTOR - BEFORE 10/1/65 - continued											
66	B(76B,C)-H/D	8	390 2/B	1760	x	x					M		N	Green ▲	2	★C6OZ 5310-P
66	B(76B)-H/D	8	390 2/B					x			M		N		2	r/b C8OZ 5310-K
66	B(76B,C)-H/D	8	390 2/B		x	x						P	N		2	
66	B(76C)-H/D	8	390 2/B	1865				x			M		N	Lavender ▲	2	C6OZ 5310-M
66	B(76B,C)-H/D	8	390 2/B					x				P	N		2	
66	B(76B,C)-H/D	8	390 2/B		x	x		x			M		A		2	
66	B(76B,C)-H/D	8	390 2/B		x	x						P	A		2	
66	B(76B)-H/D	8	390 2/B					x				P	A		2	
66	B(76C)-H/D	8	390 2/B	1970				x				P	A	Gold ▲	2	★C6OZ 5310-L
																r/b C6OZ 5310-M
66	B(76B,C)	8	390 4/B	1740	x	x					M		N	Blue △	2	★C6OZ 5310-F
																r/b C8OZ 5310-K
66	B(76B,C)	8	390 4/B	1835				x			M		N	Orange △	2	★C6OZ 5310-G
66	B(76B,C)	8	390 4/B		x	x		x				P	N		2	r/b C8OZ 5310-K
66	B(76B,C)	8	390 4/B		x	x					M		A		2	
66	B(76B)	8	390 4/B		x	x						P	A		2	
66	B(76B,C)	8	390 4/B	1930				x			M		A	Brown △	2	★C6OZ 5310-H
66	B(76B)	8	390 4/B					x				P	A		2	r/b C8OZ 5310-K
66	B(76C)	8	390 4/B		x	x		x				P	A		2	
66	B(76B,C)-H/D	8	390 4/B	1760	x	x					M		N	Green ▲	2	★C6OZ 5310-P
66	B(76B)-H/D	8	390 4/B					x			M		N		2	r/b C8OZ 5310-K
66	B(76B)-H/D	8	390 4/B		x	x						P	N		2	
66	B(76C)-H/D	8	390 4/B	1865				x			M		N	Lavender ▲	2	C6OZ 5310-M
66	B(76B)-H/D	8	390 4/B					x				P	N		2	
66	B(76C)-H/D	8	390 4/B		x	x		x				P	N		2	
66	B(76B,C)-H/D	8	390 4/B		x	x		x			M		A		2	
66	B(76B,C)-H/D	8	390 4/B		x	x						P	A		2	
66	B(76B)-H/D	8	390 4/B					x				P	A		2	
66	B(76C)-H/D	8	390 4/B	1970				x				P	A	Gold ▲	2	★C6OZ 5310-L
																r/b C6OZ 5310-M
66	B(76D)	8	390 4/B	1735	x	x					M		N	Green Gold ▲	2	★C6OZ 5310-AD
																r/b C6OZ 5310-M
66	B(76D)	8	390 4/B		x	x		x				P	N	Orange	2	
66	B(76D)	8	390 4/B	1850				x			M		N	Green ▲	2	C6OZ 5310-AE
66	B(76D)	8	390 4/B		x	x		x			M		A		2	
66	B(76D)	8	390 4/B		x	x						P	A		2	
66	B(76D)	8	390 4/B	1965				x				P	A	Green ▲	2	★C6OZ 5310-AF
														Brown	2	r/b C6OZ 5310-M
					"B" (FAIRLANE) -- WITHOUT THERMACTOR - FROM 10/1/65 TO 2/14/66											
66	B(54A,B)	6	200	1400	x						M	P	N	Gold △	2	C6OZ 5310-J
66	B(54A,B)	6	200						x		M		N		2	
66	B(54A,B)	6	200	1490					x			P	N	Pink △	2	★C6OZ 5310-K
66	B(54A,B)	6	200		x				x		M		A		2	r/b C6OZ 5310-AC
66	B(54A,B)	6	200		x							P	A		2	
66	B(54A)	6	200						x			P	A		2	
66	B(54B)	6	200	1580					x			P	A	Tan △	2	C6OZ 5310-AC

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
"B" (FAIRLANE) -- WITHOUT THERMACTOR - FROM 10/1/65 TO 2/14/66 - continued																
66	B(54A, B)	8	289	1490	x						M		N	Green △	2	C6OZ 5310-C
66	B(54A, B)	8	289	1570		x	x		x		M	P	N	Red △	2	★C6OZ 5310-D
66	B(54A, B)	8	289		x							P	N		2	r/b C6OZ 5310-C
66	B(54A, B)	8	289		x						M		A		2	
66	B(54A, B)	8	289	1655		x	x		x		M	P	A	Yellow △	2	★C6OZ 5310-E
66	B(54A, B)	8	289		x							P	A		2	r/b C6OZ 5310-AC
66	B(54A, B)-H/D	8	289	1490	x						M		N	Pink △	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC
66	B(54A, B)-H/D	8	289	1580		x	x		x		M	P	N	Tan △	2	C6OZ 5310-AC
66	B(54A, B)-H/D	8	289		x							P	N		2	
66	B(54A, B)-H/D	8	289		x				x		M		A		2	
66	B(54A)-H/D	8	289			x	x				M		A		2	
66	B(54B)-H/D	8	289	1660		x	x				M		A	Orange ▲	2	★C6OZ 5310-N
66	B(54A, B)-H/D	8	289		x	x	x		x			P	A		2	r/b C6OZ 5310-AC
66	B(54A, B)	8	390 2/B	1655	x	x					M		N	Yellow △	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(54A, B)	8	390 2/B	1740				x			M	P	N	Blue △	2	★C6OZ 5310-F
66	B(54A, B)	8	390 2/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(54A, B)	8	390 2/B		x	x					M		A		2	
66	B(54A, B)	8	390 2/B	1835				x			M	P	A	Orange △	2	★C6OZ 5310-G
66	B(54A, B)	8	390 2/B		x	x						P	A		2	r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 2/B	1660	x	x					M		N	Orange ▲	2	★C6OZ 5310-N
																r/b C6OZ 5310-AC
66	B(54A, B)-H/D	8	390 2/B	1760				x			M	P	N	Green ▲	2	★C6OZ 5310-P
66	B(54A, B)-H/D	8	390 2/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 2/B		x	x					M		A		2	
66	B(54A)-H/D	8	390 2/B					x			M		A		2	
66	B(54A, B)-H/D	8	390 2/B		x							P	A		2	
66	B(54A)-H/D	8	390 2/B			x						P	A		2	
66	B(54B)-H/D	8	390 2/B	1865				x			M		A	Lavender ▲	2	C6OZ 5310-M
66	B(54B)-H/D	8	390 2/B			x						P	A		2	
66	B(54A, B)-H/D	8	390 2/B					x				P	A		2	
66	B(54A, B)	8	390 4/B	1655	x	x					M		N	Yellow △	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(54A, B)	8	390 4/B	1740				x			M	P	N	Blue △	2	★C6OZ 5310-F
66	B(54A, B)	8	390 4/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(54A, B)	8	390 4/B		x	x					M		A		2	
66	B(54A, B)	8	390 4/B	1835				x			M	P	A	Orange △	2	★C6OZ 5310-G
66	B(54A, B)	8	390 4/B		x	x						P	A		2	r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 4/B	1660	x	x					M		N	Orange ▲	2	★C6OZ 5310-N
																r/b C6OZ 5310-AC
66	B(54A, B)-H/D	8	390 4/B	1760				x			M	P	N	Green ▲	2	★C6OZ 5310-P
66	B(54A, B)-H/D	8	390 4/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 4/B		x	x					M		A		2	
66	B(54A)-H/D	8	390 4/B		x							P	A		2	
66	B(54B)-H/D	8	390 4/B	1865	x							P	A	Lavender ▲	2	C6OZ 5310-M
66	B(54A, B)-H/D	8	390 4/B			x						P	A		2	
66	B(54A, B)-H/D	8	390 4/B					x			M	P	A		2	
66	B(62A, B)	6	200	1400	x				x		M	P	N	Gold △	2	C6OZ 5310-J
66	B(62A, B)	6	200	1490	x				x		M	P	A	Pink △	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC

● Recommended to be serviced in pairs only △ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
"B" (FAIRLANE) -- WITHOUT THERMACTOR - FROM 10/1/65 TO 2/14/66 - continued																
66	B(62A, B)	8	289	1490	x	x	x		x		M		N	Green Δ	2	C6OZ 5310-C
66	B(62A, B)	8	289	1570	x	x	x		x			P	N	Red Δ	2	★C6OZ 5310-D
66	B(62A, B)	8	289		x	x	x		x		M		A		2	r/b C6OZ 5310-C
66	B(62A, B)	8	289	1655	x	x	x		x			P	A	Yellow Δ	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(62A, B)-H/D	8	289	1490	x	x	x		x		M		N	Pink Δ	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC
66	B(62A, B)-H/D	8	289	1580	x	x	x		x			P	N	Tan Δ	2	C6OZ 5310-AC
66	B(62A, B)-H/D	8	289		x	x	x		x		M		A		2	
66	B(62A, B)-H/D	8	289		x							P	A		2	
66	B(62A, B)-H/D	8	289	1660		x	x		x			P	A	Orange Δ	2	★C6OZ 5310-N
																r/b C6OZ 5310-AC
66	B(62A, B)	8	390 2/B	1655	x	x					M		N	Yellow Δ	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(62A, B)	8	390 2/B	1740					x		M		N	Blue Δ	2	★C6OZ 5310-F
66	B(62A, B)	8	390 2/B		x	x			x			P	N		2	r/b C8OZ 5310-K
66	B(62A, B)	8	390 2/B		x	x					M		A		2	
66	B(62A, B)	8	390 2/B		x							P	A		2	
66	B(62A)	8	390 2/B			x						P	A		2	
66	B(62A, B)	8	390 2/B	1835					x		M	P	A	Orange Δ	2	★C6OZ 5310-G
66	B(62B)	8	390 2/B			x						P	A		2	r/b C8OZ 5310-K
66	B(62A, B)-H/D	8	390 2/B	1660	x	x		x			M		N	Orange ▲	2	★C6OZ 5310-N
66	B(62A, B)-H/D	8	390 2/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(62A)-H/D	8	390 2/B			x						P	N		2	
66	B(62B)-H/D	8	390 2/B	1760		x						P	N	Green ▲	2	★C6OZ 5310-P
66	B(62A, B)-H/D	8	390 2/B					x				P	N		2	r/b C8OZ 5310-K
66	B(62A, B)-H/D	8	390 2/B		x	x		x			M		A		2	
66	B(62A, B)-H/D	8	390 2/B		x	x						P	A		2	
66	B(62A, B)-H/D	8	390 2/B	1865				x				P	A	Lavender ▲	2	C6OZ 5310-M
66	B(62A, B)	8	390 4/B	1655	x	x					M		N	Yellow Δ	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(62A, B)	8	390 4/B	1740				x			M	P	N	Blue Δ	2	★C6OZ 5310-F
66	B(62A, B)	8	390 4/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(62A, B)	8	390 4/B		x	x					M		A		2	
66	B(62A, B)	8	390 4/B	1835				x			M	P	A	Orange Δ	2	★C6OZ 5310-G
66	B(62A, B)	8	390 4/B		x	x						P	A		2	r/b C8OZ 5310-K
66	B(62A, B)-H/D	8	390 4/B	1660	x	x					M		N	Orange ▲	2	★C6OZ 5310-N
66	B(62A)-H/D	8	390 4/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(62B)-H/D	8	390 4/B	1760	x							P	N	Green ▲	2	★C6OZ 5310-P
66	B(62A, B)-H/D	8	390 4/B					x			M	P	N		2	r/b C8OZ 5310-K
66	B(62A, B)-H/D	8	390 4/B			x						P	N		2	
66	B(62A, B)-H/D	8	390 4/B		x	x		x			M		A		2	
66	B(62A, B)-H/D	8	390 4/B		x	x						P	A		2	
66	B(62A, B)-H/D	8	390 4/B	1865				x				P	A	Lavender ▲	2	C6OZ 5310-M
66	B(63B)	6	200	1400	x						M		N	Gold Δ	2	C6OZ 5310-J
66	B(63C)	6	200	1490	x						M		N	Pink Δ	2	★C6OZ 5310-K
66	B(63B, C)	6	200						x		M	P	N		2	r/b C6OZ 5310-AC
66	B(63B, C)	6	200		x							P	N		2	
66	B(63B)	6	200		x						M		A		2	
66	B(63C)	6	200	1580	x						M		A	Tan Δ	2	C6OZ 5310-AC
66	B(63B, C)	6	200						x		M	P	A		2	
66	B(63B, C)	6	200		x							P	A		2	

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	TRANSMISSION 4/S	TRANSMISSION O/D	TRANSMISSION C6	TRANSMISSION C4	TRANSMISSION C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
"B" (FAIRLANE) -- WITHOUT THERMACTOR - FROM 10/1/65 TO 2/14/66 - continued																
66	B(63B, C)	8	289	1570	x	x	x		x		M		N	Red	2	★C6OZ 5310-D
66	B(63B)	8	289		x				x			P	N		2	r/b C6OZ 5310-C
66	B(63C)	8	289	1655	x				x			P	N	Yellow	2	★C6OZ 5310-E
66	B(63B, C)	8	289			x	x					P	N		2	r/b C6OZ 5310-AC
66	B(63B, C)	8	289		x	x	x		x		M		A		2	
66	B(63B)	8	289		x	x			x			P	A		2	
66	B(63C)	8	289	1740	x	x	x		x			P	A	Blue	2	★C6OZ 5310-F
																r/b C8OZ 5310-K
66	B(63B, C)-H/D	8	289	1580	x	x	x		x		M		N	Tan	2	C6OZ 5310-AC
66	B(63B)-H/D	8	289		x	x	x		x			P	N		2	
66	B(63C)-H/D	8	289	1660	x	x	x		x			P	N	Orange ▲	2	★C6OZ 5310-N
66	B(63B, C)-H/D	8	289		x	x	x		x		M		A		2	r/b C6OZ 5310-AC
66	B(63B)-H/D	8	289		x	x	x		x			P	A		2	
66	B(63C)-H/D	8	289	1760	x	x	x		x			P	A	Green △	2	★C6OZ 5310-P
																r/b C8OZ 5310-K
66	B(63B, C)	8	390 2/B	1740	x	x					M		N	Blue	2	★C6OZ 5310-F
66	B(63B)	8	390 2/B					x			M		N		2	r/b C8OZ 5310-K
66	B(63B)	8	390 2/B		x	x						P	N		2	
66	B(63C)	8	390 2/B	1835				x			M		N	Orange	2	★C6OZ 5310-G
66	B(63C)	8	390 2/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(63B, C)	8	390 2/B					x				P	N		2	
66	B(63B, C)	8	390 2/B		x	x					M	P	A		2	
66	B(63B, C)	8	390 2/B					x			M		A		2	
66	B(63B)	8	390 2/B					x				P	A		2	
66	B(63C)	8	390 2/B	1930				x				P	A	Brown	2	★C6OZ 5310-H
																r/b C8OZ 5310-K
66	B(63B, C)-H/D	8	390 2/B	1760	x	x					M	P	N	Green △	2	★C6OZ 5310-P
66	B(63B, C)-H/D	8	390 2/B					x			M		N		2	r/b C8OZ 5310-K
66	B(63B)-H/D	8	390 2/B					x				P	N		2	
66	B(63C)-H/D	8	390 2/B	1865				x				P	N	Lavender ▲	2	C6OZ 5310-M
66	B(63B, C)-H/D	8	390 2/B		x	x		x			M	P	A		2	
66	B(63B, C)	8	390 4/B	1740	x	x					M		N	Blue	2	★C6OZ 5310-F
66	B(63B)	8	390 4/B					x			M		N		2	r/b C8OZ 5310-K
66	B(63B)	8	390 4/B		x	x						P	N		2	
66	B(63C)	8	390 4/B	1835				x			M		N	Orange	2	★C6OZ 5310-G
66	B(63C)	8	390 4/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(63B, C)	8	390 4/B					x				P	N		2	
66	B(63B, C)	8	390 4/B		x	x					M	P	A		2	
66	B(63B)	8	390 4/B					x			M		A		2	
66	B(63C)	8	390 4/B	1930				x			M		A	Brown	2	★C6OZ 5310-H
66	B(63B, C)	8	390 4/B					x				P	A		2	r/b C8OZ 5310-K
66	B(63B, C)-H/D	8	390 4/B	1760	x	x		x			M		N	Green △	2	★C6OZ 5310-P
66	B(63B, C)-H/D	8	390 4/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(63B)-H/D	8	390 4/B					x				P	N		2	
66	B(63C)-H/D	8	390 4/B	1865				x				P	N	Lavender ▲	2	C6OZ 5310-M
66	B(63B, C)-H/D	8	390 4/B		x	x		x			M		A		2	
66	B(63B, C)-H/D	8	390 4/B		x	x						P	A		2	
66	B(63B)-H/D	8	390 4/B					x				P	A		2	
66	B(63C)-H/D	8	390 4/B	1970				x				P	A	Gold △	2	★C6OZ 5310-L
																r/b C6OZ 5310-M

• Recommended to be serviced in pairs only △ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
"B" (FAIRLANE) -- WITHOUT THERMACTOR - FROM 10/1/65 TO 2/14/66 - continued																
66	B(63D)	8	390 4/B	1735	x	x					M		N	Green Gold ▲	2	★C6OZ 5310-AD
																r/b C6OZ 5310-M
66	B(63D)	8	390 4/B	1850				x			M	P	N	GREEN ▲, ORANGE ▲	2	C6OZ 5310-AE
66	B(63D)	8	390 4/B		x	x						P	N		2	
66	B(63D)	8	390 4/B		x	x					M	P	A		2	
66	B(63D)	8	390 4/B					x			M		A		2	
66	B(63D)	8	390 4/B	1965				x				P	A	GREEN ▲, BROWN	2	★C6OZ 5310-AF
																r/b C6OZ 5310-M
66	B(71D, E)	6	200	1263	x						M		N	Gray △	2	★C6OZ 5310-AB
																r/b C6DZ 5310-C
66	B(71B)	6	200	1344	x						M		N	Violet △	2	★C6OZ 5310-A
66	B(71B, D, E)	6	200						x		M		N		2	r/b C6DZ 5310-C
66	B(71B, D, E)	6	200		x				x			P	N		2	
66	B(71D, E)	6	200		x						M		A		2	
66	B(71B)	6	200	1415	x						M		A	Lavender △	2	C6OZ 5310-B
66	B(71B, D, E)	6	200						x		M		A		2	
66	B(71B, D, E)	6	200		x				x			P	A		2	
66	B(71B, D, E)-H/D	6	200	1310	x				x		M		N	Red ▲	2	★C6OZ 5310-R
66	B(71B, D, E)-H/D	6	200		x							P	N		2	r/b C6OZ 5310-J
66	B(71B, D, E)-H/D	6	200	1400					x			P	N	Gold △	2	C6OZ 5310-J
66	B(71B, D, E)-H/D	6	200		x				x		M		A		2	
66	B(71B, D, E)-H/D	6	200		x							P	A		2	
66	B(71D, E)-H/D	6	200						x			P	A		2	
66	B(71B)-H/D	6	200	1490					x			P	A	Pink △	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC
66	B(71B, D, E)	8	289	1415	x		x		x		M		N	Lavender △	2	★C6OZ 5310-B
																r/b C6OZ 5310-C
66	B(71B, D, E)	8	289	1490	x		x		x			P	N	Green △	2	C6OZ 5310-C
66	B(71B, D, E)	8	289		x				x		M		A		2	
66	B(71B)	8	289	1570			x				M		A	Red △	2	★C6OZ 5310-D
66	B(71B, D, E)	8	289		x		x		x			P	A		2	r/b C6OZ 5310-C
66	B(71B, D, E)-H/D	8	289	1400	x						M		N	Gold △	2	C6OZ 5310-J
66	B(71B, D, E)-H/D	8	289	1490			x		x		M	P	N	Pink △	2	★C6OZ 5310-K
66	B(71B, D, E)-H/D	8	289		x							P	N		2	r/b C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	289		x				x		M		A		2	
66	B(71D, E)-H/D	8	289				x				M		A		2	
66	B(71D, E)	8	289				x				M		A		2	
66	B(71B)-H/D	8	289	1580			x				M		A	Tan △	2	C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	289		x		x		x			P	A		2	
66	B(71B, D, E)	8	390 2/B	1570	x						M		N	Red △	2	★C6OZ 5310-D
																r/b C6OZ 5310-C
66	B(71B, D, E)	8	390 2/B	1655				x			M	P	N	Yellow △	2	★C6OZ 5310-E
66	B(71B, D, E)	8	390 2/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(71B, D, E)	8	390 2/B		x						M		A		2	
66	B(71B, D, E)	8	390 2/B	1740				x			M	P	A	Blue △	2	★C6OZ 5310-F
66	B(71B, D, E)	8	390 2/B		x							P	A		2	r/b C8OZ 5310-K
66	B(71B, D, E)-H/D	8	390 2/B	1580	x						M		N	Tan △	2	C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	390 2/B	1660				x			M	P	N	Orange ▲	2	★C6OZ 5310-N
66	B(71B, D, E)-H/D	8	390 2/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	390 2/B		x						M		A		2	
66	B(71B, D, E)-H/D	8	390 2/B	1760				x			M	P	A	Green ▲	2	★C6OZ 5310-P
66	B(71B, D, E)-H/D	8	390 2/B		x							P	A			r/b C8OZ 5310-K

● Recommended to be serviced in pairs only
△ Daub ▲ Stripe
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	TRANSMISSION 4/S	TRANSMISSION O/D	TRANSMISSION C6	TRANSMISSION C4	TRANSMISSION C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	● PART NUMBER
"B" (FAIRLANE) -- WITHOUT THERMACTOR - FROM 10/1/65 TO 2/14/66 - continued																
66	B(71B, D, E)	8	390 4/B	1570	x						M		N	Red ▲	2	★C6OZ 5310-D
																r/b C6OZ 5310-C
66	B(71B, D, E)	8	390 4/B	1655				x			M	P	N	Yellow ▲	2	★C6OZ 5310-E
66	B(71B, D, E)	8	390 4/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(71B, D, E)	8	390 4/B		x						M		A		2	
66	B(71B, D, E)	8	390 4/B	1740							M	P	A	Blue ▲	2	★C6OZ 5310-F
66	B(71B, D, E)	8	390 4/B		x							P	A		2	r/b C8OZ 5310-K
66	B(71B, D, E)-H/D	8	390 4/B	1580	x						M		N	Tan ▲	2	C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	390 4/B	1660				x			M	P	N	Orange ▲	2	★C6OZ 5310-N
66	B(71B, D, E)-H/D	8	390 4/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	390 4/B		x						M		A		2	
66	B(71B, D, E)-H/D	8	390 4/B	1760				x			M	P	A	Green ▲	2	★C6OZ 5310-P
66	B(71B, D, E)-H/D	8	390 4/B		x							P	A		2	r/b C8OZ 5310-K
66	B(76B, C)	6	200	1490	x						M	P	N	Green ▲	2	C6OZ 5310-C
66	B(76B, C)	6	200						x		M		N		2	
66	B(76B, C)	6	200	1570					x			P	N	Red ▲	2	★C6OZ 5310-D
66	B(76B, C)	6	200		x				x		M		A		2	r/b C6OZ 5310-C
66	B(76B, C)	6	200		x							P	A		2	
66	B(76B, C)	6	200	1655					x			P	A	Yellow ▲	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(76B, C)	8	289	1655	x	x	x		x		M	P	N	Yellow ▲	2	★C6OZ 5310-E
66	B(76B)	8	289		x						M		A		2	r/b C6OZ 5310-AC
66	B(76C)	8	289	1740	x						M		A	Blue ▲	2	★C6OZ 5310-F
66	B(76B, C)	8	289			x	x		x		M		A		2	r/b C8OZ 5310-K
66	B(76B, C)	8	289		x	x	x		x			P	A		2	
66	B(76B, C)-H/D	8	289	1580	x						M		N	Tan ▲	2	C6OZ 5310-AC
66	B(76B, C)-H/D	8	289	1660	x							P	N	Orange ▲	2	★C6OZ 5310-N
66	B(76B, C)-H/D	8	289			x	x		x		M	P	N		2	r/b C6OZ 5310-AC
66	B(76B, C)-H/D	8	289		x						M		A		2	
66	B(76B, C)-H/D	8	289	1760		x	x		x		M	P	A	Green ▲	2	★C6OZ 5310-P
66	B(76B, C)-H/D	8	289		x							P	A		2	r/b C8OZ 5310-K
66	B(76B, C)	8	390 2/B	1740	x						M		N	Blue ▲	2	★C6OZ 5310-F
66	B(76B)	8	390 2/B			x					M		N		2	r/b C8OZ 5310-K
66	B(76C)	8	390 2/B	1835		x					M		N	Orange ▲	2	★C6OZ 5310-G
66	B(76B, C)	8	390 2/B					x			M		N		2	r/b C8OZ 5310-K
66	B(76B, C)	8	390 2/B		x	x		x				P	N		2	
66	B(76B, C)	8	390 2/B		x	x					M		A		2	
66	B(76B, C)	8	390 2/B	1930				x			M	P	A	Brown ▲	2	★C6OZ 5310-H
66	B(76B, C)	8	390 2/B		x	x						P	A		2	r/b C8OZ 5310-K
66	B(76B, C)-H/D	8	390 2/B	1760	x	x					M		N	Green ▲	2	★C6OZ 5310-P
																r/b C8OZ 5310-K
66	B(76B, C)-H/D	8	390 2/B	1865				x			M		N	Lavender ▲	2	C6OZ 5310-M
66	B(76B, C)-H/D	8	390 2/B		x	x		x				P	N		2	
66	B(76B, C)-H/D	8	390 2/B		x	x		x			M		A		2	
66	B(76B, C)-H/D	8	390 2/B		x	x						P	A		2	
66	B(76B, C)-H/D	8	390 2/B	1970				x				P	A	Gold Δ	2	★C6OZ 5310-L
																r/b C6OZ 5310-M
66	B(76B)	8	390 4/B	1740	x						M		N	Blue ▲	2	★C6OZ 5310-F
																r/b C8OZ 5310-K
66	B(76C)	8	390 4/B	1835	x						M		N	Orange ▲	2	★C6OZ 5310-G
66	B(76B, C)	8	390 4/B			x		x			M	P	N		2	r/b C8OZ 5310-K
66	B(76B, C)	8	390 4/B		x							P	N		2	
66	B(76B, C)	8	390 4/B		x	x					M		A		2	

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	● PART NUMBER
	"B" (FAIRLANE) -- WITHOUT THERMACTOR - FROM 10/1/65 TO 2/14/66 - continued															
66	B(76B, C)	8	390 4/B	1930	x	x						P	A	Brown	2	★C6OZ 5310-H
66	B(76B, C)	8	390 4/B					x			M	P	A		2	r/b C8OZ 5310-K
66	B(76B, C)-H/D	8	390 4/B	1760	x	x					M		N	Green ▲	2	★C6OZ 5310-P
																r/b C8OZ 5310-K
66	B(76B, C)-H/D	8	390 4/B	1865	x	x						P	N	Lavender ▲	2	C6OZ 5310-M
66	B(76B, C)-H/D	8	390 4/B					x			M	P	N		2	
66	B(76B, C)-H/D	8	390 4/B		x	x		x			M		A		2	
66	B(76B, C)-H/D	8	390 4/B		x	x						P	A		2	
66	B(76B, C)-H/D	8	390 4/B	1970				x				P	A	Gold ▲	2	★C6OZ 5310-L
																r/b C6OZ 5310-M
66	B(76D)	8	390 4/B	1850	x	x		x			M	P	N	Green ▲	2	C6OZ 5310-AE
														Orange		
66	B(76D)	8	390 4/B		x	x					M		A		2	
66	B(76D)	8	390 4/B		x							P	A		2	
66	B(76D)	8	390 4/B	1965		x						P	A	Green	2	★C6OZ 5310-AF
														Brown ▲		r/b C6OZ 5310-M
66	B(76D)	8	390 4/B					x			M	P	A		2	
	"B" (FAIRLANE) -- WITHOUT THERMACTOR - FROM 2/14/66															
66	B(54A, B)	6	200	1400	x				x		M		N	Gold △	2	C6OZ 5310-J
66	B(54A, B)	6	200		x							P	N		2	
66	B(54A, E)	6	200	1490					x			P	N	Pink △	2	★C6OZ 5310-K
66	B(54A, B)	6	200		x						M	P	A		2	r/b C6OZ 5310-AC
66	B(54A, B)	6	200						x		M		A		2	
66	B(54A)	6	200						x			P	A		2	
66	B(54B)	6	200	1580					x			P	A	Tan △	2	C6OZ 5310-AC
66	B(54A, B)	8	289	1490	x						M		N	Green △	2	C6OZ 5310-C
66	B(54A, B)	8	289	1570		x	x		x		M		N	Red △	2	★C6OZ 5310-D
66	E(54A, B)	8	289		x	x	x		x			P	N		2	r/b C6OZ 5310-C
66	B(54A, E)	8	289		x						M		A		2	
66	B(54A, B)	8	289	1655		x	x		x		M		A	Yellow △	2	★C6OZ 5310-E
66	B(54A, B)	8	289		x	x	x		x			P	A		2	r/b C6OZ 5310- AC
66	B(54A, E)-H/D	8	289	1490	x						M		N	Pink △	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC
66	B(54A, B)-H/D	8	289	1580		x	x		x		M		N	Tan △	2	C6OZ 5310-AC
66	B(54A, B)-H/D	8	289		x	x	x		x			P	N		2	
66	B(54A, B)-H/D	8	289		x				x		M		A		2	
66	B(54A)-H/D	8	289			x	x				M		A		2	
66	B(54B)-H/D	8	289	1660		x	x				M		A	Orange ▲	2	★C6OZ 5310-N
66	B(54A, E)-H/D	8	289		x	x	x		x			P	A		2	r/b C6OZ 5310-AC
66	B(54A, B)	8	390 2/B	1655	x	x					M		N	Yellow △	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(54A, B)	8	390 2/B	1740				x			M	P	N	Blue △	2	★C6OZ 5310-F
66	B(54A, B)	8	390 2/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(54A, B)	8	390 2/B		x	x					M		A		2	
66	B(54A, B)	8	390 2/B	1835				x			M	P	A	Orange △	2	★C6OZ 5310-G
66	B(54A, B)	8	390 2/B		x	x						P	A		2	r/b C8OZ 5310-K

● Recommended to be serviced in pairs only △ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
"B" (FAIRLANE) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued																
66	B(54A, B)-H/D	8	390 2/B	1660	x	x					M		N	Orange Δ	2	★C6OZ 5310-N
																r/b C6OZ 5310-AC
66	B(54A, B)-H/D	8	390 2/B	1760				x			M	P	N	Green ▲	2	★C6OZ 5310-P
66	B(54A, B)-H/D	8	390 2/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 2/B		x	x					M		A		2	
66	B(54A)-H/D	8	390 2/B					x			M		A		2	
66	B(54A, B)-H/D	8	390 2/B		x							P	A		2	
66	B(54A)-H/D	8	390 2/B			x						P	A		2	
66	B(54B)-H/D	8	390 2/B	1865		x		x				P	A	Lavender Δ	2	C6OZ 5310-M
66	B(54B)-H/D	8	390 2/B					x			M		A		2	
66	B(54A, B)	8	390 4/B	1655	x	x					M		N	Yellow Δ	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(54A, B)	8	390 4/B	1740				x			M	P	N	Blue Δ	2	★C6OZ 5310-F
66	B(54A, B)	8	390 4/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(54A, B)	8	390 4/B		x	x					M		A		2	
66	B(54A, B)	8	390 4/B	1835	x	x						P	A	Orange Δ	2	★C6OZ 5310-G
66	B(54A, B)	8	390 4/B					x			M	P	A		2	r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 4/B	1660	x	x					M		N	Orange ▲	2	★C6OZ 5310-N
																r/b C6OZ 5310-AC
66	B(54A, B)-H/D	8	390 4/B	1760				x			M	P	N	Green Δ	2	★C6OZ 5310-P
66	B(54A, B)-H/D	8	390 4/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 4/B		x	x					M		A		2	
66	B(54A)-H/D	8	390 4/B		x							P	A		2	
66	B(54B)-H/D	8	390 4/B	1865	x							P	A	Lavender ▲	2	C6OZ 5310-M
66	B(54A, B)-H/D	8	390 4/B			x						P	A		2	
66	B(54A, B)-H/D	8	390 4/B					x			M	P	A		2	
66	B(54A, B)	8	427	1735		x					M	P	N	Green Gold ▲	2	★C6OZ 5310-AD
																r/b C6OZ 5310-M
66	B(54A, B)	8	427	1850		x					M	P	A	Green Orange ▲	2	C6OZ 5310-AE
66	B(62A, B)	6	200	1400	x				x		M	P	N	Gold Δ	2	C6OZ 5310-J
66	B(62A, B)	6	200	1490	x				x		M	P	A	Pink Δ	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC
66	B(62A, B)	8	289	1490	x	x	x		x		M		N	Green Δ	2	C6OZ 5310-C
66	B(62A, B)	8	289	1570	x	x	x		x			P	N	Red Δ	2	★C6OZ 5310-D
66	B(62A, B)	8	289		x	x	x		x		M		A		2	r/b C6OZ 5310-C
66	B(62A, B)	8	289	1655	x	x	x		x			P	A	Yellow Δ	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(62A, B)-H/D	8	289	1490	x	x	x		x		M		N	Pink Δ	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC
66	B(62A, B)-H/D	8	289	1580	x	x	x		x			P	N	Tan Δ	2	C6OZ 5310-AC
66	B(62A, B)-H/D	8	289		x	x	x		x		M		A		2	
66	B(62A, B)-H/D	8	289		x							P	A		3	
66	B(62A, B)-H/D	8	289	1660		x	x		x			P	A	Orange Δ	2	★C6OZ 5310-N
																r/b C6OZ 5310-AC
66	B(62A, B)	8	390 2/B	1655	x	x					M		N	Yellow Δ	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(62A, B)	8	390 2/B	1740				x			M		N	Blue Δ	2	★C6OZ 5310-F
66	B(62A, B)	8	390 2/B		x	x		x				P	N		2	r/b C8OZ 5310-K
66	B(62A, B)	8	390 2/B		x	x					M		A		2	
66	B(62A, B)	8	390 2/B		x							P	A		2	
66	B(62A)	8	390 2/B			x						P	A		2	
66	B(62B)	8	390 2/B	1835		x						P	A	Orange Δ	2	★C6OZ 5310-G
66	B(62A, B)	8	390 2/B					x			M	P	A		2	r/b C8OZ 5310-K

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	● PART NUMBER
					"B" (FAIRLANE) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued											
66	B(62A,B)-H/D	8	390 2/B	1660	x	x					M		N	Orange ▲	2	★C6OZ 5310-N
66	B(62A)-H/D	8	390 2/B					x			M		N		2	r/b C6OZ 5310-AC
66	B(62A,B)-H/D	8	390 2/B		x							P	N		2	
66	B(62A)-H/D	8	390 2/B			x						P	N		2	
66	B(62B)-H/D	8	390 2/B	1760		x						P	N	Green ▲	2	★C6OZ 5310-P
66	B(62A,B)-H/D	8	390 2/B					x				P	N		2	r/b C8OZ 5310-K
66	B(62A,B)-H/D	8	390 2/B		x	x		x			M		A		2	
66	B(62A,B)-H/D	8	390 2/B		x	x						P	A		2	
66	B(62B)-H/D	8	390 2/B					x			M		N		2	
66	B(62A,B)-H/D	8	390 2/B	1865				x				P	A	Lavender ▲	2	C6OZ 5310-M
66	B(62A,B)	8	390 4/B	1655	x	x					M		N	Yellow △	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(62A,B)	8	390 4/B	1740				x			M	P	N	Blue △	2	★C6OZ 5310-F
66	B(62A,B)	8	390 4/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(62A,B)	8	390 4/B		x	x					M		A		2	
66	B(62A,B)	8	390 4/B	1835				x			M	P	A	Orange △	2	★C6OZ 5310-G
66	B(62A,B)	8	390 4/B		x	x						P	A		2	r/b C8OZ 5310-K
66	B(62A,B)-H/D	8	390 4/B	1660	x	x					M		N	Orange △	2	★C6OZ 5310-N
66	B(62A)-H/D	8	390 4/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(62A,B)-H/D	8	390 4/B	1760				x			M	P	N	Green △	2	★C6OZ 5310-P
66	B(62B)-H/D	8	390 4/B		x							P	N		2	r/b C8OZ 5310-K
66	B(62A,B)-H/D	8	390 4/B			x						P	N		2	
66	B(62A,B)-H/D	8	390 4/B		x	x		x			M		A		2	
66	B(62A,B)-H/D	8	390 4/B		x	x						P	A		2	
66	B(62A,B)-H/D	8	390 4/B	1865				x				P	A	Lavender ▲	2	C6OZ 5310-M
66	B(62A,B)	8	427	1735		x					M	P	N	Green Gold ▲	2	★C6OZ 5310-AD
																r/b C6OZ 5310-M
66	B(62A,B)	8	427	1850		x					M	P	A	Green Orange △	2	C6OZ 5310-AE
66	B(63B)	6	200	1400	x						M		N	Gold △	2	C6OZ 5310-J
66	B(63C)	6	200	1490	x						M		N	Pink △	2	★C6OZ 5310-K
66	B(63B,C)	6	200						x		M	P	N		2	r/b C6OZ 5310-AC
66	B(63B,C)	6	200		x							P	N		2	
66	B(63B)	6	200		x						M		A		2	
66	B(63C)	6	200	1580	x						M		A	Tan △	2	C6OZ 5310-AC
66	B(63B,C)	6	200		x							P	A		2	
66	B(63B,C)	6	200						x		M	P	A		2	
66	B(63B,C)	8	289	1570	x	x	x		x		M		N	Red △	2	★C6OZ 5310-D
66	B(63B)	8	289		x				x			P	N		2	r/b C6OZ 5310-C
66	B(63C)	8	289	1655	x				x			P	N	Yellow △	2	★C6OZ 5310-E
66	B(63B,C)	8	289			x	x					P	N		2	r/b C6OZ 5310-AC
66	B(63B,C)	8	289		x	x	x		x		M		A		2	
66	B(63B)	8	289		x	x	x		x			P	A		2	
66	B(63C)	8	289	1740	x	x	x		x			P	A	Blue △	2	★C6OZ 5310-F
																r/b C8OZ 5310-K
66	B(63B,C)-H/D	8	289	1580	x	x	x		x		M		N	Tan △	2	C6OZ 5310-AC
66	B(63B)-H/D	8	289		x	x	x		x			P	N		2	
66	B(63C)-H/D	8	289	1660	x	x	x		x			P	N	Orange ▲	2	★C6OZ 5310-N
66	B(63B,C)-H/D	8	289		x	x	x		x		M		A		2	r/b C6OZ 5310-AC
66	B(63B)-H/D	8	289		x	x	x		x			P	A		2	
66	B(63C)-H/D	8	289	1760	x	x	x		x			P	A	Green ▲	2	★C6OZ 5310-P
																r/b C8OZ 5310-K

● Recommended to be serviced in pairs only △ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"B" (FAIRLANE) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued											
66	B(63B, C)	8	390 2/B	1740	x	x					M		N	Blue △	2	★C6OZ 5310-F
66	B(63B)	8	390 2/B					x			M		N		2	r/b C8OZ 5310-K
66	B(63B)	8	390 2/B		x	x						P	N		2	
66	B(63C)	8	390 2/B	1835				x			M		N	Orange △	2	★C6OZ 5310-G
66	B(63C)	8	390 2/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(63B, C)	8	390 2/B					x				P	N		2	
66	B(63B, C)	8	390 2/B		x	x		x			M		A		2	
66	B(63B, C)	8	390 2/B		x	x						P	A		2	
66	B(63B, C)	8	390 2/B					x				P	A		2	
66	B(63C)	8	390 2/B	1930				x				P	A	Brown △	2	★C6OZ 5310-H
																r/b C8OZ 5310-K
66	B(63B, C)-H/D	8	390 2/B	1760	x	x		x			M		N	Green ▲	2	★C6OZ 5310-P
66	B(63B, C)-H/D	8	390 2/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(63B)-H/D	8	390 2/B					x				P	N		2	
66	B(63B, C)-H/D	8	390 2/B	1865	x	x		x			M	P	A	Lavender ▲	2	C6OZ 5310-M
66	B(63C)-H/D	8	390 2/B					x				P	N		2	
66	B(63B, C)	8	390 4/B	1740	x	x					M		N	Blue △	2	★C6OZ 5310-F
66	B(63B)	8	390 4/B					x			M		N		2	r/b C8OZ 5310-K
66	B(63B)	8	390 4/B		x	x						P	N		2	
66	B(63C)	8	390 4/B	1835				x			M		N	Orange △	2	★C6OZ 5310-G
66	B(63C)	8	390 4/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(63B, C)	8	390 4/B					x				P	N		2	
66	B(63B, C)	8	390 4/B		x	x					M		A		2	
66	B(63B)	8	390 4/B					x			M		A		2	
66	B(63B, C)	8	390 4/B		x	x						P	A		2	
66	B(63C)	8	390 4/B	1930				x			M		A	Brown △	2	★C6OZ 5310-H
66	B(63B, C)	8	390 4/B					x				P	A		2	r/b C8OZ 5310-K
66	B(63B, C)-H/D	8	390 4/B	1760	x	x		x			M		N	Green ▲	2	★C6OZ 5310-P
66	B(63B, C)-H/D	8	390 4/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(63B)-H/D	8	390 4/B					x				P	N		2	
66	B(63C)-H/D	8	390 4/B	1865				x				P	N	Lavender ▲	2	C6OZ 5310-M
66	B(63B, C)-H/D	8	390 4/B		x	x		x			M		A		2	
66	B(63B, C)-H/D	8	390 4/B		x	x						P	A		2	
66	B(63B)-H/D	8	390 4/B					x				P	A		2	
66	B(63C)-H/D	8	390 4/B	1970				x				P	A	Gold ▲	2	★C6OZ 5310-L
																r/b C6OZ 5310-M
66	B(63D)	8	390 4/B	1735	x	x					M		N	Green Gold ▲	2	★C6OZ 5310-AD
																r/b C6OZ 5310-M
66	B(63D)	8	390 4/B	1850	x	x		x				P	N	Green Orange ▲	2	C6OZ 5310-AE
66	B(63D)	8	390 4/B					x			M		A		2	
66	B(63D)	8	390 4/B					x			M		N		2	
66	B(63D)	8	390 4/B		x	x					M	P	A		2	
66	B(63D)	8	390 4/B	1965				x				P	A	Green Brown ▲	2	★C6OZ 5310-AF
																r/b C6OZ 5310-M
66	B(63B)	8	427	1735		x					M		N	Green Gold ▲	2	★C6OZ 5310-AD
																r/b C6OZ 5310-M
66	B(63C, D)	8	427	1850		x					M		N	Green Orange ▲	2	C6OZ 5310-AE
66	B(63B, C, D)	8	427			x						P	N		2	
66	B(63B, C, D)	8	427			x					M		A		2	
66	B(63B, D)	8	427			x						P	A		2	
66	B(63C)	8	427	1965		x						P	A	Green Brown ▲	2	★C6OZ 5310-AF
																r/b C6OZ 5310-M

● Recommended to be serviced in pairs only △ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
"B" (FAIRLANE) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued																
66	B(71B,D,E)	6	200	1265	x				x		M	P	N	Gray Δ	2	★C6OZ 5310-AB r/b C6DZ 5310-C
66	B(71B,D,E)	6	200	1344	x				x		M	P	A	Violet Δ	2	★C6OZ 5310-A r/b C6DZ 5310-C
66	B(71B,D,E)-H/D	6	200	1310	x				x		M		N	Red ▲	2	★C6OZ 5310-R
66	B(71B,D,E)-H/D	6	200		x							P	N		2	r/b C6OZ 5310-J
66	B(71B,D,E)-H/D	6	200	1400					x			P	N	Gold Δ	2	C6OZ 5310-J
66	B(71B,D,E)-H/D	6	200		x				x		M		A		2	
66	B(71B,D,E)-H/D	6	200		x							P	A		2	
66	B(71D,E)-H/D	6	200						x			P	A		2	
66	B(71B)-H/D	6	200	1490					x			P	A	Pink Δ	2	★C6OZ 5310-K r/b C6OZ 5310-AC
66	B(71B,E)	8	289	1410	x						M		N	Pink ▲	2	★C6DZ 5310-D
66	B(71B,D,E)	8	289				x		x		M		N		2	r/b C6OZ 5310-C
66	B(71B,D,E)	8	289		x		x		x			P	N		2	
66	B(71B,D,E)	8	289		x						M		A		2	
66	B(71D)	8	289	1325	x						M		N	Brown ▲	2	C6DZ 5310-C
66	B(71B,D,E)	8	289	1490			x		x		M	P	A	Green Δ	2	C6OZ 5310-C
66	B(71B,D,E)	8	289		x							P	A		2	
66	B(71B,D,E)-H/D	8	289	1400	x						M		N	Gold Δ	2	C6OZ 5310-J
66	B(71B,D,E)-H/D	8	289	1490			x		x		M		N	Pink Δ	2	★C6OZ 5310-K
66	B(71B,D,E)-H/D	8	289		x		x		x			P	N		2	r/b C6OZ 5310-AC
66	B(71B,D,E)-H/D	8	289		x				x		M		A		2	
66	B(71D,E)-H/D	8	289				x					P	N		2	
66	B(71B)-H/D	8	289	1580			x				M		A	Tan Δ	2	C6OZ 5310-AC
66	B(71B,D,E)-H/D	8	289		x		x		x			P	A		2	
66	B(71B,D,E)	8	390 2/B	1570	x						M		N	Red Δ	2	★C6OZ 5310-D r/b C6OZ 5310-C
66	B(71B,D,E)	8	390 2/B	1655				x			M	P	N	Yellow Δ	2	C6OZ 5310-E
66	B(71B,D,E)	8	390 2/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(71B,D,E)	8	390 2/B		x						M		A		2	
66	B(71B,D,E)	8	390 2/B	1740				x			M	P	A	Blue Δ	2	★C6OZ 5310-F
66	B(71B,D,E)	8	390 2/B		x							P	A		2	r/b C8OZ 5310-K
66	B(71B,D,E)-H/D	8	390 2/B	1580	x						M		N	Tan Δ	2	C6OZ 5310-AC
66	B(71B,D,E)-H/D	8	390 2/B	1660				x			M	P	N	Orange Δ	2	★C6OZ 5310-N
66	B(71B,D,E)-H/D	8	390 2/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(71B,D,E)-H/D	8	390 2/B		x						M		A		2	
66	B(71B,D,E)-H/D	8	390 2/B	1760	x							P	A	Green Δ	2	★C6OZ 5310-P
66	B(71B,D,E)-H/D	8	390 2/B						x		M	P	A		2	r/b C8OZ 5310-K
66	B(71B,D,E)	8	390 4/B	1570	x						M		N	Red Δ	2	★C6OZ 5310-D r/b C6OZ 5310-C
66	B(71B,D,E)	8	390 4/B	1655				x			M	P	N	Yellow Δ	2	C6OZ 5310-E
66	B(71B,D,E)	8	390 4/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(71B,D,E)	8	390 4/B		x						M		A		2	
66	B(71B,D,E)	8	390 4/B	1740				x			M	P	A	Blue Δ	2	★C6OZ 5310-F
66	B(71B,D,E)	8	390 4/B		x							P	A			r/b C8OZ 5310-K
66	B(71B,D,E)-H/D	8	390 4/B	1580	x						M		N	Tan Δ	2	C6OZ 5310-AC
66	B(71B,D,E)-H/D	8	390 4/B	1660				x			M	P	N	Orange Δ	2	★C6OZ 5310-N
66	B(71B,D,E)-H/D	8	390 4/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(71B,D,E)-H/D	8	390 4/B		x						M		A		2	
66	B(71B,D,E)-H/D	8	390 4/B	1760	x							P	A	Green Δ	2	★C6OZ 5310-P
66	B(71B,D,E)-H/D	8	390 4/B						x		M	P	A		2	r/b C8OZ 5310-K

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"B" (FAIRLANE) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued											
66	B(76B, C)	6	200	1490	x				x		M	P	N	Green △	2	C6OZ 5310-C
66	B(76B, C)	6	200								M		N		2	
66	B(76B, C)	6	200	1570	x						M	P	A	Red △	2	★C6OZ 5310-D
66	B(76B, C)	6	200						x			P	N		2	r/b C6OZ 5310-C
66	B(76B, C)	6	200						x		M		A		2	
66	B(76B, C)	6	200	1655					x			P	A	Yellow △	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(76B, C)	8	289	1655	x	x	x		x		M	P	N	Yellow △	2	★C6OZ 5310-E
66	B(76B)	8	289		x						M		A		2	r/b C6OZ 5310-AC
66	B(76C)	8	289	1740	x						M		A	Blue △	2	★C6OZ 5310-F
66	B(76B, C)	8	289			x	x		x		M	P	A		2	r/b C8OZ 5310-K
66	B(76B, C)-H/D	8	289	1580	x						M		N	Tan △	2	C6OZ 5310-AC
66	B(76B, C)-H/D	8	289	1660		x	x		x		M		N	Orange ▲	2	★C6OZ 5310-N
66	B(76B, C)-H/D	8	289		x	x	x		x			P	N		2	r/b C6OZ 5310-AC
66	B(76B, C)-H/D	8	289		x						M		A		2	
66	B(76B, C)-H/D	8	289	1760	x							P	A	Green △	2	★C6OZ 5310-P
66	B(76B, C)-H/D	8	289			x	x		x		M	P	A		2	r/b C8OZ 5310-K
66	B(76B, C)	8	390 2/B	1740	x						M		N	Blue △	2	★C6OZ 5310-F
66	B(76B)	8	390 2/B			x					M		N		2	r/b C8OZ 5310-K
66	B(76C)	8	390 2/B	1835		x					M		N	Orange △	2	★C6OZ 5310-G
66	B(76B, C)	8	390 2/B					x			M		N		2	r/b C8OZ 5310-K
66	B(76B, C)	8	390 2/B		x	x		x				P	N		2	
66	B(76B, C)	8	390 2/B		x	x					M		A		2	
66	B(76B, C)	8	390 2/B	1930	x	x						P	A	Brown △	2	★C6OZ 5310-H
66	B(76B, C)	8	390 2/B					x			M	P	A		2	r/b C8OZ 5310-K
66	B(76B, C)-H/D	8	390 2/B	1760	x	x					M		N	Green △	2	★C6OZ 5310-P
																r/b C8OZ 5310-K
66	B(76B, C)-H/D	8	390 2/B	1865				x			M		N	Lavender ▲	2	C6OZ 5310-M
66	B(76B, C)-H/D	8	390 2/B		x	x		x				P	N		2	
66	B(76B, C)-H/D	8	390 2/B		x	x		x			M		A		2	
66	B(76B, C)-H/D	8	390 2/B		x	x						P	A		2	
66	B(76B, C)-H/D	8	390 2/B	1970				x				P	A	Gold ▲	2	★C6OZ 5310-L
																r/b C6OZ 5310-M
66	B(76B)	8	390 4/B	1740	x						M		N	Blue △	2	★C6OZ 5310-F
																r/b C8OZ 5310-K
66	B(76C)	8	390 4/B	1835	x						M		N	Orange △	2	★C6OZ 5310-G
66	B(76B, C)	8	390 4/B			x		x			M		N		2	r/b C8OZ 5310-K
66	B(76B, C)	8	390 4/B		x	x		x				P	N		2	
66	B(76B, C)	8	390 4/B		x	x					M		A		2	
66	B(76B, C)	8	390 4/B	1930				x			M	P	A	Brown △	2	★C6OZ 5310-H
66	B(76B, C)	8	390 4/B		x	x						P	A		2	r/b C8OZ 5310-K
66	B(76B, C)-H/D	8	390 4/B	1760	x	x					M		N	Green △	2	★C6OZ 5310-P
																r/b C8OZ 5310-K
66	B(76B, C)-H/D	8	390 4/B	1865				x			M	P	N	Lavender ▲	2	C6OZ 5310-M
66	B(76B, C)-H/D	8	390 4/B		x	x						P	N		2	
66	B(76B, C)-H/D	8	390 4/B		x	x		x			M		A		2	
66	B(76B, C)-H/D	8	390 4/B		x	x						P	A		2	
66	B(76B, C)-H/D	8	390 4/B	1970				x				P	A	Gold ▲	2	★C6OZ 5310-L
																r/b C6OZ 5310-M
66	B(76D)	8	390 4/B	1850	x	x		x			M	P	N	Green Orange ▲	2	C6OZ 5310-AE
66	B(76D)	8	390 4/B		x	x					M		A		2	
66	B(76D)	8	390 4/B		x							P	A		2	
66	B(76D)	8	390 4/B	1965		x						P	A	Green Brown ▲	2	★C6OZ 5310-AF
66	B(76D)	8	390 4/B					x			M	P	A		2	r/b C6OZ 5310-M

● Recommended to be serviced in pairs only △ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"B" (FAIRLANE) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued											
66	B(76B, C, D)	8	427	1850		x					M	P	N	Green Orange Δ	2	C6OZ 5310-AE
66	B(76B, D)	8	427			x					M		A		2	
66	B(76C)	8	427	1965		x					M		A	Green Brown Δ	2	★C6OZ 5310-AF
66	B(76B, C, D)	8	427			x						P	A		2	r/b C6OZ 5310-M
					"B" (FAIRLANE) -- WITH THERMACTOR - BEFORE 10/1/65											
66	B(54A, B)	6	200	1400	x				x		M		N	Gold Δ	2	C6OZ 5310-J
66	B(54A, B)	6	200		x							P	N		2	
66	B(54A, B)	6	200	1490					x			P	N	Pink Δ	2	★C6OZ 5310-K
66	B(54A, B)	6	200		x				x		M	P	A		2	r/b C6OZ 5310-AC
66	B(54A, B)	8	289	1490	x						M		N	Green Δ	2	C6OZ 5310-C
66	B(54A, B)	8	289	1570		x	x		x		M		N	Red Δ	2	★C6OZ 5310-D
																r/b C6OZ 5310-C
66	B(54A, B)	8	289		x	x	x		x			P	N		2	
66	B(54A, B)	8	289		x						M		A		2	
66	B(54A, B)	8	289	1655		x	x		x		M		A	Yellow Δ	2	C6OZ 5310-E
66	B(54A, B)	8	289		x	x	x		x			P	A		2	r/b C6OZ 5310-AC
66	B(54A, B)-H/D	8	289	1490	x						M		N	Pink Δ	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC
66	B(54A, B)-H/D	8	289	1580		x	x		x		M		N	Tan Δ	2	C6OZ 5310-AC
66	B(54A, B)-H/D	8	289		x	x	x		x			P	N		2	
66	B(54A, B)-H/D	8	289		x						M		A		2	
66	B(54A, B)-H/D	8	289	1660		x	x		x		M		A	Orange ▲	2	★C6OZ 5310-N
66	B(54A, B)-H/D	8	289		x	x	x		x			P	A		2	r/b C6OZ 5310-AC
66	B(54A, B)	8	390 2/B	1655	x	x					M		N	Yellow Δ	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(54A, B)	8	390 2/B	1740				x			M		N	Blue Δ	2	★C6OZ 5310-F
66	B(54A, B)	8	390 2/B		x	x		x				P	N		2	r/b C8OZ 5310-K
66	B(54A, B)	8	390 2/B		x	x					M		A		2	
66	B(54A, B)	8	390 2/B	1835				x			M		A	Orange Δ	2	★C6OZ 5310-G
66	B(54A, B)	8	390 2/B		x	x		x				P	A		2	r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 2/B	1660	x	x					M		N	Orange ▲	2	★C6OZ 5310-N
																r/b C6OZ 5310-AC
66	B(54A, B)-H/D	8	390 2/B	1760				x			M		N	Green ▲	2	★C6OZ 5310-P
66	B(54A, B)-H/D	8	390 2/B		x	x		x				P	N		2	r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 2/B		x	x					M	P	A		2	
66	B(54A, B)-H/D	8	390	1865				x			M	P	A	Lavender ▲	2	C6OZ 5310-M
66	B(54A, B)	8	390 4/B	1655	x						M		N	Yellow Δ	2	C6OZ 5310-E
66	B(54A)	8	390 4/B			x					M		N		2	r/b C6OZ 5310-AC
66	B(54B)	8	390 4/B	1740		x					M		N	Blue Δ	2	★C6OZ 5310-F
66	B(54A, B)	8	390 4/B					x			M		N		2	r/b C8OZ 5310-K
66	B(54A, B)	8	390 4/B		x	x		x				P	N		2	
66	B(54A, B)	8	390 4/B		x	x					M		A		2	
66	B(54A, B)	8	390 4/B	1835				x			M		A	Orange Δ	2	★C6OZ 5310-G
66	B(54A, B)	8	390 4/B		x	x		x				P	A		2	r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 4/B	1660	x	x					M		N	Orange ▲	2	★C6OZ 5310-N
																r/b C6OZ 5310-AC
66	B(54A, B)-H/D	8	390 4/B	1760				x			M		N	Green ▲	2	★C6OZ 5310-P
66	B(54A, B)-H/D	8	390 4/B		x	x		x				P	N		2	r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 4/B		x	x					M		A		2	
66	B(54A)-H/D	8	390 4/B		x	x						P	A		2	
66	B(54B)-H/D	8	390 4/B		x							P	A		2	
66	B(54A, B)-H/D	8	390 4/B	1865				x			M	P	A	Lavender Δ	2	C6OZ 5310-M
66	B(54B)-H/D	8	390 4/B			x						P	A			

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
					"B" (FAIRLANE) -- WITH THERMACTOR - BEFORE 10/1/65 - continued											
66	B(62A, B)	6	200	1400	x				x		M	P	N	Gold Δ	2	C6OZ 5310-J
66	B(62A, B)	6	200	1490	x				x		M	P	A	Pink Δ	2	★C6OZ 5310-K r/b C6OZ 5310-AC
66	B(62A)	8	289	1490	x	x	x		x		M		N	Green Δ	2	C6OZ 5310-C
66	B(62B)	8	289		x				x		M		N		2	
66	B(62B)	8	289	1570		x	x				M		N	Red Δ	2	★C6OZ 5310-D
66	B(62A, B)	8	289		x	x	x		x			P	N		2	r/b C6OZ 5310-C
66	B(62A)	8	289		x	x	x		x		M		A		2	
66	B(62B)	8	289		x				x		M		A		2	
66	B(62B)	8	289	1655		x	x				M		A	Yellow Δ	2	★C6OZ 5310-E
66	B(62A, B)	8	289		x	x	x		x			P	A		2	r/b C6OZ 5310-AC
66	B(62A)-H/D	8	289	1490	x	x	x		x		M		N	Pink Δ	2	★C6OZ 5310-K
66	B(62B)-H/D	8	289		x				x		M		N		2	r/b C6OZ 5310-AC
66	B(62B)-H/D	8	289	1580		x	x				M		N	Tan Δ	2	C6OZ 5310-AC
66	B(62A, B)-H/D	8	289		x	x	x		x			P	N		2	
66	B(62A, B)-H/D	8	289		x	x	x		x		M		A		2	
66	B(62A, B)-H/D	8	289		x							P	A		2	
66	B(62A, B)-H/D	8	289	1660		x	x		x			P	A	Orange ▲	2	★C6OZ 5310-N r/b C6OZ 5310-AC
66	B(62A, B)	8	390 2/B	1655	x	x					M		N	Yellow Δ	2	★C6OZ 5310-E
66	B(62A)	8	390 2/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(62A, B)	8	390 2/B	1740				x			M		N	Blue Δ	2	★C6OZ 5310-F
66	B(62B)	8	390 2/B		x							P	N		2	r/b C8OZ 5310-K
66	B(62A, B)	8	390 2/B			x		x				P	N		2	
66	B(62A, B)	8	390 2/B		x	x					M		A		2	
66	B(62A)	8	390 2/B		x	x						P	A		2	
66	B(62B)	8	390 2/B		x							P	A		2	
66	B(62A, B)	8	390 2/B	1835				x			M	P	A	Orange Δ	2	★C6OZ 5310-G
66	B(62B)	8	390 2/B			x						P	A			r/b C8OZ 5310-K
66	B(62A, B)-H/D	8	390 2/B	1660	x	x					M		N	Orange ▲	2	★C6OZ 5310-N
66	B(62A)-H/D	8	390 2/B		x	x						P	N		2	r/b C6OZ 5310-AC
66	B(62B)-H/D	8	390 2/B		x							P	N		2	
66	B(62A, B)-H/D	8	390 2/B	1760				x			M	P	N	Green ▲	2	★C6OZ 5310-P
66	B(62B)-H/D	8	390 2/B			x						P	N		2	r/b C8OZ 5310-K
66	B(62A, B)-H/D	8	390 2/B		x	x		x			M		A		2	
66	B(62A, B)-H/D	8	390 2/B		x	x						P	A		2	
66	B(62A, B)-H/D	8	390 2/B	1865				x				P	A	Lavender ▲	2	C6OZ 5310-M
66	B(62A, B)	8	390 4/B	1655	x	x					M		N	Yellow Δ	2	★C6OZ 5310-E r/b C6OZ 5310-AC
66	B(62A, B)	8	390 4/B	1740				x			M		N	Blue Δ	2	★C6OZ 5310-F
66	B(62A, B)	8	390 4/B		x	x		x				P	N		2	r/b C8OZ 5310-K
66	B(62A, B)	8	390 4/B		x	x					M		A		2	
66	B(62A)	8	390 4/B		x							P	A		2	
66	B(62B)	8	390 4/B	1835	x							P	A	Orange Δ	2	★C6OZ 5310-G
66	B(62A, B)	8	390 4/B					x			M	P	A		2	r/b C8OZ 5310-K
66	B(62A, B)	8	390 4/B			x						P	A		2	
66	B(62A, B)-H/D	8	390 4/B	1660	x	x					M		N	Orange ▲	2	★C6OZ 5310-N
66	B(62A)-H/D	8	390 4/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(62B)-H/D	8	390 4/B	1760	x							P	N	Green ▲	2	★C6OZ 5310-P
66	B(62A, B)-H/D	8	390 4/B					x			M		N		2	r/b C8OZ 5310-K
66	B(62A, B)-H/D	8	390 4/B			x		x				P	N		2	
66	B(62A, B)-H/D	8	390 4/B		x	x		x			M		A		2	
66	B(62A, B)-H/D	8	390 4/B		x	x						P	A		2	
66	B(62A, B)-H/D	8	390 4/B	1865				x				P	A	Lavender ▲	2	C6OZ 5310-M

• Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	•PART NUMBER
					"B" (FAIRLANE) -- WITH THERMACTOR - BEFORE 10/1/65 - continued											
66	B(63B,C)	6	200	1490	x				x		M	P	N	Pink Δ	2	★C6OZ 5310-K
66	B(63B)	6	200		x						M		A		2	r/b C6OZ 5310-AC
66	B(63C)	6	200	1580	x						M		A	Tan Δ	2	C6OZ 5310-AC
66	B(63B,C)	6	200						x		M		A		2	
66	B(63B,C)	6	200		x				x			P	A		2	
66	B(63B,C)	8	289	1570	x	x	x		x		M		N	Red Δ	2	★C6OZ 5310-D
66	B(63B,C)	8	289		x							P	N		2	r/b C6OZ 5310-C
66	B(63B)	8	289						x			P	N		2	
66	B(63B,C)	8	289	1655		x	x					P	N	Yellow Δ	2	★C6OZ 5310-E
66	B(63C)	8	289						x			P	N		2	r/b C6OZ 5310-AC
66	B(63B,C)	8	289		x	x	x		x		M		A		2	
66	B(63B)	8	289		x	x	x		x			P	A		2	
66	B(63C)	8	289		x							P	A		2	
66	B(63C)	8	289	1740		x	x		x			P	A	Blue Δ	2	★C6OZ 5310-F
																r/b C8OZ 5310-K
66	B(63B,C)-H/D	8	289	1580	x	x	x		x		M		N	Tan Δ	2	C6OZ 5310-AC
66	B(63B)-H/D	8	289		x	x	x		x			P	N		2	
66	B(63C)-H/D	8	289		x							P	N		2	
66	B(63C)-H/D	8	289	1660		x	x		x			P	N	Orange ▲	2	★C6OZ 5310-N
66	B(63B,C)-H/D	8	289		x	x	x		x		M		A		2	r/b C6OZ 5310-AC
66	B(63B)-H/D	8	289		x	x	x		x			P	A		2	
66	B(63C)-H/D	8	289		x							P	A		2	
66	B(63C)-H/D	8	289	1760		x	x		x			P	A	Green ▲	2	★C6OZ 5310-P
																r/b C8OZ 5310-K
66	B(63B)	8	390 2/B	1740	x	x		x			M		N	Blue Δ	2	★C6OZ 5310-F
66	B(63C)	8	390 2/B		x	x					M		N		2	r/b C8OZ 5310-K
66	B(63B,C)	8	390 2/B		x	x						P	N		2	
66	B(63C)	8	390 2/B	1835				x			M		N	Orange Δ	2	★C6OZ 5310-G
66	B(63B,C)	8	390 2/B					x				P	N		2	r/b C8OZ 5310-K
66	B(63B,C)	8	390 2/B		x	x		x			M		A		2	
66	B(63B)	8	390 2/B		x	x		x				P	A		2	
66	B(63C)	8	390 2/B		x	x						P	A		2	
66	B(63C)	8	390 2/B	1930				x				P	A	Brown Δ	2	★C6OZ 5310-H
																r/b C8OZ 5310-K
66	B(63B,C)-H/D	8	390 2/B	1760	x	x		x			M		N	Green ▲	2	★C6OZ 5310-P
66	B(63B)-H/D	8	390 2/B		x	x		x				P	N		2	r/b C8OZ 5310-K
66	B(63C)-H/D	8	390 2/B		x	x						P	N		2	
66	B(63C)-H/D	8	390 2/B	1865				x				P	N	Lavender ▲	2	C6OZ 5310-M
66	B(63B,C)-H/D	8	390 2/B		x	x		x			M	P	A		2	
66	B(63B)	8	390 4/B	1740	x	x		x			M		N	Blue Δ	2	★C6OZ 5310-F
66	B(63C)	8	390 4/B		x	x					M		N		2	r/b C8OZ 5310-K
66	B(63B,C)	8	390 4/B		x	x						P	N		2	
66	B(63C)	8	390 4/B	1835				x			M		N	Orange Δ	2	★C6OZ 5310-G
66	B(63B,C)	8	390 4/B					x				P	N		2	r/b C8OZ 5310-K
66	B(63B,C)	8	390 4/B		x	x		x			M		A		2	
66	B(63B,C)	8	390 4/B		x	x						P	A		2	
66	B(63B,C)	8	390 4/B	1930				x				P	A	Brown Δ	2	★C6OZ 5310-H
																r/b C8OZ 5310-K
66	B(63B,C)-H/D	8	390 4/B	1760	x	x		x			M		N	Green ▲	2	★C6OZ 5310-P
66	B(63B,C)-H/D	8	390 4/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(63B,C)-H/D	8	390 4/B	1865				x				P	N	Lavender ▲	2	C6OZ 5310-M
66	B(63B,C)	8	390 4/B		x	x		x			M	P	A		2	

• Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	● PART NUMBER
					"B" (FAIRLANE) -- WITH THERMACTOR - BEFORE 10/1/65 - continued											
66	B(63D)	8	390 4/B	1735	x	x					M	P	N	Green ▲	2	★C6OZ 5310-AD
														Gold		r/b C6OZ 5310-M
66	B(63D)	8	390 4/B	1850				x			M	P	N	Green ▲	2	C6OZ 5310-AE
66	B(63D)	8	390 4/B		x	x		x			M	P	A	Orange	2	
66	B(71B, D, E)	6	200	1265	x						M		N	Gray △	2	★C6OZ 5310-AB
																r/b C6DZ 5310-C
66	B(71B, D, E)	6	200	1344					x		M	P	N	Violet △	2	★C6OZ 5310-A
66	B(71B, D, E)	6	200		x							P	N		2	r/b C6DZ 5310-C
66	B(71B, D, E)	6	200		x						M		A		2	
66	B(71B, D, E)	6	200		x							P	A		2	
66	B(71B, D, E)	6	200	1415					x		M	P	A	Lavender △	2	★C6OZ 5310-B
																r/b C6OZ 5310-C
66	B(71B, D, E)-H/D	6	200	1310	x				x		M	P	N	Red ▲	2	★C6OZ 5310-R
																r/b C6OZ 5310-J
66	B(71B, D, E)-H/D	6	200	1400	x				x		M	P	A	Gold △	2	C6OZ 5310-J
66	B(71B, D, E)	8	289	1415	x		x		x		M		N	Lavender △	2	★C6OZ 5310-B
66	B(71D)	8	289						x			P	N		2	r/b C6OZ 5310-C
66	B(71B, E)	8	289	1490					x			P	N	Green △	2	C6OZ 5310-C
66	B(71B, D, E)	8	289				x					P	N		2	
66	B(71B, D, E)	8	289		x		x		x		M		A		2	
66	B(71B, D, E)	8	289		x							P	A		2	
66	B(71B, D, E)	8	289	1570			x		x			P	A	Red △	2	★C6OZ 5310-D
																r/b C6OZ 5310-C
66	B(71B, D, E)-H/D	8	289	1400	x				x		M		N	Gold △	2	C6OZ 5310-J
66	B(71B, D)-H/D	8	289				x				M		N		2	
66	B(71D)-H/D	8	289		x							P	N		2	
66	B(71E)-H/D	8	289	1490			x				M		N	Pink △	2	★C6OZ 5310-K
66	B(71B, E)-H/D	8	289		x							P	N		2	r/b C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	289				x		x			P	N		2	
66	B(71B, D, E)-H/D	8	289		x		x		x		M		A		2	
66	B(71B, D, E)-H/D	8	289		x							P	A		2	
66	B(71B, D, E)-H/D	8	289	1580			x		x			P	A	Tan △	2	C6OZ 5310-AC
66	B(71B, D, E)	8	390 2/B	1570	x						M		N	Red △	2	★C6OZ 5310-D
66	B(71D)	8	390 2/B		x							P	N		2	r/b C6OZ 5310-C
66	B(71B, D, E)	8	390 2/B	1655				x			M	P	N	Yellow △	2	★C6OZ 5310-E
66	B(71B, E)	8	390 2/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(71B, D, E)	8	390 2/B		x						M	P	A		2	
66	B(71B, D, E)	8	390 2/B	1740				x			M	P	A	Blue △	2	★C6OZ 5310-F
																r/b C8OZ 5310-K
66	B(71B, D, E)-H/D	8	390 2/B	1580	x						M	P	N	Tan △	2	C6OZ 5310-AC
66	B(71D)-H/D	8	390 2/B					x			M		N		2	
66	B(71B, E)-H/D	8	390 2/B	1660				x			M		N	Orange ▲	2	★C6OZ 5310-N
66	B(71B, D, E)-H/D	8	390 2/B					x				P	N		2	r/b C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	390 2/B		x						M	P	A		2	
66	B(71D)-H/D	8	390 2/B					x			M		A		2	
66	B(71B, E)-H/D	8	390 2/B	1760				x			M		A	Green ▲	2	★C6OZ 5310-P
66	B(71B, D, E)-H/D	8	390 2/B					x				P	A		2	r/b C8OZ 5310-K

● Recommended to be serviced in pairs only △ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS		QTY.	•PART NUMBER
"B" (FAIRLANE) -- WITH THERMACTOR - BEFORE 10/1/65 - continued																	
66	B(71B, D, E)	8	390 4/B	1570	x						M		N	Red	Δ	2	★C6OZ 5310-D
																	r/b C6OZ 5310-C
66	B(71B, D, E)	8	390 4/B	1655				x			M	P	N	Yellow	Δ	2	★C6OZ 5310-E
66	B(71B, D, E)	8	390 4/B		x							P	N			2	r/b C6OZ 5310-AC
66	B(71B, D, E)	8	390 4/B		x						M		A			2	
66	B(71D)	8	390 4/B		x							P	A			2	
66	B(71B, E)	8	390 4/B	1740	x							P	A	Blue	Δ	2	★C6OZ 5310-F
66	B(71B, D, E)	8	390 4/B					x			M	P	A			2	r/b C8OZ 5310-K
66	B(71B, D, E)-H/D	8	390 4/B	1580	x						M	P	N	Tan	Δ	2	C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	390 4/B	1660				x			M	P	N	Orange	▲	2	★C6OZ 5310-N
66	B(71B, D, E)-H/D	8	390 4/B		x						M	P	A			2	r/b C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	390 4/B	1760				x			M	P	A	Green	▲	2	★C6OZ 5310-P
																	r/b C8OZ 5310-K
66	B(76B, C)	6	200	1490	x				x		M		N	Green	Δ	2	C6OZ 5310-C
66	B(76B, C)	6	200		x							P	N			2	
66	B(76B, C)	6	200	1570					x			P	N	Red	Δ	2	★C6OZ 5310-D
66	B(76B, C)	6	200		x						M	P	A			2	r/b C6OZ 5310-C
66	B(76B, C)	6	200						x		M		A			2	
66	B(76B, C)	6	200	1655					x			P	A	Yellow	Δ	2	★C6OZ 5310-E
																	r/b C6OZ 5310-AC
66	B(76B, C)	8	289	1655	x	x	x		x		M	P	N	Yellow	Δ	2	★C6OZ 5310-E
66	B(76B)	8	289		x						M		A			2	r/b C6OZ 5310-AC
66	B(76C)	8	289	1740	x						M		A	Blue	Δ	2	★C6OZ 5310-F
66	B(76B, C)	8	289			x	x		x		M	P	A			2	r/b C8OZ 5310-K
66	B(76B, C)	8	289		x							P	A			2	
66	B(76B)-H/D	8	289	1580	x						M		N	Tan	Δ	2	C6OZ 5310-AC
66	B(76C)-H/D	8	289	1660	x						M		N	Orange	▲	2	★C6OZ 5310-N
66	B(76B, C)-H/D	8	289			x	x		x		M	P	N			2	r/b C6OZ 5310-AC
66	B(76B, C)-H/D	8	289		x							P	N			2	
66	B(76B)-H/D	8	289		x						M		A			2	
66	B(76C)-H/D	8	289	1760	x						M		A	Green	▲	2	★C6OZ 5310-P
66	B(76B, C)-H/D	8	289			x	x		x		M	P	A			2	r/b C8OZ 5310-K
66	B(76B, C)-H/D	8	289		x							P	A			2	
66	B(76B)	8	390 2/B	1740	x	x					M		N	Blue	Δ	2	★C6OZ 5310-F
																	r/b C8OZ 5310-K
66	B(76B)	8	390 2/B	1835				x			M		N	Orange	Δ	2	★C6OZ 5310-G
66	B(76C)	8	390 2/B		x	x		x			M		N			2	r/b C8OZ 5310-K
66	B(76B, C)	8	390 2/B		x	x		x				P	N			2	
66	B(76B, C)	8	390 2/B		x	x					M		A			2	
66	B(76B, C)	8	390 2/B	1930				x			M	P	A	Brown	Δ	2	★C6OZ 5310-H
66	B(76B, C)	8	390 2/B		x	x						P	A			2	r/b C8OZ 5310-K
66	B(76B, C)-H/D	8	390 2/B	1760	x	x					M		N	Green	▲	2	★C6OZ 5310-P
66	B(76B)-H/D	8	390 2/B		x							P	N			2	r/b C8OZ 5310-K
66	B(76C)-H/D	8	390 2/B	1865	x							P	N	Lavender	▲	2	C6OZ 5310-M
66	B(76B, C)-H/D	8	390 2/B					x			M	P	N			2	
66	B(76B, C)-H/D	8	390 2/B			x						P	N			2	
66	B(76B, C)-H/D	8	390 2/B		x	x					M	P	A			2	
66	B(76B)-H/D	8	390 2/B					x			M		A			2	
66	B(76C)-H/D	8	390 2/B	1970				x			M		A	Gold	▲	2	★C6OZ 5310-L
66	B(76B, C)-H/D	8	390 2/B					x				P	A			2	r/b C6OZ 5310-M

• Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	TRANSMISSION 4/S	TRANSMISSION O/D	TRANSMISSION C6	TRANSMISSION C4	TRANSMISSION C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
"B" (FAIRLANE) -- WITH THERMACTOR - BEFORE 10/1/65 - continued																
66	B(76B)	8	390 4/B	1740	x						M		N	Blue Δ	2	★C6OZ 5310-F
																r/b C8OZ 5310-K
66	B(76C)	8	390 4/B	1835	x						M		N	Orange Δ	2	★C6OZ 5310-G
66	B(76B, C)	8	390 4/B			x		x			M		N		2	r/b C8OZ 5310-K
66	B(76B, C)	8	390 4/B		x	x		x				P	N		2	
66	B(76B)	8	390 4/B		x	x					M		A		2	
66	B(76C)	8	390 4/B	1930	x	x					M		A	Brown Δ	2	★C6OZ 5310-H
66	B(76B, C)	8	390 4/B					x			M	P	A		2	r/b C8OZ 5310-K
66	B(76B, C)	8	390 4/B		x	x						P	A		2	
66	B(76B, C)-H/D	8	390 4/B	1760	x	x					M		N	Green ▲	2	★C6OZ 5310-P
																r/b C8OZ 5310-K
66	B(76B, C)-H/D	8	390 4/B	1865				x			M	P	N	Lavender ▲	2	C6OZ 5310-M
66	B(76B, C)-H/D	8	390 4/B		x	x						P	N		2	
66	B(76B, C)-H/D	8	390 4/B		x	x					M	P	A		2	
66	B(76B)-H/D	8	390 4/B					x			M		A		2	
66	B(76C)-H/D	8	390 4/B	1970				x			M		A	Gold ▲	2	★C6OZ 5310-L
66	B(76B, C)-H/D	8	390 4/B					x				P	A		2	r/b C6OZ 5310-M
66	B(76D)	8	390 4/B	1735	x	x					M		N	Green ▲	2	★C6OZ 5310-AD
														Gold	2	r/b C6OZ 5310-M
66	B(76D)	8	390 4/B	1850				x			M	P	N	Green ▲	2	C6OZ 5310-AE
66	B(76D)	8	390 4/B		x	x						P	N	Orange	2	
66	B(76D)	8	390 4/B		x	x					M	P	A		2	
66	B(76D)	8	390 4/B	1965				x			M	P	A	Green ▲	2	★C6OZ 5310-AF
														Brown	2	r/b C6OZ 5310-M
"B" (FAIRLANE) -- WITH THERMACTOR - FROM 10/1/65 TO 2/14/66																
66	B(54A, B)	6	200	1400	x				x		M		N	Gold	2	C6OZ 5310-J
66	B(54A, B)	6	200	1490	x				x			P	N	Pink	2	★C6OZ 5310-K
66	B(54A, B)	6	200		x				x		M		A		2	r/b C6OZ 5310-AC
66	B(54A, B)	6	200		x							P	A		2	
66	B(54A, B)	6	200	1580					x			P	A	Tan	2	C6OZ 5310-AC
66	B(54A, B)	8	289	1570	x	x	x		x		M	P	N	Red	2	★C6OZ 5310-D
																r/b C6OZ 5310-C
66	B(54A, B)	8	289	1655	x	x	x		x		M	P	A	Yellow	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(54A, B)-H/D	8	289	1580	x	x	x		x		M	P	N	Tan	2	C6OZ 5310-AC
66	B(54A)-H/D	8	289		x						M		A		2	
66	B(54B)-H/D	8	289	1660	x						M		A	Orange ▲	2	★C6OZ 5310-N
66	B(54A, B)-H/D	8	289		x							P	A		2	r/b C6OZ 5310-AC
66	B(54A, B)-H/D	8	289			x	x		x		M	P	A		2	
66	B(54A, B)	8	390 2/B	1740	x	x		x			M	P	N	Blue	2	★C6OZ 5310-F
																r/b C8OZ 5310-K
66	B(54A, B)	8	390 2/B	1835	x	x		x			M	P	A	Orange	2	★C6OZ 5310-G
																r/b C8OZ 5310-K
66	B(54A)-H/D	8	390 2/B	1660	x						M		N	Orange ▲	2	★C6OZ 5310-N
																r/b C6OZ 5310-AC
66	B(54B)-H/D	8	390 2/B	1760	x						M		N	Green ▲	2	★C6OZ 5310-P
66	B(54A, B)-H/D	8	390 2/B		x							P	N		2	r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 2/B			x		x			M	P	N		2	
66	B(54A, B)-H/D	8	390 2/B		x	x					M		A		2	
66	B(54A, B)-H/D	8	390 2/B	1865	x	x						P	A	Lavender ▲	2	C6OZ 5310-M
66	B(54A, B)-H/D	8	390 2/B					x			M	P	A		2	

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
	"B" (FAIRLANE) -- WITH THERMACTOR - FROM 10/1/65 TO 2/14/66 - continued															
66	B(54A, B)	8	390 4/B	1740	x	x		x			M	P	N	Blue △	2	★C6OZ 5310-F
																r/b C8OZ 5310-K
66	B(54A, B)	8	390 4/B	1835	x	x		x			M	P	A	Orange ▲	2	★C6OZ 5310-G
																r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 4/B	1760	x	x		x			M	P	N	Green ▲	2	★C6OZ 5310-P
66	B(54A, B)-H/D	8	390 4/B		x	x					M		A		2	r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 4/B	1865	x	x						P	A	Lavender ▲	2	C6OZ 5310-M
66	B(54A, B)-H/D	8	390 4/B					x			M	P	A		2	
66	B(62A, B)	6	200	1400	x				x		M		N	Gold △	2	C6OZ 5310-J
66	B(62A, B)	6	200		x							P	N		2	
66	B(62A, B)	6	200	1490					x			P	N	Pink △	2	★C6OZ 5310-K
66	B(62A, B)	6	200		x				x		M		A		2	r/b C6OZ 5310-AC
66	B(62A, B)	6	200		x							P	A		2	
66	B(62A, B)	6	200	1580					x			P	A	Tan △	2	C6OZ 5310-AC
66	B(62A, B)	8	289	1490	x						M		N	Green △	2	C6OZ 5310-C
66	B(62A, B)	8	289	1570	x							P	N	Red △	2	C6OZ 5310-D
																r/b C6OZ 5310-C
66	B(62A, B)	8	289			x	x		x		M	P	N		2	
66	B(62A, B)	8	289		x						M		A		2	
66	B(62A, B)	8	289	1655	x							P	A	Yellow △	2	★C6OZ 5310-E
66	B(62A, B)	8	289			x	x		x		M	P	A		2	r/b C6OZ 5310-AC
66	B(62A, B)-H/D	8	289	1490	x						M		N	Pink △	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC
66	B(62A, B)-H/D	8	289	1580	x							P	N	Tan △	2	C6OZ 5310-AC
66	B(62A, B)-H/D	8	289			x	x		x		M	P	N		2	
66	B(62A, B)-H/D	8	289		x				x		M		A		2	
66	B(62A)-H/D	8	289			x	x				M		A		2	
66	B(62B)-H/D	8	289	1660		x	x				M		A	Orange ▲	2	★C6OZ 5310-N
66	B(62A, B)-H/D	8	289		x	x	x		x			P	A		2	r/b C6OZ 5310-AC
66	B(62A, B)	8	390 2/B	1655	x	x					M		N	Yellow △	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(62A, B)	8	390 2/B	1740				x			M		N	Blue △	2	★C6OZ 5310-F
66	B(62A, B)	8	390 2/B		x	x		x				P	N		2	r/b C8OZ 5310-K
66	B(62A, B)	8	390 2/B		x	x					M		A		2	
66	B(62A, B)	8	390 2/B	1835				x			M	P	A	Orange △	2	★C6OZ 5310-G
66	B(62A, B)	8	390 2/B		x	x						P	A		2	r/b C8OZ 5310-K
66	B(62A, B)-H/D	8	390 2/B	1660	x	x					M		N	Orange ▲	2	★C6OZ 5310-N
																r/b C6OZ 5310-AC
66	B(62A, B)-H/D	8	390 2/B	1760	x	x						P	N	Green ▲	2	★C6OZ 5310-P
66	B(62A, B)-H/D	8	390 2/B					x			M	P	N		2	r/b C8OZ 5310-K
66	B(62A, B)-H/D	8	390 2/B		x	x					M		A		2	
66	B(62A, B)-H/D	8	390 2/B		x							P	A		2	
66	B(62A)-H/D	8	390 2/B			x						P	A		2	
66	B(62A)-H/D	8	390 2/B					x			M		A		2	
66	B(62B)-H/D	8	390 2/B	1865		x						P	A	Lavender ▲	2	C6OZ 5310-M
66	B(62B)-H/D	8	390 2/B					x			M		A		2	
66	B(62A, B)-H/D	8	390 2/B					x				P	A		2	
66	B(62A, B)	8	390 4/B	1655	x	x					M		N	Yellow △	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(62A, B)	8	390 4/B	1740	x	x						P	N	Blue △	2	★C6OZ 5310-F
66	B(62A, B)	8	390 4/B					x			M	P	N		2	r/b C8OZ 5310-K
66	B(62A, B)	8	390 4/B		x	x					M		A		2	

● Recommended to be serviced in pairs only △ Daub ▲ Stripe
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
	"B" (FAIRLANE) -- WITH THERMACTOR - FROM 10/1/65 TO 2/14/66 - continued															
66	B(62A, B)	8	390 4/B	1835	x	x						P	A	Orange ▲	2	★C6OZ 5310-G
66	B(62A, B)	8	390 4/B					x			M	P	A		2	r/b C8OZ 5310-K
66	B(62A, B)-H/D	8	390 4/B	1660	x	x					M		N	Orange ▲	2	★C6OZ 5310-N
																r/b C6OZ 5310-AC
66	B(62A, B)-H/D	8	390 4/B	1760	x	x						P	N	Green ▲	2	★C6OZ 5310-P
66	B(62A, B)-H/D	8	390 4/B					x			M	P	N		2	r/b C8OZ 5310-K
66	B(62A, B)-H/D	8	390 4/B		x	x					M		A		2	
66	B(62A)-H/D	8	390 4/B		x							P	A		2	
66	B(62B)-H/D	8	390 4/B	1865	x							P	A	Lavender ▲	2	C6OZ 5310-M
66	B(62A, B)-H/D	8	390 4/B					x			M	P	A		2	
66	B(62A, B)-H/D	8	390 4/B			x						P	A		2	
66	B(63B, C)	6	200	1490	x				x		M		N	Pink	2	★C6OZ 5310-K
66	B(63B, C)	6	200		x							P	N		2	r/b C6OZ 5310-AC
66	B(63B)	6	200						x			P	N		2	
66	B(63C)	6	200	1580					x			P	N	Tan	2	C6OZ 5310-AC
66	B(63B, C)	6	200		x				x		M	P	A		2	
66	B(63B)	8	289	1570	x	x	x		x		M		N	Red	2	★C6OZ 5310-D
																r/b C6OZ 5310-C
66	B(63C)	8	289	1655	x	x	x		x		M		N	Yellow	2	★C6OZ 5310-E
66	B(63B, C)	8	289		x	x	x		x			P	N		2	r/b C6OZ 5310-AC
66	B(63B, C)	8	289		x						M		A		2	
66	B(63B)	8	289			x	x		x		M		A		2	
66	B(63B)	8	289		x							P	A		2	
66	B(63C)	8	289	1740	x							P	A	Blue	2	★C6OZ 5310-F
66	B(63C)	8	289			x	x		x		M		A		2	r/b C8OZ 5310-K
66	B(63B, C)	8	289			x	x		x			P	A		2	
66	B(63B, C)-H/D	8	289	1580	x						M		N	Tan	2	C6OZ 5310-AC
66	B(63B)-H/D	8	289			x	x		x		M		N		2	
66	B(63B)-H/D	8	289		x							P	N		2	
66	B(63C)-H/D	8	289	1660		x	x		x		M		N	Orange ▲	2	★C6OZ 5310-N
66	B(63C)-H/D	8	289		x							P	N		2	r/b C6OZ 5310-AC
66	B(63B, C)-H/D	8	289			x	x		x			P	N		2	
66	B(63B, C)-H/D	8	289		x						M		A		2	
66	B(63B)-H/D	8	289			x	x		x		M		A		2	
66	B(63B)-H/D	8	289		x							P	A		2	
66	B(63C)-H/D	8	289	1760	x							P	A	Green ▲	2	★C6OZ 5310-P
66	B(63C)-H/D	8	289			x	x		x		M		A		2	r/b C8OZ 5310-K
66	B(63B, C)-H/D	8	289			x	x		x			P	A		2	
66	B(63B, C)	8	390 2/B	1740	x	x					M		N	Blue	2	★C6OZ 5310-F
66	B(63B)	8	390 2/B					x			M		N		2	r/b C8OZ 5310-K
66	B(63B)	8	390 2/B		x	x						P	N		2	
66	B(63C)	8	390 2/B	1835	x	x						P	N	Orange	2	★C6OZ 5310-G
66	B(63C)	8	390 2/B					x			M		N		2	r/b C8OZ 5310-K
66	B(63B, C)	8	390 2/B					x				P	N		2	
66	B(63B, C)	8	390 2/B		x	x					M		A		2	
66	B(63B)	8	390 2/B					x			M		A		2	
66	B(63B)	8	390 2/B		x	x						P	A		2	
66	B(63C)	8	390 2/B	1930	x	x						P	A	Brown	2	★C6OZ 5310-H
66	B(63C)	8	390 2/B					x			M		A		2	r/b C8OZ 5310-K
66	B(63B, C)	8	390 2/B					x				P	A		2	
66	B(63B, C)-H/D	8	390 2/B	1760	x	x					M		N	Green ▲	2	★C6OZ 5310-P
66	B(63B)-H/D	8	390 2/B					x			M		N		2	r/b C8OZ 5310-K
66	B(63B)-H/D	8	390 2/B		x	x						P	N		2	

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
"B" (FAIRLANE) -- WITH THERMACTOR - FROM 10/1/65 TO 2/14/66 - continued																
66	B(63C)-H/D	8	390 2/B	1865				x			M		N	Lavender ▲	2	C6OZ 5310-M
66	B(63C)-H/D	8	390 2/B		x	x						P	N		2	
66	B(63B, C)-H/D	8	390 2/B					x				P	N		2	
66	B(63B, C)-H/D	8	390 2/B		x	x		x			M		A		2	
66	B(63B, C)-H/D	8	390 2/B		x	x						P	A		2	
66	B(63B)-H/D	8	390 2/B					x				P	A		2	
66	B(63C)-H/D	8	390 2/B	1970				x				P	A	Gold ▲	2	★C6OZ 5310-L r/b C6OZ 5310-M
66	B(63B, C)	8	390 4/B	1740	x						M		N	Blue △	2	★C6OZ 5310-F
66	B(63B)	8	390 4/B			x					M		N		2	r/b C8OZ 5310-K
66	B(63B)	8	390 4/B		x							P	N		2	
66	B(63C)	8	390 4/B	1835		x					M		N	Orange △	2	★C6OZ 5310-G
66	B(63B, C)	8	390 4/B					x			M	P	N		2	r/b C8OZ 5310-K
66	B(63B, C)	8	390 4/B			x						P	N		2	
66	B(63B, C)	8	390 4/B		x	x					M		A		2	
66	B(63B)	8	390 4/B		x	x						P	A		2	
66	B(63B)	8	390 4/B					x			M		A		2	
66	B(63C)	8	390 4/B	1930	x	x						P	A	Brown △	2	★C6OZ 5310-H
66	B(63C)	8	390 4/B					x			M		A		2	r/b C8OZ 5310-K
66	B(63B, C)	8	390 4/B					x				P	A		2	
66	B(63B, C)-H/D	8	390 4/B	1760	x	x					M		N	Green ▲	2	★C6OZ 5310-P
66	B(63B)-H/D	8	390 4/B					x			M		N		2	r/b C8OZ 5310-K
66	B(63B)-H/D	8	390 4/B		x	x						P	N		2	
66	B(63C)-H/D	8	390 4/B	1865	x	x						P	N	Lavender ▲	2	C6OZ 5310-M
66	B(63C)-H/D	8	390 4/B					x			M		N		2	
66	B(63B, C)-H/D	8	390 4/B					x				P	N		2	
66	B(63B, C)-H/D	8	390 4/B		x	x		x			M		A		2	
66	B(63B, C)-H/D	8	390 4/B		x	x						P	A		2	
66	B(63B)-H/D	8	390 4/B					x				P	A		2	
66	B(63C)-H/D	8	390 4/B	1970				x				P	A	Gold ▲	2	★C6OZ 5310-L r/b C6OZ 5310-M
66	B(63D)	8	390 4/B	1735	x	x					M		N	Green ▲ Gold	2	★C6OZ 5310-AD r/b C6OZ 5310-M
66	B(63D)	8	390 4/B	1850				x			M	P	N	Green ▲ Orange	2	C6OZ 5310-AE
66	B(63D)	8	390 4/B		x	x						P	N		2	
66	B(63D)	8	390 4/B		x	x					M	P	A		2	
66	B(63D)	8	390 4/B					x			M		A		2	
66	B(63D)	8	390 4/B	1965				x				P	A	Green ▲ Brown	2	★C6OZ 5310-AF r/b C6OZ 5310-M
66	B(71B, D, E)	6	200	1344	x				x		M	P	N	Violet △	2	★C6OZ 5310-A r/b C6DZ 5310-C
66	B(71B, D, E)	6	200	1415	x				x		M		A	Lavender △	2	★C6OZ 5310-B
66	B(71B, D, E)	6	200		x							P	A		2	r/b C6OZ 5310-C
66	B(71D)	6	200						x			P	A		2	
66	B(71B, E)	6	200	1490					x			P	A	Green △	2	C6OZ 5310-C
66	B(71B, D, E)-H/D	6	200	1310	x				x		M		N	Red ▲	2	★C6OZ 5310-R r/b C6OZ 5310-J
66	B(71B, D, E)-H/D	6	200	1400	x				x			P	N	Gold △	2	C6OZ 5310-J
66	B(71B, D, E)-H/D	6	200		x				x		M		A		2	
66	B(71B, D, E)-H/D	6	200		x							P	A		2	
66	B(71B, D, E)-H/D	6	200	1490					x			P	A	Pink △	2	★C6OZ 5310-K r/b C6OZ 5310-AC

● Recommended to be serviced in pairs only △ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	TRANSMISSION 4/S	TRANSMISSION O/D	TRANSMISSION C6	TRANSMISSION C4	TRANSMISSION C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
"B" (FAIRLANE) -- WITH THERMACTOR - FROM 10/1/65 TO 2/14/66 - continued																
66	B(71B, D, E)	8	289	1415	x						M		N	Lavender	2	★C6OZ 5310-B r/b C6OZ 5310-C
66	B(71B, D, E)	8	289	1490			x		x		M	P	N	Green	2	C6OZ 5310-C
66	B(71B, D, E)	8	289		x							P	N		2	
66	B(71D, E)	8	289		x						M		A		2	
66	B(71B)	8	289	1570	x						M		A	Red Δ	2	★C6OZ 5310-D
66	B(71B, D, E)	8	289				x		x		M	P	A		2	r/b C6OZ 5310-C
66	B(71B, D, E)	8	289		x							P	A		2	
66	B(71B, D, E)-H/D	8	289	1490	x		x		x		M	P	N	Pink	2	★C6OZ 5310-K
66	B(71D, E-H/D	8	289		x						M		A		2	r/b C6OZ 5310-AC
66	B(71B)-H/D	8	289	1580	x						M		A	Tan	2	C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	289		x							P	A	2		
66	B(71B, D, E)-H/D	8	289				x		x		M	P	A		2	
66	B(71B, D, E)	8	390 2/B	1655	x			x			M	P	N	Yellow	2	★C6OZ 5310-E
66	B(71D)	8	390 2/B		x						M		A		2	r/b C6OZ 5310-AC
66	B(71B, E)	8	390 2/B	1740	x						M		A	Blue	2	★C6OZ 5310-F
66	B(71B, D, E)	8	390 2/B					x			M	P	A		2	r/b C8OZ 5310-K
66	B(71B, D, E)	8	390 2/B		x							P	A		2	
66	B(71B, D, E)-H/D	8	390 2/B	1580	x						M		N	Tan	2	C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	390 2/B	1660				x			M	P	N	Orange Δ	2	★C6OZ 5310-N
66	B(71B, D, E)-H/D	8	390 2/B		x							P	N		2	r/b C8OZ 5310-AC
66	B(71B, D, E)-H/D	8	390 2/B		x						M		A		2	
66	B(71B, D, E)-H/D	8	390 2/B	1760	x							P	A	Green ▲	2	★C6OZ 5310-P
66	B(71B, D, E)-H/D	8	390 2/B					x			M	P	A		2	r/b C8OZ 5310-K
66	B(71B, D, E)	8	390 4/B	1655	x			x			M		N	Yellow	2	★C6OZ 5310-E
66	B(71B, D, E)	8	390 4/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(71D, E)	8	390 4/B					x				P	N		2	
66	B(71B)	8	390 4/B	1740				x				P	N	Blue	2	★C6OZ 5310-F
66	B(71B, D, E)	8	390 4/B		x			x			M	P	A		2	r/b C8OZ 5310-K
66	B(71D)-H/D	8	390 4/B	1580	x						M		N	Tan	2	C6OZ 5310-AC
66	B(71B, E)-H/D	8	390 4/B	1660	x						M		N	Orange ▲	2	★C6OZ 5310-N
66	B(71B, D, E)-H/D	8	390 4/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	390 4/B					x			M	P	N		2	
66	B(71D)-H/D	8	390 4/B		x						M		A		2	
66	B(71B, E)-H/D	8	390 4/B	1760	x						M		A	Green ▲	2	★C6OZ 5310-P
66	B(71B, D, E)-H/D	8	390 4/B		x							P	A		2	r/b C8OZ 5310-K
66	B(71B, D, E)-H/D	8	390 4/B					x			M	P	A		2	
66	B(76B, C)	6	200	1490	x						M		N	Green	2	C6OZ 5310-C
66	B(76B)	6	200						x		M		N		2	
66	B(76C)	6	200	1570					x		M		N	Red	2	★C6OZ 5310-D r/b C6OZ 5310-C
66	B(76B, C)	6	200		x				x			P	N		2	
66	B(76B, C)	6	200		x						M		A		2	
66	B(76B)	6	200						x		M		A		2	
66	B(76C)	6	200	1655					x		M		A	Yellow	2	★C6OZ 5310-E
66	B(76B, C)	6	200		x				x			P	A		2	r/b C6OZ 5310-AC
66	B(76B, C)	8	289	1655	x	x	x		x		M	P	N	Yellow	2	★C6OZ 5310-E r/b C6OZ 5310-AC
66	B(76B, C)	8	289	1740	x	x	x		x		M	P	A	Blue	2	★C6OZ 5310-F r/b C8OZ 5310-K
66	B(76B, C)-H/D	8	289	1660	x	x	x		x		M	P	N	Orange ▲	2	★C6OZ 5310-N r/b C6OZ 5310-AC
66	B(76B, C)-H/D	8	289	1760	x	x	x		x		M	P	A	Green ▲	2	C6OZ 5310-P

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANS 3/S	TRANS 4/S	TRANS O/D	TRANS C6	TRANS C4	TRANS C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	● PART NUMBER
"B" (FAIRLANE) -- WITH THERMACTOR - FROM 10/1/65 TO 2/14/66 - continued																
66	B(76B, C)	8	390 2/B	1835	x	x		x			M	P	N	Orange △	2	★C6OZ 5310-G
66	B(76B)	8	390 2/B		x						M		A		2	r/b C8OZ 5310-K
66	B(76C)	8	390 2/B	1930	x						M		A	Brown △	2	★C6OZ 5310-H
66	B(76B, C)	8	390 2/B			x		x			M	P	A		2	r/b C8OZ 5310-K
66	B(76B, C)	8	390 2/B		x							P	A		2	
66	B(76B, C)-H/D	8	390 2/B	1760	x						M		N	Green ▲	2	★C6OZ 5310-P
66	B(76B)-H/D	8	390 2/B			x					M		N		2	r/b C8OZ 5310-K
66	B(76C)-H/D	8	390 2/B	1865		x					M		N	Lavender ▲	2	C6OZ 5310-M
66	B(76B, C)-H/D	8	390 2/B					x			M	P	N		2	
66	B(76B, C)-H/D	8	390 2/B		x	x						P	N		2	
66	B(76B, C)-H/D	8	390 2/B		x	x					M		A		2	
66	B(76B)-H/D	8	390 2/B		x							P	A		2	
66	B(76C)-H/D	8	390 2/B	1970	x							P	A	Gold ▲	2	★C6OZ 5310-L
66	B(76B, C)-H/D	8	390 2/B			x						P	A		2	r/b C6OZ 5310-M
66	B(76B, C)-H/D	8	390 2/B					x			M	P	A		2	
66	B(76B, C)	8	390 4/B	1835	x	x		x			M	P	N	Orange △	2	★C6OZ 5310-G
																r/b C8OZ 5310-K
66	B(76B, C)	8	390 4/B	1930	x	x		x			M	P	A	Brown △	2	★C6OZ 5310-H
																r/b C8OZ 5310-K
66	B(76B)-H/D	8	390 4/B	1760	x	x					M		N	Green ▲	2	★C6OZ 5310-P
																r/b C8OZ 5310-K
66	B(76C)-H/D	8	390 4/B	1865	x	x					M		N	Lavender ▲	2	C6OZ 5310-M
66	B(76B, C)-H/D	8	390 4/B		x	x						P	N		2	
66	B(76B, C)-H/D	8	390 4/B					x			M	P	N		2	
66	B(76B, C)-H/D	8	390 4/B		x	x					M		A		2	
66	B(76B, C)-H/D	8	390 4/B	1970	x	x						P	A	Gold ▲	2	★C6OZ 5310-L
66	B(76B, C)-H/D	8	390 4/B					x			M	P	A		2	r/b C6OZ 5310-M
66	B(76D)	8	390 4/B	1850	x	x		x			M	P	N	Green ▲	2	C6OZ 5310-AE
66	B(76D)	8	390 4/B		x	x					M		A	Orange	2	
66	B(76D)	8	390 4/B	1965				x			M	P	A	Green ▲	2	★C6OZ 5310-AF
66	B(76D)	8	390 4/B		x							P	A	Brown	2	r/b C6OZ 5310-M
"B" (FAIRLANE) -- WITH THERMACTOR - FROM 2/14/66																
66	B(54A, B)	6	200	1400	x				x		M		N	Gold △	2	C6OZ 5310-J
66	B(54A, B)	6	200	1490	x				x			P	N	Pink △	2	★C6OZ 5310-K
66	B(54A, B)	6	200		x				x		M		A		2	r/b C6OZ 5310-AC
66	B(54A, B)	6	200		x							P	A		2	
66	B(54A, B)	6	200	1580					x			P	A	Tan △	2	C6OZ 5310-AC
66	B(54A, B)	8	289	1570	x	x	x		x		M	P	N	Red △	2	★C6OZ 5310-D
																r/b C6OZ 5310-C
66	B(54A, B)	8	289	1655	x	x	x		x		M	P	A	Yellow △	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(54A, B)-H/D	8	289	1580	x	x	x		x		M	P	N	Tan △	2	C6OZ 5310-AC
66	B(54A, B)-H/D	8	289	1660	x	x	x		x		M	P	A	Orange ▲	2	★C6OZ 5310-N
																r/b C6OZ 5310-AC
66	B(54A, B)	8	390 2/B	1740	x	x		x			M	P	N	Blue △	2	★C6OZ 5310-F
																r/b C8OZ 5310-K
66	B(54A, B)	8	390 2/B	1835	x	x		x			M	P	A	Orange △	2	★C6OZ 5310-G
																r/b C8OZ 5310-K

● Recommended to be serviced in pairs only △ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	TRANSMISSION 4/S	TRANSMISSION O/D	TRANSMISSION C6	TRANSMISSION C4	TRANSMISSION C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	● PART NUMBER
	"B" (FAIRLANE) -- WITH THERMACTOR - FROM 2/14/66 - continued															
66	B(54A)-H/D	8	390 2/B	1660	x						M		N	Orange ▲	2	★C6OZ 5310-N
																r/b C6OZ 5310-AC
66	B(54B)-H/D	8	390 2/B	1760	x						M		N	Green ▲	2	★C6OZ 5310-P
66	B(54A, B)-H/D	8	390 2/B			x		x			M		N		2	r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 2/B		x	x		x				P	N		2	
66	B(54A, B)-H/D	8	390 2/B		x	x					M		A		2	
66	B(54A, B)-H/D	8	390 2/B	1865	x	x						P	A	Lavender ▲	2	C6OZ 5310-M
66	B(54A, B)-H/D	8	390 2/B					x			M	P	A		2	
66	B(54A, B)	8	390 4/B	1740	x	x		x			M	P	N	Blue	2	★C6OZ 5310-F
																r/b C8OZ 5310-K
66	B(54A, B)	8	390 4/B	1835	x	x		x			M	P	A	Orange	2	★C6OZ 5310-G
																r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 4/B	1760	x	x		x			M	P	N	Green ▲	2	★C6OZ 5310-P
66	B(54A, B)-H/D	8	390 4/B		x	x					M		A		2	r/b C8OZ 5310-K
66	B(54A, B)-H/D	8	390 4/B	1865	x	x						P	A	Lavender ▲	2	C6OZ 5310-M
66	B(54A, B)-H/D	8	390 4/B					x			M	P	A		2	
66	B(54A, B)	8	427	1735		x					M	P	N	Green Gold ▲	2	★C6OZ 5310-AD
																r/b C6OZ 5310-M
66	B(54A, B)	8	427	1850		x					M	P	A	Green Orange ▲	2	C6OZ 5310-AE
66	B(62A, B)	6	200	1400	x				x		M		N	Gold △	2	C6OZ 5310-J
66	B(62A, B)	6	200		x							P	N		2	
66	B(62A, B)	6	200	1490					x			P	N	Pink △	2	★C6OZ 5310-K
66	B(62A, B)	6	200		x						M	P	A		2	r/b C6OZ 5310-AC
66	B(62A, B)	6	200						x		M		A		2	
66	B(62A, B)	6	200	1580					x			P	A	Tan △	2	C6OZ 5310-AC
66	B(62A, B)	8	289	1490	x						M		N	Green △	2	C6OZ 5310-C
66	B(62A, B)	8	289	1570		x	x		x		M		N	Red △	2	★C6OZ 5310-D
66	B(62A, B)	8	289		x	x	x		x			P	N		2	r/b C6OZ 5310-C
66	B(62A, B)	8	289		x						M		A		2	
66	B(62A, B)	8	289	1655	x							P	A	Yellow △	2	★C6OZ 5310-E
66	B(62A, B)	8	289			x	x		x		M	P	A		2	r/b C6OZ 5310-AC
66	B(62A, B)-H/D	8	289	1490	x						M		N	Pink △	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC
66	B(62A, B)-H/D	8	289	1580		x	x		x		M		N	Tan △	2	C6OZ 5310-AC
66	B(62A, B)-H/D	8	289		x	x	x		x			P	N		2	
66	B(62A, B)-H/D	8	289		x				x		M		A		2	
66	B(62A)-H/D	8	289			x	x			M		A			2	
66	B(62B)-H/D	8	289	1660		x	x				M		A	Orange ▲	2	★C6OZ 5310-N
66	B(62A, B)-H/D	8	289		x	x	x		x			P	A		2	r/b C6OZ 5310-AC
66	B(62A, B)	8	390 2/B	1655	x	x					M		N	Yellow △	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	B(62A, B)	8	390 2/B	1740				x			M	P	N	Blue △	2	★C6OZ 5310-F
66	B(62A, B)	8	390 2/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(62A, B)	8	390 2/B		x	x					M		A		2	
66	B(62A, B)	8	390 2/B	1835	x	x						P	A	Orange △	2	★C6OZ 5310-G
66	B(62A, B)	8	390 2/B					x			M	P	A		2	r/b C8OZ 5310-K
66	B(62A, B)-H/D	8	390 2/B	1660	x	x					M		N	Orange ▲	2	★C6OZ 5310-N
																r/b C6OZ 5310-AC
66	B(62A, B)-H/D	8	390 2/B	1760				x			M	P	N	Green ▲	2	★C6OZ 5310-P
66	B(62A, B)-H/D	8	390 2/B		x	x						P	N		2	r/b C8OZ 5310-K
66	B(62A, B)-H/D	8	390 2/B		x	x					M		A		2	
66	B(62A, B)-H/D	8	390 2/B		x							P	A		2	
66	B(62A)-H/D	8	390 2/B			x						P	A		2	
66	B(62A)-H/D	8	390 2/B					x			M		A		2	

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"B" (FAIRLANE) -- WITH THERMACTOR - FROM 2/14/66 - continued											
66	B(62B)-H/D	8	390 2/B	1865		x						P	A	Lavender ▲	2	C6OZ 5310-M
66	B(62B)-H/D	8	390 2/B					x			M		A		2	
66	B(62A,B)-H/D	8	390 2/B					x				P	A		2	
66	B(62A,B)	9	390 4/B	1655	x	x					M		N	Yellow Δ	2	★C6OZ 5310-E r/b C6OZ 5310-AC
66	B(62A,B)	8	390 4/B	1740				x			M		N	Blue Δ	2	★C6OZ 5310-F
66	B(62A,B)	8	390 4/B		x	x		x				P	N		2	r/b C8OZ 5310-K
66	B(62A,B)	8	390 4/B		x	x					M		A		2	
66	B(62A,B)	8	390 4/B	1835				x			M	P	A	Orange Δ	2	★C6OZ 5310-G
66	B(62A,B)	8	390 4/B		x	x						P	A		2	r/b C8OZ 5310-K
66	B(62A,B)-H/D	8	390 4/B	1660	x	x					M		N	Orange ▲	2	★C6OZ 5310-N r/b C6OZ 5310-AC
66	B(62A,B)-H/D	8	390 4/B	1760				x			M		N	Green ▲	2	★C6OZ 5310-P
66	B(62A,B)-H/D	8	390 4/B		x	x		x				P	N		2	r/b C8OZ 5310-K
66	B(62A,B)-H/D	8	390 4/B		x	x					M		A		2	
66	B(62A)-H/D	8	390 4/B		x							P	A		2	
66	B(62B)-H/D	8	390 4/B	1865	x							P	A	Lavender ▲	2	C6OZ 5310-M
66	B(62A,B)-H/D	8	390 4/B			x						P	A		2	
66	B(62A,B)-H/D	8	390 4/B					x			M	P	A		2	
66	B(62A,B)	8	427	1735		x					M	P	N	Green Gold ▲	2	★C6OZ 5310-AD r/b C6OZ 5310-M
66	B(62A,B)	8	427	1850		x					M	P	A	Green Orange ▲	2	C6OZ 5310-AE
66	B(63B,C)	6	200	1490	x				x		M		N	Pink Δ	2	★C6OZ 5310-K
66	B(63B,C)	6	200		x							P	N		2	r/b C6OZ 5310-AC
66	B(63B)	6	200						x			P	N		2	
66	B(63C)	6	200	1580					x			P	N	Tan Δ	2	C6OZ 5310-AC
66	B(63B,C)	6	200		x				x		M	P	A		2	
66	B(63B)	8	289	1570	x	x	x		x		M		N	Red Δ	2	★C6OZ 5310-D r/b C6OZ 5310-C
66	B(63C)	8	289	1655	x	x	x		x		M		N	Yellow Δ	2	★C6OZ 5310-E
66	B(63B,C)	8	289		x	x	x		x			P	N		2	r/b C6OZ 5310-AC
66	B(63B,C)	8	289		x						M		A		2	
66	B(63B)	8	289			x	x		x		M		A		2	
66	B(63B)	8	289		x							P	A		2	
66	B(63C)	8	289	1740	x							P	A	Blue Δ	2	★C6OZ 5310-F
66	B(63C)	8	289			x	x		x		M		A		2	r/b C8OZ 5310-K
66	B(63B,C)	8	289			x	x		x			P	A		2	
66	B(63B,C)-H/D	8	289	1580	x						M		N	Tan Δ	2	C6OZ 5310-AC
66	B(63B)-H/D	8	289			x	x		x		M		N		2	
66	B(63B)-H/D	8	289		x							P	N		2	
66	B(63C)-H/D	8	289	1660		x	x		x		M		N	Orange ▲	2	★C6OZ 5310-N
66	B(63C)-H/D	8	289		x							P	N		2	r/b C6OZ 5310-AC
66	B(63B,C)-H/D	8	289			x	x		x			P	N		2	
66	B(63B,C)-H/D	8	289		x						M		A		2	
66	B(63B)-H/D	8	289			x	x		x		M		A		2	
66	B(63B)-H/D	8	289		x							P	A		2	
66	B(63C)-H/D	8	289	1760		x	x		x		M		A	Green ▲	2	★C6OZ 5310-P
66	B(63C)-H/D	8	289		x							P	A		2	r/b C8OZ 5310-K
66	B(63B,C)-H/D	8	289			x	x		x			P	A		2	

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"B" (FAIRLANE) -- WITH THERMACTOR - FROM 2/14/66 - continued											
66	B(63B,C)	8	390 2/B	1740	x	x					M		N	Blue △	2	★C6OZ 5310-F
66	B(63B)	8	390 2/B					x			M		N		2	r/b C8OZ 5310-K
66	B(63B)	8	390 2/B		x	x						P	N		2	
66	B(63C)	8	390 2/B	1835				x			M		N	Orange △	2	★C6OZ 5310-G
66	B(63B,C)	8	390 2/B					x				P	N		2	r/b C8OZ 5310-K
66	B(63C)	8	390 2/B		x	x						P	N		2	
66	B(63B,C)	8	390 2/B		x	x					M		A		2	
66	B(63B)	8	390 2/B					x			M		A		2	
66	B(63B)	8	390 2/B		x	x						P	A		2	
66	B(63C)	8	390 2/B	1930				x			M		A	Brown △	2	★C6OZ 5310-H
66	B(63C)	8	390 2/B		x	x						P	A		2	r/b C8OZ 5310-K
66	B(63B,C)	8	390 2/B					x				P	A		2	
66	B(63B,C)-H/D	8	390 2/B	1760	x	x					M		N	Green ▲	2	★C6OZ 5310-P
66	B(63B)-H/D	8	390 2/B					x			M		N		2	r/b C8OZ 5310-K
66	B(63B)-H/D	8	390 2/B		x	x						P	N		2	
66	B(63C)-H/D	8	390 2/B	1865				x			M		N	Lavender ▲	2	C6OZ 5310-M
66	B(63C)-H/D	8	390 2/B		x	x						P	N		2	
66	B(63B,C)-H/D	8	390 2/B					x				P	N		2	
66	B(63B,C)-H/D	8	390 2/B		x	x					M	P	A		2	
66	B(63B)-H/D	8	390 2/B					x			M	P	A		2	
66	B(63C)-H/D	8	390 2/B	1970				x				P	A	Gold ▲	2	★C6OZ 5310-L
																r/b C6OZ 5310-M
66	B(63B,C)	8	390 4/B	1740	x						M		N	Blue △	2	★C6OZ 5310-F
66	B(63B)	8	390 4/B			x					M		N		2	r/b C8OZ 5310-K
66	B(63B)	8	390 4/B		x							P	N		2	
66	B(63C)	8	390 4/B	1835	x							P	N	Orange △	2	★C6OZ 5310-G
66	B(63B,C)	8	390 4/B			x						P	N		2	r/b C8OZ 5310-K
66	B(63B,C)	8	390 4/B					x			M	P	N		2	
66	B(63B,C)	8	390 4/B		x						M		A		2	
66	B(63B)	8	390 4/B					x			M		A		2	
66	B(63C)	8	390 4/B			x					M		N		2	
66	B(63B,C)	8	390 4/B			x					M		A		2	
66	B(63B)	8	390 4/B		x	x						P	A		2	
66	B(63C)	8	390 4/B	1930				x			M		A	Brown △	2	★C6OZ 5310-H
66	B(63C)	8	390 4/B		x	x						P	A		2	r/b C8OZ 5310-K
66	B(63B,C)	8	390 4/B					x				P	A		2	
66	B(63B,C)-H/D	8	390 4/B	1760	x	x					M		N	Green ▲	2	★C6OZ 5310-P
66	B(63B)-H/D	8	390 4/B					x			M		N		2	r/b C8OZ 5310-K
66	B(63B)-H/D	8	390 4/B		x	x						P	N		2	
66	B(63C)-H/D	8	390 4/B	1865	x	x						P	N	Lavender ▲	2	C6OZ 5310-M
66	B(63C)-H/D	8	390 4/B					x			M		N		2	
66	B(63B,C)-H/D	8	390 4/B					x				P	N		2	
66	B(63B,C)-H/D	8	390 4/B		x	x					M	P	A		2	
66	B(63B,C)-H/D	8	390 4/B					x			M		A		2	
66	B(63B)-H/D	8	390 4/B					x				P	A		2	
66	B(63C)-H/D	8	390 4/B	1970				x				P	A	Gold ▲	2	★C6OZ 5310-L
																r/b C6OZ 5310-M
66	B(63D)	8	390 4/B	1735	x	x					M		N	Green Gold ▲	2	★C6OZ 5310-AD
																r/b C6OZ 5310-M
66	B(63D)	8	390 4/B	1850				x			M		N	Green Orange ▲	2	C6OZ 5310-AE
66	B(63D)	8	390 4/B		x	x		x				P	N		2	
66	B(63D)	8	390 4/B		x	x					M	P	A		2	
66	B(63D)	8	390 4/B					x			M		A		2	
66	B(63D)	8	390 4/B	1965				x				P	A	Green Brown ▲	2	★C6OZ 5310-AF
																r/b C6OZ 5310-M

● Recommended to be serviced in pairs only △ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	•PART NUMBER
					"B" (FAIRLANE) -- WITH THERMACTOR - FROM 2/14/66 - continued											
66	B(63B, C, F)	8	427	1850		x					M	P	N	Green Orange ▲	2	C6OZ 5310-AE
66	B(63B, C, F)	8	427			x					M		A		2	
66	B(63B)	8	427			x					P	A			2	
66	B(63C, D)	8	427	1965		x						P	A	Green Brown ▲	2	★C6OZ 5310-AF r/b C6OZ 5310-M
66	B(71B, D, E)	6	200	1265	x				x		M		N	Gray	2	★C6OZ 5310-AB
66	B(71B, D, E)	6	200		x							P	N		2	r/b C6DZ 5310-C
66	B(71B, D, E)	6	200	1344					x			P	N	Violet	2	★C6OZ 5310-A
66	B(71B, D, E)	6	200		x						M	P	A		2	r/b C6DZ 5310-C
66	B(71B, D, E)	6	200						x		M		A		2	
66	B(71B, D, E)	6	200	1415					x			P	A	Lavender	2	★C6OZ 5310-B r/b C6OZ 5310-C
66	B(71B, D, E)-H/D	6	200	1310	x				x		M		N	Red ▲	2	★C6OZ 5310-R r/b C6OZ 5310-J
66	B(71B, D, E)-H/D	6	200	1400	x				x			P	N	Gold	2	C6OZ 5310-J
66	B(71B, D, E)-H/D	6	200		x						M	P	A		2	
66	B(71B, D, E)-H/D	6	200						x		M		A		2	
66	B(71B, D, E)-H/D	6	200	1490					x			P	A	Pink	2	★C6OZ 5310-K r/b C6OZ 5310-AC
66	B(71B, D, E)	8	289	1410	x		x		x		M	P	N	Pink Δ	2	★C6DZ 5310-D r/b C6OZ 5310-C
66	B(71B, D, E)	8	289	1490	x		x		x		M	P	A	Green	2	C6OZ 5310-C
66	B(71B, D, E)-H/D	8	289	1490	x		x		x		M	P	N	Pink	2	★C6OZ 5310-K
66	B(71D, E)-H/D	8	289		x						M		A		2	r/b C6OZ 5310-AC
66	B(71B)-H/D	8	289	1580	x						M		A	Tan	2	C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	289		x							P	A		2	
66	B(71B, D, E)-H/D	8	289				x		x		M		A		2	
66	B(71B, D, E)	8	390 2/B	1655	x			x			M	P	N	Yellow	2	★C6OZ 5310-E
66	B(71D)	8	390 2/B		x						M		A		2	r/b C6OZ 5310-AC
66	B(71B, E)	8	390 2/B	1740	x						M		A	Blue	2	★C6OZ 5310-F
66	B(71B, D, E)	8	390 2/B		x							P	A		2	r/b C8OZ 5310-K
66	B(71B, D, E)	8	390 2/B					x			M	P	A		2	
66	B(71B, D, E)-H/D	8	390 2/B	1580	x						M		N	Tan	2	C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	390 2/B	1660				x			M	P	N	Orange ▲	2	★C6OZ 5310-N
66	B(71B, D, E)-H/D	8	390 2/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	390 2/B		x						M		A		2	
66	B(71B, D, E)-H/D	8	390 2/B	1760	x							P	A	Green ▲	2	★C6OZ 5310-P
66	B(71B, D, E)-H/D	8	390 2/B					x			M	P	A		2	r/b C8OZ 5310-K
66	B(71B, D, E)	8	390 4/B	1655	x			x			M		N	Yellow	2	★C6OZ 5310-E
66	B(71B, D, E)	8	390 4/B		x							P	N		2	r/b C6OZ 5310-AC
66	B(71D, E)	8	390 4/B					x				P	N		2	
66	B(71B)	8	390 4/B	1740				x				P	N	Blue	2	★C6OZ 5310-F
66	B(71B, D, E)	8	390 4/B		x			x			M	P	A		2	r/b C8OZ 5310-K
66	B(71D)-H/D	8	390 4/B	1580	x						M		N	Tan	2	C6OZ 5310-AC
66	B(71B, E)-H/D	8	390 4/B	1660	x						M		N	Orange ▲	2	★C6OZ 5310-N
66	B(71B, D, E)H/D	8	390 4/B					x			M	P	N		2	r/b C6OZ 5310-AC
66	B(71B, D, E)-H/D	8	390 4/B		x							P	N		2	
66	B(71D)-H/D	8	390 4/B		x						M		A		2	
66	B(71B, E)-H/D	8	390 4/B	1760	x						M		A	Green ▲	2	★C6OZ 5310-P
66	B(71B, D, E)-H/D	8	390 4/B		x							P	A		2	r/b C8OZ 5310-K
66	B(71B, D, E)-H/D	8	390 4/B					x			M	P	A		2	

• Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
"B" (FAIRLANE) -- WITH THERMACTOR - FROM 2/14/66 - continued																
66	B(76B,C)	6	200	1490	x						M		N	Green △	2	C6OZ 5310-C
66	B(76B)	6	200						x		M		N		2	
66	B(76C)	6	200	1570					x		M		N	Red △	2	★C6OZ 5310-D
66	B(76B,C)	6	200		x				x			P	N		2	r/b C6OZ 5310-C
66	B(76B,C)	6	200		x						M		A		2	
66	B(76B)	6	200						x		M		A		2	
66	B(76C)	6	200	1655					x		M		A	Yellow △	2	★C6OZ 5310-E
66	B(76B,C)	6	200		x				x			P	A		2	r/b C6OZ 5310-AC
66	B(76B,C)	8	289	1655	x	x	x		x		M	P	N	Yellow △	2	★C6OZ 5310-E r/b C6OZ 5310-AC
66	B(76B,C)	8	289	1740	x	x	x		x		M	P	A	Blue △	2	★C6OZ 5310-F r/b C8OZ 5310-K
66	B(76B,C)-H/D	8	289	1660	x	x	x		x		M	P	N	Orange ▲	2	★C6OZ 5310-N r/b C6OZ 5310-AC
66	B(76B,C)-H/D	8	289	1760	x	x	x		x		M	P	A	Green ▲	2	★C6OZ 5310-P r/b C8OZ 5310-K
66	B(76B,C)	8	390 2/B	1835	x	x		x			M	P	N	Orange △	2	★C6OZ 5310-G
66	B(76B)	8	390 2/B		x						M		A		2	r/b C8OZ 5310-K
66	B(76C)	8	390 2/B	1930	x						M		A	Brown △	2	★C6OZ 5310-H
66	B(76B,C)	8	390 2/B		x							P	A		2	r/b C8OZ 5310-K
66	B(76B,C)	8	390 2/B			x		x			M	P	A		2	
66	B(76B,C)-H/D	8	390 2/B	1760	x						M		N	Green ▲	2	★C6OZ 5310-P
66	B(76B)-H/D	8	390 2/B			x					M		N		2	r/b C8OZ 5310-K
66	B(76C)-H/D	8	390 2/B	1865		x					M		N	Lavender ▲	2	C6OZ 5310-M
66	B(76B,C)-H/D	8	390 2/B					x			M		N		2	
66	B(76B,C)-H/D	8	390 2/B		x	x		x				P	N		2	
66	B(76B,C)-H/D	8	390 2/B		x	x					M		A		2	
66	B(76B)-H/D	8	390 2/B		x							P	A		2	
66	B(76C)-H/D	8	390 2/B	1970	x							P	A	Gold ▲	2	★C6OZ 5310-L
66	B(76B,C)-H/D	8	390 2/B			x						P	A		2	r/b C6OZ 5310-M
66	B(76B,C)-H/D	8	390 2/B					x			M	P	A		2	
66	B(76B,C)	8	390 4/B	1835	x	x		x			M	P	N	Orange △	2	★C6OZ 5310-G r/b C8OZ 5310-K
66	B(76B,C)	8	390 4/B	1930	x	x		x			M	P	A	Brown △	2	★C6OZ 5310-H r/b C8OZ 5310-K
66	B(76B)-H/D	8	390 4/B	1760	x	x					M		N	Green ▲	2	★C6OZ 5310-P r/b C8OZ 5310-K
66	B(76C)-H/D	8	390 4/B	1865	x	x					M		N	Lavender ▲	2	C6OZ 5310-M
66	B(76B,C)-H/D	8	390 4/B					x			M		N		2	
66	B(76B,C)-H/D	8	390 4/B		x	x		x				P	N		2	
66	B(76B,C)-H/D	8	390 4/B		x	x					M		A		2	
66	B(76B,C)-H/D	8	390 4/B	1970	x	x						P	A	Gold ▲	2	★C6OZ 5310-L
66	B(76B,C)-H/D	8	390 4/B		x	x		x			M	P	A		2	r/b C6OZ 5310-M
66	B(76D)	8	390 4/B	1850	x	x		x			M	P	N	Green Orange ▲	2	C6OZ 5310-AE
66	B(76D)	8	390 4/B		x	x					M		A		2	
66	B(76D)	8	390 4/B	1965	x	x						P	A	Green Brown ▲	2	★C6OZ 5310-AF
66	B(76D)	8	390 4/B					x			M	P	A		2	r/b C6OZ 5310-M
66	B(76B,C,D)	8	427	1850		x					M	P	N	Green Orange ▲	2	C6OZ 5310-AE
66	B(76B,C,D)	8	427	1965		x					M	P	A	Green Brown ▲	2	★C6OZ 5310-AF r/b C6OZ 5310-M

● Recommended to be serviced in pairs only △ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"F" (MUSTANG) -- WITHOUT THERMACTOR - BEFORE 2/14/66											
66	F(63,65)	6	200	1279	x	x			x		M	P	N	Pink	2	★C5ZZ 5310-A
66	F(63,65)	6	200		x						M		A		2	r/b C5ZZ 5310-B
66	F(63,65)	6	200	1344		x			x		M		A	Green	2	C5ZZ 5310-B
66	F(63,65)	6	200		x	x			x			P	A		2	
66	F(63,65)-exc.Special	8	289	1413	x	x			x		M	P	N	Violet	2	★C5ZZ 5310-D r/b C5ZZ 5310-C
66	F(63,65)-exc.Special	8	289	1491	x	x			x		M	P	A	Gray	2	C5ZZ 5310-C
66	F(63,65)-H/D †	8	289	1413	x	x			x		M	P	N	Red	2	★C5ZZ 5310-F r/b C5ZZ 5310-E
66	F(63,65)-H/D †	8	289	1491	x	x			x		M	P	A	Brown	2	C5ZZ 5310-E
66	F(76)	6	200	1279	x						M		N	Pink	2	★C5ZZ 5310-A r/b C5ZZ 5310-B
66	F(76)	6	200	1344		x			x		M		N	Green	2	C5ZZ 5310-B
66	F(76)	6	200		x	x			x			P	N		2	
66	F(76)	6	200		x						M		A		2	
66	F(76)	6	200	1413		x			x		M		A	Violet	2	★C5ZZ 5310-D
66	F(76)	6	200		x	x			x			P	A		2	r/b C5ZZ 5310-C
66	F(76)-exc.Special	8	289	1491	x	x			x		M	P	N	Gray	2	C5ZZ 5310-C
66	F(76)-exc.Special	8	289	1491	x	x			x		M	P	A	Gray	2	*C5ZZ 5310-C
66	F(76)-H/D †	8	289	1491	x	x			x		M	P	N	Brown	2	C5ZZ 5310-E
66	F(76)-H/D †	8	289	1491	x	x			x		M	P	A	Brown	2	*C5ZZ 5310-E
					"F" (MUSTANG) -- WITHOUT THERMACTOR - FROM 2/14/66											
66	F(63,65)	6	200	1279	x	x			x		M	P	N	Pink	2	★C5ZZ 5310-A
66	F(63,65)	6	200		x						M		A		2	r/b C5ZZ 5310-B
66	F(63,65)	6	200	1344		x			x		M		A	Green	2	C5ZZ 5310-B
66	F(63,65)	6	200		x	x			x			P	A		2	
66	F(63,65)	8	289 2/B	1413	x	x			x		M	P	N	Violet	2	★C5ZZ 5310-D r/b C5ZZ 5310-C
66	F(63,65)	8	289 2/B	1490	x	x			x		M	P	A	Gray	2	C5ZZ 5310-C
66	F(63,65)-H/D	8	289 2/B	1413	x	x			x		M	P	N	Red	2	★C5ZZ 5310-F r/b C5ZZ 5310-E
66	F(63,65)-H/D	8	289 2/B	1491	x	x			x		M		A	Brown	2	C5ZZ 5310-E
66	F(63,65)	8	289 4/B	1413	x	x			x		M	P	N	Violet	2	★C5ZZ 5310-D r/b C5ZZ 5310-C
66	F(63,65)	8	289 4/B	1490	x	x			x		M	P	A	Gray	2	C5ZZ 5310-C
66	F(63,65)-H/D	8	289 4/B	1413	x	x			x		M	P	N	Red	2	★C5ZZ 5310-F r/b C5ZZ 5310-E
66	F(63,65)-H/D	8	289 4/B	1491	x	x			x		M	P	A	Brown	2	C5ZZ 5310-E
66	F(63,65)-Special	8	289 4/B	1413	x	x					M	P	N	Red	2	★C5ZZ 5310-F r/b C5ZZ 5310-E
66	F(63,65)-Special	8	289 4/B	1491	x	x					M	P	A	Brown	2	C5ZZ 5310-E
66	F(63,65)-GT	8	289 4/B	1413	x	x			x		M	P	N	Red	2	★C5ZZ 5310-F r/b C5ZZ 5310-E
66	F(63,65)-GT	8	289 4/B	1491	x	x			x		M	P	A	Brown	2	C5ZZ 5310-E

● Recommended to be serviced in pairs only † Standard on 289 Special * Used with C4DZ 5355-A Shim
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"F" (MUSTANG) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued											
66	F(76)	6	200	1279	x						M		N	Pink	2	★C5ZZ 5310-A
																r/b C5ZZ 5310-B
66	F(76)	6	200	1344		x			x		M		N	Green	2	C5ZZ 5310-B
66	F(76)	6	200		x	x			x			P	N		2	
66	F(76)	6	200		x						M		A		2	
66	F(76)	6	200	1413	x							P	A	Violet	2	★C5ZZ 5310-D
66	F(76)	6	200			x			x		M	P	A		2	r/b C5ZZ 5310-C
66	F(76)	8	289 2/B	1490	x	x			x		M	P	N	Gray	2	C5ZZ 5310-C
66	F(76)	8	289 2/B		x	x			x		M	P	A		2	
66	F(76)-H/D	8	289 2/B	1491	x	x			x		M	P	N	Brown	2	C5ZZ 5310-E
66	F(76)-H/D	8	289 2/B		x	x			x		M	P	A		2	
66	F(76)	8	289 4/B	1490	x	x			x		M	P	N	Gray	2	C5ZZ 5310-C
66	F(76)	8	289 4/B		x	x			x		M	P	A		2	
66	F(76)-H/D	8	289 4/B	1491	x	x			x		M	P	N	Brown	2	C5ZZ 5310-E
66	F(76)-H/D	8	289 4/B		x	x			x		M	P	A		2	
66	F(76)-Special	8	289 4/B	1491	x	x					M	P	N	Brown	2	C5ZZ 5310-E
66	F(76)-Special	8	289 4/B		x	x					M	P	A		2	
66	F(76)-GT	8	289 4/B	1491	x	x			x		M	P	N	Brown	2	C5ZZ 5310-E
66	F(76)-GT	8	289 4/B		x	x			x		M	P	A		2	
					"F" (MUSTANG) -- WITH THERMACTOR - BEFORE 2/14/66											
66	F(63,65)	6	200	1279	x	x			x		M	P	N	Pink	2	★C5ZZ 5310-A
																r/b C5ZZ 5310-B
66	F(63,65)	6	200	1344	x	x			x		M		A	Green	2	C5ZZ 5310-B
66	F(63)	6	200		x	x			x			P	A		2	
66	F(65)	6	200		x	x						P	A		2	
66	F(65)	6	200	1413					x			P	A	Violet	2	★C5ZZ 5310-D
																r/b C5ZZ 5310-C
66	F(63,65)	8	289 2/B	1413	x	x			x		M		N	Violet	2	★C5ZZ 5310-D
66	F(63)	8	289 2/B		x	x			x			P	N		2	r/b C5ZZ 5310-C
66	F(65)	8	289 2/B		x				x			P	N		2	
66	F(65)	8	289 2/B	1491		x						P	N	Gray	2	C5ZZ 5310-C
66	F(63,65)	8	289 2/B		x	x			x		M	P	A		2	
66	F(63,65)-H/D	8	289 2/B	1413	x	x			x		M		N	Red	2	★C5ZZ 5310-F
66	F(63)-H/D	8	289 2/B		x	x			x			P	N		2	r/b C5ZZ 5310-E
66	F(65)-H/D	8	289 2/B		x				x			P	N		2	
66	F(65)-H/D	8	289 2/B	1491		x						P	N	Brown	2	C5ZZ 5310-E
66	F(63,65)-H/D	8	289 2/B		x	x			x		M	P	A		2	
66	F(63,65)-exc.Special	8	289 4/B	1413	x	x			x		M		N	Violet	2	★C5ZZ 5310-D
66	F(63,65)-exc.Special	8	289 4/B		x							P	N		2	r/b C5ZZ 5310-C
66	F(63,65)-exc.Special	8	289 4/B	1491		x			x			P	N	Gray	2	C5ZZ 5310-C
66	F(63,65)-exc.Special	8	289 4/B		x	x			x		M	P	A		2	
66	F(63,65)-H/D-exc. Special	8	289 4/B	1413	x	x			x		M		N	Red	2	★C5ZZ 5310-F
66	F(63,65)-H/D-exc. Special	8	289 4/B		x							P	N		2	r/b C5ZZ 5310-E
66	F(63,65)-H/D-exc. Special	8	289 4/B	1491		x			x			P	N	Brown	2	C5ZZ 5310-E
66	F(63,65)-H/D-exc. Special	8	289 4/B		x	x			x		M	P	A		2	

● Recommended to be serviced in pairs only

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	•PART NUMBER
					"F" (MUSTANG) -- WITH THERMACTOR - BEFORE 2/14/66 - continued											
66	F(63,65)-Special	8	289 4/B	1413	x	x					M		N	Red	2	★C5ZZ 5310-F
66	F(63)-Special	8	289 4/B		x							P	N		2	r/b C5ZZ 5310-E
66	F(65)-Special	8	289 4/B	1491	x							P	N	Brown	2	C5ZZ 5310-E
66	F(63,65)-Special	8	289 4/B			x						P	N		2	
66	F(63,65)-Special	8	289 4/B		x						M	P	A		2	
66	F(63)-Special	8	289 4/B			x					M	P	A		2	
66	F(65)-Special	8	289 4/B			x					M		A		2	
66	F(65)-Special	8	289 4/B	1491								P	A	Brown	2	*C5ZZ 5310-E
66	F(76)	6	200	1344	x	x			x		M		N	Green	2	C5ZZ 5310-B
66	F(76)	6	200		x	x						P	N		2	
66	F(76)	6	200	1413					x			P	N		2	★C5ZZ 5310-D
66	F(76)	6	200		x	x			x		M	P	A		2	r/b C5ZZ 5310-C
66	F(76)-exc.Special	8	289	1491	x	x			x		M	P	N	Gray	2	C5ZZ 5310-C
66	F(76)-exc.Special	8	289	1491	x	x			x		M	P	A	Gray	2	*C5ZZ 5310-C
66	F(76)-H/D †	8	289	1491	x	x			x		M	P	N	Brown	2	C5ZZ 5310-E
66	F(76)-H/D †	8	289	1491	x	x			x		M	P	A	Brown	2	*C5ZZ 5310-E
					"F" (MUSTANG)-- WITH THERMACTOR - FROM 2/14/66											
66	F(63,65)	6	200	1279	x	x			x		M		N	Pink	2	★C5ZZ 5310-A
66	F(63,65)	6	200		x	x						P	N		2	r/b C5ZZ 5310-B
66	F(63)	6	200						x			P	N		2	
66	F(65)	6	200	1344					x			P	N	Green	2	C5ZZ 5310-B
66	F(63,65)	6	200		x	x					M	P	A		2	
66	F(63,65)	6	200						x		M		A		2	
66	F(63)	6	200						x			P	A		2	
66	F(65)	6	200	1413					x			P	A	Violet	2	★C5ZZ 5310-D
																r/b C5ZZ 5310-C
66	F(63,65)	8	289 2/B	1413	x	x			x		M		N	Violet	2	★C5ZZ 5310-D
66	F(63,65)	8	289 2/B		x				x			P	N		2	r/b C5ZZ 5310-C
66	F(63)	8	289 2/B			x						P	N		2	
66	F(65)	8	289 2/B	1490		x						P	N	Gray	2	C5ZZ 5310-C
66	F(63,65)	8	289 2/B		x	x			x		M	P	A		2	
66	F(63,65)-H/D	8	289 2/B	1413	x	x			x		M		N	Red	2	★C5ZZ 5310-F
66	F(63,65)-H/D	8	289 2/B		x				x			P	N		2	r/b C5ZZ 5310-E
66	F(63)-H/D	8	289 2/B			x						P	N		2	
66	F(65)-H/D	8	289 2/B	1491		x						P	N	Brown	2	C5ZZ 5310-E
66	F(63,65)-H/D	8	289 2/B		x	x			x		M	P	A		2	
66	F(63,65)	8	289 4/B	1413	x	x			x		M		N	Violet	2	★C5ZZ 5310-D
66	F(63,65)	8	289 4/B		x							P	N		2	r/b C5ZZ 5310-C
66	F(63,65)	8	289 4/B	1490		x			x			P	N	Gray	2	C5ZZ 5310-C
66	F(63,65)	8	289 4/B		x	x			x		M	P	A		2	
66	F(63,65)-H/D	8	289 4/B	1413	x	x			x		M		N	Red	2	★C5ZZ 5310-F
66	F(63,65)-H/D	8	289 4/B		x							P	N		2	r/b C5ZZ 5310-E
66	F(63,65)-H/D	8	289 4/B	1491		x			x			P	N	Brown	2	C5ZZ 5310-E
66	F(63,65)-H/D	8	289 4/B		x	x			x		M	P	A		2	
66	F(63,65)-Special	8	289 4/B	1413	x	x					M		N	Red	2	★C5ZZ 5310-F
66	F(63)-Special	8	289 4/B		x							P	N		2	r/b C5ZZ 5310-E
66	F(65)-Special	8	289 4/B	1491	x							P	N	Brown	2	C5ZZ 5310-E
66	F(63,65)-Special	8	289 4/B			x						P	N		2	
66	F(63,65)-Special	8	289 4/B		x	x					M	P	A		2	

• Recommended to be serviced in pairs only * Used with C4DZ 5355-A Shim † Standard on 289 Special
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL		ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	● PART NUMBER
"F" (MUSTANG)-- WITH THERMACTOR - FROM 2/14/66 - continued																	
66	F(63,65)-GT		8	289 4/B	1413	x	x			x		M		N	Red	2	★C5ZZ 5310-F
66	F(63,65)-GT		8	289 4/B		x							P	N		2	r/b C5ZZ 5310-E
66	F(63,65)-GT		8	289 4/B	1491		x			x			P	N	Brown	2	C5ZZ 5310-E
66	F(63,65)-GT		8	289 4/B		x	x			x		M	P	A		2	
66	F(76)		6	200	1344	x	x			x		M		N	Green	2	C5ZZ 5310-B
66	F(76)		6	200		x	x						P	N		2	
66	F(76)		6	200	1413					x			P	N	Violet	2	★C5ZZ 5310-D
66	F(76)		6	200		x	x			x		M	P	A		2	r/b C5ZZ 5310-C
66	F(76)		8	289 2/B	1490	x	x			x		M	P	N	Gray	2	C5ZZ 5310-C
66	F(76)		8	289 2/B		x	x			x		M	P	A		2	
66	F(76)-H/D		8	289 2/B	1491	x	x			x		M	P	N	Brown	2	C5ZZ 5310-E
66	F(76)-H/D		8	289 2/B		x	x			x		M	P	A		2	
66	F(76)		8	289 4/B	1490	x	x			x		M	P	N	Gray	2	C5ZZ 5310-C
66	F(76)		8	289 4/B		x	x			x		M	P	A		2	
66	F(76)-H/D		8	289 4/B	1491	x	x			x		M	P	N	Brown	2	C5ZZ 5310-E
66	F(76)-H/D		8	289 4/B		x	x			x		M	P	A		2	
66	F(76)-Special		8	289 4/B	1491	x	x					M	P	N	Brown	2	C5ZZ 5310-E
66	F(76)-Special		8	289 4/B		x	x					M	P	A		2	
66	F(76)-GT		8	289 4/B	1491	x	x			x		M	P	N	Brown	2	C5ZZ 5310-E
66	F(76)-GT		8	289 4/B		x	x			x		M	P	A		2	
"S" (THUNDERBIRD)																	
66	S	R.H.	8	390, 428	2310				x		x		P	N	Red	1	★C6SZ 5310-B
																	r/b C6SZ 5310-A
		L.H.			2410				x		x		P	N	Yellow	1	C6SZ 5310-A
66	S	R.H.	8	390, 428	2410				x		x		P	A	Yellow	1	C6SZ 5310-A
		L.H.			2510				x		x		P	A	Blue, Brown or Green	1	★C6SZ 5310-C
																	r/b C6SZ 5310-A
"U" (BRONCO)																	
66	U-exc. H/D	R.H.	6	170	739										Red ▲	1	C6TZ 5310-B
		L.H.			816										Blue ▲	1	C6TZ 5310-E
66	U-H/D	R.H.	6	170	816										Blue ▲	1	C6TZ 5310-E
		L.H.			1147										Green or Yellow ▲	1	C6TZ 5310-D
66	U-exc. H/D	R.H.	8	289	816										Blue ▲	1	C6TZ 5310-E
		L.H.			1147										Green or Yellow ▲	1	C6TZ 5310-D
66	U-H/D		8	289	1147										Green or Yellow ▲	2	C6TZ 5310-D
"X" (FALCON) -- WITHOUT THERMACTOR - BEFORE 10/1/65																	
66	X(54A, B)		6	170, 200	1310	x						M		N	Red ▲	2	★C6OZ 5310-R
																	r/b C6OZ 5310-J
66	X(54A, B)		6	170, 200	1400					x		M	P	N	Gold Δ	2	C6OZ 5310-J
66	X(54A, B)		6	170, 200		x							P	N		2	
66	X(54A, B)		6	170, 200		x						M	P	A		2	
66	X(54A, B)		6	170, 200						x		M		A		2	
66	X(54A, B)		6	170, 200	1490					x			P	A	Pink Δ	2	★C6OZ 5310-K
																	r/b C6OZ 5310-AC

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"X" (FALCON) -- WITHO'JT THERMACTOR - BEFORE 10/1/65 - continued											
66	X(54A, B)	8	289	1490	x	x			x		M		N	Green Δ	2	C6OZ 5310-C
66	X(54A)	8	289		x							P	N		2	
66	X(54B)	8	289	1570	x							P	N	Red Δ	2	★C6OZ 5310-D
66	X(54A, B)	8	289									P	N		2	r/b C6OZ 5310-C
66	X(54A, B)	8	289		x	x			x		M		A		2	
66	X(54A, B)	8	289		x				x			P	A		2	
66	X(54A)	8	289			x						P	A		2	
66	X(54B)	8	289	1655		x						P	A	Yellow Δ	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	X(62A, B)	6	170	1310	x						M		N	Red ▲	2	★C6OZ 5310-R
66	X(62A)	6	170		x							P	N		2	r/b C6OZ 5310-J
66	X(62B)	6	170	1400	x							P	N	Gold Δ	2	C6OZ 5310-J
66	X(62A, B)	6	170						x		M	P	N		2	
66	X(62A, B)	6	170		x						M	P	A		2	
66	X(62A,B)	6	170						x		M		A		2	
66	X(62A, B)	6	170	1490					x			P	A	Pink Δ	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC
66	X(62A, B)	6	200	1310	x						M		N	Red ▲	2	★C6OZ 5310-R
																r/b C6OZ 5310-J
66	X(62C)	6	200	1400	x						M		N	Gold Δ	2	C6OZ 5310-J
66	X(62A, B, C)	6	200						x		M	P	N		2	
66	X(62A, B, C)	6	200		x							P	N		2	
66	X(62A, B, C)	6	200		x						M		A		2	
66	X(62A, B)	6	200		x							P	A		2	
66	X(62A, B)	6	200						x		M		A		2	
66	X(62C)	6	200	1490	x							P	A	Pink Δ	2	★C6OZ 5310-K
66	X(62C)	6	200						x		M		A		2	r/b C6OZ 5310-AC
66	X(62A, B, C)	6	200						x			P	A		2	
66	X(62A, B, C)	8	289	1490	x	x			x		M		N	Green Δ	2	C6OZ 5310-C
66	X(62A, B)	8	289		x				x			P	N		2	
66	X(62C)	8	289	1570	x				x			P	N	Red Δ	2	★C6OZ 5310-D
66	X(62A, B, C)	8	289			x						P	N		2	r/b C6OZ 5310-C
66	X(62A, B, C)	8	289		x	x			x		M		A		2	
66	X(62A, B, C)	8	289		x				x			P	A		2	
66	X(62A, B)	8	289			x						P	A		2	
66	X(62C)	8	289	1655		x						P	A	Yellow Δ	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	X(66A, B, D)	6	170	1240	x				x		M		N	Yellow ▲	2	★C6DZ 5310-A
66	X(66A, B, D)	6	170		x							P	N		2	r/b C6DZ 5310-C
66	X(66A)	6	170						x			P	N		2	
66	X(66B, D)	6	170	1325					x			P	N	Brown ▲	2	C6DZ 5310-C
66	X(66A, B, D)	6	170		x				x		M	P	A		2	
66	X(66A, B, D)	6	200	1240	x				x		M		N	Yellow ▲	2	★C6DZ 5310-A
66	X(66A, B, D)	6	200		x							P	N		2	r/b C6DZ 5310-C
66	X(66A, B, D)	6	200	1325					x			P	N	Brown ▲	2	C6DZ 5310-C
66	X(66A, B, D)	6	200		x				x		M	P	A		2	

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	• PART NUMBER
"X" (FALCON) -- WITHOUT THERMACTOR - BEFORE 10/1/65 - continued																
66	X(66A, B, D)	8	289 2/B	1410	x	x			x		M	P	N	Pink ▲	2	★C6DZ 5310-D
66	X(66A)	8	289 2/B		x						M		A		2	r/b C6OZ 5310-C
66	X(66B, D)	8	289 2/B	1490	x						M		A	Green Δ	2	C6OZ 5310-C
66	X(66A, B, D)	8	289 2/B			x			x		M	P	A		2	
66	X(66A, B, D)	8	289 2/B		x							P	A		2	
66	X(66A, B, D)	8	289 4/B	1410	x	x			x		M	P	N	Pink ▲	2	★C6DZ 5310-D r/b C6OZ 5310-C
66	X(66A, B, D)	8	289 4/B	1490	x	x			x		M	P	A	Green Δ	2	C6OZ 5310-C
66	X(71A, B)	6	200	1240	x				x		M		N	Yellow ▲	2	★C6DZ 5310-A
66	X(71A, B)	6	200		x							P	N		2	r/b C6DZ 5310-C
66	X(71A, B)	6	200	1325					x			P	N	Brown ▲	6	C6DZ 5310-C
66	X(71A, B)	6	200		x				x		M	P	A		2	
66	X(71A, B)	8	289	1410	x				x		M	P	N	Pink ▲	2	★C6DZ 5310-D r/b C6OZ 5310-C
66	X(71A, B)	8	289	1490	x				x		M	P	A	Green Δ	2	C6OZ 5310-C
"X" (FALCON) -- WITHOUT THERMACTOR - FROM 10/1/65 TO 2/14/66																
66	X(54A, B)	6	170	1310	x						M		N	Red ▲	2	★C6OZ 5310-R r/b C6OZ 5310-J
66	X(54A, B)	6	170	1400					x		M		N	Gold Δ	2	C6OZ 5310-J
66	X(54A, B)	6	170		x				x			P	N		2	
66	X(54A, B)	6	170		x				x		M		A		2	
66	X(54A, B)	6	170		x							P	A		2	
66	X(54A, B)	6	170	1490					x			P	A	Pink Δ	2	★C6OZ 5310-K r/b C6OZ 5310-AC
66	X(54A, B)	6	200	1400	x				x		M	P	N	Gold Δ	2	C6OZ 5310-J
66	X(54A, B)	6	200		x						M		A		2	
66	X(54A)	6	200						x		M		A		2	
66	X(54B)	6	200	1490					x		M		A	Pink Δ	2	★C6OZ 5310-K
66	X(54A, B)	6	200		x				x			P	A		2	r/b C6OZ 5310-AC
66	X(54A, B)	8	289	1490	x	x			x		M		N	Green Δ	2	C6OZ 5310-C
66	X(54A)	8	289		x							P	N		2	
66	X(54B)	8	289	1570	x							P	N	Red Δ	2	★C6OZ 5310-D
66	X(54A, B)	8	289			x			x			P	N		2	r/b C6OZ 5310-C
66	X(54A, B)	8	289		x	x			x		M		A		2	
66	X(54A, B)	8	289		x				x			P	A		2	
66	X(54A)	8	289			x						P	A		2	
66	X(54B)	8	289	1655		x						P	A	Yellow Δ	2	★C6OZ 5310-E r/b C6OZ 5310-AC
66	X(62A, B)	6	170	1310	x						M		N	Red ▲	2	★C6OZ 5310-R r/b C6OZ 5310-J
66	X(62A, B)	6	170	1400					x		M	P	N	Gold Δ	2	C6OZ 5310-J
66	X(62A, B)	6	170		x							P	N		2	
66	X(62A, B)	6	170		x				x		M		A		2	
66	X(62A, B)	6	170		x							P	A		2	
66	X(62A, B)	6	170	1490					x			P	A	Pink Δ	2	★C6OZ 5310-K r/b C6OZ 5310-AC

• Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
"X" (FALCON) -- WITHOUT THERMACTOR - FROM 10/1/65 TO 2/14/66 - continued																
66	X(62A, B)	6	200	1310	x						M		N	Red ▲	2	★C6OZ 5310-R
																r/b C6OZ 5310-J
66	X(62C)	6	200	1400	x						M		N	Gold △	2	C6OZ 5310-J
66	X(62A, B, C)	6	200						x		M	P	N		2	
66	X(62A, B, C)	6	200		x							P	N		2	
66	X(62A, B, C)	6	200		x						M		A		2	
66	X(62A, B)	6	200						x		M		A		2	
66	X(62A, B)	6	200		x							P	A		2	
66	X(62C)	6	200	1490					x		M		A	Pink △	2	★C6OZ 5310-K
66	X(62C)	6	200		x							P	A		2	r/b C6OZ 5310-AC
66	X(62A, B, C)	6	200							x		P	A		2	
66	X(62A, B, C)	8	289	1490	x	x			x		M		N	Green △	2	C6OZ 5310-C
66	X(62A, B)	8	289		x				x			P	N		2	
66	X(62C)	8	289	1570	x				x			P	N	Red △	2	★C6OZ 5310-D
66	X(62A, B, C)	8	289			x						P	N		2	r/b C6OZ 5310-C
66	X(62A, B, C)	8	289		x	x			x		M		A		2	
66	X(62A, B, C)	8	289		x				x			P	A		2	
66	X(62A, B)	8	289			x						P	A		2	
66	X(62C)	8	289	1655		x						P	A	Yellow △	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC
66	X(66A, B, D)	6	170	1240	x				x		M		N	Yellow ▲	2	★C6DZ 5310-A
66	X(66A, B, D)	6	170		x							P	N		2	r/b C6DZ 5310-C
66	X(66A, B)	6	170				/		x			P	N		2	
66	X(66D)	6	170	1325					x			P	N	Brown ▲	2	C6DZ 5310-C
66	X(66A, B, D)	6	170		x				x		M	P	A		2	
66	X(66A, B, D)	6	200	1240	x				x		M		N	Yellow ▲	2	★C6DZ 5310-A
66	X(66A, B, D)	6	200		x							P	N		2	r/b C6DZ 5310-C
66	X(66A, B)	6	200							x		P	N		2	
66	X(66D)	6	200	1325					x			P	N	Brown ▲	2	C6DZ 5310-C
66	X(66A, B, D)	6	200		x				x		M	P	A		2	
66	X(66A, B, D)	8	289 2/B	1410	x	x			x		M	P	N	Pink ▲	2	★C6DZ 5310-D
66	X(66A, B)	8	289 2/B		x				x		M		A		2	r/b C6OZ 5310-C
66	X(66D)	8	289 2/B	1490	x				x		M		A	Green △	2	C6OZ 5310-C
66	X(66A, B, D)	8	289 2/B			x					M		A		2	
66	X(66A, B, D)	8	289 2/B		x	x			x			P	A		2	
66	X(66A, B, D)	8	289 4/B	1410	x	x			x		M	P	N	Pink ▲	2	★C6DZ 5310-D
66	X(66A, B)	8	289 4/B		x						M		A		2	r/b C6OZ 5310-C
66	X(66D)	8	289 4/B	1490	x						M		A	Green △	2	C6OZ 5310-C
66	X(66A, B, D)	8	289 4/B			x			x		M	P	A		2	
66	X(66A, B, D)	8	289 4/B		x							P	A		2	
66	X(71A, B)	6	200	1240	x				x		M		N	Yellow ▲	2	★C6DZ 5310-A
66	X(71A, B)	6	200		x							P	N		2	r/b C6DZ 5310-C
66	X(71A, B)	6	200	1325					x			P	N	Brown ▲	2	C6DZ 5310-C
66	X(71A, B)	6	200		x				x		M	P	A		2	
66	X(71A, B)	8	289	1410	x				x		M	P	N	Pink ▲	2	★C6DZ 5310-D
																r/b C6OZ 5310-C
66	X(71A, B)	8	289	1490	x				x		M	P	A	Green △	2	C6OZ 5310-C

● Recommended to be serviced in pairs only △ Daub ▲ Stripe
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"X" (FALCON) -- WITHOUT THERMACTOR - FROM 2/14/66											
66	X(54A, B)	6	170	1310	x						M		N	Red ▲	2	★C6OZ 5310-R
																r/b C6OZ 5310-J
66	X(54A, B)	6	170	1400					x		M		N	Gold	2	C6OZ 5310-J
66	X(54A, B)	6	170		x				x			P	N		2	
66	X(54A, B)	6	170		x				x		M		A		2	
66	X(54A, B)	6	170		x							P	A		2	
66	X(54A, B)	6	170	1490					x			P	A	Pink	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC
66	X(54A, B)	6	200	1400	x				x		M	P	N	Gold	2	C6OZ 5310-J
66	X(54A, B)	6	200		x						M		A		2	
66	X(54A)	6	200						x		M		A		2	
66	X(54B)	6	200	1490					x		M		A	Pink	2	★C6OZ 5310-K
66	X(54A, B)	6	200		x				x			P	A		2	r/b C6OZ 5310-AC
66	X(54A, B)	8	289	1490	x	x			x		M		N	Green	2	C6OZ 5310-C
66	X(54A)	8	289		x							P	N		2	
66	X(54B)	8	289	1570	x							P	N	Red	2	★C6OZ 5310-D
66	X(54A, B)	8	289			x			x			P	N		2	r/b C6OZ 5310-C
66	X(54A, B)	8	289		x	x			x		M		A		2	
66	X(54A, B)	8	289		x				x			P	A		2	
66	X(54A)	8	289			x						P	A		2	
66	X(54B)	8	289	1655		x						P	A	Yellow △	2	★C6OZ 5310-E
									\							r/b C6OZ 5310-AC
66	X(62A, B)	6	170	1310	x						M		N	Red ▲	2	★C6OZ 5310-R
																r/b C6OZ 5310-J
66	X(62A, B)	6	170	1400					x		M	P	N	Gold	2	C6OZ 5310-J
66	X(62A, B)	6	170		x							P	N		2	
66	X(62A, B)	6	170		x						M	P	A		2	
66	X(62A, B)	6	170						x		M		A		2	
66	X(62A, B)	6	170	1490					x			P	A	Pink	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC
66	X(62A, B)	6	200	1310	x						M		N	Red ▲	2	★C6OZ 5310-R
																r/b C6OZ 5310-J
66	X(62C)	6	200	1400	x						M		N	Gold △	2	C6OZ 5310-J
66	X(62A, B, C)	6	200						x		M		N		2	
66	X(62A, B, C)	6	200		x				x			P	N		2	
66	X(62A, B, C)	6	200		x						M		A		2	
66	X(62A, B)	6	200						x		M		A		2	
66	X(62A, B)	6	200		x							P	A		2	
66	X(62C)	6	200	1490					x		M		A	Pink	2	★C6OZ 5310-K
66	X(62C)	6	200		x							P	A		2	r/b C6OZ 5310-AC
66	X(62A, B, C)	6	200						x			P	A		2	
66	X(62A, B, C,)	8	289	1490	x	x			x		M		N	Green	2	C6OZ 5310-C
66	X(62A, B)	8	289		x				x			P	N		2	
66	X(62C)	8	289	1570	x				x			P	N	Red	2	★C6OZ 5310-D
66	X(62A, B, C)	8	289			x						P	N		2	r/b C6OZ 5310-C
66	X(62A, B, C)	8	289		x	x			x		M		A		2	
66	X(62A, B, C)	8	289		x				x			P	A		2	
66	X(62A, B)	8	289			x						P	A		2	
66	X(62C)	8	289	1655		x						P	A	Yellow △	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC

● Recommended to be serviced in pairs only △ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	● PART NUMBER
					"X" (FALCON) -- WITHOUT THERMACTOR - FROM 2/14/66 - continued											
66	X(66A)	6	170	1240	x				x		M	P	N	Yellow ▲	2	★C6DZ 5310-A
																r/b C6DZ 5310-C
66	X(66A)	6	170	1325	x				x		M	P	A	Brown ▲	2	C6DZ 5310-C
66	X(66A, B, D)	6	200	1240	x				x		M		N	Yellow ▲	2	★C6DZ 5310-A
66	X(66A, B, D)	6	200		x							P	N		2	r/b C6DZ 5310-C
66	X(66A, B)	6	200						x			P	N		2	
66	X(66D)	6	200	1325					x			P	N	Brown ▲	2	C6DZ 5310-C
66	X(66A, B, D)	6	200		x				x		M	P	A		2	
66	X(66A, B, D)	8	289 2/B	1410	x	x			x		M	P	N	Pink ▲	2	★C6DZ 5310-D
66	X(66A, B)	8	289 2/B		x				x		M		A		2	r/b C6OZ 5310-C
66	X(66D)	8	289 2/B	1490	x				x		M		A	Green △	2	C6OZ 5310-C
66	X(66A, B, D)	8	289 2/B			x					M		A		2	
66	X(66A, B, D)	8	289 2/B		x				x			P	A		2	
66	X(66A, B, D)	8	289 4/B	1410	x	x			x		M	P	N	Pink ▲	2	★C6DZ 5310-D
66	X(66A, B)	8	289 4/B		x						M		A		2	r/b C6OZ 5310-C
66	X(66D)	8	289 4/B	1490	x						M		A	Green △	2	C6OZ 5310-C
66	X(66A, B, D)	8	289 4/B			x			x		M		A		2	
66	X(66A, B, D)	8	289 4/B		x	x			x			P	A		2	
66	X(71A, B)	6	200	1240	x				x		M		N	Yellow ▲	2	★ C6DZ 5310-A
66	X(71A, B)	6	200		x							P	N		2	r/b C6DZ 5310-C
66	X(71A, B)	6	200	1325					x			P	N	Brown ▲	2	C6DZ 5310-C
66	X(71A, B)	6	200		x				x		M	P	A		2	
66	X(71A, B)-H/D	6	200	1310	x				x		M	P	N	Red ▲	2	★C6OZ 5310-R
66	X(71A, B)-H/D	6	200		x				x		M		A		2	r/b C6OZ 5310-J
66	X(71A, B)-H/D	6	200		x							P	A		2	
66	X(71A)-H/D	6	200						x			P	A		2	
66	X(71B)-H/D	6	200	1400					x			P	A	Gold △	2	C6OZ 5310-J
66	X(71A, B)	8	289	1410	x				x		M	P	N	Pink ▲	2	★C6DZ 5310-D
																r/b C6OZ 5310-C
66	X(71A, B)	8	289	1490	x				x		M	P	A	Green △	2	C6OZ 5310-C
66	X(71A, B)-H/D	8	289	1400	x				x		M	P	N	Gold △	2	C6OZ 5310-J
66	X(71A, B)-H/D	8	289	1490	x				x		M	P	A	Pink △	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC
					"X" (FALCON) -- WITH THERMACTOR - BEFORE 10/1/65											
66	X(54A, B)	6	170, 200	1400	x				x		M	P	N	Gold △	2	C6OZ 5310-J
66	X(54A, B)	6	170, 200		x						M		A		2	
66	X(54A, B)	6	170, 200	1490					x		M	P	A	Pink △	2	★C6OZ 5310-K
66	X(54A, B)	6	170, 200		x							P	A		2	r/b C6OZ 5310-AC
66	X(54A, B)	8	289	1490	x				x		M		N	Green △	2	C6OZ 5310-C
66	X(54A, B)	8	289	1570		x					M	P	N	Red △	2	★C6OZ 5310-D
66	X(54A, B)	8	289		x				x			P	N		2	r/b C6OZ 5310-C
66	X(54A, B)	8	289		x	x			x		M		A		2	
66	X(54A, B)	8	289	1655	x	x			x			P	A	Yellow △	2	★C6OZ 5310-E
																r/b C6OZ 5310-AC

● Recommended to be serviced in pairs only △ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
	"X" (FALCON) -- WITH THERMACTOR - BEFORE 10/1/65 - continued															
66	X(62A, B)	6	170	1310	x						M		N	Red ▲	2	★C6OZ 5310-R
																r/b C6OZ 5310-J
66	X(62A, B)	6	170	1400					x		M	P	N	Gold Δ	2	C6OZ 5310-J
66	X(62A, B)	6	170		x							P	N		2	
66	X(62A, B)	6	170		x						M	P	A		2	
66	X(62A, B)	6	170	1490					x		M	P	A	Pink Δ	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC
66	X(62A, B, C)	6	200	1400	x				x		M	P	N	Gold Δ	2	C6OZ 5310-J
66	X(62A, B, C)	6	200		x						M		A		2	
66	X(62A, B, C)	6	200	1490					x		M	P	A	Pink Δ	2	★C6OZ 5310-K
66	X(62A, B, C)	6	200		x							P	A		2	r/b C6OZ 5310-AC
66	X(62A, B, C)	8	289	1490	x						M		N	Green Δ	2	C6OZ 5310-C
66	X(62A, B)	8	289						x		M		N		2	
66	X(62A)	8	289			x					M		N		2	
66	X(62C)	8	289	1570					x		M		N	Red Δ	2	★C6OZ 5310-D
66	X(62B, C)	8	289			x					M		N		2	r/b C6OZ 5310-C
66	X(62A, B, C)	8	289		x	x			x			P	N		2	
66	X(62A, B, C)	8	289		x	x			x		M		A		2	
66	X(62A, B)	8	289		x				x			P	A		2	
66	X(62C)	8	289	1655	x				x			P	A	Yellow Δ	2	★C6OZ 5310-E
66	X(62A, B, C)	8	289			x						P	A		2	r/b C6OZ 5310-AC
66	X(66A, B, D)	6	170	1240	x						M		N	Yellow ▲	2	★C6DZ 5310-A
66	X(66A, B)	6	170						x		M		N		2	r/b C6DZ 5310-C
66	X(66A, B)	6	170		x							P	N		2	
66	X(66D)	6	170	1325					x		M		N	Brown ▲	2	C6DZ 5310-C
66	X(66D)	6	170		x							P	N		2	
66	X(66A, B, D)	6	170						x			P	N		2	
66	X(66A, B, D)	6	170		x						M	P	A		2	
66	X(66A, B, D)	6	170						x		M		A		2	
66	X(66A)	6	170						x			P	A		2	
66	X(66B, D)	6	170	1410					x			P	A	Pink ▲	2	★C6DZ 5310-D
																r/b C6OZ 5310-C
66	X(66A, B, D)	6	200	1240	x						M		N	Yellow ▲	2	★C6DZ 5310-A
66	X(66A)	6	200						x		M		N		2	r/b C6DZ 5310-C
66	X(66A)	6	200		x							P	N		2	
66	X(66B, D)	6	200	1325					x		M		N	Brown ▲	2	C6DZ 5310-C
66	X(66B, D)	6	200		x							P	N		2	
66	X(66A, B, D)	6	200						x			P	N		2	
66	X(66A, B, D)	6	200		x						M	P	A		2	
66	X(66A, B, D)	6	200						x		M		A		2	
66	X(66A, B, D)	6	200	1410					x			P	A	Pink ▲	2	★C6DZ 5310-D
																r/b C6OZ 5310-C
66	X(66A, B, D)	8	289 2/B	1410	x	x			x		M		N	Pink ▲	2	★C6DZ 5310-D
66	X(66A, B, D)	8	289 2/B		x				x			P	N		2	r/b C6OZ 5310-C
66	X(66A, B)	8	289 2/B			x						P	N		2	
66	X(66D)	8	289 2/B	1490		x						P	N	Green Δ	2	C6OZ 5310-C
66	X(66A, B, D)	8	289 2/B		x	x			x		M	P	A		2	

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued

1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"X" (FALCON -- WITH THERMACTOR - BEFORE 10/1/65 - continued											
66	X(66A, B, D)	8	289 4/B	1410	x	x			x		M		N	Pink ▲	2	★C6DZ 5310-D
66	X(66A, B, D)	8	289 4/B		x							P	N		2	r/b C6OZ 5310-C
66	X(66A, B)	8	289 4/B						x			P	N		2	
66	X(66A)	8	289 4/B			x						P	N		2	
66	X(66D)	8	289 4/B	1490					x			P	N	Green Δ	2	C6OZ 5310-C
66	X(66B, D)	8	289 4/B			x						P	N		2	
66	X(66A, B, D)	8	289 4/B		x	x			x		M	P	A		2	
66	X(71A, B)	6	200	1240	x						M		N	Yellow ▲	2	★C6DZ 5310-A
																r/b C6DZ 5310-C
66	X(71A, B)	6	200	1325					x		M	P	N	Brown ▲	2	C6DZ 5310-C
66	X(71A, B)	6	200		x							P	N		2	
66	X(71A, B)	6	200		x						M	P	A		2	
66	X(71A, B)	6	200						x		M		A		2	
66	X(71A, B)	6	200	1410					x			P	A	Pink ▲	2	★C6DZ 5310-D
																r/b C6OZ 5310-C
66	X(71A, B)	8	289	1410	x				x		M	P	N	Pink ▲	2	★C6DZ 5310-D
																r/b C6OZ 5310-C
66	X(71A, B)	8	289	1490	x				x		M	P	A	Green Δ	2	C6OZ 5310-C
					"X" (FALCON) -- WITH THERMACTOR - FROM 10/1/65 TO 2/14/66											
66	X(54A, B)	6	170	1400	x				x		M	P	N	Gold	2	C6OZ 5310-J
66	X(54A, B)	6	170		x						M		A		2	
66	X(54A, B)	6	170	1490					x		M	P	A	Pink	2	★C6OZ 5310-K
66	X(54A, B)	6	170		x							P	A		2	r/b C6OZ 5310-AC
66	X(54A, B)	6	200	1400	x				x		M	P	N	Gold	2	C6OZ 5310-J
66	X(54A)	6	200		x						M		A		2	
66	X(54B)	6	200	1490	x						M		A	Pink	2	★C6OZ 5310-K
66	X(54A, B)	6	200		x							P	A		2	r/b C6OZ 5310-AC
66	X(54A, B)	6	200						x		M	P	A		2	
66	X(54A, B)	8	289	1490	x						M		N	Green	2	C6OZ 5310-C
66	X(54A)	8	289						x		M		N		2	
66	X(54B)	8	289	1570					x		M		N	Red	2	★C6OZ 5310-D
66	X(54A, B)	8	289			x					M	P	N		2	r/b C6OZ 5310-C
66	X(54A, B)	8	289		x				x			P	N		2	
66	X(54A, B)	8	289		x	x			x		M	A			2	
66	X(54A, B)	8	289	1655	x	x			x			P	A	Yellow	2	★C6OZ 5310-E
																r/b C6OZ 5310- AC
66	X(62A)	6	170	1310	x						M		N	Red ▲	2	★C6OZ 5310-R
																r/b C6OZ 5310-J
66	X(62B)	6	170	1400	x						M		N	Gold	2	C6OZ 5310-J
66	X(62A, B)	6	170						x		M	P	N		2	
66	X(62A, B)	6	170		x							P	N		2	
66	X(62A, B)	6	170		x						M	P	A		2	
66	X(62A, B)	6	170	1490					x		M	P	A	Pink	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1966 FRONT SPRING APPLICATION CHART

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	TRANSMISSION 4/S	TRANSMISSION O/D	TRANSMISSION C6	TRANSMISSION C4	TRANSMISSION C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
"X" (FALCON) -- WITH THERMACTOR - FROM 10/1/65 TO 2/14/66 - continued																
66	X(62A, B, C)	6	200	1400	x				x		M	P	N	Gold Δ	2	C6OZ 5310-J
66	X(62A, B)	6	200		x						M		A		2	
66	X(62C)	6	200	1490	x						M		A	Pink Δ	2	★C6OZ 5310-K
66	X(62A, B, C)	6	200		x							P	A		2	r/b C6OZ 5310-AC
66	X(62A, B, C)	6	200						x		M	P	A		2	
66	X(62A, B)	8	289	1490	x				x		M		N	Green Δ	2	C6OZ 5310-C
66	X(62A)	8	289			x					M		N		2	
66	X(62C)	8	289	1410	x				x		M		N	Pink ▲	2	★C6OZ 5310-D
66	X(62B, C)	8	289			x					M		N		2	r/b C6OZ 5310-C
66	X(62A, B, C)	8	289		x	x			x			P	N		2	
66	X(62A, B, C)	8	289		x				x		M		A		2	
66	X(62A, B)	8	289			x					M		A		2	
66	X(62A, B)	8	289		x							P	A		2	
66	X(62A)	8	289						x			P	A		2	
66	X(62C)	8	289	1655	x							P	A	Yellow Δ	2	★C6OZ 5310-E
66	X(62B, C)	8	289						x			P	A		2	r/b C6OZ 5310-AC
66	X(62C)	8	289			x					M		A		2	
66	X(62A, B, C)	8	289			x						P	A		2	
66	X(66A, B, D)	6	170	1240	x						M	P	N	Yellow ▲	2	★C6DZ 5310-A
66	X(66A, B)	6	170						x		M		N		2	r/b C6DZ 5310-C
66	X(66D)	6	170	1325					x		M		N	Brown ▲	2	C6DZ 5310-C
66	X(66A, B, D)	6	170						x			P	N		2	
66	X(66A, B, D)	6	170		x						M	P	A		2	
66	X(66A, B, D)	6	170						x		M		A		2	
66	X(66A, B)	6	170						x			P	A		2	
66	X(66D)	6	170	1410					x			P	A	Pink ▲	2	★C6DZ 5310-D r/b C6OZ 5310-C
66	X(66A, B, D)	6	200	1240	x						M		N	Yellow ▲	2	★C6DZ 5310-A
66	X(66A, B)	6	200						x		M		N		2	r/b C6DZ 5310-C
66	X(66A, B)	6	200		x							P	N		2	
66	X(66D)	6	200	1325					x		M		N	Brown ▲	2	C6DZ 5310-C
66	X(66D)	6	200		x							P	N		2	
66	X(66A, B, D)	6	200		x				x		M		A		2	
66	X(66A, B, D)	6	200						x			P	N		2	
66	X(66A, B, D)	6	200		x							P	A		2	
66	X(66A, B)	6	200						x			P	A		2	
66	X(66D)	6	200	1410					x			P	A	Pink ▲	2	★C6DZ 5310-D r/b C6OZ 5310-C
66	X(66A, B, D)	8	289 2/B	1410	x	x			x		M		N	Pink ▲	2	★C6DZ 5310-D
66	X(66A, B, D)	8	289 2/B		x				x			P	N		2	r/b C6OZ 5310-C
66	X(66A, B)	8	289 2/B			x						P	N		2	
66	X(66D)	8	289 2/B	1325		x						P	N	Brown ▲	2	C6OZ 5310-C
66	X(66A, B, D)	8	289 2/B		x	x			x		M	P	A		2	
66	X(66A, B, D)	8	289 4/B	1410	x	x			x		M		N	Pink ▲	2	★C6DZ 5310-D
66	X(66A, B, D)	8	289 4/B		x				x			P	N		2	r/b C6OZ 5310-C
66	X(66A, B)	8	289 4/B			x						P	N		2	
66	X(66D)	8	289 4/B	1325		x						P	N	Brown ▲	2	C6OZ 5310-C
66	X(66A, B, D)	8	289 4/B		x	x			x		M	P	A		2	

● Recommended to be serviced in pairs only Δ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	•PART NUMBER
	"X" (FALCON) -- WITH THERMACTOR -FROM 10/1/65 TO 2/14/66 - continued															
66	X(71A, B)	6	200	1240	x						M		N	Yellow ▲	2	★C6DZ 5310-A
66	X(71A)	6	200						x		M		N		2	r/b C6DZ 5310-C
66	X(71B)	6	200	1325					x		M		N	Brown ▲	2	C6DZ 5310-C
66	X(71A, B)	6	200		x				x			P	N		2	
66	X(71A, B)	6	200		x				x		M		A		2	
66	X(71A, B)	6	200		x							P	A		2	
66	X(71A, B)	6	200	1410					x			P	A	Pink ▲	2	★C6DZ 5310-D r/b C6OZ 5310-C
66	X(71A, B)	8	289	1410	x				x		M	P	N	Pink ▲	2	★C6DZ 5310-D
66	X(71A, B)	8	289		x				x		M	P	A		2	r/b C6OZ 5310-C
	"X" (FALCON) -- WITH THERMACTOR - FROM 2/14/66															
66	X(54A, B)	6	170	1400	x				x		M	P	N	Gold	2	C6OZ 5310-J
66	X(54A, B)	6	170		x						M		A		2	
66	X(54A, B)	6	170	1490					x		M	P	A	Pink	2	★C6OZ 5310-K
66	X(54A, B)	6	170		x							P	A		2	r/b C6OZ 5310-AC
66	X(54A, B)	6	200	1400	x				x		M	P	N	Gold	2	C6OZ 5310-J
66	X(54A)	6	200		x						M		A		2	
66	X(54B)	6	200	1490	x						M		A	Pink Δ	2	★C6OZ 5310-K
66	X(54A, B)	6	200		x							P	A		2	r/b C6OZ 5310-AC
66	X(54A, B)	6	200						x		M	P	A		2	
66	X(54A, B)	8	289	1490	x						M		N	Green	2	C6OZ 5310-C
66	X(54A)	8	289						x		M		N		2	
66	X(54B)	8	289	1570					x		M		N	Red	2	★C6OZ 5310-D
66	X(54A, B)	8	289			x					M		N		2	r/b C6OZ 5310-C
66	X(54A, B)	8	289		x	x			x			P	N		2	
66	X(54A, B)	8	289		x	x			x		M		A		2	
66	X(54A, B)	8	289	1655	x	x			x			P	A	Yellow ▲	2	★C6OZ 5310-E r/b C6OZ 5310- AC
66	X(62A)	6	170	1760	x						M		N	Green ▲	2	★C6OZ 5310-R r/b C6OZ 5310-J
66	X(62B)	6	170	1400	x						M		N	Gold	2	C6OZ 5310-J
66	X(62A, B)	6	170						x		M		N		2	
66	X(62A, B)	6	170		x				x			P	N		2	
66	X(62A, B)	6	170		x						M	P	A		2	
66	X(62A, B)	6	170	1490					x		M	P	A	Pink ▲	2	★C6OZ 5310-K r/b C6OZ 5310-AC
66	X(62A, B, C)	6	200	1400	x				x		M	P	N	Gold	2	C6OZ 5310-J
66	X(62A, B)	6	200		x						M		A		2	
66	X(62C)	6	200	1490	x						M		A	Pink ▲	2	★C6OZ 5310-K
66	X(62A, B, C)	6	200		x							P	A		2	r/b C6OZ 5310-AC
66	X(62A, B, C)	6	200						x		M	P	A		2	
66	X(62A, B)	8	289	1490	x				x		M		N	Green	2	C6OZ 5310-C
66	X(62A)	8	289			x					M		N		2	
66	X(62C)	8	289	1570	x				x		M		N	Red	2	★C6OZ 5310-D
66	X(62B, C)	8	289			x					M		N		2	r/b C6OZ 5310-C
66	X(62A, B, C)	8	289		x	x			x			P	N		2	
66	X(62A, B, C)	8	289		x				x		M		A		2	
66	X(62A, B)	8	289			x					M		A		2	
66	X(62A, B)	8	289		x							P	A		2	
66	X(62A)	8	289						x			P	A		2	

• Recommended to be serviced in pairs only Δ Daub ▲ Stripe
A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1966 FRONT SPRING APPLICATION CHART**

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	LOAD (LBS.)	TRANSMISSION 3/S	4/S	O/D	C6	C4	C/M	STRG. MANUAL	STRG. POWER	A/C	MARKINGS	QTY.	●PART NUMBER
					"X" (FALCON) -- WITH THERMACTOR - FROM 2/14/66 - continued											
66	X(62C)	8	289	1655	x							P	A	Yellow ▲	2	★C6OZ 5310-E
66	X(62B, C)	8	289						x			P	A		2	r/b C6OZ 5310-AC
66	X(62C)	8	289			x					M		A		2	
66	X(62A, B, C)	8	289			x						P	A		2	
66	X(66A)	6	170	1240	x				x		M		N	Yellow ▲	2	★C6DZ 5310-A
66	X(66A)	6	170		x							P	N		2	r/b C6DZ 5310-C
66	X(66A)	6	170	1325					x			P	N	Brown ▲	2	C6DZ 5310-C
66	X(66A)	6	170		x				x		M	P	A		2	
66	X(66A, B, D)	6	200	1240	x						M		N	Yellow ▲	2	★C6DZ 5310-A
66	X(66A, B)	6	200						x		M		N		2	r/b C6DZ 5310-C
66	X(66A, B)	6	200		x						M		P		2	
66	X(66D)	6	200	1325					x		M		N	Brown ▲	2	C6DZ 5310-C
66	X(66D)	6	200		x							P	N		2	
66	X(66A, B, D)	6	200						x			P	N		2	
66	X(66A, B, D)	6	200		x						M	P	A		2	
66	X(66A, B, D)	6	200						x		M		A		2	
66	X(66A, B)	6	200						x			P	A		2	
66	X(66D)	6	200	1410					x			P	A	Pink ▲	2	★C6DZ 5310-D
																r/b C6OZ 5310-C
66	X(66A, B, D)	8	289 2/B	1410	x	x			x		M		N	Pink ▲	2	★C6DZ 5310-D
66	X(66A, B, D)	8	289 2/B		x				x			P	N		2	r/b C6OZ 5310-C
66	X(66A, B)	8	289 2/B			x						P	N		2	
66	X(66D)	8	289 2/B	1490		x						P	N	Green △	2	C6OZ 5310-C
66	X(66A, B, D)	8	289 2/B		x	x			x		M	P	A		2	
66	X(66A, B, D)	8	289 4/B	1410	x	x			x		M		N	Pink ▲	2	★C6DZ 5310-D
66	X(66A, B, D)	8	289 4/B		x				x			P	N		2	r/b C6OZ 5310-C
66	X(66A, B)	8	289 4/B			x						P	N		2	
66	X(66D)	8	289 4/B	1490		x						P	N	Green △	2	C6OZ 5310-C
66	X(66A, B, D)	8	289 4/B		x	x			x		M	P	A		2	
66	X(71A, B)	6	200	1240	x						M		N	Yellow ▲	2	★C6DZ 5310-A
66	X(71A)	6	200						x		M		N		2	r/b C6OZ 5310-C
66	X(71B)	6	200	1325					x		M		N	Brown ▲	2	C6DZ 5310-C
66	X(71A, B)	6	200		x				x			P	N		2	
66	X(71A, B)	6	200		x						M	P	A		2	
66	X(71A, B)	6	200						x		M		A		2	
66	X(71A, B)	6	200	1410					x			P	A	Pink ▲	2	★C6DZ 5310-D
																r/b C6OZ 5310-C
66	X(71A, B)-H/D	6	200	1310	x				x		M	P	N	Red ▲	2	★C6OZ 5310-R
66	X(71A, B)-H/D	6	200		x						M	P	A		2	r/b C6OZ 5310-J
66	X(71A, B)-H/D	6	200						x		M		A		2	
66	X(71A, B)-H/D	6	200	1400					x			P	A	Gold △	2	C6OZ 5310-J
66	X(71A, B)	8	289	1410	x				x		M	P	N	Pink ▲	2	★C6DZ 5310-D
																r/b C6OZ 5310-C
66	X(71A, B)	8	289	1490	x				x		M	P	A	Green △	2	C6OZ 5310-C
66	X(71A, B)-H/D	8	289	1400	x				x		M	P	N	Gold △	2	C6OZ 5310-J
66	X(71A, B)-H/D	8	289	1490	x				x		M	P	A	Pink △	2	★C6OZ 5310-K
																r/b C6OZ 5310-AC

● Recommended to be serviced in pairs only △ Daub ▲ Stripe

A - Air Conditioning M - Manual Steering N - Less Air Conditioning P - Power Steering

5310 SPRING (FRONT COIL)

HOW TO FIND 1967 FRONT SPRING PART NUMBERS

1) To determine Front Spring Part Number you must know:

   a) YEAR
   b) CAR LINE
   c) BODY TYPE
   d) ENGINE
   e) Whether SPRING required is STANDARD or HEAVY DUTY.
   f) TRANSMISSION
   g) Whether car is equipped with AIR CONDITIONING, POWER STEERING or BOTH.

2) Using this information, refer to the listing on the following pages.

3) Locate the appropriate Front Spring Code Number.

4) **Translate the Code Number into a Service Part Number by referring to the Cross Reference listing starting on page 1 of Section 53.**

   Read down to locate correct Code Number.
   Read across to locate Front Spring Part Number.
   (Color Identification, Normal Load, Number of Coils, Wire Diameter and Free Length are also listed).

EXAMPLE:

a) Year 1967
b) Car Line FORD
c) Body Type 63B
d) Engine 390-2V
e) Spring Type STANDARD - R. H.
f) Transmission C/M (Cruise-O-Matic)
g) Additional Equipment P/S (Power Steering)

Front Spring Code Number listed is 95.

Part Number shown for Code 95 (Section 53 page 4) is C6AZ 5310-E.

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
1967 "A" (FORD) -- STANDARD SPRINGS - WITHOUT THERMACTOR																													
54A (exc.P/C)	240	91	91	91	93					91	91	91	93					91	91	91	93								
54A(P/C)	240	3X	3Y	3X	3Y					3X	3Y	3X	3Y	3X	3Y	3X	3Y												
54A (exc.P/C)	289	91	93	91	93					91	93	91	94	91	93	91	94	91	93	91	93								
54A(P/C)	289	3X	3Y	3X	3Z					3X	3Y	3Y	3Z	3X	3Y	3Y	3Z												
54A (exc.P/C)	390-2	93	95	94	96									94	95	94	96					93	95	94	96				
54A(P/C)	390-2	3Y	4A	3Z	4A																	3Z	4A	3Z	4A				
54A (exc.P/C)	390-4	93	95	94	96	93	95	94	96													94	95	94	96				
54A(P/C)	390-4	96	4A	3Z	4A	3Z	4A	3Z	4A													3Z	4A	3Z	4A				
54A (exc.P/C)	428					93	95	94	96													94	95	94	96				
54A(P/C)	428					3Y	4A	3Z	4A													3Z	4A	3Z	4A				
54A	427-4					1D	1E	1D	1F																				
54A	427-8					1D	1E	1E	1F																				
54B (exc.P/C)	240	91	91	91	93					91	91	91	93					91	91	91	93								
54B(P/C)	240	3X	3Y	3X	3Y					3X	3Y	3X	3Y	3X	3Y	3X	3Y												
54B (exc.P/C)	289	91	93	91	93					91	93	91	93	91	93	91	94	91	93	91	93								
54B(P/C)	289	3X	3Y	3X	3Y					3X	3Y	3X	3X	3X	3Y	3Y	3Z												
54B (exc.P/C)	390-2	93	95	94	96									93	95	94	96					93	95	94	96				
54B(P/C)	390-2	3Y	3Z	3Z	4A																	3Y	4A	3Z	4A				
54B (exc.P/C)	390-4	93	95	94	95	93	95	94	96													93	95	94	96				
54B(P/C)	390-4	3Y	3Z	3Z	4A	3Y	4A	3Z	4A													3Z	4A	3Z	4A				
54B (exc.P/C)	428					93	95	94	95													93	95	94	96				
54B(P/C)	428					3Y	3Z	3Z	4A													3Z	4A	3Z	4A				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1967 "A" (FORD) -- STANDARD SPRINGS - WITHOUT THERMACTOR - continued**

BODY TYPE	TRANS. →	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54B	427-4					1D	1E	1D	1F																				
54B	427-8					1D	1E	1E	1F																				
54C	289													91	93	91	94	91	93	91	94								
54C	390-2	93	95	94	96									94	95	94	96					94	95	94	96				
54C	390-4					94	95	94	96													94	95	94	96				
54C	427					1D	1E	1E	1F																				
54C	428					93	95	94	96													94	95	94	96				
54E (exc.P/C)	240	91	91	91	93					91	91	91	93					91	91	91	93								
54E(P/C)	240	3X	3Y	3X	3Y					3X	3Y	3X	3Y	3X	3Y	3X	3Y												
54E (exc.P/C)	289	91	93	91	93					91	93	91	94	91	93	91	94	91	93	91	93								
54E(P/C)	289	3X	3Y	3X	3Z					3X	3Y	3Y	3Z	3X	3Y	3Y	3Z												
54E (exc.P/C)	390-2	93	95	94	96									94	95	94	96					93	95	94	96				
54E(P/C)	390-2	3Y	3Z	3Z	4A																	3Z	4A	3Z	4A				
54E (exc.P/C)	390-4	93	95	94	96	93	95	94	96													94	95	94	96				
54E(P/C)	390-4	3Y	4A	3Z	4A	3Y	4A	3Z	4A													3Z	4A	3Z	4A				
54E (exc.P/C)	428					93	95	94	96													93	95	94	96				
54E(P/C)	428					3Y	4A	3Z	4A													3Z	4A	3Z	4A				
54E	427-4					1D	1E	1D	1F																				
54E	427-8					1D	1E	1E	1F																				
57B	240	91	93	91	93					91	93	91	94					91	93	91	93								
57B	289	91	93	91	94					91	93	91	94	91	94	93	94	91	93	91	94								
57B	390-2	94	95	94	96									94	96	95	96					94	95	95	96				
57B	390-4	94	95	94	96	94	95	95	96													94	96	95	96				
57B	427					1D		1E																					
57B	428					94	95	94	96													94	96	95	96				
57F	289													91	94	93	95	91	94	93	94								
57F	390-2	94	96	95	96									94	96	95	97					94	96	95	96				
57F	390-4	94	96	95	96	94	96	95	96													94	96	95	97				
57F	427					1E	1F	1E	1F																				
57F	428					94	96	95	96													94	96	95	97				
62B (exc.P/C)	240	91	91	91	91					91	91	91	93					91	91	91	91								
62B(P/C)	240	3W	3Y	3X	3Y					3W	3Y	3X	3Y	3W	3Y	3X	3Y												
62B (exc.P/C)	289	91	91	91	93					91	91	91	93	91	93	91	93	91	91	91	93								
62B(P/C)	289	3X	3Y	3X	3Y					3X	3Y	3X	3Y	3X	3X	3Y	3X	3Y											
62B (exc.P/C)	390-2	93	94	93	95									93	95	94	95					93	95	94	95				
62B(P/C)	390-2	3Y	3Z	3Z	4A																	3Y	3Z	3Z	4A				
62B (exc.P/C)	390-4	93	94	94	95	93	95	94	95													93	95	94	95				
62B(P/C)	390-4	3Y	3Z	3Z	4A	3Y	3Z	3Z	4A													3Y	3Z	3Z	4A				
62B (exc.P/C)	428					93	95	94	95													93	95	94	95				
62B(P/C)	428					3Y	3Z	3Z	4A													3Y	3Z	3Z	4A				
62B	427-4					1D	1E	1D	1E																				
62B	427-8					1D	1E	1D	1F																				
62E (exc.P/C)	240	91	91	91	93					91	91	91	93					91	91	91	91								
62E(P/C)	240	3W	3Y	3X	3Y					3W	3Y	3X	3Y	3W	3Y	3X	3Y												
62E (exc.P/C)	289	91	91	91	93					91	91	91	93	91	93	91	93	91	91	91	93								
62E(P/C)	289	3X	3Y	3X	3Y					3X	3Y	3X	3Y	3X	3X	3Y	3X	3Y											
62E (exc.P/C)	390-2	93	94	94	95									93	95	94	95					93	95	94	95				
62E(P/C)	390-2	3Y	3Z	3Z	4A																	3Y	3Z	3Z	4A				
62E (exc.P/C)	390-4	93	95	94	95	93	95	94	95													93	95	94	95				
62E(P/C)	390-4	3Y	3Z	3Z	4A	3Y	3Z	3Z	4A													3Y	3Z	3Z	4A				
62E (exc.P/C)	428					93	95	94	95													93	95	94	95				
62E(P/C)	428					3Y	3Z	3Z	4A													3Y	3Z	3Z	4A				
62E	427-4					1D	1E	1D	1E																				
62E	427-8					1D	1E	1D	1F																				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

5310- continued — 1967 "A" (FORD) -- STANDARD SPRINGS - WITHOUT THERMACTOR - continued

BODY TYPE	TRANS. →	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	F/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
63B-RH	240	91	93	91	94					91	93	91	94					91	93	91	94								
63B-LH	240	91	91	91	93					91	91	91	93					91	91	91	93								
63B-RH	289	91	94	93	94					91	94	93	95	91	94	93	95	91	94	93	95								
63B-LH	289	91	93	91	93					91	93	91	94	91	93	91	94	91	93	91	93								
63B-RH	390-2	94	96	95	96									94	96	95	97					94	96	95	97				
63B-LH	390-2	93	95	94	95									93	95	94	96					93	95	94	96				
63B-RH	390-4	94	96	95	97	94	96	95	97													95	96	95	97				
63B-LH	390-4	93	95	94	96	93	95	94	96													94	95	94	96				
63B-RH	427-4					1E	1F	1E	1G																				
63B-LH	427-4					1D	1E	1D	1F																				
63B-RH	427-8					1E	1F	1F	1G																				
63B-LH	427-8					1D	1E	1E	1F																				
63B-RH	428					94	96	95	97													95	95	95	97				
63B-LH	428					93	95	94	96													95	97	97	97				
63C-RH	289									93	94	93	95	93	94	93	95	93	94	93	95								
63C-LH	289									91	93	91	94	91	93	91	94	91	93	91	94								
63C-RH	390-2	95	97	96	97									95	97	96	97					95	97	96	97				
63C-LH	390-2	94	96	95	96									94	96	95	96					94	96	95	96				
63C-RH	390-4					95	97	96	97													95	97	96	97				
63C-LH	390-4					94	96	95	96													94	96	95	96				
63C-RH	427-4					1E	1G	1F	1G																				
63C-LH	427-4					1D	1F	1E	1F																				
63C-RH	427-8					1F	1G	1F	1G																				
63C-LH	427-8					1E	1F	1E	1F																				
63C-RH	428					95	97	96	97													94	94	94	96				
63C-LH	428					94	96	95	96													94	96	96	96				
63J-RH	289									93	94	93	95	93	94	93	95	93	94	93	95								
63J-LH	289									91	93	91	94	91	94	91	94	91	93	91	94								
63J-RH	390-2	95	97	96	97									95	97	96	97					95	97	96	97				
63J-LH	390-2	94	96	95	96									94	96	95	96					94	96	95	96				
63J-RH	390-4					95	97	96	97													95	97	96	97				
63J-LH	390-4					94	96	95	96													94	96	95	96				
63J-RH	427-4					1E	1G	1F	1G																				
63J-LH	427-4					1D	1F	1E	1F																				
63J-RH	427-8					1F	1G	1F	1G																				
63J-LH	427-8					1E	1F	1E	1F																				
63J-RH	428					95	97	96	97													95	97	97	97				
63J-LH	428					94	96	95	96													94	96	96	96				
71A †	240	91	91	91	91					91	91	91	91					91	91	91	91								
71A #	240	1B	1B	1B	1B					1B	1B	1B	1B					1B	1B	1B	1B								
71A †	289	91	91	91	91					91	91	91	91	91	91	91	93	91	91	91	91								
71A #	289	1B	1B	1B	1D					1B	1B	1B	1D	1B	1B	1B	1D	1B	1B	1B	1D								
71A †	390-2	91	94	93	94									91	94	93	95					91	94	93	95				
71A #	390-2	1B	1D	1D	1D									1D	1D	1D	1E					1D	1D	1D	1E				
71A †	390-4	91	94	93	94																	91	94	93	95				
71A #	390-4	1B	1D	1D	1D																	1D	1D	1D	1E				
71A †	428																					91	94	93	95				
71A #	428																					1D	1D	1D	1E				
71B ◊	240	91	91	91	91					91	91	91	91					91	91	91	91								
71B Δ	240	1B	1B	1B	1B					1B	1B	1B	1B					1B	1B	1B	1B								
71B ††	240	3W	3X	3W	3X					3W	3X	3W	3X	3W	3X	3W	3Y												
71B ##	240	3W	3X	3W	3X					3W	3X	3W	3X	3W	3X	3W	3Y												

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

† Before 11/1/66 — †† P/C Before 11/1/66 — ◊ Except P/C Before 11/1/66

From 11/1/66 — ## P/C From 11/1/66 — Δ Except P/C From 11/1/66

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1967 "A" (FORD) -- STANDARD SPRINGS - WITHOUT THERMACTOR - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
71B ◊	289	91	91	91	91					91	91	91	91	91	91	91	91	91	91	91	91								
71B △	289	1B	1B	1B	1B					1B	1B	1B	1D	1B	1B	1B	1D	1B	1B	1B	1B								
71B ††	289	3W	3X	3W	3Y					3W	3X	3W	3Y	3W	3X	3X	3Y												
71B ##	289	3W	3X	3W	3Y					3W	3X	3W	3Y	3W	3X	3X	3Y												
71B ◊	390-2	91	93	91	94									91	94	93	94					91	94	93	94				
71B △	390-2	1B	1D	1D	1D									1B	1D	1D	1D					1B	1D	1D	1D				
71B(P/C)	390-2	3X	3Z	3Y	3Z																	3Y	3Z	3Y	3Z				
71B ◊	390-4	91	94	93	94																	91	94	93	94				
71B △	390-4	1B	1D	1D	1D																	1B	1D	1D	1D				
71B(P/C)	390-4	3Y	3Z	3Y	3Z																	3Y	3Z	3Y	3Z				
71B ◊	428																					91	94	93	94				
71B △	428																					1B	1D	1D	1D				
71B(P/C)	428																					3Y	3Z	3Y	3Z				
71C ◊	240	91	91	91	91					91	91	91	91					91	91	91	91								
71C △	240	1B	1B	1B	1B					1B	1B	1B	1B					1B	1B	1B	1B								
71C ††	240	3W	3X	3W	3Y					3W	3X	3W	3Y	3W	3X	3X	3Y												
71C ##	240	3W	3X	3W	3Y					3W	3X	3W	3Y	3W	3X	3X	3Y												
71C ◊	289	91	91	91	91					91	91	91	93	91	91	91	93	91	91	91	91								
71C △	289	1B	1B	1B	1D					1B	1B	1B	1D	1B	1B	1B	1D	1B	1B	1B	1D								
71C ††	289	3W	3X	3X	3Y					3W	3Y	3X	3Y	3W	3Y	3X	3Y												
71C ##	289	3W	3X	3X	3Y					3W	3Y	3X	3Y	3W	3Y	3X	3Y												
71C ◊	390-2	91	94	93	95									91	94	93	95					91	94	93	95				
71C △	390-2	1D	1D	1D	1E									1D	1D	1D	1E					1D	1D	1D	1E				
71C(P/C)	390-2	3Y	3Z	3Y	3Z																	3Y	3Z	3Y	3Z				
71C ◊	390-4	91	94	93	95																	93	94	93	95				
71C △	390-4	1D	1D	1D	1E																	1D	1D	1D	1E				
71C(P/C)	390-4	3Y	3Z	3Y	3Z																	3Y	3Z	3Y	3Z				
71C ◊	428																					91	94	93	95				
71C △	428																					1D	1D	1D	1E				
71C(P/C)	428																					3Y	3Z	3Y	3Z				
71D ◊	240	91	91	91	91					91	91	91	91					91	91	91	91								
71D △	240	1B	1B	1B	1B					1B	1B	1B	1B					1B	1B	1B	1B								
71D ††	240	3W	3X	3W	3X					3W	3X	3W	3X	3W	3X	3W	3X												
71D ##	240	3W	3X	3W	3X					3W	3X	3W	3X	3W	3X	3W	3X												
71D ◊	289	91	91	91	91					91	91	91	91	91	91	91	91	91	91	91	91								
71D △	289	1B	1B	1B	1B					1B	1B	1B	1B	1B	1B	1B	1D	1B	1B	1B	1B								
71D ††	289	3W	3X	3W	3Y					3W	3X	3W	3Y	3W	3X	3X	3Y												
71D ##	289	3W	3X	3W	3Y					3W	3X	3W	3Y	3W	3X	3X	3Y												
71D ◊	390-2	91	93	91	94									91	94	93	94					91	94	93	94				
71D △	390-2	1B	1D	1D	1D									1B	1D	1D	1D					1B	1D	1D	1D				
71D(P/C)	390-2	3X	3Z	3Y	3Z																	3Y	3Z	3Y	3Z				
71D ◊	390-4	91	94	91	94																	91	94	93	94				
71D △	390-4	1B	1D	1D	1D																	1B	1D	1D	1D				
71D(P/C)	390-4	3Y	3Z	3Y	3Z																	3Y	3Z	3Y	3Z				
71D ◊	428																					91	94	93	94				
71D △	428																					1B	1D	1D	1D				
71D(P/C)	428																					3Y	3Z	3Y	3Z				
71E †	240	91	91	91	91					91	91	91	91					91	91	91	91								
71E #	240	1B	1B	1B	1B					1B	1B	1B	1B					1B	1B	1B	1B								
71E †	289	91	91	91	91					91	91	91	91	91	91	91	91	91	91	91	91								
71E #	289	1B	1B	1B	1D					1B	1B	1B	1D	1B	1B	1B	1D	1B	1B	1B	1B								

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

† Before 11/1/66 †† P/C Before 11/1/66 ◊ Except P/C Before 11/1/66

From 11/1/66 ## P/C From 11/1/66 △ Except P/C From 11/1/66

5310 - continued — 1967 "A" (FORD) -- STANDARD SPRINGS - WITHOUT THERMACTOR - continued

BODY TYPE	TRANS. →	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
71E †	390-2	91	94	93	94									91	94	93	95					91	94	93	94				
71E #	390-2	1B	1D	1D	1D									1D	1D	1D	1E					1B	1D	1D	1D				
71E †	390-4	91	94	93	94																	91	94	93	95				
71E #	390-4	1B	1D	1D	1D																	1D	1D	1D	1E				
71E †	428																					91	94	93	95				
71E #	428																					1D	1D	1D	1E				
76A-RH	240	93	94	93	95					93	95	93	95					93	94	93	95								
76A-LH	240	91	93	91	94					91	94	91	94					91	93	91	94								
76A-RH	289	93	95	94	96					93	95	94	96	93	95	94	96	93	95	94	95								
76A-LH	289	91	94	93	95					91	94	93	95	91	94	93	95	91	94	93	94								
76A-RH	390-2	95	97	96	97									96	97	96	97					96	97	96	97				
76A-LH	390-2	94	96	95	97									95	96	95	97					95	96	95	97				
76A-RH	390-4	95	97	96	97	95	97	96	97													96	97	96	97				
76A-LH	390-4	94	96	95	97	94	96	95	97													95	96	95	97				
76A-RH	427					1F	1G	1F	1H																				
76A-LH	427					1E	1F	1E	1G																				
76A-RH	428					95	97	96	97													96	97	96	97				
76A-LH	428					94	96	95	97													95	96	95	97				
76B-RH	289																	94	95	94	96								
76B-LH	289																	93	94	93	95								
76B-RH	390-2																					96	97	97	97				
76B-LH	390-2																					95	97	96	97				
76B-RH	390-4					96	97	97	97													96	97	97	97				
76B-LH	390-4					95	97	96	97													95	97	96	97				
67B-RH	427-4					1F	1G	1G	1H																				
76B-LH	427-4					1E	1F	1F	1G																				
76B-RH	427-8					1F	1H	1G	1H																				
76B-LH	427-8					1E	1G	1F	1G																				
76B-RH	428					96	97	97	97													96	97	97	97				
76B-LH	428					95	97	96	97													95	97	96	97				

1967 "A" (FORD) -- HEAVY DUTY SPRINGS - WITHOUT THERMACTOR

54A *	240	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
54A ‡	240	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1B	1B	1D								
54A	289	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
54A *	390-2	1D	1E	1D	1E									1D	1E	1D	1F					1D	1E	1D	1F				
54A ‡	390-2	1D	1E	1D	1E									1D	1E	1D	1E					1D	1E	1D	1E				
54A *	390-4	1D	1E	1D	1E	1D	1E	1D	1E													1D	1E	1D	1F				
54A ‡	390-4	1D	1E	1D	1E	1D	1E	1D	1E													1D	1E	1D	1E				
54A *	428					1D	1E	1D	1E													1D	1E	1D	1F				
54A ‡	428					1D	1E	1D	1E													1D	1E	1D	1E				
54B *	240	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1B	1B	1D								
54B ‡	240	1B	1B	1B	1D					1B	1B	1B	1D	1B	1D	1B	1D	1B	1B	1B	1D								
54B	289	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
54B	390-2	1D	1E	1D	1E									1D	1E	1D	1E					1D	1E	1D	1E				
54B *	390-4	1D	1E	1D	1E	1D	1E	1D	1E													1D	1E	1D	1F				
54B ‡	390-4	1D	1E	1D	1E	1D	1E	1D	1E													1D	1E	1D	1E				
54B	428					1D	1E	1D	1E													1D	1E	1D	1E				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

† "Before 11/1/66" # "From 11/1/66" * "Before 1/16/67" ‡ "From 1/16/67"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1967 "A" (FORD) -- HEAVY DUTY SPRINGS - WITHOUT THERMACTOR - continued**

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54C *	289													1B	1D	1D	1D	1B	1D	1B	1D								
54C ‡	289													1B	1D	1B	1D	1A	1D	1B	1D								
54C *	390-2	1D	1E	1D	1E									1D	1E	1D	1F					1D	1E	1D	1F				
54C ‡	390-2	1D	1E	1D	1E									1D	1E	1D	1F					1D	1E	1D	1E				
54C *	390-4					1D	1E	1D	1F													1D	1E	1D	1F				
54C ‡	390-4					1D	1E	1D	1E													1D	1E	1D	1F				
54C *	428					1D	1E	1D	1F													1D	1E	1D	1F				
54C ‡	428					1D	1E	1D	1E													1D	1E	1D	1F				
54E *	240	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
54E ‡	240	1B	1B	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1B	1B	1D								
54E *	289	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1A	1D	1B	1D								
54E ‡	289	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
54E *	390-2	1D	1E	1D	1E									1D	1E	1D	1F					1D	1E	1D	1E				
54E ‡	390-2	1D	1E	1D	1E									1D	1E	1D	1E					1D	1E	1D	1E				
54E *	390-4	1D	1E	1D	1E	1D	1E	1D	1E													1D	1E	1D	1F				
54E ‡	390-4	1D	1E	1D	1E	1D	1E	1D	1E													1D	1E	1D	1E				
54E *	428					1D	1E	1D	1E													1D	1E	1D	1F				
54E ‡	428					1D	1E	1D	1E													1D	1E	1D	1E				
57B	240	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
57B *	289	1B	1D	1D	1D					1B	1D	1D	1D	1B	1D	1D	1D	1B	1D	1D	1D								
57B ‡	289	1B	1D	1B	1D					1B	1D	1D	1D	1B	1D	1D	1D	1B	1D	1B	1D								
57B	390-2	1D	1E	1D	1F									1D	1E	1D	1F					1D	1E	1D	1F				
57B *	390-4	1D	1E	1D	1F	1D	1E	1E	1F													1D	1E	1E	1F				
57B ‡	390-4	1D	1E	1D	1F	1D	1E	1D	1F													1D	1E	1E	1F				
57B *	428					1D	1E	1D	1F													1D	1E	1E	1F				
57B ‡	428					1D	1E	1D	1F													1D	1E	1D	1F				
57F *	289													1D	1D	1D	1E	1B	1D	1D	1D								
57F ‡	289													1B	1D	1D	1D	1B	1D	1D	1D								
57F	390-2													1D	1F	1E	1F					1D	1F	1E	1F				
57F *	390-4					1D	1F	1E	1F													1D	1F	1E	1F				
57F ‡	390-4					1D	1E	1E	1F													1D	1F	1E	1F				
57F *	428					1D	1F	1E	1F													1D	1F	1E	1F				
57F ‡	428					1D	1E	1E	1F													1D	1F	1E	1F				
62B	240	1B	1B	1B	1D					1B	1B	1B	1D	1B	1B	1B	1D	1B	1B	1B	1D								
62B *	289	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
62B ‡	289	1B	1B	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1B	1B	1D								
62B *	390-2	1D	1D	1D	1E									1D	1E	1D	1E					1D	1E	1D	1E				
62B ‡	390-2	1D	1D	1D	1E									1D	1E	1D	1E					1D	1D	1D	1E				
62B *	390-4	1D	1D	1D	1E	1D	1E	1D	1E													1D	1E	1D	1E				
62B ‡	390-4	1D	1D	1D	1E	1D	1D	1D	1E													1D	1E	1D	1E				
62B *	428					1D	1E	1D	1E													1D	1E	1D	1E				
62B ‡	428					1D	1D	1D	1E													1D	1E	1D	1E				
62E *	240	1B	1B	1B	1D					1B	1B	1B	1D	1B	1D	1B	1D	1B	1B	1B	1D								
62E ‡	240	1B	1B	1B	1D					1B	1B	1B	1D	1B	1B	1B	1D	1B	1B	1B	1D								
62E *	289	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
62E ‡	289	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1B	1B	1D								
62E	390-2	1D	1D	1D	1E									1D	1E	1D	1E					1D	1E	1D	1E				
62E *	390-4	1D	1E	1D	1E	1D	1E	1D	1E													1D	1E	1D	1E				
62E ‡	390-4	1D	1D	1D	1E	1D	1D	1D	1E													1D	1E	1D	1E				
62E *	428					1D	1E	1D	1E													1D	1E	1D	1E				
62E ‡	428					1D	1D	1D	1E													1D	1E	1D	1E				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

* "Before 1/16/67" ‡ "From 1/16/67"

5310 - continued — 1967 "A" (FORD) -- HEAVY DUTY SPRINGS - WITHOUT THERMACTOR - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
63B-RH*	240	1B	1D	1D	1D					1B	1D	1D	1D	1B	1D	1D	1D	1B	1D	1D	1D								
63B-LH*	240	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
63B ‡	240	1B	1B	1B	1D					1B	1B	1B	1D	1B	1B	1B	1D	1B	1B	1B	1D								
63B-RH*	289	1D	1D	1D	1E					1D	1D	1D	1E	1D	1D	1D	1E	1B	1D	1D	1E								
63B-LH*	289	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
63B ‡	289	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
63B-RH*	390-2	1D	1F	1E	1F									1E	1F	1E	1G					1E	1F	1E	1G				
63B-LH*	390-2	1D	1E	1D	1E									1D	1E	1D	1F					1D	1E	1D	1F				
63B ‡	390-2	1D	1D	1D	1E									1D	1E	1D	1E					1D	1E	1D	1E				
63B-RH*	390-4	1E	1F	1E	1F	1E	1F	1E	1F													1E	1F	1E	1G				
63B-LH*	390-4	1D	1E	1D	1E	1D	1E	1D	1E													1D	1E	1D	1F				
63B ‡	390-4	1D	1E	1D	1E	1D	1E	1D	1E													1D	1E	1D	1E				
63B-RH*	428					1E	1F	1E	1F													1E	1F	1F	1G				
63B-LH*	428					1D	1E	1D	1E													1D	1E	1E	1F				
63B ‡	428					1D	1E	1D	1E													1D	1E	1D	1E				
63C-RH*	289													1D	1E	1D	1E	1D	1E	1D	1E								
63C-LH*	289													1B	1D	1D	1D	1D	1D	1D	1D								
63C ‡	289																	1B	1D	1B	1D								
63C-RH*	390-2																					1E	1F	1F	1G				
63C-LH*	390-2																					1D	1E	1E	1F				
63C ‡	390-2																					1D	1E	1D	1F				
63C-RH*	390-4					1E	1F	1F	1G													1E	1G	1F	1G				
63C-LH*	390-4					1D	1E	1E	1F													1D	1F	1E	1F				
63C ‡	390-4					1D	1E	1D	1F													1D	1E	1D	1F				
63C-RH*	428					1E	1F	1F	1G													1E	1G	1F	1G				
63C-LH*	428					1D	1E	1E	1F													1D	1F	1E	1F				
63C ‡	428					1D	1E	1D	1F													1D	1E	1D	1F				
63J-RH*	289													1D	1E	1D	1E	1D	1E	1D	1E								
63J-LH*	289													1B	1D	1D	1D	1D	1D	1D	1D								
63J ‡	289													1B	1D	1D	1D	1B	1D	1B	1D								
63J-RH*	390-2	1E	1F	1F	1G									1E	1G	1F	1G					1E	1G	1F	1G				
63J-LH*	390-2	1D	1E	1E	1F									1D	1F	1E	1F					1D	1F	1E	1F				
63J ‡	390-2	1D	1E	1D	1F									1D	1E	1D	1F					1D	1E	1D	1F				
63J-RH*	390-4					1E	1F	1F	1G													1E	1G	1F	1G				
63J-LH*	390-4					1D	1E	1E	1F													1D	1F	1E	1F				
63J ‡	390-4					1D	1E	1D	1F													1D	1E	1D	1F				
63J-RH*	428					1E	1F	1F	1G													1E	1G	1F	1G				
63J-LH*	428					1D	1E	1E	1F													1D	1F	1E	1F				
63J ‡	428					1D	1E	1D	1F													1D	1E	1D	1F				
71A †	240	1B	1B	1B	1B					1B	1B	1B	1B	1B	1B	1B	1B	1B	1B	1B	1B								
71A #	240	91	91	91	91					91	91	91	91	91	91	91	91	91	91	91	91								
71A †	289	1B	1B	1B	1D					1B	1B	1B	1D	1B	1B	1B	1D	1B	1B	1B	1D								
71A #	289	91	91	91	91					91	91	91	91	91	91	91	93	91	91	91	91								
71A †	390-2	1B	1D	1D	1D									1D	1D	1D	1E					1D	1D	1D	1E				
71A #	390-2	91	94	93	94									91	94	93	95					91	94	93	95				
71A †	390-4	1B	1D	1D	1D																	1B	1D	1D	1E				
71A #	390-4	91	94	93	94																	91	94	93	95				
71A †	428																					1D	1D	1D	1E				
71A #	428																					91	94	93	95				
71B †	240	1B	1B	1B	1B					1B	1B	1B	1B	1B	1B	1B	1B	1B	1B	1B	1B								
71B #	240	91	91	91	91					91	91	91	91	91	91	91	91	91	91	91	91								

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

* "Before 1/16/67" ‡ "From 1/16/67" † "Before 11/1/66" # "From 11/1/66"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310- continued **1967 "A" (FORD) -- HEAVY DUTY SPRINGS - WITHOUT THERMACTOR - continued**

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
71B †	289	1B	1B	1B	1B					1B	1B	1B	1D	1B	1B	1B	1D	1B	1B	1B	1B								
71B #	289	91	91	91	91					91	91	91	91	91	91	91	91	91	91	91	91								
71B †	390-2	1B	1D	1D	1D									1B	1D	1D	1D					1B	1D	1D	1D				
71B #	390-2	91	93	91	94									91	94	93	94					91	94	93	94				
71B †	390-4	1B	1D	1D	1D																	1B	1D	1D	1D				
71B #	390-4	91	94	93	94																	91	94	93	94				
71B #	428																					91	94	93	94				
71B †	428																					1B	1D	1D	1D				
71C †	240	1B	1B	1B	1B					1B	1B	1B	1B	1B	1B	1B	1D	1B	1B	1B	1B								
71C #	240	91	91	91	91					91	91	91	91	91	91	91	91	91	91	91	91								
71C †	289	1B	1B	1B	1D					1B	1B	1B	1D	1B	1B	1B	1D	1B	1B	1B	1D								
71C #	289	91	91	91	91					91	91	91	93	91	91	91	93	91	91	91	91								
71C †	390-2	1D	1D	1D	1E									1D	1D	1D	1E					1D	1D	1D	1E				
71C #	390-2	91	94	93	95									91	94	93	95					91	94	93	95				
71C †	390-4	1D	1D	1D	1E																	1D	1D	1D	1E				
71C #	390-4	91	94	93	95																	93	94	93	95				
71C †	428																					1D	1D	1D	1E				
71C #	428																					91	94	93	95				
71D †	240	1B	1B	1B	1B					1B	1B	1B	1B	1B	1B	1B	1B	1B	1B	1B	1B								
71D #	240	91	91	91	91					91	91	91	91	91	91	91	91	91	91	91	91								
71D †	289	1B	1B	1B	1B					1B	1B	1B	1B	1B	1B	1B	1D	1B	1B	1B	1B								
71D #	289	91	91	91	91					91	91	91	91	91	91	91	91	91	91	91	91								
71D †	390-2	1B	1D	1D	1D									1B	1D	1D	1D					1B	1D	1D	1D				
71D #	390-2	91	93	91	94									91	94	93	94					91	94	93	94				
71D †	390-4	1B	1D	1D	1D																	1B	1D	1D	1D				
71D #	390-4	91	94	91	94																	91	94	93	94				
71D †	428																					1B	1D	1D	1D				
71D #	428																					91	94	93	94				
71E †	240	1B	1B	1B	1B					1B	1B	1B	1B	1B	1B	1B	1B	1B	1B	1B	1B								
71E #	240	91	91	91	91					91	91	91	91	91	91	91	91	91	91	91	91								
71E †	289	1B	1B	1B	1D					1B	1B	1B	1D	1B	1B	1B	1D	1B	1B	1B	1B								
71E #	289	91	91	91	91					91	91	91	91	91	91	91	91	91	91	91	91								
71E †	390-2	1B	1D	1D	1D									1D	1D	1D	1E					1D	1D	1C	1D				
71E #	390-2	91	94	93	94									91	94	93	95					91	94	93	94				
71E †	390-4	1E	1D	1D	1D																	1D	1D	1D	1E				
71E #	390-4	91	94	93	94																	91	94	93	95				
71E †	428																					1D	1D	1D	1E				
71E #	428																					91	94	93	95				
76A-RH*	240	1D	1E	1D	1E					1D	1E	1D	1E	1D	1E	1D	1E	1D	1E	1D	1E								
76A-LH*	240	1B	1D	1D	1D					1B	1D	1D	1D	1B	1D	1D	1D	1B	1D	1D	1D								
76A ‡	240	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1D	1D	1B	1D	1B	1D								
76A-RH*	289	1D	1E	1D	1F					1D	1E	1D	1F	1D	1E	1D	1F	1D	1E	1D	1E								
76A-LH*	289	1D	1D	1D	1E					1D	1D	1D	1E	1D	1D	1D	1E	1D	1D	1D	1D								
76A ‡	289	1B	1D	1D	1D					1B	1D	1D	1D	1B	1D	1D	1D	1B	1D	1D	1D								
76A-RH*	390-2	1E	1G	1F	1G									1F	1G	1F	1G					1F	1G	1F	1G				
76A-LH*	390-2	1D	1F	1E	1F									1E	1F	1E	1F					1E	1F	1E	1F				
76A ‡	390-2	1D	1E	1E	1F									1D	1F	1E	1F					1D	1E	1E	1F				
76A-RH*	390-4	1E	1G	1F	1G	1E	1G	1F	1G													1F	1G	1F	1G				
76A-LH*	390-4	1D	1F	1E	1F	1D	1F	1E	1F													1E	1F	1E	1F				
76A ‡	390-4	1D	1E	1E	1F	1D	1E	1E	1F													1D	1F	1E	1F				
76A-RH*	428					1E	1G	1F	1G													1F	1G	1F	1G				
76A-LH*	428					1D	1F	1E	1F													1E	1F	1E	1F				
76A ‡						1D	1E	1E	1F													1D	1F	1E	1F				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

† "Before 11/1/66" # "From 11/1/66" * "Before 1/16/67" ‡ "From 1/16/67"

5310 - continued 1967 "A" (FORD) -- HEAVY DUTY SPRINGS - WITHOUT THERMACTOR - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
76B-RH*	289																	1D	1E	1E	1F								
76B-LH*	289																	1D	1D	1D	1E								
76B ‡	289																	1D	1D	1D	1E								
76B-RH*	390-2																					1F	1G	1G	1H				
76B-LH*	390-2																					1E	1F	1F	1G				
76B ‡	390-2																					1E	1F	1E	1F				
76B-RH*	390-4					1F	1G	1G	1H													1F	1G	1G	1H				
76B-LH*	390-4					1E	1F	1F	1G													1E	1F	1F	1G				
76B ‡	390-4					1E	1F	1E	1F													1E	1F	1E	1G				
76B-RH*	428					1F	1G	1F	1H													1F	1G	1G	1H				
76B-LH*	428					1E	1F	1E	1G													1E	1F	1F	1G				
76B ‡	428					1E	1F	1E	1F													1E	1F	1E	1G				

1967 "A" (FORD) -- EXTRA HEAVY DUTY SPRINGS - WITHOUT THERMACTOR

54A	390-2	3Y	4A	3Z	4A									3Z	4A	3Z	4A					3Z	4A	3Z	4A				
54A	390-4	3Y	4A	3Z	4A	3Z	4A	3Z	4A													3Z	4A	3Z	4A				
54A	428					3Y	4A	3Z	4A													3Z	4A	3Z	4A				
54B	390-2	3Y	3Z	3Z	4A									3Z	4A	3Z	4A					3Y	4A	3Z	4A				
54B	390-4	3Y	3Z	3Z	4A	3Y	4A	3Z	4A													3Z	4A	3Z	4A				
54B	428					3Y	3Z	3Z	4A													3Z	4A	3Z	4A				
54C	390-2	3Z	4A	3Z	4A									3Z	4A	3Z	4A					3Z	4A	3Z	4A				
54C	390-4					3Z	4A	3Z	4A													3Z	4A	3Z	4A				
54C	428					3Z	4A	3Z	4A													3Z	4A	3Z	4A				
54E	390-2	3Y	3Z	3Z	4A									3Z	4A	3Z	4A					3Z	4A	3Z	4A				
54E	390-4	3Y	4A	3Z	4A	3Y	4A	3Z	4A													3Z	4A	3Z	4A				
54E	428					3Y	4A	3Z	4A													3Z	4A	3Z	4A				
57B	390-2	3Z	4A	3Z	4A									3Z	4A	3Z	4A					3Z	4A	3Z	4A				
57B	390-4	3Z	4A	3Z	4A	3Z	4A	3Z	4A													3Z	4A	3Z	4A				
57B	428					97	97	97	97													97	97	97	97				
57F	390-2	3Z	4A	3Z	4A									3Z	4A	4A	4A					3Z	4A	4A	4A				
57F	390-4					3Z	4A	4A	4A													3Z	4A	4A	4A				
57F	428					97	97	97	97													97	97	98	97				
62B, E	390-2	3Y	3Z	3Z	4A									3Y	3Z	3Z	4A					3Y	3Z	3Z	4A				
62B, E	390-4	3Y	3Z	3Z	4A	3Y	3Z	3Z	4A													3Y	3Z	3Z	4A				
62B, E	428					3Y	3Z	3Z	4A													3Y	3Z	3Z	4A				
63B	390-2	3Y	4A	3Z	4A									3Z	4A	3Z	4A					3Z	4A	3Z	4A				
63B	390-4	3Y	4A	3Z	4A	3Z	4A	3Z	4A													3Z	4A	3Z	4A				
63B	428					3Y	4A	3Z	4A													3Z	4A	3Z	4A				
63C	390-2																					3Z	4A	3Z	4A				
63C	390-4					3Z	4A	3Z	4A													3Z	4A	3Z	4A				
63C	428					3Z	4A	3Z	4A													3Z	4A	3Z	4A				
63J	390-2	3Z	4A	3Z	4A									3Z	4A	4A	4A					3Z	4A	3Z	4A				
63J	390-4					3Z	4A	3Z	4A													3Z	4A	4A	4A				
63J	428					3Z	4A	3Z	4A													3Z	4A	4A	4A				
71A, B	390-2	3Y	3Z	3Y	3Z									3Y	3Z	3Y	3Z					3Y	3Z	3Y	3Z				
71A, B	390-4	3Y	3Z	3Y	3Z																	3Y	3Z	3Y	3Z				
71A, B	428																					3Y	3Z	3Y	3Z				
71C, D, E	390-2	3Y	3Z	3Y	3Z									3Y	3Z	3Y	3Z					3Y	3Z	3Y	3Z				
71C, D, E	390-4	3Y	3Z	3Y	3Z																	3Y	3Z	3Y	3Z				
71C, D, E	428																					3Y	3Z	3Y	3Z				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

* "Before 1/16/67" ‡ "From 1/16/67"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1967 "A" (FORD) -- EXTRA HEAVY DUTY SPRINGS - WITHOUT THERMACTOR - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
76A	390-2	3Z	4A	4A	4A									3Z	4A	4A	4A					3Z	4A	4A	4A				
76A	390-4	3Z	4A	4A	4A	3Z	4A	4A	4A													3Z	4A	4A	4A				
76A	428					3Z	4A	4A	4A													3Z	4A	4A	4A				
76B	390-2																					4A	4A	4A	4A				
76B	390-4					4A	4A	4A	4A													4A	4A	4A	4A				
76B	428					4A	4A	4A	4A													4A	4A	4A	4A				

1967 "A" (FORD) -- STANDARD SPRINGS - WITH THERMACTOR

54A (exc.P/C)	240	91	93	91	93					91	93	91	93					91	93	91	93								
54A(P/C)	240	3X	3Y	3X	3Y					3X	3Y	3X	3Z	3X	3Y	3Y	3Z												
54A (exc.P/C)	289	91	93	91	94					91	93	91	94	91	93	91	94	91	93	91	94								
54A(P/C)	289	3X	3Y	3Y	3Z					3X	3Y	3Y	3Z	3X	3Z	3Y	3Z												
54A (exc.P/C)	390-4	94	95	94	96	94	95	94	96													94	95	95	96				
54A(P/C)	390-4	3Z	4A	3Z	4A	3Z	4A	3Z	4A													3Z	4A	3Z	4A				
54A (exc.P/C)	428					94	95	94	96													94	95	94	96				
54A(P/C)	428					3Z	4A	3Z	4A													3Z	4A	3Z	4A				
54A	390-2	94	95	94	96									94	95	95	96					94	95	94	96				
54A	427-4					1D	1E	1E	1F																				
54A	427-8					1D	1F	1E	1F																				
54B (exc.P/C)	240	91	91	91	93					91	93	91	93					91	91	91	93								
54B(P/C)	240	3X	3Y	3X	3Y					3X	3Y	3X	3Y	3X	3Y	3X	3Z												
54B (exc.P/C)	289	91	93	91	94					91	93	91	94	91	93	91	94	91	93	91	94								
54B(P/C)	289	3X	3Y	3Y	3Z					3X	3Y	3Y	3Z	3X	3Y	3Y	3Z												
54B (exc.P/C)	390-2	93	95	94	96									94	95	94	96					94	95	94	96				
54B(P/C)	390-2	3Z	4A	3Z	4A																	3Z	4A	3Z	4A				
54B (exc.P/C)	390-4	94	95	94	96	94	95	94	96													94	95	94	96				
54B(P/C)	390-4	3Z	4A	3Z	4A	3Z	4A	3Z	4A													3Z	4A	3Z	4A				
54B (exc.P/C)	428					94	95	94	96													94	95	94	96				
54B(P/C)	428					3Z	4A	3Z	4A													3Z	4A	3Z	4A				
54B	427-4					1D	1E	1E	1F																				
54B	427-8					1D	1F	1E	1F																				
54C	289	91	93	91	94					91	93	91	94	91	93	91	94	91	93	91	94								
54C	390-2	94	95	94	96									94	96	96	96					94	95	96	96				
54C	390-4					94	95	94	96													94	96	95	96				
54C	427					1D	1F	1E	1F																				
54C	428					94	95	94	96													94	95	95	96				
54E (exc.P/C)	240	91	93	91	93					91	93	91	93					91	91	91	93								
54E(P/C)	240	3X	3Y	3X	3Y					3X	3Y	3X	3Y	3X	3Y	3Y	3Z												
54E (exc.P/C)	289	91	93	91	94					91	93	91	94	91	93	91	94	91	93	91	94								
54E(P/C)	289	3X	3Y	3Y	3Z					3X	3Y	3Y	3Z	3X	3Y	3Y	3Z												
54E (exc.P/C)	390-2	94	95	94	96									94	95	94	96					94	95	94	96				
54E(P/C)	390-2	3Z	4A	3Z	4A																	3Z	4A	3Z	4A				
54E (exc.P/C)	390-4	94	95	94	96	94	95	94	96													94	95	94	96				
54E(P/C)	390-4	3Z	4A	3Z	4A	3Z	4A	3Z	4A													3Z	4A	3Z	4A				
54E (exc. P/C)	428					94	95	94	96													94	95	94	96				
54E(P/C)	428					3Z	4A	3Z	4A													3Z	4A	3Z	4A				
54E	427-4					1D	1E	1E	1F																				
54E	427-8					1D	1F	1E	1F																				
57B	240	91	93	91	94					91	93	91	94					91	93	91	94								
57B	289	91	94	93	94					91	94	93	94	91	94	93	94	91	93	91	94								
57B	390-2	94	96	95	96									94	96	95	96					94	96	95	96				
57B	390-4	94	96	95	96	94	96	95	96													94	96	95	96				
57B	427-4					1D	1F	1E	1F																				
57B	427-8					1E	1F	1E	1F																				
57B	428					94	96	95	96													94	96	95	96				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

5310 - continued — 1967 "A" (FORD) -- STANDARD SPRINGS - WITH THERMACTOR - continued

BODY TYPE	TRANS. →	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
57F	289													93	94	93	95	91	94	93	95								
57F	390-2	94	96	95	97									95	96	95	97					95	96	95	97				
57F	390-4					95	96	95	97													95	96	95	97				
57F	427					1E	1F	1E	1G																				
57F	428					94	96	95	97													95	96	95	97				
62B (exc.P/C)	240	91	91	91	93					91	91	91	93					91	91	91	93								
62B(P/C)	240	3W	3Y	3X	3Y					3X	3Y	3X	3Y	3X	3Y	3X	3Y												
62B (exc.P/C)	289	91	93	91	93					91	93	91	93	91	93	91	94	91	91	91	93								
62B(P/C)	289	3X	3Y	3X	3Y					3X	3Y	3X	3Z	3X	3Y	3Y	3Z												
62B (exc.P/C)	390-2	93	95	94	95									93	95	94	96					93	95	94	96				
62B(P/C)	390-2	3Y	3Z	3Z	4A																	3Y	4A	3Z	4A				
62B (exc.P/C)	390-4	93	95	94	95	93	95	94	95													93	95	94	96				
62B(P/C)	390-4	3Y	3Z	3Z	4A	3Y	3Z	3Z	4A													3Z	4A	3Z	4A				
62B (exc. P/C)	428					93	95	94	95													93	95	94	96				
62B(P/C)	428					3Y	3Z	3Z	4A													3Y	4A	3Z	4A				
62B	427					1D	1E	1D	1F																				
62E (exc.P/C)	240	91	91	91	93					91	91	91	93					91	91	91	93								
62E(P/C)	240	3W	3Y	3X	3Y					3X	3Y	3X	3Y	3X	3Y	3X	3Y												
62E (exc.P/C)	289	91	93	91	93					91	93	91	93	91	93	91	94	91	93	91	93								
62E(P/C)	289	3X	3Y	3X	3Y					3X	3Y	3X	3Z	3X	3Y	3Y	3Z												
62E (exc.P/C)	390-2	93	95	94	95									93	95	94	96					93	95	94	96				
62E(P/C)	390-2	3Y	3Z	3Z	4A																	3Y	4A	3Z	4A				
62E (exc.P/C)	390-4	93	95	94	95	93	95	94	95													93	95	94	96				
62E(P/C)	390-4	3Y	3Z	3Z	4A	3Y	4A	3Z	4A													3Z	4A	3Z	4A				
62E (exc.P/C)	428					93	95	94	95													93	95	94	96				
62E(P/C)	428					3Y	3Z	3Z	4A													3Z	4A	3Z	4A				
62E	427					1D	1E	1D	1F																				
63B-RH	240	91	94	93	94					91	94	93	94					91	94	91	94								
63B-LH	240	91	93	91	93					91	93	91	93					91	93	91	93								
63B-RH	289	91	94	93	95					91	94	93	95	93	94	93	95	91	94	93	95								
63B-LH	289	91	93	91	94					91	93	91	94	91	93	91	94	91	93	91	94								
63B-RH	390-2	95	96	95	97									95	96	96	97					95	96	95	97				
63B-LH	390-2	94	95	94	96									94	95	95	96					94	95	94	96				
63B-RH	390-4	95	96	95	97	95	96	95	97													95	96	96	97				
63B-LH	390-4	94	95	94	96	94	95	94	96													94	95	95	96				
63B-RH	427-4					1E	1F	1F	1G																				
63B-LH	427-4					1D	1E	1E	1F																				
63B-RH	427-8					1E	1G	1F	1G																				
63B-LH	427-8					1D	1F	1E	1F																				
63B-RH	428					95	96	95	97													95	96	95	97				
63B-LH	428					94	95	94	96													94	95	94	96				
63C-RH	289																	93	95	94	95								
63C-LH	289																	91	94	93	94								
63C-RH	390-2																					95	97	97	97				
63C-LH	390-2																					94	96	96	97				
63C-RH	390-4					95	97	96	97													95	97	96	97				
63C-LH	390-4					94	96	95	96													94	96	95	97				
63C-RH	427-4					1F	1G	1F	1G																				
63C-LH	427-4					1E	1F	1E	1F																				
63C-RH	427-8					1F	1G	1F	1H																				
63C-LH	427-8					1E	1F	1E	1G																				
63C-RH	428					95	97	96	97													95	97	96	97				
63C-LH	428					94	96	95	96													94	96	95	97				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1967 "A" (FORD) -- STANDARD SPRINGS - WITH THERMACTOR - continued**

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
63J-RH	289													93	95	94	96	93	95	94	95								
63J-LH	289													91	94	93	95	91	94	93	94								
63J-RH	390-2	95	97	96	97									96	97	96	97					95	97	96	97				
63J-LH	390-2	94	96	95	96									95	96	95	97					94	96	95	97				
63J-RH	390-4					95	97	96	97													96	97	96	97				
63J-LH	390-4					94	96	95	97													95	96	95	97				
63J-RH	427-4					1F	1G	1F	1G																				
63J-LH	427-4					1E	1F	1E	1F																				
63J-RH	427-8					1F	1G	1F	1H																				
63J-LH	427-8					1E	1F	1E	1G																				
63J-RH	428					95	97	96	97													96	97	96	97				
63J-LH	428					94	96	95	96													95	95	95	97				
71A †	240	91	91	91	91					91	91	91	91					91	91	91	91								
71A #	240	1B	1B	1B	1B					1B	1B	1B	1D					1B	1B	1B	1B								
71A †	289	91	91	91	93					91	91	91	93	91	91	91	93	91	91	91	91								
71A #	289	1B	1B	1B	1D					1B	1B	1B	1D	1B	1D	1B	1D	1B	1B	1B	1D								
71A †	390-2	91	94	93	95									93	94	93	95					93	94	93	95				
71A #	390-2	1D	1D	1D	1E									1D	1D	1D	1E					1D	1D	1D	1E				
71A †	390-4	91	94	93	95																	93	94	93	95				
71A #	390-4	1D	1D	1D	1E																	1D	1D	1D	1E				
71A †	428																					93	94	93	95				
71A #	428																					1D	1D	1D	1E				
71B ◊	240	91	91	91	91					91	91	91	91					91	91	91	91								
71B △	240	1B	1B	1B	1B					1B	1B	1B	1B					1B	1B	1B	1B								
71B(P/C)	240	3W	3X	3W	3Y					3W	3X	3W	3Y	3W	3X	3W	3Y												
71B ◊	289	91	91	91	91					91	91	91	91	91	91	91	93	91	91	91	91								
71B △	289	1B	1B	1B	1D					1B	1B	1B	1D	1B	1B	1B	1D	1B	1B	1B	1D								
71B(P/C)	289	3W	3X	3X	3Y					3W	3X	3X	3Y	3W	3Y	3X	3Y												
71B ◊	390-2	91	94	93	94									91	94	93	95					91	94	93	95				
71B △	390-2	1B	1D	1D	1D									1D	1D	1D	1E					1D	1D	1D	1E				
71B(P/C)	390-2	3Y	3Z	3Y	3Z																	3Y	3Z	3Y	3Z				
71B ◊	390-4	91	94	93	95																	91	94	93	95				
71B △	390-4	1D	1D	1D	1E																	1D	1D	1D	1E				
71B(P/C)	390-4	3Y	3Z	3Y	3Z																	3Y	3Z	3Y	3Z				
71B ◊	428																					91	94	93	95				
71B △	428																					1D	1D	1D	1E				
71B(P/C)	428																					3Y	3Z	3Y	3Z				
71C ◊	240	91	91	91	91					91	91	91	91					91	91	91	91								
71C #	240	1B	1B	1B	1D					1B	1B	1B	1D					1B	1B	1B	1D								
71C(P/C)	240	3W	3X	3X	3Y					3W	3X	3X	3Y	3W	3Y	3X	3Y												
71C ◊	289	91	91	91	93					91	91	91	93	91	91	91	93	91	91	91	93								
71C △	289	1B	1B	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1B	1B	1D								
71C(P/C)	289	3W	3Y	3X	3Y					3W	3Y	3X	3Y	3X	3Y	3X	3Y												
71C ◊	390-2	91	94	93	95									93	94	94	95					93	94	93	95				
71C △	390-2	1D	1D	1D	1E									1D	1D	1D	1E					1D	1D	1D	1E				
71C(P/C)	390-2	3Y	3Z	3Y	3Z																	3Y	3Z	3Z	4A				
71C ◊	390-4	93	94	93	95																	93	94	94	95				
71C △	390-4	1D	1D	1D	1E																	1D	1D	1D	1E				
71C(P/C)	390-4	3Y	3Z	3Y	4A																	3Y	3Z	3Z	4A				
71C ◊	428																					93	94	93	95				
71C △	428																					1D	1D	1D	1E				
71C(P/C)	428																					3Y	3Z	3Z	4A				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

† "Before 11/1/66" # "From 11/1/66" ◊ Except P/C "Before 11/1/66" △ Except P/C "From 11/1/66"

5310- continued **1967 "A" (FORD) -- STANDARD SPRINGS - WITH THERMACTOR - continued**

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
71D ◊	240	91	91	91	91					91	91	91	91					91	91	91	91								
71D Δ	240	1B	1B	1B	1B					1B	1B	1B	1B					1B	1B	1B	1B								
71D(P/C)	240	3W	3X	3W	3X					3W	3X	3W	3Y	3W	3X	3W	3Y												
71D ◊	289	91	91	91	91					91	91	91	91	91	91	91	93	91	91	91	91								
71D Δ	289	1B	1B	1B	1D					1B	1B	1B	1D	1B	1B	1B	1D	1B	1B	1B	1D								
71D(P/C)	289	3W	3X	3X	3Y					3W	3X	3X	3Y	3W	3Y	3X	3Y												
71D ◊	390-2	91	94	93	94									91	94	93	95					91	94	93	95				
71D Δ	390-2	1B	1D	1D	1D									1D	1D	1D	1E					1D	1D	1D	1E				
71D(P/C)	390-2	3Y	3Z	3Y	3Z																	3Y	3Z	3Y	3Z				
71D ◊	390-4	91	94	93	94																	91	94	93	95				
71D Δ	390-4	1B	1D	1D	1D																	1B	1D	1D	1E				
71D(P/C)	390-4	3Y	3Z	3Y	3Z																	3Y	3Z	3Y	3Z				
71D ◊	428																					91	94	93	95				
71D Δ	428																					1D	1D	1D	1E				
71D(P/C)	428																					3Y	3Z	3Y	3Z				
71E †	240	91	91	91	91					91	91	91	91					91	91	91	91								
71E #	240	1B	1B	1B	1B					1B	1B	1B	1B					1B	1B	1B	1B								
71E †	289	91	91	91	91					91	91	91	93	91	91	91	93	91	91	91	91								
71E #	289	1B	1B	1B	1D					1B	1B	1B	1D	1B	1B	1B	1D	1B	1B	1B	1D								
71E †	390-2	91	94	93	95									91	94	93	95					91	94	93	95				
71E #	390-2	1D	1D	1D	1E									1D	1D	1D	1E					1D	1D	1D	1E				
71E †	390-4	91	94	93	95																	93	94	93	95				
71E #	390-4	1D	1D	1D	1E																	1D	1D	1D	1E				
71E †	428																					91	94	93	95				
71E #	428																					3Y	3Z	3Y	3Z				
76A-RH	240	93	95	94	95					93	94	94	95					93	95	94	95								
76A-LH	240	91	94	93	94					91	94	93	94					91	94	93	94								
76A-RH	289	93	95	94	96					94	95	94	96	94	95	94	96	93	95	94	96								
76A-LH	289	91	94	93	95					93	94	93	95	93	94	93	95	91	94	93	95								
76A-RH	390-2	96	97	96	97									96	97	97	97					96	97	96	97				
76A-LH	390-2	95	96	95	97									95	96	96	97					95	96	95	97				
76A-RH	390-4	96	97	96	97	96	97	96	97													96	97	97	97				
76A-LH	390-4	95	96	95	97	95	96	95	97													95	96	96	97				
76A-RH	427-4					1F	1G	1G	1H																				
76A-LH	427-4					1E	1F	1F	1G																				
76A-RH	427-8					1F	1G	1G	1H																				
76A-LH	427-8					1E	1F	1F	1G																				
76A-RH	428					96	97	96	97													96	97	96	97				
76A-LH	428					95	96	95	97													95	96	95	97				
76B-RH	289																	94	96	95	96								
76B-LH	289																	93	95	94	95								
76B-RH	390-2																					96	97	97	97				
76B-LH	390-2																					95	97	96	97				
76B-RH	390-4					96	97	97	97													96	97	97	97				
76B-LH	390-4					95	97	96	97													95	97	96	97				
76B-RH	427-4					1F	1H	1G	1H																				
76B-LH	427-4					1E	1G	1F	1G																				
76B-RH	427-8					1G	1H	1G	1H																				
76B-LH	427-8					1F	1G	1F	1G																				
76B-RH	428					96	97	97	97													96	97	97	97				
76B-LH	428					95	97	96	97													95	97	96	97				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

† "Before 11/1/66" # "From 11/1/66" ◊ Except P/C "Before 11/1/66" Δ Except P/C "From 11/1/66"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1967 "A" (FORD) -- HEAVY DUTY SPRINGS - WITH THERMACTOR

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54A	240	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
54A *	289	1B	1D	1B	1D					1B	1D	1D	1D	1B	1D	1D	1D	1B	1D	1B	1D								
54A ‡	289	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1D	1D	1B	1D	1B	1D								
54A *	390-2	1D	1E	1D	1F									1D	1E	1E	1F					1D	1E	1D	1F				
54A ‡	390-2	1D	1E	1D	1E									1D	1E	1D	1F					1D	1E	1D	1F				
54A *	390-4	1D	1E	1D	1F	1D	1E	1D	1F													1D	1E	1E	1F				
54A ‡	390-4	1D	1E	1D	1F	1D	1E	1D	1F													1D	1E	1D	1F				
54A *	428					1D	1E	1D	1F													1D	1E	1D	1F				
54A ‡	428					1D	1E	1D	1F													1D	1E	1D	1F				
54B	240	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
54B *	289	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1D	1D	1B	1D	1B	1D								
54B ‡	289	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
54B	390-2	1D	1E	1D	1E									1D	1E	1D	1F					1D	1E	1D	1F				
54B *	390-4	1D	1E	1D	1F	1D	1E	1D	1F													1D	1E	1D	1F				
54B ‡	390-4	1D	1E	1D	1E	1D	1E	1D	1E													1D	1E	1D	1F				
54B *	428					1D	1E	1D	1F													1D	1E	1D	1F				
54B ‡	428					1D	1E	1D	1E													1D	1E	1D	1F				
54C *	289													1B	1D	1D	1D	1B	1D	1D	1D								
54C ‡	289													1B	1D	1D	1D	1B	1D	1B	1D								
54C *	390-2	1D	1E	1D	1E									1D	1E	1E	1F					1D	1E	1E	1F				
54C ‡	390-2	1D	1E	1D	1F									1D	1E	1D	1F					1D	1E	1D	1F				
54C *	390-4	1D	1E	1D	1F	1D	1E	1D	1F													1D	1E	1E	1F				
54C ‡	390-4	1D	1E	1D	1F	1D	1E	1D	1F													1D	1E	1D	1F				
54C *	428					1D	1E	1D	1F													1D	1E	1E	1F				
54C ‡	428					1D	1E	1D	1F													1D	1E	1D	1F				
54E	240	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
54E *	289	1B	1D	1B	1D					1B	1D	1D	1D	1B	1D	1D	1D	1B	1D	1B	1D								
54E ‡	289	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1D	1D	1B	1D	1B	1D								
54E *	390-2	1D	1E	1D	1F									1D	1E	1D	1F					1D	1E	1D	1F				
54E ‡	390-2	1D	1E	1D	1E									1D	1E	1D	1F					1D	1E	1D	1F				
54E *	390-4	1D	1E	1D	1F	1D	1E	1D	1F													1D	1E	1D	1F				
54E ‡	390-4	1D	1E	1D	1E	1D	1E	1D	1E													1D	1E	1D	1F				
54E *	428					1D	1E	1D	1F													1D	1E	1D	1F				
54E ‡	428					1D	1E	1D	1E													1D	1E	1D	1F				
57B *	240	1B	1D	1B	1D					1B	1D	1D	1D	1B	1D	1D	1D	1B	1D	1B	1D								
57B ‡	240	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1D	1D	1B	1D	1B	1D								
57B *	289	1B	1D	1D	1D					1B	1D	1D	1D	1D	1D	1D	1D	1B	1D	1D	1D								
57B ‡	289	1B	1D	1D	1D					1B	1D	1D	1D	1B	1D	1D	1D	1B	1D	1D	1D								
57B *	390-2	1D	1E	1E	1F									1D	1F	1E	1F					1D	1F	1E	1F				
57B ‡	390-2	1D	1E	1D	1F									1D	1E	1E	1F					1D	1E	1E	1F				
57B *	390-4	1D	1E	1E	1F	1D	1F	1E	1F													1D	1F	1E	1F				
57B ‡	390-4	1D	1E	1E	1F	1D	1E	1E	1F													1D	1F	1E	1F				
57B *	428					1D	1E	1E	1F													1D	1F	1E	1F				
57B ‡	428					1D	1E	1E	1F													1D	1E	1E	1F				
57F *	289													1D	1D	1D	1E	1D	1D	1D	1E								
57F ‡	289													1D	1D	1D	1E	1B	1D	1D	1D								
57F *	390-2	1D	1F	1E	1F									1E	1F	1E	1F					1E	1F	1E	1F				
57F ‡	390-2	1D	1F	1E	1F									1D	1F	1E	1F					1D	1F	1E	1F				

▲ Refer to Page 1 Section 53 to translate Code Numoer into Service Part Number.

* "Before 1/16/67" ‡ "From 1/16/67"

5310 - continued — 1967 "A" (FORD) -- HEAVY DUTY SPRINGS - WITH THERMACTOR - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
57F *	390-4					1E	1F	1E	1F													1E	1F	1E	1F				
57F ‡	390-4					1D	1F	1E	1F													1E	1F	1E	1F				
57F *	428					1D	1F	1E	1F													1E	1F	1E	1F				
57F ‡	428					1D	1F	1E	1F													1D	1F	1E	1F				
62B *	240	1B	1B	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1B	1B	1D								
62B ‡	240	1B	1B	1B	1D					1B	1B	1B	1D	1B	1D	1B	1D	1B	1B	1B	1D								
62B	289	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
62B	390-2	1D	1E	1D	1E									1D	1E	1D	1E					1D	1E	1D	1E				
62B	390-4	1D	1E	1D	1E	1D	1E	1D	1E													1D	1E	1D	1E				
62B	428					1D	1E	1D	1E													1D	1E	1D	1E				
62E *	240	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1B	1B	1D								
62E ‡	240	1B	1B	1B	1D					1B	1B	1B	1D	1B	1D	1B	1D	1B	1B	1B	1D								
62E	289	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
62E	390-2	1D	1E	1D	1E									1D	1E	1D	1E					1D	1E	1D	1E				
62E	390-4	1D	1E	1D	1E	1D	1E	1D	1E													1D	1E	1D	1E				
62E	428					1D	1E	1D	1E													1D	1E	1D	1E				
63B-RH*	240	1B	1D	1D	1D					1B	1D	1D	1E	1D	1D	1D	1E	1B	1D	1D	1D								
63B-LH*	240	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
63B ‡	240	1B	1B	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1B	1B	1D								
63B-RH*	289	1D	1D	1D	1E					1D	1D	1D	1E	1D	1E	1D	1E	1D	1D	1E	1E								
63B-LH*	289	1B	1D	1B	1D					1B	1D	1D	1D	1B	1D	1D	1D	1B	1D	1D	1D								
63B ‡	289	1B	1D	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1D	1B	1D								
63B-RH*	390-2	1E	1B	1E	1G									1E	1F	1F	1G					1E	1B	1E	1G				
63B-LH*	390-2	1D	1E	1D	1F									1D	1E	1E	1F					1D	1E	1D	1F				
63B ‡	390-2	1D	1E	1D	1E									1D	1E	1D	1E					1D	1E	1D	1E				
63B-RH*	390-4	1E	1F	1E	1G	1E	1F	1E	1G													1E	1F	1F	1G				
63B-LH*	390-4	1D	1E	1D	1F	1D	1E	1D	1F													1D	1E	1E	1F				
63B ‡	390-4	1D	1E	1D	1E	1D	1E	1D	1E													1D	1E	1D	1E				
63B-RH*	428					1E	1F	1E	1G													1E	1F	1E	1G				
63B-LH*	428					1D	1E	1D	1F													1D	1E	1D	1F				
63B ‡	428					1D	1E	1D	1E													1D	1E	1D	1E				
63C-RH*	289																	1D	1E	1D	1E								
63C-LH*	289																	1B	1D	1D	1D								
63C ‡	289																	1B	1D	1D	1D								
63C-RH*	390-2																					1E	1G	1F	1G				
63C-LH*	390-2																					1D	1F	1E	1F				
63C ‡	390-2																					1D	1E	1E	1F				
63C-RH*	390-4					1E	1G	1F	1G													1E	1G	1F	1G				
63C-LH*	390-4					1D	1F	1E	1F													1D	1F	1E	1F				
63C ‡	390-4					1D	1E	1E	1F													1D	1E	1E	1F				
63C-RH*	428					1E	1G	1F	1G													1E	1G	1F	1G				
63C-LH*	428					1D	1F	1E	1F													1D	1F	1E	1F				
63C ‡	428					1D	1E	1D	1F													1D	1E	1E	1F				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

* "Before 1/16/67" ‡ "From 1/16/67"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5310 - continued **1967 "A" (FORD) -- HEAVY DUTY SPRINGS - WITH THERMACTOR - continued**

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
63J-RH*	289													1D	1E	1D	1F	1D	1E	1D	1E								
63J-LH*	289													1D	1D	1D	1E	1B	1D	1D	1D								
63J ‡	289													1B	1D	1D	1D	1B	1D	1D	1D								
63J-RH*	390-2	1E	1G	1F	1G									1F	1G	1F	1G					1E	1G	1F	1G				
63J-LH*	390-2	1D	1F	1E	1F									1E	1F	1E	1F					1D	1F	1E	1F				
63J ‡	390-2	1D	1E	1D	1F									1D	1E	1E	1F					1D	1E	1E	1F				
63J-RH*	390-4					1E	1G	1F	1G													1F	1G	1F	1G				
63J-LH*	390-4					1D	1F	1E	1F													1E	1F	1E	1F				
63J ‡	390-4					1D	1E	1E	1F													1D	1E	1E	1F				
63J-RH*	428					1E	1G	1F	1G													1F	1G	1F	1G				
63J-LH*	428					1D	1F	1E	1F													1E	1F	1E	1F				
63J ‡	428					1D	1E	1E	1F													1D	1E	1E	1F				
71A †	240	1B	1B	1B	1B					1B	1B	1B	1D	1B	1B	1D	1D	1B	1B	1B	1B								
71A #	240	91	91	91	91					91	91	91	91	91	91	91	91	91	91	91	91								
71A †	289	1B	1B	1B	1D					1B	1B	1B	1D	1B	1D	1B	1D	1B	1B	1B	1D								
71A #	289	91	91	91	93					91	91	91	93	91	91	91	93	91	91	91	91								
71A †	390-2	1D	1D	1D	1E									1D	1D	1D	1E					1D	1D	1D	1E				
71A #	390-2	91	94	93	95									93	94	93	95					93	94	93	95				
71A †	390-4	1D	1D	1D	1E																	1D	1D	1D	1E				
71A #	390-4	91	94	93	95																	93	94	93	95				
71A †	428																					1D	1D	1D	1E				
71A #	428																					93	94	93	95				
71B †	240	1B	1B	1B	1B					1B	1B	1B	1B	1B	1B	1B	1B	1B	1B	1B	1B								
71B #	240	91	91	91	91					91	91	91	91	91	91	91	91	91	91	91	91								
71B †	289	1B	1B	1B	1D					1B	1B	1B	1D	1B	1B	1B	1D	1B	1B	1B	1D								
71B #	289	91	91	91	91					91	91	91	91	91	91	91	93	91	91	91	91								
71B †	390-2	1B	1D	1D	1D									1D	1D	1D	1E					1D	1D	1D	1E				
71B #	390-2	91	94	93	94									93	94	94	95					93	94	93	95				
71B †	390-4	1D	1D	1D	1E																	1D	1D	1D	1E				
71B #	390-4	91	94	93	95																	91	94	93	95				
71B †	428																					1D	1D	1D	1E				
71B #	428																					91	94	93	95				
71C †	240	1B	1B	1B	1D					1B	1B	1B	1D	1B	1B	1D	1D	1B	1B	1B	1D								
71C #	240	91	91	91	91					91	91	91	91	91	91	91	93	91	91	91	91								
71C †	289	1B	1B	1B	1D					1B	1D	1B	1D	1B	1D	1B	1D	1B	1B	1B	1D								
71C #	289	91	91	91	93					91	91	91	93	91	91	91	93	91	91	91	93								
71C †	390-2	1D	1D	1D	1E									1D	1D	1D	1E					1D	1D	1D	1E				
71C #	390-2	91	94	93	95									91	94	93	95					91	94	93	95				
71C †	390-4	1D	1D	1D	1E																	1D	1D	1D	1E				
71C #	390-4	93	94	93	95																	93	94	94	95				
71C †	428																					1D	1D	1D	1E				
71C †	428																					93	94	93	95				
71D †	240	1B	1B	1B	1B					1B	1B	1B	1B	1B	1B	1B	1B	1B	1B	1B	1B								
71D #	240	91	91	91	91					91	91	91	91	91	91	91	91	91	91	91	91								
71D †	289	1B	1B	1B	1D					1B	1B	1B	1D	1B	1B	1B	1D	1B	1B	1B	1D								
71D #	289	91	91	91	91					91	91	91	91	91	91	91	93	91	91	91	91								
71D †	390-2	1B	1D	1D	1D									1D	1D	1D	1E					1D	1D	1D	1E				
71D #	390-2	91	94	93	94									91	94	93	95					91	94	93	95				
71D †	390-4	1B	1D	1D	1D																	1D	1D	1D	1E				
71D #	390-4	91	94	93	94																	91	94	93	95				
71D †	428																					1D	1D	1D	1E				
71D #	428																					91	94	93	95				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

† "Before 11/1/66" # "From 11/1/66" * "Before 1/16/67" ‡ "From 1/16/67"

5310 - continued — 1967 "A" (FORD) -- HEAVY DUTY SPRINGS - WITH THERMACTOR - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
71E †	240	1B	1B	1B	1B					1B	1B	1B	1B	1B	1B	1D	1D	1B	1B	1B	1B								
71E #	240	91	91	91	91					91	91	91	91	91	91	91	91	91	91	91	91								
71E †	289	1B	1B	1B	1D					1B	1B	1B	1D	1B	1B	1B	1D	1B	1B	1B	1D								
71E #	289	91	91	91	91					91	91	91	93	91	91	91	93	91	91	91	91								
71E †	390-2	1D	1D	1D	1E									1D	1D	1D	1E					1D	1D	1D	1E				
71E #	390-2	91	94	93	95									91	94	93	95					91	94	93	95				
71E †	390-4	1D	1D	1D	1E																	1D	1D	1D	1E				
71E #	390-4	91	94	93	95																	93	94	93	95				
71E †	428																					1D	1D	1D	1E				
71E #	428																					91	94	93	95				
76A-RH*	240	1D	1E	1D	1E					1D	1E	1D	1E	1D	1E	1D	1F	1D	1E	1D	1E								
76A-LH*	240	1B	1D	1D	1D					1B	1D	1D	1D	1D	1D	1D	1E	1B	1D	1D	1D								
76A ‡	240	1B	1D	1D	1D					1B	1D	1D	1D	1B	1D	1D	1D	1B	1D	1D	1D								
76A-RH*	289	1D	1E	1D	1F					1D	1E	1E	1F	1D	1E	1E	1F	1D	1E	1D	1F								
76A-LH*	289	1D	1D	1D	1E					1D	1D	1D	1E	1D	1D	1D	1E	1D	1D	1D	1E								
76A ‡	289	1B	1D	1D	1D					1D	1D	1D	1E	1D	1D	1D	1E	1B	1D	1D	1D								
76A-RH*	390-2	1F	1G	1F	1G									1F	1G	1F	1H					1F	1G	1F	1H				
76A-LH*	390-2	1E	1F	1E	1F									1E	1F	1E	1G					1E	1F	1E	1G				
76A ‡	390-2	1D	1F	1E	1F									1D	1F	1E	1F					1D	1F	1E	1F				
76A-RH*	390-4	1F	1G	1F	1G	1F	1G	1F	1G													1F	1G	1F	1H				
76A-LH*	390-4	1E	1F	1E	1F	1E	1F	1E	1F													1E	1F	1E	1G				
76A ‡	390-4	1D	1F	1E	1F	1D	1F	1E	1F													1D	1F	1E	1F				
76A-RH*	428					1F	1G	1F	1G													1F	1G	1F	1H				
76A-LH*	428					1E	1F	1E	1F													1E	1F	1E	1G				
76A ‡	428					1D	1F	1E	1F													1D	1F	1E	1F				
76B-RH*	289																	1D	1F	1E	1F								
76B-LH*	289																	1D	1E	1D	1E								
76B ‡	289																	1D	1D	1D	1E								
76B-RH*	390-2																					1F	1H	1G	1H				
76B-LH*	390-2																					1E	1G	1F	1G				
76B ‡	390-2																					1E	1F	1E	1G				
76B-RH*	390-4					1F	1G	1G	1H													1F	1H	1G	1H				
76B-LH*	390-4					1E	1F	1F	1G													1E	1G	1F	1G				
76B ‡	390-4					1E	1F	1E	1G													1E	1F	1F	1G				
76B-RH*	428					1F	1G	1G	1H													1F	1H	1G	1H				
76B-LH*	428					1E	1F	1F	1G													1E	1G	1F	1G				
76B ‡	428					1E	1F	1E	1G													1E	1F	1E	1G				

1967 "A" (FORD) -- EXTRA HEAVY DUTY SPRINGS - WITH THERMACTOR

54A, B	390-2	3Z	4A	3Z	4A									3Z	4A	3Z	4A					3Z	4A	3Z	4A				
54A, B	390-4	3Z	4A	3Z	4A	3Z	4A	3Z	4A													3Z	4A	3Z	4A				
54A, B	428					3Z	4A	3Z	4A													3Z	4A	3Z	4A				
54C, E	390-2	3Z	4A	3Z	4A									3Z	4A	3Z	4A					3Z	4A	3Z	4A				
54C, E	390-4	3Z	4A	3Z	4A	3Z	4A	3Z	4A													3Z	4A	3Z	4A				
54C, E	428					3Z	4A	3Z	4A													3Z	4A	3Z	4A				
57B	390-2	3Z	4A	3Z	4A									3Z	4A	4A	4A					3Z	4A	3Z	4A				
57B	390-4	3Z	4A	3Z	4A	3Z	4A	3Z	4A													3Z	4A	4A	4A				
57B	428					3Z	4A	3Z	4A													3Z	4A	4A	4A				
57F	390-2	3Z	4A	4A	4A									3Z	4A	4A	4A					3Z	4A	4A	4A				
57F	390-4					3Z	4A	4A	4A													3Z	4A	4A	4A				
57F	428					3Z	4A	4A	4A													3Z	4A	4A	4A				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

† "Before 11/1/66" # "From 11/1/66" * "Before 1/16/67" ‡ "From 1/16/67"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5310 - continued 1967 "A" (FORD) -- EXTRA HEAVY DUTY SPRINGS - WITH THERMACTOR - continued

BODY TYPE	TRANS. →	3/S				4/S				O/D				C/M				C4				C6			
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																							
62B	390-2	3Y	3Z	3Z	4A									3Y	4A	3Z	4A					3Y	4A	3Z	4A
62B	390-4	3Y	3Z	3Z	4A	3Y	3Z	3Z	4A													3Z	4A	3Z	4A
62B	428					3Y	3Z	3Z	4A													3Y	4A	3Z	4A
62E	390-2	3Y	3Z	3Z	4A									3Z	4A	3Z	4A					3Y	4A	3Z	4A
62E	390-4	3Y	3Z	3Z	4A	3Y	4A	3Z	4A													3Z	4A	3Z	4A
62E	428					3Y	3Z	3Z	4A													3Z	4A	3Z	4A
63B	390-2	3Z	4A	3Z	4A									3Z	4A	3Z	4A					3Z	4A	3Z	4A
63B	390-4	3Z	4A	3Z	4A	3Z	4A	3Z	4A													3Z	4A	3Z	4A
63B	428					3Z	4A	3Z	4A													3Z	4A	3Z	4A
63C	390-2	3Z	4A	4A	4A									3Z	4A	4A	4A					3Z	4A	4A	4A
63C	390-4	3Z	4A		4A	3Z	4A	4A	4A													3Z	4A	4A	4A
63C	428					3Z	4A	4A	4A													3Z	4A	4A	4A
63J	390-2	3Z	4A	4A	4A									3Z	4A	4A	4A					3Z	4A	4A	4A
63J	390-4	3Z	4A		4A	3Z	4A	4A	4A													3Z	4A	4A	4A
63J	428					3Z	4A	4A	4A													3Z	4A	4A	4A
71A	390-2	3Y	3Z	3Y	3Z									3Y	3Z	3Y	4A					3Y	3Z	3Y	4A
71A	390-4	3Y	3Z	3Y	3Z																	3Y	3Z	3Y	3Z
71A	428																					3Y	3Z	3Y	4A
71B	390-2	3Y	3Z	3Y	3Z									3Y	3Z	3Y	3Z					3Y	3Z	3Y	3Z
71B	390-4	3Y	3Z	3Y	3Z																	3Y	3Z	3Y	3Z
71B	428																					3Y	3Z	3Y	3Z
71C	390-2	3Y	3Z	3Y	3Z									3Y	3Z	3Z	4A					3Y	3Z	3Z	4A
71C	390-4	3Y	3Z	3Y	4A																	3Y	3Z	3Z	4A
71C	428																					3Y	3Z	3Z	4A
71D	390-2	3Y	3Z	3Y	3Z									3Y	3Z	3Y	3Z					3Y	3Z	3Y	3Z
71D	390-4	3Y	3Z	3Y	3Z																	3Y	3Z	3Y	3Z
71D	428																					3Y	3Z	3Y	3Z
71E	390-2	3Y	3Z	3Y	3Z									3Y	3Z	3Y	3Z					3Y	3Z	3Y	3Z
71E	390-4	3Y	3Z	3Y	3Z																	3Y	3Z	3Y	3Z
71E	428																					3Y	3Z	3Y	3Z
76A	390-2	3Z	4A	4A	4A									4A	4A	4A	4A					3Z	4A	4A	4A
76A	390-4	3Z	4A	4A	4A	3Z	4A	4A	4A													4A	4A	4A	4A
76A	428					3Z	4A	4A	4A													4A	4A	4A	4A
76B	390-2													4A	4A	4A	4A					4A	4A	4A	4A
76B	390-4					4A	4A	4A	4A													4A	4A	4A	4A
76B	428					4A	4A	4A	4A													4A	4A	4A	4A

1967 "B" (FAIRLANE) -- STANDARD SPRINGS - WITHOUT THERMACTOR

54A	200	1W	1Z	1W	1Z													1W	1Z	1W	1Z				
54A	289	1Z	2B	2B	2E	2B	2E	2B	2E	2B	2E	2B	2E					2B	2E	2B	2E				
54A	390-2	2E	2H	2H	2L	2E	2H	2H	2L													2H	2L	2H	2L
54A	390-4	2E	2H	2H	2L	2E	2H	2H	2L													2H	2L	2H	2L
54B	200	1W	1Z	1W	1Z													1W	1Z	1Z	2B				
54B	289	1Z	2B	2B	2E	2B	2E	2B	2E	2B	2E	2B	2E					2B	2E	2B	2E				
54B	390-2	2E	2H	2H	2L	2E	2H	2H	2L													2H	2L	2H	2L
54B	390-4	2E	2H	2H	2L	2H	2H	2H	2L													2H	2L	2H	2L
62A	200	1U	1W	1W	1Z													1W	1Z	1W	1Z				
62A	289	1Z	2B	1Z	2B	1Z	2B	2B	2E	1Z	2B	2B	2E					1Z	2B	2B	2E				
62A	390-2	2E	2H	2E	2H	2E	2H	2E	2H													2E	2H	2H	2L
62A	390-4	2E	2H	2E	2H	2E	2H	2H	2H													2H	2L	2H	2L
62A	427					3J	3J	3J	3K																

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

5310 - continued 1967 "B" (FAIRLANE) -- STANDARD SPRINGS - WITHOUT THERMACTOR - continued

BODY TYPE	TRANS. →	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
62B	200	1U	1W	1W	1Z													1W	1Z	1W	1Z								
62B	289	1Z	2B	2B	2E	1Z	2B	2B	2E	1Z	2B	2B	2E					1Z	2B	2B	2E								
62B	390-2	2E	2H	2E	2H	2E	2H	2H	2H													2H	2H	2H	2L				
62B	390-4	2E	2H	2H	2H	2E	2H	2H	2L													2H	2L	2H	2L				
62B	427					3J	3J	3J	3K																				
63B	200	1W	1Z	1W	1Z													1W	1Z	1Z	2B								
63B	289	2B	2E	2B	2E	2B	2E	2B	2E	2B	2E	2B	2E					2B	2E	2B	2E								
63B	390-2	2H	2L	2H	2L	2H	2L	2H	2L													2H	2L	2H	2L				
63B	390-4	2H	2L	2H	2L	2H	2L	2H	2L													2H	2L	2H	2L				
63B	427					3J	3K	3J	3K																				
63C	200	1W	1Z	1Z	2B													1W	2B	1Z	2B								
63C	289	2B	2E	2B	2E	2B	2E	2B	2E	2B	2E	2B	2E					2B	2E	2B	2E								
63C	390-2	2H	2L	2H	2L	2H	2L	2H	2L													2H	2L	2L	2L				
63C	390-4	2H	2L	2H	2L	2H	2L	2H	2L													2H	2L	2L	2L				
63C	427					3J	3K	3K	3K																				
63D	289	2B	2E	2B	2E	2B	2E	2B	2E	2B	2E	2B	2E					2B	2E	2B	2E								
63D	390-2	2H	2L	2H	2L	2H	2L	2H	2L													2H	2L	2H	2L				
63D	390-4	2H	2L	2H	2L	2H	2L	2H	2L													2H	2L	2H	2L				
63D-GT	390-4	3J	3K	3J	3K	3J	3K	3J	3K													3J	3K	3K	3K				
63D	427					3J	3K	3J	3K																				
66A	200	1L	1N	1L	1N													1L	1N	1L	1N								
66A	289	1N	1P	1P	1Z	1N	1P	1P	1Z									1N	1P	1P	1Z								
66A	390	2U	3H	3H	3A	2U	3H	3H	3A													3H	3A	3H	3A				
66B	200	1L	1N	1L	1N													1L	1N	1L	1N								
66B	289	1N	1P	1P	1Z	1N	1P	1P	1Z									1N	1P	1P	1Z								
66B	390	2U	3H	3H	3A	2U	3H	3H	3A													3H	3A	3H	3A				
66D	200	1L	1N	1L	1N													1L	1N	1L	1N								
66D	289	1N	1P	1P	1Z	1N	1P	1P	1Z									1N	1P	1P	1Z								
66D	390	2U	3H	3H	3A	2U	3H	3H	3A													3H	3A	3H	3A				
71B	200	3G	1U	1U	1W													1U	1W	1U	1W								
71B	289	1P	1Z	1P	1Z	1P	1Z	1Z	2B	1P	1Z	1Z	2B									1P	1Z	1Z	2B				
71B	390-2	2B	2E	2E	2E																	2E	2H	2E	2H				
71B	390-4	2B	2E	2E	2H																	2E	2H	2E	2H				
71D	200	3G	1U	1U	1W													3G	1W	1U	1W								
71D	289	1P	1Z	1P	1Z	1P	1Z	1Z	2B	1P	1Z	1Z	2B									1P	1Z	1Z	2B				
71D	390-2	2B	2E	2B	2E																	2E	2E	2E	2H				
71D	390-4	2B	2E	2E	2E																	2E	2H	2E	2H				
71E	200	3G	1U	1U	1W													1U	1W	1U	1W								
71E	289	1P	1Z	1P	2B	1P	1Z	1Z	2B	1P	1Z	1Z	2B									1P	1Z	1Z	2B				
71E	390-2	2B	2E	2E	2H																	2E	2H	2E	2H				
71E	390-4	2B	2E	2E	2H																	2E	2H	2E	2H				
76B	200	1Z	2B	1Z	2B													1Z	2B	2B	2E								
76B	289	2B	2E	2E	2H	2E	2H	2E	2H	2E	2H	2E	2H					2E	2H	2E	2H								
76B	390-2	2H	2L	2L	2P	2H	2L	2L	2P													2L	2P	2L	2P				
76B	390-4	2H	2L	2L	2P	2H	2L	2L	2P													2L	2P	2L	2P				
76C*	200	1Z	2B	1Z	2B													1Z	2B	2B	2E								
76C	289	2E	2H	2E	2H	2E	2H	2E	2H	2E	2H	2E	2H					2E	2H	2E	2H								
76C	390-2	2H	2L	2L	2P	2L	2L	2L	2P													2L	2P	2L	2P				
76C	390-4	2L	2L	2L	2P	2L	2L	2L	2P													2L	2P	2L	2P				
76D	289	2E	2H	2E	2H	2E	2H	2E	2H	2E	2H	2E	2H					2E	2H	2E	2H								
76D	390-2	2H	2L	2L	2P	2L	2L	2L	2P													2L	2P	2L	2P				
76D	390-4	3K	3K	3K	3L	3K	3K	3K	3L													3K	3L	3K	3L				
76D	427					3K	3L	3K	3L																				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued — 1967 "B" (FAIRLANE) -- HEAVY DUTY SPRINGS - WITHOUT THERMACTOR

BODY TYPE	TRANS→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54A	289	2U	3H	3H	3A	3H	3H	3H	3A	3H	3H	3H	3A					2U	3H	3H	3A								
54A	390-2	3A	3C	3C	3C	3A	3C	3C	2Y													3C	2Y	3C	2Y				
54A	390-4	3A	3C	3C	2Y	3A	3C	3C	2Y													3C	2Y	3C	2Y				
54B	289	2U	3H	3H	3A	3H	3H	3H	3A	3H	3H	3H	3A					3H	3H	3H	3A								
54B	390-2	3A	3C	3C	2Y	3A	3C	3C	2Y													3C	2Y	3C	2Y				
54B	390-4	3A	3C	3C	2Y	3A	3C	3C	2Y													3C	2Y	3C	2Y				
62A	289	2U	3H	2U	3H	2U	3H	3H	3A	2U	3H	3H	3A					2U	3H	3H	3H								
62A	390-2	3A	3C	3A	3C	3A	3C	3A	3C													3A	3C	3C	2Y				
62A	390-4	3A	3C	3A	3C	3A	3C	3A	3C													3A	3C	3C	2Y				
62B	289	2U	3H	2U	3H	2U	3H	3H	3A	2U	3H	3H	3A					2U	3H	3H	3H								
62B	390-2	3A	3C	3A	3C	3A	3C	3A	3C													3A	3C	3C	2Y				
62B	390-4	3A	3C	3A	3C	3A	3C	3A	3C													3A	3C	3C	2Y				
63B	289	3H	3H	3H	3A	3H	3A	3H	3A	3H	3A	3H	3A					3H	3A	3H	3A								
63B	390-2	3C	3C	3C	2Y	3C	3C	3C	2Y													3C	2Y	3C	2Y				
63B	390-4	3C	3C	3C	2Y	3C	3C	3C	2Y													3C	2Y	3C	2Y				
63C	390-4	3C	2Y	3C	2Y	3C	2Y	3C	2Y													3C	2Y	3C	2Y				
63C	289	3H	3A	3H	3A	3H	3A	3H	3A	3H	3A	3H	3A					3H	3A	3H	3A								
63C	390-2	3C	3C	3C	2Y	3C	2Y	3C	2Y													3C	2Y	3C	2Y				
71B	289	2S	2U	2U	2U	2S	2U	2U	3H	2S	2U	2U	3H					2S	2U	2U	3H								
71B	390-2	3H	3A	3H	3A																	3H	3A	3A	3C				
71B	390-4	3H	3A	3H	3A																	3H	3C	3A	3C				
71D	289	2S	2U	2U	2U	2S	2U	2U	3H	2S	2U	2U	3H					2S	2U	2U	3H								
71D	390-2	3H	3A	3H	3A																	3H	3A	3A	3C				
71D	390-4	3H	3A	3H	3A																	3H	3A	3A	3C				
71E	289	2S	2U	2U	3H	2S	2U	2U	3H	2S	2U	2U	3H					2S	2U	2U	3H								
71E	390-2	3H	3A	3H	3A																	3A	3C	3A	3C				
71E	390-4	3H	3C	3A	3C																	3A	3C	3A	3C				
76B	289	3H	3A	3A	3C	3H	3A	3A	3C	3H	3A	3A	3C					3H	3A	3A	3C								
76B	390-2	3C	2Y	3C	2Y	3C	2Y	3C	2Y													2Y	2Y	2Y	2W				
76B	390-4	3C	2Y	2Y	2Y	3C	2Y	2Y	2Y													2Y	2Y	2Y	2W				
76C	289	3H	3A	3A	3C	3A	3C	3A	3C	3A	3C	3A	3C					3A	3C	3A	3C								
76C	390-2	3C	2Y	2Y	2Y	3C	2Y	2Y	2Y													2Y	2Y	2Y	2W				
76C	390-4	3C	2Y	2Y	2Y	3C	2Y	2Y	2Y													2Y	2Y	2Y	2W				

1967 "B" (FAIRLANE) -- STANDARD SPRINGS - WITH THERMACTOR

54A	200	1W	1Z	1W	1Z													1W	1Z	1Z	2B								
54A	289	2B	2E	2B	2E	2B	2E	2B	2E	2B	2E	2B	2E					2B	2E	2B	2E								
54A	390-2	2H	2L	2H	2L	2H	2L	2H	2L													2H	2L	2H	2L				
54A	390-4	2H	2L	2H	2L	2H	2L	2H	2L													2H	2L	2H	2L				
54B	200	1W	1Z	1W	2B													1W	1Z	1Z	2B								
54B	289	2B	2E	2B	2E	2B	2E	2B	2E	2B	2E	2B	2E					2B	2E	2B	2E								
54B	390-2	2H	2L	2H	2L	2H	2L	2H	2L													2H	2L	2H	2L				
54B	390-4	2H	2L	2H	2L	2H	2L	2H	2L													2H	2L	2L	2L				
62A	200	1W	1Z	1W	1Z													1W	1Z	1W	1Z								
62A	289	1Z	2B	2B	2E	2B	2E	2B	2E	2B	2E	2B	2E					1Z	2B	2B	2E								
62A	390-2	2E	2H	2H	2L	2E	2H	2H	2L													2H	2L	2H	2L				
62A	390-4	2E	2H	2H	2L	2E	2H	2H	2L													2H	2L	2H	2L				
62A	427					3J	3K	3J	3K																				
62B	200	1W	1Z	1W	1Z													1W	1Z	1W	1Z								
62B	289	1Z	2B	2B	2E	2B	2E	2B	2E	2B	2E	2B	2E					2B	2E	2B	2E								
62B	390-2	2E	2H	2H	2L	2E	2H	2H	2L													2H	2L	2H	2L				
62B	390-4	2E	2H	2H	2L	2E	2H	2H	2L													2H	2L	2H	2L				
62B	427					3J	3K	3J	3K																				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

5310 - continued — 1967 "B" (FAIRLANE) -- STANDARD SPRING - WITH THERMACTOR - continued

BODY TYPE	TRANS. →	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
63B	200	1W	1Z	1Z	2B													1Z	2B	1Z	2B								
63B	289	2B	2E	2B	2E	2B	2E	2E	2E	2B	2E	2E	2E					2B	2E	2B	2E								
63B	390-2	2H	2L	2H	2L	2H	2L	2H	2L													2H	2L	2L	2L				
63B	390-4	2H	2L	2H	2L	2H	2L	2H	2L													2H	2L	2L	2P				
63B	427					3J	3K	3K	3K																				
63C	200	1W	1Z	1Z	2B													1Z	2B	1Z	2B								
63C	289	2B	2E	2B	2E	2B	2E	2E	2H	2B	2E	2E	2H					2B	2E	2E	2H								
63C	390-2	2H	2L	2H	2L	2H	2L	2H	2L													2H	2L	2L	2P				
63C	390-4	2H	2L	2H	2L	2H	2L	2H	2L													2H	2L	2L	2P				
63C	427					3J	3K	3K	3K																				
63D	289	2B	2E	2B	2E	2B	2E	2B	2E	2B	2E	2E	2E					2B	2E	2B	2E								
63D	390-2	2H	2L	2H	2L	2H	2L	2H	2L													2H	2L	2L	2L				
63D	390-4	2H	2L	2H	2L	2H	2L	2H	2L													2H	2L	2L	2P				
63D	427					3J	3K	3K	3K																				
66A	200	1L	1N	1L	1N													1L	1N	1N	1P								
66A	289	1N	1P	1P	1Z	1P	1Z	1P	1Z									1P	1Z	1P	1Z								
66A	390	3H	3H	3H	3A	3H	3H	3H	3A													3H	3A	3H	3A				
66B	200	1L	1N	1L	1N													1L	1N	1N	1P								
66B	289	1N	1P	1P	1Z	1P	1Z	1P	1Z									1P	1Z	1P	1Z								
66B	390	3H	3H	3H	3A	3H	3H	3H	3A													3H	3A	3H	3A				
66D	200	1L	1N	1L	1N													1L	1N	1N	1P								
66D	289	1N	1P	1P	1Z	1P	1Z	1P	1Z									1P	1Z	1P	1Z								
66D	390	3H	3H	3H	3A	3H	3H	3H	3A													3H	3A	3H	3A				
71B	200	3G	1W	1U	1W													1U	1W	1U	1W								
71B	289	1P	1Z	1Z	2B	1P	2B	1Z	2B	1P	2B	1Z	2B					1P	1Z	1Z	2B								
71B	390-2	2B	2E	2E	2H																	2E	2H	2E	2H				
71B	390-4	2B	2E	2E	2H																	2E	2H	2E	2H				
71D	200	3G	1U	1U	1W													1U	1W	1U	1W								
71D	289	1P	1Z	1Z	2B	1P	1Z	1Z	2B	1P	1Z	1Z	2B					1P	1Z	1Z	2B								
71D	390-2	2B	2E	2E	2H																	2E	2H	2E	2H				
71D	390-4	2B	2E	2E	2H																	2E	2H	2E	2H				
71E	200	1U	1W	1U	1W													1U	1W	1U	1W								
71E	289	1P	1Z	1Z	2B	1Z	2B	1Z	2B	1Z	2B	1Z	2B					1P	2B	1Z	2B								
71E	390-2	2B	2E	2E	2H																	2E	2H	2E	2H				
71E	390-4	2B	2E	2E	2H																	2E	2H	2E	2H				
76B	200	1Z	2B	1Z	2B													1Z	2B	2B	2E								
76B	289	2E	2H	2E	2H	2E	2H	2E	2H	2E	2H	2E	2H					2E	2H	2E	2H								
76B	390-2	2L	2L	2L	2P	2L	2L	2L	2P													2L	2P	2L	2P				
76B	390-4	2L	2L	2L	2P	2L	2L	2L	2P													2L	2P	2L	2P				
76C	200	1Z	2B	2B	2E													2B	2E	2B	2E								
76C	289	2E	2H	2E	2H	2E	2H	2E	2H	2E	2H	2E	2H					2E	2H	2E	2H								
76C	390-2	2P	2P	2P	2P	2P	2P	2P	2P													2P	2P	2P	2P				
76C	390-4	2L	2L	2L	2P	2L	2P	2L	2P													2L	2P	2L	2P				
76D	289	2E	2H	2E	2H	2E	2H	2E	2H	2E	2H	2E	2H					2E	2H	2E	2H								
76D	390-2	2L	2P	2L	2P	2L	2P	2L	2P													2L	2P	2L	2P				
76D	390-4	2L	2L	2L	2P	2L	2P	2L	2P													2L	2P	2L	2P				
76D	427					3K	3L	3K	3L																				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1967 "B" (FAIRLANE) --HEAVY DUTY SPRING - WITH THERMACTOR

BODY TYPE	TRANS→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54A	289	3H	3H	3H	3A	3H	3A	3H	3A	3H	3A	3H	3A					3H	3A	3H	3A								
54A	390-2	3C	3C	3C	2Y	3C	3C	3C														3C	2Y	3C					
54A	390-4	3C	3C	3C	2Y	3C	3C	3C	2Y													3C	2Y	3C	2Y				
54B	289	3H	3H	3H	3A	3H	3A	3H	3A	3H	3A	3H	3A					3H	3A	3H	3A								
54B	390-2	3C	3C	3C	2Y	3C	3C	3C	2Y													3C	2Y	3C	2Y				
54B	390-4	3C	3C	3C	2Y	3C	3C	3C	2Y													3C	2Y	3C	2Y				
62A	289	2U	3H	3H	3A	2U	3H	3H	3A	2U	3H	3H	3A					2U	3H	3H	3A								
62A	390-2	3A	3C	3C	3C	3A	3C	3C	3C													3C	3C	3C	2Y				
62A	390-4	3A	3C	3C	3C	3A	3C	3C	3C													3C	2Y	3C	2Y				
62B	289	2U	3H	3H	3A	2U	3H	3H	3A	2U	3H	3H	3A					2U	3H	3H	3A								
62B	390-2	3A	3C	3C	3C	3A	3C	3C	3C													3C	3C	3C	2Y				
62B	390-4	3A	3C	3C	3C	3A	3C	3C	3C													3C	2Y	3C	2Y				
63B	289	3H	3A	3H	3A	3H	3A	3H	3A	3H	3A	3H	3A					3H	3A	3H	3A								
63B	390-2	3C	2Y	3C	2Y	3C	2Y	3C	2Y													3C	2Y	3C	2Y				
63B	390-4	3C	2Y	3C	2Y	3C	2Y	3C	2Y													3C	2Y	3C	2Y				
63C	289	3H	3A	3H	3A	3H	3A	3H	3A	3H	3A	3H	3A					3H	3A	3H	3A								
63C	289	3H	3A	3H	3A	3H	3A	3H	3A	3H	3A	3H	3A					3H	3A	3H	3A								
63C	390-2	3C	2Y	3C	2Y	3C	2Y	3C	2Y													3C	2Y	2Y	2Y				
63C	390-4	3C	2Y	3C	2Y	3C	2Y	3C	2Y													3C	2Y	2Y	2Y				
63D	390-4	2Y	3K	2Y	3K	2Y	3K	2Y	3K													2Y	3K	3K	3K				
71B	200	3E	2S	3E	2S																	3E	2S	2S	2S				
71B	289	2S	2U	2U	3H	2U	3H	2U	3H	2U	3H	2U	3H					2U	2U	2U	3H								
71B	390-2	3H	3A	3A	3C																	3A	3C	3A	3C				
71B	390-4	3H	3A	3A	3C																	3A	3C	3A	3C				
71D	200	3E	2S	3E	2S																	3E	2S	2S	2S				
71D	289	2S	2U	2U	3H	2U	2U	2U	3H	2U	2U	2U	3H					2U	2U	2U	3H								
71D	390-2	3H	3A	3A	3C																	3A	3C	3A	3C				
71D	390-4	3H	3A	3A	3C																	3A	3C	3A	3C				
71E	200	3E	2S	3E	2S													3E	2S	2S	2U								
71E	289	2S	2U	2U	3H	2U	3H	2U	3H	2U	3H	2U	3H					2U	3H	2U	3H								
71E	390-2	3H	3A	3A	3C																	3A	3C	3A	3C				
71E	390-4	3H	3A	3A	3C																	3A	3C	3A	3C				
76B	289	3H	3A	3A	3C	3A	3C	3A	3C	3A	3C	3A	3C					3A	3C	3A	3C								
76B	390-2	3C	2Y	2Y	2Y	3C	2Y	2Y	2Y													2Y	2Y	2Y	2W				
76B	390-4	3C	2Y	2Y	2Y	3C	2Y	2Y	2Y													2Y	2Y	2Y	2W				
76C	289	3A	3C	3A	3C	3A	3C	3A	3C	3A	3C	3A	3C					3A	3C	3A	3C								
76C	390-2	3C	2Y	2Y	2W	3C	2Y	2Y	2W													2Y	2W	2Y	2W				
76C	390-4	2Y	2Y	2Y	2W	2Y	2Y	2Y	2W													2Y	2W	2Y	2W				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

5310 - continued 1967 "F" (MUSTANG) -- STANDARD SPRINGS - WITHOUT THERMACTOR

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
63	200	4T	4G	4T	4W	4T	4W	4G	4W									4T	4G	4G	4W								
63	289-2	4H	4J	4J	4V	4J	4V	4J	4V									4H	4J	4J	4V								
63	289-4	4H	4V	4J	4V	4J	4V	4J	4V									4J	4V	4J	4V								
63 †	390	4F	4E	4E	4U	4F	4E	4E	4U													4F	4E	4E	4U				
63 ◊	390	4S	4R	4R	4R	4S	4R	4R	4R													4S	4R	4R	4P				
63 ♦	390	4K	4L	4L	4L	4K	4L	4L	4L													4K	4L	4L	4L				
65	200	4T	4G	4G	4W	4T	4W	4G	4W									4T	4W	4G	4W								
65	289-2	4H	4V	4J	4V	4J	4V	4J	4V									4J	4V	4J	4V								
65	289-4	4J	4V	4J	4V	4J	4V	4J	25									4J	4V	4J	4V								
65 †	390	4F	4E	4E	4U	4F	4E	4E	4U													4F	4E	4E	4U				
65 ◊	390	4S	4R	4R	4P	4S	4R	4R	4P													4S	4R	4R	4P				
65 ♦	390	4K	4L	4L	4L	4K	4L	4L	4L													4K	4L	4L	4M				
76 Δ	200	4G	4W	4W	68	4W	68	4W	68									4G	68	4W	68								
76 $	200	4G	4W	4W	4J	4W	4J	4W	4J									4G	4J	4W	4J								
76 Δ	289-2	4J	25	4V	25	4V	25	4V	25									4V	25	4V	25								
76 $	289-2	4J	4F	4T	4F	4T	4F	4T	4F									4T	4F	4T	4F								
76 Δ	289-4	4V	25	4V	25	4V	25	4V	25									4V	25	4V	25								
76 $	289-4	4T	4F	4T	4F	4T	4F	4T	4F									4T	4F	4T	4F								
76 †	390	4E	4U	4U	4D	4E	4U	4U	4D													4E	4U	4U	4D				
76 ◊	390	4R	4P	4R	4P	4R	4P	4P	4P													4R	4P	4P	4P				
76 ♦	390	4L	4M	4L	4M	4L	4M	4L	4M													4L	4M	4L	4M				

1967 "F" (MUSTANG) -- STANDARD SPRINGS - WITH THERMACTOR

63 Δ	200	4T	4G	4G	4W	4G	4W	4G	68									4G	4W	4G	4W								
63 $	200	4T	4G	4G	4W	4G	4W	4G	4J									4G	4W	4G	4W								
63 Δ	289-2	4J	4V	4J	4V	4J	4V	4V	25									4J	4V	4J	4V								
63 $	289-2	4J	4T	4J	4T	4J	4T	4T	4F									4J	4T	4J	4T								
63 Δ	289-4	4J	4V	4J	25	4J	4V	4V	25									4J	4V	4V	25								
63 $	289-4	4J	4T	4J	4F	4J	4T	4T	4F									4J	4T	4T	4F								
63 †	390	4F	4E	4E	4U	4F	4E	4E	4U													4E	4U	4E	4U				
63 ◊	390	4S	4R	4R	4P	4S	4R	4R	4P													4R	4R	4R	4P				
63 ♦	390	4K	4L	4L	4M	4K	4L	4L	4M													4L	4L	4L	4M				
65 Δ	200	4T	4W	4G	4W	4G	4W	4W	68									4G	4W	4G	68								
65 $	200	4T	4W	4G	4W	4G	4W	4W	4J									4G	4W	4G	4J								
65 Δ	289-2	4J	4V	4J	25	4J	4V	4V	25									4J	4V	4V	25								
65 $	289-2	4J	4T	4J	4F	4J	4T	4T	4F									4J	4T	4T	4F								
65 Δ	289-4	4J	4V	4V	25	4J	4V	4V	25									4J	4V	4V	25								
65 $	289-4	4J	4T	4T	4F	4J	4T	4T	4F									4J	4J	4T	4F								
65 †	390	4E	4U	4E	4U	4E	4U	4E	4U									4E	4U	4E	4U								
65 ◊	390	4R	4R	4R	4P	4R	4R	4R	4P									4R	4P	4R	4P								
65 ♦	390	4L	4L	4L	4M	4L	4L	4L	4M									4L	4L	4L	4M								

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.
Δ "Before 9/1/66" $ "From 9/1/66"
† Without improved handling or racing parts ◊ Improved handling ♦ Racing only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5310 - continued **1967 "F" (MUSTANG) -- STANDARD SPRINGS - WITH THERMACTOR - continued**

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
76 Δ	200	4G	68	4W	68	4W	68	68	4V									4W	68	4W	4V								
76 $	200	4G	4J	4W	4J	4R	4J	4J	4T									4W	4J	4W	4T								
76 Δ	289-2	4V	25	4V	4E	4V	25	25	4E									4V	25	25	4E								
76 $	289-2	4T	4F	4T	4E	4T	4F	4F	4E									4T	4F	4F	4E								
76 Δ	289-4	4V	25	25	4E	4V	25	25	4E									4V	25	25	4E								
76 $	289-4	4T	4F	4F	4E	4T	4F	4F	4E									4T	4F	4F	4E								
76 †	390	4E	4U	4U	4D	4E	4U	4U	4D													4U	4U	4U	4D				
76 ◊	390	4R	4P	4P	4N	4R	4P	4P	4N													4R	4P	4P	4N				
76 ♦	390	4L	4M	4M	4M	4L	4M	4M	4M													4L	4M	4M	4M				

1967 "S" (THUNDERBIRD) -- STANDARD SPRINGS

57	390																						98	4B					
57	428																						98	4B					
65	390																						97	4B					
65	428																						97	4B					

1967 "S" (THUNDERBIRD) -- HEAVY DUTY SPRINGS

57 Δ	390																						1F						
57 $	390																						6F						
57	390																							1G					
57 Δ	428																						1F						
57 $	428																						6F						
57	428																							1G					
65 Δ	390																						1F						
65 $	390																						6F						
65	390																							1G					
65 Δ	428																						1F						
65 $	428																						6F						
65	428																							1G					

1967 "U" (BRONCO) -- STANDARD SPRINGS

U-R.H.	170	3R																											
U-L.H.	170	3V																											
U	289	3S																											

1967 "U" (BRONCO) -- HEAVY DUTY SPRINGS

U-R.H.	170	3V																											
U-L.H.	170	3S																											
U	289	3S																											

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

† Without improved handling or racing parts ◊ Improved handling ♦ Racing only

Δ "Before 12/19/66" $ "From 12/19/66"

5310 - continued 1967 "X" (FALCON) -- STANDARD SPRINGS - WITHOUT THERMACTOR

BODY TYPE	TRANS. →	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54A %	170		2S	2S														2S	2S	2S									
54A ♦	170																			4H	4H								
54A	170	3E			2S																2U								
54A	200	3E	2S	2S	2U													2S	2S	2S	2U								
54A	289	1Z	2B	2B	2B	1Z	2B	2B	2E									1Z	2B	2B	2B								
54B %	170		2S	2S														2S	2S	2S	2U								
54B	170	3E			2S																								
54B	200	3E	2S	2S	2U													2S	2S	2S	2U								
54B	289	1Z	2B	2B	2B	1Z	2B	2B	2E									1Z	2B	2B	2B								
62A %	170		2S	2S														2S	2S	2S									
62A ♦	170																			4H	4H								
62A	170	3E			2S																2U								
62A	200	3E	2S	2S	2S													2S	2S	2S	2U								
62A	289-2	1Z	2B	1Z	2B	1Z	2B	2B	2B									1Z	2B	1Z	2B								
62A	289-4	1Z	2B	1Z	2B	1Z	2B	2B	2B									1Z	2B	2B	2B								
62B %	170		2S	2S																									
62B	170	3E			2S													2S	2S	2S	2U								
62B	200	3E	2S	2S	2S													2S	2S	2S	2U								
62B	289-2	1Z	2B	1Z	2B	1Z	2B	2B	2B									1Z	2B	1Z	2B								
62B	289-4	1Z	2B	1Z	2B	1Z	2B	2B	2B									1Z	2B	2B	2B								
62C	200	3E	2S	2S	2U													2S	2S	2S	2U								
62C	289-2	1Z	2B	2B	2B	1Z	2B	2B	2E									1Z	2B	2B	2B								
62C	289-4	1Z	2B	2B	2B	1Z	2B	2B	2E									1Z	2B	2B	2B								
71A	200	1L		1L	1N													1L		1N	1N								
71A	289-2	1P		1P	1Z	1P		1P	1Z									1P		1P	1Z								
71A	289-4	1P		1P	1Z				1Z									1P		1P	1Z								
71B	200	1L		1L	1N													1L		1N	1N								
71B	289-2	1P		1P	1Z	1P		1P	1Z									1P		1P	1Z								
71B	289-4	1P		1P	1Z				1Z									1P		1P	1Z								

1967 "X" (FALCON) -- HEAVY DUTY SPRINGS - WITHOUT THERMACTOR

71A	200		3E	3E	3E														3E	3E	2S								
71A	289-2			2S	2U			2S	2U											2S	2U								
71A	289-4	2S		2S	2U	2S		2U	2U									2S		2S	2U								
71B	200		3E	3E	3E														3E	3E	2S								
71B	289-2			2S	2U			2S	2U											2S	2U								
71B	289-4	2S		2S	2U	2S		2U	2U									2S		2S	2U								

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

% Except IMCO ♦ IMCO

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 • continued **1967 "X" (FALCON) --STANDARD SPRINGS - WITH THERMACTOR**

BODY TYPE	TRANS→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54A %	170		2S	2S																2S									
54A ♦	170																		4H	4H									
54A	170				2U														2U										
54A	200		2S	2S	2U														2U	2S	2U								
54A	289	1Z	2B	2B	2E	2B	2B	2B	2E									1Z	2B	2B	2E								
54B %	170		2S	2S																									
54B	170				2U														2U										
54B	200		2S	2S	2U														2U	2S	2U								
54B	289	1Z	2B	2B	2E	2B	2B	2B	2E									1Z	2B	2B	2E								
62A %	170	2S	2S	2S														2S	2S	2S									
62A ♦	170																		4H	4H									
62A	170	3E			2S																2U								
62A	200		2S	2S	2U														2U	2S	2U								
62A	289-2	1Z	2B	2B	2B	1Z	2B	2B	2E									1Z	2B	2B	2E								
62A	289-4	1Z	2B	2B	2E	2B	2B	2B	2E									1Z	2B	2B	2E								
62B %	170	2S	2S	2S	2S													2S	2S	2S									
62B	170	3E																			2U								
62B	200		2S	2S	2U														2U	2S	2U								
62B	289-2	1Z	2B	2B	2B	1Z	2B	2B	2E									1Z	2B	2B	2E								
62B	289-4	1Z	2B	2B	2E	2B	2B	2B	2E									1Z	2B	2B	2E								
62C	200		2S		2U														2U		2U								
62C	289-2	1Z	2B	2B		2B	2B	2B	2E									1Z	2B	2B	2E								
62C	289-4	1Z	2B	2B	2E	2B	2B	2B	2E									2B	2B	2B	2E								
71A	200	1L	1N	1N	1N													1N	1N	1N	1P								
71A	289-2	1P		1P	1Z	1P		1Z	1Z									1P		1P	1Z								
71A	289-4	1P		1P	1Z	1P		1Z	1Z									1P		1Z	1Z								
71B	200	1L	1N	1N	1N													1N	1N	1N	1P								
71B	289-2	1P		1P	1Z	1P		1Z	1Z									1P		1P	1Z								
71B	289-4	1P		1P	1Z	1P		1Z	1Z									1P		1Z	1Z								

1967 "X" (FALCON) -- HEAVY DUTY SPRINGS - WITH THERMACTOR

71A	200		3E	3E	2S														3E	3E	2S								
71A	289-2	2S		2U	2U	2S		2U	2U									2S		2U	2U								
71A	289-4	2S		2U	2U	2S		2U	2U									2S		2U	2U								
71B	200		3E	3E	2S														3E	3E	2S								
71B	289-2	2S		2U	2U	2S		2U	2U									2S		2U	2U								
71B	289-4	2S		2U	2U	2S		2U	2U									2S		2U	2U								

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

% Except IMCO ♦ IMCO

5310 SPRING (FRONT COIL)

HOW TO FIND 1968 FRONT SPRING PART NUMBERS

1) To determine Front Spring Part Number you must know:

a) YEAR
b) CAR LINE
c) BODY TYPE
d) ENGINE
e) Whether SPRING required is STANDARD or HEAVY DUTY.
f) TRANSMISSION
g) Whether car is equipped with AIR CONDITIONING, POWER STEERING or BOTH.

2) Using this information, refer to the listing on the following pages.

3) Locate the appropriate Front Spring Code Number.

4) **Translate the Code Number into a Service Part Number by referring to the Cross Reference listing starting on page 1 of Section 53.**

Read down to locate correct Code Number.

Read across to locate Front Spring Part Number.

(Color Identification, Normal Load, Number of Coils, Wire Diameter and Free Length are also listed).

EXAMPLE:

a) Year 1968
b) Car Line FORD
c) Body Type 63B
d) Engine 390
e) Spring Type STANDARD
f) Transmission C/M(Cruise-O-Matic)
g) Additional Equipment P/S(Power Steering)

Front Spring Code Number listed is 95.

Part Number shown for Code 95 (Section 53 page 4) is C6AZ 5310-E.

1968 "A" (FORD) -- STANDARD SPRINGS

BODY TYPE	TRANS. →	3/S				4/S				O/D				C/M				C4				C6							
	OPT. → IONS		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54A(EXC.P/C)	240	91	94	93	94									91	94	93	94	91	93	91	94								
54A(EXC.P/C)	302	91	94	93	95									93	94	93	95	91	94	93	95								
54A(EXC.P/C)	390-2	95	96	95	98									95	96	95	98					94	96	95	98				
54A(EXC.P/C)	390-4	95	96	95	98	95	96	95	98													95	96	95	98				
54A(EXC.P/C)	428					95	98	96	98													95	96	95	98				
54A(P/C)	240	3X	3Z	3Y	3Z									3X	3Z	3Y	3Z												
54A(P/C)	302	3Y	3Z	3Y	3Z									3Y	3Z	3Y	3Z												
54A(P/C)	390	3Z	4A	4A	4A																	3Z	4A	4A	4A				
54A(P/C)	428																					3Z	4A	4A	4A				
54A	427					1E	1F	1F	1G																				
54B(EXC.P/C)	240	91	94	93	95									91	94	93	95	91	94	93	94								
54B(EXC.P/C)	302	93	94	93	95									93	95	94	95	91	94	93	95								
54B(EXC.P/C)	390-2	95	96	95	98									95	96	95	98					95	96	95	98				
54B(EXC.P/C)	390-4	95	96	96	98	95	98	96	98													95	96	95	98				
54B(EXC.P/C)	428					95	98	96	98													95	98	96	98				
54B(P/C)	240	3Y	3Z	3Y	3Z									3Y	3Z	3Y	3Z												
54B(P/C)	302	3Y	3Z	3Y	4A									3Y	3Z	3Y	4A												
54B(P/C)	390-2	3Z	4A	4A	4A																	3Z	4A	4A	4A				
54B(P/C)	390-4	3Z	4A	4A	4A																	3Z	4A	4A	4A				
54B(P/C)	428																					4A	4A	4A	4A				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1968 "A" (FORD) -- STANDARD SPRINGS - continued**

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54B	427					1E	1G	1F	1G																				
54C	302	93	94	93	95									93	95	94	95	91	94	93	95								
54C	390-2	95	96	95	98									95	96	95	98					95	96	95	98				
54C	390-4	95	96	96	98	95	98	96	98													95	96	95	98				
54C	427					1E	1G	1F	1G																				
54C	428					95	98	96	98													95	98	96	98				
54E(EXC.P/C)	240	91	94	93	95									91	94	93	95	91	93	91	94								
54E(EXC.P/C)	302	91	94	93	95									93	94	93	95	91	94	93	95								
54E(EXC.P/C)	390	95	96	95	98	95	96	95	98					95	96	95	98					95	96	95	98				
54E(EXC.P/C)	428					95	98	96	98													95	98	96	98				
54E(P/C)	240	3Y	3Z	3Y	3Z									3Y	3Z	3Y	3Z												
54E(P/C)	302	3Y	3Z	3Y	3Z									3Y	3Z	3Y	3Z												
54E(P/C)	390	3Z	4A	4A	4A																	3Z	4A	4A	4A				
54E(P/C)	428																					3Z	4A	4A	4A				
54E	427-4					1E	1F	1F	1G																				
54E	427-8					1E	1G	1F	1G																				
57B	240	91	94	93	95													91	94	93	94								
57B	302	93	94	93	95									93	95	94	95	91	94	93	95								
57B	390	95	96	95	98	95	98	96	98					95	96	95	98					95	96	95	98				
57B	427					1E	1G	1F	1G																				
57B	428					95	98	96	98													95	98	96	98				
57F	302	93	95	94	95									93	95	94	95	93	94	93	95								
57F	390	95	98	96	98	95	98	96	98					95	98	96	98					95	98	96	98				
57F	427-4					1E	1G	1F	1G																				
57F	427-8					1F	1G	1F	1G																				
57F	428					96	98	96	98													95	98	96	98				
62B(EXC.P/C)	240	91	93	91	94									91	93	91	94	91	93	91	94								
62B(EXC.P/C)	302	91	94	93	95									91	94	93	95	91	94	91	94								
62B(EXC.P/C)	390-2	94	96	95	96									94	96	95	96					94	96	95	96				
62B(EXC.P/C)	390-4	94	96	95	98	94	96	95	98													94	96	95	96				
62B(EXC.P/C)	428					95	96	95	98													94	96	95	98				
62B(P/C)	240	3X	3Y	3Y	3Z									3X	3Y	3Y	3Z												
62B(P/C)	302	3Y	3Z	3Y	3Z									3Y	3Z	3Y	3Z												
62B(P/C)	390	3Z	4A	3Z	4A																	3Z	4A	3Z	4A				
62B(P/C)	428																					3Z	4A	4A	4A				
62B	427					1E	1F	1E	1G																				
62E(EXC.P/C	240	91	94	93	95									91	94	93	95	91	93	91	94								
62E(EXC.P/C	302	91	94	93	95									93	94	93	95	91	94	93	95								
62E(EXC.P/C)	390	95	96	95	98	95	96	95	98					95	96	95	98					95	96	95	98				
62E(EXC.P/C	428					95	98	96	98													95	96	96	98				
62E (P/C)	240	3Y	3Z	3Y	3Z									3Y	3Z	3Y	3Z												
62E(P/C)	302	3Y	3Z	3Y	3Z									3Y	3Z	3Y	3Z												
62E(P/C)	390	3Z	4A	4A	4A																	3Z	4A	4A	4A				
62E (P/C)	428																					3Z	4A	4A	4A				
62E	427-4					1E	1F	1F	1G																				
62E	427-8					1E	1G	1F	1G																				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

5310 - continued 1968 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6			
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																							
63B	240	91	93	91	94													91	93	91	94				
63B	302	91	94	93	94									91	94	93	95	91	93	91	94				
63B	390	94	96	95	96	94	96	95	98					94	96	95	96					94	96	95	96
63B	427					1E	1F	1E	1G																
63B	428					95	96	95	98													94	96	95	98
63C	240	91	94	93	94													91	93	91	94				
63C	302	91	94	93	95													91	94	93	94				
63C	390-2	94	96	95	98																	94	96	95	98
63C	390-4	95	96	95	98	95	96	95	98													94	96	95	98
63C	427					1E	1F	1E	1G																
63C	428					95	98	96	98													95	96	95	98
65A	302	93	95	94	95									93	95	94	96	93	94	93	95				
65A	390	95	98	96	98	95	98	96	98					95	98	96	98					95	98	96	98
65A	427-4					1E	1G	1F	1G																
65A	427-8					1F	1G	1F	1G																
65A	428					96	98	96	98													95	98	96	98
65C	240	91	93	91	94													91	93	91	94				
65C	302	91	94	93	94									91	94	93	95	91	93	91	94				
65C	390	94	96	95	96	94	96	95	98					94	96	95	96					94	96	95	96
65C	428					95	96	95	98													94	96	95	98
65C	427					1E	1F	1E	1G																
71A	302	1B	1D	1B	1D									1B	1D	1B	1D	1B	1D	1B	1D				
71A	390	1D	1E	1D	1E									1D	1E	1D	1E					1D	1E	1D	1E
71A	428																					1D	1E	1D	1E
71B	240	1B	1B	1B	1D													1B	1B	1B	1D				
71B	302	1B	1D	1B	1D									1B	1D	1B	1D	1B	1B	1B	1D				
71B	390-2	1D	1E	1D	1E									1D	1E	1D	1E					1D	1D	1D	1E
71B	390-4	1D	1E	1D	1E																	1D	1E	1D	1E
71B	428																					1D	1E	1D	1E
71C	240	1B	1B	1B	1D													1B	1B	1B	1D				
71C	302	1B	1D	1B	1D									1B	1D	1B	1D	1B	1B	1B	1D				
71C	390-2	1D	1D	1D	1E									1D	1D	1D	1E					1D	1D	1D	1E
71C	390-4	1D	1D	1D	1E																	1D	1D	1D	1E
71C	428																					1D	1E	1D	1E
71D(EXC.P/C)	240	1B	1B	1B	1D									1B	1B	1B	1D	1B	1B	1B	1D				
71D(EXC.P/C)	302	1B	1D	1B	1D									1B	1D	1B	1D	1B	1B	1B	1D				
71D(EXC.P/C)	390	1D	1E	1D	1E									1D	1D	1D	1E					1D	1D	1D	1E
71D(EXC.P/C)	428																					1D	1E	1D	1E
71D(P/C)	240	3W	3Y	3X	3Y									3W	3Y	3X	3Y								
71D(P/C)	302	3X	3Y	3X	3Y									3X	3Y	3X	3Y								
71D(P/C)	390	3Y	3Z	3Z	4A																	3Y	3Z	3Z	4A
71D(P/C)	428																					3Y	3Z	3Z	4A
71E	302	1B	1D	1B	1D									1B	1D	1B	1D	1B	1D	1B	1D				
71E	390	1D	1E	1D	1E									1D	1E	1D	1E					1D	1E	1D	1E
71E	428																					1D	1E	1D	1F

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1968 "A" (FORD)-- STANDARD SPRINGS - continued**

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
71H(EXC.P/C)	240	1B	1B	1B	1D									1B	1B	1B	1D	1B	1B	1B	1D								
71H(EXC.P/C)	302	1B	1D	1B	1D									1B	1D	1B	1D	1B	1D	1B	1D								
71H(EXC.P/C)	390-2	1D	1E	1D	1E									1D	1E	1D	1E					1D	1D	1D	1E				
71H(EXC.P/C)	390-4	1D	1E	1D	1E																	1D	1E	1D	1E				
71H(EXC.P/C)	428																	1D	1E	1D	1E								
71H(P/C)	240	3W	3Y	3X	3Y									3W	3Y	3X	3Y												
71H(P/C)	302	3X	3Y	3X	3Y									3X	3Y	3X	3Y												
71H(P/C)	390	3Y	3Z	3Z	4A																	3Y	3Z	3Z	4A				
71H(P/C)	428																					3Y	4A	3Z	4A				
71J(EXC.P/C	240	1B	1B	1B	1D									1B	1B	1B	1D	1B	1B	1B	1B								
71J(EXC.P/C)	302	1B	1D	1B	1D									1B	1D	1B	1D	1B	1B	1B	1D								
71J(EXC.P/C)	390	1D	1D	1D	1E									1D	1D	1D	1E					1D	1D	1D	1E				
71J(EXC.P/C)	428																					1D	1E	1D	1E				
71J(P/C)	240	3W	3X	3X	3Y									3W	3Y	3X	3Y												
71J(P/C)	302	3W	3Y	3X	3Y									3X	3Y	3X	3Y												
71J(P/C)	390-2	3Y	3Z	3Y	4A																	3Y	3Z	3Y	4A				
71J(P/C)	390-4	3Y	3Z	3Z	4A																	3Y	3Z	3Y	4A				
71J(P/C)	428																					3Y	3Z	3Z	4A				
76A	240	91	94	93	95													91	94	91	94								
76A	302	93	94	93	95									93	94	93	95	91	94	93	95								
76A	390	95	96	95	98	95	96	95	98					95	96	95	98					95	96	95	98				
76A	427-4					1E	1F	1F	1G																				
76A	427-8					1E	1G	1F	1G																				
76A	428					95	98	96	98													95	98	96	98				
76B	240	93	94	93	95													91	94	93	95								
76B	302	93	95	94	95													93	95	93	95								
76B	390	95	98	96	98	95	98	96	98													95	98	96	98				
76B	427-4					1E	1G	1F	1G																				
76B	427-8					1F	1G	1F	1G																				
76B	428					96	98	96	98													95	98	96	98				

1968 "A" (FORD) -- HEAVY DUTY SPRINGS

54A	240	1B	1D	1D	1D									1B	1D	1D	1D	1B	1D	1B	1D								
54A †	302	1B	1D	1B	1D									1B	1D	1B	1D	1B	1D	1B	1D								
54A ‡	302	1D	1D	1D	1E									1D	1D	1D	1E	1B	1D	1D	1D								
54A †	390	1D	1E	1D	1F	1D	1E	1D	1F					1D	1E	1D	1E					1D	1E	1D	1E				
54A ‡	390	1D	1F	1E	1F	1D	1F	1E	1F					1D	1F	1E	1F					1D	1F	1E	1F				
54A †	428					1D	1E	1E	1F													1D	1E	1D	1F				
54A ‡	428					1E	1F	1E	1G													1E	1F	1E	1F				
54B	240	1B	1D	1D	1E									1B	1D	1D	1E	1B	1D	1D	1D								
54B †	302	1B	1D	1D	1D									1B	1D	1D	1D	1B	1D	1B	1D								
54B ‡	302	1D	1D	1D	1E									1D	1D	1D	1E	1D	1D	1D	1E								
54B †	390	1D	1E	1D	1F	1D	1E	1D	1F					1D	1E	1D	1F					1D	1E	1D	1F				
54B ‡	390-2	1E	1F	1E	1F									1E	1F	1E	1F					1E	1F	1E	1F				
54B ‡	390-4	1E	1F	1E	1G	1E	1F	1E	1G													1E	1F	1E	1F				
54B †	428					1D	1F	1E	1F													1D	1E	1E	1F				
54B ‡	428					1E	1F	1F	1G													1E	1F	1E	1G				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

† With improved handling package ‡ Without improved handling package

5310 - continued 1968 "A" (FORD) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54C †	302	1B	1D	1D	1D									1B	1D	1D	1D	1B	1D	1B	1D								
54C ‡	302	1D	1D	1D	1E									1D	1D	1D	1E	1D	1D	1D	1E								
54C ‡	390-2	1E	1F	1E	1F									1E	1F	1E	1F					1E	1F	1E	1F				
54C ‡	390-4	1E	1F	1E	1G	1E	1F	1E	1G													1E	1F	1E	1F				
54C †	428					1D	1F	1E	1F													1D	1E	1E	1F				
54C ‡	428					1E	1F	1F	1G													1E	1F	1E	1G				
54E	240	1B	1D	1D	1D									1B	1D	1D	1D	1B	1D	1D	1D								
54E †	302	1B	1D	1B	1D									1B	1C	1B	1D	1B	1D	1B	1D								
54E ‡	302	1D	1D	1D	1E									1D	1D	1D	1E	1B	1D	1D	1D								
54E †	390	1D	1E	1D	1F	1D	1E	1D	1F					1D	1E	1D	1F					1D	1E	1D	1E				
54E ‡	390	1D	1F	1E	1F	1E	1F	1E	1F					1D	1F	1E	1F					1D	1F	1E	1F				
54E †	428					1D	1E	1E	1F													1D	1E	1D	1F				
54E ‡	428					1E	1F	1F	1G													1E	1F	1E	1G				
57B	240	1B	1D	1D	1D													1B	1D	1D	1D								
57B †	302	1B	1D	1D	1D									1B	1D	1D	1D	1B	1D	1B	1D								
57B ‡	302	1D	1D	1D	1E									1D	1D	1D	1E	1D	1D	1D	1E								
57B †	390	1D	1E	1D	1F	1D	1E	1D	1F					1D	1E	1D	1F					1D	1E	1D	1F				
57B ‡	390-2	1E	1F	1E	1F									1E	1F	1E	1F					1D	1F	1E	1F				
57B ‡	390-4	1E	1F	1E	1F	1E	1F	1E	1G													1E	1F	1E	1F				
57B †	428					1D	1F	1E	1F													1D	1E	1E	1F				
57B ‡	428					1E	1F	1F	1G													1E	1F	1E	1G				
57F †	302	1B	1D	1D	1D									1B	1D	1D	1D	1B	1D	1D	1D								
57F ‡	302	1D	1D	1D	1E									1D	1E	1D	1E	1D	1D	1D	1E								
57F †	390-2	1D	1E	1E	1F									1D	1E	1E	1F					1D	1E	1D	1F				
57F †	390-4	1D	1E	1E	1F	1D	1F	1E	1F													1D	1E	1E	1F				
57F ‡	390	1E	1F	1E	1G	1E	1F	1E	1G					1E	1F	1E	1G					1E	1F	1E	1G				
57F †	428					1D	1F	1E	1F													1D	1F	1E	1F				
57F ‡	428					1E	1G	1F	1G													1E	1F	1F	1G				
62B †	302	1B	1D	1B	1D									1B	1D	1B	1D	1B	1D	1B	1D								
62B ‡	302	1B	1D	1D	1D									1B	1D	1D	1D	1B	1D	1D	1D								
62B †	390	1D	1E	1D	1E	1D	1E	1D	1E					1D	1E	1D	1E					1D	1E	1D	1E				
62B ‡	390	1D	1E	1E	1F	1D	1F	1E	1F					1D	1E	1E	1F					1D	1E	1E	1F				
62B †	428					1D	1E	1D	1F													1D	1E	1D	1E				
62B ‡	428					1E	1F	1E	1F													1D	1F	1E	1F				
62E	240	1B	1D	1D	1D									1B	1D	1D	1D	1B	1D	1D	1D								
62E †	302	1B	1D	1B	1D									1B	1D	1B	1D	1B	1D	1B	1D								
62E ‡	302	1D	1D	1D	1E									1D	1D	1D	1E	1B	1D	1D	1D								
62E †	390-2	1D	1E	1D	1F									1D	1E	1D	1F					1D	1E	1D	1E				
62E †	390-4	1D	1E	1D	1F	1D	1E	1D	1F													1D	1E	1D	1F				
62E ‡	390	1D	1F	1E	1F	1E	1F	1E	1F					1D	1F	1E	1F					1D	1F	1E	1F				
62E ‡	428					1E	1F	1E	1G													1E	1F	1E	1G				
62E †	428					1D	1E	1E	1F													1D	1E	1D	1F				
63B	240	1B	1D	1B	1D													1B	1D	1B	1D								
63B †	302	1B	1D	1B	1D									1B	1D	1B	1D	1B	1D	1B	1D								
63B ‡	302	1B	1D	1D	1D									1B	1D	1D	1D	1B	1D	1D	1D								
63B †	390-2	1D	1E	1D	1E									1D	1E	1D	1E					1D	1D	1D	1E				
63B ‡	390-2	1D	1E	1E	1F									1D	1E	1E	1F					1D	1E	1D	1F				
63B †	390-4	1D	1E	1D	1E	1D	1E	1D	1E													1D	1E	1D	1E				
63B ‡	390-4	1D	1E	1E	1F	1D	1F	1E	1F													1D	1E	1E	1F				
63B †	428					1D	1E	1D	1F													1C	1E	1D	1E				
63B ‡	428					1D	1F	1E	1F													1D	1F	1E	1F				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

† With improved handling package ‡ Without improved handling package

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1968 "A" (FORD) -- HEAVY DUTY SPRINGS - continued**

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
63C	240	1B	1D	1D	1D													1B	1D	1B	1D								
63C †	302	1B	1D	1B	1D													1B	1D	1B	1D								
63C ‡	302	1B	1D	1D	1E													1B	1D	1D	1D								
63C †	390	1D	1E	1D	1E	1D	1E	1D	1E													1D	1E	1D	1E				
63C ‡	390	1D	1F	1E	1F	1D	1F	1E	1F													1D	1F	1E	1F				
63C †	428					1D	1E	1D	1F													1D	1E	1D	1F				
63C ‡	428					1E	1F	1E	1G													1E	1F	1E	1F				
65A †	302	1B	1D	1D	1D									1B	1D	1D	1D	1B	1D	1D	1D								
65A ‡	302	1D	1E	1D	1E									1D	1E	1D	1E	1D	1D	1D	1E								
65A †	390-2	1D	1E	1E	1F									1D	1E	1E	1F					1D	1E	1D	1F				
65A †	390-4	1D	1E	1E	1F	1D	1F	1E	1F													1D	1E	1E	1F				
65A ‡	390	1E	1F	1E	1G	1E	1F	1F	1G					1E	1F	1E	1G					1E	1F	1E	1G				
65A †	428					1D	1F	1E	1F													1D	1F	1E	1F				
65A ‡	428					1E	1G	1F	1G													1E	1F	1F	1G				
65C	240	1B	1D	1B	1D													1B	1D	1B	1D								
65C †	302	1B	1D	1B	1D									1B	1D	1B	1D	1B	1D	1B	1D								
65C ‡	302	1B	1D	1D	1D									1B	1D	1D	1D	1B	1D	1D	1D								
65C †	390	1D	1E	1D	1E	1D	1E	1D	1E					1D	1E	1D	1E					1D	1E	1D	1E				
65C ‡	390	1D	1E	1E	1F	1D	1F	1E	1F					1D	1E	1E	1F					1D	1E	1E	1F				
65C †	428					1D	1E	1D	1F													1C	1E	1D	1E				
65C ‡	428					1D	1F	1E	1F													1D	1F	1E	1F				
76A	240	1B	1D	1D	1D													1B	1D	1D	1D								
76A †	302	1B	1D	1B	1D									1B	1D	1B	1D	1B	1D	1B	1D								
76A ‡	302	1D	1D	1D	1E									1D	1D	1D	1E	1B	1D	1D	1E								
76A †	390	1D	1E	1D	1F	1D	1E	1D	1F					1D	1E	1D	1F					1D	1E	1D	1F				
76A ‡	390	1E	1F	1E	1F	1E	1F	1E	1F					1D	1F	1E	1F					1D	1F	1E	1F				
76A †	428					1D	1F	1E	1F													1D	1E	1D	1F				
76A ‡	428					1E	1F	1F	1G													1E	1F	1E	1G				
76B	240	1D	1D	1D	1E													1B	1D	1D	1D								
76B †	302	1B	1D	1D	1D													1B	1D	1D	1D								
76B ‡	302	1D	1E	1D	1E													1D	1D	1D	1E								
76B †	390-2	1D	1E	1E	1F																	1D	1E	1D	1F				
76B †	390-4	1D	1E	1E	1F	1D	1F	1E	1F													1D	1E	1E	1F				
76B ‡	390	1E	1F	1E	1G	1E	1F	1F	1G													1E	1F	1E	1G				
76B †	428					1D	1F	1E	1F													1D	1F	1E	1F				
76B ‡	428					1E	1G	1F	1G													1E	1F	1F	1G				

1968 "B" (FAIRLANE/TORINO) -- STANDARD SPRINGS

54A, B	200	5G	5J	5H	5J													5G	5H	5H	5J								
54A, B	289	5L	5M	5L	5M	5L	5M	5L	5M									5K	5L	5L	5M								
54A, B	302	5K	5M	5L	5M	5L	5M	5L	5M	5L	5M	5L	5M					5K	5L	5L	5M								
54A, B	390-2	5P	5R	5P	5R	5P	5R	5P	5R													5P	5R	5P	5R				
54A, B	390-4	5P	5R	5P	5R	5P	5R	5P	5R													5P	5R	5R	5S				
54C	200	5H	5J	5H	5J													5G	5H	5H	5J								
54C	289	5L	5M	5L	5M	5L	5M	5M	5N									5K	5M	5L	5M								
54C	302	5L	5M	5L	5M	5L	5M	5M	5N	5L	5M	5L	5N					5L	5M	5L	5M								
54C	390-2	5P	5R	5P	5R	5P	5R	5P	5R													5P	5R	5P	5R				
54C	390-4	5P	5R	5P	5R	5P	5R	5R	5R													5P	5R	5R	5S				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

† With improved handling package ‡ Without improved handling package

5310 - continued 1968 "B" (FAIRLANE/TORINO) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
63B	200	5H	5J	5H	5J													5G	5J	5H	5J								
63B †	289	4N	4N	4N	3J	4N	3J	4N	3J									4P	4N	4N	3J								
63B ‡	289	5L	5M	5M	5N	5L	5M	5M	5N									5L	5M	5L	5M								
63B	302	5L	5M	5L	5M	5L	5M	5M	5N	5L	5M	5M	5N					5L	5M	5L	5M								
63B †	390-2	3K	3K	3K	3L	3K	3K	3K	3L													3K	3K	3K	3L				
63B ‡	390-2	5P	5R	5R	5R	5P	5R	5R	5S													5P	5R	5R	5R				
63B †	390-4	3K	3K	3K	3L	3K	3L	3K	3L													3K	3L	3K	3L				
63B ‡	390-4	5P	5R	5R	5S	5P	5R	5R	5S													5P	5R	5R	5S				
63B	427	3K	3L	3L	3L	3K	3L	3L	3L													3L	3L	3L	3L				
63D †	289	4N	3J	4N	3J	4N	3J	3J	3J									4N	3J	4N	3J								
63D ‡	289	5L	5M	5M	5N	5L	5M	5M	5N									5L	5M	5L	5M								
63D	302	5L	5M	5L	5N	5L	5M	5M	5N	5L	5M	5M	5N					5L	5M	5L	5M								
63D †	390-2	3K	3L	3K	3L	3K	3L	3K	3L													3K	3L	3K	3L				
63D ‡	390-2	5P	5R	5R	5S	5P	5R	5R	5S													5P	5R	5R	5S				
63D †	390-4	3K	3L	3K	3L	3K	3L	3K	3L													3K	3L	3L	3L				
63D ‡	390-4	5P	5R	5R	5S	5P	5R	5R	5S													5P	5R	5R	5S				
63D	427	3L	3L	3L	3L	3L	3L	3L	3L													3L	3L	3L	6E				
63E	200	5J	5K	5J	5K													5H	5J	5J	5K								
63E †	289	4N	3J	3J	3J	4N	3J	4N	3J									4N	3J	4N	3J								
63E ‡	289	5M	5N	5M	5N	5M	5N	5M	5N									5L	5M	5M	5N								
63E	302	5M	5N	5M	5N	5M	5N	5N	5P	5M	5N	5M	5N					5L	5M	5M	5N								
63E †	390-2	3K	3L	3L	3L	3K	3L	3L	3L													3K	3L	3L	3L				
63E ‡	390-2	5R	5S	5R	5S	5R	5S	5R	5S													5R	5S	5R	5S				
63E †	390-4	3K	3L	3L	3L	3K	3L	3L	3L													3L	3L	3L	3L				
63E ‡	390-4	5R	5S	5R	5S	5R	5S	5R	5S													5R	5S	5S	5S				
63E	427	3L	3L	3L	6E	3L	3L	3L	6E													3L	6E	3L	6E				
65A, B	200	5H	5J	5H	5J													5G	5H	5H	5J								
65A, B †	289	4N	4N	4N	3J	4N	3J	4N	3J									4P	4N	4N	3J								
65A, B ‡	289	5L	5M	5L	5N	5L	5M	5M	5N									5K	5M	5L	5M								
65A, B	302	5L	5M	5L	5M	5L	5M	5M	5N	5L	5M	5M	5N					5L	5M	5L	5M								
65A, B †	390-2	3K	3K	3K	3L	3K	3K	3K	3L													3K	3K	3K	3L				
65A, B ‡	390-2	5P	5R	5P	5R	5P	5R	5R	5R													5P	5R	5P	5R				
65A, B †	390-4	3K	3K	3K	3L	3K	3K	3K	3L													3K	3L	3K	3L				
65A, B ‡	390-4	5P	5R	5R	5S	5P	5R	5R	5S													5P	5R	5R	5S				
65A, B	427	3K	3L	3L	3L	3K	3L	3L	3L													3L	3L	3L	3L				
65C	200	5H	5J	5H	5K													5G	5J	5H	5J								
65C †	289	4N	3J	4N	3J	4N	3J	4N	3J									4P	4N	4N	3J								
65C ‡	289	5L	5M	5M	5N	5L	5M	5M	5N									5L	5M	5L	5M								
65C	302	5L	5M	5L	5N	5L	5M	5M	5N	5L	5M	5M	5N					5L	5M	5L	5M								
65C †	390-2	3K	3L	3K	3L	3K	3L	3K	3L													3K	3L	3K	3L				
65C ‡	390-2	5P	5R	5R	5S	5P	5R	5R	5S													5P	5R	5R	5S				
65C †	390-4	3K	3L	3K	3L	3K	3L	3K	3L													3K	3L	3K	3L				
65C ‡	390-4	5P	5R	5R	5S	5P	5R	5R	5S													5P	5R	5R	5S				
65C	427	3K	3L	3L	3L	3K	3L	3L	3L													3L	3L	3L	3L				
65D †	289	4N	3J	4N	3J	4N	3J	3J	3J									4N	3J	4N	3J								
65D ‡	289	5L	5M	5M	5N	5L	5M	5M	5N									5L	5M	5L	5M								
65D	302	5L	5M	5L	5M	5L	5M	5M	5N	5L	5M	5M	5N					5L	5M	5L	5M								
65D †	390-2	3K	3L	3K	3L	3K	3L	3K	3L													3K	3L	3K	3L				
65D ‡	390-2	5P	5R	5R	5S	5P	5R	5R	5S													5P	5R	5R	5S				
65D †	390-4	3K	3L	3K	3L	3K	3L	3K	3L													3K	3L	3L	3L				
65D ‡	390-4	5P	5R	5R	5S	5P	5R	5R	5S													5P	5R	5R	5S				
65D	427	3L	3L	3L	3L	3L	3L	3L	3L													3L	3L	3L	6E				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

† With improved handling package ‡ Without improved handling package

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1968 "B" (FAIRLANE/TORINO) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
65E	200	5J	5K	5J	5K													5H	5J	5J	5K								
65E †	289	4N	3J	3J	3J	4N	3J	3J	3J									4N	3J	4N	3J								
65E ‡	289	5M	5N	5M	5N	5M	5N	5M	5N									5L	5M	5M	5N								
65E	302	5M	5N	5M	5N	5M	5N	5M	5N	5M	5N	5M	5N					5L	5M	5M	5N								
65E †	390-2	3K	3L	3L	3L	3K	3L	3L	3L													3K	3L	3L	3L				
65E ‡	390-2	5R	5S	5R	5S	5R	5S	5R	5S													5R	5S	5R	5S				
65E †	390-4	3K	3L	3L	3L	3K	3L	3L	3L													3K	3L	3L	3L				
65E ‡	390-4	5R	5S	5R	5S	5R	5S	5R	5S													5R	5S	5S	5S				
65E	427	3L	3L	3L	6E	3L	3L	3L	6E													3L	6E	3L	6E				
66A &	200	5B	5F	5B	5F													5B	5B	5B	5F								
66A ⊟	200	5B	5F	5B	5G													5B	5F	5B	5F								
66A &	289	5G	5H	5H	5J	5G	5J	5H	5J									5G	5H	5G	5J								
66A ⊟	289	5H	5J	5J	5K	5H	5J	5J	5K									5H	5J	5H	5J								
66A &	302	5G	5H	5H	5J	5G	5J	5H	5H	5G	5H	5H	5J					5G	5H	5H	5J								
66A ⊟	302	5H	5J	5J	5K	5H	5J	5J	5K	5H	5J	5J	5K					5H	5J	5H	5J								
66A &	390-2	5L	5M	5M	5N	5L	5M	5M	5N													5L	5M	5M	5N				
66A ⊟	390-2	5M	5N	5N	5P	5M	5N	5N	5P									5M	5N	5N	5P								
66A &	390-4	5L	5M	5M	5N	5L	5M	5M	5N													5M	5N	5M	5N				
66A ⊟	390-4V	5M	5N	5N	5P	5M	5P	5N	5P									5N	5P	5N	5P								
66B &	200	5B	5F	5B	5F													5B	5B	5B	5F								
66B ⊟	200	5B	5F	5F	5G													5B	5F	5B	5F								
66B &	289	5G	5H	5H	5J	5G	5J	5H	5J									5G	5H	5G	5J								
66B ⊟	289	5H	5J	5J	5K	5H	5J	5J	5K									5H	5J	5H	5J								
66B &	302	5G	5H	5H	5J	5G	5J	5H	5H	5G	5H	5H	5J					5G	5H	5H	5J								
66B ⊟	302	5H	5J	5J	5K	5H	5J	5J	5K	5H	5J	5J	5K					5H	5J	5H	5J								
66B &	390-2	5L	5M	5M	5N	5L	5M	5M	5N													5L	5M	5M	5N				
66B ⊟	390-2	5M	5N	5N	5P	5M	5N	5N	5P									5M	5N	5N	5P								
66B &	390-4	5L	5M	5M	5N	5L	5M	5M	5N													5M	5N	5M	5N				
66B ⊟	390-4V	5N	5P	5N	5P	5N	5P	5N	5P									5N	5P	5N	5P								
66D †	289	4R	4P	4R	4P	4R	4P	4R	4P									4R	4R	4R	4P								
66D ‡ &	289	5H	5J	5J	5K	5H	5J	5J	5K									5H	5J	5H	5J								
66D ‡ ⊟	289	5H	5J	5J	5K	5J	5K	5J	5K									5H	5J	5J	5K								
66D &	302	5H	5J	5H	5K	5H	5J	5J	5K	5H	5J	5J	5K					5H	5J	5H	5J								
66D ⊟	302	5H	5K	5J	5K	5J	5K	5J	5K	5J	5K	5J	5K					5H	5J	5J	5K								
66D †	390-2	3J	3J	3J	3J	3J	3J	3J	3K													3J	3J	3J	3J				
66D ‡ &	390-2	5M	5N	5N	5P	5M	5N	5N	5P													5M	5N	5N	5P				
66D ‡ ⊟	390-2	5N	5P	5N	5P	5N	5P	5N	5P									5N	5P	5N	5P								
66D †	390-4	3J	3J	3J	3K	3J	3J	3J	3K													3J	3J	3J	3K				
66D ‡ &	390-4	5M	5N	5N	5P	5M	5N	5N	5P													5M	5N	5N	5P				
66D ‡ ⊟	390-4	5N	5P	5N	5P	5N	5P	5N	5R									5N	5P	5P	5R								
66D	427	3J	3K	3J	3K	3J	3K	3J	3K													3J	3K	3K	3K				
71B, D	200	5B	5G	5F	5G													5B	5F	5F	5G								
71B, D	289	5J	5K	5J	5K	5J	5K	5J	5L									5H	5J	5J	5K								
71B, D	302	5J	5K	5J	5K	5J	5K	5K	5L	5J	5K	5J	5K					5H	5K	5J	5K								
71B, D	390-2	5M	5N	5N	5P	5M	5N	5N	5P													5M	5N	5N	5P				
71B, D	390-4	5M	5N	5N	5P	5M	5N	5N	5P													5M	5N	5N	5P				
71E	200	5F	5G	5F	5G													5B	5F	5F	5G								
71E	289	5J	5K	5J	5L	5J	5K	5J	5L									5J	5K	5J	5K								
71E	302	5J	5K	5J	5K	5J	5K	5K	5L	5J	5K	5K	5L					5J	5K	5J	5K								
71E	390-2	5M	5N	5N	5P	5M	5N	5N	5P													5M	5N	5N	5P				
71E	390-4	5M	5N	5N	5P	5M	5N	5N	5P													5N	5P	5N	5P				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

† With improved handling package ‡ Without improved handling package

& "Before 2/12/68" ⊟ "From 2/12/68"

5310 - continued 1968 "B" (FAIRLANE/TORINO) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
76B	200	5H	5J	5J	5K													5H	5J	5J	5K								
76B †	289	4N	3J	3J	3J	4N	3J	3J	3J									4N	3J	4N	3J								
76B ‡	289	5M	5N	5M	5N	5M	5N	5M	5N									5L	5M	5M	5N								
76E	302	5L	5M	5M	5N	5M	5N	5M	5N	5M	5N	5M	5N					5L	5M	5M	5N								
76B †	390-2	3K	3L	3L	3L	3K	3L	3L	3L													3K	3L	3L	3L				
76B ‡	390-2	5R	5S	5R	5S	5R	5S	5R	5S													5R	5S	5R	5S				
76B †	390-4	3K	3L	3L	3L	3K	3L	3L	3L													3K	3L	3L	3L				
76B ‡	390-4	5R	5S	5R	5S	5R	5S	5R	5S													5R	5S	5R	5S				
76B	427	3L	3L	3L	6E	3L	3L	3L	6E													3L	3L	3L	6E				
76D †	289	4N	3J	3J	3J	3J	3J	3J	3K									4N	3J	3J	3J								
76D ‡	289	5M	5N	5M	5N	5M	5N	5M	5N									5L	5M	5M	5N								
76D	302	5L	5M	5M	5N	5M	5N	5M	5N	5M	5N	5M	5N					5L	5M	5M	5N								
76D †	390-2	3K	3L	3L	3L	3K	3L	3L	3L													3K	3L	3L	3L				
76D ‡	390-2	5R	5R	5R	5S	5R	5S	5R	5S													5R	5R	5R	5S				
76D †	390-4	3K	3L	3L	3L	3K	3L	3L	3L													3L	3L	3L	3L				
76D ‡	390-4	5R	5S	5R	5S	5R	5S	5R	5S													5R	5S	5R	5S				
76D	427	3L	3L	3L	6E	3L	3L	3L	6E													3L	6E	3L	6E				
76E	200	5J	5K	5J	5K													5H	5J	5J	5K								
76E †	289	4N	3J	3J	3J	4N	3J	3J	3J									4N	3J	4N	3J								
76E ‡	289	5M	5N	5M	5N	5M	5N	5N	5P									5L	5M	5M	5N								
76E	302	5M	5N	5M	5N	5M	5N	5N	5P	5M	5N	5M	5N					5M	5N	5M	5N								
76E †	390-2	3K	3L	3L	3L	3K	3L	3L	3L													3K	3L	3L	3L				
76E ‡	390-2	5R	5S	5R	5S	5R	5S	5R	5S													5R	5S	5R	5S				
76E †	390-4	3K	3L	3L	3L	3K	3L	3L	3L													3L	3L	3L	3L				
76E ‡	390-4	5R	5S	5R	5S	5R	5S	5R	5S													5R	5S	5S	5S				
76E	427	3L	3L	3L	6E	3L	3L	3L	6E													3L	6E	3L	6E				

1968 "B" (FAIRLANE/TORINO) -- HEAVY DUTY SPRINGS

54A, B	200	5V	5W	5W	5X													5V	5W	5W	5X								
54A, B	289	5Y	5Z	5Z	5Z	5Y	5Z	5Z	6A									5Y	5Z	5Y	5Z								
54A, B	302	5Y	5Z	5Y	5Z	5Y	5Z	5Z	6A	5Y	5Z	5Z	5Z					5Y	5Z	5Y	5Z								
54A, B	390-2	5C	5C	5C	5D	5C	5C	5C	5D													5C	5C	5C	5D				
54A, B	390-4	5C	5C	5C	5D	5C	5D	5C	5D													5C	5D	5C	5D				
54C	200	5W	5X	5W	5X													5V	5W	5W	5X								
54C	289	5Y	5Z	5Z	6A	5Y	5Z	5Z	6A									5Y	5Z	5Y	5Z								
54C	302	5Y	5Z	5Y	6A	5Y	5Z	5Z	6A	5Y	5Z	5Z	6A					5Y	5Z	5Y	5Z								
54C	390-2	5C	5D	5C	5D	5C	5D	5C	5D													5C	5D	5C	5D				
54C	390-4	5C	5D	5C	5D	5C	5D	5C	5D													5C	5D	5D	5D				
63B	200	5W	5X	5W	5X													5V	5W	5W	5X								
63B	289	5Y	5Z	5Z	6A	5Y	5Z	5Z	6A									5Y	5Z	5Z	5Z								
63B	302	5Y	5Z	5Z	6A	5Z	5Z	5Z	6A	5Y	5Z	5Z	6A					5Y	5Z	5Z	5Z								
63B	390-2	5C	5D	5C	5D	5C	5D	5C	5D													5C	5D	5C	5D				
63B	390-4	5C	5D	5C	5D	5C	5D	5C	5D													5C	5D	5D	5D				
63D	302	5Y	5Z	5Z	6A	5Z	5Z	5Z	6A	5Y	5Z	5Z	6A					5Y	5Z	5Z	6A								
63D	390-2	5C	5D	5C	5D	5C	5D	5C	5D													5C	5D	5C	5D				
63D	390-4	5C	5D	5C	5D	5C	5D	5C	5D													5C	5D	5D	5D				
63E	200	5W	5X	5X	5Y													5W	5X	5X	5Y								
63E	289	5Z	6A	5Z	6A	5Z	6A	6A	6A									5Z	6A	5Z	6A								
63E	302	5Z	6A	5Z	6A	5Z	6A	6A	6A	5Z	6A	6A	6A					5Z	6A	5Z	6A								
63E	390-2	5C	5D	5D	5E	5D	5D	5D	5E													5C	5D	5D	5E				
63E	390-4	5D	5D	5D	5E	5D	5D	5D	5E													5D	5E	5D	5E				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

† With improved handling package ‡ Without improved handling package

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1968 "B" (FAIRLANE/TORINO) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
65A	200	5W	5X	5W	5X													5V	5W	5W	5X								
65A	289	5Y	5Z	5Z	6A	5Y	5Z	5Z	6A									5Y	5Z	5Y	5Z								
65A	302	5Y	5Z	5Z	6A	5Y	5Z	5Z	6A	5Y	5Z	5Z	6A					5Y	5Z	5Z	5Z								
65A	390-2	5C	5D	5C	5D	5C	5D	5C	5D													5C	5D	5C	5D				
65A	390-4	5C	5D	5C	5D	5C	5D	5C	5D													5C	5D	5D	5D				
65B	200	5W	5X	5W	5X													5V	5W	5W	5X								
65B	289	5Y	5Z	5Z	6A	5Y	5Z	5Z	6A									5Y	5Z	5Y	5Z								
65B	302	5Y	5Z	5Z	6A	5Y	5Z	5Z	6A	5Y	5Z	5Z	6A					5Y	5Z	5Z	5Z								
65B	390-2	5C	5D	5C	5D	5C	5D	5C	5D													5C	5D	5C	5D				
65B	390-4	5C	5D	5C	5D	5C	5D	5C	5D													5C	5D	5D	5D				
65C	200	5W	5X	5W	5X													5V	5W	5W	5X								
65C	289	5Y	5Z	5Z	6A	5Z	5Z	5Z	6A									5Y	6A	5Z	6A								
65C	302	5Y	5Z	5Z	6A	5Z	5Z	5Z	6A	5Y	5Z	5Z	6A					5Y	5Z	5Z	6A								
65C	390-2	5C	5D	5C	5D	5C	5D	5C	5D													5C	5D	5C	5D				
65C	390-4	5C	5D	5C	5D	5C	5D	5D	5D													5C	5D	5D	5D				
65D	302	5Y	5Z	5Z	6A	5Z	5Z	5Z	6A	5Y	5Z	5Z	6A					5Y	5Z	5Z	6A								
65D	390-2	5C	5D	5C	5D	5C	5D	5C	5D													5C	5D	5C	5D				
65D	390-4	5C	5D	5C	5D	5C	5D	5C	5D													5C	5D	5D	5D				
65E	200	5W	5X	5X	5Y													5W	5X	5X	5X								
65E	289	5Z	6A	5Z	6A	5Z	6A	6A	6A									5Z	6A	5Z	6A								
65E	302	5Z	6A	5Z	6A	5Z	6A	6A	6A	5Z	6A	5Z	6A					5Z	6A	5Z	6A								
65E	390-2	5C	5D	5D	5E	5C	5D	5D	5E													5C	5D	5D	5E				
65E	390-4	5D	5D	5D	5E	5D	5D	5D	5E													5D	5D	5D	5E				
66A, B	200	5T	5U	5T	5U													5T	5T	5T	5U								
66A, B	302	5V	5W	5W	5X	5W	5W	5W	5X	5V	5W	5W	5X					5V	5W	5W	5X								
66D	302	5W	5X	5W	5X	5W	5X	5X	5Y	5W	5X	5W	5X					5W	5X	5W	5X								
71B, D	200	5U	5V	5U	5V													5U	5U	5U	5V								
71B, D	289	5X	5X	5X	5Y	5X	5Y	5X	5Y									5W	5X	5X	5Y								
71B, D	302	5W	5X	5X	5Y	5X	5Y	5X	5Y	5X	5X	5X	5Y					5W	5X	5X	5Y								
71B, D	390-2	5Z	6A	6A	5C																	5Z	6A	6A	5C				
71B, D	390-4	5Z	6A	6A	5C																	6A	6A	6A	5C				
71E	200	5U	5V	5U	5V													5U	5V	5U	5V								
71E	289	5X	5Y	5X	5Y	5X	5Y	5X	5Y									5W	5X	5X	5Y								
71E	302	5X	5X	5X	5Y	5X	5Y	5X	5Y	5X	5Y	5X	5Y					5W	5X	5X	5Y								
71E	390-2	5Z	6A	6A	5C																	5Z	6A	6A	5C				
71E	390-4	5Z	6A	6A	5C																	6A	5C	6A	5C				
76B	200	5W	5X	5X	5Y													5W	5X	5X	5X								
76B	289	5Z	6A	5Z	6A	5Z	6A	5Z	6A									5Z	5Z	5Z	6A								
76B	302	5Z	6A	5Z	6A	5Z	6A	6A	6A	5Z	6A	5Z	6A					5Z	6A	5Z	6A								
76B	390-2	5C	5D	5D	5E	5C	5D	5D	5E													5C	5D	5D	5E				
76B	390-4	5C	5D	5D	5E	5C	5D	5D	5E													5D	5D	5D	5E				
76D	289	5Z	6A	5Z	6A	5Z	6A	5Z	6A									5Z	5Z	5Z	6A								
76D	302	5Z	6A	5Z	6A	5Z	6A	6A	6A	5Z	6A	5Z	6A					5Z	5Z	5Z	6A								
76D	390-2	5C	5D	5D	5E	5C	5D	5D	5E													5C	5D	5D	5E				
76D	390-4	5C	5D	5D	5E	5C	5D	5D	5E													5D	5D	5D	5E				
76E	200	5W	5X	5X	5Y													5W	5X	5X	5Y								
76E	289	5Z	6A	6A	6A	5Z	6A	6A	6A									5Z	6A	5Z	6A								
76E	302	5Z	6A	5Z	6A	5Z	6A	6A	5C	5Z	6A	6A	6A					5Z	6A	5Z	6A								
76E	390-2	5D	5D	5D	5E	5D	5D	5D	5E													5D	5D	5D	5E				
76E	390-4	5D	5D	5D	5E	5D	5D	5D	5E													5D	5E	5D	5E				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

5310 - continued

1968 "F" (MUSTANG) -- STANDARD SPRINGS

BODY TYPE	ENGINE	TRANS.	OPT-IONS	3/S				4/S				O/D				C/M				C4				C6							
					A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
		▲ FRONT SPRING CODE NUMBER																													
63 &	200			4G	4W	4G	4J													4G	4W	4W	4J								
63 ⊟	200			4W	4J	4W	4J													4W	4J	4J	4V								
63	289-2			4V	4F	4V	4F	4V	4F	4V	4F									4J	4F	4V	4F								
63	289-4							4V	4F	4F	4E									4V	4F	4V	4E								
63	302			4V	4F	4F	4E	4V	4F	4F	4E									4V	4F	4V	4F								
63	390-2			4U	4D	4U	4D	4U	4D	4U	4D													4U	4D	4D	4Y				
63† &	390-4			4L	4M	4M	4M	4M	4M	4M	6D													4L	4M	4M	4M				
63† ⊟	390-4			4L	4M	4M	4M	4M	4M	4M	1Q													4L	4M	4M	4M				
63‡	390-4			4U	4D	4U	4D	4U	4D	4D	4D													4U	4D	4U	4D				
63†	427			4M	4M	4M	1Q	4M	1Q	4M	1Q													4M	4M	4M	1Q				
65 &	200			4G	4W	4W	4J													4G	4J	4W	4J								
65 ⊟	200			4W	4J	4W	4J													4W	4J	4J	4V								
65	289-2			4V	4F	4V	4F	4V	4F	4F	4E									4V	4F	4V	4F								
65	289-4							4V	4F	4F	4E									4V	4F	4F	4E								
65	302			4V	4F	4F	4E	4V	4F	4F	4E									4V	4F	4V	4F								
65	390-2			4U	4D	4U	4D	4U	4D	4D	4D													4U	4D	4D	4Y				
65† &	390-4			4L	4M	4M	6D	4M	4M	4M	6D													4M	4M	4M	6D				
65† ⊟	390-4			4L	4M	4M	1Q	4M	4M	4M	1Q													4M	4M	4M	1Q				
65‡	390-4			4U	4D	4U	4D	4U	4D	4D	4Y													4U	4D	4U	4D				
65†	427			4M	1Q	4M	1Q	4M	1Q	4M	1Q													4M	1Q	4M	1Q				
76 &	200			4W	4J	4W	4J													4W	4J	4J	4V								
76 ⊟	200			4J	4V	4J	4V													4J	4V	4J	4V								
76	289-2			4F	4E	4F	4E	4F	4E	4F	4E									4V	4F	4F	4E								
76	289-4							4F	4E	4F	4E									4F	4E	4F	4E								
76	302			4F	4E	4F	4E	4F	4E	4E	4E									4F	4E	4F	4E								
76	390-2			4U	4D	4D	4Y	4D	4D	4D	4Y													4D	4Y	4D	4Y				
76† &	390-4			4M	6D	4M	6D	4M	6D	6D	6D													4M	6D	4M	6D				
76† ⊟	390-4			4M	1Q	4M	1Q	4M	1Q	1Q	1Q													4M	1Q	4M	1Q				
76‡	390-4			4D	4D	4D	4Y	4D	4Y	4D	4Y													4D	4Y	4D	4Y				
76†	427			4M	1Q	1Q	1Q	4M	1Q	1Q	1Q													4M	1Q	1Q	1Q				

1968 "F" (MUSTANG) -- HEAVY DUTY SPRINGS

63	289-2			4X	4S	4S	4S	4X	4S	4S	4R									4X	4S	4X	4S								
63	289-4							4S	4S	4S	4R									4X	4S	4S	4R								
63	302			4S	4S	4S	4R	4S	4S	4S	4R									4X	4S	4S	4S								
63	390-2			4P	4N	4P	4N	4P	4N	4P	4N													4P	4N	4N	4N				
63	390-4			4P	4N	4P	4N	4P	4N	4P	4N													4P	4N	4P	4N				
63	428			4P	4N	4N	4N	4P	4N	4N	4C													4P	4N	4N	4C				
65	289-2			4X	4S	4S	4R	4S	4S	4S	4R									4X	4S	4S	4S								
65	289-4							4S	4R	4S	4R									4S	4S	4S	4R								
65	302			4S	4S	4S	4R	4S	4R	4S	4R									4X	4S	4S	4R								
65	390-2			4P	4N	4P	4N	4P	4N	4P	4N													4P	4N	4N	4N				
65	390-4			4P	4N	4P	4N	4P	4N	4N	4N													4P	4N	4P	4N				
65	428			4P	4N	4N	4N	4N	4N	4N	4C													4N	4C	4N	4C				
76	289-2			4S	4R	4S	4R	4S	4R	4S	4R									4S	4R	4S	4R								
76	289-4							4S	4R	4R	4R									4S	4R	4S	4R								
76	302			4S	4R	4R	4R	4S	4R	4R	4R									4S	4R	4S	4R								
76	390-2			4P	4N	4N	4C	4P	4N	4N	4C													4N	4N	4N	4C				
76	390-4			4P	4N	4N	4C	4N	4C	4N	4C													4N	4N	4N	4C				
76	428			4N	4C	4N	4C	4N	4C	4N	4C													4N	4C	4C	4C				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.
† With improved handling package ‡ Without improved handling package
& "Before 12/11/67" ⊟ "From 12/11/67"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5310 - continued **1968 "S" (THUNDERBIRD) -- STANDARD SPRINGS**

BODY TYPE	TRANS. →	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
57	All																						6C	4B					
65	All																						6B	6C					

1968 "S" (THUNDERBIRD) -- HEAVY DUTY SPRINGS

57, 65	All																						6F						

1968 "S" (THUNDERBIRD) -- WITH HEAVY DUTY SUSPENSION

57	All																							1H				
57	All																						1G						
65	All																							1G					

1968 "U" (BRONCO) -- STANDARD SPRINGS

97,98	170	6H																											
97,98	289	6J																											

1968 "U" (BRONCO) -- HEAVY DUTY SPRINGS

97,98	170	3S																											
97,98	289	6G																											

1968 "X" (FALCON) -- STANDARD SPRINGS

54	170	2S	2S	2S	2U													3E	2S	2S	2U								
54	200	2S	2S	2S	2U													3E	2S	2S	2U								
54	289	5J	5K	5K	5L	5J	5K	5K	5L									5J	5K	5J	5L								
54	302	5J	5L	5K	5L	5K	5L	5K	5L									5J	5K	5K	5L								
62A	170	2S	2S	2S	2U													3E	2S	2S	2S								
62A, B	200	2S	2S	2S	2U													3E	2S	2S	2U								
62A, B	289	5J	5K	5K	5L	5J	5K	5K	5L									5J	5K	5J	5K								
62A, B	302	5J	5K	5K	5L	5K	5L	5K	5L									5J	5K	5K	5L								
62C	200	2S	2S	2S	2U													2S	2S	2S	2U								
62C	289	5J	5K	5K	5L	5J	5K	5K	5L									5J	5K	5J	5L								
62C	302	5K	5L	5K	5L	5K	5L	5K	5L									5J	5K	5K	5L								
71	200	5B	5F	5B	5G													5B	5F	5B	5F								
71	289	5G	5J	5H	5J	5H	5J	5H	5J									5G	5H	5H	5J								
71	302	5H	5J	5H	5K	5H	5J	5J	5K									5G	5J	5H	5J								

1968 "X" (FALCON) -- HEAVY DUTY SPRINGS

54	170	5U	5V	5V	5W													5U	5V	5V	5V								
54	200	5U	5V	5V	5W													5U	5V	5V	5W								
54	289	5X	5Y	5X	5Y	5X	5Y	5Y	5Y									5X	5Y	5X	5Y								
54	302	5X	5Y	5Y	5Z	5X	5Y	5Y	5Z									5X	5Y	5X	5Y								
62A	170	5U	5V	5V	5W													5U	5V	5U	5V								
62A, B	200	5U	5V	5V	5W													5U	5V	5V	5V								
62A, B	289	5X	5Y	5X	5Y	5X	5Y	5X	5Y									5X	5X	5X	5Y								
62A, B	302	5X	5Y	5Y	5Y	5X	5Y	5Y	5Z									5X	5Y	5X	5Y								
62C	200	5U	5V	5V	5W													5U	5V	5V	5W								
62C	289	5X	5Y	5X	5Y	5X	5Y	5Y	5Y									5X	5Y	5X	5Y								
62C	302	5X	5Y	5Y	5Y	5X	5Y	5Y	5Z									5X	5Y	5X	5Y								
71	200	5T	5U	5U	5V													5T	5U	5U	5V								
71	289	5V	5W	5W	5X	5W	5X	5W	5X									5V	5W	5W	5X								
71	302	5W	5X	5W	5X	5W	5X	5W	5X									5V	5W	5W	5X								

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

5310 SPRING (FRONT COIL)

HOW TO FIND 1969 FRONT SPRING PART NUMBERS

1) To determine Front Spring Part Number you must know:

a) YEAR
b) CAR LINE
c) BODY TYPE
d) ENGINE
e) Whether SPRING required is STANDARD or HEAVY DUTY.
f) TRANSMISSION
g) Whether car is equipped with AIR CONDITIONING, POWER STEERING or BOTH.

2) Using this information, refer to the listing on the following pages.

3) Locate the appropriate Front Spring Code Number.

4) **Translate the Code Number into a Service Part Number by referring to the Cross Reference listing starting on page 1 of Section 53.**

Read down to locate correct Code Number.

Read across to locate Front Spring Part Number.

(Color Identification, Normal Load, Number of Coils, Wire Diameter and Free Length are also listed).

EXAMPLE:

a) Year 1969
b) Car Line FORD (Not Police)
c) Body Type 63B
d) Engine 390
e) Spring Type STANDARD
f) Transmission C/M(Cruise-O-Matic)
g) Additional Equipment Air Conditioning

Front Spring Code Number listed is 6B.

Part Number shown for Code 6B (Section 53 page 7) is C8SZ 5310-A.

1969 "A" (FORD) -- STANDARD SPRINGS

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54A(exc.P/C)	240	91	94	93	4Z									93	94	93	4Z	91	94	93	4Z								
54A(P/C)	240	3Y	3Z	3Z	78									3Y	3Z	3Z	78												
54A(exc.P/C)	302	93	4Z	94	4Z									93	4Z	94	4Z	93	94	93	4Z								
54A(P/C)	302	3Y	78	3Z	78									3Z	78	3Z	78												
54A(exc.P/C)	351													94	4Z	4Z	5A												
54A(P/C)	351													3Z	78	78	78												
54A(exc.P/C)	390	4Z	6B	5A	6B									4Z	6B	5A	6B					4Z	6B	5A	6B				
54A(P/C)	390	78	81	78	81																	78	81	78	81				
54A(P/C)	428																					78	81	78	81				
54A(exc.P/C)	429-2																					5A	6B	5A	6C				
54A(P/C)	429-2																					78	81	78	81				
54A(exc.P/C)	429-4					5A	6B	5A	6C													5A	6B	5A	6C				
54A(P/C)	429-4					78	81	81	81													78	81	81	81				
54B(exc.P/C)	240	91	94	93	4Z									91	94	93	4Z	91	94	93	94								
54B(P/C)	240	3Y	3Z	3Y	78									3Y	3Z	3Z	78												
54B(exc.P/C)	302	93	94	93	4Z									93	4Z	94	4Z	91	94	93	4Z								
54B(P/C)	302	3Y	3Z	3Z	78									3Y	78	3Z	78												
54B(exc.P/C)	351													94	4Z	94	5A												
54B(P/C)	351													3Z	78	3Z	78												
54B(exc.P/C)	390	4Z	5A	4Z	6B									4Z	5A	4Z	6B					4Z	5A	4Z	6B				
54B(P/C)	390	78	78	78	81																	78	78	78	81				
54B(P/C)	428																					78	81	78	81				
54B(exc.P/C)	429-2																					4Z	6B	5A	6C				
54B(P/C)	429-2																					78	81	78	81				
54B(exc.P/C)	429-4					4Z	6B	5A	6C													4Z	6B	5A	6C				
54B(P/C)	429-4					78	81	78	81													78	81	78	81				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1969 "A" (FORD) -- STANDARD SPRINGS - continued**

BODY TYPE	TRANS→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54C	302	93	4Z	94	5A													93	4Z	94	5A								
54C	351													94	5A	4Z	6B												
54C	390	4Z	6B	5A	6C									5A	6B	5A	6C					5A	6B	5A	6C				
54C	429-2																					5A	6C	6B	6C				
54C	429-4					5A	6C	6B	6C													5A	6C	6B	6C				
54E(exc.P/C)	240	91	94	93	4Z									93	94	93	4Z	91	94	93	4Z								
54E(P/C)	240	3Y	3Z	3Z	78									3Y	3Z	3Z	78												
54E(exc.P/C)	302	93	4Z	94	4Z									93	4Z	94	4Z	93	94	93	4Z								
54E(P/C)	302	3Y	78	3Z	78									3Z	78	3Z	78												
54E(exc.P/C)	351													94	4Z	94	5A												
54E(P/C)	351													3Z	78	3Z	78												
54E(exc.P/C)	390	4Z	5A	4Z	6B									4Z	6B	5A	6B					4Z	6B	5A	6B				
54E(P/C)	390	78	81	78	81																	78	81	78	81				
54E(P/C)	428																					78	81	78	81				
54E(exc.P/C)	429-2																					5A	6B	5A	6C				
54E(P/C)	429-2																					78	81	78	81				
54E(exc.P/C)	429-4					5A	6B	5A	6C													5A	6B	5A	6C				
54E(P/C)	429-4					78	81	78	81													78	81	78	81				
57B	240	93	4Z	94	4Z													93	94	93	4Z								
57B	302	93	4Z	94	5A													93	4Z	94	5A								
57B	351													94	5A	4Z	5A												
57B	390	4Z	6B	5A	6B									4Z	6B	5A	6C					4Z	6B	5A	6C				
57B	429-2																					5A	6C	6B	6C				
57B	429-4					5A	6C	6B	6C													5A	6C	6B	6C				
57F	302	94	4Z	4Z	5A													94	4Z	94	5A								
57F	351													4Z	5A	4Z	6B												
57F	390	5A	6B	5A	6C									5A	6B	6B	6C					5A	6B	6B	6C				
57F	429-2																					6B	6C	6B	4B				
57F	429-4					6B	6C	6B	4B													6B	6C	6B	4B				
62B(exc.P/C)	240	91	94	93	94									91	94	93	4Z	91	94	93	94								
62B(P/C)	240	3Y	3Z	3Y	3Z									3Y	3Z	3Z	78												
62B(exc.P/C)	302	92	94	93	4Z									93	94	93	4Z	91	94	93	4Z								
62B(P/C)	302	3Y	3Z	3Z	78									3Y	3Z	3Z	78												
62B(exc.P/C)	351													93	4Z	94	5A												
62B(P/C)	351													3Z	78	3Z	78												
62B(exc.P/C)	390	4Z	5A	4Z	6B									4Z	5A	4Z	6B					4Z	5A	4Z	6B				
62B(P/C)	390	78	78	78	81																	78	78	78	81				
62B(P/C)	428																					78	81	78	81				
62B(exc.P/C)	429-2																					4Z	6B	5A	6C				
62B(P/C)	429-2																					78	81	78	81				
62B(exc.P/C)	429-4					4Z	6B	5A	6C													4Z	6B	5A	6C				
62B(P/C)	429-4					78	81	78	81													78	81	78	81				
62E(exc.P/C)	240	91	94	93	4Z									91	94	93	4Z	91	94	93	4Z								
62E(P/C)	240	3Y	3Z	3Y	78									3Y	3Z	3Z	78												
62E(exc.P/C)	302	93	94	93	4Z									93	4Z	94	4Z	93	94	93	4Z								
62E(P/C)	302	3Y	3Z	3Z	78									3Y	78	3Z	78												
62E(exc.P/C)	351													94	4Z	94	5A												
62E(P/C)	351													3Z	78	3Z	78												
62E(exc.P/C)	390	4Z	5A	4Z	6B									4Z	5A	4Z	6B					4Z	5A	4Z	6B				
62E(P/C)	390	78	78	78	81																	78	81	78	81				
62E(P/C)	428																					78	81	78	81				
62E(exc.P/C)	429-2																					5A	6B	5A	6C				
62E(P/C)	429-2																					78	81	78	81				
62E(exc.P/C)	429-4					5A	6B	5A	6C													5A	6B	5A	6C				
62E(P/C)	429-4					78	81	78	81													78	81	78	81				
63B (exc.P/C)	240	91	94	93	4Z									93	94	93	4Z	91	94	93	4Z								
63B(P/C)	240	3Y	3Z	3Z	78									3Y	3Z	3Z	78												

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

5310 - continued 1969 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
63B (exc. P/C)	302	93	94	93	4Z									93	4Z	94	4Z	93	94	93	4Z								
63B(P/C)	302	3Y	3Z	3Z	78									3Y	78	3Z	78												
63B(exc.P/C)	351													94	4Z	94	5A												
63B(P/C)	351													3Z	78	3Z	78												
63B (exc.P/C)	390	4Z	5A	4Z	6B									4Z	6B	5A	6B					4Z	5A	5A	6B				
63B(P/C)	390	78	81	78	81																	78	81	78	81				
63(P/C)	428																					78	81	78	81				
63B (exc.P/C)	429-2																					5A	6B	5A	6C				
63B(P/C)	429-2																					78	81	78	81				
63B (exc. P/C)	429-4					5A	6B	5A	6C													5A	6B	5A	6C				
63B(P/C)	429-4					78	81	78	81													78	81	78	81				
63C	240	93	4Z	94	5A													93	4Z	94	5A								
63C	302	94	4Z	94	5A													94	4Z	94	5A								
63C	351													4Z	5A	4Z	6B												
63C ‡	390	5A	6B	5A	6C									5A	6B	5A	6C					5A	6B	5A	6C				
63C †	390	1E	1F	1F	1G									1E	1G	1F	1G					1E	1G	1F	1G				
63C ‡	429-2																					5A	6C	6B	4B				
63C †	429-2																					1F	1G	1F	1H				
63C ‡	429-4					6B	6C	6B	4B													6B	6C	6B	4B				
63C †	429-4					1F	1G	1F	1H													1F	1G	1F	1H				
65A	302	94	4Z	94	5A													93	4Z	94	5A								
65A	351													4Z	5A	4Z	6B												
65A	390	5A	6B	5A	6C									5A	6B	5A	6C					5A	6B	5A	6C				
65A	429-2																					5A	6C	6B	4B				
65A	429-4					5A	6C	6B	4B													5A	6C	6B	4B				
65C (exc. P/C)	240	91	94	93	4Z									93	94	93	4Z	91	94	93	4Z								
65C(P/C)	240	3Y	3Z	3Z	78									3Y	3Z	3Z	78												
65C (exc. P/C)	302	93	4Z	93	4Z									93	4Z	94	4Z	93	94	93	4Z								
65C(P/C)	302	3Y	78	3Z	78									3Z	78	3Z	78												
65C(exc.P/C)	351													94	4Z	94	5A												
65C(P/C)	351													3Z	78	3Z	78												
65C (exc. P/C)	390	4Z	5A	4Z	6B									4Z	6B	5A	6B					4Z	6B	5A	6B				
65C(P/C)	390	78	81	78	81																	78	81	78	81				
65C(P/C)	428																					78	81	78	81				
65C (exc. P/C)	429-2																					5A	6B	5A	6C				
65C(P/C)	429-2																					78	81	78	81				
65C (exc. P/C)	429-4					5A	6B	5A	6C													5A	6B	5A	6C				
65C(P/C)	429-4					78	81	78	81													78	81	78	81				
71A	302	1B	1D	1B	1D													1B	1D	1B	1D								
71A	351													1D	1D	1D	1E												
71A	390	1D	1E	1D	1F									1D	1E	1D	1F					1D	1E	1D	1F				
71A	429-2																					1D	1F	1E	1F				
71A	429-4																					1D	1F	1E	1F				
71B (exc. P/C)	240	1B	1D	1B	1D									1B	1D	1B	1D	1B	1D	1B	1D								
71B(P/C)	240	3X	3Y	3X	3Y									3X	3Y	3Y	3Z												
71B (exc. P/C)	302	1B	1D	1B	1D									1B	1D	1B	1D	1B	1D	1B	1D								
71B(P/C)	302	3X	3Y	3Y	3Z									3X	3Y	3Y	3Z												
71B(exc.P/C)	351													1B	1D	1D	1D												
71B(P/C)	351													3Y	3Z	3Y	3Z												
71B (exc. P/C)	390	1D	1E	1D	1E									1D	1E	1D	1E					1D	1E	1D	1E				
71B(P/C)	390	3Z	78	3Z	78																	3Z	78	3Z	78				
71B(P/C)	428																					3Z	78	3Z	78				
71B (exc. P/C)	429-2																					1D	1F	1E	1F				
71B(P/C)	429-2																					3Z	78	78	78				
71B (exc. P/C)	429-4																					1D	1F	1E	1F				
71B(P/C)	429-4																					3Z	78	78	78				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

‡ Without GT Performance Group Option † With GT Performance Group Option

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1969 "A" (FORD) -- STANDARD SPRINGS - continued**

BODY TYPE	TRANS→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
71C (exc. P/C)	240	1B	1B	1B	1D									1B	1D	1B	1D	1B	1B	1B	1D								
71C(P/C)	240	3X	3Y	3X	3Y									3X	3Y	3X	3Y												
71C (exc. P/C)	302	1B	1D	1B	1D									1B	1D	1B	1D	1B	1D	1B	1D								
71C(P/C)	302	3X	3Y	3X	3Z									3X	3Y	3Y	3Z												
71C(exc.P/C)	351													1B	1D	1D	1D												
71C(P/C)	351													3Y	3Z	3Y	3Z												
71C (exc. P/C)	390	1D	1E	1D	1E									1D	1E	1D	1E					1D	1E	1D	1E				
71C(P/C)	390	3Y	78	3Z	78																	3Y	78	3Z	78				
71C(P/C)	428																					3Z	78	3Z	78				
71C (exc. P/C)	429-2																					1D	1E	1D	1F				
71C(P/C)	429-2																					3Z	78	3Z	78				
71C (exc. P/C)	429-4																					1D	1E	1E	1F				
71C(P/C)	429-4																					3Z	78	3Z	78				
71D (exc.P/C)	240	1B	1D	1B	1D									1B	1D	1B	1D	1B	1D	1B	1D								
71D(P/C)	240	3X	3Y	3X	3Z									3X	3Y	3Y	3Z												
71D (exc.P/C)	302	1B	1D	1B	1D									1B	1D	1D	1D	1B	1D	1B	1D								
71D(P/C)	302	3X	3Y	3Y	3Z									3X	3Z	3Y	3Z												
71D(exc.P/C)	351													1D	1D	1D	1E												
71D(P/C)	351													3Y	3Z	3Y	78												
71D (exc.P/C)	390	1D	1E	1D	1F									1D	1E	1D	1F					1D	1E	1D	1F				
71D(P/C)	390	3Z	78	3Z	78																	3Z	78	3Z	78				
71D(P/C)	428																					3Z	78	3Z	78				
71D (exc.P/C)	429-2																					1D	1F	1E	1F				
71D(P/C)	429-2																					3Z	78	78	81				
71D (exc.P/C)	429-4																					1D	1F	1E	1F				
71D(P/C)	429-4																					3Z	78	78	81				
71E	302	1B	1D	1D	1D													1B	1D	1D	1D								
71E	351													1D	1D	1D	1E												
71E	390	1D	1E	1D	1F									1D	1E	1E	1F					1D	1E	1E	1F				
71E	429-2																					1E	1F	1E	1F				
71E	429-4																					1E	1F	1E	1G				
71H (exc. P/C)	240	1B	1D	1B	1D									1B	1D	1B	1D	1B	1D	1B	1D								
71H(P/C)	240	3X	3Y	3X	3Z									3X	3Y	3Y	3Z												
71H (exc. P/C)	302	1B	1D	1B	1D									1B	1D	1D	1D	1B	1D	1B	1D								
71H(P/C)	302	3X	3Y	3Y	3Z									3X	3Z	3Y	3Z												
71H(exc.P/C)	351													1D	1D	1D	1E												
71H(P/C)	351													3Y	3Z	3Y	3Z												
71H (exc.P/C)	390	1D	1E	1D	1E									1D	1E	1D	1F					1D	1E	1D	1F				
71H(P/C)	390	3Z	78	3Z	78																	3Z	78	3Z	78				
71H(P/C)	428																					3Z	78	3Z	78				
71H (exc. P/C	429-2																					1D	1F	1E	1F				
71H(P/C)	429-2																					3Z	78	78	78				
71H (exc. P/C	429-4																					1D	1F	1E	1F				
71H(P/C)	429-4																					3Z	78	78	78				
71J (exc.P/C	240	1B	1D	1B	1D									1B	1D	1B	1D	1B	1B	1B	1D								
71J(P/C)	240	3X	3Y	3X	3Y									3X	3Y	3X	3Z												
71J (exc.P/C)	302	1B	1D	1B	1D									1B	1D	1B	1D	1B	1D	1B	1D								
71J(P/C)	302	3X	3Y	3Y	3Z									3X	3Y	3Y	3Z												
71J(exc.P/C)	351													1B	1D	1D	1D												
71J(P/C)	351													3Y	3Z	3Y	3Z												
71J (exc.P/C)	390	1D	1E	1D	1E									1D	1E	1D	1E					1D	1E	1D	1E				
71J(P/C)	390	3Y	78	3Z	78																	3Y	78	3Z	78				
71J(P/C)	428																					3Z	78	3Z	78				
71J (exc.P/C)	429-2																					1D	1E	1E	1F				
71J(P/C)	429-2																					3Z	78	3Z	78				
71J (exc.P/C)	429-4																					1D	1E	1E	1F				
71J(P/C)	429-4																					3Z	78	3Z	78				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

5310 - continued 1969 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS. → / OPT-IONS → / ENGINE	3/S				4/S				O/D				C/M				C4				C6							
			A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
		▲FRONT SPRING CODE NUMBER																											
76A	240	93	4Z	94	5A													93	4Z	94	5A								
76A	302	94	4Z	94	5A													94	4Z	94	5A								
76A	351													4Z	5A	4Z	6B												
76A	390	5A	6B	5A	6C									5A	6B	5A	6C					5A	6B	5A	6C				
76A	429-2																					6B	6C	6B	4B				
76A	429-4					6B	6C	6B	4B													6B	6C	6B	4B				
76B	240	94	5A	4Z	6B													94	5A	4Z	5A								
76B	302	4Z	5A	4Z	6B													4Z	5A	4Z	6B								
76B	351													5A	6B	5A	6C												
76B‡	390	6B	6C	6B	4B									6B	6C	6B	4B					6B	6C	6B	4B				
76B†	390	1F	1G	1F	1H									1F	1G	1G	1H					1F	1G	1G	1H				
76B‡	429-2																					6B	4B	6C	83				
76B†	429-2																					1G	1H	1G	1H				
76B‡	429-4					6B	4B	6C	83													6B	4B	6C	83				
76B†	429-4					1G	1H	1G	1H													1G	1H	1G	1H				
		1969 "A" (FORD) -- HEAVY DUTY SPRINGS																											
54A	240	1D	1D	1D	1E									1D	1D	1D	1E	1D	1D	1D	1E								
54A	302	1D	1E	1D	1E									1D	1E	1D	1E	1D	1E	1D	1E								
54A	351													1D	1E	1E	1F												
54A	390	1E	1F	1E	1G									1E	1F	1F	1G					1E	1F	1F	1G				
54A	429-2																					1F	1G	1F	1G				
54A	429-4					1F	1G	1F	1G													1F	1G	1F	1G				
54B	240	1D	1D	1D	1E									1D	1D	1D	1E	1B	1D	1D	1E								
54B	302	1D	1D	1D	1E									1D	1E	1D	1E	1D	1D	1D	1E								
54B	351													1D	1E	1D	1F												
54B	390	1E	1F	1E	1G									1E	1F	1E	1G					1E	1F	1E	1G				
54B	429-2																					1E	1G	1F	1G				
54B	429-4					1E	1G	1F	1G													1E	1G	1F	1G				
54C	302	1D	1E	1D	1F													1D	1E	1D	1F								
54C	351													1D	1F	1E	1F												
54C	390	1E	1G	1F	1G									1E	1G	1F	1G					1E	1G	1F	1G				
54C	429-2																					1F	1G	1G	1H				
54C	429-4					1F	1G	1G	1H													1F	1G	1G	1H				
54E	240	1D	1D	1D	1E									1D	1D	1D	1E	1D	1D	1D	1E								
54E	302	1D	1E	1D	1E									1D	1E	1D	1E	1D	1D	1D	1E								
54E	351													1D	1E	1D	1F												
54E	390	1E	1F	1E	1G									1E	1F	1E	1G					1E	1F	1E	1G				
54E	429-2																					1F	1G	1F	1G				
54E	429-4					1F	1G	1F	1G													1F	1G	1F	1G				
57B	240	1D	1E	1D	1E													1D	1E	1D	1E								
57B	302	1D	1E	1D	1E													1D	1E	1D	1E								
57B	351													1D	1F	1E	1F												
57B	390	1E	1G	1F	1G									1E	1G	1F	1G					1E	1G	1F	1G				
57B	429-2																					1F	1G	1F	1H				
57B	429-4					1F	1G	1F	1H													1F	1G	1F	1H				
57F	302	1D	1E	1E	1F													1D	1E	1D	1F								
57F	351													1E	1F	1E	1G												
57F	390	1F	1G	1F	1G									1F	1G	1F	1H					1F	1G	1F	1H				
57F	429-2																					1F	1H	1G	1H				
57F	429-4					1F	1H	1G	1H													1F	1H	1G	1H				
62B	240	1B	1D	1D	1D									1D	1D	1D	1E	1B	1D	1D	1D								
62B	302	1D	1D	1D	1E									1D	1D	1D	1E	1D	1D	1D	1E								
62B	351													1D	1E	1D	1F												
62B	390	1E	1F	1E	1F									1E	1F	1E	1G					1E	1F	1E	1G				
62B	429-2																					1E	1G	1F	1G				
62B	429-4					1E	1G	1F	1G													1E	1G	1F	1G				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

‡ Without GT Performance Group Option † With GT Performance Group Option

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5310 - continued **1969 "A" (FORD) -- HEAVY DUTY SPRINGS - continued**

BODY TYPE	TRANS→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
62E	240	1D	1D	1D	1E									1D	1D	1D	1E	1D	1D	1D	1E								
62E	302	1D	1D	1D	1E									1D	1E	1D	1E	1D	1D	1D	1E								
62E	351													1D	1E	1D	1F												
62E	390	1E	1F	1E	1G									1E	1F	1E	1G					1E	1F	1E	1G				
62E	429-2																					1E	1G	1F	1G				
62E	429-4					1E	1G	1F	1G													1E	1G	1F	1G				
63B	240	1D	1D	1D	1E									1D	1D	1D	1E	1D	1D	1D	1E								
63B	302	1D	1D	1D	1E									1D	1E	1D	1E	1D	1D	1D	1E								
63B	351													1D	1E	1D	1F												
63B	390	1E	1F	1E	1G									1E	1F	1E	1G					1E	1F	1E	1G				
63B	429-2																					1E	1G	1F	1G				
63B	429-4					1E	1G	1F	1G													1E	1G	1F	1G				
63C	240	1D	1E	1D	1E													1D	1E	1D	1E								
63C	302	1D	1E	1D	1F													1D	1E	1D	1F								
63C	351													1E	1F	1E	1G												
63C	390	1F	1G	1F	1G									1F	1G	1F	1G					1F	1G	1F	1G				
63C	429-2																					1F	1G	1G	1H				
63C	429-4					1F	1G	1G	1H													1F	1G	1G	1H				
65A	302	1D	1E	1D	1F													1D	1E	1D	1F								
65A	351													1E	1F	1E	1F												
65A	390	1E	1G	1F	1G									1F	1G	1F	1G					1F	1G	1F	1G				
65A	429-2																					1F	1G	1G	1H				
65A	429-4					1F	1G	1G	1H													1F	1G	1G	1H				
65C	240	1D	1D	1D	1E									1D	1D	1D	1E	1D	1D	1D	1E								
65C	302	1D	1E	1D	1E									1D	1E	1D	1E	1D	1D	1D	1E								
65C	351													1D	1E	1D	1F												
65C	390	1E	1F	1E	1G									1E	1F	1E	1G					1E	1F	1E	1G				
65C	429-2																					1E	1G	1F	1G				
65C	429-4					1F	1G	1F	1G													1F	1G	1F	1G				
76A	240	1D	1E	1D	1F													1D	1E	1D	1E								
76A	302	1D	1E	1D	1F													1D	1E	1D	1F								
76A	351													1E	1F	1E	1G												
76A	390	1F	1G	1F	1G									1F	1G	1F	1G					1F	1G	1F	1G				
76A	429-2																					1F	1G	1G	1H				
76A	429-4					1F	1H	1G	1H													1F	1H	1G	1H				
76B	240	1D	1F	1E	1F													1D	1F	1E	1F								
76B	302	1E	1F	1E	1G													1E	1F	1E	1F								
76B	351													1E	1G	1F	1G												
76B	390	1F	1H	1G	1H									1F	1H	1G	1H					1F	1H	1G	1H				
76B	429-2																					1G	1H	1G	1H				
76B	429-4					1G	1H	1G	1H													1G	1H	1G	1H				
		1969 "B" (FAIRLANE/TORINO) -- STANDARD SPRINGS																											
54A,B	250	5H	70	5H	70													5G	70	5H	70								
54A,B	302	70	71	71	72	70	71	71	72									70	71	70	71								
54A,B	351	71	72	72	73	71	72	72	73					71	73	72	73												
54A,B	390	73	76	76	85	73	76	76	85													76	85	76	85				
54A,B	428																					1X	1X	1X	1Y				
54C	250	5H	70	70	71													5G	70	5H	70								
54C	302	70	72	71	72	70	72	71	72									70	71	70	72								
54C	351-2	71	72	72	73	71	73	72	73					72	73	72	73												
54C	351-4	71	72	72	73	71	73	72	73					72	73	72	76												
54C	390	73	85	76	85	73	85	76	85													76	85	76	87				
54C	428																					1X	1Y	1X	1Y				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

5310 - continued 1969 "B" (FAIRLANE/TORINO) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
63B	250	5H	70	5H	70													5G	70	5H	70								
63B‡	302	70	71	71	72	70	71	71	72									70	71	70	72								
63B†	302	4P	4N	4P	4N													4P	4N	4P	4N								
63B‡	351	71	72	72	73	71	72	72	73					71	73	72	73												
63B†	351	4N	4N	4N	3J	4N	3J	4N	3J					4N	3J	4N	3J												
63B‡	390	73	76	76	85	73	76	76	85													76	85	76	85				
63B†	390	3J	3K	3J	3K	3J	3K	3J	3K													3J	3K	3J	3K				
63B	428					1X	1X	1X	1Y													1X	1Y	1X	1Y				
63D	302	4P	4N	4N	4N													4P	4N	4P	4N								
63D	351	4N	3J	4N	3J	4N	3J	4N	3J					4N	3J	3J	3J												
63D	390	3J	3K	3J	3K	3J	3K	3J	3K													3J	3K	3K	3K				
63D	428					1X	1Y	1X	1Y													1X	1Y	1Y	1Y				
63E	250	5H	70	70	71													5G	70	5H	70								
63E‡	302	70	71	71	72	70	72	71	72									70	71	71	72								
63E†	302	4P	4N	4N	4N													4P	4N	4P	4N								
63E‡	351-2	71	72	72	73	71	73	72	73					72	73	72	73												
63E†	351-2	4N	3J	4N	3J	4N	3J	4N	3J					4N	3J	4N	3J												
63E‡	351-4	71	72	72	73	71	73	72	73					72	73	72	76												
63E†	351-4	4N	3J	4N	3J	4N	3J	4N	3J					4N	3J	3J	3J												
63E‡	390	73	85	76	85	76	85	76	85													76	85	76	87				
63E†	390	3J	3K	3J	3K	3J	3K	3J	3K													3J	3K	3K	3K				
63E	428					1X	1Y	1X	1Y													1X	1Y	1X	1Y				
63F	302	4P	4N	4N	4N													4P	4N	4P	4N								
63F	351-2	4N	4N	4N	3J	4N	3J	4N	3J					4N	3J	4N	3J												
63F	351-4	4N	3J	4N	3J	4N	3J	4N	3J					4N	3J	4N	3J												
63F	390	3J	3K	3J	3K	3J	3K	3J	3K													3J	3K	3K	3K				
63F	428					1X	1X	1X	1Y													1X	1Y	1X	1Y				
65A,B	250	5H	70	5H	70													5G	5H	5H	70								
65A,B‡	302	70	71	71	72	70	71	71	72									70	71	70	71								
65A, B†	302	4P	4N	4P	4N													4P	4P	4P	4N								
65A,B‡	351-2	71	72	72	73	71	72	72	73					71	72	72	73												
65A, B†	351-2	4N	4N	4N	3J	4N	4N	4N	3J					4N	3J	4N	3J												
65A, B‡	351-4	71	72	72	73	71	72	72	73					71	73	72	73												
65A, B†	351-4	4N	4N	4N	3J	4N	3J	4N	3J					4N	3J	4N	3J												
65A,B‡	390	73	76	76	85	73	76	76	85													76	85	76	85				
65A,B†	390	3J	3K	3J	3K	3J	3K	3J	3K													3J	3K	3J	3K				
65A,B	428					1X	1X	1X	1Y													1X	1Y	1X	1Y				
65C	250	5H	70	5H	71													5G	70	5H	70								
65C‡	302	70	71	71	72	70	72	71	72									70	71	70	72								
65C†	302	4P	4N	4N	4N													4P	4N	4P	4N								
65C‡	351-2	71	72	72	73	71	72	72	73					71	73	72	73												
65C†	351-2	4N	4N	4N	3J	4N	3J	4N	3J					4N	3J	4N	3J												
65C‡	351-4	71	72	72	73	71	73	72	73					72	73	72	73												
65C†	351-4	4N	3J	4N	3J	4N	3J	4N	3J					4N	3J	4N	3J												
65C‡	390	73	85	76	85	73	85	76	85													76	85	76	87				
65C†	390	3J	3K	3J	3K	3J	3K	3J	3K													3J	3K	3K	3K				
65C	428					1X	1X	1X	1Y													1X	1Y	1X	1Y				
65D	302	4P	4N	4N	4N													4P	4N	4P	4N								
65D	351-2	4N	3J	4N	3J	4N	3J	4N	3J					4N	3J	4N	3J												
65D	351-4	4N	3J	4N	3J	4N	3J	4N	3J					4N	3J	3J	3J												
65D	390	3J	3K	3J	3K	3J	3K	3J	3K													3J	3K	3K	3K				
65D	428					1X	1Y	1X	1Y													1X	1Y	1X	1Y				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

‡ Without Improved Handling Pkg. (.69"-.72" Dia.) † With Improved Handling Pkg. (.85" Dia.)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1969 "B" (FAIRLANE/TORINO) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
65E	250	5H	70	70	71													5G	70	5H	70								
65E‡	302	70	71	71	72	70	72	71	72									70	71	70	72								
65E†	302	4P	4N	4N	4N													4P	4N	4P	4N								
65E‡	351-2	71	72	72	73	71	73	72	73					72	73	72	73												
65E†	351-2	4N	3J	4N	3J	4N	3J	4N	3J					4N	3J	4N	3J												
65E‡	351-4	71	72	72	73	71	73	72	73					72	73	72	76												
65E†	351-4	4N	3J	4N	3J	4N	3J	4N	3J					4N	3J	4N	3J												
65E‡	390	73	85	76	85	73	85	76	85													76	85	76	87				
65E†	390	3J	3K	3J	3K	3J	3K	3J	3K													3J	3K	3K	3K				
65E	428					1X	1Y	1X	1Y													1X	1Y	1X	1Y				
65F	302	4P	4N	4P	4N													4P	4N	4P	4N								
65F	351	4N	4N	4N	3J	4N	3J	4N	3J					4N	3J	4N	3J												
65F	390	3J	3K	3J	3K	3J	3K	3J	3K													3J	3K	3J	3K				
65F	428					1X	1X	1X	1Y													1X	1Y	1X	1Y				
66A, B	250	5F	5F	5F	5G													5F	5F	5F	5G								
66A, B	302	5G	5H	5G	5J	5G	5H	5G	5J									5F	5G	5G	5H								
66A, B	351	5H	5J	5H	5K	5H	5J	5J	5K					5H	5J	5J	5K												
66A, B	390	5K	5L	5L	5M	5K	5L	5L	5M													5K	5L	5L	5M				
66A, B	428					1Q	3J	1Q	3J													1Q	3J	3J	3J				
66C	302	5G	5H	5G	5J	5G	5H	5H	5J									5F	5H	5G	5H								
66C	351-2	5H	5J	5H	5K	5H	5J	5J	5K					5H	5J	5J	5K												
66C	351-4	5H	5J	5J	5K	5H	5J	5J	5K					5H	5J	5J	5K												
66C	390	5K	5L	5L	5M	5K	5L	5L	5M													5K	5M	5L	5M				
66C	428					1Q	3J	1Q	3J													1Q	3J	3J	3J				
66D	302	5G	5H	5H	5J	5G	5H	5H	5J									5G	5H	5G	5J								
66D	351	5H	5J	5J	5K	5H	5J	5J	5K					5H	5K	5J	5K												
66D	390	5K	5L	5L	5M	5K	5M	5L	5M													5L	5M	5L	5N				
66D	428					1Q	3J	3J	3J													1Q	3J	3J	3K				
71B, D	250	5G	5H	5G	5J													5F	5H	5G	5H								
71B, D	302	5H	5J	5J	5K													5H	5J	5J	5K								
71B, D	351-2	5J	5K	5K	5L									5K	5L	5K	5L												
71B, D	351-4	5J	5K	5K	5L									5K	5L	5K	5M												
71B, D	390	5L	5N	5M	5N																	5M	5N	5M	5P				
71E	250	5G	5H	5H	5J													5F	5H	5G	5H								
71E	302	5H	5K	5J	5K													5H	5J	5J	5K								
71E	351	5J	5L	5K	5L									5K	5L	5K	5M												
71E	390	5M	5N	5M	5N																	5M	5N	5N	5P				
76B	250	5H	70	70	71													5H	70	5H	71								
76B‡	302	70	72	71	72	71	72	71	73									70	71	71	72								
76B†	302	4P	4N	4N	3J													4P	4N	4P	4N								
76B‡	390	76	85	76	85	76	85	76	87													76	85	85	87				
76B†	390	3J	3K	3K	3K	3J	3K	3K	3K													3J	3K	3K	3K				
76B‡	351-2	71	73	72	73	72	73	72	76					72	73	72	76												
76B†	351-2	4N	3J	4N	3J	4N	3J	4N	3J					4N	3J	3J	3J												
76B‡	351-4	72	73	72	73	72	73	72	76					72	73	73	76												
76B†	351-4	4N	3J	4N	3J	4N	3J	3J	3J					4N	3J	3J	3J												
76B	428					1X	1Y	1X	1Y													1X	1Y	1Y	1Y				
76D, F	302	4P	4N	4N	3J													4P	4N	4N	4N								
76D, F	351	4N	3J	3J	3J	4N	3J	3J	3J					4N	3J	3J	3J												
76D, F	390	3J	3K	3K	3K	3J	3K	3K	3K													3J	3K	3K	3K				
76D, F	428					1X	1Y	1Y	1Y													1X	1Y	1Y	1Y				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

‡ Without Improved Handling Pkg. (.69"-.72" Dia.) † With Improved Handling Pkg. (.85" Dia.)

5310 - continued 1969 "B" (FAIRLANE/TORINO) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT. → IONS		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
76E	250	70	71	70	71													5H	70	70	71								
76E‡	302	71	72	72	73	71	72	72	73									71	72	71	73								
76E†	302	4N	4N	4N	3J													4P	4N	4N	3J								
76E‡	351	72	73	73	76	72	73	73	76					72	76	73	76												
76E†	351-2	4N	3J	3J	3J	4N	3J	3J	3J					4N	3J	3J	3J												
76E†	351-4	4N	3J	3J	3J	4N	3J	3J	3J					3J	3J	3J	3J												
76E‡	390	76	85	85	87	76	85	85	87													85	87	85	87				
76E†	390	3J	3K	3K	3K	3J	3K	3K	3K													3K	3K	3K	3K				
76E	428					1X	1Y	1Y	1Y													1Y	1Y	1Y	1Y				
		1969 "B" (FAIRLANE/TORINO) -- HEAVY DUTY SPRINGS																											
54A, B	250	70	71	70	72													2U	71	70	71								
54A, B	302	71	72	72	73	71	73	72	73									71	72	72	73								
54A, B	351-2	72	73	73	76	72	76	73	76					73	76	73	76												
54A, B	351-4	72	73	73	76	72	76	73	76					73	76	73	85												
54A, B	390	76	87	85	87	76	87	85	87													85	87	85	87				
54C	250	70	71	71	72													2U	71	70	72								
54C	302	71	73	72	73	72	73	72	76									71	72	72	73								
54C	351-2	72	76	73	76	73	76	73	76					73	76	73	85												
54C	351-4	73	76	73	76	73	76	73	85					73	76	76	85												
54C	390	85	87	85	87	85	87	85	87													85	87	87	87				
63B	250	70	71	71	72													70	71	70	72								
63B	302	72	73	72	76	72	73	72	76									71	72	72	73								
63B	351	73	76	73	76	73	76	73	85					73	76	76	85												
63B	390	85	87	85	87	85	87	85	87													85	87	87	87				
63E	250	70	72	71	72													70	71	71	72								
63E	302	72	73	73	76	72	73	73	76									71	73	72	73								
63E	351-2	73	76	73	85	73	76	76	85					73	76	76	85												
63E	351-4	73	76	76	85	73	76	76	85					73	76	76	85												
63E	390	85	87	87	87	85	87	87	87													85	87	87	87				
65A, B	250	70	71	71	72													70	71	70	72								
65A, B	302	72	73	72	73	72	73	72	76									71	72	72	73								
65A, B	351-2	72	76	73	76	73	76	73	85					73	76	76	85												
65A, B	351-4	73	76	73	76	73	76	73	85					73	76	76	85												
65A, B	390	85	87	85	87	85	87	85	87													85	87	87	87				
65C	250	70	71	71	72													70	71	71	72								
65C	302	72	73	72	76	72	73	73	76									71	73	72	73								
65C	351	73	76	73	85	73	76	76	85					73	76	76	85												
65C	390	85	87	87	87	85	87	87	87													85	87	87	87				
65E	250	70	72	71	72													70	71	71	72								
65E	302	72	73	73	76	72	73	73	76									71	73	72	73								
65E	351-2	73	76	73	85	73	76	76	85					73	76	76	85												
65E	351-4	73	76	76	85	73	76	76	85					73	76	76	85												
65E	390	85	87	87	87	85	87	87	87																				
66A, B	250	5G	5H	5G	5J													5F	5G	5G	5H								
66A, B	302	5H	5J	5J	5K	5H	5K	5J	5K									5H	5J	5H	5K								
66A, B	351-2	5J	5K	5K	5L	5J	5L	5K	5L					5J	5L	5K	5L												
66A, B	351-4	5J	5K	5K	5L	5J	5L	5K	5L					5K	5L	5K	5L												
66A, B	390	5L	5N	5M	5N	5L	5N	5M	5N													5M	5N	5M	5P				
66C	302	5H	5J	5J	5K	5H	5K	5J	5K									5H	5J	5J	5K								
66C	351-2	5J	5K	5K	5L	5J	5L	5K	5L					5K	5L	5K	5L												
66C	351-4	5J	5L	5K	5L	5J	5L	5K	5L					5K	5L	5K	5M												
66C	390	5L	5N	5M	5N	5M	5N	5M	5N													5M	5N	5N	5P				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

‡ Without Improved Handling Pkg. (.69"-.72" Dia.) † With Improved Handling Pkg. (.85" Dia.)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1969 "B" (FAIRLANE/TORINO) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
66D	302	5J	5K	5J	5K	5J	5K	5J	5L									5H	5J	5J	5K								
66D	351-2	5J	5L	5K	5L	5K	5L	5K	5M					5K	5L	5L	5M												
66D	351-4	5K	5L	5K	5L	5K	5L	5K	5M					5K	5L	5L	5M												
66D	390	5M	5N	5M	5P	5M	5N	5M	5P													5M	5N	5N	5P				
71B, D	250	2U	70	70	71													2U	70	2U	71								
71B, D	302	71	72	71	72													70	71	71	72								
71B, D	351-2	71	73	72	73									72	73	73	76												
71B, D	351-4	72	73	72	73									72	73	73	76												
71B, D	390	76	85	76	87																	76	85	85	87				
71E	250	2U	70	70	71													2U	70	2U	71								
71E	302	71	72	71	73													70	72	71	72								
71E	351	72	73	72	76									72	73	73	76												
71E	390	76	85	85	87																	76	85	85	87				
76B	250	71	72	71	73													70	71	71	72								
76B	302	72	73	73	76	72	76	73	76									72	73	72	76								
76B	351	73	76	76	85	73	76	76	85					73	85	76	85												
76B	390	85	87	87	87	85	87	87	87													87	87	87	87				
76E	250	71	72	72	73													71	72	71	73								
76E	302	73	76	73	76	73	76	73	85									72	73	73	76								
76E	351	76	85	76	85	76	85	76	87					76	85	85	87												
76E	390	87	87	87	87	87	87	87	87													87	87	87	87				

1969 "F" (MUSTANG) -- STANDARD SPRINGS

63A,B‡	200	4W	4W	4W	4J													4W	4W	4W	4J								
63A, B‡‡	200	4G	4G	4G	4W													4G	4G	4G	4G								
63A, B‡	250	4W	4J	4J	4V													4W	4J	4J	4V								
63A, B‡‡	250	4G	4W	4W	4J													4G	4W	4W	4J								
63A, B‡	302	4J	4F	4V	4F	4V	4F	4V	4F									4J	4V	4V	4F								
63A, B‡‡	302	4W	4J	4J	4V	4J	4V	4J	4V									4W	4J	4J	4V								
63A,B‡	351-2	4V	4E	4F	4E	4F	4E	4F	4E					4F	4E	4F	4E												
63A, B‡‡	351-2	4J	4F	4V	4F	4J	4F	4V	4E					4J	4F	4V	4E												
63A,B‡	351-4	4F	4E	4F	4E	4F	4E	4F	4E					4F	4E	4F	4E												
63A, B‡‡	351-4	4J	4F	4V	4E	4J	4F	4V	4E					4J	4F	4V	4E												
63A,B⊕	390	4E	4U	4E	4U	4E	4U	4E	4U													4E	4U	4E	4U				
63A, B⊕⊕	390	4F	4E	4E	4U	4F	4E	4E	4U													4F	4E	4E	4U				
63A,B◊	428	4L	4M	4M	1Q	4M	4M	4M	1Q													4M	4M	4M	1Q				
63A, B◊◊	428	4L	4M	4M	1Q	4M	4M	4M	1Q													4M	4M	4M	1Q				
63A, B	429							6L																					
63C ‡	200	4W	4J	4W	4J													4W	4W	4W	4J								
63C ‡‡	200	4G	4G	4G	4W													4G	4G	4G	4W								
63C ‡	250	4J	4V	4J	4V													4W	4J	4J	4V								
63C ‡‡	250	4G	4J	4W	4J													4G	4W	4W	4J								
63C ‡	302	4V	4F	4V	4E	4V	4F	4F	4E									4V	4F	4V	4F								
63C ‡‡	302	4J	4V	4J	4F	4J	4V	4J	4F									4J	4V	4J	4V								
63C ‡	351-2	4F	4E	4F	4E	4F	4E	4E	4E					4F	4E	4E	4E												
63C ‡‡	351-2	4J	4F	4J	4E	4V	4F	4F	4E					4V	4F	4F	4E												
63C ‡	351-4	4F	4E	4E	4E	4F	4E	4E	4U					4F	4E	4E	4U												
63C ‡‡	351-4	4V	4F	4F	4E	4V	4F	4F	4E					4V	4F	4F	4E												
63C ⊕	390	4E	4U	4E	4U	4E	4U	4U	4U													4E	4U	4U	4D				
63C ⊕⊕	390	4F	4E	4E	4U	4F	4E	4E	4U													4F	4U	4E	4U				
63C ◊	428	4M	4M	4M	1Q	4M	4M	4M	1Q													4M	1Q	4M	1Q				
63C ◊◊	428	4M	4M	4M	1Q	4M	4M	4M	1Q													4M	1Q	4M	1Q				
63C	429							6L																					

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

‡ Before 9/11/68 - with .69" Dia. Stabilizer Bar

‡‡ From 9/11/68 - with .69" Dia. Stabilizer Bar

◊ Before 9/11/68 - with .95" Dia. Stabilizer Bar (Competition Suspension)

◊◊ From 9/11/68 - with .95" Dia. Stabilizer Bar (Competition Suspension)

⊕ Before 9/11/68 - with .72" Dia. Stabilizer Bar

⊕⊕ From 9/11/68 - with .72" Dia. Stabilizer Bar

5310 - continued 1969 "F" (MUSTANG) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
65A,B‡	200	4W	4W	4W	4J													4W	4W	4W	4J								
65A, B‡‡	200	4G	4G	4G	4W													4G	4G	4G	4W								
65A, B‡	250	4J	4V	4J	4V													4W	4J	4J	4V								
65A, B‡‡	250	4G	4J	4W	4J													4G	4W	4W	4J								
65A,B‡	302	4V	4F	4V	4F	4V	4F	4F	4E									4V	4F	4V	4F								
65A, B‡‡	302	4J	4V	4J	4V	4J	4V	4J	4F									4J	4J	4J	4V								
65A,B‡	351-2	4F	4E	4F	4E	4F	4E	4F	4E					4F	4E	4F	4E												
65A, B‡‡	351-2	4V	4F	4V	4E	4V	4F	4F	4E					4V	4F	4F	4E												
65A,B‡	351-4	4F	4E	4F	4E	4F	4E	4E	4E					4F	4E	4E	4E												
65A, B‡‡	351-4	4V	4F	4F	4E	4V	4F	4F	4E					4V	4F	4F	4E												
65A,B⊕	390	4E	4U	4E	4U																	4E	4U	4U	4D				
65A, B⊕⊕	390	4F	4E	4E	4U	4F	4E	4E	4U													4F	4U	4E	4U				
65A, B◊	428	4M	4M	4M	1Q	4M	4M	4M	1Q													4M	1Q	4M	1Q				
65A, B◊◊	428	4M	4M	4M	1Q	4M	4M	4M	1Q													4M	1Q	4M	1Q				
65C,D‡	200	4W	4J	4W	4J													4W	4W	4W	4J								
65C, D‡‡	200	4G	4G	4G	4W													4G	4G	4G	4W								
65C, D‡	250	4J	4V	4J	4V													4W	4J	4J	4V								
65C, D‡‡	250	4G	4J	4W	4J													4G	4W	4W	4J								
65C,D‡	302	4V	4F	4V	4E	4V	4F	4F	4E									4V	4F	4V	4F								
65C, D‡‡	302	4J	4V	4J	4F	4J	4V	4J	4F									4J	4V	4J	4V								
65C,D‡	351-2	4F	4E	4F	4E	4F	4E	4E	4E					4F	4E	4E	4E												
65C, D‡‡	351-2	4V	4F	4V	4E	4V	4F	4F	4E					4V	4F	4F	4E												
65C,D‡	351-4	4F	4E	4E	4E	4F	4E	4E	4U					4F	4E	4E	4U												
65C, D‡‡	351-4	4V	4F	4F	4E	4V	4F	4F	4E					4V	4F	4F	4E												
65C,D⊕	390	4E	4U	4E	4U	4E	4U	4U	4U													4E	4U	4U	4D				
65C, D⊕⊕	390	4F	4E	4E	4U	4F	4E	4E	4U													4F	4U	4E	4U				
65C, D◊	428	4M	4M	4M	1Q	4M	4M	4M	1Q													4M	1Q	4M	1Q				
65C, D◊◊	428	4M	4M	4M	1Q	4M	4M	4M	1Q													4M	1Q	4M	1Q				
65E ‡	200	4W	4J	4W	4J													4W	4W	4W	4J								
65E ‡‡	200	4G	4W	4G	4W													4G	4G	4G	4W								
65E ‡	250	4J	4V	4J	4F													4J	4V	4J	4V								
65E ‡‡	250	4W	4J	4W	4J													4G	4J	4W	4J								
65E ‡	302	4V	4F	4F	4E	4V	4F	4F	4E									4V	4F	4F	4F								
65E ‡‡	302	4J	4V	4J	4F	4J	4V	4V	4F									4J	4V	4J	4F								
65E ‡	351-2	4F	4E	4E	4U	4F	4E	4E	4U					4F	4E	4E	4U												
65E ‡‡	351-2	4V	4F	4F	4E	4V	4F	4F	4E					4V	4F	4F	4E												
65E ‡	351-4	4F	4E	4E	4U	4F	4E	4E	4U					4F	4E	4E	4U												
65E ‡‡	351-4	4V	4F	4F	4E	4V	4E	4F	4E					4V	4E	4F	4E												
65E ⊕	390	4E	4U	4U	4D	4E	4U	4U	4D													4E	4U	4U	4D				
65E ⊕⊕	390	4F	4U	4E	4U	4E	4U	4E	4U													4E	4U	4E	4D				
65E ◊	428	4M	1Q	4M	1Q	4M	1Q	4M	1Q													4M	1Q	1Q	1Q				
65E ◊◊	428	4M	1Q	4M	1Q	4M	1Q	4M	1Q													4M	1Q	1Q	1Q				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

‡ Before 9/11/68 - with .69" Dia. Stabilizer Bar

‡‡ From 9/11/68 - with .69" Dia. Stabilizer Bar

◊ Before 9/11/68 - with .95" Dia. Stabilizer Bar (Competition Suspension)

◊◊ From 9/11/68 - with .95" Dia. Stabilizer Bar (Competition Suspension)

⊕ Before 9/11/68 - with .72" Dia. Stabilizer Bar

⊕⊕ From 9/11/68 - with .72" Dia. Stabilizer Bar

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1969 "F" (MUSTANG) -- STANDARD SPRINGS - continued**

BODY TYPE		TRANS→	3/S				4/S				O/D				C/M				C4				C6							
		OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
		ENGINE	▲ FRONT SPRING CODE NUMBER																											
76	‡	200	4W	4J	4J	4V													4W	4J	4W	4J								
76	‡‡	200	4G	4W	4G	4J													4G	4W	4G	4W								
76	‡	250	4J	4V	4V	4F													4J	4V	4J	4F								
76	‡‡	250	4W	4J	4J	4V													4W	4J	4W	4J								
76	‡	302	4V	4F	4F	4E	4V	4F	4F	4E									4V	4F	4F	4E								
76	‡‡	302	4J	4V	4V	4F	4J	4V	4V	4F									4J	4V	4V	4F								
76	‡	351-2	4F	4E	4E	4U	4F	4E	4E	4U					4F	4E	4E	4U												
76	‡‡	351-2	4V	4E	4F	4E	4V	4E	4F	4E					4V	4E	4F	4E												
76	‡	351-4	4F	4E	4E	4U	4F	4E	4E	4U					4F	4E	4E	4U												
76	‡‡	351-4	4V	4E	4F	4E	4V	4E	4F	4E					4V	4E	4F	4E												
76	⊕	390	4E	4U	4U	4D	4E	4U	4U	4D													4U	4U	4U	4D				
76	⊕⊕	390	4E	4U	4E	4D	4E	4U	4E	4D													4E	4U	4U	4D				
76	◊	428	4M	1Q	4M	1Q	4M	1Q	4M	1Q													4M	1Q	1Q	1Q				
76	◊◊	428	4M	1Q	4M	1Q	4M	1Q	4M	1Q													4M	1Q	1Q	1Q				
			1969 "F" (MUSTANG) -- HEAVY DUTY SPRINGS																											
63A,B†		302	4V	4S	4V	4S	4V	4S	4S	4S									4V	4S	4V	4S								
63A,B††		302	4X	4S	4X	4S	4X	4S	4S	4S									4X	4S	4X	4S								
63A,B†		351	4S	4R	4S	4R	4S	4R	4S	4R					4S	4R	4S	4R												
63A,B††		351-2	4S	4R	4S	4R	4S	4R	4S	4R					4S	4R	4S	4R												
63A,B††		351-4	4S	4R	4S	4R	4S	4R	4S	4R					4S	4R	4S	4R												
63A,B†		390	4R	4R	4R	4P	4R	4R	4R	4P													4R	4P	4R	4P				
63A,B††		390	4R	4R	4R	4P	4R	4R	4R	4P													4R	4P	4R	4P				
63C	†	302	4V	4S	4S	4R	4V	4S	4S	4R									4V	4S	4S	4S								
63C	††	302	4X	4S	4S	4R	4X	4S	4S	4R									4X	4S	4S	4S								
63C	†	351-2	4S	4R	4S	4R	4S	4R	4R	4R					4S	4R	4R	4R												
63C	††	351-2	4S	4R	4S	4R	4S	4R	4R	4R					4S	4R	4R	4R												
63C	†	351-4	4S	4R	4R	4R	4S	4R	4R	4R					4S	4R	4R	4R												
63C	††	351-4	4S	4R	4R	4R	4S	4R	4R	4R					4S	4R	4R	4R												
63C	†	390	4R	4P	4R	4P	4R	4P	4R	4P													4R	4P	4P	4P				
63C	††	390	4R	4P	4R	4P	4R	4P	4R	4P													4R	4P	4P	4P				
65A,B†		302	4V	4S	4S	4S	4S	4V	4S	4R									4V	4S	4S	4S								
65A,B††		302	4X	4S	4S	4S	4X	4S	4S	4R									4X	4S	4S	4S								
65A,B†		351-2	4S	4R	4S	4R	4S	4R	4S	4R					4S	4R	4S	4R												
65A,B††		351-2	4S	4R	4S	4R	4S	4R	4S	4R					4S	4R	4S	4R												
65A,B†		351-4	4S	4R	4S	4R	4S	4R	4R	4R					4S	4R	4R	4R												
65A,B††		351-4	4S	4R	4S	4R	4S	4R	4R	4R					4S	4R	4R	4R												
65A,B†		390	4R	4P	4R	4P	4R	4P	4R	4P													4R	4P	4P	4P				
65A,B††		390	4R	4P	4R	4P	4R	4P	4R	4P													4R	4P	4P	4P				
65C,D†		302	4V	4S	4S	4R	4V	4S	4S	4R									4V	4S	4S	4S								
65C,D††		302	4X	4S	4S	4R	4X	4S	4S	4R									4X	4S	4S	4S								
65C,D†		351-2	4S	4R	4S	4R	4S	4R	4R	4R					4S	4R	4R	4R												
65C,D††		351-2	4S	4R	4S	4R	4S	4R	4R	4R					4S	4R	4R	4R												
65C,D†		351-4	4S	4R	4R	4R	4S	4R	4R	4R					4S	4R	4R	4R												
65C,D††		351-4	4S	4R	4R	4R	4S	4R	4R	4R					4S	4R	4R	4R												
65C,D†		390	4R	4P	4R	4P	4R	4P	4R	4P													4R	4P	4P	4P				
65C,D††		390	4R	4P	4R	4P	4R	4P	4R	4P													4R	4P	4P	4P				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

‡ Before 9/11/68 - with .69" Dia. Stabilizer Bar

‡‡ From 9/11/68 - with .69" Dia. Stabilizer Bar

◊ Before 9/11/68 - with .95" Dia. Stabilizer Bar (Competition Suspension)

◊◊ From 9/11/68 - with .95" Dia. Stabilizer Bar (Competition Suspension)

† Before 9/11/68 - with GT or Handling Suspension Options (.85" Dia. Stabilizer Bar)

†† From 9/11/68 - with GT or Handling Suspension Options (.85" Dia. Stabilizer Bar)

⊕ Before 9/11/68 - with .72" Dia. Stabilizer Bar

⊕⊕ From 9/11/68 - with .72" Dia. Stabilizer Bar

5310 - continued 1969 "F" (MUSTANG) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
65E †	302	4V	4S	4S	4R	4V	4S	4S	4R									4V	4S	4S	4R								
65E ††	302	4X	4S	4S	4R	4X	4S	4S	4R									4X	4S	4S	4R								
65E †	351-2	4S	4R	4R	4R	4S	4R	4R	4P					4S	4R	4R	4R												
65E ††	351-2	4S	4R	4R	4R	4S	4R	4R	4R					4S	4R	4R	4R												
65E †	351-4	4S	4R	4R	4P	4S	4R	4R	4P					4S	4R	4R	4P												
65E ††	351-4	4S	4R	4R	4P	4S	4R	4R	4P					4S	4R	4R	4P												
65E †	390	4R	4P	4R	4P	4R	4P	4P	4P													4R	4P	4P	4N				
65E ††	390	4R	4P	4R	4P	4R	4P	4P	4P													4R	4P	4P	4N				
76 †	302	4S	4S	4S	4R	4S	4S	4S	4R									4V	4S	4S	4R								
76 ††	302	4S	4S	4S	4R	4S	4S	4S	4R									4X	4S	4S	4R								
76 †	351	4S	4R	4R	4P	4S	4R	4R	4P					4S	4R	4R	4P												
76 ††	351-2	4S	4R	4R	4P	4S	4R	4R	4P					4S	4R	4R	4P												
76 ††	351-4	4S	4R	4R	4P	4S	4R	4R	4P					4S	4R	4R	4P												
76 †	390	4R	4P	4P	4P	4R	4P	4P	4N													4R	4P	4P	4N				
76 ††	390	4R	4P	4P	4P	4R	4P	4P	4N													4R	4P	4P	4N				

1969 "S" (THUNDERBIRD) -- STANDARD SPRINGS

57	429																						6C	4B					
65	429																						6K	6C					

1969 "S" (THUNDERBIRD) -- HEAVY DUTY SPRINGS

57,65	429																						6F						

1969 "S" (THUNDERBIRD) -- WITH HEAVY DUTY SUSPENSION

57	429																							1H					
57	429																						1G						
65	429																							1G					

1969 "U" (BRONCO) -- STANDARD SPRINGS

97,98	170	6H																											
97,98	302	6J																											

1969 "U" (BRONCO) -- HEAVY DUTY SPRINGS

96,97,98	All	3S																											
96,97,98	All	6G																											

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

† Before 9/11/68 - with GT or Handling Suspension Options (.85" Dia. Stabilizer Bar)

†† From 9/11/68 - with GT or Handling Suspension (.85" Dia. Stabilizer Bar)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1969 "X" (FALCON) -- STANDARD SPRINGS**

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
54A	170	2S	2U	2U	2U													2S	2U	2S	2U								
54A	200	2S	2U	2U	70													2S	2U	2U	2U								
54A	302	5K	5L	5K	5M													5J	5L	5K	5L								
54B	200	2S	2U	2U	70													2S	2U	2U	2U								
54B	302	5K	5L	5K	5M													5J	5L	5K	5L								
62A	170	2S	2U	2U	2U													2S	2U	2S	2U								
62A	200	2S	2U	2U	2U													2S	2U	2S	2U								
62A	302	5K	5L	5K	5L													5J	5K	5K	5L						•		
62B	200	2S	2U	2U	2U													2S	2U	2S	2U								
62B	302	5K	5L	5K	5M													5J	5K	5K	5L								
62C	200	2S	2U	2U	2U													2S	2U	2S	2U								
62C	302	5K	5L	5K	5M													5J	5K	5K	5L								
71A	200	5F	5F	5F	5F													5F	5F	5F	5F								
71A	302	5G	5J	5H	5J													5G	5H	5H	5J								
71B	200	5F	5F	5F	5F													5F	5F	5F	5F								
71B	302	5G	5J	5H	5J													5G	5H	5H	5J								

1969 "X" (FALCON) -- HEAVY DUTY SPRINGS

54A	170	2U	70	70	71													2U	70	2U	71								
54A	200	2U	70	70	71													2U	70	2U	71								
54A	302	72	73	73	76													72	73	72	76								
54B	200	2U	71	70	71													2U	70	2U	71								
54B	302	72	73	73	76													72	73	72	76								
62A	170	2U	70	70	71													2U	70	2U	70								
62A	200	2U	70	70	71													2U	70	2U	71								
62A	302	72	73	73	76													72	73	72	73								
62B	200	2U	70	70	71													2U	70	2U	71								
62B	302	72	73	73	76													72	73	72	73								
62C	200	2U	70	70	71													2U	70	2U	71								
62C	302	72	73	73	76													72	73	72	73								
71A	200	2S	2U	2S	2U													2S	2S	2S	2U								
71A	302	70	71	70	72													2U	71	70	71								
71B	200	2S	2U	2S	2U													2S	2S	2S	2U								
71B	302	70	71	70	72													2U	71	70	71								

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

5310 SPRING (FRONT COIL)

HOW TO FIND 1970 FRONT SPRING PART NUMBERS

1) To determine Front Spring Part Number you must know:
   a) YEAR
   b) CAR LINE
   c) BODY TYPE
   d) ENGINE
   e) Whether SPRING required is STANDARD or HEAVY DUTY.
   f) TRANSMISSION
   g) Whether car is equipped with AIR CONDITIONING, POWER STEERING or BOTH.
2) Using this information, refer to the listing on the following pages.
3) Locate the appropriate Front Spring Code Number.
4) **Translate the Code Number into a Service Part Number by referring to the Cross Reference listing starting on page 1 of Section 53.**

   Read down to locate correct Code Number.

   Read across to locate Front Spring Part Number.
   (Color Identification, Normal Load, Number of Coils, Wire Diameter and Free Length are also listed).

EXAMPLE:
a) Year 1970
b) Car Line FORD
c) Body Type 63B
d) Engine 390
e) Spring Type STANDARD
f) Transmission C/M(Cruise-O-Matic)
g) Additional Equipment Air Conditioning (with Power Steering)

Front Spring Code Number listed is 6B.

Part Number shown for Code 6B(Section 53 page 7) is C8SZ 5310-A

1970 "A" (FORD) -- STANDARD SPRINGS

BODY TYPE	TRANS. →	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54A (exc.P/C)	240	92	94	93	4Z									92	94	93	4Z	92	94	93	4Z								
54A(P/C)	240	3Y	3Z	3Y	78									3Y	3Z	3Z	78												
54A (exc.P/C)	302	93	94	93	4Z									93	4Z	94	4Z	93	94	93	4Z								
54A(P/C)	302	3Y	3Z	3Z	78									3Y	78	3Z	78												
54A (exc.P/C)	351	94	4Z	94	5A									94	4Z	94	5A												
54A(P/C)	351	3Z	78	3Z	78									3Z	78	3Z	78												
54A (exc.P/C)	390	4Z	5A	4Z	6B									4Z	5A	4Z	6B					4Z	5A	4Z	6B				
54A(P/C)	390	78	78	78	81																	78	81	78	81				
54A(P/C)	428																					78	81	78	81				
54A (exc.P/C)	429-2																					4Z	6B	5A	6C				
54A(P/C)	429-2																					78	81	78	81				
54A (exc.P/C)	429-4					4Z	6B	5A	6C													5A	6B	5A	6C				
54A(P/C)	429-4					78	81	78	81													78	81	78	81				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1970 "A" (FORD) -- STANDARD SPRINGS - continued**

BODY TYPE	TRANS. →	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54B (exc.P/C)	240	92	94	93	4Z									92	94	93	4Z	92	94	93	4Z								
54B(P/C)	240	3Y	3Z	3Y	78									3Y	3Z	3Z	78												
54B (exc.P/C)	302	93	94	93	4Z									93	4Z	94	4Z	92	94	93	4Z								
54B(P/C)	302	3Y	3Z	3Z	78									3Y	78	3Z	78												
54B (exc.P/C)	351	94	4Z	94	5A									94	4Z	94	5A												
54B(P/C)	351	3Z	78	3Z	78									3Z	78	3Z	78												
54B (exc.P/C)	390	4Z	5A	4Z	6B									4Z	5A	4Z	6B					4Z	5A	4Z	6B				
54B(P/C)	390	78	78	78	81																	78	78	78	81				
54B(P/C)	428																					78	81	78	81				
54B (exc.P/C)	429-2																					4Z	6B	5A	6C				
54B(P/C)	429-2																					78	81	78	81				
54B (exc.P/C)	429-4					4Z	6B	5A	6C													5A	6B	5A	6C				
54B(P/C)	429-4					78	81	78	81													78	81	78	81				
54C	302	93	4Z	94	4Z									93	4Z	94	5A	93	4Z	94	4Z								
54C	351	94	5A	4Z	5A									94	5A	4Z	6B												
54C	390	4Z	6B	5A	6B									4Z	6B	5A	6B					4Z	6B	5A	6C				
54C	429-2																					5A	6C	6B	6C				
54C	429-4					5A	6C	6B	6C													5A	6C	6B	6C				
54E (exc.P/C)	240	92	94	93	4Z									92	94	93	4Z	92	94	93	4Z								
54E(P/C)	240	3Y	3Z	3Y	78									3Y	3Z	3Z	78												
54E (exc.P/C)	302	92	94	93	4Z									93	4Z	94	4Z	92	94	93	4Z								
54E(P/C)	302	3Y	3Z	3Z	78									3Y	78	3Z	78												
54E (exc.P/C)	351	94	4Z	94	5A									94	4Z	94	5A												
54E(P/C)	351	3Z	78	3Z	78									3Z	78	3Z	78												
54E (exc.P/C)	390	4Z	5A	4Z	6B									4Z	5A	4Z	6B					4Z	5A	4Z	6B				
54E(P/C)	390	78	78	78	81																	78	78	78	81				
54E(P/C)	428																					78	81	78	81				
54E (exc.P/C)	429-2																					4Z	6B	5A	6C				
54E(P/C)	429-2																					78	81	78	81				
54E (exc.P/C)	429-4					4Z	6B	6C	6C													5A	6B	5A	6C				
54E(P/C)	429-4					78	81	78	81													78	81	78	81				
57B	240	92	94	93	4Z									93	94	93	4Z	92	94	93	4Z								
57B	302	93	4Z	94	4Z									93	4Z	94	4Z	93	4Z	93	4Z								
57B	351	94	4Z	94	5A									94	5A	4Z	5A												
57B	390	4Z	6B	5A	6B									4Z	6B	5A	6B												
57B	429-2																					5A	6B	5A	6C				
57B	429-4					5A	6B	5A	6C													5A	6B	5A	6C				
57F	302	93	4Z	94	4Z									93	4Z	94	5A	93	4Z	94	4Z								
57F	351	94	5A	4Z	5A									94	5A	4Z	5A												
57F	390	4Z	6B	5A	6B									4Z	6B	5A	6B					4Z	6B	5A	6B				
57F	429-2																					5A	6B	6B	6C				
57F	429-4					5A	6B	6B	6C													5A	6C	6B	6C				
62B (exc.P/C)	240	92	94	93	94									92	94	93	4Z	92	94	93	94								
62B(P/C)	240	3Y	3Z	3Y	3Z									3Y	3Z	3Y	78												
62B (exc.P/C)	302	92	94	93	4Z									93	94	93	4Z	92	94	93	4Z								
62B(P/C)	302	3Y	3Z	3Z	78									3Y	3Z	3Z	78												
62B (exc.P/C)	351	93	4Z	94	5A									94	4Z	94	5A												
62B(P/C)	351	3Z	78	3Z	78									3Z	78	3Z	78												
62B (exc.P/C)	390	4Z	5A	4Z	6B									4Z	5A	4Z	6B					4Z	5A	4Z	6B				
62B(P/C)	390	3Z	78	78	81																	78	78	78	81				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

5310 - continued — 1970 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS. →	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
62B(P/C)	428																					78	81	78	81				
62B (exc.P/C)	429-2																					4Z	6B	5A	6B				
62B(P/C)	429-2																					78	81	78	81				
62B (exc.P/C)	429-4					4Z	6B	5A	6B													4Z	6B	5A	6C				
62B(P/C)	429-4					78	81	78	81													78	81	78	81				
62E (exc.P/C)	240	92	94	93	94									92	94	93	4Z	92	94	93	94								
62E(P/C)	240	3Y	3Z	3Y	3Z									3Y	3Z	3Y	78												
62E (exc.P/C)	302	92	94	93	4Z									93	94	93	4Z	92	94	93	4Z								
62E(P/C)	302	3Y	3Z	3Z	78									3Y	3Z	3Z	78												
62E (exc.P/C)	351	93	4Z	94	5A									94	4Z	94	5A												
62E(P/C)	351	3Z	78	3Z	78									3Z	78	3Z	78												
62E (exc.P/C)	390	4Z	5A	4Z	6B									4Z	5A	4Z	6B					4Z	5A	4Z	6B				
62E(P/C)	390	3Z	78	78	81																	78	78	78	81				
62E(P/C)	428																					78	81	78	81				
62E (exc.P/C)	429-2																					4Z	6B	5A	6B				
62E(P/C)	429-2																					78	81	78	81				
62E (exc.P/C)	429-4					4Z	6B	5A	6B													4Z	6B	5A	6C				
62E(P/C)	429-4					78	81	78	81													78	81	78	81				
63B (exc.P/C)	240	92	94	92	94									92	94	93	4Z	92	94	93	94								
63B(P/C)	240	3Y	3Z	3Y	78									3Y	3Z	3Z	78												
63B (exc.P/C)	302	92	94	93	4Z									93	94	93	4Z	92	94	93	4Z								
63B(P/C)	302	3Y	3Z	3Z	78									3Y	78	3Z	78												
63B (exc.P/C)	351	93	4Z	94	5A									94	4Z	94	5A												
63B(P/C)	351	3Z	78	3Z	78									3Z	78	3Z	78												
63B (exc.P/C)	390	4Z	5A	4Z	6B									4Z	5A	4Z	6B					4Z	5A	4Z	6B				
63B(P/C)	390	78	78	78	81																	78	78	78	81				
63B(P/C)	428																					78	81	78	81				
63B (exc.P/C)	429-2																					4Z	6B	5A	6C				
63B(P/C)	429-2																					78	81	78	81				
63B (exc.P/C)	429-4					4Z	6B	5A	6C													4Z	6B	5A	6C				
63B(P/C)	429-4					78	81	78	81													78	81	78	81				
63C	302	93	4Z	94	5A									94	4Z	94	5A	93	4Z	94	5A								
63C	351	94	5A	4Z	6B									4Z	5A	4Z	6B												
63C	390	5A	6B	5A	6C									5A	6B	5A	6C												
63C	429-2																					5A	6C	6B	6C				
63C	429-4					5A	6C	6B	6C													5A	6C	6B	4B				
65A	302	93	4Z	94	5A									94	4Z	94	5A	93	4Z	94	5A								
65A	351	94	5A	4Z	5A									94	5A	4Z	6B												
65A	390	4Z	6B	5A	6C									4Z	6B	5A	6C					4Z	6B	5A	6C				
65A	429-2																					5A	6C	6B	6C				
65A	429-4					5A	6C	6B	6C													5A	6C	6B	6C				
65C (exc.P/C)	240	92	94	93	4Z									92	94	93	4Z	92	94	93	4Z								
65C(P/C)	240	3Y	3Z	3Y	78									3Y	3Z	3Z	78												
65C (exc.P/C)	302	93	94	93	4Z									93	4Z	94	4Z	93	94	93	4Z								
65C(P/C)	302	3Y	3Z	3Z	78									3Y	78	3Z	78												
65C (exc.P/C)	351	94	4Z	94	5A									94	4Z	4Z	5A												
65C(P/C)	351	3Z	78	3Z	78									3Z	78	3Z	78												
65C (exc.P/C)	390	4Z	5A	4Z	6B									4Z	5A	4Z	6B					4Z	5A	5A	6B				
65C(P/C)	390	78	78	78	81																	78	81	78	81				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued — 1970 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6			
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																							
65C(P/C)	428																					78	81	78	81
65C (exc.P/C)	429-2																					5A	6B	5A	6C
65C(P/C)	429-2																					78	81	78	81
65C (exc P/C)	429-4					5A	6B	5A	6C													5A	6B	5A	6C
65C(P/C)	429-4					78	81	78	81													78	81	78	81
65M (exc.P/C)	240	92	94	93	4Z									92	94	93	4Z	92	94	93	4Z				
65M(P/C)	240	3Y	3Z	3Y	78									3Y	3Z	3Z	78								
65M (exc.P/C)	302	93	94	93	4Z									93	4Z	94	4Z	93	94	93	4Z				
65M(P/C)	302	3Y	3Z	3Z	78									3Y	78	3Z	78								
65M (exc.P/C)	351	94	4Z	94	5A									94	4Z	4Z	5A								
65M(P/C)	351	3Z	78	3Z	78									3Z	78	3Z	78								
65M (exc.P/C)	390	4Z	5A	4Z	6B									4Z	5A	4Z	6B					4Z	5A	5A	6B
65M(P/C)	390	78	78	78	81																	78	81	78	81
65M(P/C)	428																					78	81	78	81
65M (exc.P/C)	429-2																					5A	6B	5A	6C
65M(P/C)	429-2																					78	81	78	81
65M (exc.P/C)	429-4					5A	6B	5A	6C													5A	6B	5A	6C
65M(P/C)	429-4					78	81	78	81													78	81	78	81
71A	302	93	4Z	94	5A									94	4Z	94	5A	93	4Z	94	5A				
71A	351	94	5A	4Z	6B									4Z	5A	4Z	6B								
71A	390	5A	6B	5A	6C									5A	6B	5A	6C					5A	6B	5A	6C
71A	429-2																					5A	6C	6B	6C
71A	429-4																					5A	6C	6B	4B
71B (exc.P/C)	240	92	94	93	4Z									92	94	93	4Z	92	94	93	4Z				
71B(P/C)	240	3X	3Z	3Y	3Z									3X	3Y	3Y	3Z								
71B (exc.P/C)	302	93	94	93	4Z									93	4Z	94	4Z	93	94	93	4Z				
71B(P/C)	302	3X	3Y	3Y	3Z									3X	3Z	3Y	3Z								
71B (exc.P/C)	351	94	4Z	94	5A									94	4Z	4Z	5A								
71B(P/C)	351	3Y	3Z	3Y	78									3Y	3Z	3Z	78								
71B (exc.P/C)	390	4Z	5A	4Z	6B									4Z	5A	4Z	6B					4Z	6B	5A	6B
71B(P/C)	390	3Z	78	3Z	78																	3Z	78	3Z	78
71B(P/C)	428																					3Z	78	78	81
71B (exc.P/C)	429-2																					5A	6B	5A	6C
71B(P/C)	429-2																					3Z	78	78	81
71B (exc. P/C)	429-4																					5A	6B	5A	6C
71B(P/C)	429-4																					3Z	78	78	81
71C (exc.P/C)	240	92	94	93	4Z									93	94	93	4Z	92	94	93	4Z				
71C(P/C)	240	3X	3Y	3Y	3Z									3X	3Y	3Y	3Z								
71C (exc.P/C)	302	93	4Z	94	4Z									93	4Z	94	4Z	93	4Z	93	4Z				
71C(P/C)	302	3X	3Z	3Y	3Z									3Y	3Z	3Y	3Z								
71C (exc.P/C)	351	94	4Z	94	5A									94	5A	4Z	5A								
71C(P/C)	351	3Y	3Z	3Z	78									3Y	3Z	3Z	78								
71C (exc.P/C)	390	4Z	6B	5A	6B									4Z	6B	5A	6B					4Z	6B	5A	6B
71C(P/C)	390	3Z	78	3Z	78																	3Z	78	3Z	78
71C(P/C)	428																					3Z	78	78	81
71C (exc.P/C)	429-2																					5A	6B	5A	6C
71C(P/C)	429-2																					3Z	78	78	81
71C (exc.P/C)	429-4																					5A	6B	5A	6C
71C(P/C)	429-4																					3Z	78	78	81
71D (exc.P/C)	240	92	94	93	4Z									93	94	93	4Z	92	94	93	4Z				
71D(P/C)	240	3X	3Y	3Y	3Z									3X	3Y	3Y	3Z								
71D (exc.P/C)	302	93	94	93	4Z									93	4Z	94	4Z	93	94	93	4Z				
71D(P/C)	302	3X	3Y	3Y	3Z									3Y	3Z	3Y	3Z								

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

5310 - continued 1970 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
71D (exc.P/C)	351	94	4Z	94	5A									94	5A	4Z	5A												
71D(P/C)	351	3Y	3Z	3Y	78									3Y	3Z	3Z	78												
71D (exc.P/C)	390	4Z	5A	5A	6B									4Z	6B	5A	6B					4Z	6B	5A	6B				
71D(P/C)	390	3Z	78	3Z	78																	3Z	78	3Z	78				
71D(P/C)	428																					3Z	78	78	81				
71D (exc.P/C)	429-2																					5A	6B	5A	6C				
71D(P/C)	429-2																					3Z	78	78	81				
71D (exc.P/C)	429-4																					5A	6B	5A	6C				
71D(P/C)	429-4																					3Z	78	78	81				
71E	302	93	4Z	94	5A									93	4Z	94	5A	93	4Z	94	5A								
71E	351	94	5A	4Z	5A									94	5A	4Z	6B												
71E	390	4Z	6B	5A	6C									4Z	6B	5A	6C					4Z	5A	6B	6C				
71E	429-2																					5A	6C	6B	6C				
71E	429-4																					5A	6C	6B	6C				
71H (exc.P/C)	240	92	94	93	4Z									92	94	93	4Z	92	94	93	4Z								
71H(P/C)	240	3X	3Y	3Y	3Z									3X	3Y	3Y	3Z												
71H (exc.P/C)	302	93	94	93	4Z									93	4Z	94	4Z	92	94	93	4Z								
71H(P/C)	302	3X	3Y	3Y	3Z									3X	3Z	3Y	3Z												
71H (exc.P/C)	351	94	4Z	94	5A									94	4Z	94	5A												
71H(P/C)	351	3Y	3Z	3Y	3Z									3Y	3Z	3Y	78												
71H (exc.P/C)	390	4Z	5A	4Z	6B									4Z	5A	4Z	6B					4Z	5A	4Z	6B				
71H(P/C)	390	3Z	78	3Z	78																	3Z	78	3Z	78				
71H(P/C)	428																					3Z	78	78	81				
71H (exc.P/C)	429-2																					4Z	6B	5A	6C				
71H(P/C)	429-2																					3Z	78	78	78				
71H (exc.P/C)	429-4																					5A	6B	5A	6C				
71H(P/C)	429-4																					3Z	78	78	81				
71J (exc.P/C)	240	92	94	93	4Z									93	94	93	4Z	92	94	93	4Z								
71J(P/C)	240	3X	3Y	3Y	3Z									3X	3Y	3Y	3Z												
71J (exc.P/C)	302	93	4Z	94	4Z									93	4Z	94	5A	93	4Z	94	4Z								
71J(P/C)	302	3X	3Z	3Y	3Z									3Y	3Z	3Y	3Z												
71J (exc.P/C)	351	94	5A	4Z	5A									94	5A	4Z	5A												
71J(P/C)	351	3Y	3Z	3Z	78									3Y	3Z	3Z	78												
71J (exc.P/C)	390	4Z	6B	5A	6B									4Z	6B	5A	6B					4Z	6B	5A	6B				
71J(P/C)	390	3Z	78	3Z	78																	3Z	78	3Z	78				
71J(P/C)	428																					78	78	78	81				
71J (exc.P/C)	429-2																					5A	6B	5A	6C				
71J(P/C)	429-2																					3Z	78	78	81				
71J (exc.P/C)	429-4																					5A	6B	6B	6C				
71J(P/C)	429-4																					3Z	78	78	81				
76A	240	93	4Z	94	5A									94	4Z	94	5A	93	4Z	94	5A								
76A	302	94	4Z	4Z	5A									94	5A	4Z	5A	94	4Z	94	5A								
76A	351	4Z	5A	4Z	6B									4Z	6B	5A	6B												
76A	390	5A	6B	6B	6C									5A	6B	6B	6C					5A	6C	6B	6C				
76A	429-2																					6B	6C	6B	4B				
76A	429-4					6B	6C	6B	4B													6B	6C	6B	4B				
76B	302	4Z	5A	4Z	6B									4Z	6B	5A	6B	4Z	5A	4Z	6B								
76B	351	5A	6B	5A	6C									5A	6B	5A	6C												
76B	390	6B	6C	6B	4B									6B	6C	6B	4B					6B	6C	6B	4B				
76B	429-2																					6B	4B	6C	83				
76B	429-4					6B	4B	6C	83													6B	4B	6C	83				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued

1970 "A" (FORD) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
54A	240	1C	1D	1C	1E									1C	1D	1C	1E	1B	1D	1C	1E								
54A	302	1C	1D	1C	1E									1C	1E	1D	1E	1C	1D	1C	1E								
54A	351	1D	1E	1D	1F									1D	1E	1D	1F												
54A	390	1E	1F	1E	1G									1E	1F	1E	1G					1E	1F	1E	1G				
54A	429-2																					1E	1G	1F	1G				
54A	429-4					1E	1G	1F	1G													1E	1G	1F	1G				
54B	240	1C	1D	1C	1E									1C	1D	1C	1E	1B	1D	1C	1E								
54B	302	1C	1D	1C	1E									1C	1E	1D	1E	1C	1D	1C	1E								
54B	351	1D	1E	1D	1F									1D	1E	1D	1F												
54B	390	1E	1F	1E	1G									1E	1F	1E	1G					1E	1F	1E	1G				
54B	429-2																					1E	1G	1F	1G				
54B	429-4					1E	1G	1F	1G													1E	1G	1F	1G				
54C	302	1C	1E	1D	1E									1D	1E	1D	1F	1C	1E	1D	1E								
54C	351	1D	1F	1E	1F									1D	1F	1E	1F												
54C	390	1E	1F	1F	1G									1E	1F	1F	1G					1E	1G	1F	1G				
54C	429-2																					1F	1G	1F	1H				
54C	429-4					1F	1G	1F	1H													1F	1G	1F	1H				
54E	240	1C	1D	1C	1E									1C	1D	1C	1E	1B	1D	1C	1E								
54E	302	1C	1D	1C	1E									1C	1E	1D	1E	1C	1D	1C	1E								
54E	351	1D	1E	1D	1F									1D	1E	1D	1F												
54E	390	1E	1F	1E	1G									1E	1F	1E	1G					1E	1F	1E	1G				
54E	429-2																					1E	1G	1F	1G				
54E	429-4					1E	1G	1F	1G													1E	1G	1F	1G				
57B	240	1C	1D	1C	1E									1C	1D	1D	1E	1C	1D	1C	1E								
57B	302	1C	1E	1D	1E									1C	1E	1D	1E	1C	1E	1D	1E								
57B	351	1D	1E	1D	1F									1D	1E	1E	1F												
57B	390	1E	1F	1E	1G									1E	1F	1E	1G					1E	1F	1F	1G				
57B	429-2																					1F	1G	1F	1G				
57B	429-4					1F	1G	1F	1G													1F	1G	1F	1G				
57F	302	1C	1E	1D	1E									1D	1E	1D	1E	1C	1E	1D	1E								
57F	351	1D	1E	1E	1F									1D	1F	1E	1F												
57F	390	1E	1F	1F	1G									1E	1F	1F	1G					1E	1F	1F	1G				
57F	429-2																					1F	1G	1F	1G				
57F	429-4					1F	1G	1F	1G													1F	1G	1F	1H				
62B	240	1B	1D	1C	1D									1C	1D	1C	1E	1B	1D	1C	1D								
62B	302	1C	1D	1C	1E									1C	1D	1D	1E	1C	1D	1C	1E								
62B	351	1D	1E	1D	1F									1D	1E	1D	1F												
62B	390	1E	1F	1E	1F									1E	1F	1E	1F					1E	1F	1E	1F				
62B	429-2																					1E	1F	1F	1G				
62B	429-4					1E	1F	1F	1G													1E	1G	1F	1G				
62E	240	1B	1D	1C	1D									1C	1D	1C	1E	1B	1D	1C	1D								
62E	302	1C	1D	1C	1E									1C	1D	1D	1E	1C	1D	1C	1E								
62E	351	1D	1E	1D	1F									1D	1E	1D	1F												
62E	390	1E	1F	1E	1F									1E	1F	1E	1F					1E	1F	1E	1F				
62E	429-2																					1E	1F	1F	1G				
62E	429-4					1E	1F	1F	1G													1E	1G	1F	1G				
63B	240	1C	1D	1C	1E									1C	1D	1C	1E	1B	1D	1C	1E								
63B	302	1C	1D	1C	1E									1C	1E	1D	1E	1C	1D	1C	1E								
63B	351	1D	1E	1D	1F									1D	1E	1D	1F												
63B	390	1E	1F	1E	1G									1E	1F	1E	1G					1E	1F	1E	1G				
63B	429-2																					1E	1G	1F	1G				
63B	429-4					1E	1G	1F	1G													1E	1G	1F	1G				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

5310 - continued 1970 "A" (FORD) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
63C	302	1D	1E	1D	1F									1D	1E	1E	1F	1D	1E	1D	1F								
63C	351	1E	1F	1E	1F									1E	1F	1E	1G												
63C	390	1E	1G	1F	1G									1F	1G	1F	1G					1F	1G	1F	1G				
63C ‡	429-2																					1F	1G	1G	1H				
63C †	429-2																					1E	1F	1E	1G				
63C ‡	429-4					1F	1G	1G	1H													1F	1G	1G	1H				
63C †	429-4					1E	1F	1E	1G													1E	1F	1F	1G				
65A	302	1C	1E	1D	1E									1D	1E	1D	1F	1C	1E	1D	1E								
65A	351	1D	1F	1E	1F									1D	1F	1E	1F												
65A	390	1E	1G	1F	1G									1E	1G	1F	1G					1E	1G	1F	1G				
65A	429-2																					1F	1G	1F	1H				
65A	429-4					1F	1G	1F	1H													1F	1G	1F	1H				
65C, M	240	1C	1D	1C	1E									1C	1D	1C	1E	1C	1D	1C	1E								
65C, M	302	1C	1D	1D	1E									1C	1E	1D	1E	1C	1D	1D	1E								
65C, M	351	1D	1E	1D	1F									1D	1E	1E	1F												
65C, M	390	1E	1F	1E	1G									1E	1F	1E	1G					1E	1F	1E	1G				
65C, M	429-2																					1E	1G	1F	1G				
65C, M	429-4					1E	1G	1F	1G													1E	1G	1F	1G				
71A	302	1A	1D	1C	1E									1C	1D	1C	1E	1B	1D	1C	1D								
71A	351	1C	1E	1D	1E									1C	1E	1D	1E												
71A	390	1D	1F	1E	1F									1D	1F	1E	1F					1D	1F	1E	1F				
71A	429-2																					1E	1F	1E	1G				
71A	429-4																					1E	1F	1F	1G				
71B	240	1A	1C	1B	1D									1B	1C	1B	1D	1A	1C	1B	1C								
71B	302	1A	1C	1B	1D									1B	1D	1C	1D	1B	1C	1B	1D								
71B	351	1C	1D	1C	1E									1C	1D	1C	1E												
71B	390	1D	1E	1D	1F									1D	1E	1D	1F					1D	1E	1D	1F				
71B	429-2																					1D	1F	1E	1F				
71B	429-4																					1D	1F	1E	1F				
71C	240	1B	1C	1B	1D									1B	1C	1B	1D	1A	1C	1B	1D								
71C	302	1A	1C	1C	1D									1B	1D	1C	1D	1B	1C	1B	1D								
71C	351	1C	1D	1C	1E									1C	1D	1D	1E												
71C	390	1D	1E	1D	1F									1D	1E	1D	1F					1D	1E	1D	1F				
71C	429-2																					1D	1F	1E	1F				
71C	429-4																					1E	1F	1E	1F				
71D	240	1A	1C	1B	1D									1B	1C	1B	1D	1A	1C	1B	1D								
71D	302	1A	1C	1B	1D									1B	1D	1C	1D	1B	1C	1B	1D								
71D	351	1C	1D	1C	1E									1C	1D	1C	1E												
71D	390	1D	1E	1D	1F									1D	1E	1D	1F					1D	1E	1D	1F				
71D	429-2																					1D	1F	1E	1F				
71D	429-4																					1D	1F	1E	1F				
71E	302	1A	1D	1C	1D									1B	1D	1C	1E	1B	1D	1C	1D								
71E	351	1C	1E	1D	1E									1C	1E	1D	1E												
71E	390	1D	1E	1E	1F									1D	1F	1E	1F					1D	1F	1E	1F				
71E	429-2																					1E	1F	1E	1G				
71E	429-4																					1E	1F	1E	1G				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

† With XL Performance Group Option ‡ Without XL Performance Group Option

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 • continued **1970 "A" (FORD) -- HEAVY DUTY SPRINGS - continued**

BODY TYPE	TRANS→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
71H	240	1A	1C	1B	1C									1A	1C	1B	1D	1A	1C	1B	1C								
71H	302	1A	1C	1B	1D									1B	1C	1C	1D	1B	1C	1B	1D								
71H	351	1C	1D	1C	1E									1C	1D	1C	1E												
71H	390	1D	1E	1D	1F									1D	1E	1D	1F					1D	1E	1D	1F				
71H	429-2																					1D	1F	1E	1F				
71H	429-4																					1D	1F	1E	1F				
71J	240	1B	1C	1B	1D									1B	1C	1B	1D	1A	1C	1B	1D								
71J	302	1A	1C	1C	1D									1B	1D	1C	1D	1B	1C	1C	1D								
71J	351	1C	1D	1C	1E									1C	1D	1D	1E												
71J	390	1D	1E	1D	1F									1D	1E	1D	1F					1D	1E	1E	1F				
71J	429-2																					1E	1F	1E	1F				
71J	429-4																					1E	1F	1E	1F				
76A	240	1D	1E	1D	1E									1D	1E	1D	1F	1D	1E	1D	1F								
76A	302	1D	1E	1E	1F									1D	1F	1E	1F	1D	1D	1E	1F								
76A	351	1E	1F	1E	1G									1E	1F	1F	1G												
76A	390	1F	1G	1F	1H													1F	1G	1F	1H	1F	1G	1F	1H				
76A	429-2																					1F	1H	1G	1H				
76A	429-4					1F	1H	1G	1H													1F	1H	1G	1H				
76B	302	1E	1F	1E	1G									1E	1F	1E	1G	1E	1F	1E	1G								
76B	351	1E	1G	1F	1G									1F	1G	1F	1G												
76B	390	1F	1H	1G	1H									1F	1H	1G	1H					1F	1H	1G	1H				
76B ‡	429-2																					1G	1H	1G	1H				
76B †	429-2																					1F	1G	1G	1H				
76B ‡	429-4					1G	1H	1G	1H													1G	1H	1H	1H				
76B †	429-4					1F	1G	1G	1H													1F	1G	1G	1H				

1970 "B" (FAIRLANE/TORINO) -- STANDARD SPRINGS
1970 "B" (FALCON) -- STANDARD SPRINGS - FROM 1/2/70

54A	250	5H	71	70	71													5H	71	70	71								
54A	302	71	72	71	73													71	72	71	73								
54A	351-2	72	76	73	76	72	76	73	76									72	76	73	76								
54A	351-4	72	76	73	76	72	76	73	76					72	76	73	76												
54A ♦	429♠																					85	87	87	1S				
54A Δ	429⊕																					6U	6U	6U	6V				
54B	250	5H	71	70	71													5H	71	70	72								
54B	302	71	72	71	73													71	72	71	73								
54B	351-2	72	76	73	76	72	76	73	76									72	76	73	76								
54B	351-4	72	76	73	76	72	76	73	76					72	76	73	76												
54B ♦	429♠																					85	1S	87	1S				
54B Δ	429⊕																					6U	6U	6U	6V				
54C	250	70	71	70	72													71	71	70	72								
54C	302	71	73	72	73													71	73	72	73								
54C	351-2	73	76	73	76	73	76	73	85									73	76	73	76								
54C	351-4	72	76	73	76	73	76	73	85					73	76	73	85												
54C ♦	429♠																					85	1S	87	1S				
54C Δ	429⊕																					6U	6V	6U	6V				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.
‡ Without XL Performance Group Option
† With XL Performance Group Option
⊕ Cobra Jet engine & Super Cobra Jet engine
♦ Without Competition Suspension
Δ With Competition Suspension
♠ Except Cobra Jet engines

5310 - continued 1970 " B" (FAIRLANE/TORINO) -- STANDARD SPRINGS - continued
1970 "B" (FALCON) -- STANDARD SPRINGS - FROM 1/2/70 - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
57C	250	70	71	71	72													70	71	71	72								
57C	302	71	73	72	73													71	73	72	73								
57C	351-2	73	76	73	85	73	76	73	85									73	76	73	85								
57C	351-4	73	76	73	85	73	76	73	85					73	76	73	85												
57C ♦	429♦																					87	1S	87	5D				
57C △	429⊕																					6U	6V	6U	6V				
57E	250	70	72	71	72													70	72	71	72								
57E	302	72	73	72	76													72	73	72	76								
57E	351-2	73	76	76	85	73	76	76	85									73	76	76	85								
57E	351-4	73	76	73	85	73	76	76	85					73	76	76	85												
57E ♦	429♦																					87	1S	87	5D				
57E △	429⊕																					6U	6U	6V	6U				
62A	250	5H	71	70	71													5H	71	70	71								
62A	302	71	72	71	73													71	72	71	73								
62A	351-2	72	76	73	76	72	76	73	76									72	76	73	76								
62A	351-4	72	76	73	76	72	76	73	76					72	76	73	76												
62A ♦	429♦					85	87	87	1S													85	87	87	1S				
62A △$	429♦					6X	6U	6U	6U													6X	6U	6U	6U				
62A △	429⊕					6U	6U	6U	6V													6U	6U	6U	6V				
63F	302	72	73	72	76													72	73	72	76								
63F	351-2	73	76	76	85	73	76	76	85									73	76	76	85								
63F	351-4	73	76	76	85	73	85	76	85					73	76	76	85												
63F △	429♦					6U	6V	6U	6V													6U	6V	6U	6V				
63F △	429⊕					6U	6V	6U	6V													6U	6V	6U	6V				
63H △	429♦					6U	6V	6U	6V													6U	6V	6U	6V				
63H △	429⊕					6U	6V	6U	6V													6U	6V	6U	6V				
65B	250	70	71	70	72													70	71	70	72								
65B	302	71	73	72	73													71	73	72	73								
65B	351-2	73	76	73	76	73	76	73	85									73	76	73	76								
65B	351-4	72	76	73	76	73	76	73	85					73	76	73	85												
65B ♦	429♦					85	1S	87	1S													85	1S	87	1S				
65B △$	429♦					6U	6U	6U	6V													6U	6U	6U	6V				
65B △	429⊕					6U	6V	6U	6V													6U	6V	6U	6V				
65C	250	70	71	71	72													70	71	71	72								
65C	302	71	73	72	73													71	73	72	73								
65C	351-2	73	76	73	85	73	76	73	85									73	76	73	85								
65C	351-4	73	76	73	85	73	76	76	85					73	76	73	85												
65C ♦	429♦					87	1S	87	1S													87	1S	87	5D				
65C △$	429♦					6U	6U	6U	6V													6U	6U	6U	6V				
65C △	429⊕					6U	6V	6U	6V													6U	6V	6U	6V				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.
△ With Competition Suspension
♦ Without Competition Suspension
⊕ Cobra Jet engine & Super Cobra Jet engine
♦ Except Cobra Jet engines
$ Before 10/15/69

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1970 " B" (FAIRLANE/TORINO) -- STANDARD SPRINGS - continued**
1970 "B" (FALCON) -- STANDARD SPRINGS - FROM 1/2/70 - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
65E	250	70	72	71	72													70	72	71	72								
65E	302	72	73	72	76													72	73	72	76								
65E	351-2	73	76	76	85	73	76	76	85									73	76	76	85								
65E	351-4	73	76	73	85	73	76	76	85					73	76	76	85												
65E ♦	429♠					87	1S	87	5D													87	1S	87	5D				
65E Δ$	429♠					6U	6U	6U	6V													6U	6V	6U	6V				
65E Δ	429⊕					6U	6V	6U	6V													6U	6V	6U	6V				
66A	250	5H	70	5H	71													5H	70	5H	71								
66A	302	70	72	71	72													70	72	71	72								
66A	351-2	72	73	72	76	72	73	72	76									72	73	72	76								
66A	351-4	72	73	72	76	72	73	72	76					72	73	72	76												
66A ♦$	429♠					85	87	85	87													85	87	85	87				
66A Δ	429⊕					3K	3L	3L	3L													3K	3L	3L	3L				
66B	250	5H	70	5H	71													5H	70	5H	71								
66B	302	70	72	71	72													70	72	71	72								
66B	351-2	72	73	72	76	72	73	72	76									72	76	72	76								
66B	351-4	72	73	72	76	72	73	72	76					72	73	72	76												
66B ♦	429♠					85	87	85	87													85	87	85	1S				
66B Δ	429⊕					3K	3L	3L	3L													3K	3L	3L	3L				
66C	302	71	72	71	73													71	72	71	73								
66C	351-2	72	76	73	76	72	76	73	76									72	76	73	76								
66C	351-4	72	76	73	76	72	76	73	76					72	76	73	76												
66C ♦	429♠					85	87	87	1S													85	87	87	1S				
66C Δ	429⊕					3L	3L	3L	3L													3L	3L	3L	3L				
66E	250	5H	71	70	71													5H	71	70	71								
66E	302	70	72	71	73													71	72	71	73								
66E	351-2	72	73	73	76	72	73	73	76									72	73	73	76								
66E	351-4	72	73	72	76	72	73	73	76					72	73	73	76												
66E ♦	429♠					85	87	85	1S													85	87	85	1S				
66E Δ	429⊕					3L	3L	3L	3L													3L	3L	3L	3L				
71B	250	5H	71	70	71													5H	71	70	71								
71B	302	71	72	71	73													71	72	71	73								
71B	351-2	72	73	73	76													72	73	73	76								
71B	351-4	72	73	73	76									72	73	73	76												
71B	429																					85	87	87	1S				
71C	250	5H	71	70	72													70	71	70	72								
71C	302	71	72	71	73													71	72	71	73								
71C	351-2	72	76	73	76													72	76	73	76								
71C	351-4	72	76	73	76									72	76	73	76												
71C	429																					85	1S	87	1S				
71D	250	5H	71	70	71													5H	71	70	71								
71D	302	71	72	71	73													71	72	71	73								
71D	351-2	72	73	73	76													72	73	73	76								
71D	351-4	72	73	73	76									72	73	73	76												
71D	429																					85	87	87	1S				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.
Δ With Competition Suspension
♦ Without Competition Suspension
⊕ Cobra Jet engine & Super Cobra Jet engine
♠ Except Cobra Jet engines
$ Before 10/15/69

5310 - continued

1970 "B" (FAIRLANE/TORINO) -- STANDARD SPRINGS - continued
1970 "B" (FALCON) -- STANDARD SPRINGS - FROM 1/2/70 - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
71E	250	70	71	70	72													70	71	70	72								
71E	302	71	72	72	73													71	72	72	73								
71E	351-2	72	76	73	76													72	76	73	76								
71E	351-4	72	76	73	76									72	76	73	76												
71E	429																					85	1S	87	1S				
76F	302	73	76	73	76													73	76	73	76								
76F	351-2	76	85	76	87	76	85	85	87									76	85	76	87								
76F	351-4	76	85	76	87	76	85	85	87					76	85	85	87												
76F ♦$	429♦					1S	5D	1S	5E													1S	5D	1S	5E				
76F △#	429♦					6U	6V	6V	6V													6U	6V	6V	6V				
76F △#	429⊖					6V	6V	6V	6V													6V	6V	6V	6V				

1970 "B" (FAIRLANE/TORINO) -- HEAVY DUTY SPRINGS
1970 "B" (FALCON) -- HEAVY DUTY SPRINGS - FROM 1/2/70

54A	250	71	72	71	73													71	72	71	73								
54A	302	72	73	73	76													72	73	73	76								
54A	351-2	73	85	76	85	73	85	76	85									73	85	76	85								
54A	351-4	73	85	76	85	73	85	76	85					73	85	76	85												
54A	429♦																					87	1S	1S	5D				
54A $	429⊖																					1S	5D	1S	5E				
54B	250	71	72	71	73													71	72	71	73								
54B	302	72	73	73	76													72	73	73	76								
54B	351-2	73	85	76	85	73	85	76	85									73	85	76	85								
54B	351-4	73	85	76	85	73	85	76	85					73	85	76	85												
54B	429♦																					87	5D	1S	5D				
54B $	429⊖																					1S	5D	1S	5E				
54C	250	71	72	71	73													71	72	72	73								
54C	302	72	76	73	76													72	76	73	76								
54C	351-2	76	85	76	87	76	85	76	87									76	85	76	87								
54C	351-4	76	85	76	85	76	85	76	87					76	85	76	87												
54C	429♦																					1S	5D	1S	5D				
54C $	429⊖																					1S	5D	1S	5E				
57C	250	71	73	72	73													71	73	72	73								
57C	302	73	76	73	76													73	76	73	76								
57C	351-2	76	85	76	87	76	85	85	87									76	85	76	87								
57C	351-4	76	85	76	87	76	85	85	87					76	85	85	87												
57C	429♦																					1S	5D	1S	5E				
57C $	429⊖																					1S	5E	5D	5E				
57E	250	71	73	72	73													71	73	72	73								
57E	302	73	76	73	85													73	76	73	85								
57E	351-2	76	85	85	87	76	85	85	87									76	85	85	87								
57E	351-4	76	85	85	87	76	85	85	87					76	85	85	87												
57E	429♦																					1S	5D	1S	5E				
57E $	429⊖																					1S	5E	5D	5E				
62A	250	71	72	71	73													71	72	71	73								
62A	302	72	73	73	76													72	73	73	76								
62A	351-2	73	85	76	85	73	85	76	85									73	85	76	85								
62A	351-4	73	85	76	85	73	85	76	85					73	85	76	85												
62A	429♦					87	1S	1S	5D													87	1S	1S	5D				
62A $	429⊖					1S	5D	1S	5E													1S	5D	1S	5E				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

♦ Without Competition Suspension

△ With Competition Suspension

$ Before 10/15/69

⊖ Cobra Jet engine & Super Cobra Jet engine

♦ Except Cobra Jet engines

From 10/15/69

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued **1970 "B" (FAIRLANE/TORINO) -- HEAVY DUTY SPRINGS - continued**
1970 "B" (FALCON) -- HEAVY DUTY SPRINGS - FROM 1/2/70 - continued

BODY TYPE	TRANS→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
63F	302	73	76	73	85													73	76	73	85								
63F	351-2	76	85	85	87	76	85	85	87									76	85	85	87								
63F	351-4	76	85	85	87	76	87	85	87					76	85	85	87												
63F $	429♦					1S	5D	1S	5E													1S	5D	1S	5E				
63F $	429⊕					1S	5E	5D	5E													1S	5E	5D	5E				
63H	429♦					1S	5D	1S	5E													1S	5D	1S	4E				
63H $	429⊕					1S	5E	5D	5E													1S	5E	5D	5E				
65B	250	71	72	71	73													71	72	71	73								
65B	302	72	76	73	76													72	76	73	76								
65B	351-2	76	85	76	87	76	85	76	87									76	85	76	87								
65B	351-4	76	85	76	85	76	85	76	87					76	85	76	87												
65B	429♦					87	5D	1S	5D													87	5D	1S	5D				
65B $	429⊕					1S	5D	1S	5E													1S	5D	1S	5E				
65C	250	71	73	72	73													71	73	72	73								
65C	302	73	76	73	76													73	76	73	85								
65C	351-2	76	85	76	87	76	85	85	87									76	85	76	87								
65C	351-4	76	85	76	87	76	85	85	87					76	85	85	87												
65C	429♦					1S	5D	1S	5E													1S	5D	1S	5E				
65C $	429⊕					1S	5E	5D	5E													1S	5E	5D	5E				
65E	250	71	73	72	73													71	73	72	73								
65E	302	73	76	73	85													73	76	73	85								
65E	351-2	76	85	85	87	76	85	85	87									76	85	85	87								
65E	351-4	76	85	85	87	76	85	85	87					76	85	85	87												
65E	429♦					1S	5D	1S	5E													1S	5D	1S	5E				
65E $	429⊕					1S	5E	5D	5E													1S	5E	5D	5E				
66A	250	5H	70	5H	71													5H	70	5H	71								
66A	302	70	72	71	72													70	72	71	72								
66A	351-2	72	73	72	76	72	73	72	76									72	73	72	76								
66A	351-4	72	73	72	76	72	73	72	76					72	73	72	76												
66A	429♦					85	87	85	87													85	87	85	87				
66A $	429⊕					85	87	87	1S													85	87	87	1S				
66B	250	5H	70	5H	71													5H	70	5H	71								
66B	302	70	72	71	72													70	72	71	72								
66B	351-2	72	73	72	76	72	73	72	76									72	73	72	76								
66B	351-4	72	73	72	76	72	73	72	76					72	73	72	76												
66B	429♦					85	87	85	87													85	87	85	1S				
66B $	429⊕					85	87	87	1S													85	87	87	1S				
66C	302	71	72	71	73													71	72	71	73								
66C	351-2	72	76	73	76	72	76	73	76									72	76	73	76								
66C	351-4	72	76	73	76	72	76	73	76					72	76	73	76												
66C	429♦					85	87	87	1S													85	87	87	1S				
66C $	429⊕					87	1S	87	1S													87	1S	87	1S				
66E	250	5H	71	70	71													5H	71	70	71								
66E	302	70	72	71	73													71	72	71	73								
66E	351-2	72	73	73	76	72	73	73	76									72	73	73	76								
66E	351-4	72	73	72	76	72	73	73	76					72	73	73	76												
66E	429♦					85	87	85	1S													85	87	85	1S				
66E $	429⊕					85	1S	87	1S													85	1S	87	1S				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.
⊕ Cobra Jet engine
$ Before 10/15/69
♦ Except Cobra Jet engine

5310 - continued

1970 "B" (FAIRLANE/TORINO) -- HEAVY DUTY SPRINGS - continued
1970 "B" (FALCON) -- HEAVY DUTY SPRINGS - FROM 1/2/70 - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
71B	250	70	72	71	72													70	72	71	72								
71B	302	72	73	72	76													72	73	72	76								
71B	351-2	73	76	76	85													73	76	76	85								
71B	351-4	73	76	76	85									73	76	76	85												
71B	429♦																					87	1S	87	5D				
71C	250	71	72	71	73													71	72	71	73								
71C	302	72	73	73	76													72	73	73	76								
71C	351-2	73	85	76	85													73	85	76	85								
71C	351-4	73	85	76	85									73	85	76	85												
71C	429♦																					87	1S	1S	5D				
71D	250	70	72	71	72													70	72	71	72								
71D	302	72	73	72	76													72	73	72	76								
71D	351-2	73	76	76	85													73	76	76	85								
71D	351-4	73	76	76	85									73	76	76	85												
71D	429♦																					87	1S	87	5D				
71E	250	71	72	71	73													71	72	71	73								
71E	302	72	73	73	76													72	73	73	76								
71E	351-2	73	85	76	85													73	85	76	85								
71E	351-4	73	85	76	85									76	85	76	85												
71E	429♦																					87	5D	1S	5D				
76F	302	76	85	76	87													76	85	76	87								
76F	351-2	85	87	85	1S	85	87	87	1S									85	87	87	1S								
76F	351-4	85	87	85	1S	85	87	87	1S					85	87	87	1S												
76F $	429♦					5D	5E	5D	5E													5D	5E	5D	5E				
76F $	429⊕					5D	5E	5E	5E													5D	5E	5E	5E				
		1970 "F" (MUSTANG) -- STANDARD SPRINGS																											
63A%	200	4G	4J	4W	4J													4G	4W	4G	4J								
63A†	200	4G	4G	4G	4W													4G	4G	4G	4W								
63A%	250	4W	4V	4J	4V													4W	4J	4J	4V								
63A†	250	4G	4J	4W	4J													4G	4W	4G	4J								
63A%	302-2	4J	4F	4V	4F	4V	4F	4V	4E									4J	4F	4V	4F								
63A†	302-2	4W	4V	4J	4V	4J	4V	4J	4F									4W	4V	4J	4V								
63A	302-4					6Y	6Y	6Y	4K																				
63A%	351-2	4V	4E	4F	4E	4F	4E	4F	4E					4F	4E	4F	4E												
63A†	351-2	4J	4F	4V	4E	4J	4F	4V	4E					4J	4F	4V	4E												
63A%	351-4	4F	4E	4F	4E	4F	4E	4F	4E					4F	4E	4F	4E												
63A†	351-4	4J	4F	4V	4E	4J	4F	4V	4E					4J	4F	4V	4E												
63A	428					4L	4M	4M	1Q													4M	1Q	4M	1Q				
63A	429							6L																					
63B%	200	4G	4J	4W	4J													4G	4W	4G	4J								
63B†	200	4G	4G	4G	4W													4G	4G	4G	4W								
63B%	250	4W	4V	4J	4V													4W	4J	4J	4V								
63B†	250	4G	4J	4W	4J													4G	4W	4G	4J								
63B%	302-2	4J	4F	4V	4F	4V	4F	4V	4E									4J	4F	4V	4F								
63B†	302-2	4W	4V	4J	4V	4J	4V	4J	4F									4W	4V	4J	4V								
63B	302-4					6Y	6Y	6Y	4K																				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

⊕ Cobra Jet engine

♦ Except Cobra Jet engine

% Before 8/28/69

† From 8/28/69

$ Before 10/15/69

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1970 "F" (MUSTANG) -- STANDARD SPRINGS - continued**

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
63B%	351-2	4V	4E	4F	4E	4F	4E	4F	4E					4F	4E	4F	4E												
63B†	351-2	4J	4F	4V	4E	4J	4F	4V	4E					4J	4F	4V	4E												
63B%	351-4	4F	4E	4F	4E	4F	4E	4F	4E					4F	4E	4F	4E												
63B†	351-4	4J	4F	4V	4E	4J	4F	4V	4E					4J	4F	4V	4E												
63B	428					4L	4M	4M	1Q													4M	1Q	4M	1Q				
63B	429							6L																					
63C	428					4M	1Q	4M	1Q													4M	1Q	4M	1Q				
63C	429							6L																					
65A%	200	4G	4J	4W	4J													4G	4W	4G	4J								
65A†	200	4G	4W	4G	4W													4G	4G	4G	4W								
65A%	250	4W	4V	4J	4V													4W	4V	4J	4V								
65A†	250	4G	4J	4W	4J													4G	4J	4W	4J								
65A%	302	4V	4F	4V	4E	4V	4F	4V	4E									4V	4F	4V	4F								
65A†	302	4J	4V	4J	4F	4J	4V	4J	4F									4J	4V	4J	4F								
65A%	351-2	4F	4E	4F	4E	4F	4E	4F	4U					4F	4E	4F	4U												
65A†	351-2	4J	4F	4V	4E	4V	4F	4V	4E					4V	4F	4V	4E												
65A%	351-4	4F	4E	4F	4U	4F	4E	4F	4U					4F	4E	4F	4U												
65A†	351-4	4V	4F	4V	4E	4V	4E	4V	4E					4V	4E	4V	4E												
65A	428					4M	1Q	4M	1Q													4M	1Q	4M	1Q				
65B%	200	4G	4J	4W	4J													4G	4W	4G	4J								
65B†	200	4G	4W	4G	4W													4G	4G	4G	4W								
65B%	250	4W	4V	4J	4V													4W	4V	4J	4V								
65B†	250	4G	4J	4W	4J													4G	4J	4W	4J								
65B%	302	4V	4F	4V	4E	4V	4F	4V	4E									4V	4F	4V	4F								
65B†	302	4J	4V	4J	4F	4J	4V	4J	4F									4J	4V	4J	4F								
65B%	351-2	4F	4E	4F	4E	4F	4E	4F	4U					4F	4E	4F	4U												
65B†	351-2	4J	4F	4V	4E	4V	4F	4V	4E					4V	4F	4V	4E												
65B%	351-4	4F	4E	4F	4U	4F	4E	4F	4U					4F	4E	4F	4U												
65B†	351-4	4V	4F	4V	4E	4V	4E	4V	4E					4V	4E	4V	4E												
65B	428					4M	1Q	4M	1Q													4M	1Q	4M	1Q				
65E%	200	4W	4J	4W	4V													4G	4J	4W	4J								
65E†	200	4G	4W	4G	4W													4G	4W	4G	4W								
65E%	250	4J	4V	4J	4F													4J	4V	4J	4V								
65E†	250	4W	4J	4W	4J													4G	4J	4W	4J								
65E%	302	4V	4F	4V	4E	4V	4E	4F	4E									4V	4F	4V	4E								
65E†	302	4J	4V	4J	4F	4J	4F	4J	4F									4J	4V	4J	4F								
65E%	351-2	4F	4E	4F	4U	4F	4E	4E	4U					4F	4E	4E	4U												
65E†	351-2	4V	4E	4F	4E	4V	4E	4F	4E					4V	4E	4F	4E												
65E%	351-4	4F	4E	4E	4U	4F	4E	4E	4U					4F	4E	4E	4U												
65E†	351-4	4V	4E	4F	4E	4V	4E	4F	4E					4V	4E	4F	4E												
65E	428					4M	1Q	4M	1Q													4M	1Q	4M	1Q				
76A%	200	4W	4J	4W	4V													4G	4J	4W	4J								
76A†	200	4G	4W	4G	4J													4G	4W	4G	4W								
76A%	250	4J	4V	4J	4F													4J	4V	4J	4F								
76A†	250	4W	4J	4W	4V													4W	4J	4W	4J								
76A%	302	4V	4E	4F	4E	4V	4E	4F	4E									4V	4F	4F	4E								
76A†	302	4J	4F	4J	4F	4J	4F	4V	4E									4J	4F	4J	4F								
76A%	351-2	4F	4E	4E	4U	4F	4U	4E	4U					4F	4U	4E	4U												
76A†	351-2	4V	4E	4F	4E	4V	4E	4F	4U					4V	4E	4F	4U												
76A%	351-4	4F	4U	4E	4U	4F	4U	4E	4U					4F	4U	4E	4U												
76A†	351-4	4V	4E	4F	4U	4V	4E	4F	4U					4V	4E	4F	4U												
76A	428					4M	1Q	4M	1Q													4M	1Q	4M	1Q				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

% Before 8/28/69 † From 8/28/69

5310 - continued 1970 "F" (MUSTANG) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4 - FULL AUTO.				C6				C4 - SEMI AUTO.			
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
76B℅	200	4W	4J	4W	4V													4G	4J	4W	4J								
76B‡	200	4G	4W	4G	4J													4G	4W	4G	4W								
76B℅	250	4J	4V	4J	4F													4J	4V	4J	4F								
76B‡	250	4W	4J	4W	4V													4W	4J	4W	4J								
76B℅	302	4V	4E	4F	4E	4V	4E	4F	4E									4V	4F	4F	4E								
76B‡	302	4J	4F	4J	4F	4J	4F	4V	4E									4J	4F	4J	4F								
76B℅	351-2	4F	4E	4E	4U	4F	4U	4E	4U					4F	4U	4E	4U												
76B‡	351-2	4V	4E	4F	4E	4V	4E	4F	4U					4V	4E	4F	4U												
76B℅	351-4	4F	4U	4E	4U	4F	4U	4E	4U					4F	4U	4E	4U												
76B‡	351-4	4V	4E	4F	4U	4V	4E	4F	4U					4V	4E	4F	4U												
76B	428					4M	1Q	4M	1Q													4M	1Q	4M	1Q				

1970 "F" (MUSTANG) -- HEAVY DUTY SPRINGS

63A	302-2	4X	4S	4X	4S	4X	4S	4X	4S									4X	4S	4X	4S								
63A	351	4K	4L	4K	4L	4K	4L	4K	4L					4K	4L	4K	4L												
63B	302-2	4X	4S	4X	4S	4X	4S	4X	4S									4X	4S	4X	4S								
63B	351	4K	4L	4K	4L	4K	4L	4K	4L					4K	4L	4K	4L												
63C	351	4K	4L	4K	4L	4K	4L	4K	4L					4K	4L	4K	4L												
65A	302	4X	4S	4X	4R	4X	4S	4S	4R									4X	4S	4X	4S								
65A	351	4K	4L	4K	4L	4K	4L	4K	4L					4K	4L	4K	4L												
65B	302	4X	4S	4X	4R	4X	4S	4S	4R									4X	4S	4X	4S								
65B	351	4K	4L	4K	4L	4K	4L	4K	4L					4K	4L	4K	4L												
65E	302	4X	4S	4S	4R	4X	4S	4S	4R									4X	4S	4S	4R								
65E	351	4K	4L	4K	4L	4K	4L	4K	4L					4K	4L	4K	4L												
76A	302	4X	4R	4S	4R	4S	4R	4S	4R									4X	4S	4S	4R								
76A	351	4K	4L	4L	4M	4K	4L	4L	4M					4K	4L	4L	4M												
76B	302	4X	4R	4S	4R	4S	4R	4S	4R									4X	4S	4S	4R								
76B	351	4K	4L	4L	4M	4K	4L	4L	4M					4K	4L	4L	4M												

1970 "P" (MAVERICK) -- STANDARD SPRINGS

62A♦	170	6M	6N	6M	6N													6M	6N	6M	6N								
62A⊕	170	6M	6N	6M	6P													6M	6N	6M	6P								
62A♦	200	6M	6N	6M	6P													6M	6N	6M	6P								
62A⊕	200	6M	6P	6M	6P													6M	6N	6M	6P								
62A	250																	6N	6P	6N	6S								

1970 "P" (MAVERICK) -- HEAVY DUTY SPRINGS

62A	170	7D	7C	7D	6Z													7D	7C	7D	6Z								
62A	200	7D	7C	7D	6Z													7D	7C	7D	6Z								
62A	250																	7C	6Z	7C	6Z								

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

℅ Before 8/28/69 ‡ From 8/28/69

♦ Before 12/8/69 ⊕ From 12/8/69

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5310 - continued **1970 "S" (THUNDERBIRD) -- STANDARD SPRINGS**

BODY TYPE	TRANS. →	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
57	429																					6B	98						
65#	429																					6K	1E						
65%	429																					1E	1F						

1970 "S" (THUNDERBIRD) -- HEAVY DUTY SPRINGS

57	429																					1G	1H						
65	429																					6F	1G						

1970 "U" (BRONCO) -- STANDARD SPRINGS

97,98	170	6H																											
97,98	302	6J																											

1970 "U" (BRONCO) -- HEAVY DUTY SPRINGS

97,98	All	6G																											

1970 "U" (BRONCO) - - EXTRA HEAVY DUTY SPRINGS

97,98	All	3S																											

1970 "X" (FALCON) -- STANDARD SPRINGS - BEFORE 1/2/70
FOR UNITS BUILT FROM 1/2/70, REFER TO "B" (FALCON)

54A	170	2S	2U	2U	2U													2S	2U	2S	2U								
54A	200	2S	2U	2U	70													2S	2U	2U	2U								
54A	302	5K	5L	5K	5M													5J	5L	5K	5L								
54B	200	2S	2U	2J	70													2S	2U	2U	2U								
54B	302	5K	5L	5K	5M													5J	5L	5K	5L								
62A	170	2S	2U	2U	2U													2S	2U	2S	2U								
62A	200	2S	2U	2U	2U													2S	2U	2S	2U								
62A	302	5K	5L	5K	5L													5J	5K	5K	5L								
62B	200	2S	2U	2U	2U													2S	2U	2S	2U								
62B	302	5K	5L	5K	5M													5J	5K	5K	5L								
62C	200	2S	2U	2U	2U													2S	2U	2S	2U								
62C	302	5K	5L	5K	5M													5J	5K	5K	5L								
71A	200	5F	5F	5F	5F													5F	5F	5F	5F								
71A	302	5G	5J	5H	5J													5G	5H	5H	5J								
71B	200	5F	5F	5F	5F													5F	5F	5F	5F								
71B	302	5G	5J	5H	5J													5G	5H	5H	5J								

1970 "X" (FALCON) -- HEAVY DUTY SPRINGS - BEFORE 1/2/70
FOR UNITS BUILT FROM 1/2/70, REFER TO "B" (FALCON)

54A	170	2U	70	70	71													2U	70	2U	71								
54A	200	2U	70	70	71													2U	70	2U	71								
54A	302	72	73	73	76													72	73	72	76								
54B	200	2U	71	70	71													2U	70	2U	71								
54B	302	72	73	73	76													72	73	72	76								
62A	170	2U	70	70	71													2U	70	2U	70								
62A	200	2U	70	70	71													2U	70	2U	71								
62A	302	72	73	73	76													72	73	72	73								
62B	200	2U	70	70	71													2U	70	2U	71								
62B	302	72	73	73	76													72	73	72	73								
62C	200	2U	70	70	71													2U	70	2U	71								
62C	302	72	73	73	76													72	73	72	73								
71A	200	2S	2U	2S	2U													2S	2S	2S	2U								
71A	302	70	71	70	72													2U	71	70	71								
71B	200	2S	2U	2S	2U													2S	2S	2S	2U								
71B	302	70	71	70	72													2U	71	70	71								

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.
"Before 9/8/69" % "From 9/8/69"

5310 SPRING (FRONT COIL)

HOW TO FIND 1971 FRONT SPRING PART NUMBERS

1) To determine Front Spring Part Number you must know:
   a) YEAR
   b) CAR LINE
   c) BODY TYPE
   d) ENGINE
   e) Whether SPRING required is STANDARD or HEAVY DUTY.
   f) TRANSMISSION
   g) Whether car is equipped with AIR CONDITIONING, POWER STEERING or BOTH.
2) Using this information, refer to the listing on the following pages.
3) Locate the appropriate Front Spring Code Number.
4) **Translate the Code Number into a Service Part Number by referring to the Cross Reference listing starting on Page 1 of Section 53.**

   Read down to locate correct Code Number.
   Read across to locate Front Spring Part Number.
   (Color Identification, Normal Load, Number of Coils, Wire Diameter and Free Length are also listed).

EXAMPLE:
a) Year 1971
b) Car Line FORD
c) Body Type 63B
d) Engine 390
e) Spring Type STANDARD
f) Transmission C/M (Cruise-O-Matic)
g) Additional Equipment Air Conditioning (with Power Steering)
Front Spring Code Number listed is 6B.
Part Number shown for Code 6B (Section 53 page 7) is C8SZ 5310-A.

1971 "A" (FORD) -- STANDARD SPRINGS

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
53H	351-C													4Z	5A	5A	6B												
53H	351-W	4Z	5A	4Z	5A									4Z	5A	4Z	5A	94	5A	4Z	5A								
53H	390																					5A	6B	5A	6B				
53H	400																					5A	6B	5A	6C				
53H	429-2																					5A	6C	6B	6C				
53H	429-4																					6B	6C	6B	6C				
53K	351-C													5A	6B	5A	6B												
53K	351-W	4Z	5A	4Z	6B									4Z	5A	5A	6B	4Z	5A	4Z	5A								
53K	390																					5A	6B	6B	6C				
53K	400																					6B	6C	6B	6C				
53K	429-2																					6B	6C	6B	6C				
53K	429-4																					6B	6C	6B	6C				
54B (exc. P/C)	240	93	94	93	94									93	94	93	4Z	93	94	93	94								
54B (P/C)	240	3Y	3Z	3Z	3Z									3Y	3Z	3Z	3Z	3Y	3Z	3Y	3Z								
54B (exc. P/C)	302	93	94	93	4Z									93	4Z	94	4Z	93	94	93	4Z								
54B (exc. P/C)	351-C													4Z	5A	4Z	5A												
54B (exc. P/C)	351-W	94	4Z	94	5A									94	4Z	4Z	5A	94	4Z	94	4Z								
54B (P/C)	351-W	3Z	78	3Z	78									3Z	78	78	78	3Z	78	3Z	78								
54B (exc. P/C)	390																					4Z	5A	5A	6B				
54B (P/C)	390																					78	78	78	81				
54B (exc. P/C)	400																					5A	6B	5A	6B				
54B (P/C)	400																					78	81	78	81				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1971 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
54B(exc.P/C)	429-2																					5A	6B	5A	6B				
54B(P/C)	429-2																					78	81	78	81				
54B(exc.P/C)	429-4																					5A	6B	5A	6B				
54B(P/C)	429-4																					78	81	78	81				
54D(exc.P/C)	240	93	94	93	94									93	94	93	4Z	93	94	93	94								
54D(P/C)	240	3Y	3Z	3Z	3Z									3Y	3Z	3Z	3Z	3Y	3Z	3Y	3Z								
54D(exc.P/C)	302	93	94	94	4Z									93	4Z	94	4Z	93	94	94	4Z								
54D(exc.P/C)	351-C													4Z	5A	4Z	5A												
54D(exc.P/C)	351-W	94	4Z	4Z	5A									94	4Z	4Z	5A	94	4Z	94	5A								
54D(P/C)	351-W	3Z	78	3Z	78									3Z	78	78	78	3Z	78	3Z	78								
54D(exc.P/C)	390																					4Z	5A	5A	6B				
54D(P/C)	390																					78	78	78	81				
54D(exc.P/C)	400																					5A	6B	5A	6B				
54D(P/C)	400																					78	81	78	81				
54D(exc.P/C)	429-2																					5A	6B	5A	6B				
54D(P/C)	429-2																					78	81	78	81				
54D(exc.P/C)	429-4																					5A	6B	5A	6C				
54D(P/C)	429-4																					78	81	78	81				
54F(exc.P/C)	240	93	94	93	94									93	94	93	4Z	93	94	93	94								
54F(P/C)	240	3Y	3Z	3Z	3Z									3Y	3Z	3Z	3Z	3Y	3Z	3Y	3Z								
54F(exc.P/C)	302	93	94	94	4Z									93	4Z	94	4Z	93	94	94	4Z								
54F(exc.P/C)	351-C													4Z	5A	4Z	5A												
54F(exc.P/C)	351-W	94	4Z	4Z	5A									94	4Z	4Z	5A	94	4Z	94	5A								
54F(P/C)	351-W	3Z	78	3Z	78									3Z	78	78	78	3Z	78	3Z	78								
54F(exc.P/C)	390																					4Z	5A	5A	6B				
54F(P/C)	390																					78	78	78	81				
54F(exc.P/C)	400																					5A	6B	5A	6B				
54F(P/C)	400																					78	81	78	81				
54F(exc.P/C)	429-2																					5A	6B	5A	6B				
54F(P/C)	429-2																					78	81	78	81				
54F(exc.P/C)	429-4																					5A	6B	5A	6C				
54F(P/C)	429-4																					78	81	78	81				
57F	240	93	94	94	4Z													93	94	93	4Z								
57F	302	93	4Z	94	4Z									94	4Z	94	4Z	93	4Z	94	4Z								
57F	351-C													4Z	5A	4Z	6B												
57F	351-W	94	5A	4Z	5A									4Z	5A	4Z	5A	94	4Z	4Z	5A								
57F	390																					5A	6B	5A	6B				
57F	400																					5A	6B	5A	6B				
57F	429-2																					5A	6B	6B	6C				
57F	429-4																					5A	6B	6B	6C				
57H	351-C													94	4Z	4Z	5A												
57H @	351-W	4Z	5A	4Z	5A									4Z	5A	4Z	6B	4Z	5A	4Z	5A								
57H @@	351-W	94	4Z	94	4Z									94	4Z	94	4Z	94	4Z	94	4Z								
57H @	390																					5A	6B	5A	6C				
57H @@	390																					4Z	5A	4Z	6B				
57H @	400																					5A	6B	6B	6C				
57H @@	400																					4Z	5A	5A	6B				
57H @	429-2																					6B	6C	6B	6C				
57H @@	429-2																					5A	6B	5A	6B				
57H @	429-4																					6B	6C	6B	6C				
57H @@	429-4																					5A	6B	5A	6B				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.
@ "Before 12/15/70" @@ "From 12/15/70"

5310 - continued 1971 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
57K	351-C													4Z	5A	4Z	5A												
57K @	351-W	4Z	6B	5A	6B									5A	6B	5A	6B	4Z	5A	5A	6B								
57K @@	351-W	94	4Z	4Z	5A									4Z	5A	4Z	5A	94	4Z	4Z	5A								
57K @	390																					6B	6C	6B	6C				
57K @@	390																					5A	6B	5A	6B				
57K @	400																					6B	6C	6B	6C				
57K @@	400																					5A	6B	5A	6B				
57K @	429-2																					6B	6C	6C	4B				
57K @@	429-2																					5A	6B	6B	6C				
57K @	429-4																					6B	6C	6C	4B				
57K @@	429-4																					5A	6B	6B	6C				
65D	240	93	94	93	4Z									93	94	94	4Z	93	94	93	94								
65D	302	93	94	94	4Z									94	4Z	94	4Z	93	94	94	4Z								
65D	351-C													4Z	5A	4Z	5A												
65D @	351-W	94	4Z	4Z	5B									94	5B	4Z	5B	94	4Z	4Z	5B								
65D @@	351-W	94	4Z	4Z	5A									94	5A	4Z	5A	94	4Z	4Z	5A								
65D @	390																					4Z	6B	5B	6B				
65D @@	390																					4Z	6B	5A	6B				
65D @	400																					5B	6B	5B	6B				
65D @@	400																					5A	6B	5A	6B				
65D @	429-2																					5B	6B	5B	6C				
65D @@	429-2																					5A	6B	5A	6C				
65D @	429-4																					5B	6B	6B	6C				
65D @@	429-4																					5A	6B	6B	6C				
65F(exc.P/C)	240	93	94	93	94									93	94	93	4Z	93	94	93	94								
65F(P/C)	240	3Y	3Z	3Z	3Z									3Y	3Z	3Z	78	3Y	3Z	3Z	3Z								
65F(exc.P/C)	302	93	94	94	4Z									93	4Z	94	4Z	93	94	94	4Z								
65F(exc.P/C)	351-C													4Z	5A	4Z	5A												
65F(exc.P/C)	351-W	94	4Z	4Z	5A									94	4Z	4Z	5A	94	4Z	94	5A								
65F(P/C)	351-W	3Z	78	3Z	78									3Z	78	78	78	3Z	78	3Z	78								
65F(exc.P/C)	390																					4Z	6B	5A	6B				
65F(P/C)	390																					78	81	78	81				
65F(exc.P/C)	400																					5A	6B	5A	6B				
65F(P/C)	400																					78	81	78	81				
65F(exc.P/C)	429-2																					5A	6B	5A	6B				
65F(P/C)	429-2																					78	81	78	81				
65F(exc.P/C)	429-4																					5A	6B	6B	6C				
65F(P/C)	429-4																					78	81	81	81				
65H	351-C													4Z	5A	5A	6B												
65H	351-W	4Z	5A	4Z	5A									4Z	5A	4Z	5A	4Z	5A	4Z	5A								
65H	390																					5A	6B	5A	6B				
65H	400																					5A	6B	6B	6C				
65H	429-2																					6B	6C	6B	6C				
65H	429-4																					6B	6C	6B	6C				
65K	351-C													5A	6B	5A	6B												
65K	351-W	4Z	5A	5A	6B									4Z	6B	5A	6B	4Z	5A	4Z	6B								
65K	390																					5A	6B	6B	6C				
65K	400																					6B	6C	6B	6C				
65K	429-2																					6B	6C	6B	6C				
65K	429-4																					6B	6C	6B	4B				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

@ 'Before 12/15/70" @@ 'From 12/15/70"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5310 - continued **1971 "A" (FORD) -- STANDARD SPRINGS - continued**

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
71B(exc.P/C) @	302	94	4Z	94	4Z									94	4Z	94	4Z	93	4Z	94	4Z								
71B(exc.P/C) @@	302	92	94	93	94									93	94	93	94	92	94	93	94								
71B(exc.P/C)	351-C													94	4Z	94	4Z												
71B(exc.P/C) @	351-W	94	5A	4Z	5A									4Z	5A	4Z	5A	94	4Z	4Z	5A								
71B(exc.P/C) @@	351-W	93	4Z	94	4Z									94	4Z	94	4Z	93	94	94	4Z								
71B(P/C) @	351-W	3Z	3Z	3Z	78									3Z	78	3Z	78	3Z	3Z	3Z	78								
71B(P/C) @@	351-W	3Y	3Z	3Y	3Z									3Y	3Z	3Y	3Z	3Y	3Z	3Y	3Z								
71B(exc.P/C) @	390																					5A	6B	5A	6B				
71B(exc.P/C) @@	390																					4Z	5A	4Z	5A				
71B(P/C) @	390																					3Z	78	78	78				
71B(P/C) @@	390																					3Z	78	3Z	78				
71B(exc.P/C) @	400																					5A	6B	5A	6B				
71B(exc.P/C) @@	400																					4Z	5A	4Z	5A				
71B(P/C) @	400																					78	78	78	78				
71B(P/C) @@	400																					3Z	78	3Z	78				
71B(exc.P/C) @	429-2																					5A	6B	6B	6C				
71B(exc.P/C) @@	429-2																					4Z	5A	5A	6B				
71B(P/C) @	429-2																					78	78	78	81				
71B(P/C) @@	429-2																					3Z	78	3Z	78				
71B(exc.P/C) @	429-4																					5A	6C	6B	6C				
71B(exc.P/C) @@	429-4																					4Z	5A	5A	6B				
71B(P/C) @	429-4																					78	78	78	81				
71B(P/C) @@	429-4																					3Z	78	78	78				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

@ "Before 12/15/70" @@ "From 12/15/70"

5310 - continued **1971 "A" (FORD) -- STANDARD SPRINGS - continued**

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
71D(exc.P/C) @	302	94	4Z	94	4Z									94	4Z	94	4Z	94	4Z	94	4Z								
71D(exc.P/C) @@	302	92	94	93	94									93	94	93	94	92	94	93	94								
71D(exc.P/C)	351-C													94	4Z	94	5A												
71D(exc.P/C) @	351-W	4Z	5A	4Z	5A									4Z	5A	4Z	5A	94	5A	4Z	5A								
71D(exc.P/C) @@	351-W	93	4Z	94	4Z									94	4Z	94	4Z	93	4Z	94	4Z								
71D(P/C) @	351-W	3Z	78	3Z	78									3Z	78	3Z	78	3Z	3Z	3Z	78								
71D(P/C) @@	351-W	3Y	3Z	3Y	3Z									3Y	3Z	3Y	3Z	3Y	3Z	3Y	3Z								
71D(exc.P/C) @	390																					5A	6B	5A	6B				
71D(exc.P/C) @@	390																					4Z	5A	4Z	5A				
71D(P/C) @	390																					78	78	78	78				
71D(P/C) @@	390																					3Z	78	3Z	78				
71D(exc.P/C) @	400																					5A	6B	5A	6C				
71D(exc.P/C) @@	400																					4Z	5A	4Z	6B				
71D(P/C) @	400																					78	78	78	81				
71D(P/C) @@	400																					3Z	78	3Z	78				
71D(exc.P/C) @	429-2																					5A	6C	6B	6C				
71D(exc.P/C) @@	429-2																					4Z	6B	5A	6B				
71D(P/C) @	429-2																					78	81	78	81				
71D(P/C) @@	429-2																					3Z	78	78	78				
71D(exc.P/C) @	429-4																					6B	6C	6B	6C				
71D(exc.P/C) @@	429-4																					4Z	6B	5A	6B				
71D(P/C) @	429-4																					78	81	78	81				
71D(P/C) @@	429-4																					3Z	78	78	78				
71F(exc.P/C) @	302	94	4Z	94	4Z									94	4Z	94	5A	94	4Z	94	4Z								
71F(exc.P/C) @@	302	93	94	93	94									93	94	93	4Z	93	94	93	94								

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.
@ "Before 12/15/70" @@ "From 12/15/70"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1971 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
71F(exc.P/C)	351-C													94	4Z	4Z	5A												
71F(exc.P/C) @	351-W	4Z	5A	4Z	5A									4Z	5A	4Z	5A	4Z	5A	4Z	5A								
71F(exc.P/C) @@	351-W	94	4Z	94	4Z									94	4Z	94	4Z	93	4Z	94	4Z								
71F(P/C) @	351-W	3Z	78	3Z	78									3Z	78	3Z	78	3Z	78	3Z	78								
71F(P/C) @@	351-W	3Y	3Z	3Y	3Z									3Y	3Z	3Y	3Z	3Y	3Z	3Y	3Z								
71F(exc.P/C) @	390																					5A	6B	5A	6B				
71F(exc.P/C) @@	390																					4Z	5A	4Z	5A				
71F(P/C) @	390																					78	78	78	78				
71F(P/C) @@	390																					3Z	78	3Z	78				
71F(exc.P/C) @	400																					5A	6B	6B	6C				
71F(exc.P/C) @@	400																					4Z	5A	4Z	6B				
71F(P/C) @	400																					78	78	78	81				
71F(P/C) @@	400																					3Z	78	3Z	78				
71F(exc.P/C) @	429-2																					6B	6C	6B	6C				
71F(exc.P/C) @@	429-2																					5A	6B	5A	6B				
71F(P/C) @	429-2																					78	81	78	81				
71F(P/C) @@	429-2																					3Z	78	78	78				
71F(exc.P/C) @	429-4																					6B	6C	6B	6C				
71F(exc.P/C) @@	429-4																					5A	6B	5A	6B				
71F(P/C) @	429-4																					78	81	78	81				
71F(P/C) @@	429-4																					3Z	78	78	78				
71H	351-C													4Z	5A	4Z	5A												
71H @	351-W	4Z	5A	5A	6B									4Z	6B	5A	6B	4Z	5A	5A	6B								
71H @@	351-W	94	4Z	4Z	5A									94	4Z	4Z	5A	94	4Z	94	5A								
71H @	390																					5A	6C	6B	6C				
71H @@	390																					4Z	6B	5A	6B				
71H @	400																					6B	6C	6B	6C				
71H @@	400																					5A	6B	5A	6B				
71H @	429-2																					6B	6C	6B	4B				
71H @@	429-2																					5A	6B	5A	6B				
71H @	429-4																					6B	6C	6C	4B				
71H @@	429-4																					5A	6B	6B	6C				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.
@ "Before 12/15/70" @@ "From 12/15/70"

5310 - continued — 1971 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
76H	351-C													4Z	6B	5A	6B												
76H	351-W	4Z	5A	4Z	5A									4Z	5A	4Z	6B	4Z	5A	4Z	5A								
76H	390																					5A	6B	5A	6C				
76H	400																					5A	6B	6B	6C				
76H	429-2																					6B	6C	6B	6C				
76H	429-4																					6B	6C	6B	6C				
		1971 "A" (FORD) -- HEAVY DUTY SPRINGS																											
53H	351-C													1E	1F	1E	1F												
53H	351-W	1E	1F	1E	1F									1E	1F	1E	1F	1D	1E	1E	1F								
53H	390																					1F	1G	1F	1G				
53H	400																					1F	1G	1F	1G				
53H	429-2																					1F	1G	1F	1G				
53H	429-4																					1F	1G	1G	1G				
53K	351-C													1E	1F	1F	1G												
53K	351-W	1E	1F	1E	1F									1E	1F	1E	1F	1E	1F	1E	1F								
53K	390																					1F	1G	1F	1G				
53K	400																					1F	1G	1G	1G				
53K	429-2																					1G	1G	1G	1H				
53K	429-4																					1G	1G	1G	1H				
54B (exc. P/C)	240	1C	1D	1C	1D									1C	1D	1D	1E	1C	1D	1C	1D								
54B (exc. P/C)	302	1C	1D	1D	1E									1D	1E	1D	1E	1C	1D	1D	1E								
54B (exc. P/C)	351-C													1E	1F	1E	1F												
54B (exc. P/C)	351-W	1D	1E	1D	1E									1D	1E	1E	1F	1D	1E	1D	1E								
54B (exc. P/C)	390																					1E	1F	1F	1F				
54B (exc. P/C)	400																					1E	1F	1F	1G				
54B (exc. P/C)	429-2																					1F	1G	1F	1G				
54B (exc. P/C)	429-4																					1F	1G	1F	1G				
54D (exc. P/C)	240	1C	1D	1C	1D									1C	1D	1D	1E	1C	1D	1C	1D								
54D (exc. P/C)	302	1C	1D	1D	1E									1D	1E	1D	1E	1C	1D	1D	1E								
54D (exc. P/C)	351-C													1E	1F	1E	1F												
54D (exc. P/C)	351-W	1D	1E	1E	1E									1D	1E	1E	1F	1D	1E	1D	1E								
54D (exc. P/C)	390																					1E	1F	1F	1F				
54D (exc. P/C)	400																					1E	1F	1F	1G				
54D (exc. P/C)	429-2																					1F	1G	1F	1G				
54D (exc. P/C)	429-4																					1F	1G	1F	1G				
54F (exc. P/C)	240	1C	1D	1C	1D									1C	1D	1D	1E	1C	1D	1C	1D								
54F (exc. P/C)	302	1C	1D	1D	1E									1D	1E	1D	1E	1C	1D	1D	1E								
54F (exc. P/C)	351-C													1E	1F	1E	1F												
54F (exc. P/C)	351-W	1D	1E	1E	1E									1D	1E	1E	1F	1D	1E	1D	1E								
54F (exc. P/C)	390																					1E	1F	1F	1F				
54F (exc. P/C)	400																					1E	1F	1F	1G				
54F (exc. P/C)	429-2																					1F	1G	1F	1G				
54F (exc. P/C)	429-4																					1F	1G	1F	1G				
57F	240	1C	1D	1D	1E													1C	1D	1D	1E								
57F	302	1D	1E	1D	1E									1D	1E	1D	1E	1D	1E	1D	1E								
57F	351-C													1E	1F	1E	1F												
57F	351-W	1D	1E	1E	1F									1E	1F	1E	1F	1D	1E	1E	1F								
57F	390																					1F	1F	1F	1G				
57F	400																					1F	1G	1F	1G				
57F	429-2																					1F	1G	1F	1G				
57F	429-4																					1F	1G	1F	1G				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1971 "A" (FORD) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
57H	351-C													1D	1E	1E	1F												
57H @	351-W	1E	1F	1E	1F									1E	1F	1E	1F	1E	1F	1E	1F								
57H @@	351-W	1D	1E	1D	1E									1D	1E	1D	1E	1D	1E	1D	1E								
57H @	390																					1F	1G	1F	1G				
57H @@	390																					1E	1F	1E	1F				
57H @	400																					1F	1G	1F	1G				
57H @@	400																					1E	1F	1E	1F				
57H @	429-2																					1F	1G	1G	1H				
57H @@	429-2																					1E	1F	1F	1G				
57H @	429-4																					1F	1G	1G	1H				
57H @@	429-4																					1F	1F	1F	1G				
57K	351-C													1E	1F	1E	1F												
57K @	351-W	1E	1F	1F	1G									1E	1F	1F	1G	1E	1F	1F	1F								
57K ●	351-W	1D	1E	1E	1F									1E	1E	1E	1F	1D	1E	1E	1F								
57K ♦	351-W	1D	1E	1D	1F									1E	1E	1E	1F	1D	1E	1E	1F								
57K @	390																					1F	1G	1G	1G				
57K ●	390																					1E	1F	1F	1G				
57K ♦	390																					1F	1F	1F	1G				
57K @	400																					1F	1G	1G	1H				
57K @@	400																					1F	1G	1F	1G				
57K @	429-2																					1G	1H	1G	1H				
57K @@	429-2																					1F	1G	1F	1G				
57K @	429-4																					1G	1H	1G	1H				
57K @@	429-4																					1F	1G	1F	1G				
65D	240	1C	1D	1D	1E									1C	1D	1D	1E	1C	1D	1C	1D								
65D	302	1C	1D	1D	1E									1D	1E	1D	1E	1C	1D	1D	1E								
65D	351-C													1E	1F	1E	1F												
65D	351-W	1D	1E	1E	1F									1D	1E	1E	1F	1D	1E	1E	1E								
65D	390																					1E	1F	1F	1G				
65D	400																					1F	1F	1F	1G				
65D	429-2																					1F	1G	1F	1G				
65D	429-4																					1F	1G	1F	1G				
65F (exc. P/C)	240	1C	1D	1C	1D									1C	1D	1D	1E	1C	1C	1C	1D								
65F (exc. P/C)	302	1C	1D	1D	1E									1D	1E	1D	1E	1C	1D	1D	1E								
65F (exc. P/C)	351-C													1E	1F	1E	1F												
65F (exc. P/C)	351-W	1D	1E	1E	1F									1D	1E	1E	1F	1D	1E	1D	1E								
65F (exc. P/C)	390																					1E	1F	1F	1F				
65F (exc. P/C)	400																					1E	1F	1F	1G				
65F (exc. P/C)	429-2																					1F	1G	1F	1G				
65F (exc. P/C)	429-4																					1F	1G	1F	1G				
65H	351-C													1E	1F	1F	1F												
65H	351-W	1E	1F	1E	1F									1E	1F	1E	1F	1E	1F	1E	1F								
65H	390																					1F	1G	1F	1G				
65H	400																					1F	1G	1F	1G				
65H	429-2																					1F	1G	1G	1G				
65H	429-4																					1F	1G	1G	1H				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

@ "Before 12/15/70" @@ "From 12/15/70" ● "From 12/15/70 to 4/1/71"

♦ "From 4/1/71"

5310 - continued 1971 "A" (FORD) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS. →	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
65K	351-C													1F	1F	1F	1G												
65K	351-W	1E	1F	1E	1F									1E	1F	1F	1F	1E	1F	1E	1F								
65K	390																					1F	1G	1F	1G				
65K	400																					1F	1G	1G	1G				
65K	429-2																					1G	1G	1G	1H				
65K	429-4																					1G	1H	1G	1H				
71B(exc.P/C) @	302	1C	1D	1C	1D									1C	1D	1C	1D	1C	1D	1C	1D								
71B(exc.P/C) @@	302	1B	1C	1B	1C									1B	1C	1B	1C	1B	1C	1B	1C								
71B(exc.P/C)	351-C													1C	1D	1C	1D												
71B(exc.P/C) @	351-W	1D	1E	1D	1E									1D	1E	1D	1E	1C	1D	1D	1E								
71B(exc.P/C) @@	351-W	1B	1D	1C	1D									1C	1D	1C	1D	1B	1C	1C	1D								
71B(exc.P/C) @	390																					1E	1F	1E	1F				
71B(exc.P/C) @@	390																					1D	1E	1D	1E				
71B(exc.P/C) @	400																					1E	1F	1E	1F				
71B(exc.P/C) @@	400																					1D	1E	1D	1E				
71B(exc.P/C) @	429-2																					1E	1F	1E	1F				
71B(exc.P/C) @@	429-2																					1D	1E	1E	1F				
71B(exc.P/C) @	429-4																					1E	1F	1F	1F				
71B(exc.P/C) @@	429-4																					1D	1E	1E	1F				
71D(exc.P/C) @	302	1C	1D	1C	1D									1C	1D	1C	1D	1C	1D	1C	1D								
71D(exc.P/C) @@	302	1B	1C	1B	1C									1B	1C	1B	1C	1B	1C	1B	1C								
71D(exc.P/C)	351-C													1C	1D	1D	1E												
71D(exc.P/C) @	351-W	1D	1E	1D	1E									1D	1E	1D	1E	1D	1E	1D	1E								
71D(exc.P/C) @@	351-W	1C	1D	1C	1D									1C	1D	1C	1D	1C	1D	1C	1D								
71D(exc.P/C) @	390																					1E	1F	1E	1F				
71D(exc.P/C) @@	390																					1D	1E	1D	1E				
71D(exc.P/C) @	400																					1E	1F	1E	1F				
71D(exc.P/C) @@	400																					1D	1E	1D	1E				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

@ "Before 12/15/70" @@ "From 12/15/70"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued 1971 "A" (FORD) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
71D(exc.P/C) @	429-2																					1E	1F	1F	1F				
71D(exc.P/C) @@	429-2																					1D	1E	1E	1F				
71D(exc.P/C) @	429-4																					1E	1F	1F	1G				
71D(exc.P/C) @@	429-4																					1D	1E	1E	1F				
71F(exc.P/C) @	302	1C	1D	1C	1D									1C	1D	1D	1E	1C	1D	1C	1D								
71F(exc.P/C) @@	302	1B	1C	1B	1C									1B	1C	1B	1D	1B	1C	1B	1C								
71F(exc.P/C)	351-C													1C	1D	1D	1E												
71F(exc.P/C) @	351-W	1D	1E	1D	1E									1D	1E	1D	1E	1D	1E	1D	1E								
71F(exc.P/C) @@	351-W	1C	1D	1C	1D									1C	1D	1C	1D	1C	1D	1C	1D								
71F(exc.P/C) @	390																					1E	1F	1E	1F				
71F(exc.P/C) @@	390																					1D	1E	1D	1E				
71F(exc.P/C) @	400																					1E	1F	1E	1F				
71F(exc.P/C) @@	400																					1D	1E	1D	1E				
71F(exc.P/C) @	429-2																					1E	1F	1F	1G				
71F(exc.P/C) @@	429-2																					1D	1E	1E	1F				
71F(exc.P/C) @	429-4																					1E	1F	1F	1G				
71F(exc.P/C) @@	429-4																					1E	1E	1E	1F				
71H	351-C													1D	1E	1D	1E												
71H @	351-W	1D	1E	1E	1F									1D	1E	1E	1F	1D	1E	1D	1E								
71H @@	351-W	1C	1D	1D	1E									1C	1D	1D	1E	1C	1D	1C	1E								
71H @	390																					1E	1F	1F	1F				
71H @@	390																					1D	1E	1E	1F				
71H @	400																					1E	1F	1F	1G				
71H @@	400																					1E	1F	1E	1F				
71H @	429-2																					1F	1G	1F	1G				
71H @@	429-2																					1E	1F	1E	1F				
71H @	429-4																					1F	1G	1F	1G				
71H @@	429-4																					1E	1F	1E	1F				
76H	351-C													1E	1F	1F	1G												
76H	351-W	1E	1F	1E	1F									1E	1F	1E	1F	1E	1F	1E	1F								
76H	390																					1F	1G	1F	1G				
76H	400																					1F	1G	1F	1G				
76H	429-2																					1F	1G	1G	1H				
76H	429-4																					1F	1G	1G	1H				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

@ "Before 12/15/70" @@ "From 12/15/70"

5310 - continued 1971 "B" (TORINO - EXCEPT POLICE) -- STANDARD SPRINGS

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
54A	250	70	71	70	72													70	71	70	72								
54A	302	71	72	71	73													71	72	72	73								
54A	351-2																	72	76	73	76								
54A	351-4					76	85	76	85													76	85	76	85				
54A	429⊕																					87	1S	1S	5D				
54C	250	70	71	70	72													70	71	70	72								
54C	302	71	72	72	73													71	72	72	73								
54C	351-2																	72	76	73	76								
54C	351-4					76	85	76	87													76	85	76	87				
54C	429⊕																					87	1S	1S	5D				
57C	250	70	72	71	73													70	72	71	73								
57C	302	72	73	72	76													72	73	72	76								
57C	351-2																	73	76	76	85								
57C	351-4					76	87	85	87													76	87	85	87				
57C	429⊕																					1S	5D	1S	5E				
57E	302	72	73	73	76													72	76	73	76								
57E	351-2																	73	85	76	85								
57E	351-4					85	87	85	87													85	87	85	87				
57E	429⊕																					1S	5D	5D	5E				
63C	250	70	71	70	72													70	71	70	72								
63C	302	71	72	72	73													71	73	72	73								
63C	351-2																	72	76	73	76								
63C	351-4					76	85	76	87													76	85	76	87				
63C	429⊕					87	1S	1S	5D													87	1S	1S	5D				
63F	302	71	73	72	73													71	73	72	73								
63F	351-2																	73	76	73	85								
63F	351-4					76	85	85	87													76	85	85	87				
63F ♦	429⊕					1S	5D	1S	5D													1S	5D	1S	5D				
63F △	429⊕					6U	6V	6U	6V													6U	6V	6U	6V				
63H ‡	351-4					73	85	76	85													73	85	76	85				
63H ‡‡	351-4					76	87	85	87													76	87	85	87				
63H ♦‡	429⊕					87	1S	87	5D													87	1S	87	5D				
63H △	429⊕					6U	6U	6U	6V													6U	6U	6U	6V				
65A	250	70	71	70	72													5H	71	70	72								
65A	302	71	72	71	73													71	72	71	73								
65A	351-2																	72	73	73	76								
65A	351-4					73	85	76	85													73	85	76	85				
65A	429⊕					87	1S	87	5D													87	1S	87	5D				
65C	250	5H	71	70	72													5H	71	70	72								
65C	302	71	72	71	73													71	72	71	73								
65C	351-2																	72	73	73	76								
65C	351-4					73	85	76	85													73	85	76	85				
65C	429⊕					87	1S	87	5D													87	1S	87	5D				

⊕ - Cobra jet engine ♦ - Without competition suspension △ - With competition suspension

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

‡ Before 9/1/70 ‡‡ From 9/1/70

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1971 "B" (TORINO - EXCEPT POLICE) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
65E	302	71	72	72	73													71	73	72	73								
65E	351-2																	72	76	73	76								
65E	351-4					76	85	76	87													76	85	76	87				
65E	429⊕					87	1S	1S	5D													87	1S	1S	5D				
66A	250	71	72	71	73													71	72	71	73								
66A	302	72	73	72	76													72	73	73	76								
66A	351-2																	73	76	76	85								
66A	351-4					76	87	85	87													76	87	85	87				
66A ♦	429⊕					1S	5D	1S	5E													1S	5D	1S	5E				
66A Δ	429⊕					3L	6E	3L	6E													3L	6E	3L	6E				
66B	250	71	72	71	73													71	72	71	73								
66B	302	72	73	73	76													72	73	73	76								
66B	351-2																	73	85	76	85								
66B	351-4					85	87	85	87													85	87	85	87				
66B ♦	429⊕					1S	5D	5D	5E													1S	5D	5D	5E				
66B Δ	429⊕					3L	6E	6E	6E													3L	6E	6E	6E				
66C	302	72	76	73	76													73	76	73	85								
66C	351-2																	76	85	76	87								
66C	351-4					85	87	87	1S													85	87	87	1S				
66C ♦	429⊕					1S	5E	5D	5E													1S	5E	5D	5E				
66C Δ	429⊕					3L	6E	6E	6E													3L	6E	6E	6E				
66E	250	71	72	72	73													71	72	72	73								
66E	302	72	76	73	76													72	76	73	76								
66E	351-2																	73	85	76	85								
66E	351-4					85	87	85	1S													85	87	85	1S				
66E ♦	429⊕					1S	5E	5D	5E													1S	5E	5D	5E				
66E Δ	429⊕					3L	6E	6E	6E													3L	6E	6E	6E				
71C	250	5H	71	70	71													5H	71	70	71								
71C	302	71	72	71	73													71	72	71	73								
71C	351-2																	72	73	73	76								
71C	351-4																					73	85	76	85				
71C	429⊕																					87	1S	87	5D				
71D	250	5H	71	70	71													5H	71	70	71								
71D	302	71	72	71	73													71	72	71	73								
71D	351-2																	72	73	73	76								
71D	351-4																					73	85	76	85				
71D	429⊕																					87	1S	87	5D				
71E	302	71	72	71	73													71	72	72	73								
71E	351-2																	72	73	73	76								
71E	351-4																					73	85	76	85				
71E	429⊕																					87	1S	1S	5D				
76F	302	72	76	73	76													73	76	73	76								
76F	351-2																	76	85	76	87								
76F	351-4					85	87	87	1S													85	87	87	1S				
76F ♦	429⊕					1S	5E	5D	5E													1S	5E	5D	5E				
76F Δ	429⊕					6V	6V	6V	6V													6V	6V	6V	6V				

⊕ - Cobra jet engine ♦ - Without competition suspension Δ - With competition suspension

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

5310 - continued 1971 "B" (TORINO - EXCEPT POLICE) -- HEAVY DUTY SPRINGS

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
54A	250	71	72	71	73													71	72	71	73								
54A	302	72	73	73	76													72	76	73	76								
54A	351-2																	73	85	76	85								
54A	351-4					85	87	85	87													85	87	85	87				
54A	429⊕																					1S	5D	5D	5E				
54C	250	71	72	71	73													71	72	71	73								
54C	302	72	76	73	76													72	76	73	76								
54C	351-2																	73	85	76	85								
54C	351-4					85	87	85	1S													85	87	85	1S				
54C	429⊕																					1S	5E	5D	5E				
57C	250	72	73	72	76													72	73	72	76								
57C	302	73	76	73	85													73	76	76	85								
57C	351-2																	76	85	85	87								
57C	351-4					85	1S	87	1S													85	1S	87	1S				
57C	429⊕																					5D	5E	5D	5E				
57E	302	73	85	76	85													73	85	76	85								
57E	351-2																	76	87	85	87								
57E	351-4					87	1S	87	1S													87	1S	87	1S				
57E	429⊕																					5D	5E	5E	5E				
63C	250	71	72	72	73													71	72	72	73								
63C	302	72	76	73	76													72	76	73	76								
63C	351-2																	73	85	76	85								
63C	351-4					85	87	85	1S													85	87	85	1S				
63C	429⊕					1S	5E	5D	5E													1S	5E	5D	5E				
63F	302	73	76	73	76													73	76	73	85								
63F	351-2																	76	85	76	87								
63F	351-4					85	87	87	1S													85	87	87	1S				
63F	429⊕					5D	5E	5D	5E													5D	5E	5D	5E				
63H ‡	351-4					76	87	85	87													76	87	85	87				
65A	250	71	72	71	73													71	72	71	73								
65A	302	72	73	72	76													72	73	73	76								
65A	351-2																	73	85	76	85								
65A	351-4					76	87	85	87													76	87	85	87				
65A	429⊕					1S	5D	5D	5E													1S	5D	1S	5E				
65C	250	71	72	71	73													71	72	71	73								
65C	302	72	73	72	76													72	73	73	76								
65C	351-2																	73	76	76	85								
65C	351-4					76	87	85	87													76	87	85	87				
65C	429⊕					1S	5D	1S	5E													1S	5D	1S	5E				
65E	302	72	76	73	76													72	76	73	76								
65E	351-2																	73	85	76	85								
65E	351-4					85	87	85	1S													85	87	85	1S				
65E	429⊕					1S	5E	5D	5E													1S	5E	5D	5E				

⊕ - Cobra jet engine ♦ - Without competition suspension Δ - With competition suspension

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

— ‡ - Before 9/1/70

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1971 "B" (TORINO - EXCEPT POLICE) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
66A	250	71	72	71	73													71	72	71	73								
66A	302	72	73	72	76													72	73	73	76								
66A	351-2																	73	76	76	85								
66A	351-4					76	87	85	87													76	87	85	87				
66A	429⊕					1S	5D	1S	5E													1S	5D	1S	5E				
66B	250	71	72	71	73													71	72	71	73								
66B	302	72	73	73	76													72	73	73	76								
66B	351-2																	73	85	76	85								
66B	351-4					85	87	85	87													85	87	85	87				
66B	429⊕					1S	5D	5D	5E													1S	5D	5D	5E				
66C	302	72	76	73	76													73	76	73	85								
66C	351-2																	76	85	76	87								
66C	351-4					85	87	87	1S													85	87	87	1S				
66C	429⊕					1S	5E	5D	5E													1S	5E	5D	5E				
66E	250	71	72	72	73													71	72	72	73								
66E	302	72	76	73	76													72	76	73	76								
66E	351-2																	73	85	76	85								
66E	351-4					85	87	85	1S													85	87	85	1S				
66E	429⊕					1S	5E	5D	5E													1S	5E	5D	5E				
71C	250	70	72	71	73													70	72	71	72								
71C	302	72	73	72	76													72	73	72	76								
71C	351-2																	73	76	76	85								
71C	351-4																					76	87	85	87				
71C	429⊕																					1S	5D	1S	5E				
71D	250	70	72	71	73													70	72	71	73								
71D	302	72	73	72	76													72	73	72	76								
71D	351-2																	73	76	76	85								
71D	351-4																					76	87	85	87				
71D	429⊕																					1S	5D	1S	5E				
71E	302	72	73	72	76													72	73	73	76								
71E	351-2																	73	76	76	85								
71E	351-4																					76	87	85	87				
71E	429⊕																					1S	5D	1S	5E				
76F	302	76	85	76	85													76	85	76	87								
76F	351-2																	85	87	85	1S								
76F	351-4					87	1S	1S	5D													87	1S	1S	5D				
76F	429⊕					5E	5E	5E	5E													5E	5E	5E	5E				

1971 "B" (TORINO - POLICE) -- HEAVY DUTY SPRINGS

54A	250	71	72	71	73													71	72	71	73								
54A	302	72	73	73	76													72	76	73	76								
54A △	351-2																	6X	6X	6X	6U								
54A △	351-4					6X	6U	6U	6U													6X	6U	6U	6U				
54A △	429⊕																					6V	6V	6V	6V				
54C	250	71	72	71	73													71	72	71	73								
54C	302	72	76	73	76													72	76	73	76								
54C △	351-2																	6X	6U	6X	6U								
54C △	351-4					6U	6U	6U	6V													6U	6U	6U	6V				
54C △	429⊕																					6V	6V	6V	6V				

⊕ - Cobra jet engine ▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

△ - With competition suspension

5310 - continued 1971 "B" (TORINO - POLICE) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
65A	250	71	72	71	73													71	72	71	73								
65A	302	72	73	72	76													72	73	73	76								
65A Δ	351-2																	6X	6X	6X	6U								
65A Δ	351-4					6X	6U	6U	6U													6X	6U	6U	6U				
65A Δ	429⊕					6V	6V	6V	6V													6V	6V	6V	6V				

1971 "F" (MUSTANG) -- STANDARD SPRINGS (WITHOUT COMPETITION SUSPENSION)

63D ●	250	4J	4V	4J	25													4J	4V	4J	25								
63D ‡‡	250	4J	4V	4V	25													4J	4V	4V	25								
63D ●	302-2	7M	4F	7M	4E													7M	4F	7M	4E								
63D ‡‡	302-2	7M	4F	4F	4E													7M	4F	4F	4E								
63D ●	351-2	4F	4U	4E	4U									4E	4U	4E	4U												
63D ‡‡	351-2	4E	4U	4E	4U									4E	4U	4U	4D												
63D ●	351-$					4U	4U	4U	4D													4E	4U	4U	4D				
63D ‡‡	351-⊙					4E	4U	4U	4D													4E	4U	4U	4D				
65D ●	250	4J	25	4V	25													4J	25	4V	4E								
65D ‡‡	250	4J	4V	4V	25													4V	25	4V	25								
65D ●	302-2	7M	4E	4F	4E													4F	4E	4F	4U								
65D ‡‡	302-2	4F	4E	4F	4E													4F	4E	4F	4E								
65D ●	351-2	4E	4U	4U	4D									4E	4D	4U	4D												
65D ‡‡	351-2	4E	4U	4U	4D									4E	4U	4U	4D												
65D ●	351-$					4U	4D	4U	4Y													4U	4D	4U	4Y				
65D ‡‡	351-$					4U	4D	4U	4D													4U	4D	4U	4D				
65F ●	250	4J	25	4V	4E													4V	25	4V	4E								
65F ‡‡	250	4V	25	4V	25													4V	25	4V	25								
65F ●	302-2	4F	4E	4F	4U													4F	4E	4F	4U								
65F ‡‡	302-2	4F	4E	4F	4E													4F	4E	4F	4E								
65F ●	351-2	4E	4U	4U	4D									4E	4D	4U	4D												
65F ‡‡	351-2	4E	4U	4U	4D									4E	4U	4U	4D												
65F ●	351-$					4U	4D	4U	4Y													4U	4D	4D	4Y				
65F ‡‡	351-$					4U	4D	4U	4D													4U	4D	4U	4D				
76D ●	250	4V	25	4V	4E													4V	25	25	4E								
76D ‡‡	250	4V	25	4V	25													4V	25	4V	25								
76D ●	302-2	4F	4E	4E	4U													4F	4E	4E	4U								
76D ‡‡	302-2	4F	4E	4F	4E													4F	4E	4F	4E								
76D ●	351-2	4E	4D	4U	4D									4U	4D	4U	4Y												
76D ‡‡	351-2	4E	4U	4U	4D									4E	4U	4U	4D												
76D ●	351-$					4U	4D	4D	4Y													4U	4Y	4D	4Y				
76D ‡‡	351-$					4U	4D	4U	4D													4U	4D	4U	4D				

⊕ - Cobra jet engine Δ - With competition suspension $ - 4B - except CJ

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

● "Before 11/9/70" ‡‡ "From 11/9/70" ⊙ 4B - except CJ & Boss

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1971 "F" (MUSTANG) -- HEAVY DUTY SPRINGS (WITH COMPETITION SUSPENSION)

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
63D ●	302-2	6Y	4K	4K	4L													6Y	4K	4K	4L								
63D ‡‡	302-2	4K	4K	4K	4L													4K	4K	4K	4L								
63D ●	302-4					4K	4L	4L	4M																				
63D ‡‡	302-4					4L	4L	4L	4M																				
63D ●	351-2	4K	4L	4L	4M									4L	4M	4L	4M												
63D ‡‡	351-2	4L	4L	4L	4M									4L	4M	4L	4M												
63D ●	351 $																					4L	4M	4L	4M				
63D ‡‡	351 ⊙					4L	4M	4M	4M													4L	4M	4M	4M				
63D ●	351 #					4L	4M	4M	1Q													4L	4M	4M	1Q				
63D ‡‡	351 #					4M	4M	4M	1Q													4M	4M	4M	1Q				
63D	351 ♦					4L	4M	4M	4M																				
63D	429 ⊕					7J	7K	7J	7K													7J	7K	7J	7K				
63D	429 ♦					7J	7K	7K	7K													7J	7K	7K	7K				
63R	302-2	4K	4L	4K	4L													4K	4L	4L	4L								
63R ●	351-2	4M	1Q	4M	1Q									4M	1Q	1Q	7E												
63R ‡‡	351-2	4L	4M	4M	4M									4L	4M	4M	4M												
63R ●	351 $					1Q	7E	1Q	7E													1Q	7E	1Q	7E				
63R ‡‡	351 $					4M	4M	4M	1Q													4M	4M	4M	1Q				
63R ●	351 #					1Q	7E	1Q	7E													1Q	7E	1Q	7E				
63R ‡‡	351 #					4M	1Q	4M	1Q													4M	1Q	4M	1Q				
63R ●	429 ⊕					7K	7L	7L	7L													7K	7L	7L	7L				
63R ‡‡	429 ⊕					7J	7K	7K	7K													7J	7K	7K	7K				
63R ●	429 ♦					7L	7L	7L	7L													7L	7L	7L	7L				
63R ‡‡	429 ♦					7K	7K	7K	7L													7K	7K	7K	7L				
65D	302-2	4K	4L	4K	4L													4K	4L	4K	4L								
65D ●	351-2	4L	4M	4L	4M									4L	4M	4M	1Q												
65D ‡‡	351-2	4L	4M	4L	4M									4L	4M	4M	4M												
65D	351 $					4L	4M	4M	1Q													4L	4M	4M	1Q				
65D	351 #					4M	1Q	4M	1Q													4M	1Q	4M	1Q				
65D ●	429 ⊕					7J	7K	7K	7L													7J	7K	7K	7L				
65D ‡‡	429 ⊕					7J	7K	7K	7K													7J	7K	7K	7K				
65D ●	429 ♦					7K	7K	7K	7L													7K	7L	7K	7L				
65D ‡‡	429 ♦					7K	7K	7K	7L													7K	7K	7K	7L				
65F	302-2	4K	4L	4K	4L													4K	4L	4K	4L								
65F ●	351-2	4L	4M	4L	4M									4L	4M	4M	1Q												
65F ‡‡	351-2	4L	4M	4M	4M									4L	4M	4M	4M												
65F ●	351 $					4M	1Q	4M	1Q													4M	1Q	4M	1Q				
65F ‡‡	351 $					4M	4M	4M	1Q													4M	4M	4M	1Q				
65F	351 #					4M	1Q	4M	1Q													4M	1Q	4M	1Q				
65F ●	429 ⊕					7J	7K	7K	7L													7J	7K	7K	7L				
65F ‡‡	429 ⊕					7J	7K	7K	7K													7J	7K	7K	7K				
65F ●	429 ♦					7K	7L	7K	7L													7K	7L	7K	7L				
65F ‡‡	429 ♦					7K	7K	7K	7L													7K	7K	7K	7L				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.
♦ - 4B Boss
- 4B - CJ
♦ - Super Cobra jet engine
‡‡ "From 11/9/70"
⊕ - Cobra jet engine
$ - 4B except CJ
● "Before 11/9/70"
⊙ - 4B - except CJ & Boss

5310 - continued

1971 "F" (MUSTANG) -- HEAVY DUTY SPRINGS (WITH COMPETITION SUSPENSION) - continued

BODY TYPE	TRANS→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲FRONT SPRING CODE NUMBER																											
76D ●	302-2	4K	4L	4L	4M													4K	4L	4L	4M								
76D ‡‡	302-2	4K	4L	4K	4L													4K	4L	4K	4L								
76D ●	351-2	4L	4M	4M	1Q									4L	4M	4M	1Q												
76D ‡‡	351-2	4L	4M	4M	4M									4L	4M	4M	4M												
76D ●	351 $					4M	1Q	4M	1Q													4M	1Q	4M	1Q				
76D ‡‡	351 $					4M	4M	4M	1Q													4M	4M	4M	1Q				
76D ●	351 #					4M	1Q	1Q	7E													4M	1Q	1Q	7E				
76D ‡‡	351 #					4M	1Q	4M	1Q													4M	1Q	4M	1Q				
76D ●	429 ⊕					7K	7K	7K	7L													7K	7L	7K	7L				
76D ‡‡	429 ⊕					7J	7K	7K	7K													7J	7K	7K	7K				
76D ●	429 ♦					7K	7L	7K	7L													7K	7L	7K	7L				
76D ‡‡	429 ♦					7K	7K	7K	7L													7K	7K	7K	7L				

1971 "L" (PINTO) -- STANDARD SPRINGS

62	98 1600cc					7G																							
62	122 2000cc					7G	7H											7F	7H										
64	98 1600cc					7G																							
64	122 2000cc					7G	7H											7F	7H										

1971 "P" (MAVERICK) -- STANDARD SPRINGS

54A	170	6N	6S	6P	6S																								
54A	200	6N	6S	6P	6S													6N	6S	6P	6S								
54A	250																	6P	6T	6S	6T								
54A	302	6T	4V	6R	4V													6T	4V	6R	4V								
62A	170	6M	6N	6M	6P																								
62A	200	6M	6P	6M	6P													6M	6N	6M	6P								
62A	250																	6N	6P	6N	6S								
62A	302	6S	6T	6S	6R													6S	6T	6S	6R								
62D	170	6N	6P	6N	6S																								
62D	200	6N	6S	6N	6S													6N	6S	6N	6S								
62D	250																	6P	6S	6P	6T								
62D	302	6T	6R	6T	4V													6T	6R	6T	4V								

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

\# - 4B - CJ

⊕ - Cobra jet engine

♦ - Super Cobra jet engine

$ - 4B except CJ

‡‡ "From 11/9/70"

● "Before 11/9/70"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued

1971 "P" (MAVERICK) -- HEAVY DUTY SPRINGS

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54A	170	7C	6Z	7C	7A																								
54A	200	7C	6Z	6Z	7A													7C	6Z	6Z	7A								
54A	250																	6Z	7A	6Z	7A								
54A	302	7A	7P	7B	7P													7A	7P	7B	7P								
62A	170	7D	7C	7D	6Z																								
62A	200	7D	7C	7D	6Z													7D	7C	7D	6Z								
62A	250																	7C	6Z	7C	6Z								
62A	302	6Z	7B	7A	7B													6Z	7B	7A	7B								
62D	170	7C	6Z	7C	6Z																								
62D	200	7C	6Z	7C	7A													7C	6Z	7C	6Z								
62D	250																	6Z	7A	6Z	7A								
62D	302	7A	7B	7A	7P													7A	7B	7A	7P								

1971 "S" (THUNDERBIRD) -- STANDARD SPRINGS

57	429																					97	98						
65	429																					1E	1F						

1971 "S" (THUNDERBIRD) -- HEAVY DUTY SPRINGS

57	429																					1G	1H						
65	429																					6F	1G						

1971 "U" (BRONCO) -- STANDARD SPRINGS

97, 98	170	6H																											
97, 98	302	6J																											

1971 "U" (BRONCO) -- HEAVY DUTY SPRINGS

97, 98	All	6G																											

1971 "U" (BRONCO) -- EXTRA HEAVY DUTY SPRINGS

97, 98	All	3S																											

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

5310 SPRING (FRONT COIL)

HOW TO FIND 1972 FRONT SPRING PART NUMBERS

1) To determine Front Spring Part Number you must know:
   a) YEAR
   b) CAR LINE
   c) BODY TYPE
   d) ENGINE
   e) Whether SPRING required is STANDARD or HEAVY DUTY.
   f) TRANSMISSION
   g) Whether car is equipped with AIR CONDITIONING, POWER STEERING or BOTH.
2) Using this information, refer to the listing on the following pages.
3) Locate the appropriate Front Spring Code Number.
4) **Translate the Code Number into a Service Part Number by referring to the Cross Reference listing starting on page 1 of Section 53.**
   Read down to locate correct Code Number.
   Read across to locate Front Spring Part Number.
   (Color Identification, Normal Load, Number of Coils, Wire Diameter and Free Length are also listed).

EXAMPLE:
   a) Year 1972
   b) Car Line FORD
   c) Body Type 53H
   d) Engine 351-C
   e) Spring Type STANDARD
   f) Transmission C/M (Cruis-O-Matic)
   g) Additional Equipment Air Conditioning (with Power Steering)

Front Spring Code Number listed is 6B.
Part Number shown for Code 6B (Section 53 page 7) is C8SZ 5310-A.

BODY TYPE	TRANS. →	3/S				4/S				O/D				C/M				C4				C6							
	OPT. IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
1972 "A" (FORD) -- STANDARD SPRINGS																													
53H (N5)	351-C													4Z	5A	5A	6B												
53H (N7)	351-C													4Z	5A	4Z	6B												
53H (N10)	351-C													4Z	8A	4Z	6B												
53H (N5)	351-W													4Z	5A	4Z	6B	4Z	5A	4Z	5A								
53H (N7)	351-W													4Z	5A	4Z	5A	4Z	5A	4Z	5A								
53H (N10)	351-W													4Z	8A	4Z	8A	4Z	8A	4Z	8A								
53H (N5)	400																					5A	6B	6B	6C				
53H (N7)	400																					5A	6B	5A	6B				
53H (N10)	400																					8A	6B	8A	6B				
53H (N9)	429																					6B	6C	6B	6C				
53H (N10)	429																					6B	8B	6B	8B				
53K (N5)	351-C													5A	6B	5A	6B												
53K (N7)	351-C													4Z	5A	4Z	6B												
53K (N10)	351-C													4Z	8A	4Z	6B												
53K (N5)	351-W													4Z	6B	5A	6B	4Z	5A	5A	6B								
53K (N7)	351-W													4Z	5A	4Z	5A	94	5A	4Z	5A								
53K (N10)	351-W													4Z	8A	4Z	8A	94	8A	4Z	8A								
53K (N5)	400																					6B	6C	6B	6C				
53K (N7)	400																					5A	6B	5A	6B				
53K (N10)	400																					8A	6B	8A	6B				
53K (N5)	429																					6B	6C	6C	4B				
53K (N7)	429																					6B	6C	6B	6C				
53K (N10)	429																					6B	8B	6B	8B				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.
(N5) "Before 10/18/71" (N7) "From 10/18/71 to 11/15/71" (N9) "Before 11/15/71" (N10) "From 11/15/71"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5310 - continued **1972 "A" (FORD) -- STANDARD SPRINGS - continued**

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54B(N5)	240													93	94	94	4Z												
54B(N6)	240													92	94	93	94	92	93	92	94								
54B(N5)	302													94	4Z	94	4Z												
54B(N6)	302													93	94	93	4Z	92	94	93	94								
54B(exc.P/C) (N5)	351-C													4Z	5A	4Z	5A												
54B(exc.P/C) (N7)	351-C													94	4Z	94	5A												
54B(exc.P/C) (N10)	351-C													94	4Z	94	8A												
54B(P/C) (N5)	351-C													78	78	78	78												
54B(P/C) (N8)	351-C													3Z	78	3Z	78												
54B(P/C) (N13)	351-C													81	81	81	81												
54B(exc.P/C) (N5)	351-W													94	5A	4Z	5A	94	4Z	4Z	5A								
54B(exc.P/C) (N6)	351-W													94	4Z	94	4Z	93	4Z	94	4Z								
54B(P/C) (N5)	351-W													3Z	78	78	78												
54B(P/C) (N8)	351-W													3Z	78	3Z	78												
54B(P/C) (N13)	351-W													78	81	81	81												
54B(exc.P/C) (N5)	400																					5A	6B	5A	6B				
54B(exc.P/C) (N7)	400																					4Z	5A	4Z	5A				
54B(exc.P/C) (N10)	400																					4Z	8A	4Z	8A				
54B(P/C) (N5)	400																					78	81	78	81				
54B(P/C) (N8)	400																					3Z	78	78	78				
54B(P/C) (N13)	400																					81	81	81	8E				
54B(exc.P/C) (N5)	429																					5A	6B	6B	6C				
54B(exc.P/C) (N7)	429																					5A	6B	5A	6B				
54B(exc.P/C) (N10)	429																					8A	6B	8A	6B				
54B(P/C) (N5)	429 ⁂																					78	81	81	81				
54B(P/C) (N8)	429 ⁂																					78	81	78	81				
54B(P/C) (N13)	429 ⁂																					81	8E	8E	8E				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number. ⁂ 4B-exc. Police Interceptor

(N5) "Before 10/18/71" (N7) "From 10/18/71 to 11/15/71" (N10) "From 11/15/71"

(N6) "From 10/18/71" (N8) "From 10/18/71 to 1/3/72" (N13) "From 1/3/72"

5310 - continued 1972 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54B(P/C) (N5)	429 ⊙																					78	81	81	81				
54B(P/C) (N8)	429 ⊙																					78	81	78	81				
54B(P/C) (N18)	429 ⊙																					8E	8E	8E	8E				
54B(P/C) (N20)	429 ⊙																					8E	8E	8E	1K				
54D (N5)	240													93	4Z	94	4Z												
54D (N6)	240													92	94	93	94	92	93	92	94								
54D (N5)	302													94	4Z	94	4Z												
54D (N6)	302													93	94	93	4Z	92	94	93	94								
54D(exc.P/C) (N5)	351-C													4Z	5A	4Z	5A												
54D(exc.P/C) (N7)	351-C													94	4Z	94	5A												
54D(exc.P/C) (N10)	351-C													94	4Z	94	8A												
54D(P/C) (N5)	351-C													78	78	78	78												
54D(P/C) (N8)	351-C													3Z	78	3Z	78												
54D(P/C) (N13)	351-C													81	81	81	81												
54D(exc.P/C) (N5)	351-W													94	5A	4Z	5A	94	4Z	4Z	5A								
54D(exc.P/C) (N6)	351-W													94	4Z	94	4Z	93	4Z	94	4Z								
54D(P/C) (N5)	351-W													3Z	78	78	78												
54D(P/C) (N8)	351-W													3Z	78	3Z	78												
54D(P/C) (N13)	351-W													78	81	81	81												
54D(exc.P/C) (N5)	400																					5A	6B	5A	6B				
54D(exc.P/C) (N7)	400																					4Z	5A	4Z	5A				
54D(exc.P/C) (N10)	400																					4Z	8A	4Z	8A				
54D(P/C) (N5)	400																					78	81	78	81				
54D(P/C) (N8)	400																					78	78	78	78				
54D(P/C) (N13)	400																					81	81	81	8E				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number. ⊙ 4B-Police Interceptor

(N5) "Before 10/18/71" (N8) "From 10/18/71 to 1/3/72" (N18) "From 1/3/72 to 2/28/72"

(N6) "From 10/18/71" (N10) "From 11/15/71" (N20) "From 2/28/72"

(N7) "From 10/18/71 to 11/15/71" (N13) "From 1/3/72"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1972 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54D(exc.P/C) (N5)	429																					5A	6B	6B	6C				
54D(exc.P/C) (N7)	429																					5A	6B	5A	6B				
54D(exc.P/C) (N10)	429																					8A	6B	8A	6B				
54D(P/C) (N5)	429 ⁂																					78	81	81	81				
54D(P/C) (N8)	429 ⁂																					78	81	78	81				
54D(P/C) (N13)	429 ⁂																					81	8E	8E	8E				
54D(P/C) (N5)	429 ⊙																					78	81	81	81				
54D(P/C) (N8)	429 ⊙																					78	81	78	81				
54D(P/C) (N18)	429 ⊙																					8E	8E	8E	8E				
54D(P/C) (N20)	429 ⊙																					8E	8E	8E	1K				
54F(N5)	240													93	4Z	94	4Z												
54F(N6)	240													93	94	93	4Z	93	94	93	94								
54F(N5)	302													94	4Z	94	4Z												
54F(N6)	302													93	4Z	94	4Z	93	94	94	4Z								
54F(exc.P/C) (N5)	351-C													4Z	5A	4Z	5A												
54F(exc.P/C) (N7)	351-C													4Z	5A	4Z	5A												
54F(exc.P/C) (N10)	351-C													4Z	8A	4Z	8A												
54F(P/C) (N5)	351-C													78	78	78	78												
54F(P/C) (N8)	351-C													3Z	78	78	78												
54F(P/C) (N13)	351-C													81	81	81	8E												
54F(exc.P/C) (N5)	351-W													94	5A	4Z	5A	94	4Z	4Z	5A								
54F(exc.P/C) (N7)	351-W													94	5A	4Z	5A	94	4Z	94	5A								
54F(exc.P/C) (N10)	351-W													94	8A	4Z	8A	94	4Z	94	8A								
54F(P/C) (N12)	351-W													3Z	78	78	78												
54F(P/C) (N13)	351-W													81	81	81	8E												

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

⁂ 4B-exc. Police Interceptor ⊙ 4B-Police Interceptor

(N5) "Before 10/18/71" (N8) "From 10/18/71 to 1/3/72" (N13) "From 1/3/72"

(N6) "From 10/18/71" (N10) "From 11/15/71" (N18) "From 1/3/72 to 2/28/72"

(N7) "From 10/18/71 to 11/15/71" (N12) "Before 1/3/72" (N20) "From 2/28/72"

5310 - continued 1972 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS. →	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54F(exc.P/C) (N5)	400																					5A	6B	5A	6B				
54F(exc.P/C) (N7)	400																					4Z	5A	5A	6B				
54F(exc.P/C) (N10)	400																					4Z	8A	8A	6B				
54F(P/C) (N5)	400																					78	81	78	81				
54F(P/C) (N8)	400																					78	78	78	81				
54F(P/C) (N13)	400																					81	8E	81	8E				
54F(exc.P/C) (N5)	429																					5A	6B	6B	6C				
54F(exc.P/C) (N7)	429																					5A	6C	6B	6C				
54F(exc.P/C) (N10)	429																					8A	8B	6B	8B				
54F(P/C) (N12)	429 ✗																					78	81	81	81				
54F(P/C) (N18)	429 ✗																					8E	8E	8E	8E				
54F(P/C) (N20)	429 ✗																					8E	8E	8E	1K				
54F(P/C) (N12)	429 ⊙																					78	81	81	81				
54F(P/C) (N18)	429 ⊙																					8E	8E	8E	8E				
54F(P/C) (N20)	429 ⊙																					8E	1K	8E	1K				
57F (N5)	240													94	4Z	94	4Z												
57F (N6)	240													93	94	94	4Z	93	94	93	4Z								
57F (N5)	302													94	4Z	94	5A												
57F (N6)	302													94	4Z	94	4Z	93	4Z	94	4Z								
57F(exc.P/C) (N5)	351-C													4Z	5A	4Z	6B												
57F(exc.P/C) (N7)	351-C													4Z	5A	4Z	5A												
57F(exc.P/C) (N10)	351-C													4Z	8A	4Z	8A												
57F(P/C) (N5)	351-C													78	78	78	81												
57F(P/C) (N8)	351-C													78	78	78	78												
57F(P/C) (N13)	351-C													81	81	81	8E												

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

✗ 4B-exc. Police Interceptor ⊙ 4B-Police Interceptor

(N5) "Before 10/18/71" (N8) "From 10/18/71 to 1/3/72" (N13) "From 1/3/72"

(N6) "From 10/18/71" (N10) "From 11/15/71" (N18) "From 1/3/72 to 2/28/72"

(N7) "From 10/18/71 to 11/15/71" (N12) "Before 1/3/72" (N20) "From 2/28/72"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1972 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
57F(exc.P/C) (N5)	351-W													4Z	5A	4Z	5A	4Z	5A	4Z	5A								
57F(exc.P/C) (N7)	351-W													94	5A	4Z	5A	94	4Z	4Z	5A								
57F(exc.P/C) (N10)	351-W													94	8A	4Z	8A	94	4Z	4Z	8A								
57F(P/C) (N5)	351-W													78	78	78	78												
57F(P/C) (N8)	351-W													3Z	78	78	78												
57F(P/C) (N13)	351-W													81	81	81	8E												
57F(exc.P/C) (N5)	400																					5A	6B	6B	6C				
57F(exc.P/C) (N7)	400																					4Z	6B	5A	6B				
57F(exc.P/C) (N10)	400																					4Z	6B	8A	6B				
57F(P/C) (N5)	400																					78	81	81	81				
57F(P/C) (N8)	400																					78	81	78	81				
57F(P/C) (N13)	400																					81	8E	81	8E				
57F(exc.P/C) (N9)	429																					6B	6C	6B	6C				
57F(exc.P/C) (N10)	429																					6B	8B	6B	8B				
57F(P/C) (N12)	429 ⊿																					81	81	81	81				
57F(P/C) (N18)	429 ⊿																					8E	8E	8E	8E				
57F(P/C) (N20)	429 ⊿																					8E	1K	8E	1K				
57F(P/C) (N12)	429 ⊙																					81	81	81	81				
57F(P/C) (N18)	429 ⊙																					8E	8E	8E	8E				
57F(P/C) (N20)	429 ⊙																					8E	1K	8E	1K				
57H (N5)	351-C													94	5A	4Z	5A												
57H (N7)	351-C													4Z	5A	4Z	6B												
57H (N10)	351-C													4Z	8A	4Z	6B												
57H (N5)	351-W													94	4Z	4Z	5A	94	4Z	94	5A								
57H (N7)	351-W													4Z	5A	4Z	5A	94	5A	4Z	5A								
57H (N10)	351-W													4Z	8A	4Z	8A	94	8A	4Z	8A								
57H (N5)	400																					4Z	6B	5A	6B				
57H (N7)	400																					5A	6B	5A	6B				
57H (N10)	400																					8A	6B	8A	6B				
57H (N5)	429																					5A	6B	5A	6C				
57H (N7)	429																					6B	6C	6B	6C				
57H (N10)	429																					6B	8B	6B	8B				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

⊿ 4B-exc. Police Interceptor ⊙ 4B-Police Interceptor

(N5) "Before 10/18/71" (N9) "Before 11/15/71" (N13) "From 1/3/72"

(N7) "From 10/18/71 to 11/15/71" (N10) "From 11/15/71" (N18) "From 1/3/72 to 2/28/72"

(N8) "From 10/18/71 to 1/3/72" (N12) "Before 1/3/72" (N20) "From 2/28/72"

5310 - continued 1972 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
57K (N5)	351-C													4Z	5A	4Z	5A												
57K (N7)	351-C													4Z	5A	4Z	6B												
57K (N10)	351-C													4Z	8A	4Z	6B												
57K (N9)	351-W													4Z	5A	4Z	5A	94	5A	4Z	5A								
57K (N10)	351-W													4Z	8A	4Z	8A	94	8A	4Z	8A								
57K (N5)	400																					5A	6B	5A	6C				
57K (N7)	400																					5A	6B	5A	6B				
57K (N10)	400																					8A	6B	8A	6B				
57K (N5)	429																					5A	6C	6B	6C				
57K (N7)	429																					6B	6C	6B	6C				
57K (N10)	429																					6B	8B	6B	8B				
65D	240													93	4Z	94	4Z	93	94	93	4Z								
65D	302													94	4Z	94	4Z	93	4Z	94	4Z								
65D (N9)	351-C													4Z	5A	4Z	6B												
65D (N10)	351-C													4Z	8A	4Z	6B												
65D (N9)	351-W													4Z	5A	4Z	5A	94	5A	4Z	5A								
65D (N10)	351-W													4Z	8A	4Z	8A	94	8A	4Z	8A								
65D (N5)	400																					5A	6B	5A	6C				
65D (N7)	400																					4Z	6B	5A	6B				
65D (N10)	400																					4Z	6B	8A	6B				
65D (N5)	429																					5A	6C	6B	6C				
65D (N7)	429																					6B	6C	6B	6C				
65D (N10)	429																					6B	8B	6B	8B				
65F	240													93	4Z	94	4Z	93	94	93	4Z								
65F	302													94	4Z	94	4Z	93	4Z	94	4Z								
65F (exc. P/C) (N9)	351-C													4Z	5A	4Z	5A												
65F (exc. P/C) (N10)	351-C													4Z	8A	4Z	8A												
65F (P/C) (N12)	351-C													78	78	78	78												
65F (P/C) (N13)	351-C													81	8E	81	8E												
65F (exc. P/C) (N9)	351-W													4Z	5A	4Z	5A	94	4Z	4Z	5A								
65F (exc. P/C) (N10)	351-W													4Z	8A	4Z	8A	94	4Z	4Z	8A								
65F (P/C) (N12)	351-W													3Z	78	78	78												
65F (P/C) (N13)	351-W													81	81	81	8E												
65F (exc. P/C) (N5)	400																					5A	6B	5A	6B				
65F (exc. P/C) (N7)	400																					4Z	6B	5A	6B				
65F (exc. P/C) (N10)	400																					4Z	6B	8A	6B				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

(N5) "Before 10/18/71" (N9) "Before 11/15/71" (N12) "Before 1/3/72"
(N7) "From 10/18/71 to 11/15/71" (N10) "From 11/15/71" (N13) "From 1/3/72"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1972 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
65F(P/C) (N12)	400																					78	81	78	81				
65F(P/C) (N13)	400																					81	8E	81	8E				
65F(exc.P/C) (N5)	429																					5A	6B	6B	6C				
65F(exc.P/C) (N7)	429																					6B	6C	6B	6C				
65F(exc.P/C) (N10)	429																					6B	8B	6B	8B				
65F(P/C) (N5)	429 ⁂																					78	81	81	81				
65F(P/C) (N8)	429 ⁂																					81	81	81	81				
65F(P/C) (N18)	429 ⁂																					8E	8E	8E	8E				
65F(P/C) (N20)	429 ⁂																					8E	1K	8E	1K				
65F(P/C) (N5)	429 ⊙																					78	81	81	81				
65F(P/C) (N8)	429 ⊙																					81	81	81	81				
65F(P/C) (N18)	429 ⊙																					8E	8E	8E	8E				
65F(P/C) (N20)	429 ⊙																					8E	1K	8E	1K				
65H(N5)	351-C													4Z	6B	5A	6B												
65H(N7)	351-C													4Z	5A	4Z	5A												
65H(N10)	351-C													4Z	8A	4Z	8A												
65H(N5)	351-W													4Z	5A	5A	6B	4Z	5A	4Z	5A								
65H(N7)	351-W													4Z	5A	4Z	5A	94	5A	4Z	5A								
65H(N10)	351-W													4Z	8A	4Z	8A	94	8A	4Z	8A								
65H(N5)	400																					5A	6C	6B	6C				
65H(N7)	400																					4Z	6B	5A	6B				
65H(N10)	400																					4Z	6B	8A	6B				
65H(N9)	429																					6B	6C	6B	6C				
65H(N10)	429																					6B	8B	6B	8B				
65K(N5)	351-C													5A	6B	5A	6B												
65K(N7)	351-C													4Z	5A	4Z	6B												
65K(N10)	351-C													4Z	8A	4Z	6B												
65K(N5)	351-W													6B	6B	5A	6B	4Z	5A	5A	6B								
65K(N7)	351-W													4Z	5A	4Z	5A	94	5A	4Z	5A								
65K(N10)	351-W													4Z	8A	4Z	8A	94	8A	4Z	8A								
65K(N5)	400																					6B	6C	6B	6C				
65K(N7)	400																					5A	6B	5A	6B				
65K(N10)	400																					8A	6B	8A	6B				
65K(N5)	429																					6B	6C	6C	4B				
65K(N7)	429																					6B	6C	6B	6C				
65K(N10)	429																					6B	8B	6B	8B				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

⁂ 4B-exc. Police Interceptor ⊙ 4B-Police Interceptor

(N5) "Before 10/18/71" (N9) "Before 11/15/71" (N13) "From 1/3/72"

(N7) "From 10/18/71 to 11/15/71" (N10) "From 11/15/71" (N18) "From 1/3/72 to 2/28/72"

(N8) "From 10/18/71 to 1/3/72" (N12) "Before 1/3/72" (N20) "From 2/28/72"

5310 - continued 1972 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
71B	302													93	94	93	4Z	92	94	93	94								
71B(exc.P/C) (N9)	351-C													94	4Z	94	5A												
71B(exc.P/C) (N10)	351-C													94	4Z	94	8A												
71B(P/C) (N12)	351-C													3Y	3Z	3Z	3Z												
71B(P/C) (N13)	351-C													3Z	78	3Z	78												
71B(exc.P/C)	351-W													94	4Z	94	4Z	93	4Z	94	4Z								
71B(P/C) (N12)	351-W													3Y	3Z	3Y	3Z												
71B(P/C) (N13)	351-W													3Z	78	3Z	78												
71B(exc.P/C) (N5)	400																					4Z	5A	4Z	6B				
71B(exc.P/C) (N7)	400																					4Z	5A	4Z	5A				
71B(exc.P/C) (N10)	400																					4Z	8A	4Z	8A				
71B(P/C) (N12)	400																					3Z	78	3Z	78				
71B(P/C) (N13)	400																					3Z	78	78	78				
71B(exc.P/C) (N9)	429																					5A	6B	5A	6B				
71B(exc.P/C) (N10)	429																					8A	6B	8A	6B				
71B(P/C) (N5)	429 ⊿																					3Z	78	78	78				
71B(P/C) (N8)	429 ⊿																					78	78	78	78				
71B(P/C) (N13)	429 ⊿																					78	81	78	81				
71B(P/C) (N5)	429 ⊙																					3Z	78	78	78				
71B(P/C) (N8)	429 ⊙																					78	78	78	78				
71B(P/C) (N13)	429 ⊙																					78	81	81	81				
71D	302													93	94	93	4Z	93	94	93	94								
71D(exc.P/C) (N9)	351-C													94	4Z	4Z	5A												
71D(exc.P/C) (N10)	351-C													94	4Z	4Z	8A												
71D(P/C) (N12)	351-C													3Y	3Z	3Z	78												
71D(P/C) (N13)	351-C													3Z	78	3Z	78												

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

⊿ 4B-exc. Police Interceptor ⊙ 4B-Police Interceptor

(N5) "Before 10/18/71" (N9) "Before 11/15/71" (N12) "Before 1/3/72"

(N7) "From 10/18/71 to 11/15/71" (N10) "From 11/15/71" (N13) "From 1/3/72"

(N8) "From 10/18/71 to 1/3/72"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1972 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
71D(exc.P/C) (N9)	351-W													94	4Z	94	5A	94	4Z	94	4Z								
71D(exc.P/C) (N10)	351-W													94	4Z	94	8A	94	4Z	94	4Z								
71D(P/C) (N12)	351-W													3Y	3Z	3Z	3Z												
71D(P/C) (N13)	351-W													3Z	78	3Z	78												
71D(exc.P/C) (N5)	400																					4Z	5A	5A	6B				
71D(exc.P/C) (N7)	400																					4Z	5A	4Z	5A				
71D(exc.P/C) (N10)	400																					4Z	8A	4Z	8A				
71D(P/C) (N12)	400																					3Z	78	3Z	78				
71D(P/C) (N13)	400																					3Z	78	78	78				
71D(exc.P/C) (N5)	429																					5A	6B	5A	6B				
71D(exc.P/C) (N7)	429																					5A	6B	5A	6C				
71D(exc.P/C) (N10)	429																					8A	6B	8A	8B				
71D(P/C) (N5)	429 ⁂																					3Z	78	78	78				
71D(P/C) (N8)	429 ⁂																					78	78	78	81				
71D(P/C) (N13)	429 ⁂																					78	81	78	81				
71D(P/C) (N5)	429 ⊙																					3Z	78	78	78				
71D(P/C) (N8)	429 ⊙																					78	78	78	81				
71D(P/C) (N13)	429 ⊙																					78	81	81	81				
71F	302													93	94	94	4Z	93	94	93	4Z								
71F(exc.P/C) (N9)	351-C													94	4Z	4Z	5A												
71F(exc.P/C) (N10)	351-C													94	4Z	4Z	8A												
71F(P/C) (N12)	351-C													3Y	3Z	3Z	78												
71F(P/C) (N13)	351-C													3Z	78	3Z	78												
71F(exc.P/C) (N9)	351-W													94	4Z	94	5A	94	4Z	94	4Z								

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

⁂ 4B-exc. Police Interceptor ⊙ 4B-Police Interceptor

(N5) "Before 10/18/71 (N9) "Before 11/15/71" (N12) "Before 1/3/72"

(N7) "From 10/18/71 to 11/15/71" (N10) "From 11/15/71" (N13) "From 1/3/72"

(N8) "From 10/18/71 to 1/3/72"

5310 - continued 1972 "A" (FORD) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
71F(exc.P/C) (N10)	351-W													94	4Z	94	8A	94	4Z	94	4Z								
71F(P/C) (N12)	351-W													3Y	3Z	3Z	3Z												
71F(P/C) (N13)	351-W													3Z	78	3Z	78												
71F(exc.P/C) (N5)	400																					4Z	6B	5A	6B				
71F(exc.P/C) (N7)	400																					4Z	5A	4Z	6B				
71F(exc.P/C) (N10)	400																					4Z	8A	4Z	6B				
71F(P/C) (N5)	400																					3Z	78	78	78				
71F(P/C) (N8)	400																					3Z	78	3Z	78				
71F(P/C) (N13)	400																					78	78	78	78				
71F(exc.P/C) (N5)	429																					5A	6B	5A	6B				
71F(exc.P/C) (N7)	429																					5A	6B	6B	6C				
71F(exc.P/C) (N10)	429																					8A	6B	6B	8B				
71F(P/C) (N5)	429 ⊿																					78	78	78	78				
71F(P/C) (N8)	429 ⊿																					78	78	78	81				
71F(P/C) (N13)	429 ⊿																					78	81	81	81				
71F(P/C) (N5)	429 ⊙																					78	78	78	78				
71F(P/C) (N8)	429 ⊙																					78	78	78	81				
71F(P/C) (N13)	429 ⊙																					78	81	81	81				
71H (N5)	351-C													4Z	5A	4Z	5A												
71H (N7)	351-C													94	4Z	4Z	5A												
71H (N10)	351-C													94	4Z	4Z	8A												
71H (N5)	351-W													4Z	5A	4Z	5A	94	4Z	4Z	5A								
71H (N7)	351-W													94	4Z	94	5A	94	4Z	94	4Z								
71H (N10)	351-W													94	4Z	94	8A	94	4Z	94	4Z								
71H (N5)	400																					5A	6B	5A	6B				
71H (N7)	400																					4Z	5A	4Z	6B				
71H (N10)	400																					4Z	8A	4Z	6B				
71H (N9)	429																					5A	6B	6B	6C				
71H (N10)	429																					8A	6B	6B	8B				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

⊿ 4B-exc. Police Interceptor ⊙ 4B-Police Interceptor

(N5) "Before 10/18/71" (N8) "From 10/18/71 to 1/3/72" (N10) "From 11/15/71"

(N7) "From 10/18/71 to 11/15/71" (N9) "Before 11/15/71" (N12) "Before 1/3/72"

(N13) "From 1/3/72"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued **1972 "A" (FORD) -- STANDARD SPRINGS - continued**

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
76H (N9)	351-C													4Z	6B	5A	6B												
76H (N10)	351-C													4Z	6B	8A	6B												
76H (N9)	351-W													4Z	5A	5A	6B	4Z	5A	4Z	6B								
76H (N10)	351-W													4Z	8A	8A	6B	4Z	8A	4Z	6B								
76H (N5)	400																					5A	6C	6B	6C				
76H (N7)	400																					5A	6B	5A	6C				
76H (N10)	400																					8A	6B	8A	8B				
76H (N5)	429																					6B	6C	6B	4B				
76H (N7)	429																					6B	6C	6C	4B				
76H (N10)	429																					6B	8B	8B	4B				

1972 "A" (FORD) -- HEAVY DUTY SPRINGS

53H	351-C													1E	1F	1E	1F												
53H	351-W													1E	1F	1E	1F	1E	1F	1E	1F								
53H	400																					1F	1G	1F	1G				
53H (N5)	429																					1F	1G	1G	1H				
53H (N6)	429																					1G	1G	1G	1H				
53K (N9)	351-C													1F	1G	1F	1G												
53K (N10)	351-C													1E	1F	1E	1F												
53K (N5)	351-W													1E	1F	1F	1G	1E	1F	1E	1F								
53K (N6)	351-W													1E	1F	1E	1F	1D	1F	1E	1F								
53K (N5)	400																					1F	1G	1G	1H				
53K (N6)	400																					1E	1F	1F	1G				
53K (N5)	429																					1G	1H	1G	1H				
53K (N6)	429																					1F	1G	1G	1H				
54B (N5)	240													1C	1D	1D	1E												
54B (N6)	240													1C	1D	1C	1D	1B	1D	1C	1D								
54B (N5)	302													1D	1E	1D	1E	1C	1E	1D	1E								
54B (N6)	302													1C	1D	1C	1E	1C	1D	1C	1D								
54B (exc. P/C) (N5)	351-C													1D	1F	1D	1F												
54B (exc. P/C) (N6)	351-C													1D	1E	1D	1E												
54B (exc. P/C) (N5)	351-W													1D	1F	1E	1F	1D	1E	1E	1F								
54B (exc. P/C) (N6)	351-W													1D	1E	1D	1E	1D	1E	1D	1E								
54B (exc. P/C) (N5)	400																					1F	1G	1F	1G				
54B (exc. P/C) (N6)	400																					1E	1F	1E	1F				
54B (exc. P/C) (N5)	429																					1F	1G	1F	1G				
54B (exc. P/C) (N6)	429																					1F	1G	1F	1G				

▲ Refef to Page 1 Section 53 to translate Code Number into Service Part Number.

(N5) "Before 10/18/71" (N7) "From 10/18/71 to 11/15/71" (N10) "From 11/15/71"

(N6) "From 10/18/71" (N9) "Before 11/15/71"

5310 - continued 1972 "A" (FORD) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54D (N5)	240													1C	1E	1D	1E												
54D (N6)	240													1C	1D	1C	1D	1B	1D	1C	1D								
54D (N5)	302													1D	1E	1D	1E	1C	1E	1D	1E								
54D (N6)	302													1C	1D	1C	1E	1C	1D	1C	1D								
54D(exc.P/C) (N5)	351-C													1D	1F	1D	1F												
54D(exc.P/C) (N6)	351-C													1D	1E	1D	1F												
54D(exc.P/C) (N5)	351-W													1D	1F	1E	1F	1D	1E	1E	1F								
54D(exc.P/C) (N6)	351-W													1D	1E	1D	1E	1D	1E	1D	1E								
54D(exc.P/C) (N5)	400																					1F	1G	1F	1G				
54D(exc.P/C) (N6)	400																					1E	1F	1E	1F				
54D(exc.P/C)	429																					1F	1G	1F	1G				
54F (N5)	240													1C	1E	1D	1E												
54F (N6)	240													1C	1D	1D	1E	1C	1D	1C	1D								
54F (N5)	302													1D	1E	1D	1E	1C	1E	1D	1E								
54F (N6)	302													1D	1E	1D	1E	1C	1D	1D	1E								
54F(exc.P/C) (N5)	351-C													1D	1F	1D	1F												
54F(exc.P/C) (N6)	351-C													1E	1F	1E	1F												
54F(exc.P/C) (N5)	351-W													1D	1F	1E	1F	1D	1E	1E	1F								
54F(exc.P/C) (N6)	351-W													1D	1E	1E	1F	1D	1E	1D	1F								
54F(exc.P/C) (N5)	400																					1F	1G	1F	1G				
54F(exc.P/C) (N6)	400																					1E	1F	1E	1F				
54F(exc.P/C) (N5)	429																					1F	1G	1F	1G				
54F(exc.P/C) (N7)	429																					1G	1H	1G	1H				
54F(exc.P/C) (N10)	429																					1F	1G	1F	1G				
57F (N5)	240													1D	1E	1D	1E												
57F (N6)	240													1C	1D	1D	1E	1C	1D	1C	1E								
57F (N5)	302													1D	1E	1D	1E	1D	1E	1D	1E								
57F (N6)	302													1D	1E	1D	1E	1C	1E	1D	1E								
57F(exc.P/C)	351-C													1E	1F	1E	1F												
57F(exc.P/C) (N5)	351-W													1E	1F	1E	1F	1E	1F	1E	1F								
57F(exc.P/C) (N6)	351-W													1D	1F	1E	1F	1D	1E	1E	1F								

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.
(N5) "Before 10/18/71" (N6) "From 10/18/71" (N7) "From 10/18/71 to 11/15/71" (N10) "From 11/15/71"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1972 "A" (FORD) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
57F(exc.P/C) (N5)	400																					1F	1G	1F	1G				
57F(exc.P/C) (N6)	400																					1E	1F	1F	1G				
57F(exc.P/C)	429																					1F	1G	1G	1H				
57H (N5)	351-C													1D	1E	1E	1F												
57H (N6)	351-C													1E	1F	1E	1F												
57H (N5)	351-W													1D	1E	1E	1F	1D	1E	1D	1E								
57H (N6)	351-W													1E	1F	1E	1F	1D	1F	1E	1F								
57H	400																					1E	1F	1F	1G				
57H (N5)	429																					1F	1G	1F	1G				
57H (N6)	429																					1F	1G	1G	1H				
57K	351-C													1E	1F	1E	1F												
57K (N5)	351-W													1E	1F	1E	1F	1D	1E	1E	1F								
57K (N6)	351-W													1E	1F	1E	1F	1D	1F	1E	1F								
57K (N5)	400																					1F	1G	1F	1G				
57K (N6)	400																					1E	1F	1F	1G				
57K (N5)	429																					1F	1G	1F	1G				
57K (N6)	429																					1G	1G	1G	1H				
65D (N5)	240													1C	1E	1D	1E												
65D (N6)	240													1D	1E	1D	1E	1C	1D	1D	1E								
65D	302													1D	1E	1D	1E	1D	1E	1D	1E								
65D (N5)	351-C													1D	1F	1D	1F												
65D (N6)	351-C													1E	1F	1E	1F												
65D	351-W													1E	1F	1E	1F	1D	1E	1E	1F								
65D (N5)	400																					1F	1G	1F	1G				
65D (N6)	400																					1E	1F	1F	1G				
65D (N5)	429																					1F	1G	1F	1G				
65D (N6)	429																					1F	1G	1G	1H				
65F (N5)	240													1C	1E	1D	1E												
65F (N6)	240													1C	1E	1D	1E	1C	1D	1D	1E								
65F	302													1D	1E	1D	1E	1D	1E	1D	1E								
65F(exc.P/C) (N5)	351-C													1D	1F	1D	1F												
65F(exc.P/C) (N6)	351-C													1E	1F	1E	1F												
65F(exc.P/C)	351-W													1E	1F	1E	1F	1D	1E	1E	1F								
65F(exc.P/C) (N5)	400																					1F	1G	1F	1G				
65F(exc.P/C) (N6)	400																					1E	1F	1F	1G				
65F(exc.P/C) (N5)	429																					1F	1G	1F	1G				
65F(exc.P/C) (N6)	429																					1F	1G	1G	1H				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

(N5) "Before 10/18/71" (N6) "From 10/18/71"

5310 - continued 1972 "A" (FORD) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
65H (N5)	351-C													1D	1F	1F	1G												
65H (N6)	351-C													1E	1F	1E	1F												
65H (N5)	351-W													1E	1F	1E	1F	1E	1F	1E	1F								
65H (N6)	351-W													1E	1F	1E	1F	1D	1E	1E	1F								
65H (N5)	400																					1F	1G	1F	1G				
65H (N6)	400																					1E	1F	1F	1G				
65H	429																					1F	1G	1G	1H				
65K (N5)	351-C													1F	1G	1F	1G												
65K (N6)	351-C													1E	1F	1E	1F												
65K (N5)	351-W													1E	1F	1F	1G	1E	1F	1E	1F								
65K (N6)	351-W													1E	1F	1E	1F	1D	1F	1E	1F								
65K (N5)	400																					1F	1G	1G	1H				
65K (N6)	400																					1E	1F	1F	1G				
65K (N5)	429																					1G	1H	1G	1H				
65K (N7)	429																					1F	1G	1G	1H				
65K (N10)	429																					1G	1G	1G	1H				
71B	302													1B	1C	1B	1D	1B	1C	1B	1C								
71B (exc. P/C)	351-C													1C	1D	1C	1E												
71B (exc. P/C)	351-W													1C	1D	1C	1D	1C	1D	1C	1D								
71B (exc. P/C)	400																					1D	1E	1D	1E				
71B (exc. P/C) (N5)	429																					1D	1F	1E	1F				
71B (exc. P/C) (N6)	429																					1E	1F	1E	1F				
71D	302													1B	1C	1C	1D	1B	1C	1B	1C								
71D (exc. P/C)	351-C													1C	1D	1D	1E												
71D (exc. P/C)	351-W													1C	1D	1C	1D	1C	1D	1C	1D								
71D (exc. P/C) (N5)	400																					1D	1E	1E	1F				
71D (exc. P/C) (N6)	400																					1D	1E	1D	1E				
71D (exc. P/C)	429																					1E	1F	1E	1F				
71F	302													1B	1C	1C	1D	1B	1C	1B	1D								
71F (exc. P/C)	351-C													1C	1D	1D	1E												
71F (exc. P/C)	351-W													1C	1D	1C	1E	1C	1D	1C	1D								
71F (exc. P/C) (N5)	400																					1D	1E	1E	1F				
71F (exc. P/C) (N6)	400																					1D	1E	1D	1E				
71F (exc. P/C)	429																					1E	1F	1E	1F				
71H (N5)	351-C													1D	1E	1D	1E												
71H (N6)	351-C													1C	1D	1D	1E												
71H (N5)	351-W													1D	1E	1D	1E	1C	1D	1D	1E								
71H (N6)	351-W													1C	1D	1C	1E	1C	1D	1C	1D								
71H (N5)	400																					1D	1F	1E	1F				
71H (N6)	400																					1D	1E	1D	1E				
71H	429																					1E	1F	1E	1F				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.
(N5) "Before 10/18/71" (N6) "From 10/18/71" (N7) "From 10/18/71 to 11/15/71" (N10) "From 11/15/71"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5310 - continued 1972 "A" (FORD) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS. →	3/S				4/S				O/D				C/M				C4				C6							
	OPT. IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
76H(N5)	351-C													1D	1F	1F	1G												
76H(N6)	351-C													1E	1F	1F	1G												
76H	351-W													1E	1F	1E	1F	1E	1F	1E	1F								
76H	400																					1F	1G	1F	1G				
76H	429																					1G	1H	1G	1H				
		1972 "B" (TORINO - EXCEPT POLICE & TAXI) -- STANDARD SPRINGS																											
53B	250	7R	91	7R	92													7R	91	7R	92								
53B	302	91	92	91	7S									91	7S	92	7S	91	92	91	7S								
53B(N9)	351-C																	92	7S	7S	94								
53B(N10)	351-C													7S	94	7S	94	92	94	7S	94	7S	94	7S	94				
53B	351-W													92	94	7S	94	92	7S	92	94	92	94	7S	94				
53B	351 #					7S	94	7S	4Z													7S	94	7S	4Z				
53B(N9)	400																					7S	4Z	94	4Z				
53B(N10)	400																					7S	94	94	4Z				
53B(N9)	429																					94	4Z	94	5A				
53B(N10)	429																					94	4Z	94	8A				
53D	250	7R	91	7R	92													7R	91	7R	92								
53D	302	91	92	91	7S									91	7S	92	7S	91	92	91	7S								
53D	351-C													7S	94	7S	94	92	94	7S	94	7S	94	7S	4Z				
53D	351-W													92	94	7S	94	92	7S	7S	94	7S	94	7S	94				
53D(N9)	400																					94	4Z	94	4Z				
53D(N10)	400																					7S	4Z	94	4Z				
53D(N9)	429																					94	4Z	4Z	5A				
53D(N10)	429																					94	4Z	4Z	8A				
63R	302	91	92	91	92									91	92	91	7S	91	92	91	92								
63R(N9)	351-C																	92	7S	92	94								
63R(N16)	351-C													92	94	7S	94	92	7S	7S	94	7S	94	7S	94				
63R(N17)	351-C													92	94	7S	94	92	7S	7S	94	92	94	7S	94				
63R	351-W													92	7S	7S	94	92	7S	92	94	92	94	7S	94				
63R(N9)	351 #					7S	94	7S	4Z													7S	94	7S	4Z				
63R(N10)	351 #					7S	94	7S	4Z													7S	94	7S	94				
63R(N9)	400																					7S	4Z	94	4Z				
63R(N10)	400																					7S	94	7S	4Z				
63R(N9)	429																					94	4Z	94	5A				
63R(N10)	429																					94	4Z	94	4Z				
65B(N9)	250	7W	91	7R	91													7W	91	7R	91								
65B(N10)	250	7W	7R	7W	91													7W	7R	7W	91								
65B(N9)	302	7R	92	91	92													7R	92	91	92								
65B(N10)	302	7R	91	7R	92									7R	92	91	92	7R	91	7R	92								
65B(N9)	351-C																	92	7S	92	94								
65B(N10)	351-C													92	7S	92	94	91	7S	92	7S	92	7S	92	94				
65B	351-W													91	7S	92	7S	91	7S	92	7S	92	7S	92	7S				
65B(N9)	351 #					7S	94	7S	94													7S	94	7S	94				
65B(N10)	351 #					92	7S	7S	94													92	7S	92	94				
65B(N9)	400																					7S	94	94	4Z				
65B(N10)	400																					92	94	7S	94				
65B(N9)	429																					94	4Z	94	4Z				
65B(N10)	429																					7S	94	94	4Z				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number. # 4B - CJ

(N5) "Before 10/18/71" (N6) "From 10/18/71" (N9) "Before 11/15/71" (N10) "From 11/15/71" (N16) "From 11/15/71 to 3/1/72" (N17) "From 3/1/72"

5310 - continued 1972 "B" (TORINO - EXCEPT POLICE & TAXI) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
65D (N9)	250	7W	91	7R	91													7W	91	7R	91								
65D (N10)	250	7R	91	7R	91													7R	91	7R	91								
65D (N9)	302	7R	92	91	92													7R	92	91	92								
65D (N10)	302	91	92	91	7S									91	7S	92	7S	91	92	91	7S								
65D (N9)	351-C																	92	7S	92	94								
65D (N10)	351-C													92	94	7S	94	92	94	7S	94	7S	94	7S	94				
65D	351-W													92	94	7S	94	92	7S	92	94	92	94	7S	94				
65D (N9)	351 #					7S	94	7S	94													7S	94	7S	94				
65D (N10)	351 #					7S	94	7S	4Z													7S	94	7S	4Z				
65D (N9)	400																					7S	94	94	4Z				
65D (N10)	400																					7S	94	7S	4Z				
65D (N9)	429																					94	4Z	94	4Z				
65D (N10)	429																					94	4Z	94	8A				
65R	302	91	92	91	7S									91	7S	92	7S	91	92	91	7S								
65R (N9)	351-C																	92	7S	92	94								
65R (N16)	351-C													7S	94	7S	94	92	94	7S	94	7S	94	7S	4Z				
65R (N17)	351-C													7S	94	7S	94	92	94	7S	94	7S	94	7S	94				
65R	351-W													92	94	7S	94	92	7S	7S	94	7S	94	7S	94				
65R (N9)	351 #					7S	94	7S	4Z													7S	94	7S	4Z				
65R (N10)	351 #					7S	94	94	4Z													7S	94	7S	4Z				
65R (N9)	400																					7S	4Z	94	4Z				
65R (N10)	400																					7S	94	94	4Z				
65R (N9)	429																					94	4Z	94	5A				
65R (N10)	429																					94	4Z	4Z	8A				
71B (N9)	250	7R	91	7R	92													7R	91	7R	92								
71B (N10)	250	7W	91	7R	91													7W	91	7R	91								
71B (N9)	302	91	92	91	7S													91	92	92	7S								
71B (N10)	302	7R	92	91	92													7R	92	91	92								
71B (N9)	351-C																	92	92	7S	92								
71B (N10)	351-C													92	94	7S	94	92	7S	92	94	92	94	7S	94				
71B	351-W																	92	7S	92	7S								
71B (N9)	400																					92	4Z	92	4Z				
71B (N10)	400																					7S	94	7S	94				
71B (N9)	429																					94	5A	4Z	5A				
71B (N10)	429																					94	4Z	94	4Z				
71D (N9)	250	7R	91	7R	92													7R	91	7R	92								
71D (N10)	250	7R	91	7R	91													7R	91	7R	91								
71D (N9)	302	91	92	92	7S													91	92	92	7S								
71D (N10)	302	91	92	91	92													91	92	91	92								
71D (N9)	351-C																	92	92	7S	92								
71D (N10)	351-C													92	94	7S	94	92	7S	7S	94	7S	94	7S	94				
71D	351-W																	92	7S	92	94								
71D (N9)	400																					92	4Z	92	4Z				
71D (N10)	400																					7S	94	7S	4Z				
71D (N9)	429																					94	5A	4Z	5A				
71D (N10)	429																					94	4Z	94	8A				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number. # 4B - CJ

(N9) "Before 11/15/71" (N10) "From 11/15/71" (N16) "From 11/15/71 to 3/1/72" (N17) "From 3/1/72"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1972 "B" (TORINO - EXCEPT POLICE & TAXI) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
71K(N9)	302	91	7S	92	7S													91	7S	92	7S								
71K(N10)	302	91	92	91	7S													91	92	91	7S								
71K(N9)	351-C																	7S	92	7S	92								
71K(N16)	351-C													7S	94	7S	94	92	94	7S	94	7S	94	7S	4Z				
71K(N17)	351-C													7S	94	7S	94	92	94	7S	94	7S	94	7S	94				
71K	351-W																	92	7S	7S	94								
71K(N9)	400																					92	4Z	92	5A				
71K(N10)	400																					7S	94	94	4Z				
71K(N9)	429																					4Z	5A	4Z	5A				
71K(N10)	429																					94	4Z	4Z	8A				
97D(N9)	250	7R	91	91	92													7R	91	91	92								
97D(N28)	250	7R	91	7R	91													7R	91	7R	91								
97D(N29)	250	7R	92	91	92													91	92	91	92								
97D(N9)	302	91	7S	92	7S													91	7S	92	7S								
97D(N28)	302	91	92	91	7S													91	92	91	7S								
97D(N29)	302	92	7S	92	7S													92	7S	92	7S								
97D(N30)	351-C													92	94	7S	94	92	94	7S	94	7S	94	7S	94				
97D(N29)	351-C													7S	4Z	94	4Z	7S	94	7S	4Z	7S	4Z	94	4Z				
97D(N9)	351 #					7S	4Z	94	4Z													7S	4Z	94	4Z				
97D(N28)	351 #					7S	94	7S	4Z													7S	94	7S	94				
97D(N29)	351 #					94	4Z	94	4Z													94	4Z	94	4Z				
97D(N9)	400																					94	4Z	94	4Z				
97D(N28)	400																					7S	94	7S	4Z				
97D(N29)	400																					94	4Z	94	4Z				
97D(N9)	429																					94	5A	4Z	5A				
97D(N28)	429																					94	4Z	94	8A				
97D(N29)	429																					4Z	8A	4Z	8A				
97K(N9)	250	7R	92	91	92													7R	92	91	92								
97K(N28)	250	7R	91	7R	92													7R	91	7R	92								
97K(N29)	250	91	92	91	92													91	92	91	7S								
97K(N9)	302	91	7S	92	7S													91	7S	92	7S								
97K(N28)	302	91	92	91	7S													91	92	91	7S								
97K(N29)	302	92	7S	92	7S													92	7S	92	94								
97K(N9)	351-C																	92	94	7S	94								
97K(N16)	351-C													7S	94	7S	94	92	94	7S	94	7S	94	7S	4Z				
97K(N31)	351-C													7S	94	7S	94	92	94	7S	94	7S	94	7S	94				
97K(N29)	351-C													7S	4Z	94	4Z	7S	94	94	4Z	94	4Z	94	4Z				
97K(N9)	351 #					7S	4Z	94	4Z													7S	4Z	94	4Z				
97K(N28)	351 #					7S	94	7S	4Z													7S	94	7S	4Z				
97K(N29)	351 #					94	4Z	94	8A													94	4Z	94	4Z				
97K(N9)	400																					94	4Z	94	5A				
97K(N28)	400																					7S	94	94	4Z				
97K(N29)	400																					94	4Z	94	8A				
97K(N9)	429																					4Z	5A	4Z	5A				
97K(N28)	429																					94	4Z	94	8A				
97K(N29)	429																					4Z	8A	4Z	6B				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

(N9) "Before 11/15/71"
(N10) "From 11/15/71"
(N16) "From 11/15/71 to 3/1/72"
(N17) "From 3/1/72"
(N28) "From 11/15/71 to 7/17/72"
(N29) "From 7/17/72"
(N30) "Before 7/17/72"
(N31) "From 3/1/72 to 7/17/72"

4B - CJ

5310 - continued 1972 "B" (TORINO - EXCEPT POLICE & TAXI) -- STANDARD SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
97R(N9)	302	91	7S	92	7S													91	7S	92	7S								
97R(N28)	302	91	92	91	7S													91	92	91	7S								
97R(N29)	302	92	7S	92	7S													92	7S	92	7S								
97R(N9)	351-C																	92	94	7S	94								
97R(N28)	351-C													92	94	7S	94	92	94	7S	94	7S	94	7S	94				
97R(N29)	351-C													7S	4Z	94	4Z	7S	94	7S	4Z	7S	4Z	94	4Z				
97R(N9)	351 #					94	4Z	94	4Z													94	4Z	94	4Z				
97R(N28)	351 #					7S	94	7S	4Z													7S	94	7S	4Z				
97R(N29)	351 #					94	4Z	94	4Z													94	4Z	94	4Z				
97R(N9)	400																					94	4Z	94	5A				
97R(N28)	400																					7S	94	7S	4Z				
97R(N29)	400																					94	4Z	94	8A				
97R(N9)	429																					4Z	5A	4Z	5A				
97R(N28)	429																					94	4Z	94	8A				
97R(N29)	429																					4Z	8A	4Z	8A				

1972 "B" (TORINO - EXCEPT POLICE & TAXI) -- HEAVY DUTY SPRINGS

53B	250	91	92	91	92													91	92	91	7S								
53B	302	92	7S	92	7S									92	7S	7S	94	92	7S	92	94								
53B(N9)	351-C																	7S	94	7S	4Z								
53B(N10)	351-C													7S	4Z	94	4Z	7S	94	94	4Z	94	4Z	94	4Z				
53B	351-W													7S	94	94	4Z	7S	94	7S	4Z	7S	4Z	94	4Z				
53B △(N9)	351 #					3X	3Y	3X	3Y													3X	3Y	3X	3Y				
53B △(N10)	351 #					7Y	7T	7Y	7T													7Y	7T	7Y	7T				
53B(N9)	400																					94	4Z	4Z	5A				
53B(N10)	400																					94	4Z	94	8A				
53B♦(N9)	429																					4Z	5A	4Z	6B				
53B♦(N10)	429																					4Z	8A	4Z	6B				
53B △(N9)	429																					3X	3Y	3Y	3Y				
53B △(N10)	429																					7Y	7T	7T	7X				
53D	250	91	92	91	7S													91	92	91	7S								
53D	302	92	7S	92	94									92	94	7S	94	92	7S	92	94								
53D(N9)	351-C																	7S	94	94	4Z								
53D(N10)	351-C													94	4Z	94	4Z	7S	4Z	94	4Z	94	4Z	94	4Z				
53D	351-W													7S	4Z	94	4Z	7S	94	94	4Z	7S	4Z	94	4Z				
53D △(N9)	351 #					3X	3Y	3X	3Y													3X	3Y	3X	3Y				
53D △(N10)	351 #					7Y	7T	7Y	7T													7Y	7T	7Y	7T				
53D(N9)	400																					94	5A	4Z	5A				
53D(N10)	400																					94	4Z	4Z	8A				
53D♦(N9)	429																					4Z	5A	4Z	6B				
53D♦(N10)	429																					4Z	8A	4Z	6B				
53D △(N9)	429																					3Y	3Y	3Y	3Y				
53D △(N10)	429																					7T	7T	7T	7X				
63R(N9)	302	91	7S	92	7S													91	7S	92	7S								
63R(N10)	302	92	7S	92	7S									92	7S	92	94	92	7S	92	7S								
63R(N9)	351-C																	7S	94	7S	94								
63R(N16)	351-C													7S	4Z	94	4Z	7S	94	7S	4Z	94	4Z	94	4Z				
63R(N17)	351-C													7S	4Z	94	4Z	7S	94	7S	4Z	7S	4Z	94	4Z				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

♦ W/o competition susp. △ W/competition susp. # 4B - CJ

(N9) "Before 11/15/71" (N16) "From 11/15/71 to 3/1/72" (N28) "From 11/15/71 to 7/17/72"

(N10) "From 11/15/71" (N17) "From 3/1/72" (N29) "From 7/17/72"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5310 - continued 1972 "B" (TORINO - EXCEPT POLICE & TAXI) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
63R	351-W													7S	94	7S	4Z	7S	94	7S	94	7S	94	94	4Z				
63R ♦	351 #					94	4Z	94	4Z													94	4Z	94	4Z				
63R △(N9)	351 #					3W	3X	3X	3Y													3W	3X	3X	3Y				
63R △(N10)	351 #					7Y	7Y	7Y	7T													7Y	7Y	7Y	7T				
63R(N9)	400																					94	4Z	94	5A				
63R(N10)	400																					94	4Z	94	4Z				
63R ♦ (N9)	429																					4Z	5A	4Z	5A				
63R ♦ (N10)	429																					4Z	8A	4Z	8A				
63R △(N9)	429																					3X	3Y	3Y	3Y				
63R △(N10)	429																					7Y	7T	7T	7X				
65B(N9)	250	7R	92	91	92													7R	92	91	92								
65B(N10)	250	7R	91	7R	92													7R	91	7R	92								
65B(N9)	302	91	7S	92	7S													91	7S	92	7S								
65B(N10)	302	91	92	91	7S									91	7S	92	7S	91	92	91	7S								
65B(N9)	351-C																	7S	94	7S	94								
65B(N16)	351-C													7S	94	7S	94	92	94	7S	94	7S	94	7S	4Z				
65B(N17)	351-C													7S	94	7S	94	92	94	7S	94	7S	94	7S	94				
65B	351-W													92	94	7S	94	92	7S	7S	94	7S	94	7S	94				
65B ♦ (N9)	351 #					7S	4Z	94	4Z													7S	4Z	94	4Z				
65B ♦ (N10)	351 #					7S	94	94	4Z													7S	94	7S	4Z				
65B △(N9)	351 #					3W	3X	3X	3Y													3W	3X	3X	3Y				
65B △(N10)	351 #					3X	7Y	7Y	7Y													3X	7Y	3X	7Y				
65B(N9)	400																					94	4Z	94	5A				
65B(N10)	400																					7S	94	94	4Z				
65B ♦ (N9)	429																					94	5A	4Z	5A				
65B ♦ (N10)	429																					94	4Z	4Z	8A				
65B △(N9)	429																					3X	3Y	3X	3Y				
65B △(N10)	429																					7Y	7T	7Y	7T				
65D(N9)	250	7R	92	91	92													7R	92	91	92								
65D(N10)	250	91	92	91	92													91	92	91	92								
65D(N9)	302	91	7S	92	7S													91	7S	92	7S								
65D(N10)	302	92	7S	92	7S									92	7S	7S	94	92	7S	92	7S								
65D(N9)	351-C																	7S	94	7S	94								
65D(N10)	351-C													7S	4Z	94	4Z	7S	94	94	4Z	94	4Z	94	4Z				
65D	351-W													7S	94	94	4Z	7S	94	7S	4Z	7S	4Z	94	4Z				
65D ♦	351 #					94	4Z	94	4Z													94	4Z	94	4Z				
65D △(N9)	351 #					3W	3X	3X	3Y													3W	3X	3X	3Y				
65D △(N10)	351 #					7Y	7T	7Y	7T													7Y	7Y	7Y	7T				
65D(N9)	400																					94	4Z	94	5A				
65D(N10)	400																					94	4Z	94	8A				
65D ♦ (N9)	429																					4Z	5A	4Z	5A				
65D ♦ (N10)	429																					4Z	8A	4Z	8A				
65D △(N9)	429																					3X	3Y	3X	3Y				
65D △(N10)	429																					7Y	7T	7T	7X				
65R(N9)	302	92	7S	92	7S													92	7S	92	7S								
65R(N10)	302	92	7S	92	94									92	94	7S	94	92	7S	92	94								
65R(N9)	351-C																	7S	94	7S	4Z								
65R(N10)	351-C													94	4Z	94	4Z	7S	4Z	94	4Z	94	4Z	94	4Z				
65R	351-W													7S	4Z	94	4Z	7S	94	7S	4Z	7S	4Z	94	4Z				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.
♦ W/o competition susp. △ W/competition susp. # 4B - CJ
(N9) "Before 11/15/71" (N10) "From 11/15/71" (N16) "From 11/15/71 to 3/1/72" (N17) "From 3/1/72"

5310 - continued 1972 "B" (TORINO - EXCEPT POLICE & TAXI) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
65R♦ (N9)	351 #					94	4Z	94	4Z													94	4Z	94	4Z				
65R♦ (N10)	351 #					94	4Z	94	8A													94	4Z	94	8A				
65R Δ (N9)	351 #					3X	3Y	3X	3Y													3X	3Y	3X	3Y				
65R Δ (N10)	351 #					7Y	7T	7Y	7T													7Y	7T	7Y	7T				
65R (N9)	400																					94	4Z	4Z	5A				
65R (N10)	400																					94	4Z	4Z	8A				
65R♦ (N9)	429																					4Z	5A	4Z	5A				
65R♦ (N10)	429																					4Z	8A	4Z	6B				
65R Δ (N9)	429																					3X	3Y	3Y	3Y				
65R Δ (N10)	429																					7Y	7T	7T	7X				
71B (N9)	250	91	92	91	7S													91	92	91	7S								
71B (N10)	250	7R	92	91	92													7R	92	91	92								
71B (N9)	302	92	7S	92	94													92	7S	92	94								
71B (N10)	302	91	7S	92	7S													91	7S	92	7S								
71B (N9)	351-C																	7S	94	94	4Z								
71B (N10)	351-C													7S	94	94	4Z	7S	94	7S	4Z	7S	4Z	94	4Z				
71B	351-W																	7S	94	7S	94								
71B (N9)	400																					94	5A	4Z	5A				
71B (N10)	400																					94	4Z	94	4Z				
71B (N9)	429																					4Z	5A	4Z	6B				
71B (N10)	429																					4Z	8A	4Z	8A				
71D (N9)	250	91	92	91	7S													91	92	91	7S								
71D (N10)	250	91	92	91	92													91	92	91	92								
71D (N9)	302	92	7S	92	94													92	7S	92	94								
71D (N10)	302	92	7S	92	7S													92	7S	92	7S								
71D (N9)	351-C																	7S	94	94	4Z								
71D (N16)	351-C													7S	4Z	94	4Z	7S	94	7S	4Z	94	4Z	94	4Z				
71D (N17)	351-C													7S	4Z	94	4Z	7S	94	7S	4Z	7S	4Z	94	4Z				
71D	351-W																	7S	94	7S	4Z								
71D (N9)	400																					94	5A	4Z	5A				
71D (N10)	400																					94	4Z	94	8A				
71D (N9)	429																					4Z	5A	4Z	6B				
71D (N10)	429																					4Z	8A	4Z	8A				
71K (N9)	302	92	94	7S	94													92	94	7S	94								
71K (N10)	302	92	7S	92	94													92	7S	92	94								
71K	351-C													94	4Z	94	4Z	7S	4Z	94	4Z	94	4Z	94	4Z				
71K	351-W																	7S	94	7S	4Z								
71K (N9)	400																					4Z	5A	4Z	5A				
71K (N10)	400																					94	4Z	4Z	8A				
71K (N9)	429																					4Z	6B	5A	6B				
71K (N10)	429																					4Z	8A	4Z	6B				
97D Δ (N9)	250	7R	91	91	92													7R	91	91	92								
97D Δ (N28)	250	7R	91	7R	91													7R	91	7R	91								
97D Δ (N29)	250	7R	92	91	92													7R	92	91	92								
97D♦ (N29)	250	91	92	91	7S													91	92	91	7S								
97D Δ (N9)	302	91	7S	92	7S													91	7S	92	7S								
97D Δ (N28)	302	91	92	91	7S													91	92	91	7S								
97D Δ (N29)	302	91	7S	92	7S													91	7S	92	7S								
97D♦ (N29)	302	92	7S	92	94													92	7S	92	94								

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

♦ W/o competition susp.
(N9) "Before 11/15/71"
(N10) "From 11/15/71"

Δ W/competition susp.
(N16) "From 11/15/71 to 3/1/72"
(N17) "From 3/1/72"

4B - CJ
(N28) "From 11/15/71 to 7/17/72"
(N29) "From 7/17/72"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1972 "B" (TORINO - EXCEPT POLICE & TAXI) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
97D △ (N30)	351-C													92	94	7S	94	92	94	7S	94	7S	94	7S	94				
97D △ (N29)	351-C													7S	94	94	4Z	7S	94	7S	4Z	7S	4Z	94	4Z				
97D ♦ (N29)	351-C													7S	4Z	94	4Z	7S	94	94	4Z	94	4Z	94	4Z				
97D △ (N9)	351 #					7S	4Z	94	4Z													7S	4Z	94	4Z				
97D △ (N28)	351 #					7S	94	7S	4Z													7S	94	7S	94				
97D △ (N29)	351 #					94	4Z	94	4Z													7S	4Z	94	4Z				
97D ♦ (N29)	351 #					94	4Z	94	8A													94	4Z	94	4Z				
97D △ (N9)	400																					94	4Z	94	4Z				
97D △ (N28)	400																					7S	94	7S	4Z				
97D △ (N29)	400																					94	4Z	94	4Z				
97D ♦ (N29)	400																					94	4Z	94	8A				
97D △ (N9)	429																					94	5A	4Z	5A				
97D △ (N28)	429																					94	4Z	94	8A				
97D △ (N29)	429																					4Z	8A	4Z	8A				
97D ♦ (N29)	429																					4Z	8A	4Z	6B				
97K △ (N9)	250	7R	92	91	92													7R	92	91	92								
97K △ (N28)	250	7R	91	7R	92													7R	91	7R	92								
97K △ (N29)	250	7R	92	91	92													7R	92	91	92								
97K ♦ (N29)	250	91	92	91	7S													91	92	91	7S								
97K △ (N9)	302	91	7S	92	7S													91	7S	92	7S								
97K △ (N28)	302	91	92	91	7S													91	92	91	7S								
97K △ (N29)	302	92	7S	92	7S													92	7S	92	7S								
97K ♦ (N29)	302	92	7S	92	94									94	4Z	94	4Z	92	7S	92	94								
97K △ (N9)	351-C																	7S	94	7S	94								
97K △ (N16)	351-C													7S	94	7S	94	92	94	7S	94	7S	94	7S	4Z				
97K △ (N31)	351-C													7S	94	7S	94	92	94	7S	94	7S	94	7S	94				
97K △ (N29)	351-C													7S	4Z	94	4Z	7S	94	7S	4Z	7S	4Z	94	4Z				
97K ♦ (N29)	351-C													94	4Z	94	4Z	7S	4Z	94	4Z	94	4Z	94	4Z				
97K △ (N9)	351 #					7S	4Z	94	4Z													7S	4Z	94	4Z				
97K △ (N28)	351 #					7S	94	7S	4Z													7S	94	7S	4Z				
97K △ (N29)	351 #					94	4Z	94	4Z													94	4Z	94	4Z				
97K ♦ (N29)	351 #					94	4Z	94	8A													94	4Z	94	8A				
97K △ (N9)	400																					94	4Z	94	5A				
97K △ (N28)	400																					7S	94	94	4Z				
97K △ (N29)	400																					94	4Z	94	4Z				
97K ♦ (N29)	400																					94	4Z	94	8A				
97K △ (N9)	429																					4Z	5A	4Z	5A				
97K △ (N28)	429																					94	4Z	94	8A				
97K △ (N29)	429																					4Z	8A	4Z	8A				
97K ♦ (N29)	429																					4Z	8A	4Z	6B				
97R △ (N9)	302	91	7S	92	7S													91	7S	92	7S								
97R △ (N28)	302	91	92	91	7S													91	92	91	7S								
97R △ (N29)	302	91	7S	92	7S													91	7S	92	7S								
97R ♦ (N29)	302	92	7S	92	94													92	7S	92	94								
97R △ (N9)	351-C																	7S	94	7S	94								
97R △ (N28)	351-C													92	94	7S	94	92	94	7S	94	7S	94	7S	94				
97R △ (N29)	351-C													7S	94	94	4Z	7S	94	7S	4Z	7S	4Z	94	4Z				
97R ♦ (N29)	351-C													94	4Z	94	4Z	7S	4Z	94	4Z	94	4Z	94	4Z				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.
♦ W/o competition system
△ W/competition susp.
4B - CJ
(N9) "Before 11/15/71"
(N16) "From 11/15/71 to 3/1/72"
(N28) "From 11/15/71 to 7/17/72"
(N29) "From 7/17/72"
(N30) "Before 7/17/72"
(N31) "From 3/1/72 to 7/17/72"

5310 - continued 1972 "B" (TORINO - EXCEPT POLICE & TAXI) -- HEAVY DUTY SPRINGS - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
97R △(N9)	351 #					94	4Z	94	4Z													94	4Z	94	4Z				
97R △(N28)	351 #					7S	94	7S	4Z													7S	94	7S	4Z				
97R △(N29)	351 #					94	4Z	94	4Z													7S	4Z	94	4Z				
97R ♦ (N29)	351 #					94	4Z	94	8A													94	4Z	94	4Z				
97R △(N9)	400																					94	4Z	94	5A				
97R △(N28)	400																					7S	94	7S	4Z				
97R △(N29)	400																					94	4Z	94	4Z				
97R ♦ (N29)	400																					94	4Z	94	8A				
97R △(N9)	429																					4Z	5A	4Z	5A				
97R △(N28)	429																					94	4Z	94	8A				
97R △(N29)	429																					4Z	8A	4Z	8A				
97R ♦ (N29)	429																					4Z	8A	4Z	6B				

1972 "B" (TORINO-POLICE) -- HEAVY DUTY SPRINGS

Refer to 1972 (Torino-Police) -- Standard (Heavy Duty) Springs

1972 "B" (TORINO - POLICE & TAXI) -- STANDARD (HEAVY DUTY) SPRINGS

53B	250																	92	7S	92	7S								
53B	302	7S	94	7S	94													7S	94	7S	94								
65B	250																	91	92	91	7S								
65B	302	92	7S	92	94													92	7S	92	94								

1972 "B" (TORINO - POLICE) -- STANDARD (HEAVY DUTY) SPRINGS

53B (N30)	351-C													7T	7X	7T	7X	7T	7X	7T	7X	7T	7X	7X	7X				
53B (N29)	351-C													7T	7X	7T	7X	7T	7X	7T	7X	7T	7X	7T	7X				
53B	351-W																	7T	7X	7T	7X								
53B (N23)	351 #					7X	7X	7X	7X													7X	7X	7X	7X				
53B (N24)	351 #					7T	7X	7X	7X													7T	7X	7X	7X				
53B (N20)	351 #					7T	7X	7X	1M													7T	7X	7X	1M				
53B (N23)	400																					7X	7X	7X	7X				
53B (N24)	400																					7T	7X	7X	7X				
53B (N20)	400																					7T	7X	7X	1M				
53B (N19)	429 ⍲																					7X	7X	7X	7X				
53B (N20)	429 ⍲																					7X	1M	1M	1M				
53B (N19)	429 ⊙																					7X	7X	7X	7X				
53B (N20)	429 ⊙																					7X	1M	1M	1T				
65B (N23)	351-C																	7T	7X	7T	7X								
65B (N25)	351-C													7Y	7T	7T	7X	7Y	7T	7T	7X	7T	7X	7T	7X				
65B	351-W																	7Y	7T	7Y	7T								
65B	351 #					7T	7X	7T	7X													7T	7X	7T	7X				
65B (N19)	400																					7T	7X	7X	7X				
65B (N20)	400																					7T	7X	7T	7X				
65B (N19)	429 ⍲																					7X	7X	7X	7X				
65B (N20)	429 ⍲																					7X	1M	7X	1M				
65B (N19)	429 ⊙																					7X	7X	7X	7X				
65B (N20)	429 ⊙																					7X	1M	7X	1M				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.
△ W/competition suspension
⍲ 4B - exc. Police Interceptor
⊙ 4B - Police Interceptor
4B - CJ
♦ W/o competition suspension
(N9) "Before 11/15/71"
(N19) "Before 2/28/72"
(N20) "From 2/28/72"
(N23) "Before 2/7/72"
(N24) "From 2/7/72 to 2/28/72"
(N25) "From 2/7/72"
(N28) "From 11/15/71 to 7/17/72"
(N29) "From 7/17/72"
(N30) "Before 7/17/72"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5310 - continued 1972 "F" (MUSTANG) -- STANDARD SPRINGS

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
63D (N32)	250	4J	4V	4V	25													4J	25	4V	25								
63D (N33)	250	4V	4V	4V	25													4V	4V	4V	25								
63D (N32)	302	7M	4E	4F	4E									4F	4E	4E	4U	4F	4E	4F	4E								
63D (N33)	302	4V	25	25	4E									25	4E	25	4E	4V	4E	25	4E								
63D (N32)	351-2	4E	4U	4U	4D									4E	4U	4U	4D					4E	4U	4U	4D				
63D (N33)	351-2	4E	4U	4E	4U									4E	4U	4U	4U					4E	4U	4U	4U				
65D (N32)	250	4V	25	4V	25													4V	25	4V	4E								
65D (N33)	250	4V	25	4V	25													4V	25	4V	25								
65D (N32)	302	4F	4E	4F	4E									4F	4E	4E	4U	4F	4E	4E	4E								
65D (N33)	302	25	4E	25	4E									25	4E	4E	4U	25	4E	25	4E								
65D (N32)	351-2	4E	4U	4U	4D									4U	4U	4U	4D					4E	4U	4U	4D				
65D (N33)	351-2	4E	4U	4U	4D									4E	4U	4U	4D					4E	4U	4U	4D				
65F (N32)	250	4V	25	4V	4E													4V	25	25	4E								
65F (N33)	250	4V	25	4V	25													4V	25	4V	25								
65F (N32)	302	4F	4E	4E	4U									4E	4E	4E	4U	4F	4E	4E	4U								
65F (N33)	302	25	4E	25	4E									25	4E	4E	4U	25	4E	25	4E								
65F (N32)	351-2	4E	4U	4U	4D									4U	4D	4U	4D					4U	4D	4U	4D				
65F (N33)	351-2	4E	4U	4U	4D									4U	4U	4U	4D					4U	4U	4U	4D				
76D (N32)	250	4V	25	4V	4E													4V	25	25	4E								
76D (N33)	250	4V	25	4V	25													4V	25	4V	25								
76D (N32)	302	4F	4E	4E	4U									4E	4E	4E	4U	4F	4E	4E	4U								
76D (N33)	302	25	4E	25	4E									25	4E	4E	4U	25	4E	25	4E								
76D	351-2	4E	4U	4U	4D									4U	4D	4U	4D					4U	4D	4U	4D				

1972 "F" (MUSTANG) -- HEAVY DUTY SPRINGS (COMPETITION SUSPENSION)

63D (N32)	302	4K	4L	4K	4L									4K	4L	4L	4L	4K	4L	4L	4L								
63D (N33)	302	4K	4K	4K	4L									4K	4L	4K	4L	4K	4L	4K	4L								
63D (N32)	351-2	4L	4M	4L	4M									4L	4M	4M	4M					4L	4M	4L	4M				
63D (N33)	351-2	4L	4M	4L	4M									4L	4M	4L	4M					4L	4M	4L	4M				
63D (N32)	351 #					4M	1Q	4M	1Q													4M	1Q	4M	1Q				
63D (N33)	351 #					4M	4M	4M	1Q													4M	4M	4M	1Q				
63D (N32)	351 &					4M	4M	4M	1Q																				
63D (N33)	351 &					4L	4M	4M	4M																				
63R (N32)	302	4K	4L	4L	4L									4L	4L	4L	4M	4K	4L	4L	4L								
63R (N33)	302	4K	4L	4K	4L									4K	4L	4L	4M	4K	4L	4K	4L								
63R (N32)	351-2	4L	4M	4M	4M									4L	4M	4M	1Q					4L	4M	4M	1Q				
63R (N33)	351-2	4L	4M	4L	4M									4L	4M	4M	4M					4L	4M	4M	4M				
63R (N32)	351 #					4M	1Q	1Q	1Q													4M	1Q	1Q	1Q				
63R (N33)	351 #					4M	1Q	4M	1Q													4M	1Q	4M	1Q				
63R (N32)	351 &					4M	1Q	4M	1Q																				
63R (N33)	351 &					4M	4M	4M	1Q																				
65D (N32)	302	4K	4L	4K	4L									4K	4L	4L	4M	4K	4L	4L	4L								
65D (N33)	302	4K	4L	4K	4L									4K	4L	4L	4L	4K	4L	4K	4L								
65D (N32)	351-2	4L	4M	4M	4M									4L	4M	4M	4M					4L	4M	4M	4M				
65D (N33)	351-2	4L	4M	4L	4M									4L	4M	4M	4M					4L	4M	4M	4M				
65D	351 #					4M	1Q	4M	1Q													4M	1Q	4M	1Q				
65D (N32)	351 &					4M	1Q	4M	1Q																				
65D (N33)	351 &					4M	4M	4M	1Q																				

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

4B - CJ & 4B - Boss (N32) "Before 6/5/72" (N33) "From 6/5/72"

5310 - continued

1972 "F" (MUSTANG) -- HEAVY DUTY SPRINGS (COMPETITION SUSPENSION) - continued

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	FRONT SPRING CODE NUMBER																											
65F (N32)	302	4K	4L	4L	4L									4L	4L	4L	4M	4K	4L	4L	4L								
65F (N33)	302	4K	4L	4K	4L									4K	4L	4L	4M	4K	4L	4K	4L								
65F (N32)	351-2	4L	4M	4M	4M									4L	4M	4M	1Q					4L	4M	4M	1Q				
65F (N33)	351-2	4L	4M	4L	4M									4L	4M	4M	4M					4L	4M	4M	4M				
65F (N32)	351 #					4M	1Q	1Q	1Q													4M	1Q	1Q	1Q				
65F (N33)	351 #					4M	1Q	4M	1Q													4M	1Q	4M	1Q				
65F (N32)	351 &					4M	1Q	4M	1Q																				
65F (N33)	351 &					4M	4M	4M	1Q																				
76D (N32)	302	4K	4L	4L	4L									4L	4L	4L	4M	4K	4L	4L	4L								
76D (N33)	302	4K	4L	4K	4L									4K	4L	4L	4M	4K	4L	4K	4L								
76D (N32)	351-2	4L	4M	4M	4M									4L	4M	4M	1Q					4L	4M	4M	1Q				
76D (N33)	351-2	4L	4M	4L	4M									4L	4M	4M	4M					4L	4M	4M	4M				
76D (N32)	351 #					4M	1Q	1Q	1Q													4M	1Q	1Q	1Q				
76D (N33)	351 #					4M	1Q	4M	1Q													4M	1Q	4M	1Q				
76D (N32)	351 &					4M	1Q	4M	1Q																				
76D (N33)	351 &					4M	4M	4M	1Q																				

1972 "L" (PINTO) -- STANDARD SPRINGS

62 (N14)	98 1600cc					7G																							
62 (N15)	98 1600cc					8D																							
62 (N14)	122 2000cc					7G	7H											7F	7H										
62 (N15)	122 2000cc					8C	7H											8C	7H										
64 (N14)	98 1600cc					7G																							
64 (N15)	98 1600cc					8D																							
64 (N14)	122 2000cc					7G	7H											7F	7H										
64 (N15)	122 2000cc					8C	7H											8C	7H										
73 (N14)	122 2000cc					7F	7Z											7F	7Z										
73 (N15)	122 2000cc					7G	7H											7F	7H										

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

(N14) - " Before 1/10/72" (N15) - " From 1/10/72"

4B - CJ & 4B - Boss (N32) "Before 6/5/72" (N33) "From 6/5/72"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5310 - continued

1972 "P" (MAVERICK) -- STANDARD SPRINGS

BODY TYPE	TRANS.→	3/S				4/S				O/D				C/M				C4				C6							
	OPT-IONS →		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S		A/C	P/S	A/C & P/S
	ENGINE	▲ FRONT SPRING CODE NUMBER																											
54A	170	6N	6S	6P	6S																								
54A	200	6N	6S	6P	6S													6N	6S	6P	6S								
54A	250																	6P	6T	6S	6T								
54A	302	6T	4V	6R	4V													6T	4V	6R	4V								
62A	170	6M	6N	6M	6P																								
62A	200	6M	6P	6M	6P													6M	6N	6M	6P								
62A	250																	6N	6P	6N	6S								
62A	302	6S	6T	6S	6R													6S	6T	6S	6R								
62D	170	6N	6P	6N	6S																								
62D	200	6N	6S	6N	6S													6N	6S	6N	6S								
62D	250																	6P	6S	6P	6T								
62D	302	6T	6R	6T	4V													6T	6R	6T	4V								

1972 "P" (MAVERICK) -- HEAVY DUTY SPRINGS

54A	170	7C	6Z	7C	7A																								
54A	200	7C	6Z	6Z	7A													7C	6Z	6Z	7A								
54A	250																	6Z	7A	6Z	7A								
54A	302	7A	7P	7B	7P													7A	7P	7B	7P								
62A	170	7D	7C	7D	6Z																								
62A	200	7D	7C	7D	6Z													7D	7C	7D	6Z								
62A	250																	7C	6Z	7C	6Z								
62A	302	6Z	7B	7A	7B													6Z	7B	7A	7B								
62D	170	7C	6Z	7C	6Z																								
62D	200	7C	6Z	7C	7A													7C	6Z	7C	6Z								
62D	250																	6Z	7A	6Z	7A								
62D	302	7A	7B	7A	7P													7A	7B	7A	7P								

1972 "S" (THUNDERBIRD) -- STANDARD SPRINGS

65K	400																					7V	7V						
65K	429																					7V	7U						
65K	460																					7V	7U						

1972 "S" (THUNDERBIRD) -- HEAVY DUTY SPRINGS

65K	400																					1G	1G						
65K	429																					1G	1H						
65K	460																					1G	1H						

1972 "U" (BRONCO) -- STANDARD SPRINGS

97,98	170	6H																											
97,98	302	6J																											

1972 "U" (BRONCO) -- HEAVY DUTY SPRINGS

97,98	All	6G																											

1972 "U" (BRONCO) -- EXTRA HEAVY DUTY SPRINGS

97,98	All	3S																											

▲ Refer to Page 1 Section 53 to translate Code Number into Service Part Number.

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5415 INSULATOR - FRONT SPRING			
65/	A		2	C9AZ 5415-A
65	B		2	C3OZ 5415-A
66/	B		2	C4DZ 5415-A
65/	F,P		2	C4DZ 5415-A
72	L		2	D1FZ 5415-A
65/66	S	Upper	2	C2SZ 5415-C
65/66	S	Lower	2	C3SZ 5415-A
67/71	S	Upper	2	C3SZ 5415-A
72	S		2	C9AZ 5415-A
65/70	X	Upper	2	C1DZ 5415-A
65/70	X	Lower	2	C4DZ 5415-A
	5476 CLAMP - STABILIZER TO SUSPENSION LOWER ARM - OUTER			
65	A(8 cyl.)	With H/D generator	2	B7A 5476-A

5482 BAR ASSY. - FRONT STABILIZER

YEAR	CYL.	C.I.D.	MODEL	STABILIZER BAR TYPE	DIA.	▲IDENT.	QTY	PART NUMBER	INSULATOR QTY	INSULATOR PART NUMBER
			- A -							
65	6	240	A(54,57,62,63)	S	11/16	1P-1G	1	C5AZ 5482-A	2	C5AZ 5493-A
			A(71)	S	13/16	1W	1	C5AZ 5482-B	2	C5AZ 5493-B
			A(76)	S	11/16	1P-1G	1	C5AZ 5482-A	2	C5AZ 5493-A
	8	289	A(54,57,62,63)	S	11/16	1P-1G	1	C5AZ 5482-A	2	C5AZ 5493-A
			A(71)	S	13/16	1W	1	C5AZ 5482-B	2	C5AZ 5493-B
			A(76)	S	11/16	1P-1G	1	C5AZ 5482-A	2	C5AZ 5493-A
	8	352	A(54,57,62,63)	S	11/16	1P-1G	1	C5AZ 5482-A	2	C5AZ 5493-A
			A(71)	S	13/16	1W	1	C5AZ 5482-B	2	C5AZ 5493-B
			A(76)	S	11/16	1P-1G	1	C5AZ 5482-A	2	C5AZ 5493-A
	8	390	A(54,57,62,63)-exc. P/C	S	11/16	1P-1G	1	C5AZ 5482-A	2	C5AZ 5493-A
			A(71)	S	13/16	1W	1	C5AZ 5482-B	2	C5AZ 5493-B
			A(76)-exc. P/C	S	11/16	1P-1G	1	C5AZ 5482-A	2	C5AZ 5493-A
			A(P/C)	S	13/16	1W	1	C5AZ 5482-B	2	C5AZ 5493-B
	8	427	A	S	13/16	1W	1	C5AZ 5482-B	2	C5AZ 5493-B
66/67	6	240	A(54,57,62,63)	S	11/16	1P-1G	1	C5AZ 5482-A	2	C5AZ 5493-A
			A(71)	S	13/16	1W	1	C5AZ 5482-B	2	C5AZ 5493-B
			A(76)	S	11/16	1P-1G	1	C5AZ 5482-A	2	C5AZ 5493-A
	8	289	A(54,57,62,63)	S	11/16	1P-1G	1	C5AZ 5482-A	2	C5AZ 5493-A
			A(71)	S	13/16	1W	1	C5AZ 5482-B	2	C5AZ 5493-B
			A(76)	S	11/16	1P-1G	1	C5AZ 5482-A	2	C5AZ 5493-A
	8	352	A(54,57,62,63)	S	11/16	1P-1G	1	C5AZ 5482-A	2	C5AZ 5493-A
			A(71)	S	13/16	1W	1	C5AZ 5482-B	2	C5AZ 5493-B
			A(76)	S	11/16	1P-1G	1	C5AZ 5482-A	2	C5AZ 5493-A
	8	390	A(54,57,62,63)	S	11/16	1P-1G	1	C5AZ 5482-A	2	C5AZ 5493-A
			A(54,57B,62,63B,71,76A)-NOTE 1	S	13/16	1Or	1	C6AZ 5482-A	2	C5AZ 5493-B
			A(71)	S	13/16	1W	1	C5AZ 5482-B	2	C5AZ 5493-B
			A(76)	S	11/16	1P-1G	1	C5AZ 5482-A	2	C5AZ 5493-A
	8	427	A	S	13/16	1W	1	C5AZ 5482-B	2	C5AZ 5493-B
	8	428	A	S	13/16	1W	1	C5AZ 5482-B	2	C5AZ 5493-B
			A(54,57B,62,63B,71,76A)-NOTE 1	S	13/16	1Or	1	C6AZ 5482-A	2	C5AZ 5493-B
68	6	240	A(54,57,62,63)-exc. P/C	S	3/4	1R	1	C8AZ 5482-A	2	C8AZ 5493-A
			A(71)-exc. P/C	S	13/16	1W	1	C5AZ 5482-B	2	C5AZ 5493-B
			A(76)-exc. P/C	S	3/4	1R	1	C8AZ 5482-A	2	C8AZ 5493-A
			A(exc. P/C)	H/D	13/16	1Or	1	C6AZ 5482-A	2	C5AZ 5493-B
			A(P/C)	S	13/16	1Or	1	C6AZ 5482-A	2	C5AZ 5493-B
	8	302	A(54,57,62,63)-exc. P/C	S	3/4	1R	1	C8AZ 5482-A	2	C8AZ 5493-A
			A(71)-exc. P/C	S	13/16	1W	1	C5AZ 5482-B	2	C5AZ 5493-B
			A(76)-exc. P/C	S	3/4	1R	1	C8AZ 5482-A	2	C8AZ 5493-A
			A(exc. P/C)	H/D	13/16	1Or	1	C6AZ 5482-A	2	C5AZ 5493-B
			A(P/C)	S	13/16	1Or	1	C6AZ 5482-A	2	C5AZ 5493-B
	8	390	A(54,57,62,63)-exc. P/C	S	3/4	1R	1	C8AZ 5482-A	2	C8AZ 5493-A
			A(71)-exc. P/C	S	13/16	1W	1	C5AZ 5482-B	2	C5AZ 5493-B
			A(76)-exc. P/C	S	3/4	1R	1	C8AZ 5482-A	2	C8AZ 5493-A
			A(exc. P/C)	H	13/16	1Or	1	C6AZ 5482-A	2	C5AZ 5493-B
			A(P/C)	S	13/16	1Or	1	C6AZ 5482-A	2	C5AZ 5493-B

NOTE 1 - Use w/high speed ride & handling pkg.-for Police use only

S - Standard

▲ Paint Code Identification G - green Or - orange P - pink R - red W - white

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5482 BAR ASSY. - FRONT STABILIZER - continued

YEAR	CYL	C.I.D.	MODEL	STABILIZER BAR TYPE	DIA.	▲IDENT	QTY	PART NO.	INSULATOR QTY	PART NO.
			- A -							
68	8	428	A(exc. P/C)	S	13/16	1W	1	C5AZ 5482-B	2	C5AZ 5493-B
			A(exc. P/C)	H/D	13/16	1Or	1	C6AZ 5482-A	2	C5AZ 5493-B
			A(P/C)	S	13/16	1Or	1	C6AZ 5482-A	2	C5AZ 5493-B
69	6	240	A(54,57,62)	S	3/4	1V-2W	1	C9AZ 5482-A	2	C9AZ 5493-A
			A(54,57,62)	H/D	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
			A(63B)	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
			A(63B)	H/D	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
			A(63C)	S	3/4	1V-2W	1	C9AZ 5482-A	2	C9AZ 5493-A
			A(63C)	H/D	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
			A(65C)	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
			A(65C)	H/D	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
			A(71)	S	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
			A(71)	H/D	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
			A(76)	S	3/4	1V-2W	1	C9AZ 5482-A	2	C9AZ 5493-A
			A(76)	H/D	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
	8	302	A(54,57,62)-exc. P/C	S	3/4	1V-2W	1	C9AZ 5482-A	2	C9AZ 5493-A
			A(54,57,62)-exc. P/C	H/D	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
			A(63B)-exc. P/C	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
			A(63B)-exc. P/C	H/D	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
			A(63C)-exc. P/C	S	3/4	1V-2W	1	C9AZ 5482-A	2	C9AZ 5493-A
			A(63C)-exc. P/C	H/D	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
			A(65A)-exc. P/C	S	3/4	1V-2W	1	C9AZ 5482-A	2	C9AZ 5493-A
			A(65A)-exc. P/C	H/D	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
			A(65C)-exc. P/C	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
			A(65C)-exc. P/C	H/D	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
			A(71)	S	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
			A(71)-exc. P/C	H/D	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
			A(76)-exc. P/C	S	3/4	1V-2W	1	C9AZ 5482-A	2	C9AZ 5493-A
			A(76)	H/D	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
			A(P/C)	S	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
	8	351	A(54,57,62,63,65)-NOTE 2	S	3/4	1V-2Y	1	C9AZ 5482-E	2	C9AZ 5493-A
			A(54,57,62,63,65)-NOTE 3	H/D	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(54,57,62,63,65)-exc. P/C	S	3/4	1V-2W	1	C9AZ 5482-A	2	C9AZ 5493-A
			A(71)	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(76)-NOTE 2	S	3/4	1V-2Y	1	C9AZ 5482-E	2	C9AZ 5493-A
			A(76)-NOTE 3	H/D	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(76)-exc. P/C	S	3/4	1V-2W	1	C9AZ 5482-A	2	C9AZ 5493-A
			A(P/C)	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
	8	390	A(54,57,62)-exc. P/C	S	3/4	1V-2Y	1	C9AZ 5482-E	2	C9AZ 5493-A
			A(63B)-exc. P/C	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
			A(63C)-exc. P/C	S	3/4	1V-2Y	1	C9AZ 5482-E	2	C9AZ 5493-A
			A(65A)-exc. P/C	S	3/4	1V-2Y	1	C9AZ 5482-E	2	C9AZ 5493-A
			A(65C)-exc. P/C	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
			A(71A,D,E,H,J)	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(71B,C)-exc. P/C	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
			A(76)-exc. P/C	S	3/4	1V-2Y	1	C9AZ 5482-E	2	C9AZ 5493-A
			A(P/C)	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
	8	428	A(P/C)	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
	8	429-2/B	A(63B,65C,71B,C)-exc. P/C	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
			A(P/C)	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
	8	429-4/B	A(54,57,62,63,65)-exc. P/C	S	3/4	1V-2Y	1	C9AZ 5482-E	2	C9AZ 5493-A
			A(71,76)	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(P/C)	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
70	6	240	A(54,57,62,63,65,76)-exc. P/C	S	3/4	1V-2W	1	C9AZ 5482-A	2	C9AZ 5493-A
			A(71)-exc. P/C	S	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
			A(P/C)	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
	8	302	A(54,57,62,63,65,76)-exc.P/C	S	3/4	1V-2W	1	C9AZ 5482-A	2	C9AZ 5493-A
			A(71)-exc. P/C	S	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
			A(P/C)	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
			A(competition handling pkg.)	H/D	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B

NOTE 2 - Not used w/Police pkg., Fleet or New York taxi S - Standard H/D - Heavy duty

NOTE 3 - Not used with Fleet or New York taxi

▲ Paint Code Identification G - green Or - orange P - pink R - red V - violet W - white Y - yellow

5482 BAR ASSY. - FRONT STABILIZER - continued

YEAR	CYL	C.I.D.	MODEL	STABILIZER BAR TYPE	DIA.	▲ IDENT.	QTY	PART NUMBER	INSULATOR QTY	INSULATOR PART NUMBER
			- A -							
70	8	351	A(54,57,62,63,65,76)	S	3/4	1V-2Y	1	C9AZ 5482-E	2	C9AZ 5493-A
			A(71)	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(competition handling pkg.)	H/D	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
	8	390	A(54,57,62,63,65,76)	S	3/4	1V-2Y	1	C9AZ 5482-E	2	C9AZ 5493-A
			A(71)	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
	8	428	A(P/C)	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
	8	429	A(54,57,62,63,65,76)	S	3/4	1V-2Y	1	C9AZ 5482-E	2	C9AZ 5493-A
			A(71)	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(competition handling pkg.)	H/D	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
71	6	240	A(54,57,65)-exc. P/C	S	3/4	1V-2W	1	C9AZ 5482-A	2	C9AZ 5493-A
			A(54,57,65-exc. P/C)-Competition handling pkg.	H/D	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
			A(P/C)	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
			A(P/C)	H/D	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
	8	302	A(54.57.65)-exc. P/C	S	3/4	1V-2W	1	C9AZ 5482-A	2	C9AZ 5493-A
			A(54.57.65-exc. P/C)-Competition handling pkg.	H/D	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
			A(71)	S	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
			A(P/C)	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
			A(P/C)	H/D	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
	8	351	A(53,54,57,65,76)-exc. P/C	S	3/4	1V-2Y	1	C9AZ 5482-E	2	C9AZ 5493-A
			A(53,54,57,65,76-exc. P/C)-Competition handling pkg.	H/D	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(71)	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(P/C)-w/o rear stabilizer bar	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
			A(P/C)-w/rear stabilizer bar	H/D	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
	8	390	A(53,54,57,65,76)-exc. P/C	S	3/4	1V-2Y	1	C9AZ 5482-E	2	C9AZ 5493-A
			A(53,54,57,65,76,-exc.P/C)-Competition handling pkg.	H/D	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(71)	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(P/C)-w/o rear stabilizer bar	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
			A(P/C)-w/rear stabilizer bar	H/D	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
	8	400	A(53,54,57,65,76)-exc.P/C	S	3/4	1V-2Y	1	C9AZ 5482-E	2	C9AZ 5493-A
			A(53,54,57,65,76-exc.P/C)-Competition handling pkg.	H/D	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(71)	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(P/C)-w/o rear stabilizer bar	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
			A(P/C)-w/rear stabilizer bar	H/D	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
	8	429-NOTE 1	A(53,54,57,65,76)-exc. P/C	S	3/4	1V-2Y	1	C9AZ 5482-E	2	C9AZ 5493-A
			A(53,54,57,65,76-exc.P/C)-Competition handling pkg.	H/D	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(71)	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(P/C)-w/o rear stabilizer bar	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
			A(P/C)-w/rear stabilizer bar	H/D	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
	8	429-NOTE 2	A(P/C)-w/rear stabilizer bar	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
72	6	240	A(54,57,65)	S	3/4	1V-2W	1	C9AZ 5482-A	2	C9AZ 5493-A
			A(54,57,65)	H/D	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
	8	302	A(54,57,65)	S	3/4	1V-2W	1	C9AZ 5482-A	2	C9AZ 5493-A
			A(54,57,65)	H/D	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
			A(71)	S	13/16	3G	1	C9AZ 5482-B	2	C9AZ 5493-B
	8	351	A(53,54,57,65,76)-exc.P/C	S	3/4	1V-2Y	1	C9AZ 5482-E	2	C9AZ 5493-A
			A(53,54,57,65,76)-exc.P/C	H/D	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(71)-exc.P/C	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(P/C)	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
	8	400	A(53,54,57,65,76)-exc.P/C	S	3/4	1V-2Y	1	C9AZ 5482-E	2	C9AZ 5493-A
			A(53,54,57,65,76)-exc.P/C	H/D	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(71)-exc.P/C	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(P/C)	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C

S - Standard H/D - Heavy duty NOTE 1 - Engine Warranty Code K or N. NOTE 2 - Engine Warranty Code P

▲ Paint Code Identification G - green P - pink V - violet W - white Y - yellow

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

5482 BAR ASSY. - FRONT STABILIZER - continued

YEAR	CYL	C.I.D.	MODEL	STABILIZER BAR TYPE	DIA.	▲IDENT.	QTY	PART NO.	INSULATOR QTY	INSULATOR PART NO.
			- A -							
72	8	429-NOTE 1	A(53,54,57,65,76)-exc.P/C	S	3/4	1V-2Y	1	C9AZ 5482-E	2	C9AZ 5493-A
			A(53,54,57,65,76)-exc.P/C	H/D	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(71)-exc.P/C	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			A(P/C)	S	13/16	1G-2Y	1	C9AZ 5482-G	2	C9AZ 5493-C
	8	429-NOTE 2	A(P/C)-w/rear stabilizer bar	S	13/16	2P-2W	1	D0VY 5482-A	2	C9AZ 5493-B
			- B -							
65	6	200	B(54,62,65)	H/D	3/4	1G	1	C3OZ 5482-C	2	B9A 5493-B
			B(71)	S	3/4	1G	1	C3OZ 5482-C	2	B9A 5493-B
	8	289	B(54,62,65)-exc. Special	S	3/4	1G	1	C3OZ 5482-C	2	B9A 5493-B
			B(Special)	S	3/4	1R	1	★C3OZ 5482-D	2	C5OZ 5484-B
			B(71)	S	3/4	1R	1	★C3OZ 5482-D	2	C5OZ 5484-B
66	6	200	B(54,62,63) "Before 12/30/66"	H/D	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			B(71,76) "Before 12/30/66"	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
	8	289	B	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			B	H/D	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
	8	390	B(54,62,63B,C,76B,C)	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
			B(54,62,63B,C,76B,C)	H/D	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
			B(63D,76D)-GT	S	7/8	1V	1	C6OZ 5482-E	2	C6OZ 5493-E
			B(71)	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
67	6	200	B(54,62,63,66,76)	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			B(71)	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
	8	289	B(54,62,63,76)	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			B(54,62,63,76)	H/D	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
			B(66)	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			B(66)	H/D	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
			B(71)	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
			B(71)	H/D	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
	8	390-2/B	B(54,62,63B,C,76B,C)-"Before 12/30/66"	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
			B(54,62,63,76) "From 12/30/66"	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
			B(54,62,63B,C,76B,C)	H/D	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
			B(66,71)	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
	8	390-4/B	B(54,62,63B,C,76B,C)-"Before 12/30/66"	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
			B(54,62,63,76) "From 12/30/66"	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
			B(54,62,63B,C,76B,C)	H/D	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
			B(63D,76D)-GT	S	7/8	1V	1	C6OZ 5482-E	2	C6OZ 5493-E
			B(66,71)	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
	8	427	B	S	7/8	1V	1	C6OZ 5482-E	2	C6OZ 5493-E
68	6	200	B(54,63,65,76)	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			B(66,71)	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
	8	289	B(54,63,65,66,76)	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			B(66,71)	S	3/4	1R	1	C6OZ 5482-A		C7OZ 5493-C
	8	302	B	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			B(66,71)	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
	8	390-2/B	B(54,65,76)	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
			B(54,63B,76B)	H/D	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
			B(66,71)	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
	8	390-4/B	B(54,65,76)	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
			B(54,63B,76B)	H/D	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
			B(63D,65D,66D,76D)-GT	S	7/8	1V	1	C6OZ 5482-E	2	C6OZ 5493-E
			B(66A,B,71)	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
	8	427	B	S	7/8	1V	1	C6OZ 5482-E	2	C6OZ 5493-E
	8	428	B	S	7/8	1V	1	C6OZ 5482-E	2	C6OZ 5493-E
69	6	250	B(54,63,65,76)	S	11/16	1P-2V	1	C9OZ 5482-B	2	C6OZ 5493-B
			B(66A,B)	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
	8	302	B(54,63B,E,65A,B,C,E,76B,E)	S	11/16	1P-2V	1	C9OZ 5482-B	2	C6OZ 5493-B
			B(63F,D,65D,F,66C,D,76D,F)-GT	S	7/8	1V	1	C6OZ 5482-E	2	C6OZ 5493-E
			B(71)	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
	8	351-2/B	B(63D,F,66C,D,76D,F)-GT	S	7/8	1V	1	C6OZ 5482-E	2	C6OZ 5493-E

S - Standard H/D - Heavy duty NOTE 1 - Engine Warranty Code N NOTE 2 - Engine Warranty Code P

▲ Paint Code Identification G - green P - pink R - red V - violet W - white Y - yellow

5482 BAR ASSY. - FRONT STABILIZER - continued

YEAR	CYL	C.I.D.	MODEL	STABILIZER BAR TYPE	DIA.	▲ IDENT.	QTY	PART NO.	INSULATOR QTY	INSULATOR PART NO.
			- B -							
69	8	351-4/B	B(54,63B,E,65A,B,C,E,66A, 71,76B,E)	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
			B(63B,E)	S	7/8	1V	1	C6OZ 5482-E	2	C6OZ 5493-E
			B(63D,F,66C,D,76D,F)-GT	S	7/8	1V	1	C6OZ 5482-E	2	C6OZ 5493-E
	8	390	B	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
			B(63D,F,66C,D,76D,F)-GT	S	7/8	1V	1	C6OZ 5482-E	2	C6OZ 5493-E
			B(competition handling pkg.)	S	15/16	4G	1	C9OZ 5482-C	2	C9OZ 5493-A
	8	428	B(63D,F,66C,D,76D,F)-GT	S	7/8	1V	1	C6OZ 5482-E	2	C6OZ 5493-E
			B(competition handling pkg.)	S	15/16	4G	1	C9OZ 5482-C	2	C9OZ 5493-A
70	6	250	B(54,57,62,63,65,76)	S	3/4	1V-2G	1	D0OZ 5482-A	2	C7OZ 5493-C
			B(54,62)	C/H/D	7/8	3G-1R	1	D0OZ 5482-C	2	C6OZ 5493-E
			B(66)	S	3/4	1Br-2G	1	D0OZ 5482-B	2	D0OZ 5493-A
			B(71)	S, C/H/D	7/8	3G-1R	1	D0OZ 5482-C	2	C6OZ 5493-E
	8	302	B(54,57,62,63,65,76)	S	3/4	1V-2G	1	D0OZ 5482-A	2	C7OZ 5493-C
			B(54,62)	C/H/D	7/8	3G-1R	1	D0OZ 5482-C	2	C6OZ 5493-E
			B(66)	S	3/4	1Br-2G	1	D0OZ 5482-B	2	D0OZ 5493-A
			B(71)	S, C/H/D	7/8	3G-1R	1	D0OZ 5482-C	2	C6OZ 5493-E
	8	351	B(54,57,62,63,65,66,76)-exc. P/C	S	3/4	1Br-2G	1	D0OZ 5482-B	2	D0OZ 5493-A
			B(57,65)-exc. P/C	C/H/D	7/8	3G-1R	1	D0OZ 5482-C	2	C6OZ 5493-E
			B(54A,B,65B)-P/C	C/H/D	15/16	1Y-2G	1	D0OZ 5482-D	2	D0OZ 5493-B
	8	429-Std	B(54,57,62,63,65,66,76)-exc. P/C	S	3/4	1Br-2G	1	D0OZ 5482-B	2	D0OZ 5493-A
			B(54A,B,65B)-P/C	C/H/D	15/16	1Y-2G	1	D0OZ 5482-D	2	
			B(57,65)-exc. P/C	C/H/D	7/8	3G-1R	1	D0OZ 5482-C	2	C6OZ 5493-E
			B(63F,H,76)-competition handling pkg.	S	15/16	1Y-2G	1	D0OZ 5482-D	2	D0OZ 5493-B
	8	429-CJ	B(63C,F,H,66,76)-competition handling pkg.	S	15/16	1Y-2G	1	D0OZ 5482-D	2	D0OZ 5493-B
71	6	250	B(54,57,63,65)-exc. P/C	S	3/4	1V-2G	1	D0OZ 5482-A	2	C7OZ 5493-C
			B(54,57,63,65)-exc. P/C	H/D	7/8	3G-1R	1	D0OZ 5482-C	2	C6OZ 5493-E
			B(54A,C,65A)-P/C	H/D	7/8	3G-1R	1	D0OZ 5482-C	2	C6OZ 5493-E
			B(66)	S	3/4	1Br-2G	1	D0OZ 5482-B	2	D0OZ 5493-A
			B(71)	S	7/8	3G-1R	1	D0OZ 5482-C	2	C6OZ 5493-E
	8	302	B(54,57,63,65,76)-exc. P/C	S	3/4	1V-2G	1	D0OZ 5482-A	2	C7OZ 5493-C
			B(54,57,63,65,76)-exc. P/C	H/D	7/8	3G-1R	1	D0OZ 5482-C	2	C6OZ 5493-E
			B(54A,C,65A)-P/C	H/D	7/8	3G-1R	1	D0OZ 5482-C	2	C6OZ 5493-E
			B(66)	S	3/4	1Br-2G	1	D0OZ 5482-B	2	D0OZ 5493-A
			B(71)	S	7/8	3G-1R	1	D0OZ 5482-C	2	C6OZ 5493-E
	8	351	B(54,57,63C,F,65,66,76)-exc. P/C	S	3/4	1Br-2G	1	D0OZ 5482-B	2	D0OZ 5493-A
			B(54,57,63C,F,65,71,76)-exc. P/C	H/D	7/8	3G-1R	1	D0OZ 5482-C	2	C6OZ 5493-E
			B(54A,C,65A-P/C)- w/competition handling pkg.	H/D	15/16	1Y-2G	1	D0OZ 5482-D	2	C9OZ 5493-A
			B(63H)	H/D	7/8	3G-1R	1	D0OZ 5482-C	2	C6OZ 5493-E
	8	429-CJ	B(54,57,63C)-exc. P/C	S	3/4	1Br-2G	1	D0OZ 5482-B	2	D0OZ 5493-A
			B(54,57,63C)-exc. P/C	H/D	7/8	3G-1R	1	D0OZ 5482-C	2	C6OZ 5493-E
			B(54A,C-P/C)- w/competition handling pkg.	S	15/16	1Y-2G	1	D0OZ 5482-D	2	C9OZ 5493-A
			B(63F,H)-competition handling pkg.	S	15/16	1Y-2G	1	D0OZ 5482-D	2	C9OZ 5493-A
			B(65)-exc. P/C	S	3/4	1Br-2G	1	D0OZ 5482-B	2	D0OZ 5493-A
			B(65)-exc. P/C	H/D	7/8	3G-1R	1	D0OZ 5482-C	2	C6OZ 5493-E
			B(65A-P/C)- w/competition handling pkg.	S	15/16	1Y-2G	1	D0OZ 5482-D	2	C9OZ 5493-A
			B(66)-w/o competition handling pkg.	S,H/D	3/4	1Br-2G	1	D0OZ 5482-B	2	D0OZ 5493-A
			B(66)-competition handling pkg.	S	15/16	1Y-2G	1	D0OZ 5482-D	2	C9OZ 5493-A
			B(71)	H/D	7/8	3G-1R	1	D0OZ 5482-C	2	C6OZ 5493-E
			B(76)-competition handling pkg.	S	15/16	1Y-2G	1	D0OZ 5482-D	2	C9OZ 5493-A

S - standard C/H/D - Cross Country Heavy duty H/D - Heavy duty ▲ - Paint Code Identification
BR - brown G - green P - pink R - red V - violet W - white Y - yellow

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5482 BAR ASSY. - FRONT STABILIZER - continued

YEAR	CYL	C.I.D.	MODEL	STABILIZER BAR TYPE	DIA.	▲ IDENT.	QTY	PART NO.	INSULATOR QTY	INSULATOR PART NO.
			- B -							
72	6	250	B(53,65) - exc.P/C	S	15/16	1W-1R	1	D2OZ 5482-B	2	D2OZ 5493-C
			B(71,97)-exc.P/C	S	1	3W	1	D2OZ 5482-E	2	C9OZ 5493-A
			B(53,65)-P/C	S	15/16	1W-1R	1	D2OZ 5482-B	2	D2OZ 5493-C
			B(71)-P/C	S	1	3W	1	D2OZ 5482-E	2	C9OZ 5493-A
	8	302	B(53,63,65)-exc.P/C	S	15/16	1W-1R	1	D2OZ 5482-B	2	D2OZ 5493-C
			B(71,97)-exc.P/C	S	1	3W	1	D2OZ 5482-E	2	C9OZ 5493-A
			B(53,65)-P/C	S	15/16	1W-1R	1	D2OZ 5482-B	2	D2OZ 5493-C
			B(71)-P/C	S	1	3W	1	D2OZ 5482-E	2	C9OZ 5493-A
	8	351-2/B	B(53,63,65)-exc.P/C & trailer towing pkg.	S	15/16	1W-1R	1	D2OZ 5482-B	2	D2OZ 5493-C
			B(53,65-P/C)-w/competition handling pkg.	S	1 1/8	1W-2R	1	D2OZ 5482-F	2	D2OZ 5493-F
			B(71,97)-exc.P/C & trailer towing pkg.	S	1	3W	1	D2OZ 5482-E	2	C9OZ 5493-A
			B(71)-P/C	S	1	3W	1	D2OZ 5482-E	2	C9OZ 5493-A
			B(trailer towing pkg.)	S	1 1/8	1W-2R	1	D2OZ 5482-F	2	D2OZ 5493-F
	8	351-CJ	B(53,63,65-exc.P/C)-w/o competition handling pkg. & trailer towing pkg.	S	15/16	1W-1R	1	D2OZ 5482-B	2	D2OZ 5493-C
			B(53,63,65-exc.P/C)-w/competition handling pkg.	S	1 1/8	1W-2R	1	D2OZ 5482-F	2	D2OZ 5493-F
			B(97)-w/o competition handling pkg. & trailer towing pkg.	S	1	3W	1	D2OZ 5482-E	2	C9OZ 5493-A
			B(97)-w/competition handling pkg.	S	1 1/8	1W-2R	1	D2OZ 5482-F	2	D2OZ 5493-F
			B(P/C)-w/competition handling pkg.	S	1 1/8	1W-2R	1	D2OZ 5482-F	2	D2OZ 5493-F
			B(Trailer towing pkg.)	S	1 1/8	1W-2R	1	D2OZ 5482-F	2	D2OZ 5493-F
	8	400	B(53,63,65-exc. P/C)-w/o competition handling pkg. & trailer towing pkg.	S	15/16	1W-1R	1	D2OZ 5482-B	2	D2OZ 5493-C
			B(53,63,65-exc.P/C)-w/competition handling pkg.	S	1 1/8	1W-2R	1	D2OZ 5482-F	2	D2OZ 5493-F
			B(53,65-P/C)-w/competition handling pkg.	S	1 1/8	1W-2R	1	D2OZ 5482-F	2	D2OZ 5493-F
			B(71,97)-w/o competition handling pkg. & trailer towing pkg.	S	1	3W	1	D2OZ 5482-E	2	C9OZ 5493-A
			B(97)-w/competition handling pkg.	S	1 1/8	1W-2R	1	D2OZ 5482-F	2	D2OZ 5493-F
			B(trailer towing pkg.)	S	1 1/8	1W-2R	1	D2OZ 5482-F	2	D2OZ 5493-F
	8	429	B(53,63,65-exc.P/C)-w/o competition handling pkg. & trailer towing pkg.	S	15/16	1W-1R	1	D2OZ 5482-B	2	D2OZ 5493-C
			B(53,63,65-exc.P/C)-w/competition handling pkg.	S	1 1/8	1W-2R	1	D2OZ 5482-F	2	D2OZ 5493-F
			B(53,65-P/C)-w/competition handling pkg.	S	1 1/8	1W-2R	1	D2OZ 5482-F	2	D2OZ 5493-F
			B(71,97)-w/o competition handling pkg. & trailer towing pkg.	S	1	3W	1	D2OZ 5482-E	2	C9OZ 5493-A
			B(97)-w/competition handling pkg.	S	1 1/8	1W-2R	1	D2OZ 5482-F	2	D2OZ 5493-F
			B(trailer towing pkg.)	S	1 1/8	1W-2R	1	D2OZ 5482-F	2	D2OZ 5493-F
			- F -							
65	6	170	F	S			1	★C5ZZ 5482-B	2	C4DZ 5493-B
	6	200	F	S			1	★C5ZZ 5482-B	2	C4DZ 5493-B
	8	260	F	S			1	★C5ZZ 5482-B	2	C4DZ 5493-B
	8	289	F(exc.GT350,Special)	S			1	★C5ZZ 5482-B	2	C4DZ 5493-B
			F(GT350)	S			1	S1MS 5482-A	2	C0AA 5493-A
			F(Special)	S	13/16	None	1	C5ZZ 5482-A	2	C5ZZ 5493-A
66	6	200	F	S			1	★C5ZZ 5482-B	2	C4DZ 5493-B
	8	289	F(exc. GT350,Special)	S			1	★C5ZZ 5482-B	2	C4DZ 5493-B
			F(GT350)	S			1	S1MS 5482-A	2	C0AA 5493-A
			F(Special)	S	13/16	None	1	C5ZZ 5482-A	2	C5ZZ 5493-A

S - Standard H/D - Heavy duty ▲ Paint Code Identification BR - brown G - green R - red V - violet
W - white Y - yellow

5482 BAR ASSY. - FRONT STABILIZER - continued

YEAR	CYL.	C.I.D.	MODEL	STABILIZER BAR TYPE	DIA.	▲ IDENT.	QTY.	PART NO.	INSULATOR QTY.	INSULATOR PART NO.
			- F -							
67	6	200	F	S	3/4		1	C7WY 5482-A	2	C6OZ 5493-B
	8	289	F(exc.GT350,GT,Special)	S	3/4		1	C7WY 5482-A	2	C6OZ 5493-B
			F(GT350)	S			1	C9ZZ 5482-E	2	C9ZZ 5493-A
			F(GT)-w/improved handling pkg.	S	7/8	1G	1	C7ZZ 5482-C	2	C6OZ 5493-E
			F(GT)-w/maximum handling pkg.	S			1	C9ZZ 5482-E	2	C9ZZ 5493-A
			F(Special)	S			1	C9ZZ 5482-E	2	C9ZZ 5493-A
	8	390	F	S	3/4	1Y-1B	1	C7ZZ 5482-B	2	C7OZ 5493-C
			F(GT)-w/improved handling pkg.	S	7/8	1G	1	C7ZZ 5482-C	2	C6OZ 5493-E
	8	428	F(GT500)	S			1	C9ZZ 5482-E	2	C9ZZ 5493-A
68	6	200	F	S	3/4		1	C7WY 5482-A	2	C6OZ 5493-B
	8	289	F(exc.GT350,GT)	S	3/4		1	C7WY 5482-A	2	C6OZ 5493-B
			F(GT350)				1	C9ZZ 5482-E	2	C9ZZ 5493-A
			F(GT)-w/improved handling pkg.	S	7/8	1G	1	C7ZZ 5482-C	2	C6OZ 5493-E
			F(GT)-w/maximum handling pkg.	S			1	C9ZZ 5482-E	2	C9ZZ 5493-A
	8	302	F(exc.GT350,GT)	S	3/4		1	C7WY 5482-A	2	C6OZ 5493-B
			F(GT350)	S			1	C9ZZ 5482-E	2	C9ZZ 5493-A
			F(GT)-w/improved handling pkg.	S	7/8	1G	1	C7ZZ 5482-C	2	C6OZ 5493-E
			F(GT)-w/maximum handling pkg.	S			1	C9ZZ 5482-E	2	C9ZZ 5493-A
	8	390	F(exc.GT)	S	3/4	1Y-1B	1	C7ZZ 5482-B	2	C7OZ 5493-C
			F(GT)-w/improved handling pkg.	S	7/8	1G	1	C7ZZ 5482-C	2	C6OZ 5493-E
			F(GT)-w/maximum handling pkg.	S			1	C9ZZ 5482-E	2	C9ZZ 5493-A
	8	428	F(GT)-w/maximum handling pkg.	S			1	C9ZZ 5482-E	2	C9ZZ 5493-A
			F(GT350/500)	S			1	C9ZZ 5482-E	2	C9ZZ 5493-A
69	6	200	F	S	11/16	1P-1Go	1	C9ZZ 5482-B	2	C6OZ 5493-B
	6	250	F	S	11/16	1P-1Go	1	C9ZZ 5482-B	2	C6OZ 5493-B
	8	302-2/B	F	S	11/16	1P-1Go	1	C9ZZ 5482-B	2	C6OZ 5493-B
			F(GT)-w/improved handling pkg.	S	7/8	1G	1	C7ZZ 5482-C	2	C6OZ 5493-E
	8	302-4/B	F(Boss) "Before 4/14/69"	S	7/8	1G	1	C9ZZ 5482-D	2	C6OZ 5493-E
			F(Boss) "From 4/14/69"	S	3/4	1Y-1B	1	C9ZZ 5482-C	2	C9ZZ 5493-A
			F(GT)-w/improved handling pkg.	S	7/8	1G	1	C7ZZ 5482-C	2	C6OZ 5493-E
	8	351	F(63A,B,65,76)	S	11/16	1P-2Go	1	C9ZZ 5482-B	2	C6OZ 5493-B
			F(63C)	S	7/8	1G	1	C9ZZ 5482-D	2	C6OZ 5493-E
	8	390	F(63A,B,65,76)-w/o special handling pkg.	S	3/4	1Y-1B	1	C9ZZ 5482-C	2	C7OZ 5493-C
			F(w/special handling pkg.)	S	7/8	1G	1	C9ZZ 5482-D	2	C9ZZ 5493-A
			F(GT)-w/improved handling pkg.	S	7/8	1G	1	C7ZZ 5482-C	2	C6OZ 5493-E
	8	428	F	S	15/16	1G-1Y	1	C9ZZ 5482-E	2	C9ZZ 5493-A
	8	429	F(Boss)	S	15/16	1G-1Y	1	C9ZZ 5482-E	2	C9ZZ 5493-A
70	6	200	F	S			1	D0ZZ 5482-A	2	C6OZ 5493-B
	6	250	F	S			1	D0ZZ 5482-A	2	C6OZ 5493-B
	8	302-2/B	F	S			1	D0ZZ 5482-A	2	C6OZ 5493-B
			F	H/D	11/16	1P-2Go	1	C9ZZ 5482-B	2	C6OZ 5493-B
			F(w/ competition handling pkg.	S	7/8	1G	1	C9ZZ 5482-D	2	C6OZ 5493-E
	8	302-4/B	F(Boss)	S	15/16	1G-1Y	1	C9ZZ 5482-E	2	C9ZZ 5493-A
	8	351	F	S			1	D0ZZ 5482-A	2	C6OZ 5493-B
			F	H/D	15/16	1G-1Y	1	C9ZZ 5482-E	2	C9ZZ 5493-A
	8	428	F	S	15/16	1G-1Y	1	C9ZZ 5482-E	2	C9ZZ 5493-A
71	6	250	F	S	3/4	3Y,2Y-1R	1	D2ZZ 5482-A	2	C7OZ 5493-C
	8	302-2/B	F	S	3/4	3Y,2Y-1R	1	D2ZZ 5482-A	2	C7OZ 5493-C
	8	302-4/B	F(Boss)-w/competition handling pkg.	S	3/4	3Y,2Y-1R	1	D2ZZ 5482-A	2	C7OZ 5493-C
	8	351-2/B	F	S	3/4	3Y,2Y-1R	1	D2ZZ 5482-A	2	C7OZ 5493-C
	8	351-4/B (exc.Boss)	F(w/o competition handling pkg.)	S	3/4	3Y,2Y-1R	1	D2ZZ 5482-A	2	C7OZ 5493-C
			F(w/competition handling pkg.)	S	7/8	2Y-1G	1	D1ZZ 5482-D	2	C6OZ 5493-E
	8	351-4/B-(Boss)	F(w/competition handling pkg.)	S	7/8	2Y-1G	1	D1ZZ 5482-D	2	C6OZ 5493-E
	8	429-CJ	F(w/competition handling pkg.)	S	7/8	2Y-1G	1	D1ZZ 5482-D	2	C6OZ 5493-E
72	6	250	F	S	3/4	3Y,2Y-1R	1	D2ZZ 5482-A	2	C7OZ 5493-C
	8	302-2/B	F	S	3/4	3Y,2Y-1R	1	D2ZZ 5482-A	2	C7OZ 5493-C
	8	351-2/B	F	S	3/4	3Y,2Y-1R	1	D2ZZ 5482-A	2	C7OZ 5493-C

S - standard ▲ - Paint Code Identification B - blue GO - gold G - green P - pink R - red Y - yellow

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

5482 BAR ASSY. - FRONT STABILIZER - continued

YEAR	CYL.	C.I.D.	MODEL	STABILIZER BAR TYPE	DIA.	▲ IDENT.	QTY.	PART NO.	INSULATOR QTY.	INSULATOR PART NO.
			- F -							
72	8	351-CJ	F(w/o competition handling pkg.)	S	3/4	3Y,2Y-1R	1	D2ZZ 5482-A	2	C7OZ 5493-C
			F(w/competition handling pkg.)	S	7/8	2Y-1G	1	D1ZZ 5482-D	2	C6OZ 5493-E
	8	351-4/B-(Boss)	F(w/competition handling pkg.)- "Before 9/1/71"	S	7/8	2Y-1G	1	D1ZZ 5482-D	2	C6OZ 5493-E
			F(w/o competition handling pkg.)- "From 9/1/71"	S	3/4	3Y,2Y-1R	1	D2ZZ 5482-A	2	C7OZ 5493-C
			- L -							
72	4	122 2000cc	L(73)	S	11/16	1R-1Y	1	D2FZ 5482-A	2	D2FZ 5493-A
			- P -							
70	6	170	P	S	11/16	2P-2Or	1	D0DZ 5482-A	2	C6OZ 5493-B
			P	H/D	7/8	2G-2Or	1	D0DZ 5482-B	2	C6OZ 5493-E
	6	200	P	S	11/16	2P-2Or	1	D0DZ 5482-A	2	C6OZ 5493-B
			P	H/D	7/8	2G-2Or	1	D0DZ 5482-B	2	C6OZ 5493-E
	6	250	P	S	11/16	2P-2Or	1	D0DZ 5482-A	2	C6OZ 5482-B
			P	H/D	7/8	2G-2Or	1	D0DZ 5482-B	2	C6OZ 5493-E
71/	6	170	P	S	11/16	2P-2Or	1	D0DZ 5482-A	2	C6OZ 5493-B
			P	H/D	7/8	2G-2Or	1	D0DZ 5482-B	2	C6OZ 5493-E
	6	200	P	S	11/16	2P-2Or	1	D0DZ 5482-A	2	C6OZ 5493-B
			P	H/D	7/8	2G-2Or	1	D0DZ 5482-B	2	C6OZ 5493-E
	6	250	P	S	11/16	2P-2Or	1	D0DZ 5482-A	2	C6OZ 5493-B
			P	H/D	7/8	2G-2Or	1	D0DZ 5482-B	2	C6OZ 5493-E
	8	302	P	S	5/8	2P-2Or	1	D0DZ 5482-A	2	C6OZ 5493-B
			P	H	7/8	2G-2Or	1	D0DZ 5482-B	2	C6OZ 5493-E
			- S -							
65	8	390	S	S	11/16		1	C5SZ 5482-A	2	C2SZ 5493-B
66	8	390	S	S	11/16		1	C5SZ 5482-A	2	C2SZ 5493-B
	8	428	S	S	11/16		1	C5SZ 5482-A	2	C2SZ 5493-B
67	8	390	S	S	11/16	1P-1G	1	C5AZ 5482-A	2	C5AZ 5493-A
	8	428	S	S	11/16	1P-1G	1	C5AZ 5482-A	2	C5AZ 5493-A
68	8	390	S	S	3/4	1Br	1	C8SZ 5482-A	2	C9SZ 5493-C
	8	429	S	S	3/4	1Br	1	C8SZ 5482-A	2	C9SZ 5493-C
69	8	429	S "Before 3/3/69"	S	3/4	1Br	1	C8SZ 5482-A	2	C5AZ 5493-A
			S(57) "From 3/3/69"	S	3/4	1Br	1	C8SZ 5482-A	2	C9SZ 5493-C
	8	429	S(57)	H/D	13/16	3W	1	C9SZ 5482-A	2	C5AZ 5493-B
	8	429	S(65)	S	13/16	3W	1	C9SZ 5482-A	2	C5AZ 5493-B
70	8	429	S(57)	H/D	13/16	3W	1	C9SZ 5482-A	2	C5AZ 5493-B
	8	429	S(65)	S	13/16	3W	1	C9SZ 5482-A	2	C5AZ 5493-B
71	8	429	S	S	13/16	3W	1	C9SZ 5482-A	2	C5AZ 5493-B
72	8	400,429, 460	S	S	7/8	2G	2	D2SZ 5482-A	1	D2SZ 5493-B
			- X -							
65	6	170	X(54,62,63,76)	S	5/8	None	1	C3DZ 5482-C	2	C4DZ 5493-B
			X(59,66,71,78)	S				C5ZZ 5482-B	2	C4DZ 5493-B
	6	200	X(54,62,63,76)	S	5/8	None	1	C3DZ 5482-C	2	C4DZ 5493-B
			X(59,66,71,78)	S			1	C5ZZ 5482-B	2	C4DZ 5493-B
	8	289	X(54,62,63,76)	S	5/8	None	1	C3DZ 5482-C	2	C4DZ 5493-B
			X(59,66,71,78)	S			1	C5ZZ 5482-B	2	C4DZ 5493-B
66	6	170	X	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
	6	200	X	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
	8	289	X	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
67	6	170	X(54,62) "Before 12/30/66"	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			X(54,62) "From 12/30/66"	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			X(71) "Before 12/30/66"	S	3/4	1R	1	C6OZ 5482-A	2	C6OZ 5493-C
			X(71) "From 12/30/66"	S	3/4	1R	1	C6OZ 5482-A	2	C6OZ 5493-B
	6	200	X(54,62) "Before 12/30/66"	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			X(54,62) "From 12/30/66"	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			X(71) "Before 12/30/66"	S	3/4	1R	1	C6OZ 5482-A	2	C6OZ 5493-C
			X(71) "From 12/30/66"	S	3/4	1R	1	C6OZ 5482-A	2	C6OZ 5493-B

S - Standard H/D - Heavy duty ▲ Paint Code Identification Br - brown G - green Or - orange P - pink
R - red W - white Y - yellow

5482 BAR ASSY. - FRONT STABILIZER - continued

YEAR	CYL.	C.I.D.	MODEL	STABILIZER BAR TYPE	DIA.	▲ IDENT.	QTY.	PART NO.	INSULATOR QTY.	INSULATOR PART NO.
			- X -							
67	8	289	X(54,62) "Before 12/30/66"	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			X(54,62) "From 12/30/66"	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-B
			X(71) "Before 12/30/66"	S	3/4	1R	1	C6OZ 5482-A	2	C6OZ 5493-C
			X(71) "From 12/30/66"	S	3/4	1R	1	C6OZ 5482-A	2	C6OZ 5493-B
68	6	170	X(54,62)	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			X(71)	S	3/4	1R	1	C6OZ 5482-A	2	C6OZ 5493-B
	6	200	X(54,62)	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			X(71)	S	3/4	1R	1	C6OZ 5482-A	2	C6OZ 5493-B
	8	289	X(54,62)	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			X(71)	S	3/4	1R	1	C6OZ 5482-A	2	C6OZ 5493-B
	8	302	X(54,62)	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			X(71)	S	3/4	1R	1	C6OZ 5482-A	2	C6OZ 5493-B
69/70	6	170	X(54,62)	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			X(71)	S	3/4	3V	1	C9OZ 5482-A	2	C7OZ 5493-C
	6	200	X(54,62)	S	3/4		1	C7WY 5482-A	2	C7OZ 5493-C
			X(71)	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C
	8	302*	X(54,62)	S	11/16	1P-2V	1	C9OZ 5482-B	2	C6OZ 5493-B
			X(71)	S	3/4	1R	1	C6OZ 5482-A	2	C7OZ 5493-C

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5B482 ADAPTER - FRONT STABILIZER BAR MOUNTING			
69	B(with competition handling package)-8 cyl.390-GT & 428CJ		2	C9OZ 5B482-A
	5A483 REINFORCEMENT - FRONT STABILIZER BAR MOUNTING BRACKET			
69	B, X	R.H.	1	C9OZ 5A483-A
		L.H.	1	C9OZ 5A492-A
65/68	X		2	C0DZ 5A483-A
70	B	Supplied in 16054-5 apron assy only	2	★D0OB 5A483-A
	5484 INSULATOR - STABILIZER BAR - Refer to Group 5493			
	5K484 LINK ASSY. - STABILIZER BAR			
72	B,S	Use on rear stabilizer bar	2	D2OZ 5K484-A
	L(73)	Use on front stabilizer bar	2	D2FZ 5K484-A
	5486-7 BRACKET - STABILIZER BAR			
	- A -			
65/68	A	R.H.-upper bracket	1	C5AZ 5486-A
	A	L.H.-upper bracket	1	C5AZ 5486-B
	A	Lower clamp	2	C5AZ 5487-A
69/	A	Clamp	2	C9AZ 5486-A
	- B -			
65	B		2	C2SZ 5486-A
66	B(54,62)-6 cyl.	Heavy duty	2	C6OZ 5486-B
	B(71, 76)-6 cyl.	Standard	2	
	B(8 cyl.)	Standard	2	
67/68	B		2	C6OZ 5486-B
69	B(exc. 390-GT & 428CJ)with competition handling package)		2	C6OZ 5486-B
	B(8 cyl. 390-GT, 428CJ)-with competition handling package		2	C9OZ 5486-A
70/71	B(6 cyl. & 8 cyl. 302, 351)		2	D0OZ 5486-A
	B(8 cyl. 429)		2	D0OZ 5486-B
72	B(exc.71,97)	Clamp-use on front stabilizer bar	2	C9AZ 5486-A
	B(71,97)	Bracket-use on front stabilizer bar	2	D2OZ 5486-A
	B	Bracket-use on rear stabilizer bar	2	D0OZ 5486-B
	B	R.H.-upper clamp-use on rear stabilizer bar	1	D2OZ 5C489-C
	B	L.H.-upper clamp-use on rear stabilizer bar	1	D2OZ 5C489-B
	B	Lower clamp-use on rear stabilizer bar	2	D2OZ 5C489-A
	- F -			
65/66	F(exc. GT350)		2	C3DZ 5486-A
	F(GT350)		2	C0DD 5486-A
67	F(6 cyl. & 8 cyl.)-exc. 289-4/B-H. P.		2	C6OZ 5486-B
	F(8 cyl. 289-4/B-H. P.)		2	C7ZZ 5486-A

S - Standard ▲ Paint Code Identification P - pink R - red V - violet W - white

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5486-7 BRACKET - STABILIZER BAR - continued			
	- F -			
68	F(6 cyl. & 8 cyl.)-exc. 390 with competition handling package or with GT equipment group		2	C6OZ 5486-B
	F(8 cyl. 390)-with competition handling package or with GT equipment group		2	C7ZZ 5486-A
69	F(6 cyl. & 8 cyl.)-exc. 390 with competition handling package, 428, Boss		2	C6OZ 5486-B
	F(8 cyl. 390)-with competition handling package-with GT equipment group		2	C7ZZ 5486-A
	F(8 cyl. 428)-with GT & competition handling pkg.		2	
	F(Boss 302) "Before 4/14/69"		2	C6OZ 5486-B
	F(Boss 302) "From 4/14/69"		2	C7ZZ 5486-A
	F(Boss 429)	R.H.-use on front stabilizer bar	1	C9ZZ 5486-A
	F(Boss 429)	L.H.-use on front stabilizer bar	1	C9ZZ 5486-B
	F(Boss 429)	Use on rear stabilizer bar	2	C9ZZ 5486-C
70	F(6 cyl. & 8 cyl. 302)	Use on front stabilizer bar	2	C6OZ 5486-B
	F(8 cyl. 351)-exc. 63A, B, 65, 76 with competition handling package, 63C	Use on front stabilizer bar	2	
	F(Boss 302, 8 cyl. 351, 428)-competition handling package	Use on rear stabilizer bar	2	D0OZ 5486-A
	F(63A, B, 65, 76)-8 cyl. 351 with GT & competition handling packages	Use on front stabilizer bar	2	C7ZZ 5486-A
	F(63C)-8 cyl. 351	Use on front stabilizer bar	2	
	F(8 cyl. 428)	Use on front stabilizer bar	2	
	F(Boss 429)	R.H.-use on front stabilizer bar	1	C9ZZ 5486-A
	F(Boss 429)	L.H.-use on front stabilizer bar	1	C9ZZ 5486-B
	F(Boss 429)	Use on rear stabilizer bar	2	D0OZ 5486-B
71/	F		2	D0OZ 5486-A
	- L -			
72	L(73)	R.H.-bracket-use on front side inner member	1	D2FZ 5486-A
	L(73)	L.H.-bracket-use on front side inner member	1	D2FZ 5486-B
	L(73)	Clamp-use on stabilizer bar	2	D0OZ 5486-A
	- P -			
70/	P		2	D0OZ 5486-A
	- S -			
65/66	S		2	C2SZ 5486-A
67/70	S	R.H.-upper bracket	1	C7SZ 5486-A
	S	L.H.-upper bracket	1	C7SZ 5486-B
	S	Lower clamp	2	C5AZ 5487-A
71	S	Clamp	2	C5AZ 5487-A
72	S	Clamp-use on front stabilizer bar	2	C9AZ 5486-A
	S	Bracket-use on rear stabilizer bar	2	D0OZ 5486-B
	S	R.H.-upper clamp-use on rear stabilizer bar	1	D2OZ 5C489-C
	S	L.H.-upper clamp-use on rear stabilizer bar	1	D2OZ 5C489-B
	S	Lower clamp-use on rear stabilizer bar	2	D2OZ 5C489-A
	- X -			
65	X(59, 66, 71, 78)-6 cyl.		2	C3DZ 5486-A
	X(8 cyl.)		2	
66/70	X		2	C6OZ 5486-B
65/	A	Nut & retainer (bracket to frame)-5/16"-18	6	379913-S (MM192P)
65	B	Screw (brkt. & stabilizer to underbody)-5/16"-18 x 1 1/4"	4	20426-S8(B55)
72	B	Bolt (brkt.to u/body)-3/16"-18 x 6 1/2"	2	384802-S2(BB444T)
65	F	Bolt (bracket to underbody)-3/8"-24 x 1 1/4"	4	20429-S8(B172)
65/70	X(8 cyl.)		4	
65/70	X(59, 66, 71, 78)-6 cyl.		4	
65	F	Locknut (brkt.to underbody)	4	34445-S7(M80)
65/70	X(8 cyl.)		4	
65/70	X(59, 66, 71, 78)-6 cyl.		4	
65	F	Locknut (bracket to underbody)-3/8"-24	4	34370-S8(M99)
		Lockwasher-3/8"		357629-S7(XX303)
		Lockwasher-5/16"		34806-S7(X64)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5486-7 BRACKET - STABILIZER BAR - continued			
65	S	Screw (brkt. & stabilizer to underbody)-No. 12-24 x 3/8"	4	354666-S2(BB568)
		Locknut-3/8"-24		34370-S8(M99)
65/68	S	Bolt (bracket to under body)-5/16"-18 x 3/4"	4	20346-S8(B50)
65	A	Bolt (bracket to frame)	6	
65/68	A	Bolt (clamp to stabilizer brkts.)-5/16"-18 x 1"	4	20386-S8(B53)
67/	S		4	
65/68	A	Locknut-5/16"-18	4	34392-S7-8(M93)
67/	S		4	
	5A486 END REPAIR KIT - STABILIZER BAR			
65/67	A	Front - consists of 1-C5AA 5495-S Stud 2-34443-S2 Nut 4-KC 55490-A Insulator 4-371169-S2 Washer	2	C5AZ 5A486-A
68/	A	Front - consists of - m/w D2OZ 5A486-A	2	†C8AZ 5A486-A
69/	S	1-C8AA 5490-A Spacer 1-34442-S7 Nut 4-KC 55490-A Insulator 4-371169-S2 Washer 1-385026-S2 Bolt	2	
65/67	B "Before 12/30/66"	Front - consists of	2	C2OZ 5A486-A
68	B(exc.GT)	1-C2OA 5490-A Spacer 1-34442-S7 or	2	
69/71	B	4-KC 55490-A Insulator 1-55691-S7 Nut	2	
68/	F	4-371169-S2 Washer 1-384611-S2 Bolt	2	
70/71	P (6 cyl.)		2	
72	P		2	
66/67	X "Before 12/30/66"		2	
68	X		2	
67	B "From 12/30/66"	Front - consists of	2	C7OZ 5A486-A
68	B(GT)	1-C2OA 5490-A Spacer 1-34442-S7 or	2	
67	X "From 12/30/66"	4-C7OA 5A494-A Insulator 1-55691-S7 Nut	2	
		4-MG 18041-A Washer 1-384611-S2 Bolt		
72	B	Front - consists of	2	D2OZ 5A486-A
		1-C8AA 5490-A Spacer 4-371169-S2 Washer 4-KC 55490-A Insulator 1-385026-S2 Bolt 1-34442-S7 Nut		
70/71	B(P/C-w/cross country (H/D) suspension)-8 cyl.351,429-4/B (exc.429-CJ)	Rear - consists of	2	D0OZ 5A486-A
		1-D0OA 5K484-A Plate 1-33770-S4 Nut 1-D0OA 5490-A Spacer 2-371169-S2 Washer 2-KC 55490-A Bushing	2	
72	B	Rear - consists of	2	§ D4OZ 5A486-A
72	S	2-MG 18041-A Retainer 1-34442-S7 Nut 1-D2OZ 5K484-A Link 1-56344-S2 Bolt 1-D2OZ 5C492-A Insulator 1-382802-S2 Nut 1-D2OZ 5C492-B Insulator		
70	F (Boss 302,8 cyl.351,428)-competition handling package	Rear - consists of	2	D0ZZ 5A486-A
71	F(Boss 302,8 cyl.351-4/B,429)	1-D0ZA 5490-A Spacer		
72	F(8 cyl.351)	4-KC 55490-A Bushing 1-34442-S2 Nut	2	
		4-371169-S2 Washer 1-384558-S2 Bolt	2	
72	L	Front - consists of	2	D2FZ 5A486-A
		1-D2FZ 5C491-A Nut 1-371169-S2 Washer 2-KC 55490-A Insulator 1-384961-S100 Bolt		
65/68	S	Front - consists of	2	C1SZ 5A486-A
		1-C1SS 5495-A Stud 2-34662-S8 Nut 4-KC 55490-A Insulator 4-371169-S2 Washer		
65/67	F	Front - consists of	2	C0DZ 5A486-B
65	X	1-C0DD 5495-A Stud 1-34662-S Nut &	2	
		4-KC 55490-A Insulator Washer 4-371216-S2 Washer 1-KD 5490-A Spacer		
	5B486 BUSHING - REAR STABILIZER BAR MOUNTING			
72	B,S		2	D2OZ 5B486-B
	5B486 PLATE - REAR STABILIZER BAR LINK MOUNTING BRACKET			
70/71	B(P/C)-8 cyl.351,429-4/B(exc.429-CJ)	Cross country (H/D)-suspension	2	D0OZ 5B486-A
72	B		2	D2OZ 5B486-A
	5487 CLAMP - STABILIZER BAR INSULATOR - Refer to Group 5486-7			
	5C489 CLAMP - REAR STABILIZER BAR MOUNTING - Refer to Group 5486-7			

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5490 SPACER - FRONT STABILIZER BAR			
72	L(73)	Improvise from .060" thick steel tubing	2	★
	5-5490 INSULATOR - FRONT STABILIZER BAR TO LOWER SUSPENSION ARM LINK BOLT			
72	A,B,S	Also serviced in 5A486 kit	8	KC 55490-A
	L(73)		8	
	5C491 NUT - FRONT STABILIZER BAR LINK			
72	L(73)	Use to retain stabilizer bar to link	2	D2FZ 5C491-A
	5A492 REINFORCEMENT - FRONT STABILIZER BAR MOUNTING BRACKET - Refer to Group 5A483			
	5C492 INSULATOR - REAR STABILIZER BAR LINK			
72	B	Upper	2	D2OZ 5C492-A
		Lower	2	D2OZ 5C492-B
	5493 INSULATOR - STABILIZER BAR - For front stabilizer bar refer to Group 5482. - For rear stabilizer bar refer to Group 5A772.			
	5B494 BRACKET - REAR STABILIZER BAR STUD SHIELD			
70	B(P/C)-8 cyl.351,429-4/B(exc.429-CJ)	Cross country (H/D) suspension	2	D0OZ 5B494-A
71	B(P/C)-8 cyl.351	Cross country (H/D) suspension	2	
	5500 ARM and BUSHING ASSY. - REAR SUSPENSION - UPPER			
65/66	A		1	C5AZ 5500-A
67/70	A(P/C)		1	
67/70	A(exc. P/C)		1	C7AZ 5500-A
71/	A		1	
67/71	S		1	
65	A	Bolt (to axle)-9/16"-12 x 4 1/2"	1	380831-S2 (BB817AT)
66/72	A	Bolt (to axle)-9/16"-12 x 4 1/4"	1	380826-S100
67/71	S	Bolt (to axle)	1	(BB817AR)
65/66	A	Bolt (to crossmember)-9/16"-12 x 4"	1	377310-S7-8 (BB412D)
67/	A	Bolt (to crossmember)-9/16"-12 x 4 1/8"	1	384929-S100
67/71	S		1	(BB200E)
67/72	A	Locknut (to crossmember)-9/16"-12	1	385020-S100
69	S	Locknut (to axle)	1	(MM170FA)
65/66	A	Lockwasher (to crossmember)-9/16"	1	34810-S7-8
65/72	A	Lockwasher (to axle)	1	(X69)
67/68	S	Lockwasher (to axle)	1	
70/71	S	Lockwasher (to axle)	1	
65	A	Nut & retainer (to crossmember)-9/16"-12 x 2 7/32"	1	377311-S2 (MM192V)
66	A	Nut & retainer (to crossmember)-9/16"-12 x 1 13/32"	1	377324-S2 (MM192W)
65/67	A	Nut (to axle)-9/16"-12	1	33847-S7(M58)
67	S	Nut (to axle)	1	
68/72	A	Nut (to axle)-9/16"-12	1	382828-S100
68	S	Nut (to axle)	1	(MM11AA)
70/71	S	Nut (to axle)	1	
	5536 INSULATOR - REAR SPRING			
65	A	1" I.D.	4	C5AZ 5536-A
66/	A		4	C9AZ 5536-A
72	B		2	
67/	S		4	
	5A537 SPACER - REAR SPRING CENTER BOLT			
65/67	S		4	C1VV 5A537-A
	5A539 PLATE - REAR SPRING FRONT HANGER ANCHOR			
65/67	S	3" long-1 15/16" wide-1/2" thick-not replaced	4	★C4SZ 5A539-A
	5546 BRACKET - TRACK BAR TO FRAME			
70/71	•Unique competition part	Not replaced	1	★D0ZX 5546-A
	5557 BRACKET - TRACK BAR TO AXLE			
70/71	•Unique competition part		1	D0ZX 5557-A

• Refer to appropriate muscle parts catalog

5560 SPRING - REAR - COIL

REAR COIL SPRING IDENTIFICATION CHART

PART NUMBER	LOAD LBS.	LOAD HEIGHT	FREE HEIGHT	DIAM. STOCK	NO. OF COILS	MARKINGS
C5AZ 5560-A	1000	8.32"	16.8"	.585"	7.2	Blue
★C5AZ 5560-A	1040	8.32"	17.1"	.585"	7.2	Red
C5AZ 5560-D	1020	8.32"	14.9"	.592"	6.1	Silver
C5AZ 5560-J	1400	8.32"	15.1"	.660"	6.5	White
★C5AZ 5560-K	960	8.32"	16.2"	.585"	7.2	Pink
★C5AZ 5560-L	1330	8.32"	16.9"	.630"	7.3	Violet
★C5AZ 5560-M	1080	8.32"	15.3"	.592"	6.1	Gold
★C5AZ 5560-N	1040	8.32"	16.3"	.585"	6.7	Green
★C5AZ 5560-T	920	8.32"	15.6"	.585"	7.2	Orange
★C6AZ 5560-A	1000	8.32"	16.8"	.585"	6.7	Blue
★C6AZ 5560-B	960	8.32"	16.2"	.585"	6.7	Pink
★C6AZ 5560-C	1330	8.32"	15.9"	.645"	6.7	Yellow & White
C6AZ 5560-D	1010	8.32"	14.8"	.615"	6.9	Red & Gold
★C6AZ 5560-E	1050	8.32"	15.1"	.615"	6.9	Blue & Gold
C6AZ 5560-F	1440	8.32"	15.2"	.660"	7.1	Brown & Gold
★C6AZ 5560-G	920	8.32"	15.6"	.585"	6.7	Orange
★C6AZ 5560-H	1370	8.32"	15.7"	.645"	6.9	Blue & White
★C6MY 5560-E	1040	8.32"	16.3"	.597"	7.2	Red
★C7AZ 5560-A	920	8.32"	15.4"	.585"	6.7	Orange
★C7AZ 5560-B	960	8.32"	15.7"	.585"	6.7	Pink
★C7AZ 5560-C	1000	8.32"	16.2"	.585"	6.7	Blue
C7AZ 5560-D	1040	8.32"	16.3"	.585"	6.7	Red
★C7AZ 5560-E	1080	8.32"	16.6"	.585"	6.0	Gold
★C7AZ 5560-F	1370	8.32"	15.7	.645"	6.77	Blue & Green
C7AZ 5560-G	1410	8.32"	15.5"	.645"	6.77	Blue Red
C7AZ 5560-H	1050	8.32"	14.8"	.615"	6.77	Red & Gold
★C7AZ 5560-J	1150	8.32"	15.7"	.615"	6.77	Green & Gold
★C7AZ 5560-K	1470	8.32"	15.3"	.685"	6.6	Brown & Gold
★C7AZ 5560-L	1500	8.32"	15.3"	.685"	6.6	2-Blue
★C7AZ 5560-M	1025	8.32"	14.0"	.645"	6.9	2-Gold
C7AZ 5560-N	1500	8.32"	14.2"	.695"	6.6	2-Pink
C7AZ 5560-R	1630	8.32"	14.6"	.695"	6.6	Yellow
C7AZ 5560-S	1100	8.32"	15.4"	.615"	6.8	Gold & Violet
C7MY 5560-A	850	8.32"	16.4"	.560"	6.6	Orange & Yellow
C7MY 5560-C	1220	8.32"	16.7"	.610"	6.6	Orange & Green
C7SZ 5560-F	1150	8.32"	15.5"	.615"	6.6	Gold & Yellow
C8AZ 5560-A	1440	8.32"	15.1"	.665"	6.7	2-Brown
★C8AZ 5560-B	1480	8.32"	15.3"	.665"	6.7	2-Yellow
★C8AZ 5560-C	880	8.32"	14.7"	.585"	6.4	Violet
★C8AZ 5560-D	920	8.32"	15.0"	.585"	6.4	2-Red
C8AZ 5560-E	960	8.32"	15.3"	.585"	6.4	2-Green
C8AZ 5560-F	1560	8.32"	14.3"	.695"	6.6	Gold & Silver
C8LY 5560-A	1120	8.32"	16.9"	.595"	7.1	Brown
C8LY 5560-B	1200	8.32"	15.8"	.615"	6.6	Gold & Pink
C9AZ 5560-A	1050	8.32"	14.1"	.645"	7.0	Yellow & Silver
C9AZ 5560-B	880	8.32"	15.0"	.585"	6.7	Green
C9AZ 5560-C	1380	8.32"	14.8"	.665"	6.7	Gold & Orange
C9AZ 5560-E	770	8.32"	15.7"	.560"	6.6	Orange & Brown
C9AZ 5560-F	1560	8.32"	14.8"	.685"	6.5	Yellow & Violet
★C9AZ 5560-G	840	8.32"	14.7"	.585"	6.7	Red & Green
★C9MY 5560-A	940	8.32"	14.3"	.600"	6.3	Yellow & Pink
C9SZ 5560-A	975	8.32"	14.6"	.600"	6.3	Yellow & Red
★D0AZ 5560-A	720	9.25"	14.9"	.570"	6.2	Violet & Red
D0AZ 5560-B	760	9.25"	15.1"	.575"	6.3	Green & Brown
D0AZ 5560-C	800	9.25"	15.4"	.575"	6.3	Grey
D0AZ 5560-D	840					Pink & Green
D0AZ 5560-E	670	9.25"	15.6"	.540"	6.7	Orange & Silver
D0AZ 5560-F	750	9.25"	16.3"	.550"	6.6	2-Orange
D0AZ 5560-G	1080	9.25"	16.7"	.610"	6.9	Orange & Pink
★D0AZ 5560-H	800	9.25"	14.5"	.595"	6.3	2-Silver
★D0AZ 5560-J	900	9.25"	14.8"	.610"	6.4	Silver & Red
D0AZ 5560-K	950	9.25"	15.1"	.610"	6.4	Silver
D0AZ 5560-L	965	9.25"	14.6"	.625"	6.3	Silver & Brown
D0AZ 5560-M	1170	9.25"	15.5"	.645"	6.7	Yellow & Green
D0AZ 5560-R	1275	9.25"	14.5"	.680"	6.4	Silver & Violet
D0AZ 5560-S	1390	9.25"	14.6"	.700"	6.5	Yellow & Grey
★D0AZ 5560-T	1270	9.25"	16.1"	.655"	7.0	Orange & Grey
D0AZ 5560-U	1320					Silver & Pink
★D0AZ 5560-V	1425	9.25"	15.1"	.695"	6.8	Pink & Grey
★D0AZ 5560-AA	1000					Silver & Green
D0LY 5560-A	1050					Pink & Red
D0LY 5560-B	1100	9.25"	16.1"	.625"	6.9	Grey & Green
D0LY 5560-C	1150					Grey & Brown
D0SZ 5560-A	850	9.25"	14.7"	.595"	6.1	Grey & Red
★D0SZ 5560-C	960	9.25"	16.6"	.585"	6.7	2 Red & 1 Green
D0SZ 5560-D	850					Red & Grey
D0VY 5560-B	1200					Pink & Brown
★D1AZ 5560-C	880					Green
D1SZ 5560-A	920	9.25"	16.3"	.585"	6.7	Red
★D2AZ 5560-A	1380					Yellow & Orange
D2OZ 5560-B	870					Violet & Yellow
D2OZ 5560-D	920					Green & Orange
D2OZ 5560-G	1120					Pink & Yellow
D2OZ 5560-R	900					Red & Green

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5560 SPRING - REAR - COIL - continued

REAR COIL SPRING APPLICATION CHART

YEAR	MODELS	ENGINE CYL.	ENGINE C. I. D.	LOAD POUNDS	DESCRIPTION	IDENT.	QTY. PER VEH.	• PART NUMBER
	- A -				**BEFORE 11/23/64**			
65	A(54A-B)	6&8	240, 289	1000		Blue	2	C5AZ 5560-A
	A(54A-B-E)	6	240	1020	Heavy Duty	Silver	2	C5AZ 5560-D
	A(54A-B-E)	8	289	1020	Heavy Duty.	Silver	2	C5AZ 5560-D
	A(54A-B)	8	352,390,427	1080	Heavy Duty-r/b C7AZ 5560-S	Gold	2	★C5AZ 5560-M
	A(54A-B)	8	352,390,427	1000		Blue	2	C5AZ 5560-A
	A(54E)	6&8	240, 289	960	r/b C8AZ 5560-E	Pink	2	★C5AZ 5560-K NOTE 1
	A(54E)	8	352,390,427	1000		Blue	2	C5AZ 5560-A
	A(54E)	8	352,390,427	1020	Heavy Duty	Silver	2	C5AZ 5560-D
	A(57B-F)	6&8	240, 289	1000		Blue	2	C5AZ 5560-A
	A(57B-F)	6&8	All	1080	Heavy Duty-r/b C7AZ 5560-S	Gold	2	★C5AZ 5560-M
	A(57B)	8	352,390,427	1000		Blue	2	C5AZ 5560-A
	A(57F)	8	352,390,427	1040	"Before 10/27/64"-r/b C5AZ 5560-N		2	★C5AZ 5560-B
	A(57F)	8	352,390,427	1040	"From 10/27/64 to 11/23/64"- r/b C7AZ 5560-D	Green	2	★ C5AZ 5560-N
	A(62B-E)	6&8	All	1020	Heavy Duty	Silver	2	C5AZ 5560-D
	A(62B-E)	6&8	240, 289	960	r/b C8AZ 5560-E	Pink	2	★C5AZ 5560-K NOTE 1
	A(63B)	6&8	240, 289	960	r/b C8AZ 5560-E	Pink	2	★C5AZ 5560-K NOTE 1
	A(63C-F)	6	240	1000		Blue	2	C5AZ 5560-A
	A(63C-F)	8	289	1000		Blue	2	C5AZ 5560-A
	A(63B-C-F)	8	352,390,427	1000		Blue	2	C5AZ 5560-A
	A(63B-C-F)	6&8	All	1020	Heavy Duty	Silver	2	C5AZ 5560-D
	A(71)	6&8	All	1400	Heavy Duty	White	2	C5AZ 5560-J
	A(71)	6&8	All	1330	r/b C6MY 5560-D	Violet	2	★C5AZ 5560-L
	A(76A-B)	6&8	All	1080	Heavy Duty-r/b C7AZ 5560-S	Gold	2	★C5AZ 5560-M
	A(76B)	6&8	240, 289	1040	"Before 10/27/64"-r/b C5AZ 5560-N		2	★C5AZ 5560-B
	A(76B)	6&8	240, 289	1040	"From 10/27/64 to 11/23/64"- r/b C7AZ 5560-D	Green	2	★C5AZ 5560-N
	A(76A)	6&8	240, 289	1000		Blue	2	C5AZ 5560-A
	A(76A)	8	352,390,427	1040	"Before 10/27/64"-r/b C5AZ 5560-N		2	★C5AZ 5560-B
	A(76A-B)	8	352,390,427	1040	"From 10/27/64 to 11/23/64"- r/b C7AZ 5560-D	Green	2	★ C5AZ 5560-N
	- A -				**FROM 11/23/64**			
65	A(54A-B-E)	6&8	Exc. 427	960	r/b C8AZ 5560-E	Pink	2	★C5AZ 5560-K NOTE 3
	A(54A-B-E)	6&8	All	1020	Heavy Duty	Silver	2	C5AZ 5560-D
	A(57B-F)	6&8	Exc. 427	1000		Blue	2	C5AZ 5560-A
	A(57B-F)	6&8	All	1080	Heavy Duty-r/b C7AZ 5560-S	Gold	2	★C5AZ 5560-M
	A(62B-E)	6&8	Exc. 427	920	r/b C8AZ 5560-E	Orange	2	★ C5AZ 5560-T
	A(62B-E)	6&8	All	1020	Heavy Duty	Silver	2	C5AZ 5560-D
	A(63B-C-F)	6&8	Exc. 427	960	r/b C8AZ 5560-E	Pink	2	★C5AZ 5560-K NOTE 3
	A(63B-C-F)	6&8	All	1020	Heavy Duty	Silver	2	C5AZ 5560-D
	A(71)	6&8	All	1330	r/b C6MY 5560-D	Violet	2	★C5AZ 5560-L
	A(71)	6&8	All	1400	Heavy Duty	White	2	C5AZ 5560-J
	A(76A-B)	6&8	Exc. 427	1000		Blue	2	C5AZ 5560-A
	A(76A-B)	6&8	All	1080	Heavy Duty-r/b C7AZ 5560-S	Gold	2	★C5AZ 5560-M
66	A(54)	6&8	Exc. 427	960	M/W C8AZ 5560-E	Pink	2	★C6AZ 5560-B
	A(54)	6&8	All	1010	Heavy Duty	Red & Gold	2	C6AZ 5560-D
	A(57)	6&8	All	1050	Heavy Duty-M/W C7AZ 5560-H	Blue & Gold	2	★C6AZ 5560-E

NOTE 1 - When C8AZ 5560-E replacement spring is used on 1965 vehicles, you must use (2) C9AZ 5536-A insulators, (2) C6AZ 5A569-A retainers, (2) 20392-S7-8 bolts, (1) 356474-S18 washers and (2) 382599-S100 nuts

• Recommended to be serviced in pairs only

5560 SPRING - REAR - COIL - continued

REAR COIL SPRING APPLICATION CHART

YEAR	MODELS	ENGINE CYL.	ENGINE C. I. D.	LOAD POUNDS	DESCRIPTION	IDENT.	QTY. PER VEH.	•PART NUMBER
	- A -							
66	A(57B)	6&8	Exc.427	1000	r/b C7AZ 5560-D	Blue	2	★C6AZ 5560-A
	A(57F)	6&8	Exc. 427		"Before 2/14/66"		2	
	A(63)	6&8	Exc. 427		"From 2/14/66		2	
	A(57F)	6&8	Exc. 427	1040	"From 2/14/66" -r/b C7AZ 5560-D	Red	2	★C6MY 5560-E
	A(62)	6&8	Exc. 427	920	r/b C8AZ 5560-E	Orange	2	★C6AZ 5560-G
	A(62)	6&8	All	1010	Heavy Duty	Red & Gold	2	C6AZ 5560-D
	A(63)	6&8	Exc. 427	960	"Before 2/14/66"-M/W C8AZ 5560-E	Pink	2	★C6AZ 5560-B
	A(63B)	6&8	All	1010	Heavy Duty	Red & Gold	2	C6AZ 5560-D
	A(63C-F)	6&8	All	1050	Heavy Duty-M/W C7AZ 5560-H	Blue & Gold	2	★C6AZ 5560-E
	A(71)	6&8	All	1330	M/W C6AZ 5560-D	Violet or Yellow & White	2	★C6AZ 5560-C
	A(71)	6&8	All	1370	r/b C7AZ 5560-G	Blue & White	2	★C6AZ 5560-H
	A(71)	6&8	All	1440	Heavy Duty	Brown & Gold	2	C6AZ 5560-F
	A(76)	6&8	Exc. 427	1000	"Before 2/1/66"-r/b C7AZ 5560-D	Blue	2	★C6AZ 5560-A
	A(76)	6&8	Exc. 427	1040	"From 2/1/66"-r/b C7AZ 5560-D	Red	2	★C6MY 5560-E
	A(76)	6&8	All	1050	Heavy Duty-M/W C7AZ 5560-H	Blue & Gold	2	★C6AZ 5560-E
67	A(54A-B-E)-NOTE 1	6&8	Exc.427	960	r/b C8AZ 5560-E	Pink	2	★C7AZ 5560-B
	A(63B)	6&8	Exc.427		"Before 12/12/66"		2	
	A(54A-B,E,57B, 62B)-NOTE 2	6&8	240, 289, 390-2/B				2	
	A(62E)-NOTE 2	6&8	Exc.427				2	
	A(54A-B P/C)	6&8	All	1025	M/W C9AZ 5560-A	2 Gold	2	★C7AZ 5560-M
	A(62B-E P/C)	6&8	All				2	
	A(54A-B-E)-NOTE 1	8	427	1050	Heavy Duty	Red Gold	2	C7AZ 5560-H
	A(57B)	8	427		Heavy Duty		2	
	A(62B)-NOTE 1	8	427		Heavy Duty		2	
	A(63D, 76D)-7 Litre	8	427				2	
	A	6&8	All		Expanded & N.Y. Taxi package		2	
	A(54A-B-E, 62B, E)	6&8	240,289,390-2/B		Heavy Duty-expanded & N.Y.Taxi pkg. & Hi-Speed ride & handling pkg.		2	
	A(54A-B-E,62B)	8	390-4/B,427,428	1050	With Special ride & handling package	Red Gold	2	C7AZ 5560-H
	A(62E)	8	390-4/B,427-4/B, 428		With Hi-Speed ride package		2	
	A(57B, 63B)	6&8	240,289,390-2/B		With Hi-Speed ride & handling package		2	
	A(57F, 63C)	8	289, 390-2/B		With Hi-Speed ride & handling package		2	
	A(54A-B-E, 62B)-NOTE 2	8	390-4/B, 427, 428	1100	Heavy Duty	Gold-Violet	2	C7AZ 5560-S
	A(57B-F,63B-C)	6&8	240,289,390-2/B		Heavy Duty		2	
	A(57B,63B-C)	8	390-4/B,427,428		Heavy Duty-with 7 Litre Power option & Hi-Speed ride & handling package		2	
	A(63J)	8	289, 390-2/B		Heavy Duty-with Hi-Speed ride & handling package		2	
	A(71H)						2	
	A(57F,63J)	8	390-4/B, 427		Heavy Duty-with Hi-Speed ride & handling package		2	
	A(54C)	8	All		Heavy Duty-with Hi-Speed ride & handling package		2	

NOTE 1 - Before 1/23/67 NOTE 2 - From 1/23/67 NOTE 3 - When C8AZ 5560-E replacement is used on 1965 vehicles, you must use (2) C9AZ 5536-A insulators, (2) C6AZ 5A569-A retainers, (2) 20392-S7-8 bolts, (1) 356474-S18 washers and (2) 382599-S100 nuts

• Recommended to be serviced in pairs only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

5560 SPRING - REAR - COIL - continued

REAR COIL SPRING APPLICATION CHART

YEAR	MODELS	ENGINE CYL.	ENGINE C.I.D.	LOAD POUNDS	DESCRIPTION	IDENT.	QTY. PER VEH.	• PART NUMBER
	- A -							
67	A(57B)-NOTE 1	6&8	Exc.427	1000	r/b C7AZ 5560-D	Blue	2	★ C7AZ 5560-C
	A(54A-B,E,57B, 62B)-NOTE 2	8	390-4/B, 428				2	
	A(57F,76B)-NOTE 2	8	289, 390-2/B				2	
	A(63C)	6&8	Exc.427				2	
	A(76A)-NOTE 2	6&8	240, 289, 390, 428				2	
	A(54C)-NOTE 1	8	Exc. 427				2	
	A(57F)	8	390-4/B, 428	1040		Red	2	C7AZ 5560-D
	A(57F)- NOTE 1	8	289, 390-2/B				2	
	A(63J)	8	Exc.427				2	
	A(76A)- NOTE 1	6&8	Exc.427				2	
	A(54C)- NOTE 2	8	Exc.427				2	
	A(76B)- NOTE 2	8	390-4/B, 428				2	
	A(57F, 63J)	8	390-4/B, 427, 428	1150	Heavy Duty-r/b C7SZ 5560-F	Green Gold	2	★C7AZ 5560-J
	A(76A-B)	8	427		Heavy Duty		2	
	A	6&8	All		Expanded & N.Y. Taxi package		2	
	A(76A-B)	6&8	All		Heavy Duty-with 7 Litre Power option & Hi-Speed ride & handling package		2	
	A(54C)	8	All		Heavy Duty		2	
	A(62B,E)-NOTE 1	6&8	Exc.427	920	R/B C8AZ 5560-E	Orange	2	★C7AZ 5560-A
	A(63B)	8	390-4/B, 428		"From 12/12/66"		2	
	A(63C-J)	6&8	Exc.427		"From 12/12/66"		2	
	A(71B-D-F)	6&8	All	1370	With soft ride suspension-r/b C7AZ 5560-G	Blue Green	2	★C7AZ 5560-F
	A(71A-C-E-G)	6&8	All	1410	With soft ride suspension	Blue Red	2	C7AZ 5560-G
	A(71B-D-F)	6&8	All	1470	Standard-r/b C9AZ 5560-F	Brown-Gold	2	★C7AZ 5560-K
	A(71A-C-E-G)	6&8	All	1500	Standard-r/b C9AZ 5560-B	2 Blue	2	★C7AZ 5560-L
	A(71 P/C)	8	428	1500		2 Pink	2	C7AZ 5560-N
	A(71B-C-D-E)	6&8	All	1630	Extra Heavy Duty for Special nine passenger unit	Yellow	2	C7AZ 5560-R
	A(76B)-NOTE 1	8	390-4/B, 428	1080	r/b C7AZ 5560-D	Gold	2	★C7AZ 5560-E
	A(76B)-NOTE 1	8	289, 390-2/B				2	
68	A(54A,B)	6&8	240, 302, 390, 428	1000	r/b C7AZ 5560-D	Blue	2	★C7AZ 5560-C
	A(54C)	8	302, 390-2/B				2	
	A(62E)	8	390-4/B, 428				2	
	A(54A,B,E, 62B)	6&8	240, 302, 390, 428				2	
	A(54C)	6&8	240, 302, 390-2/B				2	
	A(54C)	8	390-4/B, 428	1040		Red	2	C7AZ 5560-D
	A(54A,B,57B, 62B,63B,65C)	6&8	All	1100	Heavy Duty	Gold Violet	2	C7AZ 5560-S
	A(54E,62E)	8	390-4/B, 427, 428		Heavy Duty		2	
	A(54C,57F, 63C,65A)	6&8	240, 302, 390-2/B		Heavy Duty-without GT option Group		2	
	A(57F,65A)	8	All		Heavy Duty-with Hi-Speed handling package		2	
	A(54A,C,57B, 63B,65C)	8	390-4/B, 427, 428		With Hi-Speed handling package		2	
	A(63C,76B)	8	302, 390-2/B		Heavy Duty-with G.T. option group		2	

NOTE 1 - Before 1/23/67 NOTE 2 - From 1/23/67 • - Recommended to be serviced in pairs only

5560 SPRING - REAR - COIL - continued

REAR COIL SPRING APPLICATION CHART

YEAR	MODELS	ENGINE CYL.	ENGINE C. I. D.	LOAD POUNDS	DESCRIPTION	IDENT.	QTY. PER VEH.	• PART NUMBER
	- A -							
68	A(54C,57F, 63C,65A)	8	390-4/B, 427,428	1150	Standard-r/b C7SZ 5560-F	Green Gold	2	★C7AZ 5560-J
	A(76A, B)	6&8	All		Heavy Duty		2	
	A(76B)	8	390-4/B, 427,428		Heavy Duty-with G.T.option group		2	
	A(54E, 62E)	6&8	240,302, 390-2/B	1050	Heavy duty	Red Gold	2	C7AZ 5560-H
	A(54A,C,57B, 63B,65C)	6&8	240,302, 390-2/B		Heavy Duty-with Hi-Speed handling package		2	
	A(63C)	8	240,390-4/B, 428		Heavy Duty-with G.T.option group		2	
	A(54, 62 P/C)	6&8	All	1025	M/W C9AZ 5560-A	2 Gold	2	★C7AZ 5560-M
	A(57B,F)	6&8	240,302, 390,428	960	Standard	2 Green	2	C8AZ 5560-E
	A(76A,B)	8	390-4/B,428				2	
	A(62E)	6&8	240,302, 390-2/B	960	R/B C8AZ 5560-E	Pink	2	★C7AZ 5560-B
	A(63B)	6&8	All	880	Standard -M/W C9AZ 5560-B	Violet	2	★C8AZ 5560-C
	A(63C, 65A, C)	6&8	240,302,390-2/B				2	
	A(63C,65A,C)	8	390-4/B, 428	920	Standard -r/b C8AZ 5560-E	2 Red	2	★C8AZ 5560-D
	A(63C,76A,B)	6&8	240,302,390-2/B				2	
	A(71A, C, J)	6&8	All	1480	Standard-r/b C9AZ 5560-C	2 Yellow	2	★C8AZ 5560-B
	A(71B, D, E, H)	6&8	All	1440	Standard	2 Brown	2	C8AZ 5560-A
	A(71)	6&8	All	1560	Heavy Duty	Gold & Silver	2	C8AZ 5560-F
	A(71 P/C)	6&8	All				2	
	A(exc.71)	6&8	All	850	With air leveler system	Orange Yellow	2	C7MY 5560-A
	A(71)	6&8	All	1220	With air leveler system-r/b C8LY 5560-B	Orange Green	2	★C7MY 5560-C
	A(71 P/C)	8	428	1500		2 Pink	2	C7AZ 5560-N
69	A(54B)	6&8	All	920	R/B C8AZ 5560-E	Orange	2	★C7AZ 5560-A
	A(54A, C)	6&8	Exc.390-4/B,429				2	
	A(54E, 76A, B)	8	390-4/B, 429				2	
	A(54A, C)	8	390-4/B, 429	960	R/B C8AZ 5560-E	Pink	2	★C7AZ 5560-B
	A(54A, B, C)	6&8	All	850	With air leveler system	Orange	2	C7MY 5560-A
	A(54E)	8	390-4/B,429		With air leveler system	Yellow	2	
	A(54A, C, 57B, 63B)	6&8	Exc 390-4/B, 429	1050	Heavy Duty	Red Gold	2	C7AZ 5560-H
	A(54B, E, 62B, E, 65A, C)	6&8	All				2	
	A(57, 62, 63, 65, 76)	6&8	All	770	With air leveler system	Orange Brown	2	C9AZ 5560-E
	A(54E)	6&8	Exc.390-4/B,429		With air leveler system		2	
	A(57F, 63C)	6&8	All	880	Standard	Green	2	C9AZ 5560-B
	A(54E,76A, B)	6&8	Exc.390-4/B,429				2	
	A(57B, 63B)	8	390-4/B,429				2	
	A(57F, 63C, 76A)	6&8	All	1100	Heavy Duty	Gold	2	C7AZ 5560-S
	A(54A, C, 57B, 63B)	8	390-4/B,429		Heavy Duty	Violet	2	
	A(76B)	6&8	Exc.390-4/B,429		Heavy duty		2	
	A(62, 65)	6&8	All	840	Standard-without air leveler system - r/b C9AZ 5560-B	Red Green	2	★C9AZ 5560-G
	A(57B, 63B)	6&8	Exc.390-4/B,429				2	
	A(63C, 76B)-XL-GT	6&8	All	940	Standard-without air leveler system	Yellow Pink	2	C9MY 5560-A
	A(P/C)-exc.71	6&8	All	1050		Yellow Silver	2	C9AZ 5560-A
	A(71D)	6&8	All	1380	Standard	Gold Orange	2	C9AZ 5560-C
	A(71A, B, C, E, H, J)	6&8	All	1440	Standard	2 Brown	2	C8AZ 5560-A

• Recommended to be serviced in pairs only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5560 SPRING - REAR - COIL - continued

REAR COIL SPRING APPLICATION CHART

YEAR	MODELS	ENGINE CYL.	ENGINE C. I. D.	LOAD POUNDS	DESCRIPTION	IDENT.	QTY. PER VEH.	• PART NUMBER
	- A -							
69	A(71 P/C)	6&8	All	1560	Heavy Duty	Gold & Silver	2	C8AZ 5560-F
	A(63B, 65C, 71B, C)	6&8	All				2	
	A(71)-exc. P/C	6&8	All	1560	Heavy Duty	Yellow Violet	2	C9AZ 5560-F
	A(71)	6&8	All	1220	With air leveler system-r/b C8LY 5560-B	Orange Green	2	★C7MY 5560-C
	A(76B)	8	390-4/B,429	1150	Heavy Duty-r/b C7SZ 5560-F	Green Gold	2	★C7AZ 5560-J
70	A(54A)-exc.P/C	6&8	All	670	With air leveler system	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(54A)-exc.P/C	6&8	Exc. 429-4/B	760	Standard-without air leveler system	(1) Green (1) Brown	2	D0AZ 5560-B
	A(54A)-exc.P/C	8	429-4/B	840	Standard-without air leveler system	(1) Pink (1) Green	2	D0AZ 5560-D
	A(54A)-exc.P/C	6&8	All	900	Heavy duty-without air leveler system-r/b D0AZ 5560-K	(1) Silver (1) Red	2	★D0AZ 5560-J
	A(54A)-P/C	8	All	965	Standard	(1) Silver (1) Brown	2	D0AZ 5560-L
	A(54B)-exc.P/C	6&8	All	670	With air leveler system	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(54B)-exc.P/C	8	302,351,390 429	750	With air leveler system	(2) Orange	2	D0AZ 5560-F
	A(54B)-exc.P/C	6&8	Exc. 429-4/B	760	Standard-without air leveler system	(1) Green (1) Brown	2	D0AZ 5560-B
	A(54B)-exc.P/C	8	429-4/B	840	Standard-without air leveler system	(1) Pink (1) Green	2	D0AZ 5560-D
	A(54B)-exc.P/C	8	429-4/B	950	Heavy duty-without air leveler system	(1) Silver	2	D0AZ 5560-K
	A(54B)-P/C	8	All	965	Standard	(1) Silver (1) Brown	2	D0AZ 5560-L
	A(54C)	6&8	All	670	With air leveler system	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(54C)	8	Exc.429-4/B	760	Standard-without air leveler system	(1) Green (1) Brown	2	D0AZ 5560-B
	A(54C)	6&8	Exc. 429-4/B	850	Heavy duty -without air leveler system	(1) Grey (1) Red	2	D0SZ 5560-A
	A(54C)	8	429-4/B	840	Standard-without air leveler system	(1) Pink (1) Green	2	D0AZ 5560-D
	A(54C)	8	429-4/B	900	Heavy duty-without air leveler system-r/b D0AZ 5560-K	(1) Silver (1) Red	2	★D0AZ 5560-J
	A(54E)-exc.P/C	6&8	All	670	With air leveler system	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(54E)-exc.P/C	6&8	Exc.429-4/B	760	Standard-without air leveler system	(1) Green (1) Brown	2	D0AZ 5560-B
	A(54E)-exc.P/C	6&8	Exc. 429-4/B	850	Heavy duty-without air leveler system	(1) Grey (1) Red	2	D0SZ 5560-A
	A(54E)-exc.P/C	8	429-4/B	840	Standard-without air leveler system	(1) Pink (1) Green	2	D0AZ 5560-D
	A(54E)-exc.P/C	8	429-4/B	900	Heavy duty-without air leveler system-r/b D0AZ 5560-K	(1) Silver (1) Red	2	★D0AZ 5560-J
	A(54E)-P/C	8	All	965	Standard	(1) Silver (1) Brown	2	D0AZ 5560-L
	A(57)	6&8	All	670	With air leveler system	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(57)	6&8	All	720	Standard-without air leveler system-r/b D0AZ 5560-B	(1) Violet (1) Red	2	★D0AZ 5560-A
	A(57)	6&8	Exc.429-4/B	800	Heavy duty-without air leveler system-r/b D0SZ 5560-A	(2) Silver	2	★D0AZ 5560-H

• Recommended to be serviced in pairs only

5560 SPRING - REAR - COIL - continued

REAR COIL SPRING APPLICATION CHART

YEAR	MODELS	ENGINE CYL.	ENGINE C.I.D.	LOAD POUNDS	DESCRIPTION	IDENT.	QTY. PER VEH.	• PART NUMBER
	- A -							
70	A(57)	8	429-4/B	850	Heavy duty-without air leveler system	(1) Grey (1) Red	2	D0SZ 5560-A
	A(62)-exc. P/C	6&8	All	670	With air leveler system	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(62)-exc.P/C	6&8	All	720	Standard-without air leveler system-r/b D0AZ 5560-B	(1) Violet (1) Red	2	★D0AZ 5560-A
	A(62)-Exc.P/C	6&8	Exc.429-4/B	800	Heavy duty-without air leveler system-r/b D0SZ 5560-A	(2) Silver	2	★D0AZ 5560-H
	A(62)-exc. P/C	8	429-4/B	850	Heavy duty-without air leveler system	(1) Grey (1) Red	2	D0SZ 5560-A
	A(62)-P/C	8	All	965	Standard	(1) Silver (1) Brown	2	D0AZ 5560-L
	A(63)	6&8	All	670	With air leveler system	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(63)	6&8	All	720	Standard-without air leveler system-r/b D0AZ 5560-B	(1) Violet (1) Red	2	★D0AZ 5560-A
	A(63) A(63B)	6&8 8	Exc.429-4/B 429-4V	800	Heavy duty-without air leveler system With competition handling package-r/b D0SZ 5560-A	(2) Silver	2 2	★D0AZ 5560-H
	A(63)	8	429-4/B	850	Heavy duty-without air leveler system	(1) Grey (1) Red	2	D0SZ 5560-A
	A(65)-Exc.P/C	6&8	All	670	With air leveler system	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(65)-Exc.P/C	6&8	All	720	Standard-without air leveler system-r/b D0AZ 5560-B	(1) Violet (1) Red	2	★D0AZ 5560-A
	A(65)-exc.P/C	8	429-4/B	850	Heavy duty-without air leveler system	(1) Grey (1) Red	2	D0SZ 5560-A
	A(65)-exc.P/C	6&8	Exc.429-4/B	800	Heavy duty-without air leveler system-r/b D0SZ 5560-A	(2) Silver	2	★D0AZ 5560-H
	A(65C)-P/C	8	All	965	Standard	(1) Silver (1) Brown	2	D0AZ 5560-L
	A(71)-exc. P/C	8	302,351,390, 429	1080	With air leveler system	(1) Orange (1) Pink	2	D0AZ 5560-G
	A(71)-exc.P/C	6&8	All	1170	Standard-without air leveler system-"Before 10/9/69"	(1) Yellow (1) Green	2	D0AZ 5560-M
	A(71)-exc.P/C	6&8	All	1270	Standard-without air leveler system-"From 10/9/69"-r/b D4AZ 5560-AJ	(1) Orange (1) Grey	2	★D0AZ 5560-T
	A(71)-exc.P/C	6&8	Exc. 428	1275	Heavy duty-without air leveler system-"Before 10/9/69"	(1) Silver (1) Violet	2	D0AZ 5560-R
	A(71)-exc. P/C	6&8	Exc. 428	1425	Heavy duty-without air leveler system-"From 10/9/69"-r/b D4AZ 5560-AN	(1) Pink (1) Grey	2	★D0AZ 5560-V
	A(71)-P/C	6&8	Exc. 428	1390	Heavy duty	(1) Yellow (1) Grey	2	D0AZ 5560-S
	A(76)	6&8	All	670	With air leveler system	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(76)	8	429-4/B	840	Standard-without air leveler system	(1) Pink (1) Green	2	D0AZ 5560-D
	A(76)	6&8	All	900	Heavy duty-without air leveler system-r/b D0AZ 5560-K	(1) Silver (1) Red	2	★D0AZ 5560-J
	A(76)	8	429-4/B	800	Without air leveler system-with competition handling package-r/b D0SZ 5560-A	(2) Silver	2	★D0AZ 5560-H
71	A(53)-exc.P/C			800	Standard-without air leveler system	(1) Grey	2	D0AZ 5560-C
	A(53)-exc.P/C exc. P/C			900	Heavy duty-without air leveler system-r/b D0AZ 5560-K	(1) Silver (1) Red	2	★D0AZ 5560-J
	A(53)-exc.P/C			670	Standard-with air leveler system-"Before 5/18/71"	(1) Orange (1) Silver	2	D0AZ 5560-E

• Recommended to be serviced in pairs only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5560 SPRING - REAR - COIL - continued

REAR COIL SPRING APPLICATION CHART

YEAR	MODELS	ENGINE CYL.	ENGINE C.I.D.	LOAD POUNDS	DESCRIPTION	IDENT.	QTY. PER VEH.	• PART NUMBER
	- A -							
71	A(53)-exc.P/C			760	Standard-with air leveler system-"From 5/18/71"	(1) Green (1) Brown	2	D0AZ 5560-B
	A(53)-P/C			965	Heavy Duty	(1) Silver (1) Brown	2	D0AZ 5560-L
	A(54)-exc.P/C			800	Standard-without air leveler system	(1) Grey	2	D0AZ 5560-C
	A(54)-exc. P/C			950	Heavy duty-without air leveler system	(1) Silver	2	D0AZ 5560-K
	A(54)-exc.P/C			670	Standard-with air leveler system-"Before 5/18/71"	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(54)-exc.P/C			760	Standard-with air leveler system-"From 5/18/71"	(1) Green (1) Brown	2	D0AZ 5560-B
	A(54)-P/C			965	Heavy duty	(1) Silver (1) Brown	2	D0AZ 5560-L
	A(57F,H)-exc.P/C			800	Standard-without air leveler system	(1) Grey	2	D0AZ 5560-C
	A(57F,H)-exc. P/C			900	Heavy duty-without air leveler system-r/b D0AZ 5560-K	(1) Silver (1) Red	2	★D0AZ 5560-J
	A(57F,H)-exc.P/C			670	Standard-with air leveler system-"Before 5/18/71"	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(57F,H)-exc.P/C			760	Standard-with air leveler system-"From 5/18/71"	(1) Green (1) Brown	2	D0AZ 5560-B
	A(57F,H)-P/C			965	Heavy duty	(1) Silver (1) Brown	2	D0AZ 5560-L
	A(57K)-exc.P/C			840	Standard-without air leveler system	(1) Pink (1) Green	2	D0AZ 5560-D
	A(57K)-exc.P/C			900	Heavy duty-without air leveler system-r/b D0AZ 5560-K	(1) Silver (1) Red	2	★D0AZ 5560-J
	A(57K)-exc. P/C			670	Standard-with air leveler system-"Before 5/18/71"	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(57K)-exc.P/C			760	Standard-with air leveler system-"From 5/18/71"	(1) Green (1) Brown	2	D0AZ 5560-B
	A(57K)-P/C			965	Heavy duty	(1) Silver (1) Brown	2	D0AZ 5560-L
	A(65D,F,H)-exc.P/C			760	Standard-without air leveler system	(1) Green (1) Brown	2	D0AZ 5560-B
	A(65D,F,H)-exc.P/C			900	Heavy duty-without air leveler system-r/b D0AZ 5560-K	(1) Silver (1) Red	2	★D0AZ 5560-J
	A(65D,F,H)-exc.P/C			670	Standard-with air leveler system-"Before 5/18/71"	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(65D,F,H)-exc.P/C			760	Standard-with air leveler system-"From 5/18/71"	(1) Green (1) Brown	2	D0AZ 5560-B
	A(65D,F,H)-P/C			965	Heavy duty	(1) Silver (1) Brown	2	D0AZ 5560-L
	A(65K)-exc.P/C			800	Standard-without air leveler system	(1) Grey	2	D0AZ 5560-C
	A(65K)-exc.P/C			900	Heavy duty-without air leveler system-r/b D0AZ 5560-K	(1) Silver (1) Red	2	★D0AZ 5560-J
	A(65K)-exc.P/C			670	Standard-with air leveler system-"Before 5/18/71"	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(65K)-exc.P/C			760	Standard-with air leveler system-"From 5/18/71"	(1) Green (1) Brown	2	D0AZ 5560-B
	A(65K)-P/C			965	Heavy duty	(1) Silver (1) Brown	2	D0AZ 5560-L
	A(71B,D)-exc.P/C			1270	Standard-without air leveler system-"Before 7/1/71"-r/b D4AZ 5560-AJ	(1) Orange (1) Grey	2	★D0AZ 5560-T
	A(71B,D)-exc.P/C			1320	Standard-without 8 passenger rear seat & air leveler system-"From 7/1/71"	(1) Silver (1) Pink	2	D0AZ 5560-U
	A(71B,D)-exc.P/C			1380	Standard-with 8 passenger rear seat-without air leveler system-"From 7/1/71"-r/b D4AZ 5560-AL	(1) Yellow (1) Orange	2	★D2AZ 5560-A

• Recommended to be serviced in pairs only

5560 SPRING - REAR - COIL - continued

REAR COIL SPRING APPLICATION CHART

YEAR	MODELS	ENGINE CYL.	ENGINE C.I.D.	LOAD POUNDS	DESCRIPTION	IDENT.	QTY. PER VEH.	• PART NUMBER
	- A -							
71	A(71B,D)-exc.P/C			1425	Heavy duty-without air leveler system -r/b D4AZ 5560-AN	(1) Pink (1) Grey	2	★D0AZ 5560-V
	A(71B,D)-exc.P/C			1080	Standard-with air leveler system-"Before 5/18/71"	(1) Orange (1) Pink	2	D0AZ 5560-G
	A(71B,D)-exc.P/C			1100	Standard-with air leveler system-"From 5/18/71"	(1) Grey (1) Green (1) Yellow	2	D0LY 5560-B
	A(71B,D)-P/C			1390	Heavy duty	(1) Yellow (1) Grey	2	D0AZ 5560-S
	A(71F,H)-exc.P/C			1270	Standard-without 8 passenger rear seat and air leveler system - "Before 7/1/71"-r/b D4AZ 5560-AJ	(1) Orange (1) Grey	2	★D0AZ 5560-T
	A(71F,H)-exc.P/C			1320	Standard-with 8 passenger rear seat-without air leveler system - "Before 7/1/71"	(1) Silver (1) Pink	2	D0AZ 5560-U
	A(71F,H)-exc.P/C			1380	Standard-without air leveler system-"From 7/1/71" - r/b D4AZ 5560-AL	(1) Yellow (1) Orange	2	★D2AZ 5560-A
	A(71F,H)-exc.P/C			1425	Heavy duty-without air leveler system -r/b D4AZ 5560-AN	(1) Pink (1) Grey	2	★D0AZ 5560-V
	A(71F,H)-exc.P/C			1080	Standard-with air leveler system-"Before 5/18/71"	(1) Orange (1) Pink	2	D0AZ 5560-G
	A(71F,H)-exc.P/C			1100	Standard-with air leveler system-"From 5/18/71"	(1) Grey (1) Green (1) Yellow	2	D0LY 5560-B
	A(71F,H)-P/C			1390	Heavy duty	(1) Yellow (1) Grey	2	D0AZ 5560-S
	A(76)-exc. P/C			840	Standard-without air leveler system	(1) Pink (1) Green	2	D0AZ 5560-D
	A(76)-exc.P/C			950	Heavy duty-without air leveler system	(1) Silver	2	D0AZ 5560-K
	A(76)-exc.P/C			670	Standard-with air leveler system-"Before 5/18/71"	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(76)-exc.P/C			760	Standard-with air leveler system-"From 5/18/71"	(1) Green (1) Brown	2	D0AZ 5560-B
	A(76)-P/C			965	Heavy duty	(1) Silver (1) Brown	2	D0AZ 5560-L
72	A(53H,K)			840	Standard-without air leveler systems - "Before 10/18/71"	(1) Pink (1) Green	2	D0AZ 5560-D
	A(53H,K)			880	Standard-without air leveler systems-"From 10/18/71"-r/b D4AZ 5560-M	(1) Green	2	★D1AZ 5560-C
	A(53H,K)			950	Heavy duty-without air leveler systems	(1) Silver	2	D0AZ 5560-K
	A(53H,K)			670	Standard-with air leveler system & air bags	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(53H,K)			800	Standard-with air leveler system & air shocks-"Before 10/18/71"	(1) Grey	2	D0AZ 5560-C
	A(53H,K)			840	Standard-with air leveler system & air shocks-"From 10/18/71"	(1) Pink (1) Green	2	D0AZ 5560-D
	A(54,57F)-exc. P/C			800	Standard-without air leveler systems-"Before 10/18/71"	(1) Grey	2	D0AZ 5560-C
	A(54)-exc.P/C			840	Standard-without air leveler systems-"From 10/18/71"	(1) Pink (1) Green	2	D0AZ 5560-D
	A(57F)-exc. P/C			880	Standard-without air leveler systems-"From 10/18/71"-r/b D4AZ 5560-M	(1) Green	2	★D1AZ 5560-C
	A(54,57F)-exc. P/C			950	Heavy duty-without air leveler systems	(1) Silver	2	D0AZ 5560-K
	A(54,57F)-exc. P/C			670	Standard-with air leveler system & air bags	(1) Orange (1) Silver	2	D0AZ 5560-E

• Recommended to be serviced in pairs only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5560 SPRING - REAR - COIL - continued

REAR COIL SPRING APPLICATION CHART

YEAR	MODELS	ENGINE CYL.	ENGINE C.I.D.	LOAD POUNDS	DESCRIPTION	IDENT.	QTY. PER VEH.	• PART NUMBER
	- A -							
72	A(54,57F)-exc. P/C			760	Standard-with air leveler system & air shocks-"Before 10/18/71"	(1) Green (1) Brown	2	D0AZ 5560-B
	A(54)-exc. P/C			800	Standard-with air leveler system & air shocks-"From 10/18/71"	(1) Grey	2	D0AZ 5560-C
	A(57F)-exc. P/C			840	Standard-with air leveler system & air shocks-"From 10/18/71"	(1) Pink (1) Green	2	D0AZ 5560-D
	A(54,57F)-P/C			965	Standard - "Before 1/3/72"	(1) Silver (1) Brown	2	D0AZ 5560-L
	A(54,57F)-P/C			1120	Standard - "From 1/3/72"	(1) Pink (1) Yellow	2	D2OZ 5560-G
	A(57H,K)			840	Standard-without air leveler systems-"Before 10/18/71"	(1) Pink (1) Green	2	D0AZ 5560-D
	A(57H,K)			880	Standard-without air leveler systems-"From 10/18/71"-r/b D4AZ 5560-M	(1) Green	2	★D1AZ 5560-C
	A(57H,K)			950	Heavy duty-without air leveler systems	(1) Silver	2	D0AZ 5560-K
	A(57H,K)			670	Standard-with air leveler system & air bags	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(57H,K)			800	Standard-with air leveler system & air shocks-"Before 10/18/71"	(1) Grey	2	D0AZ 5560-C
	A(57H,K)			840	Standard-with air leveler system & air shocks-"From 10/18/71"	(1) Pink (1) Green	2	D0AZ 5560-D
	A(65D,F)-exc. P/C			760	Standard-without air leveler systems-"Before 9/13/71"	(1) Green (1) Brown	2	D0AZ 5560-B
	A(65D,F)-exc. P/C			800	Standard-without air leveler systems-"From 9/13/71 to 10/18/71"	(1) Grey	2	D0AZ 5560-C
	A(65D,F)-exc. P/C			880	Standard-without air leveler systems-"From 10/18/71"-r/b D4AZ 5560-M	(1) Green	2	★D1AZ 5560-C
	A(65H,K)-exc. P/C			800	Standard-without air leveler systems-"Before 10/18/71"	(1) Grey	2	D0AZ 5560-C
	A(65H,K)-exc. P/C			880	Standard-without air leveler systems-"From 10/18/71"-r/b D4AZ 5560-M	(1) Green	2	★D1AZ 5560-C
	A(65)-exc. P/C			950	Heavy duty-without air leveler systems	(1) Silver	2	D0AZ 5560-K
	A(65)-exc. P/C			670	Standard-with air leveler system & air bags	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(65D,F,H)-exc. P/C			720	Standard-with air leveler system & air shocks-"Before 9/13/71" - r/b D0AZ 5560-B	(1) Violet (1) Red	2	★D0AZ 5560-A
	A(65D,F,H)-exc. P/C			760	Standard-with air leveler system & air shocks-"From 9/13/71 to 10/18/71"	(1) Green (1) Brown	2	D0AZ 5560-B
	A(65D,F,H)-exc. P/C			800	Standard-with air leveler system & air shocks-"From 10/18/71"	(1) Grey	2	D0AZ 5560-C
	A(65K)-exc. P/C			800	Standard-with air leveler system & air shocks-"Before 10/18/71"	(1) Grey	2	D0AZ 5560-C
	A(65K)-exc. P/C			840	Standard-with air leveler system & air shocks-"From 10/18/71"	(1) Pink (1) Green	2	D0AZ 5560-D
	A(65)-P/C			965	Standard - "Before 1/3/72"	(1) Silver (1) Brown	2	D0AZ 5560-L
	A(65)-P/C			1120	Standard - "From 1/3/72"	(1) Pink (1) Yellow	2	D2OZ 5560-G
	A(71B,D)-exc. P/C			1320	Standard-without 8 passenger rear seat & air leveler systems	(1) Silver (1) Pink	2	D0AZ 5560-U
	A(71B,D)-exc. P/C			1380	Standard-with 8 passenger rear seat-without air leveler systems - r/b D4AZ 5560-AL	(1) Yellow (1) Orange	2	★D2AZ 5560-A
	A(71B,D)-exc. P/C			1425	Heavy duty-without air leveler systems-r/b D4AZ 5560-AN	(1) Pink (1) Grey	2	★D0AZ 5560-V

• Recommended to be serviced in pairs only

5560 SPRING - REAR - COIL - continued

REAR COIL SPRING APPLICATION CHART

YEAR	MODELS	ENGINE CYL.	ENGINE C.I.D.	LOAD POUNDS	DESCRIPTION	IDENT.	QTY. PER VEH	• PART NUMBER
	- A -							
72	A(71B,D)-exc. P/C			1080	Standard-with air leveler system & air bags	(1) Orange (1) Pink	2	D0AZ 5560-G
	A(71B,D)-exc. P/C			1150	Standard-with air leveler system & air shocks	(1) Grey (1) Brown	2	D0LY 5560-C
	A(71F,H)-exc. P/C			1320	Standard-without 8 passenger rear seat-without air leveler system	(1) Silver (1) Pink	2	D0AZ 5560-U
	A(71F,H)-exc. P/C			1380	Standard-with 8 passenger rear seat-without air leveler systems - r/b D4AZ 5560-AL	(1) Yellow (1) Orange	2	★D2AZ 5560-A
	A(71F,H)-exc. P/C			1425	Heavy duty-without air leveler systems-r/b D4AZ 5560-AN	(1) Pink (1) Grey	2	★D0AZ 5560-V
	A(71F,H)-exc. P/C			1080	Standard-with air leveler system & air bags	(1) Orange (1) Pink	2	D0AZ 5560-G
	A(71F,H)-exc. P/C			1150	Standard-with air leveler system & air shocks	(1) Grey (1) Brown	2	D0LY 5560-C
	A(71)-P/C			1390	Standard	(1) Yellow (1) Grey	2	D0AZ 5560-S
	A(76)-exc. P/C			840	Standard-without air leveler systems - "Before 10/18/71"	(1) Pink (1) Green	2	D0AZ 5560-D
	A(76)-exc. P/C			920	Standard-without air leveler systems - "From 10/18/71"	(1) Red	2	D1SZ 5560-A
	A(76)-exc.P/C			950	Heavy duty-without air leveler systems	(1) Silver	2	D0AZ 5560-K
	A(76)-exc. P/C			670	Standard-with air leveler system & air bags	(1) Orange (1) Silver	2	D0AZ 5560-E
	A(76)-exc. P/C			800	Standard-with air leveler system & air shocks-"Before 10/18/71"	(1) Grey	2	D0AZ 5560-C
	A(76)-exc. P/C			880	Standard-with air leveler system & air shocks-"From 10/18/71" - r/b D4AZ 5560-M	(1) Green	2	★D1AZ 5560-C
	A(76)-P/C			965	Standard	(1) Silver (1) Brown	2	D0AZ 5560-L
	- B -							
72	B(53)-exc.P/C	6&8	All	870	Standard-without competition handling pkg.	(1) Violet (1) Yellow	2	D2OZ 5560-B
	B(53)-exc.P/C	6&8	250,302, 351-2/B	870	Heavy duty-without competition handling pkg.	(1) Violet (1) Yellow	2	D2OZ 5560-B
	B(53)-exc.P/C	8	351-CJ,400, 429	920	Heavy duty-without competition handling pkg.	(1) Green (1) Orange	2	D2OZ 5560-D
	B(53)-exc.P/C	6&8	All	870	Standard-with competition handling pkg.	(1) Violet (1) Yellow	2	D2OZ 5560-B
	B(53)-P/C	6&8	All	1000	Standard-r/b D4AZ 5560-Y	(1) Silver (1) Green	2	★D0AZ 5560-AA
	B(63)	8	All	880	Standard-without competition handling pkg.-"Before 12/1/71"-r/b D4AZ 5560-M	(1) Green	2	★D1AZ 5560-C
	B(63)	8	All	840	Standard-without competition handling pkg. - "From 12/1/71"	(1) Pink (1) Green	2	D0AZ 5560-D
	B(63)	8	302,351-2B	870	Heavy duty-without competition handling pkg.	(1) Violet (1) Yellow	2	D2OZ 5560-B
	B(63)	8	351-CJ,400, 429	920	Heavy duty-without competition handling pkg.	(1) Green (1) Orange	2	D2OZ 5560-D
	B(63)	8	All	900	Standard-with competition handling pkg.	(1) Red (1) Green	2	D2OZ 5560-R
	B(65)-exc.P/C	6&8	250,302, 351-2/B	840	Standard-without competition handling pkg.	(1) Pink (1) Green	2	D0AZ 5560-D
	B(65)-exc.P/C	8	351-CJ,400, 429	880	Standard-without competition handling pkg.-r/b D4AZ 5560-M	(1) Green	2	★D1AZ 5560-C
	B(65)-exc.P/C	6&8	All	870	Heavy duty-without competition handling pkg.	(1) Violet (1) Yellow	2	D2OZ 5560-B
	B(65)-exc.P/C	6&8	All	900	Standard-with competition handling pkg.	(1) Red (1) Green	2	D2OZ 5560-R

• Recommended to be serviced in pairs only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5560 SPRING - REAR - COIL - continued

REAR COIL SPRING APPLICATION CHART

YEAR	MODELS	ENGINE CYL.	ENGINE C.I.D.	LOAD POUNDS	DESCRIPTION	IDENT.	QTY. PER VEH.	● PART NUMBER
	- B -							
72	B(65)-P/C	6&8	All	1000	Standard-r/b D4AZ 5560-Y	(1) Silver (1) Green	2	★D0AZ 5560-AA
	B(71)-exc.P/C	6&8	All	1000	Standard-R.H.-r/b D4AZ 5560-Y	(1) Silver (1) Green	1	★D0AZ 5560-AA
	B(71)-exc.P/C	6&8	All	1200	Standard-L.H.	(1) Pink (1) Brown	1	D0VY 5560-B
	B(71)-exc.P/C	6&8	All	1120	Heavy duty-R.H.	(1) Pink (1) Yellow	1	D2OZ 5560-G
	B(71)-exc.P/C	6&8	All	1270	Heavy duty-L.H.-r/b D4AZ 5560-AJ	(1) Orange (1) Grey	1	★D0AZ 5560-T
	B(71)-P/C	6&8	All	1120	Standard-R.H.	(1) Pink (1) Yellow	1	D2OZ 5560-G
	B(71)-P/C	6&8	All	1270	Standard-L.H.-r/b D4AZ 5560-AJ	(1) Orange (1) Grey	1	★D0AZ 5560-T
	B(97)	6&8	250,302, 351-2/B	840	Standard-without competition handling pkg.	(1) Pink (1) Green	2	D0AZ 5560-D
	B(97)	8	351-CJ,400, 429	800	Standard-without competition handling pkg.	(1) Grey	2	D0AZ 5560-C
	B(97)	6&8	All	1120	Heavy duty-without competition handling pkg.	(1) Pink (1) Yellow	2	D2OZ 5560-G
	B(97)	6&8	All	950	Standard-with competition handling pkg.	(1) Silver Red	2	D0AZ 5560-K
	- S -							
67	S(57)	8	390, 428	1080		Gold	2	C7AZ 5560-E
67/68	S(65)	8	390, 428, 429	1040		Red	2	C7AZ 5560-D
67	S	8	390, 428		Heavy duty with trailer package r/b C7SZ 5560-F-"Before 12/19/66"	Green Gold	2	★C7AZ 5560-J
67	S	8	390,428	1150	Heavy duty-"From 12/19/66"	Gold &	2	C7SZ 5560-F
68/	S(65)	8	390, 429		Heavy Duty	Yellow	2	
68/69	S(57)	8	390, 429	1120	Standard	Brown	2	C8LY 5560-A
68/69	S(57)	8	390, 429	1200	Heavy Duty	Gold Pink	2	C8LY 5560-B
69	S(65)	8	429	975		Yellow	2	C9SZ 5560-A
70	S(57)	8	All	850	Standard	(1) Red (1) Grey	2	D0SZ 5560-D
	S(57)	8	All	1100	Heavy duty	(1) Grey (1) Green (1) Yellow	2	D0LY 5560-B
	S(65)	8	All	850	Standard-"Before 9/8/69"	(1) Grey (1) Red	2	D0SZ 5560-A
	S(65)	8	All	960	Standard-"From 9/8/69"-r/b D4AZ 5560-R	(2) Red (1) Green	2	★D0SZ 5560-C
	S(65)	8	All	950	Heavy duty	(1) Silver	2	D0AZ 5560-K
71	S(57)			850	Standard	(1) Red (1) Grey	2	D0SZ 5560-D
	S(57)			1100	Heavy duty	(1) Grey (1) Green (1) Yellow	2	D0LY 5560-B
	S(65)			920	Standard	(1) Red	2	D1SZ 5560-A
	S(65)			950	Heavy duty	(1) Silver	2	D0AZ 5560-K
72	S			960	Standard-r/b D4AZ 5560-R	(2) Red (1) Green	2	★D0SZ 5560-C
	S			1050	Heavy duty-"Before 7/28/71"	(1) Pink (1) Red	2	D0LY 5560-A
	S			1000	Heavy duty-"From 7/28/71"-r/b D4AZ 5560-Y	(1) Silver (1) Green	2	★D0AZ 5560-AA

● Recommended to be serviced in pairs only

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5560 SPRING ASSY. - REAR-LEAF - Refer to Group 5563 for spring leaves			
	- B -			
65	B(54, 62, 65)-6 cyl. S/T	Std.-5 leaf -748 lb. load rate-#C4OA 5556-B-R/B C5OZ 5560-F	2	★C5OZ 5560-C
	B(54, 62, 65)-6 cyl. with Auto. Trans.	Std.-5 leaf-748 lb. load rate- #C5OA 5556-F	2	C5OZ 5560-F
	B(54, 62, 65)-8 cyl.	Std.-5 leaf - 748 lb. load rate - #C4OA 5556-C-D	2	C5OZ 5560-E
	B(includes 289-4/B Special)	H/D-5 leaf-763 lb. load rate-#C5OA 5556-E,F,H- Not replaced	2	★C5OZ 5560-J
	B(71)	Standard-6 leaf-1024 lb. load rate- #C5OA 5560-B-C,#C5OA 5556-D	2	C5OZ 5560-A
	B(71)	H/D-6 leaf-1075 lb. load rate- #C5OA 5560-A-D,#C5OA 5556-B -Not replaced	2	★C5OZ 5560-B
66	B(54, 62, 63B,C)-6 cyl.-with standard trans.- "Before 1/17/66"	4 leaf-710 lb. load rate- #C6OA 5556-AV	2	C6OZ 5560-T
	B(54, 62, 63B, C)-6 cyl. with all trans. - "From 1/17/66"	3 leaf-710 lb. load rate-# C6OA 5556-EB	2	† C6OZ 5560-AT
	B(54, 62, 63B,C)-6 cyl. with Auto. Trans.	4 leaf-710 lb. load rate-#C6OA 5556-BY, BZ, DT	2	C6OZ 5560-AM
	B(54, 62)-8 cyl. 289 B(63B, C)-8 cyl. 289 "Before 5/2/66"	Std. -4 leaf-750 lb. load rate-#C6OA 5556-BK, C7OA 5556-E	2 2	C6OZ 5560-B
	B(63B, C)-8 cyl. 289 "From 5/2/66"	4 leaf-750 lb. load rate-#C6OA 5556-EC, ED, C7OA 5556-G,H	2	C6OZ 5560-AZ
	B(54, 62, 63B, C)-8 cyl. 289	H/D-4 leaf-750 lb. load rate-# C6OA 5556-AY	2	C6OZ 5560-C
	B(54, 62)-8 cyl. 390 "From 1/18/66" B(63B, C)-8 cyl. 390 "From 1/18 to 5/2/66"	Standard-4 leaf, 780 lb. load rate- #C6OA 5556-BS, BV, DN, DR	2 2	C6OZ 5560-AL
	B(54, 62, 63B, C)-8 cyl.390	H/D-4 leaf-820 lb. load rate-#C6OA 5556-CN, CR	2	C6OZ 5560-AB
	B(63B, C)-8 cyl. 390 "From 5/2/66"	4 leaf-780 lb. load rate-#C6OA 5556-EE, EF - Not replaced	2	★C6OZ 5560-AY
	B(54, 62, 63B,C)-8 cyl. 390 & B(P/C)	H/D-4 leaf, 780 lb. load rate-#C6OA 5556-Y, Z, AN, AZ	2	C6OZ 5560-K
	B(63D)-8 cyl. 390	4 leaf, 730 lb. load rate- #C6OA 5556-CE, CF	2	C6OZ 5560-Z
	B(71)-6 cyl. & 8 cyl. 289 "Before 10/26/65" B(71)-8 cyl. 390	H/D-R. H. -5 leaf, 1120 lb. load rate- #C6OA 5556-DA, DB, DC, DD - Not replaced	1 1	★ C6OZ 5560-H
	B(71)-6 cyl. & 8 cyl. 289 "From 10/26/65"	Standard-R. H. -5 leaf-1050 lb. load rate- #C6OA 5556-BD, C7OA 5556-S, T	1	C7OZ 5560-A
	B(71)-6 cyl. & 8 cyl. 289	Standard-L. H. -5 leaf-1230 lb. load rate- #C6OA 5556-DE, DG, C7OA 5556-F, Y, Z	1	C7OZ 5560-C
	B(71)-8 cyl. 390	Standard-R. H. -5 leaf, 1175 lb. load rate- #C6OA 5556-CV, CZ-M/W C9OZ 5560-B	1	★C6OZ 5560-AC
	B(71)-8 cyl. 390	Standard- L. H. -5 leaf, 1280 lb. load rate #C6OZ 5556-DF, DH		C6OZ 5560-AE
	B(71)-6 cyl. & 8 cyl.289) "Before 10/26/65" B(71)-8 cyl.390	Std.-R.H.-5 leaf-1095 lb.load rate- #C6OA 5556-AC, BC, BD, CU, CY, C7OA 5556-U, V, C9OA 5556-C	1 1	C9OZ 5560-B
	B(71)-6 cyl. & 8 cyl.289 "From 10/26/65"	H/D-R.H.-5 leaf-1050 lb.load rate- #C6OA 5556-BH, C7OA 5556-AG, AJ	1	C7OZ 5560-K
	B(71)-6 cyl. & 8 cyl. 289	H/D-L. H. -5 leaf, 1230 lb. load rate- #C6OA 5556-DJ, DL	1	C6OZ 5560-G
	B(71)-8 cyl. 390	H/D-L. H. -5 leaf, 1280 lb. load rate- #C6OA 5556-DK, DM - Not replaced	1	★C6OZ 5560-AF
	B(76)-6 cyl.	4 leaf, 820 lb. load rate-#C6OA 5556-CG, CH, CJ, CK, DV, C7OA 5560-J, K	2	C6OZ 5560-AN
	B(76)-8 cyl. 289	Standard	2	
	B(76B, C)-8 cyl. 390	Std. -4 leaf-860 lb. load rate-#C6OA 5556-CL, CM	2	C6OZ 5560-A
	B(76B, C)-8 cyl. 390	H/D-4 leaf, 860 lb. load rate- #C6OA 5556-CS, CT Not replaced	2	★ C6OZ 5560-J
	B(76D)-8 cyl. 390 4/B	4 leaf, 820 lb. load rate- #C6OA 5556-CC, CD - Not replaced	2	★C6OZ 5560-AA
	B(76)-8 cyl. 289	H/D-4 leaf, 820 lb. load rate-#C6OA 5556-CN, CR	2	C6OZ 5560-AB
67	B(54, 62)-8 cyl.289 B(54, 62)	Std.-4 leaf-750 lb. load rate-#C6OA 5556-BK, C7OA 5556-E	2 2	C6OZ 5560-B
	B(54, 62, 63B, C)-8 cyl.289 B(63D), B(P/C) B(54, 62, 63)-6 cyl.	H/D-4 leaf-750 lb. load rate-#C6OA 5556-AY	2 2 2	C6OZ 5560-C
	B(54, 62)-8 cyl.390	Standard-4 leaf-780 lb. load rate	2	C6OZ 5560-AL

• Recommended to be serviced in pairs only # Identification marking

† Use C6OZ 5736-D retainer & C6OZ 5741-A insulator. Remove C5GY 5A669-A damper from vehicles with S/T.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5560 SPRING ASSY. - REAR-LEAF - continued - Refer to Group 5563 for spring leaves			
	- B -			
67	B(63B,C)-8 cyl.390 B(63D)-8 cyl.390 2/B	4 leaf-780 lb.load rate-#C6OA 5556-EE,EF - Not replaced	2 2	★C6OZ 5560-AY
	B(54,62,63B,C)-8 cyl.390 & B(P/C) B(63D)-8 cyl. 390	H/D-4 leaf-780 lb.load rate-#C6OA 5556-Y,Z, AN,AZ	2 2	C6OZ 5560-K
	B(54,62,63B,C)-8 cyl. 390 B(63D)-8 cyl.390 2/B	H/D-4 leaf-820 lb.load rate-#C6OA 5556-CN,CR	2 2	C6OZ 5560-AB
	B(63B,C)-8 cyl.289 B(63)-6 cyl. B(63D)-8 cyl.289	4 leaf-750 lb.load rate-#C6OA 5556-EC,ED, C7OA 5556-G,H	2 2 2	C6OZ 5560-AZ
	B(63D)-8 cyl.390 B(62A,B,63B,C)-8 cyl. 427 with 4/S/T	4 leaf,730 lb.load rate-#C6OA 5556-CE,CF	2 2	C6OZ 5560-Z
	B(66)-6 cyl. & 8 cyl. 289	Std.-5 leaf-970 lb.load rate-#C6DA 5556-K,V- replaced by C7OZ 5560-E	2	★C6DZ 5560-A
	B(66)-8 cyl. 390	For 850 lb.pay load-5 leaf-1050 lb.load rate- #C7OA 5556-M	2	C7OZ 5560-E
	B(66)-8 cyl. 390 "Before 11/11/66"	For 1220 pay load-5 leaf-1217 lb.load rate- #C7OA 5556-R	2	C7OZ 5560-F
	B(66)-6 cyl.& 8 cyl. 289,302 B(66)-8 cyl.390 "From 11/11/66"	For 850 lb.pay load-5 leaf-1010 lb.load rate- #C7OA 5556-AC, AD, AE, AF-repl.by C7OZ 5560-E	2 2	★C7OZ 5560-J
	B(66)-6 cyl.& 8 cyl.289,302,351 B(66)-8 cyl. 390 "From 11/11/66/	H/D-5 leaf-1140 lb.load rate-#C6DA 5556-H,Y,Z H/D-for 1250 lb. pay load-R/B C7OZ 5560-F	2 2	★C6DZ 5560-B
	B(71)-6 cyl. & 8 cyl. 289	Std.-R.H.-5 leaf-1050 lb. load rate- #C6OA 5556-BD,C7OA 5556-S,T	1	C7OZ 5560-A
	B(71)-8 cyl.390 B(71)-6 cyl.& 8 cyl.289	Standard-R.H.-5 leaf-1095 lb.load rate- #C6OA 5556-AC, BC, BD, CU, CY, C7OA 5556-U,V, C9OA 5556-C	1 1	C9OZ 5560-B
	B(71)	H/D-R.H.-5 leaf-1050 lb.load rate- #C6OA 5556-BH, C7OA 5556-AG,AJ	1	C7OZ 5560-K
	B(71)-6 cyl.& 8 cyl.289	Std.-L.H.-5 leaf-1230 lb.load rate- #C6OA 5556-DE,DG,C7OA 5556-F,Y,Z	1 1	C7OZ 5560-C
	B(71)-8 cyl. 390	Std.-R.H.-5 leaf-1175 lb.load rate- #C6OA 5556-CV,CZ-M/W C9OZ 5560-B	1	★C6OZ 5560-AC
	B(71)-8 cyl.390	Standard-L.H.-5 leaf-1260 lb-load rate- #C7OA 5556-AA,AB,C9OA 5556-A	1	C9OZ 5560-A
	B(71)	H/D-L.H.-5 leaf-1250 lb.load rate- #C7OA 5556-AH, AK	1	C7OZ 5560-L
	B(76)-8 cyl. 289 B(76)-6 cyl.	Std.-4 leaf-820 lb.load rate-#C6OA 5556-CG,CH, CJ,CK,DV,C7OA 5556-J,K	2 2	C6OZ 5560-AN
	B(76D)-8 cyl.390-4/B	4 leaf-820 lb.load rate-#C6OA 5556-CC,CD - Not replaced	2	★ C6OZ 5560-AA
	B(76B,C)-8 cyl.390 B(76D)-8 cyl.390 2/B	Std.-4 leaf-860 lb.load rate-#C6OA 5556-CC,CM	2 2	C6OZ 5560-A
	B(76B,C)-8 cyl.390 B(76D)-8 cyl.390 2/B	H/D-4 leaf-860 lb.load rate-#C6OA 5556-CS,CT -Not replaced	2 2	★C6OZ 5560-J
	B(76)-8 cyl.289	H/D-4 leaf-820 lb.load rate-#C6OA 5556-CN,CR	2	C6OZ 5560-AB
68	B(54A,B,C,65A,B,E (6 cyl.) B(54A,B,63D,65D)-8 cyl.289,302 B(63D,65D)-8 cyl. 390-2/B	4 leaf-735 lb. load rate #Green & Orange stripes	2 2 2	C8OZ 5560-B
	B(63B,E,65C)-6 cyl. & 8 cyl.289,302 B(54C,65A,B,E)-8 cyl.289,302 B(54A,B,C,65A,B,E)-8 cyl. 390-2/B B(54A,B)-8 cyl. 390-4/B	4 leaf-765 lb. load rate #2 Red stripes	2 2 2 2	C8OZ 5560-C
	B(54,63,65)-6 cyl. & 8 cyl. 289,302 B(54A,B)-8 cyl. 390-2/B	H/D-4 leaf-840 lb. load rate- #C8OA 5556-S,T- r/b C8OZ 5560-K	2 2	★C8OZ 5560-J
	B(54C,63,65)-8 cyl. 390-2/B-less handling package B(54,63B,E,65A,B,C,E)-8 cyl. 390-4/B-less handling package	H/D-4 leaf-875 lb. load rate-#C8OA 5556-U,V	2 2	C8OZ 5560-K
	B(54,62,63B,C)-8 cyl.390	H/D-4 leaf-820 lb.load rate-#C6OA 5556-CN,CR	2	C6OZ 5560-AB
	B(63D,65D)-8 cyl.390-4/B B(63,65)-8 cyl.427 with 4/S/T B(54,63,65)-8 cyl. 428CJ-4/B	4 leaf-720 lb.load rate #3 Orange stripes or C9OA 5556-AA,AB	2 2 2	C9OZ 5560-L

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5560 SPRING ASSY. - REAR LEAF - continued - Refer to Group 5563 for spring leaves			
	- B -			
68	B(76B,E)-6 cyl. & 8 cyl. 289,302 B(76D)-8 cyl.289,302 B(65C)-8 cyl.390 B(54C,65A,B,E,76D(8 cyl.390-4/B)	4 leaf-795 lb. load rate #3 Silver stripes	2 2 2 2	C8OZ 5560-A
	B(66)-6 cyl. & 8 cyl.289, 302 - "Before 1/8/68"	For 850 lb. pay load-5 leaf-1010 lb.load rate-#C2OA 5556-AC,AE,AF- r/b C7OZ 5560-E	2	★C7OZ 5560-J
	B(66)-6 cyl. & 8 cyl.289,302 "From 1/8/68"	For 860 lb.pay load-5 leaf-# C8OA 5556-AF	2	C8OZ 5560-Y
	B(66)-6 cyl. & 8 cyl.289,302,351 B(66)-8 cyl.390	H/D-5 leaf-1140 lb.load rate-#C6DA 5556-H,Y,Z H/D for 1250 lb. pay load-r/b C7OZ 5560-F	2 2	★C6DZ 5560-B
	B(71)-6 cyl.& 8 cyl.289	Std.-R.H.-5 leaf-1050 lb. load rate-#C6OA 5556-BD,C7OA 5556-S,T	1	C7OZ 5560-A
	B(71)-6 cyl. & 8 cyl. 289	Std.-L.H.-5 leaf-1230 lb.load rate-#C6OA 5556-DE,DG,C7OA 5556-F,Y,Z	1	C7OZ 5560-C
	B(71)-8 cyl. 390	Std.-R.H.-5 leaf-1095 lb.load rate-#C6OA 5556-AC,BC,BD,CU,CY	1	C9OZ 5560-B
	B(71)-8 cyl.390	Std.-L.H.-5 leaf-1260 lb. load rate -#C7OA 5556-AA,AB,C9OA 5556-A	1	C9OZ 5560-A
	B(71)	H/D-R.H.-5 leaf-1050 lb.load rate-#C6OA 5556-BH,C7OA 5556-AG,AJ	1	C7OZ 5560-K
	B(71)	H/D-L.H.-5 leaf-1250 lb.load rate-#C7OA 5556-AH,AK	1	C7OZ 5560-L
	B(76B,D,E)-8 cyl.390-2/B B(76B,E)-8 cyl.390-4/B	4 leaf-850 lb. load rate-#Violet & Green stripes	2 2	C8OZ 5560-F
	B(76)-6 cyl. & 8 cyl.289-2/B & 302-2/B	H/D-4 leaf-910 lb.load rate-#C8OA 5556-AA,AB	2	C8OZ 5560-M
	B(76)-8 cyl. 390-2/B-less handling package B(76B,E)-8 cyl. 390-4/B-less handling package	H/D-5 leaf-975 lb. load rate-#C8OA 5556-AC,AD	2 2	C8OZ 5560-N
	B(76D)-8 cyl.390 4/B B(76)-8 cyl. 428CJ-4/B	4 leaf,860 lb.load rate-#Silver & Pink stripes	2 2	C8OZ 5560-D
69	B(54,62,63B,C)-8 cyl.390	H/D-4 leaf-820 lb.load rate-#C6OA 5556-CN,CR	2	C6OZ 5560-AB
	B(76)-8 cyl. B(54C,65A,B,C,E)-8 cyl.390 GT B(65C)-8 cyl.351	4 leaf-795 lb. load rate-#3 Silver stripes	2 2 2	C8OZ 5560-A
	B(65)-6 cyl. & 8 cyl. 302 B(65A)-8 cyl.351 B(65B,C,E)-8 cyl.351-2/B	4 leaf-645 lb. load rate-#C9OA 5556-E,K	2 2 2	C9OZ 5560-C
	B(54B,C,65B,C,E)-8 cyl.390-4/B B(63B)-8 cyl.351,390-4/B B(63E)-8 cyl.302,351,390-4/B B(76B)-8 cyl.302,351-2/B B(76E)-8 cyl.302	H/D-4 leaf-780 lb.load rate-#C9OA 5556-AG,AH	2 2 2 2 2	C9OZ 5560-R
	B(63)-6 cyl.& 8 cyl.302 B(63B)-8 cyl.351 B(63E)-8 cyl.351-2/B B(65C,E)-8 cyl.351-4/B B(65A,B,C)-8 cyl.390-4/B	4 leaf-677 lb.load rate-#C9OA 5556-F,L	2 2 2 2 2	C9OZ 5560-D
	B(54A,B,C)-6 cyl.& 8 cyl.302,351 B(76B,E)-6 cyl.& 8 cyl.302 B(63B)-8 cyl.390-4/B B(63E)-8 cyl.351-4/B	4 leaf-709 lb.load rate-#C9OA 5556-G,M	2 2 2 2	C9OZ 5560-E
	B(54)-8 cyl. 390-4/B	4 leaf-741 lb. load rate-#C9OA 5556-H,N	2	C9OZ 5560-F
	B(76B,E)-8 cyl.351,390-4/B B(63E)-8 cyl.390-4/B	4 leaf-720 lb.load rate-#C9OA 5556-J,R	2 2	C9OZ 5560-G
	B(65C,E,76D,F)-8 cyl.428 with trunk battery	4 leaf-798 lb.load rate-#C9OA 5556-S,T	2	C9OZ 5560-H
	B(54,63,65A,B,D,F)-8 cyl.428 B(76B,E)-8 cyl.428 with trunk battery B(76D,F)-8 cyl.428 without trunk battery	4 leaf-702 lb.load rate-#C9OA 5556-U,V	2 2 2	C9OZ 5560-J
	B(63D,E,65D,F)-8 cyl.302 B(63F)-8 cyl.351-2/B B(65D,F)-8 cyl.351,390-4/B B(63B,E)-8 cyl.302,351 with improved handling package B(65A,B,C,E)-8 cyl.302,351,390-4/B with improved handling package	4 leaf-670 lb.load rate-#C9OA 5556-Y,Z	2 2 2 2 2	C9OZ 5560-K

Identification marking

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5560 SPRING ASSY. - REAR LEAF - continued - Refer to Group 5563 for spring leaves			
	- B -			
69	B(76D, F)-8 cyl. 302, 351	4 leaf-720 lb. load rate-#C9OA 5556-AA, AB	2	C9OZ 5560-L
	B(63D)-8 cyl. 351, 390-4/B		2	
	B(63F)-8 cyl. 351-4/B, 390-4/B		2	
	B(76F)-8 cyl. 390-4/B		2	
	B(63B, E)-8 cyl. 390-4/B with improved handling package		2	
	B(76B, E)-8 cyl. 302, 351-2/B, 390-4/B with improved handling package		2	
	B(54A, 65A)-8 cyl. 302, 351, 390-4/B	H/D-4 leaf-740 lb. load rate- #C9OA 5556-AC, AD	2	C9OZ 5560-M
	B(54B, C, 65B, C, E)-8 cyl. 302, 351		2	
	B(63B)-8 cyl. 302		2	
	B(6 cyl.)-except 66, 71 & GT		2	
	B(66)-6 cyl. & 8 cyl. 302, 351	For 860 lb. pay load-5 leaf-#C8OA 5556-AF	2	C8OZ 5560-Y
	B(66)-8 cyl. 390, 428 4/B	Also use (1) C6DZ 5A669-A	2	
	B(66)-6 cyl. & 8 cyl. 289, 302, 351	H/D-5 leaf-1140 lb. load rate-#C6DA 5556-H, Y, Z	2	★C6DZ 5560-B
	B(66)-8 cyl. 390	H/D-for 1250 lb. pay load-R/B C7OZ 5560-F	2	
	B(71)	Standard-R.H.-5 leaf-1095 lb. load rate- #C9OA 5556-C	1	C9OZ 5560-B
	B(71)	Standard-L. H. -5 leaf-1260 lb load rate- #C9OA 5556-A	1	C9OZ 5560-A
	B(71)	H/D-R.H.-5 leaf-1050 lb. load rate - #C6OA 5556-BH, C7OA 5556-AG, AJ	1	C7OZ 5560-K
	B(71)	H/D-L.H.-5 leaf-1250 lb. load rate- #C7OA 5556-AH, AK	1	C7OZ 5560-L
	B(76D)-8 cyl. 390-4/B	Standard-4 leaf-720 lb. load rate-#3 Orange stripes or C9OA 5556-AA, AB	2	C9OZ 5560-L
	B(76B)-8 cyl. 351-4/B, 390-4/B	H/D-4 leaf-820 lb. load rate- #C9OA 5556-AE, AF	2	C9OZ 5560-N
	B(76E)-8 cyl. 351, 390-4/B		2	
	B(76)-6 cyl. 250, 302	H/D-4 leaf-910 lb. load rate-#C8OA 5556-AA, AB	2	C8OZ 5560-M
	B(76B, E)-8 cyl. 390 4/B	H/D-5 leaf-975 lb. load rate-#C8OA 5556-AC,	2	C8OZ 5560-N
	B(76E)-8 cyl. 351	AD	2	
70	B(54, 65B, C)-exc. 429-CJ, P/C-429-4/B	Standard-4 leaf-645 lb. load rate- #C9OA 5556-E, K	2	C9OZ 5560-C
	B(57C, E)-6 cyl. & 8 cyl. 302, 351	Standard	2	
	B(62)	Standard	2	
	B(63C)-6 cyl. & 8 cyl. 302	Standard	2	
	B(65E)-6 cyl. & 8 cyl. 302, 351-2/B	Standard	2	
	B(57, 63C, 65E)-8 cyl. 429-4/B (exc. 429-CJ)	Standard-4 leaf-677 lb. load rate- #C9OA 5556-F, L	2	C9OZ 5560-D
	B(63C, F)-8 cyl. 351-2/B	Standard	2	
	B(63F)-8 cyl. 302	Standard	2	
	B(65C, E)-8 cyl. 351-4/B	Standard	2	
	B(63F, H, 76)-8 cyl. 429-4/B (exc. 429-CJ)	Standard-4 leaf-660 lb. load rate- # 2 brown & 2 yellow stripes	2	D0OZ 5560-C
	B(exc. 66, 71)-8 cyl. 429-CJ	Standard	2	
	B(54A, B, 65B-P/C)-8 cyl. 429-4/B(exc. 429-CJ)	Cross country (H/D)	2	
	B(66)	Standard-5 leaf-965 lb. load rate- #D0OA 5556-A, B or 1 brown & 2 orange stripes	2	D0OZ 5560-A
	B(66)-exc. 8 cyl. 429	For 850 lb. pay load-4 leaf-825 lb. load rate- #D0OA 5556-C, D or 1 brown & 2 gold stripes	2	D0OZ 5560-B
	B(71)	Standard-R. H. -5 leaf-1095 lb. load rate- #D0OA 5556-E, H or 2 green & 1 pink stripe	1	D0OZ 5560-F
	B(71)	Standard-L-H-5 leaf-1260 lb. load rate- #D0OA 5556-F, G or 2 green & 1 silver stripe	1	D0OZ 5560-E
	B(76)-8 cyl. 302, 351	Standard-4 leaf-709 lb. load rate- #C9OA 5556-G, M	2	C9OZ 5560-E
	B(54, 65)-exc. 429-CJ	Cross Country-(H/D)-4 leaf-740 lb. load rate- #C9OA 5556AC, AD	2	C9OZ 5560-M
	B(54A, B, 65B-P/C)-6 cyl. & 8 cyl. 302, 351	Cross country(H/D)-without rear stabilizer bar	2	
	B(57)-exc. 8 cyl. 429	Cross Country-(H/D)	2	
	B(62)	Cross County-(H/D)	2	
	B(63C)-exc. 8 cyl. 429	Cross Country-(H/D)	2	

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5560 SPRING ASSY. - REAR LEAF - continued - Refer to Group 5563 for spring leaves			
	- B -			
70	B(57)-8 cyl. 429-4/B (exc. 429-CJ)	Cross Country-(H/D)-4 leaf-780 lb. load rate-#C9OA 5556-AG, AH	2	C9OZ 5560-R
	B(63C)-8 cyl. 351-4/B	Cross Country-(H/D)	2	
	B(63F, H)-exc. 8 cyl. 429	Cross Country-(H/D)	2	
	B(76)-6 cyl. & 8 cyl. 302	Cross Country-(H/D)	2	
	B(54A, B, 65B-P/C)-8 cyl.351, 429-4/B(exc. 429-CJ)	Cross country (extra H/D)-4 leaf 610 lb. load rate #D0OA 5556-R	2	D0OZ 5560-G
	B(71)	Cross Country-(H/D)-R. H. -5 leaf-1170 lb. load rate-#Z8OD 5556-J	1	C8OZ 5560-S
	B(71)	Cross Country-(H/D)-L. H. -5 leaf-1330 lb. load rate-#Z8OD 5556-K	1	C8OZ 5560-R
	B(76)-8 cyl. 351	Cross Country-(H/D)-4 leaf-820 lb. load rate-#C9OA 5556AE, AF	2	C9OZ 5560-N
71	B(54A)-exc. P/C	Standard-4 leaf-709 lb. load rate #C9OA 5556-G, M	2	C9OZ 5560-E
	B(54A)-exc. P/C	Cross country-(H/D)-4 leaf-740 lb. load rate #C9OA 5556-AC, AD	2	C9OZ 5560-M
	B(54A-P/C)-6 cyl. & 8 cyl. 302, 351	Standard-without rear stabilizer bar - NOTE 1	2	
	B(54A-P/C)-8 cyl. 429-CJ	Standard-4 leaf-660 lb. load rate-without rear stabilizer bar - NOTE 1- # 2 brown & 2 yellow stripes	2	D0OZ 5560-C
	B(54A-P/C)-8 cyl. 351, 429-CJ	Standard-4 leaf-610 lb. load rate-with rear stabilizer bar - NOTE 2 #D0OA 5556-R	2	D0OZ 5560-G
	B(54C)-6 cyl. & 8 cyl. 302, 351	Standard-4 leaf-709 lb. load rate #C9OA 5556-G, M	2	C9OZ 5560-E
	B(54C)-8 cyl. 429-CJ	Standard-4 leaf-741 lb. load rate #C9OA 5556-H, N	2	C9OZ 5560-F
	B(54C)	Cross Country-(H/D)-4 leaf-740 lb. load rate #C9OA 5556-AC, AD	2	C9OZ 5560-M
	B(57)-6 cyl. & 8 cyl. 302, 351	Standard-4 leaf-709 lb. load rate #C9OA 5556-G, M	2	C9OZ 5560-E
	B(57)-8 cyl. 429-CJ	Standard-4 leaf-741 lb. load rate #C9OA 5556-H, N	2	C9OZ 5560-F
	B(57C)	Cross Country-(H/D)-4 leaf-740 lb. load rate #C9OA 5556-AC, AD	2	C9OZ 5560-M
	B(57E)-6 cyl. & 8 cyl. 302, 351	Cross country-(H/D)	2	
	B(57E)-8 cyl. 429-CJ	Cross Country-(H/D)-4 leaf-780 lb. load rate #C9OA 5556-AG, AH	2	C9OZ 5560-R
	B(63C)-6 cyl. & 8 cyl. 302	Standard-4 leaf-645 lb. load rate #C9OA 5556-E, K	2	C9OZ 5560-C
	B(63C)-8 cyl. 351, 429-CJ	Standard-4 leaf-677 lb. load rate #C9OA 5556-F, L	2	C9OZ 5560-D
	B(63C)-6 cyl. & 8 cyl. 302, 351	Cross Country-(H/D)-4 leaf-740 lb. load rate #C9OA 5556-AC, AD	2	C9OZ 5560-M
	B(63C)-8 cyl. 429-CJ	Cross Country-(H/D)-4 leaf-780 lb. load rate #C9OA 5556-AG, AH	2	C9OZ 5560-R
	B(63F)-8 cyl. 302, 351	Standard-4 leaf-677 lb. load rate #C9OA 5556-F,	2	C9OZ 5560-D
	B(63H)-8 cyl. 351-4/B	L	2	
	B(63 F, H)-8 cyl. 302, 351	Cross Country-(H/D)-4 leaf-780 lb. load rate	2	C9OZ 5560-R
	B(63H)-8 cyl. 351-4/B	#C9OA 5556-AG, AH	2	
	B(63F, H)-8 cyl. 429-CJ	Standard-4 leaf-660 lb. load rate-with competition handling pkg. # 2 brown & 2 yellow stripes	2	D0OZ 5560-C
	B(65A)-exc. P/C	Standard-4 leaf-645 lb. load rate #C9OA 5556-E, K	2	C9OZ 5560-C
	B(65A)-exc. P/C	Cross Country-(H/D)-4 leaf-740 lb. load rate #C9OA 5556-AC, AD	2	C9OZ 5560-M
	B(65A-P/C)-6 cyl. & 8 cyl. 302, 351	Standard-without rear stabilizer bar - NOTE 1	2	
	B(65A-P/C)-8 cyl. 429-CJ	Standard-4 leaf-660 lb. load rate-without rear stabilizer bar - NOTE 1 - #2 brown & 2 yellow stripes	2	D0OZ 5560-C
	B(65A-P/C)-8 cyl. 351, 429-CJ	Standard-4 leaf-610 lb. load rate-with rear stabilizer bar - NOTE 2 #D0OA 5556-R	2	D0OZ 5560-G
	B(65C)	Standard-4 leaf-645 lb. load rate #C9OA 5556-E, K	2	C9OZ 5560-C
	B(65C)	Cross Country-(H/D)-4 leaf-740 lb. load rate #C9OA 5556-AC, AD	2	C9OZ 5560-M
	B(65E)-8 cyl. 302, 351	Standard-4 leaf-645 lb. load rate #C9OA 5556-E, K	2	C9OZ 5560-C

Identification marking

NOTE 1- Not to be used in Los Angeles

NOTE 2- Use in Los Angeles, optional for other states

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5560 SPRING ASSY. - REAR LEAF - continued - Refer to Group 5563 for spring leaves			
	- B -			
71	B(65E)-8 cyl. 429-CJ	Standard-4 leaf-677 lb. load rate #C9OA 5556-F, L	2	C9OZ 5560-D
	B(65E)	Cross Country-(H/D)-4 leaf-740 lb. load rate #C9OA 5556-AC, AD	2	C9OZ 5560-M
	B(66)-6 cyl. & 8 cyl. 302, 351	Standard-4 leaf-825 lb. load rate #C9OA 5556-C, D or 1 brown & 2 gold stripes	2	D0OZ 5560-B
	B(66)-8 cyl. 429-CJ	Standard-5 leaf-965 lb. load rate-with competition handling pkg. -#D0OA 5556-A, B or 1 brown & 2 orange stripes	2	D0OZ 5560-A
	B(66)	For 1250 lb. pay load	2	
	B(71)	Standard-R.H.-5 leaf-1095 lb. load rate-#D0OA 5556-E, H or 2 green & 1 pink stripe	1	D0OZ 5560-F
	B(71)	Standard-L.H.-5 leaf-1260 lb. load rate-#D0OA 5556-F, G or 2 green & 1 silver stripe	1	D0OZ 5560-E
	B(71)	Cross Country-(H/D)-R.H.-5 leaf-1170 lb. load rate #Z8OD 5556-J	1	C8OZ 5560-S
	B(71)	Cross Country-(H/D)-L.H.-5 leaf-1330 lb. load rate #Z8OD 5556-K	1	C8OZ 5560-R
	B(76)-8 cyl. 302, 351	Standard-4 leaf-709 lb. load rate #C9OA 5556-G, M	2	C9OZ 5560-E
	B(76)-8 cyl. 302	Cross Country-(H/D)-4 leaf-780 lb. load rate-#C9OA 5556-AG, AH	2	C9OZ 5560-R
	B(76)-8 cyl. 351	Cross Country-(H/D)-4 leaf-820 lb. load rate-#C9OA 5556-AE, AF	2	C9OZ 5560-N
	B(76)-8 cyl. 429-CJ	Standard-4 leaf-660 lb. load rate-with competition handling pkg. # 2 brown & 2 yellow stripes	2	D0OZ 5560-C
	- F -			
65/66	F(63, 76)-6 cyl. & 8 cyl. 260, 289 2/B, 289 4/B Premium Fuel	4 leaf-650 lb. load rate-#C4ZA 5556-B D F N U	2	C5ZZ 5560-D
	F(65)(6 cyl. & 8 cyl. 260, 289 2/B, 289 4/B Premium Fuel)	4 leaf-610 lb. load rate-#C4ZA 5556-C E M T	2	C5ZZ 5560-C
	F(63, 76)-8 cyl. 289 4/B Special	4 leaf-650 lb. load rate-#C4ZA 5556-K, L, S, Y-r/b C7ZZ 5560-M	2	★C5ZZ 5560-E
	F(65)-8 cyl. 289 4/B Special	4 leaf-610 lb. load rate-#C4ZA 5556-H J R, V	2	C5ZZ 5560-F
67	F(65)-6 cyl. & 8 cyl. 289) "Before 9/20/66"	4 leaf-650 lb. load rate-#C4DA 5556-U, C7ZA 5556-M, Z-replaces spring marked C7ZA 5556-Y	2	C4DZ 5560-J
67	F(63)-6 cyl., 8 cyl. 289-2/B & 4/B-P.F.- "From 9/20/66"		2	
67	F(65)-6 cyl., 8 cyl. 289-2/B & 4/B-P.F. & 390- "From 9/20/66"		2	
67	F(63, 76)-6 cyl. & 8 cyl. 289 "Before 9/20/66"	4 leaf-650 lb. load rate-#C7ZA 5556-J, AB - r/b C4DZ 5560-J	2	★C7ZZ 5560-A
67	F(63)-8 cyl. 390 "From 9/20/66"		2	
67	F(76)-6 cyl., 8 cyl. 289-2/B & 4/B-P.F. & 390- "From 9/20/66"		2	
67	F(63, 76)-8 cyl. 390 "Before 10/26/66"	4 leaf-665 lb. load rate-#C7ZA 5556-N, AD - R/B C7ZZ 5560-M	2	★C7ZZ 5560-C
67	F(65)-8 cyl. 390 "Before 10/26/66"	4 leaf-625 lb. load rate-#C7ZA 5556-S, AF - R/B C7ZZ 5560-M	2	★C7ZZ 5560-D
67	F(63)-8 cyl. 289, 390 & improved handling pkg.	4 leaf-665 lb. load rate-#C7ZA 5556-AS, AT, AU, AV	2	C7ZZ 5560-M
67	F(65, 76)-8 cyl. & improved handling package- "From 10/26/66"		2	
67	F(63, 76)-8 cyl. 289, 390 for competition handling GT only "Before 11/15/66"	4 leaf-665 lb. load rate-#C7ZA 5556-AG - r/b C7ZZ 5560-M	2	★C7ZZ 5560-J
67	F(65)-8 cyl. 289, 390-for competition handling GT only "Before 11/15/66"	4 leaf-625 lb. load rate-#C7ZA 5556-AJ-replaced by C7ZZ 5560-T	2	★C7ZZ 5560-K
67/68	F(63)-8 cyl. 289 for competition handling GT only "From 11/15/66"	4 leaf-625 lb. load rate-#C7ZA 5556-AN, AR-replaced by C7ZZ 5560-T	2	★C7ZZ 5560-U
67/68	F(65)-8 cyl. 289, 390 for competition handling GT only "From 11/15/66"		2	
	F(GT350/500)		2	
67/68	F(63)-8 cyl. 390 for competition handling GT only "From 11/15/66"	4 leaf-665 lb. load rate-#C7ZA 5556-AL, AM	2	C7ZZ 5560-T
67/68	F(76)-8 cyl. 289, 390 for competition handling GT only "From 11/15/66"		2	
68	F(GT350/500)		2	

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5560 SPRING ASSY. - REAR LEAF - continued - Refer to Group 5563 for spring leaves			
	- F -			
68	F(63)-6 cyl., 8 cyl. 289-2/B & 302-4/B- (except GT350/500)	4 leaf-650 lb. load rate-#C4DA 5556-U, C7ZA 5556-M, Z-replaces spring marked	2	C4DZ 5560-J
68	F(65) (exc. GT350/500)	C7ZA 5556-Y	2	
68	F(63)-8 cyl. 289, 302-4/B (exc. GT350/500)	4 leaf-625 lb. load rate-#C7ZA 5556-S, AF-	2	★C7ZZ 5560-D
68	F(65)-8 cyl. 289, 302-4/B, 390-4/B (exc. GT350/500)	R/B C7ZZ 5560-M	2	
68	F(63)-8 cyl. 289, 302, 390-4/B (exc. GT350/500)	4 leaf-665 lb. load rate-#C7ZA 5556-AS, AT, AU, AV	2	C7ZZ 5560-M
68	F(65, 76)-8 cyl. 289, 302-4/B, 390-4/B (exc. GT350/500)		2	
68	F(63, 76)-8 cyl. 390-2/B P.F. & 4/B	4 leaf-650 lb. load rate-#C7ZA 5556-J, AB-	2	★C7ZZ 5560-A
68	F(76)-6 cyl., 8 cyl. 289-2/B & 302-4/B (exc. GT350/500)	r/b C4DZ 5560-J	2	
68	F(63, 76)-8 cyl. 390-4/B	4 leaf-665 lb. load rate-#C7ZA 5556-N, AD-	2	★C7ZZ 5560-C
68	F(76)-8 cyl. 289, 302-4/B (exc. GT350/500)	R/B C7ZZ 5560-M	2	
68	F(63, 65, 76)-8 cyl. 390-2/B P.F., 428 CJ-4/B w/improved handling package (exc. GT350/500)		2	
69	F(63)-8 cyl. 302 (exc. GT350/500)- "Before 9/10/68"	4 leaf-700 lb. load rate-#C9ZA 5556-B	2	C9ZZ 5560-A
	F(63A, B)-8 cyl. 351, 390-4/B (exc. GT350/500)- "Before 9/10/68"		2	
	F(76)-6 cyl., 8 cyl. 302, 351, 390-4/B- (exc. GT350/500)		2	
	F(63)-8 cyl. 302 use with improved handling pkg. -(exc. GT350/500)	4 leaf-665 lb. load rate-#C7ZA 5556-AS, AT, AU, AV	2	C7ZZ 5560-M
	F(65)-8 cyl. 302, 351, 390 4/B with improved handling pkg. (exc. GT350/500)		2	
	F(63)-8 cyl. 390 for competition handling GT only	4 leaf-665 lb. load rate-#C7ZA 5556-AL, AM	2	C7ZZ 5560-T
	F(76)-8 cyl. 289, 390 for competition handling GT only		2	
	F(65A, B, C, D)-6 cyl., 8 cyl. 302, 351, 390- (exc. GT350/500)	4 leaf-650 lb. load rate-#C4DA 5556-U, C7ZA 5556-M, Z-replaces spring marked	2	C4DZ 5560-J
	F(65E)-(exc. GT350/500) "From 9/10/68"	C7ZA 5556-Y	2	
	F(63)-8 cyl. 289 for competition handling GT only	4 leaf-625 lb. load rate-#C7ZA 5556-AN, AR- replaced by C7ZZ 5560-T	2	★C7ZZ 5560-U
	F(65)-8 cyl. 289, 390 for competition handling GT only		2	
	F(65E)-6 cyl. 200, 250, 8 cyl. 302, 351, 390 4/B - (exc. GT350/500) "Before 9/10/68"	4 leaf-665 lb. load rate-#C9ZA 5556-K, M- replaced by C4DZ 5560-J	2	★C9ZZ 5560-E
	F(76)-6 cyl., 8 cyl. 302, 351, 390 (exc GT350/500)	4 leaf-650 lb. load rate-#C7ZA 5556-J, AB - r/b C4DZ 5560-J	2	★C7ZZ 5560-A
	F(63A, B)-6 cyl., 8 cyl. 351, 390- (exc. GT350/500) "From 9/10/68"	4 leaf-595 lb. load rate-#C9ZA 5556-R, D0ZA 5556E, F or 3 yellow stripes	2	C9ZZ 5560-H
	F(63)-8 cyl. 302 (except GT350/500, Boss 302)- "From 9/10/68"		2	
	F(63, 65A, B, C, D)-8 cyl. 428 w/o trunk battery- (exc. GT350/500)	4 leaf-690 lb. load rate-#C9ZA 5556-H, D0ZA 5556-J, K or 2 gold & 1 violet stripe	2	C9ZZ 5560-D
	F(63, 65A, B, C, D)-8 cyl. 428 with trunk battery (exc. GT350/500)	4 leaf-730 lb. load rate-#C9ZA 5556-F, D0ZA 5556-G, H or 2 yellow & 2 brown stripes	2	C9ZZ 5560-C
	F(76)-8 cyl. 428 w/or w/o trunk battery (exc. GT350/500)		2	
	F(Boss 429)		2	
	F(63)-8 cyl. 351, 390-4/B with improved handling pkg. (exc. GT350/500)	4 leaf-695 lb. load rate-#C9ZA 5556-C, D	2	C9ZZ 5560-B
	F(76)-8 cyl. 302, 351, 390 4/B -with improved handling pkg. (exc. GT350/500)		2	
	F(GT350/500)	4 leaf-550 lb. load rate-#C9ZA 5556-S,	2	C9ZZ 5560-J
	F(Boss 302)	S9MS 5556-A or 2 green & 2 brown stripes	2	
70	F(63)-6 cyl. & 8 cyl. 302-2/B, 351	Standard-4 leaf-595 lb. load rate-#C9ZA 5556-R, D0ZA 5556-E, F or 3 yellow stripes	2	C9ZZ 5560-H
	F(63)-8 cyl. 302-2/B with improved handling package	Standard-4 leaf-690 lb. load rate-#C9ZA 5556-H, D0ZA 5556-J, K or 2 gold & 1 violet stripe	2	C9ZZ 5560-D
	F(65)-8 cyl. 302-2/B, 351 w/improved handling package	Standard	2	
	F(63, 65)-8 cyl. 428	Standard	2	

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5560 SPRING ASSY. - REAR LEAF - continued - Refer to Group 5563 for spring leaves			
	- F -			
70	F(65)-6 cyl. & 8 cyl. 302-2/B, 351	Standard-4 leaf-625 lb. load rate-#D0ZA5556A, B	2	D0ZZ 5560-A
	F(Boss 302)	Standard-4 leaf-550 lb. load rate-#D0ZA 5556-L, M, D1ZA 5556-HA or 2 green & 2 brown stripes	2	D0ZZ 5560-C
	F(63)-8 cyl. 351	Standard-4 leaf-730 lb. load rate-#C9ZA 5556-F, D0ZA 5556-G, H or 2 yellow & 2 brown stripes	2	C9ZZ 5560-C
	F(76)-with improved handling package	Standard	2	
	F(8 cyl. 428)	Standard	2	
	F(Boss 429)	Standard	2	
	F(76)-6 cyl. & 8 cyl. 302-2/B, 351	Standard-4 leaf-665 lb. load rate-#D0ZA5556-C, D or 1 Silver & 1 red stripe	2	D0ZZ 5560-B
71	F(63D)-6 cyl. & 8 cyl. 302-2/B, 351-2/B- "Before 10/9/70"	Standard-4 leaf-560 lb. load rate-without competition handling pkg. -#1 silver & 2 red stripes	2	D1ZZ 5560-F
	F(63D)-6 cyl. "From 10/9/70"	Standard-4 leaf-595 lb. load rate-without competition handling pkg.-#D1ZA 5556-EA, or 2 red & 1 pink stripe	2	D1ZZ 5560-K
	F(63D)-8 cyl. 302-2/B, 351-2/B- "From 10/9/70"	Standard-4 leaf-625 lb. load rate-without competition handling pkg. #D1ZA 5556-FA or 1 red & 1 pink stripe	2	D1ZZ 5560-L
	F(63D)-8 cyl. 302-4/B Boss- "Before 10/9/70"	Standard-4 leaf-500 lb. load rate -#1 silver & 2 gold stripes	2	D1ZZ 5560-D
	F(63D)-8 cyl. 302-4/B Boss- "From 10/9/70"	Standard-4 leaf-550 lb. load rate- #D0ZA 5556-L, M, D1ZA 5556-HA or 2 green & 2 brown stripes	2	D0ZZ 5560-C
	F(63D)-8 cyl. 302-2/B, 351-exc.CJ- "Before 10/19/70"	Standard-4 leaf-590 lb. load rate- w/competition handling pkg.-#1 violet & 1 pink stripe	2	D1ZZ 5560-C
	F(63D)-8 cyl. 302-2/B, 351-exc.CJ- "From 10/19/70"	Standard-4 leaf-615 lb. load rate- w/competition handling pkg.-#2 green & 2 gold stripes	2	D1ZZ 5560-G
	F(63D)-8 cyl. 351-4/B-exc. CJ- "Before 10/9/70"	Standard-4 leaf-595 lb. load rate-without competition handling pkg. #D1ZA 5556-EA or 2 red & 1 pink stripe	2	D1ZZ 5560-K
	F(63D)-8 cyl. 351-4/B-exc. CJ- "From 10/9/70"	Standard-4 leaf-625 lb. load rate-without competition handling pkg. #D1ZA 5556-FA or 1 red & 1 pink stripe	2	D1ZZ 5560-L
	F(63D)-8 cyl. 351-CJ- "Before 10/9/70"	Standard-4 leaf-590 lb. load rate- w/competition handling pkg.-#1 violet & 1 pink stripe	2	D1ZZ 5560-C
	F(63D)-8 cyl. 351- CJ- "From 10/9/70"	Standard-4 leaf-654 lb. load rate- w/competition handling pkg.-#2 red & 2 orange stripes	2	D1ZZ 5560-H
	F(63D)-8 cyl. 429-CJ- "Before 10/19/70"	Standard-4 leaf-640 lb. load rate- w/competition handling pkg.- #1 green & 2 pink stripes	2	D1ZZ 5560-E
	F(63D)-8 cyl. 429-CJ- "From 10/19/70"	Standard-4 leaf-615 lb. load rate- w/competition handling pkg. - #2 green & 2 gold stripes	2	D1ZZ 5560-G
	F(63R)-8 cyl. 302-2/B, 351-2/B- "Before 10/19/70"	Standard-4 leaf-590 lb. load rate- w/competition handling pkg.-#1 violet & 1 pink stripe	2	D1ZZ 5560-C
	F(63R)-8 cyl. 302-2/B, 351-2/B- "From 10/19/70"	Standard-4 leaf-615 lb. load rate w/competition handling pkg.- #2 green & 2 gold stripes	2	D1ZZ 5560-G
	F(63R)-8 cyl. 351-4/B- "Before 10/9/70"	Standard-4 leaf-590 lb. load rate- w/competition handling pkg. - #1 violet & 1 pink stripe	2	D1ZZ 5560-C
	F(63R)-8 cyl. 351-4/B- "From 10/9/70"	Standard-4 leaf-654 lb. load rate- w/competition handling pkg. - #2 red & 2 orange stripes	2	D1ZZ 5560-H

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5560 SPRING ASSY. - REAR LEAF - continued - Refer to Group 5563 for spring leaves			
	- F -			
71	F(63R)-8 cyl. 429CJ- "Before 10/9/70"	Standard-4 leaf-640 lb. load rate - w/competition handling pkg. - # 1 green & 2 pink stripes	2	D1ZZ 5560-E
	F(63R)-8 cyl. 429-CJ - "From 10/9/70"	Standard-4 leaf-654 lb. load rate- w/competition handling pkg. - # 2 red & 2 orange stripes	2	D1ZZ 5560-H
	F(65D)-6 cyl. & 8 cyl. 302-2/B, 351-exc. CJ- "Before 10/9/70"	Standard-4 leaf-560 lb. load rate-without competition handling pkg. - # 1 silver & 2 red stripes	2	D1ZZ 5560-F
	F(65D)-6 cyl. & 8 cyl. 302-2/B, 351-2/B- "From 10/9/70"	Standard-4 leaf-595 lb. load rate-without competition handling pkg.-#D1ZA 5556-EA or 2 red & 1 pink stripe	2	D1ZZ 5560-K
	F(65D)-8 cyl. 351-4/B-exc. CJ- "From 10/9/70"	Standard-4 leaf-625 lb. load rate-without competition handling pkg.-#D1ZA 5556-FA or 1 red & 1 pink stripe	2	D1ZZ 5560-L
	F(65D)-8 cyl. 302-2/B, 351- "Before 10/19/70"	Standard-4 leaf-590 lb. load rate- w/competition handling pkg.	2	D1ZZ 5560-C
	F(65D)-8 cyl. 302-2/B, 351- "From 10/19/70"	Standard-4 leaf-615 lb. load rate- w/competition handling pkg.- # 2 green & 2 gold stripes	2	D1ZZ 5560-G
	F(65D)-8 cyl. 429-CJ "Before 10/19/70"	Standard-4 leaf-640 lb. load rate- w/competition handling pkg. - # 1 green & 2 pink stripes	2	D1ZZ 5560-E
	F(65D)-8 cyl.429-CJ- "From 10/19/70"	Standard-4 leaf-615 lb. load rate- w/competition handling pkg. - # 2 green & 2 gold stripes	2	D1ZZ 5560-G
	F(65F)-6 cyl. & 8 cyl. 302-2/B, 351-2/B- "Before 10/9/70"	Standard-4 leaf-560 lb. load rate-without competition handling pkg. - # 1 silver & 2 red stripes	2	D1ZZ 5560-F
	F(65F)-6 cyl. & 8 cyl. 302-2/B- "From 10/9/70"	Standard-4 leaf-595 lb. load rate-without competition handling pkg.-#D1ZA 5556-EA or 2 red & 1 pink stripe	2	D1ZZ 5560-K
	F(65F)-8 cyl. 351-2/B- "From 10/9/70"	Standard-4 leaf-625 lb. load rate-without competition handling pkg. #D1ZA 5556-FA or 1 red & 1 pink stripe	2	D1ZZ 5560-L
	F(65F)-8 cyl. 351-4/B-exc. CJ	Standard-4 leaf-625 lb. load rate-without competition handling pkg. #D1ZA 5556-FA or 1 red & 1 pink stripe	2	D1ZZ 5560-L
	F(65F)-8 cyl. 302-2/B, 351-2/B- "Before 10/19/70"	Standard-4 leaf-590 lb. load rate- w/competition handling pkg. - # 1 green & 2 pink stripes	2	D1ZZ 5560-C
	F(65F)-8 cyl. 302-2/B, 351-2/B- "From 10/19/70"	Standard-4 leaf-615 lb. load rate- w/competition handling pkg. - #2 green & 2 gold stripes	2	D1ZZ 5560-G
	F(65F)-8 cyl. 351-4/B, 429-CJ- "Before 10/19/70"	Standard -4 leaf-640 lb. load rate- w/competition handling pkg. - # 1 green & 2 pink stripes	2	D1ZZ 5560-E
	F(65F)-8 cyl. 351-4/B, 429-CJ- "From 10/19/70"	Standard-4 leaf-615 lb. load rate- w/competition handling pkg. - # 2 green & 2 gold stripes	2	D1ZZ 5560-G
	F(76)-6 cyl. & 8 cyl. 302-2B, 351-exc. CJ- "Before 10/9/70"	Standard-4 leaf-595 lb. load rate-without competition handling pkg.-#D1ZA 5556-EA or 2 red & 1 pink stripe	2	D1ZZ 5560-K
	F(76)-6 cyl. "From 10/9/70"	Standard-4 leaf-625 lb. load rate-without competition handling pkg. #D1ZA 5556-FA or 1 red & 1 pink stripe	2	D1ZZ 5560-L
	F(76)-8 cyl. 302-2/B, 351-exc. CJ- "From 10/9/70"	Standard-4 leaf-665 lb. load rate-without competition handling pkg.- #D1ZA 55560-GA or 2 pink & 1 red stripe	2	D1ZZ 5560-M
	F(76)-8 cyl. 302-2/B- "Before 10/9/70"	Standard-4 leaf-590 lb. load rate- w/competition handling pkg.- # 1 green & 2 pink stripes	2	D1ZZ 5560-C

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5560 SPRING ASSY. - REAR LEAF - continued - Refer to Group 5563 for spring leaves			
	- F -			
71	F(76)-8 cyl. 351, 429-CJ - "Before 10/9/70"	Standard-4 leaf-640 lb. load rate-w/competition handling pkg.-#1 green & 2 pink stripes	2	D1ZZ 5560-E
	F(76)-8 cyl. 302-2/B, 351, 429-CJ - "From 10/9/70"	Standard-4 leaf-654 lb. load rate-w/competition handling pkg.-#2 red & 2 orange stripes	2	D1ZZ 5560-H
72	F(63D)-6 cyl.	Standard-4 leaf-595 lb. load rate-C9ZA 5556-R, D0ZA 5556-E, F-#3 yellow stripes	2	C9ZZ 5560-H
	F(63D)-8 cyl.302, 351-exc.CJ, Boss	Standard-4 leaf-625 lb. load rate-without competition handling pkg.-#D0ZA 5556-A, B	2	D0ZZ 5560-A
	F(63D)-6 cyl.	Standard-4 leaf-595 lb. load rate-without competition handling pkg.-#C9ZA 5556-R, D0ZA 5556-E, F or 3 yellow stripes	2	C9ZZ 5560-H
	F(63D)-8 cyl.302, 351-2/B	Standard-4 leaf-625 lb.load rate-without competition handling pkg.-#D0ZA 5556-A, B	2	D0ZZ 5560-A
	F(63D)-8 cyl.302, 351-2/B	Standard-4 leaf-615 lb.load rate-w/competition handling pkg.-# 2 green & 2 gold stripes	2	D1ZZ 5560-G
	F(63D)-8 cyl. 351-CJ	Standard-4 leaf-625 lb. load rate-without competition handling pkg.-#D0ZA 5556-A, B	2	D0ZZ 5560-A
	F(63D)-8 cyl.351-CJ	Standard-4 leaf-654 lb.load rate-w/competition handling pkg.-#2 red & 2 orange stripes	2	D1ZZ 5560-H
	F(63D)-8 cyl.351-Boss	Standard-4 leaf-550 lb.load rate-#D0ZA 5556-L, M, D1ZA 5556-HA or 2 green & 2 brown stripes	2	D0ZZ 5560-C
	F(63R)-8 cyl.302, 351-2/B	Standard-4 leaf-615 lb.load rate-w/competition handling pkg.-# 2 green & 2 gold stripes	2	D1ZZ 5560-G
	F(63R)-8 cyl.351-CJ	Standard-4 leaf-654 lb.load rate-w/competition handling pkg.-#2 red & 2 orange stripes	2	D1ZZ 5560-H
	F(65D)-6 cyl. & 8 cyl. 302, 351-2/B	Standard-4 leaf-595 lb. load rate-without competition handling pkg.-#C9ZA 5556-R, D0ZA 5556-E, F or 3 yellow stripes	2	C9ZZ 5560-H
	F(65D)-8 cyl.351-CJ	Standard-4 leaf-625 lb. load rate-without competition handling pkg.-#D0ZA 5556-A, B	2	D0ZZ 5560-A
	F(65D)-8 cyl.302, 351-2/B, 351-CJ	Standard-4 leaf-615 lb.load rate-w/competition handling pkg.-# 2 green & 2 gold stripes	2	D1ZZ 5560-G
	F(65F)-6 cyl. & 8 cyl. 302	Standard-4 leaf-595 lb. load rate-without competition handling pkg.-#C9ZA 5556-R, D0ZA 5556-E, For 3 yellow stripes	2	C9ZZ 5560-H
	F(65F)-8 cyl.351-2/B, 351-CJ	Standard-4 leaf-625 lb.load rate-without competition handling pkg.-#D0ZA 5556-A, B	2	D0ZZ 5560-A
	F(65F)-8 cyl.302, 351-2/B, 351-CJ	Standard-4 leaf-615 lb.load rate-w/competition handling pkg.-# 2 green & 2 gold stripes	2	D1ZZ 5560-G
	F(76)-6 cyl.	Standard-4 leaf-625 lb.load rate-without competition handling pkg.-#D0ZA 5556-A, B	2	D0ZZ 5560-A
	F(76)-8 cyl.302, 351-2/B, 351-CJ	Standard-4 leaf-695 lb. load rate-without competition handling pkg.-#D1ZA 5556-CA - m/w D1ZZ 5560-M	2	★ D1ZZ 5560-J
	F(76)-8 cyl.302, 351-2/B, 351-CJ	Standard-4 leaf-654 lb.load rate-w/competition handling pkg.-# 2 red & 2 orange stripes	2	D1ZZ 5560-H
	- L -			
71	L "Before 4/26/71"	Standard-3 leaf-460 lb. load rate #D12A 5556-BD, BE or 1 green stripe, 1 brown & 2 green stripes	2	D1FZ 5560-A
	L "From 4/26/71"	Standard-4 leaf-515 lb. load rate #D12A 5556-BF or 1 pink & 1 orange stripe	2	D1FZ 5560-C
72	L(exc. 73) "Before 1/10/72"	Standard-4 leaf-466 lb. load rate-#D22A 5556-DA or 1 red & 2 orange stripes-r/b D2FZ 5560-D	2	★ D2FZ 5560-A
	L(exc. 73) "Before 1/10/72"	Standard-4 leaf-515 lb. load rate-#D12A 5556-BF or 1 pink & 1 orange stripe	2	D1FZ 5560-C
	L(exc.73) "From 1/10/72 to 7/17/72"	Standard-5 leaf-500 lb.load rate-#D22A 5556-DB, DC, DD or 1 green & 2 orange stripes, 1 yellow & 2 red stripes	2	D2FZ 5560-D

Identification marking

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	5560 SPRING ASSY. - REAR LEAF - continued - Refer to Group 5563 for spring leaves				
		- L -			
72	L(exc.73)	"From 7/17/72"	Standard-5 leaf-500 lb. load rate- #1 yellow & 1 brown stripe	2	D3FZ 5560-A
	L(73)		Standard-5 leaf-700 lb. load rate- #D22A 5556-BD,BE or 1 red & 2 violet stripes	2	D2FZ 5560-E
	L(73)	"Before 7/17/72"	Standard-6 leaf-700 lb.load rate- #D22A 5556-BF or 2 yellow & 2 orange stripes	2	D2FZ 5560-F
	L(73)	"From 7/17/72"	Standard-6 leaf 637 lb. load rate- #1 pink & 1 green stripe	2	D3FZ 5560-B
		- P -			
70	P		Standard-3 leaf-535 lb. load rate- #D0DA 5556-C, D, E, F	2	D0DZ 5560-A
	P		H/D-3 leaf-535 lb.load rate-#D0DA 5556-J, K	2	D0DZ 5560-B
71	P(54)		Standard-3 leaf-660 lb. load rate- # 1 orange & 1 pink strip, 1 silver & 2 brown stripes or D1DA 5556-AA,BA,BC	2	D1DZ 5560-B
	P(54)		H/D-4 leaf-708 lb. load rate- # 1 orange & 2 pink stripes	2	D1DZ 5560-E
	P(62)		Standard-3 leaf-579 lb. load rate- # 2 orange & 1 pink stripe	2	D1DZ 5560-C
	P(62)		H/D-3 leaf-595 lb. load rate- # 2 orange & 2 pink stripes	2	D1DZ 5560-D
72	P(54)	"Before 4/3/72"	Standard-3 leaf-660 lb.load rate- #1 orange & 1 pink stripe, 1 silver & 2 brown stripes or D1DA 5556-AA,BA,BC	2	D1DZ 5560-B
	P(54)	"From 4/3/72"	Standard-3 leaf-660 lb.load rate-#2 red & 1 green stripe or D2DA 5556-DA	2	D2DZ 5560-A
	P(54)		H/D-4 leaf-708 lb.load rate-#1 orange & 2 pink stripes	2	D1DZ 5560-E
	P(62)	"Before 4/3/72"	Standard-3 leaf-579 lb.load rate-#2 orange & 1 pink stripe	2	D1DZ 5560-C
	P(62)	"From 4/3 '72"	Standard-3 leaf-579 lb.load rate-#D2DA 5556-BA	2	D2DZ 5560-B
	P(62)		H/D-3 leaf-595 lb.load rate- #2 orange & 2 pink stripes	2	D1DZ 5560-D
		- S -			
65/66	S (63A,B,C,D)		5 leaf- #C4SA 5560-B, C, E, G, H	2	C4SZ 5560-B
65/66	S(63A, B)		5 leaf-H/D for trailer option-#3828868	2	C4SZ 5560-C
65/66	S(76)		5 leaf- #C4SA 5560-A, D, F, J, K	2	C4SZ 5560-A
65/66	S(76)		5 leaf-H/D -for trailer option-#3828869 - not replaced	2	★C4SZ 5560-D
		- U -			
66/69	U		5 leaf-Std.-930 lb.load rate-2 stage spring- #C6TA 5560-F,S,C7TA 5560-AF- r/b D0TZ 5560-A	2	★C6TZ 5560-B
66/	U		5 leaf-std. 930 lb. load rate-#D0TA 5560-A	2	D0TZ 5560-A
66/69	U		6 leaf-H/D-1280 lb.load rate-2 stage spring- #C6TA 5560-AA,C7TA 5560-AK- r/b D0TZ 5560-B	2	★C6TZ 5560-Y
66/	U		6 leaf-H/D-1280 lb. load rate-#D0TA 5560-B	2	D0TZ 5560-B
66/67	U		7 leaf-H/D 1280 lb. load rate-#C6TA 5560-E	2	C6TZ 5560-C
		- X -			
65	X(54, 62, 63)		3 leaf-650 lb. load rate-#C4DA 5556-Y - not replaced	2	★C5DZ 5560-A
65	X(59, 71)		4 leaf-925 lb. load rate-#C4DA 5556-G, H, J, K	2	C4DZ 5560-C
65	X(66, 78)		4 leaf-875 lb. load rate-#C4DA 5556-E, F- not replaced	2	★C4DZ 5560-D
65	X(76)		4 leaf-750 lb.load rate-#C4DA 5556-C, D, L, M - not replaced	2	★C4DZ 5560-B
66	X(66)		5 leaf-Std.-970 lb. load rate-#C6DA 5556-K, V - replaced by C7OZ 5560-E	2	★C6DZ 5560-A
66	X(66)		5 leaf-H/D-1140 lb. load rate-#C6DA 5556-H,Z- replaced by C7OZ 5560-F	2	★C6DZ 5560-B

Identification marking

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5560 SPRING ASSY. - REAR LEAF - continued - Refer to Group 5563 for spring leaves			
	- X -			
66	X(54,62)-6 cyl. with automatic trans.	3 leaf-650 lb. load rate-#C6DA 5556-D,M,	2	★C6DZ 5560-K
66	X(54,62)-except 6 cyl. with automatic trans. - remove weight	R,AA,AB,AF -R/B C6DZ 5560-L	2	
67	X(54,62)-8 cyl.		2	
67/70	X(54,62)-6 cyl. with auto. trans.	3 leaf-650 lb. load rate-#C7DA 5556-F	2	C6DZ 5560-L
68/70	X(54,62)	H/D-4 leaf-712 lb. load rate-#C8DA 5556-C,D	2	C8DZ 5560-A
66/67	X(71) "Before 10/3/66"	4 leaf-1025 lb. load rate-#C6DA 5556-T,AC,AD-not replaced	2	★C6DZ 5560-E
67	X(71) "From 10/3/66"	4 leaf-1025 lb. load rate-#C7DA 5556-G,H,J,K	2	C7DZ 5560-A
68	X(6 cyl. with 3/S/T,8 cyl. 289 & 302)		2	
69	X(71)	Also use (1) C5GY 5A669-A	2	
66/70	X(71)	5 leaf-H/D-1050 lb. load rate-#C6OA 5556-BH, #C7OA 5556-AG,AJ	2	C7OZ 5560-K
68	X(71)-6 cyl.,8 cyl. 289 & 302-2/B	R.H.-5 leaf-1050 lb. load rate-#C7OA 5556-S,T	1	C7OZ 5560-A
		L.H.-5 leaf-1230 lb. load rate-#C7OA 5556-Y,Z	1	C7OZ 5560-C
65/	A,B	Bolt (tie)-5/16"-24 x 1 31/32"	2	354721-S(BB855)
65	A	Flatwasher (sprg. to upper & lower sprg. clamping plate)-1 9/16"	4	351477-S7-8 (XX193)
65	A	Bolt (spring to upper spring clamp plate)-1/2"-13 x 1 1/2"	2	377315-S2 (BB707)
65	A	Bolt (spring to lower spring clamp plate)-1/2"-13 x 2 1/8" -shoulder	2	379956-S2 (BB444K)
65/	A,B,S,X,(F-8 cyl.)	Nut-5/16"-24	2	33798-S7-8(M62)
65	B	Lockwasher (spg. to front hanger)-9/16"	2	34810-S7-8(X69)
65	B	Locknut (spg. to axle)-1/2"-20	8	34449-S7-8(M85)
65/68	B,F,X "Before 5/15/68"	Locknut (to axle)-7/16" -20	8	379244-S7-8 (MM169L)
68/	B,F,X "From 5/15/68"	Locknut (to axle)-7/16" -20-red dichromate	8	379244-S100 (MM169LA)
68	B,X	Locknut (to underbody)-1/2" -13-red phosphate dye	2	382636-S100 (MM313)
71	B,F,L,P	Nut hex. (to underbody)-1/2"-13	2	383577-S100 (MM295AB)
71	B,F,P	Bolt (spg. to underbody)-1/2"-13 x 4 3/4"	2	382486-S(BB551AJ)
65	F,X	Bolt (tie)-5/16"-24 x 1 21/32"	2	378703-S(BB817AD)
71	L	Bolt (spg. to underbody)-1/2"-13 x 4 3 4"	2	383435-S100
65/	F,X	Flatwasher (spg. to rear spg. frt. hanger)-1/2"	2	351810-S8(XX185)
65	S	Nut (spg. to rear spg. hanger)-1/2"-20	2	33846-S8(M69)
65	S	Nut (spg. to rear axle)-1/2"-20	8	33882-S8(M24)
65	S	Lockwasher (spg. to rear spg. hanger)-1/2"	2	34809-S8(X68)
65	S	Lockwasher (spg. to rear axle)	8	
66	S	Nut(to hanger-front)-1/2"-13	4	380952-S2(MM11B)
66/70	X(54,62)	Bolt (tie)-5/16"-24 x 1 5/8"	2	380735-S(BB817G)
67/	F		2	
66	X(66)	Bolt (tie)-5/16"-24 x 2 1/8"	2	380736-S(BB817M)
67	B(66)		2	
65/70	X(58A,64A)		2	

5563-5 LEAF - REAR SPRING - Refer to Group 5560 for Model Application. Determine applicable Spring Assembly part number. Find Spring Assy. part number below and read across to find part number of No. 1 or No. 2 leaf desired.

REAR SPRING LEAF CHART

SPRING ASSY.	LEAF NO. 1	LEAF NO. 2	SPRING ASSY.	LEAF NO. 1	LEAF NO. 2
★C4DZ 5560-B	C4DZ 5564-B	★C4DZ 5565-B	★C5OZ 5560-C	★C4OZ 5564-C	★C4OZ 5565-A
C4DZ 5560-C	★C4DZ 5564-E	★C4DZ 5565-E	★C5OZ 5560-D	★C4OZ 5564-B	★C4OZ 5565-B
★C4DZ 5560-D	★C4DZ 5564-D	★C4DZ 5565-D	C5OZ 5560-E	C4OZ 5564-A	★C4OZ 5565-A
C4DZ 5560-J	C4DZ 5564-B	★C4DZ 5565-B	C5OZ 5560-F	★C4OZ 5564-C	★C4OZ 5565-A
C4SZ 5560-A	C4SZ 5564-A	★C4SZ 5565-D	★C5OZ 5560-J	★C5OZ 5564-D	★C5OZ 5565-A
C4SZ 5560-B	C4SZ 5564-A	★C4SZ 5565-C	C5ZZ 5560-C	C5ZZ 5564-A	C5ZZ 5565-A
C4SZ 5560-C			C5ZZ 5560-D	C5ZZ 5564-A	C5ZZ 5565-A
★C4SZ 5560-D			★C5ZZ 5560-E	C5ZZ 5564-B	★C5ZZ 5565-B
★C5DZ 5560-A	★C5DZ 5564-A	★C5DZ 5565-A	C5ZZ 5560-F	C5ZZ 5564-B	★C5ZZ 5565-B
C5OZ 5560-A	★C5OZ 5564-B	★C3OZ 5565-D	★C6DZ 5560-A	★C6DZ 5564-A	★C6DZ 5565-A
★C5OZ 5560-B	★C5OZ 5564-A	★C3OZ 5565-G	★C6DZ 5560-B	C6DZ 5564-B	★C6DZ 5565-B

\# Identification marking

5563-5 LEAF - REAR SPRING - continued

REAR SPRING LEAF CHART

SPRING ASSY.	LEAF NO. 1	LEAF NO. 2
★C6DZ 5560-C	C6DZ 5564-C	★C6DZ 5565-C
★C6DZ 5560-E	★C6DZ 5564-D	★C6DZ 5565-D
★C6DZ 5560-J	★C6OZ 5564-F	★C6OZ 5565-E
★C6DZ 5560-K	C6DZ 5564-C	★C6DZ 5565-C
C6DZ 5560-L		
C6OZ 5560-A	★C6OZ 5564-L	★C6OZ 5565-K
C6OZ 5560-B	C6OZ 5564-E	★C6OZ 5565-D
C6OZ 5560-C	C6OZ 5564-G	★C6OZ 5565-F
★C6OZ 5560-E	C6OZ 5564-H	★C6OZ 5565-H
★C6OZ 5560-F	★C6OZ 5564-A	★C6OZ 5565-A
C6OZ 5560-G	★C6OZ 5564-J	★C6OZ 5565-E
★C6OZ 5560-H	★C6OZ 5564-F	★C6OZ 5565-E
★C6OZ 5560-J	★C6OZ 5564-K	★C6OZ 5565-J
C6OZ 5560-K	C6OZ 5564-G	★C6OZ 5565-F
★C6OZ 5560-S	★C6OZ 5564-N	★C6OZ 5565-H
C6OZ 5560-T	C6OZ 5564-T	★C6OZ 5565-R
★C6OZ 5560-U	★C6OZ 5564-A	★C6OZ 5565-A
★C6OZ 5560-V	C6OZ 5564-T	★C6OZ 5565-R
★C6OZ 5560-Y	★C6OZ 5564-A	★C6OZ 5565-A
C6OZ 5560-Z	★C6OZ 5564-M	★C6OZ 5565-L
★C6OZ 5560-AA	★C6OZ 5564-M	★C6OZ 5565-L
C6OZ 5560-AB	C6OZ 5564-G	★C6OZ 5565-F
★C6OZ 5560-AC	★C6OZ 5564-N	★C6OZ 5565-H
★C6OZ 5560-AD	★C6OZ 5564-F	★C6OZ 5565-E
C6OZ 5560-AE	C6OZ 5564-H	★C6OZ 5565-H
★C6OZ 5560-AF	★C6OZ 5564-J	★C6OZ 5565-E
C6OZ 5560-AL	C6OZ 5564-R	★C6OZ 5565-M
C6OZ 5560-AM	C6OZ 5564-T	★C6OZ 5565-R
C6OZ 5560-AN	★C6OZ 5564-A	★C6OZ 5565-A
C6OZ 5560-AT	★C6OZ 5564-S	★C6OZ 5565-N
★C6OZ 5560-AY	C6OZ 5564-R	★C6OZ 5565-M
C6OZ 5560-AZ	C6OZ 5564-E	★C6OZ 5565-D
★C6OZ 5560-BA	C6OZ 5564-H	★C6OZ 5565-H
★C6OZ 5560-BB	★C6OZ 5564-F	★C6OZ 5565-E
★C6TZ 5560-B	‡C6TZ 5563-A †C8TZ 5563-K	C6TZ 5565-A
C6TZ 5560-C	C6TZ 5563-B	C6TZ 5565-B
★C6TZ 5560-Y	C8TZ 5563-L	
C7DZ 5560-A	C7DZ 5564-A	C7DZ 5565-A
C7OZ 5560-A	C6OZ 5564-H	★C7OZ 5565-A
★C7OZ 5560-B	C6OZ 5564-N	★C7OZ 5565-A
C7OZ 5560-C	C6OZ 5564-H	★C7OZ 5565-A
★C7OZ 5560-D	C6OZ 5564-H	★C7OZ 5565-A
C7OZ 5560-E	★C6DZ 5564-A	★C6DZ 5565-A
C7OZ 5560-F	C6DZ 5564-B	★C6DZ 5565-B
★C7OZ 5560-J	★C6DZ 5564-A	★C6DZ 5565-A
C7OZ 5560-K	★C7OZ 5564-A	★C7OZ 5565-B
C7OZ 5560-L	C7OZ 5564-B	★C7OZ 5565-C
C7ZZ 5560-A	C7ZZ 5564-A	C5ZZ 5565-A
★C7ZZ 5560-B	C7ZZ 5564-A	C5ZZ 5565-A
★C7ZZ 5560-C	C7ZZ 5564-B	★C5ZZ 5565-B
★C7ZZ 5560-D	C7ZZ 5564-B	★C5ZZ 5565-B
C7ZZ 5560-J	★C7ZZ 5564-C	★C7ZZ 5565-A
★C7ZZ 5560-K	★C7ZZ 5564-C	★C7ZZ 5565-A
C7ZZ 5560-M	C7ZZ 5564-B	★C5ZZ 5565-B
★C7ZZ 5560-N	C7ZZ 5564-B	★C5ZZ 5565-B
C7ZZ 5560-T	C7ZZ 5564-D	C7ZZ 5565-B
★C7ZZ 5560-U	C7ZZ 5564-D	C7ZZ 5565-B
C8DZ 5560-A	C8DZ 5564-A	★C8DZ 5565-A
C8OZ 5560-A	C8OZ 5564-A	★C8OZ 5565-A
★C8OZ 5560-B	C8OZ 5564-A	★C8OZ 5565-A
C8OZ 5560-C	C8OZ 5564-A	★C8OZ 5565-A
C8OZ 5560-D	C8OZ 5564-B	★C6OZ 5565-L
★C8OZ 5560-E	C8OZ 5564-B	★C6OZ 5565-L
C8OZ 5560-F	C8GY 5564-A	C8GY 5565-A
★C8OZ 5560-H	C8OZ 5564-A	★C8OZ 5565-A
★C8OZ 5560-J	C7OZ 5564-B	★C7OZ 5565-C
C8OZ 5560-K	★C8OZ 5564-C	★C8OZ 5565-B
C8OZ 5560-M	★C8OZ 5564-C	★C8OZ 5565-B
C8OZ 5560-N	★C8OZ 5564-D	★C8OZ 5565-C
C8OZ 5560-R		
C8OZ 5560-S		
C8OZ 5560-Y	C7OZ 5564-B	★C7OZ 5565-C
C9OZ 5560-A	C6OZ 5564-N	C9OZ 5565-A
C9OZ 5560-B	C6OZ 5564-N	C9OZ 5565-A
C9OZ 5560-C	C8OZ 5564-A	C9OZ 5565-B
C9OZ 5560-D	C8OZ 5564-A	C9OZ 5565-B
C9OZ 5560-E	C8OZ 5564-A	C9OZ 5565-B
C9OZ 5560-F	C8OZ 5564-A	C9OZ 5565-B
C9OZ 5560-G	C8OZ 5564-A	C9OZ 5565-C
C9OZ 5560-H	C8OZ 5564-B	C9OZ 5565-D
C9OZ 5560-J	C8OZ 5564-B	C9OZ 5565-D
C9OZ 5560-K	C8OZ 5564-B	C6OZ 5565-L
C9OZ 5560-L	C8OZ 5564-B	C6OZ 5565-L
C9OZ 5560-M	C9OZ 5564-A	C9OZ 5565-E
C9OZ 5560-N	C9OZ 5564-A	C9OZ 5565-C
C9OZ 5560-R	C9OZ 5564-A	C9OZ 5565-C
C9ZZ 5560-A	C7ZZ 5564-A	C5ZZ 5565-A
C9ZZ 5560-B	C7ZZ 5564-B	★C5ZZ 5565-B
C9ZZ 5560-C	C7ZZ 5564-D	C7ZZ 5565-B
C9ZZ 5560-D	C7ZZ 5564-D	C7ZZ 5565-B
★C9ZZ 5560-E		
C9ZZ 5560-H	C7ZZ 5564-A	C5ZZ 5565-A
C9ZZ 5560-J	C9ZZ 5564-A	C9ZZ 5565-A
D0DZ 5560-A	D0DZ 5564-A	D0DZ 5565-A
D0DZ 5560-B	D0DZ 5564-B	D0DZ 5565-B
D0OZ 5560-A	D0OZ 5564-A	D0OZ 5565-A
D0OZ 5560-B	D0OZ 5564-B	D0OZ 5565-B
D0OZ 5560-C	C8OZ 5564-B	D0OZ 5565-D
D0OZ 5560-E	D0OZ 5564-C	D0OZ 5565-C
D0OZ 5560-F	D0OZ 5564-C	D0OZ 5565-C
D0OZ 5560-G	C8OZ 5564-B	C9GY 5565-A
D0TZ 5560-A	D0TZ 5563-A	D0TZ 5565-A
D0TZ 5560-B	D0TZ 5563-B	D0TZ 5565-B
D0ZZ 5560-A	C7ZZ 5564-A	C5ZZ 5565-A
D0ZZ 5560-B	C7ZZ 5564-A	C5ZZ 5565-A
D0ZZ 5560-C	C9ZZ 5564-A	C9ZZ 5565-A
D1DZ 5560-B	D0DZ 5564-A	D1DZ 5565-D
D1DZ 5560-C	D0DZ 5564-A	D1DZ 5565-A
D1DZ 5560-D	D0DZ 5564-B	D0DZ 5565-B
D1DZ 5560-E	D0DZ 5564-A	D1DZ 5565-C
D1FZ 5560-A	D1FZ 5564-A	D1FZ 5565-A
D1FZ 5560-C	D1FZ 5564-B	D1FZ 5565-B
D1ZZ 5560-C	C7ZZ 5564-D	C7ZZ 5565-B
D1ZZ 5560-D	C9ZZ 5564-A	C9ZZ 5565-A
D1ZZ 5560-E	C7ZZ 5564-D	C7ZZ 5565-B
D1ZZ 5560-F	D1ZZ 5564-A	D1ZZ 5565-A
D1ZZ 5560-G	C7ZZ 5564-D	C7ZZ 5565-B
D1ZZ 5560-H	C7ZZ 5564-D	C7ZZ 5565-B
★D1ZZ 5560-J	D1ZZ 5564-A	D1ZZ 5565-A
D1ZZ 5560-K	D1ZZ 5564-A	D1ZZ 5565-A
D1ZZ 5560-L	D1ZZ 5564-A	D1ZZ 5565-A
D1ZZ 5560-M	D1ZZ 5564-A	D1ZZ 5565-A
D2DZ 5560-A	D0DZ 5564-A	D1DZ 5565-D
D2DZ 5560-B	D0DZ 5564-A	D1DZ 5565-A
★D2FZ 5560-A	D2FZ 5564-A	D2FZ 5565-A
D2FZ 5560-D	D2FZ 5564-C	D2FZ 5565-C
D2FZ 5560-E	D2FZ 5564-B	D2FZ 5565-B
D2FZ 5560-F	D2FZ 5564-B	D2FZ 5565-B
D3FZ 5560-A	D2FZ 5564-C	D2FZ 5565-C
D3FZ 5560-B	D2FZ 5564-B	D2FZ 5565-B

‡ "Before 10/14/68" † "From 10/14/68"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5A569 RETAINER - REAR SPRING LOWER			
66	A	Use with 4010 housings not having 1 piece formed spring seat -17/32" I.D.-3 1/8" O.D.	2	C6AZ 5A569-A
66	A	Bolt(to housing)-1/2"-13 x 1"	2	20392-S7-8(B120A)
		Locknut-1/2"-13	2	382599-S100 (MM173MZ)
	5586 ANTI-SQUEAK - REAR SPRING			
65/66	S		8	C0AA 5586-B
65/	F		4	
68/71	B, X		AR	
71/	L		AR	
72	P		4	
65/67	X		8	C4DZ 5586-A
	5A589 LEVELER KIT - AIR - (MANUAL)			
65	A	Rear-not replaced	1	★C5AZ 5A589-A
	Consists of			
	2-C5AZ 5A666-A Cyl. assy.	2-44725-S8 Washer	2-380031-S100 Nut	
	1-C5AZ 5A667-A Hose assy.	2-358309-S2 Clip	1-380032-S Washer	
	2-C5AZ 5A671-A Cap	2-380030-S100 Washer		
	1-Decal instruction	1-Sketch-installation		
66	A	Rear-to convert to automatic fill-also use	1	C8AZ 5A589-A
67/	A, S	C9AZ 5A589-B kit	1	
72	B		1	
	Consists of			
	2-C7MY 5A666-A Cyl. assy.	1-34977-S2 Nut	2-380030-S100 Washer	
	1-C9AZ 5A667-C Hose assy.	1-55714-S7 Nut	2-380031-S100 Nut	
	1-C8AA 5A668-A Clip	1-56139-S2 Bolt	1-380032-S Washer	
	2-C6AA 5A680-A Spacer	1-56337-S4 Bolt	2-382209-S2 Grommet	
	1-C7AA 5A680-A Spacer	1-Decal-instruction	1-Sketch-installation	
66/	U	Front	1	C6TZ 5A589-A
	Consists of			
	2-C5RA 3B254-A Spacer	2-C5RA 5A666-C Cyl. assy.	2-20348-S2 Bolt	
	1-Decal-instruction	1-Sketch-installation		
	5A589 CONTROL KIT-AIR LEVEL RIDE - (AUTOMATIC)			
67/68	A(exc. 428 P/C), S	Use with appropriate 5A589 air leveler accessory or production kit -not replaced	1	★C7AZ 5A589-B
	Consists of			
	1-C7MY 5A688-A Bracket	2-34658-S2 Nut	2-359986-S2 Spacer	
	1-C8VY 5A690-A Link	1-34906-S2 Washer	1-370817-S8 Reducer	
	1-C7MY 5A712-A Valve	2-34977-S4 Nut	4-373442-S100 Clip	
	1-C7MY 5A713-B Compressor	2-42772-S2 Screw	1-374677-S Tee	
	1-C9AZ 5A714-A Hose	2-42776-S2 Screw	1-377107-S Clip	
	1-C7SA 5A688-A Bracket	2-55433-S2 Screw	1-382215-S Insert	
	1-C7SA 5A763-A Lever	3-55736-S2 Nut	1-382492-S Nut	
	1-C4RA 13A887-A Fitting	2-55981-S2 Screw	4-382843-S2 Clip	
	1-C4RA 13A887-C Fitting	1-87780-S8 Plug	1-Sketch-Installation	
	1-C8AA 18666-D Hose			
69/	A, S	Use with appropriate 5A589 air leveler	1	★C9AZ 5A589-B
72	B	accessory kit-not replaced	1	
	Consists of			
	3-D0VY 2A965-A Insulator	1-C9AJ 5A718-A Tube	3-33797-S2 Nut	
	1-D0AJ 5A681-A Compressor	3-D0AJ 5A739-A or	4-34825-S Washer	
	1-C9AZ 5A687-A Valve	382215-S Insert	3-357940-S Sleeve	
	1-C9AZ 5A689-A Connector	1-C7RA 17543-A Hose	1-374677-S Tee	
	1-D0AZ 5A694-A Bracket	4-26483-S8 Bolt	2-375810-S Grommet	
	5-D0AJ 5703-A Clamp	4-33795-S2 Nut	1-Sketch-installation	
	5598 SPACER - REAR SPRING CENTER MOUNTING			
65/67	B(71)	H/D-not replaced	4	★C3OZ 5598-A
65/67	B(except 71)		2	
	5624 LINER - REAR SPRING - Also Refer to Group 5983			
67/68	B(54, 62, 63)-6 cyl.		2	C5GA 5624-A
68	X(6 cyl. with S/T) & 8 cyl.		2	
69	X(71)-6 cyl.		2	
	5627 BAR - REAR SPRING SHACKLE - REAR - Supplied in 5630 kits			

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5630 SHACKLE KIT - REAR SPRING			
	- B -			
65	B	Rear spring-front	2	C5OZ 5630-A
	Consists of			
	1-C4DZ 5781-C Bushing assy.	1-377262-S Bolt	1-378046-S8 or 378285-S8	Nut
65	B(exc. 71)	Rear spring-rear	2	C5OZ 5630-B
	Consists of			
	1-C2OA 5627-A Bar	1-C2OA 5776-A Shackle assy.	4-D4DZ 5781-A	Bushing
	2-55674-S Nut			
65	B(71)	Rear spring-rear	2	C5OZ 5630-C
	Consists of			
	1-C5OA 5627-A Bar-outer	1-C5OA 5776-A Shackle assy.	4-C3OA 5791-B	Bushing
	2-55674-S Nut			
66/71	B	Rear spring-front	2	C6OZ 5630-B
	Consists of			
	1-C4DZ 5781-C Bushing	1-33773-S4 or 1-382636-S100 Nut	1-383168-S100	Bolt
66/69	B	Rear spring-rear	2	D1OZ 5630-A
	Consists of			
	1-D1OA 5627-AA Bar	4-D4DZ 5781-A Bushing	2-376918-S2	Nut
	1-D1OA 5776-AA Shackle assy.			
70	B	Rear spring-rear-r/b D1OZ 5630-A	2	★D0DZ 5630-B
	Consists of			
	1-C6DA 5627-B Bar	4-C4GY 5781-A Bushing	2-33771-S4	Nut
	1-D0OA 5776-A Shackle assy.			
71	B	Rear spring-rear	2	D1OZ 5630-A
	Consists of			
	1-D1OA 5627-AA Bar	4-D4DZ 5781-A Bushing	2-376918-S2	Nut
	1-D1OA 5776-AA Shackle assy.			
	- F -			
65	F	Rear spring-rear	2	C4DZ 5630-B
	Consists of			
	1-C4DA 5627-A Bar	1-C4DA 5776-A Shackle & stud assy.	4-C4DZ 5781-B	Bushing
			2-376918-S7	Nut
65/66	F	Rear spring-front	2	C4DZ 5630-C
67	F(8 cyl. 390)-for competition handling GT only		2	
	Consists of			
	1-C5ZZ 5781-A Bushing	1-382636-S100 Nut	1-383168-S100	Bolt
	Nut and bolt must be used together			
66/69	F(6 cyl. & 8 cyl. 289-2/B & 289-4/B prem. fuel)	Rear spring-rear-r/b D1ZZ 5630-A	2	★C6DZ 5630-A
66/67	F(8 cyl. 289-4/B special) -R. H. only		1	
67/69	F(8 cyl. 390)		2	
68/69	F(8 cyl. 428CJ-4/B)		2	
69	F(8 cyl. 302)		2	
	Consists of			
	1-C6DA 5627-A Bar	4-C6DZ 5781-A Bushing	2-376918-S8	Nut
	1-C6DA 5776-A Shackle assy.			
67	F(8 cyl.)-with improved handling package	Rear spring-front	2	C6OZ 5630-B
67	F(standard suspension)		2	
	Consists of			
	1-C4DZ 5781-C Bushing	1-33773-S4 or 1-382636-S100 Nut	1-383168-S100	Bolt
68	F(with or without improved handling package)	Rear spring-front	2	D3ZZ 5630-B
69	F(63)-8 cyl. 302, 351		2	
69	F(63)-8 cyl. 351, 390 4/B with improved handling pkg.		2	
69	F(76)-8 cyl. 302, 351, 390 4/B with improved handling pkg.		2	
69	F(76)-6 cyl., 8 cyl. 302, 351, 390		2	
70/	F		2	
	Consists of			
	1-D3ZZ 5781-B Bushing	1-383577-S100 Nut	1-382486-S Bolt	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5630 SHACKLE KIT - REAR SPRING - continued			
	- F -			
68	F(for competition handling vehicles)	Rear spring-front	2	C8ZZ 5630-B
69	F(63,65,76)-8 cyl.428 with trunk battery		2	
	Consists of			
	1-C5ZZ 5781-A Bushing	1-33773-S4 Nut	1-382486-S100 Bolt	
69	F(65E)-except 428 engine	Rear spring-front	2	C7WY 5630-A
	Consists of			
	1-C4DZ 5781-C Bushing	1-382636-S100 Nut	1-383168-S100 Bolt	
70/	F	Rear spring-rear	2	D1ZZ 5630-A
	Consists of			
	1-D1ZA 5627-AA Bar	4-C6DZ 5781-A Bushing	2-376918-S2 Nut	
	1-D1ZA 5776-AA Shackle assy.			
	- L -			
71	L	Rear spring-front	2	D1FZ 5630-B
	Consists of			
	1-D2FZ 5781-A Bushing	1-383435-S100 Bolt	1-383577-S100 Nut	
71	L	Rear spring-rear	2	D1FZ 5630-A
	Consists of			
	1-D12A 5627-AA Bar	4-D4DZ 5781-A Bushing	2-376918-S2 Nut	
	1-D12A 5776-AB Shackle assy.			
72	L	Rear spring-front	2	D1FZ 5630-B
	Consists of			
	1-D2FZ 5781-A Bushing	1-383435-S100 Bolt	1-383577-S100 Nut	
72	L	Rear spring-rear	2	D1CZ 5630-A
	Consists of			
	1-D1OA 5627-AA Bar	4-D4DZ 5781-A Bushing	2-376918-S2 Nut	
	1-D1OA 5776-AA Shackle assy.			
	- P -			
70/	P	Rear spring-front	2	C6OZ 5630-B
	Consists of			
	1-C4DZ 5781-C Bushing	1-33773-S4 or 1-382636-S100 Nut	1-383168-S100 Bolt	
70	P	Rear spring-rear-r/b D1OZ 5630-A	2	★D0DZ 5630-B
	Consists of			
	1-C6DA 5627-B Bar	4-C4GY 5781-A Bushing	2-33771-S4 Nut	
	1-D0OA 5776-A Shackle assy.			
71/	P	Rear spring-rear	2	D1OZ 5630-A
	Consists of			
	1-D1OA 5627-AA Bar	4-D4DZ 5781-A Bushing	2-376918-S2 Nut	
	1-D1OA 5776-AA Shackle assy.			
	- S -			
65/66	S	Rear spring-front	2	C5SZ 5630-B
	Consists of			
	1-C6SA 5720-A Head	1-C6SA 5906-A Stud	2-380952-S2 Nut	
	2-C3SA 5781-A Bushing	2-34849-S2 Washer		
65/66	S	Rear spring-rear	2	C4SZ 5630-B
	Consists of			
	1-C4SA 5626-A Bar	2-C1VV 5791-B Lower bushing	2-34671-S8 Nut	
	1-C6SA 5776-A Shackle	2-C4SA 5791-A Upper bushing	2-373112-S7 Washer	
	- U -			
66/69	U	Rear spring-front	2	C5TZ 5630-A
	Consists of			
	1-C5TZ 5781-A Bushing	1-34452-S8 Nut	1-376991-S8 Bolt	
66/69	U	Rear spring-rear	2	C6TZ 5630-A
	Consists of			
	1-C5TZ 5781-A Bushing	1-34452-S8 Nut	1-380657-S2 Bolt	
70/	U	Rear spring-front & rear	4	D0TZ 5630-A
	Consists of			
	1-C7TZ 5781-C Bushing	1-33778-S2 Nut	1-58731-S2 Bolt	
	- X -			
65/70	X (54,62,71,76)	Rear spring-front	2	C4DZ 5630-C
69	X(66)-8 cyl. 351,390		2	
	Consists of			
	1-C5ZZ 5781-A Bushing	1-382636-S100 Nut (Nut and Bolt must be used together)	1-383168-S100 Bolt	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5630 SHACKLE KIT - REAR SPRING - continued			
	- X -			
65	X	Rear spring-rear	2	C4DZ 5630-B
	Consists of			
	1-C4DA 5627-A Bar	4-C4DZ 5781-B Bushings	2-376918-S7 Nut	
	1-C4DA 5776-A Shackle & stud assy.			
66/70	X(54,62) Before 8/25/69"	Rear spring-rear-r/b D1ZZ 5630-A	2	★C6DZ 5630-A
	Consists of			
	1-C6DA 5627-A Bar	4-C6DZ 5781-A Bushing	2-376918-S8 Nut	
	1-C6DA 5776-A Shackle assy.			
70	X (54,62) "From 8/25/69"	Rear spring-rear	2	D1ZZ 5630-A
	Consists of			
	1-D1ZA 5627-AA Bar	4-C6DZ 5781-A Bushing	2-376918-S2 Nut	
	1-D1ZA 5776-AA Shackle assy.			
66/70	X(66,71)	Rear spring-rear	2	D1OZ 5630-A
	Consists of			
	1-D1OA 5627-AA Bar	4-D4DZ 5781-A Bushing	2-376918-S2 Nut	
	1-D1OA 5776-AA Shackle assy.			
66/67	X(71)-use with C6DZ 5560-E & J	Rear spring-front	2	C6OZ 5630-B
68/70	X(with heavy duty springs)		2	
	Consists of			
	1-C4DZ 5781-C Bushing	1-33773-S4 or 1-383168-S100 Bolt		
		1-382636-S100 Nut		
	5A637 CAM - REAR SUSPENSION ARM ADJUSTING			
65	A "Before 2/15/65"		2	C5AZ 5A637-A
65/	A "From 2/15/65"		2	C5AZ 5A637-B
67/71	S		2	
	5A639 BAR and BUSHING ASSY. - REAR TRACK			
65	A		1	C5AZ 5A639-A
66/71	A(except 8 cyl. 427)		1	C6AZ 5A639-B
67/69	S		1	
72	A	Use with applicable 5B640 bar kit	1	D0SZ 5A639-A
70/71	S		1	
65/71	A	Nut (bar to axle & frame)-9/16"-12	1	375206-S7-8
67/71	S		1	(MM173E)
65/71	A	Flatwasher (bar & bushing to axle)-9/16"	1	44739-S8(X39)
67/71	S		1	
66/68	A	Bolt (to frame)-9/16" -12 x 2 3/4	1	382878-S100
67/71	S		1	(BB200B)
68	A, S	Locknut (to frame & stud)-9/16" -12-red dichromate	2	382827-S100 (MM173ND)
	5B640 BAR KIT - REAR TRACK MOUNTING - Also refer to group 5A639			
70/71	S		1	D0SZ 5B640-A
	Consists of			
	1-D0SA 5A782-A Washer-outer	1-D0SA 5A785-A Ferrule outer	1-33984-S2 Nut	
	1-D0SA 5A783-A Washer-inner	1-D0SA 5A786-A Ferrule inner	1-72062-S2 Pin	
	1-D1VA 5A784-AA Bushing	1-D0SA 5A787-A Ferrule mounting		
72	A		1	D2AZ 5B640-A
	Consists of			
	1-D0SA 5A782-A Washer-outer	1-D0SA 5A785-A Ferrule-outer	1-72062-S2 Pin	
	1-D0SA 5A783-A Washer-inner	1-D2AA 5A786-AA Ferrule-inner	1-33984-S2 Nut	
	2-D2AA 5A784-AA Bushing			
	5A641 INSULATOR - REAR SPRING CLAMP PLATE			
65	A		4	C5AZ 5A641-A
	5A649 ARM ASSY. - REAR SUSPENSION LOWER			
65/71	A	R.H. & L.H.	2	C5AZ 5A649-B
72	A(exc. P/C & Taxi)		2	
72	A(P/C & Taxi) "Before 6/5/72"		2	
66/	S		2	
72	A(P/C & Taxi) "From 6/5/72"	R.H. & L.H.-#white stripe	2	D2AZ 5A649-A
65/	A	Bolt (to axle and to frame)-9/16"-12 x 4 1/8"	4	384929-S100 (BB200E)
	A	Locknut (to axle and to frame)-9/16"-12	4	385020-S100 (MM170FA)


Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5A649 ARM ASSY. - REAR SUSPENSION LOWER - continued			
65/71	S	Bolt (to axle and to frame)-9/16"-12 x 4 1/8"	4	384929-S100 (BB200E)
	S	Locknut (to axle and to frame)-9/16"-12	4	385020-S100 (MM170FA)
	5661 BRACKET - REAR STABILIZER LINK TO CROSS MEMBER			
72	B		2	D2OZ 5661-A
	5A666 CYLINDER - AIR LEVELER			
65	A	Rear-also supplied in 5A589 Kit	2	C5AZ 5A666-A
66/67	A	Rear-also supplied in 5A589 Kit	2	C6AZ 5A666-A
68/	A ,S	Rear-also supplied in 5A589 kit	2	C7MY 5A666-A
72	B		2	
66/	U	Front-also supplied in 5A589 kit	2	C6TZ 5A666-A
	5A667 HOSE ASSY. - AIR LEVELER			
65/66	A		1	C6AZ 5A667-A
67	A	Not replaced	1	★C7AZ 5A667-A
68	A(with auto.air leveler)-6 cyl. & 8 cyl. 302	Use with 8 1/2" ring gear axle-not replaced	1	★C8AZ 5A667-B
68	A, S		1	C8AZ 5A667-A
68	A(with auto.air leveler)-exc. 8 cyl. 428 P/C	Use with 8 3/4", 9" & 9 3/8" ring gear axles	1	C7MY 5A667-A
66/	A(manual air leveler)	Dealer installed-serviced only in 5A589 kit	1	★C9AZ 5A667-C
72	B(manual air leveler)		1	
69/	S(manual air leveler)		1	
69/71	A(with auto. air leveler) "Before 5/18/71"	Use with 9 1/4" & 9 3/8" ring gear axles	1	C9AZ 5A667-A
69/71	A(with auto.air leveler) "Before 5/18/71"	Use with 8 1/2" ring gear axles	1	C9AZ 5A667-B
71/72	A (with auto.air leveler)- "From 5/18/71 to 12/15/71"		1	D1AZ 5A667-A
72	A(with auto.air leveler) "From 12/15/71"		1	D2AZ 5A667-A
70/	A(with manual air leveler)	Production installation	1	C9MY 5A667-A
65/	A	Nut(hose to frame assy. or body)-5/16"-32 hex.	2	380031-S100 (MM121F)
68	A(with dealer installed auto.air leveler)	Insert (to valve)-1/4" tube	1	382215-S(UU137)
69/71	A "Before 5/18/71"	Adaptor (to valve)	1	382237-S(II-40G)
71/	A "From 5/18/71"	Adaptor (to valve)	1	384810-S(II-40FB)
	5A668 CLIP - AIR LEVELER HOSE - Improvise			
	5A669 DAMPER - REAR SPRING			
65	B(54, 62, 65)-6 cyl. with auto. trans.	4" long-not replaced	2	★C5OZ 5A669-A
66/68	B(76)-6 cyl. with auto. trans.	3 3/8" long	2	C5GY 5A669-A
66	B(54, 62, 63B-C)-6 cyl. with auto. trans.		2	
67	B(54, 62, 63)-6 cyl. with all trans.		2	
67	X(71)-with auto. trans. "From 10/3/66"		2	
68	X(6 cyl. S/T) & 8 cyl.		2	
69	X(71)-6 cyl.		1	
66/67	X(54, 62)-6 cyl. with auto. trans.	4" long	2	C6DZ 5A669-A
69	B(66)-8 cyl. 390 4/B, 428		2	
68	X(54, 62)-6 cyl. with auto. trans.		2	C8VZ 5A669-A
69	X(except 71)-6 cyl.		2	
	5A671 CAP - AIR LEVELER CYLINDER PROTECTION			
65	A	Supplied only in 5A589 kit	2	★C5AZ 5A671-A
	5A680 SPACER - AIR LEVELER HOSE - Improvise from .212 thick steel			
	5A687 GAUGE and VALVE ASSY. - AUTOMATIC AIR LEVELER			
69/	A, S	Use with dealer installed air level ride dash	1	C9AZ 5A687-A
72	B	control kit	1	
	5A688 BRACKET - AUTOMATIC AIR LEVELER VALVE MOUNTING			
68	A(exc. 8 cyl. 428), S		1	C7MY 5A688-A
69	A(except 6 cyl. 240 & 8 cyl. 302)		1	C9AZ 5A688-A
70/71	A "Before 5/18/71"		1	
71/	A "From 5/18/71"		1	D0VY 5A688-A
	5A689 CONNECTOR - AUTOMATIC AIR LEVELER TUBE			
69/	A, S	Use with dealer installed air level ride dash	1	C9AZ 5A689-A
72	B	control kit	1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5B689 LEVER - AUTOMATIC AIR LEVELER VALVE ACTUATING			
71/72	A "Before 12/15/71"		1	D0VY 5B689-A
72	A "From 12/15/71"		1	D2AZ 5B689-A
	5A690 LINK - AUTOMATIC AIR LEVELER VALVE ACTUATING			
68/71	A "Before 5/18/71"		1	C8VY 5A690-A
71/72	A "From 5/18/71 to 12/15/71"		1	D1AZ 5A690-A
72	A "From 12/15/71"	Link	1	D2AZ 5A690-A
68/	S		1	C8VY 5A690-A
	5A694 BRACKET ASSY. - AUTOMATIC AIR LEVELER COMPRESSOR			
67/68	A		1	C7MY 5A694-A
68	S		1	
69/71	A	9" long-use with automatic leveler-production installation	1	C9AZ 5A694-A
69	A,S	Front-dealer installation	1	C9AZ 5A694-B
69	A,S	Rear-dealer installation	1	C9AZ 5A694-C
70/	A,S	Dealer installation	1	D0AZ 5A694-A
72	B		1	
72	A	Production installation	1	D2AZ 5A694-A

5705 U-BOLT - REAR SPRING



P-3242

YEAR	MODEL	SIZE (Inches) A	B	C	THREAD		QTY.	PART NO.
	- B -							
65	B(54,62,65)	3 1/4	6 3/4	1 1/2	1/2-20		4	C5OZ 5705-A
65	B(71)	3 1/4	7	1 1/2	1/2-20		4	C5OZ 5705-B
66/68	B(54,62,63,65,76)	3 1/4	6 3/8	1 1/4	7/16-20		4	C6DZ 5705-C
66/71	B(71)	3 1/4	6 3/4	1 1/4	7/16-20		4	C9OZ 5705-A
67/71	B(66)						4	
68	B(8 cyl. 428CJ-4/B)						4	
70	B(P/C-8 cyl.351,429-4/B-exc.429-CJ)-w/cross country (H/D) suspension						4	
71	B(66)-1250 pay load						4	
71	B(P/C-8 cyl. 351)-w/ Cross Country (H/D) susp.						4	
71	B(8 cyl. 429-CJ)						4	
69	B(54,63,65,76)	3 1/4	6 1/2	1 1/4	7/16-20		4	D0OZ 5705-B
70	B(54,57,62,63,65,76)-exc.P/C w/8 cyl.351,429-4/B(exc.429-CJ)						4	
71	B(54,57,63,65,66,76)-Standard with 6 cyl. & 8 cyl.302,351						4	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

5705 U-BOLT - REAR SPRING - continued

YEAR	MODEL	SIZE (Inches) A	B	C	THREAD	QTY.	PART NO.
	- F -						
65/66	F	2 5/8	5	1 3/8	7/16-20	4	C4DZ 5705-A
67/69	F(except 8 cyl. 428)	3 1/4	5 1/2	1 1/4	7/16-20	4	C9ZZ 5705-A
68	F(8 cyl. 428CJ-4/B)-w/o Ram Air induction system	3 1/4	7	1 1/4	7/16-20	4	C7WY 5705-A
68/69	F(8 cyl. 428CJ-4/B)-with Ram Air induction system	3 1/4	6 3/4	1 1/4	7/16-20	4	C9OZ 5705-A
69	F(65E)					4	
70/	F	3 1/4	5 3/4"	1 5/8	7/16-20	4	D0ZZ 5705-A
	- L -						
71/72	L "Before 12/1/71"	2 3/4	5 3/4	1 7/8	7/16-20	4	D1FZ 5705-B
72	L "From 12/1/71"	2 3/4	6 1/4	1 7/8	7/16-20	4	D2FZ 5705-A
	- P -						
70/	P	3 1/4	5 1/2	1 1/4	7/16-20	4	C9ZZ 5705-A
	- S -						
65/66	S	3 1/2	8 1/8	2 1/8	1/2-13	4	C4SZ 5705-B
	- U -						
66/69	U	3 1/8	6 1/2	2 3/8	1/2-13	4	C5UZ 5705-B
70/	U	3 1/4	6 3/8	2 1/2	1/2-13	4	C8UZ 5705-B
	- X -						
65	X(59, 66, 71, 76, 78)	2 5/8	5	1 3/8	7/16-20	4	C4DZ 5705-A
65	X(54, 62, 63)	2 5/8	4 3/4	1 3/8	7/16-20	2	C5DZ 5705-A
66/70	X(54, 62) "Before 8/25/69"	3 1/4	5 1/8	1 1/4	7/16-20	4	C6DZ 5705-A
70	X (54, 62) "From 8/25/69"	3 1/4	5 1/2	1 1/4	7/16-20	4	C9ZZ 5705-A
66	X(66)	3 1/4	6 3/4	1 1/4	7/16-20	4	C9OZ 5705-A
66/70	X(71)-H/D					4	
66/68	X(71)	3 1/4	6 3/8	1 1/4	7/16-20	4	C6DZ 5705-C
69	X-Std.					4	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
		Nut (clip)-1/2"-20	8	354530-S(MM155)
65/66	S "Before 1/4/66"	Nut (clip)-1/2"-20 hex.	8	33882-S8(M24)
		Lockwasher (clip)-1/2"	8	34809-S8(X68)
		Locknut-1/2"-20	AR	34449-S8(M85)
66	S "From 4/1/66"	Locknut (clip)-1/2"-13	8	55697-S8(M89F)
	5A705 COVER - REAR TRACK BAR STUD			
67/69	A(except 71)		1	C7AZ 5A705-A
70/	A		1	
67/71	S		1	
	5A712 VALVE and LEVER ASSY. - AUTOMATIC AIR LEVELER			
68/71	A "Before 5/18/71" NOTE 1	Includes 382493-S connector	1	C9AZ 5A712-A
71/72	A "From 5/18/71 to 12/15/71"	Valve & bracket	1	D0VY 5A712-A
72	A "From 12/15/71"	Valve & bracket	1	D2AZ 5A712-A
68/	S NOTE 1	Includes 382493-S connector	1	C9AZ 5A712-A
	5A713 COMPRESSOR and BRACKET ASSY. - AUTOMATIC AIR LEVELER			
68	A(except 8 cyl. 428 P/C), S	Compressor & bracket-for production-installed levelers (auto. type-w/o dash knob)	1	C7MY 5A713-B
69/70	A, S NOTE 2	Compressor kit-for dealer-installed levelers (w/dash knob) or production-installed levelers (auto.-type-w/o dash knob)	1	C9AZ 5A713-B

Consists of

1-C9AZ	5A694-B	Bracket front	2-26483-S7	Screw
1-C9AZ	5A694-C	Bracket rear	2-33795-S7	Nut
1-C9AZ	5A713-A	Compressor assy.	2-34825-S	Lockwasher

NOTE 1 - When used with manual fill replace 383149-S connector on outlet side with 382493-S
NOTE 2 - Remove and discard production bracket when using kit

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5A713 COMPRESSOR and BRACKET ASSY. - AUTOMATIC AIR LEVELER - continued			
71	A	Compressor only-for production-installed levelers (auto. type-w/o dash knob)- incl. (3) D0VY 2A965-A insulators	1	D1AZ 5A713-A
72	A "Before 12/15/71"	Compressor only-for production-installed levelers (auto. type-w/o dash knob)- incl. (3) D0VY 2A965-A insulators	1	D2AZ 5A713-B
	A "From 12/15/71"	Compressor only-for production-installed levelers (auto. type-w/o dash knob)- incl. (3) D0VY 2A965-A insulators	1	D2AZ 5A713-C
70/72	A,S	Compressor kit-for dealer-installed levelers- (w/dash knob)	1	D0AZ 5A713-A
	B		1	
	Consists of			
	1-D0AJ 5A681-A Compressor assy.	2-33795-S7 Nut		
	1-D0AZ 5A694-A Bracket	2-34825-S Lockwasher		
	2-26483-S7 Screw			
	5A714 HOSE ASSY. - AUTOMATIC AIR LEVELER COMPRESSOR TO VALVE - Also refer to Group 5A773			
68	A(except 8 cyl. 428 P/C)	210" long	1	C7MY 5A714-A
69/71	A "Before 5/18/71"	144" long	1	C9AZ 5A714-A
71	A "From 5/18/71"		1	D1AZ 5A714-A
72	A "Before 12/15/71"		1	D2AZ 5A714-B
	A "From 12/15/71"		1	D2AZ 5A714-C
68	S	210" long	1	C7MY 5A714-A
69/	S	144" long	1	C9AZ 5A714-A
68	A,S	Adaptor to rear of compressor	1	382236-S(II-40F)
69	A(except 6 cyl. 240 & 8 cyl. 302)	Clip (to side member)	4	382843-S(GG336)
69	A	Clip (to frame)	2	377695-S100 (GG213D)
69	A	Clip (to frame center rail)	1	381599-S(GG260)
		Screw (clip to frame)-5/16"-18 x 3/4"	2	381877-S2 (UU52AF)
72	A	Clip (to frame)-3/8" x 1/4"	4	384915-S2 (GG163ZE)
72	A	Clip (to frame)-3/4" x 1"	4	385017-S2(GG377
69	A,S	Adaptor to rear of compressor	1	383147-S(II-40FE)
69/71	A "Before 5/18/71"	Adaptor to valve	1	382237-S(II-40G)
71/	A "From 5/18/71"	Adaptor to valve	1	384810-S(II-40 'B)
	5A717 ADAPTER - AUTOMATIC AIR LEVELER COMPRESSOR OUTLET			
68	A	3/8"-24 x 7/16"-to rear of air leveler compressor	1	D0AZ 5A717-A
	5A718 TUBE - AUTOMATIC AIR LEVELER COMPRESSOR TO VALVE - Improvise from 17543 bulk hose			
	5721 BOLT - REAR SPRING TIE			
65	B(71)	H/D-used with C5OZ 5560-B spring- 5/16"-24 x 2.56" - not replaced	2	★C5OZ 5721-A
65	B(71)	Used with C5OZ 5560-A spring-5/16"-24 x 2.46" Repl.by C5OZ 5721-A	2	★C5OZ 5721-C
66/	U	Used with C6TZ 5560-C spring-5/16"-24 x 2.6"	2	C6TZ 5721-A
66/	U	Used with C6TZ 5560-B spring-5/16"-24 x 2"	2	C6TZ 5721-C
66	B,X(71)	Bolt (rear spring tie)-5/16"-24 x 2.42"	2	380737-S(BB859)
65	B(54, 62, 65)-6 & 8 cyl.)	Used with C5OZ 5560-C-D springs	2	
66/71	B(63)		2	
69	B,(X-71)		1	
	5724 CLAMP - REAR SPRING			
66/	U		1or2	C1UU 5724-D
	5724 CLAMP KIT - REAR SPRING			
65/66	B	Used with 2" springs	6	C4DZ 5724-B
67/71	B	Used with 2 1/2" springs	6	C4DZ 5724-A
67/	F	" " " "	6	
69	F	" " " "	6	
71/	L,P	" " " "	AR	
65/66	S	" " " "	6	
65/70	X	" " " "	6	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5A725 ELEMENT - AUTOMAC AIR LEVELER COMPRESSOR AIR FILTER			
69	A,S	Use with air leveler compressor	1	C9AZ 5A725-A
	5736 RETAINER - REAR SPRING CENTER MOUNTING INSULATOR			
	- A -			
65	A		2	C0AA 5736-B
	- B -			
66	B(except 71)-6 cyl. & 8 cyl. 289 - "Before 10/18/65"	#"1"	2	C6OZ 5736-B
66	B(exc. 63D, 76D, 71)-6 cyl. & 8 cyl. 289, 390- "From 10/18/65 to 1/17/66"		2	
66/67	B(76)-6 cyl. "From 1/17/66"		2	
66/67	B(exc.71)-8 cyl. 289 & 390-2/B "From 1/17/66"		2	
66/67	B(54, 62, 63B, C, 76B, C)-8 cyl. 390-4/B - "From 1/17/66"		2	
67	B(54, 62, 63)-6 cyl.		2	
68	B(exc. 71)		2	
70	B(exc. 66, 71)-A/T		2	
66	B(54, 62, 63A, B, C)-6 cyl. "From 1/17/66"	#"5" -use with C6OZ 5560-AT spring-not replaced	2	★C6OZ 5736-D
66	B(except 71)-8 cyl. 390 "Before 10/18/65"	#"2"	2	C6OZ 5736-A
66/68	B(63D, 76D) "From 10/18/65"		2	
67/68	B(62, 63B, C)-8 cyl. 427		2	
67/68	B(54, 62, 63)-6 cyl. with H/D springs		2	
68	B(8 cyl. 428CJ-4/B)		2	
69	B(except 66, 71)		2	
70	B(exc. 71, P/C)	Cross Country-(H/D)-suspension	2	
70/71	B-P/C)-6 cyl. & 8 cyl. 302, 351	Standard-without rear stabilizer bar	2	
71	B(54, 57, 63, 65, 76)-6 cyl. & 8 cyl. 302, 351	Cross Country-(H/D)-suspension	2	
71	B(66)-6 cyl. & 8 cyl. 302, 351	Standard	2	
66/69	B(71)	#"3" or "4"	2	C6OZ 5736-C
67/69	B(66)		2	
70	B(54, 57, 62, 63C, 65)-8 cyl. 429CJ	Standard	2	
70	B-P/C)-8 cyl. 351, 429-4/B(exc. 429-CJ)	Cross Country-(H/D)-suspension	2	
70	B(63F, H, 76)-8 cyl. 429	Standard	2	
70	B(66)	Standard-For 1220 lb. payload	2	
70/71	B(71)	Standard	2	
71	B(P/C)-8 cyl. 351	Cross Country-(H/D)-suspension	2	
71	B(63F, 66, 71, 76)-8 cyl. 429-CJ	Standard	2	
71	B(66)-6 cyl. & 8 cyl. 302, 351	Cross country-(H/D)-suspension	2	
70	B(54, 57, 62, 65-exc. P/C)-exc. 429CJ)	Standard-#6-r/b C6OZ 5736-B	2	★C8WY 5736-A
70	B(63C)-exc. 6 cyl. & 429CJ	Standard	2	
70	B(63F, 76)-8 cyl. 302, 351	Standard	2	
71	B(54, 57, 63, 65, 76)-6 cyl. & 8 cyl. 302, 351	Standard	2	
71	B(54, 57, 63C, 65)-8 cyl. 429-CJ	Standard	2	
	- L -			
71	L "Before 4/26/71"	Standard	2	D1FZ 5736-A
	L "From 4/26/71"	Standard	2	D2FZ 5736-A
72	L(exc. 73) "Before 1/10/72"	Standard	2	D2FZ 5736-A
	L(exc. 73) "From 1/10/72"	Standard	2	D2FZ 5736-C
	L(73)	Standard	2	D2FZ 5736-B
	- X -			
66/70	X(71)	#"2"	2	C6OZ 5736-A
66	X(66)	#"3" or "4"	2	C6OZ 5736-C
66/70	X(71)-H/D		2	
	5A739 SLEEVE - AUTOMATIC AIR LEVELER VALVE			
67/	A	Insert(to valve)-1/4" tube brass	2	382215-S
72	B		2	(UU137)
69/	S		2	

#Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
5741	**INSULATOR - REAR SPRING CENTER MOUNTING**			
	- A -			
65	A		4	C1AA 5741-A
	- B -			
65	B		4	C5OZ 5741-A
66/69	B (8 cyl.)		4	C4GY 5741-A
66/69	B(71)-6 cyl.		4	
67/69	B(66,76)-6 cyl.		4	
66	B(54,62,63A,B,C)-6 cyl. "Before 1/17/66"		4	
70	B(8 cyl.429)-M/T		4	
70	B(66)-6 cyl.,8 cyl. 351		4	
70	B(66)-8 cyl.429CJ with A/T		4	
70	B(71)-6 cyl.,8 cyl.302,351,429		4	
71	B		4	
66/67	B(54,62,63A,B,C)-6 cyl. "From 1/17/66"		4	C6OZ 5741-A
68/69	B(54,63,65)-6 cyl.		4	
70	B(exc.66,71)		4	
	- L -			
71/	L		4	D1FZ 5741-A
	- S -			
65/66	S	Rubber	4	C2SZ 5741-B
	- X -			
66/70	X(66)		4	C4GY 5741-A
66/70	X(71)		4	
5K751	**CAM - REAR SUSPENSION ARM ADJUSTING**			
72	B,S	Cam only	4	D2OZ 5K751-A
72	B,S	Cam kit	1	D2OZ 5K751-B
	Consists of			
	1-D2OZ 5K751-A Cam	2-385313-S100 Bolt	2-385314-S101 Nut	
5752	**PLATE - REAR SPRING REAR HANGER**			
65/66	S	Not replaced	2	★C4SZ 5752-A
5753	**SPACER - REAR SPRING FRONT HANGER**			
65/67	F(76)	Not replaced	2	★C5ZZ 5753-B
5A769	**SPACER - REAR STABILIZER BAR**			
69/	A(P/C)	Improvise from 3/32" thick steel	AR	★
5A770	**REINFORCEMENT - REAR SUSPENSION LOWER ARM**			
69/	A(P/C)	Improvise from 1/2" I.D. x 1 1/16" long steel pipe	4	★

5A772 BAR ASSY. - REAR STABILIZER

YEAR	MODEL	STABILIZER BAR TYPE	DIA.	▲ IDENT.	QTY	PART NO.	INSULATOR QTY	INSULATOR PART NO.
69/	A(P/C)	S			1	C9AZ 5A772-B	2	† 5493
70	B(P/C)-8 cyl. 351,429-4/B (exc.429-CJ)	C/H/D			1	D0OZ 5A772-A	2	D0ZZ 5493-A
71	B(P/C)-8 cyl. 351,429	C/H/D			1		2	
72	B(8 cyl.351-CJ)-w/competition handling pkg.-w/o A/C	S		1V	1	D2OZ 5A772-C	2	D2OZ 5493-E
72	B(8 cyl.351-CJ)-w/competition handling pkg. & A/C	S		1Y	1	D2OZ 5A772-B	2	D2OZ 5493-A
	B(8 cyl. 429)-w/competition handling pkg.	S			1		2	
69	F(Boss 429)-NOTE 1	S			1	C9ZZ 5A772-A	2	C7OZ 5493-C
70	F(Boss 302,429)	S			1	D0ZZ 5A772-A	2	D0ZZ 5493-B
	F(8 cyl.428)	S			1		2	
70	• Unique competition part				1	★D0ZX 5A772-B	2	C7OZ 5493-C
70	F(8 cyl.351)	S			1	D0ZZ 5A772-A	2	D0ZZ 5493-A
71	F(Boss 302,8 cyl. 429-CJ)-competition handling pkg.	S	5/8	1W	1	D1ZZ 5A772-A	2	D0ZZ 5493-B
72	F(8 cyl.351-Boss)	S			1		2	
71	F(8 cyl. 351-4/B)-competition handling pkg. F(63R)-8 cyl.351-4/B)	S	1/2	1Or	1 1	D1ZZ 5A772-B	2 2	D0ZZ 5493-A
72	F(8 cyl.351-CJ)	S			1		2	
71	• Unique competition part				1	★D0ZX 5A772-B	2	C7OZ 5493-C
72	S	S		1G	1	D2SZ 5A772-A	2	D2SZ 5493-A

▲ Paint code identification G - green Or - orange V - violet W - white Y - yellow
• Refer to appropriate muscle parts catalog † Not used
NOTE 1 - For attaching parts refer to Groups 4A340 and 4A343 S - Standard C/H/D - Cross Country Heavy Duty

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5A772 BAR ASSY. - REAR STABILIZER - continued			
69/	A(P/C)	Nut (bar to arm)-7/16"-14 hex.lock	4	★34978-S
71	A	Stud (bar to axle)-9/16"-12-12 x 3 7/8" hex. shoulder	2	384559-S100 (WW98HE)
70/	F	Washer cup (bar to spacer)-3/8" I.D.-1 3/16" O.D.-1/8" thick	AR	★371169-S
	5A773 COMPRESSOR REPAIR KIT - AUTOMATIC AIR LEVELER			
68/	A(except 8 cyl. 428)	With air suspension	1	C7MY 5A773-A
68/	S		1	
	Consists of 1-Check valve 1-Check valve spring 1-"O" Ring 1-Adapter			
	5775 HANGER - REAR SPRING			
	- A -			
65	A	Shackle-rear	2	C0AZ 5775-A
	- B -			
65	B	Hanger-R.H.-front-not replaced	1	★C5OZ 5775-B
		Hanger-L.H.-front-not replaced	1	★C5OZ 5775-A
	B(71)	Hanger-shackle-rear	2	C6OZ 5775-A
66/71	B(exc.71)	Brace-R.H.-front	1	C6OZ 5775-D
		Brace-L.H.-front	1	C6OZ 5775-E
	B(71)	Hanger-R.H.-front	1	C6OZ 5775-B
		Hanger-L.H.-front	1	C6OZ 5775-C
	B(66,71)	Hanger-rear shackle	2	C6OZ 5775-A
	-F -			
65/	F(76)	Brace-R.H.-front-not replaced	1	★C5ZZ 5775-C
		Brace-L.H.-front	1	C5ZZ 5775-D
	- L -			
71	L	Bracket-R.H.-front	1	D1FZ 5775-E
		Bracket-L.H.-front	1	D1FZ 5775-F
		Bracket-rear	2	D1FZ 5775-B
		Hanger-rear	2	D1FZ 5775-A
72	L (exc. 73)	Bracket-R.H.-front	1	D2FZ 5775-C
		Bracket-L.H.-front	1	D2FZ 5775-D
	L(73)	Bracket-R.H.-front	1	D2FZ 5775-A
		Bracket-L.H.-front	1	D2FZ 5775-B
	L	Bracket-rear	2	D1FZ 5775-B
		Hanger-rear	2	D1FZ 5775-A
	- P -			
70/	P	Bracket-R.H.-front	1	D0DZ 5775-A
		Bracket-L.H.-front	1	D0DZ 5775-B
	- S -			
65	S	Hanger-rear-shackle-not replaced	2	★C2SZ 5775-C
65/66	S	Hanger R.H.-front	1	C4SZ 5775-J
		Hanger L.H.-front	1	C4SZ 5775-H
		Hanger-rear-shackle	2	C4SZ 5775-A
		Bracket R.H.-front-not replaced	1	★C4SZ 5775-B
		Bracket L.H.-front-not replaced	1	★C4SZ 5775-C
	- U -			
66/	U	Serviced in 5005 assy. only		★ 5775

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5775 HANGER - REAR SPRING - continued			
	- X -			
65	X(59, 66, 71, 78)	Hanger-rear shackle	2	C4DZ 5775-A
		R. H. -rear-not replaced	1	★C5DZ 5775-A
		L. H. -rear-not replaced	1	★C5DZ 5775-B
	X(54, 62, 63)	R. H. -front-not replaced	1	★C4DZ 5775-D
		L. H. -front-not replaced	1	★C4DZ 5775-E
	X(76)	R. H. -front-not replaced	1	★C4DZ 5775-F
		L. H. -front-not replaced	1	★C4DZ 5775-G
66/70	X(54, 62)	Brace-R. H. -front	1	C6OZ 5775-D
		Brace-L. H. -front	1	C6OZ 5775-E
	X	Hanger-R. H. -front	1	C6OZ 5775-B
		Hanger-L. H. -front	1	C6OZ 5775-C
66	X(66)	Hanger-rear shackle	2	C6OZ 5775-A
66/70	X(71)		2	
65	B	Lockwasher (R. H. & L. H. hanger to underbody)-7/16"	4	34848-S8(X75)
67	B, X(71)		6	
65	S	Lockwasher (hanger to frame)-9/16"-12	4	34810-S7-8(X69)
65/70	X	Flat washer (spring to hanger)-1 1/4" O. D. - 33/64" I. D.	2	351810-S8 (XX185)
	5A775 PLATE - REAR STABILIZER BAR STUD MOUNTING			
70	F (Boss 302, 8 cyl. 351, 428)	With competition handling pkg.	2	D0ZZ 5A775-A
71	F(Boss 302, 8 cyl. 351-4/B)	With competition handling pkg.	2	
71	F(63R)-8 cyl. 351-4/B		2	
71	F(8 cyl. 429-CJ)	Without competition handling pkg.	2	
72	F		2	
	5776 SHACKLE ASSY. - REAR SPRING - REAR			
66/	U		2	C5TZ 5776-D
		Locknut-3/8"-24		34370-S8(M99)
	5781 BUSHING - REAR SPRING - Also refer to Group 5630			
65/71	B	Rear spring rear shackle-also supplied in 5630 kit	8	D4DZ 5781-A
66	X(66)		8	
66/	P, X(71)		8	
65/69	F	Rear spring-front hanger-also supplied in 5630 kit	2	C5ZZ 5781-A
65/70	X		2	
70/71	F(Boss 302)		2	
71	B(66)		1	
71	B(8cyl. 429-CJ)		1	
66/	F	Rear spring-rear-also supplied in 5630 kit	8	C6DZ 5781-A
66/70	X(54, 62)		8	
69	F(65E)	Rear spring front-also supplied in 5630 kit	2	C7WY 5781-A
70/71	• Unique competition part	Not replaced	4	★D0ZX 5781-B
70/	F(exc. Boss 302)	Rear spring-front hanger-also supplied in 5630 kit	2	D3ZZ 5781-B
71	L	Rear spring-front shackle-also supplied in 5630 kit	2	D1FZ 5781-A
	L	Rear spring-rear shackle-also supplied in 5630 kit	2	D4DZ 5781-A
72	L "Before 12/1/71"	Rear spring-front shackle-also supplied in 5630 kit	2	D1FZ 5781-A
	L "From 12/1/71"	Rear spring-front shackle-r/b C4DZ 5781-C	1	★D2FZ 5781-A
	L	Rear spring-rear shackle-also supplied in 5630 kit	8	D4DZ 5781-A

• Refer to appropriate muscle parts catalog

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5781 BUSHING - REAR SPRING - continued - Also refer to Group 5630			
65	S		8	A9AZ 5781-A
66/69	U	Also supplied in 5630 kit	2	C5TZ 5781-A
70/	U	Also supplied in 5630 kit	2	C7TZ 5781-C
65	X	Rear spring-rear hanger-also supplied in	8	C4DZ 5781-B
65	F	5630 kit	8	
65/70	X	Rear spring-front hanger-also supplied in	2	C4DZ 5781-C
65/69	F(6 cyl. & 8 cyl. 260, 289 2/B, 289 4/B prem. fuel)	5630 kit	2	
65/71	B		2	
70/	P		2	
65/66	S	Bolt (hanger to underbody)-3/8"-16 x 1 1/2"	6	43002-S(B257)
		Lockwasher - 3/8"		34807-S8 (X66)
	5783 BUMPER - REAR AXLE			
65	S	Refer to Group 4730	2	★
65	S	Bolt (bumper to body)-5/16"-18 x 5/8"	4	20326-S7(B49)
		Locknut-3/8"-24		34370-S8(M99)
		Lockwasher-5/16"		34806-S7(X64)
	5784 BRACKET - REAR AXLE - Refer to Group 4731			

YEAR	MODEL	QTY.	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND
	5796-9 PLATE - REAR SPRING			
	- A -			
65	A	2	C5AZ 5796-A	C5AZ 5796-A
	- B -			
65	B	1	C3OZ 5798-A	C3OZ 5799-A
66/68	B(exc. 66,71)	1	C9OZ 5796-C	C9OZ 5796-B
	B(66,71)	1	C6OZ 5796-B	C6OZ 5796-A
69	B(exc. 66,71)-6 cyl. 250,8 cyl. 302,351,390	1	C9OZ 5796-C	C9OZ 5796-B
	B(66,71)-6 cyl. 250,8 cyl. 302,351,390	1	C6OZ 5796-B	C6OZ 5796-A
	B(exc.66,71)-8 cyl. 428	1	C9OZ 5796-C	C9OZ 5796-A
	B(66)-8 cyl. 428	1	C6OZ 5796-B	C6OZ 5796-B
	B(71)-8 cyl. 428	1	C6OZ 5796-B	C6OZ 5796-A
70	B(54,57,62,63,65,76)-6 cyl. & 8 cyl. 302,351	1	C9OZ 5796-C	C9OZ 5796-B
	B(54,57,62,63,65,76)-8 cyl. 429-with A/T	1		
	B(54,57,62,63,65,76)-8 cyl. 429-with M/T	1	C9OZ 5796-C	C9OZ 5796-A
	B(66,71)	1	C6OZ 5796-B	C6OZ 5796-A
71	B(exc. 66,71)-6 cyl. & 8 cyl. 302,351	1	C9OZ 5796-C	C9OZ 5796-B
	B(exc. 66,71)-8 cyl. 429-CJ with A/T	1	C9OZ 5796-C	C9OZ 5796-B
	B(exc. 66,71)-8 cyl. 429-CJ with M/T	1	C9OZ 5796-C	C9OZ 5796-A
	B(66)-6 cyl. & 8 cyl. 302,351	1	C6OZ 5796-B	C6OZ 5796-A
	B(66)-8 cyl. 429-CJ with A/T	1	C6OZ 5796-B	C6OZ 5796-A
	B(66)-8 cyl. 429-CJ with M/T	1	C6OZ 5796-B	C6OZ 5796-B
	B(71)	1	C6OZ 5796-B	C6OZ 5796-A
	- F -			
65/66	F	1	C5DZ 5796-A	C5DZ 5796-B
67	F(exc. 428-CJ)	1	C6DZ 5796-A	C6DZ 5796-B
68	F(exc. 428-CJ)	1	C6DZ 5796-A	C6DZ 5796-B
	F(8 cyl. 428-CJ)	1	C8ZZ 5796-A	C8ZZ 5796-B
69	F(exc. 65E,Boss 302,428-CJ)	1	C6DZ 5796-A	C6DZ 5796-B
	F(65E) "Before 9/10/68"	1	C9OZ 5796-C	C9OZ 5796-B
	F(65E) "From 9/10/68"	1	C6DZ 5796-A	C6DZ 5796-B
	F(8 cyl. 428-CJ)	1	C8ZZ 5796-A	C8ZZ 5796-B
	F(Boss 302)	1		
70	F(6 cyl.,8 cyl. 302-2/B,351)	1	C6DZ 5796-A	C6DZ 5796-B
	F(8 cyl. 428-CJ,429-CJ)-A/T	1	C6DZ 5796-A	C6DZ 5796-B
	F(8 cyl. 428-CJ,429-CJ)-M/T	1	C8ZZ 5796-A	C8ZZ 5796-B
	F(Boss 302)	1	C8ZZ 5796-A	C8ZZ 5796-B
71/	F(6 cyl. & 8 cyl. 302-2/B, 351-2/B)	1	D1ZZ 5796-A	D1ZZ 5796-B
	F(8 cyl. 351-4/B, 429-CJ)	1	C8ZZ 5796-A	C8ZZ 5796-B

YEAR	MODEL		QTY.	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND
	5796-9 PLATE - REAR SPRING - continued				
	- L -				
71	L		1	D1FZ 5796-C	D1FZ 5796-C
72	L(exc. 73)	"Before 12/1/71"	1	D1FZ 5796-C	D1FZ 5796-C
	L(exc. 73)	"From 12/1/71"	1	D2FZ 5796-B	D2FZ 5796-B
	L(73)-U-bolt plate		1	D2FZ 5796-C	D2FZ 5796-C
	L(73)-tapping plate		1	D2FZ 5796-A	D2FZ 5796-A
	- P -				
70	P		1	D0DZ 5796-B	D0DZ 5796-A
71/	P		1	D0DZ 5796-B	D1DZ 5796-A
	-U -				
66/	U		2	C5TZ 5796-D	C5TZ 5796-D
	- X -				
65	X(54.62.63.66.71.76.78)		1	C5DZ 5796-A	C5DZ 5796-B
66/70	X(54,62)		1	C6DZ 5796-A	C6DZ 5796-B
66	X(66)		1	C6OZ 5796-B	C6OZ 5796-A
66/70	X(71)		1		

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5A826 ARM KIT - REAR SUSPENSION			
	- B -			
72	B(std. suspension) "Before 2/7/72"	Upper arm	1	D2OZ 5A826-C
	B(53,63,65-std. suspension)- "From 2/7/72 to 7/7/72"		1	
	Consists of			
	1-D2OA 5501-EC Arm assy.-R.H.	2-58682-S100 Bolt	2-384929-S100	Bolt
	1-D2OA 5A803-DC Arm assy.-L.H.	2-384801-S100 Nut	2-385020-S100	Nut
			1-	Instruction Sheet
72	B(exc. P/C-std. suspension)- "From 7/7/72"	Upper arm	1	D2OZ 5A826-G
	Consists of			
	1-D2OA 5501-EC Arm assy.-R.H.	2-58682-S100 Bolt	2-384929-S100	Bolt
	1-D2OA 5A803-DC Arm assy.-L.H.	2-384801-S100 Nut	2-385020-S100	Nut
			1-	Instruction Sheet
72	B(competition suspension) "Before 7/7/72"	Upper arm	1	D2OZ 5A826-B
	Consists of			
	1-D2OA 5501-DA Arm assy.-R.H.	2-58682-S100 Bolt	2-384929-S100	Bolt
	1-D2OA 5A803-CA Arm assy.-L.H.	2-384801-S100 Nut	2-385020-S100	Nut
			1-	Instruction Sheet
72	B(competition suspension) "From 7/7/72"	Upper arm	1	D2OZ 5A826-F
72	B(P/C)		1	
	Consists of			
	1-D2OA 5501-DA Arm assy.-R.H.	2-58682-S100 Bolt	2-384929-S100	Bolt
	1-D2OA 5A803-CA Arm assy.-L.H.	2-384801-S100 Nut	2-385020-S100	Nut
			1-	Instruction Sheet
72	B	Lower arm -r/b D3OZ 5A826-B	1	★D2OZ 5A826-D
	Consists of			
	2-D2OA 5538-BA Arm assy.	4-384929-S100 Bolt	1-385020-S100	Nut
			1-	Instruction Sheet

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5A826 ARM KIT - REAR SUSPENSION - continued			
	- S -			
72	S(exc.trailer towing pkg.) "Before 5/1/72"	Upper arm-r/b D4SZ 5A826-A	1	★D2SZ 5A826-B
	Consists of			
	1-D2SA 5501-CA Arm assy.-R.H.	2-58682-S100 Bolt	2-384929-S100	Bolt
	1-D2SA 5A803-BA Arm assy.-L.H.	2-384801-S100 Nut	2-385020-S100	Nut
			1-	Instruction Sheet
72	S(exc.trailer towing pkg.) "From 5/1/72"	Upper arm-r/b D4SZ 5A826-A	1	★D3SZ 5A826-A
	Consists of			
	1-D3SA 5501-BA Arm assy.-R.H.	2-58682-S100 Bolt	2-384929-S100	Bolt
	1-D3SA 5A803-BA Arm assy.-L.H.	2-384801-S100 Nut	2-385020-S100	Nut
			1-	Instruction Sheet
72	S(trailer towing pkg.)	Upper arm	1	D2SZ 5A826-F
	Consists of			
	1-D2SA 5501-DA Arm assy. -R.H.	2-58682-S100 Bolt	2-384929-S100	Bolt
	1-D2SA 5A803-DA Arm assy. -L.H.	2-384801-S100 Nut	2-385020-S100	Nut
			1-	Instruction Sheet
72	S(exc.trailer towing pkg.) "Before 7/7/72"	Lower arm	1	D2SZ 5A826-A
	Consists of			
	2-D2SA 5538-AC Arm assy.	4-384929-S100 Bolt	4-385020-S100	Nut
			1-	Instruction Sheet
72	S(exc.trailer towing pkg.) "From 7/7/72"	Lower arm-r/b D3SZ 5A826-C	1	★D2SZ 5A826-G
	Consists of			
	2-D2SA 5538-AC Arm assy.	4-375022-S100 Nut	4-384929-S100	Bolt
			1-	Instruction Sheet
72	S(trailer towing pkg.)	Lower arm	1	D2SZ 5A826-E
	Consists of			
	2-D2SA 5538-BA Arm assy.	4-384929-S100 Bolt	4-385020-S100	Nut
			1-	Instruction Sheet

YEAR	MODEL	QTY.	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND
	5920 REINFORCEMENT - REAR SPRING FRONT BRACKET			
65/66	S-not replaced	1	★C4SZ 5920-A	★C4SZ 5920-B
	5980 REINFORCEMENT - REAR SPRING REAR BRACKET			
65/66	S-not replaced	1	★C4SZ 5980-A	★C4SZ 5980-B
	5983 LINER - REAR SPRING - Also Refer to Group 5624			
65	X-not replaced	1	★C3OZ 5983-A	★C3OZ 5983-A
	5992 BRACKET - REAR SPRING REAR			
65/66	S-not replaced	1	★C4SZ 5992-A	★C4SZ 5992-B

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	5997 SPACER - REAR SPRING			
70/71	• Unique competition part	Not replaced	1	★D0ZX 5997-A

• Refer to appropriate muscle parts catalog

INDEX

PART NAME	GROUP NUMBER
A	
Adapter (eng. oil filler)	6A868
Adapter assy. (eng. crankcase vent)	6A665
Adapter assy. (eng. oil filter)	6881
Arm (eng. valve rocker)	6564
Arm assy. (eng. timing chain tensioner)	6285
Arrestor assy. (eng. crankcase vent flame)	6A827
B	
Baffle (eng. cylinder block vent)	6A630
Baffle (eng. intake manifold oil)	6A630
Baffle (eng. oil pan upper)	6687
Baffle (eng. push rod crankcase vent)	6A630
Baffle (eng. valve push rod valley)	6524
Baffle (eng. valve rocker arm oil)	6524
Baffle (eng. valve spring oil)	6524
Baffle (valve push rod vent)	6A669
Bearing (eng. camshaft)	6261-3, 6267, 6270
Bearing (eng. connecting rod)	6211
Bearing (eng. crankshaft main)	6333-7
Bearing kit (eng. camshaft)	6A251
Belt (eng. timing)	6268
Block assy. (eng. cylinder)	6010
Bolt (eng. connecting rod)	6214
Bolt (eng. crankshaft main bearing cap)	6345
Bolt (eng. crankshaft pulley)	6A340
Bolt (eng. cylinder block oil filter opening cover)	6A660
Bolt (eng. cylinder head)	6065
Bolt (eng. flywheel to crankshaft)	6379
Bolt (eng. front support insulator)	6047
Bolt (eng. insulator to cross member)	6047
Bolt (eng. valve rocker arm shaft support)	6A527
Bolt (eng. valve rocker arm support)	6A527
Bolt assy. (eng. oil filter adapter mounting)	6894
Bolt & valve assy. (eng. oil filter center)	6741
Bolt & washer (eng. oil pump attaching)	6638
Bracket (eng. crankcase vent valve hose clip)	6788
Bracket (eng. front support)	6028-31
Bracket (eng. front support insulator)	6046
Bracket (eng. oil cooler lower)	6B634
Bracket (eng. oil cooler upper)	6B633
Bracket (eng. rear support)	6096, 6120
Bracket (eng. timing pointer mounting)	6M026
Bracket (eng. to frame mounting bolt inner)	6B031
Bracket (eng. to frame mounting bolt outer)	6A047

PART NAME	GROUP NUMBER
B . cont'd.	
Bushing (eng. aux. driveshaft)	6A875
Bushing (eng. connecting rod)	6207
Bushing (eng. to frame mounting bolt)	6A049
Bushing (eng. valve guide)	6510
C	
Camshaft (eng.)	6250
Camshaft kit (eng.)	6A527
Camshaft & tappets kit (eng.)	6250
Cap (eng. valve stem exhaust)	6550
Cap assortment (eng. oil filler & breather)	6766
Cap assy. (eng. oil filler & breather)	6766
Chain (eng. timing)	6268
Chain & sprockets kit (eng. timing)	6268
Clip (eng. follower arm spring retaining)	6K532
Connector (eng. crankcase vent hose)	6A706
Connector (eng. oil cooler)	6A653
Conversion kit (eng. high performance)	6A044
Conversion kit (eng. oil pump)	6600
Cooler assy. (eng. crankcase oil)	6A642
Counterweight (eng. crankshaft)	6A360
Cover (crankcase vent)	6869
Cover (eng. cylinder block oil filter opening)	6A659
Cover (eng. cylinder timing gear)	6017
Cover (eng. oil filter)	6737
Cover (eng. starter pinion)	6677
Cover (eng. valve push rod)	6519
Cover (eng. valve rocker arm front support oil passage)	6A508
Cover assy. (eng. cylinder front)	6019
Cover assy. (eng. flywheel housing)	6366
Cover assy. (eng. valve rocker arm)	6582, 6A582
Cover repair kit (eng. cylinder front)	6019
Crankshaft assy. (eng.)	6303
Cylinder assy. (eng.)	6009
Cylinder head kit (eng.)	6049
D	
Damper assy. (eng. crankshaft)	6316
Damper assy. (eng. timing chain vibration)	6284
Diaphragm (eng. oil filter)	6751
Dipstick (eng. oil level)	6750
Distributor (eng. oil cooler)	6881
Dowel (eng. camshaft sprocket to camshaft)	6253
Dowel (eng. connecting rod to cap)	6217
Dowel (eng. crankshaft main bearing cap)	6A346
Dowel (eng. cylinder block)	6397
Dowel (eng. cylinder head to block)	6A008
Dress-up kit (eng. chrome finish)	6980
Duct (eng. crankcase vent)	6A630

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
E	
Eccentric (eng. camshaft fuel pump drive)	6287
Elbow (eng. crankcase vent hose)	6767
Element (eng. crankcase vent oil separator)	6A631
Element assy. (eng. oil filter)	6731
Emission control kit (eng. exhaust)	6A603
Engine assy.	6007
Extension (eng. rear support)	6120
F	
Filter (eng. oil)	6731, 6734
Fitting (eng. oil filter to adapter)	6882
Flange (eng. oil pan reinforcement)	6823
Flywheel assy. (eng.)	6375
Fulcrum kit (eng. valve rocker arm)	6A585
G	
Gasket (eng. crankcase vent oil separator)	6A632
Gasket (eng. crankcase vent tube)	6870
Gasket (eng. crankshaft rear bearing oil seal retainer)	6344
Gasket (eng. cylinder front cover)	6020
Gasket (eng. cylinder head)	6051
Gasket (eng. flywheel housing)	6435
Gasket (eng. oil distributor to oil filter)	6A734
Gasket (eng. oil filler & breather cap)	6789
Gasket (eng. oil filter adapter)	6840
Gasket (eng. oil filter adapter to cylinder block)	6A636
Gasket (eng. oil filter center bolt to adapter)	6749
Gasket (eng. oil filter center bolt to cover)	6749
Gasket (eng. oil filter element)	6746
Gasket (eng. oil filter mounting)	6838
Gasket (eng. oil pan)	6710-1
Gasket (eng. oil pan drain plug)	6734
Gasket (eng. oil pump inlet tube)	6626
Gasket (eng. oil pump to block)	6659
Gasket (eng. valve push rod cover)	6521
Gasket (eng. valve rocker arm cover)	6584
Gasket set (eng. complete overhaul)	6008
Gasket set (eng. oil pan)	6781
Gasket set (eng. valve grind)	6079

PART NAME	GROUP NUMBER
G - cont'd.	
Gear (eng. camshaft)	6256
Gear (eng. crankshaft)	6306
Gear (eng. flywheel ring)	6384
Gear (eng. oil pump drive)	6652
Grommet (eng. crankcase vent retainer)	6A892
Grommet (eng. power steering oil reservoir cover stud)	6570
Grommet (eng. rocker arm cover seal)	6570
Grommet (eng. valve push rod cover stud)	6570
Guide (eng. disc)	6K297
Guide (eng. valve push rod)	6A564
H	
Head (eng. cylinder)	6049
Head kit (eng. cylinder)	6049
Heat exchanger (eng. oil cooler assy.)	6653
Heater assy. (eng. block)	6A051
Heater assy. (eng. block)	6A051
Heater kit (eng. block)	6D008
Hose (eng. crankcase vent)	6A664, 6853
Hose assy. (eng. oil cooler)	6A715
Housing assy. (eng. flywheel)	6392
I	
Indicator (eng. oil level)	6750
Induction kit (eng. high performance)	6B068
Insert (eng. oil filter mounting bolt)	6890
Insert (eng. valve seat)	6057
Insulator (eng. front support)	6038
Insulator (eng. front support rebound)	6039
Insulator assy. (eng. rear support)	6068
Insulator assy. (eng. rear support rebound)	6A061
K	
Key (eng. camshaft gear to camshaft)	6B316-7
Key (eng. crankshaft gear or sprocket to crankshaft)	6B316
Key (eng. valve spring retainer)	6518
KIT - refer to appropriate noun name For example Emission control kit (eng. exhaust)	6A603
L	
Lifter assy. (eng. valve)	6500
Liner (eng. cylinder block)	6055

INDEX

PART NAME	GROUP NUMBER
N	
Nipple (eng. oil cooler)	6883
Nut (eng. connecting rod)	6212
Nut (eng. rear support insulator)	6041
Nut (eng. valve rocker arm adjusting screw)	6552
Nut (eng. valve rocker arm stud)	6A529
O	
"O" ring (eng. block heater)	6B080
P	
Packing (eng. crankshaft rear)	6701
Pan assy. (eng. oil)	6675
Pin (eng. crankshaft rear oil seal)	6A302
Pin (eng. piston)	6135
Pin (eng. timing chain tensioner arm)	6286
Pipe (eng. oil filler)	6763
Piston assy. (eng.)	6108-9
Plate (eng. aux. shaft retaining)	6613
Plate (eng. camshaft thrust)	6269
Plate (eng. cylinder front cover)	6B070
Plate (eng. flywheel reinforcing)	6A366
Plate (eng. front support bracket)	6D047
Plate (eng. oil inlet tube bolt locking)	6A736
Plate (eng. oil pump body)	6616
Plate (eng. rear support)	6070
Plug (eng.)	6026
Plug (eng. camshaft rear bearing)	6266
Plug (eng. crankshaft)	6307
Plug (eng. cylinder block water metering)	6D039
Plug (eng. cylinder head exhaust air supply)	6052
Plug (eng. oil filter by-pass valve)	6666
Plug (eng. oil pan drain)	6730
Plug (eng. oil pump relief valve)	6666, 6A616
Plug (eng. valve oil metering)	6A580
Plug (eng. valve rocker arm shaft)	6572
Plunger (eng. cylinder block main oil galley relief valve)	6674
Plunger (eng. oil pump relief valve)	6674
Pointer (eng. timing)	6023
Pulley assy. (eng. crankshaft)	6312
Pulley assy. (eng. crankshaft outer)	6A312
Pulley assy. (eng. tensioner)	6K254
Pump assy. (eng. oil)	6600
R	
Reinforcement (eng. rear support)	6A042
Retainer (eng. camshaft sprocket)	6258
Retainer (eng. camshaft thrust plate bolt)	6225
Retainer (eng. crankcase vent grommet)	6A892
Retainer (eng. crankcase vent oil separator element)	6A633
Retainer (eng. oil filter element)	6898
Retainer (eng. piston pin)	6140
Retainer (eng. rear support)	6054
Retainer (eng. valve spring)	6514
Retainer assy. (eng. crankshaft rear bearing oil seal)	6335
Ring (eng. crankshaft retaining)	6307
Ring (eng. crankshaft thrust)	6334
Ring (eng. oil pump intermediate shaft retainer)	6629
Ring (eng. piston)	6150
Ring set (eng. piston complete)	6149
Ring set (eng. piston partial)	6148
Rod (eng. valve push)	6565
Rod assy. (eng. connecting)	6200
Rotor & shaft assy. (eng. oil pump drive)	6608
S	
Screen assy. (eng. oil pump)	6623
Screen tube & cover assy. (eng. oil pump)	6622
Screw (valve rocker arm adjusting)	6549
Seal (eng. crankcase separator spigot)	6K777
Seal (eng. crankshaft rear main bearing cap)	6336
Seal (eng. cylinder front cover oil)	6700
Seal (eng. flywheel housing cover plate)	6411
Seal (eng. oil pan)	6722-3
Seal (eng. rear cover plate)	6411, 6424
Seal (eng. valve rocker arm cover baffle)	6A545
Seal (eng. valve stem)	6571
Seal kit (eng. crankshaft rear main bearing)	6A321
Seat (eng. valve rocker arm fulcrum)	6A528
Seat (eng. valve spring)	6A536
Separator assy. (eng. crankcase vent oil)	6A785

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Shaft (eng. valve rocker arm)	6563
Shaft assy. (eng. fuel pump, oil pump & distributor drive)	6A739
Shaft assy. (eng. oil pump intermediate)	6A618
Shield (eng. front support insulator)	6035
Shield (eng. motor mount heat)	6C038
Shield (eng. splash)	6775
Shim (eng. rocker arm stud or bolt)	6A525
Sleeve (eng. valve spring retainer)	6517
Slinger (eng. crankshaft oil)	6310
Spacer (eng. camshaft gear or sprocket)	6265
Spacer (eng. crankshaft damper)	6359
Spacer (eng. crankshaft main bearing cap)	6A354
Spacer (eng. crankshaft sprocket)	6A331
Spacer (eng. front mounting bracket)	6A059
Spacer (eng. support insulator)	6A027
Spacer (eng. timing belt cover)	6K291
Spacer (eng. timing pointer)	6B089
Spacer (eng. to frame mounting bolt)	6A046
Spacer (eng. valve spring)	6515
Spring (eng. cylinder block main oil galley relief valve plunger)	6670
Spring (eng. follower arm)	6K524
Spring (eng. oil filter by-pass)	6837
Spring (eng. oil filter element retaining)	6889
Spring (eng. oil pump relief valve)	6670
Spring (eng. rear support)	6B056
Spring (eng. tensioner)	6L273
Spring (eng. valve)	6513
Spring (eng. valve rocker arm to shaft locating)	6587
Spring assy. (eng. valve damper)	6A511
Sprocket (eng. camshaft)	6256
Sprocket (eng. crankshaft)	6306
Stop (eng. front support insulator)	6C098-9
Strap (eng. rear support rebound)	6B066
Stud (eng. valve rocker arm support)	6A527
Support (eng. valve rocker arm shaft)	6531
Support assy. (eng. rear)	6A023
Support kit (eng. valve rocker arm)	6531


PART NAME	GROUP NUMBER
T	
Tappet assy. (eng. valve)	6500
Tensioner assy. (eng. timing chain)	6284
Tube (eng. crankcase vent)	6758
Tube (eng. dipstick)	6754
Tube (eng. relief valve oil return)	6K656
Tube assy. (eng. lubrication valve drive)	6578
Tube assy. (eng. oil level indicator)	6754
Tube assy. (eng. oil pump inlet)	6K621
Tube assy. (eng. oil pump pickup)	6617
V	
Valve (eng. exhaust)	6505
Valve (eng. intake)	6507
Valve (eng. positive crankcase vent-P.C.V.)	6A666
W	
Washer (eng. camshaft sprocket)	6278
Washer (eng. crankshaft main bearing thrust)	6A355
Washer (eng. crankshaft pulley retaining)	6378
Washer (eng. cylinder head bolt)	6067
Washer (eng. valve rocker arm shaft)	6590-98
Wire assy. (eng. block heater)	6B018
Wire assy. (eng. block heater)	6B018

ENGINE IDENTIFICATION TAG

IN ALL INQUIRIES ALWAYS FURNISH THE COMPLETE TAG IDENTIFICATION INFORMATION

All engines for 1965 and subsequent model years include an engine identification tag. This tag describes C.I.D., model year, year and month of production, and change level number. On 8 cylinder 260 and 289 engines the tag is located under the water temperature sender (Basic 10884). On the 8 cylinder 390 Thunderbird engine it is located under the left front intake manifold attaching bolt. On all other engines the tag is located under the ignition coil attaching bolt. All engine code numbers consist of a basic number, a suffix, and in some cases a prefix. Generally the basic number is adequate for engine identification, if additional information is needed the prefix or suffix is included.

The catalog uses the change level number in the same manner as date restriction information is presently used. The change level number is advanced only when a replacing part or assembly being introduced and the old part or assembly it replaces are not completely interchangeable. These Engine Code Numbers and their designations are listed in the Engine Identification Chart which follows on pages 2, 3 and 4



▲ "C"-Cleveland
▲ "E"-Windsor
▲ "W"-Windsor

*Except when indicated in the chart below prefixes and suffixes are for Ford Motor Company use only and do not affect engine identification.

P-4469

ENGINE PARTS LISTS

Engine parts are cataloged in separate sections for each related family or group of engines as follows:

	ENGINE GROUP	PARTS LIST SECTION
4 CYLINDER	98, 122	60.1
6 CYLINDER	170, 200, 250	60.2
	240	60.3
8 CYLINDER	260, 289, 289 Spec.	60.4
	302, 302 Spec.	60.5
	351, 351 Spec.	60.5A
	352, 390	60.6
	400	60.7
	427	60.8
	428, 429, 429 Spec., 460	60.9

EXHAUST EMISSION CONTROL KIT

The exhaust emission control kit, part number D0AZ 6A603-G, listed in the appropriate sections of this catalog, fits all 6 and 8 cylinder 1959/67 passenger cars and all 6 and 8 cylinder 1959/67 trucks (under 6000 lbs. G.V.W.) except units initially sold and equipped with a California exhaust emission system.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

ENGINE IDENTIFICATION CHART - continued

IDENT. TAG CODE	NO. CYL.	C.I.D.	CARB.	WARRANTY PLATE CODE	PARTS LIST NO.
5	6	170	F-1	U	60.2
6	6	170	F-1	U	60.2
7	6	170	F-1	U	60.2
8	6	170	F-1	U	60.2
11	6	170	F-1	U	60.2
12	6	170	F-1	U	60.2
16	6	170	F-1	U	60.2
17	6	170	F-1	F	60.2
17	6	170	F-1	U	60.2
21	6	200	F-1	T	60.2
23	6	200	F-1	T	60.2
24	6	200	F-1	T	60.2
25	6	200	F-1	T	60.2
26	6	170	F-1	U	60.2
26	6	200	F-1	T	60.2
27	6	200	F-1	T	60.2
28	6	170	F-1	U	60.2
29	6	170	F-1, S/E	U	60.2
32	6	200	F-1	T	60.2
33	6	200	F-1	T	60.2
34	6	200	F-1	T	60.2
35	6	200	F-1	T	60.2
36	6	200	F-1	T	60.2
37	6	170	F-1	W	60.2
38	6	170	F-1	W	60.2
39	6	170	F-1	W	60.2
40	6	200	F-1	T	60.2
41 Δ	6	200	F-1	T	60.2
41 •	6	250	F-1	L	60.2
42 Δ	6	200	F-1	T	60.2
42 •	6	250	F-2	L	60.2
45	6	250	F-1	L	60.2
46	6	250	F-1	L	60.2
47	6	250	F-1	L	60.2
48	6	250	F-1	L	60.2
50	6	250	F-1, S/E	L	60.2
100	6	240	F-1	V	60.3
101	6	240	F-1	V	60.3
102	6	240	F-1, S/E	E	60.3
103	6	240	F-1		60.3
104	6	240	F-1	V	60.3
105	6	240	F-1, S/E	E	60.3
106	6	240	F-1		60.3
200	8	◊351	F-2	H	60.5A
201	8	◊351	F-2	H	60.5A
202	8	◊351	F-2	H	60.5A
203	8	◊351	F-2	H	60.5A
204	8	◊351	F-2	W	60.5A
205	8	◊351	F-2	H	60.5A
206	8	◊351	F-2	H	60.5A
207	8	◊351	F-2	H, W	60.5A
208	8	◊351	F-4	M	60.5A
209	8	◊351	F-4	M	60.5A
210	8	◊351	F-4	M	60.5A
211	8	◊351	F-4	M	60.5A
212	8	◊351	F-4	M	60.5A
213	8	◊351	F-4	M	60.5A
219	8	400	F-2	S	60.7
220	8	400	F-2	S	60.7
221	8	400	F-2	S	60.7
231	8	289	F-2	C	60.4
232	8	289	F-2	C	60.4
233	8	289	F-2	C	60.4
235	8	289	F-4, P/F	A	60.4
236	8	289	F-2	C	60.4
237	8	289	F-2	C	60.4
239	8	289	F-2	C	60.4
240	8	289	F-2	C	60.4
241	8	289	F-2	C	60.4
245	8	289	F-4	K	60.4
246	8	289	F-4	K	60.4
250	8	289	F-4, P/F	A	60.4
252	8	289	F-2	C	60.4
253	8	289	F-2	C	60.4
257	8	289	F-2	C	60.4
271	8	302	F-2	F, G	60.5
272	8	302	F-2	F, G	60.5
273	8	302	F-2	F, G	60.5
274	8	302	F-2	F, G	60.5
275	8	302	F-2	F	60.5
276	8	302	F-2	D, F	60.5
277	8	302	F-2	F	60.5
278	8	302	F-2	D	60.5
279	8	302	F-2	F, G	60.5
280	8	302	F-2	F, G	60.5
281	8	302	F-2	F	60.5
282	8	302	F-2	F	60.5
283	8	302	F-4	J	60.5
284	8	302	F-4	J	60.5
285	8	302	F-2	F	60.5
286	8	302	F-2	D	60.5
†287	8	302	F-2	F	60.5
‡287	8	352	F-4	X	60.6
288	8	302	F-2	F	60.5
289	8	352	F-4	X	60.6
296	8	302	F-2	G	60.5
299	8	302-Spec.	H-4	G	60.5
300	8	302-Spec.	H-4	G	60.5

Δ B - if in Police unit - E - if in Taxi unit

† Does not have Rocker Arm shaft

‡ Has Rocker Arm shaft

Δ 1970 and prior

• 1971 only

◊ Windsor-Built Engine - when the service identification is not available, the illustrations on Pages 18 and 19 of Illustration Section 60 identifies the Windsor 351 Engine.

ENGINE IDENTIFICATION CHART - continued

IDENT. TAG CODE	NO. CYL.	C. I. D.	CARB.	WARRANTY PLATE CODE	PARTS LIST NO.
310	8	390	F-2	Y	60.6
311	8	390	F-2	Y	60.6
312	8	390	F-2	Y	60.6
313	8	390	F-4	Z	60.6
315	8	390	F-4	Z	60.6
316	8	390	F-2	H, Y	60.6
317	8	390	F-2, P/F	X	60.6
318	8	390-GT	F-4	S	60.6
319	8	390-GT	F-4	S	60.6
321	8	390-GT	F-4	S	60.6
322	8	390-GT	F-4	S	60.6
324	8	390-GT	F-4	S	60.6
341	8	390	F-4	Z	60.6
343	8	390	F-4	Z	60.6
348	8	390	F-4	P	60.6
349	8	390	F-4	P	60.6
350	8	427	H-4	W	60.8
353	8	427	H-8	R	60.8
357	8	390	F-4	Z	60.6
359	8	427-exc.S.O.H.C.	F-4	W	60.8
359	8	427-S.O.H.C.	H-8		60.8
360	8	427	H-4	W	60.8
361	8	427	H-8	R, W	60.8
362	8	427	H-8	R	60.8
363	8	427-S.O.H.C.	H-4		60.8
364	8	427	H-4	W	60.8
382	8	390-GT	F-4	S	60.6
383	8	390-GT	F-4	S	60.6
384	8	390-GT	F-4	S	60.6
385	8	390-GT	F-4	S	60.6
386	8	390-GT	F-4	S	60.6
400	8	428	F-4	Q	60.9
401	8	428	F-4	Q	60.9
404	8	428	F-4	P	60.9
405	8	428	F-4	P	60.9
407	8	428-CJ	H-4	R	60.9
408	8	428-CJ	H-4	R	60.9
410	8	428	F-4	Q	60.9
418	8	428-CJ	H-4	R	60.9
419	8	428-CJ	H-4	R	60.9
420	8	428-CJ	H-4	R	60.9
421	8	428-CJ	H-4	R	60.9
422	8	428-S/CJ	H-4	R	60.9
423	8	428-S/CJ	H-4	R	60.9
424	8	428-S/CJ	H-4	R	60.9
425	8	428-S/CJ	H-4	R	60.9
426	8	428-S/CJ	H-4		60.9
491	8	260	F-2	F	60.4
492	8	260	F-2	F	60.4

IDENT. TAG CODE	NO. CYL.	C. I. D.	CARB.	WARRANTY PLATE CODE	PARTS LIST NO.
500	8	260	F-2	F	60.4
502	8	260	F-2	F	60.4
504	8	260	F-2	F	60.4
506	8	260	F-2	F	60.4
534	8	260	F-2	F	60.4
536	8	260	F-2	F	60.4
538	8	260	F-2	F	60.4
540	8	260	F-2	F	60.4
548	8	289	F-2	C	60.4
549	8	289	F-2	C	60.4
550B	8	289	F-4	D	60.4
550J	8	289	F-2	C	60.4
551B	8	289	F-4	D	60.4
551J	8	289	F-2	C	60.4
552	8	289	F-4	A	60.4
554	8	289	F-4	K	60.4
557	8	289	F-2	C	60.4
558	8	289	F-2	C	60.4
561	8	289	F-2	C	60.4
562	8	289	F-2	C	60.4
563	8	289	F-4	K	60.4
564	8	289	F-4	K	60.4
566	8	289	F-4, P/F	A	60.4
567	8	289	F-4, P/F	A	60.4
600	8	$ 351	F-2	H	60.5A
601	8	$ 351	F-2	H	60.5A
602	8	$ 351	F-2	H	60.5A
604	8	$ 351	F-2	H	60.5A
606	8	$ 351	F-2	H	60.5A
608	8	$ 351	F-4	M	60.5A
609	8	$ 351	F-4	M	60.5A
610	8	$ 351	F-2	H	60.5A
611	8	$ 351	F-2	H	60.5A
612	8	$ 351	F-4	M	60.5A
613	8	$ 351	F-4	M	60.5A
614	8	$ 351	F-2	H	60.5A
615	8	$ 351	F-2	H	60.5A
616	8	$ 351	F-4	M	60.5A
617	8	$ 351	F-4	M	60.5A
620	8	$ 351-CJ	F-4	Q	60.5A
621	8	$ 351-CJ	F-4	Q	60.5A
625	8	$351 Spec.	F-4		60.5A
630	8	$ 351	F-4	M	60.5A
632	8	$ 351	F-2	H	60.5A
800	6	240	F-1	V	60.3
801	6	240	F-1	V	60.3
802	6	240	F-1, S/E	E	60.3
803	6	240	F-1	B, E	60.3
804	6	240	F-1	V	60.3
805	6	240	F-1, S/E	E	60.3

$ Cleveland-Built Engine - when the service identification is not available, the illustrations on pages 20 and 21 of Illustration Section 60 identifies the Cleveland 351 Engine.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

ENGINE IDENTIFICATION CHART - continued

IDENT. TAG CODE	NO. CYL.	C.I.D.	CARB.	WARRANTY PLATE CODE	PARTS LIST NO.
806	6	240	F-1	B, E	60.3
809	8	429	F-2	K	60.9
810	8	429	F-2	K	60.9
811	8	429	F-4	N	60.9
812	8	429	F-4	N	60.9
813	8	429	F-4	N	60.9
814	8	429	F-4	N	60.9
815	8	429	F-2	N	60.9
816	8	429	F-2	K	60.9
816	8	429	F-4	N	60.9
817	8	429	F-4	N	60.9
818	8	429	F-4	N	60.9
819	8	429	F-4	N	60.9
820	8	429-Boss	H-4	Z	60.9
821	8	429	F-4	N	60.9
822	8	429	F-4	N	60.9
824	8	429-CJ	F-4	C	60.9
826	8	429-CJ	F-4	C	60.9
828	8	429-Spec.	F-4	Z	60.9
829	8	429-S/CJ	F-4	C	60.9
830	8	429-S/CJ	F-4	C	60.9
831	8	429-S/CJ	F-4	C	60.9
832	8	429-S/CJ	F-4	C	60.9
832	8	429-P/C	F-4	P	60.9
833	8	429-CJ	F-4	C	60.9
834	8	429-CJ	F-4	C	60.9
835	8	429-S/CJ	H-4		60.9
836	8	429-S/CJ	H-4		60.9
837	8	429-S/CJ	H-4		60.9
838	8	429-S/CJ	H-4		60.9
877	8	460	F-4	A	60.9
1001	4	122		X	60.1
1003	4	122		X	60.1
1004	4	122		X	60.1
1005	4	122		X	60.1
1006	4	122		X	60.1
1007	4	122		X	60.1
1008	4	122		X	60.1
1009	4	98		W	60.1
1010	4	98		W	60.1

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 98 ●	QUANTITY 122 ▲	PART NAME AND DESCRIPTION
71/		★6007	★	★	ENGINE ASSY. - Service details only
71/		D1FZ 6008-A	1		GASKET SET - COMPLETE OVERHAUL
	Consists of				
	1-D1FZ 6020-B	Gasket (cyl. front cover)			1-681F 6711-AA Gasket (oil pan L.H.)
	1-D0RY 6051-B	Gasket (cyl. head)			1-681F 6722-AA Seal (oil pan front)
	1-D0RY 6344-A	Gasket (crankshaft rear bearing oil seal)			1-681F 6723-AA Seal (oil pan rear)
					1-C2OZ 6734-A Gasket (oil drain plug)
	4-D1FZ 6571-B	Seal (intake valve stem)			1-D1FZ 8255-B Gasket (water outlet)
	4-D1FZ 6571-C	Seal (exhaust valve stem)			1-D0RY 9417-A Gasket (fuel pump)
	1-D1FZ 6584-C	Gasket (rocker cover)			1-D0RY 9441-A Gasket (intake manifold to cyl. head)
	1-D1FZ 6659-C	Gasket (oil pump to block)			
	1-D1FZ 6700-B	Seal (cyl. front cover)			1-D1FZ 9447-D Gasket (carb. to manifold)
	1-D1FZ 6701-A	Packing (crankshaft rear)			1-D0RY 9448-A Gasket (exhaust manifold-inner)
	1-681F 6710-AA	Gasket (oil pan R.H.)			2-D0RY 9448-B Gasket (exhaust manifold-outer)
					1-D1RY 12143-A Seal (dist. to cyl. head)
71/		D1FZ 6008-B		1	
	Consists of				
	1-D1FZ 6020-A	Gasket (cyl. front cover)			1-71HM 6710-A1A Gasket (oil pan R.H.)
	1-D1FZ 6051-A	Gasket (cyl. head)			1-71HM 6711-A1A Gasket (oil pan L.H.)
	2-D1FZ 6336-A	Seal (crankshaft rear main bearing cap)			2-D1FZ 6722-A Seal (oil pan)
					1-D1FZ 8255-A Gasket (water outlet)
	2-D1FZ 6570-A	Seal (rocker arm cover)			1-D1FZ 8507-A Gasket (water pump)
	4-D1FZ 6571-B	Seal (intake valve stem)			1-D1FZ 8590-A Gasket (thermostat)
	4-D1FZ 6571-D	Seal (exhaust valve stem)			1-D2RY 9417-A Gasket (fuel pump)
	1-D2FZ 6584-A	Gasket (rocker cover)			1-D1FZ 9441-A Gasket (intake manifold)
	1-D1FZ 6626-A	Gasket (oil pump inlet tube)			1-D1FZ 9447-E Gasket (carb. to manifold)
	3-D1FZ 6700-A	Seal (cyl. front cover oil)			1-D1FZ 9448-A Gasket (exhaust manifold-inner)
	1-D1FZ 6701-A	Packing (crankshaft rear)			AR-D1FZ 9448-B Gasket (exhaust manifold-outer)

71		CC9TZ 6D008-A	1				HEATER KIT - CYLINDER BLOCK
71		CC9DZ 6D008-A		1			
71		D1FZ 6009-A	1				CYLINDER ASSEMBLY
72	Exc. California		1				
72	California	D2FZ 6009-A	1				
71		D1FZ 6009-B		1			
72		D2FZ 6009-B		1			
		6010					BLOCK ASSEMBLY - CYLINDER
71/		D1FZ 6010-C	1				Includes (8) D1FZ 6500-A
71/		D1FZ 6010-A		1			
71/		E890100-S(AA5)		1			Ball-rear main oil gallery-11mm
71		D1AB 6B018-AA	1or2	1or2			WIRE ASSY. - CYLINDER BLOCK HEATER
		6019					COVER ASSY. - CYLINDER FRONT
71/72	"Before 7/1/72"	D2FZ 6019-A	1				Without timing marks or oil indicator hole
72	"From 7/1/72"	D1FZ 6019-C	1				Has timing marks and oil indicator hole
71/		D1FZ 6019-D		1			Outer-(front repair kit)-incl. (2) gaskets, (1) E800167-S bolt, (1) 866103-S clip
71/		D1FZ 6019-A		1			Front-upper
71		D1FZ 6019-B		1			Front-lower
72	California			1			
72	Exc. California	D2FZ 6019-B		1			Front-lower
71/		20344-S8(B42)	4				Bolt-1/4"-20 x 3/4" hex.hd.-attach cover to block
71		E834102-S(AK3)		3			Insulator (between 6019 & block)-16mm-female
71		E834103-S(AK5)		3			Insulator (between 6019 & block)-16 x 5.8-male
71/		356184-S(XX113)		3			Washer (6019 to block)
71/		E-804127-S82 (AB110)		3			Bolt-hex. hd. -M6 x 16. 3mm - attach timing gear cover to block
72	"Before 1/21/72"	E601112-S82 (AB8)		2			Bolt-hex.hd.-M6 x 35-attach cover front lower to block
72	"From 1/21/72"	E800172-S71		2			Bolt (att.cover to block)-M6 x 35(metric coarse)
71		E602529-S76 (AB53)		3			Bolt(attach cover front lower to block)-M6 x 20

● 1600 cc ▲ 2000 cc

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 98 •	QUANTITY 122 ▲	PART NAME AND DESCRIPTION
72		D2FZ 6C019-A		3	GROMMET - CYLINDER FRONT COVER
		6020			GASKET - CYLINDER FRONT COVER
71/		D1FZ 6020-B	1		
71/		D1FZ 6020-A		1	
72	California	D2FZ 6023-A	1		POINTER-TIMING
72	With A/C (California)	D2FZ 6023-B		1	
72	Without A/C (California)	D2FZ 6023-C		1	
72		E602163-S82(AB5)	2	2	Bolt (6023 & 6M026 to block)-hex.hd.-M6 x 10
72		E630025-S71 (AX10A)	2		Washer (6023 & 6M026 to block)-flat
72		E630024-S71(AX9)		2	Washer (6023 & 6M026 to block)-flat

6A023, 6068, 6096 REAR MOTOR MOUNT CHART

YEAR	MODEL	C.I.D.	*SUPPORT	*BRACKET-REAR SUPPORT	*INSULATOR ASSEMBLY	*BRACKET R.H.	*BRACKET L.H.
71/	M/T	98,122	D2FZ 6A023-A Lower D1FZ 6A023-B Upper	D3FZ 6096-A	D1FZ 6068-B		
71/	A/T	98,122	D2FZ 6A023-A Lower D1FZ 6A023-B Upper	D3FZ 6096-B	D1FZ 6068-B		

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 98 •	QUANTITY 122 ▲	PART NAME AND DESCRIPTION
71/	M/T	N800005-S101 (AB88)	1	1	Screw & washer assy.-M12 x 35 hex.hd. locking-(attach bracket 6096 to transmission)
71/	A/T	350688-S(BB193)		2	Bolt-1/2"-13 x 1 1/4"(attach brkt.6096 to trans.)
71/	A/T	34809-S8 (X68)		2	Washer-1/2"
71/		382802-S2 (MM173JB)	1	1	Nut-3/8"-16-lock (6068 to 6069)
		6026			PLUG - ENGINE
71/		D0RY 6026-A	2		Plug-1.639" dia.-plug holes in block-cup type
71/		D0RY 6026-B	1		Plug-pipe 1/8" pipe x 3/8" slotted plug oil gallery holes in block
71/		D0RY 6026-D	3		Plug-.453" dia.-plug-(1) rear gallery oil drain and (2) rocker arm shaft holes
71/		D1FZ 6026-A		1	Main oil gallery hole - front
71/		D1FZ 6026-B		2 1	Plug - cup-std.-1 1/2" dia.-R.H. side of block Rear of cylinder head
		D1FZ 6026-C		AR	.065" O/S
71/		D1FZ 6026-D		1	Plug-expansion-rear of block
71/		D1FZ 6026-E		1	Plug-expansion-main oil gallery-front level indicator hole
71/		D1FZ 6026-F		1	Plug-in block or front cover in unused oil level indicator hole
71/		87650-S(P12)		AR	Pipe plug(water temp. indicator hole blanking 6049)
71/		87710-S(P16)		AR	Pipe plug (water jacket side of 6010)
72	California	D2FZ 6M026-A	1		BRACKET-TIMING POINTER MOUNTING
72	Without A/C-(California)	D2FZ 6M026-B		1	
72	With A/C-(California)	D2FZ 6M026-C		1	

6028, 6029, 6030, 6031 & 6038 FRONT MOTOR MOUNT CHART

YEAR	MODEL	C.I.D.	*SUPPORT BRACKET R.H.	*SUPPORT BRACKET L.H.	*BRACKET R.H.	*BRACKET L.H.	*INSULATOR R.H.	*INSULATOR L.H.
71/		98,122	D1FZ 6028-A	D3FZ 6029-A	D1FZ 6030-A	D1FZ 6031-A	Use 6038 kit	Use 6038 kit

* 1 required unless otherwise noted • 1600 cc ▲ 2000 cc

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 98 •	QUANTITY 122 ▲	PART NAME AND DESCRIPTION
71/		N800003-S100 (AB80)		6	Screw & washer assy.-M8 x 20 hex.hd.-(bracket 6030 & 6031 to engine)
71/		382802-S2 (MM173JB)		4	Nut-3/8"-16-lock (insulator to bracket)
71/		357235-S(BB136)	4	4	Bolt-hex.hd. 5/16"-18 x 7/8"-attach (6029) support bracket
		6030			BRACKET - FRONT SUPPORT - refer to Front Motor Mount Chart Group 6028
		6038			INSULATOR - FRONT SUPPORT - refer to Front Motor Mount Chart Group 6028
		6038			INSULATOR KIT - FRONT SUPPORT
71/		D3FZ 6038-D	1	1	R. H.
	Consists of 1-D3FZ 6030-A Bracket	1-D3FZ 6038-C Insulator			1-378489-S2 Nut
71/		D3FZ 6038-E	1	1	L. H.
	Consists of 1-D3FZ 6031-A Bracket	1-D3FZ 6038-C Insulator			1-378489-S2 Nut
71/		D1FZ 6A042-A	2	2	REINFORCEMENT - REAR SUPPORT
		★6D047			PLATE - FRONT SUPPORT BRACKET - serviced in 6210218-9 assy. only
		6049			HEAD - CYLINDER
71/		D1FZ 6049-A		1	Complete with valves
71/		D1FZ 6049-B	1		
71/		D1FZ 6051-A		1	GASKET - CYLINDER HEAD-asbestos & steel
71/		D0RY 6051-B	1		
71/		D1FZ 6052-A		2	PLUG - CYLINDER HEAD EXHAUST AIR SUPPLY-pipe - 3/4"-14
71/		D0RY 6055-A	AR		LINER - CYLINDER BLOCK - Std.-3.3150" O.D.-3.152" I.D.
		D0RY 6055-B	AR		.020" O/S-3.152" I.D.
		6057			INSERT - VALVE SEAT
71/		D1FZ 6057-A	4		Exhaust - standard
		D1FZ 6057-B	AR		.010" O/S O.D.-depth-standard
		D1FZ 6057-C	AR		.010" O/S O.D.-depth .010" O/S
		D1FZ 6057-D	AR		.020" O/S O.D.-depth std.
		D1FZ 6057-E	AR		.020" O/S O.D.-depth .020" O/S
		D0RY 6057-A	4		Intake - standard
		D0RY 6057-B	AR		.010" O/S O.D.-depth standard
		D0RY 6057-C	AR		.010" O/S O.D. - depth .010" O/S
		D0RY 6057-D	AR		.020" O/S O.D. - depth standard
		D0RY 6057-E	AR		.020" O/S O.D. - depth .020" O/S
71/		D1FZ 6065-A		10	BOLT - CYLINDER HEAD
71/		D1FZ 6065-B	8		
71/		D1FZ 6065-C	2		
		6068			INSULATOR ASSY. - REAR SUPPORT - refer to Rear Motor Mount Chart Group 6A023
71/		D1FZ 6079-A	1		GASKET SET - VALVE GRIND

Consists of

1-D0RY	6051-B	Gasket (cyl. head)	1-D0RY	9441-A	Gasket (intake manifold to cyl. head)
4-D1FZ	6571-B	Seal (intake valve stem)			
4-D1FZ	6571-C	Seal (exhaust valve stem)	1-D1FZ	9447-D	Gasket (carb. to manifold)
1-D1FZ	6584-C	Gasket (rocker cover)	1-D0RY	9448-A	Gasket (exhaust manifold-inner)
1-D1FZ	8255-B	Gasket (water outlet)	1-D0RY	9448-B	Gasket (exhaust manifold-outer)

71/		D1FZ 6079-B		1	

Consists of

1-D1FZ	6051-A	Gasket (cyl. head)	1-D1FZ	8255-A	Gasket (water outlet)
2-D1FZ	6570-A	Seal (rocker arm cover)	1-D1FZ	8590-A	Gasket (thermostat)
4-D1FZ	6571-B	Seal (intake valve stem)	1-D1FZ	9441-A	Gasket (intake manifold)
4-D1FZ	6571-D	Seal (exhaust valve stem)	1-D1FZ	9447-A	Gasket (carb. to manifold)
1-D2FZ	6584-A	Gasket (rocker cover)	1-D1FZ	9448-A	Gasket (exhaust manifold-inner)
1-D1FZ	6700-A	Seal (camshaft)	AR-D1FZ	9448-B	Gasket (exhaust manifold-outer)

* 1 required unless otherwise noted • 1600 cc ▲ 2000 cc

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 98 ●	122 ▲			PART NAME AND DESCRIPTION
		6096					BRACKET - REAR SUPPORT - refer to Rear Motor Mount Chart Group 6A023
		6108					PISTON ASSEMBLY
71		D0RY 6108-A	4				Standard-wide grooves
		D0RY 6108-B	AR				.0025" O/S
		★D0RY 6108-C	AR				.030" O/S -repl.by D2FZ 6108-F (10-74)
72		D2FZ 6108-D	4				Standard-narrow grooves
		D2FZ 6108-E	AR				.0025" O/S
		D2FZ 6108-F	AR				.030" O/S
71		ΔD1FZ 6108-E		4			Standard
		ΔD1FZ 6108-F		AR			.020" O/S
		ΔD1FZ 6108-G		AR			.040" O/S
72		ΔD2FZ 6108-A		4			Standard
		ΔD2FZ 6108-B		AR			.020" O/S
		ΔD2FZ 6108-C		AR			.040" O/S
		6135-A					PIN - PISTON - Std.
71/		D0RY 6135-A	4				Std.
		D0RY 6135-C	AR				.002" U/S
71/		★6135		★			Included with piston
71/		D0RY 6140-A	8				RETAINER - PISTON PIN
		6148					RING SET - PISTON PARTIAL - consists of the necessary rings to re-ring (2) pistons
71		D1FZ 6148-E	2				Standard-use w/wide grooved piston
		D1FZ 6148-F	2				.0025" O/S
		D1FZ 6148-G	2				.015" O/S
		D1FZ 6148-H	2				.030" O/S
72		D2FZ 6148-A	2				Standard-use w/narrow grooved piston
		D2FZ 6148-B	2				.0025" O/S
		D2FZ 6148-C	2				.030" O/S
		6149					RING SET - PISTON COMPLETE -consists of the necessary rings to re-ring (4) pistons
71/		D1FZ 6149-C		1			Std.
		D1FZ 6149-D		1			.020" O/S
		D1FZ 6149-E		1			.040" O/S
71/		D1FZ 6200-A		4			ROD ASSY. - CONNECTING
71/		D0RY 6200-A	4				

6211 BEARING - CONNECTING ROD-CHART

In the standard column of the chart below (R) designates Red size - (B) designates Blue size
Red size and blue size are optional for selective fit

YEAR	MODEL	C.I.D.	UPPER	LOWER	PART NUMBER STANDARD	.001" U/S	.002" U/S	.010" U/S	.020" U/S	.030" U/S	.040" U/S
71/		98	4		D1FZ 6211-G(R) D1FZ 6211-V(B)	D1FZ 6211-AB	D1FZ 6211-H	D1FZ 6211-J	D1FZ 6211-K	D1FZ 6211-L	D1FZ 6211-M
71/		98		4	D1FZ 6211-N(R) D1FZ 6211-W(B)	D1FZ 6211-AB	D1FZ 6211-P	D1FZ 6211-R	D1FZ 6211-S	D1FZ 6211-T	D1FZ 6211-U
71/		122	4	4	D4RY 6211-A(R) D1FZ 6211-B(B)	D1FZ 6211-Z	D1FZ 6211-Y	D1FZ 6211-C	D1FZ 6211-E	D1FZ 6211-F	

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 98 ●	122 ▲			PART NAME AND DESCRIPTION
71/		D4FZ 6212-A		8			NUT - CONNECTING ROD - hex. M9X1 (metric fine)
71/		D1FZ 6214-A		8			BOLT - CONNECTING ROD
71/		D0RY 6214-A	8				
71/		D1FZ 6217-A	8				DOWEL - CONNECTING ROD TO CAP - 5/16" x 3/8"

Δ incl. piston pin ● 1600 cc ▲ 2000 cc

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 98 ●	QUANTITY 122 ▲	PART NAME AND DESCRIPTION
		6250			CAMSHAFT
71/		D1FZ 6250-A		1	Cast iron
71/		D1FZ 6250-B	1		Use w/.515" O.D. tappets
71/	All off highway vehicles	D12X 6250-AA	1		#D12X 6250-AA-at rear end-intake exhaust lift .268", duration 290° and overlap 74°
71/	All off highway vehicles	D12X 6250-AB	1		#D12X 6250-AB-at rear end-intake and exhaust lift .256", duration 282° and overlap 60°-stage 3
71/	All off highway vehicles	★D12X 6250-BB		1	Intake and exhaust lift .28", duration 300° and overlap 84°
71/	All off highway vehicles	D12X 6250-BC		1	Intake and exhaust lift .26", duration 288° and overlap 76°
71/		D0RY 6253-A	1		DOWEL - CAMSHAFT SPROCKET TO CAMSHAFT
		6K254			PULLEY ASSY. - TENSIONER
71/		D1FZ 6K254-B		1	
71/		E804126-S82 (AB112)		1	Bolt-shoulder-M8 x 46.5mm-holds spring & tension pulley in place
71/		E602187-S82 (AB17)		1	Bolt-M8 x 20mm-used as adjusting bolt for tension pulley
71/		E630027-S71 (AX13)		1	Washer (use w/E602187-S82)
71/		D0RY 6255-A	1		RETAINER - CAMSHAFT THRUST PLATE BOLT
71/		20324-S8(B41)	2		Bolt-1/4"-20 x 5/8" hex.hd.-attach retainer & plate to block
71/		D1FZ 6256-A		2	GEAR - CAMSHAFT - 38 teeth - (1) on camshaft & (1) on fuel pump, oil pump & dist.drive shaft
71/		D0RY 6256-A	1		SPROCKET - CAMSHAFT
71/		20371-GS(AB30)		2	Bolt (sprocket to camshaft)-M10 x 28 hex.hd.
71/		D0RY 6258-A	1		RETAINER - CAMSHAFT SPROCKET
71/		20326-S2(B49)	2		Bolt-5/16"-18 x 5/8" hex.hd.-attach retainer & sprocket to camshaft

6261, 6262, 6263 BEARING - CAMSHAFT - CHART

YEAR	MODEL	C.I.D.	SIZE	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
71/		98	Std. I.D. & O.D.	D0RY 6261-A		D0RY 6262-A		D0RY 6263-A
			Std. I.D. & .020 O/S O.D.	D0RY 6261-B		D0RY 6262-B		D0RY 6263-B
71/		122	Standard	D1FZ 6261-A		D1FZ 6262-A		D1FZ 6263-A
			.015"U/S	D1FZ 6261-B		D1FZ 6262-B		D1FZ 6263-B

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 98 ●	QUANTITY 122 ▲	PART NAME AND DESCRIPTION
71/		D1FZ 6266-A	1		PLUG - CAMSHAFT REAR BEARING - Std. 2.011" O.D.
		D1FZ 6266-B	1		.060" O/S
71/		D0RY 6268-A	1		CHAIN-TIMING
71/		D1FZ 6268-A		1	BELT-TIMING - rubber
		6269			PLATE - CAMSHAFT THRUST
71/		D0RY 6269-A	1		
71/		D1FZ 6269-A		1	Front
71/		D1FZ 6269-B		1	Rear
71/		388294-GS40 (AB50)		2	Screw & washer-M6 x 12 (attach plate to cyl.head)
71/		D1FZ 6L273-A		1	SPRING - TENSIONER
71/		E840110-S(AN7)		1	Spring-pin (supports 6L273)
71/		D1FZ 6278-A		2	WASHER - CAMSHAFT SPROCKET - Flat - (1) on camshaft & (1) on fuel pump, oil pump & dist.drive shaft
71/		D1FZ 6284-A	1		TENSIONER ASSY. - TIMING CHAIN
71/		D1FZ 6285-A	1		ARM ASSY. - TIMING CHAIN TENSIONER

Identification marking ● 1600 cc ▲ 2000 cc

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 98 ●	QUANTITY 122 ▲	PART NAME AND DESCRIPTION
71/		D1FZ 6286-A	1		PIN - TIMING CHAIN TENSIONER ARM
71/		D1FZ 6K291-A		2	SPACER - TIMING BELT COVER
71/		D1FZ 6K297-A		1	GUIDE - DISC - to prevent timing belt from falling off crankshaft gear
71/		6303			CRANKSHAFT ASSY.
71/		D4FZ 6303-B		1	
71/		D1FZ 6303-B	1		
71/		D0RY 6306-A	1		SPROCKET - CRANKSHAFT
71/		D1FZ 6306-A		1	GEAR - CRANKSHAFT
71/		D1FZ 6310-A	1		SLINGER - CRANKSHAFT OIL
		6312			PULLEY ASSY. - CRANKSHAFT
71	Without A/C	D1FZ 6312-B	1		Single sheave 4 3/4" O.D.
72	Without A/C (exc. California)		1		
71/	Without A/C	D1FZ 6312-C	1		Double sheave-4 5/8" I.D.-5 7/32 O.D.
72	Without A/C (California)	D1FZ 6312-D	1		Single sheave -use w/D2FZ 6023-A
72	Without A/C	D2FZ 6312-A		1	#71HM 6A312-DA-single sheave-5 5/8" dia.
		6A312			PULLEY ASSY. - CRANKSHAFT - OUTER
71/72	With integral A/C	D2FZ 6A312-B		1	
71	Without A/C	D1FZ 6A312-B		1	Single sheave-5 5/8" O.D.
71	With hang-on A/C	★D1FZ 6A312-C		1	Double sheave-5 21/32" O.D.-repl.by D2FZ 6A312-B
72	Without A/C	D2FZ 6A312-D		1	Single sheave-4 5/8" O.D.
71/	With hang-on A/C	C9RZ 6A312-A	1		
71/		D1FZ 6B316-A		2	KEY - (6306 gear to 6303 crankshaft)(6A312 pulley to 6303 crankshaft)
71/		D0RY 6B316-A	1		(6306 sprocket to 6303 crankshaft)
71/		D1FZ 6B317-A		2	KEY (6256 gear to 6250 camshaft)(6256 gear to 6A739 shaft)

6333 BEARING - CRANKSHAFT MAIN - CHART

Red size and blue size are optional for selective fit

YEAR	SIZE O.D.	SIZE I.D.	UPPER	LOWER	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
					- L -				
4 CYL. 98 C.I.D. ENGINE									
71/72	"Before 10/1/71"								
	Standard	Std.(Red)	x	x	D2FZ 6333-A	D2FZ 6333-A	D2FZ 6333-A	D2FZ 6333-A	D2FZ 6333-A
	Standard	Std.(Blue)			D0RY 6333-B	D0RY 6333-B	D0RY 6333-B	D0RY 6333-B	D0RY 6333-B
	Standard	.002" U/S			D1FZ 6333-P	D1FZ 6333-P	D1FZ 6333-P	D1FZ 6333-P	D1FZ 6333-P
	Standard	.010" U/S			D2FZ 6333-E	D2FZ 6333-E	D2FZ 6333-E	D2FZ 6333-E	D2FZ 6333-E
	Standard	.020" U/S			D2FZ 6333-F	D2FZ 6333-F	D2FZ 6333-F	D2FZ 6333-F	D2FZ 6333-F
	Standard	.030" U/S			D0RY 6333-E	D0RY 6333-E	D0RY 6333-E	D0RY 6333-E	D0RY 6333-E
72	"From 10/1/71"								
	Standard	Std.(Red)	x	x	D2FZ 6333-A	D2FZ 6333-A	D2FZ 6333-A	D2FZ 6333-A	D2FZ 6333-A
	Standard	(Std.(Blue)			D2FZ 6333-B	D2FZ 6333-B	D2FZ 6333-B	D2FZ 6333-B	D2FZ 6333-B
	Standard	.010" U/S			D2FZ 6333-E	D2FZ 6333-E	D2FZ 6333-E	D2FZ 6333-E	D2FZ 6333-E
	Standard	.020" U/S			D2FZ 6333-F	D2FZ 6333-F	D2FZ 6333-F	D2FZ 6333-F	D2FZ 6333-F
	Standard	.030" U/S			D2FZ 6333-G	D2FZ 6333-G	D2FZ 6333-G	D2FZ 6333-G	D2FZ 6333-G
71/72	"Before 10/1/71"								
	.015" O/S	Std.(Red)	x	x	D2FZ 6333-H	D2FZ 6333-H	D2FZ 6333-H	D2FZ 6333-H	D2FZ 6333-H
	.015" O/S	.010" U/S			D2FZ 6333-C	D2FZ 6333-C	D2FZ 6333-C	D2FZ 6333-C	D2FZ 6333-C
	.015" O/S	.020" U/S			D2FZ 6333-J	D2FZ 6333-J	D2FZ 6333-J	D2FZ 6333-J	D2FZ 6333-J
	.015" O/S	.030" U/S			D0RY 6333-J	D0RY 6333-J	D0RY 6333-J	D0RY 6333-J	D0RY 6333-J
72	"From 10/1/71"								
	.015" O/S	Std.(Red)	x	x	D2FZ 6333-H	D2FZ 6333-H	D2FZ 6333-H	D2FZ 6333-H	D2FZ 6333-H
	.015" O/S	.010" U/S			D2FZ 6333-C	D2FZ 6333-C	D2FZ 6333-C	D2FZ 6333-C	D2FZ 6333-C
	.015" O/S	.020" U/S			D2FZ 6333-J	D2FZ 6333-J	D2FZ 6333-J	D2FZ 6333-J	D2FZ 6333-J
	.015" O/S	.030" U/S			D2FZ 6333-K	D2FZ 6333-K	D2FZ 6333-K	D2FZ 6333-K	D2FZ 6333-K

Identification marking ● 1600 cc ▲ 2000 cc

6333 BEARING - CRANKSHAFT MAIN - CHART - continued

Red size and blue size are optional for selective fit

YEAR	SIZE O. D.	SIZE I. D.	UPPER	LOWER	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
4 CYL. 122 C.I.D. ENGINE									
71/	Standard	Std.(Red)	x	x	★D1FZ 6333-A R/B D4RY 6333-A (9-74)	★D1FZ 6333-A R/B D4RY 6333-A (9-74)	★D1FZ 6333-A R/B D4RY 6333-A (9-74)	★D1FZ 6333-A R/B D4RY 6333-A (9-74)	★D1FZ 6333-A R/B D4RY 6333-A (9-74)
	Standard	Std.(Blue)			D1FZ 6333-B	D1FZ 6333-B	D1FZ 6333-B	D1FZ 6333-B	D1FZ 6333-B
	Standard	.001" U/S			D1FZ 6333-R	D1FZ 6333-R	D1FZ 6333-R	D1FZ 6333-R	D1FZ 6333-R
	Standard	.002" U/S			D1FZ 6333-N	D1FZ 6333-N	D1FZ 6333-N	D1FZ 6333-N	D1FZ 6333-N
	Standard	.010" U/S			D1FZ 6333-C	D1FZ 6333-C	D1FZ 6333-C	D1FZ 6333-C	D1FZ 6333-C
	Standard	.020" U/S			D1FZ 6333-D	D1FZ 6333-D	D1FZ 6333-D	D1FZ 6333-D	D1FZ 6333-D
	Standard	.030" U/S			D4RY 6333-F	D4RY 6333-F	D4RY 6333-F	D4RY 6333-F	D4RY 6333-F
71/	.015" O/S	Std.(Red)	x	x	D1FZ 6333-G	D1FZ 6333-G	D1FZ 6333-G	D1FZ 6333-G	D1FZ 6333-G
	.015" O/S	Std.(Blue)			D1FZ 6333-H	D1FZ 6333-H	D1FZ 6333-H	D1FZ 6333-H	D1FZ 6333-H
	.015" O/S	.001" U/S			D1FZ 6333-S	D1FZ 6333-S	D1FZ 6333-S	D1FZ 6333-S	D1FZ 6333-S
	.015" O/S	.002" U/S			D1FZ 6333-T	D1FZ 6333-T	D1FZ 6333-T	D1FZ 6333-T	D1FZ 6333-T
	.015" O/S	.010" U/S			D1FZ 6333-J	D1FZ 6333-J	D1FZ 6333-J	D1FZ 6333-J	D1FZ 6333-J
	.015" O/S	.020" U/S			D1FZ 6333-K	D1FZ 6333-K	D1FZ 6333-K	D1FZ 6333-K	D1FZ 6333-K
	.015" O/S	.030" U/S			D1FZ 6333-L	D1FZ 6333-L	D1FZ 6333-L	D1FZ 6333-L	D1FZ 6333-L

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 98 ●	QUANTITY 122 ▲	PART NAME AND DESCRIPTION
		6334			RING - CRANKSHAFT THRUST
71/		D1FZ 6334-A		2	Lower-Std. #White
71/		D1FZ 6334-B		AR	Lower-.015" O/S
		D1FZ 6334-C		2	Upper-Std.-install in rear position only
71/		D1FZ 6334-D		AR	Upper-.015" O/S
		D1FZ 6335-C	1		RETAINER ASSY. - CRANKSHAFT REAR BEARING OIL SEAL
71/		D1FZ 6336-A		2	SEAL - CRANKSHAFT REAR MAIN BEARING CAP
		★6A336			Serviced in flywheel assy.
71/		D1FZ 6A340-A		1	BOLT - CRANKSHAFT PULLEY-Hex.M10 x 45 (metric coarse)
71/		D0RY 6A340-A	1		
71/		D0RY 6344-A	1		GASKET - CRANKSHAFT REAR BEARING OIL SEAL
71/		D1FZ 6345-A		10	BOLT - CRANKSHAFT MAIN BEARING CAP
71/		D1FZ 6345-B	10		
71/		20366-S8	2		Bolt (crankshaft seal & retainer to block)-5/16"-18 x 7/8" hex.hd.
		D1FZ 6A346-A		2	DOWEL - CRANKSHAFT MAIN BEARING CAP - No. 5 bearing
71/		D1FZ 6A346-B		2	No. 3 bearing
71		D0RY 6A355-A	2		WASHER - CRANKSHAFT MAIN BEARING THRUST - Standard
72		D1FZ 6A355-A	2		Standard
71/		D1FZ 6A355-B	AR		.0025" O/S
		D1FZ 6A355-C	AR		.005" O/S
		D1FZ 6A355-D	AR		.0075" O/S
		D1FZ 6A355-E	AR		.010" O/S
		6375			FLYWHEEL ASSY.
71/	M/T	D1FZ 6375-B	1		135 teeth - includes ring gear
71/	A/T	D1FZ 6375-A		1	
71/	M/T	D1FZ 6375-C		1	135 teeth - includes ring gear
71/		D1FZ 6378-A		1	WASHER - CRANKSHAFT PULLEY RETAINING - 8.5mm (metric)
71/		D0RY 6378-A	1		

Identification marking
May, 1975

● 1600CC ▲ 2000CC

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 98 ●	QUANTITY 122 ▲	PART NAME AND DESCRIPTION
71/		D0RY 6379-A	6		BOLT - FLYWHEEL TO CRANKSHAFT
71/	M/T	D4FZ 6379-A		6	
71/	A/T	D1FZ 6379-B		6	M10 x 22 (metric coarse)
71/	M/T	D1FZ 6384-A	1	1	GEAR - FLYWHEEL RING - 135 teeth
71/	M/T(German trans.)	D1FZ 6392-A	1	1	HOUSING ASSY. - FLYWHEEL - aluminum
71/	M/T(British trans.)	D1FZ 6392-B	1		
71/	M/T	382535-S100 (MM173MX)	2	2	Nut (attach flywheel hsg. to eng.)-3/8"-16
71/	M/T	370967-S(BB158)	2	2	Screw and washer assy. (attach flywheel hsg. to eng.)-3/8"-16 x 2.00"
71/	M/T	382802-S2 (MM173JB)	2	2	Nut-3/8"-16 (attach flywheel hsg. to engine)
71/		N800012-S100 (AW46)		2	Stud-3/8"-16 x 2 3/4" lock (attach flywheel hsg. to engine)
71/ 71		D1FZ 6397-C	4	2	DOWEL - CYLINDER BLOCK - to flywheel housing - Also align trans. to cyl. block
71/		D1FZ 6397-A	1	3	1/2" O.D.-3/8" long-to locate starter motor
71/		D1FZ 6397-B	3	3	Cyl. block to flywheel hsg. or clutch to flywheel
71/		D2RY 6411-A	1	1	SEAL (FLYWHEEL HOUSING COVER PLATE)
71		D0RY 6500-A	8		TAPPET ASSY. - VALVE - Standard-mechanical - .436" stem O.D.
		D0RY 6500-B	AR		.004" O/S
71/		D1FZ 6500-A	8		Std. - .515" stem O.D.
		D1FZ 6500-B	AR		.004" O/S

6505-07 VALVE - INTAKE & EXHAUST - CHART

YEAR	C.I.D.	MODEL	EXHAUST VALVE LENGTH	EXHAUST VALVE HEAD DIA.	EXHAUST VALVE STEM SIZE	EXHAUST VALVE STEM DIA.	EXHAUST VALVE PART NUMBER	INTAKE VALVE LENGTH	INTAKE VALVE HEAD DIA.	INTAKE VALVE STEM SIZE	INTAKE VALVE STEM DIA.	INTAKE VALVE PART NUMBER
71/	98				Std.		D0RY 6505-D			Std.		D0RY 6507-A
					.003"		D0RY 6505-E			.003"		D1FZ 6507-F
					.015"		D0RY 6505-F			.015"		D1FZ 6507-G
71/72	122	'Before 7/12/72"			Std.		D1FZ 6505-A			Std.		D1FZ 6507-A
					.008"		D1FZ 6505-B			.008"		D1FZ 6507-B
					.016"		D1FZ 6505-C			.016"		D1FZ 6507-C
					.024"		D1FZ 6505-D			.024"		D1FZ 6507-D
					.032"		D1FZ 6505-E			.032"		D1FZ 6507-E
72	122	'From 7/12/72"			Std.		D2FZ 6505-A			Std.		D1FZ 6507-A
					.008"		D2FZ 6505-B			.008"		D1FZ 6507-B
					.016"		D2FZ 6505-C			.016"		D1FZ 6507-C
					.024"		D2FZ 6505-D			.024"		D1FZ 6507-D
					.032"		D2FZ 6505-E			.032"		D1FZ 6507-E

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 98 ●	QUANTITY 122 ▲	PART NAME AND DESCRIPTION
		6510			BUSHING - VALVE GUIDE
71/		D0RY 6510-A	AR		Intake-1.825" long-plain
71/		D0RY 6510-C	AR		1.825" long-shouldered
71/		D0RY 6510-B	AR		Exhaust-2.075" long-plain
71/		D0RY 6510-D	AR		2.075" long-shouldered
71/		D2RY 6513-A		8	SPRING - VALVE
71/		D1FZ 6513-D	8		#Yellow paint
71/	All off highway vehicles	D12X 6513-AA	8		Free length 31/64"-5 1/2 coils-13/16" I.D.-1 1/8" O.D.
71/		D1FZ 6514-A		8	RETAINER - VALVE SPRING
71/		D1FZ 6514-B	8		1.08" O.D.-.40" thick

Identification marking ● 1600 cc ▲ 2000 cc

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 98 ●	QUANTITY 122 ▲	PART NAME AND DESCRIPTION
		6518			KEY - VALVE SPRING RETAINER
71/		D1FZ 6518-A		16	
71/		D1FZ 6518-B	16		
71/		D1FZ 6K524-A		8	SPRING - FOLLOWER ARM
71/		D0RY 6A527-A	4		BOLT - VALVE ROCKER ARM SHAFT SUPPORT
71/		D1FZ 6A527-A		8	STUD - VALVE ROCKER ARM SUPPORT
71/		D0RY 6A528-A	4		SEAT - VALVE ROCKER ARM FULCRUM - .062" thick-.69" dia.-.38" I.D.
71/		D1FZ 6A529-A		8	NUT - VALVE ROCKER ARM STUD
71/		D0RY 6531-A	4		SUPPORT - VALVE ROCKER ARM SHAFT
71/		D1FZ 6K532-A		8	CLIP - FOLLOWER ARM SPRING RETAINING
71/		D0RY 6549-B	8		SCREW - VALVE ROCKER ARM ADJUSTING
71/		D0RY 6563-B	1		SHAFT - VALVE ROCKER ARM - 14.82" long
71/		72034-S(N45)	2		Pin-cotter-1" long
71/		D0RY 6564-C	4		ARM - VALVE ROCKER - L.H. -includes screw
71/		D0RY 6564-D	4		R.H. -includes screw
71/		D1FZ 6564-A		8	
71/		D0RY 6565-A	8		ROD - VALVE PUSH
		6570			GROMMET
71/		D1FZ 6570-A		2	Steel-used as rocker arm cover seal
		6571			SEAL - VALVE STEM
71/		D1FZ 6571-B	4	4	Intake-incl. (1) valve seal cap
		D1FZ 6571-C	4		Exhaust
		D1FZ 6571-D		4	Exhaust-incl. (1) valve seal cap
71/		D1FZ 6578-A		1	TUBE ASSY. - LUBRICATION VALVE DRIVE - Steel
71/		E630024-S71(AX9)		3	Washer (attach tube assy. to cyl. head)-M6 flat
71/		E800132-S82 (AB15A)		3	Bolt (tube assy. to cyl. head)-M6 x 9 hex. hd.
71/		D1FZ 6582-A		1	COVER ASSY. - VALVE ROCKER ARM
71/		D1FZ 6582-B	1		
71/		31080-S8(U60)	4		Screw-1/4"-20 x 5/8"-pan hd.(valve cover to cyl. head)
71/		E802165-S82 (AB16)		10	Bolt-hex.hd.-M6 x 14MM (valve cover to head)
71/		34805-S8(X62)		10	Washer (6582 to head)
71/72	"Before 2/1/72"	D1FZ 6584-B		1	GASKET - VALVE ROCKER ARM COVER
72	"From 2/1/72"	D2FZ 6584-A		1	
71/		§D1FZ 6584-C	1		

● 1600 cc ▲ 2000 cc

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 98 ●	QUANTITY 122 ▲			PART NAME AND DESCRIPTION
71/		D0RY 6587-A	3				SPRING - VALVE ROCKER ARM TO SHAFT LOCATING
			1				Oil pump screen cover to inlet tube
71/		D0RY 6590-A	4				WASHER - VALVE ROCKER ARM SHAFT - flat type
71/		D1FZ 6598-A	2				WASHER - VALVE ROCKER ARM SHAFT - spring type
71/		D1FZ 6600-A		1			PUMP ASSY. - OIL
71/		D1FZ 6600-C	1				
71/		20386-S8(B53)	3				Bolt (pump to block)-5/16"-18 x 1" hex. hd.
71/		E944100-S(AN10)		1			Pin spring rolled-M16 x 10
71/		D1FZ 6608-A		1			ROTOR & SHAFT ASSY. - OIL PUMP DRIVE
71/		D1FZ 6608-B	1				
71/		D1FZ 6613-A		1			PLATE - AUXILIARY SHAFT RETAINING
71/		E803103-S(AB105)		2			Screw & washer-socket head (attach plate 6613 to block)
71/		D1FZ 6616-A		1			PLATE - OIL PUMP BODY
71/		D1FZ 6616-B	1				
71/		20344-S8(B42)	3				Bolt-1/4"-20 x 3/4" hex.hd.-attach cover to pump-(opt. with 43263-S8)
71/		43263-S8(U3)	3				Bolt-1/4"-20 x 5/8"-attach cover to pump - (opt. with 20344-S8)
71/		E602529-S76 (AB53)		3			Screw (cover to pump) & lock washer-M6 x 20
71/		116682-ES(AK4)	1				RING (OIL PUMP COVER SEALING)
71/		D1FZ 6A616-A		1			PLUG - OIL PUMP RELIEF VALVE
71/		D1FZ 6617-A	1				TUBE ASSY. - OIL PUMP PICK UP
71/		D1FZ 6A618-A		1			SHAFT ASSY. - OIL PUMP INTERMEDIATE
71/		D1FZ 6K621-A		1			TUBE ASSY. - OIL PUMP INLET
71/		E800159-S(AB26)		2			Bolt-M6 x 22 hex.hd. (attach tube assy.(6K621) to oil pump)
71/		D1FZ 6623-A	1				SCREEN ASSY. - OIL PUMP
71/		D1FZ 6626-A		1			GASKET - OIL PUMP INLET TUBE
72		D2FZ 6629-A		1			RING - OIL PUMP INTERMEDIATE SHAFT RETAINING
71/		D1FZ 6A630-A		1			BAFFLE - CYLINDER BLOCK VENTILATION
71/		E844100-S(AN4)		3			Pin drive cyl. blk.vent.-M4.6 x 12 (6A630 to block)
71/		D1FZ 6638-A		2			BOLT & WASHER - OIL PUMP ATTACHING
71/		D0RY 6652-A	1				GEAR - OIL PUMP DRIVE
71/		72432-S(N82E)	1				Pin (attach 6652 to 6608)-1/8" x 13/16"
71/		D0RY 6K656-A	1				TUBE - RELIEF VALVE OIL RETURN-7 1/4" long
71/		D1FZ 6659-A	1				GASKET - OIL PUMP TO BLOCK

● 1600 cc ▲ 2000 cc

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 98 ●	QUANTITY 122 ▲	PART NAME AND DESCRIPTION
71/		D1FZ 6A664-A		1	HOSE - CRANKCASE VENTILATION - intake manifold to (6A666) valve
71/		D1FZ 6A664-D	1		Adapter (6A665) to (6A666) valve
71	"Before 11/16/70"	D1FZ 6A664-B		1	Oil filler cap to air cleaner
71/	"From 11/16/70"			1	Cut to fit
71/		D1FZ 6A664-C	1		Approx. 10 1/4" long -oil filler cap to air cleaner
71/		B5A 2344-A	2	2	Clamp - attach hose 6A664 to intake manifold fitting
71/		D1FZ 6A665-A		1	ADAPTER ASSY. - CRANKCASE VENTILATION
71/	With heater	D0RY 6A665-A	1		
71/	Without heater	D1FZ 6A665-B	1		Tee
71/		D2RY 6A665-A	1	1	Elbow
71/		D0RY 6666-A	1		PLUG - OIL PUMP RELIEF VALVE
71/		D1FZ 6A666-A	1		VALVE POSITIVE CRANKCASE VENTILATION (P.C.V.)
71		(EV-58)		1	
72		D2FZ 6A666-A (EV-69)		1	
71/	With A/C	379573-S(II-98G)		1	Tee-1/2" dia.-V8-27 threads-brass (used between P.C.V. valve & manifold)
71/		D1FZ 6670-A		1	SPRING - OIL PUMP RELIEF VALVE
71/		D0RY 6670-A	1		
71/		D1FZ 6674-A		1	PLUNGER - OIL PUMP RELIEF VALVE
71/		D0RY 6674-A	1		
71/		D3FZ 6675-B		1	PAN ASSY. - OIL
71/		D3FZ 6675-A	1		
71/		20308-S7-8(B40)	18		Bolt-hex.hd.-1/4"-20 x 1/2"-attach oil pan to block, front cover and rear retainer
71/		E602165-S82 (AB16)		23	Bolt-hex.hd.M6 x 14 MM (oil pan to block)
71/		34805-S8(X62)		23	Washer (6675 to block)
71/		D1FZ 6700-A		3	SEAL - CYLINDER FRONT COVER OIL (1) used in cyl. front cover upper (1) used in cyl. front cover lower (1) used in camshaft
71/		D1FZ 6700-B	1		
71/		D1FZ 6701-A	1	1	PACKING - CRANKSHAFT REAR
		★ 6710-11	★	★	GASKET - OIL PAN-Refer to Group 6781
71/		★D1AZ 6730-A R/B D1AZ 6730-B (11-74)	1		PLUG - OIL PAN DRAIN
71/		D1FZ 6730-B		1	
		6731			ELEMENT ASSY. - OIL FILTER
71/		C1AZ 6731-A (FL-1)		1	
71		D0RY 6731-A (FL-227)	1		
72		D1PZ 6731-A (FL-13-A)	1		

● 1600 cc ▲ 2000 cc

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 98 ●	QUANTITY 122 ▲	PART NAME AND DESCRIPTION
71/		C2OZ 6734-A	1		GASKET - OIL PAN DRAIN PLUG
71/		D1FZ 6734-B		1	
71/		D1FZ 6A736-A		1	PLATE - OIL INLET TUBE BOLT LOCKING
71/		D1FZ 6A739-A		1	SHAFT ASSY. - FUEL PUMP, OIL PUMP & DIST. DRIVE
		6750			INDICATOR - OIL LEVEL
71/		★D3FZ 6750-A R/B D4FZ 6750-B (10-74)		1	
71/		D1FZ 6750-B	1		
		6754			TUBE ASSY. - OIL LEVEL INDICATOR
71/		D1FZ 6754-B	1		
71/		D1FZ 6754-C		1	.395" O. D.
		6766			CAP ASSY. - OIL FILLER & BREATHER
71/		D1FZ 6766-B (EC-15)	1		
71/		D1FZ 6766-D (EC-12-B)		1	
		6775			SHIELD - SPLASH
71/	Except S/W	★D1FZ 6775-A R/B D2FZ 6775-A (9-74)		1	
72	Station Wagon	D2FZ 6775-A		1	
		6K777			SEAL - CRANKCASE SEPARATOR SPIGOT
71/		D0RY 6K777-A	1		
		6K777		★	Improvise from Permatex-Formagasket
		6781			GASKET SET - OIL PAN
71/		D1FZ 6781-B	1		

Consists of

1-D1FZ	6659-A	Gasket (oil pump to block)	1-681F	6722-AA	Seal (oil pan front)
1-681F	6710-AA	Gasket (oil pan R.H.)	1-681F	6723-AA	Seal (oil pan rear)
1-681F	6711-AA	Gasket (oil pan L.H.)	1-C2OZ	6734-A	Gasket (oil drain plug)

71/		D1FZ 6781-C		1	

Consists of

2-D1FZ	6336-A	Seal (crankshaft rear main bearing cap)	1-71HM	6710-A1A	Gasket (oil pan R.H.)
			1-71HM	6711-A1A	Gasket (oil pan L.H.)
1-D1FZ	6626-A	Gasket (oil pump inlet tube)	2-D1FZ	6722-A	Seal (oil pan)

71/		D1FZ 6A785-A		1	SEPARATOR ASSY. - CRANKCASE VENT OIL
71	"Before 8/10/70"	D0RY 6A785-A	1		
71/	"From 8/10/70"	D1FZ 6A785-B	1		
		★ 6853		★	HOSE - CRANKCASE VENTILATION - cut to fit from D1FZ 6A664-B
71/		D1FZ 6A875-A		1	BUSHING - AUXILIARY DRIVE SHAFT -Standard
		D1FZ 6A875-B		AR	.40 U/S
71/		D1FZ 6890-A		1	INSERT - OIL FILTER MOUNTING BOLT
71/		D1FZ 6890-B	1		
		6A892			RETAINER - CRANKCASE VENTILATION - grommet
71/		C8SZ 6A892-A	1	1	P.C.V. valve to oil separator

● 1600 cc ▲ 2000 cc

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
		6007	★	★	★	ENGINE ASSEMBLY - service details
65/	Consists of	C0DZ 6008-C	1			GASKET SET - COMPLETE OVERHAUL
1-C0DE 6020-B	Gasket	1-C0DE 6700-A		Seal		1-C2DE 6723-A Seal
1-C0DE 6051-C	Gasket	2-C9OZ 6701-A		Packing		1-C2OZ 6734-A Gasket
12-D2DZ 6571-A	Seal	1-C9DE 6710-C		Gasket		1-C9AZ 8255-A Gasket
1-D0DZ 6584-A	Gasket	1-C9DE 6711-C		Gasket		1-C0DE 8507-A Gasket
1-C0DZ 6626-A	Gasket	1-C2DE 6722-A		Seal		1-A8TZ 9417-A Gasket
65/	Consists of	C3OZ 6008-B		1		
1-C0DE 6020-B	Gasket	1-C0DE 6700-A		Seal		1-D3DE 6723-AA Seal
1-C9DZ 6051-A	Gasket	2-C9OZ 6701-A		Seal		1-C2OZ 6734-A Gasket
12-D2DZ 6571-A	Seal	1-C9DE 6710-C		Gasket		1-C9OZ 8255-A Gasket
1-D0DZ 6584-A	Gasket	1-C9DE 6711-C		Gasket		1-C0DE 8507-A Gasket
1-C0DZ 6626-A	Gasket	1-D3DE 6722-AA		Seal		1-A8TZ 9417-A Gasket
69/	Consists of	C9OZ 6008-A			1	
1-C9DZ 6020-A	Gasket	1-C3AZ 6700-A		Seal		1-C2OZ 6734-A Gasket
1-C9DZ 6051-B	Gasket	2-C9OZ 6701-A		Seal		1-C9AZ 8255-A Gasket
12-D2DZ 6571-A	Seal	1-C9DE 6710-D		Gasket		1-C9DZ 8507-A Gasket
1-D0DZ 6584-A	Gasket	1-C9DE 6711-D		Gasket		1-A8TZ 9417-A Gasket
1-C9DZ 6626-A	Gasket	2-D3DE 6722-BA		Seal		
72		CD0AZ 6D008-A	1	1	1	HEATER KIT - CYL BLOCK - 600 watt
		6009				CYLINDER ASSY.-incl. cyl. block w/all internal parts of the eng. but does not incl. cyl. heads, tappets, oil pan or cyl. front cover unless indicated
65/67	B, F, X	C5DZ 6009-C	1			
66/	P,U	C8DZ 6009-D	1			Incl. (12) C8AZ 6500-A hyd. tappets-used to service units w/mechanical or hydraulic tappets
65/67		C7OZ 6009-B		1		3.68" bore
68/		D0DZ 6009-B		1		
72	B,F,P (exc. Calif.)	D2DZ 6009-C			1	Includes (12) D2DZ 6565-A push rods
69/71					1	
72	B(P/C,Taxi)-(California)	D2DZ 6009-D			1	
72	B(exc. P/C,Taxi),F,P-(Calif.)	D2DZ 6009-B			1	
		6010				ΔBLOCK ASSY. - CYLINDER
65/		D0TZ 6010-A	1			Hydraulic tappets
65/67		C5DZ 6010-B		1		Hydraulic tappets-7 main bearings-use with 5/16" intermediate distributor shaft hole
68/		D0DZ 6010-B		1		Hydraulic tappets
69	F-Economy 1/B	C9DZ 6010-B			1	Hydraulic tappets
69/	B,F (exc. Economy 1/B),P	D2DZ 6010-A			1	Includes (12) D2DZ 6565-A push rods
65/69		73249-S(N88)	2	2		Dowel (cyl. block to clutch housing)-3/8" x 9/16"
65/70	B,X	★73279-S	2			Dowel (cyl. block to clutch housing)-3/8" x 3/4"
		6B018				WIRE ASSY. - CYL. BLOCK HEATER
65/66		CC1TF 6B018-E	1	1		
67		C7TE 6B018-A	1	1		2 conductor-use w/3 terminal heater - (dummy ground)
67		C7TE 6B018-C	1	1		3 conductor-use w/3 terminal heater - (green ground connector)
71	F	D1AZ 6B018-AA		1or2		
72	All	D2AZ 6B018-A	1	1	1	
		6019				REPAIR KIT - CYLINDER FRONT COVER
69/		D2DZ 6019-B			1	
65/		D2DZ 6019-A	1	1		Includes (1) C0DE 6020-B gasket (1) D2DE 6059-CA cover (2) 55247-S bolt (1/4"-20 x 1 3/8") (7) 377387-S bolt (1/4"-20 x 1 13/16")
65/71		373071-S7 (BB554M)	7	7		Screw & washer assy.(cylinder front cover to block)-1/4"-20 x 5/8"
65/		20464-S7-8(B43EA)	AR	AR		Bolt-1/4"-20 x 1 1/2"
69/		56105-S(B319D)			4	Bolt-1/4"-20 x 1"
69/		56109-S(B319G)			3	Bolt-1/4"-20 x 2"
		6020				GASKET - CYLINDER FRONT COVER
65/		C0DE 6020-B	1	1		
69/		C9DZ 6020-A			1	

Δ 6015 is a casting number and generally cannot be cross referenced to a service number. It will be used as a means of identification only when casting number is unique to only one 6010 assembly.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
65/67		C2OZ 6023-B	1	1		POINTER - TIMING-3 1/8" overall length-(2) 17/64" holes - Also refer to Group 3A634-5
68/71		C8OZ 6023-A	1	1		Not used on units w/single sheave damper
69/71		C9DZ 6023-A			1	
72	Except Calif.				1	
72	Calif. only	D2DZ 6023-A	1	1		Steel
72	Calif. only	D2DZ 6023-B			1	Steel

6A023, 6068, 6096 & 6120 REAR MOTOR MOUNT CHART

YEAR	MODEL	C.I.D.	*SUPPORT	*BRACKET-REAR SUPPORT	* INSULATOR ASSEMBLY	* EXTENSION R.H.	* EXTENSION L.H.
	- B -						
65	B(M/T & H/D clutch)	200			C3OZ 6068-B	C2OZ 6120-J	C2OZ 6120-K
65	B(M/T & R/D clutch)	200	★C2OZ 6A023-B		C3OZ 6068-B		
65	B(C4)	200	C2OZ 6A023-D		C3OZ 6068-B	C2OZ 6120-J	C2OZ 6120-K
66	Taxi(M/T & H/D clutch)- "Before 12/15/65"	200	C6OZ 6A023-B	C6OZ 6096-A(RH) C6OZ 6096-D(LH)	C8OZ 6068-B	C6DZ 6120-A	C6DZ 6120-B
66	Taxi - "From 12/15/65"	200	C6OZ 6A023-B	C6OZ 6096-A(RH) C6OZ 6096-D(LH)	C8OZ 6068-B	C6DZ 6120-E	C6DZ 6120-F
66	B(M/T & R/D clutch)-exc. 76- "Before 12/15/65"	200	C6OZ 6A023-B	C6OZ 6096-A(RH) C6OZ 6096-D(LH)	C8OZ 6068-B	C6DZ 6120-A	C6DZ 6120-B
66	B(M/T & R/D clutch)-exc. 76- "From 12/15/65"	200	C6OZ 6A023-B	C6OZ 6096-A(RH) C6OZ 6096-D(LH)	C8OZ 6068-B	C6DZ 6120-E	C6DZ 6120-F
66	B (C4)-exc.76 - "Before 12/15/65"	200	C6OZ 6A023-B	C6OZ 6096-A(RH) C6OZ 6096-D(LH)	C8OZ 6068-B	C6DZ 6120-C	C6DZ 6120-D
66	B (C4)-exc. 76- "From 12/15/65"	200	C6OZ 6A023-B	C6OZ 6096-A(RH) C6OZ 6096-D(LH)	C8OZ 6068-B	C6DZ 6120-E	C6DZ 6120-F
66	B (76) -M/T- "Before 12/15/65"	200	C6OZ 6A023-B	C6OZ 6096-A(RH) C6OZ 6096-D(LH)	C8OZ 6068-A	C6DZ 6120-A	C6DZ 6120-B
66	B (76)-C4- "Before 12/15/75"	200	C6OZ 6A023-B	C6OZ 6096-A(RH) C6OZ 6096-D(LH)	C8OZ 6068-A	C6DZ 6120-C	C6DZ 6120-D
66	B(76)"From 12/15/65"	200	C6OZ 6A023-B	C6OZ 6096-A(RH) C6OZ 6096-D(LH)	C8OZ 6068-A	C6DZ 6120-E	C6DZ 6120-F
67	Taxi	200	C6OZ 6A023-B	C6OZ 6096-C(RH) C6OZ 6096-G(LH)	C8OZ 6068-B	C6OZ 6120-G	C6OZ 6120-H
67	B(M/T)-exc. 76- "Before 4/3/67"	200	C6OZ 6A023-B	C6OZ 6096-C(RH) C6OZ 6096-G(LH)	C8OZ 6068-B	C6OZ 6120-G	C6OZ 6120-H
67	B(M/T)-exc. 76- "From 4/3/67"	200	C6OZ 6A023-B	C6OZ 6096-E(RH) C6OZ 6096-G(LH)	C8OZ 6068-B	C6OZ 6120-G	C6OZ 6120-H
67	B (C4) -except 76- "Before 4/3/67"	200	C6OZ 6A023-A	C6OZ 6096-C(RH) C6OZ 6096-D(LH)	C8OZ 6068-B	C6OZ 6120-G	C6OZ 6120-H
67	B(C4)-exc. 76- "From 4/3/67"	200	C6OZ 6A023-A	C6OZ 6096-E(RH) C6OZ 6096-G(LH)	C8OZ 6068-B	C6OZ 6120-G	C6OZ 6120-H
67	B(76)- "Before 4/3/67"	200	C6OZ 6A023-B	C6OZ 6096-C(RH) C6OZ 6096-G(LH)	C8OZ 6068-A	C6OZ 6120-G	C6OZ 6120-H
67	B(76)-"From 4/3/67"	200	C6OZ 6A023-B	C6OZ 6096-E(RH) C6OZ 6069-G(LH)	C8OZ 6068-A	C6OZ 6120-G	C6OZ 6120-H
68	B(76)	200	C6OZ 6A023-B	C6OZ 6096-F(RH) C6OZ 6096-G(LH)	C8OZ 6068-A	C6OZ 6120-G	C6OZ 6120-J
68	B(exc. 76)	200	C6OZ 6A023-B	C6OZ 6096-F(RH) C6OZ 6096-G(LH)	C8OZ 6068-B	C6OZ 6120-G	C6OZ 6120-J
69	B(76)	250	C6OZ 6A023-C	C6OZ 6096-F	C9OZ 6068-A	C6OZ 6120-G	C6OZ 6120-J
69	B(exc. 76)	250	C6OZ 6A023-C	C6OZ 6096-G	C8OZ 6068-B	C6OZ 6120-G	C6OZ 6120-J
70	B (exc. 57, 76)- "Before 5/4/70"	250	D0OZ 6A023-A	D0OZ 6096-A(RH) D0OZ 6096-B(LH)	D1ZZ 6068-B	C6OZ 6120-G	C6OZ 6120-J
70	B (57, 76)- "Before 5/4/70"	250	D0OZ 6A023-A	D0OZ 6096-A(RH) D0OZ 6096-B(LH)	D0OZ 6068-A	C6OZ 6120-G	C6OZ 6120-J
70/71	B (exc. 57, 76)- "From 5/4/70"	250	D0OZ 6A023-A	D0OZ 6096-C(RH) D0OZ 6096-D(LH)	D1ZZ 6068-B	Use 6096	Use 6096
70/71	B (57, 76)- "From 5/4/70"	250	D0OZ 6A023-A	D0OZ 6096-C(RH) D0OZ 6096-D(LH)	D0OZ 6068-A	Use 6096	Use 6096
72	B-M/T	250			D3OZ 6068-A		
72	B-C4	250			D3OZ 6068-A		

* (1) Required unless otherwise noted

6A023, 6068, 6096 & 6120 REAR MOTOR MOUNT CHART - continued

YEAR	MODEL	C.I.D.	*SUPPORT	*BRACKET-REAR SUPPORT	* INSULATOR ASSEMBLY	* EXTENSION R.H.	* EXTENSION L.H.
	- F -						
65	F(3/M/T)	170,200	C5ZZ 6A023-A	C5ZZ 6096-B	C8ZZ 6068-A		
65	F(4/M/T)	170,200	C5ZZ 6A023-A		C8ZZ 6068-D		
65	F(C4)	170,200	C5ZZ 6A023-A		C8ZZ 6068-D		
66	F(3/M/T)	200	C6ZZ 6A023-A	C5ZZ 6096-B	C8OZ 6068-B		
66	F(C4 & 4/M/T)	200	C6ZZ 6A023-A		C8ZZ 6068-D		
67	F(3/M/T)	200	C7ZZ 6A023-D		C8ZZ 6068-A		
67	F(C4)	200	C7ZZ 6A023-D		C8ZZ 6068-D		
68/70	F(76)	200	C7ZZ 6A023-D		C8ZZ 6068-D		
68/70	F(exc. 76)	200	C7ZZ 6A023-D		C8ZZ 6068-A		
69	F(S/E, 1/B)-76	250			C8OZ 6068-A		
69	F(76)	250	C9ZZ 6A023-B		C8ZZ 6068-D		
69	F(exc. 76)	250	C9ZZ 6A023-B		C8ZZ 6068-A		
70/	F	250	C9ZZ 6A023-B		C8ZZ 6068-A		
	- P -						
70	P	170, 200, 250	D1DZ 6A023-B		D1ZZ 6068-B		
71/	P(M/T-floor shift)	170,200	D1DZ 6A023-B		D1ZZ 6068-D		
71/	P(M/T-column shift)	170, 200	D1DZ 6A023-B		D1ZZ 6068-B		
71/	P(A/T)	170,200, 250	D1DZ 6A023-B		D1ZZ 6068-B		
	- U -						
66/	U	170	C6TZ 6A023-B	C6TZ 6096-A	#C6TZ 6068-D		
	- X -						
65	X	†170, †200	C1DZ 6A023-A		C1DZ 6068-A		
66	X(M/T)- "Before 12/15/65"	170,200	C6OZ 6A023-B	C6OZ 6096-A(RH) C6OZ 6096-D(LH)	C8OZ 6068-B	C6DZ 6120-A	C6DZ 6120-B
66	X (C4) - "Before 12/15/65"	170, 200	C6OZ 6A023-B	C6OZ 6096-A(RH) C6OZ 6096-D(LH)	C8OZ 6068-B	C6DZ 6120-C	C6DZ 6120-D
66	X "From 12/15/65"	170,200	C6OZ 6A023-B	C6OZ 6096-A(RH) C6OZ 6096-D(LH)	C8OZ 6068-B	C6DZ 6120-E	C6DZ 6120-F
67	X "Before 4/3/67"	170, 200	C6OZ 6A023-B	C6OZ 6096-C(RH) C6OZ 6096-G(LH)	C8OZ 6068-B	C6DZ 6120-E	C6DZ 6120-F
67	X "From 4/3/67"	170,200	C6OZ 6A023-B	C6OZ 6096-F(RH) C6OZ 6096-G(LH)	C8OZ 6068-B	C6DZ 6120-E	C6DZ 6120-F
68/69	X	170, 200	C6OZ 6A023-B	C6OZ 6096-F(RH) C6OZ 6096-G(LH)	C8OZ 6068-B	C6DZ 6120-E	C6DZ 6120-F
70	X	200	C6OZ 6A023-B	C6OZ 6096-F(RH) C6OZ 6096-G(LH)	D1ZZ 6068-B	C6DZ 6120-E	C6DZ 6120-F

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
65/70		20411-S7(B184)	2	2		Bolt (rr.suppt.to frame)-7/16"-20 x 1 1/8"-hex.hd.
		34671-S8(M67)	2	2		Nut-7/16"-20
		356590-S(XX171)	2	2		Washer-flat-.47" I.D.-.78" O.D.-.10" thick-steel
		357625-S7-8(XX304)	2	2		Lockwasher-7/16"
65/70	X(4/S/T)	377785-S100(BB513F)	1			Bolt (6A061 suppt. & spring to insul. & 6A023 support)
65/70	B	350688-S (BB193)	4			Bolt (brkt. to underbody)-1/2"-13 x 1 1/4"
		44735-S8(X32)	2			Washer-flat-1/2"
		375707-S7-8(BB687D)	2			Bolt (brkt. to support)-1/2"-13 x .88"-square neck
		375710-S7-8(MM173F)	2			Nut-hex. washer lock-1/2"-13
65/70	B	376905-S7-8(BB838H)	2	2		Bolt-1/2"-13 x 1 3/8"-square neck
65/70	B, F, X	371951-S8(MM151)		2		Nut(support to crossmember)-7/16"-14
65/68	B, X	371426-S(PP83)	1			Plug-cup type (cylinder head end)-1 3/4" diam.
65/68	B, X	87710-S(P16)	1			Plug (cylinder head hot water heater outlet)-3/8"
69	B, F, U, X	376043-S41(PP82)	1	1	1	Plug (core holes in head)-1 3/4" cup type

* (1) Required unless otherwise noted † Used with cantilever support # (2) required

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
		6026				PLUG - ENGINE
65/		⌀C8AZ 6026-A	1	1	1	1 3/4" O.D. -plug clean out hole in head
			3	5	5	Plug clean out holes in block
		C8AZ 6026-B	AR	AR	AR	.060" O/S
65/		C5AZ 6026-G	AR	AR	AR	2.072" O.D. -cup shaped- plug core holes in block or head-also used as camshaft rear bearing plug
		C5AZ 6026-H	AR	AR	AR	.060" O/S
65/		C8DZ 6026-A	4	4	4	1 1/64" O.D. Std. in cyl. head
			2	2	2	in block & in intake manifold
		C8DZ 6026-B	AR	AR	AR	.060" O/S
		C8DZ 6026-C	AR	AR	AR	.125" O/S
65/70	B,X	376635-S(PP66A)	1			Plug-cup type (oil gallery-front)
65/70	B,X	87837-S(P15)	1			Plug (rear of main gallery)-1/4"-18 x 27/64"-
69	F			1	2	pipe-steel
65/70	X, B		1			(Plug cylinder block hole over filter pad)
72			1	1	2	(Plug oil gallery in block)
72			1	1	1	(Plug drain holes)
65/70	B,X	371426-S(PP83)	1			Plug (cylinder block side)-cup type-1 3/4" diam.
65/70	X	354942-S(PP81)	AR			Plug (cylinder block side)-cup type-O/S- 1.790" & 1.775" O.D.
69/	M/T	376635-S(PP66A)	1	1		Plug (oil passages in block)-29/64"
		6A027				SPACER - SUPPORT INSULATOR
65/71	B	C2OZ 6A027-A	2	2		Front
66/	U	C6TZ 6A027-A	2			Rear

6028, 6029, 6030, 6031 & 6038 FRONT MOTOR MOUNT CHART

YEAR	MODEL	C.I.D.	*SUPPORT BRACKET R.H.	*SUPPORT BRACKET L.H.	*BRACKET R.H.	*BRACKET L.H.	*INSULATOR R.H.	*INSULATOR L.H.
	- B -							
65	B	200	C2OZ 6028-A	C2OZ 6029-A	C3OZ 6030-A	C3OZ 6031-A	C3OZ 6038-B	C3OZ 6038-B
66/68	B (exc. 76)	200	C6DZ 6028-B	C6DZ 6029-B			C6DZ 6038-E	C6DZ 6038-E
66	B (76)	200	C6DZ 6028-B	C6DZ 6029-B			C6DZ 6038-E	C6DZ 6038-B
67/68	B(76)	200	C6DZ 6028-B	C6DZ 6029-B			C6DZ 6038-E	C6DZ 6038-E
69	B(76)	250	C9OZ 6028-A	★C9OZ 6029-A	C9OZ 6030-A	C9OZ 6031-A	C9OZ 6038-B	C9OZ 6038-B
69	B(exc. 76)	250	C9OZ 6028-A	★C9OZ 6029-A	C9OZ 6030-A	C9OZ 6031-A	D0OZ 6038-C	D0OZ 6038-C
70/71	B(exc. 76)	250	D0OZ 6028-C	D0OZ 6029-C	C9OZ 6030-A	C9OZ 6031-A	D0OZ 6038-B	D0OZ 6038-B
70/71	B(76)	250	D0OZ 6028-C	D0OZ 6029-C	C9OZ 6030-A	C9OZ 6031-A	D0OZ 6038-C	D0OZ 6038-C
72	B	250			D2OZ 6030-A	D2OZ 6031-A	D4OZ 6038-G	D2OZ 6038-B
	- F -							
65	F(63, 65, 76)	170, 200	C2DZ 6028-B	C2DZ 6029-B			C4UZ 6038-A	C4UZ 6038-B
66	F(63, 65, 76)	200	C6ZZ 6028-A	C6ZZ 6029-A			C4UZ 6038-A	C4UZ 6038-B
67/69	F(76) - "Before 3/10/69"	200	C7ZZ 6028-A	C7ZZ 6029-A			C7ZZ 6038-D	C7ZZ 6038-D
67/69	F(except 76) - "Before 3/10/69"	200	C7ZZ 6028-A	C7ZZ 6029-A			C6DZ 6038-E	C6DZ 6038-E
69	F(76)- "From 3/10/69"	200	C9ZZ 6028-A	C9ZZ 6029-A			C9ZZ 6038-A	C9ZZ 6038-A
69	F(exc. 76)- "From 3/10/69"	200	C9ZZ 6028-A	C9ZZ 6029-A			C9ZZ 6038-B	C9ZZ 6038-B
69	F(76)	250	C9ZZ 6028-A	C9ZZ 6029-A	C9OZ 6030-A	C9OZ 6031-A	C9ZZ 6038-A	C9ZZ 6038-A
69	F(exc. 76)	250	C9ZZ 6028-A	C9ZZ 6029-A	C9OZ 6030-A	C9OZ 6031-A	C9ZZ 6038-B	C9ZZ 6038-B
70	F	200	C9ZZ 6028-A	C9ZZ 6029-A			C9ZZ 6038-A	C9ZZ 6038-A
70	F(exc. 76)	250	C9ZZ 6028-A	C9ZZ 6029-A	C9OZ 6030-A	C9OZ 6031-A	C9ZZ 6038-A	C9ZZ 6038-A
70	F(76)	250	C9ZZ 6028-A	C9ZZ 6029-A	C9OZ 6030-A	C9OZ 6031-A	C9ZZ 6038-B	C9ZZ 6038-B
71/	F(exc. 76)	250	D0OZ 6028-C	D0OZ 6029-C	C9OZ 6030-A	C9OZ 6031-A	D0OZ 6038-B	D0OZ 6038-B
71/	F(76)	250	D0OZ 6028-C	D0OZ 6029-C	C9OZ 6030-A	C9OZ 6031-A	D1ZZ 6038-C	D1ZZ 6038-C
	- P -							
70/	P	170, 200	D0DZ 6028-A	D0DZ 6029-A	D0DZ 6030-A	D0DZ 6031-A	D0DZ 6038-C	D0DZ 6038-C
71/	P	250	D0DZ 6028-A	D0DZ 6029-A	D0DZ 6030-B	D0DZ 6031-C	D0DZ 6038-C	D0DZ 6038-C
	- U -							
66/	U	170	REFER 5057	REFER 5058			C6TZ 6038-E	C6TZ 6038-E
	- X -							
65	X	170, 200	C2DZ 6028-B	C2DZ 6029-B			C4UZ 6038-A	C4UZ 6038-B
66/70	X	170, 200	C6DZ 6028-B	C6DZ 6029-B			C6DZ 6038-E	C6DZ 6038-E

* (1) Required unless otherwise noted

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
65/71	A	34671-S8(M67)	4	4		Nut-7/16"-14
65/71	B, F, X	★353622-S100	2			Washer-flat(engine frt. supports to insulator)-5/16"
65/71	B	34670-S7-8(M54)	6			Nut (bracket to underbody)-7/16"-14 hex.
		34808-S8(X67)	6			Lockwasher-7/16"
		373403-S8 (MM173J)	2	2		Nut (insulator to bracket)-3/8"-16 hex. lock
		373403-S8 (MM173J)	4			Nut (insulator to bracket)-3/8"-16 hex. lock
65	B, X	44735-S8(X32)	2	2		Washer-flat (insulator to front bracket)-15/32"
70/	P	56340-S2(B323)	4	4		Bolt (insulator to bracket)-3/8"-16 x 1 5/32"
		383406-S100 (MM173MY)	2	2		Washer-3/8"
65/	B, X	20348-S2(B-77)	2	2	2	Bolt-3/8"-16 x 3/4" hex.hd.-attach insulator to bracket
		6030-1				BRACKET - FRONT SUPPORT-refer to Front Motor Mount Chart (Group 6028)
		6038				INSULATOR - FRONT SUPPORT-refer to Front Motor Mount Chart (Group 6028)
65/66	B	C2OZ 6039-B	2	2		INSULATOR - FRONT SUPPORT REBOUND
69/	B	33771-S4(M89-L)		AR		Nut-3/8"-16-washer face
		6A042				REINFORCEMENT - REAR SUPPORT
68/69	B, X(NOTE 1)	C8OZ 6A042-C	1	1	1	R. H.
		C8OZ 6A042-D	1	1	1	L. H.
70	B(exc.76)	D0OZ 6A042-A			1	R. H.
		D0OZ 6A042-C			1	L. H.
		6046				BRACKET - FRONT SUPPORT INSULATOR -Also refer to Basic No's. 6028, 6029 & 6038
66/69	B, X	C5DZ 6046-A	1	1		R. H.
		C5DZ 6046-B	1	1		L. H.
67/69	F "Before 3/10/69"	C7ZZ 6046-C		1		R. H.
		C7ZZ 6046-C		1		L. H.
69/71	F "From 3/10/69"	C9ZZ 6046-A		1		R. H.
		C9ZZ 6046-B		1		L. H.
65/66	B	C2OZ 6047-A		2		BOLT - FRONT SUPPORT INSULATOR - 3/8"-16 x 3 3/16"-with 1/2" shoulder
72	B	D2OZ 6047-A		2		BOLT - INSULATOR TO CROSSMEMBER-hex.head piloted-3/8"-16 x 15"
		6049				△HEAD - CYLINDER
65	F	C3OZ 6049-K	1			Includes (6) C9DZ 6505-A exhaust valves (6) C5DZ 6507-A intake valves & (1) C6DZ 10884-B heat sender
65/66	B, F, U, X(exc. T/E)	C9DZ 6049-F	1	1		Includes (1) C6DZ 10884-A heat sender
67	B, F, U, X(Imco)		1	1		
67/68	B, F, X(Imco with C4)		1	1		
68	X(C4)		1			
69	F, U, X(Imco)		1	1		
66/67	B, F, U, X(T/E)	C9DZ 6049-G	1	1		
68	U, X(S/T)		1			
68/69	B, F, X(S/T)-T/E			1		
69	B, F "Before 11/1/68"	C9DZ 6049-C			1	
69/	B, F "From 11/1/68"	C9DZ 6049-D		1	1	
70/	P, X			1	1	
70/	P, U	D0DZ 6049-A	1			
65/70	B, F, X	C0DE 6051-C	1			GASKET - CYLINDER HEAD-steel
66/68	U		1			
70/	P, U		1			
69	U	C9DZ 6051-A	1			Asbestos & steel-.077" thick
65/69	B, F, X		1	1		
69/ 70/		C9DZ 6051-B		1	1	Asbestos & steel-.046" thick-optional with C9DZ 6051-C
69/ 70/		C9DZ 6051-C		1	1	Steel-optional with C9DZ 6051-B

△ 6090 is a casting number and generally cannot be referenced to a service number. It will be used as a means of identification only when casting number is unique to one 6049 assembly.

NOTE 1 - Not required on Model 76 "From 12/1/67"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
66/69		C6AZ 6052-A	6	6		PLUG - CYLINDER HEAD EXHAUST AIR SUPPLY-to plug holes when T/E is not used-1/2"-20 x 1 11/32" hex. head
65	X(S/T-with cantilever spring type engine rear support)	C1DZ 6B056-B	1	1		SPRING - REAR SUPPORT - approx. 11 15/32"long
65	X(4 speed trans.)	★C2DZ 6B056-A	1			Not replaced
65	X(S/T with interlock)	C3DZ 6B056-A	1	1		
65	X(C4 trans.)		1	1		
65	X	373889-S(BB429)	2			Bolt (spring to housing)-3/8"-16 x 1 1/4"
		6A061				INSULATOR ASSY. - REAR SUPPORT REBOUND
65	X(w/cantilever spring type engine rear support)	C1DZ 6A061-A	1	1		Lower
66	U- "Before Ser. 886,001"	C6TZ 6A061-B	1			Crossmember (6A023) to transfer case
66/	U- "From Ser. 886,001"	C6TZ 6A061-D	1			Crossmember (6A023) to transfer case
66/	U	C6TZ 6A061-A	2			Lower
66/	U	383406-S100 (MM-173-MY)	1			Nut-3/8"-16 (attach 6A061 to 6A023)
65	X(with cantilever spring type engine rear support)	375412-S(BB513E)	1			Bolt (insulator to support)-3/8"-24 x 2.38"-hex. shoulder lock
65	X(with cantilever spring type engine rear support)	375390-S(XX203A)	1			Washer-flat
65	X(with cantilever spring type engine rear support)	375391-S2(MM208)	1			Retainer assy. (nut)-3/8"-24
65/70	X(4 speed trans.)	377785-S100 (BB513F)	1			Bolt (insulator & 6B056 spring to 6068 insulator and 6A023 support)
65/68	B, F, X	C1DZ 6065-E	2	2		BOLT - CYLINDER HEAD - right front & 3rd from rear right side-7/16"-14 x 4 3/8" hex. head nylon lock
66/68	U		1			No. 5-R. H. side
69/70	B, F, X -"Before 6/15/70"		1		1	R. H. front bolt hole
69/	U		1			R. H. No. 3 position from rear bolt hole
70/	P		1	1	1	R. H. front bolt hole
70/	B, F, X-w/A/C "From 6/15/70"			1	1	R.H. Front
65/	B, F, X	⊕C1GY 6065-A	1	1	1	Left rear - 7/16" - 14 x 3.06"
70/	P		1	1		
65/68	B(A/C)	C3OZ 6065-A	2	2		7/16"-14 x 3 1/16"-overall length 4 13/32"-used
65/70	X(A/C)		2			in No. 3 position with C3DZ 2882-A bracket
66/	U	C1DZ 6065-B	13			Except No. 5-R. H. side-7/16"-14 x 3 5/32"
65/70	B, F, P, X "Before 6/15/70"		12	12	12	Except right front & 3rd from rear right side
70/	B, F, P w/A/C- "From 6/15/70"		13	13	13	
70/	B, F, P w/o A/C- "From 6/15/70"		14	14	14	
69/	B, F, P				14	Crankshaft main bearing cap bolt
		6068				INSULATOR ASSY. - REAR SUPPORT-refer to Rear Motor Mount Chart (Group 6A023)
66/67	B, X	C6OZ 6070-A	2	2		PLATE - REAR SUPPORT - approx. 4 3/4" long-3 5/16" wide
68/71	B(76)			2	2	
66/	U	★C6TA 6070-C	2			Sheet steel-2 1/2" square-5/8" center hole-dealer improvise
68/71	B, X	C8OZ 6070-A	1	1	1	R. H.
		C8OZ 6070-B	1	1	1	L. H.
65/		C1DZ 6079-B	1			GASKET SET - VALVE GRIND
	Consists of					
	1-C0DE 6051-C Gasket (cylinder head)					1-D0DZ 6584-A Gasket (rocker arm cover)
	12-D2DZ 6571-A Seal (valve stem)					1-C9AZ 8255-A Gasket (water outlet)
65/		C3OZ 6079-B		1		
	Consists of					
	1-C9DZ 6051-A Gasket (cyl. head)					1-D0DZ 6584-A Gasket (rocker arm cover)
	12-D2DZ 6571-A Seal (valve stem)					1-C9AZ 8255-A Gasket (water outlet)
69/		C9OZ 6079-A			1	
	Consists of					
	1-C9DZ 6051-B Gasket (cylinder head)					1-D0DZ 6584-A Gasket (rocker arm cover)
	12-D2DZ 6571-A Seal (valve stem)					1-C9AZ 8255-A Gasket (water outlet)

⊕ Use in place of C1DE 6065-B or C1DZ 6065-B when required

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
68/71		CC2AF 6B080-A	1	1		"O" RING - CYL. BLOCK HEATER - use with C7AE 6D008-A heater kit
65/70	B(P/S, C4, extra cooling)	★C2OE 6B089-A	2	2		SPACER - TIMING POINTER-serviced in C2OZ 3A635-B kit-used as spacer between 6023 & 6019
65/70	F(P/S and/or A/C)		2	2		
65/70	X(P/S and/or A/C)		2	2		
66/	B, F, X, U(T/E)		2	2		
		6096				BRACKET - REAR SUPPORT - refer to Rear Motor Mount Chart (Group 6A023)

♦ 6108 PISTON ASSEMBLY - CHART

In the Standard column of the chart below (R) designates red size - (B) designates blue size. Red size and blue size are optional for selective fit.

YEAR	MODEL	C.I.D.	RINGS	INCL.	QTY.	PART NUMBER STANDARD	.003" O/S	.020" O/S	.030" O/S	.040" O/S	.060" O/S
65/		170	3		6	C5DZ 6108-A(R) C5GY 6108-D(B)	C5DZ 6108-K	C5DZ 6108-B	C5DZ 6108-C	C5DZ 6108-D	C2OZ 6108-K
65/		200, 250	3	Δ	6	C9DZ 6108-A(R) C9DZ 6108-B(B)	C9DZ 6108-C	C9DZ 6108-D	C9DZ 6108-E	C9DZ 6108-F	

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
		6120				EXTENSION - REAR SUPPORT - refer to Rear Motor Mount Chart (Group 6A023)
65/		B2AZ 6135-A	6	6	6	PIN - PISTON - # Green-.9121" O.D. -.600" I.D. - 3.023" long-std.
		B2AZ 6135-B	6	6	6	.001" O/S

6148 RING SET - PISTON PARTIAL - CHART

(Consists of the necessary rings to re-ring (2) pistons)

YEAR	MODEL	C.I.D.	RINGS	TYPE	PART NUMBER STANDARD	.020" O/S	.030" O/S	.040" O/S	.060" O/S
65/67		170	3	Hi Lo	C0DZ 6148-F	C0DZ 6148-G	C0DZ 6148-H	C0DZ 6148-J	C0DZ 6148-E
68/		170	3	Hi Lo	C0DZ 6148-F	C0DZ 6148-G	C0DZ 6148-H	C0DZ 6148-J	C0DZ 6148-K
65/		200, 250	3	Hi Lo	C3OZ 6148-E	C3OZ 6148-F	C3OZ 6148-G	C3OZ 6148-H	

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
65/		C3OZ 6200-B	6	6		ROD ASSY. - CONNECTING
69/		C9DZ 6200-A			6	

6211 BEARING - CONNECTING ROD - CHART

YEAR	MODEL	C.I.D.	UPPER	LOWER	PART NUMBER and SIZE STANDARD	.002" U/S	.010" U/S	.020" U/S	.030" U/S
65/		170, 200, 250	6	6	C3OZ 6211-G	C3OZ 6211-H	C3OZ 6211-J	C3OZ 6211-K	C3OZ 6211-L
65/70	• Unique competition part	170, 200	6	6	D1DZ 6211-A				

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
65/		C3DZ 6212-A	12	12	12	NUT - CONNECTING ROD-5/16"-24-hex.
65/		C3AZ 6214-A	12	12	12	BOLT - CONNECTING ROD-5/16"-24 x 2.08"
66/	U	C0DZ 6250-B	1			CAMSHAFT - #GABC - mechanical tappets-cast iron-14 tooth distributor gear
65/	B, F, P, X	C7OZ 6250-A	1	1		Hydraulic tappets-# VD or BC-14 tooth
69/71		C9DZ 6250-A			1	Hydraulic tappets #BD
72	Except Calif.				1	
72	Calif.	D2DZ 6250-A			1	# OG

♦ 6110 is a casting number and generally cannot be cross referenced to a service number. It will be used as a means of identification only when casting number is unique to only one 6108 assembly. Δ Includes piston pin

Identification marking • Refer to appropriate muscle parts catalog

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
65/		C5OZ 6A251-A	1	1	1	BEARING KIT - CAMSHAFT - standard
	Consists of 1-C9DZ 6261-B Front 1-C0DE 6263-B Rear	1-C0DZ 6267-B Front Intermediate 1-C0DE 6270-B Rear Intermediate				1-C5AZ 6026-G Plug
65/	B,F,P,U,X	C0DE 6256-A	1	1		SPROCKET - CAMSHAFT - cast iron - 38 teeth
69/	B,F(exc.F Economy 1/B,A/T)	C9DZ 6256-A			1	Cast iron-42 teeth
70/	P				1	
69	F(Economy 1/B,A/T)	C9DZ 6256-B			1	Cast iron-42 teeth
65/		373118-S(NN54)	1	1	1	Pin-dowel (sprocket to camshaft)-1/4" dia. x .31" long
65/		371643-S(BB296)	1	1	1	Bolt (sprocket to camshaft)-7/16"-14 x 1 1/8"
		34808-S8(X67)	1	1	1	Lockwasher-7/16"

6261, 6263, 6267 & 6270 BEARING - CAMSHAFT - CHART

YEAR	MODEL	C.I.D.	SIZE	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
65/		170,200, 250	Standard .015" U/S	C9DZ 6261-B C9DZ 6261-C	C0DE 6267-B C0DE 6267-C		C0DE 6270-B C0DE 6270-C	C0DE 6263-B C0DE 6263-C

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
65/		C0DZ 6265-A	1	1	1	SPACER - CAMSHAFT GEAR OR SPROCKET - 1.010" I.D. x 1.36" I.D.-.165" thick
		6267				Refer to Camshaft Bearing Chart (Basic No.6261-63)
65/		C0DE 6268-A	1	1		CHAIN - TIMING-50 links
69/		C9DZ 6268-A			1	
69/71	• Unique competition part	D1DZ 6268-A			1	CHAIN and SPROCKETS KIT - TIMING
	Consists of 1-D1DE 6256-AA 1-D1DE 6306-A1A or A2A	Sprocket camshaft Sprocket crankshaft				1-D1DE 6268-A1A or A2A Timing chain
65/		C0DE 6269-A	1	1	1	PLATE - CAMSHAFT THRUST-(2)11/32" bolt/stud holes-(1)1.43" dia. center hole-3.52" overall length-.160" thick
65/		20326-S7(B49)	2	2	2	Bolt (camshaft thrust plate to cylinder block)-5/16"-18 x 5/8"
65/		34806-S7(X64)	2	2	2	Washer-5/16"
		6270				Refer to Camshaft Bearing Chart (Basic No.6261-63)
65/		C3AZ 6278-A	1	1	1	WASHER - CAMSHAFT SPROCKET-1.26" O.D.-.46" I.D.-.25" thick
69/		C9DZ 6284-A			1	DAMPER ASSY. - TIMING CHAIN VIBRATION
65/		C0DZ 6A302-A	1	1	1	PIN - CRANKSHAFT REAR OIL SEAL-.095" O.D.-.31" long-pointed
		6303				CRANKSHAFT ASSY.
65/		C2DZ 6303-A	1			29.005" overall length
65/		C5OZ 6303-A		1		7 main bearings
69/		C9DZ 6303-A			1	7 main bearings-#2H
65/		C0DZ 6306-A	1	1		SPROCKET - CRANKSHAFT-19 teeth-used with or without slinger
69/		C9DZ 6306-A			1	21 teeth
65/		372854-S(LL11)	1	1		Key-3/16" x 1.75"
69/		379153-S(LL11A)			1	Key-3/16" x 1.72"
65/66		C0DE 6310-A	1	1		SLINGER-CRANKSHAFT OIL-3.52" O.D.-1.258" I.D.
69/		C9DZ 6310-A			1	3.18" O.D.-1.381" I.D.
		6312				PULLEY ASSY. - CRANKSHAFT - Also refer to Basic No.6A312
65/	Without A/C	†C2DZ 6312-A	1	1		Single sheave-5 55/64" dia. pulley-1 49/64" long
69/71		D2DZ 6312-A			1	#D2DE 6316-A1A or A2A-double sheave pulley-
72	Calif.				1	6 15/16" O.D.-replaces pully ident. C9DE 6316-A
72	Except Calif.		1	1		
68/71		D2DZ 6312-B	1	1		Replaces pulley ident. C8DE 6316-A - double sheave
72	Calif.		1	1		
72	Except Calif.				1	

Identification marking † Includes damper

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
65/71	B(P/S, X/C)	†C2DZ 6A312-A	1	1		PULLEY ASSY. - CRANKSHAFT-OUTER-single
65/67	B(with 40.52,53 & 60 amp.alt.)		1	1		sheave-5 29/32" pulley diam. -(3) holes equally
65	F(P/S)		1			spaced-Also refer to Basic No. 6312
65	X(P/S)		1	1		
66/67	B, F, X(R/A cover em/re, P/S)-exc. A/C		1	1		
66/67	F, X(T/E, Std. Steering)-except A/C		1	1		
66/67	B (Std. Steering, 38 amp. alt., T/E)			1		
65/67	B(A/C)	†C2OZ 6A312-A	1	1		Single sheave
65/67	F, X(A/C and/or P/S)		1	1		
68	X(P/S with or without A/C)	C8DZ 6A312-A	1	1		Single sheave-5 1/4" pulley diameter
70/	P(P/S with or without A/C)		1	1		
68	F(P/S with or without A/C)			1		
69/70	F(P/S)			1		
69/	P/S	C9ZZ 6A312-A			1	#C9ZE 6312-A-single sheave-6 15/32" dia. - uses 3/8" belt
65/67	X(A/C)	C0DZ 6A312-A	1			Double sheave-6 1/16" pulley diam. -2. 39" long

6333,6337 & 6342 BEARING-CRANKSHAFT MAIN-CHART

In the size column of the chart below (R) designates red size - (B) designates blue size.
Red size and blue size are optional for selective fit.

6 CYLINDER ENGINES 4 MAIN BEARINGS

YEAR	MODEL	C.I.D.	SIZE	UPPER	LOWER	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
65/		170	Std.	x	x	C1DZ 6333-A	C1DZ 6333-A		C1DZ 6337-A	C1DZ 6333-A
			.001"			C1DZ 6333-B	C1DZ 6333-B		C1DZ 6337-B	C1DZ 6333-B
			.002"			C1DZ 6333-C	C1DZ 6333-C		C1DZ 6337-C	C1DZ 6333-C
			.010"			C1DZ 6333-D	C1DZ 6333-D		C1DZ 6337-D	C1DZ 6333-D
			.020"			C1DZ 6333-E	C1DZ 6333-E		C1DZ 6337-E	C1DZ 6333-E
			.030"			C1DZ 6333-F	C1DZ 6333-F		C1DZ 6337-F	C1DZ 6333-F

6 CYLINDER ENGINES 7 MAIN BEARINGS

YEAR	MODEL	C.I.D.	SIZE	UPPER	LOWER	FRONT (1)	FRONT INTERMEDIATE (2)	FRONT INTERMEDIATE (3)	CENTER (4)	REAR INTERMEDIATE (5)	REAR INTERMEDIATE (6)	REAR (7)
65/		200	Std.	x	x	C1DZ 6333-A	C1DZ 6333-A	C1DZ 6333-A	C1DZ 6333-A	C1DZ 6337-A	C1DZ 6333-A	C1DZ 6333-A
			.001"			C1DZ 6333-B	C1DZ 6333-B	C1DZ 6333-B	C1DZ 6333-B	C1DZ 6337-B	C1DZ 6333-B	C1DZ 6333-B
			.002"			C1DZ 6333-C	C1DZ 6333-C	C1DZ 6333-C	C1DZ 6333-C	C1DZ 6337-C	C1DZ 6333-C	C1DZ 6333-C
			.010"			C1DZ 6333-D	C1DZ 6333-D	C1DZ 6333-D	C1DZ 6333-D	C1DZ 6337-D	C1DZ 6333-D	C1DZ 6333-D
			.020"			C1DZ 6333-E	C1DZ 6333-E	C1DZ 6333-E	C1DZ 6333-E	C1DZ 6337-E	C1DZ 6333-E	C1DZ 6333-E
			.030"			C1DZ 6333-F	C1DZ 6333-F	C1DZ 6333-F	C1DZ 6333-F	C1DZ 6337-F	C1DZ 6333-F	C1DZ 6333-F
69		250	Std.	x		D0TZ 6333-C	D0TZ 6333-C	D0TZ 6333-C	D0TZ 6333-C	D0TZ 6337-C	D0TZ 6333-C	D0TZ 6333-C
			.001"			D0TZ 6333-D	D0TZ 6333-D	D0TZ 6333-D	D0TZ 6333-D	C9DZ 6337-B	D0TZ 6333-D	D0TZ 6333-D
			.002"			D0TZ 6333-E	D0TZ 6333-E	D0TZ 6333-E	D0TZ 6333-E	D0TZ 6337-E	D0TZ 6333-E	D0TZ 6333-E
			.010"			D0TZ 6333-F	D0TZ 6333-F	D0TZ 6333-F	D0TZ 6333-F	D0TZ 6337-F	D0TZ 6333-F	D0TZ 6333-F
			.020"			D0TZ 6333-G	D0TZ 6333-G	D0TZ 6333-G	D0TZ 6333-G	D0TZ 6337-G	D0TZ 6333-G	D0TZ 6333-G
			.030"			D0TZ 6333-H	D0TZ 6333-H	D0TZ 6333-H	D0TZ 6333-H	D0TZ 6337-H	D0TZ 6333-H	D0TZ 6333-H
70/		250	Std.	x		D0TZ 6333-C	D0TZ 6333-C	D0TZ 6333-C	D0TZ 6333-C	D0TZ 6337-C	D0TZ 6333-C	D0TZ 6333-C
			.0952"									
			.001"			D0TZ 6333-D	D0TZ 6333-D	D0TZ 6333-D	D0TZ 6333-D	D0TZ 6337-D	D0TZ 6333-D	D0TZ 6333-D
			.002"			D0TZ 6333-E	D0TZ 6333-E	D0TZ 6333-E	D0TZ 6333-E	D0TZ 6337-E	D0TZ 6333-E	D0TZ 6333-E
			.010"			D0TZ 6333-F	D0TZ 6333-F	D0TZ 6333-F	D0TZ 6333-F	D0TZ 6337-F	D0TZ 6333-F	D0TZ 6333-F
			.020"			D0TZ 6333-G	D0TZ 6333-G	D0TZ 6333-G	D0TZ 6333-G	D0TZ 6337-G	D0TZ 6333-G	D0TZ 6333-G
			.030"			D0TZ 6333-H	D0TZ 6333-H	D0TZ 6333-H	D0TZ 6333-H	D0TZ 6337-H	D0TZ 6333-H	D0TZ 6333-H

Identification marking † Includes damper

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

6333,6337 & 6342 BEARING-CRANKSHAFT MAIN-CHART - continued

YEAR	MODEL	C.I.D.	SIZE	UPPER	LOWER	FRONT (1)	FRONT INTERMEDIATE (2)	FRONT INTERMEDIATE (3)	CENTER (4)	REAR INTERMEDIATE (5)	REAR INTERMEDIATE (6)	REAR (7)
69/		250	Std.		x	C5TZ 6333-AA	C5TZ 6333-AA	C5TZ 6333-AA	C5TZ 6333-AA	C9AZ 6337-A	C5TZ 6333-AA	C5TZ 6333-AA
			.001"			C5TZ 6333-AB	C5TZ 6333-AB	C5TZ 6333-AB	C5TZ 6333-AB	C9AZ 6337-B	C5TZ 6333-AB	C5TZ 6333-AB
			.002"			C9AZ 6333-C	C9AZ 6333-C	C9AZ 6333-C	C9AZ 6333-C	C9AZ 6337-C	C9AZ 6333-C	C9AZ 6333-C
			.010"			C5TZ 6333-AD	C5TZ 6333-AD	C5TZ 6333-AD	C5TZ 6333-AD	C6AZ 6337-J	C5TZ 6333-AD	C5TZ 6333-AD
			.020"			C5TZ 6333-AE	C5TZ 6333-AE	C5TZ 6333-AE	C5TZ 6333-AE	C6AZ 6337-K	C5TZ 6333-AE	C5TZ 6333-AE
			.030"			C9AZ 6333-F	C9AZ 6333-F	C9AZ 6333-F	C9AZ 6333-F	C9AZ 6337-F	C9AZ 6333-F	C9AZ 6333-F
65/70	• Unique competition part	170, 200	Std.	x	x	D1DZ 6333-A	D1DZ 6333-A	D1DZ 6333-A	D1DZ 6333-A	★ D1DZ 6337-A Not Replaced	D1DZ 6333-A	D1DZ 6333-A

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
65/		C1TE 6A340-B	1	1	1	BOLT - CRANKSHAFT PULLEY-9/16"-18 x 1 3/4" hex. head
		34810-S7-8(X69)	1			Lockwasher-9/16"
		6345				BOLT - CRANKSHAFT MAIN BEARING CAP - Also refer to Basic 6065
65/	B,F,P,X	D2DZ 6345-A	8	14	14	7/16"-14 x 2.70"
66/	U(except No. 3 cap)		7			
66/	U (No. 3 cap)	C6TZ 6345-B	1			7/16"-14 x 3.61"-also attach. oil inlet tube to block
69/	U	33799-S8(M52)	1			Nut-3/8"-16
69/	U	34807-S8(X66)	1			Lockwasher-3/8"
		6366				COVER ASSY. - FLYWHEEL HOUSING - Also refer to Group 7007
65	B, Taxi(H/D clutch)	C2OZ 6366-A	1			
65/68	B, Taxi (S/T & H/D 10 1/2" clutch)			1		
65/68		20310-S8(B48)	4	4		Bolt(bottom cvr.to flywheel hsg.)-5/16"-18x1/2"
		34806-S7(X64)	4	4		Lockwasher-5/16"
65/	A/T	C0DE 6A366-A	1	1		PLATE - FLYWHEEL REINFORCING-3 5/8"O.D.-23/64" I.D.-5/64" thick-(6) 29/64" holes
69/	A/T	C2OZ 6A366-A			1	
		6375				FLYWHEEL ASSY.
65	B, F, X(3/4/S/T)	C3DZ 6375-C	1	1		#C4OE 6380-B-10 3/4" dia. (6) 5/16"-18 pressure
66	F, X(3/4/S/T-8 1/2" clutch)		1	1		plate attaching holes on 9 3/8" bolt circle-
67	X(3/S/T-8 1/2" clutch)-exc. fully synchronized		1			includes 132 tooth ring gear
65/70	B, X(C4)	C3DZ 6375-B	1	1		Does not include ring gear-see Group 7902 or 7950
65/70	F(C4)		1	1		
70/	P (A/T)		1	1		
66/67	B, F, X(3/S/T-9" clutch)	C6DZ 6375-A		1		#C6DE 6380-A-includes 136 tooth ring gear-
66/	U		1			11 7/64" diam.-(6) 5/16"-18 pressure plate attach
67	X (fully synchronized)		1			holes on 10 1/4" bolt circle
68/70	B, F, X(3/S/T)		1	1		
70/	P (S/T)		1	1		
66/67	B, Taxi (S/T, 10 1/2" clutch	C6OZ 6375-C		1		#C7OE-B-157 tooth ring gear-(6) 5/16"-18 pressure plate attaching holes on 11 3/8" bolt circle
69/	B, F(S/T)	C9DZ 6375-A			1	#C9DE-A-157 tooth ring gear-13 9/32" diam.-(6) 5/16"-18 pressure plate attaching holes on 10 7/8" bolt circle
69/	B, F(A/T)(exc. F Econ. 1/B, A/T)	C9OZ 6375-A			1	Includes 157 tooth ring gear
70/	P(A/T)				1	
69	F (Economy 1/B, A/T)	C5TZ 6375-T			1	164 tooth ring gear
65/		C0DZ 6378-A	1	1	1	WASHER - CRANKSHAFT PULLEY RETAINING-1.76" O.D. - .58" I.D. - .230" thick
65/	B, F, X, U(S/T)	B8AZ 6379-A	6	6	6	BOLT - FLYWHEEL TO CRANKSHAFT - 7/16"-20 x 15/16"-A/T used w/6A366 plate
69/	B, F, X(A/T)		6	6	6	
70/	P		6	6	6	
72	B, F, P(A/T)	D2AZ 6379-B			6	7/16"-20 x 3/4"-used w/o 6A366 plate
65/68	X, B, A/T	C3AZ 6379-B	6	6		Bolt (plate to flywheel to crankshaft)-7/16"-20 x .84"-hex. head lock

Identification marking

• Refer to appropriate muscle parts catalog

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
65	B, F, X(S/T)	C0DE 6384-A	1	1		GEAR - FLYWHEEL RING-132 teeth-11.158"O.D.
66	F, X(3/4/S/T-8 1/2" clutch)		1	1		
67	X(3/S/T-8 1/2" clutch)-exc. fully synchronized		1			
65/67	B, Taxi(S/T & H/D clutch)	C2OZ 6384-B	1	1		157 teeth-13 1/4"O.D.
69/	B, F(S/T)				1	
66/67	B, F, X (3/S/T-9" clutch)	C6DZ 6384-A		1		136 teeth
67	X (fully synchronized)		1			
66/67	U(Std. or H/D 9" clutch)		1			
68/70	B, F, X, U(3/S/T)		1	1		
70/	P (S/T)		1	1		
71/	U		1			
65	F, X(3/S/T)	C3DZ 6392-D	1	1		HOUSING ASSY. - FLYWHEEL -
66	X		1			#C3DA 6394-B-aluminum-consists of (1)
67	X (except fully synchronized)		1			C3DA 6392-C housing & (1) D0DZ 7007-A plate - Also refer to Groups 7007, 7505 & 7975
65	B(S/T-except H/D clutch)	★C3OZ 6392-D Not replaced	1	1		#C3OA 6394-C-includes (1)C5DZ 7007-B plate
65/66	F, X(4/S/T)	C2DZ 6392-C	1	1		#C3DA 6394-A-aluminum-includes (1) C5DZ 7007-B plate
67/71	B, F, X(3/S/T-9" clutch)-fully synchronized	C7ZZ 6392-B	1	1		Includes C8OZ 7515-C lever
70/	P (3/S/T-9" clutch)		1	1		
65/68	B, Taxi(3/S/T-H/D 10 1/2" clutch)	C5OZ 6392-A		1		#C5OA 6394-A
66/67	B, F, X(3/S/T-9" clutch)-except fully synchronized	C6OZ 6392-A		1		#C6OA 6394-C-aluminum
69/	M/T	D2OZ 6392-A			1	Includes (1) C8OZ 7515-A lever assy.
65/68	X, B	20534-S8(B90)	4			Bolt (housing to cyl. block)-3/8"-16 x 2 1/4"
		34807-S7-8(X66)	4			Lockwasher-3/8"
69/	F, X, U	34807-S8(X66)	4	4		Lockwasher (housing to block)-3/8"
69/	F, X, U	45534-S2(B95)	2	2		Bolt (housing to block)-3/8"-16 x 3"
69/	B, F, P	20508-S8(B110)			2	Bolt (housing to block)-7/16"-14 x 1 3/4"
69/	B, F, P	34808-S2(X67)			6	Washer (housing to block)-7/16"
69/	F, X	20524-S7-8(B111)			4	Bolt (housing to block)-7/16"-14 x 2"
71	U	376058-S(BB157A)	4			Bolt (housing to block)-3/8"-16 x 1 1/2"
72	P, U(M/T)	34807-S8(X66)	4	4		Lockwasher (housing to block)-3/8"
70/	P, U(M/T)	58642-S2(B94Z)	2	2		Bolt (housing to block)-1/2"-13 x 3"
72	P(M/T)	304860-S(B90A)	2	2		Bolt (housing to block)-3/8"-16 x 2 1/4"
69/		EAD 6397-A			2	DOWEL - CYLINDER BLOCK - 1/2" x 1"-block to flywheel
66/	U	C4AZ 6500-B	12			TAPPET ASSY. - VALVE-mechanical-.8742"O.D.-1.85" long
65/	B, F, P, X	C8AZ 6500-A	12	12	12	Hydraulic-1.82" long

6505-07 VALVE-INTAKE and EXHAUST-CHART

YEAR	C.I.D.	MODEL	EXHAUST VALVE LENGTH	HEAD DIA.	STEM SIZE	STEM DIA.	PART NUMBER	INTAKE VALVE LENGTH	HEAD DIA.	STEM SIZE	STEM DIA.	PART NUMBER
65	170	F	4.19"	1.28"	Std.	.3094"	C0DE 6505-J	4.19"	1.53"	Std.	.3104"	C1DE 6507-A
					.003"	.3124"	C0DE 6505-L			.003"	.3134"	C1DE 6507-B
					.015"	.3244"	C0DE 6505-K			.015"	.3234"	C1DE 6507-C
					.030"	.3394"	C0DE 6505-M			.030"	.3404"	C1DE 6507-D
65/71	200,250		4.19"	1.38"	Std.	.3101"	D2DZ 6505-A	4.19"	1.65"	Std.		D2DZ 6507-A
65/71	170	P, U, X			.003"		C9DZ 6505-B			.003"		D2DZ 6507-B
					.015"		★C9DZ 6505-C R/B D2DZ 6505-C (9-74)			.015"		D2DZ 6507-C
					.030"		C9DZ 6505-D			.030"		★C5DZ 6507-D R/B D2DZ 6507-D (9-74)

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

6505-07 VALVE-INTAKE and EXHAUST-CHART - continued

YEAR	C.I.D.	MODEL	EXHAUST VALVE LENGTH	EXHAUST VALVE HEAD DIA.	EXHAUST VALVE STEM SIZE	EXHAUST VALVE STEM DIA.	EXHAUST VALVE PART NUMBER	INTAKE VALVE LENGTH	INTAKE VALVE HEAD DIA.	INTAKE VALVE STEM SIZE	INTAKE VALVE STEM DIA.	INTAKE VALVE PART NUMBER
72	170,200, 250	F,P,U	4.19"	1.39"	Std.	.3101"	D2DZ 6505-A	4.19"	1.65"	Std.	.3101"	D2DZ 6507-A
72	250	B(exc.P/C,Taxi)										
					.003"		D2DZ 6505-B			.003"		D2DZ 6507-B
					.015"		D2DZ 6505-C			.015"		D2DZ 6507-C
					.030"		D2DZ 6505-D			.030"		D2DZ 6507-D
72	250	B(Taxi,P/C)	4.26"	1.39"	Std.	.310"	D2DZ 6505-E	4.26"	1.65"	Std.	.310"	D2DZ 6507-E
					.003"		D2DZ 6505-F			.003"		D2DZ 6507-F
					.015"		D2DZ 6505-G			.015"		D2DZ 6507-G
					.030"		D2DZ 6505-H			.030"		D2DZ 6507-H

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
65/66	B,F,X,U-"Before 5/4/66" use with C1DZ 6531-A	ΔC0DE 6A508-A	1	1		COVER - VALVE ROCKER ARM FRONT SUPPORT OIL PASSAGE
		6510				BUSHING - VALVE GUIDE
65/		D1DZ 6510-A NOTE 1	AR	AR	AR	Intake & exhaust-1.88" long-.436"O.D.-.281"I.D.
66/	U	C0DE 6513-A	12			SPRING - VALVE-2" long-7.25 coils-1" I.D.
65/71	B,F,P,X	C3DZ 6513-A	12	12	12	1.79" long-1.014" I.D.-#Light Red
72			12	12		
72	Except Calif.				6	Intake
72	Except Calif.	D2DZ 6513-A			6	Exhaust-1.79"long-1.014"I.D.-#Green
72	Calif.				12	Intake & exhaust
65/71		C0DE 6514-A	12	12	12	RETAINER - VALVE SPRING-1.28" flange O.D.-.347" hole diameter-.420"overall height
72					6	Intake
72			12	12		
72		D2DZ 6514-A			6	Exhaust-1.32"flange O.D.-.411" overall height
65/71		B3Q 6515-A	AR	AR	AR	SPACER - VALVE SPRING-1.36" O.D.-1"I.D.-.030" thick
65/71		C0DE 6517-A	12	12	12	SLEEVE - VALVE SPRING RETAINER-
72			12	12		.720" & .520" O.D.-.36" overall height
72					6	Intake only
65/		C0DE 6518-A	24	24	24	KEY - VALVE SPRING RETAINER - .380" height -#Green
65/		C1DZ 6A527-C	6	6	6	BOLT - VALVE ROCKER ARM SHAFT SUPPORT-3/8"-16 x 2 31/32"
		370347-S(XX314)	6	6	6	Washer-3/8"
65/		C1DZ 6531-A	6	6	6	SUPPORT KIT - VALVE ROCKER ARM SHAFT
	Consists of 1-D2DE 6531-AA Support					1-370347-S Flat washer-3/8"
65	F	B6A 6549-C	12			SCREW - VALVE ROCKER ARM ADJUSTING -
66/	U		12			standard-7/16"-20 x 1.40" long
		C2AZ 6549-A	AR			.0023" O/S
66/	U	C0DZ 6563-A	1			SHAFT - VALVE ROCKER ARM-23.94"long-includes (2) EAA 6572-A plugs
65/	B,F,P,X	C3DZ 6563-A	1	1	1	Use w/hyd. tappets-includes(2)EAA 6572-A plugs
		6564				ARM - VALVE ROCKER
65/	B,P,X	C4DZ 6564-A	12	12	12	
65/	F			12	12	
65	F	C0DZ 6564-A	12			Includes screw
66/	U		12			
65	F	C0DE 6565-B	12			ROD - VALVE PUSH-approx. 8 1/8" long-(1) ball &
66/	U		12			(1) cup type end
65/	B,P,X	C4DZ 6565-A	12	12		Standard-8.35" long
65/70	F			12		
		C4DZ 6565-B	12	12		.060" O/S
		C4DZ 6565-C	12	12		.060" U/S
69/71		C9DZ 6565-A			12	9.32" long
		C9DZ 6565-B			AR	.060" O/S
		C9DZ 6565-C			AR	.060" U/S
72		D2DZ 6565-A			12	9.37"long

\# Identification marking Δ Not used from 5/4/66 NOTE 1 - Bushing must be reamed to size of valve

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
		6571				SEAL - VALVE STEM
65/		D2DZ 6571-A	12	12	12	Use with std. size valves
65/		D2DZ 6571-B	12	12	12	Use with O/S valves
65/		EAA 6572-A	2	2	2	PLUG - VALVE ROCKER ARM SHAFT-cup shaped .536" diameter
		6582				COVER ASSY. - VALVE ROCKER ARM
65/70		C3DZ 6582-H	1	1	1	Includes (1) 378727-S installed grommet
71/	U	D1DZ 6582-A	1			
71/	B,F,P	D1DZ 6582-B	1	1	1	
65/71		20324-S8(B41)	7			Bolt (cover to cyl. head)-1/4"-20 x 5/8"
		34805-S8(X62)	7			Lockwasher-1/4"
72		356748-S	6	6	6	Screw & washer-1/4"-20 x 5/8(attach 6582 to 6049)
65/		D0DZ 6584-A	1	1	1	GASKET - VALVE ROCKER ARM COVER-cork & rubber
65/70		C0DZ 6584-C	1	1	1	Cork & rubber-optional with D0DZ 6584-A
65/		C0DE 6587-A	5	5	5	SPRING - VALVE ROCKER ARM TO SHAFT LOCATING-2.10"free length-6 coils-.80" I.D.
65/		C0DE 6598-A	2	2	2	WASHER - VALVE ROCKER ARM SHAFT - spring 1.12" O.D.-.80" I.D.-.015" thick
65/71		372929-S(NN103)	2	2		Pin-spring-1/8" x 1 1/8"
		6600				PUMP ASSY. - OIL - less screen tube and cover
65	F	C4DZ 6600-A	1			Includes (1) C0DZ 6626-A gasket-use with C4DZ 6A618-A shaft
65/	B,X,P	C5DZ 6600-A	1	1		Includes & used with (1) C0DZ 6626-A gasket
65/70	F			1		
69/		C9DZ 6600-A			1	Includes (1) C9DZ 6626-A gasket
65/		20386-S8(B53)	2	2	2	Bolt (pump to block)-5/16"-18 x 1"
66/		34806-S7(X64)	2	2	2	Lockwasher-5/16"
69/		378644-S(NN61B)	1	1	1	Dowel-split (pump to block)-1/2" x 13/32"
65/	Converts to high volume-for all off highway operations	★D1DZ 6600-A	1	1		CONVERSION KIT - OIL PUMP

Consists of

1-D1DE 6616-AA	Cover plate	1-57626-S	Screw & l/washer-1/4"-20 x 1 1/2"
1-D1DE 6622-AA	Screen & cover assy.	1-57638-S	Screw & l/washer-5/16"-18 x 1 3/4"
1-D1DE 6625-AA	Gasket-inlet tube	1-C2DZ 6666-A	Plug
1-D1DE 6670-AA	Spring-relief valve	1-Instruction sheet	

65/67	All(exc.Calif.)	D0AZ 6A603-G (EK-6-A)	1	1		EMISSION CONTROL KIT - EXHAUST

Consists of

1-D0AE 12A091-C	Valve assy.dist.	1-D2AE 9C485-AA	Tag eng.exh.emission I.D.
1-D0AE 12226-J	Hose dist.vac.3" long	1-ESB M4G92-A	Sealer, silicone rubber
1-Instruction sheet			

		6608				ROTOR and SHAFT ASSY. - OIL PUMP DRIVE
65	F	C4DZ 6608-A	1			Use with C4DZ 6A618-A shaft
65/	B,X,P,U	C5DZ 6608-A	1	1		5/16" drive-2.53" long-use with C5DZ 6A618-A
65/70	F			1		
69/		C9DZ 6608-A			1	
65/		C3DZ 6616-A	1	1		PLATE - OIL PUMP BODY
69/		B8A 6616-C			1	
65/		370519-S(BB125)	3	3		Bolt (cover plate to body)-1/4"-20 x 7/8"
		34805-S8(X62)	3			Lockwasher-1/4"
69/		42911-S(B41A)			4	Bolt (cover plate to pump)-1/4"-20 x 5/8"
		6A618				SHAFT ASSY. - OIL PUMP INTERMEDIATE
65	F	C4DZ 6A618-A	1			4 1/2" long-use with C4DZ 6600-A pump
65/	B,X,P,U	C5DZ 6A618-A	1	1		5.14" long-5/16" hex. drive
65/70	F			1		
69/		C9DZ 6A618-A			1	5/16" hex 4 13/16" long

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
		6622				SCREEN, TUBE and COVER ASSY. - OIL PUMP - Also refer to Group 6345
65	F	C4DZ 6622-A	1			
65/70	B, X	C5DZ 6622-A	1	1		
65/70	F			1		
70/	P		1	1		
69/		C9DZ 6622-A			1	
66/70	U	C6TZ 6622-B	1			
71/	U	D1TZ 6622-B	1			
65/68	X	20346-S8(B50)	1			Bolt (screen to oil pump)-5/16"-18 x 3/4"
69/		20386-S8(B53)			2	Bolt (screen & cover to pump)-5/16"-18 x 1" hex.hd.
69/		34806-S7(X64)	AR	AR	AR	Washer-5/16"
69/		358805-S(BB561)	1	1		Screw & washer (screen & cover to pump)-5/16"-18 x 1 1/4"
69/		371065-S(BB549)	1	1		Bolt (screen & cover to pump)-5/16"-18 x 5/8" hex. washer hd.
71/	U	34807-S8(X66)	1			Washer-3/8"
		6626				GASKET - OIL PUMP INLET TUBE
65/		C0DZ 6626-A	1	1		.010" thick
69/		C9DZ 6626-A			1	
		6A664				HOSE - CRANKCASE VENTILATION Also refer to Basic No. 6853
						Intake Manifold Type
		C9PZ 6A664-A (KCV-1)	AR	AR	AR	15/32" I.D. -25 ft. long-cut as required
		C9PZ 6A664-B (KCV-2)	AR	AR	AR	5/8" I.D. - 25 ft. long-cut as required
69	B, F, X	BPA 18572-A	AR	AR	AR	Clamp-hose
						Rocker Arm Cover Type
65/68	B, F, X, U "Before Chg. /L9"	★C3DE 6A664-B	1	1		26 1/4" long-attach 6A666 to manifold-cut from
69	U		1			B4C 4090-A bulk hose
68/71	B, F, X "Chg. /L9/"	C8DZ 6A664-B	1	1		27" long-attach 6A664 to manifold
70	U		1			
69/70	B, F, X	C9DZ 6A664-A	1	1	1	1/2" one end 3/8" other end-27 1/2" long
70	P		1	1	1	
71/	B, F, P, U	D1DZ 6A664-A	1	1	1	1/2" I.D. -3/8" I.D. other end-15 1/2" long-attach P.C.V. valve to carb. spacer
65/70		379001-S7(H-191L)	1	1		Nipple-3/8"-attach 6A664 to manifold
69		97329-S35(E6)	1	1	1	Clamp-hose (attach. hose to valve) & (attach. hose to carb.)
65/		C2DZ 6666-A	1	1		PLUG - OIL PUMP RELIEF VALVE - in oil pump body-cup type-.558" & .572" O.D.-.20" height
69/		C5AZ 6666-A			1	
65/70		72070-S(N46)	1	1		Cotter pin-3/32" x 1 1/2"
		6A666				VALVE - POSITIVE CRANKCASE VENTILATION - (P.C.V.)
65/67	B, F, X, U(R/A cover em/re)-	D0DZ 6A666-A	1	1		
68	B, F, X, U(Imco)	(EV-49)	1	1		
70/			1	1	1	
68	B, F, X, U(T/E)	C8OZ 6A666-A		1		
69	F, X, U(S/T)	(EV-43)	1	1		
69	B, F, F-Economy 1/B				1	
69	X(A/T)	C9DZ 6A666-A	1			
69	F, X(A/T)	(EV-47)		1		
65/69	X	★375540-S2	1			Clip (valve to tube)-5/16" x 1/2" tube-use w/elect. w/s wiper & emission reduction-dlr. improvise
65/		B8A 6670-A	1	1		SPRING - OIL PUMP RELIEF VALVE - rotor type pump-14 coils-approx. 1.89" free length-.468" O.D.
69/		C5AZ 6670-A			1	
65/		B9AE 6674-B	1	1		PLUNGER - OIL PUMP RELIEF VALVE - 1.81" long-.4933" O.D. for .77"-.18" O.D. for 1"
69/		C5AZ 6674-A			1	

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
65/	B,F,P,X	C4DZ 6675-B	1	1		PAN ASSY. - OIL - includes (1) C2DZ 6750-B & (1) C2DZ 6754-A
66/70	U	C6TZ 6675-A	1			7 quart capacity
71/	U	D1TZ 6675-D	1			#D1TE 6675-AB
69/		C9DZ 6675-A			1	
65/68		20324-S8(B41)	18			Screw (oil pan to cyl. block)-1/4"-20 x 5/8"
		34805-S8(X62)	18			Lockwasher-1/4"
65/68		20346-S7(B50)	2			Bolt (pan to block)-5/16"-18 x 3/4"
		34806-S7(X64)	2			Lockwasher-5/16"
65/68		20346-S7(B50)	2			Bolt (pan to cyl. front cover)-5/16"-18 x 3 1/4"
		34806-S7(X64)	2			Lockwasher-5/16"
69/		373071-S7(BB554M)	AR	AR	AR	Screw & lockwasher (oil pan to cyl. block & oil pan to front cover)-1/4"-20 x 5/8"
69/		42847-S7-8(U14)	2	2	2	Screw & washer (oil pan to block & oil pan to cover)-5/16"-18 x 1"
65/		C0DE 6700-A	1	1		SEAL - CYLINDER FRONT COVER OIL - 2.378" O.D. -1.750" I.D. -.437" thick
69/		C3AZ 6700-A			1	
65/		C9OZ 6701-A	2	2	2	PACKING - CRANKSHAFT REAR - rope type
65/		C9AZ 6701-B	2	2		Split lip-type
69/		◊C9ZZ 6701-A			2	Split lip type
		6710-11				GASKET - OIL PAN-supplied only in 6781 gskt. set
		6722-23				SEAL - OIL PAN-supplied only in 6781 gasket set
65/		★D1AZ 6730-A R/B D1AZ 6730-B (11-74)	1	1	1	PLUG - OIL PAN DRAIN
65/	B,F,P,X,U	☆C1AZ 6731-A (FL-1)	1	1	1	ELEMENT ASSY. - OIL FILTER-"Spin-on" one piece filter-has 3/4"-16 female threads
65/	B, F, P, U, X	♦CC1AZ 6731-A (FL-1)	1	1	1	"Spin-on" type
65/68	B(Taxi)	†C1TZ 6731-D (FL-147)	1	1		Used with cartridge type oil filter
	Consists of 1-C0TE 6744-A Element or 1-D4PJ 6744-AA Element					2-EAA 6746-A Gasket 1-EAA 6749-A Gasket 1-EAA 6838-A Gasket
65/		C2OZ 6734-A	1	1	1	GASKET - OIL PAN DRAIN PLUG - #nylon-13/16" O.D. -1/2" I.D. -5/64" thick
65/68	B(Taxi)	B2A 6741-A	1	1		BOLT and VALVE ASSY. - OIL FILTER CENTER-used with cartridge type oil filter
65/68	B(Taxi)	★EAA 6746-A	1	1		GASKET - OIL FILTER ELEMENT - 1.24" O.D. -.72" I.D. -.12" thick-supplied in 6731 kit-used with cartridge type oil filter
65/68	B(Taxi)	EAA 6749-A	2	2		GASKET - OIL FILTER CENTER BOLT TO ADAPTER & COVER-1.18" O.D. -.77" I.D. -.06" thick-used with cartridge type oil filter
		6750				INDICATOR - OIL LEVEL
65/	B,F,P,X	C2DZ 6750-B	1	1		10.42" shield to full 11.14" shield to add 12.00" shield to end
66/70	U	C6TZ 6750-B	1			14.39" shield to full 14.81 shield to add 15.81" shield to end
71/	U	D1TZ 6750-A	1			14.33" shield to full 14.98" shield to add mark 15.81" shield to end
69/72	"Before 8/27/71"	★C9DZ 6750-A R/B D2DZ 6750-A (10-74)			1	12.04" shield to full 12.74" shield to add 1 mark 13.36" shield to add 2 mark 14.28" shield to end
72	"From 8/27/71"	D2DZ 6750-A			1	12.36" shield to full 13.17" shield to add 1 mark 13.81" shield to add 2 mark 14.73" shield to end

† When used on 170 Engine use C2OZ 6838-A in place of EAA 6838-A # Identification marking

☆ U.S. only ♦ Canada only ◊ When using C9ZZ 6701-A remove pin from M, B cap

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 170	200	250	PART NAME AND DESCRIPTION
65/68	B(Taxi)	B4A 6751-B	1			DIAPHRAGM - OIL FILTER-4.68" O.D.-used with cartridge type oil filter
65/	B,F,P,X	C2DZ 6754-A	1	1	1	TUBE ASSY. - OIL LEVEL INDICATOR-3.74" long-must be used with C4DZ 6675-A pan & C2DZ 6750-A indicator
66/	U	C6TZ 6754-B	1			Includes bracket
65/67		C0DE 6758-A	1	1		TUBE - CRANKCASE VENTILATION- non-emission reduction-attaches to cyl. block-approx. 13"-includes bracket- Also refer to Basic No's 6A664 & 6853
		6766				CAP ASSY. - OIL FILLER and BREATHER
65		B6AZ 6766-A	1	1		Emission or non-emission
65/70		C4TZ 6766-B (EC-31)	1	1	1	Closed system rocker arm cover type- or thermactor type-#Black-optional with C5ZZ 6766-D
		C5ZZ 6766-D (EC-10)	1	1	1	Closed system rocker arm cover type-#Chrome-optional with C4TZ 6766-B
71/		D1AZ 6766-A (EC-8-A)	1	1	1	#Black
72		D1ZZ 6766-A (EC-508)	1	1	1	# Chrome-optional w/specified black cap
		6767				ELBOW - CRANKCASE VENTILATION HOSE
71/		C8AZ 6767-A	1	1	1	90° - 5/8" - Filler cap to hose - Also refer to Basic No. 9600
		6781				GASKET SET - OIL PAN
65/		D0DZ 6781-A	1	1		
	Consists of 1-C9DE 6710-C Gasket (R.H.) 1-C9DE 6711-C Gasket (L.H.)					1-D3DE 6722-AA Seal (front) 1-D3DE 6723-AA Seal (rear) 1-C2OZ 6734-A Gasket (oil drain plug)
69/		D0DZ 6781-B			1	
	Consists of 1-C9DE 6710-D Gasket (R.H.) 1-C9DE 6711-D Gasket (L.H.)					2-D3DE 6722-BA Seal (front & rear) 1-C2OZ 6734-A Gasket (oil drain plug)
66/	U	C6TZ 6823-A	1			FLANGE - OIL PAN REINFORCEMENT - Front-(2) holes 5" apart
		C6TZ 6823-B	1			Rear-(2) holes 5 3/4" apart
65/68	B, Taxi	★C2OZ 6838-A	1	1		GASKET - OIL FILTER MOUNTING-3.78" O.D.-3.42" I.D.-used with cartridge type oil filter
65/68	B, Taxi	C2OZ 6840-A	1	1		GASKET - OIL FILTER ADAPTER-3.02" O.D.-.78" I.D.-.06" thick-used with cartridge type oil filter
		6853	★	★	★	HOSE - CRANKCASE VENTILATION - Cut to fit from bulk hose 4090 Also refer to Group 6A664
65/68	B, Taxi	B2A 6889-A	1	1		SPRING - OIL FILTER ELEMENT RETAINING - approx..94" free length-4 active coils-used with cartridge type oil filter
65/68	B, Taxi	EAA 6890-C	1			INSERT - OIL FILTER MOUNTING BOLT-1 1/4" hex.-1 1/16"-12 external thread-3/4"-16 internal thread-5/8" overall length-steel-undercut bottom flange-used with cartridge type oil filter-att. bolt & valve assy. to cylinder block
65/68	B, Taxi	C2OZ 6890-B	1	1		1.25" hex.-3/4"-16 external & internal threads-overall length 1.76"-used with cartridge type oil filter-att. bolt & valve assy. to cyl. block
65/	B, F, X, U	B8A 6890-A	1	1	1	3/4"-16 external threads-1/2"I.D.-1.30"long-use with "Spin-On" type filter-att. filter to adaptor or cylinder block
70/	P		1	1	1	
		6A892				RETAINER - CRANKCASE VENTILATION - grommet-also refer to Group 9600
65/		C8SZ 6A892-A	1	1	1	Holds 6A666 in 6582-1-7/16" O.D.-23/32" I.D.
71/		C8AZ 6A892-A	1	1	1	Holds elbow to filler cap-1 7/16" O.D.-1" I.D.
65/68	B, Taxi	B2A 6898-A	1	1		RETAINER - OIL FILTER ELEMENT-1 1/4"O.D.-49/64" I.D.-used with cartridge type oil filter

Identification marking

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 240	PART NAME AND DESCRIPTION
		6007	★	ENGINE ASSEMBLY-service details

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 240	PART NAME AND DESCRIPTION
		6008		GASKET SET - COMPLETE OVERHAUL
65/67		C5AZ 6008-B	1	

Consists of

1-C8AZ 6020-A	Gasket (front cover)	1-C9AE 6711-A	Gasket (oil pan-L. H.)
1-D2AZ 6051-A	Gasket (cyl. head)	1-C5AE 6722-A	Seal (oil pan-front)
1-C5AZ 6521-A	Gasket (valve cover)	1-C5AE 6723-A	Seal (oil pan-rear)
6-B9A 6570-A	Grommet (valve cover)	1-C2OZ 6734-A	Gasket (oil pan drain plug)
12-C5AZ 6571-D	Seal (valve stem)	1-C9AZ 8255-A	Gasket (water connection)
1-C6AZ 6584-A	Gasket (rocker cover)	1-C5AZ 8507-A	Gasket (water pump)
1-C5AZ 6626-B	Gasket (oil pump inlet)	1-A8TZ 9417-A	Gasket (fuel pump)
1-C3AZ 6700-A	Seal (crankshaft-front)	1-C5AZ 9448-B	Gasket (manifold)
1-C5AZ 6701-B	Seal (crankshaft-rear)	1-C5AZ 9461-A	Gasket (intake manifold)
1-C9AE 6710-A	Gasket (oil pan-R. H.)		

68/70	Taxi, P/C-"Before Chg./L18"	C8TZ 6008-A	1	

Consists of

1-C8AZ 6020-A	Gasket (front cover)	1-C9AE 6710-A	Gasket (oil pan-R. H.)
1-D2AZ 6051-A	Gasket (cylinder head)	1-C9AE 6711-A	Gasket (oil pan-L. H.)
1-C5AZ 6521-A	Gasket (valve cover)	1-C5AE 6722-A	Seal (oil pan-front)
6-C5AZ 6571-D	Seal (valve stem-intake)	1-C5AE 6723-A	Seal (oil pan-rear)
6-C5TZ 6571-B	Seal (valve stem-exhaust)	1-C2OZ 6734-A	Gasket (oil pan drain plug)
1-D0AZ 6584-D	Gasket (rocker cover)	1-C9AZ 8255-A	Gasket (water connection)
1-C5AZ 6626-B	Gasket (oil pump inlet)	1-C5AZ 8507-A	Gasket (water pump)
1-C3AZ 6700-A	Seal (crankshaft-front)	1-A8TZ 9417-A	Gasket (fuel pump)
1-C5AZ 6701-B	Seal (crankshaft-rear)	1-C5AZ 9461-A	Gasket (intake manifold)

68/	A	C8AZ 6008-A	1	
70/	Taxi, P/C-"Chg./L18"		1	

Consists of

1-C5AZ 6020-B	Gasket (front cover)	1-C9AE 6710-A	Gasket (oil pan-R. H.)
1-D2AZ 6051-A	Gasket (cylinder head)	1-C9AE 6711-A	Gasket (oil pan-L. H.)
1-C5AZ 6521-A	Gasket (valve cover)	1-C5AE 6722-A	Seal (oil pan-front)
12-C5AZ 6571-D	Seal (valve stem-intake)	1-C5AE 6723-A	Seal (oil pan-rear)
1-D0AZ 6584-D	Gasket (rocker cover)	1-C2OZ 6734-A	Gasket (oil pan drain plug)
1-C5AZ 6626-B	Gasket (oil pump inlet)	1-C9AZ 8255-A	Gasket (water connection)
1-C3AZ 6700-A	Seal (crankshaft-front)	1-C5AZ 8507-A	Gasket (water pump)
1-C5AZ 6701-B	Seal (crankshaft-rear)	1-A8TZ 9417-A	Gasket (fuel pump)
		1-C5AZ 9461-A	Gasket (intake manifold)

65/		C2OZ 6A008-A	2	DOWEL - CYLINDER HEAD TO CYLINDER BLOCK-.676" O. D. -.55" I. D. -.44" height-split
		6D008		HEATER KIT - CYLINDER BLOCK
67/71	A	C7TE 6D008-A	1	
72	A	CD0TZ 6D008-A	1	600 watt
		6009		CYLINDER ASSY. - includes cylinder block with all internal parts of the engine but does not include cylinder heads, tappets, oil pan or cylinder front cover unless indicated
65/69	A "Before 9/15/68"	D2AZ 6009-B	1	
65/	Taxi, P/C		1	
69/	A "From 9/15/68"	D3TZ 6009-A	1	
		6010		♦BLOCK ASSY. - CYLINDER
65/		ΔD3TZ 6010-A	1	
65/71		73249-S(N88)	2	Dowel (cyl. block to clutch housing)-3/8" x 9/16"

Δ When used as replacement for 1966/67 units before Chg./L8, No. 5 bearing cap with oil pump pickup tube supports stud must be changed from right to left side.

♦ 6015 is a casting number and generally cannot be cross referenced to a service number. It will be used as a means of identification only when casting number is unique to only one 6010 assembly.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 240	PART NAME AND DESCRIPTION
		6B018		WIRE ASSY. - BLOCK HEATER
65/66		CC1TE 6B018-E	1	
67		C7TE 6B018-A	1	2-conductor-use w/3 terminal heater- (dummy ground)
67		C7TE 6B018-C	1	3-conductor-use w/3 terminal heater- (green ground connector)
71		D1AB 6B018-AA	1or2	
72		D2AZ 6B018-A	1	74" long - use w/6A051 heater assy.
65/		D2AZ 6019-A	1	COVER ASSY. - CYLINDER FRONT
65/70		376256-S(BB545A)	6	Bolt (front cover to block)-5/16"-18 x 1"
69/		382781-S(BB544W)	6	Bolt (cover to block)-5/16"-18 x 7/8"
		6020		GASKET - CYLINDER FRONT COVER
65/		C8AZ 6020-A	1	.030" thick
		6023		POINTER - TIMING - Also refer to Group 3A634-5
67		C6TZ 6023-A	1	
68/71		C6TZ 6023-B	1	
72		D2TZ 6023-D	1	Steel
		6026		PLUG - ENGINE
65/67		C5AZ 6026-E	5	Std. 1.64" O.D. -cup shape-to plug side water jacket holes in block
		C5AZ 6026-B	AR	.030" O/S
65/67		C5AZ 6026-G	2	Std. 25/64" O.D. -(1) used at rear of cyl. head-(1) used at rear of cylinder block
		C5AZ 6026-D	AR	.060" O/S
65/		C9AZ 6026-A	1	Std. -.259" O.D. -plug dist. oil access hole in cyl. block
		C9AZ 6026-B	1	.060" O/S
68/		C5AZ 6026-E	5	Std. 1 5/8" O.D. -cup plug to plug clean out holes in block
		C5AZ 6026-F	AR	.060" O/S
68/		C5AZ 6026-G	AR	2 5/64" O.D. -(1) used at rear of cylinder head-(1) used at rear of cylinder block
		C5AZ 6026-H	AR	.060" O/S
69/		87837-S(P15)	2	Plug (cyl. block main oil lines)-1/4"-18 x 27/64" pipe-steel
65/71		87651-S (P12A)	1	Pipe plug (drain hole)-1/4"-18
72		376301-S(PP67A)	1	Cup plug (air brake hole in cyl.block)-1/2" dia.
65/		87710-S(P16)	2	Pipe plug (front & rear main oil gallery)-3/8"-18
65/		*371485-S	4	Pipe plug (plug holes in top of coil head)-3/4"-14-hex. socket head

6028,6029 & 6038 FRONT MOTOR MOUNT CHART

YEAR	MODEL	C.I.D.	*SUPPORT BRACKET R.H.	*SUPPORT BRACKET L.H.	*MOUNTING BRACKET R.H.	*MOUNTING BRACKET L.H.	*INSULATOR R.H.	*INSULATOR L.H.
65/68		240	C5AZ 6028-A	C5AZ 6029-A			C5AZ 6038-A	C5AZ 6038-A
69/		240	C9AZ 6028-A	C9AZ 6029-A			C5AZ 6038-A	C5AZ 6038-A

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 240	PART NAME AND DESCRIPTION
65/68		34671-S8(M67)	2	Nut-7/16"-14
65/		373403-S8(MM173J)	2	Nut (insulator to bracket)-3/8"-16 hex. lock
65/68		20936-S8(B130C)	2	Bolt (attach R. H. insulator to spacer)-9/16-12 x 1"
69/		382636-S100 (MM313)	2	Nut (insulator to bracket)-1/2"-13
69/		373112-S7(XX304A)	2	Washer-lock-7/16"
69/		376275-S7-8 (BB181A)	2	Bolt (insulator & spacer to eng.)-7/16"-14 x 2 9/16"
69/		354150-S8(BB177)	1	Bolt (insulator to spacer)-7/16"-14 x 1 3/4"
69/		357450-S(BB172)	4	Bolt (att. brackets (R.H. & L.H.) to frame & insulator to eng.)-7/16"-14 x 7/8" hex.
69/		20368-S8(B79)	4	Bolt (att. brackets lwr. (R.H. & L.H.) to side member)-3/8"-16 x 7/8" hex.
72		379719-S2(MM192PC)	1	Nut-3/8"-16 (6028 & 6029 to side member)
		6038		INSULATOR - FRONT SUPPORT - refer to Front Motor Mount Chart Group 6028

* (1) Required unless otherwise noted

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 240	PART NAME AND DESCRIPTION
65		★C5AA 6046-A	2	BRACKET - ENGINE FRONT SUPPORT INSULATOR-serviced in 6038 assy. - Also refer to Front Engine Mount Chart (Basic No. 6028)
		6049		◊ HEAD - CYLINDER
65		D2AZ 6049-B	1	Has 3/8" tapped hole for Temp. Sending Unit
66/71		D2AZ 6049-C	1	Include (6) C6AZ 6052-A plugs
72		D2AZ 6049-A	1	
65/		D2AZ 6051-A	1	GASKET - CYLINDER HEAD - asbestos & steel
72		D2AZ 6A051-C	1	HEATER ASSY. - BLOCK - use with 6B018 Wire Assy.
66/71		C6AZ 6052-A	6	PLUG - CYLINDER HEAD EXHAUST AIR SUPPLY (to plug holes when T/E not used) - 1/2"-20 x 1 11/32"
		6054		RETAINER - REAR SUPPORT
65/68	M/T, O/D and C4	C5AZ 6054-A	1	
65/67	C/M	C5AZ 6054-B	1	
68	C/M	C8AZ 6054-A	1	7 13/32" long
69/71	"Before 7/1/71"	C9AZ 6054-A	1	
71	M/T "From 7/1/71"		1	
71/	A/T "From 7/1/71"	D2AZ 6054-A	1	
65/		20411-S7(B184)	2	Bolt (rear suppt. to frame)-7/16"-20 x 1 1/8" hex. hd.
		34671-S8(M67)	2	Nut-7/16"-20
		356590-S(XX171)	2	Washer-flat-.47" I. D. -.78" O.D. -.10" thick-steel
		357625-S7-8(XX304)	2	Lockwasher-7/16"
65/		C5AZ 6A059-A	1	SPACER - FRONT MOUNTING BRACKET - triangle type-used on R. H. side only
		6065		BOLT - CYLINDER HEAD
65/		C2OZ 6065-B	14	7/16"-14 x 3.91"
		6068		INSULATOR ASSY. - REAR SUPPORT
65/68	C/M	C9AZ 6068-E	1	
65/68	M/T and C4	C8AZ 6068-B	1	
69/71	(C4)	D2AZ 6068-C	1	
69/71	M/T		1	
69/	C/M	D2AZ 6068-A	1	
65/		20411-S7(B184)	2	Bolt (rear suppt. to frame)-7/16"-20 x 1 1/8" hex. hd.
		34671-S8(M67)	2	Nut-7/16"-20
		356590-S(XX171)	2	Washer-flat-.47" I. D. -.78" O. D. -.10" thick-steel
		357625-S7-8(XX304)	2	Lockwasher-7/16"
69/		373403-S8 (MM173J)	1	Nut (rear suppt. to frame)-3/8"-16
		6079		GASKET SET - VALVE GRIND
65/67		C5AZ 6079-B	1	
68/	(Exc. P/C, Taxi)		1	
70/	Taxi, P/C-"Chg./L18/"		1	

Consists of

1-C5AZ 6051-B	Gasket (cyl. head)	1-C6AZ 6584-A	Gasket (rocker cover)
1-C5AZ 6521-A	Gasket (valve cover)	1-C5AZ 8255-A	Gasket (water connection)
6-B9A 6570-A	Grommet (valve cover)	1-C5AZ 9448-B	Gasket (manifold)
12-C5AZ 6571-A	Seal (valve stem)	1-C5AZ 9461-A	Gasket (intake manifold)

68/70	Taxi, P/C-"Before Chg./L18"	C5TZ 6079-B	1	

Consists of

1-D2AZ 6051-A	Gasket (cylinder head)	1-C6AZ 6584-A	Gasket (rocker cover)
1-C5AZ 6521-A	Gasket (valve cover)	1-C9AZ 8255-A	Gasket (water connection)
6-B9A 6570-A	Grommet (valve cover)	1-C5AZ 9448-B	Gasket (manifold)
6-C5AZ 6571-D	Seal (valve stem-intake)	1-C5AZ 9461-A	Gasket (intake manifold)
6-C5TZ 6571-B	Seal (valve stem-exhaust)		

68/71		CC5AF 6B080-A	1	"O" RING - CYL. BLOCK HEATER - use with C7TE 6D008-A heater kit

◊ 6090 is a casting number and generally cannot be cross referenced to a service number. It will be used as a means of identification only when casting number is unique to only one 6049 assembly.

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 240	PART NAME AND DESCRIPTION

♦ 6108 PISTON ASSEMBLY - CHART

In the Standard column of the chart below (R) designates red size - (B) designates blue size. Red size and blue size are optional for selective fit.

YEAR	MODEL	C.I.D.	RINGS	INCL.	QTY.	PART NUMBER STANDARD	.003" O/S	.020" O/S	.030" O/S	.040" O/S	.060" O/S
65/69	"Before Chg./L16"	240	3	Δ	6	C9OZ 6108-N(R) C9OZ 6108-R(B)	C8OZ 6108-S	C9OZ 6108-T	C9OZ 6108-U	C9OZ 6108-V	
69/	"From Chg./L16/"	240	3	Δ	6	C8AZ 6108-C(R) C8AZ 6108-D(B)	C8AZ 6108-E	C8AZ 6108-F	C8AZ 6108-G	C8AZ 6108-H	

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 240	PART NAME AND DESCRIPTION
		6135		PIN - PISTON
65/69	"Before Chg./L16"	B2AZ 6135-A	6	#Green-.9121" O.D.-.600" I.D.-3.023" long
69/	"From Chg./L16/"	B8A 6135-AA	6	.9752" O.D.-3.165" long
		B8A 6135-AB	AR	.001" O/S

6148 RING SET - PISTON PARTIAL - CHART - consists of the necessary rings to re-ring (2) pistons

YEAR	MODEL	C.I.D.	RINGS	TYPE	PART NUMBER STANDARD	.020" O/S	.030" O/S	.040" O/S	.060" O/S
65/		240	3	Hi Lo	C3AZ 6148-F	C3AZ 6148-G	C3AZ 6148-H	C3AZ 6148-J	

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 240	PART NAME AND DESCRIPTION
		6200		ROD ASSY. - CONNECTING
65/69	"Before Chg./L16"	C5AZ 6200-A	6	
69/	"From Chg./L16/"	C8AZ 6200-B	6	

6211 BEARING - CONNECTING ROD - CHART

YEAR	MODEL	C.I.D.	UPPER	LOWER	PART NUMBER STANDARD	.001" U/S	.002" U/S	.010" U/S	.020" U/S	.030" U/S	.040" U/S
65/69	Before 9/15/68	240	6	6	C5AZ 6211-R	C5AZ 6211-S	C5AZ 6211-T	C5AZ 6211-U	C5AZ 6211-M	C5AZ 6211-Y	
69/	From 9/15/68	240	6	6	C5AZ 6211-R	C5AZ 6211-S	C5AZ 6211-T	C5AZ 6211-U	C5AZ 6211-V	C5AZ 6211-Y	

65/	C9AZ 6212-B	12		NUT - CONNECTING ROD-3/8"-24-.557" hex. chamfered
69/		1		Used to att.exh.manifold to int. manifold
65/	C4OZ 6214-B	12		BOLT - CONNECTING ROD
	6250			CAMSHAFT - Less gear
65/	C5TZ 6250-A	1		#VP w/white stripe or #VP
65/	*74148-S	1		Key (att. gear to shaft)-No. 9
65/	C5AZ 6256-A	1		GEAR - CAMSHAFT - 58 teeth

6262 BEARING - CAMSHAFT - CHART

YEAR	MODEL	C.I.D.	SIZE	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
65/		240	Standard	C5AZ 6262-A	C5AZ 6262-A		C5AZ 6262-A	C5AZ 6262-A
			.015" U/S	C5AZ 6262-B	C5AZ 6262-B		C5AZ 6262-B	C5AZ 6262-B

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 240	PART NAME AND DESCRIPTION
65/		C5AZ 6265-A	1	SPACER - CAMSHAFT GEAR OR SPROCKET - 1 1/2" O.D.-1 1/4" I.D.
		6266		PLUG - CAMSHAFT REAR BEARING
65/		C5AZ 6266-A	1	Standard-2.199" O.D.
		C5AZ 6266-B	1	.060" O/S
65/		C5AZ 6269-A	1	PLATE - CAMSHAFT THRUST
65/		20346-S8(B50)	2	Bolt (plate to cyl. block)-5/16"-18 x 3/4"

Identification marking Δ Includes piston pin

♦ 6110 is a casting number and generally cannot be cross-referenced to a service number. It will be used as a means of identification only when casting number is unique to only one 6108 assembly.

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 240	PART NAME AND DESCRIPTION
		6303		CRANKSHAFT ASSY.
65/		★C5AZ 6303-D R/B D2AZ 6303-D (10-74)	1	#IL or ILA - cast iron
		6306		GEAR - CRANKSHAFT
65/		C5AZ 6306-B	1	29 teeth
65/		379153-S(LL11A)	1	Woodruff key (gear to c/shaft)-3/16 x 1 23/32" x 19/54"
		6310		SLINGER - CRANKSHAFT OIL
65/67	"Before 10/1/66"	▲C5AZ 6310-A	1	3 19/64" O.D.-1 3/8" I.D.
		6312		PULLEY ASSY. - CRANKSHAFT- Also refer to Basic No.6A312
65/	A, Taxi, P/C	C5AZ 6312-G	1	#C8AE 6316-B-single sheave-6 11/16" diameter-1 7/8" long-uses 3/8" belt
67	A, Taxi, P/C	D4TZ 6312-A	1	#D4TE 6316-BA-triple sheave-replaces pulley I.D. C8TE 6316-D
68	A, Taxi, P/C(S/T)		1	
72	A, Taxi, P/C		1	
65/	A, Taxi, P/C	377850-S(BB273A)	1	Bolt (pulley to c/shaft)-5/8"-18 x 2"
		6A312		PULLEY ASSY. - CRANKSHAFT - OUTER - Also refer to Basic No. 6312
65/67	A, Taxi, P/C(P/S)	C5AZ 6A312-A	1	#C5AE-A-single sheave uses 3/8" belt-6 45/64" pulley diameter
68	A, Taxi, P/C(w/P/S & std. alt.)		1	
65/67	A, Taxi, P/C(A/C, T/E)-with or w/out P/S) "Before 6/1/66"	C5AZ 6A312-B	1	#C5AE 6A359-B-double sheave-uses 1/2" outer belt & 3/8" inner belt-7" outer pulley dia.-6 45/64" inner pulley dia. 1 13/32" long
69	A, Taxi, P/C(hang-on A/C)		1	
67/68	A, Taxi, P/C (A/C, T/E)-with or w/o P/S) "From 6/1/66"	C7AZ 6A312-C	1	Single sheave-7 1/32" dia.-53/64" long-uses 1/2" belt
66/67	A, Taxi, P/C(exc. A/C)- "Before 6/1/67"	C6AZ 6A312-B	1	#C6AE 6A312-A-double sheave-6 23/32" pulley dia. 1 13/32" long-uses (1) 3/8" belt & (1)1/2"belt
68/70	A, Taxi, P/C(w/55 amp. alt. w/or w/o P/S)- "Before 12/1/69"		1	
69/	A, Taxi, P/C-w/P/S w/o H/D alt.	C6TZ 6A312-A	1	#C6TE 6A312-A-single sheave-6 45/64" dia.-uses 1/2" belt
67	A, Taxi, P/C(exc. A/C)- "From 6/1/67"		1	
70	A, Taxi, P/C(w/55 amp. alt. w/or w/o P/S)- "From 12/1/69"		1	
72	A-w/hang-on A/C	D2AZ 6A312-D	1	Single sheave
68	A(dual sheave alt.)	42998-S8(B252A)	1	Bolt (outer pulley to crankshaft)-3/8"-16 x 1"

6333,6337 & 6342 BEARING-CRANKSHAFT MAIN-CHART

6 CYLINDER ENGINES 7 MAIN BEARINGS

YEAR	MODEL	C.I.D.	SIZE	UPPER	LOWER	FRONT (1)	FRONT INTERMEDIATE (2)	FRONT INTERMEDIATE (3)	CENTER (4)	REAR INTERMEDIATE (5)	REAR INTERMEDIATE (6)	REAR (7)
65/66	Before Chg/L4	240	Std.	x		D0TZ 6333-C	C0TZ 6333-C	D0TZ 6333-C	D0TZ 6333-C	C5TZ 6337-P	D0TZ 6333-C	D0TZ 6333-C
			.001"			D0TZ 6333-D	D0TZ 6333-D	D0TZ 6333-D	D0TZ 6333-D	C5TZ 6337-R	D0TZ 6333-D	D0TZ 6333-D
			.002"			D0TZ 6333-E	D0TZ 6333-E	D0TZ 6333-E	D0TZ 6333-E	★C5TZ 6337-S	D0TZ 6333-E	D0TZ 6333-E
			.010"			D0TZ 6333-F	D0TZ 6333-F	D0TZ 6333-F	D0TZ 6333-F	C5TZ 6337-T	D0TZ 6333-F	D0TZ 6333-F
			.020"			D0TZ 6333-G	D0TZ 6333-G	D0TZ 6333-G	D0TZ 6333-G	C5TZ 6337-U	D0TZ 6333-G	D0TZ 6333-G
			.030"			D0TZ 6333-H	D0TZ 6333-H	D0TZ 6333-H	D0TZ 6333-H	C5TZ 6337-V	D0TZ 6333-H	D0TZ 6333-H
65/66	Before Chg/L4	240	Std.		x	C5TZ 6333-AA	C5TZ 6333-AA	C5TZ 6333-AA	C5TZ 6333-AA	C5TZ 6337-AA	C5TZ 6333-AA	C5TZ 6333-AA
			.001"			C5TZ 6333-AB	C5TZ 6333-AB	C5TZ 6333-AB	C5TZ 6333-AB	★ C5TZ 6337-AB	C5TZ 6333-AB	C5TZ 6333-AB
			.002"			C5TZ 6333-AC	C5TZ 6333-AC	C5TZ 6333-AC	C5TZ 6333-AC	★ C5TZ 6337-AC	C5TZ 6333-AC	C5TZ 6333-AC
			.010"			C5TZ 6333-AD	C5TZ 6333-AD	C5TZ 6333-AD	C5TZ 6333-AD	C5TZ 6337-AD	C5TZ 6333-AD	C5TZ 6333-AD
			.020"			C5TZ 6333-AE	C5TZ 6333-AE	C5TZ 6333-AE	C5TZ 6333-AE	C5TZ 6337-AE	C5TZ 6333-AE	C5TZ 6333-AE
			.030"			C5TZ 6333-AF	C5TZ 6333-AF	C5TZ 6333-AF	C5TZ 6333-AF	C5TZ 6337-AF	C5TZ 6333-AF	C5TZ 6333-AF

Identification marking ▲ Not used "From 10/1/66"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

6333,6337 & 6342 BEARING-CRANKSHAFT MAIN-CHART - continued

6 CYLINDER ENGINES
7 MAIN BEARINGS

YEAR	MODEL	C.I.D.	SIZE	UPPER	LOWER	FRONT (1)	FRONT INTERMEDIATE (2)	FRONT INTERMEDIATE (3)	CENTER (4)	REAR INTERMEDIATE (5)	REAR INTERMEDIATE (6)	REAR (7)
66/69	"Chg./L4"	240	Std.	x		D0TZ 6333-C	D0TZ 6333-C	D0TZ 6333-C	D0TZ 6333-C	D0TZ 6337-C	D0TZ 6333-C	D0TZ 6333-C
			.001"			D0TZ 6333-D	D0TZ 6333-D	D0TZ 6333-D	D0TZ 6333-D	D0TZ 6337-D	D0TZ 6333-D	D0TZ 6333-D
			.002"			D0TZ 6333-E	D0TZ 6333-E	D0TZ 6333-E	D0TZ 6333-E	C6AZ 6337-B	D0TZ 6333-E	D0TZ 6333-E
			.010"			D0TZ 6333-F	D0TZ 6333-F	D0TZ 6333-F	D0TZ 6333-F	D0TZ 6337-F	D0TZ 6333-F	D0TZ 6333-F
			.020"			D0TZ 6333-G	D0TZ 6333-G	D0TZ 6333-G	D0TZ 6333-G	D0TZ 6337-G	D0TZ 6333-G	D0TZ 6333-G
			.030"			D0TZ 6333-H	D0TZ 6333-H	D0TZ 6333-H	D0TZ 6333-H	D0TZ 6337-H	D0TZ 6333-H	D0TZ 6333-H
70/		240	Std. -	x		D0TZ 6333-C	D0TZ 6333-C	D0TZ 6333-C	D0TZ 6333-C	D0TZ 6337-C	D0TZ 6333-C	D0TZ 6333-C
			.001"			D0TZ 6333-D	D0TZ 6333-D	D0TZ 6333-D	D0TZ 6333-D	D0TZ 6337-D	D0TZ 6333-D	D0TZ 6333-D
			.002"			D0TZ 6333-E	D0TZ 6333-E	D0TZ 6333-E	D0TZ 6333-E	D0TZ 6337-E	D0TZ 6333-E	D0TZ 6333-E
			.010"			D0TZ 6333-F	D0TZ 6333-F	D0TZ 6333-F	D0TZ 6333-F	D0TZ 6337-F	D0TZ 6333-F	D0TZ 6333-F
			.020"			D0TZ 6333-G	D0TZ 6333-G	D0TZ 6333-G	D0TZ 6333-G	D0TZ 6337-G	D0TZ 6333-G	D0TZ 6333-G
			.030"			D0TZ 6333-H	D0TZ 6333-H	D0TZ 6333-H	D0TZ 6333-H	D0TZ 6337-H	D0TZ 6333-H	D0TZ 6333-H
66/	"Chg./L4"	240	Std.		x	C5TZ 6333-AA	C5TZ 6333-AA	C5TZ 6333-AA	C5TZ 6333-AA	C6AZ 6337-G	C5TZ 6333-AA	C5TZ 6333-AA
			.001"			C5TZ 6333-AB	C5TZ 6333-AB	C5TZ 6333-AB	C5TZ 6333-AB	C6AZ 6337-M	C5TZ 6333-AB	C5TZ 6333-AB
			.002"			C5TZ 6333-AC	C5TZ 6333-AC	C5TZ 6333-AC	C5TZ 6333-AC	C6AZ 6337-H	C5TZ 6333-AC	C5TZ 6333-AC
			.010"			C5TZ 6333-AD	C5TZ 6333-AD	C5TZ 6333-AD	C5TZ 6333-AD	C6AZ 6337-J	C5TZ 6333-AD	C5TZ 6333-AD
			.020"			C5TZ 6333-AE	C5TZ 6333-AE	C5TZ 6333-AE	C5TZ 6333-AE	C6AZ 6337-K	C5TZ 6333-AE	C5TZ 6333-AE
			.030"			C5TZ 6333-AF	C5TZ 6333-AF	C5TZ 6333-AF	C5TZ 6333-AF	C6AZ 6337-L	C5TZ 6333-AF	C5TZ 6333-AF

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 240	PART NAME AND DESCRIPTION
		6337		Refer to Main Bearing Chart Group 6333
		6345		BOLT - CRANKSHAFT MAIN BEARING CAP
65/		C2OZ 6345-A	14	
		6A366		PLATE - FLYWHEEL REINFORCING
65/		C2OZ 6A366-A	1	3 27/32" O. D. -2 1/8" I. D. -. 075" thick-(6) 29/64" holes
		6375		FLYWHEEL ASSY.
65/	A/T	C5TZ 6375-T	1	164 tooth ring gear-(4) converter attaching holes on 11 7/16" bolt circle
65/71	M/T and 9 1/2" clutch	C5AZ 6375-R	1	#C7AE-B, #C6AE-C-164 tooth ring gear-(6) 5/16"-18 pressure plate attaching holes on 10 3/4" bolt circle
65/71	M/T and 11" clutch	C5TZ 6375-N	1	#C7AE-C-164 tooth ring gear (6) 5/16"-18 pressure plate attaching holes on 12 3/8" bolt circle
65/		C3OZ 6378-A	1	WASHER - CRANKSHAFT PULLEY RETAINING- 1 3/4" O. D. -21/32" I. D. -1/8" thick
		6379		BOLT - FLYWHEEL TO CRANKSHAFT
65/	C4	C3AZ 6379-B	6	7/16"-20 x 13/16"-used w/6A366 plate
72	C4	D2AZ 6379-B	6	7/16"-20 x 3/4"-used w/o 6A366 plate
65/71	M/T	B8AZ 6379-A	6	7/16"-20 x 15/16"
		6384		GEAR - FLYWHEEL RING
65/71		C5AZ 6384-D	1	164 teeth-replaces 168 tooth gear
		6392		HOUSING ASSY. - FLYWHEEL
65/68	M/T	C5AZ 6392-D	1	#C5AA 6394-B-6 engine mounting holes-use lever #C8AA 7515-B
69/71	M/T	C9AZ 6392-A	1	#C9AA 6394-A
65/71		20546-S8(B114)	AR	Bolt (flywheel housing to cyl. block)- 7/16"-14 x 2 1/2"
		34808-S8(X67)	AR	Lockwasher-7/16"
69/71		20508-S8(B110)	3	Bolt (flywheel housing & plate to block)- 7/16"-14 x 1 3/4"
69/71	M/T	20430-S2(B104)	4	Bolt (flywheel housing to trans.)- 7/16"-14 x 1 1/4"-hex.
65/		EAD 6397-A	2	DOWEL - CYLINDER BLOCK-to flywheel housing- 1/2" x 1"
		6500		TAPPET ASSY. - VALVE - hydraulic
65/70		D1AZ 6500-A	12	
71/		D1AZ 6500-B	12	

Identification marking

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 240	PART NAME AND DESCRIPTION

6505-07 VALVE-INTAKE and EXHAUST-CHART

YEAR	C.I.D.	MODEL	EXHAUST VALVE LENGTH	EXHAUST VALVE HEAD DIA.	EXHAUST VALVE STEM SIZE	EXHAUST VALVE STEM DIA.	EXHAUST VALVE PART NUMBER	INTAKE VALVE LENGTH	INTAKE VALVE HEAD DIA.	INTAKE VALVE STEM SIZE	INTAKE VALVE STEM DIA.	INTAKE VALVE PART NUMBER
65/66	240	All	4.81"	1.56"	Std.	3419"	★C5AZ 6505-A	4.81"	1.78"	Std.	.3419"	C5TZ 6507-A
67/		(exc. Taxi & P/C)					R/B D5TZ 6505-E (1-75)					
					.003"		C5AZ 6505-B			.003"		C5TZ 6507-B
					.015"		C5AZ 6505-C			.015"		C5TZ 6507-C
					.030"		C5AZ 6505-D			.030"		C5TZ 6507-D
67/70	240	Taxi, P/C - "Before Chg./L18"	4.81"	1.56"	Std.	.3419"	C5TZ 6505-A	4.81"	1.78"	Std.	.3419"	C5TZ 6507-A
					.003"		C5TZ 6505-B			.003"		C5TZ 6507-B
					.015"		C5TZ 6505-C			.015"		C5TZ 6507-C
					.030"		C5TZ 6505-D			.030"		C5TZ 6507-D
70/	240	Taxi, P/C- "Chg./L18/"	4.81"	1.55"	Std.	.3420	D0TZ 6505-A	4.81	1.78	Std.	.3419	C5TZ 6507-A
					.003"		D0TZ 6505-B			.003"		C5TZ 6507-B
					.015"		D0TZ 6505-C			.015"		C5TZ 6507-C
					.030"		D0TZ 6505-D			.030"		C5TZ 6507-D

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 240	PART NAME AND DESCRIPTION
		6510		BUSHING - VALVE GUIDE - NOTE 1
66/		D1AZ 6510-A	AR	Exhaust-2.29" long-.501" O.D.-.313" I.D.
66/		D1AZ 6510-C	AR	Intake-2.18" long-.501" O.D.-.313" I.D.
		6513		SPRING - VALVE
65/66		C5AZ 6513-A	12	6 active coils-1.99" free length
67/	A(intake & exhaust)	C5AZ 6513-A	12	1.99" free length
67/	Taxi,P/C(intake)		6	
67/	Taxi,P/C(exhaust)	C5TZ 6513-A	6	1.87" free length
		6514		RETAINER - VALVE SPRING
65/66		C7AZ 6514-A	12	
67/	A(intake & exhaust)		12	
67/	Taxi,P/C(intake)		6	
67/70	Taxi,P/C(exhaust) - "Before Chg./L18"	C5TZ 6514-A	6	1" height
70/	Taxi, P/C (exhaust)- "Chg./L18/"	D0TZ 6514-A	6	
65/		7HA 6518-A	24	KEY - VALVE SPRING RETAINER
		6519		COVER - VALVE PUSH ROD
65/		C5AZ 6519-B	1	3/64" thick-(6) 17/32" bolt holes or (6) 11/32" bolt holes
65/67	"Before 6/1/67"	20386-S8(B53)	6	Bolt (cover to block)-5/16"-18 x 1"
67/	"From 6/1/67"	382041-S(BB551BC)	6	Bolt (cover to block)-5/16"-18 x 1" hex. head
		6521		GASKET - VALVE PUSH ROD COVER
65/		C5AZ 6521-A	1	26 23/64" x 4 11/32"
65/		C5AZ 6A527-A	12	STUD - VALVE ROCKER ARM SUPPORT - std. - 3/8"-24 x 2 5/8"-.3717" dia. at non-threaded end
		C5AZ 6A527-B	AR	.006" O/S
		C5AZ 6A527-D	AR	.010" O/S
		C5AZ 6A527-C	AR	.015" O/S
65/		C2OZ 6A528-C	12	SEAT - VALVE ROCKER ARM FULCRUM -
65/		C2DZ 6A529-A	12	NUT - VALVE ROCKER ARM STUD-3/8"-24
65/67		C5AZ 6A545-A	1	SEAL - VALVE ROCKER ARM COVER BAFFLE
65/		C5AZ 6564-A	12	ARM-VALVE ROCKER-#E
		6565		ROD - VALVE PUSH
65/		C5AZ 6565-A	12	#C5AE 6565-A-10.16" long-ball type
		6570		GROMMET
65/		B9A 6570-A	6	Used on valve push rod cover stud - rubber-.32" I.D.-1" O.D.-1/2" thick
65/			1	Also used on power steering oil reservoir cover stud

Identification marking

NOTE 1 - Bushing must be reamed to size of valve

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 240	PART NAME AND DESCRIPTION
		6571		SEAL - VALVE STEM
65/66	Intake and exhaust	C5AZ 6571-D	12	.90" O.D. - .58" high
67/	A(intake & exhaust)		12	
67/	Taxi,P/C (intake)		6	
70/	Taxi,P/C (exhaust)- "From Chg./L18/"		6	
67/70	Taxi, P/C(exhaust)- "Before Chg./L18"	C5TZ 6571-B	6	"O" ring type-.40" O.D.-.29" I.D.
		6582		COVER ASSY. - VALVE ROCKER ARM
65	☆A	C5AZ 6582-K	1	#Primed
65	Taxi, P/C		1	
66/70			1	
65	♦A	CC5AE 6582-F	1	
71/		C8TZ 6582-A	1	#Primed
65	Non em/re	†377393-S(KK24C)	1	Grommet(holds 6758 in 6582)-1 7/8" O.D.-31/32" I.D.
65	Em/re	†377394-S(KK23F)	1	Grommet(holds 6A666 in 6582)-1 7/8" O.D.-23/32" I.D.-use in cover with 1 1/4" dia.hole
65/		20326-S7(B49)	7	Bolt(attach V.R.A. cover)-5/16"-18 x 5/8" hex.hd.
65/		34806-S7(X64)	7	Lockwasher-5/16"
		6584		GASKET - VALVE ROCKER ARM COVER
65/67		C5AZ 6584-B	1	Rubber
65/67		C5AZ 6584-A	1	Cork & rubber - optional with C5AZ 6584-B
68/		D0AZ 6584-D	1	Cork & rubber
		6600		PUMP ASSY. - OIL
65/		C5AZ 6600-A	1	Includes and used with (1) C5AZ 6626-B gasket
65/		42911-S(B41A)	4	Bolt (pump cover to pump body)-1/4"-20 x 5/8"
69/		378644-S(NN61B)	1	Dowel (pump to block)-1/2"x 13/32"
65/67	All (exc. Calif.)	D0AZ 6A603-G (EK-6-A)	1	EMISSION CONTROL KIT - EXHAUST
	Consists of 1-D2AE 9C485-AA Tag eng.exh.emission I.D. 1-D0AE 12A091-C Valve assy. dist. 1-D0AE 12226-J Hose dist.vac.3" long			1-ESB-M4G92-A Sealer, silicone rubber 1-Instruction sheet
		6608		ROTOR and SHAFT ASSY. - OIL PUMP DRIVE
65/		C4TZ 6608-A	1	2 1/4" long
		6616		PLATE - OIL PUMP BODY
65/		B8A 6616-C	1	
		6A618		SHAFT ASSY. - OIL PUMP INTERMEDIATE
65/		C5AZ 6A618-A	1	4.52" long-includes retainer
		6622		SCREEN, TUBE and COVER ASSY. - OIL PUMP
65/		C5AZ 6622-A	1	
65/		42911-S(B41A)	4	Bolt (cover to oil pump)-1/4"-20 x 5/8"
65/		C5AZ 6626-B	1	GASKET - OIL PUMP INLET TUBE
		6629		RING - OIL PUMP INTERMEDIATE SHAFT RETAINER
65/		C4AZ 6629-A	1	.307" O.D.-.272" I.D.-use 5/16" shaft
65/	Without oil filter	B2AZ 6A659-A	1	COVER - CYLINDER BLOCK OIL FILTER OPENING-4.92" O.D.-49/64" hole-1.20" height
65/	Without oil filter	B2AZ 6A660-A	1	BOLT - CYLINDER BLOCK OIL FILTER OPENING COVER-3/4"-16 x 1.76"-special hex. washer head
		6A664		HOSE - CRANKCASE VENTILATION - Also refer to Basic No.6853
				Intake Manifold Type
		C9PZ 6A664-A (KCV-1)	AR	15/32" I.D.-25 ft.long-cut as required
		C9PZ 6A664-B (KCV-2)	AR	5/8" I.D.-25 ft.long-cut as required
69/71	A	97329-S35(E6)	2	Clamp-hose
				Rocker Arm Cover Type
65	A, Taxi, P/C	★C3AE 6853-C	1	13 1/4" long-attach valve to manifold-cut from B4C 4090-A
65	A	★C4TE 6853-E	1	13" long-5/8" O.D.-attach oil cap to air cleaner

Identification markings † Also Basic 6A892 ☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 240	PART NAME AND DESCRIPTION
		6A664		HOSE - CRANKCASE VENTILATION - Also refer to Basic No. 6853 - continued
				Thermactor Type
66/67		C6AZ 6A664-D	1	20" long-3/8" I.D. one end-1/2" I.D. other end - att. 6A666 valve to manifold
66/68		★ C6AZ 6A664-G	1	5/8" I.D. molded hose-air cleaner to oil filler cap
71/		★ C6DE 6A664-A	1	22 1/4" long-attach valve to manifold-cut from B4C 4090-A bulk hose
65/		C5AZ 6666-A	1	PLUG - OIL PUMP RELIEF VALVE - cup type - .793" O.D.
		6A666		VALVE - POSITIVE CRANKCASE VENTILATION - (P.C.V.)
65/	A, Taxi, P/C	D0DZ 6A666-A (EV-49)	1	Replaces valve #C5UE-A
		6670		SPRING - OIL PUMP RELIEF VALVE
65/		C5AZ 6670-A	1	20 active coils-3.03" free length
		6674		PLUNGER - OIL PUMP RELIEF VALVE
65/		C5AZ 6674-A	1	2.21" long-.75" diameter
65/		C5AZ 6675-A	1	PAN ASSY. - OIL
65/		20326-S7(B49)	25	Bolt (oil pan to cyl. block)-5/16"-18 x 5/8"-hex. head
		34806-S7(X64)	25	Lockwasher-5/16"
65/		C3AZ 6700-A	1	SEAL - CYLINDER FRONT COVER OIL
		6701		PACKING - CRANKSHAFT REAR
65/		C5AZ 6701-B	1	Oil seal-crankshaft-rear
		6710-1		GASKET - OIL PAN - refer to Group 6781
		6722-3		SEAL - OIL PAN - refer to Group 6781
65/		★D1AZ 6730-A R/B D1AZ 6730-B (11-74)	1	PLUG - OIL PAN DRAIN
65/	Taxi, P/C	C1TZ 6731-B (FL-20)	1	ELEMENT ASSY. - OIL FILTER - not used with disposable ("Spin-On") one piece type oil filter
	Consists of 1-C3TE 6744-A, C4TE 6744-A2, C5RA 6744-A or D4PJ 6744-BA Element	Δ1-EAA 6746-A Gasket; 1-EAA 6749-A Gasket		1-EAA 6838-A Gasket
65/	☆A	C1AZ 6731-A (FL-1)	1	"Spin-on" one piece filter-has 3/4"-16 female threads
65/	♦A	CC1AZ 6731-A (FL-1)	1	"Spin-on"
65/		C2OZ 6734-A	1	GASKET - OIL PAN DRAIN PLUG - #Nylon-13/16" O.D.-1/2" I.D.-5/64" thick
65/	Taxi, P/C	EAA 6737-B	1	COVER - OIL FILTER
65/	Taxi, P/C	B2A 6741-A	1	BOLT and VALVE ASSY. - OIL FILTER CENTER - used with cartridge type oil filter
65/	Taxi, P/C	★EAA 6746-A	1	GASKET - OIL FILTER ELEMENT - 1.24" O.D.-.72" I.D.-.12" thick-supplied in 6731 kit-used with cartridge oil filter
65/	Taxi, P/C	EAA 6749-A	1	GASKET - OIL FILTER CENTER BOLT TO COVER-1.18" O.D.-.77" I.D.-.06" thick-used with cartridge oil filter
		6750		INDICATOR - OIL LEVEL
65/		C5AZ 6750-E	1	#C6AE 6750-B-Black plug in handle 12.38" shield to full; 13.36" shield to add; 13.98" shield to end
65/		C5AZ 6754-B	1	TUBE ASSY. - OIL LEVEL INDICATOR
		6758		TUBE - CRANKCASE VENTILATION - emission reduction - also refer to basic No's 6A664 & 6853
65/71		C5AZ 6758-D	1	Attaches to int. manifold
72		C5TZ 6758-C	1	
65	♦A	CC5AE 6758-B	1	Used as road draft tube

Identification marking Δ Not required with C5RA 6744-C element ☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 240	PART NAME AND DESCRIPTION
		6766		CAP ASSY. - OIL FILLER and BREATHER - non emission reduction
65	♦A	C0AZ 6766-A	1	
65/68		C3AZ 6766-E (EC-564)	1	#Chrome
				Emission reduction
65/ 66/70	Closed em/re With T/E or Imco	C4TZ 6766-B (EC-31)	1 1	Rocker arm cover type with straight spout-#Black-optional with C5ZZ 6766-D
		C5ZZ 6766-D (EC-10)	1	Closed system rocker arm cover type-#Chrome-optional with C4TZ 6766-B
65/67	Without T/E	C3AZ 6766-D (EC-64)	1	Open system rocker arm cover type
71/ 72		D1AZ 6766-A D1ZZ 6766-A (EC-508)	1 1	#Black #Chrome-optional w/specified Black cap
		6767		ELBOW - CRANKCASE VENTILATION HOSE
72		C8AZ 6767-A		90° -5/8" x 5/8"-used in oil filler cap-also refer to basic No. 9600
		6781		GASKET SET - OIL PAN
65/		D0AZ 6781-B	1	
	Consists of 1-C9AE 6710-A Gasket (R. H.) 1-C9AE 6711-A Gasket (L. H.)	1-C5AE 6722-A Seal (front) 1-C5AE 6723-A Seal (rear)		1-C2OZ 6734-A Gasket (drain plug)
65	♦A	CC5AE 6789-A	1	GASKET - OIL FILLER & BREATHER CAP
65/	Taxi, P/C	EAA 6838-A	1	GASKET - OIL FILTER MOUNTING-4.96" O. D. - 4. 40" I. D. -. 06" thick-used with cartridge type oil filter-also used without oil filter
65/	Taxi, P/C	C5AZ 6840-A	1	GASKET - OIL FILTER ADAPTER -3-1/64" O. D. - 49/64" center hole-1/32" hole
		6853	★	HOSE - CRANKCASE VENTILATION Cut from B4C 4090-A-3/8" I.D. Cut from C9PZ 6A664-A-15/32" I.D. Cut from C3AZ 6A664-A-1/2" I.D. Cut from C3AZ 6A664-B-5/8" I.D. Cut from C9PZ 6A664-B-5/8" I.D. Also refer Basic 6A664
		6A868		ADAPTOR - OIL FILLER
65/67		C5AZ 6A868-A	1	
68/71		C5AZ 6A868-B	1	
65/	Taxi, P/C	C5AZ 6881-A	1	ADAPTER ASSY. - OIL FILTER - use with cartridge type oil filter
65/70	Taxi, P/C	C1AZ 7A294-A	1	"O" ring-1 7/64" I. D. -1/8" thick-fits in adaptor
65/	Taxi, P/C	B2A 6889-A	1	SPRING - OIL FILTER ELEMENT RETAINING - approx. .94" free length-4 active coils-used with cartridge type oil filter
		6890	1	INSERT - OIL FILTER MOUNTING BOLT
65/	Taxi, P/C	EAM 6890-B	1	Plain-3/4"-16 internal & 1 1/16"-12 external threads-. 52" overall length-use with cartridge type oil filter-attach bolt & valve assy. to cyl. block
65/	A(exc. Taxi, P/C)	D1AZ 6890-A	1	3/4"-16 & 1 1/16"-12 male threads-1 13/64" long
65/71		C8SZ 6A892-A	1	RETAINER - CRANKCASE VENTILATION-grommet (holds 6A666 in 6582)-1 7/16" O.D.-23/32" I.D.
72		C8AZ 6A892-A	1	Elbow to oil filler cap-1 7/16" O.D.-37/64" I.D.-L.H. side
		★6A892		Refer to basic No. 9600
65/	Taxi, P/C	C5AZ 6894-A	1	BOLT ASSY. - OIL FILTER ADAPTER MOUNTING -use with cartridge type filter
65/	Taxi, P/C	B2A 6898-A	1	RETAINER - OIL FILTER ELEMENT-1 1/4"O.D. - 49/64" I. D. -used with cartridge type oil filter

Identification marking ♦ Canada only

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	289	289 Spec	PART NAME AND DESCRIPTION
		6008				GASKET SET - COMPLETE OVERHAUL
65/66	"Before Chg/L10"	C3AZ 6008-D		1	1	
	Consists of					
	1-C2OZ 6020-A Gasket (front cover)			1-C2OZ 6734-A Gasket (oil pan drain plug)		
	2-C3AZ 6051-C Gasket (cylinder head)			2-C2OZ 6870-A Gasket (vent tube)		
	16-C3AZ 6571-B Seal (valve stem)			1-C9AZ 8255-A Gasket (water outlet)		
	2-D0AZ 6584-B Gasket (rocker arm cover)			1-C2OZ 8507-B Gasket (water pump)-"Before CHG/L10"		
	1-B8TZ 6626-A Gasket (oil pump flange)			1-C5AZ 8507-B Gasket (water pump)-"From CHG/L10"		
	1-C2OZ 6659-C Gasket (oil pump)			1-C5AZ 8513-A Gasket (pump cover)-"From CHG/L10"		
	1-C3AZ 6700-A Seal (crankshaft-front)			1-C3AZ 9417-C Gasket (fuel pump)		
	2-C9OZ 6701-A Packing (crankshaft-rear)			1-D1OZ 9A424-A Seal (intake manifold-rear)		
	1-C9OE 6710-B Gasket (oil pan-R. H.)			1-D1OZ 9A425-A Seal (intake manifold-front)		
	1-C9OE 6711-B Gasket (oil pan-L. H.)			2-C3AZ 9441-D Gasket (intake manifold)		
	2-D3OE 6722-A Seal (oil pan-front & rear)					
66/67	"Chg/L10 to Chg/L13"	C6AZ 6008-D			1	
	Consists of					
	1-C2OZ 6020-A Gasket (front cover)			2-D3OE 6722-AA Seal (oil pan)		
	2-C3AZ 6051-C Gasket (cylinder head)			1-C2OZ 6734-A Gasket (oil pan drain plug)		
	16-C6AZ 6571-B Seal (valve stem)			1-C9AZ 8255-A Gasket (water outlet)		
	2-D0AZ 6584-B Gasket (rocker arm cover)			1-C5AZ 8507-B Gasket (water pump)		
	1-B8TZ 6626-A Gasket (inlet tube)			1-C5AZ 8513-A Gasket (water pump cover)		
	1-C2OZ 6659-C Gasket (oil pump)			1-C3AZ 9417-C Gasket (fuel pump)		
	1-C3AZ 6700-A Seal (crankshaft)-front			1-D1OZ 9A424-A Seal (intake manifold)-rear		
	2-C9OZ 6701-A Packing (crankshaft)-rear			1-D1OZ 9A425-A Seal (intake manifold)-front		
	1-C9OE 6710-B Gasket (oil pan)-R. H.			2-C3AZ 9441-D Gasket (intake manifold)		
	1-C9OE 6711-B Gasket (oil pan)-L. H.					
67	"Chg/L14/"	C7AZ 6008-B			1	
68	M/T				1	
	Consists of					
	1-C2OZ 6020-A Gasket (cyl. front)			2-D3OE 6722-AA Seal (oil pan-front)		
	2-C3AZ 6051-C Gasket (cylinder head)			1-C2OZ 6734-A Gasket (oil pan drain plug)		
	16-C7AZ 6571-B Seal (valve stem)			1-C9AZ 8255-A Gasket (water outlet)		
	2-D0AZ 6584-B Gasket (rocker arm cover)			1-C5AZ 8507-B Gasket (water pump)		
	1-B8TZ 6626-A Gasket (inlet tube)			1-C5AZ 8513-A Gasket (water pump cover)		
	1-C2OZ 6659-C Gasket (oil pump)			1-C3AZ 9417-C Gasket (fuel pump)		
	1-C3AZ 6700-A Seal (crankshaft-front)			1-D1OZ 9A424-A Seal (intake manifold-rear)		
	2-C9OZ 6701-A Packing (crankshaft-rear)			1-D1OZ 9A425-A Seal (intake manifold-front)		
	1-C9OE 6710-A Gasket (oil pan-R. H.)			2-C3AZ 9441-D Gasket (intake manifold)		
	1-C9OE 6711-A Gasket (oil pan-L. H.)					
68	A/T	D1AZ 6008-B			1	
	Consists of					
	1-C2OZ 6020-A Gasket (front cover)			2-D3OE 6723-AA Seal (oil pan)		
	2-D0OZ 6051-A Gasket (cylinder head)			1-C2OZ 6734-A Gasket (drain plug)		
	16-C7AZ 6571-B Seal (valve stem)			1-C9AZ 8255-A Gasket (water outlet)		
	2-D0AZ 6584-B Gasket (rocker arm cover)			1-C5AZ 8507-B Gasket (water pump)		
	1-B8TZ 6626-A Gasket (inlet tube)			1-C5AZ 8513-A Gasket (water pump cover)		
	1-C2OZ 6659-C Gasket (oil pump)			1-D0AZ 8513-A Gasket		
	1-C3AZ 6700-A Seal (crankshaft-front)			1-C3AZ 9417-C Gasket (fuel pump)		
	2-C9OZ 6701-A Seal (crankshaft-rear)			1-D1OZ 9A424-A Seal (intake manifold-rear)		
	1-C9OE 6710-B Gasket (oil pan-R. H.)			1-D1OZ 9A425-A Seal (intake manifold-front)		
	1-C9OE 6711-B Gasket (oil pan-L. H.)			2-C3AZ 9441-D Gasket (mounting manifold)		
65/68		C2OZ 6A008-A		4	4	4 DOWEL - CYLINDER HEAD TO CYLINDER BLOCK-.676" O. D. -.55" I. D. -.44" height-split
67/68		C7DE 6D008-A			1	HEATER KIT - CYLINDER BLOCK
		6009				CYLINDER ASSY. - Includes cylinder block with all internal parts of the engine but does not include cylinder heads, tappets, pan or cylinder front cover unless indicated
65		C4OZ 6009-B		1		Use with C4AZ 6019-A cover
65/68	2/B	C5AZ 6009-E			1	#Stud on No. 3 main bearing cap
65	4/B carb. R.F	C4AZ 6009-B			1	#(5) bolt holes for flywheel housing

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	289	289 Spec	PART NAME AND DESCRIPTION
		6009				CYLINDER ASSY. - continued
65/67	4/B carb. P.F.- "Before 4/15/67"	C5OZ 6009-D		1		#(6) holes for flywheel housing
67	4/B carb. P.F.- "From 4/15/67"	C7OZ 6009-C		1		
65		C4OZ 6009-E			1	#(5) bolt holes for flywheel housing
65/67		C5OZ 6009-B			1	#(6) bolt holes for flywheel housing
		6010				ΔBLOCK ASSY. - CYLINDER
65		C4OZ 6010-D	1			Hydraulic tappets-uses front cover without oil fill hole-(5) holes for flywheel housing-3.8" bore
65	4/B carb. R.F.	★C4AZ 6010-B Not replaced		1		Hydraulic tappets-uses front cover without oil fill hole-(5) bolt holes for flywheel housing-4" bore
65/68	2/B,4/B P.F.	D1TZ 6010-B		1		Hydraulic tappets includes C5OZ 6269-D plate -4" bore
65		★C4OZ 6010-C			1	Mechanical tappets-uses front cover without oil fill hole-(5) holes for flywheel housing -4" bore
65/67		C5OZ 6010-C			1	Mech. tappets-4" bore -includes (1) C5OZ 6269-D plate
65/67	A	73249-S(N88)		2		Dowel (cyl. block to clutch housing)-3/8" x 9/16"
		6B018				WIRE ASSY. - CYLINDER BLOCK HEATER
65/66	All	CC1TF 6B018-E		1		
67	All	C7TE 6B018-A		1		2 conductor-use with 3 terminal heater-(dummy ground)
67	All	C7TE 6B018-C		1		3 conductor-use with 3 terminal heater-(green ground connector)
		6019				COVER ASSY. - CYLINDER FRONT
65	A,B,F,X (2/B carb.)	C4AZ 6019-B	1	1		Includes (1) 376962-S cup plug to plug unused oil
65	B,F(4/B R.F. & P.F.)- "Before Chg/L8"			1		filler pipe hole
65	B & F Specials (4/B)- "Before Chg/L8"				1	
66	B,F,X(2/B, 3/4/M/T, non T/E)	C4AZ 6019-B		1		Use with C5AZ 8501-B,K water pump-includes (1) 376962-S cup plug to plug unused oil filler pipe hole
65/67	A,B,F,U(2/B,4/B P.F.) "Chg/L8/"	D3OZ 6019-A		1		Aluminum-includes (1) C8AZ 6023-B timing pointer & (1) 378371-S7 screw
67	X(2/B) 3 or 4/M/T			1		
68	B,F,X,U (2/B)			1		
65/67	B & F Specials (4/B carb.)- "Chg/L8/"				1	
65/68	B	376258-S(BB545C)		3		Bolt (water pump & cover to block)-5/16"-18 x 3 7/16"
65/68	B	376259-S(BB545D)		1		Bolt (water pump & cover to block)-5/16"-18 x 4 5/8"-hex. washer head
65/68		376256-S(BB545A)	AR	AR		Bolt (cover to block)-5/16"-18 x 1" hex. washer hd.
65/68		376257-S(BB545B)	AR	AR		Bolt (cover to block)-5/16"-18 x 2"-hex.washer hd.
65/68		C2OZ 6020-A	1	1	1	GASKET - CYLINDER FRONT COVER - .030" thick
68		C8AZ 6023-B		1		POINTER - TIMING

6A023,6054,6068 & 6120 REAR MOTOR MOUNT CHART

YEAR	MODEL	C.I.D.	* SUPPORT	*BRACKET-REAR SUPPORT	*INSULATOR ASSEMBLY	* EXTENSION R.H.	* EXTENSION L.H.
	- A -						
65/67	A (C/M)	289		C5AZ 6054-B	C9AZ 6068-E		
65/67	A(M/T, O/D, C4)	289		C5AZ 6054-A	C8AZ 6068-B		
	- B -						
65	B (2/B)	289	C2OZ 6A023-D	C1SS 6054-A	C3OZ 6068-B	C2OZ 6120-J	C2OZ 6120-K
65	B(4/B-P.F.)-4/M/T	289					
65	B Spec.(4/B)-4/M/T	289					
65	B(4/B-P.F.)-exc. 4/S/T	289	C2OZ 6A023-D		C3OZ 6068-B	C2OZ 6120-J	C2OZ 6120-K
65	B Spec.(4/B)-exc. 4/M/T	289					

Δ 6015 is a casting number and generally cannot be cross referenced to a service number. It will be used as a means of identification only when casting number is unique to only one 6010 assy. # Identification marking

* 1 Required unless otherwise noted

YEAR	MODEL	C.I.D.	* SUPPORT	*BRACKET-REAR SUPPORT	* INSULATOR ASSEMBLY	* EXTENSION R.H.	* EXTENSION L.H.
			6A023,6054,6068 & 6120 REAR MOTOR MOUNT CHART - continued				
	- B -						
66	B(exc.76)- "Before 12/15/65"	289	C6OZ 6A023-B		C8OZ 6068-B	C6DZ 6120-C	C6DZ 6120-D
66	B(exc.76)- "From 12/15/65"	289	C6OZ 6A023-B		C8OZ 6068-B	C6DZ 6120-E	C6DZ 6120-F
66	B(76)- "Before 12/15/65"	289	C6OZ 6A023-B		C8OZ 6068-A	C6DZ 6120-C	C6DZ 6120-D
66	B(76)- "From 12/15/65"	289	C6OZ 6A023-B		C8OZ 6068-A	C6DZ 6120-E	C6DZ 6120-F
67	B(2/B,exc. 76)	289	C6OZ 6A023-B		C8OZ 6068-B	C6OZ 6120-G	C6OZ 6120-H
67	B(2/B, 76)	289	C6OZ 6A023-B		C8OZ 6068-A	C6OZ 6120-G	C6OZ 6120-H
68	B(2/B)-76	289	C6OZ 6A023-B		C8OZ 6068-A	C6OZ 6120-G	C6OZ 6120-J
68	B(2/B)-exc. 76	289	C6OZ 6A023-B		C8OZ 6068-B	C6OZ 6120-G	C6OZ 6120-J
	- F -						
65	F(2/B)	260,289	C5ZZ 6A023-A		C8ZZ 6068-A		
65	F(4/B-R. F. or P. F.)	289					
65	F Spec.(4/B)-exc. 4/S/T	289	C5ZZ 6A023-A		★C8ZZ 6068-D R/B C8ZZ 6068-A (8-74)		
65	FSpec.(4/B)-4/S/T	289	C5ZZ 6A023-A		C5ZZ 6068-C		
66	F(2/B, 4/B-P. F.)	289	C6ZZ 6A023-A		C8ZZ 6068-A		
66/67	F Spec.(4/B)- "Before 11/1/66"	289	C6ZZ 6A023-A		C5ZZ 6068-C		
67	F Spec. (4/B)-4/S/T- "From 11/1/66"	289	C7ZZ 6A023-D		★C8ZZ 6068-D R/B C8ZZ 6068-A (8-74)		
67	F Spec. (4/B)-C4- "From 11/1/66"	289	C7ZZ 6A023-D		C9ZZ 6068-D		
67	F(2/B, 4/B P. F.)	289	C7ZZ 6A023-D		C8ZZ 6068-A		
68	F(2/B)	289	C7ZZ 6A023-D		★C8ZZ 6068-D R/B C8ZZ 6068-A (8-74)		
	- X -						
65	X(2/B, 4/B-P. F.)	289	C1DZ 6A023-A		C1DZ 6068-A		
66	X(2/B, 4/B-P. F.)- "Before 12/15/65"	289	C6OZ 6A023-B		C8OZ 6068-B	C6DZ 6120-C	C6DZ 6120-D
66	X(2/B, 4/B-P. F.) - "From 12/15/65"	289	C6OZ 6A023-B		C8OZ 6068-B	C6DZ 6120-E	C6DZ 6120-F
67/68	X(2/B, 4/B-P. F.)	289	C6OZ 6A023-B		C8OZ 6068-A	C6DZ 6120-E	C6DZ 6120-F
	- U -						
66/68	U	289	C6TZ 6A023-B	C6TZ 6096-A	#C6TZ 6068-D		

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	QUANTITY 289	QUANTITY 289 spec	PART NAME AND DESCRIPTION
65/68	B	376905-S7-8(BB838H)		2		Bolt-1/2"-13 x 1 3/8"-square neck
65/68	B	20432-S7-8(B121)		2		Bolt (rear support to extension)-1/2"-13 x 1 1/8"
		34809-S8(X68)		AR		Lockwasher-1/2"
		354580-S(BB187)		1		Bolt-3/8"-16 x 3 1/4"
		34057-S8(M161)		1		Nut-3/8"-16
		34807-S7-8(X66)		AR		Lockwasher-3/8"
		6026				PLUG - ENGINE
65/68		B2A 6026-B		1	1	At distributor boss-.273" O.D.-acorn shape-.20" overall length
65/68		C8AZ 6026-C		2	2	1 1/2" O.D. plug core holes in head
					6	Plug core holes in block
		C8AZ 6026-D			AR	.060" O/S
65/67		C8AZ 6026-A			4	Plug (cyl. head end)-1 3/4" O.D.
65/68		376301-S(PP67A)			3	Plug (cylinder block oil passages)-1/2" cup
65/68		376099-S(PP73A)		1	1	Plug (cyl. block rear)-cup type-3/4"
68		353055-S7(PP29)			3	Plug (cyl. block oil passages)-1/4"-18 pipe (plug drain holes in back)
					2	
		6A027				SPACER - SUPPORT INSULATOR
66/68	U	C6TZ 6A027-A			2	Rear

* 1 Required unless otherwise noted # Two required

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

6028,6029,6030,6031 & 6038 FRONT MOTOR MOUNT CHART

YEAR	MODEL	C.I.D.	*SUPPORT BRACKET R.H.	*SUPPORT BRACKET L.H.	BRACKET R.H.	BRACKET L.H.	*INSULATOR R.H.	*INSULATOR L.H.
	- A -							
65/67	A (2/B)	289	C5AZ 6028-B	C5AZ 6029-B			C9AZ 6038-J	C9AZ 6038-J
	- B -							
65	B(2/B, 4/B-P.F.)	289	C5OZ 6028-A	C5OZ 6028-A	C5OZ 6030-A	C5OZ 6030-A	C5ZZ 6038-A	C5ZZ 6038-A
65	B Spec. (4/B)	289						
66/68	B (2/B)-76	289	C6DZ 6028-A	C6DZ 6029-A			D0OZ 6038-H	D0OZ 6038-H
66/68	B(2/B)-exc.76	289	C6DZ 6028-A	C6DZ 6029-A			D0OZ 6038-G	D0OZ 6038-G
	- F -							
65	F(63, 65)-2/B	260,289	C3DZ 6028-C	C3DZ 6029-C	C3DZ 6030-A	C3DZ 6031-A	C3AZ 6038-G	C3AZ 6038-H
65	F(63, 65)-4/B-R.F.or P.F.	289						
65	F(76)-2/B	260,289	C3DZ 6028-C	C3DZ 6029-C	C3DZ 6030-A	C3DZ 6031-A	C4DZ 6038-A	C4DZ 6038-B
65	F(76)-4/B-R.F.or P.F.	289						
65	F Spec. (4/B)	289	★C5ZZ 6028-A	C5ZZ 6029-A	C5ZZ 6030-A	C5ZZ 6031-A	C5ZZ 6038-A	C5ZZ 6038-A
66	F(2/B, 4/B-P.F.-exc.76-"Before 11/1/65"	289	C6ZZ 6028-B	C6ZZ 6029-B	C6ZZ 6030-A	C6ZZ 6031-A	C3AZ 6038-G	C3AZ6038-H
66	F Spec.(4/B)-exc.76-"Before 11/1/65"	289	C6ZZ 6028-B	C6ZZ 6029-B	C6ZZ 6030-A	C6ZZ 6031-A	C5ZZ 6038-A	C5ZZ 6038-A
66	F(2/B,4/B-P.F.)-exc.76-"From 11/1/65"	289	C6ZZ6028-B	C6ZZ 6029-B	C6ZZ 6030-A	C6ZZ 6031-A	D0OZ 6038-G	D0OZ 6038-G
66	F Spec.(4/B)-exc.76-"From 11/1/65"	289	C6ZZ 6028-B	C6ZZ 6029-B	C6ZZ 6030-A	C6ZZ 6031-A	D0OZ 6038-G	D0OZ 6038-G
66	F(2/B, 4/B-P.F.)-76-"Before 11/1/65"	289	C6ZZ 6028-B	C6ZZ 6029-B	C6ZZ 6030-A	C6ZZ 6031-A	C4DZ 6038-A	C4DZ 6038-B
66	F Spec. (4/B)-76-"Before 11/1/65"	289	C6ZZ 6028-B	C6ZZ 6029-B	C6ZZ 6030-A	C6ZZ 6031-A	C5ZZ 6038-A	C5ZZ 6038-A
66	F(2/B, 4/B-P.F.)-76-"From 11/1/65"	289	C6ZZ 6028-B	C6ZZ 6029-B	C6ZZ 6030-A	C6ZZ 6031-A	D0OZ 6038-H	D0OZ 6038-H
66	F Spec. (4/B)-76-"From 11/1/65"	289	C6ZZ 6028-B	C6ZZ 6029-B	C6ZZ 6030-A	C6ZZ 6031-A	D0OZ 6038-H	D0OZ 6038-H
67	F(2/B, 4/B-P.F.)	289	D0ZZ 6028-D	C7ZZ 6029-B	D0ZZ 6030-B	D0ZZ 6031-B	D0ZZ 6038-B	D0ZZ 6038-B
67	F Spec.(4/B)	289	D0ZZ 6028-D	C7ZZ 6029-B	D0ZZ 6030-B	D0ZZ6031-B	D0ZZ 6038-B	D0ZZ 6038-B
68	F (2/B)-exc.76	289	D0ZZ 6028-C	D0ZZ 6029-C	D0ZZ 6030-B	D0ZZ6031-B	D0OZ 6038-G	D0OZ 6038-G
68	F (2/B)-76	289	C8ZZ 6028-B	D0ZZ 6029-D	C8ZZ 6030-A	C8ZZ 6031-A	D0ZZ 6038-B	D0ZZ 6038-B
	- X -							
65	X(76)-2/B, 4/B-P.F.-"From 3/3/64"	260,289	C3DZ 6028-C	C3DZ 6029-C	C3DZ 6030-A	C3DZ 6031-A	C4DZ 6038-A	C4DZ 6038-B
65	X(exc.76)-2/B-4/B-P.F.-"From 3/3/64"	260,289	C3DZ 6028-C	C3DZ 6029-C	C3DZ 6030-A	C3DZ 6031-A	C3AZ 6038-G	C3AZ 6038-H
66/68	X(2/B, 4/B-P.F.)-exc.76	289	C6DZ 6028-A	C6DZ 6029-A			D0OZ 6038-G	D0OZ 6038-G
66/68	X(2/B, 4/B-P.F.-76)	289	C6DZ 6028-A	C6DZ 6029-A			D0OZ 6038-H	D0OZ 6038-H
	- U -							
66/68	U	289	Refer 5057	Refer 5058			C7TZ 6038-G	C7TZ 6038-G

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	QUANTITY 289	QUANTITY 289 spec	PART NAME AND DESCRIPTION
65/68	A	★20372-S8	2	2		Bolt(ret. to trans. ext.)-1/2"-13 x 7/8" hex. head
65/68	A	20411-S7(B184)	2	2		Bolt(rear suppt. to frame)-7/16"-20 x 1 1/8" hex. hd.
65/68	A	34671-S8(M67)	2	2		Nut-7/16"-20
65/68	A	356590-S(XX171)	2	2		Washer-flat-.47" I.D. -.78" O.D. -.10" thick-steel
65/68	A	357625-S7-8(XX304)	2	2		Lockwasher-7/16"
66/68	B, F, X	371951-S8(MM151)		2		Nut (support to crossmember)-7/16"-14
65/68	B	34670-S7-8(M54)	AR	AR		Nut-7/16"-14

* One required unless otherwise noted

6028,6029,6030,6031 & 6038 FRONT MOTOR MOUNT CHART - continued

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	289	289 spec.	PART NAME AND DESCRIPTION
65/68	B	34808-S8(X67)	2	2		Lockwasher-7/16"
65/68	B	34808-S8(X67)	4	4		Lockwasher-7/16"
		33799-S7(M52)	4	4		Nut-3/8"-16
		34807-S7-8(X66)	4	4		Lockwasher-3/8"
65/67	A	20390-S8(B102)		4		Bolt(engine front support insulator to cyl. block)-7/16"-14 x 1"-hex. head
65/67	A	34671-S8(M67)		4		Nut-7/16"-14
65/67	A	357625-S7-8(XX304		4		Lockwasher-7/16"
65/66	B, F, X	44735-S8(X32)	2	2		Washer-flat(insulator to bracket)-15/32"
66/68	B, X	20348-S2(B77)		2		Bolt (att.insulator to bracket)-3/8"-16 x 3/4" hex. head
		6030-1				BRACKET - FRONT SUPPORT - Refer to Front Motor Mount Chart (Group 6028)
		6038				INSULATOR - FRONT SUPPORT - Refer to Front Motor Mount Chart (Group 6028)
65/68	A, F, X	C3DZ 6C038-A	2	2		SHIELD - MOTOR MOUNT HEAT - 8" long
65/67	F (4/B carb. -R. F. or P. F.)			2		
65/68	B, (B & F Specials-4/B carb.)	C2OZ 6039-A	2	2	2	INSULATOR - FRONT SUPPORT REBOUND
		6A042				REINFORCEMENT - REAR SUPPORT
68	B, X(exc. 76-.)	C8OZ 6A042-C		1		R. H.
		C8OZ 6A042-D		1		L. H.
		6A044				CONVERSION KIT - HIGH PERFORMANCE
68	F, X(2/B)	★†C8DZ 6A044-A		1		
68	B(2/B)-54A, 65A, 71D			1		
	Consists of					
	1-C8DZ 6C056-A Cylinder head kit					1-C8DZ 6A257-A Cam kit
	1-C6AZ 6108-AE Piston kit					
		6046				BRACKET - FRONT SUPPORT INSULATOR - Refer to Front Motor Mount Chart (Group 6028)
65	A	★C5AA 6046-C		1		R.H. - serviced in 6038 assy.
		★C5AA 6046-B		1		L.H. - serviced in 6038 assy.
65	B & F Specials (4/B carb.)	C3OZ 6046-A			2	
		6047				BOLT - FRONT SUPPORT INSULATOR
65	B	379891-S2(BB838K)		2		7/16"-14 x 3 21/32"-(round head)
		6049				HEAD - CYLINDER
65		★C4OZ 6049-A	2			#C4OE 6090-A
66	T/E "Before Chg./L10"	C6OZ 6049-C		2		
66	T/E "Chg./L11/12"	★C6AZ 6049-H		2		
68	Imco	C9OZ 6049-G		2		
68	M/T-T/E	C8DZ 6049-D		2		
65/68	High Perf., B, F	D1OZ 6049-B		2		Valve seats must be ground to accomodate high perf. valves
		6049				HEAD KIT - CYLINDER
65/66	Exc. T/E-"Before Chg./L10"	C3AZ 6049-AF		2		
	Consists of					
	1-C6OE 6049-N Head					4-C4AZ 6507-A Valve or 4-C4OZ 6507-A Valve
66	Exc.T/E- "Chg./L10"	C6OZ 6049-AF		2		
	Consists of					
	1-C6OE 6049-N Head	8-C8AZ 6513-A Spring				8-C7AZ 6571-B Seal
		8-C7AZ 6514-A Retainer				
66/67	Exc. T/E-"Chg./L11/"	C6AZ 6049-AG		2		
	Consists of					
	1-C7OZ 6049-D Head	8-C8AZ 6513-A Spring				8-C7AZ 6571-B Seal
		8-C7AZ 6514-A Retainer				
66	T/E	C6OZ 6049-C		2		
	Consists of					
	1-C6OE 6049-M Head	8-C8AZ 6513-A Spring				8-C7AZ 6571-B Seal
		8-C7AZ 6514-A Retainer				
67	T/E	C7OZ 6049-E		2		
	Consists of					
	1-C7OE 6049-B Head	8-C8AZ 6513-A Spring				8-C7AZ 6571-B Seal
		8-C7AZ 6514-A Retainer				

† Not to be sold where illegal
Δ Not used on Model 76 from 12/1/67
Identification marking

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	289	289 spec.	PART NAME AND DESCRIPTION
		6049				HEAD KIT - CYLINDER - continued
65/68		C7ZZ 6049-C			2	
67	T/E				2	
	Consists of 4-C6AZ 6052-A Plugs	4-C4OZ 6507-A Valve				
67	A, B, F, X, U w/T/E	351418-S(UU-136)		2		Insert 7/16"-14 female thd. 5/8"-11 male thd. x 1 3/16" long-to reduce 9B450 attaching hole in front of head-also used for cylinder head plug
67	A, B, F, X, U w/T/E	351693-S(UU-135)		2		Insert 3/8"-16 female thd. 5/8"-11 male thd. x 15/16" long-to reduce 9B450 attaching hole in front of head-also used for cylinder head plug
		6051				GASKET - CYLINDER HEAD
65/68		D0OZ 6051-A	2	2	2	Asbestos & steel-.047" thick
66/68		C6AZ 6052-A		8	8	PLUG - CYL. HEAD EXHAUST AIR SUPPLY-1/2"-20 x 1 11/32"(to plug holes when T/E not used)
		6054				RETAINER - REAR SUPPORT - Refer to Rear Motor Mount Chart (Group 6A023)
65	X (3 speed S/T)	C3DZ 6B056-A		1		SPRING - REAR SUPPORT
65/68	X (C/M, C4)	C4GY 6B056-A		1		
65/68	X (4 speed trans.)	C3DZ 6B056-G		1		7 3/8" long
65	A	★C5AA 6A059-B		1		SPACER - FRONT MOUNTING BRACKET - serviced in C5AZ 6028-B & C5AZ 6029-B
		6A061				INSULATOR ASSY. - REAR SUPPORT REBOUND
65	X	C1DZ 6A061-A		1		Lower
66/68	U	C6TZ 6A061-A		2		Lower
66	U "Before Ser. 886, 001"	C6TZ 6A061-B		1		6A023 cross member to transfer case
66/68	U "From Ser. 886, 001"	C6TZ 6A061-D		1		6A023 cross member to transfer case
65/68		C2OZ 6065-A	10	10	10	BOLT - CYLINDER HEAD -7/16"-14 x 2.29"
65/68		C2OZ 6065-B	10	10	10	7/16"-14 x 3.91"
		6B066				STRAP - REAR SUPPORT REBOUND
65/68	X (3 or 4 speed trans. & F/M/2)	C4DZ 6B066-B	1			7" long
		6068				INSULATOR ASSY. - REAR SUPPORT - Refer to Rear Motor Mount Chart (Group 6A023)
		6B068				INDUCTION KIT - HIGH PERFORMANCE
65	F	C4DZ 6B068-A	1			(Cobra)-used to convert to (3) 2/B carb.-refer to 9B843 for accelerator control kit

Consists of

1-C2OZ 6524-A	Baffle (valve push rod)
1-C2OZ 6A630-A	Dust (c/case vent)
1-C2OZ 6A631-A	Element (c/case vent)
1-C2OZ 6A633-A	Retainer (c/case vent element)
1-C3RA 6869-A	Cover (c/case vent)
1-C2OZ 6870-A	Gasket (c/case vent to intake manifold)
1-C4RA 9D280-C	Manifold (carb. fuel supply)
3-C1AE 9D281-A	Hose (carb. fuel) or
3-C1AE 9D281-B	
1-C4RA 9424-A	Manifold (intake)
1-C2OZ 9A424-A	Seal (int. manifold to cyl. blk.-rear)
1-C2OZ 9A425-A	Seal (int. manifold to cyl. blk.-front)
2-C2OZ 9441-A	Gasket (int. manifold to cyl. block)
3-B8A 9447-A	Gasket (carb. to int. manifold)
1-C4GF 9510-H	Carb. (2/B-center)
2-C4GF 9510-J	Carb. (2/B front & rear)
4-C3AE 9E544	End (carb. throttle synchro. rod)
1-EDJ 9601-A	Element (air cleaner)
1-C4RA 9A612-A	Tray (air cleaner)
3-C1AE 9654-A	Gasket (air cleaner to carb.)
1-C4RA 9661-A	Cover (air cleaner)
1-C3RA 9724-A	Bellcrank (accel.)
1-C3AE 9780-A	Rod (bellcrank to carb.)
1-C4RA 9819-A	Tube (thermo. choke control outlet)
1-C1AE 9B841-A	Rod (carb. throttle-front)
1-C1AE 9B842-A	Rod (carb. throttle-rear)
1-C5AA 9865-A	Insulator (thermo. choke control tube)
1-C1AF 18599-A	Elbow (heater connection)
1-C3RA 19D531-A	Medallion (kit)
2-34079-S8	Nut (No. 10-32-lock throttle rods)
4-40922-S8	Screw (1/4"-28 x 1/2"-opt. with 92060-S
3-42718-S8	Screw & washer (5/16"-18 x 1/2"-C/case vent to 9424
12-88376-S	Stud (5/16"-18-24 x 1 5/16"-carb. mtg.
4-92060-S	Screw (No. 14-9 x 3/8"-opt. with 40922-S8
12-351089-S8	Nut (5/16"-24-carb. to int. manifold)
4-351253-S8	Washer (13/64" I.D.-7/16" O.D. att. rods to carb.)
1-357940-S	Comp. sleeve (1/4" thermo. tube to choke)
1-357980-S	Comp. nut (1/4"-24-thermo. tube to choke)
2-358871-S8-S100	Wing nut (1/4"-20)
2-370970-S8	Stud (1/4"-20 x 3"-air cleaner mounting)
1-372145-S	Washer (No. 10-spacer synchro throttle end)
1-372146-S	Nut (No. 8-32 throttle pin to throttle ends)
1-372175-S	Plug (vacuum hole in manifold)
6-375416-S8-S35	Hose clamp (9/16" fuel line to outlet tube)

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	289	289 spec.	PART NAME AND DESCRIPTION
		6B068				INDUCTION KIT - HIGH PERFORMANCE - cont'd.
65	B,X-M/T	C4DZ 6B068-B		1	1	To convert to (3) 2/B carbs. - Refer to 9B843
66/68	B,X			1		for accelerator control kit
65/68	F			1	1	
		6070				PLATE - REAR SUPPORT
66/67	B,X(2/B & 4/B carb.-P.F.)	C6OZ 6070-A		2		Approx. 4 3/4" long-3 5/16" wide
68	B(76)			2		
68	B,X (2/B)	C8OZ 6070-A		1		R.H.
		C8OZ 6070-B		1		L.H.
66/68	U	★C6TA 6070-C		2		Make from .18"thick steel-2 1/2" sq. -5/8" centered hole
		6079				GASKET SET - VALVE GRIND
65/		D1AZ 6079-B	1	1		
	Consists of					
	2-D0OZ 6051-A Gasket	1-C9AZ 8255-A Gasket				▲1-D1OZ 9A425-A Seal
	16-C7AZ 6571-B Seal	▲1-D1OZ 9A424-A Seal				▲2-C3AZ 9441-D Gasket
	2-D0AZ 6584-B Gasket					▲ Serviced in D1AZ 9433-B
68		C9AF 6B080-A		1		"O" RING - CYLINDER BLOCK HEATER - use with C7DE 6D008-A heater kit
		6096				BRACKET - REAR SUPPORT - Also Refer to Groups 6A023, 6054, 6068 & 6120
66	B,X(2/B & 4/B carb.-P.F.)	C6OZ 6096-A		1		R.H.
		C6OZ 6096-D		1		L.H.
67	B,X(2/B & 4/B carb.-P.F.) "Before 4/3/67"	C6OZ 6096-C		1		R.H.
		C6OZ 6096-G		1		L.H.
67	B,X(2/B,4/B-P.F.)- "From 4/3/67"	C6OZ 6096-F		1		R.H.
		C6OZ 6096-G		1		L.H.
68	B,X (2/B)	C6OZ 6096-F		1		R.H.
		C6OZ 6096-G		1		L.H.

6108-9 PISTON ASSEMBLY - CHART

In the Standard column of the chart below (R) designates red size - (B) designates blue size.
Red size and blue size are optional for selective fit.

YEAR	MODEL	C.I.D.	RINGS	INCL.	QTY.	PART NUMBER STANDARD	.003" O/S	.020" O/S	.030" O/S	.040" O/S	.060" O/S
65		260	3		8	C2OZ 6108-L	C2OZ 6108-U	C2OZ 6108-M	C2OZ 6108-N	C2OZ 6108-R	C2OZ 6108-S
65/68	2/B	289	3	Δ	8	C8OZ 6108-N(R)	C8OZ 6108-S	C9OZ 6108-T	C9OZ 6108-U	C9OZ 6108-V	
65	4/B-R.F.	289				C8OZ 6108-R(B)					
65/68	4/B-P.F.	289	3		8	C5OZ 6108-F(R)	C5OZ 6108-G	C5OZ 6108-H	C5OZ 6108-J	C5OZ 6108-K	
						C5GY 6108-C(B)					
65/67		289 Spec.	3	Δ	8	C3OZ 6108-L	C3OZ 6108-M				
65/68	All High Perf.Veh.-R.H.-deflector dome & cast in valve relief-use w/351 cyl. heads	289	3	Δ	4	C9OZ 6108-AB					
65/68	All High Perf.Veh.-L.H.-deflector dome & cast in valve relief-use w/351 cyl. head	289	3	Δ	4	★C9OZ 6109-C					

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	289	289 spec	PART NAME AND DESCRIPTION
		6120				BRACKET ASSY.-REAR SUPPORT-Refer to Rear Motor Mount Chart (Group 6A023)
65/68		B2AZ 6135-A	8	8	8	PIN - PISTON-#Green-.9121" O.D.-.600" I.D.-3.023" long -std.
		B2AZ 6135-B	8	8	8	.001" O/S
65/68	All High Perf. vehicles	B2AZ 6135-A		8		Use w/pop-up piston & 351 cyl. heads

Δ Includes piston pin # Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

RING SET - PISTON PARTIAL - CHART - Consists of the necessary rings to re-ring (2) pistons

YEAR	MODEL	C.I.D.	RINGS	TYPE	PART NUMBER STANDARD	.020" O/S	.030" O/S	.040" O/S	.060" O/S
65		260	3	Hi Lo	B6AZ 6148-A	B6AZ 6148-B	B6AZ 6148-C	B6AZ 6148-D	C2AZ 6148-B
65/68		289	3	Hi Lo	C3AZ 6148-F	C3AZ 6148-G	C3AZ 6148-H	C3AZ 6148-J	
63/67		289 SPEC.	3	Hi Lo	C3AZ 6148-F	None used	None used	None used	None used
65/68	All High Perf. Veh. -use with C9OZ 6108-AB & C9OZ 6109-C	289	3	Hi	★C9OZ 6148-A				

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	289	289 spec	PART NAME AND DESCRIPTION
		6200				ROD ASSY. - CONNECTING
65/68		C3AZ 6200-D	8	8		
65/67		C9ZZ 6200-B			8	
65/68	All High Perf. Vehicles	★C9OZ 6200-B		8		Use w/302 crankshaft

6211 BEARING - CONNECTING ROD - CHART

YEAR	MODEL	C.I.D.	UPPER	LOWER	PART NUMBER STANDARD	.001" U/S	.002" U/S	.010" U/S	.020" U/S	.030" U/S	.040" U/S
65/68		†260, †289	8	8	C2OZ 6211-R	C2OZ 6211-S	C2OZ 6211-T	C2OZ 6211-U	C2OZ 6211-V	C2OZ 6211-Y	C2OZ 6211-Z
65/67		†289 Spec.	8	8	C3OZ 6211-M	C3OZ 6211-N	C3OZ 6211-P	C3OZ 6211-R	C3OZ 6211-S	C3OZ 6211-T	

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	289	289 spec.	PART NAME AND DESCRIPTION
65/67		C9AZ 6212-B			16	NUT - CONNECTING ROD - 3/8"-24-.557" hex. chamfered
65/68		C3DZ 6212-A		16	16	5/16"-24-hex.
		6214				BOLT - CONNECTING ROD
65/68		C3AZ 6214-A		16	16	5/16"-24 x 2 5/64"
65/67		C4OZ 6214-B			16	3/8"-24 x 2 1/8"
		6250				CAMSHAFT
65		C3OZ 6250-B		1		Less gear-includes (1) 378189-S dowel
65/68	Exc. F(GT 350)	C3AZ 6250-V			1	#UA-includes 378189-S dowel pin
65/67		C3OZ 6250-C			1	#VE
65/68	All High Perf. Vehicles	★C9OZ 6250-C			1	Hydraulic lifters-use w/high riser aluminum
67/68	F(GT 350)				1	manifold or 351 cyl. heads
67/68	F(GT 350)	★C7FE 6250-A			1	For mechanical lifters
65/68	All High Perf. Vehicles				1	
65/68		378189-S(NN54J)		1	1	Dowel-5/16" x 1 3/8"
65/68		C2OZ 6A251-A		1	1	BEARING KIT - CAMSHAFT-standard

Consists of
1-C2OZ 6261-A Front 1-C2OZ 6263-A Rear 1-C2OZ 6270-A Rear Intermediate
1-C2OZ 6262-A Center 1-C2OZ 6267-A Front Intermediate 1-C2OZ 6266-A Plug

65	"Before Chg/L7"	C3OZ 6256-C		1	1	SPROCKET - CAMSHAFT -cast iron-5.01" O.D.-
65	"Before Chg/L7"	C3OZ 6256-A			1	Cast iron-13/32" thick-42 teeth
65/68	"Chg/L7/"	C5OZ 6256-B			1	Nylon-42 teeth
65/67	"Chg/L7/"				1	
65/68		376058-S(BB157A)		1	1	Bolt (sprocket to camshaft)-3/8"-16 x 1 1/2"

6261,6262,6263,6267 & 6270 BEARING - CAMSHAFT - CHART

YEAR	MODEL	C.I.D.	SIZE	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
65/68		260, 289, 289 SPEC.	Standard	C2OZ 6261-A	C2OZ 6267-A	C2OZ 6262-A	C2OZ 6270-A	C2OZ 6263-A
			.015" U/S	C2OZ 6261-B	C2OZ 6267-B	C2OZ 6262-B	C2OZ 6270-B	C2OZ 6263-B

Identification marking † Bearing with oil hole optional with solid bearing

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	289	289 spec	PART NAME AND DESCRIPTION
65	"Before Chg/L7"	▲C2OZ 6265-A	1	1		SPACER - CAMSHAFT GEAR OR SPROCKET - 7/32" thick-1 9/16" O. D. -21/64" gap
65		C3OZ 6265-A			1	3/8" thick-1 9/16" O. D. -7/8" I. D. -21/64" gap
68		378189-S(NN54J)		1		Dowel (spacer to sprocket & eccentric to camshaft)-5/16" x 1 3/8"
65/68		C2OZ 6266-A	1	1	1	PLUG - CAMSHAFT REAR BEARING-standard-2.156" O.D.-cup shaped
		C5AZ 6266-A	1	1	1	.060" O/S
		6267				Refer to Camshaft Bearing Chart (Basic No. 6261)
65	"Before Chg/L7"	C2OZ 6268-A	1	1		CHAIN - TIMING -58 links
65/68	"Chg/L7/"	C3OZ 6268-A		1		58 links
65/67					1	
		6269				PLATE - CAMSHAFT THRUST
65	"Before Chg/L7"	C3OZ 6269-B	1	1		Std. -. 22" thick-(2) 19/64" stud holes-(1) 47/64" center hole -(2) oil grooves 180° apart on rear face
65	"Before Chg/L7"	C3OZ 6269-A			1	3/8" thick
65/68	"Chg/L7/"	C9OZ 6269-A		1	1	Std. -1/4" thick
		C9OZ 6269-B		1	1	.002" O/S-#2
		C9OZ 6269-C		1	1	.004" O/S-#4
65/68		375932-S(BB807G)	2	2		Screw 1/4"-20 x 5/8"-special head (plate to sprocket)
65/68		42911-S(B41A)	2	2	2	Bolt (6269 to cylinder block)-1/4"-20 x 5/8"
		6270				Refer to Camshaft Bearing Chart (Group 6261)
65/68		C2OZ 6278-A	1	1	1	WASHER - CAMSHAFT SPROCKET -1. 20" O. D. -. 406" I. D. -. 224" thick
65/68		C3AZ 6287-B	1	1	1	ECCENTRIC - CAMSHAFT FUEL PUMP DRIVE - (1) . 325" diam. hole
68		43002-S(B257)		1		Bolt (eccentric, sprocket, spacer to camshaft)-3/8"-16 x 1/2"
65/68		C0DZ 6A302-A		1	1	PIN - CRANKSHAFT REAR OIL SEAL-. 095" O. D. -. 31" long-pointed
65/68		C3AZ 6303-F	1	1		CRANKSHAFT ASSY.
65/67		C3OZ 6303-B			1	
65	"Before Chg/L7"	C2OZ 6306-A	1	1		SPROCKET - CRANKSHAFT -21 teeth-steel or sintered iron
65/68	"Chg/L7/"	C5OZ 6306-A		1		21 teeth
65/67		C3OZ 6306-A			1	21 teeth-steel
69	All off highway vehicles	★D1ZX 6306-AA			1	21 teeth-1 3/8" I.D.-2 1/2" pitch dia.-7 timing keyways
65/68		372890-S(LL17)	1	1	1	Key (sprocket to crankshaft)-3/16" x 1. 40"
		6310				SLINGER - CRANKSHAFT OIL
65/68		C3OZ 6310-B	1	1	1	
65	A, B, F, X	C2OZ 6312-A	1	1		PULLEY ASSY. - CRANKSHAFT -single sheave-6 1/8" sheave diameter -2 1/2" long
65	F(2/B & 4/B carb.-R. F.)		1	1		
65/67	A (standard prod., X/C)	C5AZ 6312-B		1		#C5AE-A-single sheave-6 23/64" diam. -uses 3/8" belt
65/67	B (2/B & 4/B-P. F.)-std. prod. -X/C			1		
65/67	F,X(2/B & 4/B-P.F.)-std.prod.			1		
65/67	F (2/B & 4/B-P. F.)-X/C without P/S			1		
65	B Special (4/B carb.)-std. prod. -40 amp. alternator				1	
65/67	F Special(4/B carb.)-std. prod. alt.				1	
66/67	X (2/B, 4/B)-std. steer., R/A cover em/re-exc. A/C			1		
66/67	B (38 amp. alt., std. steer., R/A cover em/re-exc. A/C			1		
66/68	U (exc. T/E)			1		
67	B,F,X(2/B,4/B-P.F.P/S, 38 amp. alt., except T/E	C5AZ 6312-E		1		#C7AE 6312-A-double sheave-use 1/2" outer belt & (1) 3/8" inner belt-6-11/32" pulley diameters-3 1/64" long
67	A(P/S,X/C, 38 amp. alt.)			1		

Identification marking
May, 1975

▲ None used Chg/L7

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	289	289 spec	PART NAME AND DESCRIPTION
		6312				PULLEY ASSY. - CRANKSHAFT - continued
65	F (P/S)	C2OZ 6312-B	1			Triple sheave-2.43" long-6 3/8" dia. at rear
65	F(4/B carb.)-X/C			1		sheave-6 1/8" dia. at front sheave-uses (2)
65/67	A(P/S, 40 or 60 amp. alt.)			1		3/8" belts & (1) 1/2" belt
65	F(P/S, A/C, X/C)		1			
65	F(4/B carb.)(P/S & A/C)			1		
65/68	A(A/C, T/E, A/C, T/E & 52 or 53 amp.alt.)	★C5AZ 6312-D R/B C8OZ 6A312-B (10-74)		1		#C5AE-B-triple sheave-7 19/64" outer pulley diam. -6 5/8" inner pulley diameters-uses (1) 1/2"
65	B (P/S & 53 or 55 amp. alt.)			1		belt & (2) 3/8" belts -3 3/4" long-includes (3)
65	A(53, 55 amp. alt.)			1		42998-S2 or 8 bolt 3/8"-16 x 1"
66/68	X (2/B, 4/B)-A/C			1		
66/68	B (A/C)			1		
66/68	F(2/B, T/E, A/C, P/S)			1		
66/67	F(4/B, -P.F., C4, T/E, A/C)			1		
66/67	F(4/B-P.F., 3 or 4/S/T, T/E, P/S, A/C, X/C, A/C)			1		
66/68	F(2/B, C4, 3/S/T, A/C, P/S, exc. T/E)			1		
66/67	F(4/B-P.F., C4, A/C, P/S, exc. T/E)			1		
67/68	A, B, X(2/B, 4/B-P.F., X/C, P/S, 53, 55, 60 amp.alt., exc. T/E)			1		
65/67	A, B(2/B carb.)-P/S, P/S & X/C	C5AZ 6312-E		1		# C7AE 6312-A-double sheaves-6 23/64" pulley
65/67	B(4/B-P.F.)-P/S, P/S & X/C			1		diam. -uses (1) 3/8" & (1) 1/2" belt
65/67	X(2/B & 4/B-P.F)-P/S			1		
65/67	B & F Specials (4/B carb.)-P/S, P/S & X/C				1	
65/67	F(2/B & 4/B-P.F.)-P/S, P/S & X/C			1		
65/68	A	34810-S(X69)	1	1		Lockwasher-9/16"
		6A312				PULLEY ASSY. - CRANKSHAFT - OUTER -
66/67	A, B, F, X(2/B, 4/B-P.F.-std. steering-53, 55 amp.alt.-except T/E)	C5TZ 6A312-A		1		#C5TE 6312-A single sheave
66/67	A, B, F, X, U(2/B, 4/B-P.F.)-3 or 4/S/T	C6TZ 6A312-B		1		#C6TE 6A312-D-double sheave-use to service pulley ident. C6OE 6312-A-includes (3)
66/68	F, X(4/B-P.F.)			1		42998-S2 or 8 bolt 3/8"-16 x 1"
66/67	F Spec. (4/B, P/S)-T/E-"Before 1/3/67"				1	
66/67	A, B, F, X(2/B, C4)-exc. T/E			1		
66/67	A, B, F, X(2/B, C4)-T/E-"Before 11/14/66"			1		
67	F Special (4/B)-T/E-"From 1/3/67"				1	#C6TE 6A312-D-double sheave-incl. (3) 42998-S2 or 8 bolt 3/8"-16 x 1"
68	U			1		
68	B, X (P/S)1	C8OZ 6A312-A		1		#C8OE 6312-A-triple sheave-incl. (3) 42998-S2
65/67	A (std. prod., P/S, X/C, P/S & X/C, super X/C)			1		or 8 bolt 3/8"-16 x 1"-repl.pulley ident. C5OE 6312-A
65/67	B, F(2/B, 4/B-P.F.)-A/C, P/S			1		
65/67	B(2/B & 4/B-P.F.)-X/C			1		
65/67	B, F Spec. (4/B carb.)-A/C, P/S, P/S & A/C				1	
65/67	X (2/B & 4/B-P.F.)-X/C & A/C, P/S & X/C, P/S, A/C			1		
66/67	B (P/S, 55 amp. alt)			1		
66/67	A(P/S, 53, 55, 60 amp. alt)			1		
68	B, F, X (2/B) P/S, A/C	C8OZ 6A312-B		1		#C8OE 6312-B-triple sheave-incl. (3) 42998-S2 or 8 bolt 3/8"-16 x 1"
68	B, F, X(2/B) S/T, less A/C	C8OZ 6A312-C		1		#C8OE 6312-C-triple sheave-incl. (3) 42998-S2
67	A, B, F, X(2/B, C4)-T/E-"From 11/14/66			1		or 8 bolt 3/8"-16 x 1"-repl.pulley ident. C7OE 6312-A or C7OE 6A312-C
68	A, B, F, X-T/E			1		
68	B, F, X(S/T w/Imco)			1		

Identification marking

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	QUANTITY 289	QUANTITY 289 Spec	PART NAME AND DESCRIPTION
		6316				DAMPER ASSY. - CRANKSHAFT
65		C4OZ 6316-A		1		#C4OE 6316-A-6 3/8" O.D.
65	4/B-R.F.	C3AZ 6316-B			1	#C4AE 6316-C or D
65/68	2/B,4/B-P.F.	C5AZ 6316-B			1	
65/67		C5OZ 6316-C				1 6 1/2" O.D.-3 37/64" long

6333 & 6337 BEARING - CRANKSHAFT MAIN - CHART

In the size column of the chart below (R) designates red size - (B) designates blue size.
Red size and blue size are optional for selective fit.

YEAR	MODEL	C.I.D.	SIZE	UPPER	LOWER	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
65		260	Std. (R)	x		C3AZ 6333-P	C3AZ 6333-P	C3AZ 6337-P	C3AZ 6333-P	C3AZ 6333-P
			.0959"							
			.001"			C3AZ 6333-R	C3AZ 6333-R	C3AZ 6337-R	C3AZ 6333-R	C3AZ 6333-R
			.002"			C3AZ 6333-S	C3AZ 6333-S	C3AZ 6337-S	C3AZ 6333-S	C3AZ 6333-S
			.010"			C3AZ 6333-T	C3AZ 6333-T	C3AZ 6337-T	C3AZ 6333-T	C3AZ 6333-T
			.020"			C3AZ 6333-U	C3AZ 6333-U	C3AZ 6337-U	C3AZ 6333-U	C3AZ 6333-U
			.030"			C3AZ 6333-V	C3AZ 6333-V	C3AZ 6337-V	C3AZ 6333-V	C3AZ 6333-V
65		260	Std.		x	C3AZ 6333-AA	C3AZ 6333-AA	C3AZ 6337-AA	C3AZ 6333-AA	C3AZ 6333-AA
			.0959"							
			.001"			C3AZ 6333-AB	C3AZ 6333-AB	C3AZ 6337-AB	C3AZ 6333-AB	C3AZ 6333-AB
			.002"			C3AZ 6333-AC	C3AZ 6333-AC	C3AZ 6337-AC	C3AZ 6333-AC	C3AZ 6333-AC
			.010"			C3AZ 6333-AD	C3AZ 6333-AD	C3AZ 6337-AD	C3AZ 6333-AD	C3AZ 6333-AD
			.020"			C3AZ 6333-AE	C3AZ 6333-AE	C3AZ 6337-AE	C3AZ 6333-AE	C3AZ 6333-AE
			.030"			C3AZ 6333-AF	C3AZ 6333-AF	C3AZ 6337-AF	C3AZ 6333-AF	C3AZ 6333-AF
65/68		289	Std.	x		C3AZ 6333-P	C3AZ 6333-P	C3AZ 6337-P	C3AZ 6333-P	C3AZ 6333-P
		289	.0959"							
		Spec.	.001"			C3AZ 6333-R	C3AZ 6333-R	C3AZ 6337-R	C3AZ 6333-R	C3AZ 6333-R
			.002"			C3AZ 6333-S	C3AZ 6333-S	C3AZ 6337-S	C3AZ 6333-S	C3AZ 6333-S
			.010"			C3AZ 6333-T	C3AZ 6333-T	C3AZ 6337-T	C3AZ 6333-T	C3AZ 6333-T
			.020"			C3AZ 6333-U	C3AZ 6333-U	C3AZ 6337-U	C3AZ 6333-U	C3AZ 6333-U
			.030"			C3AZ 6333-V	C3AZ 6333-V	C3AZ 6337-V	C3AZ 6333-V	C3AZ 6333-V
65/68		289	Std.		x	C3AZ 6333-AA	C3AZ 6333-AA	C3AZ 6337-AA	C3AZ 6333-AA	C3AZ 6333-AA
		289	.0959"							
		Spec.	.001"			C3AZ 6333-AB	C3AZ 6333-AB	C3AZ 6337-AB	C3AZ 6333-AB	C3AZ 6333-AB
			.002"			C3AZ 6333-AC	C3AZ 6333-AC	C3AZ 6337-AC	C3AZ 6333-AC	C3AZ 6333-AC
			.010"			C3AZ 6333-AD	C3AZ 6333-AD	C3AZ 6337-AD	C3AZ 6333-AD	C3AZ 6333-AD
			.020"			C3AZ 6333-AE	C3AZ 6333-AE	C3AZ 6337-AE	C3AZ 6333-AE	C3AZ 6333-AE
			.030"			C3AZ 6333-AF	C3AZ 6333-AF	C3AZ 6337-AF	C3AZ 6333-AF	C3AZ 6333-AF

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	QUANTITY 289	QUANTITY 289 spec	PART NAME AND DESCRIPTION
65/68	A, B, F, X	C2OZ 6345-A	10	10	10	BOLT - CRANKSHAFT MAIN BEARING CAP -
66/68	U(exc. #3 cap-R.H. side)			9		7/16"-14 x 3.15"
66	U(#3 cap-R.H. side)	C6TZ 6345-C		1		Stud-3/8"-16-7/16"-14 x 4.09"
65/67		C3OZ 6A360-A			1	COUNTERWEIGHT - CRANKSHAFT
65/68		C2OZ 6A366-A		1	1	PLATE - FLYWHEEL REINFORCING - 3 27/32" O.D.-2 1/8" I.D.-.075" thick-(6) 29/64" holes
		6375				FLYWHEEL ASSY.
65	F(C4 trans.)	C4OZ 6375-B		1		#C4OE 6375-B-includes 160 tooth ring gear-(14) 1/4" holes on 10 3/4" diam. bolt circle
65	F(3 or 4/S/T & O/D)	C4OZ 6375-D		1		#C7OE-E-157 tooth ring gear-(6) 5/16"-18 pressure plate attaching holes on 11 3/8" bolt circle
65/66	F,X(2/B. 3 or 4/S/T)	C3AZ 6375-J			1	#C6ZE-A,C7ZE-B-on eng. side-157 tooth ring
65/67	F,X(4/B,3 or 4 S/T-10" clutch)				1	gear-(6) 5/16"-18 pressure plate attaching holes on 11 3/8" bolt circle
67/68	F(2/B,3 or 4/S/T)				1	
65/68	B, F, X(A/T)	C3AZ 6375-L			1	#C8OP-C or D-157 tooth ring gear-(4) 7/16" converter attaching holes on 10 1/2" bolt circle

Identification marking : Full oil groove and (1) slot ∅ Plain

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	289	289 spec.	PART NAME AND DESCRIPTION
		6375				FLYWHEEL ASSY. - continued
65/68	A, B(2/B)-3 or 4/S/T or O/D-10" or 10 1/2" clutch	C5AZ 6375-S		1		#C7AE-A on eng. side-164 tooth ring gear (6) 5/16"-18 pressure plate attaching holes on
65	B(4/B P. F.)-3 or 4/S/T			1		11 3/8" bolt circle
66	U(2/B)-10" clutch			1		
67/68	X(2/B)-3 or 4/S/T, 10"clutch			1		
66/68	U(11" clutch)	C6TZ 6375-C		1		#C7TE-A on eng. side-164 tooth ring gear-(6) 5/16"-18 pressure plate attaching holes on 12 3/8" bolt circle
65/67	A(A/T)	C5AZ 6375-T		1		Includes 164 tooth ring gear-(4) converter attaching holes on 11 7/16" bolt circle
65/67	F Spec. (M/T)	C3OZ 6375-E			1	#C7ZE-A-157 tooth ring gear (6) 5/16"-18 pressure plate attaching holes-on 11 3/8" bolt circle
65/67	A/T	C4OZ 6375-E			1	#C7ZP-A-157 tooth ring gear-(4) 7/16" converter attaching holes on 10 1/2" bolt circle
65	B Special(M/T)	C5OZ 6375-B			1	#C7OE-A-164 tooth ring gear-(6) 5/16"-18 pressure plate attaching holes on 11 3/8"bolt circle
65/68		B8A 6378-A	1	1		WASHER - CRANKSHAFT PULLEY RETAINING - 1.76" O.D.-.66" I.D.-.212" thick
65/67		C3OZ 6378-A			1	1 3/4" O. D. -21/32" I. D. -1/8" thick
65/68		B8AZ 6379-A	6	6	6	BOLT - FLYWHEEL TO CRANKSHAFT - 7/16"-20 x 15/16"
65	F (S/T & O/D)	C2OZ 6384-B	1			GEAR - FLYWHEEL RING - 157 tooth
65/67	F Special(4/B)-S/T				1	
65/68	F(2/B)-3 or 4/S/T			1		
65/67	F, X(4/B P. F.)-3 or 4/S/T-10" clutch			1		
65/66	X(2/B)-3 or 4/S/T-10" clutch			1		
65/68	A, B(2/B)-S/T, 10", 11" clutch	C5AZ 6384-D		1		164 teeth
65	B Special(4/B)-S/T				1	
65	B(4/B, P. F.)-S/T			1		
66/68	U			1		
67/68	X(2/B)-3 or 4/S/T, 10", 11" clutch			1		
65/68	A, B(2/B carb.)-3 or 4 S/T or O/D, 10" clutch- "Before 2/15/68"	C5AZ 6392-D		1		HOUSING ASSY. - FLYWHEEL #C5AA 6394-B-6 engine mounting holes-use lever C8OA 7541-A
67/68	X(2/B, 3 or 4/S/T, 10" clutch)- "Before 2/15/68"			1		
65	B Special (4/B carb.)-4/S/T				1	
65	B(4/B carb.-P. F.)-3/4/S/T			1		
68	B, X(2/B)-S/T- "From 2/15/68"			1		
65	F(3/4/S/T)	C3OZ 6392-E	1			#C3AA 6394-C - 5 engine mounting holes-includes
65	F Spec. (4/B carb.)-4/S/T- "Before 8/20/64"				1	(1) C3AZ 7513-A dust shield
65	F(4/B carb.-R. F.)-3/4/S/T			1		
65/66	X(2/B-3 or 4/S/T)	D2OZ 6392-A		1		#C5DA 6394-A or C9OA 6394-A-6 engine mounting
65/68	F(2/B)-3 or 4/S/T			1		holes-has hole that does not align-use flat washer
65/67	F Spec. (4/B carb.)-4/S/T- "From 8/20/64"				1	for mounting-use lever #C8OA 7515-A
65/67	F, X(4/B carb. -P. F.), 4/S/T			1		
66/68	U(2/B carb.)-3/S/T	D1TZ 6392-D		1		
65/68	A, B, U, X	20546-S8(B114)	AR	AR		Bolt (flywheel hsg. to cyl. block)-7/16"-14 x 2 1/2"
		34808-S8(X67)	AR	AR		Lockwasher-7/16"
68	F	20524-S7-8(BB111)		4		Bolt (flywheel housing to cyl. block)-7/16"-14 x 2"
65/68		EAD 6397-A		2	2	DOWEL - CYLINDER BLOCK - to flywheel housing-1/2" x 1"
65/68	M/T	C4OZ 6424-A	1	1	1	SEAL - REAR COVER PLATE - 5 3/4" O.D.-4 1/4" I.D.
65/68		D1AZ 6500-A	16	16		TAPPET ASSY. - VALVE - hydraulic
65/68	High Perf., B, F	★C9OZ 6500-A		16		Hydraulic
65/68		D1ZZ 6500-B			16	Mechanical

Identification marking

6505-07 VALVE-INTAKE and EXHAUST-CHART

YEAR	C.I.D.	MODEL	EXHAUST VALVE LENGTH	EXHAUST VALVE HEAD DIA.	EXHAUST VALVE STEM SIZE	EXHAUST VALVE STEM DIA.	EXHAUST VALVE PART NUMBER	INTAKE VALVE LENGTH	INTAKE VALVE HEAD DIA.	INTAKE VALVE STEM SIZE	INTAKE VALVE STEM DIA.	INTAKE VALVE PART NUMBER
65	260		4.87"	1.45"	Std. .003" .015" .030"	.3410"	C3OZ 6505-A C3OZ 6505-B C3OZ 6505-C C3OZ 6505-D	5.02"	1.67"	Std. .003" .015"	.3420" .3449" .3569"	C3OZ 6507-A C3OZ 6507-B C3OZ 6507-C
65/66	289	A,B,F,X,Taxi,P/C, .240"-from end of stem to beginning of slot- "Before Chg/L10"	4.87"	1.45"	Std. .003" .015" .030"	.3410"	C3OZ 6505-A C3OZ 6505-B C3OZ 6505-C C3OZ 6505-D		1.78"	Std. .003" .015" .030"	.3420"	C4OZ 6507-A C4OZ 6507-B C4OZ 6507-C C4OZ 6507-D
66/67	289	A(Taxi & P/C)- chrome finish on foot-"Chg/L10/"	4.87"	1.45"	Std. .003" .015" .030"	.3415	C7AZ 6505-A C7AZ 6505-B C7AZ 6505-C C7AZ 6505-D	4.87"	1.78"	Std. .003" .015" .030"	.3420"	C7AZ 6507-J C7AZ 6507-K C7AZ 6507-L C7AZ 6507-M
66/68	289	A(exc.Taxi & P/C), B,F,X,U- "Chg/L10/"	4.87	1.45"	Std. .003" .015" .030"	.3415	C6AZ 6505-J C6AZ 6505-K C6AZ 6505-L C6AZ 6505-M	4.87"	1.78"	Std. .003" .015" .030"	.3420"	C7AZ 6507-J C7AZ 6507-K C7AZ 6507-L C7AZ 6507-M
65/67	289 SPEC.	Chrome finish on intake valves	4.87"	1.45"	Std. .003" .015" .030"	.3410" .3440" .3560" .3710"	C3OZ 6505-A C3OZ 6505-B C3OZ 6505-C C3OZ 6505-D	4.87"	1.78"	Std. .003" .015" .030"	.3420"	C4OZ 6507-A C4OZ 6507-B C4OZ 6507-C C4OZ 6507-D
65/68	289	High Perf.,B,F- use w/351 High Perf. cyl. heads	5.07"	1.54"	Std.	.3414	D2AZ 6505-A	5.07"	1.84"	Std.	.3419	C9OZ 6507-J
65/68	289	High Perf.,B,F- use w/351 High Perf. cyl. heads	5.07"	1.64"	Std.	.3414	★C9OZ 6505-AA	5.07"	1.87"	Std.	.3419	C9OZ 6507-AA

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	QUANTITY 289	QUANTITY 289 Spec	PART NAME AND DESCRIPTION
65/68		D1AZ 6510-A		AR		BUSHING - VALVE GUIDE - must be reamed to size of valve
		6513				SPRING - VALVE
65/66	"Before Chg/L10"	B6A 6513-A	16	16		One piece design-7 coils-2.09" free length
66/67	"Chg/L10/13"	C6AZ 6513-B		16		One piece design-6 1/2 coils-1.86" free length
67	"Chg/L14/"	C7AZ 6513-E		16		#Dark Green
68		C8AZ 6513-A		16		#Black or Gray
65/67		C3OZ 6513-A			16	Two piece design-#Red paint-consists of the following-1-valve spring, 1 Damper spring
65/68	High Perf.,B,F	C9OZ 6513-E		16		Use w/High riser manifold & 351 cyl. heads
65/68	High Perf.,B,F	C9OZ 6513-A		16		Use w/351 cyl. heads & Std. manifold
65/68	High Perf.,B,F	C9OZ 6513-C		16		Use w/351 cyl. heads & high output hyd.camshaft
		6514				RETAINER - VALVE SPRING
65/66	"Before Chg/L10"	C7AZ 6514-A	16	16		
66/67	"Chg/L10/13"	C6AZ 6514-B		16		1 1/4" O.D.-1/2" high
67/68	"Chg/L14/"	C7AZ 6514-A		16		
65/67		C3OZ 6514-A			16	
65/68	High Perf.,B,F	★C9OZ 6514-D		16		One piece design-use w/351 cyl. heads
65/68	High Perf.,B,F	★C9OZ 6514-E		16		Two piece design-use w/351 cyl. heads
65/66	"Before Chg/L10"	B3Q 6515-A	AR	AR		SPACER - VALVE SPRING -1.36" O.D.-1" I.D.-.030" thick
66	"Chg/L10/"	C6AZ 6515-A		AR		1.36" O.D.-.88" I.D.-.030" thick
65/68		7HA 6518-A	32	32	32	KEY - VALVE SPRING RETAINER
65/68	High Perf.,B,F	C9ZZ 6518-A		32		Use w/351 cyl. heads
65/68		C2OZ 6524-A	1	1	1	BAFFLE - VALVE PUSH ROD VALLEY
65/68	High Perf.,B,F	C2OZ 6524-A		1		Use w/high riser intake manifold
68		381709-S(UU52G)		2		Screw (baffle to intake manifold)-1/4"-20 x 3/8"
65/68		C5AZ 6A527-A	16	16		STUD - VALVE ROCKER ARM SUPPORT-std.-3/8"-24-.3713"O.D. at non-threaded end-2.57"long
		C5AZ 6A527-B	AR	AR		.006" O/S-(2) grooves at base
		C5AZ 6A527-C	AR	AR		.015" O/S
65/67		C3OZ 6A527-B			16	2 1/2" long-3/8"-24 one end-7/16"-14 at base end

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	289	289 spec.	PART NAME AND DESCRIPTION
65/68		C2OZ 6A528-C	16	16	16	SEAT - VALVE ROCKER ARM FULCRUM -
65/68		C2DZ 6A529-A	16	16	16	NUT - VALVE ROCKER ARM STUD - 3/8"-24 hex. locking
65/66	"Before Chg/L11"	C2OZ 6564-A	16	16		ARM - VALVE ROCKER - #A
65/67					16	
65/68	High Perf., B, F			16		Use w/hydraulic cam and 351 W cyl. heads
66/68	"Chg/11/"	C6OZ 6564-B		16		
65/68	High Perf., B, F	★C9OZ 6A564-B		8		GUIDE - VALVE PUSH ROD - use w/351 cyl.heads
65/68		C2OZ 6565-B	16	16	16	ROD - VALVE PUSH -6.825" long
65/68		★C9OZ 6565-F		16		6.905" long-hardened steel
		6570				GROMMET
65/68		B9A 6570-A	1	1		Used on power steering oil reservoir cover stud-rubber-.32" I.D.-1" O.D.-1/2" thick
		6571				SEAL - VALVE STEM
65/66	"Before Chg/L10"	C3AZ 6571-B	16	16		Intake & exhaust
66/67	2/B "Chg/L10/13"	C6AZ 6571-C		16		
65/67		C3OZ 6571-C			16	Intake & exhaust
66/67	4/B-P.F.-"Chg/L10/13"			16		
67/68	"Chg/L14/"	C7AZ 6571-B		16		Rubber-57/64" O.D.-23/32" high
65/68	High Perf., B, F	C7AZ 6571-B		16		Use w/high riser manifold and/or 351 cyl. heads

6582 COVER ASSY. - VALVE ROCKER ARM - CHART

YEAR	MODEL	C.I.D.	PAINTED R.H.	PAINTED L.H.	CHROME R.H.	CHROME L.H.
65	F(2/B,4/B R.F. or P.F)-NOTE 1	260,289	C6AZ 6582-G #Blue	ΔC6AZ 6582-G #Blue	C6ZZ 6582-A	C6ZZ 6582-A
65	F(2/B,4/B R.F. or P.F.)-NOTE 2	260,289, 289 Spec.	C6AZ 6582-G #Blue	∅C6AZ 6582-B #Primed	C6ZZ 6582-A	∅C6ZZ 6582-B
65	2/B,4/B	260,289	☆C6AZ 6582-G #Blue	☆C6AZ 6582-B ∅#Primed	☆C6ZZ 6582-A ◊	☆C6ZZ 6582-B ∅
65	2/B	289	♦CC5AE 6582-E	♦C6AZ 6582-B ∅#Primed		
65	4/B	289	♦CC5AE 6582-D #Gold	♦C6AZ 6582-B ∅#Primed		
65/66	"Before 5/2/66"	289, 289 Spec.	C6AZ 6582-G #Blue	∅C6AZ 6582-B $ Primed	◊C6ZZ 6582-A	∅C6ZZ 6582-B
66/68	"From 5/2/66"	289, 289 Spec.	D2OZ 6582-D	D2OZ 6582-C	◊C6ZZ 6582-H	∅C6ZZ 6582-J

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	289	289 spec.	PART NAME AND DESCRIPTION
		6582				COVER ASSY. - VALVE ROCKER ARM-continued
68		373071-S2(BB554M)		12		Screw & washer (cover to block)-1/4"-20 x 5/8"
65/68		20324-S8(B41)		7	7	Bolt (cover to cyl. head)-1/4"-20 x 5/8"
		34805-S8(X62)		7	7	Lockwasher-1/4"
		6A582				COVER ASSY. - VALVE ROCKER ARM
67/68	F(GT 350)	S2MS 6A582-A		1		R.H.
		S2MS 6A582-B		1		L.H.
		6584				GASKET - VALVE ROCKER ARM COVER
65/68		D0AZ 6584-B	2	2	2	Cork & rubber-optional w/C6OZ 6584-B
65/68		C6OZ 6584-B	2	2	2	Cork & rubber-optional w/D0AZ 6584-B
65/68		C2OZ 6600-A	1	1	1	PUMP ASSY. - OIL - rotor type - hex. drive - includes (1) each C2OZ 6626-C & C2OZ 6659-C gaskets
68		20428-S8(B82)		2		Bolt (pump to block)-3/8"-16 x 1 1/4"
		34807-S8(X66)		2		Lockwasher-3/8"
65/67	All (exc.Calif.)	D0AZ 6A603-G (EK-6-A)	1	1	1	EMISSION CONTROL KIT - EXHAUST
	Consists of					
	1-D2AE 9C485-AA Tag eng.exh.emission I.D.					1-ESB-M4G92-A Sealer, silicone rubber
	1-D0AE 12A091-C Valve assy.dist.					1-Instruction sheet
	1-D0AE 12226-J Hose dist.vac.3" long					
65/68		B8A 6608-A	1	1	1	ROTOR and SHAFT ASSY. - OIL PUMP DRIVE - rotor type pump

Identification marking ◊ Has em/re hole ∅ Has oil fill hole Δ "Solid" - does not have oil fill hole

NOTE 1 - Used with non-em/re or intake manifold type em/re NOTE 2 - Used with non-em/re or rocker arm cover type em/re

☆ U.S. only ♦ Canada only

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	289	289 Spec	PART NAME AND DESCRIPTION
65/68		B8A 6616-C	1	1	1	PLATE - OIL PUMP BODY
65/68		20324-S(B41)	4	4		Bolt (cover plate to body)-1/4"-20 x 5/8"
		34805-S8(X62)	4	4		Lockwasher-1/4"
68		42911-S(B41A)		4		Bolt (cover plate to body)-1/4"-20 x 5/8" hex. hd.
65/68		C2OZ 6A616-A	1	1	1	PLUG - OIL PUMP RELIEF VALVE - cup type-.642" & .650" O.D.-.361" height
65/68		C2OZ 6A618-A	1	1	1	SHAFT ASSY. - OIL PUMP INTERMEDIATE - 7.44" long-includes retaining ring
		6622				SCREEN, TUBE and COVER ASSY.-OIL PUMP
65/68	A,B,F,X	C3OZ 6622-A	1	1	1	
66/68	U	C6TZ 6622-D		1		
68	U	33799-S8(M52)		1		Nut (screen, tube and cover to crank bearing cap bolt)-3/8"-16
		34807-S8(X66)		1		Lockwasher-3/8"
68		357235-S(BB136)		2		Bolt (screen, tube and cover assy. to pump)-5/16"-18 x 7/8"
65/68		B8TZ 6626-A	1	1	1	GASKET - OIL PUMP INLET TUBE
65/68		B8A 6629-A	1	1	1	RING - OIL PUMP INTERMEDIATE SHAFT RETAINER -.52" O.D.-6 prongs
65/68	4/B	★C2OZ 6A630-A		1	1	DUCT - CRANKCASE VENTILATION
65		C2OZ 6A631-A (FA-58)	1			ELEMENT - CRANKCASE VENTILATION OIL SEPARATOR -1.62" O.D.-.60" I.D.-1.90" long
65/67		★C5OZ 6A631-A			1	
65		C2OZ 6A633-A	1			RETAINER - CRANKCASE VENTILATION OIL SEPARATOR ELEMENT -1.79" flange O.D.-1.90" long
65/68		C2OZ 6659-C	1	1	1	GASKET - OIL PUMP TO BLOCK -.010" thick
		6A664				HOSE - CRANKCASE VENTILATION - Also Refer to Group 6853
						INTAKE MANIFOLD TYPE
		C9PZ 6A664-A	AR	AR	AR	1/2" I.D.-25 ft. long-cut as required
						ROCKER ARM COVER TYPE
		C9PZ 6A664-A	AR	AR	AR	1/2" I.D.-25 ft. long-cut as required
65	F (2/B carb.)	★C4AE 6A664-A	1			5 3/4" long-attach 6A666 to 9A589
65	F (4/B carb.)			1		
65/67	B & F Specials (4/B carb.)				1	
66/68	A, B, F, X, U(2/B, 4/B-P.F.)-"From 5/2/66"	C6AZ 6A664-N		1		12" long-attach 6A666 to 9A589
66/67	F Spec.(4/B)-"From 5/2/66"				1	
66/68	A, B, F, X, U(2/B, 4/B)-"From 5/2/66"	C6AZ 6A664-P		1		13-1/2" long-attach oil filler cap to air cleaner
66/67	F Spec.(4/B)-"From 5/2/66"	★C6ZZ 6A664-A			1	11" long-attach oil filler cap to air cleaner
65/68	A, B, X	378754-S(H-22M)		1		Elbow-90°-attach 6A664 to 6A666
						THERMACTOR TYPE
65	A, B, F, X(2/B carb.)	C3DZ 6A665-B	1	1		ADAPTER ASSY. - CRANKCASE VENTILATION - use with 3.08" hose
65	F (4/B carb.-R.F.)			1		
65/68	A, B (B & F Specials) X, F	20310-S8(B48)	3		3	Bolt (adapter to manifold)-5/16"-18 x 1/2"
		34806-S7(X64)	3	3	3	Lockwasher-5/16"
		6A666				VALVE (POSITIVE CRANKCASE VENTILATION) (P.C.V.)
65		C7OZ 6A666-A (EV-42)	1			
65/68		D0AZ 6A666-A (EV-50)		1	1	
65/68		C2OZ 6670-A	1	1	1	SPRING - OIL PUMP RELIEF VALVE - 2.13" free length-15 active coils
65/68		C2OZ 6674-A	1	1	1	PLUNGER - OIL PUMP RELIEF VALVE - (rotor type pump)-3 grooves on .5603" O.D.-1.57" long
65/68	A,B,F,X	D0OZ 6675-C	1	1	1	PAN ASSY. - OIL
66/68	U	C6TZ 6675-D		1		
65/68		356748-S(BB124)	AR	AR		Bolt (1/4"-20 x 5/8" oil pan to front cover 2 req'd) oil pan to cyl. block (16 req'd)
65/68		357235-S(BB136)	AR	AR		Bolt (5/16"-18 x 7/8")-oil pan to front cover oil pan to cyl. block

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	289	289 spec.	PART NAME AND DESCRIPTION
65/68		C3AZ 6700-A	1	1	1	SEAL - CYLINDER FRONT COVER OIL
65/68		C9OZ 6701-A	2	2	2	PACKING - CRANKSHAFT REAR - approx. 6 13/16" long rope type
65/68		◊C9ZZ 6701-A	2	2	2	Split lip type
		6710-11				GASKET - OIL PAN - supplied only in 6781 gasket set
		6723				SEAL - OIL PAN - supplied only in 6781 gasket set
65/68		★D1AZ 6730-A R/B D1AZ 6730-B (11-74)	1	1	1	PLUG - OIL PAN DRAIN - 1/2"-20 includes (1) C2OZ 6734-A gasket
65/68		☆C1AZ 6731-A (FL-1)	1	1	1	ELEMENT ASSY. - OIL FILTER - "spin-on" one piece filter-has 3/4"-16 female threads
65/68		♦CC1AZ 6731-A (FL-1)	1	1	1	
65/68	B(2/B carb.)-S/T	C1TZ 6731-D		1		Used with cartridge type oil filter
65/67	B Special(4/B carb.)-S/T	(FL-147)			1	
	Consists of 1-C0TE 6744-A, Element 1-C5RA 6744-A or 1-D4PJ 6744-AA			2-ΔEAA 6746-A Gasket 1- EAA 6749-A Gasket 1- EAA 6838-A Gasket		
65/68		C2OZ 6734-A	1	1	1	GASKET - OIL PAN DRAIN PLUG - #Nylon-13/16" O.D.-1/2" I.D.-5/64" thick
65/68	B (M/T)	B8C 6737-A		1	1	COVER - OIL FILTER - used with cartridge type oil filter
65/68	B (M/T)	B2A 6741-A	1	1	1	BOLT AND VALVE ASSY. - OIL FILTER Center-used with cartridge type oil filter
65/68	B (M/T)	★EAA 6746-A		1	1	GASKET - OIL FILTER ELEMENT - 1.24" O.D.-.72" I.D.-.12" thick-supplied in 6731 kit-used with cartridge type oil filter
65/68	B (M/T)	EAA 6749-A	1	1	1	GASKET - OIL FILTER CENTER BOLT TO COVER -1.18" O.D.-.77" I.D.-.06" thick-used with cartridge type oil filter
65	F(40 or 60 amp.alt.)	C2OZ 6750-B	1			INDICATOR ASSY. - OIL LEVEL - 20.59" shield to full
65	F(F Special-4/B carb.)-40 or 60 amp.alt.-"Before 8/20/64"		1		1	21.37" shield to add 22.49" shield to end
65	A,B,F,X(exc.40 & 60 amp.alt.)	C3OZ 6750-B	1	1		
65	F (F Special-4/B carb.)-"From 8/20/64"				1	22.48" shield to full 23.32" shield to add 24.44" shield to end
65/67	A,F,X (2/B carb.)	C5AZ 6750-G		1		#Black handle
65/67	F Special (4/B carb.)				1	17.62" shield to full
65	B,X(4/B carb.-P.F.)			1		18.39" shield to add
65/67	B(2/B carb.)-w/Ford alt.			1		19.40" shield to end
65	B(4/B carb.-P.F.)-w/Ford alt.			1		
65	B Special (4/B carb.)-w/ Ford alt.				1	
67	U (2/B carb.)			1		
68	B, F, X, U(2/B)			1		
65	B Special (4/B carb.)-exc. Ford alt.	C5OZ 6750-C			1	#Chromed handle 17.62" shield to full
67	A,B,F,X,U(2/B,4/B P.F.)			1		18.39" shield to add
67	F Special (4/B)				1	19.40" shield to end
65	B (2/B carb.)-L/N alt.	C5AZ 6750-A		1		#Black plug in handle
65	B(4/B carb.-P.F.)-L/N alt.			1		15.50" shield to full
65	B Spec.(4/B carb.)-L/N alt.				1	16.26" shield to add 17.26" shield to end
66	U(2/B)	C6TZ 6750-D			1	16.48" top of shield to end 14.98" top of shield to add 14.55" top of shield to full
65	F	C2OZ 6754-A	1			TUBE ASSY. - OIL LEVEL INDICATOR - without 40 or 60 amp.alternator-includes bracket-approx. 15.83" developed length
65	F,(F Special-4/B carb.)-"Before 8/20/64"				1	

Identification Marking Δ Not required with C5RA 6744-C element ☆ U.S. only ♦ Canada only
◊ When using C9ZZ 6701-A, remove pin from M. B. cap

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	289	289 spec	PART NAME AND DESCRIPTION
		6754				TUBE ASSY. - OIL LEVEL INDICATOR -cont'd.
65	A, F, X (2/B carb.)	C5AZ 6754-A		1		Approx. 9" long
65	F(4/B carb. -P. F.)			1		
65	F Special (4/B carb.)- "From 8/20/64"				1	
65	B(2/B carb.)-exc. L/N alt.			1		
65	B(4/B carb.-P. F.)-Ford alt.			1		
65	B Spec.(4/B carb.)-Ford alt.				1	
65	B (2/B carb.)-L/N alt.	C5OZ 6754-A		1		
65	B(4/B carb.-P. F.)-L/N alt.			1		
65	B Spec.(4/B carb.)-L/N alt.				1	
66/67	A, B, F, X	C6AZ 6754-A		1	1	Approx. 11 1/4" long-includes bracket
66/68	U	C6TZ 6754-E		1		14-53/64" long
68	B, F, X	C8AZ 6754-A		1		Approx. 10 1/4" long-includes bracket
68		20345-S8(B150A)		1		Bolt (tube to cyl. head)-1/4"-28 x 3/4"
		351487-S(XX291)		1		Lockwasher-3/8"
65/67	A, B (2/B carb.)	C2OZ 6758-A		1		TUBE - CRANKCASE VENTILATION - non-emission reduction-attaches at rear on intake manifold-includes bracket
65	B Special (4/B carb.)				1	
65	F (2/B carb.)		1			
65	F(4/B carb.-R. F.)			1		
65	F Special (4/B carb.)				1	
65/67	A, B, F(2/B carb.)	C4AZ 6758-B	1	1		To convert to non em/re-attaches to rocker arm cover
65	B Spec.(4/B carb.)				1	
65	A, B, F (2/B carb.)	C5AZ 6758-C		1		Attaches to rocker arm cover
65	B, F(4/B carb.-P. F.)			1		
65	X	★☆C5DZ 6758-A		1		Attaches to rocker arm cover
65	X	♦CC5DE 6758-A		1		
65/67	B & F Specials (4/B carb.)	★C5OZ 6758-A			1	Attaches to rocker arm cover
65	F(4/B carb.-R. F.)	20408-S7(B81)		1		Bolt (tube to brkt. to cyl. block)-3/8"-16 x 1 1/8"
		34807-S7-8(X66)		1	1	Lockwasher-3/8"
65/68		C2OZ 6763-A	1	1	1	PIPE - OIL FILLER - includes bracket
65/68	A, B, X	20308-S7(B40)	1	1		Bolt (to generator bracket)-1/4"-20 x 1/2"
		34805-S8(X62)	1	1		Lockwasher-1/4"
		44719-S8(X17)	1	1		Washer-flat-1/4"
65		B6AZ 6766-A (EC-61)		1		CAP ASSY. - OIL FILLER AND BREATHER - non-emission reduction-#Black
		C2SZ 6766-B		1		#Chrome
		6766				CAP - OIL FILLER & BREATHER - emission reduction
						INTAKE MANIFOLD TYPE
65		B6AZ 6766-A (EC-61)	1	1		#Black
		C2SZ 6766-B	1	1		#Chrome
						ROCKER ARM COVER TYPE OPEN
65		B6AZ 6766-A (EC-61)	1			#Black
		C2SZ 6766-B	1			#Chrome
65/66	"Before 5/2/66"	B6AZ 6766-A (EC-61)		1	1	#Black
		C2SZ 6766-B		1	1	#Chrome
66/66	"From 5/2/66"	C3AZ 6766-D (EC-64)		1		#Black
		C2SZ 6766-B		1		#Chrome
66/67	"From 5/2/66"	B6AZ 6766-A (EC-61)			1	#Black
		C3AZ 6766-E (EC-564)			1	#Chrome
						ROCKER ARM COVER - T/E
65/68		C4TZ 6766-B (EC-31)	1	1	1	#Black-upturned spout
		C5ZZ 6766-D (EC-10)		1		#Chrome

Identification Marking ☆ U.S. only ♦ Canada only

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 260	289	289 Spec	PART NAME AND DESCRIPTION
66/68		C4TZ 6766-B (EC-31)		1	1	ROCKER ARM COVER - CLOSED
66/68		C5ZZ 6766-D (EC-10)		1	1	
68		C8AZ 6766-A (EC-1)		1		#Black
		C8AZ 6766-B (EC-2)		1		#Chrome
68		C8AZ 6767-A		1		ELBOW - CRANKCASE VENTILATION HOSE - 90°-5/8" x 5/8"
65/68		D0OZ 6781-A	1	1	1	GASKET SET - ENGINE OIL PAN
	Consists of 1-C9OE 6710-B Gasket (R.H.) 1-C9OE 6711-B Gasket (L.H.)			2-C2OE 6723-A Seal (front & rear) 1-C2OZ 6734-A Gasket (drain plug)		
65/68	B (M/T)	EAA 6838-A		1	1	GASKET - OIL FILTER MOUNTING -4.955" O.D.-4.40" I.D.-.06" thick-used with cartridge type oil filter
65/68	B (M/T)	C5AZ 6840-A		1	1	GASKET - OIL FILTER ADAPTER
		★ 6853	★	★	★	HOSE - CRANKCASE VENTILATION Cut from B4C 4090-A 3/8" I.D. Cut from C3AZ 6A664-A 1/2" I.D. Cut from C3AZ 6A664-B 5/8" I.D. Also Refer to Basic 6A664
66/68		C5AZ 6A868-A		1	1	ADAPTER - OIL FILLER - Also refer to Group 6763
65		C2OZ 6870-A		1		GASKET - CRANKCASE VENTILATION TUBE - (3) 11/32" holes-.030" thick
65/68	B (M/T)	C2OZ 6881-B		1	1	ADAPTER ASSY. - OIL FILTER - includes (1) EAA 6890-C insert-used with cartridge type filter
65/68	B (M/T)	B2A 6889-A		1	1	SPRING - OIL FILTER ELEMENT RETAINING - approx.-.94" free length-4 active coils-used with cartridge type oil filter
65/68	B (M/T)	EAA 6890-C		1		INSERT - OIL FILTER MOUNTING BOLT -1 1/4" hex.-1-1/16"-12 male thread-3/4"-16 female thread-5/8" overall length-steel-undercut bottom flange-used with cartridge type oil filter-attach 6741 bolt & valve assy. to 6881 filter adaptor
65/68		D1AZ 6890-A	1	1	1	3/4"-16 & 1-1/16"-12 male threads-1 13/64" long-shoulder type-attach filter to cylinder block-use with "Spin-On" type filter
65/68	B (M/T)	EAM 6890-B		1	1	Plain-3/4"-16 internal & 1 1/16"-12 external threads-.52" overall length-use with cartridge type oil filter-attach 6881 filter adaptor to cyl. block
		6A892				RETAINER - CRANKCASE VENTILATION - GROMMET
65/66	Em/re "Before 5/2/66"	C8SZ 6A892-A		1	1	Grommet (holds 6A666 in 6582)-1 7/16" O.D.-23/32"
65/68	Non-em/re		1	1		Holds 6758 in 6582
66/68	Em/re "From 5/2/66"	D0OZ 6A892-A		1	1	
68		C8AZ 6A892-A		1		Elbow to oil filler cap-1 7/16" O.D.-3 7/64" I.D.
		6894				BOLT ASSY. - OIL FILTER ADAPTER MOUNTING
65/68	B (M/T)	C4GY 6894-A		1	1	3/4"-16-4 9/32" long-used with cartridge type oil filter
65/68	B (M/T)	B2A 6898-A		1	1	RETAINER - OIL FILTER ELEMENT - 1 1/4"O.D-49/64"I.D.-used w/cartridge type oil filter
67/68	B,F,X(2/B,4/B P.F.)	★C7OZ 6980-A				DRESS-UP KIT - CHROME FINISH

Consists of

1-C5ZZ 6582-B	Cover (rocker arm-L.H.)	1-C5OZ 9600-A	Cleaner (air) alternate
1-C4RA 6582-A	Cover (rocker arm-R.H.)	1-C4RA 9A616-A	Cap (air cleaner inlet)
1-C5OZ 6750-A	Dip stick (oil level)	12-20364-S	Bolt (1/4"-20 x 7/8")
1-C4DZ 6766-C	Cap (oil breather)	12-354610-S40	Flat washer (1/4")
1-C2SZ 8100-A	Cap (radiator)	1-370971-S8	Stud (1/4"-18-20 x 3 51/64")
1-C5ZZ 9600-W	Cleaner (air)	1-378727-S	Plug (1")

Identification marking

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec	PART NAME AND DESCRIPTION
		6007	★	★	ENGINE ASSEMBLY - service details
		6008			GASKET SET - COMPLETE OVERHAUL
68/70	(2/B)M/T	C7AZ 6008-B	1		

Consists of

1-C2OZ	6020-A	Gasket (cylinder front)	2-D3OE	6722-AA	Seal (oil pan-front)
2-C3AZ	6051-C	Gasket (cylinder head)	1-C2OZ	6734-A	Gasket (oil pan drain plug)
16-C7AZ	6571-B	Seal (valve stem)	1-C9AZ	8255-A	Gasket (water outlet)
2-D0AZ	6584-B	Gasket (rockerarm cover)	1-C5AZ	8507-B	Gasket (water pump)
1-B8TZ	6626-A	Gasket (inlet tube)	1-C5AZ	8513-A	Gasket (water pump cover)
1-C2OZ	6659-C	Gasket (oil pump)	1-C3AZ	9417-C	Gasket (fuel pump)
1-C3AZ	6700-A	Seal (crankshaft-front)	1-D1OZ	9A424-A	Seal (intake manifold-rear)
2-C9OZ	6701-A	Packing (crankshaft-rear)	1-D1OZ	9A425-A	Seal (intake manifold-front)
1-C9OE	6710-A	Gasket (oil pan-R.H.)	2-C3AZ	9441-D	Gasket (intake manifold)
1-C9OE	6711-A	Gasket (oil pan-L.H.)	1-D0AZ	8513-A	Gasket (water pump cover) (exc.Bronco)

68	(4/B)M/T	D1AZ 6008-B	1		
68/	A/T		1		
71/	B,F,P-M/T		1		

Consists of

1-C2OZ	6020-A	Gasket	2-C9OZ	6701-A	Seal	1-C5AZ	8513-A	Gasket
2-D0OZ	6051-A	Gasket	1-C9OE	6710-B	Gasket	1-D0AZ	8513-A	Gasket
16-C7AZ	6571-B	Seal	1-C9OE	6711-B	Gasket	1-C3AZ	9417-C	Gasket
2-D0AZ	6584-B	Gasket	2-D3OE	6723-AA	Seal	1-D1OZ	9A424-A	Seal
1-B8TZ	6626-A	Gasket	1-C2OZ	6734-A	Gasket	1-D1OZ	9A425-A	Seal
1-C2OZ	6659-C	Gasket	1-C9AZ	8255-A	Gasket	2-C3AZ	9441-D	Gasket
1-C3AZ	6700-A	Seal	1-C5AZ	8507-B	Gasket			

71/	U-M/T	★D1TZ 6008-A	1	Replaced by D1AZ 6008-B (8-74)

Consists of

1-C2OZ	6020-A	Gasket	2-C9OZ	6701-A	Seal	1-C5AZ	8513-A	Gasket (Bronco)
2-D0OZ	6051-A	Gasket	1-C9OE	6710-B	Gasket	1-D0AZ	8513-A	Gasket (other trucks)
16-C7AZ	6571-B	Gasket	1-C9OE	6711-B	Gasket	1-C3AZ	9417-C	Gasket
2-D0AZ	6584-B	Gasket	2-D3OE	6723-AA	Seal	1-D1OZ	9A424-A	Gasket
1-B8TZ	6626-A	Gasket	1-C2OZ	6734-A	Gasket	1-D1OZ	9A425-A	Gasket
1-C2OZ	6659-C	Gasket	1-C9AZ	8255-A	Gasket	2-C3AZ	9441-D	Gasket
1-C3AZ	6700-A	Seal	1-C5AZ	8507-B	Gasket (Bronco)			

69/71		C9ZZ 6008-B		1	

Consists of

1-C2OZ	6020-A	Gasket (front cover)	1-C9OE	6711-B	Gasket (oil pan-L.H.)
2-D1ZZ	6051-B	Gasket (cyl. head)	2-D3OE	6722-AA	Seal (oil pan-front & rear)
16-C9ZZ	6571-A	Seal (valve stem)	1-C2OZ	6734-A	Gasket (oil pan plug)
2-D0OZ	6584-A	Gasket (rocker arm cover)	1-C9AZ	8255-A	Gasket (water connection)
1-B8TZ	6626-A	Gasket (oil pump inlet)	1-C5AZ	8507-A	Gasket (water pump)
1-C2OZ	6659-C	Gasket (oil pump)	1-C5AZ	8513-A	Gasket (water pump)
1-C3AZ	6700-A	Seal (crankshaft - front)	1-C3AZ	9417-C	Gasket (fuel pump)
2-C9ZZ	6701-A	Seal (crankshaft-rear)	1-D1OZ	9A424-A	Seal (intake manifold-front)
1-C9OE	6710-B	Gasket (oil pan-R.H.)	1-D1OZ	9A425-A	Seal (intake manifold-rear)
			2-C9ZZ	9441-A	Gasket (intake manifold to head)

68/		C2OZ 6A008-A	4	4			DOWEL - CYLINDER HEAD TO CYLINDER BLOCK
		6D008					HEATER KIT - CYLINDER BLOCK
68/71		C7DE 6D008-A	1				
72		CD0DZ 6D008-A	1				600 watt
		6009					CYLINDER ASSY. - Includes cylinder block with all internal parts of the engine but does not include cylinder heads, tappets, oil pan or cylinder front cover unless indicated
68/	A,F,P,U,X	D1TZ 6009-E	1				
68/71	B		1				
72	B-M/T		1				
72	B-A/T(exc. Calif.)		1				
72	B(A/T)(Calif.)	D2OZ 6009-C	1				
69/71		D1ZZ 6009-C		1			4 bolt M.B. caps

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec			PART NAME AND DESCRIPTION
		6010					△BLOCK ASSY. - CYLINDER
68/		D1TZ 6010-B	1				Hydraulic tappets-includes (1) C5OZ 6269-D thrust plate
69/71		D1ZZ 6010-B		1			
		6B018					WIRE ASSY. - BLOCK HEATER
71		D1AB 6B018-AA	1				
72		D2AZ 6B018-A	1				74" long-use with 6A051 heater assy.
		6019					COVER ASSY. - CYLINDER FRONT
68/		D3OZ 6019-A	1	1			
68/71		357235-S(BB136)	2				Bolt (cover to block)-5/16"-18 x 7/8"
69/71		376256-S(BB545A)	4	2			Bolt (cover to block)-5/16"-18 x 1"
69/71		56126-S(B319M)		2			Bolt (cover to block)-5/16"-18 x 2"
69/71		384039-S(WW135B)		2			Stud (cover to block) 5/16"-18 x 3 1/8"
72	A,B,F,P	300958-S(B73B)	2				Bolt (cover to block)-5/16"-24 x 5"-hole #13
68/		C2OZ 6020-A	1	1			GASKET - CYLINDER FRONT COVER - .030" thick
		6023					POINTER - TIMING
68/69		C8AZ 6023-B	1				
69				1			
70/71	U		1				
72	U(exc. Calif.)		1				
72	U(Calif.)	D2TZ 6023-B	1				Steel
70/71	A,Taxi,P/C,B,F,P	C9TZ 6023-A	1				
72	A,B,F,P(exc. Calif.)		1				
72	A,B,F,P(Calif.)	D2OZ 6023-A	1				Steel
70/71		D0ZZ 6023-A		1			Steel
69/		56126-S(B319M)	2	2			Bolt (pointer & cover to block)-5/16"-18 x 2"
72	U(Calif.)	★383112-S2	1				Screw (attach 6023 to block)-No.10-24 x 5/16"
70/	U(exc. Calif.)	373913-S(UU40)	1				Screw (attach 6023 to 6059)-No.10-24 x 5/16"
70/71		33770-S4(M89K)		2			Nut-5/16"-18-att.6023 &6019 to block

6A023,6054,6068 & 6120 REAR MOTOR MOUNT CHART

YEAR	MODEL	C.I.D.	*SUPPORT	*BRACKET-REAR SUPPORT	* INSULATOR ASSEMBLY	* EXTENSION R.H.	* EXTENSION L.H.
	- A -						
68	A-M/T,C4	302		C8AZ 6054-A	C8AZ 6068-B		
68	A-C/M	302		C8AZ 6054-A	C9AZ 6068-E		
69/71	A-C/M "Before 7/1/71"	302		C9AZ 6054-A	C9AZ 6068-F		
71/	A-C/M "From 7/1/71"	302		D2AZ 6054-A	D2AZ 6068-A		
69/71	A-M/T,C4- "Before 7/1/71"	302		C9AZ 6054-A	D2AZ 6068-C		
71/	A-MT,C4- "From 7/1/71"	302		D2AZ 6054-A	D2AZ 6068-C		
	- B -						
68/69	B(exc. 76)	302	C6OZ 6A023-B	C6OZ 6096-F(R.H.) C6OZ 6096-G(L.H.)	C8OZ 6068-B	C6OZ 6120-G	C6OZ 6120-J
68/69	B(76)	302	C6OZ 6A023-B	C6OZ 6096-F(R.H.) C6OZ 6096-G(L.H.)	C8OZ 6068-A	C6OZ 6120-G	C6OZ 6120-J
70	B(exc. 57,76)- "Before 6/15/70"	302	D0OZ 6A023-B	D0OZ 6096-A(R.H.) D0OZ 6096-B(L.H.)	D1ZZ 6068-B	C6OZ 6120-G	C6OZ 6120-J
70/71	B(exc. 57,76)- "From 6/15/70"	302	D0OZ 6A023-B	D0OZ 6096-C(R.H.) D0OZ 6096-D(L.H.)	D1ZZ 6068-B	Use 6096	Use 6096
70	B(57,76)- "Before 6/15/70"	302	D0OZ 6A023-B	D0OZ 6096-A(R.H.) D0OZ 6096-B(L.H.)	D0OZ 6068-A	C6OZ 6120-G	C6OZ 6120-J
70/71	B(57,76)- "From 6/15/70"	302	D0OZ 6A023-B	D0OZ 6096-C(R.H.) D0OZ 6096-D(L.H.)	D0OZ 6068-A	Use 6096	Use 6096
72	B	302			D3OZ 6068-A		

△ 6015 is a casting number and generally cannot be cross referenced to a service number. It will be used as a means of identification only when casting number is unique to only one 6010 assembly.

* One required unless otherwise noted

6A023,6054,6068 & 6120 REAR MOTOR MOUNT CHART - continued

YEAR	MODEL	C.I.D.	*SUPPORT	*BRACKET-REAR SUPPORT	*INSULATOR ASSEMBLY	* EXTENSION R.H.	* EXTENSION L.H.
	- F -						
68/70	F	302	C7ZZ 6A023-D		★C8ZZ 6068-D R/B C8ZZ 6068-A (8-74)		
69/70	F-Boss	302 Spec.	C7ZZ 6A023-D		★C8ZZ 6068-D R/B C8ZZ 6068-A (8-74)		
71	F-M/T	302	D1ZZ 6A023-B		D1ZZ 6068-D		
71	F (exc.76)-C4	302	D1ZZ 6A023-B		C8ZZ 6068-A		
71	F(76)-C4	302	D1ZZ 6A023-B		D1ZZ 6068-D		
72	F(exc.76)-M/T	302	D1ZZ 6A023-B		C8ZZ 6068-A		
72	F(76)-M/T	302	D1ZZ 6A023-B		D1ZZ 6068-D		
72	F(exc.76)-A/T	302	D1ZZ 6A023-A		C8ZZ 6068-A		
72	F(76)-A/T	302	D1ZZ 6A023-A		D1ZZ 6068-D		
	- P -						
71/	P-w/floor mounted shift-M/T	302	D4DZ 6A023-A		D1ZZ 6068-D		
71/	P-w/column shift-M/T	302	D4DZ 6A023-A		D1ZZ 6068-B		
71/	P-(A/T)	302	D4DZ 6A023-A		D1ZZ 6068-B		
	- U -						
69/	U	302	C6TZ 6A023-B	C6TZ 6096-A	†C6TZ 6068-D		
	- X -						
68	X "Before 12/1/67"	302	C6OZ 6A023-B	C6OZ 6096-F(R.H.) C6OZ 6096-G(L.H.)	C8OZ 6068-A		C6DZ 6120-F
68/69	X "From 12/1/67 to 2/13/69"	302	C6OZ 6A023-B	C6OZ 6096-F(R.H.) C6OZ 6096-G(L.H.)	C8OZ 6068-A	C6DZ 6120-E	C6DZ 6120-F
69	X "From 2/13/69"	302	C6OZ 6A023-B	C6OZ 6096-F(R.H.) C6OZ 6096-G(L.H.)	C8OZ 6068-B		
70	X	302	C6OZ 6A023-B		D0OZ 6068-B		

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Sped			PART NAME AND DESCRIPTION
		6026					PLUG - ENGINE
68/ 69/70	F-Boss	C8AZ 6026-C	10	6			Standard-1 1/2" O.D.-plug core holes in head or block
		C8AZ 6026-D	AR	AR			.060" O/S
68/71		353055-S7(PP29)	4				Plug (oil gallery holes in block)-1/4"-18-pipe
68/71			2				(Drain holes in block)
68/		376099-S(PP73A)	1				Plug (rear holes in block)-3/4" -cup
68/		376301-S(PP67A)	3				Plug (front main oil gallery) & (cylinder block oil passages)-1/2"-cup
69/71		376301-S(PP67A)		4			Plug (cup 1/2"-plug holes in head)
69/71		370730-S(PP46D)		6			Plug (drain holes in block)-1 1/4"-11 1/2 pipe
72		87837-S(P15)	3				Plug (main gallery 6010)-1/4"-18 pipe
			2				Plug (drain holes 6015)-1/4"-18 pipe
		6A027					SPACER - SUPPORT INSULATOR
69/	U	C6TZ 6A027-A	2				Rear

* One required unless otherwise noted † Two required

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec	PART NAME AND DESCRIPTION

6028,6029,6030,6031 & 6038 FRONT MOTOR MOUNT CHART

YEAR	MODEL	C.I.D.	*SUPPORT BRACKET R.H.	*SUPPORT BRACKET L.H.	* BRACKET R.H.	* BRACKET L.H.	*INSULATOR R.H.	*INSULATOR L.H.
	- A -							
68	A(2/B)	302	C5AZ 6028-B	C8AZ 6029-B			D3AZ 6038-E	D3AZ 6038-E
69/	A(2/B)	302	C9AZ 6028-D	C9AZ 6029-D			D3AZ 6038-E	D3AZ 6038-E
	- B -							
68/69	B(exc.76)	302	C6DZ 6028-A	C6DZ 6029-A			D0OZ 6038-G	D0OZ 6038-G
68/69	B(76)	302	C6DZ 6028-A	C6DZ 6029-A			D0OZ 6038-H	D0OZ 6038-H
70/71	B(exc.76)	302	D0OZ 6028-B	D0OZ 6029-B			D0OZ 6038-G	D0OZ 6038-G
70/71	B(76)	302	D0OZ 6028-B	D0OZ 6029-B			D0OZ 6038-H	D0OZ 6038-H
72	B	302					D2OZ 6038-C	D2OZ 6038-D
	- F -							
68/69	F(exc.76)	302	D0ZZ 6028-C	D0ZZ 6029-C	D0ZZ 6030-B	D0ZZ 6061-B	D0OZ 6038-G	D0OZ 6038-G
68/69	F(76)	302	C8ZZ 6028-B	D0ZZ 6029-D	C8ZZ 6030-A	C8ZZ 6031-A	D0ZZ 6038-B	D0ZZ 6038-B
69	F-Boss	302 Spec	D0ZZ 6028-C	D0ZZ 6029-C	D0ZZ 6030-B	D0ZZ 6031-B	D0OZ 6038-G	D0OZ 6038-G
70	F(exc.76)	302,302 Spec.	D0ZZ 6028-C	D0ZZ 6029-C	D0ZZ 6030-A	D0ZZ 6031-A	D0OZ 6038-G	D0OZ 6038-G
70	F(76)	302,302 Spec.			D0ZZ 6030-B	D0ZZ 6031-B	D0ZZ 6038-B	D0ZZ 6038-B
71/	F(exc.76)	302	D0OZ 6028-B	D0OZ 6029-B			D0OZ 6038-G	D0OZ 6038-G
71/	F(76)	302	D1ZZ 6028-A	D1ZZ 6029-A			D1ZZ 6038-B	D1ZZ 6038-B
	- P -							
71/	P	302	D0DZ 6028-B	D0DZ 6029-B			D0DZ 6038-B	D0DZ 6038-B
	- U -							
69/	U	302	Refer 5057	Refer 5058			C7TZ 6038-G	C7TZ 6038-G
	- X -							
68	X(exc.76)	302	C6DZ 6028-A	C6DZ 6029-A			D0OZ 6038-G	D0OZ 6038-G
68	X(76)	302	C6DZ 6028-A	C6DZ 6029-A			D0OZ 6038-H	D0OZ 6038-H
69	X(exc.76)	302	C6DZ 6028-A	C6DZ 6029-A			D0OZ 6038-F	D0OZ 6038-F
69	X(76)	302	C6DZ 6028-A	C6DZ 6029-A				
70	X	302	C6DZ 6028-A	C6DZ 6029-A			D0OZ 6038-G	D0OZ 6038-G

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec	PART NAME AND DESCRIPTION
		6030-1			BRACKET - FRONT SUPPORT - Refer to Front Motor Mount Chart - Group 6028
		6038			INSULATOR - FRONT SUPPORT - Refer to Front Motor Mount Chart - Group 6028
		6C038			SHIELD - MOTOR MOUNT HEAT
68/69	A	C3DZ 6C038-A	2		8" long
70/	A	C9AZ 6C038-A	1		R.H.
		C9AZ 6C038-B	1		L.H.
71/	P	D4DZ 6C038-A	1		L.H.-not used on R.H. side
69/70	F-Boss	C9ZZ 6C038-A		1	L.H.-not used on R.H. side
71	F-Boss	D1ZZ 6C038-A		1	L.H.-not used on R.H. side
71	B,F		1		L.H.-not used on R.H. side
		6A042			REINFORCEMENT - REAR SUPPORT
68/69	B, X-Note 1	C8OZ 6A042-C	1		R.H.
		C8OZ 6A042-D	1		L.H.
70/	B(exc.76)	D0OZ 6A042-A	1		R.H.
		D0OZ 6A042-C	1		L.H.
72	B	D2OZ 6047-A	2		BOLT - INSULATOR TO CROSSMEMBER - 3/8"-16 x 15"-hex.hd. piloted

* One required unless otherwise noted

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec			PART NAME AND DESCRIPTION
		6049					△HEAD - CYLINDER
69/	U-Imco "From Ser. E10,001"	▲D1TZ 6049-A	2				
68	A(P/C, Taxi), A, B(2/B)-3 or 4 M/T-w/T/E	C8AZ 6049-F	2				
68	A(2/B)-A/T-Imco- "From 3/12/68"	C8OZ 6049-G	2				
68	X	C8OZ 6049-L	2				Includes (4) C6AZ 6052-A plugs-used when servicing Imco heads
68	F-M/T	C8OZ 6049-C	2				
68	F-A/T	C8ZZ 6049-A	2				
68/70	High Perf. B, F	D1OZ 6049-B	2				Valve seats must be ground to accommodate High Perf. valves
69	A, B, F, X-M/T	C9OZ 6049-C	2				
69	A, B, F, X-A/T	▲C9OZ 6049-G	2				Includes (8) D0AZ 6A529-A nuts-5/16"-24 (8) 384374-S2 washers-3/8" flat (1) 383791-S2 stud 5/16"-14 x 7 13/16" (1) 34988-S4 nut 7/16"-14 - (2) instruction sheets
68	A(P/C, Taxi), B(2/B)-A/T-Imco		2				
68	A(2/B)-A/T-Imco- "Before 3/12/68"						
68	A, B(2/B)-M/T-Imco		2				
69	U-Imco - "Before Ser. E10,001"		2				
70	A, B, F-A/T	D2OZ 6049-B	2				
71/	A, B, F, P		2				Without valves
70	A, B, F-M/T	C9OZ 6049-E	2				
72		D2OZ 6049-C	2				Complete with valves
69		C9ZZ 6049-D		1			R.H. - Includes (4) D0ZZ 6505-A exhaust valves (4) D0ZZ 6507-A intake valves
69		D0ZZ 6049-B		1			L.H. - Includes (4) D0ZZ 6505-A exhaust valves, (4) D0ZZ 6507-A intake valves
70/71		D0ZZ 6049-A		2			Does not incl. valves
		6051					GASKET - CYLINDER HEAD
68/	A, B, F, P, X	D0OZ 6051-A	2				
71/	U		2				
69/70	U "Before Ser. J10.001"		2				
70	U "From Ser. J10,001"	C9TZ 6051-A	2				Asbestos & steel
69/71		D1ZZ 6051-B		2			Steel & asbestos
72		D2AZ 6A051-A	1				HEATER ASSY. - ENGINE BLOCK - use w/6B018 wire assy.
68		C6AZ 6052-A	8				PLUG - CYLINDER HEAD EXHAUST AIR SUPPLY -to plug holes when T/E is not used
		6054					RETAINER - REAR SUPPORT - Refer to Rear Motor Mount Chart - Group 6A023
		6A061					INSULATOR ASSY. - REAR SUPPORT - REBOUND
69/	U	C6TZ 6A061-A	2				Lower
69/	U	C6TZ 6A061-D	1				6A023 c/member to transfer case
69/	U	383406-S100 (MM173MY)	1				Nut-3/8"-16 (att. 6A061 to 6A023)
		6065					BOLT - CYLINDER HEAD
68/		C2OZ 6065-A	10				7/16"-14 x 2 9/32"
68/		C2OZ 6065-B	10				7/16"-14 x 3 29/32"
69/71		★C9ZZ 6065-A		20			7/16"-14 x 4 1/8"-repl.by B2AZ 6065-A (9-74)
		6068					INSULATOR ASSY. - REAR SUPPORT - Refer to 6A023 Rear Motor Mount Chart
		6070					PLATE - REAR SUPPORT
68/71	B(exc. 76), X	C8OZ 6070-A	1				R. H.
		C8OZ 6070-B	1				L. H.
68/71	B(76)	C6OZ 6070-A	2				R. H. & L. H.
69/	U	★C6TA 6070-C	2				Sheet steel-2 1/2" square-5/8" center hole-improvise

△ 6090 is a casting number and generally cannot be cross-referenced to a service number. It will be used as a means of identification only when casting number is unique to only one 6049 assy.

▲ Drill out A/C and P/S brackets when necessary to accommodate 7/16" bolts

Note 1 - not required on model 76 "From 12/1/67"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec	PART NAME AND DESCRIPTION
		6079			GASKET SET - VALVE GRIND
68/		D1AZ 6079-B	1		
	Consists of				
	2-D0OZ 6051-A Gasket			♦1-D1OZ 9A424-A Seal	
	16-C7AZ 6571-B Seal			♦1-D1OZ 9A425-A Seal	
	2-D0AZ 6584-B Gasket			♦2-C3AZ 9441-D Gasket	
	1-C9AZ 8255-A Gasket			♦ Serviced in D1AZ 9433-B	
69/71		C9ZZ 6079-B		1	
	Consists of				
	2-D1ZZ 6051-B Gasket (cylinder head)			♦1- D1OZ 9A424-A Seal (intake manifold)-front	
	16-C9ZZ 6571-A Seal (valve stem)			♦1- D1OZ 9A425-A Seal (intake manifold)-rear	
	2-D0OZ 6584-A Gasket (rocker arm cover)			♦1-C9ZZ 9441-A Gasket (intake manifold to head)	
	1-C9AZ 8255-A Gasket (water connection)			♦ Serviced in D1ZZ 9433-A	
68/71		C9AF 6B080-A	1		"O" RING - CYLINDER BLOCK HEATER use with C7DE 6D008-A heater kit
		6096			BRACKET - REAR SUPPORT - refer to groups 6A023, 6054, 6068 & 6120

6108-9 PISTON ASSEMBLY - CHART

In the Standard Column of the Chart below (R) designates Red Size - (B) designates Blue Size.
Red Size and Blue Size are optional for selective fit

YEAR	MODEL	C.I.D.	RINGS	INCL.	QTY.	PART NUMBER STANDARD	.003" O/S	.020" O/S	.030" O/S	.040" O/S	.060" O/S
68/		302	3	▲	8	C9OZ 6108-N(R) 4.00" dia. C9OZ 6108-R(B)	D2OZ6108-A	C9OZ 6108-T	C9OZ 6108-U	C9OZ 6108-V	
69/71		302 spec.	3	▲	8	D0ZZ 6108-A(R) 4.00" dia. D0ZZ 6108-B(B)	D0ZZ 6108-C				
68/70	All high perf. vehicles-R. H. - deflector dome & cast in valve relief - use w/351 cyl. head	302	3	▲	4	C9OZ 6108-AB 4.00" dia.					
68/70	All high perf. vehicles-L. H. - deflector dome & cast in valve relief - use w/351 cyl. head	302	3	▲	4	★C9OZ 6109-C 4.00" dia.					
71	●Unique competition part	302 spec.	3	▲	8	★D0ZX 6108-B					

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec	PART NAME AND DESCRIPTION
		6135			PIN - PISTON
68/		B2AZ 6135-A	8		#Green-.9121" O.D.-.600" I.D.-3.023" long-std.
		B2AZ 6135-B	8		.001" O/S
69/71		C9ZZ 6135-E		8	
68/70	All high perf. vehicles	B2AZ 6135-A	8		Use w/pop-up piston & 351 high perf. cyl. head

6148 RING SET - PISTON PARTIAL - CHART - Consists of the necessary rings re-ring (2) pistons

YEAR	MODEL	C.I.D.	RINGS	TYPE	PART NUMBER STANDARD	.020" O/S	.030" O/S	.040" O/S	.060" O/S
68/		302, 302 spec.	3	Hi Lo	C3AZ 6148-F	C3AZ 6148-G	C3AZ 6148-H	C3AZ 6148-J	
68/70	All high perf. vehicles-use w/C9OZ 6108-AB & C9OZ 6109-C pistons	302	3		★C9OZ 6148-A				

▲ Includes piston pin ● Refer to appropriate muscle parts catalog # Identification marking

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec	PART NAME AND DESCRIPTION
		6200			ROD ASSY.- CONNECTING
68/		D3OZ 6200-A	8		
69/71		C9ZZ 6200-B		8	
68/70	High perf. B, F	★C9OZ 6200-B	8		
70/71	High perf. vehicles	★D0ZX 6200-A		8	"Competition only"

6211 BEARING - CONNECTING ROD - CHART

In the Standard Column of the Chart below (R) designates Red Size - (B) designates Blue Size.
Red Size and Blue Size are optional for selective fit

YEAR	MODEL	C.I.D.	UPPER	LOWER	PART NUMBER STANDARD	.001" U/S	.002" U/S	.010" U/S	.020" U/S	.030" U/S	.040" U/S
68/		†302	8	8	C2OZ 6211-R	C2OZ 6211-S	C2OZ 6211-T	C2OZ 6211-U	C2OZ 6211-V	C2OZ 6211-Y	C2OZ 6211-Z
69/71		302 spec.	8	8	C3OZ 6211-M	C3OZ 6211-N	C3OZ 6211-P	C3OZ 6211-R	C3OZ 6211-S	C3OZ 6211-T	
70/71	High perf. vehicles	302 spec.	8 8	8 8	★D0ZX 6211-A D0ZX 6211-B(B)						

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec	PART NAME AND DESCRIPTION
		6212			NUT - CONNECTING ROD
68/		C3DZ 6212-A	16		5/16"-24 hex.
69/71		C9AZ 6212-B		16	3/8"-24 hex.
70/71	●Unique competition part	★C9ZE 6212-A		16	
70/	All off highway vehicles	★D1ZX 6212-BA		16	7/16"-20 - 12 point head
		6214			BOLT - CONNECTING ROD
68/		C3AZ 6214-A	16		5/16"-24 x 2 5/64"
69/71		C9ZZ 6214-B		16	3/8"-24 x 2 7/64"
70/71	●Unique competition part	C7FE 6214-A		16	7/16"-20 x 2 7/16"
		6250			CAMSHAFT
68/71		C3AZ 6250-V	1		#UA-includes 378189-S dowel pin
72	A,F,P,U		1		
72	B-M/T		1		
72	B-A/T (exc. California)		1		
72	B (California)	D2OZ 6250-B	1		#2H
68	F(GT 350)	★C7FE 6250-A	1		Mechanical tappets
68/70	All high perf. vehicles		1		
68/70	All high perf. vehicles	★C9OZ 6250-C	1		Hydraulic tappets-use w/high riser alum.manifold
68	F(GT 350)		1		or 351 cyl. heads
69/71		D0ZZ 6250-A		1	#VE-D
68/		C2OZ 6A251-A	1	1	BEARING KIT - CAMSHAFT-Standard

Consists of
1-C2OZ 6261-A Front
1-C2OZ 6262-A Center
1-C2OZ 6263-A Rear
1-C2OZ 6267-A Front(intermediate)
1-C2OZ 6270-A Rear (intermediate)
1-C2OZ 6266-A Plug

68/72	"Before 5/2/72"	C5OZ 6256-B	1	1	SPROCKET - CAMSHAFT - #nylon-42 teeth
72	"From 5/2/72"	D3AZ 6256-B	1		
69/		378189-S(NN54J)	1		Dowel-5/16" x 1 3/8"
68/		43002-S(B257)	1		Bolt(plate to camshaft)-3/8"-16 x 1 1/2"

6261.6262.6263.6267 & 6270 BEARING-CAMSHAFT - CHART

YEAR	MODEL	C.I.D.	SIZE	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
68/		302, 302 Spec	Standard	C2OZ 6261-A	C2OZ 6267-A	C2OZ 6262-A	C2OZ 6270-A	C2OZ 6263-A
			.015"U/S	C2OZ 6261-B	C2OZ 6267-B	C2OZ 6262-B	C2OZ 6270-B	C2OZ 6263-B

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec	PART NAME AND DESCRIPTION
		6266			PLUG - CAMSHAFT REAR BEARING
68/		C2OZ 6266-A	1	1	Std.-2.156" O.D.-cup shaped
		C5AZ 6266-A	1	1	.060" O.S.

● Refer to appropriate muscle parts catalog # Identification marking † Bearing with oil hole optional with solid bearing

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec			PART NAME AND DESCRIPTION
68/		C3OZ 6268-A	1	1			CHAIN - TIMING - 58 links
		6269					PLATE - CAMSHAFT THRUST
68/		C9OZ 6269-A	1	1			Std.-.251" thick
		C9OZ 6269-B	1	1			.002" O/S
		C9OZ 6269-C	1	1			.004" O/S
68/		42911-S(B41A)	2	2			Bolt (plate to block)-1/4"-20 x 5/8"
		6270					BEARING - CAMSHAFT REAR INTERMEDIATE - Refer to Basic 6261
68/		C2OZ 6278-A	1	1			WASHER - CAMSHAFT SPROCKET -1.20" O.D. - .406" I.D. -.224" thick
		6287					ECCENTRIC - CAMSHAFT FUEL PUMP DRIVE
68/72	"Before 5/2/72"	C3AZ 6287-B	1	1			
72	"From 5/2/72"	D3AZ 6287-A	1				
68/		43002-S(B257)	1	1			Bolt (eccentric & sprocket to camshaft)-3/8"-16 x 1/2"
68/		C0DZ 6A302-A	1	1			PIN - CRANKSHAFT REAR OIL SEAL - .095" O.D. -.31" long-pointed
		6303					CRANKSHAFT ASSY.
68/		D2OZ 6303-B	1				#2MA -replaces crankshaft ident. 2M
69/71		D0ZZ 6303-A		1			Steel
		6306					SPROCKET - CRANKSHAFT
68/		C5OZ 6306-A	1	1			21 teeth
69/	All off highway vehicles	★D1ZX 6306-AA		1			21 teeth-1 3/8" I.D.-2 1/2" pitch diam.-7 timing keyways
68/		372890-S(LL17)	1	1			Key (sprocket to crankshaft)-3/16" x 1 13/32"
69		C9ZZ 6307-A		8			PLUG - CRANKSHAFT - cuptype-1/2"high-7/8" O.D.-used to plug clean out holes in crankshaft
69		C9ZZ 6307-B					RING - CRANKSHAFT RETAINING-15/16" O.D. - used to retain C9ZZ6307-A plugs in crankshaft
		6310					SLINGER - CRANKSHAFT OIL
68/		C3OZ 6310-B	1	1			
		6312					PULLEY ASSY. - CRANKSHAFT - Also refer to Basic 6A312
68	A, B, F, X	★C5AZ 6312-D R B C8OZ 6A312-B (10-74)	1				#C5AE-D-triple sheave-incl. (3) 42998-S2 or 8 bolt 3/8"-16 x 1"
69	U	C5AZ 6312-B	1				#C5AE-A-single sheave-incl. (3) 42998-S2 or 8 bolt 3/8"-16 x 1"
		6A312					PULLEY ASSY. - CRANKSHAFT - OUTER
68	A, B, X(2/B, 4/B)-P/S	C8OZ 6A312-A	1				#C8OE 6312-A-triple sheave-incl. (3) 42998-S2 or 8 bolt 3/8"-16 x 1"
68	B, F, X (2/B, 4/B)-P/S, A/C	C8OZ 6A312-B	1				#C8OE 6312-B-triple sheave-incl. (3) 42998-S2 or 8 bolt 3/8"-16 x 1"
68	B, F, X (2/B, 4/B) M/T-less A/C	C8OZ 6A312-C	1				#C8OE 6312-C-triple sheave-incl. (3) 42998-S2 or 8 bolt 3/8"-16 x 1"-repl.pulley ident. C7OE 6312-A or C7OE 6A312-C
68	A-55 amp. alt. -M/T Imco		1				
69	F-Boss(4/B)			1			
68	A, B, F, X-T/E		1				
68	A, B, F, X-w/ P/S, M/T, Imco		1				
69	A(P/C, Taxi)-w/A/C - "Before 9/3/68"	C9AZ 6A312-A	1				#C9AE 6312-E-triple sheave-incl. (3) 42998-S2 or 8 bolt 3/8"-16 x 1"
69	A(P/C, Taxi)-w/A/C - "From 9/3/68"	C9AZ 6A312-C	1				#C9AE 6312-D-triple sheave-incl. (3) 42998-S2 or 8 bolt 3/8"-16 x 1"
69	B, F, X-w/or w/o P/S	C9OZ 6A312-B	1				#C9OE 6312-E-double sheave-incl. (3) 42998-S2 or 8 bolt 3/8"-16 x 1"-used to service pulley marked C9OE 6A312-D
69	A-w/55 or 65 amp. alt. w/o P/S						
69	A-w/or w/o P/S		1				
69	A-w/55 & 65 amp. (Ford) alt.-with P/S	D4UZ 6A312-A	1				#D3UE 6312-AA-triple sheave-repl. pulley ident. C9OE 6312-G
69	B, F, X-w/A/C	C9ZZ 6A312-B	1				#C92E 6312-B-triple sheave-incl. (3) 42998-S2 or 8 bolt 3/8"-16 x 1"
69	A-w/hang on A/C		1				
69/	U	C9TZ 6A312-B	1				#C9TE 6A312-B-single sheave-6 23/64" dia. - includes (3) 42998-S2 or 8 bolt 3/8"-16 x 1"
69	U	C6TZ 6A312-B	1				#C6TE 6A312-D-double sheave-incl. (3) 42998-S2 or 8 bolt 3/8"-16 x 1"

Identification Marking

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec	PART NAME AND DESCRIPTION
		6A312			PULLEY ASSY. - CRANKSHAFT - OUTER-cont'd.
70/71	A, B, F-with A/C	D0OZ 6A312-B	1		#D0OE 6312-C-triple sheave-use to serv. pulley
70	X-with A/C		1		ident. D0AE 6312-C
72	B, F-with A/C		1		
70	X(P/S)	D0OZ 6A312-E	1		#D0OE 6312-B-double sheave
71/	A, B, F-w/55 amp.alt. w/oP/S		1		
71/	P-w/55 amp. alt.		1		
70	A-with or without P/S without A/C	◊D0OZ 6A312-B	1		# D0OE 6312-C-triple sheave
70/	B-with P/S without A/C		1		
70	F-with P/S without A/C		1		
71	F-w/rear window defroster w/o P/S & A/C		1		
72	F-w/P/S w/o A/C		1		
71/	P-w/All A/C		1		
72	P-w/P/S w/o A/C		1		
72	U	D1TZ 6A312-A	1		#D1TE 6312-AB-double sheave
72	A, B, F, P-w/hang-on A/C	D2AZ 6A312-E	1		
70/71	F-Boss	D0ZZ 6A312-A		1	# D0ZE 6312-B-triple sheave-used to service
71	F-GT without A/C				pulleys marked D0ZE 6312 and D0OE 6312-A
71/	P-w/Std. alt.		1		
70	F(2/B)-Std.		1		
70	X-w/o P/S or A/C		1		
70/	A, B, F-Std.-w/o P/S or A/C		1		
		6316			DAMPER ASSY. - CRANKSHAFT
68		C8AZ 6316-A	1		6 1/2"O. D. -3 1/64" overall length
69		D2TZ 6316-B	1		Repl. pulley ident. #C9OE 6316-D
70/	U		1		
70/	A, B, F, P, X	D2OZ 6316-A	1		6 1/2" O.D.-4 1/8" long
69		C9ZZ 6316-B		1	6 1/2" O. D. -3 21/32" long w/timing marks
70/71		D0ZZ 6316-A		1	6 1/2" O.D. with timing marks
68/		377850-S(BB273A)	1	1	Bolt (damper & 6378 washer to crankshaft)-5/8"-18 x 2"-hex. head
68/		372890-S(LL17)	1		Key (damper to crankshaft)-3/16" x 1 13/32"
69/71		372854-S(LL-11)		1	Key (damper to crankshaft)-3/16" x 1 3/4"

6333 & 6337 BEARING - CRANKSHAFT MAIN - CHART

YEAR	MODEL	C.I.D.	SIZE	UPPER	LOWER	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
68/		◊ 302, ◊ 302 Spec.	Std. - .0959"	x		C3AZ 6333-P	C3AZ 6333-P	C3AZ 6337-P	C3AZ 6333-P	C3AZ 6333-P
			.001"			C3AZ 6333-R	C3AZ 6333-R	C3AZ 6337-R	C3AZ 6333-R	C3AZ 6333-R
			.002"			C3AZ 6333-S	C3AZ 6333-S	C3AZ 6337-S	C3AZ 6333-S	C3AZ 6333-S
			.010"			C3AZ 6333-T	C3AZ 6333-T	C3AZ 6337-T	C3AZ 6333-T	C3AZ 6333-T
			.020"			C3AZ 6333-U	C3AZ 6333-U	C3AZ 6337-U	C3AZ 6333-U	C3AZ 6333-U
			.030"			C3AZ 6333-V	C3AZ 6333-V	C3AZ 6337-V	C3AZ 6333-V	C3AZ 6333-V
68/		◊ 302, ◊ 302 Spec.	Std. - .0959"		x	C3AZ 6333-AA	C3AZ 6333-AA	C3AZ 6337-AA	C3AZ 6333-AA	C3AZ 6333-AA
			.001"			C3AZ 6333-AB	C3AZ 6333-AB	C3AZ 6337-AB	C3AZ 6333-AB	C3AZ 6333-AB
			.002"			C3AZ 6333-AC	C3AZ 6333-AC	C3AZ 6337-AC	C3AZ 6333-AC	C3AZ 6333-AC
			.010"			C3AZ 6333-AD	C3AZ 6333-AD	C3AZ 6337-AD	C3AZ 6333-AD	C3AZ 6333-AD
			.020"			C3AZ 6333-AE	C3AZ 6333-AE	C3AZ 6337-AE	C3AZ 6333-AE	C3AZ 6333-AE
			.030"			C3AZ 6333-AF	C3AZ 6333-AF	C3AZ 6337-AF	C3AZ 6333-AF	C3AZ 6333-AF

◊ Plain ◊ Full oil grooves and (1) slot # Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Sped	QUANTITY	PART NAME AND DESCRIPTION
		6345				BOLT - CRANKSHAFT MAIN BEARING CAP
68/	A,B,F,P,X	C2OZ 6345-A	10			7/16"-14 x 3 3/16"
69/	U		9			
69/71				6		M. B. cap No. 1, 3, 5
69/	U	C6TZ 6345-C	1			Stud (attach screen, cover to No. 3 R. H. cap) 3/8"-16 & 7/16"-14 x 4 3/32"
69/70	"Before 10/1/69"	C9ZZ 6345-A		4		7/16"-14 x 3 9/64"-9/16" head height-M.B. cap No. 2 & 4 & attach baffle
70/71	"From 10/1/69"	D0ZZ 6345-A		4		7/16"-14 x 39/64" -3/4" head height-M.B. cap No. 2 & 4 & attach baffle
69/71		43007-S2(B258A)		6		Bolt-3/8"-16 x 2 1/8"(attach No. 2, 3, 4 M. B. cap)
68/	A/T	C2OZ 6A366-A	1			PLATE - FLYWHEEL REINFORCING -3 27/32" O. D. -2 1/8" I. D. -. 075" thick-(6) 29/64" holes
		6375				FLYWHEEL ASSY.
68/71	A(2/B)-3 or 4 S/T	C5AZ 6375-S	1			#C7AE-A on eng. side-164 tooth ring gear (6)
68/	B, F, X(2/B, 4/B)-3 or 4 M/T		1			5/16"-18 pressure plate attaching holes on 11 3/8" bolt circle
68/	A(P/C, Taxi), A(2/B)-C4, C/M	C5AZ 6375-T	1			164 tooth ring gear-(4) converter attaching holes
72	B & F-C/M		1			on 11 7/16" bolt circle
68/	B(2/B)-C4	C3AZ 6375-L	1			#C8OP-C or D-157 tooth ring gear-(4) 7/16"
68/71	B-C/M		1			converter attaching holes on 10 1/2" bolt circle
68/	F, P, X(2/B, 4/B)-C4		1			
69/	U(M/T)	C6TZ 6375-C	1			#C7TE-A-on engine side-164 tooth ring gear-
69/71	A(P/C, Taxi)-w/11" clutch -M/T		1			(6) 5/16"-18 pressure plate attaching holes on 12 3/8" bolt circle
69/71	F-Boss-M/T-10 1/2" clutch	C9ZZ 6375-B		1		164 tooth ring gear-(6) pressure plate attaching holes on 11 3/8" bolt circle
71/	P-M/T	C3AZ 6375-J	1			#C6ZE-B on eng. side-157 tooth ring gear-(6) 5/16"-18 pressure plate attaching holes on 11 3/8" bolt circle
68/		B8A 6378-A	1	1		WASHER - CRANKSHAFT PULLEY RETAINING- 1. 76" O. D. -. 66" I. D. -. 212" thick
		6379				BOLT - FLYWHEEL TO CRANKSHAFT
68/		B8AZ 6379-A	6	6		7/16"-20 x 15/16"-used w/6A366 plate
72	A/T	D2AZ 6379-B	6			7/16"-20 x 3/4"-used w/o 6A366 plate
		6384				GEAR - FLYWHEEL RING
68/	A,B,F,U,X-M/T	C5AZ 6384-D	1	1		164 teeth
70/	P-M/T	C2OZ 6384-B	1			157 teeth
		6392				HOUSING ASSY. - FLYWHEEL
68	A(P/C, Taxi)-M/T	C5AZ 6392-D	1			#C5AA 6394-B-6 engine mounting holes-use lever #C8AA 7515-B - "Before 2/15/68"-use original lever
68/	B,F,X-M/T		1	1		Use lever #C8OA 7515-A
69/71	A(P/C, Taxi)-M/T	C9AZ 6392-A	1			#C9AA 6394-A
70/	P-M/T	D2OZ 6392-A	1			Includes (1) C8OZ 7515-A lever assy.
69/	U	D1TZ 6392-D	1			Includes (1) B9AZ 7522-A bracket and (2) 62329-S Rivet
68/71		20508-S8(B110)	2	2		Bolt (flywheel housing to block)-7/16"-14 x 1 18/32"
68/71		20546-S8(B114)	4	4		Bolt (flywheel housing to block)-7/16"-14 x 2 1/2"
72	B,F(M/T)	376275-S7-8	2			Bolt (flywheel housing to block)-7/16"-14 x 2 9/16"
72	P(M/T)	(BB181A)	4			
72	U	20546-S8(B114)	4			Bolt (flywheel housing to block)-7/16"-14 x 2 1/2"
68/		34808-S8(X67)	AR	AR		Lockwasher-7/16"
68/		EAD 6397-A	2	2		DOWEL - CYLINDER BLOCK-to flywheel housing- 1/2" x 1"
68/	M/T	C4OZ 6424-A	1			SEAL - REAR COVER PLATE - 5 3/4" O. D. -
69/71				1		4 1/4" I. D.
		6500				TAPPET ASSY. - VALVE
68/		D1AZ 6500-A	16			Hydraulic
68/69	High perf. B, F	★C9OZ 6500-A	16			Hydraulic
69/71	F-Boss	D1ZZ 6500-B		16		Mechanical
71	F-CJ	★D1AZ 6500-B		16		Hydraulic-replaced by D1AZ 6500-A (1-75)
70/	All off highway vehicles	★D1ZX 6500-CA		16		Mechanical-use w/D0ZX 6250-B kit only

Identification marking

6505-07 VALVE-INTAKE and EXHAUST-CHART

YEAR	C.I.D.	MODEL	EXHAUST VALVE LENGTH	EXHAUST VALVE HEAD DIA.	EXHAUST VALVE STEM SIZE	EXHAUST VALVE STEM DIA.	EXHAUST VALVE PART NUMBER	INTAKE VALVE LENGTH	INTAKE VALVE HEAD DIA.	INTAKE VALVE STEM SIZE	INTAKE VALVE STEM DIA.	INTAKE VALVE PART NUMBER
68/69	302	A(exc. P/C & Taxi),B,F,X-"Before Chg./L4"	4.87"	1.45"	Std.	.3420"	C6AZ 6505-J	4.79"	1.78"	Std.	.3420"	C7AZ 6507-J
					.003"		C6AZ 6505-K			.003"		C7AZ 6507-K
					.015"		C6AZ 6505-L			.015"		C7AZ 6507-L
					.030"		C6AZ 6505-M			.030"		C7AZ 6507-M
69/	302	A(exc. P/C & Taxi),B,F,X-"Chg./L4/"	4.99"	1.45"	Std.	.3415"	D2TZ 6505-A	5.05"	1.78"	Std.	.3420	D2TZ 6507-A
					.003"		★C9OZ 6505-F R/B D2TZ 6505-B (2-75)			.003"		D2TZ 6507-B
					.015"		★C9OZ 6505-G R/B D2TZ 6505-C (2-75)			.015"		★C9OZ 6507-G R/B D2TZ 6507-C (6-74)
					.030"		C9OZ 6505-H			.030"		C9OZ 6507-H
68/69	302	A(P/C, Taxi),U-"Before Chg./L4"	4.79"	1.45"	Std.	.3420"	C7AZ 6505-A	4.79"	1.78"	Std.	.3420"	C7AZ 6507-J
					.003"		C7AZ 6505-B			.003"		C7AZ 6507-K
					.015"		C7AZ 6505-C			.015"		C7AZ 6507-L
					.030"		C7AZ 6505-D			.030"		C7AZ 6507-M
69/ 69/71	302	A(P/C, Taxi)-"Chg./L4/" U-"Chg./L4/"	5.05"	1.46"	Std.	.3413"	D2TZ 6505-A	5.05"	1.78"	Std.	.3420	D2TZ 6507-A
					.003"		D2TZ 6505-B			.003"		D2TZ 6507-B
					.015"		D2TZ 6505-C			.015"		D2TZ 6507-C
					.030"		C9AZ 6505-D			.030"		★C9AZ 6507-D R/B D2TZ 6507-D (10-74)
72	302	U	5.05"	1.46"	Std.	.3414"	D2TZ 6505-A	5.05"	1.78"	Std.	.3420"	D2TZ 6507-A
					.003"		D2TZ 6505-B			.003"		D2TZ 6507-B
					.015"		D2TZ 6505-C			.015"		D2TZ 6507-C
					.030"		D2TZ 6505-D			.030"		D2TZ 6507-D
68/70	302	High perf. B, F-use w/351 cyl.heads	5.07"	1.64	Std.	.3414	★C9OZ 6505-AA	5.07"	1.64"	Std.	.3414	C9OZ 6507-AA
68/70	302	High perf. B, F-use w/351 cyl.heads	5.07"	1.54	Std.	.3414	D2AZ 6505-A	5.07"	1.84"	Std.	.3420	D2AZ 6507-A
69	302 Spec.	F-Boss	5.05"	1.71"	Std.	.3414"	D0ZZ 6505-A	5.22"	2.23"	Std.	.3420	C9ZZ 6507-A
					.003"		D0ZZ 6505-B			.003"		C9ZZ 6507-B
					.015"		D0ZZ 6505-C			.015"		C9ZZ 6507-C
					.030"		D0ZZ 6505-D			.030"		C9ZZ 6507-D
70/71	302 Spec.	F-Boss	5.05"	1.71"	Std.	.3414	D0ZZ 6505-A	5.23"	2.19"	Std.	.3420"	D0ZZ 6507-A
					.003"		D0ZZ 6505-B			.003"		D0ZZ 6507-B
					.015"		D0ZZ 6505-C			.015"		D0ZZ 6507-C
					.030"		D0ZZ 6505-D			.030"		D0ZZ 6507-D
70	302 Spec.	High perf.veh. competition eng. only					★D0ZX 6505-A					★6507

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec			PART NAME AND DESCRIPTION
		6510					BUSHING - VALVE GUIDE
68/		D1AZ 6510-A	AR	AR			Intake & exhaust-2.29" long-.501" O.D.-.313" I.D. must be reamed to size of valve
70	●Unique competition part	★D0ZX 6A511-A		16			SPRING ASSY. - VALVE DAMPER
		6513					SPRING VALVE
68/69	"Before Chg./L4"	C8AZ 6513-A	16				#Black or Gray
69/	"Chg./L4/"	C9OZ 6513-B	16				
68/70	High perf. B, F	C9OZ 6513-A	16				Use w/std. 351 manifold & cyl. heads
68/69	High perf. B, F	C9OZ 6513-C	16				Use w/351 cyl.heads & high output hvd. camshaft
68/70	High perf. B, F	C9OZ 6513-E	16				Use with high riser manifold & 351 cyl. head
69/71		D0ZZ 6513-A		16			#4 dark Blue stripes

Identification Marking ● Refer to appropriate muscle parts catalog

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec			PART NAME AND DESCRIPTION
		6514					RETAINER - VALVE SPRING
68/69	"Before Chg./L4"	C7AZ 6514-A	16				
69/	"Chg./L4/"	B9A 6514-A	16				
68/69	High perf. B, F- "Before 10/20/68"	★C9OZ 6514-D	16				One piece design-use w/351 cyl. heads
69/70	High perf. B, F- "From 10/20/68"	★C9OZ 6514-E	16				One piece design-use w/351 cyl. heads
69/71		C9ZZ 6514-A		16			
69/	"Chg./L4/"	B9A 6517-A	16				SLEEVE-VALVE SPRING RETAINER-intake & exhaust-conical-not used "Before Chg./L4"
		6518					KEY - VALVE SPRING RETAINER
68/		7HA 6518-A	32				
69/71		C9ZZ 6518-A		32			1/2" O. D. -3/8" high
68/70	High perf. B, F	C9ZZ 6518-A	32				Use w/351 cyl. heads
68/		C2OZ 6524-A	1	1			BAFFLE - VALVE PUSH ROD VALLEY
68/70	High perf. B, F		1				Use w/high riser intake manifold
68/		381709-S(UU52G)	2				Screw (baffle to intake manifold)-1/4"-20 x 3/8"
		6A527					STUD - VALVE ROCKER ARM SUPPORT
68/69	"Before Chg./L4"	C5AZ 6A527-A	16				Std. -3/8"-24 x 2 5/8"-.3717"diam. at non-threaded end
		C5AZ 6A527-B	AR				.006" O/S
		C5AZ 6A527-D	AR				.010" O/S-O. D. -. 3821"
		C5AZ 6A527-C	AR				.015" O/S
69	"Chg./L4/"	C9OZ 6A527-E	16				Std. -3/8"-24 x 2 3/4"-.3717" diam. at non-threaded end
		C9OZ 6A527-F	AR				.006" O/S
		C9OZ 6A527-G	AR				.010" O/S
		C9OZ 6A527-H	AR				.015" O/S
70/		C9OZ 6A527-A	16				Std. -5/16"-24 x 2 3/4"-.3717" dia. at non-threaded end-use with D0AZ 6A529-A nut
		C9OZ 6A527-B	AR				.006" O/S
		C9OZ 6A527-C	AR				.010" O/S
		C9OZ 6A527-D	AR				.015" O/S
70	B, F	C1AE 6A527-C	1	1			Bolt-7/16"-14 x 3 1/4" (attach 7400 control to 7E046 plate)
69/71		C9ZZ 6A527-A		16			Std. -7/16" -20 & 7/16" -14
69	B, F, X	384374-S2 (XX140P)	16				Washer - 3/8"flat-.107"thick-used with positive stop studs (6A527) when 1970 cyl. heads are used for past model service
		6A528					SEAT-VALVE ROCKER ARM FULCRUM
68/		C2OZ 6A528-C	16				
69/71		★C9ZZ 6A528-A		16			Replaced by D0OZ 6A528-B (11-74)
		6A529					NUT - VALVE ROCKER ARM STUD
68/69		C2DZ 6A529-A	16				3/8"-24 Hex. locking
70/		D0AZ 6A529-A	16				Nut-5/16"-24 (attach rocker arm to stud)
70	High perf. vehicles	C2DZ 6A529-A	16				Use w/351 cyl. heads
69/71		C8SZ 6A529-A		16			Nut-7/16"-20(attach rocker arm to stud)
69/71		C9ZZ 6A529-B		16			Nut-jam-7/16"-20 hex.
69/71		D0OZ 6A536-A		16			SEAT - VALVE SPRING
69/	Exc. taxi & P/C- "Chg./L4/"	C9OZ 6550-A	8				CAP - VALVE STEM EXHAUST-not used with D2TZ 6505-A, B, C or D valves
		6564					ARM - VALVE ROCKER
68/		C6OZ 6564-B	16				
69/71		C9ZZ 6564-A		16			
		6A564					GUIDE - VALVE PUSH ROD
69/71		C9ZZ 6A564-A		8			
68/70	High perf. B, F	★C9OZ 6A564-B	8				Use w/351 cyl. heads
		6565					ROD - VALVE PUSH
68/69	"Before Chg./L4"	C2OZ 6565-B	16				6. 825" long-hydraulic tappets
69/	"Chg./L4/"	C9OZ 6565-B	16				6. 905" long-hydraulic tappets
		D0OZ 6565-C	AR				.060" U/S
		D0OZ 6565-D	AR				.060" O/S
68/70		★C9OZ 6565-F	16				Mechanical tappets-6.950" long-hardened steel
69/70		C9ZZ 6565-A		16			7. 595" long
71		D1ZZ 6565-A		16			7.66" long

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec			PART NAME AND DESCRIPTION
68/		C7AZ 6571-B	16				SEAL - VALVE STEM-rubber-57/64" O. D. -
68/							23/32" high
68/70	High perf. B, F		16				Use w/high riser manifold and/or 351 cyl. heads
69/71		C9ZZ 6571-A		16			5/8" O. D.-49/64" high -split ring around collar

6582 - 6A582 COVER ASSY.-VALVE ROCKER ARM CHART

YEAR	MODEL	C.I.D.	PAINTED R.H.	PAINTED L.H.	CHROME R.H.	CHROME L.H.
68/70		302			C6ZZ 6582-H	C6ZZ 6582-J
68/		302	D2OZ 6582-D	D2OZ 6582-C		
69/71	F-Boss	302 Spec.			C9ZZ 6582-C Aluminum	C9ZZ 6582-C Aluminum
68	F(GT 350)	302			S2MS 6A582-A	S2MS 6A582-B

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec			PART NAME AND DESCRIPTION
68/		353547-S2(GG173)	3				Clip wire (attach to cover)
68/		356748-S(BB124)	12				Bolt (cover to head)-1/4"-20 x 5/8"
68/		373071-S(BB554M)	12				Screw & washer (cover to head)-1/4"-20 x 5/8"
69/71		57623-S8(U3B)		16			Screw & washer (cover to head)-1/4"-20 x 7/8"
		6584					GASKET - VALVE ROCKER ARM COVER
68/		D0AZ 6584-B	2				Cork & rubber-optional w/C6OZ 6584-B &
68/							C8OZ 6584-A
68		C6OZ 6584-B	2				Cork & rubber-optional w/D0AZ 6584-B
69		★C8OZ 6584-A	2				Replaced by D0AZ 6584-B (9-74)
69/71		D0OZ 6584-A		2			
		6600					PUMP ASSY. - OIL
68/		C2OZ 6600-A	1				Rotor type hex. drive-incl. (1) ea. C2OZ 6626-C & C2OZ 6659-C gaskets
69/71		C9ZZ 6600-B		1			Includes (1) C2OZ 6626-C & (1) C2OZ 6659-C gaskets
68/		376099-S(PP73A)	1				Cup plug (oil pump body)-3/4"
68/		20428-S8(B82)	2	2			Bolt (pump to block)-3/8"-16 x 1 1/4"
68/		34807-S3(X66)	2	2			Washer-3/8"
68/		B8A 6608-A	1	1			ROTOR AND SHAFT ASSY. - OIL PUMP DRIVE - rotor type pump
68/		B8A 6616-C	1	1			PLATE - OIL PUMP BODY
68/		42911-S(B41A)	4	4			Bolt (plate to body)-1/4"-20 x 5/8"
68/		C2OZ 6A616-A	1	1			PLUG - OIL PUMP RELIEF VALVE - cup type-.642" & .650" O. D. -.361" height
68/		C2OZ 6A618-A	1	1			SHAFT ASSY. -OIL PUMP INTERMEDIATE-
68/							7.44" long includes retaining ring
		6622					SCREEN, TUBE AND COVER ASSY. -OIL PUMP
68/	A,B,F,P,X	C3OZ 6622-A	1				
68/70	U	C6TZ 6622-D	1				
71/	U	D1TZ 6622-A	1				
69/71		C9ZZ 6622-A		1			#3 3/8" from centerline of oil hole inlet tube flange to bottom of screen & cover
69/	U	34807-S8(X66)	1				Lockwasher-3/8"
69/		357235-S(BB136)	2				Bolt (screen, tube & cover to pump-5/16"-18 x 7/8")
68/		B8TZ 6626-A	1	1			GASKET-OIL PUMP INLET TUBE
68/		B8A 6629-A	1	1			RING - OIL PUMP INTERMEDIATE SHAFT RETAINER - .52" O. D. -6 prongs
		6B633-4					BRACKET - OIL COOLER
70		D1ZZ 6B633-A		1			Upper
		C9ZZ 6B634-A		1			Lower
70/71		D1ZZ 6A636-A		1			GASKET-OIL FILTER ADAPTOR to CYL. BLOCK
70		C9OZ 6A642-A		1			COOLER ASSY. - CRANKCASE OIL

Identification marking

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec			PART NAME AND DESCRIPTION
68/		C2OZ 6659-C	1	1			GASKET - OIL PUMP TO BLOCK - .010" thick
		6A664					HOSE - CRANKCASE VENTILATION - Also refer to Basic No. 6853
		C9PZ 6A664-A (KCV-1)	AR	AR			15/32" I. D. -25 ft. long-cut as required
		C9PZ 6A664-B (KCV-2)	AR	AR			5/8" I. D. -25 ft. long-cut as required
							Rocker Arm Cover Type
68/69	A(P/C, Taxi), A, B(2/B)	C6AZ 6A664-N	1				12" long-attach 6A666 to 9A589
68/69	F,U,X(2/B,4/B)		1				
70	A,B,F,U	D0OZ 6A664-A	1				
71/	A,B,F,P	D1OZ 6A664-A	1				Approx. 20 1/2" long
71/	U	D1TZ 6A664-A	1				Approx. 27 1/2" long - attach to P.C.V. valve & carb. spacer
71/	U	D1TZ 6A664-B	1				Approx. 7 1/4" long-attach to oil filler cap & air cleaner
71	F-Boss(4/B)	D1OZ 6A664-B		1			Approx. 23 1/2" long - attach to P.C.V. valve & carb.
70		C7TZ 6666-B		1			PLUG - OIL FILTER BY-PASS VALVE
		6A666					VALVE - POSITIVE CRANKCASE VENTILATION (P.C.V.)
68/70	F-Boss "Before 2/5/70"	D0AZ 6A666-A (EV-50)	1	1			
70/71	F-Boss "From 2/5/70"	D0OZ 6A666-A (EV-51)		1			
69	F-Boss	C7OZ 6A666-A (EV-42)		1			
		6670					SPRING - OIL PUMP RELIEF VALVE
68/		C2OZ 6670-A	1				2.13" free length-15 active coils
69/71		C9ZZ 6670-C		1			
68/		C2OZ 6674-A	1	1			PLUNGER - OIL PUMP RELIEF VALVE-(rotor type pump)-3 grooves on .5603" O. D. - 1.57" long
		6675					PAN ASSY. - OIL
68/	A,B,F,P,X	D0OZ 6675-C	1				
69/70	U	C6TZ 6675-D	1				
71/	U	D1TZ 6675-C	1				
69/71		D0ZZ 6675-A		1			Drain plug to side of sump
68/		356748-S(BB124)	18	18			Bolt (pan to block (16) & pan to cover (2))-1/4"-20 x 5/8"
68/		357235-S(BB136)	4	4			Bolt (pan to block (2) & pan to cover (2))-5/16"-18 x 7/8"
69/		373071-S (BB-554-M)	18				Bolt-1/4"-20 x 5/8" (pan to block (16) & pan to cover (2))
72		42847-S7-8(U14)	2				Screw & washer (pan to block)-5/16"-18 x 1" Screw & washer (pan to cover)-5/16"-18 x 1"
69/71		C9ZZ 6687-B		1			BAFFLE - OIL PAN UPPER
69/71		359330-S2 (BB589Y)		4			Screw & washer (baffle to M.B. caps)-5/16" - 24 x 7/16"
68/		C3AZ 6700-A	1	1			SEAL - CYLINDER FRONT COVER OIL
		6701					PACKING - CRANKSHAFT REAR
68/		C9OZ 6701-A	2				Rope type-approx. 6 13/16" long-asbestos
69/71		C9ZZ 6701-A		2			Split lip type
65/	Note 1		2				

Note 1-When using C9ZZ 6701-A, remove pin from M. B. cap. # Identification marking ☆ U.S. only ♦ Canada only

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec			PART NAME AND DESCRIPTION
69/71		C7OZ 6A706-A		1			CONNECTOR - CRANKCASE VENTILATION HOSE - attach hose to valve (6A666)
		★ 6710-11					GASKET - OIL PAN - Supplied only in 6781 gasket set
		6A715					HOSE ASSY. - OIL COOLER
70/71		D1ZZ 6A715-A		1			Inlet
70/71		D1ZZ 6A715-B		1			Outlet
		6722-23					SEAL - OIL PAN - Supplied in 6781 only
68/		★D1AZ 6730-A R/B D1AZ 6730-B (11-74)	1	1			PLUG - OIL PAN DRAIN
		6731					ELEMENT ASSY.-OIL FILTER
68/		☆ C1AZ 6731-A (FL-1)	1	1			"Spin-on" one-piece filter-has 3/4"-16 female threads
68/		♦CC1AZ 6731-A	1	1			"Spin-on" type
68/		C2OZ 6734-A	1	1			GASKET - OIL PAN DRAIN PLUG - #nylon-13/16" O. D. -1/2" I. D. -5/64" thick
70/71		EAA 6749-A		1			GASKET - OIL FILTER CENTER BOLT COVER - seal head of (6894) mtg. bolt
		6750					INDICATOR - OIL LEVEL
68		C5AZ 6750-G	1				#Black 17.62" top of shield to full 18.39" top of shield to add 19.40" top of shield to end
69	A, B, F, X	C9OZ 6750-A	1				20.37" shield to full 21.05" shield to add 22.80" shield to end
69	U	C6TZ 6750-D	1				14.55" top of shield to full 14.98" top of shield to add 16.48" top of shield to end
70/	A, B, F, P	D0AZ 6750-C	1				18.59" top of shield to safe 19.26" top of shield to add 20.86" top of shield to end
70	U	D0TZ 6750-A	1				14.06" shield to full mark 14.49" shield to add mark 16.48" shield to end
71/	U	D1TZ 6750-B	1				13.67" shield to full mark 14.33" shield to add mark 16.48" shield to end
69		C9ZZ 6750-A		1			#Chrome 17.62" top of shield to full 18.39" top of shield to add 19.40" top of shield to end
70/71		D0ZZ 6750-B		1			#Chrome-17.60" Top of shield to full 18" top of shield to add 1 20.86" top of shield to end
		6754					TUBE ASSY.-OIL LEVEL INDICATOR
68		C8AZ 6754-A	1				Approx. 10 1/4" long-incl. bracket
69	A, B, F, X	C9OZ 6754-B	1				Approx. 13 3/16" developed length
69	U	C6TZ 6754-E	1				Approx. 14 15/64" long
70/	U	D0TZ 6754-B	1				
70/	A, B, F, P	D2OZ 6754-A	1	1			Approx. 12 1/4" long
69		C9ZZ 6754-A		1			Approx. 10 1/4" long including bracket
68/69		44727-S8(X24)	1				Washer-3/8"

Identification Marking ☆ U.S. only ♦ Canada only

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 302	QUANTITY 302 Spec			PART NAME AND DESCRIPTION
		6766					CAP ASSY. - OIL FILLER & BREATHER
							Rocker Arm Cover Type -Closed, T/E, Imco
68/70		C8AZ 6766-A	1				#Black
69/71	F-Boss(4/B)	(EC-1)		1			
		C8AZ 6766-B	1	1			#Chrome
		(EC-2)					
71/		D1AZ 6766-A	1				#Black
		(EC-8-A)					
72		D1ZZ 6766-A	1				#Chrome-optional w/specified black cap
		(EC-508)					
68/		C8AZ 6767-A	1	1			ELBOW-CRANKCASE VENTILATION HOSE - 90 -5/8" x 5/8"-also refer basic 9600
68/		D0OZ 6781-A	1	1			GASKET SET - OIL PAN
	Consists of						
	1-C9OE 6710-B Gasket - R. H.						2-D3OE 6723-AA Seal (front & rear)
	1-C9OE 6711-B Gasket - L. H.						1-C2OZ 6734-A Gasket (oil drain plug)
71/	A, B, F, P	D1AZ 6788-A	1				BRACKET - CRANKCASE VENT VALVE HOSE
71/	U "Chg./L10/"		1				
		6837					SPRING - OIL FILTER BY-PASS
70	"Before 1/5/70"	★C9ZZ 6837-A		1			Serviced in (6881) assy. only
70	"From 1/5/70"	C7TZ 6837-A		1			
		★6853	★	★			HOSE - CRANKCASE VENTILATION - Cut to fit from bulk hose 4090 Also refer to group 6A664
69	U	C5AZ 6A868-A	1				ADAPTER - OIL FILLER
		6881					ADAPTER ASSY. - OIL FILTER
70		D0ZZ 6881-A		1			W/engine oil cooler
71		D1ZZ 6881-B		1			W/engine oil cooler
		6890					INSERT-OIL FILTER MOUNTING BOLT
68/		D1AZ 6890-A	1	1			3/4"-16 & 1 1/16"-12 male threads-1 13/64" long-shoulder type-attach filter to cylinder block-use with "Spin-on" type filter
70		B8A 6890-A		1			Adapter to block
70/71		C9AZ 6890-A		1			Oil filter to adapter
		6A892					RETAINER - CRANKCASE VENTILATION - grommet
69/71		C7AZ 6A892-A		1			Valve to cover
68/70	A(P/C & Taxi)A,B,F,X,U (2/B,4/B)	C8AZ 6A892-A	1				Elbow to oil filler cap-1 7/16" O.D. -37/64" I.D. - also refer to basic 9600
69/71				1			
71/	A,B,F,P,U(2/B)		1				Elbow to rocker arm cover
70/71	A, B, F, U(2/B)	D0OZ 6A892-A	1				Retainer-PCV valve to valve cover
68/69	A(P/C,Taxi),A,B(2/B)		1				
68/69	F,X,U(2/B,4/B)		1				
70	F-with evaporative emission	C8SZ 6A892-A	1				Used in crankcase vent flame arrestor
71/	A(P/C,Taxi),A,B,F,P,U(2/B)		1				P.C.V. valve to filler cap
71		D0AZ 6A892-A		1			Retainer- crankcase vent hose adapter
70/71		C4GY 6894-A		1			BOLT ASSY. - OIL FILTER ADAPTER MOUNTING - w/engine oil cooler -hollow shaft-3/4"-16 x 4 9/32" long

Identification marking

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec	351 CJ	PART NAME AND DESCRIPTION
		6007	★	★	★	★	ENGINE ASSEMBLY - service details
		6008					GASKET SET - COMPLETE OVERHAUL
69/		D1AZ 6008-C	1				
	Consists of						
	1-C2OZ 6020-A Gasket	2-C9OZ 6701-A Seal		2-C5AZ 8507-B Gasket			
	2-C9OZ 6051-A Gasket	1-C9OE 6710-C Gasket		1-C5AZ 8513-A Gasket (1969)			
	16-C7AZ 6571-B Seal	1-C9OE 6711-C Gasket		1-D0AZ 8513-A Gasket (1970/)			
	2-D0AZ 6584-B Gasket	1-D3OE 6723-AA Seal		1-C3AZ 9417-C Gasket			
	1-B8TZ 6626-A Gasket	1-D3OE 6723-BA Seal		1-D1OZ 9A424-B Seal			
	1-C9OZ 6659-A Gasket	1-C2OZ 6734-A Gasket		1-D1OZ 9A425-B Seal			
	1-C3AZ 6700-A Seal	1-C9AZ 8255-A Gasket		2-C9OZ 9441-A Gasket			
70/	2/B	D0OZ 6008-A		1			
	Consists of						
	1-D0AZ 6020-A Gasket (front cover)			1-D0AE 6711-B Gasket (oil pan L.H.)			
	2-D0AZ 6051-C Gasket (cyl. head)			2-D0AE 6723-B Seal (oil pan front & rear)			
	16-D0AZ 6571-A Seal (valve stem)			1-C2OZ 6734-A Gasket (oil pan plug)			
	2-D0OZ 6584-A Gasket (rocker arm cover)			1-C8SZ 8255-A Gasket (water connection)			
	1-D0AZ 6659-A Gasket (oil pump)			1-D0AZ 8513-A Gasket (water pump)			
	1-D0AZ 6700-A Seal (crankshaft front)			1-D0AZ 9417-A Gasket (fuel pump)			
	2-C9OZ 6701-A Seal (crankshaft rear)			2-D0AZ 9A424-A Seal (intake manifold front & rear)			
	1-D0AE 6710-B Gasket (oil pan R.H.)			1-D0AZ 9441-A Gasket (intake manifold)			
70/	4/B	D0OZ 6008-B		1		1	
	Consists of						
	1-D0AZ 6020-A Gasket (front cover)			1-D0AE 6711-B Gasket (oil pan L.H.)			
	2-D0AZ 6051-C Gasket (cyl. head)			2-D0AE 6723-B Seal (oil pan-front & rear)			
	16-D0AZ 6571-A Seal (valve stem)			1-C2OZ 6734-A Gasket (oil drain plug)			
	2-D0OZ 6584-A Gasket (rocker arm cover)			1-C8SZ 8255-A Gasket (water connection)			
	1-D0AZ 6659-A Gasket (oil pump)			1-D0AZ 8513-A Gasket (water pump)			
	1-D0AZ 6700-A Seal (crankshaft-front)			1-D0AZ 9417-A Gasket (fuel pump)			
	2-C9OZ 6701-A Seal (crankshaft-rear)			2-D0AE 9A424-C Seal (intake manifold-front & rear)			
	1-D0AE 6710-B Gasket (oil pan R.H.)			1-D0AE 9D440-A Gasket (intake manifold)			
71/		★6008			1		D0OZ 6008-B may be used by substituting (2) each D2ZZ 6051-A, D0OZ 6701-A & (16) C9ZZ 6571-A
69/		C2OZ 6A008-A	4	4	4	4	DOWEL-CYLINDER HEAD to CYLINDER BLOCK-.676" O.D.-.55" I.D.-.44" height-split
72		6D008					HEATER KIT - CYL. BLOCK
72		CD0DZ 6D008-A	1				
72		CD1AZ 6D008-A		1		1	
		6009					CYLINDER ASSY.-includes cylinder block with all internal parts of the engine but does not include cylinder heads, tappets, oil pan or cylinder front cover unless indicated
69	4/B	C9OZ 6009-B	1				
69/	2/B	D1AZ 6009-E	1				
70/	2/B	D0AZ 6009-D		1			2 bolt M.B.
70/71	4/B-exc. CJ or Spec.	D0AZ 6009-C		1			2 bolt M.B.
71		D1ZZ 6009-D			1		4 bolt M.B. caps
72		D2ZZ 6009-B			1		
71		D1ZZ 6009-A				1	
72		★D2ZZ 6009-C R/B D3ZZ 6009-A (1-75)				1	
		6010					△ BLOCK ASSY. - CYLINDER
69/		D1AZ 6010-B	1				Hydraulic tappets
70/		D0AZ 6010-C		1		1	Hydraulic tappets-2 bolt main bearing cap-used to repl.block with 4 bolt main bearing cap
71/		D1ZZ 6010-D			1		Mechanical tappets-4 bolt M.B. caps
		6B018					WIRE ASSY. - CYL. BLOCK HEATER
71	A	D1AB 6B018-AA	1	1			
71	B,F		1				
71	B,F	D2AZ 6B018-A		1		1	
72	A,B,F		1	1		1	

△ 6015 is a casting number and generally cannot be cross referenced to a service number. It will be used as a means of identification only when casting number is unique to only one 6010 assembly.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec	351 CJ	PART NAME AND DESCRIPTION
		6019					COVER ASSY. - CYLINDER FRONT - also refer to Basic 6B070
69/		D3OZ 6019-A	1				
70/		6019		★	★	★	Refer to Basic 6B070
69/71		357235-S(BB136)	2				Bolt (cover to block)-5/16"-18 x 7/8"
69/		56126-S(B319M)	4				Bolt (cover & timing pointer to block)-5/16"-18 x 2"
71/		376256-S(BB545A)	2				Bolt (cover to block)-5/16"-18 x 7/8"
69/		C2OZ 6020-A	1				GASKET-CYLINDER FRONT COVER -
70/		D0AZ 6020-A		1	1	1	
69		C8AZ 6023-B	1				POINTER - TIMING
70/		C9TZ 6023-A	1				
70/71	2/B,4/B-exc. CJ	D3AZ 6023-A		1	1		
72	Except California			1		1	
71		D1ZZ 6023-A				1	
72	California			1		1	
72		D2ZZ 6023-A			1		
72		56121-S(B319K)			1		Bolt-5/16"-18 x 3/4" (att. 6023 & 6020 to 6010)

6A023, 6054, 6068, 6096 & 6120 REAR MOTOR MOUNT CHART

YEAR	MODEL	C.I.D.	*SUPPORT	*BRACKET-REAR SUPPORT	* INSULATOR ASSEMBLY	* EXTENSION R.H.	* EXTENSION L.H.
	- A -						
70/71	A(M/T)	351		C8AZ 6054-A	C9AZ 6068-E		
69/71	A(C/M) - "Before 7/1/71"	351		C9AZ 6054-A	C9AZ 6068-F		
71/	A(C/M) - "From 7/1/71"	351		D2AZ 6054-A	D2AZ 6068-A		
70/71	A(C4)- "Before 7/1/71"	351		C9AZ 6054-A	D2AZ 6068-C		
71/	A(C4)- "From 7/1/71"	351		D2AZ 6054-A	D2AZ 6068-C		
	- B -						
69	B(76)	351	C9OZ 6A023-A	C6OZ 6096-F(R.H.) C6OZ 6096-G(L.H.)	C8OZ 6068-A	C6OZ 6120-G	C6OZ 6120-J
69	B(exc. 76)	351	C9OZ 6A023-A	C6OZ 6096-F(R.H.) C6OZ 6096-G(L.H.)	C8OZ 6068-B	C6OZ 6120-G	C6OZ 6120-J
70	B(exc.57,76)- "Before 6/15/70"	351	D0OZ 6A023-B	D0OZ 6096-A(R.H.) D0OZ 6096-B(L.H.)	D1ZZ 6068-B	C6OZ 6120-G	C6OZ 6120-J
70/71	B(exc.57,76)- "From 6/15/70"	351	D0OZ 6A023-B	D0OZ 6096-C(R.H.) D0OZ 6096-D(L.H.)	D1ZZ 6068-B	Use 6096	Use 6096
70	B(57,76)- "Before 6/15/70"	351	D0OZ 6A023-B	D0OZ 6096-A(R.H.) D0OZ 6096-B(L.H.)	D0OZ 6068-A	C6OZ 6120-G	C6OZ 6120-J
70/71	B(57,76)- "From 6/15/70"	351	D0OZ 6A023-B	D0OZ 6096-C(R.H.) D0OZ 6096-D(L.H.)	D0OZ 6068-A	Use 6096	Use 6096
72	B(M/T)	351			D3OZ 6068-A		
72	B(C4)	351			D3OZ 6068-A		
72	B(C6)	351			D2OZ 6068-B		
	- F -						
69	F(exc. 76)-M/T	351	C7ZZ 6A023-D		★C8ZZ 6068-D R/B C8ZZ 6068-A (8-74)		
69	F(exc. 76) -A/T	351	C9ZZ 6A023-A		★C8ZZ 6068-D R/B C8ZZ 6068-A (8-74)		
69	F(76)-M/T	351	C7ZZ 6A023-D		C9ZZ 6068-C		
69	F(76)-A/T	351	C9ZZ 6A023-A		C9ZZ 6068-C		
70	F(exc.76)-C/M	351	C9ZZ 6A023-A		★C8ZZ 6068-D R/B C8ZZ 6068-A (8-74)		
70	F(76)-C/M	351	C9ZZ 6A023-A		C9ZZ 6068-C		
70	F(exc.76)- M/T	351	C7ZZ 6A023-D		★C8ZZ 6068-D R/B C8ZZ 6068-A (8-74)		
70	F(76)- M/T	351	C7ZZ 6A023-D		C9ZZ 6068-C		
70	F(exc.76)-C4	351	C7ZZ 6A023-D		★C8ZZ 6068-D R/B C8ZZ 6068-A (8-74)		
70	F(76)-C4	351	C7ZZ 6A023-D		C9ZZ 6068-C		

* One required unless otherwise noted

6A023,6054,6068,6096 & 6120 REAR MOTOR MOUNT CHART - continued

YEAR	MODEL	C.I.D.	* SUPPORT	*BRACKET-REAR SUPPORT	* INSULATOR ASSEMBLY	* EXTENSION R.H.	* EXTENSION L.H.
	- F -						
71	F(2/B) (exc.76)-C6	351	D1ZZ 6A023-A		D1ZZ 6068-A		
71	F(2/B) (76)-C6	351	D1ZZ 6A023-A		D0OZ 6068-A		
71	F(4/B)(exc.76)-C6	351	D1ZZ 6A023-A		D1ZZ 6068-A		
71	F(4/B)(76)-C6	351	D1ZZ 6A023-A		D0OZ 6068-A		
71	F(exc.76) M/T	351	D1ZZ 6A023-B		C8ZZ 6068-A		
71	F(76) M/T	351	D1ZZ 6A023-B		C9ZZ 6068-C		
71	F(2/B)(exc.76)-C/M	351	D1ZZ 6A023-B		C8ZZ 6068-A		
71	F(2/B)(76)-C/M	351	D1ZZ 6A023-B		D1ZZ 6068-D		
71	F(4/B)(exc. 76)-C/M	351	D1ZZ 6A023-B		C8ZZ 6068-A		
71	F(4/B)(76)-C/M	351	D1ZZ 6A023-B		C9ZZ 6068-C		
71	F(exc.76)-C6	351CJ	D1ZZ 6A023-A		D1ZZ 6068-A		
71	F(76)-C6	351CJ	D1ZZ 6A023-A		D0OZ 6068-A		
72	F(exc.76)M/T	351	D1ZZ 6A023-B		C8ZZ 6068-A		
72	F(76)M/T	351	D1ZZ 6A023-B		D1ZZ 6068-D		
72	F(exc.76)C/M	351	D1ZZ 6A023-A		C8ZZ 6068-A		
72	F(76)C/M	351	D1ZZ 6A023-A		D1ZZ 6068-D		
72	F(exc.76)C6	351CJ	D1ZZ 6A023-A		D1ZZ 6068-A		
72	F(76)C6	351CJ	D1ZZ 6A023-A		D0OZ 6068-A		

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec	351 CJ	PART NAME AND DESCRIPTION
69/		C8AZ 6026-C	6	6	6	6	PLUG - ENGINE - standard-1 1/2" O.D. - plug holes in block or head
		C8AZ 6026-D	AR	AR	AR	AR	.060" O/S
71/		C8SZ 6026-A		2	2	2	Plug (oil gallery in block)-5/8"-18
69/		353055-S7(PP29)	3				Plug (oil gallery holes in block)-1/4"-18-pipe
69/		376099-S(PP73A)	1				Plug (rear holes in block)-3/4"-cup
69/		376301-S(PP67A)	2				Plug (front main oil gallery) & (cylinder block oil passages)-1/2"-cup
72		87837-S(P15)	1				Plug (front oil gallery)-1/4"-18 x 27/64"
72			2	2	2	2	(Drain holes in block)
72		87710-S(P16)		3	3	3	Plug (oil gallery holes in block)-3/8"-18 x 15/32"
71/		371485-S(PP48A)	6	6	6	6	Plug (core clean out holes)-3/4"-14 x 17/32"

6028, 6029, 6030, 6031 & 6038 FRONT MOTOR MOUNT CHART

YEAR	MODEL	C.I.D.	*SUPPORT BRACKET R.H.	*SUPPORT BRACKET L.H.	* BRACKET R.H.	* BRACKET L.H.	*INSULATOR R.H.	*INSULATOR L.H.
	- A -							
69/	A	351	C9AZ 6028-D	C9AZ 6029-D			D4AZ 6038-C	D4AZ 6038-C
	- B -							
69	B(76)	351	C6DZ 6028-A	C6DZ 6029-A			D0OZ 6038-H	D0OZ 6038-H
69	B(exc. 76)	351	C6DZ 6028-A	C6DZ 6029-A			D0OZ 6038-G	D0OZ 6038-G
70/71	B(exc. 76)	351	D0OZ 6028-B	D0OZ 6029-B			D0OZ 6038-G	D0OZ 6038-G
70/71	B(76)	351	D0OZ 6028-B	D0OZ 6029-B			D0OZ 6038-H	D0OZ 6038-H
72	B	351					D2OZ 6038-C	D2OZ 6038-D
	- F -							
69	F(exc.76)	351	D0ZZ 6028-C	D0ZZ 6029-C	D0ZZ 6030-B	D0ZZ 6031-B	D0OZ 6038-G	D0OZ 6038-G
69	F(76)	351	C8ZZ 6028-B	D0ZZ 6029-D	C8ZZ 6030-A	C8ZZ 6031-A	D0ZZ 6038-B	D0ZZ 6038-B
70	F(exc.76)	351	D0ZZ 6028-C	D0ZZ 6029-C	D0ZZ 6030-A	D0ZZ 6031-A	D0OZ 6038-G	D0OZ 6038-G
70	F(76)	351			D0ZZ 6030-B	D0ZZ 6031-B	D0ZZ 6038-B	D0ZZ 6038-B
71/	F(exc. 76)	351	D0OZ 6028-B	D0OZ 6029-B			D0OZ 6038-G	D0OZ 6038-G
71/	F(76)	351	D1ZZ 6028-A	D1ZZ 6029-A			D1ZZ 6038-B	D1ZZ 6038-B

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec	351 CJ	PART NAME AND DESCRIPTION
		6030-1					BRACKET - FRONT SUPPORT - Refer to front motor mount chart group 6028
		6038					INSULATOR - FRONT SUPPORT - Refer to front motor mount chart group 6028

* One required unless otherwise noted

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec	351 CJ	PART NAME AND DESCRIPTION
69/	A	C9AZ 6C038-A	1	1			SHIELD-MOTOR MOUNT HEAT - R.H.
		C9AZ 6C038-B	1	1			L.H.
71	B	D1ZZ 6C038-A		1		1	L.H.-not used on R.H. side
71/	F			1	1	1	
72	B	D2OZ 6C038-D	1			1	R.H.
		D2OZ 6C038-A	1			1	L.H.
70/	B (exc. 76)	D0OZ 6A042-A		1		1	REINFORCEMENT - REAR SUPPORT - R.H.
		D0OZ 6A042-C		1		1	L.H.
69	B(exc. 76)	C8OZ 6A042-C	1				R.H.
		C8OZ 6A042-D	1				L.H.
72	B	D2OZ 6047-A		2		2	BOLT - INSULATOR TO CROSSMEMBER-3/8"-16 x 5"-hex.hd. piloted
		6049					ΔHEAD - CYLINDER
69/		D1OZ 6049-B	2				Valve seats must be ground to accomodate High Performance valves-without valves
70/		D1OZ 6049-C	2				Complete with valves
70/	2/B	D3AZ 6049-H		2			Without valves
70/	2/B	D1AZ 6049-D		2			Complete with valves
70/71	4/B-exc. CJ or Spec.	D1AZ 6049-B		2			
71		D1ZZ 6049-B			2		
72		D2ZZ 6049-A			2		
71/		D1ZZ 6049-C				2	
		6051					GASKET - CYLINDER HEAD
69/		C9OZ 6051-A	2				Asbestos & steel-.050" thick
70/	2/B,4/B-exc. CJ or Spec.	★D3AZ 6051-A R/B D4AZ 6051-A (11-74)		2			Asbestos & steel
71/		D3ZZ 6051-A			2	2	
		6054					RETAINER - REAR SUPPORT - Refer to Group 6A023
69/		C9OZ 6065-A	10				BOLT-CYLINDER HEAD-1/2"-13 x 2 1/2"
69/		C9OZ 6065-B	10				1/2"-13 x 4"
70/		D0AZ 6065-A		20	20	20	1/2"-13 x 4 5/16"
		6068					INSULATOR ASSY. - REAR SUPPORT - refer to rear motor mount chart group 6A023
69/71	B-exc. 76	C8OZ 6070-A	1	2		2	PLATE - REAR SUPPORT - R.H.
		C8OZ 6070-B	1	2		2	L.H.
69/71	B (76)	C6OZ 6070-A	2	2		2	R.H. & L.H.
71	B (76)			1		1	
70/		D0AZ 6B070-A		1	1	1	PLATE - CYLINDER FRONT COVER
		6079					GASKET SET - VALVE GRIND
69/		D1AZ 6079-C	1				

Consists of
2-C9OZ 6051-A Gasket
16-C7AZ 6571-B Seal
2-D0AZ 6584-B Gasket
1-C9AZ 8255-A Gasket
▲1-D1OZ 9A424-B Seal
▲1-D1OZ 9A425-B Seal
▲2-C9OE 9441-B Gasket
▲ Serviced in D1AZ 9433-C

70/	2/B	D0OZ 6079-A		1			

Consists of
2-D4AZ 6051-A Gasket (cylinder head)
16-D0AZ 6571-A Seal (valve stem)
2-D0OZ 6584-A Gasket (rocker arm cover)
1-C8SZ 8255-A Gasket (water connection)
▲2-D0AZ 9A424-A Seal (intake manifold)-front & rear
▲1-D0AE 9D440-B Gasket & cover assy.(intake manifold)
▲ Serviced in D0AZ 9433-B

70/	4/B-exc. CJ or Spec.	D0OZ 6079-B		1			

Consists of
2-D3AZ 6051-A Gasket (cylinder head)
16-D0AZ 6571-A Seal (valve stem)
2-D0OZ 6584-A Gasket (rocker arm cover)
1-C8SZ 8255-A Gasket (water connection)
▲2-D0AZ 9A424-A Seal (intake manifold)-front & rear
▲1-D0AE 9D440-A Gasket & cover assy.(intake manifold)
▲ Serviced in D0AZ 9433-A

Δ 6090 is a casting number and generally cannot be cross-referenced to a service number. It will be used as a means of identification only when casting number is unique to only one 6049 assembly.

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec	351 CJ	PART NAME AND DESCRIPTION
		6079					GASKET SET - VALVE GRIND - continued
71/	4/B (CJ, Spec.)	D4OZ 6079-A			1	1	

Consists of
2-D3ZZ 6051-A Gasket (cyl. head)
16-D0OZ 6571-A Seal (valve stem)
2-D0OZ 6584-A Gasket (rocker arm cover)
1-C8SZ 8255-A Gasket (water connection)
▲2-D0AZ 9A424-A Seal (intake manifold)
▲1-D0AE 9D440-A Gasket (intake manifold)
▲ Serviced in D0AZ 9433-A

71/		★6079			★		D0OZ 6079-B may be used by substituting (2) D3ZZ 6051-A and (16) C9ZZ 6571-A
71/		★6079				★	D0OZ 6079-B may be used by substituting (2) D1ZZ 6051-A and (16) D0OZ 6571-A
		6096					BRACKET - REAR SUPPORT - refer to rear motor mount chart group 6A023

6108 PISTON ASSEMBLY - CHART

In the Standard Column of the Chart below (R) designates Red Size - (B) designates Blue Size.
Red Size and Blue Size are optional for selective fit

YEAR	MODEL	C.I.D.	RINGS	INCL.	QTY.	PART NUMBER STANDARD	.003" O/S	.020" O/S	.030" O/S	.040" O/S	.060" O/S
69	4/B	351W	3	▲	8	★C9OZ 6108-A R/B C9OZ 6108-B (9-74) C9OZ 6108-B(B) 3.999" dia.	C9OZ 6108-C	C9OZ 6108-D	C9OZ 6108-E	C9OZ 6108-F	
69/71	2/B	351 W	3	▲	8	D2AZ 6108-N(R) 3.998" dia. ★C9OZ 6108-H R/B D2AZ 6108-P (10-74)	C9OZ 6108-J	D2AZ 6108-S	D2AZ 6108-T	D2AZ 6108-U	
72		351W	3	▲	8	D2AZ 6108-N(R) D2AZ 6108-P(B)	D2AZ 6108-R	D2AZ 6108-S	D2AZ 6108-T	D2AZ 6108-U	
70/		351 C. 351CJ	3	▲	8	D0AZ 6108-A(R) 3.998" dia. D0AZ 6108-B(B)	D0AZ 6108-C	D0AZ 6108-D	D0AZ 6108-E	D0AZ 6108-F	
71		351C Spec.	3	▲	8	D1ZZ 6108-A(R) D1ZZ 6108-B(B)	D1ZZ 6108-C				
72		351C Spec.	3	▲	8	D2ZZ 6108-A(R)	D2ZZ 6108-C				

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec	351 CJ	PART NAME AND DESCRIPTION
		6120					EXTENSION - REAR SUPPORT - Refer to rear motor mount chart (group 6A023)
69/		B2AZ 6135-A	8	8		8	PIN - PISTON - #Green-.9121" O.D.-.600" I.D.-3.023" long-std.
		B2AZ 6135-B	8	8		8	.001" O/S
71/		C9ZZ 6135-E			8		

6148 RING SET - PISTON PARTIAL - CHART

Consists of the necessary rings re-ring (2) Pistons

YEAR	MODEL	C.I.D.	RINGS	TYPE	PART NUMBER STANDARD	.020" O/S	.030" O/S	.040" O/S	.060" O/S
69/		351	3	HiLo	C3AZ 6148-F	C3AZ 6148-G	C3AZ 6148-H	C3AZ 6148-J	

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec	351 CJ	PART NAME AND DESCRIPTION
69/		C9OZ 6200-A	8				ROD ASSY. - CONNECTING
70/		D0AZ 6200-A		8		8	
71/		D1ZZ 6200-A			8		

▲ Includes piston pin # Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

6211 BEARING - CONNECTING ROD - CHART

YEAR	MODEL	C.I.D.	UPPER	LOWER	PART NUMBER STANDARD	.001" U/S	.002" U/S	.010" U/S	.020" U/S	.030" U/S	.040" U/S
69/		351W	8	8	C9OZ 6211-A	C9OZ 6211-B	C9OZ 6211-C	C9OZ 6211-D	C9OZ 6211-E	C9OZ 6211-F	
70/	2/B,4/B exc. CJ or Spec.	351C	8	8	D0AZ 6211-A	D0AZ 6211-B	D0AZ 6211-C	D0AZ 6211-D	D0AZ6211-E	D0AZ 6211-F	
71/		351C, 351C Spec.	8	8	D1ZZ 6211-A	D1ZZ 6211-B	D1ZZ 6211-C	D1ZZ 6211-D	D1ZZ 6211-E	D1ZZ 6211-F	

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec	351 CJ	PART NAME AND DESCRIPTION
69/		C9AZ 6212-B	16	16		16	NUT-CONNECTING ROD-3/8"-24 hex.
71/		D1ZZ 6212-A			16		3/8"-24
69/		C8SZ 6214-A	16				BOLT - CONNECTING ROD
70/		D0AZ 6214-A		16		16	3/8"-24 x 2 5/16"
71/		D1ZZ 6214-A			16		3/8"-24 x 2 5/16"
69/		C9OZ 6250-A	1				CAMSHAFT-less gear - hyd. tappets - #ΘF
70/	2/B	D0AZ 6250-B		1			#ΘN or NB
70/71	4/B-exc. CJ or Spec.	D0AZ 6250-C		1			#ΘR
71		D1ZZ 6250-B			1		#ΘY at rear of camshaft
72		D2ZZ 6250-A			1		#ƆF at rear of camshaft
71/		D2ZZ 6250-B				1	#ΘV at rear of camshaft
71/	All off highway vehicles	★D1ZX 6250-FA			1		CAMSHAFT and TAPPETS - KIT
	Consists of						
	1-D1ZX 6250-CA *Camshaft					1-C2AZ 19579-A	Oil conditioner-pint can
	16-D1ZX 6500-CA Tappet					1	Instruction sheet
	* Camshaft not serviced separately					1-I.S. #3771	Warranty notice
69/		C2OZ 6A251-A	1				BEARING KIT - CAMSHAFT - standard
	Consists of						
	1-C2OZ 6261-A Front	1-C2OZ 6263-A Rear			1-C2OZ 6270-A Rear (intermediate)		
	1-C2OZ 6262-A Center	1-C2OZ 6267-A Front (intermediate)			1-C2OZ 6266-A Plug		
70/		D0AZ 6A251-A		1		1	
	Consists of						
	1-D0AZ 6261-E Front	1-C2OZ 6263-A Rear			1-C2OZ 6270-A Rear (intermediate)		
	1-C2OZ 6262-A Center	1-C2OZ 6267-A Front(intermediate)			1-C5AZ 6266-B Plug		
69/72	"Before 5/2/72"	C5OZ 6256-B	1				SPROCKET-CAMSHAFT
72	"From 5/2/72"	D3AZ 6256-B	1				
70/		D0AZ 6256-A		1	1	1	# Aluminum-36 teeth
69/		378189-S(NN54J)	1				Dowel-5/16" x 1 3/8"
70/		73328-S(N87B)		1	1	1	Dowel-5/16" x 1 1/8"

6261, 6262, 6263, 6267 & 6270 BEARING - CAMSHAFT - CHART

YEAR	MODEL	C.I.D.	SIZE	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
69/		351W	Standard	C2OZ 6261-A	C2OZ 6267-A	C2OZ 6262-A	C2OZ 6270-A	C2OZ 6263-A
			.015"U/S	C2OZ 6261-B	C2OZ 6267-B	C2OZ 6262-B	C2OZ 6270-B	C2OZ 6263-B
70/		351C, 351Spec.	Standard	D0AZ 6261-E	C2OZ 6267-A	C2OZ 6262-A	C2OZ 6270-A	C2OZ 6263-A
			.015"	D0AZ 6261-F	C2OZ 6267-B	C2OZ 6262-B	C2OZ 6270-B	C2OZ 6263-B

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec	351 CJ	PART NAME AND DESCRIPTION
69/		C2OZ 6266-A	1				PLUG-CAMSHAFT REAR BEARING-standard-2.156" O.D.-cup shaped
		C5AZ 6266-A	1				.060" O/S
70/		C5AZ 6266-B		1	1	1	
69/		C3OZ 6268-A	1				CHAIN-TIMING-58 links
70/		D0AZ 6268-A		1	1	1	48 links
69/		C9OZ 6269-A	1				PLATE-CAMSHAFT THRUST-std.-.251" thick
		C9OZ 6269-B	1				.002" O/S
		C9OZ 6269-C	1				.004" O/S
70/		C8SZ 6269-A		1	1	1	Standard
68/		42911-S(B41A)	2				Bolt (plate to block)-1/4"-20 x 5/8"

Identification marking

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec	351 CJ	PART NAME AND DESCRIPTION
		6270					BEARING-CAMSHAFT REAR INTERMEDIATE-Refer to Basic 6261
69/		C2OZ 6278-A	1	1	1	1	WASHER-CAMSHAFT SPROCKET-1.20" O.D.-.406" I.D.-.224" thick
		6287					ECCENTRIC-CAMSHAFT FUEL PUMP DRIVE
69/72	"Before 5/2/72"	C3AZ 6287-B	1				
72	"From 5/2/72"	D3AZ 6287-A	1				
70/		D0AZ 6287-A		1	1	1	2 1/2" O.D.-outer
		D0AZ 6287-B		1	1	1	2 25/64" O.D.-inner
69/		43002-S(B257)	1				Bolt(eccentric & sprocket to camshaft)-3/8"-16 x 1/2"
70/		20522-S8(B89)		1	1	1	Bolt(eccentric & sprocket to camshaft)-3/8"-16 x 2"
69/		C0DZ 6A302-A	1	1		1	PIN-CRANKSHAFT REAR OIL SEAL-.095" O.D.-
69/		★C9OZ 6303-A R/B D2AZ 6303-C (4-74)	1				CRANKSHAFT ASSY. - #3M-iron
70/		★D0AZ 6303-A R/B D2AZ 6303-A (10-74)		1		1	# 4M-iron
71/		D1ZZ 6303-A			1		
69/		C5OZ 6306-A	1				SPROCKET-CRANKSHAFT -21 teeth
69/	All off highway vehicles	★D1ZX 6306-AA	1				21 teeth-1 3/8" I.D.-2 1/2" pitch diam.-7 timing keyways
70/		C8SZ 6306-A		1	1	1	18 teeth-1 3/8" I.D.
69/	All off highway vehicles	★D1ZX 6306-BA			1		18 teeth-1 3/8" I.D.-2 7/8" pitch diam.-7 timing keyways
69/		372854-S(LL11)	1	1	1	1	Key (sprocket to crankshaft)-3/16"-1 3/4"
69/		C3OZ 6310-B	1				SLINGER-CRANKSHAFT OIL
70/		D0AZ 6310-A		1	1	1	
		6A312					PULLEY ASSY. - CRANKSHAFT - OUTER
69	A-w/ A/C	C9AZ 6A312-C	1				#C9AE 6312-D-triple sheave-includes (3) 42998-S2 or 8 bolt 3/8"-16 x 1"
69	With 55 & 65 amp. alt. with P/S-without A/C	D4UZ 6A312-A	1				#D3UE 6312-AA-triple sheave-replaces pulley ident. C9OE 6312-G
69	Without P/S or A/C	C9OZ 6A312-B	1				#C9OE 6312-E-double sheave-incl.(3)42998-S2 or 8 bolt 3/8"-16 x 1"-used to service pulley marked C9OE 6A312-D
69	42 amp. alt.-with P/S-without A/C		1				
69	With A/C-with or without P/S	C9ZZ 6A312-B	1				#C9ZE 6312-B-triple sheave - includes (3) 42998-S2 or 8 bolt 3/8"-16 x 1"
70/71	2/B,4/B exc. CJ with A/C-with or without P/S	D0OZ 6A312-B	1	1			#D0OE 6312-C-triple sheave-used to serv.pulley identi. D0AE 6312-C
72	2/B-with A/C-with or w/o P/S		1	1			
70	With idler or P/S-without A/C		1	1			
71	F-w/rear window defroster			1			
72	With hang-on A/C	D2AZ 6A312-E	1	1		1	
71	2/B,4/B-exc.CJ-with idler or P/S-without A/C	D0OZ 6A312-E	1	1			#D0OE 6312-B-double sheave
72	2/B-with idler or P/S-without A/C		1	1			
70/	Without A/C or P/S	D0ZZ 6A312-A	1	1		1	#D0ZE 6312-B-triple sheave-replaces pulleys ident. D0ZE 6312-A, D0OE 6312-A or D1ZE 6312-AA & BA
71/	F-Boss				1		
71	With P/S-without A/C					1	
71/	With A/C-with or without P/S	D2OZ 6A312-A				1	#D2OE 6312-AA-triple sheave-replaces pulleys ident. D1ZE 6312-CA or D2OE 6312-BA
72	4/B-with P/S-without A/C			1		1	
		6316					DAMPER ASSY. - CRANKSHAFT
69		C9OZ 6316-A	1				#C9OE 6316-E-6 3/8" dia.-3 1/32" long
70/		D2AZ 6316-A	1				6 3/8" O.D.-4 1/8" long
70/	2/B,4/B-exc. CJ or Spec.	D2AZ 6316-B		1			6 1/2" O.D.-3 1/2" long
71/		D2ZZ 6316-A			1		6 1/2" O.D.-3 1/2" long
71/		D1ZZ 6316-A				1	6 1/2" O.D.-3 1/2" long
69/		377850-S(BB273A)	1	1	1	1	Bolt (damper & 6378 washer to crankshaft)-5/8"-18 x 2"-hex. head
69/		372854-S(LL-11)	1	1	1	1	Key (damper to crankshaft)-3/16" x 1 3/4"

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

6333 & 6337 BEARING - CRANKSHAFT MAIN - CHART

YEAR	MODEL	C.I.D.	SIZE	UPPER	LOWER	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
69/		351W	Std.	x	x	D1AZ 6333-A	D1AZ 6333-A	D1AZ 6337-A	D1AZ 6333-A	D1AZ 6333-A
			.001"			D1AZ 6333-B	D1AZ 6333-B	C9OZ 6337-B	D1AZ 6333-B	D1AZ 6333-B
			.002"			D1AZ 6333-C	D1AZ 6333-C	D1AZ 6337-C	D1AZ 6333-C	D1AZ 6333-C
			.010"			D1AZ 6333-D	D1AZ 6333-D	D1AZ 6337-D	D1AZ 6333-D	D1AZ 6333-D
			.020"			D1AZ 6333-E	D1AZ 6333-E	C9OZ 6337-E	D1AZ 6333-E	D1AZ 6333-E
			.030"			D1AZ 6333-F	D1AZ 6333-F	C9OZ 6337-F	D1AZ 6333-F	D1AZ 6333-F
69/70	High perf.	351W	Std.	x	x	C9OZ 6333-P	C9OZ 6333-P	★C9OZ 6337-P	C9OZ 6333-P	C9OZ 6333-P
70		351C	Std.	x		D0AZ 6333-A	D0AZ 6333-A	D0AZ 6337-A	D0AZ 6333-A	D0AZ 6333-A
			.0960"							
			.001"			D0AZ 6333-B	D0AZ 6333-B	D0AZ 6337-B	D0AZ 6333-B	D0AZ 6333-B
			.002"			D0AZ 6333-C	D0AZ 6333-C	D0AZ 6337-C	D0AZ 6333-C	D0AZ 6333-C
			.010"			D1ZZ 6333-D	D1ZZ 6333-D	D0AZ 6337-D	D1ZZ 6333-D	D1ZZ 6333-D
			.020"			D1ZZ 6333-E	D1ZZ 6333-E	D1ZZ 6337-E	D1ZZ 6333-E	D1ZZ 6333-E
			.030"					D0AZ 6337-F		
70		351C	Std.		x	D1ZZ 6333-A	D1ZZ 6333-A	D0AZ 6337-H	D1ZZ 6333-A	D1ZZ 6333-A
			.0960"							
			.001"			D0AZ 6333-J	D0AZ 6333-J	D0AZ 6337-J	D0AZ 6333-J	D0AZ 6333-J
			.002"			D0AZ 6333-K	D0AZ 6333-K	D0AZ 6337-K	D0AZ 6333-K	D0AZ 6333-K
			.010"			D1ZZ 6333-D	D1ZZ 6333-D	D1ZZ 6337-D	D1ZZ 6333-D	D1ZZ 6333-D
			.020"			D1ZZ 6333-E	D1ZZ 6333-E	D0AZ 6337-M	D1ZZ 6333-E	D1ZZ 6333-E
			.030"			D0AZ 6333-N	D0AZ 6333-N	D0AZ 6337-N	D0AZ 6333-N	D0AZ 6333-N
71/		351C, 351 spec.	Std.	x	x	D1ZZ 6333-A	D1ZZ 6333-A	D1ZZ 6337-A	D1ZZ 6333-A	D1ZZ 6333-A
			.001"			D1ZZ 6333-B	D1ZZ 6333-B	D1ZZ 6337-B	D1ZZ 6333-B	D1ZZ 6333-B
			.002"			D1ZZ 6333-C	D1ZZ 6333-C	D1ZZ 6337-C	D1ZZ 6333-C	D1ZZ 6333-C
			.010"			D1ZZ 6333-D	D1ZZ 6333-D	D1ZZ 6337-D	D1ZZ 6333-D	D1ZZ 6333-D
			.020"			D1ZZ 6333-E	D1ZZ 6333-E	D1ZZ 6337-E	D1ZZ 6333-E	D1ZZ 6333-E
			.030"			D1ZZ 6333-F	D1ZZ 6333-F	D1ZZ 6337-F	D1ZZ 6333-F	D1ZZ 6333-F

69/		C1AE 6345-B	10					BOLT-CRANKSHAFT MAIN BEARING CAP-1/2"-13 x 3 1/2"
70/71/71		D0AZ 6345-B		10	6	10	4	1/2"-13 x 3 1/4" plain head Use in M.B. cap # 2 and 4
71/71		C9AZ 6345-A 353992-S(XX127)			10 10	10		3/8"-16 x 1 3/4" Washer-flat-3/8"
69/	A/T	C2OZ 6A366-A	1	1		1		PLATE-FLYWHEEL REINFORCING-3 27/32" O.D.-2 1/8" I.D.-.075" thick-(6) 29/64" holes
		6375						FLYWHEEL ASSY.
69/70	A,B,F(2/B,4/B)-A/T	C5AZ 6375-T	1	1		1		164 tooth ring gear-(4) converter attaching holes on 11 7/16" bolt circle
71/	A(2/B)-A/T		1	1				
72	B & F(2/B)-C4 & CM-A/T		1	1				
71	B & F(2/B)-A/T			1				
69/	M/T	C6TZ 6375-C	1	1		1		#C7TE-A-on eninge side-164 tooth ring gear-(6) 5/16"-18 pressure plate attaching holes on 12 3/8" bolt circle
71	B & F(4/B exc. CJ)-A/T	D1ZZ 6375-A		1				#D1ZP-AB-164 tooth ring gear
72	B & F(2/B)-C6-A/T		1	1				
71/	F(4/B CJ)-A/T	D1ZZ 6375-C				1		
72	B(4/B CJ)-A/T					1		
71	M/T	D1ZZ 6375-B			1			
69/		B8A 6378-A	1	1	1	1		WASHER-CRANKSHAFT PULLEY RETAINING-1.76" O.D.-.66" I.D.-.212" thick
69/	M/T	B8AZ 6379-A	6	6	6	6		BOLT-FLYWHEEL TO CRANKSHAFT-7/16"-20 x 15/16"
69/	A/T	★C3AZ 6379-B R/B D2AZ 6379-B (6-74)	6	6		6		7/16"-20 x 13/16"-used with 6A366 plate
72	A/T	D2AZ 6379-B	6	6		6		7/16"-20 x 3/4" -used without 6A366 plate
69/	M/T	C5AZ 6384-D	1	1		1		GEAR-FLYWHEEL RING-164 teeth

Identification marking

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec	351 CJ	PART NAME AND DESCRIPTION
		6392					HOUSING ASSY. - FLYWHEEL
70/71	M/T	C9AZ 6392-A	1				#C9AA 6394-A
69	M/T	C5TZ 6392-B	1				#C5TA 6394-A
70	M/T			1			
71/	M/T	D1TZ 6392-C		1	1	1	
69/		20508-S8(B110)	2				Bolt (flywheel hsg.to block)-7/16"-14 x 1 18/32"
69/		20546-S8(B114)	4				Bolt (flywheel hsg.to block)-7/16"-14 x 2 1/2"
		34808-S8(X67)	AR				Lockwasher-7/16"
71/	M/T	34848-S(X75)	6				Lockwasher-7/16"
71/	M/T	376275-S8(BB181A)		2	2	2	Bolt (flywheel hsg. to block)-7/16"-14 x 2 3/8"
71	M/T		3				
69/		EAD 6397-A	2	2	2	2	DOWEL-CYLINDER BLOCK-to flywheel housing - 1/2" x 1"
69/	M/T	C4OZ 6424-A	1	1	1	1	SEAL - REAR COVER PLATE - 5 3/4" O.D.-4 1/4" I.D.
		6500					TAPPET ASSY. -VALVE
69/	2/B,4/B-exc. CJ or Spec.	D1AZ 6500-A	16	16			Hydraulic
71/		D1ZZ 6500-B			16		Mechanical
71/	All off highway vehicles	★D1ZX 6500-CA			16		Mechanical-use w/D1ZX 6250-FA kit only
71/		★D1AZ 6500-B R/B D1AZ 6500-A (1-75)				16	Hydraulic

6505-07 VALVE - INTAKE and EXHAUST - CHART

YEAR	C.I.D.	MODEL	EXHAUST VALVE LENGTH	HEAD DIA.	STEM SIZE	STEM DIA.	PART NUMBER	INTAKE VALVE LENGTH	HEAD DIA.	STEM SIZE	STEM DIA.	PART NUMBER
69/71	351W		5.07"	1.54"	Std.	.3414"	D2AZ 6505-A	5.07"	1.84"	Std.	.3419	D2AZ 6507-A
					.003"		D2AZ 6505-B			.003"		★C9OZ 6507-K R/B D2AZ 6507-B (6-74)
					.015"		D2AZ 6505-C			.015"		D2AZ 6507-C
					.030"		C9OZ 6505-D			.030"		C9OZ 6507-M
72	351W		5.07"	1.54"	Std.	.3414	D2AZ 6505-A	5.07"	1.84"	Std.	.3419	D2AZ 6507-A
					.003"		D2AZ 6505-B			.003"		D2AZ 6507-B
					.015"		D2AZ 6505-C			.015"		D2AZ 6507-C
					.030"		D2AZ 6505-D			.030"		D2AZ 6507-D
70/	351C	2/B	5.05"	1.61"	Std.	.3415"	D1AZ 6505-A	5.23"	2.04"	Std.	.3420"	D0AZ 6507-E
					.003"		★D1AZ 6505-B R/B D5AZ 6505-B (11-74)			.003"		D0AZ 6507-F
					.015"		★D1AZ 6505-C R/B D5AZ 6505-C (3-75)			.015"		D0AZ 6507-G
					.030"		D1AZ 6505-D			.030"		D0AZ 6507-H
70/	351C, 351CJ	4/B	5.05"	1.71"	Std.	.3414"	D0AZ 6505-E	5.23"	2.19"	Std.	.3420"	D0AZ 6507-A
					.003"		D0AZ 6505-F			.003"		D0AZ 6507-B
					.015"		D0AZ 6505-G			.015"		D0AZ 6507-C
					.030"		D0AZ 6505-H			.030"		D0AZ 6507-D
71/	351Spec		5.05"	1.71"	Std.	.3414"	D0ZZ 6505-A	5.23"	2.19"	Std.	.3420"	D0ZZ 6507-A
						.003"	D0ZZ 6505-B			.003"		D0ZZ 6507-B
						.015"	D0ZZ 6505-C			.015"		D0ZZ 6507-C
						.030"	D0ZZ 6505-D			.030"		D0ZZ 6507-D

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec	351 CJ	PART NAME AND DESCRIPTION
		6510					BUSHING - VALVE GUIDE
69/		D1AZ 6510-A	AR				Intake & exhaust-2.29" long-.501" O.D.-.313" I.D.
70/		NOTE 1		AR	AR	AR	Exhaust
70/		D1AZ 6510-B		AR	AR	AR	Intake-2.4" long-.501" O.D.-.313" I.D.
		NOTE 1					

\# Identification marking

NOTE 1 - Bushing must be reamed to size of valve

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec	351 CJ	PART NAME AND DESCRIPTION
		6513					SPRING-VALVE
69/70	"Before 4/23/70"	C9OZ 6513-A	16				2 5/64" free length-double spring
70/	"From 4/23/70"	D0OZ 6513-B	16				Single spring
70/	2/B	D1AZ 6513-A		16			
70/	4/B	C9OZ 6513-E		16		16	#4 silver or yellow stripes
71/		D0ZZ 6513-A			16		#4 dark blue stripes
		6514					RETAINER-VALVE SPRING
69/71		B9A 6514-A	16				
72		D2AZ 6514-A	16				
70/		D0AZ 6514-A		16		16	1 27/64" O.D.-7/16" high
71/		C9ZZ 6514-A			16		
		6517					SLEEVE-VALVE SPRING RETAINER
69	B,F "Chg. /L4/"	B9A 6517-A	16				Intake & exhaust-conical-not used "Before Chg. /L4"
69	A		16				
70/			16				
		6518					KEY-VALVE SPRING RETAINER
69/		7HA 6518-A	32				
70/		D0AZ 6518-A		32		32	1/2" O.D.-3/8" high
71/		C9ZZ 6518-A			32		1/2" O.D.-3/8" high
		6524					BAFFLE-VALVE PUSH ROD VALLEY
69/		C9OZ 6524-A	1				
70		C2OZ 6524-A		1			
		6524					BAFFLE-VALVE ROCKER ARM OIL
71/	2/B,4/B-exc. CJ	D1AZ 6524-A		16			
71/		D1ZZ 6524-A				16	
		6A527					STUD-VALVE ROCKER ARM SUPPORT
69/		C9OZ 6A527-A	16				Std.-5/16"-24 x 2 3/4"-.3717" diam. at non-threaded end-use w/D0AZ 6A529-A nut
		C9OZ 6A527-B	AR				.006" O/S
		C9OZ 6A527-C	AR				.010" O/S
		C9OZ 6A527-D	AR				.015" O/S
71/		C9ZZ 6A527-A			16		7/16"-20 & 7/16"-14
		6A527					BOLT - VALVE ROCKER ARM SUPPORT
70/		D0OZ 6A527-A		16		16	Std.-5/16"-18 x 1 3/8"-Bolt-hex. hd.
70		C1AE 6A527-C	1	1			Bolt-7/16"-14 x 3 1/4" (attach 7400 control to 7E046 plate)
		6A528					SEAT-VALVE ROCKER ARM FULCRUM
69/		C2OZ 6A528-C	16				
70/		D1OZ 6A528-A		16		16	
71		★C9ZZ 6A528-A			16		Repl. by D0OZ 6A528-B (11-74)
72		D0OZ 6A528-B			16		
		6A529					NUT-VALVE ROCKER ARM STUD
69/		D0AZ 6A529-A	16				Nut-5/16"-24 (attach rocker arm to stud)
71/		C8SZ 6A529-A			16		Nut-7/16"-20 (attach rocker arm to stud)
71/		C9ZZ 6A529-B			16		Nut-jam-7/16"-20 hex.
71/		D0OZ 6A536-A			16		SEAT-VALVE SPRING
		6564					ARM-VALVE ROCKER
69/		C6OZ 6564-B	16				
70/		C9ZZ 6564-A		16	16	16	
71/		C9ZZ 6A564-A			8		GUIDE-VALVE PUSH ROD
		6565					ROD-VALVE PUSH
69/		C9OZ 6565-A	16				8.17" long-hydraulic tappets
		C9OZ 6565-C	AR				.060" O/S
		C9OZ 6565-D	AR				.060" U/S
69	• Unique competition part	C9OZ 6565-G	16				Mechanical tappets-use w/high rise manifold-8.182" long-hardened steel
70/		D0AZ 6565-A		16		16	8 7/16" long-hydraulic tappets
		D0AZ 6565-B		AR		AR	.062" U/S
		D0AZ 6565-C		AR		AR	.062" O/S
71		D0OZ 6565-F			16		8.52" long
72		D2ZZ 6565-A			16		8.41" long

Identification marking • Refer to appropriate muscle parts catalog

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec.	351 CJ	PART NAME AND DESCRIPTION
		6571					SEAL-VALVE STEM
69/		C7AZ 6571-B	16				Rubber-57/64" O.D.-23/32" high-use with .015" & .030" valves
69/		D2AZ 6571-A	16				Use w/std. & .003" O/S valves
70/	2/B,4/B-exc. CJ or Spec.	D0AZ 6571-A		16			Rubber
71		C9ZZ 6571-A			16		5/8" O.D.-49/64" high-split ring around collar
71/ 72		D0OZ 6571-A			16	16	#D0OE-A-white-7/8" O.D.-11/16" high-use w/std. & .003" O/S valves
		D0OZ 6571-B			AR	AR	.015" O/S-use with .015" O/S valves - #D0OE-B-Green
		D0OZ 6571-C			AR	AR	.030" O/S-use with .030" O/S valves - #D0OE-C-Brown

6582 - 6A582 COVER ASSY. - VALVE ROCKER ARM - CHART

YEAR	MODEL	C.I.D.	PAINTED R.H.	PAINTED L.H.	CHROME R.H.	CHROME L.H.
69/70	A "Before 10/1/69"	351W	D2OZ 6582-D	D2OZ 6582-C	C6ZZ 6582-H	C6ZZ 6582-J
69/70	C, F					
70	A "From 10/1/69"	351W	D2OZ 6582-C	D2OZ 6582-C		
71	A	351W	D2OZ 6582-D	D2OZ 6582-C		
72	B	351W				
72	A	351W	D2OZ 6582-D	★D2AZ 6582-B R/B D2OZ 6582-C (11-74)		
70		351C	D2SZ 6582-B	D2SZ 6582-B		
71/		351C,351CJ	D2SZ 6582-A	D2SZ 6582-B		
69/70	F(GT 350)	351			S2MS 6A582-A	S2MS 6A582-B
71/		351 Spec.			C9ZZ 6582-C Aluminum	C9ZZ 6582-C Aluminum

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec	351 CJ	PART NAME AND DESCRIPTION
		6582-6A582					COVER ASSY.-VALVE ROCKER ARM - continued
69/		353547-S2(GG173)	3		—		Clip wire (attach to cover)
69/		356748-S(BB124)	12				Bolt (cover to head)-1/4"-20 x 9/16"
70/		373071-S(BB554M)		16		16	Screw & washer (cover to head)-1/4"-20 x 5/8"
72		57623-S7-8(U3B)			16		Screw & washer (cover to head)-1/4"-20 x 3/4"
		6584					GASKET-VALVE ROCKER ARM COVER
69		★C8OZ 6584-A R/B D0AZ 6584-B (9-74)	2				Cork & rubber
70/		D0AZ 6584-B	2				Cork & rubber
70/		D0OZ 6584-A		2	2	2	
		6600					PUMP ASSY.-OIL
69/		C9OZ 6600-A	1				Includes (1) C9OZ 6659-A & (1) B8TZ 6626-A gaskets
70/		D0AZ 6600-B		1	1	1	Less screen & cover-includes (1) D0AZ 6659-A gasket
69/		376099-S(PP73A)	1				Cup plug (oil pump body)-3/4"
69/		20428-S8(B82)	2				Bolt (pump to block)-3/8"-16 x 1 1/4"
		34807-S8(X66)	2				Washer-3/8"
70/		359266-S8(BB157)		2	2	2	Bolt - 3/8"-16 x 1 1/4"
69/		C8SZ 6608-A	1	1	1	1	ROTOR and SHAFT ASSY.-OIL PUMP DRIVE
69/		B8A 6616-C	1	1	1	1	PLATE - OIL PUMP BODY
69/		42911-S(B41A)	4	4	4	4	Bolt (plate to body)-1/4"-20 x 5/8"

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec	351 CJ	PART NAME AND DESCRIPTION
		6A616					PLUG-OIL PUMP RELIEF VALVE
69/		C9OZ 6A616-A	1				
70/		D0AZ 6A616-A		1	1	1	
		6A618					SHAFT ASSY.-OIL PUMP INTERMEDIATE
69/		C9OZ 6A618-A	1				5/16" hex.-8 3/16" long-includes retaining ring
70/		D0AZ 6A618-A		1	1	1	8 7/16" long-including retainer
		6622					SCREEN, TUBE and COVER ASSY.-OIL PUMP
69/		C9OZ 6622-A	1				
70/		D1AZ 6622-A		1	1	1	
69/		357235-S(BB136)	2				Bolt (screen, tube & cover to pump)-5/16"-18 x 7/8"
69/ 70		B8TZ 6626-A	1	1			GASKET - OIL PUMP INLET TUBE
69/		C4TZ 6629-A	1	1	1	1	RING-OIL PUMP INTERMEDIATE SHAFT RETAINER
		6659					GASKET-OIL PUMP TO BLOCK
69/		C9OZ 6659-A	1				
70/		D0AZ 6659-A		1	1	1	
		6A664					HOSE - CRANKCASE VENTILATION Also refer to group 6853
		C9PZ 6A664-A (KCV-1)	AR	AR		AR	15/32" I.D.-25 ft. long-cut as required
		C9PZ 6A664-B (KCV-2)	AR	AR		AR	5/8" I.D.-25 ft. long-cut as required
							Rocker Arm Cover Type
71/		D1OZ 6A664-A	1				Approx. 20 1/2" long
71/		D1OZ 6A664-B		1	1	1	Approx. 23 1/2" long-attach to P.C.V. valve & carb.
69		C9OZ 6A664-A	1				1/2" I.D. (valve to carb.)
70	A "Before 10/1/69"		1				
70	F		1				
70	A "From 10/1/69"	D0AZ 6A664-B	1				"L" shaped-1/2" I.D. approx. 13 1/4" long-(valve to carb.)
70		D0AZ 6A664-C		1			"L" shaped-1/2" O.D.-approx. 15 1/4" long-(valve to carb. spacer)
70		D0ZZ 6A664-A		1			Approx. 9" long-5/8" I.D.-(oil filler cap to air cleaner)
72	A			1			
69		BPA 18572-A	2				CLAMP - HOSE (hose to valve & carb. spacer)
		6A666					VALVE - POSITIVE CRANKCASE VENTILATION (P.C.V.)
69/		D0AZ 6A666-A	1	1	1	1	
		6670					SPRING-OIL PUMP RELIEF VALVE
69/		C9OZ 6670-A	1				3.22" free length
70/		C5AZ 6670-A		1	1	1	
71/	All off highway vehicles	★D2ZX 6670-AA (EV-50)			1		Free length 3.03" - 22 coils
69/		C5AZ 6674-A	1	1	1	1	PLUNGER - OIL PUMP RELIEF VALVE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec	351 CJ	PART NAME AND DESCRIPTION
		6675					PAN ASSY.-OIL
69/		★C9OZ 6675-A R/B D5OZ 6675-A (10-74)	1				
70/	2/B	D0AZ 6675-A		1			
70/	4/B	D1ZZ 6675-C		1	1	1	
69/		357235-S(BB136)	4				Bolt (pan to block (2) & pan to cover (2)-5/16"-18 x 7/8"
70/		371065-S		4	4	4	Bolt (pan to block(2) & pan to cover(2))-5/16" - 18 x 5/8"
70/ 69/70		373071-S	18	16	16	16	Bolt (pan to block)-1/4" - 20 x 5/8" (pan to block (16) & pan to cover (2))
71/		356748-S(BB124)	18				Bolt (pan to block (16) & pan to cover (2)-1/4"-20 x 5/8"
		6700					SEAL-CYLINDER FRONT COVER OIL
69/		C3AZ 6700-A	1				
70/		D0AZ 6700-A		1	1	1	
		6701					PACKING-CRANKSHAFT REAR
69/		C9OZ 6701-A	2	2		2	Rope type
69/		D0OZ 6701-A	2	2	2	2	Split lip type
		★ 6710-11					GASKET - OIL PAN - refer to group 6781
		★ 6722-23					SEAL - OIL PAN - refer to group 6781
69/		★D1AZ 6730-A R/B D1AZ 6730-B (11-74)	1	1	1	1	PLUG-OIL PAN DRAIN-1/2"-20
		6731					ELEMENT ASSY.-OIL FILTER
69/		☆C1AZ 6731-A (FL-1)	1	1	1	1	With gasket-"Spin-on" one-piece filter has 3/4"-16 female threads
69/		♦CC1AZ 6731-A (FL-1)	1	1	1	1	"Spin-on" type
69/		C2OZ 6734-A	1	1	1	1	GASKET-OIL PAN DRAIN PLUG
		6750					INDICATOR - OIL LEVEL
69		C9OZ 6750-A	1				20.37" shield to full 21.05" shield to add 22.80" shield to end
70/		D0AZ 6750-C	1				18.59" top of shield to safe 19.26" top of shield to add 20.86" top of shield to end
70/		D0AZ 6750-A		1		1	20.00" top of shield to safe 20.85" top of shield to add 1 21.68" top of shield to end
71/		D1ZZ 6750-B			1		19.30" top of shield to safe 20.00" top of shield to add 1 21.52" top of shield to add 2 22.20" top of shield to end
		6754					TUBE ASSY.-OIL LEVEL INDICATOR
69		C9OZ 6754-A	1				Approx. 13 11/16" long
70		D0OZ 6754-B	1				11 41/64" long
71/		D1OZ 6754-B	1				Approx. 11 5/8" long-including bracket
70/		D0AZ 6754-B		1	1	1	Approx. 18 1/4" long-including bracket
71/		87031-S91 (T-1-DA)		1	1	1	"O" ring-3/8" I.D.-used at base of 6754 tube

☆ U.S. only ♦ Canada only # Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 351 W	351 C	351 Spec.	351 CJ	PART NAME AND DESCRIPTION
		6766					CAP ASSY. - OIL FILLER & BREATHER
							Rocker Arm Cover Type -Closed, T/E, Imco
69/70		C8AZ 6766-A (EC-1)	1				#Black
		C8AZ 6766-B (EC-2)	1				#Chrome
70/ 71/		D1AZ 6766-A (EC-8-A)	1	1	2	1	#Black
72		D1ZZ 6766-A (EG-508)	1	1	1	1	#Chrome - optional w/specified black cap
69/70	F(GT350)(4/B)	C4TZ 6766-B (EC-31)	1				#Black
69/		C8AZ 6767-A	1	1	1	1	ELBOW - CRANKCASE VENTILATION HOSE - 90°-5/8"x5/8" - Also refer to basic 9600
		6781					GASKET SET - OIL PAN
69/		D0AZ 6781-C	1				

Consists of
1-C9OE 6710-C Gasket - R.H.
1-C9OE 6711-C Gasket - L.H.
1- D3OE 6722- AA Seal (front)
1-D3OE 6723-BA Seal (rear)
1-C2OZ 6734-A Gasket (oil drain plug)

70/		D0AZ 6781-D		1	1	1	

Consists of
1-D0AE 6710-B Gasket - R.H.
1-D0AE 6711-B Gasket - L.H.
1-C2OZ 6734-A Gasket
2-D0AE 6723-A Seal
or
2-D0AE 6723-B

71/		D1AZ 6788-A	1	1	1	1	BRACKET-CRANKCASE VENT VALVE HOSE CLIP
		★6853	★	★	★	★	HOSE - CRANKCASE VENTILATION - Cut to fit from bulk hose 4090 Also refer to group 6A664
69/		D1AZ 6890-A	1	1	1	1	INSERT-OIL FILTER MOUNTING BOLT- 3/4"-16 & 1 1/16"-12 male threads-1 13/64" long-shoulder type-attach filter to cyl.block-use with "Spin-on" type filter
		6A892					RETAINER - CRANKCASE VENTILATION - grommet-also refer to group 9600
69/70		C8AZ 6A892-A	1	1			Elbow to oil filler cap-1 7/16" O.D.-37/64" I.D.
71/			1	1		1	Elbow to valve cover
71/					1		Elbow to oil filler cap
70	F-w/evaporative emission	C8SZ 6A892-A		1			Used in crankcase vent flame arrestor
71/			1	1	1	1	P.C.V. valve to filler cap
69/70		D0OZ 6A892-A	1				PCV valve to valve cover
70	"Before 10/28/69"	D0AZ 6A892-A		1			PCV valve to valve cover
70			1				
70	"From 10/28/69"	D0AZ 6A892-B		1			PCV valve to valve cover

Identification marking

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352	QUANTITY 390	PART NAME AND DESCRIPTION
		6007			ENGINE ASSY.-service details only
65		C2AZ 6008-E	1	1	GASKET SET - COMPLETE OVERHAUL

Consists of

1-C0AE	6020-C	Gasket	2-D0AZ	6584-C	Gasket	1-C8PZ	8255-U	Gasket	
2-C6AZ	6051-A	Gasket	1-B8TZ	6626-A	Gasket	2-B8A	8507-A	Gasket	
2-C1AE	6336-B	Seal	1-C0AZ	6A636-B	Gasket	1-B8A	8513-A	Gasket	(1961)
1-C3AZ	6411-B	Seal (1963/)	1-B8AZ	6659-A	Gasket	1-C2AZ	8513-A	Gasket	(1962/)
1-C3AZ	6411-C	Seal (1963/)	1-C3AZ	6700-A	Seal	1-C3AZ	9417-C	Gasket	
1-C2AZ	6436-A	Seal (1961/62)	2-C9OZ	6701-A	Seal	1-C8AZ	9A424-A	Seal	
16-C4TZ	6571-J	Seal	1-D0AZ	6710-A	Gasket	1-C8AZ	9A425-A	Seal	
			1-C2OZ	6734-A	Gasket	2-C8AZ	9441-A	Gasket	

66/68	"Before 1/26/68"	C6AZ 6008-E	1	1	

Consists of

1-C0AE	6020-C	Gasket	1-C0AZ	6A636-B	Gasket	2-B8A	8507-A	Gasket
2-C6AZ	6051-A	Gasket	1-B8AZ	6659-A	Gasket	1-C2AZ	8513-A	Gasket
2-C1AE	6336-B	Seal	1-C3AZ	6700-A	Seal	1-C3AZ	9417-C	Gasket
1-C3AZ	6411-C	Seal	2-C9OZ	6701-A	Packing	1-C8AZ	9A424-A	Seal
1-C3AZ	6411-B	Seal	1-D0AZ	6710-A	Gasket	1-C8AZ	9A425-A	Seal
16-C4TZ	6571-J	Seal	1-C2OZ	6734-A	Gasket	2-C8AZ	9441-A	Gasket
2-D0AZ	6584-C	Gasket	1-C8PZ	8255-U	Gasket			
1-B8TZ	6626-A	Gasket						

68	"From 1/26/68"	★C8AZ 6008-D		1	Repl. by C6AZ 6008-E (8/74)

Consists of

1-C0AE	6020-C	Gasket	1-B8TZ	6626-A	Gasket	1-C8PZ	8255-U	Gasket
2-ΔC6AZ	6051-A	Gasket	1-C0AZ	6A636-B	Gasket	2-B8A	8507-A	Gasket
2-C1AE	6336-B	Seal	1-B8AZ	6659-A	Gasket	1-C2AZ	8513-A	Gasket
1-C3AZ	6411-C	Seal	1-C3AZ	6700-A	Seal	1-C3AZ	9417-C	Gasket
1-C3AZ	6411-B	Seal	2-C9OZ	6701-A	Packing	1-C8AZ	9A424-A	Seal
16-C4TZ	6571-J	Seal	1-D0AZ	6710-A	Gasket	1-C8AZ	9A425-A	Seal
2-D0AZ	6584-C	Gasket	1-C2OZ	6734-A	Gasket	2-C8AZ	9441-A	Gasket

69/71		C9AZ 6008-A		1	

Consists of

1-C0AE	6020-C	Gasket	1-B8TZ	6626-A	Gasket	1-C8PZ	8255-U	Gasket
2-C8AZ	6051-A	Gasket (steel)	1-C0AZ	6A636-B	Gasket	2-B8A	8507-A	Gasket
2-C1AE	6336-B	Seal	1-B8AZ	6659-A	Gasket	1-C2AZ	8513-A	Gasket
1-C3AZ	6411-C	Seal	1-C3AZ	6700-A	Seal	1-C3AZ	9417-C	Gasket
1-C3AZ	6411-B	Seal	2-C9OZ	6701-A	Seal	1-C8AZ	9A424-A	Seal
16-C4TZ	6571-J	Gasket	1-D0AZ	6710-A	Gasket	1-C8AZ	9A425-A	Seal
2-D0AZ	6584-C	Gasket	1-C2OZ	6734-A	Gasket	2-C8AZ	9441-A	Gasket

65/71		B9AE 6A008-A	4		4	DOWEL - CYLINDER HEAD TO CYLINDER BLOCK - .7355" O.D.-.61" I.D.-.44" height-split

Δ Asbestos & steel

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352		QUANTITY 390		PART NAME AND DESCRIPTION
		6009					CYLINDER ASSY. - Includes cylinder block with all internal parts of the engine but does not include cylinder heads, tappets, oil pan or cylinder front cover unless indicated
65/66		☆C8TZ 6009-G	1				4.05"bore includes C3AZ 7007-F plate
65/66		♦C3AZ 6009-AE	1				
65	P/C	C3AZ 6009-AC			1		4.05"bore
66/70	A, B(2/B)	C6AZ 6009-T			1		4.05"bore-includes (1) C3AZ 7007-F plate
66	B-GT(4/B)	C6OZ 6009-A			1		4.05"bore
67	B-GT, F(4/B)	C7OZ 6009-E			1		4.05"bore-includes (1) C3AZ 7007-F plate
68	B, F(4/B)						
65/68	A(exc.P/C), S(4/B)	C6AZ 6009-U			1		4.05"bore-includes (1) C3AZ 7007-F plate
66/67	B (4/B)				1		
68	F(2/B P.F.)				1		
69	B-GT, F-GT(4/B)				1		
71	A(2/B)	D1AZ 6009-C			1		
		6010					BLOCK ASSY. - CYLINDER
65/66		C8AZ 6010-F	1				Hydraulic tappets-includes (1) C8TE 6010-T block (8) C8AE 6110-AA pistons, (1) C3AZ 7007-F plate, (8) C4TE 6135-J piston pins & (2) 380041-S screw & washer-This assembly must be used w/C8TZ 6148-A piston rings
65	P/C	★△C3AZ 6010-Y			1		Mechanical tappets -4.05" bore-not replaced
65/71	Exc. P/C	C8AZ 6010-C			1		Hydraulic tappets-4.05"bore-consists of (1) C8AZ 6010-A, (1) stud for (4 x 4) truck oil tube, (2) 380041-S S & W 7/16"-14 x 5/8" to retain cam plate, (1) C3AZ 7007-F plate
65/71	A, S	73249-S(N88)	2		2		Dowel (cyl. block to clutch hsg.)-3/8" x 9/16"
65/71	A, S	357648-S8(NN55)	1		1		Dowel (intake manifold to cyl. block)-5/16" x 11/16"
		6B018					WIRE ASSY. - CYL. BLOCK HEATER
65/66		CC1TF 6B018-E	1		1		
67		C7TE 6B018-A			1		2 conductor-use w/3 terminal heater-(dummy ground)
67		C7TE 6B018-C			1		3 conductor-use w/3 terminal heater-(1 green ground connector)
71		D1AB 6B018-AA			1		
65/71		C2AZ 6019-D	1		1		REPAIR KIT - CYLINDER FRONT COVER

Consists of

1-C0AE 6020-C	Gasket (front cover)	1-C1SZ 9417-A	Gasket (fuel pump mtg.)
1-C0AE 6023-C	Pointer (timing)-61/62 (exc. spec.)	4-374408-S	Bolt (5/16"-18 x 3/4")
1-C0AE 6023-D	Pointer (timing)-58/60 & 61/62 spec.	4-374409-S	Bolt (3/8"-16 x 7/8")
1-C8AE 6059-B	Cover (front)	2-373913-S	Screw (No. 10-24 x 5/16")
1-C3AZ 6700-A	Seal (crankshaft)-front		

65/71		374408-S(BB413C)	4		4		Bolt (cover to block)-5/16"-18 x 3/4"-hex. locking
65/71		374409-S(BB416B)	4		4		Bolt (cover to block)-3/8"-16 x 7/8"-hex. locking
		6020					GASKET - CYLINDER FRONT COVER
65/71		C0AE 6020-C	1		1		(4) .411" & (4) .348" holes-.030" thick-used with aluminum cover
		6023-A					POINTER - TIMING
65/71		C9AZ 6023-A	1		1		
66/69	High Perf. B, F w/A/C	C8AZ 6023-A			1		
66/69	High Perf. B, F w/o A/C	C6AZ 6023-A			1		1 3/4" long-2" wide
65/67	A, S	373913-S(UU40)	2		2		Screw (pointer to cover)-No. 10-24 x 3 3/64" hex. head tapping

△ Includes (2) 376893-S bolts, (2) 376894-S flat washer and (2) 376895-S flat washers. If used with camshaft thrust button and spring use to plug holes in front of block. If used with thrust plate use to retain plate to block.

* Does not include tappets ☆ U.S. only ♦ Canada only

6A023,6054,6068 & 6120 REAR MOTOR MOUNT CHART

YEAR	MODEL	C.I.D.	*SUPPORT	*RETAINER-REAR SUPPORT	*SUPPORT ASSEMBLY	*BRACKET R.H.	*BRACKET L.H.
	- A -						
65	A-C4	352		C5AZ 6054-A	C8AZ 6068-B		
65/66	A(M/T and C/M)	352		C5AZ 6054-B	C9AZ 6068-E		
65	A, P/C	390		C5AZ 6054-B	C9AZ 6068-E		
66/67	A(2/B)-3/S/T, C/M	390		C5AZ 6054-B	C9AZ 6068-E		
66/67	A(4/B)-3/4/S/T, S/T & O/D, C/M	390					
66/67	A(2/B, 4/B)-C6	390		C5AZ 6054-A	C8AZ 6068-B		
68	A(2/B, 4/B)-S/T, C/M	390		C8AZ 6054-A	C9AZ 6068-E		
68	A(2/B, 4/B)-C6	390		C8AZ 6054-A	C8AZ 6068-B		
69/70	A(2/B)-S/T	390		C8AZ 6054-A	C9AZ 6068-E		
69/71	A(2/B)-C6, C/M - " Before 7/1/71"	390		C9AZ 6054-A	C9AZ 6068-H		
71	A(2/B)-C6- " From 7/1/71"	390		D2AZ 6054-A	D2AZ 6068-B		
	- B -						
66	B, B-GT (2/B, 4/B)	390	C6OZ 6A023-C		D0OZ 6068-A	C6OZ 6120-C	C6OZ 6120-D
67	B(exc. 66), B-GT	390	C6OZ 6A023-C		D0OZ 6068-A	C6OZ 6120-G	C6OZ 6120-H
67	B (66)	390	C6OZ 6A023-C		C8OZ 6068-A	C6OZ 6120-G	C6OZ 6120-H
68/69	B	390	C6OZ 6A023-C		D0OZ 6068-A	C6OZ 6120-G	C6OZ 6120-J
	- F -						
67	F(C6)	390	C7ZZ 6A023-B		D0OZ 6068-A		
67	F(M/T)	390	C9ZZ 6A023-B		D0OZ 6068-A		
68	F(3 or 4 S/T)(76)	390	C9ZZ 6A023-B		D0OZ 6068-A		
68	F(C6)-exc. 76	390	C7ZZ 6A023-B		D0OZ 6068-A		
69	F(3 or 4 S/T)-76	390	C9ZZ 6A023-B		D0OZ 6068-A		
69	F(A/T)-76	390	C7ZZ 6A023-B		C9ZZ 6068-D		
69	F(63, 65)-S/T-w/improved handling	390	C9ZZ 6A023-B		C9ZZ 6068-D		
69	F(63, 65)-A/T-w/o improved handling	390	C7ZZ 6A023-B		C9ZZ 6068-D		
	- S -						
65	S	390		C3AZ 6054-A	C3AZ 6068-C		
66	S (exc. C6)	390	★C6SZ 6A023-A	C3AZ 6054-A	C3AZ 6068-C	★C6SZ 6120-A	★C6SZ 6120-B
66	S (C6)	390	★C6SZ 6A023-A	C5AZ 6054-A	C6SZ 6068-D	★C6SZ 6120-A	★C6SZ 6120-B
67	S	390		C5AZ 6054-A	C6SZ 6068-D		

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352	QUANTITY 390	PART NAME AND DESCRIPTION
65/68	A	20432-S7-8(B121)		2	Bolt (retainer to trans. ext.)-1/2"-13 x 1 1/8"
65/68	A	44735-S8(X32)		2	Washer-flat-1/2"
65/71	A, S	20392-S8(B120A)	2	2	Bolt(ret. to trans. ext.)-1/2"-13 x 7/8" hex. head
65/67	S	20452-S8(B122)		2	Bolt (support to bracket)-1/2"-13 x 1 3/8"
		20348-S8(B77)		6	Bolt(mtg. bracket to underbody)-3/8"-16 x 3/4"
		34807-S8(X66)		6	Lockwasher-3/8"
65/71	A, S	20411-S7(B184)	2	2	Bolt(rear suppt. to frame)-7/16"-20 x 1 1/8" hex. hd.
65/71	A, S	34671-S8(M67)	2	2	Nut-7/16"-20
65/71	A, S	356590-S(XX171)	2	2	Washer-flat-.47" I. D. -.78" O. D. -.10" thick-steel
65/71	A, S	357625-S7-8(XX304)	2	2	Lockwasher-7/16"

* (1) Required unless otherwise noted

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352	QUANTITY 390	PART NAME AND DESCRIPTION
		6026			PLUG - ENGINE
68	A(2/B, 4/B)	C8AZ 6026-A		1	1 3/4" O. D. -plug clean-out hole in head
65/68	A,S (2/B,4/B)		6	6	Plug holes in block
65/68	A,S(2/B,4/B)		4	4	Plug holes in end of heads
69/71	A, B-GT, F-GT(2/B, 4/B)			6	plug clean-out hole in block
		C8AZ 6026-B	AR	AR	.060" O/S
65/66	A,S	383024-S(PP66A)	1		Valve assy.-tappet air bleed lubrication -
65/69	A, B, B-GT, F, S(2/B, 4/B)			1	use to plug rear main oil gallery
65/71	A,S	376635-S8(PP66A)	12	12	Plug-cup type (oil gallerys-tappet valley)- 29/64" dia.
65/71		353001-S(PP85)	1	1	Plug (cylinder block camshaft rear bearing hole)- 2 3/8"-cup type
65/66	A,S	376635-S8(PP66A)	3		Plug-cup type (cyl. tappet oil crossover holes)-
65/71	A,S			3	29/64" dia.
65/71	A,S	376635-S8(PP66A)	2	2	Plug-cup type (oil gallery-front) -29/64" dia.
65/66	A,S	376635-S8(PP66A)	2		Plug-cup type (oil line front face)- 29/64" dia.
65/71	A,S			2	
65/66	A,S	376635-S8(PP66A)	4		Plug-cup type (oil gallery rear face)- 29/64" dia.
65/71	A,S			4	
65/66	A,S	354942-S(PP81)	AR		Plug (cyl.block side)-cup type-O/S-1.790" & 1.775" O. D.
65/71		371058-S(PP73)	1	1	Plug (cyl. block rear)-cup type-3/4"
65/66	A	376635-S8(PP66A)	2		Plug-cup type (cyl. block tappet oil lines front)- 29/64" dia.
65/66	A,S	358048-S(PP43)	6		Plug (cyl. head top)-3/4" pipe-socket head
65/68	A,S			6	

6028, 6029, 6030, 6031 & 6038 FRONT MOTOR MOUNT CHART

YEAR	MODEL	C.I.D.	*SUPPORT BRACKET R.H.	*SUPPORT BRACKET L.H.	*BRACKET R.H.	*BRACKET L.H.	*INSULATOR R.H.	*INSULATOR L.H.
	- A -							
65/67	A, P/C(2/B, 4/B)	352,390	C5AZ 6028-C	C5AZ 6029-C			C5AZ 6038-C	C5AZ 6038-D
68	A (2/B, 4/B)	390	C5AZ 6028-C	C8AZ 6029-A			C5AZ 6038-C	C5AZ6038-D
69/71	A(2/B)	390	C9AZ 6028-C	C9AZ 6029-C			C9AZ 6038-D	C9AZ 6038-E
	- B -							
66	B, B-GT(2/B, 4/B)	390	C6OZ 6028-A	C6OZ 6029-A	C6OZ 6030-A	C6OZ 6030-A	C6OZ 6038-G	C6OZ 6038-H
67/69	B, B-GT(2/B,4/B)-	390	C6OZ 6028-A	C6OZ 6029-A	C6OZ 6030-A	C6OZ 6030-A	C6OZ 6038-G	C6OZ 6038-H
	- F -							
67	F(4/B)-exc. 76	390	D0ZZ 6028-D	C7ZZ 6029-B	D0ZZ 6030-E	D0ZZ 6031-B	D1ZZ 6038-A	D1ZZ 6038-A
67	F(4/B)-76	390	D0ZZ 6028-D	C7ZZ 6029-B	D0ZZ 6030-B	D0ZZ 6031-B	D0ZZ 6038-D	D0ZZ 6038-D
68	F(4/B)-76	390	C8ZZ 6028-B	D0ZZ 6029-D	D0ZZ 6030-B	D0ZZ 6031-B	D0ZZ 6038-D	D0ZZ 6038-D
68	F(4/B)-exc. 76	390	C8ZZ 6028-B	D0ZZ 6029-D	D0ZZ 6030-B	D0ZZ 6031-B	D1ZZ 6038-A	D1ZZ 6038-A
68/69	F(2/B)-76	390	C8ZZ 6028-B	D0ZZ 6029-D	C8ZZ 6030-A	C8ZZ 6031-A	D0ZZ 6038-D	D0ZZ 6038-D
68/69	F(2/B)63, 65	390	C8ZZ 6028-B	D0ZZ 6029-D	C8ZZ 6030-A	C8ZZ 6031-A	D1ZZ 6038-A	D1ZZ 6038-A
	- S -							
65	S (63, 76)	390	C5SZ 6028-A				C4SZ 6038-C	C4SZ 6038-D
66	S (C/M)	390	C6SZ 6028-A	C6SZ 6029-A			C4SZ 6038-C	C4SZ 6038-D
66	S (C6)	390	C6SZ 6028-A	C6SZ 6029-A			C6SZ 6038-A	C6SZ 6038-A
67	S	390	C5AZ 6028-C	C5AZ 6029-C			C5AZ 6038-C	C5AZ 6038-D

* (1) Required unless otherwise noted

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352	QUANTITY 390	PART NAME AND DESCRIPTION
		6028, 6029, 6030, 6031 & 6038			FRONT MOTOR MOUNT CHART - continued
65/68	A	33845-S8(M57)	2	2	Nut (6038 to No. 2 crossmember)-1/2"-13 hex.
65/71	A	357625-S7(XX304)	2	2	Lockwasher-7/16"
65	A	351428-S7(XX166)	2	2	Washer-flat-7/16"
65/67	S	357450-S(BB172)		4	Bolt (insulator to cyl. block)-7/16"-14 x 7/8"
65/67	S	20390-S8(B102)		4	Bolt (insulator to cyl. block)-7/16"-14 x 1"
		34808-S8(X67)		4	Lockwasher-7/16"
		354530-S(MM155)		2	Nut-1/2"-20
		44735-S8(X32)		2	Washer-flat-1/2"
68/69	B	373403-S8(MM173J)	2	2	Nut (insulator to bracket)-3/8"-16 hex. lock
66/69	B	20348-S2(B77)		2	Bolt (insulator to bracket)-3/8-16 x 3/4" hex. hd.
65/71	A	20390-S8(B102)	4	4	Bolt (engine front support insulator to cyl. block)-7/16"-14 x 1"-hex. head
65/71	A	34671-S8(M67)	4	4	Nut-7/16"-14
65/71	A	357625-S7-8(XX304)	4	4	Lockwasher-7/16"
68	F	351989-S8(BB188)		2	Bolt (insulator to bracket)-7/16"-14 x 4 5/8"
		6030-1			BRACKET - FRONT SUPPORT - Refer to front motor mount chart (Basic No. 6028)
		6035			SHIELD - FRONT SUPPORT INSULATOR
65/67	S	★C4SA 6035-A		1	Dealer improvise-.015" thick-steel-4" long-1 25/32" wide (1) 17/32" hole & (1) 1/2" hole
66	S(C6)	★C6SA 6035-A		1	4" long-1 25/32" wide-1/64" thick-(1) each 1/2" & 17/32" bolt holes-dealer improvise
		6038			INSULATOR - FRONT SUPPORT - Refer to front motor mount chart (Basic No. 6028)
		6A042			REINFORCEMENT - REAR SUPPORT
68/69	B(exc. 76-[illegible])	C8OZ 6A042-C		1	R. H.
		C8OZ 6A042-D		1	L. H.
65	S	★C5SA 6046-A		2	BRACKET - FRONT SUPPORT INSULATOR - serviced in 6028-29 assemblies - Also refer to front motor mount chart (Basic No. 6028)
66	S	★C6SA 6046-A		2	Serviced in 6028-9 assemblies
67/69	F(2/B P.F., 4/B)	C7ZZ 6046-A		1	R. H.
		C7ZZ 6046-B		1	L. H.
		6049			HEAD - CYLINDER
65/66	A(exc. T/E)	C8AZ 6049-M	2		Without valves
65/67	A, S, P/C(exc. T/E)			2	
68	A(2/B, 4/B)-C/M, C6			2	
69/71	A(2/B)-S/T, A/T			2	
65/70	A(exc. P/C)-exc. T/E	C8AZ 6049-R	2	2	Complete with valves
66/67	A, S(2/B, 4/B)-T/E	C8AZ 6049-A	2	2	
68	A(2/B, 4/B), 3 or 4 S/T-T/E			2	
66/68	B, B-GT, F(2/B, 4/B)-exc. T/E	C8OZ 6049-B		2	
66	B(2/B, 4/B)-T/E-"Before 6/1/66"	★ 6049		2	
66/67	B, B-GT, F(2/B, 4/B)-T/E-'From 6/1/66"	C8OZ 6049-A		2	
68	B(2/B), 3 or 4 S/T			2	
68	B-GT, F(4/B)-3 or 4 S/T, C6			2	
69	B-GT, F(4/B)-Imco	C8OZ 6049-J		2	
65/71	All High Performance Vehicles	C8OZ 6049-K		2	With T/E
		6051			GASKET - CYLINDER HEAD
65/70	All High Performance Vehicles	C3AZ 6051-B		2	Steel-.015" thick
65/71		C6AZ 6051-A	2	2	#C6AE 6051-C-asbestos & steel-opt. with C8AZ 6051-A steel gasket
69/71		C8AZ 6051-A		2	Steel-opt. with C6AZ 6051-A asbestos & steel gskt.
66/69	High perf. B, F	C8AZ 6051-A		2	Steel

* (1) Required unless otherwise noted # Identification marking ◊ Not used on Model 76 from 12/1/67

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352	QUANTITY 390	PART NAME AND DESCRIPTION
66/68		C6AZ 6052-A	8	8	PLUG - CYLINDER HEAD-EXHAUST AIR SUPPLY (to plug holes when T/E not used)-1/2"-20 x 1 11/32" hex. head
		6054			RETAINER - REAR SUPPORT - Refer to rear motor mount chart (Basic No. 6A023)
65/67	S(76)	B8AZ 6065-A		2	BOLT - CYLINDER HEAD-1/2"-13 x 4.22"- Also component of C2SZ 7611032-3-A damper assy.
65/71		C1AE 6065-A	10	10	1/2"-13 x 4 29/64"
65/71		C1AE 6065-C	10	10	1/2"-13 x 2 7/8"
		6068			INSULATOR ASSY. - REAR SUPPORT - Refer to rear motor mount chart (Basic No. 6A023)
66	B(2/B & 4/B)	C6OZ 6B068-A		1	INDUCTION KIT - HIGH PERFORMANCE - to convert to (3) 2/B carburetors
65/68	A	B8A 6070-A	1	1	PLATE - REAR SUPPORT
66/67	B	C6OZ 6070-A		2	Approx. 4 3/4" long-3 5/16" wide
68/69	B(76)			2	
68/69	B(exc. 76)	C8OZ 6070-A		1	R. H.
		C8OZ 6070-B		1	L. H.
		6079			GASKET SET - VALVE GRIND
65/67		C6AZ 6079-E	1	1	

Consists of
- 2-C6AZ 6051-A Gasket
- 16-C4TZ 6571-J Seal
- 2-B9AZ 6584-A Gasket
- 1-C8PZ 8255-U Gasket
- ▲■1-C8AZ 9A424-A Seal
- ▲■1-C8AZ 9A425-A Seal
- ■2-C6AZ 9441-A Gasket

▲ Serviced in C3AZ 9433-G
■ Serviced in C6AZ 9433-E

68		★C8AZ 6079-D		1	Repl. by C6AZ 6079-E (8/74)

Consists of
- 2-C6AZ 6051-A Gasket (asbestos & steel)
- 16-C4TZ 6571-J Seal
- 2-D0AZ 6584-C Gasket
- 1-C8PZ 8255-U Gasket
- 1-C8AZ 9A424-A Seal
- 1-C8AZ 9A425-A Seal
- 2-C8AZ 9441-A Gasket

69/71		C9AZ 6079-A		1	

Consists of
- 2-C8AZ 6051-A Gasket (steel)
- 16-C4TZ 6571-J Gasket
- 2-D0AZ 6584-C Gasket
- 1-C8PZ 8255-U Gasket
- ▲1-C8AZ 9A424-A Seal
- ▲1-C8AZ 9A425-A Seal
- ▲2-C8AZ 9441-A Gasket

▲ Serviced in C3AZ 9433-G

68/71		CC2AF 6B080-A		1	"O" RING - CYL. BLOCK HEATER
66	B, B-GT(2/B, 4/B)	C6OZ 6096-A		1	BRACKET - REAR SUPPORT -rear-R.H.
		C6OZ 6096-D		1	Rear-L. H.
67	B, B-GT(2/B, 4/B)- 'Before 4/3/67"	C6OZ 6096-C		1	R. H.
		C6OZ 6096-G		1	L. H.
67	B, B-GT(2/B, 4/B)- 'From 4/3/67"	C6OZ 6096-F		1	R. H.
		C6OZ 6096-G		1	L. H.
68/69	B, B-GT	C6OZ 6096-F		1	R. H.
		C6OZ 6096-G		1	L. H.
		6C098-9			STOP - FRONT SUPPORT INSULATOR -
66/68	B, B-GT(2/B, 4/B)-exc. P/S	C6OZ 6C098-A		1	R. H.
		C6OZ 6C099-A		1	L. H.
66/68	B-B-GT(2/B, 4/B)-P/S	C6OZ 6C098-A		1	R. H.
		C6OZ 6C099-B		1	L. H.
69	B-GT(4/B)-P/S	C6OZ 6C098-A		1	R. H.
		★		★	L. H. -Refer to Basic 3C510

Identification marking

6108-9 PISTON ASSEMBLY - CHART

In the Standard column of the chart below (R) designates red size - (B) designates blue size.
Red size and blue size are optional for selective fit.

YEAR	MODEL	C.I.D.	RINGS	INCL.	QTY.	PART NUMBER STANDARD	.003" O/S	.020" O/S	.030" O/S	.040" O/S	.060" O/S
65/66	A(4/B)	352	3	/	8	C0AZ 6108-A 4.00" bore	C0AZ 6108-AC	C0AZ6108-D	C0AZ 6108-E	C0AZ 6108-F	C0AZ 6108-G
65	A, S, P/C	♦390	3	/	8	C1AZ 6108-A(R) C1AZ 6108-B(B) 4.05" bore	C1AZ 6108-C	C1AZ 6108-D	C1AZ 6108-E	C1AZ 6108-F	
66/68 69/70	A, B (2/B) A(2/B) replaces-5/64" ring groove piston"	♦390 or Δ390	3	⁄	8	C6AZ 6108-AG(R) C6AZ 6108-AH(B)	C6AZ 6108-AJ	C6AZ 6108-AK	C6AZ 6108-AL	C6AZ 6108-AM	
66/68 69	A, B, B-GT, F, S (4/B, 2/B P. F.) B, F(4/B)	♦390	3	/	8	C6AZ 6108-BG(R) C6AZ 6108-BH(B)	C6AZ 6108-BJ	C6AZ 6108-BK	C6AZ 6108-BL	C6AZ 6108-BM	
66/69	All High Perf. Vehicles-R.H. - use W/C8OZ 6049-K cyl. head	390	3		4	C9OZ6108-AD 4.048" dia.					
66/69	All high Perf. Vehicles- L.H. - use W/C8OZ 6049-K cyl. head	390	3		4	C9OZ6109-D 4.048" dia.					
71	A(2/E)	♦390	3	⁄	8	C8TZ6108-R(R) D1AZ 6108-G(B)	C8TZ6108-S	C8TZ6108-T	C8TZ6108-U	C8TZ6108-V	

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352		QUANTITY 390		PART NAME AND DESCRIPTION
		6120					BRACKET - REAR SUPPORT - refer to Rear Motor Mount Chart (Group 6A023)
65/66	A, S	B8A 6135-AA	8				PIN - PISTON-standard-#Green-. 9752" O. D. -
65	A, S				8		3. 163" long
65	P/C				8		
		B8A 6135-AB					.001" O/S-#Blue
		B8A 6135-AC					.002" O/S-#Yellow
66/71	A, B, B-GT, F, S(2/B, 4/B)	C6AZ 6135-A			8		Standard-#Green-. 975" O. D.
		C6AZ 6135-B					.001" O/S-#Blue
		C6AZ 6135-C					.002" O/S-#Yellow
66/69	High Perf. B, F	C6AZ 6135-A			8		Std. -# Green-. 975" O. D.
65/71	A, B, B-GT, F, S, P/C(2/B, 4/B)	C3AZ 6140-B	16		16		RETAINER - PISTON PIN-. 94" I. D. -1.113" O. D. - .052" thick

◊ Center line of piston pin hole to top of piston 1. 833"
Δ Eye brow type piston, 2nd ring groove 5/64" wide
⁂ Includes piston pin and retainer
♦ 2nd ring groove 3/32" wide - use C1AZ 6148-A, B C, D, or E piston rings

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

6148 RING SET - PISTON PARTIAL - CHART-Consists of the neccessary rings to re-ring (2) pistons

YEAR	MODEL	C.I.D.	RINGS	TYPE *	PART NUMBER STANDARD	.020" O/S	.030" O.S	.040" O S	.060" O/S
65/66	A	352	3	Hi Lo	☆B8AZ 6148-A opt. with C7TZ 6148-C	☆B8AZ 6148-B opt. with C7TZ 6148-D	☆B8AZ 6148-C opt. with C7TZ 6148-E	☆B8AZ 6148-D opt. with C7TZ 6148-F	☆B8AZ 6148-E opt. with C7TZ 6148-G
65/66	A top ring chromed	352	3	Hi Lo	☆C7TZ 6148-C opt. with B8AZ 6148-A	☆C7TZ 6148-D opt. with B8AZ 6148-B	☆C7TZ 6148-E opt. with B8AZ 6148-C	☆C7TZ 6148-F opt. with B8AZ 6148-D	☆C7TZ 6148-G opt. with B8AZ 6148-E
65/66	A	352	3	Hi Lo	♦CC1AE 6148-E	♦CC1AE 6148-F	♦CC1AE 6148-G	♦CC1AE 6148-H	♦CC1AE 6148-J
66/67	A, B, B-GT, F, S top ring chromed	▲390	3	Hi Lo	C6AZ 6148-E	C6AZ 6148-F	C6AZ 6148-G	C6AZ 6148-H	
65 68/70 71	A, S, P/C A, B-GT, F, (2/B, 4/B) A(2/B)	390 390	3	Hi Lo	☆C1AZ 6148-A	☆C1AZ 6148-B	☆C1AZ 6148-C	☆C1AZ 6148-D	☆C1AZ 6148-E
65 68/71	A, S A, B, F	390 390	3	Hi Lo	♦CC1AE 6148-A	♦CC1AE 6148-B	♦CC1AE 6148-C	♦CC1AE 6148-D	

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352	QUANTITY 390	PART NAME AND DESCRIPTION
65/66		C1AZ 6200-C	8		ROD ASSY. - CONNECTING
65	A(exc. P/C), S	C3AZ 6200-B		8	#C3AE 6205-A-use with C3AZ 6303-D crankshaft
65	P/C	C3AZ 6200-F		8	
66/71		C6AZ 6200-D		8	
65/69	All High Performance Vehicles	C9ZZ 6200-A		8	Lemans type-crankshaft rebalancing required
65/70	All High Performance Vehicles	C6AZ 6200-C		8	Street type-crankshaft rebalancing required
65/71		B8A 6207-A	8	8	BUSHING - CONNECTING ROD-split type-1.0435" O. D. -. 040" wall thickness-1. 24" long

6211 BEARING - CONNECTING ROD - CHART

YEAR	MODEL	C.I.D.	UPPER	LOWER	PART NUMBER STANDARD	.001" U/S	.002" U/S	.010" U/S	.020" U/S	.030" U/S	.040" U/S
65/71		352, 390	8	8	C6AZ 6211-A .0758"	C6AZ 6211-B	C6AZ 6211-C	C6AZ 6211-D	C6AZ 6211-E	C6AZ 6211-F	C6AZ 6211-G
65/69	All High Performance Vehicles	390	8	8	C5AZ 6211-G .0748"						

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352	QUANTITY 390	PART NAME AND DESCRIPTION
65/71	Exc. P/C	C9AZ 6212-B	16	16	NUT - CONNECTING ROD - 3/8"-24-. 557" hex. chamfered
65	P/C	C3AZ 6212-A		16	13/32"-24-use with C3AZ 6200-F
66/69	High Perf. B. F	C0ME 6212-A		16	13/32"-24 hex.
65/67	Exc. P/C	C1AZ 6214-A	16	16	BOLT - CONNECTING ROD-3/8"-24 x 2 7/32"
65	P/C	C2AZ 6214-B		16	13/32"-24 x 2 5/32"
68/71		C8AZ 6214-B		16	3/8"-24 x 2 1/4"
66/69	High Perf. B. F	C2AZ 6214-B		16	

For use on pistons having 3/32" wide 2nd groove - when used on 1968 model engines use with C6AZ 6108-AG, AH, AJ, AK, AL, AM
Identification marking * Hi Lo mileage ▲ For use on pistons having 5/64" wide 2nd groove
☆ U.S. only ♦ Canada only

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352		390		PART NAME AND DESCRIPTION
		6250					CAMSHAFT - less gear
65	P/C	C3AZ 6250-T			1		Mechanical tappets #VAA
65/66	A, S	C3AZ 6250-U	1		1		Hydraulic tappets-#YA
66	A, B, S(2/B, 4/B)	C6AZ 6250-A			1		Hydraulic tappets-#VU or VU with white paint-
67	A, B, S(4/B)				1		induction hardened-15 tooth dist. gear
68	A(4/B), F(2/B P.F.)				1		
69	B-GT, F(4/B)				1		
67/71	A, B (2/B)	C7AZ 6250-A			1		#VX or VU with green paint-induction hardened- 15 tooth dist. gear
66/68	B-GT, F(4/B)	C6OZ 6250-B			1		Hydraulic tappets
66/69	All High Perf. B, F	C6OZ 6250-B			1		
65/69	All High Performance Vehicles	C3AZ 6250-AA			1		#VBX-Use with thrust plate kit
65/69	All High Performance Vehicles	★C4AE 6250-B			1		.500 Lift-used on engines properly set up for high R. P. M. operation-camshaft thrust plate kit required-this cam requires .176 adjustable rocker arms
65/69	All High Performance Vehicles	★C8AX 6250-C			1		.515 Lift-steel-use on hydraulic lifter engines
65/69	All High Performance Vehicles	★C8AX 6250-D			1		.600 Lift-steel-full race type-use on high R. P. M. engines-for use on strip or track only-camshaft thrust plate kit, spl. valve springs, seats and retainers are required
		6A251					BEARING KIT - CAMSHAFT - standard
65/71		C3AZ 6A251-A	1		1		
	Consists of						
	1-C3AZ 6261-A Front	1-B8A 6263-AA Rear					1-B8A 6270-AA Rear Intermediate
	1-B8A 6262-AA Center	1-B8A 6267-AA Front Intermediate					1-353001-S Plug
		6256					SPROCKET - CAMSHAFT
65/71		C8AZ 6256-A	1		1		36 teeth-spacer C3AZ 6265-A is not required with this sprocket
65/71		73357-S(N87C)	1		1		Dowel (sprocket to camshaft)-5/16" x 1 1/2"
65/68		354150-S8(BB177)	1		1		Bolt (sprocket to camshaft)-7/16"-14 x 1 7/8"
69		304815-S(B110A)			1		Bolt (sprocket to camshaft)-7/16"-14 x 1 7/8"
69		34808-S8(X67)			1		Lockwasher-7/16"
65/66		370301-S8(BB546)	1				Bolt (sprocket to camshaft)-7/16"-14 x 1 1/4"
65/66		44730-S8(X26)	1				Washer-flat-7/16"

6261,6262,6263,6267 & 6270 BEARING - CAMSHAFT - CHART

YEAR	MODEL	C.I.D.	SIZE	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
65/71		352,390	Standard	C3AZ 6261-A	B3A 6267-AA	B8A 6262-AA	B8A 6270-AA	B8A 6263-AA
			.015" U/S	D3TZ 6261-C	B8A 6267-AB	B8A 6262-AB	B8A 6270-AB	B8A 6263-AB

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352		390		PART NAME AND DESCRIPTION
65/69		C3AZ 6265-A	1		1		SPACER - CAMSHAFT GEAR OR SPROCKET - 1.56" O.D. - 3/4" I.D. -not used with C8AZ 6256-A
		6267					Refer to Camshaft Bearing Chart (Basic No. 6261)
65/71		D0AZ 6268-A	1		1		CHAIN - TIMING - 48 links
65/71		★C3AZ 6269-A r/b D3TZ 6269-A (9/74)	1		1		PLATE - CAMSHAFT THRUST-1.80" I.D.
65/71		380041-S (BB639B)	2		2		Screw & washer (plate to cyl. block)-7/16"-14 x 5/8"

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352	QUANTITY 390	PART NAME AND DESCRIPTION
		6270			Refer to Camshaft Bearing Chart (Basic No. 6261)
65/71		C3AZ 6287-A	1	1	ECCENTRIC - CAMSHAFT FUEL PUMP DRIVE
		6303			CRANKSHAFT ASSY.
65/69	All High Performance Vehicles	C8AZ 6303-B		1	Iron
65/69	All High Performance Vehicles	C5AZ 6303-C		1	Steel
65/66		C4AZ 6303-L	1		#2T on No. 3 counterweight
65		C4AZ 6303-G		1	Consists of (1) C4AZ 6303-C, (1) C4AZ 6306-A gear attached with 378704-S key
66/71	A,B,B-GT,F,S(2/B,4/B)	C6AZ 6303-A		1	#2U-27 9/16" o/all length
		6306			SPROCKET - CRANKSHAFT
65/71		C4AZ 6306-A	1	1	18 teeth
69/	All of highway vehicles	★D1ZX 6306-CA		1	18 teeth - 1 3/8" I.D. 2 7/8 pitch dia. - 7 timing keyways
65/71		378704-S(LL12A)	1	1	Key (sprocket to crankshaft)-3/16"
65/71		B8A 6310-A	1	1	SLINGER - CRANKSHAFT OIL-3.31" O.D. - 1.39" I.D.
		6312			PULLEY ASSY. - CRANKSHAFT - Also refer to Basic No. 6A312
65/67	A,B,B-GT,F,S(2/B,4/B)	C3AZ 6312-E	1	1	#C4AE 6316-A, B-single sheave-6 19/32" dia. - 1 19/32" long-uses 3/8" belt-includes (1) C3AZ 6023-A pointer
66/69	High Perf. B, F	C6AZ 6312-A		1	# C6AE 6316-A-single sheave
65/66	A, S	355721-S(BB270)	1		Bolt (damper to crankshaft)-5/8"-18 x 1 1/2"-hex. head
65/66	A, S	358963-S(LL2)	1		Key (crankshaft damper)-1/4" x 3/4"
65/	A, S			1	
		6A312			PULLEY ASSY. - CRANKSHAFT-OUTER
65/68	A(P/S)-with or without extra cooling "From 2/1/64"	C1AZ 6A312-D	1	1	Single sheave
65/66	S(not used with A/C or T/E)			1	
66/68	B, B-GT(2/B,4/B)-38 amp. alt., P/S-not used in Calif.			1	
67	F(P/S)			1	
67	A(2/B, 4/B), C6, C/M, Imco, 42 amp. alt., P/S(exc. A/C)			1	
67	A(2/B, 4/B)-C/M, C6, Imco, 53, 55, 65 amp. alt. (except P/S & exc. A/C)	C5TZ 6A312-A		1	#C5TE 6312-A-single sheave
65/68	S	C1AZ 6A312-C		1	Double sheave
65/68	A(40 amp. gen. 40, 52, 53 & 60 amp. alt. -except with A/C)		1	1	
65	P/C			1	
65	A(60 amp. alt., P/S & extra cooling)			1	
66	S(T/E)-exc. A/C			1	
66/68	B,B-GT,F(2/B,4/B)-53,55 amp. alt. (T/E)-exc. A/C			1	
67	F(T/E, P/S)			1	
67	F(C6, T/E, X/C, P/S, A/C)			1	
67	F(3 or 4/S/T, T/E, X/C, A/C, P/S)			1	
67	A(2/B, 4/B), C6, C/M, Imco, P/S, 53, 55, 65 amp. alt. (except A/C)			1	

Identification marking

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352		QUANTITY 390		PART NAME AND DESCRIPTION
		6A312					PULLEY ASSY. - CRANKSHAFT-OUTER-continued
65/68	A,B,F,P/C(A/C with or w/o P/S)	C4AZ 6A312-B			1		Triple sheave-includes (1) C5AZ 6023-A pointer
67	S(P/S, T/E)				1		
65/68	A, B, B-GT, S(A/C, T/E, with or without P/S	C4SZ 6A312-B	1		1		Triple sheave-#C5AE-D
67/68	S(P/S)-exc. T/E				1		
68	A,B-GT,F(4/B)-A/C	C8AZ 6A312-A			1		#C8AE 6312-A-triple sheave
68	A(2/B)						
68	A, B, F(2/B P.F.)-A/C	C8AZ 6A312-B			1		#C8AE 6312-B-triple sheave
71	A-w/Std. alt.w/o P/S				1		
68	A, B, B-GT, F(2/B, 4/B)-C/M, P/S	C8AZ 6A312-C			1		#C8AE 6312-C-double sheave
69	A,B-GT,F-GT-w/P/S, std. alt.				1		
70/71	A-w/std. Alt., w/P/S				1		
68	B, F(2/B, 4/B)-S/T-with or without P/S	C8AZ 6A312-D			1		#C8AE 6312-D-triple sheave-used as replacement for pulley identified C8AE 6312-E
69	A, B-GT, F-GT-with or w/o P/S-(exc. std. alt or A/C)				1		
70	A-w/ or w/o P/S w/o A/C				1		
71	A(P/C)-w/55 or 65 amp.alt.						
68	A,B,B-GT, F(2/B, 4/B)	C8AZ 6A312-E			1		#C8AE 6A312-B-single sheave
69	A, B, B-GT, F, F-GT, w/o - P/S and A/C				1		
70	A-std. alt. w/o P/S or A/C				1		
65/67	S(P/S)	C1SZ 6A312-A			1		Outer-single sheave
69	A-w/A/C	C9AZ 6A312-B			1		#C9AE 6312-B-triple sheave
69	A, P/C-w/A/C	C9OZ 6A312-E			1		#C9OE 6312-C-triple sheave
69	B-GT, F-GT-w/A/C w/or w/o P/S				1		
70	P/C - with A/C	C9OZ 6A312-F			1		#C9OE 6312-D-triple sheave
70/71	A-with A/C	D0AZ 6A312-D			1		#D0AE 6312-D-triple sheave
71	A(P/C)-w/A/C				1		
65/	A, S(P/S, A/C also 50 & 100 amp. H/D alt.)	20388-S8(B80)	3		3		Bolt (pulley to damper)-3/8"-16 x 1"-used with cast iron design pulley
65/68	S(P/S)	373293-S8(BB563)			3		Screw & washer assy. (pulley to damper)-3/8"-16 x 1"-hex. head
65/66	A	20388-S8(B80)	3				Bolt (pulley to damper)-3/8"-16 x 1"-used with cast iron design pulley
65/71	A, S	373293-S8(BB563)	3		3		Screw & washer assy. (pulley to damper)-3/8"-16 x 1"
		6316					DAMPER ASSY. - CRANKSHAFT
68/71		D2TZ 6316-A			1		
68/71		377850-S(BB273A)			1		Bolt (damper to crankshaft)-5/8"-18 x 2"
68/71		358963-S(LL2)			1		Key-1/4" x 3/4"
65/71		C1AZ 6A321-C	1		1		SEAL KIT - CRANKSHAFT REAR MAIN BEARING-consists of the following - (2) C1AE 6336-B Seal, (2) C2OZ 6701-A Packing

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

6333 & 6337 BEARING - CRANKSHAFT MAIN - CHART

In the size column of the chart below (R) designates Red size - (B) designates Blue size.
Red size and Blue size are optional for selective fit.

YEAR	MODEL	C.I.D.	SIZE	UPPER	LOWER	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
65		♦352, 390	Std. - .0959"	1	1	C4TZ 6333-H	C4TZ 6333-H	C4TZ 6337-H	C4TZ 6333-H	C4TZ 6333-H
			.001"			C4TZ 6333-J	C4TZ 6333-J	C4TZ 6337-J	C4TZ 6333-J	C4TZ 6333-J
			.002"			C4TZ 6333-K	C4TZ 6333-K	C4TZ 6337-K	C4TZ 6333-K	C4TZ 6333-K
			.010"			C4TZ 6333-L	C4TZ 6333-L	C4TZ 6337-L	C4TZ 6333-L	C4TZ 6333-L
			.020"			C4TZ 6333-M	C4TZ 6333-M	C4TZ 6337-M	C4TZ 6333-M	C4TZ 6333-M
			.030"			C4TZ 6333-N	C4TZ 6333-N	C4TZ 6337-N	C4TZ 6333-N	C4TZ 6333-N
			.040"			C4TZ 6333-P	C4TZ 6333-P	C4TZ 6337-P	C4TZ 6333-P	C4TZ 6333-P
66/71		♦352, 390	Std. - .0959"	1	1	C4TZ 6333-H	C4TZ 6333-H	C6TZ 6337-A	C4TZ 6333-H	C4TZ 6333-H
			.001"			C4TZ 6333-J	C4TZ 6333-J	C6TZ 6337-B	C4TZ 6333-J	C4TZ 6333-J
			▲.002"			C4TZ 6333-K	C4TZ 6333-K	C6TZ 6337-C	C4TZ 6333-K	C4TZ 6333-K
			▲.010"			C4TZ 6333-L	C4TZ 6333-L	C6TZ 6337-D	C4TZ 6333-L	C4TZ 6333-L
			▲.020"			C4TZ 6333-M	C4TZ 6333-M	C6TZ 6337-E	C4TZ 6333-M	C4TZ 6333-M
			▲.030"			C4TZ 6333-N	C4TZ 6333-N	C6TZ 6337-F	C4TZ 6333-N	C4TZ 6333-N
			▲.040"			C4TZ 6333-P	C4TZ 6333-P	C6TZ 6337-G	C4TZ 6333-P	C4TZ 6333-P

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352	QUANTITY 390	PART NAME AND DESCRIPTION
65/71		C1AE 6336-B	2	2	SEAL - CRANKSHAFT REAR MAIN BEARING CAP - #Yellow-asbestos & rubber-2 23/32" long-wedge shaped-std.
		B8KY 6336-A	2	2	.025" O/S
		6337			Refer to Main Bearing Chart (Basic No. 6333)
65/71		C1AE 6345-B	10	10	BOLT - CRANKSHAFT MAIN BEARING CAP - 1/2"-13 x 3 1/2"
65/71		B8AZ 6359-A	1	1	SPACER - CRANKSHAFT DAMPER-steel or cast iron design
		6366			COVER ASSY. - FLYWHEEL HOUSING
65/70	M/T	C3AZ 6366-A	1	1	
65/70	M/T	20308-S7(B40)	4	4	Bolt (bottom cover to flywheel hsg.)-1/4"-20 x 1/2"
65/70	M/T	20308-S7(B40)	1or2	1or2	Bolt (cover to cyl. block)-1/4"-20 x 1/2"
		34805-S8(X62)	1or2	1or2	Lockwasher-1/4"
65/70	M/T	42718-S8(U9)	4	4	Screw & washer assy. (cover to flywheel hsg.)-5/16"-18 x 1/2"-hex. head
65/71	A/T	B9AZ 6A366-B	1or3	1or3	PLATE - FLYWHEEL REINFORCING - 5.12" O.D. - 3.34" I.D. - .060" thick
		6375			FLYWHEEL ASSY.
65/71	A/T	C5AZ 6375-D	1	1	184 tooth ring gear-14 1/2" dia. (16) 17/64" bolt holes on 11-13/32" bolt circle
65/70	M/T-exc.B & F-GT	C5AZ 6375-K	1	1	#C5AE 6380-J (6) 5/16"-18 pressure plate attaching holes on 12 3/8" bolt circle-includes 184 tooth ring gear
68/69	B-GT, F-GT-M/T			1	
66/67	B-GT, F-M/T	C5AZ 6375-L		1	#C5AE 6380-K-cast iron-(6)5/16"-18 pressure plate attaching holes on 12 7/8" bolt circle - includes 184 tooth ring gear

▲ Bearing measurement based on .0954" Red & .0958" Blue standard sizes # Identification marking

♦ Bearings listed are used in place of double lock type production bearings

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352	QUANTITY 390	PART NAME AND DESCRIPTION
65/71		B8A 6378-A	1	1	WASHER - CRANKSHAFT PULLEY RETAINING-1.76" O.D.-.66" I.D.-.212" thick
65/70	M/T	B8AZ 6379-A	6	6	BOLT - FLYWHEEL TO CRANKSHAFT - 7/16"-20 x 15/16"
65/71	A/T	B8A 6379-B	6	6	7/16"-20 x 11/16"-hex. head self-locking
		6384			GEAR - FLYWHEEL RING
65/70	M/T	C5AZ 6384-A	1	1	184 teeth
		6392			HOUSING ASSY. - FLYWHEEL
66/69	B, F-M/T	C6OZ 6392-C		1	Use lever #C8OA 7515-B
65/68	A-M/T	C5AZ 6392-C	1	1	Use lever #C8AA 7515-B
69/70	A-M/T	C9AZ 6392-B		1	#C9AA 6394-C
65/70	M/T	20546-S8(B114)	4or6	4or6	Bolt (flywheel hsg. to cyl. block)-7/16"-14 x 2 1/2"
		34808-S8(X67)	4or6	4or6	Lockwasher-7/16"
65/71		EAD 6397-A	2	2	DOWEL - CYLINDER BLOCK-to flywheel housing-1/2" x 1"
66	B-GT	★C6GY 6404-A		2	PLATE - NAME-#"390 Cyclone GT"-aluminum 10 1/2" long-1 1/4" wide-includes (3) sleeve nuts to attach to valve cover. Secure from Mercury Dealer
65/71		C3AZ 6411-B	1	1	SEAL - REAR COVER PLATE-14.44" long .40" width
65/71		C3AZ 6411-C	1	1	SEAL - FLYWHEEL HOUSING COVER PLATE
65/70		C3AZ 6435-B	1	1	GASKET - FLYWHEEL HOUSING-.040" thick-cork and rubber
		6500			TAPPET ASSY. -VALVE
65/71	Exc. P/C	C8AZ 6500-A	16	16	Hydraulic-1.82" long-use with C8AZ 6565-A push rod
65	P/C	C4AZ 6500-B		16	Mechanical-.8742" O.D.-1.85" long
66/69	High Perf. B, F			16	

6505-07 VALVE - INTAKE and EXHAUST - CHART

YEAR	C.I.D.	MODEL	EXHAUST VALVE LENGTH	EXHAUST VALVE HEAD DIA.	EXHAUST VALVE STEM SIZE	EXHAUST VALVE STEM DIA.	EXHAUST VALVE PART NUMBER	INTAKE VALVE LENGTH	INTAKE VALVE HEAD DIA.	INTAKE VALVE STEM SIZE	INTAKE VALVE STEM DIA.	INTAKE VALVE PART NUMBER
65/69	390	All High Perf. Veh.-light weight-not w/ tunnel port hds.					★C8AX 6505-A					★C8AX 6507-A
65/69	390	All High Perf. Veh. - std. weight-solid						5.36"	2.09"	Std.	.3715"	C9OZ 6507-U
65/71	352,390	Exc. P/C	5.36"	1.57"	Std.	.3705	C0AZ 6505-N	5.44"	2.04"	Std.	.3715"	★C8TZ 6507-A r/b D4TZ 6507-A(9-74)
					.003"		C7TZ 6505-C			.003"	.3745"	C8TZ 6507-B
					.015"		★C7TZ 6505-D r/b D4TZ 6505-C(10-74)			.015"	.3865"	C8TZ 6507-C
					.030"		C2AZ 6505-D			.030"	.4015"	C8TZ 6507-D
65	390	P/C	5.36"	1.57"	Std.	.3705"	C7TZ 6505-B	5.44"	2.04"	Std.	.3715"	★C8TZ 6507-A r/b D4TZ 6507-A(9-74)
			1		.003"	.3735"	C7TZ 6505-C			.003"	.3745"	C8TZ 6507-B
					.015"	.3855"	★C7TZ 6505-D r/b D4TZ 6505-C(10/74)			.015"	.3865"	C8TZ 6507-C
					.030"	.4005"	C2AZ 6505-D			.030"	.4015"	C8TZ 6507-D

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352	QUANTITY 390	PART NAME AND DESCRIPTION
		6510			BUSHING - VALVE GUIDE - NOTE 1
65/71		D1AZ 6510-A		AR	Intake-2.29" long-.501" O.D.-.313" I.D.
65/71		D1AZ 6510-B		AR	Exhaust-2.4" long-.501" O.D.-.313" I.D.
65/66		B8A 6513-C	16		SPRING - VALVE-one piece design-2.26" long-6 1/2 coils-alternate with B8A 6513-B
65/66		B8A 6513-B	16		Two piece design-consists of the following - (1) Valve spring, (1) Damper spring-alternate with B8A 6513-C
65	P/C	C3AZ 6513-B		16	
66/68	B, B-GT, F			16	
65	A, S	C1AZ 6513-B		16	Two piece design-damper type-#White
66/68	A, B (2/B), F(2/B P.F.)	C6AZ 6513-D		16	Two piece design
66/68	A, S (4/B)			16	
69/	A, B-GT, F-GT(2/B, 4/B)			16	
66/69	High perf. B, F	C9OZ 6513-E		16	#4 Silver or Yellow stripes
		6514			RETAINER - VALVE SPRING
65/68	A, B, S(2/B & 4/B carb.)	C6AZ 6514-A	16	16	1-13/32" O.D. -27/64" I.D. -1/2" height
68	F(2/B P.F.)			16	
69/71	A, B-GT, F-GT(2/B, 4/B)			16	
65	P/C	★C3AZ 6514-A		16	1 31/64" O.D. -9/32" height
66/68	B-GT, F-GT	r/b D0AZ 6514-A (6/74)		16	
66/69	High Perf. B, F			16	
65/66	A	B8A 6515-A	AR		SPACER - VALVE SPRING-1.44" O.D. -1.057" I.D. -.030" thick
65/71		B8A 6517-B	16	16	SLEEVE - VALVE SPRING RETAINER-.769" flange O.D. -.599" conical O.D. -.36" height
65/71		B8A 6518-A	32	32	KEY - VALVE SPRING RETAINER - .373" to .533" conical O.D. -.375" height-# Red
65/71		C7AZ 6524-B	2	2	BAFFLE - VALVE SPRING OIL
65/71		C1DZ 6A527-C	6	6	BOLT - VALVE ROCKER ARM SHAFT SUPPORT-3/8" - 16 x 2 31/32"-Also refer to Basic No. 6531
65/71		C1AZ 6A527-A	2	2	3/8"-16 x 3 19/64"
65/71		C2AZ 6531-B	8	8	SUPPORT - VALVE ROCKER ARM SHAFT - aluminum
65/71		372702-S(XX144)	8	8	Washer-flat-3/8" I.D. -1" O.D.
		34807-S7-8(X66)	8	8	Lockwasher-3/8"
65	P/C	B6A 6549-C		16	SCREW - VALVE ROCKER ARM ADJUSTING - Std. -7/16"-20 x 1.40" long
		C2AZ 6549-A		AR	.0023" O/S
66/69	High Perf. B, F	B6A 6549-C		16	
65	P/C	B8AZ 6563-A		2	SHAFT - VALVE ROCKER ARM-18" long-(2) thru holes-(8) 5/32" holes lower half-includes (2) EAA 6572-A plugs
65/71	Exc. P/C	B8AZ 6563-D	2	2	Includes (2) EAA 6572-A plugs
65/71	Exc. P/C	B8AZ 6564-C	16	16	ARM - VALVE ROCKER

Identification marking

NOTE 1 - Bushing must be reamed to size of valve

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352	QUANTITY 390	PART NAME AND DESCRIPTION
65	P/C	B8A 6564-B		16	ARM - VALVE ROCKER - includes screw
66/69	High Perf. B, F	B8A 6564-B		16	
		6565			ROD - VALVE PUSH
65	P/C	B8AZ 6565-C		16	9.350" o/all length-(1) oval & (1) cup type end
66/69	High Perf. B, F	B8AZ 6565-C		16	Mechanical tappets
65/68	Exc. P/C - "Before Chg./L10"	C4TZ 6565-B	16	16	Std.-9.62" o/all length
		C8AZ 6565-A	AR	AR	.030" U/S
		C4TZ 6565-C	AR	AR	.060" O/S
		C4TZ 6565-D	AR	AR	.060" U/S
68/71	"Chg./L10/"	C8AZ 6565-A		16	Std.-9.59" o/all length-use w/C8AZ 6500-A tappet
		C4TZ 6565-B		AR	.030" O/S
		6570			GROMMET
65/70	A, S(P/S)	B9A 6570-A	1	1	Used on power steering oil reservoir cover stud - rubber-.32" I.D.-1" O.D.-1/2" thick
65/71	Exc. P/C	C4TZ 6571-J	16	16	SEAL - VALVE STEM - Intake & exhaust
65	P/C	★B8AZ 6571-B r/b C4TZ 6571-H (10/74)		16	Intake & exhaust
65/71		EAA 6572-A	4	4	PLUG - VALVE ROCKER ARM SHAFT-cup shaped -.536" diameter-for transmission usage refer 7D418

6582 COVER ASSY.- VALVE ROCKER ARM- CHART

YEAR	MODEL	C.I.D	PAINTED R.H.	PAINTED L.H.	CHROME R.H.	CHROME L.H.
65/67	A, B, S(2/B, 4/B)- "Before CHG L8"	352, 390	$C7AZ 6582-A #Blue	$C7AZ 6582-A #Blue	ΔC6OZ 6582-A	ΔC6OZ 6582-B
66	B-GT	390				
65	P/C	390	$C7AZ 6582-A #Blue	$C7AZ 6582-A #Blue	None	None
67	B-GT, F "Before CHG/L8"	390	$C7AZ 6582-A #Blue	$C7AZ 6582-A #Blue	$C7OZ 6582-B	ΔC6OZ 6582-B
67/68	A, B, B-GT, F, S(2/B, 4 B)- "CHG/L8"/	390	$C7AZ 6582-A #Blue	$C7AZ 6582-A #Blue	$C7OZ 6582-B	$C7OZ 6582-B
69/71	A(2/B), B-GT, F-GT(4/B)	390	C7AZ 6582-A #Blue	C7AZ 6582-A #Blue	C7OZ 6582-B	C7OZ 6582-B

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352	QUANTITY 390	PART NAME AND DESCRIPTION
65/71		371065-S(BE549)	10	10	Bolt (cover to cyl. head)-5/16"-18 x 5/8" hex. washer head locking
65	A, P/C(non em/re)	377393-S(KK24C)	1	1	Grommet(holds 6758 in 6582)-1 7/8" O.D. -31/32" I.D.
65/67	A, S, P/C(em/re) - "Before CHG/L8"	377394-S(KK23F)	1	1	Grommet (holds 6A666 in 6582)-1 7/16" O. D. - 23/32" I. D. -Refer to Basic 6A892
		6584			GASKET - VALVE ROCKER ARM COVER
65/71		D0AZ 6584-C	2	2	Cork and rubber
66/70	B-GT, F	377346-S6(PP1A)		6	Plug button-1/4" chrome to plug holes in top of valve cover
65/71		B8A 6587-B	6	6	SPRING - VALVE ROCKER ARM TO SHAFT LOCATING-approx. 3.73" free length-8 coils-.859" I. D.

Identification marking ◊ Has em/re hole ◊ Has oil fill hole Δ Includes (3) 75480-S102 sleeve nuts
$ Includes (1) C7AZ 6A892-A retainer

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352		QUANTITY 390		PART NAME AND DESCRIPTION
65/71		B8A 6590-A	4or8		4or8		WASHER - VALVE ROCKER ARM SHAFT-flat type-1.32" O.D.-.86" I.D.-.060" thick
		72053-S(N52)	AR		AR		Cotter pin-1/8" x 1 1/4"
65/71		B8A 6598-A	4		4		WASHER - VALVE ROCKER ARM SHAFT - spring type - 1.18" O.D.-.86" I.D.-.008" thick
		6600					PUMP ASSY. - OIL
65/71	Exc. P/C	C8AZ 6600-A	1		1		Includes attaching gaskets
65	P/C	C9ZZ 6600-A			1		
65/68		20408-S7(B81)	2		2		Bolt (pump to cyl. block)-3/8"-16 x 1 1/8"
		34807-S8(X66)	2		2		Lockwasher-3/8"
69/71		354135-S7(BB155A)			2		Bolt (pump to cyl. block)-3/8"-16 x 1 1/8"
		34807-S8(X66)			2		Lockwasher-3/8"
65/67	All(exc. Calif.)	D0AZ 6A603-G (EK6A)	1		1		EMISSION CONTROL KIT - EXHAUST

Consist of
1-D0AE 12A091-C Valve assembly distributor
1-D0AE 12226-J Hose distributor vacuum 3" long
1-D2AE 9C485-AA Tag eng. exh. emission I. D.
1-ESB-M4G92-A Sealers, silicone rubber
1-Instruction sheet

65/71		B8A 6608-A	1		1		ROTOR and SHAFT ASSY. - OIL PUMP DRIVE - rotor type pump
65/71		B8A 6616-C	1		1		PLATE - OIL PUMP BODY
65/68		20324-S8(B41)	4		4		Bolt (cover plate to body)-1/4"-20 x 5/8"
		34805-S8(X62)	4		4		Lockwasher-1/4"
69/71		42911-S(B41A)			4		Screw & washer (cover to body)-1/4"-20 x 5/8"
65/71		B8AZ 6A618-A	1		1		SHAFT ASSY. - OIL PUMP INTERMEDIATE
65	P/C	★C0AE 6622-A			1		SCREEN, TUBE and COVER ASSY. - OIL PUMP
65	S	C1SE 6622-B			1		
65/66	A (exc. P/C)	C2AZ 6622-B	1		1		
65/69	All High Performance Vehicles	★C5AE 6622-B			1		Deep sump type-used w/deep sump oil pan
66/69	B,B-GT,F,S(2/B & 4/B carb.)	C6OZ 6622-A			1		
67/	A(2/B, 4/B)				1		
65/71		20346-S8(B50)	2		2		Bolt (screen to oil pump)-5/16"-18 x 3/4"
		34806-S7(X64)			2		Lockwasher-5/16"
65/71		B8TZ 6626-A	1		1		GASKET - OIL PUMP INLET TUBE
65/71		B8A 6629-A	1		1		RING - OIL PUMP INTERMEDIATE SHAFT RETAINER-.52" O.D.-6 prongs
		6A630-A					DUCT - CRANKCASE VENTILATION
65/66		B9AZ 6A630-B	1				Lower-refer to Product Service Letter P-415
65/66		381709-S(UU52G)	3				Screw(lower vent duct to manifold)-1/4"-20 x 3/8" hex. washer head

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352		QUANTITY 390		PART NAME AND DESCRIPTION
		6A630-A					BAFFLE - INTAKE MANIFOLD OIL
66/67	2/B "Before 10/24/66"	C6AZ 6A630-D			1		
66/69	4/B				1		
67/71	2/B 'From 10/24/66"	C5AZ 6A630-A			1		13 29/32" long-7 13/32" wide
70	4/B				1		
66/69	High Perf. B, F	C6AZ 6A630-B			1		Use W/ Aluminum manifold
66/69	High Perf. B, F	C8AZ 6A630-B			1		
65/71		B9AZ 6A630-C	1		1		BAFFLE - PUSH ROD CRANKCASE VENTILATION-upper-approx. 19.87" x 10.44"
65/71		C0AZ 6A636-B	1		1		GASKET - OIL FILTER ADAPTER TO CYLINDER BLOCK - rubber
65/71		B8AZ 6659-A	1		1		GASKET - OIL PUMP TO BLOCK-#rubber - .010" thick
		6A664					HOSE - CRANKCASE VENTILATION - Also refer to Basic No. 6853 **Intake Manifold Type**
		C9PZ 6A664-A (KCV-1)	AR		AR		15/32" I.D.-25 ft.long-cut as required
		C9PZ 6A664-B (KCV-2)	AR		AR		5/8" I.D.-25 ft.long-cut as required
65/68	A Special(4/B carb.)	★C1AE 6A664-S			1		5" long-attach brkt. & cover to carb. spacer
68	A, B, B-GT, F(4/B)	C6AZ 6A664-D			1		
							Rocker Arm Cover Type
65/66	A	★C4AE 6A664-B	1				8 1/2" long-attach cap to air cleaner- NOTE 1
65/67	A, B, S- "Before CHG/L9"	C5AZ 6A664-C	1		1		20 5/32" long-attach valve to int. manifold
66	A		1				
66/68	A(T/E)	★C6AZ 6A664-L	1				6A666 valve to tee
66/68	B, S (2/B, 4/B carb.)-T/E	C6AZ 6A664-A	1		1		Oil filler cap to air cleaner
66	A				1		
66/67	A, B, S(2/B, 4/B carb.) - "Before CHG/L8"	C6AZ 6A664-B			1		5/8" I.D. & 1/2" I.D.-11" long-6A666 valve to 6758 tube
66/68	A, B, B-GT, F, S(2/B & 4/B)	★C6AE 6A664-A			1		1 1/2" long-attach valve to intake manifold
67	S (2/B, 4/B)-"CHG/L8/"	C7AZ 6A664-A			1		5/8" I.D. valve end-1/2" I.D. tube end
66/68	A, B (2/B, 4/B carb.)	C6AZ 6A664-E			1		Front-6758 tube to tee
		C6AZ 6A664-F			1		Rear-tee to 6A666 valve
66/67	S	C6SZ 6A664-B			1		Front-6758 tube to tee
		C6SZ 6A664-A			1		Rear-tee to 6A666 valve
67	S(T/E)	C6SZ 6A664-B			1		3-5/64" long tee to 6758 tube (front)
66	A, B(T/E)	C6SZ 6A664-A			1		Rear
66	B-GT, F(4/B, T/E)	★C6GY 6A664-A			1		Air cleaner to oil filler cap
67	B-GT, F(4/B) - "Before 10/3/66"	★C7ZZ 6A664-A			1		
67/68	B-GT, F (4/B)- "CHG/L8/"	C7ZZ 6A664-B			1		5/8" I.D. valve end-1/2" I.D. tube end
67	B-GT, F (4/B) T/E	C6AZ 6A664-A			1		Air cleaner to oil filler cap
67	B(2/B)-T/E	C7OZ 6A664-A			1		1/2" I.D.-11" long
68	A(4/B)	C8AZ 6A664-A			1		1/2" I.D. -molded-attaches valve
68/71	A, B(2/B)	C8AZ 6A664-D			1		20" long-5/8" I.D. one end-1/2" I.D. other end-attaches valve
68	B-GT, F(2/B)	C8OZ 6A664-A			1		11" long-1/2" I.D.- attaches valve
67	A (C/M, C6, Imco)	★C6AZ 6A664-L			1		Attach oil filler to air cleaner
69	B-GT, F-GT-'Before 2/21/69"	C9ZZ 6A664-A			1		5/8" I.D. one end 1/2" I.D. other end-15" long
69	B-GT, F-GT-"From 2/21/69"	C7TZ 6A664-A			1		Valve to engine
69/71	A(2/B)	BPA 18572-A			AR		Clamp (hose)
69/70	B-GT, F-GT(4/B)				AR		

NOTE 1 - Cut from C3AZ 6A664-B # Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352		QUANTITY 390		PART NAME AND DESCRIPTION
65	A	C2AZ 6A665-A	1				ADAPTER ASSY. - CRANKCASE VENTILATION
68/71	A, B (2/B)	C8AZ 6A665-A			1		Cap assy. -c/case ventilation valve retainer-use
68	A(4/B)	(EC-17)			1		with C8AZ 6A892-B grommet
65/69	"Before 11/25/68"	C0AZ 6666-A	1		1		PLUG - OIL PUMP RELIEF VALVE-in oil pump body-cup type-.559" &.567" O.D.-.361" height-.114" orifice
69/71	"From 11/25/68"	C6AZ 6666-A			1		Plug-in oil pump-cup type
		6A666					VALVE POSITIVE CRANKCASE VENTILATION - (P.C.V.)
65/68	A, B, S (2/B, 4/B)-	D0AZ 6A666-A	1		1		#C6AE 6A666-B
66/67	B-GT (4/B) "Before CHG/L8"	(EV-50)			1		
69	A				1		
70/71	A (2/B)				1		
69	B-GT, F-GT-"From 2/21/69"				1		
67	B-GT, F(2/B P.F., 4/B)- "CHG/L8/"	C7OZ 6A666-A (EV-42)			1		1/4"-18 one end-Also refer to Basic 6A706
69	B-GT, F-GT-"Before 2/21/69"				1		
68	B-GT, F(2/B P.F., 4/B)	C8OZ 6A666-B (EV-45)			1		1/4"-18 one end-Also refer to Basic 6A706
65/71		C6AZ 6670-A	1		1		SPRING - OIL PUMP RELIEF VALVE-1-63/64" free length
65/66	"Before 5/2/66" NOTE: plunger for 8 cyl. 390 P/C serviced in C0AE 6600-C pump assy. only	B9AE 6674-A	1		1		PLUNGER - OIL PUMP RELIEF VALVE - use with C0ME 6600-B pump
66/71	"From 5/2/66"	C6AZ 6674-A	1		1		1-9/16" long
65/66	A, P/C	C7AZ 6675-A	1		1		PAN ASSY.-OIL -Also refer to Accessories Section
65/69	All High Performance Vehicles	★C8AX 6675-A			1		Deep sump-7 qt. -requires special pick up
65/69	B, B-GT, F, S (2/B, 4/B)	C6OZ 6675-A			1		
67/71	A				1		
65/68	A, S	373994-S(XX348E)	2		2		Washer (rear brg. seal bolts)-sealer type spring
65/71		20326-S7(B49)	20		20		Bolt (oil pan to cyl. block)-5/16"-18 x 5/8" hex. hd.
		34806-S7(X64)	20		20		Lockwasher-5/16
65/71		C3AZ 6700-A	1		1		SEAL - CYLINDER FRONT COVER OIL
65/71		C9OZ 6701-A	2		2		PACKING - CRANKSHAFT REAR - cut to length - rope type
65/70		B8AZ 6701-A	2		2		Rubber-formed seal-3.40" dia. -split lip type
		6A706					CONNECTOR - CRANKCASE VENTILATION HOSE - emission reduction control
67	A, B (2/B, 4/B)	★C7AZ 6A706-A			1		3 way tee-3/8"-18 male & female-2 3/16" hose tubes
67/69	B-GT, F (4/B) - "CHG/L8 to 2/21/69"	ΔC7OZ 6A706-A			1		1/4"-18 female-5/8" hose end-att. 6A666 valve, 6758 tube & anti-backfire valve - Not used from 2/21/69"

Identification marking

Δ Not used before Chg. /L8

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352	QUANTITY 390	PART NAME AND DESCRIPTION
65/71		D0AZ 6710-A	1	1	GASKET - OIL PAN - rubber & cork
65/71		★ D1AZ 6730-A r/b D1AZ 6730-B (11/74)	1	1	PLUG - OIL PAN DRAIN - 1/2"-20 - includes (1) C2OZ 6734-A gasket
65/71		☆ C1AZ 6731-A (FL-1)	1	1	ELEMENT ASSY. - OIL FILTER - "Spin-on" - one piece filter-has 3/4"-16 female threads
65/71		♦CC1AZ 6731-A (FL-1)	1	1	"Spin on" type
65/71		C2OZ 6734-A	1	1	GASKET - OIL PAN DRAIN PLUG - #Nylon-13/16" O. D. -1/2" I. D. -5/64" thick
65	A, P/C	C5AZ 6750-D	1	1	INDICATOR - OIL LEVEL - 17. 55" shield to full 18. 59" shield to add 19. 59" shield to end
66	A	C6AZ 6750-A	1	1	17. 80" shield to full 18. 58" shield to add 19. 81" shield to end
65	S	C5SZ 6750-A		1	20. 06" shield to full 22. 22" shield to add 23. 22" shield to end
66	B-exc. GT	C6OZ 6750-A		1	#Plain-20. 80" shield to full 21. 94" shield to add 22. 94" shield to end-opt. w/C6GY 6750-A
66	B-GT	C6GY 6750-A		1	#Chrome-Black plug in handle 20. 80" shield to full 21. 94" shield to add 22. 94" shield to end-opt. w/C6OZ 6750-A
66	S	C6SZ 6750-B		1	21. 56" shield to full 22. 70" shield to add 23. 70" shield to end
67/71		C7AZ 6750-A		1	#Black handle 17. 42" shield to full 18. 50" shield to add 19. 25" shield to end-opt. with C7OZ 6750-A
67/71		C7OZ 6750-A		1	#Chrome handle 17. 42" shield to full 18. 50" shield to add 19. 25" shield to end-opt. with C7AZ 6750-A
65/71	A, S, P/C	C5AZ 6754-D	1	1	TUBE ASSY. - OIL LEVEL INDICATOR - Refer to Basic No. 6750
65/66	S	C5SZ 6754-A		1	Approx. 13 1/2" long
66	B, B-GT	C6OZ 6754-A		1	
67/69	B, B-GT, F	C7OZ 6754-A		1	Approx. 10-5/64" long
		6758			TUBE - CRANKCASE VENTILATION - Non-emission reduction - Also refer to Basic No's 6A664, 6A665 & 6853
65	A(non em/re)	C5AZ 6758-F	1	1	Attaches to rocker arm cover Emission reduction - Also refer to Basic No's 6A664, 6A665 & 6853
66/68	F, S(2/B & 4/B carb.)	C6AZ 6758-A		1	Attach to front & rear of intake manifold
68	B, F(4/B)-T/E	★ C8OZ 6758-A Not replaced		1	

Identification marking ☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 352	QUANTITY 390	PART NAME AND DESCRIPTION
		6766			CAP ASSY.-OIL FILLER & BREATHER
		★6766		★	Oil separator - Retain 6A666 valve-see basic 6A665
					ROCKER ARM COVER TYPE - OPEN
65/68	A, B, B-GT, F, S, P/C(2/B, 4/B)	C3AZ 6766-D (EC-64)	1	1	#Black
		C3AZ 6766-E	1	1	# Chrome
					ROCKER ARM COVER TYPE - CLOSED and/or THERMACTOR
65/67		C4TZ 6766-B (EC-31)	1	1	#Black-has straight spout-opt. with C5ZZ 6766-D
65/67		C5ZZ 6766-D	1	1	#Chrome-has straight spout-opt. w/C4TZ 6766-B
66/69	B-GT, F(4/B)	(EC-10)		1	
68/69	A, B, F(2/B, 4/B)	C8AZ 6766-A (EC-1)		AR	#Black
		C8AZ 6766-B (EC-2)		AR	#Chrome
70/71	A(2/B)	D1AZ 6766-A (EC-8-A)		1	# Black
68/71		C8AZ 6767-A		1	ELBOW - CRANKCASE VENTILATION HOSE - 90° -5/8" x 5/8" - Also refer to Basic 9600
		★6853	★	★	HOSE - CRANKCASE VENTILATION Cut from B4C 4090-A-3/8" I. D. Cut from C3AZ 6A664-A-1/2" I. D. Cut from C3AZ 6A664-B-5/8" I. D. Also refer to Basic 6A664
65	A, S, P/C(closed em/re)	C5AZ 6A868-A	1	1	ADAPTER - OIL FILLER - Also refer to Group 6763
66	A(closed em/re, T/E)		1		
66/67	B-GT(closed em/re, T/E)			1	
67	F(T/E)			1	
68	A (C/M, C6)			1	
66/69	High Perf. B, F	C6AZ 6869-A		1	COVER - CRANKCASE VENT
65/71		C0AZ 6881-A	1	1	ADAPTER ASSY. - OIL FILLER - spin on type filter
65/71		352464-S8(BB139)	4	4	Bolt (adapter to block)-5/16"-18 x 1 1/8"
65/70		B8A 6890-A	1	1	INSERT - OIL FILTER MOUNTING BOLT - 3/4"-16 external threads-1/2"I.D.-1.30"long-use with "Spin-On" type filter-attach filter to adaptor
		6A892			RETAINER - CRANKCASE VENTILATION - GROMMET
67	"Chg/L8/"	C7AZ 6A892-A		1	P.C.V. Valve (grommet) - Also refer to Group 6582
69/70	B-GT, F-GT			1	Also refer to Group 6582
68/71	Exc. B & F-GT	C8AZ 6A892-B		1	P. C. V. VALVE to 6A665 cap
68/71		C8AZ 6A892-A		1	Elbow to oil filler cap - (grommet)-1 7/16"O.D. - 37/64"I.D. -Also refer to Basic 9600

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 400	IDENT. TAG CODE	PART NAME AND DESCRIPTION
		6007	★		ENGINE ASSEMBLY -service details
71/		D1AZ 6008-A	1		GASKET SET - COMPLETE OVERHAUL

Consists of

1-D0AZ 6020-A gasket (front cover)
2-D0AZ 6051-C gasket (cyl.head)
16-D0AZ 6571-A seal (valve stem)
2-D0OZ 6584-A gasket (rocker cover)
1-D0AZ 6659-A gasket (oil pump)
1-D0AZ 6700-A seal (crankshaft-front)
2-C9OZ 6701-A seal (crankshaft-rear)
1-D0AE 6710-B gasket (oil pan-R.H.)
1-D0AE 6711-B gasket (oil pan-L.H.)
2-D0AE 6723-B seal (oil pan-front & rear)
1-C2OZ 6734-A gasket (oil drain plug)
1-C8SZ 8255-A gasket (water conn.)
1-D0AZ 8513-A gasket (water pump)
1-D0AZ 9417-A gasket (fuel pump)
2-D1AE 9A425-AA seal (intake manifold-front & rear)
1-D1AE 9D440-AA gasket & cover assy.-(intake manifold open.)

71/		C2OZ 6A008-A	4		DOWEL - CYL. HEAD TO CYLINDER BLOCK
72		CD1AZ 6D008-A	1		HEATER KIT - CYL. BLOCK
		6009			CYLINDER ASSY.-Includes cylinder block with all internal parts of the engine but does not include cylinder heads, tappets, oil pan or cylinder front cover unless indicated
71/		D1AZ 6009-B	1		
71/		D1AZ 6010-A	1		BLOCK ASSEMBLY - CYLINDER
71/		D2AZ 6B018-A	1		WIRE ASSY. - CYL. BLOCK HEATER
		★6019			COVER ASSY.-CYLINDER FRONT - refer to group 6B070
71/		D0AZ 6020-A	1		GASKET - CYL. FRONT COVER
71	"Before 5/3/71"	D3AZ 6023-A	1		POINTER - TIMING
71/	"From 5/3/71"	D1ZZ 6023-A	1		
		6026			PLUG - ENGINE
71/		C8AZ 6026-C	6		Plug-1 1/2" O.D.
		C8AZ 6026-D	AR		.060" O/S
71/		C8SZ 6026-A	2		Plug(oil gallery in front of block)-5/8"-18
71/		87837-S(P15)	2		Plug(water drain holes in block)-1/4"-18 x 27/64"
71/		87710-S(P16)	3		Plug(oil passage holes in block)-3/8"-18 x 15/32"
71/		371485-S(PP8A)	6		Plug(core hole in head)-3/4"-14 x 17/32"

6028, 6029, 6030 and 6038 FRONT MOTOR MOUNT CHART

YEAR	MODEL	C.I.D.	*SUPPORT BRACKET R.H.	*SUPPORT BRACKET L.H.	* BRACKET R.H.	* BRACKET L.H.	*INSULATOR R.H.	*INSULATOR L.H.
71/	A	400	D1AZ 6028-A	D1AZ 6029-A			★D4AZ 6038-B r/b D5AZ 6038-C(11-74)	D4AZ 6038-A
72	B	400			D2SZ 6030-A	D2SZ 6030-A	D2SZ 6038-A	D2SZ 6038-B
72	S	400			D2SZ 6030-A	D2SZ 6030-A	D2SZ 6038-C	D2SZ 6038-D

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 400	PART NAME AND DESCRIPTION
72	B,S	34988-S4(M89D)	4	Nut-7/16"-14 Hex. lock (attach 6030 to 6038)
		6038		INSULATOR - FRONT SUPPORT - refer to Front Motor Mount Chart (group 6028)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 400	PART NAME AND DESCRIPTION
72	B	D0OZ 6A042-A	1	REINFORCEMENT - REAR SUPPORT - R.H.
		D0OZ 6A042-C	1	L.H.
72	B,S	D2OZ 6047-A	2	BOLT - INSULATOR TO CROSS MEMBER - 3/8" - 16 x 5" Hex. Hd. Piloted
		6049		HEAD - CYLINDER
71/		D3AZ 6049-H	2	Without valves
71/		D3AZ 6049-G	2	Complete with valves
71/		★D3AZ 6051-A r/b D4AZ 6051-A (11/74)	2	GASKET - CYLINDER HEAD - Steel

6054 and 6068 REAR MOTOR MOUNT CHART

YEAR	MODEL	C.I.D.	*SUPPORT-CROSS MEMBER	* RETAINER REAR SUPPORT	* INSULATOR ASSEMBLY	*BRACKET R.H.	*BRACKET L.H.
71	A(C6)"Before 7/1/71"	400		C9AZ 6054-A	C9AZ 6068-H		
71/	A(C6)"From 7/1/71"	400		D2AZ 6054-A	D2AZ 6068-B		
72	B(C6)	400			D2OZ 6068-B		
72	S	400			D2SZ 6068-B		

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 400	PART NAME AND DESCRIPTION
71/		D0AZ 6065-A	20	BOLT - CYLINDER HEAD-1/2"-13 x 4 5/16"
		6068		INSULATOR ASSY. - REAR SUPPORT - refer to Rear Motor Mount Chart (group 6054)
71/		D0AZ 6B070-A	1	PLATE - CYLINDER FRONT COVER
71/		372995-S13	4	Screw & washer(plate to block)-5/16"-18 x 3/4"
71/		D1AZ 6079-A	1	GASKET SET - VALVE GRIND

Consists of
2-D0AZ 6051-C gasket (cyl.head)
16-D0AZ 6571-A seal (valve stem)
2-D0OZ 6584-A gasket (rocker arm cover)
1-C8SZ 8255-A gasket (water conn.)
♦2-D1AE 9A425-AA seal (intake manifold to block)-front & rear
♦1-D1AE 9D440-AA gasket & cover assy.-(intake manifold open.)
♦ Serviced in D1AZ 9433-A

6108 PISTON ASSEMBLY - CHART
In the Standard column of the chart below (R) designates red size - (B) designates blue size.
Red size and blue size are optional for selective fit.

YEAR	MODEL	C.I.D.	RINGS	INCL.	QTY.	PART NUMBER STANDARD	.003" O/S	.020" O/S	.030" O/S	.040" O/S	.060" O/S
71/72		400	3	▲	8	D2AZ 6108-G(R) D2AZ 6108-H(B)	D2AZ 6108-J	D2AZ 6108-K	D2AZ 6108-L	D2AZ 6108-M	

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 400	PART NAME AND DESCRIPTION
71/		C6AZ 6135-A	8	PIN - PISTON

6148 RING SET - PISTON PARTIAL - CHART - Consists of the necessary rings to re-ring (2) pistons

YEAR	MODEL	C.I.D.	RINGS	TYPE	PART NUMBER STANDARD	.020" O/S	.030" O/S	.040" O/S	.060" O/S
71/		400	3	Hi Lo	C3AZ 6148-F	C3AZ 6148-G	C3AZ 6148-H	C3AZ 6148-J	

* (1) required unless otherwise noted ▲ Includes piston pin

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 400				PART NAME AND DESCRIPTION
71/		D1AZ 6200-A	8				ROD ASSEMBLY - CONNECTING

6211 BEARING - CONNECTING ROD - CHART

YEAR	MODEL	C.I.D.	UPPER	LOWER	PART NUMBER STANDARD	.001" U/S	.002" U/S	.010" U/S	.020" U/S	.030" U/S	.040" U/S
71/		400	8	8	D0AZ 6211-A	D0AZ 6211-B	D0AZ 6211-C	D0AZ 6211-D	D0AZ 6211-E	D0AZ 6211-F	

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 400				PART NAME AND DESCRIPTION
71/		C9AZ 6212-B	16				NUT - CONNECTING ROD - 3/8"-24 x 1/2" hex.
71/		D1AZ 6214-A	16				BOLT - CONNECTING ROD - 3/8"-24 x 2 1/2"
71/		D1AZ 6250-A	1				CAMSHAFT - #3U
71/		D0AZ 6A251-A	1				BEARING KIT - CAMSHAFT - standard

Consists of

1-D9AZ 6261-E front
1-C2OZ 6262-A center
1-C2OZ 6263-A rear
1-C2OZ 6267-A front (intermediate)
1-C2OZ 6270-A rear (intermediate)
1-C5AZ 6266-B plug

71/		D0AZ 6256-A	1				SPROCKET - CAMSHAFT
71/		73328-S(N87B)	1				Dowel - 5/16" x 1 1/8"

6261, 6262, 6263, 6267 & 6270 BEARING - CAMSHAFT - CHART

YEAR	MODEL	C.I.D.	SIZE	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
71/		400	Standard	D0AZ 6261-E	C2OZ 6267-A	C2OZ 6262-A	C2OZ 6270-A	C2OZ 6263-A

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 400				PART NAME AND DESCRIPTION
71/		C5AZ 6266-B	1				PLUG - CAMSHAFT REAR BEARING CUP - plug bearing hole in block-2 1/4"
		6267					Refer to Camshaft Bearing Kit (group 6A251)
71/		D0AZ 6268-A	1				CHAIN - TIMING
71/		C8SZ 6269-A	1				PLATE - CAMSHAFT THRUST
		6270					Refer to Camshaft Bearing Chart (group 6261)
71/		C2OZ 6278-A	1				WASHER - CAMSHAFT SPROCKET
		6287					ECCENTRIC - CAMSHAFT FUEL PUMP DRIVE
71/		D0AZ 6287-A	1				Outer
71/		D0AZ 6287-B	1				Inner
71/		20522-S8(B89)	1				Bolt (eccentric to camshaft)-3/8"-16 x 2"
71/		C0DZ 6A302-A	1				PIN - CRANKSHAFT REAR OIL SEAL
71/		D2AZ 6303-B	1				CRANKSHAFT ASSY.
71/		C8SZ 6306-A	1				SPROCKET - CRANKSHAFT
71/	All off highway vehicles	★D1ZX 6306-BA	1				18 teeth-1 3/8" I.D.-2 7/8" pitch dia.-7 timing keyways
71/		D0AZ 6310-A	1				SLINGER - CRANKSHAFT OIL

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER.	QUANTITY 400	PART NAME AND DESCRIPTION
		6A312		PULLEY ASSEMBLY - CRANKSHAFT - OUTER
71	A-w/A/c-w/ or w/oP/S	D0OZ 6A312-B	1	#D0OE 6312-C - triple sheave-6 23/32" O.D.-
72	A, B-w/A/C		1	8" O.D. & 8 13/32" O.D.-used to service pulley identified D0AE-6312-C
71	A-w/o A/C-w/or w/o P/S	D0OZ 6A312-E	1	#D0OE 6312-B - double sheave-8" outer pulley- 6 11/16" inner pulley dia.-uses 1/2" & 3/8" belts
72	A, B-w/hang on A/C	D2AZ 6A312-E	1	
72	S	D2SZ 6A312-A	1	#D2SE 6312-AA - Triple sheave-8" outer pulley dia. -7 15/32" center pulley dia. & 6 11/16" inner pulley dia. -uses (2)1/2" belts & (1)3/8" belt
72	A, B-Std.	D0ZZ 6A312-A	1	#D0ZE 6312-B-triple sheave-5 15/16" O.D. & 6 11/16 O.D.-used to service pulley marked D0OE 6312-A
71/		D2AZ 6316-C	1	DAMPER ASSY. - CRANKSHAFT - 6 1/2" O.D.- 3 1/2" long
71/		377850-S(BB273A)	1	Bolt(damper to crank)-5/8"-18 x 1 3/4"
71/		372854-S(LL11)	1	Key(damper to crank)-3/16"-1 3/4"

6333 and 6337 BEARING - CRANKSHAFT MAIN - CHART

YEAR	MODEL	C.I.D.	SIZE	UPPER	LOWER	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
71/		400	Std.	x	x	D1AZ6333-A	D1AZ6333-A	D1AZ6337-A	D1AZ6333-A	D1AZ6333-A
			.001"			D1AZ6333-B	D1AZ6333-B	D1AZ6337-B	D1AZ6333-B	D1AZ6333-B
			.002"			D1AZ6333-C	D1AZ6333-C	D1AZ6337-C	D1AZ6333-C	D1AZ6333-C
			.010"			D1AZ6333-D	D1AZ6333-D	D1AZ6337-D	D1AZ6333-D	D1AZ6333-D
			.020"			D1AZ6333-E	D1AZ6333-E	D1AZ6337-E	D1AZ6333-E	D1AZ6333-E
			.030"			D1AZ6333-F	D1AZ6333-F	D1AZ6337-F	D1AZ6333-F	D1AZ6333-F

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 400	PART NAME AND DESCRIPTION
71/		D0AZ 6345-B	10	BOLT - CRANKSHAFT MAIN BEARING CAP - also used to attach windage baffle to M. B. caps
71/		C2OZ 6A366-A	1	PLATE - FLYWHEEL REINFORCING
71/		D1AZ 6375-A	1	FLYWHEEL ASSY. - 164 teeth
71/		B8A 6378-A	1	WASHER - CRANKSHAFT PULLEY RETAINING
71/		★C3AZ 6379-B r/b D2AZ 6379-B (6-74)	6	BOLT - FLYWHEEL TO CRANKSHAFT - 7/16"- 20 x 13/16" -used with 6A366 plate
72		D2AZ 6379-B	6	7/16"-20 x 3/4"-used without 6A366 plate
71/		EAD 6397-A	2	DOWEL - CYL. BLOCK-to flywheel housing
71/		D1AZ 6411-A	1	SEAL - REAR COVER PLATE
71/		D1AZ 6500-A	16	TAPPET ASSY. - VALVE - hydraulic

6505-07 VALVE - INTAKE and EXHAUST - CHART

YEAR	C.I.D.	MODEL	EXHAUST VALVE LENGTH	EXHAUST VALVE HEAD DIA.	EXHAUST VALVE STEM SIZE	EXHAUST VALVE STEM DIA.	EXHAUST VALVE PART NUMBER	INTAKE VALVE LENGTH	INTAKE VALVE HEAD DIA.	INTAKE VALVE STEM SIZE	INTAKE VALVE STEM DIA.	INTAKE VALVE PART NUMBER
71/	400		5.05"	1.61"	Std.	.3415	D1AZ 6505-A	5.23	2.04	Std.	.3420	D0AZ 6507-E
					.003"		★D1AZ 6505-B r/b D5AZ 6505-B (11/74)			.003"		D0AZ 6507-F
					.015"		★D1AZ 6505-C r/b D5AZ 6505-C (3/75)			.015"		D0AZ 6507-G
					.030"		D1AZ 6505-D			.030"		D0AZ 6507-H

Identification marking

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 400				PART NAME AND DESCRIPTION
		6510					BUSHING - VALVE GUIDE - NOTE 1
71/		D1AZ 6510-B	AR				Intake-2.4" long-.501" O.D.-.313" I.D.
71/		D1AZ 6510-A	AR				Exhaust-2.29" long-.501" O.D.-.313" I.D.
71/		D1AZ 6513-A	16				SPRING - VALVE
71/		D0AZ 6514-A	16				RETAINER - VALVE SPRING
71/		D0AZ 6518-A	32				KEY - VALVE SPRING RETAINER
71/		D1AZ 6524-A	16				BAFFLE - VALVE ROCKER ARM OIL
71/		D0OZ 6A527-A	16				BOLT - VALVE ROCKER ARM SUPPORT - 5/16"-18 x 1 3/8" hex.head
71/		D1OZ 6A528-A	16				SEAT - VALVE ROCKER ARM FULCRUM
71/		C9ZZ 6564-A	16				ARM - VALVE ROCKER
71/		D1AZ 6565-A	16				ROD - VALVE PUSH - 9.51" long
		D1AZ 6565-B	AR				.060" O/S
		D1AZ 6565-C	AR				.060" U/S
71/		D0AZ 6571-A	16				SEAL - VALVE STEM
		6582					COVER ASSY. - VALVE ROCKER ARM
71/		D2SZ 6582-A	1				R.H.
		D2SZ 6582-B	1				L.H.
71/		373071-S(BB554M)	16				Screw & washer(cover to head)-1/4"-20 x 5/8"
71/		D0OZ 6584-A	2				GASKET - VALVE ROCKER ARM COVER
71/		D0AZ 6600-B	1				PUMP ASSY. - OIL -less screen & cover-includes (1) D0AZ 6659-A gasket
71/		C8SZ 6608-A	1				ROTOR and SHAFT ASSY. - OIL PUMP DRIVE
71/		B8A 6616-C	1				PLATE - OIL PUMP BODY
71/		42911-S(B41A)	4				Bolt(plate to body)-1/4"-20 x 5/8"
71/		D0AZ 6A616-A	1				PLUG - OIL PUMP RELIEF VALVE
71/		D0AZ 6A618-A	1				SHAFT ASSY. - OIL PUMP INTERMEDIATE - includes retaining ring
71/		D1AZ 6622-A	1				SCREEN, TUBE & COVER ASSY. - OIL PUMP
71/		C4TZ 6629-A	1				RING - OIL PUMP INTERMEDIATE SHAFT RETAINER
71/		D0AZ 6659-A	1				GASKET - OIL PUMP TO BLOCK
		6A664					HOSE - CRANKCASE VENTILATION - Also refer to basic 6853
		C9PZ 6A664-B (KCV-2)	AR				Bulk hose-5/8" I.D.-25 ft. long-cut to fit
71/		D1OZ 6A664-B	1				Approx. 23 1/2" long-attach to P.C.V. valve & carb.
71/		D0AZ 6A666-A	1				VALVE - POSITIVE CRANKCASE VENTILATION (P.C.V.)
		(EV-50)	1				

NOTE 1 - Bushing must be reamed to size of valve

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 400				PART NAME AND DESCRIPTION
71/		C5AZ 6670-A	1				SPRING - OIL PUMP RELIEF VALVE
71/		C5AZ 6674-A	1				PLUNGER - OIL PUMP RELIEF VALVE
71/		D0AZ 6675-A	1				PAN ASSY. - OIL
71/		373071-S(BB554M)	16				Screw & washer(pan to block)-1/4"-20 x 5/8"
71/		D0AZ 6700-A	1				SEAL - CYLINDER FRONT COVER OIL
71/		C9OZ 6701-A	2				PACKING - CRANKSHAFT REAR - rope type
71/		D0OZ 6701-A	2				Split-lip type
		6710-11					GASKET - OIL PAN - refer to group 6781
		6722-23					SEAL - OIL PAN - refer to group 6781
71/		★D1AZ 6730-A r/b D1AZ 6730-B (11/74)	1				PLUG - OIL PAN DRAIN
71/		☆C1AZ 6731-A (FL-1)	1				ELEMENT ASSY. - OIL FILTER - "spin-on"- one piece filter-has 3/4"-16 female threads
71/		♦CC1AZ 6731-A (FL-1)	1				"Spin-on" type
71/		C2OZ 6734-A	1				GASKET - OIL PAN DRAIN PLUG
71/		D0AZ 6750-A	1				INDICATOR - OIL LEVEL
71/		D1AZ 6754-A	1				TUBE ASSY. - OIL LEVEL INDICATOR
71/		87031-S91 (T1DA)	1				"O" ring -3/8" I.D. -used at base of 6754 tube
		6766					CAP ASSY. - OIL FILLER and BREATHER
71/		D1AZ 6766-A (EC-8-A)	1				#Black
72		D1ZZ 6766-A (EC-508)	1				#Chrome-optional w/specified black cap
71/		C8AZ 6767-A	1				ELBOW - CRANKCASE VENTILATION HOSE
71/		D0AZ 6781-D	1				GASKET SET - OIL PAN

Consists of
1-D0AE 6710-B gasket (R.H.)
1-D0AE 6711-B gasket (L.H.)
2-D0AE 6723-A seal (front & rear) or D0AE 6723-B
1-C2OZ 6734-A gasket

71/		D1AZ 6788-A	1				BRACKET - CRANKCASE VENT VALVE HOSE CLIP
		★ 6853					HOSE - CRANKCASE VENTILATION - Cut to fit from bulk hose 4090 - also refer to group 6A664
71/		D1AZ 6890-A	1				INSERT - OIL FILTER MOUNTING BOLT - 3/4"-16 & 1 1/16"-12 male thread-1 13/64" long
71/		C8AZ 6A892-A	1				RETAINER - CRANKCASE VENTILATION - grommet (elbow to cover)
71/		C8SZ 6A892-A	1				P.C.V. to oil filler cap

#Identification Marking ☆ U.S. only ♦ Canada only

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 427	PART NAME AND DESCRIPTION
		6008		GASKET SET - COMPLETE OVERHAUL
65		C3AZ 6008-E	1	
	Consists of			
	1-C0AE 6020-C Gasket	1-B8TZ 6626-A Gasket		1-C8PZ 8255-U Gasket
	2-C3AZ 6051-B Gasket	1-C0AZ 6A636-B Gasket		2-B8A 8507-A Gasket
	2-C1AE 6336-B Seal	1-B8AZ 6659-A Gasket		1-C2AZ 8513-A Gasket
	1-C3AZ 6411-B Seal	1-C3AZ 6700-A Seal		1-C3AZ 9417-C Gasket
	1-C3AZ 6411-C Seal	2-C9OZ 6701-A Packing		1-C8AZ 9A424-A Seal
	16-B8AZ 6571-B Seal	1-D0AZ 6710-A Gasket		1-C8AZ 9A425-A Seal
	2-D0AZ 6584-C Gasket	1-C2OZ 6734-A Gasket		2-C8AZ 9441-A Gasket
66/67		C6AZ 6008-G	1	
	Consists of			
	1-C0AE 6020-C Gasket	1-B8TZ 6626-A Gasket		1-C8PZ 8255-U Gasket
	2-C3AZ 6051-B Gasket	1-C0AZ 6A636-B Gasket		2-B8A 8507-A Gasket
	2-C1AE 6336-B Seal	1-B8AZ 6659-A Gasket		1-C2AZ 8513-A Gasket
	1-C3AZ 6411-B Seal	1-C3AZ 6700-A Seal		1-C3AZ 9417-C Gasket
	1-C3AZ 6411-C Seal	2-C9OZ 6701-A Packing		1-C8AZ 9A424-A Seal
	16-C5AZ 6571-C Seal	1-D0AZ 6710-A Gasket		1-C8AZ 9A425-A Seal
	2-D0AZ 6584-C Gasket	1-C2OZ 6734-A Gasket		2-C8AZ 9441-A Gasket
68		C8AZ 6008-C	1	
	Consists of			
	1-C0AE 6020-C Gasket	1-B8TZ 6626-A Gasket		1-C8PZ 8255-U Gasket
	2-C3AZ 6051-B Gasket	1-C0AZ 6A636-B Gasket		2-B8A 8507-A Gasket
	2-C1AE 6336-B Seal	1-B8AZ 6659-A Gasket		1-C2AZ 8513-A Gasket
	1-C3AZ 6411-B Seal	1-C3AZ 6700-A Seal		1-C3AZ 9417-C Gasket
	1-C3AZ 6411-C Seal	2-C9OZ 6701-A Packing		1-C8AZ 9A424-A Seal
	16-C4TZ 6571-J Seal	1-D0AZ 6710-A Gasket		1-C8AZ 9A425-A Seal
	2-D0AZ 6584-C Gasket	1-C2OZ 6734-A Gasket		2-C8AZ 9441-A Gasket
65/68		B9AE 6A008-A	4	DOWEL - CYLINDER HEAD TO CYLINDER BLOCK -.7355" O.D.-.61" I.D.-.44" height-split
		6009		CYLINDER ASSY. - includes cylinder block with all internal parts of the engine does not include cylinder heads, tappets, oil pan or cylinder front cover unless indicated
65/67		C6AZ 6009-AG	1	4.23" bore-steel crankshaft-includes C3AZ 7007-A plate
68		C8AZ 6009-B	1	4.23" bore
		6010		BLOCK ASSY. - CYLINDER
65/67		C8AZ 6010-B	1	Hydraulic tappets-4.23" bore-used with mechanical tappet engines for prior to 1968 427 C.I.D.- When used for racing purposes with mechanical tappets,(2) C4TZ 6026-A plug type valves must be used to plug two rear valley oil tappet gallery holes
68		C8AZ 6010-G	1	
65/68		73249-S(N88)	2	Dowel (cyl. block to clutch housing)-3/8" x 9/16"
65/68		43011-S(B263)	6	"Cross-bolt" (used to reinforce block)-3/8"-16 x 2 5/8"-slotted hex. head
		6B018		WIRE ASSY. - CYL. BLOCK HEATER
65/66		CC1TF 6B018-E	1	
67		C7TE 6B018-A	1	2 conductor-use w/3 terminal heater (dummy ground)
67		C7TE 6B018-C	1	3 conductor-use w/3 terminal heater (green ground connector)
65/68		C2AZ 6019-D	1	REPAIR KIT - CYLINDER FRONT COVER

Consists of

1-C0AE 6020-C	Gasket (front cover)	1-C1SZ 9417-A	Gasket (fuel pump mounting)
1-C0AE 6023-C	Pointer (timing)-61/62(exc. Spec.)	4-374408-S	Bolt-5/16"-18 x 3/4"
1-C0AE 6023-D	Pointer (timing)-58/60 & 61/62 Spec.	4-374409-S	Bolt-3/8"-16 x 7/8"
1-C8AE 6059-B	Cover (front)	2-373913-S	Screw-No. 10-24 x 5/16"
1-C3AZ 6700-A	Seal (crankshaft-front)		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 427	PART NAME AND DESCRIPTION
65/68		C0AE 6020-C	1	GASKET - CYLINDER FRONT COVER - (4) .411" & (4) .348" holes-.030" thick-used with aluminum cover
		6023		POINTER - TIMING
65/67		C2AZ 6023-B	1	3 7/8" overall length (2) 7/32" holes
68		C9AZ 6023-A	1	
67/68	B Special (4/B, 8/B carb.)	C6OZ 6A023-C	1	SUPPORT ASSY. - REAR
68	F Special(4/B)	C7ZZ 6A023-B	1	
		6026		PLUG - ENGINE
66/68		C8SZ 6026-A	AR	5/8"-plug core hole in block
65/68	A & B Specials(4/B, 8/B)	C8AZ 6026-A	6	1 3/4" O.D.(plug core hole in block)
68		383024-S(PP66A)	1	Valve assy.-tappet air bleed lubricator-use to plug rear main oil gallery
68	B, F	C8AZ 6026-E	1	
65/68	A & B Specials(4/B, 6/B, 8/B)	353001-S(PP85)	1	Plug (cylinder block camshaft rear bearing hole)-2 3/8"-cup type
65/68	A & B Specials(4/B & 6/B)	371058-S(PP73)	1	Plug (cylinder block rear)-cup type-3/4"
65/67	A & B Specials (4/B, 6/B, 8/B)	357217-S(PP82)	4	Plug (cylinder head end)-1 3/4" diam.-cup type
		6028-29		BRACKET - FRONT SUPPORT
65/67	A Spec. (4/B, 6/B, 8/B)	C5AZ 6028-C	1	R. H.
		C5AZ 6029-C	1	L. H.
68	A Special (4/B)	C5AZ 6028-C	1	R. H.
		C8AZ 6029-A	1	L. H.
67/68	B Special (4/B, 8/B carb.)	C6OZ 6028-A	1	R. H.
		C6OZ 6029-A	1	L. H.
68	F Special(4/B)	C7ZZ 6046-A	1	R. H. (upper)
		C8ZZ 6028-B	1	R. H. (lower)
		C8ZZ 6029-C	1	L. H. (upper)
		D0ZZ 6029-D	1	L. H. (lower)
65/67	A	20390-S8(B102)	4	Bolt (engine front support insulator to cyl. block)-7/16"-14 x 1"-hex. head
		34671-S8(M67)	4	Nut-7/16"-14
		357625-S7-8(XX304)	4	Lockwasher-7/16"
		6030		BRACKET - FRONT MOUNTING
67/68	B Special (4/B, 8/B carb.)	C6OZ 6030-A	1	R. H.
		C6OZ 6030-A	1	L. H.
68	F Special(4/B)	C8ZZ 6030-A	1	R. H.
		C8ZZ 6031-A	1	L. H.
		6038		INSULATOR - FRONT SUPPORT
65	A Spec. (4/B, 6/B, 8/B)	C5AZ 6038-C	1	R. H.
		C5AZ 6038-D	1	L. H.
66/67	A Special (4/B, 8/B carb.)	C5AZ 6038-C	1	R. H.
		C5AZ 6038-E	1	L. H.
67/68	B Special (4/B, 8/B carb.)- "Before 11/1/67"	C6OZ 6038-G	1	R. H.
		C7OZ 6038-A	1	L. H.
68	B Special(4/B)-"From 11/1/67"	C6OZ 6038-G	1	R. H.
		C6OZ 6038-H	1	L. H.
68	F Special(4/B)-76	D0ZZ 6038-D	2	R. H. & L. H.
68	F Special(4/B)-exc. 76	C7ZZ 6038-J	2	R. H. & L. H.
65/67	A Special	33845-S8(M57)	2	Nut (6038 to No. 2 crossmember)-1/2"-13 hex.
		357625-S7(XX304)	2	Lockwasher-7/16"
		351428-S7(XX166)	2	Washer-flat-7/16"
65/67	A Special	20390-S8(B102)	4	Bolt (engine front support insulator to cyl. block)-7/16"-14 x 1"-hex. head
		34671-S8(M67)	4	Nut-7/16"-14
		357625-S7-8(XX304)	4	Lockwasher-7/16"
65/67	A Special (4/B & 8/B carb.)	★C3AZ 6C038-A	1	SHIELD - MOTOR MOUNT HEAT - R. H. -triangular
		★C3AZ 6C038-B	1	L. H. -triangular
		34808-S8(X67)	4	Lockwasher (R. H. & L. H. 6038 to engine)
		6A042		REINFORCEMENT - REAR SUPPORT
68	B Special(4/B)(except 76-◊)	C8OZ 6A042-C	1	R. H.
		C8OZ 6A042-D	1	L. H.

◊ Not used on model 76 "From 12/1/67"

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 427	PART NAME AND DESCRIPTION
68	F Special (4/B)	6046	★	BRACKET - FRONT SUPPORT - Refer to basic 6028-29
		6049		HEAD - CYLINDER
65/68	All High Performance Veh.	C8OZ 6049-K	2	Replaces cyl. hd. ident. C3AE 6090-J
65			2	
68	B Special(4/B)		2	
65/69	All High Performance Vehicles	C4AE 6049-F	2	High riser type-matching 4/B & 8/B high riser intake manifolds & lightweight valves are required
66/67		C5AZ 6049-C	2	Mechanical tappets
68	F Special (4/B)	C8WY 6049-A	2	
		6051		GASKET - CYLINDER HEAD
65/68		C3AZ 6051-B	2	Steel-.015" thick-#C3AE 6051-B
65/68	All High Perf. vehicles	★C3AE 6051-BS	1	R.H.-stainless steel-.020" thick-use with medium & high riser or tunnel port manifolds
65/68	All High Perf. vehicles	★C4AE 6051-BS	1	L.H.-stainless steel-.020" thick-use with medium & high riser or tunnel port manifolds
66/68		C6AZ 6052-A	AR	PLUG - CYLINDER HEAD EXHAUST AIR SUPPLY - to plug T/E holes in head
		6054		RETAINER - REAR SUPPORT
65/67	A Spec. (4/B, 6/B, 8/B carb.)-S/T	C5AZ 6054-B	1	
68	A Special (4/B)-C6	C5AZ 6054-A	1	7-13/32" long
65/67	A	20392-S8(B120A)	2	Bolt(ret. to trans. ext.)-1/2"-13 x 7/8" hex. head
		20411-S7(B184)	2	Bolt(rear suppt. to frame)-7/16"-20 x 1 1/8" hex. hd.
		34671-S8(M67)	2	Nut-7/16"-20
		356590-S(XX171)	2	Washer-flat-.47" I.D.-.78" O.D.-.10" thick-steel
		357625-S7-8 (XX304)	2	Lockwasher-7/16"
65/68		C1AE 6065-A	10	BOLT - CYLINDER HEAD - 1/2"-13 x 4-29/64"
65/68		C1AE 6065-C	10	1/2"-13 x 2-7/8"
65/67	A Spec. (4/B, 6/B & 8/B)	351453-S8(XX186)	20	Washer-flat-1/2"
65/67	A	20392-S8(B120A)	2	Bolt (ret. to trans. ext.)-1/2"-13 x 7/8" hex. head
		20411-S7(B184)	2	Bolt(rear suppt.to frame)-7/16"-20 x 1 1/8"hex.hd.
		34671-S8(M67)	2	Nut-7/16"-20
		356590-S(XX171)	2	Washer-flat-.47" I.D.-.78" O.D.-.10" thick-steel
		357625-S7-8 (XX304)	2	Lockwasher-7/16"
		6068		INSULATOR ASSY. - REAR SUPPORT
65/67	A Spec. (4/B, 6/B, 8/B)-S/T	C9AZ 6068-E	1	
67/68	B Special (4/B & 8/B carb.)	C9ZZ 6068-D	1	
68	F Special (4/B)-exc. 76		1	
68	F Special (4/B)-76	D0OZ 6068-A	1	
68	A Special (4/B)	C8AZ 6068-B	1	
67	B Special (4/B & 8/B carb.)	C6OZ 6070-A	2	PLATE - REAR SUPPORT - approx. 4 3/4" long-3 5/16" wide
68	B Special(76)		2	
68	B Special (4/B)-exc. 76	C8OZ 6070-A	1	R.H.
		C8OZ 6070-B	1	L.H.
65		C3AZ 6079-D	1	GASKET SET - VALVE GRIND

Consists of

2-C3AZ 6051-B	Gasket (cylinder head)	▲1-C8AZ 9A424-A	Seal (intake manifold-rear)
16-B8AZ 6571-B	Seal (valve stem)	▲1-C8AZ 9A425-A	Seal (intake manifold-front)
2-D0AZ 6584-C	Gasket (valve cover)-rubber	▲2-C8AZ 9441-A	Gasket (intake manifold)
1-C8PZ 8255-U	Gasket (water connection)	▲ Serviced in C3AZ 9433-G	

66/67		C6AZ 6079-G	1	

Consists of

2-C3AZ 6051-B	Gasket (cylinder head)	▲1-C8AZ 9A424-A	Seal (intake manifold-rear)
16-C5AZ 6571-C	Seal (valve stem)	▲1-C8AZ 9A425-A	Seal (intake manifold-front)
2-D0AZ 6584-C	Gasket (rocker arm cover)	▲2-C8AZ 9441-A	Gasket (intake manifold)
1-C8PZ 8255-U	Gasket (water connection)	▲ Serviced in C3AZ 9433-G	

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 427				PART NAME AND DESCRIPTION
68		C8AZ 6079-C		1			GASKET SET - VALVE GRIND - cont'd.
	Consists of						
	2-C3AZ 6051-B	Gasket (cylinder head)					‡1-C8AZ 9A424-A Seal (intake manifold front)
	16-C4TZ 6571-J	Seal (valve stem)					‡1-C8AZ 9A425-A Seal (intake manifold)
	1-D0AZ 6584-A	Gasket (rocker arm cover)					‡2-C8AZ 9441-A Gasket (intake manifold)
	1-C8PZ 8255-U	Gasket (water connection)					‡ Serviced in C3AZ 9433-G
		6096					BRACKET - REAR SUPPORT
67	B Special (4/B & 8/B carb.)-"Before 4/3/67"	★C7OZ 6096-A		1			R.H.
		C6OZ 6096-G		1			L.H.
67	B Special (4/B, 8/B)-"From 4/3/67"	C6OZ 6096-F		1			R.H.
		C6OZ 6096-G		1			L.H.
68	B Special (4/B)	C6OZ 6096-F		1			R.H.
		C6OZ 6096-G		1			L.H.
		6C098-9					STOP - FRONT SUPPORT INSULATOR
67/68	B Special (4/B & 8/B carb.)	C6OZ 6C098-A		1			R.H.
		C6OZ 6C099-A		1			L.H.
		▲ 6108					PISTON ASSY. - 3 rings-includes piston pin & retainer
65		C3AZ 6108-M		8			Standard-eyebrow type
		C3AZ 6108-W		8			.003" O/S-eyebrow type
66/67		C5AZ 6108-A		8			Standard-eyebrow type
		C5AZ 6108-B		8			.003" O/S -eyebrow type
68		C8AZ 6108-A		8			Standard-4.23" bore
		C8AZ 6108-B		8			.003" O/S
65/68	All High Performance Veh.	★D0AX 6108-A		8			Not replaced
70	•Unique competition part			8			
67/68	•Unique competition part	C8AX 6110-A		8			Requires dyke top ring
		6120					EXTENSION - REAR SUPPORT
67	B Special (4/B & 8/B carb.)	C6OZ 6120-G		1			R.H.
		C6OZ 6120-H		1			L.H.
68	B Special (4/B)	C6OZ 6120-G		1			R.H.
		C6OZ 6120-J		1			L.H.
		6135					PIN - PISTON
65		★C3AZ 6135-A		8			.975"/.9753" x 3.207" long
66/68		C5AZ 6135-A		8			
		★C5AZ 6135-B		8			.001" O/S
		★C5AZ 6135-C		8			.002" O/S
65/68		C3AZ 6140-B		16			RETAINER - PISTON PIN-.94" I.D.-1.113" O.D.-.052" thick
		6148					RING SET - PISTON PARTIAL - consists of the necessary rings to re-ring (2) pistons-3 rings-Hi Lo Type
65		C3AZ 6148-A		4			Standard
66/68		C5AZ 6148-A		4			Standard
		6150					RING - PISTON
65/68	All High Performance Veh.	C8AX 6150-A		8			Dyke type-used w/C8AX 6110-A piston
65		C3AZ 6200-F		8			ROD ASSY. - CONNECTING
66/67		C9ZZ 6200-A		8			
65/68	All High Performance Veh.			8			Lemans type-crankshaft rebalancing required
68		C6AZ 6200-C		8			
65/68	All High Performance Veh.	C6AZ 6200-C		8			Street type-crankshaft rebalancing required
65/68	All High Performance Veh.	★C7OE 6200-A		8			7000 plus R.P.M.-use with medium & high riser or tunnel port manifolds-requires Special High Performance bearings
65/68	All High Performance Veh.	C7OZ 6200-B		1			Incl. (8) C7OE 6200-A
65/68		B8A 6207-A		8			BUSHING - CONNECTING ROD - split type 1.0435" O.D.-.038" wall thickness-1.24" long

▲ 6110 is a casting number and cannot be cross-referenced to a service number • Refer to appropriate muscle parts catalog

6211 BEARING - CONNECTING ROD - CHART

YEAR	MODEL	C.I.D.	UPPER	LOWER	PART NUMBER STANDARD	.001" U/S	.002" U/S	.010" U/S	.020" U/S	.030" U/S	.040" U/S
65/67		427	8	8	C5AZ 6211-G .0748"		C1AE 6211-K	C1AE 6211-L	C1AE 6211-M	C1AE 6211-N	
68		427	8	8	C6AZ 6211-A .0758"	C6AZ 6211-B	C6AZ 6211-C	C6AZ 6211-D	C6AZ 6211-E	C6AZ 6211-F	C6AZ 6211-G
65/68	All High Performance	427	8	8	C5AZ 6211-G .0748"						
65/68	All High Perf Veh.-use w/ C7OE 6200-A rod and C9AZ 6303-D crankshaft	427	8	8	★C9AX 6211-E .0753" ★C9AX 6211-F						

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 427	PART NAME AND DESCRIPTION
68		C0ME 6212-A	16	NUT - CONNECTING ROD -13/32"-24
65		C3AZ 6212-A	16	13/32"-24
65		C2AZ 6214-B	16	BOLT - CONNECTING ROD-13/32"-24 x 2 5/32"
68			16	
66/67		C5AZ 6214-B	16	7/16"-20 x 1 3/4"-12 point head
65/68	All High Performance Veh.	★C7OE 6214-A	16	Use with C7OE 6200-A High Performance rods - includes instruction sheet
65/67		C9ZZ 6217-A	16	DOWEL - CONNECTING ROD TO CAP - 1/2" dia. x 1/4"
		6250		CAMSHAFT - less gear
65/67		C3AZ 6250-AA	1	Mechanical tappets-#"VBA", "VBX"-15 teeth on
65/68	All High Performance Veh.		1	distributor gear
68		C8AZ 6250-A	1	#VBAB-hydraulic tappets-15 tooth distributor gear
65/68	All High Performance Vehicles	★C4AE 6250-B	1	.500 lift-use on engines that are properly set up for high R. P. M. operation-this cam requires .176 adjustable rocker arms
65/68	All High Performance Veh.	★C8AX 6250-C	1	.515 lift-steel-use on hydraulic lifter engines
65/68	All High Performance Vehicles	★C8AX 6250-D	1	.600 lift-steel-full race type-use on high R. P. M. engines-for strip & track use only-spl. valve springs, seats and retainers are required
		6A251		BEARING KIT - CAMSHAFT - standard
65		C3AZ 6A251-A	1	

Consists of
1-C3AZ 6261-A Front
1-B8A 6262-AA Center
1-B8A 6263-AA Rear
1-B8A 6267-AA Front Intermediate
1-B8A 6270-AA Rear Intermediate
1-35001-S Plug

66/68		C5AZ 6A251-A	1	

Consists of
1-C3AZ 6261-A Front
1-C5AZ 6262-C Center
1-C5AZ 6263-A Rear
1-C5AZ 6267-A Front intermediate
1-C5AZ 6270-A Rear intermediate
1-353001-S Plug

		6256		SPROCKET - CAMSHAFT
65		C8AZ 6256-A	1	36 teeth-spacer C3AZ 6265-A is not required
68			1	with this sprocket
66/67		C3AZ 6256-B	1	36 teeth
65/67		73357-S(N87C)	1	Pin-dowel (sprocket to camshaft)-5/16" x 1-1/2"

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

6261,6262,6263,6267 & 6270 BEARING - CAMSHAFT - CHART

YEAR	MODEL	C.I.D.	SIZE	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
65		427	Standard .015" U/S	C3AZ 6261-A D3TZ 6261-C	B8A 6267-AA B8A 6267-AB	B8A 6262-AA B8A 6262-AB	B8A 6270-AA B8A 6270-AB	B8A 6263-AA B3A 6263-AB
66/68		427	Standard .015" U/S	C3AZ 6261-A D3TZ 6261-C	C5AZ 6267-A ★C5AZ 6267-B	C5AZ 6262-C C5AZ 6262-D	C5AZ 6270-A ★C5AZ 6270-B	C5AZ 6263-A ★C5AZ 6263-B

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 427	PART NAME AND DESCRIPTION
65/68		C3AZ 6265-A	1	SPACER - CAMSHAFT GEAR or SPROCKET - 1.56" O.D.-3/4" I.D.-not used with C8AZ 6256-A
65/68		C8SZ 6265-A	6	Flat washer-3/8"-1" O.D.-13/64" thick-case hardened
		6267		Refer to Camshaft Bearing Chart group 6261
65/68		D0AZ 6268-A	1	CHAIN - TIMING
65/68		★C3AZ 6269-A r/b D3TZ 6269-A (9-74)	1	PLATE - CAMSHAFT THRUST-1.80" I.D.
65/68		380041-S(BB639B)	2	Screw & washer (plate to cyl.block)-7/16"-14 x 5/8"
		6270		Refer to Camshaft Bearing Chart(Basic No. 6261)
65/68		C3AZ 6287-A	1	ECCENTRIC - CAMSHAFT FUEL PUMP DRIVE
		6303		CRANKSHAFT ASSY.
65/68	All High Performance Veh.	C5AZ 6303-C	1	Steel
65		C4AZ 6303-H	1	Includes (1) C4AZ 6306-A gear attached with 378704-S key - iron
66/67		C5AZ 6303-C	1	Includes (8) ★376636-S cup plugs & (8) ★97421-S rings - steel
68		C8AZ 6303-B	1	Iron
		6306		SPROCKET - CRANKSHAFT
65/68		C4AZ 6306-A	1	18 teeth
69	All off highway vehicles	★D1ZX 6306-CA	1	18 teeth-1 3/8" I.D.-2 7/8" pitch dia.-7 timing keyways
65/68		358963-S(LL2)	1	Key (sprocket to crankshaft)-1/4" x 3/4"
65/69	A Special	C9ZZ 6307-B	8	RING - CRANKSHAFT RETAINING - 15/16" - used in crankshaft
65/68		B8A 6310-A	1	SLINGER - CRANKSHAFT OIL-3.31" O.D.-1.39" I.D.
		6312		PULLEY ASSY. - CRANKSHAFT
65/67		†C3AZ 6312-F	1	#C4AE 6316-E-single sheave 6 5/8" diam.-uses 3/8" belt
65/68	A	34810-S7-8(X69)	1	Lockwasher-9/16"
65/67		377850-S(BB273A)	1	Bolt (pulley to crankshaft)-5/8"-18 x 2"
		6A312		PULLEY ASSY. - CRANKSHAFT - OUTER
68	A & F Specials(4/B)-with or w/out P/S	C8AZ 6A312-D	1	#C8AE 6312-D-triple sheave-inner pulley dia. 6 21/32"-outer pulley dia. 6 5/32"-2 7/32" long-inner pulleys use 3/8" belts-outer pulley uses 1/2" belt
68		D2TZ 6316-A	1	DAMPER ASSY. - CRANKSHAFT
65/68		C1AZ 6A321-C	1	SEAL KIT - CRANKSHAFT REAR MAIN BEARING consists of the following-2-C1AE 6336-B Seal 2-C2OZ 6701-A Packing

† Includes damper

Identification marking

6333 & 6337 BEARING - CRANKSHAFT MAIN - CHART

IN THE SIZE COLUMN OF THE CHART BELOW (R) DESIGNATES RED SIZE - (B) DESIGNATES BLUE SIZE.
RED SIZE AND BLUE SIZE ARE OPTIONAL FOR SELECTIVE FIT.

YEAR	MODEL	C.I.D.	SIZE	UPPER	LOWER	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
65		427	Std. (R)-.0957"	x	x	C1AE 6333-A	C1AE 6333-A	C4AZ 6337-A	C1AE 6333-A	C1AE 6333-A
			Std. (B)-.0961"			C1AE 6333-B	C1AE 6333-B	C4AZ 6337-B	C1AE 6333-B	C1AE 6333-B
			.002"			C1AE 6333-C	C1AE 6333-C	★C4AZ 6337-C	C1AE 6333-C	C1AE 6333-C
			.010"			C1AE 6333-D	C1AE 6333-D	C4AZ 6337-D	C1AE 6333-D	C1AE 6333-D
			.020"			C1AE 6333-E	C1AE 6333-E	C4AZ 6337-E	C1AE 6333-E	C1AE 6333-E
			.030"			C1AE 6333-F	C1AE 6333-F	★C4AZ 6337-F	C1AE 6333-F	C1AE 6333-F
66		427	Std. (R)-.0957"	x		C1AE 6333-A	C1AE 6333-A	C4AZ 6337-A	C1AE 6333-A	C1AE 6333-A
			Std. (B)-.0961"			C1AE 6333-B	C1AE 6333-B	C4AZ 6337-B	C1AE 6333-B	C1AE 6333-B
			.002"			C1AE 6333-C	C1AE 6333-C	★C4AZ 6337-C	C1AE 6333-C	C1AE 6333-C
			.010"			C1AE 6333-D	C1AE 6333-D	C4AZ 6337-D	C1AE 6333-D	C1AE 6333-D
			.020"			C1AE 6333-E	C1AE 6333-E	C4AZ 6337-E	C1AE 6333-E	C1AE 6333-E
			.030"			C1AE 6333-F	C1AE 6333-F	★C4AZ 6337-F	C1AE 6333-F	C1AE 6333-F
66		427	Std. (R)-.0955"		x	C5AZ 6333-A	C5AZ 6333-A	C5AZ 6337-A	C5AZ 6333-A	C5AZ 6333-A
			Std. (B)-.0959"			C5AZ 6333-B	C5AZ 6333-B	C5AZ 6337-B	C5AZ 6333-B	C5AZ 6333-B
			.002"			★C5AZ 6333-C	★C5AZ 6333-C	★C5AZ 6337-C	★C5AZ 6333-C	★C5AZ 6333-C
			.010"			C5AZ 6333-D	C5AZ 6333-D	C5AZ 6337-D	C5AZ 6333-D	C5AZ 6333-D
			.020"			C5AZ 6333-E	C5AZ 6333-E	★C5AZ 6337-E	C5AZ 6333-E	C5AZ 6333-E
			.030"			C5AZ 6333-F	C5AZ 6333-F	★C5AZ 6337-F	C5AZ 6333-F	C5AZ 6333-F
66/67		∕ 427	Std. - .0950"	x		C5AZ 6333-AB	C5AZ 6333-AB	C5AZ 6337-AB	C5AZ 6333-AB	C5AZ 6333-AB
66/67		∕ 427	Std. - .0950"		x	C5AZ 6333-AA	C5AZ 6333-AA	C5AZ 6337-AA	C5AZ 6333-AA	C5AZ 6333-AA
68		427	Std. - .0959"	x	x	C4TZ 6333-H	C4TZ 6333-H	C6TZ 6337-A	C4TZ 6333-H	C4TZ 6333-H
			.001"			C4TZ 6333-J	C4TZ 6333-J	C6TZ 6337-B	C4TZ 6333-J	C4TZ 6333-J
			.002"			C4TZ 6333-K	C4TZ 6333-K	C6TZ 6337-C	C4TZ 6333-K	C4TZ 6333-K
			.010"			C4TZ 6333-L	C4TZ 6333-L	C6TZ 6337-D	C4TZ 6333-L	C4TZ 6333-L
			.020"			C4TZ 6333-M	C4TZ 6333-M	C6TZ 6337-E	C4TZ 6333-M	C4TZ 6333-M
			.030"			C4TZ 6333-N	C4TZ 6333-N	C6TZ 6337-F	C4TZ 6333-N	C4TZ 6333-N
			.040"			C4TZ 6333-P	C4TZ 6333-P	C6TZ 6337-G	C4TZ 6333-P	C4TZ 6333-P

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 427	PART NAME AND DESCRIPTION
65/68		C1AE 6336-B	2	SEAL - CRANKSHAFT REAR MAIN BEARING CAP #Yellow-asbestos & rubber-2 23/32" long-wedge shaped
		B8KY 6336-A	2	.025" O/S
		6337		Refer to Main Bearing Chart (Basic No. 6333)
65/68		C1AE 6345-B	10	BOLT - CRANKSHAFT MAIN BEARING CAP - 1/2"-13 x 3 1/2"
65/68		★6A354		SPACER - CRANKSHAFT MAIN BEARING CAP - 3/4" O.D. -13/32" I.D.
		★C3AZ 6A354-A	6	△Red size-thickness .3767"
		★C3AZ 6A354-B	6	△Blue size-thickness .3750"
		★C3AZ 6A354-C	6	△Yellow size-thickness .3733"

∕ Thin wall type bearing - for competition use - optional with C5AZ 6333-A, B & C5AZ 6337-A, AB
Identification marking △ Red, Blue and Yellow size optional for selective fit

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY				PART NAME AND DESCRIPTION
				427			
65/68		B8AZ 6359-A	1	1			SPACER - CRANKSHAFT DAMPER - steel or cast iron design
		6366					COVER ASSY. - FLYWHEEL HOUSING
65/67		C3AZ 6366-A		1			
65/67		20308-S7(B40)		4			Bolt (bottom cover to flywheel hsg.)-1/4"-20 x 1/2"
		20308-S7(B40) 34805-S8(X62)		1 or 2			Bolt (cover to cylinder block)-1/4"-20 x 1/2" Lockwasher-1/4"
68	A/T	B9AZ 6A366-B		3			PLATE - FLYWHEEL REINFORCING
		6375					FLYWHEEL ASSY.
65/67	M/T	C5AZ 6375-E		1			#C5AE 6375-E or C6AE 6380-E-184 tooth ring-(6) 5/16"-18 pressure plate attaching holes on 12-7/8" bolt circle
68	A/T	C5AZ 6375-D		1			184 tooth ring gear-14-1/2" dia.-(16) 17/64" bolt holes on 11-13/32" bolt circle
65/68		B8A 6378-A		1			WASHER - CRANKSHAFT PULLEY RETAINING-1.76" O.D.-.86" I.D.-.212" thick
65/67		B8AZ 6379-A		6			BOLT - FLYWHEEL TO CRANKSHAFT - 7/16"-20 x 15/16"
68		B8A 6379-B		6			7/16"-20 x 23/32"
65/67		C5AZ 6384-A		1			GEAR - FLYWHEEL RING - 184 teeth
65/67	A Spec.(8/B carb.)-4/M/T	C5AZ 6392-C		1			HOUSING ASSY. - FLYWHEEL
67	B Special (4/B, 8/B)-4/M/T	C6OZ 6392-B		1			#C6OA 6394-B
65/67		20546-S8(B114) 34808-S8(X67)		4 or 6			Bolt (flywheel hsg. to cyl. block)-7/16"-14 x 2 1/2" Lockwasher-7/16"
65/68		EAD 6397-A		2			DOWEL - CYLINDER BLOCK-to flywheel housing-1/2" x 1"
65/68		C3AZ 6411-B		1			SEAL - REAR COVER PLATE-14.44" long-.40" width
65/68		C3AZ 6411-C		1			SEAL - FLYWHEEL HOUSING COVER PLATE
65/67		C3AZ 6435-B		1			GASKET - FLYWHEEL HOUSING -.040" thick-cork and rubber
65/67		C4AZ 6500-B		16			TAPPET ASSY. - VALVE - mechanical-.8742" O.D.-1.85" long
68		C8AZ 6500-A		16			Hydraulic tappets-1.83" long

6505-07 VALVE - INTAKE and EXHAUST - CHART

YEAR	C.I.D.	MODEL	EXHAUST VALVE					INTAKE VALVE				
			LENGTH	HEAD DIA.	STEM SIZE	STEM DIA.	PART NUMBER	LENGTH	HEAD DIA.	STEM SIZE	STEM DIA.	PART NUMBER
65/68	427	All High Perf.Veh.-std.weight solid						5.36"	2.09"	Std.	.3715"	C9OZ 6507-U
65/68	427	All High Perf.Veh.-use w/tunnel port medium & high riser heads-light-weight type	5.45"	1.72"	Std.	.3705"	C5AZ 6505-N					
65/68	427	All High Perf.Veh.-lightweight-not for tunnel port heads					★C8AX 6505-A					★C8AX 6507-A
65/68	427	All High Perf.Veh.-w/tunnel heads										C8AX 6507-B
65	427	Use with C3AZ 6049-K	5.36"	1.66"	Std. .003" .015" .030"	.3705"	C9OZ 6505-N C3AZ 6505-F C9OZ 6505-S C9OZ 6505-T	5.36"	2.09"	Std. .003" .015" .030"	.3715"	♦C9OZ 6507-U ♦C9OZ 6507-V ♦C9OZ 6507-Y ♦C9OZ 6507-Z

Identification marking ♦ Bumper head type

6505-07 VALVE - INTAKE and EXHAUST - CHART - cont'd.

YEAR	C.I.D.	MODEL	EXHAUST VALVE					INTAKE VALVE				
			LENGTH	HEAD DIA.	STEM SIZE	STEM DIA.	PART NUMBER	LENGTH	HEAD DIA.	STEM SIZE	STEM DIA.	PART NUMBER
66	427	Exh.valves sodium cooled-both valves chromed	5.45"	1.72"	Std.	.3705"	C5AZ 6505-N	5.45"	2.19"	Std.	.3715"	C5AZ 6507-N
					.003"		C5AZ 6505-P			.003"		C5AZ 6507-P
					.015"		C5AZ 6505-R			.015"		C5AZ 6507-R
					.030"		C5AZ 6505-S			.030"		C5AZ 6507-M
67	427	Exh.valves sodium cooled-both valves chromed	5.43"	1.72"	Std.	.3705"	C5AZ 6505-N	5.45"	2.19"	Std.	.3715"	C5AZ 6507-N
					.003"		C5AZ 6505-P			.003"		C5AZ 6507-P
					.015"		C5AZ 6505-R			.015"		C5AZ 6507-R
					.030"		C5AZ 6505-S			.030"		C5AZ 6507-S
68	427	Sillicone-chrome	5.36"	1.66"	Std.	3705"	C9OZ 6505-N	5.36"	2.09"	Std.	.3715"	♦C9OZ 6507-U
					.003"		C9OZ 6505-R			.003"		♦ C9OZ 6507-V
					.015"		C9OZ 6505-S			.015"		♦C9OZ 6507-Y
					.030"		C9OZ 6505-T			.030"		♦C9OZ 6507-Z

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 427	PART NAME AND DESCRIPTION
65/68		C3AZ 6513-B	16	SPRING - VALVE -2 piece design
65/68		C3AZ 6514-A	16	RETAINER - VALVE SPRING -1 31/64" O.D.- 9/32" height
65/68		B8A 6518-A	32	KEY - VALVE SPRING RETAINER - .373" to .533" conical O.D.-.380" height-#Red
65/68		C7AZ 6524-B	2	BAFFLE - VALVE SPRING OIL -approx. 18 1/2" long- Also Refer to Basic No. 6A630
65/66		C1AZ 6A527-A	2	BOLT - VALVE ROCKER ARM SHAFT SUPPORT - 3/8"-16 x 3.29"
65/66 67/68		C1DZ 6A527-C	6 8	3/8"-16 x 2 31/32"
65/68	All High Performance Veh.	★C3AE 6A527-A	16	3/8" -16 x 2 1/2" hex. -use with high riser manifold
65		C3AZ 6531-A	8	SUPPORT - VALVE ROCKER ARM SHAFT
66/67		C5AZ 6531-A	8	
68		C2AZ 6531-B	8	
65/68	All High Performance Veh.	★C3AE 6531-A	16	Use with high riser manifold
65/67		C3AZ 6A536-A	16	SEAT - VALVE SPRING
65/67		B6A 6549-C	16	SCREW - VALVE ROCKER ARM ADJUSTING- standard-7/16"-20 x 1.40" long
		C2AZ 6549-A	AR	.0023" O/S
65		C3AZ 6563-A	2	SHAFT - VALVE ROCKER ARM -10 holes in shaft- use w/mech. tappets-includes (2) EAA 6572-A plugs
66/67		C5AZ 6563-A	2	Includes (2)EAA 6572-A plugs
68		B8AZ 6563-D	2	Includes (2)EAA 6572-A plugs
65/67		B8A 6564-B	16	ARM - VALVE ROCKER - Mechanical - includes screw
68		B8AZ 6564-C	16	Hydraulic
65/67		B8AZ 6565-C	16	ROD - VALVE PUSH -9.350" overall length-(1) oval & (1) cup type end
68	"Before CHG./L10"	C4TZ 6565-B	16	Std.-9.62" overall length-use w/C3DZ 6500-B tappet
		C8AZ 6565-A	AR	.030" U/S
		C4TZ 6565-C	AR	.060" Oversize-# Yellow
		C4TZ 6565-D	AR	.060" Undersize-# Green
68	"From CHG./L10/"	C8AZ 6565-A	16	Std.-9.59" overall length-use/C8AZ 6500-A tappet
		C4TZ 6565-B	AR	.030" O/S

♦ Bumper head type # Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 427	PART NAME AND DESCRIPTION
65		★B8AZ 6571-B r/b C4TZ 6571-H (10/74)	16	SEAL - VALVE STEM - intake & exhaust
66/67	A & B Specials (4/B, 8/B)	C5AZ 6571-C	16	1/2" high-with spring support
68		C4TZ 6571-J	16	Intake exhaust
65/68		EAA 6572-A	4	PLUG - VALVE ROCKER ARM SHAFT-cup shaped -.536" diameter
65/68		C7AZ 6582-C	2	COVER ASSY. - VALVE ROCKER ARM - chrome-incl. (1) 6766 cap
65/68		D0AZ 6584-C	2	GASKET - VALVE ROCKER ARM COVER
65/68		B8A 6587-B	6	SPRING - VALVE ROCKER ARM TO SHAFT LOCATING -approx. 3.73" free length-8 coils-.859" I.D.
65/68		B8A 6590-A	4	WASHER - VALVE ROCKER ARM SHAFT - flat type-1.32" O.D.-.86" I.D.-.060" thick
		72053-S(N52)	4	Cotter pin-1/8" x 1 1/4"
65/68		B8A 6598-A	4	WASHER - VALVE ROCKER ARM SHAFT - spring type-1.18" O.D.-.86" I.D.-.008" thick
65/68		C3AZ 6600-B	1	PUMP ASSY. - OIL - Includes (1) each B8TZ 6626-A & B8AZ 6659-A gaskets
65/68		20408-S7(B81)	2	Bolt (pump to cylinder block)-3/8"-16 x 1 1/8"
		34807-S8(X66)	2	Lockwasher-3/8"
		34806-S7(X64)	1	Lockwasher-5/16"
65/67	All (exc. Calif.)	D0AZ 6A603-G (EK6A)	1	EMISSION CONTROL KIT - EXHAUST
	Consist of 1-D0AE 12A091-C Valve assembly distributor 1-D0AE 12226-J Hose distributor vacuum 3" long 1-D2AZ 9C485-AA Tag eng. exh. emission I.D.			1-ESB-M4G92-A Sealer, silicone rubber 1-Instruction sheet
65/68		B8A 6608-A	1	ROTOR AND SHAFT ASSY. - OIL PUMP DRIVE - rotor type pump
65/68		B8A 6616-C	1	PLATE - OIL PUMP BODY
65/68		B8AZ 6A618-A	1	SHAFT ASSY. - OIL PUMP INTERMEDIATE
65/67		C0AZ 6622-E	1	SCREEN, TUBE AND COVER ASSY. - OIL PUMP
68		C6OZ 6622-A	1	
65/68	All High Performance Veh.	★C5AE 6622-B	1	Deep sump type-used w/deep sump oil pan
65/68		20346-S8(B50)	2	Bolt (screen to oil pump)-5/16"-18 x 3/4"
		34806-S7(X64)	2	Lockwasher-5/16"
65/68		B8TZ 6626-A	1	GASKET - OIL PUMP INLET TUBE
65/68		B8A 6629-A	1	RING - OIL PUMP INTERMEDIATE SHAFT RETAINER-.52" O.D.-6 prongs
65/68		B9AZ 6A630-C	1	BAFFLE - PUSH ROD CRANKCASE VENTILATION-upper
		6A630		BAFFLE - INTAKE MANIFOLD OIL
65/67		C3AZ 6A630-B	1	
68		C6AZ 6A630-B	1	
65/67		C0AE 6A631-A (FA-60)	1	ELEMENT - CRANKCASE VENTILATION OIL SEPARATOR
65/68		C1AE 6A632-A	1	GASKET - CRANKCASE VENTILATION OIL SEPARATOR
65/67		C0AE 6A633-A	1	RETAINER - CRANKCASE VENTILATION OIL SEPARATOR ELEMENT
65/68		C0AZ 6A636-B	1	GASKET - OIL FILTER ADAPTER TO CYLINDER BLOCK - Rubber
65/68		B8AZ 6659-A	1	GASKET - OIL PUMP TO BLOCK -.010" thick

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 427	PART NAME AND DESCRIPTION
		6A664		HOSE - CRANKCASE VENTILATION- Also refer to Group 6853
65/68	A, B & F Specials(4/B, 6/B, 8/B)	C9PZ 6A664-A	AR	1/2" I. D. -25 ft. long-cut to required length
66/68	A Special (8/B)-T/E	C6AZ 6A664-B	1	6A666 valve to 6758 tube
68	A, B & F Specials(4/B)- "Before 2/1/68"	C7AZ 6A664-B	1	5/8" I. D. valve end-1/2" I. D. tube end
68	B, F Specials(4/B)- "From 2/1/68"	C7ZZ 6A664-B	1	5/8" I. D. valve end-1/2" I. D. tube end
65/67		C1AE 6A665-H	1	ADAPTER ASSY. - CRANKCASE VENTILATION
65/67		20309-S8(B150)	2	Bolt (adaptor to manifold)-1/4"-28 x 1/2"-self-tapping
65/67		B7A 8287-A	2	Hose clamp (hose to adaptor)-7/8"
65		C0AZ 6666-A	1	PLUG - OIL PUMP RELIEF VALVE-in oil pump body-cup type
66/68		C6AZ 6666-A	1	In oil pump body-cup type
65		D0AZ 6A666-A (EV-50)	1	VALVE - POSITIVE CRANKCASE VENTILATION-(P.C.V.)
66/67		C1TZ 6A666-A (EV-1)	1	#C4TE 6A666-B or C-2 7/8" long-1/4"-18 male threads one end
68		C7OZ 6A666-A (EV-42)	1	1/4" -18 one end
65/67		376711-S(H159N)	1	Elbow-65°-(valve to intake manifold)
65/68		C0ME 6670-A	1	SPRING - CYLINDER BLOCK MAIN OIL GALLEY RELIEF VALVE PLUNGER -rear-18 active coils-2.34" long-.468" O.D.
65/68		C1AE 6670-A	1	SPRING - OIL PUMP RELIEF VALVE - 16 3/4 coils-2.01" long-.47" O.D.
65/68		B9AE 6674-B	1	PLUNGER - CYLINDER BLOCK MAIN OIL GALLERY RELIEF VALVE -rear-1.81" long-.4933" O.D. for .77"-.18" O.D. for 1"
65/68		C1AE 6674-A	1	PLUNGER - OIL PUMP RELIEF VALVE-approx.-2.59" long
		6675		PAN ASSY. - OIL
65		C1AZ 6675-F	1	
66		★C1AZ 6675-G	1	
67		C7AZ 6675-A	1	
68		C6OZ 6675-A	1	
65/68	All High Performance Veh.	★C8AX 6675-A	1	Deep sump-7 qt.-requires special pick up
65/67		AE 6677-A	1	COVER - STARTER PINION -2.62" ridge O.D.-1.30" overall length
65/68		C3AZ 6700-A	1	SEAL - CYLINDER FRONT COVER OIL
65/68		C9OZ 6701-A	2	PACKING - CRANKSHAFT REAR - rope type-cut to length
65/68		B8AZ 6701-A	2	Rubber-formed seal-3.40" dia. -split lip type
		6A706		CONNECTOR - CRANKCASE VENTILATION HOSE
65/67		C2AZ 6A706-B	1	Includes bracket
68		C7OZ 6A706-A	1	Elbow-60-1/2" hose-1/4"-18 female thread-attach 6A666 valve to 6758 tube & back fire valve
65/67		20310-S8(B48)	2	Bolt (bracket & connector to intake manifold)-5/16"-18 x 1/2"
		34806-S7(X64)	2	Lockwasher-5/16"
65/68		D0AZ 6710-A	1	GASKET - OIL PAN - cork and rubber
65/68		★D1AZ 6730-A r/b D1AZ 6730-B (11/74)	1	PLUG - OIL PAN DRAIN-1/2"-20-includes (1) C2OZ 6734-A gasket
65/68		☆C1AZ 6731-A (FL-1)	1	ELEMENT ASSY. - OIL FILTER - "spin-on" one piece filter-has 3/4"-16 female threads
65/68		♦CC1AZ 6731-A (FL-1)	1	
65/68		C2OZ 6734-A	1	GASKET - OIL PAN DRAIN PLUG-#Nylon-13/16" O.D.-1/2" I.D.-5/64" thick

Identification marking ☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 427			PART NAME AND DESCRIPTION
65/67		C3AZ 6750-E	1			INDICATOR - OIL LEVEL-#red plug in handle 17.64" shield to full 18.16" shield to add 19.28" shield to end
65/67		C4MY 6750-A	1			#Chrome 17.64" shield to full 18.16" shield to add 19.28" shield to end
68		C7OZ 6750-A	1			#Chrome handle 17.42" shield to full 18.50" shield to add 19.25" shield to end
65/67		C3AZ 6754-C	1			TUBE ASSY. - OIL LEVEL INDICATOR - Refer Group 6750
68	F Special(4/B)	C7OZ 6754-A	1			Approximately 10-5/64" long
68	B Specials(4/B)	C5AZ 6754-D	1			
		6758				TUBE - CRANKCASE VENTILATION -non-emission reduction control
65		C5AZ 6758-E	1			#Painted-attaches to rear on intake manifold-optional with C5MY 6758-C
65		C5MY 6758-C	1			#Chrome-attaches to rear of intake manifold-optional with C5AZ 6758-E
68		C6AZ 6758-B	1			Emission reduction control-approximately 19 9/16" long
65/67	A & B Specials(4/B, 6/B, 8/B)	C3AZ 6763-A	1			PIPE - OIL FILLER
65/67	A Spec.(8/B carb.)-closed type em/re or T/E	C4AZ 6763-A	1			#Has outlet spout
		6766	CAP ASSY. - OIL FILLER and BREATHER - non-emission			
65	A Spec. (4/B, 6/B, 8/B)	C2SZ 6766-B	1			#Chrome
65/67	A Spec. (4/B, 6/B, 8/B)	B6AZ 6766-A	1			#Black
67	A Special(4/B, 6/B, 8/B)	C7AZ 6766-C (EC-566)	2			#Chrome (used as plug)
		6766	CAP ASSY. - OIL FILLER and BREATHER - emission			
65/67	A Spec. (4/B, 6/B, 8/B, open em/re)	B6AZ 6766-A	1			#Black
		C2SZ 6766-B	1			#Chrome
65/67	A Spec. (4/B, 6/B, 8/B, closed em/re)	C4TZ 6766-B (EC-31)	1			#Black
		C2SZ 6766-B	1			#Chrome
68		C8AZ 6766-A (EC-1)	1			#Black
68		C8AZ 6766-B (EC-2)	1			#Chrome
68		C8AZ 6767-A	1			ELBOW - CRANKCASE VENTILATION HOSE - in top of oil filler cap
65/67	A Spec. (8/B carb.)-closed em/re	C4AZ 6A827-A	1			ARRESTOR - CRANKCASE VENTILATION FLAME
		★ 6853	★			HOSE - CRANKCASE VENTILATION Cut from B4C 4090-A-3/8" I.D. Cut from C3AZ 6A664-A-1/2" I.D. Cut from C3AZ 6A664-B-5/8" I.D. Also refer Basic 6A664
68		C6AZ 6869-A	1			COVER - CRANKCASE VENT
65/67		C0AZ 6881-A	1			ADAPTER ASSY. - OIL FILTER-Except with engine warning system
68			1			Used with "spin on" type filter
65/67		C3AZ 6881-A	1			With engine warning system
65/68		B8A 6890-A	1			INSERT - OIL FILTER MOUNTING BOLT - 3/4"-16 external threads-1/2" I.D.-1.30" long-use with "spin-on" type filter-att. filter to adaptor or cylinder block
		6A892				RETAINER - CRANKCASE VENTILATION-Grommet
68		C7AZ 6A892-A	1			
68		C8AZ 6A892-A	1			Retainers-elbow to oil filler cap-1 7/16" O.D.-37/64" I.D.

Identification marking

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	IDENT. TAG CODE	PART NAME AND DESCRIPTION
		6007	★	★	★	★		ENGINE ASSEMBLY-service details
		6008						GASKET SET - COMPLETE OVERHAUL.-Also refer to group 6E078 & 6079
66/67		C6AZ 6008-E	1					

Consists of

1-C0AE	6020-C	Gasket	1-B8TZ	6626-A	Gasket	1-C8PZ	8255-U	Gasket
2-C6AZ	6051-A	Gasket	1-C0AZ	6A636-B	Gasket	2-B8A	8507-A	Gasket
2-C1AE	6336-B	Seal	1-B8AZ	6659-A	Gasket	1-C2AZ	8513-A	Gasket
1-C3AZ	6411-B	Seal	1-C3AZ	6700-A	Seal	1-C3AZ	9417-C	Gasket
1-C3AZ	6411-C	Seal	2-C9OZ	6701-A	Packing	1-C8AZ	9A424-A	Seal
16-C4TZ	6571-J	Seal	1-D0AZ	6710-A	Gasket	1-C8AZ	9A425-A	Seal
2-D0AZ	6584-C	Gasket	1-C2OZ	6734-A	Gasket	2-C8AZ	9441-A	Gasket
						2-C6AZ	9441-A	Gasket (1966)

68 | ★C8AZ 6008-D | 1 | Repl. by C6AZ 6008-E (8/74)

Consists of

1-C0AE	6020-C	Gasket	1-B8TZ	6626-A	Gasket	1-C8PZ	8255-U	Gasket
Δ2-C6AZ	6051-A	Gasket	1-C0AZ	6A636-B	Gasket	2-B8A	8507-A	Gasket
2-C1AE	6336-B	Seal	1-B8AZ	6659-A	Gasket	1-C2AZ	8513-A	Gasket
1-C3AZ	6411-C	Seal	1-C3AZ	6700-A	Seal	1-C3AZ	9417-C	Gasket
1-C3AZ	6411-B	Seal	2-C9OZ	6701-A	Gasket	1-C8AZ	9A424-A	Seal
16-C4TZ	6571-J	Gasket	1-D0AZ	6710-A	Gasket	1-C8AZ	9A425-A	Seal
2-D0AZ	6584-C	Gasket	1-C2OZ	6734-A	Gasket	2-C8AZ	9441-A	Gasket

69/70 | A.P/C | C9AZ 6008-A | 1

Consists of

1-C0AE	6020-C	Gasket	1-B8TZ	6626-A	Gasket	1-C8PZ	8255-U	Gasket
2-C8AZ	6051-A	Gasket (steel)	1-C0AZ	6A636-B	Gasket	2-B8A	8507-A	Gasket
2-C1AE	6336-B	Seal	1-B8AZ	6659-A	Gasket	1-C2AZ	8513-A	Gasket
1-C3AZ	6411-C	Seal	1-C3AZ	6700-A	Seal	1-C3AZ	9417-C	Gasket
1-C3AZ	6411-B	Seal	2-C9OZ	6701-A	Seal	1-C8AZ	9A424-A	Seal
16-C4TZ	6571-J	Gasket	1-D0AZ	6710-A	Gasket	1-C8AZ	9A425-A	Seal
2-D0AZ	6584-C	Gasket	1-C2OZ	6734-A	Gasket	2-C8AZ	9441-A	Gasket

69/70 | B&F(CJ & Super CJ) | C9OZ 6008-C | 1

Consists of

1-C0AE	6020-C	Gasket	1-B8TZ	6626-A	Gasket	1-C8PZ	8255-U	Gasket
2-C8AZ	6051-A	Gasket (steel)	1-C0AZ	6A636-B	Gasket	2-B8A	8507-A	Gasket
2-C1AE	6336-B	Seal	1-B8AZ	6659-A	Gasket	1-C2AZ	8513-A	Gasket
1-C3AZ	6411-C	Seal	1-C3AZ	6700-A	Seal	1-C3AZ	9417-C	Gasket
1-C3AZ	6411-B	Seal	2-C9OZ	6701-A	Gasket	1-C8AZ	9A424-A	Seal
16-C4TZ	6571-J	Gasket	2-D0ZZ	6710-A	Gasket	1-C8AZ	9A425-A	Seal
2-D0AZ	6584-C	Gasket	1-C2OZ	6734-A	Gasket	2-C8AZ	9441-A	Gasket

68/69 | "Before 4/1/69" | C8SZ 6008-A | 1

Consists of

1-C8SZ	6020-A	Gasket	1-C3AZ	6700-A	Seal	1-C8SZ	8255-A	Gasket
1-C8SZ	6051-A	Gasket	2-C9OZ	6701-A	Packing	1-C8VZ	8507-A	Gasket
1-D1AZ	6411-A	Seal	1-C9VE	6710-B	Gasket	1-C8SZ	8513-A	Gasket
16-C8SZ	6571-A	Seal	1-C9VE	6711-A	Gasket	1-C3AZ	9417-C	Gasket
2-D0SZ	6584-A	Gasket	2-D2VE	6722-AA	Seal	2-C9SZ	9A425-A	Seal
1-C8SZ	6659-A	Gasket	1-C2OZ	6734-A	Gasket	2-C8SZ	9441-A	Gasket

69/ | Exc. P/C, CJ or S/CJ- "From 4/1/69" | C9SZ 6008-A | 1

Consists of

1-C8SZ	6020-A	Gasket	1-C3AZ	6700-A	Seal	1-C8SZ	8255-A	Gasket
2-D4TZ	6051-A	Gasket	2-C9OZ	6701-A	Seal	2-C8VZ	8507-A	Gasket
1-D1AZ	6411-A	Seal	1-C9VE	6710-B	Gasket	1-C8VZ	8513-A	Gasket
16-C8SZ	6571-A	Seal	1-C9VE	6711-A	Gasket	1-C3AZ	9417-C	Gasket
2-D0SZ	6584-A	Gasket	2-D2VE	6722-AA	Seal	2-C9SZ	9A425-A	Seal
1-C8SZ	6659-A	Gasket	1-C2OZ	6734-A	Gasket	2-C8SZ	9441-A	Gasket

Δ Asbestos & steel

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
		6008					GASKET SET - COMPLETE OVERHAUL - cont.- Also refer to group 6E078 & 6079
70/	P/C, CJ or S/CJ	D0OZ 6008-C		1			
	Consists of						
	1-C8SZ 6020-A Gasket	1-C3AZ 6700-A Seal					1-C8SZ 8255-A Gasket
	2-D4TZ 6051-A Gasket	2-C9OZ 6701-A Seal					2-C8VZ 8507-A Gasket
	1-D1AZ 6411-A Seal	1-C9VE 6710-B Gasket					1-C8SZ 8513-A Gasket
	16-D0OZ 6571-A Seal	1-C9VE 6711-A Gasket					1-C3AZ 9417-C Gasket
	2-D0SZ 6584-A Gasket	2-D2VE 6722-AA Seal					2-C9SZ 9A425-A Seal
	1-C8SZ 6659-A Gasket	1-C2OZ 6734-A Gasket					2-D0OZ 9441-A Gasket
69/70		C9ZZ 6008-A			1		
	Consists of						
	1-C8SZ 6020-A Gasket	1-B8TZ 6626-A Gasket					1-C2OZ 6734-A Gasket
	8-C9AE 6051-A Gasket	1-C8SZ 6659-A Gasket					1-C8VZ 8507-A Gasket
	34-C9AE 6051-C Gasket	1-C3AZ 6700-A Seal					1-C8SZ 8513-A Gasket
	8-C9ZZ 6051-D Gasket	2-C9AZ 6701-A Seal					1-C8SZ 8255-A Gasket
	1-D1AZ 6411-A Seal	1-C9VE 6710-B Gasket					1-C3AZ 9417-C Gasket
	16-C9AZ 6571-A Seal	1-C9VE 6711-A Gasket					2-C9SZ 9A425-A Seal
	2-C9AZ 6584-A Gasket	2-D2VE 6722-AA Seal					2-C9AZ 9441-B Gasket
66/		B9AE 6A008-A	4	4	4	4	DOWEL - CYLINDER HEAD TO CYLINDER BLOCK
		6D008					HEATER KIT - CYLINDER BLOCK
68/71		C7DE 6D008-A		1			
72		CD0DZ 6D008-A		1		1	
		6009					CYLINDER ASSY. - includes cylinder block with all internal parts of the engine but does not include cylinder heads, tappets, oil pan or cylinder front cover unless indicated
66/67	Exc. P/C	C6AZ 6009-S	1				Includes C3AZ 7007-F
68	Exc. P/C, CJ or S/CJ - "From 10/18/67"		1				
68	Exc. P/C, CJ or S/CJ - "Before 10/18/67"	C6AZ 6009-J	1				4.13" bore
66/70	P/C	C7AZ 6009-E	1				4.13" bore-includes (1) C3AZ 7007-F
68/70	B & F(CJ)	C9ZZ 6009-E	1				
69/70	B & F (Super CJ)	C9ZZ 6009-F	1				
68/71	A(exc. P/C),S- "Before CHG./L8"	D0SZ 6009-A		1			
70	B(4/B exc. CJ or S/CJ)			1			
71	A(exc. P/C),S "CHG./L8/"	D1SZ 6009-A		1			
70/71	B & F(CJ)	D0OZ 6009-E		1			
70/71	B & F(Super CJ)	D1ZZ 6009-B		1			
71	A(P/C)	D1AZ 6009-A		1			
72	A(P/C)	D2OZ 6009-B		1			
72	A(exc. P/C),B,S	D2SZ 6009-A		1			
69/70	F Boss	C9AZ 6009-C			1		Mechanical tappets-includes (16) D0AZ 6500-B tappets
72	S -exc. Calif.	D2VY 6009-A				1	
72	S-Calif.	D2VY 6009-C				1	

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
		◊6010					BLOCK ASSY. - CYLINDER
66/70		C6AZ 6010-F	1				Hydraulic tappets-4.13" bore-includes (1) C3AZ 7007-F
68/	A(exc. P/C),S	D1VZ 6010-A		1		1	
70	B(4/B & CJ)			1			
72	B			1			
70/71	B & F (Super CJ)	D1OZ 6010-A		1			Hydraulic tappets-4bolt M.B.cap
71	B & F(CJ)			1			
71/	A(P/C)			1			
69/70	F Boss	C9AZ 6010-B			1		
66/69		73249-S(N88)	2				Dowel (cyl. block to clutch hsg.)-3/8" x 9/16"
		6B018					WIRE ASSY. - CYLINDER BLOCK HEATER
66		CC1TF 6B018-E	1				
67		C7TE 6B018-A	1				2 conductor-use w/3 terminal htr. (dummy ground)
67		C7TE 6B018-C	1				3 conductor-use w/3 terminal htr.-(Green ground connector)
71		D1AB 6B018-A		1			
72		D2AZ 6B018-A		1		1	
66/70		C2AZ 6019-D	1				REPAIR KIT - CYLINDER FRONT COVER

Consists of the following

1-C0AE 6023-C	Pointer (timing) 61/62 exc. Special	1-C1SZ 9417-A	Gasket (fuel pump mtg.)
1-C0AE 6023-D	Pointer (timing) 58/68 & 61/62 Special	4-374408-S	Bolt (5/16"-18 x 3/4")
1-C8AE 6059-B	Cover (front)	4-374409-S	Bolt (3/8"-16 x 7/8"
1-C3AZ 6700-A	Seal (crankshaft-front)	2-373913-S	Screw (No. 10-24 x 5/16"

68/		D2VZ 6019-A		1	1	1	COVER ASSY. - CYLINDER FRONT
66/70		374408-S(BB413C)	4				Bolt (front cover to block)-5/16"-18 x 3/4"
		374409-S(BB416B)	3or4				Bolt (front cov. to block)-3/8"-16 x 7/8"
69/70		373139-S(BB163)	1				Bolt (front cover to block)-3/8"-16 x 2 3/4"
68/		376256-S(BB545A)		1		1	Bolt (front cover to block)-5/16"-18 x 1"
68/		382129-S(B≅545BA)		1		1	Bolt (front cover to block)-5/16"-18 x 2 3/8"
68/		56126-S(B319M)		2		2	Bolt (front cover to block)-5/16"-18 x 2 1/64"
66/70		C0AE 6020-C	1				GASKET - CYLINDER FRONT COVER - (4) .411" & (4) .348" holes-.030" thick-used with aluminum cover
68/		C8SZ 6020-A		1	1	1	
		6023					POINTER - TIMING
66/67	A, S, P/C	C9AZ 6023-A	1				
68/70	A,P/C,B & F(CJ)		1				
66/67	P/C(exc. A/C)	C6AZ 6023-A	1				1 3/4" long-2" wide
69/70	B & F (Super CJ)	C9OZ 6023-A	1				2 27/32" long
68/71		D0OZ 6023-A		1			Steel
72	Exc. California			1		1	
72	California	D2VZ 6023-A		1		1	Steel
69/70		C9AZ 6023-B			1		
68/71		373913-S(UU40)		1			
72	Exc. California			1		1	
72	California	★383112-S2		1		1	

◊ 6015 is a casting number and generally cannot be cross referenced to a service number. It will be used as a means of identification only when casting number is unique to only one 6010 assembly.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

6A023,6054,6068 & 6120 REAR MOTOR MOUNT CHART

YEAR	MODEL	C.I.D.	*SUPPORT	*BRACKET-REAR SUPPORT	*INSULATOR ASSEMBLY	*BRACKET R.H.	*BRACKET L.H.
	- A -						
66/67	A,P/C-M/T	428		C5AZ 6054-B	C9AZ 6068-E		
68	A,P/C-M/T	428		C8AZ 6054-A	C9AZ 6068-E		
66/68	A,P/C-A/T	428		C5AZ 6054-A	C8AZ 6068-B		
69/70	A,P/C-A/T	428		C9AZ 6054-A	C9AZ 6068-H		
69	A(4/S/T)	429		C8AZ 6054-A	C9AZ 6068-E		
69/71	A(exc. P/C)-A/T- "Before 7/1/71"	429		C9AZ 6054-A	C9AZ 6068-H		
71/	A(exc. P/C)-A/T- "From 7/1/71"	429		D2AZ 6054-A	D2AZ 6068-B		
71	P/C - "Before 9/21/70"	429		C9AZ 6054-A	C9AZ 5068-H		
71	P/C - "From 9/21/70"	429		D1AZ 6054-A (Upper) C9AZ 6054-A (Lower)	C9AZ 6068-F		
72	P/C - "Before 12/8/71"	429		D1AZ 6054-A (Upper) D2AZ 6054-A (Lower)	D2AZ 6068-A		
72	P/C - "From 12/8/71"	429		D1AZ 6054-A (upper) D2AZ 6054-A (lower)	D2AZ 6068-B		
	- B -						
68/69	B(CJ)	428	C6OZ 6A023-C		D0OZ 6068-A	C6OZ 6120-G	C6OZ 6120-J
70	B(CJ)- "Before 5/4/70"	429	D0OZ 6A023-B	D0OZ 6096-A(RH) D0OZ6096-B(LH)	D0OZ 6068-A	C6OZ 6120-G	C6OZ 6120-J
70/71	B (CJ)- "From 5/4/70"	429	D0OZ 6A023-B	D0OZ 6096-C(RH) D0OZ 6096-D(LH)	D0OZ 6068-A	Use 6096	Use 6096
72	B(C6)	429			D2OZ 6068-B		
	- F -						
68/70	F(CJ)-M/T	428	C9ZZ 6A023-B		D0OZ 6068-A		
68/70	F(CJ)-A/T	428	C7ZZ 6A023-B		D0OZ 6068-A		
69/70	F Boss	429 Spec.	C9ZZ 6A023-D		D0OZ 6068-A		
71	F-A/T	429CJ	D1ZZ 6A023-A		D1ZZ 6068-B		
71	F-M/T	429CJ	D1ZZ 6A023-B		D1ZZ 6068-B		
	- S -						
66	S(exc. C6)	428	★C6SZ 6A023-A	C3AZ 6054-A	#C6SZ 6068-D	★C6SZ 6120-A	★C6SZ 6120-B
66	S(C6)	428	★C6SZ 6A023-A	C5AZ 6054-A	#C6SZ 6068-D	★C6SZ 6120-A	★C6SZ 6120-B
67	S	428		C5AZ 6054-A	C6SZ 6068-D		
68	S	429		C8SZ 6054-B	C9LY 6068-A		
69	S(4/B) "BEFORE 10/1/68"	429		C8SZ 6054-B	C9LY 6068-A		
69	S(4/B) "FROM 10/1/68"	429		C9SZ 6054-A	C9LY 6068-A		
70/71	S	429		C9SZ 6054-B	C9LY 6068-A		
72	S "Before 1/24/72"	429,460			★D2SZ 6068-A NOTE 1		
72	S "From 1/24/72"	429,460			$D2SZ 6068-C		

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
66/70	A,S	20411-S7(B184)	2				Bolt(rear suppt. to frame)-7/16"-20 x 1 1/8" hex. hd.
		34671-S8(M67)	2				Nut-7/16"-20
		356590-S(XX171)	2				Washer-flat-.47" I.D.-.78" O.D.-.10" thick-steel
		357625-S7-8(XX304)	2				Lockwasher-7/16"
70	S	373403-S8(MM173J)		2			Nut-3/8"-16 hex. washer lock
72	S	382802-S2		1		1	Nut-3/8"-16-att. 6068,6A027,6A061 to frame crossmember 5005

* 1 Required unless otherwise noted $ Use w/6A027 & 6A061 # 2 required

NOTE 1 - R/B D2SZ 6A027-A, D2SZ 6A061-A and D2SZ 6068-C (4-73)

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
		6026					PLUG - ENGINE
66/70	A,S,P/C,B & F(CJ)	383024-S(PP66A)	1				Valve assy.-tappet lub. air bleed-use to plug rear main oil gallery
68	A,P/C	C8AZ 6026-A	1				1 3/4" O.D.-plug clean out hole in head
66	A,S		4				Plug holes in head ends
66/70	A,S,P/C,B & F(CJ & S/CJ)		6				plug clean out holes in block
		C8AZ 6026-B	AR				.060" O/S
68/		C8SZ 6026-A		2	3	2	5/8" - plug core hole in block
69		C9AZ 6026-C			3		3/4"-10 x 5/8" plug holes in oil valley in block
70	B(CJ & Super CJ)			3			
69/70		C9ZZ 6026-D			18		Plug holes in block
69/70		D0ZZ 6026-A			2		21/32" dia.-plug holes in block
70	B(CJ)			6			Plug holes in block or head
70	B(S/CJ)			3			Plug holes in block or head
69	B & F (Super CJ)	C8AZ 6026-C	1				1 1/2" dia.-part of oil filter adapter
69/				6		6	Plug core holes in block
66/70	A,S,P/C	376635-S(PP66A)	9				Plug (oil passages in cyl. block)-29/64" dia. cup type
66/70	A,S,P/C	354942-S(PP81)	AR				Plug (in cyl. block)-1 47/64"-cup type
69/70	P/C,B & F(CJ & Super CJ)	371058-S(PP73)	1				Plug (rear mounting hole in block)-3/4" - cup type
69/71	A,S	353055-S7(PP29)		2			Plug(drain holes in block)-1/4" pipe
69/	A,S	87837-S(P15)		2		2	Plug(oil passages in block)-1/4" pipe
72	P/C,B			2			
69/	A,S	87710-S(P16)		3		3	Plug(oil gallery in block)-3/8" pipe
72	P/C,B			3			
72		87837-S(P15)		2		2	Plug (drain holes in block)-1/4" pipe
70		358048-S(PP43)		3			Plug(plug core holes in head-3/4"-14-pipe
71/		371485-S(PP48A)		6		6	Plug (clean out holes in head)-3/4" hex. sunk head
		6A027					SPACER - REAR MOUNTING BOLT
72	S-use w/D2SZ 6068-C insulator & D2SZ 6A061-A rebound insulator	D2SZ 6A027-A		1		1	Tubular-15/32" tube dia.-1 1/2" hd. dia.-1 5/8" long

6028, 6029, 6030, 6031 & 6038 FRONT MOTOR MOUNT CHART

YEAR	MODEL	C.I.D.	*SUPPORT BRACKET R.H.	*SUPPORT BRACKET L.H.	*MOUNTING BRACKET R.H.	*MOUNTING BRACKET L.H.	*INSULATOR R.H.	*INSULATOR L.H.
	- A -							
66/67	A,P/C	428	C5AZ 6028-C	C5AZ 6029-C			C5AZ 6038-C	C5AZ 6038-D
68	A,P/C	428	C5AZ 6028-C	C8AZ 6029-A			C5AZ 6038-C	C5AZ 6038-D
69/70	A,P/C	428	C9AZ 6028-C	C9AZ 6029-C			C9AZ 6038-D	C9AZ 6038-E
69/	A,P/C	429	C9AZ 6028-B	C9AZ 6029-B			C9LY 6038-A	C9LY 6038-B
	- B -							
68/69	B(CJ)	428	C6OZ 6028-A	C6OZ 6029-A	C6OZ 6030-A	C6OZ 6030-A	C6OZ 6038-G	C6OZ 6038-H
70/71	B	429	D0OZ 6028-B	D0OZ 6029-B	D0OZ 6030-A	D0OZ 6031-A	D0ZZ 6038-D	D0ZZ 6038-D
72	B	429			D2OZ 6030-B	D2OZ 6031-B	D2OZ 6038-E	D2OZ 6038-F
	- F -							
68	F(CJ)	428	C8ZZ 6028-B	D0ZZ 6029-C	C8ZZ 6030-A	C8ZZ 6031-A	D0ZZ 6038-D	D0ZZ 6038-D
69	F(CJ)-exc. 76	428	C8ZZ 6028-B	D0ZZ 6029-D	C8ZZ 6030-A	C8ZZ 6031-A	C7ZZ 6038-J	C7ZZ 6038-J
69	F(CJ)-76	428	C8ZZ 6028-B	D0ZZ 6029-D	C8ZZ 6030-A	C8ZZ 6031-A	D0ZZ 6038-D	D0ZZ 6038-D
70	F(CJ)-exc. 76	428	D0ZZ 6028-D	D0ZZ 6029-D	D0ZZ 6030-B	D0ZZ 6031-B	D1ZZ 6038-A	D1ZZ 6038-A
70	F(CJ)-76	428	D0ZZ 6028-D	D0ZZ 6029-D	D0ZZ 6030-B	D0ZZ 6031-B	D0ZZ 6038-D	D0ZZ 6038-D
69/70	F Boss	429 Spec.	C9ZZ 6028-B	★C9ZZ 6029-B	C8ZZ 6030-A	C8ZZ 6031-A	C9LY 6038-A	C9LY 6038-B
71	F(CJ)	429	D1ZZ 6028-A	D1ZZ 6029-A	D1ZZ 6030-A	D1ZZ 6031-A	D1ZZ 6038-A	D1ZZ 6038-A

* 1 Required unless otherwise noted

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

6028, 6029, 6030, 6031 & 6038 FRONT MOTOR MOUNT CHART - continued

YEAR	MODEL	C.I.D.	*SUPPORT BRACKET R.H.	*SUPPORT BRACKET L.H.	*MOUNTING BRACKET R.H.	*MOUNTING BRACKET L.H.	*INSULATOR R.H.	*INSULATOR L.H.
	- S -							
66	S	428	C6SZ 6028-A	C6SZ 6029-A			C6SZ 6038-A	C6SZ 6038-A
67	S	428	C5AZ 6028-C	C5AZ 6029-C			C5AZ 6038-C	C5AZ 6038-D
68/71	S	429	C8SZ 6028-A	C8SZ 6029-A			C9LY 6038-A	C9LY 6038-B
72	S	429			D2OZ 6030-B	D2OZ 6031-B	D2LZ 6038-A	★D2LZ 6038-B r/b D4SZ 6038-B(9/74)
72	S	460			D2OZ 6030-B	D2OZ 6031-B	D2LZ 6038-A	★D2LZ 6038-B r/b D4SZ 6038-B(9/74)

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec	460	PART NAME AND DESCRIPTION
66/70	A	20390-S8(B102)	4				Bolt (engine front support insulator to cyl. block)-7/16"-14 x 1"-hex. head
		34671-S8(M67)	4				Nut-7/16"-14
		357625-S7-8(XX304)	4				Lockwasher-7/16"
70	S	373403-S8(MM176J)		8			Nut (support to cross member) 3/8"
68/71	B	20348-S2(B77)	2	2			Bolt (insulator to bracket)-3/8"-16 x 3/4" Hex.hd.
70/71	S "From 11/1/69"	D0SZ 6B031-A		1			BRACKET - FRAME MOUNTING BOLT - INNER - not used "Before 11/1/69"
66	S(C6)	★C6SA 6035-A	1				SHIELD - FRONT SUPPORT INSULATOR - 4" long-1 25/32" wide-1/64" thick-(1) each 1/2" & 17/32" bolt holes-dealer improvise
		6038					INSULATOR - FRONT SUPPORT - refer to Front Motor Mount Chart group 6028
		6C038					SHIELD - MOTOR MOUNT HEAT
68	S	C8SZ 6C038-A		1			R.H. -5 13/16" long
		C8SZ 6C038-B		1			L.H. -5 13/16" long
69/71	A, S	C8SZ 6C038-C		1			R.H. -6 17/32" long
72	A			1			
69/70	F Boss				1		
		C8SZ 6C038-D		1			L.H. -6 17/32" long
72	B, S	D2OZ 6C038-B		1		1	R.H.
		D2OZ 6C038-C		1		1	L.H.
		6D039					PLUG-CYLINDER BLOCK WATER METERING
69	F Boss (4/B)	★C9AZ 6D039-A			12		Repl. by C9ZZ 6026-D(3/74)
69	F Boss (4/B)	C9AZ 6D039-C			2		1/8" I.D. -1/8" -27 pipe
		6A042					REINFORCEMENT - REAR SUPPORT
68/70	B(exc. 76) CJ & Super CJ	C8OZ 6A042-C	1				R.H.
		C8OZ 6A042-D	1				L.H.
70/71	B(exc.76)-CJ, Super CJ	D0OZ 6A042-A		1			R.H.
72	B(exc.76)			1			
		D0OZ 6A042-C		1			L.H.
		6046					BRACKET - FRONT SUPPORT INSULATOR
66	S	★C6SA 6046-A		2			Serviced in 6028-9 assemblies
68/70	F(CJ)	C7ZZ 6046-A	1				R.H.
		C7ZZ 6046-B	1				L.H.
70/71	S	D0SZ 6A046-A		1			SPACER - FRAME MOUNTING BOLT - 7 1/8" long - cut to required length
72	B, S	D2OZ 6047-A		2			BOLT-INSULATOR TO CROSSMEMBER-3/8"-16 x 5" hex.hd. pointed
70/71	S "From 11/1/69"	D0SZ 6A047-A		1			BRACKET - FRAME MOUNTING BOLT - OUTER - not used "Before 11/1/69"
70/71	S	56340-S2(B323)		2			Bolt (3/8"-16 x 1 5/32")-bracket to frame
70/71	S	375474-S8(MM120B)		2			Nut-round hd. rivet type (3/8"-16)-bracket to frame

* 1 required unless otherwise noted

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
		6049					HEAD - CYLINDER
66/69	All High Perf. Vehicles	C4AE 6049-F	2				High Riser Type- USE ON CHAMFERED BLOCKS THAT PROVIDE SUFFICIENT VALVE CLEARANCE- MATCHING 4/B & 8/B HIGH RISER INTAKE MANIFOLDS & LIGHTWEIGHT VALVES ARE REQUIRED
66/69	All High Perf. Vehicles	C5AZ 6049-C	2				Block must be chamfered to assure proper valve clearance-special light weight valves must be used
67	P/C (exc. T/E)	C7AZ 6049-A	2				
67	A,S (exc. T/E)	C8AZ 6049-M	2				
66	A,S,P/C (exc. T/E)		2				
66/67	A,S,P/C(T/E)		2				
68	A		2				
68/70	P/C(C6)	C8AZ 6049-N	2				
67	P/C (T/E)		2				
68/70	B & F(CJ & Super CJ)	C8OZ 6049-K	2				
68/71	Exc. P/C, CJ or S/CJ	D0VZ 6049-D		2			Includes (2) D0ZZ 6026-A cup plugs-plugs used w/o T/E
70/71	P/C, CJ or S/CJ	D0OZ 6049-H		2			Includes (2) D0ZZ 6026-A plug
72	P/C	D2OZ 6049-A		2			
72	Exc. P/C	D2VZ 6049-B		2		2	
69/70		D0AZ 6049-C			2		
70/71	S "From 11/1/69"	D0SZ 6A049-A		4			BUSHING - FRAME MOUNTING BOLT RUBBER - not used "Before 11/1/69"
66/70		C6AZ 6051-A	2				GASKET - CYLINDER HEAD-#C6AE 6051-C- asbestos & steel-opt. w/C8AZ 6051-A steel gskt.
69/70		C8AZ 6051-A	2				Steel-optional with C6AZ 6051-A asbestos & steel gasket except P/C
66/70	All High Perf. Vehicles	C3AZ 6051-B	2				Steel-.015" thick
68/69	"Before 4/1/69"	C8SZ 6051-A		2			Asbestos & steel
69/	"From 4/1/69"	★C9VZ 6051-A r/b D4TZ 6051-A (2/75)		2		2	Asbestos & steel
69/70		C9ZZ 6051-D			1		1/4" I.D.-1/2" O.D.-part of C9ZZ 6051-B gasket set-use only when necessary
		6051					
69/70		C9ZZ 6051-B			2		GASKET SET - CYLINDER HEAD

Consists of
4-C9AE 6051-A Gasket-steel
17-C9AE 6051-C Gasket-rubber & steel-1/2" I.D.
$4-C9ZZ 6051-D Gasket-rubber & steel-1/4" I.D.

$ Some cylinder heads may require (1) additional C9ZZ 6051-D gasket

66/68	A,S,P/C	C6AZ 6052-A	8				PLUG - CYLINDER HEAD EXHAUST AIR SUPPLY- (to plug holes when T/E not used)- 1/2"-20 x 1 11/32"
		6054					RETAINER - REAR SUPPORT-Refer to Rear Motor Mount Chart (Basic No. 6A023)
69/70	F Boss (4/B)	C9AZ 6057-A			8		INSERT - VALVE SEAT- intake-std.-2.5" O.D.
		C9AZ 6057-C			AR		.020" O/S
69/70	F Boss (4/B)	C9AZ 6057-B			8		Exhaust - 2" O.D.
		C9AZ 6057-D			AR		.020" O/S
		6A061					INSULATOR ASSY. - REAR SUPPORT REBOUND
72	S-use w/D2SZ 6068-C insul. & D2SZ 6A027-A spacer	D2SZ 6A061-A		1		1	Round-1 5/8" O.D.-1/2" I.D.-1" thick

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
66/70		C1AE 6065-A	10				BOLT - CYLINDER HEAD-1/2"-13 x 4 29/64"
66/70		C1AE 6065-C	10				1/2"-13 x 2 7/8"
68/		C8SZ 6065-A		10		10	9/16"-12 x 5 1/8"
68/69/70		C8SZ 6065-B		10	20	10	9/16"-12 x 4 3/8"
69		C9AZ 6067-A			20		WASHER - CYLINDER HEAD BOLT
		6068					INSULATOR ASSY. - REAR SUPPORT - Refer to Rear Motor Mount Chart (Basic No. 6A023)
69	B(76)	C6OZ 6070-A	2				PLATE - REAR SUPPORT - approx.
70/71	B(76)			2			4 3/4" long-3 5/16" wide
69/71	B(exc. 76)	C8OZ 6070-A	1	1	1		R.H.
		C8OZ 6070-B	1	1	1		L.H.
		6E078					GASKET SET - ENGINE LOWER
72		D5PZ 6E078-D				1	

Consists of
1-C8SZ 6020-A Gasket
1-D1AZ 6411-A Seal
1-C3AZ 6700-A Seal
2-C9OZ 6701-A Seal
1-C9VE 6710-B Gasket
1-C9VE 6711-A Gasket
2-D2VE 6722-AA Seal
1-C2OZ 6734-A Gasket
2-C8VZ 8507-A Gasket
1-C8SZ 8513-A Gasket
1-C3AZ 9417-C Gasket

		6079					GASKET SET - VALVE GRIND
66/67		C6AZ 6079-E	1				Optional with C9AZ 6079-A

Consists of
2-C6AZ 6051-A Gasket (cyl. head)
16-C4TZ 6571-J Seal (valve stem)
2-B9AZ 6584-A Gasket (valve cov.)-rubber
1-B8PZ 8255-U Gasket (water connection)
▲ 1-C8AZ 9A424-A Seal (int. manifold-rear)
▲ 1-C8AZ 9A425-A Seal (int. manifold-front)
▲ 2-C8AZ 9441-A Gasket (int. manifold)
Gasket (int. manifold)
▲ Serviced in C3AZ 9433-G

68		★C8AZ 6079-D	1				Repl. by C6AZ 6079-E (8/74)

Consists of
2-C6AZ 6051-A Gasket-asbestos & steel
16-C4TZ 6571-J Seal
2-D0AZ 6584-C Gasket
1-C8PZ 8255-U Gasket
1-C8AZ 9A424-A Seal
1-C8AZ 9A425-A Seal
2-C8AZ 9441-A Gasket

69/70		C9AZ 6079-A	1				Optional with C6AZ 6079-E

Consists of
2-C8AZ 6051-A Gasket-steel
16-C4TZ 6571-J Gasket
2-D0AZ 6584-C Gasket
1-C8PZ 8255-U Gasket
▲1-C8AZ 9A424-A Seal
▲1-C8AZ 9A425-A Seal
▲2-C8AZ 9441-A Gasket
▲ Serviced in C9AZ 9433-G

68/69	"Before 4/1/69"	C8SZ 6079-A		1			

Consists of
2-C8SZ 6051-A Gasket (cyl. head)
16-C8SZ 6571-A Seal (valve stem)
2-D0SZ 6584-A Gasket (rocker cover)
1-C8SZ 8255-A Gasket (water connection)
⊕2-C9SZ 9A425-A Seal (int. manifold to block)
⊕2-C8SZ 9441-A Gasket (int. manifold)
⊕ Serviced in C9AZ 9433-A

69/	Exc. P/C, CJ or S/CJ "From 4/1/69"	C9SZ 6079-A		1		1	

Consists of
2-D4TZ 6051-A Gasket (cyl. head)
16-C8SZ 6571-A Seal (valve stem)
2-D0SZ 6584-A Gasket (rocker cover)
1-C8SZ 8255-A Gasket (water connection)
⊕2-C9SZ 9A425-A Seal (int. manifold)
⊕2-C8SZ 9441-A Gasket (int. manifold)
⊕ Serviced in C9AZ 9433-A

70/	P/C, CJ or S/CJ	D0OZ 6079-C		1			

Consists of
2-D4TZ 6051-A Gasket
16-D0OZ 6571-A Seal
2-D0SZ 6571-A Seal
1-C8SZ 8255-A Gasket
♦2-C9SZ 9A425-A Seal
♦2-D0OZ 9441-A Gasket
♦ Serviced in D0OZ 9433-A

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec	460	PART NAME AND DESCRIPTION
		6079					GASKET SET - VALVE GRIND - continued
69/70		C9ZZ 6079-A			1		
	Consists of						
	8-C9AE 6051-A Gasket				2-C9AZ 6584-A Gasket		
	34-C9AE 6051-C Gasket				1-C8SZ 8255-A Gasket		
	$8-C9ZZ 6051-D Gasket				▲2-C9SZ 9A425-A Seal		
	16-C9AZ 6571-A Seal				▲2-C9AZ 9441-B Seal		
					▲ Serviced in C9AZ 9433-A		
68/71		C9AF 6B080-A		1			"O" RING - CYLINDER BLOCK HEATER
72	A(P/C),B(P/C)	C5TZ 6095-A		1			COVER - FUEL PUMP OPENING
		6096					BRACKET - REAR SUPPORT - Refer to Rear Motor Mount Chart (Basic 6A023)
		6C098-9					STOP - ENGINE FRONT SUPPORT INSULATOR
68	B(CJ)	C6OZ 6C098-A	1				R.H.
		C6OZ 6C099-A	1				L.H.
69	B(CJ)-exc. P/S	C6OZ 6C098-A	1				R.H.
		C6OZ 6C098-A	1				L.H.
69	B(CJ)-P/S	C6OZ 6C098-A	1				R.H.
		★	★				L.H.-refer to Basic 3C510

∧ 6108-9 PISTON ASSEMBLY-CHART

In the standard column of the chart below (R) designates red size-(B) designates blue size.
Red size and blue size are optional for selective fit.

YEAR	MODEL	C.I.D.	RINGS	INCL.	QTY.	PART NUMBER STANDARD	.003" O/S	.020" O/S	.030" O/S	.040" O/S	.060" O/S
66/70	A, S, P/C	428	3	⁄	8	C6AZ 6108-AN(R) C6AZ 6108-AR(B)	C6AZ 6108-AS	C6AZ 6108-AT	C6AZ 6108-AU	C6AZ 6108-AV	
68/69	B & F(CJ) "Before 11/13/68" # single notch on dome	428	3	∡	8	C8OZ 6108-G(R) C8OZ 6108-H(B)	C8OZ 6108-J	C8OZ 6108-K	C8OZ 6108-L	C8OZ 6108-M	
69/70	B & F (CJ)- "From 11/13/68" #double notch on dome	428	3	∡	8	C9ZZ 6108-Y(R) C9ZZ 6108-Z(B)	C9ZZ 6108-AA	C9ZZ 6108-AB	C9ZZ 6108-AC		
69/70	B & F (Super CJ)	428	3	∡	8	C9ZZ 6108-N(R) C9ZZ 6108-R(B)	C9ZZ 6108-S	$C9ZZ 6108-AB	$C9ZZ 6108-AC		
71/	All off highway vehicles	428	3	∡	8	D1ZX 6108-NA					
68/	Exc. P/C), CJ or S/CJ	429	3	◊	8	D2AZ 6108-A(R) D2AZ 6108-B(B)	D2AZ 6108-C	D2AZ 6108-D	D2AZ 6108-E	D2AZ 6108-F	
70	B & F(CJ & Super CJ)	429	3	◊	8	D1OZ 6108-B(R) D1OZ 6108-C(B)	D1OZ 6108-D	D1OZ 6108-E	D1OZ 6108-F		
71/	P/C, CJ or S/CJ	429	3	◊	8	D1OZ 6108-B(R) D1OZ 6108-C(B)	D1OZ 6108-D	D1OZ 6108-E	D1OZ 6108-F		
69	F Boss(eng. code 820-S)	429 Spec.	3	∡	8	C9AZ 6108-A(R) C9AZ 6108-B(B)	C9AZ 6108-C				
69	F Boss(engine code 820-T)	429 Spec.	3	◊	8	C9AZ 6108-G(R) C9AZ 6108-H(B)	C9AZ 6108-J				
70	F Boss	429 Spec.									
72	S	460	3	Δ	8	D2VY 6108-A(R) D2VY 6108-B(B)	D2VY 6108-C	D2VY 6108-D	D2VY 6108-E	D2VY 6108-F	

$ When used for S/CJ engine replace piston pin with C9ZZ 6135-B ∡ Includes piston, pin & retainer

Δ 6110 is a casting number and generally cannot be cross referenced to a service number. It will be used as a means of identification only when casting number is unique to only one 6108 assembly. ◊ Includes piston & pin

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
66/69	All High Perf. Vehicles	★C8AZ 6110-A	4				PISTON-LESS PIN - Pop-Up Type-R.H.-requires. 120 piston to valve clearance
66/69	All High Perf. Vehicles	★C8AZ 6110-B	4				Pop-Up Type-L.H.-requires .120 piston to valve clearance
		6120					BRACKET - REAR SUPPORT - refer to Rear Motor Mount Chart group 6A023
66/70	A.S.P/C.B & F(CJ)	C6AZ 6135-A	8				PIN - PISTON-std.-#Green-.975" O.D.
		C6AZ 6135-B	8				.001" O/S-#Blue
		C6AZ 6135-C	8				.002" O/S-#Yellow
69/70	B & F (Super CJ)	C9ZZ 6135-B	8				Standard-#Green
		C9ZZ 6135-C	AR				.001" O/S
		C9ZZ 6135-D	AR				.002" O/S
68/69/70	F Boss(eng.tag code 820-T)	C8SZ 6135-A		8		8	Standard
		C8SZ 6135-B			8 AR		.001" O/S
69	F Boss(eng.tag code 820-S)	★C9AZ 6135-A			8		Serviced in (6108) assy. only
66/70		C3AZ 6140-B	16				RETAINER - PISTON PIN-.94" I.D.-1.113" O.D.-.052" thick
69	F Boss(eng.tag code 820-S)	C9AZ 6140-A			16		3/32" I.D. 1 5/32" O.D.-3/64" thick

6148 RING SET - PISTON PARTIAL - CHART -

Consists of the necessary rings to re-ring (2) pistons

YEAR	MODEL	C.I.D.	RINGS	TYPE	PART NUMBER STANDARD	.020" O/S	.030" O/S	.040" O/S	.060" O/S
66/70		428	3	Hi Lo	C6AZ 6148-A	C6AZ 6148-B	C6AZ 6148-C	C6AZ 6148-D	
68/		429,460, 429 Spec.	3	Hi Lo	C8SZ 6148-A	C8SZ 6148-B	C8SZ 6148-C	C8SZ 6148-D	

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
		6200					ROD ASSY. - CONNECTING
66/68	A, S	C6AZ 6200-D	8				
66/70	P/C, B & F(CJ)	C6AZ 6200-C	8				
69/70	B & F (Super CJ)	C9ZZ 6200-A	8				
66/70	All High Perf. Vehicles	C6AZ 6200-C	8				Street type-crankshaft rebalancing required
66/70	All High Perf. Vehicles	C9ZZ 6200-A	8				Lemans type-crankshaft rebalancing required
68/	Exc. P/C, CJ or S/CJ	C8SZ 6200-A		8		8	
70/	P/C, CJ or Super CJ	D0OZ 6200-A		8			
69	F Boss(eng.tag code 820-S)	C9AZ 6200-A			8		
69	F Boss(eng.tag code 820-T)	C9AZ 6200-B			8		
70	F Boss				8		
66/70		B8A 6207-A	8				BUSHING - CONNECTING ROD-split type-1.0435" O.D.-.040" wall thickness-1.24" long
69	F Boss(eng.tag code 820-S)	C9AZ 6207-A			8		

Identification marking

6211 BEARING - CONNECTING ROD - CHART

YEAR	MODEL	C.I.D.	UPPER	LOWER	PART NUMBER STANDARD	.001" U/S	.002" U/S	.010" U/S	.020" U/S	.030" U/S	.040" U/S
66/67		428	8	8	C6AZ 6211-A	C6AZ 6211-B	C6AZ 6211-C	C6AZ 6211-D	C6AZ 6211-E	C6AZ 6211-F	C6AZ 6211-G
68/70		428	8	8	C6JZ 6211-A	C6JZ 6211-B	C6JZ 6211-C	C6JZ 6211-D	C6JZ 6211-E	C6JZ 6211-F	C6JZ 6211-G
68/		429 460	8	8	C8SZ 6211-A	C8SZ 6211-B	C8SZ 6211-C	C8SZ 6211-D	C8SZ 6211-E	C8SZ 6211-F	C8SZ 6211-G
69	F Boss(eng. tag code 820-T)	429 Spec.	8	8							
70	F Boss	429 Spec.	8	8							
69	F Boss(eng. tag code 820-S)	429 Spec.	8	8	C9AZ 6211-A	C9AZ 6211-B		C9AZ 6211-C			

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
68/		C9AZ 6212-B		16	16	16	NUT - CONNECTING ROD-3/8"-24 - .557" hex.
66/70	P/C, B & F(CJ)	C0ME 6212-A	16				13/32"-24 hex.
66/67	A(exc. P/C),S	C1AZ 6214-A	16				BOLT - CONNECTING ROD-3/8"-24 x 2 7/32"
66/70	P/C, B & F(CJ)	C2AZ 6214-B	16				13/32"-24 x 2 5/32"
68	A(exc. P/C)	C8AZ 6214-B	16				
69/70	B & F (Super CJ)	C9ZZ 6214-A	16				7/16"-20 x 1 3/4"-Dodecagon head
68/	Exc. P/C, CJ or SCJ	C8SZ 6214-A		16		16	3/8"-24 x 2 3/16"
69/70		C9AZ 6214-B			16		3/8"-24 x 2 3/16"
70/	P/C, CJ or Super CJ			16			
69/70	B & F(Super CJ)	C9ZZ 6217-A	16				DOWEL - CONNECTING ROD TO CAP - 1/2" dia. x 1/4"
		6250					CAMSHAFT
66/68	A(exc. P/C),S	C6AZ 6250-A	1				Hydraulic tappets-#VU-induction hardened-15 tooth dist. gear
66	P/C	C3AZ 6250-D	1				Mechanical tappets-#"VB" or "VB" between last lobe & last journal
67/70	P/C, B & F(CJ & Super CJ)	C6OZ 6250-B	1				Hydraulic tappets-15 tooth dist. gear
66/69	All High Perf. Vehicles	★C4AE 6250-B	1				.500 lift-USE ON ENGINES PROPERLY SET UP FOR HIGH R.P.M. OPERATION - THIS CAM REQUIRES .176 ADJUSTABLE ROCKER ARMS
66/69	All High Perf. Vehicles	★C8AX 6250-C	1				.515 lift-steel-use on hydraulic lifter engines
66/69	All High Perf. Vehicles	★C8AX 6250-D	1				.600 lift-steel-full race type-USE ON HIGH R.P.M. ENGINES - FOR STRIP or TRACK ONLY - SPECIAL VALVE SPRINGS, SEATS & RETAINERS ARE REQUIRED
66/69	All High Perf. Vehicles	C3AZ 6250-AA	1				#VBX-mechanical tappets
68/72	Exc. P/C, CJ or S/CJ California	C8SZ 6250-A		1		1	Hydraulic tappets-#BB-15 tooth dist. gear
72	Exc. California	D2VY 6250-B				1	
69		C9AZ 6250-A			1		Hydraulic tappets
70/71	P/C, CJ or S/CJ			1			
70/71	B & F(S/CJ)	D0AZ 6250-D		1			Mechanical tappets
70					1		
72	P/C	D2OZ 6250-A		1			#VZ
71/	All off highway vehicles	★D1ZX 6250-EA			1		.368 lift-135° overlap-includes IS-3771
66/70		353001-S(PP85)	1				Plug(camshaft rear bearing hole)-2 3/8"dia. cup type
66/70		C3AZ 6A251-A	1				BEARING KIT - CAMSHAFT
	Consists of 1-C3AZ 6261-A Front; 1-B8A 6262-AA Center; 1-B8A 6263-AA Rear; 1-B8A 6267-AA Front Int.; 1-B8A 6270-AA Rear Int.; 1-353001-S Plug						
66/70		C8AZ 6256-A	1				SPROCKET - CAMSHAFT - 36 teeth-spacer C3AZ 6255-A is not required with this sprocket
68/		D0AZ 6256-A		1	1	1	
68/70		304815-S(B110A)	1				Bolt (sprocket to camshaft)-7/16"-14 x 1 7/8"
		34808-S8(X67)	1				Lockwasher-7/16"
66/70		73357-S(N87C)	1				Dowel (sprocket to camshaft)-5/16" x 1 1/2"
68/		73328-S(N87-B)		1	1	1	Dowel pin (align sprocket to cam)-5/16" x 1 1/8"

Identification marking

May, 1975

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

FINAL ISSUE

6261,6262,6263,6267 & 6270 BEARING•CAMSHAFT CHART

YEAR	MODEL	C.I.D.	SIZE	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
66/70		428	Standard	C3AZ 6261-A	B8A 6267-AA	B8A 6262-AA	B8A 6270-AA	B8A 6263-AA
			.015"U/S	D3TZ 6261-C	B8A 6267-AB	B8A 6262-AB	B8A 6270-AB	B8A 6263-AB
68/71	"Before 8/3/70"	429, 429 Spec.	Standard	D1VZ 6261-B	D1VZ 6261-B	D1VZ 6261-B	D1VZ 6261-B	D1VZ 6261-B
			.015"U/S	C8VZ 6261-B	C8VZ 6261-B	C8VZ 6261-B	C8VZ 6261-B	C8VZ 6261-B
71/	"From 8/3/70"	429, 460	Standard	D1VZ 6261-B	D1VZ 6261-B	D1VZ 6261-B	D1VZ 6261-B	D1VZ 6261-B
			.015" U/S	D1VZ 6261-C	D1VZ 6261-C	D1VZ 6261-C	D1VZ 6261-C	D1VZ 6261-C

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
66/69		C3AZ 6265-A	1				SPACER - CAMSHAFT GEAR or SPROCKET - 1.56"O.D.-3/4"I.D.-not used w/C8AZ 6256-A
68/71	A,P/C,B(exc. CJ&S/CJ),S- "Before 11/2/70"	C8SZ 6265-A		1			1" O.D.-13/32" I.D.-13/64" thick - "From 11/2/70" refer to basic 6278
69					1		
70/71	B&F(CJ&Super CJ)			1			
72	A(P/C)			1			
66/69		34808-S8(X67)	1				Lockwasher-7/16"-sprocket & eccentric to camshaft
68/		C8SZ 6266-A		1	1	1	PLUG - CAMSHAFT REAR BEARING - std.
		C8SZ 6266-B		1	1	1	.060" O/S
		6267					Refer to Camshaft Bearing Chart (Basic No. 6261)
66/70		D0AZ 6268-A	1				CHAIN - TIMING
68/		C8SZ 6268-A		1	1	1	52 links
66/70		★C3AZ 6269-A r/b D3TZ 6269-A (9/74)	1				PLATE - CAMSHAFT THRUST-1.80" I.D.
68/		C8SZ 6269-A		1	1	1	1.76" I.D.-2.60" O.D.
69/70		380041-S(BB639B)	2				Screw & washer (plate to front cover)-7/16"-14 x 5/8"
		6270					Refer to Camshaft Bearing Chart (Basic No. 6261)
71	A,P/C,S "From 11/2/70"	C2OZ 6278-A		1			WASHER - CAMSHAFT SPROCKET
72	A(exc. P/C),B,S			1		1	
66/70		C3AZ 6287-A	1				ECCENTRIC - CAMSHAFT FUEL PUMP DRIVE
68/71	A,B,S(exc.P/C,CJ&S/CJ)- "Before CHG./L9"	C8SZ 6287-A		1			One-piece design
69/70	F Boss				1		
70/	A(P/C),B&F(CJ&Super CJ)			1			
71	A(exc.P/C),S- "CHG./L9/"	D0AZ 6287-A		1			Two-piece design-outer only
72	A(exc. P/C),B,S			1		1	
71	A(exc. P/C),S- "CHG./L9/"	D1AZ 6287-A		1			Two-piece design-inner only
72	A(exc. P/C),B,S			1		1	
68/		43002-S(B257)		1		1	Bolt(eccentric & sprocket to camshaft)- 3/8"-16 x 1 1/2"
68/		C0DZ 6A302-A		1		1	PIN - CRANKSHAFT REAR OIL SEAL - .095" O.D. -.31" long-pointed
		6303					CRANKSHAFT ASSY.
66/68		C9ZZ 6303-B	1				#1UB
69/70	A,P/C		1				
69	B & F(CJ) "Before 12/26/68"		1				
69/70	B&F(CJ) "From 12/26/68"	C9ZZ 6303-E	1				#A
69	B&F (Super CJ)- "Before 12/26/68"	C9ZZ 6303-A	1				#1UA
69/70	B&F(Super CJ)- "From 12/26/68"	C9ZZ 6303-D	1				#B
66/69	All High Perf. Vehicles	C8AZ 6303-B	1				Iron-special pistons required

Identification marking

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
		6303					CRANKSHAFT ASSY. - continued
68/71		D0OZ 6303-A		1			#H on No. 1 counterweight
72		D2OZ 6303-A		1			#H on No. 1 counterweight - used to service #4UA
69	F Boss (eng. tag code 820-T)	C9AZ 6303-C			1		Includes (8) 380249-S (8) 377436-S
70	F-Boss				1		
72		★D2VY 6303-B				1	Repl. by D5VY 6303-A (3/75)
66/70		C4AZ 6306-A	1				SPROCKET - CRANKSHAFT - 18 teeth
68/71	Exc. P/C	C8SZ 6306-A		1	1		18 teeth-1 3/8" I.D.
70/	P/C, CJ or S/CJ			1			
72	Exc. P/C	D2VY 6306-B		1		1	
69/	All off highway vehicles	★D1ZX 6306-CA	1				18 teeth-1 3/8" I.D.-2 7/8" pitch dia.- 7 timing keyways
69/	All off highway vehicles	★D1ZX 6306-BA			1	1	18 teeth-1 3/8" I.D.-2 7/8" pitch dia.- 7 timing keyways
66/70		378704-S(LL-12A)	1				Key (sprocket to crankshaft)-3/16" dia. -1 13/32" long-3/16" thick
68/		358985-S(LL12)		1		1	Key(sprocket to crankshaft)-1 3/4" x 3/16"-woodruff
69	F Boss	C9AZ 6307-A			8		PLUG - CRANKSHAFT 7/8"-14-1/2" high- 7/8" O.D.-square hole socket-used with 371058-S to plug clean out holes in crankshaft
70	F Boss	C9ZZ 6307-A			8		1/2" high-7/8" O.D.-used to plug clean out holes in crankshaft
69	F Boss	371058-S(PP73)			8		Plug - expansion - 3/4" cup plug-used with C9AZ 6307-A
70	F Boss	C9ZZ 6307-B			8		RING - CRANKSHAFT RETAINING - 15/16" O.D.- used to retain C9ZZ 6307-A plugs in crankshaft
66/70		B8A 6310-A	1				SLINGER - CRANKSHAFT OIL-3.31" O.D. -1. 39" I.D
68/		C8SZ 6310-A		1	1	1	3 1/2" O.D. -1 3/8" I.D.
66/67	A(exc. P/C), S	C3AZ 6312-E	1				PULLEY ASSY. - CRANKSHAFT-#C4AE 6316-A- single sheave-uses 3/8" belt-includes (1) C3AZ 6023-A pointer
66/67	P/C	C6AZ 6312-A	1				#C6AE 6316-A single sheave
68/69	A, S	C8SZ 6312-B		1			#C9VE 6316-A-double sheave-7" dia. -1 7/16" long- uses 3/8" belts - use for service of pulley #C8VE 6316-A
69/70	F Boss	C9AZ 6312-A			1		Single sheave-7" dia. -4 1/8" long-uses 3/8" belts
66/68	A, S, P/C	377850-S(BB273A)	1				Bolt (pulley to crankshaft)-5/8"-18 x 2"
66/68	A, S, P/C	358963-S(LL-2)	1				Key (pulley to crankshaft)-1/4" x 3/4"
69	A, S	74151-S(L13)		1	1		Key (pulley to crankshaft)-1/4" x 7/8"
66	S(not used with A/C or T/E)	C1AZ 6A312-D	1				PULLEY ASSY. -CRANKSHAFT-OUTER-single sheave-6.60" O.D.
67	S(T/E)		1				
66/68	S	C1AZ 6A312-C	1				Double sheave
66/68	A(40, 52, 53 & 60 amp. alt. - except with A/C		1				
66/68	S(T/E) except A/C		1				
67	S(P/S, T/E)	C4AZ 6A312-B	1				Triple sheave
66	P/C(A/C w/ or w/o P/S)						
66/68	A, S(A/C, T/E with or without P/S)	C4SZ 6A312-B	1				Triple sheave
67	S(P/S)-except T/E		1				
68	A, P/C-(A/C)	C8AZ 6A312-A	1				#C8AE 6312-A-triple sheave

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
		6A312					PULLEY ASSY.-CRANKSHAFT-OUTER-continued
68	A (A/C)	C8AZ 6A312-B	1				#C8AE 6312-B-triple sheave
68	A, P/C (C6) P/S	C8AZ 6A312-C	1				#C8AE 6312-C-double sheave
68	A, P/C(S/T)w/or w/o P/S	C8AZ 6A312-D	1				#C8AE 6312-D-triple sheave-used as replacement
68	B & F(CJ)		1				for pulley identified C8AE 6312-E
69/70	A, P/C, B & F(CJ)-w/ or w/o P/S(exc. A/C)		1				
68	A, P/C	C8AZ 6A312-E	1				#C8AE 6A312-B-Single sheave-pulley dia. 6 25/32" -uses 3/8" belt
69/70	A,P/C,B & F(CJ)(T/E)-w/A/C	C9OZ 6A312-F	1				#C9OE 6312-D-triple sheave-6 5/32" & 7 5/32" dia.
68/70	S	C9SZ 6A312-A		1			#C9SE 6312-B-single sheave-6" diam. -uses 1/2"
69	A-w/P/S			1			belt - replaced pulley #C8SE 6B319-A
69	A, P/C-w/55 & 65 amp. alt.			1			
70/	A(exc. P/C)-w/o A/C	D0AZ 6A312-A		1			#D0AE 6312-A-double sheave-6 45/64" O.D. &
70/71	S-w/P/S			1			8" O.D.
70	B(exc.CJ)-w/o A/C			1			
72	B-w/o A/C			1			
72	S-w/o A/C			1			
70	P/C, B(CJ)-w/55 amp. alt.	D0OZ 6A312-C		1			#D0OE 6312-D-triple sheave-7 3/64", 6 3/4" &
70	B(CJ)-w/A/C & P/S- "Before 5/11/70"						6 31/32" O.D.-use to service pulley identified D0OE 6312-E
70	B(CJ & Super CJ)-w/std. alt.- "Before 5/11/70"			1			
71/	P/C			1			
72	B(P/C)			1			
70	B(CJ)-w/A/C & P/S- "From 5/11/70"	D0OZ 6A312-H		1			#D0OE 6312-H or J-triple sheave 6 1/4", 7 1/16", & 7 5/32"
71	B & F(CJ) w/ A/C			1			
69/70	F Boss-with P/S	C9AZ 6A312-D			1		#C9AE 6B319-A-single sheave-6" dia. -2 3/32" long
70	B(CJ & Super CJ)-w/std. alt- "From 5/11/70"	D0OZ 6A312-G		1			#D0OE 6312-F-double sheave-6 1/4" & 7" O.D.
71	B & F(CJ & S/CJ)w/idler pulley or P/S w/o A/C			1			
70/	A-w/A/C & P/S	D0SZ 6A312-B		1			#D0SE 6312-B-triple sheave-replaces pulley
70	B(exc.CJ)-w/A/C & P/S			1			pulley ident. D0OE 6312-K or L
70	S-w/A/C & P/S			1			
72	B(exc. P/C)-w/integral A/C			1			
72	A, B-w/hang on A/C	D2AZ 6A312-C		1			
72	S-w/A/C	D1VY 6A312-A		1			#D1VE 6312-AA-triple sheave-7 7/8" O.D. &
72	S-w/A/C & P/S					1	7 19/32" O.D.
68/70	A, P/C, B & F (CJ)	D2TZ 6316-A	1				DAMPER ASSY.-CRANKSHAFT
69/70	B, F (Super CJ)	C8AZ 6316-C	1				#C8AE 6316-C-7 1/2" O.D.
70/		D2VZ 6316-A		1	1	1	6 21/32" O.D.
68/70		377850-S(BB273A)	1				Bolt (damper to crank)-5/8"-18 x 2"
68/70		358963-S(LL2)	1				Key (damper to crank)-1/4" x 3/4"
72		46223-S2(B283)		1		1	Bolt (damper to crank)-5/8" x 2"
72		74151-S(L13)		1		1	Key (damper to crank)-1/4" x 7/8"
66/70		C1AZ 6A321-C	1				SEAL KIT - CRANKSHAFT REAR MAIN BEARING Consists of (2) C1AE 6336-B Seal & (2) C2OZ 6701-A Packing
69/70	F Boss	C9AZ 6A331-A			1		SPACER-CRANKSHAFT SPROCKET- 2 5/32" O.D. -1 3/8" I.D. -9/32" high

Identification marking

6333 & 6337 BEARING - CRANKSHAFT MAIN-CHART

YEAR	MODEL	C.I.D.	SIZE	UPPER	LOWER	FRONT	FRONT INTERMEDIATE	CENTER	REAR INTERMEDIATE	REAR
66/70		428	Std. - .0959"	x	x	C4TZ 6333-H	C4TZ 6333-H	C6TZ 6337-A	C4TZ 6333-H	C4TZ 6333-H
			.001"			C4TZ 6333-J	C4TZ 6333-J	C6TZ 6337-B	C4TZ 6333-J	C4TZ 6333-J
			.002"			C4TZ 6333-K	C4TZ 6333-K	C6TZ 6337-C	C4TZ 6333-K	C4TZ 6333-K
			.010"			C4TZ 6333-L	C4TZ 6333-L	C6TZ 6337-D	C4TZ 6333-L	C4TZ 6333-L
			.020"			C4TZ 6333-M	C4TZ 6333-M	C6TZ 6337-E	C4TZ 6333- M	C4TZ 6333- M
			.030"			C4TZ 6333- N	C4TZ 6333- N	C6TZ 6337-F	C4TZ 6333- N	C4TZ 6333-N
			.040"			C4TZ 6333-P	C4TZ 6333-P	C6TZ 6337-G	C4TZ 6333-P	C4TZ 6333-P
68/	Exc.P/C, CJ or S/CJ	429, 460	Std. - .0956"	x		C8SZ 6333-A	C8SZ 6333-A	C9AZ 6337-G	C8SZ 6333-A	C8SZ 6333-A
			.001"			C8SZ 6333-B	C8SZ 6333-B	C8SZ 6337-B	C8SZ 6333-B	C8SZ 6333-B
			.002"			C8SZ 6333-C	C8SZ 6333-C	C8SZ 6337-C	C8SZ 6333-C	C8SZ 6333-C
			.010"			C8SZ 6333-D	C8SZ 6333-D	C9AZ 6337-K	C8SZ 6333-D	C8SZ 6333-D
			.020"			C8SZ 6333-E	C8SZ 6333-E	C9AZ 6337-L	C8SZ 6333-E	C8SZ 6333-E
			.030"			C8SZ 6333-F	C8SZ 6333-F	C8SZ 6337-F	C8SZ 6333-F	C8SZ 6333-F
			.040"			C8SZ 6333-G	C8SZ 6333-G	★C8SZ 6337-G	C8SZ 6333-G	C8SZ 6333-G
68/	Exc.P/C, CJ or S/CJ	429, 460	Std. - .0956"		x	D0OZ6333-A	D0OZ 6333-A	C9AZ 6337-G	D0OZ6333-A	D0OZ6333-A
			.001"			C8SZ 6333-J	C8SZ 6333-J	C8SZ 6337-J	C8SZ 6333-J	C8SZ 6333-J
			.002"			C8SZ 6333-K	C8SZ 6333-K	C9AZ 6337-J	C8SZ 6333-K	C8SZ 6333-K
			.010"			D0OZ 6333-D	D0OZ 6333-D	C9AZ 6337-K	D0OZ 6333-D	D0OZ 6333-D
			.020"			D0OZ 6333-E	D0OZ 6333-E	C9AZ 6337-L	D0OZ 6333-E	D0OZ 6333-E
			.030"			D0OZ 6333-F	D0OZ 6333-F	C9AZ 6337-M	D0OZ 6333-F	D0OZ 6333-F
			.040"			★C8SZ 6333-P	★C8SZ 6333-P	★C8SZ 6337-P	★C8SZ 6333-P	★C8SZ 6333-P
70/	P/C,CJ or S/CJ	429	Std.	x		C9AZ 6333-G	C9AZ 6333-G	C9AZ 6337-G	C9AZ 6333-G	C9AZ 6333-G
			.001"			C9AZ 6333-H	C9AZ 6333-H	C9AZ 6337-H	C9AZ 6333-H	C9AZ 6333-H
			.002"			C9AZ 6333-J	C9AZ 6333-J	C9AZ 6337-J	C9AZ 6333-J	C9AZ 6333-J
			.010"			C9AZ 6333-K	C9AZ 6333-K	C9AZ 6337-K	C9AZ 6333-K	C9AZ 6333-K
			.020"			C9AZ 6333-L	C9AZ 6333-L	C9AZ 6337-L	C9AZ 6333-L	C9AZ 6333-L
			.030"			C9AZ 6333-M	C9AZ 6333-M	C9AZ 6337-M	C9AZ 6333-M	C9AZ 6333-M
70/	P/C,CJ or S/CJ	429	Std.- .0957"		x	D0OZ 6333-A	D0OZ 6333-A	C9AZ 6337-G	D0OZ 6333-A	D0OZ 6333-A
			.001"			D0OZ 6333-B	D0OZ 6333-B	C9AZ 6337-H	D0OZ 6333-B	D0OZ 6333-B
			.002"			D0OZ 6333-C	D0OZ 6333-C	C9AZ 6337-J	D0OZ 6333-C	D0OZ 6333-C
			.010"			D0OZ 6333-D	D0OZ 6333-D	C9AZ 6337-K	D0OZ 6333-D	D0OZ 6333-D
			.020"			D0OZ 6333-E	D0OZ 6333-E	C9AZ 6337-L	D0OZ 6333-E	D0OZ 6333-E
			.030"			D0OZ 6333-F	D0OZ 6333-F	C9AZ 6337-M	D0OZ 6333-F	D0OZ 6333-F
69/70	F Boss	429 Spec.	Std. - .0958"	x		C9AZ 6333-G	C9AZ 6333-G	C9AZ 6337-G	C9AZ 6333-G	C9AZ 6333-G
			.001"			C9AZ 6333-H	C9AZ 6333-H	C9AZ 6337-H	C9AZ 6333-H	C9AZ 6333-H
			.002"			C9AZ 6333-J	C9AZ 6333-J	C9AZ 6337-J	C9AZ 6333-J	C9AZ 6333-J
			.010"			C9AZ 6333-K	C9AZ 6333-K	C9AZ 6337-K	C9AZ 6333-K	C9AZ 6333-K
			.020"			C9AZ 6333-L	C9AZ 6333-L	C9AZ 6337-L	C9AZ 6333-L	C9AZ 6333-L
			.030"			C9AZ 6333-M	C9AZ 6333-M	C9AZ 6337-M	C9AZ 6333-M	C9AZ 6333-M
69/70	F Boss	429 Spec.	Std. - .0958"		x	C9AZ 6333-N	C9AZ 6333-N	C9AZ 6337-N	C9AZ 6333-N	C9AZ 6333-N
			.001"			C9AZ 6333-P	C9AZ 6333-P	C9AZ 6337-P	C9AZ 6333-P	C9AZ 6333-P
			.002"			C9AZ 6333-R	C9AZ 6333-R	C9AZ 6337-R	C9AZ 6333-R	C9AZ 6333-R
			.010"			C9AZ 6333-S	C9AZ 6333-S	C9AZ 6337-S	C9AZ 6333-S	C9AZ 6333-S
			.020"			C9AZ 6333-T	C9AZ 6333-T	C9AZ 6337-T	C9AZ 6333-T	C9AZ 6333-T
			.030"			C9AZ 6333-U	C9AZ 6333-U	C9AZ 6337-U	C9AZ 6333-U	C9AZ 6333-U

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
66/70		C1AE 6336-B	2				SEAL - CRANKSHAFT REAR MAIN BEARING CAP - #Yellow-asbestos & rubber-2 23/32" long-wedge shaped-Std.
		B8KY 6336-A	AR				.025" O/S
		6337					Refer to Main Bearing Chart (Basic No. 6333)
66/70		C1AE 6345-B	10				BOLT - CRANKSHAFT MAIN BEARING CAP - 1/2"-13 x 3 1/2"
68/		D5AZ 6345-A		10	10	10	1/2"-13 x 3 61/64" M. B. cap No. 1, 2, 3, 4, 5 inboard
69/70	F Boss	C9AZ 6345-A			2		3/8"-16 x 1 3/4"-M. B. cap No. 1 outboard
69/70	F Boss	C9AZ 6345-B			6		7/16"-14 x 2"-M. B. cap No. 2, 3, 4 outboard
70/	A(P/C),B & F (CJ & Super CJ)			6			
66/70	A, S, P/C, B & F(CJ)	B8AZ 6359-A	1				SPACER - CRANKSHAFT DAMPER-steel or cast iron design
68/69		C8SZ 6359-B		1			Iron
69/70	B & F (Super CJ)	C9ZZ 6359-A	1				Iron-w/counterweight
70/		D0OZ 6359-A		1		1	Iron-2 3/4" long
66/68	A (with S/T & O/D)	C3AZ 6366-A	1				COVER ASSY. - FLYWHEEL HOUSING
68/70	B,F(CJ)-S/T		1				
66/68	A, S(S/T & O/D)	20308-S7(B40)	4				Bolt (bottom cover to flywheel hsg.)-1/4"-20 x 1/2"
66/68	A, S(S/T & O/D)	20308-S7(B40)	1or2				Bolt (cover to cyl. block)-1/4"-20 x 1/2"
		34805-S8(X62)	1or2				Lockwasher-1/4"
66/68	A, S (S/T & O/D)	20310-S8(B48)	4				Bolt (bottom cover to flywheel hsg.)-5/16"-18 x 1/2"
		34806-S7(X64)	4				Lockwasher-5/16"
66/	A/T	B9AZ 6A366-B	1	1		1	PLATE - FLYWHEEL REINFORCING
66/68	A, P/C (M/T)	C6AZ 6375-A	1				FLYWHEEL ASSY. - #C6AE 6380-B-includes 184 tooth ring gear-14 23/64" diam.-(6) 5/16"-18 pressure plate attaching holes on 12 7/8" bolt circle
66/70	A, S, P/C, B & F(CJ)-A/T	C6AZ 6375-B	1				#C6VP 6380-B or C7AP 6375-A-two piece design opt. with one piece design-184 tooth ring gear-15 17/32" diam. (4) 7/16" ring gear attaching holes on 12" bolt circle
68/70	B & F(CJ)-M/T	C8OZ 6375-A	1				#C8OE-A-184 tooth ring gear-14 15/64" diam. - (6) 5/16"-18 pressure plate attaching holes on 12 7/8" diam. bolt circle
69/70	B & F (Super CJ)-M/T	C9ZZ 6375-A	1				184 tooth ring gear-14 15/64" diam. (6)5/16"-18 pressure plate attaching holes on 12 7/8" diam. bolt circle
69/70	B & F(Super CJ)-A/T	C9OZ 6375-B	1				15 1/2" dia.
69/70	A,B(exc. CJ,S/CJ)-M/T	C9AZ 6375-A		1			#C9AE-A-176 tooth ring gear-15 3/8" diam. - (6) 5/16"-18 pressure plate attaching holes on 12 7/8" diam. bolt circle
69/70	F Boss	C9AZ 6375-C			1		176 tooth ring gear-(6) pressure plate attaching
70/71	B & F(CJ & S/CJ)-M/T			1			holes on 12 7/8" diam. bolt circle
68/	A/T	D1SZ 6375-A		1		1	14 1/4" dia.
66/		B8A 6378-A	1	1	1	1	WASHER - CRANKSHAFT PULLEY RETAINING - 1 3/4" O.D.-11/16" I.D.-7/32" thick
68/	A/T	★C3AZ 6379-B r/b D2AZ 6379-B (6/74)		6		6	BOLT - PLATE TO CRANKSHAFT - 7/16"-20 x 13/16"-used with 6A366 plate
69/71	M/T	B8AZ 6379-A	6	6			Bolt-7/16"-20 x 15/16"
69	F Boss				6		
72	A/T	D2AZ 6379-B		6		6	7/16"-20 x 3/4"-used without 6A366 plate
66/70	M/T	C5AZ 6384-A	1				GEAR - FLYWHEEL RING-184 teeth
69/70	M/T	C9AZ 6384-A		1	1		176 teeth

Identification marking

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
66/68	A, P/C(M/T)	C5AZ 6392-C	1				HOUSING ASSY. - FLYWHEEL - use lever #C8AA 7515-A
68/70	B & F(CJ & Super CJ) -M/T	C6OZ 6392-C	1				Includes (1) C8OZ 7515-B lever
69/71	M/T	D0AZ 6392-A		1	1		Repl. hsg. ident. #C9AA 6394-D
66/70		20546-S8(B114) 34808-S8(X67)	4or6 4or6				Bolt(flywheel hsg. to cyl.block)-7/16"-14 x 2 1/2" Lockwasher-7/16"
66/		EAD 6397-A	2	2	2	2	DOWEL - CYLINDER BLOCK-to flywheel hsg. - 1/2"x 1"
66/70		C3AZ 6411-C	1				SEAL - FLYWHEEL HOUSING COVER PLATE
66/70		C3AZ 6411-B	1				SEAL - REAR COVER PLATE - 14.44" long - .40" width
68/		D1AZ 6411-A		1	1	1	Sponge rubber
66/70	M/T	C3AZ 6435-B	1				GASKET - FLYWHEEL HOUSING - .040" thick - cork and rubber
		6500					TAPPET ASSY.- VALVE
66 67/70 69	A, S (exc. P/C)	C8AZ 6500-A	16 16		 16		Hydraulic
66	P/C	C4AZ 6500-B	16				Mechanical
70		D0AZ 6500-B			16		Mechanical
70/	P/C, CJ	★D1AZ 6500-B r/b D1AZ 6500-A (1/75)		16			Hydraulic
70/71	CJ or S/CJ	D1ZZ 6500-B		16			Mechanical
68/	Exc. P/C, CJ or S/CJ	D1AZ 6500-A		16	16		Hydraulic

6505-07 VALVE - INTAKE and EXHAUST CHART

YEAR	C.I.D.	MODEL	EXHAUST VALVE LENGTH	HEAD DIA.	STEM SIZE	STEM DIA.	PART NUMBER	INTAKE VALVE LENGTH	HEAD DIA.	STEM SIZE	STEM DIA.	PART NUMBER
66/68	428	A,S (exc. P/C)	5.36"	1.57"	Std.	.3705"	C0AZ 6505-N	5.44"	2.04"	Std.	.3715"	★C8TZ 6507-A r/b D4TZ 6507-A(9/74)
					.003"		C7TZ 6505-C			.003"		C8TZ 6507-B
					.015"		★C7TZ 6505-D r/b D4TZ 6505-C(10/74)			.015"		C8TZ 6507-C
					.030"		C2AZ 6505-D			.030"		C8TZ 6507-D
66	428	P/C	5.36"	1.57"	Std.	.3705"	C7TZ 6505-B	5.44"	2.04"	Std.	.3715"	★C8TZ 6507-A r/b D4TZ 6507-A(9/74)
					.003"		C7TZ 6505-C			.003"		C8TZ 6507-B
					.015"		★C7TZ 6505-D r/b D4TZ 6505-C(10/74)			.015"		C8TZ 6507-C
					.030"		C2AZ 6505-D			.030"		C8TZ 6507-D
67/70	428	P/C-intake valve chrome	5.44"	1.57"	Std.	.3705"	C7TZ 6505-B	5.44"	2.03"	Std.	.3715"	D0AZ 6507-J
					.003"		C7TZ 6505-C			.003"		D0AZ 6507-K
					.015"		★C7TZ 6505-D r/b D4TZ 6595-C(10/74)			.015"		D0AZ 6507-L
					.030"		C2AZ 6505-D			.030"		D0AZ 6507-M
68/70	428	B & F(CJ & Super CJ)-silicone-chrome	5.42"	1.65"	Std.	.3705"	C9OZ 6505-N	5.44"	2.09"	Std.	.3715"	C9OZ 6507-U
					.003"		C9OZ 6505-R			.003"		C9OZ 6507-V
					.015"		C9OZ 6505-S			.015"		C9OZ 6507-Y
					.030"		C9OZ 6505-T			.030"		C9OZ 6507-Z
66/69	428	All High Perf.Veh. -use w/tunnel port, med. & high riser hds. -lightwt. type	5.45"	1.72"	Std.	.3705"	C5AZ 6505-N					
66/69	428	All High Perf.Veh. -lightwt. -not for tunnel port heads					★C8AX 6505-A					★C8AX 6507-A
65/68	428	All High Perf. Veh. -w/tunnel port heads										C8AX 6507-B

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

6505-07 VALVE - INTAKE and EXHAUST CHART - continued

YEAR	C.I.D.	MODEL	EXHAUST VALVE					INTAKE VALVE				
			LENGTH	HEAD DIA.	STEM SIZE	STEM DIA.	PART NUMBER	LENGTH	HEAD DIA.	STEM SIZE	STEM DIA.	PART NUMBER
66/69	428	All High Perf.Veh. -lightwt.-for use w/medium or high riser heads-not for tunnel port heads						5.45"	2.19"	Std.	.3715"	C5AZ 6507-N
68/	429, 460	Exc. P/C, CJ or S/CJ	5.08"	1.65"	Std.	.3419"	C8SZ 6505-A	5.29"	2.08"	Std.	.3419"	C8SZ 6507-A
					.003"		C8SZ 6505-B			.003"		C8SZ 6507-B
					.015"		C8SZ 6505-C			.015"		C8SZ 6507-C
					.030"		C8SZ 6505-D			.030"		C8SZ 6507-D
70/71	429	P/C, CJ or S/CJ	5.06"	1.72"	Std.	.3420"	D0OZ 6505-A	5.27"	2.24"	Std.	.3420"	D0OZ 6507-A
					.003"		D0OZ 6505-B			.003"		D0OZ 6507-B
					.015"		D0OZ 6505-C			.015"		D0OZ 6507-C
					.030"		D0OZ 6505-D			.030"		D0OZ 6507-D
72	429	P/C- intake valve silicone-chrome	4.98"	1.72"	Std.	.3420"	D2OZ 6505-A	5.19"	2.25"	Std.	.3420"	D2OZ 6507-A
					.003"		D2OZ 6505-B			.003"		D2OZ 6507-B
					.015"		D2OZ 6505-C			.015"		D2OZ 6507-C
					.030"		D2OZ 6505-D			.030"		D2OZ 6507-D
69/70	429 Spec	F Boss - silicone-chrome	5.63"	1.90"	Std.	.3704"	C9AZ 6505-J	5.60"	2.28"	Std.	.3714"	C9AZ 6507-J
					.003"		C9AZ 6505-K			.003"		C9AZ 6507-K
					.015"		C9AZ 6505-L			.015"		C9AZ 6507-L
					.030"		C9AZ 6505-M			.030"		C9AZ 6507-M

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
		6510					BUSHING - VALVE GUIDE - NOTE 1
66/69		D1AZ 6510-B	AR				Exhaust
		D1AZ 6510-A	AR				Intake
68/		D1AZ 6510-B	~	AR		AR	Intake & exhaust-2.4" long-.501" O.D.-.313" I.D.
66/	A,S (exc. P/C)	C6AZ 6513-D	16				SPRING - VALVE-#Yellow-2 1/8" free length-two piece design
66/70	P/C	C3AZ 6513-B	16				
68	B & F (CJ)		16				
69/70	B & F(CJ & Super CJ)	C9OZ 6513-E	16				#4 Silver or Yellow stripes
68/	Exc. P/C, CJ or S/CJ	C8SZ 6513-B		16		16	
70/	P/C, CJ or S/CJ	D0ZZ 6513-A		16			#4 Dark blue stripes
69/70					16		
66/68	A,S(exc. P/C)	C6AZ 6514-A	16				RETAINER - VALVE SPRING-1 13/32" O.D. - 27/64" I.D. -1/2" height
66/69	P/C, B & F(CJ & Super CJ)- "Before 6/1/69"	C3AZ 6514-A	16				
69	A,P/C,B & F(CJ & Super CJ)- "From 6/1/69"	D0AZ 6514-A	16				1 27/64" O.D. 7/16" high
69/70					16		
70	F(CJ & Super CJ)	D0AZ 6514-B	16				
68/	(Exc. P/C, CJ or S/CJ	★C8SZ 6514-A		16		16	1.32" O.D. -.45" high
70	P/C	r/b D0OZ 6514-A (10/74)	16				
70/	P/C, CJ or Super CJ	D0OZ 6514-A		16			1 7/16" O.D.-7/16" high
66/68	A,S	B8A 6517-B	16				SLEEVE - VALVE SPRING RETAINER-.769" flange O.D. -.599" conical O.D. -.36" height
66/70		B8A 6518-A	32				KEY - VALVE SPRING-RETAINER-.373" to .533" conical O.D. -.375" height-#Red
68/		7HA 6518-A		32		32	
69/70		C9AZ 6518-A			32		1 7/32" O.D. -25/64" high

NOTE 1 - Must be reamed to size of valve

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
66/70		C7AZ 6524-B	2				BAFFLE-VALVE SPRING OIL-approx. 18 1/2"long
72		D1AZ 6524-A		16		16	BAFFLE - VALVE ROCKER ARM OIL
71	A	D1AZ 6A525-A		AR			SHIM - ROCKER ARM STUD or BOLT-3/4" x 7/16" x .030" (used under 6A527)-also used with 3E717 steering column lock gear
66/70	A, S, P/C	C1AZ 6A527-A	2				BOLT - VALVE ROCKER ARM SHAFT SUPPORT-
68/70	B & F (CJ & Super CJ)		2				3/8"-16 x 3.29"
66/70	A, S, P/C	C1DZ 6A527-C	6				3/8"-16 x 2 31/32"
70	B, F	C1AE 6A527 C	1	1	1		Bolt - 7/16"-14 x 3 1/4" (Attach 7400 control assy. to 7E046 plate)
72	A, B, S (exc. P/C)	D0OZ 6A527-A		16		16	Bolt (rocker arm to head)-5/16"-18 x 1 3/8" hex.hd.
		6A527					STUD - VALVE ROCKER ARM SUPPORT
68/71	A, S	C9SZ 6A527-A		16			Stud & nut kit-3/8"-24 x 7/16"-14 x 2 43/64"long-
70	B(exc. CJ & S/CJ)			16			includes (4) studs & (4) C9SZ 6A529-A nuts
70/71	B(Super CJ)	C9ZZ 6A527-A		16			Stud-Rocker arm to head-
70	B(CJ)- "Before 10/28/69"			16			7/16"-20, 7/16"-14 x 2 21/32" long
70/71	B(CJ)- "From 10/28/69"	D0OZ 6A527-B		16			Stud-3/8"-24, 7/16"-14 x 2 11/16" long
71/	A(P/C)			16			
71	F(CJ)			16			
69/70		C9ZZ 6A527-B			24		Stud-5/16" -18-24 x 2 3/8"
69/70		382620-S100(WW14)			8		Stud-5/16"-18-5/16"-18 x 3 1/2"
68/71	Exc. P/C, CJ or S/CJ	C8SZ 6A528-A		16			SEAT - VALVE ROCKER ARM FULCRUM- .88" O.D. -.44" I.D.
71/	P/C, CJ or S/CJ	D0OZ 6A528-B		16			
72	Exc. P/C	D1OZ 6A528-A		16		16	
70	CJ or S/CJ			16			Hydraulic tappets
70	CJ or S/CJ	★C9ZZ 6A528-A r/b D0OZ 6A528-B (11/74)		16			Mechanical tappets
68/69	A, S- "Before 11/1/68"	C8SZ 6A529-A		16			NUT - VALVE ROCKER ARM STUD -
70	B(CJ & S/CJ) - "Before 10/28/69"			16			7/16"-20-hex. lock
70/71	B & F(S/CJ)- "From 10/28/69"			16			
69/71	A, S- "From 11/1/68"	C9SZ 6A529-A		16			3/8" -24 hex.
70	A, B, B(CJ)- "From 10/28/69"			16			
72	A(P/C)			16			
70/71	B & F (S/CJ)	C9ZZ 6A529-B		16			Nut-jam-7/16"-20 x 1/4"
69/70		C9ZZ 6A529-A			24		Nut-5/16" -24
69/70		33770-S4(M89K)			8		Nut-5/16"-18
66/70		C2AZ 6531-B	8				SUPPORT - VALVE ROCKER ARM SHAFT
69/70		C9AZ 6531-A			16		Aluminum
69/70		C9AZ 6A536-A			16		SEAT - VALVE SPRING
70/	P/C, CJ or S/CJ	D0OZ 6A536-A		16			Lower-I.D. 1 1/2"-O.D. 1 23/32"-center hole 45/64"
66	P/C	B6A 6549-C	16				SCREW - VALVE ROCKER ARM ADJUSTING - standard-7/16"-20 x 1.40" long
		C2AZ 6549-A	AR				.0023" O/S
69/70		C9AZ 6549-A			16		7/16" -20 x 1 11/32" long
69/70		EAA 6552-A			16		NUT - VALVE ROCKER ARM ADJUSTING SCREW

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
66/67	A,S	B8AZ 6563-D	2				SHAFT - VALVE ROCKER ARM-includes (2)
67	P/C						EAA 6572-A plugs
68/70	A,P/C,B & F(CJ & Super CJ)		2				
66	P/C	B8AZ 6563-A	2				18" long-(8) 5/32" holes lower half-includes (2) EAA 6572-A plugs
69/70		C9AZ 6563-A			16		Steel-approx. 2 1/2" long
66/68	A,S	B8AZ 6564-C	16				ARM - VALVE ROCKER - hydraulic tappets
67/70	P/C,B & F(CJ & Super CJ)		16				
66	P/C	B8A 6564-B	16				Mechanical tappets
68/71	Exc. P/C,CJ or S/CJ	C8SZ 6564-A		16			3 3/64" long
70/71	P/C, CJ or S/CJ	C9ZZ 6564-A		16			
72				16		16	
69/70		C9AZ 6564-C			8		Intake short type-includes adjusting screw & nut
69/70		C9AZ 6564-D			8		Exhaust-long type-includes adjusting screw & nut
66/70		372702-S(XX144)	8				Flat washer (rocker arm & rocker arm shaft to head)-3/8"
		6A564					GUIDE - VALVE PUSH ROD
70/	P/C, CJ or S/CJ	D0OZ 6A564-B		8			
66/68	A,S " Before chg./L5"	C4TZ 6565-B	16				ROD - VALVE PUSH-std. -9.62" o/all length
67/68	P/C " Before chg./L5"		16				
		C8AZ 6565-A	AR				.030" U/S
		C4TZ 6565-C	AR				.060" O/S-#Yellow
		C4TZ 6565-D	AR				.060" U/S-#Green
66	P/C	B8AZ 6565-C	16				9.345"/9.355" o/a length-(1) oval & 61) cup type end
68/70	A, P/C " Chg./L5/"	C8AZ 6565-A	16				Std. -9.59" length
68/70	B & F(CJ & Super CJ)		16				
		C4TZ 6565-B	AR				.030" O/S
68/69	"Before 4/1/69"	C8VZ 6565-A		16			8.70" long
71	Exc. P/C "CHG./L8/"			16			
69/71	Exc. P/C,CJ or S/CJ	C9VZ 6565-A		16			8.67" long
	"From 4/1/69 to	C9VZ 6565-B		16			.060" O/S
	Before CHG./L8"	C9VZ 6565-C		AR			.060" U/S
70/	P/C,CJ or Super CJ	D0OZ 6565-B		16			8.55" long
		D0OZ 6565-E		AR			.060" O/S
		D0OZ 6565-F		AR			.060" U/S
69/70		C9AZ 6565-A			8		Intake-8.76" long
69/70		C9AZ 6565-B			8		Exhaust-10.88" long
72	Exc. P/C	D2OZ 6565-A		16		16	8.60" long
		C9VZ 6565-A		AR		AR	.060 O/S
		D5VZ 6565-A		AR		AR	.060 U/S
66	A,S(P/S)	B9A 6570-A	1				GROMMET - used on power steering oil reservoir cover stud - rubber-.32" I.D.-1" O.D.-1/2" thick
66/67	A,S	C4TZ 6571-J	16				SEAL - VALVE STEM - intake & exhaust -
67	P/C		16				.90" O.D.-.342" I.D.-.80" height
68/70	A,P/C,B & F(CJ & Super CJ)		16				
66	P/C	C6AZ 6571-A	16				Intake and exhaust
68/	Exc. P/C, CJ or S/CJ	C8SZ 6571-A		16		16	.32" I.D. -.72" high-intake & exhaust
70/	P/C, CJ or S/CJ	D0OZ 6571-A		16			.21/64" I.D.-use with std. & .003" O/S valves
		D0OZ 6571-B		AR			.015" O/S-use w/.015" O/S valves
		D0OZ 6571-C		AR			.030" O/S-use w/.030" O/S valves
69/70		C9AZ 6571-A			16		.665" O.D. -.515" high-intake & exhaust-Std. & .003" O/S-use w/Std. & .003" O/S valves
		C9AZ 6571-B			AR		.015" O/S
		C9AZ 6571-C			AR		.030" O/S
66/70	A, S, P/C	EAA 6572-A	4				PLUG - VALVE ROCKER ARM SHAFT-cup shaped -.536" diameter-for transmission usage refer basic 7D418 1 7/16" O.D.-23/32" I.D.
69		C9AZ 6A580-B			2		PLUG-VALVE OIL METERING-3/8"-16-1/16" I.D.

Identification marking

6582-6A582 COVER ASSY. - VALVE ROCKER ARM - CHART

YEAR	MODEL	C. I. D.	PAINTED		CHROME	
			R. H.	L. H.	R. H.	L. H.
66	P/C	428	C7AZ 6582-A #Blue includes (1) C7AZ 6A892-A retainer	C7AZ 6582-A #Blue retainer not required	None	None
66/67	A, S "Before CHG/L3"	428	◊C5AZ 6582-H #Primed	C7AZ 6582-A	C6OZ 6582-A	C6OZ 6582-B
67	P/C "Before CHG/L3"	428				
67/68	A, S, P/C CHG/L3/	428	C7AZ 6582-A #Blue includes (1) C7AZ 6A892-A retainer	C7AZ 6582-A #Blue retainer not required	C7OZ 6582-B includes (1) C7AZ 6A892-A retainer	C7OZ 6582-B includes (1) C7AZ 6A892-A retainer
68/69	B & F(CJ) "Before 2/14/69"	428			C7OZ 6582-B includes (1) C7AZ 6A892-A retainer	C7OZ 6582-B includes (1) C7AZ 6A892-A retainer
69/70	A, P/C	428				
69/70	B & F (CJ) "From 2/14/69"	428			C9ZZ 6582-B #Aluminum includes ret. for R. H. only	C9ZZ 6582-B #Aluminum includes ret. for R. H. only
69/70	B & F (Super CJ)	428				
65/68	F(GT500)	428			S7MS 6A582-A	S7MS 6A582-A
68/71	Exc. P/C, CJ or S/CJ	429	D1VZ 6582-A	C8SZ 6582-B		
72	Exc. P/C	429,460	D1VZ 6582-A	D2VZ 6582-B		
70	CJ or S/CJ	429			D0OZ 6582-A #Aluminum	D0OZ 6582-A #Aluminum
71/	P/C, CJ or S/CJ	429			D1OZ 6582-D	D0OZ 6582-A
69/70	F Boss	429 Spec.			D0AZ 6582-B	D0AZ 6582-B

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
66	A, S, P/C	371065-S(BB549)	10				Bolt (valve cover to head)-5/16"-18 x 5/8"
66/70	A, S, P/C	377394-S(KK23F)	1				Grommet(retains 6A666 valve to 6582 cov.)-
67/70	A, P/C, S, B & F-(CJ & Super CJ)	372995-S13 (BB545AA)	10				Screw & washer (valve cover to head)-5/16"-18 x 3/4"
70/	P/C, CJ or S/CJ	383680-S8(BB863KD)		14			Screw & washer (cover to head)-1/4"-20 x 3/4"
68/71	Exc. P/C, CJ or S/CJ	373071-S7 (BB554M)		14			Screw & washer (cover to head)-1/4"-20 x 5/8"
72	Exc. P/C	356748-S(BB-124)		14		14	Screw & washer (cover to head)-1/4"-20 x 5/8"
69/70		383688-S(WW97EX)			2		Stud (cover to head) 5/16"-18-18 x 2 13/16"
69/70		56126-S(B319M)			16		Bolt (cover to head)-5/16"-18 x 2" hex.hd.
69/70		45582-S8(B70)			2		Bolt (cover to head)-5/16"-18 x 4 1/2"
66/70		D0AZ 6584-C	2				GASKET - VALVE ROCKER ARM COVER - rubber (5) 23/64" diam. holes-(5) tabs
68/		D0SZ 6584-A		2		2	Cork & rubber
69/70	F Boss	C9AZ 6584-A			2		Asbestos & rubber
66/70		B8A 6587-B	6				SPRING - VALVE ROCKER ARM TO SHAFT LOCATING-approx. 3.73" free length-8 coils-.859" I. D.
66/70		B8A 6590-A	4				WASHER - VALVE ROCKER ARM SHAFT - flat type - 1.32" O.D.-.86" I.D.-.060" thick

Identification marking ◊ Has em/re hole

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
66/70		B8A 6598-A	4				WASHER - VALVE ROCKER ARM SHAFT - spring type - 1.18" O.D.-.86" I.D.-.008" thick
66/68	A, S	C8AZ 6600-A	1				PUMP ASSY. - OIL - includes (1) each B8TZ 6626-A, B8AZ 6659-A & C6VE 6659-A gaskets
69/70	B & F (Super CJ)	C9ZZ 6600-A	1				Includes (1) B8TZ 6626-A, (1) B8AZ 6659-A gaskets
66/70	A, P/C, B & F (CJ)		1				
68/69	A, S	C8SZ 6600-B		1			Includes (1) C8SZ 6659-A gasket-also includes screen and cover
70/71	S			1			
69/70		C9AZ 6600-A			1		Includes (1) B8TZ 6626-A & (1) C8SZ 6659-A gaskets
70/	P/C, CJ or S/CJ			1			
70/	Exc. P/C, CJ or S/CJ	D0AZ 6600-A		1		1	With screen & cover-includes (1) C8SZ 6659-A gasket
66/70		354135-S7-8(BB155A)	2				Bolt (pump to block)-3/8"-16 x 1 1/8"
		34807-S7(X66)	2				Lockwasher-3/8"
71/		359266-S8(BB157)		2			Screw & washer (pump to block)-3/8"-16 x 1 1/4"
66/67	All(exc. Calif.)	D0AZ 6A603-G (EK-6-A)	1				EMISSION CONTROL KIT - EXHAUST

Consists of

1-D0AE 12A091-C	Valve assy. dist.	1-D2AE 9C485-AA	Tag eng. exh. emission I.D.
1-D0AE 12226-J	Hose dist. vac. 3" long	1-ESB M4G92-A	Sealer, silicone rubber
1-Instruction sheet			

66/70		B8A 6608-A	1				ROTOR and SHAFT ASSY. - OIL PUMP DRIVE-rotor type pump
68/		C8SZ 6608-A		1	1	1	2 31/64" long
66/70		B8A 6616-C	1				PLATE - OIL PUMP BODY
68/	Exc. P/C, CJ or S/CJ			1		1	
69		C9AZ 6616-A			1		
70/	P/C, CJ or S/CJ			1			
66/70		42911-S(B41A)	4				Bolt (plate to pump)-1/4"-20 x 5/8"
68/	Exc. P/C, CJ or S/CJ			4		4	
70/	P/C, CJ or S/CJ	370519-S(BB125)		4			Screw & washer (plate to pump)-1/4"-20 x 7/8"
69/70					4		
66/70		B8AZ 6A618-A	1				SHAFT ASSY. - OIL PUMP INTERMEDIATE
68/		C8SZ 6A618-A		1	1	1	9 11/32" long-11/32" O.D.
66	A, P/C	C2AZ 6622-B	1				SCREEN, TUBE and COVER ASSY. - OIL PUMP
66/67	S	C6OZ 6622-A	1				
67/69	A, P/C "Before 12/23/68"		1				
68/70	B & F(CJ & Super CJ)		1				
69/70	P/C "From 12/23/68"	C8SZ 6622-B	1				
66/69	All High Performance Vehicle	★C5AE 6622-B	1				Deep sump type-use w/deep sump oil pan
68/	Exc. P/C, CJ or S/CJ	★ 6622		★			Refer to group 6600
70/	P/C, CJ or Super CJ	D0OZ 6622-A		1			
69/70		C9AZ 6622-A			1		
66/71		20346-S8(B50)	2	2			Bolt (screw & cover to pump)-5/16"-18 x 3/4"
72		34806-S7(X64)	2	2			Lockwasher-5/16
66	"Before 3/1/66"	B8AZ 6626-B	1				GASKET - OIL PUMP INLET TUBE
66/70	"From 3/1/66"	B8TZ 6626-A	1				
70/	P/C, CJ or S/CJ			1			
69					1		
66/70		B8A 6629-A	1				RING - OIL PUMP INTERMEDIATE SHAFT RETAINER-.52" O.D.-6 prongs
68/		C4TZ 6629-A		1	1	1	.56" O.D. (6) internal prongs

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
66/70		B9AZ 6A630-C	1				BAFFLE - PUSH ROD CRANKCASE VENTILATION - upper
		6A630					BAFFLE - INTAKE MANIFOLD OIL
66/69	P/C "Before 12/23/68"	C6AZ 6A630-B	1				
68/70	B & F(CJ & Super CJ)	C8AZ 6A630-B	1				
69/70	P/C "From 12/23/68"		1				
66/67	A,S- "Before 10/24/66"	C6AZ 6A630-D	1				Intake manifold baffle
68	A		1				
67	A, S "From 10/24/66"	C5AZ 6A630-A	1				
68/	Exc. P/C, CJ or S/CJ	C8SZ 6A630-A		1		1	
70/	P/C, CJ or S/CJ	D0OZ 6A630-A		1			Intake manifold baffle
67/70	A,P/C,B & F(CJ & Super CJ)	381709-S(UU52G)	2				Screw (baffle to manifold)-1/4"-20 x .38"
69/				3	3	3	
66/68	P/C, B & F(CJ)	C1AE 6A632-A	1				GASKET - CRANKCASE VENT - oil separator
69	P/C "Before 12/23/68"		1				Not used from 12/23/68
		6B633					BRACKET - OIL COOLER UPPER
69/70	B & F (S/CJ)	D1ZZ 6B633-A	1	1	1		
70	B	55736-S2(M96F)		1			Nut-5/16"-18-(6B633 to 16138)
70	B	359662-S7-8-(BB575A)					Screw & washer-5/16"-18 x 3/4"-(6B633 to 16138)
		6B634					BRACKET - OIL COOLER LOWER
69/70	F (Super CJ)	C9ZZ 6B634-A	1				
69					1		
69/70	B (Super CJ)-	D0OZ 6B634-B	1	1			
70					1		
70	B	57140-S2(B340H)		2			Screw & washer-5/16"-18 x 7/8"-(6B634 to 16138)
66/67	A, S	C0AZ 6A636-B	1				GASKET - OIL FILTER ADAPTER TO CYLINDER
67	P/C		1				BLOCK-2 29/32" x 2 1/2" x .022" thick
68/70	A,P/C,B & F(CJ & Super CJ)		1				
66	P/C	C6AZ 6A636-A	1				
69		C9AZ 6A636-A			1		
70/71	B & F (S/CJ)	D1ZZ 6A636-A		1			3" O.D.-1" I.D.
70					1		
69/70	B & F (S/CJ)	C9OZ 6A642-A	1				COOLER ASSY. - CRANKCASE OIL
69/70					1		
70	B(Super CJ)			1			
67/68	F(GT500)-w/A/C	★S7MS 6653-A	1				HEAT EXCHANGER - OIL COOLER ASSY.
67/68	F(GT500)-w/A/C	★S8MS 6A653-A	4				CONNECTOR - OIL COOLER - same as Shelby No. 57003-S
66/70		B8AZ 6659-A	1				GASKET - OIL PUMP TO BLOCK-(1) elongated & (2) 13/32" holes-1.56" hole centers-.030" thick
68/		C8SZ 6659-A		1	1	1	Fibre
66/68	A, S(T/E)	C6AZ 6A664-A	1				HOSE - CRANKCASE VENTILATION -
68	S			1			thermactor type-attaching oil filler cap to air cleaner
		C9PZ 6A664-A	AR	AR			1/2" bulk hose
		C9PZ 6A664-A (KCV-1)	AR	AR	AR		15/32"-25 ft. long - cut as required
		C9PZ 6A664-B (KCV-2)	AR	AR	AR		5/8" I. D. - 25 ft. long - cut as required

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
		6A664					HOSE - CRANKCASE VENTILATION - continued
66/67	A,S,P/C (R/A cover em/re)- "Before CHG/L3"	C6AZ 6A664-B	1				1/2" I.D. & 5/8" I.D.-11" long-6A666 valve to hot idle compensator tee to 6758 tube
66/67	S(T/E)	C6SZ 6A664-B	1				6758 tube to tee
		C6SZ 6A664-A	1				Tee to 6A666 valve
66/68	A(T/E)	C6AZ 6A664-E	1				Front 6758 tube to tee
		C6AZ 6A664-F	1				Rear tee to 6A666 valve
66/68	P/C(T/E)	★C6AZ 6A664-H	1				Air cleaner to oil filler cap
66/68	P/C(T/E)	★C6AZ 6A664-J	1				6A666 valve to tee-"S" shape
		★C6AZ 6A664-K	1				6758 tube to tee
66/70	A, S, P/C, B & F(CJ)	★C6AE 6A664-A	1				1 1/2" long-attach elbow to 6758 tube-cut from C3AZ 6A664-A bulk hose
66/67	A,S,P/C (except T/E)- "Before CHG/L3"	★C6AZ 6A664-M	1				"L" shape-1/2" dia. one end-61/64" dia. other end-attach 6A666 valve to 6758 tube
67	A, S "CHG/L3/"	C7AZ 6A664-A	1				5/8" I.D.-valve end-1/2" I.D. tube-att. 6A666 valve to 6758 tube-front
67/69	P/C "CHG/L3/ to 12/23/68"	C7AZ 6A664-B	1				5/8" I.D.-valve end-1/2" I.D. tube end
68/69	B, F (CJ & Super CJ)	C7ZZ 6A664-B	1				5/8" I.D. valve end-1/2" I.D. tube end
69/70	P/C "From 12/23/68"		1				
68	F(GT 500)-T/E		AR				Cut to proper length
67	S(T/E)	C6SZ 6A664-B	1				3 5/64" long-tee to 6758 tube (front)
67	S (T/E)	C6SZ 6A664-A	1				
67	A (7 litre, closed em/re)	★C6GY 6A664-A	1				Air cleaner to oil filler cap
68	A, P/C	C8AZ 6A664-A	1				1/2" I.D.-molded
69	"Before 3/5/69"	C9AZ 6A664-A			1		1/2" one end, 5/8" other end-approx. 14 1/4" long
71	B & F(CJ & S/CJ)			1			
69	"From 3/5/69"	★6A664			★		Cut from C9PZ 6A664-B bulk hose
70/71	B, F(CJ & S/CJ)	★C6DE 6A664-B		1			P.C.V. valve to carb.-cut from B4C 4090-A hose
71	A(P/C)			1			
68/	A, B, S	C8SZ 6A664-B		1			1/2" I.D.-molded
70	B(CJ & S/CJ)			1			
72	S					1	
70	F(CJ & S/CJ)	C9PZ 6A664-A	1				P. C. V. valve to carb.-cut to required length
71/	A(P/C)	D1OZ 6A664-B		1			Approx. 23 1/2" long-P.C.V. valve to carb.
71	B, F(CJ & S/CJ)			AR			cut to proper length
68	A	C8AZ 6A665-A (EC-17)	1				ADAPTOR ASSY. - CRANKCASE VENTILATION
66/68	"Before 11/25/68"	C0AZ 6666-A	1				PLUG - OIL PUMP RELIEF VALVE - in oil pump body-cup type-.559" & .567" O.D.-.361" height - .114" orifice
68/70	"From 11/25/68"	C6AZ 6666-A	1				Plug (in oil pump)-cup type
68/		C8SZ 6666-A		1	1	1	Attaches valve to spacer-7/8" O.D.-5/8" high
68/		72070-S(N46)		1	1	1	Cotter pin (retain oil pump relief valve)-3/32" x 1 1/2"
69	B & F (Super CJ)	C7TZ 6666-B	1				PLUG - OIL FILTER BY-PASS VALVE
69					1		
66/69	A,S,P/C "Before 12/23/68"	D0AZ 6A666-A	1				VALVE - POSITIVE CRANKCASE VENTILATION -
69		(EV-50)		1			(P.C.V.)
70/	Exc. CJ & S/CJ			1		1	
71	B & F(CJ)-Imco			1			
68/69	B, F(CJ & Super CJ)	C8OZ 6A666-B	1				
69	P/C "From 12/23/68"	(EV-45)	1				
69/70		C1TZ 6A666-A (EV-1)			1		

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
		6A666					VALVE - POSITIVE CRANKCASE VENTILATION - (P.C.V.) - continued
70	B (CJ & S/CJ)	C9TZ 6A666-A		1			
71	F(S/CJ)-w/mech.tappets	(EV-48)		1			
70	F(CJ & Super CJ)	D0OZ 6A666-A	1				
70	A, P/C	(EV-51)	1				
66/70	A, S, P/C	377394-S(KK23F)	1				Grommet (retains valve to 6582 cov.)-1 7/16"O. D. - 23/32" I. D.
66	A, S "Before 5/2/66"	C0ME 6670-A	1				SPRING - OIL PUMP RELIEF VALVE - 18 active coils-2. 34" long-. 468" O. D.
66/68	A, S "From 5/2/66"	C6AZ 6670-A	1				2 1/64" long
66/69	P/C, B & F (CJ) - "Before 11/25/68"	C4TZ 6670-A	1				2" long-approx.
69/70	B, F (Super CJ)	C9ZZ 6670-A	1				2 5/32" long-approx.
69/70	P/C, B & F (CJ)- "From 11/25/68"		1				
68/		C5AZ 6670-A		1	1	1	
66	A, S "Before 5/2/66"	B9AE 6674-A	1				PLUNGER - OIL PUMP RELIEF VALVE
66/68	A, S "From 5/2/66"	C6AZ 6674-A	1				
68/70	P/C	C4TZ 6674-A	1				
68/70	B & F (CJ & Super CJ)	C1AE 6674-A	1				
68/		C5AZ 6674-A		1	1	1	
66	A, P/C	C7AZ 6675-A	1				PAN ASSY. - OIL
66/67	S	C6OZ 6675-A	1				Steel
67/69	A, P/C "Before 12/23/68"		1				
68	B & F (CJ)		1				
69/70	P/C "From 12/23/68"	C8SZ 6675-B	1				
69/70	B & F(CJ & Super CJ)	C9ZZ 6675-D	1				
66/69	All High Performance Vehicles	★C8AX 6675-A	1				Deep sump-7 qt. -requires special pick up
68/69	A, S	C8SZ 6675-A		1			
70/71	S			1			
70/	A, P/C, B, F	D0OZ 6675-D		1			
72	S			1		1	
69/71		C9AZ 6675-A			1		6 qts.
66/70		20326-S7-8(B49)	20				Bolt (oil pan to block)-5/16"-18 x 5/8"
		34806-S7(X64)	20				Lockwasher-5/16"
68/70		371065-S(BB549)		4	4		Screw & washer (oil pan to cover to block)-5/16" -18 x 5/8"
68/71		373071-S7(BB554M)		19	19		Screw & washer (oil pan to block)-1/4"-20 x 5/8" (18 to block & 1 to cover)
71/		372995-S13(BB545AA)		4	4	4	Screw & washer (oil pan to cover to block)-5/16"-18 x 3/4"
72		356748-S(BB-124)		19		19	Screw & washer (oil pan to block)-1/4"-20x5/8"-18 block to cover
69/70	B & F(CJ & Super CJ)	C9ZZ 6687-A	1				BAFFLE - OIL PAN UPPER
66/		C3AZ 6700-A	1	1	1	1	SEAL - CYLINDER FRONT COVER OIL
		6701					PACKING - CRANKSHAFT REAR
66/70		B8AZ 6701-A	2				Rubber-formed seal-3. 40" dia. -split lip type
68/		C9AZ 6701-A		2	2		Split lip type
66/		C9OZ 6701-A	2	2		2	Rope type
68/70	B, F(CJ & Super CJ)	C7OZ 6A706-A	1				CONNECTOR - CRANKCASE VENTILATION HOSE -6° -attaches hose to 6A666 valve
69/70	P/C		1				
66/70	A, S, P/C	D0AZ 6710-A	1				GASKET - OIL PAN - Also refer to Basic 6781
68	B & F (CJ)		1				
69/70	B& F (CJ & Super CJ)	D0ZZ 6710-A	2				

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
69	B (Super CJ)	C9OZ 6A715-A	1				HOSE ASSY. - OIL COOLER INLET
69	B (Super CJ)	C9OZ 6A715-B	1				Outlet
69/70	F (Super CJ)	C9ZZ 6A715-A	1				Inlet
69/70	F (Super CJ)	C9ZZ 6A715-B	1				Outlet
69/70	F Boss	C9AZ 6A715-A			1		Inlet
69/70	F Boss	C9ZZ 6A715-B			1		Outlet
70	B(Super CJ)	D0OZ 6A715-A		1			Inlet
70	B(Super CJ)	D0OZ 6A715-B		1			Outlet
		6722-23					SEAL - OIL PAN - Refer to Basic 6781
66/		★D1AZ 6730-A r/b D1AZ 6730-B (11/74)	1	1	1	1	PLUG - OIL PAN DRAIN - 1/2"-20
66/		☆C1AZ 6731-A (FL-1)	1	1	1	1	ELEMENT ASSY. - OIL FILTER - "Spin-on" one piece filter-has 3/4"-16 female threads
66/		♦CC1AZ 6731-A (FL-1)	1	1	1		"Spin-on" type
66/		C2OZ 6734-A	1	1	1	1	GASKET - OIL PAN DRAIN PLUG - #Nylon-13/16" O.D.-1/2" I.D.-5/64" thick
67/68	F(GT500)-w/A/C	★S1CR 6734-A r/b FL-5	1				FILTER - OIL
69	B & F (Super CJ)	86H 6734	1				GASKET - OIL FILTER BY-PASS VALVE NUT
69	F Boss				2		
67/68	F(GT500)-w/A/C	S8MS 6A734-A	1				GASKET - OIL DISTRIBUTOR TO OIL FILLER
70	B(CJ & S/CJ)	EAA 6749-A		1			GASKET - OIL FILTER CENTER BOLT COVER - seal head of (6894) mtg. bolt
71	F(S/CJ)			1			
66	A,P/C	C6AZ 6750-A	1				INDICATOR - OIL LEVEL 17.80" shield to full 18.58" shield to add 19.81" shield to end
66	S	C6SZ 6750-B	1				21.56" shield to full 22.70" shield to add 23.70" shield to end
67	A,S,P/C	C7AZ 6750-A	1				#Black-black plug in handle
68/69	A,P/C "Before 12/23/68"		1				17.42" shield to full 18.50" shield to add 19.25" shield to end-optional with C7OZ 6750-A
69/70	P/C "From 12/23/68"	C9AZ 6750-A	1				17.44" shield to upper safe mark 18.50" shield to add 20.00" shield to end
67	A,P/C	C7OZ 6750-A	1				#Chrome handle-Black plug in handle
68/69	B & F(CJ)		1				17.42" shield to full
70	F(CJ)		1				18.50" shield to add 19.25"shield to end-optional with C7AZ 6750-A
70	F(CJ & S/CJ)	D0OZ 6750-C	1				$Chrome-16.40" shield to safe 16.90" shield to add 1 mark 17.60" shield to add 2 mark 20.00" shield to end-use on engines w/increased oil capacity-from 5 qts. to 7 qts.
68/71	S	★C8SZ 6750-A r/b D4VZ 6750-A (10/74)		1			16.81" shield to full 17.81" shield to add 18.52" shield to end
69	A	C9MZ 6750-A		1			16.62" shield to full 17.64" shield to add 18.52" shield to end

$ Identification marking ☆ U.S. only ♦ Canada only

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
		6750					INDICATOR - OIL LEVEL - continued
70/	A(exc. P/C)	D0AZ 6750-B		1			15.81" top of shield to safe
70	B(exc. CJ & S/CJ -			1			16.62" top of shield to add 1
	"Before 3/16/70"						17.24" top of shield to add 2
72	S			1		1	18.12" top of shield to end
70/	B(exc. CJ & S/CJ	★D0OZ 6750-D		1			15.36" top of shield to safe
	"From 3/16/70"	r/b D4AZ 6750-B					15.75" top of shield to add 1
71/	P/C	(10/74)		1			16.23" top of shield to add 2
							17.50" top of shield to end
70	B(CJ & S/CJ)	D0OZ 6750-B		1			#Chrome-15.36" top of shield to full
71	F(S/CJ)			1			15.76" top of shield to add 1
							16.23" top of shield to add 2
69/70		C9AZ 6750-B			1		15.96" shield to safe mark
							17.00" shield to add
							17.90" shield to end
66/70	A,P/C	C5AZ 6754-D	1				TUBE ASSY. - OIL LEVEL INDICATOR -
67/68	S		1				approx. 6 7/8" long
66	S	C5SZ 6754-A	1				Approx. 13 1/2" long
68/70	B & F(CJ & Super CJ)	C7OZ 6754-A	1				Approx. 10 5/64" long
68/		C8SZ 6754-A		1	1	1	Approx. 9 19/32" long
66/68	A,S	C6AZ 6758-A	1				TUBE - CRANKCASE VENTILATION - emission reduction
66/69	P/C "Before 12/23/68"	C6AZ 6758-B	1				
68/69	B & F(CJ & Super CJ)	C8OZ 6758-B	1				
69/70	P/C "From 12/23/68"		1				
66/67	A,S,P/C	C3AZ 6766-D (EC-64)	1				CAP ASSY. - OIL FILLER and BREATHER - open system - rocker arm cover type
66/68	A,S (T/E)	C4TZ 6766-B (EC-31)	1				CAP ASSY. - OIL FILLER & BREATHER - T/E - Imco
67/68	F(GT500)	C3AZ 6766-E (EC-564)	1				
68/69	A,S,P/C,B & F(CJ)	C8AZ 6766-A	1	1			#Black
70	F(CJ),P/C	(EC-1)	1				
70	B(CJ)			1			
70	A,B,S			1			
		C8AZ 6766-B (EC-2)	1	1			#Chrome
71	B & F(CJ & S/CJ)	D1ZZ 6766-A		1			#Chrome
72	A,B,S	(EC-508)		1		1	Optional w/specified Black cap
71/	A,S,P/C	D1AZ 6766-A		1		1	# Black
72	B	(EC-8-A)		1			
69		C9AZ 6766-B (EC-7)			1		#Black
70		D0AZ 6766-C (EC-11)			1		
		★ 6766	★				Oil separator-retain 6A666 valve-see group 6A665
68/		C8AZ 6767-A	1	1	1	1	ELBOW - CRANKCASE VENTILATION HOSE -
68/		D0SZ 6781-A		1	1	1	GASKET SET - OIL PAN

Consists of
1-C9VE 6710-B Gasket (R.H.)
1-C9VE 6711-A Gasket (L.H.)
2-D2VE 6722-AA Seal (front & rear)
1-C2OZ 6734-A Gasket (drain plug)

72	P/C	D1AZ 6788-A		1			BRACKET - CRANKCASE VENT VALVE HOSE CLIP

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	RESTRICTIONS	PART NUMBER	QUANTITY 428	429	429 Spec.	460	PART NAME AND DESCRIPTION
69	B & F (S/CJ)	C7TZ 6837-A	1				SPRING - OIL FILTER BY-PASS
69					1		
		★ 6853	★	★			HOSE - CRANKCASE VENTILATION - cut to fit from bulk hose 4090 - also refer to group 6A664
66/67	A, S, P/C (T/E)	C5AZ 6A868-A	1				ADAPTER - OIL FILLER
66/69	P/C "Before 12/23/68"	†C6AZ 6869-A	1				COVER - CRANKCASE VENT
68	B & F (CJ)		1				
66/69	P/C, B & F(CJ)	20309-S8(B150)	2				Bolt (cover to manifold)-1/4"-28 x 1/4"
66/67	A, S	C0AZ 6881-A	1				ADAPTER ASSY. - OIL FILTER
67/70	P/C		1				
68/70	A, B & F(CJ)		1				
66	P/C	C6AZ 6881-A	1				
69/70	B, F (Super CJ)	C9OZ 6881-B	1				
70	B, B(S/CJ)	D0OZ 6881-B		1			
70					1		
71	F(S/CJ)	D1ZZ 6881-A		1			Used w/oil cooler
69					1		
70	B, F	375688-S(H-196M)			2		Elbow-45° (hoses to adapter)
66/70	A, S, P/C, B & F(CJ & Super CJ)	20346-S8(B50)	4				Bolt (adaptor to block)-5/16"-18 x 3/4"
		34806-S7(X64)	4				Lockwasher-5/16"
67/68	F(GT500)-w/A/C	S7MS 6881-A	1				DISTRIBUTOR - OIL COOLER
67/68	F(GT500)-w/A/C	★S7MS 6882-A	1				FITTING - OIL FILTER TO ADAPTOR
67/68	F(GT500)-w/A/C	★S7MS 6883-A	2				NIPPLE - CIL COOLER
68/		D1AZ 6890-A		1		1	INSERT - OIL FILTER MTG. BOLT - 3/4"-16 & 1 1/16"-12 male threads-1 13/64" long-shoulder type attaching filter to cyl. block-use with spin-on type filter
69	B & F (Super CJ)	B8A 6890-A	1				
69					1		Use as oil filter adapter mounting bolt
69		C9AZ 6890-A			1		Use as oil filter mounting bolt-1 1/16"-12 O.D.
70	B & F(CJ)			1			3/4 -16" I.D. x 1 9/64" long
		6A892					RETAINER - CRANKCASE VENTILATION - grommet
67/70	A, S, P/C "CHG/L3/"	ΔC7AZ 6A892-A	1				
68/70	B & F (CJ & Super CJ)		1				
68	A	C8AZ 6A892-B	1				Retains 6A666 valve to 6A665 cap-R. H. side
70	A-with evaporative emission		1				Retains PCV valve adaptor to valve cover
68/	A, B, S(exc. CJ & S/CJ)	C8SZ 6A892-A		1			Retains 6A666 valve to valve cover
72	A(P/C)			1			Retains valve (6A666) to oil filler cap
72	S					1	Retains valve to cover
70/71	B & F(CJ & S/CJ)	D0AZ 6A892-A		1			Retains 6A666 valve to valve cover
71	A(P/C)			1			
68	A, S, P/C, B & F (CJ)	C8AZ 6A892-A	1	1			Elbow to oil filler cap-1 7/16" O.D.-37/64" I.D.-
69/71	A, P/C, S		1	1			L.H. side-also refer to group 9600
69	A, S			1			Retains elbow to oil filler cap
69/70					1		Also refer to group 9600
70/71	B & F(CJ & S/CJ)			1			
72	A, B, S(exc. P/C)			1			Retains elbow (6767) to oil filler cap
72	P/C			1			Retains elbow to valve cover
72	S					1	Retains elbow to oil filler cap
69		C4GY 6894-A			1		BOLT ASSY. -OIL FILTER ADAPTOR MOUNTING
70	B(S/CJ)			1			
71	F(S/CJ)			1			

Δ Not used before CHG/L3

† Not used from 12/23/68

INDEX

PART NAME	GROUP NUMBER
A	
Actuator (overdrive kick down switch)	7A770
Adapter (clutch pedal rod)	7B535
Adapter (overdrive housing to trans. case)	7660
Adapter assy. (trans. gearshift interlock rod)	7D425
Arm (trans. gearshift selector)	7346
Arm assy. (trans. gearshift selector)	7302-3
Arm assy. (trans. intermediate & high gearshift control column mounted)	7302
Arm assy. (trans. low & reverse gearshift control column mounted)	7303
B	
Baffle (overdrive output shaft bearing oil)	7668
Baffle (trans. input shaft bearing oil)	7040
Ball (clutch release equalizer shaft)	7543
Ball (clutch release equalizer shaft inner)	7A535
Ball (transfer case shift assy.)	7213
Bar assy. (clutch release equalizer)	7528
Bearing (clutch pilot)	7600
Bearing (clutch release)	7580
Bearing (trans. control selector tube)	7347
Bearing (trans. counter shaft gear needle)	7121
Bearing (trans. gearshift lever opening plate)	7D440
Bearing (trans. gearshift tube)	7347
Bearing (trans. input & output shaft)	7025-65
Bearing (trans. input shaft pilot)	7118 7120
Bearing (trans. second & third speed gear)	7120
Bearing (trans. steering column tube)	7347
Bearing assy. (clutch release)	7580
Bellcrank (transfer case control)	7A188
Bellcrank (trans. accelerator)	7A185
Bellcrank (trans. column shift selector)	7A185
Bezel (trans. gearshift lever boot)	7E391
Boot (clutch pedal rod)	7A582
Boot (trans. floor mounted gearshift control linkage lower)	7E138
Boot (trans. gearshift lever)	7277
Boot (trans. shift selector linkage)	7277
Bracket (clutch pedal lever assist spring)	7535
Bracket (clutch pedal retracting spring)	7535
Bracket (clutch release equalizer)	7A572
Bracket (clutch release lever)	7522
Bracket (clutch release lever retracting spring)	7542
Bracket (overdrive manual control handle)	7A215
Bracket (trans. gearshift tube steering column)	7317
Bracket (trans. overdrive control)	7A653
Bumper (clutch & brake pedal)	7583
Bushing (clutch pedal clevis)	7B605
Bushing (clutch release equalizer shaft)	7517
Bushing (clutch release idler lever rod)	7526
Bushing (transfer case gearshift lever shaft)	7A133
Bushing (trans. accelerator rod)	7A440
B · cont'd.	
Bushing (trans. case)	7025
Bushing (trans. console shift selector shaft)	7A133
Bushing (trans. control selector arm)	7343
Bushing (trans. extension)	7025
Bushing (trans. extension housing)	7A034
Bushing (trans. gearshift lever shaft)	7A133
Bushing (trans. gearshift lever socket)	7335
Bushing (trans. gearshift selector arm insulator)	7343
Bushing (trans. input shaft)	7120
Bushing kit (trans. gearshift arm)	7343
Bushing & insulator kit (trans. control selector arm)	7343
Button (transfer case shift control handle)	7C488
C	
Cable (clutch)	7K581
Cable assy. (overdrive manual control)	7A650
Cam & shaft (trans. first & second speed shifter fork)	7282
Cam & shaft (trans. high & intermediate shifter fork)	7280
Cam & shaft (trans. low & reverse shifter fork)	7282
Cam & shaft (trans. third & fourth speed shifter fork)	7280
Case (transfer & trans.)	7005-6
Clevis (transfer case shift rod)	7354
Clutch (disc, plate & cover)	7550, 7563
Clutch pressure plate & disc kit	7A537
Cone & roller (transfer case front wheel outer bearing)	1216
Control (trans. floor mounted gearshift)	7400
Counter shaft (trans.)	7111
Cover (clutch pedal pad)	7B544
Cover (instrument panel trans. selector)	7B100
Cover (trans. case access)	7222
Cover (trans. gearshift lever opening)	7D362
Cover (trans. gearshift sleeve)	7E405
Cover assy. (trans. case)	7201
Cup (transfer case)	1202
Cup (transfer case rear output shaft bearing)	7169
D	
Dowel (transfer case input bearing cap)	7B362
E	
Extension (trans. column shift selector lever socket lower)	7228
Extension (trans. gearshift arm)	7E409
Extension (trans. selector socket cover)	7228

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
F	
Flange (transfer case output shaft)	7B214
Finger (trans. shift control)	7C124
Fork (transfer case gearshift)	7289
Fork (trans. gear shifter)	7230-1
Fork & rail (trans. overdrive shift)	7680
G	
Gasket (overdrive housing to adapter)	7661
Gasket set (transfer case)	7153
Gasket set (trans.)	7153
Gasket (transfer case)	7181
Gasket (transfer case cover)	7223
Gasket (trans. & transfer case extension housing)	7086
Gasket (trans. extension housing)	7086
Gasket (trans. gearshift housing)	7223
Gasket (trans. input shaft bearing retainer)	7051
Gear (overdrive ring)	7653
Gear (transfer case input shaft)	7C116
Gear (transfer case intermediate)	7113
Gear (transfer case output shaft)	7100
Gear (trans. countershaft cluster)	7113
Gear (trans. first speed)	7A029, 7100
Gate (trans. gearshift)	7K131
Gear (trans. intermediate)	7102
Gear (trans. low & reverse sliding)	7100
Gear (trans. low constant mesh)	7A029
Gear (trans. overdrive governor driven)	6922
Gear (trans. overdrive sun)	7670
Gear (trans. reverse idler sliding)	7D223
Gear (trans. second speed)	7102-3
Gear (trans. third speed)	7B340
Gear assy. (overdrive planetary)	7673
Gear & bushing (trans. reverse idler)	7141
Governor assy. (trans. overdrive less gear)	6919
Grommet (clutch rod)	7621
Guide (overdrive shift rail)	7730
H	
Housing (transfer case control selector)	7E174
Housing (trans. clutch)	7505
Housing (trans. extension)	7A039, 7A040
Housing assy. (trans. gear shift)	7222
Hub (trans. third & fourth speed synchronizer clutch)	7105
Hub assy. (clutch release)	7561
Hub & bearing (clutch release)	7548
I	
Insert (trans. control selector housing)	7E362
Insert (trans. gearshift lever)	7E133
Insulator (clutch pedal assist spring)	7A630
Insulator (clutch release idler lever)	7A641
Insulator (trans. control selector arm)	7341
Insulator (trans. gearshift lever)	7246, 7341
Insulator (trans. gearshift relay lever rod pin)	7D395
Insulator (trans. gearshift selector arm)	7341
K	
KIT - refer to appropriate noun name For example	
Rail & pin kit (trans. shift)	7240
Knob (overdrive manual control)	7D131, 7A650
Knob (transfer case shift lever)	7213
Knob (trans. column shift selector lever)	7213
Knob (trans. shift lever)	7213
L	
Lever (transfer case shift)	7210
Lens (trans. column shift selector dial)	7B037
Lever (trans. backup lamp switch actuating)	7B097
Lever (trans. column mounted gearshift)	7210
Lever (trans. console shift selector)	7D282
Lever (trans. first & second gearshift upper)	7315
Lever (trans. first & second shifter fork cam & shaft)	7290
Lever (trans. floor mounted gearshift)	7210
Lever (trans. gearshift control)	7C312
Lever (trans. high & intermediate gearshifter)	7285, 7302
Lever (trans. intermediate & high gearshift)	7285
Lever (trans. low & reverse gearshift)	7290, 7C173
Lever (trans. reverse shifter fork cam & shaft)	7290
Lever (trans. third & fourth gearshift control)	7C313
Lever (trans. third & fourth shifter fork cam & shaft)	7285
Lever assy. (clutch release)	7515
Lever & shaft (trans. reverse gearshift)	7290
Link (clutch pedal retracting spring)	7592
Link (transfer case front & rear shift rod)	7B106
M	
Mounting (trans. clutch release equalizer bar)	7507
N	
Nut (trans. gear shift lever ball lock)	7C404

INDEX

PART NAME	GROUP NUMBER
P	
Pad (clutch pedal plate)	7A624
Pawl (overdrive balk ring & gear sliding)	7690
Pedal (clutch)	7519
Pin (transfer case gear shift interlock)	7229
Pin (trans. gear shifter interlock)	7235
Pin (trans. gearshift interlock rod)	7C316
Pin (trans. gearshift lever)	7A111
Pin (trans. gearshift lever pilot)	7D439
Pin (trans. gearshift lever socket retaining)	7C402
Pin (trans. gearshift relay lever rod)	7K051
Pin (trans. shifter fork cam & shaft lock plunger)	7235
Plate (clutch equalizer bar mounting)	7B588
Plate (transfer case intermediate lock)	7155
Plate (transfer case shift pawl)	7E071
Plate (transfer case skid)	7E063
Plate (trans. countershaft & reverse idler shaft lock)	7155
Plate (trans. column shift mounting)	7E046
Plate (trans. eng. rear)	7007
Plate (trans. floor pan gearshift lever opening cover)	7B233
Plate (trans. gearshift lever opening console trim)	7D358
Plate (trans. gearshift lever opening trim rear)	7D444
Plate (trans. gearshift pattern)	7B052
Plate (trans. gearshift tube bracket)	7E417
Plate (trans. selector lever opening)	7B233
Plate (trans. selector lever opening cover finish)	7C309
Plate (trans. shift control mounting)	7E046
Plate assy. (trans. floor pan gear shift lever opening cover)	7C309
Plate & cover assy. (clutch pressure)	7563
Plate & trough assy. (overdrive balk ring & gear)	7665
Plug (trans. extension housing)	7K381
Plug (trans. parking plate shaft)	6572
Plunger (transfer case control selector lever)	7361
Plunger (trans. column shift selector lever)	7361
Plunger (trans. reverse gearshift interlock)	7233
Pivot (clutch release equalizer shaft ball inner)	7A531
R	
Rail (trans. third & fourth speed shifter)	7241
Rail & pin kit (trans. shift)	7240
Reinforcement (trans. shift shaft)	7E403
Relay assy. (overdrive)	7A651
Retainer (clutch cable to pedal)	7D582
Retainer (clutch release equalizer bar)	7B545
Retainer (clutch release equalizer shaft bearing)	7A629
Retainer (clutch pedal retracting spring)	7540
Retainer (clutch pedal rod seal)	7B507
Retainer (overdrive free wheel unit front)	7674
Retainer (overdrive free wheel unit rear)	7676
Retainer (overdrive kickdown switch actuator)	7A773
Retainer (transfer case bearing)	7050, 7085

PART NAME	GROUP NUMBER
R - cont'd.	
Retainer (trans. gearshift lever)	7348
Retainer (trans. gearshift lever boot)	7262
Retainer (trans. input shaft bearing)	7050
Retainer (trans. "O" ring)	7051
Retainer (trans. output shaft bearing)	7085
Ring (trans. gearshift lever boot)	7D152
Ring & gear (trans. overdrive balk)	7662
Rod (clutch pedal to equalizer bar)	7521
Rod (equalizer bar to clutch release lever)	7521
Rod (transfer case bellcrank connecting)	7433
Rod (transfer case control)	7A315
Rod (transfer case shift)	7E072
Rod (trans. floor shift selector lock control)	7E330
Rod (trans. gearshift)	7326, 7328
Rod (trans. gearshift lever retainer)	7E257
Rod (trans. manual control selector connecting)	7326
Rod (trans. reverse gearshift)	7B112
Roller (transfer case)	7065
Roller (trans. countershaft gear pilot bearing)	7121
S	
Screw (transfer case shift fork set)	7B360
Seal (clutch equalizer bar)	7K530
Seal (clutch pedal rod)	7A533
Seal (overdrive governor to housing)	6927
Seal (overdrive manual control lever shaft oil)	7288
Seal (overdrive solenoid oil)	7693
Seal (transfer case control)	7E182
Seal (transfer case front & rear shift rod oil)	7288
Seal (transfer case oil)	7B215
Seal (trans. control selector tube)	7C102
Seal (trans. extension housing oil)	7052
Seal (trans. extension oil)	7052
Seal (trans. gearshift rail)	7288
Seal (trans. input & output shaft oil)	7A011
Seal (trans. input shaft oil)	7A283
Seal (trans. output shaft oil)	7A011
Seal (trans. overdrive governor to housing)	6927
Seal (trans. selector tube)	7C102
Seal (trans. shifter fork cam & shaft oil)	7288
Shaft (clutch & brake pedal pivot)	7506
Shaft (transfer case gearshift fork)	7240
Shaft (transfer case intermediate gear)	7111
Shaft (trans. & transfer case output)	7061
Shaft (trans. gearshift)	7358, 7K423
Shaft (trans. gear shifter fork)	7240-1
Shaft assy. (trans. & transfer case input)	7017
Shaft assy. (trans. gearshift lever support)	7378
Shaft & lever assy. (trans. overdrive manual control)	7A658, 7-7685
Shaft & gear (trans. overdrive main)	7749
Shield (clutch release lever dust)	7513

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Shim (transfer case)	7029
Silencer (clutch pedal lever assist spring)	7A575
Sleeve (clutch release idler lever swivel)	7B515
Sleeve (trans. intermediate & high clutch hub)	7106
Sleeve (trans. control selector lever impact)	7335
Sleeve (trans. gearshift connecting rod adjustment)	7353
Sleeve (trans. gearshift lever impact)	7335
Sleeve (trans. selector shift rod adjustment)	7353
Sleeve (trans. shifter fork cam & shaft interlock)	7233
Slide assy. (trans. low & reverse gearshift interlock)	7C400
Small parts repair kit (trans.)	7B331
Snap ring (trans. & transfer case)	7026, 7030, 7059, 7064, 7070, 7109, 7C122, 7D176, 7654, 7656, 7666-7, 7672
Snap ring (trans. synchronizer blocking)	7107
Snap ring kit (trans. input bearing)	7160
Socket (clutch shaft ball)	7543
Socket (trans. gearshift lever)	7228
Solenoid assy. (overdrive gear shifter)	6916
Spacer (clutch pedal rod to equalizer bar adjusting)	7B539
Spacer (transfer case control lever)	7A148
Spacer (trans. countershaft gear)	7149
Spacer (trans. countershaft gear bearing roller)	7125
Spacer (trans. countershaft gear pilot)	7115
Spacer (trans. gearshift lever)	7E097
Spacer (trans. gearshift lever inner)	7E260
Spacer (trans. gearshift lever support)	7C383
Spacer (trans. shift bellcrank)	7E040
Spring clip (trans. shift lever stop)	7E444
Spring (clutch equalizer bar assist)	7534
Spring (clutch pedal lever assist)	7534
Spring (clutch pedal lever retracting)	7534
Spring (clutch release lever anti-rattle)	7562
Spring (clutch release lever retracting)	7591
Spring (clutch release lever rod retracting)	7523
Spring (overdrive shift fork & rail retractor)	7685
Spring (transfer case control selector lever retainer)	7B071
Spring (transfer case control selector push button)	7082
Spring (transfer case shift rod poppet)	7219
Spring (trans. gearshift control anti-rattle)	7C307
Spring (trans. gearshift detent)	7C349
Spring (trans. gearshift lever)	7208, 7E273

PART NAME	GROUP NUMBER
S - cont'd.	
Spring (trans. gearshift lever inner)	7E259
Spring (trans. gearshift lever support shaft)	7227
Spring (trans. gearshift tube retracting)	7227
Spring (trans. meshlock)	7234
Spring (trans. shifter fork cam & shaft lock plunger)	7234
Spring (trans. synchronizer)	7D176
Spring (trans. synchronizer blocking)	7109
Spring (trans. synchronizer retracting)	7D049
Spring & silencer (clutch pedal lever assist)	7A574
Spring & insert kit (trans. low & reverse synchronizer)	7109
Stud (clutch release lever)	7B602
Stud (trans. low & reverse gearshift)	7C174
Stud (trans. gearshift connecting rod adjustment)	7B415
Support (trans. gearshift lever)	7398
Support (trans. gearshift lever inner)	7E291
Switch (overdrive accelerator kick down)	7A652
Switch assy. (trans. spark control)	7E440
Swivel (clutch release idler lever adjusting)	7A528
Synchronizer assy. (trans.)	7124
T	
Thimble (transfer case rail shift)	7A107
Transmission	7003
Trunnion (trans. gearshift lever)	7B125
Tube (trans. column mounted gearshift)	7212
Tube assy. (trans. steering column inner floor shift)	7212
Tube assy. (trans. column shift selector)	7212
U	
Unit assy. (overdrive free wheel)	7675
V	
Vent assy. (trans. case)	7034
Vent assy. (transfer case breather)	7034
W	
Washer (transfer case gear thrust)	7067
Washer (trans. constant mesh low gear thrust)	7071
Washer (trans. counter shaft thrust)	7029, 7119
Washer (trans. first speed gear thrust)	7071
Washer (trans. gearshift arm thrust)	7D363
Washer (trans. gearshift tube thrust)	7D460
Washer (trans. output shaft first gear thrust)	7071
Washer (trans. reverse idler gear thrust)	7029, 7149
Wedge (trans. low & reverse gear interlock)	7C175
Wire assy. (ignition circuit to overdrive relay)	7A199
Wire assy. (overdrive relay extension)	7E047
Wiring assy. (overdrive solenoid to relay)	7A200

HOW TO IDENTIFY MANUAL TRANSMISSIONS and RELATED PARTS

Eight types of manual transmissions and one transfer case have been used as optional equipment for 1965 and subsequent model years.

PARTS DIRECTLY RELATED TO THE OPERATION OF THE TRANSMISSION ASSEMBLY, SUCH AS CASE, GEARS, SHAFTS, EXTENSIONS, ETC., ARE LISTED IN PARTS LISTS SECTIONS FOR EACH BASIC TRANSMISSION TYPE AS INDICATED BELOW.

PARTS NOT DIRECTLY RELATED TO THE TRANSMISSION ASSEMBLY, SUCH AS GEAR SHIFT OR CLUTCH MECHANISM, ARE LISTED IN SECTIONS 71 THRU 75.

Description and Type	Catalog Identification	Parts List Section	Years
3 Speed-2.77	2.77	70.1	65/67
4 Speed-English	E/4/S	70.2	71/
4 Speed-German	G/4/S	70.2	71/
3 Speed-Overdrive	O/D	70.3	65/67
3 Speed-3.03	3.03	70.4	65/
4 Speed-Dagenham	D/4/S	70.5	65/66
4 Speed-Ford	F/4/S	70.6	65/
4 Speed-Warner	W/4/S	70.7	65/66
Transfer Case & Details		70.8	66/

Each transmission is identified by a number stamped directly on the transmission case or appearing on a metal tag or plate attached to the case. Refer to page 2 of this section for the locations of the identification numbers.

Each basic transmission type and transfer case is identified by several numbers which reflect the different model years or the significant changes made within the same model years.


A guide listing the transmission identification numbers in numerical and alphabetical sequence appears on pages 3 and 4 of this section. When the transmission identification number is known, simply refer to this guide for the appropriate transmission type, year, parts list section and illustration section and page number.

Manual transmissions and their related parts can also be identified by year, model, engine, etc. on page 5 and up of this section.


Manual transmission illustrations are shown in Illustration Sections 70 thru 75 of the Illustrations Catalog, Form AF 7635-B.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

MANUAL TRANSMISSION IDENTIFICATION



P-4480



4 SPEED TRANSMISSION - DAGENHAM

P-5125

MANUAL TRANSMISSION TAG or STAMPING IDENTIFICATION GUIDE

IDENTIFICATION	TYPE	YEAR	PARTS LIST SECTION	ILLUS. SECT. '70 PAGE
CHED-AV or C4Z-3-A	2.77	65	70.1	4
CHED-AX or C4D-3-4	2.77	65	70.1	4
CHED-BC or C5O-3-A	2.77	65	70.1	4
CHED-BD or C5Z-3-A	2.77	65	70.1	4
HED-AV	2.77	65	70.1	4
HED-AX	2.77	65	70.1	4
HED-BB,BC,BD	2.77	65	70.1	4
HED-BF,BG,BH	2.77	66	70.1	4
HEE-E	3.03	65	70.4	5
HEF-BB	3.03	65	70.4	5
HEF-BF	3.03	65/66	70.4	5
HEF-BG	3.03	65/66	70.4	5
HEF-BH,BJ,BK, BT	3.03	65	70.4	5
HEF-CN,CR,CS, CY	3.03	65	70.4	5
HEF-CT	3.03	65/66	70.4	5
HEF-CU	3.03	65	70.4	5
HEF-CV	3.03	65/66	70.4	5
HEF-CW,CX	3.03	66	70.4	5
$HEF-DA,DB	3.03	66	70.4	5
HEG-K,L	3.03	65	70.4	5
HEG-V	3.03	65/66	70.4	5
HEG-W,X	3.03	66	70.4	5
HEH-G	F/4/S	65	70.6	8
HEH-J	F/4/S	65	70.6	8
HEH-L,M,N,P	F/4/S	65	70.6	8
HEH-R,S,T	F/4/S	65	70.6	8
HEH-AM,AR	F/4/S	66	70.6	8
HEH-BL,BN	F/4/S	65	70.6	8
HEH-BP,BR	F/4/S	65	70.6	8
HEH-BS,BT	F/4/S	65	70.6	8
HEH-BV,BW	F/4/S	66	70.6	8
HEH-BX	F/4/S	65/66	70.6	8
HEH-CB	F/4/S	65	70.6	8
HEH-CC	F/4/S	65/66	70.6	8
HEH-CG,CL	F/4/S	66	70.6	8
HEH-CJ	F/4/S	67	70.6	8
HEJ-B	D/4/S	65	70.5	6
HEJ-D	D/4/S	65	70.5	6
HEJ-E	D/4/S	65/66	70.5	6
HEK-E,F,G,H	O/D	65	70.3	1&3
HEK-J,K,L,M	W/4 /S	65	70.7	7
HEK-N	O/D	65	70.3	1&3
HEK-P	W/4 /S	65	70.7	7
HEK-R	W/4 /S	65	70.7	7
HEK-S	W/4 /S	65	70.7	7
HEK-T	O/D	65/66	70.3	2&3
HEK-U	W/4 /S	65	70.7	7
HEK-V	W/4 /S	65	70.7	7
HEK-W	O/D	65	70.3	2&3
HEK-X	O/D	65/67	70.3	2&3
HEK-Y	O/D	65	70.3	2&3
HEK-AD	W/4 /S	66	70.7	7
HEK-AF	O/D	67	70.3	2&3
HEK-AH	O/D	67	70.3	2&3
HEK-AK	O/D	67	70.3	2&3
RAC-K	3.03	71/	70.4	5
RAN-A,A1	3.03	67/68	70.4	5
RAN-A2	3.03	69	70.4	5
RAN-C,C1	3.03	67/68	70.4	5
RAN-D,D1	3.03	67/68	70.4	5
$ RAN-N,N1,N2	3.03	67/70	70.4	5
$ RAN-N3,N4	3.03	70/71	70.4	5
$ RAN-R,R1,R2	3.03	67/68	70.4	5
RAN-S,S1	3.03	67/68	70.4	5
RAN-T,T1	3.03	67/68	70.4	5
RAN-Y	3.03	67/68	70.4	5
RAN-AL	3.03	69	70.4	5
RAN-AM	3.03	69	70.4	5
RAN-AN	3.03	69	70.4	5
RAN-AR	3.03	70	70.4	5
RAN-AS	3.03	69	70.4	5
RAN-AT	3.03	70	70.4	5
RAN-AU	3.03	70	70.4	5
RAN-AV	3.03	70	70.4	5
RAN-AV1	3.03	70/71	70.4	5
RAN-AW	3.03	70	70.4	5
RAN-AW1	3.03	70/71	70.4	5
RAN-AX,AZ	3.03	70	70.4	5
RAN-BA	3.03	70	70.4	5
RAN-BA1,BA2	3.03	70/71	70.4	5
RAN-BB	3.03	70	70.4	5
RAN-BB1	3.03	70/71	70.4	5
RAN-BC	3.03	70	70.4	5
RAN-BL	3.03	71	70.4	5
RAN-BM	3.03	71	70.4	5
RAN-BN	3.03	71	70.4	5
RAN-BT,BT1	3.03	72	70.4	5
RAN-BU,BU1	3.03	72	70.4	5
RAN-BW	3.03	71/72	70.4	5
RAN-BW1	3.03	72	70.4	5
RAN-BX	3.03	71/72	70.4	5
RAN-BX1	3.03	72	70.4	5
RAN-BY	3.03	71/72	70.4	5
RAN-BY1	3.03	72	70.4	5
RAN-BZ	3.03	71/72	70.4	5
RAN-BZ1	3.03	72	70.4	5
RAN-CA	3.03	71/72	70.4	5
RAN-CA1	3.03	72	70.4	5
RAN-CF	3.03	72	70.4	5
RAT-A,A1	3.03	67/68	70.4	5
RAT-A2	3.03	69	70.4	5
RAT-B,B1	3.03	67/68	70.4	5
RAT-B2	3.03	69	70.4	5

$ For Bronco transfer case and adapter assembly identification (basic 7E028) refer to application chart

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

MANUAL TRANSMISSION TAG or STAMPING IDENTIFICATION GUIDE - continued

IDENTIFICATION	TYPE	YEAR	PARTS LIST SECTION	ILLUS. SECT. 70 PAGE
RAT-C, C1	3.03	67/68	70.4	5
RAT-C2	3.03	69	70.4	5
RAT-N, N1	3.03	67/68	70.4	5
RAT-S	3.03	68	70.4	5
RAT-S1	3.03	69	70.4	5
RAT-T	3.03	68/69	70.4	5
RAT-U	3.03	68	70.4	5
RAT-U1	3.03	69	70.4	5
$RAT-AH, AH1	3.03	69/70	70.4	5
$ RAT-AH2	3.03	70/	70.4	5
RAT-AJ	3.03	69	70.4	5
RAT-AM	3.03	69	70.4	5
RAT-AS	3.03	69	70.4	5
RAT-AV	3.03	70	70.4	5
RAT-AW	3.03	70	70.4	5
RAT-AW1	3.03	70	70.4	5
RAT-AX	3.03	70	70.4	5
RAT-AX1	3.03	70	70.4	5
RAT-AY	3.03	70	70.4	5
RAT-AY1	3.03	70	70.4	5
RAT-AZ	3.03	70	70.4	5
RAT-AZ1	3.03	70	70.4	5
RAT-BA	3.03	70	70.4	5
RAT-BA1	3.03	70/	70.4	5
RAT-BB	3.03	70	70.4	5
RAT-BB1, BB2	3.03	70/	70.4	5
RAT-BF	3.03	70	70.4	5
RAT-BF1	3.03	70	70.4	5
RAT-BK	3.03	70	70.4	5
RAT-BK1	3.03	70	70.4	5
RAT-BL	3.03	70	70.4	5
RAT-BL1	3.03	70	70.4	5
RAT-BU, BV	3.03	71	70.4	5
RAT-BZ, BZ1	3.03	72	70.4	5
RAT-CB	3.03	71	70.4	5
RAT-CE	3.03	71/	70.4	5
RED-A	2.77	67	70.1	4
RED-B	2.77	67	70.1	4
RED-C	2.77	67	70.1	4
RUG-A, A1, A2	F/4/S	67	70.6	8
RUG-B, B1, B2	F/4/S	67	70.6	8
RUG-C, C1, C2	F/4/S	67/69	70.6	8
RUG-D, D1, D2	F/4/S	67/69	70.6	8
RUG-E, E1, E2	F/4/S	67/68	70.6	8
RUG-E3	F/4/S	69	70.6	8
RUG-G, G1, G2	F/4/S	67	70.6	8

IDENTIFICATION	TYPE	YEAR	PARTS LIST SECTION	ILLUS. SECT. 70 PAGE
RUG-J, J1, J2	F/4/S	67/69	70.6	8
RUG-L, L1, L2	F/4/S	67	70.6	8
RUG-M, M1, M2	F/4/S	67/68	70.6	8
RUG-M3	F/4/S	69	70.6	8
RUG-N, N1, N2	F/4/S	67/68	70.6	8
RUG-T	F/4/S	68	70.6	8
RUG-T1	F/4/S	69	70.6	8
RUG-U	F/4/S	68	70.6	8
RUG-V	F/4/S	68	70.6	8
RUG-V1	F/4/S	69	70.6	8
RUG-AD	F/4/S	68	70.6	8
RUG-AD1	F/4/S	69	70.6	8
RUG-AE, AE1	F/4/S	68	70.6	8
RUG-AE2	F/4/S	69	70.6	8
RUG-AG	F/4/S	69	70.6	8
RUG-AH, AJ	F/4/S	69	70.6	8
RUG-AK, AL	F/4/S	69	70.6	8
RUG-AN	F/4/S	70	70.6	8
RUG-AR	F/4/S	70	70.6	8
RUG-AR1	F/4/S	70/	70.6	8
RUG-AS	F/4/S	70	70.6	8
RUG-AS1	F/4/S	70	70.6	8
RUG-AT	F/4/S	70	70.6	8
RUG-AT1	F/4/S	70	70.6	8
RUG-AU	F/4/S	70	70.6	8
RUG-AU1	F/4/S	70/	70.6	8
RUG-AV	F/4/S	70	70.6	8
RUG-AV1	F/4/S	70/	70.6	8
RUG-AW	F/4/S	70	70.6	8
RUG-AW1	F/4/S	70/	70.6	8
RUG-AZ	F/4/S	70	70.6	8
RUG-AZ1	F/4/S	70/71	70.6	8
RUG-BA	F/4/S	70	70.6	8
RUG-BA1	F/4/S	70/71	70.6	8
RUG-BF, BF1	F/4/S	72	70.6	8
RUG-BG, BG1	F/4/S	72	70.6	8
RUG-BJ	F/4/S	71/72	70.6	8
RUG-BJ1	F/4/S	72	70.6	8
71WG-AB	G/4/S	71	70.2	11
71WG-AC	G/4/S	71	70.2	11
71WG-AD	G/4/S	71/72	70.2	11
71WG-BA	E/4/S	71	70.2	10
71WG-BC	E/4/S	71/72	70.2	10
72WG-AA	G/4/S	72	70.2	11
72WG-BA	E/4/S	72	70.2	10
72WG-AC	G/4/S	72	70.2	11
72WG-AE	G/4/S	72	70.2	11

$ For Bronco transfer case and adapter assembly identification (basic 7E028) refer to application chart

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
1965								
- A -								
A	6	240	HEE-E	3.03	70.4	5	★C5AZ 7003-A	Service details
A	6	240	HEK-F	O/D	70.3	2&3	★C5AR 7003-J	Service details
A	6&8	240, 289	HEF-BF	3.03	70.4	5	★C5AR 7003-B	Service details
A	6&8	240, 289	HEF-BG	3.03	70.4	5	★C5AZ 7003-C	Service details
A	6&8	240, 289	HEK-T	O/D	70.3	2&3	★C5AR 7003-U	Service details
A	8	289	HEK-G	O/D	70.3	2&3	★C5AR 7003-K	Service details
A	8	352, 390	HEG-K	3.03	70.4	5	★C5AZ 7003-D	Service details
A	8	390	HEG-L	3.03	70.4	5	★C5AR 7003-E	Service details
A	8	390	HEG-V	3.03	70.4	5	★C6AZ 7003-A	Service details
A	8	390	HEK-E	O/D	70.3	1&3	★C5AR 7003-H	Service details
A	8	390	▲ED-HEK-E	O/D	70.3	1&3	★ED-C5AR 7003-H	Service details
A	8	390	HEK-N	O/D	70.3	1&3	★C5AR 7003-S	Service details
A	8	390	HEK-Y	O/D	70.3	1&3	★C5AR 7003-Z	Service details
A	8	390	HEH-J	F/4/S	70.6	8	★C5AZ 7003-F	C5AZ 7003-J
A	8	390	HEH-BL	F/4/S	70.6	8	★C5AZ 7003-H	C5AZ 7003-J
A	8	390	HEH-CC	F/4/S	70.6	8	C5AZ 7003-J	
A	8	427	HEH-R	F/4/S	70.6	8	★C5AZ 7003-G	C6AZ 7003-B
A	8	427	HEH-CB	F/4/S	70.6	8	★C5AZ 7003-K	C6AZ 7003-B & C7SZ 4841-A
- B -								
B	6	200	HED-BC	2.77	70.1	4	★C5OZ 7003-D	Service details
B	6	200	CHED-BC or C50-3-A	2.77	70.1	4	★CC5OR 7003-A	Service details
B "Before 12/1/64"	6&8	200, 289	HEF-BH	3.03	70.4	5	★C5OZ 7003-A	Service details
B "From 12/1/64"	6&8	200, 289	HEF-CN	3.03	70.4	5	★C5OZ 7003-E	Service details
B	6&8	200, 289	HEF-CT	3.03	70.4	5	C5OZ 7003-G	
B "Before 1/18/65"	8	289	HEK-H	O/D	70.3	2&3	★C5OR 7003-E	Service details
B-"From 1/18/65 to 3/1/65"	8	289	HEK-W	O/D	70.3	2&3	★C5OR 7003-M	Service details
B "From 3/1/65"	8	289	HEK-X	O/D	70.3	2&3	★C5OR 7003-N	Service details
B(Special)	8	289	HEH-N	F/4/S	70.6	8	★C5OZ 7003-C	Service details
B "Before 12/1/64"	8	289	HEH-L	F/4/S	70.6	8	★C5OZ 7003-B	C5OZ 7003-F & C8OZ 17285-B
B "From 12/1/64"	8	289	HEH-BN	F/4/S	70.6	8	★C5OZ 7003-F	Service details
B "Before 11/23/64"	8	289	HEK-J	W/4/S	70.7	7	★C3OZ 7003-J	C3OZ 7003-L
B "From 11/23/64"	8	289	HEK-S	W/4/S	70.7	7	★C3OZ 7003-L	Service details
B(Special)	8	289	HEK-K	W/4/S	70.7	7	C3OZ 7003-K	
- F -								
F	6	170	HED-AV	2.77	70.1	4	C5ZZ 7003-C	Service details
F	6	170	CHED-AV or C4Z-3-A	2.77	70.1	4	★CC4ZR 7003-A	Service details
F	6	170	HEJ-B	D/4/S	70.5	6	★C5ZZ 7003-D	★C5ZZ 7003-U
F	6	200	HED-BD	2.77	70.1	4	★C5ZZ 7003-K	Service details
F	6	200	CHED-BD or C5Z-3-A	2.77	70.1	4	★CC5ZR 7003-A	Service details
F "Before 7/1/65"	6	200	HEJ-D	D/4/S	70.5	6	★C5ZZ 7003-F	★C5ZZ 7003-U
F "From 7/1/65"	6	200	HEJ-E	D/4/S	70.5	6	★C5ZZ 7003-U	Service details

▲ Use with C3OZ 17285-C speedometer gear

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
1965 - continued								
- F -								
F	8	260	HEF-BB	3.03	70.4	5	★C5ZZ 7003-B	Service details
F	8	289	HEF-BK	3.03	70.4	5	★C5ZZ 7003-J	Service details
F	8	289	HEF-CS	3.03	70.4	5	★C5ZZ 7003-P	Service details
F	8	289	HEF-CV	3.03	70.4	5	★C5ZZ 7003-S	Service details
F "Before 8/20/64"	8	260, 289	HEH-G	F/4/S	70.6	8	★C5ZZ 7003-A	Service details
F-"From 8/20/64 to 12/30/64"	8	260, 289	HEH-P	F/4/S	70.6	8	★C5ZZ 7003-G	Service details
F-"From 12/30/64 to 2/1/65"	8	260, 289	HEH-BR	F/4/S	70.6	8	★C5ZZ 7003-M	Service details
F "From 2/1/65"	8	289	HEH-BT	F/4/S	70.6	8	★C5ZZ 7003-R	Service details
F(Special)-"Before 8/20/64"	8	289	HEH-S	F/4/S	70.6	8	★C5ZZ 7003-E	C5ZZ 7003-Y
F(Special)- "From 8/20/64 to 10/1/64"	8	289	HEH-T	F/4/S	70.6	8	★C5ZZ 7003-H	C5ZZ 7003-Y
F(Special)-"From 10/1/64"	8	289	HEH-BX	F/4/S	70.6	8	★ C5ZZ 7003-W	C5ZZ 7003-Y
F "Before 11/23/64"	8	289	HEK-M	W/4/S	70.7	7	★C5ZZ 7003-L	@
F "From 11/23/64"	8	289	HEK-V	W/4/S	70.7	7	C5ZZ 7003-T	
F	8	289	HEK-R	W/4/S	70.7	7	★C5ZZ 7003-N	Service details
- X -								
X	6	170	HED-AX	2.77	70.1	4	★C4DZ 7003-D	Service details
X	6	170	CHED-AX or C4D-3-A	2.77	70.1	4	★CC4DR 7003-A	Service details
X	6	200	HED-BB	2.77	70.1	4	★C5DZ 7003-D	Service details
X "Before 12/1/64"	8	289	HEF-BT	3.03	70.4	5	★C5DZ 7003-A	@
X-"From 12/1/64 to 2/1/65"	8	289	HEF-CR	3.03	70.4	5	★C5DZ 7003-F	@
X "From 2/1/65"	8	289	HEF-CU	3.03	70.4	5	★C5DZ 7003-H	Service details
X	8	289	HEF-BJ	3.03	70.4	5	★C5DZ 7003-A	Service details
X	8	289	HEF-CY	3.03	70.4	5	★C5DZ 7003-J	Service details
X "Before 11/23/64"	8	289	HEK-L	W/4/S	70.7	7	★C3DZ 7003-E	Service details
X-"From 11/23/64 to 1/18/65"	8	289	HEK-P	W/4/S	70.7	7	★C3DZ 7003-F	Service details
X "From 1/18/65"	8	289	HEK-U	W/4/S	70.7	7	C3DZ 7003-G	
X "Before 10/1/64"	8	289	HEH-M	F/4/S	70.6	8	★C5DZ 7003-B	Service details
X-"From 10/1/64 to 2/1/65"	8	289	HEH-BP	F/4/S	70.6	8	★C5DZ 7003-E	Service details
X "From 2/1/65"	8	289	HEH-BS	F/4/S	70.6	8	★C5DZ 7003-G	Service details
1966								
- A -								
A	6&8	240, 289	HEF-BG	3.03	70.4	5	★C5AZ 7003-C	Service details
A	6&8	240, 289	HEK-T	O/D	70.3	2&3	★C5AR 7003-U	Service details
A	8	390	HEG-V	3.03	70.4	5	★C6AZ 7003-C	Service details
A	8	390	HEH-CC	F/4/S	70.6	8	C5AZ 7003-J	
A(Special)	8	427	HEH-AM	F/4/S	70.6	8	★C6AR 7003-B	C6AZ 7003-B & C3OZ 17285-C
A	8	428	HEH-CG	F/4/S	70.6	8	C6AZ 7003-B	
- B -								
B	6	200	HED-BF	2.77	70.1	4	★C6OZ 7003-A	Service details
B "Before 11/1/65"	6&8	200, 289	HEF-CT	3.03	70.4	5	C5OZ 7003-G	
B "From 11/1/65"	6&8	200, 289	HEF-CX	3.03	70.4	5	★C5OZ 7003-H	C5OZ 7003-J
B	8	289	HEK-X	O/D	70.3	2&3	★C5OR 7003-N	Service details
B	8	289	HEH-BV	F/4/S	70.6	8	C6OZ 7003-D	

@ To replace these 25 spline output shaft trans. assy. with 28 spline, yoke (4841) also must be changed to 28 spline.

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
1966 - continued								
- B -								
B(floor shift)	8	390	HEG-W	3.03	70.4	5	★C6OR 7003-A	●C6OZ 7003-B
B(column shift)	8	390	HEG-X	3.03	70.4	5	C6OZ 7003-B	
B(except GT)	8	390	HEH-AR	F/4/S	70.6	8	★C6OZ 7003-C	C6OZ 7003-F
B(GT)	8	390	HEH-CL	F/4/S	70.6	8	★C6OZ 7003-E	C6OZ 7003-H
- F -								
F	6	200	HEJ-E	D/4/S	70.5	6	★C5ZZ 7003-U	Service details
F	6	200	HED-BG, RED-B	2.77	70.1	4	★C6ZZ 7003-A	Service details
F "Before 11/1/65"	8	289	HEF-CV	3.03	70.4	5	★C5ZZ 7003-S	Service details
F "From 11/1/65"	8	289	HEF-CW	3.03	70.4	5	★C5ZZ 7003-V	Service details
F	8	289	HEK-AD	W/4/S	70.7	7	★C6ZZ 7003-C	Service details
F	8	289	HEH-BW	F/4/S	70.6	8	★C6ZZ 7003-B	Service details
F(Special)	8	289	HEH-BX	F/4/S	70.6	8	★C5ZZ 7003-W	C5ZZ 7003-Y
- U -								
U	6	170	HEF-DA	3.03	70.4	5	★C6TZ 7003-J	D2TZ 7003-C
U	6	All	300529-1, -2,-3,-4, -5,-7	*	70.8	9	★C6TA 7E028-F	⊟D0TA 7E028-D
U	8	289	HEF-DB	3.03	70.4	5	★C6TZ 7003-F	C6TZ 7003-K
U(with 6 tooth 17285 gear)	8	289	300687-1,-3 300777-1, -3,-5,-7	*	70.8	9	★C6TA 7E028-G	⊟D0TA 7E028-E
U(with 7 tooth 17285 gear)	8	289	300687-2,-4 300777-2, -4,-6,-8	*	70.8	9	★C6TA 7E028-H	⊟D0TA 7E028-F
- X -								
X	6	170	HED-BH	2.77	70.1	4	★C6DZ 7003-A	Service details
X	6	200	HED-BF	2.77	70.1	4	★C6OZ 7003-A	Service details
X "Before 11/1/65"	8	289	HEF-CT	3.03	70.4	5	C5OZ 7003-G	
X "From 11/1/65"	8	289	HEF-CX	3.03	70.4	5	★C5OZ 7003-H	C5OZ 7003-J
X	8	289	HEH-BV	F/4/S	70.6	8	C6OZ 7003-D	
1967								
- A -								
A	6&8	240, 289	RAN-A, A1	3.03	70.4	5	★C5AZ 7003-C	Service details
A "Before 11/1/66	6&8	240, 289	HEK-AF	O/D	70.3	2&3	★C7AR 7003-A	Service details
A "From 11/1/66"	6&8	240, 289	HEK-AH	O/D	70.3	2&3	★C7AR 7003-B	Service details
A	8	390	RAT-A, A1	3.03	70.4	5	★C6AZ 7003-C	Service details
A	8	390	RUG-A, A1, A2	F/4/S	70.6	8	C5AZ 7003-J	
A(Special)	8	427	RUG-B, B1, B2	F/4/S	70.6	8	★C6AR 7003-B	C6AZ 7003-B
A	8	428	RUG-G, G1, G2	F/4/S	70.6	8	C6AZ 7003-B	
- B -								
B	6	200	RAN-T, T1	3.03	70.4	5	C7OZ 7003-B	
B	8	289	RAN-C, C1	3.03	70.4	5	C5OZ 7003-J	
B "Before 11/1/66"	8	289	HEK-X	O/D	70.3	2&3	★C5OR 7003-N	Service details
B "From 11/1/66"	8	289	HEK-AK	O/D	70.3	2&3	★C6OR 7003-H	Service details

● Use 7285 and 7290 levers from replaced transmission

* Transfer case & adapter assembly

⊟ Use 7B214 flange from replaced transfer case

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
1967 - continued								
- B -								
B	8	289	RUG-D, D1, D2	F/4/S	70.6	8	C6OZ 7003-D	
B(floor shift)	8	390	RAT-B, B1	3.03	70.4	5	★C6OR 7003-A	●C6OZ 7003-B
B(column shift)	8	390	RAT-C	3.03	70.4	5	C6OZ 7003-B	
B(except GT)	8	390	RUG-C, C1, C2	F/4/S	70.6	8	★C6OZ 7003-C	C6OZ 7003-F
B(GT)	8	390	RUG-J, J1, J2	F/4/S	70.6	8	★C6OZ 7003-E	C6OZ 7003-H
B(Special)	8	427	RUG-L, HEH-CJ	F/4/S	70.6	8	★C7OZ 7003-A	Service details
- F -								
F	6	200	RAN-S, S1	3.03	70.4	5	C7ZZ 7003-A	
F	8	289	RAN-D, D1	3.03	70.4	5	★C5ZZ 7003-V	Service details
F(except Special)	8	289	RUG-E, E1, E2	F/4/S	70.6	8	★C6ZZ 7003-B	Service details
F(Special)	8	289	RUG-N, N1, N2	F/4/S	70.6	8	★C5ZZ 7003-W	C5ZZ 7003-Y
F	8	390	RAT-N, N1	3.03	70.4	5	★C7ZR 7003-A	●C6OZ 7003-B
F	8	390	RUG-M, M1, M2	F/4/S	70.6	8	★C7ZZ 7003-B	C7ZZ 7003-C
- U -								
U	6	170	RAN-N, N1	3.03	70.4	5	★C6TZ 7003-J	D2TZ 7003-C
U	6	All	300529-1, -2, -3, -5, -7	*	70.8	9	★C6TA 7E028-F	⊟D0TA 7E028-D
U	8	289	RAN-R, R1	3.03	70.4	5	★C6TZ 7003-F	C6TZ 7003-K
U(with 6 tooth 17285 gear)	8	289	300687-1, -3 300777-1, -3, -5, -7	*	70.8	9	★C6TA 7E028-G	⊟D0TA 7E028-E
U(with 7 tooth 17285 gear)	8	289	300687-2, -4 300777-2, -4, -6, -8	*	70.8	9	★C6TA 7E028-H	⊟D0TA 7E028-F
- X -								
X	6	170	RAN-Y	3.03	70.4	5	C7DZ 7003-A	
X	6	170	RED-C	2.77	70.1	4	★C6DZ 7003-A	Service details
X	6	200	RED-A	2.77	70.1	4	★C6OZ 7003-A	Service details
X	6	200	RAN-T, T1	3.03	70.4	5	C7OZ 7003-B	
X	8	289	RAN-C, C1	3.03	70.4	5	C5OZ 7003-J	
X	8	289	RUG-D, D1, D2	F/4/S	70.6	8	C6OZ 7003-D	
1968								
- A -								
A	6	240	RAN-A1	3.03	70.4	5	★C8AR 7003-L	Service details
A	8	302	RAT-S	3.03	70.4	5	★C5AZ 7003-L	Service details
A	8	390	RAT-A1	3.03	70.4	5	★C6AZ 7003-C	Service details
A	8	390	RUG-T	F/4/S	70.6	8	C8AZ 7003-B	
A	8	428	RUG-V	F/4/S	70.6	8	C8AZ 7003-A	

● Use 7285 and 7290 levers from replaced transmission

* Transfer case & adapter assembly

⊟ Use 7B214 flange from replaced transfer case

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
1968 - continued								
- B -								
B	6	200	RAN-T1	3.03	70.4	5	★C7OZ 7003-D	Service details
B	8	289	RAN-C1	3.03	70.4	5	★C8OR 7003-E	Service details
B	8	289,302	RAT-T	3.03	70.4	5	★C5OZ 7003-K	Service details
B	8	289,302	RUG-D2	F/4/S	70.6	8	★C6OZ 7003-G	Service details
B(column shift)	8	390	RAT-C1	3.03	70.4	5	★C6OZ 7003-J	C6OZ 7003-K
B(console shift)	8	390	RAT-B1	3.03	70.4	5	★C8OR 7003-G	Service details
B(W/2.32:1 low gear ratio)	8	390	RUG-C2	F/4/S	70.6	8	C6OZ 7003-F	
B(W/2.78:1 low gear ratio)	8	390(GT)	RUG-J2	F/4/S	70.6	8	C6OZ 7003-H	
- F -								
F	6	200	RAN-S1	3.03	70.4	5	★C7ZZ 7003-D	C9ZZ 7003-C
F	8	289	RAN-D1	3.03	70.4	5	★C8ZR 7003-C	Service details
F	8	289,302	RUG-E2	F/4/S	70.6	8	★C6ZZ 7003-E	Service details
F	8	302	RAT-U	3.03	70.4	5	★C5ZZ 7003-Z	Service details
F	8	390(GT)	RAT-N1	3.03	70.4	5	★C8ZR 7003-F	C6OZ 7003-K
F (W/2.78:1 low gear ratio)	8	390(GT)	RUG-M2	F/4/S	70.6	8	C7ZZ 7003-C	
F (W/2.32:1 low gear ratio)	8	390(GT)	RUG-AD	F/4/S	70.6	8	★C8ZZ 7003-A	Service details
F	8	428	RUG-S, AE, AE1	F/4/S	70.6	8	★C8ZZ 7003-B	★C8ZZ 7003-D
- U -								
U	6	170	RAN-N1	3.03	70.4	5	★C6TZ 7003-J	D2TZ 7003-C
U	6	All	300529-1, -2,-3,-5,-7	*	70.8	9	★C6TA 7E028-F	⊟D0TA 7E028-D
U "Before Ser. C42,001"	8	289	RAN-R1	3.03	70.4	5	C6TZ 7003-K	
U "From Ser. C42,001"	8	289	RAN-R2	3.03	70.4	5	★C6TZ 7003-L	Service details
U(with 6 tooth 17285 gear)	8	289	300687-1,-3 300777-1, -3,-5,-7	*	70.8	9	★C6TA 7E028-G	⊟D0TA 7E028-E
U(with 7 tooth 17285 gear)	8	289	300687-2,-4 300777-2, -4,-6,-8	*	70.8	9	★C6TA 7E028-H	⊟D0TA 7E028-F
- X -								
X	6	170	RAN-Y	3.03	70.4	5	★C7DZ 7003-B	Service details
X	6	200	RAN-T1	3.03	70.4	5	★C7OZ 7003-D	Service details
X	8	289	RAN-C1	3.03	70.4	5	★C8OR 7003-E	Service details
X	8	289	RUG-D2	F/4/S	70.6	8	★C6OZ 7003-G	Service details
X	8	302	RAT-T	3.03	70.4	5	★C5OZ 7003-K	Service details
X	8	302	RUG-D2	F/4/S	70.6	8	★C6OZ 7003-G	Service details

* Transfer case & adapter assembly

⊟ Use 7B214 flange from replaced transfer case

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST .70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
			1969					
- A -								
A	6	240	RAN-A2	3.03	70.4	5	★C9AR 7003-C	Service details
A	8	302	RAT-S1	3.03	70.4	5	★C5AZ 7003-M	Service details
A	8	390	RAT-A2	3.03	70.4	5	C6AZ 7003-D	
A	8	429	RUG-V1	F/4/S	70.6	8	C9AZ 7003-B	
- B -								
B	6	250	RAN-AL	3.03	70.4	5	C9OZ 7003-G	
B	8	302	RAT-T	3.03	70.4	5	C5OZ 7003-K	
B(2.42 trans. ratio)	8	351	RAT-AJ	3.03	70.4	5	C9OZ 7003-C	
B(2.99 trans. ratio)	8	351	RAT-AS	3.03	70.4	5	C9OZ 7003-H	
B(2.32 trans. ratio-w/28 spline output shaft)	8	351	RUG-AH	F/4/S	70.6	8	C9OZ 7003-A	
B(2.32 trans.ratio-w/31 spline output shaft)	8	351	RUG-AK	F/4/S	70.6	8	★C9OZ 7003-E	Service details
B(2.78 trans. ratio)	8	351	RUG-D2	F/4/S	70.6	8	★C6OZ 7003-G	Service details
B(column shift)	8	390	RAT-B2	3.03	70.4	5	★C9OR 7003-A	•C6OZ 7003-K
B(floor or console shift)	8	390	RAT-C2	3.03	70.4	5	C6OZ 7003-K	
B(2.32 trans. ratio-w/28 spline output shaft)	8	390	RUG-C2	F/4/S	70.6	8	C6OZ 7003-F	
B(2.32 trans. ratio-w/31 spline output shaft)	8	390	RUG-AL	F/4/S	70.6	8	C9OZ 7003-F	
B(2.78 trans. ratio)	8	390	RUG-J2	F/4/S	70.6	8	C6OZ 7003-H	
B	8	428	RUG-AJ	F/4/S	70.6	8	★C9OZ 7003-D	Service details
- F -								
F	6	200,250	RAN-AM	3.03	70.4	5	C9ZZ 7003-C	
F	8	302	RAT-U1	3.03	70.4	5	★C5ZZ 7003-AA	Service details
F	8	351	RAT-AM	3.03	70.4	5	★C9ZZ 7003-B	Service details
F(2.32 trans. ratio)	8	302,351	RUG-AG	F/4/S	70.6	8	★C9ZZ 7003-A	Service details
F(2.78 trans. ratio)	8	302,351	RUG-E3	F/4/S	70.6	8	★C6ZZ 7003-F	Service details
F(2.32 trans. ratio)	8	390	RUG-AD1	F/4/S	70.6	8	C8ZZ 7003-C	
F(2.78 trans. ratio)	8	390	RUG-M3	F/4/S	70.6	*8	C7ZZ 7003-E	
F	8	428,429	RUG-AE2	F/4/S	70.6	8	★C8ZZ 7003-D	
- U -								
U	6	170	RAN-N1	3.03	70.4	5	★C6TZ 7003-J	D2TZ 7003-C
U-w/Mechanics drive shaft "Before Ser. G70,001"	6	170	300529-4,-5	*	70.8	9	★C6TA 7E028-F	⊟D0TA 7E028-D
U-w/Dana drive shaft "From Ser. G70,001"	6	170	300529-6	*	70.8	9	★C9TZ 7E028-A	D0TA 7E028-D
U	8	302	RAT-AH	3.03	70.4	5	C9TZ 7003-A	

• Use 7285 and 7290 levers from replaced transmission

* Transfer case & adapter assembly

⊟ Use 7B214 flange from replaced transfer case

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
1969 - continued								
- U -								
U(w/6 tooth 17285 gear - w/Mechanics drive shaft) "Before Ser. G70,001"	8	302	300777-1	*	70.8	9	★C9TA 7E028-A	⊟D0TA 7E028-E
U(w/6 tooth 17285 gear-w/Dana drive shaft) "From Ser. G70,001"	8	302	300777-5	*	70.8	9	★C9TZ 7E028-B	D0TA 7E028-E
U(w/7 tooth 17285 gear-w/Mechanics drive shaft) "Before Ser. G70,001"	8	302	300777-2	*	70.8	9	★C9TA 7E028-B	⊟D0TA 7E028-F
U(w/7 tooth 17285 gear-w/Dana drive shaft) "From Ser. G70,001"	8	302	300777-6	*	70.8	9	★C9TZ 7E028-C	D0TA 7E028-F
- X -								
X	6	170	RAN-AN	3.03	70.4	5	C9DZ 7003-A	
X	6	200	RAN-AL	3.03	70.4	5	C9OZ 7003-G	
X	8	302	RAT-T	3.03	70.4	5	★C5OZ 7003-K	Service Details
1970								
- A -								
A	6	240	RAN-AU	3.03	70.4	5	★D0AR 7003-A	D1AZ 7003-B
A	8	302	RAT-AW, RAT-AW1	3.03	70.4	5	★D0AZ 7003-D	D1AZ 7003-B
A	8	351	RAT-BL, RAT-BL1	3.03	70.4	5	★D0AZ 7003-C	Service details
A	8	390	RAT-AX, RAT-AX1	3.03	70.4	5	D0AZ 7003-B	
- B -								
B (exc. P/C)	6	250	RAN-AW, RAN-AW1	3.03	70.4	5	★D0OZ 7003-C	D2OZ 7003-F
B (exc. P/C)	8	302	RAT-AY, RAT-AY1	3.03	70.4	5	D0OZ 7003-B	
B (2.42 ratio)	8	351	RAT-AZ, RAT-AZ1	3.03	70.4	5	D0OZ 7003-A	
B (2.99 ratio)	8	351	RAT-BF, RAT-BF1	3.03	70.4	5	D0OZ 7003-H	
B (P/C)	6&8	250,302						
B (2.78 trans. ratio-w/28 spline output shaft)	8	351	RUG-AR, RUG-AR1	F/4/S	70.6	8	D0OZ 7003-D	
B (2.78 trans. ratio-w/31 spline output shaft)	8	351	RUG-BA, RUG-BA1	F/4/S	70.6	8	D0OZ 7003-J	
B (2.32 trans. ratio-w/28 spline output shaft)	8	351	RUG-AT, RUG-AT1	F/4/S	70.6	8	D0OZ 7003-F	
B (2.32 trans. ratio-w/31 spline output shaft)	8	351	RUG-AS, RUG-AS1	F/4/S	70.6	8	D0OZ 7003-E	
B	8	429	RUG-AU, RUG-AU1	F/4/S	70.6	8	D0OZ 7003-G	
- F -								
F	6	200,250	RAN-AV, RAN-AV1	3.03	70.4	5	D0ZZ 7003-A	
F	8	302	RAT-BA, RAT-BA1	3.03	70.4	5	★D0ZZ 7003-B	Service details
F	8	351	RAT-BB, RAT-BB1, RAT-BB2	3.03	70.4	5	D0ZZ 7003-C	

* Transfer case & adaptor assembly

⊟ Use 7B214 flange from replaced transfer case

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
1970 - continued								
- F - continued								
F (2.78 ratio)	8	302,351	RUG-AV, RUG-AV1	F/4/S	70.6	8	★D0ZZ 7003-D	D2ZZ 7003-D
F (2.32 ratio)	8	302,351	RUG-AW, RUG-AW1	F/4/S	70.6	8	D0ZZ 7003-E	
F		428, 429	RUG-AZ, RUG-AZ1	F/4/S	70.6	8	D0ZZ 7003-H	
- P -								
P "Before 7/14/69"	6	170	RAN-AR, AZ	3.03	70.4	5	D0DZ 7003-A	
P "From 7/14/69"	6	170	RAN-BA, RAN-BA1, RAN-BA2	3.03	70.4	5	D0DZ 7003-D	
P "Before 7/14/69"	6	200	RAN-AT, AX	3.03	70.4	5	D0DZ 7003-B	
P "From 7/14/69"	6	200	RAN-BB, RAN-BB1	3.03	70.4	5	★D0DZ 7003-E	D2DZ 7003-B
- U -								
U	6	170	RAN-N2, RAN-N3, RAN-N4	3.03	70.4	5	★C6TZ 7003-J	D2TZ 7003-C
U	6	170	300529-8	*	70.8	8	D0TA 7E028-D	
U	8	302	RAT-AH1, RAT-AH2	3.03	70.4	5	C9TZ 7003-A	
U(w/6 tooth 17285 gear)	8	302	300777-9	*	70.8	8	D0TA 7E028-E	
U(w/7 tooth 17285 gear)	8	302	300777-10	*	70.8	8	D0TA 7E028-F	
- X -								
X	6	200	RAN-BC	3.03	70.4	5	★C9DZ 7003-C	Service details
X	8	302	RAT-BK, RAT-BK1	3.03	70.4	5	★C9DZ 7003-B	Service details
1971								
- A -								
A "Before 10/1/70"	6	240	RAN-AU1	3.03	70.4	5	★D0AZ 7003-D	D1AZ 7003-B
A "Before 10/1/70"	8	302	RAT-AW1	3.03	70.4	5	★D0AZ 7003-D	D1AZ 7003-B
A "From 10/1/70"	6&8	240,302	RAN-AU1	3.03	70.4	5	★D1AZ 7003-B	Service details
A "Before 7/1/71"	8	351	RAT-BU, BV	3.03	70.4	5	D1AZ 7003-A	
A "From 7/1/71"	8	351	RAT-CB	3.03	70.4	5	D2AZ 7003-A	
- B -								
B	6	250	RAN-AW1	3.03	70.4	5	★D0OZ 7003-C	D2OZ 7003-F
B(P/C & fleet)	8	250,302	RAT-BF1	3.03	70.4	5	D0OZ 7003-H	
B	8	302	RAN-BN	3.03	70.4	5	D1OZ 7003-A	
B(2.33 trans. ratio)	8	351	RUG-AR1	F/4/S	70.6	8	D0OZ 7003-D	
B(2.78 trans. ratio)	8	351	RUG-BA1	F/4/S	70.6	8	D0OZ 7003-J	
B	8	429	RUG-AU1	F/4/S	70.6	8	D0OZ 7003-G	
- F -								
F	6	250	RAN-AV1	3.03	70.4	5	D0ZZ 7003-A	
F	6	250	RAN-BW	3.03	70.4	5	D2ZZ 7003-A	
F	8	302-2B	RAT-BA1	3.03	70.4	5	★D0ZZ 7003-B	Service details
F	8	302	RAN-CA	3.03	70.4	5	D2ZZ 7003-B	
F	8	302-2B	RAN-BM	3.03	70.4	5	D1ZZ 7003-A	
F(2.78 ratio)	8	302 Special, 351-4B, 351 Spl.	RUG-AV1	F/4/S	70.6	8	★D0ZZ 7003-D	D2ZZ 7003-D

* Transfer case & adaptor assembly

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
1971 - continued								
- F - continued								
F(2.32 ratio)	8	302 Special, 351-4B	RUG-AW1	F/4/S	70.6	8	D0ZZ 7003-E	
F	8	351CJ, Boss	RUG-BJ	F/4/S	70.6	8	D2ZZ 7003-D	
F	8	351-2B	RAT-BB1, RAT-BB2	3.03	70.4	5	D0ZZ 7003-C	
F	8	351-2B	RAT-BZ	3.03	70.4	5	D2ZZ 7003-C	
F	8	429-4B	RUG-AZ1	F/4/S	70.6	8	D0ZZ 7003-H	
- L -								
L	4	All	71WG-AB	G/4/S	70.2	11	D1FZ 7003-A	
L	4	All	71WG-AC, AD	G/4/S	70.2	11	★D1FZ 7003-D	D2FZ 7003-C
L	4	98	71WG-BA	E/4/S	70.2	10	★D1FZ 7003-C	D2FZ 7003-B
L	4	98	71WG-BC	E/4/S	70.2	10	★D1FZ 7003-E	D2FZ 7003-B
- P -								
P(column shift)	6	170	RAN-BA1, RAN-BA2	3.03	70.4	5	D0DZ 7003-D	
P(column shift)	6	170	RAN-BX	3.03	70.4	5	★D2DZ 7003-A	D2DZ 7003-D
P(column shift)	6	200	RAN-BB1	3.03	70.4	5	★D0DZ 7003-E	D2DZ 7003-B
P(column shift)	6	200	RAN-BY	3.03	70.4	5	D2DZ 7003-B	
P(console shift)	6	200	RAN-AV1	3.03	70.4	5	D0ZZ 7003-A	
P(console shift)	6	200	RAN-BW	3.03	70.4	5	D2ZZ 7003-A	
P(column shift)	8	302	RAN-BL	3.03	70.4	5	★D1DZ 7003-A	D2DZ 7003-C
P(column shift)	8	302	RAN-BZ	3.03	70.4	5	D2DZ 7003-C	
P(console shift)	8	302	RAN-BM	3.03	70.4	5	D1ZZ 7003-A	
P(console shift)	8	302	RAN-CA	3.03	70.4	5	D2ZZ 7003-B	
- U -								
U	6	170	RAN-N3, RAN-N4	3.03	70.4	5	★C6TZ 7003-J	D2TZ 7003-C
U	6	170	RAN-CF	3.03	70.4	5	D2TZ 7003-C	
U	6	170	300529-8	*	70.8	8	D0TA 7E028-D	
U	8	302	RAT-AH2	3.03	70.4	5	C9TZ 7003-A	
U	8	302	RAT-CE, RAC-K	3.03	70.4	5	★D2TZ 7003-E	Service details
U(with 4.11 ratio rear axle)	8	302	300777-9	*	70.8	8	D0TA 7E028-E	
U(with 3.50 ratio rear axle)	8	302	300777-10	*	70.8	8	D0TA 7E028-F	
1972								
- B -								
B "Before 12/1/71"	6	250	RAN-BU	3.03	70.4	5	★D2OZ 7003-B	D2OZ 7003-F
B "From 12/1/71"	6	250	RAN-BU1	3.03	70.4	5	D2OZ 7003-F	
B "Before 12/1/71"	8	302	RAN-BT	3.03	70.4	5	D2OZ 7003-A	
B "From 12/1/71"	8	302	RAN-BT1	3.03	70.4	5	★▲ D2OZ 7003-E	D4OZ 7003-A
B(with 28 spline output shaft) "Before 12/1/71"	8	351	RUG-BF	F/4/S	70.6	8	D2OZ 7003-C	
B(with 28 spline output shaft) "From 12/1/71"	8	351	RUG-BF1	F/4/S	70.6	8	D2OZ 7003-G	
B(with 31 spline output shaft) "Before 12/1/71"	8	351	RUG-BG	F/4/S	70.6	8	D2OZ 7003-D	
B(with 31 spline output shaft) "From 12/1/71"	8	351	RUG-BG1	F/4/S	70.6	8	D2OZ 7003-H	

* Transfer case & adaptor assembly ▲ When using on vehicles built prior to 12/16/71 (1) D2OZ 7E440-A switch must be used

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST 70.	ILLUS. SECTION 70 PAGE	PART NUMBER	REPLACED BY
1972 - continued								
- F -								
F "Before 12/1/71"	6	250	RAN-BW	3.03	70.4	5	D2ZZ 7003-A	
F "From 12/1/71"	6	250	RAN-BW1	3.03	70.4	5	♦D2ZZ 7003-E	
F "Before 12/1/71"	8	302	RAN-CA	3.03	70.4	5	D2ZZ 7003-B	
F "From 12/1/71"	8	302	RAN-CA1	3.03	70.4	5	▲D2ZZ 7003-F	
F "Before 12/1/71"	8	351-2B	RAT-BZ	3.03	70.4	5	D2ZZ 7003-C	
F "From 12/1/71"	8	351-2B	RAT-BZ1	3.03	70.4	5	D2ZZ 7003-G	
F "Before 12/1/71"	8	351CJ, 351 Boss	RUG-BJ	F/4/S	70.6	8	D2ZZ 7003-D	
F "From 12/1/71"	8	351CJ, 351 Boss	RUG-BJ1	F/4/S	70.6	8	D2ZZ 7003-H	
- L -								
L "Before 12/1/71"	4	98	71WG-BC	E/4/S	70.2	10	★D1FZ 7003-E	D2FZ 7003-B
L "From 12/1/71"	4	98	72WG-BA	E/4/S	70.2	10	★D2FZ 7003-B	D3FZ 7003-A
L "Before 12/1/71"	4	All	71WG-AD	G/4/S	70.2	11	★D1FZ 7003-D	D2FZ 7003-C r/b D2FZ 7003-D
L "From 12/1/71 to 2/22/72"	4	All	72WG-AA	G/4/S	70.2	11	★D2FZ 7003-A	D2FZ 7003-C r/b D2FZ 7003-D
L "From 2/22/72 to 7/27/72"	4	All	72WG-AC	G/4/S	70.2	11	★D2FZ 7003-C	D2FZ 7003-D
L " From 7/22/72"	4	All	72WG-AE	G/4/S	70.2	11	D2FZ 7003-D	
- P -								
P "Before 12/1/71"	6	170	RAN-BX	3.03	70.4	5	★D2DZ 7003-A	D2DZ 7003-D
P "From 12/1/71"	6	170	RAN-BX1	3.03	70.4	5	D2DZ 7003-D	
P(console shift) - "Before 12/1/71"	6	200	RAN-BW	3.03	70.4	5	D2ZZ 7003-A	
P(console shift) - "From 12/1/71"	6	200	RAN-BW1	3.03	70.4	5	♦D2ZZ 7003-E	
P(column shift) - "Before 12/1/71"	6	200	RAN-BY	3.03	70.4	5	D2DZ 7003-B	
P(column shift) - "From 12/1/71"	6	200	RAN-BY1	3.03	70.4	5	♦D2DZ 7003-E	
P(column shift) - "Before 12/1/71"	8	302	RAN-BZ	3.03	70.4	5	D2DZ 7003-C	
P(column shift) - "From 12/1/71"	8	302	RAN-BZ1	3.03	70.4	5	▲D2DZ 7003-F	
P(console shift) - "Before 12/1/71"	8	302	RAN-CA	3.03	70.4	5	D2ZZ 7003-B	
P(console shift) - "From 12/1/71"	8	302	RAN-CA1	3.03	70.4	5	D2ZZ 7003-F	
- U -								
U "Before Ser. P80,001"	6	170	RAN-CF	3.03	70.4	5	D2TZ 7003-C	
U "From Ser. P80,001"	6	170,200	RAN-CF1	3.03	70.4	5	D3TZ 7003-B	
U "Before Ser. N40,001"	6	170	300529-8	*	70.8	8	D0TA 7E028-D	
U "From Ser. N40,001"	6	170	300529-9	*	70.8	8	★D2TA 7E028-FA	Service details
U "Before Ser. P80,001"	8	302	RAT-CE, RAC-K	3.03	70.4	5	D2TZ 7003-E	
U "From Ser. P80,001"	8	302	RAT-CE1	3.03	70.4	5	D3TZ 7003-D	
U(with 4.11 ratio rear axle) "Before Ser. N40,001"	8	302	300777-9	*	70.8	8	D0TA 7E028-E	
U(with 4.11 ratio rear axle) "From Ser. N40,001"	8	302	300777-11	*	70.8	8	★D2TA 7E028-GA	Service details
U(with 3.50 ratio rear axle) "Before Ser. N40,001"	8	302	300777-10	*	70.3	8	D0TA 7E028-F	
U(with 3.50 ratio rear axle) "From Ser. N40,001"	8	302	300777-12	*	70.8	8	★D2TA 7E028-HA	Service details

* Transfer case and adapter assy. ▲ When using on vehicles built prior to 12/16/71 (1) D2OZ 7E440-A switch must be used
♦ When using on 1972 and prior vehicles remove D2OZ 7E440-A switch and install (1) 384727-S bolt.

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7006		CASE
65/66	B, F	6	170,200	C2OZ 7006-B	1	#C4OR 7006-A - includes (2) 73775-S pins
65/67	X	6	200		1	
65/67	X	6	170	C0DR 7006-A	1	Includes (2) 73775-S pins
65/67	B, F, X	6	All	20450-S(B106)	4	Bolt 7/16"-14 x 1 3/8" (case to flywheel housing
				34808-S8(X67)	4	Lockwasher 7/16"
				353081-S(AA10)	2	Plug - filler and drain (transmission case)
65/67	X	6	All	C0DP 7A011-A	1	SEAL - OUTPUT SHAFT OIL - 15/16" I.D.
65/66	B, F	6	All		1	
				372338-S(QQ64)	1	Snap ring - 31/32" I. D. (oil seal retaining)
				7017		SHAFT - INPUT
65	B, F, X	6	200	C5OZ 7017-A	1	17-24 teeth, 10 splines, 7 13/16" long
66	B, F	6	200	C6OZ 7017-A	1	17-24 teeth, 10 splines, 8 3/4" long
66/67	X	6	200		1	
65/67	X	6	170	C2DZ 7017-B	1	16-24 teeth, 10 splines, 7 25/32" long
65	F	6	170		1	
				7025		BEARING - INPUT SHAFT
65/66	B, F	6	All	C3AZ 7025-B	1	#207-L, LO - 1 3/8" I.D. -2 7/8" O.D. -11/16"
65/67	X	6	All		1	wide
				7025		BEARING - OUTPUT SHAFT
65/66	B, F	6	All	C0DZ 7065-A	1	#206-L - 1 3/16" I.D. -2 7/16" O.D. -5/8" wide
65/67	X	6	All		1	
				7026		Refer to Group 7064
				7030		Refer to Group 7064
				7A034		BUSHING - EXTENSION HOUSING
65/66	B	6	200	B3TZ 7A034-A	1	1 1/2" I. D. -1 5/8" O. D. -1 1/8" long - use with
65/67	X	6	200		1	extension housing stamped #C2OR 7A040-C only
65/67	X	6	170	C0DP 7A034-B	1	1 3/8" I. D. -1 1/2" O. D. -1 1/2" long
65/66	F	6	All		1	
				7A039		EXTENSION HOUSING ASSY.
65/66	B	6	All	C2OZ 7A039-B	1	Includes 7A034 bushing - #C2OR 7A040-C
66/67	X	6	200		1	
65	F	6	170,200	C5ZZ 7A039-G	1	Use w/C7ZZ 7E046-B mounting plate Discard existing mounting plate C6ZZ 7E046-B with this housing assy.
66	F	6	200		1	
65	X	6	All	C1DR 7A039-A	1	15 29/32" long-includes 7A034 bushing
66/67	X(exc.66)	6	170		1	#C1DR 7A040-A
66	X(66)	6	170	C4GY 7A039-A	1	17 3/4" long-includes 7A034 bushing #C4GR 7A040-A
65/66	B, F	6	All	20410-S8(B103)	5	Bolt-7/16"-14 x 1 1/8"(housing to case)
65/67	X	6	200		5	
65/67	X	6	170	20390-S8(B102)	5	Bolt-7/16"-14 x 1"(housing to case)
65/67	B, F, X	6	All	34808-S8(X67)	5	Lockwasher-5/16"
65/66	B, F	6	All	8A 7040	1	BAFFLE - INPUT SHAFT BEARING OIL -
65/67	X	6	All		1	2 11/16" O.D. -1 3/8" I.D.
65/66	B, F	6	All	C0DR 7A044-A	3	INSERT - SYNCRONIZER HUB
65/67	X	6	All		3	

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7050		RETAINER - INPUT SHAFT BEARING
65	B, F	6	All	C0DR 7050-B	1	3 11/16" overall length-3 5/32" flange O. D.
65/67	X	6	170		1	
65	X	6	200		1	
66	B, F	6	200	C6OZ 7050-A	1	3 7/8" overall length-4 1/2" flange O. D.
66/67	X	6	200		1	1 3/16" hub O.D. -#C6OR 7050-A
65/67	B, F, X	6	All	350673-S(BB544)	3 or 4	Bolt-5/16" 18 x 3/4"(retainer to case)
65/67	B, F, X	6	All	C0DZ 7051-A	1	GASKET - INPUT SHAFT BEARING RETAINER - 3 5/32" I.D.-4 1/4" O.D.-1/32" thick
				7052		SEAL - EXTENSION OIL
65/66	B	6	200	A2TZ 7052-A	1	2 3/8" O. D. -1 1/2" I. D. -5/8" thick
65/67	X	6	200		1	
65/66	F	6	170,200	C0DR 7052-A	1	1 3/8" I. D. -2 1/4" O. D. -5/8" thick
65/67	B,X	6	170		1	
				7061		SHAFT - OUTPUT
65/66	B, F	6	170,200	C2OZ 7061-B	1	26-25 straight-26 helical splines 24 13/16" long
65/67	X	6	200		1	
65/67	X	6	170	C0DR 7061-A	1	26-25 straight-26 helical splines 22 13/16"long
				7064		SNAP RING
65/66	B, F	6	All	8A 7064	1	Input shaft bearing to shaft
65/67	X	6	All		1	1 7/32" I. D. -1 9/16" O. D. - 3/32" thick
				8A 7026	1	Input shaft bearing to case
					1	2 11/16" I. D. -3 1/16" O. D. -1/16" thick
				C0DR 7030-A	1	Output shaft bearing to case
					1	2 5/16" I. D. -2 5/8" O. D. -1/16" thick
				372511-S(QQ15)	@2	Output shaft bearing to shaft and speedometer
					@2	gear(17285)to shaft-1 1/16" I. D. -5/64" thick
				7065		Refer to Group 7025
				7086		GASKET - EXTENSION HOUSING TO CASE
65/66	B, F	6	All	C2OZ 7086-A	1	
65/67	X	6	200		1	
65/67	X	6	170	C0DR 7086-A	1	
65/66	B, F	6	All	C1DR 7100-A	1	GEAR - LOW AND REVERSE SLIDING -
65/67	X	6	All		1	26-27 teeth-1 1/32" wide
				7102		GEAR ASSY. - INTERMEDIATE
65/66	B, F	6	200	C5OZ 7102-A	1	20-24 teeth, 1 5/16" wide, 2 13/16" O. D.
65/67	X	6	200		1	
65/67	B, F, X	6	170	C1DZ 7102-B	1	19-24 teeth, 1 5/16" wide, 2 11/16" O. D.
65/66	B, F	6	All	C2DZ 7107-C	2	RING - SYNCHRONIZER BLOCKING
65/67	X	6	All		2	
65/66	B, F	6	All	C2DZ 7109-A	2	SNAP RING - SYNCHRONIZER HUB RETAINING
65/67	X	6	All		2	
65/66	B, F	6	All	C0DR 7111-A	1	COUNTERSHAFT
65/67	X	6	All		1	

@ (1) Required for each function # Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7113		GEAR - COUNTERSHAFT CLUSTER
65	B	6	170	C1DR 7113-A	1	14-19-24-37 teeth, 5 11/16" long
65	F	6	170		1	
65/67	X	6	170		1	
65/67	B, F, X	6	200	C5OZ 7113-A	1	14-19-23-33 teeth, 5 11/16" long
65/66	B, F	6	All	C0DR 7115-B	1	SPACER - COUNTERSHAFT GEAR PILOT
65/67	X	6	All		1	BEARING - 3 15/16" long-11/16" O.D.
				7119		WASHER - COUNTERSHAFT GEAR THRUST
65/66	B, F	6	All	C0DR 7119-A	1	11/16" I.D. -2 1/8" O.D. -1/16" thick-front-
65/67	X	6	All		1	#(1) tong
				C0DZ 7119-A	1	Rear inner-#(2) tongs
				C0DZ 7119-B	1	Rear outer-#(1) external tab
65/66	B, F	6	All	C0DR 7120-A	13	ROLLER - INPUT SHAFT PILOT BEARING-
65/67	X	6	All		13	1/2" long
65/66	B, F	6	All	C0DZ 7121-A	1 SET	ROLLER - COUNTERSHAFT GEAR PILOT
65/67	X	6	All		1 SET	BEARING - #C407-Q - 3/4" long (set consists of 44 - repairs both ends)
				372509-S(XX225)	2	Washer-flat 11/16" (retain roller brg. in countershaft)
65/66	B, F	6	All	C2DZ 7124-A	1	SYNCHRONIZER ASSY.
65/67	X	6	All		1	
65/66	B, F	6	All	C0DR 7140-A	1	SHAFT - REVERSE IDLER GEAR-2 1/2" long-
65/67	X	6	All		1	5/8" O.D.
65/66	B, F	6	All	C1DR 7141-A	1	GEAR and BUSHING ASSY. - REVERSE IDLER-
65/67	X	6	All		1	15 teeth-2" O.D.-1 3/32" wide
65/66	B, F	6	All	C0AZ 7153-H	1	GASKET KIT
65/67	X	6	All		1	

Consists of

1-C0DZ 7051-A Gasket (retainer)
1-C0DR 7086-A Gasket (extension)
1-C2OZ 7086-A Gasket (extension)
1-C0DZ 7223-A Gasket (case access.)

65/66	B, F	6	All	C0DR 7155-A	1	PLATE - COUNTERSHAFT and REVERSE IDLER
65/67	X	6	All		1	SHAFT LOCK
65/66	B, F	6	All	C0DZ 7222-A	1	COVER - CASE ACCESS - 6 3/4" x 5 1/4"
65/67	X	6	All		1	
				372110-S(BB547)	1	Bolt-5/16"-18 x 5/8"(cover to case)
65/66	B, F	6	All	C0DZ 7223-A	1	GASKET - CASE ACCESS COVER - 6 5/8" x 5"
65/67	X	6	All		1	
65/66	B, F	6	All	C0DR 7230-A	1	FORK - HIGH and INTERMEDIATE GEAR
65/67	X	6	All		1	SHIFTER
65/66	B, F	6	All	C0DR 7231-A	1	FORK - LOW and REVERSE GEAR SHIFTER
65/67	X	6	All		1	

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
65/66	B, F	6	All	C0DR 7233-C	1	SLEEVE - SHIFTER FORK CAM and SHAFT
65/67	X	6	All		1	INTERLOCK - 5/16" I.D.-1 5/16" long
65/66	B. F	6	All	C0DR 7234-B	1	SPRING - SHIFTER FORK CAM and SHAFT
65/67	X	6	All		1	LOCK PLUNGER - 1 7/32" long-15 coils
				353081-S(AA10)	2	Ball-5/16"(shifter cam lockout)
				7235		PIN - SHIFTER CAM and LOCK PLUNGER
65/66	B, F	6	All	C0DR 7235-B	1	3/16" O. D. -11/16" long
65/67	X	6	All		1	
65/66	B, F	6	All	C2DZ 7280-A	1	CAM and SHAFT ASSY. - HIGH and
65/67	X	6	All		1	INTERMEDIATE
				73775-S(N96)	1	Pin-No. 0 x 1 1/4" long (cam to case)
65/66	B, F	6	All	C2DZ 7282-A	1	CAM and SHAFT ASSY. - LOW and REVERSE
65/67	X	6	All		1	
				73775-S(N96)	1	Pin-No. 0 x 1 1/4" long(cam to case)
65/66	B, F	6	All	C0DR 7A283-A	1	OIL SEAL - INPUT SHAFT - 1 1/16" I. D. -
65/67	X	6	All		1	1 1/2" O. D.
				7285		LEVER - HIGH and INTERMEDIATE GEAR SHIFTER
66	B	6	All	C6OZ 7285-C	1	
65/66	F	6	All	C5ZZ 7285-E	1	
65	X	6	All	C2DZ 7285-A	1	
66/67	X	6	All	C6OZ 7285-C	1	
65/66	B, F	6	All	33797-S(M51)	1	Nut-5/16"-18 x 1/2"(lever to cam shaft)
65/67	X	6	All		1	
				44722-S8(X19)	1	Washer-flat 5/16"
				34806-S7(X64)	1	Washer-lock 5/16"
65/66	B, F	6	All	C0DR 7288-A	2	OIL SEAL - SHIFTER CAM and SHAFT
65/67	X	6	All		2	
				7290		LEVER - LOW and REVERSE GEAR SHIFTER
65/66	B	6	All	C2OZ 7290-B	1	
65/66	F	6	All	C5ZZ 7290-E	1	
65/67	X	6	All	C2OZ 7290-B	1	
65/66	B, F	6	All	33797-S(M51)	1	Nut-5/16"-18 x 1/2"(lever to cam shaft)
65/67	X	6	All		1	
				44722-S8(X19)	1	Washer-flat 5/16"
				34806-S7(X64)	1	Washer-lock 5/16"
65/66	B, F	6	All	C0DZ 7B331-A	1	SMALL PARTS REPAIR KIT
65/67	X	6	All		1	

Consists of

1-8A 7026	Snap Ring	4-372509-S	Washer
1-C0DR 7030-A	Snap ring	1-C0DR 7119-A	Washer
1-8A 7064	Snap ring	1-C0DZ 7119-A	Washer
1-372510-S	Snap ring	1-C0DZ 7119-B	Washer
2-372511-S	Snap ring		
1-8A 7040	Baffle		

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY E/4/S	QUANTITY G/4/S		PART NUMBER	PART NAME and DESCRIPTION
71/	L	4	All		1		D1FZ 7K002-A	LEVER - REVERSE GEAR SHIFT
					1		68309-GS(AX25)	Retaining ring
							7005	CASE ASSY.
71/	L	4	All		1		D1FZ 7005-C	Use w/71WG-AB, AC, AD, 72WG-AA, AC, AE
		4	98	1			D1FZ 7005-B	#71BG 7006-JA -use w/#71WG-BA
		4	98	1			D1FZ 7005-D	Use w/#71WG-BC, 72WG-BA
					4		384524-S100 (BB545FD)	Screw & washer assy.-hex.head (case to flywheel housing)
		4	98	2			353051-S(PP32)	Plug-3/4" pipe-(1) required as drain plug (1) required as filler plug
		4	All		4		E450100-S(AP15)	Plug-1/2"x1/4"-used as filler plug
		4	All	1	1		N800016-S51(AP13)	Plug-M18 x 1 1/2" x 13/32" long-required to plug threaded hole in case
71/	L	4	All	1	1		D1FZ 7A011-A	SEAL - INPUT SHAFT REAR -OIL
							7017	SHAFT - INPUT
71/	L	4	All		1		D1FZ 7017-A	
		4	98	1			D1FZ 7017-B	30 clutch, 17 helical teeth
71/	L	4	All		1		D1FZ 7K024-A	PIN - REVERSE GEARSHIFT RELAY LEVER - 1 9/32" long-9/16" large dia.-3/8" shank dia.
					1		115459-ES(AP5)	Cup-expansion plug-13/32" dia.
							7025	BEARING ASSY. - MAIN DRIVE GEAR
71/	L	4	All		1		D1FZ 7025-A	1 3/8" I.D.-2 27/32" O.D.-11/16" wide-9 balls
		4	98	1			D1FZ 7025-B	#361580-A
							7026	SNAP RING - MAIN DRIVE GEAR BEARING
71/	L	4	All		1		D1FZ 7026-A	2 11/16" I.D.-3 1/16" O.D.-5/64" wide
		4	98	1			D0RY 7026-A	
							7030	SNAP RING - BEARING OUTER (Selective fit)
71/	L	4	All		1		D1FZ 7030-A	2 25/32" O.D.-.067" thick-#Copper
		4	98	1			D0RY 7030-G	-.0655"-#Plain
		4	98	1			D0RY 7030-F	-.0667"-#Magenta
		4	98	1			D0RY 7030-E	-.0679"-#Green
		4	All		1		D1FZ 7030-B	-.069" thick
		4	98	1			D0RY 7030-D	-.0691"-#Violet
		4	All		1		D1FZ 7030-C	-.070" thick
		4	98	1			D0RY 7030-C	-.0703"-#Blue
		4	All		1		D1FZ 7030-D	-.071" thick
		4	98	1			D0RY 7030-B	-.0715"-#Red
		4	All		1		D1FZ 7030-E	-.072" thick
		4	98	1			D0RY 7030-A	-.0726"-#Yellow
		4	All		1		D1FZ 7030-F	-.073" thick-#Blue
		4	All		1		D1FZ 7030-G	-.074" thick-#Black
		4	All		1		D1FZ 7030-H	-.075" thick
71/	L	4	98	1			D0RY 7034-A	VENT - EXTENSION HOUSING

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY E/4/S	QUANTITY G/4/S	PART NUMBER	PART NAME and DESCRIPTION
						7A034	BUSHING - EXTENSION HOUSING
71/	L	4	All		1	D1FZ 7A034-A	#69EG 7A034-A
		4	98	1		D2RY 7041-A	#71WG 7041-BA
						7A039	HOUSING ASSY. - EXTENSION
71/72	L	4	All		1	D2FZ 7A039-D	Includes (1) N-800015-S plug
71/72	L	4	98	1		D2FZ 7A039-B	Includes (1) N-800015-S plug
71/	L	4	98	5		34847-S8(X74)	Washer
		4	98	5		359266-S8(BB157)	Bolt-3/8"-16 hex.hd.(housing to case)
		4	All		4	E600312-S82 (AB33)	Bolt-hex. hd.-M10 x 35- (housing to case)
		4	All	1	1	N800015-S(AP13A)	Plug-M16 x 1 1/2" hex.(to plug sensor switch hole)
						7041	BUSHING - EXTENSION HOUSING - refer to group 7A034
						7A044	INSERT - SYNCHRONIZER HUB
71/	L	4	All		3	D1FZ 7A044-A	1st & 2nd speed-1" long-7/16" high-3/16" thick
		4	All		3	D1FZ 7A044-B	3rd & 4th speed-3/4" long-3/16" high-1/4" thick
		4	98	3		D0RY 7A044-C	1st & 2nd speed
		4	98	3		D0RY 7A044-D	3rd & 4th speed
						7050	RETAINER - MAIN DRIVE GEAR BEARING
71/	L	4	All		1	D1FZ 7050-A	
		4	98	1		D1FZ 7050-B	#71BG 7050-EA
		4	98	3		20346-S8(B50)	Bolt-5/16" x 18 hex.hd. (retainer to case)
		4	98	3		34806-S7(X64)	Washer-spring lock (retainer to case)
		4	All		4	E602529-S76 (AB53)	Screw & washer-hex.hd.(retainer to case)
						7051	RETAINER - "O" RING
71/	L	4	All		1	D1FZ 7051-A	3 13/32" dia.-rubber
		4	98	1		D0RY 7051-A	
						7052	OIL SEAL - EXTENSION ASSY.
71/	L	4	All		1	D1FZ 7052-A	1 15/16" dia.-1/2" wide-spring type
		4	98	1		D2RY 7052-A	
						7059	SNAP RING - SYNCHRONIZER HUB
71/	L	4	All		1	D1FZ 7059-A	1" I.D.-1 3/16" O.D.-1/16" thick-open end
		4	98	2		D0RY 7059-A	(1) required as synchronizer hub snap ring (1) required to retain speedo drive gear to output shaft
		4	98	1		D0RY 7059-C	1st & 2nd speed
						7061	SHAFT ASSY. - OUTPUT
71/	L	4	All		1	D1FZ 7061-A	Includes 1st & 2nd speed synchronizer - 25 spline-23 3/8" long
71/	L	4	98	1		D0RY 7061-B	20 spline-23 1/4" long
72	L	4	98	1		371350-S(AA4)	Ball-3/16"-retains speedo gear on output shaft
						7064	SNAP RING
71/	L	4	All				INPUT SHAFT BEARING TO SHAFT - SELECTIVE FIT
					1	D1FZ 7064-C	.087" thick
					1	D1FZ 7064-D	.090" thick-#Copper
					1	D1FZ 7064-E	.092" thick-#Blue
					1	D1FZ 7064-F	.095" thick-#Black
					1	D1FZ 7064-G	.098" thick-#Brown

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY E/4/S	QUANTITY G/4/S		PART NUMBER	PART NAME and DESCRIPTION
							7064	SNAP RING - continued
71/	L	4	All					OUTPUT SHAFT BEARING TO SHAFT - SELECTIVE FIT
				1			D0RY 7064-A	.071" thick
				1			D0RY 7064-B	.073" thick
				1			D0RY 7064-C	.077" thick
					1		D1FZ 7064-H	.067" thick
					1		D1FZ 7064-J	.070" thick-#Blue
					1		D1FZ 7064-K	.073" thick-#Black
					1		D1FZ 7064-L	.075" thick-#Brown
					1		D1FZ 7064-M	.078" thick-#Copper
								SECOND SPEED GEAR RETAINING
					1		D1FZ 7064-A	Outer
					1		D1FZ 7064-B	Inner-1 1/4" I.D.
							7065	BEARING ASSY. - OUTPUT SHAFT
71/	L	4	All		1		D1FZ 7065-A	2 1/4" dia.-45/64" wide-7 balls
		4	98	1			D0RY 7065-A	
							7071	WASHER-OUTPUT SHAFT FIRST GEAR THRUST
71	L	4	All		1		D1FZ 7071-A	Approx. 2" dia.
71/	L	4	98	1			D0RY 7071-A	
72	L	4	All		1		D2RY 7071-A	Use w/D2FZ 7061-A shaft only
							7086	GASKET - EXTENSION HOUSING
71/	L	4	All		1		D1FZ 7086-B	4" I.D.-4 7/8" x 4" bolt spacing
		4	98	1			★D0RY 7086-B	Repl.by D3FZ 7086-A (10-74)
							7100	GEAR - FIRST SPEED
71/72	L "Before 3/13/72"	4	All		1		D1FZ 7100-A	
72	L	4	98	1			D0RY 7100-A	30 clutch, 32 helical teeth
72	L "From 3/13/72"	4	All		1		★D2FZ 7100-A	Repl.by D1FZ 7100-A (9-74)
71/	L	4	98	1			D0RY 7102-A	GEAR - SECOND SPEED-30 clutch, 28 helical teeth
71/	L	4	All		1		D1FZ 7103-A	GEAR - SECOND SPEED
71/	L	4	All		1		D1FZ 7105-A	HUB - THIRD and FOURTH SPEED - SYNCHRONIZER - 2 11/32" dia. -3/4" wide-27 teeth-also serviced in 7124 assy.
							7107	RING - SYNCHRONIZER BLOCKING
71/	L	4	All		2		D1FZ 7107-A	3rd & 4th speed-2 5/16" dia. -18 or 27 teeth
		4	All		2		D1FZ 7107-B	1st & 2nd speed-2 3/4" dia. -18 or 27 teeth
		4	98	2			D0RY 7107-C	1st & 2nd speed -18 or 27 teeth
		4	98	2			D0RY 7107-D	3rd & 4th speed -18 or 27 teeth
							7109	SPRING - SYNCHRONIZER BLOCKING
71/	L	4	All		2		D1FZ 7109-A	1st & 2nd speed-2 11/32" I.D. -2 1/2" O.D.
		4	All		2		D1FZ 7109-B	3rd & 4th speed-2 1/8" dia.

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY E/4/S	QUANTITY G/4/S		PART NUMBER	PART NAME and DESCRIPTION
							7111	COUNTERSHAFT
71/	L	4	All		1		D1FZ 7111-A	8 7/16" long-11/16" dia.-#1BBA on end
		4	98	1			D0RY 7111-A	
		4	All	4	2		119686-ES-18 (AX15)	Flat washer - 11/16" O.D. 7/8" I.D. to retain countershaft & needle bearing
							7113	GEAR - COUNTERSHAFT CLUSTER
71/	L	4	All		1		D1FZ 7113-A	34-29-24-16-15 teeth
		4	98	1			C9RZ 7113-A	
71/	L	4	All		1		D1FZ 7115-A	SPACER - TUBE - 11/16" dia.-4 7/8" long
							7119	WASHER - COUNTERSHAFT CLUSTER GEAR
71/	L	4	All		2		D1FZ 7119-A	1 9/16" dia.-1/16" thick-steel backed bronze
		4	All		1		D1FZ 7119-B	2nd gear-1 3/8" I.D.-1 27/32" O.D.-3/32" thick
		4	98	1			D0RY 7119-A	Rear
		4	98	1			D0RY 7119-B	Front
							7120	BEARING - INPUT SHAFT - PILOT
71/	L	4	All		1		D1FZ 7120-B	1" dia.-9/16" wide-11 needle bearings
		4	98	1			D0RY 7120-B	
							7121	BEARING - COUNTERSHAFT GEAR
71/	L	4	All		1 SET		D1FZ 7121-A	3/4" long-1/8" dia.-tapered-needle (set consists of 19)
					1 SET		D1FZ 7121-B	1" long-1/8" dia.-tapered-needle (set consists of 19)
		4	98	1 SET			D0RY 7121-A	Roller (set consists of 40 - repairs both ends)
							7124	SYNCHRONIZER ASSY.
71/	L	4	All		1		7124	1st & 2nd speed-serviced in 7061 assy.
		4	All		1		D1FZ 7124-A	3rd & 4th speed
		4	98	1			D0RY 7124-D	1st & 2nd speed-40 teeth
		4	98	1			D0RY 7124-C	3rd & 4th speed
71/	L	4	98	1			D1FZ 7K131-A	GATE - 3rd & 4th GEAR SHIFT
				1			E-646513-S (AN5)	Pin-3/32" x 3/4" rolled spring
							7140	SHAFT - REVERSE IDLER GEAR
71/	L	4	All		1		D1FZ 7140-A	
		4	98	1			D0RY 7140-A	
							7141	GEAR ASSY. - REVERSE IDLER
71/	L	4	All		1		D1FZ 7141-A	
		4	98	1			D0RY 7141-A	22 teeth

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY E/4/S	QUANTITY G/4/S		PART NUMBER	PART NAME and DESCRIPTION
							7149	SPACER - COUNTERSHAFT GEAR
71/	L	4	All		2		D1FZ 7149-A	15/16" dia.-23/32" I.D.-1/8" thick
71/	L	4	All	4	2		119686-ES18 (AX15)	
							7153	SEAL & GASKET KIT
71/	L	4	All		1		D1FZ 7153-A	
	Consists of							
	(1) D1FZ 7A011-A seal-input shaft rear						(1) D1FZ 7223-A gasket-case cover	
	(1) D1FZ 7051-A retainer-"o" ring						(1) D1FZ 7288-A seal-gearshift rail	
	(1) D1FZ 7086-A gasket-extension to housing						(1) D1FZ 17298-A oil seal-speedometer shaft	
71/	L	4	98	1			D1FZ 7153-B	
	Consists of							
	(1) D1FZ 7A011-A seal-input shaft rear						(1) D0RY 7233-B gasket-case cover	
	(1) D0RY 7051-A retainer-"o" ring						(1) D0RY 7288-A seal-gearshift rail	
	(1) D0RY 7086-B gasket-extension to housing						(1) D0RY 17298-A oil seal-speedometer shaft	
71/	L	4	98	1			D1FZ 7160-A	SNAP RING KIT - INPUT BEARING - selective fit
	Consists of							
	(1) 2822E 7160-A snap ring						(1) 2822 7160-C snap ring	
	(1) 2822E 7160-B snap ring						(1) 2822 7160-D snap ring	
							7D176	SPRING - SYNCHRONIZER
71/	L	4	98	2			D0RY 7D176-A	1st & 2nd speed
		4	98	2			D0RY 7D176-B	3rd & 4th speed
71/	L	4	98	1			C9RZ 7201-A	COVER ASSY. - CASE #2824E 7201-A
		4	98	4			20346-S8(B50)	BOLT - 5/16" x 18 hex.hd. (attach housing to case)
		4	98	4			34806-S7(X64)	WASHER - spring lock (attach housing to case)
							7K201	PLATE - GEAR SELECT INTERLOCK
71/	L	4	All		1		D1FZ 7K201-A	
		4	98	1			D0RY 7K201-A	
		4	All		1		71919-GS(AW8)	Pin-M8 x 24 (attach plate to case)
71/	L	4	All		1		D1FZ 7K205-A	SPRING - GEARSHIFT LEVER RETURN
71/	L	4	98	1			D0RY 7K218-A	PIN - used as pin low & reverse gear shift lever
71/	L	4	All		1		D1FZ 7222-A	COVER - CASE
		4	All		10		388294-GS40 (AB50)	Screw & washer-hex.hd.
							7223	GASKET - CASE COVER
71/	L	4	All		1		D1FZ 7223-A	Approx. 5" x 7"
		4	98	1			D0RY 7223-B	
							7230	FORK - FORWARD SPEED GEAR SHIFTER
71/	L	4	All		1		D1FZ 7230-A	1st & 2nd speed
		4	All		1		D1FZ 7230-B	3rd & 4th speed-use w/# 71WG-AB
		4	All		1		D1FZ 7230-D	Use w/# 71WG-AD, 72WG-AA, AC
		4	98	1			D1FZ 7230-C	3rd & 4th speed - #71WG 7230-AA-use w/# 71WG-BA
		4	98	1			D1FZ 7230-E	Use w/# 71WG-BC, 72WG-BA
							7231	FORK - REVERSE GEAR SHIFTER
71/	L	4	All		1		D1FZ 7231-A	
		4	98	1			D0RY 7231-C	#69BC 7231-AA
71/	L	4	98	1			D0RY 7231-A	FORK - FIRST & SECOND GEAR SHIFTER
71/	L	4	All		1		D1FZ 7233-A	PLUNGER - MESHLOCK - 1 13/32" o/all length-3/16" shank-5/16" dia. bell end

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY E/4/S	QUANTITY G/4/S		PART NUMBER	PART NAME and DESCRIPTION
							7234	SPRING - MESHLOCK
71/	L	4	All		1		D2FZ 7234-A	
71/	L	4	98	1			D0RY 7234-A	
71/	L	4	All		1		230001-ES(AU1)	Set screw-headless
		4	98	1			353081-S(AA10)	Ball-5/16"-used as meshlock detent ball
		4	98	1			31066-S2(U62E)	Set screw
							7288	SEAL - GEAR SHIFT RAIL
71/72	L	4	All		1		D1FZ 7288-A	1" dia.-1/8" thick
		4	98	1			D0RY 7288-A	
							7302	ARM ASSY. - GEAR SHIFT SELECTOR
71	L	4	All		1		D1FZ 7302-B	
72	L	4	All		1		D3FZ 7302-A	
		4	All		1		71919-GS(AN8)	Pin (arm assy.)
							7B331	SMALL PARTS REPAIR KIT
71/	L	4	All		1		D3FZ 7B331-A	

Consists of

(1) D1FZ 7026-A	snap ring	(1) D2RY 7071-A	spacer
(1) D1FZ 7030-A, B, C, D, E, F, G, H	snap ring	(2) D1FZ 7119-A	washer
(1) D1FZ 7059-A	snap ring	(1) D1FZ 7119-B	washer
(1) D1FZ 7064-A, B, C, D, E, F, G, H, J, K, L, M	snap ring	(2) D1FZ 7149-A	spacer
(1) D1FZ 7071-A	spacer	(2) 119686-ES18	spacer

71/	L	4	All	1			D3FZ 7B331-B	

Consists of

(1) D0RY 7026-A	snap ring	(1) D0RY 7071-A	spacer
(1) D0RY 7030-A, B, C, D, E, F, G	snap ring	(1) D2RY 7071-A	spacer
(2) D0RY 7059-A	snap ring	(1) D0RY 7119-A, B	washer
(1) D0RY 7059-C	snap ring	(4) 119686-ES18	spacer
(1) D0RY 7064-A, B, C	snap ring	(1) 371350-S	ball
(1) D0RY 7071-A	spacer		

							7B340	GEAR - THIRD SPEED
71/	L	4	98	1			D1RY 7B340-A	30 clutch, 21 helical teeth
71/72	L	4	All		1		D1FZ 7B340-A	
							7341	BUSHING - EXTENSION HOUSING
71/	L	4	All		1		D1FZ 7341-A	13/16" long-3/4" large dia.-6 slots
71/	L	4	98	1			D0RY 7346-A	ARM - GEAR SHIFT SELECTOR
		4	98	1			E646569-S71(AN5E)	Pin-spring-retain selector to shift
							7358	SHAFT - GEAR SHIFT
71/	L	4	98	1			D2FZ 7358-A	
71/	L	4	All		1		D3FZ 7358-B	
71/	L	4	All		1		D2FZ 7378-A	SHAFT ASSY. - GEAR SHIFT
							7K381	PLUG - EXTENSION
71/	L	4	All		1		D1FZ 7K381-B	2 7/32" dia.
		4	98	1			D1FZ 7K381-C	
71/	L	4	All		1		D1FZ 7E427-A	SEAL - CASE VENT CAP
71/	L	4	All		1		D1FZ 7E444-A	SPRING CLIP - SHIFT LEVER STOP
72	L	4	All	1	1		D2FZ 7E449-A	SWITCH - SEAT BELT WARNING SENSOR-#D2AR 7E449-AA
							7K453	BUSHING - GEAR SHIFT SHAFT
71/72	L	4	All		1		D1FZ 7K453-A	25/32" long-9/32" I.D.-9/16" x 11/16" sq.type
71/72	L	4	All	1			D1FZ 7K453-B	1 3/8" long

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY. PER UNIT	PART NAME AND DESCRIPTION
65/66	A	8	390	B6A 6916-A	1	SOLENOID ASSY. - OVERDRIVE GEAR SHIFTER
65/67	A, B	6&8	240, 289	C2OZ 6916-B	1	
65/67	A, B	6&8	All	20346-S8(B50)	2	Bolt-5/16"-18 x 3/4" (solenoid to adaptor)
				★34941-S7	2	Lockwasher-5/16"
				358350-S(GG172)	1	Clip (wire to solenoid)
65	B "From 9/1/65"	8	All	B8A 6919-A	1	GOVERNOR ASSY. - OVERDRIVE - less gear
65/67	A	6&8	All	C2OZ 6919-A	1	
65	B "Before 9/1/65"	8	All		1	
66/67	B	8	All		1	
				6922		GEAR - OVERDRIVE GOVERNOR DRIVEN
65/67	A, B	6&8	All	C2OZ 6922-A	1	16 teeth
65/67	A, B	6&8	All	B7A 6927-A	1	SEAL - OVERDRIVE GOVERNOR TO HOUSING - "O" ring type-1 3/64" I.D.
				7006		CASE - OVERDRIVE
65/67	A, B	6&8	240, 289	C2AZ 7006-D	1	3 5/32" input shaft bearing opening, (#T86K-1, #T86W-1, #T86AA-1A)
65	A	8	390	C5AZ 7006-A	1	Includes (1) C2AZ 7119-C thrust washer, (#T85N-1A, #T85D-1 or # white paint below gear shift housing opening)
65/67	A, B	6&8	All	20430-S8(B104)	AR	Bolt-7/16"-14 x 1 1/4" (case to flywheel housing)
				34808-S8(X67)	AR	Lockwasher-7/16"
				358035-S(PP31)	1	Plug-1/2" pipe-sq.hd.-filler drain
				7A011		OIL SEAL - OUTPUT SHAFT
65/67	A, B	6&8	240, 289	B9AP 7A011-A	1	1" I.D.-7/8" wide
				372401-S(QQ68)	1	Snap ring-1" I.D. (oil seal retaining)
65	A	8	390	B8AZ 7A011-A	1	1 7/8" I.D.-1 1/4" wide
				372292-S(QQ69)	1	Snap ring-1 1/4" I.D.
				7017		SHAFT - INPUT
65	A "Before 11/23/64"	6&8	240, 289	C4AZ 7017-B	1	18 helical-33 clutch teeth-10 splines-8 3/4" long
65	B "Before 3/1/65"	8	289		1	(# T86P-16C)
65/67	A "From 11/23/64"	6&8	240, 289	C5AZ 7017-C	1	18 helical-33 clutch teeth, 10 splines-8 3/4" long
65/67	B "From 3/1/65"	8	289		1	(# T86AA-16)
65	A "Before 12/11/64"	8	390	★C3AZ 7017-J	1	19 helical-36 clutch teeth-10 splines-8 3/4" long (# T85D-16D)
65	A "From 12/11/64"	8	390	★C5AZ 7017-D	1	18 helical-36 clutch teeth-10 splines-8 3/4" long (# T86AA-16A)
				7025		BEARING - MAINSHAFT
65/67	A	6&8	240, 289	B5S 7025-A	1	Input-#208-SL-1 9/16" I.D.-3 9/64" O.D.-
65/67	B	8	All		1	23/32" wide
65	A	8	390	8D 7065	1	Input-#307-L-1 3/8" I.D.-3 39/64" O.D.- 1 3/16" wide
65	A "Before 11/23/64"	6&8	240, 289	C3AZ 7025-B	1	Output-#207-L, LO-1 3/8" I.D.-2 7/8" O.D.-
65	B "Before 3/1/65"	8	All		1	11/16" wide
65/67	A "From 11/23/64"	6&8	240, 289	8D 7065	1	Output-#307-L-1 3/8" I.D.-3 1/8" O.D.-7/8"
65/67	B "From 3/1/65"	8	289		1	wide
65	A	8	390		1	
65/67	A, B	6&8	All	C3AZ 7025-B	1	BEARING - OVERDRIVE MAINSHAFT AND ADAPTOR-#207-L, LO-1 3/8" I.D.-2 28/32" O.D.-11/16"
				7026		SNAP RING - INPUT SHAFT BEARING - Refer to Group 7064
				7030		Refer to Group 7064
65	A	8	390	C5AZ 7034-A	1	VENT ASSY. - EXTENSION HOUSING
				7A034		BUSHING - EXTENSION
65/67	A, B	6&8	240, 289	B3TZ 7A034-A	1	1 1/2" I.D.-1 5/8" O.D.-1 1/2" long
65	A	8	390	B5AZ 7A034-A	1	1 13/16" O.D.-2 1/8" long

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY. PER UNIT	PART NAME AND DESCRIPTION
				7A039		HOUSING ASSY. - EXTENSION OVERDRIVE
65/67	A, B	6&8	240, 289	C2OZ 7A039-E	1	#AR10L-1A
65/67	A, B	6&8	All	20554-S8(B115)	3	Bolt-7/16"-14 x 3" (housing to case)
				376275-S8(BB181A)	1	Bolt-7/16"-14 x 2 1/2"
				34808-S8(X67)	AR	Washer-7/16"
				358035-S(PP31)	1	Plug-1/2"-14 pipe (housing filler)
					1	(housing drain)
				353096-S(PP61)	1	Plug-3/8" (overdrive shift rail hole)
				74125-S(P11)	1	Plug-1 1/2" expansion
				7040		BAFFLE - INPUT SHAFT BEARING OIL
65	A	6	240	@B5A 7040-A	1	2 3/4" O.D.
65	B	8	289		1	
65	A	8	390	@8L 7040	1	2 5/8" O.D.
				7A040		HOUSING - OVERDRIVE - Refer to Group 7A039
				7A044		INSERT - SYNCHRONIZER HUB
65/66	A, B	6&8	240, 289	B5AZ 7A044-C	3	
67	A, B	6&8	240, 289	C7AZ 7A044-A	3	Use with #HEK-X and AF only
67	A, B	6&8	240, 289	C7AZ 7A044-B	3	Use with #HEK-AH and AK only
65	A	8	390	B5AZ 7A044-A	3	
				7E047		WIRE ASSY. - OVERDRIVE RELAY EXTENSION -Serviced only in 7A200 Assy.
				7050		RETAINER - INPUT SHAFT BEARING
65/67	A, B	6&8	240, 289	C5AZ 7050-C	1	3 13/16" long-4 7/8" flange O.D.
65	A	8	390	C5AZ 7050-D	1	3 13/16" long-4 7/8" flange O.D.
65/67	A, B	6&8	All	350673-S(BB544)	3or4	Bolt-5/16"-18 x 3/4" (retainer to case)
				34806-S7(X64)	3or4	Washer-5/16"
				7051		GASKET - INPUT SHAFT BEARING RETAINER
65/67	A, B	6&8	240, 289	★B6A 7051-A	1	3 13/32" I.D.-4 1/2" O.D.
65	A	8	390	B6C 7051-A	1	3 29/64" I.D.-4 19/32" O.D.
				7052		SEAL - EXTENSION HOUSING OIL
65/	A, B	6&8	240, 289	AZTZ 7052-A	1	2 3/8" O.D.-1 9/16" I.D.
65	A	8	390	B5AZ 7052-A	1	2 1/2" O.D.-1 11/16" I.D.
				7059		SNAP RING - Refer to Group 7064
				7061		SHAFT OUTPUT
65	A "Before 11/23/64"	6&8	240, 289	B5A 7061-G	1	13 9/16" long-6 helical-6 & 10 straight splines
65	B "Before 3/1/65"	8	289		1	
65/67	A "From 11/23/64"	6&8	240, 289	C5AZ 7061-C	1	13 9/16" long-6 helical-6 & 10 straight splines
65/67	B "From 3/1/65"	8	289		1	
65	A "Before 12/11/64"	8	390	B5A 7061-F	1	14 9/16" long
65	A "From 12/11/64"	8	390	★C5AZ 7061-E	1	14 9/16" long
				7064		SNAP RING - Also refer to Group 7B331
						INPUT SHAFT BEARING TO CASE
65	A	8	390	8L 7026	1	3 1/32" I.D.-3 11/32" O.D.
67	A, B	6&8	240, 289		1	
						INPUT SHAFT BEARING TO SHAFT - Also refer to Group 7B331 kits
65/67	A, B	6&8	240, 289	★@8MTH 7064-A	AR	Selective fit-1 7/16" I.D.-.087" thick
				★@8MTH 7064-B	AR	.090" thick
65	A	8	390	8L 7064-A	AR	Selective fit-1 1/4" I.D.-.087" thick
				B5A 7064-A	AR	Selective fit-1 1/4" I.D.-.1" thick
				B5A 7064-B	AR	.103" thick


Identification marking @ Also supplied in 7B331 kit

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY. PER UNIT	PART NAME AND DESCRIPTION
				7064		SNAP RING - continued - Also refer to Group 7B331
						SYNCHRONIZER TO SHAFT
65/67	A, B	6&8	All	8L 7064-A	1	1 1/4" I.D.-1 9/16" O.D.-.085" thick
						OUTPUT SHAFT BEARING TO SHAFT
				8L 7064-A	AR	Selective fit-1 1/4" I.D.-.087" thick
				8A 7667-A	AR	.090" thick
				B5A 7667-A	AR	.101" thick
						OUTPUT SHAFT BEARING TO CASE - Refer to 7B331 kits
						SPEEDOMETER GEAR TO OVERDRIVE MAIN SHAFT
				8L 7064-A	AR	Selective fit
						OVERDRIVE PLANETARY GEAR ASSY. TO ADAPTOR - Refer to group 7B331 kits
						OVERDRIVE MAIN BEARING TO SHAFT
				8L 7064-A	AR	For selective fit- Refer to Group 7B331 kits
						OVERDRIVE FREE WHEEL UNIT TO MAIN SHAFT
65	A	8	390	@ 8L 7672-A	AR	Selective fit-.062" thick
				@ 8L 7672-B	AR	.068" thick
				@ 8L 7672-C	AR	.072" thick
						OVERDRIVE PLANETARY GEAR ASSY. TO MAIN SHAFT
				8L 7672-A	1	
				7065		BEARING - OUTPUT SHAFT - Refer to Group 7025
				7086		GASKET - OVERDRIVE ADAPTOR TO CASE
65	A, B "Before 7/1/65"	6&8	240, 289	C2OZ 7086-A	1	
65/67	A, B "From 7/1/65"	6&8	240, 289	★C2OZ 7086-B	1	
65	A	8	390	B7A 7086-A	1	
				7100		GEAR - LOW AND REVERSE SLIDING
65	A "Before 11/23/64"	6&8	240, 289	B6A 7100-A	1	29 external teeth-6 internal splines-1 3/16" wide
65	B "Before 3/1/65"	8	289		1	
65/67	A "From 11/23/64"	6&8	240, 289	B7C 7100-A	1	29 external teeth-6 internal splines-1 3/16" wide
65/67	B "From 3/1/65"	8	289		1	
65	A "Before 12/11/64"	8	390	B5A 7100-B	1	31 external teeth-6 internal splines
65	A "From 12/11/64"	8	390	★C5AZ 7100-A	1	28 external teeth-6 internal splines
				7102		GEAR - INTERMEDIATE
65	A "Before 11/23/64"	6&8	240, 289	C2AZ 7102-B	1	23 helical-33 clutch teeth-must use with 2 1/4"
65	B "Before 3/1/65"	8	289		1	diam. synchronizer
65/67	A "From 11/23/64"	6&8	240, 289	C5AZ 7102-C	1	23 helical-33 clutch teeth
65/67	B "From 3/1/65"	8	289		1	1 3/8" I.D.-3 3/32" O.D.-1 11/16" wide
65	A "Before 12/11/64"	8	390	B5A 7102-D	1	26 helical-36 clutch teeth
65	A "From 12/11/64"	8	390	C5AZ 7102-D	1	25 helical-36 clutch teeth
65	A	8	390	8L 7105	1	HUB - INTERMEDIATE AND HIGH CLUTCH
65	A	8	390	C1AA 7106-A	1	SLEEVE - INTERMEDIATE AND HIGH CLUTCH HUB
				7107		RING - SYNCHRONIZER BLOCKING
65/67	A, B	6&8	240, 289	C4AZ 7107-E	2	33 teeth-must be used with 2 1/4" diam. synchronizer
65	A	8	390	8L 7107	2	36 teeth
				7109		SNAP RING - SYNCHRONIZER HUB INSERT RETAINING
65/67	A, B	6&8	240, 289	C7AZ 7109-A	2	Use with 2 1/4" diam. synchronizer
65	A	8	390	C5TZ 7109-A	2	Use with 2 1/2" diam. synchronizer
				7111		COUNTERSHAFT
65/67	A, B	6&8	240, 289	B7A 7111-A	1	8 3/16" long
				★74174-S	1	Key woodruff-No. 5
65	A	8	390	8L 7111	1	


@ Also supplied in 7B331 kit

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY. PER UNIT	PART NAME AND DESCRIPTION	Type	A	B	C	D	E
					7113		GEAR - COUNTERSHAFT CLUSTER						
65	A	"Before 11/23/64"	6&8	240,289	C0AA 7113-A	1		2	6 57/64"	33	25	19	14
65	B	"Before 3/1/65"	8	289		1							
65/67	A	"From 11/23/64"	6&8	240,289	B7C 7113-A	1		1	6 7/8"	33	25	19	14
65/67	B	"From 3/1/65"	8	289		1							
65	A	"Before 12/11/64"	8	352,390	B5A 7113-D	1		1	7 57/64"	29	25	19	15
65	A	"From 12/11/64"	8	390	C5AZ 7113-D	1		1	7 31/32"	30	26	18	14
					7115		SPACER - COUNTERSHAFT GEAR PILOT BEARING						
65/67	A, B		6&8	240, 289	B5A 7115-B	1	5"long-13/16"I.D.						
65	A	"Before 12/11/64"	8	390	8L 7115	1	4 5/8"long-7/8"I.D.						
65	A	"From 12/11/64"	8	390	★C5AZ 7115-A	1	4 1/16"long						
					7118		ROLLER - INPUT SHAFT PILOT BEARING						
65	A	"Before 11/24/64"	6&8	240, 289	C3AZ 7118-A	1 SET	#C417-Q-17/32" long-7/32" diam. (set consists						
65	B	"Before 3/1/65"	8	289		1 SET	of 15)						
65/67	A	"From 11/24/64"	6&8	240,289	C5AZ 7118-A	1 SET	21/32" long-5/32" diam. (set consists of 21)						
65/67	B	"From 3/1/65"	8	289		1 SET							
65	A	"Before 12/11/64"	8	390	MC 7120-B	14	#W1518-Q-11/16" long-9/32" diam.						
65	A	"From 12/11/64"	8	390	C5AZ 7120-A	16	11/16"long-1/4"diam.						
					354639-S(XX261)	1	Spacer (retains rollers in shaft)						
					7119		WASHER - COUNTERSHAFT GEAR THRUST						
65	A	"Before 11/23/64"	6&8	240, 289	@B5A 7119-C	1	Front-3/4"I.D.-2 5/8"O.D.						
65	B	"Before 3/1/65"	8	289		1							
					@B5TZ 7119-C	1	Rear inner-3/4"I.D.-1 15/16"O.D.						
65/67	A	"From 11/23/64"	6&8	240,289	@C5AZ 7119-A	1	Front-3/4"I.D.-1 15/16"O.D.						
65/67	B	"From 3/1/65"	8	289		1							
					@C5AZ 7119-B	1	Rear inner-3/4"I.D.-1 15/16"O.D.						
65/67	A, B		6&8	240, 289	@B5AZ 7119-B	1	Rear outer-3/4"I.D.-1 29/32"O.D.						
65	A	"Before 12/11/64"	8	390	8L 7119	1	Front-7/8"I.D.-2 5/8"O.D.						
					C5AZ 7119-D	1	Rear inner-7/8"I.D.-2 1/8"O.D.						
65	A	"From 12/11/64"	8	390	C5AZ 7119-C	1	Front-7/8"I.D.-1 3/4"O.D.						
					C5AZ 7119-D	1	Rear inner-7/8"I.D.-2 1/8"O.D.						
65	A		8	390	B5AZ 7119-A	1	Rear outer-7/8"I.D.-2 1/8"O.D.						
					7120		Refer to Group 7118						
					7121		ROLLER - COUNTERSHAFT GEAR PILOT BEARING						
65/67	A, B		6&8	240, 289	C0DZ 7121-A	1 SET	#C-407-Q (set consists of 44 - repairs both ends)						
					354655-S(XX231)	4	Washer-15/16"O.D.(to retain rollers)						
65	A	"Before 12/11/64"	8	390	8L 7121	4 SETS	#S443-Q-5/32"O.D.-3/4" long (set consists of 20 - repairs both ends)						
65	A	"From 12/11/64"	8	390	★C5AZ 7121-A	2 SETS	#S443-Q-5/32"O.D.-27/32" long (set consists of 40 - repairs both ends)						
					7124		SYNCHRONIZER ASSY.						
65/67	A, B		6&8	240, 289	C2AZ 7124-K	1	2 1/4' diam. -includes 7107 rings						
65	A		8	390	C5AZ 7124-B	1	2 1/2"diam. - does not include 7107 ring						
65	A	"Before 12/11/64"	8	390	8L 7125	4	SPACER - COUNTERSHAFT GEAR ROLLER -						
65	A	"From 12/11/64"				6	1 5/32" O.D. -7/8" I.D.						
					7D131		Refer to Group 7A650 knob assy.						



TYPE 1



TYPE 2

A = Length
B,C,D,E = Number of Teeth

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY. PER UNIT	PART NAME AND DESCRIPTION
				7140		SHAFT - REVERSE IDLER GEAR
65/67	A, B	6&8	240, 289	B5A 7140-A	1	2 7/16" long-3/4" diam.
65	A	8	390	8L 7140	1	2 11/32" long-7/8" diam.
				7141		GEAR - REVERSE IDLER
65	A "Before 11/23/64"	6&8	240, 289	B6A 7141-A	1	15 L.H. helix teeth-2 7/32" O.D.-also replaces
65	B "Before 3/1/65"	8	289		1	16-tooth gear
65/67	A "From 11/23/64"	6&8	240, 289	B7C 7141-A	1	15 R.H. helix teeth-2 7/32" O.D.-also replaces
65/67	B "From 3/1/65"	8	289		1	16-tooth gear
65	A "Before 12/11/64"	8	390	★B5A 7141-C	1	18 helical teeth-2 5/8" O.D.
65	A "From 12/11/64"	8	390	★C5AZ 7141-D	1	17 helical teeth-2 5/8" O.D.
				7153		GASKET KIT
65/67	A, B	6&8	240, 289	C2OZ 7153-B	1	
Consists of the following						
4-B8C 7051-A Gasket (input shaft bearing retainer)				1-B5A 7223-A Gasket (case access cover)		
1-C2OZ 7086-B Gasket (transmission extension)				1-C2OZ 7661-A Gasket (overdrive housing to adaptor)		
65	A	8	390	B6A 7153-D	1	
Consists of the following						
3-B6C 7051-A Gasket (input shaft bearing retainer)				1-8D 7086 Gasket (output shaft bearing retainer)		
1-8D 7051 Gasket (input shaft bearing retainer)				1-8L 7223-A Gasket (gear shift housing)		
1-B7A 7086-A Gasket (adaptor to transmission)				1-8D 7223 Gasket (gear shift housing)		
1-8L 7086-A Gasket (adaptor to transmission)				1-B7A 7661-A Gasket (overdrive housing to adaptor)		
65/67	A	6&8	240, 289	@B5A 7155-A	1	PLATE - COUNTERSHAFT AND REVERSE IDLER SHAFT LOCK - 1 11/32" x 5/8" x 1/16"
				★7C173		LEVER - LOW AND REVERSE GEAR SHIFT INTERLOCK
65/67	A	6&8	All	356383-S7(XX362)	1	Spring washer (lever to stud)
				356590-S(XX171)	1	Washer-flat-7/16"
				72034-S(N45)	1	Pin
				7C174		STUD - LOW AND REVERSE GEAR SHIFT INTERLOCK
65/67	A	6&8	240, 289	C2AZ 7C174-E	1	1 3/4" long
62/67	A	6&8	All	34806-S(X64)	1	Washer-flat-7/16" (stud to case)
				★7C175		WEDGE - LOW AND REVERSE GEAR INTERLOCK
65	A	6&8	All	20347-S8(B156)	2	Bolt-5/16"-24 x 3/4" (wedge to lever)
66/67	A	6&8	240, 289	371578-S2(BB594)	2	Bolt-5/16"-24 x 11/16"
				★7A199		WIRE ASSY. - IGNITION CIRCUIT TO OVERDRIVE RELAY - use bulk stock B6A 14296-B and cut to required length
				7A200		WIRING ASSY. - OVERDRIVE SOLENOID TO RELAY
65/66	A	6&8	240, 289	C5AZ 7A200-B	1	
65/67	A, B	6&8	All	358350-S(GG172)	1	Clip (wire to case)
					1	Clip (wire to extension)
				353547-S2(GG173)	2	Clip (wire to clutch housing)
				372046-S100(GG186)	1	Clip (wire to gear shift housing)
				353350-S7(GG159)	1	Clip (wire to solenoid)
				31498-S8(U253B)	1	Screw (clip to fire wall)
65	A	8	390	B6C 7222-A	1	HOUSING - GEAR SHIFT
				20346-S8(B50)	9	Bolt-5/16"-18 x 3/4" hex.hd.(housing to case)
				34806-S7(X64)	9	Lockwasher-5/16"
65/67	A, B	6&8	240, 289	B5AZ 7222-B	1	COVER - CASE ACCESS - 7 7/8" long-4" wide front end-5 1/2" wide back end
				34806-S7(X64)	6	Lockwasher-5/16"
65/67	A, B	6&8	240, 289	B5A 7223-A	1	GASKET - CASE ACCESS COVER
65	A	8	390	8L 7223-A	1	GASKET - GEAR SHIFT HOUSING
				7230		FORK - INTERMEDIATE AND HIGH GEAR SHIFTER
65/67	A, B	6&8	240, 289	C2AZ 7230-B	1	Must use with 2 1/4" diam. synchronizer
65	A	8	390	C2AZ 7230-A	1	Must use with 2 1/2" diam. synchronizer

@ Also supplied in 7B331 kits # Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY. PER UNIT	PART NAME AND DESCRIPTION
				7231		FORK - LOW AND REVERSE GEAR SHIFTER
65/67	A,B	6&8	240,289	B5A 7231-B	1	
65	A "Before 12/11/64"	8	390	8L 7231	1	
65	A "From 12/11/64"	8	390	★C5AZ 7231-A	1	
				7233		SLEEVE - SHIFTER FORK CAM AND SHAFT INTERLOCK
65/67	A,B	6&8	240,289	B5A 7233-E		5/16" I.D.-1 5/16" long
65	A	8	390	8L 7233-A	AR	Selective fit-3/8" I.D.-1.008" long-#B
				8L 7233-B	AR	1.012" long-#A
				8L 7233-C		1.019" long-#None
				7234		SPRING - SHIFTER FORK CAM AND SHAFT LOCK PLUNGER
65/67	A,B	6&8	240,289	B5A 7234-A	1	1 3/16" free length
				353081-S(AA10)	2	Ball-5/16" diam.(cam and shaft lock plunger)
65	A	8	390	8L 7234	1	13/16" free length
				372720-S(AA11)	2	Ball-3/8" diam.(cam and shaft lock plunger)
				7235		PIN - SHIFTER FORK CAM AND SHAFT LOCK PLUNGER
65/67	A,B	6&8	240,289	B5A 7235-A	1	3/16" O.D.-3/4" long
65	A	8	390	8L 7235	1	1/4" O.D.-11/32" long
				7280		CAM AND SHAFT - HIGH AND INTERMEDIATE SHIFTER FORK
65/67	A,B	6&8	240,289	C2AZ 7280-D	1	Use with 2 1/4" diam.synchronizer
65/67	A,B	6&8	All	73757-S(N95)	1	Pin-No.0 x 1 1/4" long (retain cam and shaft in case)
				7282		CAM AND SHAFT - LOW AND REVERSE SHIFTER FORK
65	A	8	390	C2AZ 7282-C	1	Without interlock linkage
65/67	B	8	289	C2AZ 7282-D	1	Without interlock linkage
65/67	A,B	6&8	All	B7AZ 7A283-B	1	SEAL - INPUT SHAFT OIL - 1 1/8" I.D.-1 5/8" O.D.
				7285		LEVER ASSY. - HIGH AND INTERMEDIATE SHIFTER FORK CAM AND SHAFT SHIFT
65/67	A	6&8	240,289	★7285		Serviced in 7A185 bellcrank assy.
65/67	A,B	6&8	All	33798-S7(M62)	1	Nut-5/16"-24 (lever to fork shifter cam & shaft)
				34806-S7(X64)	1	Lockwasher-5/16"
				44722-S8(X19)	1	Washer-flat-5/16"
				7288		SEAL - SHIFTER FORK CAM AND SHAFT LEVER OIL
65/67	A,B	6&8	240,289	A9AZ 7288-A	2	15/16" O.D.-5/8" I.D.-3/16" thick
65	A	8	390	1A 7288-A	2	
65/67	A,B	6&8	All	C0DR 7288-A	1	SEAL - OVERDRIVE MANUAL CONTROL LEVER SHAFT OIL
				★7290		LEVER ASSY. - LOW AND REVERSE SHIFTER FORK CAM AND SHAFT SHIFT - Also Refer to Group 7C173
65/67	A,B	6&8	All	33798-S7(M62)	1	Nut-5/16"-24 (lever to fork shifter cam & shaft)
				34806-S7(X64)	1	Lockwasher-5/16"
				44722-S8(X19)	1	Washer-flat-5/16"
				7B331		SMALL PARTS REPAIR KIT
65/67	A,B	6&8	240,289	C5AZ 7B331-A	1	Consists of the following

SNAP RING				WASHER	
1-8L	7026	1-8L	7064-C	1-B5AZ	7119-B
1-8L	7030-A	1-8L	7064-D	1-B5TZ	7119-C
1-8L	7030-B	1-8L	7064-E	1-C5AZ	7119-A
1-8L	7030-C	1-8L	7064-F	1-C5AZ	7119-B
1-8L	7030-D	1-8MTH	7064-A		
1-8L	7030-E	1-8MTH	7064-B		
1-8M	7030-A	1-8MTH	7064-C		
5-8L	7064-A	1-16H	7654		
1-8L	7064-B	1-8M	7656		

★ Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY. PER UNIT	PART NAME AND DESCRIPTION
				7B331		SMALL PARTS REPAIR KIT - continued
65	A 'Before 12/11/64"	8	390	B6AZ 7B331-C	1	Consists of the following

SNAP RING						WASHER	BAFFLE
1-8L	7026	1-8L	7064-B	1-16H	7666-C	1-B5AZ 7119-A	1-8L 7040
1-8L	7030-A	1-8L	7064-C	1-16H	7667-A	1-B5AZ 7119-C	
1-8L	7030-B	1-8L	7064-D	1-16H	7667-B	1-8L 7119	
1-8L	7030-C	1-8L	7654-A	1-16H	7667-C		
1-8L	7030-D	1-8L	7654-B	1-16H	7667-D		
1-8L	7030-E	1-8L	7654-C	1-16H	7667-E		
1-B5A	7064-A	1-8M	7656	1-8L	7672-A		
1-B5A	7064-B	1-16H	7666-A	1-8L	7672-B		
1-8L	7064-A	1-16H	7666-B	1-8L	7672-C		

65	A 'From 12/11/64"	8	390	★C5AZ 7B331-B	1	Consists of the following

SNAP RING						WASHER
1-8L	7026	1-8L	7064-D	1-8M	7656	1-B5AZ 7119-A
3-8L	7064-A	1-8L	7064-E	1-16H	7666-A	1-C5AZ 7119-C
2-8L	7064-B	1-8L	7064-F	2-8L	7672	1-C5AZ 7119-D
2-8L	7064-C	1-8L	7654-A			

				7A650		CABLE ASSY. - OVERDRIVE MANUAL CONTROL
65/67	A	6&8	240, 289	C5AZ 7A650-C	1	
65/67	B	8	All	C2OZ 7A650-A	1	Approx. 40" long
65/67	A, B	6&8	All	351056-S8(MM26)	1	Nut-1/2"-20 (knob & cable to bracket)
				34809-S8(X68)	1	Lockwasher-1/2"
				★353350-S8	1	Clip (cable to trans. case)
				7A650		KNOB - OVERDRIVE MANUAL CONTROL
65/67	A	6&8	All	C2OZ 7D131-A	1	
65/67	B	8	All	C2OZ 7D131-A	1	
65/67	A, B	6&8	All	375504-S8(UU28A)	1	Screw-set-No. 8-32 x 1/4" (attach knob to cable)
				7A651		RELAY - OVERDRIVE
65/67	A	6&8	All	C5AZ 7A651-A	1	
65/67	B	8	All	C2OZ 7A651-A	1	
				7A652		SWITCH - OVERDRIVE ACCELERATOR KICKDOWN
65/67	A	6&8	All	C5AZ 7A652-A	1	
65	B	8	All	C2OZ 7A652-A	1	
66/67	B	8	289	C6OZ 7A652-A	1	
				7653		GEAR - OVERDRIVE RING
65/67	A, B	6&8	240, 289	16H 7653	1	42 internal helical teeth-4 1/4" O.D.
65	A	8	390	8L 7653	1	52 internal helical teeth-5 5/32" O.D.
				7654		SNAP RING - OVERDRIVE RING GEAR - Also refer to Group 7B331 kits
65	A	8	390	8L 7654-A	AR	Selective fit-4 3/4" O.D. -.055" thick
				7656		SNAP RING - OVERDRIVE MAIN SHAFT BEARING - Refer to Group 7064
				7A658		SHAFT AND LEVER ASSY. - OVERDRIVE MANUAL CONTROL
65	A	8	390	B7A 77685-A	1	
65/67	A, B	6&8	All	73757-S(N95)	1	Pin-5/32" x 1 1/4" (lever retaining)
				355480-S8(BB525)	1	Bolt-5/16"-24 x 7/8" (control cable to lever)
				356288-S8(VV4)	1	Spacer-5/16"
				★34941-S7	1	Lockwasher-5/16"
				44722-S8(X19)	1	Washer-flat-5/16"
				33798-S8(M62)	1	Nut-5/16"-24

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	MODEL		ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY. PER UNIT	PART NAME AND DESCRIPTION
					7660		ADAPTER - OVERDRIVE HOUSING TO CASE
65	A	"Before 11/23/64"	6&8	240, 289	C2OA 7660-A	1	
65	B	"Before 3/1/65"	8	All		1	
65/67	A	"From 11/23/64"	6&8	240, 289	C5AZ 7660-A	1	
65/67	B	"From 3/1/65"	8	289		1	
65	A		8	390	B7A 7660-A	1	
					7661		GASKET - OVERDRIVE HOUSING TO ADAPTER
65/67	A		6&8	240, 289	C2OZ 7661-A	1	
65/67	B		8	289		1	
65	A		8	390	B7A 7661-A	1	
					7662		RING and GEAR - OVERDRIVE BALK
65/67	A,B		6&8	240, 289	56H 7662	1	
65	A		8	390	8L 7662	1	
					7665		PLATE and TROUGH - OVERDRIVE BALK RING and GEAR
65/67	A,B		6&8	240, 289	AB 7665-A	1	
65	A		8	390	B7A 7665-A	1	
					7666		Refer to group 7064
					7667		Refer to group 7064
					7668		BAFFLE - OVERDRIVE OUTPUT SHAFT BEARING OIL
65	A	"Before 11/23/64"	6&8	240, 289	8A 7668	1	
65	B	"Before 3/1/65"	8	All		1	
65/67	A	"From 11/23/64"	6&8	240, 289	8L 7668	1	
65/67	B	"From 3/1/65"	8	289		1	
65/65	A		8	390		1	
					7670		GEAR - OVERDRIVE SUN
65/67	A,B		6&8	240, 289	56H 7670	1	
65	A		8	390	8L 7670	1	
					7672		Refer to group 7064
					7673		GEAR ASSY.- OVERDRIVE PLANETARY
65/67	A,B		6&8	240, 289	56H 7673	1	
65	A		8	390	C5AZ 7673-A	1	
					7675		UNIT ASSY. - OVERDRIVE FREE WHEEL
65/67	A,B		6&8	240, 289	16H 7675	1	
65	A		8	390	C5AZ 7675-A	1	
65/67	A, B		6&8	240, 289	16H 7676	1	RETAINER - FREE WHEEL UNIT - REAR
65/67	A, B		6&8	240, 289	16H 7679	12	ROLLER - FREE WHEEL UNIT - #W585-Q
					7680		FORK and RAIL - OVERDRIVE SHIFT
65/67	A,B		6&8	240, 289	B5A 7680-B	1	
65	A		8	390	B7A 7680-A	1	
65/67	A, B		6&8	All	16H 7685	1	SPRING - OVERDRIVE SHIFT FORK AND RAIL RETRACTOR - 19 coils-2 3/4" long
					77685		Refer to group 7A658
					7690		PAWL - OVERDRIVE BALK RING and GEAR SLIDING
65/67	A, B		6&8	240, 289	C2OA 7690-A	1	
65	A		8	390	B7A 7690-A	1	
65/67	A, B		6&8	All	26H 7693	1	SEAL - OVERDRIVE SOLENOID OIL
65/67	A		6&8	240, 289	C2AZ 7713-C	1	CLIP - CABLE
65/67	A, B		6&8	240, 289	B5A 7730-A	1	GUIDE - OVERDRIVE SHIFT RAIL
					7749		SHAFT and GEAR - OVERDRIVE MAIN
65/67	A		6&8	240, 289	C4AZ 7749-A	1	
65	A		8	390	C1AA 7749-A	1	
65	B	"Before 3/1/65"	8	All	★C2OA 7749-A	1	
65/67	B	"From 3/1/65"	8	All	C5OZ 7749-A	1	

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY HEE	QUANTITY HEF, RAN	QUANTITY HEG, RAC, RAT		PART NUMBER	PART NAME and DESCRIPTION
								7005-6	CASE - TRANSMISSION
65	A	6	240	1				C3AZ 7006-D	(#RF C5AR 7006-A)
65/71	A,B,F,P,X "Before 7/1/71"	8	All		1			C8AZ 7005-B	Includes (1) C8AZ 7234-A & (1) I.S. #2723-
66/71	U "Before 7/1/71"	6&8	All		1				(#RF C5AR 7006-B) 55/64" dia.
65/71	A	6	All		1				countershaft hole
65/66	B,X	6	All		1				
67/71	B,F,P,X "Before 7/1/71"	6	All		1			★C7ZZ 7005-B	Includes (1) C8AZ 7234-A & (1) I.S. #2723- 57/64" dia. countershaft hole- repl.by D2OZ 7005-A (10-74)
71/72	B,F,P "From 7/1/71 to 12/1/71"	6	All		1			D2OZ 7005-A	Includes (1) C8AZ 7234-A & (1) I.S. #2723
72	B,F,P "From 12/1/71"	6	All		1			D2OZ 7005-F	Includes (1) C8AZ 7234-A & (1) I.S.#2723, #4249
71/	B,F,P "From 7/1/71"	8	All		1			D2OZ 7005-G	Includes (1) C8AZ 7234-A & (1) I.S. #2723
71/72	U "From 7/1/71 to 8/15/72"	6	All		1				
72	U "From 8/15/72"	6	All		1			D3TZ 7005-D	
65/71	A,B,F,U,X "Before 7/1/71"	8	All			1		★C8AZ 7005-C	(#RF C5AR 7006-C), (#C8AR 7006-C)
70/71	B	6	250			1			Includes (1) C8AZ 7234-A & (1) I.S. #2723- repl. by D2AZ 7005-A (3-74)
71/72	A,F,U "From 7/1/71 to 12/1/71"	6&8	All			1		D2AZ 7005-A	Includes (1) C8AZ 7234-A & (1) I.S.#2723
72	F,U "From 12/1/71"	8	All			1		D2ZZ 7005-B	Includes (1) C8AZ 7234-A & (1) I.S. #2723, #4249
65/	A,B,F,P,X	6&8	All	1	1	1		358035-S(PP31)	Plug-1/2" pipe-square head (case filler)
				1	1	1		373719-S(PP54D)	Plug-1/2" -14 magnetic (case drain)
				1	1	1		74112-S(P1A)	Plug-11/16" dia. -expansion-(to seal shifter rail hole in case)
				1	1	1		20430-S8(B104)	Bolt-7/16" -14 x 1 1/4" (case to flywheel housing).
				1	1	1		34808-S8(X67)	Lockwasher-7/16"
				1	1	1		384727-S (BB262T)	Bolt-9/16" - 18 x 3/8" (to fill retarded spark hole in case)
					1				Required to plug TR5 hole in case
67/	B,F,P,X	6	All		1			74118-S(P6)	Plug-1 1/16" dia. -welch type (to seal countershaft hole in case)
65/67	A,B,F,X	6&8	All	1	1	1		B9AP 7A011-A	SEAL - OUTPUT SHAFT OIL
65/67	A,B,F,X	6&8	All	1	1	1		372401-S(QQ68)	Snap ring-1" I.D. (oil seal retaining)
								7017	SHAFT - INPUT
65	A	6	240	1				★C5AZ 7017-A	23-28 teeth, 10 splines, 8 5/8" long
65	B,F,X "Before 4/23/65"	6&8	All		1			C4AZ 7017-F	24-33 teeth, 10 splines, 8 3/4" long
65/71	A	6&8	All		1			C5AZ 7017-B	20-33 teeth, 10 splines, 8 3/4" long
65/68	B,F,X "From 4/23/65"	8	All		1				
65/	B,F "From 4/23/65"	6	All		1				
66/68	U	8	289		1				
67/70	X	6	200		1				
70/	P	6	200		1				
71/	B,F,P	8	302		1				
66/67	U "Before Ser. B26,001"	6	170		1			C5UZ 7017-A	21-33 teeth, 10 splines, 8 3/4" long
67/	U "From Ser. B26,001"	6	170		1			C5UZ 7017-B	21-33 teeth, 10 splines, 8 3/4" long
67/69	X	6	170		1				
70/	P	6	170		1				
65/70	A,B,F	8	352,390			1		C4AZ 7017-E	22-36 teeth, 10 splines, 8 7/16" long
68/71	A,B(exc. P/C),F,X	8	302			1		C8AZ 7017-A	20-33 teeth, 10 splines, 8 15/16" long
70/71	A	8	351			1		C8AZ 7017-B	22-36 teeth, 8 15/16" long
69/70	B	8	351			1			Use w/#RAT-AJ,AZ (2.42 ratio)
69/	F	8	351			1			
69/	U	8	302			1		C5TZ 7017-A	20-36 teeth, 8 15/16" long
69/70	B	8	351			1			Use w/#RAT-AS,BF (2.99 ratio)
70/71	B (P/C)	6&8	250,302			1			

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY HEE	QUANTITY HEF, RAN	QUANTITY HEG, RAC, RAT		PART NUMBER	PART NAME and DESCRIPTION
								7025	BEARING - INPUT SHAFT
65	A	6&8	All	1				C3AZ 7025-B	#207-L, LO - 1 3/8" I.D.-2 7/8" O.D.-11/16" wide
65/	A, B, F, P, U, X	6&8	All		1	1		C3AZ 7025-C	1 9/16" I.D. -3 5/32" O.D. -11/16" wide
								7025	BEARING - OUTPUT SHAFT
65/	A, B, F, P, U, X	6&8	All	1	1	1		C3AZ 7025-B	#207-L, LO - 1 3/8" I.D.-2 7/8" O.D.-11/16" wide
								7026	Refer to group 7064
								7029	WASHER - REVERSE IDLER GEAR THRUST
65	A	6&8	All	1				C4AZ 7149-A	Front
65/	A, B, F, P, U, X	6&8	All		2	2		C3AZ 7029-A	Front & rear
65	A	6&8	All	1					Rear
								7A029	GEAR - LOW CONSTANT MESH
65	A	6	All	1				C4AZ 7A029-A	37-33 teeth-4 3/8" diam.
65/71	A	6&8	All		1			C5AZ 7A029-C	32-36 teeth-4 5/16" diam.
65/	B, F, X, U "From 4/23/65"	6&8	All-exc. 170		1				
70/	P	6&8	200,302		1				
65	B, F, X "Before 4/23/65"	6&8	All		1			C4AZ 7A029-E	37-36 teeth-4 3/8" diam.
66/	U, X	6	170		1				
70/	P	6	170		1				
65/	A, B, F	8	All			1		C5AZ 7A029-B	32-36 teeth-4 5/16" diam.
70/71	B	6	250			1			
69/	U, X	8	All			1			
65/	A, B, F, P, X	6&8	All	1	1	1		B3T2 7A034-A	BUSHING - EXTENSION HOUSING - 1 5/8" O.D. -1 1/2" I.D. -1 1/2" wide
								7A039	HOUSING EXTENSION
65/71	A	6&8	All		1			C5AZ 7A039-B	#C5AR 7A040-B
72	B	6&8	All		1				
65/71	B	6&8	All		1			C3OZ 7A039-E	#C3OR 7A040-D, #C7OR 7A040-B
70/	P(column shift)	6&8	All		1				
66/70	X	6&8	All		1				
65/	F	6&8	All		1			C5ZZ 7A039-B	# C4DR7A040-B
71/	P(console shift)	6&8	All		1				
65	X	8	All		1			*C4DZ 7A039-B	#C4DR 7A040-B
65/70	A	8	390			1		C3AZ 7A039-B	#C3AR 7A040-F
70/71	A	8	351			1			
68/71	A	8	302			1		C8AZ 7A039-C	#C8AR 7A040-A
70	B	8	351			1			Use w/#RAT-AZ
66/69	B, F	8	390			1		C6OZ 7A039-A	#C6OR 7A040-B
68/71	B, X	8	302			1		C8OZ 7A039-A	#C8OR 7A040-A
69/71	B	6&8	250,351			1			Use w/#RAT-AJ, AS, BF
68/	F	8	302,351			1		C8ZZ 7A039-A	#C8ZR 7A040-A
65/	A, B, F, P, X	6&8	All	5	5	5		20430-S8(B104)	Bolt-7/16"-14 x 1 1/4" (housing to case)
				5	5	5		34808-S8(X67)	Lockwasher-7/16"
								7A044	INSERT - SYNCHRONIZER HUB - Also refer to Group 7109 kit
65/	A, B, F, P, X, U	6&8	All	3	3	3		C3AZ 7A044-A	Intermediate & high gear

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY HEE	QUANTITY HEF, RAN	QUANTITY IHEG, RAC, RAT		PART NUMBER	PART NAME and DESCRIPTION
								7050	RETAINER - INPUT SHAFT BEARING
65	A	6	240	1				C5AZ 7050-F	#C5AR 7050-B
65/	A,B,F,P,U,X	6&8	All		1	1		C5AZ 7050-E	#C5AR 7050-A
65/	A,B,F,U,X	6&8	All	4	4	4		350673-S(BB544)	Bolt-5/16"-18 x 3/4" (retainer to case)
65/	A,B,F,P,U,X	6&8	All	1	1	1		C2AZ 7051-B	GASKET - INPUT SHAFT BEARING RETAINER
								7052	SEAL - EXTENSION HOUSING OIL
65/71	A,B,F,P,X-"Before 7/1/71"	6&8	All	1	1	1		A2TZ 7052-A	2 3/8" O.D.-1 1/2" I.D.-5/8" wide
71/	A,B,F,P "From 7/1/71"	6&8	All		1	1		C4TZ 7052-A	2 3/8" O.D.-1 1/2" I.D.-1/2" wide
								7059	Refer to Group 7064
								7061	SHAFT - OUTPUT
65	A	6	240	1				C5AZ 7061-K	23 13/16" long, 32-34-28 spline teeth, use C3AZ 7071-D washer
65/71	A	6&8	All		1			•D0AZ 7061-A	23 11/16" long, 32-37-28 spline teeth
72	B	6&8			1				
65	B,F,X "Before 2/1/65"	6&8	All		1			C3OZ 7061-H	23 11/16" long, 32-37-25 spline teeth
65/71	B,F,P,X "From 2/1/65"	6&8	All		1			•D0DZ 7061-A	23 11/16" long, 32-37-28 spline teeth
72	F,P	6&8	All		1				
66/69	U	6	170		1			C3UZ 7061-E	13 9/16" long, 32-37-28 spline teeth, drilled hole for C3AZ 7071-D washer
70/	U	6	170		1			•C5UZ 7061-A	13 9/16" long, 32-37-28 spline teeth
66/68	U	8	289		1			D0TZ 7061-A	16 9/32" long, 32-37-28 spline teeth
66/69	A	8	390			1		C3AZ 7061-J	27 5/16" long, 32-37-28 spline teeth,
65	A	8	All			1			
70/71	A	8	351,390			1		•D0AZ 7061-B	27 5/16" long, 32-37-28 spline teeth
68/69	A	8	302			1		C8AZ 7061-C	23 1/2" long, 32-37-28 spline teeth
70/71	A	8	302			1		•D0AZ 7061-C	23 1/2" long, 32-37-28 spline teeth
70	B	8	351			1			Use w/#RAT-AZ
66/69	B,F	8	390			1		C6OZ 7061-C	23 7/8" long, 32-37-28 spline teeth, drilled hole for C3AZ 7071-D washer
68/71	B,F,X	8	302			1		•D0OZ 7061-A	23 1/2" long, 32-37-28 spline teeth
69/71	B	6&8	250,351			1			Use w/#RAT-AJ,AS,BF
69/	F	8	351			1			
69/	U	8	302			1		•D0TZ 7061-C	16 9/16" long, 32-37-28 spline teeth
								7064	SNAP RING
									INPUT SHAFT BEARING TO CASE
65	A	6&8	All	1				8A 7026	3 1/16" O.D. -2 11/16" I.D. -1/16" thick
65/	A,B,F,P,U,X	6&8	All		1	1		51A 7026	3 3/8" O.D. -3" I.D. -1/16" thick
									INPUT SHAFT BEARING TO SHAFT
65	A	6&8	All	1				8A 7064	1 7/32" I.D.
65/	A,B,F,P,U,X	6&8	All		1	1		B 7064	1 7/16" I.D.
									OUTPUT SHAFT BEARING TO CASE
65/	A,B,F,P,U,X	6&8	All	1	1	1		8A 7026	3 1/16" O.D. -2 11/16" I.D. -1/16" thick
									OUTPUT SHAFT BEARING TO SHAFT
65/	A,B,F,P,U,X	6&8	All	1	1	1		8A 7064	1 7/32" I.D.
									SECOND & THIRD SPEED SYNCHRONIZER HUB TO SHAFT
65/	A,B,F,P,U,X	6&8	All	1	1	1		8A 7064	1 7/32" I.D.
									FIRST & REVERSE SPEED SYNCHRONIZER HUB TO SHAFT
65	A	6&8	All	1				377883-S(QQ67C)	1 5/8" I.D. -1 13/16" O.D.
65/	A,B,F,P,U,X	6&8	All		1	1		377884-S(QQ67D)	1 3/4" I.D. -1 15/16" O.D.
									SPEEDOMETER DRIVE GEAR TO SHAFT
65	A	6&8	All	AR				B7A 7059-A	1 1/4" I.D. -1 1/2" O.D. -1/16" thick
65/	A,B,F,P,U,X	6&8	All		AR	AR		8A 7064	7/32" O.D. -1 5/16" I.D. -3/32" thick

Identification marking

• Includes D0AZ 7064-A and C3AZ 7071-D


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY HEE	QUANTITY HEF, RAN	QUANTITY HEG, RAC, RAT		PART NUMBER	PART NAME and DESCRIPTION
								7071	WASHER - CONSTANT MESH LOW GEAR THRUST
65	A	6&8	All	1				★C3AZ 7071-B	Use with output shaft slotted for washer's tong
65	A	6&8	All	1				★C3AZ 7071-C	Use with output shaft drilled hole for
				1				376342-S(QQ16B)	Snap ring-1 9/16" O. D. -1 7/16" I. D. - (attach washer & gear (7102) to shaft) washer's tong
65/	A, B, F, P, U, X	6&8	All		1	1		C3AZ 7071-D	2 1/16" O. D. -1 5/8" I. D. -3/32" thick
65/69	A, B, F, U, X	6&8	All		1	1		376305-S(QQ16C)	Snap ring-1 5/8" O.D. -1 1/2" I.D. (washer to shaft)
70/	A, B, F, P, U, X	6&8	All		1	1		D0AZ 7064-A	Snap ring-washer to shaft
65/	A, B, F, P, U, X	6&8	All	1	1	1		C4AZ 7086-B	GASKET - EXTENSION HOUSING TO CASE
								7102	GEAR & BUSHING ASSY.-INTERMEDIATE
65	A	6	240	1				C5AZ 7102-A	29 helical-30 clutch teeth-3 23/32" O. D.
65	A, B, F, X "Before 4/23/65"	6&8	All		1			C4AZ 7102-F	31 helical-33 clutch teeth-3 3/4" O. D.
65/68	A, B, F, U, X- "From 4/23/65"	6&8	All-exc. 170		1			C5AZ 7102-F	25 helical-31 clutch teeth-3 5/8" O.D.
69/	A, B, F, X	6	200,240, 250		1				
70/	P	6	200		1				
71/	A, B, F, P	8	302		1				
66/	U	6	170		1			C4UZ 7102-B	29 helical-33 clutch teeth
70/	P	6	170		1				
67/69	X	6	170		1				
68/70	A, B, F	8	390			1		C4AZ 7102-G	27 helical-36 clutch teeth-3 3/4" O. D.
65/67	A, B, F	8	All			1			
70/71	A	8	351			1			
69/70	B	8	351			1			Use w/#RAT-AJ, AZ (2. 42 ratio)
69/	F	8	351			1			
68/71	A, B(exc. P/C), F, X	8	302			1		C8AZ 7102-A	25 helical-33 clutch teeth-3 5/8" O. D.
69/	U	8	302			1		C5TZ 7102-D	25 helical-36 clutch teeth
69/70	B	8	351			1			Use w/#RAT-AS, BF (2. 99 ratio)
70/71	B (P/C)	6&8	250,302			1			
								7107	RING - SYNCHRONIZER BLOCKING
									LOW & REVERSE GEAR
65	A	6	All	1				C4AZ 7107-C	
65/	A, B, F, P, U, X	6&8	All		1	1		C4AZ 7107-D	
									INTERMEDIATE & HIGH GEAR
65/	A, B, F, P, U, X	6&8	All		2			C4AZ 7107-C	
68/71	A, B(exc. P/C), F, X	8	302			2			
65/	A, B, F	8	All-exc. 302			2		C4AZ 7107-D	
70/71	B (P/C)	6&8	250,302			2			
69/	U	8	302			2			
65	A	6	All	1				C4AZ 7107-B	
								7109	SNAP RING - INTERMEDIATE & HIGH CLUTCH HUB INSERT
65	A, B	6&8	All	2				C2AZ 7109-B	
65/	A, B, F, P, U, X	6&8	All		2			B8AZ 7109-B	
68/71	A, B, F, X	8	302			2			
65/	A, B, F	8	289,351, 352,390			2		C3AZ 7109-D	
70/71	B	6	250			2			
69/	U	8	302			2			
68/69	A, B, F, U, X	6&8	All		2	2			Use as low & reverse synchro. insert ret.
65/67	A, B, F, U, X	6&8	All		2	2		C3AZ 7D176-E	Use as low and reverse clutch hub insert- (front and rear)
								7109	SPRING and INSERT KIT - LOW and REVERSE SYNCHRONIZER
65/	A, B, F, P, X	6&8	All		1	1		C9AZ 7109-A	Includes (1) spring & (3) inserts

Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY HEE	QUANTITY HEF, RAN	QUANTITY HEG, RAC, RAT		PART NUMBER	PART NAME and DESCRIPTION
								7111	COUNTERSHAFT
65	A	6&8	240	1				C3AZ 7111-A	6" long
65/69	A, B, F, U, X	6&8	240,260, 289		1			C3AZ 7111-B	6 1/2" long
70	A, B, F, U, X	6&8	240,289		1				
71	A	6	All		1				
65/66	B	6	170,200		1				
66/	U	6	170		1				
71/	A, B, F, P	8	302		1				
67/68	B, F, P, X	6	170,200		1			C7ZZ 7111-A	6 9/32" long
72	U	6	170		1				
69/	B, F, P	6	All		1				
65/	A, B, F, U	8	All			1		C3AZ 7111-C	6 63/64"long
70/71	B	6	250			1			
65/	A, B, F, P, U, X	6&8	All	1	1	1		353647-S(NN114)	Pin-1/4" x 1 1/4"(retains shaft to case)
								7113	GEAR - COUNTERSHAFT CLUSTER



A = Length

B,C,D = Number of Teeth

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY HEE	QUANTITY HEF, RAN	QUANTITY HEG, RAC, RAT		PART NUMBER	A	B	C	D	REMARKS
65	A	6	240	1				C5AZ 7113-A	4 23/32"	30	21	16	
65	B, F, X "Before 4/23/65"	6&8	All		1			C3AZ 7113-A	5 3/32"	29	22	16	
66	U	8	289		1								
65/71	A	6&8	All		1			C5AZ 7113-G	5 3/32"	28	20	15	tapered brg. ends
65/	B, F, P, U, X - "From 4/23/65"	6&8	All exc. 170		1								
66/	U	6	170		1			C3UZ 7113-C	5 1/16"	31	23	16	tapered brg. ends
67/69	X	6	170		1								
70/	P	6	170		1								
65/70	A, B, F	8	289,352 390			1		C3AZ 7113-N	5 5/8"	25	19	15	tapered brg. ends
70/71	A	8	351			1							
69/70	B	8	351			1							Use w/#RAT-AT, AZ(2.42 ratio)
69/	F	8	351			1							
68/71	A, B, F, X	8	302			1		C5TZ 7113-H	5 19/32"	28	20	15	tapered brg. ends
69/70	B	8	351			1							Use w/#RAT-AS, BF (2.99 ratio)
70/71	B (P/C)	6	250			1							
69/	U	8	302			1							
65/	A, B, F, P, U, X	6&8	All	1 SET	1 SET	1 SET		C3AZ 7118-A	ROLLER - INPUT SHAFT PILOT BEARING #C417-Q (set consists of 15)				
65/	A, B, F, P, U, X	6&8	All	2	2	2		C3AZ 7119-A	WASHER - COUNTERSHAFT GEAR THRUST - front & rear				
65/	A, B, F, P, U, X	6&8	All	2 SETS	2 SETS	2 SETS		C3AZ 7121-A	ROLLER - COUNTERSHAFT PILOT BEARING - #C1086-Q (set consists of 25 - repairs both ends)				
				2	2	2		354398-S(XX254)	Washer-7/8" (retains rollers in counter-shaft gear)				

Identification marking

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY HEE	QUANTITY HEF, RAN	QUANTITY HEG, RAC, RAT		PART NUMBER	PART NAME and DESCRIPTION
								7124	SYNCHRONIZER ASSY.
									LOW & REVERSE GEAR
65	A	6	All	1				C4AZ 7124-D	
65/	A, B, P, U, X	6&8	240 250,289, 302		1	1		C6AZ 7124-B	4 13/16" sliding gear O.D.
66/	F	6&8	250,289		1				
66/70	B, F, X	6	200		1				
69/71	B	6&8	250,351			1			Use w/#RAT-AS, BF (2.99 ratio)
70/	P	6&8	200,302		1				
71	A	8	351			1			
71	F	8	351			1			Use w/#RAT-BB2
71/	P, U	6	170		1				Use w/#RAN-BA2, RAN-N4
72	F	8	351			1			
65/70	A, B,	8	352,390			1		C6TZ 7124-E	4 11/16" sliding gear O.D.
65	F	8	All		1				
70	A	8	351			1			
69/70	B	8	351			1			Use w/#RAT-AJ, AZ (2.42 ratio)
69/70	F	8	351			1			
65	B, F, X	6&8	200,260		1				
66/70	P, U, X	6	170		1				
71	F	8	351			1			Use w/#RAT-BB1
71	P, U	6	170		1				Use w/#RAN-BA1, RAN-N3
									INTERMEDIATE & HIGH GEAR
65	A	6	All	1				★C4AZ 7124-A	
65/71	A, B, X	6&8	All		1			C8TZ 7124-G	3 9/16" sliding sleeve O.D.
65/	F, P, U	6&8	All		1				
68/71	A, B(exc. P/C), F, X	8	302			1			
65/	A, B, F	8	351,352, 390			1		C8TZ 7124-H	3 15/16" sliding sleeve O.D.
69/	U	8	302			1			
70/71	B (P/C)	6&8	250,302			1			
72	B	6&8	All		1			D3OZ 7124-A	
65/	A, B, F, P, U, X	6&8	All	2	2	2		C3AZ 7C124-A	FINGER ASSY. - SHIFT CONTROL
65/	A, B, F, P, U, X	6&8	All	1	1	1		C3AZ 7140-A	SHAFT - REVERSE IDLER GEAR
				1	1	1		305080-S(NN113)	Pin-spring-1/4" x 1" (retains shaft in case)
								7141	GEAR AND BUSHING - REVERSE IDLER
65	A	6&8	All	1				C5AZ 7141-A	21 helical-21 spur teeth
65	B, F, X "Before 4/23/65"	6&8	All		1			C5OZ 7141-A	21 helical-21 spur teeth
66/70	U	6	170		1				
66/70	X	6	170		1				
70	P	6	170		1				
71	P, U	6	170		1				Use w/#RAN-BA1, RAN-N3
71	P, U	6	170		1			D1DZ 7141-A	Use w/#RAN-BA2, RAN-N4
72	P, U	6	170		1				
65/71	A	6&8	All		1			C5AZ 7141-C	17 helical-19 spur teeth
65/	B, F, P, X "From 4/23/65"	6&8	200,250, 289,302		1				
66/68	U	8	289		1				
68/71	A, B, F, X	8	289, 302			1			
69/	U	8	302			1			
69/71	B	6&8	250,351			1			Use w/#RAT-AS, BF (2.99 ratio)
71	A	8	351			1			
71	F	8	351			1			Use with w/#RAT-BB2
72	F	8	351			1			
65/70	A, B, F	8	352 390			1		C5AZ 7141-B	17 helical-21 spur teeth
70	A	8	351			1			
69/70	B	8	351			1			Use w/#RAT-AJ, AZ (2.42" ratio)
69/70	F	8	351			1			
71	F	8	351			1			Use w/#RAT-BB1

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY HEE	QUANTITY HEF, RAN	QUANTITY HEG, RAC, RAT		PART NUMBER	PART NAME and DESCRIPTION
								7149	WASHER - REVERSE IDLER GEAR THRUST - Refer to Group 7029
65/	A, B, F, P, U, X	6&8	All	1	1	1		C3AZ 7153-F	GASKET KIT Consists of the following gaskets (1) C2AZ 7051-B (1) C3AZ 7223-A (1) C4AZ 7086-B (1) C3AZ 7223-B (1) C3AZ 7223-C
								7D176	Refer to Group 7109
								7222	COVER - CASE ACCESS
65/	A, B F, P, U, X	6&8	All		1			C3AZ 7222-B	
65/	A, B, F, U, X	8	All			1		C3AZ 7222-C	
70/71	B (P/C)	6	250			1			
65/	A, B, F, U, X	6&8	All	2	2	2		20386-S8(B53)	Bolt-5/16"-18 x 1" (cover to case)
				2	2	2		34906-S8(X98)	Lockwasher-5/16"
				7	7	7		372110-S(BB547)	Bolt & washer assy. -5/16"-18 x 5/8"
								7223	GASKET - CASE ACCESS COVER
65/	A, B, F, P, U, X	6&8	All		1			C3AZ 7223-B	
65/	A, B, F, U, X	8	All			1		C3AZ 7223-C	
70/71	B (P/C)	6	250			1			
								7230	FORK INTERMEDIATE & HIGH GEAR SHIFTER
65	A	6&8	All	1				C3AZ 7230-A	
65/	A, B, F, P, U, X	6&8	All		1			C3AZ 7230-B	#C4AR 7230-C
65/	A, B, F	8	289,351, 352,390			1		C3AZ 7230-C	#C4AR 7230-D
70/71	B (P/C)	6&8	250,302			1			
69/	U	8	302			1			
68/71	A, B(exc. P/C), F	8	302			1		C8OZ 7230-A	#C8OR 7230 A
68/70	X	8	302			1			
65/	A, B, F, P, U, X	6&8	All	1	1	1		377886-S(UU26)	Screw-5/16"-24 x 7/8" (attach fork to shift rail)
								7231	FORK - LOW & REVERSE GEAR SHIFTER
65	A	6&8	All	1				C3AZ 7231-B	
65/	A, B, F, P, U, X	6&8	All		1			C3AZ 7231-A	#C4AR 7231-C
65/	A, B, F, U, X	8	All			1		C3AZ 7231-D	#C5AR 7231-A
70/71	B (P/C)	6	250			1			
65/	A, B, F, P, U, X	6&8	All	1	AR	AR		377886-S(UU26)	Screw-5/16"-24 x 7/8" (attach fork to shift rail)
								7234	SPRING - GEAR SHIFTER FORK INTERLOCK
65/67	A, B, F, X "Before 11/30/66"	6&8	All	2	2	2		C3AZ 7234-A	1" free length-13 coils
66/67	U "Before Ser. 56, 001"	6&8	All		2				
67	A, B, F, X "From 11/30/66"	6&8	All	2	2	2		C7AZ 7234-A	15/16" free length-10 1/2 coils-use with a all models with (1) or higher number in trans. identification suffix
67	U "From Ser. 56, 001"	6&8	All		2				
68/	A, B, F, P, U, X	6&8	All		1	1			
68/	A, B, F, P, U, X	6&8	All		1	1		C8AZ 7234-A	1 5/8"-free length
								7235	PIN - GEAR SHIFT INTERLOCK
72	B, F, P, U "Before 12/1/71"	6&8	All					7235	Not required
72	B, F, P "From 12/1/71"	6&8	All		1	1		D0AZ 7235-B	27/64" long-11/64" dia.

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY HEE	QUANTITY HEF, RAN	QUANTITY HEG, RAC, RAT		PART NUMBER	PART NAME and DESCRIPTION
								7240	GEAR SHIFTER SHAFT - LOW & REVERSE
67/69	A, B, F, U, X	6&8	All		1			C9AZ 7240-A	Includes I. S. #2612 & 7C316 pin
70	A, B, F, P, U, X	6	All		1			D0AZ 7240-D	5 9/16" long-use with #RAN models with
71/	A, B, F, P, U	6&8	All		1				(1) or higher number in trans. ident. suffix
65/69	A, B, F, U, X	8	All			1		C9AZ 7240-B	Includes I. S. #2612 & 7C316 pin
70	A, B, F, U, X	6&8	All			1		D0AZ 7240-E	6 3/64" long-use with #RAT models with (1)
71/	A, B, F, U	6&8	All			1			or higher number in trans. ident. suffix
								7240	KIT - SHIFTER RAILS AND PINS
70	A, B, F, P, U, X	6	All		1			D0AZ 7240-G	Use with #RAN models except with (1) or higher number in trans. ident. suffix - consists of (1) D0AZ 7240-D rail (1) D0AZ 7241-C rail (3) D0AZ 7C316-A pin
70	A, B, F, U, X	6&8	All			1		D0AZ 7240-H	Use with #RAT models except with (1) or higher number in trans. ident. suffix- consists of (1) D0AZ 7240-E rail (1) D0AZ 7241-C rail (3) D0AZ 7C316-A pin
								7241	INTERMEDIATE & HIGH GEAR SHIFTER SHAFT KIT - TRANSMISSION
70/71	U	6&8	All		1			D2TZ 7241-C	Consists of (1) D2AR 7234-AA spring (1) D2AR 7241-DA rail (1) D2AR 7C316-AA pin
								7241	GEAR SHIFTER SHAFT - INTERMEDIATE & HIGH
65/68	A, B, F, X	6&8	All	1	1	1		C9AZ 7241-A	Includes I. S. #2612 & 7C316 pin
66/67	U	6&8	All		1				
68	U	6&8	All		1	1			
69	A, B, F, P, U, X	6&8	All		1	1			
70	A, B, F, P, U, X	6&8	All		1	1			Refer to 7240 kit for all models except with (1) or higher number in trans. ident. suffix
70	A, B, F, P, U	6&8	All		1	1		D0AZ 7241-C	4 23/32" long-use with all models with (1) or higher number in trans. ident. suffix
71/72	A, B, F, P, U - "Before 12/1/71"	6&8	All		1	1		D2AZ 7241-A	4 23/32" long
72	B, F, P, U "From 12/1/71"	6&8	All		1	1		D2OZ 7241-A	4 23/32" long
65/	A, B, F, P, U, X	6&8	All	1	1	1		74112-S(P1A)	Plug-11/16" diam. -welsh type to seal shaft hole in case)
								7A283	SEAL - INPUT SHAFT OIL
65/69	A, B, F, U, X	6&8	All	1	1	1		B7AZ 7A283-B	1 1/8" I.D.-1 5/8" O.D.
70/	A, B, F, P, U, X	6&8	All		1	1		C9AZ 7A283-A	1 5/8" O.D. -1 1/8" I.D. -1/4" thick

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY HEE	QUANTITY HEF, RAN	QUANTITY HEG, RAC, RAT		PART NUMBER	PART NAME and DESCRIPTION
								7285	LEVER - INTERMEDIATE & HIGH GEAR SHIFTER FORK - Also refer to Group 7A185
65/71	A	6&8	All						Serviced in 7A185 gear shift bellcrank assy.
65/69	B	6&8	All exc. 390		1	1		C3OZ 7285-A	
70/71	B	6&8	All		1	1		D0OZ 7285-C	
72	B	6&8	All		1			D2OZ 7285-A	Includes 7341 bushing
65/68	F	6&8	All		1	1		C5ZZ 7285-D	
69	F	6&8	All		1	1		C9ZZ 7285-B	
70/	F	6&8	All		1	1		D0ZZ 7285-B	
71/	P(console shift)	6&8	All		1				
70/	P(column shift)	6&8	All		1			D0DZ 7285-A	#D0DR 7285-A, includes 7341 bearing
66/	U	6	All		1			C6TZ 7302-A	
66/68	U "Before Ser. C42,001"	8	All		1				
68/	U "From Ser. C42,001"	8	All			1		C8TZ 7302-A	
66/70	X	6&8	All		1	1		C3OZ 7285-A	
65/	A, B, F, P, U, X	6&8	All	1	1	1		33800-S(M63)	Nut-3/8"-24 (lever to finger assy.)
				1	1	1		44727-S8(X24)	Washer-flat-3/8"
				1	1	1		34847-S8(X74)	Lockwasher-3/8"
65/	A, B, F, P, U, X	6&8	All	2	2	2		1A 7288-A	SEAL - SHIFTER FORK SHAFT LEVER OIL
								7290	LEVER - LOW & REVERSE GEAR SHIFTER FORK
65/68	A	6&8	All	1	1	1		C5AZ 7290-A	
69	A	6&8	All		1	1		C9AZ 7290-C	
70/71	A	6&8	All		1	1		D0AZ 7290-B	
65/69	B	6&8	All exc. 390		1	1		C3OZ 7290-A	
66/69	B(column shift)	8	390			1		C6OZ 7290-B	
69	B(floor shift)	8	390			1		C9OZ 7290-A	
70/71	B	6&8	All		1	1		D0OZ 7290-B	
72	B	6&8	All		1			D2OZ 7290-A	Includes 7341 bushing
65/68	F	6&8	All		1	1		C5ZZ 7290-D	
69	F	6&8	All		1	1		C9ZZ 7290-C	
70/	F	6&8	All		1	1		D0ZZ 7290-B	
71/	P(console shift)	6&8	All		1				
70/	P(column shift)	6&8	All		1			D0DZ 7290-A	#D0DR 7290-A, includes 7341 bearing
66/	U	6&8	All		1	1		C6TZ 7303-A	
66/70	X	6&8	All		1	1		C3OZ 7290-A	
65/	A, B, F, P, U, X	6&8	All	1	1	1		33800-S(M63)	Nut-3/8"-24 (lever to finger assy.)
				1	1	1		44727-S8(XX24)	Washer-flat-3/8"
				1	1	1		34807-S8(X66)	Lockwasher-3/8"
								7302	LEVER - INTERMEDIATE & HIGH GEAR SHIFTER FORK - Refer to Group 7285
								7303	LEVER - LOW & REVERSE GEAR SHIFTER FORK - Refer to Group 7290

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY HEE	QUANTITY HEF, RAN	QUANTITY HEG, RAC, RAT		PART NUMBER	PART NAME and DESCRIPTION
								7C316	PIN - GEAR SHIFT INTERLOCK ROD
65/67	A, B, F, X "Before 11/30/66"	6&8	All	3	3	3		C3AZ 7C316-B	
66/67	U "Before Ser. 56,001"	6&8	All		3				
67/69	A, B, F, U, X "From 11/30/66"	6&8	All	3	3	3		C9AZ 7C316-A	27/64" long-5/16" diam.-pointed ends
67/68	U "From Ser. 56,001"	6&8	All		3	3			
70	A, B, F, P, U, X	6&8	All						All models except with (1) or higher number in trans. ident. suffix refer to 7240 kit
70/	A, B, F, P, U, X	6&8	All		3	3		D0AZ 7C316-A	15/32" long-5/16" diam. -pointed ends-use with all shifter rails for all models with (1) or higher number in trans. ident. suffix
65/	A, B, F, P, U, X	6&8	All	1	1	1		377885-S (UU26C)	Screw-3/8"-16 x 7/8" set-(retains pin to shaft)
								7B331	SMALL PARTS REPAIR KIT
65	A	6&8	All	1				C3AZ 7B331-B	Consists of the following

SNAP RING

2-8A 7026 1-376342-S
4-8A 7064 1-377883-S

WASHER

2-C3AZ 7119-B 1-C3AZ 7029-A
1-C3AZ 7071-C

PIN

1-353647-S8

65/	A, B, F, P, U, X	6&8	All		1	1		C3AZ 7B331-D	Consists of the following

SNAP RING

1-8A 7026
1-51A 7026
1-B 7064
3-8A 7064
1-D0AZ 7064-A

WASHER

2-C3AZ 7029-A
1-C3AZ 7071-D
2-C3AZ 7119-A

PIN

1-305080-S

RETAINER

1-377884-S

								7341	INSULATOR - GEAR SHIFT LEVER SELECTOR ARM
69/71	A	6&8	All		1	1		C8OZ 7341-A	
70/	B, P	6&8	All		1	1			
70	F	6&8			1	1			
71/	F, P(console shift)	6&8	All		1	1		C7SZ 7341-A	5/16"I.D.-11/32" long
72	B, F, P	6&8	All		1	1		D2OZ 7E449-A	SWITCH - SEAT BELT WARNING SENSOR-#D2AR 7E449-BA
72	B, F, P	6&8	All		1	1		D2OZ 7E454-A	PIN - SEAT BELT SWITCH ACTUATOR - 23/32" long-5/16" O.D.-includes (1) D2AR 7E455-AA spring
72	B, F, P	6&8	All		1	1		D2OZ 7E460-A	CLAMP - SEAT BELT WARNING SENSOR SWITCH
72	B, F, P, U	6&8	All		1	1		D2OZ 7E461-A	PLUG - SEAT BELT WARNING SWITCH OPENING - used on vehicles built "Before 12/1/71"-used as plug for sensor switch opening
72	B, F, P	6&8	All		1	1		1P 77868-A	SEAL - SENSOR SWITCH - 1/2" I.D.

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
65/66	F	6	All	C2DZ 7005-A	1	CASE
				353051-S(PP32)	1	Plug-3/4"-14 x 5/8" (trans.filler)
				★20350-S	1	Bolt-7/16"-14 x 3/4" (trans.drain)
				34848-S(X75)	1	Washer-7/16"
65/66	F	6	All	★C2DZ 7A011-A	1	SEAL - INPUT SHAFT OIL -R/B D0RY 7052-E (2/73)
65/66	F	6	All	C2DZ 7017-C	1	SHAFT - INPUT - 21-30 teeth-10 splines-8" long
				7025		BEARING
65/66	F	6	All	8D 7065	1	Input shaft -#307-L - 1 3/8" I.D.-3 1/8" O.D.- 7/8" wide
65/66	F	6	All	C2DZ 7065-A	1	Output shaft- #175-12 - 1 3/8" I.D.-3 1/8" O.D.- 7/8" wide
				7026		Refer to Group 7064
65/66	F	6	All	C2DZ 7033-A	1	DOWEL - GEAR SHIFT HOUSING TO CASE
65/66	F	6	All	C2DZ 7034-A	1	VENT ASSY. - EXTENSION HOUSING
65/66	F	6	All	C0DP 7A034-B	1	BUSHING - EXTENSION HOUSING - 1 1/2" O.D.- 1 3/8" I.D.
65/66	F	6	All	C2DZ 7A039-B	1	HOUSING - EXTENSION - includes bushing
				20410-S(B103)	4	Bolt-7/16"-14 x 1 1/8" (housing to case)
				34848-S(X75)	4	Washer-7/16"
				7A044		INSERT - SYNCHRONIZER HUB
65/66	F	6	All	C2DZ 7A044-A	3	First and second speed synchronizer
				C2DZ 7A044-B	3	Third and fourth speed synchronizer
65/66	F	6	All	C2DZ 7050-A	1	RETAINER - INPUT SHAFT BEARING - 3 11/16" long-4 11/16" flange O.D.
				20366-S8(B52)	3	Bolt-5/16"-18 x 7/8" (retainer to case)
				34806-S7(X64)	3	Lockwasher-5/16"
				7051		GASKET - INPUT SHAFT BEARING RETAINER - Serviced in 7153 kit
65/66	F	6	All	C0DR 7052-A	1	SEAL - EXTENSION HOUSING OIL - 1 3/8" I.D. - 2 1/4" O.D.-5/8" wide
				7059		SNAP RING - Refer to Group 7064
65/66	F	6	All	C2DZ 7061-B	1	SHAFT - OUTPUT - Also Refer to Group 7063

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
65/66	F	6	All	C2DZ 7063-B	1	SLEEVE - OUTPUT SHAFT FIRST SPEED GEAR
				371350-S(AA4)	1	Ball-3/16" diam.(retain sleeve to shaft)
				7064		SNAP RING
65/66	F	6	All	C2DZ 7026-A	1	Input shaft bearing to case-3" I.D.-3 5/32" O.D.-1/16" thick
				C2DZ 7064-A	1	Input shaft bearing to shaft-1 5/8" I.D.-2" O.D.-3/32" thick
65/66	F			C2DZ 7059-A	1	Synchronizer assy.to shaft (third & fourth speed)
				7065		BEARING - INPUT AND OUTPUT SHAFT - Refer to Group 7025
65/66	F	6	All	C2DZ 7085-A	1	RETAINER - OUTPUT SHAFT BEARING
				305080-S(NN113)	1	Pin-wall-1/4" x 1" (retainer to extension housing)
				7086		GASKET - EXTENSION HOUSING TO CASE - Serviced in 7153 kit only
65/66	F	6	All	C2DZ 7100-A	1	GEAR - FIRST SPEED - 30 helical-36 clutch teeth
65/66	F	6	All	C2DZ 7103-A	1	GEAR - SECOND SPEED - 27 helical-36 clutch teeth
				7107		RING - SYNCHRONIZER BLOCKING
65/66	F	6	All	C2DZ 7107-A	2	First & second speed
				C2DZ 7107-B	2	Third & fourth speed
				7109		SNAP RING - SYNCHRONIZER HUB INSERT RETAINING
65/66	F	6	All	C2DZ 7109-B	2	First & second speed
				D1FZ 7109-B	2	Third & fourth speed
65/66	F	6	All	C2DZ 7111-B	1	COUNTERSHAFT
65/66	F	6	All	C2DZ 7113-A	1	GEAR - COUNTERSHAFT CLUSTER - 31-23-18-15-14 teeth, 7 5/8" long
65/66	F	6	All	C2DZ 7118-B	1	BEARING - INPUT SHAFT PILOT - bearing assy.-1 3/16" O.D.-27/32" I.D.-5/8" wide
				7119		WASHER - COUNTERSHAFT GEAR THRUST
65/66	F	6	All	C2DZ 7119-B	1	Front
				C2DZ 7119-A	1	Rear inner
				C2DZ 7119-C	1	Rear outer

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
65/66	F	6	All	C2DZ 7121-A	1 SET	ROLLER - COUNTERSHAFT GEAR PILOT BEARING - #QA22148 (set consists of 44 - repairs both ends)
				354655-S(XX231)	4	Washer-15/16" O.D.-flat (retains 7121 rollers in countershaft)
				7124		SYNCHRONIZER ASSY.
65/66	F	6	All	C2DZ 7124-B	1	First & second speed
				C2DZ 7124-C	1	Third & fourth speed
65/66	F	6	All	C2DZ 7140-A	1	SHAFT - REVERSE IDLER GEAR
65/66	F	6	All	C2DZ 7141-A	1	GEAR AND BUSHING - REVERSE IDLER
65/66	F	6	All	C2DZ 7153-B	1	GASKET KIT

Consists of the following
1-C4DR 7051 Gasket (retainer) 1-C4DR 7086-A Gasket (ext. housing) 1-C4DR 7223-A Gasket (gear shift housing)

65/66	F	6	All	C2DZ 7222-A	1	HOUSING ASSY. - GEAR SHIFT
				20346-S8(B50)	8	Bolt-5/16"-18 x 3/4" (gear shift housing to case)
				34806-S7(X64)	8	Lockwasher-5/16"
				7223		GASKET - GEAR SHIFT HOUSING - Serviced in 7153 kit only
				7230		FORK - GEAR SHIFTER
65/66	F	6	All	C2DZ 7230-B	1	First & second speed
				C2DZ 7230-A	1	Third & fourth speed
65/66	F	6	All	C2DZ 7231-B	1	FORK - REVERSE GEAR SHIFTER - when used on trans. with no stamp or stamped prior to 3/4/63 must use with C2DZ 7280-C, C2DZ 7282-C & C2DZ 7290-E---#212 7243-C
65/66	F	6	All	C2DZ 7233-A	2	PLUNGER - REVERSE GEAR SHIFT INTERLOCK
				7233		SLEEVE - GEAR SHIFT INTERLOCK
65/66	F	6	All	C2DZ 7233-B	1	Selective fit - 1.287" long
				C2DZ 7233-C	1	1.291" long
				C2DZ 7233-D	1	1.293" long
				C2DZ 7233-E	1	1.296" long
				C2DZ 7233-F	1	1.299" long
				C2DZ 7233-G	1	1.310" long
				7234		SPRING - SHIFTER FORK CAM AND SHAFT LOCK PLUNGER
65/66	F	6	All	C2DZ 7234-A	1	Forward gears
				C2DZ 7234-B	1	Reverse gear
				372720-S(AA11)	3	Ball-3/8" diam. (cam & shaft lock plunger)

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
65/66	F	6	All	C2DZ 7240-A	1	RAIL - LOW AND REVERSE GEAR SHIFTER FORK
65/66	F	6	All	C2DZ 7280-C	1	CAM AND SHAFT - THIRD AND FOURTH SPEED SHIFTER FORK - when used on trans. with no date stamp or stamped prior to 3/4/63- use with C2DZ 7231-B, C2DZ 7282-C & C2DZ 7290-E - #212E 7282-D
65/66	F	6	All	C2DZ 7282-C	1	CAM AND SHAFT ASSY. - FIRST AND SECOND SPEED SHIFTER FORK - when used on trans. with no date or stamped prior to 3/4/63-must use with C2DZ 7231-B, C2DZ 7280-C & C2DZ 7290-E
65/66	F	6	All	C5ZZ 7285-A	1	LEVER - THIRD AND FOURTH SPEED SHIFTER FORK CAM
65/66	F	6	All	33800-S8(M63)	1	Nut-3/8"-24 (lever to cam & shaft)
				34807-S8(X66)	1	Lockwasher-3/8"
				44727-S8(X24)	1	Washer-flat-3/8"
65/66	F	6	All	C0DR 7288-A	3	SEAL - SHIFTER FORK CAM AND SHAFT SHIFT LEVER OIL - 5/8" I.D. -15/16" O.D. -3/16" thick
65/66	F	6	All	C2DZ 7290-E	1	LEVER AND SHAFT - REVERSE GEAR SHIFT - when used on trans.with no date stamped or stamped prior to 3/4/63-must use with C2DZ 7231-B, C2DZ 7280-C & C2DZ 7282-C
65/66	F	6	All	C5ZZ 7290-A	1	LEVER - FIRST AND SECOND SPEED SHIFTER FORK CAM AND SHAFT
65/66	F	6	All	33800-S8(M63)	1	Nut-3/8"-24 (lever to cam & shaft)
				34807-S8(X66)	1	Lockwasher-3/8"
				44727-S8(X24)	1	Washer-flat-3/8"
65/66	F	6	All	C5ZZ 7290-B	1	LEVER - REVERSE SHIFTER FORK CAM AND SHAFT - on transmission
65/66	F	6	All	33800-S8(M63)	1	Nut-3/8"-24 (lever to cam & shaft)
				34807-S8(X66)	1	Lockwasher-3/8"
				44727-S8(X24)	1	Washer-flat-3/8"
65/66	F	6	All	C2DZ 7B340-A	1	GEAR - THIRD SPEED - 22 helical-30 clutch teeth

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7005		CASE
65/71	A, B, F, X "Before 7/1/71"	8	All	*C4AZ 7005-F	1	#C8AR 7006-D - includes I.S. No.2723- repl. by D2OZ 7005-C (2-74)
71/72	B, F-"From 7/1/71 to 12/1/71"	8	All	D2OZ 7005-C	1	Includes (1) C8AZ 7234-A & (1) I.S. No. 2723
72	B, F "From 12/1/71"	8	All	D2OZ 7005-H	1	Includes (1) C8AZ 7234-A & (1) I.S. 2723, 4249
65/	A, B, F, X	8	All	358035-S(PP31)	1	Plug-1/2" pipe-squared head (case filler)
				20430-S8(B104)	4	Bolt-7/16"-14 x 1 1/4" (attach case to flywheel housing)
				34808-S8(X67)	4	Lockwasher-7/16"
				74112-S(P1A)	1	Plug-11/16" expansion (to seal shift rail hole in case)
				384751-S (BB266U)	1	Bolt-5/8-18 x 3/8" (to fill retarded spark hole in case)
65/68	A, B, F, X	8	All	373719-S(PP54D)	1	Plug-1/2"-14-magnetic (case drain)
65/67	A, B, F, X	8	All	B9AP 7A011-A	1	OIL SEAL - OUTPUT SHAFT - 1" I.D.-13/16" long
				372401-S(QQ68)	1	Snap ring-1" I.D. (oil seal retaining)
				7017		SHAFT - INPUT
65/69	A	8	390	C4AZ 7017-G	1	23-36 teeth, 10 splines, 8 5/16" long
66/67	B	8	390 exc.GT		1	
68/69	B, F	8	390		1	Use w/#RUG-C, AD, AL (2.32:1 gear ratio)
65/71	A, B, F	8	427,428, 429	C4AZ 7017-H	1	23-36 teeth, 10 splines, 8 7/16" long-use w/ #RUG-AE
66/67	B, F	8	390(GT)	C4MY 7017-A	1	23-36 teeth, 10 splines, 8 3/8" long
68/69	B, F	8	390(GT)		1	Use w/#RUG-J, M(2.78:1 gear ratio)
65/68	B, F, X(exc.Special)	8	260,289, 302	C4DZ 7017-A	1	23-36 teeth, 10 splines, 8 15/16" long
69/71	B, F	8	302,351		1	Use w/#RUG-D, E, AR, AV, BA(2.78:1 gear ratio)
72	B, F	8	351		1	
65/67	B, F(Special)	8	289	C4OZ 7017-A	1	23-36 teeth, 10 splines, 8 15/16" long
69/71	B, F	8	302,351		1	Use w/#RUG-AG, AH, AK, AS, AT, AW (2.32:1 gear ratio)
				7025		BEARING
65/	A, B, F, X	8	All	6D 7025	1	Input shaft-#209-L - 1 3/4" I.D. x 3 1/8" O.D.- 7/8" thick
				8D 7065	1	Output shaft- #307-L - 1 3/8" I.D.-3 9/64" O.D.
				7026		SNAP RING - Refer to Group 7064
65/	A, B, F, X	8	All	C4AZ 7A029-D	1	GEAR - FIRST SPEED - 32 helical, 36 clutch teeth
				379233-S(QQ16D)	1	Snap ring-1 7/16" (to retain gear to shaft)
				7A034		BUSHING - EXTENSION HOUSING
65/68	A, B, F, X	8	260,289, 390	B3TZ 7A034-A	1	1 1/2" I.D.-1 5/8" O.D.-1 1/2" long
69/	A, F	8	302,351, 390		1	
69/	B	8	351,390		1	Use w/#RUG-C, D, J, AH, AR, AT, BA, BF models
65/68	A, B, F	8	427,428	C6AZ 7A034-A	1	1 9/16" I.D.-1 7/8" O.D.-1 1/4" long
69/71	A, B, F	8	428,429		1	
69/	B	8	351,390		1	Use w/#RUG-AK, AL, AS, BG models
				7A039		HOUSING ASSY. - EXTENSION
65/67	A	8	390	C4AZ 7A039-B	1	#RF-C4AR 7A040-A
68/69	A	8	390	C8AZ 7A039-A	1	#C8AR 7A040-C
65/67	A	8	427,428	C6AZ 7A039-B	1	#RF-C6AR 7A040-B
69	A	8	429	C9AZ 7A039-B	1	#C9AR 7A040-A
67/68	B	8	427	C7OZ 7A039-A	1	#RF-C6OR 7A040-D

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7A039		HOUSING ASSY. - EXTENSION - continued
66/68	B, X	8	289, 302	C6OZ 7A039-C	1	#RF-C6OR 7A040-C, #RF-C7OR 7A040-A ,
67/68	B, F	8	390		1	#D0ZR 7A040-A
69/	B	8	351		1	Use w/#RUG-D, AH, AR, AT, BF models
69	B, F	8	390		1	Use w/#RUG-C, J, M, AD models
69/	B	8	351,390, 428,429	C9OZ 7A039-A	1	Use w/#RUG-AJ, AK, AL, AU, AS, BA, BG models. #RF-C9OR 7A040-A
65/	F	8	289, 302 351	C5ZZ 7A039-D	1	#RF-C4ZR 7A040-A, #RF-C6OR 7A040-C
68/71	F	8	428,429	D0ZZ 7A039-B	1	#RF-D0ZR 7A040-A, #RF-C7OR 7A040-A
65	X	8	All	C4DZ 7A039-A	1	# C4DR 7A040-A
65/	A, B, F, X	8	All	20430-S8(B104)	5	Bolt-7/16"-14 x 1 1/8" (housing to case)
				34808-S8(X67)	5	Lockwasher
				7A044		INSERT - SYNCHRONIZER HUB
65/	A, B, F, X	8	All	C4AZ 7A044-A	3	First & second speed
				C3AZ 7A044-A	3	Third & fourth speed
				7050		RETAINER - INPUT SHAFT BEARING
65	F	8	260	C4AZ 7050-A	1	3 13/16" overall length-4 11/16" flange O.D. - #RF-C0AR 7050-A
65/	A, B, F, X	8	289,302, 351,390	C5AZ 7050-J	1	3 13/16" overall length-4 7/8" flange O.D.- #RF-C6AR 7050-F
65/71	A, B, F	8	427,428, 429	C5AZ 7050-K	1	3 13/16" overall length-1 3/4" hub O.D.- #RF-C6AR 7050-G or RF-C5AR 7050-D
65/	A, B, F, X	8	All	350673-S(BB544)	4	Bolt-5/16"-18 x 3/4" (attach retainer to case)
65/	A, B, F, X	8	All	C4AZ 7051-A	1	GASKET - INPUT SHAFT BEARING RETAINER
				7052		SEAL - EXTENSION HOUSING OIL
65/68	A, B, F, X	8	All exc. 427,428	A2TZ 7052-A	1	2 3/8" O.D.-1 1/2" I.D.-5/8" wide
69/71	A, F	8	302,351, 390		1	
69/71	B	8	351,390		1	Use w/#RUG-C, D, J, AH, AR, AT models
65/68	A, B, F	8	427,428	B5AZ 7052-A	1	2 1/2" O.D.-1 5/8" I.D.-5/8" wide
69/ 71	A, B, F	8	428,429		1	
69/	B	8	351,390		1	Use w/#RUG-AK, AL, AS, BA, BG models
72	F	8	351	C4TZ 7052-A	1	2 3/8" O.D.-1 1/2" I.D.-1/2" wide
72	B	8	351		1	Use w/RUG-BF
				7061		SHAFT OUTPUT
65/67	A	8	390	C4AZ 7061-F	1	27 7/32" long, 32-37-28 splines drilled hole for
65	A	8	427		1	7071 washer
66	A "Before 1/5/66"	8	427,428	C6AZ 7061-A	1	27 7/32" long, 32-37-31 splines slot for 7071 washer
66/67	A "From 1/5/66"	8	427,428	C6AZ 7061-B	1	27 7/32" long, 32-37-31 splines, drilled hole for C3AZ 7071-D washer
68	A	8	390	C8AZ 7061-B	1	27 7/32" long, 32-37-28 splines
68/69	A	8	428,429	C8AZ 7061-A	1	27 7/32" long, 32-37-31 splines
69/	B	8	351, 390		1	Use w/#RUG-AK, AL, AU, AS, BA, BG models
69/ 71	B	8	428,429		1	
65	B	8	260,289	C4OZ 7061-C	1	25 1/4" long, 32-37-28 splines, drilled hole for C3AZ 7071-D washer
66/68	B	8	289,302, 390	C5ZZ 7061-C	1	23 13/16" long, 32-37-28 splines, drilled hole for
65/68	F, X	8	289,302, 390		1	C3AZ 7071-D washer
69/	B	8	351,390		1	Use w/#RUG-C, D, J, AH, AR, AT, BF models
69/	F	8	302,351, 390		1	

Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7061		SHAFT OUTPUT - continued
67/68	B, F	8	427,428	C7OZ 7061-A	1	23 13/16" long, 32-37-31 splines includes
69/71	F	8	428,429		1	C3AZ 7071-D washer
65	F, X	8	260,289	C4DZ 7061-B	1	23 3/8" long, 32-37-25 splines includes C3AZ 7071-D washer
				7064		SNAP RING
						INPUT SHAFT BEARING RETAINING
65/	A, B, F, X	8	All	C4AZ 7026-A	1	3 1/2" O.D. -3 3/16" I.D. -1/16" thick
						INPUT SHAFT BEARING TO SHAFT
				C4AZ 7064-A	1	2" O.D. -1 1/2" I.D. -3/32" thick
						OUTPUT SHAFT BEARING RETAINING
				51A 7026	1	3 3/8" O.D. -3" I.D. -1/16" thick
						OUTPUT SHAFT BEARING TO SHAFT
				8A 7064	1	1 9/16" O.D. -1 7/32" I.D. -3/32" thick
						FIRST & SECOND SPEED SYNCHRONIZER TO SHAFT
				C4AZ 7064-B	1	2" O.D. -1 11/16" I.D. -3/32" thick
						THIRD & FOURTH SPEED SYNCHRONIZER TO SHAFT
				8A 7064	1	
						SPEEDOMETER GEAR (17285) TO SHAFT
				8A 7064	1	
				7065		BEARING - OUTPUT SHAFT - Refer to Group 7025
				7071		WASHER - CONSTANT MESH LOW GEAR THRUST
65/	A, B, F, X	8	All	C3AZ 7071-D	1	2" O.D. -1 11/16" I.D. -3/32" thick
65/	A, B, F, X	8	All	C4AZ 7086-B	1	GASKET - EXTENSION HOUSING
				7102		GEAR - SECOND SPEED
65/69	A	8	All	C4AZ 7102-D	1	28 helical-36 clutch teeth-4 3/16" diam.
65/67	B, F(Special)	8	289		1	
66/67	B	8	390 exc. (GT),427		1	
68/69	B. F	8	390,428		1	Use w/#RUG-C,AD,AE,AF,AL(2.32:1 gear ratio), RUG-AJ
69/71	B. F	8	302,351		1	Use w/#RUG-AH, AG, AS, AT, AW (2.32:1 gear ratio)
70/71	B, F	8	428,429		1	
65/68	B, F, X(exc. Special)	8	260,289, 302	C4DZ 7102-A	1	31 helical-36 clutch teeth, 4 3/32" diam.
66/67	B, F	8	390(GT)		1	
68/69	B, F	8	390(GT)		1	Use w/#RUG-J, M (2.78:1 gear ratio)
69/71	B, F	8	302,351		1	Use w/#RUG-D, E, AR, AV, BA(2.78:1 gear ratio)
72	B, F	8	351		1	
				379233-S (QQ16D)	1	Snap ring-1 13/16" O. D. -1 1/2" I. D. - (gear to output shaft)
65/	A, B, F, X	8	All	C4AZ 7107-D	4	RING - SYNCHRONIZER BLOCKING - 36 teeth-3 1/4" diam.
65/	A, B, F, X	8	All	C3AZ 7109-D	4	SNAP RING - SYNCHRONIZER HUB INSERT RETAINING
65/	A, B, F, X	8	All	C4AZ 7111-A	1	COUNTERSHAFT - 10 1/8" long-7/8" diam.
				305080-S(NN113)	1	Pin-1/4" x 1" (retain shaft in case)

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7113		GEAR - COUNTERSHAFT CLUSTER
65/69	A	8	All	C4AZ 7113-B	1	8 7/8" long, 25-21-18-15 teeth-tapered ends for
65/67	B, F	8	390 exc. (GT), 427		1	rollers
65/67	B, F(Special)	8	289 Spec.			
68/69	B, F	8	390,428		1	Use w/#RUG-C,AD,AE,AF,AL(2.32:1 gear ratio)
69/71	B, F	8	302,351		1	Use w/$RUG-AH,AG,AS,AT,AW (2.32:1 gear ratio)
70/71	B, F	8	428,429		1	
65/68	B, F, X(exc. Special)	8	260, 289 302	C4DZ 7113-B	1	8 7/8" long, 30-24-21-15 teeth-tapered ends for rollers
66/69	B, F	8	390(GT)		1	Use w/#RUG-J, M(2.78:1 gear ratio)
69/71	B, F	8	302,351		1	Use w/$RUG-D, E, AR, AV, BA(2.78:1 gear ratio)
72	B, F	8	351		1	
65/	A, B, F, X	8	All	C3AZ 7118-A	1 SET	ROLLER - INPUT SHAFT PILOT BEARING - #C417-Q (set consists of 15)
65/	A, B, F, X	8	All	C4AZ 7119-A	2	WASHER - COUNTERSHAFT GEAR THRUST - 1 15/16" diam. -1/16" thick-front & rear
				7121		ROLLER - COUNTERSHAFT GEAR PILOT BEARING
65/	A, B, F, X	8	All	C4AZ 7121-A	1 SET	Use with countershaft gear (7113) 7/8" long-5/32" diam. (set consists of 42 - repairs both ends)
				378559-S(XX242C)	2	Washer-flat-7/8" (retains roller in 7113 gear)
				C0DZ 7121-A	1 SET	Use with reverse idler gear (7141) (set consists of 44 - repairs both ends)
				351529-S(XX240)	2	Washer-flat-3/4" (retains roller in 7141 gear)
				7124		SYNCHRONIZER ASSY.
65/	A, B, F, X	8	All	D0AZ 7124-B	1	First & second speed
65/	A, B, F, X	8	All	D0AZ 7124-A	1	Third & fourth speed
				7C124		FINGER ASSY. - SHIFT CONTROL
65/	A, B, F, X	8	All	C3AZ 7C124-A	1	First & second speed
					1	Third & fourth speed
				C4AZ 7C124-A	1	Reverse
				7140		SHAFT - REVERSE GEAR IDLER
65/	A, B, F, X	8	All	C4AZ 7140-A	1	5 1/4" long-3/4" diam.
				305080-S(NN113)	1	Pin-1/4" x 1" (retain shaft in case)
65/	A, B, F, X	8	All	C4AZ 7141-A	1	GEAR AND BUSHING ASSY. - REVERSE IDLER - 16 teeth-25 splines-3 13/16" long
65/	A, B, F, X	8	All	C4AZ 7149-A	2	WASHER - REVERSE IDLER GEAR THRUST - front & rear
65/	A, B, F, X	8	All	C4AZ 7153-B	1	KIT - GASKET - Consists of the following 1-C4AZ 7051-A Gasket 1-C4AZ 7086-B Gasket 1-C4AZ 7223-B Gasket
65/	A, B, F, X	8	All	C4AZ 7222-A	1	COVER - CASE ACCESS - 9" x 6 1/2"
				20386-S8(B53)	2	Bolt-5/16"-18 x 1" (cover to case)
				34906-S8(X98)	2	Lockwasher-5/16"
				372110-S(BB547)	8	Bolt & washer assy. -5/16"-18 x 5/8"
65/	A, B, F, X	8	All	C4AZ 7223-B	1	GASKET - CASE ACCESS COVER - 12 holes on gasket
65/	A, B, F, X	8	All	C4AZ 7D223-B	1	GEAR - REVERSE IDLER SLIDING - 19 teeth-25 internal splines-2 11/16" diam.

Identification Marking

YEAR	MODEL		ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
					7230		FORK - GEAR SHIFTER
65/	A, B, F, X		8	All	C4AZ 7230-B	1	First and second speed (#C4AR 7C114-A)
					C4AZ 7230-A	1	Third and fourth speed
					377886-S(UU26)	2or3	Screw-5/16"-24 x 15/16" (fork to rail)
65/	A, B, F, X		8	All	C4AZ 7231-B	1	FORK - REVERSE GEAR SHIFTER (#C5AR 7231-B)
					377886-S(UU26)	1	Screw-5/16"-24 x 15/16" (fork to rail)
					7234		SPRING - SHIFTER INTERLOCK
65/67	A, X	"Before 10/26/66"	8	All	C3AZ 7234-A	3	1" long-13 coils
65/66	B, F		8	All		3	
67	B, F	"Before 10/26/66"	8	All	C3AZ 7234-A	3	1" long-13 coils-Use with all # RUG models except the following-
67	B, F	"Before 10/26/66"	8	All	C7AZ 7234-A	3	29/32" long-10-1/2 coils-Use with the following models only-
68/72	A, B, F, X	" Before 12/1/71"	8	All		2	
72	B, F	" From 12/1/71"	8	All		3	
68/72	A, B, F, X	" Before 12/1/71"	8	All	C8AZ 7234-A	1	1 5/8" long
67	A, B, F, X	"From 10/26/66"	8	All	C7AZ 7234-A	3	29/32" long-10-1/2 coils-Use with all # RUG models with (1) or higher number in trans. ident. suffix-includes I.S. #2612
65/	A, B, F, X		8	All	377885-S(UU26C)	1	Screw-headless-3/8"-16 x 7/8 (retains one spring to first & second speed shifter rail)
					7235		PIN - GEAR SHIFTER INTERLOCK
65/67	A, X	"Before 10/26/66"	8	All	C4AZ 7235-A	1	15/32" long-3/16" diam.
65/66	B, F		8	All		1	
67	B, F	"Before 10/26/66"	8	All	C4AZ 7235-A	1	15/32" long-3/16" diam.-Use with all #RUG models except the following-
67	B, F	"Before 10/26/66"	8	All	C7AZ 7235-A	1	7/16" long-3/16" diam.-Use with the following models only
67/68	A, B, F, X	"From 10/26/66"	8	All	C7AZ 7235-A	1	7/16" long-3/16" diam.-Use with all #RUG models with (1) or higher number in trans. ident. suffix-includes I.S. #2612
69	A, B, F		8	All	C9AZ 7235-A	1	29/64" long-11/64" diameter
70	B, F		8	All		1	Except models with (1) or higher number in trans. ident. suffix
70/72	B, F	" Before 12/1/71"	8	All	D0AZ 7235-B	1	27/64" long-11/64" diameter-with (1) or higher
72	B, F	" From 12/1/71"	8	All		2	number in trans. ident. suffix
					7240		RAIL - GEAR SHIFTER
65/69	A, B, F, X		8	All	C9AZ 7240-C	1	First & second speed-6 1/2" long-includes I.S. #2612 & 7C316 pin
70/72	B, F	" Before 12/1/71"	8	All	D0AZ 7240-F	1	1st and 2nd speed-6 15/32" long-with (1) or higher number in trans. ident. suffix
72	B, F	" From 12/1/71"	8	All	D2OZ 7240-A	1	1st and 2nd speed-6 15/32" long

MODEL	TRANS.SERIAL NO.	MODEL	TRANS.SERIAL NO.
RUG-E	15696 THRU 17022	RUG-M	15458 THRU 16024
RUG-J	13213 THRU 14198	RUG-N	10001 THRU 10199

MODEL	TRANS.SERIAL NO.	MODEL	TRANS.SERIAL NO.
RUG-E	15696 THRU 17022	RUG-M	15458 THRU 16024
RUG-J	13213 THRU 14198	RUG-N	10001 THRU 10199

MODEL	TRANS.SERIAL NO.	MODEL	TRANS.SERIAL NO.
RUG-E	15696 THRU 17022	RUG-M	15458 THRU 16024
RUG-J	13213 THRU 14198	RUG-N	10001 THRU 10199

MODEL	TRANS.SERIAL NO.	MODEL	TRANS.SERIAL NO.
RUG-E	15696 THRU 17022	RUG-M	15458 THRU 16024
RUG-J	13213 THRU 14198	RUG-N	10001 THRU 10199

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7240		RAIL - GEAR SHIFTER - continued
65/69	A, B, F, X	8	All	C4AZ 7240-K	1	Reverse-6 13/16" long-Includes I.S. #2612
70	B, F	8	All		1	Except models with (1) or higher number in trans. ident. suffix
70/	B, F	8	All	D0AZ 7240-K	1	Reverse-6 51/64"-with (1) or higher number in trans. ident. suffix
				7240		RAIL AND PIN KIT - SHIFTER
70	B, F	8	All	D0AZ 7240-J	1	Use with all #RUG models except with (1) or higher number in trans. ident. suffix Consists of (1) D0AZ 7240-F rail (1) D0AZ 7235-B pin (1) D0AZ 7240-K rail (5) D0AZ 7C316-A pin (1) D0AZ 7241-D rail
				7241	2	RAIL - THIRD AND FOURTH SPEED SHIFTER
65/69	A, B, F, X	8	All	C9AZ 7241-B	1	Includes-I.S. #2612 & 7C316 pin
70/	B, F	8	All	D2AZ 7241-B	1	
65/	A, B, F, X	8	All	378206-S(BB539L)	1	Bolt-3/8"-16 x 3/8" hex.hd.(retains rail in case)
69	A	8	All	C9AZ 7246-A	2	INSULATOR - GEAR SHIFT LEVER - 11/16" O.D.-3/8" I.D.-1/2" long
70/	F	8	All		3	Also use basic 7341 for reverse gear shift lever insulator
				7A283		OIL SEAL - INPUT SHAFT
65/68	A, B, F, X	8	289,302, 390	B7AZ 7A283-B	1	1 5/8" O.D.-1 1/8" I.D.
69	A, F	8	302,351, 390		1	
69	B	8	351,390		1	Use w/#RUG-C,D,J,AH models
70/	B, F	8	302,351	C9AZ 7A283-A	1	1 5/8" O.D.-1 1/8" I.D.
65/68	A, B, F	8	427,428	D0AZ 7A283-A	1	1 7/8" O.D.-1 3/8" I.D.
69/71	A, B, F	8	428,429		1	
69	B	8	351,390		1	Use w/#RUG-AK,AL models
				7285		LEVER - THIRD AND FOURTH SPEED GEAR SHIFT
69	A	8	All	C9AZ 7285-A	1	
66/69	B, X	8	All exc. Spec.	C6OZ 7285-D	1	
70/	B	8	All	D0OZ 7285-A	1	
65/68	F	8	All	C5ZZ 7285-C	1	
69	F	8	All	C9ZZ 7285-A	1	
70/	F	8	All	D0ZZ 7285-A	1	Includes 7246 insulator
65/	A, B, F, X	8	All	33800-S8(M63)	1	Nut-3/8"-24 hex.(attach lever to finger assy. 7C124)
				34807-S8(X66)	1	Lockwasher-3/8"
				44727-S8(X24)	1	Washer-flat-3/8"
65/	A, B, F, X	8	All	1A 7288-A	3	SEAL - SHIFTER SHAFT OIL

Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7290		LEVER-FIRST AND SECOND SPEED GEAR SHIFT
65	A "Before 4/1/65"	8	All	C4AZ 7290-A	1	
65	B	8	All		1	
66	B	8	289 Spec.		1	
65/67	A "From 4/1/65"	8	All	C5AZ 7290-B	1	
68	A	8	All	C8AZ 7290-A	1	
69	A	8	All	C9AZ 7290-D	1	
66/69	B, X	8	All exc. Spec.	C6OZ 7290-D	1	
70	X	8	All		1	
70/71	B	8	All	D0OZ 7290-A	1	
65/68	F	8	All	C5ZZ 7290-F	1	
69	F	8	All	C9ZZ 7290-A	1	
70/	F	8	All	D0ZZ 7290-A	1	Includes 7246 insulator
72	B	8	All	D0OZ 7285-A	1	
65/	A, B, F, X	8	All	33800-S8(M63)	1	Nut-3/8"-24 hex.(attach lever to finger assy. 7C124)
				34807-S8(X66)	1	Lockwasher-3/8"
				44727-S8(X24)	1	Washer-flat-3/8"
				7290		LEVER - REVERSE GEAR SHIFT
65	A "Before 4/1/65"	8	All	C4AZ 7290-B	1	
65	B	8	All		1	
65/67	A "From 4/1/65"	8	All	★C5AZ 7290-C	1	
69	A	8	All	C9AZ 7290-B	1	
66/69	B, X	8	All	C5ZZ 7290-G	1	
65/68	F	8	All		1	
70/71	B	8	All	D0OZ 7290-C	1	Includes 7341 insulator
72	B	8	All	D2OZ 7290-B	1	
69	F	8	All	C9ZZ 7290-B	1	
70/	F	8	All	D0ZZ 7290-C	1	Includes 7246 & 7341 insulators
65	X	8	All	C4DZ 7290-A	1	
65/	A, B, F, X	8	All	33800-S8(M63)	1	Nut-3/8"-24 hex.(attach lever to finger assy. 7C124)
				34807-S8(X66)	1	Lockwasher-3/8"
				44727-S8(X24)	1	Washer-flat-3/8"
				7C316		PIN - GEAR SHIFT INTERLOCK ROD
65/67	A, X "Before 10/26/66"	8	All	C3AZ 7C316-B	3	5/16" long-5/16" diam-rounded ends-use with all forward speed shifter rail shafts
65/66	B, F	8	All		3	
67	B, F "Before 10/26/66"	8	All	C3AZ 7C316-B	3	5/16" long-5/16" diam-rounded ends-use with all forward speed shifter rail shafts for all #RUG models except the following-

MODEL	TRANS. SERIAL NO.	MODEL	TRANS. SERIAL NO.
RUG-E	15696 THRU 17022	RUG-M	15458 THRU 16024
RUG-J	13213 THRU 14198	RUG-N	10001 THRU 10199

65/67	A, X "Before 10/26/66"	8	All	C4AZ 7C316-A	2	5/16" long-5/16" diam.-painted ends-use with
65/66	B, F	8	All		2	reverse gear shifter rail shaft
67	B, F "Before 10/26/66"	8	All	C4AZ 7C316-A	2	5/16" long-5/16" diam.-pointed ends-use with reverse gear shifter rail shaft for all #RUG models except the following-

MODEL	TRANS. SERIAL NO.	MODEL	TRANS. SERIAL NO.
RUG-E	15697 THRU 17022	RUG-M	15458 THRU 16024
RUG-J	13213 THRU 14198	RUG-N	10001 THRU 10199

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7C316		PIN - GEAR SHIFT INTERLOCK ROD-continued
67	B, F "Before 10/26/66"	8	All	C9AZ 7C316-A	5	27/64"long-5/16"-diam.-pointed ends-use with all shifter rail shafts for the following models only-

MODEL	TRANS. SERIAL NO.	MODEL	TRANS. SERIAL NO.
RUG-E	15696 THRU 17022	RUG-M	15458 THRU 16024
RUG-J	13213 THRU 14198	RUG-N	10001 THRU 10199

67/69	A, B, F, X "From 10/26/66"	8	All	C9AZ 7C316-A	5	27/64" long-5/16" diam.-pointed ends
70	B, F	8	All			All #RUG models except with (1) or higher number in trans. ident. suffix refer to 7240 kit
70/	B, F	8	All	D0AZ 7C316-A	5	15/32" long-5/16" dia.-pointed ends-use with all shifter rails for all #RUG models with (1) or higher number in trans. ident. suffix
65/	A, B, F, X	8	All	377885-S(UU26C)	1	Screw-3/8"-16 x 7/8" set (interlock pin)
65/	A, B, F, X	8	All	C4MY 7B331-B	1	SMALL PARTS REPAIR KIT - Consists of the following

SNAP RING	WASHER	PIN	RETAINING RING
1-C4AZ 7026-A	1-C3AZ 7071-D	1-305080-S	1-379233-S
1-51A 7026	2-C4AZ 7119-A		
1-C4AZ 7064-A	2-C4AZ 7149-A		
1-C4AZ 7064-B			
3-8A 7064			

				7B340		GEAR - THIRD SPEED
65/69	A	8	All	C4AZ 7B340-C	1	25 helical-36 clutch teeth, 3 3/4" O.D.-1 11/16"
65/67	B, F	8	289 Spl.		1	wide
66/67	B, F	8	390 exc. GT		1	
68/69	B, F	8	390,428		1	Use w/#RUG-C, AD, AE, AF(2.32:1 gear ratio)
69/71	B, F	8	302,351		1	Use w/#RUG-AH, AG, AS, AT, AW (2.32:1 gear ratio)
70/71	B, F	8	428,429		1	
65/68	B, F, X	8	260,289 exc.Spl. 302	C4DZ 7B340-B	1	25 helical-36 clutch teeth, 3 7/32" O.D.
66/69	B, F	8	390(GT)		1	Use w/#RUG-J, M (2.78:1 gear ratio)
69/71	B, F	8	302,351		1	Use w/#Rug-D, E, AR, AV, BA(2.78:1 gear ratio)
72	B, F	8	351			
				7341		INSULATOR-REVERSE GEAR SHIFT LEVER - (for gear shift selector arm insulator located on 7400 assy.-refer to Group 7341 in Section 73)
70/	B	8	All	C7SZ 7341-A	1	5/16" I.D.-11/32" long
70/	F	8	All		1	Use w/7246 insulator
65/	A, B, F, X	8	All	C4AZ 7A385-A	1	WASHER - OUTPUT SHAFT THRUST - 2 5/16" O.D.-1 3/8" I.D.-3/16" thick
72	B, F	8	All	D2OZ 7E449-A	1	SWITCH - SEAT BELT WARNING SENSOR - #D2AR 7E449-BA
72	B, F	8	All	D2OZ 7E454-B	1	PIN - SEAT BELT SWITCH ACTUATOR - 1 13/32" long-5/16" O.D.-includes (1) D2AR 7E455-BB spring
72	B, F	8	All	D2OZ 7E460-B	1	CLAMP - SEAT BELT WARNING SENSOR SWITCH
72	B, F	8	All	D2OZ 7E461-A	1	PLUG - SEAT BELT WARNING SWITCH OPENING-used on vehicles built "Before 12/1/71" used as plug for sensor switch opening
72	B, F	8	All	1P 77868-A	1	SEAL - SENSOR SWITCH - 1/2" I.D.

Identification Marking


YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7005		CASE
65/66	B, F, X	8	All	C6ZZ 7005-C	1	#T10H-1, #T10Q-1 - Includes (1) C3AZ 7029-C washer, (1) C5AZ 7034 vent & (1) I.S. -No. 2262
65/66	B, F, X	8	All	358035-S(PP31)	2	Plug-1/2" pipe (sq.hd.) (filler & drain of transmission case)
65/66	B, F, X	8	All	B9AP 7A011-A	1	SEAL - OUTPUT SHAFT OIL-1" I. D. -13/16" long
				372401-S(QQ68)	1	Snap ring-1" I.D. (oil seal retaining)
				7017		SHAFT - INPUT
65	B(exc. Special), F, X	8	All	C3OZ 7017-E	1	24-36 teeth, 10 splines, 8 7/8" long, # T10H-16
65	B(Special)	8	All	C3OZ 7017-F	1	26-36 teeth, 10 splines, 8 7/8" long, # T10J-16
66	F	8	All	C6ZZ 7017-A	1	20-36 teeth, 10 splines, 8 7/8" long, # T10Q-16
				7025		BEARING - CASE
65/66	B, F, X	8	All	8D 7065	1	Input shaft-#307-L-1 3/8" I. D. -3 1/8" O. D. - 7/8" wide
					1	Output shaft
				7026		SNAP RING - INPUT SHAFT BEARING - Refer to Group 7064
65	B	8	All	C2AZ 7029-A	1	WASHER - REVERSE IDLER GEAR - #T10-30
				7029		WASHER - COUNTERSHAFT GEAR THRUST - Refer to Group 7119
				7029		WASHER - REVERSE IDLER GEAR THRUST - Refer to Group 7149
				7A029		GEAR - FIRST SPEED - Refer to Group 7100
65/66	B, F, X	8	All	01A 7034	1	VENT ASSY. - CASE
65/66	B, F, X	8	All	B3TZ 7A034-A	1	BUSHING - EXTENSION HOUSING - 1 1/2" I.D. - 1 5/8" O.D. -1 1/2" long
				7A039		HOUSING ASSY. - EXTENSION
65	B	8	All	★C3OZ 7A039-D	1	#T10H-7
65/66	F	8	All	C5ZZ 7A039-E	1	#T10H-7B
65/66	B, F, X	8	All	20410-S8(B103)	2	Bolt-7/16"-14 x 1 1/8" (housing to case)
65/66	B, F, X	8	All	★20492-S	3	Bolt-1/2"-13 x 1 5/8"
65/66	B, F, X	8	All	34808-S8(X67)	AR	Lockwasher-7/16"
				7A044		INSERT - SYNCHRONIZER CLUTCH HUB
65	B, F, X	8	All	B5AZ 7A044-A	3	#T85B-B First & second speed
					3	Third & fourth speed
66	F	8	All	C5AZ 7A044-A	3	First & second speed
					3	Third & fourth speed
65/66	B, F, X	8	All	C5AZ 7050-D	1	RETAINER - INPUT SHAFT BEARING - 3 3/16" overall length-4 7/8" flange O. D. - #T85P-6
65/66	B, F, X	8	All	350673-S(BB544)	4	Bolt-5/16"-18 x 3/4" (retainer to case)
65/66	B, F, X	8	All	B6C 7051-A		GASKET - INPUT SHAFT BEARING RETAINER - 3 7/16" I. D. -4 5/8" O. D. -1/64" thick
65/66	B, F, X	8	All	★C2AZ 7052-A	1	SEAL - EXTENSION HOUSING OIL-1 1/2" I. D. - 2 5/8" O.D. -1 5/8" wide-r/b D5AZ 7052-B(11-74)
				7061		SHAFT - OUTPUT
65	B	8	All	★C3OZ 7061-C	1	25 9/16" long, 6-10-6-28 splines (#T10H-2)
65	F, X	8	All	C3DZ 7061-B	1	23 21/32" long, 6-10-6-25 splines (#T10H-2A)
65	F, X	8	All	C5DZ 7061-A	1	23 21/32" long, 6-10-6-28 splines (#T10H-2B)
66	F	8	All	C6ZZ 7061-A	1	23 21/32" long, 6-10-6-28 splines (#T10Q-2)

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7064		SNAP RING
65/66	B, F, X	8	All	8L 7026	1	Input shaft bearing to case-3 1/64" I.D.- 3 11/32" O.D.-1/16" thick
				8L 7064-A	1	Input shaft bearing to shaft-1 7/32" I.D.- 1 1/2" O.D.-5/64" thick
				376448-S(QQ90)	1	Output shaft bearing to adaptor-3" I.D.- 1/16" thick
				@8L 7064-A	1	Output shaft bearing to shaft, third and fourth speed synchronizer to shaft
				380948-S(QQ92A)	1	Speedometer drive gear to shaft - Also Refer to Group 17285
65/66	B, F, X	8	All	C2AZ 7071-A	1	WASHER - FIRST SPEED GEAR THRUST - (#T10-63)
				7086		GASKET - EXTENSION HOUSING
65/66	B, F, X			C2AZ 7086-B	1	Adaptor (7C386) to case
				C2AZ 7086-A	1	Extension housing to adaptor
				7100		GEAR - FIRST SPEED
65	B, F, X	8	All	C2AZ 7100-C	1	36 helical-36 clutch teeth-#T10H-12
65/66	F (GT350)	8	All		1	
66	F(exc. GT350)	8	All	C6ZZ 7A029-A	1	34 helical-36 clutch teeth, #T10P-12
65/66	B, F, X	8	All	C2AZ 7100-B	1	GEAR - REVERSE - 39 teeth-#T10-46A
				7102		GEAR - SECOND SPEED
65	B, F(exc. GT350), X	8	All	C3AZ 7102-H	1	30 helical-36 clutch teeth-#T10H-31
66	F(exc. GT350)	8	All	C6ZZ 7102-A	1	27 helical-36 clutch teeth-#T10Q-31
65/66	F(GT350)	8	All	C3AZ 7102-G	1	
65	B, F, X	8	All	8L 7105	1	HUB - THIRD AND FOURTH SPEED SYNCHRONIZER CLUTCH
65/66	B, F, X	8	All	8L 7107	4	RING - SYNCHRONIZER BLOCKING
				7109		SNAP RING - SYNCHRONIZER HUB INSERT RETAINING
65	B, F, X	8	All	C5TZ 7109-A	2	First and second speed
					2	Third and fourth speed
66	F	8	All	C5AZ 7109-A	2	First and second speed
					2	Third and fourth speed
65/66	B, F, X	8	All	8L 7111	1	COUNTERSHAFT
				★74174-S	1	Key-woodruff-No. 5
				7113		GEAR - COUNTERSHAFT CLUSTER



A = Length
B,C,D,E = Number of Teeth

						IDENTIFICATION	A	B	C	D	E
65	B(Special)	8	All	C3AZ 7113-L	1	(4) grooves on shaft	7 61/64"	29	23	19	17
65	B, X(exc. Special), F(exc. GT350)	8	All	C3OZ 7113-C	1	(3) grooves on shaft	7 61/64"	31	24	19	17
66	F(exc. GT350)	8	All	★C6ZZ 7113-A	1	(1) groove on shaft	8"	28	21	18	18
				7115		SPACER - COUNTERSHAFT GEAR PILOT BEARING					
65	B, F, X	8	All	8L 7115	1	4 5/8" long-7/8" I.D.					

Identification marking

@ Also use C4TZ 7B331-A kit for selective fit

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7119		WASHER - COUNTERSHAFT GEAR THRUST
65	B, F, X	8	All	C3AZ 7029-C	1	Front
				C2AZ 7029-A	1	Rear
66	F	8	All	C5AZ 7119-C	1	Front and rear
65/66	B, F, X	8	All	C2AZ 7120-B	1	BEARING ASSY. - SECOND AND THIRD SPEED GEAR - #4830
				7120		ROLLER - INPUT SHAFT PILOT BEARING
65/66	B, F, X	8	All	C2AZ 7120-A	14	#QA19792 - 5/8" long-7/32" O.D.
66	F	8	All	C5AZ 7120-A	16	11/16" long-1/4" O.D.
				359590-S(XX266C)	1	Washer-1 1/16" flat (to retain rollers in 7017 shaft)
65/66	B, F, X	8	All	8L 7121	4 SETS	ROLLER - COUNTERSHAFT GEAR PILOT BEARING - 5/32" O.D.-3/4" long - #S443-Q - (set consists of 20 - repairs both ends)
				7124		SYNCHRONIZER ASSY.
65/66	B, F, X	8	All	C2AZ 7124-H	1	First and second speed -includes 7107 blocking rings
				C5AZ 7124-B	1	Third and fourth speed -does not include 7107 blocking rings
				380949-S(QQ92C)	1	Ring-snap-selective fit-.118" thick
				380950-S(QQ92D)	1	.121" thick
				380951-S(QQ92G)	1	.124" thick
65/66	B, F, X	8	All	8L 7125	6	SPACER - COUNTERSHAFT GEAR ROLLER
65/66	B, F, X	8	All	C2AZ 7140-A	1	SHAFT - REVERSE IDLER GEAR
				376347-S(NN80C)	1	Pin-1/4" x 3/4" (to retain shaft in case)
				7141		GEAR & BUSHING - REVERSE IDLER
65	B, F, X	8	All	C2AZ 7141-A	1	Front-18 external teeth-27 internal spline-1 9/32" wide
66	F	8	All	C6ZZ 7141-A	1	Front-16 external teeth-27 internal spline-1 9/32" wide-also replaces 17-tooth gear
65/66	B, F, X	8	All	C2AZ 7141-B	1	Rear-includes bushing-19 teeth-27 splines-3 11/16" long
65/66	B, F, X	8	All	376348-S(QQ16A)	1	Ring-1 9/32" I.D. (to attach front gear to rear gear)
65/66	B, F, X	8	All	C2AZ 7149-A	1	WASHER - REVERSE IDLER GEAR THRUST
				C2AZ 7029-A	1	Rear
65/66	B, F, X	8	All	C2AZ 7153-A	1	KIT - GASKET
	Consists of the following					
	1-C2AZ 7051-A Gasket				1-C2AZ 7086-B Gasket	
	1-C2AZ 7086-A Gasket				1- 8L 7223 Gasket	
65/66	B, F, X	8	All	C2AZ 7222-A	1	HOUSING ASSY. - GEAR SHIFT - #T10-148B
				20366-S(B52)	9	Bolt-5/16"-18 x 3/4" (cover to case)
				34806-S(X64)	9	Washer-5/16"
65/66	B, F, X	8	All	8L 7223-A	1	GASKET - GEAR SHIFT HOUSING
65/66	B, F, X	8	All	C2AZ 7230-A	1	FORK - GEAR SHIFTER - First and second speed
					1	Third and fourth speed
65/66	B, F, X	8	All	C2AZ 7231-A	1	FORK - REVERSE GEAR SHIFTER
				7233		SLEEVE - SHIFTER FORK CAM and SHAFT INTERLOCK
65/66	B, F, X	8	All	8L 7233-A	1	Selective fit-3/8" I.D.-1.009" long, # B
				8L 7233-B	1	1.013" long, # A
				8L 7233-C	1	1.019" long, # None

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7234		SPRING - SHIFTER FORK CAM AND SHAFT LOCK PLUNGER
65/66	B, F, X	8	All	8L 7234	1	Forward gears-13/16" long-8 1/2 coils
				C2AZ 7234-A	1	Reverse gear-13/16" long-8 coils
				372720-S(AA11)	3	Ball-3/8" (shifter fork cam & shaft lock plunger)
65/66	B, F, X	8	All	8L 7235	1	PIN - SHIFTER FORK CAM AND SHAFT LOCK PLUNGER - 1/4" O.D.-11/32" long
65/66	B, F, X	8	All	C2AZ 7280-A	1	CAM AND SHAFT - THIRD AND FOURTH SPEED SHIFTER FORK
65/66	B, F, X	8	All	C2AZ 7282-A	1	CAM AND SHAFT - FIRST AND SECOND SPEED SHIFTER FORK
65/66	B, F, X	8	All	C2AZ 7282-B	1	CAM AND SHAFT - REVERSE SHIFTER FORK
65/66	B, F, X	8	All	B7AZ 7A283-B	1	OIL SEAL - INPUT SHAFT - 1 1/8" I.D.- 1 5/8" O.D.
65	B, X	8	All	C2AZ 7285-B	1	LEVER - THIRD AND FOURTH SPEED SHIFTER FORK
65/66	F	8	All	C5ZZ 7285-F	1	
65/66	B, F, X	8	All	33800-S8(M63)	1	Nut-3/8"-24 (lever to cam & shaft)
				44727-S8(X24)	1	Washer-flat-3/8"
				34847-S8(X74)	1	Lockwasher-3/8"
65/66	B, F, X	8	All	1A 7288-A	1	SEAL - SHIFTER FORK CAM AND SHAFT - OIL 7/16" I.D.-7/64" thick
				7290		LEVER - FIRST AND SECOND SPEED SHIFTER FORK
65	B	8	All	C2AZ 7290-D	1	
65/66	F	8	All	C5ZZ 7290-H	1	
65/66	B, F, X	8	All	33800-S8(M63)	1	Nut-3/8"-24 (lever to cam & shaft)
				44727-S8(X24)	1	Washer-flat-3/8"
				34847-S8(X74)	1	Lockwasher-3/8"
				7290		LEVER - REVERSE SHIFTER FORK
65	B	8	All	★C2AZ 7290-E	1	
65/66	F	8	All	C5ZZ 7290-J	1	
65	X	8	All	C3DZ 7290-B	1	
65/66	B, F, X	8	All	33800-S8(M63)	1	Nut-3/8"-24 (lever to cam and shaft)
				44727-S8(X24)	1	Washer-flat-3/8"
				34847-S8(X74)	1	Lockwasher-3/8"
				7B331		SMALL PARTS REPAIR KIT TRANSMISSION
65/66	B, F, X	8	All	C3AZ 7B331-C		Consists of the following snap rings (1) 8L 7026 (1) 376348-S (1) 8L 7064-A (1) 376448-S
				C4TZ 7B331-A	1	Use this kit with C3AZ 7B331-C kit when required for selective fit-Consists of the following snap rings 8L 7064-B, C, D, E
				7B340		GEAR - THIRD SPEED
65	B(Special)	8	All	C3AZ 7B340-D	1	29 helical-36 clutch teeth, 3 15/16" large O.D.
65	B, F, X(exc. B-Special)	8	All	C3OZ 7B340-B	1	28 helical-36 clutch teeth, 3 3/4" large O.D.
66	F	8	All	C6ZZ 7B340-A	1	24 helical-36 clutch teeth
65/66	F(GT350)	8	All	C3AZ 7B340-C	1	27 teeth
65/66	B, F, X	8	All	C2AZ 7C386-A	1	ADAPTOR ASSY. - EXTENSION HOUSING - includes dowel pin
				376544-S(BB429D)	1	Bolt-1/2"-13 x 1 1/8" (adaptor to case)

YEAR	MODEL		ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
					1202		Refer to Group 7025
					1216		Refer to Group 7025
66/	U		6&8	All	C6TZ 7005-C	1	CASE - TRANSFER
					87653-S(P13)	1	Plug (filler)
					7A010		PLUG - DRAIN
66/72	U	"Before Ser. N40,001"	6&8	All	358059-S(PP42)	1	Square socket head
72	U	"From Ser. N40,001"	6&8	All	D2TZ 7A010-B	1	Square socket head
66/	U		6&8	All	C9TZ 7017-A	1	SHAFT - INPUT- 7 31/32" long-6 splines-28 teeth
					7025		BEARING - INPUT AND OUTPUT SHAFT
							Input shaft bearing
66/	U		6&8	All	8D 7065	1	#307-L-1 3/8" I.D.-3 1/8" O.D.-13/16" wide
							Cone & roller assy. -rear output shaft-front
					C3TZ 1216-B	1	Use with 7169 cup-#25877
							Cone & roller assy. -rear output shaft-rear
					C6TZ 7025-B	1	#15117-use with 8A 1202 cup
							Cup-rear output shaft-rear
					8A 1202	1	#15245
							Cone & roller assy. -front output shaft-front & rear
		"Before Ser. N40,001"			C6TZ 7065-C	2	#14131-use with 01Y 1202 cup
		"From Ser. N40,001"			D3TZ 7065-B	2	#14116-use with 01Y 1202 cup-#NDH 3L09
							Cup-front output shaft-front & rear
					01Y 1202	2	#14276
66/	U		6&8	All	C6TZ 7026-A	1	SNAP RING - transfer case front drive constant mesh gear to output shaft
					7029		SHIM
							Rear output shaft bearing
66/	U		6&8	All	C6TZ 7029-A	AR	1 1/2" O. D. -1 3/16" I. D. - .005" thick
					C6TZ 7029-B	AR	.003" thick
							Front output shaft-rear bearing cap
					C6TZ 7029-C	AR	2 3/4" I. D. - .003" thick
					C6TZ 7029-D	AR	.010" thick
					C6TZ 7029-E	AR	.031" thick
66/	U		6&8	All	C6TZ 7034-B	1	VENT - 1" long- 1 3/32" diam.
					7050		RETAINER AND EXTENSION - INPUT SHAFT BEARING
66/70	U	"Before Ser. J70,001"	6	170	C6TZ 7050-C	1	
66/68	U		8	289	C6TZ 7050-F	1	
69/70	U	"Before Ser. J70,001"	8	302	C9TZ 7050-A	1	
70/	U	"From Ser. J70,001"	6	170	D1TZ 7050-C	1	
70/	U	"From Ser. J70,001"	8	302	D1TZ 7050-D	1	
66/72	U	"Before Ser. M80,001"	6&8	All	20430-S8(B104)	6	Bolt-7/16"-14 x 1 1/4"-(retainer to trans. case)
					34808-S8(X67)	6	Lockwasher-7/16"
72	U	"From Ser. M80,001"	6&8	All	384960-S100 (BB-429-UN)	6	Bolt-7/16"-14 x 1 1/4" (retainer to trans. case)
					34808-S8(X67)	6	Lockwasher - 7/16"
66/	U		6&8	All	376058-S(BB157A)	6	Bolt-3/8"-16 x 1 1/2"-(retainer to transfer case)
					34807-S8(X66)	6	Lockwasher-3/8"

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7061		SHAFT - OUTPUT
						Front drive
66/72	U "Before Ser. N40,001"	6&8	All	C6TZ 7061-C	1	7 3/8" long-12 teeth-10 splines
72	U "From Ser. N40,001"	6&8	All	D2TZ 7061-B	1	7 3/8" long-12 teeth-10 splines
						Rear drive
66/	U	6&8	All	C6TZ 7061-F	1	7 11/32" long-15 teeth-10 splines
				7065		ROLLER - INTERMEDIATE GEAR
66/	U	6&8	All	C6TZ 7065-D	48	5 /32" diam. -1 3/16" long
				7065		ROLLER - INPUT SHAFT
66/	U	6&8	All	B9C 7065-A	13	#Q9146-5/16" diam.-9/16" long
				7065		BEARING ASSY. - Refer to Group 7025
				7067		WASHER - THRUST
						Front drive constant mesh
66/72	U "Before Ser. N40,001"	6&8	All	C6TZ 7067-A	1	1 13/16" diam. - two tabs on I.D.
72	U "From Ser. N40,001"	6&8	All	D2TZ 7067-A	1	1 13/15" diam.
				D2TZ 7067-B	1	1 7/16" diam.
						Intermediate gear
66/72	U "Before Ser. N40,001"	6&8	All	C6TZ 7067-B	2	2 1/2" diam.
72	U "From Ser. N40,001"	6&8	All	D2TZ 7067-C	2	2 1/2" diam.
				7070		SNAP RING - INPUT SHAFT BEARING
						To retainer
66/	U	6&8	All	C6TZ 7070-A	1	2 15/16" I. D.
						To input shaft
				C6TZ 7070-B	1	1 1/4" I. D.
				7085		RETAINER - OUTPUT SHAFT BEARING
						Front output shaft-front
66/	U	6&8	All	C6TZ 7085-G	1	
						Front output shaft-rear
				C6TZ 7085-C	1	
						Rear output shaft
				C6TZ 7085-D	1	
				356685-S (BB153)	5	Bolt-3/8"-16 x 7/8"-(retainer to transfer case)
				34807-S(X66)	5	Lockwasher-3/8"
				7086		GASKET EXTENSION HOUSING - input shaft bearing retainer to trans. case
66/	U--M/T	6&8	All	C4AZ 7086-B	1	
72	U--A/T	8	All	D3TZ 7086-A	1	
				7100		GEAR - OUTPUT SHAFT SLIDING
						Front drive
66/	U	6&8	All	C6TZ 7100-E	1	33 teeth-12 internal splines-5 13/16" O. D. - 1 3/4" I. D.
						Rear drive
				C6TZ 7100-F	1	33 teeth-15 internal splines-5 13/16" O. D. - 2 5/32" I. D.
						Intermediate constant mesh
				C6TZ 7100-C	1	29 teeth-3 15/16" O. D. -1 5/16" I. D.

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
66/	U	6&8	All	C6TZ 7B106-B	1	LINK - FRONT AND REAR SHIFT ROD - 3 1/4" long-7/8" wide-7/32" thick
				72035-S8(N51)	1	Pin-1/8" x 1" (retains link to 7240)
66/	U	6&8	All	C6TZ 7A107-A	2	THIMBLE - RAIL SHIFT -1 1/2" long-3/4" O. D.-21/32" I. D.
				7111		SHAFT - INTERMEDIATE GEAR
66/72	U "Before Ser. N40,001"	6&8	All	C6TZ 7111-B	1	5 1/32" long-1 1/4" O. D.
72	U "From Ser. N40,001"	6&8	All	D2TZ 7111-A	1	5 1/32" long-1 1/4" O.D.
66/	U	6&8	All	C6TZ 7113-C	1	GEAR - INTERMEDIATE -39-18 teeth-2 3/4" long-1 5/8" I. D.
66/	U	6&8	All	C6TZ 7C116-A	1	GEAR - INPUT SHAFT -29-15 teeth-6 internal splines-1 3/4" long
66/	U	6&8	All	C6TZ 7125-A	3	SPACER - COUNTERSHAFT GEAR ROLLER-1 5/8" O. D. -1 5/32" I. D. -1/16" thick
66/	U	6&8	All	C6TZ 7153-C	1	GASKET SET - Consists of the following (1) C6TZ 7181-B (1) C6TZ 7181-G (1) C6TZ 7181-E (1) C6TZ 7223-B (1) C6TZ 7181-F
66/	U	6&8	All	C6TZ 7155-A	1	PLATE - INTERMEDIATE GEAR SHAFT LOCK-1" x 3/4" x 1/8"
66/72	U "Before Ser. N40,001"	6&8	All	20326-S7(B49)	1	Bolt-5/16"-18 x 5/8"-(plate to transfer case)
72	U "From Ser. N40,001"	6&8	All	382985-S2 (BB427Z)	1	Bolt-5/16"-18 x 5/8"-(plate to transfer case)
66/	U	6&8	All	34805-S(X62)	1	Lockwasher-5/16"
66/	U	6&8	All	C6TZ 7169-A	1	CLIP - REAR OUTPUT SHAFT BEARING FRONT -2 7/8" O. D. -3/4" wide
				7181		GASKET
						Front drive oil seal
66/	U	6&8	All	C6TZ 7181-B	1	2 15/32" O. D. -1 7/8" I. D.
						Front drive output shaft bearing cap
				C6TZ 7181-E	1	4 3/8" bolt circle-2 3/4" I. D.
						Rear drive output shaft bearing retainer to case
				C6TZ 7181-F	1	5 3/16" bolt circle-4 5/8" I. D.
						Input shaft bearing retainer to transfer case
				C6TZ 7181-G	1	4 1/16" I. D.
				7B214		FLANGE OUTPUT SHAFT
66/69	U	6&8	All	C9TZ 7B214-C	2	Use with Mechanics drive shaft-front & rear
69/72	U "Before Ser. N40,001"	6&8	All	C9TZ 7B214-C	1	Use with Dana drive shaft - rear
				C9TZ 7B214-B	1	Use with Dana drive shaft - front
72	U "From Ser. N40,001"	6&8	All	C9TZ 7B214-B	1	Use with Dana drive shaft - front & rear
66/	U	6&8	All	351126-S7(MM145)	1	Nut-3/4"-18 x 1 1/8"-(flange to output shaft)
				44746-S7(X44A)	1	Lockwasher-3/4"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL		ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
					7B215		SEAL - OIL
							Front and rear drive flange
66/72	U		6&8	All	D2TZ 7B215-B	2	2 1/2" O.D.-1 1/2" I.D.-1/2" wide
							Input shaft
66/	U		6&8	All	C6TZ 7B215-C	1	2 3/4" O.D.-1 7/8" I.D.-17/32" wide
					C6TZ 7B215-B	1	1 13/16" O. D. -15/16" I. D. -1/8" thick
							Intermediate shaft
72	U		6&8	All	D2TZ 7B215-A	1	1 1/4" O.D.-1 1/8" I.D.-1/16" wide
					7219		SPRING - SHIFT ROD POPPET
							Rear drive
66/	U		6&8	All	C6TZ 7219-D	1	1" free length-8 1/2 coils
							Front drive
					C6TZ 7219-F	1	7/8" free length-10 coils
					372720-S(AA11)	2	Ball-3/8"-(shift rod poppet)
					352015-S(UU2)	2	Set screw-7/16"-20 x 5/16"-(retain spring & ball in case)
66/	U		6&8	All	C6TZ 7222-B	1	COVER - 9 1/2" x 4 7/8" -1/8" thick-10 holes
66/72	U	"Before Ser. N40,001"	6&8	All	20326-S(B49)	10	Bolt-5/16"-18 x 5/8"-(cover to case)
72	U	"From Ser. N40,001"	6&8	All	382985-S (BB427Z)	10	Bolt-5/16"-18 x 5/8"-(cover to case)
66/	U		6&8	All	34805-S(X62)	10	Lockwasher-5/16"
66/	U		6&8	All	C6TZ 7223-B	1	GASKET - COVER -9 1/2" x 4 7/8"
66/	U		6&8	All	C6TZ 7229-A	2	PIN - GEAR SHIFT INTERLOCK -1 15/16" long-3/8" diam.
					352015-S(UU2)	1	Set screw-7/16"-20 x 5/16"
					7240		SHAFT - GEAR SHIFT
							Rear output
66/	U		6&8	All	C9TZ 7240-G	1	8 1/8" long-5 cam slots
							Front output
66/	U		6&8	All	C9TZ 7240-H	1	8 1/8" long-4 cam slots
					73887-S(N5)	2	Pin-1/4" x 51/64"-(retain shaft in case)
66/	U		6&8	All	C6TZ 7288-C	2	SEAL - FRONT AND REAR SHIFT ROD OIL-1 1/8" O. D. -5/8" I. D. -1/4" wide
66/	U		6&8	All	C6TZ 7289-B	2	FORK - GEAR SHIFT -approx. 6" long-2 7/8" span
66/	U		6&8	All	C6TZ 7B360-A	2	SCREW - GEAR SHIFT FORK SET
66/	U		6&8	All	C6TZ 7B382-B	1	DOWEL - INPUT SHAFT BEARING RETAINER - 1 1/4" long-1/2" diam.
					17285		GEAR - SPEEDOMETER DRIVE
66/	U		6&8	All	C6TZ 17285-A	1	6 tooth
66/	U		6&8	All	C6TZ 17285-J	1	7 tooth

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
7007	**PLATE ASSY. - TRANSMISSION - ENGINE REAR COVER** - Also refer to Group 6366						
65/71	A	6	240	All 3/S	C5AZ 7007-A	1	
65/68	A,B,U	8	289	All	D0AZ 7007-A	1	
67/68	X " From 2/18/67"	8	289	All 3/S		1	
68/69	A,B,F,U,X	8	302	All		1	
69	B, F	8	351	All		1	
70/	A,B,F,U	8	302,351	All		1	
68/70	A,B,F	8	390,428	All	C3AZ 7007-F	1	
65/67	A, B, F	8	352,390 427,428	All		1	
69/71	A, B, F	8	429	F/4/S	C9AZ 7007-B	1	
65	B	6	200	All 3/S	D0DZ 7007-A	1	
65	F	6	170,200	2.77		1	
65/66	F	6	200	D/4/S		1	
65/67	X	6	170 200	All 3/S		1	
66/70	B, F	6	170,200	All 3/S	C6DZ 7007-B	1	
65/70	X	6	200	All 3/S		1	
68/70	X	6	170	All 3/S		1	
66/	U	6	170	All 3/S		1	
70/	P	6	All	All		1	
69/	B,F	6	250	All 3/S	C9DZ 7007-A	1	
71/	P	8	302	All 3/S		1	
65	F	8	260	All	C2OZ 7007-C	1	
65/68	F	8	289	All	C5DZ 7007-A	1	
65/68	X	8	289	All 4/S		1	
65/67	X " Before 2/18/67"	8	289	All 3/S		1	
71/	L	4	98	All	D1FZ 7007-A	1	Upper
					★D1FZ 7007-B	1	Lower-cut from D1FZ 7007-C
		4	122	All	D1FZ 7007-C	1	Includes-(2) 40904-S2 screw
		4	All	All	379376-S(BB562X)	1	Bolt-3/8"-16 x 3/4" hex. washer hd. -(plate to flywheel housing)
65/	A,	6	All	All	20326-S7(B49)	2	Bolt-5/16"-18 x 5/8" hex. hd. -(plate to flywheel housing)
65/	A, B, F, P, X, U	8	All	All	20346-S(B50)	2	Bolt-5/16"-18 x 3/4"-(plate to flywheel housing)
					34806-S7(X64)	AR	Lockwasher - 5/16
7E046	**PLATE - TRANSMISSION SHIFT CONTROL MOUNTING**						
70/71	B	8	All	F/4/S	D0AZ 7E046-A	1	#D0AA 7E046-A
72	B	8	All	F/4/S	D2OZ 7E046-A	1	
65	F	6	200	2.77	C7ZZ 7E046-B	1	Use w/C5ZZ 7A039-G housing
66	F	6	200	2.77	C6ZZ 7E046-B	1	Use w/C5ZZ 7A039-C housing-(#RF C4GR 7A040-A)
67/68	F	8	390,428	All	C7ZZ 7E046-A	1	
69	F	8	390,428	All	C9ZZ 7E046-A	1	
69	F	8	429	All	C9ZZ 7E046-B	1	
70	F	8	302,351	F/4/S	D0ZZ 7E046-B	1	#D0ZA 7E046-C
70	F	8	428	F/4/S	D0ZZ 7E046-A	1	#D0ZA 7E046-D
70	F(Boss)	8	429	F/4/S	D0ZZ 7E046-C	1	
71	F	8	429	F/4/S	D1ZZ 7E046-A	1	#D1ZA 7E046-AA
71/	F	8	302,351	F/4/S	D1ZZ 7E046-B	1	#D1ZA 7E046-BA
71/	P	6	All	All 3/S	D1DZ 7E046-A	1	
71/	P	8	All	All 3/S	D0ZZ 7E046-B	1	#D0ZA 7E046-C
66/	F	6&8	200,390	All	42789-S8(U10)	5	Screw & lockwasher-5/16"-18 x 3/4" hex. head
					379630-S2(BB116)	1	Screw 5/16"-18 x 3/4" flat head
7K051	**PIN - TRANSMISSION GEAR SHIFT RELAY LEVER ROD**						
65/68	A	6&8	All	All 3/S	C5AZ 7K051-A	1	7/16" O.D. -1 7/8" long
7B052	**PLATE TRANSMISSION - GEAR SHIFT PATTERN**						
68/69	F(GT500 K.R.)	8	All	W/4/S	C8WY 7B052-A	1	

Identification Marking

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7B059 SHIFT LEVER - FOUR-WHEEL DRIVE						
56/72	U	6&8	All	All	C6TZ 7B059-A	1	Rotto n
	7E063 PLATE - TRANSFER CASE SKID						
66/	U	6&8	All	All	C6TZ 7E063-C	1	
	7B071 SPRING - TRANSFER CASE CONTROL SELECTOR LEVER RETAINER						
66/	U	6&8	All	All	C6TZ 7B071-A	1	1 5/8" free length-3/8" O. D. -14 coils
	7E071 PLATE - TRANSFER CASE SHIFT PAWL						
66/	U	6&8	All	All	C6TZ 7E071-A	1	
	7E072 ROD - TRANSFER CASE SHIFT						
66/	U	6&8	All	All	C6TZ 7E072-B	1	
	7082 SPRING - TRANSFER CASE CONTROL SELECTOR PUSH BUTTON						
66/72	U	6&8	All	All	C8TZ 7082-A	1	1" free length-9 1/2 coils
	7E083 RETAINER - TRANSMISSION CONTROL SELECTOR SOCKET EXTENSION						
67/68	F	6&8	All	All	C7SZ 7E083-A	1	
	7B097 LEVER - TRANSMISSION BACKUP LAMP SWITCH ACTUATING						
67	A	6&8	All	All	C7AZ 7B097-B	1	
68	A	6&8	All	All	7B097		Part of 15520 switch assy.
67	B, X	6&8	All	All	DOTZ 7B097-A	1	
	7E097 SPACER - TRANSMISSION GEAR SHIFT LEVER						
68/69	A	8	All	F/4/S	C8AZ 7E097-A	1	1 3/8" diameter-1/4" thick
69	B, F	8	All	F/4/S		1	
	7B100 COVER - INSTRUMENT PANEL - TRANSMISSION SELECTOR						
71	A	6&8	All	All	D1AZ 7B100-A	1	
	7C101 SPRING - TRANSMISSION GEAR SHIFT TUBE						
72	B	6&8	All	All 3/S	D2OZ 7C101-A	1	
	7C102 SEAL - TRANSMISSION CONTROL SELECTOR TUBE						
68	A, B, F, X (floor shift)	6&8	All	All	C8AZ 7C102-A	1	1 1/2" I.D.-2 1/8" O.D.-3/4" thick
68/69	A, B, X (column shift)	6&8	All	All 3/S	C7ZZ 7C102-A	1	1 11/16" I.D.-2 1/8" O.D.-1/2" thick
69	A, B, F, X (floor shift)	6&8	All	All	C9AZ 7C102-A	1	2 1/4" O.D.-1 5/8" I.D.-1" thick
70/71	A, B, F, P, X	6&8	All	All		1	
72	A, F, P	6&8	All	All		1	
	7B106 LINK - TRANSFER CASE FRONT & REAR SHIFT ROD						
66/	U	6&8	All		C6TZ 7B106-B	1	3 1/4" long - 7/8" wide - 7/32" thick
	7A107 THIMBLE - TRANSFER CASE RAIL SHIFT						
66/	U	6&8	All		C6TZ 7A107-A	1	1 1/2" long-3/4" O. D. -5/8" I. D.
	7A111 PIN - TRANSMISSION GEAR SHIFT LEVER						
65/68	A, B, F, X, (floor shift)	6&8	All	All 4/S	C5ZZ 7A111-A	1	1/4" x 1"
65/68	B, F (floor shift)	6&8	All	All 3/S		1	
	7B112 ROD - REVERSE GEAR SHIFT - Refer to Group 7326						
	7B125 TRUNNION - TRANSMISSION GEAR SHIFT LEVER						
65/69	A, B, U, X (column shift)	6&8	All	All 3/S	C0AA 7B125-A	2	
71/	U	6&8	All	All 3/S		2	
65/68	A (floor shift)	6&8	All	All 4/S	C2AZ 7B125-A	2	
70/	U	6&8	All	All 3/S		2	
65	B, X (floor shift)	6&8	All	All 4/S		2	
65/68	F	6&8	All	All 4/S		2	
69	A, B, F (floor shift)	8	All	All 4/S	C9AZ 7B125-A	1	"T" shaped-1" x 3/4" x 9/16"
66/69	B (floor shift)	8	All	All 3/S	C2AZ 7B125-B	2	
66/68	B, X	8	All	All 4/S		2	
65/	F	6&8	All	All 3/S		2	
	7A133 BUSHING - TRANSMISSION GEAR SHIFT LEVER SHAFT. Also refer to Group 7336						
65/71	A	6&8	All	All 3/S	C0AA 7A133-C	2	
	7A133 BUSHING - TRANSFER CASE GEAR SHIFT LEVER SHAFT						
66/70	U "Before Ser.J70,001"	6&8	All	All 3/S	C2AZ 7A133-A	2	
70/	U "From Ser.J70,001"	6&8	All	All 3/S	D0TZ 7A133-A	2	5/8" I.D.-11/16" O.D.-1" dia.flange

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7E138 BOOT - TRANSMISSION FLOOR MOUNTED GEAR SHIFT CONTROL LINKAGE - LOWER - Also refer to Group 7277						
69	A	8	All	All 4/S	C9AZ 7E138-A	1	♯C9AA 7E138-B
66/68	B	8	All	All 4/S	C6OZ 7E138-A	1	6" x 5 11/16" x 4 5/8"
69	B	6&8	All	All 3/S	C9ZZ 7E138-A	1	♯C9ZA 7E138-D
69	B	8	All	All 4/S	C9ZZ 7E138-B	1	#C9OA 7E138-A
70/71	B	8	All	All 4/S	D0GZ 7E138-B	1	#D0ZA 7E138-B
66	F	6	200	All 3/S	C6ZZ 7E138-A	1	6 1/4" x 5 1/2" x 4 3/16"
66/68	F	6&8	200,289, 302	All 4/S	C6ZZ 7E138-C	1	6 7/16" x 5 3/8" x 4 1/2"
67/68	F	6	200	All 3/S	C6ZZ 7E138-B	1	6" x 5 3/8" x 3 3/4"
66/68	F	8	289,302	All 3/S		1	
67/68	F	8	390,428	All 4/S	C7ZZ 7E138-B	1	6 7/16" x 5 5/16" x 4 7/16"
69	F	6&8	All	All 3/S	C9ZZ 7E138-A	1	#C9ZA 7E138-D
69	F	8	All	All 4/S	C9ZZ 7E138-B	1	#C9OA 7E138-A
70	F	8	All	All 4/S	D0GZ 7E138-B	1	#D0ZA 7E138-B
70	F	6&8	All	All 3/S	D0ZZ 7E138-A	1	#D0ZA 7E138-A
71/	F	6&8	All	All 3/S	D1ZZ 7E138-A	1	#D1ZA 7E138-AA
71	F	8	All	All 4/S	D1ZZ 7E138-B	1	
71/	P	6&8	All	All 3/S	D1DZ 7E138-A	1	
66/68	X	8	All	All 4/S	C6OZ 7E138-A	1	6" x 5 11/16" x 3 5/8"
	7A148 SPACER - TRANSFER CASE CONTROL LEVER						
66/70	U "Before Ser.J70,001"	6&8	All	All 3/S	C6TZ 7A148-B	1	1 15/16" long - 5/8" O.D. - 1/2" I.D.
70/	U "From Ser.J70,001"	6&8	All	All 3/S	D0TZ 7A148-A	1	1 15/16" long-5/8" O.D.-7/16" I.D.
	7D152 RING - TRANSMISSION GEAR SHIFT LEVER BOOT						
65	A, X (floor shift)	6&8	All	All 4/S	C3DZ 7D152-A	1	5 1/4" O.D.-3" I.D.
	7E174 HOUSING - TRANSFER CASE CONTROL SELECTOR						
66/70	U " From Ser. 830,001 to Ser.J70,001"	6&8	All	All 3/S	C6TZ 7E174-A	1	Includes slide, dial and housing
70/	U "From Ser.J70,001"	6&8	All	All 3/S	D1TZ 7E174-A	1	Includes slide, dial & housing
	7E182 SEAL - TRANSFER CASE CONTROL						
66/72	U	6&8	All	All 3/S	C6TZ 7E182-A	1	3 7/16" x 9 11/16"
	7A185 BELLCRANK — TRANSMISSION SHIFT						
65/67	A	6&8	240,289	O/D	C5AZ 7A185-L	1	
65/68	A	6&8	All	3.03	C5AZ 7A185-K	1	
69	A	6&8	240,302	All 3/S	C9AZ 7A185-C	1	Includes-7353 stud and 7341 bushing
69	A	8	390	All 3/S	C9AZ 7A185-D	1	Includes-7353 stud and 7341 bushing
70	A	8	390	All 3/S	D0AZ 7A185-C	1	
70/71	A	6&8	exc.390	All 3/S	D0AZ 7A185-D	1	
	7A185 BELLCRANK - ACCELERATOR						
65	B	8	All	All	C3OZ 7A185-A	1	
66	B	8	390	All	★C6OZ 7A185-B	1	Not replaced
66/67	B	8	289	All	C6OZ 7A185-A	1	
66/69	U	8	289,302	All		1	
67	B	8	390,427	All	C7OZ 7A185-A	1	
68	B	8	390-4V 428 CJ	All	C8OZ 7A185-M	1	
68/70	B	8	302	All	C8OZ 7A185-K	1	
68	B	8	390-2V	All	C8OZ 7A185-L	1	
69/70	B	8	351	All		1	
70/	U	8	All	All	D0TZ 7A185-A	1	
65	X	8	All	All	C4DZ 7A185-C	1	

♯ Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7A188 BELLCRANK - TRANSFER CASE CONTROL						
66	U " Before Ser. 830,001"	6&8	All	All	C6TZ 7A188-A	1	Approx. 5 1/4" long-11/16" dia. pivot hole
	7A199 WIRE ASSY. - IGNITION CIRCUIT TO OVERDRIVE RELAY -Cut to required length from bulk stock B6A 14296-B						
	7208 SPRING - TRANSMISSION GEAR SHIFT LEVER and INSULATOR PIN						
65/67	A, B, X (column shift)	6&8	All	All 3/S	01A 7208	1	3/4" long-3/16" O.D. -13 coils
66/	U	6&8	All	All 3/S		1	
65/67	A	6&8	All	All 4/S	C2AZ 7208-A	2	5/16" long-13/32" O.D. -4 coils
65	B, X	6&8	All	All 4/S		2	
65	F "Before 8/20/64"	6&8	All	All 3/S		2	
65/68	F	6&8	All	All 4/S		2	
66/68	B, X(floor shift)	6&8	All	All 4/S	C2AZ 7208-B	2	Rubber-1/4" I.D. -39/64" O.D. -17/64" thick
65/68	B, F(floor shift)- " From 8/20/64"	6&8	All	All 3/S		2	
	7210 LEVER - TRANSMISSION FLOOR MOUNTED GEAR SHIFT - LOWER						
65/67	A	8	All	F/4/S	C5ZZ 7210-D	1	
65/68	B, F, X "Before 1/2/68"	8	All	F/4/S		1	
65/68	F	6&8	All	All 3/S		1	
66/68	B(floor shift)	8	All	All 3/S		1	
68	A	8	All	F/4/S	★C8AZ 7210-C	1	Also serviced in 7400 assy.-2" between center of bolt holes on flat
69	A, B, F	8	All	F/4/S	C9AZ 7210-J	1	
65/66	B, F, X	8	All	W/4/S	C3AZ 7210-F	1	1 13/16" between center of holes on flat-5/8" diameter slot
68	B,F,X "From 1/2/68"	8	All	F/4/S	C8ZZ 7210-D	1	2" between center of holes on flat-7/8" dia. slot
69	B, F (floor shift)	6&8	All	All 3/S	C9OZ 7210-B	1	
70/	F	6&8	All	All 3/S		1	
71/	P	6&8	All	All 3/S		1	
65/66	A, X	6&8	All	All 4/S	376577-S7(NN54F)	1	Pin-9/32" x 1 1/4" (lever to shaft)
69	A, B, F	8	All	All	383359-S(NN145G)	2	Pin-1/4" x 15/16" (lever to 7B125)
65/68	B, F	6&8	All	All	379300-S(NN54G)	1	Pin-9/32" x 1 3/8"
	7210 LEVER - TRANSMISSION FLOOR MOUNTED GEAR SHIFT						
	- A -						
65	A (w/console)- " Before 4/1/65"	8	All	F/4/S	C5AZ 7210-C	1	Includes boot (7277) lockout pawl, handle & wire assy.
65/67	A (w/console)- " From 4/1/65"	8	All	F/4/S	C5AZ 7210-J	1	Includes lockout pawl, handle & wire assy.
65/67	A (w/o console)	8	All	All 4/S	C5AZ 7210-H	1	Includes lockout pawl, handle & wire assy.
69	A (w/console)	8	All	F/4/S	C9AZ 7210-A	1	Includes (2) 379819-S insulators
69	A (w/o console)	8	All	F/4/S	C9AZ 7210-B	1	Includes (2) 379819-S insulators
	- B -						
65	B (w/console)	8	All	All 4/S	★C4OZ 7210-D	1	Includes boot (7277), lockout pawl, handle & wire assy. - not replaced
66/67	B	8	All	F/4/S	C6OZ 7210-L	1	Includes lockout pawl & cable assy.
66/68	B "Before 1/2/68"	8	390	All 3/S	C6OZ 7210-G	1	Includes grommets
68	B "From 1/2/68"	8	390	All 3/S	C8OZ 7210-C	1	Less ball includes (2) grommets
68	B	8	All	F/4/S	C8OZ 7210-D	1	Includes ball (7213), lockout pawl & cable assy., boot (7277) & (2) grommets
69	B	8	All	All 3/S	C9OZ 7210-A	1	Includes (2) grommets
69	B	8	All	F/4/S	C9OZ 7210-C	1	Includes (2) grommets
70	B	8	All	All 4/S	D0OZ 7210-A	1	"Hurst design" -includes handle & decal
71	B	8	All	F/4/S	D1OZ 7210-A	1	"Hurst design" -includes 7213 knob assy.
72	B	8	All	F/4/S	D2OZ 7210-D	1	Less knob assy. (7213)

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
7210 LEVER - TRANSMISSION FLOOR MOUNTED GEAR SHIFT - continued							
	- F -						
65/67	F	6&8	All	All 4/S	C5ZZ 7210-M	1	Includes lockout pawl & cable assy.
65/68	F	6&8	All	All 3/S	C8ZZ 7210-C	1	Less ball includes (2) grommets
68	F "Before 1/2/68"	8	All	F/4/S	C8ZZ 7210-A	1	Includes ball (7213), lockout pawl & cable assy., boot (7277) & (2) grommets
68	F "From 1/2/68"	8	All	F/4/S	C8ZZ 7210-B	1	Includes ball (7213), lockout pawl & cable assy., boot (7277) & (2) grommets
69	F	8	All	All 4/S	C9ZZ 7210-B	1	Includes (2) grommets
69/	F	6&8	All	All 3/S	C9ZZ 7210-A	1	Includes (2) grommets #daub of Orange paint
70	F	8	All	All 4/S	D0ZZ 7210-B	1	"Hurst design"-includes "T" bar handle & decal
71	F	8	All	F/4/S	D1ZZ 7210-A	1	"Hurst design"-includes 7213 knob assy.
72	F	8	All	F/4/S	D2ZZ 7210-A	1	Less knob assy. (7213)
	- L -						
71/	L	4	All	All	D1FZ 7210-A	1	Includes upper & lower levers, boot, shift fulcrum, fork, (1) 97413-S2 clip - less gear shift ball
	- P -						
71/	P	6&8	All	All 3/S	D1DZ 7210-B	1	Chrome plated-7/16"-20 thread for knob
	- X -						
65	X	8	All	F/4/S	C4DZ 7210-F	1	Includes-ball (7213), boot (7277), lockout pawl & cable assy.
66/67	X	8	All	F/4/S	C6OZ 7210-L	1	Includes lockout pawl & cable assy.
68	X	8	All	F/4/S	C8OZ 7210-D	1	Includes ball (7213), lockout pawl & cable assy., boot (7277) & (2) grommets
65/	A, B, F, X	8	All	F/4/S	379818-S7 (BB445L)	2	Bolt 5/16"-18 x 1 1/8" (lever to mounting plate)
65/	A, B, X	8	All	F/4/S	379998-S	2	Grommet-9/16" O. D. -1/2" I. D.-1/2" high
65/	F	6&8	All	All 3/S, D & F/4/S	(KK71A)		
65	B, X	6&8	All	D & W/4/S	★55615-S8	2	Screw & lockwasher assy.-5/16"-18 x 3/4"- (lever to mounting plate)
65	F	8	All	W/4/S		2	
66/	B, F, X	6&8	All	All 4/S	356036-S7 (MM184)	1	Nut - 1/2" -20 hex. (used as lock nut for 7213 on lever)
7210 LEVER - TRANSMISSION COLUMN MOUNTED GEAR SHIFT-Includes knob, insulator and impact sleeve							
65/67	A	6&8	All	All 3/S	C7AZ 7210-C	1	
68/69	A	6&8	All	All 3/S	C9AZ 7210-F	1	
70	A "Before 12/15/69"	6&8	All	All 3/S	D0AZ 7210-C	1	
70/71	A "From 12/15/69"	6&8	All	All 3/S	★D0AZ 7210-G	1	Replaced by D3OZ 7210-A (10-74)
65	B	6&8	All	All 3/S	C2OZ 7210-E	1	
66	B	6&8	All	All 3/S	C6OZ 7210-D	1	
67	B	6&8	All	All 3/S	C7OZ 7210-D	1	
68/69	B	6&8	All	All 3/S	C9AZ 7210-F	1	
70	B "Before 12/15/69"	6&8	All	All 3/S	D0AZ 7210-C	1	
70/71	B "From 12/15/69"	6&8	All	All 3/S	★D0AZ 7210-G	1	Replaced by D3OZ 7210-A (10-74)
72	B	6&8	All	All 3/S	D3OZ 7210-A	1	

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7210 LEVER - TRANSMISSION COLUMN MOUNTED GEAR SHIFT-continued-Includes knob, insulator and impact sleeve						
70	P(non-locking column)	6	All	All 3/S	D0DZ 7210-B	1	
70	P (w/locking column)- "Before 12/15/69"	6	All	All 3/S	D0AZ 7210-C	1	
70	P (w/locking column)- "From 12/15/69"	6	All	All 3/S	★D0AZ 7210-G	1	Replaced by D3OZ 7210-A (10-74)
71/72	P "Before 10/22/71"	6&8	All	All 3/S		1	
72	P- "From 10/22/71 to 6/1/72"	6&8	All	All 3/S	D2DZ 7210-A	1	Includes 1-D0AZ 7D439-A pin
72	P "From 6/1/72"	6&8	All	All 3/S	D3OZ 7210-A	1	
66/72	U "Before P60,001"	6&8	All	All 3/S	D1TZ 7210-C	1	
72	U " From P60,001"	6&8	All	All 3/S	D3TZ 7210-B	1	
65	X	6&8	All	All 3/S	C2OZ 7210-E	1	
66	X " Before 11/1/65"	6&8	All	All 3/S	C6OZ 7210-D	1	
66/67	X " From 11/1/65"	6&8	All	All 3/S	C7DZ 7210-A	1	
68/70	X	6&8	All	All 3/S	C9AZ 7210-F	1	
65/66	A, B, X	6&8	All	All 3/S	357479-S15 (NN108)	1	Pin - 3/16" x 1"
	7210 SHIFT LEVER - TRANSFER CASE						
66	U " Before Ser. 830,001"	6&8	All		C6TZ 7210-AH	1	Use with ball type gear shift knob
66/72	U " From Ser. 830,001"	6&8	All		D0TZ 7210-K	1	Use with "T" bar handle
71/	U	6&8	All	All 3/S	56138-S2(B319V)	1	Bolt-3/8"-16 x 3/4" hex.washer hd.-UBS - (attach shift lever assy. to transfer case)
	7212 TUBE - TRANSMISSION COLUMN MOUNTED GEAR SHIFT - Also Refer to Tube Kit 7212						
65/66	A	6&8	All	All 3/S	C5AZ 7212-F	1	26 1/2" long
67	A (exc. P/C & Fleet)	6&8	All	All 3/S	C7AZ 7212-B	1	26 1/8" long-includes emergency flasher system
67	A (P/C & Fleet)	6&8	All	All 3/S	C7AZ 7212-C	1	26 1/8" long-use with H/D column - includes emergency flasher system
68	A(exc. P/C & Fleet)	6&8	All	All 3/S	C8AZ 7212-A	1	27 3/16" long
68	A(P/C & Fleet)	6&8	All	All 3/S	C8AZ 7212-S	1	27 13/64" long
69	A (exc. P/C & Fleet)	6&8	All	All 3/S	C9AZ 7212-C	1	28 7/8" long
69	A (P/C & Fleet)	6&8	All	All 3/S	C9AZ 7212-G	1	28 7/8" long
70/71	A(exc. P/C & Fleet)	6&8	All	All 3/S	D0AZ 7212-B	1	28 5/8" long
70/71	A(P/C & Fleet)	6&8	All	All 3/S	D0AZ 7212-C	1	28 5/8" long
65	B	6&8	All	All 3/S	C3OZ 7212-B	1	27 1/8" long
66	B, X	6&8	All	All 3/S	C6OZ 7212-B	1	27 1/2" long
67	B, X	6&8	All	All 3/S	C7OZ 7212-A	1	27 1/2" long
68	B, X	6&8	All	All 3/S	C8AZ 7212-A	1	27 3/16" long
69	B, X	6&8	All	All 3/S	C9OZ 7212-B	1	27 3/16" long
70	X	6&8	All	All 3/S		1	
70/71	B	6&8	All	All 3/S	D0OZ 7212-B	1	27 9/16" long
72	B "Before 10/18/71"	6&8	All	All 3/S	D2OZ 7212-B	1	18 1/2" long-includes 7302
72	B "From 10/18/71"	6&8	All	All 3/S	D2OZ 7212-E	1	18 1/2" long-includes 7302
72	B	6&8	All	All 3/S	D2OZ 7212-D	1	5" long-includes pin, guide & insulator
70	P	6	All	All 3/S	D0DZ 7212-E	1	25 5/8" long-w/o locking column
70/72	P "Before 1/10/72"	6&8	All	All 3/S	D2DZ 7212-C	1	
72	P "From 1/10/72"	6&8	All	All 3/S	D2DZ 7212-B	1	25 1/4" long
66/	U	6&8	All	All 3/S	C6TZ 7212-B	1	30 7/16" long
65	X	6&8	All	All 3/S	C5DZ 7212-A	1	23 11/16" long

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7212 TUBE KIT - TRANSMISSION COLUMN MOUNTED GEAR SHIFT						
70/72	P-w/locking column	6&8	All	All 3/S	D2DZ 7212-C	1	Includes (1) D2DZ 7212-B tube assy., (1) D2DZ 7302-A arm assy., (1) D2DZ 7303-A arm assy., (1) D2AZ 7347-A bearing
	7212 TUBE - STEERING COLUMN INNER - FLOOR SHIFT TRANSMISSION						
68	A, B, F, X	6&8	All	All	C8AZ 7212-D	1	
69	A (fixed wheel)	8	All	F/4/S	C9AZ 7212-A	1	27 9/16" long
69	A, F (tilt wheel)	8	All	All	C9AZ 7212-F	1	24 1/2" long
69	B	8	All	All	C9OZ 7212-A	1	
70/	B	8	All	All	D0OZ 7212-C	1	27 1/8" long
69	F (fixed wheel)	8	All	All	C9ZZ 7212-A	1	
70	F(fixed wheel)	6&8	All	All	D0ZZ 7212-A	1	28 1/4" long
70	F(tilt wheel)	6&8	All	All	D0ZZ 7212-B	1	25 3/16" long
71/	F(fixed wheel)	6&8	All	All	D1ZZ 7212-A	1	27 1/16" long
71/	F(tilt wheel)	6&8	All	All	D1ZZ 7212-B	1	26 1/16" long
71/	P	6&8	All	All 3/S	D1DZ 7212-A	1	25" long
	7213 KNOB - TRANSMISSION GEAR SHIFT LEVER -Also refer to Group 7C404						
	COLUMN SHIFT						
65/66	A	6&8	All	All 3/S	C5AZ 7213-A	1	Chrome
67/	A	6&8	All	All 3/S	§D3OZ 7213-A	1	Aluminum-repl. chrome knob
66/	B, P, X	6&8	All	All 3/S		1	
69/	U	6&8	All			1	
66/68	U	6&8	All		C5TZ 7213-B	1	Black plastic
	FLOOR SHIFT						
65/67	A	8	All	F/4/S	C2AZ 7213-E	1	Walnut finish
65	B, X	8	All	All 4/S		1	
68/69	A, B, F, X	8	All	F/4/S	C8OZ 7213-F	1	Walnut wood grain
70/71	B, F	8	All	F/4/S	D1OZ 7213-A	1	"Hurst"
72	B, F	8	All	F/4/S	D2OZ 7213-A	1	Black with white letters
66/67	B, X	8	All	F/4/S	C8WY 7213-D	1	Walnut finish
65/67	F	6&8	All	All 4/S		1	
65/68	B, F "Before 1/2/68"	6&8	All	All 3/S	C8OZ 7213-B	1	Walnut finish-1/2" x 20 thread
68/69	B, F "From 1/2/68"	6&8	All	All 3/S	C8OZ 7213-G	1	Walnut wood grain - 7/16"-20 thread
70/	F	6&8	All	All 3/S		1	
71/	P	6&8	All	All 3/S		1	
68/69	F(GT500 K.R.)	8	All	All 4/S	★S8MS 7213-B	1	Not replaced
71/	L(exc. Squire & Luxury Decor)	4	All	All	D1FZ 7213-A	1	1 7/8" long-2" dia.-4 speed pattern on ball
72	L(Squire & Luxury Decor)	4	All	All	D2FZ 7213-A	1	Woodgrain & # Pony
65/	A, B, F, X	8	All	All 4/S	356052-S13	1	Nut - 1/2"-20 hex. (attach. knob to lever 7210)
65/68	B, F "Before 1/2/68"	6&8	All	All 3/S	(MM122)	1	
68/69	B, F "From 1/2/68"	6&8	All	All 3/S	382644-S13 (MM121ZD)	1	Nut-7/16"-20 threads
	7213 BALL - TRANSFER CASE SHIFT ASSY.						
66	U "Before Ser. 830,001"	6&8	All		B9TT 7213-J	1	Ball
66/	U "From Ser. 830,001"	6&8	All		★C5ZZ 7213-M r/b D3OZ 7213-B (3-74)	1	Kit - "T" handle-includes (1) C8ZZ 7213-A "T" bar, (1) each C8ZZ 7C488-A & B buttons, (2) 374985-S set screws-discard C8ZZ 7C488-B and use C6TZ 7C488-A

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7E218 DETENT - TRANSMISSION GEAR SHIFT LEVER						
69	A,B,F	8	All	F/4/S	C9AZ 7E218-A	1	
70/	A,B,P	6&8	All	All 3/S	D0AZ 7E218-A	1	
	7225 BEARING - TRANSMISSION GEAR SHIFT LEVER SOCKET						
65/66	A (P/C & Taxi only)	6&8	240,289	All 3/S	★C5AZ 7225-A	1	1 3/4" O.D. -1 7/16" I.D. 5/16" thick
	7227 SPRING - TRANSMISSION GEAR SHIFT TUBE RETRACTING						
65/68	A	6&8	All	All 3/S	C2OZ 7227-B	1	1 5/8" O.D. -1 7/8" long
65/69	B	6&8	All	All 3/S		1	
65/70	X	6&8	All	All 3/S		1	
65/69	A,B	6&8	All	All 3/S	371453-S(XX282)	2	Washer-flat 1 1/2" I.D. (retain spring on tube)
	7227 SPRING - TRANSMISSION GEAR SHIFT LEVER SUPPORT SHAFT - Also serviced in 7400 assembly						
65/67	A	8	All	F/4/S	C5ZZ 7227-A	1	1 1/2" free length-4 coils
65/68	B,F,X	8	All	F/4/S		1	
65/68	B, F (floor shift)	6&8	All	All 3/S		1	
65/66	F	6	All	D/4/S		1	
68	A	8	All	F/4/S	C8AZ 7227-A	1	1" free length-4 coils
69	A,B,F	8	All	F/4/S	C9AZ 7227-A	1	1 11/16" long-3/4 and 1 3/4" wide
65/66	B,F,X	8	All	W/4/S	C2AZ 7227-B	1	1 13/16" free length-11 coils
69	B,F	6&8	All	All 3/S	C9OZ 7227-A	1	1 3/16" free length-2 coils-floor shift
70/	F	6&8	All	All 3/S		1	
71/	P	6&8	All	All 3/S		1	
65/69	A,B,X	8	All	F/4/S	371681-S8(XX252)	1	Washer-flat-7/8" I.D.
65/66	F	8	All	F/4/S		1	
65/66	F,X	6	All	D/4/S		1	
65/	B,F	6&8	All	All 3/S		1	
65/66	B,F,X	8	All	W/4/S	351503-S40 (XX204)	1	Washer-flat 5/8" I.D.
67	F	8	All	F/4/S	379575-S(XX365A)	1	Washer-flat-1 1/16" I.D.
					97522-S(Q1A)	1	Snap ring-5/8"
					97527-S(Q1B)	1	Snap ring-7/8"
	7228 EXTENSION - TRANSMISSION CONTROL SELECTOR SOCKET COVER						
67	F	6&8	All	All	C7SZ 7228-B	1	
	7228 SOCKET - TRANSMISSION GEAR SHIFT LEVER						
65/67	A(exc. P/C & Fleet),B	6&8	All	All 3/S	C2OZ 7228-G	1	
66/67	X	6&8	All	All 3/S		1	
66/67	A(P/C & Fleet)	6	240	All 3/S	C5AZ 7228-C	1	
68	A	6&8	All	All 3/S	C8AZ 7228-A	1	
68/69	B,X	6&8	All	All 3/S		1	
70	P	6&8	All	All 3/S		1	W/o locking shift control
70	X	6&8	All	All 3/S		1	
69	A	6&8	All	All 3/S	C9AZ 7228-A	1	
70/71	A,B,P	6&8	All	All 3/S	D3DZ 7228-A	1	With locking shift control
72	A,P	6&8	All	All 3/S		1	
65	B,X	6&8	All	All 3/S	D3TZ 7228-B	1	
66/	U	6&8	All	All 3/S		1	
72	B	6&8	All	All 3/S	D2OZ 7228-A	1	
	7C228 SPRING - TRANSMISSION GEAR SHIFT						
65/	A,B,P,X	6&8	All	All 3/S	C2OZ 7C228-A	1	
65/	U	6&8	All	All 3/S	B9AZ 7C228-A	1	
65	X	6&8	All	All 3/S		1	

Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7E231 HANDLE - TRANSMISSION - REVERSE GEAR LOCKOUT						
68	B, F, X	8	All	F/4/S	C8OZ 7E231-A	1	1 5/8" diameter-1 5/8" long
	7B233 PLATE - TRANSMISSION FLOOR PAN GEAR SHIFT LEVER OPENING COVER - Also Refer to Group 7D358						
66	A (with console)	8	All	All 4/S	C6AZ 7C309-A	1	
67	A (with console)	8	All	All 4/S	C7AZ 7B233-D	1	
69	A	8	All	F/4/S	C9AZ 7B233-A	1	
65	B (without console)	8	All	All 4/S	C2AZ 7C309-A	1	
68/69	B, X	8	All	F/4/S	C9OZ 7B233-A	1	
66/68	B	8	390	All 3/S		1	
70/71	B	8	All	F/4/S	D0OZ 7B233-A	1	
72	B	8	All	F/4/S	D2OZ 7B233-A	1	
65	X	8	All	All 4/S	C3DZ 7C309-C	1	
65/	A, B, X	8	All	All	31498-S8(U253-B)	AR	Screw No. 14 x 5/8" tap (plate to floor pan)
67	A	8	All	All	31497-S8(U254)	10	Screw No. 14 x 1/2" tap
	7246 INSULATOR - TRANSMISSION GEAR SHIFT LEVER						
65/71	A (column shift)	6&8	All	All 3/S	B8S 7246-A	1	1" long-3/4" O.D. & 11/16" O.D.-3/8" I.D.-alternate with C2OZ 7246-A
65	A (console shift)	8	All	F/4/S	★C5AZ 7246-A	1	Floor shift-1/2" x 11/16" x 4 7/16"
65/	B	6&8	All	All 3/S	C2OZ 7246-A	1	1" long-3/4" O.D.-alternate with B8S 7246-A
65/70	X	6&8	All	All 3/S		1	
70/	P	6&8	All	All 3/S		1	
71/	A, B, P	6&8	All	All 3/S	D2DZ 7246-A	1	4 13/16" long-1/4" wide
72	B	6&8	All	All 3/S	D2OZ 7246-A	1	Repair kit for short shaft (7212)-consists of (1) D2OA 7E406-AB guide, (1) D2OA 7246-AB insulator, (1) D2OA 7D439-AB pin
	7E257 ROD - TRANSMISSION GEAR SHIFT LEVER RETAINER						
68	A	8	All	F/4/S	C8AZ 7E257-A	1	3 7/8" overall length w/elongated flat ends
	7E259 SPRING - TRANSMISSION GEAR SHIFT LEVER - INNER						
68	A	8	All	F/4/S	C8AZ 7E259-A	1	1" long-3/4" diameter-5 coils
	7262 RETAINER - TRANSFER CASE SHIFT LEVER OPENING COVER						
66/	U	6&8	All	All	C6TZ 7262-A	1	5 3/4" x 3 1/8"
	7262 RETAINER - TRANSMISSION GEAR SHIFT LEVER BOOT - Also Refer to Group 7E391						
65/68	A	8	All	All 4/S	C5AZ 7262-A	1	2 7/8" I.D. x 4 1/2" O.D.
69/71	A	8	All	F/4/S	C9AZ 7262-A	1	5 1/16" x 6 1/8"-#C9AB 7262-A
65	B, X(w/o console)	6&8	All	All 4/S	C2AZ 7262-A	1	Round base-4 7/8"-bolt pattern-Chrome
65	B(w/console)	8	All	All 4/S	C3AZ 7262-A	1	3 13/16" x 5 5/8" x 3 1/2"-bolt pattern-Chrome
66/68	B, X	8	All	All	C6OZ 7262-A	1	5 11/16" x 4 13/16"
69/70	B, F	6&8	All	All	C9ZZ 7262-A	1	6 5/8" x 4 3/4"
71	B	8	All	All		1	
72	B (floor shift)	8	All	All		1	
65/68	F	6&8	All	All	C5ZZ 7262-A	1	
71/	L	4	All	All	D1FZ 7262-A	1	
71/	P	6&8	All	All 3/S	D1DZ 7262-A	1	7 7/8" long-5 13/32" wide
65/	A, B, F, X	6&8	All	All	32938-S7(U345)	AR	Screw-No. 12 x 3/4" tap
					34903-S8(X96)	AR	Washer-No. 10 x 3/8"

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
7E273	**SPRING - TRANSMISSION GEAR SHIFT LEVER**						
68	B, F	6&8	All	All	C8OZ 7E273-A	1	1 9 16" long-1/2" diameter
68	X	8	All	F/4/S			
7275	**KIT - POWER TAKE-OFF - TRANSFER CASE**						
66/	U	6	170	All	C6TZ 7275-B	1	Includes I.S.-No. 2414
66/	U	8	289,302	All	C6TZ 7275-C	1	Includes I.S.-No. 2415
7277	**BOOT - TRANSMISSION GEAR SHIFT LEVER**						
65/68	A (w/o console)	8	All	All 4/S	C2AZ 7277-G	1	Round base with cut-off, 4 7/8" dia. bolt pattern-
65	B, X (w/o console)	8	All	F&W/4/S		1	2 7/16" high-used as lower boot to cover opening on gear shift lever cover plate
65	A (w/console)- "Before 4/1/65"	8	All	All 4/S		1	
65	B (w/console)	8	All	All 4/S		1	
65/67	A "From 4/1/65"	8	All	All 4/S	C5AZ 7277-B	1	4 11/16" x 7" x 4 1/2" x 7" -2 7/16" high-used as lower boot to cover opening on gear shift lever cover plate
68	A	8	All	F/4/S	C8AZ 7277-A	1	4 15/16" x 4 15/16" base-2 1/2" high
69/71	A	8	All	F/4/S	C9AZ 7277-C	1	‡C9AB 7C455-A-w/o console
69/71	A	8	All	F/4/S	C9AZ 7277-A	1	‡C9AB 7B118-A-w/console
65	B	8	All	All 4/S	C4AZ 7277-B	1	3 13/16" x 5 11/16" x 3 1/4" x 5 15/16" bolt pattern-2 3/4" high-used as upper boot on console panel
66/68	B, X	8	All	All	C6OZ 7277-A	1	Rectangular base-4 1/16" x 4 5/8"-1 11/16" high
69	B	8	All	All	C9OZ 7277-A	1	6" x 4 1/8" bolt pattern-1 13/16" high
70	B, F	8	All	All 4/S	D0ZZ 7277-B	1	#D0ZB 7B118-A or E
71	B	8	All	F/4/S		1	
72	B	8	All	F/4/S	D2OZ 7277-A	1	
65/68	F	6&8	All	All	C5ZZ 7277-B	1	
69	F	8	All	All	C9ZZ 7277-A	1	6" x 4 1/8" bolt pattern-2 9/16" high
70	F	6&8	All	All 3/S		1	
71	F	6&8	All	All 3/S	D1ZZ 7277-A	1	7 11/16" x 5 1/2" at base-4 bellows
71	F	8	All	F/4/S	D1ZZ 7277-B	1	7 11/16" x 5 1/2" at base-4 bellows
72	F	6&8	All	All	D2ZZ 7277-A	1	
71/72	L	4	All	All	★D2FZ 7277-A	1	R/b D4FZ 7277-A (11-73)
71/	P(floor shift)	6&8	All	All 3/S	D1DZ 7277-A	1	7 1/8" long-4 11/16" wide
66	U	6&8	All		C6TZ 7277-A	1	5 3/4" x 3 1/8" base-5" high
					42127-S8(U248C)	1	Screw-No. 10 x 1/2" hex. hd. (boot to floor pan)
7285	**LEVER-TRANSMISSION GEAR SHIFT CONTROL INTERMEDIATE AND HIGH**-Also refer to Group 7C312						
66/68	B (floor shift)	8	390	3.03	C6OZ 7C313-B	1	Also serviced in 7400 assy.
65/68	F (floor shift)	6&8	All	All 3/S	C5ZZ 7285-B	1	Also serviced in 7400 assy.
66/	U	6&8	All	All 3/S			Refer to Transmission Parts List
7290	**LEVER - TRANSMISSION GEAR SHIFT CONTROL LOW and REVERSE**						
66/68	B (floor shift)	8	390	3.03	C6OZ 7290-A	1	Also serviced in 7400 assy.
65/68	F (floor shift)	6&8	All	All	C5ZZ 7290-C	1	Also serviced in 7400 assy.
7E291	**SUPPORT - TRANSMISSION GEAR SHIFT LEVER INNER**						
69	A, B, F	8	All	F/4/S	C9AZ 7E291-A	1	

‡ Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	INTERMEDIATE and HIGH 7302	LOW and REVERSE 7303	QTY.
	7302-3 ARM - TRANSMISSION GEAR SHIFT CONTROL - COLUMN MOUNTED						
	- A -						
65/67	A (exc. P/C & Fleet)	6&8	All	All 3/S	C5AZ 7302-A	C5AZ 7303-A	1
	A (P/C & Fleet)	6&8	All	All 3/S	★C5AZ 7302-E	C5AZ 7303-B	1
68	A (exc. P/C & Fleet)	6&8	All	All 3/S	C8AZ 7302-B	C8AZ 7303-A	1
	A (P/C & Fleet)	6&8	All	All 3/S	★C8AZ 7302-C	C8AZ 7303-B	1
69	A (exc. P/C & Fleet)	6&8	All	All 3/S	C9AZ 7302-B	C9AZ 7303-B	1
	A (P/C & Fleet)	6&8	All	All 3/S	C9AZ 7302-A	C9AZ 7303-A	1
70/71	A	6&8	All	All 3/S	D0AZ 7302-A	D0AZ 7303-C	1
	- B -						
65	B	6&8	All	All 3/S	C3OZ 7302-A	C3OZ 7303-A	1
66/67	B	6&8	All	All 3/S	C6OZ 7302-A	C6OZ 7303-A	1
68	B	6&8	All	All 3/S	C8OZ 7302-B	C8OZ 7303-A	1
69	B	6&8	All	All 3/S	C9OZ 7302-A	C9OZ 7303-A	1
70/71	B	6&8	All	All 3/S	D0OZ 7302-A	D0OZ 7303-A	1
	- P -						
70/	P	6&8	All	All 3/S	D2DZ 7302-A	D2DZ 7303-A	1
	- X -						
65/67	X	6	All	2.77	C3TZ 7302-D	C1DZ 7303-A	1
65	X	6&8	All	3.03	C3DZ 7302-B	C3DZ 7303-B	1
66/67	X	6&8	All	3.03	C6OZ 7302-A	C6OZ 7303-A	1
68	X	6&8	All	All 3/S	C8OZ 7302-B	C8OZ 7303-A	1
69/70	X	6&8	All	All 3/S	C9OZ 7302-A	C9OZ 7303-A	1
	- U -						
66/72	U	6&8	All	All 3/S	C5TZ 7302-A	C5TZ 7303-A	1

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
							Attaching parts for Arm Assy.
65/70	X	6&8	All	All 3/S	72016-S(N44)	1	Pin-3/4" (sleeve to arm)
65	X	6&8	All	All 3/S	370444-S7(XX135)	2	Washer 3/8" I. D.

	7C307 SPRING - TRANSMISSION GEAR SHIFT CONTROL-ANTI-RATTLE						
65/66	A (w/o console)	8	All	All 4/S	C5ZZ 7C307-A	1	2 3/16" long
65	F	6&8	All	All		1	
65	A (w/console)	8	All	All 4/S	★C5AZ 7C307-A	1	6 11/16" long

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS.	FIRST & SECOND GEAR - 7315	THIRD & FOURTH GEAR - 7C313	REVERSE GEAR 7C312	QTY.
	7C309 Refer to Group 7B233 or Group 7D358							
	7C312 LEVER - TRANSMISSION GEAR SHIFT CONTROL - Also refer to Groups 7285 and 7290							
69	B,F	6&8	All	All 3/S	C9OZ 7C312-A	2	Forward and reverse gears	
70/	F	6&8	All	All 3/S		2		
71/	P-console shift	6	All	All 3/S		2		
65	B	8	All	W/4/S	C3AZ 7315-C	C3AZ 7C313-D	C3AZ 7C312-C	1
65/67	A (w/o console)	8	All	F/4/S	C4AZ 7315-A	C4AZ 7C313-A	C4AZ 7C312-B	1
65	A (w/console)- " Before 4/1/65"	8	All	F/4/S				1
65	B	8	All	F/4/S				1
65/67	A (w/console)- " From 4/1/65"	8	All	F/4/S	C5AZ 7315-A	C5AZ 7C313-A	C5AZ 7C312-A	1
68	A (floor or console shift)	8	All	F/4/S	C8AZ 7315-A	C8AZ 7C312-A	C8AZ 7C312-A	1
69	A, B, F " Before 12/16/68"	8	All	F/4/S	C9OZ 7315-A	C9AZ 7C312-A	C9AZ 7C312-A	1
69	A, B, F " From 12/16/68"	8	All	F/4/S	C9OZ 7315-A	C9AZ 7C312-A	C9AZ 7C312-B	1
66/68	B, X	8	All	F/4/S	C6OZ 7315-A	C6OZ 7C313-A	C6OZ 7C312-A	1

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	FIRST & SECOND 7315	THIRD & FOURTH 7C313	REVERSE GEAR 7C312	QTY.
7C312	**LEVER - TRANSMISSION GEAR SHIFT CONTROL - continued** - Also refer to Groups 7285 and 7290							
65/68	F	6&8	170,200, 260,289, 302	All 4/S	C5ZZ 7315-A	C5ZZ 7C313-A	C5ZZ 7C312-A	1
67/68	F	8	390	F/4/S	C5ZZ 7315-A	C5ZZ 7C313-A	C7ZZ 7C312-A	1
65	X	8	All	W/4/S	C3DZ 7315-B	C3AZ 7C313-D	C3DZ 7C312-B	1
65	X	8	All	F/4/S	C4AZ 7315-A	C4AZ 7C313-A	★C4DZ 7C312-B	1

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
7C313	Refer to Group 7C312						
7315	Refer to Group 7C312						
7A315	**ROD - TRANSFER CASE CONTROL**						
66/	U	6&8	All	All 3/S	C6TZ 7A315-B	1	3" long - 3/8" dia. rod
7317	**BRACKET - TRANSMISSION GEAR SHIFT TUBE and STEERING COLUMN**						
72	B	6&8	All	All 3/S	D2OZ 7317-A	1	
7C318	**INTERLOCK - TRANSMISSION GEAR SHIFT CONTROL LEVER**						
65	B, X	6&8	All	D & W/4/S	C2AZ 7C318-B	1	
65/67	A	8	All	F/4/S	C5ZZ 7C318-A	1	
65/68	B, X	8	All	F/4/S		1	
65/68	F	6&8	All	All		1	

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	INTERMEDIATE and HIGH 7326	OVERALL LENGTH (INCHES)	LOW and REVERSE 7328	OVERALL LENGTH (INCHES)	QTY.
7326	**ROD - TRANSMISSION GEAR SHIFT**								
	3-SPEED								
	- A -								
65/68	A	6&8	All	All 3/S	C5AZ 7326-A	7 1/4	C5AZ 7328-A	12 3/8	1
69	A	6&8	All	All 3/S	C9AZ 7326-C	6 1/2	C9AZ 7328-A	11	1
70/71	A	6&8	All	All 3/S	D0AZ 7326-A	5	D0AZ 7328-C	10 1/4	1
	- B -								
65	B	6	170,200	2.77	C3OZ 7326-C	12 3/4	★C3OZ 7328-C	14 3/4	1
65	♦B	8	All	3.03	CC3OA 7326-B	13 1/8	★C5OZ 7328-A	15 1/2	1
66	B	6	200	2.77	C6OZ 7326-F	13	C6OZ 7328-D	15	1
66/69	B	8	289,302, 351	3.03	C6OZ 7326-E	13 1/2	C6OZ 7328-E	14 1/2	1
66/68	B (column shift)	8	390	3.03	C6OZ 7326-D	14	C6OZ 7328-A	14 1/2	1
67/68	B	6	200	3.03	C6OZ 7326-E	13 1/2	C6OZ 7328-E	14 1/2	1
69	B (column shift)	6&8	250,390	All 3/S	C9OZ 7326-C	14	C9OZ 7328-A	15 1/2	1
69	B (floor shift)	8	390	All 3/S	C9OZ 7326-D	16 1/2	C9OZ 7328-B	11	1
70/71	B	6&8	All	All 3/S	D0OZ 7326-A	12	D0OZ 7328-A	15	1
72	B	6&8	All	All 3/S	D2OZ 7326-B	14	D2OZ 7328-B	16	1
	- F -								
65	F	6	170,200	2.77	C5ZZ 7326-B	20 1/4	C5ZZ 7328-B		1
66	F	6	200	2.77	C6ZZ 7326-B	20 1/2	C6ZZ 7328-B	17	1
67/68	F	6	200	3.03	C5ZZ 7326-C	19 1/4	C5ZZ 7328-A		1
65/68	F	8	All	3.03					1
69/	F	6&8	All	All 3/S	C9ZZ 7326-A	20	C9ZZ 7328-A	15	1
	- P -								
70/	P(column shift)	6	All	All 3/S	D0DZ 7326-B	13 1/2	D3DZ 7328-A	16	1
71/	P(column shift)	8	302	All 3/S	D0DZ 7326-B	13 1/2	D0DZ 7328-C	14 3/8	1
71/	P(console shift)	6&8	All	All 3/S	D1DZ 7326-A	20	D1DZ 7328-A	14 3/8	1

♦ Canada only

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	INTERMEDIATE and HIGH 7326	INTERMEDIATE and HIGH OVERALL LENGTH (INCHES)	LOW and REVERSE 7328	LOW and REVERSE OVERALL LENGTH (INCHES	QTY.
	7326 ROD - TRANSMISSION GEAR SHIFT - continued								
	3 SPEED - continued								
							Attaching parts for connecting rod		
	- U -								
66/	U	6	170	3.03	C6TZ 7326-C	19 5/8	C6TZ 7328-A	21 1/2	1
66/71	U	8	289,302	3.03	D2TZ 7326-B	18 9/64	★C6TZ 7328-C r/b D2TZ 7328-A (10-74)	21	1
72	U	8	302	3.03	D2TZ 7326-B	18 9/64	D2TZ 7328-A	21	1
	- X -								
65	X	6	All	2.77	C5DZ 7326-A	11 3/4	C5DZ 7328-A	13 3/4	1
66/67	X	6	200	2.77	C6OZ 7326-F	13	C6OZ 7328-D	15	1
67/70	X	6	All	3.03	C6OZ 7326-E	13 1/2	C6OZ 7328-E	14 1/2	1
66/70	X	8	All	3.03	C6OZ 7326-E	13 1/2	C6OZ 7328-E	14 1/2	1

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
65/	A, B, X	6&8	All	All 3/S	351341-S7(XX351)	2	Washer-spring-5/16" (Attach 7326 & 7328 rod to gear shift lever)
					44722-S8(X19)	2	Washer-flat-5/16"
65/67	A, B, F, X	6&8	All	All 3/S	354299-S2(MM156)	2	Nut-5/16" x16 (attach. rods to 7353 sleeve)
65/	A, F	6&8	All	All 3/S	352358-S(NN127B)	2	Pin-self locking
66/	B, X	6&8	All	All 3/S		2	
68/	A, B, F, X	6&8	All	All 3/S	382384-S4 (MM169U)	2	Nut-5/16"-24 (attach rods to 7353 sleeve)
65	B, X	6&8	All	All 3/S	72034-S(N45)	2	Cotter pin-1"
65/	F	6&8	All	All 3/S	351467-S(XX352)	2	Washer-spring-3/8"
					372285-S(XX165)	2	Washer - flat - 3/8"
66/	U	6&8	All	All 3/S	379620-S100 (XX16M)	2	Retaining ring-3/8" (attach. rods to gear shift lever)

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	REVERSE GEAR 7B112	REVERSE GEAR OVERALL LENGTH (Inches)	THIRD and FOURTH 7326	THIRD and FOURTH OVERALL LENGTH (Inches)	FIRST and SECOND 7328	FIRST and SECOND OVERALL LENGTH (Inches
	4 SPEED									
	- A -									
65	A (floor shift)- " Before 4/1/65"	8	All	F/4/S	C4AZ 7B112-A	10 3/4	C4AZ 7326-E	13 5/8	C4AZ 7328-C	8 3/4
65/67	A (floor shift w/o console)- " From 4/1/65"	8	All	F/4/S	C4AZ 7B112-A	10 3/4	C5AZ 7326-H	14	C4AZ 7328-C	8 3/4
65/67	A (floor shift w/console)- " From 4/1/65"	8	All	F/4/S	★C5AZ 7B112-A	10 3/4	C5AZ 7326-G	13 3/4	C5AZ 7328-D	8 1/2
68	A	8	All	F/4/S	★C8AZ 7B112-A	14 1/2	C8AZ 7326-A	19	C8AZ 7328-A	13
69	A	8	All	F/4/S	C9AZ 7B112-A	20	C9AZ 7326-B	23	C9AZ 7328-B	17 1/4
	- B -									
65	B	8	All	W/4/S	C2AZ 7B112-B	5 9/16	C3OZ 7326-E	13 1/2	C2AZ 7328-D	10 1/8
65	B	8	All	F/4/S	C4AZ 7B112-A	10 3/4	C4AZ 7326-E	13 5/8	C4AZ 7328-C	8 3/4
66/68	B	8	All	F/4/S	C6OZ 7B112-A	11 3/4	C6OZ 7326-S	15	C6OZ 7328-G	10
69	B	8	All	F/4/S	C9OZ 7B112-A	12 1/2	C6OZ 7326-S	15	C6OZ 7328-G	10
70	B	8	All	F/4/S	D0OZ 7B112-A	14	D0OZ 7326-D	17	D1OZ 7328-A	10 1/2
71	B	8	All	F/4/S	D0OZ 7B112-A	14	D1OZ 7326-A	17	D1OZ 7328-A	10
72	B	8	All	F/4/S	D2OZ 7B112-A	17	D2OZ 7326-A	21	D2OZ 7328-A	13 1/2
	-F -									
65/66	F	6	200	D/4/S	C5ZZ 7B112-B	15	C5ZZ 7326-D	19 3/8	C5ZZ 7328-D	17
65/66	F	8	All	W/4/S	C5ZZ 7B112-C	9 5/8	C5ZZ 7326-F	18 5/16	C5ZZ 7328-E	15 1/2
65/67	F	8	260,289	F/4/S	C5ZZ 7B112-A	15	C5ZZ 7326-H	18 1/4	C5ZZ 7328-F	14
67	F	8	390	F/4/S	★C7ZZ 7B112-A	15 1/2	C5ZZ 7326-H	18 1/4	C5ZZ 7328-F	14
68	F	8	All	F/4/S	C5ZZ 7B112-A	15	C5ZZ 7326-H	18	C5ZZ 7328-F	14
69	F	8	All	F/4/S	C9ZZ 7B112-A	15 3/8	C9ZZ 7326-B	19	C9ZZ 7328-B	12 1/2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	REVERSE GEAR 7B112	REVERSE GEAR OVERALL LENGTH (Inches)	THIRD & FOURTH 7326	THIRD & FOURTH OVERALL LENGTH (Inches)	FIRST & SECOND 7328	FIRST & SECOND OVERALL LENGTH (Inches)
7326 ROD - TRANSMISSION GEAR SHIFT - continued										
	4-SPEED - continued									
	Attaching Parts for Connecting Rods									
	- F -									
70	F	8	302,351	F/4/S	D0ZZ 7B112-A	17	D0ZZ 7326-A	19	D0ZZ 7328-A	14
		8	428	F/4/S	D0ZZ 7B112-B	17				
71/72	F "Before 11/15/71"	8	All	F/4/S	D1ZZ 7B112-A	16	D1ZZ 7326-E	19	D1ZZ 7328-A	12
72	F "From 11/15/71"	8	All	F/4/S	D1ZZ 7B112-A	16	D2ZZ 7326-B	18 5/32	D1ZZ 7328-A	12
	- X -									
65	X	8	All	W/4/S	★C3DZ 7B112-A	3 1/4	C3DZ 7326-B	11 1/4	C3DZ 7328-E	7 3/4
65	X	8	All	F/4/S	★C4DZ 7B112-A	9 1/4	C4DZ 7326-C	13 5/8	★C4DZ 7328-A	6 1/4
66/68	X	8	All	F/4/S	C6OZ 7B112-A	11 3/4	C6OZ 7326-S	15	C6OZ 7328-G	10

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
65/69	A, B, F, X	6&8	All	All 4/S	351467-S (XX352)	3	Washer-spring-3/8" (Rod to trans.gear lever)
					44727-S8(X24)	3	Washer-flat-3/8"
65/67	A, B, F, X	6&8	All	All 4/S	354299-S (MM156)	3	Nut-5/16" -24 (Rod to 7353 sleeve)
65/69	A, B, F, X	6&8	All	All 4/S	352358-S (NN127B)	3	Pin - locking
68/	A, B, F, X	6&8	All	All 4/S	382384-S4 (MM169U)	3	Nut-5/16"-24 (Rods to 7353 sleeve)
7328	Refer to Group 7326						
7328	**ROD - TRANSMISSION GEAR SHIFT INTERLOCK**						
65/67	A	8	240,289	O/D	C5AZ 7328-C	1	8 3/4" overall length
65/67	A	6&8	All	All 3/S	351467-S (XX352)	1	Washer-spring-3/8" (Rod to 7C173 lever)
					44727-S8(X24)	1	Washer-flat-3/8"
					72034-S(N45)	1	Cotter pin - 1"
					354299-S (MM156)	1	Nut-5/16" -24 x 5/16"(Rod to 7353 sleeve)
7E330	**ROD - TRANSMISSION LOCK CONTROL**						
70/	B	8	All	F/4/S	D0OZ 7E330-D	1	16 45/64" long-#Yellow paint-#D0OA 7E330-H
70	F	6&8	All	All 3/S	D0ZZ 7E330-B	1	12" long-#D0ZA 7E330-T
70	F(exc. Boss)	8	All	F/4/S	D0ZZ 7E330-C	1	14 1/2" long-#D0ZA 7E330-S
70	F(Boss)	8	429	F/4/S	D0ZZ 7E330-F	1	
71/	F	8	All	F/4/S	D1ZZ 7E330-D	1	Approx. 11" long-#daub of green paint
71/	F	6&8	All	All 3/S	D1ZZ 7E330-E	1	Approx. 12" long-daub of purple paint
71/	P	6	All	All 3/S	D1DZ 7E330-B	1	Approx. 15" long-#daub of orange paint
71/	P	8	302	All 3/S	D1DZ 7E330-A	1	
7335	**BUSHING - TRANSMISSION GEAR SHIFT LEVER SOCKET**						
	- A -						
65	A (exc. P/C & Fleet)- "Before 1/11/65"	6&8	All	All 3/S	C4AZ 7335-B	2	Upper & lower - 1 9/16" O.D. -1 1/2" I.D.
65/66	A (P/C & Fleet)	6&8	All	All 3/S		1	Upper
67/68	A	6&8	All	All 3/S		1	Intermediate
68/71	A	6&8	All	All 3/S		1	Lower
65/67	A "From 1/11/65"	6&8	All	All 3/S	C5AZ 7335-A	1	Upper-1 9/16" O.D. -1 1/4" I.D.
65/67	A	6&8	All	All 3/S	C4AZ 7335-C	1	Lower - 1 3/4" O.D.-1 1/2" I.D.
68/	A	6&8	All	All 3/S	C8AZ 7335-A	1	Upper - 1 9/16" O.D.-1 1/4" I.D.
	- B -						
66/67	B	6&8	All	All 3/S	C5AZ 7335-A	1	Intermediate - 1 9/16" O.D.-1 1/4" I.D.
66/67	B	6&8	All	All 3/S	C4AZ 7335-B	1	Upper - 1 9/16" O.D.-1 1/2" I.D.
68/	B	6&8	All	All 3/S		1	Intermediate
68	B	6&8	All	All 3/S	C4AZ 7335-C	1	Lower - 1 3/4" O.D.-1 1/2" I.D.

Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7335 BUSHING - TRANSMISSION GEAR SHIFT LEVER SOCKET - continued						
	- B -						
68/	B	6&8	All	All 3/S	C8AZ 7335-A	1	Upper - 1 9/16" O.D.-1 1/4" I.D.
69/71	B	6&8	All	All 3/S	C9AZ 7335-A	1	Lower-1 13/16" I.D.-7/16" wide
72	B	6&8	All	All 3/S	D2OZ 7335-A	1	Lower-1 5/8" I.D.-1 57/64" flange dia.-1/2" wide
	- P -						
70/	P	6&8	All	All 3/S	C9AZ 7335-A	1	Lower - 1 13/16" I.D.-7/16" wide
70	P	6	All	All 3/S	C4AZ 7335-B	1	Intermediate - 1 9/16" O.D.-1 1/2" I.D.
70/	P	6&8	All	All 3/S	C8AZ 7335-A	1	Upper - 1 9/16" O.D.-1 1/4" I.D.
	- U -						
66/	U	6&8	All	All 3/S	C6TZ 7335-A	2	Upper & lower 5/8" O. D.
	- X -						
66/67	X	6&8	All	All 3/S	C4AZ 7335-B	1	Upper - 1 9/16" O.D.-1 1/2" I.D.
68/70	X	6&8	All	All 3/S		1	Intermediate
66/67	X	6&8	All	All 3/S	C5AZ 7335-A	1	Intermediate - 1 9/16" O.D.-1 1/4" I.D.
68	X	6&8	All	All 3/S	C4AZ 7335-C	1	Lower - 1 3/4" O.D.-1 1/2" I.D.
68/70	X	6&8	All	All 3/S	C8AZ 7335-A	1	Upper - 1 9/16" O.D.-1 1/4" I.D.
69/70	X	6&8	All	All 3/S	C9AZ 7335-A	1	Lower - 1 13/16" I.D.-7/16" wide
	7335 SLEEVE - TRANSMISSION GEAR SHIFT LEVER IMPACT						
65/71	A, B, X, P	6&8	All	All 3/S	B8S 7335-A	1	
72	B, P	6&8	All	All 3/S	D2AZ 7335-A	1	3/8" O.D.-13/64" I.D.-7/16" long
	7336 SPACER - TRANSMISSION GEAR SHIFT CONTROL ARM						
66/67	B, X	6&8	All	All 3/S	C6OZ 7336-A	1	" U" shaped-3/16" thick
66/72	U "Before Ser. P60, 001"	6&8	All	All 3/S	C5TZ 7336-A	1	
72	U "From Ser. P60, 001"	6&8	All	All 3/S	D2TZ 7336-B	1	
65	X	6&8	All	All 3/S	C1DF 7336-A	1	" C" type-1/8" thick
	7341 INSULATOR - TRANSMISSION GEAR SHIFT SELECTOR ARM -Also refer to Group 7343						
65/67	A (P/C & Fleet)	6&8	All	All 3/S	C5AZ 7341-A	1	
68/	A, B, X	6&8	All	All 3/S	C8OZ 7341-A	AR	3/8" I.D.-3/8" long
70/	B, F	8	All	F/4/S		AR	
70/	P (column shift)	6	All	All 3/S		AR	
71	P (floor shift)	6	All	All 3/S	D0ZZ 7341-A	1	
72	F	6&8	All	All		1	
	7E341 PAWL - GEAR SHIFT CROSSOVER						
70/	F	6&8	All	All 3/S	D0ZZ 7E341-A	1	2 11/16" x 1 1/4" x 3/4
71/	P	6&8	All	All 3/S		1	
	7343 BUSHING - TRANSMISSION GEAR SHIFT SELECTOR ARM INSULATOR						
65/68	A, B, X	6&8	All	All 3/S	C1AA 7343-B	2	
69	B, X	6&8	All	All 3/S		1	
	7343 BUSHING and INSULATOR KIT - GEAR SHIFT						
65/67	A, F	6&8	All	All	B9AZ 7343-A	1	Consist of: (1) insulator, (1) bushing
65/67	B, X	6&8	All	All	C3TZ 7343-A	1	Consist of: (1) insulator, (1) bushing
66/	U	6&8	All	All 3/S	C5TZ 7343-A	1	Consist of: (1) insulator, (1) bushing
	7347 BEARING - STEERING COLUMN TUBE - Used with group 3514						
68	A, B, X (column shift)	6&8	All	All 3/S	C8AZ 7347-B	1	1 3/16" I. D. -1 5/16" long
68	A, B, F, X (floor shift)	6&8	All	All	C7ZZ 7347-C	1	Upper-2 1/8" O. D. -5/8" long-3 tabs
					C8AZ 7347-B	1	Lower-1 3/16" I.D.-1 5/16" long
69/71	A, B (column shift)	6&8	All	All	C9AZ 7347-C	1	Upper-2 3/16" dia.
69/70	X	6&8	All	All		1	
70/	P (column shift)	6&8	All	All		1	
69/72	A, B, F, P	6&8	All	All	D1AZ 7347-A	1	Lower-1 5/8" flange O.D.-1 5/16" I.D. x
69/70	X	6&8	All	All		1	1 5/8" long
70	P	6&8	All	All	★50742-S	3	Screw & internal tooth washer-fillister head-No.8-32 x 1/4"
69/71	A, B, F (floor shift)	6&8	All	All	C9AZ 7347-E	1	Upper-2 1/8" dia.
69/70	X (floor shift)	6&8	All	All		1	
71/	P (floor shift)	6&8	All	All		1	
72	F	6&8	All	All		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7347 BEARING - TRANSMISSION GEAR SHIFT TUBE - Used with group 7212						
65/68	A, B	6&8	All	All 3/S	C5AZ 7347-A	1	1 9/16" I. D. -2 11/16" large O. D. -1 7/8" flange
69/71	A, B	6&8	All	All 3/S	@★C9AZ 7347-B	1	1 3/4" I.D.-1 3/4" long-3" on flats
70/72	P "Before 1/10/72"	6&8	All	All 3/S		1	r/b D2AZ 7347-A (10-73)
69/70	X	6&8	All	All 3/S		1	
65	★B	6&8	All	All 3/S	C3OZ 7347-A	1	
68	X	6&8	All	All3/S		1	O. D. -2 slots for 7302 & 7303 levers
65	♦B	6&8	All	All 3/S	CC3OA 7347-A	1	
72	B "Before 9/1/71"	6&8	All	All 3/S	D2OZ 7347-A	1	2 5/8" O.D., 2 1/4" wide
72	B "From 9/1/71 to 10/18/71"	6&8	All	All 3/S	D2OZ 7347-D	1	2 5/8" O.D., 2 1/4" wide
72	B "From 10/18/71"	6&8	All	All 3/S	D2OZ 7347-E	1	
72	P "From 1/10/72"	6&8	All	All 3/S	@D2AZ 7347-A	1	
	7348 RETAINER - TRANSMISSION GEAR SHIFT LEVER - Also serviced in 7400 assembly						
65/67	A	8	All	F/4/S	C5ZZ 7348-B	1	(3) mounting holes-2" x 1 1/2" center distance
65/68	B	8	All	F/4/S		1	
65/68	F	6&8	All	All		1	
66/68	X	8	All	F/4/S		1	
69	A, B, F	8	All	F/4/S	C9AZ 7348-A	1	
65	B, X	6&8	All	W/4/S	★C3AZ 7348-B	1	(3)mounting holes-2 7/8"x 1 3/16" x1 15/16" center distance
65/69	A, B, F, X	6&8	All	All 4/S	★55588-S8	1	Screw & lockwasher 1/4" -28 x 3/8" (retainer to 7416 support)
					376444-S(B585A)	1	Screw & lockwasher 1/4" -28 x 2"
65/69	F	6&8	All	All	379575-S2(XX365A)	2	Washer - spring - 1"
	7C349 SPRING - TRANSMISSION GEAR SHIFT DETENT						
69	A, B, F	8	All	F/4/S	C9AZ 7C349-A	1	1 7/8" long-13/16" wide
	7353 SLEEVE - TRANSMISSION GEAR SHIFT CONNECTING ROD ADJUSTMENT						
65	B	8	All	W/4/S	C2AZ 7353-A	3	1 1/4" long-7/16" long threaded area
68	A, B, X	8	All	F/4/S		3	
65/67	A	6&8	All	O/D		2	
66/68	B (floor shift)	8	390	3.03		2	
65/68	F	6&8	All	All		3	
70	F	6&8	All	All 3/S		3	
71/	F, P (floor shift)	6&8	All	All 3/S		1	
65/68	A	6&8	All	3.03	C1AA 7353-C	2	1 7/16" long-1/2" long threaded area
65/68	B (column shift)	6&8	All	All 3/S		2	
65/68	X	6&8	All	All 3/S		2	
69/	A	6&8	All	All	D1OZ 7353-A	1	1 3/8" long
69	B, F (console or floor shift)	8	All	F/4/S		3	
69	F	6&8	All	All 3/S		AR	
70/	B, F	8	All	F/4/S		AR	
70/	B, F, P(column shift)	6&8	All	All 3/S		AR	
69	B, F (console or floor shift)	6&8	All	All 3/S	C9OZ 7353-A	1	1 3/8" long-15/32" from flange to pin hole
69	B, X (column shift)	6&8	All	All 3/S	C9OZ 7353-B	1	1 7/16" long-1/2" from flange to pin hole
66/71	U	6&8	All	All 3/S	C5TZ 7353-B	2	1 3/8" long
72	U	6&8	All	All 3/S	D2TZ 7353-A	1	1 1/8" long
65/68	A, B, F, X	6&8	All	All	44727-S8(X24)	AR	Washer-flat-3/8"
					351467-S(XX352)	AR	Washer-spring-3/8"
					72034-S(N45)	AR	Cotter pin-1"
					354299-S2(MM156)	AR	Nut-5/16"-24 hex.
					33846-S8(M69)	AR	Nut-1/2" -20 hex.
					34809-S8(X68)	AR	Lockwasher-1/2"

☆ U.S. only ♦ Canada only
@ D2AZ 7347-A required on "P" vehicles built before 1/10/72 when D2DZ 7212-B is used.

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7353 SLEEVE - TRANSMISSION GEAR SHIFT CONNECTING ROD ADJUSTMENT -continued						
69/	A, B, F, X	6&8	All	All	383098-S (MM173TC)	AR	Nut-5/16"-18"
66/71	U	6&8	All	All	33923-S(M32)	2	Nut-5/16"-24 hex.
					379620-S100 (XX16M)	2	Retaining ring-3/8"
72	U	6&8	All	All	33798-S8(M62)	2	Nut-5/16"-24 hex.
	7354 CLEVIS - TRANSFER CASE SHIFT ROD						
66	U	6&8	All	All 3/S	C6TZ 7354-A	1	" U" shaped-1 11/16" long 1/4" wide slot
	7D358 PLATE - TRANSMISSION CONSOLE GEAR SHIFT LEVER OPENING TRIM-Also refer to Body Section Group 04567						
69	A	8	All	F/4/S	C9AZ 7D358-A	1	#C9AA 7D358-A - paint to match
66/68	B, X (floor shift)	8	All	F/4/S	C6OZ 7D358-A	1	6 9/16" x 4 5/16" chromed-paint to match
66/68	B	8	390	3.03		1	
65	F "Before 2/9/65"	6&8	All	All	★C5ZZ 7C309-A	1	Without A/C
65/66	F "From 2/9/65"	6&8	All	All	C5ZZ 7C309-E	1	Without A/C
65/66	F	6&8	All	All	★C5ZZ 7C309-B	1	With A/C
67	F	6&8	All	All	C7ZZ 7C309-A	1	
	7361 PLUNGER - TRANSFER CASE CONTROL SELECTOR LEVER						
66/	U "	6&8	All	All 3/S	C6TZ 7361-A	1	1 3/8" long - 3/8" dia.
					374985-S(UU33K)	2	Screw-hex. socket set No. 10-3/16" -32 (Plunger to 7213 "T" handle)
	7D362 COVER - TRANSMISSION GEAR SHIFT LEVER OPENING						
65	A (console shift)	8	All	F/4/S	★C5AZ 7D362-A	1	Replaced by (1)of each C5AZ 7B233-B, C5AZ 7D358-A, C5AZ 7D440-A
	7E362 INSERT - TRANSMISSION CONTROL SELECTOR HOUSING						
70/71	A, B, P	6&8	All	All 3/S	D0AZ 7E362-A	1	
72	P	6&8	All	All 3/S		1	
	7D363 WASHER - TRANSMISSION GEAR SHIFT ARM THRUST						
66/	U	6&8	All	All 3/S	C5TZ 7D363-A	2	
	7378 SHAFT - TRANSMISSION GEAR SHIFT LEVER SUPPORT						
65/66	B, F, X	6&8	All	D&W/4/S	C3AZ 7378-A	1	3 7/8" long-5/8" dia.
65/67	A(w/o console)	8	All	F/4/S	C5ZZ 7378-A	1	3 15/16" long-7/8" dia.-includes 7A111 pin
65	A(w/console)- "Before 4/1/65"	8	All	F/4/S		1	
65/68	B, X	8	All	F/4/S		1	
66/68	B	8	390	3.03		1	
65/68	F	6&8	All	All		1	
65/67	A(w/console)- "From 4/1/65"	8	All	F/4/S	★C5AZ 7378-A	1	4 7/8" long-7/8" dia.-includes 7A111 pin
69	A, B, F	8	All	F/4/S	C9AZ 7378-A	1	3 1/2" long-1/2" dia.-3/8"-16 threads at both ends-includes (2) 34977 nuts
69	B, F	6&8	All	All 3/S	C9OZ 7378-A	1	2 3/8" long-3/8"-16 threads at one end-5/16"
70/	F	6&8	All	All 3/S		1	hex.hd. at the other
71/	P	6&8	All	All 3/S		1	
65/69	A, B, F, X	6&8	All	F/4/S	97527-S(Q-1-B)	1	Ring-snap-13/16" I. D.
65/	B, F, P	6&8	All	All 3/S		1	
68	A	8	All	F/4/S	381845-S (WW106D)	1	Stud-3 1/2" long-3/8"-16 threads at both ends
65/66	B, F, X	6&8	All	D&W/4/S	97474-S(QQ4)	1	Ring snap-9/16" I. D.
68	B, F, X	6&8	All	All 4/S	382643-S (NN54H)	1	Pin-9/32" x 1 9/16" dowel

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7C383 SPACER - TRANSMISSION GEAR SHIFT LEVER SUPPORT - Also serviced in 7400 assembly						
65/68	B, F (floor or console shift)	6&8	All	All	C5ZZ 7C383-B	1	Cup type
69/70	B	6&8	All	All 3/S	C9OZ 7C383-A	1	2" long-1/2" dia. tube
69/	F	6&8	All	All 3/S		1	
71/	P	6	All	All 3/S		1	
	7E391 BEZEL - TRANSMISSION GEAR SHIFT LEVER BOOT - Also Refer to Group 7262						
71/	F	6&8	All	All	D1ZZ 7E391-A	1	8 5/16" long x 6 1/2" wide x 1/8" thick
72	B (console shift)	8	All	F/4/S	D2OZ 7E391-A	1	8" long x 6 1/2" wide x 7/8" thick
72	L (with shift pattern)	4	All	All	D2FZ 7E391-A	1	Includes 1-383927-S pin
	7D395 INSULATOR - TRANSMISSION GEAR SHIFT RELAY LEVER ROD PIN						
65/67	A	6&8	All	All 3/S	C5AZ 7D395-A	2	
71	A	6&8	All	All 3/S		2	
	7E397 SEAL - TRANSMISSION SHIFT ROD						
71/	L	4	All	All	D1FZ 7E397-A	1	13/16" O.D.-11/16" I.D.-5/32" thick
	7398 SUPPORT - TRANSMISSION GEAR SHIFT LEVER - Refer to Group 7416						
	7400 CONTROL ASSY. - TRANSMISSION FLOOR MOUNTED GEAR SHIFT						
	- A -						
65/67	A (w/o console)	8	All	F/4/S	C4AZ 7400-D	1	
65	A (w/console)- "Before 4/1/65"	8	All	F/4/S		1	
65/67	A (w/console) "From 4/1/65"	8	All	F/4/S	C6AZ 7400-A	1	
68	A	8	All	F/4/S	C8AZ 7400-A	1	
69	A	8	All	F/4/S	C9AZ 7400-B	1	
	- B -						
65	B	8	All	W/4/S	★C3AZ 7400-E	1	r/b C3DZ 7400-D (4-72)
65	B	8	All	F/4/S	C4AZ 7400-D	1	
66/68	B	8	390	3. 03	C8OZ 7400-B	1	
66/68	B "Before 12/1/68"	8	All	F/4/S	C6OZ 7400-F	1	
68	B "From 12/1/68"	8	All	F/4/S	C8OZ 7400-A	1	
69	B	8	All	F/4/S	C9OZ 7400-A	1	
69	B	6&8	All	All 3/S	C9OZ 7400-B	1	
70/71	B	8	All	F/4/S	D1OZ 7400-A	1	"Hurst"
72	B	8	All	F/4/S	D2OZ 7400-A	1	"Hurst"
	- F -						
65/68	F	6&8	All	All 3/S	C8ZZ 7400-B	1	
70	F	8.	All	F/4/S	D0ZZ 7400-D	1	"Hurst"
65/68	F "Before 1/2/68"	6&8	170,200, 260, 289, 302	All 4/S	C5ZZ 7400-D	1	
68	F "From 1/2/68"	6&8	200,289, 302	F/4/S	C8ZZ 7400-A	1	
67/68	F "Before 1/2/68"	8	390	F/4/S	C7ZZ 7400-C	1	
68	F "From 1/2/68"	8	390,428	F/4/S	C8ZZ 7400-C	1	
69	F	8	All	F/4/S	C9OZ 7400-A	1	
69	F	6&8	All	All 3/S	C9OZ 7400-B	1	
70	F	6&8	All	All 3/S	D0ZZ 7400-A	1	
71/	F	6&8	All	All 3/S	D1ZZ 7400-A	1	# Daub of Orange paint
71/	F	8	All	F/4/S	D1ZZ 7400-B	1	#Daub of Blue paint

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7400 CONTROL ASSY. - TRANSMISSION FLOOR MOUNTED GEAR SHIFT - continued						
	- P -						
71/	P	6&8	All	All 3/S	D1DZ 7400-A	1	
	- X -						
65	X	8	All	W/4/S	C3DZ 7400-F	1	
65	X	8	All	F/4/S	C4DZ 7400-D	1	
66/68	X "Before 12/1/68"	8	All	F/4/S	C6OZ 7400-F	1	
68	X "From 12/1/68"	8	All	F/4/S	C8OZ 7400-A	1	
	7E400 CLAMP KIT - TRANSMISSION GEAR SHIFT TUBE						
72	B	6&8	All	All 3/S	D2OZ 7E400-A	1	Consists of- (1) D2OA 7E400-AB clamp, (1) D2OA 7E399-AB clamp assy, (1) 379930-S2 nut
	7C402 PIN - TRANSMISSION GEAR SHIFT LEVER SOCKET RETAINING						
65/66	A (P/C & Fleet)- " Before 3/24/66"	6&8	All	All 3/S	★C5AZ 7C402-B	1	
66/71	A (P/C & Fleet)- " From 3/24/66"	6&8	All	All 3/S	C6AZ 7C402-A	1	
					★97511-S	1	Snap ring-1/4" I. D. (pin to 7210 lever)
	7E403 REINFORCEMENT - TRANSMISSION SHIFT SHAFT						
72	B	6&8	All	All 3/S	D2OZ 7E403-A	1	
					384688-S2 (MM227E)	3	Nut-5/16"-18 (attach rein. to dash)
	7C404 NUT - TRANSMISSION GEAR SHIFT LEVER BALL LOCK						
65/67	A, B, F, X	6&8	All	All 4/S	C2AZ 7C404-B	1	1/2" -20 threads-1 3/4" O. D. chrome
68/69	A, B, F, X	6&8	All	All 4/S	C8OZ 7C404-A	1	1/2" -20 threads-zinc coated
68	B, F "Before 1/2/68"	6&8	All	All 3/S		1	
68/70	B "From 1/2/68"	6&8	All	All 3/S	C8OZ 7C404-B	1	7/16"-20 threads
68/	F "From 1/2/68"	6&8	All	All 3/S		1	
71/	P	6	All	All 3/S		1	
72	B, F	8	All	All 4/S		1	
70/71	A, B, F	8	All	F/4/S	D1OZ 7C404-A	1	3/8"-16 threads-5/16" chrome nut
71/	L(exc. Squire & Luxury Decor)	4	All	All	D1FZ 7C404-A	1	3/4" dia. -5/16" thick
72	L(Squire & Luxury Decor)	4	All	All	D2FZ 7C404-A	1	
	7E405 COVER - TRANSMISSION GEAR SHIFT SLEEVE						
72	B	6&8	All	All 3/S	D2OZ 7E405-A	1	
	7E409 EXTENSION - TRANSMISSION GEAR SHIFT ARM						
72	B	6&8	All	All 3/S	D2OZ 7E409-A	1	
	7B415 STUD - TRANSMISSION GEAR SHIFT CONNECTING ROD ADJUSTMENT						
70/	B	8	All	F/4/S	D0OZ 7B415-A	AR	1 1/4" long-5/16"-18 threads at one end-
72	P	6&8	All	All		AR	5/16" dia. ball at other
70/	F	6&8	All	All		AR	
	7416 SUPPORT - TRANSMISSION GEAR SHIFT LEVER						
69	A, B, F	8	All	F/4/S	C9AZ 7416-B	1	
65/66	F "Before 3/1/66"	6&8	All	All 3/S	★C5ZZ 7416-A	1	
66	B, X	8	All	F/4/S	C5ZZ 7416-B	1	
65/66	F	6&8	All	All 4/S		1	
66/68	F "From 3/1/66"	6&8	200,289, 302	3.03		1	

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7416 SUPPORT - TRANSMISSION GEAR SHIFT LEVER - continued						
67/68	B, F, X	8	All	F/4/S	C7OZ 7416-A	1	
67/68	B, F (floor shift)	8	390	3.03		1	
69	B, F	6&8	All	All 3/S	C9OZ 7416-B	1	
70/	F	6&8	All	All 3/S	D0ZZ 7416-A	1	
71/	P	6	All	All 3/S		1	
	7E417 PLATE - TRANSMISSION GEAR SHIFT TUBE BRACKET						
72	B	6&8	All	All 3/S	D2OZ 7E417-A	1	2 19/64" long, 59/64" wide, 1/16" thick
	7K423 SHAFT - TRANSMISSION GEAR SHIFT						
72	B "Before 4/3/72"	6&8	All	All 3/S	D2OZ 7K423-A	1	Includes 7302-7303 arms and bushings
72	B "From 4/3/72"	6&8	All	All 3/S	D2OZ 7K423-B	1	Includes 7302-7303 arms & bushings
	7433 ROD - TRANSFER CASE BELLCRANK CONNECTING						
66	U "Before 830, 001"	6&8	All	All 3/S	C6TZ 7433-A	1	
	7D439 PIN - TRANSMISSION GEAR SHIFT LEVER PILOT						
68/	A, B, P(column shift)	6&8	All	All 3/S	C8AZ 7D439-A	1	Also serviced in 7210
68/70	X(column shift)	6&8	All	All 3/S		1	
	7A440 BUSHING-ACCELERATOR ROD						
66/68	B, F, X	6&8	All	All	C5ZZ 7A440-A	1	5/16" long-nylon
	7D440 BEARING - TRANSMISSION GEAR SHIFT LEVER OPENING PLATE						
65	A (console shift)	8	All	All 4/S	★C5AZ 7D440-A	1	
	7E440 SWITCH ASSY. - TRANSMISSION SPARK CONTROL						
72	B, F, P	6&8	All	All 3/S	D2OZ 7E440-A (SW-1110)	1	
72	L	4	All	All 4/S	D2FZ 7E440-A (SW-1109)	1	
72	B, F	8	All	All 4/S	D2ZZ 7E440-A (SW-1111)	1	
	7A441 KIT - COLUMN MOUNTED TRANSMISSION CONTROL SELECTOR LOCK						
68/69	A, B, S, X (column shift-fixed wheel)	6&8	All	All	C9AZ 7A441-A	1	Consists of - (1) lock, (2) spacers, (1) adapter, (1) bushing, (2) plugs, (2) keys, (4) screws & (1) installation sketch NOTE: Key C9AZ 7E327-A and plug are also serviced separately
	7K444 COVER - TRANSMISSION GEAR SHIFT HOUSING - LOWER						
72	B	6&8	All	All 3/S	D2OZ 7K444-A	1	3 23/64" long-attaches to 7K423 shaft assy.
					45037-S(M117)	AR	Spring nut - attaches 7K444 to 7K423
	7E464 WIRING ASSY. - TRANSMISSION SEAT BELT WARNING SENSOR SWITCH						
72	B, F (exc. GT & Boss)	8	351-4B	F/4/S	D2ZZ 7E464-A	1	22" long
72	F	8	351-2V	All 3/S	D2ZZ 7E464-B	1	29-30" long
72	F (GT, Boss)- "From 7/3/72"	8	351-4B	All	D3OZ 7E464-A	1	
72	F "From 7/3/72"	8	351C-2B	All	D3ZZ 7E464-A	1	Exc. Calif.
	7C488 BUTTON - TRANSFER CASE SHIFT CONTROL HANDLE						
66/71	U "From Ser. 830, 001"	6&8	All	All 3/S	C5ZZ 7C488-D	1	R.H. -dummy
					C6TZ 7C488-A	1	L.H. -release
					374985-S8(UU33K)	1	Screw-10-32 x .18 set
72	U	6&8	All	All 3/S	C8ZZ 7C488-A	1	R.H.-dummy #Black
					C6TZ 7C488-A	1	L.H.-release

Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
7A504	**EXTENSION - CLUTCH RELEASE ROD**						
69/72	U	6&8	All	All 3/S	D0TZ 7A504-A	1	2 27/32" long
7505	**HOUSING ASSY. - CLUTCH** - Also refer to group 6392 and 7976						
66/	U	6	170	All 3/S	C6TZ 7505-B	1	
66/	U	8	289,302	All 3/S			Refer to basic 6392, Section 60.3
7506	**SHAFT - CLUTCH & BRAKE PEDAL PIVOT**						
66/	U	6&8	All	All 3/S	C6TZ 7506-A	1	8 5/8" long-5/8" diameter
					72035-S7(N51)	2	Cotter pin-1" (shaft to pedal)
7507	**MOUNTING - CLUTCH RELEASE EQUALIZER BAR**						

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	INNER (ENGINE SIDE) 7A531, 7A572	OUTER (FRAME SIDE) 7507	QTY.
	- A -						
65	A	6&8	All	All	C5AZ 7A531-A	C5AZ 7507-A	1
66/68	A "Before 1/2/68"	6&8	All	All	C5AZ 7A531-A	C5AZ 7507-B	1
68	A "From 1/2/68"	6&8	All	All	C5AZ 7A531-A	C8AZ 7507-A	1
69/71	A	6&8	All	All	C5AZ 7A531-A	C9AZ 7507-A	1
	- B -						
65	B	6&8	All exc. Spl.	All	C2OA 7A531-B	C2OZ 7507-A	1
65	B	8	Spl.	All 4/S	C5OZ 7A531-A	C2OZ 7507-A	1
66	B	6&8	200,289	All	C6OZ 7A531-B	C6OZ 7507-B	1
66	B	8	390	All	C6OZ 7A572-C	C6OZ 7507-B	1
67/68	B	6	200	All 3/S	C6OZ 7A531-B	C2OZ 7507-A	1
67/68	B	8	289,302	All	C6OZ 7A531-B	C7OZ 7507-A	1
67/69	B	8	390,427, 428	All	C7OZ 7A572-A	C6OZ 7507-B	1
69	B	6	All	All	C2OA 7A531-B	C2OZ 7507-A	1
69	B	8	302,351	All	C2OA 7A531-B	C7OZ 7507-A	1
70/71	B	6&8	All exc.429	All	C2OA 7A531-B	D0OZ 7507-B	1
70	B "Before 11/17/69"	8	429	F/4/S	D0OZ 7A572-B	D0OZ 7507-A	1
70/71	B "From 11/17/69"	8	429	F/4/S	D0OZ 7A572-C	D0OZ 7507-C	1
72	B	6&8	250,302, 351	All	D1ZZ 7A572-A	Serviced in 7528 only	1
	- F -						
65	F	8	289 Spl.	All 4/S	C5OZ 7A531-A	C5ZZ 7507-A	1
65/69	F	6&8	All exc. Spl., 351, 390,428	All	C2OA 7A531-B	C5ZZ 7507-A	1
66/67	F(Special)	8	289	All 4/S	C6OZ 7A531-A	C5ZZ 7507-A	1
69/70	F	8	351	All			1
69/70	F	8	302	All			1
67/70	F	8	390,428	All	C7ZZ 7A572-B	C7ZZ 7507-B	1
69/70	F(Boss 429)	8	429	F/4/S	C9ZZ 7A572-A	C7ZZ 7507-B	1
71/	F	6&8	250,302, 351	All	D1ZZ 7A572-A	Serviced in 7528 only	1
71	F	8	429	F/4/S	D1ZZ 7A572-B	Serviced in 7528 only	1
	- P -						
70/	P	6	All	All	C6OZ 7A531-B	C2OZ 7507-A	1
71/	P	8	302	All	D1DZ 7A531-A	D1DZ 7507-A	1
	- U -						
66/	U	6	170	All 3/S	C6TZ 7A572-A	C6TZ 7507-D	1
66/	U	8	289,302	All 3/S	C6TZ 7A572-B	C6TZ 7507-D	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	INNER (ENGINE SIDE) 7A531, 7A572	OUTER (FRAME SIDE) 7507	QTY.
7507	**MOUNTING - CLUTCH RELEASE EQUALIZER BAR - continued**						
	-X-						
65	X	6&8	All	All	C2OA 7A531-B	C5ZZ 7507-A	1
66	X	6&8	All	All	C6OZ 7A531-B	C6OZ 7507-B	1
69	X	6	All	All	C2OA 7A531-B	C2OZ 7507-A	1
69	X	8	302	All	C2OA 7A531-B	C7OZ 7507-A	1
67/68	X	6	All	All	C6OZ 7A531-B	C2OZ 7507-A	1
70	X	6	All	All			1
67/68	X	8	All	All	C6OZ 7A531-B	C7OZ 7507-A	1
70	X	8	All	All			1

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
65/	A, B, F, U, X	6&8	All	All			Attaching parts for mountings to frame
					20348-S7(B77)	2	Bolt-3/8"-16 x 3/4"
					20388-S8(B80)	2	Bolt-3/8"-16 x 1"
					372158-S(BB572F)		Bolt & washer assy.-3/8"-16 x 1 1/8"
					373162-S(BB563A)	2	Bolt & washer assy.-3/8"-16 x 1 1/8"
					375750-S8 (MM120)	2	Nut-3/8"-16 x 13/16"
					34807-S8(X66)	AR	Lockwasher-3/8"
					44727-S(X24)	AR	Lockwasher-3/8"
					351517-S(XX206)	AR	Washer-felt-5/8" I.D.
					56340-S(B323)	1	Bolt & washer-3/8"-16 x 1"
					371613-S(XX202)	1	Washer-9/16"
					358979-S(XX224)	2	Washer-felt-11/16"
65/	A, B, F, U, X	6&8	All	All			Attaching parts for mountings to engine or flywheel housing
					20346-S8(B50)	2	Bolt-5/16"-18 x 3/4"
					20348-S8(B77)	2	Bolt-3/8"-16 x 3/4"
					20388-S8(B80)	2	Bolt-3/8"-16 x 1"
					20428-S7(B82)	1	Bolt-3/8"-16 x 1 1/4"
					20472-S7(B122A)	1	Bolt-1/2"-13 x 1 1/2"
					20538-S8(B125)	1	Bolt-1/2"-13 x 2 1/4"
					34806-S7(X64)	AR	Lockwasher-5/16"
					358979-S(X224)	AR	Washer-felt 11/16"
7B507	**RETAINER - CLUTCH PEDAL ROD SEAL**						
65/66	F	6&8	All	All	C5ZZ 7B507-A	1	
7513	**SHIELD - CLUTCH RELEASE LEVER DUST**						
	-A-						
65/71	A	6&8	All	All	C5AZ 7513-A	1	3 5/8" x 3 1/16" x 6 1/2"
	-B-						
65	B,	6	All	2.77	C3OZ 7513-A	1	2 7/8" x 2 13/16" x 1 1/2"
65	B	6&8	All	All exc. 2.77	C6OZ 7513-C	1	3 5/8" x 3 1/16" x 3 15/16"-bellows type
66/71	B	6&8	250,289, 302,351	All		1	
66	B	6	200	2.77	C6OZ 7513-B	1	2 7/8" x 3 1/16" x 3 1/2"-bellows type
66/68	B	6	200	3.03	C6GY 7513-A	1	2 7/8" x 3 1/16" x 3 3/16"
66/69	B	8	390,427, 428	All	C6OZ 7513-A	1	3 5/8" x 3 1/16" x 5 7/16"
70/71	B	8	429	F/4/S	D0OZ 7513-A	1	3 1/2" x 4" x 3 5/16" -sleeve shank
72	B	6&8	All	All	C5AZ 7513-A	1	3 5/8" x 3 1/16" x 6 1/2"
	-F-						
65	F	6	All	2.77	C3OZ 7513-A	1	2 7/8" x 2 13/16" x 1 1/2"
65	F	8	289	All	C6OZ 7513-C	1	3 5/8" x 3 1/16" x 3 15/16"-bellows type
66/71	F	6&8	250,289, 302,351, exc.Spl.	All		1	

YEAR	MODEL		ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
7513	**SHIELD - CLUTCH RELEASE LEVER DUST - continued**							
	- F -							
66	F		6	200	2.77	C6OZ 7513-B	1	2 7/8" x 3 1/16" x 3 1/2"-bellows type
66/70	F		6	170,200	3.03	C6GY 7513-A	1	2 7/8" x 3 1/16" x 3 3/16"
66/70	F		8	390,427, 428	All	C6OZ 7513-A	1	3 5/8" x 3 1/16" x 5 7/16"
70/71	F		8	429	F/4/S	C5AZ 7513-A	1	3 5/8" x 3 1/16" x 6 1/2"
71	F Boss		8	351Spl.	F/4/S		1	
72	F		6&8	All	All		1	
	- L -							
71/	L		4	All	All	D1FZ 7513-B	1	
	- P -							
70/71	P		6&8	All	All	C6GY 7513-A	1	2 7/8" x 3 1/16" x 3 3/16"
72	P		6	All	All		1	
72	P		8	All	All	C6OZ 7513-C	1	3 5/8" x 3 1/16" x 3 15/16"-bellows type
	- U -							
66/	U		6	170	All	C6TZ 7513-A	1	3 3/16" x 2 15/16" x 1 3/8"
66/	U		8	289,302	All	C5TZ 7513-A	1	3 5/8" x 3 3/16" x 2 3/16"
	- X -							
65	X		6	All	2.77	C3OZ 7513-A	1	2 7/8" x 2 13/16" x 1 1/2"
65/70	X		8	289,302	All	C6OZ 7513-C	1	3 5/8" x 3 1/16" x 3 15/16"
66	X		6	200	2.77	C6OZ 7513-B	1	2 7/8" x 3 1/16" x 3 1/2"-bellows type
66	X	"Before 2/14/66"	6	170	2.77	★C6DZ 7513-A	1	2 7/8" x 2 13/16" x 3 1/2"
66/67	X	"From 2/14/66"	6	170	2.77	C6DZ 7513-B	1	
66/70	X		6	170,200	3.03	C6GY 7513-A	1	2 7/8" x 3 1/16" x 3 3/16"
7515	**LEVER ASSY. - CLUTCH RELEASE**							
	- A -							
65	A		6&8	240,289, 352,390	All	C5AZ 7515-A	1	12 1/4" long
65/66	A		8	427	F/4/S	C5AZ 7515-B	1	12 1/4" long
67	A		8	427	All	C8AZ 7515-A	1	#C8AA 7541-A, yellow paint, 12 7/16" long
66/69	A		8	428,429	All		1	
66/68	A	"Before 2/15/68"	6&8	240,289, 302,390	All	C6AZ 7515-B	1	12 1/4" long
68/71	A	"From 2/15/68"	6&8	240,302, 351,390	All	C8AZ 7515-B	1	#C8AA 7541-B, #green paint, 12 5/16" long
	- B -							
65/66	B	"Before 2/14/66"	6	All	2.77	C3DZ 7515-B	1	Includes 7513 shield
66	B	"From 2/14/66"	6	All	2.77	C6DZ 7515-B	1	9" long
65/67	B(with H/D clutch)		6	All	3.03	C3AZ 7515-A	1	10" long
65/68	B	"Before 2/15/68"	8	289,302	All	C5OZ 7515-B	1	9 1/4" long
68	B	"From 2/15/68"	8	289,302	All	C8OZ 7515-A	1	#C8OA 7541-A, 10 1/2" long
66	B		8	390	All	C6OZ 7515-A	1	14" long
67	B		8	427	F/4/S	C7OZ 7515-A	1	12 1/4" long
67/68	B	"Before 2/15/68"	8	390	All	C7ZZ 7515-D	1	12" long
68/69	B	"From 2/15/68"	8	390	All	C8OZ 7515-B	1	#C8OA 7541-B, 12" long
67/68	B(exc.H/D clutch)- "Before 2/15/68"		6	200	3.03	C7ZZ 7515-C	1	9" long
68	B	"From 2/15/68"	6	All	All	C8OZ 7515-C	1	#C8OA 7541-C, #green paint, 9" long
68/69	B		8	428CJ	All 4/S	C8OZ 7515-D	1	#C8OA 7541-D, #blue paint, 12" long
69	B		6&8	250,302, 351	All		1	
70/71	B		6&8	250,302, 351	All	★D0DZ 7515-B	1	#D0DA 7541-B-repl. by D3DZ 7515-A (12-74)
70/71	B		8	428,429	All	D0OZ 7515-A	1	#D0OA 7541-A
72	B		6&8	All	All	C8AZ 7515-B	1	#C8AA 7541-B, #Green paint, 12 5/16" long
	- F -							
65/66	F	"Before 2/14/66"	6	All	2.77	C3DZ 7515-B	1	Includes 7513 shield
65	F		6	All	D/4/S		1	
66	F	"From 2/14/66"	6	All	2.77	C6DZ 7515-B	1	9" long

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
7515	**LEVER ASSY. - CLUTCH RELEASE - continued**							
	- F -							
66	F		6	200	D/4/S	★C6ZZ 7515-B	1	9" long
65	F		8	260	All	C3AZ 7515-A	1	10" long
65/66	F		8	All	All	C5OZ 7515-B	1	9 1/4" long
67/68	F	" Before 2/15/68"	8	All exc. spec.	All		1	
68	F	"From 2/15/68"	8	289,302	All	C8OZ 7515-A	1	#C8OA 7541-A, 10 1/2" long
69	F		6&8	250,302, 351	All		1	
67	F		8	289 spec.	F/4/S	C7ZZ 7515-D	1	12" long
67/68	F	"Before 2/15/68"	8	390	All		1	
68/69	F	"From 2/15/68"	8	390	All	C8OZ 7515-B	1	#C8OA 7541-B, 12" long
67/68	F(exc.H/D clutch)- "Before 2/15/68"		6	200	3.03	C7ZZ 7515-C	1	9" long
68	F	"From 2/15/68"	6	All	All	C8OZ 7515-C	1	#C8OA 7541-C,#green paint, 9" long
68/69	F		8	428CJ	All 4/S	C8OZ 7515-D	1	#C8OA 7541-D,#blue paint, 12" long
69/70	F		6	170,200	All 3/S	C8OZ 7515-C	1	
70	F		6&8	250,302, 351	All	★D0DZ 7515-B	1	#D0DA 7541-B -repl. by D3DZ 7515-A (12-74)
70	F		8	428,429	All	D0OZ 7515-A	1	#D0OA 7541-A
71	F		8	429	F/4/S	C8AZ 7515-A	1	
71/	F		6&8	250,302, 351	All	C8AZ 7515-B	1	#C8AA 7541-B,#green paint, 12 5/16" long
	- L -							
71/	L		4	All	All	D1FZ 7515-A	1	11 21/32" long
	- P -							
70/	P		6	170,200	All 3/S	D0DZ 7515-A	1	#Orange
71/	P		8	302	All 3/S	★D0DZ 7515-B	1	#D0DA 7541-B -repl. by D3DZ 7515-A (12-74)
	- U -							
66/	U		6	170	All	C6TZ 7515-B	1	10 1/4" long
66/69	U	"Before Ser.G30,001"	8	289,302	All	C3AZ 7515-C	1	
69/	U	"From Ser.G30,001"	8	302	All	D0TZ 7515-A	1	
	- X -							
65/68	X		6	170	All	C0DZ 7515-A	1	
65/66	X	"Before 2/14/66"	6	200	2.77	C3DZ 7515-B	1	Includes 7513 shield
66/67	X	"From 2/14/66"	6	200	2.77	C6DZ 7515-B	1	9" long
65/68	X	"Before 2/15/68"	8	289,302	All	C5OZ 7515-B	1	9 1/4" long
68/70	X	"From 2/15/68"	8	289,302	All	C8OZ 7515-A	1	#C8OA 7541-A, 10 1/2" long
67/68	X(exc.H/D clutch)- "Before 2/15/68"		6	200	3.03	C7ZZ 7515-C	1	9" long
68/70	X	"From 2/15/68"	6	All	All	C8OZ 7515-C	1	#C8OA 7541-C,#green paint, 9" long
7B515	**SLEEVE - CLUTCH RELEASE IDLER LEVER SWIVEL**							
65/68	A		6&8	All	All	C2AZ 7B515-A	1	
65	B		6&8	All	All		1	
7517	**BUSHING - CLUTCH RELEASE EQUALIZER SHAFT** - Also see Group 7543							
65	X		6	All	All	C0DD 7517-A	4	
7519	**PEDAL ASSY. - CLUTCH**							
	- A -							
65	A		6&8	All	All	C5AZ 7519-A	1	
66/67	A		6&8	All	All	C6AZ 7519-B	1	
68	A		6&8	All	All	C8AZ 7519-A	1	
69	A	"Before 11/11/68"	6&8	All	All	C9AZ 7519-A	1	
69/70	A	"From 11/11/68"	6&8	All	All	C9AZ 7519-C	1	
71	A		6&8	All	All	D1AZ 7519-A	1	
	- B -							
65	B		6&8	All	All	★C3OZ 7519-A	1	Not replaced
66/67	B		6&8	All	All	C6OZ 7519-B	1	
68/69	B		6&8	All	All	C9OZ 7519-A	1	
70/71	B		6&8	All	All	D0OZ 7519-A	1	
72	B		6&8	All	All	D2OZ 7519-A	1	

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
7519	**PEDAL ASSY. - CLUTCH - continued**						
	- F -						
65/66	F	6&8	All	All	C6ZZ 7519-A	1	
67	F	6&8	All	All	C7ZZ 7519-A	1	
68	F	6&8	All	All	C8ZZ 7519-B	1	
69	F	6&8	All	All	C9ZZ 7519-B	1	
70	F	6&8	All	All	D0ZZ 7519-A	1	
71/	F	6&8	All	All	D1ZZ 7519-B	1	
	- L -						
71	L "Before 5/24/71"	4	All	All	D1FZ 7519-A	1	
71/	L "From 5/24/71"	4	All	All	D1FZ 7519-B	1	
	- P -						
70	P "Before 7/14/69"	6	All	All	D0DZ 7519-A	1	
70/	P "From 7/14/69"	6&8	All	All	D0DZ 7519-B	1	
	- U -						
66/	U	6&8	All	All	C6TZ 7519-A	1	
	- X -						
65	X	6&8	All	All	C1DD 7519-A	1	
66/67	X	6&8	All	All	C6OZ 7519-B	1	
68/70	X	6&8	All	All	C9OZ 7519-A	1	
65/	A, B, F, S, U, X	6&8	All	All	358981-S(XX364)	1	Washer-spring-5/8" I.D.
					74279-S(R5)	2	Retainer-spring-9/16"
					44727-S8(X24)	2	Washer-flat-3/8"
					380699-S2(N128F)	2	Pin-self locking
7521	**ROD - CLUTCH PEDAL TO EQUALIZER BAR**						
	- A -						
65/67	A	6&8	All	All	C5AZ 7521-E	1	13 1/4" long
68	A	6&8	All	All	C8AZ 7521-A	1	13 1/4" long
69/71	A	6&8	All	All	C9AZ 7521-B	1	16 5/8" long
	- B -						
65	B	6&8	All	All	C2OZ 7521-A	1	15 1/4" long
66/67	B	8	All	All	C6OZ 7521-C	1	13 1/8" long
66	B "Before 2/14/66"	6	All	All		1	
67	B "From 10/3/66"	6	All	All		1	
66/67	B - "From 2/14/66 to 10/3/66"	6	All	All	C6OZ 7521-F	1	
68/69	B	6&8	All	All	C8OZ 7521-A	1	12 3/8" long
70/71	B	6&8	All	All	D0OZ 7521-A	1	13 1/2" long
72	B	6&8	All	All	D2OZ 7521-A	1	14" long
	- F -						
65	F	6&8	All	All	C5ZZ 7521-A	1	16" long
66	F "Before 2/14/66"	8	All	All	C6OZ 7521-C	1	13 1/8" long
66	F "From 2/14/66"	8	All	All	C6ZZ 7521-D	1	13 3/4" long
66	F	6	All	All	C6ZZ 7521-C	1	13 1/2" long
67/68	F	6&8	All	All	C7ZZ 7521-A	1	12 1/2" long
69/70	F	6	250	All 3/S	C9ZZ 7521-A	1	12 1/2" long-#daub of Blue paint
69/70	F	6&8	200,302, 351	All	C9ZZ 7521-C	1	12 1/2" long-#daub of Orange paint
69/70	F	8	390,428, 429	All	C9ZZ 7521-B	1	12 3/8" long
71	F "Before 4/30/71"	6&8	All	All	D1ZZ 7521-A	1	Approx. 17" long
71/	F "From 4/30/71"	6&8	All	All	D1ZZ 7521-B	1	

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL		ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7521	**ROD - CLUTCH PEDAL TO EQUALIZER BAR - continued**						
		- P -						
70	P	"Before 12/15/69"	6	All	All	D0DZ 7521-A	1	11 1/2" long
70/	P	"From 12/15/69"	6&8	All	All	D0DZ 7521-B	1	12" long
		- U -						
66/	U		6&8	All	All	C6TZ 7521-A	1	19" long
		- X -						
65	X		6&8	All	All	C0DZ 7521-A	1	
66/67	X		8	All	All	C6OZ 7521-C	1	13 1/8" long
66	X	"Before 2/14/66"	6	All	All		1	
67	X	"From 10/3/66"	6	All	All		1	
66/67	X	"From 2/14/66 to 10/3/66"	6	All	All	C6OZ 7521-F	1	
68/70	X		6&8	All	All	C8OZ 7521-A	1	12 3/8" long
65/	A, B, X		6&8	All	All	33800-S8(M63)	2	Nut-3/8"-24
						33799-S7(M52)	2	Nut-3/8"-16
						34682-S8(M23)	2	Nut-7/16"-20
65/	A, B, F, U, X		6&8	All	All	356573-S2(XX357)	2	Washer-spring-7/16"
						356383-S(XX362)	2	Washer-spring
						352358-S (NN127B)	AR	Pin-self locking -straight
						381619-S(NN128J)	AR	Pin-self-locking-round head
	7521	**ROD - EQUALIZER BAR TO CLUTCH RELEASE LEVER**						
		- A -						
65	A		8	390	O/D	@C5AZ 7521-D	1	6" long
65/68	A	"Before 1/2/68"	6&8	240,289	All	@C5AZ 7521-C	1	6" long
65/68	A	"Before 1/2/68"	8	390,427, 428	3.03 & F/4/S		1	
68/71	A	"From 1/2/68"	6&8	All	All	C8AZ 7521-B	1	5" long-includes (2) 33799-S adjusting nuts
		- B -						
65	B		6	All	3.03	C1AZ 7521-A	1	7 3/16" long
65	B		8	All	All	C2OA 7521-A	1	6 5/16" long
65	B		6	All	2.77	C1DD 7521-A	1	5 1/2" long
66	B		6	200	3.03	@C6OZ 7521-B	1	6 3/16" long
66	B		6	200	2.77	@C6OZ 7521-E	1	7 7/8" long
66/67	B		8	390,427	All	@C6OZ 7521-D	1	6" long
66/67	B		8	289	All	@C6ZZ 7521-E	1	6 1/2" long
67	B		6	All	All	@C7OZ 7521-A	1	8 1/4" long
68/70	B		8	390,428	All	C8ZZ 7521-A	1	6" long-includes (2) 33799-S adjusting nuts
68	B		6&8	200,289, 302	All	C8OZ 7521-B	1	8 1/2" long-includes (2) 33799-S adjusting nuts
69/71	B		6&8	250, 302,351	All	C9OZ 7521-A	1	7 1/8"
70/71	B		8	429	F/4/S	D0OZ 7521-B	1	6 1/8" long-includes (2) 33799-S adjusting nut
72	B		6&8	All	All	C8AZ 7521-B	1	5" long-includes (2) 33799-S adjusting nuts
		- F -						
65	F		6	All	All	C4DZ 7521-A	1	5 7/16" long
66	F		6	200	D/4/S	@C6OZ 7521-B	1	6 3/16" long
65	F	"Before 8/20/64"	8	All	All	C1DD 7521-A	1	5 1/2" long
65	F	"From 8/20/64"	8	All	All	C2OA 7521-A	1	6 5/16" long
66	F		6	200	2.77	@C6OZ 7521-E	1	7 7/8" long
66	F		8	289	All	@C6ZZ 7521-E	1	6 1/2" long
67	F		6	All	All	@C7OZ 7521-A	1	8 1/4" long
67	F		8	289	All		1	

@ Includes rod adapter and nut

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
7521	**ROD - EQUALIZER BAR TO CLUTCH RELEASE LEVER - continued**						
	- F -						
68/70	F	8	390,428	All	C8ZZ 7521-A	1	6" long-includes (2) 33799-S adjusting nuts
69/70	F	8	429	F/4/S		1	
68	F	6&8	200,289	All	C8OZ 7521-B	1	8 1/2" long-includes (2) 33799-S adjusting nuts
69/70	F	6	All	All		1	
69/70	F	8	302,351	All	C9OZ 7521-A	1	7 1/8" long
67	F	8	390	All	C7ZZ 7521-D	1	6 1/8" long
69/70	F(Boss 429)	8	429	F/4/S	C9ZZ 7521-D	1	Includes rod & adaptor
71/	F	6&8	All	All	C8AZ 7521-B	1	5" long-includes (2) 33799-S adjusting nuts
	- P -						
70/	P	6&8	All	All	C8OZ 7521-B	1	8 1/2" long-includes (2) 33799-S adjusting nuts
	- U -						
66/	U	6	170	All	D0TZ 7521-B	1	
		8	289,302	All	D0TZ 7521-A	1	5 1/4" long-3/8"-24 thread
	- X -						
66	X	6	170	2.77	@C6OZ 7521-B	1	6 3/16" long
65	X	8	All	All	C2OA 7521-A	1	6 5/16" long
65	X	6	All	All	C4DZ 7521-A	1	5 7/16" long
66	X	6	200	2.77	@C6OZ 7521-E	1	7 7/8" long
66/67	X	8	289	All	@C6ZZ 7521-E	1	6 1/2" long
67	X	6	All	All	@C7OZ 7521-A	1	8 1/4" long
68	X	6&8	200,289, 302	All	C8OZ 7521-B	1	8 1/2" long-includes (2) 33799-S adjusting nuts
69/70	X	6	170,200	All		1	
69/70	X	8	302	All	C9OZ 7521-A	1	7 1/8" long
7522	**BRACKET - CLUTCH RELEASE LEVER**						
65/68	A "Before 2/15/68"	6	All	All	B9AZ 7522-A	1	Includes (2) 62329-S rivets, "L" shaped -
65/68	A,B,F,X"Before 2/15/68"	8	All	All		1	15/16" x 1 1/8"-2 1/8" wide
66/67	U	6&8	All	All		1	
68/71	A "From 2/15/68"	6	All	All	C8AZ 7522-A	1	"L" shaped - 1" x 1 1/8"-2 1/16" wide -
68/71	A,B,F "From 2/15/68"	8	All	All			includes (2) 62329-S rivets
72	B,F	6&8	All	All		1	
72	P	8	All	All		1	
68/	U	6&8	All	All		1	
68/70	X	8	All	All		1	
65/68	B,F,X "Before 2/15/68"	6	All	All	C2DZ 7522-B	1	Includes (8) 62316-S rivets
68/71	B,F,P "From 2/15/68"	6	All	All	C8OZ 7522-A	1	"L" shaped - 7/8" x 1 1/16" - 1 15/16" wide - includes (2) 62316-S8 rivets
68/70	X	6	All	All		1	
72	P	6	All	All		1	
65/	A,B,F,P,U,X	6&8	All	All	62316-S8(S8)	2	Rivet-1/4" x 15/16"
					62329-S(S9)	2	Rivet-5/16" x 1"
7523	**SPRING - CLUTCH RELEASE LEVER ROD RETRACTING**						
	- A -						
65/67	A	8	427	F/4/S	C5AZ 7523-B	1	3" long-17 coils
65/68	A	6&8	240,352 390,428	All	C5AZ 7523-F	1	13 1/2" long-24 coils
65/68	A	8	289,302	All	C5AZ 7523-G	1	13 5/16" long-23 coils
69/71	A	6&8	All	All	C9AZ 7523-A	1	3" long-23 coils
	- B -						
65	B(w/o H/D clutch)	6	All	2.77	C2OZ 7523-A	1	9 1/8" long-30 coils
65	B(w/H/D clutch)	6	All	3.03	★C2OA 7523-C	1	6" long-35 coils

@ Includes rod adapter and nut

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
7523	**SPRING - CLUTCH RELEASE LEVER ROD RETRACTING - continued**						
	- B -						
65	B(exc. Special)	8	260,289	All	C2OZ 7523-B	1	4" long-35 coils
66	B(w/H/D clutch)	6	200	3.03	★C6OZ 7523-E	1	7 1/8" long-30 coils
66	B(w/o H/D clutch)-	6	200	2.77	C6OZ 7523-D	1	6 1/4" long-30 1/2 coils
66	B	8	289	All		1	
66	B	8	390	All	C6OZ 7523-C	1	4" long-35 coils
67	B	6&8	All	All	C7OZ 7523-B	1	4 13/16" long-42 coils
68/69	B	6&8	All	All	C8OZ 7523-B	1	4 3/8" long-42 1/2 coils
70/71	B	6&8	All	All	D0OZ 7523-A	1	5" free length-42 coils
	- F -						
65	F	6	All	All	C3DZ 7523-A	1	3 13/16" long-30 1/2 coils
65/66	F "Before 2/14/66"	8	All	All	C5ZZ 7523-A	1	14" long-35 coils
66	F "Before 2/14/66"	6	All	All	C6ZZ 7523-A	1	3 1/2" long-27 1/2 coils
66	F "From 2/14/66"	6&8	All	All	C6ZZ 7523-C	1	4 15/16" long-12 1/2 coils-use with C6ZZ 7540-A retainer
67/68	F	6&8	200,289, 302	All	C3DZ 7523-A	1	3 13/16" long-30 1/2 coils
67/68	F	8	390	All	C7ZZ 7523-A	1	4" long-25 coils
69/70	F	6&8	200,250, 302,351	All	C9ZZ 7523-A	1	4 1/2" long
69/70	F	8	390,428 429	All	C9ZZ 7523-B	1	4 3/4" long
71	F	6&8	All	All	D1ZZ 7523-A	1	2 13/32" free length-1" dia.-20 coils
	- P -						
70/	P	6&8	All	All	D0DZ 7523-B	1	3 3/8" long-15 coils - replaces spring 3 11/16" long with 12 1/4 coils
	- U -						
66/	U	6	170	All	C6TZ 7523-A	1	17 5/8" long-42 coils
66/	U	8	289,302	All	C6TZ 7523-B	1	11 3/4" long-42 coils
	- X -						
65	X	8	289	All	C5DZ 7523-A	1	14 1/2" long-35 coils
65	X	6	All	All	C3DZ 7523-A	1	3 13/16" long-30 1/2 coils
66	X	8	289	All	C6OZ 7523-D	1	6 1/4" long-30 1/2 coils
67	X	6&8	All	All	C7OZ 7523-B	1	4 13/16" long-42 coils
68/70	X	6&8	All	All	C8OZ 7523-B	1	4 3/8" long-42 1/2 coils
7526	**BUSHING - CLUTCH RELEASE IDLER LEVER**						
65/	A, B, F, P, U, X	6&8	All	All	C0AZ 7526-A	AR	Nylon-3/8" I.D. (use w/7519 pedal)
69/71	A	6&8	All	All	C9AZ 7526-A	1	1/2" I.D.-11/16" long (use w/7521 rod)
7528	**BAR ASSY. - CLUTCH RELEASE EQUALIZER**						
	- A -						
65	A	6&8	240,289	3.03 & F/4/S	★C5AZ 7528-G	1	R/b C5AZ 7528-H (10-73)
65	A	8	352,390, 427	All		1	
65	A	6&8	240,289	O/D	C5AZ 7528-H	1	
66/68	A "Before 1/2/68"	6&8	All	3.03 & F/4/S	C5AZ 7528-L	1	
68	A "From 1/2/68"	6&8	All	All	C8AZ 7528-A	1	Includes upper & lower swivel
66/67	A	6&8	240,289	O/D	C5AZ 7528-M	1	
69/70	A	8	390,429	All	C9AZ 7528-D	1	

YEAR	MODEL		ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7528 BAR ASSY. - CLUTCH RELEASE EQUALIZER - continued							
	- A -							
70/71	A		6&8	240,302, 351	All	C9AZ 7528-C	1	
	- B -							
65	B		6	All	3.03	C3OZ 7528-E	1	
65	B		6	All	2.77	C3OZ 7528-D	1	
65	B		8	All exc.Spl.	All	C5OZ 7528-B	1	
65	B		8	289Spl.	All 4/S	★C5OZ 7528-A	1	
66	B		6	170,200	All 3/S	C6OZ 7528-K	1	Outer
66	B		6	170,200	2.77	C6OZ 7528-L	1	Inner
66	B		6	200	3.03	★C6OZ 7528-G	1	Inner
66	B		8	289,390, 427	All	C6OZ 7528-E	1	Outer
66/67	B		8	289	All	C7OZ 7528-D	1	Inner
66/69	B		8	390,427, 428	All	C7OZ 7528-H	1	Inner
67	B	"Before 4/13/67"	6	200	3.03	C7OZ 7528-J	1	Outer
67	B		8	All	All		1	Outer
67	B	"Before 4/13/67"	6	200	3.03	C7OZ 7528-G	1	Inner
67/68	B	"From 4/13/67"	6	170,200	3.03	C7OZ 7528-E	1	One piece design
67/69	B		8	390,428	All	C7OZ 7528-J	1	Outer
68/69	B		8	289,302	All	C8OZ 7528-A	1	One piece design
69	B		6	250	All 3/S	C9OZ 7528-B	1	
69	B		8	351	All	C9OZ 7528-A	1	
70/71	B		6	250	All 3/S	D0OZ 7528-B	1	
70/71	B		8	302,351	All	D0OZ 7528-A	1	One piece design
70	B	"Before 9/15/69"	8	429	F/4/S	D0OZ 7528-C	1	One piece design
70/71	B	" From 9/15/69"	8	429	F/4/S	D1OZ 7528-A	1	
72	B		8&8	All	All	D2OZ 7528-A	1	One piece design-includes bracket
	- F -							
65	F		6	All	All	C5ZZ 7528-A	1	
65	F		8	260	All	C5ZZ 7528-B	1	Center bar-6 7/8" long
65	F		8	289exc. Spl.	All	C5ZZ 7528-E	1	Center bar-6" long
65	F	"Before 8/20/64"	8	289Spl.	All 4/S	C5ZZ 7528-C	1	Center bar-6 7/8" long
65	F	"From 8/20/64"	8	289Spl.	All 4/S	C5ZZ 7528-D	1	Center bar-6 5/16" long
66	F	"Before 2/14/66"	6	200	All	C6ZZ 7528-A	1	
66	F	"From 2/14/66"	6	200	All	C6ZZ 7528-D	1	
66	F	"Before 2/14/66"	8	All exc.Spl	All	C6ZZ 7528-C	1	
66	F	"From 2/14/66"	8	All exc.Spl	All	C6ZZ 7528-F	1	
66	F	"Before 2/14/66"	8	289Spl.	All 4/S	C6ZZ 7528-B	1	Center bar-6 5/16" long
66	F	"From 2/14/66"	8	289Spl.	All 4/S	C6ZZ 7528-E	1	Center bar-6 5/16" long
67	F		8	289Spl.	F/4/S	C7ZZ 7528-H	1	
68	F(GT350)		8	All	4/S		1	
67/70	F		6	200	All	C7ZZ 7528-E	1	
67/70	F		8	289exc. Spl.,302 exc. Boss	All	C7ZZ 7528-G	1	
67/70	F		8	390,428	All	D0ZZ 7528-C	1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
7528	**BAR ASSY. - CLUTCH RELEASE EQUALIZER - continued**						
	- F -						
69	F	8	351	All	C9ZZ 7528-A	1	
69/70	F	6	250	All 3/S	C9ZZ 7528-B	1	
69/70	F(Boss 429)	8	429	F/4/S	C9ZZ 7528-C	1	
69/70	F(Boss)	8	302	F/4/S	D0ZZ 7528-E	1	
70	F	8	351	All	D0ZZ 7528-D	1	
71/	F	6	All	All 3/S	D1ZZ 7528-D	1	Includes 7507 bracket and nylon bushings
71	F "Before 4/30/71"	8	All	All	D1ZZ 7528-A	1	Includes 7507 bracket
71/	F "From 4/30/71"	8	All	All	D1ZZ 7528-C	1	Includes 7507 bracket and nylon bushings
	- P -						
70/	P	6	All	All	D0DZ 7528-C	1	
71/	P	8	302	All	D1DZ 7528-A	1	Outer
71/	P	8	302	All	D1DZ 7528-B	1	Inner
	- U -						
66/	U	6	170	3.03	C6TZ 7528-H	1	Includes C6TZ 7507-D mounting
66/	U	8	289,302	3.03	C6TZ 7528-J	1	Includes C6TZ 7507-D mounting
	- X -						
65	X	6	All	All	C4DZ 7528-B	1	
65	X	8	All	All	C5DZ 7528-A	1	
66	X	6	170,200	All 3/S	C6OZ 7528-K	1	Outer
66	X	6	170,200	2.77	C6OZ 7528-L	1	Inner
66	X	6	200	3.03	★C6OZ 7528-G	1	Inner
66	X	8	289	All	C6OZ 7528-E	1	Outer
66/67	X	8	289	All	C7OZ 7528-D	1	Inner
67	X	6	All	2.77	C7OZ 7528-A	1	One piece design
67	X "Before 4/13/67"	6	200	3.03	C7OZ 7528-J	1	Outer
67	X	8	All	All		1	Outer
67	X "Before 4/13/67"	6	200	3.03	C7OZ 7528-G	1	Inner
67/70	X "From 4/13/67"	6	170,200	3.03	C7OZ 7528-E	1	One piece design
68/70	X	8	All	All	C8OZ 7528-A	1	One piece design
65/	A	6&8	All	All	97474-S(QQ4)	2	Snap ring-9/16" I.D. (bar to mountings)
65/	A, B, F, U, X	6&8	All	All	371613-S7 (X202)	AR	Washer-5/8" I.D.-1/8" thick(bar to mountings)
					351517-S (XX206)	AR	Washer-felt-5/8" I.D. -3/8" thick
					356488-S (XX226)	AR	Washer-11/16" I.D. -1/16" thick
					358979-S (XX224)	AR	Washer-3/4" I.D. -1/4" thick
					87907-S8(I-3)	1	Fitting-1/4"-28 straight(bar lub.)
66	B, X	6&8	All	All	20467-S7(B160)	1	Bolt-5/16"-24 x 1 1/2"(to attach 2 piece bar)
					34393-S8(M98)	1	Nut-5/16"-24
67	B, X	8	All	All	377475-S (MM207E)	1	Nut & retainer assy.
71	P	8	All	All	56360-S(B317U)	1	Bolt-7/16"-14 x 1" (to attach 2 piece bar)
72	B	6&8	All	All	56340-S2(B323)	2	Bolt-3/8"-16 x 1 5/32"
7A528	**SWIVEL - CLUTCH RELEASE IDLER LEVER ADJUSTMENT**						
68/71	A	6&8	All	All	C8AZ 7A528-A	1	
67/69	B, F, X	6&8	All exc. 390,428	All	★C8OZ 7A528-A r/b D0ZZ 7A528-A(12-74)	1	1 5/16" long-3/8" dia. hole
70/	B, X	6&8	All exc. 429	All		1	
70/	P	6	All			1	

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7A528 SWIVEL - CLUTCH RELEASE IDLER LEVER ADJUSTMENT - continued						
70/	F	8	302,351	All	D0ZZ 7A528-A	1	1 5/16" long-3/8" dia. hole
71/	P	8	302	All	D1DZ 7A528-A	1	
71/	P	6	All	All 3/s	381619-S2 (NN128J)	1	Pin-self-locking-1 1/8" long
	7A530 BRACKET and BUMPER - CLUTCH PEDAL						
65/66	B, F	6&8	All	All	C2OZ 7A530-A	1	
	7K530 SEAL - CLUTCH EQUALIZER BAR						
70	B	8	429	F/4/S	D0ZZ 7K530-A	1	15/64" O.D. -1/4" wide
71/	B, F	6&8	All	All		1	
71/	P	8	302	All		1	Outer
71/	P	6	All	All 3/S	D1DZ 7K530-A	1	1 3/8"O.D. - 1"I.D. - 1/2" thick
71/	P	8	302	All		1	Inner
	7A531 Refer to Group 7507						
	7A533 SEAL - CLUTCH PEDAL ROD						
68	A	6&8	All		C8AZ 7A533-A	1	
69/71	A	6&8	All	All	C9AZ 7A533-A	1	
66/71	B	6&8	All	All	C6OZ 7A533-C	1	
66/70	X	6&8	All	All		1	
67/	F	6&8	All	All		1	
68/	U	6&8	All	All		1	
70/	P	6&8	All	All		1	
65	F "Before 12/14/64"	6&8	All	All	C0AZ 7A533-B	1	
65	X	6&8	All	All		1	
65/66	F "From 12/14/64 to 2/14/66"	6&8	All	All	C5ZZ 7A533-A	1	
66	F "From 2/14/66"	6&8	All	All	C6ZZ 7A533-A	1	
72	B	6&8	All		D2OZ 7A533-A	1	
	7534 SPRING - CLUTCH EQUALIZER BAR ASSIST						
65	A	6&8	All	All	C5AZ 7534-A	1	3 3/8" long-5 1/2 coils
66/68	A	6&8	240,289, 302	All	C5AZ 7534-B	1	3 13/32" long-5 1/2 coils
66/68	A	8	390,427, 428	All	C6AZ 7534-A	1	3 3/4" long-5 1/2 coils
	7534 SPRING - CLUTCH PEDAL LEVER RETRACTING						
65	B, F, X	6&8	All	All	C2AZ 7534-A	1	8 15/16" long-16 1/2 coils-#White
66/68	F	6&8	200,289, 302	3.03 & All 4/S		1	
66/67	B, X	6&8	170,200, 289	All	C6OZ 7534-A	1	8 13/16" long-16 1/2 coils, #Black
66/68	F	8	390,428	All	C6OZ 7534-B	1	8 13/16" long-16 1/2 coils-#White
66/67	B	8	390,427	All		1	
	7534 SPRING - CLUTCH						
69	A(P/C & Fleet)	6&8	240,302	All	C9AZ 7534-A	1	3 1/2" free length-5 1/2 coils-#Gray
70/71	A	8	390,351	All		1	
72	F	8	351	All		1	
69	A	8	390,429	All	C9AZ 7534-B	1	3 1/2" free length-5 1/2 coils-#Orange
68/71	B	6&8	200,250, 289,302	All	C8OZ 7534-B	1	3 1/2" long, 6 1/2 coils, #green
68/70	X	6&8	200,302	All		1	
69/71	F	6&8	200,250, 302	All		1	

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7534 SPRING - CLUTCH - continued						
68	B	8	390	All	C8OZ 7534-A	1	3 3/4" long, 6 1/2 coils, #brown
69/71	B,F	8	351,390, 428,429	All		1	
69/71	A(except P/C & Fleet)	6&8	240,302	All		1	
72	B	6&8	250,302 351	All		1	
72	F	6&8	250,302	All		1	
70/	P	6&8	All	All	D0DZ 7534-A	1	3.53" long-includes rollers
	7535 BRACKET CLUTCH PEDAL RETRACTING SPRING						
68/69	B, X	6&8	200,250, 289,302	All	C8OZ 7535-A	1	
68/69	B	8	351,390, 428	All	C8OZ 7535-B	1	#Daub of white paint
65/66	F	6&8	All	All	C5ZZ 7535-A	1	
67/68	F	6&8	200,289	All	C7ZZ 7535-B	1	
67/68	F	8	390,428	All	C7ZZ 7535-A	1	
69/	F	6&8	All	All	C9ZZ 7535-A	1	
	7535 BRACKET - CLUTCH PEDAL LEVER ASSIST SPRING						
69/70	A	6&8	All	All	C9AZ 7535-B	1	
71	A	6&8	All	All	D1AZ 7535-A	1	
70/71	B	6&8	250,302	All	D0OZ 7535-A	1	
70/71	B	8	351,429	All	D0OZ 7535-B	1	
72	B	8	All	All	D2OZ 7535-A	1	
71/	F	8	All	All	D1ZZ 7535-B	1	
70	P "Before 7/15/69"	6	All	All	D0DZ 7535-A	1	
70/	P "From 7/15/69"	6&8	All	All	D0DZ 7535-B	1	
70	B	6&8	All	All	56320-S (B318GD)	1	5/16"-18 x 7/8"
	7A535 Refer to Group 7507						
	7B535 ADAPTOR - CLUTCH PEDAL ROD						
68/70	B, F	8	390,428, 429	All	C8OZ 7B535-A	1	1 1/8" long-3/8" hole
71	B	8	429	All		1	
	7A537 KIT - CLUTCH PRESSURE PLATE and DISC - COBRA						
65/67	B, X	8	289	All 3/S	★†C8DZ 7A537-A	1	Consists of (1) C7ZZ 7550-B disc & (1)
67/68	F	8	289	All	Not replaced	1	C7ZZ 7563-B pressure plate
68	B, X	8	289	All		1	
	7B539 SPACER - CLUTCH PEDAL ROD TO EQUALIZER BAR ADJUSTING						
65/68	A	6&8	All	All	C5AZ 7B539-A	1	11/16" O.D. -1/2" I.D. -7/16" thick
	7540 RETAINER - CLUTCH PEDAL RETRACTING SPRING						
65	B	6&8	All	All	C1TT 7540-A	1	3/8"-24 x 3"
66	F	6&8	All	All	C6ZZ 7540-A	1	On engine firewall
65	X	6&8	All	All	B7A 7540-A	1	3/8"-24 x 2 9/16"
65	B, X	6&8	All	All	34445-S7(M80)	1or2	Nut-3/8"-24 (retainer to pedal support on 7592 bracket)
					44727-S8(X24)	1or2	Washer-flat-3/8"
	7542 BRACKET - CLUTCH RELEASE LEVER RETRACTING SPRING						
66	B, X	6	All	All	★C6OZ 7542-A	1	
66	B, X	8	289	All	C6OZ 7542-B	1	

† This kit is not to be installed by the dealer prior to initial sale & delivery of a new vehicle. Sale of this kit prohibited in states where not legal

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7542 BRACKET - CLUTCH RELEASE LEVER RETRACTING SPRING - continued						
66	B	8	390	All	C6OZ 7542-C	1	
66	F	6	200	D/4/S	★C6ZZ 7542-B	1	
66	F	6	200	2.77	★C6ZZ 7542-A	1	
67/68	F	6&8	All	All	C7ZZ 7542-A	1	
65	B, X	6&8	All	All	351988-S(BB187)	1	Bolt-7/16" -14 x 1 1/8"
					34670-S8(M54)	1	Nut-7/16"-14
					34808-S8(X67)	1	Lockwasher-7/16"
	7543 BALL - CLUTCH RELEASE EQUALIZER SHAFT - Refer to Group 7517						
65/71	A	6&8	All	All	C1AA 7543-A	AR	1" O.D. -5/8" I.D. -1/2" thick
67/69	F	8	390,428	All		AR	
69	B	8	390,428	All		1	
70	B, F	8	428,429	All		1	
71	B	8	429	F/4/S		1	
71/	F	6&8	All	All		1	
71/	P	8	All	All		1	
72	B	6&8	All	All		1	
65/71	B	6	All	All	C1DD 7543-A	AR	3/4" O.D. -7/16" I.D. -1/2" thick
65/70	F, X,	6	All	All		AR	
65/	B, F, X	8	All exc. 390,427, 428,429	All		AR	
66/	U	6&8	All	All 3/S		AR	
66	B " Before 4/11/66"	8	390	All		1	
70/	P	6	All	All		2	
66/68	B " From 4/11/66"	8	390,427, 428	All	C6OZ 7543-B	1	7/16" I.D. -3/8" thick
	7543 SOCKET - CLUTCH SHAFT BALL - Refer to Group 7517						
65	A "Before 6/10/65"	6&8	All	All	C5AZ 7543-B	2	1" O.D.-3/4" thick
65/71	A " From 6/10/65"	6&8	All	All	C5AZ 7543-C	2	1" O.D. -15/16" thick
70	B	8	429	F/4/S		2	
71/	F	6&8	All	All		1	
71/	P	6&8	All	All 3/S		1	
72	B	6&8	All	All		1	
	7B544 COVER - CLUTCH PEDAL PAD						
69/71	A	6&8	All	All	C9AZ 7B544-A	1	
65/	B(console shift)	6&8	All	All	C5ZZ 7B544-A	1	
65/70	X(console shift)	6&8	All	All		1	
65/68	F	6&8	All	All		1	
69/	F	6&8	All	All	C9ZZ 7B544-A	1	3" x 2"
	7545 SPRING - CLUTCH RELEASE EQUALIZER BAR RETAINER						
67/69	B	8	390,427	All	C7OZ 7545-A	1	
	7B545 RETAINER - CLUTCH RELEASE EQUALIZER BAR						
65/71	A	6&8	All	All	C5AZ 7B545-A	1	
70	B	8	429	F/4/S		1	
71/	F	6&8	All	All		1	Attaches 7528 bar to 7517 socket
71/	P	8	302	All		1	
72	B	8	All	All		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY —DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7548 HUB and BEARING - CLUTCH RELEASE - Also refer to Groups 7561 & 7580						
67/68	A	6	All	All	★C7AZ 7548-A	1	#FB-1625-C -r/b D1TZ 7548-A (11-73)
67/68	A	8	All exc. 427,428	All		1	
66/68	B, X	8	All exc. 427,428	All		1	
67/68	B, X	6	All	All		1	Use w/9" dia. clutch
66/67	F "Before 5/1/67"	8	All	All		1	
67	F	6	All	3.03		1	
66/71	U "Before 7/15/71"	6&8	All	All 3/S		1	
66/71	A, B, F	8	427,428, 429	All 4/S	C7AZ 7548-B	1	
67	B(W/10 1/2" clutch)	6	200	All	C7OZ 7548-B	1	#FC-1625-C
66	B	6	200	3.03		1	
66/67	B, F, X	6	170,200	2.77	C7OZ 7548-A	1	#FB-1625-C
71/	U "From 7/15/71"	6&8	All	All 3/S	D1TZ 7548-A	1	
67	F "From 5/1/67"	8	289,390, 302	All	★C7ZZ 7548-A	1	R/b D2OZ 7548-A (11-73)
68/72	F "Before 12/9/71"	6&8	All exc. 428,429	All		1	
69/70	A, X	6&8	All exc 428,429	All		1	
69/71	B	6&8	All exc. 428,429	All		1	
70/72	P "Before 12/9/71"	6&8	All	All		1	
71	A	6&8	All	All		1	
71/72	L	4	All	All	D1FZ 7548-A	1	
72	B	6&8	All	All	D2OZ 7548-A	1	
72	F, P "From 12/9/71"	6&8	All	All		1	

7550 DISC - CLUTCH

DISC and PRESSURE PLATE CHART CLUTCH

YEAR	MODEL AND DESCRIPTION	ENGINE NO. CYL.	ENGINE CUBIC INCH DISP.	TRANSMISSION	DISC * SPRINGS	DISC SPLINES	DIAMETER (INCHES)	MATCHING DISC	MATCHING PLATE
	- A -								
65	A	8	352	All	6L-6S	10	11	⊕C6AZ 7550-E	⊕C1AZ 7563-F
65	A	8	390	All	8	10	11	⊕C5AZ 7550-C	⊕C6AZ 7563-B
65/66	A	8	289	All 3/S	6L-4S	10	10 1/2	⊕C5AZ 7550-F	⊕C2OZ 7563-B
65/67	A	8	427	F/4/S	5L-5S	10	11 1/2	C5AZ 7550-D	⊕C3AZ 7563-C
65/68	A(with H/D clutch)	6	240	All 3/S	8	10	11	⊕C5TZ 7550-A	⊕C8TZ 7563-B
65/71	A(except H/D)	6	240	All 3/S	4L-2S	10	9 1/2	⊕C8AZ 7550-A	⊕C5AZ 7563-A
66/68	A	8	390	All	6L-6S	10	11	⊕C6AZ 7550-E	⊕C6AZ 7563-B
66/68	A	8	428	F/4/S	5L-5S	10	11 1/2	⊕C6AZ 7550-D	⊕C6OZ 7563-D
67	A "Before 4/17/67"	8	289	All 3/S	6L-4S	10	10 1/2	⊕C5AZ 7550-F	⊕C2OZ 7563-B
67	A "From 4/17/67"	8	289	All 3/S	6L-Pink 8S-Orange	10	10	⊕C6OZ 7550-G	⊕C2OZ 7563-F
68/71	A(exc.H/D)	8	302	All	6L-Pink 8S-Orange	10	10	⊕C6OZ 7550-G	⊕C2OZ 7563-F
68/71	A(H/D)	8	302	All 3/S	8 Gray	10	11	⊕C5TZ 7550-A	⊕C9AZ 7563-B
69/70	A(with H/D clutch)	8	240	All 3/S	8 Gray	10	11	⊕C5TZ 7550-A	⊕C9AZ 7563-B
69	A	8	429	F/4/S	5L-5S	10	11 1/2	⊕C6AZ 7550-D	⊕C9AZ 7563-D
69/70	A	8	390	All	6L-6S	10	11	⊕C6AZ 7550-E	⊕C9AZ 7563-C
70/71	A	8	351	All	6L-Orange 3S-Green	10	11	⊕D1OZ 7550-A	⊕C9OZ 7563-A

⊕ Supplied only as a remanufactured item * L-Large S-Small

7550 DISC - CLUTCH - continued

DISC and PRESSURE PLATE CHART CLUTCH

YEAR	MODEL AND DESCRIPTION	ENGINE NO. CYL.	ENGINE CUBIC INCH DISP.	TRANSMISSION	DISC * SPRINGS	DISC SPLINES	DIAMETER (INCHES)	MATCHING DISC	MATCHING PLATE
	- B -								
65	B (H/D)	6	170, 200	3.03	3 Pink 3 Alum.	10	9 1/2	⊕C3AZ 7550-S	⊕C2OZ 7563-A
65	B(except H/D)	6	200	2.77	6	10	8 1/2	Δ⊕C5OZ 7550-B	⊕C5OZ 7563-B
65	B (except H/D)	6	200	2.77	6	10	8 1/2	∉⊕C5OZ 7550-C	⊕C5OZ 7563-B
65	B	8	289	All 3/S	6L-6S	10	10	⊕C6OZ 7550-G	⊕C2OZ 7563-D
65	B(except Special)	8	289	All 4/S	6L-4S	10	10 1/2	⊕C5AZ 7550-F	⊕C2OZ 7563-B
65	B "Special"	8	289	All 4/S	8	10	10 1/2	⊕C7ZZ 7550-B	⊕C7ZZ 7563-B
66	B(except H/D)	6	200	2.77	6 Alum.	10	9	⊕C6OZ 7550-E	⊕C6DZ 7563-C
66/67	B(with H/D clutch)	6	200	3.03	6L-4S	10	10 1/2	⊕C5AZ 7550-F	⊕C2OZ 7563-B
66/67	B(except GT)	8	390	All	8 Alum.	10	11	⊕C5AZ 7550-C	⊕C6OZ 7563-E
66/67	B(GT-335 H. P.)	8	390-4B	F/4/S	8 Alum.	10	11 1/2	⊕C7OZ 7550-B	⊕C6OZ 7563-D
66/71	B	8	289,302	All	6L-Pink 6S-Orange	10	10	⊕C6OZ 7550-G	⊕C2OZ 7563-F
67/68	B(except H/D)	6	200	3.03	6 Pink	10	9	⊕C7OZ 7550-C	⊕C6DZ 7563-C
67	B(Special	8	427-8B	F/4/S	5L-5S	10	11 1/2	C5AZ 7550-D	⊕C3AZ 7563-C
70	B	8	429CJ, 429SCJ	F/4/S					
71	B	8	429CJ	F/4/S	5L-5S	10	11 1/2	C5AZ 7550-D	⊕D1OZ 7563-A
68	B	8	390	All	6L-Orange 3S-Green	10	11	⊕D1OZ 7550-A	⊕C6OZ 7563-E
69	B	8	351,390	All	6L-Orange 3S-Green	10	11	⊕D1OZ 7550-A	⊕C9OZ 7563-A
69/71	B	6	250	All 3/S	6L-Pink 6S-Orange	10	10	⊕C6OZ 7550-G	⊕C9OZ 7563-B
69	B	8	428	F/4/S	5L-5S	10	11 1/2	⊕C6AZ 7550-D	⊕D1OZ 7563-A
70	B		429-4B	F/4/S					
72	B	6	250	All 3/S	6L-Orange 4S-Orange	10	10	⊕D2OZ 7550-A	⊕D2OZ 7563-A
72	B(except H/D)	8	302	All 3/S	6L-Pink 6S-Orange	10	10	⊕D2OZ 7550-B	⊕D2OZ 7563-A
72	B(H/D)	8	302	All 3/S	6L-Pink 6S-Orange	10	11	⊕D2OZ 7550-D	⊕C9OZ 7563-A
72	B	8	351CJ	F/4/S	6L-Purple 6S-Green	10	11	⊕D2OZ 7550-C	⊕ D1ZZ 7563-C
70/71	B	8	351	All	6L-Orange 3S-Green	10	11	⊕D1OZ 7550-A	⊕C9OZ 7563-A
	- F -								
65	F	6	170	All	6	10	8 1/2	⊕C5DZ 7550-A	⊕C2OZ 7563-C
65	F	6	200	All	6	10	8 1/2	◊⊕C5DZ 7550-A	⊕C5OZ 7563-B
65	F	8	260	3.03	6L-Pink 6S-Orange	10	10	⊕C6OZ 7550-G	⊕C2OZ 7563-D
65	F (except Special)	8	289	All	6L-4S	10	10 1/2	⊕C5AZ 7550-F	⊕C2OZ 7563-B
65	F	6	200	2.77	6	10	8 1/2	∅⊕C5DZ 7550-B	∉⊕C5OZ 7563-B
66	F	6	200	D/4/S					
65/66	F "Special"	8	289	All 4/S	8 Gray	10	10 1/2	⊕C7ZZ 7550-B	⊕C7ZZ 7563-B
66	F	6	200	2.77	6 Alum.	10	9	⊕C6OZ 7550-E	⊕C6DZ 7563-C
66/67	F (except Special) - "Before 5/1/67"	8	289	All	6L-6S	10	10	⊕C6DZ 7550-C	⊕C2OZ 7563-D
67	F(except Special)- "From 5/1/67"	8	289	All	6L-6S	10	10	⊕C6DZ 7550-C	⊕C2OZ 7563-F

⊕ Supplied only as a remanufactured item * L-Large S-Small Δ "Before 2/4/65" ∉ "From 2/4/65"
◊ "Before 5/8/65" ∅ "From 5/8/65"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

7550 DISC - CLUTCH - continued

DISC and PRESSURE PLATE CHART CLUTCH

YEAR	MODEL AND DESCRIPTION	ENGINE NO. CYL.	ENGINE CUBIC INCH DISP.	TRANSMISSION	DISC *SPRINGS	DISC SPLINES	DIAMETER (INCHES)	MATCHING DISC	MATCHING PLATE
	- F -								
67	F "Special"	8	289	F/4/S	8 Gray	10	10 1/2	⊕C7ZZ 7550-B	⊕C7ZZ 7563-B
69/71	F(Boss 302)	8	302						
67	F	8	390-4V	All	8 Alum.	10	11 1/2	⊕C7OZ 7550-B	⊕C6OZ 7563-D
67/70	F	6	200	3.03	6 Pink	10	9	⊕C7OZ 7550-C	⊕C6DZ 7563-C
68	F	8	390	All	6L-3S	10	11	⊕D1OZ 7550-A	⊕C6OZ 7563-E
68/71	F(exc. Boss 302) " Before 6/15/71"	8	289,302	All	6L-Pink 6S-Orange	10	10	⊕C6OZ 7550-G	⊕C2OZ 7563-F
71/	F " From 6/15/71"	8	302	All	6L-Pink 6S-Orange	10	10	⊕C6OZ 7550-G	⊕D2OZ 7563-A
68/70	F	8	428CJ, 428S/CJ, 429	F/4/S	5L-5S	10	11 1/2	⊕C6AZ 7550-D	⊕D1OZ 7563-A
69	F	8	351,390	All	6L-3S	10	11	⊕D1OZ 7550-A	⊕C9OZ 7563-A
69/71	F " Before 6/15/71"	6	250	All 3/S	6L-6S	10	10	⊕C6OZ 7550-G	⊕C9OZ 7563-B
71	F "From 6/15/71"	6	250	All 3/S	6L-6S	10	10	⊕C6OZ 7550-G	⊕D2OZ 7563-A
72	F	6	250	All 3/S	6L-Orange 4S-Orange	10	10	⊕D2OZ 7550-A	⊕D2OZ 7563-A
70/	F (except Boss & CJ)	8	351	All	6L-3S	10	11	⊕D1OZ 7550-A	⊕C9OZ 7563-A
71	F	8	429	F/4/S	5L-5S	10	11 1/2	C5AZ 7550-D	⊕ D1OZ 7563-A
71/	F Boss & CJ	8	351	All	6L-Purple	10	11	⊕D2OZ 7550-C	⊕D1ZZ 7563-C
	- L -								
71/	L	4	98	E/4/S	2 Green, 4 White	20	7 1/2	⊕D1FZ 7550-C	⊕D1FZ 7563-B
71/	L	4	98	G/4/S	2 Green 4 No Color	23	7 1/2	⊕D1FZ 7550-B	⊕D1FZ 7563-B
71/	L	4	122	G/4/S	3 Dark Green 3 No Color	23	8 1/2	⊕D1FZ 7550-A	⊕D1FZ 7563-A
	- P -								
70/	P	6	All	All 3/S	6 Pink	10	9	⊕C7OZ 7550-C	⊕C6DZ 7563-C
71/	P	8	302	All 3/S	6L-Pink 6S-Orange	10	10	⊕C6OZ 7550-G	⊕C2OZ 7563-F
	- U -								
66	U (except H/D)- "Before Ser. 844, 001"	6	170	3.03	6 Gray	10	9 3/8	⊕C6TZ 7550-A	⊕C6TZ 7563-J
66/68	U (except H/D)- "From Ser. 844, 001"	6	170	3.03	2 Black 4 Pink	10	9	⊕C6TZ 7550-D	⊕C6DZ 7563-C
66/67	U	8	289	3.03	6 Orange	10	11	⊕C8TZ 7550-B	⊕C8TZ 7563-C
66/	U (H/D clutch)	6	170	3.03	3 Red 3 Alum.	10	9 3/8	⊕C6TZ 7550-B	⊕C6TZ 7563-J
68/71	U "Before Ser. L40,001"	8	289,302	3.03	6L-Pink 6S-Orange	10	11	⊕C8UZ 7550-B	⊕C8TZ 7563-C
71/72	U "From Ser. L40,000 to Ser. M80,001"	8	302	3.03	6-Orange 6-Pink	10	11	⊕D2TZ 7550-B	⊕D1TZ 7563-B
72	U "From Ser. M80,001"	8	302	3.03	6-Orange 6-Pink	10	11	⊕D2TZ 7550-B	⊕D2TZ 7563-D

⊕ Supplied only as a remanufactured item * L-Large S-Small ◊ "Before 5/8/65" ø "From 5/8/65"

7550 DISC - CLUTCH - continued

DISC and PRESSURE PLATE CHART CLUTCH

YEAR	MODEL AND DESCRIPTION	ENGINE NO. CYL.	ENGINE CUBIC INCH DISP.	TRANSMISSION	DISC *SPRINGS	DISC SPLINES	DIAMETER (INCHES)	MATCHING DISC	MATCHING PLATE
	- X -								
65	X	6	200	2.77	6	10	8 1/2	⊕C5DZ 7550-A	⊕C5OZ 7563-B
65	X	6	200	2.77	6	10	8 1/2	⊕C5DZ 7550-B	⊕C5OZ 7563-B
65	X	8	289	All	6L-Pink 6S-Orange	10	10	⊕C6OZ 7550-G	⊕C2OZ 7563-D
65/67	X (H/D)	6	170	2.77	6	10	8 1/2	⊕C2UZ 7550-A	⊕C1UU 7563-A
65/67	X (except H/D)	6	170	2.77	6	10	8 1/2	⊕C5DZ 7550-A	⊕C2OZ 7563-C
66/67	X	6	200	2.77	6 Blue	10	9	⊕C6OZ 7550-E	⊕C6DZ 7563-C
66	X	8	289	F/4/S	6L-6S	10	10	⊕C6DZ 7550-C	⊕C20Z 7563-D
66/67	X "Before 5/1/67"	8	289	All 3/S	6L-6S	10	10		
67	X "From 5/1/67"	8	289	All 3/S	6L-6S	10	10	⊕C6DZ 7550-C	⊕C2OZ 7563-F
67/70	X	6	170.200	3.03	6 Pink	10	9	⊕C7OZ 7550-C	⊕C6DZ 7563-C
67/70	X	8	289,302	All	6L-Pink 6S-Orange	10	10	⊕C6OZ 7550-G	⊕C2OZ 7563-F

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
							Attaching parts for clutch assembly
65/	A, F, S, X	6&8	All	All	350329-S2(BB140)	6	Bolt-5/16" -18 x 13/16" (pressure plate to
65/	B(except H/D clutch)	6&8	All	All		6	flywheel)
65/	A, B, F, S, X	6&8	All	All	34806-S(X64)	6	Lockwasher
65/	B(with H/D clutch)	6	All	All 3/S	43073-S(B251E)	6	Bolt-7/16" -20 x 2" (pressure plate to flywheel)
71/	L	4	All	All	N800013-S51M	6	Bolt-8M-20 x 1 1/4" (pressure plate to flywheel)

7561 HUB and BEARING - CLUTCH RELEASE -Also refer to Group 7548

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	HUB ASSY. 7561	BEARING ASSY. 7580
65	A, B, F, S, X	6&8	240,260, 289,352, 390	All	B7AZ 7561-B	C7AZ 7580-A (1 5/8" I.D.)
65	B	6	All	3.03		
66	U	6&8	All	3.03		
66	A	8	427,428	F/4/S	C4AZ 7561-B	C0TZ 7580-B 3 1/2" O.D. -2 1/16" I.D. - 13/16" wide
65	☆A	8	427	F/4/S		
65	♦A	8	427	F/4/S	C4AZ 7561-A	CC3TA 7580-A
66	A, B, F, X	6&8	240,289, 390	All	Serviced in 7548 assembly	B7A 7580-A
66	B	6	200	3.03		
67/	U	6&8	170,289, 302	3.03		
67/68	A, B, F, X	6&8	All	All	Serviced in 7548 assembly	Serviced in 7548 assembly
68	A	6&8	All	All		
67	A	6&8	All	All	Serviced in 7548 assembly	C7AZ 7580-A
65/66	B, F, X	6	All	2.77 & All 4/S	C3OZ 7561-B	C1DZ 7580-A #1505
						Lubrication fittings for clutch hub & bearing assy.
65/66	A, B, F, U, X	6&8	All	All	87907-S8(I-3) 1 Fitting-1/4" straight (lubricator)	
					87924-S8(I-9) 1 Fitting-1/4" -elbow	

⊕ Supplied only as a remanufactured item * L-Large S-Small ☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7562 SPRING - CLUTCH RELEASE LEVER ANTI-RATTLE						
65/68	A, B, F, S, X	6&8	All	All	C6AZ 7562-A	1	
66/	U	6&8	All	All		1	
	7563 Refer to Group 7550						
	7A572 Refer to Group 7507						
	7A574 Refer to Group 7534						
	7A575 Refer to Group 7A630						
	7580 Refer to Group 7561						
	7K581 CABLE - CLUTCH						
71/	L	4	All	All	D1FZ 7K581-C	1	Includes 7K582 retainer
71/	L	4	All	All	97413-S2	1	Retaining ring (cable to housing)
	7A582 BOOT - CLUTCH PEDAL ROD - Also refer to Group 7A533						
66/67	U	6&8	All	3.03	C6TZ 7A582-B	1	
	7K582 RETAINER - CLUTCH CABLE TO PEDAL						
71	L	4	All	G/4/S	D1FZ 7K582-A	1	3/4" strap-7/16" eyelet for cable-mounting hole
	7583 BUMPER - CLUTCH and BRAKE PEDAL						
	- A -						
65/68	A	6&8	All	All	C5AZ 7583-B	1	
69/71	A	6&8	All	All	C9AZ 7583-A	1	1" long-5/8" dia.
	- B -						
65	B	6&8	All	All	MA 7583-A	1	Without power brakes
65	B	6&8	All	All	★C2OZ 7583-A	1	With power brakes
66/67	B	6&8	170,200, 289	All	C6OZ 7583-B	1	
66/67	B	8	390,427	All	C6OZ 7583-A	1	
68/71	B	6&8	200,250, 289,302	All	C8OZ 7583-A	1	7/16" long-#black
68/71	B	8	351,390, 428,429	All	C8OZ 7583-B	1	7/16" long-#red
72	B	6&8	All	All	D0ZZ 7583-B	1	#Red rubber -also serviced as part of 7519 assy
	- F -						
67/68	F	6&8	200,250, 289,302, 351	All	C7ZZ 7583-B	1	
67/68	F	8	390,428	All	C7ZZ 7583-A	1	
69	F	6&8	200,250 302	All	C8OZ 7583-A	1	7/16" long-#black
69	F	8	351,390 428,429	All	C8OZ 7583-B	1	7/16" long-#red
70	F	6&8	200,250 302,351 428	All	D0ZZ 7583-B	1	#Red rubber
71/	F	6&8	All	All	D1ZZ 7583-B	1	1" long-5/8" dia. large end-13/64 pilot dia.
	- L -						
71	L	4	All	All	C9AZ 7583-B	1	#Black rubber
72	L	4	All	All	D0ZZ 7583-B	1	#Red rubber
	- P -						
70/	P	6&8	All	All	C8OZ 7583-A	1	7/16" long-#black
	- U -						
66/	U	6&8	All	All	D1TZ 7583-A	1	

Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
7583	**BUMPER - CLUTCH and BRAKE PEDAL - continued**						
	- X -						
68/70	X	6&8	200,302	All	C8OZ 7583-A	1	7/16" long-#black
66/	U	6&8	All	All	20520-S8(B63)	1	Bolt-5/16" -13x 1 3/4" (bumper to bracket)
					44722-S8(X19)	2	Flatwasher-5/16"
					33770-S4(M89K)	1	Nut-5/16"-18
7B588	**PLATE - CLUTCH EQUALIZER BAR MOUNTING**						
68/69	B,X	8	289,302	All	C7OZ 7B588-A	1	3 1/2" x 2 13/16"
70	P	6	All	All		1	
7591	**SPRING - CLUTCH RELEASE LEVER RETRACTING**						
69/71	A	6&8	All	All	C9AZ 7591-A	1	2 1/2" free length-19 coils
71/	F " From 6/15/71"	6&8	All	All		1	
72	B	6&8	All	All		1	
67/69	B,F	8	390,427 428	All	C7ZZ 7591-A	1	3 1/16" long-20 coils
69	B	8	351	All		1	
70	B	8	351,429	All		1	
71	B	6&8	All	All		1	
67/70	B	6&8	200,250 289,302	All	C7OZ 7591-A	1	3 5/8" long-40 coils
67/70	X	6&8	170,200 289,302	All		1	
70/	P	6&8	All	All3/S		1	
66/68	F	6&8	200,289	All	C6ZZ 7591-A	1	3 1/16" long-40 coils
69/71	F " Before 6/15/71"	6&8	200,250, 302,351, 429	All	C9ZZ 7591-A	1	3 1/8" long-36 coils
7592	**LINK - CLUTCH PEDAL RETRACTING SPRING** - Also refer to Group 7535						
65	B	6&8	All	All	★C2OZ 7592-A	1	
66/67	B,X	6&8	All	All	C6OZ 7592-A	1	
65/67	B,X	6&8	All	All	20389-S8(B171)	1	Bolt-3/8" -24 x 1" (link to pedal support)
					44727-S8(X24)	1	Flatwasher-3/8"
					34445-S7(M80)	1	Nut-3/8" -24
7600	**BEARING - CLUTCH PILOT**						
65/66	A,B,F,U,X	6&8	240,289	All	C2OZ 7600-A	1	1 3/8" O.D.-11/16" I.D.
65/66	B	6	170,200	3.03		1	
65/71	A,B,F	8	352,390, 427,428, 429	All	D1TZ 7600-A	1	1 27/32" O.D.-43/64" I.D.
66/67	A,B,F,U,X	6&8	240, 289	All	C2OZ 7600-A	1	1 3/8" O.D.-11/16" I.D.
66/67	B	6	200	3.03		1	Use with 10" clutch
68/71	A,B,F,U,X	6&8	240,250, 289,302, 351	All	C8AZ 7600-A	1	
72	U	8	302	All		1	
67/70	B,F,X	6	200	3.03	C7AZ 7600-A	1	Use with 9" clutch
69/70	X	6	170	3.03		1	
70/71	P	6	All	All		1	

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		ENGINE CYL.	ENGINE C.I.D.	TRANS. TYPE	PART NUMBER	QTY.	PART NAME and DESCRIPTION
	7600	**BEARING - CLUTCH PILOT - continued**						
65/66	B, F		6	All	2.77 & D/4/S	C0DZ 7600-A	1	1 3/8" O.D.
65/67	X	"Before 2/1/67"	6	All	2.77		1	
71/	L		4	All	All	D1FZ 7600-B	1	17 rollers
66/	U		6	170	All	C6TZ 7600-A	1	1 3/8" O.D. -11/16" I.D.
67/68	X	"From 2/1/67"	6	All	2.77 & 3.03	C0DZ 7600-A	1	
72	B, F		6&8	All	All	★D2AZ 7600-A	1	1 3/8" O.D. - 43/64" I.D. -repl. by
72	P		8	All	All		1	C8AZ 7600-A (9-74)
72	P		6	All	All	D2DZ 7600-A	1	1 3/8" O.D. - 43/64" I.D.
	7B602	**STUD - CLUTCH RELEASE LEVER**						
71/	L		4	All	All	D1FZ 7B602-A	1	2 5/16" long-5/16" ball end-3/4" hex. drive 1/2"-13 other end
	7B605	**BUSHING - CLUTCH PEDAL CLEVIS**						
71/	L		4	All	All	D1FZ 7B605-A	1	3/8" I.D.-11/16" flange O.D.-3/8" long
	7B617	**CLIP - CLUTCH RELEASE CABLE**						
71/	L		4	All	All	D1FZ 7B617-A	AR	Consists of (2) clips, (2) 34390-S7 nut, (2) 56105-S bolt
	7A624	**PAD - CLUTCH PEDAL PLATE** - Also refer to Group 2457						
68	A		6&8	All	All	C8AZ 7A624-A	1	
69/70	A		6&8	All	All	C9AZ 7A624-A	1	#C9AA 7A624-A
65/68	F		6&8	All	All	C5ZZ 7A624-B	1	
66/	B		6&8	All	All		1	
66/70	X		6&8	All	All		1	
70/	P		6&8	All	All		1	
69/	F		6&8	All	All	C9ZZ 7A624-A	1	#C9ZA 7A624-A
71	A		6&8	All	All		1	
65	X		6&8	All	All	C0DD 7A624-A	1	Brake pedal
							1	Clutch pedal
	7A629	**RETAINER - CLUTCH RELEASE EQUALIZER SHAFT BEARING**						
65/70	B, F, X		6&8	All	All	C1DD 7A629-A	2	"C" type
70/	P		6	All	All		2	
71	B		6&8	250,302, 351	All		2	
68	F		8	428	F/4/S	97474-S(QQ4)	2	Ring-9/16" dia.-(7543 to 7507 mounting)
	7A630	**INSULATOR - CLUTCH PEDAL ASSIST SPRING**						
65/68	A, X		6&8	All	All	D3AZ 7A630-A	1	
65	B		6&8	All	All		1	"U" shaped-1/2" long, 5/16" between legs
66/67	B		6&8	All	All	C1DZ 7A630-A	1	"U" shaped-3/8" long
65/67	F		6&8	All	All		1	5/64" thick, 1/4" between legs
65/67	X		6&8	All	All		1	
	7A641	**INSULATOR - CLUTCH RELEASE IDLER LEVER**						
65/69	A		6&8	All	All	C3AZ 7A641-A	2	
65	B		6&8	All	All		2	
65/69	A, B		6&8	All	All	371030-S8B (XX165G)	2	Washer-7/16" (insulator to 7528 bar)
	7A653	**BRACKET - TRANSMISSION OVERDRIVE CONTROL**						
65	A	"Before 10/7/64"	6&8	All	O/D	★C3AZ 7A653-A	1	O/D control knob
65/67	A	"From 10/7/64"	6&8	All	O/D	C5AZ 7A653-B	1	O/D control knob
66/67	B		8	289	O/D		1	
65	A		6&8	All	All	C5AZ 7A653-A	1	Rear window control mounting for station wagon

Identification marking • 1600 cc ▲ 2000 cc

INDEX

PART NAME	GROUP NUMBER
A	
Actuator (trans. console shift selector)	7E134
Adapter assy. (trans. extension housing)	7C386
Applique (trans. console shift selector housing)	7E116
Arm (trans. gearshift selector)	7346
Arm assy. (trans. gearshift)	7302
Arm & support (trans. selector lever)	7302
B	
Ball (trans. coasting booster valve shuttle)	7E195
Band (trans. intermediate servo)	7D034
Band (trans. reverse clutch)	7D095
Band assy. (trans. front servo)	7A162
Band assy. (trans. rear)	7A176
Bearing (trans. steering column tube)	7347
Bearing (trans. & transfer case shift bellcrank)	7341
Bearing (trans. column shift selector bellcrank)	7341
Bearing (trans. control selector tube)	7347
Bearing (trans. gearshift tube)	7347
Bearing (trans. input & output shaft)	7025-65
Bearing (trans. input shaft pilot)	7120
Bearing (trans. rear clutch brake drum & secondary sun gear)	7-7507
Bearing (trans. rear servo lever needle)	7-7406
Bearing (trans. sun gear thrust)	7D234
Bearing assy. (trans. rear clutch sun gear front)	7D480
Bellcrank (trans. column shift selector)	7A185
Bellcrank (trans. kick down control to accelerator)	7A188
Bellcrank (trans. shift)	7A185
Bezel (trans. console shift selector dial)	7D443
Bezel & lens (trans. column shift selector)	7E055
Body (trans. front band servo)	7A094
Body (trans. governor oil collector)	7D220
Body (trans. rear band servo)	7B172
Body assy. (trans. governor)	7C063
Bolt (trans. overrunning clutch to case)	7D167
Bolt (trans. planetary gears support to case)	7A291
Bolt (trans. rear band servo body to case)	7-7420
Boot (console shift selector linkage)	7277
Boot (trans. column shift selector indicator)	7E054
Boot (trans. gearshift lever)	7277
Brace (trans. case to eng. block)	7E234-5
Brake drum & secondary sun gear (trans. rear clutch)	7A626
Bracket (trans. accelerator & kick down rod)	7B158
Bracket (trans. accelerator bellcrank mounting)	7A296
Bracket (trans. bellcrank mounting)	7E280
Bracket (trans. column shift selector bellcrank mounting)	7C431
Bracket (trans. kickdown lever spring)	7B159
Bracket (trans. manual control lever)	7E081
Bracket (trans. neutral switch actuating pin)	7B212
Bracket (trans. selector cable)	7B229
Bracket & cable assy. (trans. control selector)	7E363

PART NAME	GROUP NUMBER
B - cont-'d.	
Bushing (trans. accelerator rod)	7A440
Bushing (trans. case)	7025
Bushing (trans. control selector arm)	7343
Bushing (trans. console shift selector shaft)	7A133
Bushing (trans. converter stator support)	7B261
Bushing (trans. extension)	7025
Bushing (trans. extension housing)	7A034
Bushing (trans. forward clutch hub)	7E059
Bushing (trans. front oil pump)	7B258
Bushing (trans. front oil pump drive gear)	7B259
Bushing (trans. front pump support)	7D018, 7B261
Bushing (trans. gearshift cable adjusting)	7A438
Bushing (trans. gearshift lever)	7K022
Bushing (trans. gearshift lever shaft)	7A133
Bushing (trans. gearshift selector arm insulator)	7343
Bushing (trans. gearshift lever socket)	7335
Bushing (trans. gearshift shaft)	7K453
Bushing (trans. input shaft)	7120
Bushing (trans. intermediate brake drum)	7D046
Bushing (trans. kickdown control shaft)	7A440
Bushing (trans. kickdown lever & control rod)	7C484
Bushing (trans. low & reverse gearshift interlock)	7C320
Bushing (trans. planetary gear drum support flange inner)	7B257
Bushing (trans. planetary gear drum support flange outer)	7B256
Bushing (trans. planetary gears support)	7A132
Bushing (trans. rear clutch drum & secondary sun gear)	7B262
Bushing (trans. rear oil pump body)	7B260
Bushing (trans. reverse brake drum)	7D001
Bushing (trans. sun gear)	7D065
Bushing kit (trans. gearshift arm)	7343
Bushing & insulator kit (trans. control selector arm)	7343
Button assy. (trans. console shift selector lever release)	7C488
C	
Cable (trans. kickdown control)	7A187
Cable (trans. shift)	7E395
Cable (trans. console shift selector linkage)	7D246
Case (transfer & trans.)	7005-6
Clamp (trans. oil filler tube)	7A229
Clip (trans. cable)	7713
Clip (trans. column shift selector dial retaining)	7D340
Clip (trans. oil screen)	7A096-7
Clip (trans. vacuum tube retaining)	7B085
Clip (trans. vacuum tube)	7C072
Clutch assy. (trans. planetary gears)	7A089
Clutch kit (trans. overrunning)	7A089

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
C - cont'd.	
Compensator spring kit (trans. control oil pressure)	7D245
Connector (trans. oil cooler tubes)	7D273
Control assy. (trans. main valve body)	7A100
Converter assy. (trans.)	7902
Cooler kit (trans. aux. oil)	7K177
Cover & starter ring gear (trans. converter)	7950
Cover (trans. case access)	7222
Cover (trans. column shift control selector socket)	7E248
Cover (trans. converter housing)	7986
Cover (trans. gearshift housing lower)	7K444
Cover (trans. governor inspection)	7-7138
Cover (trans. intermediate band servo)	7D027
Cover (trans. oil pressure regulator body)	7A141
Cover (trans. rear oil pump)	7A152
Cover (trans. reverse band servo piston)	7D036
Cylinder (trans. forward clutch)	7A360
D	
Detent (trans. gearshift lever)	7E218
Dial (trans. column shift selector)	7A213
Dial (trans. floor or console shift selector)	7A213
Dial (trans. selector)	7B033
Diaphragm assy. (trans. vacuum throttle valve)	7A377
Dowel (gearshift housing to trans. case)	7033
Drum assy. (trans. intermediate brake)	7D044
Drum assy. (trans. reverse brake)	7C498, 7-7165
Drum & planetary gears assy. (trans. rear brake)	7A398
E	
Extension (trans. column shift selector lever socket lower)	7228
Extension (trans. selector socket cover)	7228
G	
Gasket set (trans.)	7153
Gasket (trans. & transfer case extension housing)	7086
Gasket (trans. diaphragm assy.)	7B426
Gasket (trans. front oil pump to case)	7A136
Gasket (trans. input shaft bearing retainer)	7051
Gasket (trans. intermediate band servo cover)	7D026
Gasket (trans. oil pan)	7A191
Gasket (trans. oil pan screen)	7E062
Gasket (trans. rear oil pump to case)	7A222
Gasket (trans. throttle valve diaphragm)	7B426
Gasket (trans. valve body separator plate)	7D100

PART NAME	GROUP NUMBER
G - cont'd.	
Gear (trans. forward ring)	7D392
Gear (trans. output shaft parking)	7A233
Gear (trans. output shaft ring)	7A153
Gear (trans. overdrive governor driven)	6922
Gear assy. (trans. primary sun)	7A399
Gear assy. (trans. sun)	7D063
Governor assy. (trans. overdrive less gear)	6919
Governor & counterweight assy. (trans.)	7C053
Guide (trans. console shift control selector lever)	7E113
Guide (trans. front band servo piston)	7A269
H	
Handle assy. (trans. reverse gear lockout)	7E231
Hose (eng. to trans. vacuum tube)	7B086-7
Hose (trans. oil cooler lines)	7B093, 7C332
Housing (trans. console shift selector)	7A306
Housing (trans. converter)	7976
Housing (trans. extension)	7A039, 7A040
Housing assy. (trans. control selector dial)	7D394
Hub (trans. converter impeller)	7915
Hub (trans. converter turbine)	7926
Hub (trans. front ring gear)	7B067
Hub (trans. intermediate & high clutch)	7105
Hub (trans. output shaft)	7D164
Hub (trans. reverse ring gear)	7B067
I	
Indicator (trans. control selector)	7A110
Indicator (trans. oil level)	7A020
Indicator assy. (trans. shift selector)	7B053
Insert (trans. console shift selector)	7E133
Insert (trans. console shift selector lever handle)	7E263
Insert (trans. console shift selector position)	7A216
Insert (trans. control selector housing)	7E362
Insert (trans. synchronizer hub)	7A044
Insulator (trans. gearshift lever)	7246, 7341
Insulator (trans. gearshift selector arm)	7341
Insulator (trans. gearshift selector tube)	7E111
Insulator (trans. console shift selector bezel)	7E048
Insulator (trans. control selector arm)	7341
Interlock (trans. gearshift control lever)	7C318

INDEX

PART NAME	GROUP NUMBER
J	
Joint (trans. column shift rod ball)	7A134
K	
Key (trans. control selector lock blank)	7E327
KIT - refer to appropriate noun name For example	
Lever & piston kit (trans. rear servo)	7A169
Knob (trans. shift lever)	7213
L	
Lever (trans. accelerator kickdown)	7A394
Lever (trans. column mounted gearshift)	7210
Lever (trans. downshift detent inner)	7D261
Lever (trans. floor mounted gearshift)	7210
Lever (trans. front band servo actuating)	7330
Lever (trans. intermediate band servo)	7330
Lever (trans. manual control valve detent)	7A115
Lever (trans. parking pawl)	7A117
Lever (trans. parking pawl toggle)	7A121
Lever (trans. rear band servo actuating)	7A169
Lever (trans. reverse gearshift)	7K002
Lever (trans. selector neutral switch)	7B097
Lever (trans. throttle control inner)	7-7283
Lever assy. (trans. downshift control)	7A394
Lever assy. (trans. downshift detent)	7D261
Lever assy. (trans. manual control)	7A256
Lever & piston kit (trans. rear servo)	7A169
Lever & bracket (trans. kickdown control)	7A372
Link (trans. control shaft adjusting)	7B108
Link (trans. parking pawl toggle)	7-7316
Link (trans. parking pawl toggle operating lever)	7C495
Link assy. (trans. accelerator kickdown shaft adjusting)	7B108
M	
Main control assy. (trans.)	7A100
Mask (trans. console shift selector indicator dial)	7B052
P	
Pan assy. (trans. oil)	7A194
Pawl (trans. console shift selector lever)	7C441-2
Pawl (trans. gearshift crossover)	7E341
Pawl (trans. parking)	7A441
Pin (trans. front band anchor)	7-7377
Pin (trans. front band servo piston guide)	7A163
Pin (trans. parking pawl)	7-7312

PART NAME	GROUP NUMBER
P - cont'd.	
Pin (trans. parking pawl toggle)	7A119
Pin (trans. parking pawl toggle lever)	7A244 7A295
Pin (trans. parking pawl toggle link)	7-7318 7E415
Pin (trans. parking pawl torsion spring lever)	7-7308
Pin (trans. rear band actuating lever shaft)	7-7356
Pin (trans. reverse gear shift relay lever)	7K024
Pin (trans. throttle control valve)	7A380
Pin (trans. throttle pressure booster)	7D375
Piston (trans. front band servo release)	7366
Piston (trans. front clutch)	7A262
Piston (trans. forward clutch)	7A262
Piston (trans. intermediate servo)	7D021-2 7A260
Piston (trans. rear servo accumulator)	7E216
Piston (trans. rear band servo)	7A266
Piston (trans. rear clutch)	7-7514
Piston (trans. reverse clutch)	7D402
Piston assy. (trans. intermediate band servo)	7D021
Piston assy. (trans. rear clutch)	7D157
Piston & pin assy. (trans. front band servo)	7A164
Piston & seal assy. (trans. reverse band servo)	7D189
Piston & stop kit (trans. rear band)	7E216
Planet (trans. forward)	7A398
Planet assy. (trans. reverse)	7D006
Plate (trans. clutch external spline)	7B442
Plate (trans. clutch internal & external spline)	7B164
Plate (trans. clutch pressure)	7B066
Plate (trans. column shift mounting)	7E046
Plate (trans. console shift selector opening cover)	7E169
Plate (trans. console shift selector lever opening floor pan cover)	7C309
Plate (trans. control selector lever guide)	7C499
Plate (trans. eng. rear)	7007
Plate (trans. floor pan gear shift lever opening cover)	7B233, 7C309
Plate (trans. front clutch external spline)	7-7573
Plate (trans. gear shift pattern)	7B052
Plate (trans. main control cover & lower valve body separating)	7734
Plate (trans. main control lower valve body)	7729
Plate (trans. main control separating)	7A008
Plate (trans. main control upper valve body front)	7A396
Plate (trans. main control upper valve body rear)	7A393
Plate (trans. main control valve assy. side)	7-7739
Plate (trans. main control valve body separating)	7A008
Plate (trans. oil pressure regulator body separating)	7A142
Plate (trans. parking rod guide)	7D419
Plate (trans. parking rod support)	7D414

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
P - cont'd.	
Plate (trans. rear clutch pressure)	7B437
Plate (trans. selector lever opening)	7E233
Plate (trans. shift control mounting)	7E046
Plate (trans. throttle pressure booster stop)	7E336
Plug (trans. control selector lock)	7E328
Plug (trans. shift control adjusting hole)	7C147
Plunger (trans. manual control valve detent)	7-7607
Plunger (trans. manual valve detent)	7D069
Pump (trans. front oil)	7A103
Pump (trans. rear oil)	7A149
Pump overhaul kit (trans. front)	7C222
R	
Race (trans. converter stator clutch inner)	7946
Race (trans. converter stator clutch outer)	7947
Race (trans. front clutch sun gear thrust bearing)	7-7549
Race (trans. output shaft thrust)	7A387
Race (trans. overrunning clutch inner)	7D171
Race (trans. overrunning clutch outer)	7B456
Race (trans. primary sun gear thrust)	7D235-6 7-7549
Race (trans. sun gear thrust bearing)	7D235-6
Regulator (trans. oil pressure)	7A139
Retainer (trans. clutch piston spring)	7A527
Retainer (trans. column shift selector lever plunger)	7A347
Retainer (trans. column shift selector lever socket)	7E083
Retainer (trans. console shift lever guide plate)	7C448
Retainer (trans. console shift selector lever pawl)	7C443
Retainer (trans. control selector bezel)	7E150
Retainer (trans. control selector dial)	7D462
Retainer (trans. governor primary spring)	7A190
Retainer (trans. governor secondary valve spring)	7D218
Retainer (trans. kickdown lever spring)	7C176
Retainer (trans. oil pressure regulator main control valve)	7A478
Retainer (trans. overrunning clutch spring)	7D191
Retainer (trans. parking pawl toggle lever pin)	7-7326
Retainer (trans. parking pawl toggle return spring)	7-7323
Retainer (trans. rear band servo spring)	7E264
Retainer (trans. reverse clutch piston ball check)	7E080
Retainer (trans. reverse clutch spring)	7D406
Retainer (trans. selector indicator cable)	7E299 7E300
Retainer (trans. socket extension)	7E083
Retainer (trans. third-second coasting orifice control valve spring)	7194
Retainer (trans. throttle pressure booster stop plate & screw)	7E396
Ring (trans. front clutch piston disc spring)	7-7563
Ring (trans. forward clutch piston spring pressure)	7D256
Ring (trans. governor housing seal)	7D011
Rod (trans. column shift selector bellcrank lever to trans.)	7A024
Rod (trans. floor shift selector lock control)	7E330
Rod (trans. gear selector valve)	7C389
Rod (trans. gear shift)	7326
Rod (trans. gear shift housing selector)	7E148
Rod (trans. intermediate band servo piston)	7D023
Rod (trans. kickdown control shaft)	7A187
Rod (trans. manual control selector connecting)	7326
Rod (trans. manual control valve)	7326 7C389
Rod (trans. manual control detent lever)	7-7322
Rod (trans. parking lever actuating)	7A232
Rod (trans. parking pawl actuating)	7D411
Rod (trans. parking pawl toggle)	7A232
Rod (trans. parking pawl toggle lever)	7-7322
Rod (trans. reverse band servo)	7D190
Rod (trans. throttle control valve)	7A380
Roller (trans. overrunning clutch)	7190
Roller (trans. converter stator clutch)	7A813, 7190
Roller (trans. planetary clutch)	7C366
Roller (trans. rear clutch sun gear)	7-7507
Roller (trans. rear clutch sun gear front bearing)	7C458
Roller assy. (trans. console shift selector lever lock)	7D328
S	
Screen (trans. main control pump inlet)	7E387
Screen (trans. oil pan)	7A098
Screen assy. (trans. governor)	7E242
Screw (trans. band adjusting intermediate & reverse)	7C492
Screw (trans. front band adjusting)	7A178
Screw (trans. rear band adjusting)	7A178
Screw (trans. reverse band adjusting)	7A178
Seal (trans. clutch piston inner)	7A294
Seal (trans. clutch piston oil inner)	7C099
Seal (trans. clutch piston outer oil)	7A548
Seal (trans. control selector dial)	7D351
Seal (trans. control selector housing)	7C370
Seal (trans. control selector tube)	7C102
Seal (trans. downshift control lever oil)	7-7265-8

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Seal (trans. extension housing oil)	7052
Seal (trans. forward clutch cylinder)	7D019
Seal (trans. front & rear clutch piston inner oil)	7C099
Seal (trans. front band servo piston oil)	7C050, 7C098, 7A294
Seal (trans. front band servo release piston oil)	7A293
Seal (trans. front clutch cylinder oil)	7C328
Seal (trans. front clutch piston oil)	7A548
Seal (trans. front clutch sun gear oil)	7-7542
Seal (trans. front clutch sun gear rear oil)	7-7543
Seal (trans. front pump oil)	7A248
Seal (trans. input & output shaft oil)	7A011
Seal (trans. intermediate band servo piston)	7D024-5
Seal (trans. intermediate brake drum)	7D025
Seal (trans. manual control lever oil)	7B498
Seal (trans. oil distributor sleeve)	7D019
Seal (trans. output shaft oil)	7A011
Seal (trans. primary sun gear oil)	7C169
Seal (trans. rear band servo piston)	7D040, 7A294, 7423
Seal (trans. rear band servo piston cover)	7D040
Seal (trans. rear band servo piston oil)	7A294
Seal (trans. rear clutch cylinder oil)	7C099
Seal (trans. rear clutch piston)	7E212
Seal (trans. rear clutch piston inner)	7C099, 7E212
Seal (trans. rear clutch piston outer oil)	7C051
Seal (trans. rear oil pump outlet)	7-7860
Seal (trans. rear oil pump outlet tube oil)	7-7868
Seal (trans. rear pump inlet tube oil)	7C329
Seal (trans. rear servo piston oil)	7423
Seal (trans. reverse clutch cylinder)	7D020
Seal (trans. reverse clutch piston inner)	7A294, 7D404
Seal (trans. reverse clutch piston outer)	7D403, 7A548
Seal (trans. selector tube)	7C102
Seal (trans. servo piston cover)	7D024
Seal (trans. throttle control lever oil)	7-7265
Seat (trans. main control rear pump check valve)	7A129
Seat (trans. oil pressure regulator valve spring)	7C062
Seat (trans. rear clutch piston spring)	7-7516
Servo repair kit (trans. front)	7A135

PART NAME	GROUP NUMBER
S	
Shaft (input)	7017
Shaft (trans. & transfer case output)	7061
Shaft (trans. console shift selector lever support)	7241
Shaft (trans. front band servo actuating lever)	7A165
Shaft (trans. gearshift)	7240
Shaft (trans. input)	7015-7
Shaft (trans. intermediate band actuating lever)	7D433
Shaft (trans. parking pawl)	7D071
Shaft (trans. parking plate)	7D418
Shaft (trans. rear band servo actuating lever)	7A171
Shaft (trans. reverse idler gear)	7140
Shaft assy. (trans. & transfer case input)	7015, 7017
Shaft assy. (trans. kickdown control rod)	7A185
Shaft assy. (trans. output)	7060
Shell (trans. input)	7D064
Shield (trans. column shift control selector indicator lamp)	7E285
Shield (trans. console shift selector housing)	7E271
Shield (trans. shift selector indicator)	7E130
Sleeve (trans. control selector plunger)	7B079
Sleeve (trans. converter reactor journal)	7D345
Sleeve (trans. governor oil distributor)	7A168
Sleeve (trans. main oil pressure booster)	7D002
Sleeve (trans. oil distributor)	7C232
Sleeve (trans. output shaft)	7063
Sleeve (trans. output shaft oil)	7-7063
Slide (trans. console shift selector dial)	7C445
Slide & indicator assy. (trans. console shift selector dial)	7C444
Snap ring (trans. & transfer case)	7026, 7030, 7059, 7064, 7070, 7109, 7C122, 7D176, 7654, 7656, 7666-7, 7672
Snap ring (trans. clutch pressure plate retaining)	7A577
Snap ring (trans. converter stator retaining)	7945
Snap ring (trans. front band servo piston guide to servo)	7-7366
Snap ring (trans. front clutch disc spring retaining)	7-7567
Snap ring (trans. governor)	7-7136, 7E253

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Snap ring (trans. input shaft to front clutch cylinder retaining)	7-7523
Snap ring (trans. rear band servo piston)	7-7417
Snap ring (trans. rear clutch piston spring retaining)	7-7517
Snap ring (trans. rear clutch pressure plate retainer)	7D483
Snap ring kit (trans. input bearing)	7160
Socket (trans. column shift selection lever)	7228
Spacer (trans. column shift selector connecting rod adjustment)	7323
Spacer (trans. gearshift control arm)	7336
Spacer (trans. oil pressure regulator valve)	7470
Spacer (trans. reverse band servo rod)	7D300
Spacer (trans. throttle pressure valve secondary)	7D227
Spacer (trans. tube)	7115
Spring (trans. column shift selector stop)	7293
Spring (trans. console shift selector)	7E114
Spring (trans. console shift selector lever button return)	7C491
Spring (trans. console shift selector lever parking lock)	7C490
Spring (trans. control selector pivot)	7E196
Spring (trans. control selector tube & arm torsion)	7379
Spring (trans. converter stator clutch)	7A814
Spring (trans. direct drive clutch piston)	7B488
Spring (trans. forward clutch piston disc)	7B070
Spring (trans. front band servo piston retracting)	7A003
Spring (trans. front clutch piston disc)	7B070
Spring (trans. intermediate band servo piston)	7D028
Spring (trans. kickdown control shaft retracting)	7B146
Spring (trans. main control rear pump check valve)	7A128
Spring (trans. manual control valve detent lever)	7A261, 7-7276
Spring (trans. manual valve detent)	7E332
Spring kit (trans. main oil pressure regulator valve)	7A270
Spring (trans. oil pressure regulator)	7-7465
Spring (trans. oil pressure regulator front check valve)	7A205
Spring (trans. oil pressure regulator valve)	7D160
Spring (trans. overrunning clutch)	7D170
Spring (trans. parking pawl return)	7D070
Spring (trans. parking pawl toggle return)	7E416
Spring (trans. parking plate torsion)	7D417
Spring (trans. rear band servo accumulator)	7-7369
Spring (trans. rear band servo piston)	7-7415, 7D474
Spring (trans. rear clutch piston)	7A480
Spring (trans. rear clutch pressure)	7E085
Spring (trans. reverse band servo)	7D031
Spring (trans. reverse clutch piston return)	7D405
Spring (trans. selector lever reverse lockout return)	7C300
Spring (trans. throttle modulator valve)	7A286
Spring & retainer kit (trans. reverse clutch)	7A480
Stator assy. (trans. converter)	7932
Stop (trans. band adjusting intermediate & reverse)	7C492
Stop (trans. control selector shaft to accelerator bellcrank)	7C168
Stop (trans. rear band adjustment inner)	7E284
Strut (trans. front band actuating)	7A158
Strut (trans. front band anchor)	7E243
Strut (trans. intermediate band anchor)	7D430
Strut (trans. intermediate brake band)	7D029
Strut (trans. rear band actuating)	7A172
Strut (trans. rear band anchor)	7A175
Strut (trans. reverse band anchor)	7A175
Stud (trans. column shift selector bellcrank mounting)	7A026
Stud (trans. control selector connecting rod adjusting)	7B415
Stud (trans. converter drive)	7964
Stud (trans. gearshift connecting rod adjustment)	7B415
Support (trans. converter stator)	7A108
Support (trans. front pump)	7A108
Support (trans. planetary gears)	7A130
Support (trans. rear)	7A383
Switch (trans. control selector neutral)	7A247
Switch assy. (trans. spark control)	7E440
T	
Transmission	7003
Transmission assy. (including converter)	7000
Tube (eng. to trans. vacuum front or rear)	7B094-5
Tube (eng. to trans. vacuum)	7B084, 7B094
Tube (trans. breather)	7A246, 7034
Tube (trans. clutch & governor oil distributor)	7A170

INDEX

PART NAME	GROUP NUMBER
T - cont'd.	
Tube (trans. clutch & governor oil front)	7A173
Tube (trans. clutch & governor oil rear)	7A174
Tube (trans. column mounted gearshift)	7212
Tube (trans. compensator pressure oil)	7A206
Tube (trans. front band servo oil)	7-7379, 7D469
Tube (trans. main oil pressure)	7-7469
Tube (trans. oil cooler inlet)	7A030
Tube (trans. oil cooler outlet)	7A031
Tube (trans. oil distributor)	7D000
Tube (trans. oil distributor intermediate)	7A173
Tube (trans. oil distributor rear)	7A174
Tube (trans. oil filler)	7A228
Tube (trans. oil pressure regulator)	7A208
Tube (trans. rear oil pump inlet)	7A160
Tube assy. (trans. rear oil pump outlet)	7A204
Tube assy. (steering column inner floor shift)	7212
Tube assy. (trans. column shift selector)	7212
Tube assy. (trans. console shift steering column inner)	7212
Turbine (trans. converter)	7920
V	
Vacuum (trans. modulator)	TP-9
Valve (trans. intermediate servo accumulator check)	7D376
Valve (trans. lubrication)	7D174
Valve (trans. main control manual)	7-7764
Valve (trans. main control oil pressure booster)	7D003
Valve (trans. main control rear pump check)	7A127
Valve (trans. main valve body manual control)	7C389
Valve (trans. oil pressure regulator)	7A202
Valve (trans. rear band servo piston accumulator)	7E216, 7A266
Valve (trans. rear band servo check)	7-7658
Vent assy. (trans. case)	7034
V - cont'd.	
Valve kit (trans. oil pressure regulator)	7B025
Valve & spring kit (trans. converter pressure relief)	7A135
W	
Washer (trans. converter impeller thrust)	7A812
Washer (trans. converter stator front & rear thrust)	7937
Washer (trans. forward clutch hub thrust)	7D090
Washer (trans. front clutch hub to input shaft thrust)	7-7577
Washer (trans. front clutch sun gear thrust)	7-7545
Washer (trans. front pump support thrust)	7D014
Washer (trans. gearshift lever socket anti-vibrator spring)	7242
Washer (trans. input shaft thrust)	7019
Washer (trans. input shell thrust)	7D066, 7937
Washer (trans. intermediate brake drum thrust)	7C096
Washer (trans. output shaft hub thrust)	7D422
Washer (trans. output shaft thrust)	7-7067, 7A385
Washer (trans. output shaft thrust rear)	7B368
Washer (trans. planet carrier thrust)	7A166
Washer (trans. planet pinion thrust)	7A242
Washer (trans. primary to secondary sun gear thrust)	7D484
Washer (trans. primary sun gear thrust)	7C096
Washer (trans. rear clutch sun gear thrust)	7A166, 7-7524
Washer (trans. reverse brake drum thrust)	7D072, 7937
Washer (trans. reverse drum thrust)	7C096
Washer (trans. turbine to converter thrust)	7962
Washer (trans. turbine to cover front thrust)	7937
Washer (trans. selector socket anti-vibration)	7242
Washer kit (trans. reverse clutch hub thrust)	7D091
Weight (trans. converter cover balance)	7955
Wiring & socket assy. (trans. selector indicator)	7B036
Wiring (trans. neutral switch)	7C078

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

HOW TO IDENTIFY AUTOMATIC TRANSMISSION PARTS

A. USE THE TRANSMISSION IDENTIFICATION TAG

1. Each transmission is identified by a number stamped directly on the transmission case or appearing on a metal tag or plate attached to the case.
2. Refer to Page 2 of this section for the illustrations showing the locations of the Service Identification numbers.
3. Each basic transmission type is identified by several numbers which reflect the different model years or the significant changes made within the same model years.
4. A guide listing the transmission identification numbers in numerical and alphabetical sequence by identification number appears on Pages 3, 4 & 5 of this section. When the transmission identification number is known, refer to this guide for the transmission type, year, parts list and illustration section.
5. Three basic types of automatic transmissions have been used as optional equipment for 1965 and subsequent model years.

DESCRIPTION and TYPE	CATALOG IDENTIFICATION	PARTS LISTS SECTION	YEARS
Cruise-O-Matic 3 speed			
Model (FX)-light duty	C/M (FX)	A70.3	1965/67
Model (FMX)-medium duty	C/M (FMX)	A70.3	1968/
Model (MX)-heavy duty	C/M (MX)	A70.3	1965/68
Automatic 3 speed dual range			
Model (XP)	C4	A70.4	1965/
Automatic 3 speed dual range			
Model (XPL)	C6	A70.5	1966/

6. How transmission tag information is listed in the catalog.
   a. If the same part is used on all PEB transmissions (PEB-A, PEB-B, PEB-C), the description area of the catalog will show "Used on #PEB".
   If a different part is used on PEB-A transmission than on PEB-B transmission, the description area of the catalog will restrict each part, i.e. "Used on #PEB-A, "Used on #PEB-B" etc.
   b. If the same part is used on PEB-D1 & PEB-D2 transmissions, the description area of the catalog will show "Used on #PEB-D".
   If a different part is used on PEB-D1 transmission than on PEB-D2 transmission, the description area will restrict each part, i.e. "Used on #PEB-D1, "Used on #PEB-D2".
   c. If a different part is used on a PEB-D transmission than on the PEB-D1 transmission, the description area of the catalog on the PEB-D part will warn the reader of the existence of the other part, i.e. "Used with #PEB-D (See also D0AZ 7153-A for #PEB-D1)".

B. USE THE APPLICATION CHART

Automatic transmissions and their related parts can also be identified by year, model, engine, etc., in the Transmission Application Chart beginning on Page 5 of this section.

C. USE AVAILABLE ILLUSTRATIONS

Automatic transmission illustrations are shown in several sections of the Illustration Catalog, Form AF 7635-B as indicated below.


	ILLUSTRATION SECTION
Transmission assemblies	A70.3 thru A70.5
Transmission oil cooling system and vacuum advance system	A71
Shift control mechanisms. Column mounted	A72
Floor or console mounted	A72.1
Steering column w/o shift mechanism	35
Transmission kickdown and accelerator linkage mechanisms	97
Console mounted parts related to shift control mechanisms	042

D. HOW TRANSMISSION PARTS ARE CATALOGED

1. Parts directly related to the operation of the transmission assembly, such as, case, extension housing, gear train, etc., are listed in parts lists sections A70.3, A70.4, & A70.5.
2. Parts not directly, but functionally related to the operation of the transmission assembly, such as, control selector mechanisms, oil cooling systems, etc., are listed in sections A71 thru A74.

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN



AUTOMATIC TRANSMISSION IDENTIFICATION TAGS

TRANSMISSION IDENTIFICATION CHART

IDENTIFICATION	TYPE	YEAR	PARTS LIST SECTION	ILLUS. SEC.
PCD-AA	FX	65/66	A70.3	A70.2
PCD-AB, AC	FX	66	A70.3	A70.2
PCD-S, T, W, Y	FX	65	A70.3	A70.2
PCD-U, V	FX	65	A70.3	A70.2
PCD-Z	FX	65/66	A70.3	A70.2
PCE-BB, BC, BD	MX	65	A70.3	A70.2
PCE-BE, BF	MX	65	A70.3	A70.2
PCE-BJ, BK, BL	MX	65/66	A70.3	A70.2
PCE-BM, BM1	MX	65	A70.3	A70.2
PCE-BN, BN1	MX	65	A70.3	A70.2
PCE-BR, BS, BT	MX	66	A70.3	A70.2
PCE-BU, BV	MX	65	A70.3	A70.2
PCE-BW, BY	MX	66	A70.3	A70.2
PCS-C, C1	C4	65	A70.4	A70.4
PCS-E, F, G	C4	65	A70.4	A70.4
PCS-J, M	C4	65	A70.4	A70.4
PCS-V, W, Y, Z	C4	66	A70.4	A70.4
PCS-AA	C4	66	A70.4	A70.4
PCT-J1, J2	FX	65	A70.3	A70.2
PCT-J3	FX	65/66	A70.3	A70.2
PCT-K	FX	66	A70.3	A70.2
PCV-B	C4	65	A70.4	A70.4
PCV-E	C4	66	A70.4	A70.4
PCW-BA	C4	66	A70.4	A70.4
PCW-G, G1	C4	65	A70.4	A70.4
PCW-H, H1	C4	65	A70.4	A70.4
PCW-J	C4	65	A70.4	A70.4
PCW-M, R, S	C4	65	A70.4	A70.4
PCW-V, V1	C4	65	A70.4	A70.4
PCW-W, W1	C4	65	A70.4	A70.4
PCW-AA	C4	65	A70.4	A70.4
PCW-AC, AD	C4	65	A70.4	A70.4
PCW-AF, AG	C4	65	A70.4	A70.4
PCW-AN	C4	66	A70.4	A70.4
PCW-AR, AS	C4	66	A70.4	A70.4
PCW-AW, AW1	C4	66	A70.4	A70.4
PCW-AV, AY, AZ	C4	66	A70.4	A70.4
PDA-A, B, C	C4	65	A70.4	A70.4
PDA-D	C4	66	A70.4	A70.4
PDD-B, C, D	C6	66	A70.5	A70.5
PDD-E, F, H	C6	66	A70.5	A70.5
PDD-J, K, L	C6	66	A70.5	A70.5
PDD-N, P, R	C6	66	A70.5	A70.5
PDD-S, T, U	C6	66	A70.5	A70.5
PDD-V, W, Y, Z	C6	66	A70.5	A70.5
PDD-AA	C6	66	A70.5	A70.5
PEA-A	C4	67	A70.4	A70.4
PEA-A1	C4	68	A70.4	A70.4
PEA-A2	C4	69	A70.4	A70.4
PEA-A3	C4	70	A70.4	A70.4
PEA-B, C	C4	67	A70.4	A70.4
PEA-M, M1	C4	68/69	A70.4	A70.4
PEA-M2, M3	C4	70/71	A70.4	A70.4
PEA-M4, M5	C4	71/	A70.4	A70.4
PEA-N, N1	C4	68/69	A70.4	A70.4
PEA-N2, N3	C4	70/71	A70.4	A70.4
PEA-P	C4	68	A70.4	A70.4
PEA-P1	C4	69	A70.4	A70.4
PEA-AA	C4	69	A70.4	A70.4

IDENTIFICATION	TYPE	YEAR	PARTS LIST SECTION	ILLUS. SEC.
PEB-A, A1	C4	67	A70.4	A70.4
PEB-A2	C4	68	A70.4	A70.4
PEB-B	C4	67	A70.4	A70.4
PEB-B1	C4	68/69	A70.4	A70.4
PEB-B2	C4	69	A70.4	A70.4
PEB-B3	C4	70	A70.4	A70.4
PEB-C, C1	C4	67	A70.4	A70.4
PEB-C2	C4	68/69	A70.4	A70.4
PEB-C3	C4	70	A70.4	A70.4
PEB-D	C4	70/	A70.4	A70.4
PEB-D2	C4	71	A70.4	A70.4
PEB-D3, D4	C4	71/	A70.4	A70.4
PEB-D5	C4	72	A70.4	A70.4
PEB-E	C4	67	A70.4	A70.4
PEB-E1	C4	68	A70.4	A70.4
PEB-F, F1	C4	67	A70.4	A70.4
PEB-F2	C4	68	A70.4	A70.4
PEB-H	C4	71	A70.4	A70.4
PEB-H1, H2	C4	71/	A70.4	A70.4
PEB-H3	C4	72	A70.4	A70.4
PEE-B	C4	67	A70.4	A70.4
PEE-C	C4	67	A70.4	A70.4
PEE-C1	C4	68	A70.4	A70.4
PEE-D, D1	C4	67	A70.4	A70.4
PEE-E, E1	C4	67	A70.4	A70.4
PEE-H, H1	C4	67	A70.4	A70.4
PEE-H2	C4	68	A70.4	A70.4
PEE-J, J1	C4	67	A70.4	A70.4
PEE-K	C4	67	A70.4	A70.4
PEE-M	C4	68/69	A70.4	A70.4
PEE-M1	C4	70	A70.4	A70.4
PEE-M2, M3	C4	71	A70.4	A70.4
PEE-M4, M5	C4	72	A70.4	A70.4
PEE-R, S	C4	68	A70.4	A70.4
PEE-V	C4	68/69	A70.4	A70.4
PEE-V1	C4	70	A70.4	A70.4
PEE-V2, V3	C4	71	A70.4	A70.4
PEE-V4, V5	C4	72	A70.4	A70.4
PEE-AC	C4	69	A70.4	A70.4
PEE-AC1	C4	70	A70.4	A70.4
PEE-AC2	C4	71	A70.4	A70.4
PEE-AC3, AC4	C4	71/	A70.4	A70.4
PEE-AD	C4	69	A70.4	A70.4
PEE-AD1	C4	70	A70.4	A70.4
PEE-AD2	C4	71	A70.4	A70.4
PEE-AD3, AD4	C4	71/	A70.4	A70.4
PEE-AE	C4	69	A70.4	A70.4
PEE-AE1	C4	70	A70.4	A70.4
PEE-AE2, AE3	C4	71	A70.4	A70.4
PEE-AE4, AE5	C4	72	A70.4	A70.4
PEE-AF	C4	69	A70.4	A70.4
PEE-AF1	C4	70	A70.4	A70.4
PEE-AF2, AF3	C4	71	A70.4	A70.4
PEE-AF4, AF5	C4	72	A70.4	A70.4
PEE-AH	C4	70	A70.4	A70.4
PEE-AH1, AH2, AH3	C4	71/	A70.4	A70.4
PEE-AK	C4	70	A70.4	A70.4
PEE-AK1	C4	71	A70.4	A70.4
PEE-AK2, AK3	C4	71/	A70.4	A70.4

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

TRANSMISSION IDENTIFICATION CHART

IDENTIFICATION	TYPE	YEAR	PARTS LIST SECTION	ILLUS. SEC.
PEE-AL	C4	71	A70.4	A70.4
PEE-AL1, AL2	C4	71/	A70.4	A70.4
PEE-AM	C4	71	A70.4	A70.4
PEE-AM1, AM2	C4	71/	A70.4	A70.4
PEF-A, B	C4	70	A70.4	A70.4
PEF-A1, B1	C4	71	A70.4	A70.4
PEF-A2, A3	C4	71/	A70.4	A70.4
PEF-C	C4	70	A70.4	A70.4
PEF-D	C4	70	A70.4	A70.4
PEF-D1, D2, E1, E2	C4	71	A70.4	A70.4
PEF-D3, D4	C4	72	A70.4	A70.4
PEF-E	C4	70	A70.4	A70.4
PEF-E3, E4	C4	72	A70.4	A70.4
ED-PEF-E4	C4	72	A70.4	A70.4
PEG-A, A1	C4	70	A70.4	A70.4
PEJ-B	C4	71	A70.4	A70.4
PEJ-B1, B2	C4	71/	A70.4	A70.4
PFA-B	MX	67	A70.3	A70.2
PFA-B1	MX	68	A70.3	A70.2
PFA-D	MX	67	A70.3	A70.2
PFA-D1	MX	68	A70.3	A70.2
PFA-E	MX	67	A70.3	A70.2
PFA-F	MX	68	A70.3	A70.2
PGA-A, A1, A2	C6	67/68	A70.5	A70.5
PGA-A3	C6	69	A70.5	A70.5
PGA-A4	C6	70/71	A70.5	A70.5
PGA-A5	C6	71	A70.5	A70.5
PGA-B, B1, B2	C6	67	A70.5	A70.5
PGA-B3	C6	68	A70.5	A70.5
PGA-C, C1, C2	C6	67/68	A70.5	A70.5
PGA-F, G	C6	67	A70.5	A70.5
PGA-H, H1, H2	C6	67/68	A70.5	A70.5
PGA-J, J1, J2	C6	67/68	A70.5	A70.5
PGA-J3	C6	69	A70.5	A70.5
PGA-J4	C6	70/71	A70.5	A70.5
PGA-J5	C6	71	A70.5	A70.5
PGA-K, K1, K2	C6	67	A70.5	A70.5
PGA-K3	C6	68	A70.5	A70.5
PGA-L, L1, L2	C6	67/68	A70.5	A70.5
PGA-M, M1	C6	67	A70.5	A70.5
PGA-M2	C6	68	A70.5	A70.5
PGA-P, P1	C6	67	A70.5	A70.5
PGA-P2	C6	68	A70.5	A70.5
PGA-R, R1	C6	67	A70.5	A70.5
PGA-R2	C6	68	A70.5	A70.5
PGA-S	C6	68	A70.5	A70.5
PGA-V, W, Y	C6	69	A70.5	A70.5
PGA-Z	C6	69	A70.5	A70.5
PGA-AA	C6	69	A70.5	A70.5
PGA-AB	C6	69	A70.5	A70.5
PGA-AC	C6	69	A70.5	A70.5
PGA-AD	C6	69	A70.5	A70.5
PGA-AE	C6	69	A70.5	A70.5
PGA-AF	C6	71	A70.5	A70.5
PGA-AF1	C6	72	A70.5	A70.5
PGA-AG	C6	71	A70.5	A70.5
PGA-AG1	C6	72	A70.5	A70.5

IDENTIFICATION	TYPE	YEAR	PARTS LIST SECTION	ILLUS. SEC.
PGA-AY	C6	72	A70.5	A70.5
PGA-AH	C6	71	A70.5	A70.5
PGA-AU	C6	71	A70.5	A70.5
PGA-AU1	C6	72	A70.5	A70.5
PGA-AV	C6	71	A70.5	A70.5
PGA-AV1	C6	72	A70.5	A70.5
PGA-AW	C6	72	A70.5	A70.5
PGA-AZ	C6	72	A70.5	A70.5
PGB-A, A1, A2	C6	67/68	A70.5	A70.5
PGB-B, B1, B2	C6	67/68	A70.5	A70.5
PGB-C, C1, C2	C6	67	A70.5	A70.5
PGB-F, F1	C6	67/68	A70.5	A70.5
PGB-F2	C6	69	A70.5	A70.5
PGB-F3	C6	70	A70.5	A70.5
PGB-G, G1	C6	67/68	A70.5	A70.5
PGB-G2	C6	69	A70.5	A70.5
PGB-G3	C6	70/71	A70.5	A70.5
PGB-H, H1	C6	67/68	A70.5	A70.5
PGB-H2	C6	69	A70.5	A70.5
PGB-J	C6	68	A70.5	A70.5
PGB-J1	C6	69	A70.5	A70.5
PGB-N, N1	C6	67	A70.5	A70.5
PGB-Y, Z	C6	68	A70.5	A70.5
PGB-AD, AE	C6	69	A70.5	A70.5
PGB-AF	C6	68	A70.5	A70.5
PGB-AF1	C6	69	A70.5	A70.5
PGB-AF2	C6	70	A70.5	A70.5
PGB-AG, AH	C6	68/69	A70.5	A70.5
PGB-AJ	C6	68	A70.5	A70.5
PGB-AL	C6	69	A70.5	A70.5
PGB-AM	C6	69	A70.5	A70.5
PHA-A	FX	67	A70.3	A70.2
PHA-B, C	FMX	68	A70.3	A70.3
PHA-H, H1, H2	FMX	72	A70.3	A70.3
PHA-J	FMX	72	A70.3	A70.3
PHB-A	FMX	68/69	A70.3	A70.3
PHB-C, C1, C2, D, E	FMX	69/	A70.3	A70.3
PHB-E1	FMX	70/	A70.3	A70.3
PHB-E2, E3	FMX	71	A70.3	A70.3
PHB-E4, E5, E6	FMX	72	A70.3	A70.3
PHB-F, G, H	FMX	69	A70.3	A70.3
PHB-L	FMX	69	A70.3	A70.3
PHB-L1	FMX	70/71	A70.3	A70.3
PHB-L2	FMX	71	A70.3	A70.3
PHB-L3, L4, L5	FMX	72	A70.3	A70.3
PHB-P	FMX	70	A70.3	A70.3
PHB-R	FMX	70	A70.3	A70.3
PHB-S	FMX	70	A70.3	A70.3
PHB-V	FMX	70/71	A70.3	A70.3
PHB-V1	FMX	71	A70.3	A70.3
PHB-Z, Z1, Z2	FMX	72	A70.3	A70.3
PHD-A, B	FMX	69	A70.3	A70.3
PHD-A1	FMX	70/71	A70.3	A70.3
PHD-A2	FMX	71	A70.3	A70.3
PHD-A4, A5, A6	FMX	72	A70.3	A70.3
PHD-B1	FMX	70/71	A70.3	A70.3
PHD-B2	FMX	71	A70.3	A70.3
PJA-A, A1	C6	70/71	A70.5	A70.5
PJA-B, B1	C6	70/71	A70.5	A70.5
PJA-C, C1	C6	71	A70.5	A70.5
PJA-C2	C6	72	A70.5	A70.5

TRANSMISSION IDENTIFICATION CHART

IDENTIFICATION	TYPE	YEAR	PARTS LIST SECTION	ILLUS. SECTION
PJA-D, D1	C6	71	A70.5	A70.5
PJA-G	C6	72	A70.5	A70.5
PJA-H	C6	72	A70.5	A70.5
PJA-J	C6	72	A70.5	A70.5
PJA-K	C6	72	A70.5	A70.5
PJA-L	C6	72	A70.5	A70.5
PJA-M	C6	72	A70.5	A70.5
PJB-A	C6	70/71	A70.5	A70.5
PJB-B	C6	70/71	A70.5	A70.5
PJB-C, C1	C6	70/71	A70.5	A70.5
PJB-D, D1	C6	70/71	A70.5	A70.5
PJB-F	C6	70/71	A70.5	A70.5
PJB-G	C6	70	A70.5	A70.5
PJB-H, H1	C6	70/71	A70.5	A70.5
PJB-J	C6	70	A70.5	A70.5
PJB-K	C6	71	A70.5	A70.5
PJB-K1	C6	72	A70.5	A70.5
PJC-A	C6	70/71	A70.5	A70.5
PJC-B	C6	70/71	A70.5	A70.5
PJC-E	C6	70	A70.5	A70.5
PJC-F	C6	70	A70.5	A70.5
PJC-G	C6	71	A70.5	A70.5
PJC-H1	C6	71	A70.5	A70.5
PJC-H2	C6	72	A70.5	A70.5
PJC-H4	C6	72	A70.5	A70.5
PJC-J	C6	72	A70.5	A70.5
PJD-B	C6	70	A70.5	A70.5
PJD-E	C6	70	A70.5	A70.5
PJD-E1	C6	72	A70.5	A70.5

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST	ILLUS. SECTION	TRANSMISSION ASSEMBLY INCLUDES CONVERTER	TRANSMISSION ASSEMBLY ▲ LESS CONVERTER
1965								
- A -								
Column shift-exc. Fleet	6	240	PCV-B	C4	A70.4	A70.4	★C5AP 7000-A	★C6AP 7003-J
Column shift-Fleet	6	240	PCW-AG	C4	A70.4	A70.4	★C5AP 7000-U	★C6AP 7003-L
Column shift-Fleet	6&8	240,289	PCW-S	C4	A70.4	A70.4	★C5AP 7000-D	★C6AP 7003-L
Column shift-P/C & Fleet	8	289	PDA-C	C4	A70.4	A70.4	★C5AP 7000-V	★C6AP 7003-U
Console shift	8	289	PCW-R	C4	A70.4	A70.4	★C5AP 7000-C	C6AP 7003-K
Long extension housing	8	289	PCT-J1	FX	A70.3	A70.2	★C5AP 7000-AH	★C6AP 7003-E & C5AZ 4602-U
Short extension housing	8	289	PCT-J2,J3	FX	A70.3	A70.2	★C5AP 7000-T	★C6AP 7003-E
Column shift-long ext. hsg.	8	352	PCD-U	FX	A70.3	A70.2	★C5AP 7000-H	★C5AP 7003-H
Column shift-short ext. hsg.	8	352	PCD-Z	FX	A70.3	A70.2	★C5AP 7000-AF	C6AP 7003-H
Console shift-long ext. hsg.	8	352	PCD-V	FX	A70.3	A70.2	★C5AP 7000-J	★C5AP 7003-J
Console shift-short ext. hsg.	8	352	PCD-AA	FX	A70.3	A70.2	★C5AP 7000-AG	★C6AP 7003-T
Column shift	8	352	PCD-S	FX	A70.3	A70.2	★C5AP 7000-F	★C5AP 7003-F
Column shift	8	352	PCD-W	FX	A70.3	A70.2	★C5AP 7000-AD	C6AP 7003-H
Console shift	8	352	PCD-T	FX	A70.3	A70.2	★C5AP 7000-G	★C5AP 7003-AE
Console shift	8	352	PCD-Y	FX	A70.3	A70.2	★C5AP 7000-AE	★C5AP 7003-AE
Column shift-exc. P/C-7 tooth speedometer gear	8	390	PCE-BC	MX	A70.3	A70.2	★C5AP 7000-K	★C6AP 7003-F & (17271) gear
Column shift-exc. P/C-8 tooth speedometer gear	8	352,390	PCE-BK	MX	A70.3	A70.2	★C5AP 7000-Z	★C6AP 7003-F & (17271) gear
Console shift-exc. P/C-7 tooth speedometer gear	8	390	PCE-BD	MX	A70.3	A70.2	★C5AP 7000-L	C6AP 7003-G & (17271) gear
Console shift-exc. P/C-8 tooth speedometer gear	8	390	PCE-BL	MX	A70.3	A70.3	★C5AP 7000-AA	C6AP 7003-G & (17271) gear
Column shift-P/C-7 tooth speedometer gear	8	390	PCE-BE	MX	A70.3	A70.2	★C5AP 7000-M	★C5AP 7003-AB & (17271) gear
Column shift-P/C-8 tooth speedometer gear	8	390	PCE-BM, BM1	MX	A70.3	A70.2	★C5AP 7000-AB	★C5AP 7003-AB
Column shift-P/C-8 tooth speedometer gear	8	390	PCE-BU	MX	A70.3	A70.2	★C5AP 7000-AK	★C5AP 7003-AK

▲ When basic 7003 is specified order the related 7902 converter assy., if required

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST	ILLUS. SECTION	TRANSMISSION ASSEMBLY INCLUDES CONVERTER	TRANSMISSION ASSEMBLY ▲ LESS CONVERTER
1965 - continued								
- A -								
Console shift-7 tooth speedometer gear	8	390 P/C	PCE-BF	MX	A70.3	A70.2	★C5AP 7000-N	★C5AP 7003-AC & (17271) gear
Console shift-8 tooth speedometer gear	8	390 P/C	PCE-BN, BN1	MX	A70.3	A70.2	★C5AP 7000-AC	★C5AP 7003-AC
Console shift-8 tooth speedometer gear	8	390 P/C	PCE-BV	MX	A70.3	A70.2	★C5AP 7000-AL	★C5AP 7003-AL
- B -								
Column shift	6	200	PCS-J,J1	C4	A70.4	A70.4	★C5OP 7000-A	★C6DP 7003-B
Console shift	6	200	PCS-M,M1	C4	A70.4	A70.4	★C5OP 7000-E	C6OP 7003-G
Column shift	8	289 exc. Special	PCW-M	C4	A70.4	A70.4	★C5OP 7000-B	★C5OP 7003-B
Console shift	8	289 exc. Special	PCW-AD	C4	A70.4	A70.4	★C5OP 7000-F	C6OP 7003-E
Column shift	8	289 spl.	PCW-AC	C4	A70.4	A70.4	★C5OP 7000-D	★C5OP 7003-D
Console shift	8	289 Spl.	PCW-AF	C4	A70.4	A70.4	★C5OP 7000-H	★C5OP 7003-H
- F -								
	6	170	PCS-C	C4	A70.4	A70.4	★C4ZP 7000-C	★C4ZP 7003-C
	6	200	PCS-F	C4	A70.4	A70.4	★C5ZP 7000-A	★C5ZP 7003-A
	8	260	PCW-G	C4	A70.4	A70.4	★C4ZP 7000-A	★C4ZP 7003-A
	8	289	PCW-H	C4	A70.4	A70.4	★C4ZP 7000-B	★C4ZP 7003-B
	8	289	PCW-J	C4	A70.4	A70.4	★C5ZP 7000-A	C6ZP 7003-B
- S -								
	8	390	PCE-BB	MX	A70.3	A70.2	★C5SP 7000-A	★C5SP 7003-B & (17271) gear
	8	390	PCE-BJ	MX	A70.3	A70.2	★C5SP 7000-B	★C5SP 7003-B
- X -								
	6	170	PCS-E	C4	A70.4	A70.4	★C5DP 7000-B	★C5DP 7003-B
	6	200	PCS-G	C4	A70.4	A70.4	★C5GP 7000-A	★C5GP 7003-A
	8	289	PCW-AA	C4	A70.4	A70.4	★C5DP 7000-C	★C5DP 7003-C
1966								
- A -								
	6	240	PCE-BW	MX	A70.3	A70.2	★C6AP 7000-R	★C6AP 7003-R
	6	240	PCV-E	C4	A70.4	A70.2	★C6AP 7000-R	★C6AP 7003-R
	8	289	PCT-J3	FX	A70.3	A70.2	★C5AP 7000-T	★C6AP 7003-E
	8	289	PCT-K	FX	A70.3	A70.2	★C6AP 7000-E	★C6AP 7003-E
Column shift	8	289	PDA-D	MX	A70.3	A70.2	★C6AP 7000-M	★C6AP 7003-U
Column shift	8	289	PCE-BY	MX	A70.3	A70.2	★C6AP 7000-U	★C6AP 7003-U
Column shift	8	289	PCW-AW	C4	A70.4	A70.4	★C6AP 7000-L	★C6AP 7003-L
Console shift	8	289	PCW-AV	C4	A70.4	A70.4	★C6AP 7000-K	C6AP 7003-K
Column shift	8	352	PCD-Z,AB	FX	A70.3	A70.2	★C6AP 7000-H	C6AP 7003-H
Console shift	8	352	PCD-AA, AC	FX	A70.3	A70.2	★C6AP 7000-T	★C6AP 7003-T
Column shift	8	352,390	PCE-BK, BR	MX	A70.3	A70.2	★C6AP 7000-F	★C6AP 7003-F
Console shift	8	390	PCE-BL, BS	MX	A70.3	A70.2	★C6AP 7000-G	C6AP 7003-G

▲ When basic 7003 is specified order the related 7902 converter assembly, if required

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST	ILLUS. SECTION	TRANSMISSION ASSEMBLY INCLUDES CONVERTER	TRANSMISSION ASSEMBLY ▲ LESS CONVERTER
1966 - continued								
- A -								
Column shift-exc. P/C & Fleet	8	390-2B	PDD-B	C6	A70.5	A70.5	★C6AP 7000-A	★C6AP 7003-A
Column shift-P/C & Fleet	8	390-2B	PDD-Z	C6	A70.5	A70.5	★C6AP 7000-V	★C6AP 7003-V
Console shift	8	390-2B	PDD-W	C6	A70.5	A70.5	★C6AP 7000-N	★C6AP 7003-N
Column shift	8	390-4B	PDD-C, T	C6	A70.5	A70.5	★C6MP 7000-D	★C6MP 7003-D
Console shift	8	390-4B	PDD-K, U	C6	A70.5	A70.5	★C6MP 7000-E	★C6MP 7003-E
Column shift-exc. P/C & Fleet	8	428	PDD-D, H	C6	A70.5	A70.5	★C6MP 7000-A	★C6MP 7003-A
Column shift-P/C & Fleet	8	428	PDD-AA	C6	A70.5	A70.5	★C6AP 7000-Y	★C6AP 7003-Y
Column shift-P/C	8	428	PDD-Y	C6	A70.5	A70.5	★C6AP 7000-S	★C6AP 7003-S
Console shift	8	428	PDD-L, N	C6	A70.5	A70.5	★C6MP 7000-B	★C6MP 7003-B
- B -								
Column shift-exc. P/C & Fleet	6	200	PCS-W	C4	A70.4	A70.4	★C6DP 7000-B	★C6DP 7003-B
Column shift-P/C & Fleet	6	200	PCW-AY	C4	A70.4	A70.4	★C6DP 7000-D	★C6DP 7003-D
Console shift	6	200	PCS-AA	C4	A70.4	A70.4	★C6OP 7000-G	C6OP 7003-G
Column shift-exc. P/C & Fleet	8	289	PCW-AN	C4	A70.4	A70.4	★C6DP 7000-D	★C6DP 7003-D
Column shift-P/C & Fleet	8	289	PCW-AZ	C4	A70.4	A70.4	★C6DP 7000-E	C6DP 7003-E
Console shift	8	289	PCW-AR	C4	A70.4	A70.4	★C6OP 7000-E	C6OP 7003-E
Column shift	8	390-2B	PDD-J	C6	A70.5	A70.5	★C6OP 7000-B	★C6OP 7003-B
Console shift	8	390-2B	PDD-P	C6	A70.5	A70.5	★C6OP 7000-C	★C6OP 7003-C
Column shift	8	390-4B	PDD-E	C6	A70.5	A70.5	★C6OP 7000-A	★C6OP 7003-A
Console shift	8	390-4B exc. GT	PDD-R	C6	A70.5	A70.5	★C6OP 7000-D	C6OP 7003-D
Console shift	8	390-4B GT	PDD-V	C6	A70.5	A70.5	★C6OP 7000-H	★C6OP 7003-H
- F -								
	6	200	PCS-Y	C4	A70.4	A70.4	★C6ZP 7000-A	★C6ZP 7003-A
	8	289 exc. Special	PCW-AS	C4	A70.4	A70.4	★C6ZP 7000-B	C6ZP 7003-B
	8	289 Spl.	PCW-BA	C4	A70.4	A70.4	★C6ZP 7000-C	★C6ZP 7003-C
- S -								
	8	390	PCE-BJ, BT	MX	A70.3	A70.2	★C5SP 7000-B	★C5SP 7003-B
	8	390	PDD-S	C6	A70.5	A70.5	★C6SP 7000-B	★C6SP 7003-B
	8	428	PDD-F	C6	A70.5	A70.5	★C6SP 7000-A	★C6SP 7003-A
- X -								
	6	170	PCS-V	C4	A70.4	A70.4	★C6DP 7000-A	★C6DP 7003-A
	6	200	PCS-W	C4	A70.4	A70.4	★C6DP 7000-B	★C6DP 7003-B
	8	289	PCW-AN	C4	A70.4	A70.4	★C6DP 7000-C	C6DP 7003-C
1967								
- A -								
Column shift	6	240	PFA-D	MX	A70.3	A70.2	★C7AP 7000-H	★C8AP 7003-L
Column shift	6	240	PEA-A	C4	A70.4	A70.4	★C7AP 7000-AC	★C8AP 7003-AA
Column shift-exc. P/C & Fleet	8	289	PHA-A	FX	A70.3	A70.2	★C7AP 7000-K	★C7AP 7003-K
Column shift-P/C & Fleet	8	289	PFA-E	MX	A70.3	A70.2	★C7AP 7000-J	★C7AP 7003-J
Column shift	8	289	PEA-C	C4	A70.4	A70.4	★C7AP 7000-AE	C8AP 7003-N
Console shift	8	289	PEA-B	C4	A70.4	A70.4	★C7AP 7000-AD	★C8AP 7003-R
Column shift-exc. P/C & Fleet	8	390	PFA-B	MX	A70.3	A70.2	★C7AP 7000-F	C8AP 7003-K

▲ When basic 7003 is specified order the related 7902 converter assy., if required

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST	ILLUS. SECTION	TRANSMISSION ASSEMBLY INCLUDES CONVERTER	TRANSMISSION ASSEMBLY ▲ LESS CONVERTER
1967 - continued								
- A -								
Column shift-exc. P/C & Fleet	8	390-2B	PGA-A, A1, A2	C6	A70.5	A70.5	★C7AP 7000-R	C8AP 7003-A
Console shift	8	390-2B	PGA-L, L1, L2	C6	A70.5	A70.5	★C7AP 7000-S	★C8MP 7003-B
Column shift-exc. P/C & Fleet	8	390-2B	PGA-H, H1, H2	C6	A70.5	A70.5	★C7MP 7000-A	C8AP 7003-A
Console shift	8	390-2B	PGA-J, J1, J2	C6	A70.5	A70.5	★C7MP 7000-B	★C8MP 7003-B
Column shift-P/C & Fleet	8	390-2B, 4B	PGB-G, G1	C6	A70.5	A70.5	★C7AP 7000-U	C8AP 7003-D
Column shift-exc. P/C & Fleet	8	428	PGB-A, A1, A2	C6	A70.5	A70.5	★C7MP 7000-C	★C8AP 7003-G
Column shift-P/C & Fleet	8	428	PGB-H, H1	C6	A70.5	A70.5	★C7AP 7000-V	C8AP 7003-E
Console shift	8	428	PGB-B, B1, B2	C6	A70.5	A70.5	★C7MP 7000-D	C8MP 7003-C
Console shift	8	428	PGB-N, N1	C6	A70.5	A70.5	★C7AP 7000-Y	★C7AP 7003-Y
Column shift-P/C only	8	428	PGB-F, F1	C6	A70.5	A70.5	★C7AP 7000-T	C8AP 7003-C
- B -								
Column shift-exc. P/C & Fleet	6	200	PEB-F, F1	C4	A70.4	A70.4	★C7OP 7000-Y	★C7OP 7003-Y
Column shift-P/C & Fleet	6	200	PEE-D, D1	C4	A70.4	A70.4	★C7OP 7000-C	★C7OP 7003-C
Console shift	6	200	PEB-E	C4	A70.4	A70.4	★C7OP 7000-AC	C8OP 7003-K
Column shift-exc. P/C & Fleet	8	289	PEE-J, J1	C4	A70.4	A70.4	★C7OP 7000-AH	C7OP 7003-AH
Column shift-P/C & Fleet	8	289	PEE-E, E1	C4	A70.4	A70.4	★C7OP 7000-AG	C7OP 7003-AG
Console shift	8	289	PEE-B	C4	A70.4	A70.4	★C7OP 7000-AE	C8OP 7003-H
Column shift	8	390-2B	PGA-B, B1, B2	C6	A70.5	A70.5	★C7OP 7000-E	C7OP 7003-E
Floor shift	8	390-2B	PGA-C, C1, C2	C6	A70.5	A70.5	★C7OP 7000-F	C8OP 7003-B
Column shift	8	390-4B exc. GT	PGA-F	C6	A70.5	A70.5	★C7OP 7000-G	★C7OP 7003-G
Console shift	8	390-4B exc. GT	PGA-G	C6	A70.5	A70.5	★C7OP 7000-H	C7OP 7003-H
Column shift	8	390GT	PGA-R, R1	C6	A70.5	A70.5	★C7OP 7000-M	C7OP 7003-M
Console shift	8	390GT	PGA-M, M1	C6	A70.5	A70.5	★C7OP 7000-J	C7OP 7003-J
- F -								
	6	200	PEB-B	C4	A70.4	A70.4	★C7ZP 7000-H	C8ZP 7003-C
	8	289 exc. Special	PEE-C	C4	A70.4	A70.4	★C7ZP 7000-J	C8ZP 7003-H
	8	289 Spl.	PEE-K	C4	A70.4	A70.4	★C7ZP 7000-E	★C7ZP 7003-E
	8	390GT	PGA-P, P1	C6	A70.5	A70.5	★C7ZP 7000-D	★C8ZP 7003-A
- S -								
	8	390	PGA-K, K1, K2	C6	A70.5	A70.5	★C7SP 7000-C	★C7SP 7003-C
	8	428	PGB-C, C1, C2	C6	A70.5	A70.5	★C7SP 7000-D	C7SP 7003-D
- X -								
	6	170	PEB-A, A1	C4	A70.4	A70.4	★C7DP 7000-H	C7DP 7003-H
	6	200	PEB-C, C1	C4	A70.4	A70.4	★C7DP 7000-J	C7DP 7003-J
	8	289	PEE-H, H1	C4	A70.4	A70.4	★C7DP 7000-R	★C7DP 7003-R

▲ When basic 7003 is specified order the related 7902 converter assy., if required

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST	ILLUS. SECTION	TRANSMISSION ASSEMBLY INCLUDES CONVERTER	TRANSMISSION ASSEMBLY ▲ LESS CONVERTER
1968								
- A -								
Column shift	6	240	PFA-D1	MX	A70.3	A70.2	★C8AP 7000-L	★C8AP 7003-L
Column shift	6	240	PEA-A1	C4	A70.4	A70.4	★C8AP 7000-AA	★C8AP 7003-AA
Console shift	6	240	PEA-P	C4	A70.4	A70.4	★C8AP 7000-S	★C8AP 7003-S
Column shift-short ext.	8	302	PHA-B	FMX	A70.3	A70.3	★C8AP 7000-H	C8AP 7003-H
Column shift-long extension	8	302	PHA-C	FMX	A70.3	A70.3	★C8AP 7000-AN	★C8AP 7003-AN
Column shift	8	302	PFA-F	MX	A70.3	A70.2	★C8AP 7000-M	★C8AP 7003-M
Column shift	8	302	PEA-M	C4	A70.4	A70.4	★C8AP 7000-N	C8AP 7003-N
Console shift	8	302	PEA-N	C4	A70.4	A70.4	★C8AP 7000-R	★C8AP 7003-R
Column shift	8	390	PFA-B1	MX	A70.3	A70.2	★C8AP 7000-K	C8AP 7003-K
Column shift	8	390	PHB-A	FMX	A70.3	A70.3	★C8AP 7000-AL	C8AP 7003-AL
Column shift-exc. P/C & Fleet	8	390	PGA-A2	C6	A70.5	A70.5	★C8AP 7000-A	C8AP 7003-A
Column shift-P/C & Fleet	8	390	PGB-G1	C6	A70.5	A70.5	★C8AP 7000-D	C8AP 7003-D
Console shift	8	390	PGA-J2,L2	C6	A70.5	A70.5	★C8MP 7000-B	★C8MP 7003-B
Column shift-exc. P/C & Fleet	8	428	PGB-A2	C6	A70.5	A70.5	★C8AP 7000-G	★C8AP 7003-G
Column shift-P/C & Fleet	8	428	PGB-H1	C6	A70.5	A70.5	★C8AP 7000-E	C8AP 7003-E
Column shift-P/C (2.80 rear axle ratio)	8	428	PGB-F1	C6	A70.5	A70.5	★C8AP 7000-C	C8AP 7003-C
Column shift P/C (3.00 rear axle ratio)	8	428	PGB-AJ	C6	A70.5	A70.5	★C8AP 7000-AR	★C8AP 7003-AR
Console shift	8	428	PGB-B2	C6	A70.5	A70.5	★C8MP 7000-C	C8MP 7003-C
- B -								
Column shift	6	200	PEB-F2	C4	A70.4	A70.4	★C8OP 7000-L	★C8OP 7003-L
Console shift	6	200	PEB-E1	C4	A70.4	A70.4	★C8OP 7000-K	★C8OP 7003-K
Column shift	8	289,302	PEE-V	C4	A70.4	A70.4	★C8OP 7000-G	C8OP 7003-G
Console shift	8	289,302	PEE-M	C4	A70.4	A70.4	★C8OP 7000-H	C8OP 7003-H
Column shift	8	390-2B	PGA-B3	C6	A70.5	A70.5	★C8OP 7000-A	★C8OP 7003-A
Console shift	8	390-2B	PGA-C2	C6	A70.5	A70.5	★C8OP 7000-B	★C8OP 7003-B
Column shift	8	390GT	PGA-R2	C6	A70.5	A70.5	★C8OP 7000-F	C9OP 7003-H
Console shift	8	390GT	PGA-M2	C6	A70.5	A70.5	★C8OP 7000-E	C9OP 7003-G
Column shift	8	427	PGB-Y	C6	A70.5	A70.5	★C8OP 7000-AL	C8OP 7003-AJ
Console shift	8	427	PGB-Z	C6	A70.5	A70.5	★C8OP 7000-AM	C8OP 7003-AK
Column shift	8	428 CJ	PGB-AG	C6	A70.5	A70.5	★C8OP 7000-AJ	C8OP 7003-AJ
Console shift	8	428 CJ	PGB-AH	C6	A70.5	A70.5	★C8OP 7000-AK	C8OP 7003-AK
- F -								
	6	200	PEB-B1	C4	A70.4	A70.4	★C8ZP 7000-C	C8ZP 7003-C
	8	289	PEE-C1	C4	A70.4	A70.4	★C8ZP 7000-H	C8ZP 7003-H
	8	302	PEE-S	C4	A70.4	A70.4	★C8ZP 7000-B	★C8ZP 7003-B
	8	390-2B	PGA-S	C6	A70.5	A70.5	★C8WP 7000-A	C8WP 7003-A
	8	390GT	PGA-P2	C6	A70.5	A70.5	★C8ZP 7000-A	★C8ZP 7003-A
	8	427, 428 CJ	PGB-AF	C6	A70.5	A70.5	★C8ZP 7000-M	★C8ZP 7003-M
- S -								
	8	390	PGA-K3	C6	A70.5	A70.5	★C8SP 7000-A	★C8SP 7003-A
	8	429-4B	PGB-J	C6	A70.5	A70.5	★C8SP 7000-E	★C8SP 7003-E
- X -								
	6	170, 200	PEB-A2,C2	C4	A70.4	A70.4	★C8DP 7000-C	C8DP 7003-C
	8	289	PEE-H2	C4	A70.4	A70.4	★C8DP 7000-E	C8DP 7003-E
	8	302	PEE-R	C4	A70.4	A70.4	★C8OP 7000-J	★C8OP 7003-J

▲ When basic 7003 is specified order the related 7902 converter assy., if required

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST	ILLUS. SECTION	TRANSMISSION ASSEMBLY INCLUDES CONVERTER	TRANSMISSION ASSEMBLY ▲LESS CONVERTER
1969								
- A -								
Column shift	6	240	PHD-A	FMX	A70.3	A70.3	★C9AP 7000-C	C9AP 7003-C
Column shift	6	240	PEA-A2	C4	A70.4	A70.4	★C9AP 7000-P	★C9AP 7003-P
Console shift	6	240	PEA-P1	C4	A70.4	A70.4	★C9AP 7000-T	★C9AP 7003-T
Column shift	8	302	PHD-B	FMX	A70.3	A70.3	★C9AP 7003-D	C9AP 7003-D
Column shift	8	302	PEA-M1	C4	A70.4	A70.4	★C9AP 7000-AB	C9AP 7003-AB
Console shift	8	302	PEA-N1	C4	A70.4	A70.4	★C9AP 7000-AC	C9AP 7003-AC
Column shift	8	351	PHB-L	FMX	A70.3	A70.3	★C9AP 7000-AD	C9AP 7003-AD
Column shift	8	390	PHB-A	FMX	A70.3	A70.3	★C9AP 7000-A	C9AP 7003-A
Column shift-Passenger	8	390	PGA-A3	C6	A70.5	A70.5	★C9AP 7000-E	C9AP 7003-E
Console shift	8	390	PGA-J3	C6	A70.5	A70.5	★C9AP 7000-F	C9AP 7003-F
Column shift-P/C & Fleet	8	390	PGB-G2	C6	A70.5	A70.5	★C9AP 7000-G	★C9AP 7003-G
Column shift-P/C	8	428	PGB-F2	C6	A70.5	A70.5	★C9AP 7000-K	C9AP 7003-K
Column shift	8	429-2B	PGA-Z	C6	A70.5	A70.5	★C9AP 7000-U	★C9AP 7003-U
Console shift	8	429-2B	PGA-AA	C6	A70.5	A70.5	★C9AP 7000-V	C9AP 7003-V
Column shift	8	429-4B	PGB-AD	C6	A70.5	A70.5	★C9AP 7000-M	★C9AP 7003-M
Console shift	8	429-4B	PGB-AE	C6	A70.5	A70.5	★C9AP 7000-N	C9AP 7003-N
Column shift-P/C & Fleet	8	429	PGB-AM	C6	A70.5	A70.5	★C9AP 7000-AA	C9AP 7003-AA
- B -								
Column shift	6	250	PEE-AE	C4	A70.4	A70.4	★C9OP 7000-E	C9OP 7003-E
Console shift	6	250	PEE-AF	C4	A70.4	A70.4	★C9OP 7000-F	C9OP 7003-F
Column shift	8	302	PEE-V	C4	A70.4	A70.4	★C8OP 7000-G	C8OP 7003-G
Console shift	8	302	PEE-M	C4	A70.4	A70.4	★C8OP 7000-H	C8OP 7003-H
Column shift	8	351-2B	PHB-C	FMX	A70.3	A70.3	★C9OP 7000-A	C9OP 7003-A
Console shift	8	351-2B	PHB-D	FMX	A70.3	A70.3	★C9OP 7000-B	C9OP 7003-B
Column shift	8	351-4B	PHB-F	FMX	A70.3	A70.3	★C9OP 7000-C	★C9OP 7003-C
Console shift	8	351-4B	PHB-G	FMX	A70.3	A70.3	★C9OP 7000-D	C9OP 7003-D
Column shift	8	390GT	PGA-V,AC	C6	A70.5	A70.5	★C9OP 7000-H	C9OP 7003-J
Console shift	8	390GT	PGA-W,AD	C6	A70.5	A70.5	★C9OP 7000-G	C9OP 7003-G
Column shift	8	427, 428 CJ	PGB-AG	C6	A70.5	A70.5	★C8OP 7000-AJ	C8OP 7003-AJ
Console shift	8	427, 428 CJ	PGB-AH	C6	A70.5	A70.5	★C8OP 7000-AK	C8OP 7003-AK
- F -								
	6	200	PEB-B1	C4	A70.4	A70.4	★C9ZP 7000-F	C9ZP 7003-F
Economy package	6	250	PEA-AA	C4	A70.4	A70.4	★C9ZP 7000-L	C9ZP 7003-L
	6	250	PEE-AD	C4	A70.4	A70.4	★C9ZP 7000-E	C9ZP 7003-E
	8	302	PEE-AC	C4	A70.4	A70.4	★C9ZP 7000-C	★C9ZP 7003-C
	8	351-2B	PHB-E	FMX	A70.3	A70.3	★C9ZP 7000-A	C9ZP 7003-A
	8	351-4B	PHB-H	FMX	A70.3	A70.3	★C9ZP 7000-B	C9ZP 7003-B
	8	390	PGA-Y,AE	C6	A70.5	A70.5	★C9ZP 7000-J	C9ZP 7003-J
	8	427, 428 CJ	PGB-AF1	C6	A70.5	A70.5	★C9ZP 7000-H	C9ZP 7003-H
- S -								
	8	429-2B	PGA-AB	C6	A70.5	A70.5	★C9SP 7000-A	★C9SP 7003-A
Without anti-skid control	8	429-4B	PGB-J1	C6	A70.5	A70.5	★C9SP 7000-C	★C9SP 7003-C
With anti-skid control	8	429-4B	PGB-AL	C6	A70.5	A70.5	★C9SP 7000-B	C9SP 7003-B
- X -								
	6	170, 200	PEB-C2	C4	A70.4	A70.4	★C8DP 7000-C	C8DP 7003-C
	8	302	PEE-V	C4	A70.4	A70.4	★C8OP 7000-G	C8OP 7003-G

▲ When basic 7003 is specified order the related 7902 converter assy., if required

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST	ILLUS. SECTION	TRANSMISSION ASSEMBLY INCLUDES CONVERTER	TRANSMISSION ASSEMBLY ▲ LESS CONVERTER
1970								
- A -								
Column shift	6	240	PHD-A1	FMX	A70.3	A70.3	★D0AP 7000-Z	D0AP 7003-Z
Column shift " Before 4/1/70" " From 4/1/70"	6	240	PEA-A3 PEA-M2	C4 C4	A70.4	A70.4	★D0AP 7002-C	D2AP 7003-LA
Column shift	8	302	PHD-B1	FMX	A70.3	A70.3	★D0AP 7000-AA	★D0AP 7003-AA
Column shift	8	302	PEA-M2	C4	A70.4	A70.4	★D0AP 7000-C	D2AP 7003-LA
Console shift	8	302	PEA-N2	C4	A70.4	A70.4	★D0AP 7000-D	D0AP 7003-D
Column shift	8	351	PHB-L1	FMX	A70.3	A70.3	★D0AP 7000-A	D2AP 7003-NA
Console shift	8	351	PHB-V	FMX	A70.3	A70.3	★D0AP 7000-V	★D0AP 7003-V
Column shift	8	351	PEF-A	C4	A70.4	A70.4	★D0AP 7000-E	D2AP 7003-MA
Console shift	8	351	PEF-B	C4	A70.4	A70.4	★D0AP 7000-F	★D0AP 7003-F
Column shift-exc. P/C & Fleet	8	390	PGA-A4	C6	A70.5	A70.5	★D0AP 7000-G	D0AP 7003-G
Column shift-P/C & Fleet	8	390	PGB-G3	C6	A70.5	A70.5	★D0AP 7000-K	D0AP 7003-K
Console shift	8	390	PGA-J4	C6	A70.5	A70.5	★D0AP 7000-H	D0AP 7003-H
Column shift-P/C & Fleet	8	428	PGB-F3	C6	A70.5	A70.5	★D0AP 7000-J	★D0AP 7003-J
Column shift	8	429-2B	PJA-A	C6	A70.5	A70.5	★D1AP 7000-DA	★D1AP 7003-DA
Console shift	8	429-2B	PJA-B	C6	A70.5	A70.5	★D1AP 7000-EA	D1AP 7003-EA
Column shift-exc. P/C & Fleet	8	429-4B	PJB-C	C6	A70.5	A70.5	★D1AP 7000-FA	★D1AP 7003-FA
Column shift-P/C & Fleet	8	429-4B	PJB-F	C6	A70.5	A70.5	★D1AP 7000-HA	★D1AP 7003-HA
Console shift	8	429-4B	PJB-D	C6	A70.5	A70.5	★D1AP 7000-GA	D1AP 7003-GA
- B -								
Column shift	6	250	PEE-AE1	C4	A70.4	A70.4	★D0OP 7000-A	★D0OP 7003-A
Console shift	6	250	PEE-AF1	C4	A70.4	A70.4	★D0OP 7000-B	★D0OP 7003-B
Column shift	8	302	PEE-V1	C4	A70.4	A70.4	★D0OP 7000-D	★D0OP 7003-D
Console shift	8	302	PEE-M1	C4	A70.4	A70.4	★D0OP 7000-C	★D0OP 7003-C
Column shift	8	351-2B	PEF-D	C4	A70.4	A70.4	★D0OP 7000-R	★D0OP 7003-R
Console shift	8	351-2B	PEF-E	C4	A70.4	A70.4	★D0OP 7000-S	★D0OP 7003-S
Column shift	8	351-4B	PHB-R	FMX	A70.3	A70.3	★D0OP 7000-T	D0OP 7003-T
Console shift	8	351-4B	PHB-S	FMX	A70.3	A70.3	★D0OP 7000-U	D0OP 7003-U
Column shift	8	429-4B	PJB-A, PJC-E	C6	A70.5	A70.5	★D0OP 7000-G	D0OP 7003-G
Console shift	8	429-4B	PJB-B, PJC-F	C6	A70.5	A70.5	★D0OP 7000-H	D0OP 7003-H
Column shift-use w/3.25 or lower rear axle ratio - P/C & Fleet	8	429-4B	PJB-J	C6	A70.5	A70.5	★D1OP 7000-EA	D0OP 7003-G
Column shift	8	429-CJ, 429-SCJ	PJC-A	C6	A70.5	A70.5	★D1OP 7000-GA	D1OP 7003-GA
Console shift	8	429-CJ, 429-SCJ	PJC-B	C6	A70.5	A70.5	★D1OP 7000-HA	★D1OP 7003-HA
- F -								
	6	200	PEB-B3	C4	A70.4	A70.4	★D0ZP 7000-A	D0ZP 7003-A
	6	250	PEE-AD1	C4	A70.4	A70.4	★D0ZP 7000-C	D0ZP 7003-C
	8	302	PEE-AC1	C4	A70.4	A70.4	★D0ZP 7000-B	★D2ZP 7003-DA
	8	351-2B	PHB-E1	FMX	A70.3	A70.3	★D0ZP 7000-K	D0ZP 7003-K
	8	351-4B	PHB-P	FMX	A70.3	A70.3	★D0ZP 7000-N	★D0ZP 7003-N
	8	428-CJ	PGB-AF2	C6	A70.5	A70.5	★D0ZP 7000-J	★D0ZP 7003-J

▲ When basic 7003 is specified, order the related 7902 converter assy. if required

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST	ILLUS. SECTION	TRANSMISSION ASSEMBLY INCLUDES CONVERTER	TRANSMISSION ASSEMBLY ▲ LESS CONVERTER
1970 - continued								
- P -								
Fully automatic - "Before 7/14/69"	6	170, 200	PEB-D	C4	A70.4	A70.4	★D0DP 7000-A	D0DP 7003-A
Fully Automatic- "From 7/14/69"	6	170,200	PEB-D1	C4	A70.4	A70.4	★D0DP 7000-D	D2DP 7003-AA
Semi-automatic - "Before 7/14/69"	6	170, 200	PEG-A	C4	A70.4	A70.4	★D0DP 7000-B	D0DP 7003-B
Semi Automatic- "From 7/14/69"	6	170,200	PEG-A1	C4	A70.4	A70.4	★D0DP 7000-E	D0DP 7003-E
	6	250	PEE-AK	C4	A70.4	A70.4	★D0DP 7000-H	★D2DP 7003-DA
- S -								
Column shift	8	429	PJB-G, H	C6	A70.5	A70.5	★D1SP 7000-BA	★D1SP 7003-BA
- X -								
" Before 1/2/70"	6	200	PEB-C3	C4	A70.4	A70.4	★C8DP 7000-C	C8DP 7003-C
" Before 1/2/70"	8	302	PEE-V	C4	A70.4	A70.4	★C8OP 7000-G	C8OP 7003-G
1971								
- A -								
Column shift-P/C, Taxi & Trailer towing	6	240	PHD-A1,A2	FMX	A70.3	A70.3	★D0AP 7000-Z	D0AP 7003-Z
Column shift	6&8	240,302	PEA-M3	C4	A70.4	A70.4	★D0AP 7000-C	D2AP 7003-LA
Column shift	6&8	240,302	PEA-M4, M5	C4	A70.4	A70.4	★D2AP 7000-LA	D2AP 7003-LA
Column shift-P/C, Taxi & Trailer towing	8	302	PHD-B1,B2	FMX	A70.3	A70.3	★D0AP 7000-AA	★D0AP 7003-AA
Console shift	8	302	PEA-N3	C4	A70.4	A70.4	★D0AP 7000-D	D0AP 7003-D
Column shift	8	351	PHB-L1,L2	FMX	A70.3	A70.3	★D0AP 7000-A	D2AP 7003-NA
Console shift	8	351	PHB-V, V1	FMX	A70.3	A70.3	★D0AP 7000-V	★D0AP 7003-V
Column shift	8	351	PEF-A1	C4	A70.4	A70.4	★D0AP 7000-E	D2AP 7003-MA
Console shift	8	351	PEF-B1	C4	A70.4	A70.4	★D0AP 7000-F	★D0AP 7003-F
Column shift	8	351	PEF-A2, A3	C4	A70.4	A70.4	★D2AP 7000-MA	D2AP 7003-MA
Column shift	8	390	PGA-A4, A5	C6	A70.5	A70.5	★D0AP 7000-G	D0AP 7003-G
Console shift	8	390	PGA-J4, J5	C6	A70.5	A70.5	★D0AP 7000-H	D0AP 7003-H
Column shift-P/C & Fleet	8	390	PGB-G3	C6	A70.5	A70.5	★D0AP 7000-K	D0AP 7003-K
Column shift	8	400	PJA-C, C1	C6	A70.5	A70.5	★D1AP 7000-AA	★D1AP 7003-AA
Console shift	8	400	PJA-D, D1	C6	A70.5	A70.5	★D1AP 7000-BA	D1AP 7003-BA
Column shift-P/C, Fleet & Trailer towing	8	400	PJB-K	C6	A70.5	A70.5	★D1AP 7000-JA	★D1AP 7003-JA
Column shift-P/C, Fleet & Trailer towing	8	429	PJB-F	C6	A70.5	A70.5	★D1AP 7000-HA	★D1AP 7003-HA
Column shift	8	429-2B	PJA-A, A1	C6	A70.5	A70.5	★D1AP 7000-DA	★D1AP 7003-DA
Console shift	8	429-2B	PJA-B, B1	C6	A70.5	A70.5	★D1AP 7000-EA	★D1AP 7003-EA
Column shift	8	429-4B	PJB-C, C1	C6	A70.5	A70.5	★D1AP 7000-FA	★D1AP 7003-FA
Console shift	8	429-4B	PJB-D, D1	C6	A70.5	A70.5	★D1AP 7000-GA	D1AP 7003-GA
Column shift-P/C	8	429-4B	PJC-H1	C6	A70.5	A70.5	★D1AP 7000-CB	★D1AP 7003-CB
- B -								
Column shift	6	250	PEE-AE2, AE3	C4	A70.4	A70.4	★D0OP 7000-A	★D0OP 7003-A
Console shift	6	250	PEE-AF2, AF3	C4	A70.4	A70.4	★D0OP 7000-B	★D0OP 7003-B
Console shift	8	302	PEE-M2, M3	C4	A70.4	A70.4	★D0OP 7000-C	★D0OP 7003-C
Column shift	8	302	PEE-V2, V3	C4	A70.4	A70.4	★D0OP 7000-D	★D0OP 7003-D
Column shift	8	351-2B	PEF-D1,D2	C4	A70.4	A70.4	★D0OP 7000-R	★D0OP 7003-R
Console shift	8	351-2B	PEF-E1,E2	C4	A70.4	A70.4	★D0OP 7000-S	★D0OP 7003-S
Column shift	8	351-4B	PGA-AF(GT)	C6	A70.5	A70.5	★D1OP 7000-AA	★D1OP 7003-AA
Console shift	8	351-4B	PGA-AG(GT)	C6	A70.5	A70.5	★D1OP 7000-BA	D1OP 7003-BA

▲ When basic 7003 is specified, order the related 7902 converter assy. if required

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST	ILLUS. SECTION	TRANSMISSION ASSEMBLY INCLUDES CONVERTER	TRANSMISSION ASSEMBLY ▲ LESS CONVERTER
1971 - continued								
- B -								
Column shift	8	429CJ, 429S/CJ	PJC-A	C6	A70.5	A70.5	★D1OP 7000-GA	D1OP 7003-GA
Console shift	8	429CJ, 429S/CJ	PJC-B	C6	A70.5	A70.5	★D1OP 7000-HA	★D1OP 7003-HA
- F -								
Console shift	6	250	PEE-AD2	C4	A70.4	A70.4	★D1ZP 7000-GA	♦D2ZP 7003-EB
Console shift	6	250	PEE-AD3,AD4	C4	A70.4	A70.4	★D2ZP 7000-EB	♦D2ZP 7003-EB
Console shift	8	302	PEE-AC2	C4	A70.4	A70.4	★D1ZP 7000-FA	★D2ZP 7003-DA
Console shift	8	302	PEE-AC3,AC4	C4	A70.4	A70.4	★D2ZP 7000-DB	★♦D2ZP 7003-DB
Console shift	8	351-2B	PHB-E2,E3	FMX	A70.3	A70.3	★D1ZP 7000-EA	D2ZP 7003-FA
Console shift	8	351-2B	PGA-AV	C6	A70.5	A70.5	★D1ZP 7000-LA	D1ZP 7003-LA
Console shift	8	351-4B	PGA-AH	C6	A70.5	A70.5	★D1ZP 7000-AA	★D1ZP 7003-AA
Console shift	8	351-4B (CJ)	PGA-AU	C6	A70.5	A70.5	★D1ZP 7000-KA	★D1ZP 7003-KA
Console shift	8	429	PJC-G	C6	A70.5	A70.5	★D1ZP 7000-DA	D1ZP 7003-DA
- L -								
Console shift	4	122	PEJ-B	C4	A70.4	A70.4	★D12P 7000-BA	D22P 7003-AA
Console shift	4	122	PEJ-B1,B2	C4	A70.4	A70.4	★D22P 7000-AB	♦D22P 7003-AB
- P -								
Column shift	6	200	PEB-D2	C4	A70.4	A70.4	★D0DP 7000-D	D2DP 7003-AA
Column shift	6	200	PEB-D3,D4	C4	A70.4	A70.4	★D2DP 7000-AA	D2DP 7003-AA
Console shift	6	200	PEB-H	C4	A70.4	A70.4	★D1DP 7000-AA	♦D2DP 7003-BB
Console shift	6	200	PEB-H1,H2	C4	A70.4	A70.4	★D2DP 7000-BB	♦D2DP 7003-BB
Column shift	6	250	PEE-AK1	C4	A70.4	A70.4	★D0DP 7000-H	★D2DP 7003-DA
Column shift	6	250	PEE-AK2, AK3	C4	A70.4	A70.4	★D2DP 7000-DA	★D2DP 7003-DA
Console shift	6	250	PEE-AM	C4	A70.4	A70.4	★D1DP 7000-CA	♦D2DP 7003-FB
Console shift	6	250	PEE-AM1, AM2	C4	A70.4	A70.4	★D2DP 7000-FB	♦D2DP 7003-FB
Column shift	8	302	PEE-AH1	C4	A70.4	A70.4	★D0DP 7000-F	D2DP 7003-CA
Column shift	8	302	PEE-AH2, AH3	C4	A70.4	A70.4	★D2DP 7000-CA	D2DP 7003-CA
Console shift	8	302	PEE-AL	C4	A70.4	A70.4	★D1DP 7000-BA	D1DP 7003-BA
Console shift	8	302	PEE-AL1,AL2	C4	A70.4	A70.4	★D2DP 7000-EB	♦D2DP 7003-EB
- S -								
Column shift	8	429	PJB-H,H1	C6	A70.5	A70.5	★D1SP 7000-BA	★D1SP 7003-BA
1972								
- A -								
Column shift	6&8	240,302	PEA-M4, M5	C4	A70.4	A70.4	★D2AP 7000-LA	D2AP 7003-LA
Column shift	6	240	PHD-A4,A5, A6	FMX	A70.3	A70.3	★D2AP 7000-PA	D2AP 7003-PA
Column shift	8	302,351	PHB-L3,L4, L5	FMX	A70.3	A70.3	★D2AP 7000-NA	D2AP 7003-NA
Column shift	8	351	PEF-A2,A3	C4	A70.4	A70.4	★D2AP 7000-MA	D2AP 7003-MA
Console shift	8	351-W-2B	PGA-BA	C6	A70.5	A70.5		D2OP 7003-YA
Column shift	8	400	PJA-K	C6	A70.5	A70.5	★D2AP 7000-RA	D2AP 7003-RA
Column shift-exc. P/C & Fleet	8	400,429	PJA-C2	C6	A70.5	A70.5	★D2AP 7000-DA	D2AP 7003-DA
Column shift-P/C & Fleet	8	400,429	PJB-K1	C6	A70.5	A70.5	★D2AP 7000-JA	D2AP 7003-JA
Column shift-P/C	8	429	PJC-H2	C6	A70.5	A70.5	★D2AP 7000-KB	★D2AP 7003-KB
Column shift-P/C	8	429	PJC-H4	C6	A70.5	A70.5	★D2AP 7000-KC	★D2AP 7003-KC

▲ When basic 7003 is specified, order the related 7902 converter assy., if required

♦ When used to replace on models built before 12/1/71, tape seat belt warning lead on 7A247 switch.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

TRANSMISSION APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION IDENT.	TRANSMISSION TYPE	PARTS LIST	ILLUS. SECTION	TRANSMISSION ASSEMBLY INCLUDES CONVERTER	TRANSMISSION ASSEMBLY ▲ LESS CONVERTER
1972 - continued								
- B -								
Column shift	6	250	PEE-AE4, AE5	C4	A70.4	A70.4	★D2OP 7000-AA	D2OP 7003-AA
Console shift	6	250	PEE-AF4, AF5	C4	A70.4	A70.4	★D2OP 7000-BA	D2OP 7003-BA
Column shift	8	302	PEE-V4,V5	C4	A70.4	A70.4	★D2OP 7000-EA	★D2OP 7003-EA
Console shift	8	302	PEE-M4, M5	C4	A70.4	A70.4	★D2OP 7000-CA	D2OP 7003-CA
	8	302	PHA-J	FMX	A70.3	A70.3		D2OP 7003-ADA
Column shift	8	351-2B	PEF-D3,D4	C4	A70.4	A70.4	★D2OP 7000-GA	★D2OP 7003-GA
Console shift	8	351-2B	PEF-E3,E4	C4	A70.4	A70.4	★D2OP 7000-HA	D2OP 7003-HA
Console shift	8	351-2B	ED PEF-E4	C4	A70.4	A70.4	★D2OP 7000-HA	D2OP 7003-HA
Column shift	8	351-C-2B	PGA-AW	C6	A70.5	A70.5	★D2OP 7000-UA	D2OP 7003-UA
Console shift	8	351-C-2B	PGA-AY	C6	A70.5	A70.5	★D2OP 7000-VA	D2OP 7003-VA
Column shift	8	351-W-2B	PGA-AZ	C6	A70.5			D2OP 7003-WA
Column shift	8	351-W-2B	PHB-C,C1,C2	FMX	A70.3	A70.3	★D2OP 7000-ABA	★D2OP 7003-ABB
Column shift	8	351-C-2B	PHB-Z, Z1, Z2, Z3	FMX	A70.3	A70.3	★D2OP 7000-ACA	D2OP 7003-ACB
Column shift	8	351-4B (CJ)	PGA-AF1	C6	A70.5	A70.5	★D2OP 7000-LB	D2OP 7003-LB
Console shift	8	351-4B (CJ)	PGA-AG1	C6	A70.5	A70.5	★D2OP 7000-MB	★D2OP 7003-MB
Column shift	8	400,429	PJA-G	C6	A70.5	A70.5	★D2OP 7000-JA	D2OP 7003-JA
Column shift	8	400-2V	PJA-L	C6	A70.5	A70.5	★D2OP 7000-ZA	D2OP 7003-ZA
Console shift	8	400-2V	PJA-M	C6	A70.5	A70.5	★D2OP 7000-AAA	D2OP 7003-AAA
Console shift	8	400,429	PJA-H	C6	A70.5	A70.5	★D2OP 7000-KA	D2OP 7003-KA
Column shift	8	429 P/C	PJC-J	C6	A70.5	A70.5	★D2OP 7000-TA	D2OP 7003-TA
- F -								
Console shift	8	351-W-2B	PGA-BA	C6	A70.5	A70.5		D2OP 7003-YA
Console shift	6	250	PEE-AD3,AD4	C4	A70.4	A70.4	★D2ZP 7000-EB	♦D2ZP 7003-EB
Console shift	8	302	PEE-AC3,AC4	C4	A70.4	A70.4	★D2ZP 7000-DB	★♦D2ZP 7003-DB
Console shift	8	302	PHA-H, H1, H2	FMX	A70.3	A70.3	★D2ZP 7000-HA	D2ZP 7003-HA
Console shift	8	351-2B	PGA-AV1	C6	A70.5	A70.5	★D2ZP 7000-JA	D2ZP 7003-JA
Console shift	8	351-2B	PHB-E4,E5, E6	FMX	A70.3	A70.3	★D2ZP 7000-FA	D2ZP 7003-FA
Console shift	8	351-4B (CJ)	PGA-AU1, AU2	C6	A70.5	A70.5	★♦D2ZP 7000-BB	♦D2ZP 7003-BB
Console shift	8	351-4B	PJC-G1	C6	A70.5	A70.5		D2ZP 7003-CA
- L -								
Console shift	4	122	PEJ-B1,B2, B3	C4	A70.4	A70.4	★D22P 7000-AB	♦D22P 7003-AB
- P -								
Column shift	6	200	PEB-D3, D4, D5	C4	A70.4	A70.4	★D2DP 7000-AA	D2DP 7003-AA
Console shift	6	200	PEB-H1, H2, H3	C4	A70.4	A70.4	★D2DP 7000-BB	♦D2DP 7003-BB
Column shift	6	250	PEE-AK2, AK3	C4	A70.4	A70.4	★D2DP 7000-DA	★D2DP 7003-DA
Console shift	6	250	PEE-AM1, AM2	C4	A70.4	A70.4	★D2DP 7000-FB	♦D2DP 7003-FB
Column shift	8	302	PEE-AH2, AH3	C4	A70.4	A70.4	★D2DP 7000-CA	D2DP 7003-CA
Console shift	8	302	PEE-AL1, AL2	C4	A70.4	A70.4	★D2DP 7000-EB	♦D2DP 7003-EB
- S -								
Column shift	8	400,429	PJA-J	C6	A70.5	A70.5	★D2SP 7000-BA	D2SP 7003-BA
Column shift	8	460	PJD-E1	C6	A70.5	A70.5	★D2VP 7000-AA	D2VP 7003-AA

▲ When basic 7003 is specified, order the related 7902 converter assy., if required

♦ When used to replace on models built before 12/1/71, tape seat belt warning lead on 7A247 switch.

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	FX	MX	FMX	PART NUMBER	PART NAME and DESCRIPTION
								7A003	SPRING - FRONT BAND SERVO PISTON RETRACTING
65/69	A, S	6&8	All		1	1		B5AZ 7A003-A	Approx. 2" long-7/8" O.D.
68	A	6&8	240, 289 302				1		
72	F	8	302				1		
69/	A, B	8	All				1	C9AZ 7A003-B	Approx. 2 1/4" long-7/8" O.D.
69/	F	8	351				1		
72	A	6	All				1		
								7005	CASE ASSY.
65/67	A	6&8	All		1			B8AZ 7005-E	Includes (1) 1P77308-A pin, (1) C3AZ 7A119-A pin, (2) 92039-S drive screws, (1) I.S. #1035, (1) I.S. #971, (1) I.S. #2014, (1) C5AZ 7A246-A tube, (1) C5AP 7B439-A clip (breather hole not tapped for tube)
65/68	A, S	6&8	All exc. 430			1		B8AZ 7005-F	Includes (1) 1P77308-A pin (1) C3AZ 7A119-A pin, (1) 353777-S connector-3/8" x 5/8", (1) 372226-S connector-3/8" x 1/2", (2) 92039-S drive screw, (1) C3AZ 6730-A plug, (1) C2OZ 6734-A washer, (1) I.S. #971 & #1035
68	A "Before 2/5/68"	6&8	All				1	★C8AZ 7005-A Not replaced	(#C8AP 7006-A)-includes B5A 7025 bushing, C7AZ 7B498-A seal, C3AZ 7A119-A pin, C0AP 7A178-B screw, 33943-S nut, (2) 357221-S plug, (2) 87650-S plug, 87651-S plug
68	A "From 2/5/68"	6&8	All				1	C8AZ 7005-E	(#C8AP 7006-B)-includes (1) 359409-S cup plug & I.S. #3071
69/71	A, B, F	6&8	All				1	D0AZ 7005-C	Includes (1) 359409-S plug, (2) 87650-S plug, (1) 87651-S plug, (1) C7AZ 7B498-A seal & I.S. 3071 & 3072
72	A, B, F	6&8	All				1	D2OZ 7005-J	Includes (1) D2AZ 7019-A washer, (1) C7AZ 7B498-A seal, (2) 87650-S plug, (1) 97651-S plug, (1) 359409-S plug & I.S. 3071
65/	A, S	6&8	All		AR	AR	AR	87650-S(P12)	Plug-1/8"-27 x 9/16" (to plug servo hole in case)
								87651-S(P12A)	Plug-1/4"-18 x 9/16" (to plug servo hole in case)
								★357221-S	Plug-5/16" dia. x 5/16" long (to plug servo hole in case)
								353055-S7(PP29)	Plug-1/4"-18 thd.-extended head-1 3/16" long (case drain)
								357916-S(PP35)	Plug-1/8"-27 dry seal taper thd.-hex.hd.-5/8" long (case drain)
								★358530-S	Plug-11/32" x 5/16"
								★357220-S	Pin-dowel-3/8" x 5/8" (case locating)
68/	A, B, F	6&8	All				1	359409-S(PP59)	Plug-cup-5/16" dia. (to plug rear support oil tube hole in case)
								7A008	PLATE - MAIN CONTROL VALVE BODY SEPARATING - Also serviced in 7D239 kit
68/69	A	8	390			1		C8AZ 7A008-C	
68	A	6&8	All				1	C8TZ 7A008-A	
69	A	8	351, 390				1	C9AZ 7A008-B	
69/71	A	6	240				1	C9AZ 7A008-A	
69	A	8	302				1		
70/71	A	8	302-2B				1		Use with PHD-B1
69/71	B, F	8	351-4B				1		

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY FX	QUANTITY MX	QUANTITY FMX	PART NUMBER	PART NAME and DESCRIPTION
							7A008	PLATE - MAIN CONTROL VALVE BODY SEPARATING - Also serviced in 7D239 kit-continued
69/71	A, B, F	8	351-2B			1	C9ZZ 7A008-A	#(1) "V" notch & (1) rectangular notch
70	A	8	302-2B			1		Use with #PHA-F, G
72	A	6&8	All			1	D2AZ 7A008-A	#VVV notched
72	B, F	8	351			1		
72	F	8	302			1	D2ZZ 7A008-A	#V notched and 3 half circles
65/	A, S	6&8	All	AR	AR	AR	357913-S	Bolt-hex.hd.-1/4"-20 x 3/4"-1 5/8"
69	B, F	8	All			2	(BB127)	
							34805-S7(X62)	Lockwasher-1/4"
							7A011	SEAL - OUTPUT SHAFT OIL
65/67	A	6&8	All	1			B9AP 7A011-A	1" I.D.-13/16" long-#(4) ribs on O.D.
				1			372401-S(QQ68)	Snap ring-1 1/16" I.D. (oil seal retaining)
65/	A, B, F, S	6&8	All		1	1	B8AZ 7A011-A	1 3/16" I.D.-1 1/4" long-#(5) ribs on O.D.
65/70	A, B, F, S	6&8	All		1	1	372292-S(QQ69)	Snap ring-1 1/4" I.D. (oil seal retaining)
							7015	SHAFT - INPUT
65/68	A, S	6&8	All		1		C3AZ 7015-A	7 23/32" long-54 teeth-29 splines-includes C3AZ 7120-A bushing
65/	A, B, F	6&8	All	1		1	C0AZ 7015-C	7 21/32" long-54 teeth-29 splines-includes-bushing
							7019	WASHER - INPUT SHAFT THRUST
65/71	A, B, F, S	6&8	All	1	1	1	B5S 7019-A	2 3/4" O.D.-1 3/8" I.D.-(4) oil grooves on each side
72	A, B, F	6&8	All			1	D2AZ 7019-A	2 25/32" O.D.-1 3/8" I.D.- must be used with D2OZ 7005-J case
							7D019	Refer to group 77883
							7A020	INDICATOR - OIL LEVEL
65	A	8	All	1			C5AZ 7A020-A	Approx. 19 13/16" long
65	A	8	All		1		C1AA 7A020-A	
66/68	A, S	6&8	All	1	1		C6AZ 7A020-C	Approx. 23 1/2" long
68	A	6&8	All			1	C8AZ 7A020-A	Approx. 22" long
69/	A	6&8	All			1	C9AZ 7A020-C	
69/	B, F	8	All			1	C9OZ 7A020-A	
65	S	8	All		1		C2SZ 7A020-B	
							7025	BUSHING - CASE
65/67	A	6&8	All	1			B1A 7025-B	1 1/2" O.D.-3/4" long-bronzed backed
65/	A, B, F, S	6&8	All		1	1	B5A 7025-A	1 1/2" O.D.-7/8" long
							7B025	VALVE KIT - OIL PRESSURE REGULATOR
65/	A, S	6&8	All exc. P/C	1	1	1	C0AZ 7B025-B	Consists of: (1) B9AP 7A270-C spring (#Red)
69/	B, F	8	All			1		(1) B5A 77462-A retainer
65	A	8	390 P/C		1		★C1AZ 7B025-A	Consists of: (1) C1AP 7A270-C spring (#Yellow) (1) B5A 77462-A retainer
							7A034	BUSHING - EXTENSION HOUSING
65/	A, B, F	6&8	All	1			B3TZ 7A034-A	1 5/8" O.D.-1 1/2" I.D.-1 1/2" long
65/	A, S	6&8	All		1	1	B5AZ 7A034-A	1 13/16" O.D.-2 1/8" long
							7A039	HOUSING ASSY. - EXTENSION
65	A	8	All	1			★C5AZ 7A039-C	16 1/2" long-#C5AP 7A040-A
65/67	A	8	All	1			C5AZ 7A039-D	13 3/8" long-#C5AP 7A040-B
65/68	A, S	6&8	All		1		C1AZ 7A039-B	#C5AP 7A040-C, #C5MP 7A040-A
68/71	A	6&8	All			1	C9AZ 7A039-C	16 3/8" long-#C8AP 7A040-A, #C8AP 7A040-D
69/	B, F	8	All			1	D2ZZ 7A039-A	12 3/4" long-#C8AP 7A040-B,
68	A	8	302			1		#C9ZP 7A040-A, #D2ZP 7A040-AA
72	A	6&8	All			1	D2AZ 7A039-A	16 3/8" long #D2AP 7A040-AA

Identification marking

YEAR	MODEL	ENGINE		QUANTITY				PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.		FX	MX	FMX		
								7A039	HOUSING ASSY. - EXTENSION - continued
									Attaching parts for extension to case
65/	A, B, F, S	6&8	All		AR	AR	AR	356684-S8 (BB169)	Bolt-3/8"-16 x 3 1/4" hex. head
								356682-S8 (BB170)	Bolt-3/8"-16 x 4 1/4" hex. head
								359266-S8 (BB157)	Bolt-3/8"-16 x 1 1/4" hex. head
								34847-S8(X74)	Lockwasher-3/8"
								351487-S (XX291)	Lockwasher-external tooth-3/8"
								7C050	Refer to Group 7A260-also serviced in 7153 kit
								7C051	SEAL-REAR CLUTCH PISTON OUTER OIL
65/68	A, S	6&8	All		1	1		C1AZ 7C051-A	5 1/4" O.D.-4 11/16" I.D.
68/	A, B, F	6&8	All				1	C8AZ 7C051-A	5 1/4" O.D.-4 3/4" I.D.
								7052	SEAL - EXTENSION HOUSING OIL
65/67	A	6&8	All		1			C2AZ 7052-A	2 5/8" flange O.D.-1 1/2" I.D.-1 5/8" long
65/	A, B, F, S	6&8	All			1	1	C3AZ 7052-A	2 3/4" flange O.D.-1 11/16" I.D.-1 1/2"
								7C053	GOVERNOR ASSY. - WITH COUNTERWEIGHT
65	A, S	8	289,390		1	1		D3AZ 7C053-A	
65/66	☆A	8	352		1				
66	A	8	289			1			
67/69	A	8	289,390		1	1	1		
68/72	A, B, F	8	302,351				1		
65/66	♦A	8	352		1			B8AZ 7C053-A	
65	A	8	390 P/C			1		★C5AZ 7C053-A	
66	A, S	8	390			1			
66	A	8	289		1				
69/71	A	6	240				1	D2TZ 7C053-B	
66/68	A	6&8	240,302			1			
72	A	6	240				1	D3TZ 7C053-A	
65/	A, B, F, S	6&8	All		1	1	1	353351-S(AA9)	Ball (governor to shaft)-1/4"
65/68	A, S	6&8	All		1	1		B7A 7059-A	SNAP RING - SPEEDOMETER DRIVING GEAR
								7060	SHAFT ASSY. - OUTPUT
65	A	8	289,352		1			★C1AP 7060-A	18 3/4" long-72 helical teeth-28 splines
65/66	A	8	289,352		1			★C5AZ 7060-A	15 1/4" long-72 helical teeth-28 spline-(7) teeth speedometer drive gear rolled on shaft
67	A	8	All		1			C7AZ 7060-B	
65/68	A, S	6&8	All			1		B8A 7060-A	18 1/2" long-72 helical teeth-31 spline
68/71	A	8	302				1	D1OZ 7060-A	15 7/32" long, (8) R.H. helix speedometer drive gear rolled on shaft-31 splines -
69/	B, F	8	All				1		
68/	A	6&8	240,302, 351,390				1	D1AZ 7060-A	18 13/16" long -31 splines
65/	A, B, F, S	6&8	All		1	1	1	C1VP 7C062-A	SEAT - OIL PRESSURE REGULATOR VALVE SPRING
								7C063	BODY ASSY. - GOVERNOR
65/68	A, S	6&8	All exc. P/C			1	1	★D2AZ 7C063-A	Repl. by D3AZ 7C063-B (7/74)
69/70	A, B, F	8	351,390				1		
65/67	A	8	289		1				
65/66	☆A	8	352		1				
65/66	♦A	8	352		1			B8AZ 7C063-A	

Identification marking
May, 1975

☆ U.S. only

COPYRIGHT © 1975 — FORD MOTOR COMPANY

♦ Canada only
— DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	FX	MX	FMX	PART NUMBER	PART NAME and DESCRIPTION
								7C063	BODY ASSY. - GOVERNOR - continued
66/68	A	6&8	240,289, 302 P/C & Fleet			1		C0TZ 7C063-A	
69	A	6&8	240,302				1		
71/72	A, B, F	8	302,351				1	★D2AZ 7C063-A	Repl. by D3AZ 7C063-B (7/74)
72	A "From 10/11/71"	6	240				1	D2TZ 7C063-A	
70	A	6&8	240,302				1		
65/	A, S	6&8	All		2	2	2	26579-S(U172C)	Bolt-1/4"-20 x 1/2" fillister head
								34805-S8(X62)	Lockwasher-1/4"
								353351-S(AA9)	Ball-1/4" dia.(body to shaft)
								7B066	PLATE - CLUTCH PRESSURE
65/67	A	6&8	All		1			B5AZ 7B066-A	5 1/8" dia.-5/16" thick-54 teeth
65/68	A, S	6&8	All			1		C1AZ 7B066-A	5 1/4" dia.-1/4" thick-54 teeth
68	A	8	390				1	C8AZ 7B066-B	5" dia.-1/4" thick-54 teeth-use w/#PHB, PHD model
69/71	A, B, F	6&8	All				1		
72	A	6&8	All				1		
72	B, F	8	351				1		
68	A	8	302				1	C8AZ 7B066-A	5" dia.-3/8" thick-54 teeth-use w/#PHA model
72	B, F	8	302				1		
								7B067	HUB - FRONT CLUTCH
65/67	A	6&8	All		1			★B1AZ 7B067-A	45 external-20 internal teeth-#PAK 77574-A
68	A	8	302				1		repl. by C8AZ 7B067-A (10/74)
65/68	A, S	6&8	All			1		C1AP 7B067-A	45 external-22 internal teeth
68	A	8	390				1	C8AZ 7B067-A	45 external-20 internal teeth-
69/	A, B, F	6&8	All				1		#C8AP 7B067-A
65/	A, B, F, S	6&8	All		1	1	1	C0AP 7B070-A	SPRING - FRONT CLUTCH PISTON DISC-5 5/16" O.D.-#7 or 8 levers
								7E085	SPRING - REAR CLUTCH PRESSURE
67/70	A, B, F	6&8	All		1	1	1	★C7AZ 7E085-A	Repl.by D0AZ 7E085-A (5-73)
71/	A, B, F	6&8	All				1	D0AZ 7E085-A	
								7086	GASKET - EXTENSION HOUSING
65/68	A, S	6&8	All		1	1		1P 7086-A	
68/	A, B, F	6&8	All				1	D2AZ 7086-A	
65/	A, B, F, S	6&8	All		1	1	1	C3AZ 7A089-A	CLUTCH ASSY. - PLANETARY GEARS - roller type
								7A094	BODY - FRONT BAND SERVO
65/66	A	8	289,352		1			B9AZ 7A094-A	Includes: (1) 353603-S plug (1) B9TP 77379-A tube & (1) I.S. #935
65/66	A, S	6&8	All			1		C3AZ 7A094-A	Includes: (1) 353603-S plug & (1) I.S. #1030
67/68	A	6&8	All			1		C7AZ 7A094-A	#C7AP 7A094-A
68	A	6&8	240,302				1	C8AZ 7A094-A	#C8AP 7A094-A
69	A, B, F	8	351				1		
68/69	A	8	390				1	D0AZ 7A094-B	
69/71	A	6&8	240,302				1		
70	A	8	302				1	D0AZ 7A094-A	#D0AP 7A094-A-use with #PHA-F, G
70/71	A, B, F	8	351				1		
72	A, B, F	6&8	All				1		
65/	A, S	6&8	All		AR	AR	AR	359266-S8 (BB157)	Bolt-3/8"-16 x 1 1/4" (servo body to case)
69/	B, F	8	All				2		
					AR	AR	AR	34807-S7(X66)	Lockwasher-3/8"
65/71	A, B, F, S	6&8	All		1	1	1	★B8TZ 7C096-C r/b D3AZ 7C096-A (10/74)	WASHER - PRIMARY SUN GEAR THRUST BEARING-1 15/16" O.D.1 3/16" I.D.-includes (38) rollers
72	A, B, F	6&8	All				1	D3AZ 7C096-A	

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	QUANTITY FX	QUANTITY MX	QUANTITY FMX	PART NUMBER	PART NAME and DESCRIPTION
								7A097	CLIP - OIL SCREEN RETAINING
68	A "Before 11/15/67"	6&8	All			1	1	C8AZ 7A097-A	Approx. 5 1/2" long
69/70	A, B, F	6&8	All				1		Use with metal screen type oil pan filter
72	A, B, F	6&8	All				1		
68/71	A "From 11/15/67"	8	All				1	C8AZ 7A097-E	Use with oil pan dacron filter only
68	A "From 11/15/67"	6&8	All			1			
68/71	B, F	8	All				1		
65/66	S	8	All			1			
65/66	A	6&8	All		1	1			
								7A097	CLIP - OIL SCREEN SUPPORT
68	A "Before 11/15/68"	6&8	All			1		★C8AZ 7A097-C	Not replaced
68/	A, B, F "From 11/15/68"	6&8	All			1	1	C8AZ 7A097-B	
								7A098	SCREEN - OIL PAN
65/67	A	6&8	All		1			B9AP 7A098-B	*FT-31-without gasket
65/67	A	6&8	All		1			B7AZ 7A098-B	*FT-31-A-incl. (1) B5AZ 7A191-B gasket
65/67	A, S	6&8	All			1		B9MP 7A098-B	*FT-33-without gasket
65/67	A, S	6&8	All			1		B7AZ 7A098-C	*FT-33-A-incl. (1) B5SZ 7A191-B gasket
68/	A, B, F	6&8	All			1	1	D0AZ 7A098-A	*FT-39-consists of (1) screen & (4) clips-Note with MX trans. use the C3AZ 7A097-A & the C8AZ 7A097-C clips; with FMX trans. use the C8AZ 7A097-A & the C8AZ 7A097-B clips-without gasket
68/	A, B, F	6&8	All			1	1	D0AZ 7A098-B	*FT-39-A-incl. (1) B5AZ 7A191-B gasket
								7C098	Refer to group 7A260
								7C099	SEAL - FRONT CLUTCH CYLINDER - INNER OIL
65/66	A, S	6&8	All			1		C1AZ 7C099-A	1 7/16" I.D.-round cut lip
67/68	A	6&8	All			1		C1AZ 7C099-D	1 7/16" I.D.-square cut lip
65/	A, B, F	6&8	All		1		1	B1AZ 7C328-B	1 5/16" I.D.-square cut lip
								7C099	SEAL - REAR CLUTCH CYLINDER - PISTON OIL
65/67	A	6&8	All		1			C1AZ 7C099-A	1 7/16" I.D.-round cut lip
65/68	A, S	6&8	All			1		C1AZ 7C099-E	1 5/8" I.D.-square cut lip
68/	A, B, F	6&8	All				1	C8AZ 7E212-A	1 7/16" I.D.-square cut lip
								7A100	CONTROL ASSY. - MAIN

MAIN CONTROL IDENTIFICATION CHART

An identification number is stamped at the lower end of the main control assembly. The following chart will provide quick identification of the service part number when the identification number is known. The main control assembly may also be selected by model, year and description under Group No. 7A100 which follows the chart.

MAIN CONTROL BODY IDENTIFICATION	SERVICE PART NUMBER
#62	C3AZ 7A100-AD
#A1	C3AZ 7A100-AD
#A2	C3AZ 7A100-AE
#A3	C3AZ 7A100-AD
#A5	C9ZZ 7A100-D
#A6	C9AZ 7A100-K
#A8	D2AZ 7A100-H
#B4	C7AZ 7A100-U
#B5	C9AZ 7A100-K
#B6	C9ZZ 7A100-F
#B8	D2AZ 7A100-H
#B9	C9AZ 7A100-G
#C1	C5AZ 7A100-G
#C2	C3SZ 7A100-E
#C3	C7AZ 7A100-U
#C4	C7AZ 7A100-S
#C5	C9AZ 7A100-L
#C6	C9AZ 7A100-L
#C7	C9AZ 7A100-G
#D1	C3AZ 7A100-AD
#D3	C7AZ 7A100-S
#D4	C7AZ 7A100-T
#D8	D2OZ 7A100-E
#D9	C9AZ 7A100-K
#E2	C3AZ 7A100-AE
#E7	D2AZ 7A100-A
#E8	D2OZ 7A100-F

Identification marking * Motorcraft number

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

7A100 CONTROL ASSY. - MAIN - continued

MAIN CONTROL IDENTIFICATION CHART - continued

MAIN CONTROL BODY IDENTIFICATION	SERVICE PART NUMBER
#EB	D2OZ 7A100-F
#F1	C5AZ 7A100-G
#F3	C7AZ 7A100-T
#F6	D0OZ 7A100-B
#G1	C3SZ 7A100-E
#G3	C7AZ 7A100-T
#G6	C9AZ 7A100-G
#G7	D2ZZ 7A100-A
#G8	D2OZ 7A100-F
#H2	C5AZ 7A100-G
#H3	C7AZ 7A100-U
#H4	C7AZ 7A100-T
#H8	D2ZZ 7A100-B
#J2	C5AZ 7A100-G
#J3	C7AZ 7A100-S
♯J4	C7AZ 7A100-S
♯J5	C9AZ 7A100-G
#J6	C9AZ 7A100-L
#J7	D2AZ 7A100-A
#J8	D2AZ 7A100-H
#K1	C3AZ 7A100-AD
#K2	C3SZ 7A100-E
#K4	C7AZ 7A100-U
#K6	C9ZZ 7A100-E
#K8	D2OZ 7A100-G
#L1	C5AZ 7A100-G
#L2	C3AZ 7A100-AD
#L4	C9AZ 7A100-G
♯L5	C9AZ 7A100-L
#L6	C9ZZ 7A100-F
#L7	D2ZZ 7A100-A
#L8	D2OZ 7A100-E
#M2	C3AZ 7A100-AD
#M4	C9AZ 7A100-H
♯M5	C9ZZ 7A100-E
#M6	C9AZ 7A100-K

MAIN CONTROL BODY IDENTIFICATION	SERVICE PART NUMBER
#N1	C3AZ 7A100-AE
♯N5	C9ZZ 7A100-D
#N6	D0ZZ 7A100-A
#P2	C3AZ 7A100-AD
♯P5	C9AZ 7A100-K
#P6	D0OZ 7A100-B
#P7	D2ZZ 7A100-B
#R3	C7AZ 7A100-U
♯R5	C9AZ 7A100-H
#S2	C5AZ 7A100-G
#S3	C7AZ 7A100-U
#S7	D2ZZ 7A100-B
#T4	C9ZZ 7A100-E
#U2	C3AZ 7A100-AE
#U3	C7AZ 7A100-S
♯U4	C9AZ 7A100-L
♯U5	C9AZ 7A100-L
#V1	C3SZ 7A100-E
#V3	C7AZ 7A100-T
♯V4	C9AZ 7A100-L
♯V5	C9ZZ 7A100-E
#W1	C5AZ 7A100-G
#W2	C3SZ 7A100-E
♯W5	C9ZZ 7A100-D
#W6	D2ZZ 7A100-A
#X1	C5AZ 7A100-G
#X2	C5AZ 7A100-G
♯X5	C9AZ 7A100-K
#Y1	C3AZ 7A100-AD
#Y2	C3AZ 7A100-AD
♯Y5	C9AZ 7A100-G
#Z1	C3AZ 7A100-AD
#Z2	C5AZ 7A100-G
#Z4	C9ZZ 7A100-E
♯Z5	C9ZZ 7A100-E

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	FX	MX	FMX	PART NUMBER	PART NAME and DESCRIPTION
65/66	A	8	289		1			C3AZ 7A100-AE	#A2, #E2, #N1, #U2-includes I.S. #2152
67	A	8	289		1			C7AZ 7A100-T	♯D4, ♯F3, ♯G3, ♯H4, ♯V3
65/66	A	8	352		1			C3AZ 7A100-AD	#62, #A1, #A3, #D1, #K1, #L2, #M2, #P2, #Y1, #Y2, #Z1-includes I.S. #1123 & #2152
65/66	A,S	8	390			1		★C5AZ 7A100-G	#C1, #F1, #H2, #J2, #L1, #S2, #W1, #X1, #X2, #Z2-includes I.S. No. 2152
65/66	A,S	6&8	240,289, 352,390			1		C3SZ 7A100-E	#C2, #G1, #K2, #V1, #W2-includes I.S. No. 2152
67	A	8	390			1		C7AZ 7A100-U	#B3, #C3, #H3, #K3, #R3, #S3
68	A	8	390			1		C9AZ 7A100-G	#B9, #G6, #J5, #Y5
68/69	A	8	390				1	C9AZ 7A100-L	#C6, #J6, #C5, #L5, #V4, #U4, #U5
67	A	6&8	240,289			1		C7AZ 7A100-S	#D3, #J3, #U3, #C4
68	A	8	240,302			1		C9AZ 7A100-H	#M4, #R5
69/71	A "Before 7/1/71"	6&8	240,302				1	C9AZ 7A100-K	#A6, #B5, #D9, #M6, #P5, #X5
69	A,B,F	8	351-2B				1	C9ZZ 7A100-E	#K6, #M5, #T4, #V5, #Z4, #Z5
70/71	A "Before 7/1/71"	8	351-2B				1		
68	A	6&8	240,302				1		
71/72	A "From 7/1/71"	6&8	240,302, 351				1	D2AZ 7A100-H	#A8, #B8, #E7, #J7

♯ Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	FX	MX	FMX	PART NUMBER	PART NAME and DESCRIPTION
								7A100	CONTROL ASSY. - MAIN - continued
72	B	8	302				1	D2OZ 7A100-G	#K8
72	F	8	302				1	D2ZZ 7A100-B	#H8,#P7,#S7
72	B	8	351-2B				1	D2OZ 7A100-E	#D8,L8 use with #PHB-C
72	B	8	351-2B				1	D2OZ 7A100-F	#E8,G8 use with #P HB-Z
70/71	F "Before 7/1/71"	8	351-2B				1	D0ZZ 7A100-A	#N6
71/	F "From 7/1/71"	8	351-2B				1	D2ZZ 7A100-A	#G7,#L7,#W6
69	B,F	8	351-4B				1	C9ZZ 7A100-D	#A5,#N5,#W5
69	B,F	8	351-4B				1	C9ZZ 7A100-F	#B6,#L6
70	B,F	8	351-4B				1	D0OZ 7A100-B	#F6,#P6
67/	A,B,F	6&8	All		3	3	3	357913-S(BB127)	Bolt-1/4"-20 x 1 5/8" (valve body to case)
					3	3	3	34805-S(X62)	Washer-1/4"
								7A103	PUMP ASSY. - FRONT OIL
65/67	A,S	6&8	All		1	1		C3AZ 7A103-E	
68/	A,B,F	6&8	All			1	1	C8AZ 7A103-A	
65/	A,B,F,S	6&8	All		AR	AR	AR	371454-S(BB145)	Bolt-5/16"-18 x 2" hex.head (pump to case)
								7A108	SUPPORT ASSY. - CONVERTER STATOR
65/67	A,S	6&8	All		1	1		B5AZ 7A108-A	
68/	A,B,F	6&8	All			1	1	C8AZ 7A108-A	
67/	A,B,F	6&8	All		AR	AR	AR	54086-S(U107G)	Screw-No.10-24 x 5/8" (support to pump)
65/	A,B,F,S	6&8	All		1	1	1	C3AZ 7A115-A	LEVER - MANUAL CONTROL VALVE DETENT
65/67	A,S	6&8	All		1	1		356071-S(MM174)	Locknut-9/16"-24 (detent lever to manual lever)
68/	A,B,F	6&8	All			1	1	377330-S (MM169K)	Nut-9/16"-18 (detent lever to manual lever)
65/	A,B,F,S	6&8	All		1	1	1	C3AZ 7A117-C	LEVER - PARKING PAWL TOGGLE OPERATING
65/	A,B,F,S	6&8	All		1	1	1	C3AZ 7A119-A	PIN - PARKING PAWL TOGGLE
								374979-S(XX15D)	Retaining washer-5/16" dia.(pin to lever)
								354861-S(XX137)	Washer-flat-3/8"
								7120	BUSHING - INPUT SHAFT
65/	A,B,F	6&8	All		1		1	B1AZ 7120-A	7/8" I.D.-3/4" long-steel backed bronze
65/68	A,S	8	All			1		C3AZ 7120-B	7/8" I.D.-7/8" long-steel backed alloy
65/	A,B,F,S	6&8	All		1	1	1	B1AZ 7A121-A	LEVER - PARKING PAWL TOGGLE
								7C122	SNAP RING - OUTPUT SHAFT RING GEAR RETAINING - SELECTIVE FIT
65/	A,B,F,S	6&8	All		AR	AR	AR	B1AZ 7C122-A	5 13/32" O.D.-.055" thick
								B1AZ 7C122-B	.057" thick
								B1AZ 7C122-C	.059" thick
								B1AZ 7C122-D	.064" thick
								B1AZ 7C122-E	.069" thick
65/	A,B,F,S	6&8	All		1	1	1	C3AZ 7A130-B	SUPPORT ASSY. - PLANETARY GEARS
65/	A,B,F,S	6&8	All		1	1	1	•C4AZ 7A132-A	BUSHING - PLANETARY GEAR SUPPORT
65/67	A,S	6&8	All		1	1		C2AZ 7A135-A	SERVO REPAIR KIT - FRONT Consists of (2) 353603-S cup
65/	A,B,F,S	6&8	All		1	1	1	B1AZ 7A136-A	GASKET - FRONT OIL PUMP TO CASE - 5 15/16" O.D.-5 9/16" I.D.
								7A139	REGULATOR - OIL PRESSURE
65/67	A	8	All		1			C2AZ 7A139-A	Includes (1) 353603-S cup & I.S. #743
68/	A,B,F	6&8	All			1	1	C8AZ 7A139-B	
65/67	A	6&8	All			1		C3AZ 7A139-C	
65/	A,B,F,S	6&8	All		2	2	2	357235-S (BB136)	Bolt-5/16"-18 x 7/8" (regulator to case)
								34806-S7(X64)	Lockwasher-5/16"

• Reconditioners only # Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	FX	MX	FMX	PART NUMBER	PART NAME and DESCRIPTION
								7A141	COVER - OIL PRESSURE REGULATOR BODY
68/	A, B, F	6&8	All			1	1	C8AZ 7A141-A	
65/	A, S	6&8	All		AR	AR	AR	★356746-S	Bolt-No.10 (cover to body)
								34803-S(X60)	Lockwasher No.10
65/	A,B,F,S	6&8	All			1	1	C3AZ 7A142-A	PLATE - OIL PRESSURE REGULATOR BODY SEPARATING
								7A149	PUMP - REAR OIL - Also refer to Group 7A383
65/67	A, S	6&8	All		1	1		C2AZ 7A149-A	
68	A	8	All			1		C8AZ 7A149-A	
65/68	A, S	8	All		1	1		74144-S(L4)	Key-woodruff (pump to shaft)
								7153	GASKET and OIL SEAL KIT - Also refer to Groups 7C288 & 7C289
65/67	A	6&8	All		1			B8AZ 7153-G	Consists of the following:

OIL SEALS

1-B1AZ	7C050-B	1-B5AZ	7A294-C	1-B9A	77357-B
1-C1AP	7C050-A	1-B6AZ	7A294-A	1-B9A	77357-C
1-B5AZ	7C050-B	1-B8AZ	7A294-A&B	1-1P	77512-A
1-B7AZ	7C098-B	1-B8AZ	7A294-D	1-1P	77513-A
1-B8SZ	7C098-A	1-B9AZ	7A294-E	1-1P	77542-A
1-C1AZ	7C099-A	1-C1AZ	7A294-D	2-1P	77543-B
2-C0AZ	7C169-A	1-B1AZ	7C328-B	1-1P	77868-A
1-C3AZ	7A248-A	1-B1AZ	7C329-A	1-1P	77873-A
1-B1AZ	7A294-B	1-C7AZ	7B498-A	4-1P	77883-A
1-B1AZ	7A294-C	1-B6AZ	7A548-B	2-354516-S	
1-B5AZ	7A294-B	1-B9A	77357-A	1-372984-S	

GASKETS

1-1P	7086-A
1-B3TZ	7086-A
1-B1AZ	7A136-A
1-B5AZ	7A191-B
1-B5SZ	7A191-B
1-B1AZ	7A222-A
1-C1VP	7B391-B
1-1P	77265-B

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY				PART NUMBER	PART NAME and DESCRIPTION
65	S	8	All			1		B5SZ 7153-C	

Consists of the following

OIL SEALS

1-B5AZ	7C050-A	1-B1AZ	7A294-C	1-B1AZ	7A548-A
1-C1AZ	7C051-A	1-B5AZ	7A294-A	1-1P	77265-B
1-C1AZ	7C099-E	1-B5AZ	7A294-D	2-B5S	77542-A
2-B5SZ	7C160-A	1-B1AZ	7C329-A	1-1P	77868-A
1-C3AZ	7A248-A	2-C7AZ	7B498-A	4-1P	77883-A

GASKETS

1-1P	7086-A
1-B1AZ	7A136-A
1-B5SZ	7A191-B
1-B1AZ	7A222-A
1-C1VP	7B391-B

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY				PART NUMBER	PART NAME and DESCRIPTION
65/67	A, S	8	352,390			1		C1AZ 7153-F	

Consists of the following

OIL SEALS

1-C1AZ	7C050-A	1-B1AZ	7A294-C	1-C1AZ	7A548-C
1-C7AZ	7C050-C	1-B6SZ	7A294-B	1-1P	77265-B
1-C7AZ	7C050-D	1-B8AZ	7A294-D	1-B9A	77357-B
1-C1AZ	7C051-A	1-C1AZ	7A294-A	1-B9A	77357-C
1-B8SZ	7C098-A	1-C1AZ	7A294-D	2-B5S	77542-A
1-C1AZ	7C098-A	1-C1AZ	7A294-E	2-1P	77543-B
1-C1AZ	7C099-D	1-B1AZ	7C329-A	1-1P	77868-A
1-C1AZ	7C099-E	1-C1AP	7375-A	4-1P	77883-A
2-B5SZ	7C169-A	1-C7AZ	7B498-A	2-354516-S	
1-C3AZ	7A248-A	1-B6AZ	7A548-A		

GASKETS

1-1P	7086
1-B1AZ	7A136-A
1-B5SZ	7A191-B
1-B1AZ	7A222-A
1-C1VP	7B391-B

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	FX	MX	FMX	PART NUMBER	PART NAME and DESCRIPTION
								7153	GASKET and OIL SEAL KIT - continued
68	A	6&8	All			1		C8AZ 7153-D	

Consists of the following

OIL SEALS				GASKETS		INSULATOR	
1-B8AZ	7A011-A	1-B1AZ	7A294-D	1-1P	7086-A	1-C7AZ	7341-A
1-C1AZ	7C050-A	1-B8AZ	7A294-D	1-B3TZ	7086-A		
1-C7AZ	7C050-C	1-C1AZ	7A294-D	1-B1AZ	7A136-A		
1-C7AZ	7C050-D	1-C7AZ	7B498-A	1-B5SZ	7A191-B		
1-C1AZ	7C051-A	1-C1AZ	7A548-C	1-B1AZ	7A222-A		
1-B7AZ	7C098-B	1-1P	77265-B	1-C1VP	7B391-B		
1-C1AZ	7C099-E	2-B5S	77542-A				
1-C1AZ	7C099-D	2-1P	77543-B				
2-B5SZ	7C169-A	1-1P	77868-A				
1-C2AZ	7A248-A	1-1P	77883-A				

68/	A, B, F	6&8	All				1	▲C9AZ 7153-A	

Consists of the following

OIL SEALS						GASKETS	
4-C6AZ	7D019-A	1-C8AZ	7E212-A	1-C1AZ	7A294-D	1-D2AZ	7086-A
1-B1AZ	7C050-B	1-C2AZ	7A248-A	1-D1AZ	7A294-A	1-B1AZ	7A136-A
1-C1AZ	7C050-A	1-C8AZ	7A293-A	1-B1AZ	7C328-B	1-B5AZ	7A191-B
1-C7AZ	7C050-C	1-C8MY	7A293-A	1-C8AZ	7423-A	1-C8AZ	7A222-A
1-C8AZ	7C050-A	1-B1AZ	7A294-C	1-C7AZ	7B498-A		
1-C8AZ	7C051-A	1-B8AZ	7A294-D	1-D1AZ	7A548-A		
1-B7AZ	7C098-B	1-B9AZ	7A294-E	1-1P	77265-B		
				1 B6AZ	7A548-B		

65/	A,B,F,S	6&8	All		1	1	1	D1AZ 7A153-A	GEAR - OUTPUT SHAFT RING-72 internal 39 external teeth,6 1/8" O.D.-1 37/64"wide
65/	A,B,F,S	6&8	All		1	1	1	378874-S(QQ94)	Snap ring-4 1/4" dia. -
					1	1	1		(ring gear to output shaft hub) (ring gear to forward clutch hub)
								7D157	PISTON ASSY. - REAR CLUTCH
65/67	A	6&8	All		1			C4AZ 7D157-B	
65/68	A,S	6&8	All			1		C7AZ 7D157-B	
68	A	8	302				1	C8AZ 7D157-A	#C8AP 7D158-A ,#D0YP 7D158-B
72	F	8	302				1		
68	A	8	390				1	D0ZZ 7D157-A	#C8AP 7D158-B,#C9ZP 7D158-A,
69/71	A,B,F	6&8	All				1		#D0ZP 7D158-A-Includes D0AZ 7E085-A
72	A	6&8	All				1		Use with #PHD-B1
72	B,F	8	351				1		
								7A158	STRUT - FRONT BAND ACTUATING
65/70	A,B,F,S	6&8	All		1	1	1	B1AZ 7A158-A	Actuating-1 5/8"long-3/4"wide
					1	1	1	C8AZ 7E243-A	Anchor
71	A,F	6&8	All				1	C9AZ 7A158-A	Actuating-1 3/4" long-11/16" wide
71/	A,F	6&8	All				1	C9AZ 7E243-A	Anchor-1" long-23/32" wide-includes pin
72	A	6&8	All				1	C9AZ 7A158-A	(a)-actuating-use with PHB-L5 & PHD-A6
	B	6&8	All				1		Use with PHB-C1,C2,Z2
	F	6&8	All				1		Use with PHA-H2 & PHB-E6
72	A	6&8	All				1	D2AZ 7E243-A	(a)-anchor-use with PHB-L5 & PHD-A6
	B	6&8	All				1		Use with PHB-C1,C2,Z2
	F	6&8	All				1		Use with PHA-H2 & PHB-E6
65/68	A,S	6&8	All		1	1		B1AZ 7A160-A	TUBE - REAR OIL PUMP INLET - 5 1/16" long-9/16" O.D.-Also refer to Group 7A204

▲ This kit does not include the primary sun gear and shaft oil seals: Basic 7C169, 77542 and 77543. If they need to be replaced, use cast iron seals in place of teflon seals.

Identification marking (a) - Use with stainless steel flex band only (D2AZ 7A162-A)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	FX	MX	FMX	PART NUMBER	PART NAME and DESCRIPTION
								7D160	SPRING - OIL PRESSURE REGULATOR VALVE
65/67	A	6&8	All		1			B5A 77465-B	Approx. 3 5/8" free length-20 1/2 coils
65/66	A, S	6&8	All			1		C3AZ 7D160-B	Approx. 3 1/8" free length-19 coils
67/	A,B,F	6&8	All			1	1		
								7A162	BAND ASSY. - FRONT SERVO
65/66	A	6&8	All		1			C2AZ 7A162-D	1 15/16" wide-anchor slot off-centered
67	A	8	All		1			C7AZ 7A162-B	1 15/16" wide-#59
65/66	A, S	6&8	All			1		C2AZ 7A162-A	1 15/16" wide-anchor slot centered
67/72	A, B, F "Before 10/1/71"	6&8	All			1	1	★C7AZ 7A162-C	1 15/16" wide-#58 -replaced by (1) D2AZ 7A162-A,(1) C9AZ 7A158-A, (1) D2AZ 7E243-A,(1) D1AZ 7A178-A(9/73)
72	A,F "From 10/1/71"	6&8	All				1	D2AZ 7A162-A	See Note (b)-stainless steel-use w/PHB
72	B	6&8	All				1		Use w/PHA and PHB-includes (1) D1AZ 7A178-A
65/71	A,S	6&8	All			1	1	B6SZ 7A163-A	PIN - FRONT BAND SERVO PISTON GUIDE 2 3/8" long-3/8" & 5/16" O.D.
								7A164	PISTON AND PIN ASSY. - FRONT BAND SERVO - Refer to Group 7A260

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	FX	MX	FMX	INTERNAL SPLINE PLATE (FRICTION) - 7B164	QTY.	EXTERNAL SPLINE PLATE (STEEL) - 7B442	QTY.
								7B164 PLATE - CLUTCH INTERNAL and EXTERNAL SPLINE			
	FRONT CLUTCH										
65/68	A	6&8	All		x		x	B5AZ 7B164-B	4	C8AZ 7B442-A	3
65/68	A, S	6&8	All			x			5		4
68	A	6&8	All				x	★♦C8AZ 7B164-B (.080" thick) - r/b selective fit packages C9AZ 7B164-A or C or D	1	C8AZ 7B442-A	3or4
							x	♦C8AZ 7B164-C (.090" thick)	1		
69/	A, B, F	6&8	All				x	C9AZ 7B164-A (Std.) Includes: 5 plates-.058" thick	1	C8AZ 7B442-A	3or4
							x	•C9AZ 7B164-C (.015" O/S) Includes: 4 plates-.058" thick 1 plate-.073" thick	1		
							x	•C9AZ 7B164-D (.030" O/S) Includes: 4 plates-.058" thick 1 plate-.088" thick	1		

♦ Use for selective fit with B5AZ 7B164-B plate assy. in FMX models for clutch assy. free pack clearance.
Identification marking
• Use for selective fit for clutch assy. free pack clearance.
(b) - When replacing forced type band also use (1) C9AZ 7A158-A actuating strut, (1) D2AZ 7E243-A anchor strut

7B164 PLATE - CLUTCH INTERNAL and EXTERNAL SPLINE - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY FX	QUANTITY MX	QUANTITY FMX	INTERNAL SPLINE PLATE (FRICTION) - 7B164	INTERNAL SPLINE PLATE QTY.	EXTERNAL SPLINE PLATE (STEEL) - 7B442	EXTERNAL SPLINE PLATE QTY.
	REAR CLUTCH									
65/66	A, S	6&8	All		x		B6AZ 7B164-A	6	B1AZ 7B442-A (50 teeth)	6
65/66	A	6&8	All	x			C2AZ 7B164-A	3	C2AZ 7B442-A (54 teeth)	3
67	A	8	289	x				3		4
67/68	A	6&8	All		x			4		5
68	A	6&8	All			x	★♦C8AZ 7B164-B r/b selective fit packages C9AZ 7B164-A or B	1		
68	A	8	302			x	C8AZ 7B164-G	3	C8AZ 7B442-A	3
68	A	8	390			x		4		4
69/70	A,B,F "Before 12/1/69"	6&8	All			x		4		5
70/71	A,B,F "From 12/1/69"	6&8	All			x		4		4
72	A	6&8	All			x		4		4
72	B,F	8	351			x		4		4
72	F	8	302			x		3		4

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY FX	QUANTITY MX	QUANTITY FMX	PART NUMBER	PART NAME and DESCRIPTION
65/	A,B,F,S	6&8	All	1	1	1	B7AZ 7A165-A	SHAFT - FRONT BAND SERVO ACTUATING LEVER - 1 11/16" long-7/16" O.D.-3 grooves one end
							7A166	WASHER - REAR CLUTCH SUN GEAR THRUST
65/	A,B,F	6&8	All	1		1	B1AZ 7A166-A	2 5/16" O.D.-1 1/2" I.D.-1/16" thick
65/68	A,S	6&8	All		1		B5SZ 7A166-A	2 9/16" O.D.-1 11/16" I.D.-1/16" thick
							7A168	SLEEVE - GOVERNOR OIL DISTRIBUTOR
65/66	A,S	6&8	All	1	1		B8AZ 7A168-B	
65/66	A	8	All	1			97708-S(Q5R)	Ring-retaining (sleeve to shaft)
							7A169	LEVER - REAR BAND SERVO ACTUATING
65/67	A,S	6&8	All		1		C1SP 7A169-A	Use with (29) B5A 77406-A needle bearing
65	A	6&8	All	1			B5AZ 7A169-B	Use with (29) B5A 77406-A needle bearing
68	A	6&8	All		1			
68	A	8	390			1		
69/	A	6&8	All			1		
65/67	A	8	All	1			C6AZ 7A169-A	Needle bearings are not required
68	A	6&8	240,302			1		
72	B	8	351			1		
72	F	8	302			1		
69/70	B "From 3/11/69"	8	All			1	B5AZ 7A169-B	Use w/external type band adjustment
70/	F	8	351			1		
							7A169	LEVER & PISTON KIT - REAR SERVO
69	F	8	All			1	D0AZ 7A169-A	Conversion kit for external type adjustment servo from internal type (to be used w/existing hex.socket hd. 7A178 stop Includes: (1) B5AZ 7A169-B lever (1) B8AZ 7A266-A piston
69	B "Before 3/11/69"							
							7C169	SEAL - PRIMARY SUN GEAR OIL
65/	A,B,F	6&8	All	1or2		1or2	▲ 1P 77542-A	Front-1 1/16" O.D.-3/32" thick-cast iron
				1or2		1or2	▲C0AZ 7C169-A	Intermediate-1 1/8" O.D.-3/32" thick cast iron
				2		2	▲ 1P 77543-B	Rear-15/16" O.D.-3/32" thick-cast iron

▲ Teflon oil seals are not serviced # Identification marking

♦ Use for selective fit with B5AZ 7B164-B plate assy. in FMX models for clutch assy. free pack clearance.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY FX	QUANTITY MX	QUANTITY FMX	PART NUMBER	PART NAME and DESCRIPTION
							7C169	SEAL - PRIMARY SUN GEAR OIL - continued
65/68	A, S	6&8	All		1or2		▲ B5S 77542-A	Front-1 3/16" O.D.-3/32" thick-cast iron
					1or2		▲B5SZ 7C169-A	Intermediate-1 1/4" O.D.-3/32" thick-cast iron
					1or2		▲ IP 77543-B	Rear-15/16" O.D.-3/32" thick-cast iron
							7A170	TUBE - CLUTCH and GOVERNOR OIL DISTRIBUTOR
65/68	A, S	6&8	All	1	1		B8AZ 7A170-A	Intermediate
				1	1		B8AZ 7A173-A	Front
				1	1		B8AZ 7A174-A	Rear
68/	A, B, F	6&8	All			1	C8AZ 7A170-A	Intermediate
						1	C8AZ 7A173-A	Front
						1	C8AZ 7A174-A	Rear
65/	A, B, F, S	6&8	All	1	1	1	B8AZ 7A171-A	SHAFT - REAR BAND SERVO ACTUATING LEVER - 1 15/16" long-1/2" dia.
65/	A, B, F, S	6&8	All	1	1	1	C1AZ 7A172-A	STRUT - REAR BAND ACTUATING
							7B172	BODY - REAR BAND SERVO
65/66	A	8	352	1			C3AZ 7B172-B	#PBM 77405-A
65	A	8	289	1				Use w/#PCT-J3 model
66	A	8	289	1				
65	A	8	289	1			C3AZ 7B172-C	Use w/#PCT-J2 model, #PAZ 77405-C,
67/68	A	8	240, 289, 302	1		1		#C3AP 7B173-A, #C7AP 7B173-A
65/67	A, S	6&8	All		1		C1AP 7B172-A	#C1AP 7B173-A
68	A	6&8	All		1		C8AZ 7B172-A	#C8AP 7B173-A
68	A	8	390			1	C8AZ 7B172-B	#C8AP 7B173-B
69/	A, B, F	8	All			1		
65/	A, B, F, S	6&8	All	1	1	1	354150-S8 (BB177)	Bolt-7/16"-14 x 1 3/4"(servo body to case)
				1	1	1	B7A 77420-A	Bolt (special)-7/16"-14 x 2 1/2"-with pilot end (servo body to case)
				2	2	2	34808-S8(X67)	Lockwasher-7/16"
							7A173	Refer to group 7A170
							7A174	Refer to group 7A170
							7D174	VALVE - LUBE
65/	A, B, F	6&8	All	1	1	1	C3AZ 7D174-A	1/2"-20 thd.-inverted flare for 5/16" dia. tube seat
65/66	S	8	All		1		C3SZ 7D174-A	5/8"-18 thd.-inverted flare for 3/8" dia. tube seat
65/	A, B, F, S	6&8	All	1	1	1	B6AZ 7A175-A	STRUT - REAR BAND ANCHOR -1/2" & 1 1/4" wide-1 1/4" long-#C9AP 7D038-A
65/	A, B, F, S	6&8	All	1	1	1	B5SZ 7A176-B	BAND ASSY. - REAR-1 5/8" wide, #61
65/	A, B, F, S	6&8	All	1	1	1	D1AZ 7A178-A	SCREW - FRONT BAND ADJUSTING-set screw-3/8"-16 x 1 19/32"
				1	1	1	33924-S(M28)	Nut-3/8"-16 jam(front band adjusting)
							7A178	SCREW - REAR BAND ADJUSTING - also refer to 7E216 kits
65/68	A, S	6&8	All	1	1		C1AP 7A178-B	1/2"-20 x 2 1/2", 5/16" sq.hd.
68/71	A	6&8	All			1		
69/70	B "From 3/11/69"	8	All			1		Use w/external type band adjustment
69	B "Before 3/11/69"	8	All			1	C9ZZ 7A178-A	1/2"-20 x 2", 7/32" hex. socket hd.-
72	A	6&8	All			1		use w/internal type band adjustment
69/	F	8	All			1		(for conversion to external type see
72	B	8	351			1		7E216 kit)
65/	A, S	6&8	All	1	1	1	33943-S8(M36)	Nut-1/2"-20 jam (rear band adjusting)
							7190	Refer to group 7A813

Identification marking ▲ Teflon oil seals are not serviced


YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	FX	MX	FMX	PART NUMBER	PART NAME and DESCRIPTION
								7A191	GASKET - OIL PAN TO CASE
65/	A, B, F	6&8	All		1		1	B5AZ 7A191-B	
65/68	A, S	6&8	All			1		B5SZ 7A191-B	
65/	A, B, F, S	6&8	All		1	1	1	C1AZ 7194-A	RETAINER - THIRD-SECOND COASTING ORIFICE CONTROL VALVE SPRING
								7A194	PAN ASSY. - TRANSMISSION OIL
65/67	A	6&8	All		1			B5AZ 7A194-A	13 1/8" x 10 1/8"
65/68	A, S	6&8	All			1		B5SZ 7A194-A	13 1/8" x 10 7/16"
68/	A, B, F	6&8	All				1	C8AZ 7A194-A	
65/	A, S	6&8	All		14	14	14	378782-S (BB543D)	Bolt-5/16"-18 x 9/16" (oil pan to case)
					AR	AR	AR	34806-S7(X64)	Lockwasher-5/16"
65/67	A, S	6&8	All		1	1	1	B5AZ 7A202-A	VALVE - OIL PRESSURE REGULATOR
								7A204	TUBE - REAR OIL PUMP OUTLET
65/68	A, S	6&8	All		1	1		B1AZ 7A204-A	2 7/16" long-9/16" O.D.
68	A	6&8	All				1	C8AZ 7A204-A	2 7/8" long-3/8" dia. to 5/16" dia. reduction
								7A206	TUBE - COMPENSATOR PRESSURE OIL
65/	A, B, F	6&8	All		1		1	B5AZ 7A206-A	
65/68	A, S	6&8	All			1		B5SZ 7A206-A	
								7A208	TUBE - OIL PRESSURE REGULATOR
65/68	A, S	6&8	All		1	1		★B4AZ 7A208-A	Not replaced
68/	A, B, F	6&8	All				1	C8AZ 7A208-A	
								7E212	Refer to group 7C099
								7E216	Refer to group 7A266
								7E216	PISTON & STOP KIT - REAR BAND
69	B	8	All				1	•C9OZ 7E216-A	Kit-for conversion from internal to external type rear servo band adjustment. Includes: (1) B5AZ 7A169-B lever (1) C1AP 7A178-B stop (1) B8AZ 7A266-A piston
69	F	8	All				1	7E216	To convert from internal to external type adjustment-use (7A169) kit
								7A222	GASKET - REAR OIL PUMP TO CASE
65/68	A, S	6&8	All		1	1		B1AZ 7A222-A	
68/	A, B, F	6&8	All				1	C8AZ 7A222-A	
								7C222	PUMP OVERHAUL KIT - FRONT
65/67	A, S	6&8	All 430		1	1		C3AZ 7C222-A	Consists of the following:
	1-B1AZ 7A136-A Gasket 1-C3AZ 7A248-A Seal				1-C1AZ 7B258-A 1-C1AZ 7B259-A			Bushing Bushing	1-B5AZ 7B261-A Bushing 4-371454-S Bolt
								7A228	TUBE - OIL FILLER
65	A	8	289		1			C5AZ 7A228-E	Approx. 21 1/2" long
65	A	8	352,390		1	1		C5AZ 7A228-B	Approx. 21 1/4" long
66/68	A	8	289,302		1	1		C6AZ 7A228-C	Approx. 24 1/2" long
66/68	A	6	240			1		C6AZ 7A228-E	Approx. 24 5/8" long
66/68	A	8	390			1		C6AZ 7A228-D	Approx. 23 7/8" long
66	A	8	352		1				
68	A	6&8	240,302				1	C8AZ 7A228-A	
68	A	8	390				1	C8AZ 7A228-B	
69/	A	6&8	240,302, 351				1	C9AZ 7A228-B	
69	A	8	390				1	C9AZ 7A228-C	
69	B	8	All				1	C9OZ 7A228-B	
70/	B	8	All				1	D0OZ 7A228-C	
69	F	8	All				1	C9OZ 7A228-B	
70/	F	8	All				1	D0OZ 7A228-C	
65/66	S	8	All			1		★C2SZ 7A228-A	
72	B	8	351-2B				1	D3OZ 7A228-A	Approx. 19 3/4" long-blue paint on top of tube

• Refer to T.S.B. No.115 (May 16, 1969), article 1792 for adjustment procedure

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY FX	QUANTITY MX	QUANTITY FMX	PART NUMBER	PART NAME and DESCRIPTION
							7A229	CLAMP - OIL FILLER TUBE
65/69	A	8	352,390	1	1	1	C1AA 7A229-B	
65/66	S	8	All		1		C2SZ 7A229-A	
65/	A,B,F,S	6&8	All	1	1	1	C3AZ 7A232-A	ROD - PARKING PAWL TOGGLE Approx. 2 1/2" long-includes rod, spring, trunnion & pin
65/	A,B,F,S	6&8	All	AR	AR	AR	72003-S(N38)	Cotter pin-1/16" x 1/2" (to retain rod)
65/	A,B,F,S	6&8	All	1	1	1	★C4AZ 7D236-B	RACE - PRIMARY SUN GEAR THRUST WASHER-r/b D3AZ 7C096-A (10/74)
71/72	A,F "Before 3/15/72"	6&8	All			1	D1AZ 7E242-A	SCREEN - GOVERNOR OIL - use with D1AZ 7C053-A, D1TZ 7C053-A governor only
72	B	8	All			1		
72	A,F "From 3/15/72"	6&8	All			1	★D2AZ 7E242-A	Repl. by D1AZ 7E242-A (2-73)
							7E243	Refer to group 7A158
65/	A,B,F,S	6&8	All	1	1	1	B9AP 7A244-A	PIN - PARKING PAWL TOGGLE LEVER - approx. 1 5/8" long
65/	A,S	6&8	All	1	1	1	74274-S(R3)	Retainer-1/4" (pin to lever)
70	A,F	8	351-2B			1	D0AZ 7D245-A	SPRING KIT - CONTROL OIL PRESSURE COMPENSATOR - consists of (1) C9AP 7A324-B outer spring, (1) C9AP 7351-C inner spring
							7A246	TUBE - TRANSMISSION BREATHER
65/	A,B,F	6&8	All	1	1	1	C5AZ 7A246-A	5/16" dia. tubing
65/	A,B,F	6&8	All	1	1	1	372989-S (MM109D)	Nut-5/16" (tube to case)
							7A248	SEAL - FRONT OIL PUMP
65/67	A,S	6&8	All	1	1	1	C3AZ 7A248-A	2 11/16" O.D.-1 15/16" I.D.-3/8" thick
68/	A,B,F	6&8	All		1	1	C2AZ 7A248-A	2 3/4" O.D.-1 15/16" I.D.-3/8" thick
65/	A	6&8	All	1	1	1	C8AZ 7E253-A	SNAP RING - GOVERNOR TO SHAFT - 1 9/16" free dia.-.11" thick
68/	B,F	6&8	All		1	1		
65/67	S	8	All	1	1			
							7A256	LEVER - MANUAL CONTROL
65/66	A-console shift	8	All	1	1		C3AZ 7A256-D	
65/66	A-column shift	6&8	All	1	1		C3AZ 7A256-B	
67/69	A	6&8	All	1	1	1	C7AZ 7A256-D	Includes (1) 366330-S nut
70/	A-column shift	6&8	All			1	D0AZ 7A256-B	
70/71	A-console shift	8	All			1	D0AZ 7A256-F	
69	B-column shift	8	All			1	★C9OZ 7A256-A	Not replaced
69	B,F-floor shift	8	All			1	C9ZZ 7A256-A	
70	B-column shift	8	All			1	D0OZ 7A256-B	
70	B-console shift	8	All			1	D0OZ 7A256-E	
72	B-column shift	8	351-2B			1	D2OZ 7A256-C	
70	F	8	All			1	D0ZZ 7A256-B	
71/	F	8	All			1	D1ZZ 7A256-A	
65/66	S	8	All		1		C5SZ 7A256-A	
65/	A,B,F,S	6&8	All	1	1	1	B5AZ 7B256-A	BUSHING - PLANETARY GEAR DRUM SUPPORT FLANGE OUTER - 1 1/2" I.D.-7/8" long
							7B257	BUSHING - PLANETARY GEAR DRUM SUPPORT FLANGE - INNER
65/	A,B,F	6&8	All	1		1	B1AZ 7B257-B	1" I.D.-3/4" long
65/68	A,S	6&8			1		B5AZ 7B257-A	1" I.D.-1" long
							7B258	BUSHING - FRONT OIL PUMP
65/68	A,S	6&8	All	1	1		C1AZ 7B258-A	2 1/16" O.D.-9/16" long
66/	A,B,F,S	6&8	All		1	1	C6AZ 7B258-A	2 1/8" O.D.-2" I.D.-3/4" wide
65/	A,B,F,S	6&8	All	1	1	1	C1AZ 7B259	BUSHING - FRONT OIL PUMP DRIVE GEAR-1 15/16" O.D.-1 13/16" I.D.-3/8" wide


7A260 PISTON, GUIDE, RELEASE PISTON AND SEALS - FRONT BAND SERVO



P-6297

Translate codes shown below into service part numbers by using chart on page 17

YEAR	MODEL	TYPE OF TRANS.	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION MODEL USAGE	A PISTON	B PISTON SEAL-	C GUIDE	D GUIDE SEAL-SMALL	E GUIDE SEAL-LARGE	F RE-LEASE PISTON	G RE-LEASE PISTON SEAL	QTY.
65/66	☆A	FX	8	352		16	36	22	32	2	49	34	1
65/66	♦A	FX	8	352	Use w/#PCD-S, T, W, Y	16	36	23	32	2	51	34	1
65/66	♦A	FX	8	352	Use w/#PCD-Z, AB	16	36	22	32	2	51	34	1
65/66	A, S	MX	8	390	Use w/#PCE AT-1, AU-1, AV-1	15	38	21	35	5	48	8	1
66	A	MX	6&8	240,289	Use w/#PCE models								
67	A	MX	6&8	240,289 302	Use w/#PFA models	15	38	21	35	5	48	8	1
67/68	A	MX	8	390	Use w/#PFA models	15	38	29	35	6A	53	6 or 6B	1
68	A	FMX	8	390	Use w/#PHB models	15	38	30	11	5	54	31	1
68/69	A	FMX	8	240,302	Use w/# PFA, PHD models	15	38	21	35	5	48	8A	1
69	A	FMX	8	390	Use w/# PHB-A model	15	38	30A	35	6A	50	31A	1



P-6298

Translate codes shown below into service part numbers by using chart on page 17

YEAR	MODEL	TYPE OF TRANS.	ENGINE CYL.	ENGINE C.I.D.	TRANSMISSION MODEL USAGE	A PISTON	B PISTON SEAL-SMALL	C PISTON SEAL-LARGE	D GUIDE	E GUIDE SEAL			QTY.
65/66	A	FX	6&8	289	Use w/#PCT models	14	46	36	28	2			1
67	A	FX	8	289	Use w/#PHA models	14	47	36A	28	2			1
68	A	FMX	8	302	Use w/#PHA models	12	6C	36A	19	2			1
69/	A, B, F	FMX	8	All	Use w/# PHA, # PHB models	14A	40	36A	30B	2			1
70/	A	FMX	6	240	Use w/#PHD models	14A	40	36A	30B	2			1

Identification marking ☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

7A260 PISTON, GUIDE, RELEASE PISTON AND SEALS - FRONT BAND SERVO - continued

CODE NO.	SERVICE PART NUMBER	DESCRIPTION
2	B1AZ 7C050-B	1.89" I.D.-2.39" O.D.
5	C1AZ 7C050-A	2.00" I.D.-2.52" O.D.
6	★C7AZ 7C050-B	1.65" I.D.
6A	C7AZ 7C050-C	2.18" I.D.-2.52" O.D.-square cut
6B	★C7AZ 7C050-D	1.66" I.D.-square cut
6C	C8AZ 7C050-A	1.17 I.D.
8	B7AZ 7C098-A	1.14" I.D.-round cut
8A	B7AZ 7C098-B	1.14" I.D.-square cut
11	C8AZ 7C098-A	1.27" I.D.
12	B1AZ 7A164-A	1 1/2" small O.D.-2 3/8" large O.D.-1 1/2" long
14	★C3AZ 7A164-A	#C3AP 7A260-A
14A	C9AZ 7A164-A	# 1P 77359-A
15	B7AZ 7A260-A	#PAN 77359-A
16	B8AZ 7A260-A	#PBM 77359-A
19	★B1AZ 7A269-A	#1P 77364-A
21	B7AZ 7A269-B	#PAN 77364-A
22	B8AZ 7A269-A	1 7/16" I.D.-1 3/16" I.D. seal groove
23	C1AP 7A264-A	
28	★C3AZ 7A269-A	#C3AP 7A269-A
29	★C7AZ 7A269-A	# C7AP 7A269-A
30	C8AZ 7A269-A	#C8AP 7A269-B
30A	C8MY 7A269-A	#C8MP 7A269-A
30B	C9AZ 7A269-A	# C9AP 7A269-A
31	★C8AZ 7A293-B	1.53" I.D.
31A	C8MY 7A293-A	1.31" I.D.
32	B1AZ 7A294-B	1.17" I.D.
34	B8AZ 7A294-B	1.21" I.D.
35	B8AZ 7A294-D	1.26" I.D.
36	B9AZ 7A294-D	2.10" I.D.
36A	B9AZ 7A294-E	2.10" I.D.
38	C1AZ 7A294-D	2.21" I.D.
40	C9AZ 7A294-A	1" I.D.
46	B1AZ 7C328-A	1.30" I.D.
47	B1AZ 7C328-C	1.30" I.D.
48	B7A 7366-A	1.41" O.D.
49	B8A 7366-B	1.47" O.D.
50	B8S 7366-A	
51	★C1AP 7366-A	Not replaced
53	C7AZ 7366-A	1.94" O.D.
54	C8AZ 7366-A	1.80" O.D.

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	FX	MX	FMX	PART NUMBER	PART NAME and DESCRIPTION
									Attaching parts for servo release piston
65/67	A,S	6&8	All		1	1	1	44716-S8(X15)	Washer-No. 10
68/	A,B,F	6&8	All			1	1	44713-S(X13)	Washer-1/2" dia.
65/	A,B,F,S	6&8	All		1	1	1	50804-S8(U15)	Screw & washer assy.-No.10-32 x 3/8"
65/	A,B,F,S	6&8	All		1	1	1	B5AZ 7B260-A	BUSHING - REAR OIL PUMP BODY-2 3/8" O.D.-2 1/16" I.D.-3/4" long
65/	A,B,F,S	6&8	All		1	1	1	B8AZ 7A261-A	SPRING - MANUAL CONTROL VALVE DETENT LEVER - 1 3/4" free length-5/16" dia.-23 coils
								7B261	BUSHING - CONVERTER STATOR SUPPORT
65/67	A,S	6&8	All		1	1		B5AZ 7B261-A	1 1/16" O.D.-15/16" I.D.-1/2" long
68/	A,B,F	6&8	All			1	1	C8AZ 7B261-A	1 1/16" O.D.-15/16" I.D.-9/16" long
								7A262	PISTON - FRONT CLUTCH
65/67	A	6&8	All		1			C1AP 7A262-A	#C1AP 7A258-A
65/68	A,S	6&8	All			1		C1SZ 7A262-A	#C1SP 7A258-A
68/70	A,F	6&8	All				1	D0AZ 7A262-C	#C8AP 7A258-A or #C9AP 7A258-A-20° chamfer-9/32' long on I.D.-4.54" & 4.55" O.D.
68/	B	6&8	All				1		
71	A,F " Before 9/1/70"	6&8	All				1		Use w/ #PHB-E2,L1,V,#PHD-A1,B1-models only
71/	A,F " From 9/1/70"	6&8	All				1	D1AZ 7A262-A	#D0AP 7A258-C,36°chamfer-5/32" long on I.D.-4.55" & 4.56" O.D.-use w/PHB-E3,E4,L2,L3,V1,PHD-A2,A4,B2 models
								7B262	BUSHING - REAR CLUTCH DRUM AND SECONDARY SUN GEAR
65/67	A	6&8	All		1			B1AZ 7B262-A	1 3/8" O.D.-7/8" long
65/66	A,S	6&8	All			1		B5AZ 7B262-A	1 7/16" O.D.-1 1/16" long
								7B264	RETAINER - REAR BAND SERVO SPRING
65/67	A,S	6&8	All			1		B8SZ 7B264-B	3 15/32" O.D.
69/	A,B,F	6&8	All			1	1	B8AZ 7B264-C	3 1/4" O.D.
65/67	A	6&8	All		1				
68	A	6&8	All			1	1		

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY FX	QUANTITY MX	QUANTITY FMX	PART NUMBER	PART NAME and DESCRIPTION
							7A266	PISTON - REAR BAND SERVO
65	A	8	352	1			C3AZ 7A266-B	3 3/16" O.D. -# PBM 77413-A
66	A	8	352	1				Use w/# PCD-Z & AA models
65	A	8	289	1				Use w/# PCT-J3 models
68	A	8	390			1		
69	A, B, F "Before 5/1/69"	6&8	All			1		
69/	A, B, F "From 5/1/69"	6&8	All			1	C9AZ 7A266-A	
65	A, S	8	All		1		C3AZ 7A266-C	3 7/16" O.D. -# PBL 77413-A
66	A, S	8	390		1			Use w/# PCE-BJ, BK & BL models
66	A, S	8	390		1		C6AZ 7A266-B	3 7/16" O.D. -includes 2 1/8" long rod-use w/# PCE-BR, BS, BT models
67	A	8	390		1			
66/67	A	6&8	240,289		1			
66	A	8	289	1			C6AZ 7A266-A	3 3/16" O.D. -includes 2 1/8" long rod
66	A	8	352	1				Use w/# PCD-AB & AC models
68	A	6&8	All		1			
65/66	A	6&8	All	1	1		B8AZ 7A266-A	VALVE - REAR BAND SERVO PISTON ACCUMULATOR-1 7/16" O.D. - 1 7/8" overall length
68/	A	6&8	All			1		
69/70	B "From 3/11/69"	8	All			1		
70/	F	8	All			1		
69	B "Before 3/11/69"	8	All			1	$C9OZ 7E216-A	Includes, (1) B5AZ 7A169-B lever, (1) C1AP 7A178-B stop, (1) B8AZ 7A266-A piston
69	F	8	All			1		
							7A269	GUIDE - FRONT BAND SERVO PISTON - Refer to Group 7A260
							7E284	STOP - REAR BAND ADJUSTMENT INNER
69	B "Before 3/11/69"	8	All			1	$C9ZZ 7E284-A	1 3/8" long, used for internal band adjustment
69	F	8	All					
69/70	B "From 3/11/69"	8	All				7E284	Not required-band adjustment is external
70/	F	8	All					
65/	A, B, F, S	6&8	All	2	2	2	B1AZ 7A291-A	BOLT - PLANETARY GEARS SUPPORT
				2	2	2	351487-S (XX291)	Lockwasher-3/8" (to locate planetary support)
							7A293	Refer to Group 7A260
							7A294	SEAL - REAR BAND SERVO PISTON OIL - Also refer to group 7A260
65	A	8	289	1			B1AZ 7A294-C	2 3/4" O.D.
67	A	8	All	1				
68	A	8	302			1		
68	A "Before 1/2/68"	6&8	All		1			
65/66	A	8	289	1			★B8AZ 7A294-A	2 9/16" O.D.
65/66	A	8	352	1				
65/67	A, S	6&8	All		1		C1AZ 7A294-E	3 3/16" O.D.
68	A "From 1/2/68"	6&8	All		1		C8AZ 7423-A	3 1/8" O.D. -square cut lip
68	A	8	390			1		
69/	A, B, F	6&8	All		1	1		
65/	A, B, F, S	6&8	All	1	1	1	B1AZ 7A295-A	PIN - PARKING PAWL TOGGLE LEVER
72	A, B	8	All			1	D2AZ 7A320-A	2-3 SHIFT VALVE KIT - consists of (1) D2AP 7B038-BA spring, (1) D2AP 7A320-CA spring

$ To convert to external adjustment system, use C9OZ 7E216-A kit. Also refer to T.S.B. No.115(May 16,1970), article 1792 for adjustment procedures.

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY FX	QUANTITY MX	QUANTITY FMX	PART NUMBER	PART NAME and DESCRIPTION
							7C328	Refer to Groups 7C099 & 7A260
65/67	A,S	6&8	All	1	1	1	B1AZ 7C329-A	SEAL - REAR OIL PUMP INLET TUBE OIL
							7330	LEVER- FRONT BAND SERVO ACTUATING
65/66	A, S	6&8	All	1	1		B4AZ 7330-A	
67/68	A	6&8	All	1	1		B5S 7330-A	#PMB 77354-B
68/	A, B, F	6&8	All			1	C8AZ 7330-A	#C8AP 7A054-A
65/	A,S	6&8	All	1	1	1	33799-S7(M52)	Locknut-3/8"
69/	B, F	8	All					
65/68	A, S	6&8	All		1		•C4AZ 7D345-A	SLEEVE - CONVERTER REACTOR JOURNAL
							7A360	CYLINDER - FRONT CLUTCH
65/67	A	6&8	All	1			C3AZ 7A360-A	45 external-54 internal teeth-3 3/16" o/all length
65/68	A,S	6&8	All		1		C1AZ 7A360-A	45 external-54 internal teeth-3 1/2" o/all length
68/71	A,B,F	6&8	All			1	D1AZ 7A360-B	Must be used with D1AZ 7A262-A piston assy.
72	A,B,F "Before 2/11/72"	6&8	All			1		Use w/#PHA-H, PHB-E4, L3, PHD-A4
72	A, B, F "From 2/11/72"	6&8	All			1	D2AZ 7A360-C	Use w/#PHA-J, H2, PHB-E5, L4, PHD-A5
							7366	Refer to Group 7A260
							7B368	WASHER - OUTPUT SHAFT REAR THRUST
65/67	A	6&8	All	1			C1SZ 7B368-A	3 1/2" O.D. -2 3/16" I.D. -1/16" thick-2 tabs-6 oil grooves
65/68	A, S	6&8	All		1		C2AZ 7B368-A	2 7/8" O.D. -2 1/8" I.D. -includes (56) rollers
68/	A, B, F	6&8	All			1	C8AZ 7B368-A	3" O.D. -2 3/16" I.D. -includes rollers
65/	A,B,F,S	6&8	All	1	1	1	C1AZ 7A377-B	DIAPHRAGM ASSY. - THROTTLE VALVE CONTROL - VACUUM - includes (1) C1AP 7B426-A gasket (TM-1)
65/	A,B,F,S	6&8	All	1	1	1	C2AZ 7A380-A	ROD - THROTTLE CONTROL VALVE - 2 7/8" long-1/8" dia.
68/	A,B,F	8	All			1	C8AZ 7A383-B	SUPPORT - REAR-#C8AP 7A033-B includes 352532-S cup plug & I.S. #3070
		8	All			1	352532-S(PP60)	Cup-plug-5/16" dia.
							7A385	WASHER - OUTPUT SHAFT FRONT THRUST - selective fit
65/67	A	6&8	All	AR			C5AZ 7A385-A	2 9/16" O.D. -1 5/8" I.D. -.062" thick
							C5AZ 7A385-B	.068" thick
							C5AZ 7A385-C	.075" thick
65/	A,B,F,S	6&8			AR	AR	C5AZ 7A385-E	2 7/8" O.D. -1 5/8" I.D. -.061" thick
							C5AZ 7A385-F	.068" thick
							C5AZ 7A385-G	.075" thick
							C5AZ 7A385-H	.082" thick
							7A387	RACE - OUTPUT SHAFT REAR THRUST BEARING
65/68	A,S	6&8	All		1		C2AZ 7A387-A	2 15/16" O.D. -2 7/32" I.D. -use with roller type thrust washer
65/	A,B,F	6&8	All			1	C8AZ 7A387-A	2 15/16" O.D. -2 3/16" I.D. -3 slots on I.D. equally spaced

Identification marking • Reconditioners only

YEAR	MODEL	ENGINE		QUANTITY				PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.		FX	MX	FMX		
								7C389	VALVE - MAIN VALVE BODY MANUAL CONTROL
65/66	A,S	6&8	All		1	1		C3AZ 7C389-A	
67/	A,B,F	6&8	All		1	1	1	C7AZ 7C389-A	
65/	A,B,F,S	6&8	All		1	1	1	C1SP 7A393-A	PLATE - MAIN CONTROL UPPER VALVE BODY - REAR
								7A394	LEVER ASSY. - DOWNSHIFT CONTROL
65/67	A	8	289		1			C5AZ 7A394-D	
65/66	A	8	352		1			C5AZ 7A394-B	
66/69	A	6&8	All			1	1		
65	A	8	All			1		C1SZ 7A394-A	
65/66	S	8	All			1			
70/	A	8	All				1	D0AZ 7A394-B	
69	B	8	All				1	C9OZ 7A394-A	
69	F	8	All				1	C9ZZ 7A394-B	
70/	B,F	8	All				1	D0OZ 7A394-A	
65/	A,B,F,S	6&8	All		1	1	1	C1AP 7A396-A	PLATE - MAIN CONTROL UPPER VALVE BODY - FRONT
65/	A,B,F	6&8	All		2	2	2	374067-S (BB637D)	Screw-No. 10-24 x 7/16" (plate to valve body)
								34803-S(X60)	Washer-No. 10
								7A398	DRUM AND PLANETARY GEARS ASSY. - REAR BRAKE
65/67	A	6&8	All		1			C3AZ 7A398-D	Use with roller type planetary clutch
65/68	A,S	6&8	All			1		C3AZ 7A398-C	Use with C3AZ 7A089-A roller type planetary clutch
68/	A,B,F	6&8	All				1	D1AZ 7A398-B	
								7A399	GEAR ASSY. - PRIMARY SUN
65/68	A.S	6&8	All			1		C3AZ 7A399-C	Includes: (1) B8TZ 7C096-A washer, (1) C4AZ 7D236-B & (1) B8A 77549-A race-30-22 teeth-10 11/16" long
65/71	A,B,F	6&8	All		1		1	D0AZ 7A399-A	30-20 teeth-10 11/32" long-includes: (1) C4AZ 7D236-B race & (1) D0AZ 7D484-A washer
72	A,B,F	6&8	All				1	D3AZ 7A399-A	
71/	A,F	6&8	All				1	D1AZ 7E415-A	PIN - PARKING PAWL TOGGLE LINK TO PAWL - Also refer to Group 77318
65/	A,B,F,S	6&8	All		1	1	1	D1AZ 7E416-A	SPRING - PARKING PAWL TOGGLE RETURN
								7423	SEAL - REAR SERVO PISTON OIL - Refer to Group 7A294
								7B437	PLATE - REAR CLUTCH PRESSURE
65/66	A	6&8	All		1			C2AZ 7B437-A	54 teeth-3 7/8" I.D.-7/16" thick
65/68	A,S	6&8	All			1		B8SZ 7B437-A	54 teeth-3 7/8" I.D.-5/16" thick
67/	A,B,F	6&8	All		1		1		
65/	A,B,F,S	6&8	All		1	1	1	B4AZ 7A441-A	PAWL - PARKING
								7B442	PLATE ASSY. - CLUTCH EXTERNAL SPLINE - Refer to Group 7B164

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE		QUANTITY				PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.		FX	MX	FMX		
								7C458	ROLLER - REAR CLUTCH SUN GEAR FRONT BEARING
65/	A, B, F	6&8	All		39		34	C2AZ 7C458-A	13/32" long-pointed ends
								B1A 77507-E	13/32" long-blunt ends
65/68	A, S	6&8	All			34		C2AZ 7C458-B	1/2" long-pointed ends
								B5A 77507-B	1/2" long-blunt ends
								7D469	TUBES - FRONT BAND SERVO
65/66	A	6&8	All		1			B9TP 77379-A	3 15/16" long-5/16" O.D. -straight tube
65/66	A, S	6&8	All			2		B5A 77379-A	3 11/16" long-5/16" O.D. -straight tube
65/66	A	6&8	All		1				
67/	A, B, F	6&8	All		1	1	1		
67/68	A	6&8	All			1		C7AZ 7D469-B	Developed length approx. 12" long-5/16" O.D. -bent tube
68/	A, B, F	6&8	All				1	C8AZ 7D469-A	Developed length approx. 11 7/16" long-5/16" O.D. -bent tube
65/	A, B, F, S	6&8	All		1	1	1	B5A 7470-A	SPACER - OIL PRESSURE REGULATOR VALVE - 9/16" O.D. -13/16" long
								7D474	SPRING - REAR BAND SERVO PISTON
66/67	A	8	All		1			C6AZ 7D474-A	3 3/16" dia. at large end
66/68	A, S	6&8	All			1			9/16" dia. at small end
68/	A, B, F	6&8	All				1	C9OZ 7D474-A	3 3/16" large dia. -1 3/4" small dia. -
65	A, S	6&8	All		1	1			2 3/4" free length
65/	A, B, F S	6&8	All		1	1	1	B1AZ 7A480-A	SPRING - REAR CLUTCH PISTON-2 3/8" free length-2 9/16" I.D.
								7D480	Refer to Group 77507
								7D483	SNAP RING - REAR CLUTCH PRESSURE PLATE RETAINER - Also Refer to Group 77523
65/68	A, S	6&8	All		1	1	1	C7AZ 7D483-A	5 9/16" O.D. - .078" thick
68/	A, B, F	6&8	All				1	C8AZ 7D483-C	Selective fit-5 9/16" O.D. - .060" thick
							1	C7AZ 7D483-A	.078" thick
							1	C8AZ 7D483-B	.090" thick
							1	C8AZ 7D483-A	.104" thick
								7D484	Refer to Group 77545
65/	A, B, F	6&8	All		1	1	1	C7AZ 7B498-A	SEAL - MANUAL CONTROL LEVER OIL
								7A548	SEAL - FRONT CLUTCH PISTON OIL
65/66	A	6&8	All		1			B6AZ 7A548-B	4 1/8" I.D.
67	A	6&8	All		1			B6AZ 7A548-C	4 1/8" I.D. -round cut lip
65/68	A	6&8	All			1		C1AZ 7A548-C	3 15/16" I.D. -square cut lip
68/69	A, B, F "Before 3/17/69"	6&8	All				1	B6AZ 7A548-B	4 1/8" I.D. -square cut lip -use with piston having wide groove (.140"-.145")
69/	A, B, F "From 3/17/69"	6&8	All				1	D1AZ 7A548-A	4 3/16" I.D.-4 5/8" O.D.
								7A626	DRUM and SECONDARY SUN GEAR - REAR CLUTCH BRAKE - includes: (7B262) bushing and (77507) bearing assy.
65/66	A	6&8	All		1			C2AZ 7A626-A	54 drum-36 sun gear teeth
67	A	8	All		1			C7AZ 7A626-B	27 drum-36 sun gear teeth
65/66	A, S	6&8	All			1		C3AZ 7A626-A	54 drum-36 sun gear teeth
67/68	A	6&8	All			1		C7AZ 7A626-A	54 drum-36 sun gear teeth
68/	A, B, F	6&8	All				1	C8AZ 7A626-A	27 drum-36 sun gear teeth

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY FX	QUANTITY MX	QUANTITY FMX	PART NUMBER	PART NAME and DESCRIPTION
65/	A,B,F,S	6&8	All	1	1	1	B8A 7729-A	PLATE - MAIN CONTROL LOWER VALVE
							7734	PLATE - MAIN CONTROL COVER AND LOWER VALVE BODY SEPARATING
67/68	A	6&8	240,289 302	1		1	C7AZ 7734-C	
67/68	A	6&8	All		1		C7AZ 7734-D	
68	A	8	390			1		
69/	A,B,F	6&8	All			1		
65/	A,S	6&8	All	1	1	1	•B6AZ 7A812-A	WASHER - CONVERTER IMPELLER THRUST
							7A813	ROLLER - CONVERTER STATOR CLUTCH
65/	A,B,F,S	6&8	All	7 or 8	7 or 8	7 or 8	•C4AZ 7190-B	
65/	A,B,F,S	6&8	All	AR	AR	AR	•B9AZ 7A814-A	SPRING - CONVERTER STATOR CLUTCH
							7902	CONVERTER ASSY.
65/67	A	6&8	240,289	1	1		C5TZ 7902-B	#AD, #22
68/	A,B,F	6&8	240,302 351		1	1	C9ZZ 7902-A	#49, #54, #56
65/67	A,S	8	352,390	1	1		C3AZ 7902-M	#20, #24, #32, #35
68/69	A	8	390		1	1	C9AZ 7902-A	#48, #57
65/67	A,S	6&8	All	2	2		357916-S(PP35)	Plug-1/8"-27 dry seal (converter drain plug)
				4	4		34370-S8(M99)	Locknut-3/8"-24 (converter to flywheel)
				4	4		356403-S8 (XX126)	Washer-3/8"
68/	A,B,F	6&8	All		2	2	87650-S(P12)	Plug-1/8"-27 dry seal (converter drain plug)
					4	4	378941-S8 (MM169-H)	Locknut-3/8"-24 (converter to flywheel)
					4	4	356214-S (XX162)	Lockwasher-3/8"
							7915	HUB - CONVERTER IMPELLER
65/67	A	8	260,289	1	1		•C3AZ 7915-A	
65/68	A	6&8	240,352, 390					
69/	A,B,F	6&8	All		1	1	•C5AZ 7915-A	
							7920	TURBINE ASSY. - CONVERTER
65/67	A,S	8	352,390	1	1		•C2AZ 7920-B	
65/68	A,S	6&8	All		1		C2AZ 7932-B	STATOR - CONVERTER
							7937	WASHER - CONVERTER STATOR FRONT AND REAR THRUST
65/68	A,S	6&8	All	AR			• C2AZ 7937-D	#C2AP 7937-A & #C2VP 7937-A
				2	2		C5AZ 7937-D	#C5AP 7937-B
				2	2		C5AZ 7937-E	#C5AP 7937-A or #C7AP 7937-A
				AR	AR		•C7AZ 7937-A	#C7AP 7937-B
				AR	AR	AR	•C7DZ 7937-A	#C7DP 7937-B
69	A	8	390		2	2	C5AZ 7937-E	
69/	A	6&8	240,302			2	•C7AZ 7937-A	
70/	A,B,F	6&8	All			1	•C6AZ 7937-Amr	2 25/32" O.D. -1 5/16" I.D. -.062" wide-#green
						1	•C6AZ 7937-Bmr	-.070" wide-#natural
						1	•C6AZ 7937-Cmr	-.079" wide-#red
						1	•C6AZ 7937-Dmr	-.087" wide-#yellow
						1	•C6AZ 7937-Emr	-.096" wide-#blue
								Use with #PHA, #PHE, #PHD models

Identification marking • Reconditioners only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	FX	MX	FMX	PART NUMBER	PART NAME and DESCRIPTION
								7937	WASHER - TURBINE TO COVER FRONT THRUST
65	A,S	6&8	All		1	1		1P 7962-A	1 1/4" I.D.-2 7/16" O.D.-.061" thick-flat surface
66/68	A,S	6&8	All		AR	AR	AR	•C6AZ 7937-D	Selective fit-1 5/16" I.D.-2 3/4" O.D.-.090" thick-#yellow
65/	A,B,F,S	6&8	All		2	2	2	1P 7945-A	SNAP RING - CONVERTER STATOR RETAINING
								7946	RACE - CONVERTER STATOR CLUTCH - INNER
65/67	A,S	8	All		1	1		C2AZ 7946-A	
68/	A,B,F	6&8	All			1	1	•B9AZ 7946-A	
65/	A,B,F,S	6&8	All		1	1	1	C2AZ 7947-C	RACE - CONVERTER STATOR CLUTCH OUTER
								7950	COVER AND STARTER RING GEAR ASSY. - CONVERTER
68/	A	6&8	240,302 351			1	1	•C8AZ 7950-A	
66/	A,S	6&8	All		AR	AR	AR	• PAR 7955-E	WEIGHT - CONVERTER BALANCE
								7962	Refer to group 7937
								7976	HOUSING - CONVERTER
65/69	A,S	8	352,390		1	1	1	C3AZ 7976-D	#C5AP 7976-A
69/	A,B,F	6&8	All				1	★D0ZZ 7976-A	#C5AP 7976-E,#C9ZP 7976-A,
65/68	A	6&8	240,289, 302		1	1	1		#D0ZP 7976-A-repl.by D2OZ 7976-D (11-73)
72	A,F,Y	6&8	All				1	D2OZ 7976-D	
	B	8	All				1		PHB trans.-Before 5/10/72 requires (1) D2OZ 7E395-H cable
65/	A,B,F,S	6&8	All		AR	AR	AR	20450-S(B106)	Bolt-7/16"-14 x 1 3/8" hex.head
								20546-S8(B114)	Bolt-7/16"-14 x 2 1/2"
								34808-S8(X67)	Lockwasher-7/16"
								7986	COVER - CONVERTER
65/68	A,S	6&8	240,289, 302,390			1		C5AZ 7986-B	
68/69	A	8	390				1		
65/68	A	8	289,302		1		1	C5AZ 7986-A	
69/	A,B,F	6&8	240,302, 351				1		
65/	A,B,F,S	6&8	All		AR	AR	AR	42789-S8(U10)	Screw & washer assy.-5/16"-18 x 3/4"-hex.hd. (cover to housing)
65/	A,B,F,S	6&8	All		1	1	1	B8A 77014-A	PLATE - CONTROL VALVE LOWER BODY END
					AR	AR	AR	374067-S100 (BB673D)	Screw-No. 10-24 x 7/16"
								34803-S7(X60)	Washer-No.10
								77063	SLEEVE - OUTPUT SHAFT OIL - Selective fit
65/68	A,S	8	All		1	1		ΔB1A 77063-A	Standard - 3/4" & 1 1/4" O.D.
								ΔC9AZ 77063-B	.005" O/S
								ΔC9AZ 77063-C	.010" O/S
								ΔC9AZ 77063-D	.010" O/S
								77136	Refer to Group 7E253
65/68	A,S	6&8	All		1	1	1	1P 77138-B	COVER - GOVERNOR INSPECTION
					2	2	2	31064-S7(U66)	Screw & washer-1/4"-20 x 1/2" pan head
								357914-S(XX59)	Washer-rubber-1/4"

Δ For installation refer to Technical Service Bulletin No. 84 dated 1-26-68 Article No. 1266
• Reconditioners only # Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY FX	QUANTITY MX	QUANTITY FMX	PART NUMBER	PART NAME and DESCRIPTION
65/	A,B,F,S	6&8	All	1	1	1	1P 77265-B	SEAL - THROTTLE CONTROL LEVER - OIL - 7/16" O.D.-5/16" I.D.-1/8" thick
							77276	Refer to Group 7A261
65/	A,B,F,S	6&8	All	1	1	1	B5A 77283-A	LEVER - THROTTLE CONTROL INNER
							33798-S7(M62)	Nut-5/16"-24 inner lever (77283) to outer lever (7A259)
							★34867-S7	Lockwasher-5/16"
							77308	Refer to Group 7A119
65/	A,B,F,S	6&8	All	1	1	1	1P 77312-A	PIN - PARKING PAWL - 1/2" dia.-2" long
65/	A,B,F,S	6&8	All	1	1	1	1P 77316-A	LINK - PARKING PAWL TOGGLE
							356414-S(XX110)	Washer-5/16" flat
65/70	A,B,F,S	6&8	All	1	1	1	1P 77318-A	PIN - PARKING PAWL TOGGLE LINK 5/16" dia.-7/8" long-refer to group 7E415
							77322	Refer to Group 7A232
65/	A,B,F,S	6&8	All	1	1	1	B8A 77323-A	RETAINER - PARKING PAWL TOGGLE RETURN SPRING
65/	A,B,F,S	6&8	All	1	1	1	1P 77326-A	RETAINER - PARKING PAWL TOGGLE LEVER PIN - 9/16" O.D.
65/	A,B,F,S	6&8	All	1	1	1	1P 77356-A	PIN - REAR BAND ACTUATING LEVER SHAFT
							77366	SNAP RING - FRONT BAND SERVO PISTON GUIDE TO SERVO
65/68	A	8	289 302,352	1		1	1P 77366-A	2 1/2" free dia.-.044" thick
69/71	A,B,F	8	351			1		
72	A,F	6&8	All			1		
65/68	A,S	6&8	All		1		B6S 77366-A	2 3/4" free dia.-.044" thick
69/71	A	6&8	240,302, 390			1		
65/	A,B,F,S	6&8	All	1	1	1	B8A 77369-A	SPRING - REAR BAND SERVO ACCUMULATOR - 9/16" large O.D.-1/4" small O.D.-9/16" long
							77370	VACUUM MODULATOR
68/	♦A,B,F	8	All			1	TP 9	
							77377	Refer to Group 7A158
							77379	Refer to Group 7D469
65/	A,B,F,S	6&8	All	29	29	29	B5A 77406-A	BEARING - REAR SERVO LEVER - NEEDLE -1/16" O.D.-15/16" long
				2	2	2	353592-S (XX198)	Washer-7/32" I.D.-1/2" O.D. (retain needle bearing in actuator lever)
							77415	Refer to Group 7D474
							77417	SNAP RING - REAR BAND SERVO PISTON
65/67	A,S	6&8	All		1		B8S 77417-A	3 11/16" free dia.-1/16" thick
65/67	A	6&8	All	1			B8A 77417-A	3 7/16" free dia.-1/16" thick
66/	A,B,F	6&8	All		1	1		
							77420	Refer to Group 7B172
							77465	Refer to Group 7D160
							77469	TUBE - MAIN OIL PRESSURE
65/	A,B,F	6&8	All	1		1	B5A 77469-A	5 9/16" overall length
65/68	A,S	6&8	All		1		B5S 77469-A	6 1/8" overall length

♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	FX	MX	FMX	PART NUMBER	PART NAME and DESCRIPTION
								77507	BEARING - REAR CLUTCH BRAKE DRUM and SECONDARY SUN GEAR - Also serviced in 7A626 assy.-also refer to Group 7C458
65/68	A, S	6&8	All			1		B5A 77507-A	1 1/2" O.D.-5/8" long-includes: (7C458) needle rollers
68/	A, B, F	6&8	All				1	C8AZ 7D480-A	1 5/16" O.D.-1/2" long-includes: (7C458)
65/67	A	8	All		1				needle rollers
								77514	Refer to group 7D157
								77516	SEAT - REAR CLUTCH PISTON SPRING
65/	A, B, F	6&8	All		1		1	1P 77516-B	2 7/8" O.D.-1 11/16" I.D.-5/16" wide
65/68	A, S	6&8	All			1		B5A 77516-B	2 7/8" O.D.-1 7/8" I.D.-5/16" wide
								77517	SNAP RING - REAR CLUTCH PISTON SPRING RETAINING
65/	A, B, F	6&8	All		1		1	1P 77517-A	1 1/2" I.D.
65/68	A, S	6&8	All			1		B5A 77517-A	1 11/16" I.D.
								77523	SNAP RING - INPUT SHAFT TO FRONT CLUTCH CYLINDER RETAINING - Also refer to Group 7D483
65/68	A, S	6&8	All		1	1		1P 77567-A	5 9/16" O.D.-.091" thick
68/	A, B, F	6&8	All				1	C7AZ 7D483-A	5 9/16" O.D.-.078" thick
								77524	WASHER - REAR CLUTCH SUN GEAR INNER THRUST
65/	A, B, F	6&8	All		1		1	1P 77524-A	2 3/8" O.D.-1 11/16" I.D.-1/8" thick
65/68	A, S	6&8	All			1		B5S 77524-A	2 5/8" O.D.-1 7/8" I.D.-1/8" thick
								77542	Refer to group 7C169
								77543	Refer to group 7C169
								77545	WASHER - FRONT CLUTCH SUN GEAR THRUST
65/68	A, S	6&8	All			1		B5S 77545-A	2 3/16" O.D.-1 5/16" I.D.
65/	A, B, F	6&8	All		1		1	D0AZ 7D484-A	1 27/32" O.D.-1 1/4" I.D.
65/	A, B, F, S	6&8	All		1	1	1	*B8A 77549-A r/b D3AZ 7C096-A (10/74)	RACE - FRONT CLUTCH SUN GEAR THRUST BEARING ASSY.-2" O.D.-1 1/4" I.D.
								77563	RING - FRONT CLUTCH PISTON DISC SPRING
65/	A, B, F	6&8	All		1		1	B5A 77563-A	3 1/16" free dia.
65/68	A, S	6&8	All			1		1P 77563-A	2 13/16" free dia.
65/	A, B, F, S	6&8	All		1	1	1	1P 77567-A	SNAP RING - FRONT CLUTCH DISC SPRING RETAINING - Also refer to Group 7D483 and 77523 - 5 9/16" O.D.
								77573	Refer to group 7B164
65/	A, B, F, S	6&8	All		1	1	1	B5S 77577-B	WASHER - FRONT CLUTCH HUB TO INPUT SHAFT THRUST - 1 11/16" O.D. - 7/8" I.D.
65/	A, B, F, S	6&8	All		1	1	1	B8A 77607-A	PLUNGER - MANUAL CONTROL VALVE DETENT LEVER -5/16" O.D.-11/16" long
								372720-S(AA11)	Bolt-1/4" (used as plunger)
65/	A, B, F, S	6&8	All		1	1	1	B8A 77658-A	VALVE - REAR BAND SERVO CHECK
65/	A, B, F, S	6&8	All		1	1	1	B8S 77739-A	PLATE - MAIN CONTROL VALVE ASSY.-
								77764	Refer to group 7C389
65/68	A, S	6&8	All		1	1		1P 77868-A	SEAL - REAR OIL PUMP OUTLET
								77883	SEAL - OIL DISTRIBUTOR
65/68	A, S	6&8	All		4	4		1P 77883-A	1 1/2" O.D.-snap ring type-cast iron
68	A	6&8	All				4	C6AZ 7D019-A	1 7/8" O.D.-snap ring type-cast iron
72	A, B, F	6&8	All				4		

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7D000		TUBE-OIL DISTRIBUTOR SLEEVE
65/	A,B,F,P,X	6&8	All	C4AZ 7D000-A	1	3 3/4" long-2 1/8" rise
71/	L	4	All		1	
				C4AZ 7D000-B	1	4 1/4" long-2 11/16" rise
65/	A,B,F,P,X	6&8	All	C4AZ 7D001-A	1	BUSHING-REVERSE BRAKE DRUM-4 3/4" O.D.-
71/	L	4	All		1	1" long
				7D002		SLEEVE - MAIN OIL PRESSURE BOOSTER
67/69	A, B, F, X	6&8	All	C7AZ 7D002-B	1	21/32" I.D., 49/64" O.D., 1 13/64" long
70/	A, B, F, P, X	6&8	All	D0AZ 7D002-A	1	9/16" I.D., 57/64" O.D., 15/16" long
71/	L	4	All		1	
				7005		CASE ASSY.
65	F	6&8	170,260	C4AZ 7005-D	1	Includes-(12) C4AZ 7D170-C springs and (1)
					1	C4AZ 7D191-C retainer
65/69	A "Before 2/15/69"	6&8	All	C9AZ 7005-B	1	#C5AP 7006-C, #C7AP 7006-A - includes I.S. No. 3418
69	A "From 2/15/69"	6&8	All	D0AZ 7005-B	1	Includes I.S. 3701 #PEA-AA
69	F(economy package)	6	250		1	
70	A "Before 3/1/70"	6&8	All	D0AZ 7005-A	1	
70	B "Before 3/1/70"	8	351		1	
70	A	6&8	All	★D0AZ 7005-D	1	Includes C4AP 7D080-A valve & I.S. 3701 -
70	B	8	351		1	R/B D1AZ 7005-A (10-72)
71	A "From 3/1/70 to 7/1/71"	6&8	All	D1AZ 7005-A	1	Includes (1) C4AP 7D080-A valve, 382399-S
71	B "From 3/1/70 to 6/15/71"	8	351		1	screw, I.S. 3701 & I.S. 4228
65/69	B,X	6&8	All	D0ZZ 7005-A	1	Includes connectors & I.S. -No. 3701
70	P	6	All		1	Use w/ #PEB-D(see D0UZ 7005-A for #PEB-D1)
65	F	6&8	200,289		1	
66/69	F (Except economy package)	6&8	All		1	
70	P	6	170,200	D0DZ 7005-A	1	Use with #PEG-A(see D0UZ 7005-A for #PEG-A1)
70	B,F "Before 3/1/70"	6&8	200,250, 302	D0UZ 7005-A	1	
70	P	6	170,200		1	Use w/#PEB-D1 & #PEG-A1
70	F "From 3/1/70"	6&8	200,250	D0OZ 7005-B	1	Includes C4AP 7D080-A valve & I.S. 3701
70	B "From 3/1/70"	6&8	250,302		1	
70	X	6&8	All		1	
70	P	6	All		1	Use with #PEE-AK
71	B "Before 6/15/71"	6&8	250,302	D1OZ 7005-B	1	Includes (1) C4AP 7D080-A valve, 382399-S
71	F "Before 7/1/71"	6&8	250,302		1	screw, I.S. 3701 & I.S. 4228
71	P "Before 7/1/71"	6&8	All		1	
71	L "Before 7/1/71"	4	122		1	
71/72	A "From 7/1/71 to 6/1/72"	6&8	240,302, 351-2/B	★D2OZ 7005-E	1	Includes (1) C4AP 7D080-A valve & I.S. 3701- use with #PEA-repl.by D2OZ 7005-K and Note 1 (12-73)
71/72	B "From 6/15/71 to 6/1/72"	8	351-2/B		1	Use with #PEF
72	A,B "From 6/1/72"	8	351-2/B	ø D2OZ 7005-K	1	Use with #PEA, PEF-case does not have filler tube hole-NOTE 1
71/	F,L,P "From 7/1/71"	All	122,200, 250,302	ø D2OZ 7005-L	1	Use with #PEB,#PEE,#PEF-rear oil tube connector must be replaced with C9ZP 7D273-A connector- incl. (1) D3AP 7D080-AA valve and I.S. 3701-case has filler tube hole-NOTE 1
71/	B "From 6/15/71"	All	250,302		1	
65/	A, B, F, P, X	6&8	All	87650-S(P12)	1	Plug-dry seal-1/8"-27 (to plug servo pressure hole in case)

NOTE 1 - Also use (1) each D2AZ 7A377-A diaphragm, D2AZ 7A380-A kit, D2AZ 7F006-A clip on 1972 built prior to 6/1/72.
Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
					7D006		PLANET ASSY. - REVERSE
65/ 72	A,B,F,L,P,X		All	All	D2OZ 7D006-A	1	
	A,B,F,L,P		All	All	D2AZ 7F006-A	1	CLIP (use w/push in type vacuum diaphragm)
					7A008		PLATE-MAIN CONTROL SEPARATING
65/66	B,F		8	289 Spec.	★C5AZ 7A008-B	1	
67/68	A	"Before 7/15/68"	6&8	All	C7AZ 7A008-E	1	
67/68	B,F,X	"Before 7/15/68"	6	All		1	Use w/all exc. #PEE-D
68	B,F,X	"Before 7/15/68"	8	289, 302-2B		1	
68	A,B,F,X	"From 7/15/68"	6&8	All	★C8OZ 7A008-B	1	
69	A,B,F,X		6&8	All	C9AZ 7A008-C	1	
70	P		6	170,200		1	Use w/#PEB-D(see D0AZ 7A008-B for $PEB-D1)
70	X		6&8	All		1	
70	A,B,F		6&8	All	D2OZ 7A008-A	1	
71	A,F	"Before 7/1/71"	6&8	240,250, 302		1	
71	B	"Before 6/15/71"	6&8	250,302		1	
71/ 70	A,B		8	351		1	
71	P		6	170,200		1	Use with PEB-D1,D2,H trans.
70/71	P	"Before 7/1/71"	6	200		1	
			6&8	250,302		1	
67	B	"Before 10/3/66"	6&8	200,289	C7OZ 7A008-A	1	Use w/#PEE-D,E,E1 only
71	L	"Before 7/1/71"	4	122	D1FZ 7A008-A	1	
67	F		8	289 Spec.		1	Use w/#PEE-K only
67	B	"From 10/3/66"	6&8	200,289	★C7OZ 7A008-B	1	Use w/#PEE-D,E,E1 only
68	F,X		8	302-4B	C8AZ 7A008-E	1	
70	P		6	170,200	D0DZ 7A008-A	1	Use w/$PEG-A(see D0DZ 7A008-B for $PEG-A1) includes D0DZ 7D100-A plate
70	P		6	170,200	D0D2 7A008-B	1	Use w/#PEG-A1
71/	L	"From 7/1/71"	4	All	D2FZ 7A008-A	1	
71/	B	"From 6/15/71"	6&8	240,302	D2AZ 7A008-B	1	Use with all main controls exc. those ident.
71/	A,F,P	"From 7/1/71"	6&8	200,240, 250,302		1	#K3,K4,K5,K9,L1,L2,L3
71/	A,B,F,P	"From 7/1/71"	6&8	200,240, 250,302	D1AZ 7A008-A	1	Use with main controls ident. #K3,K4,K5,K9,L1, L2,L3
65/70	A,B,F,P,X		6&8	All	B9AP 7A011-A		SEAL - OUTPUT SHAFT OIL - 1" I.D. - 13/16" long-#(4) ribs on O.D.
					372401-S(QQ68)	1	Snap ring-1 1/16" I.D.(oil seal to shaft)
65/ 71/	A,B,F,P,X		6&8	All	C4AZ 7D011-A	3	RING-GOVERNOR HOUSING SEAL
	L		4	All		3	
					7D014		WASHER-FRONT PUMP SUPPORT THRUST-Selective fit
							WITHOUT TANGS
65/66	A,B,F,X		6&8	All	C4AZ 7D014-A	1	2 3/4" O.D. - 1 13/16" I.D. - $1 - .040" thick
					C4AZ 7D014-B	1	$2 - .055" thick
					C4AZ 7D014-C	1	$3 - .072" thick
					C4AZ 7D014-D	1	$4 - .089" thick
					C4AZ 7D014-E	1	$5 - .106" thick
					C4AZ 7D014-F	1	$Red - .123" thick
					C4AZ 7D014-G	1	$Purple-.140" thick
							WITH TANGS
66/69	A,B,F,X		6&8	All	C6AZ 7D014-F	1	2 3/4" O.D. - 1 13/16" I.D. - $Green - .072" thick
70	P		6	170,200		1	Use w/#PEB-D & #PEG-A (See below for #PEB-D1 & #PEG-A1)
70	X		6&8	All		1	
					C6AZ 7D014-G	1	$Natural-.089" thick
					C6AZ 7D014-H	1	$Black - .106" thick
					C6AZ 7D014-J	1	$Yellow - .123" thick
					C6AZ 7D014-K	1	$Blue - .140" thick

$ Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7D014		WASHER-FRONT PUMP SUPPORT THRUST-continued
68/69	A,B,F,X	6&8	All	C8AZ 7D014-A	1	#Red - .087" thick
70/	A,B,F	6&8	All	D0AZ 7D014-E	1	2 3/4" O.D. -1 7/8" I.D. - #Red-.055" thick
70	P	6	All		1	Use w/#PEG-A1,#PEB-D1, & #PEE-AK
71/	L	4	All		1	
71/	P	6&8	All		1	
				D0AZ 7D014-A	1	#Green - .072" thick
				D0AZ 7D014-B	1	#Neutral-.089" thick
				D0AZ 7D014-C	1	#Black - .106" thick
				D0AZ 7D014-D	1	#Yellow - .123"thick
				7017		SHAFT - INPUT
65/69	A,B,F,X	6&8	All	C9AZ 7017-A	1	9 49/64" long-24 splines
70	P	6	170,200		1	Use w/#PEB-D & #PEG-A(see D0AZ 7017-A for #PEB-D1 & #PEG-A1)
70	X	6&8	All		1	
70	A,B,F	6&8	All	D0AZ 7017-A	1	9 3/4" long-26 spline
70	P	6	All		1	Use w/#PEB, D1, #PEG-A1 & #PEE-AK
71/	A,B,F,P	6&8	All	D1AZ 7017-A	1	9 3/4" long-24 & 26 spline
71/	L	4	All		1	
				7D018		BUSHING - FRONT PUMP SUPPORT - REAR
65/69	A, B, F, X	6&8	All	C4AZ 7D018-B	1	
70/	A,B,F,P,X	6&8	All	D0AZ 7D018-A	1	Also serviced in 7A108 assy.
				7D019		SEAL - FORWARD CLUTCH CYLINDER
65/69	A, B, F, X	6&8	All	C4AZ 7D019-B	2	
70	P	6	170,200		2	Use w/#PEB-D & #PEG-A(see D0AZ 7D019-A for #PEB-D1 & #PEG-A1)
70	X	6&8	All		2	
70/	A,B,F	6&8	All	D0AZ 7D019-A	2	1 3/4" dia. -3/32" thick-hooked ends
70	P	6	All		2	Use w/#PEB-D1, #PEG-A1 & #PEE-AK
71/	L	4	All		2	
71/	P	6&8	All		2	
				7A020		INDICATOR-OIL LEVEL
65	B, F, X	6&8	All	C4AZ 7A020-D	1	
65	A	6&8	All	C5AZ 7A020-A	1	
66/68	A "Before 7/15/68"	6&8	All	C6AZ 7A020-B	1	
68/	A "From 7/15/68"	6&8	All	C8AZ 7A020-B	1	
66/70	B, F	6&8	All	C6OZ 7A020-B	1	
66/70	X	6&8	All		1	
70	P	6	170,200		1	Use w/#PEB-D & PEG-A(see D0DZ 7A020-A for #PEB-D1 & #PEG-A1)
71	B	8	351		1	
70	P	6	All	D0DZ 7A020-A	1	Use w/#PEB-D1,D2,#PEG-A1 & #PEE-AK
71/	P	6	All		1	
71/	L	4	All	D1FZ 7A020-B	1	Stamped D12P 7A020-AA
71	B, F "Before 3/15/71"	6&8	250,302	D1OZ 7A020-A	1	#D1OP 7A020-BA
71	P "Before 3/15/71"	8	302		1	
71	B "From 3/15/71"	6&8	250,302	D1OZ 7A020-B	1	
71/	P "From 3/15/71"	8	302		1	
72	F	8	351,429		1	
72	F "Before 2/14/72"	6&8	250,302		1	
72	F "From 2/14/72"	6&8	250,302	D2ZZ 7A020-A	1	Use w/D2ZZ 7A228-A filler tube only
72	B	6&8	250,302	D2OZ 7A020-A	1	
72	B	8	351	D2OZ 7A020-B	1	

Identification marking

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7D020		SEAL - REVERSE CLUTCH CYLINDER
65/69	A, B, F, X	6&8	All	C4AZ 7D020-A	2	1 3/4" O.D. -.093" thick
70	P	6	170,200		2	Use w/#PEB-D & #PEG-A (see D0AZ 7D020-A for #PEB-D1 & PEG-A1)
70	X	6&8	All		2	
70/	A,B,F	6&8	All	D0AZ 7D020-A	2	#R-1 13/16" dia.-3/32" thick-hooked ends
70	P	6	All		2	Use w/#PEB-D1,#PEG-A1 & #PEE-AK
71/	L	4	All		2	
71/	P	6&8	All		2	
				7D021		Refer to Group 7D022
				7D022		PISTON - INTERMEDIATE BAND SERVO
65	A	6	240	C5AZ 7D022-A	1	#B - use with #PCW-AG only
66/70	A "Before 4/1/70"	6	All		1	
69/	B,F	6	250		1	
70/	P	6	250		1	
65	A	6	240	C5AZ 7D022-B	1	#A - use with #PCV-B only
65/66	A,B,F,X	8	289 exc.Spec.		1	Use with all models except #PCW-AC,AF,AZ, BA,#PDA-A,C,D
67/68	A,B,F,X	8	289		1	
68/71	A, B, F, P, X	8	302-2B		1	
72	B, F, P	8	302		1	
65/66	A	8	289	C5AZ 7D022-C	1	#C - use with #PDA-A,C,D models
65/66	B,F	8	289 Spec.		1	Use with #PCW-AC,AF,BA models
66	B	6&8	200,289		1	Use with #PCW-AY,AZ models
70/	A, B, F	8	351	D0AZ 7D022-A	1	#R & RF D0AP 7D022-A
65/68	B,F,X	6	200	C5OZ 7D022-A	1	#Z - use with all models except #PCW-AY
69/70	F,X	6	170,200		1	
70	P	6	170,200		1	Use with #PEB
71/	L	4	All		1	
70	P	6	170,200	C5FZ 7D022-A	1	#Y-use with #PEG
68	F,X	8	302-4B	C8ZZ 7D022-A	1	
70/71	A "From 4/1/70"	6	240		1	
72	A	6&8	240,302		1	
65/68	X	6	170	C5DZ 7D022-A	1	#W
71/72	P	6	200		1	Use w/#PEB-D2,D3,D4,H,H1,H2
72	P	6	200	D2DZ 7D022-A	1	#K-use w/#PEB-D5,H3
65	F	6&8	170,260	97515-S(Q1D)	1	Ring-3/8" dia. (to retain piston to rod)
65/	A,B,F,P,X	6&8	All	C9AZ 7D023-A#	1	ROD - INTERMEDIATE BAND SERVO PISTON
71/	L	4	All		1	OIL - 3 1/8" long
		6&8	All	359477-S2(QQ32A)	1	Ring-3/8" dia. (rod to piston)
				7D024		SEAL - INTERMEDIATE BAND SERVO PISTON
65/70	B, X	6	170,200	C4AZ 7D024-B	1	#(4) Blue stripes-3 3/8" O.D.-2 7/8" I.D.
65/70	F	6	200		1	
70/71	P	6	170,200		1	Used with #PEB models
71/	L	4	All		1	
65/	A, B, F, P, X	6&8	240,260 289,302	C4AZ 7D024-A	1	#(4) White stripes-3 13/16" O.D.-3 5/16" I.D.
69/	B,F	6	250		1	
70/	P	6	250		1	
70	P	6	200		1	Used with #PEB models
71/72	P	6	200		1	Used with #PEB-D2,D3,D4,H,H1,H2
72	P	6	200	D2DZ 7D024-A	1	#(4) Orange & White stripes-3 3/8" O.D.-2 57/64" I.D.-use w/#PEB-D5,H3
65	F	6	170	C5ZZ 7D024-A	1	#(4) Green or White stripes-3 1/4" O.D.- 2 13/16" I.D.
70	P	6	170,200		1	Used with #PEG models
70/	A, B, F	8	351	D0AZ 7D024-A	1	#(4) Orange stripes-3 5/16" O.D.-2 7/8" I.D.
65/	A,B,F,P,X	6&8	All	C4AZ 7025-A	1	BUSHING-CASE
71/	L	4	All		1	

Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7D025		SEAL-INTERMEDIATE BAND SERVO PISTON - OIL
65/70	B,F,X	6	200	C4DZ 7D025-A	1	#(4) orange stripes-2 17/32" O.D.-2 1/2" I.D.-use with all models except #PCW-AY
69/70	X	6	170		1	
70	P	6	170,200		1	Used with #PEB models
71/	L	4	All		1	
65	A	6	240	C4AZ 7D025-B	1	#(4) white stripes-2 7/8" O.D.-2 3/8" I.D.-use with #PCW-AG model only
65/66	A,B,F,X	8	289 exc.Spl.		1	Use with all models except #PCW-AC,AF,AZ, BA,#PDA-A,C,D
67/71	A,B,F,P,X	8	289, 302-2B		1	
70/	A,B,F	8	351		1	
72	B,F,P	8	302		1	
66	A	8	289	C5AZ 7D025-A	1	#(4) Yellow stripes-use with #PDA-A,C,D models
65/66	B,F	8	289 Spl.		1	Use with #PCW-AC,AF,BA
66	B	6&8	200,289		1	Use with #PCW-AY,AZ
65/70	A "Before 4/1/70"	6	240	C4OZ 7D025-A	1	#(4) Green stripes-2 3/4" O.D.-2 1/4" I.D.-use with all models except PCW-AG
69/	B,F,P	6	250		1	
65	F	8	260		1	
68	F	8	302-4B	C8ZZ 7D025-A	1	2 15/16" O.D.-2 1/2" I.D.
70/71	A "From 4/1/70"	6	240		1	
72	A	6&8	240,302		1	
65	F	6	170	C5ZZ 7D025-A	1	2 1/4" O.D.-1 13/16" I.D.
70	P	6	170,200		1	Used with #PEG models
65/68	X	6	170	C5DZ 7D025-A	1	#(4) Blue stripes-2 3/8" O.D.-1 15/16" I.D.
71/	P	6	200		1	
65/	A,B,F,P,X	6&8	All	C4AZ 7D026-C		GASKET-INTERMEDIATE BAND SERVO COVER
71/	L	4	All		1	
				7D027		COVER-INTERMEDIATE BAND SERVO
65/70	B,F,X	6	200	C4AZ 7D027-G	1	#Z and #C6DP 7D027-B-includes attaching bolts - use with all models except #PCW-AY
65	F	8	260		1	
69/70	X	6	170		1	
71/	L	4	All		1	
65/70	A "Before 4/1/70"	6	240	C4OZ 7D027-E	1	#B and #C6AP 7D027-B-includes attaching bolts-
69/	B,F,P	6	250		1	use with all models except #PCW-AG
65/66	A,B,F,X	8	289 exc.Spl.	C4AZ 7D027-F	1	#A,#C4OP 7D027-A and #C6AP 7D027-C-includes bolts-use w/all models except #PCW-AC,AF,AZ,
67/	B,F,P,X	8	289, 302-2B		1	BA,#PDA-A,C,D
67/71	A	8	289,302		1	
65/66	A,B	8	240,289	C5AZ 7D027-B	1	#C-includes attaching bolts-use with #PCW-AG, AZ,#PDA-A,C,D models only
65/66	B,F	8	289 Spl.		1	Use with #PCW-AC,AF,BA models only
66	B	6	200		1	Use with #PCW-AY model only
65	F	6	170	C5ZZ 7D027-B	1	#Y - includes attaching bolts
70	P	6	170,200		1	Use with #PEG models
68	F,X	8	302-4B	C8ZZ 7D027-A	1	#H
70/71	A "From 4/1/70"	6	240		1	
72	A	6&8	240,302		1	
65/68	X	6	170	C5DZ 7D027-B	1	#W - includes attaching bolts
70	P	6	170,200		1	Use with #PEB models
71/72	P	6	200		1	Use w/#PEB-D2,D3,D4,H,H1,H2
72	P	6	200	D2DZ 7D027-A	1	#K-use w/#PEB-D5,H3
70/	A,B,F	8	351	D0AZ 7D027-A	1	#R & RF-D0AP 7D027-A
				7D028		SPRING-FRONT BAND SERVO PISTON
65/68	A,B,F,X	6&8	All exc.170	C4AZ 7D028-A	1	#White stripe
69	A,B,F,X	6&8	All		1	
70/	A,B,F,P,X	6&8	All exc. 170,200		1	
71/	L	4	All		1	

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7D028		SPRING-INTERMEDIATE BAND SERVO PISTON - continued
65/68	X	6	170	C5DZ 7D028-A	1	#Blue stripe-2 3/4" long
70	F, P, X	6	170,200		1	Use with #PEB & #PEG models
71/	P	6	200		1	
				7D029		STRUT-INTERMEDIATE BAND
65/	A,B,F,P,X	6&8	All	C4AZ 7D029-A	1	Reverse-actuating
71/	L	4	All		1	
65/	A,B,F,P,X	6&8	All	D0AZ 7A175-A	1	Reverse-anchor
71/	L	4	All		1	
65	F	6&8	170,260	C4AZ 7D029-A	1	Front-actuating
				C4AZ 7D029-B	1	Front-anchor
65/67	A,B,X	6&8	All	C5AZ 7D029-A	1	Front-actuating
65/67	F	6&8	200,289		1	
68/	A,B,F,P,X	6&8	All	C8AZ 7D029-A	1	Front-actuating
71/	L	4	All		1	
65/	A,B,P,X	6&8	All	C5AZ 7D029-B	1	Front-anchor
65/	F	6&8	200,289 302,351		1	
71/	L	4	All		1	
				7D031		SPRING - REVERSE BAND SERVO PISTON
65/70	A, B, F, X	6&8	All	C4AZ 7D031-A	1	6 coils-1 5/16" dia.
70/	P	6&8	All	D0AZ 7D031-A	1	6 coils-1 5/16" dia.
71/	A, B, F	6&8	All		1	
71/	L	4	All		1	
				7034		Refer to group 7A246
65/	A,B,F,P,X	6&8	All	B3TZ 7A034-A	1	BUSHING-EXTENSION HOUSING-1 1/2" I.D.-
71/	L	4	All		1	1 5/8" O.D.-1 1/2" long
				7D034		BAND-INTERMEDIATE SERVO
65	F	6&8	170,260	C4AZ 7D034-C	1	#53
65/72	A,B,F,L,P,X	All	All	D2AZ 7D034-A	1	
65/	A,B,L,P,X	4,6, 8	All	D0DZ 7D036-A	1	COVER-REVERSE BAND SERVO PISTON
				20326-S7(B49)	4	Bolt-5/16"-18 x 5/8" (cover to case)
				7A039		HOUSING-EXTENSION
65/69	A	6	All	C4AZ 7A039-C	1	#C6DP 7A040-A or #C4AP 7A040-C
65/68	A	8	All		1	
65/66	B	6&8	All		1	
65/69	F,X	6&8	170,200 250,260 289		1	
70	P	6	170,200		1	Use w/#PEB-D & #PEG-A(see D0OZ 7A039-A for #PEB-D1 & #PEG-A1)
70	X	6&8	All		1	
69	A	8	All	C7OZ 7A039-B	1	#C7OP 7A040-A, #C4AF 7A040-A
67/69	B	6&8	All		1	
68/69	F,X	8	302		1	
70/72	A,B,F	6&8	All	D2AZ 7A039-B	1	
71/72	L	4	All		1	
70	P	6	All		1	Use w/#PEB-D1, #PEG-A1 & #PEE-AK models
71/72	P	8&8	All		1	
65/	A,B,F,P,X	6&8	All	371186-S(BB441)	6	Bolt-3/8"-16 x 1 1/8" shoulder (extension to case)
				351487-S(XX291)	6	Lockwasher-3/8"
				7D040		SEAL - REVERSE BAND SERVO PISTON COVER
65/70	A,B,F,P,X "Before 2/2/70"	6&8	All	C4AZ 7D040-A	1	
70/	A,B,F,P "From 2/2/70"	6&8	All	D0AZ 7D040-A	1	3 1/2" I.D.-3/32" thick
71/	L	4	All		1	

Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7D044		DRUM ASSY. - INTERMEDIATE BRAKE
65	F	6&8	170,260	C4AZ 7D044-D	1	
68/69	B,F,X	6	170,200	C8DZ 7D044-A	1	Use with C8AZ 7D404-A seal
70	P	6	170,200		1	Use w/#PEB-D & #PEG-A(see D0DZ 7D044-A for /PEB-D1 & #PEG-A1)
70	X	6	200		1	
65/69	A,B,X	6&8	240,289 302	C9AZ 7D044-B	1	Includes I.S. No. 2158-use with C8AZ 7D404-A seal & D0AZ 7A577-C & D snap rings
65/67	B,X	6	All		1	
65/67	F	6	200		1	
65/69	F	8	289,302		1	
69	B,F	6	250		1	
70	X	8	302		1	
70/	A,B,F, P	6&8	240,250, 302,351	D0AZ 7D044-A	1	No groves on lugs
70	F	6	200	D0DZ 7D044-A	1	#(1) grove on lugs
70	P	6	170, 200		1	Use w/#PEB-D1 & #PEG-A1
71/	P	6	200		1	
71/	L	4	All	D1FZ 7D044-A	1	#(2) grooves on lugs
				7D046		BUSHING - INTERMEDIATE BRAKE DRUM
65/69	A,B,F,X	6&8	All	C4AZ 7D046-A	1	
70/	A,B,F,P	6&8	All	★D0AP 7D046-B	1	Serviced in 7D044 assy.
65/	A,B,F,P,X	6&8	All	★C2AZ 7052-A	1	SEAL - EXTENSION HOUSING OIL -
71/	L	4	All	r/b D5AZ 7052-B (11/74)	1	1 1/2" I.D. x 2 5/8" O.D. x 1 5/8" long
				7C053		GOVERNOR ASSY.-Refer to Groups 7C063,7D220
66/	A,B,F,P,X	6&8	All	C6AZ 7E059-A	1	BUSHING - FORWARD CLUTCH HUB -
71/	L	4	All		1	1 3/4" I.D. x 1 7/8" O.D. x 5/8" long
				7060		SHAFT ASSY. - OUTPUT
65/66	A,B,F,X	6&8	All	▲C4AZ 7060-C	1	34-37-39 spline teeth-19 3/4" long-7 tooth
67	B,F,X	6	All		1	speedometer gear rolled on shaft
67	F	8	289 Spl.		1	
67/69	A	6&8	All	▲C7AZ 7060-A	1	34-37-39 spline teeth-19 3/4" long-8 tooth
67/69	B,F,X	8	All exc.Spl.		1	speedometer gear rolled on shaft
68/69	B,F,X	6	All		1	
70	P	6	All		1	Use w/#PEB-D & #PEG-A(see D0AZ 7060-A for #PEB-D1 & #PEG-A1)
70	X	6&8	All		1	
70/	A,B,F	6&8	All	▲D0AZ 7060-A	1	34-37-39 spline teeth-19 7/8" long
70	P	6	All		1	Use w/ #PEB-D1, D2, #PEE-AK & #PEG-A1
71/	P	6&8	All		1	
71/	L	4	All	D1FZ 7060-A	1	
70	P	6	170	D0AZ 7E062-A		GASKET - OIL PAN SCREEN-use with #PEG
				7C063		GOVERNOR ASSY. - LESS COUNTERWEIGHT
65/69	A,B,F,X	6&8	All exc.Spl.	★C4AZ 7C063-B	1	#Yellow paint stripe-repl.by D3OZ 7C063-B(11-73)
70/	A	6&8	240,302		1	
70/	B,F,P,X	6	All		1	
70	X	8	302		1	
70/	A,B,F	8	351	D0FZ 7C063-A	1	
70/	B,F,P	8	302		1	
65/67	B,F	8	289 Spl.	C4OZ 7C063-B	1	#White paint stripe
71/	L	4	All	D1FZ 7C063-A	1	
65/	A,B,F,L,P,X	All	All	C4AZ 7D063-B	1	GEAR ASSY. - SUN-2 13/32" long-32 teeth
				378254-S(QQ83)	2	Snap ring-1 13/16" I.D.(gear to shell)

Identification marking

▲ When transmission fails due to spline wipe-out use D0AZ 7060-A with C9AZ 7017-A instead of C4AZ 7060-C or C7AZ 7060-A on 1967/69 models. Refer to T.S.B. 148, article 3028, dated Sept. 4, 1970.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7D064		SHELL-INPUT
65/72	A,B,X	6&8	All	D2OZ 7D064-A	1	Cup shaped-5 1/4" O.D.-3 1/8" wide
65/72	F	6&8	200,250, 289,302, 351		1	
71/72	L	4	All		1	
70/	P	6&8	All		1	
65/	A,B,F,L,P,X	All	All	378254-S(QQ83)	AR	Retaining ring-1 13/16" (shell to gear assy.)
65/	A,B,F,P,X	6&8	All	C4AZ 7D065-A	2	BUSHING-SUN GEAR-1 7/32" O.D.-5/8" long
71/	L	4	All		1	
				7B066		PLATE-CLUTCH PRESSURE
65/	A,B,F,L,P,X	All	All	C4AZ 7B066-A	1	Reverse clutch-.220" thick
65/67	A,B,F,X	6&8	All	C5AZ 7B066-C	1	Forward clutch-front plate-.267" thick at convex surface
68/	A,B,F,P,X	6&8	All	C8AZ 7B066-C	1	Forward clutch-front plate-.267" thick at
71/	L	4	All		1	convex surface
65	F	6&8	170,260	C4AZ 7B066-D	1	Forward clutch-rear plate-.221" thick-flat surface
65/67	A,B,X	6&8	All	C5AZ 7B066-D	1	Forward clutch-rear plate-.221" thick-flat
65/67	F	6&8	200,289		1	surface
68/	A,B,F,P,X	6&8	All	C4AZ 7B066-A	1	Forward clutch-rear plate
71/	L	4	All		1	
						Retainer-snap ring-forward and reverse clutch pressure plate-selective fit
70/	A,B,F	6&8	All	D0AZ 7A577-B	AR	5" dia.-.052" thick
70	P	6	All		AR	Use w/#PEB-D1, #PEG-A1 & #PEE-AK
71/	L,P	All	All		AR	
				D0AZ 7A577-A	AR	.066" thick
				D0AZ 7A577-C	AR	.080" thick
				D0AZ 7A577-D	AR	.094" thick
65/69	A,B,F,X	6&8	All	378875-S(QQ92F)	AR	4 13/16" I.D.-.062" thick
70	P	6	170,200		1	Use w/#PEB-D & #PEG-A(see 7A577 above for #PEB-D1 & #PEG-A1)
70	X	6&8	All		AR	
				378260-S(QQ93)	AR	.072" thick
				378876-S(QQ93A)	AR	.090" thick
				378871-S(QQ92E)	AR	.104" thick
65/	A,B,F,P,X	6&8	All	C4AZ 7D066-B	1	WASHER-INPUT SHELL THRUST-3 5/16" dia.-
71/	L	4	All		1	32 internal teeth
				7B067		HUB - FORWARD CLUTCH
65	F	6&8	170,260	C4AZ 7B067-A	1	Without bushing
65/	A,B,L,P,X	All	All	♦C5AZ 7B067-B	1	Includes C6AZ 7E059-A bushing
65/	F	6&8	200,250, 289,302, 351		1	
65/70	A,B,F,X	6&8	All	C4AZ 7D069-A	1	PLUNGER-MANUAL CONTROL VALVE DETENT-5/16" dia.-3/8" long
70	P	6	All		1	Use with #PEB models only
65/	A,B,F,P,X	6&8	All	C4AZ 7B070-B	1	SPRING - FRONT CLUTCH PISTON DISC -
71/	L	4	All		1	4 11/16" O.D.-2 5/8" I.D.
65/	A,B,F,P,X	6&8	All	C4AZ 7D070-A	1	SPRING-PARKING PAWL RETURN-2 1/2" coils-
71/	L	4	All		1	15/16" free length

♦ When replacing a Hub having no Bushing with C5AZ 7B067-B, it is necessary to either press out Bushing or procure new Planet Gear Assembly. # Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7D071		SHAFT-PARKING PAWL
65/	A,B,F,P,X	6&8	All	C4AZ 7D071-B	1	1 9/16" long-1/2" dia.-use with C4AZ 7A441-C
71/	L	4	All		1	pawl
				7D072		WASHER - TRANS. REVERSE DRUM TO CASE
65/72	A,B,F,X	6&8	All	D2AZ 7D072-A	1	
70/	L,P	4&6	All		1	
65/	A,B,F,P,X	6&8	All	C4AZ 7086-C	1	GASKET-EXTENSION HOUSING
71/	L	4	All		1	
				7D090		WASHER - FORWARD CLUTCH HUB THRUST
65/69	A,B,F,P,X	6&8	All	C4AZ 7D090-A	1	2 1/8" O.D.-1 1/8" I.D.-3 tabs
70	P	6	170,200		1	Use w/#PEB-D & #PEG-A(see D0AZ 7D090-A for #PEB-D1 & PEG-A1)
70	X	6&8	All		AR	
70/	A,B,F	6&8	All	D0AZ 7D090-A	1	2 5/16" tab O.D.-1 1/8" I.D.-3 tabs marked X,Y & Z
70	P	6	All		1	Use w/#PEB-D1,#PEG-A1 & #PEE-AK
71/	L	4	All		1	
71/	P	6&8	All		1	
				7D091		WASHER KIT - REVERSE CLUTCH HUB THRUST - selective fit
65/69	A,B,F,X	6&8	All	C4AZ 7D091-H	AR	Kit-includes 4 washers
70	P	6	170,200		1	Use w/#PEB-D & #PEG-A(see D0AZ 7D091-A,B, C,F for #PEB-D1 & #PEG-A1)
70	X	6&8	All		AR	#1 - .042" thick, #3 - .074" thick, #4 - .091" thick, #5 - .108" thick
				C4AZ 7D091-G	AR	#2 - .057" thick
				C4AZ 7D091-J	1	#3 - .074" thick
70/	A,B,F	6&8	All	D0AZ 7D091-A	1	#1 - .042" thick
71/	L	4	All			
70	P	6	All		1	Use w/#PEB-D1,#PEG-A1 & #PEE-AK models
71/	P	6&8	All		1	
				D0AZ 7D091-B	1	#2 - .057" thick
				D0AZ 7D091-C	1	#3 - .074" thick
				D0AZ 7D091-F	AR	.033" thick (spacer) For .091" thickness use D0AZ 7D091-B&F For .108" thickness use D0AZ 7D091-C&F
				7D095		BAND - REVERSE CLUTCH
65/	A,B,F,P,X	6&8	All	D0AZ 7D095-A	1	2 7/32" wide-5 1/8" I.D.-#62
71/	L	4	All		1	
65/	A,B,F,P,X	6&8	All	C4AZ 7C096-A	2	WASHER - REVERSE DRUM THRUST -
71/	L	4	All		2	3 1/8" O.D.-2" I.D.-.063" thick
				7A098		SCREEN - OIL PAN
65	F	6&8	170,260	C4AZ 7A098-B	1	*FT-35-without gasket
65	F	6&8	170,260	C4AZ 7A098-C	1	*FT-35-A-incl. (1) C4AZ 7A191-C & (1) C5OZ 7A191-B gaskets
65/69	A,B,F,X	6&8	All	C5AZ 7A098-C	1	*FT-36-without gasket
70	P	6	170,200		1	Use with #PEB models
70	X	6&8	All		AR	
65/69	A,B,F,X	6&8	All	C5AZ 7A098-D	1	*FT-36-A-incl. (1) C5AZ 7A191-B & (1) C5OZ 7A191-B gaskets
70	P	6	170,200		1	Use with PEB trans.
70	X	6&8	All		1	
70/	A,B,F,L	All	All	D0DZ 7A098-B	1	*FT-40-without gasket
70	P	6	All		1	Use with #PEE and #PEG models
71/	P	6&8	All		1	
70/	A,B,F,L	All	All	D0DZ 7A098-C	1	*FT-40-A-incl. (1) D0DZ 7A191-B gasket
71/	P	6&8	All		1	
70	P	6	All		1	Use with PEE and PEG trans.

Identification marking

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

MAIN CONTROL IDENTIFICATION CHART

An identification number appears on a metal tag at the lower end of the main control assembly. The following chart will provide quick identification of the service part number when the identification number is known. Also the main control assembly may be selected by model, year and description under Group No. 7A100 which follows the chart.

MAIN CONTROL BODY IDENTIFICATION	SERVICE PART NUMBER
#K3	D1AZ 7A100-A
#K4	D1AZ 7A100-B
#K5	D1AZ 7A100-C
#K9	D2OZ 7A100-C
#L1	D2OZ 7A100-B
#L2	D2AZ 7A100-F
#L3	D2AZ 7A100-F
#L7	D3FZ 7A100-B
#N3	C7ZZ 7A100-H
#W3	C7OZ 7A100-G
#1B	C4AZ 7A100-E
#1G	C4AZ 7A100-E
#1H	C5AZ 7A100-D
#1K	C4AZ 7A100-E
#1P	C5AZ 7A100-D
#1T	C5AZ 7A100-D
#1U	C4OZ 7A100-L
#1V	C4AZ 7A100-E
#1W	C6AZ 7A100-B
#1X	C9AZ 7A100-J
#1Y	C9AZ 7A100-J
#1Z	C9AZ 7A100-J
#2A	C9AZ 7A100-J
#2B	C9AZ 7A100-J
#2J	C9AZ 7A100-J
#2K	C9AZ 7A100-J
#2M	C7OZ 7A100-G
#2N	C7ZZ 7A100-H
#2P	C9AZ 7A100-J
#2R	C9AZ 7A100-J
‡2T	C8AZ 7A100-F
#3A	C9AZ 7A100-J
#3B	C9AZ 7A100-J
#3C	C9AZ 7A100-J
#3D	C9AZ 7A100-J
‡3F	C9AZ 7A100-J
‡3G	C9AZ 7A100-J
‡3H	C7ZZ 7A100-H
#3J	C9AZ 7A100-J
#3K	C9AZ 7A100-J
#3N	C8AZ 7A100-F
‡3P	C9AZ 7A100-J
#3S	C9AZ 7A100-J
#3U	C9AZ 7A100-J
#3V	C9AZ 7A100-J
#3W	C9AZ 7A100-J
#3X	C9AZ 7A100-J
#3Y	C9AZ 7A100-J

MAIN CONTROL BODY IDENTIFICATION	SERVICE PART NUMBER
#4A	C9AZ 7A100-J
#4B	C9AZ 7A100-J
#4D	C9AZ 7A100-J
#4F	C9AZ 7A100-J
#4G	C9AZ 7A100-J
‡4J	D0DZ 7A100-A
‡4T	C9AZ 7A100-J
#4W	C9AZ 7A100-J
#4Y	C9AZ 7A100-J
#5A	D0AZ 7A100-J
#5C	D0DZ 7A100-C
#5D	D00Z 7A100-D
#5E	D0AZ 7A100-G
#5F	D0AZ 7A100-H
‡5G	D0AZ 7A100-H
#5H	D0AZ 7A100-J
#5K	D0AZ 7A100-H
‡5L	D0AZ 7A100-J
‡5M	D0AZ 7A100-H
‡5P	D0AZ 7A100-G
‡5R	D0AZ 7A100-G
‡5S	D0AZ 7A100-H
‡5T	D0AZ 7A100-J
#6B	D1FZ 7A100-A
‡6H	D2AZ 7A100-E
#6K	D2AZ 7A100-E
‡6L	D2DZ 7A100-A
‡6M	D2OZ 7A100-A
#6N	D2OZ 7A100-B
‡6R	D2FZ 7A100-A
#6S	D1AZ 7A100-A
#6T	D1AZ 7A100-B
#6U	D1AZ 7A100-C
#6X	D1FZ 7A100-B
#7H	D2AZ 7A100-F
#7J	D2OZ 7A100-C
#7K	D2AZ 7A100-F
#7L	D2OZ 7A100-C
#7M	D2OZ 7A100-B
#7N	D2OZ 7A100-B
#7R	D2FZ 7A100-B

‡ Identification Marking

YEAR	MODEL		ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
					7A100		CONTROL VALVE BODY ASSY. - MAIN- continued
					FOR MAIN CONTROL IDENTIFICATION REFER TO CHART ON PAGE 10		
65	A		6&8	All	C5AZ 7A100-D	1	
66	A		6&8	All		1	Use w/# PCV-E, PCW-AV, AW
66	A		6&8	All	C6AZ 7A100-B	1	Use w/# PDA-D, PCW-AY
67/69	A		6&8	All	C9AZ 7A100-J	1	
70	A		8	351	D1AZ 7A100-C	1	
70/71	A	"Before 7/1/71"	6&8	240,302	D1AZ 7A100-A	1	
71/	A	" From 7/1/71"	6&8	240,302	D2AZ 7A100-F	1	
71	A	" Before 7/1/71"	8	351	D1AZ 7A100-C	1	
71/	A	" From 7/1/71"	8	351	D2OZ 7A100-B	1	
65	B		6&8	All exc.Spl.	C5AZ 7A100-D	1	
66	B		6&8	All		1	Use w/# PCS-W, AA, PCW-AN, AR
66	B		6&8	All	C6AZ 7A100-B	1	Use w/# PCW-AY, AZ
65/66	B		8	289Spl.	C4OZ 7A100-L	1	
67	B(exc. P/C & Fleet)		6	200	★C7DZ 7A100-A	1	R/b C9AZ 7A100-J (10/74)
67	B(P/C & Fleet)		6&8	200,289	C7OZ 7A100-G	1	
67	B(exc. P/C & Fleet)		8	289	C9AZ 7A100-J	1	
68/69	B		6&8	All		1	
70	B		6	250	D0AZ 7A100-J	1	
70	B			351	D1AZ 7A100-C	1	
70	B		8	302		1	
71	B	" Before 6/15/71"	6	250	D1AZ 7A100-B	1	
71	B	" From 6/15/71"	6	250	D2DZ 7A100-A	1	
71	B	" Before 6/15/71"	8	302,351	D1AZ 7A100-C	1	
71/	B	" From 6/15/71"	8	302,351	D2OZ 7A100-B	1	
72	B		6	250	D2OZ 7A100-C	1	
65	F		6&8	170,260	C4AZ 7A100-E	1	
65	F		6&8	200,289	C5AZ 7A100-D	1	
66	F		6&8	All exc.Spl.		1	
66	F		8	289Spl.	C4OZ 7A100-L	1	
67/69	F		6&8	All exc.Spl. & 302-4B	C9AZ 7A100-J	1	
67	F		8	289Spl.	★C7ZZ 7A100-H	1	
68	F		8	302-4B	C8AZ 7A100-F	1	
70	F		6	All	D0AZ 7A100-J	1	
70	F		8	351	D1AZ 7A100-C	1	
70	F		8	302		1	

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7A100		CONTROL VALVE BODY ASSY.-MAIN-continued
	FOR MAIN CONTROL IDENTIFICATION REFER TO CHART ON PAGE 10					
71	F " Before 7/1/71"	6	All	D1AZ 7A100-B	1	
71	F " From 7/1/71"	6	All	D2DZ 7A100-A	1	
71	F "Before 7/1/71"	8	302,351	D1AZ 7A100-C	1	
71/	F " From 7/1/71"	8	302,351	D2OZ 7A100-B	1	
72	F	6	All	D2OZ 7A100-C	1	
71	L " Before 6/1/71"	4	All	D1FZ 7A100-A	1	
71	L " From 6/1/71 to 7/1/71"	4	All	D1FZ 7A100-B	1	
71	L " From 7/1/71"	4	All	D2FZ 7A100-A	1	
72	L	4	All	D2FZ 7A100-B	1	
70	P	6	All	D0AZ 7A100-J	1	Use w/$PEB-D, D1, PEE-AK
70	P	6	170,200	D0DZ 7A100-A	1	Use w/$PEG-A, A1
71	P " Before 7/1/71"	6	All	D1AZ 7A100-B	1	
71	P " From 7/1/71"	6	All	D2DZ 7A100-A	1	
71	P " Before 7/1/71"	8	302	D1AZ 7A100-C	1	
71/	P " From 7/1/71"	8	302	D2OZ 7A100-B	1	
72	P	6	All	D2OZ 7A100-C	1	
65/66	X	6&8	All	C5AZ 7A100-D	1	
67	X	6	All	★C7DZ 7A100-A	1	R/b C9AZ 7A100-J (10/74)
67	X	8	All	C9AZ 7A100-J	1	
68	X	8	302-4B	C8AZ 7A100-F	1	
68/69	X	6&8	All exc. 302-4B		1	
70	X	6	All		1	
70	X	8	All	D0DZ 7A100-C	1	
65/	A,B,F,P,X	6&8	All	20384-S(B43)	7	Bolt-1/4"-20 x 1" (body to case)
				20464-S(B43EA)	1	Bolt-1/4"-20 x 1 1/2"
71	A,B,F,P	6&8	All	382399-S	1	Screw-#10-24 x 1/2" (use w/7A100 #6S, #6T,
71	L	4	All	(BB551CH)	1	#6U,#6X)
				7D100		GASKET-VALVE BODY SEPARATOR PLATE
65/66	A,B,X	6&8	All	C5AZ 7D100-B	1	
65/66	F	6&8	200,289		1	
65	F	6&8	170,260	C4AZ 7D100-B	1	
67/69	A,B,F,X	6&8	All	C9AZ 7D100-A	1	
70	P	6	170,200		1	Use with #PEB-D(see D0AZ 7D100-A for $PEB-D1)
70	X	6&8	All		1	
70/71	B "Before 6/15/71"	6&8	All	D0AZ 7D100-A	1	
70/	A,F,P "Before 7/1/71"	6&8	All		1	
70	P	6	All		1	Use w/#PEB-D1 & #PEE-AK
71/	B "From 6/15/71"	6&8	All	★D2AZ 7D100-A	1	R/b D3OZ 7D100-A (9/74)
71/	A,F,P "From 7/1/71"	6&8	All		1	
71	L "Before 7/1/71"	4	All	D1FZ 7D100-B	1	
71/	L "From 7/1/71"	4	All	D2FZ 7D100-A	1	
70	P	6	170,200	D0DZ 7D100-A	1	Use w/#PEG-A(see D0DZ 7D100-C for $PEG-A1)
70	P	6	170,200	D0DZ 7D100-C	1	Use w/#PEG-A1

$ Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7A103		PUMP ASSY. - FRONT OIL
65/69	A,B,F,X	6&8	All	C4AZ 7A103-G	1	Includes-I.S.No.2139 and 2613
70	P	6	170,200		1	Use w/#PEB-D,& #PEG-A(See D0AZ 7A103-A for #PEB-D1 & #PEG-A1)
70	X	6&8	All		1	
70/	A,B,F	6&8	All	D0AZ 7A103-A	1	
71/	L	4	All		1	
70	P	6	All		1	Use w/#PEB-D1,#PEG-A1 & #PEE-AK
71/	P	6&8	All		1	
65/66	A,B,F,X	6&8	All	376950-S(KK53G)	1	Seal-7 3/8" I.D. (pump to housing)
65/	B,F,P,X	6&8	All	379296-S(BB545K)	7	Bolt-3/8"-16 x 1 3/8" (pump to housing)
65/	A	6&8	All	378785-S(BB545L)	7	Bolt-3/8"-16 x 1 5/8" (pump to housing)
				7A108		SUPPORT ASSY.- CONVERTER STATOR
65/69	A,B,F,X	6&8	All	C5AZ 7A108-F	1	
70	P	6	170,200		1	Use w/#PEB-D & #PEG-A(see D0AZ 7A108-A for #PEB-D1 & #PEG-A1)
70	X	6&8	All		1	
70/	A,B,F	6&8	All	D0AZ 7A108-A	1	
70	P	6	All		1	Use w/#PEB-D1,#PEG-A1 & #PEE-AK
71/	P	6&8	All		1	
65/	A,B,F,P,X			20326-S(B49)	5	Bolt-5/16"-18 x 5/8" (support to pump)
				7A115-A		LEVER-MANUAL CONTROL VALVE DETENT
65/69	A,B,F,X	6&8	All	C4AZ 7A115-A	1	
70	P	6	All		1	Use with #PEB-D (see D0AZ 7A115-A for #PEB-D1)
70	X	6&8	All		1	
70	P	6	All	D0DZ 7A115-A	1	Use with #PEG-A (see D0AZ 7A115-A for #PEG-A1)
71/	L	4	All		1	
70/71	A,B,F	6&8	All	D0AZ 7A115-A	1	
71/	L	4	All		1	
70	P	6	All		1	Use with #PEB-D1,#PEG-A1 & #PEE-AK
71/	P	6&8	All		1	
72	A,F	6&8	All		1	
72	B	6&8	All	D2OZ 7A115-A	1	
65	A,B,F,P,X	6&8	All	377330-S(MM169K)	1	Nut-9/16"-18 (lever assembly to 7A256)
65/	A,B,F,P,X	6&8	All	C4AZ 7A117-A	1	LEVER-PARKING PAWL
71/	L	4	All		1	
				97409-S8(Q5A)	1	Ring-1/4" retaining (lever to rod)
				97411-S2(Q5C)	1	Ring-3/8" retaining (lever to case)
65/	A,B,F,P,X	6&8	All	C4AZ 7A136-C	1	GASKET - FRONT OIL PUMP TO CASE
71/	L	4	All		1	
				7153		GASKET and OIL SEAL KIT
65/67	A,B,F,X	6&8	All	C5AZ 7153-F	1	

Consists of the following

OIL SEALS

1-B9AP 7A011-A
3-C4AZ 7D011-A
2-C4AZ 7D019-B
2-C4AZ 7D020-A
1-C4AZ 7D024-A
1-C4AZ 7D024-B
1-C5ZZ 7D024-A
1-C4AZ 7D025-B
1-C4DZ 7D025-A
1-C4OZ 7D025-A
1-C4OZ 7D025-B
1-C5AZ 7D025-A
1-C5DZ 7D025-A
1-C5ZZ 7D025-A
1-C4AZ 7D040-A
1-C2AZ 7A248-A
2-B5AZ 7A294-E
1-C8AZ 7D404-A
1-C7AZ 7B498-A
1-C4AZ 7A548-A
1-C4AZ 7A548-B
1-1P 77265-B
1-87034-S94
2-380892-S94
1-376950-S

GASKETS

1-C4AZ 7D026-C
1-C4AZ 7086-C
1-C4AZ 7D100-B
1-C5AZ 7D100-B
1-C7AZ 7D100-B
1-C4AZ 7A136-C
1-C4AZ 7A191-C
1-C5AZ 7A191-B
1-C5OZ 7A191-B
1-C1AP 7B426-A
1-I.S. Sheet #2417

VALVE

2-C7AZ 7E195-A
1-C5AZ 7D376-A

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7153		GASKET and OIL SEAL KIT -continued
68/69	A, B, F, X	6&8	All	C8AZ 7153-B	1	
70	P	6	170,200		1	Use w/#PEB-D & #PEG-A (see D0AZ 7153-A for
70	X	6&8	All		1	#PEB-D1 & #PEG-A1)

Consists of the following

OIL SEALS

1-B9AP 7A011-A
3-C4AZ 7D011-A
2-C4AZ 7D019-B
2-C4AZ 7D020-A
1-C4AZ 7D024-A
1-C4AZ 7D024-B
1-C4AZ 7D025-B
1-C4DZ 7D025-A
1-C4OZ 7D025-A
1-C8ZZ 7D025-A
1-C4AZ 7D040-A
1-C2AZ 7A248-A
2-B5AZ 7A294-E
1-C8AZ 7D404-A
1-C7AZ 7B498-A
1-C8AZ 7A548-B
1-C4AZ 7A548-C
1-1P 77265-B
1-87034-S94
2-370865-S94
2-380850-S
1-380892-S94

GASKETS

1-C4AZ 7D026-C
1-C4AZ 7086-C
1-C9AZ 7D100-A
1-C4AZ 7A136-C
1-C5AZ 7A191-B
1-C5OZ 7A191-B
1-C1AP 7B426-A
1-I.S. Sheet #2417

INSULATOR

1-C7AZ 7341-A

VALVE

1-C7AZ 7E195-A

70/71	A, B, F	6&8	All	★D0AZ 7153-A	1	
71	L	4	All	r/b D2AZ 7153-A	1	
70	P	6	All	(6-72)	1	Use w/#PEB-D1, #PEG-A1 & #PEE-AK
71	P	6&8	All		1	

Consists of the following

OIL SEALS

1-B9AP 7A011-A
3-C4AZ 7D011-A
2-D0AZ 7D019-A
2-D0AZ 7D020-A
1-C4AZ 7D024-A
1-C4AZ 7D024-B
1-C5ZZ 7D024-A
1-D0AZ 7D024-A
1-C4AZ 7D025-B
1-C4OZ 7D025-A
1-C8ZZ 7D025-A
1-C4AZ 7D040-A
2-D0AZ 7A294-A
1-C2AZ 7A248-A
1-D0AZ 7D404-A
1-C7AZ 7B498-A
1-C4AZ 7A548-A
1-C4AZ 7A548-B
1-1P 77265-B
1-87034-S94
2-380850-S
2-380892-S94

GASKETS

1-C4AZ 7D026-C
1-D0AZ 7E062-A
1-C4AZ 7086-C
1-D0AZ 7D100-A
1-C4AZ 7A136-C
1-D0DZ 7A191-B

INSULATOR

1-C7AZ 7341-A

VALVE

1-C7AZ 7E195-A
1-C5AZ 7D376-A

72	A, B, F, P	6&8	All	★D2AZ 7153-A	1	
72	L	4	All	r/b D5AZ 7153-B (2/75)	1	

Consists of the following

OIL SEALS

1-B9AP 7A011-A
3-C4AZ 7D011-A
2-D0AZ 7D019-A
2-D0AZ 7D020-A
1-C4AZ 7D024-A
1-C4AZ 7D024-B
1-C5ZZ 7D024-A
1-D0AZ 7D024-A
1-C4AZ 7D025-B
1-C4DZ 7D025-A
1-C4OZ 7D025-A
1-C5DZ 7D025-A
1-C8ZZ 7D025-A
1-D0AZ 7D040-A
1-C2AZ 7A248-A
2-D0AZ 7A294-A
1-D0AZ 7D404-A
1-C7AZ 7B498-A
1-C4AZ 7A548-C
1-C8AZ 7A548-B
1-1P 77265-B
1-87034-S94
2-370850-S
2-370865-S91
1-380892-S94

GASKETS

1-C4AZ 7D026-C
1-C4AZ 7086-C
1-D0AZ 7D100-A
1-D1FZ 7D100-B
1-D4OZ 7D100-A
1-D4FZ 7D100-B
1-C4AZ 7A136-C
1-D0DZ 7A191-B
1-C1AP 7B426-A

INSULATOR

1-C7SZ 7341-A

VALVE

1-C7AZ 7E195-A
1-C5AZ 7D376-A

65/	A, B, F, P, X	6&8	All	C4AZ 7A153-C	1	GEAR-OUTPUT SHAFT RING-req'd. as output shaft hub ring gear
					1	Req'd. as front clutch hub ring gear
71/	L	4	All		2	
				378874-S(QQ94)	2	Snap ring-4 1/2" dia.
				97532-S15(Q1C)	1	Snap ring-1 3/16" dia. (gear to output shaft)

$ Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	INTERNAL SPLINE PLATE (FRICTION) - 7B164	QTY.	EXTERNAL SPLINE PLATE (STEEL) - 7B442	QTY.
				7B164		PLATE - CLUTCH INTERNAL and EXTERNAL SPLINE	
	FORWARD CLUTCH						
65/67	A	6&8	All	C4AZ 7B164-E	5	C4AZ 7B442-C	4
65/67	B,F,X	8	All		5		4
65/67	B,F,X	6	All		4		3
68	A	6&8	All	C8AZ 7B164-D	5	C4AZ 7B442-C	4
68	B,F,X	8	All		5		3
68	B,F,X	6	All		4		4
69/	A,B,F,P,X	6&8	250,302, 351		5	C4AZ 7B442-B	4
69/70	F,X	6	170,200		4		3
70/	P	6	170,200		4		3
71/	L	4	All		3		2
	REVERSE CLUTCH						
65	F	6&8	170,260	C4AZ 7B164-C	4	C4AZ 7B442-B	3or4
65/	A	6&8	All	C5AZ 7B164-B	4	C4AZ 7B442-B	4
65/	B	8	All		4		4
65/70	X	8	All		4		4
65	F	8	289		4		4
66/	F	8	All		4		4
65/68	B,X	6	All		3		3
65/70	F	6	200		3		3
69/70	P,X	6	170,200		3		3
69/	B,F,P	6	250		4		4
71	L	4	All		2		2
71/	P	6	200		3		3
71/	P	8	302		4		4
72	L	4	All		2		2

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
65/	A,B,F,P,X	6&8	All	C4AZ 7D164-A	1	HUB-OUTPUT SHAFT-70 helical-37 spline teeth-
71/	L	4	All		1	1 1/4" long
65/	A,B,F,P,X	6&8	All	C4AZ 7D167-B	6	BOLT-OVERRUNNING CLUTCH TO CASE
71/	L	4	All		6	
				7D171		RACE - OVERRUNNING CLUTCH - INNER
65/72	A,B,F,X	6&8	All	★D2AZ 7D171-A	1	2 3/4" O.D.-1 15/16" I.D.-1" wide-repl. by
70/	L,P	4,6&8	All		1	D4FZ 7D171-A (4/73)
				7A175		Refer to Group 7D029
				7D189		PISTON and SEAL ASSY. - REVERSE BAND SERVO
65/	A,B,F,P,X	6&8	All	D1AZ 7D189-A	1	One-piece design-includes (1) piston seal, rod &
71/	L	4	All			spacer-#D0AP 7D030-A
65/	A,B,F,P,X	6&8	All	C4AZ 7190-B		ROLLER-OVERRUNNING CLUTCH-Also refer to Group 7A813-7/8" long-5/16" dia.
71/	L	4	All		12	
				7D190		ROD - REAR BAND SERVO PISTON
65/71	A,B,F,X "Before 12/15/70"	6&8	All	D0DZ 7D190-A	1	Includes-spacer, spring and rod
71	L "Before 12/15/70"	4	All		1	
70/71	P "Before 12/15/70"	6&8	All		1	
71/	A,B,F,L,P "From 12/15/70"					Refer to Illustration Section A70.4, Page 3

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7A191		GASKET-OIL PAN
65	F	6&8	170,260	C4AZ 7A191-C	1	
65/69	A	6&8	All	C5AZ 7A191-B	1	
65/69	B,X	6&8	All	C5OZ 7A191-B	1	
65/69	F	6&8	200,250, 289,302		1	
70	P	6	170,200		1	Use with #PEB-D(see D0DZ 7A191-B for #PEB-D1)
70	X	6&8	All		1	
70/	A, B, F	6&8	All	D0DZ 7A191-B	1	
71/	L	4	All		1	
70	P	6	All		1	Use w/#PEB-D1, #PEG-A,#PEE-AK
71/	P	6&8	All		1	
65/	A, B, F, P, X	6&8	All	C4AZ 7D191-C	1	RETAINER-OVERRUNNING CLUTCH SPRING
71/	L	4	All		1	Includes (12) springs
				7A194		PAN - TRANSMISSION OIL
65	F	6&8	170,260	C4AZ 7A194-B	1	
65/69	A	6&8	All	C5AZ 7A194-A	1	
65/69	B,X	6&8	All	C5OZ 7A194-A	1	
65/69	F	6&8	200,250 289,302		1	
70	P	6	170,200		1	Use with #PEB-D(see D0DZ 7A194-B for #PEB-D1)
70	X	6&8	All		1	
70	P	6	170,200	D0DZ 7A194-A	1	Use with #PEG-A(see D0DZ 7A194-B for #PEG-A1)
70/	A	6&8	All	D0AZ 7A194-A	1	
70/	B, F	8	351		1	
70/	B, F	6	All	D0DZ 7A194-B	1	
70/	B, F	8	302		1	
71/	L	4	All		1	
70	P	6	All		1	Use w/#PEB-D1, #PEG-A, A1, #PEE-AK models
71/	P	6&8	All		1	
65/	A, B, F, P, X	6&8	All	378782-S(BB543D)	11	Bolt-5/16"-18 x 9/16" (pan to case)
67/	A, B, F, P, X	6&8	All	C7AZ 7E195-A	2or3	BALL-COASTING BOOSTER VALVE SHUTTLE
71/	L	4	All		4	
65/	A, B, F, P, X	6&8	All	C4AZ 7D218-B	1	RETAINER-GOVERNOR SECONDARY VALVE SPRING-1" x 7/8"
71/	L	4	All		1	
65/	A, B, F, P, X	6&8	All	C4AZ 7D220-B	1	BODY-GOVERNOR OIL COLLECTOR-includes (1) C7AZ 7E242-A screen and I. S. No. 2573
71/	L	4	All		1	
65/	A, B, F, L, P, X	All	All	C4AZ 7D227-A	1	SPACER-THROTTLE PRESSURE VALVE-SECONDARY
				7A228		TUBE - OIL FILLER
65	A	6	All	C5AZ 7A228-A	1	Approx. 18 15/16" long-not replaced
65	A	8	All	C5AZ 7A228-D	1	Approx. 18 1/8" long
66	A	6	240	C6AZ 7A228-E	1	Approx. 14 7/8" long-P/C and Fleet usage only
66/	A	6&8	All	D0AZ 7A228-A	1	Except 1966 P/C and Fleet usage only
65	B	6	All	C5OZ 7A228-A	1	Approx. 18" long
65	B	8	All	C5OZ 7A228-C	1	Approx. 13 13/16" long
66/70	B	6	170,200	C6OZ 7A228-A	1	Approx. 19 1/4" long
66/68	B	8	All	C6OZ 7A228-B	1	Approx. 19 1/4" long
69	B	6&8	250,302	C9OZ 7A228-A	1	

Identification marking

YEAR	MODEL		ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
					7A228		TUBE ASSY.-OIL FILLER-continued
70	B		6&8	250,302	D0OZ 7A228-B	1	
70/71	B		8	351	D0OZ 7A228-E	1	
71	B		6&8	250,302	D1OZ 7A228-B	1	Approx. 19 7/32" long
72	B		6	250	D2OZ 7A228-E	1	
72	B		8	302	D2OZ 7A228-A	1	
72	B		8	351	D2OZ 7A228-B	1	
65	F		8	260	C4AZ 7A228-B	1	Approx. 14 7/8" long
65	F		6	All	C5OZ 7A228-A	1	Approx. 14 7/8" long
65	F		8	289	C5OZ 7A228-C	1	Approx. 13 13/16" long
66/70	F		6	170,200	C6OZ 7A228-A	1	Approx. 19 1/4" long
66/68	F		8	All	C6OZ 7A228-B	1	Approx. 19 1/4" long
69	F		6&8	250,302	C9OZ 7A228-A	1	
70	F		6&8	250,302	D0OZ 7A228-B	1	
70/	F		8	351	D0OZ 7A228-E	1	
71/72	F	"Before 2/14/72"	6&8	250,302	D1OZ 7A228-B	1	Approx. 19 7/32" long
72	F	"From 2/14/72"	6&8	250,302	D2ZZ 7A228-A	1	Approx. 19 9/32"-use w/D2ZZ 7A020-A
71/	L		4	All	D1FZ 7A228-B	1	19 1/4" long
70	P		6	170,200	D0DZ 7A228-B	1	Use w/#PEB-D1,#PEG-A1
71/	P		6	200		1	
70/	P		6	250	D0DZ 7A228-C	1	Use w/PEE-AK
70	P		6	170,200	C6OZ 7A228-A	1	Approx. 19 1/4" long - use w/#PEB-D & PEG-A (see D0DZ 7A228-B for #PEB-D1 & #PEG-A1)
71/	P		8	302	D1OZ 7A228-B	1	Approx. 19 7/32" long
65	X		6	All	C5OZ 7A228-A	1	Approx. 14 7/8" long
65	X		8	All	C5OZ 7A228-C	1	Approx. 13 13/16" long
66/70	X		6	All	C6OZ 7A228-A	1	Approx. 19 1/4" long
66/68	X		8	All	C6OZ 7A228-B	1	Approx. 19 1/4" long
69/70	X		8	All	C9OZ 7A228-A	1	
65/	A,B,F,P,X		6&8	All	87034-S94(T1A)	1	Seal-"o" ring-1/2" I.D. (tube to case)
65/	A,B,F,P,X		6&8	All	C4AZ 7A232-C	1	ROD ASSY. - PARKING LEVER ACTUATING
71/	L		4	All		1	
					358662-S(XX87)	3	Washer-flat (rod to lever)
					97409-S8(Q5A)	2	Ring-retaining-1/4" (rod to link)
65/	A,B,F,P,X		6&8	All	D0AZ 7C232-A	1	SLEEVE-OIL DISTRIBUTOR
71/	L		4	All		1	
65/	A,B,F,P,X		6&8	All	20386-S8(B53)	4	Bolt-5/16"-18 x 1" (sleeve to case)
65/	A,B,F,P,X		6&8	All	C4AZ 7A233-A	1	GEAR-OUTPUT SHAFT PARKING
71/	L		4	All		1	
65/72	A,B,F,P,X	"Before 4/24/72"	6&8	All	C4AZ 7A242-A	2	WASHER - PLANET PINION THRUST -
71/72	L	"Before 4/24/72"	4	All		2	3 11/32 O.D.-2 9/16" I.D.-.063" thick - exc. D2OZ 7D006-A
72	A,B,F,L,P	"From 4/24/72"	All	All	D2OZ 7A242-A	2	And with all D2OZ 7D006-A planet
67/	A,B,F,P,X		6&8	All	C7AZ 7E242-A	1	SCREEN - GOVERNOR OIL
71/	L		4	All		1	
					7A246		TUBE - BREATHER
65	A,B,F,X	"Before 10/1/64"	6&8	All	C5ZZ 7A246-A	1	
65	A,B,F,X	"From 10/1/64 to 2/1/65"	6&8	All	C5ZZ 7A246-B	1	
65/69	A,B,F,X	"From 2/1/65"	6&8	All	C5ZZ 7A246-C	1	
70	X		6&8	All			

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7A246		TUBE-BREATHER-continued
70/	A,B,F,P	6&8	All	D2TZ 7034-A	1	
71/	L	4	All		1	
65/	A,B,F,P,X	6&8	All	20326-S(B49)	1	Bolt-5/16"-18 x 5/8" (tube to case)
69/	A,B,F,P,X	6&8	All	372985-S(GG258)	1	Clip (tube to case)
				7A248		SEAL - FRONT OIL PUMP
65/	A,B,F,P,X	6&8	All	C2AZ 7A248-A	1	Small-2 3/4" O.D.-2" I.D.-3/8" thick
71/	L	4	All		1	
65/66	A,B,F,X	6&8	All	376950(KK53G)	1	Large-7 5/8" O.D.-7 5/16" I.D.
				7A256		LEVER - MANUAL CONTROL
65/66	A	6&8	All	C5AZ 7A256-A	1	Column shift
65/68	A	6&8	All	C5ZZ 7A256-A	1	Console shift
67/68	A	6&8	All	C7AZ 7A256-A	1	Column shift
69	A	6&8	All	C9AZ 7A256-B	1	Column shift
69	A	6&8	All	C9AZ 7A256-E	1	Console shift
70/	A	6&8	All	D0AZ 7A256-A	1	Column shift-includes C7SZ 7341-B bearing
70/71	A	8	All	D0AZ 7A256-D	1	Console shift
65/66	B	6&8	All	C4GY 7A256-A	1	Column shift
67	B "Before 1/16/67"	6&8	All	C7OZ 7A256-A	1	Column shift-use without any number in transmission identification suffix
67	B "From 1/16/67"	6&8	All	C7OZ 7A256-C	1	Column shift-use with No.1 on higher number in transmission identification suffix
68/69	B	6&8	All	C8OZ 7A256-A	1	Column shift
65/69	B	6&8	All	C5ZZ 7A256-A	1	Console or floor shift
70/71	B	6&8	250,302	D0OZ 7A256-A	1	Column shift-includes C7SZ 7341-B bearing
70/71	B	8	351	D0OZ 7A256-G	1	Column shift-includes C7SZ 7341-B bearing
70/71	B	6&8	All	D0OZ 7A256-D	1	Console shift
72	B	6&8	All	D1FZ 7A256-A	1	Console shift
72	B	6&8	All	D2OZ 7A256-B	1	Column shift
70/	F	6&8	All	D0ZZ 7A256-A	1	Floor or console shift
65/69	F(except economy)	6&8	All	C5ZZ 7A256-A	1	Console or floor shift
69	F(economy)	6	250	C9AZ 7A256-E	1	Console shift
71/	L	4	All	D1FZ 7A256-A	1	Console shift
70	P	6	170,200	D0DZ 7A256-D	1	Use w/#PEG-A1-includes C7SZ 7341-B bearing
70	P	6	170,200	D0DZ 7A256-A	1	Use with #PEB-D(see D0DZ 7A256-C for #PEB-D1)-includes C7SZ 7341-B bearing
				D0DZ 7A256-B	1	Use with #PEG-A(see D0DZ 7A256-D for #PEG-A1)-includes C7SZ 7341-B bearing
70	P	6	170,200	D0DZ 7A256-C	1	Column shift-use w/#PEB-D1-includes C7SZ 7341-B bearing
70/	P	6	170,200		1	Column shift
70/	P	6&8	250,302		1	Column shift
71/	P	6&8	All	D1DZ 7A256-A	1	Console shift
65/66	X	6&8	All	C4GY 7A256-A	1	Column shift
67	X "Before 1/16/67"	6&8	All	C7OZ 7A256-A	1	Column shift - use w/o any number in transmission identification suffix
67	X "From 1/16/67"	6&8	All	C7OZ 7A256-C	1	Column shift - use w/No.1 on higher in transmission identification suffix
68/70	X	6&8	All	C8OZ 7A256-A	1	Column shift
65/	A,B,F,P,X	6&8	All	C4AZ 7D256-A	1	RING-FORWARD CLUTCH PISTON SPRING
71/	L	4	All		1	PRESSURE-(to retain 7B070)-2 7/8" O.D.-2 5/8" I.D.-1/8" thick
65/	A,B,F,P,X	6&8	All	C0AP 7B258-A	1	BUSHING-FRONT OIL PUMP
71/	L	4	All		1	
65/69	A,B,F,X	6&8	All	C4AZ 7A261-A	1	SPRING - MANUAL VALVE DETENT
				305043-S(NN84A)	1	Pin-1/16"x11/16"(to retain spring in valve body)

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7B261		BUSHING - FRONT PUMP SUPPORT
65/69	A,B,F,X	6&8	All	C4AZ 7B261-A	1	25/32" I.D. -29/32" O.D.
70	P	6	170,200		1	Use w/#PEB-D & #PEG-A(see D0AZ 7B261-A for $PEB-D1 & $PEG-A1)
70	X	6&8	All		1	
70/	A,B,F	6&8	All	D0AZ 7B261-A	1	27/32" I.D. -31/32" O.D.
71/	L	4	All		1	
70	P	6	All		1	Use w/#PEB-D1,#PEG-A1 & #PEE-AK
71/	P	6&8	All		1	
				7D261		LEVER - DOWNSHIFT DETENT
65/69	A,B,F,X	6&8	All	C4AZ 7D261-B	1	4 31/32" long
70	P	6	170,200		1	Use with #PEB-D(see D0AZ 7D261-A for $PEB-D1)
70	X	6&8	All		1	
70/	A,B,F	6&8	All	D0AZ 7D261-A	1	
71/	L	4	All		1	
70	P	6	All		1	Use w/#PEB-D1 & #PEE-AK models
71/	P	6&8	All		1	
65/	A,B,F,P,X	6&8	All	33798-S2(M62)	1	Nut-5/16"-24 (lever to shaft)
				34806-S(X65)	1	Washer-5/16"
				7A262		PISTON-CLUTCH
65/69	A,B,F,P,X	6&8	All	C4AZ 7A262-C	1	Forward clutch
70	X	6&8	All		1	
70	P	6	170,200		1	Use w/#PEB-D & #PEG-A(see D0AZ 7A262-B for $PEB-D1 & $PEG-A1)
				C4AZ 7A262-B	1	Reverse clutch
70/	A,B,F	6&8	All	D0AZ 7A262-B	1	Forward clutch-#D0AP 7A258-B
71/	L	4	All		1	
70	P	6	All		1	Use w/PEB-D1, #PEG-A1 & #PEE-AK
71/	P	6&8	All		1	
				D1AZ 7A262-B	1	Reverse clutch -#D0AP 7A258-A
65/70	A,B,F,P,X	6&8	All	97719-S(QQ6)	1	Ring-2 3/16" dia.(retain spring to piston)
65	F	6&8	170,260	C4AZ 7A270-B	1	VALVE SPRING KIT - MAIN OIL PRESSURE REGULATOR - consists of (1) C4AP 7D005-C spring (1) C4AP 7A270-B spring
				7D273		CONNECTOR ASSY. - OIL COOLER TUBES
65/	A,B,F,X	6&8	All	C3AZ 7D273-A	AR	1/2"-20 x 5/16" female & 1/8"-27 x 7/16" male thread, 13/16" long straight connector
65/69	F,X	6&8	All	C5DZ 7D273-A	AR	1/2"-20-45° elbow connector
65/	F,L,P,X	All	All	C9ZZ 7D273-A	1	1/2"-20 x 5/16" female & 1/8"-27 x 9/16" male thread, 90° elbow connector-includes lock nut
65/	A,B,F,P,X	6&8	All	370865-S(KK43)	AR	Seal-"o" ring type-1/2" O.D.
				380892-S(KK43B)	AR	Seal-"o" ring type-7/16" O.D.
				7A294		SEAL-CLUTCH PISTON-INNER
65/67	A,B,F,X	6&8	All	B5AZ 7A294-E	2	Forward and reverse clutch piston-round cut lip
68/69	A,B,F,X	6&8	All	B5AZ 7A294-E	1	Forward clutch-round cut lip
70	P	6	170,200		1	Use w/#PEB-D & #PEG-A(see D0AZ 7A294-A $PEB-D1 & $PEG-A1)
70	X	6&8	All		1	
				C8AZ 7D404-A	1	Reverse clutch-square cut lip
70/	A,B,F	6&8	All	D0AZ 7A294-A	1	Forward clutch
71/	L	4	All		1	
70	P	6	All		1	Use w/#PEB-D1, #PEG-A1 & #PEE-AK
71/	P	6&8	All		1	
				D0AZ 7D404-A	1	Reverse clutch

$ Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
65/71	A, B, F, P, X "Before 12/15/71"	6&8	All	C4AZ 7D300-B	1	SPACER - REAR BAND SERVO ROD - 15/16"
71/	L "Before 12/15/71"	4	All		1	O.D.-3/8" I.D.-1/8" thick
	"From 12/15/71"					Refer to Illustration Section A70.4, page 3
				7326		Refer to Group 7C389
	•					
				7E332		SPRING-MANUAL VALVE DETENT
70/	A, B, F, L, P	All	All	D0DZ 7E332-B	1	Includes: pin & roller
70/	A, B, F	6&8	All	D0AZ 7E336-A	2or3	PLATE - THROTTLE PRESSURE BOOSTER STOP
70	P	6	All		2or3	Use with #PEB & #PEE
70	P	6	170,200		1	Use with #PEG
71/	P	6&8	All		2	
71/	L	4	All		2	
70/	A, B(column shift)	6&8	All	C7SZ 7341-A	1	INSULATOR-GEAR SHIFT ARM
70/	P	6&8	All		1	
				7A360		CYLINDER-FRONT CLUTCH
65/69	A, B, X	6&8	All	C5AZ 7A360-B	1	3 1/2" small O.D. (42 external spline on O.D.)-
65/69	F	8	All			3 1/4" small I.D.-5 1/8" large O.D.- 4 13/16"
65/69	F	6	200,250			small I.D. (28 internal spline on I.D.)-
						I.S. No.1798 included
70	P	6	170,200		1	Use w/#PEB-D,#PEG-A (see D0DZ 7A360-A for #PEB-D1 & #PEG-A1)
70	X	6&8	All		1	
70	A	6&8	All	D0AZ 7A360-A	1	#No groove on large O.D. of drum
70	B, F	6	250		1	
70	B, F	8	All		1	
70	P	6	250		1	Use with #PEE
71/	A, B, F	6&8	All	D1AZ 7A360-A	1	#No grooves on large O.D. of drum-28 internal
71/	P	6&8	250,302		1	splines-42 external splines
65	F	6	170	C4AZ 7A360-C	1	
70	F	6	200	D0DZ 7A360-A	1	#(1) groove on large O.D. of drum
70	P	6	170,200		1	Use w/#PEB-D1 & #PEG-A1
71/	L	4	All	D1FZ 7A360-A	1	#Two grooves on large O.D. of drum-28 internal splines-42 external splines
71/	P	6	200	D1DZ 7A360-A	1	#One groove on large O.D. of drum-28 internal splines-42 external splines
65/	A, B, F, P, X	6&8	All	C4AZ 7B368-A	1	WASHER-OUTPUT SHAFT THRUST-REAR-
71/	L	4	All		1	1 3/16" I.D.-.030" thick-3 slots
70/	A, B, F, L, P, U, X	All	All	D5AZ 7E368-A	1	VALVE KIT-THROTTLE PRESSURE LIMIT- consists of (1) D0AP 7E340-A spring & (1) D0AP 7E368-A valve
65/	A.B.F.X	6&8	All	C5AZ 7D375-A	1	PIN-THROTTLE PRESSURE BOOSTER RETAINER-15/16" long-1/8" dia.
70/	P	6&8	All		1	Use with #PEB, #PEE
71/	L	4	All		1	
65/	A, B, F, X	6&8	All	C5AZ 7D376-A	1	VALVE-INTERMEDIATE SERVO ACCUMULATOR CHECK-1/4" dia.-.090" thick
70/	P	6&8	All		1	Use with #PEB & #PEE
71/	L	4	All		1	
				7A377		DIAPHRAGM ASSY. - VACUUM THROTTLE VALVE
65/	A, B, F, P, X	6&8	All	C4AZ 7A377-B	1	Threaded type
71/	L	4	All	(TM-2)	1	
72	A, B, F, L, P	All	All	D2AZ 7A377-A (TM-15)	1	Push in type-requires (1) D2AZ 7A380-A rod kit
65/	A, B, F, P, X	6&8	All	C4AZ 7A380-A	1	ROD-THROTTLE CONTROL VALVE-1 11/16"
71/	L	4	All		1	long-1/8" dia. (exc. push in type diaphragm)
72	A, B, F, L, P, U	All	All	D3AZ 7A380-B	1	Use w/push in type diaphragm (7A377) - consists of (1) D3AP 7A390-HA, JA, KA, LA, MA rod-select fit

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7C389		ROD-MANUAL CONTROL VALVE
65/66	A,B,F,X	6&8	All	C4OZ 7C389-A	1	3 13/16" long
67	A,B,F,X	6&8	All	C6OZ 7326-P	1	3 13/16" long
68/69	A,B,F,X	6&8	All	C9AZ 7326-F	1	3 13/16" long
70/	A,B,F,P,X	6&8	All	★D0DP 7340-B	1	5 7/64" long-serviced in 7A100 assy.
				7A394		LEVER - DOWNSHIFT CONTROL - OUTER
65	F	8	All	C4AZ 7A394-A	1	
65/69	B,X	6&8	All	C4DZ 7A394-A	1	
65/68	F	6	All		1	
66/68	F	8	All		1	
70	X	6&8	All		1	
65/	A	6&8	All	C5AZ 7A394-C	1	
70/	B,F	6&8	All	D0DZ 7A394-A	1	
69	F	6&8	All	C9ZZ 7A394-A	1	
71/	L	4	All		1	
70/	P	6&8	All	D0DZ 7A394-B	1	Use with #PEB & #PEE
				7E396		RETAINER - LOW SERVO MODULATOR PLUG
70	A,B,F,P,X "Before 4/1/70"	6&8	All	★D0AZ 7E396-A r/b D0AZ 7E396-B (8/74)	1	Includes 383250-S screw-No. 10-24 x 1/4"
70/	A,B,F,P,X "From 4/1/70"	6&8	All	D0AZ 7E396-B	1	
71/	L	4	All		1	
65/	A,B,F,P,X	6&8	All	D1AZ 7A398-A	1	GEAR PLANETARY - FORWARD
71/	L	4	All		1	
				7D404		Refer to Group 7A294
65/	A,B,F,X	6&8	All	C1AP 7B426-A	1	GASKET - THROTTLE VALVE DIAPHRAGM
71/	L	4	All		1	
70	P	6	All		1	Use with #PEB models only
71/	P	6&8	All		1	
65/	A,B,F,P,X	6&8	All	C4AZ 7A441-C	1	PAWL-PARKING-use with C4AZ 7D071-A or B
71/	L	4	All		1	shaft
				7B442		Refer to Group 7B164
65/	A,B,F,P,X	6&8	All	C4AZ 7B456-C	1	RACE-OVERRUNNING CLUTCH OUTER
71/	L	4	All		1	
65	F	6&8	170,260	★C4AZ 7A478-A	1	RETAINER - OIL PRESSURE MAIN CONTROL VALVE
				7A480		SPRING & RETAINER KIT - REVERSE CLUTCH PISTON-also refer to Group 7A527
65/69	A,B,F,X	6&8	All	C4AZ 7A480-C	1	Includes - (10) springs (1) retainer
70	P	6	170,200		1	Use w/#PEB-D & #PEG-A (see D0AZ 7A480-B for #PEB-D1 & #PEG-A1)
70	X	6&8	All		1	
70/	A,B,F	6&8	All	D0AZ 7A480-B	1	2 1/2" dia. -2" long-use w/7A527 retainer
70	P	6	All		1	Use w/#PEB-D1, #PEG-A1 & #PEE-AK
71/	P	6&8	All		1	
71	L "Before 1/5/71"	4	All		1	
71/	L "From 1/5/71"	4	All	D1FZ 7A480-B	1	2 9/16" dia.-1 29/32" long
65/	A,B,F,P,X	6&8	All	C4AZ 7C492-B	2	STOP - BAND ADJUSTING - INTERMEDIATE &
71/	L	4	All		2	REVERSE-(1) reqd. for front & (1) reqd. for rear band
				380850-S(MM54H)	2	Nut-1/2"-16 (attach stop to case)

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
65/	A, B, F, P, X	6&8	All	C4AZ 7C495-A	1	LINK-PARKING PAWL TOGGLE OPERATING LEVER
71/	L	4	All		1	
				97409-S8(Q5A)	1	Ring-1/4" dia. retaining (link to case)
65/	A, B, F, P, X	6&8	All	C7AZ 7B498-A	1	SEAL - MANUAL CONTROL LEVER OIL
71/	L	6&8	All		1	
65/	A, B, F, P, X	6&8	All	#C8AZ 7C498-A	1	DRUM ASSY. - REVERSE BRAKE -repl. by
71/	L	4	All		1	D4FZ 7C498-A (8/74)
				7A527		RETAINER - CLUTCH PISTON SPRING
70/71	A, B, F, P	6&8	All	D0AZ 7A527-A	1	
71	L	4	All		1	
72	A, B, F, P	6&8	All	D2AZ 7A527-A	1	
72	L	4	All			
70/	A, B, F, P, X	6&8	All	383691-S	1	Ring - 2 1/4" dia. (retain spring to piston)
71/	L	4	122	(QQ92H)		
				7A548		SEAL - CLUTCH PISTON - OUTER OIL
65/	A, B, F, P, X	6&8	All	C4AZ 7A548-C	1	Forward clutch piston-4 7/16" O.D. -4" I.D.
71/	L	4	All		1	
65/	A, B, F, P, X	6&8	All	C8AZ 7A548-B	1	Reverse clutch piston-4 9/16"O.D.-4 1/16"I.D.
71/	L	4	All		1	
				7A577		SNAP RING - CLUTCH PRESSURE PLATE RETAINING - Refer to Group 7B066
				7A813		ROLLER-CONVERTER STATOR CLUTCH
65/	A, B, F, P, X	6&8	All	C4AZ 7190-B	7or8	
71/	L	4	All		7	
65/	A, B, F, P, X	6&8	All	B9AZ 7A814-A	7or8	SPRING-CONVERTER STATOR CLUTCH
71/	L	4	All		7	
				7902		CONVERTER ASSY.
65	A "Before 10/15/64"	6&8	All	C5AZ 7902-A	1	#V
65	A "From 10/15/64"	6&8	All	C5AZ 7902-C	1	#AC
66/67	A "Before 4/3/67"	6&8	All	C6AZ 7902-C	1	#AH
67	A "From 4/3/67"	6&8	All	C6AZ 7902-J	1	#AX
68/69	A	6&8	All	C8AZ 7902-C	1	#BB
70/	A	6&8	All	D0OZ 7902-B	1	#BN, #BR
70/	B, F	8	351		1	
65	B, F, X	8	All	▲C4AZ 7902-E	1	#AB
65	B, F, X	6	All	C5DZ 7902-C	1	#R, #X, #Y, #Z
66/69	B, F, X	8	All	C6AZ 7902-M	1	#AJ, #AY, #BC
69	B, F	6	250		1	
70	X	8	All		1	
70/	B, F, P	6&8	250,302	D0OZ 7902-A	1	#BP, #BV
66/69	B, F, X	6	170,200	C6OZ 7902-A	1	#AL
70	X	6	All		1	
70	P "Before 7/14/69"	6	170,200		1	Use with PEB-D & PEG-A (see D0DZ 7902-A for #PEB-D1 & #PEG-A1)
70	F	6	170,200	D0DZ 7902-A	1	#BT, #BW
70	X	6&8	All		1	
70	P "From 7/14/69"	6	170,200		1	Use with PEB-D1 & PEG-A1
71/	P	6	200		1	

Identification marking
▲ Includes (4) 378941-S7 Locknuts to be assembled to converter studs "From 3/1/64" per Technical Letter FT-260

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
				7902		CONVERTER ASSY.-continued
71/	L	4	All	D1FZ 7902-A	1	#BU
65/	A	6&8	All	378941-S7(MM169H)	AR	Nut-3/8"-24 (converter studs to flywheel)
65/	B,F,X	8	All		AR	
69/	B,F	6	250		AR	
71	L	4	122		AR	
65/70	B,F,X	7	170,200	379299-S2(MM169J)	AR	Nut-3/8"-24 (converter studs to flywheel)
70/	P	6	170,200		AR	
71/	L	4	All	357649-S8(BE566)	4	Bolt-3/8"-16 x 13/4" (converter to flywheel)
				382535-S100 (MM118L)	2	Nut-3/8"-16 hex,
				7915		HUB-CONVERTER IMPELLER-Reconditioner only
65/	A	6&8	All	C5AZ 7915-A	1	2 1/16" O.D.-1 3/4" I.D.-2 11/16" long
65/	B,F,X	8	All		1	
65/	B,F,P,X	6	All	C4OZ 7915-A	1	2 1/16" O.D.-1 3/4" I.D.-2 13/16" long
				7926		HUB-CONVERTER TURBINE-Reconditioner only
65/69	A,B,F,X	6&8	All	C4AZ 7926-A	1	
70	P	6	170,200		1	Use with #PEB-D & PEG-A (see D0AZ 7926-A for #PEB-D1 & #PEG-A1)
70/	A,B,F	6&8	All	D0AZ 7926-A	1	
70	P	6	All		1	Use w/#PEB-D1, PEG-A1 & #PEE-AK
71/	P	6&8	All		1	
65/	A	6&8	All	C2AZ 7932-B	1	STATOR-CONVERTER
				7937		WASHER-CONVERTER STATOR FRONT and REAR THRUST
65/68	A,B,F,X	8	All	C5AZ 7937-D	2	2 15/16" O.D.-2" I.D.-1/2" thick-#C5AP 7937-D
65/68	A	6	All		2	
65/68	A,B,F,X	8	All	C5AZ 7937-E	AR	3 9/16" O.D.-2 1/16" I.D.-1/2" thick-
65/68	A	6	All		AR	#C5AP 7937-A or #C7AP 7937-A
65/66	B,F,X "Before 10/1/66"	6	All	*C5DZ 7937-A	2	2 15/16" O.D.-2" I.D.-#C5DP 7937-A - Reconditioner only
66/68	B,F,X "From 10/1/66"	6	170,200	C7DZ 7937-A	1	2 15/16" O.D.-2" I.D.-#C7DP 7937-B- Reconditioner only
65/	B,F,P,X	6	170,200	C8DZ 7937-A	2	3 1/2" O.D.-1 11/16" I.D.-9/16" thick-
71/	L	4	All		2	#C7DP 7937-A, #C8DP 7937-A-Reconditioner only
70/	A,B,F,P	6&8	All	C6AZ 7937-AMR	1	2 25/32" O.D.-1 5/16" I.D.-.062" wide-#green
				C6AZ 7937-BMR	1	-.070" wide-#natural
				C6AZ 7937-CMR	1	-.079" wide-#red
				C6AZ 7937-DMR	1	-.087" wide-#yellow
				C6AZ 7937-EMR	1	-.096" wide-#blue
						Use with #PEA, #PEE, #PEF models - Reconditioners only
65/	A	6&8	All	1P 7945-A	1	SNAP RING-CONVERTER STATOR RETAINING
65/	B,F,X	8	All		1	
70/	P	6&8	250,302		1	
65/	A	6&8	All	C2AZ 7947-C	1	RACE-CONVERTER STATOR CLUTCH-OUTER
65/	B,F,X	8	All		1	
70/	P	6	250		1	
68/	A	6&8	All	C8AZ 7950-A	1	COVER and STARTER RING GEAR ASSEMBLY-CONVERTER-Reconditioner only-Also refer to Group 6375

#. Identification marking

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL		ENGINE CYL.	ENGINE C.I.D.	PART NUMBER	QTY.	PART NAME AND DESCRIPTION
65/	A,B,F,P,X		6&8	All	C4AZ 7962-D	1	WASHER-TURBINE TO CONVERTER - Reconditioner only
					7976		HOUSING-CONVERTER
65	F		8	260	C4AZ 7976-A	1	#C4AP 7976-A
65/	A		6&8	All	D3BZ 7976-A		
70/71	B		8	351-2V			
65/70	B,F,X		6	170,200	C4TZ 7976-B	1	#C5GP 7976-A
70/	P		6	170,200		1	
65/69	B		8	All	C5OZ 7976-A	1	#C5OP 7976-A
70/71	B		8	302		1	
65/	F		8	289,302		1	
69/71	B,F		6	250		1	
65/70	X		8	All		1	
70/	P		6&8	250,302		1	Use with #PEE
72	F		6	250		1	
72	B		6&8	250,302	D2OZ 7976-B	1	
72	B		8	351	D2OZ 7976-A	1	
71/	L		4	All	D1FZ 7976-A	1	
65/	A,B,F,P,X		6&8	All	370301-S(BB546)	5	Bolt-7/16"-14 x 1 1/4" (housing to case)
65/	A		6&8	All	20508-S(B110)	AR	Bolt-7/16"-14 x 1 3/4" (housing to engine)
65/	B,F,X		8	All		AR	
69/	B,F		6	250		AR	
70	P		6	250	34808-S(X67)	AR	Lockwasher-7/16"
65/	B,F,P,X		6	170,200	20534-S(B90)	AR	Bolt-3/8"-16 x 2 1/4" (housing to engine)
					34807-S8(X66)	AR	Lockwasher-3/8"
71	B,F,P	"Before 12/11/70"	6&8	250,302	378785-S(BB545L)	7	Bolt-3/8"-16 x 1 5/8" (housing and front pump
71	L	"Before 12/11/70"	4	All			to case)
71/	B,F,P	"From 12/11/70"	6&8	250,302	379062-S	7	Bolt-3/8"-16 x 1 3/4" (housing to case)
71/	L	"From 12/11/70"	4	All	(BB545LB)		
71/	L		4	All	N800012-S100 (AW46)	2	Screw stud-3/8"-16 nut (housing to engine)
					7986		COVER-CONVERTER
65/	B,F,X		8	284,302	C5DZ 7986-B	1	
69/	B,F		6	250		1	
70/	P		6&8	250,302		1	Use with #PEE
65/	A		6&8	All	C5AZ 7986-A	1	
70/	B		8	351		1	
65/70	B,P,X		6	170,200	C5DZ 7986-A	1	
65/70	F		6	200		1	
70/	P		6	170,200		1	
65	F		6	170	★ C4UZ 7986-A	1	
71/	L		4	All	D1FZ 7986-A	1	
65/	A,B,F,P,X		6&8	All	42789-S8(U10)	AR	Screw & washer assy.-5/16"-18 x 3/4" (cover
71/	L		4	All		AR	to housing)
65/	A,B,F,X		6&8	All	1P 77265-B	1	SEAL-DOWNSHIFT CONTROL LEVER-OIL
70	P		6	All		1	Use with #PEB models only
71/	L		4	All		1	
71/	P		6&8	All		1	

Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	PART NUMBER	PART NAME and DESCRIPTION
						7D000	TUBE - OIL DISTRIBUTOR
66/	A, B, F, S	8	All	1	1	C6AZ 7D000-A	Inlet
				1	1	C6AZ 7D000-B	Outlet
						7D002	SLEEVE - MAIN OIL PRESSURE BOOSTER
67/	A, B, F, S	8	All	1	1	C7AZ 7D002-A	19/32" large I.D., 7/8" O.D., 1 5/64" long
68/	A, B, F, S	8	All	1	1	C8AZ 7D002-A	5/8" large O.D., 7/8" O.D., 1 5/64" long
66/67	A, B, F, S	8	All	1	1	C6AZ 7D003-A	VALVE - MAIN CONTROL OIL PRESSURE BOOSTER
						7005	CASE ASSY.
66/71	A, S	8	390,428	1	1	★D2TZ 7005-B	Includes -
			428P/C	1		repl. by	(1) C8AZ 7034-A Vent
70	F	8	428 CJ		1	D3TZ 7005-C	(1) C6AZ 7D433-A Shaft
66/69	B, F	8	All		1	NOTE #2	(1) C7AZ 7E206-A Retainer
							(2) C9AZ 7D273-B Connector
							(2) C9VY 7D273-A Connector & I. S. #3754
71	B, F	8	351		1	D1ZZ 7005-A	Includes -
							(1) C6AP 7D080-A Valve
							(1) C7AZ 7E206-A Retainer
							(2) C9AZ 7D273-B Connector
							(1) C9ZZ 7D273-B Connector
							(1) C9AZ 7D433-A Shaft
							(1) I. S. #3754
72	B, F	8	351		1	★D2OZ 7005-D	Includes-
						repl. by	(1) C6AP 7D080-A Valve
						D3OZ 7005-B,	(1) C7AZ 7E206-A Retainer
						D3TZ 7A377-A,	(1) C9ZZ 7D273-B Connector
						D3AZ 7F006-B,	(1) C9AZ 7D433-A Shaft
						378782-S (2-73)	(1) I.S. #3754
68/72	A.B.F.S "Before 8/1/72"	8	400,429, 460	1	1	ø★D2AZ 7005-C	Includes-
						repl. by	(1) C8AZ 7034-A Vent
						D3AZ 7005-B	(1) C7AZ 7E206-A Retainer
						(7-72)	(1) C6AZ 7D433-A Shaft
							(1) I.S. #3419
72	A,B,S "From 8/1/72"	8	400,429, 460	1	1	@D3AZ 7005-B	NOTE #1
66/	A, B, F, S	8	All	5	5	20470-S(B107)	Bolt-7/16"-14 x 1 1/2" (case to engine)
				2	2	20546-S(B114)	Bolt-7/16"-14 x 2 1/2" (case to engine)
				6	6	34808-S(X67)	Lockwasher-7/16"
				2	2	87650-S(P12)	Plug-1/8"-27 dry seal (to plug front servo holes in case)

NOTE #1 - When replacing D2AZ 7005-C use (1) D2AZ 7A377-B diaphragm, (1) D3AZ 7F006-B clip, and (1) 378782-S screw
NOTE #2 - When replacing D2TZ 7005-B use (1) D3TZ 7A377-A diaphragm, (1) D3AZ 7F006-B clip, and (1) 378782-S screw
Identification marking @ Use 7D080 valve from old Case Assy.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	PART NUMBER	PART NAME and DESCRIPTION
						7D006	PLANET - REVERSE
66	A, B, S	8	390	1	1	C6AZ 7D006-B	
67/71	A, B, F, S	8	390, 429-2B		1		
71/	A, B, S	8	400		1		
71/	B, F	8	351		1		
72	A, B, S	8	429		1		
72	A	8	400,429	1			Use w/#PJB-K1
67/71	A	8	390	1		C6SZ 7D006-B	
67/70	A, B, F, S	8	428, 429-4B	1	1		
71	A	8	400,429	1			
72	A	8	429	1			Use w/#PJC
71	A, B, F, S	8	429-4B	1	1		
72	S	8	460		1		
66/	A, B, F, S	8	All	1	1	377155-S(QQ94E)	Ring-5 7/32" dia. (planet to drum)
72	A, B, F, S	8	All	1	1	D3AZ 7F006-B	CLIP - PUSH-IN TYPE DIAPHRAGM
						7A008	PLATE - MAIN CONTROL SEPARATING
66	A, B, F, S	8	All exc. GT		1	C6AZ 7A008-A	Use w/7A100 identified as #AB
66	A	8	All	1		C6AZ 7A008-D	Use w/ 7A100 identified as #AD, #AF
67	A, B, F	8	All	1	1	C7AZ 7A008-A	Use w/7A100 identified as #AW, #AR
67	A, B, S	8	All	1	1	C7AZ 7A008-B	Use w/7A100 identified as #AG, #AS
70	A "Before 8/14/69"	8	390		1	D0TZ 7A008-A	#(1) trapezoid & (1) "U" notch in outer edge - use on 7A100 without 7E387 screen
70/71	A "From 8/14/69"	8	390		1	D0TZ 7A008-B	
67/69	A, B, F, S	8	All exc. GT&CJ		1	D0AZ 7A008-E	
70/71	A, B, S	8	428,429 exc. CJ		1		
71/	A	8	400		1		
71/	B, F	8	351		1		
72	A, B, S	8	All		1		
72	A	8	400,429	1			
69/70	A, B "Before 8/14/69"	8	All	1		D0AZ 7A008-D	#(2) trapezoid notch in outer edge-use on 7A100 without 7E387 screen
70/71	A, B "From 8/14/69"	8	All	1		D0AZ 7A008-F	


Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	PART NUMBER	PART NAME and DESCRIPTION
						7A008	PLATE - MAIN CONTROL SEPARATING-continued
69	B, F	8	390(GT)		1	C9TZ 7A008-A	Use w/7A100 identified as #CE
68/71	B, F	8	427, 428CJ, 429 CJ, 429SCJ		1	D0OZ 7A008-B	
68	B, F	8	390(GT)		1		
68	A	8	All	1			
71	A	8	429	1			
						7A011	SEAL - INPUT & OUTPUT SHAFT OIL
66/71	A, B, F	8	All	1	1	B8AZ 7A011-A	1 7/8" O.D.-1 1/4" long-(5) ribs on O.D.
66/69	S	8	All	1	1		
70/71	S					7A011	Serviced in 7A039 extension
72	A, B, F, S					7A011	Serviced in 7A039 extension
66/71	A, B, F, S					372292-S(QQ69)	Snap ring-1 1/4" dia. (seal retaining)
66/	A, B, F, S	8	All	3	3	C4AZ 7D011-A	RING - GOVERNOR HOUSING OIL SEAL
						7D014	WASHER - FRONT PUMP SUPPORT THRUST - selective fit
66/	A, B, F, S	8	All	AR	AR	C6AZ 7D014-A	4 7/32" O.D.-3" I.D.-#1-.057" thick
				AR	AR	C6AZ 7D014-B	#2-.074" thick
				AR	AR	C6AZ 7D014-C	#3-.089" thick
				AR	AR	C6AZ 7D014-D	#4-.104" thick
				AR	AR	C6AZ 7D014-E	#5-.119" thick
						7017	SHAFT - INPUT
66/71	A, B, F, S "Before 5/18/71"	8	All	1	1	C6AZ 7017-A	
71/	A, B, F, S "From 5/18/71"	8	All	1	1	D2AZ 7017-A	10 9/32" long-30 teeth at 7A360 end & 31 teeth at 7902 end-use with D2AZ 7A360-A or B only
66/	A, B, F, S	8	All	2	2	C6AZ 7D019-A	SEAL - FORWARD CLUTCH CYLINDER
						7A020	INDICATOR - OIL LEVEL
66/68	A	8	All	1	1	C6AZ 7A020-A	
66	S	8	All		1		
69/71	A	8	390,428	1	1	C9AZ 7A020-B	
69/70	A	8	429	1	1	C9AZ 7A020-A	
70	B	8	429	1	1		
71	A, B, F	8	351,400, 429, 429CJ, 429SCJ	1	1	D1AZ 7A020-A	#D1AP 7A020-AB, D1OP 7A020-AB
72	F	8	All		1		
72	A	8	All	1	1	D2AZ 7A020-A	
66/69	B, F	8	All		1	C6OZ 7A020-B	
72	B, S	8	All		1	D2OZ 7A020-C	
72	B	8	429-4V	1			
70	F	8	428CJ		1	D0ZZ 7A020-A	
67/68	S	8	390,428		1	C7SZ 7A020-B	
69	S	8	429-2B		1		
68/69	S	8	429-4B		1	C8SZ 7A020-A	Use w/#PGB-J, J1
69	S	8	429-4B		1	C9SZ 7A020-A	Use w/#PGB-AL
70/71	S	8	All		1		

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

7D021 PISTON ASSY. AND RELATED PARTS - INTERMEDIATE BAND SERVO



P-6299

Translate codes shown below into service part numbers by using chart on Page 6

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	TRANSMISSION MODEL USAGE RESTRICTIONS	PISTON 7D021	SEAL 7D024	SEAL 7D025	COVER 7D027	SPRING 7D028	LEVER 7330
	- A -											
66	A	8	390	1			2	12	20	24	28	35
			390-2B		1		3	13	19	25	28	34
			390-4B		1		1	10	17	23	28	36
			428		1	Use w/#PDD-D, L	2	12	20	24	28	35
			428	1		Use w/#PDD-Y, AA	4	13	21	26	30	33B
67	A	8	390-2B		1	Use w/#PGA-A, A1, L, L1	3	13	19	25	31	34
			390-2B		1	Use w/#PGA-A2, L2	1	10	17	23	31	36
			390-4B exc.GT		1	Use w/#PGA-H, H1, J, J1	1	10	17	23	28	36
			390-4B exc.GT		1	Use w/#PGA-H2, J2	2	12	17	24	28	35
			390	1			4	13	21	26	30	35
			428		1	Use w/#PGB-A, A1, B, B1	2	12	20	24	28	35
			428		1	Use w/#PGB-A2, B2	1	10	17	23	28	35
			428		1	Use w/#PGB-N, N1	4	13	21	26	28	33B
	"Before 4/28/67"		428 exc.P/C	1		Use w/#PGB-H, H1	4	13	21	26	30	33B
	"From 4/28/67"		428 exc.P/C	1		Use w/#PGB-H, H1	4	13	21	26	30	35
	"Before 4/28/67"		428P/C	1		Use w/#PGB-F, F1	4	13	21	26	28	33B
	"From 4/28/67"		428P/C	1		Use w/#PGB-F, F1	4	13	21	26	28	35
68	A	8	390,428 exc.P/C	1		Use w/#PGB-G1, H1	4	13	21	26	30	35
			428P/C	1		Use w/#PGB-F1	4	13	21	26	28	35
			390		1	Use w/#PGA-A2, L2	1	10	17	23	28	34
			390		1	Use w/#PGA-J2	2	12	17	24	28	35
			428		1	Use w/#PGB-A2, B2	3	13	19	25	28	35

Identification marking

7D021 PISTON ASSY. AND RELATED PARTS - INTERMEDIATE BAND SERVO - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	TRANSMISSION MODEL USAGE RESTRICTIONS	PISTON 7D021	SEAL 7D024	SEAL 7D025	COVER 7D027	SPRING 7D028	LEVER 7330
	- A -											
69	A	8	390		1	Use w/#ED-PGA-A3	3	13	19	25	31	34
			390		1	Use w/#PGA-A3,J3	1	10	17	23	28	34
			390	1		Use w/#PGB-G2	4	13	21	26	30	35
			429-4B	1								
			428 P/C	1		Use w/#PGB-F2	4	13	21	26	28	35
			429-2B	1	1							
			429-4B		1		1	10	17	23	28	36
70	A	8	390	1			4	13	21	26	30	35
			390		1		1	10	17	23	28	34
			428 P/C	1			4	13	21	26	28	35
			429-2B		1		1	10	17	23	28	34
			429-4B	1			4	13	21	26	30	35
			429-4B		1		1	10	17	23	28	36
71	A	8	390	1			4	13	21	26	30	35
			390		1	Use w/#PGA-A4,J4	1	10	17	23	28	34
			390		1	Use w/#PGA-A5,J5	5	▲	▲	27	32C	36
			400	1			4	13	21	26	30	35
			400		1	Use w/#PJA-C,D	1	10	17	23	28	34
			400		1	Use w/#PJA-C1,D1	5	▲	▲	27	32C	36
			429-2B		1	Use w/#PJA-A,B	1	10	17	23	28	34
			429-2B		1	Use w/#PJA-A1,B1	5	▲	▲	27	32C	36
			429-4B	1			4	13	21	26	30	35
			429-4B		1	Use w/#PJB-C,D	1	10	17	23	28	36
			429-4B		1	Use w/PJB-C1,D1	5	▲	▲	27	32C	36
			429 P/C	1			4A	13A	22A	27A	28	33A
72	A	8	400,429	1		Use w/ #PJB	1	10	22B	23	28	34
			429 P/C	1		Use w/ #PJC	5A	14A	22B	27B	32B	35
			400,429		1	Use w/ #PJA-C2	5	▲	▲	27	32C	34
			400	1	1	Use w/ #PJA-K,L,M	5	▲	▲	27	32B	33A
	- B -											
66	B	8	390-2B		1		3	13	19	25	28	34
			390-4B		1		1	10	17	23	28	36
67	B	8	390-2B		1	Use w/#PGA-B,B1,C,C1	3	13	19	25	31	34
			390-2B		1	Use w/#PGA-B2,C2	1	10	17	23	31	36
			390-4B exc.GT		1	Use w/#PGA-F,G	1	10	17	23	28	36
	"Before 1/4/67"		390(GT)		1	Use w/#PGA-M,R	4	13	21	26	30	34
	"From 1/4/67"		390(GT)		1	Use w/#PGA-M,M1,R,R1	4	13	21	26	28	34
68	B	8	390 exc.GT		1		1	10	17	23	28	34
			390(GT)		1		4	13	21	26	28	34
			427,428 CJ		1		4A	13A	22A	27A	28	33B
69	B	8	390(GT) 429CJ		1		1	13	17	23	31	34
			390 exc.GT		1		1	10	17	23	28	34
			428CJ		1		4A	13A	22A	27A	28	33A
			429		1		1	10	17	23	28	36
			429	1			4	13	21	26	30	35
70	B	8	429-4B	1			4	13	21	26	30	35
			429-4B		1		1	10	17	23	28	36
			429CJ				4A	13A	22A	27A	28	33A
71	B	8	351		1	Use w/ #PEF,PGA-AF1,AG1	5A	14	17	27B	32B	34
			429CJ		1		4A	13A	22A	27A	28	33A
72	B	8	351		1	Use w/ #PEF,PGA-AF1,AG1	5A	14	17	27B	32B	36
			400,429		1		5	▲	▲	27	32C	34
			351		1	Use w/ #PGA-AW,AY	5	▲	▲	27		33A
			400		1	Use w/ #PJA-K,L,M	5	▲	▲	27	32B	33A

Identification Marking

▲ Moulded rubber on piston & rod assy. 7D021

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

FINAL ISSUE

7D021 PISTON ASSY. and RELATED PARTS - INTERMEDIATE BAND SERVO - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	TRANSMISSION MODEL USAGE RESTRICTIONS	PISTON 7D021	SEAL 7D024	SEAL 7D025	COVER 7D027	SPRING 7D028	LEVER 7330
	- F -											
67	F "Before 1/4/67"	8	390(GT)		1	Use w/#PGA-P	4	13	21	26	29	34
	F "From 1/4/67"	8	390(GT)		1	Use w/#PGA-P,P1	4	13	21	26	28	34
68	F	8	390 exc.GT		1		1	10	17	23	28	24
			390(GT)		1		4	13	21	26	28	34
			427,428 CJ		1		4A	13A	22A	27A	28	33B
69	F	8	390(GT), 429 CJ		1		1	13	17	23	31	34
			428 CJ		1		4A	13A	22A	27A	28	33A
70	F	8	428CJ		1		4A	13A	22A	27A	28	33A
71	F	8	351-4B exc.CJ		1		5A	14	17	27B	32B	34
			351CJ		1		5A	14	17	27B	28	36
			351-2B		1		5	14	17	27	28	33A
			429		1		4A	13A	22A	27A	28	33A
72	F	8	351-4B		1		5A	14	17	27B	32B	36
			351-2B		1		5	14	17	27	32B	33A
	- S -											
66	S	8	390		1		1	10	17	23	28	36
			428		1		2	12	20	24	28	35
67	S	8	390		1	Use w/#PGA-K,K1	1	10	17	23	28	36
			390		1	Use w/#PGA-K2	2	12	17	24	28	35
			428		1	Use w/#PGB-C,C1	2	12	20	24	28	35
			428		1	Use w/#PGB-C2	1	10	17	23	28	35
68	S	8	390		1		1	10	17	23	28	34
			429		1		1	10	17	23	32	36
69	S	8	390		1		1	10	17	23	28	34
			429		1		1	10	17	23	32A	36
70	S	8	429		1		1	10	17	23	28	36
71	S	8	429		1	Use w/#PJB-H	1	10	17	23	28	36
			429		1	Use w/#PJB-H1	5	▲	▲	27	32C	36
72	S	8	All		1		5	▲	▲	27	32C	34

CODE	SERVICE PART NO.	DESCRIPTION
1	C6AZ 7D021-A	#RF C6SP 7D022-A
2	★C6AZ 7D021-B	#RF C6MP 7D022-A
3	C6AZ 7D021-C	#RF C6AP 7D022-A
4	C6AZ 7D021-D	#RF C6AP 7D022-D
4A	C8OZ 7D021-A	#RF C8OP 7D022-A
5	C8VY 7D021-B	#C8VP 7E221-C
5A	DIOZ 7D021-A	#RF DIOP 7D022-AA
10	C6AZ 7D024-E	2.69" dia.-#White, round cut lip
12	★C6AZ 7D024-G	2.77" dia.-#Green, round cut lip
13	C6AZ 7D024-H	2.72" dia.-#Pink, round cut lip
13A	C8OZ 7D024-A	3.15" dia.-#Green, round cut lip
14	DIOZ 7D024-A	2.35 I.D.-#Blue, round cut lip
14A	D2AZ 7D024-A	2.39" dia.-#Yellow
17	C6AZ 7D025-E	1.79" I.D.
19	C6AZ 7D025-G	1.76" I.D.-#Yellow, round cut lip
20	C6AZ 7D025-H	1.69" I.D.-#Green, round cut lip
21	C6AZ 7D025-J	2.03" I.D.-#Pink, round cut lip
22A	C8OZ 7D025-A	2.18" I.D.-#Green, round cut lip
22B	D2AZ 7D025-A	1.77" I.D.-#Yellow

CODE	SERVICE PART NO.	DESCRIPTION
23	C6AZ 7D027-A	#C6AP 7D027-A and #D
24	★C6AZ 7D027-B	#C6MP 7D027-A and #E
25	C6AZ 7D027-C	#C6SP 7D027-A and #G
26	C6AZ 7D027-D	#C6AP 7D027-D
27	C8VY 7D027-C	#C8VP 7D027-C
27A	C8OZ 7D027-A	#C8OP 7D027-A
27B	DIOZ 7D027-A	#DIOP 7D027-AA and #J
28	C6AZ 7D028-A	2.66" free length-9 1/2 coils
30	C6AZ 7D028-D	2.39" free length-8 coils, #Blue
31	C7AZ 7D028-A	2.80" free length-10 1/2 coils
32	C8SZ 7D028-A	1.75" free length-9 1/2 coils
32A	C8SZ 7D028-B	
32B	DIOZ 7D028-A	2 5/8" free length-8 3/4 coils, #Green
32C	D1AZ 7D028-A	2 9/16" free length-10 1/2 coils, #Brown
33A	C6AZ 7330-B	#B
33B	C6AZ 7330-C	#C
34	C6AZ 7330-D	#E
35	C6AZ 7330-E	#F
36	C6VY 7330-A	#D
37	C8VY 7330-B	#H

Identification marking ▲ Moulded rubber on piston & rod assy. 7D021

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	PART NUMBER	PART NAME and DESCRIPTION
						7D024	Refer to Group 7D021
66/	A, B, F, S	8	All	1	1	C6AZ 7D024-C	SEAL - SERVO PISTON COVER - 3" I.D.
						7025	BUSHING - CASE - serviced only in 7005 case
						7D025	SEAL - INTERMEDIATE BAND SERVO PISTON - Refer to Group 7D021
66/	A, B, F, S	8	All	2	2	C6AZ 7D025-A	SEAL - INTERMEDIATE BRAKE DRUM - 2 7/8" dia.
66/	A, B, F, S	8	All	1or2	1or2	C6AZ 7D026-A	GASKET - INTERMEDIATE BAND SERVO COVER
						7D027	Refer to Group 7D021
66/	A, B, F, S	8	All	4	4	42789-S(W10)	Screw & lockwasher-hex. hd. -5/16"-18 x 3/4" (cover to case)
						7D028	Refer to Group 7D021
						7D029	STRUT - INTERMEDIATE BAND
66/68	A, B, F, S "Before 3/4/68"	8	All	1	1	C6AZ 7D029-A	Actuating-2 5/8" long-9/16" wide at base-1" wide at top
				1	1	C6AZ 7D430-A	Anchor-2 3/8" long-3/4" wide at base-15/16" wide at top
68/	A, B, F, S "From 3/4/68"	8	All	1	1	C6AZ 7D029-C	Actuating
				1	1	C6AZ 7D430-C	Anchor
						7034	TUBE - BREATHER
66/67	A, B, F, S	8	All	1	1	C6AZ 7A246-A	
68/	A, B, F, S	8	All	1	1	D2TZ 7034-A	
66/67	A, B, F, S	8	All	1	1	372985-S(GG258)	Clip- 1 1/2" x 3/4" (tube to case)
66/	A, B, F, S	8	All	1	1	B5AZ 7A034-A	BUSHING - EXTENSION HOUSING
66/	A, B, F, S	8	All	1	1	D0AZ 7D034-A	BAND - INTERMEDIATE SERVO
						7A039	HOUSING - EXTENSION
66/68	A, S	8	All	1	1	D1AZ 7A039-A	#C8SP 7A040-A
69/70	A, S	8	All		1		
69/70	A	8	390,429	1			
66/68	B, F	8	390		1		
69	B	8	429	1	1		
70	B	8	429	1			
		8	429		1		Use with 3.25 or lower rear axle ratio
71/	A	8	390,400	1	1		
		8	429		1		
		8	429	1			Use with #PJB-F, K1
	B	8	351,400		1		
	B "From 8/3/70"	8	429, 429 CJ		1		
	F	8	351		1		
71	S	8	429		1		
68/70	B, F	8	427,428 CJ		1	C8OZ 7A039-B	
69/70	A	8	428	1			
69	B, F	8	390(GT)		1		
70	B		429		1		Use with 3.50 or higher rear axle ratio
70/71	B "Before 8/3/70"	8	429CJ		1		
72	B "Before 2/1/72"	8	429	1			Use w/ #PJC-J
71	F	8	429		1		
71/	A	8	429P/C	1		D1VY 7A039-A	Use with #PJC-H1, H2
72	S	8	All		1		
72	A	8	429	1		D2AZ 7A039-C	Use with #PJC-H4
72	B "From 2/1/72"	8	429	1		D2OZ 7A039-A	Use with #PJC-J
66/	A, B, F, S	8	All	2	2	380207-S(BB545G)	Bolt-3/8"-16 x 1 1/4" hex. washer hd. (housing to case)
				4	4	380209-S(BB545H)	Bolt-3/8"-16 x 1 9/16" hex. washer hd.

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	PART NUMBER	PART NAME and DESCRIPTION
						7D044	DRUM - INTERMEDIATE BRAKE
66/67	A, B	8	390-2B		1	C9AZ 7D044-A	#No groove on O.D. of drum tabs-includes
66/67	A, S "Before 3/17/67"	8	390-4B		1		(1) C8AZ 7C099-A seal
66/67	B	8	390-4B exc.GT		1		
68/69	A, B, F, S	8	390		1		
70/71	A	8	390, 429-2B		1		
71	A	8	400		1		
71/	B, F	8	351		1		
72	A, B, S	8	400,429, 460		1		
72	A	8	400,429	1			Use w/#PJB
70	A, B, S	8	429-4B	1	1	C9SZ 7D044-A	#One groove on O.D. of drum tabs-includes (1)
71	A, S	8	429-4B		1		C8AZ 7C099-A seal
71	A	8	390	1			
71	A	8	429	1			Use with #PJB-F
71	A	8	400	1			
66/70	A	8	390	1			
67	"From 3/17/68"	8	390-4B		1		
66/69	A, S	8	428,429	1	1		
66/69	B, F	8	390 GT		1		
70	A	8	428P/C	1			
72	A	8	429	1			Use w/#PJC
70/71	B	8	429CJ		1	C9OZ 7D044-A	#Two grooves located on O.D. of drum tabs
71/	A	8	429	1			Use with #PJC-H1
71	F	8	429		1		
68/69	B, F	8	427,428		1		
70	F	8	428 CJ		1		
						7D046	BUSHING - INTERMEDIATE BRAKE DRUM
66/	A, B, F, S	8	All	1	1	C6AZ 7D046-B	Front-3 1/8" O.D.-2 15/16" I.D.-3/8" wide
				1	1	C6AZ 7D046-A	Rear-2 7/8" O.D.-2 3/4" I.D.-1 1/4" wide
66/	A, B, F, S	8	All	1	1	C3AZ 7052-A	SEAL - EXTENSION HOUSING OIL - 2 3/4" O.D.-1 11/16" I.D.-1 15/16" long
						7C053	GOVERNOR ASSY. - Also refer to Group 7C063 & 7D220
66	A, B, S	8	All-exc. GT&P/C	1	1	C6AZ 7C053-A	
66	A, B, S	8	All	1	1	377138-S(QQ16F)	Ring-1 9/16" dia.(governor to output shaft)
				1	1	97612-S(Q6)	Ring-13/16" retaining
						7060	SHAFT - OUTPUT
66/	A, B, F	8	All		1	C6AZ 7060-A	25-34-36-31 spline
66/70	A, B	8	All	1			
66/67	S	8	All		1		
71/	A	8	400,429	1			Use w/ #PJB
72	B	8	429	1			
71/	A	8	429P/C	1		D0VY 7060-A	26 3/4" long, 25-34-31-36 splines-use w/ #PJC
72	S	8	All		1		
68/71	S	8	All		1	C8SZ 7060-A	25-34-36-31 spline-23" long
66/	A, B, F, S	5&8	All	1	1	C6AZ 7E062-A	GASKET - OIL PAN SCREEN
						7C063	BODY ASSY. - GOVERNOR
66	A, B, S	8	All-exc. GT&P/C	1	1	C6AZ 7C063-A	
67/70	A	8	428P/C	1			
71/	F	8	351CJ		1		
66	A	8	428P/C	1		C6OZ 7C063-A	
66/68	B, F	8	390(GT)		1		
72	A, B	8	400		1	D2OZ 7C063-A	Use w/ #PJA-K, L, M
72	B	8	351W-2/B		1		Use w/#PGA-AZ and BA

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	PART NUMBER	PART NAME and DESCRIPTION
						7C063	BODY ASSY. - GOVERNOR - continued
67/68	A, B, F, S	8	All exc. CJ, GT & P/C	1	1	C7AZ 7C063-A	
69/70	A, B	8	390,429	1			
71	A	8	390	1			
71/	A	8	400	1			Use w/ #PJA-C,D,PJB-K
71	A	8	429	1			Use with #PJB-F,K1
69	A, B, F, S	8	390,429		1	C9AZ 7C063-A	
70/71	A, S	8	390,429		1		
70/71		8	429-4B		1		
71	A	8	400		1		
71	B, F	8	351 exc. CJ		1		
72	B	8	351 CJ		1		
72	B, F	8	351-2B		1		
72	A, B, S	8	400,429, 460		1		
72	A	8	400,429	1			Use w/#PJB
68/70	B, F	8	427, 428 CJ		1	D0OZ 7C063-A	
69	B	8	429 CJ		1		
70/71	B	8	429CJ		1	D0OZ 7C063-A	
71/	A	8	429	1			Use with #PJC-H,H2
71	F	8	429		1		
66/	A, B, F, S	8	All	4	4	20344-S8(B42)	Bolt-1/4"-20 x 3/4" (body to 7D220 oil collector)
				4	4	34805-S8(X62)	Lockwasher-1/4"
66/	A, B, F, S	8	All	1	1	C6AZ 7D063-A	GEAR - SUN - 36 teeth-2 1/16" dia.-2 7/8" long
66/	A, B, F, S	8	All	1	1	C6AZ 7D064-A	SHELL - INPUT - 34 internal teeth-7 3/8" dia.-3" wide at center
				1	1	377300-S(QQ105)	Ring-2" dia. retaining (shell to sun gear)
						7B066	PLATE - CLUTCH PRESSURE
66/	A, B, F, S	8	All	1	1	C6AZ 7B066-B	Direct drive clutch (#triangle depression on one tooth) - 26 teeth
				1	1		Forward clutch-rear
				1	1	C6AZ 7B066-A	Forward clutch-front (#triangle depression on face of plate) - 26 teeth
66/67	A, B, F, S	8	All	1	1	C6AZ 7B066-C	Reverse clutch-7/16" thick-#flat surface on both sides - 18 teeth
68/69	A	8	All	1			
68/69	B, F	8	428 CJ, 429 CJ		1		
70	A	8	390	1			
		8	428 P/C	1			
		8	429-4B	1			
	B	8	429-4B	1			
		8	429CJ		1		
	F	8	428CJ		1		
	S	8	429		1		
71/	A, B, F, S	8	All	1	1		
68/69	A, B, F, S	8	All exc. CJ		1	C8MY 7B066-A	Reverse clutch-9/16" thick-#bevelled surface on one side
70	A	8	390		1		
		8	429-2B		1		
		8	429-4B		1		
	B	8	429-4B		1		
66/	A, B, F, S						Retaining rings for pressure plates-selective fit
				AR	AR	377126-S(QQ95)	6 21/32" dia.-.067" thick
				AR	AR	377437-S(QQ98H)	.058" thick
				AR	AR	377127-S(QQ96)	.076" thick
				AR	AR	377128-S(QQ97)	.085" thick
				1	1	377444-S(QQ98B)	.094" thick
				1	1	377134-S(QQ99)	Reverse clutch-7 1/8" dia.-non-selective
				1	1	385044-S(QQ99A)	Reverse clutch-7 1/8" dia.-non-selective

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	PART NUMBER	PART NAME and DESCRIPTION
66/	A, B, F, S	8	All	1	1	C6AZ 7D066-A	WASHER - INPUT SHELL THRUST - 3 3/4" dia.-.040" thick
						7B067	HUB CLUTCH
66/	A, B, F, S	8	All	1	1	C6AZ 7B067-D	Forward ring gear-74 teeth on 4 1/2" O.D.-2 7/8" flange O.D.-1" long
				1	1	C6AZ 7B067-B	Reverse clutch-72 teeth on 5 1/2" O.D.-3 7/16" long-includes race, pins & hub
				AR	AR	377135-S (QQ-93D)	Required to attach 7B067
66/71	A, B, F, S	8	All	1	1	C4AZ 7D069-A	PLUNGER - MANUAL VALVE DETENT - 5/16" dia.-3/8" long
72	A, B, F, S	8	All	1	1	D2AZ 7D069-A	5/16" dia.-61/64" long
66/	A, B, F, S	8	All	1	1	C6AZ 7B070-B	SPRING - FORWARD CLUTCH PISTON DISC
				1	1	377127-S(QQ96)	Ring-6 21/32" dia.(to retain spring disc in cyl.)
66/	A, B, F, S	8	All	1	1	C6AZ 7D070-B	SPRING - PARKING PAWL RETURN
66/	A, B, F, S	8	All	1	1	C6AZ 7D071-A	SHAFT - PARKING PAWL - 1 13/16" long-1/2" dia.
66/	A, B, F, S	8	All	1	1	D5AZ 7D080-A	VALVE - THROTTLE CONTROL
66/	A, B, F, S	8	All	1	1	C6AZ 7E080-A	RETAINER - REVERSE CLUTCH PISTON BALL CHECK
66/	A, B, F, S	8	All	1	1	C6AZ 7086-A	GASKET - EXTENSION HOUSING
						7A089	CLUTCH KIT - OVERRUNNING
66/	A, B, F, S	8	All	1	1	D0AZ 7A089-A	Consists of: (16) rollers, (1) spring assy., (1) bushing
66/	A, B, F, S	8	All	1	1	C9AZ 7D090-A	WASHER - FORWARD CLUTCH HUB THRUST - 2 8/8" O.D.-2 3/16" I.D.
66/	A, B, F, S	8	All	1	1	C6AZ 7C096-A	WASHER - INTERMEDIATE BRAKE DRUM THRUST - 3 13/16" O.D.-2 13/16" I.D.
66/71	A, B, F	8	All	1	1	C6AZ 7A098-A	SCREEN - OIL PAN-*FT-37-without gasket
66/68	S	8	All		1		
72	B, F	8	All		1		
72	A	8	400,429	1	1		Use w/ #PJB
66/71	A, B, F	8	All	1	1	C6AZ 7A098-B	*FT-37-A-incl. (1) C6AZ 7A191-B gasket
66/68	S	8	All		1		
72	B, F	8	All		1		
72	A	8	400,429	1	1		Use with PJA, PJB trans.
69/	S	8	All		1	C6VY 7A098-A	*FT-38-without gasket
72	A	8	429P/C	1			Use w/ #PJC
69/	S	8	All		1	C6VY 7A098-B	*FT-38-A-incl. (1) C6AZ 7A191-B gasket
72	A	8	429P/C	1			Use w/ #PJC
						7C099	SEAL - CLUTCH PISTON OIL - INNER
66/67	A, B, F, S	8	All	1	1	C6AZ 7C099-A	Direct drive clutch-inner
68/	A, B, F, S	8	All	1	1	C8AZ 7C099-A	Direct drive clutch-inner
66/	A, B, F, S	8	All	1	1	377130-S99 (KK52C)	Used as forward clutch piston-inner
						7A100	CONTROL ASSY. - MAIN

Identification Marking * Motorcraft number

MAIN CONTROL IDENTIFICATION CHART

An identification number appears on a metal tag at the lower end of the main control assembly. The following chart will provide quick identification of the service part number when the identification number is known. The main control assembly may also be selected by year, model and description under Group 7A100 which follows this chart

MAIN CONTROL BODY IDENTIFICATION	SERVICE PART NUMBER
#AB	C6AZ 7A100-A
#AD	C6AZ 7A100-A
#AE	C7AZ 7A100-AD
#AF	C6AZ 7A100-A
#AG	C7AZ 7A100-AD
#AK	C7AZ 7A100-AD
#AL	C7AZ 7A100-AC
#AN	C7AZ 7A100-AD
#AP	C7AZ 7A100-AD
#AR	C7AZ 7A100-AD
#AS	C7AZ 7A100-AD
#AU	C7AZ 7A100-AD
#AV	C7AZ 7A100-AC
#AW	C7AZ 7A100-AC
#AX	C7AZ 7A100-AD
#AY	C7AZ 7A100-AD
#BA	C7AZ 7A100-AC
#BB	C7AZ 7A100-AD
#BC	C7AZ 7A100-AD
#BD	C7AZ 7A100-AD
#BF	C7AZ 7A100-AC
#BG	C7AZ 7A100-AD
#BH	C7AZ 7A100-AD
#BJ	C7AZ 7A100-AD
#BL	C7AZ 7A100-AD
#BM	C7AZ 7A100-AC

MAIN CONTROL BODY IDENTIFICATION	SERVICE PART NUMBER
#BN	C7AZ 7A100-AD
#BP	C7AZ 7A100-AD
#BS	C7AZ 7A100-AC
#BU	C7AZ 7A100-AD
#BW	C7AZ 7A100-AD
#BX	C7AZ 7A100-AD
#CA	D0OZ 7A100-E
#CC	D0AZ 7A100-F
#CD	D0AZ 7A100-F
#CE	C9OZ 7A100-A
#CH	C9AZ 7A100-M
#CJ	D0OZ 7A100-E
#CL	D0AZ 7A100-F
#CM	C9AZ 7A100-M
#CP	D0AZ 7A100-F
#CW	D2AZ 7A100-C
#CX	D2AZ 7A100-C
#CY	D4AZ 7A100-D
#CZ	D2AZ 7A100-C
#DE	D2OZ 7A100-D
#GL	C7AZ 7A100-AD
#GT	C9AZ 7A100-M
#GU	D0AZ 7A100-F
#HA	D0OZ 7A100-E
#HC	D2OZ 7A100-D

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	PART NUMBER	PART NAME and DESCRIPTION
						7A100	CONTROL ASSY. - MAIN - continued
66	A, B, S	8	390,428	1	1	C6AZ 7A100-A	#AB,AD,AF
67/68	A,S	8	390,428		1	C7AZ 7A100-AD	#AG,AK,AP,AS,AU,AY,BB,BC,BG,BH,BL,BN, BU,BW,BX,GL
66/68	B,F	8	All		1		#AE,AN,AR,AX,BD,BJ,BP
67/69	A	8	390,428	1		C9AZ 7A100-M	#AL,AV,AW,BA,BF,BM,BS,CH,CM
69/70	A	8	All	1		C9AZ 7A100-M	#CH, CM,GT
70	B	8	All	1			
71	A	8	390,400	1			
71	A	8	429	1			Use w/ #PJB-F
69/71	A,S	8	All		1	D0AZ 7A100-F	#CC,CD,CL,CP,GU
70/71	B	8	429-4B		1		
71	B,F	8	351		1		
68/70	B, F	8	427, 428 CJ, 429CJ		1	D0OZ 7A100-E	#CA , CJ,HA
71	A	8	429	1			Use with #PJC-H
71	B	8	429CJ		1		
71	F	8	429		1		
69	B, F	8	390		1	C9OZ 7A100-A	#CE
72	B,F	8	351		1	D2AZ 7A100-C	#CW,CX,CZ-use w/ #PJA-C,G,H,PJB-K1,
72	A,B	8	400,429	1	1		PJC-H,J
72	A,B	8	351W, 400	1	1	D2OZ 7A100-D	#DE ,HC
72	S	8	All		1	D4AZ 7A100-D	#CY,FU
66/	A, B, F, S	8	All	2	2	20464-S7(B43EA)	Bolt-1/4"-20 x 1 1/2" hx.hd.(control to case)
				6	6	20384-S8(B43)	Bolt-1/4"-20 x 1"

Identification marking

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	PART NUMBER	PART NAME and DESCRIPTION
						7D100	GASKET - VALVE BODY SEPARATOR PLATE
66	A, B, F, S	8	All exc. GT	1	1	C6AZ 7D100-B	
67	A, B, F, S	8	All	1	1	C7AZ 7D100-A	Use w/7A100 identified as #AG, #AR, #AS, #AW only
67/	A, B, F, S	8	All	1	1	C7AZ 7D100-D	Use w/all 7A100 except #AG, #AR, #AS, #AW
66/	A, B, F, S	8	All	1	1	C8AZ 7A103-B	PUMP ASSY. - FRONT OIL
				7	7	20426-S8(B55)	Bolt-5/16"-18 x 1 1/4" (pump to case)
						7A108	SUPPORT ASSY. - FRONT PUMP
66/	A, B, F, S	8	All	1	1	C9AZ 7A108-A	
66/	A, B, F, S	8	All	5	5	20346-S8(B50)	Bolt-5/16"-18 x 3/4" hx. hd. (support to pump)
						7A115	LEVER ASSY. - MANUAL CONTROL VALVE DETENT
66/71	A, B, F, S	8	All	1	1	C6AZ 7A115-A	
72	A, B, F, S	8	All	1	1	D2AZ 7A115-A	
66/	A, B, F, S	8	All	1	1	377330-S (MM169K)	Nut-9/16"-18 (lever assy. to 7A256 lever)
66/67	A, B, F, S	8	All	1	1	C6AZ 7A135-A	VALVE and SPRING KIT - CONVERTER PRESSURE RELIEF - includes: (1) valve & (1) spring
66/	A, B, F, S	8	All	1	1	C6AZ 7A136-A	GASKET - FRONT OIL PUMP TO CASE
						7153	GASKET and OIL SEAL KIT
66	A	8	All	1		C6AZ 7153-B	Consists of: (1) C6AP 7D025-C seal, (1) C6AP 7D100-C gasket
66/67	*A, B, F, S	8	All	1	1	C6AZ 7153-F	

Consists of the following

OIL SEALS			GASKETS
1-B8AZ 7A011-A	1-C6AZ 7D025-F	1-C6AZ 7A548-A	1-D4AZ 7D026-A
3-C4AZ 7D011-A	1-C6AZ 7D025-H	1-C6AZ 7A548-B	1-C6AZ 7E062-A
2-C6AZ 7D019-A	1-C6AZ 7C099-A	1-1P 77265-B	1-C6AZ 7086-A
1-C6AZ 7D024-C	1-C2AZ 7A248-A	1-87034-S94	1-C6AZ 7D100-B
1-C6AZ 7D024-E	1-C6AZ 7A248-A	1-352789-S	1-C6OZ 7D100-A
1-C6AZ 7D024-F	1-C6AZ 7D403-A	1-375185-S100 (nut)	1-C7AZ 7D100-A
1-C6AZ 7D024-G	1-C6AZ 7D404-A	1-377130-S98	1-C7AZ 7D100-D
2-C6AZ 7D025-A	1-C7AZ 7B498-A	2-377159-S	1-C6AZ 7A136-A
1-C6AZ 7D025-E			1-C6AZ 7A191-B
			1-C1AP 7B426-A

68/	⊕A, B, F, S	8	All	1	1	C8AZ 7153-E	

Consists of the following

OIL SEALS			GASKETS
1-B8AZ 7A011-A	1-C6AZ 7D025-J	1-C6AZ 7A548-A	1-D4AZ 7D026-A
3-C4AZ 7D011-A	1-C8OZ 7D025-A	1-C8AZ 7A548-C	1-C6AZ 7E062-A
2-C6AZ 7D019-A	1-C8AZ 7C099-A	1-1P 77265-B	1-B3TZ 7086-A
1-C6AZ 7D024-C	1-C2AZ 7A248-A	1-87034-S94	1-C6AZ 7086-A
1-C6AZ 7D024-E	1-C6AZ 7A248-A	1-352789-S	1-C7AZ 7D100-D
1-C6AZ 7D024-H	1-C7SZ 7341-A	1-375185-S100 (nut)	1-C6AZ 7A136-A
1-C8OZ 7D024-A	1-C8AZ 7D403-A	1-377130-S94	1-C6AZ 7A191-B
2-C6AZ 7D025-A	1-C7AZ 7D404-A	2-377159-S	1-C1AP 7B426-A
1-C6AZ 7D025-E	1-C7AZ 7B498-A	1-87056-S94	
1-C6AZ 7D025-G		1-87066-S94	

66/	A, B, F, S	8	All	1	1	C6AZ 7A153-A	GEAR - OUTPUT SHAFT RING - 74 teeth-5" dia.-1 11/16" long
				1	1*	377132-S(QQ94A)	Ring-retaining 4 11/16" dia. (gear to hub)

* For 1966 only, use C6AZ 7153-B kit also ⊕ For 1972 with PJC trans. also order D2AZ 7D024-A seal

7B164 PLATE - CLUTCH INTERNAL AND EXTERNAL SPLINE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	INTERNAL SPLINE PLATE (FRICTION)- 7B164	Qty. Req'd	EXTERNAL SPLINE PLATE (STEEL) - 7B442	Qty. Req'd
	FORWARD CLUTCH								
66/67	A, B, F, S "Before 5/10/67"	8	390		x	C6AZ 7B164-B (57 teeth)	4	C6AZ 7B442-A (26 spline)	3
66/71	A "Before 5/18/71"	8	390,400	x		D2AZ 7B164-A (90 teeth)	5	C6AZ 7B442-C	4
66/67	A, S	8	428	x	x		5		4
67	A, B, F, S "From 5/10/67"	8	390		x		4		3
68/69	A, B, F, S	8	All exc. 390 & 429-2B	x	x		5		4
69	A	8	429-2B		x		4		3
68/71	A, B, F, S "Before 5/18/71"	8	390,400		x		4		3
70/71	A, B, F, S "Before 5/18/71"	8	428 CJ, 428 P/C, 429 CJ, 429-4B	x	x		5		4
70/71	A, B, F "Before 5/18/71"	8	351,429 -2B		x		4		3
71/	B, F "From 5/18/71"	8	351		x	D2AZ 7B164-A	3	C6AZ 7B442-C	2
71/	A, B, S "From 5/18/71"	8	400,429, 460		x		3		2
71	A "From 5/18/71"	8	400,429	x			4		3
72	A Use w/#PJA	8	400,429	x			3		2
72	A Use w/#PJB, PJC	8	429	x			4		3
	DIRECT CLUTCH								
66	A, B, S	8	390 Exc.GT		x	C8AZ 7B164-H	3	C6AZ 7B442-A	3
66/71	A	8	390	x			4		4
66/69	A, S	8	428,429	x	x		4		4
66	B	8	390 GT		x		4		4
67	A, B	8	390-2B		x		3		3
67	A, S	8	390-4B		x		3or4		3or4
68/71	A, B, F, S	8	390		x		3		3
67	B, F	8	390-4B		x		3		3
68/71	B, F	8	427, 428 CJ, 429 CJ		x		5		5
70/71	A, B, S	8	428 P/C, 429	x	x		4		4
70/71	A, B, F	8	351,400, 429-4B		x		3		3
71	A	8	400,429	x			4		4
71	A	8	429 P/C	x			5		5
72	B, F	8	351		x		3		3
72	A, B, S	8	400,429, 460		x		3		3
72	A Use w/#PJB	8	400,429	x			3		3
72	A Use w/#PJC	8	429	x			4		4

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

7B164 PLATE - CLUTCH INTERNAL AND EXTERNAL SPLINE - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	INTERNAL SPLINE PLATE (FRICTION) - 7B164	INTERNAL SPLINE PLATE Qty. Req'd	EXTERNAL SPLINE PLATE (STEEL) - 7B442	EXTERNAL SPLINE PLATE Qty. Req'd
	REVERSE CLUTCH								
66/67	A, B, F, S	8	390		x	C6AZ 7B164-C	5	C6AZ 7B442-B	5
66/67	A, S	8	428	x	x		6	(18 spline)	5
36/67	A	8	390	x			6		5
68/69	A, B, F, S	8	390, 429-2B		x		▲4		▲4
68/69	A, S	8	428, 429-4B		x		▲5		▲5
68/69	A	8	390,428	x			♦6		♦6
68/69	B, F	8	427, 428 CJ, 429 CJ		x		♦6		♦6
70	A, B, F	8	390,428 P/C,429 -4B	x			6		6
70	A, B, S	8	429-4B		x		5		5
70	B, F	8	428 CJ, 429 CJ		x		6		6
70/71	A, B, F	8	351,390, 400,429 -2B		x		4		4
71	A	8	390,400	x			5		5
71	A, B, F, S	8	429-4B, 429 P/C, 429 CJ	x	x		5		5
72	A	8	400, 429 P/C	x			5		5
72	B, F	8	351		x		4		4
72	A, B, S	8	400,429, 460		x		4		4

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	PART NUMBER	PART NAME and DESCRIPTION
66/	A, B, F, S	8	All				Snap ring-clutch plate retaining-selective fit-forward & direct clutch
				AR	AR	377437-S(QQ98H)	.058" thick
				AR	AR	377126-S(QQ95)	.067" thick
				AR	AR	377127-S(QQ96)	.076" thick
				AR	AR	377128-S(QQ97)	.085" thick
				AR	AR	377444-S(QQ98B)	.094" thick
				1	1	377134-S(QQ99)	Reverse clutch-non selective-.076" thick

▲ Use with C8MY 7B066-A 9/16" thick reverse clutch pressure plate
♦ Use with C6AZ 7B066-C 7/16" thick reverse clutch pressure plate
Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	PART NUMBER	PART NAME and DESCRIPTION
66/	A,B,F,S	8	All	1	1	C9AZ 7D164-A	HUB - OUTPUT SHAFT - 74 helical teeth-34 spline -1" or 1/4" collar acceptable
				1	1	377137-S(QQ16E)	Ring-1 1/2" dia. (hub to output shaft)
						7A166	WASHER - PLANET CARRIER THRUST
66/	A, B, F, S	8	All	1	1	C6AZ 7A166-A	Used as forward planet carrier
66/71	A, B, F, S	8	390, 429-2B		2		Used as reverse planet carrier front & rear-#6 tabs
71	A	8	400		2		
71/	B, F	8	351		2		
72	A, B, S	8	400,429	2	2		Use w/ #PJA, PJB
66/71	A	8	390	2		C6SZ 7A166-A	Used as reverse planet carrier front & rear-#4 tabs
66/71	A, B, F, S	8	428,429, 429-4B, 429CJ	2	2		
71	A	8	400,429	2			
72	A, B, S	8	429,460	2	2		Use w/#PJC, PJD
66/	A, B, F, S	8	All	5	5	C6AZ 7D167-A	BOLT - OVERRUNNING CLUTCH TO CASE - 5/16"-24 x 2" hx. hd.
						7D171	RACE - OVERRUNNING CLUTCH - INNER
66/67	A, B, F, S	8	All	1	1	C9AZ 7D171-A	
68	A, B, F, S	8	All exc. P/C&CJ	1	1		
68	A	8	428P/C	1			Use w/all exc. #PGB-AJ model
69	A, S	8	390,429	1	1		
69	B, F	8	390GT		1		Use w/#PGA-V, W, Y models
70/	A, B, F, S	8	All	1	1		
68/69	B, F	8	428 CJ		1	C8OZ 7D171-A	
68	A	8	428P/C	1			Use w/#PGB-AJ
69	A	8	428P/C	1			Use w/#PGB-F2 model only
69	B, F	8	390GT		1		Use w/#PGA-AC, AD, AE models only
66/	A, B, F, S	8	All	1	1	C6AZ 7A178-A	SCREW - REVERSE BAND ADJUSTING - 9/16"-12 x 3 7/16"-5/16" square head
66/	A, B, F, S	8	All	1	1	375185-S100 (MM295N)	Nut & washer-9/16"-12 (screw to case)-sealing side has polyvinyl sealer
						7190	ROLLER - CONVERTER STATOR CLUTCH - Refer to Group 7A813
68/	A, B, F, S	8	All	1	1	C8AZ 7A190-A	RETAINER - GOVERNOR PRIMARY SPRING
66/	A, B, F, S	8	All	1	1	C6AZ 7A191-B	GASKET - OIL PAN TO CASE
66/	A, B, F, S	8	All	1	1	C6AZ 7A194-A	PAN ASSY. - OIL
				17	17	378782-S (BB543D)	Bolt-5/16"-18 x 9/16" (pan to case)
66/	A, B, F, S	8	All	1	1	C7AZ 7E206-A	RETAINER - INTERMEDIATE BAND SERVO LEVER
72	A, B-California only	8	400	1	1	D2AZ 7D217-A	GOVERNOR and CONTROL KIT - REPAIR

Consists of

(1) D1OZ 7D028-A Spring
*(1) C8VP 7D217-A Spring
*(1) C8TP 7E228-A Plug
*(1) C8VP 7A286-A Spring
(1) Tech letter FT-551

66/	A, B, F, S	8	All	1	1	C4AZ 7D218-B	RETAINER - GOVERNOR SECONDARY VALVE SPRING

Identification marking
* Not serviced loose

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	PART NUMBER	PART NAME and DESCRIPTION
67/	A, B, F, S	8	All	1	1	C7AZ 7D220-A	BODY - GOVERNOR OIL COLLECTOR - Also refer to Group 7C063
						7D227	SPACER - THROTTLE PRESSURE VALVE SECONDARY
67/	A, B	8	All	1			
66/	A, B, F, S	8	All		1	C4AZ 7D227-A	
66	A	8	All	1		C6AZ 7D227-A	
						7A228	TUBE - OIL FILLER
66	A	8	All	1	1	C6AZ 7A228-A	17 13/16" long-3/4" dia.
67/68	A	8	All Exc.P/C	1	1		
67/68	A	8	428P/C	1		C7AZ 7A228-A	17 13/16" long-13/16" dia.
69/71	A	8	390,428	1	1	C9AZ 7A228-D	
69/70	A	8	429		1	C9AZ 7A228-A	
71	A	8	400	1	1	*D1AZ 7A228-A	#Silver-17 15/16" long-r/b D1AZ 7A228-B(4/74)
71	A	8	429	1	1	D1AZ 7A228-B	18 1/32" long
72	A	8	429P/C	1			Use w/ #PJC
72	A	8	400	1	1	D2AZ 7A228-A	
72	A	8	429		1		
72	A	8	429	1			Use w/ #PJB
66/69	B "Before 11/15/68"	8	All		1	C8OZ 7A228-A	
69	B "From 11/15/68"	8	All		1	C9OZ 7A228-C	#Yellow
70/71	B	8	429	1	1	D0OZ 7A228-D	
71	B	8	351		1	D1OZ 7A228-A	18 1/64" long
72	B	8	351		1	D2OZ 7A228-D	17 15/16" long
72	B	8	400,429	1	1	D2OZ 7A228-C	17 15/16" long
67/69	F	8	All		1	C8ZZ 7A228-A	
70	F	8	428		1	D0ZZ 7A228-A	
71/	F	8	351,429		1	D1ZZ 7A228-A	#Yellow-18 3/64" long
66	S	8	All		1	*C6SZ 7A228-A	Not replaced
67	S	8	All		1	C7SZ 7A228-A	
68/69	S	8	390, 429-2B		1	C8SZ 7A228-B	
68/69	S	8	429-4B		1	C8SZ 7A228-A	Use w/#PGB-J, J1 only
69	S	8	429-4B		1	C9SZ 7A228-A	Use w/#PGB-AL
70/71	S	8	All		1		
72	S	8	All		1	D2OZ 7A228-C	17 15/16" long
66/	A, B, F, S	8	All	1	1	87034-S94(T1A)	Seal-"O" ring (tube to case)
66/	A, B, F, S	8	All	1	1	C6AZ 7C232-A	SLEEVE - OIL DISTRIBUTOR
				4	4	20386-S8(B53)	Bolt-5/16"-18 x 1" (sleeve to case)
66/	A, B, F, S	8	All	1	1	C6AZ 7A233-B	GEAR - OUTPUT SHAFT PARKING
66/	A, B, F, S	8	All	1	1	C6AZ 7D234-A	BEARING - SUN GEAR THRUST - (used as forward planet thrust brg.)-2 1/16" O.D.-1 3/8" I.D.-includes 42 rollers
66/	A, B, F, S	8	All	1	1	C6AZ 7D235-A	RACE - SUN GEAR THRUST BEARING - (used as forward planet thrust bearing rear race)-2" O.D.-1 7/16" I.D.
66/	A, B, F, S	8	All	1	1	C6AZ 7D236-A	RACE - SUN GEAR THRUST BEARING - (used as forward planet thrust bearing front race)-2 1/8" O.D.-1 7/16" I.D.

Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	PART NUMBER	PART NAME and DESCRIPTION
						7A246	Refer to Group 7034
						7A248	SEAL - FRONT OIL PUMP
66/	A, B, F, S	8	All	1	1	C6AZ 7A248-A	Large-10 5/16" O.D.-9 1/2" I.D.
				1	1	C2AZ 7A248-A	Small-2 3/4" O.D.-2" I.D.
						7A256	LEVER ASSY. - MANUAL CONTROL
66	A-column shift	8	All	1	1	C6AZ 7A256-A	
	A-floor shift	8	All		1	C6AZ 7A256-B	
67/68	A-column shift	8	All	1	1	C7AZ 7A256-B	
	A-floor shift	8	All		1	C6OZ 7A256-B	
69	A-floor shift	8	All		1	C9AZ 7A256-A	
	A-column shift	8	All	1	1	C9AZ 7A256-D	
70/71	A-column shift	8	All	1	1	D0AZ 7A256-C	
	A-floor shift	8	All		1	D0AZ 7A256-E	
72	A-column shift	8	All	1	1	D2AZ 7A256-A	
66	B-column shift	8	All		1	C6OZ 7A256-A	
67	B-column shift	8	All		1	C7OZ 7A256-B	
68/69	B-column shift	8	All		1	C8OZ 7A256-B	
66/69	B-floor shift	8	All		1	C6OZ 7A256-B	
70/71	B-column shift	8	All	1	1	D0OZ 7A256-C	
	B-floor shift	8	All		1	D0OZ 7A256-F	
72	B-floor shift	8	All		1	D2OZ 7A256-A	
	B-column shift	8	All		1	D2SZ 7A256-A	
66/69	F	8	All		1	C6OZ 7A256-B	
70/71	F	8	All		1	D0ZZ 7A256-D	
72	F	8	All		1	D2ZZ 7A256-A	
66	S	8	All		1	C6SZ 7A256-A	
67/69	S	8	All		1	C7AZ 7A256-B	
70/71	S	8	All		1	D0SZ 7A256-A	
72	S	8	All		1	D2SZ 7A256-B	
66/	A,B,F,S	8	All	1	1	C6AZ 7D256-B	RING - FORWARD CLUTCH PISTON SPRING
66/	A,B,F,S	8	All	1	1	C6AZ 7B258-A	BUSHING - FRONT OIL PUMP
						7A261	SPRING - MANUAL CONTROL VALVE DETENT LEVER
66/71	A, B, F, S	8	All	1	1	C4AZ 7A261-A	3/4" free length-10 coils-5/16" O.D.
72	A, B, F, S	8	All	1	1	D2AZ 7A261-A	
66/71	A, B, F, S	8	All	1	1	354262-S(NN87)	Pin-3/32" x 3/4" (retain spring in valve body)
72	A, B, F, S	8	All	1	1	376562-S (BB541A)	Bolt and washer assy.-1/4"-20 x 1/2" hex. head
						7D261	LEVER ASSY. - DOWNSHIFT DETENT INNER
66/69	A, B, F, S	8	All	1	1	C6AZ 7D261-A	
70/	A, B, F, S	8	All	1	1	D0AZ 7D261-B	
66/	A, B, F, S	8	All	1	1	33798-S8(M62)	Nut-5/16"-24 (lever to 7A394)
				1	1	34806-S7(X64)	Lockwasher-5/16"
66/68	A, B, F, S	8	All	1	1	378261-S(PP58B)	Cup-7/32" (to plug check ball hole)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	PART NUMBER	PART NAME and DESCRIPTION
						7A262	PISTON - FORWARD CLUTCH
66/	A, B, F, S	8	All	1	1	C6AZ 7A262-A	Forward clutch
		8	All	1	1	C9AZ 7A262-B	Direct drive clutch
						7D273	CONNECTOR - OIL COOLER TUBE
69	A,B,F,S "Before 11/15/68"	8	All	AR	AR	C9AZ 7D273-B	1/4"-18 male x 1/2"-28 female thread-7/8" long straight connector
66/68	A,B	8	All	1	1		
67/68	S 'From 2/1/67"	8	All		1		
72	B	8	351-2B	2	2		Use w/ #PGA-AW,AY
69/	A,F,S "From 11/15/68"	8	All	AR	AR	C3AZ 7D273-A	1/8"-27 x 7/16" male x 1/2"-20 x 5/16" female thread, 13/16" long straight connector
69/	B	8	All exc. 351-2B	AR	AR		
67/69	F	8	All		AR	C9ZZ 7D273-B	1/4"-18 male x 1/2"-20 female thread-90° elbow connector
70/	F	8	All		AR	C9ZZ 7D273-A	1/2"-20 x 5/16" female & 1/8"-27 x 9/16" male thread-90° elbow-includes lock nut
66/67	S "Before 2/1/67"	8	All		1	C6AZ 7D273-B	90° elbow-3/8" I.D.-18 & 1/4" I.D.-18-includes "O" ring
66/	A, B, F, S	8	All	1	1	352790-S(MM41A)	Nut-1/4"-18 (connector to tube)
				1	1	377159-S(KK48A)	Seal-"O" ring-15/32" I.D.
				1	1	380892-S(KK43B)	Seal-"O" ring-11/32" I.D.
						7328	Refer to Group 7C389
						7330	Refer to Group 7D021
						7341	INSULATOR - GEAR SHIFT ARM
70	A(column shift)	8	390	1	1	C7SZ 7341-A	
		8	428P/C	1			
		8	429-2B		1		
		8	429-4B	1	1		
	B(column shift)	8	429-4B	1	1		
		8	429-CJ		1		
	S(column shift)	8	429		1		
71	A,B,S(column shift)	8	All	1	1		
72	A,B(column shift)	8	All	1	1		
72	S	8	All		1	D2SZ 7341-A	
						7A360	CYLINDER - FORWARD CLUTCH
69/	A	8	429-2B		1	C9AZ 7A360-A	# no groove on large O.D.-on large I.D. the distance for clutch pack between the inner & outer snap ring groove is 1 1/8"
69/71	A,B,F,S	8	390		1		
71	A	8	400		1		
71	B,F	8	351		1		
72	B,F	8	351		1		
72	A,B	8	400,429		1		

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	PART NUMBER	PART NAME and DESCRIPTION
						7A360	CYLINDER - FORWARD CLUTCH - continued
66/69	A,B,F,S	8	427,428		1	C9SZ 7A360-A	#one groove on large O.D.-on large I.D.
66/69	A	8	All	1			the distance for clutch plate pack between the
69/70	A	8	390	1			inner & outer snap ring groove is 1 1/4"
		8	428P/C	1			
		8	429-4B	1	1		
	B,F,S	8	428,429	1	1		
71	A "Before 5/18/71"	8	390	1			
		8	400	1			
		8	429-4B	1	1		
	B,F,S "Before 5/18/71"	8	429		1		
71/	B,F "From 5/18/71"	8	351		1	★D2AZ 7A360-A	# two grooves 3/32" wide on large O.D.-28 teeth
71/	A,B,S "From 5/18/71"	8	400,429, 460		1	r/b D5AZ 7A360-A(1/75)	in 30 tooth blank on internal spline (for input shaft)- use with D2AZ 7017-A only
72	A	8	400,429	1			Use w/#PJB
71	A "From 5/18/71"	8	400,429	1		D2AZ 7A360-B	# no groove on large O.D.-30 tooth blank on internal spline (for input shaft)- use with D2AZ 7017-A only
72	A,B	8	429	1			Use w/#PJC
66/	A,B,F,S	8	All	1	1	C6AZ 7B368-A	WASHER - OUTPUT SHAFT THRUST - REAR- 1 3/4" I.D. x 3 1/4" O.D.
						7A377	DIAPHRAGM ASSY. - VACUUM THROTTLE VALVE
66/72	A,B,F "Before 7/17/72"	8	All	1	1	C4AZ 7A377-B	(TM-2)
69/72	S "Before 7/17/72"	8	All		1		
66/68	S	8	All		1	♦C6AZ 7A377-A	(TM-3)
72	A,B,F,S "From 7/17/72"	8	All	1	1	D3TZ 7A377-A	Push in type-includes (1) 7A380 rod
72	A,B,F,S	8	All	1	1	87031-S91	"O" ring-use with push in type
68	♠A,F,S	8	All		1	TP-10	Use w/#PGA-A2, B3, C2, J2, K3, M2, P2, R2,
68/69	♠B	8	All		1		S; PGB-A,AF,AG,AH,B2, F1, G1, H1, W, Y, Z
68	♠S	8	All		1	♦TP-11	Use w/#PGB-J
66/	A,B,F,S	8	All	1	1	C4AZ 7A380-A	ROD - THROTTLE CONTROL VALVE - 1 11/16" long-1/8" dia.
						7E387	SCREEN - MAIN CONTROL PUMP INLET
70/	A,B,F,S	8	All	1	1	D0AZ 7E387-A	
						7C389	ROD - GEAR SELECTOR VALVE
66	A,B,F,S	8	All exc. GT	1	1	★C6AZ 7C389-A	
67	A,B,F,S	8	All	1	1	C6OZ 7326-P	
68/71	A,B,F,S	8	All	1	1	C9AZ 7326-F	
66	B	8	390(GT)		1		
72	A,B,F,S	8	All	1	1	D2AZ 7326-A	5 13/16" long
						7D392	GEAR - FORWARD RING
66/67	A,B,F,S "Before 5/10/67"	8	All	1	1	★C6AZ 7D392-A	57 spline teeth-r/b D2AZ 7B164-A & C7AZ 7D392-A
67/	A,B,F,S "From 5/10/67"	8	All	1	1	▲C7AZ 7D392-A	96 spline teeth
66/	A,B,F,S	8	All	1	1	377132-S (QQ94A)	Ring-4 21/32" dia.(to retain gear in hub)
						7A394	LEVER ASSY. - DOWNSHIFT CONTROL
66/69	A	8	All	1	1	C6AZ 7A394-B	
70/	A	8	All	1	1	D0AZ 7A394-A	
66/69	B	8	All		1	C6OZ 7A394-A	
70/	B	8	All	1	1	D0OZ 7A394-B	
67/68	F	8	All		1	C4DZ 7A394-A	
69	F	8	All		1	C6AZ 7A394-B	
70/71	F	8	All		1	D0OZ 7A394-B	
72	F	8	351CJ		1		
72	F	8	351-2B		1	D2ZZ 7A394-A	
66	S	8	All		1	C6SZ 7A394-A	
67/69	S	8	All		1	C6AZ 7A394-B	
70/	S	8	All		1	D0AZ 7A394-A	
66/	A,B,F,S	8	All	1	1	★C6AZ 7A398-B r/b D5AZ 7A398-A(1/75)	PLANET ASSY. - FORWARD

♠ Canada only # Identification marking ▲ Also requires D2AZ 7B164-A when used to replace C6AZ 7D392-A
♦ Use as service fix for vehicles in high altitude area only after 1968

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	PART NUMBER	PART NAME and DESCRIPTION
66/	A,B,F,S	8	All	1	1	C6AZ 7D402-A	PISTON - REVERSE CLUTCH
66/	A,B,F,S	8	All	1	1	C8AZ 7D403-A	SEAL - REVERSE CLUTCH PISTON - OUTER - 6 3/8" I.D. x 6 7/8" O.D.
						7D404	SEAL - REVERSE CLUTCH PISTON - INNER
66/67	A,B,F,S	8	All	1	1	C6AZ 7D404-A	3 1/2" O.D.-3 3/16" I.D.
68/	A,B,F,S	8	All	1	1	C7AZ 7D404-A	3 1/2" O.D.-3 3/16" I.D.
66/	A,B,F,S	8	All	24	24	C6AZ 7D405-A	SPRING - REVERSE CLUTCH PISTON RETURN - 1 1/8" free length-12 coils
66/	A,B,F,S	8	All	1	1	C6AZ 7D406-A	RETAINER - REVERSE CLUTCH SPRING
				1	1	377133-S (QQ31B)	Ring-3 3/8" dia.(retainer to piston)
						7D411	ROD - PARKING PAWL ACTUATING
66/71	A,B,F,S	8	All	1	1	C6AZ 7D411-A	
72	A,B,F,S	8	All	1	1	D2AZ 7D411-A	
				1	1	380505-S(QQ14B)	Ring-5/16" dia.(rod to 7A115 lever)
						7D414	PLATE ASSY. - PARKING ROD SUPPORT
66/69	A,B,F,S "Before 6/15/69"	8	All	1	1	C8AZ 7D414-A	
69/	A,B,F,S "From 6/15/69"	8	All	1	1	C9AZ 7D414-A	Includes 1- C9AZ 7D417-A spring
						7D417	SPRING - PARKING PLATE TORSION
66/69	A,B,F,S "Before 6/15/69"	8	All	1	1	C6AZ 7D417-A	
69/	A,B,F,S "From 6/15/69"	8	All	1	1	C9AZ 7D417-A	
66/	A,B,F,S	8	All	1	1	C6AZ 7D418-A	SHAFT - PARKING PLATE
				1	1	EAA 6572-A	Plug-parking plate shaft
66/	A,B,F,S	8	All	1	1	C6AZ 7D419-A	PLATE - PARKING ROD GUIDE
				2	2	20326-S7(B49)	Bolt-5/16"-18 x 5/8" (plate to case)
						7D422	WASHER - OUTPUT SHAFT HUB THRUST
66/69	A,B,F,S	8	All	1	1	C6AZ 7D422-B	
70/	A,B,F,S	8	All	1	1	C9AZ 7D422-A	
						7B426-A	GASKET - THROTTLE VALVE DIAPHRAGM
66/	A,B,F,S	8	All	1	1	C1AP 7B426-A	Use with threaded diaphragm
72	A,B,F,S	8	All	1	1	D2AZ 7B426-A	Use with push-in diaphragm
						7D430	Refer to Group 7D029
66/	A,B,F,S	8	All	1	1	C6AZ 7D433-A	SHAFT - INTERMEDIATE BAND ACTUATING LEVER
66/	A,B,F,S	8	All	1	1	D1AZ 7A441-A	PAWL - PARKING
						7B442	Refer to Group 7B164

YEAR	MODEL		ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	PART NUMBER	PART NAME and DESCRIPTION
							7B488	SPRING - DIRECT DRIVE CLUTCH PISTON
66/71	A, S	"Before 9/13/70"	8	All		18	C6AZ 7B488-B	Approx. 1 1/4" free length-15 coils
66/71	A	"Before 9/13/70"	8	390	18			
66/67	A	"Before 4/1/67"	8	428 P/C	18			
66/69	B, F		8	390(exc. GT)		18		
66/67	B, F	"Before 4/1/67"	8	390(GT)		18		
70	B		8	429 exc. CJ		18		
71	A	"Before 9/13/70"	8	400	18			
71	A	"Before 9/13/70"	8	429	18			Use w/#PJB-F
71	B		8	351		18		
71	F		8	351		18		Use w/#PGA-AH,AU
71	A,S	"From 9/13/70"	8	390,400, 429 exc. P/C	12	12	★D1AZ 7B488-A	Approx. 1 21/64" free length-14 coils-#Green - r/b C7ZZ 7B488-A(3/74)
67/70	A	"From 4/1/67"	8	428 P/C	18		C7ZZ 7B488-A	Approx. 1 7/16" free length-15 coils
67/69	B, F	"From 4/1/67"	8	390(GT)		18		
67/70	B, F	"From 4/1/67"	8	427, 428CJ, 429CJ		18		
71	A		8	429 P/C	18			Use w/#PJC-H
71	B		8	429CJ		18		
71	F		8	429		18		
71	F		8	351		10		Use w/#PGA-AV
72	B,F		8	351CJ		18		
72	F		8	351-2B		10		
72	A		8	429 P/C	18			Use w/ #PGC
72	A		8	429		10		
72	A		8	400,428	10			Use w/ #PJB
72	B,S		8	400,429, 460		10		
72	B		8	351-2B	10	10		Use w/ #PGA-AW,AY
							7B498	SEAL - MANUAL CONTROL LEVER - OIL
66/	A, B, F, S		8	All	1	1	C7AZ 7B498-A	
66/	A, B, F, S		8	All	1	1	C6AZ 7A527-A	RETAINER - DIRECT DRIVE CLUTCH PISTON SPRING
					1	1	377136-S(QQ92B)	Ring-3 1/2" dia.(retainer to piston)
							7A548	SEAL - CLUTCH PISTON - OIL OUTER
66/	A, B, F, S		8	All	1	1	C6AZ 7A548-A	5 7/8" O.D.-.080" thick-used on forward clutch piston
66/	A, B, F, S		8	All	1	1	C8AZ 7A548-C	5 7/8" O.D.-.097" thick-used on direct drive clutch piston
							7A813	ROLLER - CONVERTER STATOR CLUTCH
66/	A, B, F, S		8	All	8	8	•C4AZ 7190-B	
66/	A, B, F, S		8	All	8	8	•B9AZ 7A814-A	SPRING CONVERTER STATOR CLUTCH
							7902	CONVERTER ASSY.
66	A, S		8	428	1	1	C8OZ 7902-A	#28, #29, #52, #53-also requires C6AZ 6375-B C8OZ 7902-A converter and C6AZ 6375-B flywheel assy.
67	A, S		8	428	1	1	C7AZ 7902-D	#38, #42, #51, #52

• Reconditioners only
Identification marking

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QTY. FLEET, P/C & TAXI	QTY. PASS.	PART NUMBER	PART NAME and DESCRIPTION
						7902	CONVERTER ASSY. - continued
66/70	A, B, F, S	8	All	1	1	C8OZ 7902-A	#26,#31,#37,#43,#44,#45,#46,#50,#53,#55, #58,#59,#63,#66,#62
71	A, B, F, S	8	All exc. 351,400	1	1		
71/	A	8	400	1	1	D1AZ 7902-A	#64, #65, #70
71/	B,F	8	351 exc. CJ		1		
72	A, B, S	8	400,429, 460	1	1		
71/72	B, F "Before 5/25/72"	8	351CJ		1	★D1ZZ 7902-A	#67,#69-8 stud - replaced by D2OZ 7902-A-4 stud-(1-73)
72	B, F "From 5/25/72"	8	351CJ		1	D2OZ 7902-A	#67, #69, #CB
66/	A, B, F, S	8	All	1	1	87837-S(P15)	Plug-1/4"-18 (converter drain plug)
66/67	A, B, F, S	8	All	1	1	●C5AZ 7915-A	HUB - CONVERTER IMPELLER
66/	A, B, F, S	8	All	1	1	C2AZ 7932-B	STATOR ASSY. - CONVERTER
66/68	A, B, F, S	8	All	AR	AR	●C6AZ 7937-D	WASHER - TURBINE TO COVER FRONT THRUST-1 5/16"I.D.-2 3/4" O.D.-.090" thick-#yellow
						7937	WASHER - CONVERTER STATOR FRONT AND REAR THRUST
66/67	A, B, F, S	8	All	AR	AR	C5AZ 7937-D	#C5AP 7937-B
				AR	AR	C5AZ 7937-E	#C5AP 7937-A or #C7AP 7937-A
67	A, S	8	428	1	1	●C6AZ 7937-GMR	3 25/32" O.D.-2" I.D.-17/32" wide-aluminum
68	A, B, F, S	8	All exc. CJ	2	2	●C7DZ 7937-A	#C7DP 7937-A
68	B, F	8	428 CJ		2	●C7DZ 7937-B	#C8OP 7937-A
69	A, B, F, S	8	All		1		
70/	A, B, F, S	8	All	1	1	●C6AZ 7937-AMR	2 25/32" O.D. -1 5/16" I.D. -.062" wide-#green
						●C6AZ 7937-BMR	-.070" wide-#natural
						●C6AZ 7937-CMR	-.079" wide-#red
						●C6AZ 7937-DMR	-.087" wide-#yellow
						●C6AZ 7937-EMR	-.096" wide-#blue
71	F	8	351		1	C5AZ 7937-E	#C5AP 7937-A or #C7AP 7937-A
72	A	8	400,429	2			
72	A	8	400,429	1		C7AZ 7937-AMR	
66/	A, B, F, S	8	All	2	2	● 1P 7945-A	SNAP RING - CONVERTER STATOR CLUTCH RETAINING
66/71	A, B, F, S	8	390	1	1	●C2AZ 7947-C	RACE - CONVERTER STATOR CLUTCH - OUTER
70/	A	8	429-2B		1		
71/	A	8	400		1		
71/	F	8	351		1		
72	A	8	400,429	1			
66/	A, B, F, S	8	All	AR	AR	● PAR 7955-E	WEIGHT - CONVERTER COVER BALANCE
68	A, B, F, S	8	All	4	4	●C3AZ 7964 B	STUD - CONVERTER DRIVE
						7986	COVER - CONVERTER HOUSING
66/70	A, S	8	390,428	1	1	C6AZ 7986-A	
66/70	B, F	8	All	1	1		
				AR	AR	42789-S8(U10)	Screw & washer assy.-5/16"-18 x 3/4"
68/	A, B, S	8	400,429, 460		1	C8SZ 7986-A	
71	F	8	429		1		
72	A, B	8	400,429	1			
71/	B, F	8	351		1	D1OZ 7986-A	
					AR	55981-S2(U254E)	Screw-1/4" -14 x 1/2"
66/	A, B, F, S	8	All	1	1	1P 7726S-B	SEAL - THROTTLE CONTROL LEVER OIL - OUTER

Identification marking

● Reconditioners only

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7007	**PLATE ASSY. - ENGINE REAR** - Also refer to Group 6366							
65/	A	6&8	240,289, 302,351	1	1		D2TZ 7007-A	Includes (1) 37952-S Plug
69	B, F	8	351	1				
70/71	B, F	8	351W	1	1			
69	F(economy)	6	250		1			
72	F (exc. Calif.)	8	302	1	1			
72	F-Calif. only	8	351	1	1			
72	B, F	8	351	1	1	1		
55	F	8	260		1		C2OZ 7007-B	
65/70	A, B, F, S	8	352,390, 428	1		1	C3AZ 7007-F	
65/	B, F, P, X	6	170,200		1		C3DZ 7007-B	
72	B, P	6&8	250,302	1	1		D2OZ 7007-A	
72	F	6	250		1			
72	F-Calif. only	8	302	1	1			
72	F (exc. Calif.)	8	351	1	1			
72	L	4	122		1			
70/71	B, F	8	351C	1	1	1	★D0AZ 7007-B	#D0AE 6A373-B-r/b D2TZ 7007-A (10/74)
717	A, B, F, S	8	400,429			1	D1AZ 7007-A	
68/70	S	8	429			1		
717	L	4	122		1		D1FZ 7007-C	Includes (1) D1FZ 7986-A cover, (2) 40904-S2 self-tapping hex. head screws
65/71	B, F, P, X	6&8	250,289, 302		1		D0OZ 7007-A	
717	L	4	122		1		380209-S (BB545H)	Bolt-3/8"-16 x 1 9/16" hex. washer hd.- (plate to flywheel housing)
7C008	**CLIP - TRANSMISSION OIL TUBE - IMPROVISE**							
7K022	**BUSHING - TRANSMISSION GEAR SHIFT LEVER**							
72	B, S	6&8	All		1	1	D2OZ 7K022-A	3/8" long, 37/64" flange dia.- 5/16" I.D. x 3/8" O.D.
7A024	**ROD - COLUMN SHIFT SELECTOR BELLCRANK LEVER TO TRANSMISSION**							
	- A -							
69	A	6&8	240,302, 351	1			C9AZ 7A024-B	6" o/all length-#Neutral
65/66	A	8	352	1			C5AZ 7A024-C	8 9/16" o/all length-#Green
66	A	8	289	1				Use w/ MX model trans.
67/68	A	8	390	1			C7AZ 7A024-H	Use w/ MX model trans.-8 7/8" o/all length-#Blue
69	A	8	390	1			C9AZ 7A024-C	Use w/ FMX model trans.-6 1/2" o/all length-#Blue
70/71	A	6&8	All	1			D0AZ 7A024-B	6 1/2" o/all length
72	A	6&8	All	1			D0AZ 7A024-C	6 15/32" o/all length - # green
65/66	A	6&8	All		1		C5AZ 7A024-A	7 15/16" o/all length-#Neutral
67/68	A	6&8	All		1		C7AZ 7A024-F	7 15/16" o/all length-#Neutral
69	A	6&8	All		1		C9AZ 7A024-A	6" o/all length-#Red
70/	A	6&8	All		1		D0AZ 7A024-A	6" o/all length-#Yellow
66	A	8	All			1	C6AZ 7A024-A	8 3/4" o/all length-#Yellow
67/68	A	8	All			1	C7AZ 7A024-J	8 3/4" o/all length-#Yellow
69/71	A	8	All			1	C9AZ 7A024-B	6" o/all length-#Neutral
72	A	8	All			1	D2AZ 7A024-A	5 7/8" o/all length
	- B -							
69	B	8	All	1			C9OZ 7A024-A	13 1/4" o/all length-#C9OA 7A024-A
70/	B	8	351	1	1		D0OZ 7A024-D	12 3/4" o/all length-#D0OA 7A024-D
68/69	B	8	All			1	C8OZ 7A024-A	13 1/4" o/all length-#Yellow
70/	B	8	All			1	D0OZ 7A024-B	13" o/all length-#D0OA 7A024-B
67	B	6&8	All		1		C7OZ 7A024-A	13" o/all length
68	B	6&8	All		1		C8OZ 7A024-B	13 1/2" o/all length-#Red
69	B	6&8	All		1		C9OZ 7A024-B	13 7/8" o/all length-#C9OA 7A024-B
70/	B	6&8	250,302		1		D0OZ 7A024-A	12 1/2" o/all length-#D0OA 7A024-A

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7A024 ROD - COLUMN SHIFT SELECTOR BELLCRANK LEVER TO TRANSMISSION - continued								
	- P -							
70/	P	6	170,200		1		D0DZ 7A024-A	13 1/4" o/all length
70/	P	6&8	250,302		1		D0DZ 7A024-C	13 1/4" long
	- S -							
65/66	S	8	All	1			C5SZ 7A024-A	12" o/all length
67/68	S	8	All			1	C7SZ 7A024-A	10 1/2" long
69	S	8	All			1	C7SZ 7A024-B	10 1/4" long
70/	S	8	All			1	D0SZ 7A024-A	11" o/all length-#D0SA 7A024-A
	- X -							
67	X	6&8	All		1		C7OZ 7A024-A	13" o/all length
68	X	6&8	All		1		C8OZ 7A024-B	13 1/2" o/all length-#RED
69	X	6&8	All		1		C9OZ 7A024-B	13 7/8" o/all length-#C9OA 7A024-B
65/66	A,B,X	6&8	All	2	2	2	351341-S(XX351)	Washer-spring-5/16" dia. (rod to bellcrank and trans. lever)
				AR	AR	AR	44722-S(X19)	Washer-flat-5/16" dia.
				AR	AR	AR	72034-S(N45)	Cotter pin-3/32"
65/67	S	8	All	AR		AR	354299-S2 (MM156)	Nut-5/16"-24 x 5/16" (rod to bellcrank or 7B415 stud)
68	B,S	8	All		AR	AR	382384-S4 (MM169U)	Nut-5/16"-24 x 3/8" (rod to bellcrank or 7B415 stud)
69/	A,B,S,P,X	6&8	All	1	1	1	383098-S (MM173TC)	Nut & washer-5/16"-18 (rod to 7B415 stud)
7A026 STUD - COLUMN SHIFT SELECTOR BELLCRANK MOUNTING TO ENGINE								
67	B,X	8	All		1		C7OZ 7A026-A	2 1/4" long
68/71	B	6	All		1		C8OZ 7A026-A	3 1/2" long
68/70	X	6	All		1			
70/	P	6	All		1			
68/71	B	8	289,302		1		C8OZ 7A026-B	2 1/4" long
68/70	X	8	289,302		1			
71/	P	8	302		1			
7A030-7A031 TUBE - TRANSMISSION OIL COOLER INLET and OUTLET								
65/	A,B,F,L,P,X	6&8	All	AR	AR	AR	★	Cut to required length from 8C 2269-A (5/16" dia.) bulk tubing and improvise shape to fit appropriate fittings
								Connector-oil cooler inlet or outlet
				AR	AR	AR	359279-S(II32)	5/16" dia.-1/2"-20 & 1/8"-27 thread-1 5/32" long
				AR	AR	AR	376148-S(II191K)	5/16" dia.-1/8"-27 thread-1 3/8" long
								Connector-transmission inlet or outlet-Also refer to Parts Lists Section Group 7D273
				AR	AR	AR	359058-S(II77)	5/16" dia.-1/2"-20 female-1/8"-27 male thread-steel
				AR	AR	AR	359324-S8(II79)	5/16" dia.-1/4"-28 female-1/2"-20 male thread
				AR	AR	AR	87972-S(I13)	5/16" dia.-1/2"-20 female-1/8"-27 male thread-brass
								Fitting-transmission and cooler inlet or outlet tube
65/66	S	8	All	1			★●C5SZ 7A030-B	Lower-straight-1 11/16" long-3/8" dia. tube with fitting-outlet only-not replaced
65/66	S	8	All	1			★●C5VY 7A030-A	Upper-elbow shaped-4 1/2" long-3/8" dia. tube with connector at one end & 2 beads at the other -outlet only-not replaced
65/	A,B,F,L,P,X	6&8	All	AR	AR	AR	87944-S8(I22)	5/16"-20 x 1/2"
				AR	AR	AR	★359281-S(MM112)	5/16"-20 x 5/8"
				AR	AR	AR	C9OZ 8287-A	Clamp-37/64" dia.(Hose to connector)
				AR	AR	AR	370717-S100(GG86)	Clip (cooler tubes retaining)
				AR	AR	AR	20314-S8(B98)	Bolt-7/16"-14 x 1/2" (clip to engine block on frame)
				AR	AR	AR	372223-S38 (GG256A)	Clip-5/8" long I.D. (to hold tubes together)

● Use w/ 2344 clamps, 7B093 hose and improvise remainder length and shape from B7Q 2269-A bulk tubing & 87945-S fittings.
Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7A030-7A031	**TUBE - TRANSMISSION OIL COOLER INLET and OUTLET - continued**								
65/ 68/70	S B,F	8 8	All 428CJ		AR		AR AR	★	Cut to required length from B7Q 2269-A (3/8" dia.) bulk tubing and improvise shape to fit appropriate fittings
					AR		AR	375896-S(II176)	Fitting-3/8" dia. elbow-5/8"-18 female & 1/4"-18 male thread
					AR		AR	87525-S(I15A)	Fitting-3/8" dia. straight-5/8"-18 female & 1/4"-15 male thread
					AR		AR	87945-S8(I23)	Connector-3/8" dia.-5/8"-18 thread
71/	L	4	All			AR		N602568-S51M (AB67)	Screw & washer assy.(clip to engine)
7F030	**INSULATOR - TRANSMISSION CONTROL CABLE BRACKET**								
72	B,S	6&8	All		1	1	1	D2OZ 7F030-A	
7B033	- Refer to Group 7A213								
7B036	**WIRING & SOCKET - TRANSMISSION SELECTOR INDICATOR**								
71/	P	6&8	All			1			Refer to Group 15A808
7B037	**LENS - TRANSMISSION COLUMN SHIFT SELECTOR DIAL** - Also refer to Group 7A110								
68	A	6&8	All		1	1	1	C8AZ 7B037-B	Fixed wheel
69	A	6&8	All		1	1	1	C9AZ 7B037-A	
70	A	6&8	All		1	1	1	D0AZ 7B037-A	
70/	B,S	6&8	All						Refer to Group 7E055
68/69	B,X	6&8	All			1	1	C8OZ 7B037-A	
68/69	S	8	All				1	C8SZ 7B037-A	
7E046	**PLATE - TRANSMISSION COLUMN SHIFT SELECTOR BELLCRANK MOUNTING**								
67/69	B,X	8	All			1	1	C7OZ 7E046-A	
70/71	B	6&8	All		1	1	1	D0OZ 7E046-A	
71/	P	8	All			1		D1DZ 7E046-B	
7E048	**INSULATOR - TRANSMISSION CONSOLE SHIFT SELECTOR BEZEL**								
66/67	B,X	6&8	All			1	1	C6OZ 7E048-A	
68/71	B	6&8	All			1	1	C8OZ 7E048-A	
7B052	**MASK - TRANSMISSION CONSOLE SHIFT SELECTOR INDICATOR DIAL**								
68/71	A	6&8	All		1	1	1	C8AZ 7B052-A	
66	B "Before 1/4/66"	6&8	All			1	1	C6OZ 7B052-A	
66	X					1			
66/67	B "From 1/4/66"	6&8	All			1	1	★C6OZ 7B052-C	
68/71	B	6&8	All			1	1	C8OZ 7B052-A	
65	F(floor shift)- "Before 4/15/65"	6&8	All			1		★C5ZZ 7B052-C	
65/67	F(floor shift)-"From 4/15/65 to 11/28/66"	6&8	All			1	1	C5ZZ 7B052-D	
67/68	F(floor shift)- "From 11/28/66"	6&8	All			1	1	C5ZZ 7B052-E	
69/	F(floor or console shift)	6&8	All		1	1	1	C9ZZ 7B052-A	Include (1) 382954-S2 set screw
71/	P	6&8	All			1			
72	B	6&8	All			1	1		
71/	L	4	All			1		D1FZ 7B052-A	Console shift
7B053	**INDICATOR ASSY. - TRANSMISSION SHIFT SELECTOR** - Also refer to Group 7A110								
68/71	A(console shift)	6&8	All		1	1	1	C8AZ 7B053-A	
70	A(column shift)	6&8	All			1	1	D0AZ 7B053-A	(a)
		6&8	All			1	1	52720-S8(U380)	(a)
7E054	**BOOT - TRANSMISSION COLUMN SHIFT SELECTOR INDICATOR**								
68/69	A,S	6&8	All			1	1	C8AZ 7E054-A	Use with tilt wheel only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7E055 BEZEL and LENS ASSY. - TRANSMISSION COLUMN SHIFT SELECTOR								
68	A	6&8	All	1	1	1	C8AZ 7E055-B	#Black-paint to match
68/69	B,X	6&8	All		1	1	C8OZ 7E055-A	#Black-paint to match
70	B	6&8	All	1	1	1	D0OZ 7E055-BA	#Black
				1	1	1	D0OZ 7E055-EA	#Blue
				1	1	1	D0OZ 7E055-AA	#Ginger
				1	1	1	D0OZ 7E055-DA	#Nugget Gold
				1	1	1	D0OZ 7E055-FA	#Ivy Green
				1	1	1	D0OZ 7E055-CA	#Red
71	B(exc. P/C & Fleet)	6&8	All		1	1	D1OZ 7E055-C	#Black
					1	1	D1OZ 7E055-B	#Blue
					1	1	D1OZ 7E055-A	#Ginger
					1	1	D1OZ 7E055-E	#Gold
					1	1	D1OZ 7E055-D	#Green
71/	B(P/C & Fleet)- "Before 11/15/71"	6&8	All		1	1	D1OZ 7E055-F	#P R N D S-#Black
72	B(P/C & Fleet)- "From 11/15/71"	6&8	All		1	1	D2OZ 7E055-C	#P R N D S-#Black
72	B(exc. P/C & Fleet)	6&8	All		1	1	D2OZ 7E055-B	#Black-paint to match
70	P(w/o locking column)	6	All		1		D0DZ 7E055-A	#P R N D 2 1-#Black-paint to match
					1		D0DZ 7E055-F	#P R N Hi 2 1-#Black-paint to match
70	P(w/locking column)	6	All		1		DODZ7E055-GA	#P R N Hi 2 1-#Black-paint to match
70/72	P(w/locking column)- "Before 11/8/71"	6&8	All		1		★D0DZ 7E055-HA	#P R N D 2 1-#Black-paint to match - r/b D2DZ 7E055-A (10/74)
72	P "From 11/8/71"	6&8	All		1		D2DZ 7E055-A	#Black-paint to match
68/69	S	8	All			1	C8SZ 7E055-A	#Black-paint to match
70	S-fixed wheel	8	All			1	D0SZ 7E055-BA	#Black
						1	D0SZ 7E055-AA	#Blue
						1	D0SZ 7E055-EA	#Ginger
						1	D0SZ 7E055-DA	#Nugget Gold
						1	D0SZ 7E055-FA	#Ivy Green
						1	D0SZ 7E055-CA	#Red
						1	D0LY 7E055-AA	#Tobacco
71/	S-fixed wheel	8	All			1	D1SZ 7E055-B	#Black
						1	D1SZ 7E055-C	#Blue
						1	D1SZ 7E055-A	#Ginger
						1	D1SZ 7E055-D	#Green
						1	D1SZ 7E055-F	#Gold
						1	D1SZ 7E055-E	#Red
						1	D0LY 7E055-AA	#Tobacco
7B071 SPRING - TRANSMISSION CONTROL SELECTOR LEVER PLUNGER								
65/66	A(column shift)	6&8	All	1	1	1	C2OZ 7B071-A	1 1/4" free length-10 coils
65	B(column shift)	6&8	All		1			
65	S (column shift)	8	All	1				
67/68	A	6&8	All	1	1	1	C5SZ 7B071-A	1 1/8" free length-8 1/2 coils
66	S	8	All	1		1		
66	B,X	6&8	All		1	1		
69/70	A,B,S,X	6&8	All	1	1	1		Fixed wheel
70	P	6	All		1			
71/	A, B, P, S	6&8	All	1	1	1		Fixed wheel
65/66	A(console shift)	8	All	1	1	1	C5AZ 7B071-A	2 13/16" free length-75 coils
67/68	B,X	6&8	All		1	1	C7OZ 7B071-A	1 3/16" long-9 1/2 coils
67/68	S	8	All			1	C7SZ 7B071-A	1 3/16" long-12 coils
69/	A,S	6&8	All	1	1	1		Tilt wheel
65	X	6&8	All		1		C0DZ 7B071-A	1 5/16" long-14 coils
7C072 CLIP - TRANSMISSION VACUUM TUBE-unless listed improvise								
65	B,X	6&8	All		1		C1DD 7C072-A	

* Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7C078	**WIRING - TRANSMISSION NEUTRAL SWITCH**							
65/66	A-floor shift	8	All	1	1	1	C5AZ 7C078-A	
66/69	A-column shift	6&8	All	AR	AR	AR	*	Improvise from No. 16 electrical wire
66	S	8	All	1			*C6SZ 7C078-A	
66	S	8	All			AR	*	Improvise from No.16 electrical wire
7E083	**RETAINER - TRANSMISSION COLUMN SHIFT SELECTOR LEVER SOCKET**							
68/69	A,B,X	6&8	All	AR	AR	AR	C7SZ 7E083-A	
67/69	F,S	6&8	All		AR	AR		
70	P(non-locking column)	6	All		1			
7B084	**TUBE - ENGINE TO TRANSMISSION VACUUM**							
65/	A,B,F,P,S,X	6&8	All	AR	AR	AR	*	Cut to required length from 91 2269 (1/4" dia. -25 ft. long) bulk stock
7B085	**CLIP - TRANSMISSION VACUUM TUBE RETAINING**							
65/	A,B,F,P,S,X	6&8	All	AR	AR	AR	*	Dealer improvise
7B086-7	**HOSE - ENGINE TO TRANSMISSION VACUUM TUBE** - Improvise from Basic Group 17543 Bulk Tubing							
66/	A,B,F,S	8	All			1	376959-S(II191P)	Fitting-nipple & reducer (1/4" to 3/16" dia.)
70	S	8	All			AR	383017-S (II-106TA)	Tee-3 way hose
						AR	383018-S (II-106V)	Tee-4 way hose
						AR	383019-S (II-106VC)	Tee-5 way hose
7B086	**CONNECTOR - ENGINE TO TRANSMISSION VACUUM TUBE FRONT**							
68/70	B,F	8	390GT, 427, 428CJ			1	C8OZ 7B086-A	Elbow-5/16" dia.-6 1/2" x 1 1/4"
7B087	**CONNECTOR - ENGINE TO TRANSMISSION VACUUM TUBE**							
65/	A,F,L,S	6&8	All	AR	AR	AR	*C1AZ 7B087-E	1/2" dia.-2 1/8" long elbow (also used as load leveler valve to cylinder connector)-r/b D1ZZ 7B087-A (3/74)
65/	B	6&8	All		1	1		
70/71	P "Before 1/22/71"	6	All		AR			
71/	P "From 1/22/71"	6	All		AR		D1ZZ 7B087-A	7/16" dia. 4" long elbow
72	S	8	460			1		
69	F	6	250		1			
69/70	B,F	8	All	1			C9OZ 7B087-A	7/32" I.D.-7/16" O.D--2" x 1 1/8" long elbow
71/	A,F	8	All	1				
71/	L	4	All		1			
72	B	8	351-2V	1				
70/	A,B,F	8	All			1	D0VY 7B087-A	Rear-7/16" dia., 1 1/2" x 1 1/8" elbow
72	S	8	All			1		
7B093	**HOSE - TRANSMISSION OIL COOLER LINES**							
65/66	S	8	All	1		1	C1VV 7B093-B	11/32"I.D.-39/64 O.D.-5" long
7B094-5	**TUBE - ENGINE TO TRANSMISSION VACUUM - FRONT OR REAR** - UNLESS LISTED IMPROVISE FROM BASIC GROUP 2269 BULK TUBING							
66/68	B,F	6	All		1		C6OZ 7B094-A	Approx. 21 1/2" long-includes rubber hose & 87945-S fitting
66/69	X	6	All		1			
71	F,P	6	All		1		D0ZZ 7B095-A	
65/	A,B,F,S,X	6&8	All	AR	AR	AR	87945-S(I23)	Fitting-tube connector nut-3/8" dia.-5/8"-18 thread
				AR	AR	AR	87943-S(I21)	Fitting-tube connector nut-1/4" dia.-7/16"-24 thread
7B097	**LEVER - TRANSMISSION SELECTOR NEUTRAL SWITCH ACTUATING**							
65/66	A	6&8	All	1			C3AZ 7B097-B	
67	A,B,S,X	6&8	All	1	1	1	C7AZ 7B097-B	
68/71	A-floor shift	6&8	All	1	1	1	C8AZ 7B097-B	
68/71	A,B,S,X-column shift	6&8	All	1	1	1	C8AZ 7B097-C	
69	A,B,S,X-column shift	6&8	All	1	1	1	C9AZ 7B097-A	
70	P	6	All		1			
65/66	S	8	All	1		1	C4VY 7B097-B	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	C/M	C4	C6	PART NUMBER	PART NAME and DESCRIPTION
	7C102 SEAL - TRANSMISSION SELECTOR TUBE								
69/	A,B,F,P,S,X	6&8	All		1	1	1	C9AZ 7C102-A	1 5/8" I.D.-2 1/4" O.D.-1" wide
68	A,B,F	6&8	All			1	1	C8AZ 7C102-A	1 1/2" I.D.-2 1/8" O.D.-3/4" long
	7B108 LINK ASSY. - TRANSMISSION KICK DOWN SHAFT ADJUSTING								
65	X	8	All			1		C4DZ 7B108-A	
65	X	6&8	All			AR		33796-S7(M61)	Nut-1/4"-28 (link to 7A187 rod)
	7B108 LINK ASSY. - TRANSMISSION CONTROL SHAFT ADJUSTING								
67/68	A-floor shift	6&8	All		1	1	1	C7AZ 7B108-A	
69/71	A-floor shift	6&8	All		1	1	1	C9AZ 7B108-A	
65/66	A	6&8	All		1	1	1	354299-S(MM156)	Nut-5/16"-24-locking-(link to 7326 lever)
65/71	A	6&8	All		1	1	1	356383-S(XX362)	Washer-5/16" spring
67/71	A	6&8	All		1	1	1	382384-S4 (MM169U)	Nut-5/16"-24-locking (link to 7326 lever)
					1	1	1	372285-S8(XX165)	Washer-3/8" flat
	7A110 INDICATOR - TRANSMISSION CONTROL SELECTOR								
68	A,B,S,X-fixed wheel	6&8	All		1	1	1	C8AZ 7A110-A	1 5/16" long-insert type
69/71	B, S, X-fixed wheel	8	All				1		
70/	P (column shift)	6&8	All			1			
72	B (column shift)	6&8	All			1	1		
69	A	6&8	All		1	1	1	C9AZ 7A110-A	4 1/16" long-bend is 1 11/16" high from straight bottom
70	A	6&8	All		1	1	1	D0AZ 7B053-A	Includes-cable, bracket, indicator & retainer
71	A(exc. P/C & Fleet)	6&8	All		1	1	1	D2AZ 7A110-C	Includes-cable, bracket, indicator & retainer
	A(P/C & Fleet)	6&8	All		1	1	1	D1AZ 7A110-C	Includes-cable, bracket, indicator & retainer -#PRNDS
72	A(exc. P/C & Fleet)	6&8	All		1	1	1	D2AZ 7A110-C	Includes-cable, bracket, indicator & retainer-#PRND21
	A (P/C & Fleet)	6&8	All		1	1	1	D2AZ 7A110-D	Includes-cable, bracket, indicator & & retainer-#PRNDS
69/	F	6&8	All		1	1	1	C9ZZ 7A110-A	
71/	L (console shift)	4	All			1			
71/	P (console shift)	6&8	All			1			
72	B (console shift)	6&8	All			1	1		
67	S	8	All				1	C7SZ 7A110-C	
68/69	S-tilt wheel	8	All				1	C9AZ 7A110-B	
68	A-tilt wheel	6&8	All		1	1	1		
70/71	S-tilt wheel	8	All					D0SZ 7A110-A	
72	S	8	All				1	D2SZ 7A110-A	
	7E111 INSULATOR - TRANSMISSION GEAR SHIFT SELECTOR TUBE								
67	A,S	6&8	All		1	1	1	C7SZ 7E111-A	
	7E113 GUIDE - TRANSMISSION CONSOLE SHIFT SELECTOR LEVER								
67	A	6&8	All			1	1	C7AZ 7E113-A	4" long
	7E114 SPRING - TRANSMISSION CONSOLE SHIFT SELECTOR SLIDE								
68/71	A	6&8	All		1	1	1	C8AZ 7E114-A	
	7E116 APPLIQUE - TRANSMISSION CONSOLE SHIFT SELECTOR HOUSING								
67	A	6&8	All			1	1	C7AZ 7E116-A	8 1/8" long-2 5/8" wide
68/71	A	6&8	All		1	1	1	C8AZ 7E116-A	5 1/2" long-2" wide
	7E130 SHIELD - TRANSMISSION SHIFT SELECTOR INDICATOR								
69/	F	6&8	All		1	1	1	C9ZZ 7E130-A	1" x 1 3/4" x 5/8"
71/	P	6&8	All			1			
72	B	6&8	All			1	1		
71/	L (console shift)	4	All			1		D1FZ 7E130-A	
	7A133 BUSHING - TRANSMISSION CONSOLE SHIFT SELECTOR SHAFT								
65/66	A	8	All		2	2	2	C2AZ 7A133-A	
65	B	6&8	All			2			
67	A	6&8	All			2	2	C7AZ 7A133-A	1/2" I.D.
68/71	A	6&8	All		2	2	2	C8AZ 7A133-B	1 3/8" flange dia.-3/4" I.D.-15/16" long

Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7A133	**BUSHING - TRANSMISSION CONSOLE SHIFT SELECTOR SHAFT - continued**							
66/70	B,X	6&8	All		2	2	C5ZZ 7A133-A	
71	B	6&8	All		2	2		
65/68	F	6&8	All		2	2		
69/	F	6&8	All	2	2	2	C9ZZ 7A133-A	15/16" flange O.D.-5/8" I.D.-3/8" long
71/	L	1	All		2			
71/	P	6&8	All		2			
72	B	6&8	All		2	2		
7E133	**INSERT - TRANSMISSION CONSOLE SHIFT SELECTOR**							
68/69	A	6&8	All		1	1	C8AZ 7E133-B1K	#Aqua
					1	1	C8AZ 7E133-B1A	#Black
					1	1	C8AZ 7E133-B1B	#Light Blue
					1	1	C8AZ 7E133-B2B	#Dark Blue
					1	1	C8AZ 7E133-B1G	#Ivy Gold
					1	1	C8AZ 7E133-B5G	#Nugget Gold
					1	1	C8AZ 7E133-B2U	#Parchment
					1	1	C8AZ 7E133-B2D	#Red
70	A	8	All	1	1	1	D0AZ 7E133-A	#Black
				1	1	1	D0AZ 7E133-E	#Blue
				1	1	1	D0AZ 7E133-C	#Ginger
				1	1	1	D0AZ 7E133-D	#Ivy Green
				1	1	1	D0AZ 7E133-B	#Red
71	A			1	1	1	D0AZ 7E133-A	#Black
7A134	**JOINT - TRANSMISSION COLUMN SHIFT SELECTOR ROD BALL**							
65	A-moveable column	6&8	All	1	1		C3AZ 7A134-A	
7E134	**ACTUATOR - TRANSMISSION CONSOLE SHIFT SELECTOR**							
68/71	A	6&8	All	1	1	1	C8AZ 7E134-A	
7B146	**SPRING - TRANSMISSION KICK DOWN CONTROL SHAFT RETRACTING** - Also refer to Carburetor Parts List							
65/69	A	6	All	1	1		C5AZ 7B146-D	2 11/16" free length
70/	A	6	All	1	1		D0AZ 7B146-A	3 3/16" free length-22 coils
65/71	A	8	All	1	1	1	C5AZ 7B146-F	2" free length-14 1/2 coils-From 1971
70/71	B,F	8	All	1	1	1		use with Rochester carburetor
71	L	4	All		1			
68/71	S	8	All			1		
71/	A,B,F,P,S	8	All	1	1	1	D1AZ 7B146-A	2" free length-11/32" dia.-14 3/4" coils-use with Ford & Holley carburetors only
69	B	6&8	All	1	1		C9OZ 7B146-A	3 11/16" free length-16 1/2 coils
69	X	6&8	All		1			
65	B	8	All		1		C4DZ 7B146-A	2 3/8" free length-22 1/2 coils
71/	B,F,P	6	All		1		D1ZZ 7B146-A	Approx. 6" free length-1/2" dia.-25 coils
66	B	6&8	All		1		C5AZ 7B146-F	2" free length
67/68	B	6&8	All		1		C5ZZ 7B146-A	3 11/16" free length
66/68	B	8	All			1	C6OZ 7B146-B	1 3/8" free length-6 1/2 coils
69	B	8	All			1	C9OZ 7B146-B	1 3/4" free length-15 1/2" coils
65/66	F	8	All		1		C5ZZ 7B146-B	5 13/16" free length
65	F	6	All		1		C5ZZ 7B146-A	3 11/16" free length
67/69	F	8	All		1	1		
66	F	6	All		1		C5AZ 7B146-F	2" free length-14 1/2 coils
67/69	F "Before 5/15/69"	6	All		1		C5ZZ 7B146-A	
69/70	F "From 5/15/69"	6	All		1		C9ZZ 7B146-A	6 1/2" free length
70	B,P	6	All		1			
65/67	S	8	All	1		1	C2SZ 7B146-B	3 1/8" free length-24 coils
65	X "Before 11/16/64"	6	All		1		C4UZ 7B146-A	2 15/16" free length
65/67	X "From 11/16/64"	6	All		1		C5ZZ 7B146-A	3 11/16" free length
67/68	X	8	All		1			
65/66	X	8	All		1		C4GY 7B146-A	
68/70	X	6	All		1		C5AZ 7B146-F	2" free length-14 1/2 coils

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	C/M	C4	C6	PART NUMBER	PART NAME and DESCRIPTION
7C147	**PLUG - TRANSMISSION SHIFT CONTROL ADJUSTING HOLE**								
65/66	F	6&8	All			1		C5ZZ 7C147-B	
67/	F	6&8	All			1	1	C7ZZ 7C147-A	
71/	L, P	4,6,8	All			1			
72	B	6&8	All			1	1		
7E148	**ROD - TRANSMISSION GEAR SHIFT HOUSING SELECTOR**								
67/68	F	6&8	All			1	1	C7ZZ 7E148-A	
7E150	**RETAINER - TRANSMISSION CONTROL SELECTOR BEZEL**								
67/68	F	6&8	All			1	1	C7ZZ 7E150-A	
7B158	**BRACKET - TRANSMISSION ACCELERATOR and KICK DOWN ROD**								
65/66	S	8	All		1		1	C4SZ 7B158-B	Use with automatic throttle control
					1		1	C4SZ 7B158-C	Use without automatic throttle control
7C168	**STOP - TRANSMISSION SELECTOR SHAFT TO ACCELERATOR BELLCRANK**								
65	X	6	All			1		C1DD 7C168-A	7/16" O.D.-1/4"-28 thread on I.D.
						1		20309-S8(B150)	Bolt-1/4"-28 x 1/2" (stop to rod)
						1		34940-S7(X88)	Lockwasher-1/4
7E169	**PLATE ASSY. - TRANSMISSION CONSOLE SHIFT SELECTOR OPENING COVER**								
69/71	A	6&8	All		1	1	1	C9AZ 7B233-B	
7C176	**RETAINER - TRANSMISSION KICK DOWN LEVER SPRING**								
65/71	B,X	6&8	All			AR	AR	*	Dealer improvise
69	F,X	6	170,200			1		C9ZZ 7C176-A	
70	P	6	All			1			
71/	P	6	200			1			
69/	F	6	250			1		C9ZZ 7C176-B	
70/	B	6	250			1			
71/	P	6	250			1			
67/	F	8	All		1	1	1	C7ZZ 7C176-A	
7K177	**KIT - TRANSMISSION AUXILIARY OIL COOLER**								
68/72	A,B,F,P,S	8	All		1	1	1	C9AZ 7K177-A	High capacity-w/automatic trans.
72	U-w/o A/C	8	302		1	1	1		

Consists of the following

1-I.S.	4202	Installation sketch	4-C9AJ 8287-A or 37624-S	Clamp assy.-hose
2-C9AJ	6K755-A	Connector - oil cooler adaptor	3-33795-S2	Nut-1/4"-20
1-C9AJ	7B093-A	Hose - transmission oil cooler	3-34805-S2	Lockwasher - 1/4"
1-C9AJ	7A095-A	Cooler assy. - transmission oil	3-358914-S2	Bolt-1/4"-20 x 7/8 carriage
3-C9AJ	7B146-A	Bracket-transmission oil cooler mounting	377757-S	Clip
3-C9AJ	7B253-A	Clamp-transmission oil cooler filter	3-379872-S2	Screw-1/4"-20 x 5/8" self tap

72	A,B,F,P,S	8	All		1	1	1	D2OZ 7K177-A	Economy unit-w/automatic trans.

Consists of the following

1-I.S.	4203	Installation sketch	2-33795-S2	Nut - 1/4"-20
1-C9AJ	7B093-A	Hose-transmission oil cooler	2-34805-S2	Lockwasher-1/4"
1-D2OJ	7A095-AA	Cooler assy.-transmission oil	2-44722-S7	Flatwasher-1/4"
2-D2OJ	7B142-AA	Bracket-transmission oil cooler mounting	2-51768-S2	Bolt-1/4"-20 x 1/2"-self tap
2-D2OJ	7B253-AA	Clamp-transmission oil cooler filter	2-51030-S2	Bolt-1/4"-20 x 3/4"-hex
4-C8AJ	8287-A	Clamp assy. - hose	1-377757-S or 384349-S	Clip

7A185	**BELLCRANK ASSY. - TRANSMISSION ACCELERATOR**								
	- A -								
65/68	A	6	240		1	1		C5AZ 7A188-B	(d)
69	A	6	All		1	1		C9AZ 7A188-A	
70	A	6	All		1	1		D0AZ 7A185-F	
71/	A	6	All		1	1		D1AZ 7A185-A	(h)

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	C/M	C4	C6	PART NUMBER	PART NAME and DESCRIPTION
7A185	**BELLCRANK ASSY. - TRANSMISSION ACCELERATOR - continued**								
	- B -								
65	B	8	All			1		C4OZ 7A185-A	(a,f)
66/67	B	8	All			1		C6OZ 7A185-A	(b,f)
68/69	B	8	All			1		C8OZ 7A185-K	
70	B	6	250			1		C9ZZ 7A185-B	
71/	B	6	250			1		D1ZZ 7A185-A	(h,j)
66	B	8	390				1	★C6OZ 7A185-B	Not replaced
67	B	8	390				1	C7OZ 7A185-A	
68	B	8	390-2B				1	C8OZ 7A185-L	
69	B	8	351		1				
68	B	8	390-4B 428CJ				1	C8OZ 7A185-M	
	- F -								
65/66	F	8	All			1		C5ZZ 7A185-A	(a,f)
69/70	F	6	200			1		C9ZZ 7A185-A	
69	F	6	250			1		C9ZZ 7A185-B	
71/	F	6	250			1		D1ZZ 7A185-A	(h,j)
	- P -								
70	P	6	170,200			1		C9ZZ 7A185-A	
70	P	6	250			1		D0DZ 7A185-D	
71/	P	6	250			1		D1ZZ 7A185-A	(h,j)
71/	P	6	200			1		D1DZ 7A185-B	
	- X -								
65	X	6	All			1		C4DZ 7A185-A	(c,f)
65	X	8	All			1		C4GY 7A185-B	(b,f)
70	X	6&8	200,302			1		C9ZZ 7A185-A	
									Attaching parts for bellcrank assembly
					AR	AR	AR	20310-S(B48)	(a) Bolt-5/16"-18 x 1/2" hex.hd.
					AR	AR	AR	20326-S(B49)	(b) Bolt-5/16"-18 x 5/8"
					AR	AR	AR	20346-S(B50)	(c) Bolt-5/16"-18 x 3/4"
					AR	AR	AR	20345-S(B150A)	(d) Bolt-1/4"-28 x 3/4"
					AR	AR	AR	34806-S7(X64)	(f) Lockwasher-5/16"
					AR	AR	AR	34809-S8(X68)	(g) Lockwasher-1/2"
					AR	AR	AR	33921-S(M31)	(h) Nut-1/4"-28 x 7/16"
					AR	AR	AR	380502-S7-8 (BB207D)	(h) Bolt-1/4"-28 x 3/4"
					AR	AR	AR	42789-S(U10)	(h) Screw & lockwasher-5/16"-18 x 3/4"
					AR	AR	AR	20328-S(B76)	(j) Bolt-3/8"-16 x 5/8"
					AR	AR	AR	352358-S (NN127B)	(j) Pin-cotter-1/16" x 61/64"
7A185	**BELLCRANK TRANSMISSION - COLUMN SHIFT SELECTOR**								
	- A -								
65/66	A	6&8	All		1	1	1	C5AZ 7A185-J	(a)
67	A "Before 11/25/66"	6&8	All		1	1	1	C7AZ 7A185-C	(a)
67/68	A "From 11/15/66"	6&8	All		1	1	1	C7AZ 7A185-D	(a)
69	A	6&8	All			1	1	C9AZ 7A185-A	Includes 7341 bushings
69	A	6&8	All		1			C9AZ 7A185-B	Includes 7341 bushings
70/	A	6&8	All		1			D0AZ 7A185-B	
70/	A	6&8	All			1	1	D0AZ 7A185-A	
	- B -								
69	B	8	All		1			C9OZ 7A185-C	
67	B	8	All			1		C7OZ 7A185-B	(c)
68	B	6	All			1		C8OZ 7A185-J	(c)-Use with C9OZ 7326-E
68/69	B	8	All			1		C8OZ 7A185-G	(c)- Must use with C9OZ 7326-E for vehicles built before 10-2-67
69	B	6	All			1			
70/	B	6&8	250,302			1		D0OZ 7A185-A	
68/69	B	8	All				1	C8OZ 7A185-H	(c)-Use with C9OZ 7326-E
70/71	B	8	All				1	D0OZ 7A185-B	
70/71	B	8	351		1	1			

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7A185	**BELLCRANK - TRANSMISSION COLUMN SHIFT SELECTOR - continued**							
	- P -							
70	P	6	170,200		1		D0DZ 7A185-A	Includes 7341 bushing
70	P	6	250		1		D0DZ 7A185-C	
71/	P	6	200		1		D0DZ 7A185-A	
71/	P	6	250		1		D1DZ 7A185-C	
71/	P	8	302		1		D4DZ 7A185-C	
	- S -							
65	S	8	All	1			C5SZ 7A185-A	
66	S "Before 10/21/65"	8	All	1		1	★C6SZ 7A185-A	
66	S "From 10/21/65"	8	All	1		1	C6SZ 7A185-B	
67	S	8	All			1	C7SZ 7A185-B	(a)
68/69	S	8	All			1	C8SZ 7A185-A	(a)
70/71	S	8	All			1	D0SZ 7A185-A	
	- X -							
67	X	6	All		1		C7OZ 7A185-G	(c)
67	X	8	All		1		C7OZ 7A185-B	(c)
68/69	X	6	All		1		C8OZ 7A185-J	(c)-Use with C9OZ 7326-E
68/69	X	8	All		1		C8OZ 7A185-G	(c)-Must use with C9OZ 7326-E
								Attaching parts for bellcrank assembly
				AR	AR	AR	373162-S(BB563A)	(a) Bolt-3/8"-16 x 1 1/8" hex.hd.
				AR	AR	AR	375474-S(MM120B)	(a) Nut-3/8"-16 x 11/16"-round head
					AR	AR	372158-S(BB572F)	(c) Bolt-3/8"-16 x 1 1/8"
					AR	AR	373403-S(MM173J)	(c) Nut-3/8"-16 x 9/16"
7A185	**SHAFT ASSY. - TRANSMISSION KICK DOWN CONTROL ROD**							
69/	F	6	All		1		C9ZZ 7A185-B	Developed length approx.13 1/2" long
70	B	6	All		1			
7A187	**ROD - TRANSMISSION KICK DOWN CONTROL SHAFT** - Also Refer to 7A187 cable assy.							
	- A -							
66/68	A	6	240	1	1		C6AZ 7A187-C	Approx. 20" long (P/C & Fleet only)(g)
69	A	6	240	1			C9AZ 7A187-A	Approx. 21" long-#daub of White paint
70/	A	6	All	1			D0AZ 7A187-D	Approx. 21" long- Purple paint (f,p,r)
65/69	A	6	240		1		C5AZ 7A187-B	Approx. 20 3/4" long (exc. P/C & Fleet)(g)
70/	A	6	All		1		D0AZ 7A187-C	Approx. 21" long-#Blue paint (f,p)
65/69	A	8	289,302	1	1		C9AZ 7A187-D	Approx. 20" long-#daub of Gray paint-(exc. P/C & Fleet)(e,g,n)
66/68	A	8	289,302	1	1		C6AZ 7A187-D	Approx. 19" long-#daub of Yellow paint-(P/C & Fleet only)(e,g,n)
72	A	8	302	1			D0AZ 7A187-G	Approx. 18" long
69	A "From 1/15/69"	8	302		1		C9AZ 7A187-C	Approx. 19" long-#daub of Black paint
70/	A	8	302		1		D0AZ 7A187-F	Approx. 18" long -#Black paint
69	A	8	351	1			D0AZ 7A187-A	Approx. 21" long-#daub of Red paint
70/	A	8	351W	1			D0AZ 7A187-H	Approx. 21" long (f,p)
71/	A	8	351C	1			D1AZ 7A187-E	
70/	A	8	351		1		D0AZ 7A187-B	Approx. 17" long-#Gray paint (f,p)
65/66	A	8	352	1			C5AZ 7A187-E	Approx. 20" long-#daub of Green paint-(e,g,n)
65/66	A (exc. P/C)	8	390	1			C5AZ 7A187-C	Approx. 20" long-#daub of Blue paint-
67/68	A	8	390	1				Use with MX model transmission only
65/66	A (P/C)	8	390	1			C5AZ 7A187-D	Approx. 20" long-#daub of Bronze paint-(e,g,n)
68/69	A	8	390	1			C8AZ 7A187-B	Use with FMX model transmission-approx. 19" long-#daub of Pink paint (e,g,n)
66/71	A	8	390-2B			1	C6AZ 7A187-B	Approx. 27 1/2" long-#daub of Orange paint (e,f,g,n,p)
66/71	A	8	390-4B, 428			1	C6AZ 7A187-A	Approx. 28 1/2" long-#daub of Brown paint-(e,g,n)
71/	A	8	400-2B			1	D1AZ 7A187-A	Approx. 26" long-#daub of Brown paint

Identification Marking

YEAR	MODEL	ENGINE		QUANTITY				PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.		C/M	C4	C6		
	7A187 ROD - TRANSMISSION KICK DOWN CONTROL SHAFT - continued								
	- A - continued								
69	A	8	429-2B				1	C9AZ 7A187-B	Approx. 19 1/2" long-#daub of Green paint
70/71	A	8	429-2B				1	C9AZ 7A187-E	Approx. 20" long (f,p)
69/	A (exc. P/C)	8	429-4B				1	C8SZ 7A187-A	(f,p)
71/	A (P/C)	8	429-4B				1	D1AZ 7A187-D	27" long (f,p)
	- B -								
65/69	B	6	All			1		C5OZ 7A187-A	12 7/8" long-includes adjusting nut (f)
70	B	6	200,250			1		D0DZ 7A187-A	Approx. 15" long
71	B	6	250			1		D1ZZ 7A187-L	Approx. 23" long (f)
72	B	6	250			1		D2OZ 7A187-C	Approx. 25" long (r)
72	B	8	302		1			D2OZ 7A187-L	
70	B	8	302			1		D0OZ 7A187-B	Approx. 27" long
71	B	8	302			1		D1ZZ 7A187-A	Approx. 27" long-#daub of Yellow paint (f,p)
72	B	8	302			1		D2OZ 7A187-D	Approx. 27" long-#daub of Yellow paint
70	B	8	351-2B		1			D0OZ 7A187-B	Approx. 27" long-#Red paint
70	B	8	351-4-B		1			D0OZ 7A187-C	Approx. 27" long-#Blue paint
72	B	8	351-2B		1			D2OZ 7A187-G	Approx. 26 1/2" long-#daub of White & Blue paint
70	B	8	351			1		D0ZZ 7A187-B	Approx. 27 1/2" long
71	B	8	351			1		D1ZZ 7A187-C	Approx. 27" long-#daub of White paint (f,p)
72	B	8	351			1		D2OZ 7A187-A	Approx. 27" long-#daub of White paint
71	B	8	351-4B				1	D1OZ 7A187-E	Approx. 25 7/8" long-#daub of Red paint (f,p)
72	B	8	351-2BW				1	D2OZ 7A187-J	Approx. 26" long-#daub of Blue & Black paint
72	B	8	351, 400				1	D2OZ 7A187-B	Approx. 27" long-#daub of violet paint
70	B	8	429-4B				1	D0OZ 7A187-A	Approx. 21" long
70	B	8	429 CJ				1	D0OZ 7A187-D	Approx. 18" long
70	B	8	429SCJ				1	D0OZ 7A187-E	Approx. 30" long
71	B	8	429				1	D1OZ 7A187-D	27 1/2" long-#daub of Pink paint (f,p)
72	B	8	429exc. P/C				1	D2OZ 7A187-E	Approx. 28" long-#daub of Brown paint
72	B	8	429P/C				1	D2OZ 7A187-F	Approx. 27" long-#daub of Silver paint
66	B	8	All				1	C6OZ 7A187-C	Approx. 7 3/4" long-includes trunnion (e,g)
67	B	8	All				1	C7OZ 7A187-A	Approx. 7" long-includes trunnion (e,g)
68	B	8	All				1	C8OZ 7A187-A	Approx. 7 1/8" long (e,g)
69	B	8	All				1	C9OZ 7A187-A	Approx. 7 13/16" long
	- F -								
69	F(exc. GT 350)	8	All		1			C9ZZ 7A187-A	Approx. 17 1/2" long-#Black
69/70	F (GT 350)	8	351		1			C9ZZ 7A187-F	
70	F	8	351		1			D0OZ 7A187-C	Approx. 27" long-#Blue paint (f,p,q)
71/	F	8	351-2B		1			D1ZZ 7A187-D	Approx. 27" long-#daub of Black paint
69	F	6	All			1		C9ZZ 7A187-E	Approx. 15" long
70	F	6	200,250			1		D0DZ 7A187-A	Approx. 15" long
71/	F	6	250			1		D1ZZ 7A187-L	Approx. 23" long (f,q,r)
65	F	8	All			1		C5ZZ 7A187-A	Approx. 19 1/2" long (e,g)
69	F	8	All			1		C9ZZ 7A187-A	Approx. 17 1/2" long-#Black
70	F	8	302			1		D0DZ 7A187-B	Approx. 27" long
71/	F	8	302-2B			1		D1ZZ 7A187-A	Approx. 27" long-#daub of Yellow paint(f,p,q)
70	F	8	351			1		D0ZZ 7A187-B	Approx. 27 1/2" long
69	F	8	All				1	C9ZZ 7A187-B	Approx. 20" long-#Silver
71/	F	8	351-4B				1	D1ZZ 7A187-G	Approx. 19" long-#daub of Green paint(f,p,q)
70	F	8	428				1	D0ZZ 7A187-A	Approx. 28" long
71	F	8	429-4B				1	D1ZZ 7A187-H	Approx. 21" long-#daub of Pink paint (f,p,q)
71	F	8	429SCJ				1	D1ZZ 7A187-K	Approx. 19" long-#daub of Green paint(f,p,q)
	- L -								
71/	L	4	122			1		D1FZ 7A187-A	Approx. 22" long (f)

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7A187	**ROD - TRANSMISSION KICK DOWN CONTROL SHAFT - continued**							
	- P -							
70	P	6	170,200		1		D0DZ 7A187-A	Approx. 15" long
71/	P	6	200		1		D1DZ 7A187-A	Approx.25 3/4"long-#daub of White paint (f,r)
70	P	6	250		1		D0DZ 7A187-C	
71/	P	6	250		1		D1ZZ 7A187-L	Approx. 23" long (f,r)
71/	P	8	302		1		D1ZZ 7A187-A	Approx. 27" long-#daub of Yellow paint (f,p)
	- S -							
65/66	S	8	All	1			C5SZ 7A187-A	Approx. 16 3/8" long (g)
67	S	8	All			1	C6AZ 7A187-A	Approx. 28 1/2" long (g,n)
68/	S	8	All			1	C8SZ 7A187-A	Approx. 19" long (g,n)
72	S	8	400			1	D2SZ 7A187-A	Approx. 26" long-#daub of Blue paint
72	S	8	429,460			1	D2SZ 7A187-B	Approx. 27 1/2" long-#daub of White paint
	- X -							
65	X	6	All		1		C5DZ 7A187-A	Approx. 18 1/2" long-includes adjusting nut (e,g)
65	X	8	All		1		C4GY 7A187-A	(e,g)
								Attaching parts for rod or rod assembly
				AR			97011-S(F1)	(a) Clevis-1/4"-28 x 2"
				AR	AR		44722-S(X19)	(b) Washer-flat-5/16" dia.
				AR	AR	AR	44719-S(X17)	(c) Washer-flat-1/4" dia.
				AR	AR	AR	351341-S(XX351)	(d) Washer-spring-5/16"
				AR	AR	AR	356249-S(XX349)	(e) Washer-spring-1/4"
				AR	AR	AR	97409-S(Q5A)	(f) Washer-"C" type-17/32"
				AR	AR	AR	353862-S(XX10)	(g) Washer-"C" type-1/2"
				AR	AR		72034-S(N45)	(h) Cotter pin-3/32 x 1"
				AR	AR		73879-S(N4)	(j) Pin-clevis-1/4" x 13/16"
				AR			★370579-S(NN50)	(k) Pin-grooved-1/4" x 3/4"
				AR	AR		33796-S(M61)	(l) Nut-1/4"-28
				AR	AR		373601-S(MM16)	(m) Nut-5/16"-24
				AR	AR	AR	380340-S(GG240)	(n) Clip
				AR	AR		383212-S(GG362)	(p) Clip
				AR	AR		351825-S(XX9)	(q) Clip
				AR	AR		380502-S(BB207D)	(r) Bolt-1/4"-28 x 1 1/4"
7A187	**CABLE - TRANSMISSION KICK DOWN CONTROL**							
66/68	B	6&8	All		1		C6OZ 7A187-B	10 1/4" long-includes trunnion
69	B	6&8	All	1	1			
66/69	X	6&8	All		1			
66/68	F	8	All		1	1		
67/68	F	6	All		1			
70	X	8	302		1			
65	F "Before 11/16/64"	6	All		1		C5ZZ 7A187-C	11 1/4" long-includes trunnion
65	X	6	All		1			
65/66	F "From 11/16/64"	6	All		1		C5ZZ 7A187-D	
69/70	F	6	All		1		C9ZZ 7A187-D	9 1/8" long-includes trunnion
70	B,P	6	All		1			
70	X	6	200		1		C9DZ 7A187-A	Approx. 11" long
65/70	B,F,X	6&8	All		1	1	44719-S(X17)	Washer-flat-1/4"
					1	1	356249-S(XX349)	Washer-spring-1/4"
					1	1	353862-S(XX10)	Washer-"C" type-1/2"
					1	1	97409-S(Q5A)	Washer-"C" type-17/32"
7A188	Refer to Group 7A185							
7E196	**SPRING - TRANSMISSION CONTROL SELECTOR PIVOT**							
70	A	6&8	All		1	1	1 D0AZ 7E196-A	15/16" free length-23 coils
72	S	8	All				1	
71/	A	6&8	All		1	1	1 D1AZ 7E196-A	1 1/4" free length-27 coils

Identification marking

YEAR	MODEL	ENGINE		QUANTITY				PART NUMBER	PART NAME and DESCRIPTION
		CYL.	C.I.D.		C/M	C4	C6		
7210	**LEVER ASSY. - TRANSMISSION COLUMN SHIFT SELECTOR** - Includes-Lever, knob, insulator & impact sleeve								
65/66	A	6&8	All		1	1	1	C5AZ 7210-A	(c)
67	A	6&8	All		1	1	1	C7AZ 7210-D	(c)
68/69	A-fixed wheel	6&8	All		1	1	1	C9AZ 7210-G	(d)
68	A-tilt wheel	6&8	All		1	1	1	C8MY 7210-A	(d)
69	A-tilt wheel	6&8	All		1	1	1	C9AZ 7210-E	
70/72	A-fixed wheel- "Before 6/1/72"	6&8	All		1	1	1	★D0AZ 7210-A	Includes 305073-S pin-r/b D3AZ 7210-A- (4/74)
72	A-fixed wheel- "From 6/1/72"	6&8	All		1	1	1	D3AZ 7210-A	
70/72	A-tilt wheel- "Before 6/1/72"	6&8	All		1	1	1	★D0AZ 7210-B	Includes 305086-S15 pin - r/b D3AZ 7210-B (4/74)
72	A-tilt wheel- "From 6/1/72"	6&8	All		1	1	1	D3AZ 7210-B	
65	B	6&8	All			1		C3OZ 7210-A	(b)
66	B	6&8	All			1	1	C6OZ 7210-B	(b)
67	B	6&8	All			1	1	C7OZ 7210-C	(b)
68/69	B	6&8	All		1	1	1	C9AZ 7210-G	(d)
70/71	B	6&8	All		1	1	1	★D0AZ 7210-A	Includes 305073-S pin-r/b D3AZ 7210-A- (4/74)
72	B	6&8	All		1	1	1	D3AZ 7210-A	
70	P (non-locking column)	6	All			1		C9AZ 7210-G	(d)
70/72	P (w/locking column) - "Before 6/1/72"	6&8	All			1		★D0AZ 7210-A	Includes 305073-S pin-r/b D3AZ 7210-A- (4/74)
72	P "From 6/1/72"	6&8	All			1		D3AZ 7210-A	
65/66	S	8	All		1		1	C5SZ 7210-A	(b)
67	S	8	All				1	C7SZ 7210-A	(d)
68	S-tilt wheel	8	All				1	C8SZ 7210-A	
69	S-tilt wheel	8	All				1	C9SZ 7210-B	
68/69	S-fixed wheel	8	All				1	C9AZ 7210-G	(d)
70/71	S-fixed wheel	8	All				1	★D0AZ 7210-A	Includes 305073-S pin-r/b D3AZ 7210-A- (4/74)
70/71	S-tilt wheel	8	All				1	★D0AZ 7210-B	Includes 305086-S15 pin - r/b D3AZ 7210-B (4/74)
72	S-fixed wheel	8	All				1	D3AZ 7210-A	
72	S-tilt wheel	8	All				1	D3AZ 7210-B	
65	X	6&8	All			1		C4DZ 7210-B	(b)
66	X	6&8	All			1		C6OZ 7210-B	(b)
67	X	6&8	All			1		C7OZ 7210-C	(b)
68/70	X	6&8	All			1		C9AZ 7210-G	(d)
									Attaching parts for lever assembly to socket
				1				305080-S(NN113)	(a) Pin-1/4" x 1"
				1			1	357479-S(NN108)	(b) Pin-3/8" x 1"
				1	1		1	305066-S(NN109C)	(c) Pin-3/16" x 7/8"
				1	1		1	305086-S(NN108A)	(d) Pin-3/16" x 1 1/8"
					1		1	384714-S(NN109V)	(e) Pin-3/16" x 1"
							1	384715-S (NN109W)	(f) Pin-3/16" x 1 1/8"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7210	**LEVER ASSY. - TRANSMISSION FLOOR or CONSOLE SHIFT CONTROL SELECTOR** - Includes-Lever, rollers, pawl & cable assy.								
65/66	A	8	All		1	1	1	C5AZ 7210-E	Complete assembly (a)
					1	1	1	C5AZ 7210-F	Lever only (a)
67	A	6&8	All			1	1	C7AZ 7210-B	(b)
68/71	A	6&8	All		1	1	1	C8AZ 7210-H	R.H.-lever and shaft (c)
68/71	A	6&8	All		1	1	1	C9AZ 7210-H	L.H.-lever and pawl (c)
65	B	8	All			1		C2AZ 7210-L	(a)
66/67	B	6&8	All			1	1	C6OZ 7210-H	(a)
68/71	B	6&8	All		1	1	1	C8OZ 7210-B	(a)
72	B	6&8	All			1	1	D2OZ 7210-A	
65/66	F	6&8	All			1		C5ZZ 7210-H	(a)
67/68	F-floor shift	6&8	All			1	1	C7ZZ 7210-A	(a)
67/68	F-console shift	6&8	All			1	1	C7ZZ 7210-C	(a)
69/	F	6&8	All		1	1	1	C9ZZ 7210-C	
71/	L	4	All			1		D1FZ 7210-B	
71/	P	6&8	All			1		D1DZ 7210-A	
66	X	6&8	All			1		C6CZ 7210-H	(a)
									Attaching parts for lever assembly to lever support arm
					1	1	1	34370-S(M99)	(a) Nut-3/8"-24
						1	1	352358-S (NN127B)	(b) Pin-self-locking
						1	1	373403-S (MM173J)	(c) Nut-5/16"-18
7212	**TUBE ASSY. - TRANSMISSION COLUMN SHIFT SELECTOR**								
65/66	A-fixed column	6&8	All		1	1	1	C5AZ 7212-E	
65/66	A-moveable column	6&8	All		1	1	1	C5AZ 7212-D	
67	A	6&8	All		1	1	1	C7AZ 7212-A	
68	A-fixed wheel	6&8	All		1	1	1	C8AZ 7212-C	
68	A-tilt wheel	6&8	All		1	1	1	C8MY 7212-B	
69	A-fixed wheel	6&8	All		1	1	1	C9AZ 7212-B	28 3/8" long
69	A-tilt wheel	6&8	All		1	1	1	C9AZ 7212-E	26 1/8" long
70/	A-fixed wheel-Includes heavy duty	6&8	All		1	1	1	D0AZ 7212-A	28 1/16" long
70/	A-tilt wheel	6&8	All		1	1	1	D0AZ 7212-E	25 5/16" long
65	B	6&8	All			1		C5OZ 7212-A	
66	B	6&8	All			1	1	C6OZ 7212-C	
67	B "Before 1/16/67"	6&8	All			1	1	C7OZ 7212-B	
67	B "From 1/16/67"	6&8	All			1	1	C7OZ 7212-C	
68	B	6&8	All			1	1	C8OZ 7212-B	
69	B	6&8	All		1	1	1	C9OZ 7212-C	
70/71	B	6&8	All		1	1	1	D0OZ 7212-D	27 1/8" long
72	B "Before 9/1/71"	6&8	All		1	1	1	D2OZ 7212-A	19 19/64" long
72	B "From 9/1/71"	6&8	All		1	1	1	D2OZ 7212-F	
70	P(non-locking column)	6	All			1		D0DZ 7212-A	25 1/2" long
70	P(w/locking column)	6	All			1		D0DZ 7212-C	24 15/16" long
71/	P	6&8	All			1			
65/66	S	8	All		1		1	C5SZ 7212-B	
67	S	8	All				1	C7SZ 7212-B	
68	S-fixed wheel	8	All				1	C8SZ 7212-B	
68	S-tilt wheel	8	All				1	C8SZ 7212-C	
69	S-fixed wheel	8	All				1	C9SZ 7212-A	28" long

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7212	**TUBE ASSY.- TRANSMISSION COLUMN SHIFT SELECTOR - continued**							
69	S-tilt wheel	8	All			1	★C9SZ 7212-B	24 9/16" long
70/	S-fixed wheel	8	All			1	D0SZ 7212-A	28 1/2" long
70/71	S-tilt wheel	8	All			1	D0SZ 7212-B	26 3/16" long
72	S-fixed wheel - "Before 9/1/71"	8	All			1	D2OZ 7212-A	19 19/64" long
72	S-fixed wheel- "From 9/1/71"	8	All			1	D2OZ 7212-F	
72	S-tilt wheel- "Before 9/1/71"	8	All			1	D2SZ 7212-A	15 31/32" long
72	S-tilt wheel- "From 9/1/71"	8	All			1	D2SZ 7212-B	
65	X	6&8	All		1		C4GY 7212-A	
66	X	6&8	All		1		C6OZ 7212-C	
67	X "Before 1/16/67"	6&8	All		1		C7OZ 7212-B	
67	X "From 1/16/67"	6&8	All		1		C7OZ 7212-C	
68	X	6&8	All		1		C8OZ 7212-B	
69/70	X	6&8	All		1		C9OZ 7212-C	
7212	**TUBE ASSY. - TRANSMISSION CONSOLE SHIFT STEERING COLUMN INNER**							
68	A-fixed wheel	6&8	All		1	1	C8AZ 7212-D	
69	A-fixed wheel	6&8	All		1	1	C9AZ 7212-A	28 3/8" long
69	A-tilt wheel	6&8	All		1	1	C9AZ 7212-F	26 3/16" long
70/71	A-fixed wheel	6&8	All	1	1	1	D0AZ 7212-D	28 1/16" long
70/71	A-tilt wheel	6&8	All	1	1	1	D0AZ 7212-F	25 5/16" long
68	B	6&8	All		1	1	C8AZ 7212-D	
69	B	6&8	All	1	1	1	C9OZ 7212-A	26 7/8" long
70/71	B	6&8	All	1	1	1	D0OZ 7212-C	27 1/8" long
72	B	6&8	All		1	1	D2OZ 7212-A	19 19/64" long
68	F-fixed wheel	6&8	All		1	1	C8AZ 7212-D	
69	F-fixed wheel	6&8	All	1	1	1	C9ZZ 7212-A	28" long
69	F-tilt wheel	6&8	All		1	1	C9AZ 7212-F	26 3/16" long
70	F-fixed wheel	6&8	All	1	1	1	D0ZZ 7212-A	28 1/4" long
70	F-tilt wheel	6&8	All	1	1	1	D0ZZ 7212-B	25 3/16" long
71/	F-fixed wheel	6&8	All	1	1	1	D1ZZ 7212-A	27 29/32" long
71/	F-tilt wheel	6&8	All	1	1	1	D1ZZ 7212-B	25 21/32" long
71/	P	6&8	All		1		D1DZ 7212-A	25" long
7B212	**BRACKET - TRANSMISSION NEUTRAL SWITCH ACTUATING PIN**							
65	B	6&8	All		1		C2OZ 7B212-A	
7213	**KNOB - TRANSMISSION COLUMN SHIFT SELECTOR LEVER**							
65/66	A	6&8	All	1	1	1	C5AZ 7213-A	
67/	A	6&8	All	1	1	1	D3OZ 7213-A	
66/	B	6&8	All	1	1	1		
70/	P	6&8	All		1		D3OZ 7213-A	
65/66	S	8	All	AR		AR		Serviced in 7210 assembly only
67	S "Before 12/16/66"	8	All			1	C7SZ 7213-A	
67/	S "From 12/16/66"	8	All			1	D3OZ 7213-A	
66/70	X	6&8	All	1	1		D3OZ 7213-A	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	C/M	C4	C6	PART NUMBER	PART NAME and DESCRIPTION
7213	**KNOB or 'T' HANDLE ASSY. - TRANSMISSION FLOOR OR CONSOLE SHIFT CONTROL SELECTOR LEVER**								
65/67	A	6&8	All		1	1	1	★C5ZZ 7213-M	Kit-"T" handle-r/b D3OZ 7213-B(3-74)-includes-
66/	B, X	6&8	All			1	1		(1) C8ZZ 7213-A "T" bar-#Chrome
65/	F	6&8	All		1	1	1		(1) of each C8ZZ 7C488-A & B buttons
									(2) 374985-S set screws
68/69	A	6&8	All			1	1	★C8AZ 7213-S	#Dark Blue-r/b D0AZ 7213-C(8/74)
						1	1	★C8AZ 7213-R	#Parchment-r/b D0AZ 7213-C(8/74)
						1	1	C8AZ 7213-M	#Red
68/71	A	8	All		1	1	1	D0AZ 7213-C	#Black
65	B	8	All			1		★C2AZ 7213-F	Knob
68	B, F	6&8	All			1	1	★C8OZ 7213-C5G	#Nugget Gold-r/b C8OZ 7213-C2G
68/69	B, F	6&8	All			1	1	C8OZ 7213-C1K	#Aqua
						1	1	D0OZ 7213-D	#Black
						1	1	C8OZ 7213-C1B	#Blue
						1	1	C8OZ 7213-C1G	#Light Gold
						1	1	C8OZ 7213-C1U	#Parchment
						1	1	C8OZ 7213-C2D	#Red
						1	1	C8OZ 7213-C1F	#Saddle (brown)
69	B, F	6&8	All			1	1	C8OZ7213-C2G	#Dark Gold-"T" handle type
70	B, F	6&8	All		1	1	1	D0OZ 7213-D	#Black
					1	1	1	D0OZ 7213-J	#Blue
					1	1	1	D0OZ 7213-B	#Ginger
					1	1	1	D0OZ 7213-H	#Ivy Green
					1	1	1	D0OZ 7213-E	#Red
71/72	B "Before 11/8/71"	6&8	All		1	1	1	D0OZ 7213-D	#Black
71/	F	6&8	All		1	1	1		
67	F	6&8	All			1	1	★C7ZZ 7213-C	#Aqua
						1	1	C7ZZ 7213-A	#Black
						1	1	★C7ZZ 7213-E	#Blue
						1	1	C7ZZ 7213-F	#Gold
						1	1	C7ZZ 7213-D	#Parchment
						1	1	C7ZZ 7213-G	#Red
						1	1	C7ZZ 7213-B	#Saddle
68/70	F(GT350/500)	8	All			1	1	★S8MS 7213-A	
68/	F	6&8	All		1	1	1	D3OZ 7213-B	Kit-T-handle-includes
71/	L	4	All			1			(1) D3OA 7217-BA knob-chrome
71/	P	6&8	All			1			(1) D3OZ 7C488-A button
72	B "From 11/8/71"	6&8	All			1	1		(1) 383870-S100 screw
66/68	A, B, F	6&8	All		2	2	2	374985-S8(UU33K)	Screw-No.10-32 x 3/16" (handle to lever assembly)
69/	B, F	6&8	All			2	2	383870-S100 (UU33Z)	Screw-No. 10-32 x 1/2" (socket round)
7A213	**DIAL - TRANSMISSION COLUMN SHIFT SELECTOR**								
65/66	A	6&8	All		1	1	1	C5AZ 7A213-C	
67	A	6&8	All		1	1	1	C7AZ 7A213-B	
68	A-tilt wheel	6&8	All		1	1	1	C8MY 7A213-A	
68	A-fixed wheel	6&8	All		AR	AR	AR		Refer to Groups 7E055 & 7B037
69/70	A	6&8	All		AR	AR	AR		Refer to Group 7B037
65	B	6&8	All			1		C4OZ 7B033-B	
66	B	6&8	All			1	1	C6OZ 7A213-A	
67	B	6&8	All			1	1	C7OZ 7A213-A	
68/69	B	6&8	All			AR	AR		Refer to Groups 7E055 & 7B037
70	B	6&8	All			AR	AR		Refer to Group 7E055
65/66	S	8	All		1		1	C4SZ 7A213-C	
67	S	8	All				1	C7SZ 7A213-A	
68	S-tilt wheel	8	All				1	C8SZ 7A213-A	#Black-paint to match
68/	S-fixed wheel	8	All				AR		Refer to Groups 7E055 & 7B037

Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
	7A213 DIAL - TRANSMISSION COLUMN SHIFT SELECTOR - continued								
69	S-tilt wheel	8	All				1	C9SZ 7A213-D	#Aqua
							1	C9SZ 7A213-E	#Black
							1	C9SZ 7A213-C	#Blue
							1	C9SZ 7A213-F	#Gold
							1	C9SZ 7A213-A	#Nugget
							1	C9SZ 7A213-G	#Red
70/	S-tilt wheel	8	All				1	D0SZ 7A213-F	#Aqua
							1	D0SZ 7A213-D	#Black
							1	D0SZ 7A213-C	#Blue
							1	D0SZ 7A213-B	#Ginger
							1	D0SZ 7A213-E	#Gray
							1	D0SZ 7A213-J	#Ivy Green
							1	D0SZ 7A213-H	#Nugget Gold
							1	D0SZ 7A213-G	#Red
							1	D0SZ 7A213-A	#Tobacco
65	X	6&8	All			1		C4OZ 7B033-B	
66	X	6&8	All			1		C6OZ 7A213-A	
67	X	6&8	All			1		C7OZ 7A213-A	
68/69	X	6&8	All			AR			Refer to Groups 7E055 & 7B037
70	X	6&8	All			AR			Refer to Group 7E055
	7A213 DIAL - TRANSMISSION FLOOR or CONSOLE SHIFT SELECTOR - Also refer to Group 7A216								
65/66	A	8	All		1			C5AZ 7A213-D	
66	A	6&8	All			1	1	C6AZ 7A213-A	
67	A	6&8	All		1	1	1	C7AZ 7A213-C	
68	A	6&8	All			1	1	C8AZ 7A213-A	
69/71	A	6&8	All		1	1	1	C9AZ 7A213-A	5 1/8" x 1 3/16"
65	B	8	All			1		C4AZ 7A213-C	
66	B	6&8	All			1	1	C6OZ 7A213-C	Lettering P-R-N-D-L
66/67	B	6&8	All			1	1	C6OZ 7A213-D	Lettering P-R-N-D1-D2-L
68/71	B	6&8	All		1	1	1	C8OZ 7A213-A	
65/66	F-w/o console	6&8	All			1		C5ZZ 7A213-C	
65/66	F-w/console	6&8	All			1		C5ZZ 7A213-D	
69/70	F	6&8	All		1	1	1	C9ZZ 7A213-A	5 5/8" x 3/4"
71/	P	6&8	All			1			
71/	F	6&8	All		1	1	1	D1ZZ 7A213-A	
72	B	6&8	All			1	1		
71/	L	4	All			1		D1FZ 7A213-A	
66	X	6&8	All			1		C6OZ 7A213-C	Lettering P-R-N-D-L
	7A216 INSERT - TRANSMISSION COLUMN SHIFT SELECTOR POSITION - continued								
	- A -								
65/66	A-fixed column	6&8	All		1	1	1	C5AZ 7A216-B	(d)
65/66	A-moveable column	6&8	All		1	1	1	C5AZ 7A216-A	(d)
67	A-exc. P/C & Fleet	6&8	All		1	1	1	C7AZ 7A216-A	(d)
68	A-fixed wheel-exc. P/C & Fleet	6&8	All		1	1	1	C8AZ 7A216-D	(h)
68	A-tilt wheel- "Before 11/15/67"	6&8	All		1	1	1	C8MY 7A216-A	(g)
68	A-tilt wheel- "From 11/15/67 to 12/15/67"	6&8	All		1	1	1	C8MY 7A216-B	(g)
68	A-tilt wheel- "From 12/15/67"	6&8	All		1	1	1	★C8AZ 7A216-E	(g)
69	A-fixed wheel-exc. P/C & Fleet	6&8	All		1	1	1	C9AZ 7A216-A	#9F1, #9F2, #9F3
69	A-fixed wheel-P/C & Fleet	6&8	All		1		1	C9AZ 7A216-B	#9X1, #9X2, #9X3
69	A-tilt wheel	6&8	All		1	1	1	C9AZ 7A216-C	#FM9

★ Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	C/M	C4	C6	PART NUMBER	PART NAME and DESCRIPTION
7A216	**INSERT - TRANSMISSION COLUMN SHIFT SELECTOR POSITION**								
	- A -								
70/71	A-fixed wheel-exc. P/C & Fleet	6&8	All		1	1	1	★D0AZ 7A216-A	R/b D3AZ 7A216-A (10/74)
70/	A-fixed wheel-P/C & Fleet	6&8	All		1		1	D0AZ 7A216-B	
70/	A-tilt wheel	6&8	All		1	1	1	D0AZ 7A216-C	
72	A-fixed wheel-exc. P/C & fleet	6&8	All		1		1	D3AZ 7A216-A	
72	A-exc. fleet	6&8	All		1	1	1	D3AZ 7A216-A	
	- B -								
65	B	6&8	All			1		C5OZ 7A216-A	(b)
66	B	6&8	All			1	1	C6OZ 7A216-A	(f)
67	B	6&8	All			1	1	C7OZ 7A216-A	(f)
68/69	B	6&8	All			1	1	C8OZ 7A216-B	(h)
70/	B-exc. fleet	6&8	All		1	1	1	★D0AZ 7A216-A	R/b D3AZ 7A216-A (10/74)
70/	B-fleet	6&8	All		1	1	1	D0AZ 7A216-B	
	- P -								
70	P(w/locking column)	6	All			1		★D0AZ 7A216-A	R/b D3AZ 7A216-A (10/74)
71	P	6&8	All			1			
70	P(non-locking column)	6	All			1		D0DZ 7A216-B	
72	P	6&8	All			1		D3AZ 7A216-A	
	- S -								
65/66	S	8	All		1		1	C6SZ 7A216-B	(c) or (e)
67	S	8	All				1	C7SZ 7A216-A	(g)
68	S-fixed wheel- "Before 12/15/67"	8	All				1	C8SZ 7A216-B	(h)
68/69	S-fixed wheel- "From 12/15/67"	8	All				1	C8SZ 7A216-E	(h)
68/69	S-tilt wheel	8	All				1	C8SZ 7A216-D	(g)
70/71	S-fixed wheel	8	All				1	★D0AZ 7A216-A	R/b D3AZ 7A216-A (10/74)
70/	S-tilt wheel	8	All				1	D0AZ 7A216-C	
72	S-fixed wheel	8	All				1	D3AZ 7A216-A	
	- X -								
65	X	6&8	All			1		C5DZ 7A216-A	(b)
66	X	6&8	All			1		C6OZ 7A216-A	(f)
67	X	6&8	All			1		C7OZ 7A216-A	(f)
68/69	X	6&8	All			1		C8OZ 7A216-B	(h)
70	X	6&8	All			1		★D0AZ 7A216-A	R/b D3AZ 7A216-A (10/74)
									Attaching parts for insert to 3511 socket
					1			51764-S(U366)	(a) Screw-tapping-No.8-32
						1		50802-S(U150)	(b) Screw-No.6-32
					1			52720-S(U380)	(c) Screw-tapping-No.8-18
						1		42120-S(U248)	(d) Screw-tapping-No.10-16 x 3/8"
					1		1	357456-S(UU43)	(e) Screw-tapping-No.10-32
					1	1		52787-S(U367A)	(f) Screw-tapping-No.10-16 x 1/2"
					1	1	1	50386-S(U119)	(g) Screw-No.6-32 x 3/8"
					1	1	1	42014-S(U240)	(h) Screw-tapping-No.10-12
7228	**EXTENSION - TRANSMISSION COLUMN SHIFT SELECTOR LEVER SOCKET - LOWER**								
67	F,S-tilt wheel	6&8	All			1	1	C7SZ 7228-B	
68	A,F,S-tilt wheel	6&8	All			1	1	C8MY 7228-A	
69	F,S-tilt wheel	6&8	All			1	1	C9ZZ 7228-A	

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	C/M	C4	C6	PART NUMBER	PART NAME and DESCRIPTION
7228	**SOCKET - TRANSMISSION COLUMN SHIFT SELECTOR LEVER**								
65/67	A	6&8	All		1	1	1	C4AZ 7228-A	
66/67	B,X	6&8	All			1	1		
68	A,B,S,X-fixed wheel	6&8	All		1	1	1	C8AZ 7228-C	
69	B,S,X-fixed wheel	6&8	All		1	1	1		
70	P	6	All			1			Without locking shift control
68	A,S-tilt wheel	6&8	All		1	1	1	C8SZ 7228-A	Sockets stamped 45271, use with
69	S-tilt wheel	8	All				1		C9AZ 7A110-B & C8AZ 7E248-A
69	A-fixed wheel	6&8	All		1	1	1	C9AZ 7228-B	
69	A-tilt wheel	6&8	All		1	1	1	C9AZ 7228-C	
70/	A-fixed wheel	6&8	All		1	1	1	D0AZ 7228-D	
70/	A-tilt wheel	6&8	All		1	1	1	D0AZ 7228-C	
65	B,X	6&8	All			1		C9TZ 7228-A	
70/71	B, P, S-fixed wheel	6&8	All		1	1	1	D0OZ 7228-C	With locking shift control
72	B,P-fixed wheel	6&8	All			1	1		
65/66	S	8	All		1		1	C6SZ 7228-A	
67	S	8	All				1	C7SZ 7228-D	
70/71	S-tilt wheel	8	All				1	D0SZ 7228-A	
72	S-tilt wheel	8	All				1	D0AZ 7228-C	
72	S-fixed wheel	8	All				1	D0AZ 7228-D	
7B229	**BRACKET - TRANSMISSION SELECTOR CABLE**								
73	B	8	All	1				D2OZ 7B229-C	
7B233	**PLATE - TRANSMISSION SELECTOR LEVER OPENING** - Also refer to Group 7E169								
65/71	F-w/o console	6&8	All			1	1	C5ZZ 7B233-A	
65/66	F-w/console	6&8	All			1		C5ZZ 7B233-D	
						4	4	52720-S8(U380)	Screw-tapping-No.8-18 x 3/8" (plate to 7A306 housing)
72	B(63R,65D)-with console	6&8	All			1	1	D2OZ 7B233-B	
7E234-5	**BRACE - TRANSMISSION CASE TO ENGINE BLOCK**								
71	A(P/C)	8	429						
70	S	8	All						
							1	D0VY 7E234-A	R.H.
							1	C8LY 7E235-A	L.H.
70	S	8	All				1	D0SZ 7E235-A	11 9/32" long-3/8"-16 bolt head
7241	**SHAFT - TRANSMISSION CONSOLE SHIFT SELECTOR SUPPORT**								
67	A-floor shift	6&8	All		1	1	1	C7AZ 7241-A	
7246	**INSULATOR - TRANSMISSION COLUMN SHIFT SELECTOR LEVER**								
65	B,X	6&8	All			1		B8S 7246-A	1" long-3/4" O.D. & 11/16" O.D.-
71/	A,B,S	6&8	All		1	1	1		3/8" I.D.-Alternate with C2OZ 7246-A
70/	P	6	All			1			
71/	A,B,P,S	6&8	All		1	1	1	C2OZ 7246-A	1" long-3/4" O.D.-alternate with B8S 7246-A
65/	S	8	All		1		1	C5SZ 7246-A	
69/	A	6&8	All		1	1	1		
7D246	**CABLE - TRANSMISSION CONSOLE SHIFT SELECTOR LEVER LINKAGE** - Includes Ball, threaded sleeve, cable and bushing								
65/66	A	8	All		1	1	1	C5ZZ 7D246-A	9" long-not including Ball length
65/	F	6&8	All		1	1	1		
71/	L	4	All			1			
71/	P	6&8	All			1			
72	B	6&8	All			1	1		
67	A	6&8	All		1	1	1	C7AZ 7D246-A	8" long-including Ball length
66/70	B,X	6&8	All			1	1	C6OZ 7D246-A	8 3/4" long-not including Ball length

\# Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	C/M	C4	C6	PART NUMBER	PART NAME and DESCRIPTION
7A247	**SWITCH - TRANSMISSION CONTROL SELECTOR NEUTRAL** - Also refer to Group 15520								
	COLUMN SHIFT								
	- A -								
65/66	A	6&8	All		1			C5AZ 7A247-C (SW-706)	(g)
65/66	A	6&8	All			1		C4AZ 7A247-C (SW-368)	Located on trans.
66	A	8	All				1	C6AZ 7A247-A (SW-549)	#C6AP 7A247-A-located on trans. assy.
67	A	6&8	All		1	1	1	C7AZ 7A247-D (SW-594)	(a)
68/69	A	6&8	All		1	1	1	•D1PZ 7A247-A (SW-868-A)	#C8AA 7A247-G1, G2, H, K1, K2, K3, L, #C9AA 7A247-A1, A2 or A3- with or without vacuum brake release-incl.- 7A097 actuating lever
68	A	6&8	All		1	1	1	•C8MY 7A247-A (SW-649)	#C8MA 7A247-H, J or K-with vacuum brake release-includes-7A097 actuating lever
69	A	6&8	All		1	1	1	C9MY 7A247-A (SW-867)	#C9MA 7A247-A1, A2 or B-with vacuum brake release (c)
70/	A (locking column)								Refer to Group 15520
	- B -								
65/66	B	6&8	All			1		C4AZ 7A247-C (SW-368)	Located on trans.
66	B	8	All				1	C6AZ 7A247-A (SW-549)	#C6AP 7A247-A-located on trans.
67	B	6&8	All			1	1	C7OZ 7A247-D (SW-596)	(a)
68/69	B	6&8	All		1	1	1	D1PZ 7A247-A (SW-868-A)	#C8AA 7A247-L, #C9AA 7A247-A1, A2 or A3-incl. 1-C9AZ 7B097-A & I.S. 4202-A
70/	B(locking column)								Refer to Group 15520
	- P -								
70	P(non-locking column)	6	All			1		D1PZ 7A247-A (SW-868-A)	#C8AA 7A247-L, #C9AA 7A247-A1, A2 or A3
70/	P(locking column)								Refer to Group 15520
	- S -								
65/66	S	8	All		1			C6SZ 7A247-A (SW-783)	(d)
66	S	8	All				1	C6AZ 7A247-A (SW-549)	#C6AP 7A247-A-located on trans.
67	S	8	All				1	C7SZ 7A247-C (SW-641)	(d)
68	S-tilt wheel	8	All				1	C8SZ 7A247-A (SW-653)	#C8SA 7A247-E, F, G or H (g)
68	S-fixed wheel	8	All				1	C8MY 7A247-A (SW-649)	#C8MA 7A247-F, G, H, J, K (g)
69	S-fixed wheel	8	All				1	C9MY 7A247-A (SW-867)	#C9MA 7A247-A, B (c)
69	S-tilt wheel	8	All				1	C9SZ 7A247-A (SW-865)	#C9SA 7A247-A1, A2 or C (c)
70/	S(locking column)								Refer to Group 15520

• For 1968 only - refer to Special Service Letters No.47 & 47A dated 11/10/67 or Shop Tips dated August, 1968 (volume 6, No.12) for adjustment and installation procedure.

Identification Marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	C/M	C4	C6	PART NUMBER	PART NAME and DESCRIPTION
7A247	**SWITCH - TRANSMISSION CONTROL SELECTOR NEUTRAL - continued** - Also refer to Group 15520								
	COLUMN SHIFT - continued								
	- X -								
65/66	X	6&8	All			1		C4AZ 7A247-C (SW-368)	Located on trans.
67	X	6&8	All			1		C7OZ 7A247-D (SW-596)	(a)
68	X	6&8	All			1	1	D1PZ 7A247-A (SW-868-A)	#C8AA 7A247-L, #C9AA 7A247-A1, A2 or A3
69/70	X(non-locking)	6&8	All			1			
70	X(locking column)								Refer to Group 15520
	CONSOLE SHIFT								
	- A -								
65/66	A	8	All		1			C5AZ 7A247-B	(f)
65/66	A	6&8	All			1		C4AZ 7A247-C (SW-368)	Located on trans.
66	A	8	All				1	C6AZ 7A247-A	
67	A	8	All			1	1	C7AZ 7A247-E (SW-593)	(f)
68/71	A	6&8	All		1	1	1	C8AZ 7A247-B (SW-654)	
	- B -								
65/66	B	6&8	All			1		C4AZ 7A247-C (SW-368)	Located on trans.
67	B	6&8	All			1	1	#C7OZ 7A247-C (SW-595)	R.b C8OZ 7A247-A (10/74)
68/72	B "Before 12/1/71"	6&8	All			1	1	C8OZ 7A247-A (SW-687)	
72	B "From 12/1/71 to 1/5/72"	6&8	All			1	1	D2OZ 7A247-A (SW-1059)	
72	B "From 1/5/72"	6&8	All			1	1	D2OZ 7A247-B (SW-1059-A)	
	- F -								
65/67	F "Before 12/15/66"	8	All			1		C4AZ 7A247-C (SW-368)	Includes 30" wiring w/2 single head plugs
67/69	F "From 12/15/66"	6&8	All			1	1	C9ZZ 7A247-B	Includes 30" wiring w/1 dual plug-
68/69	F	8	All				1	(SW-877)	#C9ZP 7A247-A or B
67	F "Before 12/15/66"	8	All				1	C6AZ 7A247-A (SW-549)	Includes wiring w/2 single head plugs
69/72	F "Before 12/1/71"	6&8	All		1			C9ZZ 7A247-C (SW-903)	Located on shift control assembly- #C8ZP 7A247-A, #C9ZA 7A247-C, D
72	F "From 12/1/71 to 1/5/72"	8	All		1			D2ZZ 7A247-A (SW-903-A)	
72	F "From 1/5/72"	8	All		1			D2ZZ 7A247-B (SW-903-B)	
70/	F	6&8	All			1		D1FZ 7A247-A (SW-1028)	#D1MP 7A247-AA
70/72	F "Before 12/1/71"	8	All				1	D0ZZ 7A247-B (SW-920)	Located on trans., #D0ZP 7A247-B
72	F "From 12/1/71"	8	All				1	D2ZZ 7A247-C (SW-1148)	Located on trans. #D2ZP 7A247-BA
	- L -								
71/72	L "Before 12/1/71"	4	All			1		D1FZ 7A247-A (SW-1028)	#D1MP 7A247-AA
72	L "From 12/1/71"	4	All			1		D2ZZ 7A247-C (SW-1148)	Located on trans. #D2ZP 7A247-BA

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7A247	**SWITCH - TRANSMISSION CONTROL SELECTOR NEUTRAL - continued** - Also refer to Group 15520							
	CONSOLE SHIFT - continued							
	- P -							
71/72	P "Before 12/1/71"	6&8	All		1		D1FZ 7A247-A (SW-1028)	Mounted on trans. - #D1MP 7A247-AA
72	P "From 12/1/71"	6&8	All		1		D2ZZ 7A247-C (SW-1148)	Located on trans. #D2ZP 7A247-BA
								Attaching parts for switch assembly
				AR	AR	AR	42127-S(U248C)	(a) Screw-tapping-No.10-12 x 1/2"
				AR	AR	AR	52353-S(U303)	(b) Screw-tapping-No.10-12 x 5/8"
				2	2	2	40905-S(U258)	(c) Screw-hex. washer. hd. -No. 10-24
				AR	AR	AR	42120-S(U248)	(d) Screw-tapping-No.10-16 x 3/8"
				AR	AR	AR	42119-S(U246)	(e) Screw-tapping-No.8-18 x 3/8"
				AR	AR	AR	40918-S(U260)	(f) Screw-tapping-No.10-24 x 1/2"
				AR	AR	AR	50507-S(U151)	(g) Screw-pan hd.-No.8-32 x 3/8"
				AR	AR	AR	357456-S(UU43)	(h) Screw-tapping-No.10-32 x 1/2"
7E248	**COVER - TRANSMISSION COLUMN SHIFT SELECTOR SOCKET**							
68/69	A,S-tilt wheel	8	All	1	1	1	C8SZ 7E248-A	
7E263	**INSERT - TRANSMISSION CONSOLE SHIFT SELECTOR LEVER HANDLE**							
68/71	A	6&8	All	2	2	2	C8AZ 7E263-A	
7E271	**SHIELD - TRANSMISSION CONSOLE SHIFT SELECTOR HOUSING**							
68/71	A	6&8	All	1	1	1	C8AZ 7E271-A	
69/	F	6&8	All	1	1	1	C9ZZ 7E271-A	6 1/8" x 1 1/16"
71/	P	6&8	All		1			
72	B	6&8	All		1	1		
71	L	4	All		1		D1FZ 7E271-A	
72	L	4	All		1		D2FZ 7E271-A	
7277	**BOOT - TRANSMISSION CONSOLE SHIFT SELECTOR LINKAGE**							
65	A	8	All	1	1		C5AZ 7277-A	
66	A	8	All	1	1	1	C6AZ 7277-A	
67/68	A	6&8	All		1	1	C7AZ 7277-A	
69/71	A	6&8	All	1	1	1	C9AZ 7277-B	
66/71	B,X	6&8	All		1	1	C6OZ 7277-B	
7E280	**BRACKET - TRANSMISSION BELLCRANK MOUNTING** - Refer to Group 7C431							
7D282	**LEVER - TRANSMISSION CONSOLE SHIFT SELECTOR LEFT HAND SUPPORT**							
68/71	A	6&8	All	1	1	1	C8AZ 7D282-A	
7E285	**SHIELD - TRANSMISSION COLUMN SHIFT SELECTOR INDICATOR LAMP**							
69	A, B, S, X-fixed wheel	6&8	All	1	1	1	C9OZ 7E285-A	
70	P	6	All		1			
7293	**SPRING - TRANSMISSION COLUMN SHIFT SELECTOR STOP**							
65	A,B	6&8	All	1	1		C2OZ 7293-B	1 1/8" free length-4 1/2 coils
65/66	S	8	All	1				
65	X	6&8	All		1		FDU 7293-A	1 1/2" free length-5 1/2 coils
7A296	**BRACKET - TRANSMISSION ACCELERATOR BELLCRANK MOUNTING**							
65/68	A	6	240		1	1	C5AZ 7A296-A	
69/70	A	6	240				7A296	Serviced in 7A185 accelerator bellcrank assy.
7E299	**RETAINER - TRANSMISSION SELECTOR INDICATOR CABLE**							
70/	A, S(tilt wheel)	6&8	All	1	1	1	D0AZ 7E299-A	
7C300	**SPRING - TRANSMISSION SELECTOR LEVER REVERSE LOCKOUT RETURN**							
65/67	A	6&8	All	1	1	1	C5ZZ 7C300-A	2 1/16" free length-27 coils
66/	B	6&8	All		1	1		
65/	F	6&8	All		1	1		
71/	L,P	4,6,8	All		1			
66/70	X	6&8	All		1	1		
68/	A	6&8	All	1	1	1	C8AZ 7C300-A	2 1/16" free length-12 coils

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7E300	**RETAINER - TRANSMISSION SELECTOR INDICATOR CABLE**							
70/	A-fixed wheel	6&8	All		1	1	1	D0AZ 7E300-A	1/2" long w/serrations
72	S-fixed wheel	8	All				1	
7302	**ARM and SUPPORT ASSY. - TRANSMISSION CONTROL SELECTOR LEVER**							
65	A	8	352		1			C5AZ 7302-D	4 7/16" long
65	A	8	All			1		
65/66	A	8	390		1			C5AZ 7302-C	3 7/8" long
68/71	A	6&8	All		1	1	1	C8AZ 7302-A	
66/67	B	6&8	All			1	1	C6OZ 7302-D	
68/71	B	6&8	All			1	1	C8OZ 7302-A	
72	B	8	All		1	1	1	D2OZ 7302-A	
65/66	F	6&8	All			1		C5ZZ 7302-C	
67/68	F	6&8	All			1	1	C7ZZ 7302-A	
69/70	F	6&8	All		1	1	1	C9ZZ 7302-A	
71/	F	6&8	All		1	1	1	D1ZZ 7302-A	
71/72	L	4	All			1		D1FZ 7302-A	
71/	P	6&8	All			1		D1ZZ 7302-A	
65	X-column shift	6&8	All			1		C4DZ 7302-A	Includes 7341 insulator
66	X-floor shift	8	All			1		C6OZ 7302-D	
7A306	**HOUSING - TRANSMISSION CONSOLE SHIFT SELECTOR**							
65/66	A	8	All		1			C5AZ 7A306-B	(a)
67	A	6&8	All			1	1	C7AZ 7A306-A	(c)
68/71	A	6&8	All		1	1	1	C8AZ 7A306-B	
66	B	6&8	All			1	1	C6OZ 7A306-C	(b)
67	B	All	All			1	1	★C6AZ 7A306-E	
68/71	B	6&8	All		1	1	1	C8OZ 7A306-A	(c)
72	B	8	All				1	D2OZ 7A306-A	
65/66	F	6&8	All			1		C5ZZ 7A306-B	(a)
67/68	F-w/console	6&8	All			1	1	C7ZZ 7A306-A	(b)
67/68	F-w/o console	6&8	All			1	1	C7ZZ 7A306-B	(a)
69/70	F	6&8	All		1	1	1	C9ZZ 7A306-A	
71/	F	6&8	All		1	1	1	D1ZZ 7A306-A	
71	L	4	All			1		D1FZ 7A306-B	
72	L	4	All			1		D2FZ 7A306-A	
71/	P	6&8	All			1		D1ZZ 7A306-A	
66	X	6&8	All			1		C6OZ 7A306-C	
									Attaching parts for housing to cover plate or floor pan
					AR	AR	AR	20308-S(B40)	(a) Bolt-1/4"-20 x 1/2"-hex.hd.
					AR	AR		34805-S(X62)	(a) Washer-1/4"
						AR	AR	20344-S(B42)	(b) Bolt-1/4"-20 x 3/4"-hex.hd.
					AR	AR	AR	371492-S(BB569)	(c) Bolt-& washer-1/4"-20 x 3/4"
						AR	AR	359294-S(BB574A)	(d) Bolt & washer-1/4"-20 x 1/2"
7E307	**RETAINER - TRANSMISSION SELECTOR INDICATOR**							
69	A	6&8	All		1	1	1	C9AZ 7E307-B	Includes-retainer, clip and nut assembly
7C309	**PLATE - TRANSMISSION SELECTOR LEVER OPENING COVER FINISH**							
65/66	F	6&8	All			1		C5ZZ 7C309-C	Without A/C-Black finish
						1		★C5ZZ 7C309-D	With A/C
						1		★C5ZZ 7C309-G	Without A/C-Wood grain finish
67	F	6&8	All			1	1	C7ZZ 7C309-B	
7C309	**PLATE - TRANSMISSION CONSOLE SHIFT SELECTOR LEVER OPENING FLOOR PAN COVER**							
66/	B,X	6&8	All			1	1	C6OZ 7C309-A	
7323	**SPACER - TRANSMISSION COLUMN SHIFT SELECTOR CONNECTING ROD ADJUSTMENT**							
65/	A	6&8	All		1	1	1	B9A 7323-A	
68	A	6&8	All		1	1	1		
65	B,F,X	6&8	All		1	1			

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		ENGINE CYL.	ENGINE C.I.D.	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7325-6	**ROD - TRANSMISSION MANUAL CONTROL SELECTOR CONNECTING**								
	COLUMN SHIFT								
		- A -							
65	A	"Before 1/11/65"	6&8	All		1	1	C5AZ 7326-B	Approx. 4 3/8" long (e)
65/66	A	"From 1/11/65"	6&8	All		1	1	1 C5AZ 7326-J	Approx. 5 11/16" long (e)
67	A		6&8	All		1	1	1 C7AZ 7326-D	Approx. 4 5/8" long
68	A		6&8	All		1	1	1 C8AZ 7326-B	Approx. 5 3/4" long
69/	A		6&8	All		1	1	1 C9AZ 7326-A	Approx. 6 1/2" long
		- B -							
66	B		6&8	All			1	C6OZ 7326-J	Approx. 16 1/2" long (d,e)
67	B	"Before 1/16/67"	6&8	All			1	C7OZ 7326-B	Approx. 15 7/8" long (d,e)
67	B	"From 1/16/67"	6&8	All			1	C7OZ 7326-C	Approx. 4 1/2" long (d,e)
68	B	"Before 10/2/67"	6&8	All			1	1 ★C8OZ 7326-C	(h)
68/69	B	"From 10/2/67"	6&8	All		1	1	1 C9OZ 7326-E	
70	B		8	351			1	D0OZ 7326-C	4" long
70/71	B		8	All	1		1		
70/71	B		6&8	250,302			1	D0OZ 7326-B	4" long
		- P -							
70/	P		6&8	All			1	D0DZ 7326-A	Approx. 5 1/2" long
		- S -							
68/69	S		8	All			1	C8SZ 7326-A	Approx. 4" long (c)
70/	S		8	All			1	D0SZ 7326-A	Approx. 4" long
		- X -							
65	X		6&8	All			1	C4GY 7326-A	(a)
66	X		6&8	All			1	C6OZ 7326-J	Approx. 16 1/2" long (d,e)
67	X	"Before 1/16/67"	6&8	All			1	C7OZ 7326-B	Approx. 15 7/8" long (d,e)
67	X	"From 1/16/67"	6&8	All			1	C7OZ 7326-C	Approx. 4 1/2" long (d,e)
68	X	"Before 10/2/67"	6&8	All			1	1 ★C8OZ 7326-C	(h)
68/69	X	"From 10/2/67"	6&8	All			1	C9OZ 7326-E	
	FLOOR OR CONSOLE SHIFT								
		- A -							
65/66	A		8	352		1		C5AZ 7326-E	(d,e)
65/66	A		8	390		1		C5AZ 7326-D	Approx. 19 3/4" long (d,e)
70/	A		8	All		1		D0AZ 7326-E	26" long
65/66	A		8	All			1	C5AZ 7326-C	Approx. 20" long (d,e)
67/69	A		6	All			1	C7AZ 7326-G	Approx. 22 1/2" long (h,e)
67/68	A		8	All					
69	A		8	All			1	C9AZ 7326-D	Approx. 25 1/2" long
70/71	A		8	All			1	D0AZ 7326-C	25 1/2" long
66	A		8	All			1	C6AZ 7326-A	Approx. 20" long (d,e)
67/68	A		8	All			1	C7AZ 7326-E	Approx. 23" long (h,e)
69	A		8	All			1	C9AZ 7326-E	
70/71	A		8	All			1	D0AZ 7326-D	24 1/2" long
		- B -							
69	B		8	All		1		C9OZ 7326-A	17 1/2" long-#C9OA 7340-A
70	B		8	351-4B		1		D0OZ 7326-F	Approx. 20" long-#D0OA 7340-B
66/67	B		6&8	All			1	C6OZ 7326-A	Approx. 17 13/16" long (d,e)
68	B		6&8	All			1	C8OZ 7326-A	(d,e)
69	B		6&8	All			1	C9OZ 7326-B	17 7/8" long-#C9OA 7340-B
70	B		6&8	250,302			1	D0OZ 7326-G	Approx. 20" long-#D0OA 7340-A
71	B		6&8	All			1		
72	B		6&8	All			1	D2OZ 7326-D	17 1/2" long
66/67	B		8	All			1	C6OZ 7326-N	Approx. 18" long (d,e)
68/69	B		8	All			1	C8OZ 7326-B	Approx. 17" long (d,e)
70/71	B		8	All			1	D0OZ 7326-E	Approx. 19" long-#D0OA 7340-E
72	B		8	All			1	D2OZ 7326-C	Approx. 17 1/4" long-#Red paint daub

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7325-6	**ROD - TRANSMISSION MANUAL CONTROL SELECTOR CONNECTING - continued**							
	FLOOR OR CONSOLE SHIFT							
	- F -							
70	F	8	All	1			D0ZZ 7326-D	Approx. 18" long-#D0ZA 7340-A
71/	F	8	All	1			D1ZZ 7326-A	Approx. 18 1/2" long-#Yellow paint daub
65/66	F	6&8	All		1		C5ZZ 7326-A	Approx. 17" long (d,e)
67/68	F	6&8	All		1		C7ZZ 7326-B	Approx. 17 1/4" long (d,e)
69	F	6&8	All		1		C9ZZ 7326-C	Approx. 17" long-#C9ZA 7326-D
70	F	6&8	All		1		D0ZZ 7326-B	Approx. 17 1/4" long #D0ZA 7326-B or #D0ZA 7340-C
71/	F	6&8	All		1		D1ZZ 7326-C	Approx. 18 1/2" long
67/69	F	8	All			1	C7ZZ 7326-A	Approx. 17" long (d,e)
70	F	8	All			1	D0ZZ 7326-C	Approx. 17" long-#D0ZA 7326-C or #D0ZA 7340-B
71	F	8	All			1	D1ZZ 7326-B	Approx. 18" long-#Red paint daub
72	F	8	All			1	D2ZZ 7326-A	Approx. 17 1/2" long-#Red paint daub
69	F	8	All	1			C9OZ 7326-A	17 1/2" long - #C9OA 7340-A
	- L -							
71/	L	4	All		1		D1FZ 7326-A	Approx. 18" long-#Brown or Orange paint daub
	- P -							
71/	P	6&8	All		1		D1DZ 7326-C	Approx. 17" long
	- X -							
66/67	X	8	All			1	C6OZ 7326-N	Approx. 18" long (d,e)
66/67	X	6&8	All		1		C6OZ 7326-A	Approx. 17 13/16" long (d,e)
								Attaching parts for rod to transmission gear shift lever and/or control selector bellcrank
				AR	AR	AR	44722-S(X19)	(a) Washer-flat-5/16"
				AR	AR	AR	351341-S(XX351)	(a) Washer-spring-5/16"
				AR	AR	AR	72034-S(N45)	(a) Cotter pin-3/32"-1"
				AR	AR	AR	72015-S(N40)	(a) Cotter pin-1/16"-1"
					AR	AR	33923-S(M32)	(b) Nut-5/16"-24
				AR	AR	AR	379930-S(MM173M)	(c) Nut-5/16"-18
				AR	AR	AR	354299-S(MM156)	(d) Nut-5/16"-24
				AR	AR	AR	356403-S(XX126)	(e) Washer-flat-5/16"
				AR	AR	AR	351341-S(XX351)	(e) Washer-spring-5/16"
				AR	AR	AR	352358-S(NN127B)	(e) Cotter pin-self-locking-1/16"
					AR	AR	356383-S(XX362)	(f) Washer-spring-7/16"
					AR	AR	34392-S(M93)	(g) Nut-5/16"-18
				AR	AR	AR	382384-S(MM169U)	(h) Nut-5/16"-24
					AR	AR	374979-S(XX15D)	(j) "C" washer-5/16"
7E327	**KEY - TRANSMISSION CONTROL SELECTOR LOCK BLANK**							
68/69	A,B,S,X (column shift)	6&8	All	AR	AR	AR	C9AZ 7E327-A	Fixed wheel
7D328	**ROLLER ASSY. - TRANSMISSION CONSOLE SHIFT SELECTOR LEVER LOCK**							
65/67	A	6&8	All	1	1	1	C5ZZ 7D328-A	
65/	B,F	6&8	All		1	1		
65/70	X	6&8	All		1			
71/	L	4	All		1			
72	P	6&8	All		1			
7E328	**PLUG - TRANSMISSION CONTROL SELECTOR LOCK**							
68/69	A,B,S,X (column shift)	6&8	All	AR	AR	AR	C9AZ 7E328-A	Fixed wheel
7E330	**ROD - TRANSMISSION FLOOR SHIFT SELECTOR LOCK CONTROL**							
70	A	8	All	1			D0AZ 7E330-D	Approx. 12" long-#D0AA 7E330-D
					1		D0AZ 7E330-A	Approx. 12" long-#D0AA 7E330-A
						1	D0AZ 7E330-B	Approx. 13" long-#D0AA 7E330-F
71	A	8	All	1			D0AZ 7E330-D	Approx. 12" long-#DOAA 7E330-D
					1		D1AZ 7E330-A	Approx. 13" long-#D1AA 7E330-AA
						1	D0AZ 7E330-B	Approx. 13" long-#D0AA 7E330-F

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7E330 ROD - TRANSMISSION FLOOR SHIFT SELECTOR LOCK CONTROL - continued								
70	B	8	351	1			D0OZ 7E330-A	Approx. 13 1/2" long-#D0OA 7E330-E
70/71	B	6&8	All		1		D0OZ 7E330-B	Approx. 15" long-#D0OA 7E330-F
70/71	B	8	All			1	D0OZ 7E330-C	Approx. 16 1/2" long-#D0OA 7E330-C
70	F	6&8	All	1			D0ZZ 7E330-E	Approx. 14" long-#D0ZA 7E330-R
					1		D0ZZ 7E330-A	Approx. 15" long-#D0ZA 7E330-M
						1	D0ZZ 7E330-D	Approx. 15 1/2" long-#D0ZA 7E330-N
71/	F	6&8	All	1			D1ZZ 7E330-A	Approx. 13" long-#Yellow paint daub
					1		D1ZZ 7E330-C	Approx. 13" long
						1	D1ZZ 7E330-B	Approx. 13" long-Red paint daub
71	P	6	170,200		1		D1DZ 7E330-C	Approx. 16" long
		6	250		1		D1DZ 7E330-D	Approx. 15 1/2" long-Red paint daub
		8	302		1		D1DZ 7E330-F	Approx. 15 5/8" long-Red paint daub
72	P	6	200		1		D1DZ 7E330-C	Approx. 16" long
		6&8	250,302		1		D1DZ 7E330-F	Approx. 15 5/8" long-Red paint daub
7C332 HOSE - TRANSMISSION OIL COOLER LINE								
65/67	A,B,F,X	6&8	All	AR	AR	AR	C3DZ 7C332-C	7 1/2" long-5/16" I.D.-1/2" O.D.-cut to required length
				1	1	1	C9AZ 8287-A	Clamp-1/2" dia.
7335 BUSHING - TRANSMISSION GEAR SHIFT TUBE								
72	B,S	6&8	All		1	1	D2OZ 7335-A	1 5/8" I.D.-1 57/64" flange dia.-1/2" wide
7335 SLEEVE - TRANSMISSION CONTROL SELECTOR IMPACT								
65/66	S	8	All	1			B8S 7335-A	
7D340 CLIP - TRANSMISSION COLUMN SHIFT SELECTOR DIAL RETAINING								
65/66	A	6&8	All	1	1	1	C4AZ 7D340-A	
66/67	B,X	6&8	All		1	1		
7341 INSULATOR - TRANSMISSION CONTROL SELECTOR SHIFT ARM								
67	A (console shift)	6&8	All		1	1	C3MY 7341-A	7/16" I.D.-1/8" long at trans. lever
65/71	B,F (floor or console shift)	6&8	All	AR	AR	AR		
67/70	A,S (column shift)	6&8	All	2	2	2	★C7SZ 7341-A	5/16" I.D.-11/32" long-r/b D4AZ 7341-A (2-74)
67/70	B,X (column shift)	6&8	All	1	AR	AR		Also serviced in 7A185
70	P	6	All		1			
70	F	6&8	All	AR	AR	AR		
71	A,B,F,S	6&8	All	AR	AR	AR		
72	A,B,F,L	6&8	All	1	1	1		
68/71	B (column shift)	6&8	All		1	1	C8OZ 7341-A	3/8" I.D.-3/8" long
70/71	P	6	250		1			Also serviced in 7A185
68/70	X	6&8	All		1			
71	L	4	All		1			
70/	F	6&8	All	1	1	1	D0ZZ 7341-A	5/16" I.D.-15/32" long-at lockout rod
71/	P	6&8	All		1			
72	S	8	All			1	D2SZ 7341-A	
7341 BEARING - TRANSMISSION COLUMN SHIFT SELECTOR BELLCRANK								
67/	A,B,S	6&8	All	1	1	1	C7SZ 7341-B	7/16" I.D.-11/16" O.D.-13/32" long
67/70	X	6&8	All		1			
71/	P	6&8	All		1			
66	S	8	All	1		1	C6SZ 7341-A	
7343 BUSHING - TRANSMISSION CONTROL SELECTOR ARM - Also refer to 7343 Kit								
65/68	A,S (column shift)	6&8	All	1	1	1	C2AZ 7343-A	5/16" I.D.-3/8" O.D.-3/8" long-nylon
66/66	A (floor or console shift)	6&8	All	1	1	1	C2AZ 7343-B	3/8" I.D.-7/16" O.D.-3/8" long-nylon
65/68	B,F,X	6&8	All		1	1		
69/	B,F,P	6&8	All	1	1	1		
67/71	A (console shift)	6&8	All	1	1	1	C7AZ 7343-A	3/8" I.D.-7/16" O.D.-3/16" long
65/67	B,X (column shift)	6&8	All		1	1	C1AA 7343-B	
7343 BUSHING and INSULATOR KIT - TRANSMISSION CONTROL SELECTOR ARM								
65/66	A (console shift)	6&8	All	1	1	1	B9AZ 7343-A	Consists of-(1) insulator & (1) bushing
65	B,F (console shift)	6&8	All		1			
65/66	S	8	All	1				
66	B,X (column shift)	6&8	All		1	1	C3TZ 7343-A	Consists of-(2) insulators & (2) bushings
65	X (column shift)	6&8	All		1			

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7346	**ARM - TRANSMISSION CONTROL SELECTOR**							
72	B,S	6&8	All		1	1	D2OZ 7346-A	9/64" thick-1 13/32" long-1" bend-"L" shaped-used for repair on lower end of 7212 tube assy.
7347	**BEARING - TRANSMISSION CONTROL SELECTOR TUBE**							
65/67	A	6&8	All	1	1	1	C3AZ 7347-G	2 3/16" dia.-3/32" gap at locator tabs-5/8" wide
65	B,X	6&8	All		1			
65/67	S	8	All	1		1		
68	A,B,S,X-column shift	6&8	All	1	1	1	C8AZ 7347-A	Upper-2 1/8" dia.-1/2" long-open end-(3) locating tabs
68	A,B,X-fixed wheel	6&8	All	1	1	1	C8AZ 7347-B	Lower-1 3/16" dia.-1 5/16" long-closed type
68	A-tilt wheel	6&8	All	1	1	1		Lower
68	F,S	6&8	All		1	1		Lower
69/71	A,B,S	6&8	All	1	1	1	C9AZ 7347-C	Upper-2 3/16" dia.
69/70	F,P,X	6&8	All	1	1	1		
71/	P-column shift	6&8	All		1			
72	A,S	6&8	All	1	1	1		
68	A,B,F-floor shift	6&8	All		1	1	C7ZZ 7347-C	Upper-2 1/8" dia.-5/8" long-closed type-(3) locating tabs
69/72	A,P,S	6&8	All	1	1	1	D1AZ 7347-A	Lower-1 5/8" flange O.D.-1 3/8" I.D.-1 5/8" long
69/70	F,X	6&8	All		1			
69/71	B	6&8	All	1	1	1		
72	F	6&8	All	1	1	1		
66/67	B,X	6&8	All		1	1	C7OZ 7347-A	2 1/8" dia.-5/8" wide
72	B-column shift-"Before 9/1/71"	6&8	All		1	1	★D2OZ 7347-B	2 1/8" O.D.-3" long-r/b D2OZ 7347-F (10/74)
72	B-column shift-"From 9/1/71 to 3/6/72"	6&8	All		1	1	D2OZ 7347-C	2 1/8" O.D.-3" long
72	B "From 3/6/72"	8	All		1	1	D2OZ 7347-F	
72	B-console shift-"Before 9/1/71"	6&8	All		1	1	D2OZ 7347-A	2 5/8" O.D.-2 1/4" long
72	B-console shift-"From 9/1/71"	6&8	All		1	1	D2OZ 7347-E	
71	F	6&8	All	2	2	2	D1ZZ 7347-A	7/16" wide
71/	P-console shift	6&8	All		1		C9AZ 7347-E	Upper-2 1/8" dia.
65	S	8	All	1			C4SZ 7347-A	
72	S "Before 3/6/72"	8	All			1	D2OZ 7347-C	2 1/8" O.D.-3" long
72	S "From 3/6/72"	8	All			1	D2OZ 7347-F	
7A347	**RETAINER - TRANSMISSION COLUMN SHIFT SELECTOR LEVER PLUNGER**							
65/	A,B,P,S,X	6&8	All	1	1	1	C0DF 7A347-A	
7D350	**PLATE - TRANSMISSION CONTROL SELECTOR LEVER GUIDE**							
65/66	F-w/console	6&8	All		1		C5ZZ 7D350-A	
7D351	**SEAL - TRANSMISSION CONTROL SELECTOR DIAL**							
69/70	F	6&8	All	1	1	1	C9ZZ 7D351-A	6 1/2" x 1" rubber
71/	P	6&8	All		1			
71/	F	6&8	All	1	1	1	D1ZZ 7D351-A	6 1/2" x 1" rubber
72	B	6&8	All		1	1		
65/68	F-w/o console	6&8	All		1	1	C5ZZ 7D351-A	
71/	L	4	All		1		D1FZ 7D351-A	
7353	**SLEEVE - TRANSMISSION SELECTOR SHIFT ROD ADJUSTMENT**							
70/71	A,B,F-console shift	6&8	All	1	1	1	D0OZ 7353-A	1 1/4" long-3/8" long from flange to pin hole(used at locking rod 7E330 end on column) (c)
71	P-console shift	6&8	All		1			
72	F,P	6&8	All	1	1	1		
66/67	A-column shift	6&8	All	1	1	1	C5AZ 7353-A	1 3/4" long-1/2"-20 thread at one end (a)
68/69	A	6&8	All	1	1	1		
65	B,X	6&8	All		1		B9AA 7353-B	1 11/16" long-1/2"-20 thread at one end
66/69	B,X	6&8	All		1	1	C1AA 7353-C	1 7/16" long-5/16"-24 thread at one end (b)
65/69	F	6&8	All		1	1		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY C/4M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7353	**SLEEVE - TRANSMISSION SELECTOR SHIFT ROD ADJUSTMENT - continued**							
70/71	B-console shift	6&8	All	1	1	1	C9OZ 7353-A	1 3/8" long-15/32" long from flange to pin hole (used at 7326 rod end)(c)
70/	F	6&8	All	1	1	1		
71/	L	4	All		1		D1OZ 7353-A	1 3/8" long
72	B,P-console shift	6&8	All		1	1		
								Attaching parts for sleeve to rod
				1	1	1	33943-S8(M36)	(a) Nut-locking-1/2"-20
				1	1	1	34809-S8(X68)	(a) Lockwasher-1/2"
				1	1	1	354299-S(MM156)	(b) Nut-locking-5/16"-24
				1	1	1	372285-S(XX165)	(b) Washer-5/16"
							383098-S (MM173 TC)	(c) Nut-5/16"-18
7361	**PLUNGER - TRANSMISSION COLUMN SHIFT SELECTOR LEVER**							
65/	A,B,P,S,X	6&8	All	1	1	1	C0DF 7361-A	1 5/8" long
65	A,B,F,S	6&8	All	1	1		354861-S(XX137)	Spacer-13/32" I.D.-9/16" O.D.
7E363	**BRACKET and CABLE - TRANSMISSION CONTROL SELECTOR**							
72	S	8	All			1	D2SZ 7E363-A	
7C370	**SEAL - TRANSMISSION CONTROL SELECTOR HOUSING**							
69/70	F	6&8	All	1	1	1	C9ZZ 7C370-A	6" x 4 1/8" bolt pattern
65/68	F	6&8	All		1	1	C5ZZ 7C370-A	5 1/4" x 4 1/4"
71/	F,P	6&8	All	1	1	1	D1ZZ 7C370-A	7 13/16" long-4 7/8" wide-3 32" thick
72	B	6&8	All		1	1		
71/	L	4	All		1		D1FZ 7C370-A	6 15/32" x 5 5/8"
7A372	**LEVER and BRACKET - TRANSMISSION KICKDOWN CONTROL**							
66/67	B	8	All			1	C6OZ 7A372-A	
68/69	B	8	All			1	C8OZ 7A372-A	
65/69	F	6	All		1		C5ZZ 7A372-A	
7379	**SPRING - TRANSMISSION CONTROL SELECTOR TUBE and ARM TORSION**							
65	X	6&8	All		1		C0DF 7379-A	Approx. 2" free length-6 coils
65	B,X	6&8	All		1		376322-S(XX284B)	Washer-flat-1 1/2"
					1		376253-(XX281F)	Washer-flat-1 7/16"
7D383	**SLEEVE - TRANSMISSION CONTROL SELECTOR ARM**							
72	S	8	All			1	D2SZ 7D383-A	23/32" long-5/8" wide-1/16" thick-hollow box design-# green-used to increase length of selector arm to actuate back-up light switch
72	S	8	All			1	D2SZ 7D383-B	23/32" long-5/8" wide-3/64" thick-hollow box design-# black-used to increase length of selector arm to actuate back-up light switch
7A394	**LEVER ASSY. - TRANSMISSION DOWNSHIFT CONTROL**							
65/68	A	6	240	1	1		D3TZ 7A394-A	
69/70	A	6	240				7A394	Serviced in 7A185 accelerator bellcrank assy.
7D394	**HOUSING ASSY. - TRANSMISSION FLOOR SHIFT SELECTOR DIAL**							
65/66	F	6&8	All		1		C5ZZ 7D394-D	
7E395	**CABLE - TRANSMISSION SHIFT**							
72	B "Before 1/3/72"	6&8	All		1		D2OZ 7E395-A	Approx. 41 5/16" long
	B "From 1/3/72"	6&8	All		1		D2OZ 7E395-J	
	B "Before 5/1/72"	8	302, 351-2/B	1			D2OZ 7E395-H	
72	B "Before 1/3/72"	8	All			1	D2OZ 7E395-B	
	B "From 1/3/72"	8	All			1	D2OZ 7E395-F	
	B "From 5/1/72"	8	302, 351-2/B	1			D2OZ 7E395-J	
72	S "Before 1/3/72"	8	All			1	D2SZ 7E395-A	Approx. 41 3/4" long
	S - "From 1/3/72 to 5/29/72"	8	All			1	D2SZ 7E395-C	
	S "From 5/29/72"	8	All			1	D2SZ 7E395-D	
72	B,S	6&8	All		2	2	384921-S100 (BB429WL)	Bolt-3/8"-16 x 1" hex washer hd.-(attach cable assy. to converter hsg.)

Identification marking

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	C/M	C4	C6	PART NUMBER	PART NAME and DESCRIPTION
7B415	**STUD - TRANSMISSION CONTROL SELECTOR CONNECTING ROD ADJUSTMENT**								
67	S	8	All				1	C9AZ 7B415-A	
68	B,S,X	6&8	All			1	1		
69	A,B,S,X	6&8	All		1	1	1		
69	S	8	All				1		
70	X	6&8	All			1			
70	A,B,S,P	6&8	All			1	1	D0DZ 7B415-A	1 1/4" long-5/16"-18 thread at one end,
70	A	6	240		1				1/8" undercut at the other
70	F	6&8	All		1	1	1		
71	A,B,F,P,S	6&8	All		1	1	1		
72	A,F,P	6&8	All		1	1	1		
72	B	6&8	All			1	1	D2OZ 7B415-A	1 3/4" long-3/4" flange dia. -5/16" -
72	S "Before 11/11/71"	8	All				1		18 thread one end-23/64" at the other
72	S "From 11/11/71"	8	All				1	D2SZ 7B415-A	1 3/4" long-3/4" flange dia.-5/16"-18 thread one end
67/72	A,B,F,P,S,X	6&8	All						Attaching parts for stud to bellcrank assy.
					1			353862-S8(XX10)	Washer-"C" type-5/16"
					1			351341-S8(XX351)	Washer-spring-5/16"
					1		1	356482-S(XX370)	Washer-spring-5/16"
					1		1	356403-S(XX126)	Washer-flat-5/16"
					1		1	72016-S(N44)	Cotter pin
7C431	**BRACKET - TRANSMISSION COLUMN SHIFT SELECTOR BELLCRANK MOUNTING**								
	- A -								
65	A "Before 1/11/65"	6&8	240,289			1		C5AZ 7C431-A	(a,c)
65/68	A "From 1/11/65"	6&8	240,289, 302		1	1		C7AZ 7C431-B	(e,f,h) or (b,c)
69/	A	6&8	240,302, 351		1			★C9AZ 7C431-A	(j)- R/b D4AZ 7C431-A (10/74)
69/	A	6&8	All			1			(j)
65/66	A	8	352,390		1			C5AZ 7C431-B	(a,c)
67/68	A	8	390		1			C7AZ 7C431-C	(e,f,h) or (b,c)
69	A	8	390		1			C9AZ 7C431-D	
66/68	A	8	390,428				1	C7AZ 7C431-D	(e,f,h) or (b,c)
69/70	A	8	390,428				1	C9AZ 7C431-B	(j)
69/70	A	8	429				1	C9AZ 7C431-C	(j)
71	A	8	390,400				1	D1AZ 7C431-A	
71	A	8	429				1	D1AZ 7C431-B	
72	A	8	All				1		
	- B -								
68/69	B	8	390				1	C8OZ 7C431-A	(g)
68/69	B	8	428				1	C8OZ 7E280-A	(g)
70/71	B	8	351		1	1		D0OZ 7C431-A	(j)
70	B	8	All				1	D0OZ 7C431-B	(j)
71	B	8	351-4B				1	D1OZ 7C431-B	
71	B	8	429				1	D1OZ 7C431-A	
	- P -								
70/	P	6	170,200			1		D0DZ 7C431-A	
70/	P	6	250			1		D0DZ 7C431-B	
	- S -								
65/66	S	8	All		1			★C5SZ 7C431-A	(d,f)
66	S	8	All				1	C6SZ 7C431-A	(b,c)
67/69	S	8	390,428				1	C7SZ 7C431-A	(b,c)
68/69	S	8	429				1	C8SZ 7C431-A	(b,c)
70	S	8	All				1		(j)
71	S	8	All				1	D1SZ 7C431-A	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY	C/M	C4	C6	PART NUMBER	PART NAME and DESCRIPTION
7C431	**BRACKET - TRANSMISSION COLUMN SHIFT SELECTOR BELLCRANK MOUNTING - continued**								
									Attaching parts for bracket to engine or converter housing
					2	2	2	20348-S(B77)	(a) Bolt-3/8"-16 x 3/4" hex.hd.
					2	2	2	20328-S(B76)	(b) Bolt-3/8"-16 x 5/8" hex.hd.
					2	2	2	34807-S(X66)	(c) Lockwasher-3/8"
					2			20366-S(B52)	(d) Bolt-5/16"-18 x 7/8" hex.hd.
					2	2	2	20346-S(B50)	(e) Bolt-5/16"-18 x 3/4" hex.hd.
					2	2	2	34806-S(X64)	(f) Lockwasher-5/16"
							2	371041-S(BB575B)	(g) Bolt & washer assy.-3/8"-16 x 7/8"
					1	1	1	356590-S(XX171)	(h) Washer-flat-3/8"
					1	1	1	56138-S4(B319V)	(j) Bolt-3/8"-16 x 3/4"-hex. washer hd.UBS
7A438	**BUSHING - TRANSMISSION GEARSHIFT CABLE ADJUSTING**								
72	B,S	6&8	All		1	1	1	D2OZ 7A438-A	
7A440	**BUSHING - TRANSMISSION KICK DOWN LEVER** - Also refer to Group 7C484								
65	B,X	6&8	All			1		C4OZ 7A440-A	1/4" I.D.-5/16" O.D.-3/16" long-flange
65	F	6	All			1			type
66/	B,X	6&8	All			1	1	C5ZZ 7A440-A	3/16" I.D.-5/16" O.D.-5/16" long
65	F	8	All			1	1		
66/	F	6&8	All			1	1		
7E440	**SWITCH - TRANSMISSION SPARK CONTROL**								
72	B,F,P,S	6&8	All		1	1	1	D2AZ 7E440-A	
72	L	4	All			1			
72	A (except 429P/C in Calif.)	8	All		1		1		Not required on 429 P/C in California
7A441	**KIT - COLUMN MOUNTED TRANSMISSION CONTROL SELECTOR LOCK**								
68/69	A,B,S,X(column shift-fixed wheel)	6&8	All		1	1	1	C9AZ 7A441-A	Consists of - (1) lock, (2) spacers, (1) adapter, (1) bushing, (2) plugs, (2) keys, (4) screws & (1) installation sketch NOTE: Key C9AZ 7E327-A and plug C9AZ 7E328-A are also serviced separately
7C441	**PAWL and ROD ASSY. - TRANSMISSION CONSOLE SHIFT CONTROL SELECTOR LEVER**								
65	B	6&8	All			1		C3AZ 7C441-B	
7C442	**PAWL - TRANSMISSION CONSOLE SHIFT SELECTOR LEVER LOCKING**								
65/67	A	6&8	All		1	1	1	C5AZ 7C442-A	
66/69	B,X	6&8	All			1	1		
65/71	F	6&8	All			1	1	C5ZZ 7C442-A	
70/71	B	6&8	All			1	1		
7C443	**RETAINER - TRANSMISSION CONSOLE SHIFT SELECTOR LEVER PAWL**								
65	B	6&8	All			1		C2AZ 7C443-A	
7D443	**BEZEL - TRANSMISSION CONSOLE SHIFT SELECTOR DIAL**								
68/71	A	6&8	All		1	1	1	C8AZ 7D443-A	
68/71	B	6&8	All			1	1	C8OZ 7D443-A	
67/68	F	6&8	All			1	1	C7ZZ 7D443-C	Floor shift
						1	1	C7ZZ 7D443-B	Console shift
69/70	F	6&8	All		1	1	1	C9ZZ 7D443-A	Includes (4) 382964-S screws
71/	P	6&8	All			1			
						4	4	52017-S2(U203)	Screw-No.8-18 x 5/8" tapping (bezel to hang-on floor shift only)
71/	F	6&8	All			1	1	D1ZZ 7D443-A	
72	B	6&8	All			1	1		
71/	L-w/o luxury decor group	4	All			1		D1FZ 7D443-A	
72	L-w/luxury decor group	4	All			1		D3FZ 7D443-A	

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7C444	**SLIDE and INDICATOR ASSY. - TRANSMISSION CONSOLE SHIFT SELECTOR DIAL**							
65	A	8	All	1	1		C5AZ 7C444-A	
66	A	6&8	All	1	1	1	C6AZ 7C444-A	
67	A	6&8	All		1	1	C7AZ 7C444-C	
7C445	**SLIDE - TRANSMISSION CONSOLE SHIFT SELECTOR DIAL**							
68/71	A	6&8	All	1	1	1	C8AZ 7C445-A	9 1/2" long-1/2" wide
66/67	B,X	6&8	All		1	1	C6OZ 7C445-A	8 1/2" long-1 1/8" wide
68/69	B "Before 1/6/69"	6&8	All		1	1	C8OZ 7C445-A	
69/71	B "From 1/6/69"	6&8	All	1	1	1	C9OZ 7C445-A	
65/66	F	6&8	All		1		C5ZZ 7C445-B	
67/68	F	6&8	All		1	1	C7ZZ 7C445-A	7 3/4" long-1 13/16" wide
7C448	**RETAINER - TRANSMISSION CONSOLE SHIFT LEVER GUIDE PLATE**							
68/69	B "Before 1/6/69"	6&8	All		1	1	C8OZ 7C448-A	
69/	B "From 1/6/69"	6&8	All	1	1	1	C9OZ 7C448-A	
7C449	**PLATE - TRANSMISSION CONSOLE SHIFT SELECTOR LEVER GUIDE**							
65	B	8	All		1		C2AZ 7C449-A	8 11/16" x 5"
65/66	A	8	All	3	3	3	40918-S(U260)	Screw-No.10-24 x 1/2" tapping (plate to 7A306 housing)
65	B	8	All		3		357456-S13(UU43)	Screw-No.10-32 x 1/2" tapping (plate to 7A306 housing)
7D462	**RETAINER - TRANSMISSION CONTROL SELECTOR DIAL**							
72	B,F,S	6&8	All	AR	AR	AR	D0MZ 7D462-A	
	F	6&8	All	1	1	1		
	S	8	All	7	7	7		
7C484	**BUSHING - TRANSMISSION KICK DOWN LEVER and CONTROL ROD**							
65/70	A	6&8	All	1	1	1	C4SZ 7C484-A	7/16" O.D.-1/4" I.D.-3/16" wide-flange
71/	A,S	6&8	All	2	2	2		
67/69	F	8	All		1	1		type
65/70	S	8	All	1		1		
67/69	F	6&8	All		2	2		Used as speed control bellcrank bracket shaft bushing
72	A	6&8	All	2	2	2		
71/	L	4	All		1			

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	QUANTITY C/M	QUANTITY C4	QUANTITY C6	PART NUMBER	PART NAME and DESCRIPTION
7C488	**BUTTON ASSY. - TRANSMISSION CONSOLE SHIFT SELECTOR LEVER RELEASE**							
65	B	8	All		1		C2AZ 7C488-A	Includes-spring, washer and snap ring
72	B	8	351-2B			1	C7ZZ 7C488-A	
65	F "Before 5/18/64"	6&8	All		1		★C5ZZ 7C488-A	L.H.-release button-2 3/16" long
					1		C5ZZ 7C488-B	R.H.-dummy-7/8" long
65/67	A	6&8	All	1	1	1	★C5ZZ 7C488-C	L.H.-release button-2 9/16" long-#Black - r/b C5ZZ 7213-M
66/67	B,X	6&8	All		1	1		
65/67	F "From 5/18/64"	6&8	All		1	1		
				1	1	1	C5ZZ 7C488-D	R.H.-dummy-13/16" long
67	F	6&8	All		1	1	C7ZZ 7C488-A	L.H.-release button-2 9/16" long-#Chrome
68/	F	6&8	All	1	1	1	C8ZZ 7C488-B	L.H.-release button-#Black
							C8ZZ 7C488-A	R.H.-dummy-#Black
68/	B	8	351-2B	1	1			
68/	F	6&8	All	1	1	1	C8OZ 7C488-A	L.H.-release button-#Chrome
68/72	B "Before 11/8/71"	6&8	All-exc. 351-2B	1	1	1		
71/	L	4	All		1		C8ZZ 7C488-A	R.H.-dummy-#Black
71/	P	6	All		1			
72	B "From 11/8/71"	6&8	All		1	1		
							C8ZZ 7C488-B	L.H.-release button
65	B	8	All		1		89447-S(U409)	Screw-1/4"-28 x 1/4" headless (retains button in handle)
65/69	A,B,F,X "Before 6/2/69"	6&8	All	1	1	1	374985-S(UU33K)	Screw-No.10-32 x 3/16" socket hd.(retains dummy button in handle assy.)
69/	B,F "From 6/2/69"	6&8	All	1	1	1	383870-S100 (UU33Z)	Screw-No.10-32 x 1/4" socket head (retains dummy button in handle)
7C491	**SPRING - TRANSMISSION CONSOLE SHIFT SELECTOR LEVER BUTTON RETURN**							
65	B	8	All		1		C2AZ 7C491-A	
7C499	**PLATE - TRANSMISSION CONTROL SELECTOR LEVER GUIDE UPPER**							
65/66	F	6&8	All		1		C5ZZ 7C499-A	
					2		52726-S13(U381)	Screw-No.8-15 x 1/2" pan hd.(plate to 7B233 plate)

Identification Marking

INDEX

PART NAME	GROUP NUMBER
B	
Bar (radiator grille)	8390
Belt (drive)	8620
Belt kit (drive)	8A615
Body assy. (front)	8190
Brace (radiator grille center support)	8174
Brace (radiator grille outer support extension)	8303
Bracket (belt idler)	8677
Bracket (belt idler pulley)	8680
Bracket (fan shroud)	8149
Bracket (headlamp mounting)	8B322-3
Bracket (radiator grille inner)	8A123
Bracket (radiator grille mounting upper)	8217, 8A278
Bracket (radiator grille opening panel)	8B455
Bracket (radiator grille support center)	8232
Bracket (radiator mounting)	8083-4
Bracket (radiator support)	8A273-4
Bracket (radiator support lower)	8052
Bracket (radiator support upper)	8A193, 8233
C	
Cap (radiator)	8100
Cap (radiator overflow container)	8K103
Cap (water outlet)	8A500, 9486
Clamp (hose)	8287
Clamp (water by-pass)	8556
Clip (radiator grille moulding)	8A310-11
Clutch assy. (fan)	8A616
Cock (drain)	8115
Connection (water outlet)	8592
Cover (radiator grille moulding joint)	8221, 8A340
D	
Decalcomania (fan warning)	8653
Deflector (radiator air upper)	8326-7
Deflector assy. (radiator air side)	8310-1
E	
Extension (radiator grille)	8224-5
Extension assy. (radiator side support)	8B466-7
F	
Fan blade assy.	8600
Fille. assy. (radiator grille to bumper)	8B469
Frame (radiator grille)	8B271-2
G	
Gasket (thermostat)	8590
Gasket (water outlet connection)	8255
Gasket (water pump cover)	8513
Gasket (water pump housing)	8507
Gasket assortment (water outlet connection)	8255
Glass (radiator coolant level sight)	8B404
Grille (radiator)	8150-1, 8200, 8210, 8220
Grille assy. kit (radiator)	8210
Guard (fan)	8A611
H	
Hose (radiator)	8260, 8286
Hose (radiator bulk)	8333
Hose (radiator drain)	8081
Hose (radiator overflow)	8075 8A213
Hose (radiator supply tank)	8063
Hose (water by-pass)	8597
Housing (water pump)	8505
Hub (water pump pulley)	8553
I	
Impeller (water pump)	8512
Insulator (fan shroud)	8B024, 8A644
Insulator (radiator grille ornament)	8B325
Insulator (radiator mounting)	8124-5
K	
KIT - refer to appropriate noun name For example Belt kit (drive)	8A615
L	
Lace (radiator grille)	8A212
Letter (radiator grille)	8316-22

COPYRIGHT © 1975 - FORD MOTOR COMPANY - DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
M	
Medallion (radiator grille)	8A224
Moulding (radiator grille)	8418-9
Moulding (radiator grille lower)	8156
Moulding (radiator grille lower opening)	8A316
Moulding (radiator grille opening)	8242-3
Moulding (radiator grille upper opening)	8A317-20
Moulding assy. (radiator grille opening panel)	8A156
Moulding assy. (radiator grille opening panel center)	8223
O	
Ornament (radiator grille)	8213, 8A224
P	
Panel (fan shroud)	8147-8
Panel (radiator grille backing)	8B423-4
Panel (radiator grille opening)	8190-1 8221
Panel assy. (front end)	8192-6
Panel assy. (radiator grille opening side)	8B477-8
Plate (water by-pass orifice)	8K517
Pulley (belt idler)	8679
Pulley (water pump)	8509
Pulley assy. (belt idler)	8678
Pump assy. (water)	8501, 8505
Pump repair kit (water)	8591
R	
Radiator	8005
Recovery kit (radiator coolent)	8522
Reinforcement (radiator air side deflector)	8324
Reinforcement (radiator grille opening panel center)	8261
Reinforcement (radiator side support)	8A281
Reinforcement (upper radiator grille)	8223
Retainer (radiator grille bar)	8B428
Retainer (radiator grille moulding)	8B251
Retainer (radiator grille name plate)	8C022
Retainer (radiator grille opening panel moulding)	8244
Retainer (radiator grille ornament)	8194
Retainer (water pump bearing)	8K537
S	
Seal (grille)	8B391
Seal (radiator air deflector)	8B170, 8348-9
Seal (radiator air deflector side)	8B018
Seal (water pump)	8564
Seat assy. (water pump impeller)	8517
Shaft (idler pulley)	8A648
Shaft & bearing assy. (water pump)	8530
Shield (idler pulley bearing dust)	8678
Shield (radiator grille sight)	8C055
Shield (radiator lower splash)	8208
Shim (radiator bottom support)	8126, 8A440
Shroud (fan)	8146
Slinger (water pump shaft)	8550
Spacer (idler pulley)	8A613
Spacer (idler pulley bracket)	8A652
Spacer (pulley to fan)	8546
Spacer (radiator grille)	8A188
Strap (fan shroud)	8A626
Support (idler pulley bracket)	8A653-4
Support (radiator grille)	8182-3
Support (radiator grille center)	8A186
Support (radiator grille lower)	8B321
Support (radiator hose)	8A483
Support (radiator lower)	8A058
T	
Tank assy. (radiator supply)	8A080
Thermostat (water)	8575
Thermostat assortment	8575
Transfer (radiator grille opening panel color stripe)	8C077
Tube (water by-pass)	8555
Tube or hose (water by-pass)	8548
W	
Washer (thermostat gasket)	8593

RADIATOR CROSS REFERENCE GUIDE

A To use this guide:

1. Find the identification marking on radiator top tank or the side mounting bracket.
2. Locate this number in column marked "Identification Marking".
3. Read across to next column to right to find the service number.

B If the radiator identification is not known, the pages following this guide have radiator part numbers arranged in the following order:

1. Car line
2. Model years
3. Number of cylinders
4. Cubic inch displacement

IDENTIFICATION NUMBER	SERVICE PART NUMBER
C0DD 8005-F	C5ZZ 8005-C
C0DD 8005-G	C5ZZ 8005-C
C0DE 8005-A	C5ZZ 8005-C
C1DD 8005-A	C5ZZ 8005-C
C1DD 8005-C	C3DZ 8005-J or C5ZZ 8005-C
C1DD 8005-D	C5ZZ 8005-C
C1DD 8005-E	C5ZZ 8005-C
C1DD 8005-F	C5ZZ 8005-C
C1DD 8005-J	C5ZZ 8005-C
C1DD 8005-K	C5ZZ 8005-C
C2DE 8005-C	C5ZZ 8005-C
C2DE 8005-D	C5ZZ 8005-C
C2DE 8005-E	C5ZZ 8005-C
C2DE 8005-J	C5ZZ 8005-C
C2OA 8005-F	C7OZ 8005-A
C2OA 8005-H	C7OZ 8005-A
C2OA 8005-N	C7OZ 8005-A
C2OA 8005-R	C7OZ 8005-A
C2OA 8005-S	C7OZ 8005-A
C2OA 8005-T	C7OZ 8005-A
C2OE 8005-A	C7OZ 8005-A
C2OE 8005-B	C7OZ 8005-A
C2OE 8005-C	C7OZ 8005-A
C2OE 8005-D	C7OZ 8005-A
C2OE 8005-J	C7OZ 8005-A
C2OE 8005-N	C7OZ 8005-A
C2OE 8005-R	C7OZ 8005-A
C2OE 8005-S	C7OZ 8005-A
C2YA 8005-A	C7OZ 8005-A
C3DA 8005-B	C5ZZ 8005-C
C3DA 8005-D	C5ZZ 8005-C
C3DA 8005-E	C3DZ 8005-K
C3DA 8005-H	C5ZZ 8005-C
C3DA 8005-J	C5ZZ 8005-C
C3DA 8005-K	C3DZ 8005-K
C3DA 8005-L	C3DZ 8005-K
C3DA 8005-M	C3DZ 8005-K
C3DE 8005-H	C3DZ 8005-K
C3DE 8005-M	C3DZ 8005-K
C3DE 8005-S	C5ZZ 8005-C
C3DE 8005-V	C5ZZ 8005-C
C3DE 8005-Y	C5ZZ 8005-C
C3DE 8005-Z	C5ZZ 8005-C
C3DE 8005-AT	C3DZ 8005-K
C3DE 8005-AZ	C3DZ 8005-K
C3DE 8005-BA	C3DZ 8005-K
C3DE 8005-BC	C5ZZ 8005-C
C3DE 8005-BE	C3DZ 8005-K
C3OA 8005-K	C7OZ 8005-A
C3OA 8005-L	C7OZ 8005-A
C3OA 8005-M	C7OZ 8005-A
C3OE 8005-AC	C7OZ 8005-A
C4AE 8005-U	C5OZ 8005-C
C4DE 8005-D	C3DZ 8005-K
C4DE 8005-N	C5ZZ 8005-C
C4DE 8005-S	C3DZ 8005-K
C4OE 8005-D	C7OZ 8005-A
C4SE 8005-C	C4SZ 8005-D
C4SE 8005-E	C4SZ 8005-D
C4ZE 8005-F	C5ZZ 8005-C
C4ZE 8005-H	C3DZ 8005-K
C4ZE 8005-M	C3DZ 8005-K
C4ZE 8005-N	C3DZ 8005-K
C5AE 8005-D	C5AZ 8005-H
C5AE 8005-E	C5AZ 8005-C
C5AE 8005-F	C5AZ 8005-C
C5AE 8005-G	C5AZ 8005-C
C5AE 8005-H	C5AZ 8005-C
C5AE 8005-J	C5AZ 8005-H
C5AE 8005-M	C5AZ 8005-F
C5AE 8005-Z	C5AZ 8005-H
C5AE 8005-AB	C5AZ 8005-F
C5AE 8005-AD	C5AZ 8005-F
C5AE 8005-AE	C5AZ 8005-C
C5OE 8005-B	C5OZ 8005-C
C5OE 8005-J	C7OZ 8005-A
C5OE 8005-L	C7OZ 8005-B
C5SE 8005-A	C4SZ 8005-D
C5SE 8005-B	C4SZ 8005-D
C6AE 8005-B	C6AZ 8005-C
C6AE 8005-F	C6AZ 8005-B
C6AE 8005-N	C6AZ 8005-C
C6AE 8005-T	C5AZ 8005-H
C6AE 8005-AA	C6AZ 8005-S
C6DE 8005-A	C7OZ 8005-A
C6DE 8005-D	C7OZ 8005-B
C6DE 8005-F	C7OZ 8005-A
C6OE 8005-A	C7OZ 8005-A
C6OE 8005-B	C7OZ 8005-A
C6OE 8005-C	C5OZ 8005-C
C6OE 8005-D	C5OZ 8005-C
C6OE 8005-F	C6OZ 8005-F
C6OE 8005-H	C6OZ 8005-F
C6OE 8005-K	C7OZ 8005-A
C6OE 8005-M	C7OZ 8005-B
C6OE 8005-U	C7OZ 8005-A
C6OE 8005-Y	C6OZ 8005-F
C6OE 8005-AA	C6OZ 8005-F
C6SE 8005-A	C4SZ 8005-D
C6SE 8005-B	C4SZ 8005-D

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

RADIATOR CROSS REFERENCE GUIDE - continued

IDENTIFICATION NUMBER	SERVICE PART NUMBER
C6SE 8005-C	C6SZ 8005-A
C6TA 8005-BN	C8TZ 8005-AD
C6TE 8005-A	C6TZ 8005-P
C6ZE 8005-D	C5ZZ 8005-C
C6ZE 8005-F	C3DZ 8005-K
C7AE 8005-B	C7AZ 8005-J
C7AE 8005-D	C5AZ 8005-H
C7AE 8005-J	C6AZ 8005-C
C7AE 8005-K	C6AZ 8005-C
C7AE 8005-L	C6AZ 8005-C
C7AE 8005-M	C6AZ 8005-C
C7AE 8005-R	C7AZ 8005-C
C7AE 8005-S	C7AZ 8005-C
C7AE 8005-T	C7AZ 8005-G
C7AE 8005-U	C7AZ 8005-G
C7AE 8005-V	C7AZ 8005-J
C7AE 8005-Y	C5AZ 8005-H
C7AE 8005-Z	C5AZ 8005-H
C7AE 8005-AA	C5AZ 8005-F
C7AE 8005-AB	C5AZ 8005-H
C7DE 8005-B	C7OZ 8005-A
C7DE 8005-D	C7OZ 8005-A
C7ME 8005-B	C8AZ 8005-A
C7ME 8005-D	C8AZ 8005-A
C7ME 8005-E	C8AZ 8005-B
C7ME 8005-G	C8AZ 8005-A
C7OE 8005-C	C7OZ 8005-C
C7OE 8005-D	C7OZ 8005-C
C7OE 8005-E	C7OZ 8005-B
C7OE 8005-F	C7OZ 8005-B
C7OE 8005-H	C7OZ 8005-A
C7OE 8005-J	C7OZ 8005-B
C7OE 8005-K	C7OZ 8005-B
C7OE 8005-M	C7OZ 8005-A
C7OE 8005-N	C7OZ 8005-B
C7SE 8005-D	C8AZ 8005-A
C7TE 8005-D	C6TZ 8005-P
C7ZE 8005-G	C7ZZ 8005-C
C7ZE 8005-H	C9ZZ 8005-B
C7ZE 8005-J	C9ZZ 8005-B
C7ZE 8005-L	C9ZZ 8005-A
C7ZE 8005-R	C9ZZ 8005-B
C7ZE 8005-S	C9ZZ 8005-B
C7ZE 8005-T	C9ZZ 8005-B
C7ZE 8005-U	C9ZZ 8005-B
C7ZE 8005-V	C7ZZ 8005-C
C7ZE 8005-Y	C7ZZ 8005-C
C7ZE 8005-Z	C7ZZ 8005-C
C7ZE 8005-AA	C9ZZ 8005-B
C7ZE 8005-AC	C9ZZ 8005-A
C7ZE 8005-AD	C9ZZ 8005-B
C8AE 8005-A	C8AZ 8005-A
C8AE 8005-B	C8AZ 8005-B
C8AE 8005-C	C8AZ 8005-B
C8AE 8005-D	C8AZ 8005-C
C8AE 8005-F	C8AZ 8005-B
C8AE 8005-G	C6AZ 8005-C
C8AE 8005-H	C6AZ 8005-C
C8AE 8005-J	C7AZ 8005-H
C8AE 8005-K	C7AZ 8005-H
C8AE 8005-M	C8AZ 8005-A
C8AE 8005-R	C8AZ 8005-B
C8AE 8005-S	C7AZ 8005-J
C8AE 8005-T	C7AZ 8005-J
C8DE 8005-A	C7OZ 8005-A
C8DE 8005-D	C7OZ 8005-A
C8OE 8005-A	C8OZ 8005-C
C8OE 8005-B	C8OZ 8005-C
C8OE 8005-D	C8OZ 8005-C
C8OE 8005-E	C7OZ 8005-B
C8OE 8005-F	C8OZ 8005-B
C8OE 8005-H	C8OZ 8005-C
C8SE 8005-A	C8AZ 8005-C
C8ZE 8005-A	C8ZZ 8005-C
C8ZE 8005-B	C8ZZ 8005-C
C8ZE 8005-C	C8ZZ 8005-C
C8ZE 8005-E	C9ZZ 8005-C
C8ZE 8005-F	C9ZZ 8005-C
C8ZE 8005-H	C9ZZ 8005-B
C8ZE 8005-K	C8ZZ 8005-C
C8ZE 8005-L	C8ZZ 8005-C
C8ZE 8005-M	C8ZZ 8005-C
C8ZE 8005-N	C9ZZ 8005-A
C8ZE 8005-R	C9ZZ 8005-A
C8ZE 8005-S	C8ZZ 8005-C
C9AE 8005-A	C9AZ 8005-A
C9AE 8005-B	C9AZ 8005-A
C9AE 8005-C	C9AZ 8005-A
C9AE 8005-D	C9AZ 8005-A
C9AE 8005-E	C9AZ 8005-C
C9AE 8005-F	D0OZ 8005-A
C9AE 8005-G	C9AZ 8005-C
C9AE 8005-H	C9AZ 8005-C
C9AE 8005-J	C9AZ 8005-D
C9AE 8005-K	C9AZ 8005-D
C9DE 8005-A	C9OZ 8005-B
C9DE 8005-B	C9OZ 8005-B
C9DE 8005-C	C9OZ 8005-B
C9OE 8005-A	C9OZ 8005-A
C9OE 8005-B	C9OZ 8005-A
C9OE 8005-C	C9OZ 8005-B
C9OE 8005-D	C9OZ 8005-B
C9OE 8005-E	C9OZ 8005-B
C9OE 8005-F	C9OZ 8005-B
C9OE 8005-G	C7OZ 8005-B
C9OE 8005-H	C7OZ 8005-B
C9TA 8005-AH	C8TZ 8005-AD
C9ZE 8005-B	C9ZZ 8005-A
C9ZE 8005-C	C9ZZ 8005-B
C9ZE 8005-D	C9ZZ 8005-B
C9ZE 8005-E	C9ZZ 8005-A
C9ZE 8005-F	C9ZZ 8005-A
C9ZE 8005-G	C9ZZ 8005-B
C9ZE 8005-H	C9ZZ 8005-B
C9ZE 8005-J	C9ZZ 8005-D
C9ZE 8005-K	C9ZZ 8005-C
C9ZE 8005-L	C9ZZ 8005-D
C9ZE 8005-M	C9ZZ 8005-E
C9ZE 8005-N	C9ZZ 8005-D
C9ZE 8005-R	C9ZZ 8005-D
C9ZE 8005-V	C9ZZ 8005-D
C9ZE 8005-Y	C9ZZ 8005-D
C9ZE 8005-AD	C9ZZ 8005-A
C9ZE 8005-AE	C8ZZ 8005-C
C9ZE 8005-AG	C9ZZ 8005-F
D0AE 8005-A	D0AZ 8005-B
D0AE 8005-B	D0AZ 8005-B
D0AE 8005-C	D0OZ 8005-A or C9AZ 8005-D
D0AE 8005-D	D0OZ 8005-A or C9AZ 8005-D
D0AE 8005-E	D0AZ 8005-B
D0AE 8005-F	D0OZ 8005-B
D0AE 8005-G	C9AZ 8005-C
D0AE 8005-H	C9AZ 8005-C
D0DE 8005-A	C9ZZ 8005-A
D0DE 8005-C	D0DZ 8005-A
D0DE 8005-D	D0DZ 8005-A
D0OE 8005-A	D0OZ 8005-A
D0OE 8005-B	D0OZ 8005-A
D0OE 8005-C	D0AZ 8005-B
D0OE 8005-D	D0OZ 8005-B

RADIATOR CROSS REFERENCE GUIDE - continued

IDENTIFICATION NUMBER	SERVICE PART NUMBER
D0OE 8005-E	D0OZ 8005-B
D0OE 8005-F	D0OZ 8005-A
D0OE 8005-G	D0OZ 8005-A
D0OE 8005-H	D0OZ 8005-A
D0OE 8005-J	C9AZ 8005-C
D0OE 8005-K	D0OZ 8005-E
D0SE 8005-B	D0SZ 8005-A
D0SE 8005-C	D0SZ 8005-A
D0TA 8005-F	D0TZ 8005-D
D0TE 8005-A	C6TZ 8005-P
D0WE 8005-B	D0ZZ 8005-D
D0ZE 8005-A	D0ZZ 8005-D
D0ZE 8005-B	D0ZZ 8005-D
D0ZE 8005-C	C9ZZ 8005-E
D0ZE 8005-D	C9ZZ 8005-E
D0ZE 8005-E	D0ZZ 8005-C
D0ZE 8005-G	D0ZZ 8005-D
D0ZE 8005-H	C9ZZ 8005-E
D0ZE 8005-J	C9ZZ 8005-E
D0ZE 8005-K	C9ZZ 8005-E
D0ZE 8005-L	C9ZZ 8005-E
D0ZE 8005-N	C9ZZ 8005-A
D0ZE 8005-R	C9ZZ 8005-A
D0ZE 8005-S	C9ZZ 8005-E
D0ZE 8005-T	C9ZZ 8005-A
D1AE 8005-AA	D1AZ 8005-A
D1AE 8005-BA	D1AZ 8005-A
D1AE 8005-CA	D1AZ 8005-B
D1AE 8005-DA	D1AZ 8005-B
D1AE 8005-EA	D2ZZ 8005-C
D1AE 8005-FA	D2ZZ 8005-C
D1AE 8005-GA	D2ZZ 8005-C
D1AE 8005-HA	D2ZZ 8005-C
D1AE 8005-HB	D1AZ 8005-E
D1AE 8005-JA	D1AZ 8005-D
D1AE 8005-KA	D1AZ 8005-D
D1DE 8005-AA	D1DZ 8005-A
D1DE 8005-AB	D1DZ 8005-A
D1DE 8005-AC	D1DZ 8005-A
D1DE 8005-BA	D1DZ 8005-A
D1DE 8005-BB	D1DZ 8005-A
D1DE 8005-BC	D1DZ 8005-A
D1DE 8005-CA	D1DZ 8005-B
D1DE 8005-DA	D1DZ 8005-B
D1DE 8005-DB	D1DZ 8005-B
D1DE 8005-EA	D1DZ 8005-B
D1DE 8005-EB	D1DZ 8005-B
D1DE 8005-HA	D2DZ 8005-A
D1DE 8005-JA	D2DZ 8005-A
D1DE 8005-KA	D2DZ 8005-A
D1DE 8905-LA	D2DZ 8005-A
D1DE 8005-MA	D2DZ 8005-A
D1DE 8005-NA	D2DZ 8005-B
D1DE 8005-PA	D2DZ 8005-A
D1DE 8005-RA	D2DZ 8005-A

IDENTIFICATION NUMBER	SERVICE PART NUMBER
D1LE 8005-AA	D1LY 8005-A
D1OA 8005-AA	D1AZ 8005-B
D1OE 8005-BA	D1AZ 8005-B
D1OE 8005-BB	D1AZ 8005-B
D1OE 8005-CA	D2ZZ 8005-C
D1OE 8005-DA	D2ZZ 8005-C
D1OE 8005-EA	D1AZ 8005-B
D1OE 8005-FA	D1AZ 8005-B
D1OE 8005-GA	D1OZ 8005-B
D1SE 8005-AA	D1SZ 8005-A
D1SE 8005-BA	D1SZ 8005-A
D1VE 8005-AA	D1VY 8005-A
D1VE 8005-AB	D1VY 8005-A
D1VE 8005-AC	D1VY 8005-A
D1ZE 8005-AA	D2ZZ 8005-C
D1ZE 8005-AB	D2ZZ 8005-C
D1ZE 8005-BA	D2ZZ 8005-C
D1ZE 8005-BB	D2ZZ 8005-C
D1ZE 8005-CA	D2ZZ 8005-C
D1ZE 8005-DA	D1ZZ 8005-B
D1ZE 8005-EA	D1ZZ 8005-B
D1ZE 8005-FA	D1AZ 8005-B
D1ZE 8005-GA	D2ZZ 8005-C
D1ZE 8005-HA	D2ZZ 8005-C
D12E 8005-AA	D1FZ 8005-A
D12E 8005-BB	D1FZ 8005-A
D12E 8005-CA	D1FZ 8005-A
D12E 8005-CB	D1FZ 8005-A
D12E 8005-DB	D1FZ 8005-A
D12E 8005-DC	D1FZ 8005-A
D2AE 8005-AB	D3ZZ 8005-A
D2AE 8005-BB	D2AZ 8005-B
D2AE 8005-CA	D2AZ 8005-E
D2AE 8005-CB	D2AZ 8005-E
D2AE 8005-DA	D2AZ 8005-E
D2AE 8005-EA	D2AZ 8005-A
D2AE 8005-FA	D2AZ 8005-A
D2AE 8005-FB	D2AZ 8005-A
D2AE 8005-GB	D2AZ 8005-B
D2AE 8005-HA	D2AZ 8005-D
D2AE 8005-JA	D3ZZ 8005-A
D2AE 8005-KA	D2AZ 8005-B
D2AE 8005-MA	D2AZ 8005-D
D2AE 8005-MB	D2AZ 8005-E
D2AE 8005-NA	D2AZ 8005-D
D2AE 8005-NB	D2AZ 8005-D
D2AE 8005-RA	D2AZ 8005-E
D2AE 8005-VA	D2AZ 8005-B
D2DE 8005-AA	D1DZ 8005-A
D2DE 8005-BA	D1DZ 8005-A
D2DE 8005-CA	D1DZ 8005-B
D2DE 8005-DA	D2DZ 8005-A
D2DE 8005-EA	D2DZ 8005-A
D2DE 8005-FA	D2DZ 8005-A
D2DE 8005-GA	D2DZ 8005-A
D2DE 8005-HA	D2DZ 8005-A
D2OE 8005-AB	D2OZ 8005-A
D2OE 8005-CA	D2VY 8005-A
D2OE 8005-CB	D2VY 8005-A
D2OE 8005-CC	D2VY 8005-A

IDENTIFICATION NUMBER	SERVICE PART NUMBER
D2OE 8005-DB	D2OZ 8005-A
D2OE 8005-EB	D2OZ 8005-A
D2OE 8005-EC	D2OZ 8005-A
D2OE 8005-FB	D2OZ 8005-B
D2OE 8005-GB	D2OZ 8005-B
D2OE 8005-HA	D2OZ 8005-B
D2OE 8005-HB	D2OZ 8005-B
D2OE 8005-JB	D2OZ 8005-B
D2OE 8005-KA	D2OZ 8005-B
D2OE 8005-KB	D2OZ 8005-C
D2OE 8005-KC	D2OZ 8005-C
D2OE 8005-LA	D2OZ 8005-B
D2OE 8005-LB	D2OZ 8005-B
D2OE 8005-LC	D2OZ 8005-C
D2OE 8005-LD	D2OZ 8005-C
D2OE 8005-NA	D2OZ 8005-A
D2OE 8005-RA	D2VY 8005-A
D2OE 8005-RC	D2VY 8005-A
D2OE 8005-SA	D2OZ 8005-B
D2OE 8005-TA	D2OZ 8005-B
D2OE 8005-UA	D2OZ 8005-A
D2OE 8005-VA	D2VY 8005-A
D2SE 8005-AB	D2VY 8005-A
D2SE 8005-BB	D2OZ 8005-A
D2SE 8005-CB	D2VY 8005-A
D2SE 8005-DB	D2VY 8005-A
D2SE 8005-EB	D2OZ 8005-A
D2SE 8005-FB	D2VY 8005-A
D2SE 8005-GA	D2VY 8005-A
D2TA 8005-AGA	C8TZ 8005-AD
D2VE 8005-DA	D2VY 8005-A
D2ZE 8005-BA	D2ZZ 8005-A
D2ZE 8005-CA	D2ZZ 8005-C
D2ZE 8005-DA	D2ZZ 8005-C
D2ZE 8005-DB	D2ZZ 8005-C
D2ZE 8005-DC	D2ZZ 8005-C
D2ZE 8005-DD	D2ZZ 8005-C
D2ZE 8005-EA	D2ZZ 8005-B
D2ZE 8005-EB	D2ZZ 8005-B
D2ZE 8005-EC	D2ZZ 8005-B
D2ZE 8005-ED	D1VY 8005-A
D2ZE 8005-FA	D2ZZ 8005-A
D2ZE 8005-FB	D2ZZ 8005-A
D2ZE 8005-FC	D2ZZ 8005-A
D2ZE 8005-GA	D2ZZ 8005-C
D2ZE 8005-GB	D2ZZ 8005-C
D2ZE 8005-JA	D2ZZ 8005-C
D2ZE 8005-JB	D2ZZ 8005-C
D2ZE 8005-JC	D2ZZ 8005-C
D2ZE 8005-KA	D2ZZ 8005-C
D2ZE 8005-LB	D1VY 8005-A
D2ZE 8005-MA	D2ZZ 8005-B
D2ZE 8005-MB	D1VY 8005-A
D2ZE 8005-NA	D1VY 8005-A
D2ZE 8005-NB	D1VY 8005-A
D2ZE 8005-RA	D2ZZ 8005-C
D22E 8005-AA	D1FZ 8005-A
D22E 8005-AB	D2FZ 8005-A
D22E 8005-BA	D1FZ 8005-A
D22E 8005-BB	D2FZ 8005-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

8005 RADIATOR

YEAR	CYL.	C. I. D.	CORE WIDTH	CORE HEIGHT	CORE THICKNESS	STD. COOLING	EXTRA COOLING	SUPER EXTRA COOLING	A/C	DESCRIPTION	QTY.	PART NUMBER
		- A -										
65	6&8	240, 289	23 1/4	17 3/8	1 1/4		x		x		1	*C5AZ 8005-F
	6&8	240, 289	20 1/4	17 3/8	1 1/4	x					1	*C5AZ 8005-C
	8	352, 390, 427	23 3/16	17 3/8	2"	x	x		x		1	*C5AZ 8005-H
66	6	240	20 1/4	17 3/8	1 1/4	x				w/o T/E	1	*C5AZ 8005-C
	6	240	23 1/4	17 3/8	1 1/4		x		x	w/o T/E	1	*C5AZ 8005-F
	6	240	20 1/4	17 5/8	1 1/4	x	x			With T/E	1	*C6AZ 8005-B
	6	240	23 1/4	17 5/8	1 1/4				x	With T/E	1	*C6AZ 8005-C
	8	289	20 1/4	17 3/8	1 1/4	x					1	*C5AZ 8005-C
	8	289	23 1/4	17 3/8	1 1/4		x		x	15 Fins per Inch	1	*C5AZ 8005-F
	8	352, 390, 427, 428(exc. P/C with A/C)	23 3/16	17 3/8	2"	x	x		x		1	*C5AZ 8005-H
	8	428 P/C							x		1	*C6AZ 8005-S
67	6	240	19 3/4	17 1/4	1 1/4	x				w/o T/E-NOTE 1	1	*C7AZ 8005-H
	6	240	20 1/4	17 5/8	1 1/4	x				With T/E-NOTE 1	1	*C7AZ 8005-C
	6	240	23 1/4	17 5/8	1 1/4		x	x	x	With or w/o T/E-NOTE 1	1	*C6AZ 8005-C
	8	289	19 3/4	17 1/4	1 1/4	x				NOTE 1	1	*C7AZ 8005-H
	8	289	23 1/4	17 3/8	1 1/4		x	x	x	NOTE 1	1	*C7AZ 8005-J
	8	390	23 1/8	17 3/8	2 3/8	x	x	x		Police units	1	*C7AZ 8005-G
	8	390, 427, 428	23 3/16	17 3/8	2"	x	x	x	x	NOTE 1	1	* C5AZ 8005-H
	8	428 P/C	23 1/8	17 3/8	2 3/8				x		1	*C7AZ 8005-G
	8	428 (Police Units)				x	x	x			1	
68	6	240 (exc. Police or Taxi)	20 1/4	17 5/8	1 1/4	x				W/ T/E	1	C7AZ 8005-C
	6	240 (Police & Taxi)	23 1/4	17 5/8	1 1/4	x				W/ T/E or Imco	1	C6AZ 8005-C
	6	240 (exc. Police & Taxi)					x			W/ T/E or Imco	1	
	8	302	19 3/4	17 1/4	1 1/4	x				W/ T/E or Imco	1	C7AZ 8005-H
	8	302	23 1/4	17 3/8	1 1/4		x		x	W/ T/E or Imco	1	C7AZ 8005-J
	8	390 (exc. Police)	21 3/4	18 1/2	1 1/2	x				W/ T/E or Imco	1	C8AZ 8005-C
	8	390 (exc. Police)	21 3/4	18 1/2	2 1/4		x		x	W/ T/E or Imco	1	C8AZ 8005-A
	8	390 (Police)	21 3/4	18 1/2	2 1/4	x				W/ T/E or Imco	1	C8AZ 8005-A
	8	390 (Police)	21 3/4	18 1/2	2 1/4				x	W/ T/E or Imco	1	★C8AZ 8005-B
	8	427	21 3/4	18 1/2	2 1/4	x					1	C8AZ 8005-A
	8	428 (exc. P/C)	21 3/4	18 1/2	1 1/2	x				W/Imco	1	C8AZ 8005-C
	8	428 (exc. P/C)	21 3/4	18 1/2	2 1/4		x		x	W/ T/E or Imco	1	C8AZ 8005-A
	8	428 (Police)	21 3/4	18 1/2	2 1/4	x				W/ T/E or Imco	1	C8AZ 8005-A
	8	428 (Police)	21 3/4	18 1/2	2 1/4				x	W/ T/E or Imco	1	★C8AZ 8005-B
	8	428 P/C	21 3/4	18 1/2	2 1/4	x				W/ T/E	1	C8AZ 8005-A
	8	428 P/C	21 3/4	18 1/2	2 1/4				x	W/ T/E	1	★C8AZ 8005-B
69	6	240	21 3/4	17 7/8	1 1/2	x	x		x		1	C9AZ 8005-A
	8	302	21 3/4	17 7/8	1 1/2	x	x		x		1	
	8	351				x	x		x		1	
	8	390, 429 exc. P/C	21 3/4	17 7/8	1 1/2	x					1	C9AZ 8005-D
	8	390, 429 exc. P/C	26	17 7/8	2 1/4		x		x		1	D0OZ 8005-A
	8	390, 428 P/C	26	17 7/8	1 1/2	x			x		1	C9AZ 8005-C
	8	390, 429 w/Trailer towing pkg.					x		x		1	
	8	429 P/C				x	x		x		1	
70	6	240	21 3/4	17 7/8	1 1/2	x	x		x		1	C9AZ 8005-A
	8	302	21 11/16	17 27/32	1 1/2	x	x		x		1	D0AZ 8005-B
	8	351 (2/V)				x					1	
	8	351 (2/V)	26	17 7/8	2 1/4		x		x		1	D0OZ 8005-A
	8	390 (2/V), 429				x					1	
	8	390 P/C, 428 P/C, 429 P/C				x	x		x		1	
	8	390, 429 "Before 7/28/69"					x		x		1	
	8	390, 429 w/trailer towing pkg.					x		x		1	
	8	351-W, 390, 429 w/H/D radiator					x		x		1	
	8	390, 429 "From 7/28/69"	26	17 7/8	1 1/2		x		x		1	C9AZ 8005-C

NOTE 1 - Some 1967 units were equipped with 1966 radiators (8005), upper brackets (8A193) & pads (8124), (1966 radiator had off-center filler neck-1967 radiator had center filler neck). When replacing the upper brkt. or pads on these units, use C5AZ 8A193-A or B & C3AZ 8124-A.

* Includes oil cooler unit (when used with S/T or O/D, do not remove oil cooler unit plugs)

8005 RADIATOR - continued

YEAR	CYL.	C. I. D.	CORE WIDTH	CORE HEIGHT	CORE THICKNESS	STD. COOLING	EXTRA COOLING	SUPER EXTRA COOLING	A/C	DESCRIPTION	QTY.	PART NUMBER
		- A -										
71	6	240	21 3/4	17 7/8	1 1/2	x					1	D1AZ 8005-A
	8	302	21 3/4	17 7/8	1 1/2	x					1	D1AZ 8005-E
	8	351W				x					1	
	8	351(P/C),400 (P/C)	26	17 7/8	2 1/4	x	x		x		1	D1VY 8005-A
	8	351W,390,400,429 w/ trailer towing, pkg., or heavy duty rad.					x		x		1	
	8	390 P/C				x	x		x		1	
	8	429 w/Police cooling				x	x		x		1	
	8	302	26	17 7/8	1 1/2				x		1	D2ZZ 8005-C
	8	351W							x		1	
	8	351C				x	x		x		1	
	8	390				x					1	
	8	400-w/o trailer towing pkg. or H/D rad.				x			x		1	
	8	429				x			x		1	
	8	429 P/C w/Police cooling	26	17 7/8	2 1/4	x			x		1	D1ZZ 8005-B
72	6	240	21 3/4	17 7/8	1 1/2	x					1	D2AZ 8005-A
	8	302	21 3/4	17 7/8	1 1/2	x					1	D2AZ 8005-E
	8	351W				x					1	
	8	351W	26	17 7/8	1 1/2				x		1	D2AZ 8005-D
	8	351C				x			x		1	
	8	351C-w/extra cooling pkg.	26	17 7/8	2 1/4		x				1	D2AZ 8005-B
	8	351W-w/extra cooling pkg.					x				1	
	8	351W (P/C)				x			x		1	
	8	400(w/3.25/1 axle ratio)				x			x		1	
	8	400 (P/C)				x			x		1	
	8	429-w/extra cooling pkg.					x		x		1	
	8	429(w/3.25/1 axle ratio)				x			x		1	
	8	429 P/C w/Police cooling				x			x		1	
	8	429 w/Police cooling				x			x		1	
	8	400(exc. 3.25/1 axle ratio)	26	17 27/32	1 1/2	x			x		1	D3ZZ 8005-A
	8	429(exc. 3.25/1 axle ratio, X/C pkg. or Police cooling)				x			x		1	
65/	6&8	All				x	x	x	x	Screw (rad. to suppt.)-5/16"-24 x 1 1/8"	4	353483-S2 (BB588)
65/	6&8	All				x	x	x	x	Nut-Retainer(rad. to apron to lower suppt.)	4	359952-S2 (MM198)
		- B -										
65	6	200	20 1/4	17 3/8	1 1/4	x	x		x	17 1/4" R/B 20 1/4" core width	1	C7OZ 8005-A
	8	289(exc. Special)	20 1/4	17 3/8	1 1/4	x				17 1/4" R/B 20 1/4" core width	1	C7OZ 8005-B
	8	289(exc. Special)	20 1/4	17 3/8	1 1/4		x		x	Deluxe hang-on A/C	1	C5OZ 8005-C
	8	289				x	x				1	
66	6	200	20 1/4	17 3/8	1 1/4	x	x		x	17 1/4" R/B 20 1/4" core width	1	C7OZ 8005-A
	8	289	20 1/4	17 3/8	1 1/4	x				17 1/4" R/B 20 1/4" core width	1	C7OZ 8005-B
	8	289	20 1/4	17 3/8	1 1/4		x		x	(1) C7ZZ 8A193-A	1	C5OZ 8005-C
	8	390	23 1/4	17 3/8	2	x	x		x	Includes (2) C7OZ 8124-A	1	★C6OZ 8005-F
67	6	200	20 1/4	17 3/8	1 1/4	x	x		x	Includes Imco	1	C7OZ 8005-A
	8	289	20 1/4	17 3/8	1 1/4	x	x		x		1	C7OZ 8005-B
	8	390	23 1/4	17 3/8	1 1/4	x	x		x		1	C7OZ 8005-C
	8	427				x	x		x		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 80

8005 RADIATOR - continued

YEAR	CYL.	C. I. D.	CORE WIDTH	CORE HEIGHT	CORE THICKNESS	STD. COOLING	EXTRA COOLING	SUPER EXTRA COOLING	A/C	DESCRIPTION	QTY.	PART NUMBER
		- B -										
68	6	200	20 1/4	17 3/8	1 1/4	x	x		x	W/ T/E or Imco	1	C7OZ 8005-A
	8	289, 302	20 1/4	17 3/8	1 1/4	x	x		x	W/ T/E or Imco	1	C7OZ 8005-B
	8	390-(exc. GT)	24 1/4	17 3/8	1 1/2	x				W/ T/E or Imco	1	C8OZ 8005-C
	8	390-(GT)	24 1/4	17 3/8	2 1/4	x	x		x		1	C8OZ 8005-B
	8	427				x				W/Imco	1	
	8	428CJ				x				W/Imco	1	
69	6	250	20 1/4	17 3/8	1 1/4	x	x		x		1	C9OZ 8005-B
	8	302	20 1/4	17 3/8	1 1/4	x	x		x		1	C7OZ 8005-B
	8	351				x					1	
	8	351, 351 w/trailer towing pkg.	24	17 3/8	1 1/2		x		x		1	C9OZ 8005-A
	8	390-(GT), 390 w/trailer towing pkg.	24 1/4	17 3/8	2 1/4	x	x		x		1	C8OZ 8005-B
	8	428CJ				x					1	
70	6	250	21 11/16	17 27/32	1 1/2	x	x		x		1	D0AZ 8005-B
	8	302 "Before 3/18/70"				x	x		x		1	
	8	302 "From 3/18/70"				x					1	
	8	351 (2/V, 4/V)				x					1	
	8	302(S/T) "From 3/18/70"	26	17 7/8	1 1/2		x		x		1	C9AZ 8005-C
	8	302(A/T) "From 3/18/70"	26	17 7/8	2 1/4		x		x		1	D0OZ 8005-A
	8	351 (2/V, 4/V)					x		x		1	
	8	429 (CJ) - "Before 7/28/69"	26	17 7/8	2 1/4	x	x		x		1	
	8	429(exc. CJ)				x	x		x		1	
	8	429(CJ) "From 7/28/69"	26	17 7/8	1 1/2	x					1	C9AZ 8005-C
	8	429CJ	26	17 7/8	2 1/4		x		x		1	D0OZ 8005-E
	8	429S/CJ w/T/E				x					1	
	8	429CJ w/trailer towing pkg.				x					1	
71	6	250	21 3/4	17 7/8	1 1/2	x	x		x		1	D1AZ 8005-B
	8	302				x					1	
	8	351(exc. 3.5/1 axle ratio)				x					1	
	6	250 (P/C)	21 3/4	17 7/8	1 1/2	x	x		x		1	D10Z 8005-B
	8	302	26	17 7/8	1 1/2		x				1	D2ZZ 8005-C
	8	351					x		x		1	
	8	351 W/ 3.5/1 axle ratio				x					1	
	8	302 P/C, 351 P/C	26	17 7/8	2 1/4	x	x		x		1	D1VY 8005-A
	8	351 w/trailer towing pkg.	26	17 7/8	2 1/4	x	x		x		1	
	8	429 (CJ)				x					1	
	8	429CJ	26	17 7/8	2 1/4		x		x		1	D1ZZ 8005-B
	8	429CJ-w/trailer towing pkg.				x	x		x		1	
	8	429CJ (P/C)				x	x		x		1	
72	6	250(exc. P/C)- "Before 2/1/72"	28	17 7/8	7/8	x			x		1	D2OZ 8005-B
	8	302(exc. P/C)- "Before 2/1/72"				x	x		x		1	
	8	351(2V) (exc. P/C)- "Before 2/1/72"				x					1	
	6	250(exc. P/C)- "From 2/1/72"	28	17 7/8	1 1/2	x			x		1	D2OZ 8005-C
	8	302(exc. P/C)- "From 2/1/72"				x	x		x		1	
	8	351(2V)(exc. P/C)- "From 2/1/72"				x					1	
	6	250(P/C)	28	17 7/8	1 1/2	x	x		x		1	D2OZ 8005-A
	8	351(2/V) (exc. P/C)					x		x		1	
	8	400(exc. P/C & trailer towing pkg.)				x	x				1	
	8	429(4/V) (exc. P/C)				x	x		x		1	

8005 RADIATOR - continued

YEAR	CYL.	C. I. D.	CORE WIDTH	CORE HEIGHT	CORE THICKNESS	STD. COOLING	EXTRA COOLING	SUPER EXTRA COOLING	A/C	DESCRIPTION	QTY.	PART NUMBER
		- B -										
72	8	302(P/C)	28	17 7/8	2 1/4	x			x		1	D2VY 8005-A
	8	351(2/V), 351(CJ) w/trailer towing pkg.					x				1	
	8	351(2/V) (P/C)				x			x		1	
	8	351 (CJ)				x	x		x		1	
	8	400(P/C)				x			x		1	
	8	400 w/trailer towing pkg.					x				1	
	8	400(exc. P/C & trailer towing pkg.							x		1	
	8	429(P/C)				x	x		x		1	
	8	429(4/V) w/trailer towing pkg.					x				1	
65/	6& 8	All				x	x	x	x	Screw (rad. to suppt.) 5/16"-24 x 1 1/8"	4	353483-S2 (BB588)
65/	6& 8	All				x	x	x	x	Nut-retainer- 5/16" - 24	4	359952-S2 (MM198)
		- F -										
65/66	6	170, 200	17 1/4	16 1/2	1 1/4	x	x		x	(15 Fins per Inch)	1	C5ZZ 8005-C
	8	260, 289	17 1/4	17 1/2	1 1/4	x	x	x	x		1	C3DZ 8005-K
67	6	200	20 1/4	16 7/16	1 1/4	x	x		x		1	C9ZZ 8005-A
	8	289	20 1/4	16 7/16	1 1/4	x	x		x		1	C9ZZ 8005-B
	8	390	23 1/4	16	2"	x	x		x		1	C7ZZ 8005-C
68	6	200	20 1/4	16 7/16	1 1/4		x		x		1	C9ZZ 8005-A
	8	289-2V	20 1/4	16 7/16	1 1/4	x					1	C9ZZ 8005-B
	8	289-2V	24 3/16	16	1 1/2		x		x		1	C9ZZ 8005-C
	8	289-Spec.	24 3/16	16	1 1/2	x	x		x		1	C9ZZ 8005-C
	8	302	20 1/4	16 7/16	1 1/4	x					1	C9ZZ 8005-B
	8	302	24 3/16	16	1 1/2		x		x		1	C9ZZ 8005-C
	8	390	24 3/16	16	2 1/4	x	x		x		1	C8ZZ 8005-C
	8	427				x	x				1	
	8	428CJ				x	x		x		1	
69	6	200	20 1/4	16 7/16	1 1/4	x	x		x		1	C9ZZ 8005-A
	6	250-"Before 12/16/68"	23 1/4	15 7/16	1 1/4	x	x		x		1	C9ZZ 8005-D
	6	250-"From 12/16/68"	20 1/4	16 7/16	1 1/4	x	x		x		1	C9ZZ 8005-E
	8	302-2V, 351	20 1/4	16 7/16	1 1/4	x					1	C9ZZ 8005-B
	8	351	24 3/16	16	1 1/2		x		x		1	C9ZZ 8005-C
	8	302-4V spec..				x					1	
	8	302 Spec.					x		x		1	
	8	390-GT	24 3/16	16	2 1/4	x	x		x		1	C8ZZ 8005-C
	8	428CJ				x	x		x		1	
	8	429-Boss				x	x		x		1	
70	6	200	20 1/4	16 7/16	1 1/4	x			x		1	C9ZZ 8005-A
	6	250	20 1/4	16 7/16	1 1/4	x	x		x		1	C9ZZ 8005-E
	6	200					x				1	
	8	302				x					1	
	8	302 (exc. spec.)				x					1	
	8	351 (2/V)				x					1	
	8	351(4/B)-w/o 3.5/1 axle ratio					x				1	
	8	302 (4/V) spec.	24 3/16	16	2 1/4	x	x				1	D0ZZ 8005-C
	8	428 (CJ)	24 3/16	16	2 1/4	x	x		x		1	C8ZZ 8005-C
	8	429-Boss				x	x		x		1	
	8	302 (Exc. spec.)	24 3/16	16	2 1/4		x		x		1	D0ZZ 8005-D
	8	351 (2/V, 4/V)					x		x		1	
	8	351 (4/B)-w/3.5/1 axle ratio				x	x				1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8005 RADIATOR - continued

YEAR	CYL.	C.I.D.	CORE WIDTH	CORE HEIGHT	CORE THICKNESS	STD. COOLING	EXTRA COOLING	SUPER EXTRA COOLING	A/C	DESCRIPTION	QTY.	PART NUMBER
		- F -										
71	6	250	21 3/4	17 7/8	1 1/2	x	x		x		1	D1AZ 8005-B
	8	302 (2/V)				x					1	
	8	302 (4/V) spec.	26	17 7/8	2 1/4	x					1	D1VY 8005-A
	8	429CJ				x					1	
	8	302 (2/V)	26	17 7/8	1 1/2		x				1	D2ZZ 8005-C
	8	351 (w/ 3.5/1 axle ratio)				x					1	
	8	351 (exc. CJ)				x	x		x		1	
	8	351(CJ)	26	17 7/8	2 1/4	x					1	D1ZZ 8005-B
	8	429 (S/CJ)				x					1	
	8	429 (CJ)					x		x		1	
	8	351 (4V) Spec.-Boss				x					1	
	8	351CJ	26	17 7/8	2 1/4				x		1	D1VY 8005-A
72	6	250	21 3/4	17 7/8	1 1/2	x			x		1	D2ZZ 8005-A
	8	302(2/V)				x					1	
	8	302(2/V)	26	17 7/8	1 1/2		x		x		1	D2ZZ 8005-C
	8	351(2/V)				x	x		x		1	
	8	351CJ	26	17 7/8	2 1/4	x	x		x		1	D1VY 8005-A
	8	351 spec.	26	17 7/8	2 1/4	x					1	D2ZZ 8005-B
65/	6, 8	All				x	x		x	Bolt (rad.to suppt.)-5/16"-24 x 3/4"	4	20347-S8(B156)
65/	6, 8	170,200,260,289				x	x		x	Washer-5/16"	4	34806-S7(X64)
65/	6, 8	170,200,260,289				x	x		x	Nut-retainer-5/16"-24	4	359952-S2 (MM198)
		- L -										
71/	4	98	17 1/4	15 1/8	1 1/4	x			x		1	D1FZ 8005-A
71	4	122				x			x		1	
72	4	122(exc.trailer towing pkg.)				x					1	
72	4	122	17 1/4	15 1/8	1 1/4				x		1	D2FZ 8005-A
	4	122(with trailer towing pkg.)				x					1	
		- P -										
70	6	170,200	20 1/4	16 7/16	1 1/4	x	x				1	C9ZZ 8005-A
	6	250	20 1/4	16 7/16	1 1/4	x	x		x		1	C9ZZ 8005-E
71	6	170,200 "Before 3/1/71"	20 1/4	16 7/16	1 1/4	x	x		x		1	C9ZZ 8005-A
	6	170,200 "From 3/1/71"	20 1/4	16 7/16	1 1/4	x	x		x		1	D2DZ 8005-A
	6	250	20 1/4	16 7/16	1 1/4	x	x		x		1	D2DZ 8005-B
	8	302				x					1	
	8	302	20 1/4	15 1/2	1 15/16				x		1	D1DZ 8005-A
72	6	170,200	20 1/4	16 7/16	1 1/4	x			x		1	D2DZ 8005-A
	6	250 "Before 2/15/72"	20 1/4	15 1/2	1 15/16				x		1	D1DZ 8005-A
	8	302							x		1	
	6	250 "From 2/15/72"	20 1/4	16 7/16	1 1/4				x		1	D2DZ 8005-B
	6	250				x					1	
	8	302				x					1	
		- S -										
65	8	390	22 1/2	17 1/4	2	x	x		x		1	♦C4SZ 8005-D
66	8	390, 428(exc. A/C w/T/E)	22 1/2	17 1/4	2	x	x		x		1	C4SZ 8005-D
	8	390, 428(w/T/E)	22 1/4	19	2 1/4				x		1	★C6SZ 8005-A
67	8	390,428	21 3/4	18 1/2	2 1/4	x	x		x	Includes 372496-S(H-177F) adaptors	1	*C8AZ 8005-A
68	8	429	21 3/4	18 1/4	1 1/2	x					1	C8AZ 8005-C
	8	429	21 3/4	18 1/4	2 1/4		x		x		1	C8AZ 8005-A
69	8	429	21 3/4	18 1/4	2 1/4	x	x		x		1	C8AZ 8005-A
70	8	429	24 1/2	18 7/16	2 9/32	x	x		x	Includes (2) 372496-S fittings for Mark III only	1	D0SZ 8005-A

* Includes oil cooler unit (when used with S'T or O'D, do not remove oil cooler unit plugs)

♦ Cut or bend upper shroud tabs to accept finger guard

8005 RADIATOR - continued

YEAR	CYL.	C.I.D.	CORE WIDTH	CORE HEIGHT	CORE THICKNESS	STD. COOLING	EXTRA COOLING	SUPER EXTRA COOLING	A/C	DESCRIPTION	QTY.	PART NUMBER
		- S -										
71	8	429	24 1/2	18 3/8	2 1/4	x	x		x		1	D1SZ 8005-A
72	8	400, 429	28	17 7/8	1 1/2	x					1	D2OZ 8005-A
	8	400, 429	28	17 7/8	2 1/4				x		1	D2VY 8005-A
	8	400, 429 w/trailer towing pkg.					x				1	
	8	460							x		1	
	8	460 w/trailer towing pkg.					x				1	
65/	8	All				x	x	x	x	Bolt (rad. to upper suppt.)-1/4"-20 x .56"	2	371492-S2 (BB569)
65/	8	All								Screw (rad. to lower support)-15/16"-24 x 1 1/8"	4	353483-S2 (BB588)
65/	8	All				x	x	x	x	Nut(rad. upper suppt.)-1/4"-20	3	34390-S7(M92)
		- U -										
66/69	6	170	17 1/4	17 3/8	1 1/4	x	x				1	C6TZ 8005-P
	8	289, 302	19 3/4	19 3/64	2	x	x			Cross flow w/integral fill neck - NOTE 1	1	C8TZ 8005-AL
70/71	6	170	17 1/4	17 3/8	1 1/4	x					1	C6TZ 8005-P
	8	302	19 3/4	19 1/16	2	x	x			Cross flow	1	D2TZ 8005-B
72	6	170	17 1/4	17 3/8	1 1/4	x					1	C6TZ 8005-P
	8	302	19 3/4	19 1/16	2	x					1	D2TZ 8005-B
	8	302	19 3/4	19 3/64	2		x				1	C8TZ 8005-AD
69	6	170				x	x			Screw & washer(rad. to deflector)-5/16"-18 x 3/4"	1	354538-S2 (BB572A)
		- X -										
65	6	170, 200	17 1/4	16 1/2	1 1/4	x	x				1	*C5ZZ 8005-C
	8	289	17 1/4	16 1/2	1 1/4	x	x				1	*C3DZ 8005-K
66	6	170, 200	20 1/4	17 3/8	1 1/4	x					1	*C7OZ 8005-A
	6	170, 200					x		x		1	
	8	289	20 1/4	17 3/8	1 1/4	x					1	C7OZ 8005-B
	8	289	20 1/4	17 3/8	1 1/4		x		x		1	*C5OZ 8005-C
67	6	170, 200	20 1/4	17 3/8	1 1/4	x	x		x		1	*C7OZ 8005-A
	8	289	20 1/4	17 3/8	1 1/4	x	x		x		1	*C7OZ 8005-B
68/69	6	170, 200	20 1/4	17 3/8	1 1/4	x	x		x		1	C7OZ 8005-A
	8	289, 302	20 1/4	17 3/8	1 1/4	x	x		x		1	C7OZ 8005-B
70	6	200	20 1/4	17 3/8	1 1/4	x	x		x		1	C7OZ 8005-A
	8	302	20 1/4	17 3/8	1 1/4	x	x		x		1	C9OZ 8005-B
65/70	8	All				x	x	x	x	Lockwasher-5/16"	4	34806-S7(X64)
65/70	8	All				x	x	x	x	Nut-ret. (rad. to suppt.)	4	359952-S2

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8C013-4 PLATE - RADIATOR GRILLE INNER					
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)	All	All	R.H.	1	C9AZ 8C013-A
		All	All	L.H.	1	C9AZ 8C014-A
	8B018 SEAL - RADIATOR AIR DEFLECTOR SIDE					
65/67	A	6	240	Serviced in assy.-refer to Group 8310	1	★
	8C022 RETAINER - RADIATOR GRILLE NAME PLATE					
71	P(62D)	6	All	Improvise-1 1/4 x 3 3/4-.035" thick steel plate		★
	8052 BRACKET - RADIATOR SUPPORT LOWER					
	- A -					
65/66	A	6	240	Uses C3AZ 8125-A pad -not replaced	2	★C5AZ 8052-E
		8	All	Uses C3AZ 8125-A pad	2	C5AZ 8052-D
67	A	6	240	Uses C3AZ 8125-A pad -not replaced	2	★C5AZ 8052-E
		8	All	Uses C3AZ 8125-A pad	2	C7AZ 8052-A

NOTE 1 - When used as replacement for C6TZ 8005-N remove supply tank from vehicle & use C8TZ 8260-L hose

* Includes oil cooler unit (when used with S/T or O/D, do not remove oil cooler unit plugs)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

SECTION 80

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8052 BRACKET - RADIATOR SUPPORT LOWER - continued					
	- A -					
68	A	6&8	240,302		2	C7AZ 8052-A
	A	8	390,427, 428	R.H.	1	C7SZ 8052-D
	A	8	390,427, 428	L.H.	1	C7SZ 8052-E
69/70	A	6	240	L.H.	1	C9AZ 8052-A
	A	8	302	L.H.	1	
	A-with A/C	8	390,429	R.H.	1	
	A	6	240	R.H.	1	C9AZ 8052-B
	A	8	302,351	R.H.	1	
	A-with A/C	8	390,429	L.H.	1	
	A-without A/C	8	390,429	R.H.	1	C9AZ 8052-D
	A-without A/C	8	390,429	L.H.	1	C9AZ 8052-E
	A	8	351	L.H.	1	
71/	A	6	240	R.H.	1	C9AZ 8052-B
	A	8	302, 351, 390, 400	R.H.	1	
	A	8	429	L.H.	1	
	A	6	240	L.H.	1	C9AZ 8052-E
	A	8	302, 351, 390, 400	L.H.	1	
	A	8	429	R.H.	1	
	- B -					
66	B	8	390	Uses C3AZ 8125-A pad	2	C6OZ 8052-A
67	B	8	390	Uses C3AZ 8125-A pad	2	C7OZ 8052-A
68/69	B	8	390,427, 428CJ		2	C8OZ 8052-A
69	B-with A/C	8	351		2	
70/71	B	6&8	250,302 351,429	R.H.	1	D0OZ 8052-A
				L.H.	1	D0OZ 8052-B
	- F -					
67	F (63, 65)	8	390	Uses C3AZ 8125-A pad	2	C7ZZ 8052-A
68	F	8	289,302 390-4V 427	R.H.	1	C8ZZ 8052-A
69/70	F-with A/C or X/C	8	302,351, 390,428		1	
				L.H.	1	C8ZZ 8052-B
70	F - use w/24 13/64" wide Radiator	8	428 CJ	R.H.	1	C8ZZ 8052-A
				L.H.	1	C8ZZ 8052-B
71/	F	6&8	All	R.H.	1	D0OZ 8052-A
				L.H.	1	D0OZ 8052-B
	- S -					
67	S	8	390,427, 428	R.H. -uses (2) C7SZ 8125-A pads	1	C7SZ 8052-D
				L.H. -uses (2) C7SZ 8125-B pads	1	C7SZ 8052-E
68/69	S	8	429	R.H.	1	C8SZ 8052-A
				L.H.	1	C8SZ 8052-C
70/71	S	8	429	R.H.	1	C8LY 8052-A
				L.H.	1	C8LY 8052-B
65/	A	6&8		Screw (bracket to rad.suppt.)-5/16"-24 x 1 1/8"	2	353483-S2(BB588)
65/	A	6&8		Nut retainer (brkt. to rad. suppt.)-5/16"-24	2	359952-S2(MM198)
67/69	S	8	390,429	Screw and washer assy. -5/16"-18 x 1"	2	378178-S2(BB412B
70/71	S	8	429	Screw and washer assy. -5/16" -18 x 7/8"	2	57140-S2(B340H)
	8C055 SHIELD - RADIATOR GRILLE SIGHT					
72	S	8	All	Lower-12 1/2" x 10 3/4" rubber 3/32" thick-improvise	2	*
72	S	8	All	Retain 8C055 to bumper	2	D2LY 14A163-C
72	S	8	All	Pin (att.8C055 to 8182 & 8183)-1/2" x 37/64"	2	382570-S(HH8T)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8A058 SUPPORT - RADIATOR LOWER - Refer to Group 8A193					
	8063 HOSE - RADIATOR SUPPLY TANK - Cut to fit from bulk hose 8333					
	8075 HOSE - RADIATOR OVERFLOW - Cut to fit from bulk hose 9324					
	8C077 TRANSFER - RADIATOR GRILLE OPENING PANEL COLOR STRIPE					
72	B(97R)	8	All	Vinyl tape	1	D2OZ 8C077-A
	8A080 TANK ASSY. - RADIATOR OVERFLOW SUPPLY - Refer to Group 8592					
	8081 HOSE - RADIATOR DRAIN - Cut to fit from bulk hose 9324					
	8083-4 BRACKET - RADIATOR MOUNTING					
67	B	6&8	200,289	R.H. & L.H.	2	C7OZ 8083-A
68/69	B	6&8	200,289, 302	R. H.	1	
69	B	8	351	R.H.	1	
68/69	B	6&8	200,289, 302	L. H.	1	C8OZ 8084-A
69	B	8	351	L.H.	1	
69	F-A/C " Before 12/16/68"	6	250	R. H.	1	C9ZZ 8083-A
		6	250	L. H.	1	C9ZZ 8084-A
69	F-A/C "From 12/16/68"	6	250	R.H. & L.H. -not required	1	★
	8100 CAP - RADIATOR					
67	B, F, X-with Imco	6	170,200	15 lb. pressure-r/b C9AZ 8100-A(8/74)	1	★C7DZ 8100-A
67	A, 390, 428-with A/C	8	390,428		1	(RS-17)
69	F (Economy 1/B)	6	250		1	
65/70	A,B,F,P,S,X-units beyond warranty (170,200,240, 250, 260, 289, 302, 351, 352. 390. 427. 428. 429)	6&8	All	13 lb. pressure-pressure release vent cap-zinc plate	1	C1UZ 8100-A (RL-12)
				7 lb. pressure-pressure release vent cap-optional for taxis-zinc plate	1	B2AZ 8100-A (RL-9)
65/ 71/	A,B,F,P,S,U,X L	6&8 4	All 98,122	13 lb. pressure-optional with C9ZZ 8100-A	1 1	C9AZ 8100-A (RS-12-A)
65/ 71/	A,B,F,P,S,U,X L	6&8 4	All 98,122	13 lb. pressure-#chrome-optional with C9AZ 8100-A	1 1	C9ZZ 8100-A (RS-512-A)
65/	All	6&8	All	14 lb. pressure - replacement cap for radiator coolant recovery kit	1	D2VY 8100-A (RS-40)
	8K103 CAP - RADIATOR OVERFLOW CONTAINER					
65/	All	6&8	All	Cap type-2" x 1/2"-used on overflow container in radiator coolant recovery kit-replaces plug type cap	1	D2AZ 8K103-A
	8115 DRAINCOCK - RADIATOR or CYLINDER BLOCK					
65/	A,B,F,L,P,S,X	6&8	All	1/4"-18" pipe thread-includes extension-also used as a drain for the cylinder block	1or2	8A 8115
66/	U	6	170	Radiator-straight	1	
66/	U	8	289,302	Radiator-right angle	1	8CM 8115
	8A123 BRACKET - RADIATOR GRILLE INNER					
65	A	6&8	All		2	C5AZ 8A123-A
66	B	6&8	All		1	C6OZ 8A123-A
	8124-5 INSULATOR - RADIATOR MOUNTING - Also refer to group 8126					
	- A -					
65	A(76)	6&8	All	Body to frame-cut to 2" square	1	8C 8124-A
	A	6&8	All	Upper-used with (8233) support	2	C3AZ 8124-A
		6&8	All	Lower-used with (8052) bracket	2	C3AZ 8125-A
66	A(76)	6&8	All	Body to frame-cut to 2" square	1	8C 8124-A
	A	6&8	All	Upper-used w/(8A193) support	2	C3AZ 8124-A
	A	6&8	All	Lower-used w/(8052) bracket	2	C3AZ 8125-A
67	A(76)	6&8	All	Body to frame-cut to 2" square	1	8C 8124-A
	A-w/o A/C	6&8	240,302	Upper-used w/C5AZ 8A193-E suppt.	2	C7OZ 8124-A
	A-A/C	6&8	240,302	Upper-used w/C5AZ 8A193-C suppt.	2	C3AZ 8124-A
	A	8	All	Upper-used w/(8A193) suppt.	2	C7OZ 8124-A
	A	6&8	All	Lower-used w/(8052) bracket	2	C3AZ 8125-A
68	A	8	390,428	Lower-R. H. -use with (8052) support	1	C7SZ 8125-C
		8	390,428	Lower-L. H. -use with (8052) support	1	C7SZ 8125-D
		6&8	240,302	Upper	2	C7OZ 8124-A
		6&8	240,302	Lower	2	C3AZ 8125-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

SECTION 80

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8124-5	**INSULATOR - RADIATOR MOUNTING - continued -** Also refer to group 8126					
	- A -					
69/70	A	6&8	240,302	Upper & lower-L.H.	2	C7SZ 8125-C
				Upper & lower-R.H.	2	C7SZ 8125-D
		8	390,428 429	Upper & lower-L.H.	2	C7SZ 8125-D
				Upper & lower-R.H.	2	C7SZ 8125-C
	A(76)	6&8	All	Body to frame	1	8C 8124-A
71	A	6&8	All	Lower	2	C7SZ 8125-C
72	A	6&8	All	R.H.	1	C7SZ 8125-C
				L.H.	1	C7SZ 8125-D
	- B -					
66	B	8	390	Upper-used w/(8A193) support	2	C3AZ 8124-A
		8	390	Lower-used w/(8052) bracket	2	C3AZ 8125-A
67	B	8	390,427	Upper-used w/(8A193) suppt.	2	C7OZ 8124-A
		8	390,427	Lower-used w/(8052) bracket	2	C3AZ 8125-A
68/70	B	8	390,427, 428CJ	Upper-used w/(8A193) support	2	C7OZ 8124-A
69/70	B(A/C with X/C)	8	351	Upper	2	
		8	390,427, 428CJ	Lower	2	C8ZZ 8125-A
69/70	B (A/C with X/C)	8	351	Lower	2	
71	B	6&8	All	Lower	2	C7SZ 8125-C
72	B "Before 5/1/72"	6&8	All	Lower-R.H.	1	D2OZ 8125-A
				Lower-L.H.	1	D2OZ 8125-B
72	B "From 5/1/72"	6&8	All	Lower-R.H.	1	D3OZ 8125-A
				Lower-L.H.	1	D3OZ 8125-B
	- F -					
67/70	F	8	289,302, 390,427, 428CJ	Upper -used w/(8A193) support	2	C7OZ 8124-A
67		8	390	Lower-used w/(8052) bracket	2	C3AZ 8125-A
68/70	F	8	390-4V 289,302, 427,428CJ Spec.	Lower	2	C8ZZ 8125-A
70	F-Boss	8	429		2	
71/	F	6&8	All	Lower-R.H.	1	C7SZ 8125-C
		6&8	All	Lower-L.H.	1	C7SZ 8125-D
	- S -					
67/71	S	8	390,428 429	Used in (8052) & (8A193)	2	C7SZ 8125-C
					2	C7SZ 8125-D
72	S "Before 5/1/72"	8	400,429, 460	Lower-R.H.	1	D2OZ 8125-A
				Lower-L.H.	1	D2OZ 8125-B
72	S "From 5/1/72"	8	400,429, 460	Lower-R.H.	1	D3OZ 8125-A
				Lower-L.H.	1	D3OZ 8125-B
	- U -					
66/	U	8	289,302	"U" shaped rubber-used in (8A058) & (8A193)	4	C6TZ 8125-A
8126	**SHIM - RADIATOR BOTTOM SUPPORT** - Also refer to Basic 8A440					
65/70	A(76)	6&8	All	Steel or fibre-.06" x 2" round with slot-front end to frame-replaces rectangular shims w/slot	AR	C4AZ 8126-B
8146	**SHROUD - FAN**					
	- A -					
65	A-w/integral A/C (first 1000 units)	8	289	R.H. -for radiators marked C5AE-AC, AD	1	★C4AZ 8147-A
				L.H.	1	★C4AZ 8148-B
	A-w/integral A/C (after first 1000 units) or hang-on A/C	8	289	One-piece type-not for rad. marked C5AE-AC,AD-used with 23 1/4" radiator (C5AZ 8005-F)	1	C5AZ 8146-A
	A-with A/C	8	352,390	One-piece type	1	C5AZ 8146-B
	A	8	427	One-piece type	1	C5AZ 8146-B

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8146 SHROUD - FAN - continued					
	- A -					
66	A-integral A/C	8	289	One-piece type	1	C5AZ 8146-A
	A-integral, hang-on A/C-w/o T/E	8	352,390, 428	One-piece type	1	C5AZ 8146-B
	A -w/o T/E	8	427, 428 P/I	One-piece type	1	C5AZ 8146-B
	A-integral A/C or X/C -w/T/E	8	352,390	One-piece type	1	C5AZ 8146-B
	A-Std., integral A/C, X/C, 53, 55, 60 amp. alt. -w/T/E	8	428	One-piece type	1	C5AZ 8146-B
67	A-Super X/C, A/C	6	240	One piece type-plastic-marked C7AE-B	1	C7AZ 8146-B
	A-Super X/C, integral A/C	8	289	One-piece type-plastic-marked C7AE-A	1	♦C7AZ 8146-A
	A-hang-on A/C-w/20 1/4" rad. core	8	289		1	C9OZ 8146-B
	A-hang-on A/C-w/23 1/4" rad. core	8	289	One-piece type-plastic-marked C7AE-A	1	C7AZ 8146-A
	A-Std., X/C, Super X/C, A/C- - w/or w/oT/E	8	390,428 exc. P/I	One piece type	1	C5AZ 8146-B
	A	8	427, 428P/C	One-piece type	1	C5AZ 8146-B
68	A-(Police & Taxi)	6	240	Plastic-marked C7AE-B	1	C7AZ 8146-B
	A-A/C	8	302	Plastic-marked C7AE-A	1	C7AZ 8146-A
	A-X/C w/hang-on A/C	8	289,302	Use on 23" wide radiator	1	
	A-X/C w/hang-on A/C	8	302	Use on 20" wide radiator	1	C9OZ 8146-B
	A-Std. & A/C	8	390,428		1	C8AZ 8146-A
	A-(Police)Std. & A/C	8	390,428 exc. P/C		1	C8AZ 8146-A
	A-Std. w/T/E	8	427		1	C8AZ 8146-A
	A	8	428 P/C		1	C8AZ 8146-A
69	A(Police, Taxi)	6	240	Plastic-marked C7AE-B	1	C7AZ 8146-B
	A-Std. X/C or A/C	8	302,351	Plastic-marked C9AE-B	1	C9AZ 8146-B
	A(exc. P/C)-X/C, A/C	8	390,429	Plastic	1	C9AZ 8146-C
	A (P/C)-Std. or A/C	8	390, 428P/C		1	
	A-X/C with hang-on A/C	8	390,429	Use on 26" wide radiator	1	
	A(P/C) Std., X/C	8	429		1	
	A (exc. P/C)-std. cooling	8	390,429	Plastic	1	C9AZ 8146-D
	A-X/C with hang-on A/C	8	390,429	Use with 22" wide radiator	1	
70	A-Std., X/C & A/C	8	302	Plastic - marked D0AE-C	1	D0AZ 8146-C
	A-Std. cooling	8	351		1	
	A-X/C & A/C	8	351	Plastic-marked D0AE-E & F	1	D0AZ 8146-F
	A-w/Heavy Duty radiator or w/trailer towing pkg.	8	351		1	
	A-Std., X/C or A/C	8	428 P/C	Plastic	1	C9AZ 8146-C
	A-Std. cooling, A/C & trailer towing pkg.	8	390		1	
	A, P/C-Std., X/C & A/C	8	429	Plastic - marked D0AE-A	1	D0AZ 8146-A
71	A-Std. cooling	8	302, 351C&W		1	D0AZ 8146-C
	A-w/A/C, w/trailer towing pkg. or Heavy Duty cooling	8	351W		1	D0AZ 8146-F
	A(P/C)-w/Std. cooling or A/C	8	351		1	
	A	8	390		1	C9AZ 8146-C
	A	8	400	Plastic-marked D1AE-AA or BA	1	D1AZ 8146-A
	A	8	429		1	D0AZ 8146-A
72	A-Std. cooling	8	302,	Marked D0AE-C	1	D0AZ 8146-C
	A-Std. cooling	8	351W		1	
	A-Std. cooling(exc. 3.25/1 axle ratio)	8	351C		1	
	A-Std. cooling(w/3.25/1 axle ratio)	8	351C	Plastic-marked D2AE-CA	1	D2AZ 8146-B
	A-Heavy Duty cooling	8	351C		1	
	A-w/A/C	8	351C&W	Marked D0AE-E or F	1	D0AZ 8146-F
	A(P/C)	8	351C&W		1	
	A	8	400	Plastic-marked D1AE-AA, AB or BA	1	D1AZ 8146-A
	A	8	429		1	D0AZ 8146-A

♦ If inadequate clearance exists, replace the (4) 5/8" hex. head tap screws with (4) 42151-S hex. head tap screws 1" long and (4) 33799-S 3/8" nuts, used as spacers.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8146 SHROUD - continued					
	- B -					
65	B-with A/C or B-Special	8	289		1	C9OZ 8146-B
66	B-with integral A/C	8	289		1	C9OZ 8146-B
	B-X/C or integral A/C	8	390	One-piece type-plastic	1	C6OZ 8146-A
67	B-with A/C	8	289		1	C9OZ 8146-B
	B	8	390,427	One-piece type-plastic-marked C6OE-C-19 1/2" dia. center hole-replaced shroud marked C7OE-A w/20 1/2" ctr. hole	1	C6OZ 8146-A
68	B-w/A/C	8	289,302		1	C9OZ 8146-B
	B-w/A/C	8	390	Plastic-marked C8OE-A	1	C8OZ 8146-A
	B-Std. w/T/E	8	427	Plastic-marked C8OE-A	1	C8OZ 8146-A
	B	8	428CJ		1	
69	B-Std., X/C & A/C	8	302		1	C9OZ 8146-B
	B-Std.	8	351		1	
	B-X/C with hang-on A/C	8	302,351	Use with 20" wide radiator	1	
	B-with A/C	8	250	Plastic-marked C9OE-B	1	C9OZ 8146-C
	B-X/C with hang-on A/C	8	250		1	
	B-w/X/C or A/C	8	351	Plastic-marked C9OZ-F	1	C9OZ 8146-A
	B-X/C with hang-on A/C	8	351	Use with 24" wide radiator	1	
	B-w/trailer towing pkg.	8	351		1	
	B-w/ A/C & hang-on A/C	8	390GT	Plastic-marked C8OE-A	1	C8OZ 8146-A
	B	8	428		1	
70	B-X/C and/or A/C	6	250	Plastic-marked D0OE-A	1	D1ZZ 8146-B
	B-Std., X/C & A/C - "Before 3/18/70"	8	302	Plastic-marked D0OE-B	1	D0OZ 8146-B
	B-Std. "From 3/18/70"	8	302		1	
	B-Std.-w/o 3.5/1 axle ratio	8	351		1	
	B-X/C or A/C	8	351	Plastic-marked D1ZE-AA, D3ZE-AA or BA	1	D3ZZ 8146-A
	B-Std.-w/3.5/1 axle ratio	8	351		1	
	B-X/C & A/C "From 3/18/70"	8	302		1	
	B-Std., X/C & A/C	8	429	Plastic-marked D0OE-D	1	D0OZ 8146-D
71	B-w/A/C	6	250	Plastic-marked D1ZE-BA & BB	1	D1ZZ 8146-B
	B(P/C)-Std., X/C or A/C	6	250		1	
	B-w/X/C & A/C	8	351	Plastic-marked D1ZE-AA, D3ZE-AA or BA	1	D3ZZ 8146-A
	B-Std. cooling	8	302	Plastic-marked D0OE-B	1	D0OZ 8146-B
	B-Std. cooling (exc.3.5/1 axle ratio)	8	351		1	
	B-w/X/C & A/C	8	302	Plastic-marked D1ZE-AA, D3ZE-AA or BA	1	D3ZZ 8146-A
	B-Std. cooling (w/3.5/1 axle ratio)	8	351		1	
	B(P/C)	8	302,351		1	
	B	8	429 CJ	Plastic-marked D0OE-D	1	D0OZ 8146-D
72	B-with A/C	6	250	Plastic-marked D2OE-CA or CB	1	D2OZ 8146-B
	B(P/C, Taxi)-Std. cooling	6	250		1	
	B	8	302, 351,400	Plastic-marked D2OE-BB or BC	1	D2OZ 8146-A
	B	8	429		1	D2SZ 8146-A
	- F -					
65	F-with A/C	6	200	One-piece type	1	C3DZ 8146-C
	F-with A/C	8	260,289	One-piece type	1	C3DZ 8146-D
	F-Spec. (4/B carb)	8	289	One-piece type	1	C3DZ 8146-D
66	F-with A/C	6	200	One-piece type	1	C3DZ 8146-C
	F-with A/C	8	289	One-piece type-use w/ C3DZ 8005-K(1 1/4" or 2 1/4" core)	1	C6ZZ 8146-A
	F-with A/C	8	289	One-piece type-use w/C3DZ 8005-K(1 1/4"core)-8149 bracket must be used	1	C3DZ 8146-D
	F-Spec. (4/B carb.)	8	289	One-piece type	1	C3DZ 8146-D
67	F-with A/C	6	200	One-piece type-plastic	1	C7ZZ 8146-C
	F-with A/C	8	289	One-piece type-plastic-marked C7ZE-B	1	C9ZZ 8146-B
	F-Spec. (4/B carb.)	8	289	One-piece type-plastic-marked C7ZE-B	1	C9ZZ 8146-B
	F-with A/C, (Std., X/C-with T/E)	8	390	One-piece type-plastic-marked C7ZE-A	1	C7ZZ 8146-A
68	F-X/C or w/A/C	6	200		1	C7ZZ 8146-C
	F-w/A/C	8	289exc. Spec.	Plastic-marked C9OE-F	1	C9OZ 8146-A
	F-Std. w/Imco	8	289 Spec.		1	
	F-w/A/C	8	302		1	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8146 SHROUD - FAN - continued					
	- F -					
68/70	F-Std. or X/C, A/C w/T/E	8	390		1	C8ZZ 8146-A
	F-Std. (1968)	8	427		1	
	F	8	428CJ		1	
	F (GT350)(1968)	8	289,302		1	C9OZ 8146-A
69	F-w/X/C or A/C	6	200		1	C7ZZ 8146-C
	F-w/X/C or A/C & hang-on A/C - "Before 12/16/68"	6	250	Plastic-use on 23 1/4" radiator	1	C9ZZ 8146-A
	F-w/X/C or A/C"From 12/16/68"	6	250	Plastic-use on 20 1/4" radiator	1	C9ZZ 8146-C
	F-Std.	8	302,351	Plastic-marked C9ZE-C	1	C9ZZ 8146-B
	F-X/C with hang-on A/C	8	302,351	Use with 20" wide radiator	1	
	F-w/X/C & A/C	8	302,351	Plastic-marked C9OE-F	1	C9OZ 8146-A
	F-X/C with hang-on A/C	8	302,351	Use with 24" wide radiator	1	
	F-Boss	8	302 Spec.		1	
70	F-A/C	6	200		1	C7ZZ 8146-C
	F-X/C or A/C	6	250	Plastic	1	C9ZZ 8146-C
	F-Std.	8	302, 351-2V	Plastic-marked D0ZE-B	1	D0ZZ 8146-B
	F-Std. -w/o 3.5/1 axle ratio	8	351-4V		1	
	F-X/C & A/C	8	302,351	Plastic-marked D0ZE-A or E	1	D0ZZ 8146-A
	F	8	302spec		1	
	F-Std. -w/3.5/1 axle ratio	8	351-4V		1	
	F	8	428CJ		1	C8ZZ 8146-A
71	F-w/A/C	6	250	Plastic-marked D1ZE-BA & BB	1	D1ZZ 8146-B
	F-Std. cooling	8	302	Plastic-marked D0OE-B	1	D0OZ 8146-B
	F	8	302 Spec.	Plastic-marked D1ZE-AA ,D3ZE-AA or AB	1	D3ZZ 8146-A
	F-X/C	8	302		1	
	F-w/A/C	8	302,351		1	
	F-X/C	8	351		1	
	F-Boss-Std.cooling	8	351 Spec.		1	
	F	8	429 CJ & S/CJ	Plastic-marked D0OE-D	1	D0OZ 8146-D
72	F-w/A/C	6	250		1	D1ZZ 8146-B
	F-S/C	8	302		1	D0OZ 8146-B
	F-wX/C & A/C	8	302	Marked D1ZE-AA ,D3ZE-AA or AB	1	D3ZZ 8146-A
	F	8	351		1	
	- L -					
72	L-M/T w/Std. cooling	4	98	Plastic-marked D12E-AB	1	D1FZ 8146-A
71/	L	4	122	Plastic-marked D12E 8146-BA or BB	1	D1FZ 8146-B
	- P -					
70/	P-with A/C	6	170,200	Plastic-marked D1DE 8146-BA	1	D1DZ 8146-B
70/71	P-with A/C	6	250	Plastic	1	D0DZ 8146-D
71/	P-with A/C	8	302		1	D1DZ 8146-A
71/	P-w/o A/C	8	302		1	D0DZ 8146-B
	- S -					
65	S-with A/C	8	390	R.H. -not replaced	1	★C4SZ 8147-A
				L.H.-not replaced	1	★C4SZ 8148-A
66	S-A/C w/o T/E	8	390,428	One-piece type-plastic-Marked C6SE 8146-A	1	C6SZ 8146-A
	S-A/C with T/E	8	390,428	One-piece type-plastic-Marked C6SE 8146-B	1	C6SZ 8146-B
67/69	S	8	390,429	One-piece type-plastic-marked C8SE-A	1	C8SZ 8146-A
70/71	S	8	429	Plastic	1	D0SZ 8146-A
	S	8	429,460	Plastic-marked D2SE-AB or AC	1	D2SZ 8146-A
72	S	8	400	Plastic-marked D2SE-BA or BB	1	D2SZ 8146-B
	- U -					
66/67	U-X/C or T/E	6	170	Not replaced	1	★C6TZ 8146-H
66/	U	8	289,302	Marked D3TA-HA	1	C6TZ 8146-J

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8146 SHROUD - FAN - continued					
	- X -					
65	X-with extra cooling or P/S	6	200	One-piece type	1	C3DZ 8146-C
	X-with A/C (with or w/o P/S)	6	170,200		1	
	X-with A/C	8	289	One-piece type	1	C3DZ 8146-D
66	X-with integral A/C	8	289	One-piece type-steel-18 3/4" center hole	1	C5OZ 8146-A
	X-with hang-on A/C	8	289	One-piece type-steel-18 1/2" center hole	1	C3DZ 8146-D
67/69	X	8	289,302		1	C9OZ 8146-B
70	X	8	302-2V	Plastic-marked C9DE-A	1	C9DZ 8146-A
65	A-with A/C	8	289	Screw (8147 panel to 8148 panel)-1/4"-20 x 1/2" hex. head	2	42742-S7-8(U2A)
65/66	X-with A/C	6&8	All	Screw (panel to bracket to support)-1/4"-20 x 1/2"	4	40927-S8(U262)
65/	F-with A/C	6	All	Shroud to radiator	4	
65	F-with A/C	8	All	Shroud to radiator	4	
66/	U	8	All	Shroud to radiator	4	
66/68	F-with A/C	8	289	Screw (shroud to radiator)-No.14-14 x 1/2"	4	31497-S8(U254)
66	A-with T/E	8	352,390 428	Screw (shroud to radiator)	4	
65/71	B	8	All	Shroud to radiator	4	
65/	F-with A/C	6	All	Flatwasher (shroud to radiator) - 1/4"	4	44720-S8 (X18)
65	X-with A/C	8	All	Shroud to radiator	4	
66/	U	8	All	Shroud to radiator	4	
66	F-with A/C	8	289	Nut (8146 to 8005)-1/4"-20 spring	4	374803-S32 (MM276C)
66	F-with A/C	8	289	Nut(C6ZZ 8146-A to C6ZZ 8005-A)-No. 12Asprg	4	383375-S2(MM284)
66	S-with A/C	8	390,428	Nut (shroud to radiator)	4	
66/71	A	8	352,390 428	Nut (shroud to radiator)	4	
65/71	B-with X/C, A/C	8	All	Nut (shroud to radiator)	4	
67	A-Police	8	390,428	Nut (shroud to radiator)	4	
68	S	8	All	Nut (shroud to radiator upper support)	2	
68	F-with std. cooling	8	390	Nut (shroud to radiator)	4	
72	B	8	429 P/C	Nut (shroud to radiator)	2	
65/71	A-with A/C or H/D extra cooling	8	352,390	Nut retainer (panels & rad. to support)-5/16"-24	2	359952-S(MM198)
65/66	S-with A/C	8	390	Nut retainer (L. H. panel to R. H. panel)	1	
65/66	S-with A/C	8	390	Nut retainer (panels to upper radiator support)	2	
65	A-with A/C	8	All	Nut-retainer (8147 panel to 8148 panel)-1/4"-20	2	354394-S2(MM187)
67/71	S	8	390,428 429	Clip (located at bottom of shroud)	2	377529-S32(GG288)
67	A	8	390,428	Screw No. 14-10 x 5/8"	4	31498-S8(U253B)
68	All-with X/C & A/C	6&8	All	Screw-1/4"-14 x 5/8"-attach shroud to radiator	AR	382160-S2(UU52C)
68	F	8	390		4	
65/71	A-P/C & Taxi-with std. cooling	6&8	390,428		AR	
72	B	8	429 P/C		2	
	8147-8 PANEL - FAN SHROUD - Refer to Group 8146					
	8149 BRACKET - FAN SHROUD					
65	F-with A/C	6	200		4	C2DZ 8149-A
	F-with A/C	8	260,289		4	C3DZ 8149-B
	F-Special (4/B carb.)	8	289		4	C3DZ 8149-B
66	F-with A/C	6	200		4	C2DZ 8149-A
	F-with A/C or Special(4/B carb.)	8	289	Use with C3DZ 8146-D	4	C3DZ 8149-B
65	X-with A/C, P/S or extra cooling	6	170,200		4	C2DZ 8149-A
65	X-with A/C	8	289		4	C3DZ 8149-B
65	X-without heater	8	289		4	
66	X-hang-on A/C	8	289	Not replaced	2	★ C6DZ 8149-A
				Nut retainer 5/16"-24	AR	359952-S2(MM198)
	8150-1 GRILLE - RADIATOR - Refer to Group 8200					
	8A150 Refer to Group 8200					

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8156 MOULDING - RADIATOR GRILLE LOWER					
66	B	6&8	All	Includes (8244) retainer	1	C6OZ 8156-A
67	B(54,62,63B,C,66,71,76B,C)	6&8	All	Includes (8244) retainers	1	C7OZ 8156-A
	B(63D,76D)	6&8	All	Includes (8244) retainers	1	C7OZ 8156-B
69	B(54C,63D,F,65C,D,F,66C,D, 71E.76D.F)	6&8	All	Aluminum	1	C9OZ 8156-A
	8A156 MOULDING ASSY. - RADIATOR GRILLE OPENING PANEL					
72	B(53D,63R,65D,R,71D,K,97D,K,R)	6&8	All	Aluminum-includes (10) 45271-S36 nuts	1	D2OZ 8A156-A
72	S	8	All	Includes (8) 384273-S100 nuts	1	D2SZ 8A156-A
	8B170 SEAL - RADIATOR					
69/70	A	6&8	All	For service refer to Group 8348-9		★
69/70	A	6&8	All	Clip (seal to rad. assy.)	4	371141-S32 (GG121A)
	8174 BRACE - RADIATOR GRILLE CENTER SUPPORT					
70/71	S	8	429	Center	1	D0SZ 8174-A
	8182-3 SUPPORT - RADIATOR GRILLE					
	- A -					
66	A-with four-piece grille	6&8	All	R.H. -use w/(2) C6AZ 8200-A & (2) C6AZ 8B271-A	1	C6AZ 8182-A
				L.H.	1	C6AZ 8183-A
	A-with one-piece grille	6&8	All	R.H. -use w/C6AZ 8200-B	1	C6AZ 8182-B
				L.H.	1	C6AZ 8183-B
	- B -					
65	B	6&8	All	R.H. & L.H.-not replaced	2	★C5OZ 8182-A
66	B	6&8	All	R.H.	1	C6OZ 8182-A
				L.H.	1	C6OZ 8183-A
67	B	6&8	All	R.H. -outer	1	C7OZ 8182-A
				L.H. -outer	1	C7OZ 8183-A
68	B	6&8	All	R.H. & L.H.	2	C8OZ 8182-A
69	B-Talladega	8	All	Center	1	C9OZ 8182-B
70	B	6&8	All	Center R.H.	1	D0OZ 8182-A
	B	6&8	All	Center L.H.	1	D0OZ 8183-A
71	B	6&8	All	R.H.	1	D0OZ 8182-A
		6&8	All	L.H.	1	D0OZ 8183-A
72	B(53D,63R,65D,R,71D,K,97D,K,R)	6&8	All		1	D2OZ 8182-A
	- F -					
65	F-without fog lamps	6&8	All	R.H.-not required on units w/fog lamps	1	C5ZZ 8182-A
		6&8	All	L.H.	1	C5ZZ 8183-A
69	F	6&8	All	Center	1	C9ZZ 8182-A
69/70	F(GT350/500)	8	All		1	C9ZZ 8182-B
71/	F	6&8	All	Center	1	D1ZZ 8182-B
69	F	6&8	All	Screw (support to radiator support)	2	★57030-S
69	F	6&8	All	Nut	2	★45263-S
	- S -					
66	S	8	All		2	C6SZ 8182-C
72	S	8	All	R.H.	1	D2SZ 8182-A
				L.H.	1	D2SZ 8183-A
68	S	8	All	Nut-5/16"-18	4	379930-S (MM173M)
	8A186 SUPPORT - RADIATOR GRILLE CENTER					
71/	F(exc.63R)	6&8	All	Also supplied in 8200	1	D1ZZ 8A186-B
	8A188 SPACER - RADIATOR GRILLE					
65	S	8	390	Rubber-1" O.D. x. 42" I.D. x. 90" long-improvise	2	★C5SB 8A188-A
	8190 BODY ASSY. - FRONT					
67	F(GT350/500)	8	All	Fiberglass -incl. (1) I.S. 4415-not replaced	1	★S7MS 8190-A
68	F(GT350/500)	8	All	Fiberglass-front end-upper	1	S8MS 8190-A
		8	All	Fiberglass-front end-R.H.	1	S8MS 8192-A
		8	All	Fiberglass-front end-L.H.	1	S8MS 8193-A
		8	All	Fiberglass-front end-lower	1	S8MS 8196-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8190-1 PANEL - RADIATOR GRILLE OPENING					
69	B-Talladega	8	All		1	C9OZ 8190-A
72	B(53D,63R,65D,R,71D,K,97D,K,R)	6&8	All		1	D2OZ 8190-A
67/68	F	6&8	All	R.H.-includes (1) C7ZZ 8244-A	1	C7ZZ 8190-A
				L.H.-includes (1) C7ZZ 8244-A	1	C7ZZ 8191-A
70/71	S	8	429		1	D1SZ 8190-A
72	S	8	All		1	D2SZ 8190-A
70	S	8	429	Nut & retainer assy.(panel to support)-5/16"-18	4	379114-S2 (MM192AD)
	8192-6 PANEL ASSY. - FRONT END - Refer to Group 8190					
	8A193 BRACKET - RADIATOR SUPPORT UPPER					
	- A -					
65/66	A "Before 9/25/64"	6	240	Bent legs-uses (2) C3AZ 8124-A pads	1	C5AZ 8233-B
	A-w/o A/C "From 9/25/64"	6	240	Bent legs-uses (2) C3AZ 8124-A pads	1	C5AZ 8A193-B
	A-with A/C "From 9/25/64"	6	240	Straight legs-uses (2) C3AZ 8124-A pads	1	★ 8A193
	A	8	All	Straight legs-uses (2) C3AZ 8124-A pads	1	C5AZ 8A193-A
67	A-without A/C	6	240	Uses (2) C7OZ 8124-A pads	1	★ 8A193
	A-with A/C	6	240	Uses (2) C3AZ 8124-A pads	1	★ 8A193
	A	8	All	Uses (2) C7OZ 8124-A pads	1	C5AZ 8A193-D
68	A-Std.-except Taxi	6	240		1	★ 8A193
	A-X/C and Taxi	6	240		1	★ 8A193
	A	8	302		1	C5AZ 8A193-D
	A	8	390,428		1	C8AZ 8A193-D
	A-except Model 71	8	427		1	
69	A-Std.	6	240	R.H.	1	D1AZ 8A193-A
				L.H.	1	D1AZ 8A193-B
	A-Std. or A/C	8	302	R.H.	1	D1AZ 8A193-A
				L.H.	1	D1AZ 8A193-B
	A-Std. or A/C	8	390,429	R.H.	1	D1AZ 8A193-B
				L.H.	1	D1AZ 8A193-A
70	A	6&8	All (exc. 428)	R.H.	1	D1AZ 8A193-B
				L.H.	1	D1AZ 8A193-A
71/	A	6&8	All	R.H.	1	D1AZ 8A193-B
				L.H.	1	D1AZ 8A193-A
	- B -					
66	B	8	390	Uses (2) C3AZ 8124-A pads	1	C6OZ 8A193-A
67/69	B	8	390,427, 428CJ	Uses (2) C7OZ 8124-A pads	1	C7OZ 8A193-A
69	B	8	302,351		1	
70/71	B	6&8	All	R.H.	1	D1AZ 8A193-B
				L.H.	1	D1AZ 8A193-A
72	B	6&8	All	R.H.	1	D2OZ 8A193-A
				L.H.	1	D2OZ 8A193-B
	- F -					
67/68	F	8	289,302, 390,427	Uses (2) C7OZ 8124-A pads	1	C7ZZ 8A193-A
69/70	F	8	302,351, 390, 428 CJ, 429		1	C9ZZ 8A193-B
70	F-A/C & extra cooling pkg.	8	390, 428 CJ		1	D0ZZ 8A193-A
70	F-Boss	8	429 Spec.		1	D0ZZ 8A193-B
71/	F	6&8	All	R.H.	1	D1AZ 8A193-B
				L.H.	1	D1AZ 8A193-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8A193 BRACKET - RADIATOR SUPPORT UPPER - continued					
	- S -					
65/66	S	8	390,428		1	C4SZ 8A193-C
67/68	S	8	390,428	L. H. -uses (2) C7SZ 8125-B pads	1	C7SZ 8A193-F
			429			
		8	390,428	R. H. -uses (2) C7SZ 8125-A pads	1	C7SZ 8A193-E
			429			
69	S	8	429		1	C7SZ 8A193-E
72	S	8	All	Upper-R. H.	1	D2SZ 8A193-A
				Upper-L. H.	1	D2SZ 8A193-B
	- U -					
66/68	U	6&8	170,289	Upper-straight-57" long	1	C6TZ 8A193-B
	U	6&8	170,289	Lower-straight-57" long	1	C6TZ 8A058-A
	U	8	289	Upper-"U" shaped-uses (8125) pad	2	C6TZ 8A193-C
	U	8	289	Lower-"U" shaped-uses (8125) pad	2	C6TZ 8A058-B
69/	U	6&8	170,302	Upper-straight-57" long	1	C9TZ 8A193-A
	U "Before 6/11/72"	6&8	170,302	Lower-straight-57" long	1	C9TZ 8A058-A
	U "From 6/11/72"	6&8	170,200	Lower-straight	1	D3BZ 8A058-A
			302			
	U	8	302	Upper-"U" shaped-uses (8125) pad	2	C6TZ 8A193-C
	U	8	302	Lower-"U" shaped-uses (8125) pad	2	C6TZ 8A058-B
65/69	S			Screw(support to air deflectors)-5/16"-24 x 1 1/8"	2	353483-S2(BB588)
65/69	S			Nut Retainer 5/16"-24	3	359952-S2(MM198)
65/	A	8	All		2	
65/69	S			Screw (support to front end sheet metal)-5/16"-24 x 1 1/8"	3	353483-S2(BB588)
65/	A	8	All	Bolt (support to rad. support)	2	
65/66	S	8	All	Bolt(support to radiator)-1/4"-20 x 1/2"hex. hd.	3	20308-S7-8(B40)
66/68	U	8	289	Bolt (radiator support to 16138)-1/4"-20 x 3/4"	2	371492-S2(BB569)
66/68	U	8	289	Nut-1/4"-20	2	33795-S7(M49)
	8194 RETAINER - RADIATOR GRILLE ORNAMENT - Refer to Group 8213					
	8196 PANEL ASSY. - FRONT END LOWER - Refer to Group 8190					
	8200 GRILLE - RADIATOR					
	- A -					
65	A	6&8	All		1	C5AZ 8200-A
66	A(57F,63C,D,F,71A,E,76B,D)	6&8	All	Less (8B271) frame-aluminum-2 1/2" high	2	C6AZ 8200-A
	A(54,57B,62,63B,71B,71C,71D,76A)	6&8	All	One-piece design-aluminum	1	C6AZ 8200-B
67	A(54A,B,F,57B,62,63B,71B,C,D,76A)	6&8	All	One piece design-aluminum	1	C7AZ 8200-A
	A(54C,57F,63C,63J,71A,71E,76B)	6&8	All	Center-die cast	1	C7AZ 8200-B
				Outer-R. H.	1	C7AZ 8150-A
				Outer-L. H.	1	C7AZ 8151-A
68	A(54A,B,E,57B,62,63B,65C,71B,C,D,H,J,76A)	6&8	All	R. H.	1	C8AZ 8150-A
				L. H.	1	C8AZ 8151-A
	A(54C,57F,63C,65A,71A,71E,76B)	6&8	All	R. H.	1	C8AZ 8150-B
	A(54C,57F,63C,65A,71A,71E,76B)	6&8	All	L. H.	1	C8AZ 8151-B
69	A(54C,57F,63C,65A,71A,71E,76B)	6&8	All	Center-die cast-less bar & grille	1	C9AZ 8200-A
				Outer-R.H.-die cast-less bar & mounting	1	C9AZ 8150-A
				Outer-L.H.-die cast-less bar & mounting	1	C9AZ 8151-A
				Inner-R.H.-die cast-less bar & moulding	1	C9AZ 8150-B
				Inner-L.H.-die cast-less bar & moulding	1	C9AZ 8151-B
	A(54A,54B,54E,57B,62,63B,65C,71B,71C,71D,71H,71J,76A)	6&8	All	One piece design	1	C9AZ 8200-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8200 GRILLE - RADIATOR - continued					
	- A -					
70	A(54C,57F,63C,65A,71A,71E,76B)	6&8	All	Center	1	D0AZ 8200-B
				Outer-R.H.	1	D0AZ 8150-A
				Outer-L.H.	1	D0AZ 8151-A
				Inner-R.H.	1	D0AZ 8150-B
				Inner-L.H.	1	D0AZ 8151-B
	A(54A,B,E,57B,62,63B,65C,M 71B,C,D,H,J,76A)	6&8	All		1	D0AZ 8200-A
71	A(53,57H,K,65H,K,71H,76)- "Before 12/1/70" or with Chrome ribs & Tan-tone Argent panels	6&8	All	Center	1	D1AZ 8200-C
				R.H.	1	▲D1AZ 8150-B
				L.H.	1	▲D1AZ 8151-B
	A(53,57H,K,65H,K,71H,76)- "From 12/1/70" or with Chrome ribs & Greytone Argent panels	6&8	All	Center	1	D1AZ 8200-C
				R.H.	1	D1AZ 8150-C
				L.H.	1	D1AZ 8151-C
	A(54,57F,65D,F,71B,D,F)- "Before 12/8/70" or with Tan-tone Argent ribs & Greytone Argent panels	6&8	All	Center	1	D1AZ 8200-D
				R.H.	1	♦D1AZ 8150-A
				L.H.	1	♦ D1AZ 8151-A
	A(54,57F,65D,F,71B,D,F)- "From 12/8/70" or with Greytone Argent ribs & Greytone Argent panels	6&8	All	Center	1	D1AZ 8200-D
				R.H.	1	D1AZ 8150-D
				L.H.	1	D1AZ 8151-D
72	A(54B,D,65D,71B,D)	6&8	All	Center -Argent	1	D2AZ 8200-A
				R.H.-Argent large rectangles	1	D2AZ 8150-B
				L.H.-Argent large rectangles	1	D2AZ 8151-B
	A(54F,57F,65F,71F)	6&8	All	Center -Chrome & Argent	1	D2AZ 8200-B
				R.H.-Argent large rectangles	1	D2AZ 8150-B
				L.H.-Argent large rectangles	1	D2AZ 8151-B
	A(53,57H,K,65H,K,71H,76)	6&8	All	Center -Chrome & Argent	1	D2AZ 8200-B
				R.H.-Chrome & Argent small rectangles	1	D2AZ 8150-A
				L.H.-Chrome & Argent small rectangles	1	D2AZ 8151-A
	- B -					
65	B	6&8	All		1	C5OZ 8200-A
66	B (54,62,63B,63C,71,76B,76C)	6&8	All	Less mouldings	1	C6OZ 8200-A
	B (63D,76D)	6&8	All	Less mouldings	1	C6OZ 8200-B
67	B (63D,76D)	8	All	Less mouldings	1	C7OZ 8200-B
	B(54,62,63B,63C,66,71,76B,76C)	6&8	All	Less mouldings	1	C7OZ 8200-A
68	B	6&8	All		1	C8OZ 8200-B
69	B(54A,54B,63B,63E,65A,65B,65E, 66A,66B,71B,71D,76B,76E)	6&8	All	One piece design-aluminum	1	C9OZ 8200-A
	B(54C,63D,63F,65C,65D,65F,66C, 66D,71E,76D,76F)	6&8	All		1	C9OZ 8200-C
	B(63B,63E,65A,65E)-Cobra	8	All		1	C9OZ 8200-D
70	B(63H)	6&8	All	Plastic-r/b D1OZ 8200-B(10/74)	1	★D0OZ 8200-E
	B(54C,57C,E,63C,F,65C,E, 66C,E,71C,E,76)	6&8	All		1	D0OZ 8200-C
	B(66B) "From 12/20/69"	6&8	All		1	
	B(54A,B,62,65B,66A,71B,D)	6&8	All		1	D1OZ 8200-A
	B(66B) "Before 12/20/69"	6&8	All		1	
71	B(54C,57,63C,F,65C,E,66B,C,E, 71C,E,76)-w/o hidden head lamps- with Dark Argent grilles	6&8	All	R.H.	1	D1OZ 8150-A
				L.H.	1	D1OZ 8151-A
	B(54C,57,63C,F,65C,E,66B,C,E, 71C,E,76)-w/o hidden head lamps- w/Light Argent grilles	6&8	All	R.H.	1	D1OZ 8150-B
				L.H.	1	D1OZ 8151-B
	B(54C,57,63C,F,65C,E,66B,C,E, 71C,E,76)-with hidden head lamps	6&8	All		1	D0OZ 8200-C
	B(63H-Cobra)	6&8	All	Plastic	1	D1OZ 8200-B
	B(54A,65A,66A,71D)	6&8	All	Plastic	1	D1OZ 8200-A

▲ D1AZ 8150-B and D1AZ 8151-B are optional with D1AZ 8150-C and D1AZ 8151-C when replaced in sets.

♦ D1AZ 8150-A and D1AZ 8151-A are optional with D1AZ 8150-D and D1AZ 8151-D when replaced in sets.

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8200 GRILLE - RADIATOR - continued					
	- B -					
72	B(53B, 65B, 71B)	6&8	All		1	D2OZ 8200-B
	B(63R, 65R, 71K, 97K, R)	6&8	All		1	D2OZ 8200-C
	B(53D, 65D, 71D, 97D)	6&8	All	Plastic	1	D2OZ 8200-D
	- F -					
65	F (w/o fog lamps)	6&8	All		1	C5ZZ 8200-C
	F (with fog lamps)	6&8	All		1	C5ZZ 8200-D
66	F	6&8	All		1	C6ZZ 8200-A
67	F	6&8	All		1	C7ZZ 8200-A
	F(GT350/500)	8	All	Lower-w/inboard or outboard lights-attaches to 8196-not replaced	1	★S7MS 8220-B
68	F-w/o fog lamps	6&8	All		1	C8ZZ 8200-A
	F(65)-GT/CS	6&8	All		1	
	F-w/ fog lamps	6&8	All		1	C8ZZ 8200-B
	F(GT350/500)	8	All	Not replaced	1	★S8MS 8210-A
69	F	6&8	All	Black-plastic	1	C9ZZ 8200-A
	F	6&8	All	Black with chrome frame-plastic	1	C9ZZ 8200-C
	F(Shelby GT350/500)	8	All		1	C9ZZ 8200-B
	F(GT350/500)	8	All	Improvise-drill 6 holes in 40 1/2" length of 1/6" x 1" angle steel		★ 8A150
70	F(exc.63C)	6&8	All	Without sport lamps	1	D0ZZ 8200-A
	F(63C)	6&8	All	With sport lamps	1	D0ZZ 8200-B
	F(GT350/500)	8	All		1	C9ZZ 8200-B
71	F-w/sport lamps	6&8	All	Includes mouldings	1	D1ZZ 8200-C
	F-w/o sport lamps	6&8	All	Includes mouldings	1	D1ZZ 8200-D
72	F-w/o sport lamps	6&8	All	Includes mouldings, support & ornament	1	D1ZZ 8200-D
	F-w/sport lamps	6&8	All	Includes mouldings & ornament	1	D1ZZ 8200-C
	- L -					
71/	L	4	98,122	Plastic-paint Black when necessary	1	D1FZ 8200-A
	- P -					
70	P	6	All	Plastic -paint Black when necessary	1	D0DZ 8200-A
71/	P(54,62A)-w/o luxury decor option	6&8	All	Plastic	1	D0DZ 8200-A
	P(62D)	6&8	All	Plastic	1	D1DZ 8200-A
72	P(54,62A)-w/luxury decor option	6&8	All	Plastic-partial bright finish	1	D2DZ 8200-A
	- S -					
65	S	8	390	R.H.	1	C5SZ 8150-B
				L.H.	1	C5SZ 8151-B
66	S	8	390,428	R.H. -grille-less mldg. & cover	1	C6SZ 8150-A
				L.H. -grille-less mldg. & cover	1	C6SZ 8151-A
67	S	8	390,428	Center-less (13A138)covers & (8224-5) ext.	1	C7SZ 8200-A
				R.H. extension-marked C7SB 8230-A	1	C7SZ 8224-A
				L.H. extension-marked C7SB 8231-A	1	C7SZ 8225-A
68	S	8	All	Center	1	C8SZ 8200-A
	S	8	All	R.H.	1	C8SZ 8224-A
	S	8	All	L.H.	1	C8SZ 8225-A
69	S	8	All	Center	1	C9SZ 8200-A
				R.H. -die cast	1	C9SZ 8150-A
				L.H. -die cast	1	C9SZ 8151-A
70	S -w/o sport lamps	8	429		1	D0SZ 8200-E
	(w/sport lamps)	8	429		1	D0SZ 8200-F
71	S (w/o sport lamps)	8	429	Aluminum	1	D1SZ 8200-A
	S (w/sport lamps)	8	429	Aluminum	1	D1SZ 8200-B
72	S-use w/Argent grille	8	All	Plastic	1	D2SZ 8200-A
	S-use w/Black grille	8	All	Plastic	1	D2SZ 8200-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8200 GRILLE - RADIATOR - continued					
	- U -					
66/68	U	6&8	170,289 302	Includes (1) C9TB 13200-C lamp, (3) 57093-S2 screw, (1) C9TB 13201-C lamp, (13) 45264-S2 nut, (10) 57039-S2 screw	1	C6TZ 8200-G
67/68	U-with sport package	6&8	170,289	R. H. & L. H. mldgs. -refer to Group 8242-3		
69/	U	6&8	170,302		1	C6TZ 8200-F
	- X -					
65	X	6&8	All		1	C5DZ 8200-A
66	X(54, 62, 71)	6&8	All		1	C6DZ 8200-A
	X (66)	6&8	All		1	C6DZ 8200-B
67	X	6&8	All		1	C7DZ 8200-A
68/70	X "Before 1/1/70"	6&8	All	"From 1/1/70" refer to Fairlane	1	C8DZ 8200-A
65/71	A	6&8	All	Screw (grille to headlamp)-1/4"-20 x 1/2"	2	50992-S7(U154)
65/71	B	6&8	All	Screw (grille to front bumper stone deflector)-5/16"-24 x 1 1/8"	4	353483-S2(BB588)
65/71	A	6&8	All	Screw (grille to hood lock hook support)-5/16"-24 x 1 1/8"	2	353483-S2(BB588)
65/71	A	6&8	All	Screw (grille to front bumper stone deflector)	4	
65/71	A	6&8	All	Screw (grille to outer support)	2	
65/70	X	6	All	Screw(grille to stone deflector)	4	
70	F	6&8	All	Screw (attaches grille)-No. 8-32	8	51764-S8(U366)
70	B	6&8	All	Screw (grille to headlamp housing)-No. 8-32	6	31093-S7-8(U52)
70	A	6&8	All	Screw(grille to headlamp housing)-No. 8-18 x 3/4"	4	376389-S101 (UU28D)
70	S	8	All	Screw (grille to support)	4	
70	S	8	All	Grille to side support	4	
65/71	A	6&8	All	Bolt (grille bar to lamp hsg.)-1/4"-20 x 5/8"	6	20324-S8(B41)
65/71	S	8	All	Nut-1/4"-20	6	33795-S7(M49)
65/71	A	6&8	All	Nut (grille to headlamp housing)-No.8-32	4	34052-S7(M155)
65/71	A	6&8	All	Nut retainer(grille to hood lock suppt.)-5/16"-24	2or3	359952-S2(MM198)
65/71	A	6&8	All	Nut retainer (grille to bumper stone deflector)	4	
65/70	X	6	All	Nut retainer (grille to stone deflector)	2or4	
65/70	X	6	All	Nut-retainer (grille to hood lock support)	2	
68	A	6&8	All	Nut (grille to hood lock support)-1/4"-20	4	354394-S2(MM187)
				Nut (grille to headlamp assy.)	4	
68	A	6&8	All	Grille to headlamp housing	AR	
70	B	6&8	All	Nut (grille to headlamp housing)-No. 8-32	6	381664-S2
70	X	6	All	(Grille to fender)	2	(MM194AF)
70	S	8	429	Nut (grille to support)-No. 8-15	4	45174-S8(M138)
65/70	X	6	All	Rubber bumper-used as spacer between grille and center support	1	359193-S(CC25)
70	X	6&8	All	Grommet (grille to stone deflector)	2	379009-S(KK12A)
70	S	8	429	Screw (bracket-center to grille)-No. 8-18 x 1/2"	1	380934-S2 (UU67F)
69/	F	6&8	All	Rivet-1/4 blind (grille to supports)	3	383142-S(SS45A)
70/	P	6	170,200		4	
69/70	X	6&8	All		AR	
	8208 SHIELD - RADIATOR LOWER SPLASH					
69	B-Talladega	8	All		1	C9OZ 8208-A
70/71	S	8	All		1	D0SZ 8208-A
	8210 GRILLE - RADIATOR - Refer to Group 8200					
	8210 GRILLE ASSY. KIT - RADIATOR					
67	F(GT350/500)	8	All	Not replaced	1	★C7ZZ 8210-A
	Consists of the following -					
	1-S7MS 8210-B Grille Assy. 1-S7MS 8B323-B Bracket-L. H. Headlamp 1-S7MS 8B322-B Bracket-R. H. Headlamp					
	8A212 LACE - RADIATOR GRILLE					
68	F(GT350/500)	8	All	Upper, center and side-cut to length-not repl.	3	★S8MS 8A212-A
		8	All	End-not replaced	2	★S8MS 8A212-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	RETAINER	QTY.	PART NUMBER
	8213 ORNAMENT - RADIATOR GRILLE - Includes attaching parts							
	- A -							
65	A(54A,57,62A,63,71A-B-C-E,76)	6&8	All	Crest w/3 lions			1	†C5AZ 8213-A
66	A (63D,76D)	6&8	All	"7 litre"	1	★C6AZ 8194-A Not replaced	1	†C6AZ 8213-A
	A(57F,63C,63F,71A,71E,76B)	6&8	All	Dummy lamp-R.H.	1	See gp. 13201	1	See gp. 13208
				-L.H.	1	See gp. 13201	1	See gp. 13209
67	A(54C,57F,63J)	6&8	All	"LTD"	2	C7AZ 8194-A	1	†C7AZ 8213-A
	A(63C,76B)	6&8	All	"XL"	2	C7AZ 8194-A	1	†C7AZ 8213-B
68	A(54C,57F,63C,65A,71A,76B)	6&8	All	Ford crest located on headlamp door				See gp. 13A198
70	A(54A,B,E,57B,62,63B,65C,71B,C,D,H,J,76A)	6&8	All				1	☆ D0AZ 8213-B
70	A(54A,B,E,57B,62,63B,65C,M,71B,C,D,H,J,76)- "Before 11/3/69"	6&8	All				1	♦D0AZ 8213-A
70	A(54A,B,E,57B,62,63B,65C,M,71B,C,D,H,J,76)- "From 11/3/69"	6&8	All				1	♦D0AZ 8213-B
71	A(53H,K,57H,K,65H,K,71H,76H)	6&8	All		1	D1AZ 8194-A	1	†D1AZ 8213-A
	- B -							
66	B(54B,62B,63B,71,76B)	6&8	All	Crest	1	C6OZ 8194-A	1	†C6OZ 8213-E
	B(63C,76C)	6&8	All	"XL"	1	C6OZ 8194-A	1	†C6OZ 8213-D
	B(63D,76D)	6&8	All	"GT"	1	C6OZ 8194-A	1	†C6OZ 8213-F
67	B(54B,63B,66A,71B,71E,76B)	6&8	All	Crest	1	C7OZ 8194-A	1	†C7OZ 8213-A
	B(63C,66D,76C)	6&8	All	"XL"	1	C7OZ 8194-A	1	†C7OZ 8213-C
	B(63D,76D)	8	All	"GT"	1	C7OZ 8194-A	1	†C7OZ 8213-B
68	B(54C,65C,71E)	6&8	All	Crest	2	C8OZ 8194-A	1	†C8OZ 8213-B
	B(63D,65D,66D,76D)	6&8	All	"GT"	2	C8OZ 8194-A	1	†C8OZ 8213-A
69	B(63D,63F,65D,65F,66C,66D,76D,76F)	8	All	"G"	AR	C9OZ 8194-A	1	C9OZ 8213-A
				"T"			1	C9OZ 8213-B
70	B(54C,57C,E,63C,65C,E,66B,E,71C,E) "Before 12/15/69"	6&8	All		1	D0OZ 8194-B	1	†D0OZ 8213-A
	B(54C,57C,E,63C,65C,E,66B,E,71C,E) "From 12/15/69"	6&8	All		1	D0OZ 8194-B	1	†D0OZ 8213-C
	B(63F,66C,76F)	6&8	All		1	D0OZ 8194-B	1	†D0OZ 8213-D
71	B(63H)	6&8	All		1	D1OZ 8194-A	1	†D1OZ 8213-E
	B(54C,57,63C,65C,E,66B,E,71C,E)-w/o hidden headlamps	6&8	All				1	D1OZ 8213-B
	B(54B,65B,66A,71B)	6&8	All	Not replaced			1	★D1OZ 8213-A
	B(63F,66C,76)-w/o hidden headlamps	6&8	All				1	D1OZ 8213-C
	B(63F,76)-w/hidden headlamps	6&8	All		1	D1OZ 8194-C	1	D1OZ 8213-D
	B(54C,57,63C,65C,E,71C,E)-w/hidden head lamps	6&8	All		1	D1OZ 8194-C	1	D1OZ 8213-F
72	B(53D,63R,65D,R,71D,K,97D,K,R)	6&8	All				1	D2OZ 8213-C

† Includes (8194) retainer ♦ Canada only ☆U.S. only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	RETAINER	QTY.	PART NUMBER
	8213 ORNAMENT - RADIATOR GRILLE - continued - Includes attaching parts							
	- F -							
65	F	6&8	All	Running Mustang	1	C5ZZ 8194-A	1	*C5ZZ 8213-A
66	F w/o fog lamps	6&8	All	Running Mustang-w/o side tabs			1	*C6ZZ 8213-A
	with fog lamps	6&8	All	Running Mustang-has side tabs			1	*C6ZZ 8213-B
67	F	6&8	All	Running Mustang			1	*C7ZZ 8213-A
68	F-exc. GT/CS	6&8	All	W/o Running Mustang Refer to 8A224			1	C8ZZ 8213-A
69	F	6&8	All	Mustang & plate	1	C9ZZ 8194-A	1	†C9ZZ 8213-B
69/70	F(GT350/500)	8	All	2" snake & plate			1	★C9ZZ 8213-C
70	F	6&8	All				1	D0ZZ 8213-A
71/	F (except 63R)	6&8	All	Also supplied in 8200			1	D1ZZ 8213-A
	F (63R)	6&8	All	Also supplied in 8200			1	D1ZZ 8213-B
	F(65D)-use on roof at pillar	6&8	All				AR	D1ZZ 8213-B

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	- L -					
71	L(62B)-w/Rallye pkg.	4	All		1	★D1FZ 8213-A
	- P -					
70	P	6	All		1	D0DZ 8213-B
71/	P(54,62A)	6	All		1	D0DZ 8213-B
	P(62D)	6	All	"Maverick"	1	D1DZ 8213-A
	- S -					
66	S	8	All	T'bird-25 5/8" wide	1	C6SZ 8213-A
67	S	8	All		1	C7SZ 8213-A
69	S	8	All		1	C9SZ 8213-A
70/71	S	8	All		1	D0SZ 8213-A
72	S	8	All		1	D2SZ 8213-A
	- X -					
65	X	6&8	All	3 Falcons	1	C5DZ 8213-A
67	F	6&8	All	Nut & washer (orn. to support)-No.10-24	4	376784-S32(MM295R)
68	A (57F)	6&8	All	Nut & washer (ornament to grille)-No. 10-24	2	353911-S100 (MM191E)
70	A, F	6&8	All	Nut (ornament to grille)-5/16"	2	382110-S100 (MM284X)
70	B	6&8	All	Nut (ornament to grille)-1/8"	2	373888-S7-8
70/71	S	8	429	(Ornament to grille opening panel)	2	(MM290)
	8A213 HOSE - RADIATOR OVERFLOW - Cut to fit from bulk hose 9324					
65/70	A	6&8	All	Clip-improvise	1	379042-S(GG143A)
68	S	6&8	All	Strap-adjustable	1	376914-S(YY2)
	8217 BRACKET - RADIATOR GRILLE MOUNTING - UPPER					
68	F(GT350/500)	8	All	Not replaced	2	★S8MS 8217-A
70	F(GT350/500)	8	All	Replaced by C9ZZ 8223-A	1	★C9ZZ 8217-A
	8220 GRILLE - RADIATOR - Refer to Group 8200					
	8221 COVER - RADIATOR GRILLE MOULDING JOINT - Also refer to Group 8A340					
70	B(54C,57C,E,63C,F,65C,E,66C, E,71C,E,76)	6&8	All		4	D0OZ 8221-A
71	B(all w/hidden head lamps)	6&8	All		1	
66	F	6&8	All	Center	1	C6ZZ 8221-A
67/68	F	6&8	All	Center	1	C7ZZ 8221-A
	8221 PANEL - RADIATOR GRILLE OPENING					
69	F	6&8	All	Center	1	C9ZZ 8221-A
70	F(exc. GT350/500)	6&8	All	Lower	1	D0ZZ 8221-A
69	A(54C,57F,63C,65A,71A,E,76B)	6&8	All	Center-attach to bar & grille	1	C9AZ 8221-A
70	F	6&8	All	Screw (panel to stone deflector)-No. 8-18 x 3/8	4	381671-S45 (UU89C)

† Includes (8194) retainer

* Includes (8A224) medallion

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8223 REINFORCEMENT - UPPER - RADIATOR GRILLE					
69/70	F(GT350/500)	8	All	Includes studs	1	C9ZZ 8223-A
	8223 MOULDING ASSY. - RADIATOR GRILLE OPENING PANEL CENTER					
70/71	S	8	429		1	D1SZ 8223-A
70	S	8	All	Screw (moulding to panel)-No. 8-18	4	52720-S8(U380)
70	S	8	All	Nut (moulding to panel)-5/32"	9	382110-S100 (MM284X)
70	S	8	All	Screw (moulding to panel)	1	376389-S101 (UU82D)
	8224-5 EXTENSION - RADIATOR GRILLE - Refer to Group 8200					
	8A224 MEDALLION - RADIATOR GRILLE - Also refer to Group 8213					
65/66	F	6&8	All	Mustang-also included in (8213) assy.	1	C5ZZ 8A224-B
67	F	6&8	All	Mustang-also included in (8213) assy.	1	C7ZZ 8A224-A
67	F	6&8	All	Screw (medallion to ornament assy.)-No. 8-32 x 3/8"	1	376368-S101(UU59
68	F-exc. GT/CS	6&8	All	Mustang-Includes attaching parts	1	C8ZZ 8A224-A
69	F(63A, 63B, 65, 76)	6&8	All	Mustang-includes attaching parts - not replaced	1	★C9ZZ 8A224-A
67	F(GT350)	8	All	"GT350"-used on grille, dash & deck lid-not replaced	3	★S7MS 8A224-A
67	F(GT500)	8	All	"GT500"-used on grille, dash & deck lid not replaced	3	★S7MS 8A224-B
	8232 BRACKET - RADIATOR GRILLE SUPPORT - CENTER					
68	B	6&8	All		1	C8OZ 8232-A
69	B-exc. Talladega	6&8	All		1	C9OZ 8232-A
69	B-Talladega	8	All		1	C9OZ 8232-B
70	F	6&8	All		1	D0ZZ 8232-A
66	S	8	All		1	C6SZ 8232-A
67	S	8	All		1	C7SZ 8232-B
68/69	S	8	All		1	C8SZ 8232-A
70	S	8	All		2	D0SZ 8232-A
71	S	8	All		2	D1SZ 8232-A
72	S	8	All		2	D2SZ 8232-A
	8233 BRACKET - RADIATOR SUPPORT UPPER - Refer to Group 8A193					
	8242-3 MOULDING - RADIATOR GRILLE OPENING - Includes attaching parts					
69	A(54C, 57F, 63C, 65A, 71A, 71E, 76B)	6&8	All	R.H. & L.H.-attach to bar & grille	2	C9AZ 8242-A
70	B(54C, 57C, E, 63C, F, 65C, E, 66C, E, 71C, E, 76)	6&8	All	R.H.	4	D0OZ 8242-A
				L.H.	1	D0OZ 8243-A
71	B(54C, 57, 63C, F, 65C, E, 66B, C, E, 71C, E, 76)-without hidden headlamp	6&8	All	Center-L.H.	1	D1OZ 8242-A
				Side-L.H.	1	D1OZ 8242-B
				Center-R.H.	1	D1OZ 8243-A
				Side-R.H.	1	D1OZ 8243-B
71	B(54C, 57, 63C, F, 65C, E, 71C, E, 76)-with hidden headlamp	6&8	All	R.H.	1	D0OZ 8242-A
				L.H.	1	D0OZ 8243-A
65	F	6&8	All	R.H.	1	C5ZZ 8242-A
				L.H.	1	C5ZZ 8243-A
66	F	6&8	All	R.H.-less center joint cover	1	C5ZZ 8242-A
		6&8	All	L.H.-less center joint cover	1	C5ZZ 8243-A
67/68	F	6&8	All	R.H.-less (8221)-includes (4) C7ZZ 8244-B	1	C7ZZ 8242-A
		6&8	All	L.H.-less (8221)-includes (4) C7ZZ 8244-B	1	C7ZZ 8243-A
69	F	6&8	All	R.H.-panel	1	C9ZZ 8242-A
		6&8	All	R.H.-moulding	1	C9ZZ 8242-B
		6&8	All	L.H.-panel	1	C9ZZ 8243-A
		6&8	All	L.H.-moulding	1	C9ZZ 8243-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8242-3 MOULDING - RADIATOR GRILLE OPENING - continued - Includes attaching parts					
66	S	8	All	R. H.	1	C6SZ 8242-A
		8	All	L. H.	1	C6SZ 8242-B
70/71	S	8	All	R. H.	1	D0SZ 8242-A
				L. H.	1	D0SZ 8243-A
67/	U-Sport Package	6&8	All	R. H. -includes (4) C7ZZ 63291B80-A	1	C7TZ 8242-A
		6&8	All	L. H. -includes (4) C7TZ 8244-B	1	C7TZ 8243-A
69	F	6&8	All	Spring & nut (attach 8242-3 to radiator grille opening panel)-No. 8-15	AR	45174-S8(M138)
70	S	8	429	Nut & retainer assy. (moulding to fender) - 5/16"-18	4	379114-S2 (MM192AD)
70	S	8	429	Nut (moulding to panel & fender)-5/32"	12	382110-S100 (MM284X)
	8244 RETAINER - RADIATOR GRILLE OPENING PANEL MOULDING					
66	B	6&8	All	Also supplied with C6OZ 8418-A center mldg. - -not replaced	5	*C6OZ 8244-A
		6&8	All	Also supplied with C6OZ 8156-A lower mldg. - not replaced	5	*C6OZ 8244-B
67	B	6&8	All	Not replaced	5	*C7OZ 8244-A
70/71	B(54A, B, 62, 63H, 65B, H, 66A, 71B, D)	6&8	All		6	D0OZ 8244-A
65/66	F	6&8	All	Included with C5ZZ 8242-3-A mouldings	6	C5ZZ 8244-A
67/71	F	6&8	All	Rectangular-with slot-also supplied with C7ZZ 8190-1-A	2	C7ZZ 8244-A
		6&8	All	Round-with stud-also supplied w/C7ZZ 8242-3-A	8	C7ZZ 8244-B
69	F	6&8	All	1" long-stud	2	C9ZZ 8244-A
69	F	6&8	All	3/4" long-stud -also attach 20938-9 to 20124-5	2	C9ZZ 8244-B
69	F	6&8	All	Included with 8242-3 moulding	8	C9ZZ 8244-C
67/	U-Sport Package	6&8	All	Nylon-with 3/16" dia. nylon pin	8	C7TZ 8244-A
67/69	U-Sport Package	6&8	All	Nylon-with No. 8-32 steel screw	14	*C7TZ 8244-B replaced by - C7ZZ 63291B80-A
	8B251 RETAINER - RADIATOR GRILLE MOULDING					
70/71	B	6&8	All		12	D0OZ 8B251-A
	8255 GASKET - WATER OUTLET CONNECTION					
	- A -					
65/	A	6&8	240,302, 289, 351W		1	C9AZ 8255-A (RG-30)
65/67	A "Before 12/1/66"	8	352,390, 427,428		1	D1PZ 8255-A (RG-24-A)
67/71	A "From 12/1/66"	8	390,427, 428		1	C8PZ 8255-U (RG-24)
69/	A	8	429		1	C8SZ 8255-A
71/	A	8	351C, 400		1	(RG-7)
72	A	6	240	W/hang-on A/C -used as spacer for thermostat housing	1	D2AZ 8255-A (RG-35)
	- B -					
66/67	B "Before 12/1/66"	8	390		1	D1PZ 8255-A (RG-24-A)
67/69	B "From 12/1/66"	8	390,427, 428CJ		1	C8PZ 8255-U (RG-24)
65/69	B	6&8	170,200, 250,289, 302,351		1	C9AZ 8255-A (RG-30)
70/	B	6&8	250,302		1	
72	B	8	351W		1	

YEAR	MODEL		CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8255 GASKET - WATER OUTLET CONNECTION - continued						
	- B -						
70/	B		8	351C		1	C8SZ 8255-A
			8	429		1	(RG-7)
72	B		8	400		1	
	- F -						
65/69	F		6&8	170,200, 250,260, 289,302, 351		1	C9AZ 8255-A (RG-30)
70/	F		6&8	200,250, 302, 351-W		1	
69/71	F-Boss			302 Spec.		1	
67	F	"Before 12/1/66"	8	390		1	D1PZ 8255-A (RG-24-A)
67/70	F	"From 12/1/66"	8	390, 427, 428		1	C8PZ 8255-U (RG-24)
69	F Boss		8	429		1	C8SZ 8255-A
70/	F (2/B,4/B)		8	351C,CJ		1	(RG-7)
71/	F		8	351 spec.		1	
71	F		8	429 CJ		1	
	- L -						
71/	L		4	122		1	D1FZ 8255-A (RG-33)
	L		4	98		1	D1FZ 8255-B (RG-34)
	- P -						
70/	P		6	170,200, 250,302		1	C9AZ 8255-A (RG-30)
	- S -						
65/67	S	"Before 12/1/66"	8	390,428		1	D1PZ 8255-A (RG-24-A)
67	S	"From 12/1/66"	8	390,428		1	C8PZ 8255-U (RG-24)
68/	S		8	429		1	C8SZ 8255-A
72	S		8	400,460		1	(RG-7)
	- U -						
66/	U		6&8	170,289, 302		1	C9AZ 8255-A (RG-30)
	- X -						
65/70	X		6&8	170,200, 250,289, 302		1	C9AZ 8255-A (RG-30)
	8255 GASKET ASSORTMENT - WATER OUTLET CONNECTION						
65/						AR	C8PZ 8255-A (RG-12)

Consists of the following

(10) B5A 8255-A (RG-1)
(5) C8SZ 8255-A (RG-7)
(5) EAG 8255-B (RG-18)
(5) EAD 8255-A (RG-10)
(5) C8PZ 8255-E (RG-13)
(5) C8PZ 8255-G (RG-14)
(5) C8PZ 8255-H (RG-15)
(5) C8PZ 8255-J (RG-16)
(5) C8PZ 8255-K (RG-17)
(5) C8PZ 8255-L (RG-18)
(5) C8PZ 8255-M (RG-19)
(5) C8PZ 8255-N (RG-20)
(5) C8PZ 8255-R (RG-21)
(5) C8PZ 8255-S (RG-22)
(5) C8PZ 8255-T (RG-23)
(10) C8PZ 8255-U (RG-24)
(5) C8PZ 8255-V (RG-25)
(10) C8PZ 8255-Z (RG-26)
(10) C8PZ 8255-AA (RG-27)
(10) C8PZ 8255-AB (RG-28)
(5) C8PZ 8255-AC (RG-29)
(15) C9AZ 8255-A (RG-30)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8260 HOSE - RADIATOR

Motorcraft numbers as they appear in the model application chart which follows can be used to determine diameter and length of the hose as explained below.

FLEXIBLE RADIATOR HOSE

FIRST LETTER PREFIX: K - Designates the hose line in all cases.

SECOND LETTER PREFIX:
A - Designates 1 1/4" inside diameter at end opening.
B - Designates 1 1/2" inside diameter at end opening.
C - Designates 1 3/4" inside diameter at end opening.
D - Designates 2" inside diameter at end opening.

NUMBERS: (There must always be a three digit numeral.) First two digits designate the amount of full inches of hose length. Third digit designates the remaining fraction of an inch (expressed in eights of an inch) of hose length.

EXAMPLE: KAB-194 - Flexible radiator hose having a 1 1/4" inside diameter at one end and a 1 1/2" inside diameter at the other end opening and a hose length of 19 1/2".
KC-092 - Flexible radiator hose having a 1 3/4" end opening inside diameter at both ends and a hose length of 9 1/4".

MOLDED RADIATOR HOSE

FIRST LETTER PREFIX: K - Designates the hose line in all cases.

SECOND and THIRD LETTER PREFIXES:
M - Designates the molded curved type hose.
S - Designates the molded straight type hose.

NUMBERS: Sequential numbering system beginning with the numeral "1".

EXAMPLE: KM-174 - Motorcraft molded curved radiator hose.
KS-7 - Motorcraft molded straight radiator hose.

YEAR	MODEL	ENGINE		HOSE	UPPER				LOWER			
		CYL.	C.I.D.	TYPE ●	I.D. (INCHES)	LENGTH (INCHES) ⊕	MOTORCRAFT NO.	PART NO.	I.D. (INCHES)	LENGTH (INCHES) ⊕	MOTORCRAFT NO.	PART NO.
	- A -											
65	A	6	240	M	1 1/2		KM-127	C5AZ 8260-D	1 3/4&1 7/8	14 1/2	KM-66	C5AZ 8286-B
	A	8	289	M	1 1/2	17 3/8	KM-298	●C5AZ 8260-F			KM-311	C4AZ 8286-F
				F			KB-154	C9PZ 8260-T				
	A	8	352,390, 427	M	1 1/2, 1 3/4		KM-297	●C5AZ 8260-G			KM-617	●D2PZ 8286-J
				F			KBC-150	C9PZ 8260-R			KCD-144	C9PZ 8286-P
66	A-w/o T/E	6	240	M	1 1/2		KM-127	C5AZ 8260-D	1 3/4& 1 7/8	14 1/2	KM-66	C5AZ 8286-B
	A-T/E	6	240	M	1 1/2		KM-321	●C6AZ 8260-A	1 3/4& 1 7/8	14 1/2	KM-66	C5AZ 8286-B
				F			KB-154	C9PZ 8260-T				
	A	8	289	M	1 1/2	17 3/8	KM-298	●C5AZ 8260-F			KM-311	C4AZ 8286-F
				F			KB-154	C9PZ 8260-T				
	A-w/ or w/o T/E	8	352,390, 427,428	M	1 1/2, 1 3/4		KM-297	●C5AZ 8260-G			KM-617	●D2PZ 8286-J
				F			KBC-150	C9PZ 8260-R			KCD-144	C9PZ 8286-P
67	A(exc.X/C,A/C, Super X/C or T/E) -w/o T/E	6	240	M	1 1/2		KM-127	C5AZ 8260-D	1 3/4&1 7/8	14 1/2	KM-66	C5AZ 8286-B
	A(exc.A/C,X/C or Super X/C)- with T/E	6	240	M	1 1/2		KM-321	C6AZ 8260-A	1 3/4&1 7/8	14 1/2	KM-66	C5AZ 8286-B
	A-A/C, X/C or Super X/C-w/or w/o T/E	6	240	M	1 1/2		KM-321	●C6AZ 8260-A	1 3/4& 1 7/8	14 1/2	KM-66	C5AZ 8286-B
				F			KB-154	C9PZ 8260-T				
	A-w/ or w/o T/E	8	289	M	1 1/2	17 3/8	KM-298	●C5AZ 8260-F			KM-311	C4AZ 8286-F
				F			KB-154	C9PZ 8260-T				
	A-w/ or w/o T/E	8	390,427, 428	M	1 1/2, 1 3/4	15 1/2	KM-204	●C7AZ 8260-A			KM-617	●D2PZ 8286-J
				F	1 1/2, 1 3/4	13 1/2	KBC-164	C9PZ 8260-U			KCD-144	C9PZ 8286-P

⊕ Length on curved moulded hoses is approximate developed (curved) length
● "M" Moulded, "F" Flexible-when moulded hoses are not available, use flexible hose

8260 HOSE - RADIATOR - continued

YEAR	MODEL	ENGINE CYL	ENGINE C.I.D.	HOSE TYPE ●	UPPER I.D. (INCHES)	UPPER LENGTH (INCHES) ⊕	UPPER MOTOR-CRAFT NO.	UPPER PART NO.	LOWER I.D. (INCHES)	LOWER LENGTH (INCHES) ⊕	LOWER MOTOR-CRAFT NO.	LOWER PART NO.
	- A -											
68	A	6	240	M	1 1/2		KM-321	●C6AZ 8260-A	1 3/4&1 7/8	14 1/2	KM-66	C5AZ 8286-B
				F			KB-154	C9PZ 8260-T				
	A	8	302	M	1 1/2		KM-298	●C5AZ 8260-F			KM-311	C4AZ 8286-F
				F			KB-170	C9PZ 8260-L				
	A	8	390,427, 428	M	1 3/4, 2 1/16	15 1/2	KM-205	●‡C7MY 8260-B			KM-85	C7MY 8286-B
				F	1 1/2, 1 3/4	16 1/2	KBC-164	C9PZ 8260-U				
69	A-Std. or X/C	6	240	M	1 1/4	19 1/4	KM-125	C9AZ 8260-A	1 3/4	16 29/32	KM-105	C9AZ 8286-A
	A-Std. or X/C	8	302, 351	M	1 1/2	23 5/16	KM-264	● C9AZ 8260-B	1 3/4	21		C9AZ 8286-B
				F			KB-250	C9PZ 8260-Z				
	A-w/A/C	8	302,351	M	1 1/2	28 9/32	KM-39	C9AZ 8260-D	1 3/4	21		C9AZ 8286-B
	A-Std.X/C or A/C	8	390,428 P/C	M			KM-616	D2PZ 8260-R		18 7/8	KM-146	D0VZ 8286-A
				F			KBC-200	C9PZ 8260-P				
	A-Std., X/C or A/C	8	429	M	1 1/2	19 3/4	KM-268	● C9MZ 8260-A	1 3/4	18 5/8	KM-106	C9MZ 8286-A
				F			KB-200	C9PZ 8286-A				
70	A-Std. or X/C	6	240	M	1 1/4	19 1/4	KM-125	C9AZ 8260-A	1 3/4	16 29/32	KM-105	C9AZ 8286-A
	A-Std., X/C	8	302	M	1 1/2	20 1/2	KM-136	D0AZ 8260-A	1 3/4	23	KM-141	●D0AZ 8286-A
				F					1 3/4	19	KC-190	C9PZ 8286-K
	A-A/C	8	302	M	1 1/2	20 1/2	KM-136	D0AZ 8260-A	1 3/4	23	KM-141	D0AZ 8286-A
	A-Std., X/C or A/C	8	351W	M	1 1/2	20 1/2	KM-136	D0AZ 8260-A	1 3/4	23	KM-141	D0AZ 8286-A
	A-Std., X/C or A/C	8	390,428	M			KM-616	● D2PZ 8260-R		18 7/8	KM-146	D0VZ 8286-A
				F			KBC-200	C9PZ 8260-P				
	A-Std. X/C or A/C	8	429	M	1 1/2	18 1/2	KM-396	D1VY 8260-A		18 7/8	KM-146	D0VZ 8286-A
71	A	6	240	M	1 1/4	19 1/4	KM-125	C9AZ 8260-A	1 1/2&1 7/8	14 3/8	KM-378	D1AZ 8286-C
	A	8	302, 351-W	M	1 1/2	20 1/2	KM-136	● D0AZ 8260-A	1 1/2 & 1 3/4	22	KM-369	●D1AZ 8286-A
				F	1 1/2	25	KB-250	C9PZ 8260-Z	1 1/2 & 1 3/4	20	KBC-200	C9PZ 8260-P
	A	8	390	M			KM-616	● D2PZ 8260-R	1 1/2 & 2	19 3/16	KM-379	D1AZ 8286-D
				F			KBC-200	C9PZ 8260-P				
	A	8	351-C, 400	M	1 1/2	24 15/16	KM-412	D2OZ 8260-D	1 1/2&1 3/4	22	KM-369	●D1AZ 8286-A
				F					1 1/2 & 1 3/4	20	KBC-200	C9PZ 8260-P
	A	8	429	M		18 1/2	KM-396	D1VY 8260-A	1 1/2 & 2	19 3/16	KM-379	D1AZ 8286-D
72	A	6	240	M	1 1/4	19 1/4	KM-125	C9AZ 8260-A	1 1/2 & 1 7/8	14 3/8	KM-378	D1AZ 8286-C
	A	8	302, 351-W	M	1 1/2	20 1/2	KM-136	D0AZ 8260-A	1 1/2 & 1 3/4	22	KM-369	D1AZ 8286-A
	A	8	351-C, 400	M	1 1/2	24 15/16	KM-412	D2OZ 8260-D	1 1/2 & 1 3/4	22	KM-369	D1AZ 8286-A
	A	8	429	M	1 1/2	18 1/2	KM-396	D1VY 8260-A	1 1/2 & 2	19 3/16	KM-379	D1AZ 8286-D

⊕ Length on curved moulded hoses is approximate developed (curved) length
● "M" Moulded, "F" Flexible-when moulded hoses are not available, use flexible hose

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8260 HOSE - RADIATOR - continued

YEAR	MODEL	ENGINE CYL	ENGINE C.I.D.	HOSE TYPE ●	UPPER I.D. (INCHES)	UPPER LENGTH (INCHES) ⊕	UPPER MOTOR-CRAFT NO.	UPPER PART No.	LOWER I.D. (INCHES)	LOWER LENGTH (INCHES) ⊕	LOWER MOTOR-CRAFT NO.	LOWER PART NO.
	- B -											
65	B	6	200	M			KM-198	•‡C2OZ 8260-H			KM-613	D2PZ 8286-H
				F			KA-110	C9PZ 8260-F				
	B-exc.w/4(2V)	8	289	M			KM-615	• D2PZ 8260-H	1 3/4	14 9/16	KM-314	C5OZ 8286-A
				F			KB-140	C9PZ 8260-K				
	B-4(2V)carb.kit	8	289	M				NOTE 1	1 3/4	14 9/16	KM-314	C5OZ 8286-A
66	B	6	200	M			KM-198	• C2OZ 8260-H			KM-613	D2PZ 8286-H
				F			KA-110	C9PZ 8260-F				
	B-exc.w/4(2V) carb.kit	8	289	M			KM-615	• D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-140	C9PZ 8260-K				
	B-4(2V)carb.kit	8	289	M				NOTE 1	1 3/4	14 7/8	KM-308	C3DZ 8286-F
	B	8	390	M			KM-322	C6OZ 8260-C			KM-617	D2PZ 8286-J
67	B	6	200	M			KM-198	•C2OZ 8260-H			KM-613	D2PZ 8286-H
				F			KA-110	C9PZ 8260-F				
	B-exc. w/4(2V) carb.kit	8	289	M			KM-615	• D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-140	C9PZ 8260-K				
	B-4(2V)carb.kit	8	289	M				NOTE 1	1 3/4	14 7/8	KM-308	C3DZ 8286-F
	B	8	390,427	M			KM-322	C6OZ 8260-C			KM-617	D2PZ 8286-J
68	B-w/or w/o T/E	6	200	M			KM-198	•C2OZ 8260-H			KM-613	D2PZ 8286-H
				F			KA-110	C9PZ 8260-F				
	B	8	289,302	M	1 1/2	13 7/8	KM-263	• C8ZZ 8260-C	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-154	C9PZ 8260-T				
	B	8	390,427	M			KM-322	C6OZ 8260-C			KM-617	D2PZ 8286-J
69	B	6	250	M	1 1/2	11	KM-266	•C9ZZ 8260-A	1 3/4 & 1 7/8	18	KM-108	C9ZZ 8286-A
				F			KB-120	C9PZ 8260-N				
	B-X/C or A/C	8	351	M			KM-615	•D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F
	B-w/trailer towing pkg.	8	351	F			KB-154	C9PZ 8260-T				
	B	8	302,351	M	1 1/2	14 3/8	KM-263	•C8ZZ 8260-C	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-154	C9PZ 8260-T				
	B	8	390,427, 428CJ	M	1 1/2, 1 3/4	16 1/2	KM-204-A	D0PZ 8260-B			KM-617	D2PZ 8286-J
70	B-Std., X/C or A/C	6	250	M	1 1/2	15 9/16	KM-137	D0OZ 8260-A		18 1/2	KM-143	•D0OZ 8286-A
				F					1 3/4	19	KC-190	C9PZ 8286-K
	B-Std.,X/C or A/C	8	302	M	1 1/2	20 1/2	KM-136	D0AZ 8260-A	1 3/4	23	KM-141	•D0AZ 8286-A
				F					1 3/4	19	KC-190	C9PZ 8286-K
	B-Std.,X/C or A/C	8	351C	M	1 1/2	24 15/16	KM-412	•D2OZ 8260-D	1 3/4	23	KM-141	•D0AZ 8286-A
				F	1 1/2	25	KB-250	C9PZ 8260-Z	1 3/4	19	KC-190	C9PZ 8286-K
	B-Std. X/C or A/C	8	429, 429CJ	M	1 1/2	18 1/2	KM-396	•D1VY 8260-A	1 3/4 & 2	19 1/8	KM-189-A	•D0OZ 8286-F
				F	1 1/2	17	KB-170	C9PZ 8260-L	1 3/4 & 2	18	KCD-180	C9PZ 8286-U
71	B	6	250	M	1 1/2	15 9/16	KM-137	•D0OZ 8260-A	1 1/2 & 1 7/8	18 1/4	KM-374	•D1OZ 8286-B
				F	1 1/2	17	KB-170	C9PZ 8260-L	1 1/2&1 3/4	20	KBC-200	C9PZ 8260-P
	B	8	302	M	1 1/2	20 1/2	KM-136	D0AZ 8260-A	1 1/2 & 1 3/4	20 7/8	KM-383	•D1OZ 8286-C
									1 1/2&1 3/4	20	KBC-200	C9PZ 8260-P
	B	8	351	M	1 1/2	24 15/16	KM-412	•D2OZ 8260-D	1 1/2 & 1 1/4	20 7/8	KM-383	•D1OZ 8286-C
				F	1 1/2	25	KB-250	C9PZ 8260-Z	1 1/2&1 3/4	20	KBC-200	C9PZ 8260-P
	B	8	429CJ	M	1 1/2	18 1/2	KM-396	• D1VY 8260-A	1 1/2 & 2	17 9/16	KM-376	D1SZ 8286-A
				F	1 1/2	17	KB-170	C9PZ 8260-L				

NOTE 1 - Use (1) B9A 8260-D (KM-229) radiator to water & fuel manifold and use (2) C5TZ 8260-A (KM-201) to intake manifold.

⊕ Length on curved moulded hoses is approximate developed (curved) length

● "M" Moulded, "F" Flexible-when moulded hoses are not available, use flexible hose ‡ Cut to fit

8260 HOSE - RADIATOR - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	HOSE TYPE ●	UPPER I.D. (INCHES)	UPPER LENGTH (INCHES) ⊕	UPPER MOTOR-CRAFT NO.	UPPER PART NO.	LOWER I.D. (INCHES)	LOWER LENGTH (INCHES) ⊕	LOWER MOTOR-CRAFT NO.	LOWER PART NO.
	- B -											
72	B	6	250	M			KM-611	D2PZ 8260-N	1 1/2 & 2	23 3/8	KM-408	D2OZ 8286-B
	B	8	302, 351-W	M	1 1/2	21 27/32	KM-405-A	D3AZ 8260-B	1 1/2 & 1 3/4	23 1/16	KM-407	★D2OZ 8286-C r/b D3AZ 8286-A(2/74)
	B	8	351-C, 400	M	1 1/2	24 15/16	KM-412	D2OZ 8260-D	1 1/2 & 1 3/4	23 1/16	KM-407	★D2OZ 8286-C r/b D3AZ 8286-A(2/74)
	B	8	429	M	1 1/2	18 1/2	KM-396	D1VY 8260-A	1 1/2 & 2	19 3/16	KM-379	D1AZ 8286-D
	- F -											
65	F	6	170,200	M	1 1/4		KM-201	★●C5TZ 8260-A			KM-613	D2PZ 8286-H
				F			KA-110	C9PZ 8260-F				
	F-w/generators-exc. w/4(2V)carb. kit	8	260,289	M			KM-296	●C3DZ 8260-J	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-140	C9PZ 8260-K				
	F-w/generator & 4(2V)carb. kit	8	260,289	M				NOTE 1	1 3/4	14 7/8	KM-308	C3DZ 8286-F
	F-w/alternators -exc.w/4(2V) carb. kit	8	289	M			KM-615	●D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-140	C9PZ 8260-K				
	F-w/alternators & 4(2V)carb. kit	8	289	M				NOTE 1	1 3/4	14 7/8	KM-308	C3DZ 8286-F
66	F	6	200	M			KM-198	●C2OZ 8260-H			KM-613	D2PZ 8286-H
				F			KA-110	C9PZ 8260-F				
	F-w/o A/C -exc. w/4(2V) carb.kit	8	289	M			KM-615	●D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-140	C9PZ 8260-K				
	F-4 (2V)carb. kit	8	289	M				NOTE 1	1 3/4	14 7/8	KM-308	C3DZ 8286-F
	F-w/A/C	8	289	M			KM-615	●D2PZ 8260-H	1 3/4	14 7/8	KM-308	●C3DZ 8286-F
				F			KA-110	C9PZ 8260-F			KC-164	C9PZ 8286-R
67	F	6	200	M			KM-198	C2OZ 8260-H			KM-613	D2PZ 8286-H
				F			KA-110	C9PZ 8260-F				
	F-exc.w/4(2V) carb.kit	8	289	M			KM-615	●D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-140	C9PZ 8260-K				
	F-4(2V)carb.kit	8	289					NOTE 1	1 3/4	14 7/8	KM-308	C3DZ 8286-F
	F	8	390	M	1 1/2 & 1 3/4	14 1/2	KM-297	●C5AZ 8260-G			KM-617	D2PZ 8286-J
				F			KBC-150	C9PZ 8260-R				
68	F	6	200	M			KM-198	●C2OZ 8260-H			KM-613	D2PZ 8286-H
				F			KA-110	C9PZ 8260-F				
	F-Std.	8	289 4V	M	1 1/2		KM-298	●C5AZ 8260-F	1 3/4		KM-316	C8ZZ 8286-A
				F			KB-170	C9PZ 8260-L				
	F-Std.	8	289-2V, 302	M	1 1/2	13	KM-263	●C8ZZ 8260-C	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-154	C9PZ 8260-T				
	F-X/C or A/C		289-2V, 302	M	1 1/2		KM-298	●C5AZ 8260-F	1 3/4		KM-316	C8ZZ 8286-A
				F			KB-170	C9PZ 8260-L				
	F	8	390-4V, 427	M	1 3/4	14 1/2	KM-297	●C5AZ 8260-G			KM-617	D2PZ 8286-J
	F	8	428CJ	F			KBC-150	C9PZ 8260-R				

NOTE 1 - Use (1) B9A 8260-D (KM-229) radiator to water & fuel manifold and use (2) C5TZ 8260-A (KM-201) to intake manifold

⊕ Length on curved moulded hoses is approximate developed (curved) length † Not used with power steering

● "M" Moulded, "F" Flexible-when moulded hoses are not available, use flexible hose

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

8260 HOSE - RADIATOR - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	HOSE TYPE ●	UPPER I.D. (INCHES)	UPPER LENGTH (INCHES) ⊕	UPPER MOTOR-CRAFT NO.	UPPER PART NO.	LOWER I.D. (INCHES)	LOWER LENGTH (INCHES) ⊕	LOWER MOTOR-CRAFT NO.	LOWER PART NO.
	- F -											
69	F	6	200	M			KM-198	●C2OZ 8260-H			KM-613	D2PZ 8286-H
				F			KA-110	C9PZ 8260-F				
	F- "Before 12/16/68"	6	250	M			KM-42	C9ZZ 8260-D	1 3/4 & 1 7/8	18	KM-109	C9ZZ 8286-A
	F- "From 12/16/68"	6	250	M	1 1/2	11	KM-266	●C9ZZ 8260-A	1 3/4 & 1 7/8	18	KM-108	C9ZZ 8286-A
				F			KB-120	C9PZ 8260-N				
	F-Std.	8	302,351	M			KM-615	●D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-140	C9PZ 8260-K				
	F-X/C or A/C F-Boss	8 8	351 302 Spec.	M			KM-615	●D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-154	C9PZ 8260-T				
	F	8	390, 428CJ	M	1 3/4	14 1/2	KM-297	●C5AZ 8260-G			KM-617	D2PZ 8286-J
				F			KBC-150	C9PZ 8260-R				
	F-Boss	8	429 Spec.	M	1 1/2	11 1/4	KM-229	B9A 8260-D			KM-131	C9AZ 8286-D
70	F	6	200	M			KM-198	●C2OZ 8260-H			KM-613	D2PZ 8286-H
				F			KA-110	C9PZ 8260-F				
	F	6	250	M	1 1/2	11	KM-266	● C9ZZ 8260-A	1 3/4 & 1 7/8	18	KM-108	C9ZZ 8286-A
				F			KB-120	C9PZ 8260-N				
	F-Std., X/C, or A/C-	8	351C	M			KM-610	●D2PZ 8260-M	1 3/4	14 7/8	KM-147	●D0ZZ 8286-A
				F			KB-200	C9PZ 8286-L	1 3/4	16 1/2	KC-164	C9PZ 8286-R
	F-Std., X/C or A/C	8	302, 351W	M			KM-615	●D2PZ 8260-H	1 3/4	14 7/8	KM-147	●D0ZZ 8286-A
				F			KB-154	C9PZ 8260-T	1 3/4	16 1/2	KC-164	C9PZ 8286-R
	F-Boss	8	302 Spec.	M			KM-615	●D2PZ 8260-H	1 3/4	14 7/8	KM-147	●D0ZZ 8286-A
				F			KB-154	C9PZ 8260-T	1 3/4	16 1/2	KC-164	C9PZ 8286-R
	F	8	428CJ	M	1 3/4	14 1/2	KM-297	● C5AZ 8260-G			KM-617	D2PZ 8286-J
				F			KBC-150	C9PZ 8260-R				
	F-Boss	8	429 Spec.	M	1 1/2	11 1/4	KM-229	B9A 8260-D			KM-131	C9AZ 8286-D
71	F	6	250	M	1 1/2	15 9/16	KM-137	●D0OZ 8260-A	1 1/2&1 7/8	18 1/4	KM-374	●D1OZ 8286-B
				F	1 1/2	20	KB-200	C9PZ 8286-L	1 1/2 & 1 3/4	20	KBC-200	C9PZ 8260-P
	F	8	302, 302 Spec.	M	1 1/2	20 1/2	KM-136	D0AZ 8260-A	1 1/2&1 3/4	20 7/8	KM-383	●D1OZ 8286-C
				F					1 1/4&1 1/2	20	KBC-200	C9PZ 8260-P
	F	8	351	M	1 1/2	24 15 16	KM-412	●D2OZ 8260-D	1 1/2&1 3/4	20 7/8	KM-383	●D1OZ 8286-C
				F	1 1/2	25	KB-250	C9PZ 8260-Z	1 1/2& 1 3/4	20	KBC-200	C9PZ 8260-P
	F	8	429 CJ & S/CJ	M	1 1/2	18 1/2	KM-396	●D1VY 8260-A	1 1/2 & 2	17 9/16	KM-376	D1SZ 8286-A
				F			KB-170	C9PZ 8260-L				
	F-Boss	8	351 Spec.	M	1 1/2	24 15 16	KM-412	D2OZ 8260-D	1 1/2 & 1 3/4	20 7/8	KM-383	D1OZ 8286-C
72	F	6	250	M	1 1/2	15 9/16	KM-137	D0OZ 8260-A	1 1/2 & 1 7/8	18 1/4	KM-374	D1OZ 8286-B
	F	8	302	M	1 1/2	20 1/2	KM-136	D0AZ 8260-A	1 1/2 & 1 3/4	20 7/8	KM-383	D1OZ 8286-C
	F	8	351CJ 351 spec.	M	1 1/2	24 15 16	KM-412	D2OZ 8260-D	1 1/2 & 1 3/4	20 7/8	KM-383	D1OZ 8286-C

● "M" Moulded, "F" Flexible-when moulded hoses are not available, use flexible hose

⊕ Length on curved moulded hoses is approximate developed (curved) length

8260 HOSE - RADIATOR - continued

YEAR	MODEL	ENGINE CYL	ENGINE C.I.D.	HOSE TYPE ●	UPPER I.D. (INCHES)	UPPER LENGTH (INCHES) ⊕	UPPER MOTOR-CRAFT NO.	UPPER PART NO.	LOWER I.D. (INCHES)	LOWER LENGTH (INCHES) ⊕	LOWER MOTOR-CRAFT NO.	LOWER PART NO.
	- L -											
71	L	4	98	M	1 1/4, 1 1/2	14 1/8	KM-366	●D1FZ 8260-B	1 1/4	18 5/16	KM-368	D1FZ 8286-B
				F	1 1/4, 1 1/2	19 1/2	KAB-194	C9PZ 8286-T	1 1/4	20	KA-200	D1PZ 8286-A
	L	4	122	M	1 1/4	10 1/8	KM-364	●D1FZ 8260-A	1 1/4&1 1/2	14 1/2	KM-367	●D1FZ 8286-A
				F	1 1/4	11	KA-110	C9PZ 8260-F	1 1/4&1 1/2	19 1/2	KAB-194	C9PZ 8286-T
72	L-std. cooling	4	98	M	1 1/4, 1 1/2	14 1/8	KM-366	D1FZ 8260-B	1 1/4	18 5/16	KM-368	D1FZ 8286-B
	L-std. cooling	4	122	M	1 1/4	10 1/8	KM-364	D1FZ 8260-A	1 1/4 & 1 1/2	14 1/2	KM-367	D1FZ 8286-A
	L-w/A/C & T/T pkg.	4	122	M	1 1/4	10 1/8	KM-364	D1FZ 8260-A	1 1/2	15 11/16	KM-625	D2FZ 8286-A
	- P -											
70	P	6	170,200	M			KM-598	●D2PZ 8260-B			KM-613	●D2PZ 8286-H
				F			KA-110	C9PZ 8260-F	1 1/2&1 1/4	19 1/2	KAB-194	C9PZ 8286-T
	P	6	250	M			KM-612	D2PZ 8260-G	1 3/4 & 1 7/8	18	KM-108	C9ZZ 8286-A
71	P	6	170,200	M			KM-598	D2PZ 8260-B			KM-613	●D2PZ 8286-H
				F					1 1/4&1 1/2	19 1/2	KAB-194	C9PZ 8286-T
	P-w/o A/C or P/S	6	250	M			KM-612	●D2PZ 8260-G	1 1/2&1 7/8	20 3/16	KM-370	●D1DZ 8286-A
				F	1 1/2	14	KB-140	C9PZ 8260-K	1 1/2&1 3/4	20	KBC-200	C9PZ 8260-P
	P-w/o A/C-with P/S	6	250	M			KM-612	●D2PZ 8260-G	1 1/2 & 1 7/8	20 3/16	KM-370	D1DZ 8286-A
				F	1 1/2	14	KB-140	C9PZ 8260-K				
	P-with A/C-without P/S	6	250	M			KM-612	●D2PZ 8260-G	1 1/2 & 1 7/8	20 3/16	KM-370	●D1DZ 8286-A
				F	1 1/4	11	KA-110	C9PZ 8260-F	1 1/4 & 1 1/2	20	KBC-200	C9PZ 8260-P
	P-with A/C & P/S	6	250	M			KM-612	●D2PZ 8260-G	1 1/2 & 1 7/8	20 3/26	KM-370	D1DZ 8286-A
				F	1 1/4	11	KA-110	C9PZ 8260-F				
	P	8	302	M			KM-615	●D2PZ 8260-H	1 1/2&1 3/4	16 3/8	KM-372	D1DZ 8286-C
				F			KB-154	C9PZ 8260-T				
72	P	6	170,200	M			KM-598	D2PZ 8260-B			KM-613	D2PZ 8286-H
	P	6	250	M			KM-616	D2PZ 8260-G	1 1/2 & 1 7/8	20 3/16	KM-370	D1DZ 8286-A
	P	8	302	M			KM-615	D2PZ 8260-H	1 1/2 & 1 3/4	16 3/8	KM-372	D1DZ 8286-C
	- S -											
65/66	S	8	390,428	M	1 3/4	11 5/8	KM-241	●C4SZ 8260-E	1 5/8 & 1 7/8		KM-310	C4AZ 8286-D
				F			KC-110	C9PZ 8260-S				
67	S-w/ or w/o T/E	8	390, 428	M	1 1/2	16	KM-205	●C7MY 8260-B			KM-85	C7MY 8286-B
				F			KBC-164	C9PZ 8260-U				
68/69	S	8	429	M	1 1/2	18 1/2	KM-396	D1VY 8260-A	1 3/4	18 5/8	KM-106	C9MZ 8286-A
70	S	8	429	M	1 1/2	18 1/2	KM-396	●D1VY 8260-A		18 7/8	KM-146	●D0VZ 8286-A
				F			KB-170	C9PZ 8260-L	1 3/4 & 2	18	KCD-180	C9PZ 8286-U
71	S	8	429	M	1 1/2	18 1/2	KM-396	●D1VY 8260-A	1 1/2 & 2	17 9/16	KM-376	D1SZ 8286-A
				F			KB-170	C9PZ 8260-L				
72	S	8	400	M	1 1/2	22 7/8	KM-418	★D2SZ 8260-A r/b D3AZ 8260-A(2/74)	1 1/2 & 1 3/4	23 1/16	KM-407	★D2OZ 8286-C r/b D3AZ 8286-A(2/74)
	S	8	429,460	M	1 1/2	18 1/2	KM-396	D1VY 8260-A	1 1/2 & 2	19 3/16	KM-379	D1AZ 8286-D

⊕ Length on curved moulded hoses is approximate developed (curved) length
● "M" Moulded, "F" Flexible-when moulded hoses are not available, use flexible hose ‡ Cut to fit

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8260 HOSE - RADIATOR - continued

YEAR	MODEL	ENGINE CYL	ENGINE C. I. D.	HOSE TYPE ●	UPPER I. D. (INCHES)	UPPER LENGTH (INCHES) ⊕	UPPER MOTOR-CRAFT NO.	UPPER PART NO.	LOWER I. D. (INCHES)	LOWER LENGTH (INCHES) ⊕	LOWER MOTOR-CRAFT NO.	LOWER PART NO.
	- U -											
66/	U	6	170	M			KM-198	•C2OZ 8260-H	1 1/4&1 1/2		KM-613	D2PZ 8286-H
				F			KA-094	C9PZ 8260-V			KAB-194	C9PZ 8286-T
	U-eng. to sup. tank	8	289	M	1 1/2		KM-325	•C6TZ 8260-E	1 3/4		KM-84	C6TZ 8286-K
				F			KB-104	C9PZ 8260-G				
				M	1 1/2		KM-326	•C6TZ 8260-F "Before Ser. C70,001"	1 3/4		KM-84	C6TZ 8286-K
				F			KB-154	C9PZ 8260-T				
	U-side flow rad. w/integral fill neck	8	289,302	M	1 1/2		KM-37	C8TZ 8260-L "From Ser. C70,001"	1 3/4		KM-84	C6TZ 8286-K
	- X -											
65	X w/o A/C	6	170,200	M	1 1/4	11 3/4	KM-239	•C3DZ 8260-D			KM-613	D2PZ 8286-H
				F			KA-094	C9PZ 8260-V				
	X w/A/C	6	170,200	M			KM-198	•C2OZ 8260-H			KM-613	D2PZ 8286-H
				F			KA-110	C9PZ 8260-F				
	X-exc. w/4(2V) carb. kit	8	289	M			KM-615	•D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-140	C9PZ 8260-K				
	X-4(2V)carb. kit	8	289					NOTE 1	1 3/4	14 7/8	KM-308	C3DZ 8286-F
66/67	X	6	170, 200	M			KM-198	•C2OZ 8260-H			KM-613	D2PZ 8286-H
				F			KA-110	C9PZ 8260-F				
	X-exc.w/4 (2V) carb. kit	8	289	M			KM-615	• D2PZ 8260-H	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-140	C9PZ 8260-K				
	X-4(2V)carb. kit	8	289					NOTE 1	1 3/4	14 7/8	KM-308	C3DZ 8286-F
68/70	X-w/or w/o T/E	6	170,200	M			KM-198	•C2OZ 8260-H			KM-613	D2PZ 8286-H
				F			KA-110	C9PZ 8260-F				
68	X	8	289	M	1 1/2	14 1/16	KM-263	•C8ZZ 8260-C	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-154	C9PZ 8260-T				
68/69	X	8	302	M	1 1/2	14 1/16	KM-263	•C8ZZ 8260-C	1 3/4	14 7/8	KM-308	C3DZ 8286-F
				F			KB-154	C9PZ 8260-T				
70	X	8	302	M			KM-615	D2PZ 8260-H	1 3/4	14 7/8	KM-147	D0ZZ 8286-A
				F			KB-154	C9PZ 8260-T				

NOTE 1 - Use (1) B9A 8260-D (KM-229) radiator to water - & - fuel manifold and use (2) C5TZ 8260-A (KM-201) to intake manifold

‡ Cut to fit

⊕ Length on curved moulded hoses is approximate developed (curved) length

● "M" Moulded, "F" Flexible-when moulded hoses are not available, use flexible hose

I. D. LENGTH	PART NUMBER	I. D. LENGTH	PART NUMBER
8260 HOSE - RADIATOR - continued			
LIST OF FLEXIBLE HOSES BY LENGTH			
1 1/4" x 9 1/2"	C9PZ 8260-V	1 3/4" x 6"	C9PZ 8286-H
1 1/4" x 11"	C9PZ 8260-F	1 3/4" x 11"	C9PZ 8260-S
1 1/4" x 15"	C9PZ 8260-J	1 3/4" x 13 1/2"	C9PZ 8260-H
1 1/4" x 1 1/2" x 19 1/2"	C9PZ 8286-T	1 3/4" x 16 1/2"	C9PZ 8286-R
1 1/4" & 1 3/4" x 20"	C9PZ 8260-P	1 3/4" x 19"	C9PZ 8286-K
1 1/2" x 8"	C9PZ 8260-E	1 3/4" x 23 1/2"	C9PZ 8286-M
1 1/2" x 10 1/2"	C9PZ 8260-G	1 3/4" & 2" x 12 1/4"	C9PZ 8260-AE
1 1/2" x 12"	C9PZ 8260-N	1 3/4" & 2" x 14 1/2"	C9PZ 8286-P
1 1/2" x 14"	C9PZ 8260-K	1 3/4" & 2" x 16 1/2"	C9PZ 8286-S
1 1/2" x 15 1/2"	C9PZ 8260-T	1 3/4" & 2" x 18"	C9PZ 8286-U
1 1/2" x 17"	C9PZ 8260-L	1 3/4" & 2" x 23 1/2"	C9PZ 8260-AD
1 1/2" x 20"	C9PZ 8286-L	2" x 9 1/2"	C9PZ 8260-AC
1 1/2" x 25"	C9PZ 8260-Z	2" x 12 1/4"	C9PZ 8286-N
1 1/2" & 1 3/4" x 13 1/4"	C9PZ 8260-Y	2" x 14 1/2"	C9PZ 8286-J
1 1/2" & 1 3/4" x 15"	C9PZ 8260-R	2" x 17"	C9PZ 8260-M
1 1/2" & 1 3/4" x 16 1/2"	C9PZ 8260-U	2" x 20"	C9PZ 8260-AB
		2" x 24"	C9PZ 8260-AA

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8261 REINFORCEMENT - RADIATOR GRILLE OPENING PANEL - CENTER					
72	S	8	All		1	D2SZ 8261-A
	8B271-2 FRAME - RADIATOR GRILLE					
66	A(57F,63C,D,F,71A,E,76B,D)	6&8	All	Zinc die cast-use w/C6AZ 8200-A	2	C6AZ 8B271-A
71	B(54C,57,63C,F,65C,E,66B,C, E,71C,E,76)-w/o hidden headlamps	6&8	All	R.H. - includes mouldings	1	D1OZ 8B271-A
				L.H. - includes mouldings	1	D1OZ 8B272-A
72	B(53D,63R,65D,R,71D,K,97D,K,R)	6&8	All	Plastic	1	D2OZ 8B271-A
	8A273-4 BRACKET - RADIATOR SUPPORT					
67/71	S	8	390,428 429	R.H.	1	C7SZ 8A273-A
				L.H.	1	C7SZ 8A274-A
	8A278 BRACKET - RADIATOR GRILLE MOUNTING UPPER					
65	X	6&8	All	Not replaced	2	★ 8A278
66	B	6&8	All		2	C6OZ 8A278-A
66	X	6&8	All		2	C6DZ 8A278-A
67	X	6&8	All		2	C7DZ 8A278-A
68/70	X	6&8	All		2	C8DZ 8A278-A
	8A281 REINFORCEMENT - RADIATOR SIDE SUPPORT					
66/72	U "Before 6/11/72"	6&8	170,289 302		1	C6TZ 8A281-A
72	U "From 6/11/72"	6&8	170,200 302		1	D3BZ 8A281-A
72	U "From 6/11/72"	8	302		1	D3BZ 8A281-B
	8286 HOSE - RADIATOR - Refer to Group 8260					
	8287 CLAMP - HOSE					
65/	A,B,F,L,P,S,X	4, 6&8	All	Range 1/4" to 5/8" -worm type	AR	C9AZ 8287-A (YF-231)
65/	A,B,F,L,P,S,U,X	4, 6&8	All	Universal type-adjustable range 5/8" to 1 1/4"-worm type	AR	B7A 8287-A (YF-229)
65/	A,B,F,L,P,S,U,X	4, 6&8	All	Universal type-adjustable range 13/16" to 1 3/4"-worm type	AR	B7AZ 8287-C (YF-232)
65/	A,B,F,L,P,S,U,X	4, 6&8	All	Universal type-adjustable range 1 1/2" to 2 1/2"-worm type	AR	B7A 8287-B (YF-230)
65/70	A,B,F,S,X	6&8	All	Universal type-adjustable range 1 1/2" to 2 3/4"-slot type-r/b C9AZ 8287-B	AR	★ 8A 8287
65/	A,B,F,P,S,X	6&8	All	Universal type-adjustable range 2 1/2" to 4"-worm type	AR	B7AZ 8287-D (YF-233)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8287 CLAMP - HOSE - continued					
65/	A,B,F,L,P,S,U	6&8	All	Range 2 1/16" to 3"	AR	C9AZ 8287-B (YF-234)
68/	All	6&8	All	Adjustable-9/16"-1 1/16"	1	♦CC1CZ 8287-AUP
68/	All	6&8	All	Adjustable-13/16"-1 1/2"	1	♦CC1CZ 8287-BUP
68/	All	6&8	All	Adjustable-1 1/16-2"	1	♦CC1CZ 8287-CUP
68/	All	6&8	All	Adjustable-1 9/16"-2 1/2	1	♦CC1CZ 8287-DUP
65/69	A, S	6&8	All	Screw(radiator hose clamps)- No.10-32 x 1 5/8	1	27185-S2(UU177A)
65/69	A, S	6&8	All	Nut-No. 10-32	1	34079-S7(M163)
	8303 BRACE - RADIATOR GRILLE OUTER SUPPORT EXTENSION					
69	B-Talladega	8	All	16 5/8" long	2	C9OZ 8303-A
	8310-1 DEFLECTOR ASSY. - RADIATOR AIR SIDE					
	- A -					
65/67	A	6&8	240,289	R. H. -includes (8348) seal	1	C5AZ 8310-A
		6&8	240,289	L. H. -includes (8B018) seal	1	C5AZ 8311-A
68	A	6&8	240,302	R. H. -includes (8348) seal	1	C8AZ 8310-A
	A	6&8	240,302	L. H. -includes (8348) seal	1	C8AZ 8311-A
69	A-Std. cooling	6	240	R. H.	1	C9AZ 8311-A
				L.H.	1	C9AZ 8310-A
	A-w/o A/C	8	302	R.H.	1	C9AZ 8311-A
				L. H.	1	C9AZ 8310-A
	A-w/A/C	8	302	R.H.	1	C9AZ 8311-A
				L. H.	1	C9AZ 8310-C
	A-Std. cooling	8	390,429	R. H.	1	C9AZ 8311-A
				L. H.	1	C9AZ 8310-A
70	A(54C, 57F, 63 C, 65A, 71A, E, 76)	8	302,351	R. H.	1	D0AZ 8310-A
				L. H.	1	D0AZ 8311-A
	A(54A, B, E, 57B, 62B, E, 65C, 71B, C, D, H, J)	6	240	R.H.	1	C9AZ 8310-A
	A(54A,B,E,57B,62,65C,71B,C,D, H,J)-w/o A/C	8	302		1	
				L.H.	1	C9AZ 8311-A
	A(54A,B,E,57B,62,65C,71B,C,D, H,J)-w/A/C	8	302	R.H.	1	C9AZ 8311-A
				L.H.	1	C9AZ 8310-C
	A(54A, B, E, 57B, 62B, E, 65C, 71B, C, D, H, J)-w/o A/C	8	351	R.H.	1	C9AZ 8310-A
				L.H.	1	C9AZ 8311-A
71	A	6&8	240,302, 351	R.H.	1	D1AZ 8310-A
				L.H.	1	D1AZ 8311-A
72	A	6	240	R.H.	1	D1AZ 8310-A
				L.H.	1	D1AZ 8311-A
	- F -					
67	F	6&8	200,289, 302,390		2	C7ZZ 8310-A
68	F	6&8	200,302		2	
	F-Std. cooling	8	289		2	
69/70	F	6&8	200,250, 302,351	L.H.	1	C9ZZ 8310-A
	- S -					
65	S	8	390	R.H.	1	★ C4SZ 8310-A
				L.H.	1	★ C4SZ 8311-A
66	S-except A/C "Before 12/1/65"	8	390,428	R. H. -From 12/1/65 see C6SZ 10A682-A	1	★ C4SZ 8310-A
				L.H.	1	★ C4SZ 8311-A
	S-with A/C "Before 12/1/65"	8	390,428	R. H.-From 12/1/65 see C6SZ 10A682-B	1	★ C6SZ 8310-A
				L.H.	1	★ C6SZ 8311-A

♦ Canada only

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8310-1 DEFLECTOR ASSY. - RADIATOR AIR SIDE - continued					
	- U -					
66/72	U "Before 6/11/72"	6	170	R.H.	1	C6TZ 8310-A
				L.H.-r/b D3BZ 8311-A	1	★C6TZ 8311-A
72	U "From 6/11/72"	6	170,200	R.H.	1	C6TZ 8310-A
				L.H.	1	D3BZ 8311-A
66/	U	8	289,302	R.H.	1	C6TZ 8310-B
				L.H.	1	C6TZ 8311-B
65/71	A	6&8	289,352 390	Screw(deflector to radiator support)-1/4" - 20 x 3/4"	2	371492-S2 (BB569)
65/71	A	6&8	289,352 390	Nut retainer (deflector to rad. suppt.)-1/4"-20	2	354394-S2(MM187)
	8A310-1 CLIP - RADIATOR GRILLE MOULDING					
68	F(GT350/500)	8	All	To attach 8A316	4	S8MS 8A310-A
				To attach 8A318	3	
				To attach 8A319	3	
				To attach 8A320	8	
68	F(GT350/500)	8	All	To attach 8A316	2	★S8MS 8A311-A
				To attach 8A318	3	Not replaced
				To attach 8A319	3	
	8316 LETTER - RADIATOR GRILLE					
67/	U-Sports package	6&8	All	"F" - wide grooves-w/plastic cover	1	C7TZ 8316-A
				"O"	1	C7TZ 8318-A
				"R"	1	C7TZ 8320-A
				"D"	1	C7TZ 8322-A
	8A316 MOULDING - RADIATOR GRILLE LOWER OPENING					
68	F(GT350/500)	8	All		1	S8MS 8A316-A
				Clip-Refer to Group 8A310-1		
	8A317-20 MOULDING - RADIATOR GRILLE UPPER OPENING					
68	F(GT350/500)	8	All	Center cap-not replaced	1	★S8MS 8A317-A
				Upper-R.H.	1	S8MS 8A318-A
				Upper-L.H.	1	S8MS 8A319-A
				Lower	1	S8MS 8A320-A
				Clip-Refer to Group 8A310-1		
	8318-22 LETTER - RADIATOR GRILLE - Refer to Group 8316					
	8B321 SUPPORT - RADIATOR GRILLE LOWER - For support brackets - Refer to Group 17792-3					
68	F(GT350/500)	8	All		1	S8MS 8B321-A
	8B322-3 BRACKET - HEADLAMP MOUNTING - Also refer to Groups 13099 thru 13101					
67	F(GT350/500)	8	All	Outboard-R.H.-not replaced	1	★S7MS 8B323-B
				Inboard-R.H.-not replaced	1	★ S7MS 8B323-A
				Outboard-L.H.	1	S7MS 8B322-B
68	F(GT350/500)	8	All	Inner-R.H.	1	S8MS 8B322-B
				Inner-L.H.	1	S8MS 8B322-A
	8324 REINFORCEMENT - RADIATOR AIR SIDE DEFLECTOR					
69/71	U	6&8	170,302	Not replaced-improvise	4	★C6TZ 8324-A
	8B325 INSULATOR - RADIATOR GRILLE ORNAMENT					
66	B	6&8	All	Rubber-improvise		★
	8326-7 DEFLECTOR - RADIATOR AIR UPPER					
69/70	A	6&8	All	Rubber	1	C9AZ 8326-A
71	A	8	351,390 429		1	
65/67	A	6&8	240,289, 352,390 427,428	Rubber-50" long	1	C5AZ 8327-B
72	B-w/A/C	8	351CJ	Plastic	1	D2OZ 8327-A
70/71	S	8	All		1	D0SZ 8326-A
72	S	8	All	Plastic	1	D2SZ 8326-A
71/	P-A/T	6	250		1	D1DZ 8236-A
71	P-w/A/C	8	302		1	
72	P-A/T	8	302		1	
72	S	8	All	Screw (attach 8326 to 16138)-1/4"-14 x 3/4"	4	55914-S2(U254F)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTOR CRAFT NO.	QTY.	PART NUMBER
	8333 HOSE - RADIATOR BULK						
65/	Cut to required length			1 1/4" I.D. x 36" long	KS-8	AR	C9PZ 8333-D
65/	Cut to required length			1 1/2" I.D. x 36" long	KS-5	AR	C9PZ 8333-A
65/70	Cut to required length			1 3/4" I.D. x 36" long	KS-3	AR	51A 8333-B
65/	Cut to required length			1 3/4" I.D. x 36" long	KS-6	AR	C9PZ 8333-B
65/	Cut to required length			2" I.D. x 36" long	KS-7	AR	C9PZ 8333-C
	8A340 COVER - RADIATOR GRILLE MOULDING JOINT - Also refer to Group 8221						
66	S	8	390,428	Upper		1	C6SZ 8A340-A
	8348-9 SEAL - RADIATOR AIR DEFLECTOR						
65/66	A	6&8	240,289	R.H.-240, R.H.& L.H.-289-improvise-included in C5AZ 8310-A		1 or 2	★C5AB 8348-A
65/66	A-with A/C (1966)	8	352,390, 428	R.H.-rubber-3" wide x 15 5/8" long-not. repl.		1	★C6AZ 8349-A
				L.H. -not replaced		1	★C6AZ 8349-B
	A	8	352,390, 427,428	Lower-rubber-1 5/8" wide x 12 1/2" long - not replaced		1	★C5AZ 8349-A
	A	8	352,390, 427,428	Lower-rubber-2 1/4" wide x 29 3/4" long - not replaced		1	★C5AZ 8349-B
67	A-with A/C	6	240	R.H.-rubber-3" wide x 14 1/8" long -not repl.		1	★C7AZ 8349-B
				L.H. -not replaced		1	★C7AZ 8349-C
	A-with A/C	6	240	Lower-rubber-vertical-"L" shaped-26 3/8" long		1	C7AZ 8349-D
	A	6&8	240,289	R.H.-240, R.H.& L.H.-289-improvise-included in C5AZ 8310-A		1or2	★C5AB 8348-A
	A	8	390,427, 428	Upper-rear-rubber-24" long -not replaced		1	★C7AZ 8349-A
	A	8	390,427, 428	Lower-rubber-vertical-"L"shaped-26 3/8" long		1	C7AZ 8349-D
	A	8	390,427, 428	Lower-rubber-horizontal-2 1/4" wide x 29 3/4" long -not repl.		1	★C5AZ 8349-B
	A	8	390,427, 428	R.H.-rubber-3" wide x 14 1/8" long -not repl.		1	★C7AZ 8349-B
				L.H. -not replaced		1	★C7AZ 8349-C
68	A	6	240	Improvise-rubber-17 7/64" x 2 7/8" x 7/64" thick		1	★C8AB 8348-C
	A-with A/C	8	302	Improvise-rubber-17 7/64" x 2 7/8" x 7/64" thick		1	★C8AB 8348-B
	A	8	390,428	R.H.-16 11/16" long -not replaced		1	★C8AZ 8349-A
	A	8	390,427, 428	Lower-rubber-horizontal-2 1/4" wide x 29 3/4" long -not replaced		1	★C5AZ 8349-B
	A	8	390,427, 428	Upper-rear-rubber-24" long -not replaced		1	★C7AZ 8349-A
68	A	8	390,427,	R.H.-rubber-3" wide x 14 1/8" long		1	★C7AZ 8349-B
	A	8	428	L.H.-not replaced		1	★C7AZ 8349-C
68	A	8	390,427, 428	Lower-rubber-vertical-L shaped-26 3/8" long		1	C7AZ 8349-D
	A-(except 71)	8	427	R.H.-16 11/16" long -not replaced		1	★C8AZ 8349-A
69	A-with A/C	6&8	All	Lower		1	C9AZ 8349-A
70	A-with A/C	6&8	All	Lower		1	D0AZ 8349-A
70/	A	6&8	All	23 13/16" long (radiator support to radiator)		1	D0OZ 8349-A
70/71	B	6&8	All			1	
71/	F	6&8	All	Use with 26" wide radiator		1	
71	A-with A/C	6&8	240,429			1	D0AZ 8349-A
65/66	S	8	390,428	Rubber-17" long - not replaced		2	★C4SZ 8349-A
67	S	8	390,428	Upper-rubber-on rad. support-not replaced		1	★C7SZ 8349-D
		8	390,428	Lower-rubber-horizontal-2 1/4" wide x 29 3/4" long -not replaced		1	★C5AZ 8349-B
	S	8	390,428	Lower-rubber-vertical-3 1/4" wide x 13/16" long-not replaced		1	★†C5MY 8349-A
67/69	S	8	390,428, 429	R.H.-inner-rubber-12 7/8" long-on (13A158)		1	C7SZ 8349-B
67/69	S	8	390,428, 429	L.H.-inner-rubber-12 7/8" long-on (13A158)		1	C7SZ 8349-C
68/69	S	8	429	Upper-rubber-20 1/2" long		1	C8SZ 8349-A
68/69	S	8	429	Lower-rubber-26 3/8" long		1	C7AZ 8349-D

† Cut 1" off 3 1/4" dimension

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8348-9 SEAL - RADIATOR AIR DEFLECTOR - continued					
65/69	A,S	8	352,390, 427,428, 429	Screw (8327 seal to suppt.)-No. 10-12 x 5/8" - replaces nylon drive pin	AR	42134-S8(U249)
	S-with A/C	8	390,429	(8B384 deflector to support)	5	
	S-with A/C	8	390,429	Clip-trim & moulding (8327 deflector to flange)	5	371141-S32 (GG121A)
70	A	8	All	Screw (seal to rad. support)-1/4" -14	4	55981-S2(U254E)
70	B	6&8	All	Clip (seal to rad. assy.)	6	371141-S32 (GG121A)
	8390 BAR - RADIATOR GRILLE					
69	A(54C,57F,63C,65A,71A,71E,76B)	6&8	All	Outer-R.H. & L.H. -includes attaching parts	2	C9AZ 8390-A
65	F	6&8	All	Lower	1	C5ZZ 8390-F
	without fog lamps	6&8	All	Center - R.H.	1	C5ZZ 8390-B
	without fog lamps	6&8	All	Center - L.H.	1	C5ZZ 8390-C
	with fog lamps	6&8	All	Ctr.-R.H.-w/lamp cup-marked C5ZB 8418-B	1	C5ZZ 8390-D
	with fog lamps	6&8	All	Ctr.-L.H.-w/lamp cup-marked C5ZB 8B250-B	1	C5ZZ 8390-E
66	F	6&8	All	Lower	1	C5ZZ 8390-F
	with fog lamps	6&8	All	Center-R.H.	1	C6ZZ 8390-A
	with fog lamps	6&8	All	Center-L.H.	1	C6ZZ 8390-B
67	F without fog lamps	6&8	All	Center-R.H.	1	C7ZZ 8390-A
	without fog lamps	6&8	All	Center-L.H.	1	C7ZZ 8390-B
	with fog lamps	6&8	All	Center-R.H.	1	C7ZZ 8390-C
	with fog lamps	6&8	All	Center-L.H.	1	C7ZZ 8390-D
	8B391 SEAL - GRILLE, FENDER and HEADLAMP					
69	A	6&8	All	48 13/64" long-cut to fit-used in grille opening	AR	C8LY 8B391-A
69/70	A	6&8	All	48 13/64" long-cut to fit-used in fender ext.	AR	
70/71	B	6&8	All	Cut to fit	AR	
69	B-Talladega	6&8	All	144" long-cut to fit-used in grille opening	AR	C9OZ 8B391-A
70	B	6&8	All		AR	
69	B-Talladega	8	All	144" long-cut to fit-used in headlamp door	AR	
	8B404 GLASS - RADIATOR COOLANT LEVEL SIGHT					
65/	All	6&8	All	Used in coolant recovery kit	1	D0AZ 8B404-A
	8418 MOULDING - RADIATOR GRILLE - Includes attaching parts					
	- A -					
69	A(54C,57F,63C,65A,71A,E,76B)	6&8	All	Center-bar-attach to grille	1	C9AZ 8418-A
70	A(54C,57F,63C,65A,71A,E,76B)	6&8	All	Outer-R.H.	1	D0AZ 8418-C
				Outer-L.H.	1	D0AZ 8418-D
	- B -					
66	B	6&8	All	Center-includes (8244) retainers	1	C6OZ 8418-A
67	B(63D,76D)	8	All	Center	1	C7OZ 8418-B
	B(54,62,63B,C,66,71,76B,C)	6&8	All	Center	1	C7OZ 8418-A
69	B(54C,63D,F,65C,D,F,66C,D, 71E,76D,F)	6&8	All	Center-aluminum	1	C9OZ 8418-A
70	B(54B,65B,66A,B,71B)	6&8	All	Center-includes 8213	1	D0OZ 8418-A
	B(54A,62,63H,65H,71D)	6&8	All	Center	1	D0OZ 8418-B
71	B(54C,57,63C,F,65C,E,66B,C,E, 71C,E,76)-w/o hidden head lamps	6&8	All	R.H.-upper	1	D1OZ 8418-A
				L.H.-upper	1	D1OZ 8418-B
	B(54A,63H,65A,66A,71D)	6&8	All		1	D1OZ 8418-C
	- F -					
69/70	F(Shelby GT350/500)	8	All		1	C9ZZ 8418-A
	- U -					
67/	U-with sport pkg.	6&8	170,289, 302	Upper & lower-includes (7) C7ZZ 63291B80-A retainers	2	C7TZ 8418-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8419 MOULDING - RADIATOR GRILLE - Includes attaching parts					
	- A -					
71	A(53,57H,K,65H,K,71H,76)	6&8	All	Serviced only in 8200	1	★ 8419
	- B -					
69	B(54C,63D,F,65C,D,F,66C,D, 71E,76D,F)	6&8	All	Upper-aluminum	1	C9OZ 8419-A
70	B(54C,57C,E,63C,F,65C,E,66C, E,71C,E,76F)	6&8	All	Center-upper-also serviced in 13099 assy.	1	D0OZ 8419-A
				Center-lower-also serviced in 13099 assy.	1	D0OZ 8419-B
71	B(54C,57,63C,F,65C,E,66B,C,E, 71C,E,76)-w/o hidden head lamps	6&8	All	R.H.-lower	1	D1OZ 8419-A
				L.H.-lower	1	D1OZ 8419-B
	B(54C,57,63C,F,65C,E,71C,E, 76)-w/ hidden head lamps	6&8	All	Center-upper	1	D0OZ 8419-A
				Center-lower	1	D0OZ 8419-B
	- F -					
68	F	6&8	All		1	C8ZZ 8419-A
69	F	6&8	All	Center	1	C9ZZ 8419-A
71	F	6&8	All	Upper-also supplied in 8200	1	D1ZZ 8419-B
				Lower-also supplied in 8200	1	D1ZZ 8419-D
				R.H. -also supplied in 8200	1	D1ZZ 8419-C
				L.H. -also supplied in 8200	1	D1ZZ 8419-E
71	F(63D,65,76)	6&8	All	Center-also supplied in 8200	1	D1ZZ 8419-A
	- S -					
66	S	8	390,428	R.H. & L.H.-upper	2	C6SZ 8419-A
				R.H. & L.H.-side-refer to Group 8242-3		
	8B423-4 PANEL - RADIATOR GRILLE BACKING					
69	A(54C,57F,63C,65A,71A,71E,76B)	6&8	All	R.H.-outer	1	C9AZ 8B423-B
				L. H. -outer	1	C9AZ 8B424-B
	8B428 RETAINER - RADIATOR GRILLE BAR					
69	A(54C, 57F, 63C, 54A, 71A, E, 76B)	6&8	All	Attaches bar to grille	AR	C9AZ 8B428-A
	8A440 SHIM - RADIATOR BOTTOM SUPPORT - Also refer to Group 8126					
69	A(76)	6&8	All	Improvise-2"x2"x .45" thick-steel with .53" hole in center		★
	8B455 BRACKET - RADIATOR GRILLE OPENING PANEL					
70	S "Before 2/2/70"	8	All	Center	1	D0SZ 8B455-A
70	S "From 2/2/70"	8	All	Center	1	D0SZ 8B455-B
71	S	8	All	Center	1	D1SZ 8B455-A
	8B466-7 EXTENSION ASSY. - RADIATOR SIDE SUPPORT					
70/71	B	6&8	All	R.H.	1	D0OZ 8B466-A
	B	6&8	All	L.H.	1	D0OZ 8B467-A
	8B469 FILLER ASSY. - RADIATOR GRILLE TO BUMPER - Includes Attaching Parts					
70/71	S "From 7/21/69"	8	All	R.H. -Black-not used before 7/21/69	1	D0SZ 8B469-A
		8	All	L.H. -Black-not used before 7/21/69	1	D0SZ 8B469-F
70/71	S	8	All	R.H. -Gray	1	D0SZ 8B469-C
		8	All	L.H. -Gray	1	D0SZ 8B469-D
	8B477-8 PANEL ASSY. - RADIATOR GRILLE OPENING SIDE					
70/71	S "From 7/21/69"	8	All	R.H.	1	D0SZ 8B477-A
		8	All	L.H.	1	D0SZ 8B478-A
	8A483 SUPPORT - RADIATOR HOSE					
69	A-w/A/C	8	302	Supports upper hose - not replaced	1	★C9AZ 8A483-B
69	A	8	351	Supports upper hose	1	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8A500 CAP - WATER OUTLET					
65/66	A	8	427	Neoprene-to cap return nipple on water pump	♦1	C4TZ 8A500-A
66/67	A	6	240	Used to cap nipple on (8592) connection	♦1	
66/68	A, B, F, X	8	289	Used to cap water pump tube (8555)	♦1	
67/70	A, X	8	289,302	Used to cap B7A 18599-B elbow	♦1	
68	A, B	8	390,428	Used to cap intake manifold fitting (9A455)	1	
66/	U	6	170	Used to cap intake manifold	♦1	
70	P	6	170,200		♦1	
71	L	4	98	Used w/o heater	2	
65	A	8	352,390	To cap return nipple on water pump-improvise	1	★C5ME 8A500-A
65/66	A	6&8	All	Clamp (cap to heater connection)	1	97333-S35(E8)
65/70	S	8	All		1	
67/68	A, B, F, X	8	289	Clamp (heater outlet cap)	1	B7A 8287-A
	8501 PUMP ASSY. - WATER - Less Pulley - includes (8507) gasket					
	- A -					
65	A	6	240		1	D2AZ 8501-A
	A "Before Chg/L#8"	8	289	Aluminum-does not use (8508) cover	1	C5AZ 8501-K
	A "Chg/L#8"	8	289		1	D3UZ 8501-A
	A (except P/C-390)	8	352,390		1	D0AZ 8501-D
	A(P/C-390) & Special (427)	8	390,427		1	C5AZ 8501-S
66	A	6	240		1	D2AZ 8501-A
	A	8	289		1	D3UZ 8501-A
	A	8	352,390		1	D0AZ 8501-D
	A	8	427,428 P/I		1	C5AZ 8501-S
	A	8	428 exc.P/I		1	D0AZ 8501-D
67	A	6	240		1	D2AZ 8501-A
	A	8	289		1	D3UZ 8501-A
	A	8	390,427 428 exc.P/C		1	D0AZ 8501-D
	A-with or w/o T/E	8	427,428 P/C		1	C5AZ 8501-S
68	A	6	240		1	D2AZ 8501-A
	A	8	302	Note 1	1	D3UZ 8501-A
	A	8	390		1	D0AZ 8501-D
	A	8	427,428 P/C		1	D0AZ 8501-D
69	A	6	240		1	D2AZ 8501-A
	A	8	302,351	Note 1	1	D3UZ 8501-A
	A	8	390		1	D0AZ 8501-D
	A	8	428 P/C		1	D0AZ 8501-D
	A	8	429	Note 2	1	C9VZ 8501-A
70	A	6	240		1	D2AZ 8501-A
	A	8	302,351		1	D0AZ 8501-F
	A	8	390		1	D0AZ 8501-D
	A	8	428 P/C		1	D0AZ 8501-D
	A	8	429	Note 3	1	D1VY 8501-B
71	A	6	240		1	D2AZ 8501-A
	A	8	302, 351W	Replaced by D0OZ 8501-C (12-74)	1	★D0AZ 8501-F
	A	8	351C, 400	Includes (1) D0AZ 8513-A gasket	1	D2SZ 8501-A
	A	8	390		1	D0AZ 8501-D
	A	8	429	Note 3	1	D1VY 8501-B

♦ Used without heater

NOTE 1 - Change water by-pass tube for 289,302 engines when necessary

NOTE 2 - Pump includes (1) each C8VZ 8507-A & C8SZ 8513-A

NOTE 3 - Pump includes (1) each C8VZ 8507-A, C8SZ 8508-A & C8SZ 8513-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8501 PUMP ASSY. - WATER - continued - Less Pulley - Includes (8507) gasket					
	- A -					
72	A	6	240		1	D2AZ 8501-A
	A	8	302, 351W	R/b D0OZ 8501-C (12-74)	1	★D0AZ 8501-F
	A	8	351C, 400		1	D2SZ 8501-A
	A "Before 10/4/71"	8	429	R/b D4VY 8501-A (12-74)	1	★D2VY 8501-A
	A "From 10/4/71"	8	429	Note 3-r/b D4VY 8501-A (9-74)	1	★D2VY 8501-C
	All off highway vehicles	8	351C, 400	Aluminum -not replaced	1	★D0ZX 8505-A
	- B -					
65	B	6	200		1	D4DZ 8501-A
	B(except Special)-"Before Chg/L#8"	8	289	Aluminum-does not use (8508) cover	1	C5AZ 8501-K
	B-Special "Before Chg/L#8"	8	289		1	C5OZ 8501-A
	B "CHG/L#8"	8	289		1	D3UZ 8501-A
66	B	6	200		1	D4DZ 8501-A
	B	8	289		1	D3UZ 8501-A
	B-without T/E	8	289	Aluminum-uses C4OZ 8530-C brg.-use with C4AZ 6019-B	1	C5AZ 8501-K
	B	8	390		1	D0AZ 8501-D
67	B	6	200		1	D4DZ 8501-A
	B	8	289		1	D3UZ 8501-A
	B	8	390,427		1	D0AZ 8501-D
68	B	6	200		1	D4DZ 8501-A
	B(except High Performance)	8	289,302	Note 1	1	D3UZ 8501-A
	B	8	390,427, 428		1	D0AZ 8501-D
69	B	6	250		1	D0DZ 8501-A
	B	8	302,351	Note 1	1	D3UZ 8501-A
	B	8	390, 428 CJ		1	D0AZ 8501-D
70	B	6	250		1	D0DZ 8501-A
	B	8	302		1	D0OZ 8501-C
	B	8	351	Includes (1) D0AZ 8513-A gasket-r/b D2SZ 8501-A (2-75)	1	★D0AZ 8501-E
	B	8	429	Note 3	1	D1VY 8501-B
71	B	6	250	R/b D5DZ 8501-A	1	★D2DZ 8501-A
	B	8	302		1	D0OZ 8501-C
	B	8	351	Includes (1) D0AZ 8513-A gasket - r/b D2SZ 8501-A (2-75)	1	★D0AZ 8501-E
	B	8	429	Note 3	1	D1VY 8501-B
72	B	6	250	R/b D5DZ 8501-A	1	★D2DZ 8501-A
	B	8	302, 351W		1	D0OZ 8501-C
	B B	8 8	351C, 400	Includes (1) D0AZ 8513-A gasket-r/b D2SZ 8501-A (2-75)	1 1	★D0AZ 8501-E
	B "Before 10/4/71"	8	429	R/b D4VY 8501-A (12-74)	1	★D2VY 8501-A
	B "From 10/4/71"	8	429	Note 3 - r/b D4VY 8501-A (9-74)	1	★D2VY 8501-C
	All off highway vehicles	8	351C, 400	Aluminum - not replaced	1	★D0ZX 8505-A
	- F -					
65	F	6	170,200		1	D4DZ 8501-A
	F(except Special)-with generator or alternator "Before Chg/L#8"	8	260,289 R.F.	Aluminum-uses C4OZ 8512-B & C4OZ 8530-C	1	C5AZ 8501-K
	F(except Special)-with alternators (with A/C)- "Chg/L#8"	8	289		1	D3UZ 8501-A
	F-Special "Before Chg/L#8"	8	289		1	C5OZ 8501-A
	F-Special-with alternators- "Chg/L#8"	8	289		1	D3UZ 8501-A

NOTE 1 - Change water by-pass tube for 289,302 engines when necessary
NOTE 3 - Pump includes (1) each C8VZ 8507-A, C8SZ 8508-A & C8SZ 8513-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8501 PUMP ASSY. - WATER - continued			- Less Pulley - Includes (8507) Gasket		
	- F -					
66	F	6	200		1	D4DZ 8501-A
	F-except Special-without T/E	8	289		1	D3UZ 8501-A
	F-except Special-without T/E	8	289	Aluminum-uses C4OZ 8530-C bearing-use with C4AZ 6019-B	1	C5AZ 8501-K
	F-except Special-with T/E	8	289		1	D3UZ 8501-A
	F-Special	8	289		1	C5OZ 8501-A
67	F	6	200		1	D4DZ 8501-A
	F-except Special	8	289		1	D3UZ 8501-A
	F-Special	8	289		1	C5OZ 8501-A
	F	8	390		1	D0AZ 8501-D
68	F	6	200		1	D4DZ 8501-A
	F-Special	8	289		1	C5OZ 8501-A
	F-(except Special)	8	289,302	Note 1	1	D3UZ 8501-A
	F	8	390,427		1	D0AZ 8501-D
69	F	6	200		1	D4DZ 8501-A
	F	6	250		1	D0DZ 8501-A
	F(exc. Boss)	8	302-2V, 351	Note 1	1	D3UZ 8501-A
	F-Boss	8	302-4V		1	C9ZZ 8501-A
	F	8	390, 428 CJ		1	D0AZ 8501-D
	F-Boss	8	429	Note 2	1	C9VZ 8501-A
70	F	6	200		1	D4DZ 8501-A
	F	6	250		1	D0DZ 8501-A
	F-Boss	8	302 spec.		1	D0ZZ 8501-B
	F	8	351C	Includes (1) D0AZ 8513-A gasket - r/b D2SZ 8501-A (2-75)	1	★D0AZ 8501-E
	F	8	428CJ		1	D0AZ 8501-D
	F(exc. Boss)	8	302, 351W		1	D0OZ 8501-C
71	F	6	250	R/b D5DZ 8501-A	1	★D2DZ 8501-A
	F	8	302-2V		1	D0OZ 8501-C
	F	8	302-4V		1	D0ZZ 8501-B
	F	8	351	Includes (1) D0AZ 8513-A gasket - r/b D2SZ 8501-A (2-75)	1	★D0AZ 8501-E
	F	8	429	Note 3	1	D1VY 8501-B
72	F	6	250	R/b D5DZ 8501-A	1	★D2DZ 8501-A
	F	8	302		1	D0OZ 8501-C
	F	8	351	R/b D2SZ 8501-A (2-75)	1	★D0AZ 8501-E
	All off highway vehicles	8	351C	Aluminum - not replaced	1	★D0ZX 8505-A
	- L -					
71/	L	4	122		1	D3RY 8501-A
	L	4	98		1	D1FZ 8501-B
	- P -					
70	P	6	170,200		1	D4DZ 8501-A
	P	6	250		1	D0DZ 8501-A
71/	P	6	170,200		1	D4DZ 8501-A
	P	6	250		1	D2DZ 8501-A
	P	8	302		1	D0OZ 8501-C
	- S -					
65/67	S	8	390,428		1	D0AZ 8501-D
68	S	8	429	Note 2	1	C9VZ 8501-A
69	S	8	429	Note 3	1	C9VZ 8501-B
70/71	S	8	429	Note 3	1	D1VY 8501-B
72	S	8	400	Includes (1) D0AZ 8513-A gasket	1	D2SZ 8501-A
	S "Before 10/4/71"	8	429	Note 3	1	D1VY 8501-B
	S "From 10/4/71"	8	429, 460	Note 3 - r/b D4VY 8501-A (9-74)	1	★D2VY 8501-C

NOTE 1 - Change water by-pass tube for 289, 302 engines when necessary
NOTE 2 - Pump includes (1) each C8VZ 8507-A & C8SZ 8513-A
NOTE 3 - Pump includes (1) each C8VZ 8507-A, C8SZ 8508-A & C8SZ 8513-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
8501	**PUMP ASSY. WATER - continued** -Includes (8507) Gasket					
	- U -					
66/	U	6	170		1	D4DZ 8501-A
	U	8	289,302	Note 1	1	D3UZ 8501-A
	- X -					
65/70	X	6	170,200		1	D4DZ 8501-A
65	X "Before Chg/L#8"	8	289	Aluminum-does not use (8508) cover	1	C5AZ 8501-K
	X- "Chg/L#8"	8	289		1	D3UZ 8501-A
66/67	X-without T/E	8	289		1	D3UZ 8501-A
	X-without T/E	8	289	Aluminum	1	C5AZ 8501-K
	X-with T/E	8	289		1	D3UZ 8501-A
68	X-High Performance	8	289		1	C5OZ 8501-A
	X(except High Performance)	8	289,302	Note 1	1	D3UZ 8501-A
69/70	X	8	302	Note 1	1	D3UZ 8501-A
65/	B,F,P,U,X	6	170,200	Bolt (pump to block)-5/16"-18 x 3/4"	1	370790-S(BB428)
65/	B,F,P,U,X	6	170,200	Bolt (pump to block)-5/16"-18 x 2"	2	379862-S7-8
69/	B,F,P	6	250		4	(BB429H)
65/	A	6	240	Bolt (pump to block)-5/16"-18 x 7/8"	4	357235-S(BB136)
65/	A	6	240	Plug (accessories hole in pump)-3/8"	1	87710-S(P-16)
65	A,B,F,X	8	260,289	Bolt (pump to frt. cover)-5/16"-18 x 1 1/2"	3	45970-S(B227D)
65	A,B,F,X	8	260,289	Bolt (pump to frt. cover)-5/16"-18 x 2 5/8"	1	45979-S(B227G)
65	A,B,F,X	8	260,289	Bolt (pump to frt. cover)-5/16"-18 x 1 3/8"	1	359162-S(BB286)
66/69	A,B,F,X,U	8	289,302, 351W	Bolt (pump to frt. cover)-5/16"-18 x 1 7/8"	1	373564-S(BB562D)
66/69	A,B,F,X,U	8	289,302, 351W	Bolt (pump to frt. cover)-5/16"-18 x 1 1/2"	3	378335-S7-8 (BB562A)
66/69	A,B,F,X,U	8	289,302, 351W	Bolt (pump to frt. cover)-5/16"-18 x 2 5/8"	1	378365-S7-8 (BB562G)
65/	A,B,F,P,U,X	8	260,289, 302,351W	Bolt (pump to cover to block)-5/16"-24 x 5"	1or2	300958-S(B73B)
65/69	A,B,F,X,U	8	260,289, 302,351W	Bolt (pump to cover to block)-5/16"-18x3 7/16"	2	376258-S(BB545C)
65/69	A,B,F,X,U	8	260,289, 302,351W	Bolt (pump to cover to block)-5/16"-18x3 11/16"	1	★379861-S
70	A,B,F,X,U	8	302	Bolt (pump to frt. cover)-5/16"-18 x 2"	2	56126-S(B319M)
70	A,B,F,X,U	8	302,351W	Bolt (pump to frt. cover)-5/16-18 x 1 7/8"	3	373564-S(BB562D)
70/	A,B,F,P,U,X	8	302,351W	Bolt (pump to cover to block)-5/16"-18x2 7/8"	1	383963-S (BB545BE)
70/	A,B,F,P,U,X	8	302,351W	Bolt (pump to frt. cover)-5/16"-18 x 3 5/8"	1or2	★383765-S
71/	A,B,F,P,U	8	302	Bolt (pump to block)-5/16"-18 x 1"	2	376256-S(BB545A)
65/	A,B,F,P,U,X	8	260,289, 302,351W	Washer (pump to frt. cover)-11/32"-flat	AR	★354033-S
69/70	A,B,F,X,U	8	302,351W	Washer (pump to frt. cover)-5/16"-flat	AR	351415-S(XX128)
70	A,B,F,X,U	8	302,351W	Washer (pump to cover to block)-5/16"-flat	1	373513-S7-8 (XX119M)
71/	A,B	8	351W	Bolt (pump to cover to block)-5/16"-18 x 1 1/2"	3	378335-S7-8 (BB562A)
70/	A,B,F,S	8	351C,400	Bolt(pump to block)-5/16"-18 x 1 7/8"	5	373564-S(BB562D)
70/	A,B,F,S	8	351C,400	Bolt (pump to cover to block)-5/16"-18 x 2 7/8"	3	383963-S (BB545BE)
70/	A,B,F,S	8	351C,400	Bolt (pump to frt. cover)-5/16"-18 x 2 7/8"	1	383965-S2 (UU52JE)
70/	A,B,F,S	8	351C,400	Bolt (pump to frt. cover)-5/16"-18 x 1 1/4"	2	382127-S2 (UU52AE)
70/	A,B,F,S	8	351C,400	Washer (pump to cover to block)-5/16"-flat	3	373513-S7-8 (XX119M)
65/71	A,B,F,S	8	352,390, 427,428	Bolt (pump to block)-3/8"-16 x 1 3/8"	3	20448-S2(B83)
65/68	A,B,F,S	8	390,427, 428	Bolt (pump to block)-3/8"-16 x 1 1/8"	1	42999-S(B253)

NOTE 1 - Change water by-pass tube for 289, 302 engines when necessary

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8501 PUMP ASSY. WATER - continued - Includes (8507) Gasket					
69/71	A,B,F	8	390,427, 428	Bolt (pump to block)-3/8"-16 x 1 1/4"	1	372304-S (BB-428-Z)
65/71	A,B,F,S	8	352,390, 427,428	Washer (pump to block)-3/8"-lock	3	34807-S8(X66)
65/71	A,B,F,S	8	352,390, 427,428	Plug (hole in pump)-3/8"	1	87710-S(P16)
68/	A,B,F,S	8	429,460	Bolt (pump to frt. cover)-5/16"-18 x 1 11/16"	5	382133-S2 (BB429J)
68/	A,B,F,S	8	429,460	Bolt (pump to cover to block)-5/16"-18 x 4"	6	382134-S2 (BB429M)
68/69	A,F,S	8	429	Washer (pump to frt. cover)-5/16"-lock	6	34806-S7(X64)
71/	L	4	98	Bolt (pump to block)-1/4"-20 x 1 1/4"	1	20424-S7-8(B43E)
71/	L	4	98	Bolt (pump to block)-1/4"-20 x 1 5/8"	1	357913-S(BB127)
71/	L	4	122	Bolt (pump to block)-M10 x 35-hex. head-metric coarse	1	E600312-S82 (AB33)
71/	L	4	122	Bolt (pump to block)-M8 x 20-hex. head-metric coarse	4	E602187-S82 (AB17)
	8505 HOUSING - WATER PUMP - Refer to Group 8501					
	8507 GASKET - WATER PUMP HOUSING - Also refer to group 8513					
65/70	B,F,U,X	6	170,200	4 holes	1	C0DE 8507-A
70/	P		170,200		1	
71/	U	6	170		1	
65/	A	6	240	5 holes	1	C5AZ 8507-A
65/71	A,B,F,S	8	352,390, 428	2 holes	2	B8A 8507-A
65/68	A, B (Special)	8	406,427		2	
65	A,B,F,X "Before Chg/L#8"	8	260,289	9 holes-2 cutouts	1	C2OZ 8507-B
66	B,F,X-w/o T/E	8	289	Used with C5AZ 8501-B,K (aluminum)	1	
65	A,B,F,X "Chg/L#8"	8	289	9 holes-4 cutouts	1	C5AZ 8507-B
66	A,B,F,U,X with T/E	8	289		1	
66	A,B,F,U,X without T/E	8	289	Used with D3UZ 8501-A (cast iron)	1	
67/	A,B,F,P,U,X	8	289,302, 302 Spec.		1	
69/	A,B,F	8	351W		1	
70	B,F	8	351C	Not used-use 8513 gasket		★8507
68/	A,B,F,S	8	429,460		1	C8VZ 8507-A
72	S	8	400		1	D2SZ 8507-A
69/	B,F,P	6	250		1	C9DZ 8507-A
71/	L	4	98		1	D0RY 8507-A
71/	L	4	122		1	D1FZ 8507-A
	8508 COVER - WATER PUMP					
65/69	A,B,F,U,X	8	289,302	Oblong	1	C5AZ 8508-A
69	B,F	8	351		1	
70	F-Boss	8	302 Spec.		1	
70/	U	8	302		1	
65/71	A,B,F,S	8	352,390, 428	Round-w/6 tabs-Includes (1) C2AZ 8513-A gskt.	1	C2AZ 8508-A
65/68	A, B (Special)	8	427		1	
69	B,F	8	427		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8508 COVER - WATER PUMP - continued					
68/	A, B, F, S	8	429,460		1	C8SZ 8508-A
70/	A, B, F, P, X	8	302, 351W		1	D0OZ 8508-A
72	S	8	400	Reqd. between pump (8501) & block (6010)	1	D2SZ 8508-A
69	A, B, F, X, U	8	302	Bolt(cover to water pump hsg.)-5/16"-18 x .50"	2	372139-S(BB540)
70/	U	8	302		2	
65/71	A, S	8	352,390 427	Bolt(cover to pump hsg.)-5/16"-18 x .44"	6 6	359061-S8(BB531)
69	A, B, F	8	428		6	
72	A, B, F, P	8	302, 351W	Bolt(cover to pump)-5/16"-18 x 1/2"	4	382985-S2(BB427Z)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
	8509 PULLEY - WATER PUMP							
	- A -							
65	A (exc. A/C or 53, 55 amp. alt.)	6	240	#C5UE-A	1	6.98	1	C5AZ 8509-A
	A-A/C	6	240	#C5AE-E, F or C6AE-G	2	5.85	1	C6AZ 8509-G
	A-53, 55 amp. alternator	6	240	#C5AE 8509-D -r/b C8TZ 8509-C	2	7.00	1	★C5AZ 8509-F
	A-P/S or 42, 45 amp. alt. (exc. A/C)	8	289	#C5OE 8509-A-r/b C8OZ 8509-C	1	6.11	1	★C5AZ 8509-J
	A/C or 53, 55, 60 amp. alternator	8	289	#C6AE-A	2	5.82	1	C6AZ 8509-A
	A(exc. A/C, P/S or 53, 55, 60 amp. alt.)	8	352,390 exc.P/I	Used w/42, 45 amp. alternator	1	7.03	1	C5AZ 8509-G
	A- Integral A/C, P/S, X/C	8	352,390 exc.P/I	#C6AE-A	2	5.82	1	C6AZ 8509-A
	A- Integral A/C (w/ or w/o P/S)	8	390 P/I	#C7OE-A	2	4.36,	1	C7AZ 8509-B
	A- Hang-on A/C (w/or w/o P/S)	8	352,390 390 P/I			6.00	1	
	A-53, 55, 60 amp. alt. (except A/C)	8	352,390	R/b C8AZ 8509-B (8-74)	2	6.83	1	★C6AZ 8509-B
	A (except A/C)	8	390 P/I				1	
	A Special	8	427		1	7.32	1	B7A 8509-B
66	A-Std. (except A/C) w/o T/E	6	240		1	6.98	1	C5AZ 8509-A
	A- Integral A/C-with or w/o T/E	6	240	#C6AE 8509-D or G	2	5.84	1	C6AZ 8509-G
	A-Hang-on A/C-dlr. inst. w/o T/E	6	240	#C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	A-53, 55 amp. alternator w/o T/E	6	240	#C6AE 8509-C -r/b C8TZ 8509-A	2	7.10	1	★C6AZ 8509-K
	A-Std. (except A/C) w/T/E	6	240	#C6TE 8509-B	3	5.35 7.00	1	C6TZ 8509-B
	A-Std. or P/S (exc. A/C) w/o T/E	8	289	#C5OE 8509-A-r/b C8OZ 8509-C	1	6.11	1	★C5AZ 8509-J
	A- Integral A/C w/T/E	8	289	#C6OE 8509-B	2	5.34	1	C6AZ 8509-F
	A- Hang-on A/C-dlr. inst. w/oT/E	8	289	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	A-53, 55, 60 alternator w/o T/E	8	289				1	
	A- Integral A/C w/o T/E	8	289				1	
	A-Std., P/S, X/C, 55 alt. w/T/E	8	289	#C6OE -A, C7OE-A	3	4.36, 6.00	1	C7AZ 8509-B
	A-Std. (except A/C) w/o T/E	8	352,390 428 exc.P/I		1	7.03	1	C5AZ 8509-G
	A- Integral A/C-with or w/o T/E	8	352,390 428 exc.P/I	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	A- Hang-on -A/C-dlr. w/o T/E	8	352,390 428 exc.P/I	#C6AE 8509-F	2	6.23	1	C6AZ 8509-C

Identification marking

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
	8509 PULLEY - WATER PUMP - continued							
	-A-							
66	A-53,55,60 alt. w/o T/E	8	352,390, 428 exc.P/I	#C6AE 8509-E -r/b C8AZ 8509-B (8-74)	2	6.83	1	★C6AZ 8509-B
	A-Std., P/S, X/C, 53, 55, 60 alt. - w/T/E	8	352,390, 428 exc.P/I	#C6TE 8509-A	3	5.62 6.82	1	C6TZ 8509-A
	A	8	427	#ECG 8509-H	1	7.32	1	B7A 8509-B
	A- Integral A/C w/or w/o T/E- "From 2/14/66"	8	428P/I	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	A-Std. (except A/C)-w/o T/E- "From 2/14/66"	8	428 P/I				1	
	A-Hang-on-A/C w/o T/E	8	428 P/I	#C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	A- Integral A/C-w/or w/o T/E- "Before 2/14/66"	8	428 P/I				1	
	A-Std. (except A/C) w/o T/E "Before 2/14/66"	8	428 P/I	#C6AE 8509-E -r/b C8AZ 8509-B (8-74)	2	6.83	1	★C6AZ 8509-B
	A-Std. (except A/C) w/T/E	8	428 P/I	#C6AE 8509-J	3	5.68, 6.10	1	C6AZ 8509-D
67	A-Std. (except A/C or Super X/C)- w/o T/E	6	240		1	6.98	1	C5AZ 8509-A
	A - Integral A/C- with or w/o T/E	6	240	#C6AE 8509-D or G	2	5.84	1	C6AZ 8509-G
	A-(42, 53, 55 amp. alt. w/Super X/C), or Hang-on A/C w/o T/E	6	240				1	
	A-53, 55 amp. alternator (std. cooling & X/C) w/o T/E	6	240	#C6AE 8509-C -r/b C8TZ 8509-A	2	7.10	1	★C6AZ 8509-K
	A-Std. (exc. A/C)-w/T/E	6	240	#C6TE 8509-B	3	5.35, 7.00	1	C6TZ 8509-B
	A-Std. or P/S (exc. 53, 55, 60 alts. or A/C) w/o T/E	8	289	#C5OE 8509-A -r/b C8OZ 8509-C	1	6.11	1	★C5AZ 8509-J
	A-A/C w/T/E	8	289	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	A-53, 55, 60 alts., Super X/C or A/C w/o T/E	8	289				1	
	A-Std., P/S, X/C, 55 alt. (ex. w/T/E) (except A/C) "Before 11/14/66"	8	289	#C7OE 8509-A	3	4.36, 6.00	1	C7AZ 8509-B
	A-S/T(exc. A/C)-w/T/E- "From 11/14/66"	8	289	#C7OE 8509-A	3	4.36, 6.00	1	C7AZ 8509-B
	A-auto trans. -(exc. A/C)-w/T/E- "From 11/14/66"	8	289	#C7OE 8509-B	3	6.45	1	C7AZ 8509-E
	A-Std., X/C, with A/T & Imco	8	390,428	#ECG 8509-F	1	6.80	1	B7A 8509-C
	A-Std. & X/C w/o T/E w/Std. Ford alt.	8	390,428	#C6OE 8509-C	1	6 3/16	1	C6OZ 8509-A
	A-w/P/S w/o A/C	8	390,428	#ECG 8509-H	1	7 5/16	1	B7A 8509-B
	A-P/S (dlr. installed) w/o T/E	8	390,428 exc.P/I	Part of C7AZ 3A635-B	1	7.03	1	C5AZ 8509-G
	A-Std. (exc. A/C, 53, 55, 60 alts., or dlr. installed P/S) w/o T/E	8	390,428 exc.P/I		1	7.32	1	B7A 8509-B
	A - Integral A/C-with or w/o T/E	8	390,428 exc.P/I	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	A-Std. & X/C	8	390,428	#C6AE 8509-F	2	6 1/4	1	C6AZ 8509-C
	A-w/53, 55, 60, 65 amp. alt.	8	390,428				1	
	A-Hang-on A/C-dealer w/o T/E	8	390,428 exc.P/I				1	
	A-53, 55, 60 alternators w/o T/E	8	390,428 exc.P/I	#C6AE 8609-E-r/b C8AZ 8509-B (8-74)	2	6.83	1	★C6AZ 8509-B

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
	8509 PULLEY - WATER PUMP - continued							
	- A -							
67	A-Std., X/C	8	390,428	#C6AE 8509-J	3	5 11/16	1	C6AZ 8509-D
	A-w/T/E w/55, 65 GPD or 53, 60 amp. L/N alt.					6 1/8		
	A-Std., P/S, X/C, 53, 55,60 alts. - (exc. A/C or Super X/C) w/T/E	8	390,428 exc.P/I	#C6TE 8509-A	3	5.62 6.82	1	C6TZ 8509-A
	A-Super X/C w/T/E	8	390,428 exc.P/I	#C6ME 8509-A	3	5.69 5.87	1	C7MY 8509-A
	A	8	427	#ECG 8509-H	1	7.32	1	B7A 8509-B
	A-Std. (except A/C) w/o T/E	8	428P/I	#C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	A-Integral A/C - with or w/o T/E	8	428 P/I				1	
	A-Std., P/S, 53, 55, 60 alts. exc. A/C w/T/E	8	428P/I	#C6AE 8509-J	3	5.68, 6.10	1	C6AZ 8509-D
68	A-w/Imco w/o 55 amp. Ford alt.	6	240	#C5UE 8509-A	1	7	1	C5AZ 8509-A
	A-w/55 amp. alt. w/Imco	6	240	#C6AE 8509-C-r/b C8TZ 8509-A	2	7 1/8	1	★C6AZ 8509-K
	A-w/X/C & Std. alt. w/o P/S	6	240	#C8TE 8509-A	3	6 1/8	1	C8TZ 8509-A
	A-w/T/E, W/o A/C	6	240 exc.P/C			7	1	
	A-w/o A/C, w/Imco	8	302	#C8AE 8A528-F	1	6 7/16	1	C8OZ 8509-A
	A-w/A/C	8	302	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	A-w/55, 65 amp. Ford or 65 amp. L-N A/T w/P/S w/o A/C w/Imco	8	302	#C7OE 8509-D-r/b C7AZ 8509-E	2	6 7/16	1	★C8OZ 8509-B
	A-w/o A/C, w/T/E	8	302	#C7OE 8509-B	3	6 1/2	1	C7AZ 8509-E
	A-Std. & X/C w/o T/E-w/53, 55, 60 amp. alt.	8	390,428		2	6- 15/64	1	C6AZ 8509-C
	A-w/A/C	8	390,428				1	
	A-Std., P/S, X/C	8	390,428	#C8AE 8A528-B	1	7 1/4	1	C8AZ 8509-A
	A-Std. & X/C w/o T/E w/Std. Ford alt.	8	390,428	#C6OE 8509-C	1	6 3/16	1	C6OZ 8509-A
	A-w/A/C	8	390,428	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	A-Std. & X/C w/T/E w/55, 65 Ford or 53,60 amp. L/N alt. (Police Units)	8	390,428 exc.P/C		3	5 11/16 6 1/4	1	C6AZ 8509-D
	A-Std. & X/C w/42, 55, 65 amp. alt. w/T/E, w/o A/C (exc. Police Units)	8	390,428 exc.P/C	#C8AE 8509-C-repl. pulley I.D. C8AE 8509-D	3	6 1/4 7 1/8	1	C8AZ 8509-D
	A-w/o A/C	8	428P/C				1	
	A	8	427	#C8OE 8509-A	3	6	1	C8OZ 8509-C
69	A	6	240	#C5UE 8509-A	1	7	1	C5AZ 8509-A
	A-w/55 amp. alt.	6	240	#C6AE 8509-C -r/b C8TZ 8509-A	2	7 1/8	1	★C6AZ 8509-K
	A-Std.	8	302,351	#C8AE 8A528-F	1	6 7/16	1	C8OZ 8509-A
	A-w/A/C	8	302	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	A-w/P/S or w/H.D. alt.-w/o A/C	8	302,351	#C7OE 8509-D -r/b C7AZ 8509-E	2	6 7/16	1	★C8OZ 8509-B
	A-w/P/S & A/C	8	351	#C6OE 8509-B	2	5 3/8	1	C6AZ 8509-F
	A-Std.	8	390 exc.P/C	#C8AE 8A528-B	1	7 1/4	1	C8AZ 8509-A
	A-w/A/C, Imco	8	390	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	A-w/o A/C	8	390P/C	#C6TE 8509-C	2	6 1/8	1	C6TZ 8509-C
	A-w/55, 65 amp. alt.	8	390 exc.P/C	#C8AE 8509-A	2	7 1/4	1	C8AZ 8509-B
	A-Std.	8	428	#C8OE 8509-A	3	6	1	C8OZ 8509-C
	A-Std. cooling, Std. alt.	8	429		2	7 1/4	1	C9AZ 8509-B
	A-P/C-std., X/C	8	429	#C9SE 8509-A	2	6 5/16	1	C8VY 8509-B
	A-w/A/C	8	429	#C9AE 8509-E	3	6 3/4 5- 41/64	1	C9AZ 8509-C
	A-P/C-w/A/C	8	429	#C9AE 8509-G	3	6 1/4 6	1	C9AZ 8509-E

Identification marking

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
	8509 PULLEY - WATER PUMP - continued							
	- A -							
70	A	6	240	#C5UE 8509-A	1	7	1	C5AZ 8509-A
	A-w/55 amp. alternator - "Before 12/1/69"	6	240	#C6AE 8509-C-not used "From 12/1/69"-r/b C8TZ 8509-A	2	7 1/8	1	★C6AZ 8509-K
	A Std. pulley	8	302,351	#C9OE-E	1	6-61/64	1	C9OZ 8509-B
	A-w/P/S or 55 amp. alt.	8	302,351	#C9OE-G or D1AE-BA	1	6-61/64	1	C9OZ 8509-D
	A-w/X/C or A/C	8	351	#C9OE-F or D1AE-AA-r/b	1	5-15/16	1	★C9OZ 8509-C
	A-w/A/C	8	302	D2OZ 8509-A (12-74)			1	
	A(exc. P/C)-w/55 or 65 amp. alt. w/o A/C	8	390		2	7 1/4	1	C8AZ 8509-B
	A(exc. P/C)-w/A/C	8	390		2	6-15/64	1	C6AZ 8509-C
	A(P/C)-w/o A/C	8	390		2	6 1/8	1	C6TZ 8509-C
	A(P/C)-w/A/C	8	390		2	6 5/8	1	C8AZ 8509-C
	A-Std.	8	428	#C8OE 8509-A	3	6	1	C8OZ 8509-C
	A-w/o A/C	8	429		1	7	1	D0OZ 8509-A
	A-w/o A/C	8	429P/C		1	6 1/8	1	D0OZ 8509-H
	A-w/A/C	8	429P/C		2	6 1/8	1	D0SZ 8509-B
71	A-w/o A/C	6	240	#C5UE 8509-A	1	7	1	C5AZ 8509-A
	A-Std. pulley	8	302,351, 400	#C9OE 8509-E	1	6-61/64	1	C9OZ 8509-B
	A-w/A/C	8	302,351, 400	#C9OE-F or D1AE-AA-r/b D2OZ 8509-A (12-74)	1	5-15/16	1	★C9OZ 8509-C
	A-w/42 amp. alt.	8	390		1	7 1/4	1	C8AZ 8509-A
	A-w/idler pulley-w/o A/C	8	302,351	#C9OE-G or D1AE-BA	1	6-61/64	1	C9OZ 8509-D
	A-w/P/S-w/o A/C	8	302,351, 400				1	
	A(exc. P/C)-w/55 or 65 amp. alt. w/o A/C	8	390		2	7 1/4	1	C8AZ 8509-B
	A(P/C)-w/o A/C	8	390		2	6 1/8	1	C6TZ 8509-C
	A(P/C)-w/A/C	8	390		2	6 5/8	1	C8AZ 8509-C
	A(exc. P/C)-w/A/C	8	390		2	6-15/64	1	C6AZ 8509-C
	A-w/o A/C	8	429		1	7	1	D0OZ 8509-A
	A-w/o A/C	8	429 P/C		1	6 1/8	1	D0OZ 8509-H
	A-w/A/C	8	429 P/C		2	6 1/8	1	D0SZ 8509-B
	A-w/P/S & A/C	8	429				1	
72	A-w/o A/C	6	240	#C5UE 8509-A	1	7	1	C5AZ 8509-A
	A-w/o A/C & P/S	8	302,351, 400	#C9OE-8509-E	1	6-61/64	1	C9OZ 8509-B
	A-w/P/S-w/o A/C	8	302,400	#D1AE 8509-BA	1	6-61/64	1	C9OZ 8509-D
	A-w/P/S or idler pulley w/o A/C	8	351				1	
	A-w/A/C	8	351,400	#C9OE 8509-F or D1AE 8509-AA-r/b D2OZ 8509-A (12-74)	1	5-15/16	1	★C9OZ 8509-C
	A-w/P/S-w/o A/C	8	429	#D0OE 8509-A	1	7	1	D0OZ 8509-A
	A-w/idler pulley w/o A/C	8	429				1	
	A-Police cooling w/P/S-w/o A/C	8	429		1	6 1/8	1	D0OZ 8509-H
	A-w/P/S	8	429P/C				1	
	A-Police cooling-w/P/S & A/C	8	429, 429P/C		2	6 1/8	1	D0SZ 8509-B
	- B -							
65	B (except X/C or hang-on A/C)	6	200	1.87" depth	1	5.00	1	C3OZ 8509-B
	B- Hang-on A/C, (X/C-w/o P/S)	6	200		1	5.60	1	C0DE 8509-A
	B-A/C	6	200		2	5.00	1	C5DZ 8509-A
	B-X/C (with P/S & auto. trans.)	6	200		2	5.00	1	C5DZ 8509-A
	B-P/S or 38 amp. alternator	8	289	#C5OE 8509-A-r/b C8OZ 8509-C	1	6.11	1	★C5AZ 8509-J
	B-A/C, X/C, 53, 55 amp. alternators	8	289	#C6AE-A	2	5.82	1	C6AZ 8509-A

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

SECTION 85

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
	8509 PULLEY - WATER PUMP - continued							
	- B -							
66	B-Std. (exc. P/S, A/C, 53, 55 alt.)- w/o T/E	6	200		1	5.60	1	C0DE 8509-A
	B- Integral A/C- with or w/o T/E	6	200	#C5DE 8509-A	2	5.00	1	C5DZ 8509-A
	B- Hang-on A/C-dlr. w/o T/E	6	200				1	
	B-(P/S exc. A/C-factory, dlr.), 53, 55 alt. w/o T/E	6	200	#C4ZE 8509-A	2	5.64	1	C4DZ 8509-A
	B-Std. (P/S exc. A/C), X/C, 53, 55 amp. alt., Power fan w/T/E	6	200	#C4ZE 8509-A	2	5.64	1	C4DZ 8509-A
	B-Std., (P/S-factory, dlr. -exc. 55 amp. alternator) w/o T/E	8	289	#C5OE 8509-A-r/b C8OZ 8509-C	1	6.11	1	★C5AZ 8509-J
	B- Integral A/C-with or w/o T/E	8	289	With or w/o P/S-#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	B-55 amp. alternator w/o T/E	8	289				1	
	B- Hang-on A/C-dlr. w/o T/E	8	289				1	
	B-Std. (P/S exc. A/C), X/C, 55 alt., power fan w/T/E	8	289	#C6OE-A, C7OE-A	3	4.36 6.00	1	C7AZ 8509-B
	B-38 alt. (except A/C)-GT w/o T/E	8	390	#C6OE 8509-C	1	6.18	1	C6OZ 8509-A
	B-38 alt. (exc. A/C) w/o T/E	8	390	With or w/o P/S-used w/C5AZ 8600-G (4 blades)			1	
	except GT $							
	B-38 alt. with X/C (exc. A/C)- except GT-w/o T/E %	8	390	Used w/C6MY 8600-B (6 blades)			1	
	B-38 alt. (exc. A/C or X/C) w/o T/E	8	390	With or w/o P/S- #ECG 8509-H -	1	7.32	1	B7A 8509-B
	except GT %			used w/C6MY 8600-B(6 blades)				
	B- Integral A/C with or w/o T/E	8	390	With or w/o P/S-#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	B-53,55 amp. alt. -w/o T/E $	8	390	With or w/o P/S-#C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	B-53, 55 alt. (exc. A/C)-GT w/o T/E %	8	390				1	
	B-53, 55 alt. with X/C w/o T/E	8	390				1	
	(exc. A/C)-except GT- %							
	B- Hang-on A/C w/o T/E	8	390				1	
	B-53, 55 alt. w/Std. cool. w/o T/E	8	390	#C6OE 8509-D	2	7.35	1	C6AZ 8509-M
	(exc. A/C)-except GT- %							
	B- Std. cool. with or w/o P/S, 53, 55 alt., power fan (exc. X/C, A/C)- except GT-w/T/E %	8	390	#C6OE 8509-E	3	5.56 7.22	1	C6AZ 8509-P
	B(Std. exc. A/C) (P/S w/o A/C), X/C, 53, 55 alt., (Power fan-exc. GT)-w/T/E $	8	390	#C6AE 8509-J	3	5.68 6.10	1	C6AZ 8509-D
	B-X/C with or w/o P/S, 53, 55 alt., power fan (exc. A/C)-except GT- w/T/E %	8	390				1	
67	B-Std. (exc. A/C, P/S, 53, 55 alt.) w/o T/E	6	200		1	5.60	1	C0DE 8509-A
	B-auto. trans. w/Imco (exc. A/C)- w/T/E "From 11/14/66"	6	200				1	
	B-A/C with or w/o T/E	6	200	# C5DE 8509-A	2	5.00	1	C5DZ 8509-A
	B-Std., P/S, X/C, power fan, 53 alt. w/T/E "Before 11/14/66"	6	200	#C4ZE 8509-A	2	5.64	1	C4DZ 8509-A
	B (exc. auto. trans. w/Imco or A/C)- w/T/E "From 11/14/66"	6	200				1	
	B-P/S, (53,55 alts. w/o P/S)-w/o T/E	6	200				1	
	B-Std., P/S, Integral A/C w/o T/E	8	289	#C5OE 8509-A -r/b C8OZ 8509-C	1	6.11	1	★ C5AZ 8509-J
	B- Hang-on A/C w/o T/E	8	289	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	B-A/C, 55 alternator w/T/E	8	289				1	

Identification marking $ "Before 1/28/66" % "From 1/28/66"

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
	8509 PULLEY - WATER PUMP - continued							
	- B -							
67	B-Std. P/S, X/C, power fan w/T/E "Before 11/14/66"	8	289	$C7OE 8509-A	3	4.36 6.00	1	C7AZ 8509-B
	B-S/T (exc. auto. trans., A/C, 55 alt.)-w/T/E "From 11/14/66"	8	289				1	
	B-auto. trans. (except A/C-w/T/E) "From 11/14/66"	8	289	#C7OE 8509-B	3	6.45	1	C7AZ 8509-E
	B-Std. -GT w/o T/E	8	390	#C6OE 8509-C	1	6.18	1	C6OZ 8509-A
	B-X/C-except GT w/o T/E	8	390	#C6OE 8509-C	1	6.18	1	C6OZ 8509-A
	B-P/S w/o A/C-dlr. inst. w/o T/E	8	390				1	
	B-Std. -except GT w/o T/E	8	390	#ECG 8509-H	1	7.32	1	B7A 8509-B
	B-P/S with A/C-dlr. inst. w/o T/E	8	390	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	B- Integral A/C- with or w/o T/E "Before 1/9/67"	8	390	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	B-Integral A/C- w/T/E "From 1/9/67"	8	390	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	B- Integral A/C-exc. GT w/o T/E "From 1/9/67"	8	390	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	B-Integral A/C-GT w/o T/E "From 1/9/67"	8	390	#C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	B-Hang-on A/C w/o T/E	8	390	#C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	B-53, 55 alt. -GT w/o T/E	8	390	#C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	B-53,55 alt. w/X/C-exc. GT-w/o T/E	8	390	#C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	B-53,55 alt. w/o X/C-exc. GT -w/o T/E	8	390	#C6OE 8509-D	2	7.35	1	C6AZ 8509-M
	B-Std. cool., w/or w/o P/S, 53 alt., power fan-except GT w/T/E	8	390	#C6TE 8509-A	3	5.62 6.82	1	C6TZ 8509-A
	B-Std., P/S, X/C, 53 alt. -GT w/T/E	8	390	#C6AE 8509-J	3	5.68 6.10	1	C6AZ 8509-D
	B-X/C, power fan, 53 alt. -except GT w/T/E	8	390	#C6AE 8509-J	3	5.68 6.10	1	C6AZ 8509-D
	B-Std. (53, 55, 65 alts. w/o A/C) with A/T and Imco	8	390	#C6AE 8509-E -r/b C8AZ 8509-B (8-74)	2	6.83	1	★C6AZ 8509-B
	B-Std., X/C-with A/T and Imco	8	390	#ECG 8509-C	1	6.80	1	B7A 8509-C
	B	8	427	#C6OE 8509-C	1	6.18	1	C6OZ 8509-A
68	B-w/std. alt. w/o A/C	6	200	#C0DE 8509-A	1	5 5/8	1	C0DE 8509-A
	B-w/55 amp. alt. w/Imco w/o A/C, w/std. & 55 amp. alt. w/T/E w/o A/C	6	200	#C4ZE 8509-A	2	5 5/8	1	C4DZ 8509-A
	B-w/A/C or P/F w/T/E or Imco	6	200	#C4GE 8509-K	2	5	1	C5AZ 8509-K
	B-w/o P/S, w/o A/C, w/Imco	8	289,302	#C8AE 8A528-F	1	6 7/16	1	C8OZ 8509-A
	B-w/P/S or 55 amp. A/T w/o A/C w/Imco	8	289,302	#C7OE 8509-D -r/b C7AZ 8509-E	2	6 7/16	1	★C8OZ 8509-B
	B-w/A/C	8	289,302	#C6TE 8509-C	2	6 1/8	1	C6TZ 8509-C
	B-with T/E	8	289		3	6.45	1	C7AZ 8509-E
	B-without A/C (except GT Models)	8	390	#C8AE 8509-C	1	6 17/64 7 7/64	1	C8AZ 8509-D
	B-w/o 55 amp. alt. w/o A/C, w/Imco	8	390 2V	#C8AE 8A528-A	1	7 1/4	1	C8AZ 8509-A
	B-w/55 amp. alt. w/o A/C, w/Imco	8	390 2V	#C8AE 8509-A	2	7 1/4	1	C8AZ 8509-B
	B-with A/C	8	390	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	B-without A/C, with T/E	8	390 2V	#C8OE 8509-A	3	6	1	C8OZ 8509-C
	B-without A/C (GT models)	8	390 4V				1	
	B	8	427				1	
	B-without A/C	8	428CJ				1	
69	B-without A/C	6	250	#C9ZE 8A528-C	1	6.70	1	C9ZZ 8509-B
	B-w/A/C	6	250	#C9ZE-A or B	2	5 29/32	1	C9ZZ 8509-A
	B-Std.	8	302,351	#C8AE 8A528-F	1	6 7/16	1	C8OZ 8509-A
	B-w/P/S w/o A/C	8	302,351	#C7OE 8509-D-r/b C7AZ 8509-E	2	6 7/16	1	★C8OZ 8509-B

$ Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
	8509 PULLEY - WATER PUMP - continued							
	- B -							
69	B-w/A/C	8	302,351	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	B-Std. & X/C "Before 1/6/69"	8	390 GT	R/b C8OZ 8509-C	1	6 1/8	1	★C5AZ 8509-J
	B-Std. & X/C "From 1/6/69"	8	390 GT	#C8AE 8A528-B	1	7 1/4	1	C8AZ 8509-A
	B-w/A/C	8	390GT, 428 CJ	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	B-Std.	8	428 CJ	#C8AE 8509-C	3	6 17/64, 7 7/64	1	C8AZ 8509-D
70	B	6	250	#C9ZE 8A528-C	1	6.70	1	C9ZZ 8509-B
	B-w/A/C	6	250	#C9ZE-A or B	2	5 29/32	1	C9ZZ 8509-A
	B-Std. pulley	8	302, 351	#C9OE-E	1	6-61/64	1	C9OZ 8509-B
	B-w/P/S or 55 amp. alt.	8	302,351	#C9OE-G or D1AE-BA	1	6 61/64	1	C9OZ 8509-D
	B-w/o A/C "Before 5/11/70"	8	429-exc. S/CJ		1	7	1	D0OZ 8509-A
	B-w/o A/C "From 5/11/70"	8	429-exc. S/CJ		1	6 1/2	1	D0SZ 8509-A
	B-w/A/C "Before 5/11/70"	8	429, 429CJ		2	6 1/8	1	D0SZ 8509-B
	B-w/A/C "From 5/11/70"	8	429		2	6 3/8 & 5 3/8	1	D0OZ 8509-K
	B-w/A/C "From 5/11/70"	8	429CJ		2	6 3/8 & 5 11/16	1	D0OZ 8509-L
	B	8	429-S/CJ	Repl. pulley Ident. D0OE-J	2	5 27/32 &6 9/16	1	D0OZ 8509-M
71	B	6	250	#D1OE 8A528-AA	1	6 11/16	1	D1OZ 8509-A
	B-w/A/C	6	250	#D1OE-AA	2	5 7/8	1	D1OZ 8509-B
	B-Std. pulley	8	302,351	#C9OE-E	1	6 61/64	1	C9OZ 8509-B
	B-w/A/C	8	302,351	#C9OE-F or D1AE-AA - r/b D2OZ 8509-A (12-74)	1	5 15/16	1	★C9OZ 8509-C
	B-w/idler pulley-w/o A/C or w/P/S w/o A/C	8	302,351	#C9OE-G or D1AE-BA	1	6 61/64	1	C9OZ 8509-D
	B-w/o A/C	8	429, 429 CJ	#D0SE-A	1	6 1/2	1	D0SZ 8509-A
	B-w/A/C & P/S-w/55 amp. alt.	8	429CJ		2	6 3/8 & 5 11/16	1	D0OZ 8509-L
72	B-w/o A/C	6	250	#D1OE 8A528-AA	1	6-11/16	1	D1OZ 8509-A
	B-w/ integral A/C	6	250	#D2OE-BA	2	6-7/16	1	D2OZ 8509-B
	B-w/ hang-on A/C	6	250				1	D2OZ 8509-C
	B-w/o A/C-w/o P/S-w/o idler pulley	8	302,351, 400	#C9OE-E	1	6-61/64	1	C9OZ 8509-B
	B-w/A/C	8	351CJ	R/b D2OZ 8509-A (12-74)	1	5 15/16	1	★C9OZ 8509-C
	B-w/A/C	8	302,351-2/B,400	#D2OE-AA	1	6-7/32	1	D2OZ 8509-A
	B-w/P/S-w/o A/C	8	302,351, 400	#D1AE-BA	1	6-61/64	1	C9OZ 8509-D
	B-w/idler w/o A/C	8	302,351				1	
	B-w/idler pulley w/o A/C or w/o idler pulley w/o A/C	8	429		1	7	1	D0OZ 8509-A
	B-w/A/C	8	429		2	6 1/8	1	D0SZ 8509-B
	B-Std.	8	429P/C		1	6 1/8	1	D0OZ 8509-H

Identification marking

8509 PULLEY - WATER PUMP - continued

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
	- F -							
65	F (except A/C or P/S)	6	170		1	5.60	1	C0DE 8509-A
	F-P/S (except with A/C)	6	170		2	5.64	1	C4DZ 8509-A
	F (except A/C or P/S)	6	200		1	5.00	1	C3OZ 8509-B
	F-P/S (except with A/C)	6	200		2	4.98	1	C5AZ 8509-K
	F-A/C (with or without P/S)	6	200		2	5.00	1	C5DZ 8509-A
	F-units w/generators-exc. A/C,X/C	8	260,289		1	5.82	1	C2OZ 8509-A
	F-units w/generators-A/C or X/C	8	260,289	Used with or w/o P/S	2	5.40	1	C2OZ 8509-B
	F-units w/alternators-exc. A/C,X/C	8	289	#C5OE 8509-A -r/b C8OZ 8509-C	1	6.11	1	★C5AZ 8509-J
	F-units w/alternators-with A/C	8	289	w/or w/o P/S-#C6AE-A	2	5.82	1	C6AZ 8509-A
66	F-Std. (exc. P/S, A/C) w/o T/E	6	200		1	5.60	1	C0DE 8509-A
	F- Hang-on A/C with or w/o T/E	6	200	#C5DE 8509-A	2	5.00	1	C5DZ 8509-A
	F-Std. (exc. A/C),(P/S-factory)-X/C w/T/E	6	200	#C4ZE 8509-A-for air pump drive pulley-see Group 9B464	2	5.64	1	C4DZ 8509-A
	F-P/S-factory, dlr. w/o T/E	6	200				1	
	F-Std.,(P/S exc. A/C) w/o T/E	8	289	#C5OE 8509-A-r/b C8OZ 8509-C	1	6.11	1	★C5AZ 8509-J
	F-Hang-on A/C with or w/o T/E	8	289	#C6OE 8509-B	2	5.34	1	C6AZ 8509-F
	F-Std., P/S, X/C w/T/E	8	289	#C6OE-A, C7OE-A	3	4.36 6.00	1	C7AZ 8509-B
67	F-Std. (exc. P/S, A/C) w/o T/E	6	200		1	5.60	1	C0DE 8509-A
	F-auto. trans. w/Imco w/T/E (exc. A/C) 'From 11/14/66"	6	200				1	
	F-A/C with or w/o T/E	6	200	#C5DE 8509-A	2	5.00	1	C5DZ 8509-A
	F-P/S w/o T/E	6	200	#C4ZE 8509-A	2	5.64	1	C4DZ 8509-A
	F-Std. (exc. A/C), P/S, X/C-w/T/E ♦	6	200				1	
	F-S/T(exc. A/C) w/T/E †	6	200				1	
	F-Std., P/S (exc. A/C) w/o T/E	8	289	#C5OE 8509-A-r/b C8OZ 8509-C	1	6.11	1	★C5AZ 8509-J
	F-A/C w/ & w/o T/E	8	289	#C6OE 8509-B	2	5.34	1	C6AZ 8509-F
	F-Special w/T/E	8	289	#C7OE 8509-A	3	4.36 6.00	1	C7AZ 8509-B
	F-Std., P/S, X/C-w/T/E ♦	8	289	#C6OE-A, C7OE-A	3	4.36 6.00	1	C7AZ 8509-B
	F-S/T(exc. auto. trans., A/C, Spec.)-w/T/E ⊕	8	289				1	
	F-auto. trans. w/T/E exc. A/C, Spec.) ⊕	8	289	#C7OE 8509-B	3	6.45	1	C7AZ 8509-E
	F-Std., P/S(exc. A/C) w/o T/E	8	390	#C6OE 8509-C	1	6.18	1	C6OZ 8509-A
	F-Integral A/C w/ or w/o T/E †	8	390	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	F-Integral A/C w/T/E ‡	8	390				1	
	F-Integral w/o T/E ‡	8	390	#C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	F-Hang-on w/ or w/o T/E	8	390				1	
	F-Std., P/S, X/C w/T/E	8	390	#C6AE 8509-J	3	5.68 6.10	1	C6AZ 8509-D
68	F-w/o A/C w/Imco	6	200	#C0DE 8509-A	1	5 5/8	1	C0DE 8509-A
	F-w/o A/C, w/ T/E	6	200	#C4ZE 8509-A	1	5 5/8	1	C4DZ 8509-A
	F-w/A/C	6	200	#C4GE 8509-A	2	5	1	C5AZ 8509-K
	F-High Performance	8	289 GT	#C7OE 8509-B	3	6 1/2	1	C7AZ 8509-E
	F(except High Performance) w/T/E w/o A/C	8	289,302				1	
	F-w/T/E or Imco w/A/C	8	289-2V 302	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	F-w/A/C	8	390		2	5 7/8	1	

Identification marking ♦ "Before 11/14/66" ⊕ "From 11/14/66" † "Before 1/9/67" ‡ "From 1/9/67"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
	8509 PULLEY - WATER PUMP - continued							
	- F -							
68	F-w/o A/C	8	390	#C8OE 8509-A	3	6	1	C8OZ 8509-C
	F	8	427				1	
	F-w/o A/C	8	428CJ				1	
69	F-w/o A/C	6	200	#C0DE 8509-A	1	5 5/8	1	C0DE 8509-A
	F-w/A/C	6	200	#C4GE 8509-A	2	5	1	C5AZ 8509-K
	F-w/o A/C	6	250	#C9ZE 8A528-C	1	6.70	1	C9ZZ 8509-B
	F-w/A/C	6	250	#C9ZE-A or B	2	5 29/32	1	C9ZZ 8509-A
	F(exc. Boss)-Std.	8	302-2V, 351	#C8AE 8A528-F	1	6 7/16	1	C8OZ 8509-A
	F(exc. Boss)w/A/C	8	302-2V, 351, 390 GT, 428 CJ	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	F(exc. Boss)w/P/S, w/o A/C	8	302-2V 351	#C7OE 8509-D-r/b C7AZ 8509-E	2	6 7/16	1	★C8OZ 8509-B
	F-Boss	8	302-4V	#C7OE 8509-B	3	6 1/2	1	C7AZ 8509-E
	F-Std. & X/C "Before 2/17/69"	8	390 GT	R/b C8OZ 8509-C	1	6 1/8	1	★C5AZ 8509-J
	F-Std. & X/C "From 2/17/69"	8	390 GT	#C8AE 8A528-B	1	7 1/4	1	C8AZ 8509-A
	F-Std.	8	428 CJ	#C8AE 8509-D	3	6 17/64, 7 7/64	1	C8AZ 8509-D
	F-Boss	8	429	#C9AE 8509-H	2	6 3/4 7 1/4	1	C9AZ 8509-D
70	F-w/o A/C	6	200	#C0DE 8509-A	1	5 5/8	1	C0DE 8509-A
	F-w/A/C	6	200	#C4GE 8509-A	2	5	1	C5AZ 8509-K
	F	6	250	#C9ZE 8A528-C	1	6.70	1	C9ZZ 8509-B
	F-Std. pulley	8	302, 351	#C9OE-E	1	6-61/64	1	C9OZ 8509-B
	F-w/P/S	8	302, 351	#C9OE-G or D1AE-BA	1	6-61/64	1	C9OZ 8509-D
	F-w/A/C	8	428CJ	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
	F-Std. & X/C "Before 9/1/69"	8	428CJ	#C8AE 8509-D	3	6 17/64, 7 7/64	1	C8AZ 8509-D
	F-Std. & X/C "From 9/1/69"	8	428CJ	#C8DE 8509-A	3	6	1	C8OZ 8509-C
	F	8	428 Super CJ				1	
	F-Boss	8	429 Spec.	#C9AE 8509-H	2	6 3/4 7 1/4	1	C9AZ 8509-D
71	F-w/o A/C	6	250	#D1OE 8A528-AA	1	6 11/16	1	D1OZ 8509-A
	F-w/A/C	6	250	#D1OE 8509-AA	2	5 7/8	1	D1OZ 8509-B
	F-Std. pulley	8	302,351	#C9OE-E	1	6 61/64	1	C9OZ 8509-B
	F-Boss-Std. cooling w/o P/S	8	351 Spec.				1	
	F-Boss	8	302Spec.				1	
	F-w/A/C	8	302,351	#C9OE-F or D1AE-AA - r/b D2OZ 8509-A (12-74)	1	5 15/16	1	★C9OZ 8509-C
	F-w/idler pulley w/o A/C or w/P/S-w/o A/C	8	302,351	#C9OE-G or D1AE-BA	1	6 61/64	1	C9OZ 8509-D
	F-Boss-Std. cooling w/P/S	8	351Spec.				1	
	F-w/A/C & P/S-w/55 amp. alt.	8	429CJ		2	6 3/8 5 11/16	1	D0OZ 8509-L
	F-Std. cooling w/55 amp. alt.	8	429CJ		1	6 1/2	1	D0SZ 8509-A
	F-w/o A/C	8	429		2	5 27/32 6 9/16	1	D0OZ 8509-M
72	F-w/o A/C	6	250	#D1OE 8A528-AA	1	6 11/16	1	D1OZ 8509-A
	F-w/integral A/C	6	250	#D1OE 8509-AA	2	5 7/8	1	D1OZ 8509-B
	F-w/hang on A/C	6	250				1	D2OZ 8509-C
	F-Std. pulley	8	302,351	#C9OE-E	1	6 61/64	1	C9OZ 8509-B
	F-w/P/S w/o A/C or w/idler pulley w/o A/C	8	302,351	#D1AE-BA	1	6 61/64	1	C9OZ 8509-D
	F-w/A/C	8	302,351	#C9OE-F or D1AE-AA - r/b D2OZ 8509-A (12-74)	1	5 15/16	1	★C9OZ 8509-C

Identification marking

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
	8509 PULLEY - WATER PUMP - continued							
	- L -							
71/	L	4	122	Replaces single sheave pulley	2		1	D1FZ 8509-A
	L	4	98		1	3 15/16	1	D1FZ 8509-B
72	L-w/hang-on A/C	4	122				1	D2FZ 8509-A
	- P -							
70	P(S/T)-w/o A/C	6	170		1	5	1	C3OZ 8509-B
	P(A/T)-w/o A/C	6	170		1	5 5/8	1	C0DE 8509-A
	P-w/o A/C	6	200				1	
	P-w/A/C	6	170,200		2	5	1	C5AZ 8509-K
	P-w/A/C	6	250	#C9ZE-A or B	2	5 29/32	1	C9ZZ 8509-A
	P-w/o A/C	6	250	#C9ZE 8A528-A or C	1	6 11/16	1	C9ZZ 8509- B
71	P-w/o A/C	6	170		1	5	1	C3OZ 8509-B
	P-w/o A/C w/o P/S	6	200		1	5 5/8	1	C0DE 8509-A
	P-w/A/C	6	200		2	5	1	C5AZ 8509-K
	P- w/o A/C	6	250	#D1OE 8A528-AA	1	6 11/16	1	D1OZ 8509-A
	P-w/A/C	6	250	#D1OE 8509-AA	2	5 7/8	1	D1OZ 8509-B
	P-w/o P/S	8	302	#C9OE-E	1	6 61/64	1	C9OZ 8509-B
	P-w/P/S w/o A/C	8	302	#C9OE-G or D1AE-BA	1	6 61/64	1	C9OZ 8509-D
72	P-w/o A/C	6	170		1	5	1	C3OZ 8509-B
	P-w/hang-on A/C	6	170,200				1	D2DZ 8509-A
	P-w/o A/C	6	200		1	5 5/8	1	C0DE 8509-A
	P-w/integral A/C	6	200		2	5	1	C5AZ 8509-K
	P-w/o A/C	6	250	#D1OE 8A528-AA	1	6 11/16	1	D1OZ 8509-A
	P-w/hang-on A/C	6	250				1	D2OZ 8509-C
	P-w/integral A/C	6	250	#D1OE 8509-AA	2	5 7/8	1	D1OZ 8509-B
	P-Std. pulley	8	302	#C9OE-E	1	6 61/64	1	C9OZ 8509-B
	P-w/P/S w/o A/C	8	302	#D1AE-BA	1	6 61/64	1	C9OZ 8509-D
	P-w/A/C	8	302	#C9OE-F or D1AE-AA-r/b D2OZ 8509-A (12-74)	1	5 15/16	1	★C9OZ 8509-C
	- S -							
65	S (except A/C)	8	390		1	7.32	1	B7A 8509-B
	S-A/C-with or without P/S	8	390		2	6.20	1	C7AZ 8509-B
66	S (except A/C) w/o T/E	8	390,428		1	7.03	1	C5AZ 8509-G
	S- Integral A/C w/T/E	8	390,428	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	S- Integral A/C w/o T/E	8	390,428	#C6AE 8509-F	2	6.23	1	C6AZ 8509-C
	S-Std., X/C (except A/C) w/T/E	8	390,428	#C6TE 8509-A	3	5.62 6.82	1	C6TZ 8509-A
67	S (except A/C) w/o T/E	8	390,428	#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	S- Integral A/C with or w/o T/E	8	390,428				1	
	S-Std., X/C(except A/C)-with T/E	8	390,428	#C6ME 8509-A	3	5.69 5.87	1	C7MY 8509-A
68	S-w/o A/C	8	429	#C8VY 8509-A	1	6 21/64	1	C8VY 8509-B
	S-w/A/C "Before 12/26/67"	8	429	#C8SE 8509-C	3	6	1	C8SZ 8509-B
	S-w/A/C "From 12/26/67"	8	429	#C8SE 8509-F	3	5.51 5.93	1	C8SZ 8509-C
69	S-w/o A/C	8	429	#C9SE 8509-A	2	6.31	1	C8VY 8509-B
	S-w/A/C	8	429		3	5 5/8 5 15/16	1	C8SZ 8509-D
70	S-w/o A/C	8	429		1	7	1	D0OZ 8509-A
	S-w/A/C	8	429		2	6 1/8	1	D0SZ 8509-B
71	S-w/o A/C	8	429		1	7	1	D0OZ 8509-A
	S-w/A/C	8	429		2	6 1/8	1	D0SZ 8509-B
72	S	8	400		1	6 7/32	1	D2OZ 8509-A
	S-w/o A/C	8	429		1	7	1	D0OZ 8509-A
	S-w/A/C	8	429	#D2SE-AA	2	6 & 6 1/8	1	D2SZ 8509-A
	S	8	460				1	

Identification marking

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
	8509 PULLEY - WATER PUMP - continued							
	- U -							
66	U -w/o T/E	6	170		1	5 5/8	1	C0DE 8509-A
	U -with T/E	6	170	#C4ZE 8509-A	2	5 5/8	1	C4DZ 8509-A
	U -w/or w/o T/E	8	289	#C6TE 8509-C	2	6 1/8	1	C6TZ 8509-C
67	U -w/o T/E	6	170		1	5 5/8	1	C0DE 8509-A
	U -with T/E	6	170	#C4ZE 8509-A	2	5 5/8	1	C4DZ 8509-A
	U	8	289	#C5OE 8509-A-r/b C8OZ 8509-C	1	6 1/8	1	★C5AZ 8509-J
68	U -with T/E	6	170	#C4ZE 8509-A	2	5 5/8	1	C4DZ 8509-A
	U	8	289	#C8OE 8A528-A	1	6 1/8	1	C8OZ 8509-D
69	U	6	170		1	5 5/8	1	C0DE 8509-A
	U	6	170	#C4ZE 8509-A	2	5 5/8	1	C4DZ 8509-A
	U	8	302	#C8OE 8A528-A	1	6 1/8	1	C8OZ 8509-D
	U	8	302	#C6TE 8509-C	2	6 5/8	1	C6TZ 8509-C
70/	U	6	170		1	5 5/8	1	C0DE 8509-A
	U	8	302	#C8OE 8A528-A	1	6 1/8	1	C8OZ 8509-D
	- X -							
65	X (except A/C or P/S)	6	200		1	5.00	1	C3OZ 8509-B
	X-P/S (except A/C)	6	200	(2) 3/8" sheaves	2	4.98	1	C5AZ 8509-K
	X (except A/C or P/S)	6	170		1	5.60	1	C0DE 8509-A
	X-P/S (except A/C)	6	170	(2) 3/8" sheaves	2	5.64	1	C4DZ 8509-A
	X-A/C (with or without P/S)	6	170,200	(1) 1/2" sheave, (1) 3/8" sheave	2	5.00	1	C5DZ 8509-A
	X (except A/C or X/C)	8	289	#C5OE 8509-A-r/b C8OZ 8509-C	1	6.11	1	★C5AZ 8509-J
	X-A/C, X/C	8	289	#C6AE-A	2	5.82	1	C6AZ 8509-A
66	X-Std. (exc. P/S, A/C) w/o T/E	6	170,200		1	5.60	1	C0DE 8509-A
	X- Integral A/C with or w/o T/E	6	170,200	With or w/o P/S-#C5DE 8509-A	2	5.00	1	C5DZ 8509-A
	X- Hang-on A/C w/o T/E	6	170,200	#C5DE 8509-A	2	5.00	1	C5DZ 8509-A
	X-P/S-w/o A/C w/o T/E	6	170,200	#C4ZE 8509-A	2	5.64	1	C4DZ 8509-A
	X-Std., (P/S exc. A/C), X/C w/T/E	6	170,200				1	
	X-Std., (P/S exc. A/C) w/o T/E	8	289	#C5OE 8509-A-r/b C8OZ 8509-C	1	6.11	1	★C5AZ 8509-J
	X- Hang-on A/C-dlr. w/o T/E	8	289	With or w/o P/S-#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	X- Integral A/C with or w/o T/E	8	289				1	
	X-Std., (P/S exc. A/C), X/C-w/T/E	8	289	#C6OE-A, C7OE-A	3	4.36 6.00	1	C7AZ 8509-B
67	X-Standard w/o T/E	6	170,200		1	5.60	1	C0DE 8509-A
	X-auto. trans. w/Imco (exc. A/C)- W/T/E "From 11/14/66"	6	170,200				1	
	X-A/C with or w/o T/E	6	170,200	With or w/o P/S-#C5DE 8509-A	2	5.00	1	C5DZ 8509-A
	X-P/S, (53,55 alt. w/o P/S) w/o T/E	6	170,200	#C4ZE 8509-A	2	5.64	1	C4DZ 8509-A
	X-Std., P/S, X/C w/T/E "Before 11/14/66"	6	170,200				1	
	X-S/T (exc. A/C) w/T/E "From 11/14/66"	6	170,200	#C4ZE 8509-A	2	5.64	1	C4DZ 8509-A
	X-Std., (P/S exc. A/C) w/o T/E	8	289	#C5OE 8509-A-r/b C8OZ 8509-C	1	6.11	1	★C5AZ 8509-J
	X-A/C with or w/o T/E	8	289	With or w/o P/S-#C6AE 8509-A	2	5.86	1	C6AZ 8509-A
	X-Std., (P/S exc. A/C), X/C w/T/E "Before 11/14/66"	8	289	#C7OE 8509-A	3	4.36 6.00	1	C7AZ 8509-B
	X-S/T (exc. auto. trans., A/C)- w/T/E "From 11/14/66"	8	289				1	
	X-auto. trans. (exc. A/C) w/T/E "From 11/14/66"	8	289	#C7OE 8509-B	3	6.45	1	C7AZ 8509-E

$ Identification marking

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	NO. OF SHEAVES	O.D.	QTY.	PART NUMBER
	8509 PULLEY - WATER PUMP - continued							
	- X -							
68	X-w/T/E	6	170	#C5UE 8509-A	1	7	1	C5AZ 8509-A
	X-w/Imco w/o A/C, P/F w/55 amp. alt.	6	200	#C0DE 8509-A	1	5 5/8	1	C0DE 8509-A
	X-w/T/E w/o A/C X-w/Imco w/55 amp. alt. w/o A/C	6 6	200 200	#C5UE 8509-A	1	7	1	C5AZ 8509-A
	X-w/A/C	6	200	#C4GE 8509-A	2	5	1	C5AZ 8509-K
	X-w/o A/C, w/T/E	6	200	#C4ZE 8509-A	2	5 5/8	1	C4DZ 8509-A
	X-w/o P/S, w/o A/C, w/Imco	8	289,302	#C8AE 8A528-F	1	6 7/16	1	C8OZ 8509-A
	X-w/A/C, w/T/E	8	289,302	#C6TE 8509-C	2	6 1/8	1	C6TZ 8509-C
	X-w/P/S or 55 amp. A/T-w/o A/C	8	289,302	#C7OE 8509-D-r/b C7AZ 8509-E	2	6 7/16	1	★C8OZ 8509-B
	X-w/o A/C w/T/E w/Imco	8	289,302	#C7OE 8509-B	3	6 1/2	1	C7AZ 8509-E
69	X-w/o A/C	6	170,200	#C0DE 8509-A	1	5 5/8	1	C0DE 8509-A
	X-w/A/C	6	170,200	#C4GE 8509-A	2	5	1	C5AZ 8509-K
	X-Std.	8	302	#C8AE 8A528-F	1	6 7/16	1	C8OZ 8509-A
	X-w/A/C	8	302	#C6AE 8509-A	2	5 7/8	1	C6AZ 8509-A
70	X-w/o A/C	6	200	#C0DE-A	1	5 5/8	1	C0DE 8509-A
	X-w/ A/C	6	200	#C4GE-A	2	5	1	C5AZ 8509-K
	X-Std. pulley	8	302	#C9OE-E	1	6-61/64	1	C9OZ 8509-B
	X-w/A/C	8	302	#C9OE-For D1AE-AA-r/b D2OZ 8509-A (12-74)	1	5-15/16	1	★C9OZ 8509-C
	X-w/P/S	8	302	#C9OE-G or D1AE-BA	1	6-61/64	1	C9OZ 8509-D

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8512 IMPELLER - WATER PUMP					
	- A -					
65/67	A	8	352,390, 427,428		1	C3AZ 8512-E
	A	8	289		1	C4OZ 8512-C
68	A	8	427, 428 P/C		1	C8AZ 8512-A
	A	8	390,428 exc.P/C		1	C3AZ 8512-E
65/	A	6	240	3.88" O.D. -.90"depth	1	C5AZ 8512-A
68/69	A	8	302		1	C4OZ 8512-C
69	A	8	351		1	C4OZ 8512-C
	A	8	390		1	C3AZ 8512-E
	A	8	428		1	C8AZ 8512-A
	A	8	429		1	C8VZ 8512-A
70	A	8	302 351	3 15/16" O.D. -1 13/32" depth	1	D0OZ 8512-A
	A	8	390	4 19/32" O.D. -27/32" depth	1	D0AZ 8512-B
	A	8	428P/C	3 3/4" O.D. -27/32" depth	1	D0AZ 8512-A
	A	8	429		1	C8VZ 8512-A
71/	A	8	302, 351C,W		1	D0OZ 8512-A
	A	8	390		1	D0AZ 8512-B
	A	8	400		1	D0OZ 8512-A
	A	8	429	4.60" O.D.	1	C8VZ 8512-A
	- B -					
65/68	B	6	170,200	3.00" O.D. -1.14" depth-part of C6DZ 8501-D	1	C3DZ 8512-B

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8512 IMPELLER - WATER PUMP - continued					
	- B -					
65/67	B	8	260, 289-2V		1	C4OZ 8512-C
	B	8	289-4V	3.94" O.D.-1.79" depth-6 vanes	1	C4OZ 8512-A
66/68	B	8	390,427		1	C3AZ 8512-E
68/69	B	8	390,427	3.75" O.D.-1.06" depth	1	C8AZ 8512-A
	B	8	289-2V, 302		1	C4OZ 8512-C
69	B	6	250		1	C9DZ 8512-A
	B	8	351		1	C4OZ 8512-C
	B	8	428 CJ		1	C8AZ 8512-A
70	B	6	250		1	C9DZ 8512-A
	B	8	302,351	3 15/16" O.D.-1 13/32" depth	1	D0OZ 8512-A
	B	8	428CJ		1	C8VZ 8512-A
	B	8	429		1	
71/	B "Before 1/21/72"	6	250		1	C9DZ 8512-A
	B "From 1/21/72"	6	250	3 1/2" O.D.-7/8" thick	1	D2DZ 8512-A
	B	8	302, 351C,W		1	D0OZ 8512-A
	B	8	400		1	
	B	8	429	4.60" O.D.	1	C8VZ 8512-A
	- F -					
65/70	F	6	170,200	3.00" O.D.-1.14" depth	1	C3DZ 8512-B
65/67	F	8	260, 289-2V		1	C4OZ 8512-C
	F	8	289-4V	3.94" O.D.-1.79" depth-6 vanes-part of C3OZ 8501-B & C5OZ 8501-A,C,D	1	C4OZ 8512-A
67	F	8	390		1	C3AZ 8512-E
68/69	F	8	390,427		1	C8AZ 8512-A
	F F (exc.Boss)	8	289-2V, 302-2V		1	C4OZ 8512-C
69	F	6	250		1	C9DZ 8512-A
	F-Boss	8	302-4V		1	C8AZ 8512-B
	F	8	351		1	C4OZ 8512-C
	F	8	428 CJ		1	C8AZ 8512-A
	F-Boss	8	429		1	C8VZ 8512-A
70	F	6	250		1	C9DZ 8512-A
	F (2/B, 4/B)-exc.Spec.	8	302,351	3 15/16" O.D.-1 13/32" depth	1	D0OZ 8512-A
	F-Boss	8	302 Spec.	3 15/16" O.D.-1 25/64"	1	D0ZZ 8512-A
	F	8	428CJ	3 3/4" O.D.-27/32" depth	1	D0AZ 8512-A
71/	F "Before 1/21/72	6	250		1	C9DZ 8512-A
	F "From 1/21/72"	6	250	3 1/2" O.D.-7/8" thick	1	D2DZ 8512-A
	F	8	302,351, 351CJ, 351Spec.		1	D0OZ 8512-A
	F	8	302 Spec.		1	D0ZZ 8512-A
	F	8	429 CJ S/CJ	4.60" O.D.	1	C8VZ 8512-A
	- L -					
71/	L	4	98		1	D1FZ 8512-B
	L	4	122	Serviced in (8501) assy. only	1	★D1FZ 8512-A
	- P -					
70/	P	6	170,200	3.00" O.D.-1.14" depth	1	C3DZ 8512-B
	P "Before 1/21/72"	6	250		1	C9DZ 8512-A
	P "From 1/21/72"	6	250	3 1/2" O.D.-7/8" thick	1	D2DZ 8512-A
	P	8	302		1	D0OZ 8512-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8512 IMPELLER - WATER PUMP - continued					
	- S -					
65/67	S	8	390,428		1	C3AZ 8512-E
68	S	8	390	3.75" O.D. -1.06" depth	1	C8AZ 8512-A
69/	S	8	429,460	4.60" O.D.	1	C8VZ 8512-A
	S	8	400		1	D0OZ 8512-A
	- U -					
66/	U	6	170	3.00" O.D. -1.14" depth -part of C6DZ 8501-A, B	1	C3DZ 8512-B
66/	U	8	289,302		1	C4OZ 8512-C
	- X -					
65/70	X	6	144,170, 200	3.00" O.D. -1.14" depth	1	C3DZ 8512-B
65/70	X	8	289,302		1	C4OZ 8512-C
	8513 GASKET - WATER PUMP COVER - Also refer to group 8507					
65/71	A, B, F, S	8	352,390, 428	Round-6 tabs-4 5/8" I.D.	1	C2AZ 8513-A
65/68	A, B (Special)	8	427		1	
69	B, F	8	427		1	
65/69	A, B, F, U, X	8	289,302, 351	Oblong-part of C5AZ 8501-E, L. C5OZ 8501-C, D	1	C5AZ 8513-A
70/	U	8	302		1	
68/	A, B, F, S	8	429,460		1	C8SZ 8513-A
70/	A, B, F, P, S, X	8	302, 351C,W, 400		1	D0AZ 8513-A
	8517 SEAT ASSY. - WATER PUMP IMPELLER					
70/71	F-Boss	8	302 Spec.		1	C9AZ 8517-A
70/	A,B,F,P,X	8	302,351, 390,428		1	
71/	A,B,S	8	400		1	
71/	F	8	351CJ		1	
	8K517 PLATE - WATER BY-PASS ORIFICE					
70/	B, F(2/B, 4/B)	8	351C	1 13/16" O.D.-3/4" I.D.-acts as water restricter	1	D0AZ 8K517-A
71/	B, F	8	351CJ 351Spec.		1	
71/	A(2/B)	8	351C		1	
	8522 RECOVERY KIT - RADIATOR COOLANT					
65/	All	6&8	All		1	D0AZ 8522-A

Consists of

1-D0AJ 8007-A Tank Assy.
1-D0AJ 8N040-A Clip
1-D0AJ 8N041-A Clip
1-D2AJ 8B081-A Overflow Hose
1-D2VY 8100-A Radiator Cap
1-D2AZ 8K103-A Overflow Container Cap

	8530 SHAFT and BEARING ASSY. - WATER PUMP					
65/67	B, F, U, X	6	170,200	4.52" long	1	C6DZ 8530-A
65	A	6	240	4.52" long	1	C6DZ 8530-A
66/68	A-w/o T/E	6	240		1	
66/68	A-with T/E "Before 2/19/68"	6	240	4.52" long	1	C6DZ 8530-A
68	A-with T/E "From 2/19/68"	6	240		1	C6DZ 8530-C
68	B, F, U, X	6	170,200		1	
69	F, X	6	170,200		1	
69/	A	6	240		1	
70/	P	6	170,200		1	
69/72	B, F, P "Before 1/21/72"	6	250		1	C9DZ 8530-A
72	B, F, P "From 1/21/72"	6	250		1	D2DZ 8530-A
65/68	A, B, F, U, X	8	260,289, 302	This bearing to be used with water pump hsg. w/front face to rear face dimension of 17/32"	1	C4OZ 8530-D
65/69	A, B, F, S (including Specials)	8	352,390	5.37" long	1	C1AZ 8530-C
68	A, B, F, X-without T/E	8	427,428		1	
69	A, B, F	8	390,428		1	C1AZ 8530-D

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8530 SHAFT and BEARING ASSY. - WATER PUMP - continued					
71/	L	4	98,122		1	D0RY 8530-A
69,	B, F, U, X	8	302,351	Use with water pump housing with front face to	1	C9OZ 8530-A
69	A		302	rear face dimension of 4.28"	1	
70/	U	8	302		1	
69	A	8	351		1	C4OZ 8530-D
68	S	8	429		1	C8SZ 8530-A
69	S	8	429		1	C9SZ 8530-A
	F-Boss	8	429		1	
70	A	8	429	R/b D4VY 8530-A (9-74)	1	★D0OZ 8530-A
	B (2/B, 4/B), F(4/B)	8	351C		1	
	B	8	429		1	
	S	8	429		1	
70	A	8	302,351		1	D2SZ 8530-A
	B, F	8	302,302 Spec.		1	
	F(2/B)	8	351C,W		1	
72	S	8	400		1	
70/71	A	8	390, 428 P/C		1	D0AZ 8530-A
	F	8	428CJ, S/CJ		1	
71/72	A, B, F, P "Before 6/19/72"	8	302,351		1	D0OZ 8530-B
71/72	A "Before 6/19/72"	8	400		1	
72	B	8	400		1	
72	A, B, F, P "From 6/19/72"	8	302,351		1	D2AZ 8530-A
72	A "From 6/19/72"	8	400		1	
71/	A, B, F, S	8	429,460		1	D1VY 8530-A
	8K537 RETAINER - WATER PUMP BEARING					
71/	L	4	98		1	D0RY 8K537-A

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	8546 SPACER - PULLEY TO FAN - Including pilot unless noted				
	- A -				
65	A-with Hang-on A/C 6 240	1.07" thick	YA-82	1	C6TZ 8546-A
	A (with 42,45 amp. alternator) 6 240	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	A-with 53 & 55 amp. alternator 6 240	.86" thick		1	ECE 8546-B
	A-except Factory installed A/C 8 289	4.25" thick		1	C5AZ 8546-A
	A(hang-on or integral A/C) Factory installed "From 6/1/65" 8 289	2.92" thick-use with C5AZ 8600-H- "Before 6/1/65"- Refer to Group 8A616	YA-75	1	C4AZ 8546-G
	A-with extra cooling 8 352,390 exc.P/I	3.02" thick-also used with 53,55 60 amp. alternators	YA-70	1	C2OZ 8546-D
	A-except with A/C 8 390P/I			1	
	A-except A/C or extra cooling 8 352,390 exc.P/I	3.40" thick-not used with 53,55 amp. alternators	YA-78	1	C5AZ 8546-B
	A - Hang-on A/C-factory installed w/o fan clutch & dealer installed 8 352	3.15" thick	YA-79	1	C5OZ 8546-A
	A - Hang-on A/C-factory installed with fan clutch 8 352	Refer Group 8A616			
65	A-Hang-on A/C-factory installed w/std. trans. w/o fan clutch 8 390 exc.P/I	3.15" thick	YA-79	1	C5OZ 8546-A
	A - Hang-on A/C-factory installed w/auto. trans. w/o fan clutch 8 390 exc.P/I		YA-75	1	C4AZ 8546-G
	A - Hang-on A/C-factory installed with fan clutch-std. or auto. trans. 8 390 exc.P/I	Refer to Group 8A616			
	A - Hang-on A/C-factory installed 8 390 P/I	Refer to Group 8A616			
	A - Hang-on A/C-dealer installed 8 390, 390P/I	3.15" thick	YA-79	1	C5OZ 8546-A
	A-except w/A/C "Before 1/25/65" 8 427	"From 1/25/65" Refer to	YA-70	1	C2OZ 8546-D

★ Identification marking

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION N	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	8546 SPACER - PULLEY TO FAN - continued - Including pilot unless noted						
	- A -						
66	A-Std.(except A/C)with or w/o T/E	6	240	.98" thick		1	C6TZ 8546-B
	A-Hang-on A/C-dlr.inst. w/o T/E	6	240	1.07" thick	YA-82	1	C6TZ 8546-A
	A-Std.(exc.Integral A/C)- w or w/o T/E	8	289	4.25" thick		1	C5AZ 8546-A
	A - Integral A/C w/or w/o T/E- "From 11/30/65"	8	289	Used w/C5AZ 8600-K see also group 8A616	YA-75	1	C4AZ 8546-G
	A-X/C(except A/C) with T/E	8	352,390	1.88" thick	YA-81	1	C6OZ 8546-D
	A-Std.(exc.X/C or A/C) with T/E	8	352,390	2.44" thick	YA-74	1	C4AZ 8546-F
	A-Std.(except A/C) w/o T/E	8	352,390 428 exc.P/I	2.44" thick	YA-74	1	C4AZ 8546-F
	A-Std.(except A/C) with T/E	8	428 exc.P/I	1.88" thick	YA-81	1	C6OZ 8546-D
67	A-Std.(exc.A/C, Taxi, Police)- with or w/o T/E	6	240	.98" thick		1	C6TZ 8546-B
	A-Std. Taxi, Police (exc.A/C)- with or w/o T/E	6	240	1.07" thick	YA-82	1	C6TZ 8546-A
	A- Hang-on A/C w/o fan clutch w/o T/E	6	240	1.07" thick	YA-82	1	C6TZ 8546-A
	A-Std.(exc.Integral A/C or Super X/C) with or w/o T/E	8	289	3.40" thick	YA-78	1	C5AZ 8546-B
	A - Integral A/C or Super X/C with or w/o T/E	8	289		YA-75	1	C4AZ 8546-G
	A-Std.trans.- with or w/o T/E "Before 2/9/67"	8	390,428 exc.P/I	1.88" thick	YA-81	1	C6OZ 8546-D
	A-Std.trans.- w/o T/E "From 2/9/67"	8	390,428 exc.P/I	1.88" thick	YA-81	1	C6OZ 8546-D
	A-Auto.trans.- with T/E "Before 2/9/67"	8	390,428 exc.P/I	1.88" thick	YA-81	1	C6OZ 8546-D
	A-Auto.trans.- w/o T/E	8	390,428 exc.P/I	2.44" thick	YA-74	1	C4AZ 8546-F
	A-Std. & Auto.trans.- with T/E "From 2/9/67"	8	390,428 exc.P/I	2.44" thick	YA-74	1	C4AZ 8546-F
	A-X/C with Imco	8	390,428	1.88" thick	YA-81	1	C6OZ 8546-D
68	A-Std.,X/C	6	240			1	C8AZ 8546-A
	A-Std.(Police or Taxi)					1	
	A-w/A/C	8	302		YA-75	1	C4AZ 8546-G
	A-X/C w/ Hang-on A/C	8	289,302	Use with 23" wide radiator		1	
	A-w/o A/C	8	302	3.40" thick	YA-78	1	C5AZ 8546-B
	A-(exc.P/C) w/o A/C	8	390,428	1.88" thick	YA-81	1	C6OZ 8546-D
	A-(Police) w/A/C	8	390	2.44" thick	YA-74	1	C4AZ 8546-F
	A-w/o A/C or P/F	8	428 P/C	2.44" thick		1	
69	A-X/C	6	240	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	A-Std. "Before 9/19/69"	6	240			1	
	A-Std. "From 9/19/69"	6	240	1.50" thick	YA-21	1	D0AZ 8546-B
	A (Police & Taxi)-Std. & X/C	8	302	3.10" thick	YA-108	1	C5TZ 8546-E
	A-Std.	8	302	1.50" thick	YA-21	1	D0AZ 8546-B
	A-w/A/C	8	302	2.62" thick	YA-75	1	C4AZ 8546-G
	A-w/X/C Hang-on A/C	8	302			1	
	A-Std.	8	390	1.50" thick	YA-21	1	D0AZ 8546-B
	A-X/C	8	390,428	1.88" thick	YA-81	1	C6OZ 8546-D
	A-Std. & A/C	8	428 P/C	2.44" thick	YA-74	1	C4AZ 8546-F
	A-Std.,X/C	8	429	1.25" thick-#C9AE-A		1	C9AZ 8546-A
	A-X/C w/Hang-on A/C	8	429	2.12" thick	YA-83	1	C8SZ 8546-D
	A-P/C-std.,X/C	8	429			1	

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	8546 SPACER - PULLEY TO FAN - continued- Including pilot unless noted						
	- A -						
70	A-A/C	8	302, 351W	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
						1	
	A-P/C & taxi-std. & X/C	8	240		YA-21	1	D0AZ 8546-B
	A- Std. & X/C	8	302, 351W	1 1/2" thick		1	
	A-X/C or A/C	8	351W	2 7/16" thick	YA-74	1	C4AZ 8546-F
	A-Std. & X/C	8	390	1.50" thick	YA-21	1	D0AZ 8546-B
	A-Std. & X/C	8	429	1.25" thick-#C9AE-A		1	C9AZ 8546-A
	A-X/C-w/Hang-on A/C	8	429	2 1/8" thick	YA-83	1	C8SZ 8546-D
	A-P/C-Std. & X/C	8	429			1	
71	A	6	240	1 1/2" thick	YA-21	1	D0AZ 8546-B
	A-w/o A/C	8	302, 351W	1 1/2" thick	YA-21	1	D0AZ 8546-B
	A-w/A/C "Before 2/1/71"	8	351W		YA-74	1	C4AZ 8546-F
	A "Before 2/1/71"	8	400			1	
	A-w/A/C "From 2/1/71"	8	351W		YA-75	1	C4AZ 8546-G
	A "From 2/1/71"	8	400			1	
	A	8	390 Exc.P/C	1 1/2" thick	YA-21	1	D0AZ 8546-B
	A	8	390 P/C		YA-74	1	C4AZ 8546-F
	A-Std. cooling	8	429 Exc.P/C	1 1/4" thick		1	C9AZ 8546-A
	A-Std. & A/C	8	429 P/C		YA-83	1	C8SZ 8546-D
72	A-Std. cooling	6	240	1 1/2" thick	YA-21	1	D0AZ 8546-B
	A-Std. cooling	8	302,351			1	
	A-w/hang-on A/C	6	240	Use w/single sheave c/shaft pulley	YA-50	1	D2AZ 8546-A
	A-w/A/C	8	351C		YA-74	1	C4AZ 8546-F
	A-w/A/C	8	351W		YA-75	1	C4AZ 8546-G
	A(P/C)-w/S/C & A/C	8	351W, 400			1	
	A	8	400			1	
	A-Std. cooling	8	429	1 1/4" thick		1	C9AZ 8546-A
	A-Std. cooling & A/C	8	429P/C		YA-44	1	D1DZ 8546-A
	- B -						
65	B-except A/C	6	200	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	B-except Deluxe Hang-on A/C	8	289	3.15" thick	YA-79	1	C5OZ 8546-A
66	B-Std.(exc. A/C),(53, 55 alt.exc. X/C) w/o T/E	6	200	1.93" thick	YA-80	1	C5TZ 8546-D
	B-X/C & X/C w/53, 55 alt.w/o T/E	6	200	1.61" thick	YA-71	1	C2OZ 8546-G
	B-Hang-on A/C-dlr. w/o T/E	6	200	1.50" thick	YA-21	1	D0AZ 8546-B
	B-Std., X/C, 53, 55 alt. with T/E	6	200	1.50" thick	YA-21	1	D0AZ 8546-B
	B-Hang-on A/C w/o T/E	8	289	3.22 thick	YA-69	1	C2OZ 8546-A
	B-Std., (P/S exc. A/C), X/C, 55 alt. with T/E	8	289	3.40" thick	YA-78	1	C5AZ 8546-B
	B-Std.(exc. A/C), 55 alt. w/o T/E "From 11/22/65"	8	289	3.40" thick-replaces spacer 3.60" thick-used "Before 11/22/65"	YA-78	1	C5AZ 8546-B
	B-Std. (exc. X/C, GT or A/C)w/auto.	8	390	1.50" thick	YA-21	1	D0AZ 8546-B
	B-Std., 53, 55 alt.(exc. X/C, GT, A/C w/o T/E 'Before 1/28/66"	8	390	2.42" thick-used w/4 blade fan		1	★C6OZ 8546-C Not replaced
	B-Std. (exc. X/C, GT or A/C-w/Std. trans. w/or w/o T/E 'From 1/28/66"	8	390	1.88" thick-used with C6MY 8600-B (6 blades)	YA-81	1	C6OZ 8546-D
	B-Hang-on A/C w/o T/E	8	390	1.88" thick	YA-81	1	C6OZ 8546-D
	B-Std., X/C, (P/S exc. A/C), 53, 55 alts.(exc. GT, A/C, Power fan)-w/T/E 'Before 1/28/66"	8	390	1.88" thick-used w/4 blade fan	YA-81	1	C6OZ 8546-D
67	B w/o T/E	6	200	1.61" thick	YA-71	1	C2OZ 8546-G
	B-Hang-on A/C w/ or w/o T/E	8	289	2 7/16" thick	YA-74	1	C4AZ 8546-F
	B-exc.A/C, Power fan-w/or w/o T/E	8	289	3.22" thick	YA-69	1	C2OZ 8546-A
	B (exc. GT, Integral A/C, X/C, Power fan w/ or w/o T/E	8	390	1.88" thick	YA-81	1	C6OZ 8546-D

Identification marking

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	8546 SPACER - PULLEY TO FAN - continued - Including pilot unless noted						
	- B -						
68	B-w/o P/F	6	200	1.93" thick	YA-80	1	C5TZ 8546-D
	B-w/ A/C	8	289		YA-27	1	C8ZZ 8546-B
	B-w/o A/C or P/F	8	302	3.22" thick	YA-69	1	C2OZ 8546-A
	B-(exc. GT) w/o A/C or P/F	8	390	1.50" thick	YA-21	1	D0AZ 8546-B
69	B-Std.	6	250	1.28" thick-#C9ZE-B		1	C9ZZ 8546-A
	B-w/A/C	8	302	2.95" thick-#C8ZE-D	YA-27	1	C8ZZ 8546-B
	B-X/C w/Hang-on A/C	8	351			1	
	B-Std.	8	302,351	1.50" thick	YA-21	1	D0AZ 8546-B
	B-Std. & X/C	8	390 GT			1	
	B	8	428 Super CJ	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
70	B-Std.	6	250	1.28" thick- #C9ZE-B		1	C9ZZ 8546-A
	B-w/A/C "Before 4/30/70"	6	250	"From 4/30/70" use 8A616-A clutch	YA-32	1	D0DZ 8546-A
	B-Std. & X/C	8	302	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	B-Std. & X/C-with A/T	8	351			1	
	B-w/A/C	8	302,351	2 21/32" thick	YA-31	1	D0AZ 8546-A
	B-Std. & X/C-with S/T	8	351			1	
	B	8	429 Spec.	1 13/16" thick		1	D0SZ 8546-A
71	B-w/o A/C	6	250	1 13/16" thick		1	D0SZ 8546-A
	B-w/A/C	6	250	2 3/16" thick	YA-44	1	D1DZ 8546-A
	B(P/C)	6	250			1	
	B-w/o A/C	8	302,351	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	B-w/A/C	8	302,351	2 7/16" thick	YA-74	1	C4AZ 8546-F
	B(P/C)	8	302,351			1	
	B	8	429CJ	2 1/8" thick	YA-83	1	C8SZ 8546-D
72	B-w/ integral A/C	6	250	2 3/16" thick	YA-44	1	D1DZ 8546-A
	B(P/C, Taxi)	6	250			1	
	B-w/hang on A/C	6	250		YA-53	1	D2DZ 8546-C
	B-Std. cooling	6	250	1 13/16" thick		1	D0SZ 8546-A
	B-w/A/C	8	302,351 400	2 7/16" thick	YA-75	1	C4AZ 8546-G
	B(P/C)-w/S/C & A/C	8	302,351 400			1	
	B-w/A/C	8	351CJ			1	
	B-Std. & X/C(ex. P/C)	8	302, 351C,400	1 7/8" thick	YA-81	1	C6OZ 8546-D
	B-Std.& X/C	8	351CJ			1	
	B-Std. & X/C	8	429			1	C9AZ 8546-A
	B-Std. cooling & A/C	8	429P/C	2 3/16" thick	YA-44	1	D1DZ 8546-A
	- F -						
65	F-Std. (exc. A/C), P/S w/o A/C	6	170	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	F	6	200	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	F(w/generator)-extra cooling	8	260,289	3.02" thick	YA-70	1	C2OZ 8546-D
	F(w/generator)-Special-4/B carb.	8	289	High performance engine		1	
	F(w/gen.)-exc. A/C, X/C or P/S	8	260,289	3.22" thick	YA-69	1	C2OZ 8546-A
	F(w/generator)-P/S except with A/C	8	260, 289			1	
	F(w/alternator except F-Special)-except factory A/C	8	289	3.15" thick	YA-79	1	C5OZ 8546-A
	F(w/alternator)-Special-4/B carb.	8	289	2.36" thick		1	C3OZ 8546-A
66	F-Std. (exc. A/C) w/o T/E	6	200	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	F-Hang-on A/C w/o T/E	6	200	1.61" thick	YA-71	1	C2OZ 8546-G
	F-Std., X/C(P/S exc. A/C)with T/E	6	200	1.61" thick	YA-71	1	C2OZ 8546-G
	F-A/C (w/or w/o P/S) with T/E	6	200	1.91" thick	YA-80	1	C5TZ 8546-D

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	8546 SPACER - PULLEY TO FAN - continued - Including pilot unless noted						
	- F -						
66	F-Std.(exc. Spec. or A/C),X/C,P/S with T/E	8	289	3.15" thick	YA-79	1	C5OZ 8546-A
	F-Std.(exc. Spec.or A/C)w/o T/E "Before 11/22/65"	8	289	3.22" thick	YA-69	1	C2OZ 8546-A
	F-Std.(exc. Spec. or A/C) w/o T/E "From 11/22/65"	8	289	3.15" thick	YA-79	1	C5OZ 8546-A
	F-Special-4/B carb. "From 11/14/66"	8	289	2.36" thick		1	C3OZ 8546-A
67	F	6	200	3.22" thick	YA-69	1	C2OZ 8546-A
	F - Hang-on A/C w/o fan clutch	8	289	1.88" thick	YA-81	1	C6OZ 8546-D
	F-Spec.(4/B) w/ or w/o T/E	8	289	2.44" thick	YA-74	1	C4AZ 8546-F
	F-exc.Spec. "Before 11/14/66"	8	289	3.15" thick	YA-79	1	C5OZ 8546-A
	F-exc.Spec.-S/T "From 11/14/66"	8	289	3.15" thick	YA-79	1	C5OZ 8546-A
	F-exc.Spec.-auto.trans. w/o T/E "From 11/14/66"	8	289	3.15" thick	YA-79	1	C5OZ 8546-A
	F-exc.Spec.-auto.trans.w/T/E "From 11/14/66"	8	289	3.40" thick	YA-78	1	C5AZ 8546-B
68	F	6	200	1.93" thick	YA-80	1	C5TZ 8546-D
	F-w/ A/C	8	289,302		YA-27	1	C8ZZ 8546-B
	F-Std.w/o A/C	8	289,302	3.15" thick	YA-79	1	C5OZ 8546-A
	F-Std.w/o A/C,w/T/E	8	289-4V	1.61" thick	YA-71	1	C2OZ 8546-G
	F-w/ X/C	8	289,302			1	C3OZ 8546-A
69	F-Std.	6	200	1.61" thick	YA-71	1	C2OZ 8546-G
	F-Std. & X/C-exc.Economy 1/B	6	250	1.28" thick-#C9ZE-B		1	C9ZZ 8546-A
	F-w/ A/C	8	302-2V	2.95" thick-#C8ZE-D	YA-27	1	C8ZZ 8546-B
	F-Std. "From 4/14/69"	8	302-4V			1	
	F-X/C w/Hang-on A/C	8	351			1	
	F-Std.	8	302-2V	1.50" thick	YA-21	1	D0AZ 8546-B
	F-Std.	8	351			1	
	F-Std. & X/C "From 1/6/69"	8	390 GT	Not used before 1/6/69"		1	
	F	8	428 Super CJ	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	F-Std. "Before 4/14/69"	8	302-4V	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
70	F-Std. & X/C "Before 8/27/69"	6	200	1.61" thick	YA-71	1	C2OZ 8546-G
	F-Std.	8	351			1	
	F-Std. & X/C "From 8/27/69"	6	200	1.50" thick	YA-21	1	D0AZ 8546-B
	F-Std. & X/C	6	250	1.28" thick-#C9ZE-B		1	C9ZZ 8546-A
	F(exc.Spec.)-Std. & X/C	8	302	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	F-Boss	8	302 Spec.	2 21/32" thick-#D0AE-A	YA-31	1	D0AZ 8546-A
	F-w/A/C	8	302,351			1	
	F-Std. & X/C	8	351			1	
	F-Std.cooling	8	302,351	1 1/2" thick	YA-21	1	D0AZ 8546-B
	F	8	428 Super CJ	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	F-Std. & X/C	8	428CJ	1.88" thick	YA-81	1	C6OZ 8546-D
	F	8	428 Super CJ			1	
	F	8	429 Spec.	9/16" thick	YA-62	1	D0ZZ 8546-A
71	F-w/o A/C	6	250	1 13/16" thick		1	D0SZ 8546-A
	F-w/A/C	6	250	2 3/16" thick	YA-44	1	D1DZ 8546-A
	F-w/o A/C	8	302,351	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	F-w/A/C	8	302,351	2 7/16" thick	YA-74	1	C4AZ 8546-F
	F	8	302 Spec.			1	
	F-Boss-Std.cooling	8	351Spec.			1	
	F-w/o A/C	8	429 CJ & S CJ	2 1/8" thick	YA-83	1	C8SZ 8546-D

Identification marking

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	8546 SPACER - PULLEY TO FAN - continued						
	- F -						
72	F-w/ integral A/C	6	250	2 3/16"thick	YA-44	1	D1DZ [illegible]
	F-w/hang-on A/C	6	250		YA-53	1	D2DZ 8546-C
	F-w/A/C	8	302	2 5/8" thick	YA-75	1	C4AZ 8546-G
	F-w/A/C	8	302, 351C			1	
	F-Std. cooling & A/C	8	351CJ			1	
	F-Std. & X/C	8	302, 351C	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	-L -						
71	L -S/C	4	98	3/4" thick-#D12E 8546-C1A or C2A		1	D1FZ 8546-A
	L-w/hang-on A/C	4	98		YA-46	1	D1FZ 8546-C
	L	4	122	1 1/8" thick-#D12E 8546-D1A or D2A	YA-45	1	D1FZ 8546-B
72	L-S/C	4	98	3/4" thick-#D12E-C1A or C2A		1	D1FZ 8546-A
	L-w/hang-on A/C	4	98		YA-55	1	D2FZ 8546-B
	L-S/C or integral A/C	4	122	1 1/8"-thick-#D1ZE-D1A or D2A	YA-45	1	D1FZ 8546-B
	L-w/hang-on A/C	4	122		YA-54	1	D2FZ 8546-A
	- P -						
70	P-w/o A/C	6	170,200	1 7/8" thick	YA-81	1	C6OZ 8546-D
	P-w/A/C	6	250	2.18" thick	YA-32	1	D0DZ 8546-A
	P-w/o A/C	6	250	1.28" thick-#C9ZE-B		1	C9ZZ 8546-A
71	P	6	170,200	1 7/8" thick	YA-81	1	C6OZ 8546-D
	P-w/o A/C	6	250	1 13/16" thick		1	D0SZ 8546-A
	P-w/A/C	6	250	2 3/16" thick	YA-44	1	D1DZ 8546-A
	P-Std. or X/C	8	302	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	P-w/A/C	8	302	2 7/16"	YA-74	1	C4AZ 8546-F
72	P(exc. hang-on A/C)	6	170,200	1 7/8" thick	YA-81	1	C6OZ 8546-D
	P-w/hang-on A/C, w/H.D. fan	6	170,200		YA-53	1	D2DZ 8546-C
	P-w/hang-on A/C	6	250			1	
	P-w/hang-on A/C, w/o H.D.fan	6	170,200		YA-52	1	D2DZ 8546-B
	P-Std. cooling	6	250	1 13/16" thick		1	D0SZ 8546-A
	P-w/ integral A/C "Before 2/15/72"	6	250	1 5/32" thick-#D2DE-AA	YA-51	1	D2DZ 8546-A
	P-w/integral A/C "From 2/15/72"	6	250		YA-44	1	D1DZ 8546-A
	P-w/A/C	8	302	2 7/16" thick	YA-74	1	C4AZ 8546-F
	P-Std. cooling	8	302	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	- S -						
65	S-except A/C	8	390	1.18" thick-use (2) pcs. to replace (2.30") production spacer		2	B5A 8546-A
66/67	S-C/M trans.(except A/C)	8	390	1.93" thick	YA-80	1	C5TZ 8546-D
	S-C6 trans. (except A/C)	8	390,428	1.18" thick-use 2 pieces to replace production spacer		2	B5A 8546-A
68/69	S-Std. or X/C	8	429	2.42" thick		1	C8SZ 8546-A
70	S-Std. cooling "Before 9/2/69"	8	429	1 1/4" thick		1	C9AZ 8546-A
	S-Std. cooling "From 9/2/69"	8	429	1" thick		1	D0SZ 8546-B
71	S-Std. cooling	8	429	1" thick		1	D0SZ 8546-B
72	S-All	8	400	2 15/16" thick	YA-56	1	D2SZ 8546-A
	S-Std.cooling	8	429	1 1/4" thick		1	C9AZ 8546-A
	- U -						
66/68	U-with or w/o T/E	6	170	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	U-with or w/o T/E (1966)	8	289	.19" thick-no pilot		1	C2AZ 8546-A
	U-with or w/o T/E (1967)	8	289	1.07" thick	YA-82	1	C6TZ 8546-A
69/	U	6	170	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	U	8	302	1.07" thick	YA-82	1	C6TZ 8546-A
	- X -						
65	X-with P/S, extra cooling or A/C	6	170,200	.86" thick	YA-76	1	C4DZ 8546-B
	X	8	289	1.50" thick	YA-21	1	D0AZ 8546-B
66	X-P/S-dealer w/o T/E	6	170,200	.86" thick	YA-76	1	C4DZ 8546-B
	X-X/C(w/or w/o P/S) w/o T/E	6	170,200	1.61" thick	YA-71	1	C2OZ 8546-G
	X-X/C with T/E	6	170,200	1.61" thick	YA-71	1	C2OZ 8546-G

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	8546 SPACER - PULLEY TO FAN - continued						
	-X-						
66	X-Std., (P/S-factory, exc.A/C, X/C) w/o T/E	6	170,200	1.88" thick	YA-81	1	C6OZ 8546-D
	X-Std., P/S with T/E	6	170,200	1.88" thick	YA-81	1	C6OZ 8546-D
	X-Hang-on A/C w/o T/E	8	289	3.22" thick	YA-69	1	C2OZ 8546-A
	X-Std., P/S with or w/o T/E	8	289	3.40" thick-repl. 3.60" spacer	YA-78	1	C5AZ 8546-B
67	X-auto. trans. w/o T/E	6	170	1.61" thick	YA-71	1	C2OZ 8546-G
	X-X/C with or w/o T/E	6	170	1.61" thick	YA-71	1	C2OZ 8546-G
	X-S/T w/o T/E	6	170	1.88" thick	YA-81	1	C6OZ 8546-D
	X w/o T/E	6	200	1.61" thick	YA-71	1	C2OZ 8546-G
	X- Hang-on A/C w/or w/o T/E	8	289	2.44" thick	YA-74	1	C4AZ 8546-F
	X-exc. A/C w/or w/o T/E	8	289	3.22" thick	YA-69	1	C2OZ 8546-A
68	X-Std. w/T/E	6	170	1.61" thick	YA-71	1	C2OZ 8546-G
	X-w/Imco	6	170	1.93" thick	YA-80	1	C5TZ 8546-D
	X-w/X/C & T/E	6	170			1	
	X	6	200			1	
	X-w/o A/C	8	289,302	3.22" thick	YA-69	1	C2OZ 8546-A
	X-w/A/C	8	289,302	2.95" thick-#C8ZE-D	YA-27	1	C8ZZ 8546-B
69	X-Std.	6	170,200	1 19/32" thick	YA-71	1	C2OZ 8546-G
	X-Std.	8	302	1.50" thick	YA-21	1	D0AZ 8546-B
	X-w/A/C	8	302	2.95" thick-#C8ZE-D	YA-27	1	C8ZZ 8546-B
70	X-Std. & X/C "Before 8/27/69"	6	200	1 19/32" thick	YA-71	1	C2OZ 8546-G
	X-Std. & X/C "From 8/27/69"	6	200	1.50" thick	YA-21	1	D0AZ 8546-B
	X-w/o A/C	8	302	1 1/4" thick-#C8YE-A or D1OA-AA	YA-20	1	C8YZ 8546-A
	X-Std. cooling	8	302	1 1/2" thick	YA-21	1	D0AZ 8546-B

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	8548 TUBE OR HOSE - WATER BY PASS - Also refer to Groups 8555 & 8597				
65	A	8	289,352, 390 Rubber-with heater & A/C-cut from 18472 bulk hose	1	★
66	A-without T/E	8	352 Rubber-w/heater & A/C-cut from 18472 bulk hose	1	
66	B-with or w/o T/E	8	390 Rubber-w/o heater-cut from 18472 bulk hose	1	
66	A-with T/E	8	390,428 Rubber-w/heater & A/C-cut from 18472 bulk hose	1	
66/69	B, F, X-w/o T/E	6	170,200 Rubber-htr. nipple to carb. spacer (9A589)-cut from FDA 18472-A	1	★
		8	All Bolt (tube to water pump)-5/16"-18 x 3/4"	2	20346-S8 (B50)
		8	All Lockwasher-5/16"	2	34806-S7 (X64)
68	F	8	390-4V, 427 Elbow 45°	1	353476-S100 (II-173)
	8550 SLINGER - WATER PUMP SHAFT - Also refer to Group 8530				
65/68	A, B, F, S, U, X (170, 200, 260, 289, 352, 390, 427, 428	6&8	3/4" long	1	B7C 8550-A
71/	L	4	98	1	D0RY 8550-A
	8553 HUB - WATER PUMP PULLEY				
65/69	A, B, F, X, U (exc. Boss)	8	260,289, 302-2V 2.54" O. D. -.74" depth	1	B9AE 8553-A
65/68	A, B, F, S	8	352,390, 428	1	
65/68	A, B(Special)	8	406,427, 428	1	
69	A, B, F	8	351	1	
69	F-Boss	8	302-4V	1	
70/	U	8	302	1	
65/70	A, B, F, X, U (144, 170, 200, 223, 240)	6	2.50" O.D. -.56"/.66" length	1	B4A 8553-A
71/	U, P	6	170,200	1	
71/	A	6	240	1	
72	A, B, F, P, S "From 6/19/72"	8	302,351, 400	1	

Identification marking

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8553 HUB - WATER PUMP PULLEY - continued					
68/71	S	8	429,460		1	D2VY 8553-A
69/71	A, B, F	8	390,428, 429		1	
70/71	A, B, F, P, S	8	302, 351,400		1	
69/	B, F, P	6	250		1	
72	A, B, F, P, S "Before 6/19/72"	8	301,351, 400		1	
72	A, B, S	8	429,460		1	
71/	L	4	122		1	D0RY 8553-A
71/	L	4	98		1	
	8555 TUBE - WATER BY-PASS - Also refer to Groups 8548 & 8597					
65/67	A, B, F, U, X	8	289	Steel-5/8" O.D.x 2.5" long-cut upper tube to 2"	2	C5AZ 8555-A
65/70	A, B, F, S	8	352,390 427,428	Cut to fit	2	
68/	S	8	429,460	Cut to required length	2	
69/	A	8	429	Cut to required length	2	
69	B, F	8	351		1	
69/	B, F, P	6	250		1	
69	A, B, F, X, U	8	302		1	
69	F-Boss	8	429	Cut to fit	1	
70/	B	8	429	Cut to fit	2	
70	A	8	302, 351W	Cut to fit	1	
70/	B	8	351C	Used in block	1	
70/	F	8	351C,W, 351CJ, 351Spec.	Used in block	1	
70/	U	8	302	Cut to fit	1	
71	A	8	390		2	
71/	A	8	351C, 400		1	
71	F	8	429 CJ, S/CJ		2	
72	B, S	8	400		1	
68/71	A	8	289,302	Steel-3/4" O.D. x 2 1/2" long	1	C8AZ 8555-A
69	A	8	351		1	
68/69	B, F, X, U	8	289,302 351	Steel-3/4" & 5/8" O.D. x 2 1/2" long	1	C8OZ 8555-A
70/	U	8	302		1	
69	F	8	302-4V	Serviced only in 8592 assy.	1	★ C9OE 8555-A
71/	A	8	351W		1	
72	A, B, F, P, U	8	302		1	
70/	A	8	302, 351C,W	Steel-3/4" O.D. -1 3/4" long	1	D0AZ 8555-A
71/	A, B, S	8	400		1	
70/	B	8	302, 351W	Steel-3/4" & 5/8 " O.D. x 1 3/4"long	2	D0OZ 8555-A
70/	B	8	351C	Used in water pump	1	
70/	F, P	8	302		2	
70/	F	8	351C,W, 351CJ	Used in water pump	1	
70/	A	8	302, 351W		1	
71	L	4	122	Serviced in (8501) assy. only	1	★D1FZ 8555-A
	8556 CLAMP - WATER BY-PASS - Refer to group 8287					

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8564 SEAL - WATER PUMP					
65/67	A, B, F, S, U, X(170, 200, 240, 260, 289, 352, 390, 427, 428)	6&8			1	B2AZ 8564-D
68	A, B, F, S, X, U	8	289,390, 427,428		1	
68/69	A,B,F,X	8	302,351		1	
68/	A,B,F,P,X	6	200,240		1	
68/	P,U	6	170		1	
69/	U	8	302		1	
72	B,F,P "From 1/21/72"	6	250		1	
69/72	B,F,P "Before 1/21/72"	6	250		1	C9DZ 8564-B
69/71	A, B, F	8	390,428		1	B6TZ 8564-D
69/	A,B,F,S	8	429,460		1	
70/	A,B,F,P,X	8	302,		1	
70/	A,B,F	8	351C,W		1	
71/	A,B,S	8	400		1	
71/	L	4	98		1	D1FZ 8564-A
71/	L	4	122		1	B6TZ 8564-D

8575 THERMOSTAT - WATER

YEAR	MODEL	ENGINE CYL.	ENGINE C. I. D.	QTY.	† LOW TEMPERATURE ° TEMP.	† LOW TEMPERATURE MOTORCRAFT SALES NO.	† LOW TEMPERATURE PART NUMBER	† HIGH TEMPERATURE ° TEMP.	† HIGH TEMPERATURE MOTORCRAFT SALES NO.	† HIGH TEMPERATURE PART NUMBER
	- A -									
65/66	A	6&8	240, 289	1				190	(RT-9)	A8AZ 8575-C
	A	8	352, 390, 427, 428	1				190	(RT-19)	A8AZ 8575-F
67	A	6&8	240, 289	1				190	(RT-9)	A8AZ 8575-C
	A "Before 12/1/66"	8	390, 427, 428	1				190	(RT-19)	A8AZ 8575-F
	A "From 12/1/66"	8	390, 427, 428	1				190	(RT-9)	A8AZ 8575-C
68/	A	6&8	240, 289, 302, 351W	1	160 180	(RT-6) (RT-8)	A8AZ 8575-A A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
	A	8	390, 427, 428, 429	1	160 180	(RT-6) (RT-8)	A8AZ 8575-A A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
71/	A	8	351C, 400	1				192	(RT-139)	D0AZ 8575-A
	- B -									
65/67	B "Before 11/14/66" Imco "From 11/14/66"	6	200	1				190	(RT-9)	A8AZ 8575-C
	B-auto. trans. w/Imco "From 11/14/66"	6	200	1				200	(RT-1020)	C7DZ 8575-A
	B-exc. auto. trans. w/	6	200	1				190	(RT-9)	A8AZ 8575-C
	B	8	289	1				190	(RT-9)	A8AZ 8575-C
	B-1966/67- "Before 12/1/66"	8	390	1				190	(RT-19)	A8AZ 8575-F
	B-1967- "From 12/1/66"	8	390, 427	1				190	(RT-9)	A8AZ 8575-C
68	B	6	200	1				200	(RT-1020)	C7DZ 8575-A
68/69	B	8	289, 302	1				190	(RT-9)	A8AZ 8575-C
	B	8	390, 427, 428 CJ	1				190	(RT-9)	A8AZ 8575-C
69	B	6&8	250, 351	1				190	(RT-9)	A8AZ 8575-C
70/	B	6&8	250, 302, 351W	1	160 180	(RT-6) (RT-8)	A8AZ 8575-A A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
	B	8	351C, 351CJ, 400	1				192	(RT-139)	D0AZ 8575-A
	B	8	429	1	160 180	(RT-6) (RT-8)	A8AZ 8575-A A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C

† Low temperature-use with alcohol type anti-freeze. Use high temperature for replacement except when permanent type anti-freeze has been drained & replaced by alcohol.

8575 THERMOSTAT - WATER - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C. I. D.	QTY.	† LOW TEMPERATURE o TEMP.	† LOW TEMPERATURE MOTORCRAFT SALES NO.	† LOW TEMPERATURE PART NUMBER	† HIGH TEMPERATURE o TEMP.	† HIGH TEMPERATURE MOTORCRAFT SALES NO.	† HIGH TEMPERATURE PART NUMBER
	- F -									
65/67	F "Before 11/14/66"	6&8	170,200,260	1				190	(RT-9)	A8AZ 8575-C
	F-exc.auto.trans.w/ Imco "From 11/14/66"	6	200	1				190	(RT-9)	A8AZ 8575-C
	F-auto.trans.w/Imco "From 11/14/66"	6	200	1				200	(RT-1020)	C7DZ 8575-A
	F-w/generator	8	289	1				190	(RT-9)	A8AZ 8575-C
	F-w/alternator	8	289	1				190	(RT-9)	A8AZ 8575-C
	F-1967"Before 12/1/66"	8	390	1				190	(RT-19)	A8AZ 8575-F
	F-1967"From 12/1/66"	8	390	1				190	(RT-9)	A8AZ 8575-C
68/	F-exc.Economy 1/B	6	200,250	1	180	(RT-8)	A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
	F-Economy 1/B(1969)	6	250	1					(RT-1020)	C7DZ 8575-A
	F (exc.Boss)	8	289,302-2V, 351W	1	180	(RT-8)	A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
	F-Boss	8	302-4V	1	180	(RT-8)	A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
	F	8	351C,351CJ,Spec.	1				192	(RT-139)	D0AZ 8575-A
	F	8	390,427,428 CJ	1	180	(RT-8)	A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
	F-Boss	8	429	1				190	(RT-9)	A8AZ 8575-C
	F	8	429CJ,S/CJ	1				190	(RT-9)	A8AZ 8575-C
	- L -									
71	L	4	98	1	179	(RT-168)	D1FZ 8575-B	190	(RT-148)	D0RY 8575-A
	L	4	122	1				190	(RT-169)	D1PZ 8575-B
72	L	4	98	1	179	(RT-168)	D1FZ 8575-B	190	(RT-159)	D1PZ 8575-A
	L	4	122	1	190	(RT-169)	D1PZ 8575-B	190	(RT-169)	D1PZ 8575-B
	- P -									
70	P	6&8	170,200,250,302	1	180 160	(RT-8) (RT-6)	A8AZ 8575-B A8AZ 8575-A	190	(RT-9)	A8AZ 8575-C
	- S -									
65/67	S "Before 12/1/66"	8	390,428	1				190	(RT-19)	A8AZ 8575-F
67	S "From 12/1/66"	8	390,428	1				190	(RT-9)	A8AZ 8575-C
68/	S	8	429	1	180	(RT-8)	A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
72	S	8	400	1				192	(RT-139)	D0AZ 8575-A
72	S	8	460	1				190	(RT-9)	A8AZ 8575-C
	- U -									
66/68	U	6	170	1				190	(RT-9)	A8AZ 8575-C
66/67	U	8	289	1				180	(RT-8)	A8AZ 8575-B
68	U	8	289	1				190	(RT-9)	A8AZ 8575-C
69/	U	6&8	170,302	1	160 180	(RT-6) (RT-8)	A8AZ 8575-A A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
	- X -									
65/67	X "Before 11/14/66"	6	170,200	1				190	(RT-9)	A8AZ 8575-C
	X-exc.auto.trans.w/ Imco "From 11/14/66"	6	170,200	1				190	(RT-9)	A8AZ 8575-C
	X-auto.trans.w/Imco "From 11/14/66"	6	170,200	1				200	(RT-1020)	C7DZ 8575-A
	X	8	289	1				190	(RT-9)	A8AZ 8575-C
68/70	X	6	170,200	1	160 180	(RT-6) (RT-8)	A8AZ 8575-A A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C
	X	8	289,302	1	160 180	(RT-6) (RT-8)	A8AZ 8575-A A8AZ 8575-B	190	(RT-9)	A8AZ 8575-C

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8590 GASKET -THERMOSTAT					
71/	L	4	122	Non-adhesive backing	1	D1FZ 8590-A
71/	L	4	122	Adhesive backing	1	D4PZ 8590-A

† Low temperature-use with alcohol type anti-freeze. Use high temperature for replacement except when permanent type anti-freeze has been drained & replaced by alcohol.

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8591 REPAIR KIT - WATER PUMP					
65	B, X	6	170,200	For C0DZ 8501-A, B, C water pumps-use details	1	★
	Consists of the following 1-C0DE 8507-A Gasket 1-C3DZ 8512-B Impeller			★ 1-C0DZ 8530-A Bearing & slinger (use C6DZ 8530-B) 1-B2AZ 8564- B Seal		
65	A, S	8	352,390 406,427	For C1AE 8501-C, C2AZ 8501-A & B, C4AZ 8501-A, B & C5AZ 8501-C, D-use Details	1	★
	Consists of the following 2-B8A 8507-A Gasket 1-C3AZ 8512-C Impeller			1-B8A 8513-A Gasket 1-C2AZ 8513-A Gasket (use with 1965 cover plate)	1-C1AZ 8530-B Bearing & Slinger 1-B2AZ 8564-B Seal	
	8592 CONNECTION - WATER OUTLET					
	- A -					
65/67	A	6	240		1	C8AZ 8592-B
	A "Before 3/1/65"	8	289	W/o thermostat pocket	1	†C3OZ 8592-A
	A "From 3/1/65"	8	289		1	‡C9OZ 8592-A
	A-1965/67 "Before 12/1/66"	8	352,390 427,428	Marked C5AE 8594-A	1	C5AZ 8592-B
	A-1967 "From 12/1/66"	8	390,427, 428	Marked C8AE 8594-B	1	C4TZ 8592-C
68/69	A	6	240		1	C8AZ 8592-B
	A, P/C	8	302,351		1	C9OZ 8592-A
	A	8	390,427, 428	Marked C8AE 8594-B	1	C4TZ 8592-C
	A	8	429		1	C8SZ 8592-A
70	A	6	240		1	C8AZ 8592-B
	A, P/C	8	302,351		1	C9OZ 8592-A
	A	8	390,428	Marked C8AE 8594-B	1	C4TZ 8592-C
	A	8	429		1	C8SZ 8592-A
71/	A	6	240		1	C8AZ 8592-B
	A	8	302		1	C9OZ 8592-A
	A	8	351W		1	C9OZ 8592-A
	A	8	390		1	C4TZ 8592-C
	A	8	351C, 400		1	D1AZ 8592-A
	A	8	429		1	C8SZ 8592-A
	- B -					
65/67	B	6	200		1	C1DZ 8592-C
	B "Before 3/1/65"	8	289	W/o thermostat pocket	1	†C3OZ 8592-A
	B "From 3/1/65"	8	289		1	‡C9OZ 8592-A
	B-1966/67 "Before 12/1/66"	8	390	Marked C5AE 8594-A	1	C5AZ 8592-B
	B-1967 "From 12/1/66"	8	390,427	Marked C8AE 8594-B	1	C4TZ 8592-C
68	B	6	200		1	C1DZ 8592-C
68/69	B	8	289,302, 351		1	C9OZ 8592-A
	B	8	390,427, 428 CJ	Marked C8AE 8594-B	1	C4TZ 8592-C
69	B-A/C	6	250	Marked C9DE 8594-A	1	C9DZ 8592-A
	B-Standard cooling	6	250		1	C9DZ 8592-B
70	B-with A/C	6	250	Marked C9DE 8594-A	1	C9DZ 8592-A
	B-Standard & extra cooling	6	250		1	C9DZ 8592-B
	B	8	302		1	C9OZ 8592-A
	B	8	351		1	D1AZ 8592-A
	B	8	429		1	C8SZ 8592-A
71/	B-w/o A/C	6	250		1	C9DZ 8592-B
	B-w/A/C	6	250		1	C9DZ 8592-A
	B	8	302, 351W		1	C9OZ 8592-A
	B	8	351C		1	D1AZ 8592-A
	B	8	400		1	
	B	8	429		1	C8SZ 8592-A

† Use with intake manifold having thermostat seat ‡ Use with intake manifold without thermostat seat

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8592 CONNECTION - WATER OUTLET - continued					
	- F -					
65/67	F	6	170,200		1	C1DZ 8592-C
	F "Before 3/1/65"	8	260,289	W/o thermostat pocket	1	†C3OZ 8592-A
	F "From 3/1/65"	8	260,289	With thermostat pocket.	1	‡ C9OZ 8592-A
	F-1967 "Before 12/1/66"	8	390	Marked C5AE 8594-A	1	C5AZ 8592-B
	F-1967 "From 12/1/66"	8	390		1	C4TZ 8592-C
68/69	F	6	200		1	C1DZ 8592-C
	F-with A/C -1969	6	250	Marked C9DE 8594-A	1	C9DZ 8592-A
	F-without A/C-1969	6	250		1	C9DZ 8592-B
	F	8	289,302, 351		1	C9OZ 8592-A
	F	8	390,427, 428 CJ	Marked C8AE 8594-B	1	C4TZ 8592-C
	F-Boss -1969	8	429		1	C8SZ 8592-A
70	F	6	200		1	C1DZ 8592-C
	F	6	250	Marked C9DE 8594-A	1	C9DZ 8592-A
	F	8	302		1	C9OZ 8592-A
	F		351W		1	
	F	8	351C		1	D1AZ 8592-A
	F	8	390, 428CJ	Marked C8AE 8594-B	1	C4TZ 8592-C
71/	F-w/o A/C	6	250		1	C9DZ 8592-B
	F-w/A/C	6	250		1	C9DZ 8592-A
	F	8	302		1	C9OZ 8592-A
	F	8	351, 351CJ, 351Spec.		1	D1AZ 8592-A
	F	8	429 CJ, S/CJ		1	C8SZ 8592-A
	- L -					
71/	L	4	98		1	D1FZ 8592-B
71/	L	4	122	R/b D3FZ 8592-A (1-74)	1	★D1FZ 8592-A
	- P -					
70	P	6	170,200		1	C1DZ 8592-C
	P	6	250		1	C9DZ 8592-B
71/	P	6	170		1	C1DZ 8592-C
	P-w/o A/C	6	200		1	
	P-w/A/C	6	200		1	C1DZ 8592-C
	P	6	250		1	C9DZ 8592-B
	P	8	302		1	C9OZ 8592-A
	- S -			QTY. SUPPLY TANK	QTY.	WATER OUTLET
65/66	S	8	390,428	1 C1AZ 8A080-C		
67	S "Before 12/1/66"	8	390,428	Marked C5AE 8594-A	1	C5AZ 8592-B
67	S "From 12/1/66"	8	390,428	Marked C8AE 8594-B	1	C4TZ 8592-C
68/	S	8	429		1	C8SZ 8592-A
72	S	8	460		1	
72	S	8	400		1	D1AZ 8592-A
	- U -					
66/68	U	6	170		1	C1DZ 8592-C
	U 'Before Ser. C70, 001"	8	289	1 C6TZ 8A080-A	1	C9OZ 8592-A
	U 'From Ser. C70, 001"	8	289		1	C9OZ 8592-A
69/70	U	6	170		1	C1DZ 8592-C
	U	8	302		1	C9OZ 8592-A
71/	U	6	170		1	C1DZ 8592-C
	U	8	302		1	C9OZ 8592-A

† Use with intake manifold having thermostat seat ‡ Use with intake manifold without thermostat seat

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8592 CONNECTION - WATER OUTLET - continued					
	- X -					
65/70	X	6	170,200		1	C1DZ 8592-C
65/68	X "Before 3/1/65"	8	260,289	W/o thermostat pocket	1	† C3OZ 8592-A
	X "From 3/1/65"	8	289	With thermostat pocket	1	‡ C9OZ 8592-A
68/69	X	8	289,302		1	C9OZ 8592-A
70	X	8	302		1	
65/68	X	6	144,170	Bolt (connection to cylinder head)-	2	370790-S (BB428)
65/68	B	6	170	5/16"-18 x .875"		
69/	A, B, F, P, X, U	8	302	Bolt (connection to intake manifold)-	2	357235-S(BB136)
66/68	U	8	289	5/16"-18 x 7/8" hex. head	2	
65/70	X	6	170	Lockwasher-5/16"	2	34806-S7(X64)
68/	A, B, F, S	8	429,460		2	
72	A, B, S(California only)	8	429,460		1	
66/68	U	8	289	Bolt-3/8"-16 x 5/8"	2	20328-S8(B76)
69/	B, F, X, U	6	170,200 250	Bolt (connection to cyl. head)-5/16"-18 x 1 1/4"	2	377388-S(BB249G)
69/	A	6	240	Bolt (connection to cyl. head)-5/16"-18 x 7/8"	2	376256-S(BB545A)
70/	A, B, F	8	351C	Screw & washer(water conn. to block)-5/16" - 18 x 3/4"	2	57633-S100(U21)
71/	A, B, S	8	400		2	
71/	L	4	122	Bolt hex.hd.(connection to block)-M8 x 20mm	2	E602187-S82(AB17)
71	L	4	98	Bolt hex.hd.-5/16"-18 x 7/8"(attach water conn.to cylinder head)	2	20366-S8(B52)
68/	A, B, F, S	8	429,460	Bolt(conn. to block)-5/16" -18 x 1 1/8"	2	352464-S8(BB139)
72	A, B, S(California only)	8	429,460		1	
71/	L	4	122	Washer (connection to block)	1	E630027-S71(AX13)
	8593 WASHER - THERMOSTAT GASKET					
71/	L	4	122	Used to retain thermostat gasket	1	D1FZ 8593-A
	8597 HOSE - WATER BY-PASS - Also refer to Groups 8548, 8555					
66/70	B, F, X w/o heater	6	170,200	Rubber-5/8" x 28 1/2"-(9C524) tube to water pump-cut from 18472 bulk hose	1	*
66/67	B, F, X-with A/C, heater	6	170,200	Rubber elbow-5/8" I.D. x 1" O.D. - 8M 18599 nipple (near 8592) to heater water outlet tube	1	C6DZ 8597-A
65/69	A, B, F, U, X	8	260,289, 302		1	D2PZ 8597-A (KM-614)
65	A, B, F, X	8	260,289 289,292	Rubber-straight-cut as req'd. from 18472 bulk hose	1	*
65/67	A, B, S	8	352,390 427,428	Rubber-5/8" I.D. x 2 3/4" O.D. - cut as required	1	C2OZ 8597-D
68	B, F, S, X	6&8	170,200 429		1	
69	F-Boss	8	429 Spec.	Cut as required	1	
69	A, S	8	429		1	
70/71	A, F	8	390,428	Cut as required	1	
70/	A, B, S	8	429	Cut as required	1	
72	S	8	460	Cut as required	1	
69	B, F "Before 11/11/68"	8	351W		1	C9OZ 8597-A
70/	A, B, F, P, U, X	8	302	3/4" I.D. x 5/8" I.D.-cut as required	1	D0OZ 8597-B
69/	A	8	351W	Cut as required	1	(KM-640)
69/	B, F "From 11/11/68"	8	351W		1	
68	X	6	170,200	Clamp-hose (hose to water pump)	2	97333-S35(E8)
68	B, F	6	200		2	
68	S	8	429		2	

8600 FAN BLADE ASSY.

YEAR	MODEL	ENGINE CYL.	ENGINE C. I. D.	DESCRIPTION	BLADES	DIA.	CENTER HOLE	QTY.	PART NUMBER
				- A -					
65	A-except A/C	6	240	20 1/4" radiator core	4	17"	5/8"	1	C2OA 8600-B
	A-Hang-on A/C	6	240	Without fan clutch	5	18"	5/8"	1	C5AZ 8600-F
	A-Hang-on or Integral A/C	6	240		7	18 1/4"	2 3/8"	1	C5AZ 8600-D
	A-except A/C	8	289		4	17 1/2"	5/8"	1	C6OZ 8600-A
	A-Hang-on A/C	8	289	Without fan clutch-marked C5AE-G	5	18"	5/8"	1	C5AZ 8600-F
	A-Integral A/C "First 1000 units"	8	289	Marked C6OE-C-used w/C4AZ 8A616-C replaces 5 blade fan	7	17 1/2"	2 3/8"	1	C4OZ 8600-D
	A-Integral A/C or factory installed Hang-on A/C "After first 1000 units-before 6/1/65"		289		7	18 1/4"	2 3/8"	1	C5AZ 8600-D
	A-Integral A/C or factory installed Hang-on A/C- "From 6/1/65"	8	289	W/o fan clutch-flex. blades-replaces fan marked C5AE-H	5	18"	5/8"	1	C5AZ 8600-K (YA-15)
	A-Std. or X/C	8	352		4	18 1/2"	5/8"	1	D2OZ 8600-A
	A-Std. cooling & Auto. Trans.	8	390 exc. P/C		4	17 1/2"	5/8"	1	C6OZ 8600-A
	A-Std. cooling & S/T	8	390 exc. P/C		4	18 1/2"	5/8"	1	D2OZ 8600-A
	A-X/C	8	390 exc. P/C		4	18 1/2	5/8	1	D2OZ 8600-A
	A-Hang-on A/C	8	352, 390 exc. P/C	Without fan clutch - marked C5AE-G	5	18"	5/8"	1	C5AZ 8600-F
	A-A/C	8	352, 390 exc. P/C	Used with fan clutch-aluminum blades	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
	A-Std. cooling	8	390 P/C		4	18 1/2"	5/8"	1	D2OZ 8600-A
	A-Hang-on A/C (dealer installed)	8	390 P/C	Marked C5AE-G	5	18"	5/8"	1	C5AZ 8600-F
	A-A/C (factory installed)	8	390 P/C	Used with fan clutch-aluminum blades	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
	A"Before 1/25/65"	8	427		4	17 1/2"	5/8"	1	C6OZ 8600-A
	A"From 1/25/65"	8	427		7	18"	2 3/8"	1	C4SZ 8600-A
66	A-except A/C	6	240		4	18 1/4"	5/8"	1	C3AZ 8600-B
	A-Hang-on A/C- without T/E	6	240	Without fan clutch-marked C5AE-G-replaced fan marked C5AE-D	5	18"	5/8"	1	C5AZ 8600-F
	A-Integral A/C	6	240	With fan clutch-marked C6AE-D	7	18 1/4"	2 3/8"	1	C5AZ 8600-J
	A-w/T/E(exc. A/C)	8	289	Marked C6OE-D	4	17 1/8"	5/8"	1	C6OZ 8600-D
	A-exc. A/C or T/E	8	289	Marked C6OE-B, C6AE-E or C1VV-D	4	17 1/2"	5/8"	1	C6OZ 8600-A
	A-Hang-on A/C	8	289	Marked C6DA-A	5	17 1/2"	5/8"	1	C6DZ 8600-A
	A-Integral A/C- "Before 10/8/65"	8	289	Marked C6AE-D-used w/C5AZ 8A616-C-replaces fan marked C5AE-E	7	18 1/4"	2 3/8"	1	C5AZ 8600-J
	A-Integral A/C- "From 10/8/65 to 11/30/65"	8	289	Marked C6OE-C-used w/C4AZ 8A616-C replaces 5 blade fan	7	17 1/2"	2 3/8"	1	C4OZ 8600-D
	A-Integral A/C- "From 11/30/65"	8	289	Flex. blades-used w/C4AZ 8546-C	5	18"	5/8"	1	C5AZ 8600-K (YA-15)
	A-except A/C- "Before 2/21/66"	8	352, 390	Marked C5AE-A	4	18 1/2"	5/8"	1	D2OZ 8600-A
	A-except A/C - "From 2/21/66"	8	352, 390	Marked C6ME-C	5	18 1/2"	5/8"	1	C1AZ 8600-A
	A-Integral A/C	8	352, 390	Marked C5AE-C	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
	A	8	427	Marked C4SE-A	7	18"	2 3/8"	1	C4SZ 8600-A
	A-except A/C - "Before 2/21/66"	8	428 exc. P/C	Marked C5AE-A	4	18 1/2"	5/8"	1	D2OZ 8600-A
	A-except A/C- "From 2/21/66"	8	428 exc. P/C	Marked C6ME-C	5	18 1/2"	5/8"	1	C1AZ 8600-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8600 FAN BLADE ASSY. - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C. I. D.	DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY.	PART NUMBER
				- A -					
66	A-Integral A/C-	8	428 exc. P/C	Marked C5AE-C	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
	A-except A/C - "Before 2/14/66"	8	428 P/C	Marked C4SE-A	7	18"	2 3/8"	1	C4SZ 8600-A
	A-except A/C- "From 2/14/66"	8	428 P/C	Marked C5AE-C	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
	A-Integral A/C- "Before 2/14/66"	8	428 P/C	Marked C5AE-C	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
	A-Integral A/C- "From 2/14/66"	8	428 P/C		7	19 1/2"	2 3/8"	1	C6MY 8600-A
67	A-except Taxi, Police, A/C, Super X/C	6	240		4	18 1/4"	5/8"	1	C3AZ 8600-B
	A-Taxi, Police, Hang-on A/C w/o fan clutch	6	240		5	18 1/4"	5/8"	1	C5AZ 8600-C
	A-Integral A/C, Super X/C - "Before 1/17/67"	6	240	Marked C6AE-D-use w/C5AZ 8A616-D	7	18 1/4"	2 3/8"	1	C5AZ 8600-J
	A-Integral A/C, Super X/C- "From 1/17/67"	6	240	Marked C5AE-E-use w/C5AZ 8A616-B	7	18 1/4"	2 3/8"	1	C5AZ 8600-D
	A exc. A/C, Super X/C or T/E	8	289	Marked C6OE-D or C7AE-F	4	17 1/8"	5/8"	1	C6OZ 8600-D
	A(exc. A/C or Super X/C)-with T/E	8	289	Marked C1VV-D or C6AE-E	4	17 1/2"	5/8"	1	C6OZ 8600-A
	A-Hang-on A/C	8	289	Marked C6DA-A	5	17 1/2"	5/8"	1	C6DZ 8600-A
	A-Integral A/C or Super X/C	8	289	Flex. blades	5	18"	5/8"	1	C5AZ 8600-K (YA-15)
	A-Std.	8 8	390, 428 390, 428	Without T/E or Imco With T/E or Imco	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
	A-exc. A/C ‡	8	390, 428 exc. P/C	Marked C7AE-C	4	19"	5/8"	1	C7AZ 8600-C
	A-exc. A/C †	8	390, 428 exc. P/C	With T/E-marked C7AE-B	4	19"	5/8"	1	C7AZ 8600-A
	A-S/T-exc. A/C †	8	390, 428 exc. P/C	Without T/E-marked C7AE-B	4	19"	5/8"	1	C7AZ 8600-A
	A-auto. exc. A/C †	8	390, 428 exc. P/C	Without T/E-marked C7AE-C	4	19"	5/8"	1	C7AZ 8600-C
	A-Hang-on A/C	8	390, 428 exc. P/C	Marked C6ME-C	5	18 1/2"	5/8"	1	C1AZ 8600-A
	A-A/C	8	390, 428 exc. P/C	With Imco	6	18 1/2"	5/8"	1	C6MY 8600-B
	A(P/C)-A/T w/o T/E or Imco	8	390, 428 exc. P/I	Marked C5AE-C	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
	A(P/C)-S/T	8	390, 428 exc. P/I	Marked C5AE-C	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
	A-Integral A/C	8	390, 428 exc. P/I		7	19 1/2"	2 3/8"	1	C6MY 8600-A
	A-X/C w/o A/C	8	390, 428 exc. P/C	Marked C8AE-D	5	19"	5/8"	1	C8AZ 8600-D
	A-Integral A/C	8	428 P/I		7	19 1/2"	2 3/8"	1	C6MY 8600-A
	A-except A/C	8	427, 428 P/I	Marked C5AE-C	7	19 1/4"	2 3/8"	1	C5AZ 8600-B

‡ "Before 2/9/67" † "From 2/9/67"

8600 FAN BLADE ASSY. - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C. I. D.	DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY.	PART NUMBER
				- A -					
68	A-Std. (exc. P/C or Taxi)	6	240		4	18 1/4"	5/8"	1	C3AZ 8600-B
	A-Std. or X/C (P/C, Taxi)	6	240		5	18 1/4"	5/8"	1	C5AZ 8600-C
	A-Std.	8	302		4	17 1/2"	5/8"	1	C6OZ 8600-A
	A-X/C	8	302	Marked C7SE-B	4	18"	5/8"	1	C7SZ 8600-B
	A-w/A/C, w/Imco A-X/C w/Hang-on A/C	8 8	302 302	Flex. blades Flex. blades	5	18"	5/8"	1 1	C5AZ 8600-K (YA-15)
	A-Std. w/o A/C w/T/E or Imco	8	390, 428 exc. P/C	Marked C7AE-B	4	19"	5/8"	1	C7AZ 8600-A
	A-Std. or X/C with A/C	8	390, 428 exc. P/C		7	19 1/2"	2 3/8"	1	C6MY 8600-A
	A-Std. and A/C	8	390, 428 P/C	Marked C8AE-B, D3OE-BA	7	19 1/2"	5/8"	1	C8AZ 8600-B (YA-16)
	A-X/C w/o A/C	8	390, 428 exc. P/C	Marked C8AE-D	5	19"	5/8"	1	C8AZ 8600-D
	A-Std. w/T/E	8	427		5	19 1/2"	5/8"	1	C8AZ 8600-A
	A-Std. or X/C	8	427	Marked C5AE-B	7	19 1/4"	2 3/8"	1	C5AZ 8600-B
69	A(exc. P/C, Taxi)	6	240	Marked C7OE-A	4	17 3/4"	5/8"	1	C7OZ 8600-A
	A(P/C, Taxi)- "Before 9/19/68"	6	240		5	18 1/4"	5/8"	1	C5AZ 8600-C
	A-w/o A/C- A(Police, Taxi)- "From 9/19/68"	8 6	302 240	Marked C7SE-B	4	18 "	5/8"	1 1	C7SZ 8600-B
	A-w/A/C A-X/C-w/hang-on A/C	8 8	302 302		5	18"	5/8"	1 1	C5AZ 8600-K (YA-15)
	A-w/A/C	8	351		7	18"	2 3/8"	1	C8SZ 8600-C
	A-std. & X/C	8	351	Marked C7ZE-B	4	18"	5/8"	1	C7SZ 8600-B
	A(exc. P/C)-A/C A-w/trailer towing pkg.	8 8	390, 429 390, 429		7	19 1/2"	2 3/8"	1 1	C6MY 8600-A
	A(exc. P/C) Std., X/C	8	390, 429	Marked D0AE-B-replaces C9AE-C, D, E, F, G	4	19"	5/8"	1	D0AZ 8600-B
	A(P/C) A(P/C) Std., X/C, A/C	8 8	390 428 P/C 429	Marked C8AE-B, D3OE-BA	7	19 1/2"	5/8"	1 1	C8AZ 8600-B (YA-16)
	A-X/C-with hang-on A/C		390, 429	Marked C8AE-D	5	19"	5/8"	1	C8AZ 8600-D
70	A(P/C)	6	240		4	19"	5/8"	1	C7AZ 8600-C
	A-Std. & X/C- (exc. P/C)	6	240		4	17 9/16"	5/8"	1	C9OZ 8600-B
	A-w/o A/C	8	302, 351		4	17 1/2"	5/8"	1	C6OZ 8600-A
	A-with A/C	8	302		5	18"	5/8"	1	C5AZ 8600-K (YA-15)
	A-with A/C	8	351	Marked D0AE-A, D1AE-CA	5	18 1/2"	5/8"	1	D0AZ 8600-A (YA-18)
	A-Std. & X/C	8	390, 429	Marked D0AE-B	4	19"	5/8"	1	D0AZ 8600-B
	A-w/A/C	8	390, 429		7	19 1/2"	2 3/8"	1	C6MY 8600-A
	A(P/C)	8	428	Marked C8AE-B, D3OE-BA	7	19 1/2"	5/8"	1	C8AZ 8600-B (YA-16)
71	A(P/C, Taxi) Std. cooling	6	240		4	19"	5/8"	1	C7AZ 8600-C
	A (exc. P/C, Taxi)- Std. cooling	6	240		4	19"	5/8"	1	D0AZ 8600-B
	A Std. cooling	8	302, 351W		4	17 1/2"	5/8"	1	C6OZ 8600-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8600 FAN BLADE ASSY. - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C. I. D.	DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY.	PART NUMBER
				- A -					
71	A-w/A/C	8	351W	Marked D0AE-A, D1AE-CA	5	18 1/2"	5/8"	1	D0AZ 8600-A
	A(P/C)-Std. cooling & A/C	8	351, 400					1	(YA-18)
	A-Std. cooling (exc. P/C)	8	390, 429	Marked D0AE-B	4	19"	5/8"	1	D0AZ 8600-B
	A-Std. cooling	8	400					1	
	A-w/A/C	8	390, 429		7	19 1/2"	2 3/8"	1	C6MY 8600-A
	A-Std. cooling & or A/C (P/C only)	8	390, 429	Marked C8AE-B, D3OE-BA	7	19 1/2"	5/8"	1	C8AZ 8600-B (YA-16)
	A-w/A/C	8	400	Marked D0AE-A, D1AE-CA	5	18 1/2"	5/8"	1	D0AZ 8600-A (YA-18)
72	A, Taxi-Std. cooling	6	240		4	19"	5/8"	1	C7AZ 8600-A
	A-Std. cooling	6	351C		4	19"	5/8"	1	D0AZ 8600-B
	A-Std. cooling	8	302,351W		4	17 1/2"	5/8"	1	C6OZ 8600-A
	A-Std. cooling	8	400,429	Marked D0AE-B	4	19"	5/8"	1	D0AZ 8600-B
	A-w/A/C	8	351 C&W	Marked D0AE-A, D1AE-CA	5	18 1/2"	5/8"	1	D0AZ 8600-A (YA-18)
	A(P/C)-Std.or A/C	8	351 C&W					1	
	A(P/C)-Std. cooling & A/C	8	400	Marked D2SE-AA	5	18 1/2"	5/8"	1	D2SZ 8600-A (YA-65)
	A-W/A/C	8	400						
	A(P/C) Std. cooling & A/C	8	429	Marked C8AE-B, D3OE-BA	7	19 1/2"	5/8"	1	C8AZ 8600-B (YA-16)
	A-W/A/C	8	429		7	19 1/2"	2 3/8"	1	C6MY 8600-A
				-B -					
65	B-Std. Trans.	6	200		4	14 1/2"	5/8"	1	C0DZ 8600-A
	B-Auto. Trans.	6	200		4	15 1/2"	5/8"	1	C2DZ 8600-D
	B-Hang-on A/C	6	200	Aluminum blades	5	17"	5/8"	1	C5AZ 8600-A
	B-X/C or 53, 55 alt.	6	200	Aluminum blades	5	17"	5/8"	1	C5AZ 8600-A
	B-Deluxe Hang-on A/C	6	200		5	17 1/4"	2 3/8"	1	C3OZ 8600-D
	B-Special	8	289		4	17 1/8"	5/8"	1	C6OZ 8600-D
	B-(exc. Special)-Std. or extra cooling	8	289		4	17"	5/8"	1	C2OA 8600-B
	B-X/C or Hang-on A/C	8	289	Aluminum blades	5	17"	5/8"	1	C5AZ 8600-A
	B-X/C & 53,55 alt.	8	289	Aluminum blades	5	17"	5/8"	1	C5AZ 8600-A
	B-Deluxe Hang-on A/C	8	289		7	17 1/2"	2 3/8"	1	C4OZ 8600-D
66	B-exc. X/C, 53, 55 alt., A/C	6	200	Marked C5DE-A-replaces fan marked C2DA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	B-X/C, 53, 55 alt.	6	200	With or without T/E-marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	B-Hang-on A/C	6	200	Without T/E-marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	B-Integral A/C, power fan	6	200	Without T/E-marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
	B-Hang-on or Integral A/C, power fan	6	200	With T/E-marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
	B-exc. A/C, X/C, power fan	8	289	With T/E-marked C6OE-D	4	17 1/8"	5/8"	1	C6OZ 8600-D
	B-except A/C, X/C, power fan	8	289	W/o T/E-marked C6OE-B, C6AE-E, or C1VV-D	4	17 1/2"	5/8"	1	C6OZ 8600-A
	B-X/C	8	289	With or without T/E-marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	B-Hang-on A/C	8	289	Marked C6DA-A	5	17 1/2"	5/8"	1	C6DZ 8600-A
	B-Integral A/C	8	289	With or w/o T/E-marked C6OE-G	7	17 1/2"	2 3/8"	1	C4OZ 8600-D
	B-Power fan	8	289	With or w/o T/E-marked C6OE-G	7	17 1/2"	2 3/8"	1	C4OZ 8600-D
	B-exc.A/C,GT-"Before 1/28/66"	8	390	With or w/o T/E-marked C5AE-A	4	18 1/2"	5/8"	1	D2OZ 8600-A

8600 FAN BLADE ASSY. - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C. I. D.	DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY.	PART NUMBER
				- B -					
66	B-exc. A/C, GT- "From 1/28/66"	8	390	With or w/o T/E	6	18 1/2"	5/8"	1	C6MY 8600-B
	B-Hang-on A/C	8	390	With or without T/E-marked C6ME-B	6	18 1/2"	5/8"	1	C6MY 8600-B
	B-GT, Integral A/C, power fan, X/C, w/fan clutch	8	390	With or without T/E-marked C6OE-F-replaces 18" fan marked C6OE-E	7	18 1/4"	2 3/8"	1	C6OZ 8600-F
67	B-exc. X/C, A/C, power fan	6	200	Without T/E-marked C5DA-A-replaces fan marked C2DA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	B-auto. trans. (exc. X/C, A/C, power fan), w/Imco- $	6	200	With T/E-marked C5DA-A-replaces fan marked C2DA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	B-exc. X/C, A/C, power fan- ♦	6	200	With T/E-marked C7DE-A	4	17	5/8"	1	C7DZ 8600-A
	B-S/T (exc. X/C, A/C, power fan)- $	6	200	With T/E-marked C7DE-A	4	17"	5/8"	1	C7DZ 8600-A
	B-X/C	6	200	With or w/o T/E-marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	B-Hang-on A/C	6	200	With or w/o T/E	6	15 1/16"	5/8"	1	C9DZ 8600-A
	B-power fan B-Integral A/C	6	200	With or w/o T/E-marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
	B-exc. A/C, X/C, power fan	8	289	Without T/E-marked C1VV-D or C6AE-E	4	17 1/2"	5/8"	1	C6OZ 8600-A
	B-exc. A/C, X/C, power fan	8	289	With T/E-marked C7OE-A	4	17 3/4"	5/8"	1	C7OZ 8600-A
	B-X/C	8	289	With or w/o T/E-marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	B-Hang-on A/C	8	289	Marked C6DA-A	5	17 1/2"	5/8"	1	C6DZ 8600-A
	B-Integral A/C, power fan	8	289	With or w/o T/E-marked C6OE-G	7	17 1/2"	2 3/8	1	C4OZ 8600-D
	B-exc. GT, A/C, X/C, power fan	8	390	Marked C7AE-B	4	19"	5/8"	1	C7AZ 8600-A
	B-Hang-on A/C	8	390	Marked C6ME-C	5	18 1/2"	5/8"	1	C1AZ 8600-A
	B-GT, Integral A/C, X/C, power fan	8	390	With or w/o T/E-marked C6OE-F	7	18 1/4"	2 3/8"	1	C6OZ 8600-F
	B	8	427	Marked C6OE-F	7	18 1/4"	2 3/8"	1	C6OZ 8600-F
68	B-Std. w/o A/C	6	200		4	15 1/2"	5/8"	1	C2DZ 8600-D
	B-w/A/C, w/P/F, T/E or Imco	6	200	Marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
	B-w/A/C	8	289,302		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	B-Std.	8	289, 302		4	17 1/2"	5/8"	1	C6OZ 8600-A
	B-Std. or X/C w/T/E or Imco	8	390-2V		4	19"	5/8"	1	C7AZ 8600-C
	B-w/Power Option Fan & Imco	8	390-2V	Marked C8OE-B	7	18 1/4"	2 3/8"	1	C8OZ 8600-A
	B-w/A/C	8	390-2V	Marked C8OE-B	7	18 1/4"	2 3/8"	1	C8OZ 8600-A
	B-Std. or X/C w/o A/C & T/E	8	390-4V		4	19"	5/8"	1	C7AZ 8600-C
	B-X/C w/A/C w/T/E	8	390-4V	Marked C8OE-B	7	18 1/4"	2 3/8"	1	C8OZ 8600-A
	B B	8 8	427 428CJ	Marked C8OE-B	7	18 1/4"	2 3/8"	1 1	C8OZ 8600-A
69	B-Std. w/Imco	6	250	Marked C9OE-F	4	17 1/8"	5/8"	1	C9OZ 8600-A
	B-w/A/C	6	250	Marked C9ZE-C	6	17"	2 5/8"	1	C9ZZ 8600-B
	B-X/C-w/ hang-on A/C	6	250	Marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	B-w/A/C	8	302,351		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)

♦ "Before 11/14/66" $ "From 11/14/66"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

8600 FAN BLADE ASSY. - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C. I. D.	DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY.	PART NUMBER
				- B -					
69	B-Std. or X/C	8	302	Marked C6AE-E	4	17 1/2"	5/8"	1	C6OZ 8600-A
	B-Std.	8	351					1	
	B-X/C-w/ hang-on A/C	8	302,351		5	18"	5/8"	1	C5AZ 8600-K (YA-15)
	B-W/X/C	8	351	Marked C8SE-A	4	17 9/16"	5/8"	1	C9OZ 8600-B
	B-w/A/C	8	390 GT	Marked C8OE-B	7	18 1/4"	2 3/8"	1	C8OZ 8600-A
	B-w/o A/C	8	390GT	Marked C8OE-A	4	19"	5/8"	1	C7AZ 8600-C
	B-X/C-with hang-on A/C	8	390		6	18 1/2"	5/8	1	C6MY 8600-B
	B-Std.& A/C	8	428CJ	Marked C9ZE-E	7	18 1/4"	2 5/8"	1	C9ZZ 8600-C
	B-Std.	8	428 SuperCJ	Marked C9OE-H	6	18"	5/8"	1	C9OZ 8600-D
70	B-w/o A/C	6	250	Marked C9OE-F	4	17 1/8"	5/8"	1	C9OZ 8600-A
	B-w/A/C - "Before 4/30/70"	6	250	Marked C9ZE-C	6	17"	2 5/8"	1	C9ZZ 8600-B
	B-w/A/C "From 4/30/70"	6	250		5	17"	5/8	1	D0DZ 8600-A
	B-X/C-w/ hang-on A/C	6	250	Marked C5AE-B -slot existing holes away from center hole of fan (4 places)	5	17"	5/8"	1	C5AZ 8600-A
	B-w/A/C - "Before 3/18/70"	8	302		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	B-Std. or X/C	8	302	Marked C6AE-E or C9OE-A	4	17 1/2"	5/8"	1	C6OZ 8600-A
	B-Std.	8	351					1	
	B-exc. Special & CJ	8	429	Marked D0SE-A	7	19"	2 3/8"	1	D0SZ 8600-A
	B	8	429 Spec.		5	18"	5/8"	1	C5AZ 8600-K (YA-15)
	B-Std.& A/C	8	351					1	
	B-w/A/C "From 3/18/70"	8	302					1	
	B	8	429 Spec.		7	18 1/4"	2 5/8"	1	C9ZZ 8600-C
	B	8	429CJ	Marked D0OE-A	7	19"	5/8"	1	D0OZ 8600-A (YA-25)
71	B-Std. cooling	6	250		4	17 1/2"	5/8"	1	C6OZ 8600-A
	B-Std. & X/C	8	302, 351					1	
	B-w/A/C	6	250		5	17 1/2"	5/8"	1	C8SZ 8600-B
	B(P/C)	6	250					1	(YA-17)
	B-w/A/C	8	302, 351		5	18"	5/8"	1	C5AZ 8600-K
	B(P/C)	8	302,351					1	(YA-15)
	B	8	429CJ	Marked D00E-A	7	19"	5/8"	1	D0OZ 8600-A (YA-25)
72	B-Std. cooling	6	250	Marked D2OE-AB	4	18 1/2"	5/8"	1	D2OZ 8600-A
	B-w/A/C	6	250		5	17 1/2"	5/8"	1	C8SZ 8600-B
	B(P/C, Taxi)	6	250					1	(YA-17)
	B(exc. P/C)-S/C, X/C	8	302,351-2/B, 400, 429	Marked D2OE-AB	4	18 1/2"	5/8"	1	D2OZ 8600-A
	B-S/C	8	351-4/B					1	
	B(exc. P/C)-A/C	8	302, 351, 400	Marked D3OE-AA-replaces 7 blade fan	5	18 1/2"	5/8"	1	D3OZ 8600-A (YA-66)
	B(P/C)-Std. cooling & A/C	8	302, 351, 400					1	
	B-w/X/C	8	351-4/B	Marked D0AE-A, D1AE-CA	5	18 1/2"	5/8"	1	D0AZ 8600-A (YA-18)
	B(exc. P/C)-A/C	8	429	Marked D0SE-A	7	19"	2 3/8"	1	D0SZ 8600-A
	B(P/C)-Std. cooling & A/C	8	429	Marked D0OE-A	7	19"	5/8"	1	D0OZ 8600-A (YA-25)

8600 FAN BLADE ASSY. - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C. I. D.	DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY.	PART NUMBER
				- F -					
65	F-Hang-on A/C	6	170		6	15 1/16"	5/8"	1	C9DZ 8600-A
	F-exc. A/C	6	170,200	Replaces fans marked C2DA-A, C2OA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	F-Hang-on A/C	6	200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	F-(except Special)-Std. or extra cooling	8	260,289		4	17"	5/8"	1	C2OA 8600-B
	F-Hang-on A/C factory installed (w/generator)	8	260,289		5	17 1/4"	2 3/8"	1	C3OZ 8600-D
	F-Hang-on A/C (w/gen. or alt.)	8	260,289	Aluminum-replaces 6 blade fan	5	17	5/8"	1	C5AZ 8600-A
	F-Special	8	289		4	17 1/8"	5/8"	1	C6OZ 8600-D
	F-Hang-on A/C factory installed (w/alternator)	8	289		7	17 1/2"	2 3/8"	1	C4OZ 8600-D
66	F-Std. (exc. A/C)	6	200	Replaces fans marked C2DA-A, C2OA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	F-A/C	6	200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	F-Special	8	289	Marked C3OA-C	4	17 1/8"	5/8"	1	C6OZ 8600-D
	F-Std. (exc. Spec., A/C or T/E)	8	289	Marked C6OE-B, C6AE-E or C1VV-D	4	17 1/2"	5/8"	1	C6OZ 8600-A
	F-Std., X/C, P/S-w/T/E	8	289	Marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	F-Hang-on A/C	8	289	Marked C6OE-G	7	17 1/2"	2 3/8"	1	C4OZ 8600-D
67	F-Std. (exc. A/C)-includes Imco	6	200	Replaces fans marked C2DA-A, C2OA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	F-A/C	6	200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	F-Special	8	289	Marked C6OE-D-	4	17 1/8"	5/8"	1	C6OZ 8600-D
	F-auto. trans. (exc. A/C)-with T/E $	8	289	Marked C6AE-E or C1VV-D	4	17 1/2"	5/8"	1	C6OZ 8600-A
	F-Std. (exc. Special, A/C or T/E)	8	289	Marked C6AE-E or C1VV-D	4	17 1/2"	5/8"	1	C6OZ 8600-A
	F-Std., X/C, P/S, with T/E ♦	8	289	Marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	F-exc. auto. trans. or A/C with T/E $	8	289	Marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	F-A/C w/spacer	8	289	Marked C6DA-A	5	17 1/2"	5/8"	1	C6DZ 8600-A
	F-A/C w/clutch	8	289	Marked C6OE-G	7	17 1/2"	2 3/8"	1	C4OZ 8600-D
	F-Std.	8	390	Marked C6OE-F	7	18 1/4"	2 3/8"	1	C6OZ 8600-F
68	F-Std. w/o A/C	6	200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	F-w/X/C or A/C	6	200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	F-Std. w/o A/C	8	289		4	17 1/8"	5/8"	1	C6OZ 8600-D
	F-w/A/C	8	289, 302		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	F-Std. -w/o A/C F-std. or X/C-"From 11/6/68"	8 8	302 351		4	17 1/2"	5/8"	1 1	C6OZ 8600-A
	F-Std., X/C or A/C	8	390,427	Marked C8OE-B	7	18 1/4"	2 3/8"	1	C8OZ 8600-A
	F(GT350)	8	All	Marked C6OE-G	7	17 1/2"	2 3/8"	1	C4OZ 8600-D
69	F-Std.	6	200	Marked C9ZE-D	4	16"	5/8"	1	C9ZZ 8600-A
	F-w/X/C	6	200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	F-X/C-w/hang-on A/C	6	200,250	Marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	F-Std. & X/C	6	250		4	17 1/8"	5/8"	1	C9OZ 8600-A
	F-w/A/C F-Economy 1/B	6 6	250 250	Marked C9ZE-C	6	17"	2 5/8"	1 1	C9ZZ 8600-B
	F(exc. Boss)-w/A/C	8	302-2V, 351		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	F(exc. Boss)-Std. or X/C	8	302-2V		4	17 1/2"	5/8"	1	C6OZ 8600-A

$ "From 11/14/66" ♦ "Before 11/14/66"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8600 FAN BLADE ASSY. - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C. I. D.	DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY.	PART NUMBER
				- F -					
69	F-Std. or X/C	8	351	Marked C8SE-A	4	17 9/16"	5/8"	1	C9OZ 8600-B
	F(exc. Boss)-X/C-w/hang-on A/C	8	302-2V, 351		5	18"	5/8"	1	C5AZ 8600-K (YA-15)
	F Boss	8	302-4V	Marked C9WE-A	5	17 1/2"	2 3/8"	1	C9WZ 8600-A
	F Boss	8	302-4V		4	17 1/8"	5/8"	1	C6OZ 8600-D
	F Boss	8	302-4V		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	F	8	390 GT	Marked C8OE-B	7	18 1/4"	2 3/8"	1	C8OZ 8600-A
	F-X/C-w/hang-on A/C	8	390	Marked C8AE-D	5	19"	5/8"	1	C8AZ 8600-D
	F-Std. & A/C	8	428CJ	Marked C9ZE-E	7	18 1/4"	2 5/8"	1	C9ZZ 8600-C
	F	8	428 SuperCJ					1	
	F-Std.	8	428 SuperCJ	Marked C9OE-H	6	18"	5/8"	1	C9OZ 8600-D
	F Boss	8	429-4V	Marked C9ZE-F	7	18"	3/4"	1	C9ZZ 8600-D
70	F-Std. - "Before 8/27/69"	6	200	Marked C9ZE-D	4	16"	5/8"	1	C9ZZ 8600-A
	F-w/X/C- "Before 8/27/69"	6	200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	F-Std. & X/C- "From 8/27/69"	6	200	Marked C8YE 8600-A	5	16 1/2"	5/8"	1	C8YZ 8600-A
	F-X/C-w/hang-on A/C	6	200,250	Marked C5AE-B-slot existing holes away from center hole of fan (4-places)	5	17"	5/8"	1	C5AZ 8600-A
	F-Std. & X/C	6	250		4	17 1/8"	5/8"	1	C9OZ 8600-A
	F-w/A/C	6	250	Marked C9ZE-C	6	17"	2 5/8"	1	C9ZZ 8600-C
	F-w/A/C	8	302		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	F-Std., X/C & A/C	8	351					1	
	F(Boss)	8	302 Spec.					1	
	F-Std. or X/C-S/T	8	351	Marked C8SE-A	4	17 9/16"	5/8"	1	C9OZ 8600-B
	F-Std. or X/C	8	302-2V					1	
	F-Std.- "Before 9/1/69"	8	428CJ	Marked C9ZE-E	7	18 1/4"	2 5/8"	1	C9ZZ 8600-C
	F-A/C	8	428CJ					1	
	F-std.- "From 9/1/69"	8	428 S/CJ					1	
	F-A/C	8	428 S/CJ					1	
	F-Std. - "Before 9/1/69"	8	428 S/CJ		6	18"	5/8"	1	C9OZ 8600-D
	F-Std. - "From 9/1/69"	8	428CJ		7	18"	5/8"	1	D0TZ 8600-B
	F-Boss	8	429 Spec.	Marked D0ZE-A	5	18"	1"	1	D0ZZ 8600-A
71	F-Std. cooling	6	250		4	17 1/2"	5/8"	1	C6OZ 8600-A
	F-Std.& X/C	8	302,351					1	
	F-w/A/C	6	250		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	F-w/A/C	8	302, 351	Marked D0AE-A, D1AE-CA	5	18 1/2"	5/8"	1	D0AZ 8600-A (YA-18)
	F-Std.cooling	8	302 Spec.					1	
	F-Boss-Std. cooling	8	351Spec.					1	
	F	8	429CJ & S/CJ	Marked D0OE-A	7	19"	5/8"	1	D0OZ 8600-A (YA-25)

8600 FAN BLADE ASSY. continued

YEAR	MODEL	ENGINE CYL.	ENGINE C. I. D.	DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY.	PART NUMBER
				- F -					
72	F-Std. cooling	6	250		4	17 1/2"	5/8"	1	C6OZ 8600-A
	F-Std. & X/C	8	302					1	
	F-w/A/C	6	250		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	F-w/A/C	8	302,351	Marked D2SE-AA	5	18 1/2"	5/8"	1	D2SZ 8600-A
	F-(M/T)-Std.&A/C	8	351CJ					1	(YA-65)
	F-Std. & X/C	8	351-2V	Marked D2OE-AA, AB	4	18 1/2"	5/8"	1	D2OZ 8600-A
	F-(A/T)-Std. cooling	8	351CJ	Marked D0AE-A, D1AE-CA	5	18 1/2"	5/8"	1	D0AZ 8600-A (YA-18)
				- L -					
71	L	4	98		2	14"	5/8"	1	D1FZ 8600-A
	L Std. cooling or A/C	4	122	Marked D12E-BA, BB, BC or BD replaces 2 blade fan	4	16"	5/8"	1	D1FZ 8600-B r/b D4ZZ 8600-A(2-74)
	L-w/hang-on A/C	4	122		6	14 5/16"	5/8"	1	C9RZ 8600-A
72	L	4	98		2	14"	5/8"	1	D1FZ 8600-A
	L-w/hang-on A/C	4	98		6	14 5/16"	5/8"	1	C9RZ 8600-A
	L-Std. cooling	4	122	Marked D22E-BA	2	16"	5/8"	1	D2FZ 8600-B
	L-w/hang-on A/C	4	122		6	14 5/16"	5/8"	1	C9RZ 8600-A
	L(A/T)-w/ integral A/C	4	122	Marked D12E-BD	4	16"	5/8"	1	D1FZ 8600-B r/b D4ZZ 8600-A(2-74)
				- P -					
70	P-Std.cooling, A/T	6	170	Marked C9ZE-D	4	16"	5/8"	1	C9ZZ 8600-A
	P-w/o A/C	6	200					1	
	P-Std.cooling, S/T	6	170		4	15 1/2"	5/8"	1	C2DZ 8600-D
	P-w/A/C	6	170,200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	P-w/o A/C	6	250		4	17 1/8"	5/8"	1	C9OZ 8600-A
	P-w/A/C	6	250	Marked D0DE-A	5	17"	5/8"	1	D0DZ 8600-A
71	P-Std. cooling	6	170,200		4	17 1/8"	5/8"	1	C6OZ 8600-D
	P-w/A/C	6	200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	P-Std.cooling	6	250		4	17 1/8"	5/8"	1	C6OZ 8600-D
	P-w/A/C	6	250	Marked D1DE-AA	5	17"	5/8"	1	D1DZ 8600-A (YA-26)
	P-std.cooling	8	302	Marked C8SE-A	4	17 9/16"	5/8"	1	C9OZ 8600-B
	P-w/ A/C	8	302	Replaces 7 blade fan	5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
72	P-Std. cooling	6	170, 200		4	17 1/8"	5/8"	1	C6OZ 8600-D
	P-w/A/C	6	200		6	15 1/16"	5/8"	1	C9DZ 8600-A
	P-Std. cooling	6	250		4	17 1/2"	5/8"	1	C6OZ 8600-A
	P-w/A/C - "Before 2/15/72"	6	250	Marked D2DE 8600-AA	5	18 1/16"	5/8"	1	D2DZ 8600-A
	P-Std. cooling	8	302	Marked C8SE-A	4	17 9/16"	5/8"	1	C9OZ 8600-B
	P-w/A/C	8	302	Replaces 7 blade fan	5	17 1/2"	5/8"	1	C8SZ 8600-B
	P-w/A/C - "From 2/15/72"	6	250					1	(YA-17)
				- S -					
65	S-A/C	8	390	Used on first 500 units manufactured	5	18"	2 5/8"	1	★C1SS 8600-A
	S-exc. A/C	8	390		5	18 1/2"	5/8"	1	C1AZ 8600-A
	S-A/C	8	390	Used after 500 units manufactured	7	18"	2 3/8"	1	C4SZ 8600-A
66	S-except A/C	8	390,428		5	18 1/2"	5/8"	1	C1AZ 8600-A
	S-with A/C(w/o T/E)	8	390,428	Marked C4SE-A	7	18"	2 3/8"	1	C4SZ 8600-A
	S-with A/C & T/E	8	390,428	Marked C6AE-A	7	19"	2 3/8"	1	★C6AZ 8600-A
67	S	8	390, 428	Marked C6OE-F	7	18 1/4"	2 3/8"	1	C6OZ 8600-F

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8600 FAN BLADE ASSY. continued

YEAR	MODEL	ENGINE CYL.	ENGINE C. I. D.	DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY.	PART NUMBER
				- S -					
68/69	S-Std.	8	429		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	S-w/A/C	8	429		7	18"	2 3/8"	1	C8SZ 8600-C
70/71	S-Std.	8	429		4	19"	5/8"	1	D0AZ 8600-B
	S-w/A/C	8	429	Marked D0SE-A	7	19"	2 3/8"	1	D0SZ 8600-A
72	S	8	400	Marked D2VE-AB, AC	7	17 1/2"	5/8"	1	D2VY 8600-A (YA-19)
	S-Std.cooling	8	429		4	19"	5/8"	1	D0AZ 8600-B
	S-w/A/C	8	429,460	Marked D0SE-A	7	19"	2 3/8"	1	D0SZ 8600-A
				- U -					
66	U-Std. (w/o T/E)	6	170		6	15 1/16"	5/8"	1	C9DZ 8600-A
	U-with T/E or X/C	6	170					1	
	U-Std. (w/o T/E)	8	289		4	18"	5/8"	1	C1TZ 8600-J
	U-with T/E	8	289		5	18"	5/8"	1	B7Y 8600-A
67	U-Std. (w/o T/E)	6	170		6	15 1/16"	5/8"	1	C9DZ 8600-A
	U-X/C or T/E	6	170	Replaces 6 blade fan	4	15"	5/8"	1	C9TZ 8600-A
	U-w/ or w/o T/E	8	289	Marked C6TA-U or C7TA-M	7	18"	5/8"	1	D0TZ 8600-B
68	U-Std.	6	170		6	15 1/16"	5/8"	1	C9DZ 8600-A
	U-X/C or T/E	6	170	Replaces 6 blade fan	4	15"	5/8"	1	C9TZ 8600-A
	U	8	289		7	18"	5/8"	1	D0TZ 8600-B
69	U	6	170	Replaces 6 blade fan	4	15"	5/8"	1	C9TZ 8600-A
	U	8	302	Marked C6TA-U or C7TA-M	7	18"	5/8"	1	D0TZ 8600-B
70/	U	6	170		6	15"	5/8"	1	D0TZ 8600-A
	U	8	302	Marked C6TA-U or C7TA-M	7	18"	5/8"	1	D0TZ 8600-B
				- X -					
65	X-Std. or X/C	6	170		4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-Hang-on A/C or P/S	6	170, 200		6	15"	1"	1	C5GY 8600-C
	X-Std. Trans.	6	200	Std. or extra cooling	4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-Auto. Trans.	6	200	Std. cooling	4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-Auto. Trans.-X/C	6	200		6	15"	1"	1	C5GY 8600-C
	X-Std. trans. -Std. & extra cooling	8	289		4	17"	5/8"	1	C2OA 8600-B
	X-Auto. Trans. - Std. cooling	8	289		4	17"	5/8"	1	C2OA 8600-B
	X-Auto. Trans.-X/C	8	289	Replaces 6 blade fan	5	17"	5/8"	1"	C5AZ 8600-A
	X-Hang-on A/C	8	289	Replaces 6 balde fan	5	17"	5/8"	1	C5AZ 8600-A
66	X-Std. (exc. Integral A/C or dlr. P/S)	6	170, 200	Without T/E-marked C5DE-A-replaces fan marked C2DA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-Std., X/C, P/S, (except A/C)	6	170, 200	With T/E-w/o fan clutch-marked C5DE-A-replaces fan marked C2OA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-P/S-dlr. inst.	6	170, 200	Without T/E	6	15"	1"	1	C5GY 8600-C
	X-Integral A/C	6	170, 200	With or without T/E-marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
	X-Hang-on A/C	6	170, 200	With T/E-marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
	X-Std. (exc. X/C or A/C)	8	289	With or without T/E-marked C6OE-B, C6AE-E or C1VV-D	4	17 1/2"	5/8"	1	C6OZ 8600-A
	X-X/C	8	289	With or without T/E-marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	X-Hang-on A/C	8	289	Marked C6DA-A	5	17 1/2"	5/8"	1	C6DZ 8600-A
	X-Integral A/C	8	289	With or without T/E-marked C6OE-G	7	17 1/2"	2 3/8"	1	C4OZ 8600-D

8600 FAN BLADE ASSY. continued

YEAR	MODEL	ENGINE CYL	ENGINE C.I.D.	DESCRIPTION	BLADES	DIAM.	CENTER HOLE	QTY	PART NUMBER
				- X -					
67	X-auto.trans.(exc. X/C or A/C)-with Imco-"From 11/14/66"	6	170	With T/E-marked C5GE-C	4	14 1/2"	5/8"	1	C0DZ 8600-A
	X-Std.(exc.X/C, A/C)-"Before 11/14/66"	6	170	With or w/o T/E-marked C5DE-A-replaces fan marked C2DA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-S/T(exc.X/C, A/C)-"From 11/14/66"	6	170	With or w/o T/E-marked C5DE-A-replaces fan marked C2DA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-X/C	6	170,200	With or without T/E-marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	X-Hang-on A/C	6	170,200	With or w/o T/E	6	15 1/16"	5/8"	1	C9DZ 8600-A
	X-Integral A/C	6	170,200	Without T/E-marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
	X-Integral A/C	6	170,200	With T/E-marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
	X-Std.(exc.X/C, A/C)	6	200	Without T/E-marked C5DE-A-replaces fan marked C2DA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-std.(exc.X.C, A/C)-"Before 11/14/66"	6	200	With T/E-marked C7DE-A	4	17"	5/8"	1	C7DZ 8600-A
	X-Std.trans.exc. A/C or X/C-"From 11/14/66"	6	200	With T/E-marked C7DE-A	4	17"	5/8"	1	C7DZ 8600-A
	X-auto.trans.exc. A/C-with Imco-"From 11/14/66"	6	200	With T/E-marked C5DE-A-replaces fan marked C2DA-A	4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-Std.(exc. X/C, Integral A/C	8	289	W/o T/E-marked C1VV-D or C6AE-E	4	17 1/2"	5/8"	1	C6OZ 8600-A
	X-std.(exc.X/C, A/C)	8	289	With T/E-marked C7OE-A	4	17 3/4"	5/8"	1	C7OZ 8600-A
	X-X/C	8	289	With or w/oT/E-marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	X-Hang-on A/C	8	289	With or w/o T/E-marked C6DA-A	5	17 1/2"	5/8"	1	C6DZ 8600-A
	X-Integral A/C	8	289	With or w/o T/E-marked C6OE-G	7	17 1/2"	2 3/8"	1	C4OZ 8600-D
68	X	6	170		4	15 1/2"	5/8"	1	C2DZ 8600-D
	X-Std. w/o A/C	6	200					1	
	X-w/A/C	6	200	Marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
	X-w/X/C, W/T/E w/o A/C	6	200	Marked C7DE-A	4	17"	5/8"	1	C7DZ 8600-A
	X-w/A/C	8	289,302		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	X-Std.	8	All		4	17 1/2"	5/8"	1	C6OZ 8600-A
69/70	X	6	170	Marked C9ZE-D	4	16"	5/8"	1	C9ZZ 8600-A
	X-X/C	6	200						
	X-Std.	6	200		5	16 1/2"	5/8"	1	C8YZ 8600-A
	X-X/C-w/Hang-on A/C	6	170, 200	Marked C5AE-B	5	17"	5/8"	1	C5AZ 8600-A
	X-w/A/C	6	200	Marked C7GE-A	6	17 1/4"	2 3/8"	1	C6OZ 8600-G
	X-w/A/C	8	302		5	17 1/2"	5/8"	1	C8SZ 8600-B (YA-17)
	X-Std. or X/C	8	302		4	17 9/16"	5/8"	1	C9OZ 8600-B
	X-X/C-w/Hang-on A/C	8	302		5	18"	5/8"	1	C5AZ 8600-K (YA-15)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
65	A	8	289	Bolt(fan, spacer & pulley to pump)-5/16"-24 x 4 3/4"	4	300947-S7-8(B166F)
65/66	A	8	352	Bolt (fan to pulley to water pump)-5/16"-24 7/8"	4	355480-S8(BB525)
65/71	A, B, F, X, U	6&8	All	Lockwasher 5/16"	AR	34806-S7(X64)
68	F	8	390,427		AR	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8600 FAN BLADE ASSY. continued

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
65/71	A,F,X,U	6	All	Bolt (fan to water pump)-5/16"-24 x 5/8"	4	350400-S(BB208)
65/71	A,S-w/A/C(352,390,429)	8		Bolt(fan blade to clutch assy.)-5/16"-18 x 5/8"	4	20326-S7(B49)
65/71	A-with slip fan (352,390,406,428)	8			4	
68	B,X-w/o A/C or power fan	6	200		4	
68	B	8	302		4	
66/69	B,F	8	390		4	
66/69	B,F	8	427		4	
68	A	8	427		4	
65/71	A	8	352,390	Bolt (fan to pulley to pump)-5/16"-24 x 2"	4	20521-S8(B162)
65/66	S	8	All	Bolt (fan, spacer, pulley to pump)	4	
66	A	6	240	Bolt(fan & pulley to pump)-5/16"-24 x 1 1/2"	4	20467-S7(B160)
68	A	6	240	Bolt (fan & pulley to pump)	4	
67	A-Police & Taxi-std. cooling	6	240	Screw & washer(fan, spacer & pulley to pump)-5/16"-24 x 1 3/4"-hex. head	4	379439-S2 (BB570T)
69/	U	8	302	(fan, spacer to water pump)	4	
67	A-X/C with Imco	8	390,428	Screw(fan, spacer & pulley to pump)5/16"-24 x 2 3/4"	4	★379206-S2
67/71	A	8	390,428	Bolt (fan, spacer & pulley to pump)-5/16"-24 x 3"	4	45533-S8(B166)
66/67	B-S/T w/std. cooling (w/o A/C)	8	390	Bolt (fan thru spacer & pulley to water pump)	4	
66/67	B-auto. trans. w/std. cooling(w/o A/C)	8	390	Screw (fan, spacer & pulley to water pump)-5/16"-24 x 2 3/8"	4	45521-S7-8 (B164A)
68/69	F-std. cooling	8	289,302	Screw(fan, spacer & pulley to water pump)	4	
68	X-std. cooling w/T/E	6	170	Screw(fan, spacer & pulley to water pump)	4	
68	B	8	289,390, 429	Bolt (fan, spacer & pulley to pump)-5/16"-24 x 3 1/4"	4	45539-S7(B167)
68	F	8	289-4V	Bolt(fan, spacer & pulley to pump)	4	
68	A	8	390	Bolt(fan, spacer & pulley to pump)	4	
68	S-std. cooling	8	390,428		4	
68/69	B,X-w/A/C	8	289,302	Bolt (fan, spacer & pulley to pump)-5/16"-24 x 3 3/4"	4	379192-S7-8 (BB570Y)
71/	A-All	8	400		4	
	A(exc. P/C)-w/A/C	8	351W		4	
	A(P/C)-All	8	351W		4	
65	F	6	170	Bolt(fan & pulley to pump)-5/16"-24 x 2 1/8"	4	379031-S7-8
68	A	6	240	Screw & washer(fan, spacer & pulley to water pump)	4	(BB211B)
68	A-Police & Taxi-std. cooling	6	240	Screw & washer(fan, spacer & pulley to water pump)	4	
66/	U	6	170		4	
65	F	8	260,289	Bolt (fan, spacer & pulley to pump)-5/16"-24 x 3 3/4"	4	377888-S(BB211F)
68	F	8	289,302	Use with X/C	4	300891-S2(B166A)
71/	L	4	98	Screw & washer assy.-M8 x 1.25 x 35M (fan to	4	N-602552-S51M (AB64M)
71/	L	4	122	Screw & washer-M8 x 45(fan & pulley to pump)	4	N-602554-S51M (AB66M)
66/68	U	8	289	Bolt(fan, spacer & pulley to pump)-5/16"-18 x 1 1/4"	4	20426-S8(B55)
65/70	X-with A/C	6	All	Bolt (fan to pulley to pump)-5/16"-24 x 1"	4	20387-S8(B157)

8A611 GUARD-FAN

68	A	8	390,428		1	C8AZ 8A611-B
69	A	6	240		1	C9AZ 8A611-A
70/	A	6	240		1	D1AZ 8A611-A
72	F-without A/C	6	250		1	
70/71	B,F without A/C	6	250		1	
72	B-Std. cooling	6	250		1	D2OZ 8A611-A
70	B	6	250	Screw (fan guard to rad. support) 1/4"-20	1	55914-S2(U254F)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	8A613 SPACER - IDLER PULLEY						
70	A-with A/C without P/S	8	302,351	29/64" I.D.-7/8" O.D.-1/2" thick		1	D0AZ 8A613-A
	A	8	429 exc.P/C			1	
	A-without P/S	8	429 P/C			1	
	B-with A/C without P/S	8	302,351			1	
	B-without P/S & A/C	8	429			1	
	F-with A/C without P/S	8	302,351			1	
71/	A,B,F,P-use w/adj. idler pulley	8	302, 351, 429			1	
	8A615 BELT KIT - DRIVE - Refer to Group 86.1						
	8A616 CLUTCH ASSY. - FAN						
	- A -						
65	A-with Integral or Hang-on A/C	6	240	Brown paint on shaft	YB-95	1	C5AZ 8A616-B
	A-with Integral or factory installed Hang-on A/C "Before 6/1/65"	8	289	"From 6/1/65", refer to Group 8546	YB-96	1	C6OZ 8A616-D
	A-with Integral A/C	8	352,390 exc.P/C	3.17" depth-marked C7AE-C	YB-94	1	C4SZ 8A616-B
	A-with Hang-on A/C-factory installed	8	352,390 exc.P/C	For units w/o fan clutch refer group 8546		1	
	A-Hang-on or Integral A/C	8	390 P/C			1	
	A "From 1/25/65"	8	427	"Before 1/25/65" Refer to group 8546		1	
66/67	A-Integral A/C or Super X/C-w/ or w/o T/E	6	240	Use with C5AZ 8600-D	YB-95	1	C5AZ 8A616-B
	A-Integral A/C "Before 11/30/65"	8	289	"From 11/30/65", refer to group 8546	YB-96	1	C6OZ 8A616-D
	A-Integral A/C	8	352,390 428	3.17" depth-marked C7AE-C	YB-94	1	C4SZ 8A616-B
	A-Super X/C (1967)	8	390,428			1	
	A-std. cooling - (1966/67)	8	427			1	
	A-Police-Std. w/A/C	8	390,428 exc.P/T	3.17" depth-marked C7AE 8A616-B	YB-120	1	C7AZ 8A616-B
	A-Std. cooling & Integral A/C(1967)	8	428 P/T	3.17" depth-marked C7AE-B	YB-120	1	C7AZ 8A616-B
68	A-w/A/C or X/C	8	240	Marked C5AE-B	YB-95	1	C5AZ 8A616-B
	A-w/A/C or X/C	8	390,428	3.17" depth-marked C7AE-C	YB-94	1	C4SZ 8A616-B
	A-Std.	8	427	3.17" depth-marked C7AE-B	YB-120	1	C7AZ 8A616-B
69	A-w/A/C	8	351		YB-100	1	C9AZ 8A616-C
	A-w/A/C & 3.25/1 axle ratio	8	390			1	
	A-w/trailer towing package	8	390			1	
	A-w/A/C	8	390	3.17" depth-marked C7AE-A or C, C9AE-B	YB-94	1	C4SZ 8A616-B
	A-w/trailer towing package	8	429	Marked C8SE-B or C9SE-B	YB-98	1	C8SZ 8A616-B
	A-w/A/C	8	429		YB-99	1	C9AZ 8A616-B
70	A-w/A/C	8	351		YB-100	1	C9AZ 8A616-C
	A-w/A/C	8	390		YB-94	1	C4SZ 8A616-B
	A-w/A/C	8	429		YB-99	1	C9AZ 8A616-B
71	A-w/A/C	8	390		YB-94	1	C4SZ 8A616-B
	A	8	429 exc. P/C		YB-99	1	C9AZ 8A616-B
72	A-w/A/C	8	429			1	
	- B -						
65	B-w/Deluxe Hang-on A/C	6	170,200	2 5/8" depth-2.31" diam. hub	YB-103	1	C3OZ 8A616-B
	B-w/Deluxe Hang-on A/C,X/C	8	289	3 5/8" depth-marked C6OE-G	YB-96	1	C6OZ 8A616-D

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	8A616 CLUTCH ASSY. - FAN - continued						
	- B -						
66/67	B-Integral A/C, power fan	6	200	2 5/8" depth-marked C3OA-C, C6DE-A	YB-103	1	C3OZ 8A616-B
	B-Integral A/C or power fan	8	289,302	3 5/8" depth-marked C6OE-G	YB-96	1	C6OZ 8A616-D
	B-Integral A/C	8	390		YB-106	1	C7OZ 8A616-A
	B-GT, power fan, X/C-w/o A/C	8	390	2.91" depth-marked C7ZE-B	YB-107	1	C7OZ 8A616-C
	B	8	427			1	
68	B-w/A/C	6	200	Marked C3OA-C or C6DE-A	YB-103	1	C3OZ 8A616-B
	B-w/P/F	8	289,302		YB-106	1	C7OZ 8A616-C
	B-w/A/C	8	289,302	Refer to 8546			
	B-w/P/F & Imco or T/E	8	390	Marked C8OE-B or C		1	C8OZ 8A616-B
	B-w/X/C	8	390	Marked C8OE-B or C		1	C8OZ 8A616-B
	B-w/A/C	8	390-2V	Marked C8OE-A or D	YB-109	1	C8OZ 8A616-A
	B-w/T/E	8	390-4V	Marked C8OE-A or D	YB-109	1	C8OZ 8A616-A
	B	8	427	Marked C8OE-B or C		1	C8OZ 8A616-B
	B	8	428CJ			1	
69	B-w/A/C	6	250	Marked C9DE-A or C9ZE-C	YB-111	1	C9DZ 8A616-A
	B-w/A/C	8	390 GT	Marked C8OE-A	YB-109	1	C8OZ 8A616-A
	B-w/A/C	8	428CJ, 428 S/CJ	Marked C9ZE-B	YB-112	1	C9ZZ 8A616-A
70	B-w/A/C	6	250	Marked D0DE-A	YB-113	1	D0DZ 8A616-A
	B-w/A/C	8	429	Marked D0OE-A	YB-114	1	D0OZ 8A616-A
72	B-w/A/C	8	429	Marked C9SE-B	YB-98	1	C8SZ 8A616-B
	- F -						
65	F-with factory installed A/C	8	260,289		YB-96	1	C6OZ 8A616-D
66	F-w/Hang-on A/C-with or w/o T/E "Before 1/5/66"	8	289	3 3/16" depth-marked C6ZE-A-use with C6ZZ 8005-A (2 1/4" core)	YB-105	1	C6ZZ 8A616-A
	"From 1/5/66"	8	289	Use with C3DZ 8005-K (2 1/4" core)	YB-96	1	C6OZ 8A616-D
	F-Integral A/C-with or w/o T/E	8	289		YB-96	1	C6OZ 8A616-D
67	F-except Hang-on A/C	8	289,390	2.91" depth-marked C7ZE-B	YB-107	1	C7OZ 8A616-C
	F-Hang-on A/C	8	289	3 3/16" depth-marked C6ZE-A	YB-105	1	C6ZZ 8A616-A
	F(GT350,500)	8	428	Not replaced		1	★ 8A616
68	F-w/T/E	8	390 GT	Marked C8OZ-A	YB-109	1	C8OZ 8A616-A
	F-w/o A/C	8	200,289, 302,427, 428 CJ	Marked C8OE-B or C		1	C8OZ 8A616-B
	F(GT350)	8	428	Not replaced		1	★ 8A616
	F(GT500)	8	428		YB-124	1	C8ZX 8A616-A
69	F	6	250	Marked C9DE-A or C9ZE-C	YB-111	1	C9DZ 8A616-A
	F-w/A/C	8	390 GT	Marked C8OE-A	YB-109	1	C8OZ 8A616-A
	F-Std.	8	390 GT	Marked C8OE-B or C		1	C8OZ 8A616-B
69	F	8	428CJ, 428 S/CJ	Marked C9ZE-B	YB-112	1	C9ZZ 8A616-A
70	F-w/A/C	6	250	Marked C9DE-A or C9ZE-A	YB-111	1	C9DZ 8A616-A
	F-w/A/C "Before 9/1/69"	8	428CJ	Marked C9ZE-B	YB-112	1	C9ZZ 8A616-A
	F "Before 9/1/69"	8	428 S/CJ	Not used "From 9/1/69" S/CJ		1	
	F-w/A/C "From 9/1/69"	8	428CJ		YB-122	1	D0ZZ 8A616-A

8A616 CLUTCH ASSY. - FAN - continued

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	- S -						
65	S-with A/C	8	390	3 11/64" depth-marked C7AE -C	YB-94	1	C4SZ 8A616-B
66	S-with A/C(C6 trans.)	8	390,428	3 11/64" depth marked C7AE-C	YB-94	1	C4SZ 8A616-B
	S-with A/C(C/M) w/o T/E	8	390	2 7/8" depth-#C9WE-A replaces C6OE-A and C6SE-A	YB-104	1	C6OZ 8A616-E
	S-with A/C (C/M) with T/E	8	390	3 11/64" depth marked C7AE-C	YB-94	1	C4SZ 8A616-B
67	S with or w/o T/E	8	390,428	2.91" depth-marked C7SE-A	YB-108	1	C7SZ 8A616-A
68/	S-with A/C without X/C	8	429,460	Marked C8SE-A,B or C9SE-B	YB-98	1	C8SZ 8A616-B
	- X -						
66/70	X	6	170,200	Marked C3OA-C or C6DE-A	YB-103	1	C3OZ 8A616-B
66/68	X	8	289,302	3 5/8" depth-marked C6OE-G	YB-96	1	C6OZ 8A616-D

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
65/66	A, S-with A/C	8	All	Bolt (clutch to water pump)-5/16"-24 x 1"	4	20387-S8(B157)
65/70	B-with A/C	8	289	Bolt (clutch to water pump)-5/16"-24 x 1 1/4"	4	20427-S8(B158)
67	S	8	390,428	Bolt (clutch to water pump)-5/16"-24 x 1"	4	377937-S(BB210B)
68	A-with A/C	8	390,428		4	
68	A-std. cooling	8	427		4	
68	B	8	302		4	
68	F-std. cooling	8	390,427		4	
68	S-X/C	8	429		4	

8620 BELT - DRIVE- Refer to Section 86.1

8A626 STRAP - FAN SHROUD

65	S-with A/C	8	390	Included in C4SZ 8147-A-if needed loose, improvise from steel .048" x 2" x 3.52"		1	★C4SA 8A626-A

8A644 INSULATOR - FAN SHROUD - Rubber - Improvise

8A648 SHAFT - IDLER PULLEY

65	B-with A/C	6	170,200	Use C3OZ 8678-A for service		1	★C2OE 8A648-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	8A652 SPACER - IDLER PULLEY BRACKET						
65/66	A, B, F, X - with A/C	8	289	Steel-13/16" O.D. x 5/16" I.D.	YS-60	1	★C5AZ 8A652-A
67	A, B, X-with Selectaire A/C	8	289	x 7/16" thick -not replaced		1	
65/66	A-with A/C	6	240	Steel-11/16" O.D. x 3/8" I.D. x 7/32" thick	YS-61	1	C5AZ 8A652-B
67	A-with Selectaire A/C	8	289	Steel-11/16" O.D. x 3/8" I.D.	YS-62	1	C7AZ 8A652-A
68		6	240	x 3/16" thick		AR	
70/71	A-w/o P/S or A/C	8	429	4 13/16" long 1" O.D. -7/16" I.D.	YS-30	1	D1AZ 8A652-A
70	B-55 amp. alt. -w/o P/S & A/C	8	351,429			1	
70	X-A/C w/o P/S	8	302			1	
71	P-w/ A/C	8	302	Cut to fit		1	
71	B, F-55 amp.alt.-w/o A/C	8	429CJ & SCJ			1	
71	A	8	351C	Cut to fit		1	
72	A, B, F, P	8	302,351, 429	Cut to fit		1	
70/71	A-w/55 amp. alt. w/o A/C & P/S	8	302,351	3 19/32" long-1" O.D.	YS-63	1	D0AZ 8A652-A
70/71	A, B, F-w/A/C w/o P/S	8	302,351			1	
71	B-w/55 amp.alt.-w/o P/S	8	302,351			1	
71	F-w/42 amp.alt.w/A/C	8	302			1	
71	F-w/55 amp.alt.-w/o P/S	8	351			1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	8653 DECALCOMANIA - FAN WARNING					
65/71	S	8	390,428, 429	4 3/4" long "Caution-Fan"	1	C0AZ 8653-A
69/ 71	U	8	302		1	
	A	8	All		1	
	8A653-4 SUPPORT - IDLER PULLEY BRACKET					
65/68	A-with A/C	8	289	R.H.-Cast iron-"S" shape-2 holes	1	★ 8A654
		8	289	L.H.-Flat steel-"L" shape-3 holes-used without P/S	1	★ 8A653
66/ 68	B, X-with A/C	8	289	L.H.-Flat steel-"L" shape-used without P/S	1	★ 8A653
70	A(P/C)-w/42, 55 & 65 amp. alt.	8	429	Marked-D0AE-A	1	D0AZ 8A653-A
70	B-w/42, 55 & 65 amp. alt.	8	429		1	
71	A-w/o P/S & A/C	8	429		1	
71	B, F-w/55 amp.alt.w/o A/C	8	429		1	
72	A, B-std.cooling	8	429		1	
70	A, B, F-w/A/C w/o P/S	8	302,351		1	D0AZ 8A653-C
70	X	8	302		1	
70/ 72	A, B, F-w/55 amp. alt. w/o A/C	8	302,351	Includes (1) 384630-S2 bolt	1	D1AZ 8A653-B
	F-w/o A/C	8	302		1	
72	B(P/C)-w/61 amp. alt. w/o A/C	8	302,351		1	
71/	A, B, F, P-w/A/C	8	302,351	Marked D2OE 8A620-AA-includes (1) 384630-S2 bolt	1	D2OZ 8A653-A
72	A-w/hang on A/C	6	240	Use w/single sheave c/shaft pulley	1	D2AZ 8A653-A
70	A, B, F, P-w/A/C & w/o P/S	8	302,351	Stud (attaches bracket to cyl. head)-7/16"-14-14 x 5 7/8"	1	383912-S2 (WW50G)
71	A, B, F	6&8	All	Bolt (attach bracket to cyl.head)-7/16"-14 x 6" UBS	1	56177-S2(B321U)
71	A, B, F, P	8	302,351	Bolt (attach bracket to cyl.head)-7/16"-14 x 5 1/4" hex.washer	1	384630-S2 (BB546BU)

8678 PULLEY ASSY. - BELT IDLER

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE of A/C	LOCATION	DETAILS OF ASSY. (8678) BEARING OR BEARING & SHAFT 2990	SHIELD 8687	MOUNTING BRACKET 8680	PULLEY 8679	PULLEY & BRKT. ASSY. - COMPLETE 8678
	- A -									
65/66	A "Before 12/1/65"	6	240	F, S	R	C5AZ 2990-B	C4AZ 8687-A (YS-57)	C5AZ 2A942-A	Use 8678	C6AZ 8678-D
	A "From 12/1/65 to 2/15/66"	6	240	F, S	R	Use 8678	C4AZ 8687-A (YS-57)	C5AZ 2A942-A	Use 8678	C6AZ 8678-D
	A "From 2/15/66"	6	240	F, S	R	Use 8678	C4AZ 8687-A (YS-57)	C5AZ 2A942-A	Use 8678	C6AZ 8678-D
	A	6	240	F, S	L	C3OZ 2873-A, B8QH 2876-A	B8QH 2894-A	Use 8678	C3OZ 8679-A	C5AZ 8678-E
	A 'Before 12/1/65"	8	289	F, S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C6AZ 8678-E
	A 'From 12/1/65"	8	289	F, S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C6AZ 8678-E
	A	8	289	F, S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C5AZ 8678-D
	A	8	352, 390, 428	F, S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	D1TZ 8678-A
	A	8	352, 390, 428	F, S	L	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C5AZ 8678-C

F - Hang-on A/C S - Integral A/C R - Right Hand L - Left Hand

8678 PULLEY ASSY. - BELT IDLER - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE of A/C	LOCATION	DETAILS OF ASSY. (8678) BEARING OR BEARING & SHAFT 2990	SHIELD 8687	MOUNTING BRACKET 8680	PULLEY 8679	PULLEY & BRKT. ASSY. COMPLETE 8678
	- A -									
67	A	6	240	F, S	R	Use 8678	C4AZ 8687-A (YS-57)	C5AZ 2A942-A	Use 8678	C6AZ 8678-D
	A	6	240	F, S	L	C3OZ 2873-A, B8QH 2876-A	B8QH 2894-A	Use 8678	C3OZ 8679-A	C5AZ 8678-E
	A	8	289	F		C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-A
	A "Before 1/3/67"	8	289	S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C6AZ 8678-E
	A "From 1/3/67"	8	289	S	R	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-B
	A "Before 1/3/67"	8	289	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C5AZ 8678-D
	A "From 1/3/67"	8	289	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-C
	A	8	390,428	S	R	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7SZ 8678-A
	A	8	390,428	F	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C6AZ 8678-A
	A	8	390,428 Exc.P/I	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7SZ 8678-B
	A	8	428 P/I	S	L	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C5AZ 8678-C
68	A "Before 3/1/68"	8	302	F,S		C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	*C7AZ 8678-B
	A "Before 3/1/68"	8	302	F,S		C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	@C7AZ 8678-C
	A "From 3/1/68"	8	302	F, S			C8AZ 8687-A (YS-58)	Use 8678		@C8AZ 8678-C
	A	8	390, 428	F,S						*D0AZ 8678-C
	A "From 3/1/68"	8	302							
	A	8	390, 428	F,S			C8AZ 8687-A (YS-58)	Use 8678		@C8AZ 8678-B
69	A	6	240	F		Use 8678	C4AZ 8687-A (YS-57)	C5AZ 2A942-A	Use 8678	C6AZ 8678-D
	A	8	302	F,S			C8AZ 8687-A (YS-58)	Use 8678	Use 8678	@C8AZ 8678-C
	A	8	351							
	A	8	390,428,	F,S						*D0AZ 8678-C
	A	8	302,351							
	A	8	390,428	F,S			C8AZ 8687-A (YS-58)	Use 8678	Use 8678	@C8AZ 8678-B
	A	8	429			C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	C6AZ 8679-A (YS-31)	♦C8VZ 8678-A
70	A	8	302,351	S	L					@D0AZ 8678-A
	A	8	302,351	S	R					* D0AZ 8678-C
	A	8	390,428	S	L					@D0AZ 8678-D
	A	8	390,428	S	R					* D0AZ 8678-C
	A	8	429	S	L					@D0AZ 8678-B
	A	8	429	S	R					* D0AZ 8678-C
	A	8	429	F						* D0AZ 8678-E
	A-w/o P/S	8	302,351	S	L			D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
	A-w/o P/S	8	429		L			D0AZ 8680-A (YS-43)	D0AZ 8679-A (YS-32)	

F - Hang-on A/C S - Integral A/C R - Right Hand L - Left Hand
* - Adjustable @ - Fixed ♦ - Fixed (used as adj. pulley w/A/C)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

8678 PULLEY ASSY. - BELT IDLER - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE of A/C	LOCATION	DETAILS OF ASSY. (8678) BEARING OR BEARING & SHAFT 2990	SHIELD 8687	MOUNTING BRACKET 8680	PULLEY 8679	PULLEY & BRKT. ASSY. - COMPLETE 8678
	- A -									
71	A	8	302,351	S	L					@D0AZ 8678-A
	A	8	302,351	S	R					* D0AZ 8678-C
	A	8	390	S	L					@D0AZ 8678-D
	A	8	390	S	R					* D0AZ 8678-C
	A	8	400	S	L			D1AZ 2888-B		Use 2888
	A	8	400	S	R					* D0AZ 8678-C
	A	8	429	S	L					@D0AZ 8678-B
	A	8	429	S	R					* D0AZ 8678-C
	A-adj. idler pulley-w/o P/S	8	302,351	S	L			D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
	A-adj. idler pulley-w/o P/S	8	429		L			D0AZ 8680-A (YS-43)	D0AZ 8679-A (YS-32)	
72	A-adj. idler pulley-w/o A/C	8	302		L			D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
	A-adj. idler pulley	8	351		L			D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
	A-adj. idler pulley	8	429		L			D0AZ 8680-A (YS-43)	D0AZ 8679-A (YS-32)	
	A	8	351,400, 429	S	R					*D0AZ 8678-C
	A	8	351,400	S	L			Use 2888		
	A	8	429	S	L					@D0AZ 8678-B
	A-w/o P/S	6	240	F				D2AZ 8680-B (YS-50)	C9RZ 8678-A (YS-82)	
	A-w/P/S	6	240	F				D2AZ 8680-C (YS-51)	C9RZ 8678-A (YS-82)	
	A	6	240	F				♦D2AZ 8680-A (YS-49)		
	A	8	302,351	F				D1FZ 8680-A (YS-46)	C9RZ 8678-A (YS-82)	
	A	8	429	F	A			D2AZ 8680-D (YS-52)	C9RZ 8678-A (YS-82)	
	A	8	429	F	B			D2AZ 8680-E (YS-53)	C9RZ 8678-A (YS-82)	
	- B -									
65/66	B	6	170,200	F,D		C3OZ 2873-A, ★C2OE 8A648-A	B8QH 2894-A	C3OZ 8680-A	C3OZ 8679-A	★C3OZ 8678-A
	B	8	289	F,D	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	C5AZ 8680-A (YS-39)	Use 8678	C6OZ 8678-B
	B (1966)	8	289	F,S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	C5AZ 8678-C	C5AZ 8678-D
	B "Before 12/1/65"	8	390	F,S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	D1TZ 8678-A
	B "From 12/1/65"	8	390	F,S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	D1TZ 8678-A
	B (1966)	8	390	F,S	L	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C5AZ 8678-C
67	B	6	200	F,S				C3OZ 8679-A		
	B "Before 1/3/67"	8	289	S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C6OZ 8678-B
	B "From 1/3/67"	8	289	S	R	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-B
	B "Before 1/3/67"	8	289	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	C5AZ 8678-C	C5AZ 8678-D

* Adjustable @ Fixed F - Hang-on A/C S - Integral A/C R - Right Hand L - Left Hand
D - Deluxe hang-on A/C A - Upper B - Lower ♦ Support for idler pulley bracket

8678 PULLEY ASSY. - BELT IDLER - continued

YEAR	MODEL	ENGINE CYL	ENGINE C.I.D.	TYPE of A/C	LOCATION	DETAILS OF ASSY. (8678) BEARING OR BEARING & SHAFT 2990	SHIELD 8687	MOUNTING BRACKET 8680	PULLEY 8679	PULLEY & BRKT. ASSY. - COMPLETE 8678
	- 8 -									
67	B-"From 1/3/67"	8	289	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-C
	B	8	289	F	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-A
	B	8	390	F, S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	D1TZ 8678-A
	B	8	390	F, S	L	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C5AZ 8678-C
68	B "Before 3/1/68"	8	289, 302	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	@C7AZ 8678-C
	B "Before 3/1/68"	8	289, 302	S	R	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	*C7AZ 8678-B
	B "From 3/1/68"	8	289, 302	S	L		C8AZ 8687-A (YS-58)	Use 8678	Use 8678	@C8AZ 8678-C
	B	8	390	F, S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	D1TZ 8678-A
	B	8	390, 427	F, S	L		C8AZ 8687-A (YS-58)	Use 8678	Use 8678	@C8AZ 8678-B
	B	8	428 CJ	S	R					*D0AZ 8678-C
	B "From 3/1/68"	8	289, 302	S	R					
	B-CJ	8	428	S	L		C8AZ 8687-A (YS-58)	Use 8678	Use 8678	@C8AZ 8678-B
69	B	8	302, 351	S	L		C8AZ 8687-A (YS-58)	Use 8678	Use 8678	@C8AZ 8678-C
	B	8	390 GT, 427, 428 CJ	S						*D0AZ 8678-C
	B		302, 351		R					
	B	8	390 GT, 427, 428 CJ	S	L		C8AZ 8687-A (YS-58)	Use 8678	Use 8678	@C8AZ 8678-B
70	B	8	302, 351	S	L					@D0AZ 8678-A
	B	8	302, 351	S	R					*D0AZ 8678-C
	B-w/A/C	8	429	S	R					*D0AZ 8678-C
	B-w/A/C	8	429	S	L					@D0AZ 8678-B
	B-w/o P/S	8	302, 351	S	L			D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
	B-w/o P/S or A/C	8	429		L			D0AZ 8680-A (YS-43)	D0AZ 8679-A (YS-32)	
71	B-"Before 11/23/70"	8	302, 351	S	L					@D0AZ 8678-A
	B-"From 11/23/70 to 4/27/71"- "From 4/27/71"	8	302, 351	S	L			D1ZZ 8680-B (YS-48) Use 2888		
	B	8	302, 351	S	R					*D0AZ 8678-C
	B	8	429CJ	S	L					@D0AZ 8678-B
	B	8	429CJ	S	R					*D0AZ 8678-C
	B-adj. idler pulley-w/o P/S	8	302, 351	S	L			D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
	B-adj. idler pulley-w/o P/S or A/C	8	429		L			D0AZ 8680-A (YS-43)	D0AZ 8679-A (YS-32)	

* Adjustable @ Fixed F - Hang-on A/C S - Integral A/C R - Right Hand L - Left Hand

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

8678 PULLEY ASSY. - BELT IDLER - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE of A.C	LOCATION	DETAILS OF ASSY. (8678) BEARING OR BEARING & SHAFT 2990	SHIELD 8687	MOUNTING BRACKET 8680	PULLEY 8679	PULLEY & BRKT. ASSY. - COMPLETE 8678
	- B -									
72	B-adj. idler pulley-w/o P/S	8	302,351		L			D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
	B-adj. idler pulley-w/o P/S	8	429		L			D0AZ 8680-A (YS-43)	D0AZ 8679-A (YS-32)	
	B	8	302,351, 400,429	S	R					*D0AZ 8678-C
	B	8	302,351, 400	S	L			Use 2888		
	B	8	429	S	L					@D0AZ 8678-B
	B	8	302,351	F				D1FZ 8680-A (YS-46)	C9RZ 8678-A (YS-82)	
	B	8	429	F	A			D2AZ 8680-D (YS-52)	C9RZ 8678-A (YS-82)	
	B	8	429	F	B			D2AZ 8680-E (YS-53)	C9RZ 8678-A (YS-82)	
	- F -									
65	F-w/generators	8	260,289	F		A8AZ 10094-B	EAD 8687-A (YS-59)	Use 8678	†C0AZ 8679-A (YS-33)	C3AZ 8678-B
	F-w/alternators	8	289	F		C4AZ 2990-A	C4AZ 8687-A (YS-57)	C5AZ 8680-A (YS-39)	Use 8678	C6AZ 8678-E
66	F	8	289	F		C4AZ 2990-A	C4AZ 8687-A (YS-57)	C5AZ 8680-A (YS-39)	Use 8678	C6OZ 8678-B
67	F "Before 1/3/67"	8	289	S		C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C6OZ 8678-B
	F "From 1/3/67"	8	289	S	R	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-B
	F	8	289	F	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-A
	F	8	289	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-C
	F-w/o T/E	8	390	S	R	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7SZ 8678-A
	F-with or w/o T/E	8	390	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7SZ 8678-B
	F	8	390	F		C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	D1TZ 8678-A
68	F "Before 3/1/68"	8	289,302	S		C4AZ 2990-A	C8AZ 8687-A (YS-58)	Use 8678	Use 8678	@C7AZ 8678-C
	F-w/o T/E - "Before 3/1/68"	8	289,302	F,S		C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	*C7AZ 8678-B
	F "From 3/1/68"	8	289,302	S		C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	@C8AZ 8678-C
	F	8	390	F,S						*D0AZ 8678-C
	F "From 3/1/68"	8	289,302	F,S						
	F-CJ	8	428	S	R					
	F-CJ	8	428	S	L		C8AZ 8687-A (YS-58)	Use 8678		@C8AZ 8678-B
69	F	8	302,351	S	L		C8AZ 8687-A (YS-58)	Use 8678		@C8AZ 8678-C
	F	8	302,351	S	R					*D0AZ 8678-C
	F	8	390 GT, 428 CJ	F,S						*D0AZ 8678-C
	F	8	390 GT, 428 CJ	S			C8AZ 8687-A (YS-58)	Use 8678		@C8AZ 8678-B
70	F	8	302,351	S	L					@D0AZ 8678-A
	F	8	302,351	S	R					*D0AZ 8678-C
	F	8	428 CJ	S	L					@D0AZ 8678-D
	F	8	428 CJ	S	R					*D0AZ 8678-C
	F-w/o P/S	8	351	S	L			D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	

* Adjustable @ Fixed F - Hang-on A/C S - Integral A/C † Includes EAD 8687-A Dust Cap

A - Upper B - Lower R - Right Hand L - Left Hand

YEAR	MODEL	ENGINE		TYPE of A/C	LOCATION	DETAILS OF ASSY. (8678)				PULLEY & BRKT. ASSY. - COMPLETE 8678
			C.I.D.			BEARING OR BEARING & SHAFT 2990	SHIELD 8687	MOUNTING BRACKET 8680	PULLEY 8679	
8678 PULLEY ASSY. - BELT IDLER - continued										
	- F -									
71	F	8	302,351	S	R					*D0AZ 8678-C
	F "Before 11/2/70"	8	302,351	S	L			D1ZZ 8680-A (YS-47)		
	F "From 11/2/70 to 4/27/71"- "From 4/27/71"	8	302,351	S	L			D1ZZ 8680-B (YS-48) Use 2888		
	F-w/o P/S	8	302,351	S	L			D0AZ 8680-A (YS-43)	D0AZ 8679-A (YS-32)	
	F	8	429CJ& S/CJ	S						@D0AZ 8678-B
	F	8	429CJ& S/CJ	S						* D0AZ 8678-C
	F-adj. idler pulley-w/o P/S	8	429CJ& S/CJ					D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
72	F	8	302,351	F				D1FZ 8680-A (YS-46)	C9RZ 8678-A (YS-82)	
	F-adj. idler pulley	8	302,351					D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
	F	8	302,351	S S	R L			Use 2888		*D0AZ 8678-C
	- L -									
71	L-w/A/C	4	122	S						* D0AZ 8678-C
	L-w/ A/C	4	122	F				D1FZ 8680-A (YS-46)	C9RZ 8678-A (YS-82)	
72	L-w/A/C - "Before 1/10/72"	4	122	S						*D0AZ 8678-C
	L-w/A/C	4	122	F				D2FZ 8680-A (YS-54)	C9RZ 8678-A (YS-82)	
	L-w/A/C	4	98	F				D2FZ 8680-B (YS-55)	C9RZ 8678-A (YS-82)	
	L-w/A/C - "From 1/10/72"	4	122	S						*D2FZ 8678-B
	- P -									
71	P "Before 4/27/71" "From 4/27/71"	8	302	S				D1ZZ 8680-B (YS-48) Use 2888		
	P-adj. idler pulley-w/o P/S	8	302					D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
72	P	8	302	F				D1FZ 8680-A (YS-46)	C9RZ 8678-A (YS-82)	
	P-adj. idler pulley	8	302					D0AZ 8680-C (YS-44)	D0AZ 8679-A (YS-32)	
	P	8	302	S S	R L			Use 2888		*D0AZ 8678-C
	- S -									
65/66	S	8	390, 428	S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	D1TZ 8678-A
	S	8	390, 428	S	L	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 3A732	Use 8678	Use 3A732
67	S-with or w/o T/E	8	390, 428	S	R	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7SZ 8678-A
	S-with or w/o T/E	8	390, 428	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7SZ 8678-B
68	S	8	429	S		C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	@C8VZ 8678-A

* Adjustable @ Fixed R - Right Hand L - Left Hand F - Hang-on A/C S - Integral A/C

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE of A/C	LOCATION	DETAILS OF ASSY. (8678) BEARING OR BEARING & SHAFT 2990	SHIELD 8687	MOUNTING BRACKET 8680	PULLEY 8679	PULLEY & BRKT. ASSY. - COMPLETE 8678
	8678 PULLEY ASSY. - BELT IDLER - continued									
	- S -									
69	S	8	429-2/B							D0AZ 8678-C
	S	8	429-4/B			C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C8VZ 8678-A
70/71	S	8	429	S	L					@D0AZ 8678-B
	S	8	429	S	R					* D0AZ 8678-C
72	S "From 7/12/71 to 10/4/71"	8	429	S						* D2VY 8678-A
	- X -									
65/66	X	8	289	F	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	C5AZ 8680-A (YS-39)	Use 8678	C6OZ 8678-B
	X (1966)	8	289	F, S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C5AZ 8678-D
67	X 'Before 1/3/67"	8	289	S	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C6OZ 8678-B
	X 'From 1/3/67"	8	289	S	R	C5AZ 2990-B	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-B
	X 'Before 1/3/67"	8	289	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C5AZ 8678-D
	X 'From 1/3/67"	8	289	S	L	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-C
	X	8	289	F	R	C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	C7AZ 8678-A
68	X "Before 3/1/68"	8	289, 302	F, S		C4AZ 2990-A	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	@C7AZ 8678-C
	X "Before 3/1/68"	8	289, 302	F, S		Use 8678	C4AZ 8687-A (YS-57)	Use 8678	Use 8678	*C7AZ 8678-B
	X "From 3/1/68"	8	289, 302	F, S						D0AZ 8678-C
	X "From 3/1/68"	8	289, 302	F, S			C8AZ 8687-A (YS-58)	Use 8678		@C8AZ 8678-C
69/70	X	8	302	F, S	L		C8AZ 8687-A (YS-58)	Use 8678		@C8AZ 8678-C
69/70	X	8	302	F, S	R					* D0AZ 8678-C

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
65/71	A, S-with A/C	8	352,390	Lockwasher (pulley to alternator frt. bracket)	1	34807-S8(X66)
65/71	A			Flat washer-3/8"	AR	44727-S8(X24)
65/71	A, S-with A/C	8	352,390	Flatwasher (pulley to bracket)	1	382585-S100 (XX143A)
67	F-with A/C-w/o P/S	8	289	Used as spacer between idler pulley & water pump	1	351415-S(XX128)
70	A	8	390,428	Used as spacer between idler pulley & water pump	2	
67	F-with A/C	8	289	Bolt(pulley to water pump)-5/16"-18 x 4 1/8"	1	370807-S(BB414)
68/71	A, F, S	8	390,428	Stud (pulley to water pump)-3/8"-16 x 2"	1	377278-S7-8 (WW6-E)
68	A, F	8	390,428	Screw (pulley to bracket)-3/8"-16 x 1 1/8"	1	373162-S(BB563A)
68/	S	8	390,429	Screw (pulley to brkt.)-3/8"-16 x 1 1/8" hex. washer head	1	373162-S(BB563A)
70	A, F	8	All	Pulley assy. to brace, bracket & compressor	AR	
70	A	8	429	Screw (pulley assy. to compressor bracket)-3/8"-16 x 1 1/4"	1	377379-S2 (BB563B)
	8679 PULLEY - BELT IDLER - Refer to group 8678					
67	F-with A/C	8	289	Screw(pulley to compressor brkt.)-3/8"-16 x 1 1/4"-hex. washer head	1	377379-S2 (BB563B)
	8680 BRACKET-BELT IDLER PULLEY - Refer to group 8678					

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	8687 SHIELD - IDLER PULLEY BEARING DUST - Also supplied in basic 8678-refer to group 8678 for Model Usage						
				Steel disc-1.59" dia.x .042" thick	YS-59	1	EAD 8687-A
				Steel disc-1.25" dia.x .075" thick	YS-57	1	C4AZ 8687-A

* Adjustable @ Fixed R - Right Hand L - Left Hand F - Hang-on A/C S - Integral A/C

8620 BELT - DRIVE

DRIVE BELTS

HOW TO IDENTIFY FAN BELTS

1. By size and length-the Motorcraft Part Number allows you to determine belt size as explained below:

FIRST LETTER PREFIX: J - Designates the V-belt line in all cases

SECOND LETTER PREFIX:

A - Designates	13/32" top width of belt
B -	15/32"
C -	1/2"
D -	5/8"
E -	11/16"
F -	3/4"
G -	7/8"
H -	1/4"
M -	19/32"
P -	23/32"
R -	17/32"

NUMBERS: (There must always be a three digit numeral) First two digits designate the amount of whole inches of outside circumference of the belt.

Third digit designates the remaining fraction of an inch (expressed in eights of an inch) of outside circumference of the belt.

LETTERS SUFFIXES: Suffixes will designate special types of V-belts: C - for cog belts, L - for laminated belts, R - for racing belts

EXAMPLES: JA-451-R - Racing V-belt with 13/32" top width and 45 1/8" outside circumference.

JB-493-L - Laminated belt with 15/32" top width and 49 3/8" outside circumference.

JF-535-C - Cog belt with 3/4" top width and 53 5/8" outside circumference.

2. By identification marking - refer to chart beginning on page 2 of this section.

3. By year, model and application - refer to Listing beginning on page 13 of this section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

The purpose of this guide is to help find service part numbers for fan belts. Belts are identified with a marking on the outer (wide) surface of the belt. Although the identification marking and service part number may be the same in some instances, this is not generally true. Find the belt marking in the "Belt Identification Marking" column, then order the number listed in the "Service Part Number" column. Following the guide chart, belt part numbers are listed by model year to help find service part numbers when the belt marking is not known. The names Ford, Motorcraft, Bosch, Delco and Leece-Neville identify the type of generator or alternator with which a particular belt is used.

IDENTIFICATION MARKING	SERVICE PART NUMBER
#JA 317-R	★C9OZ 8620-E
#JA 334-R	★C9ZZ 8620-D
#JA 345-R	★C9AZ 8620-F
#JA 351-R	★C8ZZ 8620-B
#JA 363-R	★C9AZ 8620-G
#JA 380-R	★C9DZ 8620-A
#JA 385-R	★C9AZ 8620-H
#JA 395-R	★C9PZ 8620-HA
#JA 400-R	★C9ZZ 8620-E
#JA 410-R	★C9AZ 8620-J
#JA 415-R	★C9MZ 8620-E
#JA 420-R	★C9SZ 8620-A
#JA 431-R	★C9SZ 8620-B
#JA 440-R	★C9OZ 8620-G
#JA 451-R	★C9AZ 8620-K
#JA 460-R	★C9AZ 8620-L
#JA 471-R	★C9AZ 8620-M
#JA 482-R	★C9GY 8620-A
#JA 493-R	★C9GY 8620-B
#JA 502-R	★C9OZ 8620-H
#JA 510-R	★C9MZ 8620-C
#JA 515-R	★C9SZ 8620-C
#JA 523-R	★C9MZ 8620-D
#JA 536-R	★C9OZ 8620-J
#JB 286-C	C9PZ 8620-A
#JB 315	C9PZ 8620-B
#JB 325	D0RY 8620-C
#JB 332	C9PZ 8620-C
#JB 336	D0AZ 8620-G
#JB 341	C9PZ 8620-D
#JB 342	C9PZ 8620-D
#JB 346	C9PZ 8620-E
#JB 353	C9PZ 8620-F
#JB 354	C9PZ 8620-F
#JB 363	C9PZ 8620-G
#JB 364	C9PZ 8620-G
#JB 366	C9PZ 8620-GY
#JB 366-L	C9PZ 8620-GY
#JB 371	C9PZ 8620-J
#JB 376	C8HZ 8620-C
#JB 382	C9PZ 8620-K
#JB 385	C9PZ 8620-GF
#JB 385-L	C9PZ 8620-GF
#JB 386	C9PZ 8620-FT
#JB 390	C9PZ 8620-M
#JB 394	C9PZ 8620-N
#JB 401	C9PZ 8620-P
#JB 404	C9PZ 8620-R
#JB 412	C9PZ 8620-S
#JB 414	C9PZ 8620-GM
#JB 414-L	C9PZ 8620-GM
#JB 420	C9PZ 8620-T
#JB 423	C9PZ 8620-V
#JB 430	C9PZ 8620-GK
#JB 430-L	C9PZ 8620-GK
#JB 430-LA	C9PZ 8620-GK
#JB 432	D1PZ 8620-A
#JB 436	C9PZ 8620-GJ
#JB 436-L	C9PZ 8620-GJ
#JB 441	C9PZ 8620-AA
#JB 443	C9PZ 8620-AB
#JB 446	C9PZ 8620-AC
#JB 451	C9PZ 8620-AD
#JB 455	D1PZ 8620-B
#JB 456	C9PZ 8620-AE
#JB 460	C9PZ 8620-FY
#JB 461	C9PZ 8620-FY
#JB 461-L	C9PZ 8620-FY
#JB 464	C9PZ 8620-AG
#JB 470	C9PZ 8620-AH
#JB 472	C9PZ 8620-FR
#JB 475	C9PZ 8620-FM
#JB 480	C9PZ 8620-AL
#JB 482	C9PZ 8620-AM
#JB 486-L	C9PZ 8620-GL
#JB 486-LA	C9PZ 8620-GL
#JB 493	C9PZ 8620-FU
#JB 493-L	C9PZ 8620-FU
#JB 501	C9PZ 8620-AK
#JB 505	C9PZ 8620-AN
#JB 513	C9PZ 8620-AT
#JB 516	C9PZ 8620-AP
#JB 521	C9PZ 8620-AR
#JB 527	C9PZ 8620-GB
#JB 527-L	C9PZ 8620-GB
#JB 546	C9PZ 8620-AU
#JC 283	D0HZ 8620-A
#JC 293-C	C9PZ 8620-AV
#JC 307-C	C9PZ 8620-AY
#JC 320-C	C9PZ 8620-AZ
#JC 323-C	C9PZ 8620-BA
#JC 332	C9PZ 8620-BB
#JC 337	C9PZ 8620-BC
#JC 345-C	C9PZ 8620-BD
#JC 355	C9PZ 8620-BE
#JC 360-C	C9PZ 8620-BF
#JC 366-C	C9PZ 8620-BG
#JC 373	C9PZ 8620-BH
#JC 377-C	C9PZ 8620-BJ
#JC 381	C8VY 8620-B
#JC 387	C9PZ 8620-BK
#JC 393	C9PZ 8620-BL
#JC 403	C9PZ 8620-BM
#JC 407	C9PZ 8620-BN
#JC 411	C9PZ 8620-BP
#JC 415-R	★C9OZ 8620-F
#JC 416	C9PZ 8620-BR
#JC 420	C9PZ 8620-FS
#JC 423	C9PZ 8620-BS
#JC 430	C9PZ 8620-GU
#JC 430-L	C9PZ 8620-GU
#JC 433	C9PZ 8620-BU
#JC 441	C9PZ 8620-BV
#JC 443	C9PZ 8620-FN
#JC 445	C9PZ 8620-BY
#JC 450	C9PZ 8620-BZ
#JC 455	C9PZ 8620-CA
#JC 460	C9PZ 8620-CB
#JC 465	C9PZ 8620-CC
#JC 473	C9PZ 8620-CE
#JC 477	C9PZ 8620-CF
#JC 481	D0TZ 8620-D
#JC 483	C9PZ 8620-CD
#JC 490	C9PZ 8620-CG
#JC 493	C9PZ 8620-FP
#JC 495-L	C9PZ 8620-CH
#JC 497	C9PZ 8620-GD
#JC 501	C9PZ 8620-GD
#JC 501-L	C9PZ 8620-GD
#JC 504	C9PZ 8620-CK
#JC 507	D0TZ 8620-B
#JC 510-L	C9PZ 8620-CL
#JC 514	C9PZ 8620-CL

Identification number is same as Motorcraft Sales Number

8620 BELT - DRIVE - continued

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

IDENTIFICATION MARKING	SERVICE PART NUMBER
#JC 517	D0VZ 8620-B
#JC 521	C9PZ 8620-CM
#JC 524	C9PZ 8620-CM
#JC 525	C9PZ 8620-CM
#JC 527	D0AZ 8620-E
#JC 527-L	D0AZ 8620-E
#JC 530-L	C9PZ 8620-GB
#JC 531	D0AZ 8620-E
#JC 534	C9PZ 8620-CP
#JC 537	C9PZ 8620-CR
#JC 544	C9PZ 8620-CS
#JC 550	D1AZ 8620-A
#JC 551	C9PZ 8620-GC
#JC 552	C9PZ 8620-GC
#JC 552-L	C9PZ 8620-GC
#JC 554	C9PZ 8620-GN
#JC 555	C9PZ 8620-GN
#JC 557	C9PZ 8620-GA
#JC 557-L	C9PZ 8620-GA
#JC 561-L	C9PZ 8620-GA
#JC 563	C3AZ 8620-F
#JC 564	C9PZ 8620-CV
#JC 574	C9PZ 8620-CY
#JC 577	C9PZ 8620-CZ
#JC 585	C9PZ 8620-DA
#JC 585-L	D1VY 8620-A
#JC 591	C9PZ 8620-DB
#JC 594	C9PZ 8620-DB
#JC 600	C9PZ 8620-DC
#JC 603-L	C9PZ 8620-GT
#JC 604	C9PZ 8620-GT
#JC 604-L	C9PZ 8620-GT
#JC 607	C9PZ 8620-DE
#JC 610	C9PZ 8620-GG
#JC 611-R	★ C6ZZ 8620-C
#JC 613	C9PZ 8620-GG
#JC 614	C9PZ 8620-GG
#JC 616	C9PZ 8620-DF
#JC 624	C9PZ 8620-DG
#JC 626	C9PZ 8620-GH
#JC 626-L	C9PZ 8620-GH
#JC 631-L	C9PZ 8620-GH
#JC 634	C9PZ 8620-GV
#JC 634-L	C9PZ 8620-GV
#JC 637-L	C9PZ 8620-FZ
#JC 640	C9PZ 8620-FZ
#JC 640-L	C9PZ 8620-FZ
#JC 650	C9PZ 8620-DL
#JC 654	C9PZ 8620-DM
#JC 655	C9PZ 8620-DN
#JC 667	C9PZ 8620-DP
#JC 684	C9PZ 8620-DR
#JC 694	C9PZ 8620-GZ
#JC 694-L	C9PZ 8620-GZ
#JC 707	C7AZ 8620-B
#JC 734	C9PZ 8620-DT
#JD 656-C	C0TZ 8620-B
#JD 657-C	C9PZ 8620-GE
#JD 675-C	C0TE 8620-A

IDENTIFICATION MARKING	SERVICE PART NUMBER
#JE 375-C	C9PZ 8620-DU
#JE 383-C	C9PZ 8620-DV
#JE 392	C9PZ 8620-DY
#JE 412-C	C9PZ 8620-DZ
#JE 415-C	C9PZ 8620-EA
#JE 426	C9PZ 8620-EK
#JE 437	C9PZ 8620-EB
#JE 453	C9PZ 8620-ED
#JE 474-C	C9PZ 8620-EE
#JE 500	C9PZ 8620-EL
#JE 524-C	C9PZ 8620-EF
#JE 534	C9PZ 8620-EM
#JE 553	C9PZ 8620-EP
#JE 555	C9PZ 8620-EG
#JE 560	C9PZ 8620-EN
#JE 573-C	B8QH 8620-D
#JE 576-C	C9PZ 8620-EH
#JE 586	C9PZ 8620-ER
#JE 604	C9PZ 8620-ES
#JE 627-C	C9PZ 8620-ET
#JE 636-C	C9PZ 8620-EU
#JE 670	C9PZ 8620-EJ
#JF 366	C9PZ 8620-FD
#JF 381	C9PZ 8620-GR
#JF 405-C	C9PZ 8620-EV
#JF 445-C	C9PZ 8620-EC
#JF 461-C	C9PZ 8620-EY
#JF 535-C	C9PZ 8620-FA
#JF 614-C	C9PZ 8620-FB
#JG 347-C	C9PZ 8620-FC
#JG 375-C	C9PZ 8620-FE
#JG 400	C9PZ 8620-GP
#JG 413	C9PZ 8620-FF
#JG 427	C9PZ 8620-FG
#JG 433	C9PZ 8620-FH
#JG 453	C9PZ 8620-FJ
#JG 462-C	C9PZ 8620-EZ
#JG 484	C9PZ 8620-FK
#JG 567	C9PZ 8620-FL
#JH 361	D0OZ 8620-A
#JJ 311	C9PZ 8620-B
#JJ 313	C9PZ 8620-B
#JJ 371	C9PZ 8620-FV
#JJ 373	C9PZ 8620-FV
#JJ 381-L	C9PZ 8620-GF
#JJ 435-L	C9PZ 8620-GJ
#JJ 482	C9PZ 8620-FU
#JJ 487	C9PZ 8620-FU
#JM 406	C9VY 8620-A
#JN 387	C8VY 8620-B
#JR 376	C8HZ 8620-C
EBZ 2890-A	C9PZ 8620-GR
♦ECR 2890-A	†CB7AZ 8A615-A
♦ECS 2890-SA	CC2TZ 8620-R

IDENTIFICATION MARKING	SERVICE PART NUMBER
♦EDB 2890-D	C0TZ 8620-GB
♦EDC 2890-D	D1PZ 8620-B
♦EDD 2890-A	B8E 8620-D
♦EDD 2890-B	CC3AZ 8620-F
EDD 2890-D	C9PZ 8620-AU
☆EDG 2890-A	C9PZ 8620-J
♦EDG 2890-A	†C2AE 8A615-G
EDJ 2890-A	C9PZ 8620-AE
☆EDJ 2890-B	C9PZ 8620-AD
♦EDJ 2890-B	CC3AZ 8620-D
♦EDJ 2890-B	D1PZ 8620-B
♦EDL 2890-A	C9PZ 8620-BU
☆EAG 8577-A	C9PZ 8620-FT
♦EAG 8577-A	CC0AZ 8620-B
♦EAG 8577-A	(2)C9PZ 8620-L
EAT 8577-A	C9PZ 8620-GP
☆EBP 8577-A	C9PZ 8620-GY
♦EBP 8577-A	B7A 8620-AX
EBY 8577-A	C9PZ 8620-J
ECE 8577-A	C9PZ 8620-BH
ECG 8577-A	C9PZ 8620-BH
ECJ 8577-A	C9PZ 8620-FS
♦B6AE 8620-A	CC2TZ 8620-F
♦B6AE 8620-A	†C1TE 8A615-L
☆B9AE 8620-A	C9PZ 8620-D
♦B9AE 8620-A	C3DZ 8620-BX
♦B9AE 8620-A	†CC0AZ 8A615-C
♦B9AE 8620-B	C3OZ 8620-D
♦B9JE 8620-B	CC2TZ 8620-B
♦B9JE 8620-B	†CC2TZ 8A615-P
♦B9LE 8620-A	C9PZ 8620-GM
♦B9LE 8620-A	(2)C9PZ 8620-T
♦B9LE 8620-B	CC5TZ 8620-J
♦B9LE 8620-B	†C2TZ 8A615-L
♦B9LE 8620-C	CC5TZ 8620-J
♦B9LE 8620-C	†C2TZ 8A615-L
B9LE 8620-F	C9PZ 8620-T
☆B9LE 8620-G	C9PZ 8620-BY
♦B9LE 8620-G	†CC5TZ 8A615-H
☆B9ME 8620-B	C9PZ 8620-V
♦B9ME 8620-B	CC3AZ 8620-B
B9ME 8620-D	C9PZ 8620-BJ
B9ME 8620-E	C9PZ 8620-AC
♦B9ME 8620-F	C9PZ 8620-BJ
♦B9ME 8620-G	CC5TZ 8620-J
♦B9ME 8620-G	†C1TE 8A615-L
♦B9TE 8620-A	B9TE 8620-A

Identification number is same as Motorcraft Sales Number
† Kit - consists of (2) or more belts. ☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

IDENTIFICATION MARKING	SERVICE PART NUMBER
C0AE 8620-A	C9PZ 8620-M
☆C0AE 8620-B	C9PZ 8620-D
♦C0AE 8620-B	CC0AZ 8620-A
♦C0AE 8620-B	†CC0AZ 8A615-C
☆C0AE 8620-C	C9PZ 8620-BY
♦C0AE 8620-C	CC5TZ 8A615-E
♦C0AE 8620-C	†CC5TZ 8A615-H
C0AE 8620-D	C9PZ 8620-BH
☆C0AE 8620-E	C9PZ 8620-BL
♦C0AE 8620-E	C0AE 8620-T
☆C0AE 8620-G	C9PZ 8620-GL
♦C0AE 8620-G	CC5TZ 8620-D
♦C0AE 8620-G	†CC5TZ 8A615-C
☆C0AE 8620-H	C9PZ 8620-K
♦C0AE 8620-H	CC0AZ 8620-B
♦C0AE 8620-H	(2)C9PZ 8620-FT
C0AE 8620-J	C9PZ 8620-AC
C0AE 8620-S	C9PZ 8620-CL
☆C0AE 8620-T	C9PZ 8620-BL
♦C0AE 8620-T	C0AZ 8620-T
☆C0AE 8620-Y	C9PZ 8620-J
♦C0AE 8620-Y	†C2AE 8A615-G
☆C0DE 8620-A	C9PZ 8620-D
♦C0DE 8620-A	CC0AZ 8620-A
♦C0DE 8620-A	†CC0AZ 8A615-C
☆C0DE 8620-B	C9PZ 8620-D
♦C0DE 8620-B	CC0AZ 8620-A
♦C0DE 8620-B	†CC0AZ 8A615-C
C0DE 8620-C	C9PZ 8620-G
C0DE 8620-E	C9PZ 8620-FP
☆C0DE 8620-F	C9PZ 8620-K
♦C0DE 8620-F	C1UZ 8620-A
C0TE 8620-A	C0TE 8620-A
♦C0TE 8620-E	CC0TZ 8620-A
♦C0TE 8620-E	†C0TE 8A615-A
C0TE 8620-H	C0TZ 8620-B
☆C1AE 8620-A	C9PZ 8620-BC
♦C1AE 8620-A	CC2AZ 8620-D
☆C1AE 8620-B	C9PZ 8620-BP
♦C1AE 8620-B	C2TZ 8620-L
C1AE 8620-C	C9PZ 8620-BL
C1AE 8620-D	C9PZ 8620-T
☆C1AE 8620-E	C9PZ 8620-FT
☆C1AE 8620-F	C9PZ 8620-S
♦C1AE 8620-F	C2R 8620-L
♦C1AE 8620-F	†C2AE 8A615-B
☆C1AE 8620-G	C9PZ 8620-V
♦C1AE 8620-G	CC3AZ 8620-B
☆C1AE 8620-H	C9PZ 8620-AD
♦C1AE 8620-H	C1AE 8620-J
♦C1AE 8620-H	D1PZ 8620-B
☆C1AE 8620-J	C9PZ 8620-AC
♦C1AE 8620-J	C1AZ 8620-J
☆C1AE 8620-K	C9PZ 8620-GJ
♦C1AE 8620-K	C9PZ 8620-AA
♦C1AE 8620-K	†CB8AZ 8A615-A
C1DE 8620-A	C9PZ 8620-J
C1DE 8620-B	C9PZ 8620-F
C1SE 8620-B	C9PZ 8620-FS
C1SE 8620-C	C9PZ 8620-GU
♦C1TE 8620-A	CC2TZ 8620-B
♦C1TE 8620-A	†CC2TZ 8A615-P
♦C1TE 8620-E	CC3TZ 8620-F
♦C1TE 8620-E	†C2TE 8A615-T
♦C1TE 8620-G	C2TZ 8620-T
☆C1TE 8620-H	C9PZ 8620-AE
♦C1TE 8620-H	CC2TZ 8620-B
♦C1TE 8620-H	†CC2TZ 8A615-P
♦C1TE 8620-J	CC1TZ 8620-A
♦C1TE 8620-J	C1TE 8A615-B
♦C1TE 8620-K	CC2TZ 8620-V
♦C1TE 8620-K	C9PZ 8620-FR
☆C1TE 8620-L	C9PZ 8620-S
♦C1TE 8620-L	†CC4TZ 8620-R
♦C1TE 8620-M	C9PZ 8620-CE
♦C1TE 8620-N	C9PZ 8620-CE
☆C1TE 8620-R	C9PZ 8620-BP
♦C1TE 8620-R	C2TZ 8620-L
♦C1TE 8620-S	CC2TZ 8620-R
♦C1TE 8620-T	C9PZ 8620-CE
♦C1TE 8620-V	C9PZ 8620-BY
♦C1TE 8620-V	†CC5TZ 8A615-H
♦C1TE 8620-Y	CC2TZ 8620-G
♦C1TE 8620-Y	†C2TZ 8A615-V
♦C1TE 8620-Z	CC2TZ 8620-B
♦C1TE 8620-Z	†CC2TZ 8A615-P
♦C1TE 8620-AA	CC2TZ 8620-B
♦C1TE 8620-AA	†CC2TZ 8A615-P
♦C1TE 8620-AB	C9PZ 8620-CE
♦C1TE 8620-AD	CC2TZ 8620-G
♦C1TE 8620-AD	†CC2TE 8A615-L
♦C1TE 8620-AE	CC2TZ 8620-H
♦C1TE 8620-AF	C9PZ 8620-S
♦C1TE 8620-AF	†C2TE 8A615-M
C1TE 8620-AG	C9PZ 8620-BY
♦C1TE 8620-AG	CC2TZ 8620-D
♦C1TE 8620-AG	†CC5TZ 8A615-H
☆C1TE 8620-AH	C9PZ 8620-CB
♦C1TE 8620-AH	CC2TZ 8620-G
♦C1TE 8620-AH	†C2TE 8A615-M
♦C1TT 8620-E	C9PZ 8620-FE
♦C1TT 8620-F	C1TT 8620-F
♦C1TT 8620-J	C9PZ 8620-BD
♦C1TT 8620-K	C1TT 8620-K
♦C1TT 8620-L	C1TT 8620-L
♦C1TT 8620-N	C9PZ 8620-CE
♦C1TT 8620-R	C2TZ 8620-B
♦C1TT 8620-S	C2TZ 8620-A
♦C1VE 8620-A	CC3AZ 8620-B
♦C1VE 8620-A	C9PZ 8620-V
C2AE 8620-B	C9PZ 8620-CL
☆C2AE 8620-C	C9PZ 8620-BL
♦C2AE 8620-C	B5AZ 8620-B
☆C2AE 8620-D	C9PZ 8620-AD
♦C2AE 8620-D	CC3AZ 8620-D
♦C2AE 8620-D	D1PZ 8620-B
☆C2AE 8620-E	C9PZ 8620-GJ
♦C2AE 8620-E	CC5TZ 8620-D
♦C2AE 8620-E	†CC5TZ 8A615-C
☆C2AE 8620-F	C9PZ 8620-AC
♦C2AE 8620-F	C1AE 8620-J
☆C2AE 8620-G	C9PZ 8620-AC
♦C2AE 8620-G	C9PZ 8620-AA
♦C2AE 8620-G	†CB8AZ 8A615-A
☆C2AE 8620-H	C9PZ 8620-S
♦C2AE 8620-H	C2R 8620-L
♦C2AE 8620-H	†C2AE 8A615-B
☆C2AE 8620-J	C9PZ 8620-S
♦C2AE 8620-J	C2R 8620-L
♦C2AE 8620-J	†CC4TZ 8A615-R
☆C2AE 8620-K	C9PZ 8620-V
♦C2AE 8620-K	CC3AZ 8620-B
☆C2AE 8620-L	C9PZ 8620-FS
♦C2AE 8620-L	CB6SZ 8620-A
C2AE 8620-M	C9PZ 8620-N
☆C2AE 8620-N	C9PZ 8620-AE
♦C2AE 8620-N	B8Q 8620-D
♦C2AE 8620-N	D1PZ 8620-B
☆C2AE 8620-R	C9PZ 8620-G
♦C2AE 8620-R	B7A 8620-AX
☆C2AE 8620-S	C9PZ 8620-K
♦C2AE 8620-S	CC0AZ 8620-B
♦C2AE 8620-S	(2)C9PZ 8620-FT
☆C2AE 8620-T	C9PZ 8620-BC
♦C2AE 8620-T	CC2AZ 8620-D
☆C2AE 8620-U	C9PZ 8620-AC
♦C2AE 8620-U	C1AE 8620-J
C2AE 8620-V	C9PZ 8620-BJ
♦C2AE 8620-Y	CC5TZ 8620-D
♦C2AE 8620-Y	†CC5TZ 8620-C
☆C2AE 8620-Z	C9PZ 8620-BL
♦C2AE 8620-Z	C0AE 8620-T

† Kit - consists of (2) or more belts. ☆ U.S. only. ♦ Canada only.

8620 BELT - DRIVE - continued

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

IDENTIFICATION MARKING	SERVICE PART NUMBER
☆C2AE 8620-AA	C9PZ 8620-AE
♦C2AE 8620-AA	CC2TZ 8620-B
♦C2AE 8620-AA	†CC2TZ 8A615-P
☆C2AE 8620-AB	C9PZ 8620-J
♦C2AE 8620-AB	†CC5TZ 8A615-H
☆C2AE 8620-AC	C9PZ 8620-K
♦C2AE 8620-AC	C1UZ 9620-A
♦C2AE 8620-AC	(2)C9PZ 8620-FT
☆C2AE 8620-AD	C9PZ 8620-AE
♦C2AE 8620-AD	CC2TZ 8620-B
♦C2AE 8620-AD	†CC2TZ 8A615-P
☆C2AE 8620-AE	C9PZ 8620-GY
♦C2AE 8620-AE	B7A 8620-AX
C2AE 8620-AF	C9PZ 8620-GK
☆C2AE 8620-AG	C9PZ 8620-AB
♦C2AE 8620-AG	C1AE 8620-J
♦C2AE 8620-AG	CB8AZ 8A615-A
☆C2AE 8620-AH	C9PZ 8620-G
♦C2AE 8620-AH	CC2AZ 8620-A
☆C2AE 8620-AJ	C9PZ 8620-K
♦C2AE 8620-AJ	CC0AZ 8620-B
♦C2AE 8620-AJ	(2)C9PZ 8620-FT
☆C2AE 8620-AK	C9PZ 8620-V
♦C2AE 8620-AK	CC3AZ 8620-B
♦C2AE 8620-AL	C9PZ 8620-AA
♦C2AE 8620-AL	†CB8AZ 8A615-A
☆C2DE 8620-A	C9PZ 8620-D
♦C2DE 8620-A	CC0AZ 8620-A
♦C2DE 8620-A	†CC0AZ 8A615-C
☆C2OE 8620-A	C9PZ 8620-AK
♦C2OE 8620-A	CC20Z 8620-C
♦C2OE 8620-A	†C2OE 8A615-G
☆C2OE 8620-B	C9PZ 8620-AD
♦C2OE 8620-B	CC3AZ 8620-D
♦C2OE 8620-B	D1PZ 8620-B
☆C2OE 8620-C	C9PZ 8620-AK
♦C2OE 8620-C	CC2OZ 8620-C
♦C2OE 8620-C	†C2OE 8A615-G
♦C2OE 8620-D	C1UZ 8620-A
☆C2OE 8620-E	C9PZ 8620-F
♦C2OE 8620-E	C2R 8620-E
☆C2OE 8620-F	C9PZ 8620-AK
♦C2OE 8620-F	CC2OZ 8620-C
♦C2OE 8620-F	†C2OE 8A615-G
☆C2OE 8620-G	C9PZ 8620-AD
♦C2OE 8620-G	CC3AZ 8620-D
♦C2OE 8620-G	D1PZ 8620-B
C2OE 8620-J	C9PZ 8620-BY
☆C2OE 8620-K	C9PZ 8620-BP
♦C2OE 8620-K	C2TZ 8620-L
☆C2OE 8620-L	C9PZ 8620-CE
♦C2OE 8620-L	CC2TZ 8620-R
C2OE 8620-N	C9PZ 8620-J
☆C2OE 8620-S	C9PZ 8620-AK
♦C2OE 8620-S	CC2OZ 8620-C
♦C2OE 8620-S	†C2OE 8A615-G
☆C2OE 8620-T	C9PZ 8620-AK
♦C2OE 8620-T	CC2OZ 8620-C
♦C2OE 8620-T	†C2OE 8A615-G
C2OE 8620-U	C9PZ 8620-CE
☆C2OE 8620-V	C9PZ 8620-D
♦C2OE 8620-V	C3DZ 8620-BX
♦C2OE 8620-V	†CC0AZ 8A615-C
☆C2OE 8620-Y	C9PZ 8620-AK
♦C2OE 8620-Y	CC2OZ 8620-C
♦C2OE 8620-Y	†C2OE 8A615-G
C2OE 8620-Z	C9PZ 8620-F
☆C2OE 8620-AA	C9PZ 8620-CB
♦C2OE 8620-AA	CC2TZ 8620-G
♦C2OE 8620-AA	†C2TE 8A615-M
C2OE 8620-AB	C9PZ 8620-BP
C2OE 8620-AC	C9PZ 8620-AR
C2OE 8620-AD	C9PZ 8620-CR
☆C2SE 8620-A	C9PZ 8620-GU
♦C2SE 8620-A	CC5TZ 8620-N
♦C2TE 8620-A	CC2TZ 8620-B
♦C2TE 8620-A	†CC2TZ 8A615-P
♦C2TE 8620-B	C9PZ 8620-ET
♦C2TE 8620-C	CC2TZ 8620-B
♦C2TE 8620-C	†CC2TZ 8A615-P
☆C2TE 8620-D	C9PZ 8620-J
♦C2TE 8620-D	CC3AZ 8620-B
♦C2TE 8620-D	†C2AE 8A615-G
♦C2TE 8620-E	C9PZ 8620-S
♦C2TE 8620-E	†CC4TZ 8A615-R
♦C2TE 8620-F	C9PZ 8620-CE
♦C2TE 8620-G	C2TZ 8620-L
☆C2TE 8620-G	C9PZ 8620-BP
☆C2TE 8620-H	C9PZ 8620-FY
♦C2TE 8620-H	CC2TZ 8620-B
♦C2TE 8620-H	†CC2TZ 8A615-P
♦C2TE 8620-J	CC2TZ 8620-B
♦C2TE 8620-J	†CC2TZ 8A615-P
♦C2TE 8620-K	C9PZ 8620-BV
♦C2TE 8620-K	†CC5TZ 8A615-H
C2TE 8620-L	C9PZ 8620-CE
☆C2TE 8620-M	C9PZ 8620-BY
♦C2TE 8620-M	†CC5TZ 8A615-H
♦C2TE 8620-N	C9PZ 8620-CE
♦C2TE 8620-R	CC2TZ 8620-R
♦C2TE 8620-S	C9PZ 8620-BU
☆C2TE 8620-T	C9PZ 8620-FT
♦C2TE 8620-T	CC0AZ 8620-B
♦C2TE 8620-T	C9PZ 8620-N
♦C2TE 8620-U	CB7AZ 8A615-A
♦C2TE 8620-V	B8Q 8620-D
♦C2TE 8620-V	D1PZ 8620-B
♦C2TE 8620-Y	CC1TZ 8620-A
♦C2TE 8620-Y	†C1TE 8A615-B
♦C2TE 8620-Z	B8TZ 8620-FX
♦C2TE 8620-AA	CC2TZ 8620-B
♦C2TE 8620-AB	CC3TZ 8620-F
♦C2TE 8620-AB	†C2TE 8A615-T
♦C2TE 8620-AC	B8Q 8620-D
C2TE 8620-AD	C9PZ 8620-N
♦C2TE 8620-AE	CC2TZ 8620-G
♦C2TE 8620-AE	†C2TE 8A615-L
♦C2TE 8620-AF	CC2TZ 8620-H
♦C2TE 8620-AF	†C2TE 8A615-M
♦C2TE 8620-AG	CC2TZ 8620-H
♦C2TE 8620-AG	†C2TE 8A615-M
☆C2TE 8620-AH	C9PZ 8620-BY
♦C2TE 8620-AH	C9PZ 8620-BY
♦C2TE 8620-AH	†CC5TZ 8A615-H
♦C2TE 8620-AJ	C9PZ 8620-GM
♦C2TE 8620-AJ	(2)C9PZ 8620-T
♦C2TE 8620-AK	CC0TZ 8620-A
♦C2TE 8620-AK	†C0TE 8A615-A
♦C2TE 8620-AL	C1AE 8620-J
♦C2TE 8620-AM	C1TT 8620-F
♦C2TE 8620-AN	B8TZ 8620-B
♦C2TE 8620-AR	CC2TZ 8620-B
♦C2TE 8620-AR	†CC2TZ 8A615-P
♦C2TE 8620-AS	CC2TZ 8620-C
♦C2TE 8620-AS	C9PZ 8620-FR
♦C2TE 8620-AT	CC5TZ 8620-J
♦C2TE 8620-AT	†C2TE 8A615-L
♦C2TE 8620-BB	CC2TZ 8620-G
♦C2TE 8620-BB	†C2TZ 8A615-M
☆C2UE 8620-A	C9PZ 8620-K
♦C2UE 8620-A	C1UZ 8620-A
♦C2VE 8620-A	CC5TZ 8620-J
♦C2VE 8620-B	CC3AZ 8620-B
♦C2VE 8620-B	C9PZ 8620-V
♦C2VE 8620-C	C1AE 8620-J

† Kit - consists of (2) or more belts ☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

IDENTIFICATION MARKING	SERVICE PART NUMBER
☆C3AE 8620-A	C9PZ 8620-AR
♦C3AE 8620-A	C9PZ 8620-AP
☆C3AE 8620-B	C9PZ 8620-N
♦C3AE 8620-B	C9PZ 8620-M
☆C3AE 8620-C	C9PZ 8620-BM
♦C3AE 8620-C	CC0AZ 8620-E
☆C3AE 8620-D	C9PZ 8620-AR
♦C3AE 8620-D	C9PZ 8620-AP
♦C3AE 8620-E	CC3AZ 8620-F
C3AE 8620-F	C9PZ 8620-FR
☆C3DE 8620-A	C9PZ 8620-AM
♦C3DE 8620-A	CC5DZ 8620-E
☆C3DE 8620-B	C9PZ 8620-D
♦C3DE 8620-B	C3DZ 8620-BX
♦C3DE 8620-B	†CC0AZ 8A615-C
☆C3ME 8620-A	C9PZ 8620-GJ
♦C3ME 8620-A	C9PZ 8620-AA
♦C3ME 8620-A	†CB8AZ 8A615-A
♦C3ME 8620-B	C9PZ 8620-GM
♦C3OE 8620-A	CC5DZ 8620-E
☆C3OE 8620-B	C9PZ 8620-BM
♦C3OE 8620-B	C3OZ 8620-A
☆C3OE 8620-C	C9PZ 8620-CS
♦C3OE 8620-C	C3OZ 8620-C
♦C3OE 8620-E	C9PZ 8620-CV
☆C3OE 8620-F	C9PZ 8620-F
♦C3OE 8620-F	C2R 8620-E
♦C3OE 8620-G	C9PZ 8620-FU
C3OE 8620-H	C9PZ 8620-CV
☆C3OE 8620-J	C9PZ 8620-C
♦C3OE 8620-J	C3OZ 8620-D
♦C3OE 8620-K	CC2TZ 8620-C
♦C3OE 8620-K	C9PZ 8620-FR
☆C3OE 8620-L	C9PZ 8620-CY
♦C3OE 8620-L	CC3OZ 8620-E
☆C3OE 8620-M	C9PZ 8620-BM
♦C3OE 8620-M	CC0AZ 8620-A
♦C3OE 8620-M	†CC0AZ 8A615-C
C3OE 8620-N	C9PZ 8620-F
♦C3OE 8620-R	C9PZ 8620-S
♦C3OE 8620-R	†CC4TZ 8A615-R
☆C3SE 8620-A	C9PZ 8620-R
♦C3SE 8620-A	C2R 8620-L
♦C3SE 8620-A	†C2AE 8A615-B
♦C3TA 8620-A	CC3TZ 8620-G
♦C3TA 8620-C	7RA 8620-C
♦C3TA 8620-D	CC3TZ 8620-C
♦C3TA 8620-E	C9PZ 8620-DV
♦C3TA 8620-F	CC3TZ 8620-C
♦C3TA 8620-G	CC3TZ 8620-B
♦C3TA 8620-H	C3TZ 8620-C
♦C3TE 8620-A	CC3TZ 8620-C
♦C3TE 8620-B	C9PZ 8620-BD
♦C3TE 8620-C	C9PZ 8620-U
♦C3TE 8620-C	(2)C9PZ 8620-T
♦C3TE 8620-D	C1AE 8620-J
♦C3TE 8620-D	D1PZ 8620-B
♦C3TE 8620-G	CC2TZ 8620-C
♦C3TE 8620-G	C9PZ 8620-FR
☆C3TE 8620-L	C9PZ 8620-V
♦C3TE 8620-L	CC3AZ 8620-B
☆C3TE 8620-N	C9PZ 8620-BM
♦C3TE 8620-N	B8TZ 8620-FX
C3UE 8620-C	C9PZ 8620-E
☆C3VE 8620-A	C9PZ 8620-GK
♦C3VE 8620-A	†CC5TZ 8A615-C
☆C4AE 8620-A	C9PZ 8620-R
♦C4AE 8620-A	C2R 8620-L
C4AE 8620-B	C9PZ 8620-P
♦C4AE 8620-B	†CC4AZ 8A615-BX
☆C4AE 8620-C	C9PZ 8620-AM
♦C4AE 8620-C	CC4AZ 8620-A
♦C4AE 8620-C	(2)C9PZ 8620-GL
☆C4AE 8620-D	C9PZ 8620-AB
♦C4AE 8620-D	C1AE 8620-J
♦C4AE 8620-D	†CB8AZ 8A615-A
☆C4AE 8620-F	C9PZ 8620-CY
♦C4AE 8620-F	CC3OZ 8620-E
C4AE 8620-G	C9PZ 8620-BM
C4AE 8620-H	C9PZ 8620-GK
C4AE 8620-J	C9PZ 8620-GJ
☆C4AE 8620-K	C9PZ 8620-GJ
♦C4AE 8620-K	C9PZ 8620-AA
♦C4AE 8620-K	†CB8AZ 8A615-A
C4DE 8620-A	C9PZ 8620-J
C4RA 8620-AH	C9PZ 8620-K
C4SE 8620-A	C9PZ 8620-GK
C4SE 8620-B	C9PZ 8620-DA
☆C4SE 8620-C	C9PZ 8620-AK
♦C4SE 8620-C	CC2OZ 8620-C
♦C4SE 8620-C	†C2OE 8A615-G
☆C4SE 8620-H	C9PZ 8620-S
♦C4TA 8620-A	CC4TZ 8620-A
♦C4TA 8620-B	B8TZ 8620-D
♦C4TA 8620-C	C4TZ 8620-C
♦C4TA 8620-D	C9PZ 8620-BV
♦C4TA 8620-E	C9PZ 8620-EL
♦C4TA 8620-H	C9PZ 8620-DV
♦C4TA 8620-K	C9PZ 8620-BJ
♦C4TE 8620-A	C9PZ 8620-FU
♦C4TE 8620-B	C9PZ 8620-CE
♦C4TE 8620-C	C9PZ 8620-CE
♦C4TE 8620-D	C4TZ 8620-D
♦C4TE 8620-E	C4TZ 8620-E
♦C4TE 8620-F	C9PZ 8620-CT
♦C4TE 8620-G	B8Q 8620-D
♦C4TE 8620-H	C2TZ 8620-T
♦C4TE 8620-J	CC3TZ 8620-F
♦C4TE 8620-J	†C2TE 8A615-T
☆C4TE 8620-K	C9PZ 8620-S
♦C4TE 8620-K	†CC4TZ 8A615-KX
♦C4TE 8620-L	CC3AZ 8620-B
♦C4TE 8620-L	C9PZ 8620-T
C4TE 8620-M	C9PZ 8620-T
☆C4TE 8620-N	C9PZ 8620-S
♦C4TE 8620-N	C4TZ 8620-LX
♦C4TE 8620-N	†CC4TZ 8A615-R
☆C4TE 8620-R	C9PZ 8620-CF
♦C4TE 8620-R	C9PZ 8620-CE
♦C4TE 8620-R	†CC4TZ 8A615-JX
☆C4TE 8620-S	C9PZ 8620-S
♦C4TE 8620-S	†CC4TZ 8A615-KX
♦C4TE 8620-T	CC0AZ 8620-B
♦C4TE 8620-T	(2)C9PZ 8620-FT
♦C4TE 8620-U	C9PZ 8620-FU
♦C4TE 8620-V	C9PZ 8620-CE
☆C4TE 8620-Y	C9PZ 8620-CM
♦C4TE 8620-Y	C4TZ 8620-D
♦C4TE 8620-Z	C4TZ 8620-E
♦C4TE 8620-AA	C9PZ 8620-CT
♦C4TE 8620-AB	C9PZ 8620-AA
♦C4TE 8620-AB	†CB8AZ 8A615-A
☆C4TE 8620-AC	C9PZ 8620-S
♦C4TE 8620-AC	†CC4TZ 8A615-KX
☆C4TE 8620-AD	C9PZ 8620-AE
♦C4TE 8620-AD	B8Q 8620-D
☆C4TE 8620-AE	C9PZ 8620-AD
♦C4TE 8620-AE	B8A 8620-CX
☆C4TE 8620-AF	C9PZ 8620-FY
♦C4TE 8620-AF	CC2TZ 8620-B
♦C4TE 8620-AF	†CC2TZ 8A615-P

† Kit - consists of (2) or more belts ☆ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

IDENTIFICATION MARKING	SERVICE PART NUMBER
☆C4VE 8620-A	C9PZ 8620-AD
♦C4VE 8620-A	C1AE 8620-J
♦C4VE 8620-A	†CC5TZ 8A615-B
☆C4VE 8620-B	C9PZ 8620-CA
♦C4VE 8620-B	CC4VZ 8620-B
♦C4VE 8620-B	†C1TE 8A615-L
☆C4ZE 8620-B	C9PZ 8620-CS
♦C4ZE 8620-B	C3OZ 8620-C
☆C4ZE 8620-C	C9PZ 8620-AH
♦C4ZE 8620-C	CC1TZ 8620-A
☆C5AE 8620-A	C9PZ 8620-AU
♦C5AE 8620-A	C5AZ 8620-P
☆C5AE 8620-B	C9PZ 8620-DC
♦C5AE 8620-B	†CC3TZ 8A615-C
☆C5AE 8620-C	C9PZ 8620-CC
♦C5AE 8620-C	CC2TZ 8620-H
☆C5AE 8620-D	C9PZ 8620-AE
♦C5AE 8620-D	C9PZ 8620-FY
☆C5AE 8620-E	C9PZ 8620-AN
♦C5AE 8620-E	†CB7AZ 8A615-A
☆C5AE 8620-F	C9PZ 8620-CB
♦C5AE 8620-F	CC2TZ 8620-H
C5AE 8620-G	C9PZ 8620-GC
☆C5AE 8620-H	C9PZ 8620-CA
♦C5AE 8620-H	CC5TZ 8620-H
☆C5AE 8620-J	C9PZ 8620-BZ
♦C5AE 8620-J	C9PZ 8620-BY
☆C5AE 8620-K	C9PZ 8620-CZ
♦C5AE 8620-K	CC5AZ 8620-K
☆C5AE 8620-L	C9PZ 8620-BY
♦C5AE 8620-L	†CC5TZ 8A615-H
☆C5AE 8620-M	C9PZ 8620-DB
♦C5AE 8620-M	CC5AZ 8620-M
C5AE 8620-N	C9PZ 8620-GB
C5AE 8620-R	C9PZ 8620-GJ
♦C5AE 8620-R	†CC5TZ 8A615-C
☆C5AE 8620-S	C9PZ 8620-AB
♦C5AE 8620-S	C9PZ 8620-AA
♦C5AE 8620-S	†CB8AZ 8A615-A
C5AE 8620-T	C9PZ 8620-GB
☆C5AE 8620-U	C9PZ 8620-CB
♦C5AE 8620-U	CC2TZ 8620-G
♦C5AE 8620-U	†C2TE 8A615-L
C5AE 8620-V	C9PZ 8620-BM
C5AE 8620-Z	C9PZ 8620-GJ
☆C5AE 8620-AA	C9PZ 8620-AE
♦C5AE 8620-AA	C9PZ 8620-FY
♦C5AE 8620-AA	†CC2TZ 8A615-P

IDENTIFICATION MARKING	SERVICE PART NUMBER
♦C5DE 8620-A	CC5DZ 8620-A
☆C5DE 8620-A	C9PZ 8620-FU
☆C5DE 8620-B	C9PZ 8620-FU
♦C5DE 8620-B	CC5DZ 8620-A
☆C5DE 8620-C	C9PZ 8620-E
♦C5DE 8620-C	†CC3UZ 8A615-CX
☆C5DE 8620-D	C9PZ 8620-D
♦C5DE 8620-D	C3DZ 8620-BX
☆C5DE 8620-E	C9PZ 8620-AM
♦C5DE 8620-E	CC5DZ 8620-E
♦C5DE 8620-E	(2)C9PZ 8620-GL
C5OE 8620-A	C9PZ 8620-F
☆C5OE 8620-B	C9PZ 8620-GY
♦C5OE 8620-B	B7A 8620-AX
C5OE 8620-C	C9PZ 8620-GM
C5OE 8620-D	C9PZ 8620-AM
☆C5OE 8620-E	C9PZ 8620-FR
♦C5OE 8620-E	CC2TZ 8620-C
C5OE 8620-G	C9PZ 8620-BM
C5OE 8620-H	C9PZ 8620-CE
C5OE 8620-J	C9PZ 8620-A
C5OE 8620-K	C9PZ 8620-GM
C5SE 8620-A	C9PZ 8620-GU
☆C5TE 8620-A	C9PZ 8620-CC
♦C5TE 8620-A	C4TZ 8620-RX
☆C5TE 8620-B	C9PZ 8620-F
♦C5TE 8620-B	C9PZ 8620-E
☆C5TE 8620-C	C9PZ 8620-AC
♦C5TE 8620-C	C1AE 8620-J
☆C5TE 8620-D	D1PZ 8620-A
♦C5TE 8620-D	CC5TZ 8620-D
♦C5TE 8620-D	†CC5TZ 8A615-C
♦C5TE 8620-E	C9PZ 8620-BV
♦C5TE 8620-F	C9PZ 8620-BV
♦C5TE 8620-G	CC2TZ 8620-F
♦C5TE 8620-G	†CC5TZ 8A615-H
☆C5TE 8620-H	C9PZ 8620-CE
♦C5TE 8620-H	CC5TZ 8620-J
♦C5TE 8620-H	(2)C9PZ 8620-CE
♦C5TE 8620-J	CC5TZ 8620-J
♦C5TE 8620-J	†CC5TZ 8A615-J

IDENTIFICATION MARKING	SERVICE PART NUMBER
☆C5TE 8620-K	C9PZ 8620-BP
♦C5TE 8620-K	C2TZ 8620-L
C5TE 8620-L	C9PZ 8620-BG
☆C5TE 8620-N	C9PZ 8620-GU
♦C5TE 8620-N	CC5TZ 8620-N
♦C5TE 8620-R	C9PZ 8620-BV
♦C5TE 8620-R	†CC5TZ 8A615-H
C5TE 8620-U	C9PZ 8620-ET
♦C5TS 8620-E	C9PZ 8620-K
♦C5TS 8620-M	C9PZ 8620-BF
♦C5TS 8620-N	B6TZ 8620-B
♦C5TS 8620-R	†C5TS 8A615-J
♦C5TS 8620-S	C9PZ 8620-AZ
☆C5UE 8620-A	D1PZ 8620-B
♦C5UE 8620-A	B8A 8620-CX
☆C6AE 8620-A	C9PZ 8620-GB
♦C6AE 8620-A	CC6AZ 8620-A
C6AE 8620-B	C9PZ 8620-GB
☆C6AE 8620-C	C9PZ 8620-CC
♦C6AE 8620-C	CC2TZ 8620-H
♦C6AE 8620-C	†C2TE 8A615-M
☆C6AE 8620-D	C9PZ 8620-BZ
♦C6AE 8620-D	C9PZ 8620-BY
♦C6AE 8620-D	†CC5TZ 8A615-H
☆C6AE 8620-E	C9PZ 8620-AC
♦C6AE 8620-E	C1AE 8620-J
C6AE 8620-F	C9PZ 8620-CA
C6AE 8620-G	C9PZ 8620-AU
☆C6AE 8620-H	C9PZ 8620-V
♦C6AE 8620-H	CC3AZ 8620-B
☆C6AE 8620-J	C9PZ 8620-BL
♦C6AE 8620-J	C0AE 8620-T
C6AE 8620-K	C9PZ 8620-[illegible]
C6AE 8620-L	C9PZ 8620-GM
☆C6AE 8620-M	C9PZ 8620-T
♦C6AE 8620-M	C9PZ 8620-GM
C6AE 8620-N	C9PZ 8620-DP
☆C6AE 8620-R	C9PZ 8620-BE
♦C6AE 8620-R	CC3TZ 8620-B
C6AE 8620-S	C9PZ 8620-DN
C6AE 8620-T	C9PZ 8620-AR
C6AE 8620-U	C9PZ 8620-GZ
☆C6AE 8620-V	C9PZ 8620-V
♦C6AE 8620-V	CC3AZ 8620-B
C6AE 8620-Y	C9PZ 8620-DN

† Kit - consists of (2) or more belts ☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

IDENTIFICATION MARKING	SERVICE PART NUMBER
C6DE 8620-A	C9PZ 8620-CB
C6DE 8620-B	C9PZ 8620-AN
★C6DE 8620-C	C9PZ 8620-GY
♦C6DE 8620-C	B7A 8620-AX
C6DE 8620-D	C9PZ 8620-FU
★C6DE 8620-E	C9PZ 8620-M
♦C6DE 8620-E	CC0AX 8620-C
♦C6DE 8620-E	C9PZ 8620-N
★C6DE 8620-F	C9PZ 8620-K
♦C6DE 8620-F	C1UZ 8620-A
C6DE 8620-G	C9PZ 8620-FR
★C6DE 8620-H	C9PZ 8620-GY
♦C6DE 8620-H	B7A 8620-AX
C6DE 8620-J	B7AZ 8620-B
♦C6OA 8620-A	C9PZ 8620-AN
★C6OE 8620-A	C9PZ 8620-AL
♦C6OE 8620-A	CC2TZ 8620-C
♦C6OE 8620-A	C9PZ 8620-FR
★C6OE 8620-B	C9PZ 8620-F
♦C6OE 8620-B	C2R 8620-E
C6OE 8620-C	C9PZ 8620-B
★C6OE 8620-D	C9PZ 8620-AK
♦C6OE 8620-D	CC2OZ 8620-C
♦C6OE 8620-D	†C2OE 8A615-G
♦C6OE 8620-E	†CC6OZ 8A615-B
C6OE 8620-F	C9PZ 8620-DG
C6OE 8620-G	C9PZ 8620-DP
C6OE 8620-H	C9PZ 8620-GJ
♦C6TA 8620-A	C9PZ 8620-AY
♦C6TA 8620-B	C9PZ 8620-DZ
♦C6TA 8620-E	C9PZ 8620-ED
♦C6TA 8620-G	C9PZ 8620-DY
♦C6TA 8620-H	CC6TZ 8620-D
★C6TA 8620-J	C9PZ 8620-BS
♦C6TA 8620-J	B8TZ 8620-E
♦C6TA 8620-K	CC5TZ 8620-J
♦C6TA 8620-K	†CC5TZ 8A615-J
♦C6TA 8620-L	C9PZ 8620-AY
♦C6TA 8620-M	C3TZ 8620-C
★C6TE 8620-A	C9PZ 8620-BP
♦C6TE 8620-A	C2TZ 8620-L
♦C6TE 8620-B	C3OZ 8620-A
C6TE 8620-C	C9PZ 8620-BG
★C6TE 8620-D	C9PZ 8620-AE
♦C6TE 8620-D	C9PZ 8620-FY
♦C6TE 8620-D	†C2TZ 8A615-U
C6TE 8620-E	C9PZ 8620-BJ

IDENTIFICATION MARKING	SERVICE PART NUMBER
★C6TE 8620-G	C9PZ 8620-BD
♦C6TE 8620-G	CC2AZ 8620-D
★C6TE 8620-H	C9PZ 8620-AG
♦C6TE 8620-H	CC0TZ 8620-A
♦C6TE 8620-H	†C1TE 8A615-B
★C6TE 8620-J	C9PZ 8620-GG
♦C6TE 8620-J	C4TZ 8620-RX
♦C6TE 8620-J	†CC4TZ 8A615-MX
★C6TE 8620-K	C9PZ 8620-CF
♦C6TE 8620-K	C9PZ 8620-CE
C6TE 8620-L	C9PZ 8620-AN
★C6VE 8620-A	C9PZ 8620-BY
♦C6VE 8620-A	C9PZ 8620-BV
♦C6VE 8620-B	C9PZ 8620-J
♦C6VE 8620-B	†C2AE 8A615-G
C6VE 8620-C	C9PZ 8620-AC
★C6VE 8620-D	C9PZ 8620-CC
♦C6VE 8620-D	C4TZ 8620-RX
★C6VE 8620-E	C9PZ 8620-CF
♦C6VE 8620-E	C9PZ 8620-CE
♦C6VE 8620-E	†CC4TZ 8A615-JX
★C6VE 8620-F	C9PZ 8620-J
♦C6VE 8620-F	†C2AE 8A615-G
★C6ZE 8620-A	C9PZ 8620-C
♦C6ZE 8620-A	C3OZ 8620-D
C6ZE 8620-B	C9PZ 8620-J
C6ZE 8620-D	C9PZ 8620-DE
♦C6ZE 8620-E	CC2AZ 8620-B
♦C6ZE 8620-E	†C2AE 8A615-G
★C6ZE 8620-E	C9PZ 8620-J
★C7AA 8620-A	C9PZ 8620-CM
♦C7AA 8620-A	C4TZ 8620-D
C7AA 8620-B	C7AZ 8620-B
★C7AE 8620-A	C9PZ 8620-GU
♦C7AE 8620-A	B8TZ 8620-E
★C7AE 8620-B	C9PZ 8620-GJ
♦C7AE 8620-B	CC5TZ 8620-D
♦C7AE 8620-B	†CC5TZ 8A615-C
C7AE 8620-C	C9PZ 8620-AN
C7AE 8620-D	C9PZ 8620-BU
★C7AE 8620-E	C9PZ 8620-GJ
♦C7AE 8620-E	†CC5TZ 8A615-C
C7AE 8620-F	C9PZ 8620-DG
C7AE 8620-G	C9PZ 8620-AU
★C7OE 8620-A	C9PZ 8620-BS
♦C7OE 8620-A	CB6SZ 8620-A

IDENTIFICATION MARKING	SERVICE PART NUMBER
★C7OE 8620-B	C9PZ 8620-AD
♦C7OE 8620-B	B8A 8620-CX
★C7OE 8620-C	C9PZ 8620-FR
♦C7OE 8620-C	CC2TZ 8620-C
C7OE 8620-D	C9PZ 8620-CM
C7OE 8620-E	C9PZ 8620-F
C7SE 8620-A	C9PZ 8620-BV
♦C7SE 8620-D	B8A 8620-CX
♦C7TA 8620-A	C9PZ 8620-CH
♦C7TA 8620-B	C9PZ 8620-CK
♦C7TA 8620-E	C9PZ 8620-CP
C7TA 8620-H	C9PZ 8620-CR
C7TA 8620-S	C9PZ 8620-CR
C7TE 8620-A	C9PZ 8620-CA
C7TE 8620-B	C9PZ 8620-CC
C7ZE 8620-A	C9PZ 8620-DM
★C7ZE 8620-B	C9PZ 8620-CS
♦C7ZE 8620-B	C3OZ 8620-C
C7ZE 8620-C	C9PZ 8620-DF
C7ZE 8620-D	C9PZ 8620-GV
C7ZE 8620-E	C9PZ 8620-CP
C7ZE 8620-F	C9PZ 8620-V
C7ZE 8620-G	C9PZ 8620-B
C7ZE 8620-H	C9PZ 8620-J
C8AA 8620-A	C9PZ 8620-AP
C8AE 8620-B	C9PZ 8620-DR
C8AE 8620-D	C9PZ 8620-FZ
C8AE 8620-E	C9PZ 8620-GJ
C8AE 8620-F	C9PZ 8620-DA
C8AE 8620-G	C9PZ 8620-T
C8DE 8620-A	C9PZ 8620-F
C8DE 8620-B	C9PZ 8620-FY
C8DE 8620-C	C9PZ 8620-GM
C8DE 8620-D	C9PZ 8620-G
C8HA 8620-F	C8HZ 8620-C
C8OE 8620-A	C9PZ 8620-J
C8OE 8620-B	C9PZ 8620-FS
C8OE 8620-D	C9PZ 8620-DG
C8OE 8620-E	C9PZ 8620-DM
C8OE 8620-F	C9PZ 8620-DL
C8SE 8620-A	D1AZ 8620-A
C8SE 8620-A2	D1AZ 8620-A
C8SE 8620-B	C9PZ 8620-GU
C8SE 8620-C	C9PZ 8620-BU
C8SE 8620-D	C9PZ 8620-BK
C8SE 8620-E	C9PZ 8620-BK
C8SE 8620-E	C8VY 8620-B

† Kit - consists of (2) or more belts ★ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

IDENTIFICATION MARKING	SERVICE PART NUMBER
C8TA 8620-F	C9PZ 8620-BH
C8TE 8620-A	C9PZ 8620-P
C8VE 8620-B	C8VY 8620-B
C8ZE 8620-A	C9PZ 8620-FY
C8ZE 8620-B	C9PZ 8620-CP
C8ZE 8620-C	C9PZ 8620-GH
C9AE 8620-A	C3AZ 8620-F
C9AE 8620-C	C9PZ 8620-AP
C9AE 8620-D	C9PZ 8620-CR
C9AE 8620-E	C9PZ 8620-BL
C9AE 8620-F	C9PZ 8620-BU
C9AE 8620-G	C9PZ 8620-FU
C9AE 8620-H	C9PZ 8620-FV
C9ME 8620-A	C9PZ 8620-CV
C9ME 8620-B	C9PZ 8620-CV
C9ME 8620-C	C9PZ 8620-GK
C9OE 8620-B	C9PZ 8620-CS
C9OE 8620-C	C9PZ 8620-GL
C9OE 8620-D	C9PZ 8620-FN
C9TE 8620-C	C9PZ 8620-AT
C9TE 8620-D	C9PZ 8620-FZ
C9TE 8620-E	C9PZ 8620-AK
C9TE 8620-G	D0AZ 8620-E
C9TE 8620-H	C9PZ 8620-BS
C9VE 8620-A	C9VY 8620-A
C9ZE 8620-A	C9PZ 8620-AD
C9ZE 8620-B	C9PZ 8620-GC
C9ZE 8620-D	C9PZ 8620-FY
D0AE 8620-A	C9PZ 8620-BU
D0AE 8620-B	C9PZ 8620-CM
D0AE 8620-C	C9PZ 8620-GA
D0AE 8620-D	C9PZ 8620-GD
D0AE 8620-E	C9PZ 8620-CK
D0AE 8620-F	C9PZ 8620-GB
D0AE 8620-G	C9PZ 8620-FZ
D0AE 8620-H	C9PZ 8620-GA
D0AE 8620-J	D0AZ 8620-E
D0AE 8620-K	C9PZ 8620-CL
D0AE 8620-L	D0AZ 8620-G
D0DE 8620-A	C9PZ 8620-D
D0HA 8620-AA	C9PZ 8620-GG
D0OE 8620-A	C9PZ 8620-CM
D0OE 8620-B	C9PZ 8620-GC
D0OE 8620-C	D0OZ 8620-A
D0OE 8620-D	C9PZ 8620-CP
D0OE 8620-E	C9PZ 8620-CL
D0OE 8620-F	C9PZ 8620-GN
D0OE 8620-H	C9PZ 8620-F
D0SE 8620-A	C9PZ 8620-FV
D0TE 8620-A	C9PZ 8620-GD
D0TE 8620-B	D0TZ 8620-B
D0TE 8620-C	C9PZ 8620-GE
D0TE 8620-G	C9PZ 8620-GT
D0VE 8620-A	C9PZ 8620-G
D0VE 8620-B	C9PZ 8620-CV
D0VE 8620-C	D0VZ 8620-B
D0VE 8620-D	C9PZ 8620-CM
D0ZE 8620-A	D0AZ 8620-E
D0ZE 8620-B	C9PZ 8620-CR
D0ZE 8620-C	C9PZ 8620-GH
D0ZE 8620-E	C9PZ 8620-GF
D0ZE 8620-F	C9PZ 8620-GJ
D0ZE 8620-G	C9PZ 8620-E
D0ZE 8620-J	C9PZ 8620-GA
D1AE 8620-A1A	C9PZ 8620-GN
D1AE 8620-A2A	C9PZ 8620-GN
D1DE 8620-A1A	C9PZ 8620-CS
D1VE 8620-A1A	D1VY 8620-A
D1VE 8620-A2A	D1VY 8620-A
D1VE 8620-A3A	D1VY 8620-A
D1VE 8620-A4A	D1VY 8620-A
D1ZE 8620-A	C9PZ 8620-CL
D1ZE 8620-B1A	★C9DZ 8620-A
D1ZE 8620-C1A	C9SZ 8620-B
D1ZE 8620-D1A	C9PZ 8620-CP
D1ZE 8620-D2A	C9PZ 8620-CP
D1ZE 8620-D3A	C9PZ 8620-CP
D1ZE 8620-D4A	C9PZ 8620-CP
D12E 8620-A1A	C9PZ 8620-CE
D12E 8620-B1A	C9PZ 8620-GY
D12E 8620-D1A	C9PZ 8620-C
D12E 8620-C1A	C9PZ 8620-GL
D2AE 8620-A2A	C9PZ 8620-FV
D2AE 8620-A3A	C9PZ 8620-FV
D2AE 8620-A4A	C9PZ 8620-FV
D2AE 8620-B1A	C9PZ 8620-GJ
D2AE 8620-B3A	C9PZ 8620-GJ
D2AE 8620-B4A	C9PZ 8620-GJ
D2AE 8620-C1A	C9PZ 8620-GJ
D2AE 8620-E2A	C9PZ 8620-BE
D2AE 8620-F2A	C9PZ 8620-CY
D2AE 8620-G2A	C9PZ 8620-DB
D2AE 8620-H2A	C9PZ 8620-CZ
D2AE 8620-J2A	C9PZ 8620-DR
D2AE 8620-K2A	C9PZ 8620-DN
D2AE 8620-M2A	C9PZ 8620-DA
D2AE 8620-N2A	C9PZ 8620-DP
D2AE 8620-S2A	C9PZ 8620-GZ
D2AE 8620-T2A	C9PZ 8620-DN
D2AE 8620-V2A	C9PZ 8620-CV
D2AE 8620-Y2A	C9PZ 8620-GC
D2AE 8620-AC2A	C9PZ 8620-CC
D2AE 8620-AE2A	C9PZ 8620-CB
D2AE 8620-AF2A	C9PZ 8620-BZ
D2AE 8620-AH2A	C9PZ 8620-GU
D2AE 8620-AK2A	C9PZ 8620-BL
D2AE 8620-AM2A	C9PZ 8620-BM
D2AE 8620-AN1A	C9PZ 8620-GB
D2AE 8620-AN2A	C9PZ 8620-GB
D2AE 8620-AN3A	C9PZ 8620-GB
D2AE 8620-AN4A	C9PZ 8620-GB
D2AE 8620-AR1A	C9PZ 8620-AU
D2AE 8620-AS1A	C9PZ 8620-AU
D2AE 8620-AT1A	C9PZ 8620-GB
D2AE 8620-AT2A	C9PZ 8620-GB
D2AE 8620-AT3A	C9PZ 8620-GB
D2AE 8620-AT4A	C9PZ 8620-GB
D2AE 8620-AU1A	C9PZ 8620-GB
D2AE 8620-AV1A	C9PZ 8620-AR
D2AE 8620-AV2A	C9PZ 8620-AR
D2AE 8620-AV3A	C9PZ 8620-AR
D2AE 8620-AV4A	C9PZ 8620-AR
D2AE 8620-AY1A	C9PZ 8620-AP
D2AE 8620-AY2A	C9PZ 8620-AP
D2AE 8620-AZ1A	C9PZ 8620-AN
D2AE 8620-AZ2A	C9PZ 8620-AN
D2AE 8620-AZ3A	C9PZ 8620-AN
D2AE 8620-AZ4A	C9PZ 8620-AN
D2AE 8620-BA1A	C9PZ 8620-AC
D2AE 8620-BB1A	C9PZ 8620-GJ
D2AE 8620-BC1A	C9PZ 8620-GJ
D2AE 8620-BD1A	C9PZ 8620-T
D2AE 8620-BD2A	C9PZ 8620-T
D2AE 8620-BJ1A	C9PZ 8620-FT
D2AE 8620-BK1A	C9PZ 8620-FZ
D2AE 8620-BK2A	C9PZ 8620-FZ
D2AE 8620-BK3A	C9PZ 8620-FZ
D2AE 8620-BK4A	C9PZ 8620-FZ
D2AE 8620-BL1A	C9PZ 8620-GA
D2AE 8620-BL2A	C9PZ 8620-GA
D2AE 8620-BM1A	C9PZ 8620-GA
D2AE 8620-BM2A	C9PZ 8620-GA
D2AE 8620-BM3A	C9PZ 8620-GA
D2AE 8620-BM4A	C9PZ 8620-GA
D2AE 8620-BN1A	C9PZ 8620-GN
D2AE 8620-BN2A	C9PZ 8620-GN
D2AE 8620-BR1A	D0AZ 8620-E
D2AE 8620-BS1A	C9PZ 8620-CM
D2AE 8620-BS2A	C9PZ 8620-CM
D2AE 8620-BS3A	C9PZ 8620-CM
D2AE 8620-BS4A	C9PZ 8620-CM
D2AE 8620-BT1A	D0VZ 8620-B
D2AE 8620-BT2A	D0VZ 8620-B
D2AE 8620-BT3A	D0VZ 8620-B
D2AE 8620-BT4A	D0VZ 8620-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

8620 BELT - DRIVE - continued

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

IDENTIFICATION MARKING	SERVICE PART NUMBER
D2AE 8620-BU1A	C9PZ 8620-CK
D2AE 8620-BY1A	C9PZ 8620-CC
D2AE 8620-BZ1A	C9PZ 8620-CA
D2AE 8620-CA1A	C9PZ 8620-BZ
D2AE 8620-CA2A	C9PZ 8620-BZ
D2AE 8620-CA3A	C9PZ 8620-BZ
D2AE 8620-CA4A	C9PZ 8620-BZ
D2AE 8620-CB1A	C9PZ 8620-GU
D2AE 8620-CB2A	C9PZ 8620-GU
D2AE 8620-CC1A	C9PZ 8620-BU
D2AE 8620-CC2A	C9PZ 8620-BU
D2AE 8620-CC3A	C9PZ 8620-BU
D2AE 8620-CC4A	C9PZ 8620-BU
D2AE 8620-CF1A	C9PZ 8620-FR
D2AE 8620-CF3A	C9PZ 8620-FR
D2AE 8620-CF4A	C9PZ 8620-FR
D2AE 8620-CG1A	C9PZ 8620-AM
D2AE 8620-CJ1A	C9PZ 8620-GB
D2AE 8620-CL1A	C9PZ 8620-AB
D2AE 8620-CL2A	C9PZ 8620-AB
D2AE 8620-CL3A	C9PZ 8620-AB
D2AE 8620-CL4A	C9PZ 8620-AB
D2AE 8620-CM1A	C9PZ 8620-AB
D2AE 8620-CM3A	C9PZ 8620-AB
D2AE 8620-CM4A	C9PZ 8620-AB
D2AE 8620-CR1A	C9PZ 8620-M
D2AE 8620-CS1A	C9PZ 8620-P
D2AE 8620-CS3A	C9PZ 8620-P
D2AE 8620-CS4A	C9PZ 8620-P
D2AE 8620-CT1A	C9PZ 8620-R
D2AE 8620-CT2A	C9PZ 8620-R
D2AE 8620-CU1A	C9PZ 8620-GM
D2AE 8620-CU3A	C9PZ 8620-GM
D2AE 8620-CU4A	C9PZ 8620-GM
D2AE 8620-CV1A	C9PZ 8620-T
D2AE 8620-CV3A	C9PZ 8620-T
D2AE 8620-CV4A	C9PZ 8620-T
D2AE 8620-CY1A	C9PZ 8620-V
D2AE 8620-CY2A	C9PZ 8620-V
D2AE 8620-CZ1A	C9PZ 8620-V
D2AE 8620-CZ3A	C9PZ 8620-V
D2AE 8620-CZ4A	C9PZ 8620-V
D2AE 8620-DB1A	C9PZ 8620-GJ
D2AE 8620-DB3A	C9PZ 8620-GJ
D2AE 8620-DB4A	C9PZ 8620-GJ
D2AE 8620-DC1A	C9PZ 8620-GJ
D2AE 8620-DD1A	D0AZ 8620-G
D2DE 8620-A1A	C9PZ 8620-F
D2DE 8620-A3A	C9PZ 8620-F
D2DE 8620-A4A	C9PZ 8620-F

IDENTIFICATION MARKING	SERVICE PART NUMBER
D2DE 8620-B1A	C9PZ 8620-G
D2DE 8620-B3A	C9PZ 8620-G
D2DE 8620-B4A	C9PZ 8620-G
D2DE 8620-C1A	C9PZ 8620-GM
D2DE 8620-C2A	C9PZ 8620-GM
D2DE 8620-C3A	C9PZ 8620-GM
D2DE 8620-C4A	C9PZ 8620-GM
D2DE 8620-D1A	C9PZ 8620-AN
D2DE 8620-E1A	C9PZ 8620-FR
D2DE 8620-E2A	C9PZ 8620-FR
D2DE 8620-F1A	C9PZ 8620-CS
D2DE 8620-F2A	C9PZ 8620-CS
D2DE 8620-F3A	C9PZ 8620-CS
D2DE 8620-F4A	C9PZ 8620-CS
D2DE 8620-G1A	C9PZ 8620-CB
D2DE 8620-H1A	C9PZ 8620-FY
D2DE 8620-H3A	C9PZ 8620-FY
D2DE 8620-H4A	C9PZ 8620-FY
D2DE 8620-K1A	C9PZ 8620-FU
D2DE 8620-K3A	C9PZ 8620-FU
D2DE 8620-K4A	C9PZ 9620-FU
D2DE 8620-L1A	C9PZ 8620-FU
D2DE 8620-L4A	C9PZ 8620-FU
D2DE 8620-M1A	C9PZ 8620-AM
D2DE 8620-N1A	C9PZ 8620-E
D2DE 8620-N3A	C9PZ 8620-E
D2DE 8620-N4A	C9PZ 8620-E
D2DE 8620-R1A	C9PZ 8620-GY
D2DE 8620-R3A	C9PZ 8620-GY
D2DE 8620-S1A	C9PZ 8620-K
D2DE 8620-S4A	C9PZ 8620-K
D2DE 8620-T1A	C9PZ 8620-K
D2DE 8620-U1A	C9PZ 8620-M
D2DE 8620-V1A	C9PZ 8620-D
D2DE 8620-V3A	C9PZ 8620-D
D2DE 8620-V4A	C9PZ 8620-D
D2DE 8620-Y1A	C9PZ 8620-D
D2DE 8620-Y3A	C9PZ 8620-D
D2DE 8620-Y4A	C9PZ 8620-D
D2HE 8620-AA2A	C9PZ 8620-CA
D2ME 8620-B1A	C9PZ 8620-GK
D2ME 8620-B2A	C9PZ 8620-GK
D2OE 8620-B	D0VZ 8620-B
D2OE 8620-A1A	C9PZ 8620-CK
D2OE 8620-A2A	C9PZ 8620-CK
D2OE 8620-A3A	C9PZ 8620-CK
D2OE 8620-A4A	C9PZ 8620-CK
D2OE 8620-B1A	C9PZ 8620-AD
D2OE 8620-C1A	C9PZ 8620-GM
D2OE 8620-D1A	C9PZ 8620-F
D2OE 8620-D3A	C9PZ 8620-F
D2OE 8620-D4A	C9PZ 8620-F

IDENTIFICATION MARKING	SERVICE PART NUMBER
D2OE 8620-F2A	C9PZ 8620-DP
D2OE 8620-G2A	C9PZ 8620-DM
D2OE 8620-H2A	C9PZ 8620-DL
D2OE 8620-J2A	C9PZ 8620-DG
D2OE 8620-L2A	C9PZ 8620-DG
D2OE 8620-N2A	C9PZ 8620-AE
D2OE 8620-R2A	C9PZ 8620-BS
D2OE 8620-S1A	C9PZ 8620-B
D2OE 8620-S3A	C9PZ 8620-B
D2OE 8620-T1A	C9PZ 8620-AK
D2OE 8620-U1A	C9PZ 8620-GL
D2OE 8620-U2A	C9PZ 8620-GL
D2OE 8620-V1A	C9PZ 8620-AL
D2OE 8620-V2A	C9PZ 8620-AL
D2OE 8620-Y1A	C9PZ 8620-FR
D2OE 8620-Z1A	C9PZ 8620-CS
D2OE 8620-Z2A	C9PZ 8620-CS
D2OE 8620-AB1A	D0OZ 8620-A
D2OE 8620-AB2A	D0OZ 8620-A
D2OE 8620-AB3A	D0OZ 8620-A
D2OE 8620-AB4A	D0OZ 8620-A
D2OE 8620-AC1A	C9PZ 8620-CK
D2OE 8620-AC2A	C9PZ 8620-CK
D2OE 8620-AC3A	C9PZ 8620-CK
D2OE 8620-AC4A	C9PZ 8620-CK
D2OE 8620-AD1A	C9PZ 8620-GN
D2OE 8620-AD2A	C9PZ 8620-GN
D2OE 8620-AF1A	C9PZ 8620-CP
D2OE 8620-AF2A	C9PZ 8620-CP
D2OE 8620-AF3A	C9PZ 8620-CP
D2OE 8620-AF4A	C9PZ 8620-CP
D2OE 8620-AG1A	C9PZ 8620-CM
D2OE 8620-AG2A	C9PZ 8620-CM
D2OE 8620-AG3A	C9PZ 8620-CM
D2OE 8620-AG4A	C9PZ 8620-CM
D2OE 8620-AH1A	D0TZ 8620-B
D2OE 8620-AJ1A	C9PZ 8620-FN
D2OE 8620-AJ2A	C9PZ 8620-FN
D2OE 8620-AJ3A	C9PZ 8620-FN
D2OE 8620-AJ4A	C9PZ 8620-FN
D2OE 8620-AK1A	C9PZ 8620-BS
D2OE 8620-AL1A	C9PZ 8620-FR
D2OE 8620-AM1A	C9PZ 8620-AM
D2OE 8620-AR1A	C9PZ 8620-F
D2OE 8620-AS1A	C9PZ 8620-F
D2OE 8620-AS3A	C9PZ 8620-F
D2OE 8620-AS4A	C9PZ 8620-F
D2OE 8620-AT1A	C9PZ 8620-F
D2OE 8620-AT3A	C9PZ 8620-F
D2OE 8620-AT4A	C9PZ 8620-F
D2OE 8620-AU1A	C9PZ 8620-J
D2OE 8620-AU3A	C9PZ 8620-J
D2OE 8620-AU4A	C9PZ 8620-J

8620 BELT - DRIVE - continued

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

IDENTIFICATION MARKING	SERVICE PART NUMBER
D2OE 8620-AV1A	C9PZ 8620-GJ
D2OE 8620-AV3A	C9PZ 8620-GJ
D2OE 8620-AV4A	C9PZ 8620-GJ
D2OE 8620-AY2A	C9PZ 8620-CM
D2SE 8620-A1A	C9PZ 8620-DB
D2SE 8620-A2A	C9PZ 8620-DB
D2SE 8620-A3A	C9PZ 8620-DB
D2SE 8620-A4A	C9PZ 8620-DB
D2SE 8620-A1B	C9PZ 8620-DB
D2SE 8620-A2B	C9PZ 8620-DB
D2SE 8620-A3B	C9PZ 8620-DB
D2SE 8620-A4B	C9PZ 8620-DB
D2SE 8620-C2A	C9PZ 8620-DA
D2SE 8620-D2A	C9PZ 8620-GC
D2SE 8620-G2A	C9PZ 8620-BU
D2SE 8620-H2A	C9PZ 8620-GU
D2SE 8620-J2A	C9PZ 8620-BK
D2SE 8620-J3A	C9PZ 8620-BK
D2SE 8620-K2A	C9PZ 8620-BK
D2SE 8620-L1A	C9PZ 8620-BV
D2SE 8620-N1A	C9PZ 8620-FS
D2SE 8620-N2A	C9PZ 8620-FS
D2SE 8620-N3A	C9PZ 8620-FS
D2SE 8620-N4A	C9PZ 8620-FS
D2SE 8620-R1A	C9PZ 8620-AK
D2SE 8620-S1A	C9PZ 8620-GK
D2SE 8620-S3A	C9PZ 8620-GK
D2SE 8620-S4A	C9PZ 8620-GK
D2TE 8620-A2A	C9PZ 8620-FZ
D2TE 8620-A3A	C9PZ 8620-FZ
D2TE 8620-E1A	C9PZ 8620-AT
D2TE 8620-E1A	C9PZ 8620-AT
D2TE 8620-E2A	C9PZ 8620-AT
D2TE 8620-E3A	C9PZ 8620-AT
D2TE 8620-E4A	C9PZ 8620-AT
D2TE 8620-J1A	C9PZ 8620-ET
D2TE 8620-K1A	C9PZ 8620-EU
D2TE 8620-Z1A	C9PZ 8620-BU
D2TE 8620-AG1A	C9PZ 8620-CC
D2TE 8620-AG3A	C9PZ 8620-CC
D2TE 8620-AG4A	C9PZ 8620-CC
D2TE 8620-AK1A	C9PZ 8620-CE
D2TE 8620-AK3A	C9PZ 8620-CE
D2TE 8620-AK4A	C9PZ 8620-CE
D2TE 8620-AL1A	C9PZ 8620-CF
D2TE 8620-AL2A	C9PZ 8620-CF
D2TE 8620-AL3A	C9PZ 8620-CF
D2TE 8620-AL4A	C9PZ 8620-CF
D2TE 8620-AM1A	C9PZ 8620-CF
D2TE 8620-AM3A	C9PZ 8620-CF
D2TE 8620-AM4A	C9PZ 8620-CF
D2TE 8620-AT1A	C9PZ 8620-CM
D2TE 8620-BA1A	C9PZ 8620-GE
D2TE 8620-BB1A	C9PZ 8620-BG
D2TE 8620-BD1A	C9PZ 8620-GT
D2TE 8620-BD2A	C9PZ 8620-GT
D2TE 8620-BE1A	C9PZ 8620-DB
D2TE 8620-BE2A	C9PZ 8620-DB
D2TE 8620-BE3A	C9PZ 8620-DB
D2TE 8620-BE4A	C9PZ 8620-DB
D2TE 8620-BG1A	D0TZ 8620-B
D2TE 8620-BH1A	C9PZ 8620-GD
D2TE 8620-BH2A	C9PZ 8620-GD
D2TE 8620-BT1A	C9PZ 8620-BP
D2TE 8620-BU1A	D1PZ 8620-B
D2TE 8620-BU3A	D1PZ 8620-B
D2TE 8620-BU4A	D1PZ 8620-B
D2TE 8620-BV1A	C9PZ 8620-AN
D2TE 8620-BY1A	C9PZ 8620-AC
D2TE 8620-BY3A	C9PZ 8620-AC
D2TE 8620-BY4A	C9PZ 8620-AC
D2TE 8620-BZ1A	C9PZ 8620-AE
D2TE 8620-BZ3A	C9PZ 8620-AE
D2TE 8620-BZ4A	C9PZ 8620-AE
D2TE 8620-CA1A	C9PZ 8620-FY
D2TE 8620-CA3A	C9PZ 8620-FY
D2TE 8620-CA4A	C9PZ 8620-FY
D2TE 8620-CB1A	C9PZ 8620-AG
D2TE 8620-CB3A	C9PZ 8620-AG
D2TE 8620-CB4A	C9PZ 8620-AG
D2TE 8620-CE1A	C9PZ 8620-AE
D2TE 8620-CE3A	C9PZ 8620-AE
D2TE 8620-CE4A	C9PZ 8620-AE
D2TE 8620-CF1A	C9PZ 8620-F
D2TE 8620-CF3A	C9PZ 8620-F
D2TE 8620-CF4A	C9PZ 8620-F
D2TE 8620-CG1A	C9PZ 8620-P
D2TE 8620-CG3A	C9PZ 8620-P
D2TE 8620-CG4A	C9PZ 8620-P
D2TE 8620-CJ1A	C9PZ 8620-S
D2TE 8620-CJ3A	C9PZ 8620-S
D2TE 8620-CJ4A	C9PZ 8620-S
D2TE 8620-CK1A	C9PZ 8620-S
D2TE 8620-CK3A	C9PZ 8620-S
D2TE 8620-CK4A	C9PZ 8620-S
D2TE 8620-CL1A	C9PZ 8620-S
D2TE 8620-CL2A	C9PZ 8620-S
D2TE 8620-CM1A	C9PZ 8620-T
D2TE 8620-CM3A	C9PZ 8620-T
D2TE 8620-CM4A	C9PZ 8620-T
D2TE 8620-CN1A	D1PZ 8620-A
D2TE 8620-CN3A	D1PZ 8620-A
D2TE 8620-CN4A	D1PZ 8620-A
D2TE 8620-DA1A	C9PZ 8620-GK
D2TE 8620-DA3A	C9PZ 8620-GK
D2TE 8620-DA4A	C9PZ 8620-GK
D2VE 8620-B2A	C9PZ 8620-CF
D2VE 8620-C2A	C9PZ 8620-CC
D2VE 8620-D2A	C9PZ 8620-CA
D2VE 8620-G1A	C9VY 8620-A
D2VE 8620-H2A	C9PZ 8620-J
D2VE 8620-J1A	D1VY 8620-A
D2VE 8620-J2A	D1VY 8620-A
D2VE 8620-J3A	D1VY 8620-A
D2VE 8620-J4A	D1VY 8620-A
D2VE 8620-L1A	C9PZ 8620-CM
D2VE 8620-L2A	C9PZ 8620-CM
D2VE 8620-L3A	C9PZ 8620-CM
D2VE 8620-L4A	C9PZ 8620-CM
D2VE 8620-M1A	D0VZ 8620-B
D2VE 8620-N1A	C9PZ 8620-AD
D2VE 8620-N3A	C9PZ 8620-AD
D2VE 8620-N4A	C9PZ 8620-AD
D2VE 8620-R1A	C9PZ 8620-G
D2VE 8620-R3A	C9PZ 8620-G
D2VE 8620-R4A	C9PZ 8620-G
D2ZE 8620-A1A	C9PZ 8620-FY
D2ZE 8620-B1A	C9PZ 8620-B
D2ZE 8620-C1A	C9PZ 8620-V
D2ZE 8620-D1A	C9PZ 8620-J
D2ZE 8620-E1A	C9PZ 8620-E
D2ZE 8620-E3A	C9PZ 8620-E
D2ZE 8620-E4A	C9PZ 8620-E
D2ZE 8620-F2A	C9PZ 8620-DM
D2ZE 8620-G2A	C9PZ 8620-GV
D2ZE 8620-H2A	C9PZ 8620-GH
D2ZE 8620-H3A	C9PZ 8620-GH
D2ZE 8620-J2A	C9PZ 8620-DF
D2ZE 8620-K2A	C9PZ 8620-DE
D2ZE 8620-M2A	C9PZ 8620-CS
D2ZE 8620-N2A	C9PZ 8620-CS
D2ZE 8620-R2A	C9PZ 8620-CP
D2ZE 8620-S2A	C9PZ 8620-CP
D2ZE 8620-T1A	C9PZ 8620-FY
D2ZE 8620-T2A	C9PZ 8620-FY
D2ZE 8620-T3A	C9PZ 8620-FY
D2ZE 8620-T4A	C9PZ 8620-FY
D2ZE 8620-U1A	C9PZ 8620-AD
D2ZE 8620-U2A	C9PZ 8620-AD
D2ZE 8620-V1A	C9PZ 8620-GC
D2ZE 8620-V2A	C9PZ 8620-GC
D2ZE 8620-AA1A	★C9DZ 8620-A
D2ZE 8620-AB1A	C9SZ 8620-B
D2SZ 8620-AD1A	C9PZ 8620-GH
D2ZE 8620-AD2A	C9PZ 8620-GH
D2ZE 8620-AD3A	C9PZ 8620-GH
D2ZE 8620-AD4A	C9PZ 8620-GH
D2ZE 8620-AF1A	C9PZ 8620-CR
D2ZE 8620-AF2A	C9PZ 8620-CR
D2ZE 8620-AH1A	D0AZ 8620-E
D2ZE 8620-AJ1A	C9PZ 8620-CL
D2ZE 8620-AJ2A	C9PZ 8620-CL
D2ZE 8620-AJ3A	C9PZ 8620-CL
D2ZE 8620-AJ4A	C9PZ 8620-CL
D2ZE 8620-AK1A	C9PZ 8620-AH
D2ZE 8620-AL1A	C9PZ 8620-J
D2ZE 8620-AL3A	C9PZ 8620-J
D2ZE 8620-AM1A	C9PZ 8620-C
D2ZE 8620-AM3A	C9PZ 8620-C
D22E 8620-A1A	C9PZ 8620-GL
D22E 8620-A2A	C9PZ 8620-GL
D22E 8620-A3A	C9PZ 8620-GL
D22E 8620-A4A	C9PZ 8620-GL

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

BELT IDENTIFICATION MARKING TO SERVICE PART NUMBER GUIDE

IDENTIFICATION MARKING	SERVICE PART NUMBER
D22E 8620-B1A	C9PZ 8620-GY
D22E 8620-B2A	C9PZ 8620-GY
D22E 8620-B3A	C9PZ 8620-GY
D22E 8620-B4A	C9PZ 8620-GY
D22E 8620-C1A	C9PZ 8620-C
D22E 8620-C2A	C9PZ 8620-C
D22E 8620-C3A	C9PZ 8620-C
D22E 8620-C4A	C9PZ 8620-C
D22E 8620-D1A	C9PZ 8620-CE
D22E 8620-D2A	C9PZ 8620-CE
D22E 8620-D3A	C9PZ 8620-CE
D22E 8620-D4A	C9PZ 8620-CE
D22E 8620-E1A	C9PZ 8620-FU
D22E 8620-E2A	C9PZ 8620-FU
D22E 8620-E3A	C9PZ 8620-FU
EAA 8620-A	C9PZ 8620-J
EAA 8620-B	C9PZ 8620-J
♦ EAA 8620-C	C2R 8620-L
♦ EAA 8620-C	†C2AE 8A615-B
EAA 8620-D	C9PZ 8620-N
♦ EBJ 8620-A	CC2TZ 8620-H
♦ EBJ 8620-A	†C2TE 8A615-M
☆EBP 8620-D	C9PZ 8620-D
♦ EBP 8620-D	C9PZ 8620-J
♦ EBP 8620-D	†C2AE 8A615-G
☆EBP 8620-E	C9PZ 8620-G
♦ EBP 8620-E	CC2AZ 8620-A
EBP 8620-F	C9PZ 8620-K
EBP 8620-G	C9PZ 8620-K
☆EBP 8620-H	C9PZ 8620-J
♦ EBP 8620-H	†C2AE 8A615-G
EBP 8620-J	C9PZ 8620-GY
☆EBP 8620-L	C9PZ 8620-K
♦ EBP 8620-L	CC0AZ 8620-B
♦ EBP 8620-L	(2)C9PZ 8620-L
EBR 8620-F	C9PZ 8620-N
♦ EBU 8620-E	C1TT 8620-F
ECD 8620-A	C9PZ 8620-BP
ECE 8620-A	C9PZ 8620-FP
♦ ECE 8620-A	†CB7AZ 8A615-A
ECG 8620-A	C9PZ 8620-BY
☆ECG 8620-B	C9PZ 8620-BY
♦ ECG 8620-B	C9PZ 8620-BV
♦ ECG 8620-B	†CC5TZ 8620-H
♦ ECG 8620-G	C9PZ 8620-BV
ECG 8620-H	C9PZ 8620-AE
ECG 8620-K	C9PZ 8620-AC
♦ ECR 8620-B	B8Q 8620-D
♦ ECR 8620-B	D1PZ 8620-B
♦ ECR 8620-C	CC2TZ 8620-C
♦ ECR 8620-C	C9PZ 8620-FR
♦ ECR 8620-D	CC2TZ 8620-B
♦ ECR 8620-D	†CC2TZ 8A615-P
♦ ECR 8620-E	CC2TZ 8620-B
♦ ECR 8620-E	†CC2TZ 8A615-P
♦ ECR 8620-SA	CC2TZ 8620-C
♦ ECR 8620-SA	C9PZ 8620-FR
♦ ECS 8620-D	CC2TZ 8620-C
♦ ECS 8620-D	C9PZ 8620-FR
♦ ECS 8620-SA	CC2TZ 8620-C
♦ ECS 8620-SA	C9PZ 8620-FR
♦ ECT 8620-A	CC1TZ 8620-A
♦ ECT 8620-A	†C1TE 8A615-B
♦ ECU 8620-B	CC3AZ 8620-D
♦ ECU 8620-B	D1PZ 8620-B
♦ ECY 8620-A	CC2TZ 8620-H
♦ ECY 8620-A	†C2TE 8A615-M
ECZ 8620-B	C9PZ 8620-AD
♦ ECZ 8620-C	C9PZ 8620-AA
♦ ECZ 8620-C	†CB8AZ 8A615-A
♦ ECZ 8620-D	B8Q 8620-D
♦ ECZ 8620-D	D1PZ 8620-B
☆EDC 8620-A	C9PZ 8620-AD
♦ EDC 8620-A	CC3AZ 8620-D
♦ EDC 8620-A	†CB7AZ 8A615-D
EDC 8620-B	C9PZ 8620-AB
☆EDC 8620-E	C9PZ 8620-GJ
♦ EDC 8620-E	C9PZ 8620-AA
EDC 8620-F	C9PZ 8620-AE
☆EDC 8620-G	C9PZ 8620-AE
♦ EDC 8620-G	B8Q 8620-D
♦ EDC 8620-G	D1PZ 8620-B
☆EDG 8620-A	C9PZ 8620-AB
♦ EDG 8620-A	C1AE 8620-J
♦ EDG 8620-A	C1AE 8620-J
♦ EDG 8620-A	†CB8AZ 8A615-A
EDG 8620-D	C9PZ 8620-GK
EDG 8620-E	C9PZ 8620-GJ
☆EDJ 8620-A	C9PZ 8620-GJ
♦ EDJ 8620-A	CC5TZ 8620-D
♦ EDJ 8620-A	†CC5TZ 8A615-C
♦ EDJ 8620-B	C1AE 8620-J
♦ EDJ 8620-B	D1PZ 8620-B
♦ EDJ 8620-C	C9PZ 8620-AA
♦ EDJ 8620-C	†CB8AZ 8A615-A
♦ EDL 8620-A	C9PZ 8620-ER
♦ EDL 8620-A	†CB8TZ 8A615-C
☆EDL 8620-D	B8QH 8620-D
♦ EDL 8620-D	CC3TZ 8620-D
♦ EDL 8620-D	†CB8TZ 8620-D
OHA 8620-B	C9PZ 8620-GJ
OHA 8620-C	C9PZ 8620-AC
☆EDG 22906-A	C9PZ 8620-GJ
♦ EDG 22906-A	C9PZ 8620-AA
♦ EDG 22906-A	†CB8AZ 8A615-A
EBP 33558-A	C9PZ 8620-D
EBP 33558-B	C9PZ 8620-J
☆EBP 33558-C	C9PZ 8620-D
♦ EBP 33558-C	CC0AZ 8620-A
♦ EBP 33558-C	†CC0AZ 8A615-C
EBU 33558-A	C9PZ 8620-D
ECD 33558-A	C9PZ 8620-FS
ECE 33558-A	C9PZ 8620-BY
ECG 33558-A	C9PZ 8620-BL
ECG 33558-B	C9PZ 8620-BY
ECG 33558-C	C9PZ 8620-BL
ECG 33558-F	C9PZ 8620-BP
ECJ 33558-A	C9PZ 8620-FS
♦ ECS 33558-A	C0AE 8620-T
♦ ECU 33558-B	CC2TZ 8620-F
♦ ECU 33558-B	†C1TE 8A615-L
♦ ECU 33558-D	B8TZ 8620-D
♦ ECY 33558-A	B8TZ 8620-E
♦ ECZ 33558-D	B8TZ 8620-FX
☆ EDB 33558-B	C9PZ 8620-GM
♦ EDB 33558-B	(2)C9PZ 8620-T
EDC 33558-A	C9PZ 8620-M
EDD 33558-A	C9PZ 8620-M
EDJ 33558-A	C9PZ 8620-BJ
ECG 86204-A	C9PZ 8620-BY
EBP 88620-A	C9PZ 8620-J
EBP 88620-B	C9PZ 8620-K
70TF 8620-DA	C9PZ 8620-CF
71TF 8620-AA	C9PZ 8620-N
5750904	C9PZ 8620-AC
5751168	C9PZ 8620-GJ
5751169	C9PZ 8620-GJ
5751396	C9PZ 8620-AB
5751413	C9PZ 8620-GM
5751461	C9PZ 8620-FT
5751467	C9PZ 8620-AE
5751952	C9PZ 8620-D
5751991	C9PZ 8620-M
5752164	C9PZ 8620-GK

† Kit - consists of (2) or more belts. ☆ U.S. only. ♦ Canada only.

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	QUANTITY: IDLER OR P/S	QUANTITY: AIR PUMP	QUANTITY: A/C COMP.	PART NUMBER	DESCRIPTION	
	1965							
	A (Ford)					6 CYL. 240		
65	Alternator-42, 45, 55 amp.	1or2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-53 amp.	2				C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	P/S-without A/C		1			C9PZ 8620-AC	(JB-446)	15/32" x 44 3/4"
	P/S and A/C		1			C9PZ 8620-GB	(JB-527-L)	15/32" x 52 7/8"
	A/C				1	C9PZ 8620-DB	(JC-594)	1/2" x 59 1/2"
	A (Ford)					8 CYL. 289		
65	Alternator-42, 45, 55 amp. - without A/C	1or2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-53 amp. - without A/C	2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-60, 65, 70 amp. - without A/C	2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-with integral A/C	2				✡C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-with integral A/C	2				♦C9PZ 8620-BY	(JC-445)	1/2" x 44 5/8"
	Alternator-with hang-on A/C	2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	P/S (Ford pump)-with 42, 45 amp. alternator-without A/C		1			C9PZ 8620-CB	(JC-460)	1/2" x 46"
	P/S (Ford pump)-with 53, 55, 60, 65, 70 amp. alternator-without A/C		1			C9PZ 8620-CA	(JC-455)	1/2" x 45 5/8"
	P/S (Eaton pump)-without A/C		1			C9PZ 8620-BM	(JC-403)	1/2" x 40 3/8"
	P/S with A/C		1			C9PZ 8620-AN	(JB-505)	15/32" x 50 5/8"
	A/C				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A (Ford)					8 CYL. 352, 390		
65	Alternator-42, 45 amp. - without P/S or A/C- (exc. P/C)	1				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-55 amp. -without P/S or A/C	2				C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-42, 45 amp. - without P/S or A/C-(P/C)	1or2						
	Alternator-53, 60, 65, 70 amp. -without A/C	2				✡C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-53, 55 amp. - without A/C or P/S	2				♦D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with A/C- without P/S	1or2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-with A/C and P/S	1or2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	P/S (Ford pump)-with 42, 45 amp. alternator-without A/C		1			C9PZ 8620-CC	(JC-465)	1/2" x 46 5/8"
	P/S (Ford pump)-with 53, 55, 60, 65, 70 amp. alternator-without A/C		1			C9PZ 8620-BZ	(JC-450)	1/2" x 45"
	P/S (Eaton pump)-without A/C		1			C9PZ 8620-BM	(JC-403)	1/2" x 40 3/8"
	P/S with A/C		1			C9PZ 8620-AU	(JB-546)	15/32" x 54 3/4"
	A/C-(exc. P/C)				1	C9PZ 8620-DC	(JC-600)	1/2" x 60"
	A/C-(P/C)				1	C9PZ 8620-CZ	(JC-577)	1/2" x 57 7/8"

✡ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
	1965 - continued							
	A (Ford)					8 CYL. 427		
65	Alternator	1				C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	B (Fairlane)					6 CYL. 200		
65	Alternator-38, 42, 45 amp. - with S/C-without A/C Alternator-55 amp. - without A/C	1 2				C9PZ 8620-D	(JB-341)	15/32" x 34 1/8"
	Alternator-38, 42, 45 amp. - with X/C-without A/C	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-53 amp. -without A/C	2				C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	Alternator-with A/C	1				C9PZ 8620-GY	(JB-366-L)	15/32" x 36 3/4"
	P/S (Ford pump)		1			C9PZ 8620-AM	(JB-482)	15/32" x 48 1/4"
	P/S (Eaton pump)-with S/C		1			C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	P/S (Eaton pump)-with X/C		1			C9PZ 8620-AH	(JB-470)	15/32" x 47"
	A/C				1	C9PZ 8620-CS	(JC-544)	1/2" x 54 1/2"
	B (Fairlane)					8 CYL. 289 and 289 Special		
65	Alternator-38, 42, 45, 55 amp. -(exc. special)	1or2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-(special)	1				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	Alternator-53 amp. - (exc. special)	2				C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S (Ford pump)-with 38, 42, 45 amp. alternator-without A/C		1			✲C9PZ 8620-CB	(JC-460)	1/2" x 46"
	P/S (Ford pump)-with 53, 55 amp. alternator-without A/C		1			C9PZ 8620-CA	(JC-455)	1/2" x 45 5/8"
	P/S-with 38, 42 amp. alternator-without A/C		1			♦CC2TZ 8620-H		1/2" x 45 3/4"
	P/S (Eaton pump)-without A/C		1			C9PZ 8620-BM	(JC-403)	1/2" x 40 3/8"
	P/S with A/C		1			C9PZ 8620-AN	(JB-505)	15/32" x 50 5/8"
	P/S-with 53, 55 amp. alternator-without A/C		1			♦C9PZ 8620-CG	(JC-490)	1/2" x 49"
	A/C				1	C9PZ 8620-CS	(JC-544)	1/2" x 54 1/2"
	F (Mustang)					6 CYL. 170, 200		
65	Alternator or generator-without A/C	1				C9PZ 8620-D	(JB-341)	15/32" x 34 1/8"
	Alternator or generator-with A/C-without P/S	1				C9PZ 8620-J	(JB-371)	15/32" x 37 1/8"
	Alternator or generator-with A/C and P/S	1				C9PZ 8620-C	(JB-332)	15/32" x 33 1/4"
	P/S (Ford pump)-without A/C		1			C9PZ 8620-AM	(JB-482)	15/32" x 48 1/4"
	P/S (Eaton pump)-without A/C		1			C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	P/S-with A/C		1			C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	A/C	.			1	C9PZ 8620-CA	(JC-455)	1/2" x 45 5/8"
	F (Mustang)					8 CYL. 260, 289, 289 Special		
65	Alternator-(exc. special)	1or2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Generator-(exc. special)	1or2				C9PZ 8620-AK	(JB-501)	15/32" x 50 1/8"
	Alternator-(special)	1				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	Generator-(special)	2				C9PZ 8620-AR	(JB-521)	15/32" x 52 1/8"

✲ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	QUANTITY IDLER OR P/S	QUANTITY AIR PUMP	QUANTITY A/C COMP.	PART NUMBER	DESCRIPTION	
	1965 - continued							
	F (Mustang)					8 CYL. 260, 289, 289 Special		
65	P/S-with generator		1			C9PZ 8620-BM	(JC-403)	1/2" x 40 3/8"
	P/S (Eaton pump)-with alternator-without A/C		1					
	P/S (Ford pump)-with alternator-without A/C		1			*C9PZ 8620-CB	(JC-460)	1/2" x 46"
	P/S-with alternator-with A/C		1			C9PZ 8620-AN	(JB-505)	15/32" x 50 5/8"
	P/S-with alternator-without A/C		1			♦CC2TZ 8620-H		1/2" x 45 3/4"
	A/C				1	C9PZ 8620-CS	(JC-544)	1/2" x 54 1/2"
	S (Thunderbird)					8 CYL. 390		
65	Alternator-without A/C	1				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-with A/C	1				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	P/S (Ford pump)-without A/C		1			C9PZ 8620-CC	(JC-465)	1/2" x 46 5/8"
	P/S (Eaton pump)-without A/C		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	P/S with A/C		1			C9PZ 8620-AU	(JB-546)	15/32" x 54 3/4"
	A/C				1	C9PZ 8620-DC	(JC-600)	1/2" x 60"
	X (Falcon)					6 CYL. 170, 200		
65	Alternator-without P/S or A/C-(170)	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-with P/S-without A/C	1						
	Alternator-without P/S or A/C-(200)	1				C9PZ 8620-D	(JB-341)	15/32" x 34 1/8"
	Alternator-with A/C-without P/S	1				C9PZ 8620-J	(JB-371)	15/32" x 37 1/8"
	Alternator-with A/C and P/S	1				C9PZ 8620-C	(JB-332)	15/32" x 33 1/4"
	P/S (Ford pump)-without A/C		1			C9PZ 8620-AM	(JB-482)	15/32" x 48 1/4"
	P/S (Eaton pump)-without A/C-(170)		1			C9PZ 8620-AH	(JB-470)	15/32" x 47"
	P/S (Eaton pump)-without A/C-(200)		1			C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	P/S and A/C		1			C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	A/C				1	C9PZ 8620-CA	(JC-455)	1/2" x 45 5/8"
	X (Falcon)					8 CYL. 289		
65	Alternator	1or2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	P/S (Ford pump)-with S/C-without A/C		1			*C9PZ 8620-CB	(JC-460)	1/2" x 46"
	P/S (Ford pump)-with X/C-without A/C		1			*C9PZ 8620-AN	(JB-505)	15/32" x 50 5/8"
	P/S and A/C		1			C9PZ 8620-AN	(JB-505)	15/32" x 50 5/8"
	P/S (Eaton pump)-without A/C		1			C9PZ 8620-BM	(JC-403)	1/2" x 40 3/8"
	P/S-without A/C		1			♦CC2TZ 8620-H		1/2" x 45 3/4"
	A/C				1	C9PZ 8620-CS	(JC-544)	1/2" x 54 1/2"

* U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	QUANTITY IDLER OR P/S	QUANTITY AIR PUMP	QUANTITY A/C COMP.	PART NUMBER	DESCRIPTION
	1966						
	A (Ford)					6 CYL. 240	
66	Alternator-42, 55 amp. - without A/C	1or2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-53 amp. - without A/C	2				C9PZ 8620-GJ	(JB-436-L) 15/32" x 43 3/4"
	Alternator-with A/C-without T/E	2				C9PZ 8620-V	(JB-423) 15/32" x 42 3/8"
	Alternator-with A/C-with T/E	2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	P/S-with 42 amp. alternator-without A/C-without T/E		1			C9PZ 8620-AC	(JB-446) 15/32" x 44 3/4"
	P/S-with 53, 55 amp. alternator-without A/C-without T/E		1			C9PZ 8620-BZ	(JC-450) 1/2" x 45"
	P/S-without A/C-with T/E		1				
	P/S and A/C		1			C9PZ 8620-AR	(JB-521) 15/32" x 52 1/8"
	A/C-without T/E				1	C9PZ 8620-DB	(JC-594) 1/2" x 59 1/2"
	A/C-with T/E				1	C9PZ 8620-GZ	(JC-694-L) 1/2" x 69 1/2"
	T/E pump-without A/C			1		C9PZ 8620-BJ	(JC-377-C) 1/2" x 37 7/8"
	T/E pump-with A/C			1		C9PZ 8620-GZ	(JC-694-L) 1/2" x 69 1/2"
	A (Ford)					8 CYL. 289	
66	Alternator-42, 55 amp. - without A/C-without T/E	1or2				C9PZ 8620-S	(JB-412) 15/32" x 41 1/4"
	Alternator-with T/E	1or2					
	Alternator-with hang-on A/C	1or2					
	Alternator-53 amp. - without A/C-without T/E	2				C9PZ 8620-T	(JB-420) 15/32" x 42"
	Alternator-60, 65, 70 amp. - without A/C-without T/E	2				C9PZ 8620-GK	(JB-430-LA) 15/32" x 43"
	Alternator-with integral A/C-without T/E	1or2				C9PZ 8620-AD	(JB-451) 15/32" x 45 1/8"
	P/S-with 42 amp. alternator-without A/C-without T/E		1			C9PZ 8620-CB	(JC-460) 1/2" x 46"
	P/S-with 53, 55, 60, 65, 70 amp. alternator-without A/C-without T/E		1			C9PZ 8620-CA	(JC-455) 1/2" x 45 5/8"
	P/S-without A/C-with T/E		1			C9PZ 8620-AN	(JB-505) 15/32" x 50 5/8"
	P/S and A/C-without T/E		1				
	P/S and A/C-with T/E		1			C9PZ 8620-AK	(JB-501) 15/32" x 50 1/8"
	A/C-without T/E				1	C9PZ 8620-GC	(JC-552-L) 1/2" x 55 1/4"
	A/C-with T/E				1	C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"
	T/E pump-without A/C			1		C9PZ 8620-B	(JB-315) 15/32" x 31 5/8"
	T/E pump-with A/C			1		C9PZ 8620-DG	(JC-624) 1/2" x 62 1/2"

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
	1966 - continued							
	A (Ford)					8 CYL. 352, 390, 428 Except P/C		
66	Alternator-42 amp. -without T/E-without P/S or A/C	1				C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-55 amp. -without A/C	2				✡C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-42 amp. -without T/E-with P/S-without A/C	1				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-42, 55 amp. -with T/E-without P/S or A/C	2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-42, 55 amp. -with T/E-with P/S-without A/C	2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-53, 60, 65, 70 amp. -without T/E-without A/C	2				✡C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-55 amp. -without A/C	1				♦CB8AZ 8A615-A		15/32" x 43 3/4"
	Alternator-53, 60, 65, 70 amp. -without A/C	1				♦D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-53, 60, 65, 70 amp. -with T/E-without A/C	2				C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-with integral A/C	1or2				✡C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-with A/C	1or2				♦CC3AZ 8620-B		15/32" x 41 3/4"
	Alternator-with hang-on A/C	2				✡C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	P/S-with 42 amp. alternator-without T/E-without A/C		1			✡C9PZ 8620-CC	(JC-465)	1/2" x 46 5/8"
	P/S-with 53, 55, 60, 65, 70 amp. alternator-without T/E-without A/C		1			C9PZ 8620-BZ	(JC-450)	1/2" x 45"
	P/S-with T/E-without A/C		1					
	P/S and A/C		1			C9PZ 8620-AU	(JB-546)	15/32" x 54 3/4"
	A/C-without T/E				1	C9PZ 8620-DC	(JC-600)	1/2" x 60"
	A/C-with T/E				1	C9PZ 8620-DP	(JC-667)	1/2" x 66 7/8"
	T/E pump-without A/C			1		C9PZ 8620-BD	(JC-345-C)	1/2" x 34 5/8"
	P/S-with 42 amp. alternator-without A/C		1			♦CC2TZ 8620-H		1/2" x 45 3/4"
	T/E pump-with A/C			1		C9PZ 8620-DP	(JC-667)	1/2" x 66 7/8"
	A (Ford)					8 CYL. 427		
66	Alternator	1				C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	A (Ford)					8 CYL. 428 P/C		
66	Alternator-55 amp. -without T/E-without A/C	2				✡C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-55 amp. -without T/E-without A/C	1				♦CB8AZ 8A615-A		15/32" x 43 3/4"
	Alternator-53 amp. -without T/E-without A/C- "Before 2/14/66"	2				✡C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-60, 65, 70 amp. -without T/E-without A/C	2						
	Alternator-53 amp. -without T/E-without A/C- "From 2/14/66"	2				✡C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"

✡U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	QUANTITY: IDLER OR P/S	QUANTITY: AIR PUMP	QUANTITY: A.C COMP.	PART NUMBER	DESCRIPTION	
	1966 - continued							
	A (Ford) cont'd.					8 CYL. 428 P/C cont'd.		
66	Alternator-53, 60, 65, 70 amp.-with T/E-without A/C	2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-55 amp.-with T/E-without A/C	2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-53, 60, 65, 70 amp.-without T/E-without A/C	1				♦D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-without T/E-with A/C-"Before 2/14/66"	1or2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-with T/E-with A/C-"Before 2/14/66"	1or2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-with A/C-"From 2/14/66"	1or2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	P/S (Ford pump)-without A/C		1			C9PZ 8620-BZ	(JC-450)	1/2" x 45"
	P/S (Eaton pump)-without A/C		1			C9PZ 8620-CC	(JC-465)	1/2" x 46 5/8"
	P/S and A/C		1			C9PZ 8620-AU	(JB-546)	15/32" x 54 3/4"
	A/C-without T/E				1	☆C9PZ 8620-CZ	(JC-577)	1/2" x 57 7/8"
	A/C-without T/E				1	♦CC5AZ 8620-K		1/2" x 57 1/2"
	A/C-with T/E				1	C9PZ 8620-DN	(JC-655)	1/2" x 65 5/8"
	T/E pump-without A/C			1		C9PZ 8620-BG	(JC-366-C)	1/2" x 36 3/4"
	T/E pump-with A/C			1		C9PZ 8620-DN	(JC-655)	1/2" x 65 5/8"
	B (Fairlane)					6 CYL. 200		
66	Alternator-38, 42 amp.-without A/C	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-55 amp.-without A/C	2				☆C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-55 amp.-without A/C	1				♦CC3UX 8A615-CX		15/32" x 34"
	Alternator-53 amp.-without A/C	2				C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	Alternator-with A/C-without P/S	1				C9PZ 8620-GY	(JB-366-L)	15/32" x 36 3/4"
	Alternator-with A/C and P/S	1				C9PZ 8620-A	(JB-286-C)	15/32" x 28 3/4"
	P/S		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	A/C				1	C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	T/E pump-with 38, 42 amp. alternator-without A/C or P/S			1		C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	T/E pump-with 53, 55 amp. alternator-without A/C or P/S			1		C9PZ 8620-K	(JB-382)	15/32" x 38 1/4"
	T/E pump-with P/S-without A/C			1				
	T/E pump-with A/C and P/S			1				
	T/E pump-with A/C-without P/S			1		C9PZ 8620-M	(JB-390)	15/32" x 39"

☆ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GRN.	QUANTITY: IDLER OR P'S	QUANTITY: AIR PUMP	QUANTITY: A/C COMP.	PART NUMBER	DESCRIPTION	
	1966 - continued							
	B (Fairlane)					8 CYL. 289		
66	Alternator-without A/C	1or2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-with A/C	1or2				✡C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-with A/C	1				♦CC4TZ 8A615-R		15/32" x 40 1/4"
	P/S-with 42 amp. alternator-without T/E-without A/C		1			✡C9PZ 8620-CB	(JC-460)	1/2" x 46"
	P/S-with 42 amp. alternator-without T/E-without A/C		1			♦CC2TZ 8620-G		1/2" x 45 1/2"
	P/S-with 55 amp. alternator-without T/E-without A/C		1			✡C9PZ 8620-CA	(JC-455)	1/2" x 45 5/8"
	P/S-with 55 amp. alternator-without T/E-without A/C		1			♦CC4VZ 8620-B		1/2" x 45"
	P/S and A/C-without T/E P/S-with T/E		1 1			C9PZ 8620-AN	(JB-505)	15/32" x 50 5/8"
	A/C-without T/E				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A/C-with T/E				1	C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	T/E pump-without A/C			1		C9PZ 8620-B	(JB-315)	15/32" x 31 5/8"
	T/E pump-with A/C			1		C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	B (Fairlane)					8 CYL. 390		
66	Alternator-38, 42, 55 amp.-without P/S or A/C-without T/E-"Before 4/27/66"	1or2				C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-38, 42 amp.-without P/S or A/C-without T/E-"From 4/27/66" Alternator-with P/S-without A/C-without T/E	1 1or2				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-55 amp.-without P/S or A/C-without T/E-"From 4/27/66" Alternator-53 amp.-without P/S or A/C-"From 4/27/66"	2 2				✡C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-53 amp.-without P/S or A/C-"Before 4/27/66"	2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-38, 42, 55 amp.-with T/E-without P/S or A/C-"Before 4/27/66"	1or2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-38, 42, 55 amp.-with T/E-without P/S or A/C-"From 4/27/66"	1or2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-with A/C-without T/E	1or2				✡C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-with A/C-with T/E	1or2				C9PZ 8620-T	(JB-420)	15/32" x 42"

✡ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	QUANTITY IDLER OR P/S	QUANTITY AIR PUMP	QUANTITY A/C COMP.	PART NUMBER	DESCRIPTION	
	1966 - continued							
	B (Fairlane) cont'd.					8 CYL. 390 cont'd.		
66	Alternator-55 amp. -without P/S or A/C-without T/E	1				♦CB8AZ 8A615-A		15/32" x 43 3/4"
	Alternator-with A/C-without T/E	1or2				♦CC3AZ 8620-B		15/32" x 41 3/4"
	P/S-with 38,42 amp. alternator-without A/C-without T/E		1			*C9PZ 8620-CC	(JC-465)	1/2" x 46 5/8"
	P/S-with 38,42 amp. alternator-without A/C-without T/E		1			♦CC2TZ 8620-H		1/2" x 45 3/4"
	P/S-with 53,55 amp. alternator-without A/C-without T/E		1			C9PZ 8620-BZ	(JC-450)	1/2" x 45"
	P/S-with T/E-without A/C		1					
	P/S and A/C		1			C9PZ 8620-AU	(JB-546)	15/32" x 54 3/4"
	T/E pump-without A/C-"Before 4/27/66"			1		C9PZ 8620-BE	(JC-355)	1/2" x 35 5/8"
	T/E pump-without A/C-"From 4/27/66"			1		C9PZ 8620-BD	(JC-345-C)	1/2" x 34 5/8"
	T/E pump-with A/C-(exc. GT)			1		C9PZ 8620-DP	(JC-667)	1/2" x 66 7/8"
	T/E pump-with A/C-(GT)			1		C9PZ 8620-DN	(JC-655)	1/2" x 65 5/8"
	A/C-without T/E				1	C9PZ 8620-DC	(JC-600)	1/2" x 60"
	A/C with T/E-(exc. GT)				1	C9PZ 8620-DP	(JC-667)	1/2" x 66 7/8"
	A/C with T/E-(GT)				1	C9PZ 8620-DN	(JC-655)	1/2" x 65 5/8"
	F (Mustang)					6 CYL. 200		
66	Alternator-without A/C or P/S	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-with P/S-without A/C	1						
	Alternator-with A/C-without P/S	1				C9PZ 8620-J	(JB-371)	15/32" x 37 1/8"
	Alternator-without T/E-with A/C and P/S	1				C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	Alternator-with T/E-with A/C and P/S	1				C9PZ 8620-C	(JB-332)	15/32" x 33 1/4"
	P/S		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	T/E pump-without A/C or P/S			1		C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	T/E pump-without A/C-with P/S			1		C9PZ 8620-K	(JB-382)	15/32" x 38 1/4"
	T/E pump-with A/C			1		C9PZ 8620-M	(JB-390)	15/32" x 39"
	A/C				1	*C9PZ 8620-CA	(JC-455)	1/2" x 45 5/8"
	A/C				1	♦CC4VZ 8620-B		1/2" x 45"
	F (Mustang)					8 CYL. 289		
66	Alternator-without T/E-without A/C-(exc. special)	1				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-with T/E	1or2				*C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-without T/E-without A/C-(special)	1				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	Alternator-without T/E-with A/C	1or2				C9PZ 8620-R	(JB-404)	15/32" x 40 1/2"
	Alternator-with T/E	1				♦CC4TZ 8A615-R		15/32" x 40 1/4"

*U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
1966 - continued								
	F (Mustang) cont'd.					8 CYL. 289 cont'd.		
66	P/S-without T/E-without A/C		1			☆C9PZ 8620-CB	(JC-460)	1/2" x 46"
	P/S-with T/E-without A/C		1			C9PZ 8620-AN	(JB-505)	15/32" x 50 5/8"
	P/S-without T/E-without A/C		1			♦CC2TZ 8620-G		1/2" x 45 1/2"
	P/S and A/C		1			C9PZ 8620-AK	(JB-501)	15/32" x 50 1/8"
	T/E pump-without A/C			1		C9PZ 8620-B	(JB-315)	15/32" x 31 5/8"
	T/E pump-with A/C			1		C9PZ 8620-DE	(JC-607)	1/2" x 60 7/8"
	A/C-without T/E				1	C9PZ 8620-CS	(JC-544)	1/2" x 54 1/2"
	A/C with T/E				1	C9PZ 8620-DE	(JC-607)	1/2" x 60 7/8"
	S (Thunderbird)					8 CYL. 390, 428		
66	Alternator-without T/E-without A/C	1				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-without T/E-with A/C	1				☆C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-without T/E-with A/C	1				♦CC3AZ 8620-B		15/32" x 41 3/4"
	Alternator-with T/E	1or2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	P/S-without T/E-without A/C		1			C9PZ 8620-CC	(JC-465)	1/2" x 46 5/8"
	P/S-with T/E-without A/C		1			C9PZ 8620-BZ	(JC-450)	1/2" x 45"
	P/S and A/C		1			C9PZ 8620-AU	(JB-546)	15/32" x 54 3/4"
	T/E pump-without A/C			1		C9PZ 8620-BD	(JC-345-C)	1/2" x 34 5/8"
	T/E pump-with A/C			1		C9PZ 8620-DP	(JC-667)	1/2" x 66 7/8"
	A/C-without T/E				1	C9PZ 8620-DC	(JC-600)	1/2" x 60"
	A/C-with T/E				1	C9PZ 8620-DP	(JC-667)	1/2" x 66 7/8"
	U (Bronco)					6 CYL. 170		
66	Alternator	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	T/E pump			1		C9PZ 8620-AH	(JB-470)	15/32" x 47"
	U (Bronco)					8 CYL. 289		
66	Alternator	2				☆C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator	1				♦CC4TZ 8A615-R		15/32" x 40 1/4"
	T/E pump			1		C9PZ 8620-AN	(JB-505)	15/32" x 50 5/8"
	X (Falcon)					6 CYL. 170, 200		
66	Alternator-without P/S or A/C	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-with P/S-without A/C	1						
	Alternator-with A/C-without P/S	1				C9PZ 8620-GY	(JB-366-L)	15/32" x 36 3/4"
	Alternator-with A/C and P/S	1				C9PZ 8620-A	(JB-286-C)	15/32" x 28 3/4"
	P/S		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"

☆U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
1966 - continued								
	X (Falcon) cont'd.					6 CYL. 170, 200 cont'd.		
66	T/E pump-without P/S or A/C			1		C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	T/E pump-with P/S-without A/C			1		C9PZ 8620-K	(JB-382)	15/32" x 38 1/4"
	T/E pump-with A/C-without P/S			1		C9PZ 8620-M	(JB-390)	15/32" x 39"
	T/E pump-with A/C and P/S			1		B7AZ 8620-B	(C6DE 8620-J)	15/32" x 38 7/32"
	A/C				1	C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	X (Falcon)					8 CYL. 289		
66	Alternator	1or2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	P/S-without A/C-without T/E		1			C9PZ 8620-CB	(JC-460)	1/2" x 46"
	P/S and A/C-without T/E		1			C9PZ 8620-AN	(JB-505)	15/32" x 50 5/8"
	P/S-with T/E		1					
	T/E pump-without A/C			1		C9PZ 8620-B	(JB-315)	15/32" x 31 5/8"
	T/E pump-with A/C			1		C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	A/C-without T/E				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A/C-with T/E				1	C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
1967								
	A (Ford)					6 CYL. 240		
67	Alternator-with S/C or X/C-without A/C-without T/E	1				☆C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-42, 55 amp.-with S/C or X/C-without A/C-with T/E	2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-42, 55 amp.-with S/X/C-without A/C	2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-53 amp.-with S/X/C-without A/C	2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-53 amp.-with S/C or S/C-without A/C-with T/E	2				C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-with A/C-without T/E	1or2				☆C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-with A/C-with T/E	2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-with S/C or X/C-without A/C-without T/E	1				♦CB8AZ 8A615-A		15/32" x 43 3/4"
	Alternator-with A/C-without T/E	1or2				♦CC3AZ 8620-B		15/32" x 41 3/4"

☆U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	IDLER OR P.S.	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
	1967 - continued							
	A (Ford) cont'd.					6 CYL. 240 cont'd.		
67	P/S (factory installed)-with S/C or X/C-without A/C-without T/E		1			☆C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	P/S (factory installed)-with S/C or X/C-without A/C-without T/E		1			♦CC5TZ 8620-D		15/32" x 42 1/2"
	P/S (factory installed)-with S/X/C-without A/C-without T/E		1			C9PZ 8620-BU	(JC-433)	1/2" x 43 3/8"
	P/S-without A/C-with T/E		1					
	P/S (dealer installed)-without A/C-without T/E		1			C9PZ 8620-AC	(JB-446)	15/32" x 44 3/4"
	P/S (factory installed)-with A/C		1			C9PZ 8620-AN	(JB-505)	15/32" x 50 5/8"
	P/S (dealer installed)-with A/C-without T/E		1			C9PZ 8620-GB	(JB-527-L)	15/32" x 52 7/8"
	P/S (dealer installed)-with A/C-with T/E		1			C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	T/E pump-without A/C			1		C9PZ 8620-BJ	(JC-377-C)	1/2" x 37 7/8"
	T/E pump-with integral A/C			1		C9PZ 8620-GZ	(JC-694-L)	1/2" x 69 1/2"
	T/E pump-with hang-on A/C			1		C7AZ 8620-B	(JC-707)	1/2" x 70 7/8"
	A/C (integral)-without T/E				1	C9PZ 8620-DA	(JC-585)	1/2" x 58 5/8"
	A/C (hang-on)-without T/E				1	C9PZ 8620-DE	(JC-607)	1/2" x 60 7/8"
	A/C (integral)-with T/E				1	C9PZ 8620-GZ	(JC-694-L)	1/2" x 69 1/2"
	A/C (hang-on)-with T/E				1	C7AZ 8620-B	(JC-707)	1/2" x 70 7/8"
	A (Ford)					8 CYL. 289		
67	Alternator-42 amp.-without T/E	1or2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-with T/E	1or2						
	Alternator-55 amp.-without A/C-without T/E	1or2				☆C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-53 amp.-without A/C-without T/E	2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-60 amp.-without A/C-without T/E	2				☆C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-65 amp.-without A/C-without T/E	2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-with A/C-without T/E-"Before 1/3/67"	1or2				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	P/S (factory installed)-with 42 amp. alternator-without A/C-without T/E		1			C9PZ 8620-BS	(JC-423)	1/2" x 42 3/8"
	P/S (factory installed)-with 53, 55, 60, 65 amp. alternator-without A/C-without T/E		1			C9PZ 8620-BY	(JC-445)	1/2" x 44 5/8"
	P/S-without A/C-with T/E		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S (factory installed)-with A/C		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
	1967 - continued							
	A (Ford) cont'd.					8 CYL. 289 cont'd.		
67	Alternator-55 amp.-without A/C-without T/E	1				♦CC4TZ 8A615-R		15/32" x 40 1/4"
	Alternator-60 amp.-without A/C-without T/E	2				♦D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with A/C-without T/E-"From 1/3/67"	1or2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	P/S (dealer installed)-with A/C		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S (dealer installed)-without A/C		1			C9PZ 8620-CB	(JC-460)	1/2" x 46"
	T/E pump-with S/C-without A/C-"Before 11/14/66"			1		C9PZ 8620-B	(JB-315)	15/32" x 31 5/8"
	T/E pump-with S/C and M/T-without A/C-"From 11/14/66"			1				
	T/E pump-with X/C or S/X/C-without A/C			1				
	T/E pump-with S/C and A/T-without A/C-"From 11/14/66"			1		C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	T/E pump-with A/C-"Before 1/3/67"			1		C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	T/E pump-with A/C-"From 1/3/67"			1		C9PZ 8620-DF	(JC-616)	1/2" x 61 3/4"
	A/C-without T/E-"Before 1/3/67"				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A/C-without T/E-"From 1/3/67"				1	C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	A/C-with T/E-"Before 1/3/67"				1	C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	A/C-with T/E-"From 1/3/67"				1	C9PZ 8620-DF	(JC-616)	1/2" x 61 3/4"
	A (Ford)					8 CYL. 390, 428 Except P/C		
67	Alternator-42 amp.-without A/C-without T/E	1or2				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-55 amp.-without A/C-without T/E	2				☆C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-55 amp.-without A/C-without T/E	1				♦CC5AZ 8A615-C		15/32" x 43 3/4"
	Alternator-42, 55 amp.-without A/C-with T/E	2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-53, 60, 65, 70 amp.-without A/C-without T/E	2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-53, 60, 65, 70 amp.-with S/C or X/C-without A/C-with T/E	2				C9PZ 8620-GJ	(JB-436 L)	15/32" x 43 3/4"
	Alternator-53, 60, 65, 70 amp.-with S/X/C-without A/C-with T/E	2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"

☆ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	QUANTITY IDLER OR P/S	QUANTITY AIR PUMP	QUANTITY A/C COMP.	PART NUMBER	DESCRIPTION	
	1967 - continued							
	A (Ford) cont'd.					8 CYL. 390, 428 Except P/C cont'd.		
67	Alternator-with integral A/C	2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-with hang-on A/C	2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	P/S (factory installed)-without A/C		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	P/S (dealer installed)-without A/C		1			C9PZ 8620-CC	(JC-465)	1/2" x 46 5/8"
	P/S (factory installed)-with A/C		1			C9PZ 8620-GB	(JB-527-L)	15/32" x 52 7/8"
	P/S (dealer installed)-with A/C		1			C9PZ 8620-AU	(JB-546)	15/32" x 54 3/4"
	T/E pump-with S/C or X/C-without A/C			1		C9PZ 8620-BD	(JC-345-C)	1/2" x 34 5/8"
	T/E pump-with S/X/C-without A/C			1		C9PZ 8620-BG	(JC-366-C)	1/2" x 36 3/4"
	T/E pump-with A/C			1		C9PZ 8620-DM	(JC-654)	1/2" x 65 1/2"
	A/C (integral)-without T/E				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A/C (hang-on)-without T/E				1	C9PZ 8620-DC	(JC-600)	1/2" x 60"
	A/C-with T/E				1	C9PZ 8620-DM	(JC-654)	1/2" x 65 1/2"
	A (Ford)					8 CYL. 427		
67	Alternator	1				C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	A (Ford)					8 CYL. 428 P/C		
67	Alternator-42, 55 amp.-without A/C-without T/E	2				C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-42, 55 amp.-without A/C-with T/E	2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-53 amp.-without A/C-without T/E Alternator-53, 60 amp.-without A/C-with T/E	2 2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-60, 65, 70 amp.-without A/C-without T/E Alternator-65, 70 amp.-without A/C-with T/E Alternator-with A/C	2 2 1 or 2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	P/S-without A/C		1			C9PZ 8620-BV	(JC-441)	1/2" x 44 1/8"
	P/S-with A/C-"Before 12/15/66"		1			C9PZ 8620-AU	(JB-546)	15/32" x 54 3/4"
	P/S-with A/C-"From 12/15/66"		1			C9PZ 8620-GB	(JB-527-L)	15/32" x 52 7/8"
	T/E pump-without A/C			1		C9PZ 8620-BG	(JC-366-C)	1/2" x 36 3/4"
	T/E pump-with integral A/C-"Before 12/15/66"			1		C9PZ 8620-DN	(JC-655)	1/2" x 65 5/8"
	T/E pump-with integral A/C-"From 12/15/66"			1		C9PZ 8620-GV	(JC-634-L)	1/2" x 63 1/2"
	T/E pump-with hang-on A/C			1		C9PZ 8620-DM	(JC-654)	1/2" x 65 1/2"
	A/C-without T/E-"Before 12/15/66"				1	C9PZ 8620-CZ	(JC-577)	1/2" x 57 7/8"
	A/C-without T/E-"From 12/15/66"				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	QUANTITY IDLER OR P/S	QUANTITY AIR PUMP	QUANTITY A/C COMP.	PART NUMBER	DESCRIPTION	
	1967 - continued							
	A (Ford) cont'd.					8 CYL. 428 P/C cont'd.		
67	A/C (integral)-with T/E-"Before 12/15/66"				1	C9PZ 8620-DN	(JC-655)	1/2" x 65 5/8"
	A/C (integral)-with T/E-"From 12/15/66"				1	C9PZ 8620-GV	(JC-634-L)	1/2" x 63 1/2"
	A/C (hang-on)-with T/E-				1	C9PZ 8620-DM	(JC-654)	1/2" x 65 1/2"
	B (Fairlane)					6 CYL. 200		
67	Alternator-38, 42, 55 amp.-without P/S or A/C	1or2				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-53 amp.-without P/S or A/C	2				C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	Alternator-with P/S-without A/C	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-with integral A/C-without P/S	1				C9PZ 8620-GY	(JB-366-L)	15/32" x 36 3/4"
	Alternator-with integral A/C and P/S	1				C9PZ 8620-A	(JB-286-C)	15/32" x 28 3/4"
	Alternator-with hang-on A/C-without P/S	1				C9PZ 8620-J	(JB-371)	15/32" x 37 1/8"
	Alternator-with hang-on A/C and P/S	1				C9PZ 8620-D	(JB-341)	15/32" x 34 1/8"
	P/S		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	T/E pump-with 38, 42 amp. alternator-without P/S or A/C			1		C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	T/E pump-with 53, 55 amp. alternator-without P/S or A/C			1		C9PZ 8620-GY	(JB-366-L)	15/32" x 36 3/4"
	T/E pump-with P/S-without A/C			1				
	T/E pump-with A/C			1		C9PZ 8620-K	(JB-382)	15/32" x 38 1/4"
	A/C (integral)				1	C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	A/C (hang-on)				1	C9PZ 8620-CB	(JC-460)	1/2" x 46"
	B (Fairlane)					8 CYL. 289		
67	Alternator	1or2				☆C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator	1				♦CC4TZ 8A615-R		15/32" x 40 1/4"
	P/S-with 38, 42 amp. alternator-without A/C-without T/E		1			C9PZ 8620-BS	(JC-423)	1/2" x 42 3/8"
	P/S-with 55 amp. alternator-without A/C-without T/E		1			C9PZ 8620-BY	(JC-445)	1/2" x 44 5/8"
	P/S-without A/C-with T/E		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S (factory installed)-with A/C		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	P/S (dealer installed)-with A/C		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"

☆ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	QUANTITY: IDLER OR P/S	QUANTITY: AIR PUMP	QUANTITY: A/C COMP.	PART NUMBER	DESCRIPTION	
	1967 - continued							
	B (Fairlane) cont'd.					8 CYL. 289 cont'd.		
67	T/E pump-with S/C-without A/C "Before 11/14/66"			1		C9PZ 8620-B	(JB-315)	15/32" x 31 5/8"
	T/E pump-with S/C and M/T-without A/C-"From 11/14/66"			1				
	T/E pump-with X/C-without A/C			1				
	T/E pump-with S/C and A/T-without A/C-"From 11/14/66"			1		C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	T/E pump-with A/C-"Before 1/3/67"			1		C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	T/E pump-with A/C-"From 1/3/67"			1		C9PZ 8620-DF	(JC-616)	1/2" x 61 3/4"
	A/C-without T/E-"Before 1/3/67"				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A/C-without T/E-"From 1/3/67"				1	C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	A/C-with T/E-"Before 1/3/67"				1	C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	A/C-with T/E-"From 1/3/67"				1	C9PZ 8620-DF	(JC-616)	1/2" x 61 3/4"
	B (Fairlane)					8 CYL. 390 (Except GT)		
67	Alternator-38, 42, 55 amp.-with S/C-without A/C-without T/E	1				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-38, 42 amp.-with X/C-without A/C-without T/E	1				C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-38, 42, 55 amp.-with S/C-without A/C-with T/E	2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-38, 42, 55 amp.-with X/C-without A/C-with T/E	2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-55 amp.-with X/C-without A/C-without T/E	2				★C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-55 amp.-with X/C-without A/C-without T/E	1				♦CC5AZ 8A615-C		15/32" x 43 3/4"
	Alternator-53 amp.- A/C-without T/E	2				C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-53 amp.-with S/C-without A/C-with T/E	2						
	Alternator-53 amp.-with X/C-without A/C-with T/E	2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-with A/C	1 or 2				C9PZ 8620-T	(JB-420)	15/32" x 42"

★U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT OR GEN.	QUANTITY IDLER OR P/S	QUANTITY AIR PUMP	QUANTITY A/C COMP.	PART NUMBER	DESCRIPTION	
	1967 - continued							
	B (Fairlane) cont'd.					8 CYL. 390 (Except GT) cont'd.		
67	P/S-with 38, 42 amp. alternator-without A/C-without T/E		1			C9PZ 8620-BY	(JC-445)	1/2" x 44 5/8"
	P/S-with 53, 55 amp. alternator-without A/C-without T/E		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	P/S-without A/C-with T/E		1					
	P/S-with A/C		1			C9PZ 8620-GB	(JB-527-L)	15/32" x 52 7/8"
	T/E pump-with S/C-without A/C			1		C9PZ 8620-BD	(JC-345-C)	1/2" x 34 5/8"
	T/E pump-with X/C-without A/C			1		C9PZ 8620-BE	(JC-355)	1/2" x 35 5/8"
	T/E pump-with integral A/C			1		C9PZ 8620-DP	(JC-667)	1/2" x 66 7/8"
	T/E pump-with hang-on A/C-"Before 12/15/66"			1		C9PZ 8620-DN	(JC-655)	1/2" x 65 5/8"
	T/E pump-with hang-on A/C-"From 12/15/66"			1		C9PZ 8620-DM	(JC-654)	1/2" x 65 1/2"
	A/C-without T/E				1	C9PZ 8620-DC	(JC-600)	1/2" x 60"
	A/C (integral)-with T/E				1	C9PZ 8620-DP	(JC-667)	1/2" x 66 7/8"
	A/C (hang-on)-with T/E-"Before 12/15/66"				1	C9PZ 8620-DN	(JC-655)	1/2" x 65 5/8"
	A/C (hang-on)-with T/E-"From 12/15/66"				1	C9PZ 8620-DM	(JC-654)	1/2" x 65 1/2"
	B (Fairlane)					8 CYL. 390 (GT)		
67	Alternator-38, 42 amp.-without A/C-without T/E	1				C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-55 amp.-without A/C-without T/E	2				☆C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-55 amp.-without A/C-without T/E	1				♦CC5AZ 8A615-C		15/32" x 43 3/4"
	Alternator-38, 42, 55 amp.-without A/C-with T/E	2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-53 amp.-without A/C	2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-with A/C-without T/E-"Before 1/9/67"	1or2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-with A/C-with T/E	1or2						
	Alternator-with A/C-without T/E "From 1/9/67"	1or2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	P/S-with 38, 42 amp. alternator-without A/C-without T/E		1			C9PZ 8620-BY	(JC-445)	1/2" x 44 5/8"
	P/S-with 53, 55 amp. alternator-without A/C-without T/E		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	P/S-without A/C-with T/E		1					
	P/S-with A/C		1			C9PZ 8620-GB	(JB-527-L)	15/32" x 52 7/8"

☆ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
	1967 - continued							
	B (Fairlane) cont'd.					8 CYL. 390 (GT) cont'd.		
67	T/E pump-without A/C			1		C9PZ 8620-BG	(JC-366-C)	1/2" x 36 3/4"
	T/E pump-with A/C			1		C9PZ 8620-DN	(JC-655)	1/2" x 65 5/8"
	A/C-without T/E				1	C9PZ 8620-CZ	(JC-577)	1/2" x 57 7/8"
	A/C-with T/E				1	C9PZ 8620-DN	(JC-655)	1/2" x 65 5/8"
	B (Fairlane)					8 CYL. 427		
67	Alternator	1				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	F (Mustang)					6 CYL. 200		
67	Alternator-without P/S or A/C Alternator-with P/S-without A/C	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-with integral A/C-without P/S	1				C9PZ 8620-J	(JB-371)	15/32" x 37 1/8"
	Alternator-with integral A/C-with factory installed P/S	1				C9PZ 8620-C	(JB-332)	15/32" x 33 1/4"
	Alternator-with integral A/C-with dealer installed P/S	1				C9PZ 8620-A	(JB-286-C)	15/32" x 28 3/4"
	Alternator-with hang-on A/C	1				C9PZ 8620-D	(JB-341)	15/32" x 34 1/8"
	P/S		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	T/E pump-without P/S or A/C			1		C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	T/E pump-with P/S-without A/C			1		C9PZ 8620-GY	(JB-366-L)	15/32" x 36 3/4"
	T/E pump-with A/C			1		C9PZ 8620-K	(JB-382)	15/32" x 38 1/4"
	A/C (integral)				1	☆C9PZ 8620-CA	(JC-455)	1/2" x 45 5/8"
	A/C (hang-on)				1	C9PZ 8620-CB	(JC-460)	1/2" x 46"
	A/C (integral)				1	♦CC4VZ 8620-B		1/2" x 45"
	F (Mustang)					8 CYL. 289, 289 Special		
67	Alternator-without A/C-without T/E-(exc. special)	1				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-without A/C-without T/E-(special)	1				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	Alternator-without A/C-with T/E-(exc. special)	2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-without A/C-with T/E-(special)	2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-with A/C-without T/E	1or2				C9PZ 8620-R	(JB-404)	15/32" x 40 1/2"
	Alternator-with integral A/C-with T/E	1or2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-with hang-on A/C-with T/E	1or2				C9PZ 8620-T	(JB-420)	15/32" x 42"

☆U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	QUANTITY: IDLER OR P/S	QUANTITY: AIR PUMP	QUANTITY: A/C COMP.	PART NUMBER	DESCRIPTION	
	1967 - continued							
	F (Mustang) cont'd.					8 CYL. 289, 289 Special cont'd.		
67	P/S-without A/C-without T/E		1			C9PZ 8620-BS	(JC-423)	1/2" x 42 3/8"
	P/S-without A/C-with T/E		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S-with A/C		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	T/E pump-with S/C-without A/C-(exc. special)-"Before 11/14/66"			1		C9PZ 8620-B	(JB-315)	15/32" x 31 5/8"
	T/E pump-with S/C and M/T-without A/C-(exc. special)-"From 11/14/66"			1				
	T/E pump-with X/C-without A/C-(exc. special)			1		C9PZ 8620-B	(JB-315)	15/32" x 31 5/8"
	T/E pump-without A/C-(special)			1				
	T/E pump-with S/C and A/T-without A/C-(exc. special)-"From 11/14/66"			1		C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	T/E pump-with A/C-"Before 10/23/66"			1		C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	T/E pump-with A/C-"From 10/23/66"			1		C9PZ 8620-DF	(JC-616)	1/2" x 61 3/4"
	A/C (integral)-without T/E-"Before 1/3/67"				1	C9PZ 8620-CS	(JC-544)	1/2" x 54 1/2"
	A/C (integral)-without T/E-"From 1/3/67"				1	C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	A/C (hang-on)-without P/S-without T/E				1			
	A/C (hang-on)-with P/S-without T/E				1	C9PZ 8620-AN	(JB-505)	15/32" x 50 5/8"
	A/C-with T/E-"Before 10/23/66"				1	C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	A/C-with T/E-"From 10/23/66"				1	C9PZ 8620-DF	(JC-616)	1/2" x 61 3/4"
	Super charger (GT350)	1				S7MS 8620-A		
	F (Mustang)					8 CYL. 390		
67	Alternator-without A/C-without T/E	1				C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-without A/C-with T/E	2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-with integral A/C-without T/E-"Before 1/9/67"	1or2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-with A/C-with T/E	1or2						
	Alternator-with integral A/C-without T/E-"From 1/9/67"	1or2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-38,42 amp.-with hang-on A/C	1				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-55 amp.-with hang-on A/C	1or2				C9PZ 8620-T	(JB-420)	15/32" x 42"

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	QUANTITY IDLER OR P/S	QUANTITY AIR PUMP	QUANTITY A/C COMP.	PART NUMBER	DESCRIPTION	
	1967 - continued							
	F (Mustang) cont'd.					8 CYL. 390 cont'd.		
67	P/S-without A/C-without T/E		1			C9PZ 8620-BY	(JC-445)	1/2" x 44 5/8"
	P/S-without A/C-with T/E		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	P/S-with A/C		1			C9PZ 8620-GB	(JB-527-L)	15/32" x 52 7/8"
	T/E pump-without A/C			1		C9PZ 8620-BG	(JC-366-C)	1/2" x 36 3/4"
	T/E pump-with integral A/C			1		C9PZ 8620-GV	(JC-634-L)	1/2" x 63 1/2"
	T/E pump-with hang-on A/C-"Before 12/15/66"			1		C9PZ 8620-DN	(JC-655)	1/2" x 65 5/8"
	T/E pump-with hang-on A/C-"From 12/15/66"			1		C9PZ 8620-DM	(JC-654)	1/2" x 65 1/2"
	A/C (integral)-without T/E				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	A/C (hang-on)-without T/E				1	C9PZ 8620-DC	(JC-600)	1/2" x 60"
	A/C (integral)-with T/E				1	C9PZ 8620-GV	(JC-634-L)	1/2" x 63 1/2"
	A/C (hang-on)-with T/E-"Before 12/15/66"				1	C9PZ 8620-DN	(JC-655)	1/2" x 65 5/8"
	A/C (hang-on)-with T/E-"From 12/15/66"				1	C9PZ 8620-DM	(JC-654)	1/2" x 65 1/2"
	S (Thunderbird)					8 CYL. 390, 428		
67	Alternator-without A/C-without T/E	1				C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	Alternator-with A/C-without T/E	1				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-with T/E	1or2						
	P/S-without T/E		1			C9PZ 8620-GB	(JB-527-L)	15/32" x 52 7/8"
	P/S-with A/C-with T/E		1					
	P/S-without A/C-with T/E		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	T/E pump-without A/C			1		C9PZ 8620-BG	(JC-366-C)	1/2" x 36 3/4"
	T/E pump-with A/C			1		C9PZ 8620-DM	(JC-654)	1/2" x 65 1/2"
	A/C-without T/E				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A/C-with T/E				1	C9PZ 8620-DM	(JC-654)	1/2" x 65 1/2"
	U (Bronco)					6 CYL. 170		
67	Alternator	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	T/E pump			1		C9PZ 8620-AH	(JB-470)	15/32" x 47"
	U (Bronco)					8 CYL. 289		
67	Alternator	1				☆C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator	1				♦CC4TZ 8A615-R		15/32" x 40 1/4"
	T/E pump			1		C9PZ 8620-AK	(JB-501)	15/32" x 50 1/8"

☆U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
	1967 - continued							
	X (Falcon)					6 CYL. 170, 200		
67	Alternator-without A/C or P/S	1or2				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-with integral A/C-without P/S	1				C9PZ 8620-GY	(JB-366-L)	15/32" x 36 3/4"
	Alternator-with integral A/C and P/S	1				C9PZ 8620-A	(JB-286-C)	15/32" x 28 3/4"
	Alternator-with hang-on A/C-without P/S	1				C9PZ 8620-J	(JB-371)	15/32" x 37 1/8"
	Alternator-with hang-on A/C and P/S	1				C9PZ 8620-D	(JB-341)	15/32" x 34 1/8"
	P/S		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	T/E pump-without P/S or A/C			1		C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	T/E pump-with P/S-without A/C			1		C9PZ 8620-GY	(JB-366-L)	15/32" x 36 3/4"
	T/E pump-with A/C			1		C9PZ 8620-K	(JB-382)	15/32" x 38 1/4"
	A/C (integral)				1	C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	A/C (hang-on)				1	C9PZ 8620-CB	(JC-460)	1/2" x 46"
	X (Falcon)					8 CYL. 289		
67	Alternator	1or2				☆ C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator	1				♦ CC4TZ 8A615-R		15/32" x 40 1/4"
	P/S-with 38, 42 amp. alternator-without A/C-without T/E		1			C9PZ 8620-BS	(JC-423)	1/2" x 42 3/8"
	P/S-with 55 amp. alternator-without A/C-without T/E		1			C9PZ 8620-BY	(JC-445)	1/2" x 44 5/8"
	P/S-without A/C-with T/E		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S (factory installed)-with A/C		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	P/S (dealer installed)-with A/C		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	T/E pump-with S/C-without A/C-"Before 11/14/66"			1		C9PZ 8620-B	(JB-315)	15/32" x 31 5/8"
	T/E pump-with S/C and M/T-without A/C-"From 11/14/66"			1				
	T/E pump-with X/C-without A/C			1				
	T/E pump-with S/C and A/T-without A/C-"From 11/14/66"			1		C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	T/E pump-with A/C-"Before 1/3/67"			1		C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	T/E pump-with A/C-"From 1/3/67"			1		C9PZ 8620-DF	(JC-616)	1/2" x 61 3/4"

☆ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	QUANTITY IDLER OR P/S	QUANTITY AIR PUMP	QUANTITY A/C COMP.	PART NUMBER	DESCRIPTION	
	1967 - continued							
	X (Falcon) cont'd.					8 CYL. 289 cont'd.		
67	A/C-without T/E-"Before 1/3/67"				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A/C-without T/E-"From 1/3/67"				1	C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	A/C-with T/E-"Before 1/3/67"				1	C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	A/C-with T/E-"From 1/3/67"				1	C9PZ 8620-DF	(JC-616)	1/2" x 61 3/4"
	1968							
	A (Ford)					6 CYL. 240		
68	Alternator-with S/C or X/C-without A/C	1or2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-42, 55 amp.-with S/X/C-without A/C	2				✲C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-53 amp.-with S/X/C-without A/C	2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-42, 55 amp.-with S/X/C-without A/C	1				♦CC4TZ 8A615-R		15/32" x 40 1/4"
	Alternator-with A/C	1or2				✲C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-with A/C	1or2				♦CC3AZ 8620-B		15/32" x 41 3/4"
	P/S (factory installed)-with 42 amp. alternator-without A/C-without T/E P/S (dealer installed)-without A/C		1 1			C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	P/S (factory installed)-with 55 amp. alternator-without A/C-without T/E P/S (factory installed)-without A/C-with T/E		1 1			C9PZ 8620-BU	(JC-433)	1/2" x 43 3/8"
	P/S-with A/C		1			C9PZ 8620-AN	(JB-505)	15/32" x 50 5/8"
	T/E pump			1		C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	A/C				1	C9PZ 8620-DA	(JC-585)	1/2" x 58 5/8"
	A (Ford)					8 CYL. 302		
68	Alternator-42, 55 amp.-without A/C	1or2				✲C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-42, 55 amp.-without A/C	1				♦CC4TZ 8A615-R		15/32" x 40 1/4"
	Alternator-65, 70 amp. (Ford)-without A/C	2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-65, 70 amp. (L/N)-without A/C	2				✲C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-with A/C	1or2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-65, 70 amp. (L/N)-without A/C	2				♦D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"

✲U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	QUANTITY: IDLER OR P S	QUANTITY: AIR PUMP	QUANTITY: A/C COMP.	PART NUMBER	DESCRIPTION	
	1968 - continued							
	A (Ford) cont'd.					8 CYL. 302 cont'd.		
68	P/S(factory installed)-with 42 amp. alt.-without A/C-without T/E		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S-without A/C-with T/E		1					
	P/S(factory installed)-with 55 amp. alt.-without A/C-without T/E		1			☆C9PZ 8620-T	(JB-420)	15/32" x 42"
	P/S(factory installed)-with 65,70 amp. alt.-without A/C		1			☆C9PZ 8620-BY	(JC-445)	1/2" x 44 5/8"
	P/S-without A/C-without T/E		1			♦CB6SZ 8620-A		1/2" x 41 1/2"
	P/S(dealer installed)		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S(factory installed)-with A/C		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	T/E pump-without A/C			1		C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	T/E pump-with A/C			1		☆C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	T/E pump-with A/C			1		♦C9PZ 8620-DF	(JC-616)	1/2" x 61 3/4"
	A/C-without T/E-"Before 3/1/68"				1	C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	A/C-without T/E-"From 3/1/68"				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	A/C-with T/E				1	☆C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	A/C-with T/E				1	♦C9PZ 8620-DF	(JC-616)	1/2" x 61 3/4"
	A (Ford)					8 CYL. 390,428 Except P/C		
68	Alternator-42 amp.-without A/C-without T/E	1				C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	Alternator-55 amp.-without A/C-without T/E	2				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-42,55 amp.-without A/C-with T/E	2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-65,70 amp.-(L/N)-without A/C	2				C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-65,70 amp.-(Ford)-without A/C	2				☆C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-65,70 amp.-(Ford)-without A/C	2				♦D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with A/C-without P/S-(390)-"Before 11/20/67"	2				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	Alternator-with A/C-without P/S-(390)-"From 11/20/67"	2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-with A/C-without P/S-(428)-"Before 11/20/67"	2				C9PZ 8620-AC	(JB-446)	15/32" x 44 3/4"
	Alternator-with A/C-without P/S-(428)-"From 11/20/67"	2				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-with A/C and P/S	1				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"

☆ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
	1968 - continued							
	A (Ford) cont'd.					8 CYL. 390, 428 Except P/C cont'd.		
68	P/S(factory installed)-with A/C		1			C9PZ 8620-AP	(JB-516)	15/32" x 51 3/4"
	P/S(dealer installed)-with A/C		1			C9PZ 8620-AR	(JB-521)	15/32" x 52 1/8"
	T/E pump-without A/C			1		C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	T/E pump-with A/C			1		C9PZ 8620-DN	(JC-655)	1/2" x 65 5/8"
	A/C-without T/E				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A/C-with T/E				1	C9PZ 8620-DN	(JC-655)	1/2" x 65 5/8"
	A (Ford)					8 CYL. 427		
68	Alternator	2				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	P/S		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	T/E pump			1		C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	A (Ford)					8 CYL. 428 P/C		
68	Alternator-42,55 amp.-without A/C-without T/E	2				C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-42,55 amp.-without A/C-with T/E	2				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	Alternator-65,70 amp.-(L/N)-without A/C	2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-65,70 amp.-(Ford)-without A/C	2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-with A/C-without T/E	1or2				C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	Alternator-with A/C-with T/E	1or2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	P/S-with A/C		1			C9PZ 8620-AR	(JB-521)	15/32" x 52 1/8"
	T/E-without A/C			1		C9PZ 8620-F	(JB-354)	15/32 x 35 1/2"
	T/E-with A/C			1		C9PZ 8620-FZ	(JC-640-L)	1/2" x 64"
	A/C-without T/E				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	A/C-with T/E				1	C9PZ 8620-FZ	(JC-640-L)	1/2" x 64"
	B (Fairlane)					6 CYL. 200		
68	Alternator-without A/C	1or2				☆C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-without A/C	1or2				♦CC3UZ8A615-CX		15/32" x 34"
	Alternator-w/integral A/C	2				☆C9PZ 8620-AG	(JB-464)	15/32" x 46 1/2"
	Alternator-w/integral A/C	2				♦CC6TZ8620-S		15/32" x 46"
	Alternator-w/hang-on A/C	2				C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	P/S		1			C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	T/E pump-with 42 amp. alternator-without A/C			1		C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	T/E pump-with 55 amp. alternator-without A/C			1		C9PZ 8620-G	(JB-363)	15/32" x 36 3/8"
	T/E pump-with A/C			1		C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	A/C (integral)				2	☆C9PZ 8620-AG	(JB-464)	15/32" x 46 1/2"
	A/C (integral)				2	♦CC6TZ8A615-S		15/32" x 46"
	A/C (hang-on)				2	C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
	1968 - continued							
	B (Fairlane)					8 CYL. 289, 302		
68	Alternator-42, 55 amp.-without A/C	1or2				☆C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-42, 55 amp.-without A/C	1or2				♦CC4TZ8A615-R		15/32" x 40 1/4"
	Alternator-with integral A/C	1or2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-with hang-on A/C	2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-65, 70 amp.-without A/C	2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	P/S-with 42 amp. alternator-without A/C-without T/E		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S-without A/C-with T/E		1					
	P/S-with 55, 65, 70 amp. alternator-without A/C-without T/E		1			C9PZ 8620-T	(JB-420)	15/32" x 42"
	P/S and A/C		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	T/E pump-without A/C			1		C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	T/E pump-with integral A/C			1		C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	T/E pump-with hang-on A/C			1		C9PZ 8620-DF	(JC-616)	1/2" x 61 3/4"
	A/C-without T/E-"Before 3/1/68"				1	C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	A/C-without T/E-"From 3/1/68"				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	A/C (integral)-with T/E				1	C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	A/C (hang-on)-with T/E				1	C9PZ 8620-DF	(JC-616)	1/2" x 61 3/4"
	B (Fairlane)					8 CYL. 390 Except GT		
68	Alternator-42 amp.-without A/C-without T/E	1				C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	Alternator-55 amp.-without A/C-without T/E	2				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-without A/C-with T/E	2				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	Alternator-with integral A/C-without P/S-without T/E	2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-with integral A/C-without P/S with T/E-"Before 11/20/67"	2				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	Alternator-with integral A/C-without P/S-with T/E-"From 11/20/67"	2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-with integral A/C-with P/S-without T/E-"Before 12/15/67"	1				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-with integral A/C-with P/S-without T/E-"From 12/15/67"	1				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-with integral A/C-with P/S-with T/E	1				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-with hang-on A/C-without P/S-without T/E	2				C9PZ 8620-AC	(JB-446)	15/32" x 44 3/4"

☆ U.S. only ♦Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
	1968 - continued							
	B (Fairlane) cont'd.					8 CYL. 390 Except GT cont'd.		
68	Alternator-with hang-on A/C-with P/S-without T/E	1				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-with hang-on A/C-with T/E	1or2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	P/S-with A/C		1			C9PZ 8620-AP	(JB-516)	15/32 x 51 3/4"
	T/E pump-without A/C			1		C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	T/E pump-with integral A/C-"Before 12/15/67"			1		C9PZ 8620-DP	(JC-667)	1/2" x 66 7/8"
	T/E pump-with integral A/C-"From 12/15/67"			1		C9PZ 8620-DM	(JC-654)	1/2" x 65 1/2"
	T/E pump-with hang-on A/C			1		C9PZ 8620-DN	(JC-655)	1/2" x 65 5/8"
	A/C-without T/E-"Before 12/15/67"				1	C9PZ 8620-DC	(JC-600)	1/2" x 60"
	A/C-without T/E-"From 12/15/67"				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A/C (integral)-with T/E-"Before 12/15/67"				1	C9PZ 8620-DP	(JC-667)	1/2" x 66 7/8"
	A/C (integral)-with T/E "From 12/15/67"				1	C9PZ 8620-DM	(JC-654)	1/2" x 65 1/2"
	A/C (hang-on)-with T/E				1	C9PZ 8620-DN	(JC-655)	1/2" x 65 5/8"
	B (Fairlane)					8 CYL. 390 GT		
68	Alternator-without A/C-without T/E	1or2				C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-without A/C-with T/E	2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-with integral A/C-without P/S-without T/E	2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-with integral A/C-without P/S-with T/E-"Before 11/20/67"	2				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	Alternator-with integral A/C-without P/S-with T/E-"From 11/20/67"	2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-with integral A/C-with P/S-without T/E-"Before 12/15/67"	1				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-with integral A/C-with P/S-without T/E-"From 12/15/67"	1				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-with integral A/C-with P/S-with T/E	1				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-with hang-on A/C-without P/S-without T/E	2				C9PZ 8620-AC	(JB-446)	15/32" x 44 3/4"
	Alternator-with hang-on A/C-with P/S-without T/E	1				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-with hang-on A/C-with T/E	1or2				C9PZ 8620-T	(JB-420)	15/32" x 42"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
	1968 - continued							
	B (Fairlane) cont'd.					8 CYL. 390 GT cont'd.		
68	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	P/S-with A/C		1			C9PZ 8620-AR	(JB-521)	15/32" x 52 1/8"
	T/E pump-without A/C			1		C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	T/E pump-with integral A/C-"Before 12/15/67"			1		☆C9PZ 8620-DL	(JC-650)	1/2" x 65"
	T/E pump-with integral A/C-"From 12/15/67"			1		☆C9PZ 8620-GH	(JC-626-L)	1/2" x 62 3/4"
	T/E pump-with integral A/C			1		♦CC8OZ 8620-B		1/2" x 64 1/2"
	T/E pump-with hang-on A/C			1		C9PZ 8620-FZ	(JC-640-L)	1/2" x 64"
	A/C-without T/E-"Before 12/15/67"				1	C9PZ 8620-DC	(JC-600)	1/2" x 60"
	A/C-without T/E-"From 12/15/67"				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A/C (integral)-with T/E-"Before 12/15/67"				1	☆C9PZ 8620-DL	(JC-650)	1/2" x 65"
	A/C (integral)-with T/E-"From 12/15/67"				1	☆C9PZ 8620-GH	(JC-626-L)	1/2" x 62 3/4"
	A/C (hang-on)-with T/E				1	C9PZ 8620-FZ	(JC-640-L)	1/2" x 64"
	A/C (integral)-with T/E				1	♦CC8OZ 8620-B		1/2" x 64 1/2"
	B (Fairlane)					8 CYL. 427, 428		
68	Alternator	2				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	P/S		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	T/E pump			1		C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	F (Mustang)					6 CYL. 200		
68	Alternator-without A/C	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-with A/C	2				☆C9PZ 8620-AG	(JB-464)	15/32" x 46 1/2"
	Alternator-with A/C	2				♦CC6TZ 8A615-S		15/32" x 46"
	P/S		1			C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	T/E pump-without A/C			1		C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	T/E pump-with A/C			1		C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	A/C				2	☆C9PZ 8620-AG	(JB-464)	15/32" x 46 1/2"
	A/C				2	♦CC6TZ 8A615-S		15/32" x 46"
	F (Mustang)					8 CYL. 289, 302		
68	Alternator-(exc. spec.)	1or2				☆C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-(exc. spec.)	1or2				♦CC4TZ 8A615-R		15/32" x 40 1/4"
	Alternator (spec.)	1				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	P/S-without A/C		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S-with A/C		1			☆C9PZ 8620-AL	(JB-480)	15/32" x 48"
	P/S-with A/C-(289)		1			♦C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S-with A/C-(302)		1			♦C9PZ 8620-AL	(JB-480)	15/32" x 48"
	T/E pump-without A/C-(exc. spec.)			1		C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	T/E pump-(spec.)			1		C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	T/E pump-with A/C-(exc. spec.)			1		☆C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	T/E pump-with A/C-(exc. spec.)			1		♦C9PZ 8620-DF	(JC-616)	1/2" x 61 3/4"

☆ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
	1968 - continued							
	F (Mustang) cont'd.					8 CYL. 289, 302 cont'd.		
68	A/C-without T/E-"Before 3/1/68"				1	C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	A/C-without T/E-"From 3/1/68"				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	A/C-with T/E				1	☆C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	A/C-with T/E				1	♦C9PZ 8620-DF	(JC-616)	1/2" x 61 3/4"
	Supercharger (GT-350)	1				S7MS 8620-A		
	F (Mustang)					8 Cyl. 390		
68	Alternator-without A/C-without T/E	1				C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-without A/C-with T/E	2				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	Alternator-with A/C-without T/E "Before 11/20/67"	1or2				C9PZ 8620-AC	(JB-446)	15/32" x 44 3/4"
	Alternator-with A/C-without T/E-"From 11/20/67"	1or2				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator 38,42 amp.-with A/C-with T/E	1or2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-55 amp.-with A/C-with T/E-"Before 11/20/67"	1or2				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	Alternator-55 amp. with A/C-with T/E-"From 11/20/67"	1or2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	P/S-with A/C-(GT)		1			C9PZ 8620-AR	(JB-521)	15/32" x 52 1/8"
	P/S-w/A/C-(exc. GT)		1			C9PZ 8620-AP	(JB-516)	15/32" x 51 3/4"
	T/E pump-without A/C			1		C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	T/E pump-with A/C-(GT)			1		C9PZ 8620-GH	(JC-626-L)	1/2" x 62 3/4"
	T/E pump-with A/C-(exc. GT)			1		C9PZ 8620-DM	(JC-654)	1/2" x 65 1/2"
	A/C-without T/E-(GT)				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	A/C-with T/E-(GT)				1	C9PZ 8620-GH	(JC-626-L)	1/2" x 62 3/4"
	A/C-without T/E-(exc. GT)				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A/C-with T/E-(exc. GT)				1	C9PZ 8620-DM	(JC-654)	1/2" x 65 1/2"
	F (Mustang)					8 CYL. 427,428		
68	Alternator	1or2				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	P/S		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	T/E pump			1		C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	S (Thunderbird)					8 CYL. 429		
68	Alternator-without A/C	2				C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-with A/C	2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	P/S-without A/C		1			C9PZ 8620-BU	(JC-433)	1/2" x 43 3/8"
	P/S-with A/C		1			☆C9PZ 8620-BU	(JC-433)	1/2" x 43 3/8"
	P/S-with A/C		1			♦C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	A/C				1	C9PZ 8620-BK	(JC-387)	1/2" x 38 7/8"

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER		
	1968 - continued							
	U (Bronco)					6 CYL. 170		
68	Alternator	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	T/E pump			1		C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	U (Bronco)					8 CYL. 289		
68	Alternator	1				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	T/E pump			1		C9PZ 8620-AK	(JB-501)	15/32" x 50 1/8"
	X (Falcon)					6 CYL. 170,200		
68	Alternator-without A/C	1or2				☆C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-without A/C	1or2				♦CC3UZ 8A615-CX		15/32" x 34"
	Alternator-with integral A/C	2				☆C9PZ 8620-AG	(JB-464)	15/32" x 46 1/2"
	Alternator-with integral A/C	2				♦CC6TZ 8620-S		15/32" x 46"
	Alternator-w/hang-on A/C	2				C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	P/S		1			C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	T/E pump-without A/C-(170)			1		C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	T/E pump-with 38,42 amp. alternator-without A/C-(200)			1		C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	T/E pump-with 55 amp. alternator-without A/C-(200)			1		C9PZ 8620-G	(JB-363)	15/32" x 36 3/8"
	T/E pump-with A/C-(170)			1		C9PZ 8620-J	(JB-371)	15/32" x 37 1/8"
	T/E pump-with A/C-(200)			1		C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	A/C (integral)				2	☆C9PZ 8620-AG	(JB-464)	15/32" x 46 1/2"
	A/C (integral)				2	♦CC6TZ 8620-S		15/32" x 46"
	A/C (hang-on)				2	C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	X (Falcon)					8 CYL. 289,302		
68	Alternator-without A/C	1or2				☆C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-without A/C	1or2				♦CC4TZ 8A615-R		15/32" x 40 1/4"
	Alternator-with integral A/C	1or2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-with hang-on A/C	2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	P/S-without A/C		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S-with A/C		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	T/E pump-without A/C			1		C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	T/E pump-with integral A/C			1		C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	T/E pump-with hang-on A/C			1		C9PZ 8620-DF	(JC-616)	1/2" x 61 3/4"
	A/C-without T/E-"Before 3/1/68"				1	C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	A/C-without T/E-"From 3/1/68"				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	A/C (integral)-with T/E				1	C9PZ 8620-DG	(JC-624)	1/2" x 62 1/2"
	A/C (hang-on)-with T/E				1	C9PZ 8620-DF	(JC-616)	1/2" x 61 3/4"

☆ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	QUANTITY: IDLER OR P/S	QUANTITY: AIR PUMP	QUANTITY: A/C COMP.	PART NUMBER		DESCRIPTION
1969								
	A (Ford)					6 CYL. 240		
69	Alternator	1or2				☆C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator	1or2				♦CC3AZ 8620-B		15/32" x 41 3/4"
	P/S		1			C9PZ 8620-BU	(JC-433)	1/2" x 43 3/8"
	A/C				1	C9PZ 8620-DA	(JC-585)	1/2" x 58 5/8"
	A (Ford)					8 CYL. 302		
69	Alternator-42,55 amp.	1or2				☆C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-42,55 amp.	1or2				♦CC4TZ 8A615-R		15/32" x 40 1/4"
	Alternator-65,70 amp.	2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	P/S-with 42,55 amp. alternator-without A/C		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S-with 65,70 amp. alternator-without A/C		1			C9PZ 8620-T	(JB-420)	15/32" x 42"
	P/S-with A/C		1			☆C9PZ 8620-AL	(JB-480)	15/32" x 48"
	P/S-with A/C		1			♦C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	A/C				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A (Ford)					8 CYL. 351W		
69	Alternator-without A/C	1or2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-with A/C	1or2				C9PZ 8620-R	(JB-404)	15/32" x 40 1/2"
	P/S-with 42 amp. alternator		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S-with 55 amp. alternator-without A/C		1			C9PZ 8620-T	(JB-420)	15/32" x 42"
	P/S-w/55 amp. alternator-with A/C		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	A/C				1	C9PZ 8620-CV	(JC-564)	1/2" x 56 1/2"
	A (Ford)					8 CYL. 390 Except P/C		
69	Alternator-42 amp.-without A/C	1				☆C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	Alternator-42 amp.-without A/C	1				♦D1PZ 8620-B	(JB-455)	15/32" x 45 5/8"
	Alternator-55 amp.-without A/C	2				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-65,70 amp.(L/N)-without A/C	2				☆C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-65,70 amp.(L/N)-without A/C	2				♦CB8AZ 8A615-A		15/32" x 43 3/8"
	Alternator-65,70 amp.(Ford)-without A/C	2				☆C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-65,70 amp.(Ford)-without A/C	2				♦D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with A/C	1or2				☆C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-with A/C	1or2				♦C9PZ 8620-AC	(JB-446)	15/32" x 44 3/4"

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
	1969 - continued							
	A (Ford) cont'd.					8 CYL. 390 Except P/C cont'd.		
69	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43
	P/S-with A/C		1			C9PZ 8620-AP	(JB-516)	15/32" x 51 3/4"
	A/C				1	C9PZ 8620-CV	(JC-564)	1/2" x 56 1/2"
	A (Ford)					8 CYL. 390 P/C		
69	Alternator-42,55 amp.-without A/C	2				☆C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-42,55 amp.-without A/C	2				♦CC5AZ 8A615-C		15/32" x 43 1/2"
	Alternator-65,70 amp.(L/N)-without A/C	2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-65,70 amp.(Ford)-without A/C	2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-with A/C	1or2				☆C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	Alternator-with A/C	1or2				♦D1PZ 8620-B	(JB-455)	15/32" x 45 5/8"
	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	P/S-with A/C		1			C9PZ 8620-AR	(JB-521)	15/32" x 52 1/8"
	A/C				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A (Ford)					8 CYL. 428 P/C		
69	Alternator-42,55 amp.-without A/C	2				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	Alternator-65,70 amp.(L/N)-without A/C	2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-65,70 amp.(Ford)-without A/C	2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-with A/C-without P/S	2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-with A/C and P/S	1				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	P/S-with A/C		1			C9PZ 8620-AR	(JB-521)	15/32" x 52 1/8"
	T/E pump-without A/C			1		☆C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	T/E pump-without A/C			1		♦C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	T/E pump-with A/C			1		☆C9PZ 8620-FZ	(JC-640-L)	1/2" x 64"
	T/E pump-with A/C			1		♦CC8AZ 8620-B		1/2" x 63 1/2"
	A/C				1	☆C9PZ 8620-FZ	(JC-640-L)	1/2" x 64"
	A/C				1	♦CC8AZ 8620-B		1/2" x 63 1/2"
	A (Ford)					8 CYL. 429		
69	Alternator-42 amp.-without A/C-(exc. P/C)	1				☆C9PZ 8620-AC	(JB-446)	15/32" x 44 3/4"
	Alternator-55 amp.-without A/C-(exc. P/C)	2				☆C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-42,55 amp.-without A/C-(P/C)	2				☆C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-42 amp.-without A/C	1				♦D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-55 amp.-with X/C -without A/C	2						
	Alternator-55 amp.-with S/C without A/C	2				♦CC5AZ 8A615-C		15/32" x 43 1/2"

☆ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
	1969 - continued							
	A (Ford) cont'd.					8 CYL. 429 cont'd.		
69	Alternator-65,70 amp.(Ford) -without A/C-(exc. P/C)	2				C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	Alternator-65,70 amp.(L/N)- without A/C-(exc. P/C)	2				C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	Alternator-65,70 amp.(Ford) -without A/C-(P/C)	2				C9PZ 8620-AC	(JB-446)	15/32" x 44 3/4"
	Alternator-65,70 amp.(L/N)- without A/C-(P/C)	2				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-with A/C- (exc. P/C)	2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-with A/C-(P/C)	2				C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	P/S		1			C9PZ 8620-BU	(JC-433)	1/2" x 43 3/8"
	A/C-(exc. P/C)				1	☆C9PZ 8620-BL	(JC-393)	1/2" x 39 3/8"
	A/C-(P/C)				1	☆C8VY 8620-B	(JN-387)	21/32" x 38 7/8"
	A/C				1	♦CC0AZ 8620-E		1/2" x 39"
	B (Fairlane)					6 CYL. 250		
69	Alternator-without A/C	1				☆C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-without A/C	1				♦CC5TZ 8620-D		15/32" x 42 1/2"
	Alternator-with A/C	2				C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	P/S		1			☆C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	P/S		1			♦C9PZ 8620-AC	(JB-446)	15/32" x 44 3/4"
	A/C				2	C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	B (Fairlane)					8 CYL. 302, 351W		
69	Alternator	1or2				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	P/S-with 42 amp. alternator- without A/C - "Before 10/24/68"		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S-with 42 amp. alternator- without A/C- "From 10/24/68" P/S-with A/C- "Before 10/24/68"		1 1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	P/S-with 55 amp. alternator- without A/C- "Before 10/24/68"		1			C9PZ 8620-T	(JB-420)	15/32" x 42"
	P/S-with 55 amp. alternator- without A/C- "From 10/24/68"		1			C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	P/S-with A/C- "From 10/24/68"		1			C9PZ 8620-GL	(JB-486-LA)	15/32" x 48 3/4"
	A/C-(302)				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	A/C-(351)				1	C9PZ 8620-CS	(JC-544)	1/2" x 54 1/2"

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
	1969 - continued							
	B (Fairlane)					8 CYL. 390		
69	Alternator-42 amp.-without A/C-(exc. GT)	1				C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	Alternator-42 amp.-without A/C-(GT)-"From 1/6/69"	1						
	Alternator-42 amp.-without A/C-(GT)-"Before 1/6/69"	1				C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-55,65,70 amp.-without A/C	2				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	Alternator-42 amp.-with A/C	1or2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-55,65,70 amp.-with A/C	1or2				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	P/S-without A/C-"Before 10/21/68"		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	P/S-without A/C-"From 10/21/68"		1			C9PZ 8620-FN	(JC-443)	1/2" x 44 3/8"
	P/S-with A/C-(exc. GT)		1			C9PZ 8620-AP	(JB-516)	15/32" x 51 3/4"
	P/S-with A/C-(GT)		1			C9PZ 8620-AR	(JB-521)	15/32" x 52 1/8"
	A/C				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	B (Fairlane)					8 CYL. 428 CJ and S/CJ		
69	Alternator-without A/C-(CJ)-"Before 2/17/69"	2				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	Alternator-without A/C-(CJ)-"From 2/17/69"	2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43
	Alternator-without A/C-(S/CJ)	2				☆C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-without A/C-(S/CJ)	2				♦C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-with A/C	1or2				☆C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-with A/C	1or2				♦C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	P/S-without A/C-"Before 10/21/68"		1			☆C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	P/S-without A/C-"From 10/21/68"		1			☆C9PZ 8620-FN	(JC-443)	1/2" x 44 3/8"
	P/S-without A/C		1			♦C9PZ 8620-BV	(JC-441)	1/2" x 44 1/8"
	P/S-with A/C		1			C9PZ 8620-AR	(JB-521)	15/32" x 52 1/8"
	T/E pump-without A/C			1		☆C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	T/E pump-without A/C-(CJ)			1		♦C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	T/E pump-without A/C-(S/CJ)			1		♦ C2R 8620-E		3/8" x 35 1/4"
	T/E pump-with A/C			1		C9PZ 8620-GH	(JC-626-L)	1/2" x 62 3/4"
	A/C				1	C9PZ 8620-GH	(JC-626-L)	1/2" x 62 3/4"
	F (Mustang)					6 CYL. 200		
69	Alternator	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	P/S		1			C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"

☆ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	QUANTITY IDLER OR P/S	QUANTITY AIR PUMP	QUANTITY A/C COMP.	PART NUMBER		DESCRIPTION
1969 - continued								
	F (Mustang)					6 CYL. 250		
69	Alternator-without A/C	1				☆C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-without A/C	1				♦CC5TZ 8620-D		15/32" x 42 1/2"
	Alternator-with A/C	2				☆C9PZ 8620-AJ	(JB-493)	15/32" x 49 3/8"
	Alternator-with A/C	2				♦C9PZ 8620-AM	(JB-486)	15/32" x 48 3/4"
	P/S		1			☆C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	P/S		1			♦C9PZ 8620-AC	(JB-446)	15/32" x 44 3/4"
	A/C				2	☆C9PZ 8620-AJ	(JB-493)	15/32" x 49 3/8"
	A/C				2	♦C9PZ 8620-AM	(JB-486)	15/32" x 48 3/4"
	F (Mustang)					8 CYL. 302-2V		
69	Alternator	1or2				☆C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator	1or2				♦CC4TZ 8A615-R		15/32" x 40 1/4"
	P/S-without A/C-"Before 10/24/68"		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S-without A/C-"From 10/24/68"		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	P/S-with A/C-"Before 10/24/68"		1					
	P/S-with A/C-"From 10/24/68"		1			C9PZ 8620-GL	(JB-486-LA)	15/32" x 48 3/4"
	A/C				1	☆C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	A/C				1	♦D0AZ 8620-E	(JC-527-L)	1/2" x 52 7/8"
	F (Mustang)					8 CYL. 302 Special		
69	Alternator	1				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	P/S		1			C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	T/E pump			1		C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	F (Mustang)					8 CYL. 351-W		
69	Alternator	1or2				☆C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator	1or2				♦CC4TZ 8A615-R		15/32" x 40 1/4"
	P/S-without A/C-"Before 10/24/68"		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S-without A/C-"From 10/24/68"		1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	P/S-with A/C-"Before 10/24/68"		1					
	P/S-with A/C-"From 10/24/68"		1			C9PZ 8620-GL	(JB-486-LA)	15/32" x 48 3/4"
	A/C				1	C9PZ 8620-CS	(JC-544)	1/2" x 54 1/2"
	F (Mustang)					8 CYL. 390 GT		
69	Alternator-38,42 amp.-without A/C-"Before 2/17/69"	1				C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-38,42 amp.-without A/C-"From 2/17/69"	1				C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	Alternator -55,65,70 amp.-without A/C	2				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	QUANTITY IDLER OR P/S	QUANTITY AIR PUMP	QUANTITY A/C COMP.	PART NUMBER	DESCRIPTION	
1969 - continued								
	F (Mustang)					8 CYL. 390 cont'd.		
69	Alternator-38,42 amp.-with A/C	1or2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-55,65,70 amp.-with A/C	1or2				C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	P/S-without A/C-"Before 10/21/68"		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	P/S-without A/C-"From 10/21/68"		1			C9PZ 8620-FN	(JC-443)	1/2" x 44 3/8"
	P/S-with A/C		1			C9PZ 8620-AR	(JB-521)	15/32" x 52 1/8"
	A/C				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	F (Mustang)					8 CYL. 428 CJ and S/CJ		
69	Alternator-without A/C-(CJ) "Before 2/17/69"	2				C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	Alternator-without A/C-(CJ) "From 2/17/69"	2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-without A/C-(S/CJ)	2						
	Alternator-with A/C	1or2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	P/S-without A/C-"Before 10/21/68"		1			☆C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	P/S-without A/C-"From 10/21/68"		1			☆C9PZ 8620-FN	(JC-443)	1/2" x 44 3/8"
	P/S-with A/C		1			C9PZ 8620-AR	(JB-521)	15/32" x 52 1/8"
	P/S-without A/C		1			♦C9PZ 8620-BV	(JC-441)	1/2" x 44 1/8"
	T/E pump-without A/C			1		☆C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	T/E pump-without A/C-(CJ)			1		♦C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	T/E pump-without A/C-(S/CJ)			1		♦C2R 8620-E		3/8" x 35 1/4"
	T/E pump-with A/C			1		C9PZ 8620-GH	(JC-626-L)	1/2" x 62 3/4"
	A/C				1	C9PZ 8620-GH	(JC-626-L)	1/2" x 62 3/4"
	F (Mustang)					8 CYL. 429 Special		
69	Alternator	1				C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	P/S		1			C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	T/E pump			1		C9PZ 8620-FV	(JB-375)	15/32" x 37 5/8"
	S (Thunderbird)					8 CYL. 429		
69	Alternator-55 amp.-without A/C	2				☆C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-65,70 amp.-without A/C	2				☆C9PZ 8620-AC	(JB-446)	15/32" x 44 3/4"
	Alternator-without rear window defroster-without A/C	2				♦CC5TZ 8A615-C		15/32" x 42 1/2"
	Alternator-with rear window defroster-without A/C	2				♦C9PZ 8620-AC	(JB-446)	15/32" x 44 3/4"
	Alternator-55 amp.-with A/C	2				☆C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-65,70 amp.-with A/C	2				☆C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"

☆ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	QUANTITY DLER OR P/S	QUANTITY AIR PUMP	QUANTITY A/C COMP.	PART NUMBER	DESCRIPTION	
1969 - continued								
	S (Thunderbird) cont'd.					8 CYL. 429 cont'd.		
69	Alternator-without rear window defogger-with A/C	2				♦C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-with rear window defoger-with A/C	2				♦C9PZ 8620-Z	(JB-436)	15/32" x 43 3/4"
	P/S		1			☆C9PZ 8620-BU	(JC-433)	1/2" x 43 3/8"
	P/S		1			♦C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	A/C				1	C9PZ 8620-BK	(JC-387)	1/2" x 38 7/8"
	U (Bronco)					6 CYL. 170		
69	Alternator	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	U (Bronco)					8 CYL. 302		
69	Alternator	1				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	X (Falcon)					6 CYL. 170,200		
69	Alternator-without A/C	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-with A/C	2				☆C9PZ 8620-AG	(JB-464)	15/32" x 46 1/2"
	Alternator-with A/C	2				♦CC6TZ8A615-S		15/32" x 46"
	P/S		1			C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	A/C				2	☆C9PZ 8620-AG	(JB-464)	15/32" x 46 1/2"
	A/C				2	♦CC6TZ8A615-S		15/32" x 46"
	X (Falcon)					8 CYL. 302		
69	Alternator	1or2				☆C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator	1or2				♦CC4TZ8A615-R		15/32" x 40 1/4"
	P/S-with 38, 42 amp. alternator-without A/C-"Before 10/24/68"		1			C9PZ 8620-FR	(JB-472)	15/32" x 47 1/4"
	P/S-with 38, 42 amp. alternator-without A/C-"From 10/24/68" P/S-with A/C-"Before 10/24/68"		1 1			C9PZ 8620-AL	(JB-480)	15/32" x 48"
	P/S-w/55 amp. alternator-without A/C-"Before 10/24/68"		1			C9PZ 8620-T	(JB-420)	15/32" x 42"
	P/S-with 55 amp. alternator-without A/C-"From 10/24/68"		1			C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	P/S-with A/C-"From 10/24/68"		1			C9PZ 8620-GL	(JB-486-LA)	15/32" x 48 3/4"
	A/C				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	QUANTITY IDLER OR P/S	QUANTITY AIR PUMP	QUANTITY A/C COMP.	PART NUMBER	DESCRIPTION	
1970								
	A (Ford)					6 CYL. 240		
70	Alternator	1or2				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	P/S		1			C9PZ 8620-BU	(JC-433)	1/2" x 43 3/8"
	A (Ford)					8 CYL. 302		
70	Alternator-42 amp.-without P/S or A/C	1				☆C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-42 amp.-without P/S or A/C	1				♦CC5TZ 8620-D		15/32" x 42 1/2"
	Alternator-42 amp.-with P/S-without A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	Alternator-55 amp.-with P/S or Idler-without A/C	1						
	Alternator-with A/C	1						
	P/S-without A/C		1			☆D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"
	P/S-without A/C		1			♦C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"
	P/S-with A/C		1			C9PZ 8620-GD	(JC-501-L)	1/2" x 50 1/8"
	Idler pulley-without A/C		1			☆C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	Idler pulley-without A/C		1			♦CC6VY 8620-B		1/2" x 47 1/2"
	Idler pulley-with A/C		1			C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	A/C				1	C9PZ 8620-GA	(JC-557-L)	1/2" x 55 7/8"
	A (Ford)					8 CYL. 351-W		
70	Alternator-without P/S or A/C	1				☆C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-without P/S or A/C	1				♦CC5TZ 8620-D		15/32" x 42 1/2"
	Alternator-with P/S or idler-without A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	Alternator-with A/C	1						
	P/S-with 42 amp. alternator-without A/C		1			C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	P/S-with 55 amp. alternator-without A/C		1			D0AZ 8620-E	(JC-527-L)	1/2" x 52 7/8"
	P/S-with A/C		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	Idler pulley-without A/C		1			☆C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	Idler pulley-without A/C		1			♦CC6VY 8620-B		1/2" x 47 1/2"
	Idler pulley-with A/C		1			C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	A/C				1	C9PZ 8620-GA	(JC-557-L)	1/2" x 55 7/8"
	A (Ford)					8 CYL. 390 Except P/C		
70	Alternator-42 amp.-without A/C	1				☆C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	Alternator-55 amp.-without A/C	2				☆C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-42,55 amp.-without A/C	1or2				♦D1PZ 8620-B	(JB-455)	15/32" x 45 5/8"
	Alternator-65,70 amp.-(Ford)-without A/C	2				☆C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-65,70 amp.-(Ford)-without A/C	2				♦CC5TZ 8A615-C		15/32" x 42 1/2"
	Alternator-65,70 amp.-(L/N)-without A/C	2				☆C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"

☆ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
1970 - continued								
	A (Ford) cont'd.					8 CYL. 390 Except P/C cont'd.		
70	Alternator-65,70 amp.-(L/N)-without A/C	2				♦CB8AZ 8A615-A		15/32" x 43 3/8"
	Alternator-with A/C-without P/S	2				☆C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-with A/C & P/S	1				☆C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	Alternator-with A/C	1or2				♦D1PZ 8620-B	(JB-455)	15/32" x 45 5/8"
	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L)	1/2"x43 "
	P/S-with A/C		1			C9PZ 8620-GB	(JB-527-L)	15/32" x 52 7/8"
	A/C				1	C9PZ 8620-CV	(JC-564)	1/2" x 56 1/2"
	A (Ford)					8 CYL. 390 P/C		
70	Alternator-42,55 amp.-without A/C	2				☆C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-42,55 amp.-without A/C	2				♦C9PZ 8620-AC	(JB-446)	15/32" x 44 3/4"
	Alternator-65,70 amp.-(Ford)-without A/C	2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-65,70 amp.-(L/N)-without A/C	2				☆C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-65,70 amp.-(L/N)-without A/C	2				♦C9PZ 8620-Y	(JB-430)	15/32" x 43"
	Alternator-with A/C-without P/S	2				☆C9PZ 8620-AD	(JB-451)	15/32" x 45 1/8"
	Alternator-with A/C & P/S	1				☆C9PZ 8620-AE	(JB-456)	15/32" x 45 3/4"
	Alternator-with A/C	1or2				♦D1PZ 8620-B	(JB-455)	15/32" x 45 5/8"
	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	P/S-with A/C		1			C9PZ 8620-GB	(JB-527-L)	15/32" x 52 7/8"
	A/C				1	C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	A (Ford)					8 CYL. 428 P/C		
70	Alternator-42,55 amp.-without A/C	2				☆C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	Alternator-42,55 amp.-without A/C	2				♦CC3TZ 8A615-D		15/32" x 40 3/4"
	Alternator-65,70 amp.-without A/C	2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	Alternator-with A/C	1or2				☆C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	Alternator-with A/C	1or2				♦CC3AZ 8620-B		15/32" x 41 3/4"
	P/S-without A/C		1			☆C9PZ 8620-FN	(JC-443)	1/2" x 44 3/8"
	P/S-without A/C		1			♦C9PZ 8620-BV	(JC-441)	1/2" x 44 1/8"
	P/S-with A/C		1			C9PZ 8620-GB	(JB-527-L)	15/32" x 52 7/8"
	T/E pump-without A/C			1		C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	T/E pump-with A/C			1		C9PZ 8620-FZ	(JC-640-L)	1/2" x 64"
	A/C				1	C9PZ 8620-FZ	(JC-640-L)	1/2" x 64"

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
1970 - continued								
	A (Ford)					8 CYL. 429		
70	Alternator-42,55 amp.-(exc. P/C)	1				C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	Alternator-65,70 amp.-(exc. P/C)	1				C9PZ 8620-G	(JB-363)	15/32" x 36 3/8"
	Alternator-42,55 amp.-without P/S-(P/C)	1				C9PZ 8620-D	(JB-341)	15/32" x 34 1/8"
	Alternator-42,55 amp.-with P/S-(P/C)	1				D0AZ 8620-G	(JB-336)	15/32" x 33 3/4"
	Alternator-65,70 amp.-(P/C)	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	P/S-without A/C-(exc. P/C)		1			☆C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-without A/C-(exc. P/C)		1			♦D0OZ 8620-B	(JC-525)	1/2" x 52 5/8"
	P/S-without A/C-(P/C)		1			C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"
	P/S-with A/C		1			D0AZ 8620-E	(JC-527-L)	1/2" x 52 7/8"
	Idler pulley-(exc. P/C)		1			☆C9PZ 8620-CC	(JC-465)	1/2" x 46 5/8"
	Idler pulley-(exc. P/C)		1			♦CC2TZ 8620-H		1/2" x 46"
	Idler pulley-(P/C)		1			☆C9PZ 8620-CA	(JC-455)	1/2" x 45 5/8"
	Idler pulley-(P/C)		1			♦CC4VZ 8620-B		1/2" x 45"
	A/C-(exc. P/C)				1	C9PZ 8620-CV	(JC-564)	1/2" x 56 1/2"
	A/C-(P/C)				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	B (Fairlane)					6 CYL. 250		
70	Alternator-without A/C	1				☆C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-without A/C	1				♦CC5TZ 8620-D		15/32" x 42 1/2"
	Alternator-with A/C	2				C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	P/S		1			C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	A/C				2	C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	B (Fairlane)					8 CYL. 302		
70	Alternator-42 amp.-without P/S or A/C	1				C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-42 amp.-with P/S-without A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	Alternator-55 amp.-with P/S or idler-without A/C	1						
	Alternator-with A/C	1						
	P/S-without A/C		1			D0VZ 8620-B	(JC-517)	1/2" x 51 7/8"
	P/S-with A/C		1			D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"
	Idler pulley-without A/C		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	Idler pulley-with A/C		1			C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	A/C				1	C9PZ 8620-GA	(JC-557-L)	1/2" x 55 7/8"
	B (Fairlane)					8 CYL. 351-C		
70	Alternator-42 amp.-without P/S or A/C	1				C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-42 amp.-with P/S-without A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	Alternator-55 amp.-with P/S or idler-without A/C	1						
	Alternator-with A/C	1						

☆ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	QUANTITY: IDLER OR P/S	QUANTITY: AIR PUMP	QUANTITY: A/C COMP.	PART NUMBER		DESCRIPTION
	1970 - continued							
	B (Fairlane) cont'd.					8 CYL. 351-C cont'd.		
70	P/S-without A/C		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-with A/C		1			C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"
	Idler-without A/C		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	Idler-with A/C		1			C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	A/C				1	C9PZ 8620-GA	(JC-557-L)	1/2" x 55 7/8"
	B (Fairlane)					8 CYL. 429		
70	Alternator	1				C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	P/S-without A/C-"Before 5/11/70"		1			C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	P/S-without A/C-"From 5/11/70"		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-with A/C-(4/B-exc.CJ)-"Before 5/11/70"		1			C9PZ 8620-CR	(JC-537)	1/2" x 53 7/8"
	P/S-with A/C-(4/B CJ)-"Before 5/11/70"		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-with A/C-(4/B & 4/B CJ)-"From 5/11/70"		1			C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"
	P/S-with A/C-(4/B S/CJ)		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	Idler pulley-"Before 5/11/70"		1			C9PZ 8620-CC	(JC-465)	1/2" x 46 5/8"
	Idler pulley-"From 5/11/70"		1			C9PZ 8620-CA	(JC-455)	1/2" x 45 5/8"
	T/E pump-without A/C			1		C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	T/E pump-with A/C			1		D0OZ 8620-A	(JH-361)	1/4" x 36 1/8"
	A/C-(4/B-exc. CJ or S/CJ)				1	C9PZ 8620-CV	(JC-564)	1/2" x 56 1/2"
	A/C-(4/B CJ & S/CJ)				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	F (Mustang)					6 CYL. 200		
70	Alternator	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	P/S		1			C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	F (Mustang)					6 CYL. 250		
70	Alternator-without A/C	1				☆C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-without A/C	1				♦CC5TZ 8620-D		15/32" x 42 1/2"
	Alternator-with A/C	2				☆C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	Alternator-with A/C	2				♦C9PZ 8620-GL	(JB-486-LA)	15/32" x 48 3/4"
	P/S		1			C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	A/C				2	☆C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	A/C				2	♦C9PZ 8620-GL	(JB-486-LA)	15/32" x 48 3/4"
	F (Mustang)					8 CYL. 302-2V		
70	Alternator-without P/S or A/C	1				☆C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-without P/S or A/C	1				♦CC5TZ 8620-D		15/32" x 42 1/2"
	Alternator-with P/S-without A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	Alternator-with A/C	1						
	P/S-without A/C		1			D0VZ 8620-B	(JC-517)	1/2" x 51 7/8"
	P/S-with A/C		1			☆D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"
	P/S-with A/C		1			♦C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"
	Idler pulley		1			C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	A/C				1	C9PZ 8620-GA	(JC-557-L)	1/2" x 55 7/8"

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	QUANTITY: IDLER OR P/S	QUANTITY: AIR PUMP	QUANTITY: A/C COMP.	PART NUMBER	DESCRIPTION	
1970 - continued								
	F (Mustang)					8 CYL. 302 (BOSS) - Special		
70	Alternator-without P/S	1				C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-with P/S	1				C9PZ 8620-GF	(JB-385-L)	15/32" x 38 5/8"
	P/S		1			D0AZ 8620-E	(JC-527-L)	1/2" x 52 7/8"
	T/E pump				1	C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	F (Mustang)					8 CYL. 351C		
70	Alternator-without idler, P/S or A/C	1				C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-with idler, P/S or A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-with A/C		1			C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"
	Idler pulley-without A/C		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	Idler pulley-with A/C		1			C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	A/C				1	C9PZ 8620-GA	(JC-557-L)	1/2" x 55 7/8"
	F (Mustang)					8 CYL. 351-W		
70	Alternator-without P/S or A/C	1				C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-with P/S-without A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	Alternator-with A/C	1						
	P/S-without A/C		1			C9PZ 8620-CR	(JC-537)	1/2" x 53 7/8"
	P/S-with A/C		1			D0AZ 8620-E	(JC-527-L)	1/2" x 52 7/8"
	Idler pulley		1			C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	A/C				1	C9PZ 8620-GA	(JC-557-L)	1/2" x 55 7/8"
	F (Mustang)					8 CYL. 428CJ, S/CJ		
70	Alternator-without A/C-(CJ)	2				☆C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	Alternator-without A/C-(CJ)	2				♦CC3TZ 8A615-D		15/32" x 40 3/4"
	Alternator-without A/C-(S/CJ)	2				C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-with A/C	1or2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	P/S-without A/C		1			☆C9PZ 8620-FN	(JC-443)	1/2" x 44 3/8"
	P/S-without A/C		1			♦C9PZ 8620-BV	(JC-441)	1/2" x 44 1/8"
	P/S-with A/C		1			☆C9PZ 8620-AR	(JB-521)	15/32" x 52 1/8"
	P/S-with A/C		1			♦C9PZ 8620-AP	(JB-516)	15/32" x 51 3/4"
	T/E pump-without A/C-(CJ)			1		C9PZ 8620-D	(JB-341)	15/32" x 34 1/8"
	T/E pump-without A/C-(S/CJ)			1		☆C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	T/E pump-without A/C-(S/CJ)			1		♦ C2R 8620-E		3/8" x 35 1/4"
	T/E pump-with A/C			1		C9PZ 8620-GH	(JC-626-L)	1/2" x 62 3/4"
	A/C				1	C9PZ 8620-GH	(JC-626-L)	1/2" x 62 3/4"
	F (Mustang)					8 CYL. 429 (BOSS) - Special		
70	Alternator	1				C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	P/S		1			C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	T/E pump			1		☆C9PZ 8620-FV	(JB-375)	15/32" x 37 5/8"
	T/E pump			1		♦C9AZ 8620-D	(JJ-373)	3/8" x 37 3/8"

☆ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP	PART NUMBER	DESCRIPTION	
1970 - continued								
	P (Maverick)					6 CYL. 170, 200		
70	Alternator-without A/C-(200)	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-without A/C-(170 A/T)	1						
	Alternator-without A/C-(170 M/T)	1				C9PZ 8620-D	(JB-341)	15/32" x 34 1/8"
	Alternator-with A/C	2				C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	P/S		1			C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	A/C				2	C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	P (Maverick)					6 CYL. 250		
70	Alternator-without A/C	1				C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-with A/C	2				C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	P/S		1			C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	A/C				2	C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	S (THUNDERBIRD)					8 CYL. 429		
70	Alternator-55 amp.	1				C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	Alternator-65,70 amp.	1				C9PZ 8620-G	(JB-363)	15/32" x 36 3/8"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-with A/C		1			D0AZ 8620-E	(JC-527-L)	1/2" x 52 7/8"
	A/C				1	C9PZ 8620-CV	(JC-564)	1/2" x 56 1/2"
	U (Bronco)					6 CYL. 170		
70	Alternator	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	U (Bronco)					8 CYL. 302		
70	Alternator	1				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	X (Falcon)					6 CYL. 200		
70	Alternator-without A/C	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-with A/C	2				C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	P/S		1			C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	A/C				2	C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	X (Falcon)					8 CYL. 302		
70	Alternator-without P/S or A/C	1				☆C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-without P/S or A/C	1				♦CC5TZ 8620-D		15/32" x 42 1/2"
	Alternator-with P/S-without A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	Alternator-with A/C	1						
	P/S-without A/C		1			D0VZ 8620-B	(JC-517)	1/2" x 51 7/8"
	P/S-with A/C		1			☆D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"
	P/S-with A/C		1			♦C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"
	Idler pulley		1			C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	A/C				1	C9PZ 8620-GA	(JC-557-L)	1/2" x 55 7/8"

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	QUANTITY: IDLER OR P/S	QUANTITY: AIR PUMP	QUANTITY: A/C COMP.	PART NUMBER		DESCRIPTION
1971								
	A (Ford)					6 CYL. 240		
71	Alternator	1				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	P/S		1			C9PZ 8620-BU	(JB-433)	15/32" x 43 3/8"
	A (Ford)					8 CYL. 302		
71	Alternator-without idler or P/S	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with idler or P/S	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	P/S		1			D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"
	Idler pulley		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	A (Ford)					8 CYL. 351C and 351W		
71	Alternator-without P/S, idler or A/C	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with P/S, idler or A/C	1				☆C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	Alternator-with P/S, idler or A/C	1				♦C9PZ 8620-N	(JB-394)	15/32" x 39 1/2"
	P/S-without A/C		1			D0VZ 8620-B	(JC-517)	1/2" x 51 7/8"
	P/S-with A/C		1			D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"
	Idler pulley-without A/C		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	Idler pulley-with A/C		1			C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	A/C-"Before 4/27/71"				1	C9PZ 8620-GA	(JC-557-L)	1/2" x 55 7/8"
	A/C-"From 4/27/71"				1	C9PZ 8620-GN	(JC-554)	1/2" x 55 1/2"
	A (Ford)					8 CYL. 390		
71	Alternator-42,55 amp.-without A/C-(exc. P/C)	1or2				D1PZ 8620-B	(JB-455)	15/32" x 45 5/8"
	Alternator-with A/C	1or2						
	Alternator-42,55 amp.-without A/C-(P/C)	2				C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-65,70 amp.-without A/C-(exc. P/C)	2				☆C9PZ 8620-GK	(JB-430-LA)	15/32" x 43"
	Alternator-65,70 amp.-without A/C-(exc. P/C)	2				♦D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-65,70 amp.-without A/C-(P/C)	2				C9PZ 8620-T	(JB-420)	15/32" x 42"
	P/S-without A/C		1			C9PZ 8620-GU	(JC-430-L)	1/2" x 43"
	P/S-with A/C		1			C9PZ 8620-GB	(JB-527-L)	15/32" x 52 7/8"
	A/C-(exc. P/C)				1	C9PZ 8620-CV	(JC-564)	1/2" x 56 1/2"
	A/C-(P/C)				1	C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	A (Ford)					8 CYL. 400		
71	Alternator-without P/S or A/C	1				C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-42,55 amp.-with P/S or A/C	1 1				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-65,70 amp.-with P/S or A/C	1				☆C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	Alternator-65,70 amp.-with P/S or A/C	1				♦C9PZ 8620-N	(JB-394)	15/32" x 39 1/2"

☆ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	QUANTITY: IDLER OR P S	QUANTITY: AIR PUMP	QUANTITY: A C COMP.	PART NUMBER	DESCRIPTION	
	1971 - continued							
	A (Ford) cont'd.					8 CYL. 400 cont'd.		
71	P/S-without A/C		1			D0VZ 8620-B	(JC-517)	1/2" x 51 7/8"
	P/S-with A/C		1			D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"
	A/C-"Before 4/27/71"				1	C9PZ 8620-GA	(JC-557-L)	1/2" x 55 7/8"
	A/C-"From 4/27/71"				1	C9PZ 8620-GN	(JC-554)	1/2" x 55 1/2"
	A (Ford)					8 CYL. 429		
71	Alternator-42,55 amp.-(exc. P/C)	1				C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	Alternator-42,55 amp.-(P/C)	1				D0AZ 8620-G	(JB-336)	15/32" x 33 3/4"
	Alternator-65,70 amp.-(exc. P/C)	1				C9PZ 8620-G	(JB-363)	15/32" x 36 3/8"
	Alternator-65,70 amp.-(P/C)	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	P/S-without A/C-(exc. P/C)		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-(P/C)		1					
	P/S-with A/C-(exc. P/C)		1			D0AZ 8620-E	(JC-527-L)	1/2" x 52 7/8"
	Idler pulley-(exc. P/C)		1			C9PZ 8620-CC	(JC-465)	1/2" x 46 5/8"
	Idler pulley-(P/C)		1			C9PZ 8620-CA	(JC-455)	1/2" x 45 5/8"
	A/C-(exc. P/C)				1	C3AZ 8620-F	(JC-563)	1/2" x 56 3/8"
	A/C-(P/C)				1	D1AZ 8620-A	(JC-550)	1/2" x 55"
	B (Fairlane)					6 CYL. 250		
71	Alternator-without A/C	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with A/C	2				☆C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	Alternator-with A/C	2				♦C9PZ 8620-AJ	(JB-493)	15/32" x 49 3/8"
	P/S		1			C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	A/C				2	☆C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	A/C				2	♦C9PZ 8620-AJ	(JB-493)	15/32" x 49 3/8"
	B (Fairlane)					8 CYL. 302		
71	Alternator-without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with idler, P/S or A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	P/S-without A/C-"Before 11/23/70"		1			D0VZ 8620-B	(JC-517)	1/2" x 51 7/8"
	P/S-without A/C-"From 11/23/70"		1			C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"
	P/S-with A/C-"Before 11/23/70"		1			D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"
	P/S-with A/C-"From 11/23/70"		1			C9PZ 8620-CK	(JC-504)	1/2" x 50 1/2"
	Idler pulley-without A/C		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	Idler pulley-with A/C-"From 11/23/70"		1					
	Idler pulley-with A/C-"Before 11/23/70"		1			C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	A/C-"Before 11/23/70"				1	C9PZ 8620-GA	(JC-557-L)	1/2" x 55 7/8"
	A/C-"From 11/23/70 to 4/27/71"				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A/C-"From 4/27/71"				1	C9PZ 8620-GN	(JC-554)	1/2" x 55 1/2"

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	QUANTITY: IDLER OR P/S	QUANTITY: AIR PUMP	QUANTITY: A/C COMP.	PART NUMBER	DESCRIPTION	
	1971 - continued							
	B (Fairlane)					8 CYL. 351-C		
71	Alternator-without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with idler, P/S or A/C	1				☆C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	Alternator-with idler, P/S or A/C	1				♦C9PZ 8620-N	(JB-394)	15/32" x 39 1/2"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-with A/C		1			C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"
	Idler pulley-without A/C		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	Idler pulley-with A/C-"From 11/23/70"		1					
	Idler pulley-with A/C-"Before 11/23/70"		1			C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	A/C-"Before 11/23/70"				1	C9PZ 8620-GA	(JC-557-L)	1/2" x 55 7/8"
	A/C-"From 11/23/70 to 4/27/71"				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A/C-"From 4/27/71"				1	C9PZ 8620-GN	(JC-554)	1/2" x 55 1/2"
	B (Fairlane)					8 CYL. 429CJ		
71	Alternator	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-with A/C		1			C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"
	Idler pulley		1			C9PZ 8620-CA	(JC-455)	1/2" x 45 5/8"
	A/C				1	D1AZ 8620-A	(JC-550)	1/2" x 55"
	F (Mustang)					6 CYL. 250		
71	Alternator-without A/C	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with A/C	2				C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	P/S		1			C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	A/C				2	C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	F (Mustang)					8 CYL. 302-2/B		
71	Alternator-without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with idler, P/S or A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	P/S-without A/C		1			C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"
	P/S-with A/C		1			☆D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"
	P/S-with A/C		1			♦C9PZ 8620-CK	(JC-504)	1/2" x 50 1/2"
	Idler pulley		1			☆C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	Idler pulley		1			♦C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	A/C-"Before 4/27/71"				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A/C-"From 4/27/71"				1	C9PZ 8620-GN	(JC-554)	1/2" x 55 1/2"
	F (Mustang)					8 CYL. 302 (BOSS) - Special		
71	Alternator-without P/S	1				★C9SZ 8620-B	(JA-431-R)	13/32" x 43 1/8"-not repl.
	Alternator-with P/S	1				★C9DZ 8620-A	(JA-380-R)	13/32" x 38" -not repl.
	P/S		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	T/E pump			1		C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"

☆ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
1971 - continued								
	F (Mustang)					8 CYL. 351C-2/B, 4/B (Except CJ)		
71	Alternator-without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with idler, P/S or A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-with A/C		1			C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"
	Idler pulley		1			☆C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	Idler pulley		1			♦C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	A/C-"Before 4/27/71"				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A/C-"From 4/27/71"				1	C9PZ 8620-GN	(JC-554)	1/2" x 55 1/2"
	F (Mustang)					8 CYL. 351C-4/B (CJ)		
71	Alternator-without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with idler, P/S or A/C	1				C9PZ 8620-K	(JB-382)	15/32" x 38 1/4"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-with A/C		1			C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"
	Idler pulley		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	A/C				1	C9PZ 8620-CR	(JC-537)	1/2" x 53 7/8"
	F (Mustang)					8 CYL. 351 (BOSS)-SPECIAL		
71	Alternator-without P/S	1				★C9SZ 8620-B	(JA-431-R)	13/32" x 43 1/8"-not repl.
	Alternator-with P/S	1				★C9DZ 8620-A	(JA-380-R)	13/32" x 38"-not repl.
	P/S		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	F (Mustang)					8 CYL. 429CJ and 429S/CJ		
71	Alternator	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-with A/C		1			C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"
	Idler pulley		1			C9PZ 8620-CA	(JC-455)	1/2" x 45 7/8"
	T/E pump			1		C9PZ 8620-F	(JB-354)	15/32" x 3[illegible] 1/2"
	A/C				1	D1AZ 8620-A	(JC-550)	1/2" x 55"
	L (Pinto)					4 CYL. 98		
71	Alternator	1				C9PZ 8620-C	(JB-332)	15/32" x 33 1/4"
	L (Pinto)					4 CYL. 122		
71	Alternator-without A/C	1				☆C9PZ 8620-GY	(JB-366-L)	15/32" x 36 3/4"
	Alternator-without A/C	1				♦C9PZ 8620-G	(JB-363)	15/32" x 36 3/8"
	Alternator-with A/C	1				C9PZ 8620-GL	(JB-486-LA)	15/32" x 48 3/4"
	A/C				1	C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	P (Maverick)					6 CYL. 170,200		
71	Alternator-(170)	1				C9PZ 8620-D	(JB-341)	15/32" x 34 1/8"
	Alternator-without A/C-(200)	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-with A/C-(200)	2				C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	P/S		1			C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	A/C				2	C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	QUANTITY IDLER OR P/S	QUANTITY AIR PUMP	QUANTITY A/C COMP.	PART NUMBER		DESCRIPTION
1971 - continued								
	P (Maverick)					6 CYL. 250		
71	Alternator-without A/C	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with A/C	2				☆C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	Alternator-with A/C	2				♦C9PZ 8620-AJ	(JB-493)	15/32" x 49 3/8"
	P/S		1			C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	A/C				2	☆C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	A/C				2	♦C9PZ 8620-AJ	(JB-493)	15/32" x 49 3/8"
	P (Maverick)					8 CYL. 302		
71	Alternator-without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with idler, P/S or A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	P/S-without A/C		1			C9PZ 8620-CK	(JC-504)	1/2" x 50 1/2"
	P/S-with A/C		1			C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"
	Idler pulley		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	A/C-"Before 4/27/71"				1	C9PZ 8620-CS	(JC-544)	1/2" x 54 1/2"
	A/C-"From 4/27/71"				1	C9PZ 8620-GN	(JC-554)	1/2" x 55 1/2"
	S (Thunderbird)					8 CYL. 429		
71	Alternator-55 amp.	1				C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	Alternator-65,70 amp.	1				C9PZ 8620-G	(JB-363)	15/32" x 36 3/8"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-with A/C		1			D0AZ 8620-E	(JC-527-L)	1/2" x 52 7/8"
	A/C				1	C3AZ 8620-F	(JC-563)	1/2" x 56 3/8"
	U (Bronco)					6 CYL. 170		
71	Alternator	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	U (Bronco)					8 CYL. 302		
71	Alternator	1				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
1972								
	A (Ford)					6 CYL. 240		
72	Alternator	1				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	P/S		1			C9PZ 8620-BU	(JC-433)	1/2" x 43 3/8"
	A/C-(hang-on)				1	C9PZ 8620-CV	(JC-564)	1/2" x 56 1/2"
	A (Ford)					8 CYL. 302		
72	Alternator-without idler or P/S	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with idler or P/S	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	P/S		1			D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"
	Idler pulley		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	A/C-(hang-on)				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	A (Ford)					8 CYL. 351C and 351W		
72	Alternator-42 amp.-without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-42,55,61 amp.-with idler P/S or A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	Alternator-65,70 amp.	1				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"

☆ U.S. only ♦ Canada only

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	QUANTITY: IDLER OR P/S	QUANTITY: AIR PUMP	QUANTITY: A/C COMP.	PART NUMBER	DESCRIPTION	
1972 - continued								
	A (Ford) cont'd.					8 CYL. 351C and 351W cont'd.		
72	P/S-without A/C		1			D0VZ 8620-B	(JC-517)	1/2" x 51 7/8"
	P/S-with A/C		1			D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"
	Idler pulley		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	A/C (integral)				1	C9PZ 8620-GN	(JC-554)	1/2" x 55 1/2"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	A (Ford)					8 CYL. 400		
72	Alternator-42 amp.-without P/S or A/C	1				C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-42,55,61 amp.-	1				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-65,70 amp.	1				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	P/S-without A/C		1			D0VZ 8620-B	(JC-517)	1/2" x 51 7/8"
	P/S-with A/C		1			D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"
	A/C (integral)				1	C9PZ 8620-GN	(JC-554)	1/2" x 55 1/2"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	A (Ford)					8 CYL. 429		
72	Alternator-42,55,61 amp.- (exc. P/C)	1				C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	Alternator-42,55,61 amp.- (P/C)	1				D0AZ 8620-G	(JB-336)	15/32" x 33 3/4"
	Alternator-65,70 amp.- (exc. P/C)	1				C9PZ 8620-G	(JB-363)	15/32" x 36 3/8"
	Alternator-65,70 amp.-(P/C)	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	P/S-without A/C-(exc. P/C) P/S-(P/C)		1 1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-with A/C-(exc. P/C)		1			D0AZ 8620-E	(JC-527-L)	1/2" x 52 7/8"
	Idler pulley		1			C9PZ 8620-CC	(JC-465)	1/2" x 46 5/8"
	A/C (integral)-(exc. P/C)				1	C9PZ 8620-CV	(JC-564)	1/2" x 56 1/2"
	A/C (integral)-(P/C)				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A/C (hang-on)				1	C9PZ 8620-CY	(JC-574)	1/2" x 57 1/2"
	B (Torino)					6 CYL. 250		
72	Alternator-without A/C	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with A/C	2				C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	P/S		1			C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	A/C (integral)				2	C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	A/C (hang-on)				2	C9PZ 8620-AM	(JB-482)	15/32" x 48 1/4"
	B (Torino)					8 CYL. 302		
72	Alternator-38,42 amp.- without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-42,55,61 amp.- w/idler, P/S or A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	Alternator-65,70 amp.	1				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	P/S-without A/C		1			D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"
	P/S-with A/C		1			D0VZ 8620-B	(JC-517)	1/2" x 51 7/8"
	Idler pulley		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	A/C (integral)				1	C9PZ 8620-GN	(JC-554)	1/2" x 55 1/2"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT. OR GEN.	IDLER OR P/S	AIR PUMP	A/C COMP.	PART NUMBER	DESCRIPTION	
1972 - continued								
	B (Torino)					8 CYL. 351-2/B		
72	Alternator-38,42 amp.-without idler,P/S or A/C	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-42,55, 61 amp.-with idler, P/S or A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	Alternator-65,70 amp.	1				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	P/S-without A/C		1			D0VZ 8620-B	(JC-517)	1/2" x 51 7/8"
	P/S-with A/C		1			D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"
	Idler pulley		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	A/C (integral)				1	C9PZ 8620-GN	(JC-554)	1/2" x 55 1/2"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	B (Torino)					8 CYL. 351-4/B CJ		
72	Alternator-42,55,61 amp.-without idler, P/S or A/C	1				C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-42,55,61 amp.-with idler,P/S or A/C-"Before 1/10/72"	1				C9PZ 8620-K	(JB-382)	15/32" x 38 1/4"
	Alternator-42,55,61 amp.-with idler, P/S or A/C-"From 1/10/72"	1				C9PZ 8620-M	(JB-390)	15/32" x 39"
	Alternator-65,70 amp.	1						
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-with A/C		1			D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"
	Idler pulley		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	A/C (integral)				1	C9PZ 8620-CR	(JC-537)	1/2" x 53 7/8"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	B (Torino)					8 CYL. 400		
72	Alternator-without P/S or A/C	1				C9PZ 8620-AB	(JB-443)	15/32" x 44 3/8"
	Alternator-42,55,61 amp.-with P/S or A/C	1				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-65,70 amp.-with P/S or A/C	1				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	P/S		1			D0VZ 8620-B	(JC-517)	1/2" x 51 7/8"
	A/C				1	C9PZ 8620-GN	(JC-554)	1/2" x 55 1/2"
	B (Torino)					8 CYL. 429		
72	Alternator-42,51,61 amp.-(exc. P/C)	1				C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	Alternator-42,51,61 amp.-(P/C)	1				D0AZ 8620-G	(JB-336)	15/32" x 33 3/4"
	Alternator-65,70 amp.-(exc. P/C)	1				C9PZ 8620-G	(JB-363)	15/32" x 36 3/8"
	Alternator-65,70 amp.-(P/C)	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	P/S-without A/C-(exc. P/C)		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-(P/C)		1					
	P/S-with A/C-(exc. P/C)		1			D0AZ 8620-E	(JC-527-L)	1/2" x 52 7/8"
	Idler pulley		1			C9PZ 8620-CC	(JC-465)	1/2" x 46 5/8"
	A/C (integral)-(exc. P/C)				1	C9PZ 8620-CV	(JC-564)	1/2" x 56 1/2"
	A/C (integral)-(P/C)				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	A/C (hang-on)				1	C9PZ 8620-CY	(JC-574)	1/2" x 57 1/2"

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY ALT OR GEN.	QUANTITY IDLER OR P/S	QUANTITY AIR PUMP	QUANTITY A/C COMP.	PART NUMBER	DESCRIPTION	
	1972 - continued							
	F (Mustang)					6 CYL. 250		
72	Alternator	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	P/S		1			C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	A/C (hang-on)				2	C9PZ 8620-AM	(JB-482)	15/32" x 48 1/4"
	F (Mustang)					8 CYL. 302		
72	Alternator-without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with idler, P/S or A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	P/S-without A/C		1			C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"
	P/S-with A/C		1			C9PZ 8620-CK	(JC-504)	1/2" x 50 1/2"
	Idler pulley		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	A/C (integral)				1	C9PZ 8620-GN	(JC-554)	1/2" x 55 1/2"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	F (Mustang)					8 CYL. 351-2/B		
72	Alternator-without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with idler, P/S or A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-with A/C		1			D0VZ 8620-B	(JC-517)	1/2" x 51 7/8"
	Idler pulley		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	A/C (integral)				1	C9PZ 8620-GN	(JC-554)	1/2" x 55 1/2"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	F (Mustang)					8 CYL. 351-4/B CJ		
72	Alternator-without idler, P/S or A/C	1				C9PZ 8620-GJ	(JB-436-L)	15/32" x 43 3/4"
	Alternator-with idler, P/S or A/C	1				C9PZ 8620-K	(JB-382)	15/32" x 38 1/4"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-with A/C		1			D0VZ 8620-B	(JC-517)	1/2" x 51 7/8"
	Idler pulley		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	A/C (integral)				1	C9PZ 8620-CR	(JC-537)	1/2" x 53 7/8"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	F (Mustang)					8 CYL. 351-4/B Special		
72	Alternator-without P/S	1				★C9SZ 8620-B	(JA-431-R)	13/32" x 43 1/8"-not repl.
	Alternator-with P/S	1				C9PZ 8620-K	(JB-382)	15/32" x 38 1/4"
	P/S		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	L (Pinto)					4 CYL. 98		
72	Alternator-without A/C	1				C9PZ 8620-C	(JB-332)	15/32" x 33 1/4"
	Alternator-with hang-on A/C	1				C9PZ 8620-D	(JB-341)	15/32" x 34 1/8"
	A/C (hang-on)				1	C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	L (Pinto)					4 CYL. 122		
72	Alternator-without A/C	1				C9PZ 8620-GY	(JB-366-L)	15/32" x 36 3/4"
	Alternator-with integral A/C	1				C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	Alternator-with hang-on A/C	1				C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

8620 BELT - DRIVE - continued

YEAR	MODEL/RESTRICTIONS	QUANTITY: ALT. OR GEN.	QUANTITY: IDLER OR P/S	QUANTITY: AIR PUMP	QUANTITY: A/C COMP.	PART NUMBER	DESCRIPTION	
	1972 - continued							
	L (Pinto) cont'd.					4 CYL. 122 cont'd.		
72	A/C (integral)-without trailer towing package				1	C9PZ 8620-CE	(JC-473)	1/2" x 47 3/8"
	A/C (integral)-with trailer towing package				1	C9PZ 8620-FS	(JC-420)	1/2" x 42"
	A/C (hang-on)				1	C9PZ 8620-GD	(JC-501-L)	1/2" x 50 1/8"
	P (Maverick)					6 CYL. 170,200		
72	Alternator-without A/C-(170)	1				C9PZ 8620-D	(JB-341)	15/32" x 34 1/8"
	Alternator-without A/C-(200)	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	Alternator-with integral A/C	2				C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	Alternator-with hang-on A/C	1				C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	P/S		1			C9PZ 8620-GM	(JB-414-L)	15/32" x 41 1/2"
	A/C (integral)				2	C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	A/C (hang-on)				1	D1PZ 8620-B	(JB-455)	15/32" x 45 5/8"
	P (Maverick)					6 CYL. 250		
72	Alternator-without A/C	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with integral A/C	2				C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	Alternator-with hang-on A/C	2				C9PZ 8620-AM	(JB-482)	15/32" x 48 1/4"
	P/S		1			C9PZ 8620-FY	(JB-461-L)	15/32" x 46 1/8"
	A/C (integral)				2	C9PZ 8620-FU	(JB-493-L)	15/32" x 49 3/8"
	A/C (hang-on)				2	C9PZ 8620-AM	(JB-482)	15/32" x 48 1/4"
	P (Maverick)					8 CYL. 302		
72	Alternator-without idler, P/S or A/C	1				D1PZ 8620-A	(JB-432)	15/32" x 43 1/4"
	Alternator-with idler, P/S or A/C	1				C9PZ 8620-P	(JB-401)	15/32" x 40 1/8"
	P/S-without A/C		1			C9PZ 8620-CL	(JC-514)	1/2" x 51 1/2"
	P/S-with A/C		1			C9PZ 8620-CK	(JC-504)	1/2" x 50 1/2"
	Idler pulley		1			C9PZ 8620-CF	(JC-477)	1/2" x 47 7/8"
	A/C (integral)				1	C9PZ 8620-GN	(JC-554)	1/2" x 55 1/2"
	A/C (hang-on)				1	C9PZ 8620-CP	(JC-534)	1/2" x 53 1/2"
	S (Thunderbird)					8 CYL. 400		
72	Alternator-55 amp.	1				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"
	Alternator-65 amp.	1				C9PZ 8620-V	(JB-423)	15/32" x 42 3/8"
	P/S		1			D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"
	A/C				1	C9PZ 8620-GC	(JC-552-L)	1/2" x 55 1/4"
	S (Thunderbird)					8 CYL. 429		
72	Alternator-55 amp.	1				C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	Alternator-65 amp.	1				C9PZ 8620-G	(JB-363)	15/32" x 36 3/8"
	P/S-without A/C		1			C9PZ 8620-CM	(JC-524)	1/2" x 52 1/2"
	P/S-with A/C		1			D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"
	A/C				1	C9PZ 8620-DB	(JC-594)	1/2" x 59 1/2"
	S (Thunderbird)					8 CYL. 460		
72	Alternator	1				C9PZ 8620-F	(JB-354)	15/32" x 35 1/2"
	P/S		1			D0TZ 8620-B	(JC-507)	1/2" x 50 7/8"
	A/C				1	C9PZ 8620-DB	(JC-594)	1/2" x 59 1/2"
	U (Bronco)					6 CYL. 170		
72	Alternator	1				C9PZ 8620-E	(JB-346)	15/32" x 34 3/4"
	U (Bronco)					8 CYL. 302		
72	Alternator	1				C9PZ 8620-S	(JB-412)	15/32" x 41 1/4"

INDEX

PART NAME	GROUP NUMBER
A	
Accelerator assy.	9725
Accelerator control kit	9B843
Actuator (speed control release switch)	9C798
Actuator assy. (speed control)	9A825
Actuator cable & dial assy. (speed control)	9A825
Adapter (carb. air cleaner to intake tube)	9D608
Adapter (carb. choke control tube)	9C786
Adapter (carb. fuel inlet)	9A520
Adapter (exhaust air supply vacuum pipe to by-pass valve)	9K452
Adapter (fuel vapor purge tube to air cleaner)	9D692
Adapter (intake manifold to deceleration valve)	9K495
Adapter (manifold inlet vacuum pipe to distributor)	9K442
Adapter (thermostatic choke control inlet tube)	9C786
Adapter assy. (fuel tank vent expansion tank)	9A210
Adapter assy. (oil pressure hose)	9279
Adapter kit (carb.)	9G545
Adapter kit (exhaust air supply)	9C432
Adapter kit (P/S)	9103
Adjuster (speed control connector)	9C876
Air valve kit (carb. spring & cam)	9S512
Amplifier assy. (speed control)	9D843
Anti-rattler (fuel tank to bracket)	9A058
Arm (exhaust air supply pump belt adjustment)	9B452
Arm assy. (carb. metering rod)	9D819
Arm assy. (fuel pump rocker)	9376
Arm assy. (speed control rod to throttle pivot)	9C812
B	
Baffle (carb. air valve)	9S570
Baffle (carb. automatic choke plate)	9A539
Baffle (carb. equalizer passage)	9A517
Baffle (carb. float bowl)	9A517
Baffle (carb. metering body vent)	9553
Ball (carb. accelerator pump check)	9576
Ball (carb. pump discharge check)	9576
Ball (carb. secondary throttle check)	9576
Ball (carb. throttle lever)	9681
Base plate (carb. air cleaner)	9D600
Bearing (speed control servo connector to bellcrank)	9D764
Bearing assy. (exhaust air supply pump rear)	9B477
Bellcrank (speed control)	9B713
Bellcrank assy. (carb. accelerator)	9732
Bellcrank assy. (throttle control)	9A774
Bezel (fuel gauge)	9A283
Bezel (selector switch)	9A389
Bezel (speed control switch)	9D782

PART NAME	GROUP NUMBER
B - cont'd.	
Body (carb. power valve)	9G552
Body assy. (carb. main)	9512
Body assy. (vacuum pump)	9354
Body & plugs assy. (carb. main metering)	9A511, 9A513
Body & plugs assy. (fuel pump upper)	9343
Body & shaft assy. (carb. throttle)	9518
Bolt (fuel tank strap)	9A010
Boot (accelerator shaft)	9793
Bowl (fuel pump filter)	9355
Bowl & plugs assy. (carb. float)	9A507-8
Brace (carb. air cleaner)	9663
Brace (speed control pulley)	9C875
Bracket (accelerator bellcrank stabilizer)	9D703
Bracket (accelerator bellcrank stabilizer rear)	9D709
Bracket (accelerator pedal lever)	9C803
Bracket (accelerator shaft)	9728
Bracket (accelerator shaft to dash)	9A762
Bracket (accelerator to retracting spring)	9741
Bracket (anti-backfire valve)	9B290
Bracket (aux. fuel tank locating rear)	9K018
Bracket (carb. air cleaner support)	9A627
Bracket (carb. choke control mounting)	9A700
Bracket (carb. dashpot mounting)	9B550
Bracket (carb. float bowl vent)	9E520
Bracket (carb. float pendulum)	9H546
Bracket (carb. manual choke mounting)	A838
Bracket (carb. throttle emission control solenoid)	586
Bracket (exhaust air supply pump air cleaner)	3453
Bracket (exhaust air supply pump mounting)	9B450
Bracket (exhaust air supply pump rear)	9B463
Bracket (exhaust air supply tube)	9B481
Bracket (fuel filter)	9180
Bracket (fuel gauge mounting)	9D336
Bracket (fuel line support)	9D319
Bracket (fuel tank guard lower)	9A154
Bracket (fuel tank selector valve mounting)	9A061
Bracket (fuel tank support)	9046, 9068, 9A004
Bracket (fuel tank vent expansion tank front or rear)	9A188, 9A194, 9A225
Bracket (fuel tank vent tube shield lower)	9B027
Bracket (fuel tank vent tube shield upper)	9B026
Bracket (oil pressure sender)	9F313
Bracket (speed control actuator cable)	9B736
Bracket (speed control amplifier mounting)	9D845
Bracket (speed control inhibitor switch)	9C873

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
B - cont'd.	
Bracket (speed control relay)	9C788
Bracket (speed control release switch mounting)	9A838
Bracket (speed control sensor)	9E729
Bracket (speed control servo)	9C736
Bracket (speed control solenoid)	9C788
Bracket (speed sensor mounting)	9E719
Bracket (throttle control mounting)	9677
Bracket (throttle modulator mounting)	9E730
Bracket assy. (accelerator cable)	9723
Bracket assy. (carb. air shroud support)	9C670
Bracket assy. (carb. choke control)	9595
Bracket assy. (carb. throttle control)	9764
Bracket assy. (speed control)	9C787
Bracket assy. (speed control connector pulley guide)	9C825
Bracket & strap assy. (fuel vapor storage canister)	9D664
Brush assy. (speed control)	9C899
Bushing (accelerator pedal hinge)	9873
Bushing (accelerator pedal lever pivot)	9C805
Bushing (accelerator pedal to cable)	9D803
Bushing (accelerator shaft to bellcrank rod)	9A856
Bushing (carb. accelerator pump overtravel spring)	9F569
Bushing (carb. accelerator pump rod)	9F569
Bushing (carb. choke housing)	9851
Bushing (carb. choke thermostat lever)	9851
Bushing (carb. fast idle cam)	9D559
Bushing (carb. throttle control lever)	9C781
Bushing (carb. throttle shaft)	9B508
Bushing (exhaust thermostat control valve)	9462
Bushing (fuel pump rocker arm)	9389
Button assy. (speed control actuator push)	9C741
C	
Cable assy. (accelerator pedal to carb. throttle)	9A758
Cable assy. (speed control)	9A820
Cable assy. (throttle control)	9C799
Cam (carb. accelerator pump diaphragm operating)	9526
Cam assy. (fast idle)	9597
Cam kit (carb. fast idle)	9597
Canister assy. (fuel vapor storage)	9D653
Cap (carb. air cleaner adapter)	9C639
Cap (deceleration valve adjustment screw)	9K808
Cap (fuel tank sender outlet tube)	9G270
Cap (fuel vapor storage canister)	9E602
Cap (vacuum outlet manifold)	9C492
Cap (water outlet connection)	9486
Cap assy. (fuel tank filler)	9030

PART NAME	GROUP NUMBER
C - cont'd.	
Carburetor assy.	9510
Carburetor repair kit	9590
Chamber assy. (thermostatic choke heat)	9890
Clamp (acceleration shaft lever)	9A712
Clamp (carb. air vent push rod)	9565
Clamp (carb. choke cable bracket)	9792
Clamp (carb. pump rod)	9565
Clamp (carb. thermostatic choke housing)	9842
Clamp (exhaust air supply manifold)	9D444
Clamp (exhaust air supply tube)	9D436
Clamp (exhaust manifold to cylinder block)	9443
Clamp (hose)	9171
Clamp (intake manifold to cylinder block)	9443
Clamp assy. (intake manifold heat inlet tube)	9D437
Cleaner assy. (carb. air)	9600
Cleaner assy. (exhaust air supply)	9A492
Clip (accelerator cable)	9792
Clip (accelerator shaft to trans. control shaft rod)	9B776
Clip (carb. accelerator pump link rod)	9825
Clip (carb. choke rod end retaining)	9825
Clip (carb. screw lock)	9825
Clip (fuel filter bracket)	9B281
Clip (fuel line)	9A317
Clip (fuel tank vent tube)	9031
Clip (rod end clevis)	9825-6
Clip (spark control switch wire retainer)	9E756
Clip (speed control bellcrank adjusting link)	9D837
Clip (throttle cable)	9792
Compensator assy. (carb. hot idle)	9B532
Connector (accelerator shaft to speed control shaft)	9B705
Connector (carb. air cleaner to thermostatic choke control inlet tube)	9C704
Connector (carb. secondary diaphragm control)	9S569
Connector (carb. to manifold spacer tube)	9C525
Connector (fuel tank air relief to vent tube)	9A168
Connector (fuel vapor tube male)	9D689
Connector (idle speed-up valve tube)	9B761
Connector (speed control servo to bellcrank)	9D763
Connector assy. (fuel pump outlet)	9B376
Connector assy. (fuel tank air relief vent tube)	9A262
Connector assy. (fuel tank vent expansion tank)	9A195
Connector assy. (fuel valve tube)	9A220
Connector assy. (vacuum tube)	9D430
Connector & reducer assy. (speed control vacuum)	9C832
Control assy. (carb. choke)	9700
Control assy. (carb. throttle)	9775
Control assy. (carb. vacuum brake)	9S514
Control & bracket assy. (carb. idle speed-up)	9H567
Conversion kit (carb. calibration)	9S549
Core assy. (speed control sensor coupling)	9E722
Coupling assy. (speed control sensor)	9E720

INDEX

PART NAME	GROUP NUMBER
C - cont'd.	
Cover (carb. air cleaner)	9B600, 9661
Cover (carb. choke control diaphragm)	9J554
Cover (carb. choke diaphragm)	9J563
Cover (carb. economizer valve)	9930
Cover (carb. secondary throttle diaphragm)	9507
Cover (carb. thermostatic choke heat supply)	9A705
Cover (fuel pump diaphragm pulsator)	9A359
Cover (fuel pump valve opening)	9A362
Cover (intake manifold)	9C483
Cover (speed control opening)	9D822
Cover (speed control wiring access)	9D793
Cover assy. (carb. accelerator pump)	9528
Cover assy. (exhaust air supply pump)	9B478
Cover kit (carb. accelerator pump)	9528
Cover & plugs assy. (carb. main body)	9524
Cover screw (carb. diaphragm adjusting screw)	9S544
Cup (carb. pump piston)	9572
D	
Dashpot assy. (carb.)	9B549
Dial assy. (speed control actuator)	9C767
Diaphragm (fuel pump pulsator)	9A358
Diaphragm assy. (carb. accelerator pump)	9B559
Diaphragm assy. (carb. throttle modulator)	9D896
Diaphragm assy. (deceleration valve)	9K799
Diaphragm assy. (fuel pump)	9398
Diaphragm assy. (vacuum fuel pump)	9314
Diaphragm assy. kit (carb. secondary throttle)	9503
Diaphragm & retainer assy. (carb. choke control)	9J549
Disc (accelerator pump check valve)	9576
Dome (fuel pump air)	9414
Drive element assy. (supercharger)	9655
Duct & valve assy. (carb. air cleaner)	9A626
E	
Economizer assy. (carb.)	9A565
Economizer kit (carb.)	9A565
Elbow (exhaust air supply pump outlet)	9C475
Elbow (fuel tank vent valve)	9B002
Element (carb. air cleaner inner)	9601
Element assy. (carb. air cleaner)	9601
Element assy. (fuel filter)	9365
Emblem (fuel tank filler cap)	9A031
Enclosure assy. (carb. supercharger)	9632
End (carb. throttle synchronizer rod)	9767
Extension (intake manifold to cylinder block seal)	9C495
Extension assy. (carb. air cleaner air duct)	9B629
Extension assy. (speed control feed wire)	9C806
F	
Fan assy. (exhaust air supply pump)	9C472
Ferrule (fuel line)	9242
Filter (carb. accelerator pump cavity)	9F565
Filter (crankcase emission)	9D697
Filter (exhaust air supply cleaner)	9A496
Filter (fuel level indicator light)	9E301
Filter (fuel pump vent)	9A411
Filter (fuel tank sender)	9A011
Filter assy. (carb. fuel)	9155
Filter assy. (crankcase air cleaner)	9D695
Filter assy. (fuel)	9155
Filter assy. (fuel vapor valve tube air)	9B008
Filter assy. (thermostatic choke air)	9C791
Fitting (carb. fuel transfer tube)	9A520
Fitting (exhaust air supply manifold)	9B455
Fitting (fuel pump inlet)	9241
Fitting (intake manifold carb. to spacer connection)	9A455
Fitting (oil pressure sender)	9B339
Fitting assy. (intake manifold vacuum outlet)	9A474
Flange (fuel tank filler inner)	9109
Flange (fuel tank filler outer)	9039
Float assy. (carb.)	9550
Float assy. (fuel tank sender)	9202
Fuel filter line chart	9156
G	
Gasket (air cleaner to carb.)	9654
Gasket (automatic choke piston housing)	9871
Gasket (carb. air cleaner internal)	9673
Gasket (carb. booster venturi support)	9A536
Gasket (carb. economizer cover)	9563
Gasket (carb. economizer valve)	9A588
Gasket (carb. float bowl)	9561
Gasket (carb. float bowl screw)	9592
Gasket (carb. fuel inlet fitting)	9229, 9827
Gasket (carb. fuel inlet needle seat)	9569
Gasket (carb. fuel level check plug)	9569, 9A588, 9945
Gasket (carb. main metering body)	9A518
Gasket (carb. power valve)	9A588
Gasket (carb. pump discharge nozzle)	9580, 9926
Gasket (carb. secondary diaphragm housing)	9853
Gasket (carb. spark valve)	9A588
Gasket (carb. thermostatic choke control)	9853
Gasket (carb. thermostatic choke cover)	9853
Gasket (carb. thermostatic choke housing)	9871

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
G - cont'd.	
Gasket (carb. throttle body to main body)	9516
Gasket (carb. to manifold)	9447
Gasket (carb. to spacer)	9447
Gasket (carb. valve seat adjusting nut)	9A522
Gasket (choke bleeder valve)	9J694
Gasket (cover intake manifold)	9C484
Gasket (exhaust air supply tube)	9C435
Gasket (exhaust manifold)	9448
Gasket (exhaust manifold to muffler inlet pipe)	9450
Gasket (fuel filter mounting)	9229
Gasket (fuel filter to carb.)	9A588
Gasket (fuel gauge tank unit)	9276
Gasket (fuel pump diaphragm oil seal)	9408
Gasket (fuel pump filter bowl)	9364
Gasket (fuel pump mounting)	9417
Gasket (fuel tank filler to quarter panel)	9076
Gasket (fuel tank gauge wiring retainer)	9E298
Gasket (fuel tank vent expansion tank connection housing)	9A206
Gasket (fuel tank vent flange)	9F299
Gasket (fuel tank vent pipe flange adapter)	9A253
Gasket (fuel tank vent valve)	9A196
Gasket (fuel tank vent valve retainer plate)	9276
Gasket (intake & exhaust manifold)	9448
Gasket (intake manifold heat tube)	9D429
Gasket (intake manifold to cylinder block)	9461
Gasket (intake manifold to cylinder head)	9439-41
Gasket (separator assy. fuel vapor)	9276
Gasket (thermostatic choke heat supply cover)	9S500, 9903
Gasket set (carb.)	9502
Gasket set (manifold)	9433
Gauge assy. (fuel instrument panel unit)	9275, 9280, 9305
Gauge assy. (oil pressure eng. unit)	9278, 9D290
Gauge assy. (oil pressure instrument panel unit)	9273, 9B308
Grommet (carb. air cleaner)	9697
Grommet (fuel line to side apron)	9K288
Grommet (fuel tank filler pipe)	9080
Grommet (fuel tank vent pipe)	9069
Guard (fuel tank)	9099
Guard (speed control servo)	9D858
Guide (fuel pump push rod)	9379

PART NAME	GROUP NUMBER
H	
Heat chamber kit (thermostatic)	9A761
Holder & housing assy. (speed control brush)	9C894
Holder & wire assy. (speed control brush)	9C894
Hook (fuel tank strap)	9A166
Horn (carb. air)	9524
Hose (air by-pass valve upper)	9H569
Hose (anti-backfire valve)	9H534
Hose (anti-backfire valve extension)	9H560
Hose (anti-backfire valve inlet)	9H548
Hose (anti-backfire valve vacuum)	9H533
Hose (anti-backfire valve vacuum tube to manifold)	9H564
Hose (carb. choke bleeder temperature control valve)	9J592
Hose (carb. choke front)	9E736
Hose (carb. choke rear)	9E736
Hose (carb. fuel)	9D281
Hose (carb. idle speed-up control)	9H566
Hose (exhaust air supply check valve inlet)	9B466
Hose (exhaust air supply pump inlet)	9B458
Hose (exhaust air supply pump outlet)	9B459-60
Hose (fuel pump to fuel tank line)	9288
Hose (fuel return)	9C327
Hose (fuel tank emission tube)	9A227
Hose (fuel tank overflow)	9A129
Hose (fuel tank to filler pipe)	9047
Hose (fuel tank vent expansion tube)	9A092
Hose (fuel tank vent tube)	9170
Hose (fuel tube)	9324
Hose (fuel tube intermediate)	9C275
Hose (fuel tube to fuel filter)	9C323
Hose (fuel vapor separator to fuel tank front)	9C285
Hose (fuel vapor separator to fuel tank intermediate)	9C286
Hose (fuel vapor separator to fuel tank rear)	9C287, 9C289
Hose (speed control harness)	9C746
Hose (speed control inhibitor switch)	9C874
Hose (speed control metering valve to pump)	9C745
Hose (speed control metering valve to servo)	9C746
Hose (speed control regulator to vacuum supply)	9D770
Hose (speed control regulator to valve)	9C746
Hose (speed control solenoid to metering valve)	9C747-8
Hose (supercharger air intake)	9630
Hose (supercharger discharge)	9652
Hose (thermactor air by-pass vacuum)	9F286
Hose (thermactor air by-pass valve inlet)	9F287
Hose (vacuum outlet manifold)	9C493
Hose (vacuum pump outlet)	9A445
Hose & muffler assy. (speed control)	9D860
Housing (carb. air valve spring)	9H557

INDEX

PART NAME	GROUP NUMBER
H. cont'd.	
Housing (carb. thermostatic choke)	9848
Housing (fuel tank to expansion tank connector)	9A205
Housing assy. (carb. choke)	9A575
Housing assy. (carb. secondary throttle diaphragm)	9501
Housing assy. (choke thermostat)	9848
Housing kit (carb. thermostatic choke)	9848
Housing & plugs (carb. choke)	9849
Hub (carb. fast idle cam)	9D558
I	
Idler assy. (w/bracket & pulley supercharger)	9104
Insert (carb. venturi)	9E514
Insert (thermostatic choke control air intake)	9A714
Insulator (accelerator shaft)	9B720
Insulator (carb. trans. vacuum tube)	9S547
Insulator (fuel level indicator)	9E308
Insulator (fuel tank to floor pan)	9A068
Insulator (thermostatic choke control outlet tube)	9865
Intake kit (ram air)	9C654
J	
Jet (carb. main metering)	9533
Jet assy. (carb. idle)	9542
K	
KIT - refer to appropriate noun name For example Housing kit (carb. thermostatic choke)	9848
Knob assy. (carb. choke control)	9B739
Knob assy. (speed control actuator)	9A832
L	
Lens (fuel level gauge)	9B315
Lever (accelerator shaft)	9761
Lever (carb. accelerator pump)	9D591, 9919
Lever (carb. accelerator pump operating)	9A506, 9529
Lever (carb. accelerator pump overtravel)	9919
Lever (carb. air valve dampener)	9H582
Lever (carb. air valve lockout)	9583
Lever (carb. choke bellcrank adjusting)	9A535
Lever (carb. choke control)	9D541
Lever (carb. choke control diaphragm)	9J553
Lever (carb. choke shaft)	9A514, 9551
Lever (carb. choke thermostat)	9A754
Lever (carb. dechoke)	9583
Lever (carb. dechoke override)	9J598
L. cont'd.	
Lever (carb. fast idle adjusting)	9538
Lever (carb. fast idle cam)	9F577
Lever (carb. float bowl vent actuating)	9D585
Lever (carb. mechanical vent valve adjusting)	9H585
Lever (carb. secondary throttle diaphragm)	9583
Lever (carb. secondary throttle stop)	9583
Lever (carb. throttle)	9C504, 9583
Lever (carb. throttle shaft aux.)	9A537
Lever (fuel pump rocker arm return spring)	9B354
Lever assy. (carb. fast idle pickup)	9A535
Lever assy. (carb. throttle control)	9A514
Lever & bracket assy. (carb. throttle control)	9724
Lever & shaft assy. (carb. secondary throttle plate)	9A592
Lever & shaft assy. (carb. throttle)	9581
Lever & shaft assy. kit (carb. throttle)	9581
Lever & swivel assy. (carb. choke)	9A514
Link (carb. accelerator pump)	9529
Link (carb. air valve dampener)	9H583
Link (carb. choke diaphragm)	9J552
Link (carb. choke thermostat)	9834
Link (carb. dashpot)	9D593
Link (carb. vacuum break)	9S515
Link (fuel pump rocker arm)	9381
Link (speed control bellcrank carb. rod adjusting)	9D768
Lock (exhaust manifold to cylinder head bolt tab)	9A447
M	
Manifold (exhaust)	9426, 9428, 9430-1
Manifold (intake)	9424-5
Manifold assy. (exhaust air supply)	9B445
Manifold assy. (vacuum outlet)	9C490
Manual choke kit	9850
Member (fuel tank support)	9064
Metering rod holder kit (carb. secondary)	9S513
N	
Needle (carb. idle adjusting)	9541
Nozzle assy. (carb. pump discharge)	9577
Nut (accelerator shaft to bellcrank rod)	9A857
Nut (carb. choke plate adjusting)	9D564
Nut (carb. power valve adjusting)	9B503
Nut (carb. throttle lever & choke shaft)	9B527
Nut (carb. throttle lever retaining)	9618
Nut (speed control actuator bezel)	9C752
Nut & ferrule (exhaust air supply)	9B471

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
O	
"O" ring (carb. float bowl tube connector seal)	9229
"O" ring (carb. fuel valve seat)	9609
P	
Pedal assy. (accelerator)	9735
Pin (accelerator bellcrank)	9B721
Pin (carb. accelerator pump overtravel spring)	9C711
Pin (carb. air cleaner retainer)	9C631
Pin (carb. air valve dampener)	9H584
Pin (carb. fast idle adjusting lever)	9579
Pin (carb. power valve)	9G558
Pin (fuel pump rocker arm)	9378
Pin (speed control servo clevis)	9D841
Pipe assy. (fuel tank filler)	9034
Pipe assy. (fuel tank vent)	9K079
Piston (carb. accelerator pump)	9B544
Piston (carb. power valve)	9A565
Piston assy. (carb. automatic choke)	9840
Piston assy. (carb. power valve)	9G551, 9G553
Piston & rod assy. (carb. air valve dampener)	9H578
Plate (accelerator shaft equalizer bracket)	9A853
Plate (alternator charge indicator mounting)	9304
Plate (carb. air cleaner bracket reinforcement)	9B612
Plate (carb. air distribution)	9F553
Plate (carb. choke)	9545
Plate (carb. fast idle cam)	9838
Plate (carb. main metering)	9514
Plate (carb. thermostatic choke housing)	9844
Plate (carb. throttle)	9585
Plate (fuel level indicator back)	9302
Plate (fuel pump valve retainer)	9361
Plate (fuel tank selector valve reinforcement)	9197
Plate (fuel tank skid)	9A147
Plate (fuel tank vent valve retainer upper)	9A307
Plate (temperature indicator back)	9304
Plate & stud assy. (carb. backup)	9841
Plug (carb. air cleaner air intake panel mounting access hole)	9D699
Plug (carb. fuel filter retainer)	9A540
Plug (carb. fuel lever check)	9562, 9944
Plug (carb. idle passage)	9523
Plug (deceleration valve sealing)	9P706
Plug (exhaust air supply pump relief valve)	9C429
Plug (fuel pump rocker arm pin hole)	9A360
Plug (fuel tank vent expansion tank connection access)	9A207

PART NAME	GROUP NUMBER
P - cont'd.	
Plunger (carb. choke lever)	9537
Pulley (compressor mounted supercharger)	9106
Pulley (crankshaft mounted supercharger)	9107
Pulley (exhaust air supply pump)	9B447
Pulley (exhaust air supply pump drive)	9B464
Pump (carb. discharge nozzle)	9A574
Pump assy. (exhaust air supply thermactor)	9A486
Pump assy. (fuel)	9350
Pump assy. (speed control)	9C731
Pump repair kit (fuel)	9349
Push rod (fuel pump)	9400
R	
Regulator assy. (speed control)	9D757, 9A819
Reinforcement assy. (fuel vapor storage canister bracket)	9E600
Relay assy. (speed control)	9C733
Relay assy. (speed control release)	9D737
Restrictor (carb. jet)	9A521
Retainer (accelerator shaft boot)	9D747
Retainer (carb. accelerator pump check valve)	9575
Retainer (carb. accelerator pump check valve disc)	9575
Retainer (carb. accelerator pump spring)	9599
Retainer (carb. air cleaner to carb.)	9B672
Retainer (carb. air valve spring housing)	9H558
Retainer (carb. choke modulator spring)	9J548
Retainer (carb. choke rod lever & bushing spring)	9839
Retainer (carb. choke rod seal & bushing spring)	9836
Retainer (carb. choke shaft)	9B527
Retainer (carb. diaphragm rod)	9599
Retainer (carb. fast idle cam rod)	9599
Retainer (carb. fast idle rod seal)	9A576
Retainer (carb. fast idle seal)	9B501
Retainer (carb. float lever shaft)	9599
Retainer (carb. float lever to fuel inlet needle)	9B530
Retainer (carb. idle jet)	9575
Retainer (carb. pump operating lever)	9568
Retainer (carb. pump spring)	99704
Retainer (carb. throttle shaft spring & solenoid bracket)	9599
Retainer (crankcase emission filter)	9E628
Retainer (fuel expansion vent tube to front)	9F309
Retainer (fuel pump oil seal)	9A392
Retainer (fuel pump vent filter)	9A412
Retainer (fuel tank filler pipe)	9008

INDEX

PART NAME	GROUP NUMBER
R - cont'd.	
Retainer (instrument cluster gauge)	9B314
Retainer (speed control switch)	9C892
Retainer (speed control switch wiring)	9D753
Retainer (speed control wiring access cover)	9D794
Retainer (thermostatic choke plate link)	9565
Retainer (vacuum outlet hose)	9D443
Ring (expansion tank to outer floor pan)	9F298
Ring (fuel tank sender retainer locking)	9277, 9A307
Ring (separator assy. fuel vapor)	9A307
Ring (speed control brush outer)	9D783
Rod (accelerator shaft to bellcrank)	9A702
Rod (accelerator to pedal)	9727
Rod (carb. accelerator pump link to overtravel lever)	9B542
Rod (carb. choke control)	9A599
Rod (carb. choke diaphragm control)	9S567
Rod (carb. dashpot link to overtravel lever)	9A527
Rod (carb. fast idle)	9598
Rod (carb. fast idle cam)	9D530
Rod (carb. float bowl vent)	9A515
Rod (carb. metering)	9A526
Rod (carb. power valve)	9D597
Rod (carb. secondary throttle control)	9C504
Rod (carb. throttle front)	9B841
Rod (carb. throttle rear)	9B842
Rod (speed control bellcrank accelerator)	9D774
Rod (speed control pivot arm to carb.)	9C740
Rod assy. (accelerator bellcrank to carb.)	9772
Rod assy. (accelerator pedal shaft to bellcrank)	9A701
Rod assy. (accelerator to trans. control shaft)	9784
S	
Scoop & seal assy. (carb. air cleaner)	9D646
Screen (carb. air vent)	9G574
Screen (carb. fuel filter)	9F525, 9938
Screen (carb. main well tube)	9S546
Screen (fuel pump)	9368
Screw (carb. accelerator pump arm retainer)	9C631
Screw (carb. air cleaner retainer to carb.)	9C631
Screw (carb. air horn)	9C631
Screw (carb. choke housing cover)	9B874
Screw (carb. choke plate)	9586
Screw (carb. dashpot bracket)	9C631
Screw (carb. fast idle adjusting)	9B538
Screw (carb. idle adjusting)	9C631
Screw (carb. pump discharge nozzle)	9577

PART NAME	GROUP NUMBER
S - cont'd.	
Screw (carb. retaining ring)	9B874
Screw (carb. secondary idle & diaphragm adjusting)	9B538
Screw (carb. solenoid bracket)	9C631
Screw (carb. throttle body)	9F529
Screw (carb. throttle plate)	9586
Screw (carb. water cover retaining)	9B874
Screw (fuel pump filter bowl)	9K353
Screw & washer assy. (carb. air horn)	9F529
Screw & washer assy. (carb. choke bracket)	9F529
Screw & washer assy. (carb. choke housing)	9B874
Screw & washer assy. (carb. fast idle lever)	9D558
Screw & washer assy. (carb. pump cover)	9S510
Seal (accelerator pedal rod)	9793
Seal (carb. accelerator pump rod)	9535
Seal (carb. air cleaner to hood)	9B624
Seal (carb. air horn)	9C527
Seal (carb. air valve dampener rod)	9H593
Seal (carb. fast idle rod)	9B501
Seal (carb. idle adjusting needle)	9634
Seal (exhaust air supply pump rear rotor)	9C478
Seal (fuel pump oil)	9A393, 9469
Seal (fuel tank filler pipe lower)	9072
Seal (fuel tank filler pipe upper)	9076
Seal (intake manifold to cylinder block)	9A424-5
Sender assy. (fuel tank)	9275
Sensor assy. (carb. air cleaner air temp. control)	9E607
Sensor assy. (speed)	9E731
Sensor assy. (speed control)	9D842
Separator assy. (fuel vapor)	9B328
Separator kit (fuel pump electric)	9C341
Servo assy. (speed control)	9C735
Servo & bracket assy. (speed control)	9C734
Shaft (carb. air valve)	9581
Shaft (carb. choke housing)	9A751
Shaft (carb. choke plate)	9547
Shaft (carb. float lever)	9558
Shaft (speed control bellcrank bracket)	9D773
Shaft assy. (accelerator control)	9C715
Shaft & counterweight assy. (exhaust thermostat control valve)	9A430
Shaft & lever assy. (carb. choke)	9546
Shaft & lever assy. (carb. choke housing)	9A753
Shaft & lever assy. (speed control)	9B711
Shaft, valve & weight assy. (carb. aux. throttle)	9A534
Shaft kit (carb. choke)	9546

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Shield (anti-backfire valve)	9F277
Shield (brake & fuel lines)	9C291
Shield (carb. choke thermostat)	9861
Shield (carb. thermostatic choke heat tube inlet)	9A745
Shield (fuel tank heat)	9A032
Shield (fuel tank vent tubes)	9A242
Shield (fuel tank vent valve)	9B022
Shield (fuel vapor storage canister)	9D694
Shield (heat)	9A462
Shroud & tube assy. (carb. air cleaner air duct)	9A603
Silencer assy. (exhaust air supply relief valve)	9B472
Sleeve (fuel tank vent tube)	9A034
Sleeve (speed control connector adjuster)	9D840
Solenoid assy. (carb. throttle emission control)	9D856
Solenoid assy. (speed control)	9C728
Solenoid & metering valve assy. (speed control)	9C726
Spacer (accelerator shaft bracket)	9K706
Spacer (air cleaner to carb.)	9E626
Spacer (carb. diaphragm)	9B581
Spacer (carb. thermostatic choke shaft)	9714
Spacer (carb. to intake manifold)	9A589
Spacer (choke thermostat shield)	9C723
Spacer (exhaust air supply pump mounting bracket)	9B461
Spacer (exhaust control valve)	9A470
Spacer (exhaust manifold to muffler inlet pipe)	9A435
Spacer (fuel tank strap)	9K019
Spacer (fuel tank vent pipe flange)	9A254
Spacer (intake manifold bolt)	9C489
Spacer (pump assy. exhaust air supply)	9B488
Speed control kit	9A818
Spring (accelerator pedal pivot)	9C804
Spring (accelerator retracting)	9737
Spring (accelerator shaft to pedal)	9760
Spring (carb. accelerator diaphragm return)	9636
Spring (carb. accelerator pump)	9636
Spring (carb. accelerator pump lever return)	9636
Spring (carb. accelerator pump overtravel)	9A538
Spring (carb. accelerator pump rod)	9D598
Spring (carb. adjusting needle)	9540
Spring (carb. air cleaner air duct intake valve plate)	9B684
Spring (carb. air valve)	9H556
Spring (carb. choke control)	9587
Spring (carb. choke diaphragm)	9587
Spring (carb. choke lever)	9C513
Spring (carb. choke lever plunger)	9587
Spring (carb. choke modulator)	9587
Spring (carb. choke plate)	9560

PART NAME	GROUP NUMBER
S - cont'd.	
Spring (carb. dashpot diaphragm)	9636
Spring (carb. fast idle adjusting screw)	9578
Spring (carb. fast idle cam)	9G526
Spring (carb. float)	9A519
Spring (carb. float bowl vent return)	9560
Spring (carb. float dampener)	9F570
Spring (carb. float hinge)	9F570
Spring (carb. idle adjusting needle)	9578
Spring (carb. idle air by-pass screw)	9578
Spring (carb. idle speed screw)	9589
Spring (carb. idle stop)	9578
Spring (carb. metering rod tension)	9D820
Spring (carb. power valve)	9E525
Spring (carb. power valve adjusting)	9E505
Spring (carb. power valve ball check)	9578
Spring (carb. pump check valve)	9H598
Spring (carb. pump lever adjusting screw)	9571
Spring (carb. secondary float dampener)	9F571
Spring (carb. secondary throttle diaphragm return)	9B504
Spring (carb. speedup control activator)	9C531
Spring (carb. thermostatic choke)	9A590
Spring (carb. throttle control)	9A538
Spring (carb. throttle return)	9B569
Spring (exhaust air supply pump vane shoe)	9B476
Spring (exhaust control valve stop)	9A458
Spring (exhaust control valve tension)	9A469
Spring (exhaust thermostat control valve)	9449
Spring (exhaust thermostat control valve coil)	9467
Spring (fuel indicator lens retainer)	9E292
Spring (fuel pump diaphragm)	9396
Spring (fuel pump rocker arm return)	9380
Spring (fuel pump valve)	9360
Spring (speed control brush holder)	9C898
Spring (trans. kickdown control lever retracting)	7B146
Spring (vacuum fuel pump diaphragm)	9315
Spring & extension kit (accelerator return)	9737
Stabilizer (accelerator bellcrank)	9D702
Strap assy. (exhaust air supply cleaner mounting)	9B469
Strap assy. (fuel tank support)	9092
Strap assy. (fuel tank support rear)	9057
Stud (exhaust manifold to exhaust pipe)	9454
Support (exhaust air supply pump bracket)	9B451
Support (fuel tank)	9061
Support (fuel tank vent expansion tank)	9A249
Support assy. (carb. booster venturi)	9A523

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Switch (oil pressure sender)	9278
Switch assy. (fuel low level warning)	9F326
Switch assy. (fuel pump oil pressure)	9344
Switch assy. (fuel tank selector)	9A050
Switch assy. (spark control)	9E740
Switch assy. (speed control actuator)	9C888-9
Switch assy. (speed control inhibitor)	9C872
Switch assy. (speed control release)	9A837
Switch assy. (speed control vacuum retard)	9D734
Swivel (carb. choke diaphragm adjusting)	9F558
Swivel (carb. choke plate adjusting)	9F558, 9D563
Swivel assy. (accelerator shaft to speed control connector)	9C824
T	
Tank assy. (fuel)	9002
Tank assy. (fuel tank vent expansion)	9A091
Tee (fuel vapor storage canister inlet)	9E645
Thermostat assy. (carb. air cleaner)	9B650
Throttle control kit	9B742
Tray assy. (carb. air cleaner)	9A600
Trunnion (accelerator shaft to bellcrank rod)	9A846
Trunnion (carb. throttle lever)	9C760
Trunnion (speed control servo bellcrank)	9D766
Tube (anti-backfire valve vacuum)	9H563
Tube (aux. fuel tank to selector valve)	9F308
Tube (carb. air cleaner inlet)	9B632
Tube (carb. balance)	9A501
Tube (carb. float bowl connection)	9534
Tube (carb. fuel transfer)	9H576
Tube (carb. high speed air bleeder)	9G540
Tube (carb. main well)	9991
Tube (carb. secondary throttle balance)	9A501
Tube (carb. secondary throttle control vacuum)	9997
Tube (exhaust air supply lower)	9A484
Tube (exhaust air supply pump inlet)	9B456
Tube (exhaust air supply pump outlet)	9B457

PART NAME	GROUP NUMBER
T - cont'd.	
Tube (fuel)	9291
Tube (fuel front)	9A318
Tube (fuel pump to carb.)	9369
Tube (fuel tank air relief)	9023
Tube (fuel tank to pump)	9282
Tube (fuel tank to pump rear)	9A084
Tube (fuel tank vent lower)	9101
Tube (fuel tank vent to storage canister)	9A228
Tube (fuel valve)	9159
Tube (fuel vapor expansion tank to canister crossover)	9D675
Tube (fuel vapor expansion tank to canister front)	9D673
Tube (fuel vapor return)	9B337
Tube (fuel vapor separator to fuel tank front)	9C288
Tube (fuel vapor separator to fuel tank rear)	9C289
Tube (thermostatic choke control inlet)	9820
Tube (thermostatic choke control outlet)	9819
Tube assy. (air cleaner)	9D601
Tube assy. (anti-backfire valve)	9B291
Tube assy. (anti-backfire valve inlet)	9H559
Tube assy. (carb. air cleaner hot air)	9652
Tube assy. (carb. air cleaner intake)	9A624
Tube assy. (carb. fuel supply)	9D280
Tube assy. (carb. to manifold spacer outlet)	9C524
Tube assy. (exhaust air supply intermediate)	9B480
Tube assy. (exhaust air supply pump upper)	9B448
Tube assy. (fuel filter to carb.)	9A274
Tube assy. (fuel filter to fuel pump)	9B273
Tube assy. (fuel pump to fuel manifold)	9F288
Tube assy. (fuel tank filler)	9N276
Tube assy. (fuel tank vent)	9A086
Tube assy. (fuel tank vent upper)	9049
Tube assy. (fuel vapor storage canister purge outlet)	9D667-8
Tube assy. (intake manifold heat)	9C498
Tube assy. (oil pressure indicator)	9B278
Tube assy. (thermostatic choke control inlet)	9B700
Tube assy. (thermostatic choke heater)	9C869
Tube assy. (vacuum manifold to eng.)	9D434
Tube assy. (vacuum pump)	9413
Tube & fitting assy. (carb. fuel inlet)	9E321
Tube & sleeve assy. (fuel vapor purge inlet)	9E630
Tune-up kit (carb.)	9A586

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
V	
Vacuum motor assy. (carb. air cleaner)	9D612
Valve (carb. accelerator pump check)	9576
Valve (carb. accelerator pump discharge needle)	9A516
Valve (carb. air)	9H555
Valve (carb. float bowl vent)	9557, 9D583
Valve (choke bleeder temperature control)	9J691
Valve (fuel pump)	9358
Valve (speed control solenoid)	9D776
Valve assy. (anti-backfire)	9B289
Valve assy. (carb. air cleaner anti-splash)	9E637
Valve assy. (carb. choke delay)	12A091
Valve assy. (carb. distributor vacuum spark control)	9B572
Valve assy. (carb. power)	9G551, 9594
Valve assy. (carb. spark control)	9B572
Valve assy. (deceleration)	9K793
Valve assy. (exhaust air supply check)	9A487
Valve assy. (exhaust air supply pump)	9B479
Valve assy. (exhaust thermostat control)	9A427, 9460
Valve assy. (fuel pump)	9352
Valve assy. (fuel tank selector)	9189
Valve assy. (fuel tank vent)	9A153
Valve assy. (idle speedup)	9B756
Valve assy. (speed control metering)	9C727
Valve & printed circuit assy. (throttle modulator)	9E718
Valve & seat assy. (carb. fuel inlet)	9564
Valve kit (carb. fuel inlet)	9564
Vane & bearing assy. (exhaust air supply pump)	9B474

PART NAME	GROUP NUMBER
W	
Washer (carb. choke rod seal)	9C771
Washer (carb. leveling shaft)	9568
Washer (carb. throttle lever nut lock)	9568
Washer (fuel pump filter bowl seal)	9K354
Washer (fuel pump rocker arm pin)	9418
Weight (carb. float pendulum)	9H545
Weight (carb. pump discharge ball)	9B511
Wire assy. (carb. emission control solenoid jumper)	9D866
Wire assy. (fuel level warning relay feed)	9F283
Wire assy. (fuel pump feed)	9A400
Wire assy. (fuel shut-off solenoid feed)	9A451
Wire assy. (oil pressure gauge connector)	9A282
Wire assy. (speed control)	9A840
Wire assy. (speed control extension)	9C877, 9C887
Wire assy. (speed control feed)	9A839
Wire assy. (speed control release)	9D808
Wiring assy. (carb. idle speed-up control)	9H568
Wiring assy. (carb. throttle emission control solenoid)	9D857
Wiring assy. (fuel pump)	9A350
Wiring assy. (speed control connector)	9D821
Wiring assy. (throttle modulator control)	9E724
Wiring assy. (throttle modulator valve ground)	9E717
Wiring assy. (throttle modulator valve jumper)	9E754

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9002 TANK ASSY. - FUEL			
	All fuel tank capacities shown in U.S. gallons			
	- A -			
65	A(except 71)	20 gallon capacity	1	C5AZ 9002-A
65/68	A(71)	20 gallon capacity	1	C5AZ 9002-D
66/68	A(except 71)	25 gallon capacity	1	C7AZ 9002-B
69	A(71)	23 gallon capacity	1	C9AZ 9002-B
70	A(except 71)-with ev/em	23 gallon capacity	1	D0AZ 9002-A
69/70	A(except 71)-without ev/em	24.5 gallon capacity	1	D0AZ 9002-B
70	A(71)-without ev/em	22.5 gallon capacity	1	D0AZ 9002-C
70	A(71)-with ev/em		1	D0AZ 9002-E
71/72	A(except 71) "Before 11/29/71"	22.5 gallon capacity	1	D1AZ 9002-A
72	A(except 71) "From 11/29/71"	22 gallon capacity	1	D2AZ 9002-B
71/	A(71)	21 gallon capacity	1	D2AZ 9002-A
	- B -			
65	B(except 71)	16 gallon capacity	1	C2OZ 9002-A
65	B(71)	16 gallon capacity-use with 2.25" diam.filler pipe	1	C3OZ 9002-B
66/69	B(except 66,71)	20 gallon capacity with connector-pkg. Includes (1) C7OZ 9A168-A connector, (3) 380882-S clamps	1	C6OZ 9002-K
67/69	B(66)	Service pkg. Includes (1) 87616-S2 plug	1	D0OZ 9002-C
70	B(66)-without ev/em	20 gallon capacity	1	D0OZ 9002-A
70	B(66)-with ev/em	18 gallon capacity	1	D0OZ 9002-B
70	B(except 66,71)-without ev/em	22 gallon capacity	1	D0OZ 9002-D
70	B(except 66,71)-with ev/em	20 gallon capacity	1	D0OZ 9002-E
66/70	B(71)-without ev/em	19 gallon capacity	1	D0OZ 9002-F
70	B(71)-with ev/em	17 gallon capacity	1	D0OZ 9002-G
71	B(except 66,71)	20 gallon capacity	1	D1OZ 9002-B
71	B(71)	18 gallon capacity	1	D1OZ 9002-A
71	B(66)	18 gallon capacity	1	D1OZ 9002-C
72	B(except 71,97)	22.5 gallon capacity	1	D2OZ 9002-D
72	B(71)	20.5 gallon capacity	1	D2OZ 9002-C
72	B(97)	22.5 gallon capacity	1	D2OZ 9002-B
	- F -			
65/68	F	16 gallon capacity	1	C5ZZ 9002-D
69	F	20 gallon capacity	1	C9ZZ 9002-A
70	F-without ev/em	22 gallon capacity	1	D0ZZ 9002-A
70	F-with ev/em	20 gallon capacity	1	D0ZZ 9002-B
71/	F	20 gallon capacity	1	D1ZZ 9002-A
	- L -			
71/	L(62,64)	11 gallon capacity	1	D1FZ 9002-A
72	L(73)		1	D2FZ 9002-A
	- P -			
70	P-without ev/em	16 gallon capacity	1	D0DZ 9002-A
70	P-with ev/em	14 gallon capacity	1	D0DZ 9002-D
71/	P	15 gallon capacity	1	D3DZ 9002-A
	- S -			
65/66	S	Service pkg. Includes (2) C4SZ 9031-A clip, (1) C4SZ 9A086-A tube assy.,(1) C4SZ 9170-A hose	1	C4SZ 9002-B
66/69	S	25 gallon capacity	1	C7AZ 9002-B
70	S-without ev/em		1	
70	S-with ev/em	22.5 gallon capacity	1	D0SZ 9002-C
71	S	23 gallon capacity	1	D1SZ 9002-A
72	S	22.5 gallon capacity	1	D2OZ 9002-D
	- U -			
66/69	U	14.5 gallon capacity	1	C8TZ 9002-D
70	U-with ev/em	14.5 gallon capacity	1	D0TZ 9002-D
71/	U		1	
70	U-without ev/em	14.5 gallon capacity	1	D0TZ 9002-E
70	U-with ev/em	7.5 gallon capacity-auxiliary (Nylon)	1	D0TZ 9002-J
71/72	U "Before Ser. P40,001"		1	
72	U "From Ser. P40,001"		1	D3TZ 9002-A
66/69	U	12 gallon capacity-auxiliary (Nylon)	1	D0TZ 9002-K
70	U-without ev/em		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9002 TANK ASSY. - FUEL - continued			
	All fuel tank capacities shown in U.S. gallons			
	- X -			
65	X(except 66,71,78)	16 gallon capacity-use with C5ZZ 9275-B	1	C4DZ 9002-E
65	X(66,71,78)	Service pkg. includes (1) 87616-S2 plug	1	D0OZ 9002-C
66	X(66,71)		1	
67/70	X(71)		1	
67/70	X(except 71)-w/o ev/em	16 gallon capacity	1	C6DZ 9002-B
66	X(except 66,71)		1	
70	X-with ev/em	13.5 gallon capacity	1	D0DZ 9002-E
65/	A, B, F, P, S, X	Plug (tank drain)-1/4"-18 x 3/4"-extended head	1	353055-S7(PP29)
68/69	B(66), X(71)	Bolt (fuel tank to 9092)-3/8"-16 x 1.00	AR	★374350-S
70	B, F, P	Screw (fuel tank to underbody)-1/4" x 14 x 1/2"-hex. washer head-self tapping	AR	55981-S2(U254E)
65/	F	Screw (fuel tank to underbody)-No. 14-10 x 3/4" hex. washer head	11	42143-S8(U255)
65/70	X(except 66.71,78)		11	
70	P	Screw (fuel tank to underbody)-1/4" x 14 x 3/4"-hex. washer head-self-tapping	16	55914-S2(U254F)
70	B, X	Bolt (tank to 9092)-7/16"-16 x 3/4" hex.hd.	AR	★56338-S
70	B	Hose clamp slotted band (tank to 9170)-57/64" open dia.	1	★97204-S
71/	B(71), F	Nut (fuel tank to underbody)-3/8"-16-hex.hd. lock	AR	382802-S2 (MM173JB)
71/	B (except 66,71)	Screw (fuel tank to underbody)	AR	55981-S2(U254E)
71/	B(71)	Nut (tank to 9092)-3/8"-16-washer hex. lock	2	376575-S7-8 (MM173H)
	9B002 ELBOW - FUEL TANK VENT VALVE			
70	X-with ev/em		1	D0DZ 9B002-A
	9A004 BRACKET - FUEL TANK SUPPORT			
72	L(73)		1	D2FZ 9A004-A
	9008 RETAINER - FUEL TANK FILLER PIPE			
65/67	A(except 71)	Seal-lower	1	C5AZ 9008-A
67/68	S		1	
68	A(except 71)	Seal & retainer-lower-steel and rubber-1.88" I.D. -5.68" O.D.	1	C8AZ 9008-A
69/70	A,S			
71	A(71)		1	
69/70	A(71)	Retainer	1	C9AZ 9008-A
65	B(71)	Grommet	1	C3OZ 9008-A
66	B(except 71)		1	C6OZ 9008-A
67/69	B(except 66,71)		1	
70	B(except 66,71)	Retainer	1	D0OZ 9008-A
70	B(76)	Seal-lower	1	D0OZ 9008-B
71/	A	Seal-lower	1	D1AZ 9008-A
71/	S		1	
71	B(76)	Seal-lower	1	D0OZ 9008-A
71/	F, P	Seal-lower	1	D1ZZ 9008-A
71	B(except 66,71)	Retainer	1	D1OZ 9008-B
69	A	Screw (retainer to 9034)-1/4"-14 x 3/8"-self tapping hex.hd.	AR	★55980-S
70	A(71)	Nut (retainer to housing filler pipe)-No. 10 x 24 hex. hd.	4	376784-S2 (MM295R)
70	A(71)	Screw (retainer to flange filler pipe)-1/4" -14 x 1/2" hex. hd.	1	55981-S2(U254E)
70	B(76)	Screw (seal to reinforcement rear floor member)-No. 8-15 x 1/2"-self-tapping	4	52012-S8(U202)
	9B008 FILTER ASSY. - FUEL VAPOR VALVE TUBE AIR			
70	U-with ev/em		1	D0TZ 9B008-A
71/	U		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9A010 BOLT - FUEL TANK STRAP			
65/68	A(71)		1	C5AZ 9A010-D
66/	B(71)		1	
65/68	A(except 71)	R.H. & L.H.-3/8"-16 x 4.25" carriage bolt	2	C8AZ 9A010-A
69/	A		2	
71/	F		2	
67/	S		2	
72	B(except 71)		2	
71/	P		2	
71/	L(62,64)		1or2	
65	B.X(66.71.78)	3/8"-16 x 4.20" long-includes loop	2	C7DZ 9A010-B
66	X(66,71)		2	
67/69	B(66),X(71)		2	
70/71	B(66)		2	
65/66	S	3/8"-16 x 4.50" long including loop-	2	B8AZ 9A010-A
66/	U	Use with Nylon auxiliary fuel tank	2	
66/69	U	Use except with Nylon auxiliary fuel tank	1	
70/	U	3/8"-16 x 4.20" including loop	1	C9TZ 9A010-A
		Washer-3/8"-flat	2	44727-S8(X24)
65/	A(71)	Nut-3/8"-16 hex. washer-lock	2	373403-S8(MM173J)
67	B(66)		2	
65/66	S	Nut-lock-3/8"-16-hex.	2	34394-S7-8(M93A
70	U	Nut-3/8"-16-locking	2	382535-S100 (MM173MX)
70	U	Washer-3/8"-flat	2	44729-S(X25)
68/69	B(66,71),X(71)	Nut (9A010 to 9057,9092)-3/8"-16 lock-flanged	2	382802-S2
70	A,S		2	(MM173JB)
	9A011 FILTER - GAUGE FUEL TANK UNIT			
65/	A,B,F,L,P,S	Use with 3/8" outlet tube-also serviced in 9275 assy.	1	D1AZ 9A011-A
65/	A,B,F,L,P,S	Use with 5/16" outlet-tube-also serviced in 9275 assy.	1	D1FZ 9A011-A
	9K018 BRACKET - AUXILIARY FUEL TANK LOCATING REAR			
66/	U	Use with Nylon auxiliary fuel tank	1	C6TZ 9K018-A
	9K019 SPACER - FUEL TANK STRAP - IMPROVISE			
	9B022 SHIELD - FUEL TANK VENT VALVE			
70	A(except 71),S-with ev/em		1	D0AZ 9B022-A
70	A,B(71)-with ev/em		1	D0OZ 9B022-B
70	B(except 71),F-with ev/em		1	D0OZ 9B022-A
	9023 TUBE - FUEL TANK AIR RELIEF - Improvise from Basic 2269 Bulk Tubing			
	9B026 BRACKET - FUEL TANK VENT TUBE SHIELD - UPPER - IMPROVISE			
	9B027 BRACKET - FUEL TANK VENT TUBE SHIELD - LOWER - IMPROVISE			
	9030 CAP ASSY. - FUEL TANK FILLER			
	NON-LOCKING			
	- A -			
65/68	A(71)	Vented	1	C5AZ 9030-A (FC-46)
65/68	A(except 71)	Vented-anti-surge-2.47" diameter	1	C7AZ 9030-A
69	A		1	(FC-40)
70	A-without ev/em		1	
70	A-with ev/em	Non-vented	1	D0AZ 9030-A (FC-535)
71/	A	Repl.by D5AZ 9030-B(FC-769-A)	1	★D2AZ 9030-A (FC-544-A)
	- B -			
65	B(71)	Vented-anti-surge-chrome finish	1	C0DZ 9030-D
66/69	B(66)		1	(FC-24)
65	B	Vented	1	C5AZ 9030-A
66/69	B(71)		1	(FC-46)
66	B(except 71)		1	C6OZ 9030-A
67/69	B(except 66,71)		1	(FC-31)
70	B(71)-without ev/em	Vented	1	C5AZ 9030-A (FC-46)
70	B(except 66, 71)	Non-vented	1	D0AZ 9030-A
70	B(71)-with ev/em		1	(FC-535)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9030 CAP ASSY. - FUEL TANK FILLER - continued			
	- B - NON-LOCKING			
70	B(66)-without ev/em	Vented	1	D0OZ 9030-A (FC-539)
70	B(66)-with ev/em	Non-vented	1	D0OZ 9030-B (FC-540)
71	B(except 66, 97)	Repl.by D5AZ 9030-B (FC-769-A)	1	★D2AZ 9030-A (FC-544-A)
71	B(66A, B, C)	Primer finish-when used on Ranchero Squire dealer must paint & install wood grain decal	1	D1FZ 9030-A (FC-541)
72	B(97)		1	
71	B(66A, B, C)	Chrome finish-3.60" diameter	1	D1PZ 9030-J (FC-701)
72	B(97)		1	
71	B(66E)	Wood grain finish	1	D1OZ 9030-C (FC-546)
72	B(exc. 97)		1	D2OZ 9030-D (FC-103)
	- F -			
66	F(GT350)		1	S2MS 9030-A
66/67	F (GT)	Identified by letters "GT"-service pkg. includes (1) 380331-S8 nut & lockwasher assy.	1	C7ZZ 9030-C
67/68	F(GT350/500)	Less emblem	1	C8ZX 9030-A
68	F(GT/CS)	Pop-off type cap assy. - Identified by "Mustang Emblem"-service pkg.includes (1) 380331-S2 nut and lockwasher assy.	1	C8ZZ 9030-C
67	F(except GT)		1	
67	F(GT)	Pop-off type cap assy.-identified by letters "GT"-service pkg. includes (1)380331-S8 nut and lockwasher assy.	1	C8ZZ 9030-D
68	F(GT except GT/CS)		1	
69	F(GT-except 350/500)	Pop-off type cap assy.-identified by letters "GT" - service pkg. includes chrome retainer & (1) 380331-S nut & washer assy.	1	C9ZZ 9030-B
69	F(63C)	Pop-off type cap assy.-identified by "Mustang Emblem" - service pkg. includes chrome retainer & (1) 380331-S nut & washer assy.	1	C9ZZ 9030-C
65	F	Identified by "Mustang Emblem"-service pkg. includes (1) 380331-S nut & washer assy.	1	C9ZZ 9030-A
66/68	F(except GT and GT350/500)		1	
69	F(except GT and 63C)		1	
70	F(except 63C, GT350/500)-without ev/em		1	
70	F(except 63C, GT350/500)-with ev/em	Identified by "Mustang Emblem" - service pkg. includes (1) 380331-S8 nut & washer assy.	1	D0ZZ 9030-A
70	F(63C)-with ev/em	Pop-off type cap assy.-identified by "Mustang Emblem"-service pkg. includes chrome retainer & (1) 380331-S8 nut & washer assy.	1	D0ZZ 9030-D
70	F(63C)-without ev/em	Pop-off type cap assy.-identified by "Mustang Emblem" - service pkg. includes chrome retainer & (1) 380331-S8 nut & washer assy.	1	D0ZZ 9030-E
69/70	F(GT350/500)-without ev/em	Vented-anti-surge-2.47" diameter	1	C7AZ 9030-A (FC-40)
70	F(GT350/500-with ev/em	Non-vented	1	D0AZ 9030-A (FC-535)
71/	F(except 63R)	Identified by "Mustang Emblem"	1	D2ZZ 9030-A
71/	F(except 63R)	Stainless steel	1	D2PZ 9030-C (FC-708)
71/	F(63R)	Pop-off type cap assy.-service pkg. includes (1) 376331-S36 nut & washer assy.	1	D1ZZ 9030-C
65/	F	Nut and washer assy. (cap assy. to lower back panel)-No. 12-24 hex. lock	1	380331-S7-8 (MM173G)
70	F(63C)	Screw (cap, pipe assy. to body back panel)-No. 10 -16-1/2"-self-tapping	4	52013-S8(U209)
71	F(63)	Screw (cap and flange to back panel)-No.14-14 x .75" flat head tap	4	★52025-S2
71/	F(63)	Nut & washer assy.(cap, flange to back panel)-1/4"-20	1	376331-S36 (MM292B)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9030 CAP ASSY. - FUEL TANK FILLER - continued			
	NON-LOCKING			
	- L -			
71/	L(exc. 73 Squire)	Primer finish	1	D1FZ 9030-A (FC-541)
71/	L	Chrome finish-3.60" diameter	1	D1PZ 9030-J (FC-701)
72	L(73 Squire)	Woodgrain finish	1	D1OZ 9030-C (FC-546)
	- P -			
70	P-without ev/em (with decor group opt.)	4.12" diameter-identified by bright steer head with black background-plastic medallion	1	D0DZ 9030-L
70	P-with ev/em (with decor group opt.)	4.12" diameter-identified by bright steer head with black background-plastic medallion	1	D0DZ 9030-M
70	P-without ev/em (without decor group opt.)	4.12" diameter-identified by bright steer head with black background-aluminum medallion stainless steel shell	1	D0DZ 9030-N
70	P-with ev/em (without decor group opt.)	4.12" diameter-identified by bright steer head with black background-aluminum medallion stainless steel shell	1	D0DZ 9030-R
71/	P (Standard)	Identified by steer head-chrome	1	D2DZ 9030-A
72	P (Deluxe)	Chrome	1	D2DZ 9030-B
71/	P	Stainless steel	1	D2PZ 9030-C (FC-708)
71	P	Bolt (pipe gasket to back panel)-1/4"-20 x 1/2" hex.washer head	1	★56301-S4
	- S -			
65/66	S	Vented	1	C5AZ 9030-A (FC-46)
67/69	S	Vented-anti-surge-2.47" diameter	1	C7AZ 9030-A (FC-40)
70	S-without ev/em		1	
70	S-with ev/em	Non-vented	1	D0AZ 9030-A (FC-535)
71	S	Repl.by D5AZ 9030-B (FC-769-A)	1	★D2AZ 9030-A (FC-544-A)
72	S		1	D2OZ 9030-D (FC-103)
	- U -			
66/70	U	Use for standard & auxiliary tanks	AR	B6TZ 9030-A (FC-23)
70	U	Vented-anti-surge	1	C8UZ 9030-A (FC-530)
70/	U-with ev/em	Primer finish-use for standard & auxiliary tanks-3.25" O.D.	AR	D1UZ 9030-A (FC-543)
71	U	Stainless steel-use for standard & auxiliary tanks-3.25" O.D.	AR	D1PZ 9030-K
	- X -			
65	X (66B)	Kit fuel cap assy.	1	C5DZ 9030-B
	Consists of the following			
	1-C4DA 9A107-B Cap (fuel tank filler)	1-C4DZ 59405A48-A Moulding		
	1-C4DA 9A112-B Retainer (fuel filler cap)	2-40904-S8 Screw		
65	X (71B)	Kit fuel cap assy. (Black applique)	1	C5DZ 9030-C
	Consists of the following			
	1-C5DA 9A107-C Cap (fuel tank filler)	1-C5DZ 71405A48-A Moulding (upper)		
	1-C4DA 9A112-B Retainer (fuel filler cap)	1-C5DZ 71405A50-A Applique (black)		
	1-C5DZ 71405B30-A Moulding (lower)	4-372103-S8 Screw		
65	X (71B)	Kit fuel cap assy. (White applique)	1	C5DZ 9030-D
	Consists of the following			
	1-C5DA 9A107-C Cap (fuel tank filler)	1-C5DZ 71405A48-A Moulding (upper)		
	1-C4DA 9A112-B Retainer (fuel filler cap)	1-C5DZ 71405A50-B Applique (white)		
	1-C5DZ 71405B30-A Moulding (lower)	4-372103-S8 Screw		
65	X (71B)	Kit fuel cap assy. (Red applique)	1	★C5DZ 9030-E
	Consists of the following			
	1-C5DA 9A107-C Cap (fuel tank filler)	1-C5DZ 71405A48-A Moulding (upper)		
	1-C4DA 9A112-B Retainer (fuel filler cap)	1-C5DZ 71405A50-C Applique (red)		
	1-C5DZ 71405B30-A Moulding (lower)	4-372103-S8 Screw		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9030 CAP ASSY. - FUEL TANK FILLER - continued			
	- X -	**NON-LOCKING**		
65	X(except 71)	Vented-anti-surge-Chrome finish	1	C0DZ 9030-D
66	X(66)		1	(FC-24)
65	X(59,66A,71A,78A)		1	C4DZ 9030-C
65	X(71C)			(FC-508)
68/69	X(except 71)	Vented	1	C8DZ 9030-A
66/67	X(except 71,66)		1	(FC-527)
70	X(except 71)-without ev/em		1	
66/70	X(71)	Vented-anti-surge-2.47" diameter	1	C7AZ 9030-A
				(FC-40)
70	X-with ev/em		1	D0DZ 9030-S
		LOCKING		
65	X (except 71)	Vented-locking type- 3 3/4" O.D. -use with	1	C4RZ 9030-A
65	B (71)	1.830" O.D. filler pipe	1	(FC-83)
65/68	F(except pop-up type)		1	
67/69	B (66)		1	
70	P-without ev/em		1	
70	F(except 63C)-without ev/em		1	
65	B (except 71)	Vented-locking type-2 1/4" O.D. -use with	1	C4RZ 9030-B
66/70	B (71)-without ev/em	1.630" O.D. filler pipe	1	(FC-92)
65/68	A (71)		1	
65/66	S		1	
65/68	A (except 71)	Vented-locking type-2 1/4" O.D. -use with	1	C4RZ 9030-C
69/70	A (all) -without ev/em	1.830" O.D. filler pipe	1	(FC-91)
68/69	B (except 66)		1	
67/70	S		1	
66/70	X-without ev/em		1	
70	B(except S/W,66)-without ev/em	Non-vented locking type	1	D0OZ 9030-C
66/69	B(except S/W)		1	(FC-93)
70	U-with ev/em	Locking type-chrome plated -use on std. tank	1	D1PZ 9030-C
71/	U	only	1	(FC-752)
71/	A,S	Locking type	1	D1PZ 9030-D
71/	B(except 66,97)		1	(FC-750)
71/	F(except 63R)	Locking type	1	D1PZ 9030-E
71/	P		1	(FC-755)
71/	B(66,97)	Locking type	1	D1PZ 9030-G
71/	L		1	(FC-751)
65/71		CAP ASSORTMENT KIT - FUEL TANK FILLER	1	C8PZ 9030-A
				(FC-1000)

Consists of the following

3-A9AZ 9030-A	Cap (FC-20)	1-C0MY 9030-A	Cap (FC-27)	2-C6OZ 9030-A	Cap (FC-31)
2-B0LY 9030-A	Cap (FC-37)	1-C4RZ 9030-B	Cap (FC-92)	2-C7AZ 9030-A	Cap (FC-40)
2-B9AZ 9030-A	Cap (FC-30)	1-C4RZ 9030-C	Cap (FC-91)	1-C7RA 9030-K	Cap (FC-32)
1-C0DZ 9030-A	Cap (FC-24)	2-C5AZ 9030-A	Cap (FC-46)		

	9031 CLIP - FUEL TANK VENT TUBE			
70	B	Steel - improvise	2	★B9MB 9031-A
70	P	Steel	1	D0DZ 9031-A
65/66	S		2	C4SZ 9031-A
70	P	Screw (clip-fuel tank vent tube to floor pan)- 1/4" x 14 x 3/4" -hex. washer head-self tapping	2	55914-S2(U254F)
	9A031 EMBLEM - FUEL TANK FILLER CAP			
67	F(GT350)	Identified "GT350"	1	S7MS 9A031-A
67	F(GT500)	Identified "GT500"	1	★S7MS 9A031-B
68	F(GT350/500)-except Cobra Jet	Identified "Shelby Cobra"	1	S8MS 9A031-C
68	F(GT500)-K.R.-with Cobra Jet	Identified "Cobra Jet"	1	S8MS 9A031-E
	9A032 SHIELD - FUEL TANK HEAT			
66/70	U		1	C6TZ 9A032-A
	9034 PIPE ASSY. - FUEL TANK FILLER			
	- A -			
65	A(except S/W)		1	C5AZ 9034-A
66	A(except S/W)		1	C6AZ 9034-A
67	A(except S/W)		1	C7AZ 9034-A
68	A(except S/W)	2 1/4" diameter	1	C8AZ 9034-A
69	A(except S/W)	2.25" diam. filler pipe-12.28" overall length	1	C9AZ 9034-A
69	A(S/W)	2.25" diam.filler pipe-17.44"overall length	1	C9AZ 9034-B
70	A(except S/W)-with ev/em		1	D0AZ 9034-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9034 PIPE ASSY. - FUEL TANK FILLER - continued			
	- A -			
70	A(except S/W)-without ev/em		1	D0AZ 9034-B
70	A(S/W)-with ev/em		1	D0AZ 9034-C
70	A(S/W)-without ev/em		1	D0AZ 9034-D
71/72	A(except S/W) "Before 11/29/71"		1	D1AZ 9034-A
72	A(except S/W) "From 11/29/71"		1	D2AZ 9034-A
71/	A(S/W)		1	D1AZ 9034-B
	- B -			
65	B(except S/W)	Use with C2OZ 8287-A clamp to attach pipe to body bracket	1	C2OZ 9034-B
67	B(66)	Upper	1	C6DZ 9034-A
68/69	B(66)	Upper	1	C8OZ 9034-A
69	B(66)	Lower	1	C6DZ 9034-B
70	B(66)-without ev/em		1	D0OZ 9034-A
70	B(66)-with ev/em		1	D1OZ 9034-E
71	B(66)		1	
72	B(except 71, 97) " Before 7/3/72"		1	D2OZ 9034-B
72	B(exc. 71, 97) " From 7/3/72"		1	D3OZ 9034-A
72	B(97)	Upper	1	D2OZ 9034-C
	- F -			
65/66	F		1	C5ZZ 9034-B
67	F		1	C7ZZ 9034-A
68	F		1	C8ZZ 9034-A
69	F	2.25" diam.filler pipe-6.76" overall length	1	C9ZZ 9034-A
69/70	F(GT350)		1	
69/70	F(GT500)		1	C9ZZ 9034-B
70	F-without ev/em		1	D0ZZ 9034-A
70	F-with ev/em		1	D0ZZ 9034-B
71/	F		1	D1ZZ 9034-A
	- L -			
71/	L(62, 64)		1	D1FZ 9034-A
72	L(73)		1	D3FZ 9034-C
	- P -			
70	P-without ev/em	2.25" diameter with flange-9.22" overall length	1	D0DZ 9034-A
70	P-with ev/em		1	D0DZ 9034-C
71/	P		1	D1DZ 9034-A
	- S -			
65	S "Before 11/16/64"		1	C4SZ 9034-B
65/66	S "From 11/16/64"		1	C5SZ 9034-A
67/69	S		1	C7SZ 9034-B
70	S-with ev/em		1	D0SZ 9034-A
70	S-without ev/em		1	D0SZ 9034-B
71	S		1	D1SZ 9034-A
72	S " Before 7/10/72"		1	D2SZ 9034-A
72	S " From 7/10/72"		1	D3SZ 9034-A
	- U -			
66/69	U	Use with Nylon auxiliary fuel tank	1	C8TZ 9034-B
70	U-without ev/em	Use with auxiliary fuel tank	1	
66/68	U	Use with standard fuel tank	1	C8TZ 9034-A
70	U-with ev/em	Use with standard fuel tank	1	D0TZ 9034-G
70	U-with ev/em	Use with auxiliary fuel tank	1	D0TZ 9034-H
69/70	U-without ev/em	Use with standard fuel tank	1	D0TZ 9034-K
71/	U	Use with auxiliary fuel tank	1	D1TZ 9034-G
71/	U	Use with standard fuel tank	1	D1TZ 9034-E
	- X -			
65	X(S/D, S/W, 66)		1	C4DZ 9034-A
65	X(except S/D. S/W. 66)		1	C4DZ 9034-B
66	X(66)	Upper	1	C6DZ 9034-A
66	X(S/W, 66)	Lower	1	C6DZ 9034-B
67/70	X(S/W)		1	
66/70	X(S/W)	Upper	1	C6DZ 9034-E
67	X(except S/W)	Not replaced	1	★C6DZ 9034-F
66	X(except S/W, 66)		1	
68/69	X(except S/W)	2.17" diameter	1	C8DZ 9034-A
70	X-with ev/em		1	D0DZ 9034-D

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9034 PIPE ASSY. - FUEL TANK FILLER - continued			
		Washer-1/4" flat	1	44720-S8(X18)
		Lockwasher-1/4"	1	34805-S8(X62)
65/66	A(except S/W)	Seal (fuel filler neck to flange)-2.175" I.D. - 2.657" O.D. "O" ring-rubber	1	379228-S92(KK528)
65/	F	Screw (filler pipe to body lower back panel)- No. 10-16 x 3/8" self tapping-hex. washer head	5	42120-S8(U248)
66/	U	Screw (filler pipe to back panel)- No.8-32 x 1/2" self tapping fill.hd.	AR	★51564-S
66/	U	Screw (filler pipe to back panel)- No.8-32 x 3/8" pan hd.-self tapping	AR	★51755-S
70	P	Bolt (filler pipe to back panel)-5/32" x 1/2" piloted hex.hd.	AR	★56301-S
70	U	Bolt (filler pipe to back panel)-5/16"-18 x 3/4" hex.	AR	★56120-S
71	B(66), F, P	Screw (pipe assy. & gasket to back panel)-	4	55981-S(U254E)
72	P	1/4" -14 x 50 hex. washer head tap	5	
72	S	Screw(pipe assy. to floor pan fill tube support bracket)	2	381877-S2 (UU52AF)
72	L	Screw (pipe assy. & gasket to qtr. panel)- 1/4"-14 x 3/4" pan head	3	381949-S36(UU85A)
71	F(63,65,76), P	Nut (pipe & gasket to back panel)-1 1/4"-20 seal LK	1	376331-S36 (MM292B)
71	L	Screw (pipe & gasket to quarter panel)- 1/4"-14 x 1.00" hex. washer head tap	3	★55915-S2
72	L(All)	Screw (pipe assy. & gasket to quarter panel) 1/4"-14 x 5/8" pan head	3	381949-S36 (UU85A)
71	F	Bolt (pipe & gasket to back panel)	1	★56301-S4
70	F, P	Screw (pipe assy. fuel tank filler to qtr. panel)- 1/4"x14 x 1/2"-hex. washer hd.-self tapping	4	55981-S2(U254E)
70	F, P	Nut (pipe assy. fuel tank filler or deluxe cap assy. to qtr. panel)-1/4" x 20 x 9/32"	1	45234-S7(M179)
65/66	S	Screw (filler pipe to body lower back panel)- No. 10-12 x 1/2" hex. washer head tapping	2	42127-S8(U248C)
71	B(66)	Clamp (hose to pipe & tank 9002) 2-5/8 hose	2	8A 8287
	9A034 SLEEVE - FUEL TANK VENT TUBE - IMPROVISE			
	9039 FLANGE - FUEL TANK FILLER - OUTER			
70	U	Serviced in 9034 assy.	AR	★D0TA 9039-A
66/70	X(S/W)		1	C6DZ 9039-A
65/70	X(S/D, S/W, 66)	Screw (flange to fuel tank filler pipe)- No. 10-16 x 3/8" self tapping-hex. washer head	4	42120-S8(U248)
65	B	Screw (flange to fuel filler pipe)- No.10-32 x 3/8" self tapping-hex.hd.	AR	★41036-S
	9046 BRACKET ASSY. - FUEL TANK SUPPORT			
		REAR		
68/71	S		2	C8SZ 9046-A
71/	F, P	Reinforcement	2	D1ZZ 9046-A
71/	L(62, 64)	R.H.	1	D1FZ 9046-A
		L.H.	1	D1FZ 9046-B
		FRONT		
68/71	B(66), X(71)	Reinforcement	1	C8OZ 9046-B
66/	U	Use with Nylon auxiliary fuel tanks	1	C6TZ 9046-C
65	B(71)		2	C3OZ 9068-A
71/	L(62, 64)		1	D1FZ 9046-C
66/	U	Screw (bracket to frame)-1/4"-14 x 3/4" hex. washer hd.	AR	55914-S(U254F)
70	B	Bolt (bracket to 9002)-1/4"-20 x 3/4" hex.hd.	AR	★56303-S
70	B	Nut hex.(bracket to 9002)-1/4"-20	AR	★34975-S
71	B(66)	Bolt (bracket to 9002) 1/4"-20 x 3/4" hex hd.	AR	★56303-S4
	9047 HOSE - FUEL TANK TO FILLER PIPE			
65	B, X(except S/D, S/W, 66)	2.00"-6.00" long-cut to 4.38" long	1	C5TZ 9047-B
65	B(S/W)	2.25" I.D.-6.82" long	1	C4OZ 9047-B
70/71	B(66)	2.24" I.D.-8.60" long-cut from C4DZ 9047-C	1	★D0OA 9047-A
72	B(97)	2.25" I.D.-6.00" long-cut from C4DZ 9047-C	1	★D2OA 9047-AA

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9047 HOSE - FUEL TANK TO FILLER PIPE - continued			
65/67	F		1	C4GY 9047-A
66	X(except S/W, 66)		1	
67/70	X(except S/W)		1	
68/69	F(except GT350/500)	2.25" I.D. x 4.64" long-cut from C4OZ 9047-B	1	★C8ZA 9047-A
70	F, P-without ev/em		1	
69	F(GT350/500)	2.25" I.D.-6.19" long-cut from C4OZ 9047-B	1	★S9MS 9047-B
70	F, P-with ev/em	2.25" I.D.-3.25" O.D.-3.48" long	1	D0DZ 9047-A
66/67	U	2.00" I.D.-use with Nylon auxiliary fuel tank	1	C6TZ 9047-B
66/	U	1.76" I.D. x 8 3/4" long-use except with Nylon auxiliary fuel tank	1	C6TZ 9047-C
68/72	U " Before Ser. P40,001"	2.00" I.D.-use with Nylon auxiliary fuel tank	1	C8TZ 9047-A
72	U " From Ser. P40,001"	2.00" I.D.-use with Nylon auxiliary fuel tank	1	D3BZ 9047-A
65	X(S/D, S/W, 66)	2.25" I.D.-12.54" long	1	C4DZ 9047-C
66	B(66), X(S/W)		1	
65/70	X	Clamp (fuel filler hose to tank and fuel filler pipe)-adjustable 1 1/2" to 2 1/2"	2	B7A 8287-B
66	X(S/W, 66)	3.50" long-cut from C4DZ 9047-C	1	★C6DA 9047-A
67/69	B(66)			
67/70	X(S/W)		1	
		Nut-No. 10-32		34079-S7(M163)
65/	B, F	Clamp assy. (fuel tank filler hose)-2.6" diam. No. 10-32 x 1 1/2" round head	2	8A 8287
70	P	Clamp assy.(fuel tank filler hose to tank)-3 5/8" dia.-21/32" width-7/64" thick	1	383350-S8(EE16)
	9049 TUBE ASSY. - FUEL TANK VENT - UPPER - Unless listed improvise from Basic 2269 bulk tubing			
70	A(S/W), P-with ev/em	Nylon-.232"/.234" I.D.-.312"/.314" O.D.-36.60" long	1	D0AZ 9049-A
70	A(S/W)-with ev/em	Nylon-.232"/.234" I.D.-.312"/.314" O.D.-15.63/15.87 long-cut from D0AZ 9049-A	AR	★D0AA 9049-M
70	A(except S/W)-with ev/em	Nylon-.230"/.236" I.D.-.312"/.314" O.D.-10.50" long-cut from D0AZ 9049-A	1	★D0AA 9049-G
70	A(except S/W)-with ev/em	Nylon-.230"/.236" I.D.-.312"/.314" O.D.-13.00" long-cut from D0AZ 9049-A	1	★D0AA 9049-H
70	B(S/W)-with ev/em	Nylon-.232"/.234" I.D.-.312"/.314" O.D.-77.50" long	1	D0OZ 9049-A
70	B(except S/W, 66)-without ev/em	Nylon-.232"/.234" I.D.-.312"/.314" O.D.-15.00" long-cut from D0AZ 9049-A	4	★D0OA 9049-C
70	P - with ev/em	Nylon-.230"/.236" I.D.-18.50" long-cut from D0DZ 9049-A	1	★D0DA 9049-B
70	P - with ev/em	Nylon-.230"/.236" I.D.-17.62" long-cut from D0DZ 9049-A	3	★ D0DA 9049-C
70	S-with ev/em	Nylon-.232"/.234" I.D.-.312"/.314" O.D.-17.50" long-cut from D0AZ 9049-A	1	★D0SA 9049-C
70	S-with ev/em	Nylon-.230"/.236" I.D.-.312"/.314" O.D.-17.50" long-cut from D0AZ 9049-A	2	★D0SA 9049-F
70	X-with ev/em	Nylon-11.00" long-cut from D0AZ 9049-A	1	★C9DA 9049-D
70	X-with ev/em	Nylon-11.00" long-cut from D0AZ 9049-A	1	★C9DA 9049-E
70	X-with ev/em	Nylon-7.50" long-cut from D0AZ 9049-A	1	★C9DA 9049-F
70	X-with ev/em	Nylon-2.75" long-cut from D0AZ 9049-A	1	★C9DA 9049-G
66	A	Screw (fuel tank vent tube to bracket lower back panel)-No. 10-16 x 1/2" self tapping-cross recessed	1	380858-S2(UU48J)
66/	U	Clip (tube-fuel tank vent)-steel	1	★380895-S
70	B, X	Strap (tube to panel)-7/16" x 2 3/4"-nylon	AR	★381622-S
70	P	Clip (tube-fuel tank vent-upper to frame)	1	377106-S(GG235)
70	B	Screw (tube to side rail)-1/4"-14 x 1/2"-hex. hd.-self tapping	AR	55981-S2(U254E)
	9A050 SWITCH ASSY. - FUEL TANK SELECTOR			
66/	U	Use with Nylon auxiliary fuel tank	1	D3TZ 9A050-B
	9057 STRAP ASSY. - FUEL TANK SUPPORT - REAR - Also refer to Group 9054, 9092			
65	X(S/D, S/W, 66)		2	C4DZ 9057-A
66	X(S/W, 66)		2	
67	B(66), X(S/W) "Before 3/1/67"		2	
67/68	B(66), X(S/W) "From 3/1/67 to 8/23/67"		2	C7DZ 9057-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9057 STRAP ASSY. - FUEL TANK SUPPORT - REAR - continued - Also refer to Groups 9054, 9092			
68/69	B(66) "From 8/23/67"		2	C7DZ 9057-C
68/70	X(S/W) "From 8/23/67"		2	
70/	B(66)		2	
71	B(66)	Nut (strap assy. to under body) 3/8"-16 hex	2	376575-S78 (MM173H)
	9A058 ANTI-RATTLER - FUEL TANK TO BRACKET			
68	F(65)	Pressed wood panel board-6" long-6" wide-.12" thick-improvise	1	★C7WB 9A058-A
	9061 SUPPORT - FUEL TANK			
65/68	A(71)	13.00" long	1	C5AZ 9061-B
66/71	B(71)		1	
72	B(71)	13.00" long	1	D2OZ 9061-A
	9A061 BRACKET - FUEL TANK SELECTOR VALVE MOUNTING			
66/67	U "Before Ser. B26,001"	Use with Nylon auxiliary fuel tank	1	C6TZ 9A061-A
67/69	U "From Ser. B26,001"	Use with Nylon auxiliary fuel tank	1	C7TZ 9A061-A
	9064 MEMBER - FUEL TANK SUPPORT			
67/70	S		1	D0SZ 9064-B
68	A(except 71)		1	
71/	L		1	D1FZ 9064-A
71	S		1	D1SZ 9064-A
	9068 BRACKET - FUEL TANK SUPPORT - Refer to Group 9046			
	9068 RETAINER - REAR FUEL TANK SUPPORT STRAP BELT			
72	B(71), S		2	D2OZ 9068-A
	9A068 INSULATOR - FUEL TANK TO FLOOR PAN - IMPROVISE			
	9069 GROMMET - FUEL TANK VENT PIPE			
65	X (except S/D, S/W, 66A)	.28" I.D. -.88" O.D. -.40" thick	1	B5A 9069-A
66	B		1	
67/70	B(except 66, 71)-without ev/em	Use with fuel tank vent tube-located in side member	1	
66	U		1	
	9072 SEAL - FUEL TANK FILLER PIPE - LOWER			
67/68	A(except S/W), S	2.17" I.D. -2.89" O.D.	1	C7AZ 9072-A
69	A, S		1	
70	F-with ev/em		1	
70	A(except S/W)-without ev/em		1	
70/	S		1	
71/	A(except S/W)		1	
71/	L		1	
72	B(except 71)		1	
70	A-with ev/em	1.67" I.D.-2.63" O.D.	1	D0AZ 9072-A
70	A(S/W)-without ev/em		1	
71/	A(S/W)		1	
66/69	B(76)		1	C6OZ 9072-A
70	P-with ev/em	Inner-1.10" I.D. -2.455/2.485" O.D. -.68" thick	1	D0DZ 9072-A
65	S "Before 11/16/64"	Fuel tank filler to floor pan	1	C4SZ 9072-A
65/66	S "From 11/16/64"		1	C5SZ 9072-A
65/66	S	"O" ring-1.92" I.D. -2.40" O.D. -used with C1SZ 9002-R tank and C1SZ 9034-C filler pipe	1	C1VY 9072-A
68	S	Inner tube stock-5 3/8" O.D. with 1/2" hole in center and (4) 1/4" holes equally spaced-improvise		★C5AB 9072-A
71/	F, P	2.17" I.D.-3.30" O.D.	1	D1ZZ 9072-A
	9076 GASKET - FUEL TANK FILLER TO QUARTER PANEL			
70/	A		1	D0AZ 9076-A
65	B(S/W)		2	C3OZ 9076-C
65	X(except S/D, S/W, 66)		1	
65	X(S/D, S/W, 66)		2	
65/70	A(except S/W)		1	
70	B(66)	2.18" I.D. with (4) mounting holes	1	D0OZ 9076-A
65/71	F		1	C5ZZ 9076-A
70/	P	Cork and buna-2.60" I.D.-3.75" O.D. with (5) mounting holes	1	D0DZ 9076-A
70	F(GT350/500)		6	
72	F		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9076 GASKET - FUEL TANK FILLER TO QUARTER PANEL - continued			
66	X(except S/W, 66)	Has 4 mounting holes	1	C6DZ 9076-A
66	X(66)		1	
67/70	X(except S/W)		1	
67/69	B(66)		1	
66	X(S/W)	Has 3 mounting holes	2	C6DZ 9076-B
66	X(66)		1	
67/69	B(66), X(S/W)		1	
70	X(S/W)		1	
71	B(except S/W,66)		1	D1OZ 9076-A
71	B(66)	2.40" I.D. with 4 mounting holes	1	D1OZ 9076-B
72	B(97)		1	
71/	L	3.60" O.D.	1	D1FZ 9076-B
70	B	Screw (gasket to quarter panel inner)-	4	55981-S2(U254-E)
71	B(66)	1/4"-14 x 1/2"-hex.hd.-self tapping	4	
	9076 SEAL - FUEL TANK FILLER PIPE - UPPER			
67	A(except S/W)	2.24" I.D.-3.70" O.D.-.095" thick-filler pipe	1	C3OZ 9076-C
68/69	A	pipe to outer panel gasket	1	
69	A(S/W)		1	C9AZ 9076-A
66/69	B(except S/W)	1.62" I.D.-3.84" O.D.-has 4 mounting holes	1	C6OZ 9076-A
70	B(except S/W, 66)	1.62" I.D.-3.84" O.D.-has (4) mounting holes	1	D0OZ 9076-B
72	B(97)		1	D2OZ 9076-A
65	S "Before 11/16/64"		1	C4SZ 9076-B
65/66	S "From 11/16/64"		1	C5SZ 9076-A
67/71	S	2.24" I.D.-4.12" O.D.-.31" thick	1	C7SZ 9076-A
71	B(except 66, 71)	Screw (seal & retainer to back panel) 1/4"-14 x 1/2" tap hex washer head	4	55981-S2(U254E)
72	B(97)	Seal & flange 9109 to body side, panel	4	
	9K079 PIPE ASSY. - FUEL TANK VENT			
70	X-with ev/em		1	D0DZ 9K079-A
	9080 GROMMET - FUEL TANK FILLER PIPE			
65	B(S/W)	1.50" I.D.-5.14" O.D.-.06" thick - improvise	1	★C3OZ 9080-A
65	X(S/D, S/W, 66)	2.13" I.D.-3.55" O.D.-.34" thick - improvise	1	★C4DZ 9080-A
@	**9A084 TUBE - FUEL TANK TO PUMP - REAR** - Refer to Group 9282			
70	B, F	Clip (tube to side inner member)	AR	354663-S2(GG154A)
70	B, F	Screw (tube to body sill)-5/16"-18 x 3/4"-hex. hd.-self tapping	AR	381877-S2(UU52AF)
70	F	Clip (tube to center floor pan and to pump)	AR	352999-S32(GG17)
70	F(63, 65)	Clip (tube to underbody floor pan)	AR	381832-S100(GG327)
70	B, X	Clip (tube to frame)-5/16"-1/2"-.060" thick-steel	AR	★383707-S
72	B(429 P/C)	Clip (tube to frame)-3/8"	3	★385006-S
	9A086 TUBE ASSY. - FUEL TANK VENT - Unless Listed Improvise From Basic 2269 Bulk Tubing			
70	A(except S/W)-with ev/em		1	D0AZ 9A086-A
65/66	S	1/8"x 25.15"long-brass tubing	1	★C4SZ 9A086-A
70	U	Clip (tube to frame)-1/4"-.043" thick-steel	AR	★383578-S
	9A091 TANK ASSY. - FUEL TANK VENT EXPANSION			
70	A(except S/W)-with ev/em-"Before 10/17/69"		1	D0AZ 9A091-A
70	A(except S/W)-with ev/em-"From 10/17/69"		1	D0AZ 9A091-C
70	A(S/W)-with ev/em		1	D0AZ 9A091-B
70	B(except S/W, 66)-with ev/em		1	D0OZ 9A091-A
70	B(S/W)-with ev/em		1	D0OZ 9A091-B
70	B(66)-with ev/em		1	D0OZ 9A091-C
70	F-with ev/em	Front	1	D0ZZ 9A091-A
70	F-with ev/em	Rear	1	D0ZZ 9A091-B
70	P-with ev/em		1	D0DZ 9A091-B
70	S-with ev/em		1	D0SZ 9A091-A
70	X-with ev/em	Rear	1	D0WY 9A091-B
70	X-with ev/em		1	D0DZ 9A091-C
70	U-with ev/em	Use with auxiliary tank	1	D0TZ 9A091-A
70	U-with ev/em	Use with standard tank	1	D0TZ 9A091-B
71/	U	Use with standard tank	1	D1TZ 9A091-A
71/	U	Use with auxiliary tank	1	D1TZ 9A091-B

@ Fuel tank tube replacements are to be made from bulk tubing stock listed by size and part number under basic Group 2269

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9A091 TANK ASSY. - FUEL TANK VENT EXPANSION - continued			
70	B	Screw (tank to body brackets)-1/4"-14 x 1/2"-hex. hd. -self tapping	AR	55981-S2(U254E)
70	F	Seal-rubber	1	352285-S(PP5)
70	A	Bolt (tank assy. to 9A194)-1/4"-20 x 3/4" hex.hd.	AR	★55915-S
70	B,F,P,X	Clip (tank to 9A225)-3/8" x 5/8" x 1.00"	AR	45261-S2 (M141E)
71	B	Staple (9B024 to 9A091)	AR	★370168-S
71	L	Screw (expansion tank to filler pipe) 1/4"-14 x 1/2" hex.washer head tap	2	55981-S2 (U254E)
71	B(except 66,71)	Screw (tank to side member, fuel tank vent to 9A226 bracket) 1/4"-14 x 1/2" hex.washer head tap	AR	55981-S2 (U254E)
	9092 STRAP ASSY. - FUEL TANK SUPPORT - Also refer to Group 9054,9057			
65/68	A(S/W)		1	C5AZ 9092-D
69/	A(S/W)		2	C9AZ 9092-B
65/68	A(except S/W)		2	C6MY 9092-B
69/	A(except S/W)		2	C9AZ 9092-A
65	B(except S/W)		2	C2OZ 9092-B
65	B(S/W)		2	C3OZ 9092-B
66/67	B(S/W)		1	C6OZ 9092-C
68/71	B(S/W)	Fuel tank support strap	1	
68/71	B(S/W)	Fuel tank to rear bumper arm	1	C8OZ 9092-A
68/70	B(66),X(S/W)	Fuel tank support strap to rear bumper-34.86"	2	C8OZ 9092-B
71	B(66)	long-1.28" wide-90° bend at front end of strap	2	
71	B(66)	Upper	1	D1OZ 9092-A
72	B(except 71),S		2	D2OZ 9092-A
72	B(71)	Used around bottom of tank	1	D2OZ 9092-B
72	B(71)	Used at rear side of tank	1	D2OZ 9092-C
71/	F		2	D1ZZ 9092-A
71/	L(62,64)	Short-1 1/4" wide-27 3/4" long	1	D1FZ 9092-A
71/	L(62,64)	Long-1 1/4" wide-32.00" long	1	D1FZ 9092-B
72	L(73)		2	D2FZ 9092-A
71/	P	1 1/4" wide-35.00" long	2	D1DZ 9092-A
65/66	S		2	C4SZ 9092-C
67	S	R.H.	1	★C7SZ 9092-B
67	S	L.H.	1	★C7SZ 9092-A
68/70	S	R.H.	1	C8SZ 9092-E
68/70	S	L.H.	1	C8SZ 9092-F
71	S	L.H. & R.H.	2	
67/72	U " Before Ser. P40,001"	Inner or outer - use with Nylon auxiliary fuel tank	1or2	C6TZ 9092-E
72	U " From Ser. P40,001"	Outer-use with Nylon auxiliary fuel tank	1	D3TZ 9092-C
72	U " From Ser. P40,001"	Inner-use with Nylon auxiliary fuel tank	1	D3TZ 9092-D
66/69	U	Use except with Nylon auxiliary fuel tank	1	C6TZ 9092-G
70/	U	Use except with Nylon auxiliary fuel tank	1	C9TZ 9092-A
65/71	A(except S/W)	Bolt (strap and fuel tank to body)-3/8"-16 x 3.50"	2	★380321-S7-8
67/71	S	carriage-r/b C8AZ 9A010-A	2	
		Nut-3/8"-16 hex. washer lock		373403-S8(MM173J)
68/69	B(66),X(S/W)	Nut & retainer assy.(strap to frame)-3/8"-16	2	★377687-S
69	B(66),X(S/W)	Bolt (support straps to reinforcement)-3/8"-16 x 3-1/4" hex. head pilot end	2	382868-S100 (BB404F)
69/	A	Nut (strap to frame)-3/8"-16-lock-flanged	1	382802-S2 (MM173JB)
70	B	Nut (strap to frame)-5/16"-1/2"-.060" thick steel	AR	★355847-S
71	B(66)	Nut (strap assy. to bolt 9A010) 3/8"-16 hex pre-torque	2	376575-S78 (MM173H)
71	A,S	Nut (strap assy. & tank assy. to body rear floor pan)-3/8"-16 lock nut flanged	2	382802-S2 (MM173JB)
71	P	Nut (strap assy. to lower body reinforcement) 3/8"-16 hex flange lock	2	382802-S2 (MM173JB)
71	B(66)	Screw (strap assy.-fuel tank support to reinforcement of body assy.)	2	354580-S (MM284EB)
71	B(66)	Nut (strap assy.-fuel tank support to reinforcement of body assy.)	2	★377687-S2
71/	L(62,64)	Bolt (strap assy. to floor pan)-3/8"-16 x 31/32 "L" shaped	2	384460-S (BB817WM)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9A092 - Refer to Group 9324			
	9099 GUARD - FUEL TANK			
67/68	A(S/W)		1	C7AZ 9099-A
66/68	B(S/W)		1	C8OZ 9099-A
69	B(S/W) "Before 10/1/68"		1	C9OZ 9099-A
69/71	B(S/W) "From 10/1/68"		1	C9OZ 9099-C
72	B(71)		1	D2OZ 9099-A
67	A(71)	Nut (screen to guard) spring	3	45147-S8(M131)
67	A(71)	Screw (attaches guard)	3	31497-S8(U254)
68/	B(S/W)	Screw (attach guard)-No.8-15 x 1/2"-self tapping flat hd.	3	52012-S(U202)
68/71	B(S/W)	Nut (screw to guard)-No.8-18	3	★381784-S
@	**9101 TUBE - FUEL TANK VENT - LOWER** - Refer to Group 9282			
	9104 IDLER ASSY. - WITH BRACKET & PULLEY - SUPERCHARGER			
67/68	F(GT350)-with T/E & P/S	Identified 38342	1	★S7MS 9104-A
	9107 PULLEY - CRANKSHAFT MOUNTED - SUPERCHARGER			
67/68	F(GT350)	6-3/16" O.D.-5" o/all length	1	★S7MS 9107-E
	9109 FLANGE - FUEL TANK - FILLER - INNER			
72	B(97)		1	D2OZ 9109-A
	9A129 HOSE - FUEL TANK OVERFLOW - Improvise from 9324 bulk hose			
65/66	S	Clamp (hose to housing)-11/16" diameter	1	97329-S35 (E6)
71/	A	Clamp (attach over-flo hose to housing assy.)	1	
	9A147 PLATE - FUEL TANK SKID			
66/	U	Use with standard 14 gallon tank	1	C6TZ 9A147-A
66/69	U	Use with Nylon auxiliary fuel tank	1	C6TZ 9A147-B
70/72	U "Before Ser. P40,001"	Use with Nylon auxiliary fuel tank	1	D0TZ 9A147-A
72	U "From Ser. P40,001"	Use with Nylon auxiliary fuel tank	1	D3TZ 9A147-B
66/	U	Screw (plate to frame)-5/16"-18 x 3/4"-self tapping hex.washer hd.	4	39909-S7(U269D)
	9A153 VALVE ASSY. - FUEL TANK VENT			
70	A, B, F, P, S, X-with ev/em		1	D0DZ 9A153-C
66	B(except 63D, 71, 76D)	Replaced by C9PZ 9324-B cut to length	1	★C6OZ 9A153-A
66	B(63D, 76D)			
70	P	Screw (valve assy.-fuel tank vent to cross-member)-1/4" x 14 x 3/4" -hex. washer head-self tapping	2	55914-S2(U254F)
70	A, B, F, X	Screw (valve assy. to frame)-1/4"-14 x 1" hex. washer hd.	AR	★55915-S
	9A154 BRACKET - FUEL TANK GUARD - LOWER			
68	A(71)		1	C8AZ 9A154-A
70/71	B(71)		1	D0OZ 9A154-A
	9155 FILTER ASSY. - FUEL - Also refer to Carburetor Parts Lists - Section 95, page 1			
65/67	A Special (with 352, 390, 406, 427 engine & 4/B, 6/B, 8/B carburetor)		1	B7Q 9155-A (FG-21)
67	B Special (with 427 engine & 4/B or 8/B carb.)		1	
65/	A, B, F, L, S, X, U(6 cyl. & 8 cyl.)	Kit (fuel filter)-in line	1	C2RZ 9155-A (FG-2)
66	A(8 cyl. 289, 390)	Service pkg. includes (1) C6AE 9C323-A hose,	1	C5AZ 9155-B
66	A, B, F, X, U(8 cyl. 289, 352)	(1) C2AZ 9A588-B gasket, (2) 376545-S8 clamps		(FG-15)
66	B(except 63D, 76D)-(8 cyl. 390)		1	
66	A, P/C (8 cyl. 428)(with T/E)		1	
66	A, P/C(8 cyl. 428)(except T/E)-"Before 6/1/66"		1	
67/69	P/C(8 cyl. 428)		1	
67	F Special (4/B) (8 cyl. 289)		1	
67	B, F(8 cyl. 390-Holley 4/B carb.)	Service pkg. includes (1) C6AZ 9229-A gasket,	1	C7OZ 9155-A
68	B, F Specials (8 cyl. 427-4/B)	(1) C1AE 9C323-A hose, (2) 376545-S7 clamp	1	(FG-19)
69	B, F(CJ)(8 cyl. 428-4/B)		1	
69/71	F Boss(8 cyl. 302)		1	
69	F Boss(8 cyl. 429) "Before 6/1/69"	Use with C9AZ 9C323-B hose	1	
70	F(8 cyl. 428 CJ)		1	

@ Fuel tank tube replacements are to be made from bulk tubing stock listed by size and part number under basic Group 2269

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9155 FILTER ASSY. - FUEL - continued - Also refer to 9510 Carburetor Parts Lists - Section 95, page 1			
66/68	B, F, X, U(6 cyl. 170, 200)	Service pkg. includes (1) C5UE 9C323-A hose &	1	C5UZ 9155-A
66	A(except T/E)(6 cyl. 240) "Before 11/5/65"	(2) 376545-S7 clamps-identified C5UE 9155-A,	1	(FG-14)
66	A(with T/E-intake manifold type)(6 cyl. 240)	C7AE 9155-A or D0AE 9155-A	1	
66/68	A(except T/E & except Select Aire A/C)-6 cyl. 240 "From 11/5/65"		1	
66	A, P/C(8 cyl. 428)(except T/E)-"From 6/1/66"		1	
69/70	A(with 2/B carb.) (8 cyl. 351)		1	
67	S(8 cyl. 390, 428)		1	
68	S(8 cyl. 390, 429)		1	
67/68	B, F, X, U(8 cyl. 289)		1	
67	B(8 cyl. 390 exc. Holley 4/B carb.)		1	
67	A(except P/C)(8 cyl. 289, 390, 428)		1	
68	A(exc. P/C)(8 cyl. 302, 390, 428)		1	
69/70	A(6 cyl. 240)(8 cyl. 302-2/B, 351, 390-2/B)		1	
68	B, F, X(8 cyl. 302)		1	
69/70	B, F(6 cyl. 200, 250)(8 cyl. 302, 351)		1	
69/70	X(6 & 8 cyl.)		1	
68	B, F(8 cyl. 390)		1	
69/70	A, S(8 cyl. 429)		1	
69	B, F(GT)(8 cyl. 390-4/B)		1	
69/	U(6 cyl. 170, & 8 cyl. 302)		1	
70	P(6 cyl. All)		1	
70	P/C(8 cyl. 428)		1	
70	F(6 cyl. 250)(8 cyl. 302-2/B, 351-2/B & 4/B)		1	
70	B(8 cyl. 429) (except CJ)		1	
71	B, F(6 & 8 cyl. All)(exc. CJ, S/CJ)		1	
71	A, S(6 & 8 cyl. All) (exc. P/C)		1	
72	B(6 cyl. 250, & 8 cyl. 302, 351, 400)		1	
72	A(6 cyl. 240, & 8 cyl. 302, 351)		1	
71/	P(6 & 8 cyl. All)		1	
72	F(6 cyl. 250, & 8 cyl. 302, 351)		1	
72	S		1	
69	F Boss(8 cyl. 429) "From 6/1/69"	Use with C9AE 9C323-A hose	1	C9AZ 9155-A
70/71	B, F(8 cyl. 429 CJ)		1	(FG-39)
71	P/C (8 cyl. 429)		1	
71	F(8 cyl. 429 S/CJ)		1	
71/	A(8 cyl. 429 P/C)	Includes (1) D1ZZ 9229-A gasket	1	C9AZ 9155-B
69/71	F(8 cyl. 429 CJ, S/CJ)	(1) C9AE 9C323-A hose & (2) 380882-S32 clamps	1	(FG-39-A)
70/71	B(8 cyl. 429 CJ)		1	
71/	L(4 cyl. 98-1/B, 122-2/B)	Service pkg. includes (2) 376545-S8 clamp	1	D3FZ 9155-A (FG-44-A)
71/	B, F(351-4/B CJ)		1	D3OZ 9155-A (EG-19-B)
		Lockwasher-3/8"		34807-S8(X66)
@	**9156 FUEL FILTER LINE CHART** - Refer to Groups 9A274			
65/68	A	Fitting-tube connector nut-3/8" tube	2	87945-S(I-23)
69	F Boss (8 cyl. 429 with 4/B carb.)	Clip (attach 9B273 and 12226 to bracket)-3/8" tubing	1	383591-S(GG363)
	9159 TUBE - FUEL VALVE - Improvise from D0AZ 9044-A tube assy.			
	9A166 HOOK - FUEL TANK STRAP			
67/70	B(66), X(71)		2	C7DZ 9A166-B
71	B(66)		2	
	9A168 CONNECTOR - FUEL TANK AIR RELIEF TO VENT TUBE			
67/69	B(except 66, 71)	Rubber-"L" shaped with (2) openings on one end and (1) opening on the other	1	C7OZ 9A168-A
	9170 HOSE - FUEL TANK VENT TUBE - Unless listed, improvise from 9324 bulk hose			
65/66	S	.115" I.D. - .24" O.D. - 1.56" long - cut from D0PZ 12226-A	1	★C4SZ 9170-A
70	B	Hose clamp slotted band (hose to 9034)-57/64" open dia.	1	★97204-S
71/	A, S	Clamp (hose to tube assy.)	2	B7A 8287-A
71	B(66)	Clamp (hose to pipe & tank)-13/16" hose	2	★97204-S8
	9171 CLAMP - HOSE			
65/			AR	8M 9171-B

@ Fuel tank tube replacements are to be made from bulk tubing stock listed by size and part number under basic Group 2269

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9A179 MEMBER ASSY. - FUEL TANK SUPPORT - Improvise			
	9180 BRACKET - FUEL FILTER			
65/67	A Special (with 352, 390, 406, 427 engine & 4/B, 6/B or 8/B carburetor)		1	C0AE 9180-A
67	B Special (with 427 engines & 4/B or 8/B carb.)		1	
68/69	S (8 cyl. 429)	Bracket (fuel pump to filter tube)	1	C8SZ 9180-A
69	A(8 cyl.429), F Boss(8 cyl.429)		1	
70	B(8 cyl.429 CJ)		1	
71	B, F (8 cyl. 429 CJ, S/CJ)		1	
65/68	A	Bolt (attach bracket)-3/8"-16 x 3/4" hex.hd.	1	20348-S(B77)
65/68	A	Lockwasher-3/8"	1	34807-S(X66)
66	F	Screw (attach bracket)-3/8"-24 x 2 3/4" pan hd.	1	★38882-S
	9A188 BRACKET - FUEL TANK VENT EXPANSION TANK - Also refer to Groups 9A194 & 9A225			
70	F-with ev/em		1	D0ZZ 9A188-A
70	X-with ev/em		1	D0DZ 9A188-A
70	U-with ev/em		1	D0BZ 9A188-A
71/	U (California only)		1	
70	B, F	Screw (bracket to floor pan or side member)-1/4"-14 x 1/2"-hex.hd.-self tapping	AR	55981-S2(U254E)
	9189 VALVE ASSY. - FUEL TANK SELECTOR			
66/67	U "Before Ser. B26,001"	Use with Nylon auxiliary fuel tank	1	C6TZ 9189-B
67/69	U "From Ser. B26,001"	Use with Nylon auxiliary fuel tank	1	C7TZ 9189-B
70/72	U	Use with auxiliary fuel tank	1	D2TZ 9189-B
67/	U	Ring (valve to bracket)-retaining 3/16"	1	353862-S8(XX10)
66/67	U	Grommet (valve to underbody)-use with Nylon auxiliary fuel tank	1	379627-S(KK72)
	9A194 BRACKET - FUEL TANK VENT EXPANSION TANK - Also refer to Groups 9A188 & 9A225			
70	A(S/W)-with ev/em		1	D0AZ 9A194-A
70	X-with ev/em		1	D0DZ 9A194-A
70	A	Bolt (quarter panel to 9A194)-1/4"-20 x 3/4" hex.hd.	AR	★56303-S
	9A195 CONNECTOR ASSY. - FUEL TANK VENT EXPANSION TANK			
70	A(S/W)-with ev/em "Before 2/2/70"		1	D0AZ 9A195-D
70	A(S/W)-with ev/em "From 2/2/70"		1	D0AZ 9A195-E
70	B(except S/W, 66)-with ev/em		1	D0OZ 9A195-A
71	B(except S/W, 66)		1	
70	F-with ev/em		1	D0ZZ 9A195-A
70	P-with ev/em	Service pkg. includes (1) D0DZ 9A206-A gasket (2) 383348-S bolt (2) 34976-S nut	1	D0DZ 9A195-A
70	P	Nut (emission tank connector to fuel tank)-5/16"x 18-hex.	2	34976-S4(M89CA)
70	P	Clip (connector to side rail)	1	377106-S(GG235)
70	P	Bolt (emission tank connector to fuel tank)-5/16"-18 x 1/2" carriage	2	383348-S(BB647A)
70	P	Bolt (connector to flange & pipe)-1/4"-20 x .89" hex. head lock	2	383666-S(BB429UJ)
71	B(except 66)	Bolt (connector assy. to fuel tank)-5/16"-18 x 1/2" carriage	2	383348-S(BB647A)
71	B(except 66, 71)	Clip (emission tube to side member)	1	357949-S(GG141)
71	B(except 66, 71)	Screw (emission tube to side member)-1/4"-14 x 1/2" hex washer head tap	1	55981-S2(U254E)
	9A196 GASKET - FUEL TANK VENT VALVE			
70	P-with ev/em "Before 7/1/69"		1	D0DZ 9A196-B
70	A, B, F, S, X-with ev/em		1	D0DZ 9A196-C
70	P-with ev/em "From 7/1/69"		1	
	9197 PLATE - FUEL TANK SELECTOR VALVE REINFORCEMENT			
67/69	U	Use with auxiliary tank (nylon)	1	C7TZ 9197-B
70/	U	Use with auxiliary tank	1	D0TZ 9197-B
70	U	Nut (plate to 9189)-1/4"-20 hex.	AR	★34975-S
	9202 FLOAT ASSY. - FUEL TANK SENDER			
65/69	A, S(6 & 8 cyl.)		1	C0AZ 9202-A
65	X(6 & 8 cyl.)		1	
65	B(6 & 8 cyl.)		1	
65	F(6 & 8 cyl.)		1	
70	A, B, F(6 & 8 cyl.)		1	
71/	A, B, F, L, P, S(6 & 8 cyl.)		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9A205 HOUSING - FUEL TANK TO EXPANSION TANK CONNECTOR			
70	X-with ev/em		1	D0DZ 9A205-A
	9A206 GASKET - FUEL TANK VENT EXPANSION TANK CONNECTION HOUSING			
70	B(except S/W & 66), F, P-with ev/em	Rubber-3.25" I.D. - 4.65" O.D.-.30" thick	1	D0DZ 9A206-A
	9A207 PLUG - FUEL TANK VENT EXPANSION TANK CONNECTION ACCESS			
70	B(except S/W & 66), P-with ev/em	Neoprene-1.33"/1.44" diameter	1	D0ZZ 9A207-A
70	F-with ev/em "Before 10/1/69"		2	
70	F-with ev/em "From 10/1/69"	Neoprene-2.64"/2.68" diameter	1	D0ZZ 9A207-B
	9A210 ADAPTOR ASSY. - FUEL TANK VENT EXPANSION TANK - Also refer to Group 9A195			
70	P-with ev/em		1	D0ZZ 9A210-B
70	P	Washer (used with 383666-S2 bolt to adaptor assy.-fuel tank vent expansion tank)-1/4" x 17/64" I.D. x 5/8" O.D. x 3/64"-steel	1	354810-S8 (XX309M)
70	P	Bolt (adaptor assy.-fuel tank vent expansion tank to spacer fuel tank vent pipe flange)-1/4" -20 x .89" hex. head-lock	1	383666-S2 (BB429UJ)
71	B	Bolt (adaptor to flange) 1/4"-20 x .89" hex head lock	2	383666-S2 (BB429UJ)
71	B	Washer (adaptor to flange) 1/4" flat	2	354810-S8 (XX309M)
	9A220 CONNECTOR ASSY. - FUEL VALVE TUBE			
70	A, B(except S/W), F, S, X-with ev/em		1	D0DZ 9A220-A
70	B(S/W)-with ev/em		1	D0OZ 9A220-A
70	P-with ev/em		1	D0DZ 9A220-B
	9A225 BRACKET - FUEL TANK VENT EXPANSION TANK - Also refer to Groups 9A188 & 9A194			
70	B(except S/W, 66)-with ev/em	Rear	1	D0OZ 9A225-A
70	P-with ev/em	Front	1	D0DZ 9A225-A
70	P-with ev/em	Rear	1	D0DZ 9A225-B
70	X-with ev/em	Rear	1	D0DZ 9A225-C
70	B, P	Screw (bracket-fuel tank vent expansion tank to tank assy.fuel tank vent expansion)-1/4" x 14 x 1/2" -hex. washer head-self tapping	AR	55981-S2(U254E)
70	P	Screw (bracket rear-fuel tank expansion tank to tank assy.fuel tank vent expansion)-No. 8-15 x 1/2"-type 1-flat head-self tapping	2	52012-S8(U202)
70	P	Nut-1/4"-14	3	45261-S2(M141E)
70	P	Nut & retainer-1/4"-20	3	★45263-S2
	9A227 HOSE - FUEL TANK EMISSION TUBE - Improvise from C9PZ 9324-B Bulk Hose			
71/	F, P	Clip (hose to member)	1	377106-S(GG235)
	9A228 TUBE - FUEL TANK VENT TO STORAGE CANISTER - Improvise from 8C 2269-A Bulk Tubing			
70	P	Clip (tube to crossmember)-3/16"-5/16"	6	383368-S2
72	B, L, P, S	Tube to frame sidemember	AR	(GG163YM)
70	P	Screw (tube to dash panel & rear of C/M trans.)-3/8" x 16 x 2 1/4"-hex.hd.	3	304860-S(B90-A)
70	P	Clip (tube to dash panel)	2	352977-S100
72	A	Tube to frame R.H. c/member	1	(GG156)
70	F, P	Screw (clip to frame)-1/4"-14 x 1/2"-self tapping hex.hd.	6	★31527-S
71/	B	Clip (tube to cross member & dash)	AR	352977-S100
71/	A, S	Clip (tube to right rear tor. box & rear side member)	2	(GG156)
71/	A, B	Screw (tube to storage canister to frame reinforcement side member)-5/16"-18 x 3/4"	AR	381877-S2 (UU52AF)
71/	S	Screw (tube to right front tor. box)	1	
72	B, S	Clip (tube to frame R.H. sidemember)	3	381599-S2(GG260)
72	P	Screw (tube to rear crossmember)-1/4"-14 x 1/2" hex. head	1	55981-S2(U254E)
	9229 GASKET - FUEL FILTER MOUNTING - Also refer to 9510 Carburetor Parts Lists-Section 95, Page 1			
69/71	F Boss (8 cyl.302 with 4/B carb.)		1	D1ZZ 9229-A
70	F(8 cyl.428 CJ)		1	
70	F Boss (8 cyl. 429)		1	
71/	F(8 cyl. 351-4V CJ)		1	
	9241 FITTING - FUEL PUMP INLET			
65/67	A Special (with 4/B, 8/B carb.-8 cyl.427)	Use with C0AZ 9350-C fuel pump assy.	1	B8LY 9241-A
66/67	P/C (8 cyl.428)	Use with C0AZ 9350-C fuel pump assy.	1	
67	B Special (with 4/B, 8/B carb. -8 cyl. 427)	Use with C0AZ 9350-C fuel pump assy.	1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9242 FERRULE - FUEL LINE			
65/66	S(8 cyl. 390, 428)	Thermostatic choke tube to carburetor - replaced by 357940-S	1	★B 9242-A
65/66	S(8 cyl. 390, 428)	Fitting (thermostatic choke tube to carb.)-	1	357940-S(II-54X)
	9A242 SHIELD - FUEL TANK VENT TUBES			
70	A (71)- with ev/em		1	D0AZ 9A242-A
70	B (except 66, 71) - with ev/em		1	D0OZ 9A242-A
	9A249 SUPPORT - FUEL TANK VENT EXPANSION TANK			
70	B (except 66, 71) - with ev/em	Steel	1	D0OZ 9A249-A
70	F-with ev/em	Steel	1	D0ZZ 9A249-A
	9A253 GASKET - FUEL TANK VENT PIPE FLANGE ADAPTER			
70	B (71)-with ev/em		1	D0OZ 9A253-A
70	B (except 66, 71) - with ev/em		1	D0DZ 9A253-B
70	P-with ev/em	Rubber	2	D0DZ 9A253-A
70	A (71)-with ev/em		1	
	9A254 SPACER - FUEL TANK VENT PIPE FLANGE			
70	P-with ev/em	Steel-1/4"-20 thread-.507" long	1or2	D0DZ 9A254-A
70	A, B (except 66, 71)-with ev/em		1or2	
	9A262 CONNECTOR ASSY. - FUEL TANK AIR RELIEF VENT TUBE			
70	B (except 66, 71) - without ev/em		1	D0OZ 9A262-A
70	B	Clip (connector to bracket)-.017" steel	1	★381718-S32
70	B	Clip (connector to tail lamp fastner bolt)	1	358360-S2(GG143)
	9G270 CAP - FUEL TANK SENDER OUTLET TUBE			
72	A, B(8 cyl. 429)	.50" O.D. 1.20" long-used to seal outlet tube of 9275 fuel sender	1	D2AZ 9G270-A
	9273 GAUGE ASSY. - OIL PRESSURE INSTRUMENT PANEL UNIT - Also refer to Group 9B308			
66/	U		1	C6TZ 9273-A
	9B273 TUBE ASSY. - FUEL FILTER TO FUEL PUMP - Improvise from basic 2269 Bulk Tubing			
		5/16" O.D. tube-use fitting	1	87944-S8
		3/8" O.D. tube-use fitting	1	87945-S8
	9A274 TUBE ASSY. - FUEL FILTER TO CARBURETOR - Refer to Group 9156			
	9275 GAUGE ASSY. - FUEL - TANK UNIT			
	- A -			
65	A(except A Special with 8/B carb. & 71) with low fuel warning system	Gauge & outlet tube assy.-service pkg. includes C0AF 9276-A gasket	1	C5AZ 9275-D
65	A(except 71) - without low fuel warning system	Includes (1) C5AZ 9275-B gauge assy. (1) C0AF 9276-A gasket (1) C8AF 9327-A hose	1	C5AZ 9275-J
65	A(except 71) Special (with 8/B carb.)-with low fuel warning system	Includes (1) C5AZ 9275-E gauge assy. (1) C0AF 9276-A gasket (1) C8AF 9327-A hose	1	C5AZ 9275-K
65/68	A (71) (except P/C-8 cyl. 428)- with low fuel level warning system	Gauge & outlet tube assy.-service pkg. includes (1) C0AF 9276-A gasket	1	C5AZ 9275-H
65/68	A (71) (except P/C-8 cyl. 428)- without low fuel level warning system	Gauge & outlet tube assy.-service pkg. includes (1) C0AF 9276-A gasket	1	C5AZ 9275-G
66	P/C (71) (8 cyl. 428)-except with low fuel level warning system "Before 11/22/65"			
66/68	P/C (71) (8 cyl. 428)-without low fuel warning system "From 11/22/65"	Gauge & outlet tube assy.-service pkg. includes C0AF 9276-A gasket	1	C6AZ 9275-A
66/67	A(except 71)-with low fuel level warning system	Service pkg. includes (1) C0AF 9276-A gasket and (1) C8AF 9327-A hose	1	C6MY 9275-K
67/68	A(except 71, P/C 8 cyl. 428 & A Special 8 cyl. 427 with 4/B & 8/B carb.)-with low fuel level warning system		1	
66/68	A(except 71) (8 cyl. 427, 428)-with low fuel warning system		1	
66/68	A(except 71) without low fuel level warning system	Includes (1) C0AF 9276-A gasket and (1) C8AF 9237-A hose	1	D0SZ 9275-D
69/71	A(71) except 429 P/C	Identified D1AF 9275-BA	1	D1AZ 9275-E
72	A(71)		1	
69	A(except 71) (6 & 8 cyl. 240, 302, 351, 390)-with low fuel warning system	Includes (1) gauge assy. (1) C0AF 9276-A gasket (1) C8AF 9327-A hose-identified D0AF 9275-B	1	D0AZ 9275-D
69	A, P/C (except 71) (8 cyl. 428, 429)-with low fuel warning system		1	
70	A(except 71)-with low fuel warning system		1	
69/70	A(71)-with low fuel warning system	Includes (1) gauge assy. (1) C0AF 9276-A gasket (1) C8AF 9327-A hose	1	D0AZ 9275-E

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
9275 GAUGE ASSY. - FUEL - TANK UNIT - continued				
	- A -			
71	A-53, 54, 57, 65, 76(except 429 P/C)	Includes (1) C0AF 9276-A gasket and (1) C8AF 9327-A hose-identified D1AF 9275-AB	1	D1AZ 9275-F
72	A(except 71)		1	
69/70	A(except 71)-without low fuel warning system			
71	A-54, 65 (429 P/C)	Includes (1) gauge assy. (1) C0AF 9276-A gasket-identified D1AF 9275-CA	1	D1AZ 9275-C
71	A-71 (429 P/C)	Includes (1) gauge assy. (1) C0AF 9276-A gasket-identified D1AF 9275-DA	1	D1AZ 9275-D
72	A(429 P/C)	Includes (1) C0AF 9276-A gasket-ident. D2AF 9275-AA on flange	1	D2AZ 9275-A
	- B -			
65	B(except 71)	Gauge & outlet tube assy. -service pkg. includes C0AF 9276-A gasket	1	C2OZ 9275-B
65	B(71)	Gauge & outlet tube assy. -service pkg. includes C0AF 9276-A gasket	1	C3OZ 9275-A
66/67	B(71)	Gauge & outlet tube assy. -service pkg. includes (1) C0AF 9276-A gasket	1	C6OZ 9275-D
68	B(except 71 & 66) - with low fuel level warning system	Gauge and outlet assy. -3/8" line-service pkg. includes (1) C0AF 9276-A gasket	1	C8OZ 9275-A
68	B(66)-with low fuel level warning system	Gauge & outlet tube assy. -service pkg. includes (1) C0AF 9276-A gasket	1	C8DZ 9275-D
68/69	B (71) - with low fuel level warning system	Gauge & outlet tube assy. - 3/8" line-service pkg. includes (1) C0AF 9276-A gasket	1	C8OZ 9275-C
67/68	B(except 71 & 66) - without low fuel warning system	Includes (1) C7OZ 9275-A gauge assy. (1) C0AF 9276-A gasket (1) C8AF 9327-A hose	1	C7OZ 9275-B
66	B(except 71)		1	
67	B special (8 cyl. 427)		1	
69	B(except 71 & 66)		1	
70	B-54, 57, 62, 63, 65, 76 (exc. 429 CJ)	Includes (1) gauge assy. (1) C0AF 9276-A gasket-identified D0OF 9275-A, R	1	D0OZ 9275-M
71	B-54, 57, 63, 65, 76 (with 250, 302, 351)		1	
70	B-54, 57, 62, 63, 65, 76 (with 429 CJ)-without ev/em	Kit-gauge & outlet tube assy. -kit includes (1) gauge assy. (1) C0AF 9276-A gasket-identified D0OF 9275-D	1	D0OZ 9275-D
70	B-54, 57, 62, 63, 65, 76 (with 429 CJ)-with ev/em	Includes (1) gauge assy. (1) C0AF 9276-A gasket-identified D0OF 9275-C, S	1	D0OZ 9275-L
71	B-54, 57, 63, 65, 76 (with 429 CJ)		1	
67/69	B(71) - without low fuel warning system	Includes (1) gauge assy. (1) C0AF 9276-A gasket (1) C8AF 9327-A hose-identified D0OF 9275-E	1	D0OZ 9275-J
70	B (71)		1	
71	B (71) (with 250, 302, 351)		1	
70/71	B(66) (8 cyl. 429 CJ)	Includes (1) gauge assy. (1) C0AF 9276-A gasket identified D0OF 9275-H	1	D0OZ 9275-H
68/69	B (66) - without low fuel warning system	Includes (1) gauge assy. (1) C0AF 9276-A gasket (1) C8AF 9327-A hose-identified D0OF 9275-G	1	D0OZ 9275-K
66/67	B (66)		1	
70/71	B (66) (except 429 CJ)		1	
71	B(71) (8 cyl. 429 CJ)	Includes (1) gauge assy. (1) C0AF 9276-A gasket identified D1OF 9276-BA	1	D1OZ 9275-B
72	B(except 71)	Includes (1) gauge assy. (1) C0AF 9276-A gasket-identified D2OF 9275-AA, AB	1	D2OZ 9275-A
72	B(71)	Includes (1) gauge assy. (1) C0AF 9276-A gasket-identified D2OF 9275-BA	1	D2OZ 9275-B
	- F -			
65/68	F-without low fuel warning system	Includes (1) C8ZZ 9275-B gauge assy. (1) C0AF 9276-A gasket (1) C8AF 9327-A hose	1	C8ZZ 9275-C
67/68	F-with low fuel warning system	Includes (1) C8ZZ 9275-B gauge assy. (1) C0AF 9276-A gasket (1) C8AF 9327-A hose	1	C8ZZ 9275-D
69	F-without low fuel level warning system	Gauge & outlet tube assy. -identified C9WF 9275-A-3/8" line-service pkg. includes (1) C0AF 9276-A gasket	1	C9WY 9275-A
70	F-without low fuel warning system	Includes (1) gauge assy. (1) C0AF 9276-A gasket identified D0WF 9275-A	1	D0WY 9275-A
71/	F-with 250, 302, 351	Includes (1) gauge assy. (1) C0AF 9276-A gasket identified D1ZF 9275-AA, AB, AC	1	D1ZZ 9275-A
71	F-with 429	Includes (1) gauge assy. (1) C0AF 9276-A gasket identified D1ZF 9275-BA	1	D1ZZ 9275-B

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9275 GAUGE ASSY. - FUEL - TANK UNIT - continued			
	- L -			
71/	L(62,64)-without A/C	Includes (1) gauge assy. (1) C0AF 9276-A gasket identified D12F 9275-AA	1	D1FZ 9275-A
71/	L(62,64)-with A/C	Includes (1) gauge assy. (1) C0AF 9276-A gasket identified by D12F 9275-BA,CA	1	D1FZ 9275-C
72	L(73)	Includes (1) sender assy. (1) C0AF 9276-A gasket-identified D22F 9275-AA, AB, AC	1	D2FZ 9275-A
	- P -			
70	P	Gauge & outlet assy.-identified D0DF 9275-A, C,G,H-service pkg. includes (1) C0AF 9276-A gasket	1	D0DZ 9275-A
71/	P	Includes (1) gauge assy. (1) C0AF 9276-A gasket identified D1DF 9275-AA, AB	1	D1DZ 9275-A
	- S -			
65/66	S - without low fuel level warning system	Service pkg. includes C0AF 9276-A gasket	1	C4SZ 9275-C
65/66	S - with low fuel level warning system	Service pkg. includes C0AF 9276-A gasket	1	C4SZ 9275-D
67/68	S-with low fuel warning system	Includes (1) C6MY 9275-H gauge assy. (1) C0AF 9276-A gasket (1) C8AF 9327-A hose	1	C6MY 9275-K
67/71	S-without low fuel warning system	Includes (1) C0AF 9276-A gasket and (1) C8AF 9327-A hose	1	D0SZ 9275-D
69/70	S-with low fuel level warning system -without ev/em	Kit-gauge & outlet tube assy. - includes (1) gauge assy. (1) C0AF 9276-A gasket-identified D0LF 9275-B	1	D0LY 9275-A
70	S-with low fuel warning system and ev/em	Includes (1) gauge assy. (1) C0AF 9276-A gasket identified D0LF 9275-D	1	D0LY 9275-B
71	S-with low fuel warning system		1	
72	S-All	Includes (1) gauge assy. (1) C0AF 9276-A gasket identified D2LY 9275-AA, AB	1	D2LY 9275-A
	- U -			
66/69	U	Gauge & outlet tube assy.-service pkg.includes (1) C0AF 9276-A gasket-use with standard 14.5 gallon fuel tank or with Nylon auxiliary fuel tank	1	C6TZ 9275-D
70	U-without ev/em	Includes (1) gauge assy. (1) C0AF 9276-A gasket (1) C8AF 9327-A hose-use with standard 14.5 gallon fuel tank or with Nylon auxiliary fuel tank-identified D0BF 9275-A	1or2 1or2	D0BZ 9275-C
70/	U-with ev/em	Includes (1) gauge assy. (1) C0AF 9276-A gasket identified D0BF 9275-B-use with standard 14.5 gallon fuel tank or with Nylon auxiliary fuel tank	1	D0BZ 9275-B
	- X -			
65	X(except S/D,S/W,66) - without low fuel level warning system	Gauge & outlet tube assy. -service pkg. includes (1) C0AF 9276-A gasket	1	C8ZZ 9275-C
65	X(S/D,S/W,66)	Gauge & outlet tube assy.-service pkg.includes C0AF 9276-A gasket	1	C4DZ 9275-A
68	X(except S/W)-with low fuel level warning system	Gauge & outlet tube assy.-3/8" line-service pkg. includes (1) C0AF 9276-A gasket	1	C8DZ 9275-C
68	X(S/W)-with low fuel level warning system	Gauge & outlet tube assy. - service pkg. includes (1) C0AF 9276-A gasket	1	C8DZ 9275-D
68/70	X(S/W)-without low fuel level warning system-without ev/em	Kit-gauge & outlet tube assy.-kit includes (1) C8DZ 9275-B gauge assy. (1) C0AF 9276-A gasket (1) C8AF 9327-A hose	1	D0OZ 9275-K
66/67	X(S/W)		1	
66	X(66)		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9275 GAUGE ASSY. - FUEL - TANK UNIT - continued			
70	X-with ev/em	Includes (1) C0AF 9276-A gasket and (1)	1	D0DZ 9275-D
66/70	X(except S/W,66)-w/o low fuel warning system-w/o ev/em	C8AF 9327-A hose	1	
65/	A	Nut-No. 10-32 hex.		34079-S7(M163)
		Flat washer-.19" I.D.-.35" O.D.		351270-BS(XX72)
	9C275 HOSE - FUEL TUBE INTERMEDIATE			
70/71	B(except 76)	Rubber-cut to required length from	2	★
71/	L	C9PZ 9324-B	2	
71	F(All 8 cyl.)	Rubber-cut to required length from C9PZ 9324-A	1	★
	9276 GASKET - FUEL GAUGE - TANK UNIT			
65/	A,B,F,L,P,S,X	Buna rubber-2.41"I.D.-2.58"O.D.-.125"thick	1	C0AF 9276-A
66/	U	Used with standard or aux. tank	1or2	
	9276 GASKET - SEPARATOR ASSY. FUEL VAPOR			
71	A,B,F,L,P,S,U		1	C0AF 9276-A
	9276 GASKET - FUEL TANK VENT VALVE RETAINER PLATE			
71	B(S/W)		1	D1OZ 9276-A
	9N276 TUBE ASSY. - FUEL TANK FILLER			
70	A(except S/W)-with ev/em	Steel tubing-1/2" O.D.-9.50" developed length	1	D0AZ 9N276-A
70	A(S/W)-with or without ev/em	Steel tubing-1/2" O.D.-13.00" developed length	1	D0AZ 9N276-B
70	S-with ev/em	Steel tubing-1/2" O.D.-11.00" developed length	1	D0SZ 9N276-A
70	X-with ev/em	Steel tubing-1/2" O.D.-22.50" developed length	1	D0DZ 9N276-A
71/	A(S/W)	Steel tubing-1/2" O.D.-14.00" developed length	1	D1AZ 9N276-A
71/72	A(except 71) "Before 11/29/71" -not required on vehicles built after 11/29/71	Steel tubing-1/2" O.D.-10.50" developed length	1	D1AZ 9N276-B
71	S		1	
70	A	Fitting (tube assy. to 9034)-3/4"-18 hex.-1/2"tube	1	★87947-S36 (I-24)
	9277 RING-FUEL TANK SENDER RETAINER LOCKING - Refer to Group 9A307			
	9F277 SHIELD - ANTI-BACKFIRE VALVE			
66/68	A(with T/E)(6 cyl. 240)		1	★C6AZ 9F277-A
66/67	A(with T/E) (6 cyl.240)	Washer (shield to 9B289)-1/4"I.D.-31/64"O.D.-spring lock	2	★34790-S

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9278 SENDER - OIL PRESSURE INDICATOR ENGINE UNIT					
	- A -					
65/66	A	6	240	Stamped No. 6	1	C5AZ 9278-A (SW-424)
65/66	A	8	All	Stamped No. 6-1/4"-18 pipe thread	1	B6AZ 9278-B (SW-667)
67/	A	6	240	Stamped No. 6-1/4"-18 pipe thread	1	C7AZ 9278-B
67	A "Before 4/10/67"	8	All		1	(SW-669)
67/	A "From 4/10/67"	8	All	Stamped No. 6-1/4"-18 pipe thread	1	C8AZ 9278-A
					1	(SW-674)
	- B -					
65/66	B	6&8	All	Stamped No. 6-1/4"-18 pipe thread	1	B6AZ 9278-B (SW-667)
67	B "Before 4/10/67"	6&8	All	Stamped No. 6-1/4"-18 pipe thread	1	C7AZ 9278-B (SW-669)
67/71	B "From 4/10/67"	6&8	All	Stamped No. 6-1/4"-18 pipe thread	1	C8AZ 9278-A
72	B	6&8	All	Used without tachometer	1	(SW-674)
72	B	6&8	All	Used with tachometer	1	C9ZZ 9278-A (SW-852)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
9278 SENDER - OIL PRESSURE INDICATOR ENGINE UNIT - continued						
	- F -					
65/66	F (GT350)	8	All	80 lb. pressure	1	★S1MS 9278-A
67	F (GT350/500)	8	All		1	★S7MS 9278-A
68	F (GT350/500)	8	All		1	C2AF 9D290-A
65	F	6&8	All	Used without gauge cluster	1	B6AZ 9278-B
67/68	F "Before 5/6/68"	8	289,302	With tachometer and tripodometer	1	(SW-667)
68/69	F "From 5/6/68"	8	289,302	With tachometer and tripodometer	1	C8AZ 9278-A
67	F	6	All	With tachometer and tripodometer	1	(SW-674)
67/69	F "From 4/10/67"	8	390	With tachometer and tripodometer	1	
68/70	F	8	428CJ	With tachometer and tripodometer	1	
69/71	F Boss	8	302-4/B	With tachometer and tripodometer	1	
69/70	F	8	351		1	
70	F	6&8	All	With tachometer	1	
71/	F	6&8	All	Without tachometer	1	
67	F "Before 4/10/67"	8	390	With tachometer and tripodometer	1	C7AZ 9278-B (SW-669)
67/69	F	8	289,302	Stamped No. 100-1/4" - 18 pipe thread-used without tachometer and tripodometer	1	C7ZZ 9278-B (SW-673)
65	F	6&8	All	Stamped No. 90-1/4" - 18 pipe thread-use with gauges	1	C9ZZ 9278-A (SW-852)
66	F	6&8	All		1	
67/68	F	6&8	200,390	Without tachometer and tripodometer	1	
68/70	F	8	289,302, 390,428	Without tachometer and tripodometer	1	
68	F Special	8	427-4/B		1	
69/71	F Boss	8	302-4/B	Without tachometer and tripodometer	1	
69/70	F	6&8	200,250, 351		1	
71/	F	6&8	All	With tachometer	1	
	- L -					
71/	L	4	All	Stamped No. 6-1/4" - 18 pipe thread	1	C8AZ 9278-A (SW-674)
	- P -					
70/	P	6&8	All	Stamped No. 6-1/4" - 18 pipe thread	1	C8AZ 9278-A (SW-674)
	- S -					
65/71	S	8	All	Stamped No. 90-1/4" - 18 pipe thread	1	C9ZZ 9278-A (SW-852)
72	S	8	All	Stamped No. 6-1/4" - 18 pipe thread	1	C8AZ 9278-A (SW-674)
	- U -					
66/	U	6&8	All	Stamped No. 90-1/4" - 18 pipe thread	1	C9ZZ 9278-A (SW-852)
	- X -					
65/66	X	6&8	All	Stamped No. 6-1/4" - 18 pipe thread	1	B6AZ 9278-B (SW-667)
67	X	6&8	All	Stamped No. 6-1/4" - 18 pipe thread	1	C7AZ 9278-B (SW-669)
68/70	X	6&8	All	Stamped No. 6-1/4" - 18 pipe thread	1	C8AZ 9278-A (SW-674)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9B278 TUBE ASSY. - OIL PRESSURE INDICATOR			
69/70	F Boss(8 cyl.302)(except tachometer)		1	C9ZZ 9B278-A
	9279 ADAPTOR ASSY. - OIL PRESSURE HOSE			
65/66	F(GT350)(8 cyl.289)		1	★S1MS 9279-A
	9280 GAUGE ASSY. - FUEL - INSTRUMENT PANEL UNIT - Also refer to Group 9305			
66/	U		1	C6TZ 9280-A
	9D280 TUBE ASSY. - CARBURETOR FUEL SUPPLY			
65/67	A Special (8 cyl.406, 427-8/B carburetor)		1	C3AZ 9D280-B
67	B Special (8 cyl. 427-8/B carburetor)	Manifold type	1	
66/67	A Special (8 cyl. 427-4/B carb.)		1	★C6AZ 9D280-B
67/68	B Special (8 cyl. 427-4/B carb.)	Manifold type	1	
65/67	A Special	Elbow(tube to 9156)-45o-3/8" tubing-1/4" pipe thread	1	★87498-S
	9B281 CLIP - FUEL FILTER BRACKET			
65/67	A Special (with 352, 390, 406, 427 engine & 4/B, 6/B or 8/B carburetor)		2	B7TZ 9B281-A
65/67		Screw (clip to fuel filter bracket)-No.10-24 x 5/8" fill.hd.	1	★370949-S
	9D281 HOSE - CARBURETOR - FUEL - REAR			
65	A Special (8 cyl. 406, 427-8/B carburetor)	9/16" diameter-5.28" long-cut from C3AZ 9D281-C	2	★C3AZ 9D281-A
66	A Special (8 cyl. 427-8/B carburetor)-"Before 10/1/65"	Rear-9/16" diameter-6.32" long-cut from C3AZ 9D281-C	1	★C3AZ 9D281-B
66	A Special (8 cyl. 427-8/B carburetor)-"Before 10/1/65"	Front-cut to 5.90" long	1	
66/67	A Special (8 cyl. 427-4/B carb.)	Front & rear-cut to 6.20" long	2	
67	B Special, F Special(8 cyl. 427-4/B)	Front & rear-cut to 6.20" long	2	
66/67	A Special (8 cyl. 427-8/B carburetor)-"From 10/1/65"	Rear-9/16" O.D.-9.32" I.D.-7.22" long	1	C3AZ 9D281-C
66/67	A Special (8 cyl. 427-8/B carburetor)-"From 10/1/65"	Front-cut to 6.60" long	1	
67/68	B Special (8 cyl. 427-8/B carburetor)	Rear	1	
67/68	B Special (8 cyl. 427-8/B carburetor)	Front-cut to 6.60" long	1	
65/67	A Special (8 cyl. 406, 427-8/B carburetor)	Clamp (hose to fuel outlet tube)-1/2" hose	4	C9AZ 8287-A
67	B Special (8 cyl. 427-8/B carburetor		4	
@	**9282 TUBE - FUEL TANK TO PUMP** - Also Refer to Group 9291			
65/	A	Nut (fuel line to tank and flexible line)-5/16"	2	87944-S8(I-22)
65/	S	flared tube-1/2"-20	4	
66	B(76)	Clip (fuel line tube to floor side inner member)	1	351648-S32 (GG150)
65	F	Clip assy. (fuel line tube to underbody)	2	380374-S100 (GG241)
65	F	Screw (fuel tank tube to frame)-5/16"-18 x 1/2" hex. washer head-tapping	3	40923-S8 (U264)
65	F	Screw (fuel tank tube to rear crossmember)-No. 10-16 x 3/8" hex. washer hd. -self tapping	1	42120-S8 (U248)
65	F	Grommet (fuel tube thru apron front fender-front)	1	352963-S(KK17)
65/68	F	Clip (fuel line tube to frame) steel	2	★379604-S
65	F	Clip (tube-fuel tank to pump to rear crossmember)	1	352977-S100(GG156)
66	B(76)	Clip (tube-fuel tank to floor side inner member	1	
70	P	Clip (tube-fuel line to side member)	6	
65	F,X	Clip (fuel line tube to frame)-.33" diameter	3	358360-S32(GG143)

@ Fuel tank tube replacements are to be made from bulk tubing stock listed by size and part number under Basic Group 2269

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
@	**9282 TUBE - FUEL TANK TO PUMP - continued** - Also refer to Group 9291			
70	P	Screw (fuel line clip to side member)-1/4" x 14 x 3/4" hex.washer head-self tapping	6	55914-S2(U254F)
70	P(with ev/em)(6 cyl.170,200)	Clip (attaches fuel end vapor line to side member)-3/16"-3/8"	6	383353-S2 (GG163YK)
70	P	Clip (tube-fuel line to rear cross member)	1	352999-S32(GG17)
65/66	S	Screw & lockwasher (fuel line clip to frame)-5/16"-18 x 7/8" hex.hd.	AR	42846-S(U13)
65/66	S	Screw (fuel line clip to frame)-5/16"-18 x 1/2"-hex.washer hd.	AR	★39883-S
65/66	S	Clip (fuel line tube to frame)	2	373744-S7-8 (GG163P)
67	S	Clip (fuel line tube to frame)	2	381599-S2(GG260)
65/	S	Union (fuel line)-5/16"	1	87213-S(I-47)
65/70	X	Clip assy. (tube-tank to fuel pump to underbody assy.)	2	376234-S100 (GG95)
65/70	X	Clip assy. (tube-fuel tank to pump to underbody)	AR	373842-S100(GG207
65/70	X	Clip (tube-fuel tank to pump to brake hose to floor or underbody)	1	356626-S32(GG22)
	9A282 WIRE ASSY. - OIL PRESSURE GAUGE CONNECTOR - Improvise from 14296 Bulk Wire			
	9A283 BEZEL - FUEL GAUGE			
65/66	S	(1) req'd. fuel gauge, oil gauge, temperature gauge, ammeter assembly	4	C4SZ 9A283-A
	9F283 WIRE ASSY. - FUEL LEVEL WARNING RELAY FEED - Improvise from 14296 Bulk Wire			
	9C285 HOSE - FUEL VAPOR SEPARATOR TO FUEL TANK - FRONT - Improvise from 9324 Bulk Hose			
	9C286 HOSE - FUEL VAPOR SEPARATOR TO FUEL TANK - INTERMEDIATE - Improvise from 9324 Bulk Hose			
	9F286 - Refer to Group 9H533			
	9C287 HOSE - FUEL VAPOR SEPARATOR TO FUEL TANK - REAR - Improvise from 9324 Bulk Hose			
72	A(429 P/C)	Clamp (hose to fuel tank sender unit & fuel vapor return tube)	2	378756-S32(EE17)
	9F287 - Refer to Group 9B466			
	9288 - Refer to Group 9324			
	9C288 TUBE - FUEL VAPOR SEPARATOR TO FUEL TANK - FRONT - Improvise Cut from 8C 2269-B			
	9F288 TUBE ASSY. - FUEL PUMP TO FUEL MANIFOLD			
67	F(GT500)	31" long-cut from 8C 2269-B and use (2) 87944-S fitting	1	★C7ZX 9F288-A
	9K288 GROMMET - FUEL LINE TO SIDE APRON			
70/71	B(429 CJ)	(1) required for all exc.76 (2) required for 76	AR	D0OZ 9K288-A
71/	F	Rubber-1.30" O.D.-used as insulator tube to spring tower on L.H. side	1	D1ZZ 9K288-A
70/	B(except 429 CJ), P	Rubber-1.30" O.D. with (1) 3/8" diameter hole and (1) .18" diameter hole	AR	D0DZ 9K288-A
71/	F(6 cyl.)		1	
72	B(429)		1	

@ Fuel tank tube replacements are to be made from bulk tubing stock listed by size and part number under Basic Group 2269

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9B289 VALVE ASSEMBLY - ANTI BACKFIRE			
66	A, B, F, X, U(6 cyl.)(with T/E-intake manifold type)		1	C6AZ 9B289-B
66	A, B, F, X (8 cyl. 289, 352)(with T/E-intake manifold type)		1	C6AZ 9B289-C
66/67	A, B, F, S (8 cyl. 390, 428)(with T/E)		1	
66/67	A(6 cyl. 240)(with T/E-except intake manifold type)		1	C6AZ 9B289-D
66/67	A, B, F, X, U(8 cyl. 289)(with T/E-except intake manifold type)		1	C6AZ 9B289-E
68	A, B, F, X, U(6 cyl. 170, 200, 240) (with T/E)	Air by-pass valve	1	C8AZ 9B289-A
70	F Boss (8 cyl. 429)		1	
68	A,B,F,X,U(8 cyl. 289,302,390,427,428)(with T/E)	Air by-pass valve	1	C8AZ 9B289-B
69	P/C(8 cyl.428), B, F(8 cyl.428)(with T/E)		1	
69	F Boss(8 cyl.429)(with T/E)	Air by-pass valve	1	
70	P/C(8 cyl.428)		1	
70	F(8 cyl.428 CJ)		1	
66/67	B, F, X, U(6 cyl. 170, 200)(with T/E-except intake manifold type)		1	C6DZ 9B289-B
69/71	F Boss(8 cyl.302)(with T/E)	Air by-pass valve-identified C8TE 9B289-B	1	C8TZ 9B289-A
70	A, B, S(8 cyl.429)		1	
71/	F(8 cyl. 429 S/CJ)		1	
66/68	A, B, F, X, U(6 cyl.)(with T/E)	Fitting (tube anti-backfire vacuum to valve)	1	358165-S(H-65)
66/68	A, B, F, X, U(6 cyl.)(with T/E)	Nut (tube to fitting)-3/8"-24 compression	1	351112-S(MM109)
66/68	A, B, F, S, X(8 cyl. 289, 352, 390, 428)(with T/E)	Bolt (valve to bracket)-1/4"-20 x 1.00" lock	2	45924-S7-8(B225X)
	9C289 TUBE - FUEL VAPOR SEPARATOR TO FUEL TANK - REAR - Improvise cut from 8C 2269-B			
70	B,X	Clip (tube to frame)-5/16"-1/2"-.060" thick-steel	AR	★383707-S
	9B290 BRACKET - ANTI-BACKFIRE VALVE			
66	A, B, F, X, U(8 cyl. 289)-(with T/E-intake manifold type)		1	C6OZ 9B290-A
66	A (8 cyl. 390, 428)(with T/E)		1	★C6AZ 9B290-A
67	S (8 cyl. 390, 428) (with T/E)		1	
67	A(8 cyl. 390, 428 with 4/B carb.)(with T/E)		1	
66	A (8 cyl. 352)(with T/E)		1	★C6AZ 9B290-C
67	A(8 cyl. 390 with 2/B carb.)(with T/E)		1	
66/67	A (6 cyl. 240) (with T/E)		1	★C6AZ 9B290-B
66/67	A, B, F, X, U(8 cyl. 289)(with T/E-except intake manifold type)		1	★C6OZ 9B290-C
68	A, B, F, X (8 cyl. 289, 302)(with T/E)		1	C8AZ 9B290-A
68	A, B, F(8 cyl. 390, 428)(with T/E)		1	C8OZ 9B290-A
68	B, F Special (8 cyl. 427)(with T/E)		1	
68/69	B, F(CJ)(8 cyl. 428)(with T/E)		1	
69/70	A, P/C(8 cyl. 428)(with T/E)		1	
70	F(8 cyl.428 CJ)-with 4/B carb.		1	
66	B, F, X, U(6 cyl. 170, 200)(with T/E-intake manifold type)		1	★C6DZ 9B290-A
66/67	B, F, X, U(6 cyl. 170, 200)(with T/E-except intake manifold type)		1	★C6DZ 9B290-B
66/67	B (8 cyl. 390)(with T/E)		1	★C6OZ 9B290-B
67	F (8 cyl. 390) (with T/E)		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9B290 BRACKET - ANTI BACKFIRE VALVE - continued			
70	B(8 cyl.429 CJ)-with T/E	Identified D0VE 9C486-A	1	D0VY 9B290-A
71	F(8 cyl. 429 S/CJ) "Before 3/1/71"		1	
71/	F(8 cyl.429 S/CJ) "From 3/1/71"		1	D1VY 9E290-A
71	S-all		1	
69	F Boss(8 cyl.302)(with T/E)	Air by-pass valve bracket-identified C9ZE 9C486-A	1	C9ZZ 9B290-A
70/71	F Boss(8 cyl.302) (with T/E)	Air by-pass valve bracket-identified D0ZE 9C486-A	1	D0ZZ 9B290-A
66	S (8 cyl. 390, 428)(with T/E)		1	C6SZ 9B290-A
66/68	B, F, X, U(6 cyl. 170, 200)(with T/E)	Bolt(bracket to cyl. block)-3/8"-16 x 3/4"hex. hd.	1	20348-S8(B77)
66/68	B, F, X, U(6 cyl. 170, 200)(with T/E)	Bolt(bracket to cyl. block)-3/8"-16 x 1.00" hex.hd.	1	20388-S8(B80)
		Lockwasher-3/8"		34807-S8(X66)
66	A(6 cyl.240)	Clip (bracket to tube 9B291)-steel	2	★370423-S
66	A(8 cyl.352)	Bolt (bracket to 9424)-5/16"-18 x 3/4" hex.hd.-	2	★42954-S
66/67	A, B(8 cyl.390, 428)	self-locking	2	
68	U(6 cyl.170)		1	
66/67	A, B(8 cyl.390, 428)	Bolt(bracket to 9B289)-1/4"-20 x 2 1/4"hex.hd.- self-locking	1	★42924-S
	9D290 - Refer to Group 9278			
	@ **9291 TUBE - FUEL** - Also refer to 9282 Chart			
66	A (8 cyl. except A Special with 8/C carb. & P/C 8 cyl.428)	Tank to pump (Nylon)-.323" O.D.-.035" wall-169.50" long	1	C6MY 9 91 A
66/70	U	Tank outlet-cut to 56.00" long-use with Nylon auxiliary fuel tank	1	
66/70	U (6 cyl.)	Front-cut to 37.50" long-use with Nylon auxiliary fuel tank	1	
66/70	U (8 cyl.)	Front-cut to 54.00" long-use with Nylon auxiliary fuel tank	1	
67	A (8 cyl. 289, 390, 428)(except P/C)- "Before 12/1/66"	Tank to pump-cut to 165.50" long	1	
66	A (6 cyl. 240)	Tank to pump (Nylon)-cut to 154.75" long from C6MY 9291-A	1	★C6AZ 9291-G
66/68	P/C(8 cyl.428)	Tank to pump (Nylon)-.400" O.D.-.038" wall-179" long-cut to length	1	★C6MY 9291-C
66/68	A Special (8 cyl. 427 with 4/B or 8/B carb.)	Tank to pump-cut to length	1	
67	A (6 cyl. 240) "Before 12/1/66"	Tank to pump (Nylon)-cut to 154.75" long from C6MY 9291-A	1	★C7AA 9291-C
66/67	U (6 cyl. 170)	Tank to pump (Nylon)-cut to 97.00" long from C7TZ 9291-A-use except with Nylon auxiliary fuel tank	1	★C7TA 9291-A
66/68	U (6 cyl. 170, & 8 cyl. 289)	Tank to pump-(Nylon)-.323" O.D.-.035" wall-	1	C7TZ 9291-A
69	U(6 cyl. 170, & 8 cyl. 302) "Before 9/3/68"	115.50" long-use without Nylon auxiliary tank	1	
68	U(6 cyl. 170, & 8 cyl. 289)	Tank to pump (Nylon)-cut to 97 1/2" long from	1	★C7TA 9291-R
69	U(6 cyl. 170, & 8 cyl. 302)	C7TZ 9291-A use with Nylon auxiliary fuel tank	1	
69	U(6 cyl. 170) "From 9/3/68"	Tank to pump (Nylon)-cut to 97.50" long from C7TZ 9291-A	1	★C9TA 9291-B
69	U(8 cyl. 302) "From 9/3/68"	Tank to pump (Nylon)-cut to 113.50" long from	1	★C9TA 9291-A
70/	U(6 cyl. 170)	Tank to pump (Nylon)-.360"/.390" O.D.- 93.50" long-cut from D0TZ 9291-A C7TZ 9291-A	1	★D0TA 9291-L

@ Fuel tank tube replacements are to be made from bulk tubing stock listed by size and part number under basic group 2269

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	9291 TUBE - FUEL - continued - Also refer to 9282 Chart			
70/	U(8 cyl.302)	Tank to pump (Nylon)-.360"/.390" O.D.-113.50" long	1	D0TZ 9291-A
71	L(4 cyl. 122)	Tank to pump (steel tube) cut from 8C 2269-A		★
67	A Special (8 cyl. 427 with 4/B or 8/B carb.)	Clip (fuel line to fender apron)	2	354663-S2
70	A, B, F, S		AR	
69	A	Clip (fuel line to No. 4 crossmember)	1	352977-S100 (GG156)
69/	A	Screw (fuel line clip to frame crossmember)-	1	381877-S2
70	B, F, S	5/16"-18 x 3/4" hex.head self tapping	6	(UUS2AF)
72	B, S	(Tube to frame L.H. side member)	AR	
70	B	Grommet (attach fuel tube to front fender apron)	1	★370387-S
70	F, P	Clip (attach fuel tube to side member)	6	352977-S100 (GG156)
70	P	Screw (attach clip retaining fuel tube)-1/4" x 14 x 3/4" hex.washer hd.-self tapping	6	55914-S2(U254F)
66/	U	Clip (fuel line to frame side member left hand (Nylon)	4	380676-S(GG247)
65/68	A	Clip (attach fuel tube to frame)-nylon	6	377106-S(GG235)
65/68	A	Clip (attach fuel tube to frame)-steel	3	★377104-S
67/71	S	Clip (attach fuel tube to frame)-steel	AR	★381600-S
68/69	B(S/W, X(S/W)	Clip (attach fuel tube to frame)-steel	AR	★377119-S
69/	A	Clip (attach fuel tube to frame)-5/16"-3/8"-	AR	★383064-S
70	S	steel	AR	
69/	A	Clip (attach fuel tube to frame)-1/4"-3/8"-steel	AR	★382851-S
72	B, S	Clip (attach fuel tube to front side member)	AR	382479-S100 (GG277A)
72	B	Clip (fuel tube to front cross member)	1	372323-S(GG154B)
	9B291 TUBE ASSY. - ANTI-BACKFIRE VALVE			
66	A (6 cyl. 240) (with T/E)	18.50" long	1	★C6AZ 9B291-A
66	B, F, U, X(6 cyl.170, 200)(with T/E)	20.29" long	1	★C6DZ 9B291-A
66	A(6 cyl. 240) (with T/E)	Connector (anti-backfire valve tube to intake manifold)-3/8" pipe to 5/8" flange tube	1	371367-S(II-85D)
66	A(6 cyl.240)(with T/E)	Connector(9B291 to 371367-S connector)-5/8"-7/8"-18-steel-nut fitting	1	★87948-S
66	B, F, U, X(6 cyl.170, 200)	Nut(9B291 to 371367-S connector)-5/8"-7/8"-18 tube fitting	1	★87956-S
66	B, F, X(6 cyl.170, 200)	Elbow(9B291 to 9H559)-90°-1/2" hose	1	★378755-S
70	B, X	Clip (tube to frame)-.06" thick-steel	AR	★383706-S
70	S	Clip (tube to frame)-1/4"-7/16"-.030" thick-steel	AR	★382088-S
	9C291 SHIELD - BRAKE and FUEL LINES			
72	L	Improvise from steel .060" thick	1	★D22A 9C291-AA
65/66	S	Screw (shield to rocker panel)-No. 14-10 x 5/8" hex. washer head-self tapping	4	31498-S8(U253B)
	9E292 SPRING - FUEL INDICATOR LENS RETAINER			
65/66	S	(1) req'd. fuel gauge, oil gauge, temperature gauge, ammeter assembly	4	★C4SZ 9E292-A
	9F298 RING - EXPANSION TANK TO OUTER FLOOR PAN			
70	P-with ev/em	Steel-3.09" O.D.	1	D0DZ 9F298-A
70	A-with ev/em		1	
70	B(except S/W, 66)-with ev/em		1	
	9F299 GASKET - FUEL TANK VENT FLANGE			
70	A, B(except S/W, 66), P, S-with ev/em	Rubber-2.42" I.D.-2.62" O.D.-.08" thick	1	D0DZ 9F299-B
70	B(66)-with ev/em	Rubber-2.42" I.D.-2.62" O.D.-.08" thick	1	D0DZ 9F299-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
	9E301 FILTER - FUEL LEVEL INDICATOR LIGHT						
65/66	S	8	390 428	Used for oil, fuel and temp. gauges-ammeter assembly		1 or 4	C4SZ 9E301-A
	9302 PLATE - FUEL LEVEL INDICATOR BACK						
69/70	F	6&8	All	Plastic-identified C9ZF 10B978-B (1) reqd. with oil gauge (1) reqd. with fuel gauge		2	C9ZZ 9302-A
	9304 PLATE - TEMPERATURE INDICATOR BACK						
69/70	F(with tachometer & tripodometer)	6&8	All	Plastic-identified C9ZF 10B978-C		1	C9ZZ 9304-B
68/71	S	8	All	Instrument cluster indicator mounting-used for fuel-oil and temp.-alt.gauges- #C8LF 10B978-A, C8SF 10B978-A,B		2	C8LY 9304-A
	9304 PLATE - ALTERNATOR CHARGE INDICATOR MOUNTING						
69/70	F(except with tachometer & tripodometer)	6&8	All	Plastic-identified C9ZF 10B978-A		1	C9ZZ 9304-A
	9305 GAUGE ASSY. - FUEL - INSTRUMENT PANEL UNIT - Also Refer to Group 9280						
65/66	A	6&8	All			1	C5AZ 9305-B
67	A	6&8	All			1	C7AZ 9305-A
68	A	6&8	All	Fuel level indicator body, pointer & dial		1	C8AZ 9305-A
69/70	A	6&8	All	Less mtg. bracket-marked "E"-FUEL-F"		1	C9AZ 9305-A
71/	A	6&8	All			1	D1AZ 9305-A
65	B	6&8	All			1	C5OZ 9305-A
66	B	6&8	All			1	C6OZ 9305-A
67	B	6&8	All			1	C7OZ 9305-A
68	B	6&8	All	Fuel level indicator body, pointer & dial		1	C8OZ 9305-B
69	B	6&8	All	Marked "COLD-HOT-BELTS-BRAKES"		1	C9OZ 9305-A
70/71	B	6&8	All	Fuel level indicator body, pointer & dial		1	D0OZ 9305-A
72	B (with tachometer instrument group)	6&8	All			1	D2GY 9305-B
72	B (w/o tachometer instrument group)	6&8	All			1	D2GY 9305-A
65	F	6&8	All	Except with oil pressure gauge		1	C5DZ 9305-A
65/66	F	6&8	All	Used with oil pressure gauge		1	C5ZZ 9305-B
67/68	F	6&8	All	Use except with fuel gauge mounted with alternator gauge - with tach.		1	C7ZZ 9305-A
67/68	F	6&8	All	Fuel level Indicator body, pointer & dial-use with fuel gauge mounted with alternator gauge- without tach.		1	C7ZZ 9305-B
69/70	F(except 65E)	6&8	All	Marked "E-F" at top and "FUEL" at bottom-includes body, pointer & dial-use with temperature indicator mounted with fuel indicator		1	C9ZZ 9305-A

• Refer to Group 9350 for complete Fuel Pump Identification # Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
	9305 GAUGE ASSY. - FUEL - INSTRUMENT PANEL UNIT - continued - Also refer to Group 9280						
69/70	F(except 63C)(with tachometer & gauges)	6&8	All	Marked "FUEL" at top and "E-F" at bottom-includes body, pointer & dial		1	C9ZZ 9305-B
69/70	F(63C)	6&8	All	Marked "FUEL" at top and "E-F" at bottom-includes body, pointer in center of body on R. H. side of instrument cluster		1	C9ZZ 9305-C
69/70	F(65E)	6&8	All	Marked "E-F" at top and "FUEL" at bottom-includes body, pointer & dial-use with temperature indicator mounted with fuel indicator		1	C9ZZ 9305-D
71/	F	6&8	All			1	D1ZZ 9305-B
71/	L	4	All			1	D1FZ 9305-A
70/	P	6&8	All	Marked "E FUEL F"		1	D0DZ 9305-A
65/66	S	8	390,428			1	C4SZ 9305-A
67	S	8	All	Fuel & oil		1	C7SZ 9305-A
68/71	S	8	429	Fuel & oil indicator body, pointer & dial		1	C9SZ 9305-A
65	X	6&8	All			1	C5DZ 9305-A
66/67	X	6&8	All			1	C6DZ 9305-A
68/70	X	6&8	All	Fuel level indicator body, pointer & dial		1	C8DZ 9305-A
72	S	8	All	Fuel level indicator body, pointer & dial assy.		1	D2SZ 9305-A
70	F, P	6&8	All	Nut (attaches 9305 to 10804)-stamped-No. 10-32		2	383367-S100 (MM291EA)
	9A307 RING - FUEL TANK SENDER RETAINER LOCKING - Also refer to Group 9277						
65/	A, B, F, L, P, S, U, X	6&8	All			1or2	C0AZ 9A307-A
	9A307 RING - SEPARATOR ASSY. FUEL VAPOR						
71/	A, B, F, L, P, S, U	6&8	All			1or2	C0AZ 9A307-A
	9A307 PLATE - FUEL TANK VENT VALVE RETAINER - UPPER						
71	B(S/W)	6&8	All			1	D1OZ 9A307-A
71	B (S/W)	6&8	All	Screw & washer assy. (Plate to fuel tank)		4	383532-S100 (BB551CK)
	9B308 GAUGE ASSY. - OIL PRESSURE - INSTRUMENT PANEL UNIT - Also refer to Group 9273						
72	B (with tachometer instrument group)	6&8	All			1	D2GY 9B308-A
65/66	F	6&8	All			1	C5ZZ 9B308-B
67	F	6&8	All			1	C7ZZ 9B308-A
68	F	6&8	All	Oil pressure body, pointer & dial-use with oil pressure gauge mounted in L.H. corner of cluster		1	C7ZZ 9B308-B
69/70	F(except 65E)(except tachometer & tripodometer)	6&8	All	Marked "OIL PRESSURE" at top and "H" at bottom-mounted on R. H. side of instrument cluster-Black dial		1	C9ZZ 9B308-A
69/70	F(65E) (except tachometer & tripodometer)	6&8	All	Marked "OIL PRESSURE" at top and "H" at bottom-mounted on R. H. side of instrument cluster-Gray-blue dial		1	C9ZZ 9B308-B
71/	F	8	All	Use with auxiliary instrument cluster		1	D1ZZ 9B308-A
69/70	F (GT350/500)	8	351,428	100 lbs.		1	C9ZZ 9B308-C
65/66	S	8	390,428			1	C4SZ 9B308-A
	9E308 INSULATOR - FUEL LEVEL INDICATOR						
69/70	A	6&8	All	Nylon-.52" diam.-.215" thick		2	C9AZ 9E308-A

• Refer to Group 9350 for complete Fuel Pump Identification

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
	9F308 TUBE - AUXILIARY FUEL TANK TO SELECTOR VALVE - Improvise from 2269 Bulk Tubing						
	9F309 RETAINER - FUEL EXPANSION VENT TUBE TO FRONT						
70	U	6&8	All			1	D0TZ 9F309-A
	9F313 BRACKET - OIL PRESSURE SENDER						
68/71	F Boss (except tachometer)	8	302			1	C9ZZ 9F313-B
	9314 DIAPHRAGM ASSY. - VACUUM FUEL PUMP						
66/69	U	6&8	All		123, 128	1	C6TZ 9314-A
	9315 SPRING - VACUUM FUEL PUMP DIAPHRAGM						
66/69	U	6&8	All		123, 128	1	C6TZ 9315-A
	9B315 LENS - FUEL LEVEL GAUGE - Also refer to Group 9B313						
65/66	S	8	390,428	Fuel level gauge		1	C4SZ 9B315-B
65/66	S	8	390,428	Temperature gauge		1	
65/66	S	8	390,428	Oil pressure gauge		1	
65/66	S	8	390,428	Ammeter assy.		1	
	9A318 TUBE - FUEL FRONT						
72	A, B	8	429P/C	Cut from B7Q 2269-A-use with electric fuel pump only		1	★D2AE 9A318-AA
	9D319 BRACKET - FUEL LINE SUPPORT						
71	B(except S/W, 66)	6&8	All	Improvise from 1.00" wide steel-.060" thick		1	★D1OB 9D319-AA
71/	L	4	122	Identified D12E 9D319-AA,AB		1	D1FZ 9D319-A
70/	P	6&8	All			AR	D0DZ 9D319-A
71/	L(with A/C)	4	122	Screw & washer assy.-(bracket to 9424)		1	N-800001-S51 (AB-96)
	9C323 HOSE - FUEL TUBE TO FUEL FILTER - Unless listed improvise from 9324 Bulk Hose						
69	F Boss	8	429	.283"/.312" I.D. on (1) end and .344"/.375" I.D. on the other-1.81" long-use w/C7OZ 9155-A filter		1	C9AZ 9C323-B
69	F Boss	8	429	Clamp (9C323 hose to 9B273 tube assy.)		1	379278-S7 (EE5B)
	9324 HOSE - FUEL TUBE - Unless listed improvise from 9324 Bulk Hose - Also refer to Groups 9170, 9288						
65/	A, B, F, L, P, U, X	4,6 &8	All	3/8" I.D.-19/32" O.D.-25 ft. roll		1	C9PZ 9324-A (KFL-1)
65/	A, B, F, L, P, U, X	4,6 &8	All	3/16" tube size-.313/.373" O.D.-.141/.171" I.D.- 25 ft. roll		AR	D1PZ 9324-A (KFL-3)
65/	A, B, F, L, P, U, X	4,6 &8	All	1/4" tube size-.408/.468" O.D.-.192/.252" I.D.- 25 ft. roll		AR	D1PZ 9324-B (KFL-4)
65/	A, B, F, L, P, U, X	4,6 &8	All	1/2" tube size-.750/.812" O.D.-.459/.491" I.D.- 25 ft. roll		AR	D1PZ 9324-C (KFL-5)
65/	A, B, F, L, P, U, X	4,6 &8	All	5/8" tube size-.903/1.093" O.D.-.585/.675" I.D.- 25 ft. roll		AR	D1PZ 9324-D (KFL-6)
65/	A, B, F, L, P, U, X	4,6 &8	All	3/4" tube size-.99/1.07" O.D.-.69/.75" I.D.- 25 ft. roll		AR	D1PZ 9324-E (KFL-7)
65/	A, B, F, L, P, U, X	4,6 &8	All	5/16" I.D.-17/32" O.D. -25 ft. roll		1	C9PZ 9324-B (KFL-2)
70	A(except 429-2V)-with EV/EM	8	All	Fuel tube front -.272"/.304" I.D. -.516"/.578" O.D. approximate developed length 10.52"		1	D0AZ 9324-A
71/	A	8	All			1	

• Refer to Group 9350 for complete Fuel Pump Identification

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
	9324 HOSE - FUEL TUBE - continued - Unless listed improvise from 9324 Bulk Hose - Also refer to Groups 9170, 9288						
70/	U	6&8	All	Fuel tube front-use with auxiliary fuel tank		AR	D0TZ 9324-F
65/66	S	8	390	Clamp (vent tube to fuel tank)-.438" hose		1	97325-S35(E1)
66/69	U	6&8	All	Nipple - 5/16" hose (attach. hose to valve 9189)		AR	★373129-S
66/69	U	6&8	All	Clip (hose to frame)-steel		AR	353473-S
67/	S	8	All	Clip (hose to frame)-steel		AR	359599-S(GG296)
70	B,X	6&8	All	Clip (hose to 9002)-1/4" thick steel		AR	★383772-S
65	A Special (with 8/B carb.)	8	427	Clip (fuel tube to fender apron)-nylon		3	377106-S(GG235)
67	P/C	8	428			AR	
67	A Special (with 4/B or 8/B carb.)	8	427			AR	
67	S	8	All			AR	
70	A	6&8	All			AR	
	9F326 SWITCH ASSY. - FUEL LOW LEVEL WARNING						
72	S (with low fuel warning)	8	All			1	D1VY 9F326-A
72	S	8	All	Nut (switch assy. to instrument panel)-spring No. 8		2	45174-S8 (M138)
72	S	8	All	Screw (switch assy. to instrument panel) No. 8-15 x 1 1/2		2	42160-S7-8 (U274A)
	9327 - Refer to Group 9324						
	9C327 HOSE - FUEL RETURN - Improvise from D1AZ 9C285-A						
	9B328 SEPARATOR ASSY.-FUEL VAPOR						
71/	F, L, P, S	4,6,8	All			1	D1AZ 9B328-A
71	A	6&8	All			1	
72	A (except 429 P/C)	6&8	All			1	
72	B (except 71)	6&8	All			1	
71	B(66)	6&8	All			1	
71	B (except 66, 71)	6&8	All			1	D1OZ 9B328-A
71	B (71)	6&8	All			1	D1OZ 9B328-B
72	B (71)	6&8	All	Includes (1) D2OA 9B076-AB seal		1	D2OZ 9B328-A
	9D336 BRACKET - FUEL GAUGE MOUNTING						
69/70	A	6&8	All	Fuel level indicator		1	C9AZ 9D336-A
	9B337 TUBE - FUEL VAPOR RETURN - Improvise from 2269 Bulk Tubing						
72	A	8	429 (P/C)	Clip (tube to lower arm mounting bracket)		1	352605-S8(GG-149)
	9B339 FITTING - OIL PRESSURE SENDER						
65/66	F	8	289	Use with oil pressure gauge		1	C2OZ 9B339-A
66	U	8	289			1	
72	B(with tachometer inst. group)	8	351W			1	
72	B (with tachometer inst. group)	8	302			1	D1UZ 9B339-A
67/68	F	8	289,302			1	
67/68	U	8	289			1	
69	F	8	302,351			1	
69/	U	8	302			1	
69/70	F(except Tachometer)	8	302,351			1	
71/	F(with gauges)	8	302			1	
71	L	4	98	1.90" long		1	D1FZ 9B339-A
72	A,B	8	429 (P/C)			1	D2AZ 9B339-A

• Refer to Group 9350 for complete Fuel Pump identification

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
	9C341 SEPARATOR KIT - FUEL PUMP - ELECTRIC						
72	A (except 71)	8	429 (P/C)			1	D2AZ 9C341-A
72	A (71)	8	429 (P/C)			1	D2AZ 9C341-B
72	B	8	429 (P/C)	Kit-includes (1) D2OF 9C341-AA separator assy. (1) D2AF 9C344-AB connector, (1) C0AF 9276-A gasket and (2) 376545-S8		1	D2OZ 9C341-A
	9343 BODY and PLUGS ASSY. - FUEL PUMP - UPPER						
65	A, B, F, X	8	All		100,103	1	★C3AZ 9343-D
67	A, B Special (4/B or 8/B carb.)	8	427	Housing assy. (pump valve)	137	1	★C7AZ 9343-B
67/70	P/C	8	428	Housing assy. (pump valve)	136, 147, 148	1	C7AZ 9343-A
69/71	F Boss (with 4/B carb.)	8	302			1	
69	F Boss (with 4/B carb.)	8	429			1	
69/70	B, F (with 4/B carb.)	8	428 CJ			1	
70	B	8	429S/CJ			1	
71	F	8	429S/CJ			1	
70	B(with 4/B carb.)	8	429 CJ		153	1	D0OZ 9343-A
66/69	U	6	170	Housing assy. (pump valve)	123	1	C6TZ 9343-A
66/69	U	8	289,302		128	1	★C6TZ 9343-B
65/	A, B, F, S, U, X	6&8	All	Screw & washer assy. (cover to body)-1/4"-28 x .875" fill. head	100, 123, 136, 137, 147, 148, 153	2	359462-S100(BB79)
65/	A, B, F, S, U, X	6&8	All	Screw & washer assy. (body & plugs assy. to fuel pump body)-No. 10-32 x .625" pan head	100, 123, 136, 137, 147, 148, 153	6	359617-S100 (BB626)
	9344 SWITCH ASSY. - FUEL PUMP OIL PRESSURE						
72	A, B	8	429 (P/C)	Identified D2AF 9344-AA		1	D2AZ 9344-A
	9349 REPAIR KIT - FUEL PUMP						
65/67	A Special (with 4/B, 6/B or 8/B carb.)	8	352,390 406,427		102, 111	1	C0AZ 9349-B
66/67	P/C	8	428			1	
67	B Special (with 4/B, 8/B carb.)	8	427			1	

Consists of the following

2-B7A	9352-A	Valve	1-A9AZ	9382-A	Spacer	1-C0AE	9398-A	Diaphragm
1-C1TZ	9A358-A	Diaphragm	1-B5AZ	9389-A	Bushing	2-49B	9408	Gasket
1-A9AZ	9378-A	Pin	1-B5AZ	9A392-A	Retainer	1-B8A	9417-A	Gasket
1-C3AZ	9380-A	Spring	1-C0AZ	9A393-A	Seal (oil)	1-C3AZ	9417-C	Gasket
1-C0AE	9381-A	Link	1-C0AE	9396-A	Spring	1-A9AZ	9418-A	Washer

65	F	6	170	Service details	87	1	★ C3AZ 9349-D

Consists of the following

2-C3AZ	9352-A	Valve assy.	1-B5AZ	9389-A	Bushing	1-C3AZ	9398-D	Diaphragm assy.
1-A9AZ	9378-A	Pin	2-B5AZ	9A392-A	Retainer	2-49B	9408	Gasket
1-C3AZ	9380-A	Spring	1-C0AZ	9A393-A	Seal	1-C3AZ	9417-B	Gasket
1-8EL	9381	Link	1-C3AZ	9396-A	Spring	1-A9AZ	9418-A	Washer

65	F	8	260,289		100	1	C3AZ 9349-A

Consists of the following

1-C2AZ	9A358-A	Diaphragm	1-C0LE	9A360-A	Plug	1-C3AZ	9398-F	Diaphragm
						1-C3AZ	9417-C	Gasket

65/66	A, B, F, X	6	170,200, 240	Service details	109, 110	1	★C3AZ 9349-F

2-C0DE	9352-A	Valve assy.	1-B5AZ	9389-A	Bushing	1-C3AZ	9398-D	Diaphragm assy.
1-A9AZ	9378-A	Pin	2-B5AZ	9A392-A	Retainer	2-49B	9408	Gasket
1-C3AZ	9380-A	Spring	1-C0AZ	9A393-A	Seal	1-C3AZ	9417-B	Gasket
1-8EL	9381	Link	1-C5AZ	9396-A	Spring	1-A9AZ	9418-A	Washer

• Refer to Group 9350 for complete Fuel Pump Identification

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
	9349 REPAIR KIT - FUEL PUMP - continued						
66/67	A, B, F, X	6	170,200, 240	Service details	T49	1	★C6UZ 9349-B
	Consists of the following						
	* 2-C0DE 9352-A Valve assy.		1-8EL 9381	Pin	1-C5AZ 9396-A	Spring	
	* 2-C6UZ 9352-A Valve assy.		1-B5AZ 9389-A	Bushing	1-C6UZ 9398-A	Diaphragm	
	1-A9AZ 9378-A Pin		1-B5AZ 9A392-A	Retainer	1-C3AZ 9417-B	Gasket	
	1-C3AZ 9380-A Spring		1-C0AZ 9A393-A	Seal (oil)			
	* Use as required						
66/69	U	6	170		123	1	C6TZ 9349-A
	Consists of the following						
	1-C6TZ 9314-A Diaphragm		1-C6TZ 9A360-A	Retainer	1-C3AZ 9417-B	Gasket	
	1-C2AZ 9A358-B Diaphragm		1-C6TZ 9398-A	Diaphragm	1-ECU 9469-A	Seal (oil)	
					1-370013-S	Plug	
66/69	U	8	289,302		128	1	C6TZ 9349-B
	Consists of the following						
	1-C6TZ 9314-A Diaphragm(vacuum)		1-C6TZ 9398-B	Diaphragm(pump)	1-ECU 9469-A	Seal (oil)	
	1-C6TZ 9A358-A Diaphragm(pulsator)		1-C3AZ 9417-C	Gasket	1-370013-S	Plug	
66/67	A (with T/E or A/C)	6	240		129, 131	1	C3AZ 9349-G
	Consists of the following						
	2-C3AZ 9352-C Valve assy.		1-8EL 9381	Link	1-C5AZ 9396-A	Spring	
	1-C2AZ 9364-A Gasket		1-B5AZ 9389-A	Bushing	1-C3AZ 9398-D	Diaphragm assy.	
	1-A9AZ 9378-A Pin		B5AZ 9A392-A	Retainer	1-C3AZ 9417-B	Gasket (mounting)	
	1-C3AZ 9380-A Spring		1-C0AZ 9A393-A	Seal (oil)	1-A9AZ 9418-A	Washer	
66/67	A (except T/E & except A/C)	6	240	Service details	130	1	★C5AZ 9349-A
	Consists of the following						
	2-C5UZ 9352-A Valve assy.		1-B5AZ 9389-A	Bushing	1-C6UZ 9398-A	Diaphragm	
	1-A9AZ 9378-A Pin		1-B5AZ 9A392-A	Retainer	1-A8TZ 9417-A	Gasket	
	1-C3AZ 9380-A Spring		1-C0AZ 9A393-A	Seal (oil)	1-A9AZ 9418-A	Washer	
	1-8EL 9381 Link		1-C5AZ 9396-A	Spring			
66	A, B	8	352,390, 428	Service details	126	1	★C6AZ 9349-A
	Consists of the following						
	2-C3AZ 9352-D Valve		1-C0AE 9381-A	Link	1-C6AZ 9396-A	Spring	
	1-C2AZ 9364-A Gasket		1-B5AZ 9389-A	Bushing	1-C6AZ 9398-A	Diaphragm	
	1-A9AZ 9378-A Pin		1-C6AZ 9A392-A	Retainer	1-C3AZ 9417-C	Gasket	
	1-C0AZ 9380-A Spring		1-C6AZ 9A393-A	Seal (oil)	1-A9AZ 9418-A	Washer	
67/70	P/C	8	428		136, 147, 148	1	C7AZ 9349-A
68/69	B, F Special (4/B carb.)	8	427			1	
68/70	B, F(with 4/B carb.)	8	428CJ			1	
69/71	F Boss (with 4/B carb.)	8	302			1	
69	F Boss (with 4/B carb.)	8	429			1	
70	B	8	429S/CJ			1	
71	F	8	429S/CJ			1	
	Consists of the following						
	1-C1VE-9A358-A Diaphragm		1-C7AZ-9398-A	Diaphragm	1-C3AZ-9417-C	Gasket	
	1-C0LE-9A360-A Plug						
67	A, B Special (4/B or 8/B carb.)	8	427	Service details	137	1	★C7AZ 9349-B
	Consists of the following						
	1-C1VE-9A358-A Diaphragm		1-C7AZ-9398-B	Diaphragm	1-C3AZ-9417-C	Gasket	
	1-C0LE-9A360-A Plug						
70/71	B(with 4/B carb.)	8	429 CJ		153	1	D0OZ 9349-A
70	B Boss (with 4/B carb.)	8	429			1	
71	F	8	429CJ			1	
	Consists of the following						
	1-C1VE-9A348-A Diaphragm		1-D0OZ-9398-A	Diaphragm	1-C3AZ-9417-C	Gasket	
	1-C0LE-9A360-A Plug						

• Refer to Group 9350 for complete Fuel Pump Identification

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
	9350 PUMP ASSY. - FUEL						
				4 Cylinder			
71/	L	4	98	Service Pkg. includes (1) D0RY 9417-A gasket	156	1	D0RY 9350-C
71	L	4	122	Identified by 70HF 9350-CA or DA on fuel pump mounting flange-service pkg. includes (1) D1FZ 9417-A gasket	155	1	★D1FZ 9350-A r/b D1FZ 9350-C
71/	L	4	122	Identified by 70HF 9350-DB stamped on fuel pump mounting flange-service pkg.includes (1) D1FZ 9417-A gasket	*	1	D1FZ 9350-C
				6 Cylinder			
	- A -						
65	A	6	240	Identified by 0227 stamped on mounting flange	109	1	★†C3AZ 9350-T
66	A(w/ T/E-exc.intake manifold type)	6	240			1	r/b C3AZ 9350-Y
66	A(exc.T/E & w/ Selectair A/C)- "From 11/5/65"	6	240			1	
65	A	6	240	Carter-identified by 3913	133	1	★♦C5DE 9350-B or ★D2TE 9350-RA r/b C3AZ 9350-Y
66	A(exc. T/E)- "Before 11/5/65"	6	240	Identified by stamped 0290 on mounting flange	T49	1	★†C5UZ 9350-A
66	A(w/ T/E-intake manifold type)	6	240			1	r/b C5UZ 9350-B
66	A(exc. T/E & exc. Selectair A/C)	6	240			1	
66/67	A(w/ T/E)	6	240	Identified by 0485 stamped on mounting flange	129	1	★†C3AZ 9350-V
66	A(exc. T/E & w/ Selectair A/C)	6	240			1	r/b C3AZ 9350-Y
66/67	A(exc. T/E)	6	240	Identified by 0483 stamped on mounting flange	130	1	★†C5UZ 9350-B
66	A(exc. T/E)- "Before 11/5/65"	6	240			1	r/b C5UZ 9350-C
66	A(w/ T/E-intake manifold type)	6	240			1	
66	A(exc. T/E & exc.Selectair A/C)	6	240			1	
66	A(w/ T/E)	6	240	Identified by 0484 stamped on mounting flange	131	1	★†C6AE 9350-C r/b C3AZ 9350-Y
66	A	6	240	Carter-identified by 4092-S	135	1	♦C5UZ 9350-C
67	A(w/ T/E)	6	240	Carter-identified by 3913 stamped on mounting flange	133	1	★C5DE 9350-B or ★D2TE 9350-RA r/b C3AZ 9350-Y
66/68	A(w/ T/E)	6	240	Carter-identified by 3938-S stamped on mounting flange	134	1	†C3AZ 9350-Y
66	A(exc. T/E & w/ Selectair A/C)	6	240			1	
67/69	A(exc. T/E)- "Before 3/3/69"	6	240	Carter-identified by 4092 stamped on mounting flange	135	1	†C5UZ 9350-C
69	A "From 3/3/69"	6	240	Carter-identified by 4433-S stamped on mounting flange	146	1	†C9DZ 9350-A
70/	A	6	240	Carter-identified by 4532-S stamped on mounting flange	141	1	★†C8DZ 9350-A r/b D3TZ 9350-A
	- B -						
65	B	6	200	Identified by 0228 stamped on mounting flange	110	1	★†C3OZ 9350-C r/b C3OZ 9350-D
65	B	6	200	Carter-identified by 3912 stamped on mounting flange	T52	1	†C3OZ 9350-D
66/67	B	6	200	Identified by 0290 stamped on mounting flange	T49	1	★†C5UZ 9350-A r/b C5UZ 9350-C
66/67	B	6	200	Identified by 0483 stamped on mounting flange	130	1	★†C5UZ 9350-B r/b C5UZ 9350-C
66/67	B	6	200	Carter-identified by 4092 stamped on mounting flange	135	1	†C5UZ 9350-C
68/70	B	6	200	Carter-identified by 4532-S or 4531-S stamped on mounting flange	141	1	★†C8DZ 9350-A
70/	B	6	250			1	r/b D3TZ 9350-A

• Refer to Group 9350 for complete Fuel Pump Identification
♦ Canada only
† Includes 9417 mounting gasket
* Details not serviced

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
	9350 PUMP ASSY. - FUEL - continued						
				6 Cylinder - continued			
	- F -						
65	F	6	170	Identified by 6803 stamped on pump mounting flange	87	1	★†C3DZ 9350-A r/b C3AZ 9350-Y
65	F	6	170,200	Identified by 0227 stamped on fuel pump mounting flange	109	1	★†C3AZ 9350-T r/b C3AZ 9350-Y
65	F	6	170,200	Identified by 0485 stamped on mounting flange	129	1	★†C3AZ 9350-V r/b C3AZ 9350-Y
65	F	6	170,200	Carter-identified by 3938-S stamped on mounting flange	134	1	†C3AZ 9350-Y
65	F	6	170,200	Identified by 0483 stamped on mounting flange	130	1	★†C5UZ 9350-B r/b C5UZ 9350-C
65	F	6	170,200	Carter-identified by 3913 stamped on mounting flange	133	1	★♦C5DE 9350-B or ★D2TE 9350-RA r/b C3AZ 9350-Y
66/67	F	6	200	Identified by 0290 stamped on mounting flange	T49	1	★†C5UZ 9350-A r/b C5UZ 9350-C
66/67	F	6	200	Carter-identified by 4092 stamped on mounting flange	135	1	†C5UZ 9350-C
68/70	F	6	200	Carter-identified by 4532-S or	141	1	★†C8DZ 9350-A
69/	F	6	250	4531-S stamped on mounting flange		1	r/b D3TZ 9350-A
68/70	F	6	200	Identified D3TE-AA and also	T65	1	D3TZ 9350-A
69/	F	6	250	6399-S on mounting flange-Carter		1	
	- P -						
70/	P	6	All	Carter-identified by 4532-S or 4531-S stamped on mounting flange	141	1	★†C8DZ 9350-A r/b D3TZ 9350-A
	- U -						
66/69	U "Before 12/1/68"	6	170	Carter-identified by 4192 stamped on mounting flange	123	1	†C6TZ 9350-A
69	U "From 12/1/68"	6	170	Carter-identified by 4092 stamped on mounting flange	135	1	†C5UZ 9350-C
70/	U	6	170	Carter-identified by 4532-S or 4531-S stamped on mounting flange	141	1	★†C8DZ 9350-A r/b D3TZ 9350-A
	- X -						
65	X	6	170,200	Identified by 0227 stamped on mounting flange	109	1	★†C3AZ 9350-T r/b C3AZ 9350-Y
65	X	6	170,200	Identified by 0485 stamped on mounting flange	129	1	★†C3AZ 9350-V r/b C3AZ 9350-Y
65	X	6	170,200	Carter-identified by 3938-S stamped on mounting flange	134	1	†C3AZ 9350-Y
65	X	6	170,200	Carter-identified by 3913 stamped on mounting flange	133	1	★♦C5DE 9350-B or ★D2TE 9350-RA r/b C3AZ 9350-Y
66/67	X	6	170,200	Identified by 0290 stamped on mounting flange	T49	1	★†C5UZ 9350-A r/b C5UZ 9350-C
66/67	X	6	170,200	Identified by 0483 stamped on mounting flange	130	1	★†C5UZ 9350-B r/b C5UZ 9350-C
66/67	X	6	170,200	Carter-identified by 4092 stamped on mounting flange	135	1	C5UZ 9350-C
68/70	X	6	170,200	Carter-identified by 4532-S or 4531-S stamped on mounting flange	141	1	★†C8DZ 9350-A r/b D3TZ 9350-A

• Refer to Group 9350 for complete Fuel Pump Identification † Includes 9417 mounting gasket ♦ Canada only

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9350	PUMP ASSY. - FUEL - continued						
				8 Cylinder			
	- A -						
65	A "Before 2/25/65"	8	289	Carter-identified by 3911-S stamped on mounting flange	106	1	†C3AZ 9350-S
65	A "From 2/25/65"	8	289	Carter-identified by 3974-S stamped on mounting flange	121	1	★†C5AZ 9350-A r/b C5AZ 9350-B
65	A "From 2/25/65"	8	289	Carter-identified by 4193 stamped on mounting flange	124	1	†C5AZ 9350-B
66/67	A	8	289			1	
68/69	A	8	302,351			1	
65	A Special(w/ 4/B,6/B or 8/B carb.)	8	352,390, 427	Identified by No.6974 stamped on mounting flange-service pkg. includes (1) B8A 9417-A gasket-(352 engine only)-(1) C1SZ 9417-A gasket (390,427 engines)	102	1	★C0AZ 9350-A r/b C0AZ 9350-D
65/67	A Special(w/ 4/B,6/B or 8/B carb.)- "Before 2/1/67"	8	352,390, 427	Identified by No.0294 stamped on mounting flange-service pkg.	111	1	★C0AZ 9350-C r/b C0AZ 9350-D
66	P/C	8	428	includes (1) B8A 9417-A gasket (352 engine only)-(1) C3AZ 9417-C gasket for 390, 427,428 engines-(1) 353107-S bushing		1	
67	P/C "Before 2/1/67"	8	428	Carter-identified by No. 4442 or 4539 stamped on mounting flange-kit includes (1) C7AZ 9350-B pump assy., (1) C3AZ 9417-C gasket and (2) 20448-S2 bolt	137	1	C0AZ 9350-D
67	A "From 2/1/67"	8	427			1	
67/70	P/C "From 2/1/67"	8	428	Carter-identified by No.4441 stamped on mounting flange	136	1	†C7AZ 9350-A
65	A	8	352,390	Carter-identified by 3909-S stamped on mounting flange	105	1	★†C3AZ 9350-R r/b D2TZ 9350-A
65	A	8	352,390	Carter-identified by 4314-S stamped on mounting flange	127	1	★†C3AZ 9350-U r/b D2TZ 9350-A
65	A	8	352,390	Airtex-fuel pump & filter assy.-ident. by RD-410-MF stamped on mounting flange-service pkg. includes mounting gasket	T64	1	D2TZ 9350-A
66	A	8	352,390, 428	Identified by 40425 stamped on mounting flange	126	1	★C6AE 9350-B r/b D2TZ 9350-A
66/68	A(exc. P/C 8 cyl.428 & A Special w/ 8/B carb.)	8	352,390, 428	Carter-identified by 4194-S stamped on mounting flange	122	1	†C6AZ 9350-B
69	A	8	390			1	
69	A	8	429	Carter-identified by 4474 stamped on mounting flange	143	1	★†C8SZ 9350-A r/b D0VY 9350-A
70/72	A	8	302	Carter-identified 4896-S or SA stamped on mounting flange	150	1	★†D0AZ 9350-B r/b D3OZ 9350-B
70/	A	8	302	Carter-identified by MS-6477-S stamped on mounting flange	157	1	D3OZ 9350-B
70/	A	8	351(W)	Carter-identified 4888-S or SA stamped on mounting flange	151	1	†D0AZ 9350-C
70/71	A	8	390	Carter-identified D0AE 4897-S and also stamped on mounting flange	152	1	★†D0AZ 9350-D r/b D4TZ 9350-A
70/71	A	8	390	Carter-incl. (1) C3AZ 9417-C gasket-identified D4TE-AA		1	D4TZ 9350-A
71/	A	8	351(C), 400	Carter-identified D0AE-E and also 4861-S stamped on mounting flange	149	1	†D0AZ 9350-A

• Refer to Group 9350 for complete Fuel Pump Identification † Includes 9417 mounting gasket

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
	9350 PUMP ASSY. - FUEL - continued						
				8 Cylinder - continued			
	- A -						
71	P/C	8	429	Carter-identified 4907-S stamped on mounting flange	153	1	†D0OZ 9350-A
70/	A(exc. P/C)	8	429	Carter-identified D0VE-C,D and also 4898-S stamped on mounting flange	154	1	†D0VY 9350-A
72	A	8	429P/C	Electric kit-includes (1) C0AF 9275-A gasket, (1) D2AF 9C344-AB connector, (1) D2AF 9C357-BA clamp, (1) D2AF 9C358-AA filter & (2) 375545-S8 clamp	*	1	D2AZ 9350-C
	- B -						
65	B(exc.Special)	8	289	Carter-identified by 3911-S stamped on mounting flange	106	1	★†C3AZ 9350-S r/b C5OZ 9350-A
65	B Special (w/ 4/B carb.)	8	289	Carter-identified by 3939-S stamped on mounting flange	108	1	†C5OZ 9350-A
66/67	B	8	289	Carter-identified by 4193 stamped on mounting flange	124	1	†C5AZ 9350-B
68	B	8	289,302	Carter-identified by 4567	145	1	★†C8OZ 9350-A
69	B	8	351	stamped on mounting flange		1	r/b D0AZ 9350-B
66	B(exc. 63D,76D)	8	390	Carter-identified by 4194-S	122	1	†C6AZ 9350-B
67/68	B(GT)	8	390	stamped on mounting flange		1	
66	B	8	390	Identified by 40425 stamped on mounting flange	126	1	★†C6AE 9350-B r/b D2TZ 9350-A
66	B(63D,76D)	8	390	Carter-identified by 3909-S stamped on mounting flange	105	1	★†C3AZ 9350-R r/b D2TZ 9350-A
66	B(63D,76D)	8	390	Carter-identified by 4314-S stamped on mounting flange	127	1	★†C3AZ 9350-U r/b D2TZ 9350-A
67	B Special (w/ 4/B or 8/B carb.)- "Before 2/1/67"	8	427	Identified by No.0294 stamped on mounting flange	111	1	★†C0AZ 9350-C r/b C0AZ 9350-D
67	B Special (4/B or 8/B carb.)- "From 2/1/67"	8	427	Carter-identified by No.4442 stamped on mounting flange	137	1	★†C7AZ 9350-B r/b C0AZ 9350-D
68	B(w/ 4/B carb.)	8	427	Carter-identified by No.4441	136	1	†C7AZ 9350-A
68/69	B(w/ 4/B carb.)	8	428CJ	stamped on mounting flange		1	
69	B(w/ 4/B carb.)	8	390	Carter-identified by 4385 stamped on mounting flange	132	1	★†C7SZ 9350-A r/b D0AZ 9350-D
70	B	8	429S/CJ	Carter-identified 4842-S stamped on mounting flange	147	1	†C9AZ 9350-A
70/	B	8	351(C)	Carter-identified D0AE-E and	149	1	†D0AZ 9350-A
72	B	8	400	also 4861-S stamped on mounting flange			
72	B	8	351(W)	Carter-identified 4888-S or SA stamped on mounting flange	151	1	†D0AZ 9350-C
70/72	B	8	302	Carter-identified 4896-S or SA	150	1	★†D0AZ 9350-B
68/69	B	8	302	stamped on mounting flange		1	r/b D3OZ 9350-B
68/	B	8	302	Carter-identified by-MS-6477-S stamped on mounting flange	157	1	D3OZ 9350-B
70/71	B	8	429CJ	Carter-identified 4907-S stamped on mounting flange	153	1	†D0OZ 9350-A
70	B(exc.CJ)	8	429	Carter-identified D0VE-C,D and	154	1	†D0VY 9350-A
72	B(exc. P/C)	8	429	also 4898-S stamped on mounting flange		1	
72	B	8	429P/C	Electric kit-includes (1) C0AF 9276-A gasket, (1) D2AF 9C344-AB connector, (1) D2AF 9C357-BA clamp, (1) D2AF 9C358-AA filter & (2) 376545-S8 clamp	*	1	D2AZ 9350-C

• Refer to Group 9350 for complete Fuel Pump Identification
† Includes 9417 mounting gasket
* Details not serviced

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9350 PUMP ASSY. - FUEL - continued							
				8 Cylinder - continued			
	- F -						
65	F	8	260,289	Carter-18 inlet angle & 3/8" inlet tube-identified by 3734-S stamped on mounting flange - used with oil pressure gauge	100	1	★†C3AZ 9350-M r/b C5OZ 9350-A
65	F	8	260,289	Carter-identified by 3911-S stamped on mounting flange	106	1	★†C3AZ 9350-S
65	F(exc. Special)	8	289			1	r/b C5OZ 9350-A
65	F Special (w/ 4/B carb.)	8	289	Carter-identified by 3939-S stamped on mounting flange	108	1	†C5OZ 9350-A
67/68	F(GT)	8	390	Carter-identified by 4194-S stamped on mounting flange	122	1	†C6AZ 9350-B
67/68	F(GT350)(with 4/B carb.)	8	289,302	Supercharger	*	1	S7MK 9350-B
66/67	F(exc. Special)	8	289	Carter-identified by 4193 stamped on mounting flange	124	1	†C5AZ 9350-B
66/67	F Special (w/ 4/B carb.)	8	289	Carter-identified by 4201 stamped on mounting flange	125	1	†C6ZZ 9350-A
68	F(w/2/B carb.)	8	289	Carter-identified by 4567 stamped on mounting flange	145	1	†★C8OZ 9350-A
68/69	F	8	302			1	r/b D0AZ 9350-B
69	F	8	351			1	
69/71	F Boss(w/ 4/B carb.)	8	302	Carter-identified by 4910-S stamped on mounting flange	148	1	†C9ZZ 9350-A
68	F Special	8	427	Carter-identified by No.4441 stamped on mounting flange	136	1	†C7AZ 9350-A
68/70	F	8	428CJ			1	
68	F(w/ 2/B carb.)	8	390	Carter-identified by 4385 stamped on mounting flange	132	1	★†C7SZ 9350-A
69	F	8	390			1	r/b D4TZ 9350-A
69/70	F Boss(w/ 4/B carb.)	8	429	Carter-identified by 4842-S stamped on mounting flange	147	1	†C9AZ 9350-A
71	F	8	429S/CJ			1	
70	F	8	351C	Carter-identified by D0AE-E and also 4861-S stamped on mounting flange	149	1	†D0AZ 9350-A
71/	F	8	351			1	
70/72	F(w/2/B carb.)	8	302	Carter-identified by 4896-S or SA stamped on mounting flange	150	1	★†D0AZ 9350-B r/b D3OZ 9350-B
70/	F(with 2/B carb.)	8	302	Carter-identified by MS-6477-S stamped on mounting flange	157	1	D3OZ 9350-B
70	F	8	351W	Carter-identified by 4888-S or SA stamped on mounting flange	151	1	†D0AZ 9350-C
71	F	8	429CJ	Carter-identified by 4907-S stamped on mounting flange	153	1	†D0OZ 9350-A
	- P -						
71/72	P	8	302	Carter-identified by 4896-S or SA stamped on mounting flange	150	1	★D0AZ 9350-B r/b D3OZ 9350-B
71/	P	8	302	Carter-identified by MS-6477-S stamped on mounting flange	157	1	D3OZ 9350-B
	- S -						
65/66	S	8	390	Carter-identified by 3910-S stamped on mounting flange	107	1	†C3SZ 9350-F
66	S	8	428			1	
67	S	8	390,428	Carter-identified by 4385 stamped on mounting flange	132	1	★†C7SZ 9350-A
68	S	8	390			1	r/b D0AZ 9350-D
68/69	S	8	429	Carter-identified by 4474 stamped on mounting flange	143	1	★†C8SZ 9350-A r/b D0VY 9350-A
70/	S	8	429, 460	Carter-identified by D0VE-C,D and also 4898-S stamped on mounting flange	154	1	D0VY 9350-A
72	S	8	400	Carter-identified by D0AE-E and also 4861-S stamped on mounting flange	149	1	ø D0AZ 9350-A

• Refer to Group 9350 for complete Fuel Pump Identification † Includes 9417 mounting gasket * Details not serviced

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
	9350 PUMP ASSY. - FUEL - continued						
	- U -						
66/68	U	8	289	Carter-identified by 4251	128	1	†C6TZ 9350-B
69	U "Before 12/1/68"	8	302	stamped on mounting flange		1	
69	U "From 12/1/68"	8	302	Carter-identified by 4193 stamped on mounting flange	124	1	†C5AZ 9350-B
70/72	U	8	302	Carter-identified by 4869-S or SA stamped on mounting flange	150	1	★†D0AZ 9350-B r/b D3OZ 9350-B
70/	U	8	302	Carter-identified by MS-6477-S stamped on mounting flange	157	1	D3OZ 9350-B
	- X -						
65	X	8	289	Carter-identified by 3911-S stamped on mounting flange	106	1	★†C3AZ 9350-S r/b C5OZ 9350-A
66/67	X	8	289	Carter-identified by 4193 stamped on mounting flange	124	1	†C5AZ 9350-B
68	X	8	289	Carter-identified by 4567	145	1	†C8OZ 9350-A
68/69	X	8	302	stamped on mounting flange		1	
70	X	8	302	Carter-identified by 4896-S or SA stamped on mounting flange	150	1	†D0AZ 9350-B
65	F	8	260,289	Bolt (fuel & vacuum pump to cyl. front cover)-3/8"-16 x 1 1/2"	100	2	20468-S8(B85)
65	A Special (with 4/B, 6/B or 8/B carb.)	8	352,390, 427	Bolt (fuel pump to cyl. cover)-3/8"-16 x 1 3/8" hex. head	69, 102	2	20448-S8(B83)
72	A, F, B	8	302			2	
65	A	6	240	Bolt (fuel pump to cylinder cover)-	109	2	20428-S8(B82)
65/68	A	8	427	3/8"-16 x 1 1/4" hex. head		2	
				Washer-3/8" flat			44727-S8(X24)
65	F	8	260,289	Washer-3/8" flat		2	354861-S(XX137)
65/71	A Special (with 4/B, 6/B or 8/B carb.)	8	352,390, 406,427		102	2	
65	A	6	240		109	2	
				Lockwasher-3/8"			34807-S8(X66)
66/67	A	6	240	Nipple (fuel pump to fuel line)-1/8"-27 pipe thread	129, 131	1	376148-S8(II-191K)
68/71	B, F	8	428CJ	Screw & washer (fuel pump to block)-3/8"-16 x 1 5/8" hex. head		2	373294-S8(BB564)
72	P	8	302	Fuel pump to cyl. front cover		2	
71	A, B, F	8	351(C)	Nut-5/16"-18 (attaches 9350 to 6015)		1	55736-S8(M96F)
72	A, B, S	8	400			1	
71/	L	4	98	Bolt (fuel pump to cylinder block)-5/16"-18 x 1 1/8" hex.hd.	156	2	352464-S8(BB139)
				Washer		2	34806-S7(X-64)
71/	L	4	98	Strap & clip assy. (pump hose)	156	1	120365-ES
71/	L	4	122	Bolt (fuel pump to block)		2	E602188-S72
71/	A, B, F	8	351(C)	Screw & washer assy.	149	1	358805-S7(BB561)
72	P	6	All	5/16"-18 x 1.125" (att. fuel pump to cyl. block)		2	
71/	A	8	351(C)	Stud-5/16"-18 x 1.50"		1	383751-S(WW10)
72	B, F	8	351	(Attaches fuel to block)		1	
72	A, B, S	8	400			1	
71	L	4	122	Bolt-(attaches fuel pump to block)		2	E602188-S72
	9A350 WIRING ASSY. - FUEL PUMP						
72	A	8	429 (P/C)	Identified D2AB 9A350-AA		1	D2AZ 9A350-A
72	B	8	429 (P/C)	Identified D2OB 9A350-AA		1	D2OZ 9A350-A

• Refer to Group 9350 for complete Fuel Pump Identification

† Includes 9417 mounting gasket

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
	9352 VALVE ASSY. - FUEL PUMP-Also refer to Group 9358						
65/67	A, B, S, X, P/C	6&8	All		102, 111	2	B7A 9352-A
65	A, B, F, S, X	6&8	All	.886" O. D. -w/o screen and w/hole in retainer	106, 107, 108	1	C8CZ 9352-C
65/67	A, B	8	352, 390 410, 428	.886" O. D. -with screen w/o hole in retainer	122, 127	1	C8CZ 9352-A
65/71	A, B, F	8	289, 302, 352, 390 410, 428	.886" O. D. -w/screen and w/hole in retainer	122, 124, 125, 127	1	C8CZ 9352-D
65/66	A, B, F, X	6	All		109, 110	2	C0DE 9352-A
66/67	A, B, F, X	6	170, 200 240	Used w/pump stamped 0290 & date stamped AE thru FE	T49	2	
66	A, B	8	All		126	2	★C3AZ 9352-B
66/67	A, B, F, X	6	170, 200 240	Used w/pump stamped 0290 exc. pumps date stamped AE thru FE	T49	2	C6UZ 9352-A
66/67	A	6	240		129, 131	2	C3AZ 9352-C
66/67	A	6	240		130	2	★C5UZ 9352-A
65	B, F, X	6	All		87	2	C3AZ 9352-A
65/69	S	8	390, 428	.880" O. D. w/o screen & w/o hole in retainer	107	1	C8CZ 9352-B
	9K353 SCREW - FUEL PUMP FILTER BOWL						
71	L	4	122	Use with Pump identified 70HF 9350-DA	155	1	D1FZ 9K353-A
71	L	4	122	Use with Pump identified 70HF 9350-CA	155	1	★D1FZ 9K353-B
	9354 BODY ASSY. - VACUUM PUMP						
66/69	U	6&8	All		123, 128	1	★C6TZ 9354-A
	9B354 LEVER - FUEL PUMP ROCKER ARM RETURN SPRING						
67/70	P/C	8	428		136, 147, 148,	1	C7AZ 9B354-A
68	B, F Special (with 4/B carb.)	8	427		153	1	
68/70	B, F (with 4/B carb.)	8	428CJ			1	
69/71	F Boss (with 4/B carb.)	8	302			1	
69	F Boss (with 4/B carb.)	8	429			1	
70	B(with 4/B carb.)	8	429 CJ			1	
70	B	8	429S/CJ			1	
71	F	8	429S/CJ			1	
68/	S	8	429		143, 149, 154	1	C8TZ 9B354-A
70/	B(with 2/B, 4/B carb.)	8	351			1	
70/	F(with 4/B carb.)	8	351			1	
70/	F(with 2/B carb.)	8	351C			1	
70/	A, B	8	429			1	
70/	A, B, F, P, U	8	302	Use with pump ident. 4896-SA, MS-6477-S	150, 157	1	
70/	A	8	351W	Use with pump ident. 4888-SA	151	1	
72	B	8	351W			1	
70	F	8	351W			1	
	9K354 WASHER - FUEL PUMP FILTER BOWL SEAL						
71	L	4	122	Use with Pump identified 70HF 9350-DA	155	1	D1FZ 9K354-A
	9355 BOWL - FUEL PUMP FILTER						
65/67	A Special (with 4/B, 6/B or 8/B carburetor)	8	352, 390 406, 427	Used with B7Q 9155-A		1	B7TZ 9355-A
67	B Special (with 4/B or 8/B carb.)	8	427	Used with B7Q 9155-A		1	
65/68	A, B, F, S, X	6&8	All		87, 105, 106, 107, 108, 109, 110, 126, 127, 129, 131, 133, 134, T52-T64	1	C3AZ 9355-A
71	L	4	122	Use with Pump identified 70HF 9350-DA	155	1	D1FZ 9355-A
71	L	4	122	Use with Pump identified 70HF 9350-CA	155	1	★D1FZ 9355-B

• Refer to Group 9350 for complete Fuel Pump Identification

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
	9358 VALVE - FUEL PUMP -Also refer to Group 9352						
65/67	A, B, F, S, X	6&8	All	For all Carter fuel pumps		2	C4AZ 9358-A
68/70	P/C	8	428	For all Carter fuel pumps		2	
70	F	8	428CJ			2	
	9A358 DIAPHRAGM - FUEL PUMP PULSATOR						
67/69	A, B Special (4/B or 8/B carb.)-P/C	8	427,428		136, 137, 147,	1	C1VE 9A358-A
69/71	F Boss (with 4/B carb.)	8	302		148, 153	1	
69	F Boss (with 4/B carb.)	8	429			1	
70	B	8	429S/CJ			1	
70/71	B (with 4/B carb.)	8	429 CJ			1	
70	P/C (with 4/B carb.)	8	428			1	
69/70	B, F (with 4/B carb.)	8	428 CJ			1	
71	F(with 4/B carb.)	8	429CJ			1	
71	F	8	429S/CJ			1	
65	A, B, F, S, X	8	All		100	1	C2AZ 9A358-A
65/67	A Special, B Special (with 4/B, 6/B 8/B carb.), P/C	8	All		102, 111	1	★C1TZ 9A358-A
66/69	U	6	170		123	1	★C2AZ 9A358-B
66/68	U	8	289		128	1	C6TZ 9A358-A
69	U	8	302			1	
	9A359 COVER - FUEL PUMP DIAPHRAGM PULSATOR						
65/67	A Special(with 4/B, 6/B, 8/B carb.), P/C	8	All		102, 111	1	★C0AZ 9A359-A
65	A, B, F, X	8	All		100	1	★C3AZ 9A359-C
66/68	U	8	289		128	1	★C6TZ 9A359-A
69	U	8	302			1	
66/71	U	6	170		123	1	★C2AZ 9A359-B
67/69	A, B Special (4/B or 8/B carb.)-P/C	8	427,428	Cover (valve housing)	136, 137, 147,	1	C7AZ 9A359-A
69/70	F, B (with 4/B carb.)	8	428 CJ		148	1	
70	P/C (with 4/B carb.)	8	428			1	
69/71	F Boss (with 4/B carb.)	8	302			1	
69	F Boss (with 4/B carb.)	8	429			1	
70	B	8	429S/CJ			1	
71	F	8	429S/CJ			1	
70	B (with 4/B carb.)	8	429 CJ		153	1	D0OZ 9A359-A
65/71	A Special (with 4/B, 6/B, 8/B carb.), P/C	8	All	Screw (body & plugs assy. to body & oil seal assy.)-No. 10-32 x 5/8" fillister head	102, 111	10	31628-S7(U58)
65/66	A, B, S	8	All	Screw (upper body and plugs assy.	126	10	
65	A, B, F, X	6	All	to lower body and plugs assy.)	87	6	
65/67	A Special (with 4/B, 6/B, 8/B carb.), P/C	8	All	Screw (pulsator body to body & plugs assy.)	102, 111	4	31676-S(U57)
				Lockwasher-No. 10			34803-S7(X60)
66/71	A, B, F, X	6	All	Screw & washer assy. (cover to fuel pump body & plugs)-No. 10-32 x 11/16" fillister head	129, 130, 131, T49	6	★370003-S8
	9360 SPRING - FUEL PUMP VALVE						
65/67	A, B, F, S, X	6&8	All	For all Carter fuel pumps		2	C4AZ 9360-A
68/69	A, B, F, S, X, P/C	6&8	All	For all Carter fuel pumps		1	
70	F, P/C	8	428, 428CJ			1	
66/69	U	6&8	All		123, 128	2	★ C6TZ 9360-A
	9A360 PLUG - FUEL PUMP ROCKER ARM PIN HOLE						
65/69	A, B, F, P, S, X	6&8	All		100, 105, 106, 107, 108, 121, 122, 124, 125, 127, 132, 133, 134, 135, 136, 137, 145, 147 148, 151, 153, T52	1	C0LE 9A360-A
65/69	U	6&8	All				
70/	A, B, F, P, U	8	302-2/B	Use with pump ident. 4896-S	150	1	
66/69	U	6	170		123	1	C6TZ 9A360-A
66/69	U	6&8	All	Plug (cam lever shaft seal)-.254"/.258" x 5/32"	123, 128	1	370013-S(PP19)

• Refer to Group 9350 for complete Fuel Pump Identification

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
	9361 PLATE - FUEL PUMP VALVE RETAINER						
65/67	A, B, F, S, X	6&8	All	For all Carter fuel pumps		2	C4AZ 9361-A
68/69	A, B, F, S, X, P/C	6&8	All	For all Carter fuel pumps		2	
70	F, P/C	8	428, 428CJ			1	
	9A362 COVER - FUEL PUMP VALVE OPENING						
66/69	U	6	170		123	2	C6TZ 9A362-A
	9364 GASKET - FUEL PUMP FILTER BOWL						
65/67	A Special (with 4/B, 6/B or 8/B carburetor)	8	352,390 406,427	Gasket (fuel filter sediment bowl) - used with B7Q 9155-A		1	B7T 9364-A
67	B Special (with 4/B or 8/B carb.)	8	427			1	
65/71	A, B, F, S, X	6&8	All	2.47" I.D. - 2.72" O.D. - .16" thick	87, 100, 103 thru 110, 126, 127, 129, 131, 133, 134, T52-T64	1	C2AZ 9364-A
71	L	4	122	Use with pump identified 70HF 9350-DA	155	1	D1FZ 9364-A
71	L	4	122	Use with pump identified 70HF 9350-CA	155	1	★D1FZ 9364-B
	9365 ELEMENT ASSY. - FUEL FILTER						
65/71	A, B, F, S, X	6&8	All	Element assy. - service pkg. includes (1) C2AZ 9364-A gasket	87, 100, 105 thru 110, 126, 127, 129, 131, 133, 134, T52-T64	1	C4AZ 9365-A (FG-1)
71	L	4	122	Use with pump identified 70HF 9350-DA	155	1	D1FZ 9365-A (FG-1002)
71	L	4	122	Use with pump identified 70HF 9350-CA	155	1	★D1FZ 9365-B (FG-1003)
	9368 SCREEN - FUEL PUMP						
66/69	U	6	170		123	1	C6TZ 9368-A
	9369 TUBE ASSY. - FUEL PUMP TO CARBURETOR - Unless listed improvise from 8C 2269-A bulk tubing - Also refer to Group 9282						
71	L	4	98	Cut from C9PZ 9324-B		1	★D1FZ 9369-B
				Fitting (fuel pump tube to fuel pump & carburetor connectors) - 1/2"-20		1or2	87944-S8(I-22)
65	F	6&8	All	Connector (fuel pump tube to fuel pump) - 5/16" flared tube - 1/8" x 1/2"-20	87,100	1	87972-S (I-13)
65/	A, B, F, P, X, U	6	170,200 240	Clip (tube to rocker arm valve cover) - 5/16" tubing		1	380726-S100 (GG254)
65/68	F	6	All	Clip - 1/2" tube		2	★372795-S
66	A	6	All			1	
66/67	B, X	6	All			1	
65/68	F	6	All	Clip - steel		1	★357655-S
65/68	F	8	All	Clip - steel		1	★378691-S
66/67	B, X	8	289,390			1	
66/	U	6&8	All	Clip - steel (attach tube 9369 to tube 17176)		1	★352972-S
66/	U	6	All	Elbow - 1/4" pipe thread x 1/2"-20		1	★358023-S

• Refer to Group 9350 for complete Fuel Pump identification

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
	9376 ARM ASSY. - FUEL PUMP ROCKER						
66	A, B	8	All	Use with pump identified 6983	126	1	★C2AZ 9376-C
65/67	A Special (with 4/B, 6/B or 8/B carb.), P/C	8	352,390, 406,427, 428		102, 111	1	
65/69	A, B, F, S	8	All		105, 107, 122, 127, 132	1	C5AZ 9376-A
70/71	A	8	390		152	1	
65	A, B, F, X	8	All		93, 96, 100, 118	1	C3AZ 9376-C
65/67	A, B, F, X	6	All		87, 109, 110, 129, 120, 131, T49	1	C3AZ 9376-B
65/68	B Special, F Special	8	289		108, 125	1	C5OZ 9376-A
67/70	P/C	8	428		136	1	C4AZ 9376-A
69/70	F, B (with 4/B carb.)	8	428 CJ			1	
66/69	U	6	170		123	1	C6TZ 9376-A
66/68	U	8	289		128	1	C6TZ 9376-B
69	U	8	302			1	
67/71	A, B, F, X	6	All		133, 134, 135	1	C7AZ 9376-A
65	B	6	200		T52	1	
69	U	6	170			1	
67	A, B Special (4/B or 8/B carb.)	8	427		137	1	★C7AZ 9376-B
68/69	S	8	429		143	1	C8SZ 9376-A
69/71	F Boss (with 4/B carb.)	8	302		148	1	★C8OZ 9376-A
70/	B (with 2/B, 4/B carb.)	8	351		149	1	D0AZ 9376-A
70/	F (with 4/B carb.)	8	351			1	
70/	A, F (with 2/B carb.)	8	351C			1	
65/69	A, B, F, X	8	289,302		106, 121, 124,	1	D0AZ 9376-B
69	U	8	302		145	1	
70/	A, B, F, P, U, X (with 2/B carb.)	8	302	Use with pump ident. 4896-S	150	1	
70/	A (with 2/B carb.)	8	351(W)		151	1	
70	F (with 2/B carb.)	8	351W			1	
69	F Boss (with 4/B carb.)	8	429		147	1	D0OZ 9376-A
70	B (with 4/B carb.)	8	429 CJ		153	1	
70	B	8	429S/CJ			1	
65/71	A	8	352,390	Washer(arm to 9389)-3/8"-13/32"-11/16" flat-steel		1	★352897-S
	9B376 CONNECTOR ASSY.-FUEL PUMP OUTLET						
71/	L	4	98			1	D1FZ 9B376-A
	9378 PIN - FUEL PUMP ROCKER ARM						
65/67	A, B, F, S, X	6&8	All	Fuel & vacuum pump-2.54" long-serviced in kit 9349	87, 102, 109, 110, 111, 120, 126, 129, 130 131, T49	1	A9AZ 9378-A
65/	A, B, F, P, S, U, X	8	All		100, 121, 122, 124, 125, 127, 132, 136, 137, 145, 147 thru 149, 151, 152, 153	1	C0LE 9378-A
70/	A, B, F, P, U	8	302-2/B	Use with pump ident. 4896-S	150	1	
67/69	A, B, F, X	6	All		133, 134, 135	1	C7AZ 9378-A
69	U	6	170			1	
65	B	6	200		T52	1	
65/69	A, B, F, S, U, X	6&8	All	.245"/.246" diameter-1.565"/1.575" long	106, 107, 108, 122, 124, 127, 128	1	C8CZ 9378-A
66/69	U	6&8	All		123, 128	1	ECU 9378-A
	9379 GUIDE - FUEL PUMP PUSH ROD						
65/69	A, B, F, S, U, X	6&8	All		106, 107, 108, 122, 124, 127	1	C8CZ 9379-A

• Refer to Group 9350 for complete Fuel Pump Identification

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
	9380 SPRING - FUEL PUMP ROCKER ARM RETURN						
65/67	A, B, F, X	6	All		87, 109, 110, 129, 130, 131, T49	1	C3AZ 9380-A
65/67	A Spec. (w/4/B, 6/B, 8/B carb.), P/C	8	All		102, 111	1	
66	A, B	8	All	13 coils-9/32" I. D. -1 15/32" long	126	1	C0AZ 9380-A
67/69	A, B, F (except P/C)	8	390,428	"Cadmium plated dichromate"	105 thru 107, 121, 122, 124, 127, 132, 145,	1	C5AZ 9380-B
67/68	A, B, F, X		289, 302,351		147 thru 153	1	
65/67	B, F (with 4/B carb.)	8	289			1	
65/69	A, B, F, S, X	8	All			1	
69/	U	8	302			1	
70/	A, B, F, P, X	8	302			1	
70/	A, F	8	351,390			1	
69	F Boss (with 4/B carb.)	8	429			1	
70	B	8	429S/CJ			1	
70	B (with 4/B carb.)	8	429 CJ			1	
67/69	A, B, F (except P/C)	8	390,428	Upper	108, 125	1	
70/	A, B, F, P, U	8	302-2/B	Use with pump ident. 4896-S	150	1	
67/	A, B, F, X	6	All		133, 134, 135,	1	C7AZ 9380-A
69/	U	6	170		141, 146	1	
65	B	6	200		T52, T65	1	
70/	P	6	All			1	
67/69	A, B Special (4/B or 8/B carb.),	8	427,428		136, 137	1	C7AZ 9380-B
69/71	F Boss (with 4/B carb.)	8	302		148	1	
69/70	B, F	8	428 CJ			1	
70/	B (with 2/B, 4/B carb.)	8	351		149	1	D0OZ 9380-A
70/	F (with 4/B carb.)	8	351			1	
70/	F(with 2/B carb.)	8	351C			1	
65	F	8	260,289		100	1	C5OZ 9380-A
65/68	B Special, F Special	8	289	Lower	108, 125	1	
68/	S	8	429		143, 154	1	C8VY 9380-A
70/	A, B	8	429			1	
70/	A, B, F, P, U	8	302-2/B	Use with pump ident. 4896-SA, MS-6477-S	150, 157	1	
70/	A	8	351W	Use with pump ident. 4888-SA	151	1	
72	B	8	351W			1	
70	F	8	351W			1	
66/69	U	6	170		123	1	C6TZ 9380-A
66/68	U	8	289		128	1	C6TZ 9380-B
69	U	8	302			1	
	9381 LINK - FUEL PUMP ROCKER ARM						
65/67	A Special (with 4/B, 6/B, 8/B carb.), P/C	8	All		69, 102, 111	1	★C0AE 9381-A
66	A, B	8	All		126	1	
65/67	A, B, F, X	6	All		87, 109, 110, 129, 130, 131, T49	1	8EL 9381
	9389 BUSHING - FUEL PUMP ROCKER ARM						
65/69	A Special (w/4/B, 6/B, 8/B carb.), P/C	8	All	.2465"I.D.-.3495"O.D.-.503" long	102, 111	1	★B5AZ 9389-A
65/67	A, B, F, X	6	All		87, 109, 110, 126, 129, 130, 131, T49	1	

• Refer to Group 9350 for complete Fuel Pump Identification

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
	9A389 BEZEL - SELECTOR SWITCH						
65/69	A (Taxicab) (54B, E)	6&8	All	New York taxicab-used with five wire roof lamp wiring on instrument panel as bezel for selector switch		1	B6TZ 9A389-A
65/67	F	6&8	All	Used with fog lamp switch & wiring		1	
67/68	F	8	All	Used with speed control		1	
69	P/C (S/W)	8	All	Used with roof lamp selector switch		1	
72	A (P/C, taxi) (with outside lamp)	6&8	All			1	
72	B (Taxi)	6&8	All			1	
68/	U	6&8	All	Nut-fuel pump manual control-use with fuel tank selector switch		1	C1TZ 9A389-A
	9A392 RETAINER - FUEL PUMP OIL SEAL - Also refer to Group 9468						
65/67	A Special (w/4/B, 6/B, 8/B carb.), P/C	8	All	1.00" O.D.	102, 111	1	B5AZ 9A392-A
65	A, B, F, X	6	All		87	2	
65/67	A, B, F, X	6	All		109, 110, 129, 130, 131, T49	1	
66	A, B	8	All		126	1	C6AZ 9A392-A
	9A393 SEAL - FUEL PUMP OIL						
65/67	A Special (w/4/B, 6/B, 8/B carb.), P/C	8	All		102, 111	1	C0AZ 9A393-A
65/67	A, B, F, S, X	6&8	All		87, 109, 110, 129, 130, 131, T49	1	
66	A, B	8	All		126	1	C6AZ 9A393-A
	9396 SPRING - FUEL PUMP DIAPHRAGM						
65	A Special (with 4/B, 6/B, 8/B carb.) P/C	8	All	1.25" I.D. -1.88" long-5 coils-(marked with spot of gray paint)	102	1	C0AE 9396-A
65	A, B, F, X	6	All		87	1	C3AZ 9396-A
65/67	A, B, F, X	6	All		109, 110, 129, 130, 131, T49	1	C5AZ 9396-A
66	A, B	8	All		126	1	★C6AZ 9396-A
	9398 DIAPHRAGM ASSY. - FUEL PUMP						
65/67	A Special (with 4/B, 6/B, 8/B carb.), P/C	8	All		102, 111	1	C0AE 9398-A
65/69	A, B, S	8	352, 390, 410, 428		107, 122, 127	1	C8CZ 9398-B
65/67	A, B, F, X	6	All		87, 109, 110, 129, 131	1	C3AZ 9398-D
65/67	A, B, F, X	6	All	Alternate with C3AZ 9398-D	87, 109, 110, 129, 131	1	C3AZ 9398-G
65/71	A, B, F, X	8	221, 260, 289, 302		106, 108, 124, 125	1	C8CZ 9398-C
66/67	A, B, F, X	6	All		T49	1	C6UZ 9398-A
66	A, B	8	All		126	1	★C6AZ 9398-A
66/67	A	6	240		130	1	C6UZ 9398-A
67	A, B Special (4/B or 8/B carb.)	8	427		137	1	C7AZ 9398-B
65/71	A, B, F, P, U, X	6	170, 200, 240		134, 135, 141, T52	1	D1AZ 9398-A
67/70	P/C	8	428		136, 147, 148	1	C7AZ 9398-A
69/71	F Boss (with 4/B carb.)	8	302			1	
69	F Boss (with 4/B carb.)	8	429			1	
69/70	B, F (with 4/B carb.)	8	428 CJ			1	
70	B	8	429S/CJ			1	
71	F	8	429S/CJ			1	
70/71	A	8	390, 429		152, 154	1	D1AZ 9398-B
70/71	B, S	8	429			1	
70/71	B (with 4/B carb.)	8	429 CJ		153	1	D0OZ 9398-A
71	L	4	98		156	1	D0RY 9398-A
66/69	U	6	170		123	1	C6TZ 9398-A
66/68	U	8	289		128	1	C6TZ 9398-B
69	U	8	302			1	

• Refer to Group 9350 for complete Fuel Pump Identification

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
	9400 PUSH ROD - FUEL PUMP						
71/72	L " Before 1/3/72"	4	122			1	D1FZ 9400-A
72	L " From 1/3/72"	4	122			1	D2RY 9400-B
	9A400 WIRE ASSEMBLY - FUEL PUMP FEED						
72	B	8	429P/C	Identified D2OB 9A400-AA		1	D2OZ 9A400-A
	9408 GASKET - FUEL PUMP DIAPHRAGM OIL SEAL						
65/68	A, B, F, S, X	6&8	All	1" O. D. -13/16" I. D. -serviced in kit 9349	87,102,109, 110,111	2	49B 9408
	9A411 FILTER - FUEL PUMP VENT						
66/69	U	6&8	All	Breather vent	123,128	1	C6TZ 9A411-A
	9A412 RETAINER - FUEL PUMP VENT FILTER						
66/69	U	6&8	All	Spring (breather vent filter retainer)	123,128	1	★C6TZ 9A412-A
	9413 TUBE ASSY. - VACUUM PUMP						
66/67	U	6	170	Vacuum pump to intake manifold-5/16" O. D. -40. 32" developed length-cut from 8C 2269-A tubing & (1) 87944-S8 fitting		1	★C6TE 9413-B
68	U	6	170	Vacuum pump to intake manifold-1/4" O. D. -38. 46" long-cut from 91-2269 tubing & (1) 87943-S8 fitting		1	★C8TE 9413-B
	9414 DOME - FUEL PUMP AIR						
66	B(63D, 76D)	8	390			1	EAD 9414-A
66	B(63D, 76D)	8	390	Tee (air dome to fuel line)-1/8" pipe		L	373293-S (BB-563)
	9417 GASKET - FUEL PUMP MOUNTING						
65/	A, B, F, P, U, X	6	All			1	A8TZ 9417-A
65/69	A. B, F, X	8	All			1	C3AZ 9417-C
65/68	S	8	390,428			1	
68/	S		429			1	
65/67	A Special (with 4/B, 6/B or 8/B carburetor)	8	390,406 427			1	
66/68	U	8	289			1	
69/	U	8	302			1	
69	F Boss	8	302,429			1	
70/	A, B, F, P, X(except 351, 400 engine)	8	All			1	
70/	A, B(with 2/B carb.)	8	351W			1	
70/71	F Boss	8	302			1	
72	P/C	8	429			1	
70/	A, B, F, P, U	8	302-2/B	Use with pump ident. 4896-S	150	1	
70	B(with 2B, 4B carb.)	8	351			1	D0AZ 9417-A
70	F(with 4/B carb.)	8	351			1	
70	F(with 2/B carb.)	8	351C			1	
71/	B, F	8	351C 351-4VCJ			1	
71/	A	8	351(C), 400			1	
72	B, S	8	400			1	
71/	L	4	98			1	D0RY 9417-A
71/72	L " Before 1/3/72"	4	122			1	D1FZ 9417-A
72	L " From 1/3/72"	4	122	1/4" thick		1	D2RY 9417-A
	9418 WASHER - FUEL PUMP ROCKER ARM PIN						
65/67	A, B, F, S, X	6&8	All	Fuel & vacuum pump-. 189" I. D. -3/8" O. D. -flat across one end-serviced in kit 9349	56,58,61,64,66, 67,69,70,75, 84, 87,97,109 thru 117,119,120,126 129, 130, 131	1	A9AZ 9418-A

• Refer to Group 9350 for complete Fuel Pump Identification

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9424-5 MANIFOLD - INTAKE					
65/69	All off highway operations vehicles with High Performance engine-(with 8/B carb.)	8	406,427, 428	Tunnel port-single plane 8V drag strip only-identifed C7OE 9425-A	1	C7OE 9424-A
65/69	All off highway operations venicles with High Performance engine-(with 8/B carb.)	8	406,427, 428	Tunnel port-over and under 8V manifold-wide output-identified C7OE 9425-B	1	★C7OE 9424-B
65/69	All off highway operations vehicles with High Performance engine-(with 8/B carb.)-except low and high riser type intake manifolds or tunnel port heads	8	390,406, 427,428	Aluminum-single plane 8V manifold-use (2) 4 barrel carburetors	1	C8AX 9424-A
65/69	All off highway operations vehicles with High Performance engine-(with 4/B carb.)	8	390,406, 427,428	Tunnel port	1	C8AX 9424-B
65/69	All off highway operations vehicles with High Performance engine-(with 4/B carb.)	8	390,406, 427,428	High riser-identified C4AE 9425-G	1	C4AE 9425-G
65/69	All off highway operations vehicles with High Performance engine-(with 8/B carb.)-with high riser hds.	8	406,427, 428	Dual plane 8V manifold-identified C4AF 9425-F	1	★C4AE 9425-F
65/69	All off highway operations vehicles with High Performance engine-(with 8/B carb.)-except engines with tunnel port heads & exc.low & high riser type intake manifolds	8	390,406 427,428	Medium riser type	1	C5AZ 9424-G
65/69	All off highway operations vehicles with High Performance engine-(with 4/B carb.)-except engines with tunnel port heads & exc.low & high riser type intake manifolds	8	390,406 427,428	Equal runner type	1	C6AZ 9424-M
69/70	All off highway operations vehicles with High Performance engine-(with 4/B carb.)	8	351W	Aluminum-high riser	1	C9OZ 9424-E
	- A -					
65/	A	6	240		1	C5AZ 9424-E
65	A(with 4/B carb.)	8	390		1	♦CC5AE 9424-B
65	A, P/C(with 4/B carb.)	8	390		1	☆ C9ZZ 9424-A
65	A Special (with 8/B carb.)	8	427		1	★ C5AZ 9424-C
65/66	A(with 2/B carb.)	8	352		1	★♦CC5AE 9424-C
65	A, P/C (with 4/B carb.)	8	352		1	C9ZZ 9424-A
66	A (with 4/B carb.)	8	352		1	
65/66	A (with 2/B carb.)	8	390		1	C6AZ 9424-D
65/67	A (with 2/B carb.)	8	289	Service pkg. includes (1) C5AZ 8592-C connection assy.	1	C4AZ 9424-H
66/67	A (with 4/B carb.)	8	390		1	C6AZ 9424-N
66/67	A(exc. P/C)	8	428		1	
66/67	A Special (with 8/B carb.)	8	427		1	★C5AZ 9424-G
66/67	A Special (with 4/B carb.)	8	427		1	C6AZ 9424-M
66/67	P/C	8	428	Aluminum	1	C6AZ 9424-H
67/71	A (with 2/B carb.)	8	390		1	C9AZ 9424-E
68	A (with 4/B carb.)	8	390	Service pkg. includes (1) 87617-B plug	1	C8AZ 9424-C
68	A(except P/C & CJ)	8	428		1	
68	A (with 2/B carb.)	8	289	Service pkg. includes (1) C5AZ 8592-C connection	1	C4AZ 9424-J
68/70	A (with 2/B carb.)	8	302		1	
68/69	P/C (w/C6 & T/E)- "Before 12/2/68"	8	428		1	C6AZ 9424-H
69/70	P/C (with C6 & T/E)- "From 12/2/68"	8	428	Cast iron 1.60" primary openings-1.70" secondary openings	1	C8OZ 9424-B
69	A (with 4/B carb.)"Before 1/6/69"	8	429		1	D1VY 9424-A
71	A(with 4/B carb.)(exc.P/C)	8	429		1	
69/70	A (with 4/B carb.)- "From 1/6/69"	8	429		1	D0VY 9424-A

♦ Canada only ☆ U.S. only

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9424-5 MANIFOLD - INTAKE - continued -Also Refer to Group 9B424					
	- A - continued					
69	A(with 2/B carb.)"Before 1/6/69"	8	429		1	D0AZ 9424-A
70	A(with 2/B carb.)	8	429		1	
69	A(with 2/B carb.) "From 1/6/69"	8	429		1	C9AZ 9424-C
71	A(with 2/B carb.)	8	400		1	D1AZ 9424-A
71	A(with 2/B carb.)	8	429		1	D1AZ 9424-E
71/	A(with 2/B carb.)	8	302	Service pkg.includes (1) C5AZ 8592-C connection	1	D1OZ 9424-A
69/	A (with 2/B carb.)	8	351W		1	D1AZ 9424-C
71/	A(with 2/B carb.)	8	351(C)		1	D1AZ 9424-D
71	A(P/C)-(with 4/B carb.)	8	429		1	D0OZ 9424-C
72	A	8	429P/C		1	D1AZ 9424-B
72	A	8	400		1	D2SZ 9424-A
72	A(with 4/B carb.)	8	429		1	D2VY 9424-A
	- B -					
65	B (with 4/B carb.)	8	289		1	C4OZ 9424-H
65/66	B (with 2/B carb.)	8	390		1	C6AZ 9424-D
65/67	B (with 2/B carb.)	8	289	Service pkg. includes (1) C5AZ 8592-C connection assy.	1	C4AZ 9424-H
65/69	B High Performance vehicle-(with 4/B carb.)	8	289,302	Aluminum-high riser	1	C9OZ 9424-D
66/67	B (with 4/B carb.)	8	390		1	C6AZ 9424-N
67	B Special (with 8/B carb.)	8	427		1	★C5AZ 9424-G
67	B Special (with 4/B carb.)	8	427		1	C6AZ 9424-M
67/68	B (with 2/B carb.)	8	390		1	C9AZ 9424-E
68	B (with 4/B carb.)	8	390	Service pkg. includes (1) 87617-B plug	1	C8AZ 9424-C
68	B (Special w/C6, T/F & 4/B carb.)	8	427		1	C6AZ 9424-M
68	B (with 2/B carb.)	8	289	Service pkg. includes (1) C5AZ 8592-C	1	C4AZ 9424-J
68/70	B (with 2/B carb.)	8	302	connection assy.	1	
68/69	B (with 4/B carb.)	8	428CJ	Cast iron 1.60" primary openings-1.70"	1	C8OZ 9424-B
66/70	B High Performance vehicles-(with 4/B carb.)	8	390	secondary openings	1	
69	B (with 2/B carb.)	8	351		1	C9OZ 9424-A
69	B (with 4/B carb.)	8	351		1	C9OZ 9424-B
69	B (with 4/B carb.)	8	390		1	C9ZZ 9424-A
69/70	B High Performance vehicle-(with 4/B carb.)	8	351W	Aluminum-high riser	1	C9OZ 9424-E
70	B (with 4/B carb.) (exc. CJ)	8	429		1	D0VY 9424-A
70	B(with 4/B carb.)	8	429CJ		1	D0OZ 9424-C
70	B(with 4/B carb.)	8	429SCJ		1	D0OZ 9424-B
70/71	B (with 4/B carb.)	8	351		1	D0AZ 9424-C
70/	B(with 2/B carb.)	8	351C		1	D1AZ 9424-D
71	• Unique competition part	8	351		1	D1ZX 9424-DA
71	B(with 4/B carb.)	8	429CJ		1	D1AZ 9424-B
71/	B(with 2/B carb.)	8	302	Service pkg.includes (1) C5AZ 8592-C connection	1	D1OZ 9424-A
72	B	8	351 CJ		1	D2ZZ 9424-A
72	B(with 2/B carb.)	8	351W		1	D1AZ 9424-C
72	B	8	400		1	D2SZ 9424-A
72	B	8	429		1	D2VY 9424-A
	- F -					
65	F (with emission reduction)	8	260	Service pkg. includes (1) C5AZ 8592-C connection assy.	1	C4OZ 9424-E
65	F(except with emission reduction)	8	260	Service pkg.includes (1) C3AZ 10911-A adapter	1	C3AZ 9424-G
65	F(with 4/B carb. & except emission reduction)-"Before 8/20/65"	8	289		1	C3OZ 9424-C
65/67	F (with 2/B carb.	8	289	Service pkg. includes (1) C5AZ 8592-C connection assy.	1	C4AZ 9424-H
66/68	F (with 4/b carb.) (exc. GT350)	8	289,302		1	C4OZ 9424-H
65	F (with 4/B carb.)(exc. GT350)	8	289		1	
65	F (with 4/B carb. & emission reduction) "Before 8/20/65"	8	289		1	

• Refer to appropriate Muscle Parts Catalog

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9424-5 MANIFOLD - INTAKE - continued - Also Refer to Group 9B424					
	- F -					
65/69	F High Performance vehicle-(with 4/B carb.)	8	289,302	Aluminum-high riser	1	C9OZ 9424-D
65/68	F (with 4/B carb.)(GT350)	8	289,302		1	
68	F (Special w/C6, T/E & 4/B carb.)	8	427	Aluminum	1	C6AZ 9424-H
66	F High Performance vehicle-(with 4/B carb.)	8	390		1	
66/67	F (with 4/B carb.)	8	390		1	C6AZ 9424-N
68/70	F (with 4/B carb.)	8	428CJ	Cast iron 1.60" primary openings-1.70"	1	C8OZ 9424-B
66/70	F High Performance vehicle-(with 4/B carb.)	8	390	secondary openings	1	
68	F (with 2/b carb.)	8	390		1	C9AZ 9424-E
68	F (with 4/B carb.)	8	390	Service pkg. includes (1) 87617-B plug	1	C8AZ 9424-C
68	F (with 2/B carb.)	8	289	Service pkg. includes (1) C5AZ 8592-C	1	C4AZ 9424-J
68/70	F (with 2/B carb.)	8	302	connection assy.	1	
69	F (with 4/B carb.)(exc. GT350)	8	351		1	C9OZ 9424-B
69	F (with 4/B carb.)	8	390		1	C9ZZ 9424-A
69/70	F High Performance vehicle-(with 4/B carb.)	8	351W	Aluminum-high riser	1	C9OZ 9424-E
69	F (with 4/B carb.)(GT350)	8	351W		1	
69/70	F Boss (with 4/B carb.)	8	429	Aluminum	1	C9AZ 9424-D
69/70	F Boss (with 4/B carb.)	8	302	Aluminum	1	C9ZZ 9424-C
69	F (with 2/B carb.)	8	351		1	C9OZ 9424-A
70	F(with 2/B carb.)	8	351W		1	
69/71	F Boss off highway units	8	302	Aluminum "Cross-Boss" base only-uses D0ZX 9C484-A cover gasket-for inline 4V carb. use D0ZX 9C483-A cover	1	D0ZX 9425-A
70/71	F (with 4/B carb.)	8	351C		1	D0AZ 9424-C
71	F Boss (with 4/B carb.)	8	302	Aluminum	1	D1ZZ 9424-E
71	•Unique competition part	8	351		1	D1ZX 9424-DA
71	F Boss		351SPL		1	D1ZZ 9424-F
71	F(with 4/B carb.)	8	429CJ		1	D1AZ 9424-B
71	F (with 4/B carb.)	8	429CJ		1	D0OZ 9424-B
71/	F (with 2/B carb.)	8	302	Service pkg.includes (1) C5AZ 8592-C connection	1	D1OZ 9424-A
70/	F (with 2/B carb.)	8	351C		1	D1AZ 9424-D
71	F (with 4/B carb.)	8	351CJ		1	D1ZZ 9424-B
72	F(with 4/B carb.)	8	351SPL		1	
72	F (with 4/B carb.)	8	351CJ		1	D2ZZ 9424-A
	- L -					
71/	L	4	98		1	D1FZ 9424-B
71/	L	4	122		1	D1FZ 9424-A
71	L-off highway units with 1600 cc Kent High Performance engine	4	98		1	D12X 9424-AA
71/	L-off highway units with 2000 cc Kent Boss engine & 4/B carb.	4	122	Service pkg. includes (2) 370731-S pipe plug	1	D12X 9424-BA
72	L-off highway units with Dellorto carb.	4	All	Seal (carb. to intake manifold)-use with carb. D1FZ 9510-G	8	116649-ES
	- P -					
71/	P	8	302	Service pkg. includes (1) C5AZ 8592-C connection	1	D1OZ 9424-A
	- S -					
65	S	8	390		1	C9ZZ 9424-A
66/67	S	8	390,428		1	C6AZ 9424-N
68	S	8	390	Service pkg. includes (1) 87617-B plug	1	C8AZ 9424-C
68	S	8	429		1	D1VY 9424-A
71	S	8	429		1	
69/70	S	8	429		1	D0VY 9424-A
72	S	8	400		1	D2SZ 9424-A
72	S	8	429,460		1	D2VY 9424-A
	- U -					
66/67	U	8	289	Service pkg. includes (1) C5AZ 8592-C connection assy.	1	C4AZ 9424-H
68	U	8	289		1	C4AZ 9424-J
68/70	U	8	302		1	
71/	U	8	302	Service pkg.includes (1) C5AZ 8592-C connection	1	D1CZ 9424-A

• Refer to appropriate Muscle Parts Catalog

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9424-5 MANIFOLD - INTAKE - continued					
	- X -					
65/67	X (with 2/b carb.)	8	289	Service pkg. includes (1) C5AZ 8592-C connection assy.	1	C4AZ 9424-H
65/68	X (with 4/b carb.)	8	289		1	C4OZ 9424-H
68	X (with 4/b carb.)	8	302		1	
68	X (with 2/b carb.)	8	289	Service pkg. includes (1) C5AZ 8592-C connection assy.	1	C4AZ 9424-J
68/70	X (with 2/b carb.)	8	302		1	
65/	A	6	All	Stud (intake manifold to exhaust manifold and thermostat assy.)-3/8"-16 & 3/8"-24 x 4 7/8"	2	88624-S(W25)
				Nut-3/8"-24		33828-S(M64)
				Lockwasher-3/8"		33847-S7(M58)
65/66	A,B,F,X	8	260,289	Screw & washer assy. (intake manifold to cylinder head)-5/16"-18 x 1.95" hex. head rubber coated washer	11	378484-S(BB870)
68/	A,B,F,X,U	8	302		8	
67	A,B,F,X,U	8	289	Bolt & washer (intake manifold to cyl. hd.)-3/8"-16 x 1 1/8" hex. head	8	381730-S(BB869B)
67	F Special	8	289	Bolt & washer (intake manifold to cyl. hd.)-3/8"-16 x 2 1/4" hex. head	8	381732-S(BB869H)
67	A,B,F,X,U	8	289	Bolt & washer (intake manifold to cyl. hd.)-3/8"-16 x 1 7/8" hex. head	8	381731-S(BB869F)
65	A	6	240	Stud (intake to exhaust manifolds)-3/8"-16-24 x 1.88"	2	378077-S7-8
66/	A	6	240		1	(WW328)
				Nut-3/8"-24 hex.		34445-S7-8(M80)
65	A "Before 12/21/64"	6	240	Bolt (manifold to cylinder block)-3/8"-16 x 1.25" hex. hd. locking	10	359088-S100 (BB416C)
65/66	A "From 12/21/64 to 12/17/65"	6	240	Screw & washer assy. (manifold to cylinder block)-3/8"-16 x 1.32" hex. head	10	374047-S(BB869D)
66/	A "From 12/17/65"	6	240	Screw & washer assy. (manifold to cylinder head)-3/8"-16 x 1.25"	12	377187-S(BB869C)
65/	A	6	240	Stud (intake & exhaust manifold to cylinder head)-3/8"-16-16 x 2.18" hex. shoulder	1	381733-S(WW132)
68/	A,B,F,X,U	8	302	Nut (intake manifold to cylinder heads)-5/16"-18 hex.	4	374031-S(MM295AA)
67	S	8	390,428	Stud (power steering line mtg. brake to intake manifold)-3/8"-16 x 3 3/4" hex. shoulder	2	378690-S(WW98A)
71/	L	4	All	Washer-5/16" (manifold to cyl. head)	3	34806-S7(X64)
71/	L	4	122	Nut (intake manifold to cyl. head)	AR	E620413-S5(AM6)
71/	F(with 4/B carb.)	8	351CJ	Nut-hex. 5/16" x 24(att. carb. to manifold)	4	351089-S8(MM20)
				Stud-5/16"-18 x 24 x 1.50 (carb.to manifold)	4	★88391-S2
67	B,F,X(with Imco & C4)	6	170,200	Tee(emission reduction hose to intake manifold)-1/4"-18	1	371176-S(II-146T)
69	A	6	240	Plug (to plug tapped hole when 9A474 is not used)-5/8"-18-7/16" hex. head	1	359071-S(PP41)
68/	A,B,F,X,U	8	302	Stud (manifold to cylinder heads)-5/16"-18-18 x 2 3/8"	4	382198-S(WW14D)
69/71	F Boss	8	302		4	
69/71	A,B,F	8	351W	Bolt (manifold to cylinder heads)-5/16"-18 x 2.25 hex. head	AR	★56127-S
69	F Boss (with 4/B carb.)	8	429	Bolt (manifold to cylinder heads)-3/8"-16 x 1 1/2"	6	56142-S(B320A)
69	F Boss (with 4/B carb.)	8	429	Plug(to plug core holes in manifold)-1"-11	4	87812-S9(P17H)
69	F(with 4/B carb.)	8	428CJ	Stud (manifold to cylinder hd.)-5/16"-18-3/8"-16 x 3 1/2"	1	383215-S2(WW97D)
69	A P/C,B,F(with 4/B carb.)	8	428, 428CJ	Bolt (manifold to cylinder head)-3/8"-16 x 2.62" hex. head	7-8	43011-S(B263)
69	A	8	390		10	
68	B,F Special (with 4/B carb.)	8	427	Washer (manifold to cylinder head)-3/8" flat	10	351385-S(XX158)
68/70	P/C	8	428		10	
69	A P/C,B,F (with 4/B carb.)	8	428, 428CJ	Bolt (manifold to cylinder head)-No. 5 x 10 positions-3/8"-16 x 1 1/2" hex. slotted head	2	43002-S(B257)
69/	A,S	8	428,429	Stud-hollow(intake manifold to carb.)-5/16"-18-24 x 2 1/4"	1	382768-S7-8
69	B	8	428		1	(WW139X)
70	B(with 2/B carb.)	8	351	Bolt (manifold to cylinder heads)-5/16"-18 x 3.75" hex. washer hd.	2	56133-S(B319R)
70/71	A,B,F	8	351C	Bolt (manifold to cylinder heads)-3/8"-16 x 2.25"	AR	★56145-S2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9424-5 MANIFOLD - INTAKE - continued - Also Refer to Group 9B424					
71/	A,B,S	8	429,460	Stud-3/8"-16 x 2.45"(manifold to cyl. head)	6	383744-S(WW12CA)
72	A, B, S,	8	429,460	Screw & washer assy. (intake manifold to cyl. head) 5/16-18 x 1.62	10	382130-S(BB545LA)
71/	L	4	98	Stud (manifold to cyl. head)	1	E404002-S(AW-35)
71/	L	4	122	Screw & washer assy.(intake manifold to cyl.hd.)	4	E602551-S82(AB63)
71/	L	4	122	Stud (intake manifold to cyl. head)	2	E804048-S76(AW22)
71/	L (with A/C)	4	122	Three way connector (attaches to manifold to retain 12A091 valve assy.)	1	E855031-S100
71	F(with 4/B carb.)	8	351CJ	Bolt 5/16-18 x 2"(manifold to cyl. head)	2	56126-S4(B319M)
71/	A, B	8	351(C)		2	
72	A, B, S	8	400		4	
71	A	8	351(C)	Stud 5/16-18-24 x 1.50(attaches carb. to manifold	4	88391-S2(W8X)
71	A	8	351(C)	Nut 5/16 x 24 hex. (carb. to manifold)	4	351089-S8(MM20)
72	A,S	8	429,460		4	
72	A,S	8	429,460	Stud (carb. to manifold)-5/16-18-24 x 1 3/4"	4	382137-S(WW14B)
	9A424-5 SEAL - INTAKE MANIFOLD TO CYLINDER BLOCK - Refer to Group 9433					
65	A, S(except A, S Special with 4/B, 6/B or 8/B carb.)	8	352,390	Rear-.175" thick-10.44" long to end notches-r/b C3AZ 9433-G (6-74)	1	★C8AZ 9A424-A
65	A, S Special(with 4/B, 6/B, 8/B carb.)	8	390,406, 427		1	
66/68	A, B, S	8	352,390		1	
66/68	A,S, P/C	8	428		1	
66/67	A Special (with 4/B, 8/B carb.)	8	427		1	
67/68	F	8	390		1	
67	B Special(with 4/B or 8/B carb.)	8	427		1	
68	B, F Special (with 4/B carb.)	8	427		1	
68	B, F(with 4/B carb.)	8	428CJ		1	
68/70	A, P/C (with 4/B carb.)	8	428			
69	B, F (with 4/B carb.)	8	428CJ		1	
69	A, B, F (with 2/B & 4/B carb.)	8	390		1	
70	A, F (with 2/B & 4/B carb.)	8	390		1	
70	F (with 4/B carb.)	8	428CJ		1	
71	A	8	390		1	
65	A, S(except A, S Special with 4/B, 6/B or 8/B carb.)	8	352,390	Front-.175" thick-10.44" long to end of notches.	1	C3AZ 9A425-D
65	A, S Special(with 4/B, 6/B or 8/B carb.)	8	390,406, 427		1	
65/68	A,B,F,S	8	352,390		1	
66/68	A,S P/C	8	428		1	
65/67	A Special(with 4/B, 8/B carb.)	8	427		1	
67/68	F	8	390		1	
67/68	B Special(with 4/B or 8/B carb.)	8	427		1	
68	B, F Special (with 4/B carb.)	8	427		1	
68	B, F(with 4/B carb.)	8	428CJ		1	
65/70	All off highway High Performance vehicles with milled heads and medium riser high riser or tunnel port manifolds	8	427	Rear	1	C4AE 9A424-A
65/68	A,B,F,X,U	8	221,260, 289	Rear-.145" thick-5.39" long with .20" tabs on each end	1	D1OZ 9A424-A
69/	A, B, F. P, U, X	8	302		1	
69/71	F Boss (with 4/B carb.)	8	302		1	
65/68	A, B, F, X, U	8	221,260, 289	Front-.145" thick-5.39" long with .20" tabs on each end	1	D1OZ 9A425-A
68/	A.B.F.P.U.X	8	302		1	
69/71	F Boss (with 4/B carb.)	8	302		1	
68/70	A, P/C (with 4/B carb.)	8	428	Front-.175" thick-r/b C3AZ 9433-G (6-74)	1	★C8AZ 9A425-A
69	B, F (with 4/B carb.)	8	428 CJ		1	
69	A, B, F (with 2/B & 4/B carb.)	8	390		1	
70	A. F (with 2/B & 4/B carb.)	8	390		1	
70	F (with 4/B carb.)	8	428CJ		1	
71	A	8	390		1	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A424-5 SEAL - INTAKE MANIFOLD TO CYLINDER BLOCK - continued - Also refer to Group 9433					
69/	A (with 2/B & 4/ B carb.)	8	429	Front & rear-8.06" long with .20" tapered	2	C9SZ 9A425-A
69	F Boss (with 4/B carb.)	8	429	tabs on each end	2	
68/	S (with 4/B carb.)	8	429,460		2	
70	B (with 4/B carb.)	8	429, 429CJ		2	
71	B, F (with 4/B carb.)	8	429, 429CJ, 429S/CJ		2	
69	A, B, F	8	351	Rear-.145" thick-7.10" long-.20" tab on each end	1	C9OZ 9A424-A
70	A(with 2/B carb.)- "Before 2/1/70"	8	351		1	
70	F(with 2/B carb.)- "Before 2/1/70"	8	351W		1	
70	A(with 2/B carb.)- "From 2/1/70"	8	351	Rear-.145" thick-7.15" long-.20" tab on each end	1	C9OZ 9A424-B
70	F(with 2/B carb.)- "From 2/1/70"	8	351W		1	
69	A, B, F	8	351	Front-.145" thick-7.10" long-.20" tab on each end	1	C9OZ 9A425-A
70	A(with 2/B carb.)- "Before 2/1/70"	8	351		1	
70	F(with 2/B carb.)- "Before 2/1/70"	8	351W		1	
70	A(with 2/B carb.)- "From 2/1/70"	8	351	Front-.145" thick-7.15" long-.20" tab on each end	1	C9OZ 9A425-B
70	F(with 2/B carb.)- "From 2/1/70"	8	351W		1	
70/	B	8	351C	Front and rear .18" thick -repl. by D0AZ 9433-A	2	♦D0AZ 9A424-A
70/	F (with 4/B carb.)	8	351	and D0AZ 9433-B	2	
70/	F(with 2/B carb.)	8	351C		2	
71/	F	8	351-4VCJ		2	
71/	A	8	351C		2	
	9426 MANIFOLD - EXHAUST - Refer to Group 9430-1					
	9A427 VALVE ASSY. - EXHAUST THERMOSTAT CONTROL - Also refer to Group 9A435 & 9460					
65/66	A Special(with 4/B, 6/B or 8/B carb.)	8	427		1	C3AZ 9A427-B
67	A Special, B Special(with 4/B, 8/B carb.)	8	427		1	
68	B Special(with 4/B carb.)	8	427		1	
66/67	A(except P/C)	8	390,428		1	C6AZ 9A427-A
66/67	P/C	8	428		1	
67	S	8	390,428		1	
68	☆ P/C	8	428		1	
68	A	8	390, 428-2V		1	♦C8AZ 9A427-B
66	B	8	390		1	C6OZ 9A427-D
67	B, F(with 4/B carb.)	8	390		1	
68	F(with 4/B carb.)	8	427		1	
69/70	F Boss (with 4/B carb.)	8	429	1-1/8" diameter steel tubing-16-1/2" approx. formed length with flange on (1) end	1	C9AZ 9A427-A
66	S	8	390,428		1	C6SZ 9A427-A
				Lockwasher-7/16"		357625-S7-8(XX304)
				Nut-7/16"-14 hex. (brass)		34672-S(M55)
				Screw-No. 2 x 3/8" round head	1	92053-S(U38)
	9428 MANIFOLD - EXHAUST - Refer to Group 9430-1					
	9C429 PLUG - EXHAUST AIR SUPPLY PUMP RELIEF VALVE					
66/67	A, B, F, X, U (with T/E)	6	170,200, 240		1	C6DZ 9C429-A
66/67	A, B, F, S, X, U(with T/E)	8	289,352, 390,428		1	C6OZ 9C429-A
68	A, B, F, X, U (with T/E)	6&8	All	Identification color "Blue"	1	C8AZ 9C429-A
69/70	A P/C (with 4/B carb. & T/E)	8	428		1	
69/70	B, F (with 4/B carb. & T/E)	8	428CJ		1	
69/70	F-Boss (with 4/B carb. & T/E)	8	429		1	
69/71	F Boss (with 4/B carb. & T/E)	8	302		1	
70	B(with 4/B carb.)	8	429CJ		1	
71	F	8	429S/CJ		1	

♦ Canada only ☆ U.S. only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9D429 GASKET - INTAKE MANIFOLD HEAT TUBE					
69/70	F Boss (with 4/B carb.)	8	429	Rubber & asbestos-.027"/.032" thick	2	C9AZ 9D429-A
	9430-1 MANIFOLD - EXHAUST					
				4 CYLINDER		
71/	L	4	98		1	D1FZ 9430-B
71/	L	4	122		1	D1FZ 9430-A
71/	L	4	98	Nut-5/16"-18 (manifold to cyl. head)	1	33797-S7(M50)
71/	L	4	122	Washer-5/16"-(exhaust manifold to cyl. head)	6	373513-S7-8 (XX119M)
71/	L	4	122	Stud (exhaust manifold to cyl. head)-M8 x 1.25 x 42MM	8	E804048-S76(AW22)
71/	L	4	98	Stud-5/16" x 24"-1.05(exhaust manifold to cyl. head)	6	376063-S8 (WW14AD)
71/	L	4	122	Nut (exhaust manifold to cyl. head)	AR	E620413-S5(AM6)
				6 CYLINDER		
65/72	A	6	240	Repl. by D5TZ 9426-A	1	★D1AZ 9426-A
65/67	B, F, X(except Imco)	6	200		1	C3OZ 9430-A
65/67	F, X(except Imco)	6	170		1	
67	B, F, X(with Imco & C4)	6	200	Incl. (1) 385190-S36 plug	1	D3BZ 9430-A
68	B, F, X	6	200		1	
69/70	F, X	6	200		1	
67	X(with Imco & C4)	6	170		1	
68/69	X	6	170		1	
70/	P	6	170,200		1	
69/	B, F, P	6	250		1	
70/	U	6	All		1	
66/69	U	6	170		1	C5UZ 9430-A
69	B, F, U, X	6	All	Bolt (exhaust man. to cyl. hd.)-3/8"-16 x 1 1/8"	6	20408-S7(B81)
72	B, F, P, U	6	All	hex.hd.	6	
				Lockwasher-3/8"		34847-S8(X74)
				Cotter pin-1/16" x 3/4"		72015-S(N40)
69	B, F, U, X	6	All	Bolt (exhaust manifold to cylinder head)-	AR	45522-S8(B93)
72	B, F, P, U	6	All	3/8"-16 x 2 1/2" hex.head	1	
				Nut-brass-7/16"-14		34672-S(M55)
65/	A	6	240	Plug (to plug access hole in man.)-3/8" expansion	1	379367-S(PP86F)
71	F(with 4/B carb.)	8	351CJ	Screw & washer 3/8"-16"x1.88" manifold 17A084 to cyl. head	AR	381731-S(BB869F)
69/	A & taxi	6	240	Nut(attaches exhaust manifold to intake manifold)	1	C9AZ 6212-B
69/	A	6	240	Stud. (attaches exhaust manifold to intake manifold) 3/8-16-24 x 2.25	1	380272-S8 (WW33B)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
				8 CYLINDER			
65/69	All High Performance vehicles	8	390,406, 427,428		★C8OZ 9430-C Not repl.	C8OZ 9431-D	1
	- A -						
65/67	A	8	289		★D0AZ 9430-C r/b D4OZ 9430-B & D5DZ 9A603-B(2-75)	D0AZ 9431-C	1
65	A, P/C	8	352,390		C5SZ 9430-A	C3AZ 9431-D	1
65/67	A Special	8	427		C5AZ 9430-D Service pkg. -incl. (1) 87603-S plug for hand choke applications	C5AZ 9431-C	1
66	A	8	352		C5SZ 9430-A	C3AZ 9431-D	1
66/67	A, P/C	8	390,428		C6AZ 9430-A Service pkg. incl. (2) 375680-S2 stud & (2) 375636-S nuts	C3AZ 9431-D	1
67	A (with 2/B carb.)	8	390		C5SZ 9430-A	C3AZ 9431-D	1
67	A (with 4/B carb.)	8	390		C6AZ 9430-A Service pkg. incl. (2) 375680-S2 stud & (2) 375636-S nuts	C3AZ 9431-D	1

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
	9430-1 MANIFOLD - EXHAUST - continued						
	- A -			**8 CYLINDER - continued**			
68	A	8	390		C8AZ 9430-A	C8AZ 9431-B Use with (2) C1SZ 9448-E heat shield	1
68	A (except P/C)	8	428		C8AZ 9430-A	C8AZ 9431-B Use with (1) C1SZ 9448-E heat shield	1
68/	A	8	302		★D0AZ 9430-C r/b D4OZ 9430-B & D5DZ 9A603-B(2-75)	D0AZ 9431-C	1
68/69	P/C "Before 12/2/68"	8	428		C6AZ 9430-A Service pkg. incl. (2) 375680-S2 stud & (2) 375636-S nuts	C3AZ 9431-D	1
69/70	P/C "From 12/2/68"	8	428		C8AZ 9430-A	C8AZ 9431-B	1
69	A	8	351		C9AZ 9430-A	C9OZ 9431-A	1
69/71	A	8	390		C8AZ 9430-A	C8AZ 9431-B Use with (1) C1SZ 9448-E heat shield	1
69/	A (exc. P/C)	8	429		D3VY 9430-B	D4VY 9431-A	1
70/	A	8	351W		C9AZ 9430-A	D0OZ 9431-B	1
71	P/C	8	429		D2OZ 9430-C	D1ZZ 9431-C	1
71/	A	8	351C		D2OZ 9430-B	D1ZZ 9431-A	1
71/	A	8	400		D2AZ 9430-A	D1AZ 9431-A	1
72	P/C	8	429		D2OZ 9430-C	D2OZ 9431-A	1
	- B -						
65	B Special (with 4/B carb.)	8	289		C5ZZ 9430-B	C3OZ 9431-B	1
65/68	B (except Special)	8	289		★D0AZ 9430-C r/b D4OZ 9430-B & D5DZ 9A603-B(2-75)	D0OZ 9431-D	1
66	B	8	390		C6OZ 9430-A	C6OZ 9431-A	1
67	B	8	390		C6OZ 9430-A	C7OZ 9431-A	1
67/68	B Special	8	427		C7OZ 9430-A	C7OZ 9431-C	1
68	B "Before 2/15/68"	8	390		C6OZ 9430-A	C7OZ 9431-A	1
68/69	B "From 2/15/68"	8	390		C9OZ 9430-B	C7OZ 9431-A	1
68/69	B	8	428CJ		★C8OZ 9430-C Not repl. (11-74)	C8OZ 9431-B	1
68/	B	8	302		★D0AZ 9430-C r/b D4OZ 9430-B & D5DZ 9A603-B(2-75)	D0OZ 9431-D	1
69/70	B	8	351W		C9AZ 9430-A	C9OZ 9431-A	1
70/71	B (with 4/B carb.)	8	351		D0AZ 9430-B	D0AZ 9431-B	1
70/71	B (except CJ & S/CJ)	8	429		D3VY 9430-B	D4VY 9431-A	1
70/71	B	8	429CJ, & S/CJ		D2OZ 9430-C	D0OZ 9431-A	1
70/71	B (with 2/B carb.)	8	351		D2OZ 9430-B	D0AZ 9431-A	1
72	B (with 2/B carb.)	8	351C		D2OZ 9430-B	D1ZZ 9431-A	1
72	B	8	429		D2OZ 9430-C	D2OZ 9431-A	1
72	B (with 4/B carb.)	8	351CJ		D0AZ 9430-B	D1ZZ 9431-B	1
72	B	8	400		D2AZ 9430-A	D1AZ 9431-A	
71/72	B	8	351W		C9AZ 9430-A	D0OZ 9431-B	1
	- F -						
65/66	F (GT350)	8	289		Δ★S1MS 9430-A Header type	Δ★S1MS 9431-A Header type	1
65/66	F (GT350)	8	289		♦C9ZZ 9430-A	♦C9ZZ 9430-A	1
65/67	F Special	8	289		C5ZZ 9430-B	C3OZ 9431-B	1

Δ R/B C9ZZ 9430-A kit (2) S1MS 9431-C adapters are required and dealer to improvise straight pipes from the adaptors to muffler inlet

▲ D5DZ 9A603-C is to be used with this manifold

♦ R.H. & L.H. headers - (2) part number S1MS 9431-C flange are required to make installation of this service pkg. Dealer must improvise straight pipes from flange to muffler inlet pipes.

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
	9430-1 MANIFOLD - EXHAUST - continued						
	8 CYLINDER - continued						
	- F -						
65/68	F (except Special)	8	260,289		▲D4DZ 9430-E	D0OZ 9431-D	1
67	F	8	390		C6OZ 9430-A	C7OZ 9431-A	1
68	F "Before 2/15/68"	8	390		C6OZ 9430-A	C7OZ 9431-A	1
68	F "From 2/15/68"	8	390		C8OZ 9430-B	C7OZ 9431-A	1
68	F Special	8	427		C6OZ 9430-A	C7OZ 9431-A	1
68	F	8	428CJ		★C8OZ 9430-C Not repl. (11-74)	C8OZ 9431-B	1
68/70	F	8	302		★D0AZ 9430-C r/b D4DZ 9430-E & D5DZ 9A603-C(2-75)	D0OZ 9431-D	1
69	F	8	351		C9AZ 9430-A	C9OZ 9431-A	1
69	F	8	390		C9OZ 9430-B	C7OZ 9431-A	1
69	F	8	428CJ		★C8OZ 9430-C Not repl. (11-74)	C8OZ 9431-B	1
69/71	F Boss	8	302		C9ZZ 9430-B	C9ZZ 9431-A	1
69/70	F Boss	8	429		★C9AZ 9430-B Not repl.(2-75)	C9AZ 9431-A	1
70	F (with 2/B carb.)	8	351W		C9AZ 9430-A	C9OZ 9431-A	1
70	F (with 2/B carb.)	8	351C		D2OZ 9430-B	D0AZ 9431-A	1
70	F (with 4/B carb.)	8	351		D0AZ 9430-B	D0AZ 9431-B	1
70	F	8	428CJ 429S CJ		C9OZ 9430-C	C8OZ 9431-B	1
71/	F	8	302		★D0AZ 9430-C r/b D4DZ 9430-E & D5DZ 9A603-C(2-75)	D0AZ 9431-C	1
71/	F (with 4/B carb.)-exc. Boss	8	351, 351CJ		D0AZ 9430-B	D1ZZ 9431-B	1
71/	F Boss	8	351 Spl.		D1ZZ 9430-B	D1ZZ 9431-D	1
71/	F(with 2/B carb.)	8	351		D2OZ 9430-B	D1ZZ 9431-A	1
71	F	8	429CJ,		D2OZ 9430-C	D1ZZ 9431-C	1
	- P -						
71/	P	8	302		▲D4DZ 9430-E	D4DZ 9431-A	1
	- S -						
65	S	8	390		C5SZ 9430-A	C3AZ 9431-D	1
66/67	S	8	390,428		C6AZ 9430-A Service pkg. inc. (2) 375680-S2 stud & (2) 375636-S nuts	C3AZ 9431-D	1
68	S	8	390		C8AZ 9430-A	C8AZ 9431-B Use with (1) C1SZ 9448-E heat shield	1
68/72	S	8	429,460		D3VY 9430-B	D4VY 9431-A	1
	S	8	400		D2AZ 9430-A	D1AZ 9431-A	1
	- U -						
66/	U	8	289, 302		★D0AZ 9430-C r/b D4OZ 9430-B & D5DZ 9A603-B(2-75)	D0AZ 9431-C	1
	- X -						
65	X	8	289		★D0AZ 9430-C r/b D4OZ 9430-B & D5DZ 9A603-B(2-75)	C3DZ 9431-A	1
66/70	X	8	289, 302		★D0AZ 9430-C r/b D4OZ 9430-B & D5DZ 9A603-B(2-75)	D0OZ 9431-D	1

▲ D5DZ 9A603-C is to be used with this manifold

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9430-1 MANIFOLD - EXHAUST - continued					
65/71	A, S	8	352,390	Bolt (exhaust manifold to cylinder head)-	16	20408-S7(B81)
66	A	8	352	3/8"-16 x 1 1/8" hex. head	16	
65/66	A	8	All	Washer (exhaust manifold to cyl. head)-3/8" flat	14	351385-S7(XX158)
65/66	A, B, S	8	All	Washer (exhaust manifold R. H. & L. H. to cyl. head)-3/8" lock tab	15	370383-S(XX345)
66/71	A	8	390,428	Bolt (exhaust manifold to cylinder head)-3/8"	16	20428-S8(B82)
66/71	S	8	390	16 x 1 1/4"	16	
66	A, B, F, X, U(except F Special)- "From 12/17/65"	8	289	Screw & washer assy. (exhaust manifold to cylinder head)-3/8"-16 x 2.00"	8	377188-S(BB869G)
66	F Special "From 12/17/65"	8	289	Screw & washer assy. (exhaust manifold to cylinder head)-3/8"-16 x 2.31"	8	377277-S(BB860H)
				Washer-3/8" flat		353992-S(XX127)
66	A, B, F, X, U "From 12/17/65"	8	289	Screw & washer assy. (manifold to cylinder head)-3/8"-16 x 1.25"	8	377187-S(BB869C)
67/69	B(with 4/B & 8/B carb.)	8	427	Bolt & washer (exhaust manifold to cyl. hd.)- 3/8"-16 x 2 3/4" hex. head	14	381674-S(BB860K)
68	B, F(with 4/B carb.)	8	428 CJ	Stud (R.H. exhaust manifold to cylinder head- 3rd bolt)-3/8"-16 x 3.44"	1	382338-S(WW132X)
68	B, F(with 4/B carb.)	8	428 CJ	Stud & washer assy. (R.H. exhaust manifold to cylinder head-1st bolt)-3/8"-16-16 x 3.48"	1	382803-S(WW132D)
69	A P/C(with 4/B carb.)	8	428	Screw & lockwasher (manifold to cylinder head)- 3/8"-16 x 1 3/8" hex. head	14	374047-S(BB689D)
69	B, F(with 4/B carb.)	8	428 CJ	Stud (located on inboard side of L. H. exhaust manifold)-7/16"-14 x 2.25"	1	380345-S100 (WW45M)
69	B, F(with 4/B carb.)	8	428 CJ	Bolt (manifold to cylinder head)-3/8"-16 x 1 5/8" hex. head	12	378168-S7 (BB157B)
69	B, F(with 4/B carb.)	8	428 CJ	Bolt (manifold to cylinder head)-3/8"-16 x 2 3/4" hex. head	2	373139-S(BB163)
72	P/C, B	8	429		AR	
69	A P/C(with 4/B carb.)	8	428	Stud & washer assy. (manifold to cylinder head)- 3/8"-16-16 x 2 1/8"	2	381733-S(WW132)
69	B, F(with 4/B carb.)	8	428 CJ	Stud & washer assy. (manifold to cylinder head- R.H.)-No. 3 bolt-5/16"-18-3/8"-16 x 1 5/8"	1	382338-S (WW132X)
69	B, F(with 4/B carb.)	8	428 CJ	Stud & washer assy. (manifold to cylinder head- R.H.)-No. 1 bolt-3/8"-16-16 x 3.48"	1	382803-S (WW132D)
69	B, F(with 4/B carb.)	8	428 CJ	Washer (manifold to cylinder head)-3/8" flat	13	353992-S(XX127)
69	A P/C	8	428		16	
69	A, B, F	8	390		16	
68/	A, B, F, X, U	8	302	Bolt (manifold to cylinder head)-3/8"-16 x 1 1/8" hex. washer head	8	381730-S (BB869B)
68/	A, B, F, X, U	8	302	Bolt (manifold to cylinder head)-3/8"-16 x 2 1/4" hex. washer head	AR	381731-S (BB869F)
69	F Boss (with 4/B carb.)	8	302		15	
72	A, B, S	8	400		3	
68/	A, B, F, X	8	302	Stud & washer assy. (manifold to cylinder head)-	1 or 4	382573-S
71/	A	8	351(C)	3/8"-16" x 3/8"-16 x 2 15/16"	2	(WW132A)
72	B, F	8	351, 351CJ		2	
69	B, F	8	351	Screw & washer assy. (manifold to cylinder	4	381732-S
72	A	8	351W	head)-3/8"-16 x 2 1/4" hex. head	4	(BB869H)
69	B, F	8	351	Stud & washer assy. (manifold to cylinder head)- 3/8"-16 x 3.34"	4	382952-S (WW132BA)
72	B, F, P	8	302	Nut (attaches exhaust manifold to cyl. head) 3/8-16 hex.	4	33924-S8(M28)
72	A, S	8	429,460	Screw & washer (exhaust manifold to cyl. head) 3/8-16 x 1.62	14	378168-S78 (BB157B)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A430 SHAFT and COUNTERWEIGHT ASSY. - EXHAUST THERMOSTAT CONTROL VALVE					
65/	A	6	240		1	C5AZ 9A430-A
	9D430 CONNECTOR ASSY. - VACUUM TUBE					
70	B (with hidden headlamps)	6&8	All		1	D0OZ 9D430-A
70	B,S (with hidden headlamps or vacuum doorlocks)	6&8	All		AR	
72	B	6&8	All		1	D2OZ 9D430-A
	9C432 ADAPTER KIT - EXHAUST AIR SUPPLY					
66	A,B(except P/C)(with T/E)	8	352,390, 428	Use with hang-on A/C	1	C6AZ 9C432-C
67	A,B,F,X (with T/E)	8	289	Use with hang-on A/C	1	C7AZ 9C432-C
68	A,B(with T/E, S/T) (2/B carb.)	8	302	Use with hang-on A/C	1	★C8AZ 9C432-A
68	B,F(with T/E & S/T)(exc. Special with 4/B carb.)	8	289,302		1	r/b (1)C8AZ 9B447-D
68	X(with T/E & S/T)	8	All		1	(1)C9PZ 8620-DG
68	B(with T/E & S/T) (2/B carb.)	8	390	Use with hang-on A/C	1	★C8OZ 9C432-C r/b (1)C8AZ 9B447-D (1)C9PZ 8620-DM (1)C9PZ 8620-U
	9433 GASKET SET - MANIFOLD					
	8 CYLINDER					
65/70	All High Performance vehicles-with medium riser intake manifold	8	427		2	C5AZ 9433-A
66	A,B,S,P/C- "From 6/1/66"	8	390,428		1	C6AZ 9433-E
	Consists of the following 1-C8AZ 9A424-A Seal			1-C8AZ 9A425-A Seal	2-C6AZ 9441-A Gasket	
65	A,S(except A,S Special with 4/B or 6/B carb.)	8	352,390		1	C3AZ 9433-G
65	A Special (with 4/B or 8/B carb.)	8	427		1	
66	A	8	352		1	
66/68	A(except P/C),B,F,S	8	390,428		1	
66/70	P/C "From 6/1/66"	8	428		1	
69/71	A	8	390		1	
68	B,F Special (with 4/B carb.)	8	427		1	
68/69	B,F (with 4/B carb.)	8	428 CJ		1	
66/70	B,F High Performance vehicles (with 4/B carb.)	8	390		1	
69	B,F	8	390		1	
70	F	8	428CJ		1	
	Consists of the following 1-C8AZ 9A424-A Seal			1-C8AZ 9A425-A Seal	2-C8AZ 9441-A Gasket	
65/66	A	8	427	Heat blocked- service details	1	★C5AZ 9433-F
	Consists of the following 1-C8AZ 9A424-A Seal			1-C8AZ 9A425-A Seal	2-C3AZ 9441-B Gasket	
69/71	A (with 2/B carb.)	8	429		1	C9AZ 9433-A
69	A(with 4/B carb.)	8	429		1	
70/ 70	A (with 4/B carb.)(exc.P/C) B (with 4/B carb.)(exc. CJ, S/CJ & Boss)	8	429		1	
72	B	8	429		1	
68/	S	8	429		1	
	Consists of the following 2-C9SZ 9A425-A Seal			2-C8SZ 9441-A Gasket		

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9433 GASKET SET - MANIFOLD - continued					
				8 CYLINDER - continued		
70	B	8	429CJ, S/CJ		1	D0OZ 9433-A
71	B	8	429CJ		1	
71	P/C	8	429		1	
71	F	8	429CJ, 429S/CJ		1	
72	A	8	429P/C		1	
	Consists of the following					
	2-C9SZ 9A425-A Seal			2-D0OZ 9441-A Gasket		
69/71	F Boss	8	302		1	D1ZZ 9433-A
	Consists of the following					
	1-D1OZ 9A424-A Seal			1-D1OZ 9A425-A Seal 2-C9ZZ 9441-A Gasket		
69/70	F Boss	8	429		1	C9ZZ 9433-B
	Consists of the following					
	2-C9SZ 9A425-A Seal			2-C9AZ 9441-B Gasket		
70/	A, B, F(with 2/B carb.)	8	351C		1	D0AZ 9433-B
	Consists of the following					
	2-D0AZ 9A424-A Seal			1-D0AZ 9441-A Gasket		
70/	B, F, F Boss, F 351 CJ(with 4/B carb.)	8	351		1	D0AZ 9433-A
	Consists of the following					
	2-D0AZ 9A424-A Seal			1-D0AZ 9441-B Gasket		
71/	A, B, S(with 2/B carb.)	8	400		AR	D1AZ 9433-A
	Consists of the following					
	2-D1AE 9A425-AA Seal			1-D1AE 9D440-AA Cover assy.		
65/	A, B, F, P, U, X(with 2/B carb.)	8	289,302		1	D1AZ 9433-B
65	F	8	260		1	
	Consists of the following					
	1-D1OZ 9A424-A Seal			1-D1OZ 9A425-A Seal 2-C3AZ 9441-D Gasket		
70/	A	8	351W		1	D1AZ 9433-C
69	A, B, F	8	351		1	
70	F(with 2/B carb.)	8	351W		1	
71/	B	8	351W		1	
	Consists of the following					
	1-D1OZ 9A424-B Seal			1-D1OZ 9A425-B Seal 2-C9OZ 9441-A Gasket		
	9D434 TUBE ASSY. - VACUUM MANIFOLD TO ENGINE - Improvise from 2269 Bulk Tubing					
70/	B	6	250	Fitting (tube-vacuum manifold)	1	87945-S8(I23)
	9A435 SPACER - EXHAUST MANIFOLD TO MUFFLER INLET PIPE - Refer to Group 9A427					
66	A(with T/E)	8	352		1	C6AZ 9A435-A
66	A(S/W)	8	352		1	
67	B(with 2/B carb.)	8	390		1	C7OZ 9A435-A
68	B (with 2/B & 4/B carb.)	8	390		1	
68/69	B, F(with 4/B carb.)	8	428 CJ		1	C8OZ 9A435-A
	9C435 GASKET - EXHAUST AIR SUPPLY TUBE					
67/68	A, B, F, X, U(with T/E)	8	289	Upper-.34" I. D. -.62" O. D. -.021" thick	2	C7OZ 9C435-A
67/68	A, B, F, X, U(with T/E)	8	289	Lower-.92" I. D. -1.18" O. D. -.021" thick	2	C7OZ 9C435-B
70	B	8	429S/CJ	Copper-.651" I. D. x .86" O. D.	2	D0SZ 9C435-A
71	F	8	429S/CJ		2	
70	F Boss	8	429	Copper-.44" I. D. x .56" O. D.	2	D0AZ 9C435-A
	9D436 CLAMP - EXHAUST AIR SUPPLY TUBE					
70	B	8	429S/CJ		2	D0VY 9D436-A
71	F	8	429S/CJ		2	
	9D437 CLAMP ASSY. - INTAKE MANIFOLD HEAT INLET TUBE					
69	F Boss	8	429	Steel-"U" shaped and threaded on both ends	1	C9AZ 9D437-A
	9439 GASKET - INTAKE MANIFOLD TO CYLINDER - Refer to Group 9441					

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9441 GASKET - INTAKE MANIFOLD TO CYLINDER HEAD - Also refer to Group 9433					
66	A, B, S "Before 10/8/65"	8	390		2	C6AZ 9441-A
66	A, S, P/C "Before 10/8/65"	8	428		2	
65	A, S	8	352,390	Also serviced in C3AZ 9433-A kit	2	C2AZ 9441-A
65/67	A Special (with 4/B or 8/B carb.)	8	427		2	
66	A	8	352		2	
66	A, B, S "From 10/8/65"	8	390		2	
66/68	A (except P/C & CJ), S "From 10/8/65 to 1/28/68"	8	428		2	
66	P/C - "From 10/8/65 to 6/16/66"	8	428		2	
67/68	A, B, F, S "Before 1/28/68"	8	390		2	
68	B, F Special (with 4/B carb.) - "Before 1/28/68"	8	427		2	
68	A (except P/C) "Before 1/28/68"	8	428		1	
67	B Special (with 4/B, 8/B carb.)	8	427		2	
66/67	P/C "From 6/16/66"	8	428	.010" thick with stainless steel grommets	2	C6AZ 9441-B
68	P/C & CJ (with 4/B carb.) - "Before 1/28/68"	8	428		2	
68	A (except P/C & CJ) - "From 1/28/68"	8	428		2	C8AZ 9441-A
68	A, B, F, S "From 1/28/68"	8	390		2	
68	B, F Special (with 4/B carb.) - "From 1/28/68"	8	427		2	
68/70	P/C (with 4/B carb.) - "From 1/28/68"	8	428		2	
68/69	B, F (with 4/B carb.) - "From 1/28/68"	8	428CJ		2	
69	B, F "From 1/21/69"	8	390		2	
70	F (with 4 B carb.)	8	428CJ		2	
69/71	A	8	390		2	
65/	A, B, F, P, U, X	8	260,289, 302	Also serviced in C3AZ 9433-H kit	2	C3AZ 9441-D
69	A, B, F	8	351	.048" thick	2	C9OZ 9441-A
70/	A, B (with 2/B carb.)	8	351W		2	
70	F (with 2/B carb.)	8	351W		1	
65/70	B, F High Performance vehicles	8	289,302		2	
65/66	A Special (with 4/B or 8/B carb.) special duty performance only	8	427	Heat blocked	2	C3AZ 9441-B
65/69	All high performance vehicles with tunnel port heads	8	406,427, 428		2	C8AZ 9441-C
70/	B (with 2/B carb.)	8	351C	.015 thick-repl. by D0AZ 9433-B	2	★D0AZ 9441-A
70/	A, F (with 2/B carb.)	8	351C		1	
70/	B, F (with 4/B carb.)	8	351,351CJ	.015 thick-repl. by D0AZ 9433-A	2	★D0AZ 9441-B
70	B	8	429CJ	Replaced by D0OZ 9433-A	2	★D0OZ 9441-A
71	B, F	8	429CJ, 429S CJ		2	
71	A (P/C)	8	429		2	
72	A, B	8	429P/C		2	
69/71	F Boss	8	302	.043"/.051" thick	2	C9ZZ 9441-A
69	F Boss	8	429	.043"/.051" thick	2	C9AZ 9441-B
71/	L	4	122		1	D1FZ 9441-A
71/	L	4	98		1	D0RY 9441-A
68/	S	8	429,460	Also serviced in C8SZ 9433-A kit	2	C8SZ 9441-A
69/	A, B (with 2/B, 4/B carb.) (exc. CJ)	8	429		2	
	9K442 ADAPTOR - MANIFOLD INLET VACUUM PIPE TO DISTRIBUTOR					
71/	L	4	122	1/8"-27 thread one end	1	D1FZ 9K442-A
71/	L	4	98	1/8"-27 thread one end	1	D1FZ 9K442-B
	9443 CLAMP - INTAKE and EXHAUST MANIFOLD TO CYLINDER BLOCK					
65/71	A	6	240		13	D1AZ 9443-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9D443 RETAINER - VACUUM OUTLET HOSE					
70/71	S	8	429	Attaches 9D442 hose assy.	1	D0SZ 9D443-A
	9D444 CLAMP - EXHAUST AIR SUPPLY MANIFOLD					
70	F Boss	8	429		6	D0AZ 9D444-A
	9A445 HOSE - VACUUM PUMP OUTLET					
66/69	U	6&8	170,289, 302	15/64" diam. - cut to 1.50" long from C1SZ 9324-C	1	★C6TE 9A445-A
66/69	U	6&8	All	Nipple (hose to manifold) - 3/8" pipe thread - 1/4" hose	1	373724-S (II-191MD)
	9B445 MANIFOLD ASSY. - EXHAUST AIR SUPPLY					
66/68	X, U (with T/E)	6	170	Front	1	C6DZ 9B445-A
66/68	B, F, X (with T/E)	6	200		1	
66/68	X, U (with T/E)	6	170	Rear	1	C6DZ 9B445-B
66/68	B, F, X (with T/E)	6	200		1	
66/67	A (with T/E)	6	240		1	C6TZ 9B445-A
68	A (with T/E)	6	240		1	C8TZ 9B445-A
66/67	A, B, F, X, U (with T/E)	8	289	R.H.	1	C6OZ 9B445-A
67	F Special (with T/E) - "From 4/17/67"	8	289	R.H.	1	
66/67	A, B, F, X, U (with T/E)	8	289	L.H.	1	C6OZ 9B445-B
67	F Special (with T/E) - "From 4/17/67"	8	289	L.H.	1	
68	A, B, F, X (with T/E)	8	289-2V, 302	R.H. & L.H.	2	C8AZ 9B445-A
66	S (with T/E)	8	390,428	R.H.	1	C6AZ 9B445-B
66	B (with T/E)	8	390	R.H.	1	C6AZ 9B445-C
66	S (with T/E)	8	390,428	L.H.	1	
67	B, F (with T/E) "Before 9/1/66"	8	390	R.H.	1	
67	F (GT 500) (with T/E & 8/B carb.)	8	428	L.H.	1	
66	B (with T/E)	8	390	L.H.	1	C6AZ 9B445-A
66/68	P/C (with T/E	8	390,428	R.H.	1	
68	A (with T/E)	8	390	R.H.	1	
66	A (with T/E)	8	352	R.H. & L.H.	2	
67	S (with T/E)	8	390,428	R.H.	1	
66/67	A, P/C (with T/E) - "Before 9/1/66"	8	390,428	L.H.	1	
67	S (with T/E)	8	390,428	L.H.	1	C9ZZ 9B445-A
67/68	A, P/C (with T/E) - "From 9/1/66"	8	390,428	L.H.	1	
68	A (with T/E)	8	390	L.H.	1	
67/68	B, F (with T/E)	8	390	R.H.	1	
68	B, F (with T/E)	8	427	R.H.	1	
68/69	B, F (with T/E & 4/B carb.)	8	428 CJ	R.H.	1	
67	F (GT500) (with T/E & 8/B carb.)	8	428	R.H.	1	
70	F (with 4/B carb.)	8	428 CJ		1	
69/70	A P/C (with 4/B carb.) (with T/E)	8	428	R.H.	1	C9AZ 9B445-A
68/69	B, F (with 4/B carb.) (with T/E) -	8	428 CJ	L.H.	1	C9ZZ 9B445-B
70	F (with 4/B carb.)	8	428 CJ		1	
67/68	B, F (with T/E)	8	390	L.H.	1	
68	B, F Special (with T/E)	8	427	L.H.	1	
69/70	A P/C (with 4/B carb.) (with T/E)	8	428	L.H.	1	
69	F Boss (with T/E)	8	429	R.H. & L.H. - identified C9AE 9B466-A	2	C9AZ 9B445-B
70	F Boss (with T/E)	8	429	R.H. & L.H.	2	D0AZ 9B445-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	Carb. to Manifold	Carb. to Spacer	Spacer to Manifold	PART NUMBER
	9447 GASKET - CARBURETOR - Also refer to Groups 9448 & 9A589							
	- A -							
65/69	A (with C4 & C/M)	6	240	Use with Holley service carburetor	1			D0PZ 9447-A (CG-297)
68	A (with S/T, T/E & Carter carb.)	6	240	.08"/.10" thick	1			C8AZ 9447-C (CG-236)
69	A (with S/T & Imco)	6	240		1			
70/	A	6	240		1			

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	Carb. to Manifold	Carb. to Spacer	Spacer to Manifold	PART NUMBER
9447	**GASKET - CARBURETOR - continued** -Also refer to Groups 9448 & 9A589							
	- A - continued							
65/68	A(with 2/B carb.)	8	289			1	1	D2AZ 9447-B
68/69	A(with 2/B carb.)	8	302			1	1	(CG-254-B)
66	A(with 2/B carb.)	8	390			1	1	
70/	A	8	302, 351(W)			1	1	
66/67	A(with 4/B carb.)	8	390	.018"/.024" thick		1	1	C7AZ 9447-A
67	A, P/C	8	428			1	1	(CG-201)
68	A Special	8	427			1	1	
66	A(except P/C)	8	428			1		
65	A, P/C (with 4/B carb.)	8	390	.018"/.024" thick		1		C8SZ 9447-A
65/66	A(with 4/B carb.) (except Holley carb.)	8	352			1		(CG-208)
68	A(with 4/B carb.)	8	390			1		
68	A(except P/C) (with 4/B carb.)	8	428			1		
65/66	A(with 4/B carb.)	8	352	.018"/.024" thick			1	C9ZZ 9447-A
65	A(with 4/B carb.)	8	390					(CG-241)
68	A(with 4/B carb.)	8	390	.018"/.024" thick			1	C8SZ 9447-B
68	A(except P/C) (with 4/B carb.)	8	428				1	(CG-209)
69/	A(with 4/B carb.)	8	429				1	
65/67	A Special (with 8/B carb.)	8	427	.018"/.024" thick	1			C3AZ 9447-C
66	P/C	8	428		1			(CG-200)
67	A Special (with 4/B carb.)	8	427		1			
67	P/C	8	428			1	1	
68/69	P/C "Before 12/2/68"	8	428			1	1	
67	A Special (with 4/B, 8/B carb.)	8	427			1	1	
69	P/C "From 12/2/68 to 6/11/69"	8	428	.018"/.024" thick		1	1	C9AZ 9447-A (CG-247)
69/70	P/C "From 6/11/69"	8	428	.018"/.024" thick		1	1	C8AZ 9447-B (CG-288)
67/71	A(with 2/B carb.)	8	390	.018"/.024" thick		1		C3MY 9447-A
69/71	A(with 2/B carb.)	8	429					(CG-414)
67/71	A(with 2/B carb.)	8	390	.018"/.023" thick			1	C7AZ 9447-C (CG-205)
69/71	A(with 2/B carb.)	8	429	.018"/.023" thick			1	C9SZ 9447-A (CG-240)
69/	A(with 4/B carb.)	8	429	.125" thick		1		C8OZ 9447-A (CG-213)
71	A	8	351C, 400	.060"/.065" thick	1			D0AZ 9447-A (CG-259)
71	A(P/C)	8	429	.115"/.135" thick	1			D0OZ 9447-A
72	A, B	8	429 P/C		1			(CG-253)
72	A	8	302		1			D2OZ 9447-A (CG-341)
72	A(with 2/B carb.)	8	351C, 400	.065" thick	1			D2AZ 9447-A (CG-339)
	- B -							
65/68	B	6	200				1	C1TZ 9447-A (CG-116)
65/68	B(with T/E)	6	200	.064" thick	1			C3DZ 9447-A
68	B	6	200		1			(CG-129)
65/68	B(with 2/B carb.)	8	289			1	1	D2AZ 9447-B
68/	B(with 2/B carb.)	8	302			1	1	(CG-254-B)
69	B(with 2/B carb.)	8	351			1	1	
66	B(with 2/B carb.)	8	390			1	1	
70/		8	351W			1	1	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	Carb. to Manifold	Carb. to Spacer	Spacer to Manifold	PART NUMBER
	9447 GASKET - CARBURETOR - continued - Also refer to Groups 9448 & 9A589							
	- B - continued							
67	B(with 4/B carb.)	8	390	.018"/.024" thick		1	1	C7AZ 9447-A
68	B Special (with 4/B carb.)	8	427			1	1	(CG-201)
69	B(with 4/B carb.)	8	351			1	1	
65/70	B High Performance Vehicles (use with high riser aluminum intake manifold)	8	289,302			1	1	
66	B(with 4/B carb.)	8	390	.018"/.024" thick		1	1	C6AZ 9447-A (CG-197)
67	B(with Imco & C4)	6	200			1		C8DZ 9447-A (CG-214)
67/68	B(with 2/B carb.)	8	390	.018"/.024" thick		1		C3MY 9447-A (CG-414)
67/68	B(with 2/B carb.)	8	390	.018"/.023" thick			1	C7AZ 9447-C (CG-205)
67	B Special (with 4/B, 8/B carb.)	8	427	.018"/.024" thick		1	1	C3AZ 9447-C
68	B Special (with 4/B carb.)	8	427		1			(CG-200)
68	B(with 4/B carb.)	8	428CJ	.125" thick-R/B C8AZ 9A589-G	1			★C8OZ 9447-B
68	B("GT" with 4/B carb.)	8	390	.018"/.024" thick			1	C8SZ 9447-A
69	B(with 4/B carb.)	8	390			1		(CG-208)
65/66	B(with 4/B carb.)	8	289			1	1	
68	B(with 4/B carb.)	8	428CJ	.018"/.024" thick		1	1	C8AZ 9447-B
70	B(with 4/B carb.)	8	429CJ				1	(CG-288)
68	B("GT" with 4/B carb. & T/E)	8	390	.125" thick		1		C8OZ 9447-A
69/70	B(with 4/B carb.)	8	429			1		(CG-213)
70	B(with 4/B carb.)	8	429CJ			1		
72	B	8	429			1		
69	B(with Imco)	6	250	.08"/.10" thick		1		C8AZ 9447-C (CG-236)
69	B	6	250	Use with Holley service carburetor		1		D0PZ 9447-A (CG-297)
69	B(with 4/B carb.)	8	390	.018"/.024" thick			1	C9ZZ 9447-A (CG-241)
69	B(with 4/B carb.)	8	428CJ			1	1	D0OZ 9447-B (CG-265)
69/	B	6	250	.018"/.023" thick			1	D3DZ 9447-E (CG-235-A)
69/	B(with 4/B carb.)	8	429	.018"/.024" thick			1	C8SZ 9447-B
70	B(with 4/B carb.)	8	429CJ				1	(CG-209)
70	B(with 4/B carb.)	8	429 S/CJ	.115"/.135" thick	1			C9AZ 9447-B (CG-252)
70/71	B(with 4/B carb.)	8	351	.060"/.065" thick	1			D0AZ 9447-B (CG-260)
70/71	B(with 2/B carb.)	8	351	.060"/.065" thick	1			D0AZ 9447-A (CG-259)
70/71	B(with 4/B carb.)	8	429CJ	.115"/.135" thick	1			D0OZ 9447-A (CG-253)
70/	B	6	250	.018"/.024" thick		1		D0DZ 9447-A
72	B	8	302		1			D2OZ 9447-A (CG-341)
72	B(with 2/B carb.)	8	351C, 400	.065" thick	1			D2AZ 9447-A (CG-339)
72	B	8	351CJ		1			D1ZZ 9447-A (CG-313)
	- F -							
65	F	6	170				1	C1TZ 9447-A
65/69	F	6	200				1	(CG-116)
65	F	6	170	.064" thick	1			C3DZ 9447-A
65/68	F(with T/E)	6	200		1			(CG-129)
68	F	6	200		1			
69	F(with Imco)	6	200		1			

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

9447 GASKET - CARBURETOR - continued- Also refer to Groups 9448 & 9A589

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	Carb. to Manifold	Carb. to Spacer	Spacer to Manifold	PART NUMBER
	- F - continued							
65/68	F(with 2/B carb.)	8	289			1	1	D2AZ 9447-B
68/69	F(with 2/B carb.)	8	302			1	1	(CG-254-B)
65	F	8	260			1	1	
69/70	F(with 2/B carb.)	8	351			1	1	
68	F("GT" with 4/B carb.)	8	390	.018"/.024" thick			1	C8SZ 9447-A
69	F(with 4/B carb.)	8	390			1		(CG-208)
65/66	F(with 4/B carb.)	8	289			1	1	
66	F(GT350) (with 4/B carb.)	8	289			1		C5ZA 9447-A
67	F(with Imco & C4)	6	200			1		C8DZ 9447-A (CG-214)
67	F(with 4/B carb.)	8	289	.018"/.024" thick		1	1	C7AZ 9447-A
68	F(with 4/B carb.)	8	302			1	1	(CG-201)
67	F(with 4/B carb.)	8	390			1	1	
68	F(with 4/B carb.)	8	427			1	1	
69	F(with 4/B carb.)	8	351			1	1	
65/70	F High Performance Vehicles (use with high riser aluminum intake manifold)	8	289,302			1	1	
68	F(with 2/B carb.)	8	390	.018"/.023" thick			1	C7AZ 9447-C (CG-205)
68	F("GT" with 4/B carb.) (with T/E)	8	390	.125" thick		1		C8OZ 9447-A (CG-213)
68	F(with 2/B carb.)	8	390	.49"/.51" thick		1		C8WY 9447-A (CG-217)
68	F Special (with 4/B carb.)	8	427		1			C3AZ 9447-C (CG-200)
68	F(with 4/B carb.)	8	428CJ	.018"/.024" thick		1	1	C8AZ 9447-B
70/71	F Boss (with 4/B carb.)	8	302			1	1	(CG-288)
69	F Boss (with 4/B carb.)	8	302		1			
70	F(with 4/B carb.)	8	428CJ			1		
69	F Boss (with 4/B carb.)- "Before 2/3/69"	8	429		1			C9AZ 9447-B (CG-252)
69/70	F Boss (with 4/B carb.)- "From 2/3/69"	8	429	.115"/.135" thick	1			C9AZ 9447-D (CG-263)
71	F(with 4/B carb.)	8	429 S/CJ		1			
69	F	6	250	Use with Holley service carburetor		1		D0PZ 9447-A (CG-297)
69	F(with 4/B carb.)	8	390	.018"/.024" thick			1	C9ZZ 9447-A (CG-241)
69	F(with Imco)	6	250	.08"/.10" thick		1		C8AZ 9447-C
70	F	6	200					(CG-236)
69/	F	6	250	.018"/.023" thick			1	D3DZ 9447-E
70	F	6	200				1	(CG-235-A)
70	F(with 4/B carb.)	8	428CJ	.018"/.024" thick			1	D0OZ 9447-B
69	F(with 4/B carb.)	8	428CJ			1	1	(CG-265)
70/71	F(with 4/B carb.)	8	351	.060"/.065" thick	1			D0AZ 9447-B (CG-260)
70/71	F(with 2/B carb.)	8	351	.060"/.065" thick	1			D0AZ 9447-A (CG-259)
70/	F	6	250	.018"/.024" thick		1		D0DZ 9447-A (CG-261)
70/	F(with 2/B carb.)	8	302			1	1	D2AZ 9447-B (CG-254-B)
71/	F Boss (with 4/B carb.)	8	351SPL 351 CJ	.057"/.067" thick	1			D1ZZ 9447-A (CG-313)
71	F(with 4/B carb.)	8	429CJ	.115"/.135" thick	1			D0OZ 9447-A (CG-253)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	Carb. to Manifold	Carb. to Spacer	Spacer to Manifold	PART NUMBER
	9447 GASKET - CARBURETOR - continued- Also refer to Groups 9448 & 9A589							
	- F - continued							
72	F(with 2/B carb.)	8	351	.065" thick	1	1		D2AZ 9447-A (CG-339)
72	F (with 2/B carb.)	8	302		1			D2OZ 9447-A (CG-341)
	- L -							
71	L	4	98		1			D1FZ 9447-D (CG-322-A)
71/	L	4	122	Identified D12E 9447-AA,BA	1			D1FZ 9447-E (CG-333-A)
	- P -							
70/	P	6	170,200	.018"/.023" thick			1	C9DZ 9447-A
71/	P	6	250				1	(CG-235)
70/	P	6	170,200	.08"/.10" thick	1			C8AZ 9447-C (CG-236)
70/	P	6	250	.018"/.024" thick		1		D0DZ 9447-A (CG-261)
71/	P	8	302			1	1	D2AZ 9447-B (CG-254-B)
72	P	8	302		1			D2OZ 9447-A (CG-341)
	- S -							
65	S	8	390	.030"/.035" thick			1	C2AZ 9447-G (CG-189)
65	S	8	390	.018"/.024" thick		1		C8SZ 9447-A (CG-208)
66/67	S	8	390	.018"/.024" thick		1	1	C7AZ 9447-A
66/67	S	8	428			1	1	(CG-201)
68/	S	8	429,460	.018"/.024" thick			1	C8SZ 9447-B (CG-209)
68/	S	8	429,460	.125" thick		1		C8OZ 9447-A (CG-213)
72	S	8	400	.065" thick	1			D2AZ 9447-A (CG-339)
	- U -							
66/67	U	6	170				1	C1TZ 9447-A (CG-116)
66/67	U	6	170	.064" thick		1		C3DZ 9447-A (CG-129)
66/68	U	8	289			1	1	D2AZ 9447-B
68/	U	8	302			1	1	(CG-254-B)
68	U(with Carter carb.)	6	170			1		C8DZ 9447-A
69	U(with Imco)	6	170				1	(CG-214)
68	U(with Carter carb.)	6	170				1	C8DZ 9447-B
69	U(with Imco)	6	170				1	(CG-215)
70/	U	6	170	.08"/.10" thick		1		C8AZ 9447-C (CG-236)
70/	U	6	170	.018"/.023" thick			1	D3DZ 9447-E (CG-235-A)
	- X -							
65/66	X(with 4/B carb.)	8	289	.018"/.024" thick		1	1	C8SZ 9447-A (CG-208)
65/67	X	6	170				1	C1TZ 9447-A
65/70	X	6	200				1	(CG-116)
69	X	6	170				1	
65/68	X(except Imco)	6	200	.064" thick		1		C3DZ 9447-A
68/69	X(with Imco)	6	200			1		(CG-129)
65/67	X(except Imco)	6	170			1		
69	X	6	170			1		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9447 GASKET - CARBURETOR - continued - Also refer to Groups 9448 & 9A589				Carb. to Manifold / Carb. to Spacer / Spacer to Manifold	
	- X - continued					
65/68	X(with 2/B carb.)	8	289		1 1	D2AZ 9447-B
68	X(with 2/B carb.)	8	302		1 1	(CG-254-B)
69/70	X	8	302		1 1	
67	X(with Imco & C4)	6	170,200		1	C8DZ 9447-A
68	X(with Carter carb.)	6	170		1	(CG-214)
67	X(with 4/B carb.)	8	289	.018"/.024" thick	1 1	C7AZ 9447-A
68	X(with 4/B carb.)	8	302		1 1	(CG-201)
68	X(with Carter carb.)	6	170		1	C8DZ 9447-B
						(CG-215)
70	X	6	200		1	C8AZ 9447-C
						(CG-236)
70	X	6	200	.018"/.023" thick	1	D3DZ 9447-E
						(CG-235-A)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A447 LOCK - EXHAUST MANIFOLD TO CYLINDER HEAD BOLT TAB					
65	F	8	260		8	C2OZ 9A447-A
65/66	A, B, F, X, U(with 2/B carb.)- "Before 12/17/65"	8	289	From 12/17/65 use (8) 377188-S & (8) 377187-S Screw & washer assy. with (16)353922-S flat washers as listed Group 9430-31	8	
65/66	B, F, X (with 4/B carb. except B Special & F Special) - "Before 12/17/65"	8	289	From 12/17/65 use (8) 377188-S & (8) 377187-S Screw & washer assy. with (16)353922-S flat washers as listed Group 9430-31	8	
65	B Special (with 4/B carb.)	8	289		8	★C3OZ 9A447-A
65/66	F Special(with 4/B carb.) - "Before 12/17/65"	8	289	From 12/17/65 use (8) 377277-S & (8) 377187-S Screw & washer assy. with (16)353992-S flat washers as listed Group 9430-31	8	
65/67	A Special(with 4/B,6/B or 8/B carb)	8	406,427	065"/.055" thick-3.56" center to center (2) 13/32" holes	8	C3AZ 9A447-A
68	B, F Special (with 4/B carb.)	8	427		8	
	9B447 PULLEY - EXHAUST AIR SUPPLY PUMP - Also refer to Group 9A464					
66/67	B(except P/S, A/C or 53, 55 amp. alt)(with T/E)(exc.Imco with C4)	6	200	4.74" O.D. -identified C6TE 9B447-B	1	C6TZ 9B447-B
66/67	F, X(except P/S & A/C)(with T/E) - (except Imco with C4)	6	170,200		1	
66/67	U(with T/E)	6	170		1	
66/67	B, F, X (with P/S exc. A/C)(with T/E)	6	170,200	4.58" O.D. -identified C6DE 9B447-B	1	★C6DZ 9B447-B
66/67	B(with 53, 55 amp. alt. except A/C & P/S)(with T/E)	6	200		1	
66/67	A (except A/C)(with T/E)	6	240	4.42" O.D. -identified C6TE 9B447-C	1	★C6TZ 9B447-C
66	A, S (except A/C) (with T/E)	8	352,390, 428		1	
67	A(except P/C)(except A/C)(with T/E)	8	390,428		1	
67	B(exc. 63D, 76D)(exc. A/C)(with T/E)	8	390		1	
66	A(except P/C), S(with A/C)(with T/E)	8	390,428	5.95" O.D. -identified C6AE 9B447-E	1	C6AZ 9B447-E
66/67	B(with A/C & except P/S)(with T/E)	8	390		1	
66/67	A, B, X (with A/C) (with T/E)- "Before 8/29/66"	8	289		1	
66	A(with A/C)(with T/E)	8	352		1	
66/67	P/C (with T/E)	8	428		1	
67	F(with T/E)	8	390		1	
67	F(with A/C)(with T/E)- "Before 8/29/66"	8	289		1	
67	S(except A/C)(with T/E)	8	390,428		1	
67	A, B, F, X(with T/E & A/C)- "From 9/23/66"	8	289		1	
67	A(exc. P/C)(with T/E except A/C)- "From 10/1/66"	8	390,428	Used with super extra cooling	1	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9B447 PULLEY - EXHAUST AIR SUPPLY PUMP - continued					
66/67	A(with A/C)(with T/E)	6	240	5.65" O.D. -identified C6AE 9B447-D	1	★ C6AZ 9B447-D
67	A, B, F, X(with A/C)(with T/E)- "From 8/29/66 to 9/23/66"	8	289		1	
67	A(with T/E except A/C)	6	240	Used with super extra cooling	1	
66/67	A, B, X(except A/C)(with T/E)- "Before 9/12/66"	8	289	4.07" O.D. -identified C6OE 9B447-B	1	C6OZ 9B447-A
66/67	F(except A/C)(with T/E) - "Before 11/14/66"	8	289		1	
67	F(with 4/B carb. & T/E)(except A/C)- "From 11/14/66"	8	289		1	
67	F(with 2/B carb., S/T & T/E)- (except A/C) "From 11/14/66"	8	289		1	
67	A(with T/E except A/C)- "From 9/23/66"	8	289		1	
66/68	B(except A/C)(with T/E)	8	390	4.93" O.D. -identified C6AE 9B447-C	1	C6AZ 9B447-C
66/68	B(with A/C & P/S) (with T/E)	8	390		1	
66	F(with A/C)(with T/E)	8	289		1	
67	A(P/C) (exc. A/C) (with T/E)	8	390,428		1	
66/67	B, F, X(with A/C) (with T/E)- (except Imco with C4)	6	170,200	5.33" O.D. -identified C6TE 9B447-A	1	★ C6TZ 9B447-A
66/67	U(with T/E) "Before 9/12/66"	8	289		1	
67	U(with T/E) "From 9/12/66"	8	289	4.94" diameter-identified C6DE 9B447-A	1	★ C6DZ 9B447-A
67	F(with T/E except A/C)- "From 9/23/66 to 11/14/66"	8	289	3.97" O.D. -identified C7ZE 9B447-A	1	★ C7AZ 9B447-A
67	F(with S/T & T/E except A/C)- "From 9/23/66"	8	289		1	
67	A, B, F, X(with 2/B carb., C4 & T/E)- (except A/C) "From 11/14/66"	8	289	4.75" diameter-identified C7OE 9B447-B	1	★ C7AZ 9B447-E
67	A(with T/E)	8	289	4.31" O.D. -identified C6AE 9B447-F-used	1	★ C7AZ 9B447-D
67	F Special(with 4/B carb. & T/E)	8	289	with super extra cooling	1	
67	A(exc. P/C), S(with A/C & T/E)	8	390,428	6.27" diameter-identified C7SE 9B447-A	1	C7AZ 9B447-C
67	A, B, X(exc. A/C),(with T/E)- "From 9/12/66 to 11/14/66"	8	289	3.60" diameter-identified C7OE 9B447-A	1	★ C7AZ 9B447-B
67	X(with 4/B carb. & T/E)- (except A/C) "From 11/14/66"	8	289		1	
67	X(with 2/B carb., S/T & T/E)- (except A/C) "From 11/14/66"	8	289		1	
68	A(with T/E)	8	302		1	
68	U, X(with T/E)	6	170	5.87" diameter-identified C8DE 9C480-A	1	C8DZ 9B447-A
68	A(with A/C)(with T/E)	6	240	5.65" diameter-identified C8AE 9C480-C	1	C8AZ 9B447-A
68	U(with 42 or 55 amp. alt.)(with T/E)	8	289	4.91" diameter-identified C8TE 9C480-A	1	C8TZ 9B447-A
68	A(except P/C)(with A/C)(with T/E)	8	390,428	6.26" diameter-identified C8AE 9C480-E	1	★ C8AZ 9B447-C
68	P/C (with A/C and/or P/S (with T/E)	8	428	5.89" diameter-identified C8AE 9C480-B	1	C8AZ 9B447-D
68	A, B, F(with A/C and/or P/S) (with T/E)	8	289,302		1	
68	B, F(GT with 4/B carb.)-with T/E & A/C	8	390	4.981" diameter-identified C8OE 9C480-B	1	★ C8OZ 9B447-B
68	B, F(with P/S & 55 amp. alt.) (with T/E)	8	390	5.68" diameter-identified C8AE 9C480-D	1	C8AZ 9B447-E
68	P/C (with 55 or 65 amp. alternator)(with T/E)	8	428		1	
69	F Boss(with T/E)	8	302		1	
68	A(except A/C)(with T/E)	6	240	4.75" diameter-identified C8AE 9C480-A	1	C8AZ 9B447-B
68	A(except P/C)(except A/C)(with T/E)	8	302,390 428		1	
68	B, F(except A/C)(with T/E)	6&8	200,289 302,390		1	
68	X(except A/C) (with T/E)	6&8	200,289 302		1	
68	U(except A/C)(with T/E)	8	289		1	
68	B, F(GT with 4/B carb.)-with T/E except A/C	8	390		1	
68/69	B, F(except A/C)(with T/E)	8	428		1	
70	F	8	428 CJ		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9B447 PULLEY - EXHAUST AIR SUPPLY PUMP - continued					
68	B, F Special (with 4/B & T/E)	8	427	5.49" diameter-identified C8OE 9C480-A	1	C8OZ 9B447-A
69/70	A P/C (except A/C)(with 4/B carb. & T/E)	8	428		1	
69	A P/C (with T/E and A/C)	8	428	5.95" O.D.-identified C9OE 9C840-B	1	C9OZ 9B447-B
70	A P/C (with T/E)	8	428		1	
69	B, F(with A/C) (with T/E)-with or without P/S	8	428 CJ	5.10" O.D.-identified C9OE 9C480-A	1	C9OZ 9B447-A
70	F	8	428CJ		1	
69/70	F Boss (with T/E)	8	429	6.251" diameter-identified C9AE 9C480-A	1	C9AZ 9B447-A
70	B (with T/E) (except 429 CJ engine without A/C)	8	429	5.00" diameter - identified D0OE 9C480-A	1	D0OZ 9B447-B
70	B (with T/E & A/C)	8	429 CJ	Identified D0SE 9C480-A	1	D0SZ 9B447-A
71/	F	8	429S/CJ		1	
70/71	F Boss (with T/E)	8	302	Identified D0ZE 9C480-A	1	D0ZZ 9B447-A
	9448 GASKET - EXHAUST MANIFOLD - Also refer to Group 9447					
65	S	8	390	Heat shield-R.H.	1	C1SZ 9448-F
66/68	A, S	8	352,390		1	
66/67	A, S, P/C	8	428		1	
68	A, P/C	8	390,428		1	
68	B, F(with 4/B carb.)	8	428 CJ		1	
69/70	A (P/C)	8	428		1	
69/71	A (with 2/B carb.)	8	390		1	
65	S	8	390	Heat shield-L.H.	1	C1SZ 9448-E
66/68	A, S	8	352,390		1	
68	A, P/C	8	390,428		1	
69/70	A, P/C	8	428		1	
66/67	A, S, P/C	8	428		1	
68	B, F(with 4/B carb.)	8	428 CJ		1	
69/71	A (with 2/B carb.)	8	390		1	
71/	L	4	98	Inner	1	D0RY 9448-A
71/	L	4	98	Outer	2	D0RY 9448-B
71/	L	4	122	Inner	1	D1FZ 9448-A
71/	L	4	122	Outer	AR	D1FZ 9448-B
	9448 GASKET - INTAKE and EXHAUST MANIFOLD					
65	A	6	240		1	C5AZ 9448-B
	9B448 TUBE ASSY. - EXHAUST AIR SUPPLY PUMP UPPER					
66/68	X, U(with T/E)	6	170	Front & rear-6.04" long	2	C6DZ 9B448-B
66/68	B, F, X(with T/E)	6	200		2	
67	A, B, F, X(with T/E)	8	289	L.H.	2	C7AZ 9B448-A
68	B, F, X(with T/E)	8	289	L.H.	1	
67	U(with T/E)	8	289	R.H.	2	
68	U(with T/E)	8	289	R.H.	1	
67/68	U(with T/E)	8	289	L.H.	1	C7TZ 9B448-A
68	B, F, X (with T/E)	8	289	R.H.	1	C8ZZ 9B448-A
70	B(with T/E)	8	429S/CJ		1	D0SZ 9B448-B
71	F (with T/E)	8	429S/CJ		1	
67	A, B, F, X	8	289	Insert (L.H. upper supply tubes to cylinder head) 5/8"-11 x 7/16"-14	2	351418-S(UU136)
67	A, B, F, X	8	289	Insert (L.H. upper supply tube to cylinder head)-5/8"-11 x 3/8"-16	2	351693-S(UU135)
	9449 SPRING - EXHAUST THERMOSTAT CONTROL VALVE - Also refer to group 9467					
65/66	A, S, A Special (with 4/B, 6/B or 8/B carb.)	8	All	250" O.D. x .722" long-11 1/2 coils-used in B9AE 9A427-A, C0AE 9A427-B, C and C3AZ 9A427-A valves	1	★B5A 9449-A
65/	A	8	240		1	C5AZ 9449-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9449 SPRING - EXHAUST THERMOSTAT CONTROL VALVE - continued - Also refer to group 9467					
65/66	A Special(with 4/B,6/B or 8/B carb.) "Before 1/17/66"	8	352,390, 406,427		1	★C0AE 9449-A
66/67	A(except P/C), S	8	390,428		1	C6AZ 9449-A
66	B "Before 12/5/65"	8	390		1	
66	A Special(8/B carb.) "From 1/17/66"	8	427		1	
66	P/C "Before 6/16/66"	8	428		1	
67	A Special, B Special(4/B, 8/B carb.)	8	427		1	
68	B Special (with 4/B carb.)	8	427		1	
66	B "From 12/5/65"	8	390		1	C6OZ 9449-A
66/69	P/C "From 6/16/66"	8	428		1	
67/68	B, F	8	390		1	C7OZ 9449-A
69	F Boss (with 4/B carb.)	8	429		1	
	9450 GASKET - EXHAUST MANIFOLD TO MUFFLER INLET PIPE Also refer to Group 5C226					
65/66	A Special (with 4/B, 6/B or 8/B carburetor)	8	352,390, 406,427	Exhaust manifold to exhaust pipe-2.60" I.D. - 2 bolt holes-.45" dia. -3.50" center to center	3	C0AA 9450-A
67	B Special(with 4/B, 8/B carb.)	8	427		2	
67/68	A Special(with 4/B or 8/B carb.)	8	427		2	
68	B Special (with 4/B carb.)	8	427		2	
66	A (S/W)	8	352		1	C1SZ 9450-A
66/67	A, P/C	8	390,428		1	
66/67	B	8	390	Manifold to heat valve	1	
66	S	8	390,428	Manifold to heat valve	1	
67	F	8	289		1	
65/67	B, F, X "Before 11/14/66"	6	170,200	1.79" I.D. -2.26" O.D. -.58" thick	1	C6DZ 9450-A
67/	B, F, X(except Imco with C4)- "From 11/14/66"	6	170,200		1	
68/69	B(with 4/B carb.)	8	428 CJ	2.14" I.D. -3.12" O.D. -.78" thick	2	C8LY 9450-A
68/70	F(with 4/B carb.)	8	428 CJ		2	
69/70	F Boss (with 4/B carb.)	8	429		2	
70/	S(with 4/B carb.)	8	429,460		2	
70/	B	8	429		2	
69	P/C(with 4/B carb.)	8	428		2	
68	B, F, X	8	289,302, 390	Exhaust manifold to muffler inlet pipe- 2.03" I.D. -2.50" O.D. -.58" thick	2	C6AZ 9450-D
68	F Special (with 4/B carb.)	8	427		2	
68/	A	6&8	240,302		1or2	
68/70	A P/C -"Before 9/16/68"	8	428		1	
69	B	6&8	250,302 390		1or2	
69/71	F	6&8	200,250, 302,390		1or2	
69/70	X	6&8	170,200 302		1or2	
65/68	A	6	240		2	
65	F	8	260		1	
66/67	X	8	289		1or2	
65	A, B, F, X	8	289		2	
65	A, S, P/C	8	352,390		2	
66/	U	6	170		1	
66/68	U	8	289		2	
66/67	A, B, F, S, P/C	8	289,352, 390,428		2	
67	F Special (with 4/B carb. & T/E)	8	289		1	
67	B, F, X (with Imco & C4)- "From 11/14/66"	6	170,200		1	
69/	U	8	302		1or2	
70/	B, P	6&8	250,302		1or2	
72	F	6&8	250,302		1or2	
68	B, F, X	6	170,200		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9450 GASKET - EXHAUST MANIFOLD TO MUFFLER INLET PIPE - continued - Also refer to Group 5C226					
68	A, P/C	8	390,428	Exhaust manifold to exhaust pipe-2.14" I.D. -	2	C8AZ 9450-B
69	P/C "From 9/16/68"	8	428	2.74" O.D. -.75" thick	2	
68	S	8	390		2	
69	A,B,F	8	351		2	
69	A	8	390		2	
70/71	A, P/C	8	390,428		2	
70	F(with 2/B carb.)	8	351		2	
68/69	S (with 4/B carb.)	8	429	Exhaust manifold to exhaust pipe-	2	C8SZ 9450-A
69/	A (with 2/B & 4/B carb.)	8	429	2.40" I.D. -3.12" O.D. -.80" thick	2	
71	F	8	429		2	
70/71	A (with 2/B carb.)	8	351W	Exhaust manifold to exhaust pipe - 1.82" I.D. -	2	D0AZ 9450-A
72	A, B (with 2/B carb.)	8	351W	.78" thick	2	
70/	P	6	170,200	Exhaust manifold to inlet pipe- 1.79" I.D. -2.50" O.D. -.57"/.68" thick	1	D0DZ 9450-A
71/	L	4	98,122	Exhaust manifold to inlet pipe-1.90" I.D.- 2.38" O.D.-.63" thick	1	D1FZ 9450-A
	9B450 BRACKET - EXHAUST AIR SUPPLY PUMP MOUNTING					
66	B, F, X (with T/E)	6	170,200		1	★C6DZ 9B450-B
66/67	U(with T/E)	6	170		1	★C6TZ 9B450-B
66/67	A, P/C, Taxi (with T/E)	6	240		1	★C6AZ 9B450-A
66	A,B,F,X(w/T/E)	8	289		1	C6OZ 9B450-B
67	B, F, X (with A/C) (with T/E)	8	289		1	
66/67	U(with T/E)	8	289		1	★C6TZ 9B450-C
67	B, F, X(with T/E)	6	170,200		1	★C7DZ 9B450-A
67	A,B,F(except Special with 4/B carb.) X(with T/E) "Before 1/3/67"	8	289	Identified C7OE 9B450-A	1	★C7OZ 9B450-A
67	F(Special with 4/B carb.)(with T/E) "From 4/17/67"				1	
67	A,B,F(except Special with 4/B carb.) (with T/E),X "From 1/3/67"	8	289	Identified C7OE 9B450-B	1	★C7OZ 9B450-B
68	X, U (with T/E)	6	170	Identified C8DE 9C476-A	1	C8DZ 9B450-A
68	B, F, X (with T/E)	6	200		1	
68	A, P/C, Taxi (with T/E)	6	240	Identified C8AE 9B450-A	1	★C8AZ 9B450-A
68	B, F, X (with T/E)	8	289	Identified C8OE 9B450-A	1	C8AZ 9B450-B
68	A, B, F, X (with T/E)	8	302		1	
68	U(with T/E)	8	289	Identified C8TE 9B450-A	1	C8TZ 9B450-A
69	F Boss (with T/E)	8	302	Identified C9ZE 9B450-A,B	1	C9ZZ 9B450-B
69	F Boss (with T/E)	8	429	Identified C9AE 9B450-A	1	C9AZ 9B450-A
70	F Boss	8	429	Identified D0AE 9B450-A	1	D0AZ 9B450-A
70/71	F Boss (with T/E)	8	302	Identified D0ZE 9B450-B	1	D0ZZ 9B450-B
70	B (with T/E)	8	429 CJ	Identified D0VE 9B450-A	1	D0VY 9B450-A
71/	F	8	429S/CJ		1	
66/68	A, B, F, X, U	8	289	Bolt (pump mounting bracket to engine)- 7/16"-14 x 3 3/4" hex. head shoulder	1	46069-S7-8(B263E
68	B, F, X	6	170,200	Nut (bracket to engine)-5/16"-18 x 3/4"- hex.locking	1	★55711-S
	9A451 WIRE ASSY.- FUEL SHUT-OFF SOLENOID FEED					
69	A, B, F, X(w/2/B carb., C/M, C4)	8	302	Identified C9AB 9H589-A	1	C9AZ 9A451-A
	9B451 SUPPORT - EXHAUST AIR SUPPLY PUMP BRACKET					
66/68	B, F, X, U(with T/E)	6	170,200		1	★C6DZ 9B451-A
	9B452 ARM - EXHAUST AIR SUPPLY PUMP BELT ADJUSTMENT					
66	B, F, X(with T/E)	6	170,200		1	★C6DZ 9B452-A
66	S(with T/E)	8	390,428	Front	1	C6SZ 9B452-A
66/67	U(with T/E)	6	170		1	★C6TZ 9B452-B
66/67	A(with T/E)	6	240		1	C6AZ 9B452-A
66/67	A, B, F, X(with T/E)	8	289		1	C6OZ 9B452-A
66/67	U(with T/E)	8	289		1	★C6TZ 9B452-C

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9B452 ARM - EXHAUST AIR SUPPLY PUMP BELT ADJUSTMENT - continued					
67	A, B, F(with T/E)	8	390,428		1	C6AZ 9B452-C
66	A, P/C (with T/E)	8	352,390		1	
			428			
66	B (with T/E)	8	390		1	
67	A, P/C (with T/E)	8	390,428		1	
66	S(with T/E)	8	390,428	Rear	1	★C6SZ 9B452-B
67	A(with T/E)	8	390,428		1	
67	B, F, X(with T/E)	6	170,200		1	★C7DZ 9B452-A
67	S (with T/E)	8	390,428	Front	1	★C7SZ 9B452-B
68	B, F, X, U(with T/E)	6	170,200	Identified C8DE 9B452-A	1	C8DZ 9B452-A
68	A(with T/E)	6	240	Identified C8AE 9B452-A	1	★C8AZ 9B452-A
68	U(with T/E)	8	289	Identified C8TE 9B452-A	1	C8TZ 9B452-A
68	B, F, X(with T/E)	8	289	Identified C8OE 9B452-A	1	C8AZ 9B452-B
68	A, B, F, X(with T/E)	8	302		1	
69	F Boss (with T/E)	8	302		1	
68	A(with T/E)	8	390,428	Identified C8AE 9B452-B	1	C8AZ 9B452-C
69/70	A(P/C) (with T/E)	8	428		1	
68/69	B, F(with T/E)	8	390,428		1	
70	F	8	428 CJ		1	
69	F Boss (with T/E)	8	429		1	C9AZ 9B452-A
70	B (with T/E)	8	429 CJ	Identified D0VE 9B452-A	1	D0VY 9B452-A
71/	F	8	429S/CJ		1	
70/71	F Boss (with T/E)	8	302	Identified D0ZE 9B452-A, B	1	D0ZZ 9B452-A
66/68	B, F, X (with T/E)	6	170,200	Bolt (arm to air supply pump)-3/8"-16 x 4 1/4" hex. head	1	356682-S8 (BB170)
66/71	A, B, S(with T/E)	8	352,390, 428	Bolt(arm to water pump)-3/8"-16 x 1.00" hex. slotted head	1	42998-S8(B252A)
				Washer-.875" O.D.-.41" I.D.-.19" thick-flat		351415-S(XX128)
66/71	A, B, S(with T/E)	8	352,390, 428	Bolt (arm to air pump assy.)-3/8"-16 x 4" hex. hd.	1	370584-S8(BB420)
				Washer-3/8" lock tab		380626-S8(XX340X)
				Washer 3/8" flat		370444 (XX135)
				Lockwasher-3/8"		34847-S8 (X74)
66/68	S(with T/E & A/C)	8	390,428	Bolt(arm to air pump assy. and arm exhaust air supply pump rear)-3/8"-16 x 4.25" hex. hd.	1	356682-S8(BB170)
66/68	S(with T/E & A/C)	8	390,428	Stud(arm to cylinder block)-3/8"-16 x 3.50" hex. shoulder	1	372202-S2 (WW98E)
				Nut-3/8"-16		33799-S7(M52)
				Lockwasher 3/8"		34807-S8(X66)
66	A, B, X	8	289	Bolt (arm to block)-5/16"-18 x 3 1/4" hex.hd.	1	★300896-S
66/67	F	8	289		1	
	9K452 ADAPTER - EXHAUST AIR SUPPLY VACUUM PIPE TO BY-PASS VALVE					
71/	L	4	All		1	D1FZ 9K452-A
	9B453 BRACKET - EXHAUST AIR SUPPLY PUMP AIR CLEANER					
66	B, F, X(with T/E)	6	170,200		1	C6DZ 9B453-A
66/67	U(with T/E)	6	170		1	★C6TZ 9B453-C
66/67	A (with T/E)	6	240		1	C6AZ 9B453-B
66	A, B, S, P/C(with T/E)	8	352,390, 428		1	
66/67	B, X(w/A/C, T/E)	8	289		1	
67	A, B, S, P/C(with T/E)	8	390,428		1	
67	F(with T/E)	8	390		1	
66/67	A, F (with T/E)	8	289		1	C6OZ 9B453-A
66/67	B, F(except with A/C)(with T/E)	8	289		1	
67	B, F, X(with T/E)	6	170,200		1	★C7DZ 9B453-A
67	F (Special) (with 4/B carb.)	8	289	Clamp (air cleaner to bracket)-band 3 7/8"	1	97289-S35(E9H)
	9454 STUD - EXHAUST MANIFOLD TO EXHAUST PIPE					
71/	L	4	All		2	D1FZ 9454-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A455 FITTING - INTAKE MANIFOLD TO CARBURETOR SPACER CONNECTION - Also refer to Groups 8A500, 12A091 & 18599					
65	A(except Special with 4/B or 6/B carb.)	8	352,390	1/2"-14 thread	1	C2AZ 9A455-A
65	S(except A/C)	8	390		1	
66	A(except A/C)	8	352		1	
67	A, B(with 2/B carb.) (except T/E)	8	390		1	
69	A, B, F (with 2/B & 4/B carb.)	8	390	Use with heater only	1	
70/71	A	8	390		1	
65	S (with A/C)	8	390		1	C2SZ 9A455-A
65	A(with A/C)	8	352,390		1	
66	A(with Selectaire A/C)	8	352		1	
67	A, B(with 2/B carb.) (with T/E)	8	390		1	
68	A, B(with 2/B carb.)(with T/E)	8	390	Use with air conditioning	1	
66	A (with A/C) "Before 12/1/65"	8	289		1	★C6AZ 9A455-A
66	A (except P/C), S(except A/C)	8	352,390, 428	Repl.by C8AZ 18599-A (12-74)	1	★C6AZ 9A455-B
66	B	8	390	Use with heater only	1	
67	A, F, S, P/C(with 4/B carb.)	8	390,428		1	
67	B(with 4/B carb.)(exc. T/E & A/C)	8	390		1	
68	A, B(with 2/B carb.)(with Imco & T/E)	8	390		1	
66	A,P/C(with A/C)"Before 12/1/65"	8	390,428		1	C6AZ 9A455-C
66	S(with A/C)	8	390,428		1	★C6SZ 9A455-A
	9B455 FITTING - EXHAUST AIR SUPPLY MANIFOLD					
69/71	F Boss (with T/E)	8	302	Steel-3/4"-14 male pipe thread on both ends-1.75" long	1	C9ZZ 9B455-A
	9B456 TUBE - EXHAUST AIR SUPPLY PUMP INLET					
66/67	A, B, F, S, X (with T/E)	8	289,352, 390,428		1	★C6AZ 9B456-B
	9B457 TUBE - EXHAUST AIR SUPPLY PUMP OUTLET					
66	A, B, F, S, X (with T/E)	8	289,352, 390,428		2	C6AZ 9B457-A
67	A, B, F, S(with T/E)	8	390,428		2	
67	A, B, F, X, U(with T/E)	8	289		1	
68	A, B, F, U, X(with T/E)	6&8	170,200, 240,289	.75" O.D.-1.27" long	1	C8TZ 9B457-A
	9A458 SPRING - EXHAUST CONTROL VALVE - STOP					
65/	A	6	240		1	C5AZ 9A458-A
66/67	A, B, S, P/C	8	390,428		1	
66	A Spec.(w/8/B carb.)"From 1/17/66"	8	427		1	
67/68	A Spec., B Spec.(w/4/B, 8/B carb.)	8	427		1	
67/68	F	8	390		1	
68	A, B, P/C(with 4/B carb.)	8	390,428		1	
68	S	8	390		1	
69	A P/C	8	428		1	
69	F Boss (with 4/B carb.)	8	429		1	
	9B458 HOSE - EXHAUST AIR SUPPLY PUMP INLET					
66	B, F, X(with T/E)	6	170,200		1	C6DZ 9B458-A
66	U(with T/E)	8	289		1	C6TZ 9B458-F
66	S(with T/E)	8	390,428		1	C6SZ 9B458-A
66/67	A, F, X(with T/E)	8	289		1	C6OZ 9B458-D
66/67	B(except with A/C or 70 amp. battery) (with T/E)	8	289		1	
66/67	B, X (with A/C)(with T/E)	8	289		1	★C6OZ 9B458-C
66/67	B (with 70 amp. battery)(with T/E)	8	289		1	
66	A(with T/E)	8	390,428, 352		1	C6AZ 9B458-C
67	A(with T/E)	8	390,428		1	
66/67	B(with T/E)	8	390		1	★C6OZ 9B458-A
67	F(with T/E) "Before 10/3/66"	8	390		1	
67	F(with T/E) "From 10/3/66"	8	390		1	C7ZZ 9B458-A
66/68	U(with T/E)	6	170		1	★C6TZ 9B458-A
66/68	A(with T/E)	6	240		1	★C6AZ 9B458-A
67	B, F, X(with T/E)	6	170,200		1	★C7DZ 9B458-A
67	U(with T/E)	8	289	R.H.	1	★C7TZ 9B458-A
67	U(with T/E)	8	289	L.H.	1	★C7TZ 9B458-B
67	S(with T/E)	8	390,428		1	★C7SZ 9B458-A
66/68	A, B, F, S, X, U(with T/E)	6&8	All	Clamp (hose to air cleaner & pump)-hose	2	97341-S35(E7C)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9B459 HOSE - EXHAUST AIR SUPPLY PUMP OUTLET - Also refer to Group 9B460					
66	A(with T/E-intake manifold type)	6	240	R. H.	1	C6AZ 9B459-B
66	B, F, X, U(with T/E-intake man. type)	6	170,200	Front	1	C6DZ 9B459-A
66	A, B, F, X(with T/E-intake man. type)	8	289	Front	1	C6OZ 9B459-B
66/67	A, S(with T/E)	8	352,390, 428	R. H. -4. 04" long-cut from C6OZ 9B459-B	1	★C6AE 9B459-C
66/67	B(with T/E), F(w/4/Bcarb. & T/E)	8	390	R. H.	1	C6OZ 9B459-C
66	A, B, F, X, U(with T/E)	6	170,200, 240	Clamp (hose to anti-back fire valve inlet tube)-61/64" diam.	1	97333-S35(E8)
66	A, B, F, S, X	8	289,352, 390,428	Tee (hose anti-backfire inlet valve to hose exhaust air supply pump outlet)-3/4" x 3/4" x 3/4" hose	1	375836-S7-8 (II-104G)
	9460 VALVE - EXHAUST THERMOSTAT CONTROL - Also refer to Group 9A427					
65/	A	6	240	Valve (exhaust control)	1	C5AZ 9460-A
	9B460 HOSE - EXHAUST AIR SUPPLY PUMP OUTLET - Also refer to Group 9B459					
66	A, B, F, X(with T/E-intake manifold type & except A/C)	8	289	L. H.	1	★C6AZ 9B460-D
66	A, B, F, X(with T/E-intake manifold type & with A/C)	8	289	L. H.	1	★C6OZ 9B460-A
66	B (with T/E)	8	390	L. H.	1	★C6AZ 9B460-G
66	A (with T/E)	8	352,390, 428	L. H.	1	C6AZ 9B460-H
67	A(with T/E) "Before 9/1/66"	8	390,428		1	
66/67	S(with T/E)	8	390,428	L. H.	1	C6SZ 9B460-A
67	A(with T/E) "From 9/1/66"	8	390,428		1	
68	A(with T/E)	6	240	Rear-elbow shaped-3. 40" developed length	1	D4FZ 9B460-A
66	B(with T/E)	8	390	Strap (hose to L. H. spring tower)-adjustable	1	376876-S(YY3)
	9461 GASKET - INTAKE MANIFOLD TO CYLINDER BLOCK					
65/	A	6	240	Synthetic rubber bonded asbestos	1	C5AZ 9461-A
	9B461 SPACER - EXHAUST AIR SUPPLY PUMP MOUNTING BRACKET					
66/68	A, B, F, X(with T/E & except A/C)-"Before 12/15/66"	8	289	.391" I. D. -.76" O. D. -.73" long	2	C6AZ 9B461-A
66/68	A, B, F, X(with T/E & A/C)	8	289		1	
66/68	B, F, X(with T/E)	6	170,200		1	
67	A, B, F, X(with T/E except A/C)-"From 12/15/66 to 1/3/67"	8	289	Washer(spacer for 9B450 bracket)-flat-13/32"	1	359986-S (XX141A)
67	A, B, F, X(with T/E except A/C)-"From 1/3/67"	8	289	.344" I. D. -.75" O. D. -.53" long	1	C7OZ 9B461-A
68	A, B, F, X(with T/E except A/C)	8	All		1	
69	F Boss (with T/E)	8	302		1	
68/69	B, F, X(with T/E)	6	200	.75" O.D.-.75" long (1) used without A/C-(2)	1or2	C8DZ 9B461-A
68/69	U(with T/E)	6	170	used with A/C	1	
69	F Boss (with T/E)	8	429	Aluminum-.45" I. D. -1. 00" O. D. -5. 55" long	1	C9AZ 9B461-A
	9462 BUSHING - EXHAUST THERMOSTAT CONTROL VALVE					
65/71	A	6	240	Front-.010" O. S. -.18" long-.317" O. D. -.242" I. D.	1	C5AZ 9462-C
65/71	A	6	240	Rear-.010" O. D. -.40" long-.635" O. D. -.242" I. D.	1	C5AZ 9462-D
65/	A	6	240	.18" long-.307" O. D.	1	C5AZ 9462-A
65/	A	6	240	.40" long-.625" O. D.	1	C5AZ 9462-B
	9A462 SHIELD - HEAT					
71/	L	4	122		1	D1FZ 9A462-A
71/	L	4	122	Nut (heat shield to exhaust manifold)	2	E804043-S76(AW10)
	9B463 BRACKET - EXHAUST AIR SUPPLY PUMP REAR					
66	A, B, S(with T/E)	8	390		1	C6AZ 9B463-A
66/67	A, P/C (with T/E)	8	428		1	
66	A(with T/E)	8	352		1	
67	A, B, F, S(with T/E)	8	390		1	
66	A (with T/E)	8	352,390, 428	Bolt(bracket & water pump to cylinder head)-3/8"-16 x 1. 75" hex. locking	2	372305-S(BB429A)
66/67	B, S(with T/E)	8	390,428		1	
67	A(with T/E)	8	390,428	Stud (bracket and water pump to cylinder block)-3/8"-16-16 x 3 1/2" hex. shoulder	1	372202-S2(WW98E)
67	S(with T/E & A/C)	8	390,428	Bolt (bracket & water pump to cylinder block)-3/8"-16 x 1 7/8" hex. head	1	381750-S (BB817CD)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9B464 PULLEY - EXHAUST AIR SUPPLY PUMP DRIVE - Also refer to Group 9B447					
66/67	B, F, X(with P/S & T/E)	6	170,200	5.475" diameter -attaches to 8509 water pump pulley	1	C6DZ 9B464-A
68	B, F, X(with A/C & T/E)	6	170,200	5.012" diameter-identified C8DE 9B464-A-attaches to 8509 water pump pulley	1	★C8DZ 9B464-A
68	B, F, X(with 55 amp. alt. & T/E)	6	200	5.67" diameter-identified C8DE 9B464-B-attaches to 8509 water pump pulley	1	★C8DZ 9B464-B
	9B466 HOSE - EXHAUST AIR SUPPLY CHECK VALVE INLET - Also refer to Groups 9B460 & 9H548					
66	B,F,X,U(with T/E-intake man. type)	6	170,200		1	C7AZ 9B466-A
66	A (with T/E)	8	352,390, 428	.75" I.D. -1.09" O.D.	1	C6AZ 9B466-A
67	A(with T/E)	8	390,428		1	
68	A(with T/E)	8	390,428	R.H. -identified C8AE 9B466-B	1	C8AZ 9B466-B
69/70	A(P/C) (with T/E)	8	428		1	
68	B, F, P/C (with T/E)	8	390,427, 428	L.H. -identified C8AE 9B466-A	1	C8AZ 9B466-C
68/69	B, F (with T/E)	8	390,428	R.H.-identified C8OE 9B466-F	1	C8OZ 9B466-D
70	F (with T/E)	8	428 CJ		1	
68	B, F Special (with 4/B carb.) (with T/E)	8	427		1	
66	A, B, F, X (with T/E-except intake manifold type)(with A/C)	8	289		1	★C6AZ 9B466-B
66	A, B, F, X (with T/E-except intake manifold type)(except with A/C)	8	289	L.H.	1	★C6SZ 9B466-A
67	F Special(with 4/B carb.)(with T/E)	8	289		1	
67	F(with T/E)	8	289	L.H. -.75" I.D. -1.10" O.D. -33.50" long	1	
67	A, B, X(with T/E)	8	289	L.H. -cut to 27.88" long	1	
66/67	S (with T/E)	8	390,428		1	
66	B (with T/E)	8	390		1	★C6OZ 9B466-A
67	B(except 63D, 76D)(with T/E)	8	390		1	
66	A, B, F, X (with T/E)	8	289	Rear	1	C6OZ 9B466-B
67	F Special(with 4/B carb.)(with T/E)	8	289		1	
68	B, F, X(with T/E)	6	170,200	90 degree elbow-4" developed length	1	
68	U	6	170		1	
66/67	U(with T/E)	8	289	R.H.	1	★C6TZ 9B466-B
66/67	U(with T/E)	8	289	L.H.	1	★C6TZ 9B466-C
68	A, B, F, X(with T/E)	8	302	Identified C8OE 9B466-E-12.48" long	1	C8OZ 9B466-A
68	B, F, X(with T/E & 2/B carb.)	8	289	L.H. -32.75" long-identified C8OE 9C433-B	1	C8AZ 9B466-A
68	A, B, F, X(with T/E)	8	302	L.H. -28.87" long -identified C8OE 9C433-C	1	C8AZ 9B466-D
68	A, B, F, X(with T/E)	8	289,302	Air by-pass valve inlet-.75" I.D. -.110" O.D. -5" long-cut from C7AZ 9B466-A	1	★C8OE 9F287-A
67	B(63D, 76D), F(with T/E)	8	390		1	★C7OZ 9B466-A
67	A(with T/E)	8	289	L.H.	1	
67	F(except F Special)(with T/E)	8	289	R.H. -.75" I.D. -1.09" O.D. -12.56" long-cut from C7ZZ 9H534-A	1	★C7ZE 9B466-A
68	B, F, X (with T/E)	6	170,200	Identified C8DE 9B466-A	1	C8DZ 9B466-A
69	F, X (with T/E)	6	170,200		1	
68	B, F, X (except Special) (with T/E)	8	289	R.H. -Identified C8OE 9B466-D	1	★C8OZ 9B466-B
68	U(with T/E)	8	289	R.H. -Identified C8TE 9B466-A or B	1	★C8TZ 9B466-B
68	U(with T/E)	8	289	L.H. -Identified C8TE 9C433-A or B-31" developed length	1	★C8TZ 9B466-A
68	B, F (with T/E)	8	390,428	L.H. -Identified C8OE 9B466-C-9.54" long -	1	★C8OZ 9B466-C
68	B, F Specials (with 4/B & T/E)	8	427	cut from C8AZ 9B466-A	1	
68	F Special (with 4/B & T/E)	8	390		1	
68	A(P/C)	8	428		1	
69/70	B, F(with 4/B carb. & T/E)	8	428CJ	L.H. .562"/.622" I.D. -.874"/.936" O.D. -	1	★C9OE 9B466-A
69/70	A(P/C) (with T/E)	8	428	8.98" long-cut from C8OZ 9B466-C	1	
69/70	F Boss (with T/E)	8	429	Inlet-44" long-identified C9AE 9B466-A	1	C9AZ 9B466-A
69	F Boss (with T/E)	8	302	Inlet-23.44" formed length-identified C9ZE 9B466-B	1	C9ZZ 9B466-B

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9B466 HOSE - EXHAUST AIR SUPPLY CHECK VALVE INLET - continued - Also refer to Groups 9B460 & 9H548					
70	B	8	429CJ	Identified D0VE 9B466-A	1	D0VY 9B466-A
71	F	8	429S/CJ		1	
70/71	F Boss (with T/E)	8	302	Identified D0ZE 9B466-A	1	D0ZZ 9B466-A
66	A, B, F, X(with T/E & A/C)	8	289	Clip(hose to air conditioner compressor)	1	376906-S100 (GG231)
	9467 SPRING - EXHAUST THERMOSTAT CONTROL VALVE COIL - Also refer to Group 9449					
65/69	A "From 10/21/65 to 1/2/69"	6	240		1	C5TZ 9467-A
	9469 SEAL - FUEL PUMP OIL					
66/69	U	6&8	All	Fuel pump catalog symbols 123, 128	1	ECU 9469-A
	9A469 SPRING - EXHAUST CONTROL VALVE TENSION					
65	A	6	240		1	C5AZ 9A469-A
66/67	A, B, S, P/C	8	390,428	.360" O.D. -.828" long-7 1/2 coils	1	C5TZ 9A469-A
66	A Special(8/B carb.)-"From 1/17/66"	8	427		1	
67	A Special, B Special(4/B, 8/B carb.)	8	427		1	
67	F	8	390		1	
68	B(with 4/B carb.)	8	390		1	
68	A, P/C	8	428		1	
68	F Special (with 4/B carb.)	8	427		1	
69	A(P/C)	8	428		1	
69	F Boss (with 4/B carb.)	8	429		1	
	9B469 STRAP ASSY. - EXHAUST AIR SUPPLY CLEANER MOUNTING					
66	U(with T/E)	8	289		1	★C6VY 9B469-A
	9A470 SPACER - EXHAUST CONTROL VALVE					
66/67	A, B, S, P/C	8	390,428	.40" O.D. -.250" I.D. -.080" thick	1	C5TZ 9A470-A
67	F	8	390		1	
68	B, F (with 4/B carb.)	8	390		1	
68	A	8	428		1	
68	A, B Special (with 4/B carb.)	8	427		1	
69	A(P/C)	8	428		1	
	9B471 NUT and FERRULE ASSY. - EXHAUST AIR SUPPLY - Also refer to Group 6052					
66/68	B, F, X, U(with T/E)	6	170,200		6	C6AZ 9B471-A
66/67	A(with T/E)	6	240	Use with 9A484 tube	6	
66/68	X, P/C(with T/E)	8	390,428		8	
66/67	B, F, S(with T/E)	8	289,352		8	
	"Before 1/23/67"		390,428			
66/68	U(with T/E)	8	289		8	
68	A, B, F (with T/E)	8	390,428		8	
68	S(with T/E)	8	429		8	
68	B, F Special(with 4/B carb. & T/E)	8	427		8	
68/69	B, F(with 4/B carb. & T/E)	8	428 CJ		8	
69/70	A P/C (with 4/B carb.)	8	428		8	
70	F (with 4/B carb.)	8	428 CJ		8	
67	B, F, S(with T/E) "From 1/23/67"	8	289,390, 428	Use without 9A484 tube	8	C7AZ 9B471-A
66/68	A(with T/E)	6	240		6	
68	A(with T/E)	6	240		6	C8OZ 9B471-A
68	A, B, F, X (with T/E)	8	289-2V, 302		8	
69	F Boss (with T/E)	8	429		8	C9AZ 9B471-A
	9B472 SILENCER ASSY. - EXHAUST AIR SUPPLY RELIEF VALVE					
66/67	A, U(with T/E)	6&8	170,240, 289		1	C6ZZ 9B472-A
66/67	F, X, U (with T/E)	8	289		1	
66/67	B, F, X(with T/E)	6	170,200		1	
	9C472 FAN ASSY. - EXHAUST AIR SUPPLY PUMP					
68	A, PC, B, F, X, U(with T/E)	6&8	All	1.49" I.D. -3.80" O.D.	1	D4TZ 9C472-A
69/70	A P/C, B, F (with 4/B carb. & T/E)	8	428, 428CJ		1	
69/71	F Boss (with T/E)	8	302		1	
69	F Boss (with T/E)	8	429		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A474 FITTING ASSY. - INTAKE MANIFOLD VACUUM OUTLET					
66/68	A, B, F, X, U	6	All	Brass-3/8"-18 external pipe thread-5/8"-18	1	C6AZ 9A474-A
69	A, F, X	6	170,200, 240	internal thread-1 3/4" overall length with (2) outlet tubes	1	
70/	A(with S/T) (without vacuum operated accessories)	6	240		1	
66/67	A, B, S, F, P/I, U	8	All	Brass-3/8"-18 external pipe thread-5/8"-18	1	C6AZ 9A474-B
66	F	8	All	internal thread-1 3/4" overall length with	1	
67	F(except 289 with 2/B, T/E & A/C)	8	289,390	(2) outlet tubes	1	
68	U	8	All		1	
69/	U	8	302		1	
67	F(with T/E & A/C)	8	289		1	★ C7ZZ 9A474-A
67	A, B, F, S (with 4/B carb. & T/E)	8	390,428	Front-brass-3/8"-18 external pipe thread-	1	C7AZ 9A474-A
68	B, F Special (with 4/B carb. & T/E)	8	427	3/4"-18 internal thread-1 11/16" overall	1	
68	P/C (with C6 & T/E)	8	428	length with (2) outlet tubes	1	
68	B, F (with 4/B carb. & T/E)	8	428 CJ		1	
70	P/C (with 4/B carb.)	8	428		1	
68	A, B, F, X (with C4, C6 & Power Brakes)	8	289,302	Brass-3/8"-18 external pipe thread-5/8"-18 internal with (1) outlet tube	1	C8AZ 9A474-E
69	F, X	8	302,351, 390		1	
68	A	8	390	Brass-3/8"-18 external pipe thread-with (1)	1	C8AZ 9A474-A
68	A (except P/C)	8	428	compression nut and (4) capped outlet tubes	1	
68	B(with 2/B carb.), S	8	390		1	
69	A (with C4)	6	240	Brass-1/4"-18 external pipe thread-5/8"-18	1	C9AZ 9A474-A
69/70	A(63C, 76B with S/T)	6	240	internal pipe thread with (1) outlet tube	1	
69	A(with 2/B carb. & vacuum operated accessories)	8	302		1	
69	A (with 4/B carb. & vacuum operated accessories)	8	429		1	
69	A(with 2/B carb.)	8	390		1	
70	A (with C/M & C/4)	6	240		1	
70	A (with S/T & vacuum operated accessories)	6	240		1	
69	A P/C "Before 12/2/68"	8	428	Steel-45 degree-3/8" external pipe threads with (2) outlets	1	C9AZ 9A474-C
69/70	A P/C "From 12/2/68"	8	428	Rear-3/8"-18 external pipe thread-with (1) 3/16" capped outlet tube & (1) 1/2" open tube	1	C9AZ 9A474-F
69	A (with 2/B & 4/B carb.)	8	390	Steel-3/8"-18 external pipe thread with (2)	1	C9AZ 9A474-D
70/71	A (with 2/B carb.)	8	390	outlets	1	
68	B, F, X (with C4, C6, Power Brakes & vacuum options)	8	289,302, 390,428	Brass-3/8"-18 external pipe thread-5/8"-18 internal thread with (3) outlet tubes	1	C8AZ 9A474-B
68	F Special (with 4/B carb.)	8	427		1	
69	B, F, X	8	302,351, 390,428		1	
68	A, B, F, X (with 2/B carb.)	8	289,302	Brass-3/8"-18 external pipe,thread-with (1) compression nut and (2) capped outlet tubes	1	C8OZ 9A474-B
68	F, X(with 4/B carb.)	8	302	Attach intake manifold to hose 12226 to by-pass valve 9B289 & tee 378830-S	1	
69/70	B, F (with 2/B carb.)	8	302		1	
69	B, F "Before 9/23/68"	8	351		1	
69	B, F(with 4/B carb.)	8	428 CJ	Rear	1	
69	F Boss (with 4/B carb.)	8	302		1	
68	A, B(with 2/B carb.)	8	302	3/8"-18 external pipe thread-with (1) compression nut and (1) outlet tube-attach	1	C8OZ 9A474-C
69	B, F, X (with 2/B carb.)	8	302	intake manifold to hose 12226 to tee 373846-S	1	
69	B, F "From 9/23/68"	8	351	valve 12A091	1	
68	F, X (with 4/B carb. & S/T)- "From 5/15/68"	8	302	Brass-3/8"-18 external pipe thread-with (1) compression nut and (3) capped outlet tubes	1	★ C8ZZ 9A474-A
68	B, F(GT with 4/B carb. & T/E)	8	390	Rear-3/4"-18 external pipe thread-3/8"-18	1	C8OZ 9A474-A
68	B, F(with 4/B carb. & T/E)	8	428 CJ	internal pipe thread with (4) capped outlets	1	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A474 FITTING ASSY. - INTAKE MANIFOLD VACUUM OUTLET - continued					
69	B, F	6	200,250	Brass-1/4"-18 external pipe thread-5/8"-18	1	C9OZ 9A474-A
70	P	6	All	internal pipe thread-1.64" overall length	1	
70	F, X	6	200	with (3) outlets	1	
71	P	6	250		1	
68	F (with 2/B carb., P.F., C6, CM & Imco)	8	390	Steel-3/8"-18 external pipe thread-with (1) compression nut and (4) outlet tubes	1	★ C8AZ 9A474-F
68/	U	6	170	Brass-1/4"-18 external pipe thread-7/8"-24 internal thread-1 3/4" overall length with (2) outlet tubes	1	C8TZ 9A474-A
68/69	S "Before 1/6/69"	8	429	Brass-3/8"-18 external pipe thread-5/8"-18 internal thread-with (1) outlet tube at a 52 degree angle	1	C8SZ 9A474-A
69	S(with skid control brakes)- "From 1/6/69"	8	429	3/8"-18 external pipe thread-5/8"-18 internal thread with (1) 1/4" tube and (1) 1/2" tube	1	C9SZ 9A474-A
68	S	8	429	Steel-3/8"-18 external pipe thread-with (2)	1	C8VY 9A474-B
69	B, F (with 4/B carb.)	8	428CJ	capped outlet tubes	1	
70/	A	8	429		1	
70	B(with 4/B carb.)	8	429CJ		1	
70	F (with 4/B carb.)	8	428 CJ		1	
70	F Boss	8	429		1	
71	B, F	8	429CJ. S CJ		1	
71	A(P/C), B	8	429	Front	1	
72	A, B	8	429P/C		1	
72	S	8	429,460	Front outlet	1	
69	B, F (with 4/B carb.)	8	390, 428CJ	3/8"-18 external pipe thread-with (1) compression nut and (1) outlet tube	1	C9ZZ 9A474-A
69/70	A, B, S (with 2/B, 4/B carb.)	8	429	Steel-3/8"-18 external pipe thread-with (2)	1	C9VY 9A474-A
69	F Boss	8	429	3/16" and (2) 1/4" capped outlet tubes	1	
70	B (with 4/B carb.)- "Before 9/3/69"	8	429 CJ		1	
70	B, F	8	351	Rear	1	D0ZZ 9A474-A
70	F (with 4/B carb.)	8	428 CJ		1	
70	F Boss (with 4/B carb.)	8	302		1	
70	B, F, X (with 2/B carb.)	8	302		1	
70	B(with 4/B carb.)- "From 9/3/69"	8	429 CJ		1	
71	A(P/C), B	8	429		1	
72	A, B	8	429P/C		1	
70	B, F, P	6	250		1	D0OZ 9A474-A
70	S-without skid control	8	429		1	D0SZ 9A474-B
70	S-with skid control	8	429		1	D0SZ 9A474-C
71	S	8	429		1	D1SZ 9A474-A
69/71	A, P/C, Taxi (with 2/b carb.)	8	302		1	D1AZ 9A474-A
71/72	A	8	351C		1	
69/	A	8	351W		1	
71/72	A	8	400		1	
71/	B	8	302,351		1	D3OZ 9A474-A
71	F Boss	8	302		1	
71/	F	8	351		1	
71/	P	8	302		1	
71/	F (with 4/B carb.)	8	351 CJ		1	
72	F	8	302		1	
71	L	4	98,122	Steel-1/4"-18 external pipe thread	1	D1FZ 9A474-A
72	L(except M/T without A/C)	4	All		1	
71/	B, F, P	6	All		1	D1OZ 9A474-B
71	B, F	8	429CJ, S CJ		1	D1OZ 9A474-F
72	B	8	400		1	D2OZ 9A474-A
72	S	8	400		1	D2SZ 9A474-A
72	S	8	429,460	Rear outlet	1	D2SZ 9A474-B
66/	A, B, F, S, X, U	6&8	All	Cap-vacuum tee-3/16"-use to cap unused outlets	AR	380614-S(DD3)
66/	A, B, F, S, X, U	6&8	All	Cap-vacuum tee-1/4"-use to cap unused outlets	AR	A 380613-S(DD2)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9B474 VANE and BEARING ASSY. - EXHAUST AIR SUPPLY PUMP					
66/67	A, B, F, S, X, P/C, U (with T/E) (except A Special with 427 engine)	6&8	All	Center	1	C6AZ 9B474-A
66/67	A, B, F, S, X, P/C, U (with T/E) (except A Special with 427 engine)	6&8	All	Outer	2	C6AZ 9B474-B
66/67	A, B, F, S, X, P/C, U (with T/E) (except A Special with 427 engine)	6&8	All		6	C6AZ 9B475-A
	9C475 ELBOW - EXHAUST AIR SUPPLY PUMP OUTLET					
68	A, B, F, X, U (with T/E)	8	All	Aluminum-with attaching bracket	1	D4TZ 9C475-A
69/70	A P/C, B, F (with 4/B carb. & T/E)	8	428, 428 CJ		1	
69/71	F Boss (with T/E)	8	302		1	
69	F Boss (with T/E)	8	429		1	
	9B476 SPRING - EXHAUST AIR SUPPLY PUMP VANE SHOE					
66/67	A, B, F, S, X, P/C, U (with T/E) (except A Special with 427 engine)	6&8	All		3	C6AZ 9B476-A
	9B477 BEARING ASSY. - EXHAUST AIR SUPPLY PUMP REAR					
66/67	A, B, F, S, X, U (with T/E)	6&8	170, 200, 240, 289, 352, 390, 428		1	C6AZ 9B477-A
66/67	A, B, F, S, X, U (with T/E)	6&8	All	Screw (rear bearing retainer to rotor)-No. 10-24 x .68" socket head	6	375924-S (BB817AC)
	9B478 COVER ASSY. - EXHAUST AIR SUPPLY PUMP					
66/67	A, B, F, X, U (with T/E)	6	170, 200, 240		1	★C6AZ 9B478-A
66/67	A, B, F, S, X, P/C (with T/E)	8	289, 352, 390, 428		1	★C6AZ 9B478-B
	9C478 SEAL - EXHAUST AIR SUPPLY PUMP REAR ROTOR					
66/67	A, B, F, S, X, P/C, U (with T/E)	6&8	All	Flexible carbon-1.75" I.D. x 3.21" O.D.	1	C7AZ 9C478-A
	9B479 VALVE ASSY. - EXHAUST AIR SUPPLY PUMP					
66/67	A, B, F, S, X, P/C, U (with T/E) (except A Special with 427 engine)	6&8	All		1	C6AZ 9B479-A
68	A, P/C, B, F, X, U (with T/E)	6&8	All		1	C8TZ 9B479-A
69/70	A P/C, B, F (with 4/B carb. & T/E)	8	428, 428 CJ		1	
69/71	F Boss (with T/E)	8	302		1	
69	F Boss (with T/E)	8	429		1	
	9B480 TUBE ASSY. - EXHAUST AIR SUPPLY - INTERMEDIATE					
66/68	B, F, X, U (with T/E)	6	170, 200		1	C6DZ 9B480-C
	9B481 BRACKET - EXHAUST AIR SUPPLY TUBE					
66/68	B, F, X, U (with T/E)	6	170, 200	Ident. C8DE 9C488-A	1	C6DZ 9B481-B
68	B, F, X, U (with T/E)	6	170, 200	Air supply hose support-Ident. C8DE 9C487-A	1	C8DZ 9B481-A
69	F, X (with T/E)	6	170, 200	Air supply hose support	1	
	9C483 COVER - INTAKE MANIFOLD					
69/71	F Boss off highway operations (with in line carb.)	8	302		1	★D0ZX 9C483-A
	9A484 TUBE - EXHAUST AIR SUPPLY LOWER					
66/68	B, F, X, U (with T/E)	6	170, 200	5/16" O.D. - 1.86" long	6	C6DZ 9A484-A
66	A, B, F, X, U (with T/E)	8	289	5/16" O.D. - 1.56" long	8	C6AZ 9A484-B
67	F Special (with 4/B carb. & T/E)	8	289		8	
68	A, B, F, X (with T/E)	8	302		8	
66	A, B, S (with T/E)	8	352, 390	5/16" O.D. - 1.96" long	8	C6AZ 9A484-C
66/67	A, F, S, P/C (with T/E)	8	428		8	
67	A, B, F, S (with T/E)	8	390		8	
68	A, B, F (with T/E)	8	390		8	
68/70	A, P/C (with T/E)	8	428		8	
68	B, F Special (with 4/B carb. & T/E)	8	427		8	
68/69	B, F (with 4/B carb. & T/E)	8	428 CJ		8	
70	F (with 4/B carb.)	8	428 CJ		8	
69	F Boss (with T/E)	8	429	Steel-5/16" O.D. - 2.60" long	8	C9AZ 9A484-A
70	F Boss (with T/E)	8	429	Steel-3/8" O.D. - 3.09" long	8	D0AZ 9A484-A
	9C484 GASKET - COVER INTAKE MANIFOLD					
69/71	F Boss off highway operations (with in line carb.)	8	302		1	★D0ZX 9C484-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9486 CAP - WATER OUTLET CONNECTION					
66	A, B, F, X, U (with T/E-except intake manifold type)	6	170,200, 240		1	C6AZ 9486-A
66	A, B, F, X, U(with T/E-except intake manifold type)	8	289		1	
	9A486 PUMP ASSY. - EXHAUST AIR SUPPLY - THERMACTOR					
66	A, B, F, X, U(with T/E-intake manifold type	6	170,200, 240	Service pkg. includes- (1) C6AZ 9486-A cap, (1) 87245-S35 clamp	1	C6AZ 9A486-F
66/67	A, B, F, X, U(with T/E-except intake manifold type)	6	170,200, 240		1	C7AZ 9A486-A
66	A, B, F, S, X, P/C, U(with T/E)	8	289,352, 390,428	Service pkg. includes- (1) C6AZ 9486-A cap, (1) 97245-S35 clamp	1	C6AZ 9A486-E
67	A, B, F, S(with T/E)	8	390,428		1	
66/67	A, B, F, X, U(with T/E-except intake manifold type)	8	289		1	C7AZ 9A486-B
68	A, B, F, X, U, P/C(with T/E)	6&8	All	Service pkg. includes - (1) C8AZ 9C429-A plug,	1	C8AZ 9A486-C
69	A P/C, B, F (with 4/B carb. & T/E)	8	428	(1) C8AZ 9C475-A elbow, (2) 45921-S2 bolts	1	
69/71	F Boss (with T/E)	8	302		1	
69/70	F Boss (with T/E)	8	429		1	
70	B(with 4/B & T/E)	8	429CJ		1	
70	P/C (with 4/B & T/E)	8	428		1	
70	F (with 4/B & T/E)	8	428 CJ		1	
71	F	8	429S CJ		1	
	9A486 PUMP ASSY. - EXHAUST AIR SUPPLY - THERMACTOR - continued					
71	L	4	98		1	D1FZ 9A486-A
66/68	B, F, X	6	170,200	Bolt (pump to mtg. bracket)-3/8"-16 x 5 1/4" hex. head	1	300975-S7-8(B97C)
66/68	B, F, X	6	170,200	Bolt (pump to bolt adjusting arm)- 3/8"-16 x 4 3/4" hex. head	1	300948-S7-8(B97A)
	9A487 VALVE ASSY. - EXHAUST AIR SUPPLY CHECK					
66/69	B, F, X, U(with T/E)	6	170,200		2	C6AZ 9A487-A
66/69	A(with T/E)	6	240		1	
66/67	A, B, F, S, X, P/C(with T/E)	8	289,352, 390,428		2	
66/67	U(with T/E)	8	289		2	
69/71	F Boss (with T/E)	8	302		1	
70	B	8	429S CJ		1	
71	F	8	429S CJ		1	
68	A, B, F, X, U, P/C (with T/E)	8	All		2	C8AZ 9A487-A
68/69	B, F(with 4/B carb. & T/E)	8	428 CJ		2	
69/70	A P/C	8	428		2	
69	F Boss	8	429		2	
70	F(with 4/B carb.)	8	428CJ		2	
	9B488 SPACER - PUMP ASSY. EXHAUST AIR SUPPLY - Also Refer to Group 10A370					
70	B (with 4/B carb.)	8	429 CJ	1.80" long - cut from D0VY 10A370-A	1	★D0VE 9B488-A
	9C489 SPACER - INTAKE MANIFOLD BOLT					
68	A, B, F, S	8	390	.390" I. D. -.640" O. D. -1.02" long	8	C8AZ 9C489-A
68	A	8	428		8	
69	A, B, F (with 2/B& 4/B carb.)	8	390	Rear location	2	
70/71	A	8	390	Rear location	2	
	9C490 MANIFOLD ASSY. - VACUUM OUTLET					
69	A (with C4, C6, C/M)(exc. S/W with 390 engine less a/cond.)	6&8	All	Nylon-with mounting bracket-(1)inlet-(9)outlets	1	C9AZ 9C490-A
70	A (with C4, C6, C/M) (S/T with vacuum options)	6&8	All		1	
70/71	B	6&8	All	(6) outlets	1	D0OZ 9C490-A
70	F	8	All		1	
70/71	S	8	429		1	D0SZ 9C490-A
71	A	6&8	All	8 outlets-identified D1AA 9C490-AB, D2AA-AA	1	D1AZ 9C490-A
72	S	8	All		1	D2SZ 9C490-A
70	B	6&8	All	Screw (vacuum outlet to dash panel)- 1/4"-14 x 3/4" self tapping-hex. washer hd.	2	55914-S2(U254F)
72	B	8	All	Screw (vacuum assy. to dash panel)- 1/4"-14 x 1 1/2"	2	55981-S2(U254E)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A492 CLEANER ASSY. - EXHAUST AIR SUPPLY					
66	B, F, S, X, P/C (with T/E)	8	All	Service pkg. includes (1) C5AZ 9C639-A cap	1	C6AZ 9A492-C
66	A (with T/E)	8	All		1	
66	A (with T/E)	6	240		1	
66	U (with T/E)	6	170		1	
66	B, F, X (with T/E)	6	170,200		1	
67	A, B, F, S, X (with T/E)	8	289,390, 428		1	
67	A, B, F, X, U (with T/E)	6	170,200, 240		1	
66/67	U (with T/E)	8	289		1	★ C6TZ 9A492-B
66	A	6	240	Clamp (cleaner to bracket)-hose 3 7/8" diam.	1	97289-S35(E9H)
	9C492 CAP - VACUUM OUTLET MANIFOLD					
69/	A	6&8	All	Neoprene-.341"/.361" I.D.-1.55" long	AR	C9AZ 9C492-A
71/	B	6&8	All		AR	
72	F, L, P, S	4&6 &8			AR	
69/	A	6&8	All	Neoprene-.237"/.257"-1.33" long	AR	C9AZ 9C492-B
70/	B	6&8	All		AR	
70/	S	8	All		AR	
70/	F	6&8	All		AR	
70	P	6	All		AR	
71	P	8	302		AR	
72	P	8&8	All		AR	
69/	A	6&8	All	Neoprene-.177"/.197" I.D.-1.33" long	AR	C9AZ 9C492-C
70/	S	8	429,460		AR	
71/	B, F	8	All		AR	
72	L, P	4&6 &8	All		AR	
70/71	S - without skid control	8	429	Neoprene - .11"/.2" I.D.-1.25" long	1	D0SZ 9C492-A
70	S-with skid control	8	429	.470"/.490" I.D. - 1.45" long	1	D0SZ 9C492-B
72	S	8	429,460		1	
	9C493 HOSE - VACUUM OUTLET MANIFOLD					
69	A	6	All	.50" I.D.-31.00" long-cut from 4090 bulk hose	1	★C9AA 9C493-A
69	A, P/C (except A/C)	8	390,428	.50" I.D.-19.00" long-cut from 4090 bulk hose	1	★C9AA 9C493-B
69	A (except A/C)	8	302,429	.50" I.D.-15.75" long-cut from 4090 bulk hose	1	★C9AA 9C493-C
69	A (with A/C)	8	All	.50" I.D.-11.00" long-cut from 4090 bulk hose	1	★C9AA 9C493-D
69	A (exc. S/W with 390 engine less a/cond.)	6&8	All	.34" I.D.-15.00" long-cut from 17543 bulk hose	1	★C9AA 9C493-E
70/71	A (with C4, C6, C/M) (S/T with vacuum options)	6&8	All		1	
72	S	8	All	.31"/.37" I.D. 16.00" long-cut from 17543 bulk hose	1	★D2SA 9C493-A
69	A	6&8		Screw (strap attaching)-No. 8-18 x 3/4" self-tapping pan head	AR	376389-S(UU82D)
69/	A	6&8	All	Nipple (hose to engine)-3/8" pipe thread-used	1	382980-S3
70	B	8	All	with vacuum operated options	1	(II-191ME)
69	A	6&8	All	Clip (hose to fender)-1.50" I.D.-used with retractable headlamps	1	382988-S(GG338B)
69	A	6&8	All	Clip (hose to fender)-1.00" I.D. hose	1	382932-S(GG338C)
70/	A, L	4,6,8	All	Clamp(hose to manifold assy. vacuum outlet and	2	B7A 8287-A
72	S	8	All	intake manifold fitting)	2	
	9C495 EXTENSION - INTAKE MANIFOLD TO CYLINDER BLOCK SEAL					
69/70	A (with 2/B carb.)	8	429	Neoprene compound-.80"/1.00" long-.50"/.70" wide-.06" thick	4	C9SZ 9C495-A
	9K495 ADAPTOR - INTAKE MANIFOLD TO DECELERATION VALVE					
71/	L	4	All		1	D1FZ 9K495-A
	9A496 FILTER - EXHAUST AIR SUPPLY CLEANER					
66/67	A, B, F, S, X, P/C, U (with T/E)	6&8	All		1	C6AZ 9A496-A (FA-42)
	9C498 TUBE ASSY. - INTAKE MANIFOLD HEAT					
69	F Boss (with 4/B carb.)	8	429	Upper	1	C9AZ 9C498-B
69/70	F Boss (with 4/B carb.)	8	429	Lower	1	C9AZ 9C498-C
69/70	F Boss (with 4/B carb.)	8	429	Outlet	1	C9AZ 9C498-A

HOW TO IDENTIFY CARBURETORS and RELATED PARTS

To facilitate the identification of service kits and parts for a specific carburetor, parts lists or bills of material are provided in Sections 95.3 and up, of this catalog for each carburetor assembly. It is necessary first to identify the carburetor assembly per the instructions that follow.

Carburetors can be identified by the stamping number shown on the carburetor or on a metal tag attached to the carburetor. The location of this stamping number differs for the various carburetors - see the Carburetor Identification Chart beginning on Page 2 of this section.

Each carburetor for 1965 and subsequent models has an identification tag. An illustration and explanation of the carburetor identification tags are shown on Page 2 of this section.

If either the tag or stamping identification number is known, the related carburetor and carburetor parts list numbers can be determined from the Guide beginning on Page 2 of this section.

Carburetors and their parts lists can also be identified by Engine, Model Year, etc. in the Carburetor Application Chart beginning on Page 26 of this section. Also shown in the Carburetor Application Chart is the page number for a typical parts illustration for each carburetor assembly.

Carburetor illustrations are shown in Illustration Section 95 of Form FP 7635-B.

Parts lists are grouped by type and engine and each group of related carburetor parts lists is shown in a separate section. The section number can readily be identified with the carburetor parts list numbers as shown in the following example:

Carburetor Type	Engine No. of Cyls.	Engine C.I.D.	Parts List Number	Catalog Section No.
Ford 1/B	6	170	3A,3B,3C, etc.	95.3
Ford 2/B	8	289	11A,11B,11C, etc.	95.11
Ford 4/B	8	352	15A,15B,15C	95.15
Ford 4/B	8	390	17A,17B,17C,etc.	95.17

For ready reference, kit part numbers are shown with the carburetor identification guide and at the beginning of each parts list section. A listing of components for each kit is shown in Section 95A. Refer to the Index at the beginning of Section 95A for page number of service kit.

Carburetor attaching parts are shown at the beginning of their respective parts lists following the part numbers for the kits.

To identify the parts or kits for a specific carburetor it is only necessary to refer to the related parts list and parts illustration.


An Alphabetical Index showing a cross-reference between noun description and Basic Group number is located at the beginning of this catalog.

IMPORTANT: Always furnish appropriate Patent or Warranty Plate information and DSO number if applicable when ordering parts not listed in the Catalog.


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

CARBURETOR IDENTIFICATION TAGS


1965/66



1966/67



1968/



CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
C3AF-BJ	20A	C4AZ 9510-A (CA-323)		B7AZ 9502-G (CG-192)	NONE	♦C0AZ 9590-M (CR-276)
C3AF-BK	20A	C4AZ 9510-A (CA-323)		B7AZ 9502-G (CG-192)	B9AZ 9A586-E (CT-195-A)	♦C6AZ 9590-A (CR-341)
C4DF-AB	10B	★C5ZZ 9510-K	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C4DF-AC	10B	★C5ZZ 9510-K	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C4GF-AE	12A	★C5ZZ 9510-D	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C4GF-AF	12A	★C5ZZ 9510-D	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C4GF-AZ	12A	★C5ZZ 9510-D	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C4GF-BA	12A	★C5ZZ 9510-D	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C4OF-AL	12B	★C4OZ 9510-D	C4OZ 9510-G (CA-351-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C4OF-AT	12B	★C4OZ 9510-D	C4OZ 9510-G (CA-351-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C4OF-BR	10B	★C5ZZ 9510-K	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C4OF-BS	10B	★C5ZZ 9510-K	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C4OF-BT	12B	★C4OZ 9510-D	C4OZ 9510-G (CA-351-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C4OF-BU	12B	★C4OZ 9510-D	C4OZ 9510-G (CA-351-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C4ZF-C	12A	★C5ZZ 9510-D	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C4ZF-E	10A	★C5ZZ 9510-C	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C4ZF-F	10A	★C5ZZ 9510-C	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)

♦ Obsolete-no longer available-Service details as listed in Section 95A.

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
C4ZF-G	12B	★C4OZ 9510-D	C4OZ 9510-F (CA-351-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C4ZF-H	12B	★C4OZ 9510-D	C4OZ 9510-G (CA-351-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C4ZF-J	3A	★C5ZZ 9510-E	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C4ZF-K	3B	★C5ZZ 9510-F	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C4ZF-L	3A	★C5ZZ 9510-E	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C4ZF-M	3B	★C5ZZ 9510-F	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C4ZF-N	10B	★C5ZZ 9510-K	D2AZ 9510-D (CA-783-B	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C4ZF-R	10B	★C5ZZ 9510-K	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C5AF-A	11B	★C5AZ 9510-A	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C5AF-AA	15A	★C5AZ 9510-K	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-AC	17B	★C5AZ 9510-M	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-AD	17C	★C5AZ 9510-F	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-AE	17D	★C5AZ 9510-L	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-AF	8E	★C5AZ 9510-N	C6AZ 9510-AS (CA-368)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287)
C5AF-AG	8F	★C5AZ 9510-R	C6AZ 9510-AS (CA-368)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287)
C5AF-AH	11E	★C5AZ 9510-T	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C5AF-AJ	11D	★C5AZ 9510-S	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C5AF-AK	17F	★C5AZ 9510-U	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-AL	17J	★C5AZ 9510-Y	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-AN	17J	★C5AZ 9510-Y	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-AR	17G	★C5AZ 9510-V	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-AS	17H	★C5AZ 9510-W	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-AT	17H	★C5AZ 9510-W	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-AU	17F	★C5AZ 9510-U	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-AV	17J	★C5AZ 9510-Y	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-AZ	17J	★C5AZ 9510-Y	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-B	11C	★C5AZ 9510-J	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C5AF-BA	17G	★C5AZ 9510-V	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-BC	20B	C6AZ 9510-AH (CA-379)		B7AZ 9502-G (CG-192)	B9AZ 9A586-E (CT-195-A)	♦C6AZ 9590-A (CR-341)
C5AF-BD	20B	C6AZ 9510-AH (CA-379)		B7AZ 9502-G (CG-192)	B9AZ 9A586-E (CT-195-A)	♦C6AZ 9590-A (CR-341)
C5AF-BN	8G	★C5AZ 9510-Z	D0PZ 9510-N (CA-613-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-E (CR-286)

♦ Obsolete-no longer available-Service details as listed in Section 95A.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
C5AF-BV	20D	C6AZ 9510-AP (CA-495)		C6AZ 9502-D (CG-210)	C6AZ 9A586-K (CT-200-A)	♦C6AZ 9590-C (CR-290)
C5AF-C	13B	★C3AZ 9510-AV (CA-536)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C5AF-D	13B	★C3AZ 9510-AV (CA-536)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C5AF-E	17A	★C5AZ 9510-B	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-F	15A	★C5AZ 9510-K	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-H	17B	★C5AZ 9510-M	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-J	17C	★C5AZ 9510-F	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-K	17D	★C5AZ 9510-L	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5AF-T	8A	★C5AZ 9510-C	D0PZ 9510-S (CA-368-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287)
C5AF-U	8B	★C5AZ 9510-D	D0PZ 9510-S (CA-368-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287)
C5AF-V	8C	★C5AZ 9510-G	D0PZ 9510-N (CA-613-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-E (CR-286)
C5AF-Y	8D	★C5AZ 9510-H	D0PZ 9510-N (CA-613-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-E (CR-286)
C5AF-Z	17A	★C5AZ 9510-B	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5DF-E	3C	★C5DZ 9510-A	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C5DF-F	3D	★C5DZ 9510-B	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C5DF-G	3F	★C5DZ 9510-D	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C5DF-H	3E	★C5DZ 9510-C	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C5DF-K	3E	★C5DZ 9510-C	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C5DF-L	3E	★C5DZ 9510-C	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C5DF-M	3E	★C5DZ 9510-C	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C5OF-AC	5E	★C5OZ 9510-D	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C5OF-E	5A	★C5OZ 9510-A	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C5OF-F	5B	★C5OZ 9510-B	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C5OF-H	5C	★C5OZ 9510-G	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C5OF-J	12B	★C4OZ 9510-D	C4OZ 9510-G (CA-351-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5OF-K	12B	★C4OZ 9510-D	C4OZ 9510-G (CA-351-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5OF-L	12D	★C4OZ 9510-F (CA-351)	C4OZ 9510-G (CA-351-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5OF-M	12D	★C4OZ 9510-F (CA-351)	C4OZ 9510-G (CA-351-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5OF-N	5F	★C5OZ 9510-E	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C5OF-R	5D	★C5OZ 9510-C	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C5OF-S	5E	★C5OZ 9510-D	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C5OF-T	12D	★C4OZ 9510-F (CA-351)	C4OZ 9510-G (CA-351-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)

♦ Obsolete-no longer available-Service details as listed in Section 95A.

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
C5OF-U	12D	★C4OZ 9510-F (CA-351)	C4OZ 9510-G (CA-351-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5OF-Y	5D	★C5OZ 9510-C	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C5OF-Z	5D	★C5OZ 9510-C	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C5SF-A	17E	★C5SZ 9510-A	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5SF-B	17E	★C5SZ 9510-A	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-C (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5ZF-A	11A	★C5ZZ 9510-H	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C5ZF-B	11A	★C5ZZ 9510-H	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C5ZF-C	12C	★C5ZZ 9510-J	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5ZF-D	12C	★C5ZZ 9510-J	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5ZF-E	12C	★C5ZZ 9510-J	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5ZF-F	12C	★C5ZZ 9510-J	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5ZF-G	11F	★C5ZZ 9510-L	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C5ZF-H	11F	★C5ZZ 9510-L	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C5ZF-J	12E	★C5ZZ 9510-M	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	B8AZ 9590-H (CR-269)
C5ZF-K	12E	★C5ZZ 9510-M	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5ZF-L	12E	★C5ZZ 9510-M	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C5ZF-M	12E	★C5ZZ 9510-M	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6AF-A	11E	★C5AZ 9510-T	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6AF-AA	11H	★C6AZ 9510-W	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6AF-AB	17M	★C6AZ 9510-AD	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6AF-AC	17N	★C6AZ 9510-AE	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6AF-AF	21C	★C6AZ 9510-AB (CA-403-T)	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6AF-AG	21D	★C6AZ 9510-AC (CA-404-T)	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6AF-AJ	15C	★C6AZ 9510-AF (CA-394-T)	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-296)
C6AF-AK	8N	★C6AZ 9510-AK	D0PZ 9510-N (CA-613-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-E (CR-286)
C6AF-B	11D	★C5AZ 9510-S	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6AF-BL	8P	★C6AZ 9510-AM	D0PZ 9510-S (CA-368-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287)
C6AF-BL	8P	★C6AZ 9510-AS (CA-368)	D0PZ 9510-S (CA-368-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287)
C6AF-BM	8Q	★C6AZ 9510-AN	D0PZ 9510-N (CA-613-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287)
C6AF-BM	8Q	★C6AZ 9510-AR	D0PZ 9510-N (CA-613-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287)
C6AF-BU	21R	★C6AF 9510-BU	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)

♦ Obsolete-no longer available-Service details as listed in Section 95A.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
C6AF-E	17K	★C6AZ 9510-E	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6AF-F	17L	★C6AZ 9510-F (CA-371)	C6AZ 9510-AT (CA-533)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6AF-F	17L	C6AZ 9510-AT (CA-533)		B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6AF-J	21A	★C6AZ 9510-C	C6AZ 9510-AT (CA-533)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6AF-K	21B	★C6AZ 9510-D	C6AZ 9510-AT (CA-533)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6AF-L	15B	★C6AZ 9510-G	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6AF-M	8H	★C6AZ 9510-M	D0PZ 9510-N (CA-613-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-E (CR-286)
C6AF-N	8J	★C6AZ 9510-N	D0PZ 9510-N (CA-613-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-E (CR-286)
C6AF-N	8J	★C6AZ 9510-AG	D0PZ 9510-N (CA-613-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-E (CR-286)
C6AF-R	8K	★C6AZ 9510-L	D0PZ 9510-S (CA-368-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287)
C6AF-S	8K	★C6AZ 9510-L	D0PZ 9510-S (CA-368-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287)
C6AF-V	8L	★C6AZ 9510-S	C6AZ 9510-AV (CA-596-T)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-E (CR-286)
C6AF-Y	8M	★C6AZ 9510-R	D0PZ 9510-N (CA-613-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207 A)	♦C5AZ 9590-E (CR-286)
C6AF-Z	11G	★C6AZ 9510-V (CA-388-T)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6DF-A	11F	★C5ZZ 9510-L	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6DF-B	11F	★C5ZZ 9510-L	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6DF-C	3G	★C6DZ 9510-A	D0PZ 9510-G (CA-746-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C6OZ 9590-F (CR-288)
C6DF-D	3H	★C6DZ 9510-B	D0PZ 9510-G (CA-746-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C6OZ 9590-F (CR-288)
C6DF-E	11J	★C6DZ 9510-C (CA-390-T)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6DF-F	11K	★C6DZ 9510-D (CA-391-T)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6DF-R	3E	★C5DZ 9510-C	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C6DF-S	3E	★C5DZ 9510-C	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C6MF-A	19D	★C6MY 9510-A	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6MF-B	17L	★C6AZ 9510-F (CA-371)	C6AZ 9510-AT (CA-533)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6MF-D	19E	★C6MY 9510-D	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6MF-E	21E	★C6MY 9510-E (CA-421-T)	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6MF-J	19D	★C6MY 9510-A	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6OF-AB	5E	★C5OZ 9510-D	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C6OF-AC	5D	★C5OZ 9510-C	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C6OF-AD	5D	★C5OZ 9510-C	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C6OF-AH	19F	★C6OZ 9510-J (CA-543)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6OF-B	19A	★C6OZ 9510-B (CA-369)	C6OZ 9510-J (CA-543)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)

♦ Obsolete-no longer available-Service details as listed in Section 95A.

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
C6OF-C	19F	★C6OZ 9510-J (CA-543)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6OF-D	17P	★C6OZ 9510-A	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6OF-E	17P	★C6OZ 9510-A	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6OF-G	5G	★C6OZ 9510-D	D0PZ 9510-G (CA-746-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C6OZ 9590-F (CR-288)
C6OF-H	17Q	★C6OZ 9510-G (CA-400-T)	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6OF-J	17R	★C6OZ 9510-H (CA-401-T)	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6OF-K	19B	★C6OZ 9510-E (CA-398-T)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6OF-L	19C	★C6OZ 9510-F	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6OF-M	20C	★C6OZ 9510-K (CA-381)	C9AZ 9510-U (CA-769)	B7AZ 9502-G (CG-192)	NONE	♦C6OZ 9590-D (CR-342)
C6OF-N	20C	★C6OZ 9510-K (CA-381)	C9AZ 9510-U (CA-769)	B7AZ 9502-G (CG-192)	NONE	♦C6OZ 9590-D (CR-342)
C6PF-D	11Y	★C3AZ 9510-AT	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6PF-D	11Y	★C3AZ 9510-AV	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6PF-E	8Q	★C6AZ 9510-AR	D0PZ 9510-N (CA-613-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287)
C6PF-F	13A	★C2AZ 9510-J (CA-377)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6PF-F	13A	★C2AZ 9510-K (CA-535)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6PF-G	8P	★C6AZ 9510-AS (CA-368)	D0PZ 9510-S (CA-368-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287)
C6PF-H	12P	★C3AZ 9510-AU (CA-376)	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6PF-J	3P	★C5OZ 9510-H (CA-308)	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C6PF-L	11Z	★C5TZ 9510-T (CA-537)	C9AZ 9510-AE (CA-689-A)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6SF-A	17S	★C6SZ 9510-A (CA-372)	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6SF-C	17T	★C6SZ 9510-C (CA-402-T)	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	NONE
C6TF-BG	11L	★C6TZ 9510-P	C9UZ 9510-AA (CA-698)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6TF-BH	11M	★C6TZ 9510-R (CA-422-T)	C9UZ 9510-AA (CA-698)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C6TF-F	3J	★C6TZ 9510-G (CA-374)	D0PZ 9510-D (CA-374-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C3AZ 9590-L (CR-283)
C6TF-G	3K	★C6TZ 9510-F	D0PZ 9510-D (CA-374-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C6OZ 9590-F (CR-288)
C6ZF-A	12E	★C5ZZ 9510-M	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6ZF-B	12E	★C5ZZ 9510-M	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6ZF-C	12D	★C4OZ 9510-F (CA-351)	C4OZ 9510-G (CA-351-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6ZF-D	12F	★C6ZZ 9510-A (CA-392-T)	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C6ZF-E	12G	★C6ZZ 9510-B (CA-393-T)	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)

♦ Obsolete-no longer available-Service details as listed in Section 95A.

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
C6ZF-F	12D	★C4OZ 9510-F (CA-351)	C4OZ 9510-G (CA-351-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C7AF-A	21F	★C7AZ 9510-A	Not replaced	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦B8AZ 9590-H (CR-269)
C7AF-AA	8R	★C7AZ 9510-AA	C6AZ 9510-AV (CA-596-T)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287
C7AF-AA	8R	C6AZ 9510-AV (CA-596-T)		C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287)
C7AF-AB	8S	★C6AZ 9510-AU	D0PZ 9510-N (CA-613-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287)
C7AF-AB	8S	★C7AZ 9510-AB	D0PZ 9510-N (CA-613-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287)
C7AF-AC	17AE	★C7AZ 9510-AC (CA-496)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)
C7AF-AD	17AF	★C7AZ 9510-AD (CA-497)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)
C7AF-AE	21S	★C7AZ 9510-AE (CA-498)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)
C7AF-AF	21T	★C7AZ 9510-AF	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)
C7AF-AG	17AG	★C7AZ 9510-AG (CA-500-T)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)
C7AF-AH	17AH	★C7AZ 9510-AH (CA-501-T)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)
C7AF-AK	19H	★C7AZ 9510-V	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7AF-AL	21U	★C7AZ 9510-AL (CA-525)	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	NONE
C7AF-AM	21V	★C7AZ 9510-AM (CA-526)	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	NONE
C7AF-AN	21W	★C7AZ 9510-AN (CA-527-T)	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	NONE
C7AF-AR	21X	★C7AZ 9510-AR (CA-528-T)	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	NONE
C7AF-AS	11P	★C7AZ 9510-R	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7AF-AT	11N	★C7AZ 9510-N	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7AF-AU	11R	★C7AZ 9510-T (CA-462-T)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7AF-AV	21T	★C7AZ 9510-AF	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)
C7AF-AY	17AH	★C7AZ 9510-AH (CA-501-T)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)
C7AF-B	21G	★C7AZ 9510-B	Not replaced	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
C7AF-BA	21T	★C7AZ 9510-AF	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)
C7AF-BE	19K	★C7AZ 9510-Z (CA-466-T)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7AF-BH	17AK	★C7AZ 9510-AH (CA-501-T)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)
C7AF-BJ	17AF	★C7AZ 9510-AD (CA-497)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)
C7AF-BN	11R	★C7AZ 9510-T (CA-462-T)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7AF-BR	19H	★C7AZ 9510-V	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7AF-BT	19Q	★C7AZ 9510-BT (CA-574)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C7AZ 9590-D (CR-333)
C7AF-C	17U	★C7AZ 9510-C	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE

♦ Obsolete-no longer available-Service details as listed in Section 95A.

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
C7AF-D	17V	★C7AZ 9510-D (CR-333)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
C7AF-E	21H	★C7AZ 9510-E	C9AZ 9510-AE (CA-689-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
C7AF-F	21J	★C7AZ 9510-F	C9AZ 9510-AE (CA-689-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
C7AF-G	17W	★C7AZ 9510-G	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
C7AF-H	17X	★C7AZ 9510-H	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
C7AF-J	21K	★C7AZ 9510-J	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
C7AF-K	21L	★C7AZ 9510-K	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
C7AF-L	21M	★C7AZ 9510-L	C9AZ 9510-AE (CA-689-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
C7AF-M	21N	★C7AZ 9510-M	C9AZ 9510-AE (CA-689-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
C7AF-N	11N	★C7AZ 9510-N	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ B9AZ 9590-E (CR-272)
C7AF-R	11P	★C7AZ 9510-R	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ B9AZ 9590-E (CR-272)
C7AF-S	11Q	★C7AZ 9510-S (CA-461-T)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ B9AZ 9590-E (CR-272)
C7AF-T	11R	★C7AZ 9510-T (CA-462-T)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ B9AZ 9590-E (CR-272)
C7AF-U	19G	★C7AZ 9510-U	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ B9AZ 9590-E (CR-272)
C7AF-V	19H	★C7AZ 9510-V	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ B9AZ 9590-E (CR-272)
C7AF-Y	19J	★C7AZ 9510-Y (CA-465-T)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ B9AZ 9590-E (CR-272)
C7AF-Z	19K	★C7AZ 9510-Z (CA-466-T)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ B9AZ 9590-E (CR-272)
C7DF-A	12H	★C7DZ 9510-A	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦ C7AZ 9590-C (CR-332)
C7DF-AE	12M	★C7DZ 9510-L (CA-502)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦ C7AZ 9590-C (CR-332)
C7DF-AF	12N	★C7DZ 9510-M (CA-503)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦ C7AZ 9590-C (CR-332)
C7DF-AG	12K	★C7DZ 9510-C (CA-445-T)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦ C7AZ 9590-C (CR-332)
C7DF-AH	12L	★C7DZ 9510-D (CA-446-T)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦ C7AZ 9590-C (CR-332)
C7DF-B	12J	★C7DZ 9510-B	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦ C7AZ 9590-C (CR-332)
C7DF-C	12K	★C7DZ 9510-C (CA-445-T)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦ C7AZ 9590-C (CR-332)
C7DF-D	12L	★C7DZ 9510-D	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦ C7AZ 9590-C (CR-332)
C7DF-E	11S	★C7DZ 9510-E	C2AZ 9510-K (CA-535)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ B9AZ 9590-E (CR-272)
C7DF-F	11T	★C7DZ 9510-F	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ B9AZ 9590-E (CR-272)
C7DF-G	11U	★C7DZ 9510-G (CA-469-T)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ B9AZ 9590-E (CR-272)
C7DF-H	11V	★C7DZ 9510-H (CA-470-T)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ B9AZ 9590-E (CR-272)
C7DF-J	3L	★C7DZ 9510-J (CA-473-T)	D0PZ 9510-G (CA-746-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦ C6OZ 9590-F (CR-288)
C7DF-J	3L	★C6DZ 9510-E	D0PZ 9510-G (CA-746-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦ C6OZ 9590-F (CR-288)

♦ Obsolete-no longer available-Service details as listed in Section 95A.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
C7DF-K	3M	★C6OZ 9510-M	D0PZ 9510-G (CA-746-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C6OZ 9590-F (CR-288)
C7DF-K	3M	★C7DZ 9510-K	D0PZ 9510-G (CA-746-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C6OZ 9590-F (CR-288)
C7DF-L	12M	★C7DZ 9510-L	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)
C7DF-M	12N	★C7DZ 9510-M (CA-503)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)
C7DF-N	11V	★C7DZ 9510-H	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7DF-R	11T	★C7DZ 9510-F	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7DF-S	11S	★C7DZ 9510-E	C2AZ 9510-K (CA-535)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7DF-T	23A	C7DZ 9510-T (CA-531-T)		D0DZ 9502-A (CG-257)	C7DZ 9A586-C (CT-201-A)	C7DZ 9590-A (CR-289)
C7DF-V	11V	★C7DZ 9510-H	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7MF-H	17AK	★C7AZ 9510-AJ (CA-575)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)
C7OF-A	20E	★C7OZ 9510-L (CA-504)	C8OZ 9510-C (CA-582)	B7AZ 9502-G (CG-192)	B9AZ 9A586-E (CT-195-A)	♦C7OZ 9590-A (CR-343)
C7OF-AF	19P	★C7OZ 9510-H	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7OF-AH	17Y	★C7OZ 9510-A (CA-424-T)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)
C7OF-AJ	17AJ	★C7OZ 9510-S (CA-508)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)
C7OF-AK	19M	★C7OZ 9510-F	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7OF-AK	19M	★C6OZ 9510-L (CA-538)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7OF-B	20F	★C7OZ 9510-M (CA-505)	C9AZ 9510-U (CA-769)	B7AZ 9502-G (CG-192)	B9AZ 9A586-E (CT-195-A)	♦C7OZ 9590-A (CR-343)
C7OF-C	20G	★C7OZ 9510-N (CA-506-T)	C8OZ 9510-C (CA-582)	B7AZ 9502-G (CG-192)	B9AZ 9A586-E (CT-195-A)	♦C7OZ 9590-A (CR-343)
C7OF-D	20H	★C7OZ 9510-P (CA-506-T)	C8OZ 9510-D (CA-583)	B7AZ 9502-G (CG-192)	B9AZ 9A586-E (CT-195-A)	♦C7OZ 9590-A (CR-343)
C7OF-E	17AB	★C7OZ 9510-D	D2AZ 9510-M (CA-788-A)	NONE	D2AZ 9A586-D (CT-226-A)	NONE
C7OF-F	17AA	★C7OZ 9510-C	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
C7OF-G	17Z	★C7OZ 9510-B	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
C7OF-H	17Y	★C7OZ 9510-A (CA-424-T)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)
C7OF-J	19L	★C7OZ 9510-E	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7OF-K	19M	★C7OZ 9510-F	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7OF-L	19N	★C7OZ 9510-G (CA-477-T)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7OF-M	19P	★C7OZ 9510-H	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7OF-N	5H	★C7OZ 9510-J (CA-479-T)	D0PZ 9510-G (CA-746-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C6OZ 9590-F (CR-288)
C7OF-R	5J	★C7OZ 9510-K (CA-480-T)	D0PZ 9510-G (CA-746-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C6OZ 9590-F (CR-288)
C7OF-S	17AJ	★C7OZ 9510-S (CA-508)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C7AZ 9590-C (CR-332)

♦ Obsolete-no longer available-Service details as listed in Section 95A.

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
C7OF-U	19M	★C7OZ 9510-F	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7SF-A	17AC	★C7SZ 9510-A	D2AZ 9510-M (CA-788-A)	NONE	NONE	NONE
C7SF-B	21P	★C7SZ 9510-B	D2AZ 9510-M (CA-788-A)	NONE	NONE	NONE
C7SF-C	17AD	★C7SZ 9510-C	D2AZ 9510-M (CA-788-A)	NONE	NONE	NONE
C7SF-D	21Q	★C7SZ 9510-D	D2AZ 9510-M (CA-788-A)	NONE	NONE	NONE
C7TF-C	11W	★C7TZ 9510-E	C9UZ 9510-AA (CA-698)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7TF-D	11X	★C7TZ 9510-F (CA-482-T)	C9UZ 9510-AA (CA-698)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7TF-K	3N	★C7TZ 9510-H	D0PZ 9510-D (CA-374-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-A (CT-207)	♦C6OZ 9590-F (CR-288)
C7TF-K	3N	★C6TZ 9510-T (CA-600-T)	D0PZ 9510-D (CA-374-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-A (CT-207)	♦C6OZ 9590-F (CR-288)
C7TF-V	11W	★C7TZ 9510-E	C9UZ 9510-AA (CA-698)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦B9AZ 9590-E (CR-272)
C7ZF-B	12Q	★C7ZZ 9510-B (CA-541-T)	C4OZ 9510-G (CA-351-A)	D3AZ 9502-A (CG-221-B)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C7ZF-C	12R	★C7ZZ 9510-C (CA-542-T)	C4OZ 9510-G (CA-351-A)	D3AZ 9502-A (CG-221-B)	C2SZ 9A586-D (CT-191-A)	♦B8AZ 9590-H (CR-269)
C8AF-A	17AL	★C8AZ 9510-A	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-A)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-G (CR-353)
C8AF-AA	26E	C8AF 9510-AV		D3AZ 9502-A (CG-221-A)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-G (CR-353)
C8AF-AB	26D	★C8AF 9510-AU	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-G (CR-353)
C8AF-AC	26D	C8AF 9510-AT		D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-G (CR-353)
C8AF-AD	20K	★C8AZ 9510-AD (CA-604)	C9OZ 9510-N (CA-604-A)	C8ZZ 9502-A (CG-286)	C8ZZ 9A586-E (CT-212-B)	♦C8ZZ 9590-A (CR-362)
C8AF-AE	21Z	★C7AZ 9510-AS (CA-592)	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦C8AZ 9590-A (CR-340)
C8AF-AE	21Z	★C9AZ 9510-AA (CA-689)	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦C8AZ 9590-A (CR-340)
C8AF-AF	11AE	★C8ZF 9510-H	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-D (CR-350)
C8AF-AG	11AE	★C8AF 9510-AG	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-D (CR-350)
C8AF-AH	11AH	C8AF 9510-AH		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
C8AF-AJ	11AJ	★C8AF 9510-AJ	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
C8AF-AK	24C	★C8ZZ 9510-F	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-D (CR-350)
C8AF-AM	19V	★C8AZ 9510-AM	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-C (CR-349)
C8AF-AN	19T	★C8AZ 9510-AN (CA-593)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-C (CR-349)
C8AF-AR	17AL	★C8AZ 9510-A (CA-547)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-G (CR-353)
C8AF-AS	17AM	★C7AZ 9510-AT (CA-617)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-F (CR-352)
C8AF-AT	26D	C8AF 9510-AT		D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-G (CR-353)
C8AF-AU	26D	★C8AF 9510-AU	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-G (CR-353)
C8AF-AV	26E	C8AF 9510-AV		D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-G (CR-353)

♦ Obsolete-no longer available-Service details as listed in Section 95A.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
C8AF-AZ	19W	★C8AZ 9510-AP (CA-618)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-C (CR-349)
C8AF-B	17AL	★C8AZ 9510-B	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-F (CR-352)
C8AF-BA	19W	★C8AZ 9510-AP (CA-618)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-C (CR-349)
C8AF-BB	19W	★C8AZ 9510-AP (CA-618)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-C (CR-349)
C8AF-BD	11AD	★C8ZZ 9510-H (CA-621)	D2AZ 9510-D (CA-738-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-D (CR-350)
C8AF-BF	27B	★C8AZ 9510-BF (CA-640)	D2TZ 9510-N (CA-847-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	♦C8AZ 9590-B (CR-344)
C8AF-BG	21Z	★C8AZ 9510-BG (CA-697)	C9AZ 9510-AE (CA-689-A)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦C8AZ 9590-A (CR-340)
C8AF-C	21Y	★C8AZ 9510-C	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-F (CR-352)
C8AF-E	8T	★C8AZ 9510-E (CA-567)	D0PZ 9510-N (CA-613-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C8AZ 9590-H (CR-354)
C8AF-F	8P	★C6AZ 9510-AS (CA-368)	D0PZ 9510-A (CA-368-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287)
C8AF-G	8P	★C6AZ 9510-AS (CA-368)	D0PZ 9510-A (CA-368-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287)
C8AF-H	8Q	★C6AZ 9510-AR (CA-367)	D0PZ 9510-N (CA-613-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C8AZ 9590-H (CR-354)
C8AF-J	8Q	★C6AZ 9510-AR (CA-367)	D0PZ 9510-N (CA-613-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C5AZ 9590-F (CR-287)
C8AF-L	24A	★C8AZ 9510-L (CA-553)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-E (CR-351)
C8AF-L	24A	★C8AZ 9510-AR (CA-619)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-E (CR-351)
C8AF-M	19R	★C8AZ 9510-M (CA-554)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-C (CR-349)
C8AF-N	19R	★C8AZ 9510-N (CA-555)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-C (CR-349)
C8AF-R	11AE	★C8AF 9510-R	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-D (CR-350)
C8AF-S	11AE	★C8AF 9510-AG	D2AZ 9510-D (CA-784-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-D (CR-350)
C8AF-T	11AH	C8AF 9510-AH		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
C8AF-U	11AJ	★C8AF 9510-AJ	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
C8AF-V	27A	★C8AZ 9510-V (CA-588)	D2TZ 9510-N (CA-847-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	♦C8AZ 9590-B (CR-344)
C8AF-V	27A	★C8AZ 9510-AA (CA-692)	D2TZ 9510-N (CA-847-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	♦C8AZ 9590-B (CR-344)
C8DF-A	23B	C8DZ 9510-A (CA-580)		D0DZ 9502-A (CG-257)	C7DZ 9A586-C (CT-201-A)	♦C8DZ 9590-A (CR-345)
C8DF-B	23B	★C8DZ 9510-B (CA-581)	C8DZ 9510-A (CA-580)	D0DZ 9502-A (CG-257)	C7DZ 9A586-C (CT-201-A)	♦C8DZ 9590-B (CR-346)
C8DF-C	3R	★C5OZ 9510-H (CA-308)	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-A (CT-207)	♦C7OZ 9590-B (CR-363)
C8DF-D	3R	★C5OZ 9510-H (CA-308)	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-A (CT-207)	♦C7OZ 9590-B (CR-363)
C8DF-E	11AE	★C8DF 9510-E	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-D (CR-350)
C8DF-F	11AE	★C8DF 9510-F	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-D (CR-350)
C8DF-G	23F	★C8DZ 9510-G (CA-667)	C8DZ 9510-A (CA-580)	D0DZ 9502-A (CG-257)	C7DZ 9A586-C (CT-201-A)	♦C8DZ 9590-B (CR-346)
C8DF-H	23D	★C8DZ 9510-H (CA-666)	C8DZ 9510-A (CA-580)	D0DZ 9502-A (CG-257)	C7DZ 9A586-C (CT-201-A)	D0DZ 9590-B (CR-384)
C8OF-A	5K	★C8OZ 9510-A (CA-568)	D0PZ 9510-G (CA-746-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C8OZ 9590-A (CR-355)

♦ Obsolete-no longer available-Service details as listed in Section 95A.

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
C8OF-AA	20L	★C8OZ 9510-AA (CA-611)	C9AZ 9510-U (CA-769)	C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	♦C8OZ 9590-B (CR-365)
C8OF-AB	20M	★C8OZ 9510-AB (CA-612)	C9AZ 9510-U (CA-769)	C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	♦C8OZ 9590-B (CR-365)
C8OF-AC	#	C8OF 9510-AC (CA-680)		NONE	NONE	NONE
C8OF-AD	#	C8OF 9510-AD (CA-681)		NONE	NONE	NONE
C8OF-AE	19W	★C8AZ 9510-AP	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-C (CR-349)
C8OF-AF	19W	★C8AZ 9510-AP (CA-618)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-C (CR-349)
C8OF-B	5K	★C8OZ 9510-B (CA-569)	D0PZ 9510-G (CA-746-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C8OZ 9590-A (CR-355)
C8OF-C	20J	C8OZ 9510-C (CA-582)		B7AZ 9502-G (CG-192)	B9AZ 9A586-E (CT-195-A)	♦C7OZ 9590-A (CR-343)
C8OF-D	20J	C8OZ 9510-D (CA-583)		B7AZ 9502-G (CG-192)	B9AZ 9A586-E (CT-195-A)	♦C7OZ 9590-A (CR-343)
C8OF-E	3P	★C5OZ 9510-H (CA-308)	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C8OZ 9590-A (CR-355)
C8OF-F	3P	★C5OZ 9510-H (CA-308)	D0PZ 9510-A (CA-308-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C7OZ 9590-B (CR-363)
C8OF-G	11AG	★C8OZ 9510-G	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	
C8OF-H	24B	★C8OZ 9510-H	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
C8OF-J	19S	★C8OZ 9510-J	D2AZ 9510-D (CA-783-B)	NONE	NONE	♦C8AZ 9590-C (CR-349)
C8OF-K	19S	★C8OZ 9510-K (CA-559)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-C (CR-349)
C8OF-L	11AE	★C8OF 9510-L	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-D (CR-350)
C8OF-N	11AH	C8AF 9510-AH		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
C8OF-R	11AK	C8OF 9510-T		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
C8OF-S	11AE	★C8OF 9510-S	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-D (CR-350)
C8OF-T	11AK	C8OF 9510-T		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
C8OF-U	19U	★C8OZ 9510-U	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-C (CR-349)
C8PF-B	11AC	★C5TZ 9510-U (CA-615)	C9UZ 9510-AA (CA-698)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8TZ 9590-C (CR-356)
C8PF-F	8R	C6AZ 9510-AV (CA-596-T)		C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C8AZ 9590-H (CR-354)
C8PF-G	8W	★C6AZ 9510-AY (CA-613)	D0PZ 9510-N (CA-613-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C8AZ 9590-H (CR-354)
C8PF-K	3N	★C6TZ 9510-T (CA-600-T)	D0PZ 9510-D (CA-374-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C8OZ 9590-A (CR-355)
C8PF-L	3Q	★C6DZ 9510-F (CA-614)	D0PZ 9510-G (CA-746-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C8OZ 9590-A (CR-355)
C8PF-T	11AD	★C8ZZ 9510-H (CA-621)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-D (CR-350)
C8PF-U	19W	★C8AZ 9510-AP (CA-618)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-C (CR-349)
C8PF-V	17AM	★C7AZ 9510-AT (CA-617)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-F (CR-352)
C8SF-A	25A	★C8SZ 9510-A	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-G (CR-353)
C8SF-B	25A	★C8SZ 9510-B	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-G (CR-353)

♦ Obsolete - no longer available - Service details as listed in Section 95A # Parts List not available

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
C8SF-E	25A	★C8SZ 9510-A	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦ C8AZ 9590-G (CR-353)
C8SF-G	25A	★C8SZ 9510-A	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦ C8AZ 9590-G (CR-353)
C8SF-H	25A	★C8SZ 9510-C (CA-620)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦ C8AZ 9590-G (CR-353)
C8TF-A	23C	★ C8TZ 9510-A (CA-584)	C8TZ 9510-BE (CA-663)	D0DZ 9502-A (CG-257)	C7DZ 9A586-C (CT-201-A)	♦C8TZ 9590-A (CR-347)
C8TF-AA	11AA	★C8TZ 9510-AA	C9UZ 9510-AA (CA-698)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ C8TZ 9590-C (CR-356)
C8TF-AF	11AF	★C8TZ 9510-AF (CA-589)	C9UZ 9510-AA (CA-698)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8TZ 9590-C (CR-356)
C8TF-BE	23E	C8TZ 9510-BE (CA-663)		D0DZ 9502-A (CG-257)	C7DZ 9A586-C (CT-201-A)	C9TZ 9590-C (CR-375)
C8TF-H	3J	★C6TZ 9510-G (CA-374)	D0PZ 9510-D (CA-374-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦ C7UZ 9590-A (CR-364)
C8WF-A	19W	★C8AZ 9510-AP (CA-618)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ C8AZ 9590-C (CR-349)
C8ZF-A	26C	★C8ZF 9510-A	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-G (CR-353)
C8ZF-B	26C	★C8ZF 9510-A	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-G (CR-353)
C8ZF-C	26A	★C8ZZ 9510-C (CA-544)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦ C8AZ 9590-F (CR-352)
C8ZF-D	26A	★C8ZZ 9510-D (CA-545)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦ C8AZ 9590-F (CR-352)
C8ZF-E	11AE	★C8OF 9510-S	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ C8AZ 9590-D (CR-350)
C8ZF-G	11AB	★C8ZZ 9510-G (CA-566)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A) (CT-499-D)	♦ C8AZ 9590-E (CR-351)
C8ZF-H	11AE	★C8ZF 9510-H	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ C8AZ 9590-D (CR-350)
C8ZF-J	12S	★C7ZZ 9510-D	C7ZZ 9510-B (CA-541-T)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦ C8AZ 9590-A (CR-340)
C8ZF-K	12S	★C7ZZ 9510-E	C7ZZ 9510-C (CA-542-T)	B7AZ 9502-D (CG-152)	C2SZ 9A586-D (CT-191-A)	♦ C8AZ 9590-A (CR-340)
C8ZF-L	26B	★C8ZF 9510-L	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦ C8AZ 9590-E (CR-352)
C8ZF-M	26B	★C8ZF 9510-M	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦ C8AZ 9590-F (CR-352)
C9AF-A	24D	★C9AZ 9510-A (CA-623)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ C8AZ 9590-D (CR-350)
C9AF-A	24D	★C9AZ 9510-T (CA-695)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ C8AZ 9590-D (CR-350)
C9AF-B	19Y	★C9AZ 9510-B (CA-624)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ C9AZ 9590-A (CR-367)
C9AF-C	19Z	★C9AZ 9510-C (CA-625)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ C9AZ 9590-A (CR-367)
C9AF-G	25B	★C9AZ 9510-G (CA-662)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	C8AZ 9A586-E (CT-206)	♦ C8AZ 9590-G (CR-353)
C9AF-J	19X	★C9AZ 9510-J (CA-650)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ C9AZ 9590-A (CR-367)
C9AF-J	19X	★C9AZ 9510-AD	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ C9AZ 9590-A (CR-367)
C9AF-M	20P	★C9AZ 9510-M (CA-669)	C9AZ 9510-U (CA-769)	C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	♦ C8OZ 9590-B (CR-365)
ED-C9AF-M	20P	★C9AZ 9510-M (CA-669)	C9AZ 9510-U (CA-769)	C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	♦ C8OZ 9590-B (CR-365)
C9AF-N	20Q	★C9AZ 9510-N (CA-670)	C9AZ 9510-U (CA-769)	C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	♦ C8OZ 9590-B (CR-365)
ED-C9AF-N	20Q	★C9AZ 9510-N (CA-670)	C9AZ 9510-U (CA-769)	C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	♦C8OZ 9590-B (CR-365)
C9AF-R	25A	★C8SZ 9510-C	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦ C8AZ 9590-G (CR-353)

♦ Obsolete-no longer available-Service details as listed in Section 95A.

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
C9AF-S	20S	C9AZ 9510-S (CA-708)		C9OZ 9502-A (CG-255)	C8ZZ 9A586-F (CT-774-A)	C9OZ 9590-C (CR-382)
C9AF-T	24D	★C9AZ 9510-T (CA-695)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-D (CR-350)
C9AF-U	20T	C9AZ 9510-U (CA-769)		C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	♦C8OZ 9590-B (CR-365)
C9AF-Z	19X	★C9AZ 9510-AD (CA-700)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C9AZ 9590-A (CR-367)
C9DF-B	5L	★C9DZ 9510-B (CA-642)	D0PZ 9510-G (CA-746-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C8OZ 9590-A (CR-355)
C9DF-B	5L	★C9DZ 9510-C (CA-746)	D0PZ 9510-G (CA-746-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C8OZ 9590-A (CR-355)
C9LF-A	25C	★C9AZ 9510-AB (CA-690)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-G (CR-353)
C9OF-A	8U	★C9OZ 9510-A (CA-607)	D0PZ 9510-T (CA-694-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C9OZ 9590-B (CR-378)
C9OF-B	8V	C9OZ 9510-B (CA-608)		C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C9OZ 9590-B (CR-378)
C9OF-B	8V	★C9OZ 9510-L (CA-694)	D0PZ 9510-T (CA-694-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C9OZ 9590-B (CR-378)
C9OF-C	28A	★C9OZ 9510-C (CA-633)	C9AZ 9510-AD (CA-700)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C9OZ 9590-A (CR-368)
C9OF-D	29A	C9OZ 9510-D (CA-643)		D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-F (CR-352)
C9OF-E	17AN	★C9OZ 9510-E (CA-658)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-F (CR-352)
C9OF-H	20N	★C9OZ 9510-H (CA-672)	C9AZ 9510-U (CA-769)	C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	♦C8OZ 9590-B (CR-365)
C9OF-J	8X	★C9OZ 9510-J (CA-676)	D0PZ 9510-T (CA-694-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C9OZ 9590-B (CR-378)
C9OF-K	8Y	★C9OZ 9510-K (CA-677)	D0PZ 9510-T (CA-694-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C9OZ 9590-B (CR-378)
C9OF-M	8Z	★C9OZ 9510-M	D0PZ 9510-T (CA-694-A)	C8AZ 9502-A (CG-219)	C8OZ 9A586-D (CT-207-A)	♦C9OZ 9590-B (CR-378)
C9OF-R	20AE	C9OZ 9510-N (CA-604-A)		NONE	NONE	NONE
C9TF-L	24F	★C9TZ 9510-L	C9UZ 9510-AA (CA-698)	NONE	NONE	NONE
C9UF-A	24G	★C9UZ 9510-A (CA-647)	C9UZ 9510-AA (CA-698)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8TZ 9590-C (CR-356)
C9UF-B	24H	C9UZ 9510-AA (CA-698)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-C (CR-356)
C9ZF-A	28B	★C9ZZ 9510-A (CA-638)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C9AZ 9590-A (CR-367)
C9ZF-B	28C	★C9ZZ 9510-B (CA-639)	C9AZ 9510-AD (CA-700)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C9OZ 9590-A (CR-368)
C9ZF-C	29B	★C9ZZ 9510-C (CA-648)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-F (CR-352)
C9ZF-D	29C	★C9AZ 9510-AC (CA-691)	D2AZ 9510-M (CA-788-A	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-F (CR-352)
C9ZF-D	29C	★C9ZZ 9510-D (CA-649)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-F (CR-352)
C9ZF-E	17AP	★C9ZZ 9510-E (CA-659)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-F (CR-352)
C9ZF-F	17AQ	★C9ZZ 9510-F (CA-660)	D2AZ 9510-M (CA-788-A	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	♦C8AZ 9590-F (CR-352)
C9ZF-G	24E	★C9ZZ 9510-G (CA-661)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8AZ 9590-D (CR-350)
C9ZF-J	20R	★C9ZZ 9510-J (CA-703)	D0ZZ 9510-Z (CA-782)	C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	♦C8OZ 9590-B (CR-365)
C9ZF-L	19X	★C9AZ 9510-AD (CA-700)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C9OZ 9590-A (CR-368)

♦ Obsolete-no longer available-Service details as listed in Section 95A.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
C9ZF-M	19X	★ C9AZ 9510-AD (CA-700)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦ C9AZ 9590-A (CR-367)
D0AF-A	27C	★D0AZ 9510-A (CA-757)	D2TZ 9510-N (CA-847-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D0AF-AA	19AF	★D0AZ 9510-AA (CA-768)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0AF-AD	21AC	★D0AZ 9510-AE (CA-789)	D3AZ 9510-F (CA-789-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0AF-AE	21AC	★D0AZ 9510-AE (CA-789)	D3AZ 9510-F (CA-789-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0AF-AG	25D	★D0AZ 9510-K (CA-721)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0AF-AJ	21AA	★D0AZ 9510-M (CA-723)	D3AZ 9510-F (CA-789-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0AF-AK	21AB	★D0AZ 9510-R (CA-748)	D3AZ 9510-F (CA-789-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0AF-AL	25E	★D0AZ 9510-L (CA-722)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0AF-AM	25D	★D0AZ 9510-K (CA-721)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0AF-AN	25D	★D0AZ 9510-K (CA-721)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0AF-AR	19AB	★D0AZ 9510-AB (CA-783)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0AF-AS	19AB	★D0AZ 9510-AB (CA-783)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0AF-AT	19AB	★D0AZ 9510-AB (CA-783)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0AF-AU	19AB	★D0AZ 9510-AB (CA-783)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0AF-AV	19AB	★D0AZ 9510-AB (CA-783)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0AF-B	27D	★D0AZ 9510-B (CA-758)	D2TZ 9510-N (CA-847-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D0AF-C	24J	★D0AZ 9510-C (CA-709)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0AF-D	24K	★D0AZ 9510-D (CA-710)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0AF-D	24K	★D0AZ 9510-AC (CA-784)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0AF-E	28D	★D0AZ 9510-E (CA-711)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0AF-F	28E	★D0AZ 9510-F (CA-712)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0AF-G	19AA	★D0AZ 9510-G (CA-713)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0AF-J	19AB	★D0AZ 9510-J (CA-715)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0AF-J	19AB	★D0AZ 9510-AB (CA-783)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0AF-K	25D	★D0AZ 9510-K (CA-721)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0AF-L	25E	★D0AZ 9510-L (CA-722)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0AF-M	21AA	★D0AZ 9510-M (CA-723)	D3AZ 9510-F (CA-789-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0AF-R	21AB	★D0AZ 9510-R (CA-748)	D3AZ 9510-F (CA-789-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0AF-T	19AC	★D0AZ 9510-T (CA-733)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0AF-U	24L	★D0AZ 9510-U (CA-734)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0AF-V	28F	★D0AZ 9510-V (CA-735)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE

♦ Obsolete-no longer available-Service details as listed in Section 95A.

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
D0AF-Y	19AD	★D0AZ 9510-Y (CA-766)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0AF-Z	19AE	★D0AZ 9510-Z (CA-767)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0BF-A	23Q	★D0BZ 9510-A (CA-759)	D2BZ 9510-E (CA-875-A)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D0BF-C	24M	★D0BZ 9510-C (CA-737)	D2UZ 9510-J (CA-917-A)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0BF-D	24N	★D0BZ 9510-D (CA-754)	D2UZ 9510-J (CA-917-A)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0DF-A	23G	★D0DZ 9510-A (CA-683)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	♦D0DZ 9590-B (CR-384)
D0DF-B	23H	★D0DZ 9510-B (CA-684)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	♦D0DZ 9590-B (CR-384)
D0DF-C	23J	★D0DZ 9510-C (CA-685)	D2DZ 9510-G (CA-794-B)	D0DZ 9510-J (CG-257)	D0DZ 9A586-B (CT-842-A)	♦D0DZ 9590-A (CR-383)
D0DF-D	23K	★D0DZ 9510-D (CA-686)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	♦D0DZ 9590-C (CR-385)
D0DF-E	23L	★D0DZ 9510-E (CA-704)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	♦D0DZ 9590-B (CR-384)
D0DF-F	23M	★D0DZ 9510-F (CA-705)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	♦D0DZ 9590-B (CR-384)
D0DF-G	23N	★D0DZ 9510-G (CA-706)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	♦D0DZ 9590-A (CR-383)
D0DF-H	23P	★D0DZ 9510-H (CA-707)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	♦D0DZ 9590-C (CR-385)
D0DF-L	23K	★D0DZ 9510-D (CA-686)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	♦D0DZ 9590-C (CR-385)
D0DF-M	23J	★D0DZ 9510-C (CA-685)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	♦D0DZ 9590-A (CR-383)
D0DF-N	23H	★D0DZ 9510-B (CA-684)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	♦D0DZ 9590-B (CR-384)
D0DF-R	23G	★D0DZ 9510-A (CA-683)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	♦D0DZ 9590-B (CR-384)
D0DF-S	23M	★D0DZ 9510-F (CA-706)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	♦D0DZ 9590-B (CR-384)
D0DF-T	23N	★D0DZ 9510-G (CA-706)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	♦D0DZ 9590-A (CR-383)
D0DF-U	23L	★D0DZ 9510-E (CA-704)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	♦D0DZ 9590-B (CR-384)
D0DF-V	23P	★D0DZ 9510-H (CA-707)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	♦D0DZ 9590-C (CR-385)
D0OF-A	30A	★D0OZ 9510-A (CA-770)	D0OZ 9510-B (CA-771)	D0OZ 9502-A (CG-304)	D0OZ 9A586-B (CT-222-A)	NONE
D0OF-AA	29G	★D0OZ 9510-H (CA-750)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0OF-AB	29E	★D0OZ 9510-D (CA-725)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0OF-AC	29D	★D0OZ 9510-C (CA-724)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0OF-AD	29G	★D0OZ 9510-H (CA-750)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0OF-B	30B	D0OZ 9510-B (CA-771)		D0OZ 9502-A (CG-304)	D0OZ 9A586-B (CT-222-A)	NONE
D0OF-C	29D	★D0OZ 9510-C (CA-724)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0OF-D	29E	★D0OZ 9510-D (CA-725)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0OF-E	30C	★D0OZ 9510-E (CA-772)	D0OZ 9510-B (CA-771)	D0OZ 9502-A (CG-304)	D0OZ 9A586-B (CT-222-A)	NONE
D0OF-F	30D	★D0OZ 9510-F (CA-773)	D0OZ 9510-B (CA-771)	D0OZ 9502-A (CG-304)	D0OZ 9A586-B (CT-222-A)	NONE

♦ Obsolete-no longer available-Service details as listed in Section 95A.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
D0OF-G	29F	★D0OZ 9510-G (CA-749)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D0TZ 9A586-A (CT-225)	NONE
D0OF-H	29G	★D0OZ 9510-H (CA-750)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0OF-J	28G	★ D0OZ 9510-J (CA-738)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0OF-K	28H	★D0ZZ 9510-A (CA-728)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0OF-L	28J	★D0OZ 9510-T (CA-785)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0OF-L	28J	★D0ZZ 9510-B (CA-729)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0OF-M	28G	★D0OZ 9510-J (CA-738)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0OF-N	20V	D0OZ 9510-N (CA-774)		C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	NONE
D0OF-R	20W	D0OZ 9510-R (CA-775)		C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	NONE
D0OF-S	20Y	★D0OZ 9510-S (CA-776)	D0ZZ 9510-H (CA-781)	C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	♦C8OZ 9590-B (CR-365)
D0OF-T	28J	★D0ZZ 9510-B (CA-729)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0OF-T	28J	★D0OZ 9510-T (CA-785)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0OF-U	28H	★D0ZZ 9510-A (CA-728)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0OF-V	28G	★D0OZ 9510-J (CA-738)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0OF-Y	29D	★D0OZ 9510-C (CA-724)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0OF-Z	29E	★D0OZ 9510-D (CA-725)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0PF-A	32E	D0PZ 9510-S (CA-368-A)		D0PZ 9502-A (CG-305)	D0PZ 9A586-B (CT-223-A)	NONE
D0PF-AB	31L	D0ZZ 9510-AA (CA-797)		D0ZZ 9502-A (CG-306)	D0ZZ 9A586-B (CT-224-A)	NONE
D0PF-AC	27G	★D0TZ 9510-U (CA-795)	D2TZ 9510-N (CA-847-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D0PF-AD	23Y	★D0DZ 9510-J (CA-794)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D0PF-AF	25G	★D0AZ 9510-AD (CA-788)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0PF-AG	29H	★D0OZ 9510-U (CA-790)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0PF-AJ	24H	C9UZ 9510-AA (CA-698)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	♦C8TZ 9590-C (CR-356)
D0PF-AN	20AA	★D0PZ 9510-U (CA-799)	Not Replaced	D0AZ 9502-B (CG-310)	B9AZ 9A586-E (CT-195-A)	NONE
D0PF-AY	21AC	★D0AZ 9510-AE (CA-789)	D3AZ 9510-F (CA-789-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0PF-C	32F	D0PZ 9510-N (CA-613-A)		D0PZ 9502-A (CG-305)	D0PZ 9A586-B (CT-223-A)	NONE
D0PF-D	32A	D0PZ 9510-T (CA-694-A)		D0PZ 9502-A (CG-305)	D0PZ 9A586-B (CT-223-A)	NONE
D0PF-K	32C	D0PZ 9510-A (CA-308-A)		D0PZ 9502-A (CG-305)	D0PZ 9A586-B (CT-223-A)	NONE
D0PF-L	32B	D0PZ 9510-G (CA-746-A)		D0PZ 9502-A (CG-305)	D0PZ 9A586-B (CT-223-A)	NONE
D0PF-R	32D	D0PZ 9510-D (CA-374-A)		D0PZ 9502-A (CG-305)	D0PZ 9A586-B (CT-223-A)	NONE
D0PF-S	32G	★D0PZ 9510-C (CA-600-TA)	D0PZ 9510-D (CA-374-A)	D0PZ 9502-A (CG-305)	D0PZ 9A586-B (CT-223-A)	NONE
D0PF-U	20Z	C9AZ 9510-AE (CA-689-A)		D0AZ 9502 B (CG-310)	B9AZ 9A586-E (CT-195-A)	NONE

♦ Obsolete-no longer available-Service details as listed in Section 95A.

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
D0PF-V	20AB	C4OZ 9510-G (CA-351-A)		D0AZ 9502-B (CG-310)	B9AZ 9A586-E (CT-195-A)	NONE
D0SF-A	25F	★D0SZ 9510-A (CA-726)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0SF-E	25F	★D0SZ 9510-A (CA-726)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0SF-F	25F	★D0SZ 9510-A (CA-726)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D0UF-F	24P	★D0UZ 9510-H (CA-787)	D1UZ 9510-B (CA-787-A)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0ZF-A	28H	★D0ZZ 9510-A (CA-728)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0ZF-AA	20U	D0ZZ 9510-H (CA-781)		C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	♦C8OZ 9590-B (CR-365)
D0ZF-AB	20U	D0ZZ 9510-H (CA-781)		C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	♦C8OZ 9590-B (CR-365)
D0ZF-AC	20U	D0ZZ 9510-H (CA-781)		C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	♦C8OZ 9590-B (CR-365)
D0ZF-AD	20U	D0ZZ 9510-H (CA-781)		C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	♦C8OZ 9590-B (CR-365)
D0ZF-B	28J	★D0ZZ 9510-B (CA-729)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D0ZF-C	31A	★D0ZZ 9510-C (CA-777)	D0ZZ 9510-AA (CA-797)	D0ZZ 9502-A (CG-306)	D0ZZ 9A586-B (CT-224-A)	NONE
D0ZF-D	31B	★D0ZZ 9510-D (CA-778)	D0ZZ 9510-AA (CA-797)	D0ZZ 9502-A (CG-306)	D0ZZ 9A586-B (CT-224-A)	NONE
D0ZF-E	31C	★D0ZZ 9510-E (CA-779)	D0ZZ 9510-AA (CA-797)	D0ZZ 9502-A (CG-306)	D0ZZ 9A586-B (CT-224-A)	NONE
D0ZF-F	31D	★D0ZZ 9510-F (CA-780)	D0ZZ 9510-AA (CA-797)	D0ZZ 9502-A (CG-306)	D0ZZ 9A586-B (CT-224-A)	NONE
D0ZF-G	20U	D0ZZ 9510-H (CA-781)		C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	♦C8OZ 9590-B (CR-365)
D0ZF-H	20U	D0ZZ 9510-H (CA-781)		C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	♦C8OZ 9590-B (CR-365)
D0ZF-T	20U	D0ZZ 9510-H (CA-781)		C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	♦C8OZ 9590-B (CR-365)
D0ZF-U	20U	D0ZZ 9510-H (CA-781)		C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	♦C8OZ 9590-B (CR-365)
D0ZF-Z	20X	D0ZZ 9510-Z (CA-782)		C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	NONE
D1AF-BA	24Q	★D1AZ 9510-B (CA-804)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1AF-DA	24R	★D1AZ 9510-D (CA-805)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1AF-DA	24R	★D1AZ 9510-C (CA-784-A)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1AF-FA	28K	★D1AZ 9510-F (CA-806)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1AF-JA	28L	★D1AZ 9510-J (CA-809)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1AF-KA	28M	★D1AZ 9510-K (CA-810)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1AF-MA	25H	★D1AZ 9510-M (CA-811)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D1AF-PA	27E	★D1AZ 9510-P (CA-848)	D1TZ 9510-B (CA-847-A)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D1AF-RA	27F	★D1AZ 9510-R (CA-847)	D1TZ 9510-B (CA-847-A)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D1AF-SA	24T	★D1AZ 9510-S (CA-878)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1AF-TA	24U	★D1AZ 9510-T (CA-877)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE

♦ Obsolete-no longer available-Service details as listed in Section 95A.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS—continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
D1AF-XA	28M	★D1AZ 9510-K (CA-810)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1AF-YA	28L	★D1AZ 9510-J (CA-806)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1AF-ZA	24R	★D1AZ 9510-C (CA-784-A)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1BF-AA	24S	★D1BZ 9510-A (CA-813)	D2UZ 9510-J (CA-917-A)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1BF-CA	23X	★D1BZ 9510-C (CA-875)	D2BZ 9510-E (CA-875-A)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D1DF-EA	23X	★D1DZ 9510-E (CA-883)	D1DZ 9510-B (CA-849-A)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D1DF-GA	23R	★D1DZ 9510-G (CA-849)	D1DZ 9510-B (CA-849-A)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D1DF-HA	23S	★D1DZ 9510-H (CA-853)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D1DF-JA	23T	★D1DZ 9510-J (CA-850)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D1DF-JB	23T	★D1DZ 9510-J (CA-850)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D1DF-KA	23U	★D1DZ 9510-K (CA-851)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D1DF-KB	23U	★D1DZ 9510-K (CA-851)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D1DF-LA	23V	★D1DZ 9510-L (CA-852)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D1DF-MA	23W	★D1DZ 9510-M (CA-854)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D1MF-FA	19AJ	★D1MY 9510-F (CA-814)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1MF-FA	19AJ	★D1AZ 9510-A (CA-783-A)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1MF-GA	19AK	★D1MY 9510-G (CA-815)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1MF-JA	28N	★D1MY 9510-J (CA-816)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1MF-KA	28Q	★D1OZ 9510-C (CA-785-A)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1MF-LA	28Q	★D1OZ 9510-C (CA-785-A)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1MF-MA	19AJ	★D1AZ 9510-A (CA-783-A)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1OF-EA	29J	★D1OZ 9510-E (CA-818)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D1OF-FA	29K	★D1OZ 9510-F (CA-819)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D1OF-GA	25J	★D1OZ 9510-G (CA-820)	D0AZ 9510-AD (CA-788)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D1OF-PA	28P	★D1OZ 9510-P (CA-824)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1OF-RA	28Q	★D1OZ 9510-C (CA-785-A)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1OF-YA	28Q	★D1OZ 9510-C (CA-785-A)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1OF-ZA	28Q	★D1OZ 9510-C (CA-785-A)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1OF-AAA	29H	★D0OZ 9510-U (CA-790)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D1OF-ABA	24R	★D1AZ 9510-C (CA-784-A)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1OF-AGA	24R	★D1AZ 9510-C (CA-784-A)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1OF-AHA	28Q	★D1OZ 9510-C (CA-785-A)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
D1OF-AJA	28Q	★D1OZ 9510-C (CA-785-A)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1PF-AA	24H	C9UZ 9510-AA (CA-698)		9502	9A586	♦C8TZ 9590-C (CR-356)
D1PF-DA	23X	D1DZ 9510-A (CA-794-A)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D1PF-EA	27E	D1TZ 9510-B (CA-847-A)		D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D1PF-FA	31H	★D1ZZ 9510-B (CA-855-A)	D2OZ 9510-A (CA-855-B)	D0ZZ 9502-A (CG-306)	D0ZZ 9A586-B (CT-224-A)	NONE
D1PF-GA	23Z	D1DZ 9510-B (CA-849-A)		D0DZ 9502-A (CG-306)	D0DZ 9A586-B (CT-842-A)	NONE
D1PF-HA	27H	D1TZ 9510-U		D0DZ 9502-A (CG-306)	D0DZ 9A586-B (CT-842-A)	NONE
D1PF-JA	34A	★D1FZ 9510-F (CA-802-B)	D2FZ 9510-E (CA-802-C)	D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D1PF-KA	34A	★D1FZ 9510-F (CA-802-B)	D2FZ 9510-E (CA-802-C)	D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D1SF-AA	25K	★D1SZ 9510-A (CA-825)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D1UF-FA	24S	★D1UZ 9510-B (CA-787-A)	D2UZ 9510-J (CA-917-A)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1YF-CA	19AG	★D1AZ 9510-G (CA-807)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1YF-DA	19AH	★D1AZ 9510-H (CA-808)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1ZF-AA	24V	★D1ZZ 9510-A (CA-843)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1ZF-FA	29M	D1ZZ 9510-C (CA-885-A)	D4OZ 9510-F (CA-885-D)	D3OZ 9502-A (CG-335-B)	D3OZ 9A586-A (CT-862-B)	NONE
D1ZF-GA	29M	D1ZZ 9510-C (CA-885-A)	D4OZ 9510-F (CA-885-D)	D3OZ 9502-A (CG-335-B)	D3OZ 9A586-A (CT-862-B)	NONE
D1ZF-HA	31E	★D1ZZ 9510-H (CA-855)	D2OZ 9510-A (CA-855-B)	D0ZZ 9502-A (CG-306)	D0ZZ 9A586-B (CT-224-A)	NONE
D1ZF-JA	31F	★D1ZZ 9510-J (CA-856)	D2OZ 9510-A (CA-855-B)	D0ZZ 9502-A (CG-306)	D0ZZ 9A586-B (CT-224-A)	NONE
D1ZF-KA	31G	★D1ZZ 9510-K (CA-857)	D2OZ 9510-A (CA-855-B)	D0ZZ 9502-A (CG-306)	D0ZZ 9A586-B (CT-224-A)	NONE
D1ZF-LA	31H	★D1ZZ 9510-L (CA-858)	D2OZ 9510-A (CA-855-B)	D0ZZ 9502-A (CG-306)	D0ZZ 9A586-B (CT-224-A)	NONE
D1ZF-MA	31J	★D1ZZ 9510-M (CA-859)	D2OZ 9510-A (CA-855-B)	D0ZZ 9502-A (CG-306)	D0ZZ 9A586-B (CT-224-A)	NONE
D1ZF-NA	31K	★D1ZZ 9510-N (CA-860)	D2OZ 9510-A (CA-855-B)	D0ZZ 9502-A (CG-306)	D0ZZ 9A586-B (CT-224-A)	NONE
D1ZF-SA	28Q	★D1OZ 9510-C (CA-785-A)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1ZF-SA	28Q	★D1ZZ 9510-S (CA-845)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1ZF-UA	28Q	★D1OZ 9510-C (CA-785-A)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1ZF-VA	20AC	D1ZZ 9510-V (CA-880)		C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	NONE
D1ZF-XA	20AD	D1ZZ 9510-X (CA-881)		C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	NONE
D1ZF-YA	20AD	D1ZZ 9510-Y (CA-879)		C8ZZ 9502-D (CG-237-A)	C8ZZ 9A586-E (CT-211-B)	NONE
D1ZF-ZA	29L	★D1ZZ 9510-Z (CA-885)	D4OZ 9510-F (CA-885-D)	D3OZ 9502-A (CG-335-B)	D3OZ 9A586-A (CT-862-B)	NONE
D1ZF-ACA	28Q	★D1OZ 9510-C (CA-785-A)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D1ZF-ADA	24R	★D1AZ 9510-C (CA-784-A)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE

♦ Obsolete-no longer available-Service details as listed in Section 95A.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
D1ZF-AEA	28Q	★D1OZ 9510-C (CA-785-A)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D12F-AA	34A	★D1FZ 9510-A (CA-803)	D2FZ 9510-E (CA-802-C)	D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D12F-BA	34A	★D1FZ 9510-B (CA-802)	D2FZ 9510-E (CA-802-C)	D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D12F-CA	34A	★D1FZ 9510-D (CA-884)	D2FZ 9510-E (CA-802-C)	D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D12F-DA	34A	★D1FZ 9510-B (CA-802)	D2FZ 9510-E (CA-802-C)	D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D12F-EA	34A	★D1FZ 9510-B (CA-802)	D2FZ 9510-E (CA-802-C)	D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D12F-FA	34A	★D1FZ 9510-D (CA-884)	D2FZ 9510-E (CA-802-C)	D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D12F-GA	34A	★D1FZ 9510-F (CA-802-B)	D2FZ 9510-E (CA-802-C)	D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D12X-BB	#	★D12X 9510-BB	Not Replaced	NONE	NONE	D12X 9590-AA
D2AF-AA	25L	★D2AZ 9510-A (CA-946)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D2AF-AB	25S	D2AZ 9510-M (CA-786-A)		D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D2AF-BA	25M	★D2AZ 9510-B (CA-947)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D2AF-EA	28R	★D2AZ 9510-E (CA-927)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2AF-FB	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2AF-FC	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2AF-FD	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2AF-GA	28S	★D2AZ 9510-G (CA-922)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE NONE
D2AF-GB	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2AF-GC	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2AF-GD	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2AF-HA	24W	★D2AZ 9510-H (CA-919)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2AF-HB	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2AF-HC	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2AF-JA	27J	★D2AZ 9510-J (CA-891)	D2TZ 9510-P (CA-848-B	D0DZ 9502-A (CG-306)	D0DZ 9A586-B (CT-842-A)	NONE
D2AF-KA	25N	★D2AZ 9510-K (CA-948)	D4OZ 9510-F (CA-885-D)	D3OZ 9502-A (CG-335-B)	D3OZ 9A586-A (CT-862-B)	NONE
D2AF-LA	25P	★D2AZ 9510-L (CA-949)	D4OZ 9510-F (CA-885-D)	D3OZ 9502-B (CG-335-B)	D3OZ 9A586-A (CT-862-B)	NONE
D2AF-UC	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2BF-AA	24X	★D2BZ 9510-A (CA-917)	D2UZ 9510-J (CA-917-A)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2BF-DA	23AA	★D2BZ 9510-D (CA-892)	D2BZ 9510-E (CA-875-A)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D2BF-DA	23AA	D2BZ 9510-E (CA-875-A)		D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D2BF-EA	28X	D2UZ 9510-J (CA-917-A)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS—continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
D2BF-FA	28X	D2UZ 9510-J (CA-917-A)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2DF-AA	23AB	★D2DZ 9510-A (CA-893)	D2DZ 9510-F (CA-849-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D2DF-BA	23AC	★D2DZ 9510-B (CA-894)	D2DZ 9510-F (CA-849-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D2DF-CA	23AD	★D2DZ 9510-C (CA-895)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D2DF-DA	23AC	★D2DZ 9510-D (CA-896)	D2DZ 9510-F (CA-849-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D2DF-EA	23AE	★D2DZ 9510-E (CA-897)	D2DZ 9510-G (CA-794-B)	D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D2GF-AA	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2GF-AB	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2GF-AC	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2GF-BA	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2GF-BB	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2GF-BC	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2MF-CA	28T	★D2MY 9510-C (CA-925)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2MF-CB	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2MF-DA	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2MF-DB	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2MF-EA	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2MF-EB	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2MF-FA	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2MF-FB	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2MF-FC	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2MF-FE	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2MF-FF	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2OF-JA	28U	★D2OZ 9510-J (CA-920)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2OF-KA	24Y	★D2OZ 9510-K (CA-924)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2OF-KB	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2OF-LA	31M	★D2OZ 9510-L (CA-909)	D2OZ 9510-A (CA-855-B)	D0ZZ 9502-A (CG-306)	D0ZZ 9A586-B (CT-224-A)	NONE
D2OF-MA	31M	★D2OZ 9510-M (CA-910)	D2OZ 9510-A (CA-855-B)	D0ZZ 9502-A (CG-306)	D0ZZ 9A586-B (CT-224-A)	NONE
D2OF-PA	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2OF-RA	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2OF-SA	31N	D2OZ 9510-A (CA-855-B)		D0ZZ 9502-A (CG-306)	D0ZZ 9A586-B (CT-224-A)	NONE

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS - continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
D2OF-UA	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2OF-UB	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2OF-UC	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2OF-VA	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2PF-AA	34B	D2FZ 9510-E (CA-802-C)		D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D2PF-BA	31N	D2OZ 9510-A (CA-855-B)		D0ZZ 9502-A (CG-306)	D0ZZ 9A586-B (CT-224-A)	NONE
D2PF-CA	27L	D2TZ 9510-P (CA-848-B)		D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D2PF-DA	27K	D2TZ 9510-N (CA-847-B)		D0DZ 9502-A (CG-257)	D0DZ 9A586-B (CT-842-A)	NONE
D2PF-EA	23AF	D2DZ 9510-F (CA-849-B)		D0DZ 9502-A (CG-257)	D0DZ 9A586-A (CT-842-A)	NONE
D2PF-FA	23AG	D2DZ 9510-G (CA-794-B)		D0DZ 9502-A (CG-306)	D0DZ 9A586-A (CT-842-A)	NONE
D2PF-GA	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2PF-GB	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2PF-HA	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2PF-HB	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2PF-KA	28X	D2UZ 9510-J (CA-917-A)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2PF-SA	25S	D2AZ 9510-M (CA-788-A)		D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D2PF-TA	29T	★D2AZ 9510-N (CA-885-B)	D4OZ 9510-F (CG-885-D)	D3OZ 9502-A (CG-335-B)	D3OZ 9A586-B (CT-862-B)	NONE
D2PF-UA	34C	D2FZ 9510-J (CA-961-A)		D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D2PF-VA	21AC	★D0AZ 9510-AE (CA-789)	D3AZ 9510-F (CA-789-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D2PF-YA	34C	D2FZ 9510-J (CA-961-A)		D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D2PF-ZA	34B	D2FZ 9510-E (CA-802-C)		D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D2SF-AA	25Q	★D2SZ 9510-A (CA-950)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D2SF-AB	25S	D2AZ 9510-M (CA-788-A)		D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D2SF-AC	25S	D2AZ 9510-M (CA-788-A)		D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D2SF-BA	25R	★D2SZ 9510-B (CA-951)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D2SF-BB	25S	D2AZ 9510-M (CA-788-A)		D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D2VF-AA	25T	★D2VY 9510-A (CA-952)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D2VF-BA	25U	★D2VY 9510-B (CA-953)	D2AZ 9510-M (CA-788-A)	D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D2WF-CA	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2WF-CB	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2ZF-AA	29N	★D2ZZ 9510-A (CA-954)	D4OZ 9510-F (CA-885-D)	D3OZ 9502-A (CG-335-B)	D3OZ 9A586-A (CT-862-B)	NONE
D2ZF-BA	29P	★D2ZZ 9510-B (CA-955)	D4OZ 9510-F (CA-885-D)	D3OZ 9502-A (CG-335-B)	D3OZ 9A586-A (CT-862-B)	NONE

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
D2ZF-BB	29T	★D2AZ 9510-N (CA-885-B)	D4OZ 9510-F (CA-885-D)	D3OZ 9502-A (CG-335-B)	D3OZ 9A586-A (CT-862-B)	NONE
D2ZF-CA	29Q	★D2ZZ 9510-C (CA-956)	D4OZ 9510-F (CA-885-D)	D3OZ 9502-A (CG-335-B)	D3OZ 9A586-A (CT-862-B)	NONE
D2ZF-DA	29R	★D2ZZ 9510-D (CA-957)	D4OZ 9510-F (CA-885-D)	D3OZ 9502-A (CG-335-B)	D3OZ 9A586-A (CT-862-B)	NONE
D2ZF-EA	28V	★D2ZZ 9510-E (CA-923)	D2AZ 9510-C (CA-785-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2ZF-FA	24Z	★D2ZZ 9510-F (CA-945)	D2AZ 9510-D (CA-783-B)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2ZF-FB	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2ZF-GA	29S	★D2ZZ 9510-G (CA-958)	D4OZ 9510-F (CA-885-D)	D3OZ 9502-A (CG-335-B)	D3OZ 9A586-A (CT-862-B)	NONE
D2ZF-KA	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2ZF-LA	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2ZF-LB	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2ZF-LC	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2ZF-MA	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D2ZF-MB	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D22F-AA	34A	★D1FZ 9510-F (CA-802-B)	D2FZ 9510-E (CA-802-C)	D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D22F-AB	34B	D2FZ 9510-E (CA-802-C)		D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D22F-AC	34B	D2FZ 9510-E (CA-802-C)		D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D22F-BA	34A	★D1FZ 9510-F (CA-802-B)	D2FZ 9510-E (CA-802-C)	D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D22F-BB	34B	D2FZ 9510-E (CA-802-C)		D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D22F-BC	34B	D2FZ 9510-E (CA-802-C)		D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D22F-CA	34A	★D1FZ 9510-F (CA-802-B)	D2FZ 9510-E (CA-802-C)	D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D22F-CB	34B	D2FZ 9510-E (CA-802-C)		D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D22F-DA	34A	★D1FZ 9510-F (CA-802-B)	D2FZ 9510-E (CA-802-C)	D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D22F-DB	34B	D2FZ 9510-E (CA-802-C)		D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D22F-EA	34B	★D2FZ 9510-H (CA-962)	D2FZ 9510-J (CA-961-A)	D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	
D22F-EB	34B	★D2FZ 9510-H (CA-962)	D2FZ 9510-J (CA-961-A)	D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D22F-GA	34B	★D2FZ 9510-G (CA-961)	D2FZ 9510-J (CA-961-A)	D1FZ 9502-A (CG-324)	D1FZ 9A586-D (CT-858-A)	NONE
D3PE-CA	21AD	D3AZ 9510-F (CA-784-A)		D3AZ 9502-A (CG-221-B)	D3AZ 9A586-A (CT-226-B)	NONE
D3PF-DA	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D4PE-AA	29U	D4OZ 9510-F (CA-885-D)		D3OZ 9502-A (CG-335-B)	D3OZ 9A586-A (CT-862-B)	NONE
D4PE-EA	28W	★D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D4PE-EA	28W	D2AZ 9510-P (CA-783-C)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D4PE-EB	28W	D2AZ 9510-P (CA-783-C)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

CARBURETOR TAG OR STAMPING IDENTIFICATION GUIDE TO SERVICE CARBURETOR and PARTS LIST NUMBERS-continued

IDENTIFICATION	PARTS LIST 95	PART NUMBER	REPLACED BY	GASKET SET	TUNE-UP KIT	REPAIR KIT
D4PE-EC	28W	D2AZ 9510-P (CA-783-C)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D4PE-FA	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D2AZ 9A586-A (CT-499-C)	NONE
D4PE-FB	28Y	D2AZ 9510-C (CA-785-B)		D2AZ 9502-A (CG-264-B)	D4AZ 9A586-A (CT-499-D)	NONE
D5PE-FB	25S	D2PZ 9510-F (CA-1332)		D3AZ 9502-A (CG-221-B)	D2AZ 9A586-D (CT-226-A)	NONE
D5PE-GB	29U	D4OZ 9510-F (CA-885-D)		D3OZ 9502-A (CG-335-B)	D3OZ 9A586-A (CT-862-A)	NONE
711W-BDA	33A	★D1FZ 9510-C (CA-801)	D2FZ 9510-F (CA-960)	D1FZ 9502-B (CG-332)	D1FZ 9A586-B (CT-227-A)	NONE
711W-BDB	33A	★D1FZ 9510-C (CA-801)	D2FZ 9510-F (CA-960)	D1FZ 9502-B (CG-332)	D1FZ 9A586-C (CT-227-A)	NONE
721F-KFA	33B	D2FZ 9510-F (CA-960)		D1FZ 9502-B (CG-332)	D1FZ 9A586-C (CT-227-A)	NONE
721F-KFB	33B	D2FZ 9510-F (CA-960)		D1FZ 9502-B (CG-332)	D1FZ 9A586-C (CT-227-A)	NONE

9510 CARBURETOR APPLICATION CHART - Refer to page 1 of this section for carburetor identification information

4 CYLINDER ENGINES

ENGINE C.I.D.	1971	1972
98	L	L
122	L	L

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
4 CYLINDER 98 ENGINE										
71	L	4	98	F-1	711W-BDA, BDB	18		D1FZ 9510-C (CA-801)	D2FZ 9510-F (CA-960)	33A
71	L-off highway units with Kent High Performance engine with 4/B carb.	4	98	⁂				D12X 9510-BB	Not repl.	▲
72	L	4	98	F-1	721F-KFA, KFB	18	13	D2FZ 9510-F (CA-960)		33B
4 CYLINDER 122 ENGINE										
71	L(with C4)	4	122	H-2	D12F-AA	17	13	D1FZ 9510-A (CA-803)	D2FZ 9510-E (CA-802-C)	34A
71	L(with C4 & M/T)-less A/C	4	122	H-2	D12F-BA, DA, EA	17	13	D1FZ 9510-B (CA-802)	D2FZ 9510-E (CA-802-C)	34A
71	L(with C4)-w/A/C	4	122	H-2	D12F-CA, FA	17	13	D1FZ 9510-D (CA-884)	D2FZ 9510-E (CA-802-C)	34A
71	L	4	122	H-2	D1PF-JA, KA, D12F-GA D22F-AA, BA, CA, DA	17	44	D1FZ 9510-F (CA-802-B)	D2FZ 9510-E (CA-802-C)	34A
71	L	4	122	H-2	D22F-AB, AC, BB, BC, CB, DB, D2PF-AA, ZA	17	44	D2FZ 9510-E (CA-802-C)		34B
71	L-off highway units with OHC High Performance engine with 4/B carb.	4	122	⁂				D12X 9510-BB		▲
72	L(w/A/T)-w/A/C, Calif. only, w/Nox emission	4	122	H-2	D22F-GA	17		D2FZ 9510-G (CA-961)	D2FZ 9510-J (CA-961-A)	34B
72	L(w/A/T)-w/o A/C, Calif. only, w/Nox emission	4	122	H-2	D22F-EA, EB	17		D2FZ 9510-H (CA-962)	D2FZ 9510-J (CA-961-A)	34B
72	L-Calif. only	4	122	H-2	D2PF-UA, YA	17	57	D2FZ 9510-J (CA-961-A)		34C

NOTE 13 - Service pkg. includes mounting gasket

NOTE 44 -Service pkg. includes (1) D1PF 9A377-AA tube, (1) D1PF 9569-BA gasket insulator, (1) 357940-S ferrule, (1) 357980-S nut, (1) 380882-S32 clamp

NOTE 57 -Service pkg. includes (1) D1PF 9A337-AA tube, (1) D1PF 9569-BA gasket

▲ Parts List not available

⁂ Dellorto 4/B carburetor

9510 CARBURETOR APPLICATION CHART - continued -Refer to page 1 of this section for carburetor identification information

6 CYLINDER ENGINES

ENGINE C.I.D.	1965	1966	1967	1968	1969	1970	1971	1972
170	F, X	X, U	X, U	X, U	X, U	P, U	P, U	P, U
200	B, F, X	B, F, X	B, F, X	B, F, X	F, X	F, P, X	P	P
240	A	A	A	A	A	A	A	A
250					B, F	B, F, P	B, F, P	B, F, P

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
	6 CYLINDER 170 ENGINE									
65/67	F, X	6	170	F-1	C6PF-J, C8OF-F	1	4, 21	C5OZ 9510-H (CA-308)	D0PZ 9510-A (CA-308-A)	3P
65/67 ♦68	B, F, X	6	170	H-1	D0PF-K	14	37	D0PZ 9510-A (CA-308-A)		32C
65	F (with M/T)	6	170	F-1	C4ZF-J, L	1	1A, 4	C5ZZ 9510-E	D0PZ 9510-A (CA-308-A)	3A
65	F (with C4)	6	170	F-1	C4ZF-K, M	1	1A, 4	C5ZZ 9510-F	D0PZ 9510-A (CA-308-A)	3B
65	X (with M/T)	6	170	F-1	C5DF-E	1	1A, 4	C5DZ 9510-A	D0PZ 9510-A (CA-308-A)	3C
65	X (with M/T)	6	170	F-1	C5DF-G	1	1A, 13	C5DZ 9510-D	D0PZ 9510-A (CA-308-A)	3F
65	X (with C4)	6	170	F-1	C5DF-F	1	1A, 4	C5DZ 9510-B	D0PZ 9510-A (CA-308-A)	3D
65/67 65	X(except T/E) F	6 6	170 170	F-1	C5DF-H, K, L, M, C6DF-R, S	1	1A, 13	C5DZ 9510-C	D0PZ 9510-A (CA-308-A)	3E
66	U(with M/T & T/E)	6	170	F-1	C6TF-G	1	1A, 4	C6TZ 9510-F	D0PZ 9510-C (CA-600-TA)	3K
66	X(with M/T & T/E)	6	170	F-1	C6DF-C	1	1A, 4	C6DZ 9510-A	D0PZ 9510-G (CA-746-A)	3G
66	X(with C4 & T/E)	6	170	F-1	C6DF-D	1	1A, 4	C6DZ 9510-B	D0PZ 9510-G (CA-746-A)	3H
66/67	U(with M/T & except T/E)	6	170	F-1	C6TF-F, C8TF-H	1	1A, 4	C6TZ 9510-G (CA-374)	D0PZ 9510-D (CA-374-A)	3J
66/67	U(with M/T & except T/E)	6	170	H-1	D0PF-R	16	38	D0PZ 9510-D (CA-374-A)		32D
66/67	U(with M/T & T/E)	6	170	F-1	C7TF-K, C8PF-K	1	1A, 4	C6TZ 9510-T (CA-600-T)	D0PZ 9510-C (CA-600-TA)	3N
66/67	X(with C4 & T/E)	6	170	F-1	C7DF-K	1	1A, 4	C6OZ 9510-M	D0PZ 9510-G (CA-746-A)	3M
66/67	X(with M/T & T/E)	6	170	F-1	C7DF-J	1	1A, 4	C6DZ 9510-E	D0PZ 9510-G (CA-746-A)	3L
66/67	X(with M/T, C4 & T/E)	6	170	F-1	C8PF-L	1	1A, 4	C6DZ 9510-F (CA-614)	D0PZ 9510-G (CA-746-A)	3Q
66/67	U(with T/E)	6	170	H-1	D0PF-S	16		D0PZ 9510-C (CA-600-TA)		32G

NOTE 1A - Stamping identification is located on main body

♦ Canada only

NOTE 4 -Service pkg. includes (1) C3DZ 9447-A gasket

NOTE 13 -Service pkg. includes mounting gasket

NOTE 21 -Use C2DZ 9G545-A adaptor kit (carburetor) when using C3OZ 9510-T or C5OZ 9510-H to replace C2DZ 9510-B or C2GY 9510-B carburetors

NOTE 37 -Service pkg. includes (1) C3DZ 9447-A gasket, (1) D0TZ 9B663-A adaptor, (1) D0PF 9820-B tube, (1) D0AF 9865-A

NOTE 38 -Service pkg. includes (1) C3DZ 9447-A gasket (1) 380882-S32 clamp

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

9510 CARBURETOR APPLICATION CHART - continued - Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					6 CYLINDER 170 ENGINE - continued					
67	U(with M/T & T/E)	6	170	F-1	C7TF-K	1	4	C7TZ 9510-H	D0PZ 9510-C (CA-600-TA)	3N
67	X(with M/T & T/E)	6	170	F-1	C7DF-J	1	4	C7DZ 9510-J (CA-473-T)	D0PZ 9510-G (CA-746-A)	3L
67	X(with C4 & T/E)	6	170	F-1	C7DF-K	1	4	C7DZ 9510-K	D0PZ 9510-G (CA-746-A)	3M
67	X(with C4 & Imco)	6	170	C-1	C7DF-T	8		C7DZ 9510-T (CA-531-T)		23A
68	U(with M/T & T/E)	6	170	C-1	C8TF-A	10	13	C8TZ 9510-A (CA-584)	C8TZ 9510-BE (CA-663)	23C
68	♦ U(open emission)	6	170	F-1	C6TF-F,C8TF-H	1		C6TZ 9510-G (CA-374)		3J
68	♦ U(open emission)	6	170	H-1	D0PF-R	16		D0PZ 9510-D (CA-374-A)		32D
68/69 66/67	♦ X X	6	170	H-1	D0PF-L	14		D0PZ 9510-G (CA-746-A)		32B
68 69	☆ X X	6	170	C-1	C8DF-A	10		C8DZ 9510-A (CA-580)		23B
68	☆ X(with C4 & Imco)	6	170	C-1	C8DF-B	10	13	C8DZ 9510-B (CA-581)	C8DZ 9510-A (CA-581)	23B
68	♦ X	6	170	F-1	C8DF-C,D	1		C5OZ 9510-H (CA-308)	D0PZ 9510-A (CA-308-A)	3R
68	♦ X	6	170	F-1	C6PF-J	1		C5OZ 9510-H (CA-308)	D0PZ 9510-A (CA-308-A)	3P
68	♦ X(open emission)	6	170	H-1	D0PF-K	14		D0PZ 9510-A (CA-308-A)		32C
68 66/67	♦ X X	6	170	F-1	C9DF-B	1		C9DZ 9510-C (CA-642)	D0PZ 9510-G (CA-746-A)	5L
68/69	U	6	170	C-1	C8TF-BE	11	13	C8TZ 9510-BE (CA-663)		23E
69	X(with M/T & Imco)	6	170	C-1	C8DF-H	11	13	C8DZ 9510-H (CA-666)	C8DZ 9510-A (CA-580)	23D
69	X(with C4 & Imco)	6	170	C-1	C8DF-G	11	13	C8DZ 9510-G (CA-667)	C8DZ 9510-A (CA-580)	23F
70	P	6	170	C-1	D0PF-AD	10	43	D0DZ 9510-J (CA-794)	D2DZ 9510-G (CA-794-B)	23Y
70	P(with M/T & Imco)-less A/C(C.F.M.150)	6	170	C-1	D0DF-A,R	10	13	D0DZ 9510-A (CA-683)	D2DZ 9510-G (CA-794-B)	23G
70	P(with C4 & Imco)-less A/C(C.F.M.150)	6	170	C-1	D0DF-B,N	10	13	D0DZ 9510-B (CA-684)	D2DZ 9510-G (CA-794-B)	23H
70	P(with M/T & Imco)-with A/C(C.F.M.150)	6	170	C-1	D0DF-E,U	10	13	D0DZ 9510-E (CA-704)	D2DZ 9510-G (CA-794-B)	23L
70	P(with C4 & Imco)-with A/C(C.F.M.150)	6	170	C-1	D0DF-F,S	10	13	D0DZ 9510-F (CA-705)	D2DZ 9510-G (CA-794-B)	23M
70	U(with M/T & Imco) (C.F.M.150)	6	170	C-1	D0BF-A	10		D0BZ 9510-A (CA-759)	D2BZ 9510-E (CA-875-A)	23Q
71	P(with M/T)	6	170	C-1	D1DF-EA	19	13	D1DZ 9510-E (CA-883)	D2BZ 9510-E (CA-875-A)	23X
71	P(w/o A/C)	6	170	C-1	D1PF-GA	19	43	D1DZ 9510-B (CA-849-A)		23Z

NOTE 4 -Service pkg. includes (1) C3DZ 9447-A gasket ☆ U.S. only ♦ Canada only

NOTE 13 -Service pkg. includes mounting gasket

NOTE 43 -Service pkg. includes (1) C8AZ 9447-A gasket, (1) C7AZ 9J500-B limiter

9510 CARBURETOR APPLICATION CHART - continued -Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					6 CYLINDER 170 ENGINE - continued					
72	P	6	170	C-1	D2DF-AA	19	50	D2DZ 9510-A (CA-893)	D2DZ 9510-F (CA-849-B)	23AB
72	P	6	170	C-1	D2PF-EA	19	43	D2DZ 9510-F (CA-849-B)		23AF
71	U(with M/T)	6	170	C-1	D1BF-CA	19	13	D1BZ 9510-C (CA-875)	D2BZ 9510-E (CA-875-A)	23X
72	U(with M/T)	6	170	C-1	D2BF-DA	19	50	D2BZ 9510-D (CA-892)	D2BZ 9510-E (CA-875-A)	23AA
72	U	6	170	C-1	D2BF-DA	19		D2BZ 9510-E (CA-875-A)		23AA
					6 CYLINDER 200 ENGINE					
65/67	B, F, X	6	200	F-1	C6PF-J, C8OF-F	1	4, 21	C5OZ 9510-H (CA-308)	D0PZ 9510-A (CA-308-A)	3P
65/67	B, F, X	6	200	H-1	D0PF-K	14	37	D0PZ 9510-A (CA-308-A)		32C
65	B, F, X (with M/T)	6	200	F-1	C5OF-E	1	1A, 4	C5OZ 9510-A	D0PZ 9510-A (CA-308-A)	5A
65	B, F, X (with C/4)	6	200	F-1	C5OF-F	1	1A, 4	C5OZ 9510-B	D0PZ 9510-A (CA-308-A)	5B
65	B, F, X (except Taxi) (with M/T)	6	200	F-1	C5OF-N	1	1A, 13	C5OZ 9510-E	D0PZ 9510-A (CA-308-A)	5F
65	B (Taxi) (with M/T)	6	200	F-1	C5OF-H	1	1A, 4	C5OZ 9510-G	D0PZ 9510-A (CA-308-A)	5C
65/67	B, F, X (except T/E)	6	200	F-1	C5OF-R, Z, Y, C6OF-AC, AD	1	1A, 13	C5OZ 9510-C	D0PZ 9510-A (CA-308-A)	5D
65/67	B (Taxi) (except T/E)	6	200	F-1	C5OF-S, AC, C6OF-AB	1	1A, 13	C5OZ 9510-D	D0PZ 9510-A (CA-308-A)	5E
66	B, F, X(with M/T & T/E)	6	200	F-1	C6DF-C	1	1A, 4	C6DZ 9510-A	D0PZ 9510-G (CA-746-A)	3G
66	B, F, X(with C4 & T/E)	6	200	F-1	C6OF-G	1	1A, 4	C6OZ 9510-D	D0PZ 9510-G (CA-746-A)	5G
66/67	B, F, X(with M/T & T/E)	6	200	F-1	C7DF-J	1	1A, 4	C6DZ 9510-E	D0PZ 9510-G (CA-746-A)	3L
66/67	B, F, X(with C4 & T/E)	6	200	F-1	C7DF-K	1	1A, 4	C6OZ 9510-M	D0PZ 9510-G (CA-746-A)	3M
66/69	B, F, X(with M/T, C4 & M/T)	6	200	F-1	C8PF-L	1	1A, 4	C6DZ 9510-F (CA-614)	D0PZ 9510-G (CA-746-A)	3Q
67	B, F, X(with M/T & T/E)	6	200	F-1	C7OF-N	1	4	C7OZ 9510-J (CA-479-T)	D0PZ 9510-G (CA-746-A)	5H
67	B, F, X(with C4 & T/E)	6	200	F-1	C7OF-R	1	4	C7OZ 9510-K (CA-480-T)	D0PZ 9510-G (CA-746-A)	5J
67	B, F, X (with C4 & Imco)	6	200	C-1	C7DF-T	8	13	C7DZ 9510-T (CA-531-T)		23A
68	*B, F, X(with M/T & T/E)	6	200	F-1	C8OF-A	1	1A, 4	C8OZ 9510-A (CA-568)	D0PZ 9510-G (CA-746-A)	5K

NOTE 1A -Stamping identification is located on main body
NOTE 4 -Service package includes (1) C3DZ 9447-A gasket
NOTE 13 -Service pkg. includes mounting gasket
NOTE 21 -Use C2DZ 9G545-A adaptor kit (carburetor) when using C3OZ 9510-T or C5OZ 9510-H to replace C2DZ 9510-B or C2GY 9510-B carburetors
NOTE 37 - Service pkg. includes (1) C3DZ 9447-A gasket, (1) D0TZ 9B663-A adaptor, (1) D0PF 9820-B tube, (1) D0AF 9865-A insulator, (1) 357940-S ferrule, (1) 357980-S nut, (1) 380882-S32 clamp
NOTE 43 -Service pkg. includes (1) C8AZ 9447-A gasket, (1) C7AZ 9J500-B limiter
NOTE 50 -Service pkg. includes (1) C8AZ 9447-A gasket

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

9510 CARBURETOR APPLICATION CHART - continued -Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					6 CYLINDER 200 ENGINE - continued					
68 69	☆ B, F, X(with C4 & Imco) F, X(with C4 & Imco)	6 6	200 200	F-1 F-1	C8OF-B	1	1A, 4	C8OZ 9510-B (CA-569)	D0PZ 9510-G (CA-746-A)	5K
68	♦ B, F, X(open emission)	6	200	F-1	C6PF-J, C8OF-E, F	1		C5OZ 9510-H (CA-308)	D0PZ 9510-A (CA-308-A)	3P
68	♦ B, F, X(open emission)	6	200	H-1	D0PF-K	14		D0PZ 9510-A (CA-308-A)		32C
69	F, X(with M/T & Imco)	6	200	F-1	C9DF-B	1	13	C9DZ 9510-B (CA-642)	D0PZ 9510-G (CA-746-A)	5L
66/69	B, F, X	6	200	F-1	C9DF-B	1	29	C9DZ 9510-C (CA-746)	D0PZ 9510-G (CA-746-A)	5L
66/69	B, F, X	6	200	H-1	D0PF-L	14	35	D0PZ 9510-G (CA-746-A)		32B
70	F, P, X(with M/T & Imco)-less A/C(C.F.M.187)	6	200	C-1	D0DF-C, M	10	13	D0DZ 9510-C (CA-685)	D2DZ 9510-G (CA-794-B)	23J
70	F, P, X(with C4 & Imco)-less A/C(C.F.M.187)	6	200	C-1	D0DF-D, L	10	13	D0DZ 9510-D (CA-686)	D2DZ 9510-G (CA-794-B)	23K
70	F, P, X(with M/T & Imco)-with A/C(C.F.M.187)	6	200	C-1	D0DF-G, T	10	13	D0DZ 9510-G (CA-706)	D2DZ 9510-G (CA-794-B)	23N
70	F, P, X(with C4 & Imco)-with A/C(C.F.M.187)	6	200	C-1	D0DF-H, V	10	13	D0DZ 9510-H (CA-707)	D2DZ 9510-G (CA-794-B)	23P
70	F, P, X	6	200	C-1	D0PF-AD	10	43	D0DZ 9510-J (CA-794)	D2DZ 9510-G (CA-794-B)	23Y
71	P(with M/T)-w/o A/C	6	200	C-1	D1DF-GA	19	13	D1DZ 9510-G (CA-849)	D1DZ 9510-B (CA-849-A)	23R
71	P(with M/T)-w/A/C	6	200	C-1	D1DF-HA	19	13	D1DZ 9510-H (CA-853)	D2DZ 9510-G (CA-794-B)	23S
71	P(with C4)(w/o A/C)(exc.Calif.)	6	200	C-1	D1DF-JA, JB	19	13	D1DZ 9510-J (CA-850)	D2DZ 9510-G (CA-794-B)	23T
71	P(with C4)-w/A/C(exc.Calif.)	6	200	C-1	D1DF-KA, KB	19	13	D1DZ 9510-K (CA-851)	D2DZ 9510-G (CA-794-B)	23U
71	P(with C4)(w/o A/C)(Calif.only)	6	200	C-1	D1DF-LA	19	13	D1DZ 9510-L (CA-852)	D2DZ 9510-G (CA-794-B)	23V
71	P(with C4)-w/A/C(Calif.only)	6	200	C-1	D1DF-MA	19	13	D1DZ 9510-M (CA-854)	D2DZ 9510-G (CA-794-B)	23W
71	P " Before 3/1/71"	6	200	C-1	D1PF-DA	19	43	D1DZ 9510-A (CA-794-A)	D2DZ 9510-G (CA-794-B)	23X
71	P " From 3/1/71"	6	200	C-1	D1PF-GA	19	43	D1DZ 9510-B (CA-849-A)		23Z
72	P(with M/T)-w/o A/C	6	200	C-1	D2DF-BA	19	50	D2DZ 9510-B (CA-894)	D2DZ 9510-F (CA-849-B)	23AC
72	P(with M/T)-w/A/C	6	200	C-1	D2DF-CA	19	50	D2DZ 9510-C (CA-895)	D2DZ 9510-G (CA-794-B)	23AD
72	P(with A/T)-w/o A/C	6	200	C-1	D2DF-DA	19	50	D2DZ 9510-D (CA-896)	D2DZ 9510-F (CA-849-B)	23AC
72	P(with A/T)	6	200	C-1	D2DF-EA	19	50	D2DZ 9510-E (CA-897)	D2DZ 9510-G (CA-794-B)	23AE

NOTE 1A -Stamping identification is located on main body ☆ U.S. only ♦ Canada only

NOTE 4 -Service package includes (1) C3DZ 9447-A gasket

NOTE 13 -Service pkg. includes mounting gasket

NOTE 29 -Service pkg. includes (1) mounting gasket and (2) 376545-S3 clamps

NOTE 35 -Service pkg. includes (1) C3DZ 9447-A gasket, (1) D0PZ 9J500-A limiter, (1) D0TZ 9B663-A adapter, (1) D0PF 9820-B tube, (1) D0AF 9865-A insulator, (1) 357940-S ferrule, (1) 357980-S nut

NOTE 43 -Service pkg. includes (1) C8AZ 9447-A gasket, (1) C7AZ 9J500-B limiter

NOTE 50 - Service pkg. includes (1) C8AZ 9447-A gasket

9510 CARBURETOR APPLICATION CHART - continued -Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					6 CYLINDER 200 ENGINE - continued					
72	P-w/o A/C	6	200	C-1	D2PF-EA	19	43	D2DZ9510-F (CA-849-B)		23AF
72	P-w/A/C	6	200	C-1	D2PF-FA	19	43	D2DZ9510-G (CA-794-B)		23AG
					6 CYLINDER 240 ENGINE					
65	A (except Taxi & PC (with M/T)	6	240	F-1	C5AF-T	2	1A, 13	C5AZ 9510-C	D0PZ9510-S (CA-368-A)	8A
65	A (except Taxi & PC (with C4)	6	240	F-1	C5AF-U	2	1A	C5AZ 9510-D	D0PZ9510-S (CA-368-A)	8B
65	A (Taxi)(with Economy carb. & M/T)	6	240	F-1, S/E	C5AF-V	2	1A, 13	C5AZ 9510-G	D0PZ9510-N (CA-613-A)	8C
65	A (Taxi)(with Economy carb. & C4)	6	240	F-1 S/E	C5AF-Y	2	1A	C5AZ 9510-H	D0PZ9510-N (CA-613-A)	8D
65	A (Taxi & PC (except with Econ. carb.) (with M/T)	6	240	F-1	C5AF-AF	2	1A, 13	C5AZ 9510-N	D0PZ9510-S (CA-368-A)	8E
65	A (Taxi & PC (except with Econ. carb.) (with C4)	6	240	F-1	C5AF-AG	2	1A, 13	C5AZ 9510-R	D0PZ9510-S (CA-368-A)	8F
65	A (Taxi & PC (with Econ. carb. & C4)	6	240	F-1, S/E	C5AF-BN	2	1A	C5AZ9510-Z	D0PZ9510-N (CA-613-A)	8G
65/67	A, Taxi & PC (except with Econ. carb.) (except T/E)	6	240	F-1	C6AF-S, R	2	1A, 6	C6AZ9510-L	D0PZ9510-S (CA-368-A)	8K
65/67	A(Taxi)(with Econ. carb.)(except T/E)	6	240	F-1	C6AF-BM, C6PF-E, C8AF-J	2	9	C6AZ 9510-AR (CA-367)	D0PZ9510-N (CA-613-A)	8Q
65/67	A, Taxi, PC (except Econ. carb.) (except T/E)	6	240	F-1	C6AF-BL, C6PF-G, C8AF-G	2	6	C6AZ9510-AS (CA-368)	D0PZ9510-S (CA-368-A)	8P
65/67	A(Taxi)(with Econ. carb.) (except T/E)	6	240	F-1, S/E	C6AF-N	2	1A, 6	C6AZ 9510-AG	D0PZ9510-N (CA-613-A)	8J
65/67	A, PC, Taxi (exc. T/E)	6	240	H-1	D0PF-A	14	40	D0PZ9510-S (CA-368-A)		32E
65/68	A, PC, Taxi	6	240	F-1	C8PF-G	2	13	C6AZ 9510-AY (CA-613)	D0PZ9510-N (CA-613-A)	8W
65/69	A, PC, Taxi	6	240	H-1	D0PF-C	14	39	D0PZ9510-N (CA-613-A)		32F
66	A, Taxi & PC (except Econ. carb.)(with M/T & T/E)	6	240	F-1	C6AF-V	2	1A	C6AZ 9510-S (CA-386-T)	C6AZ 9510-AV (CA-596-T)	8L
66	A, Taxi & PC (except with Econ. carb.) (with C4 & except T/E)	6	240	F-1	C6AF-BL	2	1A	C6AZ 9510-AM	D0PZ9510-S (CA-368-A)	8P

NOTE 1A -Stamping identification is located on main body
NOTE 6 -Service pkg. includes (1) 87972-S fitting
NOTE 9 -Service pkg. includes (1) C6AZ 9B549-B dashpot, (1) C6AZ 9B550-A bracket, (2) 43395-S8 screw, (1) 87972-S or 87964-S8 connector
NOTE 13 -Service pkg. includes mounting gasket
NOTE 39 -Service pkg. includes (1) D0PZ 9447-A gasket, (1) D0PZ 9J500-A limiter, (1) D0PF 9820-A tube, (1) B8AE 9865-A insulator, (1) 357940-S ferrule, (1) 357980-S nut, (1) 380882-S32 clamp
NOTE 40 -Service pkg. includes (1) D0PZ 9447-A gasket, (1) D0PF 9820-A tube, (1) B8AE 9865-A insulator, (1) 357940-S ferrule, (1) 357980-S nut, (1) 380882-S32 clamp
NOTE 43 -Service pkg includes (1) C8AZ 9447-A gasket, (1) C7AZ 9J500-B limiter

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

9510 CARBURETOR APPLICATION CHART - continued - Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					6 CYLINDER 240 ENGINE - continued					
66	A, Taxi & PC (except Econ. carb.) (with C4 & T/E)	6	240	F-1	C6AF-Y	2	1A	C6AZ 9510-R	D0PZ 9510-N (CA-613-A)	8M
66	A(Taxi)(with Econ. carb. & M/T)(except T/E)	6	240	F-1,S/E	C6AF-M	2	1A	C6AZ 9510-M	D0PZ 9510-N (CA-613-A)	8H
66	A(Taxi)(with Econ. carb. carb. & C4)(except T/E)	6	240	F-1,S/E	C6AF-BM	2	1A	C6AZ 9510-AN	D0PZ 9510-N (CA-613-A)	8Q
66	A(Taxi)(with Econ. carb.)	6	240	F-1,S/E	C6AF-N	2	1A	C6AZ 9510-N	D0PZ 9510-N (CA-613-A)	8J
22										
66/67	A(Taxi) (with Econ. carb. & M/T)(except T/E)	6	240	F-1, S/E	C6AF-AK	2	1A	C6AZ 9510-AK	D0PZ 9510-N (CA-613-A)	8N
66/67	A Taxi & PC (except Econ. carb.) (with M/T & T/E)	6	240	F-1	C7AF-AA, C8PF-F	2	1A, 13	C6AZ 9510-AV (CA-596-T)		8R
66/67	A, Taxi & PC (except Econ. carb.) (C4 & T/E)	6	240	F-1	C7AF-AB	2	1A, 13	C6AZ 9510-AU	D0PZ 9510-N (CA-613-A)	8S
67	A, Taxi & PC (except Econ. carb.) (with C4 & T/E)	6	240	F-1	C7AF-AB	2		C7AZ 9510-AB	D0PZ 9510-N (CA-613-A)	8S
67	A, Taxi & PC (except Econ. carb.) (with M/T & T/E)	6	240	F-1	C7AF-AA	2	1A	C7AZ 9510-AA	C6AZ 9510-AV (CA-596-T)	8R
68	A, PC, Taxi (with M/T & T/E)	6	240	C-1	C8AF-V	10	13	C8AZ 9510-V (CA-588)	D2TZ 9510-N (CA-847-B)	27A
68	♦ A(except Taxi)-open emission	6	240	F-1	C6AF-BL, C6PF-G, C8AF-F, G	2	1A	C6AZ 9510-AS (CA-368)	D0PZ 9510-S (CA-368-A)	8P
68	♦ A(Taxi)-open emission	6	240	F-1	C6AF-BM, C6PF-E, C8AF-H, J	2	9	C6AZ 9510-AR (CA-367)	D0PZ 9510-N (CA-613-A)	8Q
68	♦ A(open emission)	6	240	H-1	D0PF-A	14	40	D0PZ 9510-S (CA-368-A)		32E
68/69	A, PC, Taxi(with C4, C/M & Imco)	6	240	F-1	C8AF-E	2	1A	C8AZ 9510-E (CA-567)	D0PZ 9510-N (CA-613-A)	8T
68/69	A, PC, Taxi(with M/T & Imco)	6	240	C-1	C8AF-BF	10	13	C8AZ 9510-BF (CA-640)	D2TZ 9510-N (CA-847-B)	27B
68/69	A, PC, Taxi(with M/T, T/E, or Imco)	6	240	C-1	C8AF-V	10	25	C8AZ9510-AA (CA-692)	D2TZ 9510-N (CA-847-B)	27A
70	A, P/C, Taxi(with M/T, C4 & C/M)	6	240	C-1	D0PF-AC	10	41	D0TZ 9510-U (CA-795)		27G
70	A, P/C, Taxi(with M/T & Imco)(C.F.M.187)	6	240	C-1	D0AF-A	10	13	D0AZ 9510-A (CA-757)	D2TZ 9510-N (CA-847-B)	27C
70	A, P/C, taxi(with C4, C/M & Imco)(C.F.M.187)	6	240	C-1	D0AF-B	10	13	D0AZ 9510-B (CA-758)	D2TZ 9510-N (CA-847-B)	27D
68/70	A, P/C, Taxi(with M/T)	6	240	C-1	D2PF-DA	19	13, 58	D2TZ 9510-N (CA-847-B)		27K

NOTE 1A -Stamping identification is located on main body

♦ Canada only

NOTE 9 -Service pkg. includes (1) C6AZ 9B549-B dashpot, (1) C6AZ 9B550-A bracket, (2) 43395-S8 screw, (1) 87972-S or 87964-S8 connector

NOTE 13 -Service pkg. includes mounting gasket.

NOTE 25 -Service pkg. includes (1) C8AZ 9447-C spacer and (1) 380613-S cap

NOTE 40 -Service pkg. includes (1) D0PZ 9447-A gasket, (1) D0PF 9820-A tube, (1) B8AE 9865-A insulator, (1) 357940-S ferrule, (1) 357980-S nut, (1) 380882-S32 clamp

NOTE 41 -Service pkg. includes (1) C8AZ 9447-C gasket, (1) C7AZ 9J500-B limiter, (1) 380614-S cap

NOTE 58 -Service pkg. includes (1) C7AZ 9J500-B limiter, (1) 380614-S cap 1/4" tube

9510 CARBURETOR APPLICATION CHART - continued -Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					6 CYLINDER 240 ENGINE - continued					
71	A,P/C,Taxi(with M/T)	6	240	C-1	D1AF-PA	19	13	D1AZ 9510-P (CA-847)	D1TZ 9510-B (CA-847-A)	27E
71	A,P/C,Taxi (with C4 & C/M)	6	240	C-1	D1AF-RA	19	13	D1AZ 9510-R (CA-848)	D1TZ 9510-B (CA-847-A)	27F
71	A,P/C,Taxi	6	240	C-1	D1AF-PA,D1PF-EA	19	41	D1TZ 9510-B (CA-847-A)		27E
71	A(w/o A/C)	6	240	C-1	D1PF-HA	19	41	D1TZ 9510-U (CA-848-A)		27H
72	A(w/A/T)	6	240	C-1	D2AF-JA	19	48	D2AZ 9510-J (CA-891)	D2TZ 9510-P (CA-848-B)	27J
72	A	6	240	C-1	D2PF-CA	19	59	D2TZ 9510-P (CA-848-B)		27L
					6 CYLINDER 250 ENGINE					
69	B, F(with C4 & Imco)-less A/C	6	250	F-1	C9OF-A	9	13	C9OZ 9510-A (CA-607)	D0PZ 9510-T (CA-694-A)	8U
69	B, F(with M/T & Imco)-less A/C	6	250	F-1	C9OF-B	9	13	C9OZ 9510-B (CA-608)		8V
69	B, F(with M/T & Imco)-with A/C	6	250	F-1	C9OF-J	9	13	C9OZ 9510-J (CA-676)	D0PZ 9510-T (CA-694-A)	8X
69	B, F(with C4 & Imco)-with A/C	6	250	F-1	C9OF-K	9	13	C9OZ 9510-K (CA-677)	D0PZ 9510-T (CA-694-A)	8Y
69	F(economy)(w/C4, M/T & Imco)	6	250	F-1	C9OF-M	9	13	C9OZ 9510-M	D0PZ 9510-T (CA-694-A)	8Z
69	B, F(with C4, M/T & Imco)	6	250	F-1	C9OF-B	9	13	C9OZ 9510-L (CA-694)	D0PZ 9510-T (CA-694-A)	8V
69	B, F	6	250	H-1	D0PF-D	14	32	D0PZ 9510-T (CA-694-A)		32A
70	B, F, P	6	250	C-1	D0PF-AB	12	42	D0ZZ 9510-AA (CA-797)		31L
70	B, F(with M/T, Imco) (C.F.M.215)	6	250	C-1	D0ZF-C	12	13	D0ZZ 9510-C (CA-777)	D0ZZ 9510-AA (CA-797)	31A
70	B, F(with C4, Imco & A/C) (C.F.M.215)	6	250	C-1	D0ZF-D	12	13	D0ZZ 9510-D (CA-778)	D0ZZ 9510-AA (CA-797)	31B
70	B, F(with M/T & Imco) (without A/C) (C.F.M.215)	6	250	C-1	D0ZF-E	12	13	D0ZZ 9510-E (CA-779)	D0ZZ 9510-C (CA-777)	31C
70	B, F, P(with C4 & Imco) (C.F.M.215)	6	250	C-1	D0ZF-F	12	13	D0ZZ 9510-F (CA-780)	D0ZZ 9510-AA (CA-797)	31D
71	B, F, P(with M/T) (exc.Calif.)	6	250	C-1	D1ZF-HA	12	13	D1ZZ 9510-H (CA-855)	D2OZ 9510-A (CA-855-B)	31E
71	B, F, P(with C4)-w/o A/C (exc.Calif.)	6	250	C-1	D1ZF-JA	12	13	D1ZZ 9510-J (CA-856)	D2OZ 9510-A (CA-855-B)	31F
71	B, F, P(with C4)-w/ A/C (exc.Calif.)	6	250	C-1	D1ZF-KA	12	13	D1ZZ 9510-K (CA-857)	D2OZ 9510-A (CA-855-B)	31G
71	B, F, P(with M/T) (Calif.only)	6	250	C-1	D1ZF-LA	12	13	D1ZZ 9510-L (CA-858)	D2OZ 9510-A (CA-855-B)	31H
71	B, F, P(with C4)-w/o A/C (Calif.only)	6	250	C-1	D1ZF-MA	12	13	D1ZZ 9510-M (CA-859)	D2OZ 9510-A (CA-855-B)	31J

NOTE 13 -Service pkg. includes mounting gasket

NOTE 32 -Service pkg. includes (1) D0PZ 9447-A gasket, (1) D0PZ 9J500-A limiter, (1) D0PZ 9J586-A bracket, (1) D0PF 9820-B tube, (1) D0AF 9865-A insulator, (1) 357940-S ferrule, (1) 357980-S nut, (1) 380882-S32 clamp

NOTE 41 -Service pkg. includes (1) C8AZ 9447-C gasket, (1) C7AZ 9J500-B limiter, (1) 380614-S cap

NOTE 42 -Service pkg.includes (1) D0DZ 9447-A gasket, (1) C7AZ 9J500-B limiter

NOTE 48 -Service pkg. includes (1) C8AZ 9447-C gasket

NOTE 59 -Service pkg. includes mounting gasket, (1) C7AZ 9J500-B limiter, (1) 380614-S cap 1/4" tube, (1) 378830-S tee

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

9510 CARBURETOR APPLICATION CHART - continued - Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					6 CYLINDER 250 ENGINE - continued					
71	B,F,P(with C4)-w/A/C (Calif.only)	6	250	C-1	D1ZF-NA	12	13	D1ZZ9510-N	D2OZ9510-A (CA-855-B)	31K
71	B,F,P	6	250	C-1	D1PF-FA	12	13	D1ZZ9510-B (CA-855-A)	D2OZ9510-A (CA-855-B)	31H
72	B, F(with M/T)	6	250	C-1	D2OF-LA	12	52	D2OZ9510-L (CA-909)	D2OZ 9510-A (CA-855-B)	31M
72	B,F,P(with A/T)	6	250	C-1	D2OF-MA	12	52	D2OZ9510-M (CA-910)	D2OZ9510-A (CA-855-B)	31M
72	B,F,P	6	250	C-1	D2PF-BA,D2OF-SA	12	42	D2OZ9510-A (CA-855-B)		31N

8 CYLINDER ENGINES

ENGINE C.I.D.	1965	1966	1967	1968	1969	1970	1971	1972
260	F							
289	A, B, F, X	A,B,F,X,U	A,B,F,X,U	B, F, X, U				
302				A, B, F, X	A,B,F,X,U	A,B,F,X,U	A,B,F,P,U	A,B,F,P,U
351					A, B, F	A,B,F	A,B,F	A,B,F
352	A	A						
390	A, S	A, B, S	A, B, F, S	A, B, F, S	A, B, F	A	A	
400							A	A,B,S
427	A	A	A, B	B, F				
428		A, S	A, S	A, B, F	A, B, F	A, F		
429				S	A, F, S	A,B,S	A, B, F, S	A,B,S
460								S

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 260 ENGINE					
65	F	8	260	F-2	C4ZF-R,N,C4DF-AB, C4OF-BR,BS,C4DF-AC	3	1K,3	C5ZZ 9510-K	D2AZ9510-D (CA-783-B)	10B
65	F	8	260	F-2	C5ZF-G,H,C6DF-A,B	3	2,3,5	C5ZZ9510-L	D2AZ9510-D (CA-783-B)	11F
65	F	8	260	F-2	C6PF-F	13	1K,7,13	C2AZ9510-J	D2AZ9510-D (CA-783-B)	13A
65	F	8	260	F-2	C4ZF-E,F	3	1K,13	C5ZZ 9510-C	D2AZ9510-D (CA-783-B)	10A
65	F	8	260	F-2	C6PF-F	13	1K,28	C2AZ9510-K (CA-535)	D2AZ9510-D (CA-783-B)	13A
65	F	8	260	F-2	C8AF-BD,C8PF-T	3	1K,19	C8ZZ9510-H (CA-621)	D2AZ9510-D (CA-783-B)	11AD
65	F	8	260	F-2	D0AF-D	15	23	D0AZ9510-AC (CA-784)	D2AZ9510-D (CA-783-B)	24K

NOTE 1K -Stamping identification is located on edge of carburetor mounting flange

NOTE 2 -The stamped identification on carburetor mounting flange is main body identification only. Carburetor identification appears on identification tag.

NOTE 3 -Service package includes mounting gasket and also (1) each C1AZ 9B549-A dashpot, B8AZ 9B550-A bracket, 33923-S8 nut and 43252-S8 screw and washer for use with automatic transmission

NOTE 5 -Service pkg. includes (1) C2AZ 9C639-A adaptor cap.

NOTE 7 -Service package includes (1) C4AZ 9C639-A adaptor cap

NOTE 13 -Service pkg.includes mounting gasket

NOTE 19 -Service pkg. includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C5ZZ 9654-B gasket, (1) C4AZ 9C639-A cap, (1) 372700-S or 87972-S adaptor & (1) 375016-S screw

NOTE 23 -Service pkg. includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C4AZ 9C639-A cap (1) C5ZZ 9654-B gasket, (1) C6PF 12226-A hose, (1) 44718-S2 washer, (1) 87972-S adaptor, (1) 375016-S screw

NOTE 28 -Service pkg. includes (1) C2OZ 9447-C gasket, (1) C4AZ 9C639-A cap, (1) C7AF 9996-B tube, (1) 351112-S screw & (1) 372700-S adaptor.

NOTE 42 -Service pkg. includes (1) D0DZ 9447-A gasket, (1) C7AZ 9J500-B limiter

NOTE 52 -Service pkg. includes (1) D0DZ 9447-A gasket

9510 CARBURETOR APPLICATION CHART - continued - Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 289 ENGINE					
65	A(with M/T)	8	289	F-2	C5AF-A	3	1K, 13	C5AZ 9510-A	D2AZ9510-D (CA-783-B)	11B
65	A (with C/M, C4)	8	289	F-2	C5AF-B	3	1K, 13	C5AZ 9510-J	D2AZ9510-D (CA-783-B)	11C
65/66	A	8	289	F-2	C6PF-D	3	13, 8	C3AZ 9510-AT	D2AZ9510-D (CA-783-B)	11Y
65/66	A (with C/M, C4)(except T/E)	8	289	F-2	C5AF-AJ, C6AF-B	3	1K, 13	C5AZ 9510-S	D2AZ9510-D (CA-783-B)	11D
65/66	A(with M/T)(except T/E)	8	289	F-2	C5AF-AH, C6AF-A	3	1K, 13	C5AZ 9510-T	D2AZ9510-D (CA-783-B)	11E
65/67	A	8	289	F-2	C6PF-D	7	1K, 26	C3AZ 9510-AV (CA-536)	D2AZ9510-D (CA-783-B)	11Y
67	A(with C4, C/M & T/E)	8	289	F-2						
65/67	A	8	289	F-2	C8PF-U, C8AF-BA, C8OF-AF, C8WF-A	3	1K, 17	C8AZ 9510-AP (CA-618)	D2AZ9510-D (CA-783-B)	19W
67	A(with C4, C/M & T/E)	8	289	F-2						
66	A(with M/T & T/E)	8	289	F-2	C6AF-Z	3	1K, 13	C6AZ 9510-V (CA-388-T)	D2AZ9510-D (CA-783-B)	11G
66	A(with C/M, C4 & T/E	8	289	F-2	C6AF-AA	3	1K, 13	C6AZ 9510-W	D2AZ9510-D (CA-783-B)	11H
67	A(with M/T)(except T/E)	8	289	F-2	C7AF-N, AT	3	1K, 13	C7AZ 9510-N	D2AZ9510-D (CA-783-B)	11N
67	A(with M/T & T/E)	8	289	F-2	C7AF-S	3	1K, 13	C7AZ 9510-S (CA-461-T)	D2AZ9510-D (CA-783-B)	11Q
67	A (with C4, C/M)(except	8	289	F-2	C7AF-R, AS	3	1K, 13	C7AZ 9510-R	D2AZ9510-D (CA-783-B)	11P
67	A (with C4, C/M & T/E)	8	289	F-2	C7AF-T, AU, BN	3	1K, 13	C7AZ 9510-T (CA-462-T)	D2AZ9510-D (CA-783-B)	11R
65	B, F, X	8	289	F-2	C5ZF-A, B	3	1K, 3	C5ZZ 9510-H	D2AZ9510-D (CA-783-B)	11A
65	B, F, X	8	289	F-2	C5ZF-G, H, C6DF-A, B	3	2, 3, 5	C5ZZ 9510-L	D2AZ9510-D (CA-783-B)	11F
66	B, F, X(except T/E)	8	289							
65	B, F, X(except B Special & F Special)	8	289	F-4	C5ZF-C, D, E, F	4	1K, 3	C5ZZ 9510-J	C9AZ 9510-AE (CA-689-A)	12C
65	B, F, X(except B Special & F Special)	8	289	F-4	C5ZF-J, K, L, M, C6ZF-A, B	4	1K, 3, 5	C5ZZ 9510-M	C9AZ 9510-AE (CA-689-A)	12E
66	F, X(except F Special) (except T/E)	8	289							
65	B, F, X(except B Special & F Special)	8	289	F-4	C6PF-H	4	8, 13	C3AZ 9510-AU (CA-376)	C9AZ 9510-AE (CA-689-A)	12P
66	F, X(except F Special) (except T/E)	8	289							

NOTE 1K -Stamping identification is located on edge of carburetor mounting flange

NOTE 2 - The stamped identification on carburetor mounting flange is main body identification only. Carburetor identification appears on identification tag.

NOTE 3 -Service pkg. includes mounting gasket and also (1) each C1AZ 9B549-A dashpot, B8AZ 9B550-A bracket, 33923-S8 nut and 43252-S8 screw & washer for use with automatic transmission.

NOTE 5 -Service package includes (1) C2AZ 9C639-A adaptor cap.

NOTE 8 -Service pkg. includes (1) C4AZ 9C639-A adaptor cap, (1) 378761-S screw.

NOTE 13 -Service pkg. includes mounting gasket.

NOTE 17 -Service pkg. includes (1) C2OZ 9447-C gasket, (?) C7AZ 9J500-B limiter, (1) C4AZ 9C639-A cap, (1) C5ZZ 9564-B gasket, (1) 372700-S adaptor, (1) 375016-S2 screw

NOTE 26 -Service pkg. includes (1) each C4AZ 9C639-A adaptor cap, C7AF 9996-B tube, 351112-S screw, 372700-S adaptor, 378761-S screw.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

9510 CARBURETOR APPLICATION CHART - continued - Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 289 ENGINE - continued					
65/66	B, F, X(exc. B & F Special)	8	289	H-4	D0PF-U	6	30	C9AZ 9510-AE (CA-689-A)		20Z
65/66	B, F, X	8	289	F-2	C6PF-F	3	1K, 7, 13	C2AZ 9510-J	D2AZ 9510-D (CA-783-B)	13A
65/67	B, F, X	8	289	F-2	C6PF-F	3	1K, 28	C2AZ 9510-K (CA-535)	D2AZ 9510-D (CA-783-B)	13A
66	B, F, X(with M/T & T/E)	8	289	F-2	C6DF-E	3	1K, 13	C6DZ 9510-C (CA-390-T)	D2AZ 9510-D (CA-783-B)	11J
66	B, F, X(with C4 & T/E)	8	289	F-2	C6DF-F	3	1K, 13	C6DZ 9510-D (CA-391-T)	D2AZ 9510-D (CA-783-B)	11K
67	B, F, X(with M/T)(except T/E)	8	289	F-2	C7DF-E, S	3	1K, 13	C7DZ 9510-E	D2AZ 9510-D (CA-783-B)	11S
67	B, F, X(with M/T & T/E)	8	289	F-2	C7DF-G	3	1K, 13	C7DZ 9510-G (CA-469-T)	D2AZ 9510-D (CA-783-B)	11U
67	B, F, X(with C4)(except T/E)	8	289	F-2	C7DF-F, R	3	1K, 13	C7DZ 9510-F	D2AZ 9510-D (CA-783-B)	11T
67	B, F, X(with C4 & T/E)	8	289	F-2	C7DF-H, N, V	3	1K, 13	C7DZ 9510-H (CA-470-T)	D2AZ 9510-D (CA-783-B)	11V
68	B, F, X(with M/T & T/E)	8	289	F-2	C8AF-AK	13	1K, 13	C8ZZ 9510-F	D2AZ 9510-D (CA-783-B)	24C
68	B, F, X(with C/4 & Imco)	8	289	F-2	C8ZF-G	13	1K, 13	C8ZZ 9510-G (CA-566)	D2AZ 9510-D (CA-783-B)	11AB
68	B, F, X(with C/4 & Imco)	8	289	F-2	C8AF-L	13	1K, 13, 20	C8AZ 9510-AR (CA-619)	D2AZ 9510-D (CA-783-B)	24A
68	♦ B, F, X(with M/T, open emission)	8	289	F-2	C8DF-E	3		C8DF 9510-E	D2AZ 9510-D (CA-783-B)	11AE
68	♦ B, F, X(with M/T, open emission)	8	289	F-2	C8AF-AF, C8ZF-H	3		C8ZF 9510-H	D2AZ 9510-D (CA-783-B)	11AE
68	♦ B, F, X(with A/T, open emission)	8	289	F-2	C8OF-S, C8ZF-E	3		C8OF 9510-S	D2AZ 9510-D (CA-783-B)	11AE
68	♦ B, F, X(with A/T, open emission)	8	289	F-2	C8DF-F	3		C8DF 9510-F	D2AZ 9510-D (CA-783-B)	11AE
68	♦ U(open emission)	8	289	F-2	C8TF-AF	3		C8TZ 9510-AF (CA-589)	C9UZ 9510-AA (CA-698)	11AF
68	♦ F(open emission)	8	289	F-4	C6ZF-C, F	4	1K, 13	C4OZ 9510-F (CA-351)	C4OZ 9510-G (CA-351-A)	12D
68	B, F, X(with M/T & T/E)	8	289	F-2	C8AF-BD, C8PF-T	3	1K, 19	C8ZZ 9510-H (CA-621)	D2AZ 9510-D (CA-783-B)	11AD
66	A(with C/M, C4 & T/E)	8	289	F-2						
67	A, B, F, X(with T/E)	8	289	F-2						
65	F Special	8	289	F-4	C4OF-AL, AT, BU, BT, C4ZF-G, H, C5OF-J, K	4	1K, 3	C4OZ 9510-D	C4OZ 9510-G (CA-351-A)	12B
65	B Special	8	289							

NOTE 1K -Stamping identification is located on edge of carburetor mounting flange ♦ Canada only

NOTE 3 -Service pkg. includes mounting gasket and also (1) each C1AZ 9B549-A dashpot. B8AZ 9B550-A bracket, 33923-S8 nut and 43252-S8 screw & washer for use with automatic transmission.

NOTE 7 -Service pkg. includes (1) C4AZ 9C639-A adaptor cap.

NOTE 13 -Service pkg.includes mounting gasket

NOTE 19 -Service pkg. includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C5ZZ 9654-B gasket, (1) C4AZ 9C639-A cap, (1) 372700-S or 87972-S adaptor and (1) 375016-S.

NOTE 20 -Service pkg. includes (2) C7AZ 9J500-B limiter and (1) 375016-S screw.

NOTE 26 -Service pkg. includes (1) C2OZ 9447-C gasket, (1) C4AZ 9C639-A cap, (1) C7AF 9996-B tube, (1) 351112-S screw & (1) 372700-S adaptor

NOTE 30 -Service pkg.includes (1) C2OA 9324-C hose-fuel, (1) D0AF 9447-A gasket, (1) D0AF 9C704-A hose-clean air supply, (1) D0AF 12226-A hose-carb.to distributor, (1) 370970-S8 stud, (1) 371002-S8 stud, (1) 372166-S vacuum fitting, (1) 380613-S cap, (1) 380614-S cap, (1) 380882-S32 clamp

9510 CARBURETOR APPLICATION CHART - continued. Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 289 ENGINE - continued					
65/67	F Special	8	289	F-4	C5OF-L, M, T, U,	4	1K, 13	C4OZ 9510-F	C4OZ 9510-G	12D
65	B Special	8	289		C6ZF-C, F			(CA-351)	(CA-351-A)	
65	B Special	8	289	H-4	D0PF-V		36	C4OZ 9510-G		20AB
65/67	F Special	8	289					(CA-351-A)		
68 ♦	F(open emission)	8	289							
65	F (except F Special)	8	289	F-4	C4GF-AE, AF, AZ, BA C4ZF-C	4	1K, 3	C5ZZ 9510-D	C9AZ9510-AE (CA-689-A)	12A
65	F(except F Special)	8	289	H-4	D0PF-U	6	30	C9AZ9510-AE (CA-689-A)		20Z
65/67	F(GT350)(C. F. M. rating 715)	8	289	H-4				S2MS 9510-A	Not replaced	‡
68	F(GT350)(with C4) (C. F. M. 600)	8	289	H-4				S8MS 9510-A	C9OZ 9510-N (CA-604-A)	▲
68	F(GT350)(with 4/M/T) (C.F.M.600)	8	302	H-4				S8MS 9510-C	C8OZ 9510-C (CA-582)	‡
65/68	B, F(std. bowl)(C.F.M. 600)	8	289	H-4	D0PF-AN			D0PZ 9510-U (CA-799)	Not replaced	20AA
65/68	B, F(center pivot) (C.F.M. 600)	8	289	H-4	C9OF-R			C9OZ 9510-N (CA-604-A)		20AE
68	F(GT350)-with C4 (C.F.M.600)	8	289	H-4						
66	F, X(except F Special) (with M/T & T/E)	8	289	F-4	C6ZF-D	4	1K, 13	C6ZZ 9510-A (CA-392-T)	C9AZ 9510-AE (CA-689-A)	12F
66	F, X(except F Special) (with C4 & T/E)	8	289	F-4	C6ZF-E	4	1K, 13	C6ZZ 9510-B (CA-393-T)	C9AZ 9510-AE (CA-689-A)	12G
66	U(with M/T except T/E)	8	289	F-2	C6TF-BG	3	1K, 13	C6TZ 9510-P	C9UZ 9510-AA (CA-698)	11L
66	U(with M/T & T/E)	8	289	F-2	C6TE-BH	3	1K, 13	C6TZ 9510-R (CA-422-T)	C9UZ 9510-AA (CA-698)	11M
67	F, X(except F Special) (with M/T)(except T/E)	8	289	F-4	C7DF-A	7	1K, 13	C7DZ 9510-A	D2AZ 9510-M (CA-788-A)	12H
67	F, X(except F Special) (with M/T)(except T/E)	8	289	F-4	C7DF-L, AE	7	1K, 13	C7DZ 9510-L (CA-502)	D2AZ 9510-M (CA-788-A)	12M
67	F, X(except F Special) (with M/T or C4) (with or w/o T/E)	8	289	F-4	C8PF-V	4	1K, 13, 18	C7AZ 9510-AT (CA-617)	D2AZ 9510-M (CA-788-A)	17AM
67	F, X(except F Special) (with T/E)	8	289	F-4	C7DF-C, AG	7	1K, 13	C7DZ 9510-C (CA-445-T)	D2AZ 9510-M (CA-788-A)	12K
67	F, X(except F Special) (with C4)(except T/E)	8	289	F-4	C7DF-B	7	1K, 13	C7DZ 9510-B	D2AZ 9510-M (CA-788-A)	12J

NOTE 1K -Stamping identification is located on edge of carburetor mounting flange ♦ Canada only

NOTE 3 -Service pkg. includes mounting gasket and also (1) each C1AZ 9B549-A dashpot. B8AZ 9B550-A bracket. 33923-S8 nut and 43252-S8 screw & washer for use with automatic transmission.

NOTE 13 -Service pkg. includes mounting gasket.

NOTE 18 -Service pkg.includes (2) C7AZ 9J500-B limiter

NOTE 30 -Service pkg. includes (1) C2OA 9324-C hose-fuel, (1) D0AF 9447-A gasket, (1) D0AF 9C704-A hose-clean air supply, (1) D0AF 12226-A hose-carburetor to distributor, (1) 370970-S8 stud, (1) 371002-S8 stud, (1) 372166-S vacuum fitting, (1) 380613-S cap, (1) 380614-S cap & (1) 380882-S32 clamp.

NOTE 36 -Service pkg. includes (1) C2OA 9324-A, (1) D0AF 9447-A gasket, (1) D0AF 12226-A hose, (1) 87531-S fitting, (1)370970-S8 stud, (1) 371002-S8 stud, (2) 380882-S32 clamp

‡ List not available. Use C5ZZ 9502-B gasket kit, C5ZZ 9A586-C or ★C5ZZ 9590-B service details repair kit when necessary to service S2MS 9510-A carburetor.

▲ List not available. Use C8ZZ 9502-C gasket kit, C8ZZ 9A586-C tune-up kit when necessary to service S8MS 9510-A carburetor.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

9510 CARBURETOR APPLICATION CHART - continued -Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 289 ENGINE - continued					
67	F, X(except F Special) (with C4)(except T/E)	8	289	F-4	C7DF-M, AF	7	1K, 13	C7DZ 9510-M (CA-503)	D2AZ 9510-M (CA-788-A)	12N
67	F, X(except F Special) (with C4 & T/E)	8	289	F-4	C7DF-D, AH	7	1K, 13	C7DZ 9510-D (CA-446-T)	D2AZ 9510-M (CA-788-A)	12L
67	F Special (4/B carb. w/manual choke)(w/ M/T & T/E)	8	289	F-4	C7ZF-B	4	1K, 13	C7ZZ 9510-B (CA-541-T)	C4OZ 9510-G (CA-351-A)	12Q
67	F Special (4/B carb. w/manual choke) (w/ C4 & T/E)	8	239	F-4	C7ZF-C	4	1K, 13	C7ZZ 9510-C (CA-542-T)	C4OZ 9510-G (CA-351-A)	12R
67	F Special(4/B carb. w/manual choke) (w/ M/T & T/E)	8	289	F-4	C8ZF-J	4	1K, 13	C7ZZ 9510-D	C7ZZ 9510-B (CA-541-T)	12S
67	F Special (4/B carb. w/manual choke) (w/ C4 & T/E)	8	289	F-4	C8ZF-K	4	1K, 13	C7ZZ 9510-E	C7ZZ 9510-C (CA-542-T)	12S
67	U(with M/T)(except T/E)	8	289	F-2	C7TF-C, V	3	1K, 13	C7TZ 9510-E	C9UZ 9510-AA (CA-698)	11W
67	U(with M/T)(except T/E)	8	289	F-2	C6PF-L	3	1K, 11, 13	C5TZ 9510-T (CA-537)	C9UZ 9510-AA (CA-698)	11Z
67	U(with M/T & T/E)	8	289	F-2	C7TF-D	3	1K, 13	C7TZ 9510-F (CA-482-T)	C9UZ 9510-AA (CA-698)	11X
66/68	U(with M/T & T/E)	8	289	F-2	C8PF-B	3	13, 16	C5TZ 9510-U (CA-615)	C9UZ 9510-AA (CA-698)	11AC
68	U(with M/T & T/E)	8	289	F-2	C8TF-AA	3	1K, 13	C8TZ 9510-AA	C9UZ 9510-AA (CA-698)	11AA
66/68	U(with M/T)	8	289	F-2	C9UF-B, D0PF-AJ, D1PF-AA	3	13, 16	C9UZ 9510-AA (CA-698)		24H
68/69♦	U	8	289	F-2	D0PF-AJ	3	13, 16	C9UZ 9510-AA (CA-698)		24H
65/67	A	8	289	F-2	D0AF-J, AR, AS, AT, AU, AV	15	23	D0AZ 9510-AB (CA-783)	D2AZ 9510-D (CA-783-B)	19AB
66/67 65/68	A B, F, X	8	289	F-2	D0AF-D	15	23	D0AZ 9510-AC (CA-784)	D2AZ 9510-D (CA-783-B)	24K
67	F, X(except F Special)	8	289	F-4	D2PF-SA	20	56	D2AZ 9510-M (CA-788-A)		25S
66	A, B, X(with M/T & T/E)	8	289	F-2	D2GF-AA	21	53	D2AZ 9510-D (CA-783-B)	D2AZ 9510-P (CA-783-C)	28W

NOTE 1K -Stamping identification is located on edge of carburetor mounting flange ♦ Canada only

NOTE 11 -Service pkg. includes (1) C6PF 9E550-A adaptor, (1) C6PF 9H586-A spacer, (1) C6PF 9H586-B spacer, (1) C7AF 9996-B tube, (2) 34656-S8 nut & washer, (1) 54689-S8 screw, (1) 54701-S8 screw, (1) 351112-S screw.

NOTE 13 -Service pkg. includes mounting gasket.

NOTE 16 -Service pkg. includes (2) C7AZ 9J500-B limiter, (1) C6PF 12226-A hose and (1) 87992-S connector.

NOTE 23 -Service pkg. includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C4AZ 9C639-A cap, (1) C5ZZ 9654-B gasket, (1) C6PF 12226-A hose, (1) 44718-S2 washer, (1) 87972-S adaptor, (1) 375016-S screw

NOTE 53 -Service pkg. includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C4AZ 9C639-A cap, (1) 382443-S cap, (1) 382444-S cap, (1) 383338-S2 screw

NOTE 56 -Service pkg. includes (1) D1ZZ 9447-A gasket, (2) C7AZ 9J500-B limiter, (1) D1OZ 9A589-A spacer, (1) 375016-S2 screw

9510 CARBURETOR APPLICATION CHART - continued - Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 302 ENGINE					
68	A(with C4 & Imco)	8	302	F-2	C8AF-L	3	1K, 13	C8AZ 9510-L (CA-553)	C8AZ 9510-AR (CA-619)	24A
68	A,B(with M/T & T/E)	8	302	F-2	C8AF-AK	3	1K, 13	C8ZZ 9510-F	D2AZ 9510-D (CA-783-B)	24C
68 69	A, B, F(with M/T & Imco) A, Taxi, PC, B, F, X(with M/T & Imco)	8 8	302 302	F-2	C8AF-BD, C8PF-T	3 3	1K, 19	C8ZZ 9510-H (CA-621)	D2AZ 9510-D (CA-783-B)	11AD
68	A, B(with C4 & Imco)	8	302	F-2	C8AF-L	3	1K, 13, 20	C8AZ 9510-AR (CA-619)	D2AZ 9510-D (CA-783-B)	24A
68 ♦	A(with M/T, open emission)	8	302	F-2	C8AF-R	3		C8AF 9510-R	D2AZ 9510-D (CA-783-B)	11AE
68 ♦	B(with M/T, open emission)	8	302	F-2	C8OF-L	3		C8OF 9510-L	D2AZ 9510-D (CA-783-B)	11AE
68 ♦	A, B(with M/T, open emission)	8	302	F-2	C8AF-AF	3		C8AF 9510-AF	D2AZ 9510-D (CA-783-B)	11AE
68	B(with C4 & Imco)	8	302	F-2	C8OF-H	3	1K, 13	C8OZ 9510-H	D2AZ 9510-D (CA-783-B)	24B
68	B(with C/4 & Imco)	8	302	F-2	C8ZF-G	3	1K, 13	C8ZZ 9510-G (CA-566)	D2AZ 9510-D (CA-783-B)	11AB
68	F, X(with M/T, C4, T/E or Imco)	8	302	F-4	C8AF-AS, C8PF-V	4	1K, 13, 18	C7AZ 9510-AT (CA-617)	D2AZ 9510-M (CA-788-A)	17AM
68/69♦	A(with A/T, open emission)	8	302	F-2	C8AF-AG, S	3		C8AF 9510-AG	D2AZ 9510-D (CA-783-B)	11AE
68/69♦	B(with A/T, open emission)	8	302	F-2	C8OF-M, S	3		C8OF 9510-S	D2AZ 9510-D (CA-783-B)	11AE
69	A, Taxi, PC(with C4, C/M & Imco)	8	302	F-2	C9AF-A	3	1K, 13	C9AZ 9510-A (CA-623)	D2AZ 9510-D (CA-783-B)	24D
69	A, Taxi, P/C, B, F, X (with C6, CM & Imco)	8	302	F-2	C9AF-A, C9AF-T	3	1K, 23	C9AZ 9510-T (CA-695)	D2AZ 9510-D (CA-783-B)	24D
69 ♦	A, B, X(with A/T, w/A/C)	8	302	F-2	C9AF-J	3		C9AZ 9510-J (CA-650)	D2AZ 9510-D (CA-783-B)	19X
69	B, F, X(with C4, C/M, & Imco)	8	302	F-2	C9ZF-G	3	1K, 13	C9ZZ 9510-G (CA-661)	D2AZ 9510-D (CA-783-B)	24E
69 ♦	A, B, X(with A/T, w/A/C)	8	302	F-2	D0AF-J, AR, AS, AT, AU, AV	15	23	D0AZ 9510-AB (CA-783)	D2AZ 9510-D (CA-783-B)	19AB
68/69♦	F, X(with M/T, open emission)	8	302	F-4	C8ZF-M	7		C8ZF 9510-M	D2AZ 9510-M (CA-788-A)	26B
68/71♦	F, X(with A/T, open emission)	8	302	F-4	C8ZF-L	7		C8ZF 9510-L	D2AZ 9510-M (CA-788-A)	26B
68/71♦	F, X(open emission)	8	302	F-4	C8ZF-A, B	7		C8ZF 9510-A	D2AZ 9510-M (CA-788-A)	26C
68	F(GT350) (with C4) (C. F. M. rating 600)	8	302	H-4				S8MS 9510-A	C9OZ 9510-N (CA-604-A)	▲
68	F(GT350) (with 4/M/T) (C.F.M.600)	8	302	H-4				S8MS 9510-C	C8OZ 9510-C (CA-582)	▲
68	F, X(with C4 & Imco)	8	302	F-4	C8ZF-D	7	1K, 13	C8ZZ 9510-D (CA-545)	D2AZ 9510-M (CA-788-A)	26A

NOTE 1K -Stamping identification is located on edge of carburetor mounting flange

♦ Canada only

NOTE 13 -Service pkg. includes mounting gasket.

NOTE 18 -Service pkg. includes (2) C7AZ 9J500-B limiter.

NOTE 19 -Service pkg. includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C5ZZ 9654-B gasket, (1) C4AZ 9C639-A cap, (1) 372700-S or 87972-S adaptor and (1) 375016-S.

NOTE 20 -Service pkg. includes (2) C7AZ 9J500-B limiter and (1) 375016-S screw

NOTE 23 -Service package includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C4AZ 9C639-A cap, (1) C5ZZ 9654-B gasket, (1) C6PF 12226-A hose, (1) 44718-S2 washer, (1) 87972-S adaptor, (1) 375016-S screw

▲ Use C8ZZ 9502-C gasket set, C8ZZ 9A586-C tune-up kit when necessary to service S8MS 9510-A carburetor.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

9510 CARBURETOR APPLICATION CHART - continued -Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 302 ENGINE - continued					
68	F, X(with M/T & T/E)	8	302	F-4	C8ZF-C	7	1K, 13	C8ZZ 9510-C (CA-544)	D2AZ 9510-M (CA-788-A)	26A
68/71	B, F(std. bowl)(C.F.M. 600)	8	302	H-4	D0PF-AN			D0PZ 9510-U (CA-799)	Not replaced	20AA
68/71	B, F(center pivot)(C.F.M. 600)	8	302	H-4	C9OF-R			C9OZ 9510-N (CA-604-A)		20AE
69	F Boss(w/manual choke) (with M/T & T/E)	8	302	H-4	C9ZF-J	6	13	C9ZZ 9510-J (CA-703)	D0ZZ 9510-Z (CA-782)	20R
69	U(with M/T & Imco)	8	302	F-2	C9TF-L	3	13	C9TZ 9510-L	C9UZ9510-AA (CA-698)	24F
69	U(with M/T & Imco)	8	302	F-2	C9UF-A	3	13	C9UZ9510-A (CA-647)	C9UZ9510-AA (CA-698)	24G
69	U(with M/T & Imco)	8	302	F-2	C9UF-B, D0PF-AJ, D1PF-AA	3	13, 16	C9UZ 9510-AA (CA-698)		24H
69/71	F Boss off highway vehicles (with in line carb.)(throat diameter 1 11/16") (C.F.M.-875)	8	302	F-4				D0ZX 9510-A	Not replaced	†•
69/71	F Boss off highway vehicles (with in line carb.)(throat diameter 2 1/4") (C.F.M.-1425)	8	302	F-4				D0ZX 9510-B		†•
70	A, B, F(with M/T & Imco)(C.F.M.287)	8	302	F-2	D0AF-C	15	13	D0AZ 9510-C (CA-709)	D2AZ 9510-D (CA-783-B)	24J
68/70	A, B, F, X(with C/M, C4, Imco & A/C)	8	302	F-2	D0AF-U	15	13	D0AZ 9510-U (CA-734)	D2AZ 9510-D (CA-783-B)	24L
70	A, B, F(with C/4, C/M & Imco)(C.F.M.287)	8	302	F-2	D0AF-D	15	13	D0AZ 9510-D (CA-710)	D2AZ 9510-D (CA-783-B)	24K
69/70	A, B, F, X(C.F.M.287)	8	302	F-2	D0AF-D	15	23	D0AZ 9510-AC (CA-784)	D2AZ 9510-D (CA-783-B)	24K
68	A, B	8	302							
68/71•	F, X(open emission)	8	302	F-4	D2PF-SA	20	56	D2AZ 9510-M (CA-788-A)		25S
68	F, X	8	302	F-4						
70	F Boss(w/manual choke) (with M/T & T/E) (C.F.M.780)	8	302	H-4	D0ZF-Z	6	13	D0ZZ 9510-Z (CA-782)		20X
70	U(with M/T, Imco) (C.F.M.287)	8	302	F-2	D0BF-C	15	13	D0BZ 9510-C (CA-737)	D2UZ 9510-J (CA-917-A)	24M
70	U(with M/T, Imco) (C.F.M.287)	8	302	F-2	D0BF-D	15	13	D0BZ 9510-D (CA-754)	D2UZ 9510-J (CA-917-A)	24N
70	U(with M/T, Imco) (C.F.M.287)	8	302	F-2	D0UF-F	15	13, 18	D0UZ 9510-H (CA-787)	D2UZ 9510-J (CA-917-A)	24P

NOTE 1K - Stamping identification is located on edge of carburetor mounting flange

NOTE 13 -Service package includes mounting gasket

NOTE 16 -Service pkg. includes (2) C7AZ 9J500-B limiter, (1) C6PF 12226-A hose and (1) 87992-S connector.

NOTE 18 -Service pkg. includes (2) C7AZ 9J500-B limiter.

NOTE 23 - Service package includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C4AZ 9C639-A cap, (1) C5ZZ 9654-B gasket, (1) C6PF 12226-A hose, (1) 44718-S2 washer, (1) 87972-S adaptor, (1) 375016-S screw

NOTE 56 -Service pkg. includes (1) D1ZZ 9447-A gasket, (2) C7AZ 9J500-B limiter, (1) D1OZ 9A589-A spacer, (1) 375016-S2 screw

• - Canada only

† List not available

• - Use D1ZX 9502-AA gasket set when necessary to service carburetor.

9510 CARBURETOR APPLICATION CHART - continued - Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 302 ENGINE - continued					
71	A,B,F,P(with M/T)	8	302	F-2	D1AF-BA	15	13	D1AZ 9510-B (CA-804)	D2AZ 9510-D (CA-783-B)	24Q
71	A,B,F,P	8	302	F-2	D1AF-DA,D1OF-ABA, AGA,D1ZF-ADA	15	23	D1AZ 9510-C (CA-784-A)	D2AZ 9510-D (CA-783-B)	24R
71	A(with C/M,C4) (w/o A/C)	8	302	F-2	D1AF-SA	15	13	D1AZ 9510-S (CA-878)	D2AZ 9510-D (CA-783-B)	24T
71	A(with C/M,C4 & A/C)	8	302	F-2	D1AF-TA	15	13	D1AZ 9510-T (CA-877)	D2AZ 9510-D (CA-783-B)	24U
71	B,F,P(with C/M,C4) (w/o A/C)	8	302	F-2	D1AF-DA, ZA	15	13	D1AZ 9510-D (CA-805)	D2AZ 9510-D (CA-783-B)	24R
71	B,F,P(with C/M,C4) (with A/C)	8	302	F-2	D1ZF-AA	15	13	D1ZZ 9510-A (CA-843)	D2AZ 9510-D (CA-783-B)	24V
71	F Boss	8	302	H-4	D1ZF-VA		13	D1ZZ 9510-V (CA-880)		20AC
71	U(with M/T)	8	302	F-2	D1BF-AA,D1UF-FA	15	13	D1BZ 9510-A (CA-813)	D2UZ 9510-J (CA-917-A)	24S
70/71	U(with M/T)	8	302	F-2	D1UF-FA	15	13,18	D1UZ 9510-B (CA-787-A)	D2UZ 9510-J (CA-917-A)	24S
72	A(with A/T)-except California	8	302	F-2	D2AF-HA	21	47	D2AZ 9510-H (CA-919)	D2AZ 9510-D (CA-783-B)	24W
72	B,P(with A/T)-w/o A/C, except California	8	302	F-2						
72	A,B,F,P(with M/T)	8	302	F-2	D2OF-KA	21	47	D2OZ 9510-K (CA-924)	D2AZ 9510-D (CA-783-B)	24Y
72	A(with A/T)-Calif. only	8	302	F-2	D2ZF-FA	21	13	D2ZZ 9510-F (CA-945)	D2AZ 9510-D (CA-783-B)	24Z
72	B,F,P(with A/T)-A/C, except California	8	302	F-2						
72	B,F,P(Calif. only, w/or w/o A/C)	8	302	F-2						
72	A,B,F,P	8	302	F-2	D2GF-AA,AB,AC,BA,	21	53	D2AZ 9510-D	D2AZ 9510-P	28W
69	A,Taxi,P/C	8	302		BB,BC,D2AF-HB,HC, D2PF-GA,GB,D2OF-KB, VA, D2ZF-FB,MA, D4PE-FA			(CA-783-B)	(CA-783-C)	
72	A,B,F,P	8	302	F-2	D4PE-EA,EB,EC	21	53	D2AZ 9510-P (CA-783-C)		28W
72	U(with M/T)	8	302	F-2	D2BF-AA	21	47	D2BZ 9510-A (CA-917)	D2UZ 9510-J (CA-917-A)	24X
72	U(with M/T)	8	302	F-2	D2BF-EA,FA,D2PF-KA	21		D2UZ 9510-J (CA-917-A)		28X
					8 CYLINDER 351 ENGINE					
69	B(with C/M & Imco)	8	351	F-2	C9OF-C	3	1K, 13	C9OZ 9510-C (CA-633)	C9AZ 9510-AD	28A
69	B(with M/T & Imco)	8	351	F-2	C9ZF-A	3	1K, 13	C9ZZ 9510-A	D2AZ9510-D	28B
69	F(with M/T & Imco) (w/or w/o Ram Air)	8	351	F-2				(CA-638)	(CA-783-B)	

NOTE 1K - Stamping identification is located on edge of carburetor mounting flange

NOTE 13 -Service pkg.includes mounting gasket

NOTE 18 -Service pkg. includes (2) C7AZ 9J500-B limiter.

NOTE 23 - Service package includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C4AZ 9C639-A cap, (1) C5ZZ 9654-B gasket, (1) C6PF 12226-A hose, (1) 44718-S2 washer, (1) 87972-S adaptor, (1) 375016-S screw

NOTE 47 -Service pkg. includes (1) D0AZ 9447-E gasket

NOTE 53 -Service pkg. includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C4AZ 9C639-A cap, (1) C9AZ 9C786-A adaptor, (1) C6PF 12226-A hose, (1) 44719-S2 washer, (1) 87972-S adaptor, (1) 375016-S2 screw, (1) 382444-S cap and (1) 383338-S2 screw.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

9510 CARBURETOR APPLICATION CHART - continued-Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 351 ENGINE - continued					
69	B(with C/M & Imco)	8	351	F-4	C9OF-D	7	13	C9OZ 9510-D (CA-643)		29A
69 69	B(with M/T & Imco) F(with M/T & Imco) (w/or w/o Ram Air)	8 8	351 351	F-4 F-4	C9ZF-C	7	13	C9ZZ 9510-C (CA-648)	D2AZ9510-M (CA-788-A)	29B
69 69	F(with C/M & Imco) (w/or w/o Ram Air) A(with C/M & Imco)	8 8	351 351	F-2 F-2	C9ZF-B	3	1K, 13	C9ZZ 9510-B (CA-639)	D0AZ 9510-AB (CA-783)	28C
69	F(with C/M & Imco) (w/or w/o Ram Air)	8	351	F-4	C9ZF-D	7	13	C9ZZ 9510-D (CA-649)	D2AZ9510-M (CA-788-A)	29C
69	A,B,F(w/M/T or C/M, Imco)	8	351	F-2	C9AF-J,Z,C9ZF-L, C9ZF-M	3	23	C9AZ 9510-AD (CA-700)	D2AZ9510-D (CA-783-B)	19X
69	B,F(with C/M & Imco) (w/or w/o Ram Air)	8	351	F-4	C9ZF-D	7	27	C9AZ 9510-AC (CA-691)	D2AZ9510-M (CA-788-A)	29C
69 70/71	B,F(with Imco) B,F	8 8	351 351	F-4	D0PF-AG,D1OF-AAA	7	34	D0OZ 9510-U (CA-790)	D2AZ 9510-M (CA-788-A)	29H
69/71	B, F(std. bowl)(with M/T or C/M,C4)(C.F.M. 600)	8	351(w)	H-4	D0PF-AN			D0PZ 9510-U (CA-799)	Not Replaced	20AA
69/71	B,F(center pivot) (C.F.M. 600)	8	351(w)	H-4	C9OF-R			C9OZ 9510-N (CA-604-A)		20AE
70	B, F(with C/M, C4 & Imco)(without A/C) (C.F.M.605)	8	351	F-4	D0OF-C,Y,AC	7	13	D0OZ9510-C (CA-724)	D2AZ9510-M (CA-788-A)	29D
70	B, F(with M/T & Imco) (without A/C)(C.F.M.605)	8	351	F-4	D0OF-D,Z,AB	7	13	D0OZ 9510-D (CA-725)	D2AZ 9510-M (CA-788-A)	29E
70	B, F(with M/T & Imco & A/C)(C.F.M.605)	8	351	F-4	D0OF-G	7	13	D0OZ9510-G (CA-749)	D2AZ 9510-M (CA-788-A)	29F
70	B, F(with C/M, C4, Imco & A/C)(C.F.M.605)	8	351	F-4	D0OF-H,AA,AD	7	13	D0OZ9510-H (CA-750)	D2AZ 9510-M (CA-788-A)	29G
70	A, F(with M/T & Imco) (C.F.M.351)	8	351	F-2	D0AF-E	15	13	D0AZ9510-E (CA-711)	D2AZ9510-D (CA-783-B)	28D
70	A, F(with CM & Imco) (C.F.M.351)	8	351	F-2	D0AF-F	15	13	D0AZ 9510-F (CA-712)	D2AZ 9510-D (CA-783-B)	28E
70	A, F(with C/M, Imco A/C) (C.F.M.351)	8	351	F-2	D0AF-V	15	13	D0AZ 9510-V (CA-735)	D2AZ9510-D (CA-783-B)	28F
70	B(with C/M, Imco & A/C)	8	351	F-2	D0OF-J,M,V	15	13	D0OZ 9510-J (CA-738)	D1OZ 9510-C (CA-785-A)	28G
70	B(with M/T & Imco) (C.F.M.351)	8	351	F-2	D0OF-K,U,D0ZF-A	15	13	D0ZZ 9510-A (CA-728)	D1OZ 9510-C (CA-785-A)	28H
70	B(with C/M & Imco) (C.F.M.351)	8	351	F-2	D0OF-L,T,D0ZF-B	15	13	D0ZZ 9510-B (CA-729)	D2AZ 9510-C (CA-785-B)	28J
70	B(with M/T,C/M & Imco) (C.F.M.351)	8	351	F-2	D0OF-L,T	15	31	D0OZ 9510-T (CA-785)	D1OZ 9510-C (CA-785-A)	28J
69/70 69/70	A(with Imco)(C,F.M.351) B,F(w/M/T & Imco)	8 8	351 351	F-2 F-2	D0AF-J, AR, AS, AT, AU, AV	15	23	D0AZ 9510-AB (CA-783)	D2AZ9510-D (CA-783-B)	19AB

NOTE 1K -Stamping identification is located on edge of carburetor mounting flange.
NOTE 13 -Service pkg. includes mounting gasket.
NOTE 23 -Service pkg.includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C4AZ 9C639-A cap, (1) C5ZZ 9654-B gasket, (1) C6PF 12226-A hose, (1) 44718-S2 washer, (1) 87972-S adaptor, (1) 375016-S screw
NOTE 27 -Service pkg.includes (1) C7AZ 9447-A gasket, (1) C8SZ 9447-A gasket, (2) C7AZ 9J500-B limiter, (1) C1AZ 9B549-A dashpot, (1) C8AZ 9B550-C dashpot bracket, (1) 33923-S8 nut, (1) 375106-S2 screw
NOTE 31 -Service pkg. includes (2) C7AZ 9J500-B limiter & (1) C5ZZ 9654-B gasket
NOTE 34 -Service package includes (1) C8SZ 9447-A. (1) D0AZ 9447-C gasket. (2) C7AZ 9J500-B limiter, (1) 44718-S2 spacer, (1) 87743-S2 plug and (1) 375016-S2 screw

9510 CARBURETOR APPLICATION CHART - continued - Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 351 ENGINE - continued					
71	A	8	351	F-2	D1MF-FA	15	23	D1AZ 9510-A (CA-783-A)	D2AZ 9510-D (CA-783-B)	19AJ
71	A(with M/T)	8	351	F-2	D1AF-FA	15	13	D1AZ 9510-F (CA-806)	D2AZ 9510-D (CA-783-B)	28K
71	A(with C4 & C/M)-w/o A/C	8	351	F-2	D1AF-JA,YA	15	13	D1AZ 9510-J (CA-809)	D2AZ 9510-D (CA-783-B)	28L
71	A(with C4,C/M)-w/ A/C	8	351	F-2	D1AF-KA,XA	15	13	D1AZ 9510-K (CA-810)	D2AZ 9510-D (CA-783-B)	28M
71	B,F (with M/T)	8	351	F-2	D1OF-PA	15	13	D1OZ 9510-P (CA-824)	D2AZ 9510-C (CA-785-B)	28P
71	B,F (with C4 & C/M)	8	351	F-2	D1MF-KA,D1OF-RA, YA,ZA,D1ZF-SA,UA, ACA	15	13	D1ZZ 9510-S (CA-845)	D2AZ 9510-C (CA-785-B)	28Q
71	B,F(with M/T)	8	351	F-4	D1OF-EA	7	13	D1OZ 9510-E (CA-818)	D2AZ 9510-M (CA-788-A)	29J
71	B,F (with C6)	8	351	F-4	D1OF-FA	7	13	D1OZ 9510-F (CA-819)	D2AZ 9510-M (CA-788-A)	29K
71	A,B,F	8	351C	F-2	D1MF-KA,D1OF-RA,	15	31	D1OZ 9510-C	D2AZ 9510-C	28Q
70	B	8	351	F-2	YA,ZA,AHA,AJA, D1ZF-SA,UA,ACA,AEA			(CA-785-A)	(CA-785-B)	
71	F	8	351CJ	F-4	D1ZF-FA,GA	7	45	D1ZZ 9510-C	D4OZ 9510-F	29MI
71	F-Boss	8	351 Spl.	F-4				(CA-885-A)	(CA-885-D)	
71	F Boss	8	351 Spl	F-4	D1ZF-ZA	7	13	D1ZZ 9510-Z (CA-885)	D4OZ 9510-F (CA-885-D)	29L
72	A(with M/T)	8	351W	F-2	D2AF-EA	21	47	D2AZ 9510-E (CA-927)	D2AZ 9510-D (CA-783-B)	28R
72	A(with A/T)-w/A/C, except Calif.	8	351W	F-2	D2AF-GA	21	47	D2AZ 9510-G (CA-922)	D2AZ 9510-D (CA-783-B)	28S
72	A(California)	8	351W	F-2						
72	A,B,F	8	351W	F-2	D2AF-FB,FC,FD,GB,	21	53	D2AZ 9510-D	D2AZ 9510-P	28W
70	A,F	8	351	F-2	GC,GD, D2PF-GA,GB, D4PE-FA			(CA-783-B)	(CA-783-C)	
72	A,B,F	8	351C	F-2	D2MF-CB,D2OF-PA, RA,UA,UB,UC, D2PF-HA,HB, D2WF-CA,CB D2ZF-KA,LA,LB,LC, D3PF-DA, D4PE-FA, FB	21	54	D2AZ 9510-C (CA-785-B)		28Y
70	B	8	351	F-2						
72	B,F(with A/T)	8	351	F-2	D2OF-JA	21	13	D2OZ 9510-J	D2AZ 9510-C (CA-785-B)	28U
72	A,B,F	8	351W	F-2	D4PE-EA, EB, EC	21	53	D2AZ 9510-P (CA-783-C)		28W

NOTE 13 -Service pkg. includes mounting gasket.
NOTE 23 -Service pkg. includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C4AZ 9C639-A cap, (1) C5ZZ 9654-B gasket, (1) C6PF 12226-A hose, (1) 44718-S2 washer, (1) 87972-S adaptor, (1) 375016-S screw.
NOTE 31 -Service package includes (2) C7AZ 9J500-B limiter & (1) C5ZZ 9654-B gasket
NOTE 45 -Service pkg. includes (1) 375016-S2 screw & (1) D1ZZ 9447-A gasket
NOTE 47 -Service pkg. includes (1) D0AZ 9447-E gasket.
NOTE 53 - Service pkg. includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C4AZ 9C639-A cap, (1) C9AZ 9C786-A adaptor, (1) C6PF 12226-A hose, (1) 44719-S2 washer, (1) 87972-S adaptor, (1) 375016-S2 screw, (1) 382444-S cap and (1) 383338-S2 screw
NOTE 54 - Service pkg. includes (2) C7AZ 9J500-B limiter, (1) C5ZZ 9654-B gasket, (1) 375016-S2 screw, (1) 382444-S cap, and (1) 383338-S2 screw

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

9510 CARBURETOR APPLICATION CHART - continued -Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES.	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 351 ENGINE - continued					
72	B, F	8	351CJ	F-4	D2PF-TA, D2ZF-BB	20	55	D2AZ 9510-N	D4OZ 9510-F	29T
71	F	8	351CJ, Special	F-4				(CA-885-B)	(CA-885-D)	
72	F	8	351 Spl	F-4	D2ZF-GA	20	13	D2ZZ 9510-G (CA-958)	D4OZ 9510-F (CA-885-D)	29S
72	F(with M/T)except Calif.	8	351CJ	F-4	D2ZF-AA	20	13	D2ZZ 9510-A (CA-954)	D4OZ 9510-F (CA-885-D)	29N
72	F(with A/T) except Calif.	8	351CJ	F-4	D2ZF-BA	20	13	D2ZZ 9510-B (CA-955)	D4OZ 9510-F (CA-885-D)	29P
72	F(California only, with M/T)	8	351CJ	F-4	D2ZF-CA	20	13	D2ZZ 9510-C (CA-956)	D4OZ 9510-F (CA-885-D)	29Q
72	F(California only, with A/T)	8	351CJ	F-4	D2ZF-DA	20	13	D2ZZ 9510-D (CA-957)	D4OZ 9510-F (CA-885-D)	29R
72	F(with M/T)	8	351	F-2	D2ZF-EA	21	13	D2ZZ 9510-E (CA-923)	D2AZ 9510-C (CA-785-B)	28V
71/72	B-F	8	351	F-4	D4PE-AA, D5PE-GB	20	60	D4OZ 9510-F (CA-885-D)		29U
					8 CYLINDER 352 ENGINE					
65	A (with M/T)	8	352	F-4	C5AF-E, Z	4	1K, 13	C5AZ 9510-B	C5AZ 9510-U	17A
65	A (with C/M)	8	352	F-4	C5AF-F, AA	4	1K, 13	C5AZ 9510-K	C9AZ 9510-AE (CA-689-A)	15A
65	A (except P/I)(with M/T)	8	352	F-4	C5AF-AK, AU	4	1K, 13	C5AZ 9510-U		17F
65	A (except P/I)(with C/M)	8	352	F-4	C5AF-AN, AL, AV, AZ	4	1K, 13	C5AZ 9510-Y	C9AZ 9510-AE (CA-689-A)	17J
65	♦ A	8	352	F-2	C5AF-D	3		C3AZ9510-AV (CA-536)	D2AZ9510-D (CA-783-B)	13B
66	♦ A	8	352	F-2	C6PF-D	3		C3AZ9510-AT	D2AZ9510-D (CA-783-B)	11Y
66	A(with C/M & except T/E)	8	352	F-4	C6AF-L	4	1K, 13	C6AZ 9510-G	C9AZ 9510-AE (CA-689-A)	15B
66	A(with C/M & except T/E)	8	352	F-4	C6PF-H	4	8, 13	C3AZ 9510-AU (CA-376)	C9AZ 9510-AE (CA-689-A)	12P
66	A(with C/M & T/E)	8	352	F-4	C6AF-AJ	4	1K, 13	C6AZ 9510-AF (CA-394-T)	C9AZ 9510-AE (CA-689-A)	15C
65/66	A(with C/M)	8	352	H-4	D0PF-U	6	30	C9AZ 9510-AE (CA-689-A)		20Z
65/66	♦A	8	352	F-2	D0AF-J, AR, AS, AT, AU, AV	15	23	D0AZ 9510-AB (CA-783)	D2AZ9510-D (CA-783-B)	19AB
					8 CYLINDER 390 ENGINE					
65/66	A, P/C	8	390	F-4	C6PF-H	4	8, 13	C3AZ 9510-AU (CA-376)	C9AZ 9510-AE (CA-689-A)	12P
65	S	8	390							
65	S (with C/M)	8	390	F-4	C5SF-A, B	4	1K, 5, 13	C5SZ 9510-A	C9AZ 9510-AE (CA-689-A)	17E

NOTE 1K -Stamping identification is located on edge of carburetor mounting flange.
NOTE 5 -Service pkg. includes (1) C2AZ 9C639-A adaptor cap
NOTE 8 -Service pkg. includes (1) C4AZ 9C639-A adaptor cap, (1) 378761-S screw
NOTE 13 -Service pkg. includes mounting gasket.
NOTE 23 -Service pkg. includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C4AZ 9C639-A cap, (1) C5ZZ 9654-B gasket, (1) C6PF 12226-A hose, (1) 44718-S2 washer, (1) 87972-S adaptor & (1) 375016-S screw
NOTE 30 -Service pkg.includes (1) C2OA 9324-C hose-fuel, (1) D0AF 9447-A gasket, (1) D0AF 9C704-A hose-clean air supply, (1) D0AF 12226-A hose-carb.to distributor, (1) 370970-S8 stud, (1) 371002-S8 stud, (1) 372166-S vacuum fitting, (1) 380613-S cap, (1) 380614-S cap, (1) 380882-S32 clamp
NOTE 55 -Service pkg. includes (1) C8SZ 9447-A gasket, (1) D0AZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C5AF 9E551-A ball stud, (1) C4AZ 9C639-B plug, (1) 34656-S36 nut, (1) 44719-S2 spacer-washer, (1) 87743-S2 plug and (1) 375016-S2 screw.
♦ Canada only
NOTE 60 -Service pkg. includes (1) D1ZZ 9447-A gasket (1) D3ZZ 9447-B gasket, (2) C7AZ 9J500-B limiter, (1) D2AZ 9A589-B spacer and (1) D3PF 9E815-AA sleeve.

9510 CARBURETOR APPLICATION CHART - continued - Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
	8 CYLINDER 390 ENGINE - continued									
65/69	All High Performance vehicles(primary)(C.F.M. rating 652)(8/B carb.)w/ tunnel port & medium riser heads	8	390	H-D-4	C8OF-AC			C8OF 9510-AC (CA-680)		†
65/69	All High Performance vehicles(secondary) (C.F.M. rating 652)(8/B carb.)(w/tunnel port & medium riser heads)	8	390	H-D-4	C8OF-AD			C8OF 9510-AD (CA-681)		†
65/69	All High Performance vehicles(C. F. M. rating 735)(w/M/T,med. riser or equal runner type intake manifold)	8	390	H-4	C8OF-AA	6	1K, 13	C8OZ 9510-AA (CA-611)	C9AZ 9510-U (CA-769)	20L
65/69	All High Performance vehicles(C. F. M. rating 735)(w/C6, CM & medium riser or equal runner type intake manifolds) equal runner type	8	390	H-4	C8OF-AB	6	1K, 13	C8OZ 9510-AB (CA-612)	C9AZ 9510-U (CA-769)	20M
65/69	All High Performance vehicles(C.F.M. rating 700)(with medium riser or equal runner type intake manifolds) equal runner type	8	390	H-4	C9AF-U	6	13	C9AZ 9510-U (CA-769)		20T
65	A (with C/M)	8	390	F-4	C5AF-H, AC	4	1K, 13	C5AZ 9510-M	C9AZ 9510-AE (CA-689-A)	17B
65	A(with M/T)	8	390	F-4	C5AF-E, Z	4	1K, 13	C5AZ 9510-B	C9AZ 9510-AE (CA-689-A)	17A
65	A(except P/C)(with M/T)	8	390	F-4	C5AF-AK, AU	4	1K, 13	C5AZ 9510-U	C9AZ 9510-AE (CA-689-A)	17F
65	A(except P/C)(with C/M)	8	390	F-4	C5AF-AN,AL,AV,AZ	4	1K, 13	C5AZ 9510-Y	C9AZ 9510-AE (CA-689-A)	17J
65	P/C(w/M/T)	8	390	F-4	C5AF-J, AD	4	1K, 13	C5AZ 9510-F	C9AZ9510-AE (CA-689-A)	17C
65	P/C(w/M/T)	8	390	F-4	C5AF-AR, BA	4	1K, 13	C5AZ 9510-V	C9AZ9510-AE (CA-689-A)	17G
65	P/C(w/C/M)	8	390	F-4	C5AF-AS, AT	4	1K, 13	C5AZ 9510-W	C9AZ 9510-AE (CA-689-A)	17H
65	P/C(w/C/M)	8	390	F-4	C5AF-K, AE	4	1K, 13	C5AZ 9510-L	C9AZ 9510-AE (CA-689-A)	17D
66	A(with C/M,C4 & exc.T/E)	8	390	F-2	C6MF-A, J	3	1K, 13	C6MY9510-A	D2AZ9510-D (CA-783-B)	19D
66	A(with C/M,C4 & T/E)	8	390	F-2	C6MF-D	3	1K, 13	C6MY9510-D	D2AZ 9510-D (CA-783-B)	19E

NOTE 1K -Stamping identification is located on edge of carburetor mounting flange.
NOTE 13 -Service pkg. includes mounting gasket.

† List not available

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

9510 CARBURETOR APPLICATION CHART - continued - Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 390 ENGINE - continued					
66	A(with M/T except T/E)	8	390	F-4	C6AF-E	4	1K, 13	C6AZ 9510-E	C9AZ 9510-AE (CA-689-A)	17K
66	A(with M/T & T/E)	8	390	F-4	C6AF-AB	4	1K, 13	C6AZ 9510-AD (CA-396-T)	C9AZ 9510-AE (CA-689-A)	17M
66	A(with C/M, C6 exc. T/E)	8	390	F-4	C6AF-F, C6MF-B	4	1K, 13	C6AZ 9510-F (CA-371)	C6AZ9510-AT (CA-533)	17L
66	A(with C/M, C6, exc. T/E)	8	390	F-4	C6AF-F	4	1K,10	C6AZ9510-AT (CA-533)		17L
66	A(with C/M, C6 & T/E)	8	390	F-4	C6AF-AC	4	1K, 13	C6AZ 9510-AE (CA-397-T)	C9AZ 9510-AE (CA-689-A)	17N
65/66	A, P/C	8	390	H-4	D0PF-U	6	30	C9AZ 9510-AE (CA-689-A)		20Z
65/66	S	8	390							
66	B(with M/T except T/E)	8	390	F-2	C6OF-B	3	1K, 13	C6OZ 9510-B (CA-369)	D2AZ 9510-D (CA-783-B)	19A
66	B(with M/T & T/E)	8	390	F-2	C6OF-K	3	1K, 13	C6OZ 9510-E (CA-398-T)	D2AZ 9510-D (CA-783-B)	19B
66	B(with C6 & T/E)	8	390	F-2	C6OF-L	3	1K, 13	C6OZ 9510-F (CA-399-T)	D2AZ 9510-D (CA-783-B)	19C
66	B(except T/E)	8	390	F-2	C6OF-C, AH	3	1K, 13	C6OZ 9510-J (CA-543)	D2AZ 9510-D (CA-783-B)	19F
66	B(except T/E)	8	390	F-4	C6OF-D, E	4	1K, 3, 5	C6OZ 9510-A	C9AZ 9510-AE (CA-689-A)	17P
66	B(with M/T & T/E)	8	390	F-4	C6OF-H	4	1K, 13	C6OZ 9510-G (CA-400-T)	C9AZ 9510-AE (CA-689-A)	17Q
66	B(with C6 & T/E)	8	390	F-4	C6OF-J	4	1K, 13	C6OZ 9510-H (CA-401-T)	C9AZ 9510-AE (CA-689-A)	17R
66	B(63D, 76D)	8	390	H-4	C6OF-N, M	6	1G, 13	C6OZ 9510-K (CA-381)	C9AZ 9510-U (CA-769)	20C
66	S(with C/M, C6 except T/E)	8	390	F-4	C6SF-A	4	1K, 13	C6SZ 9510-A (CA-372)	C9AZ 9510-AE (CA-689-A)	17S
66	B(except T/E)	8	390							
66	S(with C/M, C6 & T/E)	8	390	F-4	C6SF-C	4	1K, 13	C6SZ 9510-C (CA-402-T)	C9AZ9510-AE (CA-689-A)	17T
66	♦ A	8	390	F-2	C6PF-D	3	1K,26	C3AZ9510-AV (CA-536)	D2AZ 9510-D (CA-783-B)	11Y
67	A(with C/M, C6 & T/E)	8	390	F-2	C6PF-D	3	1K, 26	C3AZ 9510-AV (CA-536)	D2AZ 9510-D (CA-783-B)	11Y

NOTE 1G -Stamping identification is located on choke plate flange.
NOTE 1K -Stamping identification is located on edge of carburetor mounting flange.
NOTE 3 -Service pkg. includes mounting gasket and also (1) each C1AZ 9B549-A dashpot, B8AZ 9B550-A bracket 33923-S8 nut and 43252-S8 screw & washer for use with automatic transmission.
NOTE 5 -Service pkg. includes (1) C2AZ 9A639-A adaptor cap.
NOTE 10 -Service pkg. includes (1) each carburetor mounting gasket and 378761-S screw.
NOTE 13 -Service pkg. includes mounting gasket.
NOTE 26 -Service pkg. includes (1) each C4AZ 9C639-A adaptor cap, C7AF 9996-B tube, 351112-S screw, 372700-S adaptor, 378761-S screw.
NOTE 30 -Service pkg.includes (1) C2OA 9324-C hose-fuel, (1) D0AF 9447-A gasket, (1) D0AF 9C704-A hose-clean air supply, (1) D0AF 12226-A hose-carb.to distributor, (1) 370970-S8 stud, (1) 371002-S8 stud, (1) 372166-S vacuum fitting. (1) 380613-S cap, (1) 380614-S cap, (1) 380882-S32 clamp

♦ Canada only

9510 CARBURETOR APPLICATION CHART - continued- Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 390 ENGINE - continued					
67	A(with M/T except T/E)	8	390	F-4	C7AF-C	7	1K, 13	C7AZ 9510-C	D2AZ 9510-M (CA-788-A)	17U
67	A(with C6 except T/E)	8	390	F-4	C7AF-D	7	1K, 13	C7AZ 9510-D	D2AZ 9510-M (CA-788-A)	17V
67	A(with M/T & T/E)	8	390	F-4	C7AF-G	7	1K, 13	C7AZ 9510-G	D2AZ 9510-M (CA-788-A)	17W
67	A(with C6 & T/E)	8	390	F-4	C7AF-H	7	1K, 13	C7AZ 9510-H	D2AZ 9510-M (CA-788-A)	17X
67	A(with C6 & Imco)	8	390	F-2	C7AF-BT	3	1K, 13	C7AZ 9510-BT (CA-574)	D2AZ 9510-D (CA-783-B)	19Q
67	A(with M/T except T/E)	8	390	F-2	C7AF-U	3	1K, 13	C7AZ 9510-U	D2AZ 9510-D (CA-783-B)	19G
67	A(with C6, C/M except T/E)	8	390	F-2	C7AF-V, AK, BR	3	1K, 13	C7AZ 9510-V	D2AZ 9510-D (CA-783-B)	19H
67	A(with M/T & T/E)	8	390	F-2	C7AF-Y	3	1K, 13	C7AZ 9510-Y (CA-465-T)	D2AZ 9510-D (CA-783-E)	19J
67	A(with C6, C/M & T/E)	8	390	F-2	C7AF-Z, BE	3	1K, 13	C7AZ 9510-Z (CA-466-T)	D2AZ 9510-D (CA-783-B)	19K
67	A,B(with M/T except T/E)	8	390	F-4	C7AF-AC	7	1K,13	C7AZ9510-AC (CA-496)	D2AZ 9510-M (CA-788-A)	17AE
67	A,B(except B63D,B76D) (with M/T & T/E)	8	390	F-4	C7AF-AG	7	1K, 13	C7AZ 9510-AG (CA-500-T)	D2AZ 9510-M (CA-788-A)	17AG
67	A, S(with C6 & T/E)	8	390	F-4	C7AF-AH, AY, BH	7	1K, 13	C7AZ 9510-AH (CA-501-T)	D2AZ 9510-M (CA-788-A)	17AH
67	A, S(with C6 except T/E)	8	390	F-4	C7AF-AD, BJ	7	1K, 13	C7AZ 9510-AD (CA-497)	D2AZ 9510-M (CA-788-A)	17AF
67	A, S(with C6 & Imco)	8	390	F-4	C7MF-H	7	1K, 13	C7AZ 9510-AJ (CA-575)	D2AZ 9510-M (CA-788-A)	17AK
67	B(except T/E)	8	390	F-2	C7OF-AK	3	1K, 12, 13	C6OZ9510-L (CA-538)	D2AZ 9510-D (CA-783-B)	19M
67	B(with C6 & T/E)	8	390	F-4	C7OF-H, AH	7	1K, 13	C7OZ 9510-A (CA-424-T)	D2AZ 9510-M (CA-788-A)	17Y
67	B(with M/T & T/E)	8	390	F-4	C7OF-G	7	1K, 13	C7OZ 9510-B	D2AZ 9510-M (CA-788-A)	17Z
67	B(with C6 except T/E)	8	390	F-4	C7OF-F	7	1K, 13	C7OZ 9510-C	C7OZ 9510-S (CA-508)	17AA
67	B(with M/T except T/E)	8	390	F-4	C7OF-E	7	1K, 13	C7OZ 9510-D	D2AZ 9510-M (CA-788-A)	17AB
67	B(with M/T except T/E)	8	390	F-2	C7OF-J	3	1K, 13	C7OZ 9510-E	D2AZ 9510-D (CA-783-B)	19L
67	B(with C6 except T/E)	8	390	F-2	C7OF-K, U, AK	3	1K, 13	C7OZ 9510-F	D2AZ 9510-D (CA-783-B)	19M
67	B(with M/T & T/E)	8	390	F-2	C7OF-L	3	1K, 13	C7OZ 9510-G (CA-477-T)	D2AZ 9510-D (CA-783-B)	19N
67	B(with C6 & T/E)	8	390	F-2	C7OF-M, AF	3	1K, 13	C7OZ 9510-H	D2AZ 9510-D (CA-783-B)	19P

NOTE 1K -Stamping identification is located on edge of carburetor mounting flange.
NOTE 12 -Service pkg. includes (1) C6PF 12226-A distributor vacuum hose, (1) 87964-S connector.
NOTE 13 -Service pkg.includes mounting gasket

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

9510 CARBURETOR APPLICATION CHART - continued - Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 390 - continued					
67	B(63D, 76D), F(with M/T) (except T/E)	8	390	H-4	C7OF-A	6	1G, 13	C7OZ 9510-L (CA-504)	C9AZ 9510-U (CA-769)	20E
67	B(63D, 76D), F(with C6) (except T/E)	8	390	H-4	C7OF-B	6	1G, 13	C7OZ 9510-M (CA-505)	C9AZ 9510-U (CA-769)	20F
67	B(63D, 76D), F(with M/T & T/E)	8	390	H-4	C7OF-C	6	1G,13	C7OZ 9510-N (CA-506-T)	C9AZ 9510-U (CA-769)	20G
67	B(63D, 76D), F(with C6 & T/E)	8	390	H-4	C7OF-D	6	1G, 13	C7OZ 9510-P (CA-507-T)	C8OZ 9510-D (CA-583)	20H
67	B(except 63D, 76D) (with C6)(except T/E)	8	390	F-4	C7OF-S, AJ	7	1K, 13	C7OZ 9510-S (CA-508)	D2AZ 9510-M (CA-788-A)	17AJ
67	S(with C6 except T/E)	8	390	F-4	C7SF-A	7	1K, 13	C7SZ 9510-A	D2AZ 9510-M (CA-788-A)	17AC
67	S(with C6 & T/E)	8	390	F-4	C7SF-C	7	1K, 13	C7SZ 9510-C	D2AZ 9510-M (CA-788-A)	17AD
68	• B, F(GT w/M/T, open emission)	8	390	H-4	C7OF-A	6	1G,13	C7OZ 9510-L (CA-504)		20E
68	• B, F(GT, w/A/T, open emission)	8	390	H-4	C7OF-B	6	1G,13	C7OZ 9510-M (CA-505)	C9AZ 9510-U (CA-769)	20F
68	A(with M/T & T/E)	8	390	F-4	C8AF-A, C8AF-AR	7	1K, 13	C8AZ 9510-A (CA-547)	D2AZ 9510-M (CA-788-A)	17AL
68	A, S(with C6 & Imco)	8	390	F-4	C8AF B	7	1K, 13	C8AZ 9510-B	D2AZ 9510-M (CA-788-A)	17AL
67	A, B(except B63D, B76D)(with T/E)	8	390	F-4	C8AF-AS, C8PF-V	4	1K, 13, 18	C7AZ 9510-AT (CA-617)	D2AZ 9510-M (CA-788-A)	17AM
67	S(with C6 & T/E)	8	390	F-4						
68	A, S(with C6 & Imco)	8	390	F-4						
68	A(with M/T & T/E)	8	390	F-4						
68	A, B(with M/T & T/E)	8	390	F-2	C8AF-M	3	1K,13,14	C8AZ 9510-M (CA-554)	D2AZ 9510-D (CA-783-B)	19R
68	A, B(with M/T & T/E)	8	390	F2	C8AF-AM	3	1K, 13	C8AZ 9510-AM	D2AZ 9510-D (CA-783-B)	19V
68	A(w/C/M, C6 & Imco) (w/P. F.)	8	390	F-2	C8AF-N	3	1K, 13	C8AZ 9510-N (CA-555)	D2AZ 9510-D (CA-783-B)	19R
68	A, B(w/C/M, C6 &Imco) (except P. F.)	8	390	F-2	C8AF-AN	3	1K, 13	C8AZ 9510-AN (CA-593)	D2AZ 9510-D (CA-783-B)	19T
66	A(with C/M, C4, C6 & T/E)	8	390	F-2	C8PF-U, C8AF-BA, C8OF-AF, C8WF-A	3	1K, 17	C8AZ 9510-AP (CA-618)	D2AZ 9510-D (CA-783-B)	19W
67	B(with M/T, C6)	8	390	F-2						
68	A(with M/T, C/M, C6) (with T/E or Imco) (with or without P. F.)	8	390	F-2						

NOTE 1G -Stamping identification is located on choke plate flange.
NOTE 1K -Stamping identification is located on edge of carburetor mounting flange.
NOTE 13 -Service pkg. includes mounting gasket.
NOTE 14 -Service pkg. includes (1) C8WY 9447-A spacer. (Not used on Ford or Fairlane)
NOTE 17 -Service pkg. includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C4AZ 9C639-A cap, (1) C5ZZ 9654-B gasket, (1) 372700-S adaptor, (1) 375016-S2 screw.
NOTE 18 -Service pkg. includes (2) C7AZ 9J500-B limiter.
• Canada only

9510 CARBURETOR APPLICATION CHART - continued - Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 390 ENGINE - continued					
68	♦ A,B,F(with A/T)	8	390	F-2	C8AF-AZ,BA,BB, C8OF-AE,AF,C8PF-U, C8WF-A	3	1K,17	C8AZ9510-AP (CA-618)	D2AZ 9510-D (CA-783-B)	19W
68	B(with M/T & T/E)	8	390	F-2	C8OF-J	3	1K, 13	C8OZ 9510-J	D2AZ 9510-D (CA-783-B)	19S
68	B,F(with C6 & Imco) (w/P. F.)	8	390	F-2	C8OF-K	3	1K, 13,14	C8OZ 9510-K (CA-559)	D2AZ 9510-D (CA-783-B)	19S
68	B(w/C6 & Imco) (except P. F.)	8	390	F-2	C8OF-U	3	1K, 13	C8OZ 9510-U	D2AZ 9510-D (CA-783-B)	19U
67	B(63D, 76D), F	8	390	H-4	C8OF C	6	1G, 13	C8OZ 9510-C (CA-582)	C9AZ 9510-U (CA-769)	20J
68	B(GT), F(GT)(with M/T & T/E)	8	390	H-4						
68	B(GT), F(GT)(with C6 & T/E)	8	390	H-4	C8OF-D	6	1G, 13	C8OZ 9510-D (CA-583)		20J
67	B(63D, 76D), F(w/C6 & T/E)	8	390	H-4						
68	♦ A,S(with A/T, open emission)	8	390	F-4	C8AF-AC, AT	4		C8AF9510-AT		26D
68	♦ A(with M/T, open emission)	8	390	F-4	C8AF-AB,AU	4		C8AF9510-AU	D2AZ 9510-M (CA-788-A)	26D
68	♦ B(with A/T, open emission)	8	390	F-2	C8OF-R,T	3		C8OF 9510-T		11AK
68/71	♦ A,B(open emission)	8	390	F-2	C8AF-T,AH, C8OF-N	3		C8AF 9510-AH		11AH
68/71	♦ A(open emission)	8	390	F-2	C8AF-U, AJ	3		C8AF 9510-AJ	D2AZ 9510-D (CA-783-B)	11AJ
69	A(with M/T & Imco)	8	390	F-2	C9AF-B	3	13	C9AZ 9510-B (CA-624)	D2AZ 9510-D (CA-783-B)	19Y
69	A(with C6, C/M & Imco)-R. F.	8	390	F-2	C9AF-C	3	13	C9AZ 9510-C (CA-625)	D2AZ 9510-D (CA-783-B)	19Z
69	A(with C6, C/M & Imco)-R. F.	8	390	F-2	C9AF-J, Z, C9ZF-L, M	3	23	C9AZ 9510-AD (CA-700)	D2AZ 9510-D (CA-783-B)	19X
69	B(GT)(with C6 & Imco)	8	390	F-4	C9OF-E	7	13	C9OZ 9510-E (CA-658)	D2AZ 9510-M (CA-788-A)	17AN
69	B(GT)(with M/T & Imco)	8	390	F-4	C9ZF-E	7	13	C9ZZ 9510-E (CA-659)	D2AZ 9510-M (CA-788-A)	17AP
69	F(GT)(with M/T & Imco) (w/or w/o Ram Air)									
69	F(GT)(with C6 & Imco) (w/or w/o Ram Air)	8	390	F-4	C9ZF-F	7	13	C9ZZ 9510-F (CA-660)	D2AZ 9510-M (CA-788-A)	17AQ
69	F(GT)(w/C6 & Imco) (w/ or w/o Ram Air)	8	390	F-4	D0PF-AG	7	34	D0OZ 9510-U (CA-790)	D2AZ 9510-M (CA-788-A)	29H
67/68	A,B,S	8	390	F-4	D2PF-SA	20	56	D2AZ 9510-M (CA-788-A)		25S

♦ Canada only

NOTE 1G -Stamping identification is located on choke plate flange.
NOTE 1K -Stamping identification is located on edge of carburetor mounting flange.
NOTE 13 -Service pkg. includes mounting gasket.
NOTE 14 -Service pkg. includes (1) C8WY 9447-A spacer. (Not used on Ford or Fairlane)
NOTE 17 -Service pkg. includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C4AZ 9C639-A cap, (1) C5ZZ 9654-B gasket, (1) 372700-S adaptor, (1) 375016-S2 screw.
NOTE 23 -Service package includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C4AZ 9C639-A cap, (1) C5ZZ 9654-B gasket, (1) C6PF 12226-A hose, (1) 44718-S2 washer, (1) 87972-S adaptor & (1) 375016-S screw
NOTE 34 -Service pkg.includes (1) C8SZ 9447-A, (1) D0AZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) 47718-S2 spacer, (1) 87743-S2 plug and (1) 375016-S2 screw
NOTE 56 -Service pkg. includes (1) D1ZZ 9447-A gasket, (2) C7AZ 9J500-B limiter, (1) D1OZ 9A589-A spacer, (1) 375016-S2 screw

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

9510 CARBURETOR APPLICATION CHART - continued -Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 390 ENGINE - continued					
70	A(with M/T & Imco) (without A/C) (C.F.M.351)	8	390	F-2	D0AF-G	15	13	D0AZ9510-G (CA-713)	D2AZ 9510-D (CA-783-B)	19AA
66/70	A(with M/T, C/M & Imco)(w/ or w/o A/C) (C.F.M.351)	8	390	F-2	D0AF-J, AR, AS, AT, AU, AV	15	23	D0AZ 9510-AB (CA-783)	D2AZ 9510-D (CA-783-B)	19AB
66/69	B	8	390	F-2						
68	F	8	390	F-2						
70	A(with M/T, Imco & A/C) (C.F.M.351)	8	390	F-2	D0AF-Y	15	13	D0AZ9510-Y (CA-766)	D2AZ 9510-D (CA-783-B)	19AD
70	A(with C/6 & Imco (without A/C) (C.F.M.351)	8	390	F-2	D0AF-Z	15	13	D0AZ9510-Z (CA-767)	D2AZ 9510-D (CA-783-B)	19AE
70	A(with C/6, Imco & A/C) (C.F.M.351)	8	390	F-2	D0AF-AA	15	13	D0AZ9510-AA (CA-768)	D2AZ 9510-D (CA-783-B)	19AF
71	A(without A/C)	8	390	F-2	D1YF-CA	15	13	D1AZ9510-G (CA-807)	D2AZ 9510-D (CA-783-B)	19AG
71	A(w/ or w/o A/C)	8	390	F-2	D1YF-DA	15	13	D1AZ9510-H (CA-808)	D2AZ 9510-D (CA-783-B)	19AH
71	A	8	390	F-2	D1MF-FA	15	23	D1AZ 9510-A (CA-783-A)	D2AZ 9510-D (CA-783-B)	19AJ
					8 CYLINDER 400 ENGINE					
71	A(with C6)	8	400	F-2	D1MF-JA	21	13	D1MY9510-J (CA-816)	D2AZ 9510-C (CA-785-B)	28N
71	A(with C6)	8	400	F-2	D1MF-KA, LA, D1ZF-SA, ACA	21	31	D1OZ 9510-C (CA-785-A)	D2AZ 9510-C (CA-785-B)	28Q
72	A	8	400	F-2	D2MF-CA	21	51	D2MY 9510-C (CA-925)	D2AZ 9510-C (CA-785-B)	28T
72	A,B,S	8	400	F-2	D2AF-UC, D2MF-DA, DB, EA, EB, FA, FB, FC, FE, FF, D2PF-HA, HB, D3PF-DA, D4PE-FA	21	54	D2AZ 9510-C (CA-785-B)		28Y
					8 CYLINDER 427 ENGINE					
65/69	All High Performance vehicles(secondary) (C.F.M. rating 780)(8/B carb.)(w/tunnel port & high riser heads)	8	427	H-D-4				C5AF 9510-BT (CA-688)		†
65/69	All High Performance vehicles(primary)(C.F.M. rating 780)(8/B carb.) (w/tunnel port and high riser heads)	8	427	H-D-4				C5AF 9510-BU (CA-687)		†
65/69	All High Performance vehicles(C. F. M. rating 735)(w/M/T, med. riser or equal runner type intake manifolds)	8	427	H-4	C8OF-AA	6	1K,13	C8OZ9510-AA (CA-611)	C9AZ 9510-U (CA-769)	20L

NOTE 1K -Stamping identification is located on edge of carburetor mounting flange.
NOTE 13 -Service pkg. includes mounting gasket.
† List not available
NOTE 23 -Service pkg.includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C4AZ 9C639-A cap, (1) C5ZZ 9654-B gasket, (1) C6PF 12226-A hose, (1) 44718-S2 washer, (1) 87972-S adaptor & (1) 375016-S screw
NOTE 31 -Service pkg. includes (2) C7AZ 9J500-B limiter & (1) C5ZZ 9564-B gasket
NOTE 51 -Service pkg. includes (1) D0AZ 9447-A, gasket.
NOTE 54 - Service pkg. includes (2) C7AZ 9J500-B limiter, (1) C5ZZ 9564-B gasket, (1) 375016-S2 screw, (1) 382444-S cap, and (1) 383338-S2 screw.

9510 CARBURETOR APPLICATION CHART - continued - Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
				8 CYLINDER 427 ENGINE - continued						
65/69	All High Performance vehicles(C. F. M. rating 735)(C6, CM & med. riser or equal runner type intake manifolds)	8	427	H-4	C8OF-AB	6	1K, 13	C8OZ 9510-AB (CA-612)	C9AZ 9510-U (CA-769)	20M
65/69	All High Performance vehicles(primary)(C.F.M. rating 652)(8/B carb.) (w/tunnel port & medium riser heads)	8	427	H-D-4	C8OF-AC			C8OF 9510-AC (CA-680)		†
65/69	All High Performance vehicles(secondary) (C. F. M. rating 652)(8/B carb.)(w/tunnel port and medium riser heads)	8	427	H-D-4	C8OF-AD			C8OF 9510-AD (CA-681)		†
65	A Special(with 8/B carb.)	8	427	H-D-4	C3AF-BK, BJ	5	1G, 13	C4AZ 9510-A (CA-323)		20A
65/69	All High Performance vehicles (C.F.M. rating 710)(w/8/B carb.)	8	427	H-D-4	C5AF-BC,BD	5	1G, 13	C6AZ 9510-AH (CA-379)		20B
66/67	A Special(with 8/B carb.)	8	427	H-D-4	C5AF-BD					
67	B Special(with 8/B carb.)	8	427							
66/67	A Special(with 4/B carb.)	8	427	H-4	C5AF-BV	5	1G, 13	C6AZ 9510-AP (CA-495)		20D
67	B Special(with 4/B carb.)	8	427							
68	B, F Special(with 4/B carb., C6 & T/E)(C. F. M. rating 600)	8	427	H-4	C8AF-AD	6	1G, 13	C8AZ9510-AD (CA-604)	C9OZ 9510-N (CA-604-A)	20K
65/69	All High Performance vehicles(C. F. M. rating 700)(w/med. riser or equal runner type intake manifolds)	8	427	H-4	C9AF-U	6	13	C9AZ9510-U (CA-769)		20T
				8 CYLINDER 428 ENGINE						
65/69	All High Performance vehicles(primary)(C.F.M. rating 652)(8/B carb.) (w/tunnel port & medium riser heads)	8	428	H-D-4	C8OF-AC			C8OF 9510-AC (CA-680)		†
65/69	All High Performance vehicles(secondary) (C. F. M. rating 652)(8/B carb.)(w/tunnel port & medium riser heads)	8	428	H-D-4	C8OF-AD			C8OF 9510-AD (CA-681)		†
65/69	All High Performance vehicles(C. F. M. rating 710)(w/8/B carb.)	8	428	H-D-4	C5AF-BC, BD	5	1G, 13	C6AZ 9510-AH (CA-379)		20B

NOTE 1G -Stamping identification is located on choke plate flange.
NOTE 1K -Stamping identification is located on edge of carburetor mounting flange.
NOTE 13 -Service pkg. includes mounting gasket.

† List not available.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

9510 CARBURETOR APPLICATION CHART - continued- Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
				8 CYLINDER 428 ENGINE - continued						
65/69	All High Performance vehicles(secondary) (C.F.M. rating 780) (8/B carb.)(w/tunnel port & high riser heads)	8	428	H-D-4				C5AF 9510-BT (CA-688)		†
65/69	All High Performance vehicles(primary)(C.F.M. rating 780)(8/B carb.) (w/tunnel port & high riser heads)	8	428	H-D-4				C5AF 9510-BU (CA-687)		†
66	A(except P/C)(with M/T except T/E)	8	428	F-4	C6AF-E	7	1K, 13	C6AZ 9510-E	C9AZ 9510-AE (CA-689-A)	17K
66	A(except P/C)(with M/T except T/E)	8	428	F-4	C7AF-A	7	1K, 13	C7AZ 9510-A	Not replaced	21F
66	A(except P/C)(with M/T) & T/E)	8	428	F-4	C6AF-AB	7	1K,13	C6AZ 9510-AD (CA-396-T)	C9AZ 9510-AE (CA-689-A)	17M
66	A(except P/C)(with M/T & T/E)	8	428	F-4	C6MF-E	7	1K, 13	C6MY 9510-E (CA-421-T)	C9AZ 9510-AE (CA-689-A)	21E
66	A(except P/C)(with C6 except T/E)	8	428	F-4	C6AF-F, C6MF-B	7	1K, 13	C6AZ 9510-F (CA-371)	C6AZ 9510-AT (CA-533)	17L
66	A(except P/C)(with C6 except T/E)	8	428	F-4	C6AF-F	7	1K, 10	C6AZ 9510-AT (CA-533)		17E
66	A(except P/C)(with C6 except T/E)	8	428	F-4	C7AF-B	7	1K, 13	C7AZ 9510-B	Not replaced	21G
66	A(except P/C)(with C6 (except T/E)	8	428	F-4	C6AF-BU	7	1K, 13	C6AF 9510-BU	D2AZ 9510-M (CA-788-A)	21R
66	A(except P/C)(with C6 & T/E)	8	428	F-4	C6AF-AC	7	1K, 13	C6AZ 9510-AE (CA-397-T)	C9AZ 9510-AC (CA-691)	17N
66	A(exc.P/C)(w/C6 & T/E)	8	428	F-4	C9ZF-D	7	27	C9AZ 9510-AC (CA-691)		29C
67	A(except P/C)(with M/T & T/E)	8	428	F-4	C7AF-AG	7	1K, 13	C7AZ 9510-AG (CA-500-T)	C7AZ 9510-AC (CA-496)	17AG
67	A(except P/C)(with M/T & T/E)	8	428	F-4	C7AF-J	7	1K, 13	C7AZ 9510-J	C7AZ 9510-AC (CA-496)	21K
67	A(except P/C)(with M/T except T/E)	8	428	F-4	C7AF-AE	7	1K, 13	C7AZ 9510-AE (CA-498)	D2AZ 9510-M (CA-788-A)	21S
67	A(except P/C)(with C6 & T/E)	8	428	F-4	C7AF-K	7	1K, 13	C7AZ 9510-K	D2AZ 9510-M (CA-788-A)	21L
66/67	A(except P/C), S(with C6 except T/E)	8	428	F-4	C7AF-AD, BJ	7	1K, 13	C7AZ 9510-AD (CA-497)	D2AZ 9510-M (CA-788-A)	17AF
67	S(with C6 exc.T/E)	8	428							
66/67	A(except P/C), S(with C6 except T/E)	8	428	F-4	C7AF-AF, AV, BA	7	1K, 13	C7AZ 9510-AF	D2AZ 9510-M (CA-788-A)	21T
67	A(except P/C), S(with C6 & T/E)	8	428	F-4	C7AF-AH, AY, BH	7	1K, 13	C7AZ 9510-AH (CA-501-T)	D2AZ 9510-M (CA-788-A)	17AH

NOTE 1K -Stamping identification is located on edge of carburetor mounting flange.
NOTE 10 -Service pkg. includes (1) each carburetor mounting gasket & 378369-S2 screw.
NOTE 13 -Service pkg. includes mounting gasket.
NOTE 27 -Service pkg.includes (1) C7AZ 9447-A gasket, (1) C8SZ 9447-A gasket, (2) C7AZ 9J500-B limiter, (1) C1AZ 9B549-A dashpot, (1) C8AZ 9B550-C dashpot bracket, (1) 33923-S8 nut, (1) 355106-S2 screw, (1) 43434-S8 screw, (1) 44718-S2 spacer

9510 CARBURETOR APPLICATION CHART - continued - Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 428 ENGINE - continued					
68	A(with M/T & T/E)	8	428	F-4	C8AF-A, C8AF-AR	7	1K, 13	C8AZ 9510-A (CA-547)	D2AZ 9510-M (CA-788-A)	17AL
68	A(except P/C)(with C6 & Imco)	8	428	F-4	C8AF-B	7	1K, 13	C8AZ 9510-B	D2AZ 9510-M (CA-788-A)	17AL
68 ♦	A(except P/C)(with M/T	8	428	F-4	C8AF-AA, AV	7		C8AF 9510-AV		26E
68 ♦	A(except P/C)(with A/T, open emission	8	428	F-4	C8AF-AC, AT	7		C8AF 9510-AT		26D
68	A(except P/C)(with C6 & Imco)	8	428	F-4	C8AF-C	7	1K, 13	C8AZ 9510-C	D2AZ 9510-M (CA-788-A)	21Y
67/68	A(except P/C)(with C6)	8	428	F-4	C8AF-AS, C8PF-V	4	1K, 13, 18	C7AZ 9510-AT (CA-617)	D2AZ 9510-M (CA-788-A)	17AM
67	S(with C6 & T/E)	8	428							
65/70	All High Performance vehicles(C. F. M. rating 735)(w/C6, CM & medium riser or equal runner type intake manifolds)	8	428	H-4	C8OF-AB	6	1K, 13	C8OZ 9510-AB (CA-612)	C9AZ 9510-U (CA-769)	20M
68	B, F(CJ)(with C6 & T/E)	8	428	H-4						
65/70	All High Performance vehicles(C. F. M. rating 735)(w/M/T, med. riser or intake manifolds)	8	428	H-4	C8OF-AA	6	1K, 13	C8OZ 9510-AA (CA-611)	C9AZ 9510-U (CA-769)	20L
68	F(CJ)(with M/T & T/E)	8	428	H-4						
68/70	B, F(CJ)(with C6 & T/E) (C.F.M.700)	8	428	H-4	C9AF-U	6	13	C9AZ 9510-U (CA-769)		20T
65/70	All High Performance vehicles(w/medium riser or equal runner type intake manifolds)	8	428	H-4						
68	F(GT500)(with T/E) (C.F.M.760)	8	428	H-4				C8ZX 9510-A		▲
68	PC(with C6 & TE/)	8	428	F-4	C8AF-AE	4	1K, 13	C7AZ 9510-AS (CA-592)	C9AZ 9510-AE (CA-689-A)	21Z
69	B(CJ)(with C6 & T/E)	8	428	H-4	C9OF-H	6	13	C9OZ 9510-H (CA-672)	C9AZ 9510-U (CA-769)	20N
69	B, F(CJ)(with M/T & T/E)	8	428	H-4	C9AF-M, ED-C9AF-M	6	13	C9AZ 9510-M (CA-669)	C9AZ 9510-U (CA-769)	20P
70	F(GT500)	8	428							
69	B(CJ), F(CJ)(with C6 & T/E)(C.F.M.735)	8	428	H-4	C9AF-N, ED	6	13	C9AZ 9510-N (CA-670)	C9AZ 9510-U (CA-769)	20Q
70	F(GT500)	8	428							
66	P/C(with M/T except T/E)	8	428	F-4	C6AF-J	4	1K, 13	C6AZ 9510-C	C6AZ 9510-AT (CA-533)	21A
66	P/C(with M/T & T/E)	8	428	F-4	C6AF-AF	4	1K, 13	C6AZ 9510-AB (CA-403-T)	C9AZ 9510-AE (CA-689-A)	21C
66	P/C(with C6 except T/E)	8	428	F-4	C6AF-K	4	1K, 13	C6AZ 9510-D	C6AZ 9510-AT (CA-533)	21B
66	P/C(with C6 & T/E)	8	428	F-4	C6AF-AG	4	1K, 13	C6AZ 9510-AC (CA-404-T)	C9AZ 9510-AE (CA-689-A)	21D

NOTE 1K -Stamping identification is located on edge of carburetor mounting flange

♦ Canada only

NOTE 13 -Service package includes mounting gasket.

NOTE 18 -Service pkg. includes (2) C7AZ 9J500-B limiter.

▲ List not available. Use ★C8ZZ 9502-B gasket kit, C8ZZ 9A586-B tune-up kit or ★C8ZZ 9590-B repair kit when necessary to service C8ZX 9510-A carburetor

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

9510 CARBURETOR APPLICATION CHART - continued - Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 428 ENGINE - continued					
67	P/C(with M/T except T/E)	8	428	F-4	C7AF-E	7	1K, 13	C7AZ 9510-E	C9AZ 9510-AE (CA-689-A)	21H
67	P/C(with M/T except T/E)	8	428	F-4	C7AF-AL	4	1K, 13	C7AZ 9510-AL (CA-525)	C9AZ 9510-AE (CA-689-A)	21U
67	P/C(with M/T & T/E)	8	428	F-4	C7AF-L	7	1K, 13	C7AZ 9510-L	C9AZ 9510-AE (CA-689-A)	21M
67	P/C(with M/T & T/E)	8	428	F-4	C7AF-AN	4	1K, 13	C7AZ 9510-AN (CA-527-T)	C9AZ 9510-AE (CA-689-A)	21W
67	P/C(with C6 except T/E)	8	428	F-4	C7AF-F	7	1K, 13	C7AZ 9510-F	C9AZ 9510-AE (CA-689-A)	21J
67	P/C(with C6 & T/E)	8	428	F-4	C8AF-AE	4	1K, 22	C9AZ 9510-AA (CA-689)	C9AZ 9510-AE (CA-689-A)	21Z
67	P/C(with C6 & T/E)	8	428	H-4	D0PF-U	6	30	C9AZ 9510-AE (CA-689-A)		20Z
67	P/C(with C6 except T/E)	8	428	F-4	C7AF-AM	4	1K, 13	C7AZ 9510-AM (CA-526)	C9AZ 9510-AE (CA-689-A)	21V
67	P/C(with C6 & T/E)	8	428	F-4	C7AF-M	7	1K, 13	C7AZ 9510-M	C9AZ 9510-AE (CA-689-A)	21N
67	P/C(with C6 & T/E)	8	428	F-4	C7AF-AR	4	1K, 13	C7AZ 9510-AR (CA-528-T)	C9AZ 9510-AE (CA-689-A)	21X
68/69♦	A-P/C(with A/T, open emission)	8	428	F-4	C7AF-AM	4	1K, 13	C7AZ 9510-AM (CA-526)	C9AZ 9510-AE (CA-689-A)	21V
69	P/C(with C6 & T/E)	8	428	F-4	C8AF-AE	4	1K, 22	C9AZ 9510-AA	C8AZ 9510-BG (CA-697)	21Z
69	P/C(with C6 & T/E)	8	428	F-4	C8AF-BG	4	1K, 13	C8AZ 9510-BG (CA-697)	C9AZ 9510-AE (CA-689-A)	21Z
70	P/C(with C6 & T/E) (without A/C)(C.F.M.605)	8	428	F-4	D0AF-M, AJ	7	13	D0AZ 9510-M (CA-723)	D3AZ 9510-F (CA-789-A)	21AA
70	P/C(with C6, T/E & A/C)(C.F.M.605)	8	428	F-4	D0AF-R, AK	7	13	D0AZ 9510-R (CA-748)	D3AZ 9510-F (CA-789-A)	21AB
70	P/C	8	428	F-4	D0AF-AD, AE, D0PF-AE, D2PF-VA	7	15	D0AZ 9510-AE (CA-789)	D3AZ 9510-F (CA-789-A)	21AC
70	F(CJ)(with C6, M/T & T/E)(C. F. M. 735)	8	428	H-4	D0ZF-G, H, U, T, AA, AB, AC, AD	6	13	D0ZZ 9510-H (CA-781)		20U
66	S(with C6 except T/E)	8	428	F-4	C6SF-A	7	1K, 13	C6SZ 9510-A (CA-372)		17S
66	S(with C6 & T/E)	8	428	F-4	C6SF-C	7	1K, 13	C6SZ 9510-C (CA-297)	C9AZ 9510-AE (CA-689-A)	17T
67	S(with C6 except T/E)	8	428	F-4	C7SF-B	7	1K, 13	C7SZ 9510-B	D2AZ 9510-M (CA-788-A)	21P
67	S(with C6 & T/E)	8	428	F-4	C7SF-D	7	1K, 13	C7SZ 9510-D	D2AZ 9510-M (CA-788-A)	21Q
66/68	A	8	428	F-4	D2PF-SA	20	56	D2AZ 9510-M (CA-788-A)		25S
67	S	8	428	F-4						
70	P/C	8	428	F-4	D3PF-CA		61	D3AZ 9510-F (CA-789-A)		21AD

NOTE 1K -Stamping identification is located on edge of carburetor mounting flange.

♦ Canada only

NOTE 13 -Service pkg. includes mounting gasket.

NOTE 15 - Service pkg. includes carburetor to manifold spacer.

NOTE 22 -Service pkg. includes (1) C5AZ 9447-A gasket, (1) C4AZ 9C639-A cap, (2) C7AZ 9J500-B limiter, (1) C6PF 12226-A hose, (1) 44718-S2 washer, (1) 375016-S2 screw.

NOTE 30 -Service pkg. includes (1) C2OA 9324-C hose-fuel, (1) D0AF 9447-A gasket, (1) D0AF 9C704-A hose-clean air supply, (1) D0AF 12226-A hose-carb. to distributor, (1) 370970-S8 stud, (1)371002-S8 stud, (1) 372166-S vacuum fitting, (1) 380613-S cap, (1) 380614-S cap, (1) 380882-S32 clamp

NOTE 56 -Service pkg. includes (1) D1ZZ 9447-A gasket, (2) C7AZ 9J500-B limiter, (1) D1OZ 9A589-A spacer, (1) 375016-S2 screw

NOTE 61 -Service pkg. includes (1) C8SZ 9447-A gasket, (2) C7AZ 9J500-B limiter, and (1) D3PF 9E815-AA sleeve.

9510 CARBURETOR APPLICATION CHART - continued - Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
					8 CYLINDER 429 ENGINE					
68	S(with C6 & Imco)(exc.A/C)	8	429	F-4	C8SF-A, C8SF-E, G	7	1K, 15	C8SZ 9510-A	D2AZ 9510-M (CA-788-A)	25A
68	S(with C6 & Imco)(with A/C)	8	429	F-4	C8SF-B	7	1K, 15	C8SZ 9510-B	D2AZ 9510-M (CA-788-A)	25A
68/69	S(with C6 & Imco)	8	429	F-4	C8SF-G, H, C9AF-R	7	1K	C8SZ 9510-C (CA-620)	D2AZ 9510-M (CA-788-A)	25A
69	A(with C6 & Imco)	8	429	F-4						
68/69	S(with C6 & Imco)	8	429	F-4	C9LF-A	7	24	C9AZ9510-AB (CA-690)	D2AZ 9510-M (CA-788-A)	25C
69	A(with M/T, C6 & Imco)	8	429							
68/69	S(with C6 & Imco)	8	429	F-4	D0PF-AF	7	33	D0AZ 9510-AD (CA-788)	D2AZ 9510-M (CA-788-A)	25G
69	A(with M/T, C6 & Imco)	8	429							
71	A, B(with C6 & M/T) (exc.P/C & CJ)	8	429							
71	S(with C6)	8	429							
69	A(with M/T & Imco)	8	429	F-4	C9AF-G	7	13	C9AZ 9510-G (CA-662)	D2AZ 9510-D (CA-783-B)	25B
69	A(with C6 & Imco)(with P.F.)	8	429	F-2	C9AF-J	3	13	C9AZ 9510-J (CA-650)	D2AZ 9510-D (CA-783-B)	19X
69	A(with C6 & Imco)	8	429	F-2	C9AF-J, Z, C9ZF-L, M	3	23	C9AZ9510-AD (CA-700)	D2AZ 9510-D (CA-783-B)	19X
69	F Boss (w/manual choke)(with M/T & T/E) (C.F.M.750)	8	429	H-4	C9AF-S	6	13	C9AZ 9510-S (CA-708)		20S
70	A(with C6 & Imco) (w/o A/C)(C.F.M.351)	8	429	F-2	D0AF-J	15	13	D0AZ 9510-J (CA-715)	D2AZ 9510-D (CA-783-B)	19AB
70	A(with C6 & Imco) (w/o A/C) (C.F.M.351)	8	429	F-2	D0AF-J, AR, AS, AT, AU, AV, D1MF-FA	15	23	D0AZ 9510-AB (CA-783)	D2AZ 9510-D (CA-783-B)	19AB
70	A, B(with C6 & Imco) (C.F.M.605)	8	429	F-4	D0AF-K, AG, AM, AN	7	13	D0AZ 9510-K (CA-721)	D2AZ 9510-M (CA-788-A)	25D
70	A, B(with M/T & Imco) (C.F.M.605)	8	429	F-4	D0AF-L, AL	7	13	D0AZ 9510-L (CA-722)	D2AZ 9510-M (CA-788-A)	25E
70	A(with C6, Imco & A/C) (C.F.M.351)	8	429	F-2	D0AF-T	15	13	D0AZ 9510-T (CA-733)	D2AZ 9510-D (CA-783-B)	19AC
70/71	B(CJ)(with M/T & Imco)(without A/C) (C.F.M.715)	8	429	R-4	D0OF-A	13	13	D0OZ 9510-A (CA-770)	D0OZ 9510-B (CA-771)	30A
70/71	B, F(CJ)(with M/T, C6 & Imco(w/or w/o A/C) (C.F.M.715)	8	429	R-4	D0OF-B	13	13	D0OZ 9510-B (CA-771)		30B
71	P/C	8	429							
70	B(CJ)(with C6, Imco & A/C)(C.F.M.715)	8	429	R-4	D0OF-E	13	13	D0OZ 9510-E (CA-772)	D0OZ 9510-B (CA-771)	30C
70	B(CJ)(with M/T, Imco & A/C)(C.F.M.715)	8	429	R-4	D0OF-F	13	13	D0OZ 9510-F (CA-773)	D0OZ 9510-B (CA-771)	30D
70	B(Super CJ)(with M/T) (C.F.M.780)	8	429	H-4	D0OF-N	6	13	D0OZ 9510-N (CA-774)		20V
70	B(Super CJ)(with C6) (C.F.M.780)	8	429	H-4	D0OF-R	6	13	D0OZ 9510-R (CA-775)		20W
70	S(with C6 & Imco) (C.F.M.605)	8	429	F-4	D0SF-A, E, F	7	13	D0SZ 9510-A (CA-726)	D2AZ 9510-M (CA-788-A)	25F

NOTE 1K -Stamping identification is located on edge of carburetor mounting flange.
NOTE 13 -Service package includes mounting gasket
NOTE 15 -Service pkg. includes carburetor to manifold spacer.
NOTE 23 -Service package includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C4AZ 9C639-A cap,
NOTE 24 -Service pkg. includes (1) C3SZ 9447-A gasket, (2) C7AZ 9J500-B limiter, (1) C5AF 9E551-A stud, (1) 34656-S nut, (1) 44718-S spacer, (1) 375016-S screw.
(1) C5ZZ 9654-B gasket, (1) C6PF 12226-A hose, (1) 44718-S2 washer, (1) 87972-S adaptor, (1) 375016-S screw
NOTE 33 -Service package includes (1) C8SZ 9447-A gasket, (2) C7AZ 9J500-B limiter, (1) C5AF 9E551-A stud, (1) 34656-S36 nut, (1) 44718-S2 spacer, (1) 87743-S2 plug & (1) 375016-S2 screw

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

9510 CARBURETOR APPLICATION CHART - continued - Refer to page 1 of this section for carburetor identification information

YEAR	MODEL	ENGINE CYL.	ENGINE C.I.D.	TYPE	IDENTIFICATION	ILLUS. SEC. 95 PAGE	NOTES	PART NUMBER	REPLACED BY	Parts List 95.
	8 CYLINDER 429 ENGINE - continued									
70	F Boss (w/manual choke)(with M/T & T/E) (C.F.M.735)	8	429	H-4	D0OF-S	6	13	D0OZ 9510-S (CA-776)	D0ZZ 9510-H (CA-781)	20Y
70	F Boss (with M/T & T/E) (C.F.M.735)	8	429	H-4	D0ZF-G,H,U,T, AA,AB,AC,AD	6	13	D0ZZ 9510-H (CA-781)		20U
71	A	8	429	F-2	D1MF-FA	15	13	D1MY 9510-F (CA-814)	D2AZ 9510-D (CA-783-B)	19AJ
71	A	8	429	F-2	D1MF-FA,MA	15	23	D1AZ 9510-A (CA-783-A)	D2AZ 9510-D (CA-783-B)	19AJ
71	A(with A/C)	8	429	F-2	D1MF-GA	15	13	D1MY 9510-G (CA-815)	D2AZ 9510-D (CA-783-B)	19AK
71	A,B(with C6) (exc.P/C & CJ)	8	429	F-4	D1AF-MA	7	13	D1AZ 9510-M (CA-811)	D2AZ 9510-M (CA-788-A)	25H
71	B(with M/T)(exc. CJ)	8	429	F-4	D1OF-GA	7	13	D1OZ 9510-G (CA-820)	D2AZ 9510-M (CA-788-A)	25J
71	S(with C6)	8	429	F-4	D1SF-AA	7	13	D1SZ 9510-A (CA-825)	D2AZ 9510-M (CA-788-A)	25K
71	F(Super CJ)(with M/T)	8	429	H-4	D1ZF-YA		13	D1ZZ 9510-Y (CA-879)		20AD
71	F(Super CJ)(with C6)	8	429	H-4	D1ZZ-XA		13	D1ZZ 9510-X (CA-881)		20AD
72	A(except P/C)exc. Calif.	8	429	F-4	D2AF-AA	20	46	D2AZ 9510-A (CA-946)	D2AZ 9510-M (CA-788-A)	25L
72	A(except P/C)Calif. only	8	429	F-4	D2AF-BA	20	46	D2AZ 9510-B (CA-947)	D4OZ 9510-F (CA-885-D)	25M
72	A(P/C)Calif. only	8	429	F-4	D2AF-KA	20	49	D2AZ 9510-K (CA-948)	D4OZ 9510-F (CA-885-D)	25N
72	A(P/C)except Calif.	8	429	F-4	D2AF-LA	20	49	D2AZ 9510-L (CA-949)	D4OZ 9510-F (CA-885-D)	25P
72	S(except Calif.)	8	429	F-4	D2SF-AA	20	13	D2SZ 9510-A (CA-950)	D2AZ 9510-M (CA-788-A)	25Q
72	S(Calif. only)	8	429	F-4	D2SF-BA	20	13	D2SZ 9510-B (CA-951)	D2AZ 9510-M (CA-788-A)	25R
72	A(P/C)	8	429	F-4	D2PF-TA	20	55	D2AZ 9510-N (CA-885-B)	D4OZ 9510-F (CA-885-D)	29T
72	A(except P/C),B,S	8	429	F-4	D2AF-AB,D2PF-SA, D2SF-9510-AB,AC,BB	20	56	D2AZ 9510-M (CA-788-A)		25S
72	A,B,S(exc. P/C)	8	429	F-4	D5PE-FB	20	56	D2PZ 9510-F (CA-1332)		25S
	8 CYLINDER 460 ENGINE									
72	S	8	460	F-4	D2PF-SA	20	56	D2AZ 9510-M (CA-788-A)		25S
72	S	8	460	F-4	D2VF-AA	20	10	D2VY 9510-A (CA-952)	D2AZ 9510-M (CA-788-A)	25T
72	S	8	460	F-4	D2VF-BA	20	10	D2VY 9510-B (CA-953)	D2AZ 9510-M (CA-788-A)	25U
72	S	8	460	F-4	D5PE-FB	20	56	D2PZ 9510-F (CA-1332)		25S
72	A	8	429	F-4	D4PE-AA,D5PE-GB		60	D4OZ 9510-F (CA-885-D)		29U

NOTE 13 -Service pkg.includes mounting gasket

NOTE 23 -Service pkg.includes (1) C2OZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C4AZ 9C639-A cap, (1) C5ZZ 9654-B gasket, (1) C6PF 12226-A hose, (1) 44718-S2 washer, (1) 87972-S adaptor & (1) 375016-S screw

NOTE 46 -Service pkg. includes (1) C8SZ 9447-B gasket.

NOTE 49 -Service pkg. includes (1) D1ZZ 9447-A gasket.

NOTE 55 -Service pkg. includes (1) C8SZ 9447-A gasket, (1) D0AZ 9447-C gasket, (2) C7AZ 9J500-B limiter, (1) C5AF 9E551-A ball stud, (1) C4AZ 9C639-B plug, (1) 34656-S36 nut, (1) 44719-S2 spacer-washer, (1) 87743-S2 plug and (1) 375016-S2 screw.

NOTE 56 -Service pkg. includes (1) D1ZZ 9447-A gasket, (2) C7AZ 9J500-B limiter, (1) D10Z 9A589-A spacer, and (1) 375016-S2 screw.


NOTE 60 -Service pkg. includes (1) D1ZZ 9447-A gasket, (1) D3ZZ 9447-B gasket, (2) C7AZ 9J500-B limiter, D2AZ 9A589-B spacer and (1) D3PF 9E815-AA sleeve.

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9J500 - Refer to Carburetor Parts Lists Section 95, page 1					
	9S500 GASKET - THERMOSTATIC CHOKE HEAT SUPPLY COVER					
70	B(with 4/B carb.)	8	429CJ		1	D0OZ 9S500-A
71	B,F	8	429CJ		1	
71	P/C	8	429		1	
	9A501 TUBE - CARBURETOR SECONDARY THROTTLE BALANCE - Also refer to Carburetor Parts List Section 95, page 1					
65/67	A(with 8/B carb.)	8	406,427		1	C3AZ 9A501-A
	9B501 - 9A519 - Refer to Carburetor Parts Lists Section 95, page 1					
	9A520 ADAPTOR - CARBURETOR FUEL INLET - Also refer to Carburetor Parts List Section 95, page 1					
66/68	A (with T/E)	6	240		1	C3AZ 9A520-A
66/69	A (with A/C & except T/E)	6	240		1	(CM-557)
	9522 - 9524 - Refer to Carburetor Parts List Section 95, page 1					
	9C524 TUBE ASSY. - CARBURETOR TO MANIFOLD SPACER OUTLET					
65	S (with A/C)	8	390		1	★C4SZ 9C524-A
65	S(with A/C)	8	390		1	
65	A(with A/C)	8	289,352		1	
65	A	8	352,390	When heater is not installed	1	
66	A (with A/C)	8	352		1	
66	A	8	352	When heater is not installed	1	
66/67	B, F, X	6	170,200	5/8" O.D. -used between connector carburetor	1	★C6DZ 9C524-A
68	X	6	All	to manifold spacer tube and water by-pass hose -when heater is not installed	1	
	9C525 CONNECTOR - CARBURETOR TO MANIFOLD SPACER TUBE - Unless listed improvise from basic 18472 bulk hose - also refer to Group 8597					
66	B, F, X	6	170,200	When heater is not installed-used between	1	★C6DZ 9C525-B
67/68	B, X	6	170,200	9C524 tube and water pump-5/16" I.D. -31.79" long	1	
72	B, P	6	All	Nipple (attaches hose to cyl. head)-5/8"-steel	1	377665-S7-8 (II-190F)
	9E525 - Refer to Carburetor Parts List Section 95, page 1					
	9526 - 9531 - Refer to Carburetor parts list Section 95, page 1					
	C531 SPRING - CARBURETOR SPEED-UP CONTROL ACTUATOR					
65	F (with P/S)	6	170,200	Use with C5ZZ 9C799-A cable	1	★C5ZZ 9C531-A
65	A(with A/C & P/S)-"Before 12/16/64"	6	240	Use with C5AZ 9C799-A cable	1	
	9B532 COMPENSATOR ASSY. - CARBURETOR HOT IDLE - Also refer to Carburetor Parts List Section 95, page 1					
65	F (with A/C) "Before 5/25/64"	8	260		1	C4AZ 9B532-A
65	F (with 2/B carb., A/C and closed emission) "From 5/25/64"	8	260,289		1	(CM-901)
66	A, B (with 2/B carb., A/C & T/E)	8	289,390		1	
66/68	X (with A/C & T/E)	8	289		1	
67/68	A, F(with A/C)	8	289		1	
67/68	F (GT with A/C)	8	390		1	
67/68	F (with M/T)(except T/E)	8	390		1	
67/68	A (with 2/B carb. & A/C)	8	390		1	
68	A, B(with 2/B carb.& A/C)	8	302		1	
71/	L (with A/C)	4	122		1	
65	F (with 2/B carb., A/C and open emission) "From 5/25/64"	8	260,289		1	C4AZ 9B532-B (CM-902)
65	B(with 2/B carb., A/C and open emission)	8	289		1	
66	A, B (with 2/B carb. & A/C)	8	390,428	Tee (hot idle compensator to crankcase vent hose)-1/2" x 1/2" hose connector	1	380747-S(II-98C)
71/	L (with A/C)	4	122	Tee-1/2"-27-brass	1	379573-S(II-98G)


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

9533 - Also refer to Carburetor parts lists Section 95, page 1

JET IDENTIFICATION CHART



TYPE 1



TYPE 2

P-6286

JET IDENT. NUMBER	TYPE	SERVICE PART NUMBER
37F	1	C4GY 9533-A (CJ-163)
38F	1	C3OZ 9533-D (CJ-158)
39	2	C2OZ 9533-F
39F	1	C3AZ 9533-H (CJ-157)
40	2	C2OZ 9533-A
40F	1	C3OZ 9533-E (CJ-159)
41	2	C2OZ 9533-B (CJ-120)
41F	1	C3AZ 9533-E (CJ-154)
42	1	C2OZ 9533-E (CJ-125)
42	2	C2OZ 9533-C (CJ-121)
42F	1	C3OZ 9533-F (CJ-160)
43	1	922A 9533-A (CJ-63)
43	2	C1AZ 9533-J (CJ-27)
43F	1	C3AZ 9533-F (CJ-155)
44	1	B7A 9533-B (CJ-8)
44	2	C1AZ 9533-F (CJ-24)
44F	1	C3OZ 9533-G (CJ-161)
45	1	59A 9533-D (CJ-53)
45	2	C1AZ 9533-K (CJ-28)
45F	1	C3OZ 9533-H (CJ-162)
46	1	78 9533-C (CJ-56)
46	2	C1AZ 9533-B (CJ-20)
46F	1	C3AZ 9533-G (CJ-156)
47	1	59A 9533-C (CJ-52)
47	2	C1AZ 9533-G
47F	1	C3UZ 9533-E (CJ-151)
48	1	78 9533-B (CJ-55)
48	2	C1AZ 9533-A (CJ-19)
48F	1	C3UZ 9533-D (CJ-142)
49	1	59A 9533-B (CJ-51)
49	2	C1AZ 9533-C
49F	1	C3DZ 9533-C (CJ-137)
50	1	78 9533-A (CJ-54)
50	2	C1AZ 9533-N
50F	1	C3UZ 9533-C (CJ-141)
51	1	59A 9533-A (CJ-50)
51	2	C1AZ 9533-M
51F	1	C3DZ 9533-B (CJ-136)
52	1	86H 9533 (CJ-62)
52	2	C1AZ 9533-L (CJ-29)
52F	1	C3UZ 9533-A (CJ-133)
53	1	B4T 9533-B (CJ-5)
53	2	C1AZ 9533-H (CJ-26)
53F	1	C3DZ 9533-A (CJ-128)
54	1	06H 9533 (CJ-43)
54	2	C1AE 9533-A (CJ-15)
54F	1	C3GY 9533-C (CJ-146)
55	1	B4T 9533-A (CJ-4)
55	2	C1AE 9533-B (CJ-16)
55F	1	C3UZ 9533-B (CJ-140)
56	1	78 9533-E (CJ-57)
56	2	C1AZ 9533-D (CJ-22)
56F	1	C3GY 9533-D (CJ-147)
57	1	26H 9533 (CJ-47)
57	2	C1AZ 9533-E
57F	1	C3OZ 9533-A (CJ-129)
58	1	78 9533-F (CJ-58)
58	2	C1AZ 9533-U (CJ-35)
58F	1	C3GY 9533-A (CJ-144)
59	1	B4Q 9533-B (CJ-3)
59F	1	C3OZ 9533-B (CJ-130)
60	1	1GA 9533-C (CJ-46)
60	2	C1AZ 9533-S (CJ-33)
60F	1	C3GY 9533-B (CJ-145)
61	1	B4Q 9533-A (CJ-2)
61F	1	C3TZ 9533-C (CJ-138)
62	1	1GA 9533-B (CJ-45)
62	2	C1AE 9533-D
62F	1	C3AZ 9533-A (CJ-134)
63	1	5GA 9533-B (CJ-49)
63	2	C1AE 9533-C
63F	1	C3AZ 9533-B (CJ-135)
64	1	1GA 9533-A (CJ-44)
64	2	C3OZ 9533-C (CJ-152)
64F	1	C3AZ 9533-C (CJ-143)
65	1	5GA 9533-A (CJ-48)
65F	1	C3TZ 9533-A (CJ-131)
66	1	8MB 9533-B (CJ-61)
66F	1	C3TZ 9533-E (CJ-148)
67	1	B4C 9533-A (CJ-1)
67F	1	C3TZ 9533-D (CJ-139)
68	1	8MB 9533-A (CJ-499)
68F	1	C3TZ 9533-F (CJ-149)
69	1	B7T 9533-A
69F	1	C3TZ 9533-B (CJ-132)
70	1	B6C 9533-A (CJ-6)
70F	1	C3TZ 9533-G (CJ-150)
71	1	PB8M 9533-A
71F	1	C6AZ 9533-B (CJ-166)
72F	1	C6AZ 9533-A (CJ-164)
73	1	B7C 9533-A (CJ-9)
75F	1	C5AZ 9533-A
77	1	C3AZ 9533-D (CJ-153)
79	1	C8OZ 9533-A (CJ-173)
80	1	D0ZZ 9533-A (CJ-186)
82	1	C9ZZ 9533-A (CJ-182)
83	1	D0OZ 9533-C (CJ-187)
85	1	C6AZ 9533-C (CJ-167)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9H533 HOSE - ANTI BACKFIRE VALVE VACUUM - Also refer to Group 9H563					
66/68	P/C (with T/E)	8	428	3/16" O.D. -43.24" long-cut from 8C 2269-B	1	★C6AE 9H533-C
67/68	A, B, F, S (with 4/B carb.)(with T/E)	8	390,428	.156" I.D. -.383" O.D. -8.00" long-cut from C6TZ 9H533-A	1	★C7AE 9H533-A
68	B, F, X (with T/E)	6	200	Air by-pass valve vacuum-.156" I.D. - .383" O.D. -23.25" long-cut from C6TZ 9H533-F	1	★C8DE 9F286-A
68	A (with T/E)	6	240	.156" I.D. -.360" O.D. -15" long	1	C6TZ 9H533-C
68	A, B, F (Special)(w/4/B carb.)(w/T/E)	8	427			
68	U (with T/E)	8	289	.156" I.D. -.383" O.D. -30" long	1	★C6TZ 9H533-D
68	U (with T/E)	6	170	.156" I.D. -.383" O.D. -30" long	1	C6TZ 9H533-E
	9534-9A534 - Refer to Carburetor parts lists Section 95, page 1					
	9H534 HOSE - ANTI BACKFIRE VALVE - Also refer to Group 9H548					
66	B, F, X (w/T/E-intake manifold type)	6	170,200		1	C6AZ 9H534-C
66	A, Taxicab (with T/E-intake manifold type)	6	240		1	
66	U (with T/E-intake manifold type)	6	170		2	
66	S (with T/E)	8	390,428		1	C6SZ 9H534-A
66	A, B, F, X (with T/E-intake manifold type)	8	289	To crankcase vent tee	1	★C6OZ 9H534-B
66/67	A (w/T/E-except intake manifold type)	6	240	Lower	1	★C6AZ 9H534-F
66	A, B, F, X (with T/E-except intake manifold type)	8	289	Lower	1	C6AZ 9H534-G
67	F Special (with 4/B carb. & T/E)- "From 4/17/67"	8	289		1	
67	A, B, X (with T/E)	8	289	Lower-.75" I.D. -1.09" O.D. -17.26" long-cut C7ZZ 9H534-A	1	★C7OE 9H534-A
66	A (with C/M & T/E)	8	352		1	C6AZ 9H534-E
67	A (with 2/B carb. & T/E)	8	390	Valve to tee	1	
66/67	A (w/T/E & 4/B) "Before 9/1/66"	8	390,428		1	C6AZ 9H534-B
67	A, B, S (with 4/B carb.)(except B63D, B76D) "From 9/1/66"	8	390,428		1	★C7AZ 9H534-A
66/67	Police Interceptor (with T/E)	8	428		1	★C6AZ 9H534-D
66/67	B, F, X, U (with T/E-except intake manifold type)	6	170,200	Lower	1	C6DZ 9H534-B
66/67	B (except 63D, 76D)(with T/E)- "Before 9/1/66"	8	390		1	★C6OZ 9H534-D
66/67	U (with T/E)	8	289	Lower	1	C6TZ 9H534-D
67	A (with 2/B carb. & T/E)	8	390	Valve tee to carburetor spacer-.59" I.D. - 1.00" O.D. -2.75" long	1	C6AZ 9H534-H
67	B, F (with T/E)	8	390	Exhaust air supply pump outlet-L.H. -.75" I.D. - 1.09" O.D. -18.56" long-cut from C7ZZ 9H534-A	1	★C6OE 9H534-H
67	B (63D, 76D), F (with 4/B & T/E)- "Before 9/1/66"	8	390		1	★C7OZ 9H534-A
67	B (63D, 76D), F (with 4/B & T/E)- "From 9/1/66"	8	390		1	★C7OZ 9H534-B
67	B (with 2/B carb. & T/E)	8	390	Valve to tee	1	★C6TZ 9H534-B
67	F (except F Special)	8	289	Lower-.75" I.D. -1.09" O.D. -19.56" long	1	C7ZZ 9H534-A
68	U	6	170		1	
67	S (with T/E) "Before 9/1/66"	8	390,428		1	★C7SZ 9H534-A
68	A (with T/E)	6	240	Lower-"J" shaped-.750" I.D. -1.093" O.D. - identified C8AE 9H534-A	1	C8AZ 9H534-A
68	U (with T/E)	8	289	Inlet-.750"-.1093" O.D. -4 5/8" long- identified C8TE 9F287-D	1	★C8TZ 9H534-A
66	A (with T/E)	8	352	Tee (anti-backfire valve hose to crankcase vent hose)-5/8" x 5/8" x 1/2" hose	1	380813-S7-8 (11-104C)
66/71	A, B, S (with T/E)	8	390,428	Clamp (hose to tee)-1.00" diam. hose	1	97334-S35(E7)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9H534 HOSE - ANTI BACKFIRE VALVE - continued - Also refer to Group 9H548					
67/68	S	8	390,428	Tee(anti-backfire valve hose to crankcase vent hoses-5/8" x 5/8" with 1/8"-27 int. thread-1/2" hose	1	380588-S100(H98E)
	9A535-9545 - Refer to Carburetor parts lists Section 95, page 1					
	9G545 ADAPTOR KIT - CARBURETOR					
65/67	B, X	6	144,170 200	Use with C3OZ 9510-T and C5OZ 9510-H carburetors when used to replace C2DZ 9510-B or C2GY 9510-B carburetors	1	C2DZ 9G545-A (CM-464)
	9H545-9547 - Refer to Carburetor parts lists Section 95, page 1					
	9S547 INSULATOR - CARBURETOR TRANSMISSION VACUUM TUBE - Improvise from 17543 bulk hose					
	9548 - Refer to Carburetor parts lists Section 95, page 1					
	9H548 HOSE - ANTI BACKFIRE VALVE INLET - Also refer to Group 9H534					
66	A(with T/E-intake manifold type)	6	240		1	★C6AZ 9H548-B
66	A(with T/E)	8	352,390, 428		1	C6AZ 9H548-C
66/67	P/C (with T/E)	8	428		1	
67	A, S(with T/E)	8	390,428		1	
66	A,B,F,X(w/T/E-intake manifold type)	8	289		1	C6OZ 9H548-B
66/67	A(w/T/E-except intake manifold type)	6	240	Air by-pass valve inlet	1	★C6AZ 9H548-D
66/67	A, B, F, X (with T/E-except intake manifold type)	8	289	Air by-pass valve-inlet	1	C6OZ 9H548-C
66	B, F, X, U(with T/E-except intake manifold type) "Before 1/14/66"	6	170,200	Air by-pass valve -inlet-.75" I. D. -1.10" O. D. -20.25" long-cut from C6DZ 9B460-A	1	★C6DE 9H548-C
66/67	B, F, X, U (with T/E-except intake manifold type) "From 1/14/66"	6	170,200	Air by-pass valve inlet	1	★C6DZ 9H548-B
66/67	B(except 63D, 76D)(with T/E)	8	390		1	★C6OZ 9H548-A
67	B(63D, 76D), F(with T/E)	8	390		1	C7OZ 9H548-A
66	S (with T/E)	8	390,428		1	★C6SZ 9H548-A
66/68	U(with T/E)	8	289		1	C6TZ 9H548-C
68	A, B, F (with T/E)	8	390	Air by-pass valve-inlet-.750" I. D. -1.093" O.D.-identified C8AE 9F287-A	1	C8AZ 9H548-A
68	B, F Special(with 4/B carb.)-(with T/E)	8	427		1	
68	A, B, F(with T/E)	8	428		1	
68	A, B, F, X(with T/E)	8	302		1	
68	B, F, X(with T/E)	8	289		1	
69	A, P/C(with T/E)	8	390,428		1	
70	A, P/C	8	428		1	
70	F	8	428CJ		1	
71	F	8	429S/CJ		1	
69	F Boss(with T/E)	8	302	Molded-6.30" developed length-identified C9ZE 9F287-A	1	C9ZZ 9H548-A
70/71	F Boss (with T/E)	8	302	Identified D0ZE 9F287-A	1	D0ZZ 9H548-A
69/70	F Boss (with T/E)	8	429	Identified C9AE 9F287-A	1	C9AZ 9H548-A
66	A, B, F, X	8	289	Clip (hose to 6582)-11/32" thick-steel	1	★374557-S
	9549 - Refer to Carburetor parts lists Section 95, page 1					
	9B549 DASHPOT ASSY. - CARBURETOR - Also refer to Carburetor parts lists Section 95, page 1					
66	A(with A/C)-	6	240	Used with C6AZ 9510-AM, AN carburetors	1	C6AZ 9B549-B
67	A, Taxi, P/C (with A/C) (except T/E)	6	240		1	(CD-13)
	9S549 CONVERSION KIT - CARBURETOR CALIBRATION					
70	All off Highway units with 4/B in line carburetors	8	302	Use with carburetors D0ZX 9510-A and D0XZ 9510-B-Kit consists of (8) C3UZ 9533-C main jet-.050", (8) C3GY 9533-B-main jet .060", (8) C9AF 9A521-L restrictor .018", (8) D0AF 9A521-CE restrictor 040", (4) C7AZ 9A516-B valve pump, (16) D1ZX 9E683-AA plug pump	1	D1ZX 9S549-AA
	9550 - Refer to Carburetor parts lists Section 95, page 1					

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9B550 BRACKET - DASHPOT MOUNTING - Also refer to Carburetor parts lists Section 95, Page 1					
66	A(with A/C)-	6	240	Used with C6AZ 9510-AM, AN carburetors	1	C6AZ 9B550-A
67	A, Taxi, P/C (with A/C) (except T/E)	6	240		1	
	9551-9B559 - Refer to Carburetor parts lists Section 95, Page 1					
	9E552 LEVER - CARBURETOR THROTTLE - Refer to Carburetor parts lists Section 95, page 1					
	9H559 TUBE ASSY. - ANTI-BACKFIRE VALVE INLET					
66	B,F,X,U(with T/E-intake man. type)	6	170,200	.625" O. D. -14.75" long	1	C6DZ 9H559-A
	9560 - Refer to Carburetor parts lists Section 95, Page 1					
	9H560 HOSE - ANTI-BACKFIRE VALVE EXTENSION					
67	B (with 2/B carb.)(with T/E)	8	390	From tee to carburetor spacer-.592" I. D. - .906" O. D. -3.64" long-cut to 2.52" long	1	C6TZ 9H560-B
	9561 - 9562 - Refer to Carburetor parts lists Section 95, Page 1					
	9563 - Refer to Carburetor Parts lists Section 95, Page 1					
	9H563 TUBE - ANTI-BACKFIRE VALVE VACUUM - Also refer to Group 9H533 - Improvise from Basic 2269 Bulk Tubing					
66	A, B, S(with T/E)	8	390,428	Tee(center back-fire valve vacuum tube and crankcase vent tube to intake manifold)- 3/8"x 1/8" pipe x 1/2" pipe	1	379170-S (II-146AG)
66/68	U(with T/E)	6	170	Elbow(used with steel tube anti-backfire valve sensing line)-1/4" pipe-3/16" tube	1	375029-S7-8 (II-187U)
66/67	B, F, U, X	6	170,200	Clip (tube to 6582)-steel	1	★357488-S
	9564 - Refer to Carburetor parts lists Section 95, Page 1					
	9H564 HOSE - ANTI-BACKFIRE VALVE VACUUM TUBE TO MANIFOLD					
66/67	A(with T/E)	6	240	.156" I. D. -.360" O. D. -1.86" long-cut from C6TZ 9H533-B	1	★C6AE 9H564-A
68	U	6	170	Cut to 1.86" long	1	
68	U	8	289	Cut to 1.26" long	1	
66	A(with T/E)	8	352	.156" I. D. -.360" O. D. -3.24" long-cut from C6TZ 9H533-B	1	★C6AE 9H564-B
66/67	A, B, F, X, U(with T/E)	8	289	.156" I. D. -.360" O. D. -3.40" long-cut from C6TZ 9H533-B	1	★C6AE 9H564-D
67	A, B(with 2/B carb.)(with T/E)					
67	F Special (with 4/B carb. & T/E)	8	289		1	
66/67	B, F, X, U (with T/E)	6	170,200	.156" I. D. -.360" O. D. -2.00" long-cut from C6TZ 9H533-B	1	★C6DE 9H564-A
66/67	P/C	8	428	Fitting (hose to 6758)-3/4" -18 hex. -1/2" tube	1	★87947-S
	9565 RETAINER - THERMOSTATIC CHOKE PLATE LINK					
70	B	8	429CJ	Use with Rochester carburetor	1	D0OZ 9565-A
71	B, F	8	429CJ		1	(CM-1196)
	9H566 HOSE - CARBURETOR IDLE SPEED-UP CONTROL - Also refer to Carburetor parts lists Section 95, Page 1					
66	Taxicab & P/C (with C4, A/C & T/E)	6	240	.219" I. D. -.445" O. D. -9.35" long-cut from C1SZ 9324-B	1	★C6AE 9H566-A
	9H567 CONTROL and BRACKET ASSY. - CARBURETOR IDLE SPEED-UP					
66	Taxicab & P/C (with C4, A/C & T/E)	6	240		1	C6AZ 9H567-A
67	Taxicab & P/C	6	240		1	
	9H568 WIRING ASSY. - CARBURETOR IDLE SPEED-UP CONTROL					
66	Taxicab & P/C (with C4, A/C & T/E)	6	240	Cut from B6A 14296-C bulk wire	1	★C6AB 9H568-A
	9H569 HOSE - AIR BY-PASS VALVE - UPPER					
66	A(with T/E-except intake manifold type)(except Taxicab & P/C - "Before 1/14/66"	6	240	14.18" long-cut from C6TZ 9H569-C	1	★C6AZ 9H569-A
70	F Boss	8	429		1	
66	Taxicab & P/C (with T/E-except intake manifold type)- "Before 1/14/66"	6	240		1	C6AZ 9H569-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9H569 HOSE - AIR BY-PASS VALVE - UPPER - continued					
66/67	A, Taxicab, P/C (with T/E -except intake manifold type)- "From 1/14/66"	6	240	9.96" long-cut from C6TZ 9H569-C	1	★C6AE 9H569-C
66	A, B, F, X (with T/E-except intake manifold type)	8	289		1	C6AZ 9H569-D
67	A, B, X	8	289		1	
69	F Boss(with T/E)	8	429		1	
66	B, F, X(with T/E-except intake manifold type) "Before 2/1/66"	6	170,200		1	C6TZ 9H569-A
66	U(with T/E-except intake manifold type) "Before 1/14/66"	6	170		1	
66/67	B, F, X(with T/E-except intake manifold type) "From 2/1/66"	6	170,200		1	C6TZ 9H569-F
66/68	U(with T/E-except intake manifold type) "From 1/14/66"	6	170		1	C6TZ 9H569-E
66/68	U(with T/E)	8	289		1	C6TZ 9H569-J
67	F(except F Special) (with T/E)	8	289		1	C7ZZ 9H569-A
67	F Special (with 4/B & T/E)	8	289		1	C7ZZ 9H569-B
	9575-9J586 - Refer to Carburetor parts list Section 95, Page 1					
	9A588 GASKET - FUEL FILTER TO CARBURETOR - Also refer to Carburetor parts lists Section 95, Page 1					
65	A	8	289		1	C2AZ 9A588-B
66/67	A, B, F, X, P/C, U	8	289,352 390,428		1	(CM-533)
68/69	A, B, F, X, P/C, U	6&8	All		1	
68	S	8	390		1	
69	A(P/C)	8	428		1	
	9A589 SPACER - CARBURETOR TO INTAKE MANIFOLD - Also refer to Group 9447					
	- A -					
65/68	A (with 2/B carb.)	8	289		1	D0TZ 9A589-C
68/71	A (with 2/B carb.)	8	302		1	
69/71	A (with 2/B carb.)	8	351		1	
66/67	A Special (with 4/B carb.)	8	427	Service pkg. includes (1) 359409-S plug-use with emission reduction	1	C3AZ 9A589-C
65	A, P/C	8	390	Service pkg. includes (1) C5TZ 6A664-F hose, (1) C5MR 8A500-A cap and (1) 97333-S clamp-for use with non-emission units	1	C9ZZ 9A589-B
65/66	A (with 4/B carb.)	8	352		1	
65	A(with 2/B carb.)	8	352	Water heated	1	♦C2AZ 9A589-G
65/68	A	6	240		1	C5AZ 9A589-A
69/71	A (with C4, C/M)	6	240		1	
66	A (with 2/B carb.)	8	390		1	C6AZ 9A589-A
66/67	A (with 4/B carb.)	8	390		1	C6AZ 9A589-B
66/67	A (except P/C)	8	428		1	
69	A (P/C) "Before 6/11/69"	8	428		1	
69/70	A (P/C) "From 6/11/69"	8	428		1	D0AZ 9A589-A
67	A (with 2/B carb.)	8	390		1	C7AZ 9A589-A
68	A (with 2/B carb.)	8	390		1	
69/71	A (with 2/B carb.)	8	390		1	
68	A (with 4/B carb.)	8	390	Asbestos	1	C8AZ 9A589-E
68	A (except P/C) (with 4/B carb.)	8	428		1	
69/	A (with 4/B carb.)	8	429		1	
69/71	A (with 2/B carb.)	8	429		1	C9SZ 9A589-A
72	A (with 2/B carb.)	8	302		1	D2OZ 9A589-A
72	A(with 2/B carb.)	8	351W		1	D2AZ 9A589-A
72	A	8	429P/C		1	D2AZ 9A589-B
	- B -					
65/68	B (with 2/B carb.)	8	289		1	D0TZ 9A589-C
68/71	B (with 2/B carb.)	8	302		1	
69	B (with 2/B carb.)	8	351		1	
65	B, B Special	8	289	Service pkg. includes (1) C4AZ 9C639-B and (1) B9A 18572-A clamp	1	C3OZ 9A589-C
69	B (with 4/B carb.)	8	351			

♦ Canada only

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A589 SPACER - CARBURETOR TO INTAKE MANIFOLD - continued					
	- B -					
65	B	6	200	Service pkg. includes (1) 372175-S pipe plug	1	C3UZ 9A589-B
67	B (with T/E & C4)	6	200	identified "use with non-emission models"	1	
68	B "Before 1/15/68"	6	200	and (1) 359768-S or 370817-S reducer for	1	
				use on past models		
66	☆B(with T/E & C 4)	6	200		1	
66	♦B	6	200		1	
67	B (with Imco & C4)	6	200		1	C7DZ 9A589-A
66	B (with 2/B carb.)	8	390		1	C6AZ 9A589-A
67	B (with 2/B carb.)	8	390		1	C7AZ 9A589-A
68	B (with 2/B carb.) (with T/E)	8	390		1	
68	B (with 2/B carb.) (with Imco)	8	390	Aluminum	1	C8AZ 9A589-B
66/67	B (with 4/B carb.)	8	390		1	C6AZ 9A589-B
68	B (with 4/B carb.)	8	390	Stainless steel	1	C8AZ 9A589-C
68/69	B	8	428CJ	.28" thick-stamped "FRONT"	1	C8AZ 9A589-G
66/69	B-High Performance	8	390		1	
69	B	6	250	Aluminum-.62" thick	1	C9DZ 9A589-A
69	B ("GT" with 4/B carb.)	8	390	Aluminum-.91"/.93" thick-service pkg.includes	1	C9ZZ 9A589-B
				(1) C5TZ 6A664-F hose, (1) C5ME 8A500-A cap,		
				(1) 97333-S clamp		
69/	B (with 4/B carb.)	8	429		1	C8AZ 9A589-E
70/	B	6	250	Aluminum-.62" thick	1	D0DZ 9A589-B
72	B (with 2/B carb.)	8	302	Aluminum	1	D2OZ 9A589-A
	- F -					
65	F	8	260		1	C3AZ 9A589-A
65/68	F	8	289		1	D0TZ 9A589-C
68/71	F	8	302		1	
69/70	F(with 2/B carb.)	8	351W		1	
65/68	F, F Special (with 4/B carb.)	8	289	Service pkg. includes (1) C4AZ 9C639-B cap	1	C3OZ 9A589-C
68	F (with 4/B carb.	8	302	and (1) B9A 18572-A clamp	1	
69	F (with 4/B carb.)	8	351		1	
65	F	6	170,200	Service pkg. includes (1) 372175-S pipe plug	1	C3UZ 9A589-B
66/67	F (with T/E & C4)	6	200	identified "use with non-emission models" and	1	
68	F "Before 1/15/68"	6	200	(1) 359768-S or 370817-S reducer for use on	1	
				past models		
68	F "From 1/15/68"	6	200	Use with "HOT" and "COLD" system	1	C8DZ 9A589-A
68/69	F "From 1/15/68"	6	200	Aluminum	1	C8DZ 9A589-C
67	F (with Imco & C4)	6	200		1	C7DZ 9A589-A
67	F (with 4/B carb.)	8	390		1	C6AZ 9A589-B
68	F (with 4/B carb.)	8	390	Stainless steel	1	C8AZ 9A589-C
68	F (with 2/B carb.)	8	390		1	★C8WZ 9A589-A
68/69	F	8	428CJ	.28" thick-stamped "FRONT"	1	C8AZ 9A589-G
66/69	F-High Performance	8	390		1	
69	F	6	250	Aluminum-.62" thick	1	C9DZ 9A589-A
70	F	6	200		1	
69	F ("GT" with 4/B carb.)	8	390	Aluminum-.91"/.93" thick-service pkg. includes	1	C9ZZ 9A589-B
				(1) C5TZ 6A664-F hose, (1) C5ME 8A500-A cap,		
				(1) 97333-S clamp		
69/71	F Boss (with 4/B carb.)	8	302	.26"/.28" thick with 9/16" O. D. tube	1	C9ZZ 9A589-C
70	F (with 4/B carb.)	8	428CJ		1	D0OZ 9A589-A
70/	F	6	250	Aluminum-.62" thick	1	D0DZ 9A589-B
72	F	8	302	Aluminum	1	D2OZ 9A589-A
	- L -					
72	L(off Highway unit w/Dellorto carb.)	4	All		4	D2FZ 9A589-A
	- P -					
70/	P	6	170,200	Aluminum-.62" thick	1	C9DZ 9A589-A
70/	P	6	250	Aluminum-.62" thick	1	D0DZ 9A589-B
72	P	8	302	Aluminum	1	D2OZ 9A589-A

♦ Canada only ☆ U. S. only

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A589 SPACER - CARBURETOR TO INTAKE MANIFOLD - continued					
	- S -					
65	S	8	390	Service pkg. includes (1) C5ME 8A500-A cap and (1) 97333-S clamp-for use with non-emission units	1	C2SZ 9A589-D
66	S	8	390,428		1	C6SZ 9A589-A
67	S	8	390,428		1	C6AZ 9A589-B
68/69	S	8	390,429	Asbestos	1	C8SZ 9A589-B
70/71	S	8	429		1	
72	S	8	429,460		1	C8AZ 9A589-E
	- U -					
66/67	U	6	170	Service pkg. includes (1) 372175-S pipe plug identified "use with non-emission models" and (1) 359768-S or 370817-S reducer for use on past models	1	C3UZ 9A589-B
68/69	U	6	170	Aluminum	1	C8TZ 9A589-A
70/	U	6	170	Aluminum-.62" thick	1	D0TZ 9A589-A
66/68	U	8	289		1	D0TZ 9A589-C
68/69	U	8	302		1	
70/71	U-" Before Ser. Number L60,001"	8	302	Aluminum-.62" thick	1	D0TZ 9A589-C
71	U-" From Ser. Number L60,001"	8	302	Aluminum	1	D1TZ 9A589-C
72	U	8	302	Aluminum	1	D2TZ 9A589-A
	- X -					
65	X	6	170	Service pkg. includes (1) 372175-S pipe plug identified "use with non-emission models" and (1) 359768-S or 370817-S reducer for use on past models	1	C3UZ 9A589-B
67	X (with T/E & C4)	6	170,200		1	
68	X "Before 1/15/68"	6	200		1	
66 ♦	X	6	170		1	
66 ☆	X(with T/E & C4)	6	170,200		1	
65/66♦	X	6	200		1	
67	X (with Imco & C4)	6	170,200		1	C7DZ 9A589-A
68	X (with Carter carb.)	6	170		1	C8DZ 9A589-B
68/69	X	6	170,200	Aluminum-use with "HOT" and "COLD"system	1	C8DZ 9A589-C
70	X	6	200	Aluminum-.62" thick	1	C9DZ 9A589-A
65/68	X (with 2/B carb.)	8	289		1	D0TZ 9A589-C
68/70	X (with 2/B carb.)	8	302		1	
65/68	X (with 4/B carb.)	8	289	Service pkg. includes (1) C4AZ 9C639-B cap and (1) B9A 18572-A clamp	1	C3OZ 9A589-C
68	X (with 4/B carb.)	8	302		1	
66/	B, F, X(with A/C or P/S)	6&8	All	Cap(used to plug vacuum in carb. spacer)-3/16" tube (Neoprene)	1	380614-S(DD3)
66/71	A, B(with S/T)	8	390,428	Cap(used to plug vacuum take-off hole in carb. spacer)-vacuum sealing-.219" I.D. (Neoprene)	1	380613-S(DD2)
66/	B, F, X(with T/E)	6&8	All			
68/71	X	6	170	Bolt (spacer to intake manifold)-5/16"-18 x 1 1/8" hex. head	2	352464-S8(BB139)
69	B, F	6	250	Bolt (spacer to cylinder head)-5/16"-18 x 7/8" hex. head	2	20366-S2(B52)
72	B, F, P	6	All		2	
69	B, F	6	170,200	Bolt (spacer to intake manifold)-5/16"-18 x 1 1/8" hex. head	2	352464-S(BB139)
69	U	6	170	Bolt (spacer to intake manifold)-5/16"-18 x 3/4" hex. head	2	20346-S8(B50)
72	U	6	170		2	
69	B, F, X, U	6	170,200	Stud (carburetor to spacer)-5/16"-18-24 x 1 1/8"	2	375882-S7(GG229)
72	B, F, P, U	6	All	Nut(carb. to spacer)-3/8"-24	2	33925-S7(M33)
69	A(with 2/B carb.)	8	390		1	C5MY 9A589-A

Consists of the following

1-C4TZ 8A500-A	Cap	1-C3MY 9447-A	Gasket	1-C7AZ 9447-C	Gasket
1-C7AZ 9A589-A	Spacer	4-88461-S	Studs	1-97333-S	Clamp

9A590 - 9A599 - Refer to Carburetor parts lists Section 95, page 1

9J592 HOSE - CARBURETOR CHOKE BLEEDER TEMPERATURE CONTROL VALVE

69/70	A(P/C)	8	428	Rubber-1/4" I.D.-8.50" long	1	★C9OF 9J592-A
70	F(with 4/B carb.)	8	428CJ		1	

♦ Canada only ☆ U.S. only

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 3A THRU 3M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET	C8AZ 9502-A(CG-219)	A	B	C	D	E	F	G	H	J	K	L	
TUNE-UP KIT	C8OZ 9A586-D (CT-207-A)	A	B	C	D	E	F	G	H	J	K	L	M
REPAIR KIT	★C3AZ 9590-L(CR-283) Service details	A	B	C	D	E	F						
Tag code C6TF-F										J			
	★C6OZ 9590-F(CR-288) service details							G	H		K	L	M
Tag code C8TF-H	★C7UZ 9590-A(CR-364) Service details									J			
Connector (distributor vacuum tube to carb.)-1/8" pipe thread	358165-S(II-65)	A	B	C	D	E	F	G	H	J	K	L	M
Ball (accel. pump inlet)-3/16" steel	371350-S(AA4)	A	B	C	2	2	2	2	2	J	2	2	2
Seal (dist. vacuum tube)-.051"/.060" I.D.-"O" ring	★375909-S92	A	B	C	D	E	F						
Plug (power valve cyl.)-1/2" expansion	376669-S	A	B	C	D	E	F	G	H	J	K	L	M
Fitting (fuel inlet)-5/16" inverted flare-tube	87972-S(I-13)	A	B	C	D	E	F						
Screw (carburetor idle adjusting)-No. 10-32 x 5/8" fillister head	31628-S7(U58)			C	D	E	F	G	H			L	M
NUT - POWER VALVE ADJUSTING	9B503												
Nylon	★C8AZ 9B503-A									J			
SPRING - POWER VALVE ADJUSTING	★C3AZ 9E505-A	A	B					G	H			L	M
Tag code C6TF-F	★C3UZ 9E505-A									J	K		
	★C5DZ 9E505-A			C	D	E	F						
Tag code C8TF-H	★C8AZ 9E505-A									J			
Washer (power valve adj. spring)-No. 6"C"-nylon	375910-S(XX340S)	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR
WEIGHT - PUMP DISCHARGE BALL - .202" O.D. -.56" long	C3AZ 9B511-A (CM-565)	A	B	C	D	E	F	G	H	J	K	L	M
Ball (accel. pump discharge valve)-3/16" steel	371350-S(AA4)	A	B	C	D	E	F	G	H	J	K	L	M
COVER ASSY. - DASHPOT -includes link	C3AZ 9E511-A (CM-566)		B		D	E		G	H		K	L	M
Screw and lockwasher (dashpot cover to main body)-No. 8-32 x 5/8" fillister head	43255-S8(U74)		4		4	4		4	4		4	4	4
INSERT - VENTURI - No. 1100	★C3OZ 9E514-A	A	B	C	D	E	F			J			
No. 1100-E	★C6DZ 9E514-A							G	H		K	L	M
BODY AND PLUGS ASSY. - MAIN UPPER	★C3OZ 9524-H	A											
	★C3OZ 9524-E		B										
	★C5DZ 9524-A			C	D	E	F						
	★C6DZ 9524-A							G					
	★C6DZ 9524-B								H				
	★C6TZ 9524-C									J			
	★C6TZ 9524-D										K		
	★C7DZ 9524-B											L	
	★C7DZ 9524-A												M
Screw and lockwasher (upper main body to main body)-No. 8-32 x 5/8" fillister head	43255-S8(U74)	8	8	8	8	8	8	8	8	8	8	8	8
ROD - DASHPOT LINK TO OVERTRAVEL LEVER	C3AZ 9A527-B (CM-502)		B		D	E		G	H		K	L	M
Clip (rod to dashpot link)	375882-S7-8(GG229)		B		D	E		G	H		K	L	M
COVER ASSY. - ACCELERATOR PUMP - includes link and lever	C3AZ 9528-D(CM-758)	A	B	C	D	E	F	G	H	J	K	L	M
Screw and lockwasher (accel. pump cover to main body)-No. 8-32 x 5/8" fillister head	43255-S8(U74)	4	4	4	4	4	4	4	4	4	4	4	4

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 3A THRU 3M											
		A	B	C	D	E	F	G	H	J	K	L	M
LINK - ACCELERATOR PUMP	C3AZ 9529-B	A	B	C	D	E	F	G	H	J	K	L	M
Pin (accelerator pump link stop)-3/8" x 5/8" spring	354494-S(NN88)									J			
JET - MAIN METERING	9533												
No. 60F - 0 to 5,000 ft. altitude	C3GY 9533-B(CJ-145)	A											
No. 58F - 5,000 to 10,000 ft. altitude	C3GY 9533-A(CJ-144)	A											
No. 56F - 10,000 to 15,000 ft. altitude	C3GY 9533-D(CJ-147)	A											
No. 59F - 0 to 5,000 ft. altitude	C3OZ 9533-B(CJ-130)		B										
No. 57F - 5,000 to 10,000 ft. altitude	C3OZ 9533-A(CJ-129)		B										
No. 55F - 10,000 to 15,000 ft. altitude	C3UZ 9533-B(CJ-140)		B										
No. 64F - 0 to 5,000 ft. altitude	C3AZ 9533-C(CJ-143)			C									
No. 62F - 5,000 to 10,000 ft. altitude	C3AZ 9533-A(CJ-134)			C									
No. 60F - 10,000 to 15,000 ft. altitude	C3GY 9533-B(CJ-145)			C									
No. 62F - 0 to 5,000 ft. altitude	C3AZ 9533-A(CJ-134)				D								
No. 60F - 5,000 to 10,000 ft. altitude	C3GY 9533-B(CJ-145)				D								
No. 58F - 10,000 to 15,000 ft. altitude	C3GY 9533-A(CJ-144)				D								
Tag code C5DF-H													
No. 61F - 0 to 5,000 ft. altitude	C3TZ 9533-C(CJ-138)					E							
No. 59F - 5,000 to 10,000 ft. altitude	C3OZ 9533-B(CJ-130)					E							
No. 57F - 10,000 to 15,000 ft. altitude	C3OZ 9533-A(CJ-129)					E							
No. 61F - 0 to 5,000 ft. altitude	C3TZ 9533-C(CJ-138)									J	K		
No. 59F - 5,000 to 10,000 ft. altitude	C3OZ 9533-B(CJ-130)									J	K		
No. 57F - 10,000 to 15,000 ft. altitude	C3OZ 9533-A(CJ-129)									J	K		
Tag code C5DF-K													
No. 59F - 0 to 5,000 ft. altitude	C3OZ 9533-B(CJ-130)					E							
No. 57F - 5,000 to 10,000 ft. altitude	C3OZ 9533-A(CJ-129)					E							
No. 55F - 10,000 to 15,000 ft. altitude	C3UZ 9533-B(CJ-140)					E							
Tag code C5DF-L, C6DF-S													
No. 64F - 0 to 5,000 ft. altitude	C3AZ 9533-C(CJ-143)					E							
No. 62F - 5,000 to 10,000 ft. altitude	C3AZ 9533-A(CJ-134)					E							
No. 60F - 10,000 to 15,000 ft. altitude	C3GY 9533-B(CJ-145)					E							
Tag code C5DF-M "Before 11/9/65"													
No. 62F - 0 to 5,000 ft. altitude	C3AZ 9533-A(CJ-134)					E							
No. 60F - 5,000 to 10,000 ft. altitude	C3GY 9533-B(CJ-145)					E							
No. 58F - 10,000 to 15,000 ft. altitude	C3GY 9533-A(CJ-144)					E							
Tag code C5DF-M "From 11/9/65"													
No. 63F - 0 to 5,000 ft. altitude	C3AZ 9533-B(CJ-135)					E							
No. 61F - 5,000 to 10,000 ft. altitude	C3TZ 9533-C(CJ-138)					E							
No. 59F - 10,000 to 15,000 ft. altitude	C3OZ 9533-B(CJ-130)					E							
Tag code C6DF-R													
No. 63F - 0 to 5,000 ft. altitude	C3AZ 9533-B(CJ-135)					E							
No. 61F - 5,000 to 10,000 ft. altitude	C3TZ 9533-C(CJ-138)					E							
No. 59F - 10,000 to 15,000 ft. altitude	C3OZ 9533-B(CJ-130)					E							
No. 63F - 0 to 5,000 ft. altitude	C3AZ 9533-B(CJ-135)						F					L	
No. 61F - 5,000 to 10,000 ft. altitude	C3TZ 9533-C(CJ-138)						F					L	
No. 59F - 10,000 to 15,000 ft. altitude	C3OZ 9533-B(CJ-130)						F						
No. 65F - 0 to 5,000 ft. altitude	C3TZ 9533-A(CJ-131)							G					
No. 63F - 5,000 to 10,000 ft. altitude	C3AZ 9533-B(CJ-135)							G					
No. 62F - 0 to 5,000 ft. altitude	C3AZ 9533-A(CJ-134)								H				M
No. 60F - 5,000 to 10,000 ft. altitude	C3GY 9533-B(CJ-145)								H				M
SPRING-ACCELERATOR PUMP OVERTRAVEL	C3AZ 9A538-B (CM-752)	A	B	C	D	E	F	F	H	J	K	L	M
NEEDLE - IDLE ADJUSTING	C8OZ 9541-A(CM-741)	A	B	C	D	E	F	G	H	J	K	L	M

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 3 A THRU 3 M											
		A	B	C	D	E	F	G	H	J	K	L	M
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	C3AZ 9B542-B (CM-439)	A	B	C	D	E	F	G	H	J	K	L	M
Clip (rod to accel. pump link)	375882-S7-8(GG229)	A	B	C	D	E	F	G	H	J	K	L	M
Retainer (rod to accel. pump overtravel lever)-spring	353610-S8(NN126)	A	B										
PLATE - CHOKE	C3AZ 9545-A(CM-577)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (plate to shaft)-No. 6-32 x .31" pan hd.	381761-S(UU81JA)	2	2	2	2	2	2	2	2	2	2	2	2
WEIGHT - FLOAT PENDULUM	C6TZ 9H545-A									J	K		
SHAFT & LEVER ASSY. - CHOKE	C3GY 9546-B(CM-584)	A	B	C	D	E	F	G	H			L	M
Identified by letter "D" stamped on lever - includes (2) 378360-S2 screws	C3OZ 9546-B(CM-585)									J	K		
BRACKET - FLOAT PENDULUM	C6TZ 9H546-A									J	K		
FLOAT ASSY.	C3AZ 9550-A(CM-430)	A	B	C	D	E	F	G	H	J	K	L	M
SHAFT - FLOAT LEVER	C3AZ 9558-B(CM-481)	A	B	C	D	E	F	G	H			L	M
.125" diameter-1.25" long	C6TZ 9558-B(CM-748)									J	K		
HUB - FAST IDLE CAM	C3AZ 9D558-A										K		
Tag code C6TF-F										J			
PIN - POWER VALVE	C8AZ 9G558-C												
Tag code C8TF-H										J			
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C3AZ 9B559-A	A		C		E	F	G	H	J	K	L	M
Dashpot	(CM-432)		2		2	E		G	H		K	L	M
SPRING - CHOKE PLATE	C3AZ 9560-A(CM-595)			C	D	E	F			J	K		
SPRING - FLOAT BOWL VENT RETURN	C3AZ 9560-B(CM-500)	A	B	C	D	E	F	G	H	J	K	L	M
GASKET - FLOAT BOWL	C3AZ 9561-C(CG-223)	A	B	C	D	E	F	G	H	J	K	L	M
VALVE AND SEAT ASSY. - FUEL INLET - service pkg. includes C3AZ 9569-B gasket	C3AZ 9564-B(CV-40)	A	B	C	D	E	F	G	H	J	K	L	M
NUT - CHOKE PLATE ADJUSTING	C3AZ 9D564-A (CM-503)	A	B	C	D	E	F	G	H	J	K	L	M
PISTON - POWER VALVE	★C3AZ 9A565-C	A	B	C	D	E	F	G	H		K	L	M
Tag code C6TF-F										J			
Tag code C8TF-H	★C8AZ 9A565-A									J			
GASKET - FUEL INLET NEEDLE SEAT - .3125" O. D. - .17" I. D.	C3AZ 9569-B	A	B	C	D	E	F	G	H	J	K	L	M
VALVE ASSY. - DISTRIBUTOR VACUUM - SPARK	C3AZ 9B572-B (CE-72)	A	B	C	D	E	F						
Tag code C6TF-F										J			
Tag code C8TF-H	C3UZ 9B572-A (CE-71)									J			
HOUSING ASSY. - CHOKE - service pkg. includes (1) B8A 9853-A gasket	C5ZZ 9A575-B (CC-51)	A	B	C	D	E	F	G	H			L	M
Screw and washer (housing to main body)-No. 8-32 x 1.25"	359737-S(BB59)	2	2	2	2	2	2	2	2			2	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 3A THRU 3M											
		A	B	C	D	E	F	G	H	J	K	L	M
SPRING -IDLE ADJUSTING NEEDLE	★40 9578	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - POWER VALVE BALL CHECK	C3AZ 9578-B	A	B	C	D	E	F	G	H	J	K		
SPRING IDLE ADJUSTING NEEDLE	C3AZ 9578-C(CM-611)	A	B	C	D	E	F	2	2	J	K	2	2
Power valve-color "red dichromate"	★C5AZ 9578-A											L	M
Screw (fast idle adjusting)- No. 10-32 x 1" hex. slotted head	355107-S7(BB536)	A	B	C	D	E	F	G	H	J	K	L	M
Ball (power valve check)-3/16" steel	371350-S(AA4)	A	B	C	D	E	F	G	H	J	K	L	M
LEVER AND SHAFT ASSY. - THROTTLE - service pkg. includes (2) 378360-S2 screws	C5ZZ 9581-B(CM-528)	A	B	C	D	E	F	G	H			L	M
Service pkg. includes (2) 378360-S2 screws	C6TZ 9581-A(CM-622)									J	K		
VALVE - FLOAT BOWL VENT	C3AZ 9D583-C (CM-913)	A	B	C	D	E	F	G	H	J	K	L	M
Clip (valve to float bowl vent actuating lever)	375882-S7-8(GG229)	A	B										
PLATE - THROTTLE - 1.437" diameter	C3AZ 9585-A	A	B	C	D	E	F	G	H	J	K	L	M
Screw (plate to shaft)-No. 6-32 x .31" pan head	381761-S(UU81JA)	2	2	2	2	2	2	2	2	2	2	2	2
LEVER - FLOAT BOWL VENT ACTUATING	C3AZ 9D585-C	A	B	C	D	E	F	G	H	J	K	L	M
Clip (float bowl vent actuating lever to valve)	375882-S7-8(GG229)			C	D	E	F						
GASKET - ECONOMIZER VALVE - spark Valve	C2AZ 9A588-B (CM-533)	A	B	C	D	E	F			J			
SPRING - THERMOSTATIC CHOKE	C5ZZ 9A590-A	A	B	C	D	E	F	G	H			L	M
LINK - DASHPOT	C3AZ 9D593-B (CM-448)		B		D	E	F	G	H		K	L	M
Screw (dashpot link adjusting)- No. 8-32 x 3/4" fillister head	354746-S100(BB26)		B		D	E		G	H		K	L	M
BRACKET ASSY. - CHOKE	C3DZ 9595-A									J	K		
CAM ASSY. - FAST IDLE	C3DZ 9597-A (CM-434)									J	K		
	C5ZZ 9597-A(CM-497)	A	B										
Ring(cam to hub)-1/8" retaining	374024-S8B(XX16F)									J	K		
ROD - POWER VALVE Tag code C6TF-F	★C3AZ 9D597-B	A	B	C	D	E	F	G	H	J	K	L	M
Tag code C8TF-H	★C8AZ 9D597-A									J			
ROD - CHOKE CONTROL	C3GY 9A599-C	A	B	C	D	E	F	G	H			L	M
Choke pull down	C3GY 9A599-B	A	B	C	D	E	F	G	H			L	M
	C3DZ 9A599-A									J	K		
Ring (rod to lever)-1/8" retaining	377918-S8B(XX14F)	A	B					G	H			L	M
PIN - AIR CLEANER RETAINER	C3AZ 9C631-A	2	2	2	2	2	2	2	2	2	2	2	2
SPRING - ACCELERATOR PUMP LEVER RETURN & DASHPOT DIAPHRAGM RETURN	C3AZ 9636-A(CM-545)	A	2	2	2	2	F	2	2	J	2	2	2
RETAINER - AIR CLEANER TO CARBURETOR	C3AZ 9B672-A	A	B	C	D	E	F	G	H	J	K	L	M
PIN - ACCELERATOR PUMP OVERTRAVEL SPRING	C3AZ 9C711-A	A	B	C	D	E	F	G	H	J	K	L	M
SHAFT AND LEVER ASSY. - CHOKE HOUSING	C5ZZ 9A753-A	A	B	C	D	E	F	G	H			L	M
CLAMP - CHOKE CABLE BRACKET	C3AZ 9792-A									J	K		
Screw(clamp to bracket)-No. 8-32 x 1/2"	31061-S8(U50)									J	K		
Nut(clamp to bracket)-No. 8-32 square	34126-S8B(M146)									J	K		
CLAMP - THERMOSTATIC CHOKE HOUSING "Before 5/2/66"	B6A 9842-A	A	B	C	D	E	F						
"From 5/2/66"	C8AZ 9842-B(CM-644)					E		G	H			L	M
Screw (clamp to housing)-No. 8-32 x 1/2" fill. hd. Tag code C6DF-R, S	31061-S8(U50)					3						3	3

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 3A THRU 3M											
		A	B	C	D	E	F	G	H	J	K	L	M
HOUSING - THERMOSTATIC CHOKE - identified by letters "TM"-includes (1) C1AZ 9871-A gasket	C3YY 9848-A(CM-462)	A	B										
Identified by letters "TS"- service pkg. includes (1) C1AZ 9871-A gasket Tag codes C5DF-L, C6DF-S	C5DZ 9848-A(CM-487)			C		E	F	G				L	
Identified by letters "TP"-service pkg.includes (1) C1AZ 9871-A gasket Tag codes C5DF-H, K, M, C6DF-R	C5OZ 9848-A(CM-488)				D	E			H				M
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A(CG-93)	A	B	C	D	E	F	G	H			L	M
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)	A	B	C	D	E	F	G	H			L	M
SCREW - CHOKE HOUSING COVER-1.15" long-No.8-32 male & female thread Tag codes C5DF-H, K, L, M	C3AZ 9B874-A	3	3	3	3	3	3	3	3				
LEVER - ACCELERATOR PUMP	C3AZ 9919-C(CM-449)	A	B	C	D	E	F	G	H	J	K	L	M
Ring (lever to shaft)-1/8" retaining	377918-S8B(XX14F)	A	B	C	D	E	F	G	H	J	K	L	M
Washer (lever to shaft)-No. 5 flat	44706-S(X7)	A	B	C	D	E	F	G	H	J	K	L	M
TUBE - VACUUM TRANSFER - .530" long	★C3DZ 9996-A	A	B	C	D	E	F			J			
CLAMP - HEATER HOSE TO THERMOSTATIC CHOKE HOUSING	C3AZ 18572-A	A	B										
Screw and washer (heater hose clamp to thermo. choke housing)-No. 8-32 x 5/16" fill.hd.	355067-S7(BB53)	3	3										

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARBURETOR PARTS LISTS 3N THRU 3Z											
		N	♦P	♦Q	R	S	T	U	V	W	X	Y	Z
GASKET SET	C8AZ 9502-A(CG-219)	N	P	Q	R								
TUNE UP KIT	C8OZ 9A586-D (CT-207-A)	N	P	Q	R								
REPAIR KIT -tag code C6PF-J	★C3AZ 9590-L(CR-283) Service Details		P										
Tag code C7TF-K	★C6OZ 9590-F(CR-288) Service details	N											
Tag codes C8PF-K, C8OF-E, F	★C8OZ 9590-A(CR-355) Service details	N	P	Q									
Connector (distributor vacuum tube to carb.)-1/8" pipe thread	358165-S(II-65)	N	P	Q	R								
Ball (accel. pump & dashpot inlet)-3/16" steel	371350-S(AA4)	2	2	2									
Plug (power valve cyl.)-1/2" expansion	376669-S	N	P	Q	R								
Screw (carburetor idle -adjusting)-No. 10-32 x 5/8" fillister head	31628-S7(U58)		P	Q									
Fitting (fuel inlet)-5/16" inverted flare-tube	87972-S(I-13)		P										
NUT - POWER VALVE ADJUSTING - tag code C8OF-E, F, C8PF-K	★C8AZ 9B503-A	N	P	Q	R								

♦ Parts lists identified by symbol ♦ are common to 200 engines

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 3N THRU 3Z											
		N	‡P	‡Q	R	S	T	U	V	W	X	Y	Z
SPRING - POWER VALVE ADJUSTING - Tag code C6PF-J, C7TF-K	★C3AZ 9E505-A	N	P										
Tag codes C8OF-E, F, C8PF-K	★C8AZ 9E505-A	N	P		R								
	★C8AZ 9E505-D			Q									
Washer (power valve adj. spring) - No. 6-"C" washer	375910-S(XX340S)	AR	AR	-									
WEIGHT - PUMP DISCHARGE BALL - .202" O.D. - .56" long	C3AZ 9B511-A (CM-565)	N	P	Q	R								
Ball (accel. pump discharge valve)-3/16" steel	371350-S(AA4)	N	P										
COVER ASSY. - DASHPOT - includes link Tag codes C8DF-D, C8OF-F, C6PF-J	C3AZ 9E511-A (CM-566)	N	P	Q	R								
Screw & lockwasher (dashpot cover to main body)-No. 8-32 x 5/8" fillister head	43255-S8(U74)	4	4	4									
INSERT - VENTURI - No. 1100 - Tag codes C8OF-F, C8TF-H	★C3OZ 9E514-A		P		R								
No. 1100-B	★C6DZ 9E514-A	N											
BODY & PLUGS ASSY. - MAIN UPPER	★C7TZ 9524-A	N											
	★C3DZ 9524-B		P										
Screw & lockwasher (upper main body to main body)-No. 8-32 x 5/8" fillister hd.	43255-S8(U74)	8	8	8									
ROD-DASHPOT LINK to OVERTRAVEL LEVER Tag codes C8DF-D, C6PF-JC8DF-F	C3AZ 9A527-B (CM-502)	N	P	Q	R								
Clip (rod to dashpot link) Tag codes C8DF-D, C8OF-F, C6PF-J	375882-S7-8(GG229)	N	P	Q	R								
COVER ASSY. - ACCELERATOR PUMP	C3AZ 9528-D(CM-758)	N	P		R								
Screw & lockwasher (accel. pump cover to	43255-S8(U74)	4	4										
LINK - ACCELERATOR PUMP	C3AZ 9529-B	N	P	Q	R								
Pin (accel. pump link stop)-3/8" x 5/8" spring-tag code C8OF-F	354494-S(NN88)		P	Q	R								
JET - MAIN METERING	9533												
No. 63F - 0 to 5,000 ft. altitude	C3AZ 9533-B(CJ-135)	N											
Tag code C8DF-D					R								
Tag code C8DF-C	C3AZ 9533-C(CJ-143)				R								
No. 61F - 5,000 to 10,00 ft. altitude	C3TZ 9533-C(CJ-138)	N											
No. 60F - 0 to 5,000 ft. altitude - tag codes C6PF-J, C8OF-E	C3GY 9533-B(CJ-145)		P	Q									
No. 58F - 5,000 to 10,000 ft. altitude - tag code C6PF-J	C3GY 9533-A(CJ-144)		P	Q									
No. 68F - 0 to 5,000 ft. altitude - tag code C8OF-F	C3TZ 9533-F(CJ-149)		P										
No. 66F - 5,000 to 10,000 ft. altitude - tag code C8OF-F	C3TZ 9533-E(CJ-148)		P										
SPRING - ACCELERATOR PUMP OVER-TRAVEL	C3AZ 9A538-B (CM-752)	N	P	Q	R								
NEEDLE - IDLE ADJUSTMENT	C8OZ 9541-A(CM-741)	N	P	Q	R								
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	C3AZ 9B542-B (CM-439)	N	P	Q	R								
Clip (rod to accelerator pump link)	375882-S7-8(GG229)	N	P	Q									
PLATE - CHOKE	C3AZ 9545-A(CM-577)	N	P	Q	R								
Screw (plate to shaft)-No. 6-32 x .31" pan hd.	381761-S(UU81JA)	2	2	2									

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

‡ Parts lists identified by symbol ‡ are common to 200 engines

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 3N THRU 3Z											
		N	♣P	♣Q	R	S	T	U	V	W	X	Y	Z
WEIGHT - FLOAT PENDULUM	C6TZ 9H545-A	N											
SHAFT & LEVER ASSY. - CHOKE	C3GY 9546-B(CM-584)		P	Q	R								
Identified by letter "D" stamped on lever-includes (2) 378360-S2 screws	C3OZ 9546-B(CM-585)	N											
BRACKET - FLOAT PENDULUM	C6TZ 9H546-A	N											
FLOAT ASSY.	C3AZ 9550-A(CM-430)	N	P	Q	R								
SHAFT - FLOAT LEVER	C3AZ 9558-B(CM-481)		P	Q	R								
.125" diameter-1.25" long	C6TZ 9558-B(CM-748)	N											
HUB - FAST IDLE CAM	C3AZ 9D558-A	N											
PIN - POWER VALVE	C8AZ 9G558-C			Q	R								
Tag codes C8PF-K, C8OF-F	★C8AZ 9G558-A	N	P										
DIAPHRAGM ASSY. - ACCELERATOR PUMP Dashpot	C3AZ 9B559-A (CM-432)	N	P	Q	R								
SPRING - CHOKE PLATE	C3AZ 9560-A(CM-595)	N											
SPRING - FLOAT BOWL VENT RETURN	C3AZ 9560-B(CM-500)	N	P	Q	R								
GASKET - FLOAT BOWL	C3AZ 9561-C(CG-223)	N	P	Q	R								
VALVE & SEAT ASSY. -FUEL INLET- service pkg. includes C3AZ 9569-B gasket	C3AZ 9564-B(CV-40)	N	P	Q	R								
NUT - CHOKE PLATE ADJUSTING	C3AZ 9D564-A (CM-503)	N	P	Q	R								
PISTON - POWER VALVE - tag code C7TF-K	★C3AZ 9A565-C	N											
Tag codes C8OF-F, C8PF-K	★C8AZ 9A565-A	N	P	Q	R								
GASKET - FUEL INLET NEEDLE SEAT - .3125" O.D. -.17" I.D.	C3AZ 9569-B	N	P		R								
VALVE ASSY. -DISTRIBUTOR VACUUM - SPARK	C3AZ 9B572-B (CE-72)		P		R								
HOUSING ASSY. -CHOKE-service pkg. includes (1) B8A 9583-A gasket	C5ZZ 9A575-B (CC-51)			Q	R								
Screw & washer (housing to main body)-No. 8-32 x 1.25"	359737-S(BB59)		2	2	2								
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	N	P	Q									
	C3AZ 9578-C(CM-611)	N	2	2	2								
SPRING - POWER VALVE BALL CHECK	C3AZ 9578-B		P										
Power valve-color "red dichromate"	★C5AZ 9578-A	N											
Screw (fast idle adjusting)-No. 10-32 x 1" hex. slotted head	355107-S7(BB536)	N	P	Q	R								
Ball (power valve check)-3/16" steel	371350-S(AA4)	N	P	Q	R								
LEVER and SHAFT ASSY. - THROTTLE - service pkg. includes (2) 378360-S2 screws	C5ZZ 9581-B(CM-528)		P	Q	R								
Service pkg. includes (2) 378360-S2 screws	C6TZ 9581-A(CM-622)	N											
VALVE - FLOAT BOWL VENT	C3AZ 9D583-C (CM-913)	N	P	Q	R								
Retainer (valve to accel. pump cover)-spring	375882-S7(GG229)		P										
PLATE - THROTTLE - 1.437" diameter	C3AZ 9585-A	N	P	Q	R								
	C8OZ 9585-B(CM-789)			2									
Screw (plate to shaft)-No. 6-32 x .31" pan hd.	381761-S(UU81JA)	2	2	2									

♣ Parts lists identified by symbol ♣ are common to 200 engines

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 3N THRU 3Z											
		N	♦P	♦Q	R	S	T	U	V	W	X	Y	Z
LEVER - FLOAT BOWL VENT ACTUATING	C3AZ 9D585-C	N	P	Q	R								
Clip(float bowl vent actuating lever to valve)	375882-S7-8(GG229)		2										
GASKET - ECONOMIZER VALVE - spark valve	C2AZ 9A588-B (CM-533)		P		R								
SPRING - THERMOSTATIC CHOKE	C5ZZ 9A590-A		P	Q	R								
LINK - DASHPOT	C3AZ 9D593-B	N		Q									
Tag codes C6PF-J, C8DF-D, C8OF-F	(CM-448)		P		R								
Screw (dashpot link adjusting)- No. 8-32 x 3/4" fillister head tag codes C8DF-D, C8OF-F, C6PF-D	354746-S100(BB26)	N	P	Q	R								
BRACKET ASSY. - CHOKE CONTROL	C3DZ 9595-A	N											
CAM ASSY. - FAST IDLE	C3DZ 9597-A (CM-434)	N											
Tag code C6PF-J	C5ZZ 9597-A(CM-497)		P										
Ring (cam to hub)-1/8" retaining	374024-S8B(XX16F)	N	P										
ROD - POWER VALVE	★C3AZ 9D597-B	N											
Tag code C7TF-K													
Tag code C8OF-F, C8PF-K	★C8AZ 9D597-A	N	P	Q	R								
ROD - CHOKE CONTROL	C3GY 9A599-C		P	Q	R								
Choke pull down	C3GY 9A599-B		P		R								
	C3DZ 9A599-A	N											
Ring (rod to throttle shaft)-1/8" retaining	377918-S8B(XX14F)		P		R								
PIN - AIR CLEANER RETAINER	C3AZ 9C631-A	2	2	2									
	C5AZ 9C631-A				2								
SPRING - ACCELERATOR PUMP LEVER RETURN & DASHPOT DIAPHRAGM RETURN	C3AZ 9636-A(CM-545)	2	2	2	R								
RETAINER - AIR CLEANER TO CARBURETOR	C3AZ 9B672-A	N	P	Q	R								
PIN - ACCELERATOR PUMP OVERTRAVEL SPRING	C3AZ 9C711-A	N	P	Q	R								
SHAFT & LEVER ASSY. - CHOKE HOUSING	C5ZZ 9A753-A		P	Q	R								
CLAMP - CHOKE CABLE BRACKET	C3AZ 9792-A	N											
Screw (clamp to bracket)-No. 8-32 x 1/2"	31061-S8(U50)	N											
Nut (clamp to bracket)-No. 8-32 square	34126-S8B(M146)	N											
CLAMP - THERMOSTATIC CHOKE HOUSING	C8AZ 9842-B (CM-1045)		P	Q	R								
Screw (clamp to housing)-No. 8-32 x 1/2" fillister head	31061-S8(U50)		3	3	3								
HOUSING - THERMOSTATIC CHOKE - includes (1) C1AZ 9871-A gasket-ident. by letters "TP"	C5OZ 9848-A(CM-488)												
Tag codes C8OF-F, C8DF-C			P		R								
Includes (1) C1AZ 9871-A gasket-ident. by letters "TS"	C5DZ 9848-A(CM-487)			Q									
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A(CG-93)		P	Q	R								
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)		P	Q	R								
LEVER - ACCELERATOR PUMP	C3AZ 9919-C(CM-449)	N	P	Q	R								
Ring (lever to shaft)-1/8" retaining	377918-S8B(XX14F)	N	P	Q	R								
Washer (lever to shaft)-No. 5 flat	44706-S(X7)	N	P	Q	R								

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

♦ Parts lists identified by symbol ♦ are common to 200 engines

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 5 A THRU 5 M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET	C8AZ 9502-A(CG-219)	A	B	C	D	E	F	G	H	J	K	L	
TUNE UP KIT	C8OZ 9A586-D (CT-207-A)	A	B	C	D	E	F	G	H	J	K	L	
REPAIR KIT Tag codes C5OF-R, Y, Z, C6OF-AC, AD	★C3AZ 9590-L(CR-283) Service details	A	B	C	D D	E	F						
	★C6OZ 9590-F(CR-288) Service details							G	H	J			
	★C8OZ 9590-A(CR-355) Service details										K	L	
Connector (distributor vacuum tube to carb.)-1/8" pipe thread	358165-S(II-65)	A	B	C	D	E	F	G	H	J	K	L	
Ball (accelerator pump and dashpot inlet)-3/16" steel	371350-S(AA4)	A	2	C	2	E	F	2	2	2			
Seal (distributor vacuum tube)-.051"/.060" I.D.-"O" ring	★375909-S92	A	B	C	D	E	F						
Plug (power valve cylinder)-1/2" expansion	376669-S	A	B	C	D	E	F	G	H	J	K	L	
Fitting (fuel inlet)-5/16" inverted flare-tube	87972-S(I-13)	A	B	C	D	E	F						
Screw (carburetor idle adjusting)-No. 10-32 x 5/8" fillister head	31628-S7(U58)	A	B	C	D	E	F	G	H	J			
LIMITER - IDLE ADJUSTING NEEDLE	C7AZ 9J500-B (CM-747)										K	L	
NUT - POWER VALVE ADJUSTING	★C8AZ 9B503-A										K	L	
SPRING - POWER VALVE ADJUSTING	★C3AZ 9E505-A	A						G	H	J			
	★C5DZ 9E505-A		B	C	D	E	F						
Tag code C8OF-B	★C8AZ 9E505-C										K		
Tag code C8OF-A	★C8AZ 9E505-D										K		
Washer (power valve adj. spring)-No. 6-"C" (nylon)	375910-S(XX340S)	AR	AR	AR	AR	AR	AR	AR	AR	AR			
WEIGHT - PUMP DISCHARGE BALL - .202" O.D. - .56" long	C3AZ 9B511-A (CM-565)	A	B	C	D	E	F	G	H	J	K	L	
Ball (accel. pump discharge valve)-3/16" steel	371350-S(AA4)	A	B	C	D	E	F	G	H	J	K	L	
COVER ASSY. - DASHPOT - Includes Link	C3AZ 9E511-A (CM-566)		B		D			G	H	J	K	L	
Screw and lockwasher (dashpot cover to main body)-No. 8-32 x 5/8" fillister head	43255-S8(U74)		4		4			4	4	4	4	4	
Ball (dashpot inlet valve)-3/16"	371350-S(AA4)										K	L	
INSERT - VENTURI - No. 1200-A	★C3OZ 9E514-B	A	B		D		F						
No. 1100	★C3OZ 9E514-A			C		E							
No. 1200-B	★C6OZ 9E514-A							G					
No. 1100-B	★C6DZ 9E514-A								H	J	K	L	
BODY ASSY. - MAIN UPPER	9524												
	★C5OZ 9524-D			C		E							
	★C6OZ 9524-B							G					
	★C7OZ 9524-A								H				
	★C7OZ 9524-B									J			
Screw and lockwasher (upper main body to main body)-No18-32 x 5/8" fillister head	43255-S8(U74)	8	8	8	8	8	8	8	8	8			
ROD - DASHPOT LINK TO OVERTRAVEL LEVER	C3AZ 9A527-B (CM-502)		B		D			G	H	J	K	L	
Clip (rod to dashpot link)	375882-S7-8(GG229)		B		D			G	H	J	K	L	
COVER ASSY. - ACCELERATOR PUMP	C3AZ 9528-D(CM-758)	A	B	C	D	E	F	G	H	J	K	L	
Screw and lockwasher assy. (accel. pump cover to main body)-No. 8-32 x 5/8" fill. hd.	43255-S8(U74)	4	4	4	4	4	4	4	4	4	4	4	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 5 A THRU 5 M											
		A	B	C	D	E	F	G	H	J	K	L	M
LINK - ACCELERATOR PUMP	C3AZ 9529-B	A	B	C	D	E	F	G	H	J	K	L	
Pin (pump link stop)-3/8" x 3/32" spring	354494-S(NN88)										K		
JET - MAIN METERING	9533												
No. 69F - 0 to 5,000 ft. altitude	C3TZ 9533-B(CJ-132)	A											
No. 67F - 5,000 to 10,000 ft. altitude	C3TZ 9533-D(CJ-139)	A											
No. 65F - 10,000 to 15,000 ft. altitude	C3TZ 9533-A(CJ-131)	A											
No. 67F - 0 to 5,000 ft. altitude	C3TZ 9533-D(CJ-139)		B										
No. 65F - 5,000 to 10,000 ft.	C3TZ 9533-A(CJ-131)		B										
No. 63F - 10,000 to 15,000 ft. altitude	C3AZ 9533-B(CJ-135)		B										
No. 61F - 0 to 5,000 ft. altitude	C3TZ 9533-C(CJ-138)			C		E				J			
No. 59F - 5,000 to 10,000 ft. altitude	C3OZ 9533-B(CJ-130)			C		E				J			
No. 57F - 10,000 to 15,000 ft. altitude	C3OZ 9533-A(CJ-129)			C		E							
Tag code-C5OF-R													
No. 66F - 0 to 5,000 ft. altitude	C3TZ 9533-E(CJ-148)				D								
No. 64F - 5,000 to 10,000 ft. altitude	C3AZ 9533-C(CJ-143)				D								
No. 62F - 10,000 to 15,000 ft. altitude	C3AZ 9533-A(CJ-134)				D								
Tag code - C5OF-Y, C6OF-AC, AD													
No. 68F - 0 to 5,000 ft. altitude	C3TZ 9533-F(CJ-149)				D								
No. 66F - 5,000 to 10,000 ft. altitude	C3TZ 9533-E(CJ-148)				D								
No. 64F - 10,000 to 15,000 ft. altitude	C3AZ 9533-C(CJ-143)				D								
Tag code - C5OF-Z-"Before 11/9/65"													
No. 67F - 0 to 5,000 ft. altitude	C3TZ 9533-D(CJ-139)				D								
No. 65F - 5,000 to 10,000 ft. altitude	C3TZ 9533-A(CJ-131)				D								
No. 63F - 10,000 to 15,000 ft. altitude	C3AZ 9533-B(CJ-135)				D								
Tag Code-C5OF-Z-"From 11/9/65"													
No. 68F - 0 to 5,000 ft. altitude	C3TZ 9533-F(CJ-149)				D								
No. 66F - 5,000 to 10,000 ft. altitude	C3TZ 9533-E(CJ-148)				D								
No. 64F - 10,000 to 15,000 ft. altitude	C3AZ 9533-C(CJ-143)				D								
No. 68F - 0 to 5,000 ft. altitude	C3TZ 9533-F(CJ-149)						F						
No. 66F - 5,000 to 10,000 ft. altitude	C3TZ 9533-E(CJ-148)						F						
No. 64F - 10,000 to 15,000 ft. altitude	C3AZ 9533-C(CJ-143)						F						
No. 67F - 0 to 5,000 ft. altitude	C3TZ 9533-D(CJ-139)							G					
No. 65 F - 5,000 to 10,000 ft. altitude	C3TZ 9533-A(CJ-131)							G					
No. 62F - 0 to 5,000 ft. altitude	C3AZ 9533-A(CJ-134)								H			L	
No. 60F - 5,000 to 10,000 ft. altitude	C3GY 9533-B(CJ-145)								H				
No. 60F - 0 to 5,000 ft. altitude-tag code C8OF-A	C3GY 9533-B(CJ-145)										K		
No. 58F - 5,000 to 10,000 ft. altitude-tag code C8OF-A	C3GY 9533-A(CJ-144)										K		
No. 59F - 0 to 5,000 ft. altitude-tag code C8OF-B	C3OZ 9533-B(CJ-130)										K		
No. 57F - 5,000 to 10,000 ft. altitude-tag code C8OF-B	C3OZ 9533-A(CJ-129)										K		
SPRING - ACCELERATOR PUMP OVERTRAVEL	C3AZ 9A538-B (CM-752)	A	B	C	D	E	F	G	H	J	K	L	
NEEDLE - IDLE ADJUSTING	C8OZ 9541-A(CM-741)	A	B	C	D	E	F	G	H	J	K		
	C8AZ 9541-B(CM-740)											L	
Code C8OF-B	★C8AZ 9541-E										K		
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	C3AZ 9B542-B (CM-439)	A	B	C	D	E	F	G	H	J	K	L	
Clip (rod to accel. pump link)	375882-S7-8(GG229)	A	B	C	D	E	F	G	H	J	K	L	

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 5A THRU 5M											
		A	B	C	D	E	F	G	H	J	K	L	M
PLATE - CHOKE	C3AZ 9545-A(CM-577)	A	B	C	D	E	F	G	H	J	K	L	
Screw (plate to shaft)-No. 6-32 x .31" pan hd.	381761-S(UU81JA)	2	2	2	2	2	2	2	2	2	2	2	
SHAFT and LEVER ASSY. - CHOKE - identified by letter "L"-stamped on lever-includes (2) 378360-S2 screws	C3OZ 9546-B(CM-585)	A											
	C3GY 9546-B(CM-584)		B	C	D	E	F	G	H	J	K	L	
FLOAT ASSY.	C3AZ 9550-A(CM-430)	A	B	C	D	E	F	G	H	J	K	L	
LEVER - CHOKE SHAFT	C5AZ 9551-A										K		
SHAFT - FLOAT LEVER	C3AZ 9558-B(CM-481)	A	B	C	D	E	F	G	H	J	K	L	
PIN - POWER VALVE	★C8AZ 9G558-A										K	L	
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C3AZ 9B559-A	A	B	C	D	E	F	G	H	J	K	L	
Dashpot	(CM-432)		B		D			G	H	J	K	L	
Ball (accel. pump inlet check)-3/16"	371350-S(AA4)										K	L	
SPRING - CHOKE PLATE	C3AZ 9560-A(CM-595)	A	B	C	D	E	F						
SPRING - FLOAT BOWL VENT RETURN	C3AZ 9560-B(CM-500)	A	B	C	D	E	F	G	H	J	K	L	
GASKET - FLOAT BOWL	C3AZ 9561-C(CG-223)	A	B	C	D	E		G	H	J	K	L	
VALVE AND SEAT ASSY. - FUEL INLET - service pkg. includes C3AZ 9569-B gasket	C3AZ 9564-B(CV-40)	A	B	C	D	E	F	G	H	J	K	L	
NUT - CHOKE PLATE ADJUSTING	C3AZ 9D564-A (CM-503)	A	B	C	D	E	F	G	H	J	K	L	
PISTON - POWER VALVE	★C3AZ 9A565-C	A	B	C	D	E	F	G	H	J			
	★C8AZ 9A565-A										K	L	
GASKET - FUEL INLET NEEDLE SEAT - .3125" O. D. -. 17" I. D.	C3AZ 9569-B	A	B	C	D	E	F	G	H	J	K	L	
VALVE ASSY. - DISTRIBUTOR VACUUM - SPARK	C3AZ 9B572-B (CE-72)	A	B	C	D	E	F						
HOUSING ASSY. - CHOKE - service pkg. includes (1) B8A 9853-A gasket	C5ZZ 9A575-B (CC-51)	A	B	C	D	E	F	G	H	J	K	L	
Screw and washer (housing to main body)-No. 8-32 x 1.25"	359737-S(BB59)	2	2	2	2	2	2	2	2	2	2	2	
SPRING - POWER VALVE BALL CHECK	C3AZ 9578-B	A	B	C	D	E	F	G					
Power valve-color "red dichromate"	★C5AZ 9578-A								H	J			
SPRING - IDLE ADJUSTING NEEDLE	C3AZ 9578-C(CM-611)	A	B	2	2	2	2	2	2	2	2	2	
	★40 9578	A	B	C	D	E	F	G	H	J	K	L	
Screw (curb idle screw)-No. 10-32 x .62" fillister head	31628-S7(U58)										K	L	
Screw (fast idle adjusting)-No. 10-32 x 1" hex. slotted head	355107-S7(BB536)	A	B	C	D	E	F	G	H	J	K	L	
Ball (power valve check)-3/16" steel	371350-S(AA4)	A	B	C	D	E	F	G	H	J	K	L	
LEVER and SHAFT ASSY. -THROTTLE- service pkg. includes (2) 378360-S2 screws	C5ZZ 9581-B(CM-528)	A	B	C	D	E	F	G	H	J	K	L	
VALVE - FLOAT BOWL VENT	C3AZ 9D583-C (CM-913)	A	B	C	D	E	F	G	H	J	K	L	
PLATE - THROTTLE - 1.437" diameter	C3AZ 9585-A	A	B	C	D	E	F	G	H	J			
	C8OZ 9585-B(CM-789)										K	L	
Screw (throttle lever to plate-No. 6-32 x .31" hex.	375016-S2(UU52AK)										2	2	
Screw (plate to shaft)-No. 6-32 x .31" pan head	381761-S(UU81JA)	2	2	2	2	2	2	2	2	2	2	2	
LEVER - FLOAT BOWL VENT ACTUATING	C3AZ 9D585-C	A	B	C	D	E	F	G	H	J	K	L	
Clip (float bowl vent actuating lever to valve)	375882-S7-8(GG229)	A	B	C	D	E	F				K	L	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 5A THRU 5M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET - ECONOMIZER VALVE - Spark Valve	C2AZ 9A588-B (CM-533)	A	B	C	D	E	F						
SPRING - THERMOSTATIC CHOKE	C5ZZ 9A590-A	A	B	C	D	E	F	G	H	J	K	L	
LINK - DASHPOT	C3AZ 9D593-B (CM-448)		B		D			G	H	J	K	L	
Screw (dashpot link adjusting)-No.8-32 x 3/4" fillister head	354746-S100(BB26)		B		D			G	H	J	K	L	
ROD - POWER VALVE	★C3AZ 9D597-B	A	B	C	D	E	F	G	H	J			
	★C8AZ 9D597-A										K	L	
Screw (cam to carb.)-No. 10-32 x 1/2" pan hd.	38204-S8(U137)										K	L	
ROD - CHOKE CONTROL	C3GY 9A599-C	A	B	C	D	E	F	G	H	J	K	L	
Pull down	C3GY 9A599-B	A	B	C	D	E	F	G	H	J	K	L	
Ring(rod to shaft)-1/8" retaining	377918-S8B(XX14F)							G	H	J	K	L	
PIN - AIR CLEANER RETAINER	C3AZ 9C631-A	2	2	2	2	2	2	2	2	2			
	C5AZ 9C631-A										2	2	
SPRING - ACCELERATOR PUMP LEVER RETURN	C3AZ 9636-A(CM-545)	A	B	C	D	E	F	G	H	J	K	L	
Dashpot diaphragm return			B		D			G	H	J	K	L	
RETAINER - AIR CLEANER TO CARBURETOR	C3AZ 9B672-A	A	B	C	D	E	F	G	H	J		L	
	C5AZ 9B672-A										K		
PIN - ACCELERATOR PUMP OVERTRAVEL SPRING	C3AZ 9C711-A	A	B	C	D	E	F	G	H	J	K	L	
SHAFT AND LEVER ASSY. - CHOKE HOUSING	C5ZZ 9A753-A	A	B	C	D	E	F	G	H	J	K	L	
CLAMP - THERMOSTATIC CHOKE HOUSING "Before 5/2/66"	B6A 9842-A	A	B	C	D	E	F	G					
"From 5/2/66"	C8AZ 9842-B(CM-644)				D	E		G	H	J			
	C8AZ 9842-A(CM-805)										K	L	
Screw (clamp to housing)-No. 8-32 x 1/2" fill. hd.-Tag codes C6OF-AB, AC, AD, AE	31061-S8(U50)				3	3		3	3	3	3	3	
HOUSING - CHOKE THERMOSTATIC - identified by letters "TS"-includes (1) C1AZ 9871-A gasket	C5DZ 9848-A(CM-487)	A		C		E	F		H				
Tag code C5OF-Y, C6OF-AD					D								
Tag code C8OF-A											K		
Identified by letters "TP"-includes (1) C1AZ 9871-A gasket	C5OZ 9848-A(CM-488)		B					G		J	K		
Tag codes C5OF-R, Z, C6OF-AC					D								
Tag code C8OF-B												L	
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A(CG-93)	A	B	C	D	E	F	G	H	J	K	L	
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)	A	B	C	D	E	F	G	H	J	K	L	
SCREW - CHOKE HOUSING COVER - 1.15" long-No. 8-32 male & female threads	C3AZ 9B874-A	3	3	3			3	3					
Tag code C5OF-R, S, Y, Z, AC					3	3							
LEVER-ACCELERATOR PUMP	C3AZ 9919-C(CM-449)	A	B	C	D	E	F	G	H	J	K	L	
Ring (lever to shaft)-1/8" retaining	377918-S8B(XX14F)	A	B	C	D	E	F	G	H	J	K	L	
Washer (lever to shaft)-No. 5 flat	44706-S(X7)	A	B	C	D	E	F	G	H	J	K	L	
TUBE - VACUUM TRANSFER - .395" long	★C3AZ 9996-A	A	B		D		F						
.530" long	★C3DZ 9996-A			C		E							

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 8A THRU 8M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET	C8AZ 9502-A (CG-219)	A	B	C	D	E	F	G	H	J	K	L	M
TUNE-UP KIT	C8OZ 9A586-D (CT-207-A)	A	B	C	D	E	F	G	H	J	K	L	M
REPAIR KIT	★C5AZ 9590-F(CR-287) Service details	A	B			E	F				K		
	★C5AZ 9590-E(CR-286) Service details			C	D			G	H	J		L	M
Ball (accel. pump inlet)-3/16" steel	371350-S(AA4)	A	B	C	D	E	F	G	H	J	K	L	M
Dashpot inlet check valve			B		D		F	G		J	K	L	M
Plug (power valve cylinder)-1/2" expansion	376669-S(XX208B)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (carburetor idle-adjusting)-No. 10-32 x 5/8" fillister head	31628-S7(U58)	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - POWER VALVE ADJUSTING	★C3AZ 9E505-A	A	B	C	D	E	F	G	H	J	K	L	M
Washer (power valve adj. spring)-No. 6-"C" - nylon	375910-S(XX340S)	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR	AR
WEIGHT - PUMP DISCHARGE BALL - .202" O.D. - .56" long	C3AZ 9B511-A (CM-565)	A	B	C	D	E	F	G	H	J	K	L	M
Ball (accel. pump discharge valve)-3/16" steel	371350-S(AA4)	A	B	C	D	E	F	G	H	J	K	L	M
COVER ASSY. - DASHPOT - includes link	C3AZ 9E511-A (CM-566)		B		D		F	G		J	K	L	M
Screw and lockwasher (dashpot cover to main body)-No. 8-32 x 5/8" fillister head	43255-S8(U74)		4		4		4	4		4	4	4	4
BAFFLE - FLOAT BOWL	C5TZ 9A517-B									J	K	L	M
HORN - AIR	C5AZ 9524-A	A	B	C		E	F						
	★C5AZ 9524-B				D								
	★C5AZ 9524-F							G					
	★C6AZ 9524-C								H				
	★C6AZ 9524-E									J			
Tag code C6AF-R	★C6AZ 9524-A										K		
Tag code C6AF-S	★C6AZ 9524-B										K		
	★C6AZ 9524-G											L	
	★C6AZ 9524-H												M
Screw and lockwasher (upper main body to main body)-No. 8-32 x 5/8" fillister head	43255-S8(U74)	8	8	8	8	8	8	8	8	8	8	8	8
ROD - DASHPOT LINK TO OVERTRAVEL LEVER	C3AZ 9A527-B (CM-502)		B		D		F	G		J	K	L	M
Clip (rod to dashpot link)	375882-S7-8(GG229)		B		D		F	G		J	K	L	M
COVER ASSY. - ACCELERATOR PUMP - Includes link and lever	C7AZ 9528-A (CM-1042)	A	B	C	D	E	F	G	H	J	K	L	M
Screw and lockwasher (accel. pump cover to main body)-No. 8-32 x 5/8" fillister head	43255-S8(U74)	4	4	4	4	4	4	4	4	4	4	4	4
LINK - ACCELERATOR PUMP	C5TZ 9529-A	A	B	C	D	E	F	G	H	J	K	L	M
JET - MAIN METERING	9533												
No. 69F - 0 to 5,000 ft. altitude	C3TZ 9533-B(CJ-132)	A				E							
No. 67F - 5,000 to 10,000 ft. altitude	C3TZ 9533-D(CJ-139)	A				E							
No. 65F - 10,000 to 15,000 ft. altitude	C3TZ 9533-A(CJ-131)	A				E							
No. 68F - 0 to 5,000 ft. altitude	C3TZ 9533-F(CJ-149)		B				F						M
No. 66F - 5,000 to 10,000 ft. altitude	C3TZ 9533-E(CJ-148)		B				F						M
No. 64F - 10,000 to 15,000 ft. altitude	C3AZ 9533-C(CJ-143)		B				F						
No. 57F - 0 to 5,000 ft. altitude	C3OZ 9533-A(CJ-129)			C	D								
No. 55F - 5,000 to 10,000 ft. altitude	C3UZ 9533-B(CJ-140)			C	D								
No. 53F - 10,000 to 15,000 ft. altitude	C3DZ 9533-A(CJ-128)			C	D								

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 8A THRU 8M											
		A	B	C	D	E	F	G	H	J	K	L	M
JET - MAIN METERING - continued	9533												
No. 59F - 0 to 5,000 ft. altitude	C3OZ 9533-B(CJ-130)							G	H	J			
No. 57F - 5,000 to 10,000 ft. altitude	C3OZ 9533-A(CJ-129)							G	H	J			
No. 69F - 0 to 5,000 ft. altitude	C3TZ 9533-B(CJ-132)										K		
No. 67F - 5,000 to 10,000 ft. altitude	C3TZ 9533-D(CJ-139)										K		
No. 72F - 0 to 5,000 ft. altitude	C6AZ 9533-A(CJ-164)											L	
No. 70F - 5,000 to 10,000 ft. altitude	C3TZ 9533-G(CJ-150)											L	
SPRING - ACCELERATOR PUMP OVERTRAVEL	C3AZ 9A538-A (CM-501)	A	B	C	D	E	F	G	H	J	K	L	M
NEEDLE - IDLE ADJUSTING	C5UZ 9541-A(CM-631)	A	B	C	D	E	F	G	H	J	K	L	M
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	C5TZ 9B542-C (CM-1001)	A	B	C	D	E	F	G	H	J	K	L	M
Clip (rod to accel. pump link)	375882-S7-8(GG229)	A	B	C	D	E	F	G	H	J	K	L	M
PLATE - CHOKE	C5AZ 9545-A(CM-578)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (plate to shaft)-No. 6-32 x .31" pan hd.	381761-S(UU81JA)	2	2	2	2	2	2	2	2	2	2	2	2
SHAFT - CHOKE PLATE	C5AZ 9547-A	A	B	C	D	E	F	G	H	J	K	L	M
FLOAT ASSY.	C3AZ 9550-A(CM-430)	A	B	C	D	E	F	G	H	J	K	L	M
LEVER - CHOKE SHAFT	C5AZ 9551-A	A	B	C	D	E	F	G	H	J	K	L	M
SHAFT - FLOAT LEVER	C3AZ 9558-B(CM-481)	A	B	C	D	E	F	G	H	J	K	L	M
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C3AZ 9B559-A (CM-432)	A	B	C	D	E	F	G	H	J	K	L	M
Dashpot					D		F	G		J	K	L	M
SPRING - FLOAT BOWL VENT RETURN	C3AZ 9560-B(CM-500)	A	B	C	D	E	F	G	H	J	K	L	M
GASKET - FLOAT BOWL	C3AZ 9561-C(CG223)	A	B	C	D	E	F	G	H	J	K	L	M
VALVE and SEAT ASSY. - FUEL INLET	C5AZ 9564-A(CV-56)	A	B	C	D	E	F	G	H	J	K	L	M
PISTON - POWER VALVE	★C3AZ 9A565-C	A	B			E	F	G			K	L	M
	C5AZ 9A565-A									J			
VALVE ASSY. - DISTRIBUTOR VACUUM - SPARK	C3AZ 9B572-B (CE-72)	A	B			E	F				K		
HOUSING ASSY. - CHOKE - service pkg. includes (1) C5AZ 9853-A gasket	C5AZ 9A575-D (CC-53)	A	B	C	D	E	F	G	H	J	K	L	M
Screw and washer (housing to main body)-No. 8-32 x 1.00"	43407-S8(U76)	2	2	2	2	2	2	2	2	2	2	2	2
Plug (to plug choke housing)-9/16" expansion	379549-S										K		
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	A	B	C		E	F	G	H	J	K	L	M
	C3AZ 9578-C(CM-610)	2	2	2	2	2	2	2	2	2	2	2	2
Power valve - color "red dichromate"	★C5AZ 9578-A	A	B			E	F	G		J	K	L	M
Screw (fast idle adjusting)-No. 10-32 x 1" hex. slotted head	355107-S7(BD536)	A	B	C	D	E	F	G	H	J	K	L	M
Ball (power valve check)-3/16" steel	371350-S(AA4)	A	B	C	D	E	F	G		J	K	L	M
LEVER AND SHAFT ASSY. - THROTTLE	C5AZ 9581-A(CM-522)	A	B	C	D	E	F	G	H	J	K	L	M
VALVE - FLOAT BOWL VENT	C3AZ 9D583-C (CM-913)	A	B	C	D	E	F	G	H	J	K	L	M
PLATE - THROTTLE	C5AZ 9585-A	A	B			E	F				K	L	M
1.437" diameter	C3AZ 9585-A			C	D			G	H	J			
Screw (plate to shaft)-No. 6-32 x .31" pan hd.	381761-S(UU81JA)	2	2	2	2	2	2	2	2	2	2	2	2

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 8A THRU 8M											
		A	B	C	D	E	F	G	H	J	K	L	M
LEVER - FLOAT BOWL VENT ACTUATING	C3AZ 9D585-C	A	B	C	D	E	F	G	H	J	K	L	M
GASKET - ECONOMIZER VALVE - spark valve	C2AZ 9A588-B (CM-533)	A	B			E	F				K		
LINK - DASHPOT	C3AZ 9D593-B (CM-448)		B		D		F	G		J	K	L	M
Screw (dashpot link adjusting)-No. 8-32 x 3/4" fillister head	354746-S100(BB26)		B		D		F	G		J	K	L	M
CAM ASSY. - FAST IDLE	C5AZ 9597-E (CM-997)	A	B	C	D	E	F	G	H	J	K	L	M
Screw(cam to carb.)-No. 10-32 x 1/2" pan head	38204-S8(U137)								H	J	K	L	M
ROD - POWER VALVE	★C3AZ 9D597-B	A	B			E	F	G		J	K	L	M
ROD - CHOKE CONTROL	C5AZ 9A599-A	A	B	C	D	E	F	G	H	J	K	L	M
PIN - AIR CLEANER RETAINER	C5AZ 9C631-A	2	2	2	2	2	2	2	2	2	2	2	2
SPRING - ACCELERATOR PUMP LEVER RETURN	C3AZ 9636-A(CM-545)	A	B	C	D	E	F	G	H	J	K	L	M
Dashpot diaphragm return			B		D		F	G		J	K	L	M
RETAINER - AIR CLEANER TO CARBURETOR	C3AZ 9B672-A	A	B	C	D	E	F	G					
	C5AZ 9B672-A								H	J	K	L	M
PIN - ACCELERATOR PUMP OVERTRAVEL SPRING	C3AZ 9C711-A	A	B	C	D	E	F	G	H	J	K	L	M
SHAFT - CHOKE HOUSING	C5AZ 9A751-A (CM-590)	A	B	C	D	E	F	G	H	J	K	L	M
Ring (shaft to choke hsg.)-13/64" retaining	97409-S8(Q5A)	A	B	C	D	E	F	G	H	J	K	L	M
LEVER - CHOKE THERMOSTAT	C5AZ 9A754-A	A	B	C	D	E	F	G	H	J	K	L	M
Screw (lever to shaft)-No. 6-32 x 1/4" fill. head	31031-S8(U44)	A	B	C	D	E	F	G					
Screw & lockwasher (lever to choke housing shaft)-No. 6-32 x 3/8" pan head	50802-S7(U150)								H	J	K	L	M
Washer (lever to shaft)-No. 6 tooth lock	34937-S7(X84)	A	B	C	D	E	F	G					
LINK - CHOKE THERMOSTAT	C5AZ 9834-B	A	B	C	D	E	F	G	H	J	K	L	M
PISTON ASSY. - CHOKE	C5AZ 9840-E(CM-643)	A	B	C	D	E	F	G	H	J	K	L	M
CLAMP - THERMOSTATIC CHOKE HOUSING	C5AZ 9842-A(CM-498)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (clamp to housing)-No. 8-32 x 1/2" fill.hd.	31061-S8(U50)	3	3	3	3	3	3	3	3	3	3	3	3
Lockwasher-No. 8	34802-S7(X59)	3	3	3	3	3	3	3					
HOUSING - THERMOSTATIC CHOKE Ident. by letters "AU"-includes (1) C5AZ 9871-A gasket Tag code C6AF-R	C5AZ 9848-B(CM-486)	A		C		E			H			L	
											K		
Identified by letters "AR" - includes (1) C5AZ 9871-A gasket Tag code C6AF-S	C5AZ 9848-A(CM-485)		B		D		F						M
											K		
Identified by letters "AV"-includes (1) C5AZ 9871-A gasket	C5AZ 9848-D(CM-634)							G		J			
BUSHING - CHOKE HOUSING	C6AZ 9851-A								H	J	K	L	M
GASKET - THERMOSTATIC CHOKE CONTROL	C5AZ 9853-A	A	B	C	D	E	F	G	H	J	K	L	M
GASKET - THERMOSTATIC CHOKE HOUSING	C5AZ 9871-A	A	B	C	D	E	F	G	H	J	K	L	M
LEVER - ACCELERATOR PUMP	C3AZ 9919-C(CM-449)	A	B	C	D	E	F	G	H	J	K	L	M
Ring (lever to shaft)-1/8" retaining	377918-S8B(XX14F)	A	B	C	D	E	F	G	H	J	K	L	M
Washer (lever to shaft)-No. 5 flat	44706-S(X7)	A	B	C	D	E	F	G	H	J	K	L	M

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARBURETOR PARTS LISTS 8N THRU 8Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET SET	C8AZ 9502-A(CG-219)	N	P	Q	R	S	T	U	V	W	X	Y	Z
TUNE UP KIT	C8OZ 9A586-D (CT-207-A)	N	P	Q	R	S	T	U	V	W	X	Y	Z
REPAIR KIT	★C5AZ 9590-E(CR-286)	N				S							
Tag code C6PF-E	Service details			Q									
Tag code C8AF-F,G	C8TZ 9590-F(CR-359)		P										
Tag codes C6AF-BL,C6AF-BM,C6PF-G	★C5AZ 9590-F(CR-287)		P	Q									
Tag code C7AF-AA	Service details				R								
	★C8AZ 9590-H(CR-354)						T			W			
Tag code C8PF-F	Service details				R								
	★C9OZ 9590-B(CR-378)							U	V		X	Y	Z
Tag code C8AF-J	Service details			Q									
Plug (to plug choke hsg.) 9/16" expansion	379549-S	N	P	Q	R	S							
Ball (accel. pump inlet)-3/16" steel	371350-S(AA4)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Dashpot inlet check valve					R	S							
Plug (power valve cylinder)-1/2" expansion	376669-S(XX208B)	N	P	Q	R	S		U	V	W	X	Y	
Screw (carburetor idle-adjusting)-No. 10-32 x 5/8" fillister head	31628-S7(U58)	N	P	Q	R	S	T						
Fitting(fuel inlet)-5/16" flared-tag code C6PF-E,G	87972-S (I-13)		P	Q									
LIMITER - IDLE ADJUSTING NEEDLE	C7AZ 9J500-B (CM-747)						T	U	V	W	X	Y	Z
NUT - POWER VALVE ADJUSTING	★C8AZ 9B503-A						T	U	V	W	X	Y	Z
Tag codes C8AF-F,G,H, C8AF-J, C8PF-F			P	Q	R								
SPRING - POWER VALVE ADJUSTING	★C3AZ 9E505-A	N				S							
Tag codes C6AF-BL, C6AF-BM, C6PF-E,G, C7AF-AA			P	Q	R								
Tag codes C8AF-G, C8AF-J, C8PF-F	★C8AZ 9E505-A		P	Q	R								
	★C8AZ 9E505-B						T	U	V	W	X	Y	
	★C8AZ 9E505-C												Z
Washer (power valve adj. spring)-No. 6-"C"	375910-S(XX340S)	AR	AR	AR	AR	AR	AR						
WEIGHT - PUMP DISCHARGE BALL - .202" O.D. - .56" long	C3AZ 9B511-A (CM-565)	N	P	Q	R	S	T	U	V	W	X	Y	
COVER ASSY. - DASHPOT - includes link	C3AZ 9E511-A				R	S							Z
Tag codes C6PF-E,G	(CM-566)		P	Q									
Screw & lockwasher (dashpot cover to main body)-No. 8-32 x 5/8" fillister head	43255-S8(U74)		4	4	4	4	4			4			
Ball (accel. pump discharge valve)-3/16" steel	371350-S(AA4)	N	P	Q	R	S	T	U	V	W	X	Y	
BAFFLE - FLOAT BOWL	C5TZ 9A517-B	N	P	Q	R	S	T	U	V	W	X	Y	Z
HORN - AIR	★C6AZ 9524-J	N											
Tag code C6AF-BM				Q									
Tag code C6AF-BL	★C6AZ 9524-B		P										
	★C6AZ 9524-G				R								
	★C6AZ 9524-H					S							
Tag code C6PF-E	★C6AZ 9524-E			Q									
Tag code C6PF-G	★C6AZ 9524-A		P										
Screw and lockwasher (upper main body to main body)-No. 8-32 x 5/8" fillister head	43255-S8(U74)	8	8	8	8	8	8	8	8	8	8	8	8

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 8N THRU 8Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
ROD - DASHPOT LINK TO OVERTRAVEL LEVER - tag codes C6PF-E, G	C3AZ 9A527-B (CM-502)		P	Q	R	S							
Clip (rod to dashpot link)	375882-S7(GG229)		P	Q	R	S	T						
COVER ASSY. - ACCELERATOR PUMP	C7AZ 9528-A (CM-1042)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw and lockwasher (accel. pump cover to main body) - No. 8-32 x 5/8" fillister head	43255-S8(U74)	4	4	4	4	4	4	4	4	4	4	4	4
LINK - ACCELERATOR PUMP Tag codes C6AF-BL, C6AF-BM, C6PF-E, G, C7AF-AA, C8AF-G, J, C8PT-F- "Before 9/23/69"	C5TZ 9529-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
Tag codes C8AF-E, G, C8PF-F, G- "From 9/23/68"	C7AZ 9529-C (CM-1044)		P		R		T	U	V	W	X	Y	
Pin (pump link stop) - 3/8" x 3/32" spring	354494-S(NN88)				R		T			W			
JET - MAIN METERING	9533												
No. 61F - 0 to 5,000 ft. altitude Tag code C8AF-H	C3TZ 9533-C(CJ-138)	N		Q									
No. 59F - 5,000 to 10,000 ft. altitude Tag code C8AF-H	C3OZ 9533-B(CJ-130)	N		Q									
No. 68F - 0 to 5,000 ft. altitude	C3TZ 9533-F(CJ-149)					S							
No. 66F - 5,000 to 10,000 ft. altitude	C3TZ 9533-E(CJ-148)					S							
Tag codes C6AF-BL, C8AF-G													
No. 68F - 0 to 5,000 ft. altitude	C3TZ 9533-F(CJ-149)		P										
No. 66F - 5,000 to 10,000 ft. altitude	C3TZ 9533-E(CJ-148)		P										
No. 69F - 0 to 5,000 ft. altitude tag codes C6AF-BM, C6PF-G, C8AF-F	C3TZ 9533-B(CJ-132)		P	Q									
No. 67F - 5,000 to 10,000 ft. altitude tag codes C6AF-BM, C6PF-G	C3TZ 9533-D(CJ-139)		P	Q									
No. 59F - 0 to 5,000 ft. altitude tag codes C8AF-J, C6PF-E	C3OZ 9533-B(CJ-130)			Q									
No. 57F - 5,000 to 10,000 ft. altitude tag codes C8AF-J, C6PF-E	C3OZ 9533-A(CJ-129)			Q									
No. 72F - 0 to 5,000 ft. altitude	C6AZ 9533-A(CJ-164)				R								
No. 70F - 5,000 to 10,000 ft. altitude	C3TZ 9533-G(CJ-150)				R								
No. 70F - 0 to 5,000 ft. altitude	C3TZ 9533-G(CJ-150)						T			W			
No. 68F - 5,000 to 10,000 ft. altitude	C3TZ 9533-F(CJ-149)						T			W			
No. 69F - 0 to 10,000 ft. altitude	C3TZ 9533-B(CJ-132)							U				Y	
No. 70F - 0 to 10,000 ft. altitude	C3TZ 9533-G(CJ-150)								V		X		
No. 64F - 0 to 10,000 ft. altitude	C3AZ 9533-C(CJ-143)												Z
SPRING - ACCELERATOR PUMP OVERTRAVEL	C3AZ 9A538-B (CM-752)	N	P	Q	R	S	T	U	V	W	X	Y	Z
NEEDLE - IDLE ADJUSTING Tag codes C6AF-BL, C6AF-BM, C6PF-E, G, C7AF-AA	C5UZ 9541-A(CM-631)	N	P	Q	R	S							
Tag codes C8AF-F, G, H, C8AF-J, C8PF-F	C8AZ 9541-B(CM-740)		P	Q	R					W			
	C8OZ 9541-A(CM-741)						T	U	V		X	Y	Z
NEEDLE - OFF IDLE ADJUSTING	★C8AZ 9541-E						T						

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 8N THRU 8Z												
		N	P	Q	R	S	T	U	V	W	X	Y	Z
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LINK	C5TZ 9B542-C (CM-1001)	N				S		U	V	W	X	Y	Z
Tag codes C6AF-BL, BM, C6PF-E, G, C7AF-AA, C8AF-F, G, H, J			P	Q	R								
Tag code C8PF-F	C3AZ 9B542-B				R		T						
Clip (rod to accel. pump link)	375882-S7-8(GG229)	N	P	Q	R	S	T	U	V	W			
PLATE - CHOKE	C5AZ 9545-A(CM-578)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw (plate to shaft)-No. 6-32 x .31" pan hd.	381761-S(UU81JA)	2	2	2	2	2	2	2	2	2	2	2	2
SHAFT - CHOKE PLATE	C5AZ 9547-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
DASHPOT ASSY. Tag code C8PF-F	C8AZ 9B549-C (CD-18)				R		T	U	V	W			Z
FLOAT ASSY.	C3AZ 9550-A(CM-430)	N	P	Q	R	S	T	U	V	W	X	Y	Z
BRACKET - DASHPOT MOUNTING Tag code C8PF-F	C8AZ 9B550-B (CM-801)				R		T			W			
LEVER - CHOKE SHAFT	C5AZ 9551-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
SHAFT - FLOAT LEVER	C3AZ 9558-B(CM-481)	N	P	Q	R	S	T	U	V	W	X	Y	Z
PIN - POWER VALVE Tag codes C8AF-G, C8AF-J, C8PF-F	★C8AZ 9G558-A		P	Q	R		T	U	V	W	X	Y	
	C8AZ 9G558-C												Z
DIAPHRAGM ASSY. - ACCELERATOR PUMP Tag codes C6PF-E, G, -dashpot	C3AZ 9B559-A (CM-432)	N	P P	Q Q	R	S	T	U	V	W	X	Y	Z
SPRING - FLOAT BOWL VENT RETURN	C3AZ 9560-B(CM-500)	N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET - FLOAT BOWL	C3AZ 9561-C(CG-223)	N	P	Q	R	S	T	U	V	W	X	Y	Z
VALVE and SEAT ASSY. - FUEL INLET	C5AZ 9564-A(CV-56)	N	P	Q	R	S		U	V	W	X	Y	Z
PISTON - POWER VALVE Tag codes C6AF-BL, C6PF-G	★C3AZ 9A565-C	N	P		R	S							
Tag codes C8AF-B, C8AF-J	★C8AZ 9A565-A		P	Q			T	U	V		X	Y	Z
Tag codes C6AF-BM, C6PF-E	C5AZ 9A565-A			Q									
VALVE ASSY. - DISTRIBUTOR VACUUM - SPARK Tag code C6AF-BM	C3AZ 9B572-B (CE-72)		P Q										
HOUSING ASSY. - CHOKE - service pkg. includes (1) C5AZ 9853-A gasket	C5AZ 9A575-D (CC-53)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw and washer (housing to main body)-No. 8-32 x 1.00"	43407-S8(U76)	2	2	2	2	2	2	2	2	2	2	2	2
Plug (to plug choke hsg.) 9/16" expansion	379549-S	N	P	Q	R	S		U	V	W	X	Y	Z

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 8N THRU 8Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	N	P	Q	R	S	T			W			
(1) required with fast idle adjusting screw (1) required with curb idle adjusting screw	C3AZ 9578-C(CM-611)	2	2	2	2	2	2	2	2	2	2	2	2
Power valve - color "red dichromate"	★C5AZ 9578-A	N	P	Q	R	S							
Screw (fast idle adjusting)- No. 10-32 x 1" hex. slotted head	355107-S7(BB536)	N	P	Q	R	S	T			W			
Screw (fast idle adjusting)-No. 8-32 x .57" hex. head	382915-S(BB551CE)							U	V		X	Y	Z
Screw (curb idle adjusting)-No. 10-32 x .62" fillister head	31628-S7(U58)		P	Q			T	U	V	W	X	Y	Z
Ball (power valve check)-3/16" steel	371350-S(AA4)	N	P	Q	R	S		U	V		X	Y	
LEVER AND SHAFT ASSY. - THROTTLE Tag code C7AF-AA	C5AZ 9581-A(CM-522)	N	P	Q	R	S							
Tag code C8PF- F	C8AZ 9581-L(CM-927)				R		T			W			
	C9OZ 9581-A(CM-924)							U	V		X	Y	Z
VALVE - FLOAT BOWL VENT	C3AZ 9D583-C (CM-913)	N	P	Q	R	S	T	U	V	W	X	Y	Z
PLATE - THROTTLE Tag codes C8AF-F, G, C6PF-G Tag code C6AF-BM Tag code C7AF-AA	C5AZ 9585-A	N	P	Q	R	S							
Tag code C8PF-F	C8AZ 9585-C				R								
	C8AZ 9585-E(CM-788)						T	U	V	W	X	Y	Z
1.437" diameter-tag code C6AF-BL Tag codes C8AF-H, J, C6PF-E	C3AZ 9585-A		P	Q									
Screw (plate to shaft)-No. 6-32 x .31" pan hd.	381761-S(UU81JA)	2	2	2	2	2	2	2	2	2	2	2	2
LEVER - FLOAT BOWL VENT ACTUATING	C3AZ 9D585-C	N	P	Q	R	S	T	U	V	W	X	Y	Z
Pin (vent actuating lever to accel. pump cover)- 3/32" x 9/16" rolled	353882-S7(NN89)							U	V		X	Y	Z
GASKET - ECONOMIZER VALVE - spark valve Tag code C6AF-BM	C2AZ 9A588-B (CM-533)	N	P	Q									
LINK - DASHPOT Tag codes C6PF-E, G	C3AZ 9D593-B (CM-448)		P	Q	R	S							
Screw (dashpot link adjusting)- No. 8-32 x 3/4" fillister head	354746-S100(BB26)		P	Q	R	S							
CAM ASSY. - FAST IDLE	C5AZ 9597-E(CM-997)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw (cam to carb.)-No. 10-32 x 1/2" pan head	38204-S8(U137)	N	P	Q	R	S	T	U	V	W	X	Y	Z
ROD - POWER VALVE Tag code C6AF-BL, C6AF-BM, C6PF-E, G, C7AF-AA	★C3AZ 9D597-B	N	P	Q	R	S							
Tag code C8AF-G, C8AF-J, C8PF-F	★C8AZ 9D597-A		P	Q	R		T	U	V	W	X	Y	Z
ROD - CHOKE CONTROL	C5AZ 9A599-A	N	P	Q	R	S	T	U	V	W	X	Y	Z

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 8N THRU 8Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
PIN - AIR CLEANER RETAINER	C5AZ 9C631-A	2	2	2	2	2	2	2	2	2	2	2	2
SPRING - ACCELERATOR PUMP LEVER RETURN	C3AZ 9636-A(CM-545)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Dashpot diaphragm return					R	S							
Tag code C6PF-E, G-dashpot diaphragm return			P	Q									
RETAINER - AIR CLEANER TO CARBURETOR	C5AZ 9B672-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
PIN - ACCELERATOR PUMP OVERTRAVEL SPRING	C3AZ 9C711-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
SHAFT - CHOKE HOUSING	C5AZ 9A751-A (CM-590)	N	P	Q	R	S	T	U	V	W	X	Y	
Ring (shaft to choke hsg.)-13/64" retaining	97409-S8(Q5A)	N	P	Q	R	S	T	U	V	W	X	Y	Z
LEVER - CHOKE THERMOSTAT	C5AZ 9A754-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw (lever to shaft)-No. 6-32 x 1/4" fill.hd.	31031-S8(U44)	N											
Screw & Lockwasher (lever to choke hsg. shaft)-No. 6-32 x 3/8" pan head	50802-S7(U-150)	N	P	Q	R	S	T	U	V	W	X	Y	Z
LINK - CHOKE THERMOSTAT	C5AZ 9834-B	N	P	Q	R	S	T	U	V	W	X	Y	Z
PISTON ASSY. - CHOKE	C5AZ 9840-E(CM-643)	N	P	Q	R	S	T	U	V	W	X	Y	Z
CLAMP - THERMOSTATIC CHOKE HOUSING	C5AZ 9842-A(CM-498)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw (clamp to housing)-No. 8-32 x 1/2" fill.hd.	31061-S8(U50)	3	3	3	3	3	3	3	3	3	3	3	3
Lockwasher-No. 8	34802-S7(X59)	3	3	3	3	3							
HOUSING - THERMOSTATIC CHOKE - identified by letters "AR"-includes (1) C5AZ 9871-A gasket	C5AZ 9848-A(CM-485)	N				S	T	U		W		Y	Z
Tag code C6AF-BM, BL, C8AF-G, H			P	Q									
Identified by letters "AV"-includes (1) C5AZ 9871-A gasket-tag code C8AF-J, C6PF-E	C5AZ 9848-D(CM-634)			Q									
Ident. by letters "AU"-includes (1) C5AZ 9871-A gasket -tag code C7AF-AA	C5AZ 9848-B(CM-486)				R				V		X		
Tag code C6PF-G, C8AF-F			P										
Tag code C8PF-F					R								
BUSHING - CHOKE HOUSING	C6AZ 9851-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET - THERMOSTATIC CHOKE CONTROL	C5AZ 9853-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
SOLENOID ASSY. - THROTTLE EMISSION CONTROL	D0AZ 9D856-A										X	Y	
Nut (solenoid to carburetor)-7/16"-20 hex.	382644-S13(MM121ZD)										X	Y	
GASKET - THERMOSTATIC CHOKE HOUSING	C5AZ 9871-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
LEVER - ACCELERATOR PUMP	C3AZ 9919-C(CM-449)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Ring (lever to shaft)-1/8" retaining	377918-S8B(XX14F)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Washer (lever to shaft)-No. 5 flat	44706-S(X7)	N	P	Q	R	S	T	U	V	W	X	Y	Z

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 10A THRU 10M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET	D2AZ 9502-A (CG-264-B)	A	B										
TUNE-UP KIT - r/b D4AZ 9A586-A	★D2AZ 9A586-B (CT-499-C)	A	B										
	D4AZ 9A586-A (CT-499-D)	A	B										
REPAIR KIT	★B9AZ 9590-E (CR-272) Service details	A	B										
Stud (carb. to intake manifold)-5/16"-18-24 x 2 1/2"	88471-S(W9C)	4	4										
Plug(to plug drill passages in main body)-5/16"	359409-S(PP59)	2	2										
Plug (to plug hole from bowl to accelerator pump)-1/8" cup	359353-S(PP58)	A	B										
SEAL - FAST IDLE ROD-1/8" I.D. x 1/2" O.D. - felt-use with C4AZ 9C771-A washer	B7AZ 9B501-A	A	B										
.90" long-.44" wide-.05" thick-.133" diam. hole	C7AZ 9B501-A	A	B										
WEIGHT - PUMP DISCHARGE BALL - .109" O. D. -.88" long	C2OZ 9B511-A (CM-555)	A	B										
SUPPORT ASSY. - BOOSTER VENTURI	D1PZ 9A523-E	A	B										
Ball (accel. pump discharge valve)-3/16" steel	371350-S(AA4)	A	B										
HORN - AIR - less shaft Service pkg. includes (1) C2OZ 9561-B gasket	★C3OZ 9524-J	A	B										
Screw and washer (horn and plugs to main body)-No. 10-32 x 5/8"	43256-S8 (U-77-F)	4	4										
COVER ASSY. - ACCELERATOR PUMP	D1AZ 9528-A (CM-648-A)	A	B										
Screw (cover to carburetor)-No. 8-32 x 9/16"	379436-S8B(UU43F)	4	4										
Pin (accelerator pump link to cover)-1/8" x 7/16" diameter roll	★67516-S8	A	B										
ROD - FAST IDLE CAM	C4AZ 9D530-A	A	B										
Retainer (fast idle cam rod)-"C" washer	351825-S(XX9)	2	2										
JET - MAIN METERING	9533												
Tag codes C4DF-F, J, N, S, AC, C4ZF-F, R													
No. 43F - 0 to 5,000 ft. altitude	C3AZ 9533-F (CJ-155)	2	2										
No. 41F - 5,000 to 10,000 ft. altitude	C3AZ 9533-E (CJ-154)	2	2										
No. 39F - 10,000 to 15,000 ft. altitude	C3AZ 9533-H (CJ-157)	2	2										
Tag codes C4DF-AB, K, R, T, C4OF-B, BR, BS, C4ZF-E, N													
No. 42F - 0 to 5,000 ft. altitude	C3OZ 9533-F (CJ-160)	2	2										
No. 40F - 5,000 to 10,000 ft. altitude	C3OZ 9533-E	2	2										
No. 38F - 10,000 to 15,000 ft. altitude	C3OZ 9533-D (CJ-158)	2	2										

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 10 A THRU 10 M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A	A	B										
LEVER - FAST IDLE ADJUSTING	C4AZ 9538-A (CM-905)	A	B										
Nut (lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	A	B										
Lockwasher No. 10	34903-S8(X96)	A	B										
SPRING - ACCELERATOR PUMP OVERTRAVEL	B8AZ 9A538-A (CM-574)	A	B										
SCREW - FAST IDLE ADJUSTING - No. 10-32 x 1.12"	C4AZ 9B538-A	A	B										
NEEDLE - IDLE ADJUSTING	C8AZ 9541-C (CM-722)	2	2										
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER-service package includes (5) pieces 375894-S7 clip	D2AZ 9B542-B (CM-1526-A)	A	B										
Clip (accelerator pump link to throttle lever rod to overtravel pump lever)	375894-S7-8 (GG215)	A	B										
PLATE - CHOKE	C2AZ 9545-A (CM-576)	A	B										
Screw (choke plate)-No. 6-32 x .31" pan head - use with steel shaft	381761-S(UU81JA)	2	2										
SHAFT and LEVER ASSY. - CHOKE-steel shaft	C4MY 9546-A (CM-588)	A	B										
DASHPOT ASSY.	C1AZ 9B549-A (CD-6)	A	B										
Nut-5/16"-24	33923-S7(M32)	A	B										
Lockwasher-5/16"	34806-S7(X64)	2	2										
FLOAT ASSY. Tag codes C4ZF-N, R, C4DF-AC, C4OF-BR, BS	C6AZ 9550-C (CM-672)	A	B										
Tag code C4DF-AB	C1AZ 9550-A (CM-615)		B										
BRACKET - DASHPOT MOUNTING	B8AZ 9B550-B (CM-908)	A	B										
Screw and washer (dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)	A	B										
PLATE - AIR DISTRIBUTION	C3MY 9F553-A		B										
SHAFT - FLOAT LEVER	B8A 9558-A (CM-183)	A	B										
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)	A	B										
GASKET - FLOAT BOWL	C8AZ 9561-C	A	B										
GASKET - ECONOMIZER COVER	B7A 9563-A (CG-234)	A	B										
VALVE ASSY. - FUEL INLET - includes (1) B7A-9569-A gasket and (1) B7AZ-9599-B retainer	D2AZ 9564-A (CV-54 A)	A	B										

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 10A THRU 10M											
		A	B	C	D	E	F	G	H	J	K	L	M
ECONOMIZER KIT	9A565												
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-identified by green dye on body	C0AZ 9A565-B (CE-75)	A											
0 to 15,000 ft. altitude-tag codes C4ZF-N, R			B										
0 to 5, 000 ft. altitude-tag codes C4OF-BR, BS			B										
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-identification color "Black"	C3AZ 9A565-B (CE-73)												
0 to 15, 000 ft. altitude-tag codes C4DF-AB, AC			B										
10,000 to 15,000 ft. altitude-tag codes C4OF-BR, BS			B										
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-identification color "Yellow" - 5,000 to 10,000 ft. altitude - tag codes C4OF-BR, BS	C3AZ 9A565-D (CE-78)		B										
GASKET - FLOAT VALVE SEAT	★B7A 9569-A	A	B										
BUSHING - ACCELERATOR PUMP OVERTRAVEL SPRING	★C3AZ 9F569-A	A	B										
SPRING - FLOAT DAMPENER	C3AZ 9F570-A	A	B										
HOUSING ASSY. - CHOKE - service pkg. includes (1) B8A 9853-A gasket-	C9ZZ 9A575-A (CC-56)	A	B										
Screw and washer assy. (choke housing to main body)-No. 8-32 x 1. 76" fillister head	378547-S7-8(BB61B)	3	3										
VALVE - ACCELERATOR PUMP CHECK - plastic	C4AZ 9576-A (CM-825)	A	B										
SCREW - PUMP DISCHARGE NOZZLE	C0AZ 9577-A (CM-607)	A	B										
Washer-1/4" flat (buna coated aluminum)	374370-S(XX94A)	A	B										
LEVER - FAST IDLE CAM -Nylon	C4AZ 9F577-B (CM-492)	A	B										
Screw (lever adjusting)-No. 6-32 x 75" hex. hd.	372307-S(BB527)	A	B										
SPRING - FAST IDLE ADJUSTING SCREW - 4 1/2 coils-. 20" I. D. -. 58" long	B8A 9578-B (CM-609)	A	B										
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	2	2										
Screw (normal idle adjusting)-No. 10-32 x 1" special hex. head slotted	355107-S7(BB536)	A	B										
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-A	A	B										
SHAFT and LEVER ASSY. KIT - THROTTLE - r/b D2AZ 9581-A (12/74)	★ C9AZ 9581-C (CM-1047)	A	B										
	D2AZ 9581-A (CM-1047-A)	A	B										
PLATE - THROTTLE	B8A 9585-E	2	2										
Screw (throttle plate)-No. 8-32 x 38" fillister head-(use with steel shaft)	378361-S2(UU43D)	4	4										

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 10A THRU 10M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET - ECONOMIZER VALVE	C2AZ 9A588-B (CM-533)	A	B										
CAM ASSY. - FAST IDLE	9597												
	C4GY 9597-A	A	B										
Retainer (fast idle cam)-"C" washer	351825-S(XX9)	A	B										
RETAINER - FLOAT LEVER SHAFT	B7AZ 9599-B (CM-612)	A	B										
ROD - CHOKE CONTROL	C4AZ 9A599-A	A	B										
Ring (rod retaining)-1/8" retaining	377918-S8B(XX14F)	A	B										
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A (CM-544)	A	B										
SHAFT and LEVER ASSY. - CHOKE HOUSING	D2AZ 9A753-A (CM-1510)	A	B										
WASHER - CHOKE ROD SEAL - .66" long-.50" wide-.015" thick-.18"diam. hole (brass)-use with B7AZ 9B501-A seal	C4AZ 9C771-A	2	2										
PISTON ASSY. - CHOKE	C6AZ 9840-B (CM-624)	A	B										
CLAMP - THERMOSTATIC CHOKE HOUSING	D3AZ 9842-A (CM-1742)	A	B										
Screw (clamp housing)-No. 8-32 x 1/2"	31061-S8(U50)	3	3										
Lockwasher-No. 8	34802-S7(X59)	3	3										
HOUSING - THERMOSTATIC CHOKE - identified by letters "TK"-service pkg. includes (1) C1AZ 9871-A gasket Tag code C4ZF-F Tag codes C4ZF-R, C4DF-AC, C4OF-BS	C0AZ 9848-B (CM-334)	A	B										
HOUSING KIT - CHOKE THERMOSTAT	9848												
Kit - choke thermostat - identified by letters "TO" - kit includes (1) C1AZ 9871-A gasket & (1) choke housing Tag code C4ZF-E Tag codes C4ZF-N, C4DF-AB, C4OF-BR	C4AZ 9848-B (CM-459)	A	B										
HOUSING and PLUGS ASSY. - CHOKE - replaced by C6AZ 9A575-A	★C4AZ 9849-A	A	B										
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A (CG-93)	A	B										
SHIELD -CHOKE THERMOSTAT	C4AZ 9861-A	A	B										
Screw and washer (shield to housing) No. 8-32 x 3/8" fillister head	43248-S8(U72)	2	2										
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A (CG-102)	A	B										
LEVER - ACCELERATOR PUMP OVERTRAVEL - service pkg. includes (1) C3AZ 9F569-A bushing	B8AZ 9919-A (CM-547)	A	B										
Retainer (pump overtravel lever to throttle shaft)"C" washer	374035-S(XX13C)	A	B										
COVER - ECONOMIZER VALVE	C8AZ 9930-A (CM-728)	A	B										
Screw (economizer valve cover to main body)-No. 8-32 x 1/2" fillister head	31061-S8(U50)	4	4										
Lockwasher-No. 8	34802-S7(X59)	4	4										

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 11 A THRU 11 M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET- r/b D2AZ 9502-A (5-74)	★D0AZ 9502-A (CG-264)	A	B	C	D	E	F	G	H	J	K	L	M
	D2AZ 9502-A (CG-264-B)	A	B	C	D	E	F	G	H	J	K	L	M
TUNE UP KIT - r/b D4AZ 9A586-A	★D2AZ 9A586-B (CT-499-C)	A	B	C	D	E	F	G	H	J	K	L	M
	D4AZ 9A586-A (CT-499-D)	A	B	C	D	E	F	G	H	J	K	L	M
REPAIR KIT- service details	★B9AZ 9590-E(CR-272)	A	B	C	D	E	F	G	H	J	K	L	M
Stud (carb. to intake manifold)- 5/16"-18-24 x 2 1/2"	88471-S(W9C)	4	4	4	4	4	4						
Screw (to adjust transmission kickdown)- No. 10-32 x 1.00" hex. head	379622-S8(UU52M)			C	D	E	F	G	H	J	K		
SEAL - FAST IDLE ROD-1/8" I.D. x 1/2" O.D. -felt-use with C4AZ 9C771-A washer	B7AZ 9B501-A	A	B	C	D	E	F	G	H	J	K	L	M
.90" long-.44" wide-.05" thick-.133" diam. hole (nylon)	C7AZ 9B501-A	A	B	C	D	E	F	G	H	J	K	L	M
WEIGHT - PUMP DISCHARGE BALL - .109" O.D. -.88" long	C2OZ 9B511-A (CM-555)	A	B	C	D	E	F	G	H	J	K	L	M
ROD - FLOAT BOWL VENT	C6TZ 9A515-B											L	M
BRACKET - FLOAT BOWL VENT	D4AZ 9E520-A											L	M
SUPPORT ASSY. - BOOSTER VENTURI	9A523												
Tag codes C6AF-A,C6DF-A	C3AZ 9A523-G					E	F						
Identified by letters "PB" Tag codes C6AF-B, C6DF-B Tag code C5ZF-B	D1PZ 9A523-B (CM-1404)	A		C	D		F						
Identified by letters "PE" -tag code C5AF-AH Tag code C5ZF-G,H Tag code C5AF-AJ	D1PZ 9A523-E (CM-886-A)				D	E	F						
Identified by letters "CG" Tag code C5ZF-A	C5ZZ 9A523-D	A	B										
Identified by letters "PK"	D1PZ 9A523-K (CM-1408)							G	H	J	K		
Identified by letters "PC"	C6TZ 9A523-A											L	M
Ball (accel. pump discharge valve)-3/16" steel	371350-S(AA4)	A	B	C	D	E	F	G	H	J	K	L	M
HORN - AIR - Less shaft - service pkg. includes (1) C2OZ 9561-B gasket	C0AZ 9524-C (CM-211)	A	B	C	D	E	F	G	H	J	K		
Service pkg. includes (1) C5TZ 9561-A gasket	C3TZ 9524-D											L	M
Screw and washer (horn & plugs to main body)- No. 10-32 x 5/8"	43256-S8(U77F)	4	4	4	4	4	4	4	4	4	4	4	4
COVER ASSY. - ACCELERATOR PUMP	D1AZ 9528-A (CM-648-A)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (cover to carb.)-No. 8-32 x 9/16" fill. hd.	379436-S8B(UU43F)	4	4	4	4	4	4	4	4	4	4	4	4
ROD - FAST IDLE CAM	9D530												
"Before 1/15/65"	C4AZ 9D530-A	A	B	C	D	E	F						
"From 1/15/65"	C3AZ 9D530-A	A	B	C	D	E	F	G	H	J	K		
Retainer (fast idle cam rod)-"C" washer	351825-S(XX9)	2	2	2	2	2	2	2	2	2	2		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 11 A THRU 11 M											
		A	B	C	D	E	F	G	H	J	K	L	M
JET - MAIN METERING	9533												
Tag codes C5ZF-A,G, C6DF-A													
No. 51F - 0 to 5, 000 ft. altitude	C3DZ 9533-B(CJ-136)	2					2						
No. 49F - 5, 000 to 10, 000 ft. altitude	C3DZ 9533-C(CJ-137)	2					2						
No. 47F - 10, 000 to 15, 000 ft. altitude	C3UZ 9533-E(CJ-151)	2					2						
Tag codes C5ZF-B, H; C6DF-B													
No. 50F - 0 to 5, 000 ft. altitude	C3UZ 9533-C(CJ-141)	2					2						
No. 48F - 5, 000 to 10, 000 ft. altitude	C3UZ 9533-D(CJ-142)	2					2						
No. 46F - 10, 000 to 15, 000 ft. altitude	C3AZ 9533-G(CJ-156)	2					2						
No. 51F - 0 to 5, 000 ft. altitude	C3DZ 9533-B(CJ-136)		2			2							
No. 49F - 5, 000 to 10, 000 ft. altitude	C3DZ 9533-C(CJ-137)		2			2							
No. 47F - 10, 000 to 15, 000 ft. altitude	C3UZ 9533-E(CJ-151)		2			2							
No. 50F - 0 to 5, 000 ft. altitude	C3UZ 9533-C(CJ-141)			2	2			2	2	2	2		
No. 48F - 5, 000 to 10, 000 ft. altitude	C3UZ 9533-D(CJ-142)			2	2			2	2	2	2		
No. 46F - 10, 000 to 15, 000 ft. altitude	C3AZ 9533-G(CJ-156)			2	2								
No. 48F - 0 to 5, 000 ft. altitude	C3UZ 9533-D(CJ-142)											2	2
No. 46F - 5, 000 to 10, 000 ft. altitude	C3AZ 9533-G(CJ-156)											2	2
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A	A	B	C	D	E	F	G	H	J	K	L	M
LEVER - FAST IDLE ADJUSTING	C4AZ 9538-A(CM-905)	A	B	C	D	E	F	G	H	J	K		
	C3TZ 9538-A											L	M
Nut (lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	A	B	C	D	E	F	G	H	J	K	L	M
Lockwasher-No. 10	34903-S8(X96)	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - ACCELERATOR PUMP OVERTRAVEL	B8AZ 9A538-A (CM-574)	A					F		H	J	K		
SCREW - FAST IDLE ADJUSTING - No. 10-32 x 1. 12"	C4AZ 9B538-A	A	B	C	D	E	F	G	H	J	K		
	C3TZ 9B538-A											L	M
NEEDLE - IDLE ADJUSTING	C8AZ 9541-C(CM-722)	2	2	2	2	2	2	2	2	2	2	2	2
ROD - ACCELERATOR PUMP LINK TO OVER TRAVEL LEVER	D2AZ 9B542-B (CM-1526-A)	A	B	C	D	E	F	G	H	J	K	L	M
Clip (accel. pump link to throttle lever rod to overtravel pump lever)	375894-S7-8(GG215)	A	B	C	D	E	F	G	H	J	K	L	M
PLATE - CHOKE	C2AZ 9545-A(CM-576)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (choke plate)-No. 6-32 x .31" pan head - (use with steel shaft)	381761-S(UU81JA)	2	2	2	2	2	2	2	2	2	2	2	2
SHAFT and LEVER ASSY. - CHOKE	C5AZ 9546-B(CM-591)	A	B	C	D	E	F	G	H	J	K		
	C4TZ 9546-A(CM-589)											L	M
DASHPOT ASSY.	C1AZ 9B549-A(CD-6)	A					F	G	H	J	K		
Nut-5/16"-24	33923-S7(M32)	A					F	G	H	J	K		
Lockwasher-5/16"	34806-S7(X64)	2					2						
FLOAT ASSY.	C6AZ 9550-C (CM-672)	A	B	C	D	E	F	G	H	J	K		
	C1AZ 9550-A(CM-615)											L	M
BRACKET - DASHPOT MOUNTING	B8AZ 9B550-B (CM-908)	A		C	D		F	G	H	J	K		
Screw and washer (dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)	A		C	D		F	G	H	J	K		

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 11 A THRU 11 M											
		A	B	C	D	E	F	G	H	J	K	L	M
PLATE - AIR DISTRIBUTION	C3MY 9F553-A	A	B	C	D	E	F	G	H	J	K		
VALVE-FLOAT BOWL VENT	C4TZ 9557-B											L	M
SHAFT - FLOAT LEVER	B8A 9558-A(CM-183)	A	B	C	D	E	F	G	H	J	K	L	M
SWIVEL - CHOKE PLATE ADJUSTING	C5AZ 9F558-A	A	B	C	D	E	F	G	H	J	K		
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - CHOKE CONTROL	ø★C4TZ 9560-C(CM-598) r/b C8TZ 9560-A (5-74)											L	M
SPRING - FLOAT BOWL VENT RETURN	C6TZ 9560-A(CM-645)											L	M
GASKET - FLOAT BOWL	C8AZ 9561-C(CG-292)	A	B	C	D	E	F	G	H	J	K	L	M
GASKET - ECONOMIZER COVER	B7A 9563-A(CG-234)	A	B	C	D	E	F	G	H	J	K	L	M
SWIVEL - CHOKE PLATE ADJUSTING	C4TZ 9D563-A											L	M
VALVE KIT - FUEL INLET Includes (1) B7A 9569-A gasket & (1) B7AZ 9599-B retainer	D2AZ 9564-A (CV-54-A)	A	B	C	D	E	F	G	H	J	K	L	M
NUT - CHOKE PLATE ADJUSTING	C4TZ 9D564-A (CM-600)											L	M
ECONOMIZER KIT	9A565												
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer- 0 to 5,000 ft. altitude-ident. by green dye on body	C0AZ 9A565-B (CE-75)			C	D								
Tag code C5ZF-B		A				E	F						
Tag codes C5AF-AH; C5ZF-G, H; C6DF-B													
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer- 5,000 to 10,000 ft. altitude-ident. by yellow dye on body	C3AZ 9A565-D (CE-78)			C	D								
Tag code C5ZF-B		A				E	F						
Tag codes C5AF-AH; C5ZF-G, H; C6DF-B													
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer- 10,000 to 15,000 ft. altitude-ident. by black dye on body	C3AZ 9A565-B (CE-73)			C									
Tag code C5ZF-B		A			D	E	F						
Tag codes C5AF-AH, AJ; C5ZF-G, H													
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer- 0 to 5,000 ft. altitude-ident. by red dye on body	C0AZ 9A565-C (CE-76)		B										
Tag code C5ZF-A		A				E	F						
Tag codes C6AF-A; C6DF-A													
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer- 10,000 to 15,000 ft. altitude-ident. by green dye on body	C0AZ 9A565-B (CE-75)		B										
Tag code C5ZF-A		A											
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer- 5,000 to 10,000 ft. altitude-ident. by green dye on body	C0AZ 9A565-B (CE-75)							G	H	J	K		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 11A THRU 11M											
		A	B	C	D	E	F	G	H	J	K	L	M
ECONOMIZER KIT (continued)													
0 to 5,000 ft. altitude - Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer	C0AZ 9A565-A(CE-74)							G	H	J	K		
5,000 to 10,000 ft. altitude - Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer Tag code C5ZF-A Tag codes C6AF-A; C6DF-A	C0AZ 9A565-A(CE-74)	 A	B			 E	 F					L	M
GASKET - FLOAT VALVE SEAT	★B7A 9569-A	A	B	C	D	E	F	G	H	J	K	L	M
BUSHING - ACCELERATOR PUMP OVERTRAVEL SPRING	★C3AZ 9F569-A	A					F			J	K		
SPRING - FLOAT DAMPENER	C3AZ 9F570-A	A	B	C	D	E	F	G				L	M
HOUSING ASSY. -CHOKE-service pkg. includes (1) B8A 9853-A gasket r/b C9ZZ 9A575-A (9-71)	★C6AZ 9A575-A (CC-54)	A	B	C	D	E	F	G	H	J	K		
Screw and washer assy. (choke housing to main body)-No. 8-32 x 1.76" fillister head	378547-S7-8(BB61B)	3	3	3	3	3	3	3	3	3	3		
VALVE - ACCELERATOR PUMP CHECK - plastic	C4AZ 9576-A (CM-825)	A	B	C	D	E	F	G	H	J	K	L	M
RETAINER - FAST IDLE ROD SEAL Tag codes C6AF-A, B, Z, C6DF-A, B	★B9AE 9A576-A				D	E	F	G	H	J	K	L	M
SCREW - PUMP DISCHARGE NOZZLE	C0AZ 9577-A(CM-607)	A	B	C	D	E	F	G	H	J	K	L	M
Washer-1/4" flat (buna coated aluminum)	374370-S(XX94A)	A	B	C	D	E							
LEVER - FAST IDLE CAM -Nylon	C4AZ 9F577-B (CM-492)	A	B	C	D	E	F	G	H	J	K		
Screw (lever adjusting)-No. 6-32 x .75" hex. hd.	372307-S(BB527)		B	C	D	E	F	G	H	J	K		
SPRING - FAST IDLE ADJUSTING SCREW - 4 1/2 coils-.20" I.D.-.58" long	B8A 9578-B(CM-609)	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - IDLE ADJUSTING NEEDLE Fast idle adjustment screw	★40 9578	2	2	2	2	2	2	2	2	2	2	2 L	2 M
Screw (normal idle adjusting)-No. 10-32 x 1" special hex. head slotted	355107-S7(BB536)	A	B	C	D	E	F	G	H	J	K	L	M
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-A	A	B	C	D	E	F	G	H	J	K		
LEVER and SHAFT ASSY. KIT - THROTTLE - r/b D2AZ 9581-A (12/74)	★C9AZ 9581-C (CM-1047)	A	B	C	D	E	F	G	H	J	K		
	D2AZ 9581-A (CM-1047-A)	A	B	C	D	E	F	G	H	J	K		
Service kit includes (1) 375016-S2 screw, and (4) 383253-S2 screw	C9TZ 9581-C(CM-527)											L	M
PLATE - THROTTLE	B8A 9585-E	2	2	2	2	2	2	2	2	2	2		
	B8A 9585-F											2	2
Screw (throttle plate)-No. 8-32 x .38" fillister head -use with steel shaft	378361-S2(UU43D)	4	4	4	4	4	4	4	4	4	4	4	4
GASKET - ECONOMIZER VALVE	C2AZ 9A588-B (CM-533)	A	B	C	D	E	F	G	H	J	K	L	M
BRACKET ASSY. - CHOKE CONTROL	C3TZ 9595-A											L	M
Screw & washer assy. (bracket to main body)-No. 8-32 x 5/8" fillister head	§357136-S(BB-56)											2	2
CAM - FAST IDLE	9597												
"Before 1/15/65"	C4GY 9597-A	A	B	C	D	E	F						
"From 1/15/65"	C5AZ 9597-D(CM-637)	A	B	C	D	E	F	G	H	J	K		
	C3TZ 9597-B(CM-443)											L	M
Retainer (fast idle cam)-"C" washer	351825-S(XX9)	A	B	C	D	E	F	G	H	J	K	L	M
RETAINER-FLOAT LEVER SHAFT	B7AZ 9599-B(CM-612)	A	B	C	D	E	F	G	H	J	K	L	M

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 11A THRU 11M											
		A	B	C	D	E	F	G	H	J	K	L	M
ROD - CHOKE CONTROL	C4TZ 9A599-A (CM-91-H)											L	M
	C5AZ 9A599-B (CM-915)	A	B	C	D	E	F	G	H	J	K		
Ring (rod to shaft)	377918-S8B(XX14F)	A	B	C	D	E	F	G	H	J	K		
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A(CM-544)	A	B	C	D	E	F	G	H	J	K	L	M
SHAFT and LEVER ASSY. - CHOKE HOUSING	D2AZ 9A753-A (CM-1510)	A	B	C	D	E	F	G	H	J	K		
Retainer (shaft & lever to choke hsg.)-"C" washer Tag codes C6AF-A, B, Z; C6DF-A, B	353862-S8(XX10)	A			D	E	F	G	H	J	K		
WASHER - CHOKE ROD SEAL -.66" long-.50" wide-.015" thick-.18" diam. hole (brass)- use with B7AZ 9B501-A seal	C4AZ 9C771-A	2	2	2	2	2	2	2	2	2	2	2	2
Screw (clamp to brkt.)-No. 8-32 x 1/2" fill. head	31061-S8(U50)											L	M
Nut-No. 8-32 plain	34126-S8B(M146)											L	M
CLAMP - CHOKE CABLE BRACKET	C3AZ 9792-A											L	M
PISTON ASSY. - CHOKE	C6AZ 9840-B(CM-624)	A	B	C	D	E	F	G	H	J	K		
Screw and washer assy. (piston to shaft & lever)- No. 6-32 x 1/4" pan head	★42790-S8								H	J	K		
Screw and washer assy. (piston to shaft & lever)- No. 6-32 x 3/8" pan hd. -tag codes C6AF-A, B, Z; C6DF-A, B	50802-S7(U150)				D	E	F	G					
CLAMP - THERMOSTATIC CHOKE HOUSING	C4AZ 9842-A(CM-474)	A	B	C	D	E	F	G	H	J	K		
Screw (clamp housing)-No. 8-32 x 1/2"	31061-S8(U50)	3	3	3	3	3	3	3	3	3	3		
Lockwasher-No. 8	34802-S7(X59)	3	3	3	3	3	3						
HOUSING KIT - THERMOSTATIC CHOKE	9848												
Identified by letters "TN"-kit includes (1) C1AZ 9871-A, (1) D0AZ 9871-A gaskets & (1) choke housing Tag codes C5ZF-A, G	C4AZ 9848-A (CM-458)	A	B			E	F						
Tag code C5AF-AH						E							
Identified by letters "TW"-kit includes (1) C1AZ 9871-A, (1) D0AZ 9871-A gaskets & (1) choke housing Tag codes C6AF-A, Z	C6AZ 9848-A (CM-623)					E	F	G		J			
Tag code C6DF-A							F						
Identified by letters "TO"-kit includes (1) C1AZ 9871-A gasket & (1) choke housing Tag codes C5ZF-B, H, C6DF-B	C4AZ 9848-B	A		C	D		F		H		K		
HOUSING and PLUGS ASSY. - CHOKE - r/b C6AZ 9A575-A	★C4AZ 9849-A				D								
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A(CG-93)	A	B	C	D	E	F	G	H	J	K		
SHIELD - CHOKE THERMOSTAT	C4AZ 9861-A	A	B	C	D	E	F	G	H	J	K		
Screw and washer (shield to housing)- No. 8-32 x 3/8" fillister head	43248-S8(U72)	2	2	2	2	2	2	2	2	2	2		
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)	A	B	C	D	E	F	G	H	J	K		
Lockwasher-No. 8	34802-S(X59)		3										

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 11A THRU 11M											
		A	B	C	D	E	F	G	H	J	K	L	M
LEVER - ACCELERATOR PUMP OVERTRAVEL -service pkg. includes (1) C3AZ 9E569-A bushing	B8AZ 9919-A (CM-547)	A					F			J	K		
Retainer (pump overtravel lever to throttle shaft)-"C" washer	374035-S(XX13C)	A					F			J	K		
COVER - ECONOMIZER VALVE-	C8AZ 9930-A(CM-728)	A	B	C	D	E	F	G	H	J	K	L	M
Screw and washer (economizer valve cover to main body)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	4	4	4	4	4	4	4	4	4	4	4	4
SCREEN - FUEL FILTER	B7A 9938-A	A	B	C									

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 11N THRU 11Z											
		N	P	Q	R	S	T	U	V	W	X	♦Y	Z
GASKET SET													
Repl. by D2AZ 9502-A (5-74)	★D0AZ 9502-A(CG-264)	N	P	Q	R	S	T	U	V	W	X	Y	Z
	D2AZ 9502-A (CG-264-B)	N	P	Q	R	S	T	U	V	W	X	Y	Z
TUNE UP KIT - r/b D4AZ 9A586-A	★D2AZ 9A586-B (CT-499-C)	N	P	Q	R	S	T	U	V	W	X	Y	Z
	D4AZ 9A586-A (CT-499-D)	N	P	Q	R	S	T	U	V	W	X	Y	Z
REPAIR KIT- service details	★B9AZ 9590-E(CR-272)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw(to adjust. transmission kickdown)-No. 10-32 x 1.00" hex. head	379622-S8(UU52M)	N	P	Q	R							Y	
Cap (attach to spark vacuum tube)-3/16" tube	380614-S(DD3)		P	Q	R	S	T	U	V	W	X	Y	Z
SEAL - FAST IDLE ROD-1/8" I.D. x 1/2" O.D. -felt-use with C4AZ 9C771-A washer	B7AZ 9B501-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
.90" long-.44" wide-.05" thick-.133" diam. hole (nylon)	C7AZ 9B501-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
WEIGHT-PUMP DISCHARGE BALL - .109"O.D. - .88" long	C2OZ 9B511-A (CM-555)	N	P	Q	R	S	T	U	V	W	X	Y	Z
LEVER ASSY. - THROTTLE CONTROL	C3TZ 9A514-A (CM-895)									W	X		
ROD - FLOAT BOWL VENT Tag code C7AF-BN Tag code C7DF-V	C6TZ 9A515-B				R				V	W	X		Z
BRACKET - FLOAT BOWL VENT- Tag code C7AF-BN Tag code C7DF-V	D4AZ 9E520-A				R				V	W	X		Z
SUPPORT ASSY. - BOOSTER VENTURI	9A523												
Identified by letter "Z" Tag codes C7AF-T, AT, C7DF-S Tag code C7DF-H	D1PZ 9A523-X (CM-820-A)	N		Q	R	S			V				Z
Identified by letters "PS"-tag code C7DF-E	D1PZ 9A523-T (CM-929-A)					S							
Identified by letters "PK"-tag code C7DF-F	D1PZ 9A523-K (CM-1408)						T						
Identified by letters "PB"-tag codes C7AF-N,R	D1PZ 9A523-B (CM-1404)	N	P										
Identified by letters "PW" Tag codes C7AF-AS,AU,C7DF-R Tag code C7DF-N	D1PZ 9A523-X (CM-820-A)		P		R		T	U	V				
Identified by letter "K"-tag code C7AF-BN Tag code C7DF-V	C7AZ 9A523-J				R				V				
Identified by letter "PT"	D1PZ 9A523-U									W	X		
Identified by letters "CG"	C5ZZ 9A523-D											Y	
Ball(accel. pump discharge valve)-3/16" steel	371350-S(AA4)	N	P	Q	R	S	T	U	V	W	X	Y	Z

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).
♦ Parts lists identified by symbol ♦ are common to 289, 352 and 390 engines

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 11N THRU 11Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
HORN - AIR - less shaft - service pkg. includes (1) C2OZ 9561-B gasket	C0AZ 9524-C(CM-211)	N	P	Q		S	T	U				Y	
Service pkg. includes (1) C5TZ 9561-A gasket	C3TZ 9524-D									W	X		Z
	C7AZ 9524-A				R				V				
Screw and washer(horn and plugs to main body)-No. 10-32 x 5/8"	43256-S8(U77F)	4	4	4	4	4	4	4	4	4	4	4	4
COVER ASSY. - ACCELERATOR PUMP	D1AZ 9528-A (CM-648-A)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw(cover to carb.)-No. 8-32 x 9/16" fill. hd.	379436-S8B(UU43F)	4	4	4	4	4	4	4	4	4	4	4	4
ROD-FAST IDLE CAM-use with C2AZ 9850-D	C3AZ 9D530-A	N	P	Q	R	S	T	U	V			Y	
Retainer (fast idle cam rod)-"C" washer	351825-S(XX9)	2	2	2	2	2	2	2	2			2	
JET - MAIN METERING	9533												
No. 50F-0 to 5,000 ft. altitude	C3UZ 9533-C(CJ-141)		2										
No. 48F-5,000 to 10,000 ft. altitude	C3UZ 9533-D(CJ-142)		2										
Tag code C7AF-T, AT, C7DF-S													
No. 45F-0 to 5,000 ft. altitude	C3OZ 9533-H(CJ-162)	2			2	2							
No. 43F-5,000 to 10,000 ft. altitude	C3AZ 9533-F(CJ-155)	2			2	2							
Tag codes C7AF-AU, BN, C7DF-R													
No. 50F-0 to 5,000 ft. altitude	C3UZ 9533-C(CJ-141)				2		2						
No. 48F-5,000 to 10,000 ft. altitude	C3UZ 9533-D(CJ-142)				2		2						
Tag code C7DF-E													
No. 44F-0 to 5,000 ft. altitude	C3OZ 9533-G(CJ-161)					2							
No. 42F-5,000 to 10,000 ft. altitude	C3OZ 9533-F(CJ-160)					2							
Tag code C7DF-F													
No. 42F-0 to 5,000 ft. altitude	C3OZ 9533-F(CJ-160)						2						
No. 40F-5,000 to 10,000 ft. altitude	C3OZ 9533-E						2						
Tag code C7AF-N													
No. 51F-0 to 5,000 ft. altitude	C3DZ 9533-B(CJ-136)	2											
No. 49F-5,000 to 10,000 ft. altitude	C3DZ 9533-C(CJ-137)	2											
No. 45F-0 to 5,000 ft. altitude	C3OZ 9533-H			2		2		2					
No. 43F-5,000 to 10,000 ft. altitude	C3AZ 9533-F(CJ-155)			2		2		2					
Tag code C7DF-H													
No. 45F-0 to 5,000 ft. altitude	C3OZ 9533-H								2				
No. 43F-5,000 to 10,000 ft. altitude	C3AZ 9533-F(CJ-155)								2				
No. 44F - 0 to 5,000 ft. altitude	C3OZ 9533-G									2	2		2
No. 42F-5,000 to 10,000 ft. altitude	C3OZ 9533-F									2	2		2
Tag code C7DF-N, V													
No. 50F-0 to 5,000 ft. altitude	C3UZ 9533-C								2				
No. 48F-5,000 to 10,000 ft. altitude	C3UZ 9533-D								2				
No. 51F - 0 to 5,000 ft. altitude	C3DZ 9533-B(CJ-136)												
No. 49F - 5,000 to 10,000 ft. altitude	C3DZ 9533-C(CJ-137)											2	2
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
LEVER - FAST IDLE ADJUSTING	C4AZ 9538-A(CM-905)	N	P	Q	R	S	T	U	V			Y	
	C3TZ 9538-A									W	X		Z
Nut (lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Lockwasher -No. 10	34903-S8(X96)	N	P	Q	R	S	T	U	V	W	X		Z
SPRING - ACCELERATOR PUMP OVERTRAVEL	B8AZ 9A538-A (CM-574)											Y	
SCREW - FAST IDLE ADJUSTING - No. 10-32 x 1.12"	C4AZ 9B538-A	N	P	Q	R	S	T	U	V			Y	
	C3TZ 9B538-A									W	X		Z
NEEDLE - IDLE ADJUSTING	C8AZ 9541-C(CM-722)	2	2	2	2	2	2	2	2	2	2	2	2

Parts lists identified by symbol ⚷ are common to 289, 352 and 390 engines

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 11N THRU 11Z											
		N	P	Q	R	S	T	U	V	W	X	♦Y	Z
ROD - ACCELERATOR PUMP LINK TO OVER-TRAVEL LEVER	D2AZ 9B542-B (CM-1526-A)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Clip(accel. pump link to throttle lever rod to over travel pump lever)	375894-S7-8(GG215)	N	P	Q	R	S	T	U	V	W	X	Y	Z
PLATE - CHOKE	C2AZ 9545-A(CM-576)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw (choke plate)-No.6-32 x .31" pan head	381761-S(UU81JA)	2	2	2	2	2	2	2	2	2	2	2	2
SHAFT and LEVER ASSY. - CHOKE	C4TZ 9546-A(CM-589)									W	X		Z
	C5AZ 9546-B(CM-591)	N	P	Q	R	S	T	U	V			Y	
DASHPOT ASSY.	C1AZ 9B549-A(CD-6)			Q	R			U	V		X	Y	Z
Nut-5/16"-24	33923-S7(M32)			Q	R			U	V		X	Y	Z
FLOAT ASSY.	C6AZ 9550-C(CM-672)	N	P	Q	R	S	T	U	V			Y	Z
	C1AZ 9550-A(CM-615)									W	X		
BRACKET - DASHPOT MOUNTING	B8AZ 9B550-B (CM-908)		P	Q	R			U	V		X	Y	Z
Screw and washer(dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)		P	Q	R			U	V		X	Y	Z
PLATE - AIR DISTRIBUTION	C3MY 9F553-A	N	P		R		T		V	W	X	Y	
VALVE - FLOAT BOWL VENT Tag code C7AF-BN Tag code C7DF-V	C4TZ 9557-B				R				V	W	X		Z
SHAFT - FLOAT LEVER	B8A 9558-A(CM-183)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SWIVEL - CHOKE PLATE ADJUSTING	C5AZ 9F558-A	N	P	Q	R	S	T	U	V			Y	
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - CHOKE CONTROL	♦★C4TZ 9560-C(CM-598) r/b C8TZ 9860-A (5-74)									W	X		Z
SPRING - FLOAT BOWL VENT RETURN Tag code C7DF-V Tag code C7AF-BN	C6TZ 9560-A(CM-645)				R				V	W	X		Z
GASKET - FLOAT BOWL	C8AZ 9561-C (CG-292)	N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET - ECONOMIZER COVER	B7A 9563-A(CG-234)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SWIVEL - CHOKE PLATE ADJUSTING	C4TZ 9D563-A									W	X		Z
VALVE ASSY.-FUEL INLET-Includes (1) B7A 9569-A gasket & (1) B7AZ 9599-B retainer	D2AZ 9564-A (CV-54-A)	N	P	Q	R	S	T	U	V	W	X	Y	Z
NUT - CHOKE PLATE ADJUSTING	C4TZ 9D564-A (CM-600)									W	X		Z
ECONOMIZER - KIT	9A565												
0 to 5,000 ft. altitude - Kit includes (1) B7A 9563-A gasket; (1) C2AZ 9A588-B gasket & (1) economizer	C0AZ 9A565-A (CE-74)			Q				U		W	X		Z
Tag codes C7AF-AS, AU, C7DF-S, R Tag code C7DF-N			P		R	S	T		V				

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).
♦ Parts lists identified by symbol ♦ are common to 289, 352 and 390 engines

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 11N THRU 12											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
ECONOMIZER KIT (continued)	9A565												
5,000 to 10,000 ft. altitude - Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer Tag codes C7AF-N, C7DF-E, F	C0AZ 9A565-A (CE-74)	N				S	T					Y	
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-0 to 5,000 ft. altitude-ident. by green dye on body-Tag code C7AF-R	C0AZ 9A565-B (CE-75)		P										
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-5,000 to 10,000 ft. altitude-ident. by green dye on body Tag codes C7AF-AS, AU, C7DF-S, R Tag code C7DF-N	C0AZ 9A565-B (CE-75)		P	Q	R	S	T	U	V	W	X		Z
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-0 to 5,000 ft. altitude-ident. by red dye on body Tag codes C7AF-N, C7DF-E, F	C0AZ 9A565-C (CE-76)	N				S	T					Y	
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-0 to 5,000 ft. altitude-ident. by yellow dye on body Tag code C7AF-AT, T Tag code C7DF-H	C3AZ 9A565-D (CE-78)	N			R				V				
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-5,000 to 10,000 ft. altitude-ident. by yellow dye on body-Tag code C7AF-R	C3AZ 9A565-D (CE-78)		P										
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-0 to 5,000 ft. altitude-ident. by black dye on body Tag code C7AF-BN Tag code C7DF-V	C3AZ 9A656-B (CE-73)				R				V				
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-5,000 to 10,000 ft. altitude-ident. by black dye on body Tag code C7AF-AT, T Tag code C7DF-H	C3AZ 9A565-B (CE-73)	N			R				V				
GASKET - FLOAT VALVE SEAT-	★B7A 9569-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
BUSHING - ACCELERATOR PUMP OVERTRAVEL SPRING	★C3AZ 9F569-A											Y	
SPRING - FLOAT DAMPENER	C3AZ 9F570-A									W	X		Z
HOUSING ASSY. - CHOKE - service pkg. includes (1) B8A 9853-A gasket	C9ZZ 9A575-A (CC-56)	N	P	Q	R	S	T	U	V			Y	
Screw & washer assy. (choke hsg. to main body) - No. 8-32 x 1.76" fillister head	378547-S7-8(BB61B)	3	3	3	3	3	3	3	3			3	
VALVE - ACCEL. PUMP CHECK - plastic	C4AZ 9576-A(CM-825)	N	P	Q	R	S	T	U	V	W	X	Y	Z
RETAINER - FAST IDLE ROD SEAL	★B9AE 9A576-A	N	P	Q	R	S	T	U	V	W	X	Y	Z

★ Parts lists identified by symbol ★ are common to 289, 352 and 390 engines

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 11N THRU 11Z											
		N	P	Q	R	S	T	U	V	W	X	♦Y	Z
SCREW-PUMP DISCHARGE NOZZLE	C0AZ 9577-A(CM-607)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Washer-flat (pump discharge screw gasket)-1/4"	374370-S(XX-94-A)												Z
LEVER - FAST IDLE CAM - nylon	C4AZ 9F577-B (CM-492)	N	P	Q	R	S	T	U	V			Y	
Screw(lever adjusting)-No. 6-32 x .75" hex. hd.	372307-S(BB527)	N	P	Q	R	S	T	U	V				
SPRING - FAST IDLE ADJUSTING SCREW - 4 1/2 coils - .20"I. D. - .58" long	B8A 9578-B(CM-609)	N	P	Q	R	S	T	U	V	W	X	Y	
SPRING - IDLE ADJUSTING NEEDLE Fast idle adjustment screw	★40 9578	2	2	2	2	2	2	2	2	2	2	2	2
										W	X		Z
Screw(normal idle adjusting)-No. 10-32 x 1" special hex. head slotted	355107-S7(BB536)	N	P	Q	R	S	T	U	V	W	X	Y	Z
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-A	N	P	Q	R	S	T	U	V			Y	
SHAFT and LEVER ASSY. KIT - THROTTLE-r/b D2AZ 9581-A (12/74)	★C9AZ 9581-C (CM-1047)	N	P	Q	R	S	T	U	V			Y	
Service pkg. kit includes (1) C8TZ 9581-B lever & shaft assy. throttle (1) 375016-S2 screw & (4) 383253-S2 screws	C9TZ 9581-C (CM-1048)									W	X		Z
	D2AZ 9581-A (CM-1047-A)	N	P	Q	R	S	T	U	V			Y	
PLATE - THROTTLE	B8A 9585-E	2	2	2	2	2	2	2	2	2	2	2	2
Screw(throttle plate)-No. 8-32 x .38" fill. hd.	378361-S2(UU43D)	4	4	4	4	4	4	4	4	4	4	4	4
GASKET - ECONOMIZER VALVE	C2AZ 9A588-B (CM-533)	N	P	Q	R	S	T	U	V	W	X	Y	Z
BRACKET ASSY. -CHOKE CONTROL	C3TZ 9595-A									W	X		Z
Screw & washer assy. (bracket to main body)-No. 8-32 x 5/8" fillister head	§357136-S(BB-56)									W	X		Z
CAM ASSY. - FAST IDLE	C5AZ 9597-D(CM-637)	N	P	Q	R	S	T	U	V			Y	
	C3TZ 9597-B(CM-443)									W	X		Z
Retainer(fast idle cam)-"C" washer	351825-S(XX9)	N	P	Q	R	S	T	U	V	W	X	Y	Z
RETAINER - FLOAT LEVER SHAFT	B7AZ 9599-B(CM-612)	N	P	Q	R	S	T	U	V	W	X	Y	Z
ROD - CHOKE CONTROL	C4TZ 9A599-A (CM-914)									W	X		Z
	C5AZ 9A599-B (CM-915)	N	P	Q	R	S	T	U	V			Y	
Ring(rod to shaft)	377918-S8B(XX14F)	N	P	Q	R	S	T	U	V				
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A(CM-544)	N	P	Q	R	S	T	U	V	W	X	Y	Z
BALL - THROTTLE LEVER	C5TZ 9681-A(CM-693)												Z
Nut (ball to throttle shaft & lever)-No. 10-32	34079-S7(M163)												Z
Lockwasher-No. 10	34803-S(X60)												Z
SHAFT and LEVER ASSY. - CHOKE HOUSING	D2AZ 9A753-A (CM-1510)	N	P	Q	R	S	T	U	V			Y	
Retainer(shaft & lever to choke hsg.)-"C" washer	353862-S8(XX10)	N	P	Q	R	S	T	U	V			Y	

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).
♦ Parts lists identified by symbol ♦ are common to 289, 352 and 390 engines

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 11N THRU 11Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
BRACKET ASSY. - THROTTLE CONTROL	C3TZ 9764-A									W	X		
Screw(throttle control to carb.)-No. 8-32 x 1.25"	359369-S8(BB58)									W	X		
Lockwasher-No. 8	34802-S7(X59)									W	X		
WASHER - CHOKE ROD SEAL - .66" long-.50" wide-.015" thick-.18" diam. hole(brass)-use with B7AZ 9B501-A seal	C4AZ 9C771-A	2	2	2	2	2	2	2	2	2	2	2	2
BUSHING - THROTTLE CONTROL LEVER	C5TZ 9C781-A												Z
CLAMP - CHOKE CABLE BRACKET	C3AZ 9792-A									W	X		Z
Screw (clamp to bracket)-No. 8-32 x 1/2" fill.	31061-S8(U50)									W	X		Z
Nut - No. 8-32 plain	34126-S8B(M146)									W	X		Z
PISTON ASSY. - CHOKE	C6AZ 9840-B(CM-624)	N	P	Q	R	S	T	U	V			Y	
Screw and washer assy. (piston to shaft & lever)-No. 6-32 x 3/8" pan head	50802-S7(U150)								V			Y	
Screw and washer assy. (piston to shaft & lever)-No. 6-32 x 1/4" pan head	★42790-S8	N	P	Q	R	S	T	U					
CLAMP-THERMOSTATIC CHOKE HOUSING	D3AZ 9842-A (CM-1742)	N	P	Q	R	S	T	U	V			Y	
Screw(clamp housing)-No. 8-32 x 1/2"	31061-S8(U50)	3	3	3	3	3	3	3	3			3	
HOUSING KIT - THERMOSTATIC CHOKE - ident. by letters "TO"-kit includes (1) C1AZ 9871-A gasket & (1) choke housing Tag code C7AF-AT	C4AZ 9848-B(CM-459)	N	P	Q	R		T	U	V			Y	
Identified by letters "TW"-kit includes (1) C1AZ 9871-A gasket, (1) D0AZ 9871-A gaskets & (1) choke housing Tag code C7AF-N	C6AZ 9848-A (CM-623)	N											
Identified by letters "BX"-kit includes (1) C1AZ 9871-A gasket & (1) choke housing Tag code C7DF-E	C7AZ 9848-C (CM-678)					S							
HOUSING and PLUGS ASSY. - CHOKE - Refer to Group 9A575	9849												
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A(CG-93)	N	P	Q	R	S	T	U	V			Y	
SHIELD - CHOKE THERMOSTAT	C4AZ 9861-A	N	P	Q	R	S	T	U	V			Y	
Screw & washer(shield to hsg.)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	2	2	2	2	2	2	2	2			2	
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)	N	P	Q	R	S	T	U	V			Y	
LEVER - ACCELERATOR PUMP OVERTRAVEL - serv.pkg. includes (1) C3AZ 9F569-A bushing	B8AZ 9919-A(CM-547)											Y	
Retainer (pump overtravel lever assy. to throttle shaft)-"C" washer	374035-S(XX13C)											Y	
COVER - ECONOMIZER VALVE -	C8AZ 9930-A(CM-728)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw and washer(economizer valve cover to main body)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	4	4	4	4	4	4	4	4	4	4	4	4

♦ Parts lists identified by symbol ♦ are common to 289, 352 and 390 engines

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 11AA THRU 11AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
GASKET SET - r/b D2AZ 9502-A (5-74)	★D0AZ 9502-A (CG-264)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
	D2AZ 9502-A (CG-264-B)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
TUNE UP KIT - r/b D4AZ 9A586-A	★D2AZ 9A586-B (CT-499-C)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
	D4AZ 9A586-A (CT-499-D)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
REPAIR KIT - service details	★C8TZ 9590-C(CR-356)	AA		AC			AF						
Service details	★C8AZ 9590-E(CR-351)		AB										
	★C8AZ 9590-D(CR-350) Service details				AD	AE							
Screw (to adj. trans. kick-down)-No. 10-32 x 1.00" hex. hd.	379622-S8(UU52M)			AC									
LIMITER - IDLE ADJUSTING NEEDLE	C7AZ 9J500-B (CM-747)	2	2	2	2			2					
SEAL - FAST IDLE ROD -.90" long-.44" wide-.05" thick-.133" dia. hole (nylon)	C7AZ 9B501-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
WEIGHT - PUMP DISCHARGE BALL - .109" O.D. -.88" long	C2OZ 9B511-A (CM-555)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
ROD - FLOAT BOWL VENT	C6TZ 9A515-B	AA	AB	AC	AD		AF	AG					
Tag codes C8AF-R, S, T, C8OF-L, M, N, R, T, C8ZF-E, H	C7AZ 9A515-B					AE			AH		AK		
BRACKET - FLOAT BOWL VENT Tag codes C8AF-R, S, C8OF-L, M, C8ZF-E, H	D4AZ 9E520-A	AA	AB	AC	AD	AE	AF	AG					
SUPPORT ASSY. - BOOSTER VENTURI	9A523												
Identified by letters "PV" Tag code C8PF-T	D1PZ 9A523-V (CM-729-A)		AB		AD								
Identified by letters "PM" Tag code C8AF-BD	D1PZ 9A523-M (CM-1409)				AD								
Identified by letters "PT" - "Before Ser. D12,000"	D1PZ 9A523-U (CM-713-A)	AA		AC			AF						
Identified by letter "O" "From Ser. D12,001"	C8TZ 9A523-B (CM-1058)						AF						
Tag codes C8ZF-H, C8AF-R, C8OF-L, M	C8AZ 9A523-A (CM-729)					AE		AG					
Tag codes C8AF-S, C8ZF-E	C8AZ 9A523-B (CM-730)					AE							
Tag codes C8AF-AF, AG, C8DF-E, F, C8OF-S	D1PZ 9A523-X (CM-820-A)					AE							
Ball (accel. pump discharge valve)-3/16" steel	371350-S(AA4)	AA		AC	AD		AF	AG					
HORN - AIR - less shaft-service pkg. includes (1) C5TZ 9561-A gasket	C3TZ 9524-D	AA		AC			AF						
Tag codes C8AF-R, S, C8OF-L, M, C8ZF-E, H	C7AZ 9524-A		AB		AD	AE		AG	AH				
Tag codes C8AF, AF, AG, C8OF-S	C0AZ 9524-C (CM-211)					AE							
Screw and washer (horn and plugs to main body)-No. 10-32 x 5/8"	43256-S8(U77F)	4	4	4	4		4	4					

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

▲ Parts lists identified by symbol ▲ are common to 289 and 302 engines

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 11AA THRU 11AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
COVER ASSY. - ACCELERATOR PUMP	D1AZ 9528-A (CM-648-A)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Screw(cover to carb.)-No. 8-32 x 9/16" fill. hd.	379436-S8B(UU43F)	4	4	4	4	4	4	4	4	4	4		
ROD - FAST IDLE CAM-use with C2AZ 9850-D	C3AZ 9D530-A		AB		AD	AE		AG	AH	AJ	AK		
Retainer (fast idle cam rod)-"C" washer	351825-S(XX9)		2		2	2		2	2	2	2		
COMPENSATOR ASSY.	C7AZ 9B532-A (CM-903)					AE			AH	AJ	AK		
JET - MAIN METERING	9533												
No. 44F - 0 to 5,000 ft. altitude	C3OZ 9533-G(CJ-161)			2			AF						
No. 42F - 5,000 to 10,000 ft. altitude	C3OZ 9533-F(CJ-160)			2			AF						
No. 48F-0 to 5,000 ft. altitude	C3UZ 9533-D(CJ-142)		2										
No. 46F-5,000 to 10,000 ft. altitude	C3AZ 9533-G(CJ-156)		2										
Tag code C8AF-BD													
No. 48F-0 to 5,000 ft. altitude	C3UZ 9533-D(CJ-142)				2								
No. 46F-5,000 to 10,000 ft. altitude	C3AZ 9533-G(CJ-156)				2								
Tag code C8PF-T													
No. 49F-0 to 5,000 ft. altitude	C3DZ 9533-C(CJ-137)				2								
No. 47F-5,000 to 10,000 ft. altitude	C3UZ 9533-E(CJ-151)				2								
No. 44F-0 to 5,000 ft. altitude-"Before 5/10/68"	C3OZ 9533-G(CJ-161)	2											
No. 45F-0 to 5,000 ft. altitude "From 5/10/68" Tag codes C8AF-AF, C8DF, E	C3OZ 9533-H(CJ-162)	2				2							
No. 42F-5,000 to 10,000 ft. altitude - "Before 5/10/68"	C3OZ 9533-F(CJ-160)	2											
No. 43F-5,000 to 10,000 ft. altitude- "From 5/10/68" Tag codes C8AF-AF, C8DF, E	C3AZ 9533-F(CJ-155)	2				2							
Tag codes C8AF-AG, C8DF-F, C8OF-S													
No. 50F-0 to 5,000 ft. altitude	C3UZ 9533-C(CJ-141)					2							
No. 48F-5,000 to 10,000 ft. altitude	C3UZ 9533-D(CJ-142)					2							
Tag codes C8AF-AJ, C8OF-T													
No. 54F-0 to 5,000 ft. altitude	C3GY 9533-C(CJ-146)									AJ	AK		
No. 52F 5,000 to 10,000 ft. altitude	C3UZ 9533-A(CJ-133)									AJ	AK		
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
LEVER - FAST IDLE ADJUSTING	C4AZ 9538-A (CM-905)		AB		AD	AE		AG	AH	AJ	AK		
	C3TZ 9538-A	AA		AC			AF						
Nut (lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	AA	AB	AC	AD		AF						
Lockwasher-No. 10	34903-S8(X96)	AA	AB	AC	AD		AF						
SCREW - FAST IDLE ADJUSTING - No. 10-32 x 1.12"	C4AZ 9B538-A		AB		AD	AE		AG	AH	AJ	AK		
	C3TZ 9B538-A	AA		AC			AF						
NEEDLE - IDLE ADJUSTING Tag codes C8AF-T, C8OF-N	C8AZ 9541-C(CM-722)	2	2	2	2	2	2	2	AH				
Tag codes C8AF-U, C8OF-R, T	C8AZ 9541-D(CM-723)									AJ	AK		
ROD - ACCELERATOR PUMP LINK TO OVER TRAVEL LEVER	D2AZ 9B542-B (CM-1526-A)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Clip(accel. pump link to throttle lever rod to over travel pump lever)	375894-S7-8(GG215)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		

▲ Parts lists identified by symbol ▲ are common to 289 and 302 engines

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 11AA THRU 11AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
PLATE - CHOKE	C2AZ 9545-A(CM-576)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Screw(choke plate)-No. 6-32 x .31"pan head	381761-S(UU81JA)	2	2	2	2	2	2	2	AH	AJ	AK		
SHAFT and LEVER ASSY. - CHOKE	C4TZ 9546-A(CM-589)	AA		AC			AF						
	C5AZ 9546-B(CM-591)		AB		AD	AE		AG	AH	AJ	AK		
DASHPOT ASSY.	C8AZ 9B549-A(CD-15)	AA	AB	AC	AD			AG					
Nut-5/16"-24	33923-S7(M32)	AA	AB	AC	AD			AG					
FLOAT ASSY.	C1AZ 9550-A(CM-615)	AA		AC			AF						
	C6AZ 9550-C(CM-672)		AB		AD	AE		AG	AH	AJ	AK		
BRACKET - DASHPOT MOUNTING	D0AZ 9B550-A (CM-1113)	AA	AB	AC	AD			AG					
Screw and washer(dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)	AA	AB	AC	AD			AG					
PLATE - AIR DISTRIBUTION	C3MY 9F553-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
VALVE - FLOAT BOWL VENT Tag codes C8AF-T,U,AJ,C8OF-N,R,T	C4TZ 9557-B	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
SHAFT - FLOAT LEVER	B8A 9558-A(CM-183)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
SWIVEL - CHOKE PLATE ADJUSTING	C5AZ 9F558-A		AB		AD	AE		AG	AH	AJ	AK		
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
SPRING - CHOKE CONTROL - r/b C8TZ 9560-A (CM-153) (5/74)	★C4TZ 9560-C(CM-598)	AA		AC			AF						
SPRING - FLOAT BOWL VENT RETURN	C6TZ 9560-A (CM-645)	AA	AB	AC	AD	AE	AF	AG					
GASKET - FLOAT BOWL	9561												
Tag code C8AF-BD	C8AZ 9561-C(CG-292)	AA	AB	AC	AD		AF						
	C5TZ 9561-A								AH	AJ	AK		
GASKET - ECONOMIZER COVER	B7A 9563-A(CG-234)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
SWIVEL - CHOKE PLATE ADJUSTING	C4TZ 9D563-A	AA		AC			AF						
VALVE ASSY.-FUEL INLET-includes (1) B7A 9569-A gasket & (1) B7AZ 9599-B retainer	D2AZ 9564-A (CV-54-A)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
NUT - CHOKE PLATE ADJUSTING	C4TZ 9D564-A (CM-600)	AA		AC			AF						
ECONOMIZER	9A565												
0 to 5,000 ft. altitude-service pkg. includes (1) B7A 9563-A & (1) C2AZ 9A588-B gaskets	C0AZ 9A565-A(CE-74)	AA		AC									
ECONOMIZER KIT	9A565												
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-0 to 5,000 ft. altitude-ident. by black dye on body Tag codes C8AF-S, C8OF-M, C8ZF-E	C3AZ 9A565-B (CE-73)		AB			AE							
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-5,000 to 10,000 ft. altitude-ident. by green dye on body	C0AZ 9A565-B (CE-75)			AC			AF						

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

▲ Parts lists identified by symbol ▲ are common to 289 and 302 engines

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 11AA THRU 11AM											
		AA	AB ▲	AC	AD ▲	AE	AF	AG	AH	AJ	AK	AL	AM
ECONOMIZER KIT (continued)	9A565												
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-0 to 5,000 ft. altitude-ident. by green dye on body	C0AZ 9A565-B (CE-75)				AD								
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-0 to 5,000 ft. altitude Tag codes C8AF-R, AG, AH, AJ, C8DF-E, F, C8OF-S, C8ZF-H	C0AZ 9A565-A (CE-74)					AE	AF		AH				
Tag codes C8AF-H, C8OF-T	C0AZ 9A565-C (CE-76)								AH				
GASKET - FLOAT VALVE SEAT	★B7A 9569-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
SPRING - FLOAT DAMPENER	C3AZ 9F570-A	AA		AC			AF						
HOUSING ASSY. - CHOKE - service pkg. includes (1) B8A 9853-A gasket	C9ZZ 9A575-A (CC-56)		AB		AD			AG	AH	AJ	AK		
Screw & washer assy. (choke hsg. to main body) - No. 8-32 x 1.76" fillister head	378547-S7-8 (BB61B)		3		3								
VALVE - ACCEL. PUMP CHECK - plastic	C4AZ 9576-A (CM-825)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
SCREW - PUMP DISCHARGE NOZZLE	C0AZ 9577-A (CM-607)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
LEVER - FAST IDLE CAM - nylon	C4AZ 9F577-B (CM-492)		AB		AD	AE		AG	AH	AJ	AK		
Screw (lever adjusting) - No. 6-32 x .75" hex. hd.	372307-S (BB527)		AB		AD			AG					
SPRING - FAST IDLE ADJUSTING SCREW - 4 1/2 coils - .20" I.D. - .58" long	B8A 9578-B (CM-809)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
SPRING - IDLE ADJUSTING NEEDLE Fast idle adjustment screw	★40 9578			2 AC	2	2	2 AF	2	2	2	2		
Screw (normal idle adjusting) - No. 10-32 x 1" special hex. head slotted	355107-S7 (BB536)	AA	AB	AC	AD		AF						
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-A		AB		AD	AE		AG	AH	AJ	AK		
SHAFT and LEVER ASSY. KIT - THROTTLE	9581												
Repl. by D2AZ 9581-A (12/74)	★C9AZ 9581-C (CM-1047)		AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Service kit includes (1) 375016-S2 screw, & (4) 383253-S2 screw	C9TZ 9581-C (CM-1048)	AA											
	D2AZ 9581-A (CM-1047-A)		AB	AC	AD	AE	AF	AG	AH	AJ	AK		
PLATE - THROTTLE Tag codes C8AF-AF, AG, C8DF-E, F, C8OF-S	B8A 9585-E	2				AE	2						
	C8AZ 9585-E (CM-788)		2										
Tag code C8AF-S	C8AZ 9585-D					AE							
Tag codes C8OF-L, N, R, C8AF-T, U	C8AZ 9585-B					AE			AH	AJ	AK		
Tag codes C8AF-AJ, C8OF-T	C4MY 9585-A			2						AJ	AK		
Tag code C8AF-BD	C8AZ 9585-J (CM-933)				2								
Tag codes C8P-T, C8AF-R, C8OF-L, C8ZF-H	B8A 9585-F				2	AE		AG					
Screw (throttle plate) - No. 8-32 x .38" fill. hd.	378361-S2 (UU43D)	4			4	4	4		4	4	4		
Screw (throttle plate) - No. 3-45 x 3/8" truss hd.	382681-S (BB822T)		4	4									
GASKET - ECONOMIZER VALVE	C2AZ 9A588-B (CM-533)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
BRACKET ASSY. - CHOKE CONTROL	C3TZ 9595-A	AA		AC			AF						
Screw & washer assy. (bracket to main body) - No. 8-32 x 5/8" fillister head	357136-S (BB-56)	2		2			2						

▲ Parts lists identified by symbol ▲ are common to 289 and 302 engines

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARBURETOR PARTS LISTS 11AA THRU 11AM											
		AA	AB ▲	AC	AD ▲	AE	AF	AG	AH	AJ	AK	AL	AM
CAM ASSY. - FAST IDLE	C3TZ 9597-B(CM-443)	AA		AC			AF						
	C5AZ 9597-D(CM-637)		AB		AD	AE		AG	AH	AJ	AK		
Retainer (fast idle cam)-"C" washer	351825-S(XX9)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
RETAINER - FLOAT LEVER SHAFT	B7AZ 9599-B(CM-612)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
ROD - CHOKE CONTROL	C4TZ 9A599-A (CM-914)	AA		AC			AF						
	C5AZ 9A599-B (CM-915)		AB		AD	AE		AG	AH	AJ	AK		
Ring (rod to shaft)	377918-S8B(XX14F)		AB		AD	AE		AG	AH	AJ	AK		
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A(CM-544)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
SHAFT and LEVER ASSY. - CHOKE HOUSING	D2AZ 9A753-A (CM-1510)		AB		AD	AE		AG	AH	AJ	AK		
Retainer (shaft & lever to choke hsg.)-"C"washer	353862-S8(XX10)		AB		AD	AE		AG	AH	AJ	AK		
CLAMP - CHOKE CABLE BRACKET	C3AZ 9792-A			AC			AF						
Screw (clamp to brkt.)-No. 8-32 x 1/2" fill. hd.	31061-S8(U50)	AA		AC			AF		AH				
Nut-No. 8-32 plain	34126-S8B(M146)	AA		AC			AF						
PISTON ASSY. - CHOKE	C6AZ 9840-B(CM-624)		AB		AD	AE		AG	AH	AJ	AK		
Screw & washer assy. (piston to shaft & lever)-No. 6-32 x 3/8" pan head	50802-S7(U150)		AB		AD								
CLAMP - THERMOSTATIC CHOKE HOUSING Tag codes C8AF-R,S,AF,AG, C8DF-E,F,C8OF-L,M	C8AZ 9842-B (CM-1045)		AB		AD	AE		AG					
Tag codes C8AF-T, U, AJ, C8OF-N, T	D3AZ 9842-A (CM-1742)								AH	AJ	AK		
Screw (clamp housing)-No. 8-32 x 1/2"	31061-S8(U50)				3	3		3	3	3	3		
HOUSING - THERMOSTATIC CHOKE - ident. by letters "TO"-service pkg. includes (1) C1AZ 9871-A gasket Tag code C8AF-AF,AG,AJ,C8DF-E,F,T, C8OF-T,C8PF-T	C4AZ 9848-B (CM-459)				AD	AF			AH	AJ	AK		
Ident. by letters "TT"-service pkg. includes C1AZ 9871-A gasket	C5AZ 9848-C (CM-490)		AB										
Identified by letters "TN" - serv. pkg. includes (1) C1AZ 9871-A gasket - tag code C8AF-A,AH,BD	C4AZ 9848-A (CM-458)				AD				AH				
HOUSING & PLUGS ASSY. - CHOKE - Refer to group 9A575	9849												
BUSHING - CHOKE THERMOSTAT LEVER	C8AZ 9851-A (CM-751)				AD	AE		AG	AH	AJ	AK		
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A(CG-93)		AB		AD	AE		AG	AH	AJ	AK		
SHIELD - CHOKE THERMOSTAT	D2AZ 9861-A		AB		AD								
Tag codes C8AF-T, U, C8OF-N, R, T	C4AZ 9861-A								AH	AJ	AK		
Screw & washer(shield to hsg.)-No. 8-32 x 3/8" filllister head	43248-S8(U72)		2		2								
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)		AB		AD	AE		AG	AH	AJ	AK		
LEVER - ACCEL. PUMP OVERTRAVEL - tag code C8OF-T	B8AZ 9919-A(CM-547)										AK		
COVER - ECONOMIZER VALVE	C8AZ 9930-A(CM-728)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Screw and washer(economizer valve cover to main body)-No. 8-32 x 3/8" filllister head	43248-S8(U72)				4								
Screw and washer(economizer valve cover to main body)-No. 8-32 x 1/2" fillister head	43251-S8(U73)	4	4	4			4	4	4	4	4		

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

▲ Parts lists identified by symbol ▲ are common to 289 and 302 engines

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 12A THRU 12M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET	B7AZ 9502-D(CG-152)	A	B	C	D	E	F	G					
	C8AZ 9502-A(CG-219)								H	J	K	L	M
TUNE UP KIT	C2SZ 9A586-D (CT-191-A)	A	B	C	D	E	F	G					
	D2AZ 9A586-D (CT-226-A)								H	J	K	L	M
REPAIR KIT	★B8AZ 9590-H (CR-269) Service details	A	B	C	D	E	F	G					
	★C7AZ 9590-C(CR-332) Service details								H	J	K	L	M
Screw (to set secondary idle air flow)-No. 10-32 set	370875-S8B(UU23)	A	B	C	D	E							
Cap-tube-3/16"-use to cap vacuum tube opening	380614-S(DD3)								H	J	K	L	M
SEAL - FAST IDLE ROD-1/8" x 1/2" O. D. - felt-use with C4AZ 9C771-A washer	B7AZ 9B501-A	A	B	C	D	E	F	G					
.90" long-.44" wide-.05" thick-.133" diam. hole (nylon)	C7AZ 9B501-A	A	B	C	D	E	F	G					
DIAPHRAGM ASSY. KIT - SECONDARY THROTTLE	B8AZ 9503-C (CM-489)	A	B	C	D	E	F	G					
Nut(diaphragm to lever)-1/8" spring	374177-S2(MM265)	A	B	C	D	E	F	G					
SPRING - SECONDARY THROTTLE DIAPHRAGM RETURN- 6 coils-1.05" O.D. - .31" I.D.	B8AZ 9B504-D (CM-556)	A	B	C	D	E							
6 coils-1.05" O.D. -.31" I.D.	C6AZ 9B504-A (CM-619)						F	G					
10 coils-.44" I.D.	C7AZ 9B504-A (CM-656)								H	J	K	L	M
ROD - SECONDARY THROTTLE CONTROL	C7AZ 9C504-A								H	J	K	L	M
Ring(rod to throttle shaft & lever primary & secondary)-1/8" retaining	377918-S8B(XX14F)								2	2	2	2	
COVER - SECONDARY THROTTLE DIAPHRAGM	B8A 9507-A (CM-564)	A	B	C	D	E	F	G					
Screw & washer assy.(diaphragm cover to carb.)-No. 8-32 x 3/4"	43395-S8(U75)	4	4	4	4	4	4	4					
BUSHING - THROTTLE SHAFT (Nylon)	C7AZ 9B508-A										K	L	M
WEIGHT - PUMP DISCHARGE BALL - .109" O.D. -.88" long	C2OZ 9B511-A (CM-555)	A	B	C	D	E	F	G					
GASKET - THROTTLE BODY TO MAIN BODY	C7AZ 9516-A								H	J	K	L	M
VALVE - ACCELERATOR PUMP DISCHARGE NEEDLE	C7AZ 9A516-B (CM-676)								H	J	K	L	M
BAFFLE - EQUALIZER PASSAGE	C2SZ 9A517-A	2	2	2	2	2	2	2					
KIT - THROTTLE BODY & SHAFT ASSY.	★C7AZ 9518-A								H	J	K	L	M
Screw & washer(throttle body to main body)-No. 10-32 x .88" fill. hd.	381744-S(BB80H)								6	6	6	6	6

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 12A THRU 12M											
		A	B	C	D	E	F	G	H	J	K	L	M
SUPPORT ASSY. - BOOSTER VENTURI	9A523												
Primary													
Identified by letters "CH"-tag codes C5ZF-D, F, K, M, C6ZF-B	C5ZZ 9A523-B			C		E							
Identified by letters "PE"-tag codes C4GF-AE, AF, AZ	D1PZ 9A523-E (CM-886-A)	A											
Tag codes C5ZF-C, E				C									
Tag codes C5ZF-J, L, C6ZF-A						E							
Identified by letters "PB"-tag code C4GF-BA	D1PZ 9A523-B	A											
Identified by letters "MA"-tag codes C5OF-K, M, T, C6ZF-F	★C4OZ 9A523-C		B		D								
Identified by letters "PG" Tag codes C4OF-AL, AT, BU, BT, C4ZF-G, H, C5OF-J	D1PZ 9A523-G (CM-1407)		B										
Tag codes C5OF-L, T, C6ZF-C					D								
Identified by letters "PK"	D1PZ 9A523-K (CM-1408)						F	G					
Secondary													
Identified by letters "BA"	B8AZ 9A523-L		B										
Identified by letters "PC"	D1PZ 9A523-C (CM-1405)				D								
Identified by letters "FA" - "Before 10/1/65"	C6AZ 9A523-D						F	G					
Identified by letter "F"- "From 10/1/65"	C6AZ 9A523-C						F	G					
Identified by letters "CC" "Before 4/21/64"	C3AZ 9A523-G	A											
Identified by letter "A" "From 4/21/64"	C5ZZ 9A523-C	A		C		E							
Screw (venturi secondary support to carb.)-1/4"-20 x 1" pan head	38294-S8(U141)	A	B	C	D	E	F	G					
Ball (accel. pump discharge valve)-3/16" steel	371350-S(AA4)	A	B	C	D	E	F	G					
HORN - AIR - less shaft	C6AZ 9524-D	A	B	C	D	E	F	G					
Screw & washer (horn & plugs to main body)-No. 10-32 x 5/8"	43256-S8(U77F)	8	8	8	8	8	8	8					
SEAL - AIR HORN	C7AZ 9C527-A								H	J	K	L	M
COVER ASSY. - ACCELERATOR PUMP	D1AZ 9528-A (CM-648-A)	A	B	C	D	E	F	G					
Screw (cover to carb.)-No.8-32 x 9/16" fill. hd.	379436-S8B(UU43F)	4	4	4	4	4	4	4					
LINK - ACCELERATOR PUMP	C7AZ 9529-B(CM-694)								H	J	K	L	M
Pin (accelerator pump link to cover)-.187" x .50" diameter roll	353847-S8(NN109A)				D								
ROD - FAST IDLE CAM "From 1/15/65"	C3AZ 9D530-A			C		E	F	G					
"Before 1/15/65"	C4AZ 9D530-A	A		C		E							
Retainer (fast idle cam rod)-"C" washer	351825-S(XX9)	2		2		2	2	2					
COMPENSATOR ASSY. - HOT IDLE	C0LE 9B532-B (CM-899)						F	G					
	C7AZ 9B532-A (CM-903)								H	J	K	L	M
Screw (hot idle compensator to air horn)-No. 8-32 x 3/4" fillister head	31093-S7-8(U52)						F	G					
Screw(hot idle compensator to air horn)-No. 8-32 x .38" fill. hd.	378361-S2(UU43D)								2	2	2	2	2

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER		CARB. PARTS LISTS 12A THRU 12M											
			A	B	C	D	E	F	G	H	J	K	L	M
JET - MAIN METERING - primary	9533													
Tag codes C4OF-AL, AT, BU, BT, C4ZF-G, H														
No. 51F - 0 to5, 000 ft. altitude	C3DZ	9533-B(CJ-136)		2										
No. 49F - 5, 000 to 10, 000 ft. altitude	C3DZ	9533-C(CJ-137)		2										
No. 47F - 10, 000 to 15, 000 ft. altitude	C3UZ	9533-E(CJ-151)		2										
Tag codes C5OF-J, L, T; C6ZF-C														
No. 52F- 0 to 5, 000 ft. altitude	C3UZ	9533-A(CJ-133)		2		2								
No. 50F - 5, 000 to 10, 000 ft. altitude	C3UZ	9533-C(CJ-141)		2		2								
No. 48F - 10, 000 to 15, 000 ft. altitude	C3UZ	9533-D(CJ-142)		2		2								
Tag code C5OF-K, M, U, C6ZF-F														
No. 50F - 0 to 5, 000 ft. altitude	C3UZ	9533-C(CJ-141)		2		2								
No. 48F - 5, 000 to 10, 000 ft. altitude	C3UZ	9533-D(CJ-142)		2		2								
No. 46F - 10, 000 to 15, 000 ft. altitude	C3AZ	9533-G(CJ-156)		2		2								
Tag code C4ZF-C														
No. 45F - 0 to 5, 000 ft. altitude	C3OZ	9533-H(CJ-162)	2											
No. 43F - 5, 000 to 10, 000 ft. altitude	C3AZ	9533-F(CJ-155)	2											
No. 41F - 10, 000 to 15, 000 ft. altitude	C3AZ	9533-E(CJ-154)	2											
Tag codes C4GF-AE, AZ, C5ZF-D, F, K, M; C6ZF-B														
No. 48F - 0 to 5, 000 ft. altitude	C3UZ	9533-D(CJ-142)	2		2	2	2							
No. 46F - 5, 000 to 10, 000 ft. altitude	C3AZ	9533-G(CJ-156)	2		2	2	2							
No. 44F - 10, 000 to 15, 000 ft. altitude	C3OZ	9533-G(CJ-161)	2		2	2	2							
Tag codes C5ZF-C, E, J, L; C6ZF-A														
No. 49F - 0 to 5, 000 ft. altitude	C3DZ	9533-C(CJ-137)			2		2							
No. 47F - 5, 000 to 10, 000 ft. altitude	C3UZ	9533-E(CJ-151)			2		2							
No. 45F - 10, 000 to 15, 000 ft. altitude	C3OZ	9533-H(CJ-162)			2		2							
Tag codes C4GF-AF, BA														
No. 46F - 0 to 5, 000 ft. altitude	C3AZ	9533-G(CJ-156)	2											
No. 44F - 5, 000 to 10, 000 ft. altitude	C3OZ	9533-G(CJ-161)	2											
No. 42F - 10, 000 to 15, 000 ft. altitude	C3OZ	9533-F(CJ-160)	2											
Tag code C6ZF-D, C7DF-AG, AH														
No. 47F - 0 to 5, 000 ft. altitude	C3UZ	9533-E(CJ-151)						2				2	2	
No. 45F - 5, 000 to 10, 000 ft. altitude	C3OZ	9533-H(CJ-162)						2				2	2	
No. 46F - 0 to 5, 000 ft. altitude	C3AZ	9533-G(CJ-156)							2					
No. 44F - 5, 000 to 10, 000 ft. altitude	C3OZ	9533-G(CJ-161)							2					
Tag codes C7DF-C, M, C8ZF-J														
Tag 52F - 0 to 5, 000 ft. altitude	C3DZ	9533-B(CJ-136)											2	
No. 50F - 5, 000 to 10, 000 ft. altitude	C3DZ	9533-C(CJ-137)											2	
Tag code C7DF-C, L, AE, AF														
No. 52F - 0 to 5, 000 ft. altitude	C3UZ	9533-A(CJ-133)										2		2
No. 50F - 5, 000 to 10, 000 ft. altitude	C3UZ	9533-C(CJ-141)										2		2
JET - MAIN METERING - secondary														
Tag codes C4GF-AE, AZ														
No. 56F - 0 to 5, 000 ft. altitude	C3GY	9533-D(CJ-147)	2											
No. 54F - 5, 000 to 10, 000 ft. altitude	C3GY	9533-C(CJ-146)	2											
No. 52F - 10, 000 to 15, 000 ft. altitude	C3UZ	9533-A(CJ-133)	2											
Tag codes C4ZF-C, C4GF-AF, BA														
No. 58F - 0 to 5, 000 ft. altitude	C3GY	9533-A(CJ-144)	2											
No. 56F - 5, 000 to 10, 000 ft. altitude	C3GY	9533-D(CJ-147)	2											
No. 54F - 10, 000 to 15, 000 ft. altitude	C3GY	9533-C (CJ-146)	2											

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 12A THRU 12M											
		A	B	C	D	E	F	G	H	J	K	L	M
JET - MAIN METERING - secondary - cont'd.	9533												
Tag codes C4OF-AL, AT, BU, BT, C4ZF-G, H													
No. 70F - 0 to 5,000 ft. altitude	C3TZ 9533-G(CJ-150)		2										
No. 68F - 5,000 to 10,000 ft. altitude	C3TZ 9533-F(CJ-149)		2										
No. 66F - 10,000 to 15,000 ft. altitude	C3TZ 9533-E(CJ-148)		2										
Tag codes C5OF-J, L, T; C6ZF-C													
No. 68F - 0 to 5,000 ft. altitude	C3TZ 9533-F(CJ-149)		2		2								
No. 66F - 5,000 to 10,000 ft. altitude	C3TZ 9533-E(CJ-148)		2		2								
No. 64F - 10,000 to 15,000 ft. altitude	C3AZ 9533-C(CJ-143)		2		2								
Tag codes C5OF-K, M, U, C6ZF-F													
No. 69F - 0 to 5,000 ft. altitude	C3TZ 9533-B(CJ-132)		2		2								
No. 67F - 5,000 to 10,000 ft. altitude	C3TZ 9533-D(CJ-139)		2		2								
No. 65F - 10,000 to15,000 ft. altitude	C3TZ 9533-A(CJ-131)		2		2								
Tag codes C5ZF-C, D, E, J, K, L, M, C6ZF-A													
No. 58F - 0 to 5,000 ft. altitude	C3GY 9533-A(CJ-144)			2		2							
No. 56F - 5,000 to 10,000 ft. altitude	C3GY 9533-D(CJ-147)			2		2							
No. 54F - 10,000 to15,000 ft. altitude	C3GY 9533-C(CJ-146)			2		2							
Tag code C6ZF-B, C5ZF-F													
No. 57F - 0 to 5,000 ft. altitude	C3OZ 9533-A(CJ-129)			2		2							
No. 55F - 5,000 to 10,000 ft. altitude	C3UZ 9533-B(CJ-140)			2		2							
No. 53F - 10,000 to 15,000 ft. altitude	C3DZ 9533-A(CJ-128)			2									
No. 58F - 0 to 5,000 ft. altitude	C3GY 9533-A(CJ-144)						2	2					
No. 56F - 5,000 to 10,000 ft. altitude	C3GY 9533-D(CJ-147)						2	2					
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A	2	2	2	2	2	2	2					
LEVER - THROTTLE SHAFT AUXILIARY	C7AZ 9A537-B								H	J	K	L	M
Screw(lever to carburetor)-No. 8-32 x .36" pan head shoulder	380808-S(BB683D)								H	J	K	L	M
LEVER - FAST IDLE ADJUSTING	C4AZ 9538-A	A		C		E	F	G					
Tag codes C4OF-AL, AT, BU, BT, C4ZF-G, H	(CM-905)		B										
Tag codes C5OF-J, K; C6ZF-C, F	★C4AZ 9538-B		B		D								
	C7AZ 9538-A								H	J	K	L	M
Nut (lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	A	B	C	D	E	F	G	H	J	K	L	M
Lockwasher - No. 10	34803-S7(X60)	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - ACCELERATOR PUMP OVERTRAVEL	B8AZ 9A538-A (CM-574)	A	B	C	D	E	F	G					
	C7AZ 9A538-C								H	J	K	L	M
	C7AZ 9A538-D								H	J	K	L	M
SCREW - FAST IDLE ADJUSTING - No. 10-32 x 1.12"	C4AZ 9B538-A	A	B	C	D	E	F	G	H	J	K	L	M
NEEDLE - IDLE ADJUSTING	C8AZ 9541-C(CM-722)	2	2	2	2	2	2	2					
	C7AZ 9541-A(CM-657)								2	2	2	2	2
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	D2AZ 9B542-B (CM-1526-A)	A	B	C	D	E	F	G					
	C7AZ 9B542-B (CM-695)								H	J	K	L	M
Clip (accelerator pump link to throttle lever rod to overtravel pump lever)	375894-S7-8(GG215)	A	B	C	D	E	F	G					
Ring(accel. pump link to accel. link)-1/8" retaining	97460-S7-8(Q4F)								H	J	K	L	M
PISTON - ACCELERATOR PUMP - Repl. by C7AZ 9B544-B, C7AZ 9572-A, C7AZ 9D598-A & C7AZ 9599-A	★C7AZ 9B544-A								H	J	K	L	M
Does not include retainer, spring and cup	C7AZ 9B544-B (CP-50)								H	J	K	L	M

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 12A THRU 12M											
		A	B	C	D	E	F	G	H	J	K	L	M
PLATE - CHOKE	C2AZ 9545-A(CM-576)	A	B	C	D	E	F	G					
	C7AZ 9545-A(CM-659)								H	J	K	L	M
Screw (choke plate)-No. 6-32 x .31" pan head	381761-S(UU81JA)	2	2	2	2	2	2	2	2	2	2	2	2
SHAFT and LEVER ASSY. - CHOKE	C4MY 9546-A(CM-588)	A											
	C4TZ 9546-A(CM-589)		B		D								
	C5AZ 9546-B(CM-591)			C		E	F	G					
	C7AZ 9546-A(CM-660)								H	J	K	L	M
DASHPOT ASSY.	C1AZ 9B549-A (CD-6)	A	B	C	D	E	F	G			K	L	
Nut-5/16"-24	33923-S7(M32)	A	B	C	D	E	F	G			K	L	
Lockwasher-5/16"	34806-S7(X64)	2		2									
FLOAT ASSY. - primary Tag codes C4OF-AL, AT, BU, BT, C4ZF-G, H,	C1AZ 9550-A(CM-615)	A	B	C		E							
Primary & secondary-tag code C6ZF-A,B,C,F	C6AZ 9550-C(CM-672)	A	B	C	2	2	2	2					
	C7AZ 9550-A(CM-661)								H	J	K	L	M
BRACKET - DASHPOT MOUNTING	B8AZ 9B550-B (CM-908)	A	B	C	D	E	F	G			K	L	
Screw & washer (dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)	A	B	C	D	E	F	G			K	L	
VALVE ASSY. - POWER	C7AZ 9G551-A								H	J	K	L	M
PLATE-AIR DISTRIBUTION- tag codes C5ZF-D, F	C3MY 9F553-A			C		E	F	G					
PISTON ASSY. - POWER VALVE	C7AZ 9G553-A								H	J	K	L	M
VALVE - AIR - R. H.	C7AZ 9H555-A								H	J	K	L	M
L. H.	C7AZ 9H555-B								H	J	K	L	M
Screw(valve to air valve shaft)-No. 6-32 x .25" hex. washer head	353939-S(UU52T)								4	4	4	4	4
SPRING - AIR VALVE	C7AZ 9H556-B								H	J	K	L	M
VALVE - FLOAT BOWL VENT	C7AZ 9557-A								H	J	K	L	M
HOUSING - AIR VALVE SPRING	C7AZ 9H557-A								H	J	K	L	M
SHAFT - FLOAT LEVER	B8A 9558-A(CM-183)	2	2	2	2	2	2	2					
	C7AZ 9558-A(CM-663)								H	J	K	L	M
SWIVEL - CHOKE PLATE ADJUSTING	C5AZ 9F558-A			C		E	F	G					
RETAINER - AIR VALVE SPRING HOUSING	C7AZ 9H558-A								H	J	K	L	M
Screw (retainer to air valve shaft)- No. 6-32 x .25" hex. washer head	353939-S(UU52T)								H	J	K	L	M
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)	A	B	C	D	E	F	G					
SPRING - CHOKE PLATE -	C8TZ 9560-A (CM-753)		B		D								
GASKET - FLOAT BOWL -	C5OZ 9561-A	A	B	C	D	E	F	G					
	D3AZ 9561-B (CG-233-A)								H	J	K	L	M

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 12A THRU 12M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET - ECONOMIZER COVER	B7A 9563-A(CG-234)	A	B	C	D	E	F	G					
SWIVEL - CHOKE PLATE ADJUSTING	C4TZ 9D563-A		B		D								
VALVE and SEAT ASSY. - FUEL INLET - primary-service pkg. incl. (1) C7AZ 9569-A gasket	D0AZ 9564-B (CV-58-A)								H	J	K	L	M
Includes (1) B7A 9569-A gasket and (1) B7AZ 9599-B retainer	D2AZ 9564-A (CV-54-A)	2	2	2	2	2	2	2					
Secondary	D2AZ 9564-B (CV-86-A)								H	J	K	L	M
NUT - CHOKE PLATE ADJUSTING	C4TZ 9D564-A (CM-600)		B		D								
ECONOMIZER - KIT	9A565												
0 to 5,000 ft. altitude - Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) Economizer	C0AZ 9A565-A (CE-74)	A	B	C	D	E	F	G					
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-Identified by color "Green" - 5,000 to 10,000 ft. altitude	C0AZ 9A565-B (CE-75)	A	B	C	D	E	F	G					
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-identified by color "Yellow" - 10,000 to 15,000 ft. altitude	C3AZ 9A565-D (CE-78)	A	B	C	D	E							
GASKET - HOT IDLE COMPENSATOR	★C0LE 9B567-A								H	J	K	L	M
GASKET - FUEL INLET NEEDLE SEAT	★B7A 9569-A	2	2	2	2	2	2	2					
Primary-.51" I.D.-.62" O.D.	C7AZ 9569-A										K	L	M
Secondary-.38" I. D. -.50" O. D.	C7AZ 9569-B										K	L	M
BUSHING - ACCELERATOR PUMP OVERTRAVEL SPRING	★C3AZ 9F569-A	A	B	C	D	E	F	G					
SPRING - FLOAT DAMPENER	C3AZ 9F570-A	A	B	C	D	E							
SPRING - SECONDARY FLOAT DAMPENER	C3AZ 9F571-A	A	B	C	D	E							
CUP - PUMP PISTON	C7AZ 9572-A (CM-651)								H	J	K	L	M
RETAINER - ACCELERATOR PUMP CHECK VALVE (wire)	C7AZ 9575-A (CM-652)								H	J	K	L	M
RETAINER - ACCELERATOR PUMP CHECK VALVE DISC (plastic)	C7AZ 9575-B (CM-664)								H	J	K	L	M
HOUSING ASSY. - CHOKE - service pkg. includes (1) B8A 9853-A gasket Tag codes C5ZF-C, D, E, F, J, K, L, M	C9ZZ 9A575-A (CC-56)	A		C		E	F	G					
Screw and washer(housing assy. to main body)-No. 8-32 x 1.76" fillister head	378547-S7-8(BB61B)					E	F	G					

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 12A THRU 12M											
		A	B	C	D	E	F	G	H	J	K	L	M
BALL - ACCELERATOR PUMP CHECK - 1/8" diameter Inlet pump check valve.	78 9576	A	B	C	D	E	F	G					
VALVE - ACCELERATOR PUMP CHECK - plastic	C4AZ 9576-A (CM-825)			C	D	E	F	G					
DISC - ACCELERATOR PUMP CHECK VALVE (plastic)	C7AZ 9576-A								H	J	K	L	M
Ball (accelerator pump check)-3/16" steel	371350-S(AA4)								H	J	K	L	M
SCREW - PUMP DISCHARGE NOZZLE	C0AZ 9577-A(CM-607)	A	B	C	D	E	F	G					
Washer - 1/4" flat (buna coated aluminum)	374370-S(XX94A)	A	B	C	D	E							
LEVER - FAST IDLE CAM - Nylon	C4AZ 9F577-B (CM-492)	A		C		E	F	G					
Screw (lever adjusting)-No. 6-32 x .75" hex. hd.	372307-S(BB527)	A		C		E	F	G					
SPRING - FAST IDLE ADJUSTING SCREW - 4 1/2 coils-.20" I.D.-.58" long	B8A 9578-B (CM-609)	A	B	C	D	E	F	G					
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	2	2	2	2	2	2	2	2	2	2	2	2
Screw (normal idle adjusting)-No. 10-32 x 1" special hex. head slotted	355107-S7(BB536)	A	B	C	D	E	F	G					
SPRING - IDLE AIR BY-PASS SCREW	C7AZ 9578-A(CM-653)								H	J	K	L	M
Screw (idle by-pass adjusting)-3/8"-24 x 2.64"	380806-S(BB817CA)								H	J	K	L	
PISTON & ROD ASSY. - AIR VALVE DAMPENER	C7AZ 9H578-A								H	J	K	L	M
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-B(CM-912)	A	B	C	D	E	F	G					
	B9A 9579-A								H	J	K	L	M
SHAFT - AIR VALVE	C7AZ 9581-A(CM-654)								H	J	K	L	M
LEVER & SHAFT ASSY. KIT - THROTTLE	C7AZ 9581-B(CM-671)								H	J	K	L	M
Repl. by D2AZ 9581-A (12/74)	★C9AZ 9581-C (CM-1047)	A	B	C	D	E	F	G					
	D2AZ 9581-A (CM-1047-A)	A	B	C	D	E	F	G					
LEVER - AIR VALVE DAMPENER	C7AZ 9H582-A								H	J	K	L	M
LEVER - SECONDARY THROTTLE DIAPHRAGM Tag codes C4OF-AL, AT, BU, BT, C4ZF-G, H Tag codes C5ZF-C, D Tag codes C5OF-L, M Tag codes C5ZF-J, K	★B8A 9583-A R/B B8AZ 9503-C	A	B	C	D	E	F						
Tag codes C5OF-J, K Tag codes C5ZF-E, F Tag codes C5OF-T, U; C6ZF-C, F Tag codes C5ZF-L, M; C6ZF-A, B, D, E	★C5AZ 9583-A R/B B8AZ 9503-C		B	C	D	E	F	G					
Pin (lever to carb.)-3/16" x 11/16" roll	353848-S8(NN71)	A	B	C	D	E	F	G					
LEVER - SECONDARY THROTTLE STOP	C7AZ 9583-C								H	J	K	L	M
Nut (lever to secondary throttle shaft)-No. 10-32	34079-S7(M163)								H	J	K	L	M
Lockwasher-No. 10	34803-S7(X60)								H	J	K	L	M
LINK - AIR VALVE DAMPENER	C7AZ 9H583-A								H	J			
	C7AZ 9H583-B										K	L	M

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 12A THRU 12M											
		A	B	C	D	E	F	G	H	J	K	L	M
PIN - AIR VALVE DAMPENER - (1)used to retain accel. pump link (1)used to retain air valve dampener lever	383070-S(SS10E)								2	2	2	2	2
Retainer(air valve dampener pin)-1/8" retaining	377918-S8B(XX14F)								2	2	2	2	2
PLATE - THROTTLE - primary	B8A 9585-F	2	2		2								
	B8A 9585-E			2		2	2	2					
	★C7AZ 9585-A								2	2	2	2	2
Screw (throttle plate)-No. 8-32 x .38" fill. hd.-(use with steel shaft)	378361-S2(UU43D)	4	4	4	4	4	4	4					
Screw(primary throttle plates to shaft)-No. 8-32 x .25" hex. washer head	353358-S(UU52U)								4	4	4	4	4
PLATE - THROTTLE - secondary	ø★B8A 9585-G		2		2								
	★C5ZZ 9585-A	2		2		2	2	2					
	C7AZ 9585-E(CM-837)								2	2	2	2	2
Screw (throttle plate)-No. 8-32 x .38" fill. hd.-(use with steel shaft)	378361-S2(UU43D)	4	4	4	4	4	4	4			4	4	4
Screw(plate to shaft)-No.8-32x.25"hex.washer hd.	353358-S(UU52U)								4	4			
LEVER - MECHANICAL VENT VALVE ADJUSTING	C7AZ 9H585-A								H	J	K	L	M
GASKET - ECONOMIZER VALVE	C2AZ 9A588-B (CM-533)	A	B	C	D	E	F	G					
STOP - MECHANICAL VENT SPRING	★C7AZ 9H588-A											L	M
LEVER & SHAFT ASSY. - SECONDARY THROTTLE PLATE - steel shaft	B8AZ 9A592-E (CM-618)	A	B	C	D	E	F	G					
	C7AZ 9A592-B (CM-680)								H	J	K	L	M
Screw(shaft to curb idle air flow)-No. 10-32 x .38" set-tag codes C6ZF-A, B, C, D, E, F	370875-S8B(UU23)				D	E	F	G					
SEAL - AIR VALVE DAMPENER ROD	C7AZ 9H593-A (CM-689)										K	L	M
BRACKET ASSY. - CHOKE CONTROL	C3TZ 9595-A		B		D								
Screw and lockwasher (bracket to main body)-No. 8-32 x 5/8" fillister head	§357136-S(BB-56)		2		2								
ROD - SECONDARY DIAPHRAGM CONTROL	★B8A 9596-A	A	B	C	D	E	F	G					
Retainer (rod to lever)	353610-S8(NN126)	A	B	C	D	E	F	G					
CAM ASSY. - FAST IDLE "Before 1/15/65"	C4GY 9597-A	A		C		E							
"From 1/15/65"	C5AZ 9597-D(CM-637)			C		E	F	G					
	C4OZ 9597-A(CM-468)		B		D								
	C7AZ 9597-A(CM-665)								H	J	K	L	M
Retainer (fast idle cam)-"C" washer	351825-S(XX9)	A	B	C	D	E	F	G					
SPRING - ACCELERATOR PUMP ROD	C7AZ 9D598-A (CM-1037)								H	J	K	L	M
RETAINER - FLOAT LEVER SHAFT	B7AZ 9599-B(CM-612)	2	2	2	2	2	2	2					
RETAINER - ACCELERATOR PUMP SPRING	C7AZ 9599-A (CM-1038)								H	J	K	L	M

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 12A THRU 12M											
		A	B	C	D	E	F	G	H	J	K	L	M
ROD - CHOKE CONTROL	C4AZ 9A599-A	A											
	C4TZ 9A599-A (CM-914)		B		D								
	C5AZ 9A599-B (CM-915)			C		E	F	G					
	C7AZ 9A599-A								H	J	K	L	M
Retainer (rod to carburetor)	353610-S8(NN126)				D								
Ring (rod retaining)-1/8" retaining	377918-S8B(XX14F)	A		C		E	F	G	2	2	2	2	2
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A (CM-544)	A	B	C	D	E	F	G					
SHAFT and LEVER ASSY. - CHOKE HOUSING	D2AZ 9A753-A (CM-1510)	A		C		E	F	G					
	D2AZ 9A753-B (CM-817-A)								H	J	K	L	M
Retainer (shaft & lever to choke hsg.)-"C" washer	353862-S8(XX10)					E	F	G					
WASHER - CHOKE ROD SEAL -.66" long-.50" wide-.015" thick-.18" diam. holes (brass)-use with B7AZ 9B501-A seal	C4AZ 9C771-A	2	2	2	2	2	2	2					
CLAMP - CHOKE CABLE BRACKET	C3AZ 9792-A		B		D								
Screw (clamp to brkt.)-No. 8-32 x 1/2" fill. hd.	31061-S8(U50)		B		D								
Nut-No. 8-32-plain	34126-S8B(M146)		B		D								
PISTON ASSY. - CHOKE	C6AZ 9840-B(CM-624	A		C		E	F	G					
Screw & washer assy. (piston to shaft)-No. 6-32 x 3/8" pan hd. -tag codes C6ZF-A, B, D, E	50802-S7(U150)					E	F	G					
CLAMP - THERMOSTATIC CHOKE HOUSING	D3AZ 9842-A (CM-1742)	A		C		E	F	G					
	C7AZ 9842-A(CM-666)								H	J	K	L	M
Screw (clamp housing)-No. 8-32 x 1/2"	31061-S8(U50)	3		3		3	3	3	3	3	3	3	3
Lockwasher - No. 8	34802-S7(X59)	3		3		3							
HOUSING KIT - THERMOSTATIC CHOKE	9848												
Ident. by letters "TN" - kit includes (1) C1AZ 9871-A, (1) D0AZ 9871-A gaskets & (1) choke housing	C4AZ 9848-A(CM-458)												
Tag codes C5ZF-C, E				C									
Tag codes C5ZF-J, K, L, M; C6ZF-A, D						E	F						
Ident. by letters "TO" - kit includes (1) C1AZ 9871-A gasket & (1) choke housing	C4AZ 9848-B(CM-459)	A											
Tag codes C5ZF-D, F, K, M; C6ZF-B, E				C		E		G					
Ident. by letters "BO" - kit includes (1) C1AZ 9871-A gasket & (1) choke housing	C7AZ 9848-A(CM-667)								H	J			
Ident. by letters "BX" - kit inlcudes (1) C1AZ 9871-A gasket & (1) choke housing	C7AZ 9848-C(CM-678)											L	
Ident. by letters "BY" - kit includes (1) C1AZ 9871-A gasket & (1) choke housing	C7AZ 9848-D(CM-679)										K		M
Screw and washer(housing and plugs to main body)-No. 8-32 x 1.76" fillister head	378547-S7-8(BB61B)	A		3									
BUSHING - CHOKE HOUSING	C7AZ 9851-A(CM-668								H	J	K	L	M
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A(CG-93)	A		C		E	F	G					
SHIELD - CHOKE THERMOSTAT	C4AZ 9861-A	A		C		E	F	G					
Screw & washer (shield to housing)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	2		2		2	2	2					

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 12A THRU 12M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)	A		C		E	F	G	H	J	K	L	M
LEVER - ACCELERATOR PUMP OVERTRAVEL - service pkg. includes (1) C3AZ 9F569-A bushing	B8AZ 9919-A(CM-547)	A	B	C	D	E	F	G					
Retainer (pump overtravel lever to throttle shaft)-"C" washer	374035-S(XX13C)	A	B	C	D	E	F	G					
COVER - ECONOMIZER VALVE	C8AZ 9930-A(CM-728)	A	B	C	D	E	F	G					
Screw and washer (economizer valve cover to main body)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	4	4	4	4	4	4	4					
TUBE - SECONDARY THROTTLE CONTROL VACUUM-std. size-use with new air horn only	B8A 9997-A	A	B	C	D	E	2	2					
.002" O/S-use as service replacement for B8A 9997-A tube only	B8A 9997-B	A	B	C	D	E	2	2					

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 12N THRU 12Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET SET -r/b D2AZ 9502-D(12-73)	★C8AZ 9502-C(CG-221)	N		Q	R								
	B7AZ 9502-D(CG-152)		P			S							
Repl. by D3AZ 9502-A (4-74)	★D2AZ 9502-D (CG-221-A)	N		Q	R								
	D3AZ 9502-A (CG-221-B)	N		Q	R								
TUNE UP KIT	D2AZ 9A586-D (CT-226-A)	N											
	C2SZ 9A586-D (CT-191-A)		P	Q	R	S							
REPAIR KIT	★C7AZ 9590-C(CR-332) Service details	N											
	★B8AZ 9590-H(CR-269) Service details		P	Q	R								
	★C8AZ 9590-A(CR-340) Service details					S							
Cap-tube-3/16"-use to cap vacuum tube opening	380614-S(DD3)	N	P										
LIMITER - IDLE ADJUSTING NEEDLE	C7AZ 9J500-B (CM-747)					2							
SEAL - FAST IDLE ROD	B7AZ 9B501-A		P			S							
DIAPHRAGM ASSY. KIT - SECONDARY THROTTLE	B8AZ 9503-C		P	Q	R	S							
Nut (diaphragm to lever)-1/8" spring	374177-S2(MM265)		P			S							
Pin (diaphragm to carb.)-3/16" x 11/16"	353848-S(NN71)			Q	R	S							
SPRING - SECONDARY THROTTLE DIAPHRAGM RETURN - 10 coils-.44" I.D.	C7AZ 9B504-A	N											
6 coils-1.05" O.D.-.31" I.D.	B8AZ 9B504-D (CM-556)		P	Q	R	S							
ROD - SECONDARY THROTTLE CONTROL	C7AZ 9C504-A	N											
COVER-SECONDARY THROTTLE DIAPHRAGM	B8A 9507-A(CM-564)		P	Q	R	S							
Screw & washer assy. (diaphragm cover to carb.)-No. 8-32 x 3/4"	43395-S8(U75)		4	4	4	4							
BUSHING - THROTTLE SHAFT (Nylon)	C7AZ 9B508-A	N											
WEIGHT - PUMP DISCHARGE BALL - .109" O.D.-.88" long	C2OZ 9B511-A		P	Q	R	S							
GASKET - THROTTLE BODY TO MAIN BODY	C7AZ 9516-A	N											

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 12N THRU 12Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
VALVE - ACCELERATOR PUMP DISCHARGE NEEDLE	C7AZ 9A516-B	N											
BAFFLE - EQUALIZER PASSAGE	C2SZ 9A517-A		2	2	2	2							
KIT - THROTTLE BODY & SHAFT ASSY.	★C7AZ 9518-A	N											
Screw & washer(throttle body to main body)-No. 10-32 x .88" fillister head	381744-S(BB80H)	6											
SUPPORT ASSY. - BOOSTER VENTURI	9A523												
Primary													
Identified by letters "PE"	D1PZ 9A523-E (CM-886-A)		P										
Identified by letters "PK"	D1PZ 9A523-K (CM-1408)			Q	R	S							
Secondary													
Identified by letter "A"	C5ZZ 9A523-C		P										
Identified by letters "PN"	D1PZ 9A523-N (CM-818-A)			Q	R	S							
Screw(venturi secondary support to carb.)-1/4"-20 x 1" pan head	38294-S8(U141)		P	Q	R	S							
Ball (accel. pump discharge valve)-3/16" steel	371350-S(AA4)		P										
HORN - AIR - less shaft and plate	C6AZ 9524-D		P	Q	R	S							
Screw & washer assy.(horn & plugs to main body)-No. 10-32 x 5/8"	43256-S8(U77F)		8	8	8	8							
SEAL - AIR HORN	C7AZ 9C527-A	N											
COVER ASSY. - ACCELERATOR PUMP	D1AZ 9528-A (CM-648-A)		P	Q	R	S							
Screw (cover to carb.)-No. 8-32 x 9/16" fill. hd.	379436-S8B(UU43F)		4	4	4	4							
LINK - ACCELERATOR PUMP	C7AZ 9529-B(CM-694)	N											
ROD - FAST IDLE CAM	C3AZ 9D530-A		P										
Retainer (fast idle cam rod)-"C" washer	351825-S8B(XX9)		2										
COMPENSATOR ASSY. - HOT IDLE	C7AZ 9B532-A (CM-903)	N											
Screw(hot idle compensator to air horn)-No. 8-32 x .38" fill. hd.	378361-S2(UU43D)	2											
	C0LE 9B532-B (CM-899)		P										
Screw (hot idle compensation to air horn)-No. 8-32 x 3/4" fillister head	31093-S7-8(U52)		2										
JET-MAIN METERING	9533												
Primary													
Tag codes C7DF-C,D,M,C8ZF-J													
No. 52F - 0 to 5,000 ft. altitude	C3DZ 9533-B(CJ-136)	2				2							
No. 50F - 5,000 to 10,000 ft. altitude	C3DZ 9533-C(CJ-137)	2				2							
Tag codes C7DF-L, AE, AF													
No. 52F-0 to 5,000 ft. altitude	C3UZ 9533-A(CJ-133)	2											
No. 50C - 5,000 to 10,000 ft. altitude	C3UZ 9533-C(CJ-141)	2											
No. 48F - 0 to 5,000 ft. altitude	C3UZ 9533-D(CJ-142)		2										
No. 46F - 5,000 to 10,000 ft. altitude	C3AZ 9533-G(CJ-156)		2										
No. 51F - 0 to 5,000 ft. altitude	C3DZ 9533-B(CJ-136)			2									
No. 49F - 5,000 to 10,000 ft. altitude	C3DZ 9533-C(CJ-137)			2									
No. 50F - 0 to 5,000 ft. altitude	C3UZ 9533-C(CJ-141)				2	2							
No. 48F - 5,000 to 10,000 ft. altitude	C3UZ 9533-D(CJ-142)				2	2							

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 12N THRU 12Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
JET - MAIN METERING - continued	9533												
Secondary													
No. 57F-0 to 5,000 ft. altitude	C3OZ 9533-A(CJ-129)		2										
No. 55F-5,000 to 10,000 ft. altitude	C3UZ 9533-B(CJ-140)		2										
No. 69F - 0 to 5,000 ft. altitude	C3TZ 9533-B(CJ-132)			2	2								
No. 67F - 5,000 to 10,000 ft. altitude	C3TZ 9533-D(CJ-139)			2	2								
Tag code C8ZF-K													
No. 70F - 0 to 5,000 ft. altitude	C3TZ 9533-G(CJ-150)					2							
No. 68F - 5,000 to 10,000 ft. altitude	C3TZ 9533-F(JC-149)					2							
Tag code C8ZF-J													
No. 69F - 0 to 5,000 ft. altitude	C3TZ 9533-B(CJ-132)					2							
No. 67F - 5,000 to 10,000 ft. altitude	C3TZ 9533-D(CJ-139)					2							
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A		2	2	2	2							
LEVER - THROTTLE SHAFT AUXILIARY	C7AZ 9A537-B	N											
Screw(lever to carburetor)-No. 8-32 x .36" pan head shoulder	380808-S(BB683D)	N											
LEVER - FAST IDLE ADJUSTING	C7AZ 9538-A	N											
	C4AZ 9538-A(CM-905)		P										
	★C4AZ 9538-B			Q	R	S							
Nut(lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	N	P	Q	R	S							
Lockwasher - No. 10	34803-S7(X60)	N	P	Q	R	S							
SPRING - THROTTLE RETURN	C7AZ 9A538-D	N											
SPRING - ACCELERATOR PUMP OVERTRAVEL	B8AZ 9A538-A		P	Q	R								
	C7AZ 9A538-C	N											
SCREW - FAST IDLE ADJUSTING - No. 10-32 x 1.12"	C4AZ 9B538-A	N	P	Q	R	S							
NEEDLE - IDLE ADJUSTING	C7AZ 9541-A(CM-657)	2											
	C8AZ 9541-C(CM-722)		2	2	2	2							
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	C7AZ 9B542-B (CM-695)	N											
Ring(accel. pump link to accel. link)-1/8" retaining	97460-S7-8(Q4F)	N											
	D2AZ 9B542-B (CM-1526-A)		P	Q	R	S							
Clip(accel. pump link to throttle lever rod to overtravel pump lever)	375894-S7-8(GG215)		P			S							
PISTON - ACCELERATOR PUMP - repl. by C7AZ 9B544-B, C7AZ 9572-A, C7AZ 9D598-A & C7AZ 9599-A	★C7AZ 9B544-A	N											
Does not include retainer, spring & cup	C7AZ 9B544-B (CP-50)	N											
PLATE - CHOKE	C7AZ 9545-A(CM-659)	N											
	C2AZ 9545-A(CM-576)		P	Q	R	S							
Screw (choke plate)-No. 6-32 x .31" pan head	381761-S(UU81JA)	2	2	2	2	2							
SHAFT and LEVER ASSY. - CHOKE	C7AZ 9546-A(CM-660)	N											
	C5AZ 9546-B(CM-591)		P										
	C4TZ 9546-A(CM-589)			Q	R	S							

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 12N THRU 12Z												
		N	P	Q	R	S	T	U	V	W	X	Y	Z
DASHPOT ASSY.	C1AZ 9B549-A(CD-6)		P	Q	R	S							
Nut-5/16"-24	33923-S7(M32)		P	Q	R	S							
FLOAT ASSY.	C7AZ 9550-A(CM-661)	N											
	C6AZ 9550-C(CM-672)		P	Q	R	S							
BRACKET - DASHPOT MOUNTING	B8AZ 9B550-B (CM-908)		P	Q	R	S							
Screw & washer (dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)		P	Q	R	S							
VALVE ASSY. - POWER	C7AZ 9G551-A	N											
PISTON ASSY. - POWER VALVE	C7AZ 9G553-A	N											
VALVE - AIR - R.H.	C7AZ 9H555-A	N											
L.H.	C7AZ 9H555-B	N											
Screw(valve to air valve shaft)-No. 6-32 x .25" hex. washer head	353939-S(UU52T)	4											
SPRING - AIR VALVE	C7AZ 9H556-B	N											
VALVE - FLOAT BOWL VENT	C7AZ 9557-A	N											
HOUSING - AIR VALVE SPRING	C7AZ 9H557-A	N											
SHAFT - FLOAT LEVER	C7AZ 9558-A(CM-663)	N											
	B8A 9558-A(CM-183)			2	2	2							
SWIVEL - CHOKE PLATE ADJUSTING	C5AZ 9F558-A		P										
RETAINER - AIR VALVE SPRING HOUSING	C7AZ 9H558-A	N											
Screw (retainer to air valve shaft)-No. 6-32 x .25" hex. washer head	353939-S(UU52T)	N											
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)		P	Q	R	S							
SPRING - CHOKE PLATE -	C8TZ 9560-A (CM-753) (5-74)			Q	R	S							
GASKET - FLOAT BOWL -	D3AZ 9561-B (CG-233-A)	N											
	C5OZ 9561-A		P	Q	R	S							
GASKET - ECONOMIZER COVER	B7A 9563-A(CG-234)		P	Q	R	S							
SWIVEL - CHOKE PLATE ADJUSTING	C4TZ 9D563-A			Q	R	S							
VALVE and SEAT - FUEL INLET - Primary - service pkg. includes (1) C7AZ 9569-A gasket	D0AZ 9564-B (CV-58-A)	N											
Secondary	D2AZ 9564-B (CV-86-A)	N											
Includes (1) B7A 9569-A gasket and (1) B7AZ 9599-B retainer	D2AZ 9564-A (CV-54-A)		2	2	2	2							
NUT - CHOKE PLATE ADJUSTING	C4TZ 9D564-A (CM-600)			Q	R	S							
ECONOMIZER KIT													
0 to 5,000 ft. altitude - Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) Economizer	C0AZ 9A565-A (CE-74)		P	Q	R	S							
Kit includes (1) B7A 9565-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-identified by color "Green" - 5,000 to 10,000 ft. altitude	C0AZ 9A565-B (CE-75)		P	Q	R	S							

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 12N THRU 12Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET - HOT IDLE COMPENSATOR	★C0LE 9B567-A	N											
GASKET - FUEL INLET NEEDLE SEAT - Primary - .51" I. D. -.62" O. D.	C7AZ 9569-A	N											
Secondary - .38" I. D. -.50" O. D.	C7AZ 9569-B	N											
	★B7A 9569-A		2	2	2	2							
BUSHING - ACCEL. PUMP OVERTRAVEL SPRING	★C3AZ 9F569-A		P	Q	R								
CUP - PUMP PISTON	C7AZ 9572-A(CM-651)	N											
RETAINER - ACCELERATOR PUMP CHECK VALVE (wire)	C7AZ 9575-A(CM-652)	N											
DISC - ACCELERATOR PUMP CHECK VALVE (plastic)	C7AZ 9575-B(CM-664)	N											
HOUSING ASSY. - CHOKE - Service pkg. includes (1) B8A 9853-A gasket	C9ZZ 9A575-A (CC-56)		P										
Screw & washer (housing assy. to main body)-No. 8-32 x 1.76" fill. head	378547-S7-8(BB61B)		3										
DISC - ACCELERATOR PUMP CHECK VALVE (plastic)	C7AZ 9576-A	N											
VALVE - ACCELERATOR PUMP CHECK - plastic	C4AZ 9576-A(CM-825)		P	Q	R	S							
BALL - ACCELERATOR PUMP - 1/8" dia.	78 9576		P	Q	R								
Ball(accelerator pump check)-3/16" steel	371350-S(AA4)	N											
SCREW - PUMP DISCHARGE NOZZLE	C0AZ 9577-A(CM-607)		P	Q	R	S							
Washer-1/4" flat(buna coated aluminum)	374370-S (XX94A)		P	Q	R	S							
LEVER - FAST IDLE CAM - Nylon	C4AZ 9F577-B (CM-492)		P										
Screw(lever adjusting)-No. 6-32 x .75" hex. hd.	372307-S (BB527)		P										
Ball (accel. pump discharge valve)-3/16" steel	371350-S(AA4)			Q	R	S							
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	2	2	2	2	2							
SPRING - FAST IDLE ADJUSTING SCREW - 4 1/2 coils-.20" I.D.-.58" long	B8A 9578-B (CM-609)		P	Q	R	S							
SPRING - IDLE AIR BY-PASS SCREW	C7AZ 9578-A(CM-653)	N											
Screw(fast idle adjusting)-No. 10-32 x 1" special hex. head slotted	355107-S(BB536)		P	Q	R								
PISTON & ROD ASSY. - AIR VALVE DAMPENER	C7AZ 9H578-A	N											
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-A	N											
	B9A 9579-B		P	Q	R	S							
SHAFT - AIR VALVE	C7AZ 9581-A(CM-654)	N											
LEVER & SHAFT ASSY. KIT - THROTTLE	C9AZ 9581-C					S							
Screw(fast idle adjusting)-No. 10-32 x 1"-special hex. head slotted	355107-S(BB536)					S							

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 12N THRU 12Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
LEVER & SHAFT ASSY. KIT - THROTTLE	C7AZ 9581-B(CM-671)	N											
Repl. by D2AZ 9581-A (12/74)	★C9AZ 9581-C (CM-1047)		P	Q	R								
	D2AZ 9581-A (CM-1047-A)		P	Q	R								
LEVER - AIR VALVE DAMPENER	C7AZ 9H582-A	N											
LEVER - SECONDARY THROTTLE	★C5AZ 9583-A R/B B8AZ 9503-C					S							
Pin(lever to carb.)-.38" x 3/16"	353848-S(NN71)					S							
LEVER - SECONDARY THROTTLE STOP	C7AZ 9583-C	N											
Nut(lever to secondary throttle shaft)-No. 10-32	34079-S7(M163)	N											
Lockwasher - No. 10	34803-S7(X60)	N											
	353848-S (NN71)		P										
LINK - AIR VALVE DAMPENER	C7AZ 9H583-B	N											
PIN - AIR VALVE DAMPENER - (1)used to retain accel. pump link (1)used to retain air valve dampener lever	383070-S(SS10E)	2											
Retainer(air valve dampener pin)-1/8" retaining	377918-S8B(XX14F)	2											
PLATE - THROTTLE - primary	★C7AZ 9585-A	2											
	B8A 9585-E		2										
	B8A 9585-F			2	2	2							
Screw(primary throttle plates to shaft)-No. 8-32 x .25" hex. washer head	353358-S(UU52U)	4											
Screw(throttle plate)-No. 8-32 x 3/8" fill. hd.-use with steel shaft	378361-S2(UU43D)		4	4	4	4							
PLATE - THROTTLE - secondary	C7AZ 9585-E(CM-837)	2											
	★C5ZZ 9585-A		2										
	★B8A 9585-G		2	2		2							
Screw (plate to shaft)-No. 8-32 x .38" fill. hd.	378361-S2 (UU43D)	4	4	4	4	4							
LEVER - MECHANICAL VENT VALVE ADJUSTING	C7AZ 9H585-A	N											
GASKET - ECONOMIZER VALVE	C2AZ 9A588-B (CM-533)		P	Q	R	S							
STOP - MECHANICAL VENT SPRING	★C7AZ 9H588-A	N											
LEVER and SHAFT ASSY. - SECONDARY THROTTLE PLATE	C7AZ 9A592-B (CM-680)	N											
Secondary	B8AZ 9A592-E (CM-618)		P	Q	R	S							
Screw(shaft to curb idle air flow)-No. 10-32 x .38"	370875-S8B(UU23)		P	Q	R	S							
SEAL - AIR VALVE DAMPENER ROD	C7AZ 9H593-A (CM-689)	N											
ROD - CARBURETOR SECONDARY	★B8A 9596-A		P	Q	R	S							
Retainer(secondary diaphragm control rod to carb.)-44" long	353610-S(NN126)		P	Q	R	S							
CAM ASSY. - FAST IDLE	C7AZ 9597-A(CM-665)	N											
	C5AZ 9597-D(CM-637)		P										
	C4OZ 9597-A(CM-468)			Q	R	S							
Retainer(fast idle cam)-"C" washer	351825-S8B(XX9)		P	Q	R	S							
SPRING - ACCELERATOR PUMP ROD	C7AZ 9D598-A (CM-1037)	N											

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 12N THRU 12Z												
		N	P	Q	R	S	T	U	V	W	X	Y	Z	
RETAINER - FLOAT LEVER SHAFT	B7AZ 9599-B(CM-612)		2	2	2	2								
RETAINER - ACCELERATOR PUMP SPRING	C7AZ 9599-A (CM-1038)	N												
ROD - CHOKE CONTROL	C7AZ 9A599-A	N												
	C5AZ 9A599-B (CM-915)		P											
	C4TZ 9A599-A (CM-914)			Q	R	S								
Ring (rod retaining)-1/8" retaining	377918-S8B(XX14F)	2												
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A(CM-544)		P	Q	R	S								
SHAFT and LEVER ASSY. - CHOKE HOUSING	D2AZ 9A753-B (CM-817-A)	N												
	D2AZ 9A753-A (CM-1510)		P											
Retainer(shaft & lever assy. to choke hsg.)-"C" washer	353862-S8B(XX10)		P											
WASHER - CHOKE ROD SEAL - .66" long-.50" thick-.18" diam. hole (brass)-use with B7AZ 9B501-A seal	C4AZ 9C771-A		P	Q	R									
CLAMP - CHOKE CABLE BRACKET	C3AZ 9792-A			Q	R	S								
PISTON ASSY. - CHOKE	C6AZ 9840-B(CM-624)		P											
Screw and washer assy. (piston to shaft)-No. 6-32 x 3/8" pan hd.	50802-S7(U150)		P											
CLAMP - THERMOSTATIC CHOKE HOUSING	C7AZ 9842-A(CM-666)	N												
	D3AZ 9842-A (CM-1742)		P											
Screw(clamp housing)-No. 8-32 x 1/2"	31061-S8(U50)	3	3											
HOUSING KIT - THERMOSTATIC CHOKE ident. by letters "BX" - kit includes (1) C1AZ 9871-A gasket & (1) choke housing	C7AZ 9848-C(CM-678)	N												
Ident. by letters "TN" - kit includes (1) C1AZ 9871-A, (1) D0AZ 9871-A gaskets & (1) choke housing	C4AZ 9848-A(CM-458)		P											
BUSHING - CHOKE HOUSING	C7AZ 9851-A(CM-668)	N												
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A(CG-93)		P											
SHIELD - CHOKE THERMOSTAT	C4AZ 9861-A		P											
Screw & washer assy. (shield to hsg.)-No. 8-32 x 3/8" fill. hd.	43248-S8(U72)		2											
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)	N	P											
LEVER - ACCEL. PUMP OVERTRAVEL - Service pkg. includes (1) C3AZ 9F569-A bushing	B8AZ 9919-A(CM-547)		P	Q	R									
Retainer (pump overtravel lever assy. to throttle shaft)-"C" washer	374035-S (XX13C)		P	Q	R									
COVER - ECONOMIZER VALVE	C8AZ 9930-A(CM-728)		P	Q	R	S								
Screw & washer(economizer valve cover to main body)-No. 8-32 x 3/8" fill. hd.	43248-S8(U72)		4	4	4	4								
TUBE - SECONDARY THROTTLE CONTROL VACUUM - Standard size-use with new air horn only	B8A 9997-A		P	Q	R	S								

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 13 A THRU 13 M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET	9502												
	D2AZ 9502-A (CG-264-B)	A	B										
TUNE UP KIT - r/b D4AZ 9A586-A	D2AZ 9A586-B (CT-499-C)	A	B										
	D4AZ 9A586-A (CT-499-D)	A	B										
REPAIR KIT - service details	★B9AZ 9590-E(CR-272)	A	B										
SEAL - FAST IDLE ROD	B7AZ 9B501-A	A	B										
WEIGHT - PUMP DISCHARGE BALL	C2OZ 9B511-A	A	B										
SUPPORT ASSY. - BOOSTER VENTURI	9A523												
Identified by letters "CA"	D1PZ 9A523-E (CM-886-A)	A											
Tag code C5AF-D	C5ZZ 9A523-D		B										
Ball (accelerator pump discharge valve)-3/16" steel	371350-S(AA4)	A	B										
HORN - AIR - less shaft - service pkg. includes (1) C2OZ 9561-B gasket	C0AZ 9524-C (CM-211)	A	B										
Screw and washer (horn and plugs to main body)-No. 10-32 x 5/8"	43256-S8(U77F)	4	4										
COVER ASSY. - ACCELERATOR PUMP - less link	D1AZ 9528-A (CM-648-A)	A	B										
Screw (cover to carburetor)-No. 8-32 x 9/16" fill. head	379436-S8B(UU43F)	4	4										
ROD - FAST IDLE CAM	C3AZ 9D530-A	A	B										
Retainer (fast idle cam rod)-"C" washer	351825-S(XX9)	2	2										
JET - MAIN METERING	9533												
No. 42F-0 to 5,000 ft. altitude	C3OZ 9533-F(CJ-160)	2											
No. 40F-5,000 to 10,000 ft. altitude	C3OZ 9533-E	2											
No. 56F-0 to 5,000 ft. altitude Tag code C5AF-C	C3GY 9533-D(CJ-147)		B										
No. 55F-0 to 5,000 ft. altitude Tag code C5AF-D	C3UZ 9533-B(CJ-140)		B										
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A	A	B										
LEVER - FAST IDLE ADJUSTING	C4AZ 9538-A(CM-905)	A	B										
Nut (lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	A											
Lockwasher-No. 10	34903-S8(X96)	A											
SPRING - ACCELERATOR PUMP OVERTRAVEL	B8AZ 9A538-A (CM-574)	A											
SCREW - FAST IDLE ADJUSTING - No. 10-32 x 1.12"	C4AZ 9B538-A	A	B										
NEEDLE - IDLE ADJUSTING	C8AZ 9541-C (CM-722)	2	2										
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER-service pkg. includes (5) pieces 375894-S7 clip	D2AZ 9B542-B (CM-1526-A)	A	B										
Clip (accelerator pump link to throttle lever rod to overtravel pump lever)	375894-S7-8(GG215)	A	B										

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 13A THRU 13M											
		A	B	C	D	E	F	G	H	J	K	L	M
PLATE - CHOKE	C2AZ 9545-A (CM-576)	A	B										
Screw (choke plate)-No. 6-32 x .31" pan head (use with steel shaft)	381761-S(UU81JA)	2											
SHAFT and LEVER ASSY. - CHOKE -steel shaft	C5AZ 9546-B (CM-591)	A											
DASHPOT ASSY.	C1AZ 9B549-A(CD-6)	A	B										
Nut-5/16"-24	83923-S7(M32)	A											
Lockwasher-5/16"	34806-S7(X64)	2											
FLOAT ASSY.	C6AZ 9550-C (CM-672)	A	B										
BRACKET - DASHPOT MOUNTING	B8AZ 9B550-B (CM-908)	A	B										
Screw and washer (dashpot mounting bracket to carburetor)-No. 10-32 x 1/2"	43252-S8(U77)	A											
PLATE -AIR DISTRIBUTION	C3MY 9F553-A		B										
SHAFT - FLOAT LEVER	B8A 9558-A (CM-183)	A	B										
SWIVEL - CHOKE PLATE ADJUSTING	C5AZ 9F558-A	A											
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)	A	B										
GASKET - FLOAT BOWL	C8AZ 9561-C (CG-292)	A	B										
GASKET - ECONOMIZER COVER	B7A 9563-A(CG-234)	A	B										
VALVE KIT - FUEL INLET - includes (1) B7A 9569-A gasket & (1) B7AZ 9599-B retainer	D2AZ 9564-A (CV-54-A)	A	B										
ECONOMIZER KIT	9A565												
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B & (1) economizer-identified by yellow dye on body	C3AZ 9A565-D (CE-78)	A											
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer identified by color red	COAZ 9A565-C (CE-76)		B										
GASKET - FLOAT VALVE SEAT - not replaced	★B7A 9569-A	A	B										
BUSHING - ACCELERATOR PUMP OVERTRAVEL SPRING	★C3AZ 9F569-A	A											
SPRING-FLOAT DAMPENER	C3AZ 9F570-A		B										
HOUSING ASSY. -CHOKE	C9ZZ 9A575-A (CC-56)	A	B										
Screw and washer (housing to main body)-No. 8-32 x 1.76" fillister head	378547-S7-8(BB61B)	3											
VALVE - ACCELERATOR PUMP CHECK - plastic	C4AZ 9576-A (CM-825)	A	B										
RETAINER - FAST IDLE ROD SEAL	★B9AE 9A576-A	A											

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 13A THRU 13M											
		A	B	C	D	E	F	G	H	J	K	L	M
SCREW - PUMP DISCHARGE NOZZLE	C0AZ 9577-A	A	B										
Washer-1/4" flat (buna coated aluminum)	374370-S(XX94A)	A											
LEVER - FAST IDLE CAM (nylon)	C4AZ 9F577-B (CM-492)	A	B										
Screw (lever adjusting)-No. 6-32 x .75" hex. hd.	372307-S(BB527)	A											
SPRING - FAST IDLE ADJUSTING SCREW - 4 1/2 coils-.20" I.D.-.58" long	B8A 9578-B (CM-609)	A	B										
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	2	2										
Screw (normal idle adjusting)-No. 10-32 x 1" special hex. head slotted	355107-S7(BB536)	A	B										
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-A	A	B										
SHAFT & LEVER ASSY. KIT - THROTTLE - steel shaft-r/b D2AZ 9581-A (12/74)	★C9AZ 9581-C (CM-1047)	A	B										
	D2AZ 9581-A (CM-1047-A)	A	B										
PLATE - THROTTLE - primary	B8A 9585-E	2	2										
Screw (throttle plate)-No. 8-32 x .38" fill. hd.-(use with steel shaft)	378361-S2(UU43D)	4											
GASKET - ECONOMIZER VALVE	C2AZ 9A588-B (CM-533)	A	B										
CAM ASSY. - FAST IDLE	C5AZ 9597-D (CM-637)	A	B										
Retainer (fast idle cam)-"C" washer	351825-S(XX9)	A											
RETAINER - FLOAT LEVER SHAFT - use with C2AZ 9564-D	B7AZ 9599-B (CM-612)	A	B										
ROD - CHOKE CONTROL	C5AZ 9A599-B (CM-915)	A	B										
Ring 1/8" retaining "E" choke control rod to choke control lever	377918-S8B (XX14F)		B										
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A (CM-544)	A	B										
SHAFT AND LEVER ASSY.-CHOKE HOUSING	D2AZ 9A753-A (CM-1510)	A	B										
Retainer (shaft and lever to choke housing)-"C" washer	353862-S8(XX10)	A											
WASHER - CHOKE ROD SEAL -.66" long-.50" wide-.015" thick-.18" diam. hole (brass)-use with B7AZ 9B501-A seal	C4AZ 9C771-A	2											
PISTON ASSY. - CHOKE	C6AZ 9840-B (CM-624)	A	B										
Screw & washer assy. (piston to shaft)-No. 6-32 x 1/4" pan head	★42790-S8	A											

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 13 A THRU 13 M											
		A	B	C	D	E	F	G	H	J	K	L	M
CLAMP - THERMOSTATIC CHOKE HOUSING -	D3AZ 9842-A (CM-1742)	A	B										
Screw (clamp housing)-No. 8-32 x 1/2"	31061-S8(U50)	3	3										
Lockwasher-No. 8	34802-S7(X59)	3											
HOUSING - THERMOSTATIC CHOKE Tag code C5AF-C	C4AZ 9848-A (CM-458)		B										
Tag code C5AF-D	C4AZ 9848-B (CM-459)		B										
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A(CG-93)	A	B										
SHIELD - CHOKE THERMOSTAT	C4AZ 9861-A	A	B										
Screw and washer (shield to housing)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	2	2										
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)	A	B										
LEVER - ACCELERATOR PUMP OVERTRAVEL - service pkg. includes (1) C3AZ 9F569-A bushing	B8AZ 9919-A (CM-547)	A											
Retainer (pump overtravel lever to throttle shaft)-"C" washer	374035-S(XX13C)	A											
COVER - ECONOMIZER VALVE	C8AZ 9930-A (CM-728)	A											
Screw and washer (economizer valve cover to main body)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	4	4										

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 15A THRU 15M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET	B7AZ 9502-D (CG-152)	A	B	C									
TUNE UP KIT	C2SZ 9A586-D (CT-191-A)	A	B	C									
REPAIR KIT	★B8AZ 9590-H (CR-269) service details	A	B	C									
Screw (to set sec. idle air flow)-No. 10-32 set	370875-S8B(UU23)	A	B	C									
Screw (to adjust trans. kickdown)-No. 10-32 x 1.00" hex. head	379622-S7-8(UU52M)	A	B	C									
SEAL - FAST IDLE ROD - 1/8" I.D. x 1/2" O.D. -felt-use C4AZ 9C771-A washer	B7AZ 9B501-A	A	B	C									
.90" long-.44" wide-.05" thick-.133" diam. hole (nylon)	C7AZ 9B501-A	A	B	C									
DIAPHRAGM ASSY. KIT-SECONDARY THROTTLE	B8AZ 9503-C (CM-489)	A	B	C									
Nut(diaphragm to lever)-1/8" spring	374177-S2(MM265)	A	B	C									
SPRING - SECONDARY THROTTLE DIAPHRAGM RETURN - 6 coils-1.05" O.D.-.31" I.D.	B8AZ 9B504-D (CM-556)	A	B										
6 coils-1.05" O.D. -.31" I.D.	C6AZ 9B504-A (CM-619)			C									
COVER-SECONDARY THROTTLE DIAPHRAGM	B8A 9507-A (CM-564)	A	B	C									
Screw and washer assy. (diaphragm cover to carb.)-No. 8-32 x 3/4"	43395-S8(U75)	4	4	4									
WEIGHT - PUMP DISCHARGE BALL - .109" O.D. -.88"long	C2OZ 9B511-A (CM-555)	A	B	C									
BAFFLE - EQUALIZER PASSAGE	C2SZ 9A517-A	2	2	2									
SUPPORT ASSY. - BOOSTER VENTURI	9A523												
Primary-identified by letters "KD"	D1PZ 9A523-F (CM-1051-A)	A	B										
Primary-identified by letters "PK"- "From 10/1/65"	D1PZ 9A523-K (CM-1408)			C									
Primary-identified by letter "D"- "Before 10/1/65"	C6AZ 9A523-B			C									
Secondary-identified by letters "BA"	B8AZ 9A523-L	A	B										
Secondary-ident. by letters "FA"-"Before 10/1/65"	C6AZ 9A523-D			C									
Secondary-ident. by letter "F"-"From 10/1/65"	C6AZ 9A523-C			C									
Ball (accel. pump discharge valve)-3/16" steel	371350-S(AA4)	A	B	C									
Screw (venturi secondary support to carb.)-1/4"-20 x 1" pan head	38294-S8(U141)	A	B	C									

♦ Refer to Section 95.17 for parts lists of carburetors common to 352 and 390 engines.

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 15A THRU 15M											
		A	B	C	D	E	F	G	H	J	K	L	M
HORN - AIR - less shaft	C6AZ 9524-D	A	B	C									
Screw and washer (horn & plugs to main body)-No. 10-32 x 5/8"	43256-S8(U77F)	8	8	8									
COVER ASSY.-ACCELERATOR PUMP	D1AZ 9528-A (CM-648-A)	A	B	C									
Screw (cover to carb.)-No. 8-32 x 9/16" fill. hd.	379436-S8(UU43F)	4	4	4									
ROD - FAST IDLE CAM "Before 1/15/65"	C4AZ 9D530-A	A											
"From 1/15/65"	C3AZ 9D530-A	A	B	C									
Retainer (fast idle cam rod)-"C" washer	351825-S(XX9)	2	2	2									
COMPENSATOR ASSY. - HOT IDLE	C0LE 9B532-B (CM-899)	A	B										
Screw (hot idle compensator to air horn)-No. 8-32 x 3/4" fillister hd.	31093-S7-8(U52)	2	2										
JET - MAIN METERING - primary	9533												
No. 48F - 0 to 5,000 ft. altitude	C3UZ 9533-D(CJ-142)	2	2										
No. 46F - 5,000 to 10,000 ft. altitude	C3AZ 9533-G(CJ-156)	2	2										
No. 44F - 10,000 to 15,000 ft. altitude	C3OZ 9533-G(CJ-161)	2											
No. 47F - 0 to 5,000 ft. altitude	C3UZ 9533-E(CJ-151)			2									
No. 45F - 5,000 to 10,000 ft. altitude	C3OZ 9533-H(CJ-162)			2									
Secondary													
No. 55F - 0 to 5,000 ft. altitude	C3UZ 9533-B(CJ-140)	2	2										
No. 53F - 5,000 to 10,000 ft. altitude	C3DZ 9533-A(CJ-128)	2	2										
No. 51F - 10,000 to 15,000 ft. altitude	C3DZ 9533-B(CJ-136)	2											
No. 56F - 0 to 5,000 ft. altitude	C3GY 9533-D(CJ-147)			2									
No. 54F - 5,000 to 10,000 ft. altitude	C3GY 9533-C(CJ-146)			2									
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A	2	2	2									
LEVER - FAST IDLE ADJUSTING	C4AZ 9538-A(CM-905)	A	B	C									
Nut (lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	A	B	C									
Lockwasher-No. 10	34903-S8(X96)	A	B	C									
SPRING - ACCELERATOR PUMP OVERTRAVEL	B8AZ 9A538-A (CM-574)			C									
SCREW - FAST IDLE ADJUSTING - No. 10-32 x 1.12"	C4AZ 9B538-A	A	B	C									
NEEDLE - IDLE ADJUSTING	C8AZ 9541-C (CM-722)	2	2	2									

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).
♦ Refer to Section 95.17 for parts lists of carburetors common to 352 and 390 engines

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 15A thru 15M											
		A	B	C	D	E	F	G	H	J	K	L	M
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	D2AZ 9B542-B (CM-1526-A)	A	B	C									
Clip (accel. pump link to throttle lever rod to overtravel pump lever)	375894-S7-8(GG215)	A	B	C									
PLATE - CHOKE	C2AZ 9545-A (CM-576)	A	B	C									
Screw (choke plate)-No. 6-32 x .31" pan head-use with steel shaft	381761-S(UU81JA)	2	2	2									
SHAFT and LEVER ASSY. - CHOKE	C5AZ 9546-B (CM-591)	A	B	C									
DASHPOT ASSY.	C1AZ 9B549-A(CD-6)			C									
Nut-5/16"-24	33923-S7(M32)			C									
FLOAT ASSY. - primary & secondary	C6AZ 9550-C	A	2	2									
Primary	(CM-672)	A											
BRACKET - DASHPOT MOUNTING	B8AZ 9B550-B (CM-908)	A	B	C									
Screw and washer (dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)	A	B	C									
PLATE-AIR DISTRIBUTION	C3MY 9F553-A		B	C									
SHAFT - FLOAT LEVER	B8A 9558-A (CM-183)	2	2	2									
SWIVEL - CHOKE PLATE ADJUSTING	C5AZ 9F558-A	A	B	C									
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)	A	B	C									
GASKET - FLOAT BOWL	C5OZ 9561-A	A	B	C									
GASKET - ECONOMIZER COVER	B7A 9563-A (CG-234)	A	B	C									
VALVE KIT - FUEL INLET Includes (1) B7A 9569-A gasket and (1) B7AZ 9599-B retainer	D2AZ 9564-A (CV-54-A)	2	2	2									
ECONOMIZER KIT	9A565												
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket and (1) economizer-0 to 5,000 ft. altitude	C0AZ 9A565-A (CE-74)	A	B	C									
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-5,000 to 10,000 ft. altitude-ident. color "Green"	C0AZ 9A565-B (CE-75)	A	B	C									
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-10,000 to 15,000ft. altitude-ident. color"Yellow"	C3AZ 9A565-D (CE-78)	A											
GASKET - HOT IDLE COMPENSATOR	★C0LE 9B567-A	A	B										
GASKET - FLOAT VALVE SEAT	★B7A 9569-A	2	2	2									

♦ Refer to Section 95.17 for parts lists of carburetors common to 352 and 390 engines.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 15A THRU 15M											
		A	B	C	D	E	F	G	H	J	K	L	M
BUSHING - ACCELERATOR PUMP OVERTRAVEL SPRING	★C3AZ 9F569-A			C									
SPRING - FLOAT DAMPENER	C3AZ 9F570-A	A											
SPRING - SECONDARY FLOAT DAMPENER	C3AZ 9F571-A	A											
RETAINER-SECONDARY VACUUM CONTROL VALVE SPRING-.133" O.D. x .06" thick	★B8AZ 9575-B (CM-604)	A											
HOUSING ASSY. - CHOKE	C9ZZ 9A575-A (CC-56)	A	B	C									
Screw and washer (housing assy.-choke to main body)-No. 8-32 x 1.76" fill. head	378547-S7-8(BB61B)	3	3	3									
BALL - ACCELERATOR PUMP CHECK-1/8" diameter	78 9576	A	B	C									
VALVE - ACCELERATOR PUMP CHECK - plastic	C4AZ 9576-A (CM-825)	A	B	C									
SCREW - PUMP DISCHARGE NOZZLE	C0AZ 9577-A (CM-607)	A	B	C									
Washer-1/4" flat (buna coated aluminum)	374370-S(XX94A)	A											
LEVER - FAST IDLE CAM -Nylon	C4AZ 9F577-B (CM-492)	A	B	C									
Screw (lever adjusting)-No. 6-32 x .75" hex.hd.	372307-S(BB527)	A	B	C									
SPRING - FAST IDLE ADJUSTING SCREW - 4 1/2 coils-.20" I.D.-.58" long	B8A 9578-B (CM-609)	A		C									
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	2	2	2									
Screw (normal idle adjusting)-No. 10-32 x 1" special hex. head slotted	355107-S7(BB536)	A	B	C									
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-B	A	B										
SHAFT & LEVER ASSY. KIT - THROTTLE-r/b D2AZ 9581-A (12/74)	★C9AZ 9581-C (CM-1047)	A	B	C									
	D2AZ 9581-A (CM-1047-A)	A	B	C									
LEVER - SECONDARY THROTTLE DIAPHRAGM - tag code C5AF-F	★B8A 9583-A repl. by B8AZ 9503-C	A											
Tag codes C5AF-AA, C5AF-L, AJ	★C5AZ 9583-A repl. by B8AZ 9503-C	A	B	C									
Pin (spring)-3/16" x 11/16" throttle diaphragm lever to carburetor	353848-S8(NN71)	A	B	C									

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

♦ **Refer to Section 95.17 for parts lists of carburetors common to 352 and 390 engines.**

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 15A THRU 15M											
		A	B	C	D	E	F	G	H	J	K	L	M
PLATE - THROTTLE - primary	B8A 9585-F	2	2										
Primary	B8A 9585-E			2									
Secondary	★B8A 9585-G	2	2										
Secondary	★C5ZZ 9585-A			2									
Screw (throttle plate)-No. 8-32 x .38" fill. hd. - (use with steel shaft)	378361-S2(UU43D)	8	8	8									
GASKET - ECONOMIZER VALVE	C2AZ 9A588-B (CM-533)	A	B	C									
LEVER & SHAFT ASSY. - SECONDARY THROTTLE PLATE - steel shaft	B8AZ 9A592-E (CM-618)	A	B	C									
ROD - SECONDARY DIAPHRAGM CONTROL	★B8A 9596-A	A	B	C									
Retainer (rod to lever)	353610-S8(NN126)	A	B	C									
CAM ASSY. - FAST IDLE "Before 1/15/65"	C4GY 9597-A	A											
"From 1/15/65"	C5AZ 9597-D (CM-637)	A	B	C									
Retainer (fast idle cam)-"C" washer	351825-S(XX9)	A	B	C									
RETAINER - FLOAT LEVER SHAFT -.43" I. D.	B7AZ 9599-B (CM-612)	2 A	2										
ROD - CHOKE CONTROL	C5AZ 9A599-B (CM-915)	A	B	C									
Ring (rod to shaft and lever)-1/8" retaining	377918-S8B(XX14F)	A	B	C									
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A (CM-544)	A	B	C									
SHAFT & LEVER ASSY. - CHOKE HOUSING	D2AZ 9A753-A (CM-1510)	A	B	C									
Retainer (shaft and lever to choke housing)- "C" washer	353862-S8(XX10)		B	C									
WASHER - CHOKE ROD SEAL -.66" long-.50" wide-.015" thick-.18" diam. hole (brass)- use with B7AZ 9B501-A seal	C4AZ 9C771-A	2	2	2									
PISTON ASSY. - CHOKE	C6AZ 9840-B (CM-624)	A	B	C									
Screw & washer assy. (piston to shaft)-No. 6-32 x 3/8" pan head	50802-S7(U150)		B	C									
CLAMP - THERMOSTATIC CHOKE HOUSING	D3AZ 9842-A (CM-1742)	A	B	C									
Screw (clamp housing)-No. 8-32 x 1/2"	31061-S8(U50)	3	3	3									
Lockwasher-No. 8	34802-S7(X59)	3											

♦ Refer to Section 95.17 for parts lists of carburetors common to 352 and 390 engines.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 15A THRU 15M											
		A	B	C	D	E	F	G	H	J	K	L	M
HOUSING KIT - THERMOSTATIC CHOKE	9848												
Identified by letters "TO"-kit includes (1) C1AZ 9871-A, (1) D0AZ 9871-A gaskets & (1) choke housing	C4AZ 9848-B (CM-459)	A		C									
Identified by letters "TT"-kit includes (1) C1AZ 9871-A gasket & (1) choke housing	C5AZ 9848-C (CM-490)		B										
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A(CG-93)	A	B	C									
SHIELD - CHOKE THERMOSTAT	C4AZ 9861-A	A	B	C									
Screw and washer (shield to housing)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	A	2	2									
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A (CG-102)	A	B	C									
LEVER - ACCELERATOR PUMP OVERTRAVEL - service pkg. includes (1) C3AZ 9F569-A bushing	B8AZ 9919-A (CM-547)			C									
Retainer (pump overtravel lever to throttle shaft)-"C" washer	374035-S(XX13C)			C									
COVER - ECONOMIZER VALVE	C8AZ 9930-A (CM-728)	A	B	C									
Screw and washer (economizer valve cover to main body)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	4	4	4									
TUBE - SECONDARY THROTTLE CONTROL VACUUM-std. size-use with new air horn only	B8A 9997-A	A	B	C									
.002" O/S-use as service replacement for B8A 9997-A tube only	B8A 9997-B	A	B	C									

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

♦ Refer to Section 95.17 for parts lists of carburetors common to 352 and 390 engines.

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17 A THRU 17 M											
		♦A	B	C	D	E	♦F	G	H	♦J	♦K	♦L	♦M
GASKET SET	B7AZ 9502-D (CG-152)	A	B	C	D	E	F	G	H	J	K	L	M
TUNE-UP KIT	C2SZ 9A586-D (CT-191-A)	A	B	C	D	E	F	G	H	J	K	L	M
REPAIR KIT	★B8AZ 9590-H (CR-269) Service details	A	B	C	D	E	F	G	H	J	K	L	M
Screw (to set secondary idle air flow)-No. 10-32 set	370875-S8B(UU23)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (to adjust trans. kickdown)-No. 10-32 x 1.00" hex. head-tag code C5AF-AC	379622-S7-8(UU52M)		B		D				H	J		L	
Ball (accelerator pump inlet passage)	371350-S(AA4)					E							
SEAL - FAST IDLE ROD-1/8" I.D. x 1/2" O.D.-felt-use with C4AZ 9C771-A washer	B7AZ 9B501-A	A	B	C	D	E	F	G	H	J	K	L	M
.90" long-.44" wide-.05" thick-.133" diam.	C7AZ 9B501-A	A	B	C	D	E	F	G	H	J	K	L	M
DIAPHRAGM ASSY. KIT - SECONDARY THROTTLE	B8AZ 9503-C (CM-489)	A	B	C	D	E	F	G	H	J	K	L	M
Nut (diaphragm to lever)-1/8" spring	374177-S2(MM265)						F	G	H	J	K	L	M
SPRING - SECONDARY THROTTLE DIAPHRAGM RETURN - 6 coils-1.05" O.D. -.31" I.D.	B8AZ 9B504-D (CM-556)	A	B	C	D	E	F	G	H	J			
6 coils-1.05" O.D. -.31" I.D.	C6AZ 9B504-A (CM-619)										K	L	M
COVER - SECONDARY THROTTLE DIAPHRAGM	B8A 9507-A (CM-564)	A	B	C	D	E	F	G	H	J	K	L	M
Screw & washer assy. (diaphragm cover to carb.)-No. 8-32 x 3/4"	43395-S8(U75)	4	4	4	4	4	4	4	4	4	4	4	4
WEIGHT - PUMP DISCHARGE BALL - .109" O.D. -.88" long	C2OZ 9B511-A (CM-555)	A	B	C	D	E	F	G	H	J	K	L	M
BAFFLE - EQUALIZER PASSAGE	C2SZ 9A517-A	A	2	2	2	2	2	2	2	2	2	2	2
FITTING - FUEL INLET	C0AE 9A520-A (CM-560)					E							
SUPPORT ASSY. - BOOSTER VENTURI - secondary identified by letters "BA"	B8AZ 9A523-L	A	B	C	D	E	F	G	H	J			
Primary-identified by letter "K" Tag code C5AF-BA	★C2AZ 9A523-C				D			G	H				
Primary-identified by letters "KD", "KG", or "PF" Tag code C5AF-AR	D1PZ 9A523-F (CM-1051-A)	A	B				F	G		J			
Primary-identified by letters "KA"	C4AZ 9A523-B			C									
Primary-identified by letters "KH" or "PD"	D1PZ 9A523-D (CM-1406)					E							
Primary-identified by letters "DB" -	D1PZ 9A523-K (CM-1408)												M
Primary-identified by letter "D"	C6AZ 9A523-B										K	L	
Secondary-identified by letters "FA" - "Before 10/1/65"	C6AZ 9A523-D												M
Secondary-identified by letter "F" Secondary- "From 10/1/65"	C6AZ 9A523-C										K	L	M
Screw (venturi secondary support to carb.)-1/4"-20 x 1" pan head	38294-S8(U141)	A	B	C	D	E	F	G	H	J	K	L	M
Ball (accel. pump discharge valve)-3/16" steel	371350-S(AA4)	A	B	C	D	E	F	G	H	J	K	L	M

♦ Parts lists identified by symbol ♦ are common to 352 and 390 engines.

♦ Parts lists identified by symbol ♦ are common to 390 and 428 engines.

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17 A THRU 17 M											
		♦A	B	C	D	E	♦F	G	H	♦J	♦K	♦L	♦M
HORN - AIR - less shaft	C6AZ 9524-D	A	B	C	D	E	F	G	H	J	K	L	M
Screw & washer (horn & plugs to main body)- No. 10-32 x 5/8"	43256-S8(U77F)	8	8	8	8	8	8	8	8	8	8	8	8
COVER ASSY. - ACCELERATOR PUMP - less link	D1AZ 9528-A (CM-648-A)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (cover to carb.)-No. 8-32 x 9/16" fill. hd.	379436-S8B(UU43F)	4	4	4	4	4	4	4	4	4	4	4	4
LINK - ACCELERATOR PUMP - repl.by D1AZ 9528-A	★C4AZ 9529-B (CM-647)	A	B	C	D	E	F	G	H	J	K	L	M
Pin (accelerator pump link to cover)- .187" x .50" diameter roll	353847-S8(NN109A)					E							
ROD - FAST IDLE CAM "From 1/15/65"	C3AZ 9D530-A	A	B	C	D	E	F	G	H	J	K	L	M
"Before 1/15/65"	C4AZ 9D530-A	A	B	C	D	E	F	G	H	J			
Retainer (fast idle cam rod)-"C" washer	351825-S(XX9)	2	2	2	2	2	2	2	H	J	2	2	2
COMPENSATOR ASSY. - HOT IDLE	C0LE 9B532-B (CM-899)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (hot idle compensator to air horn)- No. 8-32 x 3/4" fillister head	31093-S7-8(U52)	2	2	2	2	2	2	2	2	2	2	2	2
JET - MAIN METERING - primary	9533												
No. 48F - 0 to 5,000 ft. altitude	C3UZ 9533-D(CJ-142)					2							
No. 46F - 5,000 to 10,000 ft. altitude	C3AZ 9533-G(CJ-156)					2							
No. 44F - 10,000 to 15,000 ft. altitude	C3OZ 9533-G(CJ-161)					2							
No. 50F - 0 to 5,000 ft. altitude	C3UZ 9533-C(CJ-141)	2			2		2		2				
No. 48F - 5,000 to 10,000 ft. altitude	C3UZ 9533-D(CJ-142)	2			2		2		2				
No. 46F - 10,000 to 15,000 ft. altitude	C3AZ 9533-G(CJ-156)	2			2		2		2				
No. 49F - 0 to 5,000 ft. altitude	C3DZ 9533-C(CJ-137)		2										
No. 47F - 5,000 to 10,000 ft. altitude	C3UZ 9533-E(CJ-151)		2										
No. 45F - 10,000 to 15,000 ft. altitude	C3OZ 9533-H(CJ-162)		2										
No. 52F - 0 to 5,000 ft. altitude	C3UZ 9533-A(CJ-133)			2				2					
No. 50F - 5,000 to 10,000 ft. altitude	C3UZ 9533-C(CJ-141)			2				2					
No. 48F - 10,000 to 15,000 ft. altitude	C3UZ 9533-D(CJ-142)			2				2					
Tag codes C5AF-AL, AV, C6OF-E													
No. 48F - 0 to 5,000 ft. altitude	C3UZ 9533-D(CJ-142)									2			
No. 46F - 5,000 to 10,000 ft. altitude	C3AZ 9533-G(CJ-156)									2			
No. 44F - 10,000 to 15,000 ft. altitude	C3OZ 9533-G(CJ-161)									2			
Tag codes C5AF-AN, AZ, C6OF-D													
No. 49F - 0 to 5,000 ft. altitude	C3DZ 9533-C(CJ-137)									2			
No. 47F - 5,000 to 10,000 ft. altitude	C3UZ 9533-E(CJ-151)									2			
No. 45F - 10,000 to 15,000 ft. altitude	C3OZ 9533-H(CJ-162)									2			
No. 48F - 0 to 5,000 ft. altitude	C3UZ 9533-D(CJ-142)												2
No. 46F - 5,000 to 10,000 ft. altitude	C3AZ 9533-G(CJ-156)												2
No. 49F - 0 to 5,000 ft. altitude	C3DZ 9533-C(CJ-137)										2		
No. 47F - 5,000 to 10,000 ft. altitude	C3UZ 9533-E(CJ-151)										2		
Tag code C6AF-F													
No. 48F - 0 to 5,000 ft. altitude	C3UZ 9533-D(CJ-142)											2	
No. 46F - 5,000 to 10,000 ft. altitude	C3AZ 9533-G(CJ-156)											2	
Tag code C6MF-B													
No. 49F - 0 to 5,000 ft. altitude	C3DZ 9533-C(CJ-137)											2	
No. 47F - 5,000 to 10,000 ft. altitude	C3UZ 9533-E(CJ-151)											2	

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).
♦ Parts lists identified by symbol ♦ are common to 352 and 390 engines.
♦ Parts lists identified by symbol ♦ are common to 390 and 428 engines.

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17 A THRU 17 M											
		♣A	B	C	D	E	♣F	G	H	♣J	♦K	♦L	♦M
JET - MAIN METERING - Secondary	9533												
No. 67F - 0 to 5,000 ft. altitude	C3TZ 9533-D(CJ-139)			2	2			2	2		2	2	2
No. 65F - 5,000 to 10,000 ft. altitude	C3TZ 9533-A(CJ-131)			2	2			2	2		2	2	2
No. 63F - 10,000 to 15,000 ft. altitude	C3AZ 9533-B(CJ-135)			2	2			2	2		2	2	
No. 60F - 0 to 5,000 ft. altitude	C3GY 9533-B(CJ-145)	2	2				2						
No. 58F - 5,000 to 10,000 ft. altitude	C3GY 9533-A(CJ-144)	2	2				2						
No. 56F - 10,000 to 15,000 ft. altitude	C3GY 9533-D(CJ-147)	2	2				2						
No. 61F - 0 to 5,000 ft. altitude	C3TZ 9533-C(CJ-138)					2							
No. 59F - 5,000 to 10,000 ft. altitude	C3OZ 9533-B(CJ-130)					2							
No. 57F - 10,000 to 15,000 ft. altitude	C3OZ 9533-A(CJ-129)					2							
Tag codes C5AF-AL, AV													
No. 55F - 0 to 5,000 ft. altitude	C3UZ 9533-B(CJ-140)									2			
No. 53F - 5,000 to 10,000 ft. altitude	C3DZ 9533-A(CJ-128)									2			
No. 51F - 10,000 to 15,000 ft. altitude	C3DZ 9533-B(CJ-136)									2			
Tag codes C5AF-AN, AZ													
No. 60F - 0 to 5,000 ft. altitude	C3GY 9533-B(CJ-145)									2			
No. 58F - 5,000 to 10,000 ft. altitude	C3GY 9533-A(CJ-144)									2			
No. 56F - 10,000 to 15,000 ft. altitude	C3GY 9533-D(CJ-147)									2			
LEVER - CHOKE BELLCRANK ADJUSTING	C3AZ 9A535-A					E							
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A	2	2	2	2	2	2	2	2	2	2	2	2
LEVER - FAST IDLE ADJUSTING	C4AZ 9538-A(CM-905)	A	B	C	D	E	F	G	H	J	K	L	M
Nut (lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	A	B	C	D	E	F	G	H	J	K	L	M
Lockwasher-No. 10	34903-S8(X96)	A	B	C	D	E	F	G	H	J	K	L	M
SPRING-ACCELERATOR PUMP OVERTRAVEL	B8AZ 9A538-A (CM-574)					E							
SCREW - FAST IDLE ADJUSTING No. 10-32 x 1.12"	C4AZ 9B538-A	A	B	C	D		F	G	H	J	K	L	M
NEEDLE - IDLE ADJUSTING	C8AZ 9541-C (CM-722)	2	2	2	2	2	2	2	2	2	2	2	2
ROD - ACCELERATOR PUMP LINK TO OVER TRAVEL LEVER	D2AZ 9B542-B (CM-1526-A)	A	B	C	D	E	F	G	H	J	K	L	M
Clip (accel. pump link to throttle lever rod to overtravel pump lever)	375894-S7-8(GG215)	A	B	C	D	E	F	G	H	J	K	L	M
PLATE - CHOKE	C2AZ 9545-A (CM-576)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (choke plate)-No. 6-32 x .31" pan head-(use with steel shaft)	381761-S(UU81JA)	2	2	2	2	2	2	2	2	2	2	2	2
SHAFT and LEVER ASSY. - CHOKE	C5AZ 9546-B (CM-591)	A	B	C	D	E	F	G	H	J	K	L	M
DASHPOT ASSY.	C1AZ 9B549-A(CD-6)		B		D	E			H	J		L	M
Nut-5/16"-24	33923-S7(M32)		B		D	E			H	J		L	
Lockwasher-5/16"	34806-S7(X64)				2				2	2			
FLOAT ASSY. - primary	C1AZ 9550-A (CM-615)					E							
Primary & secondary Primary	C6AZ 9550-C (CM-672)	A	B	C	D	E	F	G	H H	J J	2	2	2
BRACKET - DASHPOT MOUNTING	B8AZ 9B550-B (CM-908)		B		D	E			H	J		L	M
Screw and washer (dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)		B		D	E			H	J		L	M

♣ Parts lists identified by symbol ♣ are common to 352 and 390 engines.
♦ Parts lists identified by symbol ♦ are common to 390 and 428 engines.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17A THRU 17M												
		♦A	B	C	D	E	♦F	G	H	♦J	♦K	♦L	♦M	
PLATE - AIR DISTRIBUTION	C3MY 9F553-A	A					F				K	L	M	
SHAFT-FLOAT LEVER	B8A 9558-A (CM-183)	2	2	2	2	2	2	2	2	2	2	2	2	
SWIVEL - CHOKE PLATE ADJUSTING	C5AZ 9F558-A	A	B	C	D	E	F	G	H	J	K	L	M	
DIAPHRAGM ASSY.- ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)	A	B	C	D	E	F	G	H	J	K	L	M	
GASKET - FLOAT BOWL	C5OZ 9561-A	A	B	C	D	E	F	G	H	J	K	L	M	
GASKET - ECONOMIZER COVER	B7A 9563-A (CG-234)	A	B	C	D	E	F	G	H	J	K	L	M	
VALVE KIT - FUEL INLET - includes (1) B7A 9569-A gasket and (1) B7AZ 9599-B retainer	D2AZ 9564-A (CV-54-A)	2	2	2	2	2	2	2	2	2	2	2	2	
ECONOMIZER KIT	9A565													
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer - 0 to 5,000 ft.altitude	C0AZ 9A565-A (CE-74)	A	B	C	D	E	F	G	H	J	K	L	M	
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer - 5,000 to 10,000 ft. altitude-ident. color "Green"	C0AZ 9A565-B (CE-75)	A	B	C	D	E	F	G	H	J	K	L	M	
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer - 10,000 to 15,000 ft. altitude-ident. color "Yellow"	C3AZ 9A565-D (CE-78)	A	B	C	D	E	F	G	H	J	K	L		
GASKET - HOT IDLE COMPENSATOR	★C0LE 9B567-A	A	B	C	D	E	F	G	H	J	K	L	M	
GASKET - FUEL INLET NEEDLE	★B7A 9569-A	2	B	C	D	E	F	G	2	2				
BUSHING - ACCELERATOR PUMP OVERTRAVEL SPRING	★C3AZ 9F569-A					E				J				
SPRING - FLOAT DAMPENER	C3AZ 9F570-A	A	B	C	D	E	F	G	H	J				
SPRING - SECONDARY FLOAT DAMPENER	C3AZ 9F571-A	A	B	C	D	E	F	G	H	J				
RETAINER-secondary vacuum control valve spring)-.133" O.D. x .06" thick	★B8AZ 9575-B (CM-604)							G	H					
HOUSING ASSY. - CHOKE - service pkg. includes (1) B8A 9853-A gasket	C9ZZ 9A575-A (CC-56)	A	B	C	D	E	F	G	H	J	K	L	M	
Screw and washer (housing assy. -choke to main body)-No. 8-32 x 1.76" fillister head	378547-S7-8(BB61B)	3	3	3	3	3	3	3	3	3	3	3	3	
BALL - ACCELERATOR PUMP CHECK - 1/8" diameter	78 9576	A	B	C	D	E	F	G	H	J	K	L	M	
VALVE - ACCELERATOR PUMP CHECK-plastic	C4AZ 9576-A (CM-825)	A	B	C	D	E	F	G	H	J	K	L	M	
SCREW - PUMP DISCHARGE NOZZLE	C0AZ 9577-A (CM-607)	A	B	C	D	E	F	G	H	J	K	L	M	
Washer-1/4" flat (buna coated aluminum)	374370-S(XX94A)		B	C	D	E		G	H	J		L		
LEVER - FAST IDLE CAM	C4AZ 9F577-B (CM-492)	A	B	C	D	E	F	G	H	J	K	L	M	
Screw (lever adjusting)-No. 6-32 x .75" hex.hd.	372307-S(BB527)	A	B	C	D	E	F	G	H	J	K	L	M	
SPRING - FAST IDLE ADJUSTING SCREW-4 1/2 coils-.20" I.D.-.58" long	B8A 9578-B (CM-609)	A	B	C	D	E	F	G	H	J	K	L	M	
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	2	2	2	2	2	2	2	2	2	2	2	2	
Screw (normal idle adjusting)-No. 10-32 x 1" hex. slotted head	355107-S7(BB536)	A	B	C	D	E	F	G	H	J	K	L	M	

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).
♦ Parts lists identified by symbol ♦ are common to 352 and 390 engines.
♦ Parts lists identified by symbol ♦ are common to 390 and 428 engines.

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17A THRU 17M											
		♦A	B	C	D	E	♦F	G	H	♦J	♦K	♦L	♦M
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-B (CM-912)	A	B	C	D	E	F	G	H	J	K	L	M
LEVER and SHAFT ASSY. KIT - THROTTLE-r/b D2AZ 9581-A (12/74)	★C9AZ 9581-C (CM-1047)	A	B	C	D	E	F	G	H	J	K	L	M
	D2AZ 9581-A (CM-1047-A)	A	B	C	D	E	F	G	H	J	K	L	M
LEVER - SECONDARY THROTTLE DIAPHRAGM Tag codes C5AF-E, H, J, K, AK, AL, AN, AR, AS, C5SF-A	★B8A 9583-A R/B B8AZ 9503-C	A	B	C	D	E	F	G	H	J			
Tag codes C5AF-Z, AC, AD, AE, AT, AU, AV, AZ, BA, C5SF-B	★C5AZ 9583-A R/B B8AZ 9503-C	A	B	C	D	E	F	G	H	J	K	L	M
Pin (lever to carb.)-3/16" x 11/16" spring	353848-S8(NN71)	A	B	C	D	E	F	G	H	J	K	L	M
PLATE - THROTTLE - Primary	B8A 9585-F	2	2	2	2	2	2	2	2	2			
Primary	B8A 9585-E										2	2	2
Secondary	★B8A 9585-G	2	2	2	2	2	2	2	2	2			
Secondary	★C5ZZ 9585-A										2	2	2
Screw (throttle plate)-No. 8-32 x .38" fill. hd. - (use with steel shaft)	378361-S2(UU43D)	8	8	8	8	8	8	8	8	8	8	8	8
MAGNET ASSY. - CHOKE PLATE	★C2SZ 9E585-A									J			
GASKET - ECONOMIZER VALVE	C2AZ 9A588-B (CM-533)	A	B	C	D	E	F	G	H	J	K	L	M
LEVER and SHAFT ASSY. - SECONDARY THROTTLE PLATE - steel shaft	B8AZ 9A592-E (CM-618)	A	B	C	D	E	F	G	H	J	K	L	M
ROD - SECONDARY DIAPHRAGM CONTROL	★B8A 9596-A	A	B	C	D	E	F	G	H	J	K	L	M
Retainer (rod to lever)	353610-S8(NN126)	A	B	C	D	E	F	G	H	J	K	L	M
CAM ASSY. - FAST IDLE "Before 1/15/65"	C4GY 9597-A	A	B	C	D	E	F	G	H	J			
"From 1/15/65"	C5AZ 9597-D (CM-637)	A	B	C	D	E	F	G	H	J	K	L	M
Retainer (fast idle cam)-"C" washer	351825-S(XX9)	A	B	C	D	E	F	G	H	J	K	L	M
RETAINER - FLOAT LEVER SHAFT	B7AZ 9599-B (CM-612)	2	2	2	2	2	2	2	2	2	2	2	2
ROD - CHOKE CONTROL	C5AZ 9A599-B (CM-915)	A	B	C	D	E	F	G	H	J	K	L	M
Ring (rod to shaft & lever)-1/8" retaining	377918-S8B(XX14F)	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A (CM-544)	A	B	C	D	E	F	G	H	J	K	L	M
SHAFT and LEVER ASSY. - CHOKE HOUSING	D2AZ 9A753-A (CM-1510)	A	B	C	D	E	F	G	H	J	K	L	M
Retainer (shaft and lever to choke housing)-"C" washer	353862-S8(XX10)					E				J	K	L	M
Nut (shaft and lever to housing)-No. 8-36 hex.	355829-S7(MM15)					E							
Lockwasher-No. 8	34802-S7(X59)					E							

♦ Parts lists identified by symbol ♦ are common to 352 and 390 engines.

♦ Parts lists identified by symbol ♦ are common to 390 and 428 engines.

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17A THRU 17M											
		♠A	B	C	D	E	♠F	G	H	♠J	♦K	♦L	♦M
WASHER - CHOKE ROD SEAL -.66" long-.50" wide-.015" thick-.18" diam. hole (brass)-use with B7AZ 9B501-A seal	C4AZ 9C771-A	2	2	2	2	2	2	2	2	2	2	2	2
PISTON ASSY. - CHOKE	C6AZ 9840-B (CM-624)	A	B	C	D	E	F	G	H	J	K	L	M
Screw & washer assy. (piston to shaft)-No. 6-32 x 3/8" pan head	50802-S7(U150)										K	L	M
CLAMP - THERMOSTATIC CHOKE HOUSING	D3AZ 9842-A (CM-1742)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (clamp housing)-No. 8-32 x 1/2" fill. hd.	31061-S8(U50)	3	3	3	3	3	3	3	3	3	3	3	3
Lockwasher-No. 8	34802-S7(X59)	3	3	3	3	3	3	3		3			
HOUSING KIT - THERMOSTATIC CHOKE - identified by letters "TT"-kit includes (1) C1AZ 9871-A, (1) D0AZ 9871-A gaskets & (1) choke housing Tag codes C5AF-AN, AZ	C5AZ 9848-C (CM-490)	A	B	C	D	E	F	G	H	J			
Ident. by letters "TN"-kit includes (1) C1AZ 9871-A, (1) D0AZ 9871-A gaskets & (1) choke housing	C4AZ 9848-A (CM-458)										K		M
Ident. by letters "TO"-kit includes (1) C1AZ 9871-A gasket & (1) choke housing Tag codes C5AF-AL, AN	C4AZ 9848-B (CM-459)								H	J		L	
Screw (clamp to housing)-No. 8-32 x 1/2" fill. hd.	31061-S8(U50)	3				3							
Lockwasher-No. 8	34802-S7(X59)	3				3							
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A(CG-93)	A	B	C	D	E	F	G	H	J	K	L	M
SHIELD - CHOKE THERMOSTAT	C4AZ 9861-A	A	B	C	D	E	F	G	H	J	K	L	M
Screw and washer (shield to housing)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	2	2	2	2	2	2	2	2	2	2	2	2
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A (CG-102)	A	B	C	D	E	F	G	H	J	K	L	M
LEVER - ACCELERATOR PUMP OVERTRAVEL - service pkg. includes (1) C3AZ 9F569-A bushing	B8AZ 9919-A (CM-547)					E							
Retainer (pump overtravel lever to throttle shaft)-"C" washer	374035-S(XX31C)					E							
COVER - ECONOMIZER VALVE	C8AZ 9930-A (CM-728)	A	B	C	D	E	F	G	H	J	K	L	M
Screw & washer (economizer valve cover to main body)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	4	4	4	4	4	4	4	4	4	4	4	4
TUBE - SECONDARY THROTTLE CONTROL VACUUM - standard size-use with new air horn only	B8A 9997-A	A	B	C	D	E	F	G	H	J	2	2	2
.002" O/S - use as service replacement for B8A 9997-A tube only	B8A 9997-B	A	B	C	D	E	F	G	H	J	2	2	2

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).
♠ Parts lists identified by symbol ♠ are common to 352 and 390 engines.
♦ Parts lists identified by symbol ♦ are common to 390 and 428 engines.

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17N THRU 17Z											
		♦N	P	Q	R	♦S	♦T	U	V	W	X	Y	Z
GASKET SET - repl. by D2AZ 9502-D (12-73)	★C8AZ 9502-C (CG-221)							U	V	W	X	Y	Z
	B7AZ 9502-D(CG-152)	N	P	Q	R	S	T						
Repl. by D3AZ 9502-A (4/74)	★D2AZ 9502-D (CG-221-A)							U	V	W	X	Y	Z
	D3AZ 9502-A (CG-221-B)							U	V	W	X	Y	Z
TUNE UP KIT	D2AZ 9A586-D (CT-226-A)							U	V	W	X	Y	Z
	C2SZ 9A586-D (CT-191-A)	N	P	Q	R	S	T						
REPAIR KIT	★C7AZ 9590-C (CR-332) Service details											Y	
	★B8AZ 9590-H(CR-269) Service details	N	P	Q	R	S							
Screw (to set secondary idle air flow)-No. 10-32 set	370875-S8B(UU23)	N	P	Q	R	S	T						•
Screw (transmission kickdown adjusting)-No. 10-32 x 1.00" hex. head	379622-S8(UU52M)	N											
Cap-tube 3/16"-use to cap vac. tube opening	380614-S(DD3)							U	V	W	X	Y	Z
SEAL - FAST IDLE ROD -1/8" I.D. x 1/2" O.D.-belt-use with C4AZ 9C771-A washer	B7AZ 9B501-A	N	P	Q	R	S	T						
.90" long-.44" wide-.05" thick-.133" diam. hole (nylon)	C7AZ 9B501-A	N	P	Q	R	S	T	U					
DIAPHRAGM ASSY. KIT - SECONDARY THROTTLE	B8AZ 9503-C (CM-489)	N	P	Q	R	S	T						
Nut (diaphragm to lever)-1/8" spring	374177-S2(MM265)	N	P	Q	R	S	T						
SPRING - SECONDARY THROTTLE DIAPHRAGM RETURN - 6 coils-1.05" O.D. - .31" I.D.	C6AZ 9B504-A (CM-619)	N	P	Q	R	S	T						
10 coils-.44" I.D. 10 coils-.44" I.D.	C7AZ 9B504-A (CM-656)							U	V	W	X	Y	Z
ROD - SECONDARY THROTTLE CONTROL	C7AZ 9C504-A							U	V	W	X	Y	Z
Ring (rod to throttle shaft & lever primary & secondary)-1/8" retaining	377918-S8B(XX14F)							2	2	2	2	2	2
COVER-SECONDARY THROTTLE DIAPHRAGM	B8A 9507-A (CM-564)	N	P	Q	R	S	T						
Screw & washer assy. (diaphragm cover to carb.)-No. 8-32 x 3/4"	43395-S8(U75)	4	4	4	4	4	4						
BUSHING - THROTTLE SHAFT (nylon)	C7AZ 9B508-A											Y	
WEIGHT - PUMP DISCHARGE BALL - .109" O.D. -.88" long	C2OZ 9B511-A(CM-555)	N	P	Q	R	S	T						
GASKET - THROTTLE BODY TO MAIN BODY	C7AZ 9516-A							U	V	W	X	Y	Z
VALVE-ACCELERATOR PUMP DISCHARGE NEEDLE	C7AZ 9A516-B (CM-676)							U	V	W	X	Y	Z
BAFFLE - EQUALIZER PASSAGE	C2SZ 9A517-A	2	2	2	2	2	2						
BODY and SHAFT ASSY. - THROTTLE	★C7AZ 9518-A							U	V	W	X	Y	Z
Screw & washer (throttle body to main body)-No. 10-32 x .88" fill. hd.	381744-S(BB80H)							6	6	6	6	6	6

♦ Parts lists identified by symbol ♦ are common to 352 and 390 engines.
♦ Parts lists identified by symbol ♦ are common to 390 and 428 engines.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17N THRU 17Z											
		♦N	P	Q	R	♦S	♦T	U	V	W	X	Y	Z
SUPPORT ASSY. - BOOSTER VENTURI	9A523												
Primary-identified by letters "PK"	D1PZ 9A523-K (CM-1408)	N		Q	R		T						
Primary-identified by letter "D"	C6AZ 9A523-B		P			S							
Secondary-identified by letters "FA"- "Before 10/1/65"	C6AZ 9A523-D	N		Q									
Secondary-identified by letter "F"	C6AZ 9A523-C		P			S							
Secondary - "From 10/1/65"		N		Q	R		T						
Ball (accel. pump discharge valve)-3/16" steel	371350-S(AA4)	N	P	Q	R	S	T						
Screw (venturi secondary support to carb.)-1/4"-20 x 1" pan head	38294-S8(U141)	N	P	Q	R	S	T						
HORN - AIR - less shaft	C6AZ 9524-D	N	P	Q	R	S	T						
Screw & washer (horn & plugs to main body)-No. 10-32 x 5/8"	43256-S8 (U77F)	8	8	8	8	8	8						
SEAL - AIR HORN	C7AZ 9C527-A							U	V	W	X	Y	Z
COVER ASSY. - ACCELERATOR PUMP	D1AZ 9528-A (CM-648-A)	N	P	Q	R	S	T						
Screw (cover to carb.)-No. 8-32 x 9/16" fill.hd.	379436-S8B(UU43F)	4	4	4	4	4	4						
LINK - ACCELERATOR PUMP - repl.by D1AZ 9528-A	★C4AZ 9529-B(CM-647)	N	P	Q	R	S	T						
	C7AZ 9529-B(CM-694)							U	V	W	X	Y	Z
ROD - FAST IDLE CAM	C3AZ 9D530-A	N	P	Q	R	S	T						
Retainer (fast idle cam rod)-"C" washer	351825-S(XX9)	2	2	2	2	2	2						
COMPENSATOR ASSY. - HOT IDLE	C0LE 9B532-B (CM-899)	N	P	Q	R	S	T						
	C7AZ 9B532-A (CM-903)							U	V	W	X	Y	Z
Screw (hot idle compensator to air horn)-No. 8-32 x 3/4" fillister head	31093-S7(U52)	2	2	2	2	2	2						
Screw (hot idle compensator to air horn)-No. 8-32 x .38" fillister head	378361-S2(UU43D)							U	2	2	2	2	2
JET - MAIN METERING - primary	9533												
Tag code C6OF-E													
No. 48F - 0 to 5,000 ft. altitude	C3UZ 9533-D(CJ-142)		2										
No. 46F - 5,000 to 10,000 ft. altitude	C3AZ 9533-G(CJ-156)		2										
No. 44F - 10,000 to 15,000 ft. altitude	C3OZ 9533-G(CJ-161)		2										
Tag code C6OF-D													
No. 49F - 0 to 5,000 ft. altitude	C3DZ 9533-C(CJ-137)		2										
No. 47F - 5,000 to 10,000 ft. altitude	C3UZ 9533-E(CJ-151)		2										
No. 45F - 10,000 to 15,000 ft. altitude	C3OZ 9533-H(CJ-162)		2										
No. 48F - 0 to 5,000 ft. altitude	C3UZ 9533-D(CJ-142)			2		2							
No. 46F - 5,000 to 10,000 ft. altitude	C3AZ 9533-G(CJ-156)			2		2							

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

♦ Parts lists identified by symbol ♦ are common to 352 and 390 engines.

♦ Parts lists identified by symbol ♦ are common to 390 and 428 engines.

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17N THRU 17Z											
		♦N	P	Q	R	♦S	♦T	U	V	W	X	Y	Z
JET - MAIN METERING - primary - continued													
No. 47F - 0 to 5,000 ft. altitude	C3UZ 9533-E(CJ-151)	2			2		2						
No. 45F - 5,000 to 10,000 ft. altitude	C3OZ 9533-H(CJ-162)	2			2		2						
Tag codes C7AF-AD, C7OF-H													
No. 51F - 0 to 5,000 ft. altitude	C3DZ 9533-B(CJ-136)											2	
No. 49F - 5,000 to 10,000 ft. altitude	C3DZ 9533-C(CJ-137)											2	
Tag codes C7AF-BJ, C7OF-AH													
No. 48F - 0 to 5,000 ft. altitude	C3UZ 9533-D(CJ-142)											2	
No. 46F - 5,000 to 10,000 ft. altitude	C3AZ 9533-G(CJ-156)											2	
Secondary	9533												
No. 67F - 0 to 5,000 ft. altitude	C3TZ 9533-D(CJ-139)	2	2	2	2	2	2						
No. 65F - 5,000 to 10,000 ft. altitude	C3TZ 9533-A(CJ-131)	2	2	2	2	2	2						
No. 63F - 10,000 to 15,000 ft. altitude	C3AZ 9533-B(CJ-135)		2			2							
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A	2	2	2	2	2	2						
LEVER - THROTTLE SHAFT AUXILIARY	C7AZ 9A537-B							U	V	W	X	Y	Z
Screw (lever to carburetor)-No. 8-32 x .36" pan head shoulder	380808-S(BB683D)							U	V	W	X	Y	Z
LEVER - FAST IDLE ADJUSTING	C4AZ 9538-A (CM-905)	N	P	Q	R	S	T						
	C7AZ 9538-A							U	V	W	X	Y	Z
Nut (lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Lockwasher-No. 10	34903-S8(X96)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - ACCELERATOR PUMP OVERTRAVEL	B8AZ 9A538-A (CM-574)		P	Q	R	S	T						
	C7AZ 9A538-C							U	V	W	X	Y	Z
SPRING - THROTTLE RETURN	C7AZ 9A538-D							U	V	W	X	Y	Z
SCREW - FAST IDLE ADJUSTING	C4AZ 9B538-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
NEEDLE - IDLE ADJUSTING	C8AZ 9541-C (CM-722)	2	2	2	2	2	2						
	C7AZ 9541-A (CM-657)							2	2	2	2	2	2
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	D2AZ 9B542-B (CM-1526-A)	N	P	Q	R	S	T						
	C7AZ 9B542-B (CM-695)							U	V	W	X	Y	Z
Clip (accel. pump link to throttle lever rod to overtravel pump lever)	375894-S7-8(GG215)	N	P	Q	R	S	T						
Ring (accel. pump link rod to accel. link)-1/8" retaining	97460-S7-8(Q4F)							U	V	W	X	Y	Z
PISTON - ACCELERATOR PUMP - Repl. by C7AZ 9B544-B, C7AZ 9572-A, C7AZ 9D598-A & C7AZ 9599-A	★C7AZ 9B544-A							U	V	W	X	Y	Z

♦ Parts lists identified by symbol ♦ are common to 352 and 390 engines.
♦ Parts lists identified by symbol ♦ are common to 390 and 428 engines.

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17N THRU 17Z											
		♦N	P	Q	R	♦S	♦T	U	V	W	X	Y	Z
PISTON - ACCELERATOR PUMP - continued does not include retainer, spring & cup	C7AZ 9B544-B (CP-50)							U	V	W	X	Y	Z
PLATE - CHOKE	C2AZ 9545-A (CM-576)	N	P	Q	R	S	T						
	C7AZ 9545-A (CM-659)							U	V	W	X	Y	Z
Screw (choke plate)-No.6-32 x .31" pan head	381761-S(UU81JA)	2	2	2	2	2	2	2	2	2	2	2	2
SHAFT and LEVER ASSY. - CHOKE	C5AZ 9546-B (CM-591)	N	P	Q	R	S	T						
	C7AZ 9546-A(CM-660)							U	V	W	X	Y	Z
DASHPOT ASSY.	C1AZ 9B549-A(CD-6)	N	P	Q	R	S	T			W	X	Y	Z
Nut-5/16"-24	33923-S7(M32)		P	Q	R	S	T			W	X	Y	Z
FLOAT ASSY. - primary	C1AZ 9550-A (CM-615)					S							
Secondary	C6AZ 9550-C (CM-672)	N	P	Q	R	S	T	U	V	W	2	2	2
	C7AZ 9550-A (CM-661)							U	V	W	X	Y	Z
BRACKET - DASHPOT MOUNTING	B8AZ 9B550-B (CM-908)	N	P	Q	R	S	T		V	W	X	Y	Z
Screw and washer (dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)	N	P	Q	R	S	T		V	W	X	Y	Z
VALVE ASSY. - POWER	C7AZ 9G551-A							U	V	W	X	Y	Z
PLATE - AIR DISTRIBUTION	C3MY 9F553-A	N	P	Q	R	S	T						
PISTON ASSY. - POWER VALVE	C7AZ 9G553-A							U	V	W	X	Y	Z
VALVE - AIR - R.H.	C7AZ 9H555-A							U	V	W	X	Y	Z
L.H.	C7AZ 9H555-B							U	V	W	X	Y	Z
Screw (valve to air valve shaft)-No. 6-32 x .25" hex. washer head	353939-S(UU52T)							4	4	4	4	4	4
SPRING - AIR VALVE	C7AZ 9H556-B							U	V	W	X	Y	Z
VALVE - FLOAT BOWL VENT	C7AZ 9557-A							U	V	W	X	Y	Z
HOUSING - AIR VALVE SPRING	C7AZ 9H557-A							U	V	W	X	Y	Z
SHAFT - FLOAT LEVER	C7AZ 9558-A (CM-663)							U	V	W	X	Y	Z
	B8A 9558-A (CM-183)	2	2	2	2	2	2						
SWIVEL ASSY. - CHOKE PLATE ADJUSTING	C5AZ 9F558-A	N	P	Q	R	S	T						
RETAINER - AIR VALVE SPRING HOUSING	C7AZ 9H558-A							U	V	W	X	Y	Z
Screw (retainer to air valve shaft)-No.6-32 x .25" hex.washer head	353939-S(UU52T)							U	V	W	X	Y	Z
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)	N	P	Q	R	S	T						
GASKET - FLOAT BOWL	C5OZ 9561-A	N	P	Q	R	S	T						
Repl. by D3AZ 9561-B(CG-233-A)(5/74)	★C7AZ 9561-A (CG-233)							U	V	W	X	Y	Z

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

♦ Parts lists identified by symbol ♦ are common to 352 and 390 engines.

♦ Parts lists identified by symbol ♦ are common to 390 and 428 engines.

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17N THRU 17Z											
		♦N	P	Q	R	♦S	♦T	U	V	W	X	Y	Z
GASKET - ECONOMIZER COVER	B7A 9563-A (CG-234)	N	P	Q	R	S	T						
VALVE KIT - FUEL INLET includes (1) B7A 9569-A gasket and (1) B7AZ 9599-B retainer	D2AZ 9564-A (CV-58-AA)	2	2	2	2	2	2						
VALVE & SEAT ASSY. - FUEL INLET Primary-service pkg. includes (1) C7AZ 9569-A gasket	D0AZ 9564-B (CV-58-A)							U	V	W	X	Y	Z
Secondary	D2AZ 9564-B (CV-86-A)							U	V	W	X	Y	Z
ECONOMIZER KIT	9A565												
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-0 to 5,000 ft. altitude	C0AZ 9A565-A (CE-74)	N	P	Q	R	S	T						
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-5,000 to 10,000 ft. altitude-ident. color "Green"	C0AZ 9A565-B (CE-75)	N	P	Q	R	S	T						
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-10,000 to 15,000ft. altitude-ident. color "Yellow"	C3AZ 9A565-D (CE-78)		P										
GASKET - HOT IDLE COMPENSATOR	★C0LE 9B567-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET - FLOAT VALVE SEAT	★B7A 9569-A		2	2	2	2	2						
GASKET - FUEL INLET NEEDLE SEAT Primary-.51" I.D. -.62" O.D.	C7AZ 9569-A							U	V	W	X	Y	Z
Secondary-.38" I.D. -.50" O.D.	C7AZ 9569-B							U	V	W	X	Y	Z
BUSHING - ACCELERATOR PUMP OVERTRAVEL SPRING	★C3AZ 9F569-A		P	Q	R	S	T						
CUP - PUMP PISTON	C7AZ 9572-A (CM-651)							U	V	W	X	Y	Z
RETAINER - ACCELERATOR PUMP CHECK VALVE (wire)	C7AZ 9575-A (CM-652)							U	V	W	X	Y	Z
RETAINER - ACCELERATOR PUMP CHECK VALVE DISC (plastic)	C7AZ 9575-B (CM-664)							U	V	W	X	Y	Z
HOUSING ASSY. - CHOKE	9A575												
Service pkg. includes (1) B8A 9853-A gasket	C9ZZ 9A575-A (CC-56)	N	P	Q	R	S	T						
Screw and washer (housing to main body)-No. 8-32 x 1.76" fillister head	378547-S7-8(BB61B)	3	3	3	3	3	3						
BALL - ACCELERATOR PUMP CHECK-1/8" diameter	78 9576	N	P	Q	R	S	T						
VALVE - ACCELERATOR PUMP CHECK - plastic	C4AZ 9576-A (CM-825)	N	P	Q	R	S	T						
DISC - ACCELERATOR PUMP CHECK VALVE (plastic)	C7AZ 9576-A							U	V	W	X	Y	Z
Ball (accelerator pump check)-3/16" steel	371350-S(AA4)							U	V	W	X	Y	Z

♦ Parts lists identified by symbol ♦ are common to 352 and 390 engines.

♦ Parts lists identified by symbol ♦ are common to 390 and 428 engines.

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17N THRU 17Z											
		♦N	P	Q	R	♦S	♦T	U	V	W	X	Y	Z
SCREW - PUMP DISCHARGE NOZZLE	C0AZ 9577-A (CM-607)	N	P	Q	R	S	T						
LEVER - FAST IDLE CAM - nylon	C4AZ 9F577-B (CM-492)	N	P	Q	R	S	T						
Screw (lever adjusting)-No. 6-32 x .75" hex. hd.	372307-S(BB527)	N	P	Q	R	S	T						
SPRING - FAST IDLE ADJUSTING SCREW	B8A 9578-B (CM-609)	N	P	Q	R								
Screw (normal idle adjusting)-No. 10-32 x 1" special hex. head slotted	355107-S7(BB536)	N	P	Q	R	S	T						
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	2	2	2	2	2	2	2	2	2	2	2	2
SCREW - IDLE AIR BY-PASS SCREW	C7AZ 9578-A (CM-653)							U	V	W	X	Y	Z
Screw (idle by-pass adjusting)-3/8"-24 x 2.64"	380806-S(BB817CA)							U					
PISTON & ROD ASSY.-AIR VALVE DAMPENER	C7AZ 9H578-A							U	V	W	X	Y	Z
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-B (CM-912)	N	P	Q	R	S	T						
	B9A 9579-A							U	V	W	X	Y	Z
Screw (idle by-pass adjusting)-3/8"-24 x 2.64"	380806-S(BB817CA)								V	W	X	Y	Z
SHAFT - AIR VALVE	C7AZ 9581-A (CM-654)							U	V	W	X	Y	Z
LEVER and SHAFT ASSY. KIT - THROTTLE	C7AZ 9581-B (CM-671)							U	V	W	X	Y	Z
Repl. by D2AZ 9581-A (12/74)	★C9AZ 9581-C (CM-1047)	N	P	Q	R	S	T						
	D2AZ 9581-A (CM-1047-A)	N	P	Q	R	S	T						
LEVER - AIR VALVE DAMPENER	C7AZ 9H582-A							U	V	W	X	Y	Z
LEVER - SECONDARY THROTTLE - DIAPHRAGM	★C5AZ 9583-A R/B B8AZ 9503-C	N	P	Q	R	S	T						
Pin (lever to carb.)-3/16" x 11/16" spring	353848-S8(NN71)	N	P	Q	R	S	T						
LEVER - SECONDARY THROTTLE STOP	C7AZ 9583-C							U	V	W	X	Y	Z
Nut (lever to secondary throttle shaft)-No. 10-32	34079-S7(M163)							U	V	W	X	Y	Z
Lockwasher-No. 10	34803-S7(X60)							U	V	W	X	Y	Z
LINK - AIR VALVE DAMPENER	C7AZ 9H583-A							U	V	W	X		
	C7AZ 9H583-B											Y	Z
Pin (air valve dampener) (1) used to retain accel. pump link (1) used to retain air valve dampener lever	383070-S(SS10E)							2	2	2	2	2	2
Retainer (air valve dampener pin)-1/8" retaining	377918-S8B(XX14F)							2	2	2	2	2	2

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

♦ Parts lists identified by symbol ♦ are common to 352 and 390 engines.

♦ Parts lists identified by symbol ♦ are common to 390 and 428 engines.

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17N THRU 17Z											
		♦N	P	Q	R	♦S	♦T	U	V	W	X	Y	Z
PLATE - THROTTLE - primary	B8A 9585-E	2	2	2	2	2	2						
Primary	★C7AZ 9585-A							2	2	2	2		2
Primary	★C7MY 9585-A											2	
Secondary	★C5ZZ 9585-A	2	2	2	2	2	2						
Secondary	C7AZ 9585-E (CM-837)							2	2	2	2	2	2
Screw (primary throttle plates to shaft)-No. 8-32 x .25" hex. washer head	353358-S(UU52U)							4	4	4	4	4	4
Screw (secondary throttle plates to shaft)								4	4	4	4		4
Screw (throttle plate)-No. 8-32 x .38" fill. hd.	378361-S2(UU43D)	8	8	8	8	8	8					4	
LEVER - MECHANICAL VENT VALVE ADJUSTING	C7AZ 9H585-A							U	V	W	X	Y	Z
GASKET - ECONOMIZER VALVE	C2AZ 9A588-B (CM-533)	N	P	Q	R	S	T						
STOP - MECHANICAL VENT SPRING	★C7AZ 9H588-A							U	V	W	X	Y	Z
LEVER and SHAFT ASSY. - SECONDARY THROTTLE PLATE - Steel shaft	B8AZ 9A592-E (CM-618)	N	P	Q	R	S	T						
	C7AZ 9A592-B (CM-680)							U	V	W	X	Y	Z
SEAL - AIR VALVE DAMPENER ROD Tag code C7OF-AH	C7AZ 9H593-A (CM-689)											Y	
ROD - SECONDARY DIAPHRAGM CONTROL	♦B8A 9596-A	N	P	Q	R	S	T						
Retainer (rod to lever)	353610-S8(NN126)	N	P	Q	R	S	T						
CAM ASSY. - FAST IDLE	C5AZ 9597-D (CM-637)	N	P	Q	R	S	T						
	C7AZ 9597-A (CM-665)							U	V	W	X	Y	Z
Retainer (fast idle cam)-"C" washer	351825-S(XX9)	N	P	Q	R	S	T						
SPRING - ACCELERATOR PUMP ROD	C7AZ 9D598-A (CM-1037)							U					
RETAINER - FLOAT LEVER SHAFT	B7AZ 9599-B (CM-612)	2	2	2	2	2	2						
ROD - CHOKE CONTROL	C5AZ 9A599-B (CM-915)	N	P	Q	R	S	T						
	C7AZ 9A599-A							U	V	W	X	Y	Z
Ring (rod to shaft & lever)-1/8" retaining	377918-S8B(XX14F)	N	P	Q	R	S	T	2	2	2	2	2	2
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A (CM-544)	N	P	Q	R	S	T						
SHAFT and LEVER ASSY. - CHOKE HOUSING	D2AZ 9A753-A (CM-1510)	N	P	Q	R	S	T						
	D2AZ 9A753-B (CM-817-A)							U	V	W	X	Y	Z
Washer (shaft & lever to choke housing)-"C"	353862-S8(XX10)	N	P	Q	R	S	T						

♦ Parts lists identified by symbol ♦ are common to 352 and 390 engines.

♦ Parts lists identified by symbol ♦ are common to 390 and 428 engines

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17N THRU 17Z											
		♦N	P	Q	R	♦S	♦T	U	V	W	X	Y	Z
WASHER - CHOKE ROD SEAL -.66" long-.50" wide-.015" thick-.18" diam. hole (brass)-use with B7AZ 9B501-A seal	C4AZ 9C771-A	2	2	2	2	2	2						
PISTON ASSY. - CHOKE	C6AZ 9840-B (CM-624)	N	P	Q	R	S	T					Y	
Screw & washer assy. (piston to shaft)-No. 6-32 x 3/8" pan head	50802-S7(U150)	N	P	Q	R	S	T					Y	
CLAMP - THERMOSTATIC CHOKE HOUSING	D3AZ 9842-A (CM-1742)	N	P	Q	R	S	T						
	C7AZ 9842-A (CM-666)							U	V	W	X	Y	Z
Screw (clamp to choke housing)-No. 8-32 x 1/2" fillister head	31061-S8(U50)	3	3	3	3	3	3	3	3	3	3	3	3
HOUSING KIT - THERMOSTATIC CHOKE	9848												
Ident. by letters "TN"-kit includes (1) C1AZ 9871-A, D0AZ 9871-A gaskets & (1) choke housing-tag code C6OF-D	C4AZ 9848-A (CM-458)		P	Q									
Identified by letters "TO"-kit includes (1) C1AZ 9871-A gasket & (1) choke housing Tag code C6OF-E	C4AZ 9848-B (CM-459)	N	P		R	S	T						
Identified by letters "BO"-kit includes (1) C1AZ 9871-A gasket & (1) choke housing Tag code C7OF-AH	C7AZ 9848-A (CM-667)							U	V	W	X	Y	Z
Identified by letters "BW"-kit includes (1) C1AZ 9871-A gasket & (1) choke housing Tag code C7OF-H	C7AZ 9848-B (CM-677)											Y	
BUSHING - CHOKE HOUSING	C7AZ 9851-A (CM-668)							U	V	W	X	Y	Z
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A (CG-93)	N	P	Q	R	S	T						
SHIELD - CHOKE THERMOSTAT	C4AZ 9861-A	N	P	Q	R	S	T						
Screw & washer (shield to housing)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	2	2	2	2	2	2						
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A (CG-102)	N	P	Q	R	S	T	U	V	W	X	Y	Z
LEVER ASSY. -ACCEL. PUMP OVERTRAVEL	B8AZ 9919-A (CM-547)		P	Q	R	S	T						
Washer(lever to shaft)-"C"	374035-S(XX13C)		P	Q	R	S	T						
COVER - ECONOMIZER VALVE	C8AZ 9930-A (CM-728)	N	P	Q	R	S	T						
Screw and washer (economizer valve cover to body)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	4	4	4	4	4	4						
TUBE - SECONDARY THROTTLE CONTROL VACUUM-standard size-use w/new air horn only	B8A 9997-A	2	2	2	2	2	2						
.002" O/S-use as service replacement for B8A 9997-A tube only	B8A 9997-B	2	2	2	2	2	2						

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

♦ Parts lists identified by symbol ♦ are common to 352 and 390 engines.

♦ Parts lists identified by symbol ♦ are common to 390 and 428 engines.

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17AA THRU 17AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
GASKET SET - repl.by D2AZ 9502-D (12-73)	★C8AZ 9502-C (CG-221)					AE	AF	AG	AH	AJ	AK	AL	AM
Repl. by D3AZ 9502-A (4/74)	★D2AZ 9502-D (CG-221-A)					AE	AF	AG	AH	AJ	AK	AL	AM
	D3AZ 9502-A (CG-221-B)					AE	AF	AG	AH	AJ	AK	AL	AM
TUNE UP KIT	D2AZ 9A586-D (CT-226-A)	AA	AB			AE	AF	AG	AH	AJ	AK	AL	AM
REPAIR KIT	★C7AZ 9590-C (CR-332) Service details					AE	AF	AG	AH	AJ	AK		
Tag codes C8AF-A, C8AF-AR - Service details	★C8AZ 9590-G (CR-353)											AL	
Tag code C8AF-B - service details	★C8AZ 9590-F (CR-352)											AL	AM
Cap-tube-3/16" -use to cap vacuum to tube opening	380614-S(DD3)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Screw (fast idle adjusting)-No. 10-32 x 3/4" set (slotted headless)	382297-S(UU26L)											AL	AM
LIMITER - IDLE ADJUSTING NEEDLE	C7AZ 9J500-B (CM-747)											2	2
SPRING - SECONDARY THROTTLE DIAPHRAGM RETURN-10 coils.-44" I.D.	C7AZ 9B504-A (CM-656)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
ROD - SECONDARY THROTTLE CONTROL	C7AZ 9C504-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Ring (rod to throttle shaft & lever primary & secondary)-1/8" retaining	377918-S8B(XX14F)	2	2	2	2	2	2	2	2	2	2	2	2
BUSHING - THROTTLE SHAFT (nylon)	C7AZ 9B508-A					AE	AF	AG	AH	AJ	AK	AL	AM
GASKET - THROTTLE BODY TO MAIN BODY	C7AZ 9516-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
VALVE - ACCELERATOR PUMP DISCHARGE NEEDLE	C7AZ 9A516-B (CM-676)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
BODY and SHAFT ASSY. - THROTTLE	★C7AZ 9518-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ			
	★C7AZ 9518-B										AK		
Tag code C8AF-A,AR	C8AZ 9518-D (CM-922)											AL	
Tag code C8AF-A,B	C8AZ 9518-E (CM-936)											AL	AM
Screw & washer (throttle body to main body)-No.10-32 x .88" fill.hd. Air horn to main body	381744-S(BB80H)	6	6	6	6	6	6	6	6	6	6 10	6 16	16
SEAL - AIR HORN	C7AZ 9C527-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	
	C8AZ 9C527-A (CM-1682)												AM
LINK - ACCELERATOR PUMP	C7AZ 9529-B(CM-694)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
COMPENSATOR ASSY. - HOT IDLE	C7AZ 9B532-A (CM-903)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Screw (hot idle compensator to air horn)-No. 8-32 x .38" fillister head	378361-S2(UU43D)	2	2	2	2	2	2	2	2	2	2	2	2
JET - MAIN METERING	9533												
No. 53F - 0 to 5,000 ft. altitude	C3DZ 9533-A(CJ-128)					2		2					
No. 51F - 5,000 to 10,000 ft. altitude	C3DZ 9533-B(CJ-136)					2		2					
Tag codes C7AF-AD													
No. 51F - 0 to 5,000 ft. altitude	C3DZ 9533-B(CJ-136)						2						
No. 49F - 5,000 to 10,000 ft. altitude	C3DZ 9533-C(CJ-137)						2						
Tag codes C7AF-BJ													
No. 48F - 0 to 5,000 ft. altitude	C3UZ 9533-D(CJ-142)						2						
No. 46F - 5,000 to 10,000 ft. altitude	C3AZ 9533-G(CJ-156)						2						

♦ Parts lists identified by symbol ♦ are common to 352 and 390 engines.

◊ Parts lists identified by symbol ◊ are common to 289, 302, 390 and 428 engines.

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17AA THRU 17AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
JET - MAIN METERING - continued	9533												
Tag codes C7AF-AH, AY, C7OF-S													
No. 51F - 0 to 5,000 ft. altitude	C3DZ 9533-B(CJ-136)								2	2			
No. 49F - 5,000 to 10,000 ft. altitude	C3DZ 9533-C(CJ-137)								2	2			
Tag codes C7AF-BH, C7OF-AJ													
No. 48F - 0 to 5,000 ft. altitude	C3UZ 9533-D(CJ-142)								2	2			
No. 46F - 5,000 to 10,000 ft. altitude	C3AZ 9533-G(CJ-156)								2	2			
No. 46F - 0 to 5,000 ft. altitude	C3AZ 9533-G(CJ-156)										2		
No. 44F - 5,000 to 10,000 ft. altitude	C3OZ 9533-G(CJ-161)										2		
Tag code C8AF-B													
No. 46F - 0 to 5,000 ft. altitude	C3AZ 9533-G(CJ-156)											2	
No. 44F - 5,000 to 10,000 ft. altitude	C3OZ 9533-G(CJ-161)											2	
Tag code C8AF-A													
No. 48F - 0 to 5,000 ft. altitude	C3UZ 9533-D(CJ-142)											2	
No. 46F - 5,000 to 10,000 ft. altitude	C3AZ 9533-G(CJ-156)											2	
Tag code C8AF-AR													
No. 48F - 0 to 5,000 ft. altitude	C3UZ 9533-D(CJ-142)											2	
No. 46F - 5,000 to 10,000 ft. altitude	C3AZ 9533-G(CJ-156)											2	
Tag codes C8AF-AS, C8PF-V													
No. 48F - 0 to 5,000 ft. altitude	C3UZ 9533-D(CJ-142)												2
No. 46F - 5,000 to 10,000 ft. altitude	C3AZ 9533-G(CJ-156)												2
LEVER - THROTTLE SHAFT AUXILIARY	C7AZ 9A537-B	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Screw (lever to carburetor)-No. 8-32 x .36" pan head shoulder	380808-S(BB683D)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
LEVER - FAST IDLE ADJUSTING	C7AZ 9538-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
r/b (1) D1AZ 9B538-A & D1AZ 9538-A	★C8AZ 9538-C (CM-1011)											AL	AM
Nut (lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Lockwasher-No. 10	34903-S8(X96)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
SPRING - THROTTLE RETURN - tag codes C7AF-AD, BJ	C7AZ 9A538-D	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
SPRING - ACCELERATOR PUMP OVERTRAVEL Tag codes C8AF-A, B	C7AZ 9A538-C	AA	AB	AC	AD	AE	AF	AG	AH	AJ		AL	
SCREW - FAST IDLE ADJUSTING	C4AZ 9B538-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
	C8AZ 9B538-A											AL	AM
NEEDLE - IDLE ADJUSTING	C7AZ 9541-A (CM-657)	2	2	2	2	2	2	2	2	2	2		
Tag code C8AF-B	C7MY 9541-B (CM-749)											2	2
Tag codes C8AF-A, AR	C8AZ 9541-D (CM-723)											2	
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	C7AZ 9B542-B (CM-695)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Ring (accel. pump link rod to accel. link)-1/8" retaining	97460-S7-8(Q4F)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	
PISTON - ACCELERATOR PUMP - Repl. by C7AZ 9B544-B, C7AZ 9572-A, C7AZ 9D598-A & C7AZ 9599-A	★C7AZ 9B544-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Does not include retainer, spring & cup	C7AZ 9B544-B (CP-50)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

♦ Parts lists identified by symbol ♦ are common to 352 and 390 engines.

◊ Parts lists identified by symbol ◊ are common to 289, 302, 390 and 428 engines.

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17AA THRU 17AM											
		AA	AB	AC	AD	AE	AF	AG	§AH	AJ	AK	§AL	◊AM
PLATE - CHOKE	C7AZ 9545-A (CM-659)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Screw (choke plate)-No. 6-32 x .31" pan hd.	381761-S(UU81JA)	2	2	2	2	2	2	2	2	2	2	2	2
SHAFT and LEVER ASSY. - CHOKE	C7AZ 9546-A (CM-660)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
DASHPOT ASSY.	C1AZ 9B549-A(CD-6)				AD			AG	AH		AK	AL	AM
Nut-5/16"-24	33923-S7(M32)				AD			AG	AH		AK	AL	AM
FLOAT ASSY.	C7AZ 9550-A (CM-661)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
BRACKET - DASHPOT MOUNTING	B8AZ 9B550-B (CM-908)			AC	AD		AF	AG	AH	AJ	AK		
	D0AZ 9B550-A (CM-1113)											AL	AM
Screw & washer (dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)			AC	AD		AF	AG	AH	AJ	AK	AL	AM
VALVE ASSY. - POWER	C7AZ 9G551-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
PISTON ASSY. - POWER VALVE	C7AZ 9G553-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	
	★C8AZ 9G553-A												AM
VALVE - AIR - R.H.	C7AZ 9H555-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
L.H.	C7AZ 9H555-B	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Screw (valve to air valve shaft)-No. 6-32 x .25" hex. washer head	353939-S(UU52T)	4	4	4	4	4	4	4	4	4	4	4	
Screw (valve to air valve shaft)-No. 6-32 x .31" hex. washer head	381761-S(UU81JA)												4
SPRING - AIR VALVE	C7AZ 9H556-B	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	
	C8AZ 9H556-A (CM-1690)												AM
VALVE ASSY. - FLOAT BOWL VENT	C7AZ 9557-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
HOUSING - AIR VALVE SPRING	C7AZ 9H557-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	
SHAFT - FLOAT LEVER	C7AZ 9558-A (CM-663)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	
RETAINER - AIR VALVE SPRING HOUSING	C7AZ 9H558-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	
Screw (retainer to air valve shaft)-No. 6-32 x .25" hex. washer head	353939-S(UU52T)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	
GASKET - FLOAT BOWL - r/b D3AZ 9561-B(CG-233-A)(5/74)	★C7AZ 9561-A (CG-233)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
VALVE & SEAT ASSY. - FUEL INLET - Primary	D0AZ 9564-B (CV-58-A)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Secondary	D2AZ 9564-B (CV-86-A)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
GASKET - HOT IDLE COMPENSATOR	★C0LE 9B567-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
GASKET - FUEL INLET NEEDLE SEAT Primary-.51" I.D. -.62" O.D.	C7AZ 9569-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Secondary-.38" I.D. -.50" O.D.	C7AZ 9569-B	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
CUP - PUMP PISTON	C7AZ 9572-A (CM-651)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM

§ Parts lists identified by symbol § are common to 352 and 390 engines
◊ Parts lists identified by symbol ◊ are common to 289, 302, 390 and 428 engines.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17AA THRU 17AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
RETAINER - ACCELERATOR PUMP CHECK VALVE (wire)	C7AZ 9575-A (CM-652)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
RETAINER - ACCELERATOR PUMP CHECK VALVE DISC (plastic)	C7AZ 9575-B (CM-664)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
DISC - ACCELERATOR PUMP CHECK VALVE (plastic)	C7AZ 9576-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Ball (accelerator pump check)-3/16"steel	371350-S(AA4)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
SPRING - IDLE AIR BY-PASS SCREW	C7AZ 9578-A (CM-653)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	2	2	2	2	2	2	2	2	2	2	2	2
PISTON & ROD ASSY. - AIR VALVE DAMPENER	C7AZ 9H578-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	
	D2AZ 9H578-A (CM-1683-A)												AM
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	
Screw (idle by-pass adjusting)-3/8"-24 x 2.64"	380806-S(BB817CA)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	
SHAFT - AIR VALVE Tag code C8AF-AR	C7AZ 9581-A (CM-654)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	
LEVER and SHAFT ASSY. KIT - THROTTLE	C7AZ 9581-B (CM-671)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
LEVER and SHAFT ASSY. - THROTTLE - Tag code C8AF-B	C9ZZ 9581-B (CM-941)											AL	AM
Tag code C8AF-A	C9ZZ 9581-A (CM-940)											AL	
LEVER - AIR VALVE DAMPENER	C7AZ 9H582-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	
	C8AZ 9H582-A (CM-1692)												AM
LEVER - SECONDARY THROTTLE STOP	C7AZ 9583-C	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Nut (lever to secondary throttle shaft)-No.10-32	34079-S7(M163)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Lockwasher-No. 10	34803-S7(X60)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
LINK - AIR VALVE DAMPENER	C7AZ 9H583-B	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	
	C8AZ 9H583-A (CM-1684)												AM
Pin (air valve dampener) (1) used to retain accel. pump link (1) used to retain air valve dampener lever	383070-S(SS10E)	2	2	2	2	2	2	2	2	2	2	2	2
Retainer (air valve dampener pin)-1/8"retaining	377918-S8B(XX14F)	2	2	2	2	2	2	2	2	2	2	2	2
PLATE - THROTTLE - primary	★C7AZ 9585-A	2	2	2	2								
Primary	★C7MY 9585-A					2	2	2	2	2	2		
Primary	C8AZ 9585-F (CM-840)											2	
Primary	B8A 9585-E												2
Secondary	C7AZ 9585-E (CM-837)	2	2	2	2	2	2	2	2	2	2	2	2
Screw (primary throttle plates to shaft)-No. 8-32 x .25" hex. washer head	353358-S(UU52U)	4	4	4	4	4	4	4	4	4	4		4
Screw (secondary throttle plates to shaft)		4	4	4	4								
Screw (secondary throttle plates to shaft)-No.8-32 x .38" fill.hd.	378361-S2(UU43D)					4	4	4	4	4	4	4	
Screw(primary & secondary plates to shafts)													8
Screw(primary plates to shaft)-No. 3-48 x .38"	382681-S(BB822T)											4	
LEVER - MECHANICAL VENT VALVE ADJUSTING	C7AZ 9H585-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
STOP - MECHANICAL VENT SPRING -	★C7AZ 9H588-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		AM
LEVER and SHAFT ASSY. - SECONDARY THROTTLE PLATE	C7AZ 9A592-B (CM-680)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

♦ Parts lists identified by symbol ♦ are common to 352 and 390 engines.

◊ Parts lists identified by symbol ◊ are common to 289, 302, 390 and 428 engines.

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17AA THRU 17AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
SEAL - AIR VALVE DAMPENER ROD Tag code C7AF-BJ Tag codes C7AF-BH, C7OF-AJ	C7AZ 9H593-A (CM-689)						AF		AH	AJ	AK	AL	AM
CAM ASSY. - FAST IDLE	C7AZ 9597-A (CM-665)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
	D1SZ 9597-A (CM-1451)											AL	AM
SPRING - ACCELERATOR PUMP ROD	C7AZ 9D598-A (CM-1037)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
RETAINER - ACCELERATOR PUMP SPRING	C7AZ 9599-A (CM-1038)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
ROD - CHOKE CONTROL	C7AZ 9A599-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Ring (rod to shaft & lever)-1/8" retaining	377918-S8B(XX14F)	2	2	2	2	2	2	2	2	2	2	2	2
SHAFT and LEVER ASSY. (CHOKE HOUSING)	D2AZ 9A753-B (CM-817-A)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
PISTON ASSY. - CHOKE Tag code C7AF-AD tag codes C7AF-AH, AY, C7OF-S, AJ	C6AZ 9840-B (CM-624)					AE	AF	AG	AH	AJ	AK		
	C8SZ 9840-A (CM-720)											AL	
	C8SZ 9840-B (CM-860)												AM
Screw & washer assy. (piston to shaft)- No. 6-32 x 3/8" pan head	50802-S7(U150)					AE	AF	AG	AH	AJ	AK	AL	AM
CLAMP - THERMOSTATIC CHOKE HOUSING	C7AZ 9842-A (CM-666)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
	C8AZ 9842-A (CM-805)											AL	AM
Screw (clamp to choke housing)- No. 8-32 x 3/4" fillister head	31093-S7-8(U52)											3	3
Screw (clamp to choke housing)-No. 8-32 x 1/2" fillister head	31061-S8(U50)	3	3	3	3	3	3	3	3	3	3		
HOUSING KIT - THERMOSTATIC CHOKE - identified by letters "BO" - kit includes (1) C1AZ 9871-A gasket & (1) choke housing Tag code C7AF-BJ Tag codes C7AF-BH, C7OF-AJ	C7AZ 9848-A (CM-667)	AA	AB	AC	AD		AF		AH	AJ	AK		
Identified by letters "BW"-kit includes (1) C1AZ 9871-A gasket & (1) choke housing Tag code C7AF-AD Tag code C7AF-AH Tag code C7OF-S	C7AZ 9848-B (CM-677)						AF		AH	AJ			
Identified by letters "BY"-kit includes (1) C1AZ 9871-A gasket & (1) choke housing	C7AZ 9848-D (CM-679)					AE		AG					
HOUSING - THERMOSTATIC CHOKE - identified by letter "BOA"-service pkg. includes (1) C1AE 9871-A gasket- tag code C7AF-AY	C7AZ 9848-E (CM-688)								AH				
Identified by letters "EY"-service pkg. includes C1AE 9871-A gasket- tag codes C8AF-A, C8AF-AR Tag code C8AF-AS	C8AZ 9848-A (CM-826)											AL	AM
Identified by letters "EW"-service pkg. includes (1) C1AE 9871-A gasket- tag code C8AF-B Tag code C8PF-V	C8AZ 9848-C (CM-806)											AL	AM
BUSHING - CHOKE HOUSING	C7AZ 9851-A (CM-668)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM

♦ Parts lists identified by symbol ♦ are common to 352 and 390 engines.

◊ Parts lists identified by symbol ◊ are common to 289, 302, 390 and 428 engines

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17AN THRU 17AZ											
		AN	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ
GASKET SET - repl.by D2AZ 9502-D (12-73)	★C8AZ 9502-C(CG-221)	AN	AP	AQ									
Repl. by D3AZ 9502-A (4/74)	★D2AZ 9502-D	AN	AP	AQ									
	D3AZ 9502-A (CG-221-B)	AN	AP	AQ									
TUNE UP KIT	D2AZ 9A586-D (CT-226-A)	AN	AP	AQ									
REPAIR KIT	★C8AZ 9590-F(CR-352) Service details	AN	AP	AQ									
Screw (fast idle adjusting)-No. 10-32 x 3/4" set (slotted headless)	382297-S(UU26L)	AN	AP	AQ									
LIMITER - IDLE ADJUSTING NEEDLE	C7AZ 9J500-B(CM-747)	2	2	2									
SPRING - SECONDARY THROTTLE DIAPHRAGM RETURN - 10 coils-.44" I.D.	C7AZ 9B504-A (CM-656)	AN	AP	AQ									
ROD - SECONDARY THROTTLE CONTROL	C7AZ 9C504-A	AN	AP	AQ									
Ring (rod to throttle shaft & lever primary & secondary)-1/8" retaining	377918-S8B(XX14F)	2	2	2									
BUSHING - THROTTLE SHAFT (nylon)	C7AZ 9B508-A	AN	AP	AQ									
GASKET - THROTTLE BODY TO MAIN BODY	C7AZ 9516-A	AN	AP	AQ									
VALVE - ACCELERATOR PUMP DISCHARGE NEEDLE	C7AZ 9A516-B(CM-676)	AN	AP	AQ									
BODY and SHAFT ASSY.- THROTTLE	★C9OZ 9518-B(CM-964)	AN											
	★C9ZZ 9518-C(CM-965)		AP										
	★C9ZZ 9518-D(CM-966)			AQ									
Screw & washer (air horn to main body)-No.10-32 x .88"fill.hd.	381744-S(BB80H)	16	16	16									
SEAL - AIR HORN	C8AZ 9C527-A (CM-1682)	AN	AP	AQ									
LINK - ACCELERATOR PUMP	C7AZ 9529-B(CM-694)	AN	AP	AQ									
JET - MAIN METERING	9533												
No.62F - 0 to 10,000 ft. altitude	C3AZ 9533-A(CJ-134)	2											
No.63F - 0 to 10,000 ft. altitude	C3AZ 9533-B(CJ-135)		2	2									
LEVER - THROTTLE SHAFT AUXILIARY	C7AZ 9A537-B	AN	AP	AQ									
Screw (lever to carburetor)-No. 8-32 x .36" pan head shoulder	380808-S(BB683D)	AN	AP	AQ									
LEVER - FAST IDLE ADJUSTING - r/b (1) D1AZ 9B538-A & (1) D1AZ 9538-A	★C8AZ 9538-C (CM-1011)	AN	AP	AQ									
Nut (lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	AN	AP	AQ									
Lockwasher-No. 10	34903-S8(X96)	AN	AP	AQ									
SPRING - THROTTLE RETURN	C7AZ 9A538-D	AN	AP	AQ									
SPRING - ACCELERATOR PUMP OVERTRAVEL	C7AZ 9A538-C		AP										
SCREW - FAST IDLE ADJUSTING	C8AZ 9B538-A	AN	AP	AQ									
NEEDLE - IDLE ADJUSTING	C7MY 9541-B(CM-749)	2	2	2									

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17AN THRU 17AZ											
		AN	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER -	C7AZ 9B542-B (CM-695)	AN	AP	AQ									
PISTON - ACCELERATOR PUMP - includes retainer, spring and cup-Repl. by C7AZ 9B544-B, C7AZ 9572-A, C7AZ 9D598-A & C7AZ 9599-A	★C7AZ 9B544-A	AN	AP	AQ									
Does not include retainer, spring and cup	C7AZ 9B544-B (CP-50)	AN	AP	AQ									
PLATE - CHOKE	C7AZ 9545-A(CM-659)	AN	AP	AQ									
Screw (choke plate)-No. 6-32 x .31" pan hd.	381761-S(UU81JA)	2	2	2									
SHAFT and LEVER ASSY. - CHOKE	C7AZ 9546-A (CM-660)	AN	AP	AQ									
SHAFT - CHOKE PLATE	C9AZ 9547-A (CM-1145)	AN	AP	AQ									
DASHPOT ASSY.	C1AZ 9B549-A(CD-6)		AP										
Nut-5/16"-24	33923-S7(M32)		AP										
FLOAT ASSY.	C7AZ 9550-A (CM-661)	AN	AP	AQ									
BRACKET - DASHPOT MOUNTING	D0AZ 9B550-A (CM-1113)		AP										
Screw & washer (dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)		AP										
LEVER - CHOKE SHAFT	C9AZ 9551-A (CM-1144)	AN	AP	AQ									
VALVE ASSY. - POWER	C7AZ 9G551-A	AN	AP	AQ									
PISTON ASSY. - POWER VALVE	★C8AZ 9G553-A	AN	AP	AQ									
VALVE - AIR - R.H.	C7AZ 9H555-A	AN	AP	AQ									
L.H.	C7AZ 9H555-B	AN	AP	AQ									
Screw (valve to air valve shaft)-No. 6-32 x .31" hex. washer head	381761-S(UU81JA)	4	4	4									
SPRING - AIR VALVE -	C9ZZ 9H556-A (CM-967)	AN	AP	AQ									
SHAFT - FLOAT LEVER	C7AZ 9558-A(CM-663)	AN	AP	AQ									
GASKET - FLOAT BOWL- r/b D3AZ 9561-B(CG-233-A)(5/74)	★C7AZ 9561-A(CG-233)	AN	AP	AQ									
VALVE AND SEAT ASSY. - FUEL INLET - Primary	D0AZ 9564-B (CV-58-A)	AN	AP	AQ									
Secondary	D2AZ 9564-B (CV-86-A)	AN	AP	AQ									
GASKET - FUEL INLET NEEDLE SEAT Primary-.51" I.D.-.62" O.D.	C7AZ 9569-A	AN	AP	AQ									
Secondary-.38" I.D.-.50" O.D.	C7AZ 9569-B	AN	AP	AQ									
CUP - PUMP PISTON	C7AZ 9572-A(CM-651)	AN	AP	AQ									
RETAINER - ACCELERATOR PUMP CHECK VALVE (wire)	C7AZ 9575-A(CM-652)	AN	AP	AQ									
RETAINER - ACCELERATOR PUMP CHECK VALVE DISC (plastic)	C7AZ 9575-B(CM-664)	AN	AP	AQ									
DISC - ACCELERATOR PUMP CHECK VALVE (plastic)	C7AZ 9576-A	AN	AP	AQ									
Ball (accelerator pump check)-3/16" steel	371350-S(AA4)	AN	AP	AQ									

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 17AN THRU 17AZ											
		AN	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	2	2	2									
PISTON & ROD ASSY. - AIR VALVE DAMPENER	D2AZ 9H578-A (CM-1683-A)	AN	AP	AQ									
SHAFT - AIR VALVE	C7AZ 9581-A(CM-654)	AN	AP	AQ									
LEVER and SHAFT ASSY. - THROTTLE	C9ZZ 9581-A(CM-940)	AN	AP										
	C9ZZ 9581-B(CM-941)			AQ									
LEVER - AIR VALVE DAMPENER	C8AZ 9H582-A (CM-1692)		AP	AQ									
LEVER - SECONDARY THROTTLE STOP	C7AZ 9583-C	AN	AP	AQ									
Nut (lever to secondary throttle shaft)-No. 10-32	34079-S7(M163)	AN	AP	AQ									
Lockwasher-No. 10	34803-S7(X60)	AN	AP	AQ									
LINK - AIR VALVE DAMPENER	C8AZ 9H583-A (CM-1684)		AP	AQ									
Pin (air valve dampener) (1) used to retain accel. pump link (1) used to retain air valve dampener lever	383070-S(SS10E)		2	2									
Retainer (air valve dampener pin)-1/8" retaining	377918-S8B(XX14F)		2	2									
PLATE - THROTTLE - primary	B8A 9585-F	2	2	2									
Secondary	C9ZZ 9585-A(CM-969)	2	2	2									
Screw (primary plates to shaft)-No. 3-48 x .38"	382681-S(BB822T)	4	4	4									
LEVER and SHAFT ASSY. - SECONDARY THROTTLE PLATE	C8SZ 9A592-B (CM-841)	AN	AP	AQ									
SEAL - AIR VALVE DAMPENER ROD-	C7AZ 9H593-A (CM-689)	AN	AP	AQ									
CAM ASSY. - FAST IDLE	D1SZ 9597-A (CM-1451)	AN	AP	AQ									
SPRING - ACCELERATOR PUMP ROD	C7AZ 9D598-A (CM-1037)	AN	AP	AQ									
RETAINER - ACCELERATOR PUMP SPRING	C7AZ 9599-A (CM-1038)	AN	AP	AQ									
ROD - CHOKE CONTROL	C7AZ 9A599-A	AN	AP	AQ									
Ring (rod to shaft & lever)-1/8" retaining	377918-S8B(XX14F)	2	2	2									
SHAFT and LEVER ASSY. - CHOKE HOUSING	D2AZ 9A753-B (CM-817-A)	AN	AP	AQ									
PISTON ASSY. - CHOKE	C8SZ 9840-A(CM-720)	AN	AP	AQ									
Screw & washer assy. (piston to shaft)- No. 6-32 x 3/8" pan head	50802-S7(U150)	AN	AP	AQ									
CLAMP - THERMOSTATIC CHOKE HOUSING	C8AZ 9842-A(CM-805)	AN	AP	AQ									
Screw (clamp to choke housing)- No. 8-32 x 3/4"-fillister head	31093-S7-8(U52)	3	3	3									
HOUSING - THERMOSTATIC CHOKE Identified by letters "EY"-service pkg. includes C1AZ 9871-A gasket-	9848 C8AZ 9848-A(CM-826)	AN		AQ									
HOUSING KIT - THERMOSTATIC CHOKE- identified by letters "EOB" - kit includes (1) C1AZ 9871-A gasket & (1) choke housing	C9ZZ 9848-A(CM-971)		AP										
BUSHING - CHOKE HOUSING	C7AZ 9851-A(CM-668)	AN	AP	AQ									
SHIELD - CHOKE THERMOSTATIC	D0OZ 9861-A	AN	AP	AQ									
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)	AN	AP	AQ									

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 19A THRU 19M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET-r/b D2AZ 9502-A(5/74)	★D0AZ 9502-A(CG-264)	A	B	C	D	E	F	G	H	J	K	L	M
	D2AZ 9502-A (CG-269-B)	A	B	C	D	E	F	G	H	J	K	L	M
TUNE UP KIT -r/b D4AZ 9A586-A	★D2AZ 9A586-B (CT-499-C)	A	B	C	D	E	F	G	H	J	K	L	M
	D4AZ 9A586-A (CT-499-D)	A	B	C	D	E	F	G	H	J	K	L	M
REPAIR KIT	★ B9AZ 9590-E (CR-272) Service detail	A	B	C	D	E	F	G	H	J	K	L	M
Screw (transmission kickdown adjusting)-No. 10-32 x 1.00" hex. hd.	379622-S7-8(UU52M)	A	B	C	D	E	F						
Cap (attach to spark vacuum tube)-3/16" tube	380614-S(DD3)								H	J	K		M
Bolt (carb.to manifold)-5/16" x 18-3 3/4"	45562-S8(B69)	A	B	C	D	E	F	G	H	J	K	L	M
SEAL - FAST IDLE ROD - 1/8" I.D. x 1/2" O.D. felt-use with C4AZ 9C771-A washer	B7AZ 9B501-A	A	B	C	D	E	F	G	H	J	K	L	M
90" long-.44" wide-.05" thick-.133 dia. hole (nylon)	C7AZ 9B501-A	A	B	C	D	E	F	G	H	J	K	L	M
WEIGHT - PUMP DISCHARGE BALL - .109"O.D. - .88" long	C2OZ 9B511-A (CM-555)	A	B	C	D	E	F	G	H	J	K	L	M
ROD - FLOAT BOWL VENT - tag codes C7AF-AK, BE, BR, C7OF-U, AK	C6TZ 9A515-B								H		K		M
BRACKET - FLOAT BOWL VENT - tag codes C7AF-BE, BR, C7OF-AK	D4AZ 9E520-A								H		K		
SUPPORT ASSY. - BOOSTER VENTURI - identified by letters "PK"	D1PZ 9A523-K (CM-1408)		B					G				L	
Identified by letter "D" Tag codes C6MF-A, C6OF-C	C6AZ 9A523-B	A			D		F						
Identified by letter "G" - tag codes C6MF-J, C6OF-AH, C7AF-BE	D1PZ 9A523-V (CM-729-A)				D		F		H		K		M
Identified by letter "P"	C6AZ 9A523-E			C		E							
Identified by letters "PN" Tag code C7AF-Z	D1PZ 9A523-N (CM-818-A)									J	K		
Ball (accel. pump discharge valve)-3/16" steel	371350-S(AA4)	A	B	C	D	E	F	G	H	J	K	L	M
HORN - AIR - less shaft - service pkg. includes (1) C2OZ 9561-B gasket Tag code C7AF-Z	C0AZ 9524-C (CM-211)	A	B	C	D	E	F	G		J	K	L	
Tag code C7AF-BE	C7AZ 9524-A								H		K		M
Screw and washer (horn and plugs to main body)-No. 10-32 x 5/8"	43256-S8 (U77F)	4	4	4	4	4	4	4	4	4	4	4	4
COVER ASSY. - ACCELERATOR PUMP	D1AZ 9528-A (CM-648-A)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (cover to carb.)-No. 8-32 x 9/16" fill.hd.	379436-S8B(UU43F)	4	4	4	4	4	4	4	4	4	4	4	4
ROD - FAST IDLE CAM	C3AZ 9D530-A	A	B	C	D	E	F	G	H	J	K	L	M
Retainer (fast idle cam rod)-"C" washer	351825-S(XX9)	2	2	2	2	2	2	2	2	2	2	2	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 19A THRU 19M											
		A	B	C	D	E	F	G	H	J	K	L	M
JET - MAIN METERING	9533												
No. 57F - 0 to 5,000 ft. altitude	C3OZ 9533-A(CJ-129)	2	2							2	2		
No. 55F - 5,000 to 10,000 ft. altitude	C3UZ 9533-B(CJ-140)	2	2							2	2		
No. 60F - 0 to 5,000 ft. altitude	C3GY 9533-B(CJ-145)			2		2							
No. 58F - 5,000 to 10,000 ft. altitude	C3GY 9533-A(CJ-144)			2		2							
No. 60F - 0 to 5,000 ft. altitude- "Before 12/15/65"	C3GY 9533-B (CJ-145)				2		2						
No. 58F-5,000 to 10,000 ft. altitude	C3GY 9533-A (CJ-144)				2		2						
No. 56F-0 to 5,000 ft. altitude	C3GY 9533-D (CJ-147)							2				2	
No. 54F-5,000 to 10,000 ft. altitude	C3GY 9533-C (CJ-146)							2				2	
Tag codes C6MF-A, C6OF-C													
No. 59F - 0 to 5,000 ft. altitude - "From 12/15/65"	C3OZ 9533-B (CJ-130)				2		2						
No. 57F - 5,000 to 10,000 ft. altitude	C3OZ 9533-A (CJ-129)				2		2						
Tag codes C6MF-J, C6OF-AH, C7AF-V, C7OF-K													
No. 56F - 0 to 5,000 ft. altitude	C3GY 9533-D (CJ-147)				2		2		2				2
No. 54F - 5,000 to 10,000 ft. altitude	C3GY 9533-C (CJ-146)				2		2		2				2
Tag codes C7AF-AK, C7OF-U													
No. 53F - 0 to 5,000 ft. altitude	C3DZ 9533-A (CJ-128)								2				2
No. 51F - 5,000 to 10,000 ft. altitude	C3DZ 9533-B (CJ-136)								2				2
Tag code C7AF-BE													
No. 54F - 0 to 5,000 ft. altitude	C3GY 9533-C (CJ-146)										2		
No. 52F - 5,000 to 10,000 ft. altitude	C3UZ 9533-A (CJ-133)										2		
Tag codes C7AF-BR, C7OF-AK													
No. 54F - 0 to 5,000 ft. altitude	C3GY 9533-C(CJ-146)								2				2
No. 52F - 5,000 to 10,000 ft. altitude	C3UZ 9533-A(CJ-133)								2				2
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A	A	B	C	D	E	F	G	H	J	K	L	M
LEVER - FAST IDLE ADJUSTING	C4AZ 9538-A (CM-905)	A	B	C	D	E	F	G	H	J	K	L	M
Nut(lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	A	B	C	D	E	F	G	H	J	K	L	M
Lockwasher-No. 10	34803-S7(X60)	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - ACCELERATOR PUMP OVERTRAVEL	B8AZ 9A538-A (CM-574)	A	B	C			F					L	M
SCREW - FAST IDLE ADJUSTING - No. 10-32 x 1.12"	C4AZ 9B538-A	A	B	C	D	E	F	G	H	J	K	L	M
NEEDLE - IDLE ADJUSTING -	C8AZ 9541-C (CM-722)	2	2	2	2	2	2	2	2	2	2	2	2
	C8AZ 9541-D (CM-723)								2		2		2
ROD - ACCELERATOR PUMP LINK TO OVER TRAVEL LEVER	D2AZ 9B542-B (CM-1526-A)	A	B	C	D	E	F	G	H	J	K	L	M
Clip(accelerator pump link to throttle lever rod to overtravel pump lever)	375894-S7-8(GG215)	A	B	C	D	E	F	G	H	J	K	L	M
PLATE - CHOKE	C2AZ 9545-A	A	B	C	D	E	F	G	H	J	K	L	M
Screw (plate to shaft & lever)- No. 6-32 x .31" pan head	381761-S(UU81JA)	2	2	2	2	2	2	2	2	2	2	2	2
SHAFT and LEVER ASSY. - CHOKE	C5AZ 9546-B (CM-591)	A	B	C	D	E	F	G	H	J	K	L	M

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 19A THRU 19M											
		A	B	C	D	E	F	G	H	J	K	L	M
DASHPOT ASSY.	C1AZ 9B549-A (CD-6)		B	C	D	E	F			J	K		
Nut (dashpot to mounting brkt.)-5/16"-24	33923-S7(M32)		B	C	D	E	F			J	K		
FLOAT ASSY.	C6AZ 9550-C (CM-672)	A	B	C	D	E	F	G	H	J	K	L	M
BRACKET-DASHPOT MOUNTING-	B8AZ 9B550-B (CM-908)		B	C	D	E	F		H	J	K		
Screw and washer (dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)		B	C	D	E	F		H	J	K		
PLATE - AIR DISTRIBUTION - tag codes C6MF-A, C6OF-C, C7AF-AK, BR, C7OF-U-AK	C3MY 9F553-A	A	B	C	D	E	F	G	H			L	M
VALVE - FLOAT BOWL VENT - tag codes C7AF-AK, BE, BR, C7OF-U, AK	C4TZ 9557-B								H		K		M
SHAFT - FLOAT LEVER	B8A 9558-A (CM-183)	A	B	C	D	E	F	G	H	J	K	L	M
SWIVEL ASSY. - CHOKE PLATE ADJUSTING	C5AZ 9F558-A	A	B	C	D	E	F	G	H	J	K	L	M
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - FLOAT BOWL VENT RETURN - Tag codes C7AF-BE, BR, C7OF-AK	C6TZ 9560-A (CM-645)								H		K		M
GASKET - FLOAT BOWL	C8AZ 9561-C	A	B	C	D	E	F	G	H	J	K	L	M
GASKET - ECONOMIZER COVER	B7A 9563-A (CG-234)	A	B	C	D	E	F	G	H	J	K	L	M
VALVE KIT-FUEL INLET-includes (1) B7A 9569-A gasket and (1) B7AZ 9599-B retainer	D2AZ 9564-A (CV-54-A)	A	B	C	D	E	F	G	H	J	K	L	M
ECONOMIZER KIT	9A565												
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer- 0 to 5,000 ft. altitude Tag codes C6MF-A, C6OF-C, C7AF-AK, BR, C7OF-AK, U	C0AZ 9A565-A (CE-74)	A	B	C	D	E	F	G	H		K	L	M
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer - 5,000 to 10,000 ft. altitude	C0AZ 9A565-A (CE-74)									J			
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-G gasket & (1) economizer- 5,000 to 10,000 ft. altitude-color ident. "Green" Tag codes C6MF-A, C6OF-C, C7AF-AK, BR, C7OF-AK, U	C0AZ 9A565-B (CE-75)	A	B	C	D	E	F	G	H		K	L	M
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer- 0 to 5,000 ft. altutide-color ident. "Violet" Tag codes C6MF-J, C6OF-AH, C7AF-V, C7OF-K	C6AZ 9A565-A (CE-81)				D		F		H				M
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer- 0 to 5,000 ft. altitude-color ident. "Red"	C0AZ 9A565-C (CE-76)									J			
GASKET - FUEL INLET NEEDLE SEAT	★B7A 9569-A	A	B	C	D	E	F	G	H	J	K	L	M
BUSHING - ACCELERATOR PUMP OVERTRAVEL SPRING	★C3AZ 9F569-A	A	B	C			F					L	M

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 19A THRU 19M											
		A	B	C	D	E	F	G	H	J	K	L	M
HOUSING ASSY. - CHOKE-service pkg. Includes (1) B8A 9853-A gasket	C9ZZ 9A575-A (CC-56)	A	B	C	D	E	F	G	H	J	K	L	M
Screw and washer assy. (choke hsg. to carb.)-No. 8-32 x 1.76"	378547-S7-8(BB61B)	3	3	3	3	3	3	3	3	3	3	3	3
VALVE - ACCELERATOR PUMP CHECK - plastic	C4AZ 9576-A(CM-825)	A	B	C	D	E	F	G	H	J	K	L	M
SCREW - PUMP DISCHARGE NOZZLE	C0AZ 9577-A(CM-607)	A	B	C	D	E	F	G	H	J	K	L	M
Washer-1/4" (buna coated aluminum)-tag codes C6MF-J,C6OF-AH,C7AF-V,C7OF-K	374370-S(XX94A)									J	K		
Ball-3/16" steel-use as pump discharge check valve-tag C7AF-BE	371350-S(AA4)				D		F		H		K		M
LEVER - FAST IDLE CAM OVERTRAVEL	C4AZ 9F577-B (CM-492)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (lever adjusting)-No. 6-32 x 3/4"	372307-S(BB527)	A	B	C	D	E	F	G	H	J	K	L	M
SCREW - FAST IDLE ADJUSTING SCREW - 4 1/2 coils - .20" I.D. - .58" long	B8A 9578-B(CM-609)	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	A	B	C	D	E	F	2	2	2	2	2	2
Screw (normal idle adjusting)-No. 10-32 x 1.00" slotted hex. head	355107-S7(BB536)	A	B	C	D	E	F	G	H	J	K	L	M
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-A	A	B	C	D	E	F	G	H	J	K	L	M
SHAFT and LEVER ASSY. KIT - THROTTLE-r/b D2AZ 9581-A(12/74)	★C9AZ 9581-C (CM-1047)	A	B	C	D	E	F	G	H	J	K	L	M
	D2AZ 9581-A (CM-1047-A)	A	B	C	D	E	F	G	H	J	K	L	M
PLATE - THROTTLE	B8A 9585-F	2	2										
	C4MY 9585-A			2	2	2	2	2	2	2	2	2	2
Screw (plate to shaft & lever)-No. 8-32 x .38" fillister head	378361-S2(UU43D)	4	4	4	4	4	4	4	4	4	4	4	4
GASKET - ECONOMIZER VALVE	C2AZ 9A588-B (CM-533)	A	B	C	D	E	F	G	H	J	K	L	M
CAM ASSY. - FAST IDLE	C5AZ 9597-D (CM-637)	A	B	C	D	E	F	G	H	J	K	L	M
Retainer(fast idle cam)-"C" washer	351825-S(XX9)	A	B	C	D	E	F	G	H	J	K	L	M
RETAINER-FLOAT LEVER SHAFT	B7AZ 9599-B (CM-612)	A	B	C	D	E	F	G	H	J	K	L	M
ROD - CHOKE CONTROL	C5AZ 9A599-B (CM-915)	A	B	C	D	E	F	G	H	J	K	L	M
Ring (rod to shaft and lever)-1/8" retaining	377918-S8B(XX14F)	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A(CM-544)	A	B	C	D	E	F	G	H	J	K	L	M
SHAFT AND LEVER - CHOKE HOUSING	D2AZ 9A753-A (CM-1510)	A	B	C	D	E	F	G	H	J	K	L	M
Retainer(shaft & lever to choke hsg.)-"C" washer	353862-S8(XX10)	A	B	C	D	E	F	G	H	J	K	L	M
WASHER - CHOKE ROD SEAL -66" long-.50" wide-.015" thick-.18" dia. hole(brass) use with B7AZ 9B501-A seal	C4AZ 9C771-A	2	2	2	2	2	2	2	2	2	2	2	2
PISTON ASSY. - CHOKE	C6AZ 9840-B(CM-624)	A	B	C	D	E	F	G	H	J	K	L	M
Screw & washer assy. (piston to shaft & lever)-No. 6-32 x 3/8" pan head	50802-S7(U150)	A	B	C	D	E	F	G	H	J	K	L	M
CLAMP - THERMOSTATIC CHOKE HOUSING	D3AZ 9842-A (CM-1742)	A	B	C	D	E	F	G	H	J	K	L	M
Screw(clamp housing)-No. 8-32 x 1/2"	31061-S8(U50)	3	3	3	3	3	3	3	3	3	3	3	3

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 19A THRU 19M											
		A	B	C	D	E	F	G	H	J	K	L	M
HOUSING KIT -THERMOSTATIC CHOKE - iden ified by letters "TN"-kit includes (1) C1AZ 9871-A, D0AZ 9871-A gaskets & (1) choke housing Tag code C6MF-A, C6OF-C	C4AZ 9848-A (CM-458)	A	B	C	D	E	F	G				L	
Identified by letters "TO"-kit includes (1) C1AZ 9871-A gasket & (1) choke housing Tag codes C6MF-J, C6OF-AH	C4AZ 9848-B (CM-459)				D		F		H				M
Identified by letters "TW"- kit includes (1) C1AZ 9871-A, D1AZ 9871-A gaskets & (1) choke housing	C6AZ 9848-A (CM-623)									J	K		
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A(CG-93)	A	B	C	D	E	F	G	H	J	K	L	M
SHIELD - CHOKE THERMOSTAT	C4AZ 9861-A	A	B	C	D	E	F	G	H	J	K	L	M
Screw & washer(shield to hsg.)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	2	2	2	2	2	2	2	2	2	2	2	2
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)	A	B	C	D	E	F	G	H	J	K	L	M
LEVER - ACCELERATOR PUMP OVER-TRAVEL - service pkg. includes (1) C3AZ 9F569-A bushing	B8AZ 9919-A(CM-547)	A	B	C			F					L	M
Retainer (overtravel lever to throttle shaft)- "C" washer	374035-S(XX13C)	A	B	C			F					L	M
COVER - ECONOMIZER VALVE	C8AZ 9930-A(CM-728)	A	B	C	D	E	F	G	H	J	K	L	M
Screw & washer (cover to carb.)-No. 8-32 x 3/8"	43248-S8(U72)	4	4	4	4	4	4	4	4	4	4	4	4

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 19N THRU 19Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET SET	D2AZ 9502-A (CG-264-B)	N	P	Q	R	S	T	U	V	W	X	Y	Z
TUNE UP KIT	D4AZ 9A586-A (CT-499-D)	N	P	Q	R	S	T	U	V	W	X	Y	Z
REPAIR KIT-service details	♦B9AZ 9590-E (CR-272)	N	P										
Service details	♦C7AZ 9590-D(CR-333)			Q									
Service details	♦C8AZ 9590-C (CR-349)				R	S	T	U	V	W			
Tag code C9AF-J, Z, C9ZF-M	♦C9AZ 9590-A (CR-367) Service details										X	Y	Z
Tag code C9ZF-L	♦C9OZ 9590-A (CR-368) Service details										X		
Screw (transmission kickdown adjusting)- No. 10-32 x 1.00" hex. head	379622-S8(UU52M)	N	P	Q	R	S	T	U	V		X		Z
Cap (attach to spark vacuum tube)-3/16" tube	380614-S(DD3)	N	P	Q	R	S							
LIMITER - IDLE ADJUSTING NEEDLE	C7AZ 9J500-B (CM-747)			2	2	2	2	2	2	2	2	2	2
SEAL - FAST IDLE ROD- 1/8" I.D. x 1/2" O.D. felt-use with C4AZ 9C771-A washer	B7AZ 9B501-A	N	P	Q									
.90" long-.44" wide-.05" thick-.133" dia. hole (nylon)	C7AZ 9B501-A	N	P	Q	R	S	T	U	V	W	X	Y	Z

♦ Parts lists identified by symbol ♦ are common to 351, 390 and 429 engines.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 19N THRU 19Z											
		N	P	Q	R	S	T	U	V	W	♦X	Y	Z
WEIGHT - PUMP DISCHARGE BALL - .109" O. D. -. 88" long	C2OZ 9B511-A (CM-555)	N	P	Q	R	S	T	U	V	W		Y	Z
Tag codes C9AF-J,C9ZF-L, M													
Tag code C9AF-Z	C9AZ 9B511-A (CM-1126)										X		
											X		
ROD - FLOAT BOWL VENT	C6TZ 9A515-B			Q	R	S	T	U	V		X	Y	Z
Tag codes C8AF-BA, AZ, C8OF-AF,C8PF-U, C8WF-A										W			
Tag codes C8AF-BB, C8OF-AE	C7AZ 9A515-B									W			
BRACKET - FLOAT BOWL VENT	D4AZ 9E520-A			Q	R	S	T	U	V	W	X	Y	Z
SUPPORT ASSY. - BOOSTER VENTURE - identified letter "PN"	D1PZ 9A523-N (CM-818-A)	N	P										
Identified by letter	C8AZ 9A523-C												
Tag codes C8AF-M, C8OF-J, C8PF-U	(CM-731)				R	S				W			
Identified by letters "PV" or "X"	D1PZ 9A523-V			Q			T	U	V				
Tag code C8OF-K	(CM-729-A)					S							
Tag code C8AF-N					R								
Identified by letter "S"	C8AZ 9A523-K						T	U					
Tag codes C8AF-BB, C8OF-AE, C8AF-ZA	(CM-926)									W			
Identified by letters "PM"-tag codes C8AF-BA, C8OF-AF, AN, C8WF-A	D1PZ 9A523-M (CM-926-A)									W			
Identified by letters "SF"-tag code C9AF-J	D1PZ 9A523-F (CM-1051-A)										X		
Identified by letters "PP"	D1PZ 9A523-R											Y	Z
Tag code C9ZF-L, M	(CM-1053-A)										X		
Identified by letters "BB"-Tag code C9AF-Z	C9AZ 9A523-F (CM-1127)										X		
Ball(accel. pump discharge check valve)- 3/16" steel	371350-S(AA4)	N	P	Q	R	S	T	U	V	W	X	Y	Z
HORN - AIR - less shaft-service pkg. includes (1) C2OZ 9561-B gasket	C0AZ 9524-C (CM-211	N	P										
	C7AZ 9524-A			Q	R	S	T	U	V	W	X	Y	Z
Screw and washer (horn & plugs to main body)- No. 10-32 x 5/8"	43256-S8 (U77F)	4	4	4	4	4	4	4	4	4	4	4	4
COVER ASSY. - ACCELERATOR PUMP	D1AZ 9528-A (CM-648-A)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw(cover to carb.)-No. 8-32 x 9/16"fill.hd.	379436-S8B(UU43F)	4	4	4	4	4	4	4	4	4	4	4	4
ROD - FAST IDLE CAM	C3AZ 9D530-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
Retainer (fast idle cam rod)-"C" washer	351825-S(XX9)	2	2	2	2	2	2	2	2	2	2	2	2
JET - MAIN METERING	9533												
Tag code C7OF-M													
No. 57F - 0 to 5,000 ft. altitude	C3OZ 9533-A(CJ-129)	2	2										
No. 55F - 5,000 to 10,000 ft. altitude	C3UZ 9533-B(CJ-140)	2	2	2									
Tag code C7OF-AF													
No. 54F - 0 to 5,000 ft. altitude	C3GY 9533-C(CJ-146)		2	2									
No. 52F - 5,000 to 10,000 ft. altitude	C3UZ 9533-A(CJ-133)		2										
No. 53F - 5,000 to 10,000 ft. altitude	C3DZ 9533-A(CJ-128)						2	2					
Tag code C8AF-N					2								
Tag code C8OF-K						2							
No. 54F - 5,000 to 10,000 ft. altitude- Tag code C8AF-M	C3GY 9533-C(CJ-146)				2								

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).
♦ Parts lists identified by symbol ♦ are common to 351, 390 and 429 engines.

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 19N THRU 19Z											
		N	P	Q	R	S	T	U	V	W	♦X	Y	Z
JET - MAIN METERING - continued	9533												
No. 55F - 0 to 5,000 ft. altitude	C3UZ 9533-B(CJ-140)						2	2					
Tag code C8AF-N					2								
Tag code C8OF-K						2							
No. 56F - 0 to 5,000 ft. altitude-tag code CODE C8AF-M	C3GY 9533-D(CJ-147)				2								
No. 57F - 0 to 5,000 ft. altitude	C3OZ 9533-A(CJ-129)								2				
No. 55F - 5,000 to 10,000 ft. altitude	C3UZ 9533-B(CJ-140)								2				
Tag codes C8AF-BA, C8OF-AF, C8PF-U C8WF-A										2			
No. 56F - 0 to 5,000 ft. altitude	C3GY 9533-D(CJ-147)									2			
No. 54F - 5,000 to 10,000 ft. altitude	C3GY 9533-C(CJ-146)									2			
Tag codes C8AF-BB, C8OF-AE													
No. 54F - 0 to 5,000 ft. altitude	C3GY 9533-C(CJ-146)									2			
No. 52F - 5,000 to 10,000 ft. altitude	C3UZ 9533-A(CJ-133)									2			
No. 53F - 0 to 10,000 ft. altitude	C3DZ 9533-A(CJ-128)												2
No. 54F - 0 to 10,000 ft. altitude	C3GY 9533-C (CJ-146)												2
No. 54F - 0 to 10,000 ft. altitude-tag code C9AF-J, Z, C9ZF-L, C8AF-AZ	C3GY 9533-C (CJ-146)									2	2		
No. 56F - 0 to 10,000 ft. altitude-tag code C9ZF-M	C3GY 9533-D (CJ-147)										2		
No. 55F - 0 to 10,000 ft. altitude	C3UZ 9533-B(CJ-140)											2	
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A	N	P	Q			T	U	V	W	X	Y	Z
LEVER - FAST IDLE ADJUSTING	C4AZ 9538-A	N	P	Q	R	S	T	U	V	W		Y	Z
Tag codes C9ZF-L, M	(CM-905)										X		
Tag codes C9AF-J, Z	★C9AZ 9538-A (CM-956)										X		
Nut(lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Lockwasher - No. 10	34803-S8(X60)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - ACCELERATOR PUMP OVERTRAVEL	B8AZ 9A538-A	N	P		R	S							
Tag code C8WF-A	(CM-574)									W			
SCREW - FAST IDLE ADJUSTING - No. 10-32 x 1.12"	C4AZ 9B538-A	N	P	Q	R	S	T	U	V			Y	Z
Tag code C9ZF-L, M, C8AF-BB, AZ, C8OF-AE										W	X		
NEEDLE - IDLE ADJUSTING	C8AZ 9541-D(CM-723)	2	2	2	2	2	2	2	2	2			
	C9AZ 9541-A (CM-955)										2	2	2
	C8AZ 9541-C (CM-722)	2											
ROD - ACCEL. PUMP LINK TO OVERTRAVEL LEVER	D2AZ 9B542-B (CM-1526-A)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Clip(accelerator pump link to throttle lever	375894-S7-8(GG215)	N	P	Q	R	S	T	U	V	W	X	Y	Z
PLATE - CHOKE	C2AZ 9545-A(CM576)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw (plate to shaft & lever)-No. 6-32 x .31" pan head	381761-S(UU81JA)	2	2	2	2	2	2	2	2	2		2	2
Screw (plate to shaft and lever)-No. 6-32 x 5/16" hex. head	375016-S2(UU52AK)										2		

♦ Parts lists identified by symbol ♦ are common to 351, 390 and 429 engines.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 19N THRU 19Z											
		N	P	Q	R	S	T	U	V	W	♦X	Y	Z
SHAFT and LEVER ASSY. - CHOKE	C5AZ 9546-B(CM-591)	N	P	Q	R	S	T	U	V	W	X	Y	Z
DASHPOT ASSY.	C1AZ 9B549-A(CD-6)	N	P	Q									
	C8AZ 9B549-A(CD-15)				R	S	T	U	V	W	X	Y	Z
Nut(dashpot to mounting brkt.)-5/16"-24	33923-S7(M32)	N	P	Q	R	S	T	U	V	W	X	Y	Z
FLOAT ASSY.	C6AZ 9550-C(CM-672)	N	P	Q	R	S	T	U	V	W	X	Y	Z
BRACKET - DASHPOT MOUNTING	B8AZ 9B550-B (CM-908)	N	P	Q									
	D0AZ 9B550-A (CM-1113)				R	S	T	U	V	W	X	Y	Z
Screw and washer(dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)	N	P	Q	R	S	T	U	V	W	X	Y	Z
PLATE - AIR DISTRIBUTION	C3MY 9F553-A			Q	R	S	T	U		W	X	Y	Z
	C8AZ 9F553-A								V				
VALVE - FLOAT BOWL VENT	C4TZ 9557-B			Q	R	S	T	U	V	W	X	Y	Z
SHAFT - FLOAT LEVER	B8A 9558-A(CM-183)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SWIVEL ASSY. - CHOKE PLATE ADJUSTING	C5AZ 9F558-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - FLOAT BOWL VENT RETURN Tag codes C8AF-BA, BB, C8OF-AF, AE, AZ C8WF-A	C6TZ 9560-A (CM-645)			Q	R	S	T	U	V		X	Y	Z
GASKET - FLOAT BOWL	9561												
	C8AZ 9561-C (CG-292)	N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET - ECONOMIZER COVER	B7A 9563-A(CG-234)	N	P	Q	R	S	T	U	V	W	X	Y	Z
VALVE KIT - FUEL INLET-includes (1)B7A 9569-A gasket & (1)B7AZ 9599-B retainer	D2AZ 9564-A (CV-54-A)	N	P	Q	R	S	T	U	V	W	X	Y	Z
ECONOMIZER KIT	9A565												
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-5,000 to 10,000 ft. altitude	C0AZ 9A565-A (CE-74)	N											
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) Economizer-0 to 5,000 ft. altitude	C0AZ 9A565-A (CE-74)		P	Q	R	S	T	U	V	W			
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-0 to 10,000 ft. altitude Tag code C9AF-J, C9ZF-M	C0AZ 9A565-A (CE-74)										X	Y	Z
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-5,000 to 10,000 ft. altitude color ident. "Green"	C0AZ 9A565-B (CE-75)		P	Q									
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-0 to 5,000 ft. altitude-color ident. "Red"	C0AZ 9A565-C (CE-76)	N											
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-0 to 10,000 ft. altitude-tag code C9ZF-L	C0AZ 9A565-B (CE-75)										X		
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-A gasket & (1) economizer-"Red tag code C9AF-Z	C0AZ 9A565-C (CE-76)										X		

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

♦ Parts lists identified by symbol ♦ are common to 351, 390 and 429 engines.

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 19N THRU 19Z											
		N	P	Q	R	S	T	U	V	W	♦X	Y	Z
GASKET - FUEL INLET NEEDLE SEAT	★B7A 9569-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
BUSHING - ACCELERATOR PUMP OVERTRAVEL SPRING	★C3AZ 9F569-A	N	P										
Tag code C8WF-A, C8OF-AE										W			
HOUSING ASSY. - CHOKE - service pkg. includes (1)B8A 9853-A gasket	C9ZZ 9A575-A (CC-56)			Q	R	S	T	U					
Service pkg. includes (1) B8A 9853-A gasket	C9ZZ 9A575-A (CC-56)								V	W	X	Y	Z
Screw and washer assy. (choke hsg. to carb.)-No. 8-32 x 1.76"	378547-S7-8(BB61B)	3	3	3	3	3	3	3	3	3	3	3	3
VALVE - ACCELERATOR PUMP CHECK - plastic	C4AZ 9576-A (CM-825)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SCREW - PUMP DISCHARGE NOZZLE	C0AZ 9577-A(CM-607)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Washer-1/4" (buna coated aluminum)	374370-S(XX94A)	N	P										
Ball-3/16" steel-use as pump discharge check valve	371350-S(AA4)										X		
LEVER - FAST IDLE CAM OVERTRAVEL	C4AZ 9F577-B (CM-492)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw(lever adjusting)-No. 6-32 x 3/4"	372307-S(BB527)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - FAST IDLE ADJUSTING SCREW - 4 1/2 coils-.20" I. D. -.58" long	B8A 9578-B(CM-609)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw(normal idle adjusting)-No. 10-32 x 1.00" slotted hex. head	355107-S(BB536)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	2	2	2	2	2	2	2	2	2	2	2	2
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-A	N	P	Q	R	S	T	U	V		X	Y	Z
Tag codes C8AF-AZ, BA, C8OF-AF, C8PF-U										W			
LEVER and SHAFT KIT - THROTTLE - r/b D2AZ 9581-A (12/74)	★C9AZ 9581-C (CM-1047)	N	P	Q	R	S	T	U		W	X	Y	Z
	D2AZ 9581-A (CM-1047-A)	N	P	Q	R	S	T	U		W	X	Y	Z
PLATE - THROTTLE	C4MY 9585-A	2	2	2			2	2	2			2	2
Tag code C8AF-M					2								
Tag codes C8AF-BA, BB, C8OF-AF, C8PF-U											2		
Tag code C9AF-J, Z													
Tag code C9ZF-L, M	B8A 9585-F										2		
Tag code C8AF-N, AZ, C8OF-K	C8AZ 9585-C				2	2							
Tag code C8WF-A										2			
Tag code C8OF-J	★C8AZ 9585-B					2							
Screw (plate to shaft & lever)-No. 8-32 x .38" fillister head	378361-S2(UU43D)	4	4	4			4	4	4		4	4	4
Tag code C8AF-M					4								
Tag codes C8AF-BA, C8OF-AF, C8PF-U										4			
Screw(plate to shaft)-No. 6-32 x 5/16" pan head	★38598-S					4							
Tag code C8AF-N					4								
Tag code C8WF-A										W			

♦ Parts lists identified by symbol ♦ are common to 351, 390 and 429 engines.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 19N THRU 19Z											
		N	P	Q	R	S	T	U	V	W	♦X	Y	Z
GASKET - ECONOMIZER VALVE	C2AZ 9A588-B (CM-533)	N	P	Q	R	S	T	U	V	W	X	Y	Z
CAM ASSY. - FAST IDLE	C5AZ 9597-D(CM-637)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Retainer(fast idle cam)-"C" washer	351825-S(XX9)	N	P	Q	R	S	T	U	V	W	X	Y	Z
RETAINER - FLOAT LEVER SHAFT	B7AZ 9599-B(CM-612)	N	P	Q	R	S	T	U	V	W	X	Y	Z
ROD - CHOKE CONTROL	C5AZ 9A599-B (CM-915)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Ring(rod to shaft and lever)-1/8" retaining	377918-S8B(XX14F)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A (CM-544)	N	P		R	S	T	U	V	W	X	Y	Z
SHAFT AND LEVER - CHOKE HOUSING	D2AZ 9A753-A (CM-1510)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Retainer(shaft & lever to choke hsg.)-"C" washer	353862-S8(XX10)	N	P	Q	R	S	T	U	V	W	X	Y	Z
WASHER - CHOKE ROD SEAL - .66" long-.50" wide-.015" thick-.18" dia. hole (brass)-use with B7AZ 9B501-A seal	C4AZ 9C771-A	2	2										
ADAPTOR - CHOKE CONTROL TUBE - tag code C9AF-J	C9AZ 9C786-A										X		
PISTON ASSY. - CHOKE	C6AZ 9840-B(CM-624)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw & washer assy. (piston to shaft & lever)-No. 6-32 x 3/8" pan head	50802-S(U150)	N	P	Q	R	S	T	U	V	W	X	Y	Z
CLAMP - THERMOSTATIC CHOKE HOUSING Tag code C9ZF-L, M, C8OF-AE	D3AZ 9842-A (CM-1742)	N	P	Q	R	S	T	U	V	W	X		
Tag code C9AF-J, BB	C8AZ 9842-B (CM-1045)									W	X	Y	Z
Screw(clamp housing)-No. 8-32 x 1/2"	31061-S8(U50)	3	3	3	3	3	3	3	3	3	3	3	3
HOUSING KIT - THERMOSTATIC CHOKE - identified by letters "TW"-kit includes (1) C1AZ 9871-A, D0AZ 9871-A gaskets & (1) choke housing Tag codes C8AF-N, C8OF-K Tag codes C8AF-BA, BB, AZ, C8OF-AF, AE C8WF-A	C6AZ 9848-A(CM-623)	N	P		R	S	T	U		W	X		Z
Identified by letters "TO"-kit includes (1) C1AZ 9871-A gasket & (1) choke housing	C4AZ 9848-B(CM-459)			Q									
Identified by letters "TN"-kit includes (1) C1AZ 9871-A, (1) D0AZ 9871-A gaskets & (1) choke housing Tag code C8AF-M Tag code C8PF-U	C4AZ 9848-A(CM-458)				R				V	W		Y	
BUSHING - CHOKE THERMOSTAT LEVER	C8AZ 9851-A(CM-751)				R	S	T	U	V	W	X	Y	Z
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A(CG-93)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SHIELD - CHOKE THERMOSTAT	C4AZ 9861-A	N	P	Q	R	S	T	U					
Tag code C9AF-J, Z	D2AZ 9861-A								V	W		Y	Z
Tag code C9ZF-L, M	C9ZZ 9861-A										X		
Screw & washer(shield to hsg.)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	2	2	2	2	2	2	2	2	2	X	2	2

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).
♦ Parts lists identified by symbol ♦ are common to 351, 390 and 429 engines

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 19N THRU 19Z											
		N	P	Q	R	S	T	U	V	W	♦X	Y	Z
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)	N	P	Q	R	S	T	U	V	W	X	Y	
LEVER - ACCELERATOR PUMP OVERTRAVEL - service pkg. includes (1) C3AZ 9F569-A bushing Tag code C8WF-A	B8AZ 9919-A (CM-547)	N	P	Q						W			
Retainer (overtravel lever to throttle shaft)- "C" washer	374035-S(XX13C)	N	P	Q						W			
COVER - ECONOMIZER VALVE	C8AZ 9930-A(CM-728)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw & washer(cover to carb.)-No. 8-32 x 3/8"	43248-S8(U72)	4	4	4	4	4	4	4	4		4		
Screw & washer (cover to carb.)- No. 10-32 x 5/8"	357136-S(BB-56)									4		4	4

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 19AA THRU 19AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
GASKET SET - r/b D2AZ 9502-A (5-74)	★D0AZ 9502-A (CG-264)	AA	AB	AC	AD	AE	AF						
Repl. by D2AZ 9502-A (5/74)	★D1AZ 9502-A (CG-264-A)							AG	AH	AJ	AK		
	D2AZ 9502-A (CG-264-B)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
TUNE UP KIT	D4AZ 9A586-A (CT-499-D)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Screw (to adjust trans. kickdown)- No. 10-32 x 1.00" hex. head	379622-S8 (UU52M)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Screw & washer (horn & plugs to main body)- No. 10-32 x 5/8"	43256-S8(U77F)	4	4	4	4	4	4	4	4	4	4		
SPRING - TRANSMISSION KICKDOWN CONTROL LEVER RETRACTING	D1AZ 7B146-A									AJ			
LIMITER - IDLE ADJUSTING NEEDLE	C7AZ 9J500-B (CM-747)	2	2	2	2	2	2	2	2	2	2		
SEAL - FAST IDLE ROD	C7AZ 9B501-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
WEIGHT - PUMP DISCHARGE BALL	C2OZ 9B511-A (CM-555)	AA	AB	AC	AD	AE	AF						
	C9AZ 9B511-A (CM-1126)							AG	AH	AJ	AK		
SUPPORT ASSY. - BOOSTER VENTURI - Identified by letters "CC-B, PR"	D0AZ 9A523-K (CM-1261)		AB			AE	AF						
Identified by letters "PS"	D1PZ 9A523-T (CM-929-A)				AD								
Identified by letters "SN"	D0AZ 9A523-T (CM-1267)			AC									
Identified by letters "PZ" or "JJ"	D1PZ 9A523-AA (CM-1463)							AG	AH	AJ	AK		
SCREEN - FUEL FILTER	C4AZ 9F525-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
COVER ASSY. - ACCELERATOR PUMP	D1AZ 9528-A (CM-648-A)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Screw (cover to carb.)- No. 8-32 x 9/16" -hex. head	376262-S (U052AJ)	4	4	4	4	4	4	4	4	4	4		

♦ Parts lists identified by symbol ♦ are common to 351, 390 and 429 engines.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 19AA THRU 19AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
ROD - FAST IDLE CAM	C3AZ 9D530-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Retainer (fast idle cam rod)-"C" washer	351825-S(XX9)	2	2	2	2	2	2						
JET - MAIN METERING	9533												
No. 55F - 0 to 10,000 ft. altitude	C3UZ 9533-B(CJ-140)		2	2	2	2	2						
No. 54F - 0 to 10,000 ft. altitude	C3GY 9533-C(CJ-146)								2	2			
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
LEVER - FAST IDLE ADJUSTING	C4AZ 9538-A (CM-905)	AA			AD	AE	AF	AG	AH				
Service pkg. includes (1) 40-9578 spring & (1) 382008-S screw	D0AZ 9538-B (CM-956-A)		AB	AC						AJ	AK		
Nut (lever to throttle shaft) -No. 10-32 hex.	34079-S7(M163)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Lockwasher - No. 10	34903-S8(X96)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
SCREW - FAST IDLE ADJUSTING	C4AZ 9B538-A	AA	AB	AC	AD	AE	AF	AG	AH				
NEEDLE - IDLE ADJUSTING	C9AZ 9541-A (CM-955)	2	2	2	2	2	2	2	2	2	2		
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER-tag code D1MF-FA	D2AZ 9B542-B (CM-1526-A)	AA	AB	AC	AD	AE	AF	AG	AH		AK		
Tag code D1MF-MA	D1AZ 9B542-B (CM-1478-A)									AJ			
Clip (accel. pump link to throttle lever rod)	375894-S7 (GG215)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
PLATE - CHOKE	D0AZ 9545-A (CM-1061)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Screw (choke plate)-No.6-32 x .31"	375016-S2 (UU52AK)	2	2	2	2	2	2	2	2	2	2		
SHAFT and LEVER ASSY. - CHOKE	D0AZ 9546-A (CM-1088)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
DASHPOT ASSY.	C8AZ 9B549-A (CD-15)	AA	AB			AE		AG		AJ			
Nut (dashpot to mounting bracket)-5/16"-24	33923-S7(M32)	AA	AB			AE		AG		AJ			
DIAPHRAGM and RETAINER ASSY. - CHOKE CONTROL	D0AZ 9J549-C (CK-1283)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Screw (diaphragm and retainer)-No. 8-32 x 7/16" -allen head	358544-S8 (UU28C)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
FLOAT ASSY.	D0AZ 9550-A (CM-1062)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
BRACKET - DASHPOT MOUNTING	D0AZ 9B550-A (CM-1113)	AA	AB			AE		AG		AJ			
Screw and washer (dashpot mounting bracket to carburetor)-No. 10-32 x 1/2"	43252-S8(U77)	AA	AB			AE		AG		AJ			
LEVER - CHOKE SHAFT	D0AZ 9551-A (CM-1091)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Screw & lockwasher assy. (lever choke shaft)-No. 6-32 x 3/8" pan head	50802-S7(U150)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
PLATE - AIR DISTRIBUTION	D0AZ 9F553-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
LEVER - CHOKE CONTROL DIAPHRAGM	D1AZ 9J553-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Coiled spring pin (lever choke diaphragm)-.010" O.D. x 9/16"	★67529-S2							AG	AH	AJ	AK		

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 19AA THRU 19AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
COVER - CHOKE CONTROL DIAPHRAGM	D0AZ 9J554-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Screw(cover-choke diaphragm) No.8-32 x 9/16"	376262-S (UU52AJ)	3	3	3	3	3	3	3	3	3	3		
SHAFT - FLOAT LEVER	B8A 9558-A (CM-183)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
GASKET - FLOAT BOWL	D0AZ 9561-B (CG-256-A)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
GASKET - ECONOMIZER COVER	B7A 9563-A (CG-234)	AA	AB	AC				AG	AH	AJ	AK		
VALVE KIT - FUEL INLET-kit includes (1) B7A 9569-A gasket & (1) B7AZ 9599-B retainer	D2AZ 9564-A (CV-54-A)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
ECONOMIZER KIT	9A565												
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer	C0AZ 9A565-A (CE-74)							AG	AH	AJ	AK		
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer- 0 to 10,000 ft. altitude-color ident. "Red"	C0AZ 9A565-C (CE-76)		AB	AC	AD	AE	AF						
GASKET - FUEL INLET NEEDLE SEAT	★B7A 9569-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
SPRING - FLOAT DAMPENER	C3AZ 9F570-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
HOUSING ASSY. - CHOKE	D0AZ 9A575-A (CC-57)	AA	AB	AC	AD	AE	AF						
	D1AZ 9A575-C (CC-58-A)							AG	AH	AJ	AK		
VALVE - ACCELERATOR PUMP CHECK - plastic	C4AZ 9576-A (CM-825)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
SCREW - PUMP DISCHARGE NEEDLE	C0AZ 9577-A (CM-607)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Ball 3/16" steel-used as pump discharge check valve	371350-S(AA4)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
LEVER - FAST IDLE CAM OVERTRAVEL	C4AZ 9F577-B	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	2	2	2	2	2	2	2	2	2	2		
SPRING - FAST IDLE ADJUSTING SCREW 4 1/2 coils-.20" I.D.-.58" long	B8A 9578-B (CM-609)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Screw(normal idle adjusting)-No. 10-32 x 1" - special hex. head slotted	355107-S7(BB536)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
SHAFT and LEVER ASSY. KIT - THROTTLE - r/b D2AZ 9581-A (12/74)	★C9AZ 9581-C (CM-1047)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
	D2AZ 9581-A (CM-1047-A)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
PLATE - THROTTLE	C4MY 9585-A	2	2	2	2	2	2	2	2	2	2		
Screw (plate to shaft and lever No. 8-32 x 38"	378361-S8(UU43D)	4	4	4	4	4	4	4	4	4	4		
BRACKET - THROTTLE EMISSION CONTROL	C9AZ 9J586-A			AC	AD		AF		AH		AK		
Screw & washer (solenoid mounting bracket)	43252-S8(U77)			AC	AD		AF		AH		AK		
SPRING - CHOKE CONTROL	D0AZ 9587-A (CM-1271)		AB	AC	AD	AE	AF	AG	AH	AJ	AK		
GASKET - ECONOMIZER VALVE	C2AZ 9A588-B (CM-533)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 19AA THRU 19AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
CAM ASSY. - FAST IDLE-identified by letter "B"	D0AZ 9597-C (CM-1268)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Screw(fast idle cam)-No.6-32 x 3/4" hex. head	372307-S(BB527)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Retainer(fast idle cam)-"C" washer	351825-S(XX9)	2	2	2	2	2	2	2	2	2	2		
RETAINER - FLOAT LEVER SHAFT	D0AZ 9599-A (CM-1065)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
ROD - CHOKE CONTROL	D0AZ 9A599-B (CM-1066)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Ring (rod to shaft and lever)1/8" retaining	377918-S8B(XX14F)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A (CM-544)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
SHAFT AND LEVER - CHOKE HOUSING	D2AZ 9A753-A (CM-1510)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Retainer (shaft and lever to choke housing)-"C" washer	353862-S(XX10)	AA	AB	AC	AD	AE	AF						
LEVER - CHOKE THERMOSTAT	D0AZ 9A754-A	AA	AB	AC	AD	AE	AF						
	D1AZ 9A754-C							AG	AH	AJ	AK		
ADAPTOR - CHOKE CONTROL TUBE	C9AZ 9C786-A		AB	AC									
CLAMP - THERMOSTATIC CHOKE HOUSING	C8AZ 9842-B (CM-1045)	AA	AB	AC	AD	AE	AF			AJ			
Screw (clamp housing)-No. 8-32 x 1/2"	31061-S8(U50)	3	3	3	3	3	3						
HOUSING KIT - THERMOSTATIC CHOKE	9848												
Identified by letters "TN" - kit includes (1) C1AZ 9871-A, (1) D0AZ 9871-A gaskets, & (1) choke housing	C4AZ 9848-A (CM-458)				AD								
Identified by letters "TW" - kit includes (1) C1AZ 9871-A, D0AZ 9871-A gaskets, & (1) choke housing	C6AZ 9848-A (CM-623)	AA	AB	AC		AE	AF						
Identified by "TB4" - kit includes (1) D1AZ 9871-A gasket & (1) choke housing	D1AZ 9848-B (CM-1455)									AJ			
Identified by "TB5" - kit includes (1) D1AZ 9871-A gasket & (1) choke housing	D1AZ 9848-C (CM-1456)								AH				
BUSHING - CHOKE THERMOSTAT LEVER	C8AZ 9851-A (CM-751)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A (CG-93)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
SOLENOID ASSY. - THROTTLE EMISSION CONTROL	D0AZ 9D856-A			AC	AD	AE	AF		AH		AK		
Nut(solenoid-throttle emission)-7/16"-20 hex. head	382644-S13 (MM121ZD)								AH		AK		
SHIELD-CHOKE THERMOSTAT	C9ZZ 9861-A							AG	AH	AJ	AK		
GASKET - THERMOSTATIC CHOKE HOUSING	D0AZ 9871-A (CG-262)	AA	AB	AC	AD	AE	AF						
Tag Code D1MF-FA	D1AZ 9871-A (CG-317)							AG	AH	AJ	AK		
COVER - ECONOMIZER VALVE	C8AZ 9930-A (CM-728)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK		
Screw and washer (cover to carb.)-No. 8-32 x 3/8"	43248-S8(U72)	4	4	4	4	4	4						
Screw & washer(cover to carb.)-No. 8-32 x 5/8"	§357136-S(BB-56)							4	4	4	4		

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 20A THRU 20M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET	B7AZ 9502-G(CG-192)	A	B	C		E	F	G	H	J			
	C6AZ 9502-D(CG-210)				D								
	C8ZZ 9502-A(CG-286)										K		
	C8ZZ 9502-D (CG-237-A)											L	M
TUNE-UP KIT	B9AZ 9A586-E (CT-195-A)		B			E	F	G	H	J			
Repl. by C8ZZ 9A586-E (12/74)	★C8ZZ 9A586-D (CT-212-A)										K		
	C8ZZ 9A586-E (CT-211-B)										K	L	M
	C6AZ 9A586-K (CT-200-A)				D								
REPAIR KIT - service details	★C0AZ 9590-M(CR-276)	A											
Service details	★C6AZ 9590-A(CR-341)		B										
Service details	★C6OZ 9590-D(CR-342)			C									
Service details	★C6AZ 9590-C(CR-290)				D								
Service details	★C7OZ 9590-A(CR-343)					E	F	G	H	J			
Service details	★C8ZZ 9590-A(CR-362)										K		
Service details	★C8OZ 9590-B(CR-365)											L	M
Connector (distributor vacuum tube to carb.)-1/8" pipe thread	358165-S(II-65)			C									
Connector (fuel inlet fitting)	372165-S(II-191J)	A	B		D								
Plug (spark hole)-1/8" hex. socket head	87708-S(P14)	A					F						
Elbow (spark vacuum connector)	381719-S(II-10CA)					E		G	H	J		L	M
Cap (attaches to spark vacuum tube)-3/16" tube	380614-S(DD3)					E	F	G					
Screw (attaches kickdown lever to carb.)-No. 8-32 x 3/8" fill. head self tapping	40254-S8(U219)										K		
Stud (carb. to intake manifold)-5/16"-18-24 x 1 3/4"	376063-S8(WW14AD)										4		
Screw (secondary throttle stop)-spread lock set	359749-S(UU17)											L	M
FILTER ASSY. - FUEL	C7OZ 9155-A (FG-19)					E	F	G	H	J	K	L	M
"O" RING - FLOAT BOWL TUBE CONNECTOR SEAL	B5A 9229-A	A	2										
GASKET - FUEL INLET	C2AZ 9229-A	A	B										
Fuel inlet adaptor-.88" I.D. -1.06" O.D. -.017" thick	D1ZZ 9229-A			3		3	3	3	3	3	3	3	3
LIMITER - IDLE ADJUSTING NEEDLE	C8OZ 9J500-A (CM-924)											2	2
HOUSING ASSY. - SECONDARY THROTTLE DIAPHRAGM	B7A 9501-A	A	B	C	D	E	F	G	H	J		L	M
	C8OZ 9501-A (CM-923)										K		
Screw and washer (housing to throttle body)-No. 8-32 x 1"	43407-S8(U76)	3	3	3	3	3	3	3	3	3	3	3	3
TUBE - BALANCE - .156" O.D. -7.56" long	★EDC 9A501-A	A											
Washer (balance tube)-No. 6-flat-.307"O.D. -.165" I.D. x .015" thick	372239-S(XX44)	2											
SEAL - FAST IDLE ROD	C1AE 9B501-A	A	B	C						J	K	L	
DIAPHRAGM ASSY. - SECONDARY THROTTLE	B8A 9503-A(CM-5)	A		C		E	F	G	H	J	K		
	B7T 9503-A(CM-4)		B		D							L	M
Washer (diaphragm link to lever)-"C" retainer	351825-S(XX9)	A	B	C	D	E	F	G	H	J	K		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 20A THRU 20M											
		A	B	C	D	E	F	G	H	J	K	L	M
SPRING - SECONDARY THROTTLE DIAPHRAGM RETURN	B5AZ 9B504-A		B		D								
	B7AZ 9B504-C	A		C		E	F	G	H	J		L	M
ROD - SECONDARY THROTTLE CONTROL	B7AZ 9C504-A	A	B	C	D	E	F	G	H	J			
	C8AZ 9C504-A (CM-872)										K	L	M
Retainer (rod to shaft)-spring-.44" long	353610-S8(NN126)	2	2	2	D	E	F	G					
Washer-.129"/.134" flat	★353854-S8	A	B	C	D	E	F	G	H	J			
Retainer (rod to shaft)-1/16"-3/4"	72015-S(N40)											L	M
LEVER - ACCELERATOR PUMP OPERATING	B8AZ 9A506-A	A	B	C	D	E	F	G	H	J			
Screw (accelerator pump lever adjusting)-No. 10-32 x .50" hex. head slotted	370050-S2(BB537)	A	B	C	D	E	F	G	H	J	K		
Sleeve-nut (accel. pump lever adjusting)-No. 10-32 x .26"	370052-S2(MM219)	A	B	C	D	E	F	G	H	J	K		
COVER - SECONDARY THROTTLE DIAPHRAGM	★C3AZ 9507-A	A	B										
	B7A 9507-B			C	D	E	F	G	H	J	K	L	M
Screw and washer assy. (diaphragm cover to carb.)-No. 8-32 x 5/8"	43255-S8(U74)	4	4	4	4	4	4	4	4	4	4	4	4
BOWL and PLUGS ASSY. - FLOAT - primary	★C3AZ 9A507-A	A											
	B9TE 9A507-C (CM-812)		B										
	C6AZ 9A507-A			C		E	F	G	H	J	K	L	M
	C6AZ 9A507-B				D								
Plug (fuel bowl)-1/8"-27 pipe	87650-S(P12)				D								
Screw (fuel bowl and plugs to carb. main body)-No. 12-24 x 2.56"	359747-S2(BB809)	4	4	4	8	4	4	4	4	4	4	4	4
BOWL and PLUGS ASSY. - FLOAT - secondary	D0AZ 9A508-A (CM-1273)	A											
	D0HZ 9A508-A (CM-1254)		B										
	C6AZ 9A508-B			C		E	F	G	H	J	K	L	M
	★C6AZ 9A508-C				D								
Screw (secondary bowl and plugs to carb. main body)-No. 12-24 x 1.88" special head	372238-S7-8(BB811)	4	4										
Screw (secondary bowl & plugs to carb. main body)-No. 12-24 x 2.56"	359747-S2(BB809)			4	4	4	4	4	4	4	4	4	4
Plug (fuel bowl)-1/8"-27 pipe	87650-S(P12)				2								
BUSHING - THROTTLE SHAFT	B7AZ 9B508-A	3	3	3	3	3	3	3	3	3	3		
Center	B8AZ 9B508-A	A	B	C	D	E	F	G	H	J	K		
BODY and PLUGS ASSY. - MAIN METERING - primary - stamped No. 4033	★C4AZ 9A511-A	A											
Stamped No. 4731	★C5AZ 9A511-A		B										
Stamped No. 4836	C6AZ 9A511-A			C		E							
Stamped No. 5127	★C6AZ 9A511-B				D								
Stamped No. 5230	★C7OZ 9A511-A						F						
Stamped No. 5169	C7OZ 9A511-B							G	H		K		
Tag code C8OF-D-stamped No. 5554	C8OZ 9A511-B(CM-842)									J			
Tag code C8OF-C-stamped No. 5482	C8OZ 9A511-A(CM-754)									J			
Stamped No. 5673	C8OZ 9A511-D(CM-944)											L	M
BODY and PLUGS ASSY. - MAIN METERING - secondary - stamped No. 11	★C1AZ 9A513-A	A											
Stamped No. 20	★C6AZ 9A513-A		B										
Stamped No. 4841	C6AZ 9A513-B			C		E	F	G	H	J	K		
Stamped No. 5129	★C6AZ 9A513-C				D								
Stamped No. 5671	C8OZ 9A513-A (CM-945)											L	M
Screw (secondary metering body to carb. main body)-No. 8-32 x .56" flat head-cross recess	372243-S7-8(BB110)	6	6										
PLATE - MAIN METERING	★B8A 9514-A	A	B										
ROD - FLOAT BOWL VENT	C6AZ 9A515-A			C		E	F	G	H	J	K	L	M

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 20A THRU 20M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET - THROTTLE BODY TO MAIN BODY	B8S 9516-A	A		C		E	F	G	H	J	K		
	C3AZ 9516-A		B		D							L	M
VALVE - ACCELERATOR PUMP DISCHARGE NEEDLE	B9TE 9A516-A (CM-22)	A	B	C	D	E	F	G	H	J	K	L	M
BAFFLE - FLOAT BOWL - primary	B8AZ 9A517-A	A	B		D								
Secondary	★B8AZ 9A517-B	A	B		D								
	C6AZ 9A517-A			2		2	2	2	2	2	2	2	2
	★C6AZ 9A517-B				2								
Screw & lockwasher assy. (baffle and float to float bowl)-No. 6-32 x .50"	43250-S(U70)			4	2	4	4	4	4	4	4	4	4
BODY and SHAFT ASSY. - THROTTLE	★C4AZ 9518-A	A											
	★C6AZ 9518-A		B										
	★C6AZ 9518-B			C		E	F	G	H				
	★C6AZ 9518-C				D								
Tag code C8OF-C	★C8OZ 9518-B(CM-756)									J			
Tag code C8OF-D	★C8OZ 9518-A(CM-755)									J			
	★C8AZ 9518-C(CM-873)										K		
	★C8OZ 9518-C(CM-946)											L	
	★C8OZ 9518-D(CM-953)												M
Screw and washer (throttle body to main body)-No. 12-24 x .81" fillister head	359736-S2(BB67)	AR	AR	AR	AR	AR	AR	AR	AR	8	8	8	8
Screw (throttle stop)-No. 10-32 x 1" fill. hd.	31676-S(U57)											L	M
Screw & lockwasher-throttle body & shaft-No. 6-32-1/2"	43250-S(U70)				2								
Washer-flat-No. 10-use with throttle body & shaft	351256-S7(XX54)				D								
Retainer-use with throttle body & shaft-1/32" x 7/16"	353610-S(NN126)					E							
GASKET - MAIN METERING BODY Primary	C1TZ 9A518-A (CG-224)	A	B	2	2	2	2	2	2	2	2	2	2
Secondary	B8AZ 9A518-A	A	B										
SPRING - FLOAT	B9TE 9A519-B	2	2		2								
FITTING - FUEL INLET	C6AZ 9A520-A			C									
FITTING - FUEL TRANSFER TUBE	C6AZ 9A520-B			2		2	2	2	2	2	2	2	2
	★C6AZ 9A520-C				2								
GASKET - VALVE SEAT LOCK SCREW	★B9TE 9A522-A	2	2	2		2	2	2	2	2	2	2	2
VALVE SEAT ADJUSTING NUT	B9TE 9A522-B	2	2	2		2	2	2	2	2	2	2	2
CAM - ACCELERATOR PUMP DIAPHRAGM OPERATING	B7AZ 9526-B (CM-143)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (cam to throttle shaft and lever)-No. 6-20 x 1/2" pan head slotted-tapping	375557-S7-8(UU82)	A	B	C	D	E	F	G	H	J	K	L	M
COVER KIT - ACCELERATOR PUMP-	D2AZ 9528-B (CM-461-A)	A	B	C	D	E	F	G	H	J	K	L	M
Screw and washer (cover to carb.)-No. 8-32 x 5/8"	43255-S8(U74)	4	4	4		4	4	4	4	4	4	4	4

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 20A THRU 20M											
		A	B	C	D	E	F	G	H	J	K	L	M
JET - MAIN METERING - primary													
No. 66 - 0 to 5,000 ft. altitude	8MB 9533-B(CJ-61)	2									2	2	2
- 0 to 5,000 ft. altitude	C7AZ 9533-A(CJ-169)		2										
No. 68 - 0 to 5,000 ft. altitude	8MB 9533-A			2									
No. 73 - 0 to 5,000 ft. altitude	B7C 9533-A(CJ-9)				2								
No. 65 - 0 to 5,000 ft. altitude	5GA 9533-A(CJ-48)					2	2	2	2	2			
Secondary													
Secondary - No. 71 - 0 to 5,000 ft. altitude	PB8M 9533-A			2		2	2	2	2	2	2		
Secondary - No. 85 - 0 to 5,000 ft. altitude	C6AZ 9533-C(CJ-167)				2								
Secondary - No. 79 - 0 to 5,000 ft. altitude	C8OZ 9533-A(CJ-173)											2	2
TUBE-FLOAT BOWL CONNECTION - .250" O.D. -6.00 " long	B8A 9534-A	A	B										
LEVER - FAST IDLE ADJUSTING	B8A 9538-B	A	B	C	D	E	F	G	H	J	K	L	M
Screw (fast idle adjusting)-No. 8-32 x .63" hex. slotted head-pilot point	372242-S7-8(BB411)	A	B	C	D	E	F	G	H	J	K	L	M
Screw and lockwasher (lever to main body)-No. 10-32 x 3/8"	50804-S8(U157)	A	B	C	D	E	F	G	H	J	K		
NEEDLE - IDLE ADJUSTING	B7A 9541-A(CM-144)	2	2	2	2	2	2	2	2	2	2		
	C3AZ 9541-B(CM-428)								H				
	C8OZ 9541-B(CM-947)											2	2
PLATE - CHOKE	★B7A 9545-B	A											
	C3AZ 9545-B		B	C		E	F	G		J	K	L	M
	C6AZ 9545-A(CM-675)				D								
SHAFT and LEVER ASSY. - CHOKE	B7A 9546-B	A	B	C	D	E	F	G	H	J	K		
SHAFT - CHOKE	C8OZ 9546-A(CM-948)											L	M
DASHPOT ASSY.	C1AZ 9B549-A(CD-6)			C			F		H				
	C8OZ 9B549-A(CD-17)									J			
	C8OZ 9B549-B(CD-19)											L	M
Nut (dashpot to mtg. brkt.)-7/16"-20	45300-S8(M35)											L	M
Nut (dashpot to mounting brkt.)-5/16"-24	33923-S7(M32)			C			F		H				
FLOAT ASSY. - primary and secondary	B9TZ 9550-A(CM-734)	2	2										
	C6AZ 9550-B(CM-639)			2		2	2	2	2	2	2	2	2
	C6AZ 9550-D(CM-673)				2								
Retainer (float bowl)	351826-S(XX2)	2	2										
BRACKET - DASHPOT MOUNTING	B7AZ 9B550-B			C			F		H				
	C8OZ 9B550-A (CM-950)											L	M
Screw (dashpot bracket to main body)-No. 10-24 x 7/16" fillister head	374067-S100(BB637D)			C			F		H			L	M
Lockwasher-No. 10	34803-S7(X60)			C			F		H			L	M
BAFFLE - METERING BODY VENT	B8A 9553-C	A		C	D	E	F	G	H	J	K	L	M
VALVE - FLOAT BOWL VENT	C4TZ 9557-B			C		E	F	G	H	J	K	L	M
SHAFT - FLOAT LEVER	C6AZ 9558-A(CM-640)			2	2	2	2	2	2	2	2	2	2
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C0AE 9B559-D (CM-193)	A	B	C	D	E	F	G	H	J	K	L	M

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LIST 20A THRU 20M											
		A	B	C	D	E	F	G	H	J	K	L	M
SPRING - FLOAT BOWL VENT RETURN	B8A 9560-B			C		E	F	G	H	J	K	L	M
GASKET - FLOAT BOWL	B8A 9561-C			2	2	2	2	2	2	2	2	2	2
Primary	(CG-229)	A	B										
Secondary	B8A 9561-D	A	B										
PLUG - FUEL LEVEL CHECK - 5/16"-24 x 1/4" slotted	B7T 9562-A	2	2	2		2	2	2	2	2	2	2	2
VALVE and SEAT ASSY. - FUEL INLET	C6AZ 9564-B(CV-60)				2								
	C6AZ 9564-C(CV-66)	2	2	2		2	2	2	2	2	2	2	2
Screw (fuel valve adjusting nut lock)-1/4"-32 x .33"	373246-S(BB660)	2	2	2		2	2	2	2	2	2	2	2
Nut (fuel valve adjusting)-5/16" x 3/8"	372426-S8B(MM168)	2	2	2		2	2	2	2	2	2	2	2
CLAMP - AIR VENT PUSH ROD	B8A 9565-A			C		E	F	G	H	J	K	L	M
Screw & washer assy. (clamp to bowl & plugs)-No. 8-32 x 3/8" fill. head	43248-S8(U72)			C		E	F	G	H	J	K	L	M
ECONOMIZER ASSY. - Stamped No. 85	B8LY 9A565-A(CE-20)		B		D	E	F	G	H	J	K		
Stamped No. 65	B8AZ 9A565-A(CE-18)	A		C								L	M
RETAINER - PUMP OPERATING LEVER - split - serviced in 9590 kit	B2A 9568-B	A	B	C	D	E	F	G	H	J			
Retainer(pump operating lever to carb.) "C"	372999-S(QQ35)										K		
GASKET - FUEL INLET NEEDLE SEAT	★B5A 9569-A				2								
GASKET - FUEL LEVEL CHECK PLUG	★EAA 9569-A										2	2	2
SPRING - FLOAT HINGE	C6AZ 9F570-A			2		2	2	2	2	2	2	2	2
SPRING - ACCELERATOR PUMP LEVER ADJUSTING SCREW	★B7A 9571-A	A	B	C	D	E	F	G	H	J			
	C4TZ 9571-A										K	L	M
BRACKET - TRANSMISSION LINK LEVER SPRING	★C8AF 9H571-A										K		
SCREEN - AIR VENT	C4TZ 9G574-A		B		2								
BALL - SECONDARY THROTTLE CHECK	B5A 9576-A	A	B	C	D							L	M
TUBE ASSY. - FUEL TRANSFER	C9AZ 9H576-A			C		E	F	G	H	J	K	L	M
NOZZLE ASSY. - PUMP DISCHARGE	B8A 9577-A		B	C	D	E	F	G	H	J	K		
	★C4AZ 9577-A	A											
SCREW - PUMP DISCHARGE NOZZLE	C8AZ 9577-A(CM-875)										K		
	C8OZ 9577-A(CM-954)											L	M
Screw (pump discharge nozzle)-No. 12-24 x 3/4" oval head	★50420-S7	A	B		D	E	F	G	H	J	K	L	M
SPRING - FAST IDLE ADJUSTING SCREW 4 1/2 coils-.20" I.D. -.58" long	B8A 9578-B (CM-609)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (throttle stop)-No. 10-32 x 1.00" fill. hd.	31676-S(U57)		B	C	D	E	F	G	H	J	K		
GASKET - PUMP DISCHARGE NOZZLE	B7AE 9580-A	2	2	2	2	2	2	2	2	2	2	2	2
LEVER and SHAFT ASSY. - THROTTLE - primary	★C3AZ 9581-B	A											

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 20 A THRU 20 M											
		A	B	C	D	E	F	G	H	J	K	L	M
LEVER - SECONDARY THROTTLE DIAPHRAGM	B8A 9583-C	A	B	C	D	E	F	G	H	J	K	L	M
Screw (secondary throttle stop)-spread lock set-No. 8-32 x .36"	359749-S(UU17)								H	J	K	L	M
Screw and washer (secondary throttle diaphragm lever)-No. 10-32 x 3/8"	50804-S8(U-157)	A	B	C	D	E	F	G	H	J	K	L	M
PLATE - THROTTLE - primary	★B8S 9585-A	2		2		2	2	2	2		2		
	C3AZ 9585-B		2										
Primary & secondary					4							4	4
Secondary	★C1AZ 9585-A	2		2		2	2	2	2	2	2		
Secondary	★C3AZ 9585-C		2										
Primary	C8OZ 9585-A(CM-757)		2							2			
SCREW - THROTTLE PLATE	B8A 9586-A	8	8	8	8	8	8	8	8	8	8	8	8
Screw-choke plate-No. 6-32-oval head Tag code C3AF-BK, C5AF-BD	B9A 9586-A (CM-531)	2	2	2	2	2	2	2	2	2	2	2	2
GASKET - FUEL LEVEL CHECK PLUG - serviced in 9502 kit	★A8AZ 9A588-A	2	2	2		2	2	2	2	2			
GASKET-ECONOMIZER-or power valve	B7AZ 9A588-A	A	B	2	2	E	F	G	H	J	K	L	M
LEVER - ACCELERATOR PUMP	C8AZ 9D591-A (CM-876)										K	L	M
Retainer (accel. pump lever to body)-"C"	372999-S(QQ35)											L	M
Screw (accel. pump lever adj.)-No. 10-32 x 1/2"	370050-S(BB537)											L	M
Nut(accel. pump lever adj.)-No. 10-32 sleeve	370052-S(MM219)											L	M
GASKET - FLOAT BOWL SCREW	B7A 9592-A	8	8	8	8	8	8	8	8	8	8	8	8
LEVER and SHAFT ASSY. - SECONDARY THROTTLE PLATE	★B8AZ 9A592-C	A											
	★C3AZ 9A592-A		B										
Screw (secondary throttle stop)-spread lock set-No. 8-32 x .36"	359749-S(UU17)	A	B	C	D	E	F	G					
CAM ASSY. - FAST IDLE	B8S 9597-A(CM-229)	A	B	C	D								
	B8A 9597-B(CM-225)						F		H		K		
	C7OZ 9597-A (CM-681)					E		G		J			
Tag codes C8OF-C, AA													
Tag code C8OF-D	C8OZ 9597-A(CM-843)									J			
	★C0ME 9597-A												M
	C8OZ 9597-B (CM-1036)											L	
Screw (fast idle cam adjusting)-No. 10-32 x 3/8"	50804-S8(U157)											L	M
ROD - CHOKE CONTROL Tag code C3AF-BK, C5AF-BD	B7AZ 9A599-B	A	B	C		E	F	G	H	J	K	L	M
	★C6AZ 9A599-A				D								
Retainer (rod to carburetor)	353610-S8(NN126)	A	B	C	D	E	F	G	H	J	K	L	M
"O" RING - FUEL VALVE SEAT - balance tube	★B5A 9609-A	2											
Serviced in 9502 kit	B6A 9609-A	2	2	2		2	2	2	2	2	2	2	2
SEAL - IDLE ADJUSTING NEEDLE	B7A 9634-A	2	2	2	2	2	2	2	2	2	2	2	2
SPRING - ACCELERATOR PUMP DIAPHRAGM RETURN	★B7A 9636-B	A	B	C	D	E	F	G	H	J	K	L	M
SHAFT and LEVER ASSY. - CHOKE HOUSING	B7AZ 9A753-B	A	B	C	D	E	F	G	H	J	K		
	C8OZ 9A753-A (CM-951)											L	M
LEVER - CHOKE THERMOSTAT	C8OZ 9A754-A											L	M

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 20 A THRU 20 M											
		A	B	C	D	E	F	G	H	J	K	L	M
SPACER - SECONDARY THROTTLE PLATE CONTROL LEVER Tag code C3AF-BK, C5AF-BD	★B5AZ 9812-A	A	B	C		E	F	G	H	J	K	L	M
CLIP - SCREW LOCK - No. 10-32 nut and screw lock	C8AZ 9825-A (CM-877)										K		
PISTON ASSY. - CHOKE - tag code C3AF-BK	B7A 9840-B (CM-312)	A											
	★B8S 9840-A		B										
Choke thermostat	C6AZ 9840-C(CM-642)			C									
Carburetor vacuum	★C3AZ 9840-A				D								
Tag code C8OF-C	C7OZ 9840-C(CM-684)					E		G	H	J			
	C7OZ 9840-B(CM-683)						F						
Tag code C8OF-D	C8OZ 9840-A(CM-844)									J			
	C7OZ 9840-A(CM-682)										K		
	C8OZ 9840-B (CM-1041)											L	M
Nut (piston to choke housing)-No. 8-36	355829-S7(MM15)	A	B	C	D	E	F	G	H	J	K	L	M
Lockwasher-No. 8	34802-S7(X59)	A	B	C	D	E	F	G	H				
Lockwasher-No. 8	34902-S7(X95)									J	K	L	M
CLAMP - THERMOSTATIC CHOKE HOUSING Tag codes C3AF-BK, C5AF-BD	B6A 9842-A	A	B	C	D	E	F	G	H	J	K	L	M
Screw (clamp housing)-No. 8-32 x 1/2"	31061-S8(U50)	3	3	3	3	3	3	3	3	3	3	3	3
Lockwasher-No. 8	34802-S7(X59)	3	3	3	3	3	3	3	3				
HOUSING - THERMOSTATIC CHOKE - identified by letters "GTA" Tag code C8OF-D, C8OF-AB- service pkg. includes C8OZ 9871-A gasket	C7OZ 9848-D (CM-952)								H	J			M
Service pkg. includes B7A 9871-B gasket Tag codes C3AF-BK, C5AF-BD	B8A 9848-A (CM-327)	A	B	C			F				K		
Identified by letters "GTI" - code tag C8OF-C	C8OZ 9848-A(CM-845)										K		
Service pkg. includes (1) B7A 9871-B gasket	B8A 9848-E(CM-329)				D								
Identified by letters "GTS"-service pkg. includes (1) B7A 9871-B gasket	C7OZ 9848-C (CM-737)					E		G					
Identified by letters "GTA"-service pkg. includes (1) B7A 9871-B gasket	C7OZ 9848-D (CM-736)						F						
HOUSING and PLUGS ASSY. - CHOKE	C7OZ 9849-D(CM-739)						F		H				
Tag code C3AF-BK	C0AE 9849-C	A			D								
	C6AZ 9849-B(CM-641)			C									
	C6AZ 9849-A(CM-638)		B										
Tag code C8OF-D	C8OZ 9849-A(CM-847)									J		L	M
Tag code C8OF-C	C7OZ 9849-C(CM-738)					E		G		J			
	C7OZ 9849-B(CM-687)										K		
Screw and washer (choke housing to main body)-No. 8-32 x 1.25"	359737-S(BB59)	3	3	3	3	3	3	3	3	3	3	3	3
GASKET - THERMOSTATIC CHOKE CONTROL Secondary diaphragm housing	B7A 9853-B	2 A	2 B	2 C	2 D	2 E	2 F	2 G	2 H	2 J	2 K	2 L	2 M
GASKET - THERMOSTATIC CHOKE HOUSING	C8OZ 9871-A(CG-238)	A	B	C	D	E	F	G	H	J	K		
	C8OZ 9871-B(CG-246)											L	M
SCREEN - FUEL FILTER	B8A 9938-A(CM-378)	2	2										
PLUG - FUEL LEVEL CHECK	★8CM 9944				2								
GASKET - FUEL LEVEL CHECK PLUG	8CM 9945				2								

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LIST 20N THRU 20Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET SET	C8ZZ 9502-D (CG-237-A)	N	P	Q	R		T	U	V	W	X	Y	
	C9OZ 9502-A(CG-255)					S							
	D0AZ 9502-B(CG-310)												Z
TUNE UP KIT	C8ZZ 9A586-E (CT-211-B)	N	P	Q	R		T	U	V	W	X	Y	
	C8ZZ 9A586-F (CT-774-A)					S							
	B9AZ 9A586-E (CT-195-A)												Z
REPAIR KIT - service details	★C8OZ 9590-B(CR-365)	N	P	Q	R		T	U				Y	
	C9OZ 9590-C(CR-382)					S							
Elbow (spark vacuum connector)	381719-S(II-10CA)	N	P	Q	R	S	T	U	V	W	X	Y	
Screw (secondary throttle stop)-spread lock set	359749-S(UU17)	N	P	Q	R	S		U	V	W	X	Y	Z
Stud (carb. to intake manifold)	376063-58										X		
FILTER ASSY. - FUEL "Before 6/1/69"	C7OZ 9155-A(FG-19)	N	P	Q	R	S		U	V		X		
"From 6/1/69"	C9AZ 9155-A(FG-39)					S	T			W		Y	
"O" RING - FLOAT BOWL TUBE CONNECTOR SEAL	B5A 9229-A												2
GASKET - FUEL INLET - .88" I.D. - 1.06" O.D. - .017" thick	D1ZZ 9229-A	3	3	3	3	3	3	3	3	3	3	3	
	C2AZ 9229-A												2
TUBE & FITTING ASSY. -FUEL INLET	C4AZ 9E321-A												Z
LIMITER - IDLE ADJUSTING NEEDLE	C8OZ 9J500-A (CM-942)	2	2	2	2	2	2	2	2	2	2	2	
HOUSING ASSY. - SECONDARY THROTTLE DIAPHRAGM	B7A 9501-A	N	P	Q			T	U	V	W			Z
	C8OZ 9501-A(CM-923)				R	S					X	Y	
Screw and washer (housing to throttle body)-No. 8-32 x 1"	43407-S8(U76)	3	3	3	3	3	3	3	3	3	3	3	3
SEAL - FAST IDLE ROD	C1AE 9B501-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
DIAPHRAGM ASSY. -SECONDARY THROTTLE	B7T 9503-A (CM-4)	N	P	Q	R	S	T	U	V	W	X	Y	
	B8A 9503-A(CM-5)												Z
Washer (diaphragm link to lever)-"C" retainer	351825-S(XX9)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - SECONDARY THROTTLE DIAPHRAGM RETURN	B7AZ 9B504-C	N	P	Q	R		T	U	V	W			Z
	★B8MY 9B504-B				R	S					X	Y	
ROD - SECONDARY THROTTLE CONTROL	C8AZ 9C504-A (CM-872)	N	P	Q		S	T	U	V	W	X	Y	Z
Retainer (rod to shaft)-1/16"-3/4"	72015-S(N40)	N	P	Q	R	S	T	U	V	W	X	Y	Z
COVER - SECONDARY THROTTLE DIAPHRAGM	B7A 9507-B	N	P	Q	R	S	T	U	V	W	X	Y	
	D0AZ 9507-A (CM-1272)												Z
Screw and washer assy. (diaphragm cover to carb.)-No. 8-32 x 5/8"	43255-S8(U74)	4	4	4	4	4	4	4	4	4	4	4	
Screw and washer assy. (diaphragm cover to carb.)-No.8-32 x 9/16"	372243-S7-8 (BB110)												4
BOWL and PLUGS ASSY. -FLOAT - primary	C6AZ 9A507-A	N	P	Q	R	S	T						
	D0ZZ 9A507-A (CM-1139)							U	V	W	X	Y	
	B9AZ 9A507-A												Z
Screw (fuel bowl and plugs to carb. main body)-No. 12-24 x 2.56"	359747-S2(BB809)	4	4	4	4	4	4	4	4	4	4	4	4
BOWL and PLUGS ASSY. - FLOAT-secondary	C6AZ 9A508-B	N	P	Q	R	S	T	U	V	W	X	Y	
	D0AZ 9A508-A (CM-1273)												Z
Screw (secondary bowl & plugs to carb. main body)-No. 12-24 x 2.56"	359747-S2(BB809)	4	4	4	4	4	4	4	4	4	4	4	
Screw (secondary bowl & plugs to carb. main body)-No.12-24 x 1 7/8"	372238-S7-8 (BB811)												4

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LIST 20N THRU 20Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
BUSHING - THROTTLE SHAFT	B7AZ 9B508-A												
Center	B8AZ 9B508-A												3
													Z
BODY and PLUGS ASSY. -MAIN METERING- primary - stamped No. 5673	C8OZ 9A511-D (CM-944)	N	P	Q			T	U					
Stamped No. 6211	C9ZZ 9A511-A (CM-1117)				R								
Stamped No. 6396	D0ZZ 9A511-A (CM-1252)										X		
Stamped No. 6382	D0OZ 9A511-B (CM-1245)								V	W			
Stamped No. 6044	D0OZ 9A511-A (CM-1246)					S						Y	
Stamped No. 6343	D0AZ 9A511-A (CM-1274)												Z
BODY and PLUGS ASSY. -MAIN METERING- secondary - stamped No. 5671	C8OZ 9A513-A (CM-945)	N	P	Q			T	U					
Stamped No. 6213	C9ZZ 9A513-A (CM-1118)				R								
Stamped No. 6045	D0ZZ 9A513-A (CM-1247)										X	Y	
Stamped No. 30	D0AZ 9A513-B (CM-1277)												Z
Screw and washer assy. (main metering)- No. 8-32 x 9/16"	372243-S7-8 (BB-110)												6
PLATE - SECONDARY METERING	★B8A 9514-A												Z
LEVER & SWIVEL ASSY. - CHOKE	B8TZ 9A514-A				R	S					X	Y	
Tag code D0ZF-AA, AB, AC, AD								U					
Screw-choke swivel-No. 8-32 x 1/4" fill. hd.	31032-S8(U47)				R								
ROD - FLOAT BOWL VENT	C6AZ 9A515-A	N	P	Q	R	S	T						
	★B9AE 9A515-A												Z
GASKET-THROTTLE BODY TO MAIN BODY	C3AZ 9516-A	N	P	Q	R	S	T	U	V	W	X	Y	
	B8S 9516-A												Z
VALVE - ACCELERATOR PUMP DISCHARGE NEEDLE	B9TE 9A516-A (CM-22)	N	P	Q	R	S	T	U	V	W	X	Y	Z
BAFFLE - FLOAT BOWL	C6AZ 9A517-A	2	2	2	2	2	2	2	2	2	2	2	
Primary	C9HZ 9A517-B (CM-1018)												Z
Secondary	C9HZ 9A517-A (CM-1017)												Z
Screw and lockwasher assy. (baffle and float to float bowl)-No. 6-32 x .50"	43250-S(U70)	4	4	4	4	4	4	4	4	4	4	4	
BODY and SHAFT ASSY. - THROTTLE	★C8OZ 9518-C(CM-946)	N	P										
	★C9AZ 9518-C (CM-1035)			Q			T						
	C9ZZ 9518-E (CM-1119)				R								
Tag codes D0ZF-H, U	★D0ZZ 9518-E(CM-1140)							U					
Tag codes D0ZF-G, T	★D0ZZ 9518-F(CM-1141)							U					
Screw (throttle stop)-No. 10-32 x 1" fill. hd.	31676-S(U57)	N	P	Q	R	S	T	U	V	W	X	Y	
Screw and washer (throttle body to main body)- No. 12-24 x .81" fillister head	359736-S2(BB67)	8	8	8	8	8	8	8	8	8	8	8	6
GASKET - MAIN METERING BODY - Primary	C1TZ 9A518-A (CG-224)	2	2	2	2	2	2	2	2	2	2	2	Z
Secondary	B8AZ 9A518-A												Z
SPRING - FLOAT	B9TE 9A519-B												Z

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LIST 20N THRU 20Z										
		N	P	Q	R	S	T	U	V	W	X	Y	Z
FITTING - FUEL TRANSFER TUBE	C6AZ 9A520-A	2	2	2	2	2	2	2	2	2	2	2	
FITTING - FUEL INLET	C4AZ 9A520-A												Z
GASKET - VALVE SEAT LOCK SCREW	★B9TE 9A522-A	2	2	2	2	2	2	2	2	2	2	2	2
VALVE SEAT ADJUSTING NUT	B9TE 9A522-B	2	2	2	2	2	2	2	2	2	2	2	2
CAM - ACCELERATOR PUMP DIAPHRAGM OPERATING	B7AZ 9526-B (CM-143)	N	P	Q	R	S	T	U	V	W	X	Y	
	C4TZ 9526-A(CM-887)												Z
Screw (cam to throttle shaft and lever)-No. 6-20 x 1/2" pan head slotted-tapping	375557-S7-8(UU82)	N	P	Q	R	S	T	U	V	W	X	Y	
Screw (cam to throttle shaft and lever)-No. 6-20 x 3/8" truss head tapping	353803-S8(UU95)												Z
COVER KIT - ACCELERATOR PUMP -	D2AZ 9528-B (CM-461-A)	N	P	Q	R	S	T	U			X	Y	Z
COVER ASSY. - ACCELERATOR PUMP	D0OZ 9528-A (CM-1251)								V	W			
Screw & washer (cover to carb.)-No. 8-32 x 5/8"	43255-S8(U74)	4	4	4	4	4	4	4			4	4	4
Screw & washer (cover to carb.)-No. 8-32 x 3/8"	43248-S8(U72)								4	4			
JET - MAIN METERING - primary													
No. 66 - 0 to 10,000 ft. altitude	8MB 9533-B(CJ-61)	2	2	2			2	2					
No. 64 - 0 to 10,000 ft. altitude	1GA 9533-A(CJ-44)					2						2	
No. 68 - 0 to 10,000 ft. altitude	8MB 9533-A				2								
No. 71 - 0 to 10,000 ft. altitude	PB8M 9533-A								2		2		
No. 57 - 0 to 10,000 ft. altitude	26H 9533 (CJ-47)												2
No. 70 - 0 to 10,000 ft. altitude	★B6C 9533-A(CJ-6)									2			
Secondary													
No. 79 - 0 to 10,000 ft. altitude Tag code D0ZF-AA, AB, AC, AD	C8OZ 9533-A (CJ-173)	2	2	2			2	2					
No. 82 - 0 to 10,000 ft. altitude Tag code D0ZF-G, H, T, U	C9ZZ 9533-A (CJ-182)				2			2				2	
No. 80 - 0 to 10,000 ft. altitude	D0ZZ 9533-A(CJ-186)										2		
No. 83 - 0 to 10,000 ft. altitude	D0OZ 9533-C(CJ-187)								2	2			
TUBE - FLOAT BOWL CONNECTION-.250" O.D. -6.00" long	B8A 9534-A												Z
LEVER ASSY. - FAST IDLE PICKUP Tag code D0ZF-AA, AB, AC, AD	B7AZ 9A535-C				R	S		U			X	Y	Z
PLUNGER - CHOKE LEVER Tag code D0ZF-AA, AB, AC, AD	78 9537-A				R	S		U			X	Y	
LEVER - FAST IDLE ADJUSTING	B8A 9538-B	N	P	Q					V	W			
	★B7A 9538-A												Z
Screw (fast idle adjusting)-No. 8-32 x .63" hex. slotted head-pilot point	372242-S7-8(BB411)	N	P	Q		S							Z
SPRING - THROTTLE RETURN	D0OZ 9A538-A (CM-1249)								V	W	X	Y	
NEEDLE - IDLE ADJUSTING Tag code D0ZF-AA, AB, AC, AD	C8OZ 9541-B (CM-947)	2	2	2	2	2	2	2	2	2	2	2	
	B7A 9541-A (CM-144)												2
LEVER - CHOKE CONTROL Tag code D0ZF-AA, AB, AC, AD	C9ZZ 9D541-A (CM-1120)				R			U			X	Y	

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 20N THRU 20Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
PLATE - CHOKE	C3AZ 9545-B	N	P	Q	R	S	T	U	V	W	X	Y	Z
SHAFT and LEVER ASSY. - CHOKE	B7A 9546-B				R	S					X	Y	Z
Nut (choke shaft)-No. 8-36	355829-S7(MM15)				2	2							
	C8OZ 9546-A(CM-948)	N	P	Q			T	U	V	W			
DASHPOT ASSY. Tag codes D0ZF-G,H,AA,AB	C8OZ 9B549-B (CD-19)	N	P	Q		S	T	U					
	C2DZ 9B549-A												Z
Nut (dashpot to mounting bracket)-7/16"-20	45300-S8(M35)	N	P	Q		S	T	U					
FLOAT ASSY.	C6AZ 9550-B(CM-639)	2	2	2	2	2	2	2	2	2	2	2	
	B7TZ 9550-A (CM-734)												2
Retainer (float bowl)	351826-S(XX2)												2
BRACKET - DASHPOT MOUNTING Tag codes D0ZF-G,H,AA,AB	C8OZ 9B550-A (CM-950)	N	P	Q		S	T	U					Z
Screw (dashpot bracket to main body)-No. 10-24 x 7/16" fillister head	374067-S100(BB637D)	N	P	Q		S	T	U					
Lockwasher-No. 10	34803-S7(X60)	N	P	Q		S	T	U					
Screw (dashpot bracket to main body)-No. 10-24 x 3/4" round head	53864-S7-8(U169)												Z
BAFFLE - METERING BODY VENT	B8A 9553-C	N	P	Q	R	S	T	U	V	W	X	Y	
VALVE - FLOAT BOWL VENT	C4TZ 9557-B	N	P	Q	R	S	T						Z
SHAFT - FLOAT LEVER	C6AZ 9558-A(CM-640)	2	2	2	2	2	2	2	2	2	2	2	
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C0AE 9B559-D (CM-193)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - FLOAT BOWL VENT RETURN	B8A 9560-B	N	P	Q	R	S	T						Z
SPRING - CHOKE PLATE Tag code D0ZF-AA,AB,AC,AD	C9ZZ 9560-A (CM-1121)				R			U			X	Y	
GASKET - FLOAT BOWL	B8A 9561-C(CG-229)	2	2	2	2	2	2	2	2	2	2	2	Z
	B8A 9561-D												Z
PLUG - FUEL LEVEL CHECK	B7T 9562-A	2	2	2	2	2	2	2	2	2	2	2	2
VALVE and SEAT ASSY. - FUEL INLET	C6AZ 9564-C(CV-66)	2	2	2	2	2	2	2	2	2	2	2	
	D0AZ 9564-A(CV-84)												2
Screw (fuel valve adjusting nut lock)-1/4"-32 x .33"	373246-S(BB660)	2	2	2	2	2	2	2	2	2	2	2	2
Nut (fuel valve adjusting)-5/16" x 3/8"	372426-S8B(MM168)	2	2	2	2	2	2	2	2	2	2	2	2
CLAMP - AIR VENT PUSH ROD	B8A 9565-A	N	P	Q	R	S	T						Z
Screw & washer assy. (clamp to bowl & plugs)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	N	P	Q	R	S	T						
Screw & washer assy. (clamp to bowl & plugs)-No. 8-32 x 5/16" fillister head	355067-S(BB53)												Z
ECONOMIZER ASSY. - stamped No. 65	B8AZ 9A565-A(CE-18)	N	P	Q	R		T	U					
	B7TZ 9A565-A(CE-16)					S							
	B8LY 9A565-A(CE-20)								V	W	X	Y	Z
GASKET - FUEL LEVEL CHECK PLUG	★EAA 9569-A	2	2	2	2	2	2	2	2	2	2	2	2
SPRING - THROTTLE RETURN-fast idle cam Tag code D0ZF-AA,AB,AC,AD	B7AZ 9B569-A				R	S		U				Y	Z

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 20 N THRU 20 Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - FLOAT HINGE	C6AZ 9F570-A	2	2	2	2	2	2	2	2	2	2	2	
	D0AZ 9F570-A												Z
SPRING - ACCELERATOR PUMP LEVER ADJUSTING SCREW	C4TZ 9571-A	N	P	Q	R	S	T	U	V	W	X	Y	
	★B7A 9571-A												Z
BALL - SECONDARY THROTTLE CHECK	B5A 9576-A	N	P	Q			T	U	V	W	X		
TUBE ASSY. - FUEL TRANSFER	C9AZ 9H576-A	N	P	Q	R	S	T	U	V	W	X	Y	
NOZZLE ASSY. - PUMP DISCHARGE	C8OZ 9577-A(CM-954)	N	P	Q			T	U					
	D0OZ 9577-A (CM-1250)							U				Y	Z
	C9ZZ 9577-A (CM-1122)				R				V	W	X		
SCREW - PUMP DISCHARGE NOZZLE	C8AZ 9577-A(CM-875)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw (pump discharge nozzle)	C8AZ 9577-A(CM-875)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - FAST IDLE ADJUSTING SCREW - 4 1/2 coils-.20" I.D. -.58" long	B8A 9578-B (CM-609)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw (throttle stop)-No. 10-32 x 1.00" fill. hd.	31676-S(U57)				R	S							Z
SPRING - IDLE ADJUSTING NEEDLE	★40 9578				R			U			X	Y	Z
GASKET - PUMP DISCHARGE NOZZLE	B7AE 9580-A	2	2	2	2	2	2	2	2	2	2	2	Z
LEVER - SECONDARY THROTTLE DIAPHRAGM	B8A 9583-C	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw (secondary throttle stop)-spread lock set-No. 8-32 x .36"	359749-S(UU17)	N	P	Q	R	S	T	U					
Screw and washer (secondary throttle diaphragm lever)-No. 10-32 x 3/8"	50804-S8(U157)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw (secondary throttle stop)-spread lock set-No.10-32 x .36"	★372133-S												Z
PLATE - THROTTLE-primary & secondary	C3AZ 9585-B	4	4	4			4						
Primary					2			2	2	2	2	2	
Primary	B7A 9585-C												Z
Secondary	C9ZZ 9585-B (CM-1123)				2			2	2	2	2	2	
Secondary	★B8A 9585-H												2
SCREW - THROTTLE PLATE	B8A 9586-A	8	8	8		8	8	8				8	8
Primary					4				4	4	4		
SCREW - CHOKE PLATE-No. 6-32-oval head	B9A 9586-A(CM-531)	2	2	2	2	2	2	2	2	2	2	2	2
SCREW - THROTTLE PLATE - secondary	B7A 12230-A (DZ-358)	2	2	2	2	2							
BRACKET - THROTTLE EMISSION CONTROL SOLENOID	D0OZ 9J586-C				R			U	V	W	X	Y	
Nut (brkt. to solenoid)-1/4"-20 square	34129-S7-8(M148)				R			U	V	W	X	Y	
Screw & washer assy. (brkt. to solenoid)-1/4"-20 x 3/4" hex. head	382790-S(BB84B)				R				V	W	X		
Screw (brkt. to solenoid)-No. 10-24 x 7/16" fillister head	374067-S100 (BB637D)							2	2	2	2	2	
Lockwasher-No. 10	34803-S7(X60)							2	2	2	2	2	

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 20 N THRU 20 Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - CHOKE LEVER PLUNGER Tag code D0ZF-AA, AB, AC, AD	★78 9587				R			U			X		
GASKET - ECONOMIZER VALVE	B7AZ 9A588-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
LEVER - ACCELERATOR PUMP	C8AZ 9D591-A (CM-876)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Retainer (accelerator pump lever to Body)-"C"	372999-S(QQ35)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw (accel. pump lever adj.)-No. 10-32 x 1/2"	370050-S(BB537)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Nut (accel. pump lever adj.)-No. 10-32 sleeve	370052-S(MM219)	N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET - FLOAT BOWL SCREW	B7A 9592-A	8	8	8	8	8	8	8	8	8	8	8	8
BRACKET ASSY. - CHOKE CONTROL Tag code D0ZF-AA, AB, AC, AD	B8TZ 9595-A				R			U			X	Y	
CAM ASSY. - FAST IDLE Tag codes D0ZF-H, U	★C0ME 9597-A	N		Q			T	U		W			Z
Tag codes D0ZF-G, T	D0ZZ 9597-A (CM-1142)							U	V				
	C8OZ 9597-B (CM-1036)		P										
Tag code D0ZF-AA, AB, AC, AD	C9ZZ 9597-B (CM-1124)				R			U			X		
Screw (fast idle cam adj.)-No. 10-32 x 3/8"	50804-S8(U157)	N	P	Q	R	S	T	U		W	X	Y	
ROD - CHOKE CONTROL Tag code D0ZF-G, H, T, U	B7AZ 9A599-B	N	P	Q			T	U	V	W			Z
Tag code D0ZF-AA, AB, AC, AD	B8TZ 9A599-A				R	S		U			X	Y	
Retainer (rod to carburetor)	353610-S8(NN126)	N	P	Q	R	S	T	U	V	W	X	Y	Z
"O" RING - FUEL VALVE SEAT - serviced in 9502 kit	B6A 9609-A	2	2	2	2	2	2	2	2	2	2	2	2
SEAL - IDLE ADJUSTING NEEDLE	B7A 9634-A	2	2	2	2	2	2	2	2	2	2	2	2
SPRING - ACCELERATOR PUMP DIAPHRAGM RETURN	★B7A 9636-B	N	P	Q		S	T					Y	Z
SPRING - ACCELERATOR PUMP LEVER RETURN	C9ZZ 9636-A (CM-1125)				R			U	V	W	X		
SHAFT and LEVER ASSY. - CHOKE HOUSING	C8OZ 9A753-A (CM-951)	N	P	Q			T	U	V	W			Z
LEVER - CHOKE THERMOSTAT	C8OZ 9A754-A	N	P	Q			T	U	V	W			Z
CLAMP - CHOKE CABLE BRACKET Tag Code D0ZF-AA, AB, AC, AD	8BA 9792				R			U			X	Y	
Nut (clamp to brkt.)-No. 8-32 square	34126-S8(M146)				R			U			X	Y	
Screw (clamp to brkt.)-No. 8-32 x 1/2" fill. hd.	31061-S8(U50)				R			U			X	Y	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 20 N THRU 20 Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
SPACER - SECONDARY THROTTLE PLATE CONTROL LEVER	★B5AZ 9812-A	N	P	Q			T	U	V	W			Z
PLATE - FAST IDLE CAM	B7T 9838-A				R	S					X	Y	
Tag code D0ZF-AA, AB, AC, AD								U					
Screw & washer (cam plate to main body)- No. 8-32 x 1 1/2" fillister head	370676-S8(BB61)				3			3			3	3	
RETAINER - CHOKE ROD LEVER and BUSHING SPRING	B7T 9839-A				R	S					X	Y	
Tag code D0ZF-AA, AB, AC, AD								U					
PISTON ASSY. - CHOKE	C8OZ 9840-B(CM-1041)	N	P	Q			T	U	V	W			
	D0AZ 9840-A (CM-1280)				•								Z
Nut (piston to choke housing)-No. 8-36	355829-S7(MM15)	N	P	Q			T	U	2	2	2	2	Z
Lockwasher-No. 8	34902-S7(X95)	N	P	Q			T	U	V	W			Z
Lockwasher	34807-S8(X66)										2	2	
Tag code D0ZF-AA, AB, AC, AD								2					
PLATE and STUD ASSY. - BACK UP	B7T 9841-A				R	S					X	Y	
Tag code D0ZF-AA, AB, AC, AD								U					
CLAMP - THERMOSTATIC CHOKE HOUSING	B6A 9842-A	N	P	Q			T	U	V	W			Z
Screw (clamp housing)-No. 8-32 x 1/2"	31061-S8(U50)	3	3	3			3	3	3	3			3
HOUSING - THERMOSTATIC CHOKE	C7OZ 9848-D (CM-952)	N		Q			T	U			X		Z
Ident. by letters "GTT"	C8OZ 9848-A (CM-845)		P							W			
Tag codes D0ZF-G, T								U					
HOUSING and PLUGS ASSY. - CHOKE	C8OZ 9849-A(CM-847)	N	P	Q			T						
	D0OZ 9849-A (CM-1248)								V	W			
	D0AZ 9849-A (CM-1281)												Z
Screw and washer (choke housing to main body)- No. 8-32 x 1. 25"	359737-S(BB59)	3	3	3			3	3	3	3			3
GASKET - THERMOSTATIC CHOKE CONTROL Secondary diaphragm	B7A 9853-B	2 N	2 P	2 Q	R	S	2 T	2 U	2 V	2 W	X	Y	Z
SOLENOID ASSY.-THROTTLE EMISSION CONTROL	D1AZ 9D856-C					S		U	V	W	X	Y	
GASKET-THERMOSTATIC CHOKE HOUSING	C8OZ 9871-B(CG-246)	N	P	Q					V	W			Z
SCREEN - FUEL FILTER	B8A 9938-A (CM-378)												Z

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LIST 20 AA THRU 20 AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
GASKET SET	D0AZ 9502-B(CG-310)	AA	AB										
	C8ZZ 9502-D (CG-237-A)			AC	AD								
TUNE UP KIT	B9AZ 9A586-E (CT-195-A)	AA	AB										
	C8ZZ 9A586-E (CT-211-B)			AC	AD								
Screw and washer (throttle to main body)-No. 12-24 x .81" fillister head	359736-S2(BB67)	8	6	8	8	8							
Screw (secondary throttle stop)-spread lock set	359749-S(UU17)	AA	AB	AC	AD	AE							
Cap (attaches to spark vac. tube)-3/16" tube	380614-S(DD3)	AA	AB										
Elbow (spark vacuum connector)	381719-S(II-10CA)			AC	AD								
Screw (throttle stop)-No. 10-32 x 1" fill. hd.	31676-S(U57)			AC	AD								
FILTER ASSY. - FUEL	C7OZ 9155-A (FG-19)			AC									
	C9AZ 9155-A(FG-39)				AD								
"O" RING - FLOAT BOWL TUBE CONNECTOR SEAL	B5A 9229-A	2	2										
GASKET - FUEL INLET	C2AZ 9229-A	2	2										
	D1ZZ 9229-A			3	3	3							
TUBE & FITTING ASSY. -FUEL INLET	C4AZ 9E321-A		AB										
LIMITER - IDLE ADJUSTING NEEDLE	C8OZ 9J500-A (CM-942)			2	2								
HOUSING ASSY. - SECONDARY THROTTLE DIAPHRAGM	B7A 9501-A	AA	AB		AD								
	C8OZ 9501-A (CM-923)			AC		AE							
Screw and washer (hsg. to throttle body)-No. 8-32 x 1"	43407-S8(U76)	3	3	3	3								
SEAL - FAST IDLE ROD	C1AE 9B501-A	AA	AB	AC	AD	AE							
DIAPHRAGM ASSY. - SECONDARY THROTTLE	B8A 9503-A (CM-5)	AA	AB	AC		AE							
	B7T 9503-A (CM-4)				AD								
Washer (diaphragm link to lever)-"C" retainer	351825-S(XX9)	AA	AB	AC									
SPRING - SECONDARY THROTTLE DIAPHRAGM RETURN	B7AZ 9B504-C		AB		AD								
	★B8MY 9B504-B	AA		AC		AE							
ROD - SECONDARY THROTTLE CONTROL	C8AZ 9C504-A (CM-872)	AA	AB	AC	AD	AE							
Retainer (rod to shaft)-1/16"-3/4"	72015-S(N40)	AA	AB	AC	AD								
COVER-SECONDARY THROTTLE DIAPHRAGM	B7A 9507-B	AA	AB	AC	AD	AE							
Screw and washer assy. (diaphragm cover to carb.)-No. 8-32 x 5/8"	43255-S8(U74)	4	4	4	4								
BOWL and PLUGS ASSY. - FLOAT-primary	B9AZ 9A507-A	AA	AB										
	D0ZZ 9A507-A (CM-1139)				AD								
	C6AZ 9A507-A					AE							
	D1ZZ 9A507-A (CM-2000)			AC									
Screw (fuel bowl and plugs to carb. main body)-No. 12-24 x 2.56"	359747-S2(BB809)	4	4	4	4								

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LIST 20 AA THRU 20 AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
BOWL and PLUGS ASSY. - FLOAT-secondary	D0AZ 9A508-A (CM-1273)		AB										
	★D0PF 9A508-B	AA											
	C6AZ 9A508-B			AC	AD	AE							
Screw (secondary bowl & plugs to carb. main body)-No.12-24 x 1 7/8"	372238-S7-8(BB811)		4										
Screw (secondary bowl & plugs to carb. main body)-No. 12-24 x 2.56"	359747-S2(BB809)			4									
BUSHING - THROTTLE SHAFT	B7AZ 9B508-A	3	3			3							
Center	B8AZ 9B508-A		AB										
BODY and PLUGS ASSY. - MAIN METERING-Primary-stamped No. 6345	D0AZ 9A511-B (CM-1275)		AB										
Stamped No. 5169	C7OZ 9A511-B	AA				AE							
Stamped No. 6382	D0OZ 9A511-B (CM-1245)				AD								
Stamped No. 6678	D1ZZ 9A511-A (CM-1999)			AC									
BODY and PLUGS ASSY. - MAIN METERING-Secondary-stamped No. 16	D0AZ 9A513-A (CM-1276)		AB										
Stamped No. 6213	C9ZZ 9A513-A (CM-1118)			AC									
Stamped No. 5671	C8OZ 9A513-A (CM-945)				AD								
Stamped No. 4841	C6AZ 9A513-B					AE							
Screw and washer assy. (main metering)-No.8-32 x 9/16"	372243-S7-8(BB110)		6										
PLATE - MAIN METERING - secondary	★B8A 9514-A	AA	AB										
LEVER and SWIVEL ASSY. - CHOKE	B8TZ 9A514-A			AC									
ROD - FLOAT BOWL VENT	★B9AE 9A515-A	AA	AB										
	C6AZ 9A515-A					AE							
GASKET - THROTTLE BODY TO MAIN BODY	B8S 9516-A	AA	AB			AE							
	C3AZ 9516-A			AC	AD								
VALVE - ACCELERATOR PUMP DISCHARGE NEEDLE	B9TE 9A516-A (CM-22)	AA	AB	AC	AD	AE							
BAFFLE - FLOAT BOWL	C6AZ 9A517-A			2	2	2							
Primary	C9HZ 9A517-B (CM-1018)	AA	AB										
Secondary	C9HZ 9A517-A (CM-1017)	AA	AB										
Screw and lockwasher assy. (baffle & float to float bowl)-No. 6-32 x .50"	43250-S(U70)			4	4								
GASKET - MAIN METERING BODY	9A518												
Primary	C1TZ 9A518-A (CG-224)	AA	AB	2	2	2							
Secondary	B8AZ 9A518-A	AA	AB										
SPRING - FLOAT	B9TE 9A519-B	AA	AB										
FITTING - FUEL TRANSFER TUBE	C6AZ 9A520-B			2	2	2							
FITTING - FUEL INLET	C4AZ 9A520-A		AB										
GASKET - VALVE SEAT LOCK SCREW	★B9TE 9A522-A	2	2	2	2	2							
GASKET - VALVE SEAT ADJUSTING NUT	B9TE 9A522-B	2	2	2	2	2							

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LIST 20 AA THRU 20 AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
CAM - ACCELERATOR PUMP DIAPHRAGM OPERATING	C4TZ 9526-A (CM-887)		AB										
	B7AZ 9526-B(CM143)	AA		AC	AD	AE							
Screw(cam to throttle shaft & lever)-No. 6-20 x 3/8" truss head tapping	353803-S8(UU95)		AB										
Screw (cam to throttle shaft & lever)-No. 6-20 x 1/2" pan head slotted-tapping	375557-S7-8(UU82)	AA		AC	AD								
COVER KIT - ACCELERATOR PUMP -	D2AZ 9528-B (CM-461-A)	AA	AB	AC		AE							
COVER ASSY. - ACCELERATOR PUMP	D0OZ 9528-A (CM-1251)				AD								
Screw & washer (cover to carb.)-No.8-32 x 5/8"	43255-S8(U74)	4	4	4									
JET - MAIN METERING - primary	9533												
No. 59 - 0 to 10,000 ft. altitude	B4Q 9533-B(CJ-3)		2										
No.66 - 0 to 10,000 ft. altitude	8MB 9533-B(CJ-61)	2				2							
Secondary													
No. 71 - 0 to 10,000 ft. altitude-tag code D1ZF-YA	PB8M 9533-A				2								
No. 70 - 0 to 10,000 ft.altitude Tag code D1ZF-XA	*B6C 9533-A			2	2								
No. 82 - 0 to 10,000 ft. altitude	C9ZZ 9533-A (CJ-182)			2									
No. 83 - 0 to 10,000 ft. altitude	D0OZ 9533-C (CJ-187)				2								
No.69 - 0 to 10,000 ft.altitude	B7T 9533-A					2							
TUBE - FLOAT BOWL CONNECTION - .250" O.D. -6.00" long	B8A 9534-A	AA	AB										
LEVER ASSY. - FAST IDLE PICK UP	B7AZ 9A535-C		AB	AC									
PLUNGER - CHOKE LEVER	78 9537-A		AB	AC									
LEVER - FAST IDLE ADJUSTING	*B7A 9538-A		AB										
Tag code D1ZF-XA	B8A 9538-B	AA			AD	AE							
	*B7T 9538-A			AC									
Screw (fast idle adjusting)-No. 8-32 x .63" hex. slotted head-pilot point	372242-S7-8(BB411)		AB										
Screw and lockwasher (lever to main body)-No. 10-32 x 3/8"	50804-S8(U157)			AC	AD								
NEEDLE - IDLE ADJUSTING	B7A 9541-A (CM-144)	2	2			2							
	C8OZ 9541-B (CM-947)			2	2								
LEVER - CHOKE CONTROL	C9ZZ 9D541-A (CM-1120)		AB	AC									
PLATE - CHOKE	C3AZ 9545-B	AA	AB	AC	AD	AE							
SHAFT and LEVER ASSY. - CHOKE	B7A 9546-B	AA	AB	AC		AE							
	C8OZ 9546-A (CM-948)			AC	AD								
Nut (choke shaft)-No. 8-36	355829-S7(MM15)			2	2								

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LIST 20 AA THRU 20 AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
DASHPOT ASSY.	C2DZ 9B549-A (CD-12)		AB										
	C8OZ 9B549-B (CD-19)			AC	AD								
Tag code D1ZF-YA													
Nut (dashpot to mounting bracket)-7/16"-20	45300-S8(M35)			AC									
FLOAT ASSY.	B9TZ 9550-A (CM-734)	2	2										
	C6AZ 9550-B (CM-639)			2	2	2							
Retainer (float bowl)	351826-S(XX2)	2	2										
BRACKET - DASHPOT MOUNTING	C8OZ 9B550-A (CM-950)		AB	AC									
Tag code D1ZF-YA					AD								
Screw (dashpot bracket to main body)-No. 10-24 x 3/4" round head	53864-S7-8(U169)		AB										
Screw (dashpot bracket to main body)-No. 10-24 x 7/16" fillister head	374067-S100(BB637D)			AC	AD								
Lockwasher-No. 10	34803-S7(X60)			AC	AD								
BAFFLE - METERING BODY VENT	B8A 9553-C			AC	AD	AE							
VALVE - FLOAT BOWL VENT	C4TZ 9557-B	AA	AB			AE							
SHAFT - FLOAT LEVER	C6AZ 9558-A (CM-640)			2	2	2							
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C0AE 9B559-D (CM-193)	AA	AB	AC	AD	AE							
SPRING - CHOKE PLATE	C9ZZ 9560-A (CM-1121)		AB	AC									
SPRING - FLOAT BOWL VENT RETURN	B8A 9560-B	AA	AB			AE							
GASKET - FLOAT BOWL	B8A 9561-C (CG-229)		AB	AC	AD								
	C8AZ 9561-C(CG-292)	AA				AE							
GASKET - MAIN METERING - SECONDARY	B8A 9561-D	AA	AB										
PLUG - FUEL LEVEL CHECK	B7T 9562-A	2	2	2	2	2							
VALVE and SEAT ASSY. - FUEL INLET	D0AZ 9564-A(CV-84)		2	2									
	C6AZ 9564-C(CV-66)	2		2	2	2							
Screw (fuel valve adjusting nut lock)-1/4"-32 x .33"	373246-S(BB660)		2		2								
Nut (fuel valve adj.)-5/16" x 3/8"	372426-S8B(MM168)		2	2	2								
CLAMP - AIR VENT PUSH ROD	B8A 9565-A	AA	AB			AE							
Screw and washer assy. (clamp to bowl & plugs)-No. 8-32 x 5/16" fillister head	355067-S7(BB53)	AA	AB										
ECONOMIZER ASSY.	B8LY 9A565-A(CE-20)	AA	AB		AD	AE							
	B8AZ 9A565-A (CE-18)			AC									
GASKET - FUEL LEVEL CHECK PLUG	★EAA 9569-A	2	2	2	2	2							
SPRING - THROTTLE RETURN-fast idle cam	B7AZ 9B569-A		AB	AC									
SPRING - FLOAT HINGE	C6AZ 9F570-A			2	2	2							
	D0AZ 9F570-A		AB										
SPRING - ACCELERATOR PUMP LEVER ADJUSTING SCREW	★B7A 9571-A		AB										
	C4TZ 9571-A	AA		AC	AD	AE							
BALL - SECONDARY THROTTLE CHECK	B5A 9576-A			AC	AD								
TUBE ASSY. - FUEL TRANSFER	C9AZ 9H576-A			AC	AD	AE							

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LIST 20AA THRU 20AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
NOZZLE ASSY. - PUMP DISCHARGE	D0OZ 9577-A(CM-1250)		AB										
	B8A 9577-A	AA				AE							
	C9ZZ 9577-A (CM-1122)			AC	AD								
SCREW - PUMP DISCHARGE NOZZLE	C8AZ 9577-A (CM-875)	AA	AB	AC	AD	AE							
SPRING - FAST IDLE ADJUSTING SCREW - 4 1/2 coils-.20" I.D.-.58" long	B8A 9578-B (CM-609)	AA	AB	AC	AD	AE							
Screw (throttle stop)-No. 10-32 x 1.00" fill. hd.	31676-S(U57)	AA	AB										
SPRING-IDLE ADJUSTING NEEDLE	★40 9578		AB	AC									
GASKET - PUMP DISCHARGE NOZZLE	B7AE 9580-A	AA	AB	2	2	2							
LEVER-SECONDARY THROTTLE DIAPHRAGM	B8A 9583-C	AA	AB	AC	AD								
Screw & washer (secondary throttle diaphragm lever)-No. 10-32 x 3/8"	50804-S8(U157)	AA	AB	AC	AD								
Screw (secondary throttle stop)-spread lock set-No. 10-32 x .36"	★372133-S	AA	AB										
PLATE - THROTTLE - primary	B7A 9585-C		2										
	★B8S 9585-A	2				2							
	C3AZ 9585-B			2	2								
Secondary	★B8A 9585-H		2										
	★B8S 9585-B	2				2							
	C9ZZ 9585-B (CM-1123)		2	2									
SCREW - THROTTLE PLATE	B8A 9586-A	8	8	4	4	8							
SCREW - CHOKE PLATE-No. 6-32-oval head	B9A 9586-A (CM-531)	2	2	2	2	2							
BRACKET - THROTTLE EMISSION CONTROL SOLENOID	D0OZ 9J586-C			AC									
Tag code D1ZF-XA					AD								
Nut (bracket to solenoid)-1/4"-20 square	34129-S7(M148)				AD								
Screw & washer assy. (bracket to solenoid)-1/4"-20 x 3/4" hex. head	382790-S(BB84B)				AD								
SPRING - CHOKE LEVER PLUNGER	★78 9587		AB	AC									
GASKET - ECONOMIZER VALVE	B7AZ 9A588-A	AA	AB	AC	AD	AE							
LEVER - ACCELERATOR PUMP	C8AZ 9D591-A (CM-876)	AA	AB	AC	AD	AE							
Retainer (accel. pump lever to body)-"C"	372999-S(QQ35)	AA	AB	AC	AD								
Screw (accel. pump lever adj.)-No. 10-32 x 1/2"	370050-S(BB537)	AA	AB	AC	AD								
Nut (accel. pump lever adj.)-No. 10-32 sleeve	370052-S(MM219)	AA	AB	AC	AD								
GASKET - FLOAT BOWL SCREW	B7A 9592-A	8	8	8	8	8							
BRACKET ASSY. - CHOKE CONTROL	B8TZ 9595-A		AB	AC									
CAM ASSY. - FAST IDLE	D0PZ 9597-C (CM-1286)		AB										
	★C0ME 9597-A	AA				AE							
	C9ZZ 9597-B (CM-1124)			AC									
Tag code D1ZF-XA	B8S 9597-A (CM-229)				AD								
Tag code D1ZF-YA	D0ZZ 9597-A (CM-1142)				AD								
ROD - CHOKE CONTROL	B8TZ 9A599-A		AB	AC									
	B7AZ 9A599-B	AA			AD	AE							
Retainer (rod to carburetor)	353610-S8(NN126)		AB	AC	AD								
"O" RING - FUEL VALVE SEAT - serviced in 9502 kit	B6A 9609-A	AA	2	2	2	2							

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LIST 20AA THRU 20AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
SEAL - IDLE ADJUSTING NEEDLE	B7A 9634-A	2	2	2	2	2							
SPRING - ACCELERATOR PUMP DIAPHRAGM RETURN	★B7A 9636-B	AA	AB			AE							
SPRING - ACCELERATOR PUMP LEVEL RETURN	C9ZZ 9636-A (CM-1125)			AC	AD								
SHAFT & LEVER ASSY. - CHOKE HOUSING	B7AZ 9A753-B	AA				AE							
	C8OZ 9A753-A (CM-951)				AD								
LEVER - CHOKE THERMOSTAT	C8OZ 9A754-A				AD								
CLAMP - CHOKE CABLE BRACKET	8BA 9792-A		AB										
Nut (clamp to brkt.)-No. 8-32 square	34126-S8(M146)		AB	AC									
Screw (clamp to brkt.)-No. 8-32 x 1/2" fill. hd.	31061-S8(U50)		AB	AC									
SPACER - SECONDARY THROTTLE PLATE CONTROL LEVER	★B5AZ 9812-A	AA			AD	AE							
CLIP - SCREW LOCK	C8AZ 9825-A (CM-877)	AA				AE							
PLATE - FAST IDLE CAM	B7T 9838-A		AB	AC									
Screw & washer (cam plate to main body)-No. 8-32 x 1 1/2" fillister head	370676-S8(BB61)		3	3									
RETAINER - CHOKE ROD LEVER and BUSHING SPRING	B7T 9839-A		AB	AC									
PISTON ASSY. - CHOKE	C7OZ 9840-A (CM-682)	AA				AE							
	C8OZ 9840-B (CM-1041)				AD								
PLATE and STUD ASSY. - BACK UP	B7T 9841-A		AB	AC									
CLAMP - THERMOSTATIC CHOKE HOUSING	B6A 9842-A	AA			AD	AE							
Screw (clamp housing)-No. 8-32 x 1/2"	31061-S8(U50)				3								
HOUSING - THERMOSTATIC CHOKE	B8A 9848-E (CM-329)	AA				AE							
Tag code D1ZF-YA	C8OZ 9848-A (CM-845)				AD								
Tag code D1ZF-XA	C7OZ 9848-D (CM-952)				AD								
HOUSING and PLUGS ASSY. - CHOKE	C7OZ 9849-B (CM-687)	AA				AE							
	D0OZ 9849-A (CM-1248)				AD								
Screw & washer (choke housing to main body)-No. 8-32 x 1.25"	359737-S(BB59)				3								
GASKET - CHOKE HOUSING	B7A 9853-B	AA		AC	AD	AE							
GASKET - SECONDARY DIAPHRAGM HOUSING	B7A 9853-B	2				2							
SOLENOID ASSY. - THROTTLE EMISSION CONTROL -tag code D1ZF-XA	D1AZ 9D856-C			AC	AD								
GASKET - THERMOSTATIC CHOKE HOUSING	C8OZ 9871-A (CG-238)	AA				AE							
	C8OZ 9871-B (CG-246)				AD								
SCREEN - FUEL FILTER	B8A 9938-A (CM-378)	AA	AB			AE							

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 21A THRU 21M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET	B7AZ 9502-D(CG-152)	A	B	C	D	E							
Replaced by D2AZ 9502-D (12-73)	★C8AZ 9502-C(CG-221)						F	G	H	J	K	L	M
Repl. by D3AZ 9502-A (4/74)	★D2AZ 9502-D (CG-221-A)						F	G	H	J	K	L	M
	D3AZ 9502-A (CG-221-B)						F	G	H	J	K	L	M
TUNE UP KIT	C2SZ 9A586-D (CT-191-A)	A	B	C	D	E							
	D2AZ 9A586-D (CT-226-A)						F	G	H	J	K	L	M
REPAIR KIT	★B8AZ 9590-H(CR-269) Service details	A	B	C	D	E							
Screw (to set secondary idle air flow)-No. 10-32 x .38"	370875-S8B(UU23)	A	B	C	D	E							
Screw (transmission kickdown adjusting)-No. 10-32 x 1.00" hex. head	379622-S7-8(UU52M)		B		D								
Cap(attach to spark vacuum tube)-3/16" tube	380614-S(DD3)						F	G	H	J	K	L	M
SEAL - FAST IDLE ROD - 1/8" I.D. x 1/2" O.D. felt-use with C4AZ 9C771-A washer	B7AZ 9B501-A	A	B	C	D	E							
.90" long-.44" wide-.05" thick-.133" diam. hole	C7AZ 9B501-A	A	B	C	D	E							
DIAPHRAGM ASSY. KIT - SECONDARY THROTTLE	B8AZ 9503-C(CM-489)	A	B	C	D	E							
Nut (diaphragm to lever)-1/8" spring	374177-S2(MM265)	A	B	C	D	E							
SPRING - SECONDARY THROTTLE DIAPHRAGM RETURN-6 coils-1.05" O.D. - .31" I.D.	C6AZ 9B504-A (CM-619)	A	B	C	D	E							
10 coils-.44" I.D.	C7AZ 9B504-A (CM-656)						F	G	H	J	K	L	M
ROD - SECONDARY THROTTLE CONTROL	C7AZ 9C504-A						F	G	H	J	K	L	M
Ring(rod to throttle shaft & lever primary & secondary)-1/8" retaining	377918-S8B(XX14F)						2	2	2	2	2	2	2
COVER - SECONDARY THROTTLE DIAPHRAGM	B8A 9507-A(CM-564)	A	B	C	D	E							
Screw & washer assy. (diaphragm cover to carb.)-No. 8-32 x 3/4"	43395-S8(U75)	4	4	4	4	4							
BUSHING - THROTTLE SHAFT (nylon)	C7AZ 9B508-A								H	J			M
WEIGHT - PUMP DISCHARGE BALL - .109" O.D. - .88" long	C2OZ 9B511-A (CM-555)	A	B	C	D	E							
GASKET - THROTTLE BODY TO MAIN BODY	C7AZ 9516-A						F	G	H	J	K	L	M
VALVE - ACCELERATOR PUMP DISCHARGE NEEDLE	C7AZ 9A516-B (CM-676)						F	G	H	J	K	L	M
BAFFLE - EQUALIZER PASSAGE	C2SZ 9A517-A	2	2	2	2	2							
BODY and SHAFT ASSY. - THROTTLE	★C7AZ 9518-A								H	J	K	L	
	C8AZ 9518-E												M
Screw & washer (throttle body to main body)-No. 10-32 x .88" fill. hd.	381744-S(BB80H)								6	6	6	6	6
SUPPORT ASSY. - BOOSTER VENTURI	9A523												
Secondary-identified by letter "F" - "Before 10/1/65"	C6AZ 9A523-C	A	B			E							
Secondary-identified by letters "FA" Secondary- "From 10/1/65"	C6AZ 9A523-D	A	B	C									
Secondary-identified by letters "PL"	D1PZ 9A523-L (CM-1409)				D								
Primary-identified by letters "PK"	D1PZ 9A523-K (CM-1408)			C	D								
Primary-identified by letter "D"	C6AZ 9A523-B					E							
Screw (venturi secondary support to carb.)-1/4"-20 x 1" pan head	38294-S8(U141)	A	B	C	D	E							
Ball (accel. pump discharge valve)-3/16" steel	371350-S(AA4)	A	B	C	D	E							

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 21A THRU 21M											
		A	B	C	D	E	F	G	H	J	K	L	M
HORN - AIR - less shaft	C6AZ 9524-D	A	B	C	D	E							
Screw & washer (horn & plugs to main body)-No. 10-32 x 5/8"	43256-S8(U77F)	8	8	8	8	8							
SEAL - AIR HORN	C7AZ 9C527-A						F	G	H	J	K	L	M
COVER ASSY. - ACCELERATOR PUMP	D1AZ 9528-A (CM-648-A)	A	B	C	D	E							
Screw (cover to carb.)-No. 8-32 x 9/16" fill. hd.	379436-S8B(UU43F)	4	4	4	4	4							
LINK - ACCELERATOR PUMP	9529												
	C7AZ 9529-B(CM-694)						F	G	H	J	K	L	M
ROD - FAST IDLE CAM	C3AZ 9D530-A	A	B	C	D	E							
Retainer (fast idle cam rod)-"C" washer	351825-S(XX9)	2	2	2	2	2							
COMPENSATOR ASSY. - HOT IDLE	C0LE 9B532-B (CM-899)	A	B	C	D	E	F	G					
	C7AZ 9B532-A (CM-903)						F	G	H	J	K	L	M
Screw (hot idle compensator to air horn)-No. 8-32 x .75" fillister head	31093-S7-8(U52)	2	2	2	2	2							
Screw (hot idle compensator to air horn)-No. 8-32 x .38" fill. hd.	378361-S2(UU43D)						2	2	2	2	2	2	2
JET - MAIN METERING - primary	9533												
No. 52F-0 to 5,000 ft. altitude "Before 9/3/65"	C3UZ 9533-A(CJ-133)	2		2									
No. 50F-5,000 to 10,000 ft. altitude	C3UZ 9533-C(CJ-141)	2		2									
No. 53F - 0 to 5,000 ft. altitude "From 9/3/65"	C3DZ 9533-A(CJ-128)	2			2								
No. 51F - 5,000 to 10,000 ft. altitude	C3DZ 9533-B(CJ-136)	2			2								
No. 51F-0 to 5,000 ft. altitude "Before 9/3/65"	C3DZ 9533-B(CJ-136)		2		2								
No. 49F-5,000 to 10,000 ft. altitude	C3DZ 9533-C(CJ-137)		2		2								
No. 52F - 0 to 5,000 ft. altitude "From 9/3/65"	C3UZ 9533-A(CJ-133)		2		2								
No. 50F - 5,000 to 10,000 ft. altitude	C3UZ 9533-C(CJ-141)		2		2								
No. 48F - 0 to 5,000 ft. altitude	C3UZ 9533-D(CJ-142)					2							
No. 46F - 5,000 to 10,000 ft. altitude	C3AZ 9533-G(CJ-156)					2							
Secondary	9533												
No. 68F-0 to 5,000 ft. altitude-"Before 9/3/65"	C3TZ 9533-F(CJ-149)	2	2	2	2								
No. 66F-5,000 to 10,000 ft. altitude	C3TZ 9533-E(CJ-148)	2	2	2	2								
No. 71F-0 to 5,000 ft. altitude-"From 9/3/65"	C6AZ 9533-B(CJ-166)	2	2	2	2								
No. 69F-5,000 to 10,000 ft. altitude	C3TZ 9533-B(CJ-132)	2	2	2	2								
No. 67F - 0 to 5,000 ft. altitude	C3TZ 9533-D(CJ-139)					2							
No. 65F - 5,000 to 10,000 ft. altitude	C3TZ 9533-A(CJ-131)					2							
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A	2	2	2	2	2							
LEVER - THROTTLE SHAFT AUXILIARY	C7AZ 9A537-B						F	G	H	J	K	L	M
Screw (lever to carburetor)-No. 8-32 x .36" pan head shoulder	380808-S(BB683D)						F	G	H	J	K	L	M
LEVER - FAST IDLE ADJUSTING	C4AZ 9538-A (CM-905)	A	B	C	D	E							
	C7AZ 9538-A						F	G	H	J	K	L	M
Nut (lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	A	B	C	D	E	F	G	H	J	K	L	M
Lockwasher-No. 10	34903-S8(X96)	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - THROTTLE RETURN	C7AZ 9A538-D						F	G	H	J	K	L	M
SPRING - ACCELERATOR PUMP OVERTRAVEL	C7AZ 9A538-C						F	G	H	J	K	L	M
SCREW - FAST IDLE ADJUSTING	C4AZ 9B538-A	A	B	C	D	E	F	G	H	J	K	L	M
NEEDLE - IDLE ADJUSTING	C8AZ 9541-C(CM-722)	2	2	2	2	2							
	C7AZ 9541-A(CM-657)						2	2	2	2	2	2	2

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 21A THRU 21M											
		A	B	C	D	E	F	G	H	J	K	L	M
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	D2AZ 9B542-B (CM-1526-A)	A	B	C	D	E							
	C7AZ 9B542-B (CM-695)						F	G	H	J	K	L	M
Clip(accel. pump link to throttle lever rod to overtravel pump lever)	375894-S7-8(GG215)	A	B	C	D	E							
Ring(accel. pump link rod to accel. link)-1/8" retaining	97460-S7-8 (Q4F)						F	G	H	J	K	L	M
PISTON - ACCELERATOR PUMP - repl. by C7AZ 9B544-B, C7AZ 9572-A, C7AZ 9D598-A & C7AZ 9599-A	★C7AZ 9B544-A (CP-48)						F	G	H	J	K	L	M
Does not include retainer, spring & cup	C7AZ 9B544-B (CP-50)						F	G	H	J	K	L	M
PLATE - CHOKE	C2AZ 9545-A(CM-576)	A	B	C	D	E							
	C7AZ 9545-A(CM-659)						F	G	H	J	K	L	M
Screw (choke plate)-No. 6-32 x .31" pan head	381761-S(UU81JA)	2	2	2	2	2	2	2	2	2	2	2	2
SHAFT and LEVER ASSY. - CHOKE	C5AZ 9546-B(CM-591)	A	B	C	D	E							
	C7AZ 9546-A(CM-660)						F	G	H	J	K	L	M
DASHPOT ASSY.	C1AZ 9B549-A (CD-6)		B	C	D	E					K	L	M
Nut (dashpot to mounting brkt.)-5/16"-24	33923-S7(M32)		B	C	D	E					K	L	M
FLOAT ASSY.	C6AZ 9550-C(CM-672)	2	2	2	2	2							
	C7AZ 9550-A(CM-661)						F	G	H	J	K	L	M
BRACKET - DASHPOT MOUNTING	B8AZ 9B550-B (CM-908)		B	C	D	E			H	J	K	L	M
Screw and washer(dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)		B	C	D	E			H	J	K	L	M
VALVE ASSY. - POWER	C7AZ 9G551-A						F	G	H	J	K	L	M
PLATE - AIR DISTRIBUTION	C3MY 9F553-A	A	B	C	D	E							
PISTON ASSY. - POWER VALVE	C7AZ 9G553-A						F	G	H	J	K	L	M
VALVE - AIR - R.H.	C7AZ 9H555-A						F	G	H	J	K	L	M
L.H.	C7AZ 9H555-B						F	G	H	J	K	L	M
Screw(valve to air valve shaft)-No. 6-32 x .25" hex. washer head	353939-S(UU52T)						4	4	4	4	4	4	4
SPRING - AIR VALVE	C7AZ 9H556-B						F	G	H	J	K	L	M
VALVE - FLOAT BOWL VENT	C7AZ 9557-A						F	G	H	J	K	L	M
HOUSING - AIR VALVE SPRING	C7AZ 9H557-A						F	G	H	J	K	L	M
SHAFT - FLOAT LEVER	B8A 9558-A(CM-183)	2	2	2	2	2							
	C7AZ 9558-A(CM-663)						F	G	H	J	K	L	M
SWIVEL ASSY. - CHOKE PLATE ADJUSTING	C5AZ 9F558-A	A	B	C	D	E							
RETAINER - AIR VALVE SPRING HOUSING	C7AZ 9H558-A						F	G	H	J	K	L	M
Screw(retainer to air valve shaft)-No. 6-32 x .25" hex. washer head	353939-S(UU52T)						F	G	H	J	K	L	M
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)	A	B	C	D	E							
GASKET - FLOAT BOWL -R/B C5OZ 9561-A (7-70)	★C2SZ 9561-A(CG-231)	A	B	C	D	E							
Repl. by D3AZ 9561-B (CG-233-A)(5/74)	★C7AZ 9561-A(CG-223)						F	G	H	J	K	L	M
GASKET - ECONOMIZER COVER	B7A 9563-A(CG-234)	A	B	C	D	E							
VALVE KIT - FUEL INLET - includes (1) B7A 9569-A gasket & (1) B7AZ 9599-B retainer	D2AZ 9564-A (CV-54-A)	2	2	2	2	2							

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 21A THRU 21M												
		A	B	C	D	E	F	G	H	J	K	L	M	
VALVE & SEAT ASSY. - FUEL INLET - Primary	D0AZ 9564-B (CV-58-A)						F	G	H	J	K	L	M	
Secondary	D2AZ 9564-B (CV-86-A)						F	G	H	J	K	L	M	
ECONOMIZER KIT	9A565													
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer - 0 to 5,000 ft. altitude	C0AZ 9A565-A (CE-74)	A	B	C	D	E								
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer - Ident. by green dye on body - 5,000 to 10,000 ft. altitude	C0AZ 9A565-B (CE-75)	A	B	C	D	E								
GASKET - HOT IDLE COMPENSATOR	★C0LE 9B567-A	A	B	C	D	E	F	G	H	J	K	L	M	
GASKET - FUEL INLET NEEDLE SEAT	★B7A 9569-A	2	2	2	2	2								
Primary-.51" I.D.-.62" O.D.	C7AZ 9569-A						F	G	H	J	K	L	M	
Secondary-.38" I.D. -.50" O.D.	C7AZ 9569-B						F	G	H	J	K	L	M	
CUP - PUMP PISTON	C7AZ 9572-A(CM-651)						F	G	H	J	K	L	M	
RETAINER - ACCELERATOR PUMP CHECK VALVE(wire)	C7AZ 9575-A(CM-652)						F	G	H	J	K	L	M	
RETAINER - ACCELERATOR PUMP CHECK VALVE DISC (plastic)	C7AZ 9575-B(CM-664)						F	G	H	J	K	L	M	
HOUSING ASSY. - CHOKE - service pkg. includes (1) B8A 9853-A gasket	C9ZZ 9A575-A (CC-56)	A	B	C	D	E								
Screw and washer (housing to main body)-No. 8-32 x 1.76" fillister head	378547-S7-8(BB61B)	3	3	3	3	3								
BALL - ACCELERATOR PUMP CHECK-1/8" diameter	78 9576	A	B	C	D	E								
VALVE - ACCELERATOR PUMP CHECK - plastic	C4AZ 9576-A(CM-825)	A	B	C	D	E								
DISC - ACCELERATOR PUMP CHECK VALVE (plastic)	C7AZ 9576-A						F	G	H	J	K	L	M	
Ball (accelerator pump check)-3/16" steel	371350-S(AA4)						F	G	H	J	K	L	M	
SCREW - PUMP DISCHARGE NOZZLE	C0AZ 9577-A(CM-607)	A	B	C	D	E								
Washer-1/4" flat (buna coated aluminum)	374370-S(XX94A)					E								
LEVER - FAST IDLE CAM - NYLON	C4AZ 9F577-B (CM-492)	A	B	C	D	E								
Screw (lever adjusting)-No. 6-32 x 3/4"	372307-S(BB527)	A	B	C	D	E								
SPRING - FAST IDLE ADJUSTING SCREW 4 1/2 coils-.20" I.D. -.58" long	B8A 9578-B(CM-609)	A	B	C	D	E								
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	2	2	2	2	2	2	2	2	2	2	2	2	
Screw (idle adjusting)-No. 10-32 x 1.00" hex.hd.	355107-S(BB536)	A	B	C	D	E								
SPRING - IDLE AIR BY-PASS SCREW	C7AZ 9578-A(CM-653)						F	G	H	J	K	L	M	
Screw(idle air by-pass adjusting)-3/8"-24 x 2.64"	380806-S(BB817CA)						F	G	H	J	K	L	M	
PISTON & ROD ASSY. - AIR VALVE DAMPENER	C7AZ 9H578-A						F	G	H	J	K	L	M	
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-B (CM-912)	A	B	C	D	E								
	B9A 9579-A						F	G	H	J	K	L	M	
SHAFT - AIR VALVE	C7AZ 9581-A(CM-654)						F	G	H	J	K	L	M	
LEVER and SHAFT ASSY. KIT - THROTTLE	C7AZ 9581-B (CM-671)								H	J	K	L	M	
Repl. D2AZ 9581-A (12/74)	★C9AZ 9581-C (CM-1047)	A	B	C	D	E								
	D2AZ 9581-A (CM-1047-A)	A	B	C	D	E								

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 21A THRU 21M												
		A	B	C	D	E	F	G	H	J	K	L	M
LEVER - AIR VALVE DAMPENER	C7AZ 9H582-A						F	G	H	J	K	L	M
LEVER-SECONDARY THROTTLE DIAPHRAGM -replaced by B8AZ 9503-C	★C5AZ 9583-A	A	B	C	D	E							
Pin(lever to carb.)-3/16" x 11/16" spring	353848-S8(NN71)	A	B	C	D	E							
LEVER - SECONDARY THROTTLE STOP -	C7AZ 9583-C						F	G	H	J	K	L	M
Nut(lever to secondary throttle shaft)-No. 10-32	34079-S7(M163)						F	G	H	J	K	L	M
Lockwasher-No. 10	34803-S7(X60)						F	G	H	J	K	L	M
LINK - AIR VALVE DAMPENER	C7AZ 9H583-A						F	G					
	C7AZ 9H583-B								H	J	K	L	M
Pin (air valve dampener)-(1) used to retain accel. pump link(1) used to retain air valve dampener lever	383070-S(SS10E)						2	2	2	2	2	2	2
Retainer(air valve dampener pin)-1/8" retaining	377918-S8B(XX14F)						2	2	2	2	2	2	2
PLATE - THROTTLE - primary	B8A 9585-E	2	2	2	2	2							
Secondary	★C5ZZ 9585-A	2	2	2	2	2							
Primary	★C7AZ 9585-A						2	2	2	2	2	2	2
Secondary	C7AZ 9585-E(CM-837)						2	2	2	2	2	2	2
Screw (plates to shaft)-No. 8-32 x .38" fill.hd. Screw(secondary throttle plates to shaft)	378361-S2(UU43D)	8	8	8	8	8	4	4	4	4	4	4	4
Screw(primary throttle plates to shaft)-No. 8-32 x .25" hex. washer head	353358-S(UU52U)						4	4	4	4	4	4	4
LEVER - MECHANICAL VENT VALVE ADJUSTING	C7AZ 9H585-A						F	G	H	J	K	L	M
GASKET - ECONOMIZER VALVE	C2AZ 9A588-B (CM-533)	A	B	C	D	E							
STOP - MECHANICAL VENT SPRING	★C7AZ 9H588-A								H	J	K	L	M
LEVER & SHAFT ASSY. - SECONDARY THROTTLE PLATE	B8AZ 9A592-E (CM-618)	A	B	C	D	E							
	C7AZ 9A592-B (CM-680)						F	G	H	J	K	L	M
ROD - SECONDARY DIAPHRAGM CONTROL	★B8A 9596-A (CM-541)	A	B	C	D	E							
Retainer (rod to lever)-self-locking-	★353610-S8(NN126)	A	B	C	D	E							
CAM ASSY. - FAST IDLE "From 2/1/66"	C5AZ 9597-D(CM-637)	A	B	C	D	E							
	C7AZ 9597-A(CM-665)						F	G	H	J	K	L	M
Retainer(fast idle cam)-"C" washer	351825-S(XX9)	A	B	C	D	E							
SPRING - ACCELERATOR PUMP ROD	C7AZ 9D598-A (CM-1037)						F	G	H	J	K	L	M
RETAINER - FLOAT LEVER SHAFT	B7AZ 9599-B(CM-612)	2	2	2	2	2							
RETAINER - ACCELERATOR PUMP SPRING	C7AZ 9599-A (CM-1038)						F	G	H	J	K	L	M
ROD - CHOKE CONTROL	C5AZ 9A599-B (CM-915)	A	B	C	D	E							
	C7AZ 9A599-A						F	G	H	J	K	L	M
Ring(rod to shaft & lever)-1/8" retaining	377918-S8B(XX14F)	A	B	C	D	E	2	2	2	2	2	2	2
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A(CM-544)	A	B	C	D	E							
SHAFT and LEVER ASSY. - CHOKE HOUSING	D2AZ 9A753-A (CM-1510)	A	B	C	D	E							
	D2AZ 9A753-B (CM-817-A)						F	G	H	J	K	L	M
Washer (shaft & lever to hsg.)-"C"	353862-S8(XX10)	A	B	C	D	E							

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 21A THRU 21M											
		A	B	C	D	E	F	G	H	J	K	L	M
WASHER - CHOKE ROD SEAL -.66" long-.50" wide-.015" thick-.18" diam. hole(brass)-use with B7AZ 9B501-A seal	C4AZ 9C771-A	2	2	2	2	2							
PISTON ASSY. - CHOKE	C6AZ 9840-B(CM-624)	A	B	C	D	E							
Screw & washer assy. (piston to shaft)-No. 6-32 x 3/8" pan head	50802-S7(U150)	A	B	C	D	E							
CLAMP - THERMOSTATIC CHOKE HOUSING	C4AZ 9842-A(CM-474)	A	B	C	D	E							
	C7AZ 9842-A(CM-666)						F	G	H	J	K	L	M
Screw(clamp to choke hsg.)-No. 8-32 x 1/2" fillister head	31061-S8(U50)	3	3	3	3	3	3	3	3	3	3	3	3
HOUSING KIT - THERMOSTATIC CHOKE Ident. by letters "TO" -kit includes (1) C1AZ 9871-A gasket & (1) choke housing	C4AZ 9848-B (CM-459)	A	B	C	D	E							
Ident. by letters "BO" -kit includes (1) C1AZ 9871-A gasket & (1) choke housing	C7AZ 9848-A (CM-667)						F	G	H	J	K	L	M
BUSHING - CHOKE HOUSING	C7AZ 9851-A(CM-668)						F	G	H	J	K	L	M
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A(CG-93)	A	B	C	D	E							
SHIELD - CHOKE THERMOSTAT	C4AZ 9861-A	A	B	C	D	E							
Screw & washer(shield to housing)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	2	2	2	2	2							
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)	A	B	C	D	E	F	G	H	J	K	L	M
COVER - ECONOMIZER VALVE	C8AZ 9930-A(CM-728)	A	B	C	D	E							
Screw and washer(economizer valve cover to body)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	4	4	4	4	4							
TUBE - SECONDARY THROTTLE CONTROL VACUUM-standard size-use w/new air horn only	B8A 9997-A	2	2	2	2	2							
.002" O/S-use as service replacement for B8A 9997-A tube only	B8A 9997-B	2	2	2	2	2							

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LIST 21N THRU 21Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET SET	B7AZ 9502-D(CG-152)							U	V	W	X		Z
Replaced by D2AZ 9502-D(12-73)	★C8AZ 9502-C(CG-221)	N			R	S	T					Y	
	D3AZ 9502-A (CG-221-B)	N			R	S	T					Y	
TUNE UP KIT	D2AZ 9A586-D (CT-226-A)	N			R	S	T					Y	
	C2SZ 9A586-D (CT-191-A)							U	V	W	X		Z
REPAIR KIT	★C7AZ 9590-C(CR-332) Service details				R	S	T						
	★C8AZ 9590-A(CR-340) Service details												Z
	★C8AZ 9590-F(CR-352) Service details											Y	
Cap (attach to spark vacuum tube)-3/16" tube	380614-S(DD3)	N	P	Q	R	S	T	U	V	W	X		
Screw & washer assy. (air horn to main body)-No. 10-32 x .88" fillister head	381744-S(BB80H)						10					16	
Screw (to adjust trans. kickdown)-No. 10-32 x 1.00" hex. head	379622-S8(UU52M)								V		X		Z
Stud (carburetor to intake manifold)-5/16"-18-24 x 1 3/4"	88386-S(WW14AD)											4	
Stud-hollow (carburetor to intake manifold)-5/16"-18-24 x 2 1/4"	382768-S7-8(WW139X)												Z

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LIST 21N THRU 21Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
LIMITER - IDLE ADJUSTING NEEDLE	C7AZ 9J500-B (CM-747)											2	2
SEAL - FAST IDLE ROD-1/8" I.D. x 1/2" O.D.-felt-use with C4AZ 9C771-A washer	B7AZ 9B501-A							U	V	W	X		
.90" long-.44" wide-.05" thick-.133" diam. hole (nylon)	C7AZ 9B501-A							U	V	W	X		Z
DIAPHRAGM ASSY. KIT - SECONDARY THROTTLE	B8AZ 9503-C (CM-489)							U	V	W	X		Z
Pin (throttle diaphragm lever to carb.)-spring-3/16" x 11/16"	353848-S8(NN71)							U	V	W	X		
Nut (diaphragm to lever)-1/8" spring 10 coils-.44" I.D.	374177-S2(MM265)							U	V	W	X		
SPRING - SECONDARY THROTTLE DIAPHRAGM RETURN	C7AZ 9B504-A (CM-656)	N	P	Q	R	S	T					Y	
6 coils-1.05" O.D.-.31" I.D.	C6AZ 9B504-A (CM-619)							U	V	W	X		Z
ROD - SECONDARY THROTTLE CONTROL	C7AZ 9C504-A	N	P	Q	R	S	T					Y	
Ring (rod to throttle shaft & lever primary & secondary)-1/8" retaining	377918-S8B(XX14F)	2	2	2	2	2	2					2	
COVER - SECONDARY THROTTLE DIAPHRAGM	B8A 9507-A (CM-564)							U	V	W	X		Z
Screw & washer assy. (diaphragm cover to carb.)-No. 8-32 x 3/4"	43395-S8(U75)							4	4	4	4		4
BUSHING - THROTTLE SHAFT (nylon)	C7AZ 9B508-A	N			R	S	T					Y	
WEIGHT - PUMP - DISCHARGE BALL - .109" O.D.-.88" long	C2OZ 9B511-A (CM-555)							U	V	W	X		Z
GASKET - THROTTLE BODY TO MAIN BODY	C7AZ 9516-A	N	P	Q	R	S	T					Y	
VALVE - ACCELERATOR PUMP DISCHARGE NEEDLE	C7AZ 9A516-B (CM-676)	N	P	Q	R	S	T					Y	
BAFFLE - EQUALIZER PASSAGE	C2SZ 9A517-A							2	2	2	2		2
BODY and SHAFT ASSY. - THROTTLE	★C7AZ 9518-A	N	P	Q	R	S	T					Y	
Screw & washer (throttle body to main body)-No. 10-32 x .88" fillister head	381744-S(BB80H)	6	6	6	6	6	6					6	
SUPPORT ASSY. - BOOSTER VENTURI	9A523												
Primary													
Ident. by letters "PK"	D1PZ 9A523-K (CM-1408)							U	V	W	X		
Ident. by No. 5	D1PZ 9A523-N (CM-818-A)												Z
Ident. by letters "FA"	C6AZ 9A523-D							U	V	W	X		Z
Screw (venturi secondary support to carb.)-1/4"-20 x 1" pan head	38294-S8(U141)							U	V	W	X		Z
Ball (accel. pump discharge valve)-3/16" steel	371350-S(AA4)							U	V	W	X		Z
HORN - AIR - less shaft	C6AZ 9524-D							U	V	W	X		Z
Screw & washer assy. (horn & plugs to main body)-No. 10-32 x 5/8"	43256-S8(U77F)							8	8	8	8		8
SEAL - AIR HORN	C7AZ 9C527-A	N	P	Q	R	S	T					Y	
COVER ASSY. - ACCELERATOR PUMP	D1AZ 9528-A (CM-648-A)							U	V	W	X		Z
Screw (cover to carb.)-No. 8-32 x 9/16" fill. hd.	379436-S8B(UU43F)							4	4	4	4		4
LINK - ACCELERATOR PUMP	C7AZ 9529-B(CM-694)	N	P	Q	R	S	T						
ROD - FAST IDLE CAM	C3AZ 9D530-A							U	V	W	X		Z
Retainer (carb. fast idle cam rod)-"C" washer	351825-S8B(XX9)							U	V	W	X		Z

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LIST 21N THRU 21Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
COMPENSATOR ASSY. - HOT IDLE	C7AZ 9B532-A (CM-903)	N	P	Q	R	S	T					Y	
Screw (hot idle compensator to air horn)-No. 8-32 x .38" fill. hd.	378361-S2(UU43D)	2	2	2	2	2	2					2	
	C0LE 9B532-B (CM-899)							U	V	W	X		Z
Screw (hot idle compensation to air horn)-No. 8-32 x 3/4" fillister head	31093-S7(U52)							2	2	2	2		2
JET - MAIN METERING	9533												
Primary													
No. 53F - 0 to 5,000 ft. altitude	C3DZ 9533-A(CJ-128)					2		2		2			
No. 51F - 5,000 to 10,000 ft. altitude tag code C8AF-AE	C3DZ 9533-B(CJ-136)					2		2		2			
No. 51F - 0 to 5,000 ft. altitude-tag code C8AF-AE	C3DZ 9533-B(CJ-136)				2		2						2
No. 49F - 5,000 to 10,000 ft. altitude-tag code C8AF-AE	C3DZ 9533-C(CJ-137)				2		2						2
No. 50F - 0 to 10,000 ft. altitude tag code C8AF-BG	C3UZ 9533-C(CJ-141)												2
No. 52F-0 to 5,000 ft. altitude	C3UZ 9533-A(CJ-133)								2		2		
No. 50F-5,000 to 10,000 ft. altitude	C3UZ 9533-C(CJ-141)								2		2		
No. 46F - 0 to 5,000 ft. altitude	C3AZ 9533-C(CJ-156)											2	
No. 44F - 5,000 to 10,000 ft. altitude	C3OZ 9533-C(CJ-161)											2	
Secondary													
No. 71F-0 to 5,000 ft. altitude Tag code C8AF-AE	C6AZ 9533-B(CJ-166)							2	2	2	2		2
No. 69F-5,000 to 10,000 ft. altitude Tag code C8AF-AE	C3TZ 9533-B(CJ-132)							2	2	2	2		2
No. 69F - 0 to 10,000 ft. altitude-tag code C8AF-BG	C3TZ 9533-B(CJ-132)												2
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A							2	2	2	2		2
LEVER - THROTTLE SHAFT AUXILIARY	C7AZ 9A537-B	N	P	Q	R	S	T					Y	
Screw (lever to carburetor)-No. 8-32 x .36" pan head shoulder	380808-S(BB683D)	N	P	Q	R	S	T					Y	
LEVER - FAST IDLE ADJUSTING	C7AZ 9538-A	N	P	Q	R	S	T						
R/b (1) D1AZ 9B538-A & (1) D1AZ 9538-A	C4AZ 9538-A(CM-905)							U	V	W	X		Z
Nut (lever to throttle shaft)-No. 10-32 hex.	★C8AZ 9538-C(CM-814)												
Lockwasher-No. 10	34079-S7(M163)	N	P	Q	R	S	T	U	V	W	X	Y	Z
	34903-S8(X96)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - THROTTLE CONTROL RETURN	C7AZ 9A538-D	N	P	Q	R	S	T	U	V	W	X	Y	
ACCELERATOR PUMP OVERTRAVEL	C7AZ 9A538-C	N	P	Q	R	S	T	U	V	W	X	Y	
SCREW - FAST IDLE ADJUSTING	C4AZ 9B538-A	N	P	Q	R	S	T						Z
	C8AZ 9B538-A											Y	
NEEDLE - IDLE ADJUSTING	C7AZ 9541-A(CM-657)	2	2	2	2	2	2						
	C7MY 9541-B(CM-749)											2	
	C8AZ 9541-C(CM-722)												2
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	C7AZ 9B542-B (CM-695)	N	P	Q	R	S	T						
	D2AZ 9B542-B (CM-1526-A)							U	V	W	X		Z
Clip (accel. pump link to throttle lever rod to overtravel pump lever)	375894-S7(GG215)							U	V	W	X		Z
Ring (accel. pump link rod to accel. link)-1/8" retaining	97460-S7-8(Q4F)	N	P	Q	R	S	T						

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LIST 21N THRU 21Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
PISTON - ACCELERATOR PUMP - includes retainer, spring and cup -repl. by C7AZ 9B544-B, C7AZ 9572-A, C7AZ 9D598-A and C7AZ 9599-A	★C7AZ 9B544-A (CP-48)	N	P	Q	R	S	T						
Does not include retainer, spring and cup	C7AZ 9B544-B (CP-50)	N	P	Q	R	S	T					Y	
PLATE - CHOKE	C7AZ 9545-A(CM-659)	N	P	Q	R	S	T					Y	
	C2AZ 9545-A(CM-576)							U	V	W	X		Z
Screw (choke plate)-No. 6-32 x .31" pan head	381761-S(UU81JA)	2	2	2	2	2	2	2	2	2	2	2	2
SHAFT and LEVER ASSY. - CHOKE	C7AZ 9546-A(CM-660)	N	P	Q	R	S	T					Y	
	C5AZ 9546-B(CM-591)							U	V	W	X		Z
DASHPOT ASSY.	C1AZ 9B549-A (CD-6)	N		Q						W	X		Z
Nut (dashpot to mounting brkt.)-5/16"-24	33923-S7(M32)	N		Q						W	X		Z
FLOAT ASSY.	C7AZ 9550-A(CM-661)	N	P	Q	R	S	T					Y	
	C6AZ 9550-C(CM-672)							2	2	2	2		2
BRACKET - DASHPOT MOUNTING	B8AZ 9B550-B (CM-908)	N	P	Q	R	S	T		V	W	X		Z
	D0AZ 9B550-A (CM-1113)											Y	
Screw and washer (dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)	N	P	Q	R	S	T		V	W	X	Y	Z
VALVE ASSY. - POWER	C7AZ 9G551-A	N	P	Q	R	S	T					Y	
PLATE - AIR DISTRIBUTION	C3MY 9F553-A							U	V	W	X		Z
PISTON ASSY. - POWER VALVE	C7AZ 9G553-A	N	P	Q	R	S	T						
VALVE - AIR - R.H.	C7AZ 9H555-A	N	P	Q	R	S	T					Y	
L.H.	C7AZ 9H555-B	N	P	Q	R	S	T					Y	
Screw (valve to air valve shaft)-No. 6-32 x .25" hex. washer head	353939-S(UU52T)	4	4	4	4	4	4					4	
SPRING - AIR VALVE	C7AZ 9H556-B	N	P	Q	R	S	T					Y	
VALVE - FLOAT BOWL VENT	C7AZ 9557-A	N	P	Q	R	S	T					Y	
HOUSING - AIR VALVE SPRING	C7AZ 9H557-A	N	P	Q	R	S	T					Y	
SHAFT - FLOAT LEVER	C7AZ 9558-A(CM-663)	N	P	Q	R	S	T					Y	
	B8A 9558-A(CM-183)							2	2	2	2		2
SWIVEL - CHOKE PLATE ADJUSTING	C5AZ 9F558-A							U	V	W	X		Z
RETAINER - AIR VALVE SPRING HOUSING	C7AZ 9H558-A	N	P	Q	R	S	T					Y	
Screw (retainer to air valve shaft)-No. 6-32 x .25" hex. washer head	353939-S(UU52T)	N			R	S	T					Y	
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)							U	V	W	X		Z
GASKET - FLOAT BOWL - r/b D3AZ 9561-B(CG-233-A)(5/74)	★C7AZ 9561-A(CG-233)	N	P	Q	R	S	T					Y	
	C5OZ 9561-A							U	V	W	X		Z
GASKET - ECONOMIZER COVER	B7A 9563-A(CG-234)							U	V	W	X		Z
VALVE & SEAT ASSY. - FUEL INLET - primary	D0AZ 9564-B (CV-58-A)	N	P	Q	R	S	T					Y	
Secondary	D2AZ 9564-B (CV-86-A)	N	P	Q	R	S	T					Y	
VALVE KIT - FUEL INLET - includes (1) B7A 9569-A gskt. & (1) B7AZ 9599-B retainer	D2AZ 9564-A (CV-54-A)							2	2	2	2		2
Secondary													

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LIST 21N THRU 21Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
ECONOMIZER KIT	9A565												
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer- 0 to 5,000 ft. altitude	C0AZ 9A565-A (CE-74)							U	V	W	X		
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer - 0 to 10,000 ft.altitude-tag code C8AF-BG	C0AZ 9A565-A (CE-74)												Z
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer- 0 to 5,000 ft.altitude-tag code C8AF-AE	C0AZ 9A565-A (CE-74)												Z
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer- 5,000to10,000ft. altitude-ident. by color"Green"	C0AZ 9A565-B (CE-75)							U	V	W	X		
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer- 5,000to10,000ft. altitude-tag code C8AF-AE	C0AZ 9A565-B (CE-75)												Z
GASKET - HOT IDLE COMPENSATOR	★C0LE 9B567-A	N	P	Q	R	S	T					Y	
GASKET - FUEL INLET NEEDLE SEAT	★B7A 9569-A							2	2	2	2		2
Primary-.51" I.D.-.62" O.D.	C7AZ 9569-A	N	P	Q	R	S	T					Y	
Secondary-.38" I.D.-.50" O.D.	C7AZ 9569-B	N	P	Q	R	S	T					Y	
CUP - PUMP PISTON	C7AZ 9572-A(CM-651)	N	P	Q	R	S	T					Y	
RETAINER - ACCELERATOR PUMP CHECK VALVE (wire)	C7AZ 9575-A(CM-652)	N	P	Q	R	S	T					Y	
RETAINER-ACCELERATOR PUMP CHECK VALVE DISC (plastic)	C7AZ 9575-B(CM-664)	N	P	Q	R	S	T					Y	
HOUSING ASSY. - CHOKE- Tag code C8AF-AE	C9ZZ 9A575-A (CC-56)							U	V	W	X		Z
Screw & washer assy. (choke hsg. to main body)-No. 8-32 x 1.76" fill. hd.	378547-S8(BB61B)							3	3	3	3		3
DISC - ACCELERATOR PUMP CHECK VALVE (plastic)	C7AZ 9576-A	N	P	Q	R	S	T					Y	
VALVE - ACCELERATOR PUMP CHECK	C4AZ 9576-A(CM-825)							U	V	W	X		Z
	78 9576							U	V	W	X		Z
Ball (accelerator pump check)-3/16" steel	371350-S(AA4)	N	P	Q	R	S	T					Y	Z
SCREW - PUMP DISCHARGE NOZZLE	C0AZ 9577-A(CM-607)							U	V	W	X		Z
LEVER - FAST IDLE CAM - Nylon	C4AZ 9F577-B (CM-492)							U	V	W	X		Z
Screw(lever adjusting)-No. 6-32 x .75" hex hd.	372307-S(BB527)							U	V	W	X		Z
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	2	2	2	2	2	2	2	2	2	2		2
SPRING - FAST IDLE ADJUSTING SCREW - 4 1/2 coils-.20" I. D. -.58" long	B8A 9578-B(CM-609)							U	V	W	X		Z
SPRING - IDLE AIR BY-PASS SCREW	C7AZ 9578-A(CM-653)	N	P	Q	R	S	T						
Screw (idle air by-pass adjusting)- 3/8"-24 x 2.64"	380806-S(BB817CA)	N	P	Q	R	S	T						
Screw(fast idle adj.)-No. 10-32 x 1" special hex head slotted	355107-S(BB536)							U	V	W	X		
PISTON & ROD ASSY. - AIR VALVE DAMPENER	C7AZ 9H578-A	N	P	Q	R	S	T					Y	
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-A	N	P	Q	R	S	T						
	B9A 9579-B(CM-912)							U	V	W	X		Z
SHAFT - AIR VALVE	C7AZ 9581-A(CM-654)	N	P	Q	R	S	T						
LEVER and SHAFT ASSY. KIT - THROTTLE- r/b D2AZ 9581-A (12/74)	★C9AZ 9581-C (CM-1047)	N	P	Q	R	S	T	U	V	W	X		Z

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 21N THRU 21Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
LEVER & SHAFT ASSY. - THROTTLE-PRIMARY	9581												
	C9ZZ 9581-B(CM-941)											Y	
Screw(carb. idle adjusting)-No. 10-32 x 1" hex. head	355107-S(BB536)												Z
Screw(transmission kickdown adjusting)-No. 10-32 x 1" hex. head	379622-S(UU52M)												Z
LEVER - AIR VALVE DAMPENER	C7AZ 9H582-A	N	P	Q	R	S	T					Y	
LEVER - SECONDARY THROTTLE DIAPHRAGM-r/b B8AZ 9503-C	★C5AZ 9583-A												Z
Pin(lever to carb.)-.35" x 3/8"	353848-S(NN71)												Z
Nut(diaphragm to lever)-1/8" spring	374177-S(MM265)												
LEVER - SECONDARY THROTTLE STOP	C7AZ 9583-C	N	P	Q	R	S	T					Y	
Nut(lever to secondary throttle shaft)-No. 10-32	34079-S7(M163)	N	P	Q	R	S	T					Y	
Lockwasher-No. 10	34803-S7(X60)	N	P	Q	R	S	T					Y	
LINK - AIR VALVE DAMPENER	C7AZ 9H583-B	N	P	Q	R	S	T					Y	
Pin (air valve dampener) - (1) used to retain accel. pump link (1) used to retain air valve dampener lever	383070-S(SS10E)	2	2	2	2	2	2					2	
Retainer(air valve dampener pin)-1/8" retaining	377918-S8B(XX14F)	2	2	2	2	2	2					2	
PLATE - THROTTLE - primary	★C7AZ 9585-A	2	2	2	2								
Primary	★C7AZ 9585-D					2	2						
Primary	B8A 9585-F							2	2	2	2		2
Primary	C8AZ 9585-F(CM-840)											2	
Secondary	C7AZ 9585-E(CM-837)	2	2	2	2	2	2					2	
Secondary	★B8A 9585-G							2	2	2	2		2
Screw (secondary throttle plates to shaft)-No. 8-32 x .38" fillister head	378361-S2(UU43D)	4	4	4	4	4	4	4	4	4	4	4	4
Screw (primary throttle plates to shaft)-No. 8-32 x .25" hex. washer head	353358-S(UU52U)	4	4	4	4	4	4					4	4
LEVER - MECHANICAL VENT VALVE ADJUSTING	C7AZ 9H585-A	N	P	Q	R	S	T					Y	
GASKET - ECONOMIZER VALVE - spark valve	C2AZ 9A588-B (CM-533)							U	V	W	X		Z
STOP - MECHANICAL VENT SPRING - not replaced	★C7AZ 9H588-A	N	P	Q	R	S	T						
LEVER and SHAFT ASSY. - SECONDARY THROTTLE PLATE	C7AZ 9A592-B (CM-680)	N	P	Q	R	S	T					Y	
Steel shaft	B8AZ 9A592-E (CM-618)							U	V	W	X		Z
Screw(shaft to carb. idle air flow)-No. 10-32 x .38"	370875-S8B(UU23)							4	4	4	4		Z
SEAL - AIR VALVE DAMPENER ROD	C7AZ 9H593-A (CM-689)											Y	
ROD - SECONDARY DIAPHRAGM CONTROL	B8A 9596-A (CM-541)							U	V	W	X		Z
Retainer(secondary diaphragm control rod to carb.)-.44" long	353610-S(NN126)							U	V	W	X		Z
CAM ASSY. - FAST IDLE	C7AZ 9597-A(CM-665)	N	P	Q	R	S	T						
	C5AZ 9597-D(CM-637)							U	V	W	X		Z
	D1SZ 9597-A (CM-1451)											Y	
Retainer(fast idle cam)-"C" washer	351825-S(XX9)											Y	Z
SPRING - ACCELERATOR PUMP ROD	C7AZ 9D598-A (CM-1037)	N	P	Q	R	S	T					Y	
RETAINER - ACCELERATOR PUMP SPRING	C7AZ 9599-A (CM-1038)	N	P	Q	R	S	T					Y	
RETAINER - FLOAT LEVER SHAFT	B7AZ 9599-B(CM-612)							2	2	2	2		2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LIST 21N THRU 21Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
ROD - CHOKE CONTROL	C7AZ 9A599-A	N	P	Q	R	S	T					Y	
	C5AZ 9A599-B (CM-915)							U	V	W	X		Z
Ring (rod to shaft & lever)-1/8" retaining	377918-S8B(XX14F)	2	2	2	2	2	2	U	V	W	X	Y	Z
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A(CM-544)							U	V	W	X		Z
SHAFT and LEVER ASSY. - CHOKE HOUSING	D2AZ 9A753-A (CM-1510)							U	V	W	X		
	D2AZ 9A753-B (CM-817-A)	N	P	Q	R	S	T					Y	
Washer(shaft & lever to hsg.)-"C"	353862-S8B(XX10)							U	V	W	X		
WASHER - CHOKE ROD SEAL-.66" long-.50" wide-.015" thick-.18" diam. hole(brass)-use with B7AZ 9B501-A seal	C4AZ 9C771-A							U	V	W	X		
PISTON ASSY. - CHOKE	C6AZ 9840-B(CM-624)				R	S	T	U	V	W	X		Z
	C8SZ 9840-A(CM-720)											Y	
Screw & washer assy. (piston to shaft)-No. 6-32 x 3/8" pan head	50802-S7(U150)				R	S	T	U	V	W	X	Y	Z
CLAMP - THERMOSTATIC CHOKE HOUSING	C7AZ 9842-A(CM-666)	N	P	Q	R	S	T						
	C8AZ 9842-A(CM-805)											Y	
Tag code C8AF-BG	D3AZ 9842-A (CM-1742)							U	V	W	X		Z
Tag code C8AF-AE	C8AZ 9842-B (CM-1045)												Z
Screw (clamp to choke hsg.)-No. 8-32 x 1/2" fillister head	31061-S8(U50)	3	3	3	3	3	3	3	3	3	3		3
Screw (clamp to choke hsg.)-No. 8-32 x 3/4" fillister head	31093-S(U52)											3	
HOUSING KIT - THERMOSTATIC CHOKE - identified by letters "BO"-kit includes (1) C1AZ 9871-A gasket & (1) choke housing Tag codes C7AF-AF, BA	C7AZ 9848-A (CM-667)	N	P	Q	R		T						
Identified by letters "BX" -kit includes (1) C1AZ 9871-A gasket & (1) choke housing	C7AZ 9848-C (CM-678)					S							
Identified by letters "BW" -kit includes (1) C1AZ 9871-A gasket & (1) choke housing Tag code C7AF-AV	C7AZ 9848-B (CM-677)						T						
Identified by letters "TO" -kit includes (1) C1AZ 9871-A gasket & (1) choke housing	C4AZ 9848-B (CM-459)							U	V	W	X		Z
HOUSING - THERMOSTATIC CHOKE - identified by letters "EW"	C8AZ 9848-C (CM-806)											Y	
BUSHING - CHOKE HOUSING	C7AZ 9851-A(CM-668)	N	P	Q	R	S	T					Y	
BUSHING - CHOKE THERMOSTAT LEVER	C8AZ 9851-A(CM-751)												Z
Retainer (retains shaft to choke hsg.)-washer "C"	353862-S(XX10)												Z
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A(CG-93)							U	V	W	X		Z
SHIELD - CHOKE THERMOSTAT	C4AZ 9861-A							U	V	W	X		
Screw & washer(shield to hsg.)-No. 8-32 x 3/8" fill. head	43248-S8(U72)							2	2	2	2		2
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)	N	P	Q	R	S	T	U	V	W	X	Y	Z
COVER - ECONOMIZER VALVE	C8AZ 9930-A(CM-728)							U	V	W	X		Z
Screw & washer(economizer valve cover to main body)-No. 8-32 x 3/8" fill. head	43248-S8(U72)							4	4	4	4		4
TUBE - VACUUM TRANSFER - tag code C8AF-AE, BG-cut from 8C 2269-B	★C7AF 9996-B												Z
Nut (vacuum transfer tube to carb.)-compression-3/8"-24 x 3/8"	351112-S(MM109)												Z
TUBE - SECONDARY THROTTLE CONTROL VACUUM - Standard size-use with new air horn only	B8A 9997-A							2	2	2	2		Z

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LIST 21AA THRU 21AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
GASKET KIT	D3AZ 9502-A (CG-221-B)	AA	AB	AC	AD								
Tag code D2PF-VA-repl. by D3AZ 9502-A (4/74)	★D2AZ 9502-D (CG-221-A)			AC									
TUNE UP KIT	D2AZ 9A586-D (CT-226-A)	AA	AB	AC									
	D3AZ 9A586-A (CT-226-B)				AD								
Screw(fast idle adj.)-No. 10-32 x .75" set	382297-S(UU26L)	AA	AB	AC	AD								
Screw & washer assy.(air horn to main body)-No. 10-32 x .88" fillister head	381744-S(BB80H)	16	16	16	16								
Stud - hollow (carburetor to intake manifold)-5/16"-18-24 x 2 1/4"	382768-S7-8(WW139X)	AA	AB	AC									
CONNECTOR (used for choke inlet tube)-1/8" pipe - 1/4" tube	383455-S(II-63F)	AA	AB	AC									
	382786-S(II-179)				AD								
SPRING - TRANSMISSION KICKDOWN Tag code D2PF-VA	D1AZ 7B146-A			AC	AD								
FILTER (FUEL)	D3AZ 9155-A (FG-14-A)				AD								
LIMITER - IDLE ADJUSTING NEEDLE	C7AZ 9J500-B (CM-747)	2	2	2	2								
SPRING - SECONDARY THROTTLE DIAPHRAGM RETURN	C7AZ 9B504-A (CM-656)	AA	AB	AC	AD								
ROD - SECONDARY THROTTLE CONTROL	C7AZ 9C504-A	AA	AB	AC									
	D1AZ 9C504-A (CM-1289)				AD								
Ring(rod to throttle shaft & lever)-primary & secondary-1/8" retaining	377918-S8(XX14F)	2	2	2	2								
BUSHING - THROTTLE SHAFT (nylon)	C7AZ 9B508-A	AA	AB	AC	AD								
CONTROL ASSY. VACUUM BREAK Tag code D2PF-VA	D2AZ 9S514-C			AC	AD								
Nut (used as jam nut on vacuum break control assy.)-1/4" x 28 hex. head - tag code D2PF-VA	33796-S7(M61)			AC	AD								
Screw (vacuum break control assy. to carb.)-1/4"-14 x 1/2" hex - tag code D2PF-VA	55981-S2(U254E)			AC	AD								
GASKET - THROTTLE BODY TO MAIN BODY	C8SZ 9516-A	AA	AB	AC									
	D3AZ 9516-A (CG-375)				AD								
VALVE - ACCELERATOR PUMP DISCHARGE NEEDLE	C7AZ 9A516-B (CM-676)	AA	AB	AC	AD								
BODY and SHAFT ASSY. - THROTTLE	★D0AZ 9518-C (CM-1079)	AA											
	★D0AZ 9518-D (CM-1108)		AB										
SEAL - AIR HORN	C8AZ 9C527-A (CM-1682)	AA	AB	AC	AD								
LINK - ACCELERATOR PUMP	C7AZ 9529-B(CM-694)	AA	AB	AC	AD								
JET - MAIN METERING													
No. 61F - 0 to 10,000 ft. altitude Tag codes D0AF-AD, AE, D0PF-AE	C3TZ 9533-C(CJ-138)	2	2	2	2								
No. 60F Tag code D2PF-VA	C3GY 9533-B(CJ-145)			2									

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 21AA THRU 21AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
LEVER - THROTTLE SHAFT AUXILIARY	C7AZ 9A537-B	AA	AB										
Tag codes D0AF-AD, AE, D0PF-AE				AC									
Tag code D2PF-VA	D2AZ 9A537-A			AC									
Tag code D3PF-CA	(CM-1477)				AD								
Screw (lever to carb.)-No. 8-32 x .36"	380808-S(BB683D)	AA	AB	AC	AD								
LEVER - FAST IDLE ADJUSTING -	D1AZ 9538-A (CM-1323)	AA	AB	AC	AD								
Nut (lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	AA	AB	AC	AD								
Lockwasher-No. 10	34903-S8(X96)	AA	AB	AC	AD								
SPRING - ACCELERATOR PUMP OVERTRAVEL	C7AZ 9A538-C	AA	AB	AC	AD								
SPRING - THROTTLE CONTROL RETURN	C7AZ 9A538-D	AA	AB	AC	AD								
SCREW - FAST IDLE ADJUSTMENT	C4AZ 9B538-A	AA	AB										
	D1AZ 9B538-A			AC	AD								
NEEDLE - IDLE ADJUSTING	D0AZ 9541-A (CM-1087)	2	2	2	2								
ROD - ACCELERATOR PUMP LINK to OVERTRAVEL LEVER	C7AZ 9B542-B (CM-695)	AA	AB	AC	AD								
PISTON - ACCELERATOR PUMP	C7AZ 9B544-B(CP-50)	AA	AB	AC	AD								
PLATE - CHOKE	C7AZ 9545-A(CM-659)	AA	AB	AC									
	D3AZ 9545-A (CM-1754)				AD								
Screw(choke plate)-No. 6-32 x .31" hex. hd.	375016-S2(UU52AK)	2	2	2	2								
SHAFT - CHOKE PLATE	C9AZ 9547-A (CM-1145)	AA	AB	AC	AD								
DASHPOT ASSY.	C1AZ 9B549-A(CD-6)	AA		AC	AD								
Nut (dashpot to mtg. brkt.)-5/16"-24	33923-S8(M32)	AA		AC	AD								
FLOAT ASSY.	D0AZ 9550-B	AA	AB										
Tag codes D0AF-AD, AE, D0PF-AE	(CM-1090)			AC									
Tag code D2PF-VA	C7AZ 9550-A (CM-661)			AC									
	D2AZ 9550-A (CM-1468)				AD								
BRACKET - DASHPOT MOUNTING	D0AZ 9B550-A (CM-1113)	AA		AC									
Screw & washer(dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)	AA		AC									
LEVER - CHOKE SHAFT	C9AZ 9551-A (CM-1144)	AA	AB	AC	AD								
Screw (lever to shaft)-No. 6-32x5/16" hex. hd.	383547-S2(BB541D)	AA	AB	AC	AD								
VALVE ASSY. - POWER	C7AZ 9G551-A	AA	AB	AC	AD								
PISTON ASSY. -POWER VALVE	★C8AZ 9G553-A	AA	AB	AC	AD								
VALVE - AIR - R.H.	D0AZ 9H555-A (CM-1092)	AA	AB	AC	AD								
- L.H.	D0AZ 9H555-B (CM-1093)	AA	AB	AC	AD								
Screw(valve to compensator-hot idle)-No. 6-32 x .31" pan hd.	381761-S(UU81JA)	4	4	4	4								
SPRING - AIR VALVE	C8AZ 9H556-A	AA	AB										
Tag codes D0AF-AD, AE, D0PF-AE	(CM-1690)			AC									
Tag code D2PF-VA	D0AZ 9H556-A			AC									
Tag code D3PF-CA	(CM-1270)				AD								

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 21AA THRU 21AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
SHAFT - FLOAT LEVER	C7AZ 9558-A(CM-663)	AA	AB	AC	AD								
GASKET - FLOAT BOWL	D3AZ 9561-B (CG-233-A)	AA	AB	AC	AD								
VALVE KIT - FUEL INLET - primary Kit includes (1) D0SF 9B528-A needle (1) D0SF 9567-A seat, (1) D0AF 9569-A gasket	D0AZ 9564-B (CV-58-A)	AA	AB	AC	AD								
Secondary	D2AZ 9564-B (CV-86-A)	AA	AB	AC	AD								
ROD - SECONDARY DIAPHRAGM CONTROL - Tag code D2PF-VA	D2AZ 9S567-B			AC	AD								
Washer "C" (rod to connector) - tag code D2PF-VA	384912-S2(MM259V)			AC	AD								
GASKET - FUEL INLET NEEDLE SEAT - primary	C7AZ 9569-A	AA	AB	AC	AD								
Secondary	C7AZ 9569-B	AA	AB	AC	AD								
CONNECTOR - SECONDARY DIAPHRAGM CONTROL	D2AZ 9S569-A			AC	AD								
CUP - PUMP PISTON	C7AZ 9572-A(CM-651)	AA	AB	AC	AD								
RETAINER - ACCELERATOR PUMP CHECK VALVE - wire	C7AZ 9575-A(CM-652)	AA	AB	AC									
Plastic	C7AZ 9575-B(CM-664)	AA	AB	AC	AD								
DISC-ACCELERATOR PUMP CHECK VALVE-wire	C7AZ 9576-A	AA	AB	AC									
Ball(accelerator pump check)-3/16" steel	371350-S(AA4)	AA	AB	AC	AD								
RETAINER - FAST IDLE ROD SEAL	★C8AF 9A576-A	AA	AB	AC									
- B -													
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	2	2	2	2								
PISTON & ROD ASSY. - AIR VALVE DAMPENER	D2AZ 9H578-A (CM-1683-A)	AA	AB	AC	AD								
SHAFT - AIR VALVE	C7AZ 9581-A(CM-654)	AA	AB	AC	AD								
LEVER & SHAFT ASSY. -THROTTLE	D0AZ 9581-B (CM-1095)	AA	AB	AC									
	★D1OZ 9581-A (CM-1295)				AD								
Screw (trans. kickdown adjusting)-No. 10-32 x 1" hex. head	379622-S(UU52M)	AA	AB	AC	AD								
LEVER - AIR VALVE DAMPENER	C8AZ 9H582-A (CM-1692)	AA	AB	AC	AD								
Rivet-1/8" -.69" button head-split-(1)used as air valve dampener pin (1) used to retain accel. pump link	383070-S(SS10E)	2	2	2	2								
LEVER - SECONDARY THROTTLE STOP	C7AZ 9583-C	AA	AB	AC	AD								
Nut(lever to secondary throttle shaft)-No.10-32	34079-S7(M163)	AA	AB	AC	AD								
Lockwasher-No. 10	34903-S8(X96)	AA	AB	AC	AD								
LINK - AIR VALVE DAMPENER	C8AZ 9H583-A (CM-1684)	AA	AB	AC	AD								
PLATE - THROTTLE - primary	D0OZ 9585-A (CM-1100)	2	2	2	2								
Secondary Tag codes D0AF-AD, AE, D0PF-AE	C9ZZ 9585-A (CM-969)	2	2	2									
Tag code D2PF-VA	C9ZZ 9585-B (CM-1123)			2									
Tag code D3PF-CA					2								
Screw(throttle plates to shaft)-No. 3-48 x .28" hex. washer head	383677-S(BB542A)	8	8	8	8								

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LIST 21AA THRU 21AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
BRACKET - THROTTLE EMISSION CONTROL SOLENOID	D0AZ 9J586-A		AB		AD								
Tag code D2PF-VA				AC									
Nut (bracket to carb.)-tag code D2PF-VA	34079-S7(M163)			AC	AD								
Lockwasher (bracket to carb.)-tag code D2PF-VA	34903-S8(X96)			AC	AD								
Screw (bracket to carb.)-tag code D2PF-VA	50810-S8(U158)			AC	AD								
Screw & washer(solenoid brkt.to carb.)-No.10-32 x 1/2"	43252-S8(U77)		AB										
LEVER & SHAFT ASSY. - SECONDARY THROTTLE PLATE	C8SZ 9A592-B (CM-841)	AA	AB	AC	AD								
SEAL - AIR VALVE DAMPENER ROD	C7AZ 9H593-A (CM-689)	AA	AB	AC									
CAM ASSY. - FAST IDLE	D1SZ 9597-A (CM-1451)	AA	AB	AC	AD								
Screw (attaches fast idle cam)	384170-S(UU26K)			AC	AD								
SPRING - ACCELERATOR PUMP ROD	C7AZ 9D598-A (CM-1037)	AA	AB	AC	AD								
RETAINER-ACCELERATOR PUMP SPRING	C7AZ 9599-A (CM-1038)	AA	AB	AC	AD								
ROD - CHOKE CONTROL	C7AZ 9A599-A	AA	AB	AC									
	D3AZ 9A599-A (CM-1755)				AD								
Ring (rod to shaft and lever)-retaining-1/8"	377918-S8B(XX14F)				2								
SHAFT & LEVER ASSY. - CHOKE HOUSING	D2AZ 9A753-B (CM-817-A)	AA	AB	AC	AD								
ADAPTOR - CHOKE CONTROL TUBE	C8VY 9C786-A	AA	AB	AC	AD								
PISTON ASSY. - CHOKE	D2AZ 9840-A (CM-1287-A)	AA	AB	AC									
	D3AZ 9840-A (CM-1287-B)				AD								
Screw & washer(piston to shaft)-No. 6-3 x 1/4"	50802-S7(U150)	AA	AB	AC	AD								
Ring(throttle & lever choke hsg.)-1/8"	377918-S8(XX14F)	AA	AB	AC	AD								
CLAMP - THERMOSTATIC CHOKE HOUSING Tag codes D0AF-AD, AE, D0PF-AE	C8AZ 9842-A (CM-805)	AA	AB	AC									
Tag code D2PF-VA	C8AZ 9842-B			AC									
Tag code D3PF-CA	(CM-1045)				AD								
Screw(clamp to choke hsg.)-No. 8-32 x 1/2"	31061-S8(U50)	3	3	3	3								
HOUSING KIT - THERMOSTATIC CHOKE identified by "4TOC"-kit includes (1) C1AZ 9871-A gasket & (1) choke housing Tag codes D0AF-AD, AE, D0PF-AE	D0AZ 9848-E (CM-1244)	AA	AB	AC									
Tag code D2PF-VA	D2AZ 9848-A (CM-1287-A)			AC									
Identified by "4TB2"	D1AZ 9848-F (CM-1504)				AD								
BUSHING - CHOKE HOUSING	C7AZ 9851-A (CM-668)	AA	AB	AC	AD								
SOLENOID ASSY. - THROTTLE EMISSION CONTROL	D1AZ 9D856-C		AB										
Tag code D0AF-AE	C8AZ 9D856-A			AC									
Tag code D2PF-VA	D2AZ 9D856-E			AC									
	D3AZ 9D856-A				AD								
Nut (solenoid to bracket)-hex.-7/16"-20	45219-S2(M173)				AD								
SHIELD - CHOKE THERMOSTAT	D0OZ 9861-A	AA	AB	AC	AD								
GASKET - THERMOSTATIC CHOKE HOUSING Tag codes D0AF-AD, AE, D0PF-AE	C1AZ 9871-A (CG-102)	AA	AB	AC	AD								
Tag code D2PF-VA	D2AZ 9871-A			AC									

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 23A THRU 23M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET	D0DZ 9502-A(CG-257)	A	B	C	D	E	F	G	H	J	K	L	M
TUNE-UP KIT	C7DZ 9A586-C (CT-201-A)	A	B	C	D	E	F						
	D0DZ 9A586-B (CT-842-A)							G	H	J	K	L	M
REPAIR KIT	C7DZ 9590-A(CR-289)	A											
Tag code C8DF-A - service details	★C8DZ 9590-A(CR-345)		B										
Tag code C8DF-B - service details	★C8DZ 9590-B(CR-346)		B				F						
Service details	★C8TZ 9590-A(CR-347)			C									
Service details	★C9DZ 9590-A(CR-374)				D								
	C9TZ 9590-C(CR-375)					E							
Service details	★D0DZ 9590-A(CR-383)									J			
Service details	★D0DZ 9590-B(CR-384)							G	H			L	M
Service details	★D0DZ 9590-C(CR-385)										K		
Screw & washer (upper body to outer body)-No.10-32 x 5/8"	43256-S8 (U77E)	5											
Upper body to center			3	3	3	3	3	3	3	3	3	3	3
Connector (fuel inlet)	354205-S(II-159)	A											
Connector (dist. vac. line)	358165-S(II-65)	A	B	C	D	E	F						
Screw (lower body)-No.12-28 x 3/4"	359710-S(BB78)	3	3	3	3	3	3	3	3	3	3	3	3
LIMITER - IDLE ADJUSTING	C7AZ 9J500-B (CM-747)				D	E	F	G	H	J	K	L	M
GASKET - THROTTLE BODY TO MAIN BODY	C7DZ 9516-A	A	B	C	D	E	F						
	D0DZ 9516-A(CG-258)							G	H			L	M
	C8AZ 9516-A(CG-216)									J	K		
VALVE - ACCELERATOR PUMP DISCHARGE NEEDLE	C7DZ 9A516-A (CM-696)	A	B	C	D	E	F	G	H	J	K	L	M
BAFFLE - FLOAT BOWL	C7DZ 9A517-A	A	B	C	D	E	F						
RESTRICTOR - JET - low speed	C7DZ 9A521-A	A		C		E							
Tag code C8DF-A	C8DZ 9A521-C (CM-827)		B										
Tag code C8DF-B	C8DZ 9A521-A (CM-764)		B										
	C8UZ 9A521-A (CM-1002)				D		F						
	D0DZ 9A521-B (CM-1070)							G	H	J		L	M
	D0DZ 9A521-A (CM-1069)										K		
PLUG - IDLE PASSAGE	C8UZ 9523-A		B	C									
SCREEN - FUEL FILTER	C4AZ 9F525-A							G	H	J	K	L	M
ROD - METERING	★C7DZ 9A526-A	A											
Tag code C8DF-B - 0 to 5,000 ft. altitude 0 to 10,000 ft. altitude	C8DZ 9A526-A (CM-765)		B				F						
Tag code C8DF-A - 5,000 to 10,000 ft. altitude	C8DZ 9A526-B (CM-766)		B										
Tag code C8DF-A - 5,000 to 10,000 ft. altitude	C8DZ 9A526-C (CM-829)		B										
Tag code C8DF-B - 5,000 to 10,000 ft. altitude	C8DZ 9A526-D (CM-830)		B										
0 to 5,000 ft. altitude	C8UZ 9A526-A (CM-767)			C									
5,000 to 10,000 ft. altitude	C8TZ 9A526-A (CM-831)			C									
0 to 10,000 ft. altitude	C8DZ 9A526-E (CM-1004)				D								
0 to 10,000 ft. altitude	C8TZ 9A526-B (CM-1005)					E							

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 23A THRU 23M											
		A	B	C	D	E	F	G	H	J	K	L	M
ROD - METERING - continued	9A526												
0 to 10,000 ft. altitude	D0DZ 9A526-B (CM-1072)							G	H			L	M
0 to 10,000 ft. altitude	C8AZ 9A526-C (CM-1003)									J			
0 to 10,000 ft. altitude	D0DZ 9A526-A (CM-1071)										K		
SPRING - FAST IDLE CAM	★C7DZ 9G526-A	A	B										
RETAINER - CHOKE SHAFT	C8UZ 9B527-A (CM-768)			C		E							
COVER ASSY. - ACCELERATOR PUMP	C7DZ 9528-A(CM-697)	A	B	C	D	E	F	G	H	J	K	L	M
Screw & washer (cover to carb.)- No.8-32 x 5/8" fillister head	43255-S8(U74)	4	4	4	4	4	4	4	4	4	4	4	4
LINK - ACCELERATOR PUMP Use with non-adjustable metering rod	C7DZ 9529-A(CM-698)	A	B	C	D	E	F	G	H	J	K	L	M
Use with adjustable metering rod	D0PZ 9529-A (CM-1167)							G	H	J	K	L	M
SCREW & WASHER ASSY. - AIR HORN - No. 10-32 x 1-1/2"	C8DZ 9F529-A		3	3	3	3	3	3	3	3	3	3	3
SCREW & WASHER ASSY. - CHOKE BRACKET - No. 12-28 x 9/16"	C8DZ 9F529-B			C		E							
ROD - FAST IDLE CAM	C7DZ 9D530-A	A	B		D		F	G	H	J	K	L	M
JET - MAIN METERING	C7DZ 9533-A(CJ-168)	A				E							
	C8DZ 9533-A(CJ-170)		B	C	D		F						
	D0DZ 9533-A(CJ-178)							G	H			L	M
	C8AZ 9533-A(CJ-171)									J			
	C8AZ 9533-B(CJ-179)										K		
SPRING - THROTTLE RETURN	C8DZ 9A538-A (CM-769)		B	C	D	E	F	G	H	J	K	L	M
SCREW - FAST IDLE ADJUSTING - No. 10-24 x 3/4"	C8DZ 9B538-A			C		E							
Washer-flat-No. 10-use with C8DZ 9B538-A				C									
No. 10-32 x 3/4"	C7DZ 9B538-A	A	B		D		F	G	H	J	K	L	M
Washer-idle adjusting speed screw-flat-No.10	44716-S8(X15)							G	H	J	K	L	M
BAFFLE - AUTOMATIC CHOKE PLATE	C7DZ 9A539-A	A	B	C	D		F	G	H	J	K	L	M
NEEDLE - IDLE ADJUSTING	C7DZ 9541-A(CM-699)	A											
	C8DZ 9541-A(CM-771)		B	C									
	C8AZ 9541-F (CM-1007)				D	E	F	G	H	J	K	L	M
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	C7DZ 9B542-A (CM-700)	A	B	C	D	E	F						
	C8AZ 9B542-A (CM-794)							G	H	J	K	L	M
PLATE - CHOKE	C7DZ 9545-A(CM-701)	A	B	C	D	E	F	G	H	J	K	L	M
Screw-No. 4-40 x 3/16" (choke plate to choke shaft)-fill. head	31291-S(U43)	2	2	2	2	2	2	2	2	2	2	2	2
SHAFT and LEVER ASSY. - CHOKE	C7DZ 9546-A(CM-702)	A											
	C8UZ 9546-A(CM-773)			C		E							
	D0DZ 9546-A (CM-1073)		B		D		F	G	H	J	K	L	M

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 23A THRU 23M											
		A	B	C	D	E	F	G	H	J	K	L	M
DASHPOT ASSY.	C7DZ 9B549-A(CD-14)	A	B	C	D	E	F	G	H	J	K		
Nut (dashpot to dashpot mtg. bracket)-5/16"-jam	33923-S7(M32)	A	B	C	D	E	F	G	H	J	K		
FLOAT ASSY.	D5TZ 9550-A (CM-703-A)	A	B	C	D	E	F	G	H	J	K	L	M
BRACKET - DASHPOT MOUNTING	C7DZ 9B550-A	A	B	C	D	E	F	G	H	J	K		
Screw (dashpot bracket to carb.)-No.10-32 x 5/8"	359617-S(BB626)	2	2	2	2	2	2	G	H	J	K		
Screw (dashpot bracket to carb.)-No.10-32 x 5/8"	31628-S7(U58)							G	H	J	K		
Lockwasher (dashpot bracket to carb.)-No.10	34803-S7(X60)							G	H	J	K		
LEVER - CHOKE SHAFT	C8UZ 9551-A(CM-774)			C	D	E	F						
SHAFT - FLOAT LEVER	C7DZ 9558-A	A	B	C	D	E	F	G	H	J	K	L	M
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C7DZ 9B559-A (CM-704)	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - CHOKE PLATE	C8UZ 9560-A(CM-775)			C		E							
GASKET - FLOAT BOWL	C7DZ 9561-A	A	B	C	D	E	F	G	H	J	K	L	M
VALVE & SEAT ASSY. - FUEL INLET	C8DZ 9564-A(CV-63)	A	B	C	D	E	F						
	D0DZ 9564-A(CV-77)							G	H	J	K	L	M
RETAINER - CHOKE CONTROL ROD	★ B7A 9565-A			C		E							
FILLER - ACCELERATOR PUMP CAVITY	9F565												
Tag code C8DF-B	C8DZ 9F565-A		2		D	E	F						
GASKET - FUEL INLET NEEDLE SEAT	C6VY 9569-A	A	B	C	D	E	F	G	H	J	K	L	M
LEVER - FAST IDLE CAM	C7DZ 9F577-A	A	B		D		F	G	H	J	K	L	M
SPRING - IDLE ADJUSTING NEEDLE	C7DZ 9578-A(CM-705)	A											
	C8DZ 9578-A(CM-776)		B	C	D	E	F	G	H	J	K	L	M
SPRING - FAST IDLE ADJUSTING SCREW	C7DZ 9578-B	A											
	B7A 9578-B		B	C	D	E	F	G	H	J	K	L	M
LEVER & SHAFT ASSY. - THROTTLE	C7DZ 9581-A(CM-706)	A											
	C8DZ 9581-A(CM-777)		B		D		F	G	H			L	M
	C8UZ 9581-A(CM-778)			C		E							
	D0DZ 9581-A (CM-1074)									J	K		
SPACER - DIAPHRAGM	D0DZ 9B581-A							G	H	J	K	L	M
PLATE - THROTTLE	C7DZ 9585-A	A	B	C	D	E	F	G	H			L	M
	C8AZ 9585-G(CM-798)									J	K		
Screw (plate to lever & shaft)-No.4-40 x 3/16"	31291-S(U43)	2	2	2	2	2	2	2	2	2	2	2	2
BRACKET - THROTTLE EMISSION CONTROL SOLENOID	C8AZ 9J586-A											L	M
Screw-bracket to carb.-No.10-32 x 5/8"	31628-S7(U58)											L	M
Lockwasher-bracket to carb.-No.10	34803-S(X60)											L	M
LEVER - ACCELERATOR PUMP	C7DZ 9D591-A	A	B	C	D	E	F	G	H	J	K	L	M
Screw (accel. lever to throttle lever)-No. 10-32 x 3/8"	50804-S8(U157)	A	B	C	D	E	F	G	H	J	K	L	M

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 23A THRU 23M											
		A	B	C	D	E	F	G	H	J	K	L	M
BRACKET ASSY. - CHOKE CONTROL	C8UZ 9595-A(CM-779)			C		E							
CAM ASSY. - FAST IDLE	C7DZ 9597-A(CM-707)	A											
	C8DZ 9597-A(CM-780)		B				F		H				M
	C8UZ 9597-A(CM-781)			C		E							
	C8DZ 9597-B (CM-1008)				D			G		J	K	L	
SPRING - ACCELERATOR PUMP ROD -upper	C7DZ 9D598-A	A	B	C	D	E	F	G	H	J	K	L	M
RETAINER - ACCEL. PUMP SPRING - upper	C7DZ 9599-A	A	B	C	D	E	F	G	H	J	K	L	M
ROD - CHOKE CONTROL	C7DZ 9A599-A	A											
	C8DZ 9A599-A (CM-782)		B		D		F	G	H	J	K	L	M
	C8UZ 9A599- C (CM-783)			C		E							
Retainer - spring - 3/64" (retains C8UZ 9A599-A)	359734-S(RR2)			C		E							
SCREW - AIR CLEANER RETAINER TO CARBURETOR - No. 10-24 x 1/2"-slotted pan head top tite	C8DZ 9C631-A		2	2	2	2	2	2	2	2	2	2	2
SPRING - ACCELERATOR PUMP LEVER RETURN - lower	C7DZ 9636-A(CM-708)	A											
Tag code C8DF-B	C8DZ 9636-A(CM-784)		B			E	F						
Tag code C8DF-A	★ ECZ 9636-B		B					G	H	J	K	L	M
	C8UZ 9636-A(CM-785)			C									
RETAINER - AIR CLEANER TO CARBURETOR	★C7DZ 9B672-A	A											
	C8DZ 9B672-A		B	C	D	E	F	G	H	J	K	L	M
Screw (air cleaner retainer to carb.)- No.6-32 x 1/4"	31031-S8(U44)	2											
RETAINER - LOWER ACCELERATOR SPRING	★ECZ 99704-A	A	B	C									
ARM ASSY. - METERING ROD	C7DZ 9D819-A	A	B	C	D	E	F						
Use with non-adjustable metering rod								G	H	J	K	L	M
Use with adjustable metering rod	D0DZ 9D819-A (CM-1325)							G	H	J	K	L	M
SPRING - METERING ROD TENSION	C7DZ 9D820-A	A											
CLIP - ROD END RETAINING	C7DZ 9825-A	A	B		D		F	G	H	J	K	L	M
PISTON ASSY. - CHOKE	C7DZ 9840-A(CM-709)	A											
	C8DZ 9840-A(CM-786)		B				F		H	J	K		M
	C8DZ 9840-B (CM-1010)				D			G				L	
Pin (attach piston to choke shaft)-supplied in 9840 assy.	★359729-S	A	B					G	H	J	K	L	M
CLAMP - THERMOSTATIC CHOKE HOUSING	★B7A 9842-B	3	3		3		3	3	3	3	3	3	3
Screw (attach clamp to choke housing)- No.8-32 x 1/4"	31032-S8(U47)	3	3		3		3	3	3	3	3	3	3
HOUSING - THERMOSTATIC CHOKE	C7DZ 9848-B(CM-710)	A											
Service pkg. includes (1) C7DZ 9871-A gasket	C8DZ 9848-A(CM-787)		B		D		F	G				L	
Service pkg. includes (1) B8A 9871-B gasket	D0TZ 9848-A (CM-1137)								H	J			M
Service pkg. includes (1) B8A 9871-B gasket	D0DZ 9848-A (CM-1075)										K		
SOLENOID ASSY. - THROTTLE EMISSION CONTROL	D1AZ 9D856-C											L	M
GASKET - THERMOSTATIC CHOKE HOUSING	C7DZ 9871-A	A	B		D		F						
	B8A 9871-B							G	H	J	K	L	M

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 23N THRU 23Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET SET	D0DZ 9502-A(CG-257)	N	P	Q	R	S	T	U	V	W	X	Y	Z
TUNE UP KIT	D0DZ 9A586-B (CT-842-A)	N	P	Q	R	S	T	U	V	W	X	Y	Z
REPAIR KIT	★D0DZ 9590-A(CR-383)	N											
	★D0DZ 9590-C(CR-385)		P										
Screw & washer-upper body to center-No.10-32 x 5/8"	43256-S8(U77F)	3	3	3	3	3	3	3	3	3		3	
Screw-upper body-No.10-32 x 5/8" fill.head	31628-S7(U58)										3		3
Washer-upper body-lock-No.10	34803-S7(X60)										3		3
Screw-lower body-No.12-28 x 3/4"	359710-S(BB78)	3	3	3	3	3	3	3	3	3	3	3	3
Screw (fast idle speed)-No.8-32 x 1" fill.hd.	31125-S8(U53)				R	S	T	U	V	W	X		Z
LIMITER - IDLE ADJUSTING	C7AZ 9J500-B (CM-747)	N	P	Q	R	S	T	U	V	W	X	Y	Z
BUSHING - THROTTLE SHAFT	D1DZ 9B508-B (CM-1418)				R	S	T	U	V		X		Z
GASKET - THROTTLE BODY TO MAIN BODY	C8AZ 9516-A (CG-216)	N	P										
	D0DZ 9516-A(CG-258)			Q	R	S	T	U	V	W	X	Y	Z
VALVE - ACCELERATOR PUMP DISCHARGE NEEDLE	C7DZ 9A516-A (CM-696)	N	P	Q	R	S	T	U	V	W	X	Y	Z
BAFFLE - FLOAT BOWL	C7DZ 9A517-A										X		Z
RESTRICTOR - JET - low speed	D0DZ 9A521-B (CM-1070)	N		Q	R	S	T	U			X	Y	Z
	D0DZ 9A521-A (CM-1069)		P										
	D1DZ 9A521-C (CM-1457)								V	W			
SCREEN - FUEL FILTER	C4AZ 9F525-A	N	P		R	S	T	U	V	W	X	Y	Z
ROD - METERING													
0 to 10,000 ft. altitude	C8AZ 9A526-C (CM-1003)	N			R	S							
0 to 10,000 ft. altitude	D0DZ 9A526-A (CM-1071)		P				T	U	V	W			
	D0BZ 9A526-A (CM-1129)			Q									
Tag codes D1DF-EA, D1PF-DA	D0DZ 9A526-B (CM-1072)										X	Y	Z
Tag code D1BF-CA	D1BZ 9A526-D (CM-1424)										X		
COVER ASSY. - ACCELERATOR PUMP	C7DZ 9528-A(CM-697)	N	P	Q					V	W	X	Y	Z
	D1DZ 9528-A (CM-1465)				R	S	T	U					
Screw & washer-cover to carb.-No.8-32 x 5/8" fillister head	43255-S8(U74)	4	4	4	4	4	4	4	4	4	4	4	4
LINK - ACCELERATOR PUMP - use with non-adjustable metering rod	C7DZ 9529-A(CM-698)	N	P	Q	R	S	T	U	V	W	X	Y	
Use with adjustable metering rod	D0DZ 9529-A (CM-1324)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SCREW & WASHER ASSY. - AIR HORN - choke bracket-No.12-28 x 9/16"	C8DZ 9F529-A	3	3	3	4	4	4	4	4	4	3	3	3

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 23N THRU 23Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
ROD - FAST IDLE CAM	C7DZ 9D530-A	N	P									Y	
	C8AZ 9D530-A (CM-793)			Q									
Replaced by D1DZ 9597-D	★D1DZ 9D530-B (CM-1428)				R	S	T	U	V	W	X		Z
JET - MAIN METERING	C8AZ 9533-A(CJ-171)	N			R	S							
	C8AZ 9533-B(CJ-179)		P				T	U	V	W			
	C8DZ 9533-A(CJ-170)			Q							X		Z
	D0DZ 9533-A(CJ-178)											Y	
SPRING - THROTTLE RETURN	C8DZ 9A538-A (CM-769)	N	P	Q	R	S	T	U	V	W	X	Y	
	D1DZ 9A538-A (CM-1420)				R	S	T	U	V	W	X		Z
SCREW - FAST IDLE ADJUSTING - No. 10-32 x 3/4"	C7DZ 9B538-A	N	P	Q								Y	
	D1DZ 9B538-D				R	S	T	U	V	W	X		Z
Washer-idle adjusting speed screw-flat-No.10	44716-S8(X15)	N	P	Q	R	S	T	U	V	W	X	Y	
BAFFLE - AUTOMATIC CHOKE PLATE	C7DZ 9A539-A	N	P	Q	R	S	T	U	V	W	X	Y	
NEEDLE - IDLE ADJUSTING	C8AZ 9541-F (CM-1007)	N	P	Q	R	S	T	U	V	W	X	Y	Z
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	C8AZ 9B542-A (CM-794)	N	P	Q	R	S	T	U	V	W	X	Y	Z
PLATE - CHOKE	C7DZ 9545-A(CM-701)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw-No.4-40 x 3/16"-choke plate to choke shaft-fill.head	31291-S(U43)	2	2	2	2	2	2	2	2	2	2	2	2
SHAFT and LEVER ASSY. - CHOKE	D0DZ 9546-A (CM-1073)	N	P	Q								Y	
	D2DZ 9546-A (CM-1431-A)				R	S	T	U	V	W	X		Z
DASHPOT ASSY.	C7DZ 9B549-A(CD-14)			Q								Y	
Tag codes D1BF-CA, D1DF-EA	D1DZ 9B549-A (CM-1432)				R		T		V		X		
Nut(dashpot to dashpot mtg. bracket)-5/16" jam Tag codes D1PF-CA, D1DF-EA	33923-S7(M32)			Q	3		3		3		X	Y	
FLOAT ASSY.	§ D5TZ 9550-A (CM-703-A)	N	P	Q	R	S	T	U	V	W	X	Y	Z
BRACKET - DASHPOT MOUNTING	C7DZ 9B550-A			Q								Y	
Tag codes D1BF-CA, D1DF-EA	D1DZ 9B550-A (CM-1434)				R		T		V		X		
Screw(dashpot bracket to carb.)-No. 10-32 x 5/8" - tag codes D1BF-CA, D1DF-EA	31628-S7(U58)			Q	4		4	4	4		X	Y	Z
Lockwasher (dashpot bracket to carb.)-No. 10	34803-S7(X60)			Q	4		4	4	4		X	Y	Z
SHAFT - FLOAT LEVER	C7DZ 9558-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
HUB - FAST IDLE CAM	D1DZ 9D558-B (CM-1419)				R	S	T	U	V	W	X		Z
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C7DZ 9B559-A (CM-704)	N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET - FLOAT BOWL	C7DZ 9561-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
VALVE & SEAT ASSY. - FUEL INLET	D0DZ 9564-A(CV-77)	N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET - FUEL INLET NEEDLE SEAT	C6VY 9569-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
LEVER - FAST IDLE CAM	C7DZ 9F577-A	N	P	Q								Y	
Replaced by D1DZ 9597-D	★D1DZ 9F577-A (CM-1417)				R	S	T	U	V	W	X		Z

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 23N THRU 23Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - IDLE ADJUSTING NEEDLE	C8DZ 9578-A(CM-776)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Spring-curb speed screw	C8VY 9578-A (CM-750)				R	S	T	U	V	W	X		Z
SPRING - FAST IDLE ADJUSTING SCREW	B7A 9578-B	N	P	Q	R	S	T	U	V	W	X	Y	Z
LEVER & SHAFT ASSY. - THROTTLE	D0DZ 9581-A (CM-1074)	N	P										
	D0BZ 9581-A (CM-1134)			Q									
	C8DZ 9581-A(CM-777)											Y	
	D1DZ 9581-B (CM-1415)				R	S	T	U	V	W			
	D1DZ 9581-D (CM-1459)										X		Z
SPACER - DIAPHRAGM	D0DZ 9B581-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
PLATE - THROTTLE	C8AZ 9585-G(CM-798)	N	P		R	S	T	U	V	W			
	C7DZ 9585-A			Q							X	Y	Z
Screw-plate to lever & shaft-No.4-40 x 3/16"	31291-S(U43)	2	2		2	2	2	2	2	2	2	2	
BRACKET - THROTTLE EMISSION CONTROL SOLENOID	C8AZ 9J586-A	N	P										
	D1DZ 9J586-A					S		U		W			
Lockwasher (bracket to carb.)-No. 10	34803-S7(X60)	N	P										
Screw -bracket to carb.-No.10-32 x 5/8"	31628-S7(U58)	N	P										
Nut-bracket to carb.-No.10-32	34079-S7(M163)					S		U					
Screw-bracket to carb.-1/4"-20 x 3/4"	20344-S8(B42)					S		U		W			
Lockwasher-bracket to carb	34940-S7-8(X88)					S		U		W			
LEVER - ACCELERATOR PUMP	C7DZ 9D591-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw-accelerator lever to throttle lever-No.10-32 x 5/16"	50804-S8(U157)	N	P	Q	R	S	T	U	V	W	X	Y	Z
CAM ASSY. - FAST IDLE	C8DZ 9597-B (CM-1008)	N	P	Q								Y	
	ø D1DZ 9597-D (CM-1417-A)				R	S	T	U	V	W	X		Z
SPRING - ACCELERATOR PUMP ROD - upper	C7DZ 9D598-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
RETAINER-ACCEL. PUMP SPRING-upper	C7DZ 9599-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
RETAINER - FAST IDLE CAM ROD	D1DZ 9599-A				R	S	T	U	V	W	X		Z
ROD - CHOKE CONTROL	C8DZ 9A599-A (CM-782)	N	P									Y	
	C8UZ 9A599-B (CM-799)			Q									
Retainer-spring (choke rod)-1/8"-3/64"	359734-S (RR2)				R	S	T	U	V	W		Y	
Retainer-spring(choke-rod)-3/32"-7/32"	74271-S7(R1)						T	U			X		Z
SCREW - AIR CLEANER RETAINER TO CARBURETOR - No. 10-24 x 1/2"-slotted pan top tite	C8DZ 9C631-A	2	2	2	2	2	2	2	2	2	2	2	2
SPRING - ACCELERATOR PUMP - LOWER	★ECZ 9636-B	N	P	Q	R	S	T	U	V	W	X	Y	Z
RETAINER - AIR CLEANER TO CARBURETOR	C8DZ 9B672-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
ARM ASSY. - METERING ROD - use with non-adjustable metering rod	C7DZ 9D819-A	N	P	Q	R	S	T	U	V	W	X	Y	
Use with adjustable metering rod	D0DZ 9D819-A (CM-1325)	N	P	Q	R	S	T	U	V	W	X	Y	Z
CLIP - ROD END RETAINING	C7DZ 9825-A	N	P	Q	R	S	T	U	V	W	X	Y	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

CARTER 1/B CARB
6 CYL. - 170,200

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 23N THRU 23Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
PISTON ASSY. - CHOKE Tag codes D0DF-B, C, D, F, G, H, L, M, N, S, T, V	C8DZ 9840-A(CM-786)	N	P										
Tag codes D0DF-A, E, R, U, D0BF-A	C8DZ 9840-B (CM-1010)			Q								Y	
	D1DZ 9840-A (CM-1435)				R	S							
	D1DZ 9840-D (CM-1437)						T	U					
	D1DZ 9840-C (CM-1436)								V	W	X		Z
Pin-attach piston to choke shaft-supplied in 9840 assy.	★359729-S	N	P	Q	R	S	T	U	V	W	X	Y	Z
CLAMP - THERMOSTATIC CHOKE HOUSING	★B7A 9842-B	3	3	3								3	
	D0ZZ 9842-A (CM-1234)				3	3	3	3	3	3	3		3
Screw-attach clamp to choke housing-No. 8-32 x 1/4"	31032-S8(U47)	3	3	3	3	3	3	3	3	3	3	3	3
HOUSING - THERMOSTATIC CHOKE	9848												
Service pkg. includes (1) C7DZ 9871-A gasket	C8DZ 9848-A(CM-787)											Y	
Service pkg. includes (1) B8A 9871-B gasket	D0BZ 9848-A (CM-1136)			Q									
Service pkg. includes (1) B8A 9871-B gasket	D0DZ 9848-A (CM-1075)		P				T	U	V	W			
Service pkg. includes (1) B8A 9871-B gasket	D0TZ 9848-A (CM-1137)	N			R	S					X		Z
SOLENOID ASSY. - THROTTLE EMISSION CONTROL	D1AZ 9D856-C	N	P			S		U		W			
GASKET - THERMOSTATIC CHOKE HOUSING	B8A 9871-B	N	P	Q	R	S	T	U	V	W	X	Y	Z
RETAINER - PUMP SPRING -lower	★ECZ 99704-A				R	S	T	U	V	W	X	Y	Z

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 23AA THRU 23AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
GASKET SET	D0DZ 9502-A(CG-257)	AA	AB	AC	AD	AE	AF	AG					
TUNE-UP KIT	D0DZ 9A586-B (CT-842-A)	AA	AB	AC	AD	AE	AF	AG					
Screw (upper body)-No. 10-32 x 5/8" fill. hd.	31628-S7 (U58)	3	3	3	3	3	3	3					
Lockwasher (upper body)-No. 10	34803-S7(X60)	3	3	3	3	3	3	3					
Screw (fast idle speed)-No. 8-32 x 1" fill. hd.	31125-S8(U53)	AA	AB	AC	AD	AE	AF	AG					
LIMITER - IDLER ADJUSTING	C7AZ 9J500-B (CM-747)	AA	AB	AC	AD	AE	AG	AG					
BUSHING - THROTTLE SHAFT	D1DZ 9B508-B (CM-1418)	AA	AB	AC	AD	AE	AF	AG					
WEIGHT - PUMP DISCHARGE BALL	D2DZ 9B511-A (CM-1473)	AA	AB	AC	AD	AE	AF	AG					
GASKET THROTTLE	C8AZ 9516-A(CG-216)			AC	AD	AE							
	D0DZ 9516-A(CG-258)	AA	AB				AF	AG					
BAFFLE - FLOAT BOWL	C7DZ 9A517-A	AA	AB				AF	AG					
RESTRICTOR - JET	D0DZ 9A521-B (CM-1070)	AA	AB	AC	AD	AE	AF	AG					
SCREEN - FUEL FILTER	C4AZ 9F525-A	AA	AB	AC	AD	AE	AF	AG					
ROD - METERING	D0DZ 9A526-B (CM-1072)		AB										
Tag code D2DF-DA	D2DZ 9A526-C (CM-1538)			AC		AE							
Tag code D2DF-BA	D2DZ 9A526-B (CM-1475)			AC	AD		AF	AG					
	D2DZ 9A526-D (CM-1537)	AA											

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 23AA THRU 23AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
COVER ASSY. ACCELERATOR PUMP Tag code D2DF-BA	C7DZ 9528-A (CM-697)	AA	AB	AC	AD		AF	AG					
Tag code D2DF-DA	D1DZ 9528-A (CM-1465)			AC		AE							
Screw & washer (cover to carb.)- No. 8-32 x 5/8" fillister head	43255-S8(U74)	4	4	4	4	4	4	4					
LINK - ACCLERATOR PUMP	D0DZ 9529-A (CM-1324)	AA	AB	AC	AD	AE	AF	AG					
SCREW & WASHER ASSY. - AIR HORN - No. 10-32 x 1-1/2"	C8DZ 9F529-A	3	3	3	3	3	3	3					
SCREW - THROTTLE BODY - power lock	D2TZ 9F529-A	3	3	3	3	3	3	3					
JET - MAIN METERING Tag code D2DF-BA	C8AZ 9533-A (CJ-171)			AC	AD								
Tag code D2DF-DA	C8AZ 9533-B (CJ-179)			AC		AE							
	D0DZ 9533-A(CJ-178)		AB				AF	AG					
	C8DZ 9533-A(CJ-170)	AA											
SPRING - THROTTLE RETURN	D1DZ 9A538-A (CM-1420)	AA	AB	AC	AD	AE	AF	AG					
SCREW - FAST IDLE ADJUSTING	D1DZ 9B538-D	AA	AB	AC	AD	AE	AF	AG					
BAFFLE - AUTOMATIC CHOKE PLATE	C7DZ 9A539-A	AA	AB	AC	AD	AE	AF	AG					
NEEDLE - IDLE ADJUSTING	C8AZ 9541-F (CM-1007)	AA	AB	AC	AD	AE	AF	AG					
ROD ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	C8AZ 9B542-A (CM-794)	AA	AB	AC	AD	AE	AF	AG					
PLATE - CHOKE	C7DZ 9545-A(CM-701)	AA	AB	AC	AD	AE	AF	AG					
Screw (plate to lever & shaft)-No.4-40 x 3/16"	31291-S (UU43)	2	2	2	2	2							
LEVER & SHAFT ASSY. - CHOKE	D2DZ 9546-A (CM-1431-A)	AA	AB	AC	AD	AE	AF	AG					
DASHPOT ASSY.	D1DZ 9B549-A (CM-1432)	AA	AB	AC			AF						
Nut (dashpot to dashpot mtg. bracket)-5/16" jam	33923-S7(M32)	AA	AB	AC			AF						
FLOAT ASSY.	§ D5TZ 9550-A (CM-703-A)	AA	AB	AC	AD	AE	AF	AG					
BRACKET - DASHPOT MOUNTING	D1DZ 9B550-A (CM-1434)	AA	AB	AC			AF						
Screw (attaches bracket)	31628-S7(U58)	AA	AB	AC			AF						
Lockwasher	34803-S7(X60)	AA	AB	AC			AF						
SHAFT - FLOAT LEVER	C7DZ 9558-A	AA	AB	AC	AD	AE	AF	AG					
HUB - FAST IDLE CAM - 12-28 x .41	D1DZ 9D558-B (CM-1419)	AA	AB	AC	AD	AE	AF	AG					
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C7DZ 9B559-A (CM-704)	AA	AB	AC	AD	AE							
GASKET - FLOAT BOWL	C7DZ 9561-A	AA	AB	AC	AD	AE	AF	AG					
VALVE & SEAT ASSY. - FUEL INLET	D0DZ 9564-A(CV-77)	AA	AB	AC	AD	AE	AF	AG					
FILTER - ACCELERATOR PUMP CAVITY Tag code D2DF-DA	C8DZ 9F565-A			AC		AE							
GASKET - FUEL INLET NEEDLE SEAT	C6VY 9569-A	AA	AB	AC	AD	AE	AF	AG					
BALL - PUMP DISCHARGE CHECK-9/64"	D2DZ 9576-A (CM-1476)	AA	AB	AC	AD	AE	AF	AG					
SPRING - FAST IDLE ADJUSTING SCREW	B7A 9578-B	AA	AB	AC	AD	AE	AF	AG					
SPRING - IDLE ADJUSTING NEEDLE	C8DZ 9578-A(CM-776)	AA	AB	AC	AD	AE	AF	AG					
	C8VY 9578-A(CM-750)	AA	AB	AC	AD	AE	AF	AG					

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 23AA THRU 23AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
LEVER & SHAFT ASSY.-THROTTLE	D1DZ 9581-B (CM-1415)			AC	AD	AE							
	D1DZ 9581-D (CM-1459)	AA	AB										
	D2OZ 9581-A (CM-1700)						AF	AG					
SPACER - DIAPHRAGM	D0DZ 9B581-A	AA	AB	AC	AD	AE	AF	AG					
PLATE - THROTTLE	C7DZ 9585-A	AA	AB				AF	AG					
	C8AZ 9585-G(CM-798)			AC	AD	AE							
Screw (plate to lever & shaft)-No.4-40 x 3/16"	31291-S(U43)	2	2	2	2	2	2	2					
BRACKET - THROTTLE EMISSION CONTROL SOLENOID	D1DZ 9J586-A				AD	AE		AG					
LEVER - ACCELERATOR PUMP	C7DZ 9D591-A	AA	AB	AC	AD	AE	AF	AG					
Screw (accel.lever to throttle lever)-No. 10-32 x 5/16"	50804-S8(U157)	AA	AB	AC	AD	AE	AF	AG					
CAM KIT - FAST IDLE	D1DZ 9597-D (CM-1417-A)	AA	AB	AC	AD	AE	AF	AG					
SPRING - ACCELERATOR PUMP ROD - upper	C7DZ 9D598-A	AA	AB	AC	AD	AE	AF	AG					
RETAINER - ACCELERATOR PUMP SPRING - upper	C7DZ 9599-A	AA	AB	AC	AD	AE	AF	AG					
RETAINER - FAST IDLE CAM ROD	D1DZ 9599-A (CM-1467)	AA	AB	AC	AD	AE	AF	AG					
SCREW - AIR CLEANER RETAINER TO CARBURETOR - No. 10-24 x 1/2"	C8DZ 9C631-A	2	2	2	2	2	2	2					
RETAINER - AIR CLEANER TO CARBURETOR	C8DZ 9B672-A	AA	AB	AC	AD	AE	AF	AG					
ARM ASSY. - METERING ROD	D0DZ 9D819-A	AA	AB	AC	AD	AE	AF	AG					
PISTON ASSY. - CHOKE Tag code D2DF-DA	D1DZ 9840-C (CM-1436)			AC		AE							
	D1DZ 9840-D (CM-1437)	AA	AB				AF	AG					
Tag code D2DF-BA	D1TZ 9840-B (CM-1438)			AC	AD								
CLAMP - THERMOSTATIC CHOKE HOUSING	D0ZZ 9842-A (CM-1234)	3	3	3	3	3	3	3					
Screw (attach. clamp to choke housing) - No.8-32 x 1/4"	31032-S8(U47)	3	3	3	3	3	3	3					
HOUSING - THERMOSTATIC CHOKE Tag code D2DF-DA	D0DZ 9848-A (CM-1075)			AC		AE							
Tag code D2DF-BA	D0TZ 9848-A (CM-1137)	AA	AB	AC	AD		AF	AG					
SOLENOID ASSY. - THROTTLE EMISSION CONTROL	D2AZ 9D856-B				AD	AE		AG					
Screw (solenoid to bracket)-1/4"-20 x 3/4"	20344-S7(B-42)							AG					
Nut (solenoid to bracket)-1/4"-20	34079-S(M-163)							AG					
GASKET - THERMOSTATIC CHOKE HOUSING	B8A 9871-B	AA	AB	AC	AD	AE	AF	AG					
RETAINER - PUMP SPRING - lower	★EC2 99704-A	AA	AB	AC	AD	AE							

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 24A THRU 24M											
		A	B	♦C	D	E	F	G	H	J	K	L	M
GASKET SET -r/b D2AZ 9502-A (5/74)	★D0AZ 9502-A(CG-264)	A	B	C	D	E		G		J	K	L	M
Tag code D0PF-AJ									H				
Tag code D1PF-AA-r/b D2AZ 9502-A (6/74)	★D1AZ 9502-A (CG-264-A)								H				
	§ D2AZ 9502-A (CG-264-B)	A	B	C	D	E	F	G	H	J	K	L	M
TUNE UP KIT -r/b D4AZ 9A586-A	★D2AZ 9A586-B (CT-499-C)	A	B	C	D	E		G	H	J	K	L	M
	§ D4AZ 9A586-A (CT-499-D)	A	B	C	D	E	F	G	H	J	K	L	M
REPAIR KIT	★C8AZ 9590-E(CR-351) service details	A											
	★C8AZ 9590-D(CR-350) service details			C	D	E							
	★C8TZ 9590-C(CR-356)							G					
Tag code C9UF-B									H				
Connector (distributor vacuum tube to carb.)-1/8" pipe thread	358165-S(H-65)	A	B	C									
Stud (carb. to intake manifold)-5/16"-18-24 x 2 1/2"	88471-S(W9C)	4	4	4									
Plug (to plug drill passages in main body)-5/16"	359409-S(PP59)	2	2	2									
Plug (to plug hole from bowl to accelerator pump)-1/8" cup	359353-S(PP58)	A	B	C									
Screw (to adjust trans. kickdown)-No. 10-32 x 1.00" hex. head	379622-S7-8 (UU52M)								H		K	L	
LIMITER - IDLER ADJUSTING NEEDLE	C7AZ 9J500-B (CM-747)	2	2	2	2	2	2	2	2	2	2	2	2
SEAL - FAST IDLE ROD	C7AZ 9B501-A	A	B	C	D	E	F	G	H	J	K	L	M
WEIGHT - PUMP DISCHARGE BALL - .109" O.D. - .88" long	C2OZ 9B511-A (CM-555)	A	B	C	D	E	F	G		J	K	L	M
Tag code C9UF-B									H				
Tag code D0PF-AJ, D1PF-AA	C9AZ 9B511-A (CM-1126)								H				
Ball (accel. pump inlet passage)-3/16"-steel	371350-S(AA4)	A	B	C	D	E	F	G					M
LEVER ASSY. - THROTTLE CONTROL - tag code D0PF-AJ, D1PF-AA	C3TZ 9A514-A (CM-895)								H				
ROD - FLOAT BOWL VENT	C6TZ 9A515-B	A	B	C	D	E	F	G					
Tag code C9UF-B									H				
BRACKET - FLOAT BOWL VENT	§ D4AZ 9E520-A	A	B	C	D	E	F	G					
Tag code C9UF-B									H				
SUPPORT ASSY. - BOOSTER VENTURI	9A523												
Identified by letter "PV"	D1PZ 9A523-V (CM-729-A)	A	B										
Identified by letter "A"				C									
Identified by letter "PM"	D1PZ 9A523-M (CM-1409)				D	E							
Identified by letters "AA-B" or "AA-C"	C9UZ 9A523-B (CM-1056)						F	G					
Tag code C9UF-B									H				
Identified by letters "AA-F, AA-H, PO"	ø D1PZ 9A523-P (CM-1056-A)									J	K	L	
Identified by letters "AA-E"													M
Tag code D0PF-AJ									H				
Identified by letters PY tag code D1PF-AA	D1PZ 9A523-Z (CM-1462)								H				
Ball (accel. pump discharge valve)-3/16"-steel	371350-S(AA4)	A	B	C				G	H	J	K	L	

♦ Parts lists identified by symbol ♦ are common to 289 and 302 engines.

May, 1975 COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 24A THRU 24M											
		A	B	♦C	D	E	F	G	H	J	K	L	M
HORN - AIR	C7AZ 9524-A	A	B	C	D	E							
	C3TZ 9524-D						F	G					
Tag code C9UF-B									H				
Screw and washer (horn and plugs to main body)-No. 10-32 x 5/8"	43256-S8 (U77F)	4	4	4	4	4	4	4	4	4	4	4	4
SCREEN - FUEL FILTER	C4AZ 9F525-A									J	K	L	M
Tag code D0PF-AJ, D1PF-AA									H				
COVER ASSY. - ACCELERATOR PUMP	D1AZ 9528-A (CM-648-A)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (cover to carb.)-No. 8-32 x 9/16"-fillister head	379436-S8B (UU43F)	4	4	4	4	4	4	4	4	4	4	4	4
LINK - ACCELERATOR PUMP	★C4AZ 9529-B (CM-647) r/b D1AZ 9528-A	A	B	C	D	E	F	G	H	J	K	L	M
Pin (accel. pump link to cover)-.187" x .50 dia. roll	353847-S8 (NN109A)	A	B	C	D	E	F	G					
ROD - FAST IDLE CAM	C3AZ 9D530-A	A	B	C	D	E				J	K	L	M
Use with C2AZ 9580-D		A	B										
Retainer (fast idle cam rod)-"C" washer	351825-S (XX9)	2	2	2	2	2				2	2	2	2
JET - MAIN METERING	9533												
No. 48F - 0 to 5,000 ft. altitude	C3UZ 9533-D (CJ-142)	2	2										
No. 46F - 5,000 to 10,000 ft. altitude	C3AZ 9533-G (CJ-156)	2	2										
No. 57F - 5,000 to 10,000 ft. altitude	C3UZ 9533-E (CJ-151)			2									
Tag code D1PF-AA									2				
No. 49F - 0 to 5,000 ft. altitude	C3DZ 9533-C (CJ-137)			2									
No. 48F - 0 to 10,000 ft. altitude	C3UZ 9533-D (CJ-142)				2	2		2	2	2	2	2	2
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A	A	B	C	D	E	F	G	H	J	K	L	M
LEVER - FAST IDLE ADJUSTING	C4AZ 9538-A (CM-905)	A	B	C	D	E				J	K	L	M
	C9TZ 9538-A (CM-998)						F		H				
"From 2/9/69"								G					
"Before 2/9/69"	C3TZ 9538-A							G					
Nut (lever to throttle shaft)-No. 10-32 hex.	34079-S7 (M163)	A	B	C	D	E	F	G	H	J	K	L	M
Lockwasher-No. 10	34903-S8 (X96)	A	B	C	D	E	F	G	H	J	K	L	M
SCREW - FAST IDLE ADJUSTING	C4AZ 9B538-A	A	B	C	D	E				J	K	L	M
	C3TZ 9B538-A						F	G	H				
NEEDLE - IDLE ADJUSTING	C8AZ 9541-C (CM-722)	2	2										
	C8AZ 9541-D (CM-723)			2									
	C7MY 9541-B (CM-749)				2		2	2	2	2	2	2	2
	C9AZ 9541-A (CM-955)					2							
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	§D2AZ 9B542-B (CM-1526-A)	A	B	C	D	E	F	G	H	J	K	L	M
Clip (accel. pump link to throttle lever rod to overtravel pump lever)	375894-S7-8 (GG215)	A	B	C	D	E	F	G	H	J	K	L	M
PLATE - CHOKE	C2AZ 9545-A (CM-576)	A	B	C	D	E	F	G					
Tag code C9UF-B									H				
	D0AZ 9545-A (CM-1061)									J	K	L	M
Tag code D0PF-AJ, D1PF-AA									H				
Screw (choke plate)-No. 6-32 x .31" pan head	381761-S (UU81JA)	2	2	2	2	2	2	2					
Tag code C9UF-B									2				
Screw (choke plate)-No. 6-32 x .31"	375016-S2 (UU52AK)									2	2	2	2
Tag code D0PF-AJ, D1PF-AA									2				
SHAFT AND LEVER ASSY. - CHOKE	C5AZ 9546-B (CM-591)	A	B	C	D	E							
	C4TZ 9546-A (CM-589)						F	G					
Tag code C9UF-B									H				
	D0AZ 9546-A (CM-1088)									J	K	L	M
Tag code D0PF-AJ, D1PF-AA	D0TZ 9546-A (CM-1089)								H				

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

♦ Parts lists identified by symbol ♦ are common to 289 and 302 engines.

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 24A THRU 24M											
		A	B	♦C	D	E	F	G	H	J	K	L	M
DASHPOT ASSY.	C8AZ 9B549-A (CD-15)	A	B	C	D	E	F	G	H		K		M
Nut-5/16"-24	33923-S7(M32)	A	B	C	D	E	F	G	H		K		M
Lockwasher-5/16"	34806-S7(X64)	2	2	2	2	2	2	2	2		2		2
DIAPHRAGM & RETAINER ASSY.-CHOKE CONTROL	D0AZ 9J549-C (CK-1283)									J	K	L	M
FLOAT ASSY. Tag code C9UF-B	C6AZ 9550-C(CM-672)	A	B	C	D	E			H				
	C1AZ 9550-A (CM-615)						F	G					
r/b D4AZ 9550-A (3/75) Tag code D0PF-AJ,D1PF-AA	★D0AZ 9550-A (CM-1062)								H	J	K	L	M
BRACKET - DASHPOT MOUNTING	D0AZ 9B550-A (CM-1113)	A	B	C	D	E	F	G	H		K		M
Screw and washer (dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)	A	B	C	D	E	F	G	H		K		M
LEVER - CHOKE SHAFT	D0AZ 9551-A (CM-1091)									J	K	L	M
Screw & lockwasher assy.(lever-choke shaft)-No. 6-32 x 3/8"-pan hd.	50802-S7(U150)												M
PLATE - AIR DISTRIBUTION Tag code C9UF-B	C3MY 9F553-A	A	B	C	D	E	F	G	H				
Tag code D0PF-AJ,D1PF-AA	D0AZ 9F553-A								H	J	K	L	M
LEVER - CHOKE CONTROL DIAPHRAGM	D1AZ 9J553-A									J	K	L	M
Rivet (lever-choke diaphragm)-1/8" x .59 split	382671-S(SS10D)												M
COVER - CHOKE CONTROL DIAPHRAGM	D0AZ 9J554-A									J	K	L	M
Screw (cover choke diaphragm)-No. 8-32 x 9/16"-fill. hd.	379436-S8B (UU43F)												3
VALVE - FLOAT BOWL VENT Tag code C9UF-B	C4TZ 9557-B	A	B	C	D	E	F	G	H				
SHAFT - FLOAT LEVER	B8A 9558-A(CM-183)	A	B	C	D	E	F	G	H	J	K	L	M
SWIVEL - CHOKE PLATE ADJUSTING	C5AZ 9F558-A	A	B	C	D	E							
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - FLOAT BOWL VENT RETURN	C6TZ 9560-A(CM-645)	A	B	C	D	E	F	G	H				
SPRING - CHOKE CONTROL Tag code C9UF-B	★C4TZ 9560-C(CM-598) r/b C8TZ 9560-A (5/74)						F	G	H				
Tag code D0PF-AJ,D1PF-AA	C8TZ 9560-A(CM-753)								H				
GASKET - FLOAT BOWL Tag code D9UF-B	C8AZ 9561-C (CG-292)	A	B	C	D	E	F	G	H				
Tag code D0PF-AJ,D1PF-AA	D0AZ 9561-B (CG-256A)								H	J	K	L	M
GASKET - ECONOMIZER COVER	B7A 9563-A(CG-234)	A	B	C	D	E	F	G	H	J	K	L	M
SWIVEL - CHOKE PLATE ADJUSTING	C4TZ 9D563-A						F	G	H				
VALVE KIT - FUEL INLET - includes (1) B7A 9564-A & (1) B7AZ 9599-B retainer	D2AZ 9564-A (CV-54-A)	A	B	C	D	E	F	G	H	J	K	L	M
NUT - CHOKE PLATE ADJUSTING	C4TZ 9D564-A (CM-600)						F	G	H				
ECONOMIZER KIT	9A565												
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) Economizer-identified by black dye on body- 0 to 5,000 ft. altitude	C3AZ 9A565-B (CE-73)	A	B										
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) Economizer-identified by green dye on body- 0 to 5,000 ft. altitude	C0AZ 9A565-B (CE-75)			C									
0 to 10,000 ft. altitude					D	E					K	L	
Kit includes (1) B7A 9563-A gasket (1) C2AZ 9A588-B gasket and (1) economizer	C0AZ 9A565-A (CE-74)						F	G	H	J			M

♦ Parts lists identified by symbol ♦ are common to 289 and 302 engines.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 24A THRU 24M											
		A	B	♣C	D	E	F	G	H	J	K	L	M
GASKET - FUEL INLET NEEDLE SEAT	★B7A 9569-A	A	B	C	D	E	F	G	H	J	K	L	
SPRING - FLOAT DAMPENER-primary	C8TZ 9F570-A						F	G					
	C3AZ 9F570-A								H	J	K	L	M
HOUSING ASSY. - CHOKE	C9ZZ 9A575-A (CC-56)	A	B	C	D	E							
	D0AZ 9A575-A (CC-57)									J	K	L	M
Screw and washer assy. (choke housing to main body)-No. 8-32 x 1.76" fillister head	378547-S7-8(BB61B)	3	3	3	3	3				3	3	3	3
VALVE - ACCELERATOR PUMP CHECK - plastic	C4AZ 9576-A (CM-825)	A	B	C	D	E	F	G	H	J	K	L	M
SCREW - PUMP DISCHARGE NOZZLE	C0AZ 9577-A(CM-607)	A	B	C	D	E	F	G	H	J	K	L	M
Washer-1/4"flat (buna coated aluminum)	374370-S(XX94A)	A	B	C									
Ball 3/16" steel-used as pump discharge check valve	371350-S(AA4)								H	J	K	L	
LEVER - FAST IDLE CAM	C4AZ 9F577-B (CM-492)	A	B	C	D	E				J	K	L	M
Screw (lever adjusting)-No. 6-32 x .75" hex. hd.	372307-S(BB527)	A	B	C	D	E				J	K	L	M
SPRING - FAST IDLE ADJUSTING SCREW-4 1/2 coils-.20" I.D.-.58" long	B8A 9578-B(CM-609)	A	B	C	D	E	F	G	H				M
Screw (normal idle adjusting)-No. 10-32 x 1" special hex. head slotted	355107-S7(BB536)	A	B	C	D	E	F	G	H				M
SPRING - IDLE NEEDLE ADJUSTING	★ 40 9578	2	2	2	2	2	2	2	2	2	2	2	
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-A	A	B	C	D	E							M
LEVER and SHAFT ASSY. KIT - THROTTLE - r/b D2AZ 9581-A (12/74)	★C9AZ 9581-C (CM-1047)	A	B	C	D	E				J	K	L	
Service kit includes (1) 375016-S2 screw, (4) 383253-S2 screw	C9TZ 9581-C (CM-1048)						F	G	H				
	§D2AZ 9581-A (CM-1047-A)	A	B	C	D	E				J	K	L	
LEVER and SHAFT ASSY. - THROTTLE	D0TZ 9581-B (CM-1064)												M
PLATE - THROTTLE	B8A 9585-F	2	2	2	2	2	2	2	2	2	2	2	2
Screw(throttle plate) -No. 8-32 x .38" fillister head -use with steel shaft	378361-S2(UU43D)	4	4	4	4	4	4	4	4	4	4	4	4
Screw (throttle plate)-No. 6-32 x 5/8" pan head	★38598-S	4	4	4									
BRACKET - THROTTLE EMISSION CONTROL SOLENOID	C9AZ 9J586-A											L	
SPRING - CHOKE CONTROL	D0AZ 9587-A (CM-1271)									J	K	L	M
GASKET - ECONOMIZER VALVE	C2AZ 9A588-B (CM-533)	A	B	C	D	E	F	G	H	J	K	L	M
BRACKET ASSY. - CHOKE	C3TZ 9595-A						F	G	H				
CAM ASSY. - FAST IDLE	C5AZ 9597-D(CM-637)	A	B	C	D	E				J	K	L	
	C9TZ 9597-B (CM-1000)						F	G	H				
Identified by letter "B"	D0AZ 9597-C (CM-1268)												M
Retainer (fast idle cam)-"C" washer	351825-S(XX9)	A	B	C	D	E	F	G	H	J	K	L	M
RETAINER - FLOAT LEVER SHAFT Tag code C9UF-B	B7AZ 9599-B(CM-612)	A	B	C	D	E	F	G	H				
Tag code D0PF-AJ,D1PF-AA	D0AZ 9599-A (CM-1065)								H	J	K	L	M

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

♣ Parts lists identified by symbol ♣ are common to 289 and 302 engines.

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 24A THRU 24M											
		A	B	♦C	D	E	F	G	H	J	K	L	M
ROD - CHOKE CONTROL	C5AZ 9A599-B (CM-915)	A	B	C	D	E							
	C4TZ 9A599-A (CM-914)						F	G	H				
	D0AZ 9A599-B (CM-1066)									J	K	L	M
Ring (rod to shaft)	377918-S8B(XX14F)	A	B	C	D	E				J	K	L	M
Retainer (rod to carburetor)	353610-S8(NN126)	A	B										
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A(CM-544)	A	B	C	D	E	F	G	H	J	K	L	M
SHAFT AND LEVER ASSY. - CHOKE HOUSING	§ D2AZ 9A753-A (CM-1510)	A	B	C	D	E				J	K	L	M
Retainer (shaft & lever to choke hsg.)-"C" washer	353862-S8(XX10)	A	B	C	D	E				J	K	L	M
Nut (shaft and lever to housing)-No. 8-36 hex.	355829-S7(MM15)	A	B										
Lockwasher-No. 8	34802-S7(X59)	A	B										
LEVER - CHOKE THERMOSTAT	D0AZ 9A754-A									J	K	L	M
Screw & lockwasher assy.(lever-choke thermostate)-No.6-32 x 3/8"-pan hd.	50802-S7(U150)												M
BRACKET ASSY. - THROTTLE CONTROL - tag code D0PF-AJ ,D1PF-AA	C3TZ 9764-A								H				
Screw & lockwasher (bracket-throttle control)-No. 8-32 x 1 1/2" fillister head	359369-S8(BB58)								2				
PISTON ASSY. - CHOKE	C6AZ 9840-B(CM-624)	A	B	C	D	E							
Screw & washer assy. (piston to shaft & lever)-No. 6-32 x 1/4"-pan head	50802-S7(U150)	A	B	C	D	E							
CLAMP - THERMOSTATIC CHOKE HOUSING	C8AZ 9842-B (CM-1045)	A	B	C	D	E				J	K	L	M
Screw (clamp housing)-No. 8-32 x 1/2"	31061-S8(U50)	3	3	3	3	3				3	3	3	3
Lockwasher-No. 8	34802-S7(X59)	3	3	3	3	3				3	3	3	
HOUSING KIT - THERMOSTATIC CHOKE - identified by letters "TT" - kit includes (1) C1AZ 9871-A,(1) D0AZ 9871-A gaskets & (1) choke housing	C5AZ 9848-C(CM-490)		B										
Identified by letters "TN" - kit includes (1) C1AZ 9871-A, (1) D0AZ 9871-A gaskets & (1) choke housing	C4AZ 9848-A (CM-458)									J			M
Identified by letters "TW"-kit includes (1) C1AZ 9871-A,(1) D0AZ 9871-A gaskets & (1) choke housing	C6AZ 9848-A (CM-623)										K	L	
Identified by letters "TO" - kit includes (1) C1AZ 9871-A gasket & (1) choke housing	C4AZ 9848-B(CM-459)	A		C	D	E							
BUSHING - CHOKE THERMOSTAT LEVER	C8AZ 9851-A(CM-751)	A	B	C	D	E				J	K	L	M
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A(CG-93)	A	B	C	D	E				J	K	L	M
SOLENOID ASSY. - THROTTLE EMISSION CONTROL	D0AZ 9D856-A									J		L	
SHIELD - CHOKE THERMOSTAT	D2AZ 9861-A	A	B	C	D	E							M
Tag code D1AF-DA	C9ZZ 9861-A										K		
Screw and washer (shield to housing)-No. 8-32 x 3/8" fillister head	43248-S8(U72)	2	2	2	2	2							
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)	A	B	C	D	E							
	D0AZ 9871-A(CG-262)									J	K	L	M
COVER - ECONOMIZER VALVE	C8AZ 9930-A(CM-728)	A	B	C	D	E	F	G	H	J	K	L	M
Screw & washer (cover to carb.)-No. 8-32 x 3/8" fillister head Tag code D0PF-AJ	43248-S8(U72)	4	4	4	4	4			4	4	4	4	
Screw & washer (cover to carb.)-No. 8-32 x 5/8" Tag code C9UF-B,D1PF-AA	357136-S(BB-56)						4	4	4				4

♦ Parts lists identified by symbol ♦ are common to 289 and 302 engines.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 24N THRU 24Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET SET - repl. by D2AZ 9502-A (5/74)	★D0AZ 9502-A(CG-264)	N	P										
Repl. by D2AZ 9502-A (6/74)	★D1AZ 9502-A (CG-264-A)			Q	R	S	T	U	V				
	ø D2AZ 9502-A (CG-264-B)	N	P	Q	R	S	T	U	V	W	X	Y	Z
TUNE-UP KIT	§ D4AZ 9A586-A (CT-499-D)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw and washer (horn and plugs to main body)-No.10-32 x 5/8"	43256-S8(U77F)	4	4	4	4	4	4	4	4	4	4	4	4
Screw (to adjust trans. kickdown)-No.10-32 x 1.00" hex.head - tag code D1UF-FA	379622-S7-8 (UU52M)				R	S	T	U	V	W			Z
SPRING - TRANSMISSION KICKDOWN CONTROL LEVER RETRACTING Tag codes D1AF-ZA, D1ZF-ADA	D1AZ 7B146-A				R					W			Z
Screw (kickdown)-10.32 x 1.00	379622-S7-8 (UU52M)				R					W			Z
LIMITER - IDLER ADJUSTING NEEDLE	C7AZ 9J500-B (CM-747)	2	2	2	2	2	2	2	2	2	2	2	2
SEAL - FAST IDLE ROD	C7AZ 9B501-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
WEIGHT - PUMP DISCHARGE BALL	C2OZ 9B511-A (CM-555)	N	P										
	C9AZ 9B511-A (CM-1126)			Q	R	S	T	U	V	W	X	Y	Z
Ball (accel. pump inlet passage)-3/16" steel	371350-S(AA4)	N	P	Q	R	S	T	U	V	W	X	Y	Z
CONTROL ASSY. - VACUUM BREAK	D2AZ 9S514-H (CK-1985)									W	X	Y	Z
Screw (vacuum break control to carb.)-No.8-18 x 1/2"	56910-S2(U-413)									W	X	Y	Z
ROD-FLOAT BOWL VENT	D2AZ 9A515-A (CM-1470)									W		Y	Z
BRACKET-BOWL VENT ROD	§ D4AZ 9E520-A									W		Y	Z
SUPPORT ASSY. - BOOSTER VENTURI - identified by letters "PY" Tag code D1AF-DA, ZA, D1FZ-ADA Tag code D1BF-AA	ø D1PZ 9A523-Z (CM-1462)				R	S			V	W			Z
Identified by letters "AA-E" or "PO" Tag code D1OF-ABA, AGA Tag code D1UF-FA	ø D1PZ 9A523-P (CM-1056-A)	N	P	Q	R	S						Y	
	D1TZ 9A523-G (CM-1506)										X		
SCREEN - FUEL FILTER	C4AZ 9F525-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
COVER ASSY. - ACCELERATOR PUMP	D1AZ 9528-A (CM-648-A)	N	P	Q	R	S	T	U	V				
	D2AZ 9528-A (CM-648-B)									W	X	Y	Z
Screw (cover to carb.)-No.8-32 x 9/16"-fillister head	379436-S8B(UU43F)	4	4										
Screw (cover to carb.)-No. 8-32 x 9/16"-hex.head	376262-S(UU52AJ)			4	4	4	4	4	4	4	4	4	4

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 24N THRU 24Z										
		N	P	Q	R	S	T	U	V	W	X	Y	Z
ROD - FAST IDLE CAM	C3AZ 9D530-A	N	P	Q	R	S	T	U		W	X	Y	Z
Retainer (fast idle cam rod)-"C" washer	351825-S(XX9)	2	2							2		2	2
JET - MAIN METERING	9533												
No.48F - 0 to 10,000 ft.altitude Tag code D1UF-FA Tag code D1OF-ABA,AGA	C3UZ 9533-D (CJ-142)	2	2		2	2				2		2	2
No.47F - 0 to 10,000 ft.altitude Tag code D1BF-AA Tag code D1AF-DA,ZA,D1ZF-ADA	C3UZ 9533-E (CJ-151)			2	2	2			2		2		
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
LEVER - FAST IDLE ADJUSTING	C4AZ 9538-A(CM-905)	N	P	Q	R	S	T	U	V				
	D2AZ 9538-A (CM-1509)									W	X	Y	Z
Nut (lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Lockwasher-No. 10	34903-S8(X96)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SCREW - FAST IDLE ADJUSTING	C4AZ 9B538-A	N	P	Q	R	S	T	U	V				
NEEDLE - IDLE ADJUSTING	C7MY 9541-B(CM-749)	2	2	2	2	2	2	2	2	2	2	2	2
ROD - ACCELERATOR PUMP LINK TO OVER TRAVEL LEVER	D2AZ 9B542-B (CM-1526-A)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Clip (accel. pump link to throttle lever rod to overtravel pump level) "Before 10/12/71"	375894-S7-8 (GG215)	N	P	Q	R	S	T	U	V	W	X	Y	Z
PLATE - CHOKE	D0AZ 9545-A (CM-1061)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw (choke plate)-No. 6-32 x .31"	375016-S2(UU52AK)	2	2	2	2	2	2	2	2	2	2	2	2
SHAFT and LEVER ASSY. - CHOKE	D0AZ 9546-A (CM-1088)	N	P	Q	R	S	T	U	V	W	X	Y	Z
DASHPOT ASSY. Tag codes D1AF-DA,ZA	C8AZ 9B549-A (CD-15)		P		R	S	T	U		W			
Nut-5/16"-24 Tag codes D1AF-DA,ZA	33923-S7(M32)		P		R	S	T	U		W			
DIAPHRAGM and RETAINER ASSY. - CHOKE CONTROL	D0AZ 9J549-C (KM-1283)	N	P	Q	R	S	T	U	V	W	X		Z
Screw (diaphragm & retainer)-No. 8-32 x 7/16"-allen head	358544-S8(UU28C)			Q	R	S	T	U	V	W	X	Y	Z
FLOAT ASSY. - repl. by D4AZ 9550-A (3/75)	★D0AZ 9550-A (CM-1062)	N	P	Q	R	S	T	U	V	W	X	Y	Z
BRACKET - DASHPOT MOUNTING Tag codes D1AF-DA,ZA	D0AZ 9B550-A (CM-1113)		P		R	S	T	U		W			
Screw & washer (dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)		P		R	S	T	U		W	X	Y	
LEVER - CHOKE SHAFT	D0AZ 9551-A (CM-1091)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw & lockwasher assy.(lever-choke shaft)-No. 6-32 x 3/8"-pan. hd.	50802-S7(U150)	N	P	Q	R	S	T	U	V	W	X	Y	Z

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 24N THRU 24Z										
		N	P	Q	R	S	T	U	V	W	X	Y	Z
PLATE - AIR DISTRIBUTION	D0AZ 9F553-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
LEVER - CHOKE CONTROL DIAPHRAGM	D1AZ 9J553-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
Rivet (lever choke diaphragm)-1/8" x .59 split	382671-S(SS10D)	N	P										
Coiled spring pin (lever choke diaphragm)-.010" O.D. x 9/16"	★67529-S2			Q	R	S	T	U	V	W		Y	Z
COVER - CHOKE CONTROL DIAPHRAGM	D0AZ 9J554-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw (cover-choke diaphragm)-No. 8-32 x 9/16"-fill. hd.	379436-S8B (UU43F)	3	3										
Screw (cover-choke diaphragm)-No. 8-32 x 9/16"	376262-S(UU52AJ)			3	3	3	3	3	3	3	3	3	3
SHAFT - FLOAT LEVER	B8A 9558-A(CM-183)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SWIVEL - CHOKE DIAPHRAGM ADJUSTING	C5AZ 9F558-A									W	X	Y	Z
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - FLOAT BOWL VENT RETURN	D2AZ 9560-B (CM-1471)									W		Y	Z
GASKET - FLOAT BOWL	D0AZ 9561-B (CG-256A)	N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET - ECONOMIZER COVER	B7A 9563-A(CG-234)	N	P	Q	R	S	T	U	V	W	X	Y	Z
VALVE KIT - FUEL INLET - kit includes (1) B7A 9569-A gasket & (1) B7AZ 9599-B retainer	D2AZ 9564-A (CV-54-A)	N	P	Q	R	S	T	U	V	W	X		Z
ECONOMIZER KIT	9A565												
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket, and (1) economizer	C0AZ 9A565-A (CE-74)	N	P	Q	R	S	T	U	V		X		
Identified by "Green" - kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket, (1) economizer	C0AZ 9A565-B (CE-75)									W			Z
Identified by color "Yellow"-kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer	C3AZ 9A565-D(CE-78)											Y	
ROD - CHOKE DIAPHRAGM CONTROL	D2AZ 9S567-C									W	X	Y	Z
Ring (choke diaphragm control rod to vacuum break control assy.)-1/8" retaining	377918-S8B(XX14F)									W	X	Y	Z
GASKET - FUEL INLET NEEDLE SEAT	★B7A 9569-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - FLOAT DAMPENER	C3AZ 9F570-A	N				S					X		
HOUSING ASSY. - CHOKE	D0AZ 9A575-A (CC-57)	N	P										
	D1AZ 9A575-C (CC-58-A)			Q	R	S	T	U	V				
	D2TZ 9A575-L (CC-65-A)									W		Y	Z
Screw & washer assy. (choke housing to main body)-No. 8-32 x 1.76" fillister head	378547-S7-8(BB61B)	N	P							3	3	3	3
VALVE - ACCELERATOR PUMP CHECK - plastic	C4AZ 9576-A (CM-825)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SCREW - PUMP DISCHARGE NOZZLE	C0AZ 9577-A(CM-607)	N	P	Q	R	S	T	U	V	W	X	Y	Z

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 24N THRU 24Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
LEVER - FAST IDLE CAM	C4AZ 9F577-B (CM-492)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw (lever adjusting)-No. 6-32 x 75" hex. hd.	372307-S(BB527)	N	P	Q	R	S	T	U	V	W		Y	Z
SPRING - FAST IDLE ADJUSTING SCREW 4 1/2 coils-.20" I. D. -.58" long	B8A 9578-B (CM-609)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw (normal idle adjusting)-No. 10-32 x 1" special hex. hd. slotted	355107-S7(BB536)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - IDLE ADJUSTING NEEDLE Fast idle adjusting	★40 9578			2	2	2	2	2	2	2	2 X	2	2
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-A	N	P	Q	R		T	U	V				
LEVER and SHAFT ASSY. KIT - THROTTLE - repl. by D2AZ 9581-A (12-74)	★C9AZ 9581-C (CM-1047)			Q	R		T	U	V				
	ø D2AZ 9581-A (CM-1047-A)			Q	R		T	U	V	W		Y	Z
LEVER and SHAFT ASSY. - THROTTLE Tag code D1BF-AA	D0TZ 9581-B (CM-1064)	N	P			S							
Tag code D1UF-FA	D2TZ 9581-H (CM-1063-B)					S							
	D2TZ 9581-G (CM-1528)										X		
PLATE - THROTTLE	B8A 9585-F	2	2	2	2	2			2	2	2	2	2
	C4MY 9585-A						2	2					
Screw (throttle plate)-No. 8-32 x .32"	378361-S2(UU43D)	4	4	4	4	4	4	4	4	4		4	4
Screw (throttle plate)-No.5-40 x .38"	383253-S2(BB4Z)										4		
BRACKET - THROTTLE EMISSION CONTROL SOLENOID Tag code D1BF-AA Tag codes D1OF-ABA,AGA,D1ZF-ZA	C9AZ 9J586-A			Q	R	S		U	V		X	Y	Z
Screw & washer (solenoid mounting bracket)	43252-S8(U77)			Q		S		U	V		X	Y	Z
SPRING - CHOKE CONTROL	D0AZ 9587-A (CM-1271)	N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET - ECONOMIZER VALVE	C2AZ 9A588-B (CM-533)	N	P	Q	R	S	T	U	V	W	X	Y	Z
CAM ASSY. - FAST IDLE - identified by letter "B"	D0AZ 9597-C (CM-1268)	N	P	Q	R	S	T	U	V				
	D2AZ 9597-C (CM-1268-A)									W	X	Y	Z
Retainer (fast idle cam)-"C" washer	351825-S(XX9)	N	P	Q	R	S	T	U	V	2	2	2	2
Screw (fast idle cam)-No.6-32 x 3/4" hex.head	372307-S (BB527)									W	X	Y	Z
RETAINER - FLOAT LEVER SHAFT	D0AZ 9599-A (CM-1065)	N	P	Q	R	S	T	U	V				
	D2AZ 9599-A (CM-1469)									W	X	Y	Z
ROD - CHOKE CONTROL	D0AZ 9A599-B (CM-1066)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Ring (rod to carburetor)	377918-S8(XX14F)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A(CM-544)	N	P	Q	R	S	T	U	V				
	§ D4AZ 9636-A (CM-1527-A)									W	X	Y	Z
SHAFT & LEVER ASSY. - CHOKE HOUSING	øD2AZ 9A753-A (CM-1510)	N	P		R	S				W	X	Y	Z
Retainer (shaft & lever to choke hsg.)-"C" washer	353862-S8(XX10)	N	P			S							

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 24N THRU 24Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
LEVER - CHOKE THERMOSTAT	D0AZ 9A754-A	N	P										
	D1AZ 9A754-C			Q	R	S	T	U	V	W	X	Y	Z
Screw & lockwasher assy. (lever-choke thermostate)-No. 6-32 x 3/8" pan. hd.	50802-S7(U150)	N	P										
CLIP - ACCELERATOR PUMP LINK ROD - "From 10/12/71"	D2AZ 9825-A (CM-1695)									W	X	Y	Z
CLAMP - THERMOSTATIC CHOKE HOUSING Tag codes D1AF-DA, D1OF-ABA	C8AZ 9842-B (CM-1045)	N	P	Q	R	S	T	U	V				
Tag codes D1AF-ZA, D1OF-AGA, D1ZF-ADA	§D3AZ 9842-A (CM-1742)				R					W	X	Y	Z
Screw (clamp housing)-No. 8-32 x 1/2"	31061-S8(U50)	3	3							3	3	3	3
HOUSING KIT - THERMOSTAT CHOKE - identified by letters "TN"-kit includes (1) C1AZ 9871-A, (1) D0AZ 9871-A gaskets and (1) choke housing	C4AZ 9848-A (CM-458)	N											
Identified by letters "TW"- kit includes (1) C1AZ 9871-A, (1) D0AZ 9871-A gaskets & (1) choke housing	C6AZ 9848-A (CM-623)		P										
Identified by "TB3" - kit includes (1) D1AZ 9871-A gasket & (1) choke housing tag code D1UF-FA	D1AZ 9848-A (CM-1454)					S							
Identified by letters "TX" - kit includes (1) D0AZ 9871-A gasket & (1) choke housing	D0AZ 9848-G (CM-1259)									W			Z
Identified by "TB4" - kit includes (1) D1AZ 9871-A gasket & (1) choke housing Tag codes D1AF-DA, ZA, D1ZF-ADA	D1AZ 9848-B (CM-1455)				R R				V				
Identified by "TB5" - kit includes (1) D1AZ 9871-A gasket & (1) choke housing Tag code D1BF-AA Tag codes D1OF-ABA, AGA	D1AZ 9848-C (CM-1456)			Q	 R	S					X		
Identified by letters "TY" - kit includes (1) C1AZ 9871-A gasket & (1) choke housing	D2AZ 9848-B (CM-1533)											Y	
BUSHING - CHOKE THERMOSTAT LEVER	C8AZ 9851-A(CM-751)	N	P		R	S				W	X	Y	Z
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A (CG-93)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SOLENOID ASSY. - THROTTLE EMISSION CONTROL Tag codes D1OF-ABA, AGA, D1ZF-ADA Tag code D1BF-AA	D0AZ 9D856-A			Q	 R	 S		U	V			Y	
	D2AZ 9D856-E										X	Y	Z
Nut (solenoid throttle)-7/16"-20 hex. Tag codes D1OF-ABA, AGA, D1ZF-ADA	45219-S2(M173)			Q	R			U	V		X	Y	Z
Nut (solenoid throttle)-7/16"-20 hex. - tag code D1BF-AA	382644-S13(MM121ZD)					S							
SHIELD - CHOKE THERMOSTAT	D2AZ 9861-A	N	P										
	C9ZZ 9861-A			Q	R	S	T	U	V	W	X	Y	Z
Screw (attaches choke thermostat shield) No. 8-32 x .562 hex. head	376262-S2 (UU52AJ)									2	2	2	2
GASKET - THERMOSTATIC CHOKE HOUSING	D0AZ 9871-A(CG-262)	N	P										
Tag code D1BF-AA	D1AZ 9871-A (CG-317)			Q	R	S	T	U	V	W	X	Y	Z
DIAPHRAGM ASSY. - THROTTLE MODULATOR	D0AZ 9D896-B (CM-1068)	N											
Nut-5/16"-24	33923-S7(M32)	N											
COVER - ECONOMIZER VALVE	C8AZ 9930-A(CM-728)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Screw & washer cover to carb. -No. 8-32 x 3/8" fillister-head	43248-S8(U72)	4	4										
Screw & washer (cover to carb.)-No. 8-32 x 5/8"	357136-S(BB-56)			4	4	4	4	4	4	4	4	4	4

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 25A THRU 25M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET-r/b D2AZ 9502-D (12-73)	★C8AZ 9502-C(CG-221)	A	B	C	D	E	F	G	H	J	K		
Repl. by D3AZ 9502-A (4-74)	★D2AZ 9502-D(CG-221A)											L	M
	§ D3AZ 9502-A (CG-221-B)	A	B	C	D	E	F	G	H	J	K	L	M
TUNE UP KIT	D2AZ 9A586-D (CT-226A)	A	B	C	D	E	F	G	H	J	K	L	M
REPAIR KIT-service details	★C8AZ 9590-G(CR-353)	A	B	C									
Cap (attach to spark vacuum tube)-3/16"	380614-S(DD3)	A											
Screw & washer assy.(air horn to main body)-No.10-32 x .88" filllister head	381744-S(BB80H)	16	16	16	16	16	16	16	16	16	16	16	16
Screw (idle air by-pass adjusting)-tag codes C8SF-A, B, E	380806-S(BB817CA)	A											
Screw (fast idle adjusting)-No.10-32 x .75" set Tag code C8SF-G, H	382297-S(UU26L)	A	B	C	D	E	F	G	H	J	K	L	M
Connector(used for choke inlet tube)-1/8" pipe-1/4" tube	382786-S(II-179)				D	E	F	G	H	J	K	L	M
Stud - hollow (carburetor to intake manifold)-5/16"-18-24 x 2 1/4"	382768-S7-8 (WW139X)				D	E	F	G					
SPRING - TRANSMISSION KICKDOWN CONTROL LEVER RETRACTING	D1AZ 7B146-A											L	M
LIMITER - IDLE ADJUSTING NEEDLE	C7AZ 9J500-B (CM-747)	2	2	2	2	2	2	2	2	2	2	2	2
SPRING - SECONDARY THROTTLE DIAPHRAGM RETURN - 10 coils - .44" I.D.	C7AZ 9B504-A (CM-656)	A	B	C	D	E	F	G	H	J	K	L	M
ROD - SECONDARY THROTTLE CONTROL	C7AZ 9C504-A	A	B	C	D	E	F	G	H	J	K	L	M
Ring (rod to throttle shaft & lever primary & secondary)-1/8" retaining	377918-S8B(XX14F)	2	2	2	2	2	2	2	2	2	2	2	2
BUSHING - THROTTLE SHAFT (nylon)	C7AZ 9B508-A	A	B	C	D	E	F	G	H	J	K	L	M
CONTROL ASSY. - VACUUM BREAK	D2AZ 9S514-C (CK-1983)											L	M
Nut-hex 1/4" x 28 (control & bracket assy.)	33796-S7(M-61)											L	M
Screw-1/4"-14 x 1/2"(9S514 to carb.)	55981-S2 (UU254E)											L	M
GASKET - THROTTLE BODYto MAIN BODY	C8SZ 9516-A	A		C	D	E	F	G	H	J	K	L	M
	C7AZ 9516-A		B										
VALVE - ACCELERATOR PUMP DISCHARGE NEEDLE	C7AZ 9A516-B (CM-676)	A		C	D	E	F	G	H	J	K	L	M
BODY & SHAFT ASSY. - THROTTLE tag code C8SF-A, B	★C8SZ 9518-A	A											
Tag code C8SF-E, G, H	★C8SZ 9518-C (CM-1680)	A											
Tag code C9AF-R	★C9AZ 9518-B (CM-1060)	A											
	★C9AZ 9518-A (CM-963)		B										
	★C9LY 9518-A			C									
	★D0AZ 9518-A (CM-1077)				D								
	★D0AZ 9518-B (CM-1078)					E							
	★D0SZ 9518-A (CM-1082)						F						
SEAL - AIR HORN -tag codes C8SF-A,B,E	C7AZ 9C527-A	A											
	C8AZ 9C527-A (CM-1682)		B	C	D	E	F	G	H	J	K	L	M
Tag code C8SF-G,H, C9AF-R		A											

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 25A THRU 25M											
		A	B	C	D	E	F	G	H	J	K	L	M
LINK - ACCELERATOR PUMP	C7AZ 9529-B (CM-694)	A	B	C	D	E	F	G	H	J	K	L	M
COMPENSATOR ASSY. - HOT IDLE	C7AZ 9B532-A (CM-903)	A		C								L	M
Screw (hot idle compensator to air horn)-No. 8-32 x .38" fill. head	378361-S2(UU43D)	2		2									
JET - MAIN METERING	9533												
No. 64F - 0 to 5,000 ft. altitude-tag codes C8SF-A, B, E, G, H	C3AZ 9533-C (CJ-143)	2											
No. 62F - 5,000 to 10,000 ft. altitude-tag codes C8SF-A, B, E, G, H	C3AZ 9533-A (CJ-134)	2											
No. 66F - 0 to 10,000 ft. altitude	C3TZ 9533-E(CJ-148)		2										
No. 64F - 0 to 10,000 ft. altitude Tag code C9AF-R	C3AZ 9533-C (CJ-143)	2		2		2							
No. 63F - 0 to 10,000 ft. altitude	C3AZ 9533-B(CJ-135)				2		2						
No. 62F - 0 to 10,000 ft. altitude	C3AZ 9533-A(CJ-134)							2	2	2	2		
No. 60F - 0 to 10,000 ft. altitude	C3GY 9533-B(CJ-145)											2	2
LEVER - THROTTLE SHAFT AUXILIARY	C7AZ 9A537-B	A	B	C	D	E	F	G	H	J	K		
	D2AZ 9A537-A (CM-1477)											L	M
Screw (lever to carburetor)-No. 8-32 x .36" pan head shoulder	380808-S(BB683D)	A	B	C	D	E	F	G	H	J	K	L	M
LEVER - FAST IDLE ADJUSTING r/b (1) D1AZ 9538-A & (1) D1AZ 9B538-A	★C8AZ 9538-C (CM-1011)	A	B	C	D	E	F	G					
	D1AZ 9538-A (CM-1323)								H	J	K	L	M
Nut (lever to throttle shaft)-No. 10-32 Hex.	34079-S7(M163)	A	B	C	D	E	F	G	H	J	K	L	M
Lockwasher-No. 10	34903-S8(X96)	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - THROTTLE RETURN - .52" diam.-7 7/8" coils wound left hand	C7AZ 9A538-D	A	B	C	D	E	F	G	H	J	K	L	M
SPRING-ACCELERATOR PUMP OVERTRAVEL .270" dia.-1-3/8" long-20 coils	C7AZ 9A538-C	A	B	C	D	E	F	G	H	J	K	L	M
SCREW - FAST IDLE ADJUSTING	C8AZ 9B538-A	A	B										
	C4AZ 9B538-A				D	E	F	G					
	D1AZ 9B538-A								H	J	K	L	M
NEEDLE - IDLE ADJUSTING	C8AZ 9541-D(CM-723)	2	2	2									
	D0AZ 9541-A (CM-1087)				2	2	2	2	2	2	2	2	2
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	C7AZ 9B542-B (CM-695)	A	B	C	D	E	F	G	H	J	K	L	M
Retainer-(Spring accel. pump to accel. link)	353610-S8(NN126)	A											
PISTON - ACCELERATOR PUMP - does not include retainer, spring and cup	C7AZ 9B544-B (CP-50)	A	B	C	D	E	F	G	H	J	K	L	M
PLATE - CHOKE	C7AZ 9545-A(CM-659)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (choke plate)-No. 6-32 x .31" hex. head	375016-S2(UU52AK)				2	2	2	2	2	2	2	2	2
Screw (choke plate)-No. 6-32 x .31" pan head	381761-S(UU81JA)	2	2	2									
SHAFT & LEVER ASSY. - CHOKE	C7AZ 9546-A(CM-660)	A	B	C									

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 25A THRU 25M											
		A	B	C	D	E	F	G	H	J	K	L	M
SHAFT - CHOKE PLATE Tag codes C8SF-H, C9AF-R	C9AZ 9547-A (CM-1145)	A	B	C	D	E	F	G	H	J	K	L	M
DASHPOT ASSY.	C1AZ 9B549-A(CD-6)	A	B	C	D	E	F	G	H	J	K		
Nut (dashpot)-5/16"-24 Hex. jam	33923-S7(M32)	A	B	C	D	E	F	G	H	J	K		
FLOAT ASSY.	C7AZ 9550-A(CM-661)	A	B		D	E	F	G	H	J	K	L	M
BRACKET - DASHPOT MOUNTING	B8AZ 9B550-B (CM-908)	A											
	D0AZ 9B550-A (CM-1113)		B		D	E	F	G	H	J	K		
Screw & washer (dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)	A	B		D	E	F	G	H	J	K		
LEVER - CHOKE SHAFT Tag codes C8SF-H, C9AF-R	C9AZ 9551-A (CM-1144)	A	B	C	D	E	F	G	H	J	K	L	M
Screw(lever to shaft)-No. 6-32 x 5/16"-hex. hd.	383547-S (BB541D)				D	E	F	G	H	J	K	L	M
VALVE ASSY. - POWER	C7AZ 9G551-A	A	B	C	D	E	F	G	H	J	K	L	M
PISTON ASSY. - POWER VALVE - tag code C8SF-A, B	C7AZ 9G553-A	A		C									
Tag code C8SF-E, G, H, C9AF-R	★C8AZ 9G553-A	A	B		D	E	F	G	H	J	K	L	M
Washer(valve piston adjuster)-No. 6-Nylon	375910-S(XX340S)	AR	AR										
VALVE - AIR - R.H.	C7AZ 9H555-A	A	B	C									
L.H.	C7AZ 9H555-B	A	B	C									
R.H.	D0AZ 9H555-A (CM-1092)				D	E	F	G	H	J	K	L	M
L.H.	D0AZ 9H555-B (CM-1093)				D	E	F	G	H	J	K	L	M
Screw (valve to air valve shaft)-No. 6-32 x .25" hex. washer head	353939-S(UU52T)	4	4										
Screw (valve to compensator-hot idle)-No. 6-32 x .31" pan head	381761-S(UU81JA)			4	4	4	4	4	4	4	4	4	4
SPRING - AIR VALVE -tag codes C8SF-A,B,E	C7AZ 9H556-B	A											
Tag codes C8SF-G, H, C9AF-R	C8AZ 9H556-A (CM-1690)	A	B	C									
	D0AZ 9H556-A (CM-1270)				D	E	F	G					
VALVE - FLOAT BOWL VENT	C7AZ 9557-A	A		C									
HOUSING - AIR VALVE SPRING -tag codes C8SF-A, B, E, H	C7AZ 9H557-A	A		C									
SHAFT - FLOAT LEVER	C7AZ 9558-A(CM-663)	A	B	C	D	E	F	G	H	J	K	L	M
RETAINER - AIR VALVE SPRING HOUSING - Tag codes C8SF-A, B, E	C7AZ 9H558-A	A											
Screw (retainer to air valve shaft)-No. 6-32 x .25" hex. washer head	353939-S(UU52T)	A											
GASKET - FLOAT BOWL	★C7AZ 9561-A(CG-233) r/b D3AZ 9561-B (5-74)	A	B	C	D	E	F	G	H	J	K	L	M

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 25A THRU 25M											
		A	B	C	D	E	F	G	H	J	K	L	M
VALVE KIT - FUEL INLET - primary - kit includes (1) D0SF 9B528-A needle, (1) D0SF 9567-A seat, (1) D0AF 9569-A gasket	D0AZ 9564-B (CV-58-A)	A	B	C	D	E	F	G	H	J	K	L	M
Supplementary	D2AZ 9564-B (CV-86-A)	A	B	C	D	E	F	G	H	J	K	L	M
HOSE - IDLE SPEED-UP CONTROL- Tag code C8SF-B	C8SZ 9H566-A (CM-745)	A											
GASKET - HOT IDLE COMPENSATOR	★C0LE 9B567-A	A		C								L	M
ROD - CHOKE DIAPHRAGM CONTROL	D2AZ 9S567-B											L	M
Nut-1/16" (attaches rod to connector)	384912-S2(MM259V)											L	M
GASKET - FUEL INLET NEEDLE SEAT Primary-.51" I.D.-.62" O.D.	C7AZ 9569-A	A	B	C	D	E	F	G	H	J	K	L	M
Secondary-.38" I.D.-.50" O.D.	C7AZ 9569-B	A	B	C	D	E	F	G	H	J	K	L	M
CONNECTOR - SECONDARY DIAPHRAGM CONTROL	D2AZ 9S569-A											L	M
CUP - PUMP PISTON	C7AZ 9572-A(CM-651)	A	B	C	D	E	F	G	H	J	K	L	M
RETAINER - ACCELERATOR PUMP CHECK VALVE (wire)	C7AZ 9575-A (CM-652)	A	B	C	D	E	F	G	H	J	K		
Disc (plastic)	C7AZ 9575-B(CM-664)	A	B	C	D	E	F	G	H	J	K	L	M
DISC - ACCELERATOR PUMP CHECK VALVE (plastic)	C7AZ 9576-A	A	B	C	D	E	F	G	H	J	K	L	M
Ball (accelerator pump check)-3/16" steel	371350-S(AA4)	A	B	C	D	E	F	G	H	J	K	L	M
RETAINER - FAST IDLE ROD SEAL- Tag code C8SF-G, H, C9AF-R	★C8AF 9A576-A	A	B		D	E	F	G	H	J	K		
SPRING - IDLE AIR BY-PASS SCREW - Tag code C8SF-A, B, E	C7AZ 9578-A (CM-653)	A											
Screw (idle air by-pass adjusting)- 3/8"-24 x 2.64"	380806-S(BB817CA)	A											
SPRING - IDLE ADJUSTING NEEDLE	★ 40 9578	2	2	2	2	2	2	2	2	2	2		
PISTON & ROD ASSY. - AIR VALVE DAMPENER -tag codes C8SF-A, B, E	C7AZ 9H578-A	A											
Tag codes C8SF-G, H, C9AF-G, R	D2AZ 9H578-A (CM-1683-A)	A	B	C	D	E	F	G	H	J	K	L	M
SHAFT - AIR VALVE Tag codes C8SF-A, E	C7AZ 9581-A (CM-654)	A	B	C	D	E	F	G	H	J	K	L	M
Tag code C8SZ-A "Before 4/2/68"	C9ZZ 9581-B (CM-941)	A											
Lever & shaft assy. throttle-primary Tag code C8SZ-A "From 4/2/68"	C8SZ 9581-B(CM-835)	A		C									
Lever & shaft assy.-throttle	C9AZ 9581-B(CM-698)		B										
	D1OZ 9581-A (CM-1295)					E				J			
	D1AZ 9581-B (CM-1294)				D		F	G	H		K	L	M
Screw(throttle plates to shaft)-No. 3-48-.38" truss head	382681-(BB822T)	8											
Screw (trans. kickdown adjusting)- No. 10-32 x 1" hex. hd.	379622-S(UU-52-M				D	E	F	G	H		K	L	M

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 25A THRU 25M											
		A	B	C	D	E	F	G	H	J	K	L	M
LEVER - AIR VALVE DAMPENER	C7AZ 9H582-A	A		C									
	C8AZ 9H582-A (CM-1692)		B		D	E	F	G	H	J	K	L	M
Rivet-1/8"-.69" button head-split-tag code C8SF-H-(1) used as air valve dampener pin (1) used to retain accel. pump link	383070-S(SS10E)	2		2	2	2	2	2	2	2	2		
LEVER - SECONDARY THROTTLE STOP	C7AZ 9583-C	A	B	C	D	E	F	G	H	J	K	L	M
Nut (lever to secondary throttle shaft)No. 10-32	34079-S7(M163)	A	B	C	D	E	F	G	H	J	K	L	M
Lockwasher-No. 10	34803-S7(X60)	A	B	C									
Lockwasher-No. 10	34903-S8(X96)				D	E	F	G	H	J	K	L	M
LINK - AIR VALVE DAMPENER-tag codes C8SF-A, B, E	C7AZ 9H583-B	A											
Tag codes C8SF-G, H, C9AF-G, R	C8AZ 9H583-A (CM-1684)	A	B	C	D	E	F	G	H	J	K	L	M
PIN - AIR VALVE DAMPENER-tag codes C8SF-A, B, E, G- (1) used to retain lever air valve (1) used to retain accel. pump link	§ 383070-S(SS-10-E)	2	2										
Ring (air valve dampener retaining)-1/8"	377918-S8B(XX14F)	2	2										
Rivet (air valve dampener retaining)-1/8" x .69" button head	383070-S(SS10E)			2								L	M
PLATE - THROTTLE - primary Tag codes C8SF-B, E, G, H, C9AF-R, C8SF-A	C8SZ 9585-F (CM-1685)	2		2									
Primary tag code C8SF-A "Before 12/1/67"	C8SF 9585-A	2											
Primary	C9AZ 9585-A (CM-1027)		2										
Primary	D0OZ 9585-A (CM-1100)				2	2	2	2	2	2	2	2	2
Secondary Tag code C8SF-A "From 12/1/67" Tag codes C2SF-B, E, G	C8SZ 9585-C (CM-838)	2 2		2									
Secondary tag code C2SF-A "Before 12/1/67"	C8SZ 9585-B	2											
Secondary Tag codes C8SF-H, C9AF-R	C9ZZ 9585-A (CM-969)	2	2		2	2	2	2	2	2	2		
	C9ZZ 9585-B (CM-1123)											2	2
Screw(throttle plates to shaft)-No. 3-48-.38" truss head	382681-S(BB822T)	8	8	8									
Screw (throttle plates to shaft)-No. 3-48 x .28" hex. washer hd.	383677-S(BB542A)				8	8	8	8	8	8	8	8	8
BRACKET - THROTTLE EMISSION CONTROL SOLENOID	D0AZ 9J586-A											L	M
Nut (bracket to carb.)	34079-S7(M163)											L	M
Lockwasher (bracket to carb.)	34903-S8(X96)											L	M
Screw (bracket to carb.)	50810-S8(U158)											L	M
LEVER - MECHANICAL VENT VALVE ADJUSTING	C7AZ 9H585-A	A		C									
LEVER & SHAFT ASSY. - SECONDARY THROTTLE	C8SZ 9A592-B (CM-841)	A	B	C	D	E	F	G	H	J	K	L	M
SEAL - AIR VALVE DAMPENER ROD	C7AZ 9H593-A (CM-689)	A	B	C				G					

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 25A THRU 25M											
		A	B	C	D	E	F	G	H	J	K	L	M
CAM ASSY. - FAST IDLE	D1SZ 9597-A (CM-1451)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (fast idle cam)-No. 8-32 x .44"-setlock slotted headless	384170-S(UU26K)				D	E	F	G	H	J	K	L	M
SPRING - ACCELERATOR PUMP ROD	C7AZ 9D598-A (CM-1037)	A	B	C	D	E	F	G	H	J	K	L	M
RETAINER - ACCELERATOR PUMP SPRING	C7AZ 9599-A (CM-1038)	A	B	C	D	E	F	G	H	J	K	L	M
ROD - CHOKE CONTROL	C7AZ 9A599-A	A	B	C	D	E	F	G	H	J	K	L	M
Ring (rod to shaft & lever)-1/8" retaining	377918-S8B(XX14F)	2	2	C	D	E	F	G	H	J	K	L	M
SHAFT and LEVER ASSY. - CHOKE HOUSING	ØD2AZ 9A753-B (CM-817-A)	A	B	C	D	E	F	G	H	J	K	L	M
Ring (throttle & lever choke housing)-1/8"	377918-S8(XX14F)				D	E	F	G	H	J	K	L	M
ADAPTOR - CHOKE CONTROL TUBE	C8VY 9C786-A	A	B	C	D	E	F	G	H	J	K	L	M
PISTON ASSY. - CHOKE	C8SZ 9840-A(CM-720)	A	B	C									
	D2AZ 9840-A (CM-1287-A)				D	E	F	G	H	J	K		
Screw & washer (piston to shaft)No. 6-3 x 1/4"	50802-S7(U150)	A	B	C	D	E	F	G	H	J	K	L	M
CLAMP - THERMOSTATIC CHOKE HOUSING	C7AZ 9842-A(CM-666)	A	B	C									
	C8AZ 9842-A(CM-805)				D	E	F	G					
	C8AZ 9842-B (CM-1045)								H	J	K	L	M
Screw (clamp to choke housing)-No. 8-32 x 1/2" fillister head	31061-S8(U50)	3	3	3	3	3	3	3	3	3	3	3	3
HOUSING KIT - THERMOSTATIC CHOKE	9848												
Identified by letters "DY"-kit includes (1) C1AZ 9871-A gasket & (1) choke housing	C8SZ 9848-A (CM-721)	A		C									
Identified by letters "DOB" -kit includes (1) C1AZ 9871-A gasket & (1) choke housing	C9AZ 9848-A (CM-1028)		B										
Identified by "4TY"-kit includes (1) C1AZ 9848-A, (1) D1VF 9871-AA gaskets & (1) choke housing	D0AZ 9848-D (CM-1243)				D	E	F	G	H			L	M
Identified by "4TX" -kit includes (1) C1AZ 9871-A gasket & (1) choke housing	D0AZ 9848-C (CM-1242)									J	K		
BUSHING - CHOKE HOUSING	C7AZ 9851-A(CM-668)	A	B	C	D	E	F	G	H	J	K	L	M
SOLENOID ASSY. - THROTTLE EMISSION CONTROL	D2AZ 9D856-E											L	M
SHIELD - CHOKE THERMOSTAT	D0OZ 9861-A		B	C	D	E	F	G	H	J	K	L	M
Tag codes C8SF-H, C9AF-R		A											
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)	A	B	C	D	E	F	G	H	J	K		
	D2AZ 9871-A (CG-336-B)											L	M

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 25N THRU 25Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET SET - repl. by D3AZ 9502-A (4-74)	★ D2AZ 9502-D (CG-221A)			Q	R	S	T	U					
	§ D3AZ 9502-A (CG-221-B)			Q	R	S	T	U					
	D3OZ 9502-A (CG-335-B)	N	P										
TUNE-UP KIT	D2AZ 9A586-D (CT-226-A)			Q	R	S	T	U					
Repl. by D3OZ 9A586-A (12-74)	★ D2AZ 9A586-C (CT-862A)	N	P										
	§ D3OZ 9A586-A (CT-862-B)	N	P										
Screw & washer assy. (air horn to main body) - No. 10-32 x .88" fillister hd.	381744-S (BB80H)	15	15	16	16	16	16	16					
Screw (fast idle adjusting) No. 10-32 x .75" set	382297-S (UU26L)	N	P	Q	R	S	T	U					
Connector (used for choke inlet tube) 1/8" pipe - 1/4" tube	382786-S (II-179)	N	P	Q	R	S	T	U					
SPRING - TRANSMISSION KICKDOWN CONTROL LEVER RETRACKING	D1AZ 7B146-A	N	P	Q	R	S	T	U					
FILTER - FUEL	C9AZ 9155-A (FG-39)	N	P										
GASKET - FUEL FILTER MOUNTING	D1ZZ 9229-A	N	P										
LIMITER - IDLE ADJUSTING NEEDLE	C7AZ 9J500-B (CM-747)	2	2	2	2	2	2	2					
SPRING - SECONDARY THROTTLE DIAPHRAGM RETURN-10 coils-.44" I.D.	C7AZ 9B504-A (CM-656)			Q	R	S	T	U					
12 coils - .44" I.D.	D1AZ 9B504-A (CM-1288)	N	P										
ROD - SECONDARY THROTTLE CONTROL	C7AZ 9C504-A			Q	R	S	T	U					
	D1AZ 9C504-A (CM-1289)	N	P										
Ring (rod to throttle shaft & lever primary & secondary) - 1/8" retaining	377918-S8B (XX14F)	2	2	2	2	2	2	2					
BUSHING - THROTTLE SHAFT (NYLON)	C7AZ 9B508-A	N	P	Q	R	S	T	U					
CONTROL ASSY. - VACUUM BREAK	D2AZ 9S514-B				R								
	D2AZ 9S514-C (CK-1983)	N	P	Q		S	T	U					
Nut-hex. 1/4" x 28 (control & bracket assy.)	33796-S7 (M61)	N	P	Q	R	S	T	U					
Screw-1/4"-14 x 1/2" (9S514 to carb.)	55981-S2 (U254E)	N	P	Q	R	S	T	U					
GASKET - THROTTLE BODY to MAIN BODY	C8SZ 9516-A			Q	R	S	T	U					
	D1AZ 9516-A (CG-314)	N	P										
VALVE - ACCELERATOR PUMP DISCHARGE NEEDLE	C7AZ 9A516-B (CM-676)	N	P	Q	R	S	T	U					
ROD - SECONDARY METERING	D2AZ 9A526-A (CM-1590)		P										
SEAL - AIR HORN	C8AZ 9C527-A (CM-1682)	N	P	Q	R	S	T	U					
LINK - ACCELERATOR PUMP	C7AZ 9529-B (CM-694)	N	P	Q	R	S	T	U					
Rivet (accelerator pump link) - 1/8" x 11/16" button head	383070-S (SS10E)	2	2										
COMPENSATOR ASSY. - HOT IDLE	C7AZ 9B532-A (CM-903)			Q	R	S	T						

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	'CARB. PARTS LISTS 25N THRU 25Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
JET - MAIN METERING	9533												
No. 60F	C3GY 9533-B (CJ-145)			2	2	2							
No. 61F	C3TZ 9533-C (CJ-138)						T	U					
No. 62F	C3AZ 9533-A (CJ-134)		2										
LEVER - THROTTLE SHAFT AUXILIARY	D2AZ 9A537-A (CM-1477)	N	P	Q	R	S	T	U					
Screw (lever to carb.) No. 8-32 x .36" pan head shoulder	380808-S (BB683D)	N	P	Q	R	S	T	U					
LEVER - FAST IDLE ADJUSTING	D1AZ 9538-A (CM-1323)	N	P	Q	R	S	T	U					
Nut (lever to throttle shaft) No. 10-32 hex	34079-S7 (M163)			Q	R	S	T	U					
Lockwasher - No. 10	34903-S8 (X96)			Q	R	S	T	U					
Screw (lever to throttle shaft) - No. 8-32 x 1/4" hex head	353358-S (UU52U)	N	P										
SPRING - THROTTLE RETURN - .52" dia.-7 7/8" coils wound left hand	C7AZ 9A538-D	N	P	Q	R	S	T	U					
SPRING - ACCELERATOR PUMP OVERTRAVEL - .270" dia.-1 3/8" long-20 coils	C7AZ 9A538-C	N	P	Q	R	S	T	U					
SCREW - FAST IDLE ADJUSTING	D1AZ 9B538-A	N	P	Q	R	S	T	U					
NEEDLE - IDLE ADJUSTING	D0AZ 9541-A (CM-1087)	2	2	2	2	2	2	2					
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	C7AZ 9B542-B (CM-695)	N	P	Q	R	S	T	U					
PISTON - ACCELERATOR PUMP - does not include retainer, spring and cup	C7AZ 9B544-B (CP-50)	N	P	Q	R	S	T	U					
PLATE - CHOKE	C7AZ 9545-A (CM-659)	N	P	Q	R	S	T	U					
Screw (choke plate) - No. 6-32 x .31" hex head	375016-S2 (UU52AK)	2	2	2	2	2	2	2					
SCREEN - MAIN WELL TUBE	D1AZ 9S546-A	2	2										
SHAFT - CHOKE PLATE	C9AZ 9547-A (CM-1145)	N	P	Q	R	S	T	U					
FLOAT ASSY.	C7AZ 9550-A (CM-661)			Q	R	S	T	U					
	D2AZ 9550-A (CM-1468)	N	P										
LEVER - CHOKE SHAFT	C9AZ 9551-A (CM-1144)	N	P	Q	R	S	T	U					
Screw (lever to shaft) No.6-32 x 5/16" hex. head	383547-S (BB541D)	N	P	Q	R	S	T	U					
VALVE ASSY. POWER	C7AZ 9G551-A	N	P	Q	R	S	T	U					
PISTON ASSY. POWER VALVE	★C8AZ 9G553-A	N	P	Q	R	S	T	U					
VALVE - AIR - R.H.	D0AZ 9H555-A			Q	R	S	T	U					
- L.H.	D0AZ 9H555-B			Q	R	S	T	U					
	D1AZ 9H555-A (CM-1291)	N	P										
Screw (valve to compensator hot idle) - No. 6-32 x .31" pan head	381761-S (UU81JA)	2	2	4	4	4	4	4					
SPRING - AIR VALVE	D0AZ 9H556-A			Q	R	S	T	U					
	D2AZ 9H556-A (CM-1591)	N	P										

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 25N THRU 25Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
SHAFT - FLOAT LEVER	C7AZ 9558-A (CM-663)	N	P	Q	R	S	T	U					
GASKET - FLOAT BOWL	★C7AZ 9561-A(CG-233) r/b D3AZ 9561-B (5-74)			Q	R	S	T	U					
	D3AZ 9561-A (CG-376)	N	P										
VALVE KIT - FUEL INLET - primary - kit includes (1) D0SF - 9B528-A needle, (1) D0SF 9567-A seat, (1) D0AF-9569-A gasket	D0AZ 9564-B (CV-58-A)	N	P	Q	R	S	T	U					
VALVE KIT - FUEL INLET - supplementary	D2AZ 9564-B (CV-86-A)	N	P	Q	R	S	T	U					
GASKET - HOT IDLE COMPENSATOR	★C0LE 9B567-A			Q	R	S	T						
ROD - CHOKE DIAPHRAGM CONTROL	D2AZ 9S567-B	N	P	Q	R	S	T	U					
Nut (rod to connector)-1/16" spring	384912-S2(MM-259-V)	N	P	Q	R	S	T	U					
GASKET - FUEL INLET NEEDLE SEAT - primary - .51" I.D. - .62" O.D.	C7AZ 9569-A	N	P	Q	R	S	T	U					
Secondary-.38" I.D.-.50" O.D.	C7AZ 9569-B	N	P	Q	R	S	T	U					
CONNECTOR - SECONDARY DIAPHRAGM CONTROL	D2AZ 9S569-A	N	P	Q	R	S	T	U					
BAFFLE - AIR VALVE	D2AZ 9S570-A	N	P										
CUP- PUMP PISTON	C7AZ 9572-A (CM-651)	N	P	Q	R	S	T	U					
RETAINER - ACCELERATOR PUMP CHECK VALVE - DISC (plastic)	C7AZ 9575-B (CM-664)			Q	R	S	T	U					
RETAINER - ACCELERATOR PUMP CHECK VALVE (wire)	C7AZ 9575-A (CM-652)	N	P				T	U					
DISC - ACCELERATOR PUMP CHECK VALVE (plastic)	C7AZ 9576-A	N	P	Q	R		T	U					
Ball (accelerator pump check)-3/16" steel	371350-S(AA4)	N	P	Q	R	S	T	U					
Ball (pump check)-1/8" steel	357186-S(AA-1)	N	P										
SPRING - IDLE ADJUSTING NEEDLE Fast idle adjusting	★40 9578	2 N	2 P	2 Q	2 R	2 S	2 T	2 U					
PISTON & ROD ASSY. - AIR VALVE DAMPENER	D2AZ 9H578-A (CM-1683-A)	N	P	Q	R	S	T	U					
SHAFT - AIR VALVE	C7AZ 9581-A (CM-654)			Q	R	S	T	U					
	D1AZ 9581-A (CM-1293)	N	P										
LEVER & SHAFT ASSY. - THROTTLE Tag code D2AF-AB,D2SF-AB,BA,BB	D1AZ 9581-B (CM-1294)	N	P	Q	R	S	T	U					
Tag code D2PF-SA	D0AZ 9581-B (CM-1095)					S							
Screw (transmission kickdown adjusting) - No. 10-32 x 1" hex hd.	379622-S (UU52M)	N	P	Q	R	S	T	U					
LEVER - AIR VALVE DAMPENER	C8AZ 9H582-A (CM-1692)			Q	R	S	T	U					
	D1AZ 9H582-A (CM-1296)	N	P										
LEVER - SECONDARY THROTTLE STOP	C7AZ 9583-C			Q	R	S	T	U					
	D1AZ 9583-A (CM-1300)	N	P										
Nut (lever to secondary throttle shaft) No. 10-32	34079-S7(M163)	N	P	Q	R	S	T	U					
Lockwasher - No. 10	34903-S8(X96)	N	P	Q	R	S	T	U					

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 25N THRU 25Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
LINK - AIR VALVE DAMPENER	C8AZ 9H583-A (CM-1684)			Q	R	S	T	U					
	D1AZ 9H583-B (CM-1297)	N	P										
Retainer (link to air valve dampener lever)	377918-S8B(XX14F)	N	P										
Rivet (air valve dampener retaining) - 1/8" x .69" button head	383070-S(SS10E)			Q	R	S	T	U					
PLATE - THROTTLE - primary	D0OZ 9585-A (CM-1100)	2	2	2	2	2	2	2					
Secondary	C9ZZ 9585-B (CM-1123)			2	2	2	2	2					
	D1AZ 9585-A (CM-1298)	2	2										
Screw (throttle plates to shaft) - No. 3-48 x .28" hex washer hd.	383677-S(BB542A)	8	8	8	8	8	8	8					
BRACKET - THROTTLE EMISSION CONTROL SOLENOID	D0AZ 9J586-A			Q	R	S							
Nut (bracket to carb.)	34079-S7(M163)			Q	R	S							
Lockwasher (bracket to carb.)	34903-S8(X96)			Q	R	S							
Screw (bracket to carb.)	50810-S8(U158)			Q	R	S							
LEVER & SHAFT SECONDARY THROTTLE	C8SZ 9A592-B (CM-841)			Q	R	S	T	U					
	D1AZ 9A592-A (CM-1322)	N	P										
CAM ASSY. - FAST IDLE	D1SZ 9597-A (CM-1451)	N	P	Q	R	S	T	U					
Screw (fast idle cam)	384170-S(UU26K)			Q	R	S	T	U					
SPRING - ACCELERATOR PUMP ROD	C7AZ 9D598-A (CM-1037)	N	P	Q	R	S	T	U					
RETAINER - ACCELERATOR PUMP SPRING	C7AZ 9599-A (CM-1038)	N	P	Q	R	S	T	U					
ROD CHOKE CONTROL	C7AZ 9A599-A	N	P	Q	R	S	T	U					
Ring (rod to shaft & lever) - 1/8" retaining	377918-S8B(XX14F)	N	P	2	2	2	2	2					
SHAFT & LEVER ASSY. - CHOKE HOUSING	D2AZ 9A753-B (CM-817-A)	N	P	Q	R	S	T	U					
ADAPTOR - CHOKE CONTROL TUBE	C8VY 9C786-A	N	P	Q	R	S	T	U					
PISTON ASSY. - CHOKE - includes (1) each - D2AF 9A754-AA lever, D2AF 9839-CA link, D0ZF 9840-A piston & 359815-S pin	ø D2AZ 9840-A (CM-1287-A)	N	P	Q	R	S	T	U					
Screw & washer (piston to shaft) - No. 6-3 x 1/4"	50802-S7(U150)	N	P	Q	R	S	T	U					
CLAMP - THERMOSTATIC CHOKE HOUSING	C8AZ 9842-B (CM-1045)	N	P	Q	R	S	T	U					
Screw (clamp to choke housing) - No. 8-32 x 1/2" fillister hd.	31061-S8(U50)	3	3	3	3	3	3	3					
HOUSING KIT - THERMOSTATIC CHOKE - identified by "4TY"-kit includes (1) C1AZ 9848-A, (1) D1VF 9871-AA gasket & (1) choke housing Tag codes D2AF-AB, D2PF-SA, D2SF-AB, BB	D0AZ 9848-D			Q	R	S							
Identified by letter "4TX"-kit includes (1) C1AZ 9871-A gasket & (1) choke housing Tag code D2SF-AC	D0AZ 9848-C (CM-1242)		P			S							
Service pkg. includes (1) ea. D2AZ 9871-A gasket & choke housing	D2VY 9848-A (CM-1539)						T	U					
BUSHING - CHOKE HOUSING	C7AZ 9851-A(CM-668)	N	P	Q	R	S	T	U					
SOLENOID ASSY. - THROTTLE EMISSION CONTROL	D2AZ 9D856-E	N	P	Q	R	S	T	U					
SHIELD - CHOKE THERMOSTAT	D0OZ 9861-A	N	P	Q	R	S	T	U					
GASKET - THERMOSTATIC CHOKE HOUSING	D2AZ 9871-A (CG-336-B)	N	P	Q	R	S	T	U					

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 26A THRU 26M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET - r/b D2AZ 9502-D (12-73)	★C8AZ 9502-C(CG-221)	A	B	C	D								
Repl. by D3AZ 9502-A (4-74)	★D2AZ 9502-D (CG-221-A)					E							
	§ D3AZ 9502-A (CG-221-B)	A	B	C	D	E							
TUNE UP KIT	§ D2AZ 9A586-D (CT-226-A)	A	B	C	D	E							
REPAIR KIT - service details	★C8AZ 9590-F(CR-352)	A											
Screw (idle by-pass adjusting)-3/8"-24 x 2.64"	380806-S(BB817CA)	A											
Screw & washer assy. (air horn to main body)-No. 10-32 x .88" fillister head	381744-S(BB80H)	16	16		16	16							
LIMITER - IDLE NEEDLE ADJUSTING	C7AZ 9J500-B (CM-747)	2											
SPRING - SECONDARY THROTTLE DIAPHRAGM RETURN-10 coils-.44" I. D.	C7AZ 9B504-A (CM-656)	A	B	C	D	E							
ROD - SECONDARY THROTTLE CONTROL	C7AZ 9C504-A	A	B	C	D	E							
Ring (rod to throttle shaft & lever primary & secondary)-1/8" retaining	377918-S8B(XX14F)	2	2	2	2	2							
BUSHING - THROTTLE SHAFT (nylon)	C7AZ 9B508-A	A	B	C	D	E							
GASKET - THROTTLE BODY TO MAIN BODY-tag code C8AF-AA	C7AZ 9516-A	A	B	C		E							
	C8AZ 9516-A				D								
VALVE - ACCELERATOR PUMP DISCHARGE NEEDLE	C7AZ 9A516-B (CM-676)	A	B	C	D	E							
BODY AND SHAFT ASSY. - THROTTLE	9518												
Tag code C8ZF-C	C8ZZ 9518-C	A											
Tag code C8ZF-D	★C8ZZ 9518-D	A											
Screw and washer (throttle body to main body)-No. 10-32 x .88" fillister head	381744-S(BB80H)	6											
SEAL - AIR HORN	C7AZ 9C527-A	A		C	D	E							
	C8AZ 9C527-A (CM-1682)		B										
LINK - ACCELERATOR PUMP	C7AZ 9529-B (CM-694)	A	B	C	D	E							
COMPENSATOR ASSY. - HOT IDLE	C7AZ 9B532-A (CM-903)	A	B	C	D	E							
Screw(hot idle compensator to air horn)-No. 8-32 x .38" fillister head	378361-S2(UU43D)	2	2	2	2	2							
JET - MAIN METERING - Primary	9533												
No. 49F - 0 to 5,000 ft. altitude	C3DZ 9533-C(CJ-137)	2		2									
Tag code C8ZF-M			2										
No. 47F - 5,000 to 10,000 ft. altitude	C3UZ 9533-E(CJ-151)	2											
Tag code C8ZF-M			2										
Tag code C8ZF-L, C8AF-AC, AT													
No. 48F 0 to 5,000 ft. altitude	C3UZ 9533-D(CJ-142)		2		2								
No. 46F 5,000 to 10,000 ft. altitude	C3AZ 9533-G(CJ-156)		2		2								
Tag code C8AF-AA, AB, AU, AV													
No. 53F 0 to 5,000 ft. altitude	C3DZ 9533-A(CJ-128)				2	2							
No. 51F 5,000 to 10,000 ft. altitude	C3DZ 9533-B(CJ-136)				2	2							
LEVER - THROTTLE SHAFT AUXILIARY	C7AZ 9A537-B	A	B	C	D	E							
Screw(lever to carburetor)-No. 8-32 x .36"-pan head shoulder	380808-S(BB683D)	A	B	C	D	E							
LEVER - FAST IDLE ADJUSTING - r/b (1) D1AZ 9B538-A and (1) D1AZ 9538-A	★C8AZ 9538-C (CM-1011)	A											
	C8AZ 9538-B(CM-814)		B	C									
Nut(lever to throttle shaft)-No. 10-32	34079-S7(M163)	A	B										
Lockwasher-No. 10	34903-S8(X96)	A	B										
SPRING - THROTTLE RETURN	C7AZ 9A538-D	A	B	C	D	E							
SPRING - ACCELERATOR PUMP OVERTRAVEL	C7AZ 9A538-C	A											

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 26A THRU 26M											
		A	B	C	D	E	F	G	H	J	K	L	M
SCREW - FAST IDLE ADJUSTING	C8AZ 9B538-A	A	B	C	D	E							
NEEDLE - IDLE ADJUSTING	C7MY 9541-B (CM-749)	2											
	C8AZ 9541-D(CM-723)		2										
	C7AZ 9541-A(CM-657)			2	2	2							
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER - tag codes C7AF-BH, C7OF-AJ	C7AZ 9B542-B (CM-695)	A	B	C	D	E							
Retainer (spring accel. pump link to overtravel lever)	353610-S8(NN126)	A	B	C	D	E							
Ring (accel. pump link rod to accel. link)-1/8" retaining	97460-S7-8(Q4F)	A											
PISTON - ACCELERATOR PUMP-does not include retainer, spring or cap	C7AZ 9B544-B (CP-50)	A	B			E							
	C7AZ 9B544-A (CP-48)			C	D								
PLATE - CHOKE	C7AZ 9545-A (CM-659)	A	B	C	D	E							
Screw (choke plate)-No. 6-32 x 31" pan hd.	381761-S(UU81JA)	2	2	2	2	2							
SHAFT AND LEVER ASSY. - CHOKE	C7AZ 9546-A (CM-660)	A	B	C	D	E							
DASHPOT ASSY.	C8AZ 9B549-A (CD-15)	A											
Nut-5/16" -24	33923-S7(M32)	A											
FLOAT ASSY.	C7AZ 9550-A (CM-661)	A	B	C	D	E							
BRACKET - DASHPOT MOUNTING	D0AZ 9B550-C (CM-1113)	A											
Screw & washer (dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)	A											
VALVE ASSY. - POWER	C7AZ 9G551-A	A	B	C	D	E							
VALVE - AIR R.H.	C7AZ 9H555-A	A	B	C	D	E							
L.H.	C7AZ 9H555-B	A	B	C	D	E							
Screw (valve to air valve shaft)-No. 6-32 x .25" hex. head	353939-S(UU52T)	4		4	4	4							
No. 6-32 x 31" pan. hd.	381761-S(UU81JA)		4										
SPRING - AIR VALVE	C7AZ 9H556-B	A		C	D	E							
VALVE - FLOAT BOWL VENT	C7AZ 9557-A	A	B	C	D	E							
HOUSING - AIR VALVE SPRING	C7AZ 9H557-A	A		C	D	E							
SHAFT - FLOAT LEVER	C7AZ 9558-A (CM-663)	A	B	C	D	E							
RETAINER - AIR VALVE SPRING HOUSING	C7AZ 9H558-A	A		C	D	E							
Screw (retainer to air valve shaft)-No. 6-32 x .25" hex. head	353939-S(UU52T)	A		C	D	E							

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 26A THRU 26M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET - FLOAT BOWL - repl. by D3AZ 9561-B(CG-233-A) (5-74)	★C7AZ 9561-A (CG-233)	A	B	C	D	E							
VALVE AND SEAT ASSY. - FUEL INLET Primary-service pkg. includes (1) C7AZ 9569-A gasket	★D0AZ 9564-B (CV-58-A)	A	B	C	D	E							
Secondary	D2AZ 9564-B (CV-86-A)	A	B	C	D	E							
GASKET - HOT IDLE COMPENSATOR	★C0LE 9B567-A	A	B	C	D	E							
GASKET - FUEL INLET NEEDLE SEAT Primary-.51" I.D.-.62" O.D.	C7AZ 9569-A	A	B	C	D	E							
Secondary-.38" I.D.-.50" O.D.	C7AZ 9569-B	A	B	C	D	E							
CUP - PUMP PISTON	C7AZ 9572-A (CM-651)	A	B	C	D	E							
RETAINER - ACCELERATOR PUMP CHECK VALVE (wire)	C7AZ 9575-A (CM-652)	A		C	D	E							
RETAINER - ACCELERATOR PUMP CHECK VALVE DISC - Plastic	C7AZ 9575-B (CM-664)	A	B	C	D	E							
DISC - ACCELERATOR PUMP CHECK VALVE (plastic)	C7AZ 9576-A	A		C	D	E							
Ball (accelerator pump check)-3/16"-steel	371350-S(AA4)	A	B	C	D	E							
SCREW - IDLE AIR BY-PASS SCREW	C7AZ 9578-A (CM-653)	A			D	E							
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-A		B										
PISTON & ROD ASSY.-AIR VALVE DAMPENER	C7AZ 9H578-A	A		C		E							
SHAFT - AIR VALVE	C7AZ 9581-A (CM-654)	A	B	C	D	E							
LEVER & SHAFT ASSY. - THROTTLE	C9ZZ 9581-A (CM-940)	A	B	C									
	C8AZ 9581-J(CM-833)				D	E							
LEVER - AIR VALVE DAMPENER	C7AZ 9H582-A	A		C	D	E							
LEVER - SECONDARY THROTTLE STOP	C7AZ 9583-C	A	B	C	D	E							
Nut(lever to secondary throttle shaft)-No. 10-32	34079-S7(M163)	A											
Lockwasher-No. 10	34803-S7(X60)	A											
LINK - AIR VALVE DAMPENER	C7AZ 9H583-B	A		C	D	E							
PIN - AIR VALVE DAMPENER (1) used to retain accel. pump link (1) used to retain air valve dampener lever	§383070-S(SS-10-E)	2		2	2	2							
	C7AZ 9H584-B		2										
Retainer(air valve dampener pin)-1/8"retaining	377918-S8B(XX14F)	2	2	2	2	2							

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 26A THRU 26M												
		A	B	C	D	E	F	G	H	J	K	L	M
PLATE - THROTTLE - Primary	B8A 9585-E	2	2											
Secondary	C7AZ 9585-E (CM-837)	2	2	2	2	2								
Primary	B7A 9585-F			2										
Screw (primary throttle plates to shaft)- No. 8-32 x 25" hex. head	353358-S(UU52U)	4		4		4								
Screw (secondary throttle plates to shaft)- No. 8-32 x .38" fill. hd.	378361-S2(UU43D)	4	4	4	4	4								
LEVER - MECHANICAL VENT VALVE ADJUSTING	C7AZ 9H585-A	A	B	C	D	E								
LEVER AND SHAFT ASSY. -SECONDARY THROTTLE PLATE	★C8AZ 9A592-A	A												
	C7AZ 9A592-B (CM-680)		B	C	D	E								
SEAL - AIR VALVE DAMPENER ROD	C7AZ 9H593-A (CM-689)	A	B	C	D									
CAM ASSY. - FAST IDLE - r/b D1SZ 9597-A (1-74)	★C8AZ 9597-A (CM-815)	A	B	C	D									
	D1SZ 9597-A (CM-1451)					E								
Screw (fast idle adjusting)-No. 10-32 x 3/4" set slotted headless	382297-S(UU26L)	A	B	C	D									
SPRING - ACCELERATOR PUMP ROD	C7AZ 9D598-A (CM-1037)	A			D	E								
RETAINER - ACCELERATOR PUMP SPRING	C7AZ 9599-A (CM-1038)	A			D	E								
ROD - CHOKE CONTROL	C7AZ 9A599-A	A	B	C	D	E								
Ring (rod to shaft & lever)-1/8" retaining	377918-S8B(XX14F)	2	2	2	2	2								
SHAFT & LEVER ASSY. -CHOKE HOUSING	§ D2AZ 9A753-B (CM-817-A)	A	B		D	E								
PISTON ASSY. - CHOKE	C8SZ 9840-A (CM-720)	A	B		D	E								
Screw & washer (piston to shaft)-No. 6-32 x 1/4"	50802-S7(U150)	A	B											
CLAMP - THERMOSTATIC CHOKE HOUSING	C7AZ 9842-A (CM-666)	A		C										
	C8AZ 9842-A(CM-805)		B		D	E								
Screw (clamp to choke housing)- No. 8-32 x 1/2" fill. head	31093-S7-8(U52)	3	3	3	3	3								
HOUSING - THERMOSTATIC CHOKE	9848													
Identified by letters "EY" - tag codes C8ZF-A, C, M, C8AF-AB	C8AZ 9848-A (CM-826)	A	B	C	D									
HOUSING KIT - THERMOSTATIC CHOKE - identified by letter " EX" -kit includes (1) C1AZ 9871-A gasket & (1) choke housing- tag code C8ZF-B, D, L	C8AZ 9848-B (CM-846)	A	B	C	D	E								
BUSHING - CHOKE HOUSING	C7AZ 9851-A (CM-668)	A	B	C	D	E								
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A (CG-102)	A	B	C	D	E								

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 27A THRU 27M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET	D0DZ 9502-A(CG-257)	A	B	C	D	E	F	G	H	J	K	L	
TUNE-UP KIT - repl. by D0DZ 9A586-B(3-74)	★D0TZ 9A586-A (CT-225)	A	B	C	D	E	F	G	H	J	K	L	
	§ D0DZ 9A586-B (CT-842-A)	A	B	C	D	E	F	G	H	J	K	L	
REPAIR KIT	★C8AZ 9590-B(CR-344) Service details	A	B										
Screw and washer (upper body)-No. 10-32 x 5/8"	43256-S(U80)	3	3	3	3	3	3	3					
Screw (lower body)-No. 12-28 x 3/4"	359710-S(BB78)	3	3	3	3	3	3	3	3				
Screw (fast idle speed)-No. 8-32 x 1" fill. hd.	31125-S8(U53)					E	F		H	J			
Screw (air horn)-No. 10-32 x 5/8" fill. head	31628-S7(U-58)									4	4	4	
Washer-lock	34803-S7(X-60)									4	4	4	
Stud (carb. to intake manifold)-3/8"-16	376282-S2(WW32)										2	2	
LIMITER - IDLE ADJUSTING	C7AZ 9J500-B (CM-747)			C	D	E	F	G	H	J	K	L	
BUSHING - THROTTLE SHAFT	D1DZ 9B508-B (CM-1418)					E	F		H	J	K	L	
WEIGHT-PUMP DISCHARGE BALL	D2DZ 9B511-A (CM-1473)									J	K	L	
GASKET - THROTTLE BODY TO MAIN BODY	C8AZ 9516-A(CG-216)	A	B	C	D	E	F	G	H	J	K	L	
VALVE - ACCELERATOR PUMP DISCHARGE NEEDLE	C7DZ 9A516-A (CM-696)	A	B	C	D	E	F	G	H				
RESTRICTOR - JET - low speed	C7DZ 9A521-A	A	B										
	D0DZ 9A521-B (CM-1070)			C		E			H				
	D0DZ 9A521-A (CM-1069)				D		F	G		J			
	D1TZ 9A521-A (CM-1410)										K	L	
PLUG - IDLE PASSAGE	C8UZ 9523-A	A											
SCREEN - FUEL FILTER	C4AZ 9F525-A		B	C	D	E	F	G	H	J	K	L	
ROD - METERING	9A526												
0 to 5,000 ft. altitude	C8AZ 9A526-C (CM-1003)	A									K	L	
5,000 to 10,000 ft. altitude	C8AZ 9A526-B (CM-828)	A											
0 to 10,000 ft. altitude	C8AZ 9A526-C (CM-1003)		B	C									
0 to 5,000 ft. altitude	D0TZ 9A526-A (CM-1130)				D			G					
	D1AZ 9A526-B (CM-1421)					E			H				
	D1AZ 9A526-D (CM-1426)						F			J			
COVER ASSY. - ACCELERATOR PUMP	C7DZ 9528-A(CM-697)	A	B	C	D	E	F	G	H	J	K	L	
Screw and washer (cover to carb.)-No. 8-32 x 5/8" fillister head	43255-S8(U74)	4	4	4	4	4	4	4	4	4	4	4	
LINK - ACCELERATOR PUMP	C7DZ 9529-A												
Use with non-adjustable metering rod	(CM-698)	A	B	C	D			G					
Use with adjustable metering rod	D0DZ 9529-A (CM-1324)	A	B	C	D	E	F	G	H	J	K	L	
SCREW & WASHER ASSY. - AIR HORN - No. 10-32 x 1-1/2"	C8DZ 9F529-A	3	3	3	3	3	3	3	3	3	3	3	
SCREW - THROTTLE BODY - power lock	D2TZ 9F529-A									J	K	L	
ROD - FAST IDLE CAM	C8AZ 9D530-A (CM-793)	A	B	C	D			G					
R/B D1DZ 9597-D	★D1DZ 9D530-B (CM-1428)					E	F		H				

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 27A THRU 27M											
		A	B	C	D	E	F	G	H	J	K	L	M
JET - MAIN METERING	9533												
Identified .104 - 0 to 5,000 ft. altitude	C8AZ 9533-A(CJ-171)	A									K	L	
Identified .101 - 5,000 to 10,000 ft. altitude	C8AZ 9533-B(CJ-179)	A											
Identified .104 - 0 to 10,000 ft. altitude	C8AZ 9533-A(CJ-171)		B	C	D	E			H	J			
Identified .101 - 0 to 10,000 ft. altitude	C8AZ 9533-B(CJ-179)						F	G					
SPRING - THROTTLE RETURN	C8DZ 9A538-A (CM-769)	A		C	D			G					
	D1DZ 9A538-A (CM-1420)					E	F		H	J	K	L	
SCREW - FAST IDLE ADJUSTING	C7DZ 9B538-A	A	B	C	D			G					
	D1DZ 9B538-D					E	F		H	J	K	L	
Flat washer (bolt-idle adjusting)-No. 10	44716-S(X15)	A	B	C	D	E	F	G					
BAFFLE - AUTOMATIC CHOKE PLATE	C7DZ 9A539-A	A	B	C	D	E	F	G	H	J	K	L	
NEEDLE - IDLE ADJUSTING	C8DZ 9541-A(CM-771)	A											
	C8AZ 9541-F (CM-1007)		B	C	D	E	F	G	H	J	K	L	
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	C8AZ 9B542-A (CM-794)	A	B	C	D	E	F	G	H	J	K	L	
PLATE - CHOKE	C7DZ 9545-A(CM-701)	A	B	C	D	E	F	G	H	J	K	L	
Screw-No. 4-40 x 3/16" (choke plate to choke shaft)	31291-S(U43)	2	2	2	2	2	2	2	2	2	2	2	
SHAFT AND LEVER ASSY. - CHOKE	9546												
	D0DZ 9546-A (CM-1073)	A	B	C	D			G					
	D2DZ 9546-A (CM-1431-A)					E	F		H	J	K	L	
DASHPOT ASSY.	C7DZ 9B549-A (CD-14)	A			D								
	D1DZ 9B549-A (CM-1432)					E	F		*H	J		L	
Tag code D1AF-PA													
Nut (dashpot to dashpot mounting bracket)-5/16" jam	33923-S7(M32)	A					F			J		L	
FLOAT ASSY.	$D5TZ 9550-A (CM-703-A)	A	B	C	D	E	F	G	H	J	K	L	
BRACKET - DASHPOT MOUNTING	C7DZ 9B550-A	A			D								
	D1DZ 9B550-A (CM-1434)						F		H	J	K	L	
Screw (dashpot bracket to carb.)-No. 10-32 x 5/8"	359617-S(BB626)	2											
Screw (dashpot bracket to carb.)-No. 10-32 x 5/8" fill. head	31628-S7(U58)						F		H				
Washer-lock	34803-S7(X60)						F						
SHAFT - FLOAT LEVER	C7DZ 9558-A	A	B	C	D	E	F	G	H	J	K	L	
HUB - FAST IDLE CAM	D1DZ 9D558-B (CM-1419)					E	F		H	J	K	L	
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C7DZ 9B559-A (CM-704)	A	B	C	D	E	F	G	H	J	K	L	
GASKET - FLOAT BOWL	C7DZ 9561-A	A	B	C	D	E	F	G	H	J	K	L	
VALVE AND SEAT ASSY. - FUEL INLET	C8AZ 9564-A(CV-64)	A	B										
	D0DZ 9564-A(CV-77)			C	D								
	D0TZ 9564-A(CV-79)					E	F	G	H	J	K	L	

* Not included with 9510 service carburetor assy.

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 27A THRU 27M											
		A	B	C	D	E	F	G	H	J	K	L	M
RETAINER - CHOKE CONTROL ROD	★ B7A 9565-A	A	B										
FILTER - ACCELERATOR PUMP CAVITY	C8DZ 9F565-A			C	D	E	F		H	J			
GASKET - FUEL INLET NEEDLE SEAT	C6VY 9569-A	A	B	C	D	E	F	G	H	J	K	L	
BALL - PUMP DISCHARGE CHECK-9/16" diameter (steel)	D2DZ 9576-A (CM-1476)									J	K	L	
LEVER - FAST IDLE CAM	C7DZ 9F577-A	A	B	C	D			G					
R/B D1DZ 9597-D (3-74)	★D1DZ 9F577-A (CM-1417)					E	F		H				
SPRING - IDLE ADJUSTING NEEDLE	C8DZ 9578-A (CM-776)	A	B	C	D	E	F	G	H	J	K	L	
Curb speed screw	C8VY 9578-A (CM-750)					E	F		H	J	K	L	
SPRING - FAST IDLE ADJUSTING SCREW	B7A 9578-B	A	B	C	D	E	F	G		J			
Screw-fast idle speed-No. 8-32 x 7/8"	31125-S(U-53)									J	K	L	
LEVER AND SHAFT ASSY. - THROTTLE	C8AZ 9581-M (CM-796)	A	B	C	D								
Tag code D1PF-EA	D1AZ 9581-E (CM-1458)					E			H		K	L	
Tag code D1AF-PA	§ D4DZ 9581-D (CM-1415-A)					E	F			J			
	D0TZ 9581-L (CM-1397)							G					
Screw (idle adjusting)-No. 10-32 x 3/4" hex. hd.	★358825-S(BB538) R/B C7DZ 9B538-A	A											
Flat washer (use with 358825-S)-No. 10	44716-S(X15)	A	B										
SPACER - DIAPHRAGM	D0DZ 9B581-A							G					
PLATE - THROTTLE	C8AZ 9585-G (CM-798)	A	B	C	D	E	F	G	H	J	K	L	
Screw (plate lever to shaft)-No. 4-40 x 3/16"	31291-S(U43)	2	2	2	2	2	2	2	2	2	2	2	
BRACKET - THROTTLE EMISSION CONTROL SOLENOID	C8AZ 9J586-A		B	C				G					
	D1DZ 9J586-A					E				J	K		
Screw (bracket to carb.) 1/4"-20 x 3/4"	20344-S8(B42)					E				J	K		
Nut (attaches throttle emission control solenoid bracket)-No. 10-32 hex.	34079-S7(M163)					E		G	H		K		
Lockwasher-1/4" external tooth	34940-S7(X88)										K		
Nut(attaches throttle emission control solenoid bracket)	34129-S8(M-148)									J	K		
LEVER - ACCELERATOR PUMP	C7DZ 9D591-A	A	B	C	D	E	F	G	H	J	K	L	
Screw (accel. lever to throttle lever)-No. 10-32 x 5/16"	50804-S8(U157)	A	B	C	D	E	F	G	H	J	K	L	
CAM ASSY. - FAST IDLE	C8DZ 9597-A (CM-780)	A	B	C	D			G					
CAM KIT - FAST IDLE	ø D1DZ 9597-D (CM-1417-A)					E	F		H	J	K	L	
SPRING - ACCELERATOR PUMP ROD - Upper	C7DZ 9D598-A	A	B	C	D	E	F	G	H	J	K	L	
RETAINER - ACCELERATOR PUMP SPRING - Upper	C7DZ 9599-A	A	B	C	D	E	F	G	H	J	K	L	
RETAINER - FAST IDLE CAM ROD	D1DZ 9599-A (CM-1467)					E	F		H	J	K	L	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 27A THRU 27M											
		A	B	C	D	E	F	G	H	J	K	L	M
ROD - CHOKE CONTROL	C8UZ 9A599-B (CM-799)	A	B	C	D			G					
Retainer-spring-3/64" (retains C8UZ 9A599-B)	359734-S(RR2)	A	B	C	D	E	F	G					
SCREW - AIR CLEANER RETAINER TO CARBURETOR - No. 10-24 x 1/2" -slotted pan head top tite	C8DZ 9C631-A	2	2	C	D	E	F	G	2	2	2	2	
SPRING - ACCELERATOR PUMP LEVER RETURN - Lower	C8DZ 9636-A (CM-784)		B					G					
	C8UZ 9636-A (CM-785)			C	D	E	F		H				
	D0ZZ 9636-B (CM-1230)									J	K	L	
RETAINER - AIR CLEANER TO CARBURETOR	C8DZ 9B672-A	A	B	C	D	E	F	G	H	J	K	L	
ARM ASSY. - METERING ROD Use with non-adjustable metering rod	C7DZ 9D819-A	A	B	C	D			G					
Use with adjustable metering rod	D0DZ 9D819-A (CM-1325)	A	B	C	D	E	F	G	H	J	K	L	
PISTON ASSY. - CHOKE	C8DZ 9840-A (CM-786)	A	B										
	C8DZ 9840-B (CM-1010)			C	D			G					
	D1DZ 9840-C (CM-1436)					E			H				
	D1TZ 9840-B (CM-1438)						F			J	K	L	
Pin (attach piston to choke shaft)- supplied in 9840 assy.	★359729-S	A	B	C	D	E	F	G	H				
CLAMP - THERMOSTATIC CHOKE HOUSING	★ B7A 9842-B	3	3	3	3			3					
	D0ZZ 9842-A (CM-1234)					3	3		3	3	3	3	
Screw (attach clamp to choke housing)- No. 8-32 x 1/4"	31032-S8(U47)	3	3	3	3	3	3	3	3	3	3	3	
HOUSING - THERMOSTATIC CHOKE	D0BZ 9848-A (CM-1136)	A	B										
	D0TZ 9848-A (CM-1137)			C									
	D0TZ 9848-B (CM-1138)				D	E	F	G	H	J	K	L	
SOLENOID ASSY. - THROTTLE EMISSION CONTROL	D1AZ 9D856-C		B	C		E		G					
	D2AZ 9D856-B									J	K	L	
Nut (solenoid assy.)-5/16"-18 square	34129-S8(M148)					E							
Washer - lock	34940-S78(X88)					E							
GASKET - THERMOSTATIC CHOKE HOUSING	C7DZ 9871-A	A	B										
	B8A 9871-B			C	D	E	F	G	H	J	K	L	
RETAINER - LOWER ACCELERATOR SPRING	★ECZ 99704-A	A				3	3		H	3	K	L	

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 28A THRU 28M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET - repl. by D2AZ 9502-A (5-74)	★D0AZ 9502-A (CG-264)	A	B	C	D	E	F	G	H	J			
Repl. by D2AZ 9502-A (6-74)	★D1AZ 9502-A (CG-264-A)										K	L	M
	§ D2AZ 9502-A (CG-264-B)	A	B	C	D	E	F	G	H	J	K	L	M
TUNE-UP KIT - repl. by D4AZ 9A586-A	★D2AZ 9A586-B (CT-499-C)	A	B	C	D	E	F	G	H	J	K	L	M
	§ D4AZ 9A586-A (CT-499-D)	A	B	C	D	E	F	G	H	J	K	L	M
REPAIR KIT	★C9OZ 9590-A(CR-368) Service details	A		C									
	★C9AZ 9590-A(CR-367) Service details		B										
Screw (to adjust trans. kickdown)-No. 10-32 x 1.00" hex. head	379622-S8(UU52M)	A	B	C		E	F	G		J		L	M
LIMITER - IDLER ADJUSTING NEEDLE	C7AZ 9J500-B (CM-747)	2	2	2	2	2	2	2	2	2	2	2	2
SEAL - FAST IDLE ROD	C7AZ 9B501-A	A	B	C	D	E	F	G	H	J	K	L	M
WEIGHT - PUMP DISCHARGE BALL - .109" O.D. - .88" long	C2OZ 9B511-A (CM-555)	A	B	C	D	E	F	G	H	J			
	C9AZ 9B511-A (CM-1126)										K	L	M
Ball (accel. pump inlet passage)-3/16"-steel	371350-S(AA4)	A	B	C	D	E	F				K	L	M
ROD - FLOAT BOWL VENT	C6TZ 9A515-B	A	B	C									
BRACKET - FLOAT BOWL VENT	§ D4AZ 9E520-A	A	B	C									
SUPPORT ASSY. - BOOSTER VENTURI	9A523												
Identified by letters "PP"	D1PZ 9A523-R (CM-1053-A)	A	B	C									
Identified by letters "CC-B, PR"	D0AZ 9A523-K (CM-1261)							G		J			
Identified by letters "PS" or "SR"	ø D1PZ 9A523-T (CM-929-A)				D	E	F		H				
Identified by letters "PY"	D1PZ 9A523-Z (CM-1462)										K	L	M
HORN - AIR	C7AZ 9524-A	A	B	C									
Screw & washer (horn & plugs to main body)-No. 10-32 x 5/8"	43256-S8(U77F)	4	4	4	4	4	4	4	4	4	4	4	4
SCREEN - FUEL FILTER	C4AZ 9F525-A				D	E	F	G	H	J	K	L	M
COVER ASSY. - ACCELERATOR PUMP	D1AZ 9528-A (CM-648-A)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (cover to carb.)-No. 8-32 x 9/16"-fillister head	379436-S8B(UU43F)	4	4	4									
Screw (cover to carb.)-No. 8-32 x 9/16" hex. hd.	376262-S (UU52AJ)				4	4	4	4	4	4	4	4	4
LINK - ACCELERATOR PUMP Tag codes D1AF-JA, KA	★C4AZ 9529-B(CM-647) r/b D1AZ 9528-A	A	B	C	D	E	F				K	L	M
ROD - FAST IDLE CAM	C3AZ 9D530-A	A	B	C	D	E	F				K	L	M
Retainer (fast idle cam rod)-"C" washer	351825-S(XX9)	2	2	2	2	2	2						

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 28A THRU 28M											
		A	B	C	D	E	F	G	H	J	K	L	M
JET - MAIN METERING	9533												
No. 54F - 0 to 10,000 ft. altitude	C3GY 9533-C(CJ-146)	2		2	2						2	2	2
No. 56F - 0 to 10,000 ft. altitude	C3GY 9533-D(CJ-147)		2										
No. 55F - 0 to 10,000 ft. altitude	C3UZ 9533-B(CJ-140)					2	2	2		2			
No. 57F - 0 to 10,000 ft. altitude	C3OZ 9533-A(CJ-129)								2				
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A	A	B	C	D	E	F	G	H	J	K	L	M
LEVER - FAST IDLE ADJUSTING	C4AZ 9538-A(CM-905)	A	B	C	D	E	F				K	L	M
	D0AZ 9538-A (CM-1105)							G	H	J			
Nut (lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	A	B	C	D	E	F				K	L	M
Lockwasher-No. 10	34903-S8(X96)	A	B	C	D	E	F				K	L	M
Screw (retains lever)-No. 8-32 x 9/16" pan. hd.	★383679-S(BB675B)							G	H	J			
Screw (lever stop)-No. 8-32 x 1/4" fill. hd.	★383687-S(BB668G)							G	H	J			
SCREW - FAST IDLE ADJUSTING	C4AZ 9B538-A	A	B	C	D	E	F				K	L	M
Tag codes D0OF-K, L, M, T, U, V	C3TZ 9B538-A							G	H	J			
NEEDLE - IDLE ADJUSTING	C9AZ 9541-A(CM-955)	2	2	2	2	2	2	2	2	2	2	2	2
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER Tag code D1AF-JA, KA	§D2AZ 9B542-B (CM-1526-A)	A	B	C	D	E	F	G	H	J	K	L	M
Tag code D1AF-XA, YA	D1AZ 9B542-B (CM-1478-A)											L	M
Clip (accel. pump link to throttle lever rod to overtravel pump lever)	375894-S7-8(GG215)	A	B	C	D	E	F	G	H	J	K	L	M
PLATE - CHOKE	C2AZ 9545-A(CM-576)	A	B	C									
	D0AZ 9545-A (CM-1061)				D	E	F	G	H	J	K	L	M
Screw (choke plate)-No. 6-32 x .31" pan. hd.	381761-S(UU81JA)	2	2	2									
Screw (choke plate)-No. 6-32 x .31" hex. hd.	375016-S2(UU52AK)				2	2	2	2	2	2	2	2	2
SHAFT and LEVER ASSY. - CHOKE	C5AZ 9546-B(CM-591)	A	B	C									
	D0AZ 9546-A (CM-1088)				D	E	F	G	H	J	K	L	M
DASHPOT ASSY.	C8AZ 9B549-A(CD-15)	A	B	C		E				J		L	
Nut-5/16"-24	33923-S7(M32)	A	B	C		E				J		L	
Lockwasher-5/16"	34806-S7(X64)	A	B	C		E				J	K	L	
DIAPHRAGM & RETAINER ASSY. - CHOKE CONTROL	D0AZ 9J549-C (CK-1283)				D	E	F	G	H	J	K	L	M
Screw (diaphragm & retainer)-No. 8-32 x 7/16"-allen head	358544-S8(UU28C)										K	L	M
FLOAT ASSY.	C6AZ 9550-C(CM-672)	A	B	C									
Repl. by D4AZ 9550-A (3-75)	★D0AZ 9550-A (CM-1062)				D	E	F	G	H	J	K	L	M
BRACKET - DASHPOT MOUNTING	D0AZ 9B550-A (CM-1113)	A	B	C		E				J	K	L	
Screw & washer (dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)	A	B	C		E				J	K	L	M
LEVER - CHOKE SHAFT	D0AZ 9551-A (CM-1091)				D	E	F	G	H	J	K	L	M
Screw (lever-choke shaft)-No. 6-32 x 3/8" pan head	50802-S7(U150)				D	E	F	G	H	J	K	L	M
PLATE - AIR DISTRIBUTION	C3MY 9F553-A	A	B	C									
	D0AZ 9F553-A				D	E	F	G	H	J	K	L	M

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 28A THRU 28M											
		A	B	C	D	E	F	G	H	J	K	L	M
LEVER - CHOKE CONTROL DIAPHRAGM	D1AZ 9J553-A				D	E	F	G	H	J	K	L	M
Rivet (lever-choke control)-1/8" x .59 split	382671-S(SS10D)							G	H	J			
Coiled spring pin(lever choke diaphragm)-.010" O. D. x 9/16"	★67529-S2										K	L	M
COVER - CHOKE CONTROL DIAPHRAGM	D0AZ 9J554-A				D	E	F	G	H	J	K	L	M
Nut (cover-choke control)-No. 10-24 x 1/8" hex.	34053-S8(M156)				3	3	3	3	3	3			
Washer (cover-choke control)-No. 10-3/8" x 1/64" lock	34903-S8(X96)				3	3	3	3	3	3			
Screw (cover-choke diaphragm)-No. 8-32 x 9/16"	376262-S(UU52AJ)										3	3	3
VALVE - FLOAT BOWL VENT	C4TZ 9557-B	A	B	C									
SHAFT - FLOAT LEVER	B8A 9558-A(CM-183)	A	B	C	D	E	F	G	H	J	K	L	M
SWIVEL - CHOKE PLATE ADJUSTING	C5AZ 9F558-A	A	B	C									
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - FLOAT BOWL VENT RETURN	C6TZ 9560-A(CM-645)	A	B	C									
GASKET - FLOAT BOWL	C8AZ 9561-C(CG-292)	A	B	C									
	D0AZ 9561-B (CG-256A)				D	E	F	G	H	J	K	L	M
GASKET - ECONOMIZER COVER	B7A 9563-A(CG-234)	A	B	C	D	E	F	G	H	J	K	L	M
VALVE KIT - FUEL INLET (1) B7AZ 9599-B retainer	D2AZ 9564-A (CV-54-A)	A	B	C	D	E	F	G	H	J	K	L	M
ECONOMIZER KIT	9A565												
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-0 to 10,000 feet altitude	C0AZ 9A565-A(CE-74)		B						H		K	L	M
Color Ident. "GREEN" - Kit includes-(1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-0 to 10,000 feet altitude	C0AZ 9A565-B(CE-75)	A		C									
Color Ident. "RED" - Kit includes-(1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer-0 to 10,000 feet altitude	C0AZ 9A565-C(CE-76)				D	E	F	G		J			
GASKET - FUEL INLET NEEDLE SEAT	★B7A 9569-A	A	B	C	D	E	F	G	H	J	K	L	M
Screw & washer assy. (choke housing to main body)-No. 8-32 x 1.76" fillister head	378547-S7-8(BB61B)	3	3	3	3	3	3						
SPRING - FLOAT DAMPENER	C3AZ 9F570-A				D	E	F	G	H	J	K	L	M
HOUSING ASSY. - CHOKE	C9ZZ 9A575-A (CC-56)	A	B	C									
	D0AZ 9A575-A(CC-57)				D	E	F	G	H	J			
	D1AZ 9A575-C (CC-58-A)										K	L	M
VALVE - ACCELERATOR PUMP CHECK - Plastic	C4AZ 9576-A (CM-825)	A	B	C	D	E	F	G	H	J	K	L	M

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 28A THRU 28M											
		A	B	C	D	E	F	G	H	J	K	L	M
SCREW - PUMP DISCHARGE NOZZLE	C0AZ 9577-A(CM-607)	A	B	C	D	E	F				K	L	M
Washer-1/4" flat (buna coated aluminum)	374370-S(XX94A)	A	B	C									
Ball 3/16" steel-used as pump discharge check valve	371350-S(AA4)				D	E	F						
LEVER - FAST IDLE CAM	C4AZ 9F577-B (CM-492)	A	B	C	D	E	F				K	L	M
	★D0AZ 9F577-A							G	H	J			
SPRING - FAST IDLE ADJUSTING NEEDLE	★40 9578							2	2	2	2	2	2
Screw (lever adjusting)-No.6-32 x .75" hex. hd.	372307-S(BB527)	A	B	C									
SPRING - FAST IDLE ADJUSTING SCREW - 4 1/2 coils-.20" I.D.-.58" long	B8A 9578-B(CM-609)	A	B	C				G	H	J	K	L	M
Screw (normal idle adjusting)-No. 10-32 x 1" special hex. head slotted	355107-S7(BB536)	A	B	C				G	H	J	K	L	M
PIN - FAST IDLE ADJUSTING LEVER	B9A 9579-A	A	B	C									
LEVER AND SHAFT ASSY. KIT - THROTTLE-repl. by D2AZ 9581-A (12-74)	★C9AZ 9581-C (CM-1047)	A	B	C	D	E	F				K	L	M
LEVER AND SHAFT ASSY. - THROTTLE	D2OZ 9581-D (CM-1099-B)							G		J			
	§D2OZ 9581-C (CM-1098-B)								H				
	§D2AZ 9581-A (CM-1047-A)	A	B	C	D	E	F				K	L	M
PLATE - THROTTLE	C4MY 9585-A	2	2	2	2	2	2	2	2	2	2	2	2
Screw (throttle plate)-No.8-32 x .38" fillister head-use with steel shaft	378361-S2(UU43D)	4	4	4	4	4	4	4	4	4	4	4	4
BRACKET - THROTTLE EMISSION CONTROL SOLENOID	C9AZ 9J586-A				D		F	G	H		K		M
Screw & washer (throttle emission bracket)-No. 10-32 x 1/2"	43252-S8(U77)												M
SPRING - CHOKE CONTROL	D0AZ 9587-A (CM-1271)				D	E	F	G	H	J	K	L	M
GASKET - ECONOMIZER VALVE	C2AZ 9A588-B (CM-533)	A	B	C	D	E	F	G	H	J	K	L	M
CAM ASSY. - FAST IDLE	C5AZ 9597-D(CM-637)	A	B	C	D	E	F						
Identified by letter "B"	D0AZ 9597-C (CM-1268)							G	H	J	K	L	M
Screw (fast idle cam)-No. 6-32 x 3/4" hex. head	372307-S(BB527)							G	H	J	K	L	M
Retainer (fast idle cam)-"C" washer	351825-S(XX9)	A	B	C	D	E	F				2	2	2
LEVER - DECHOKE OVERRIDE	D0AZ 9J598-B							G	H	J			
Nut (lever-dechoke)-No. 10-32 x 1/8" hex.	34079-S7(M163)							G	H	J	K	L	M
Lockwasher (lever-dechoke)-No. 10	34903-S7(X96)							G	H	J	K	L	M
RETAINER - FLOAT LEVER SHAFT	B7AZ 9599-B(CM-612)	A	B	C									
	D0AZ 9599-A (CM-1065)				D	E	F	G	H	J	K	L	M
ROD - CHOKE CONTROL	C5AZ 9A599-B (CM-915)	A	B	C									
	D0AZ 9A599-B (CM-1066)				D	E	F	G	H	J	K	L	M
Ring (rod to shaft)	377918-S8B(XX14F)	A	B	C	D	E	F				K	L	M
Retainer (rod to carburetor)	353610-S8(NN126)	A	B	C									

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 28A THRU 28M											
		A	B	C	D	E	F	G	H	J	K	L	M
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A(CM-544)	A	B	C	D	E	F	G	H	J	K	L	M
SHAFT AND LEVER ASSY. - CHOKE HOUSING	§ D2AZ 9A753-A (CM-1510)	A	B	C	D	E	F				K	L	M
Retainer (shaft & lever to choke hsg.)-"C" washer	353862-S8(XX10)	A	B	C	D	E	F						
LEVER - CHOKE THERMOSTAT	D0AZ 9A754-A				D	E	F						
	D1AZ 9A754-C										K	L	M
PISTON ASSY. - CHOKE	C6AZ 9840-B(CM-624)	A	B	C									
CLAMP - THERMOSTATIC CHOKE HOUSING	C8AZ 9842-B (CM-1045)	A	B	C	D	E	F				K	L	M
Screw (clamp housing)-No. 8-32 x 1/2"	31061-S8(U50)	3	3	3	3	3	3						
HOUSING KIT - THERMOSTATIC CHOKE	9848												
Identified by letters "TW" - kit includes- (1) C1AZ 9871-A, (1) D0AZ 9871-A gaskets & (1) choke housing	C6AZ 9848-A(CM-623)	A	B	C	D	E	F						
Identified by letters "TO" - kit includes - (1) C1AZ 9871-A gasket, (1) choke housing	C4AZ 9848-B(CM-459)							G	H	J			
Identified by "TB4" - kit includes (1) D1AZ 9871-A gasket & (1) choke housing	D1AZ 9848-B (CM-1455)											L	M
Identified by "TB5" - kit includes (1) D1AZ 9871-A gasket & (1) choke housing	D1AZ 9848-C (CM-1456)										K		
BUSHING - CHOKE THERMOSTAT LEVER	C8AZ 9851-A(CM-751)	A	B	C	D	E	F				K	L	M
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A(CG-93)	A	B	C	D	E	F			J	K	L	M
SOLENOID ASSY. - THROTTLE EMISSION CONTROL	D0AZ 9D856-A				D		F	G	H	J	K		M
Nut (solenoid-throttle emission)-7/16"-20 hex.	382644-S13(MM121ZD)							G	H	J			
Nut (solenoid-throttle emission)-7/16"-20 hex.	45219-S2(M173)										K		M
SHIELD - CHOKE THERMOSTAT	D2AZ 9861-A	A	B	C									
	C9ZZ 9861-A				D	E	F			J	K	L	M
Screw and washer (shield to housing)- No. 8-32 x 3/8" fillister head	43248-S8(U72)	4	4	4									
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)	A	B	C	D	E	F						
	D0AZ 9871-A(CG-262)							G	H	J			
	D1AZ 9871-A(CG-317)										K	L	M
DIAPHRAGM ASSY.-THROTTLE MODULATOR	D0AZ 9D896-B (CM-1068)								H				
COVER - ECONOMIZER VALVE	C8AZ 9930-A(CM-728)	A	B	C	D	E	F	G	H	J	K	L	M
Screw and washer (cover to carb.)- No. 8-32 x 3/8" fillister head	43248-S8(U72)	4	4	4	4	4	4	4	4	4			
Screw & washer (cover to carb.)- No. 8-32 x 3/8" fillister head	43251-S8(U73)										4	4	4

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 28N THRU 28Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET SET-r/b D2AZ 9502-A (5-74)	★D1AZ 9502-A (CG-264-A)	N	P	Q									
	ø D2AZ 9502-A (CG-264-B)	N	P	Q			T	U	V	W	X	Y	
TUNE-UP KIT	§ D4AZ 9A586-A (CT-499-D)	N	P	Q			T	U	V	W	X	Y Y	
Screw & washer (horn & plugs to main body)-No. 10-32 x 5/8"	43256-S8(U77F)	4	4	4	4	4	4	4	4	4	4	4	
Screw (to adjust trans. kickdown)-No. 10-32 x 1.00" hex. head Tag codes D2AF-UC, D2OF-PA, RA, UA, UB, UC, D2MF-CB, DA, DB, EA, EB, FA, FB, FC, FE, FF, D2PF-HA, HB, D2WF-CA, CB, D3PF-DA	379622-S8(UU52M)	N		Q	R	S	T	U		W		Y	
SPRING - TRANSMISSION KICKDOWN CONTROL LEVER RETRACTING Tag codes D1OF-AHA, D1ZF-AEA, D2AF-UC, D2OF-JA, PA, RA, UA, UB, UC, D2MF-CB, DA, DB, EA, EB, FA, BF, FC, FE, FF, D2PF-HA, HB, D2WF-CA, CB, D3PF-DA	D1AZ 7B146-A			Q	R	S	T	U		W		Y	
Tag code D2PF-KA											X		
LIMITER - IDLE ADJUSTING NEEDLE	C7AZ 9J500-B (CM-747)	2	2	2	2	2	2	2	2	2	2	2	
SEAL - FAST IDLE ROD Tag code D2PF-KA	C7AZ 9B501-A	N	P	Q	R	S	T	U	V	W	X	Y	
WEIGHT - PUMP DISCHARGE BALL	C9AZ 9B511-A (CM-1126)	N	P	Q	R		T	U	V	W	X	Y	
Ball (accel. pump inlet passage)-3/16" steel	371350-S(AA4)	N	P	Q	R	S	T	U	V	W	X	Y	
CONTROL ASSY. - VACUUM BREAK	★D2AZ 9S514-B r/b D2AZ 9S514-H (1-74)				R	S	T	U	V		X	Y	
	D2AZ 9S514-H (CK-1985)				R	S	T	U	V	W	X	Y	
Screw (vacuum break control to carb.)-No. 8-18 x 1/2"	56910-S(U-413)				R	S	T	U	V	W	X	Y	
ROD-FLOAT BOWL VENT	D2AZ 9A515-A (CM-1470)				R	S	T	U	V	W		Y	
BRACKET - BOWL VENT ROD	§ D4AZ 9E520-A				R	S	T	U	V	W		Y	
SUPPORT ASSY. - BOOSTER VENTURI - identified by letters "PZ" or "JJ", tag codes D1OF-RA, YA, AHA, D1FZ-SA, UA, ACA, AEA Tag codes D2AF-UC, D2MF-CB, DA, DB, EA, EB, FA, FB, FC, FE, FF, D2OF-PA, RA, UA, UB, UC, D2PF-HA, HB, D2WF-CA, CB, D2ZF-KA, LA, LB, LC, D3PF-DA	D1PZ 9A523-AA (CM-1463)			Q								Y	
Tag code D4PF-FA	D3TZ 9A523-A (CM-1738)											Y	
Identified by letters "PPA" Tag code D1MF-KA, LA	D1PZ 9A523-AB (CM-1464)	N		Q									
Identified by letters "PX" or "KK" Tag code D1OF-ZA, AJA	D1PZ 9A523-Y (CM-1461)		P	Q									
Identified by letters "PO"-tag codes D2GF-AA, AB, AC, BA, BB, BC, D2OF-KB	D1PZ 9A523-P (CM-1056-A)									W			
Identifed by letters "PY"-tag codes D2AF-FB, FC, FD, GB, GC, GD, HB, HC, D2OF-VA, D2PF-GA, GB, D2ZF-FB, MA, MB	D1PZ 9A523-Z									W			
	D1TZ 9A523-G (CM-1506)										X		
Tag code D4PE-EA, EB, EC	ø D3GY 9A523-A (CM-1766)									W			
SCREEN - FUEL FILTER	C4AZ 9F525-A	N	P	Q	R	S	T	U	V	W	X	Y	

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 28N THRU 28Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
COVER ASSY. - ACCELERATOR PUMP	D1AZ 9528-A (CM-648-A)	N	P	Q		S					X		
	D2AZ 9528-A (CM-648-B)				R		T	U	V	W		Y	
Screw (cover to carb.)-No. 8-32 x 9/16" hex. hd.	376262-S(UU52AJ)	4	4	4	4	4	4	4	4	4	4	4	
ROD - FAST IDLE CAM	C3AZ 9D530-A	N	P	Q	R	S	T	U	V	W	X	Y	
JET - MAIN METERING	9533												
No. 53F - 0 to 10,000 ft. altitude Tag code D1MF-KA, D2MF-FE, FF, D2ZF-LB, LC	C3DZ 9533-A (CJ-128)	2		2								2	
No. F4F - 0 to 10,000 ft. altitude Tag codes D1OF-RA, YA, AHA, D1ZF-UA, SA, AEA, D2AF-UC, D2MF-CB, FB, FC, D2OF-RA, UB, UC, D2PF-HA, HB, D2WF-CA, CB, D3PF-DA	C3GY 9533-C (CJ-146)			2								2	
No. 61F - 0 to 10,000 ft. altitude Tag codes D1OF-ZA, AJA, D2ZF-LA	C3TZ 9533-C (CJ-138)		2	2								2	
Tag code D2OF-UA, D4PE-FA, FB	ø C3UZ 9533-B(CJ-140)											2	
Tag code D2OF-KA	C3UZ 9533-D(CJ-142)									2		2	
No. 47F	C3UZ 9533-E(CJ-151)										2		
No. 49F-tag code D4PE-EA, EB, EC	ø C3DZ 9533-C(CJ-137)									2			
GASKET - BOOSTER VENTURI SUPPORT	B8AZ 9A536-A	N	P	Q	R	S	T	U	V	W	X	Y	
LEVER - FAST IDLE ADJUSTING -tag codes D2MF-CB, DA, DB, EA, EB, FA, FB, FC, D2OF-PA, RA, UA, UB, UC, D2PF-HA, HB, D2WF-CA, CB, D2ZF-KA, LA, LB, LC, D3PF-DA, D4PE-FA, FB	ø D0AZ 9538-A (CM-1105)	N	P	Q			T	U	V			Y	
Tag code D2AF-UC, D2MF-FE, FF	D1MY 9538-A (CM-1592)											Y	
	D2AZ 9538-A (CM-1509)				R	S				W	X		
Nut (lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	N	P	Q	R					W	X	Y	
Lockwasher-No. 10	34903-S8(X96)	N	P	Q	R					W	X	Y	
SCREW - FAST IDLE ADJUSTING Tag codes D2GF-AA, BA	ø C3TZ 9B538-A	N	P	Q			T	U	V	W			
Tag codes D2MF-CB, DA, DB, EA, EB, FA, FB, FC, FF, D2OF-PA, RA, UA, UB, UC, D2PF-HA, D2WF-CA, D2ZF-KA, LA, LB, LC, D3PF-DA, D4PE-FA, FB												Y	
Tag codes D2AF-FB, FC, GB, GC, HB, D2GF-AB, BB, D2PF-GA, D2ZF-MA	C4AZ 9B538-A									W			
Tag code D2AF-UC, D2MF-FE, D2PF-HB, D2WF-CB	D1MY 9B538-B (CM-1593)											Y	
NEEDLE - IDLE ADJUSTING	C9AZ 9541-A(CM-955)	2	2	2	2	2	2	2	2			2	
	C7MY 9541-B(CM-749)									2	2		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 28N THRU 28Z										
		N	P	Q	R	S	T	U	V	W	X	Y	Z
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER - continued	9B542												
Tag codes D2MF-FE,FF	D1AZ 9B542-B											Y	
Tag codes D1OF-AHA,D1ZF-AEA	(CM-1478-A)			Q									
	D2AZ 9B542-B (CM-1526-A)	N	P	Q	R		T	U	V	W	X	Y	
Tag code D4PE-FA,FB	ø D4AZ 9B542-A											Y	
Tag code D4PE-EA,EB,EC	(CM-1810)									W			
Clip (accel. pump link to throttle lever rod to overtravel pump lever)	375894-S7-8(GG215)	N	P	Q	R	S	T	U	V				
"Before 10/12/71"										W	X	Y	
PLATE - CHOKE	D0AZ 9545-A (CM-1061)	N	P	Q	R	S	T	U	V	W	X	Y	
Screw (choke plate)-No. 6-32 x .31" hex. hd.	375016-S2(UU52AK)	2	2	2	2	2	2	2	2	2	2	2	
SHAFT and LEVER ASSY. - CHOKE	D0AZ 9546-A (CM-1088)	N	P	Q	R	S	T	U	V	W	X	Y	
DASHPOT ASSY. -tag codes D2GF-AA,AB,AC, D2AF-FB-FC,FD,HB,HC,D2PF-GA,GB,HA	C8AZ 9B549-A (CD-15)									W		*Y	
Nut-5/16" hex(locks dashpot)-tag codes D2GF-AA,AB,AC,D2AF-FB,FC,FD,HB,HC, D2PF-GA,GB,HA	33923-S9(M32)									W		*Y	
DIAPHRAGM & RETAINER ASSY. - CHOKE CONTROL	D0AZ 9J549-C (CK-1283)	N	P	Q			T	U	V	W	X	Y	
Screw (diaphragm & retainer)- No. 8-32 x 7/16"-allen head	358544-S8(UU28C)	N	P	Q	R	S	T	U	V	W	X	Y	
FLOAT ASSY. -repl. by D4AZ 9550-A (3-75)	★D0AZ 9550-A	N	P	Q	R	S	T	U	V		X		
Exc. tag code D4PE-FA,FB	(CM-1062)											Y	
Exc. tag code D4PE-EA,EB,EC										W			
Tag code D4PE-FA,FB	ø D4AZ 9550-A											Y	
Tag code D4PE-EA,EB,EC	(CM-1062-A)									W			
BRACKET-DASHPOT MOUNTING -tag codes D2GF-AA,AB,AC,D2AF-FB,FC,FD,HB,HC, D2PF-GA,GB,HA	D0AZ 9B550-A (CM-1113)									W		*Y	
Screw & washer assy. No.10-32 x 1/2" (dashpot bracket)-tag codes D2AF-FB, FC, FD,HB,HC, D2GF-AA, AB, AC,D2PF-GA,GB,HA	43252-S8(U77)									W	X	*Y	
LEVER - CHOKE SHAFT	D0AZ 9551-A (CM-1091)	N	P	Q	R	S	T	U	V	W	X	Y	
Screw (lever-choke shaft)- No. 6-32 x 3/8" pan head	50802-S7(U150)	N	P	Q	R	S	T	U	V	W	X	Y	
PLATE - AIR DISTRIBUTION	D0AZ 9F553-A	N	P		R	S	T	U	V	W	X	Y	
Tag code D1MF-KA,D1OF-RA,YA,ZA, AHA,AJA,D1ZF-SA,UA,ACA,AEA				Q									
Tag code D1MF-LA	★D1AZ 9F553-A			Q									
LEVER - CHOKE CONTROL DIAPHRAGM	D1AZ 9J553-A	N	P	Q	R	S	T	U	V	W	X	Y	
Coiled spring pin (lever choke diaphragm)- .010" O. D. x 9/16"	★67529-S2	N	P	Q	R	S	T	U	V	W	X	Y	
COVER - CHOKE CONTROL DIAPHRAGM	D0AZ 9J554-A	N	P	Q	R	S	T	U	V	W	X	Y	
Screw (cover-choke diaphragm)- No. 8-32 x 9/16"	376262-S(UU52AJ)	3	3	3	3	3	3	3	3	3	3	3	
SHAFT - FLOAT LEVER	B8A 9558-A(CM-183)	N	P	Q	R	S	T	U	V	W	X	Y	

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

* Not part of Service Carburetor

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 28N THRU 28Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
SWIVEL - CHOKE DIAPHRAGM ADJUSTING	C5AZ 9F558-A				R	S	T	U	V	W	X	Y	
DIAPHRAGM ASSY. - ACCELERATOR PUMP	C4AZ 9B559-A (CM-463)	N	P	Q	R	S	T	U	V	W	X	Y	
SPRING - FLOAT BOWL RETURN	D2AZ 9560-B (CM-1471)				R	S	T	U	V	W		Y	
GASKET - FLOAT BOWL Tag codes D2AF-UC, D2MF-CB, DA, DB, EA, EB, FA, FB, FC, FE, FF, D2OF-PA, RA, UA, UB, UC, D2PF-HA, HB, D2WF-CA, CB, D2ZF-KA, LA, LB, LC, D4PE-FA, FB	ø D0AZ 9561-B (CG-256-A)	N	P	Q	R	S	T	U	V	W	X	Y	
Tag code D3PF-DA	D3AZ 9561-C (CG-256-B)											Y	
GASKET - ECONOMIZER COVER	B7A 9563-A	N	P	Q	R	S	T	U	V	W	X	Y	
VALVE KIT - FUEL INLET - kit includes (1) B7A 9569-A gasket & (1) B7AZ 9599-B retainer	D2AZ 9564-A (CV-54-A)	N	P	Q			T	U	V	W	X	Y	
ECONOMIZER KIT	9A565												
Kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket and (1) C0AZ 9A565-A economizer-tag code D2PF-KA	C0AZ 9A565-A (CE-74)										X		
Color ident. "GREEN" - kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer - 0 to 10, 000 ft. altitude	C0AZ 9A565-B (CE-75)		P										
Tag code D1OF-AJA, ZA				Q									
Tag codes D2AF-HB, HD, D2GF-AA, AB, AC, BA, BB, BC, D2OF-VA, D2PF-GA, GB, D2ZF-FB, MA, MB, D4PE-EA										W			
Tag codes D2AF-UC, D2MF-CB, DA, DB, EA, EB, FA, FC, FE, FF, D2OF-PA, RA, UA, UB, UC, D2PF-HA, HB, D2WF-CA, CB, D2ZF-KA, LA, D3PF-DA												Y	
Color ident. "RED" - kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer - 0 to 10, 000 ft. altitude	C0AZ 9A565-C (CE-76)			Q									
Tag code D1OF-RA, YA, AHA, D1ZF-SA, D1ZF-UA, ACA, AEA													
Color ident. "BLACK" kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer	ø C3AZ 9A565-B (CE-73)												
Tag code D2OF-KB										W			
Tag codes D2ZF-LB, LC, D4PE-FA, FB												Y	
Identified by color "Yellow" - kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer	C3AZ 9A565-D (CE-78)									W			
Tag codes D2AF-FB, FC, FD, GC, GD													
Color ident. "ORANGE" - kit includes (1) B7A 9563-A gasket, (1) C2AZ 9A588-B gasket & (1) economizer 0 to 10, 000 ft. altitude	C6AZ 9A565-A (CE-81)	N											
Tag code D1MF-KA, LA				Q									
ROD - CHOKE DIAPHRAGM CONTROL	D2AZ 9S567-C				R	S	T	U	V	W	X	Y	
Ring (choke diaphragm control rod to vacuum break control assy.)-1/8" retaining	377918-S8B(XX14F)				R	S	T	U	V	W	X	Y	
GASKET - FUEL INLET NEEDLE SEAT	★ B7A 9569-A	N	P	Q	R	S	T	U	V	W	X	Y	
SPRING - FLOAT DAMPENER	C3AZ 9F570-A	N	P	Q							X		
HOUSING ASSY. - CHOKE	D1AZ 9A575-C (CC-58-A)	N	P	Q									
	D2OZ 9A575-K (CC-62-A)											Y	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 28N THRU 28Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
HOUSING ASSY. - CHOKE - continued	9A575												
Tag code D2OF-KA	D2TZ 9A575-L (CC-65-A)									W		Y	
Tag codes D2AF-UC, D2MF-FE, FF	D1AZ 9A575-C (CC-58-A)											Y	
Tag codes D2BF-EA, FA	D2TZ 9A575-H (CC-63-A)										X		
Tag code D2PF-KA	§D2TZ 9A575-J (CC-64-A)										X		
Screw & washer assy. (choke housing to carb.) No. 8 - 32 x 1.76"	378547-S78(BB61B)				3	3	3	3	3	3	3	3	
VALVE - ACCELERATOR PUMP CHECK-plastic	C4AZ 9576-A(CM-825)	N	P	Q	R	S	T	U	V	W	X	Y	
SCREW - PUMP DISCHARGE NOZZLE	C0AZ 9577-A(CM-607)	N	P	Q	R	S	T	U	V	W	X	Y	
LEVER - FAST IDLE CAM	C4AZ 9F577-B (CM-492)	N	P	Q	R	S	T	U	V	W	X	Y	
SPRING - IDLE ADJUSTING NEEDLE - fast idle adjusting	★40 9578	3	3	3	2 R	2 S	2 T	2 U	2 V	2 W	2 X	2 Y	
SPRING - FAST IDLE ADJUSTING SCREW	B8A 9578-B(CM-609)	N	P	Q	R	S	T	U	V	W	X	Y	
Screw (normal idle adjusting)- No. 10-32 x 1" special hex. head slotted	355107-S7(BB536)	N	P	Q	R	S	T	U	V	W	X	Y	
LEVER and SHAFT ASSY. KIT - THROTTLE	9581												
Repl. by D2AZ 9581-A (12-74)	★C9AZ 9581-C (CM-1047)					S							
Tag code D2OF-KA Exc. tag code D4PE-EA, EB, EC	ØD2AZ 9581-A (CM-1047-A)				R	S				W		Y	
Tag codes D2AF-UC, D2MF-CB, DA, DB, EA, EB, FA, FB, FC, FE, FF, D2OF-PA, RA, UA, UB, UC, D2PF-HA, HB, D2WF-CA, CB Tag code D1MF-KA, LA, D1OF-RA, YA, AHA, D1ZF-SA, UA, ACA, AEA	D2OZ 9581-D (CM-1099-B)	N		Q			T	U				Y	
Tag codes D2ZF-KA, LA, LB, LC, D3PF-DA Tag codes D1OF-ZA, AJA	ØD2OZ 9581-C (CM-1098-B)		P	Q					V			Y	
Tag codes D2BF-EA, FA	D2TZ 9581-G (CM-1528)										X		
Tag code D2PF-KA	D2TZ 9581-F (CM-1529)										X		
Tag code D4PE-FA, FB Tag code D4PE-EA, EB, EC	ØD4AZ 9581-B (CM-1858)									W		Y	
PLATE - THROTTLE Exc. tag code D4PE-FA, FB	ØC4MY 9585-A	2	2	2	2	2	2	2	2			2	
Tag code D4PE-FA, FB	ØD4MY 9585-A											2	
Exc. tag code D4PE-EA, EB, EC	Ø B8A 9585-F									2	2		
Tag code D4PE-EA, EB, EC	ØD4AZ 9585-A									2			
Screw (attaches throttle plate)-No. 5-40 x 3/8"	383253-S2(BB-4-Z)						4	4	4	4	4	4	
Screw(throttle plate)-No. 8-32 x 38" fillister head - use with steel shaft	378361-S2(UU43D)	4	4	4	4	4							
BRACKET - THROTTLE EMISSION CONTROL SOLENOID Tag codes D2AF-GB, GC, GD, D2GF-BA, BB, BC, D2OF-KB, VA, D2PF-GA, GB, D2ZF-FB, MA, MB	C9AZ 9J586-A	N	P	Q	R	S	T	U	V	*W	X	Y	
Screw & washer (throttle emission bracket)- No. 10-32 x 1/2" Tag codes D2AF-EA, D2GF-BA	43252-S8(U77)	N	P	Q	R	S				W	X		

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).
* Not part of Service Carburetor

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 28N THRU 28Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
SPRING - CHOKE CONTROL	D0AZ 9587-A (CM-1271)	N	P	Q	R	S	T	U	V	W	X	Y	
GASKET - ECONOMIZER VALVE	C2AZ 9A588-B (CM-533)	N	P	Q	R	S	T	U	V	W	X	Y	
CAM ASSY. - FAST IDLE - identified by letter "B"	D0AZ 9597-C (CM-1268)	N	P	Q									
Identified by letter "C"	D2AZ 9597-C (CM-1268-A)				R	S	T	U	V	W	X	Y	
Screw (fast idle cam)-No. 6-32 x 3/4" hex. head	372307-S(BB527)	N	P	Q	R	S	T	U	V	W	X	Y	
Retainer (fast idle cam)-"C" washer	351825-S(XX9)	2	2	2	2	2	2	2	2	2	2	2	
LEVER - DECHOKE OVERRIDE	D0AZ 9J598-B	N	P	Q									
	D2OZ 9J598-A						T	U	V			Y	
Nut (lever-dechoke)-No. 10-32 x 1/8" hex.	34079-S7(M163)	N	P	Q	R	S	T	U	V	W		Y	
Lockwasher (lever-dechoke)-No. 10	34803-S7(X60)	N	P	Q	R	S	T	U	V	W		Y	
RETAINER - FLOAT LEVER SHAFT	D0AZ 9599-A (CM-1065)	N	P	Q									
	D2AZ 9599-A (CM-1469)				R	S	T	U	V	W	X	Y	
ROD - CHOKE CONTROL Tag codes D2ZF-KA, LA, LB, LC, D2AF-CB, D2OF-PA, RA, UA, UB, UC, D2PF-HA, HB, D2WF-CA, CB, D3PF-DA, D4PE-FA, FB	ø D0AZ 9A599-B (CM-1066)	N	P	Q	R	S		U	V	W	X	Y	
Tag codes D2AF-UC, D2MF-CA, DA, DB, EA, EB, FA, FB, FC, FE, FF	D1AZ 9A599-A						T					Y	
Ring (rod to shaft)	377918-S8B(XX14F)	N	P	Q	R	S	T	U	V	W	X	Y	
SPRING - ACCELERATOR PUMP LEVER RETURN	B8AZ 9636-A(CM-544)	N	P	Q		S	T						
	D4AZ 9636-A (CM-1527-A)				R			U	V	W	X	Y	
SHAFT and LEVER ASSY. - CHOKE HOUSING	ø D2AZ 9A753-A (CM-1510)	N	P	Q	R	S	T	U	V	W	X	Y	Z
LEVER - CHOKE THERMOSTAT	D1AZ 9A754-C	N	P	Q			T	U	V	W	X	Y	
CLIP - ACCELERATOR PUMP LINK ROD 'From 10/12/71"	D2AZ 9825-A (CM-1695)									W	X	Y	
CLAMP - THERMOSTATIC CHOKE HOUSING Tag code D1MF-LA, KA, D1OF-RA, YA, ZA, D1ZF-SA, UA, ACA, D2MF-DB, EB, FB, FC, FE, FF	C8AZ 9842-B (CM-1045)	N	P	Q								Y	
Tag code D1OF-AHA, AJA, D1ZF-AEA, D2OF-KA, D2MF-CB, DA, EA, FA, D2PF-HA, HB, D2OF-PA, RA, UA, UB, UC, D2ZF-KA, LA, LB, LC, D2WF-CA, CB, D4PE-FA, FB	★C4AZ 9842-A (CM-458) r/b D3AZ 9842-A (3-74) (CM-1742)			Q	R	S	T	U	V	W	X	Y	
Tag code D3PF-PA	D3AZ 9842-A (CM-1742)											Y	
Screw (choke housing) No. 8 - 32 x .50	31061-S8(U50)				3	3	3	3	3	3	3	3	
SHIELD (FUEL INLET SEAT) - Tag code D4PE-FA, FB	ø D4AZ 9E845-A											Y	
Tag code D4PE-EA, EB, EC										W			

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 28N THRU 28Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
HOUSING KIT - THERMOSTATIC CHOKE Identified by "TB3" - kit includes (1) D1AZ 9871-A gasket & (1) choke housing Tag code D1OF-ZA, AJA, D1MF-KA, D2AF-UC, D2MF-FE, FF, D2OF-UB, D2WF-CA	D1AZ 9848-A (CM-1454)		P	Q								Y	
Identified by "TB4" - kit includes (1) D1AZ 9871-A gasket & (1) choke housing Tag code D1OF-RA, AHA, YA, D1ZF-UA, ACA, AEA, D1MF-LA	D1AZ 9848-B (CM-1455)	N											
Identified by "TB5" - kit includes (1) D1AZ 9871-A gasket & (1) choke housing	D1AZ 9848-C (CM-1456)										X		
Tag codes D2AF-FB, FC, FD, GC, GD	D2AZ 9848-B (CM-1533)									W			
Tag codes D2MF-FB, FC, D2OF-KB, D2FZ-LB, LC	C6AZ 9848-A(CM-623)									W		Y	
Tag codes D2AF-HB, HC, D2GF-AA, AB, AC, BA, BB, BC, D2MF-CB, D2OF-UA, UC, VA, D2PF-GA, HA, HB, D2WF-CB, D2ZF-FB, LA, MA, MB, D3PF-DA, D4PE-EA, EB, EC, FA, FB	ø D0AZ 9848-G (CM-1259)									W		Y	
BUSHING - CHOKE THERMOSTAT LEVER	C8AZ 9851-A (CM-751)	N	P	Q	R	S	T	U	V	W	X	Y	
GASKET - THERMOSTATIC CHOKE CONTROL	B8A 9853-A(CG-93)	N	P	Q	R	S	T	U	V	W	X	Y	
SOLENOID ASSY. - THROTTLE EMISSION CONTROL Tag codes D2AF-EA, GC, D2GF-BA	D0AZ 9D856-A	N	P	Q	R	S				W	X		
Tag codes D2AF-GB, GC, GD, D2GF-BA, BB, BC, D2OF-KB, VA, D2PF-GA, GB, D2ZF-FB, MA, MB Tag codes D2AF-UC, D2MF-CB, DA, DB, EA, EB, FA, FB, FC, FE, FF, D2OF-PA, RA, UA, UB, UC, D2PF-HA, HB, D2WF-CA, CB, D2ZF-KA, LA, LB, LC	D2AZ 9D856-E				R		T	U	V	*W	X	Y	
Tag code D3PF-DA	D3AZ 9D856-A											Y	
Nut (solenoid-throttle emission)-7/16"-20 hex. Tag codes D2AF-GC, GD, D2GF-BA, BB, D2OF-KB, VA, D2ZF-FB, MA, MB	45219-S2(M173)	N	P	Q	R	S	T	U	V	W	X	Y	
SHIELD - CHOKE THERMOSTAT Tag codes D2MF-CB, DA, EA, FA, D2OF-PA, RA, UA, UB, UC, D2PF-HA, HB, D2WF-CA, CB, D2ZF-KA, LA, LB, LC, D4PE-FA, FB	ø C9ZZ 9861-A	N	P	Q	R	S	T	U	V	W	X	Y	
Tag codes D2AF-UC, D2MF-DB, EB, FB, FC, FE, FF, D3PF-DA	D2AZ 9861-A											Y	
Screw (choke housing shield) - 8 - 32 x .562" -hex.hd.	376262-S2(UU52AJ)				2	2	2	2	2	2	2	2	
GASKET - THERMOSTATIC CHOKE HOUSING	D1AZ 9871-A(CG-317)	N	P	Q	R	S	T	U	V	W	X	Y	
COVER - ECONOMIZER VALVE	C8AZ 9930-A(CM-728)	N	P	Q	R	S	T	U	V	W	X	Y	
Screw & washer (cover to carb.)- No. 8-32 x 3/8" fillister head	43251-S8(U73)	4	4	4	4	4	4	4	4	4	4	4	
VALVE ASSY. - CHOKE DELAY - tag codes D2AF-HB, HC, D2GF-AB, AC, BB, BC, D2OF-KB, UB, VA, D2PF-GB, D2WF-CA, CB, D2ZF-MA, MB	D2OZ 12A091-B									W		Y	

* Not part of Service Carburetor

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 29A THRU 29M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET	9502												
Replaced by D2AZ 9502-D(12-73)	★C8AZ 9502-C (CG-221)	A	B	C	D	E	F	G	H	J	K		
	D3OZ 9502-A (CG-335-B)											L	
Replaced by D3AZ 9502-A (4/74)	★D2AZ 9502-D (CG-221-A)	A	B	C	D	E	F	G	H	J	K		
	D3AZ 9502-A (CG-221-B)	A	B	C	D	E	F	G	H	J	K		
TUNE UP KIT	D2AZ 9A586-D (CT-226-A)	A	B	C	D	E	F	G	H	J	K		
Replaced by D3OZ 9A586-A (12/74)	★D2AZ 9A586-C (CT-862-A)											L	
	D3OZ 9A586-A (CT-862-B)											L	
REPAIR KIT - service details	★C8AZ 9590-F (CR-352)	A	B	C									
Screw (fast idle adjusting)-No. 10-32 x 3/4" set (slotted headless)	382297-S(UU26L)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (adjust kickdown)-No. 10-32 x 1"-hex. head	379622-S7-8(UU52M)				D			G	H		K		
CONNECTOR (USED FOR CHOKE INLET TUBE)-1/8" pipe-1/4" tube	382786-S(II-179)				D	E	F	G	H	J	K	L	M
FILTER ASSY. - FUEL	C7OZ 9155-A (FG-19)												M
GASKET - FUEL FILTER MOUNTING	D1ZZ 9229-A												M
LIMITER - IDLE ADJUSTING NEEDLE	C7AZ 9J500-B (CM-747)	2	2	2	2	2	2	2	2	2	2	2	2
SPRING - SECONDARY THROTTLE DIAPHRAGM RETURN - 10 coils-.44" I.D.	C7AZ 9B504-A (CM-656)	A	B	C	D	E	F	G	H	J	K		
12 coils-.44" I.D.	D1AZ 9B504-A (CM-1288)											L	M
ROD - SECONDARY THROTTLE CONTROL	C7AZ 9C504-A	A	B	C	D	E	F	G	H	J	K		
	D1AZ 9C504-A (CM-1289)											L	M
Ring (rod to throttle shaft & lever-primary & secondary)-1/8" retaining	377918-S8B(XX14F)	2	2	2	2	2	2	2	2	2	2	2	2
BUSHING - THROTTLE SHAFT (nylon)	C7AZ 9B508-A	A	B	C	D	E	F	G	H	J	K	L	M
GASKET - THROTTLE BODY TO MAIN BODY	C7AZ 9516-A	A	B	C									
	C8SZ 9516-A				D	E	F	G	H	J	K		
	D1AZ 9516-A(CG-314)											L	M
VALVE - ACCELERATOR PUMP DISCHARGE NEEDLE	C7AZ 9A516-B (CM-676)	A	B	C	D	E	F	G	H	J	K	L	M
BODY and SHAFT ASSY. - THROTTLE	★C9OZ 9518-A (CM-937)	A											
	★C9ZZ 9518-A (CM-938)		B										
	★C9ZZ 9518-B (CM-939)			C									
	★D0OZ 9518-A				D								
	★D0OZ 9518-B					E							
	★D0OZ 9518-C						F						
	★D0OZ 9518-D (CM-1110)							G					
Screw & washer (air horn to main body)-No. 10-32 x .88" fill. hd.	381744-S(BB80H)	16	16	16	16	16	16	16	16	16	16	16	16

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 29A THRU 29M											
		A	B	C	D	E	F	G	H	J	K	L	M
ROD - METERING - secondary	D1AZ 9A526-F (CM-1466)											2	2
SPRING - FAST IDLE CAM - tag codes D0OF-Y, Z, AA, D0PF-AG	★D0OZ 9G526-B				D	E		G	H				
SEAL - AIR HORN	C8AZ 9C527-A (CM-1682)	A	B	C	D	E	F	G	H	J	K	L	M
LINK - ACCELERATOR PUMP	C7AZ 9529-B (CM-694)	A	B	C	D	E	F	G	H	J	K	L	M
Rivet (link-accel.pump)-1/8" x 11/16"-button head	383070-S(SS10E)											L	M
JET - MAIN METERING	9533												
No.48F - 0 to 10,000 ft. altitude	C3UZ 9533-A(CJ-133)	2		2									
No.49F - 0 to 10,000 ft. altitude	C3DZ 9533-C(CJ-137)		2										
No.61F - 0 to 10,000 ft. altitude	C3TZ 9533-C(CJ-138)				2			2	2	2	2		
No.62F - 0 to 10,000 ft. altitude	C3AZ 9533-A(CJ-134)					2	2						2
No.63F - 0 to 10,000 ft. altitude	C3AZ 9533-B(CJ-135)											L	
LEVER - THROTTLE SHAFT AUXILIARY	C7AZ 9A537-B	A	B	C	D	E	F	G	H	J	K	L	M
Screw (lever to carburetor)-No. 8-32 x .36" pan head shoulder	380808-S(BB683D)	A	B	C	D	E	F	G	H	J	K	L	M
LEVER - FAST IDLE ADJUSTING - repl. by (1) D1AZ 9B538-A and (1) D1AZ 9538-A	★C8AZ 9538-C (CM-1011)	A	B	C									
Tag code D0PF-AG	D0AZ 9538-A (CM-1105)				D	E	F	G	H				
Tag code D1OF-AAA	D1AZ 9538-A (CM-1323)								H	J	K	L	M
Nut (lever to throttle shaft)-No. 10-32 hex.	34079-S7(M163)	A	B	C	D	E	F	G	H	J	K		M
Lockwasher-No. 10	34903-S8(X96)	A	B	C	D	E	F	G	H	J	K		M
Screw (lever to throttle shaft)-No.8-32 x 1/4" hex.hd.	353358-S(UU52U)											L	M
SPRING - THROTTLE CONTROL RETURN	C7AZ 9A538-D	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - ACCELERATOR PUMP OVERTRAVEL	C7AZ 9A538-C		B		D	E	F	G	H	J	K	L	M
SCREW - FAST IDLE ADJUSTING	C8AZ 9B538-A	A	B	C									
Tag code D0PF-AG	C3TZ 9B538-A				D	E	F	G	H				
Tag code D1OE-AAA	D1AZ 9B538-A								H	J	K	L	M
NEEDLE - IDLE ADJUSTING	C7MY 9541-B(CM-749)	2	2	2									
	D0AZ 9541-A (CM-1087)				2	2	2	2	2	2	2	2	2
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	C7AZ 9B542-B (CM-695)	A	B	C	D	E	F	G	H	J	K	L	M
PISTON - ACCELERATOR PUMP - does not include retainer, spring and cup	C7AZ 9B544-B (CP-50)	A	B	C	D	E	F	G	H	J	K	L	M
PLATE - CHOKE	C7AZ 9545-A(CM-659)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (choke plate)-No. 6-32 x .31" pan hd.	381761-S(UU81JA)	2	2	2									
-No. 6-32 x .31"-Hex. hd.	375016-S2(UU52AK)				2	2	2	2	2	2	2	2	2
SHAFT and LEVER ASSY. - CHOKE	C7AZ 9546-A(CM-660)	A	B	C									
SCREEN - MAIN WELL TUBE	D1AZ 9S546-A											L	M

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 29A THRU 29M											
		A	B	C	D	E	F	G	H	J	K	L	M
SHAFT - CHOKE PLATE	C9AZ 9547-A (CM-1145)	A	B	C	D	E	F	G	H	J	K	L	M
DASHPOT ASSY.	C1AZ 9B549-A(CD-6)		B		D				H				
Nut-5/16"-24	33923-S7(M32)		B		D				H				
FLOAT ASSY.	C7AZ 9550-A(CM-661)	A	B	C	D	E	F	G	H	J	K	L	M
BRACKET - DASHPOT MOUNTING	D0AZ 9B550-A (CM-1113)		B		D				H				
Screw & washer (dashpot mounting bracket to carb.)-No. 10-32 x 1/2"	43252-S8(U77)		B		D				H				
LEVER - CHOKE SHAFT	C9AZ 9551-A (CM-1144)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (lever to shaft)-No. 6-32 x 5/16"	383547-S(BB541-D)				D	E	F	G	H	J	K	L	M
VALVE ASSY. - POWER	C7AZ 9G551-A	A	B	C	D	E	F	G	H	J	K	L	M
PISTON ASSY. - POWER VALVE	★C8AZ 9G553-A	A	B	C	D	E	F	G	H	J	K		
VALVE - AIR - R.H.	C7AZ 9H555-A	A	B	C									
R.H.	D0AZ 9H555-A (CM-1092)				D	E	F	G	H	J	K		
L.H.	C7AZ 9H555-B	A	B	C									
L.H.	D0AZ 9H555-B (CM-1093)				D	E	F	G	H	J	K		
	D1AZ 9H555-A (CM-1291)											L	M
Screw (valve to air valve shaft)-No. 6-32 x .31" hex. washer head	381761-S(UU81JA)	4	4	4	4	4	4	4	4	4	4	4	2
SPRING - AIR VALVE	C9ZZ 9H556-B (CM-1050)	A	B	C									
Ident. by color "YELLOW" Tag code D0PF-AG	D0AZ 9H556-A (CM-1270)				D	E	F	G	H				
	D2AZ 9H556-A (CM-1591)											L	
SHAFT - FLOAT LEVER	C7AZ 9558-A(CM-663)	A	B	C	D	E	F	G	H	J	K	L	M
GASKET - FLOAT BOWL-r/b D3AZ 9561-B (5/74)	★C7AZ 9561-A(CG-233)	A	B	C	D	E	F	G	H	J	K		
	D1AZ 9561-A(CG-315)											L	
VALVE KIT - FUEL INLET - primary - kit includes (1) D0SF 9B528-A needle, (1) D0SF 9567-A seat, (1) D0AF 9569-A gasket	D0AZ 9564-B (CV-58-A)	A	B	C	D	E	F	G	H	J	K	L	M
Supplementary	D2AZ 9564-B (CV-86-A)	A	B	C	D	E	F	G	H	J	K		M
GASKET - FUEL INLET NEEDLE SEAT Primary-.51" I.D. -.62" O.D.	C7AZ 9569-A	A	B	C	D	E	F	G	H	J	K	L	M
Secondary-.38" I.D. -.50" O.D.	C7AZ 9569-B	A	B	C	D	E	F	G	H	J	K	L	M
CUP - PUMP PISTON	C7AZ 9572-A(CM-651)	A	B	C	D	E	F	G	H	J	K	L	M
RETAINER - ACCELERATOR PUMP CHECK VALVE (wire)	C7AZ 9575-A (CM-652)	A	B	C	D	E	F	G	H	J	K	L	M
RETAINER - ACCELERATOR PUMP CHECK VALVE DISC (plastic)	C7AZ 9575-B(CM-664)	A	B	C	D	E	F	G	H	J	K	L	M

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 29A THRU 29M											
		A	B	C	D	E	F	G	H	J	K	L	M
DISC - ACCELERATOR PUMP CHECK VALVE (plastic)	C7AZ 9576-A	A	B	C	D	E	F	G	H	J	K	L	M
Ball (accelerator pump check)-3/16" steel	371350-S(AA4)	A	B	C	D	E	F	G	H	J	K	L	M
RETAINER - FAST IDLE ROD SEAL	★C8AF 9A576-A											L	
SPRING - IDLE ADJUSTING NEEDLE	★40 9578	2	2	2	2	2	2	2	2	2	2	2	
PISTON AND ROD ASSY. - AIR VALVE DAMPENER	D2AZ 9H578-A (CM-1683-A)	A	B	C	D	E	F	G	H	J	K		
SHAFT - AIR VALVE	C7AZ 9581-A (CM-654)	A	B	C	D	E	F	G	H	J	K		
	D1AZ 9581-A (CM-1293)											L	M
LEVER AND SHAFT ASSY. - THROTTLE	C9ZZ 9581-A(CM-940)	A	B										
	C9ZZ 9581-B(CM-941)			C									
Tag code D1ZF-GA	D1AZ 9581-B (CM-1294)				D			G	H		K	L	M
Tag code D1ZF-FA	D1OZ 9581-A (CM-1295)					E	F			J			M
LEVER - AIR VALVE DAMPENER	C8AZ 9H582-A (CM-1692)	A	B	C	D	E	F	G	H	J	K		
	D1AZ 9H582-A (CM-1296)											L	M
Pin-air valve dampener	383070-S(SS10E)				2	2	2	2	2	2	2		
LEVER - SECONDARY THROTTLE STOP	C7AZ 9583-C	A	B	C	D	E	F	G	H	J	K		
	D1AZ 9583-A (CM-1300)											L	M
LEVER - DECHOKE Tag codes D0OF-Y, AA, AB, AC, AD	D0OZ 9583-C (CM-1256)				D	E		G	H				
Nut (lever to secondary throttle shaft)-No. 10-32	34079-S7(M163)	A	B	C	D	E	F	G	H	J	K	L	
Lockwasher-No. 10	34803-S7(X60)	A	B	C	D	E	F	G	H	J	K		
Lockwasher-No.10	34903-S8(X96)											L	
LINK - AIR VALVE DAMPENER	C8AZ 9H583-A	A	B	C	D	E	F	G	H	J	K		
	D1AZ 9H583-B (CM-1297)											L	M
Retainer (link to lever-air valve dampener)	377918-S8B(XX14F)											L	M
PIN - AIR VALVE DAMPENER	383070-S(SS-10-E)	A	B	C									
PLATE - THROTTLE - primary	B8A 9585-E	2	2	2									
Primary	D0OZ 9585-A				2	2	2	2	2	2	2	2	2
Secondary	C9AZ 9585-B (CM-1030)	2	2	2									
Secondary	C9ZZ 9585-A(CM-969)				2	2	2	2	2	2	2		
Secondary	D1AZ 9585-A (CM-1298)											2	2
Screw (primary & secondary plates to shaft)-No. 3-48 x .38"	382681-S(BB822T)	8	8	8									
Screw (primary & secondary plates to shaft)-No. 3-48 x .28"	383677-S(BB542A)				8	8	8	8	8	8	8	8	8
BRACKET - THROTTLE EMISSION CONTROL SOLENOID	D0AZ 9J586-A				D	E	F	G	H	J			
Screw & washer (bracket-solenoid)	43252-S8(U77)				D	E	F	G	H	J			
LEVER AND SHAFT ASSY. - SECONDARY THROTTLE PLATE	C8SZ 9A592-B	A	B	C	D	E	F	G	H	J	K		
	D1AZ 9A592-A (CM-1322)											L	M

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 29A THRU 29M											
		A	B	C	D	E	F	G	H	J	K	L	M
SEAL - AIR VALVE DAMPENER ROD-	C7AZ 9H593-A (CM-689)	A	B	C									
CAM ASSY. - FAST IDLE	D1SZ 9597-A (CM-1451)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (fast idle cam)-No. 8-32 x .44"- setlock slotted headless	384170-S(UU26K)				D	E	F	G	H	J	K		
SPRING - ACCELERATOR PUMP ROD	C7AZ 9D598-A (CM-1037)	A	B	C	D	E	F	G	H	J	K		M
RETAINER - ACCELERATOR PUMP SPRING	C7AZ 9599-A (CM-1038)	A	B	C	D	E	F	G	H	J	K	L	M
ROD - CHOKE CONTROL	C7AZ 9A599-A	A	B	C	D	E	F	G	H	J	K	L	M
Ring (rod to shaft and lever)-1/8" retaining	377918-S8B(XX14F)	2	2	2	D	E	F	G	H	J	K	L	M
SHAFT AND LEVER ASSY. - CHOKE HOUSING	D2AZ 9A753-B (CM-817-A)	A	B	C	D	E	F	G	H	J	K	L	M
ADAPTOR - CHOKE CONTROL TUBE	C8VY 9C786-A				D	E	F	G	H	J	K	L	M
PISTON ASSY. - CHOKE	C8SZ 9840-B(CM-860)	A	B	C									
	D2AZ 9840-A (CM-1287-A)				D	E	F	G	H	J	K	L	M
Screw & washer assy. (piston to shaft)- No. 6-32 x 3/8" pan head	50802-S7(U150)	A	B	C	D	E	F	G	H	J	K	L	M
CLAMP - THERMOSTATIC CHOKE HOUSING Tag code D0PF-AG	C8AZ 9842-A(CM-805)	A	B	C	D	E	F	G	H				
Tag code D1OF-AAA	C8AZ 9842-B (CM-1045)								H	J	K	L	M
Screw (clamp to choke housing)- No. 8-32 x 3/4" fillister head	31093-S7-8(U52)	3	3	3									
No. 8-32 x 1/2" fillister head	31061-S8(U50)				3	3	3	3	3	3	3	3	3
HOUSING - THERMOSTATIC CHOKE	9848												
Identified by letters "EY"	C8AZ 9848-A(CM-826)		B										
HOUSING KIT - THERMOSTATIC CHOKE	9848												
Identified by letters "EX"- kit includes-(1) C1AZ 9871-A gasket & (1) choke housing	C8AZ 9848-B(CM-846)	A		C									
Identified by "4TX" - kit includes- (1) C1AZ 9871-A gasket & (1) choke housing	D0AZ 9848-C				D			G	H		K		
Identified by "4TY"-kit includes - (1) C1AZ 9871-A, D1VF 9871-AA gaskets & (1) choke housing	D0AZ 9848-D					E				J		L	
Identified by letters "4TB2"-tag code D1ZF-GA	D1AZ 9848-F												M
Identified by letters "4TB3"-tag code D1ZF-FA	D1AZ 9848-G												M
BUSHING - CHOKE HOUSING	C7AZ 9851-A(CM-668)	A	B	C	D	E	F	G	H	J	K	L	M
SOLENOID ASSY. - THROTTLE EMISSION CONTROL	D1AZ 9D856-C					E	F	G	H	J		L	
	D2AZ 9D856-E												M
SOLENOID ASSY. - THROTTLE EMISSION CONTROL	D2AZ 9871-A (CG-336-B)					E	F	G	H	J			M
Nut-7/16"	382644-S13(MM1212D)					E	F	G	H	J			
SHIELD - CHOKE THERMOSTAT - locate under R.H. front carburetor mtg. nut "Before 5/21/69"	C9AZ 9861-A	A	B	C									
"From 5/21/69"	D0OZ 9861-A	A	B	C	D	E	F	G	H	J	K	L	M
GASKET - THERMOSTATIC CHOKE HOUSING	C1AZ 9871-A(CG-102)	A	B	C	D	E	F	G	H	J	K	L	
	D2AZ 9871-A (CG-336-B)												M

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 29N THRU 29Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET SET	D3OZ 9502-A (CG-335-B)	N	P	Q	R	S	T	U					
TUNE-UP KIT	D3OZ 9A586-A (CT-862-B)	N	P	Q	R	S	T	U					
Screw 10-32 x 1.00 (adj. kickdown)	379622-S78(UU52M)		P		R		T	U					
Screw (fast idle adjusting) No.10-32 x 3/4" set (slotted headless)	382297-S(UU26L)	N	P	Q	R	S	T	U					
Connector (used for choke inlet tube)-1/8" pipe-1/4" tube	382786-S(II-179)	N	P	Q	R	S	T						
SPRING - TRANSMISSION KICKDOWN CONTROL LEVER RETRACTING	D1AZ 7B146-A		P		R		T	U					
FILTER ASSY. - FUEL	D1ZZ 9155-A (FG-19-A)	N	P	Q	R	S	T						
	D3OZ 9155-A (FG-19-B)							U					
GASKET - FUEL FILTER	D1ZZ 9229-A	N	P	Q	R	S	T	U					
LIMITER - IDLE ADJUSTING	C7AZ 9J500-B (CM-747)	2	2	2	2	2	2	2					
SPRING - SECONDARY THROTTLE DIAPHRAGM RETURN	D1AZ 9B504-A (CM-1288)	N	P	Q	R	S	T	U					
ROD - SECONDARY THROTTLE CONTROL	D1AZ 9C504-A (CM-1289)	N	P	Q	R	S	T	U					
Ring (rod to throttle shaft & lever primary & secondary)-1/8" retaining	377918-S8B(XX14F)	2	2	2	2	2	2	2					
BUSHING - THROTTLE BODY	C7AZ 9B508-A	N	P	Q	R	S	T	U					
CONTROL ASSY. - VACUUM BREAK	D2AZ 9S514-C (CK-1983)	N	P	Q	R	S	T						
Screw - 1/4"-14 x 1/2" hex.(attaches control assy. to carb.)	55981-S2(U254E)	N	P	Q	R	S	T						
Nut-1/4"-28 hex.(used on control assy. as jam nut)	33796-S7(M61)	N	P	Q	R	S	T						
GASKET - THROTTLE BODY TO MAIN BODY	D1AZ 9516-A(CG-314)	N	P	Q	R	S	T						
	D3AZ 9516-B (CG-314-A)							U					
VALVE - ACCELERATOR PUMP DISCHARGE NEEDLE	C7AZ 9A516-B (CM-676)	N	P	Q	R	S	T	U					
ROD - METERING - secondary	D1AZ 9A526-F (CM-1466)	2	2	2	2		2	2					
	D2ZZ 9A526-A (CM-1694)					2							
SEAL - AIR HORN	C8AZ 9C527-A (CM-1682)	N	P	Q	R	S	T	U					
Screw & washer (attaches upper & lower assy.)-No.10-32 x .88" fill. hd.	381744-S(BB80H)	15	15	15	15	15	15	16					
LINK - ACCELERATOR PUMP	C7AZ 9529-B(CM-694)	N	P	Q	R	S	T	U					
Rivet (link - accel. pump)-1/8" x 11/16"-button head	383070-S(SS10E)	2	2	2	2	2	2	2					
JET - MAIN METERING - No.61F-primary - 0 to 10,000 ft. altitude	C3TZ 9533-C(CJ-138)	2	2		2	2	2						
No. 63F	C3AZ 9533-B(CJ-135)							2					
LEVER THROTTLE SHAFT AUXILLARY	D2AZ 9A537-A (CM-1477)	N	P	Q	R	S	T	U					
Screw (throttle shaft lever to carb.)	380808-S(BB683D)	N	P	Q	R	S	T	U					
LEVER - FAST IDLE ADJUSTING	D1AZ 9538-A (CM-1323)	N	P	Q	R	S	T	U					
SPRING - ACCELERATOR PUMP OVERTRAVEL	C7AZ 9A538-C	N	P	Q	R	S	T	U					
SPRING - THROTTLE RETURN	C7AZ 9A538-D	N	P	Q	R	S	T	U					

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 29N THRU 29Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
SCREW - FAST IDLE ADJUSTING	D1AZ 9B538-A	N	P	Q	R	S	T	U					
NEEDLE - IDLE ADJUSTING	D0AZ 9541-A (CM-1087)	2	2	2	2	2	2	2					
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	C7AZ 9B542-B (CM-695)	N	P	Q	R	S	T	U					
PISTON - ACCELERATOR PUMP	C7AZ 9B544-B(CP-50)	N	P	Q	R	S	T	U					
PLATE - CHOKE	C7AZ 9545-A(CM-659)	N	P	Q	R	S	T						
	D3AZ 9545-A (CM-1754)							U					
Screw (choke plate) 6-32 x .31" hex head	375016-S2(UU52AK)	2	2	2	2	2	2	2					
SCREEN - MAIN WELL TUBE	D1AZ 9S546-A	2	2	2	2	2	2	2					
SHAFT - CHOKE PLATE	C9AZ 9547-A (CM-1145)	N	P	Q	R	S	T	U					
FLOAT ASSY.	C7AZ 9550-A(CM-661)	N	P	Q	R	S	T	U					
LEVER - CHOKE SHAFT	C9AZ 9551-A (CM-1144)	N	P	Q	R	S	T	U					
Screw (lever to shaft)-6-32 x .31 " hex.hd.	383547-S2(BB541-D)	N	P	Q	R	S	T	U					
VALVE ASSY. - POWER	C7AZ 9G551-A	N	P	Q	R	S	T	U					
PISTON ASSY. - POWER VALVE	★C8AZ 9G553-A	N	P	Q	R	S	T	U					
VALVE - AIR	D1AZ 9H555-A (CM-1291)	N	P	Q	R	S	T	U					
Screw (air valve to air valve shaft)-No.8-32 x 5/16"	381761-S2(UU81JA)							2					
SPRING - AIR VALVE	D2AZ 9H556-A (CM-1591)	N	P	Q	R	S	T						
SHAFT - FLOAT LEVER	C7AZ 9558-A(CM-663)	N	P	Q	R	S	T						
GASKET - FLOAT BOWL	D3AZ 9561-A (CG-376)	N	P	Q	R	S	T	U					
VALVE KIT - FUEL INLET	D0AZ 9564-B (CV-58-A)	N	P	Q	R	S	T	U					
Supplementary	D2AZ 9564-B (CV-86-A)	N	P	Q	R	S	T	U					
ROD - CHOKE DIAPHRAGM CONTROL	D2AZ 9S567-B	N	P	Q	R	S	T						
Nut (control rod to diaphragm control connector)-1/16" spring	384912-S2(MM-259-V)	N	P	Q	R	S	T						
Ring "C" (rod to connector)	97401-S2(Q4X)	N	P	Q	R	S							
GASKET - FUEL INLET NEEDLE SEAT - primary-.51" I.D.-.62" O.D.	C7AZ 9569-A	N	P	Q	R	S	T	U					
Secondary - .38" I.D. .50" O.D.	C7AZ 9569-B	N	P	Q	R	S	T	U					
CONNECTOR - SECONDARY DIAPHRAGM CONTROL	D2AZ 9S569-A	N	P	Q	R	S	T						
BAFFLE - AIR VALVE	D2AZ 9S570-A	N	P	Q	R	S	T	U					
Screw (air valve baffle to carb.)	381761-S(UU81JA)	2	2	2	2	2	2	2					
CUP - PUMP PISTON	C7AZ 9572-A(CM-651)	N	P	Q	R	S	T	U					
RETAINER - ACCELERATOR PUMP CHECK VALVE	C7AZ 9575-A (CM-652)	N	P	Q	R	S	T						
	C7AZ 9575-B(CM-664)							U					
Ball (accelerator pump check)-3/16" steel	371350-S(AA4)	N	P	Q	R	S	T	U					
Ball (pump check)-1/8" steel	357186-S(AA-1)	N	P	Q	R	S	T	U					
SPRING - IDLE ADJUSTING NEEDLE Fast, idle adjusting	★40 9578	2 N	2 P	2 Q	2 R	2 S	2 T	2					
PISTON and ROD ASSY. - AIR VALVE DAMPENER	D2AZ 9H578-A (CM-1683-A)	N	P	Q	R	S	T	U					
SHAFT - AIR VALVE	D1AZ 9581-A (CM-1293)	N	P	Q	R	S	T	U					

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 29N THRU 29Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
LEVER & SHAFT ASSY.-THROTTLE	D1AZ 9581-B (CM-1294)		P		R		T	U					
	★D1OZ 9581-A (CM-1295)	N		Q		S							
LEVER - AIR VALVE DAMPENER	D1AZ 9H582-A	N	P	Q	R	S	T	U					
Rivet (air valve dampner)-1/8" x 11/16"	383070-S(SS10-E)							U					
LEVER - SECONDARY - THROTTLE STOP	D1AZ 9583-A (CM-1300)	N	P	Q	R	S	T	U					
Nut (lever to secondary throttle shaft)-No.10-32	34079-S7(M163)	N	P	Q	R	S	T	U					
Lockwasher - No.10	34903-S8(X96)	N	P	Q	R	S	T	U					
LINK - AIR VALVE DAMPENER	D1AZ 9H583-B (CM-1297)	N	P	Q	R	S	T	U					
Retainer (link to lever)	377918-S8B(XX14F)	N	P	Q	R	S	T	U					
PLATE - THROTTLE - primary	D0OZ 9585-A (CM-1100)	2	2	2	2	2	2	2					
Secondary	D1AZ 9585-A (CM-1298)	2	2	2	2	2	2	2					
Screw (throttle plate)-No.3-48 x .28" hex head	383677-S2(BB542A)	8	8	8	8	8	8	8					
LEVER and SHAFT ASSY. - SECONDARY THROTTLE PLATE	D1AZ 9A592-A (CM-1322)	N	P	Q	R	S	T	U					
Nut (attaches secondary throttle shaft)	353358-S2(UU52U)	N	P	Q	R	S	T	U					
CAM ASSY. - FAST IDLE	D1SZ 9597-A (CM-1451)	N	P	Q	R	S	T	U					
SPRING - ACCELERATOR PUMP ROD	C7AZ 9D598-A (CM-1037)	N	P	Q	R	S	T	U					
RETAINER - ACCELERATOR PUMP SPRING	C7AZ 9599-A (CM-1038)	N	P	Q	R	S	T	U					
ROD - CHOKE CONTROL	C7AZ 9A599-A	N	P	Q	R	S	T						
	D3AZ 9A599-A (CM-1755)							U					
Ring (rod to shaft)	377918-S8B(XX14F)	N	P	Q	R	S	T	U					
SHAFT and LEVER ASSY. - CHOKE HOUSING	D2AZ 9A753-B (CM-817-A)	N	P	Q	R	S	T	U					
ADAPTOR - CHOKE CONTROL TUBE	C8VY 9C786-A	N	P	Q	R	S	T	U					
PISTON ASSY. - CHOKE Kit includes (1) D2AF 9A754-AA lever, (1) D2AF 9839-CA link, (1) D0ZF 9840-A piston and (1) 359815-S pin	D2AZ 9840-A (CM-1287-A)	N	P	Q	R	S	T	U					
Screw & washer assy. (piston to shaft)-No. 6-32 x 3/8" pan head	50802-S7(U150)	N	P	Q	R	S	T	U					
CLAMP - THERMOSTATIC CHOKE HOUSING	C8AZ 9842-B (CM-1045)	N	P	Q	R	S	T						
	D3AZ 9842-A (CM-1742)							U					
Screw No.8-32 x .50"(attaches thermostatic choke housing clamp)	31061-S8(U50)	3	3	3	3	3	3	3					
HOUSING KIT - THERMOSTATIC CHOKE	9848												
Identified by letters"4TX" - kit includes (1) C1AZ 9871-A gasket & (1) choke housing	D0AZ 9848-C (CM-1242)		P		R		T						
Identified by letters "4TY" - kit includes (1) C1AZ 9848-A, (1) D1VF 9871-AA gaskets & (1) choke housing	D0AZ 9848-D (CM-1243)	N				S							
#4BP	D4OZ 9848-A (CM-1835)							U					
BUSHING - CHOKE HOUSING	C7AZ 9851-A(CM-668)	N	P	Q	R	S	T	U					
SOLENOID ASSY. - THROTTLE EMISSION CONTROL	D2AZ 9D856-E	N	P	Q	R	S	T						
SHIELD - CHOKE THERMOSTAT	D0OZ 9861-A	N	P	Q	R	S	T	U					
GASKET - THERMOSTATIC CHOKE HOUSING	D2AZ 9871-A (CG-336-B)	N	P	Q	R	S	T	U					

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 30A THRU 30M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET - SET	D0OZ 9502-A(CG-304)	A	B	C	D								
TUNE-UP KIT	D0OZ 9A586-B (CT-222-A)	A	B	C	D								
Screw (throttle body)-No. 10-32 x 1 5/8"	27185-S2(U177A)	3	3	3	3								
Screw (fast idle adjusting)-No. 8-32 x 5/8"-fill. hd.	357136-S(BB56)	A	B	C	D								
FILTER ASSY. - FUEL	C9AZ 9155-A (FG-39)	A	B	C	D								
LIMITER - IDLE ADJUSTING	C7AZ 9J500-B (CM-747)	2	2	2	2								
AIR VALVE KIT - SPRING and CAM	D0OZ 9S512-A	A	B	C	D								
METERING ROD HOLDER KIT - SECONDARY	D0OZ 9S513-A	A	B	C	D								
CONTROL ASSY. - VACUUM BREAK	D0OZ 9S514-A (CK-1981)	A	B	C	D								
Screw (vacuum brake)	★50419-S	A	B	C	D								
LINK - VACUUM BRAKE	D0OZ 9S515-A	A	B	C	D								
BAFFLE - FLOAT BOWL	D0OZ 9A517-A (CM-1179)	A	B	C	D								
SPRING - POWER VALVE	D0OZ 9E525-A	A	B	C	D								
ROD - METERING - Primary	D0OZ 9A526-A (CM-1180)	2			2								
Primary	D0OZ 9A526-B (CM-1181)		2	2									
Secondary	D0OZ 9A526-C (CM-1182)	2	2	2	2								
SPRING - FAST IDLE CAM	D0OZ 9G526-A (CM-1183)	A	B	C	D								
LINK - ACCELERATOR PUMP	D0OZ 9529-A (CM-1184)	A	B	C	D								
Roll pin (pump link)-3/32" x 7/16" long	354494-S(NN88)	A	B	C	D								
RETAINER - FLOAT LEVER TO FUEL INLET NEEDLE	D0OZ 9B530-A	A	B	C	D								
JET - MAIN METERING	D0OZ 9533-A (CJ-185)		2	2									
	D0OZ 9533-B (CJ-184)	2			2								
LEVER - FAST IDLE ADJUSTING	D0OZ 9538-A (CM-1185)	A	B	C	D								
SCREW - FAST IDLE ADJUSTING	D0OZ 9B538-A	A	B	C	D								
SPRING - IDLE ADJUSTING NEEDLE	D0OZ 9540-A (CM-1186)	2	2	2	2								
NEEDLE - IDLE ADJUSTING	D0OZ 9541-A (CM-1187)	2	2	2	2								
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	D0OZ 9B542-A (CM-1188)	A	B	C	D								
Retainer (pump rod)	353610-S8(NN126)	A	B	C	D								
PISTON - ACCELERATOR PUMP	D0OZ 9B544-A (CP-51)	A	B	C	D								
PLATE - CHOKE	D0OZ 9545-A (CM-1189)	A	B	C	D								
Screw & lockwasher assy. (choke plate) - No. 6-32 x 3/8" -pan hd.	50802-S7(U150)	2	2	2	2								
SHAFT KIT - CHOKE	D0OZ 9546-A (CM-1190)	A	B	C	D								
DASHPOT ASSY.	C8AZ 9B549-A (CD-15)	A	B										

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 30A THRU 30M											
		A	B	C	D	E	F	G	H	J	K	L	M
FLOAT ASSY.	D0OZ 9550-A (CM-1191)	A	B	C	D								
BRACKET - DASHPOT MOUNTING	D0OZ 9B550-A (CM-1192)	A	B										
Screw (dashpot brkt. to dashpot) No. 8-32 x 1/2" -fill. hd.	31061-S8(U50)	2	2										
LEVER - CHOKE SHAFT	D0OZ 9551-A (CM-1193)	A	B	C	D								
VALVE ASSY. - POWER	D0OZ 9G551-A (CE-84)	A	B	C	D								
PLATE - AIR DISTRIBUTION	D0OZ 9F553-A	A	B	C	D								
SHAFT - FLOAT LEVER	D0OZ 9558-A (CM-1194)	A	B	C	D								
HUB - FAST IDLE CAM	D0OZ 9D558-A (CM-1195)	A	B	C	D								
VALVE AND SEAT ASSY. - FUEL INLET	D0OZ 9564-A (CV-82)	A	B	C	D								
RETAINER - ACCELERATOR PUMP CHECK VALVE	D0OZ 9575-A (CM-1197)	A	B	C	D								
Ball (pump check) - 3/16" steel	371350-S(AA4)	A	B	C	D								
SPRING - FAST IDLE ADJUSTING SCREW	D0OZ 9578-A (CM-1198)	A	B	C	D								
SPRING - IDLE STOP	D0OZ 9578-B (CM-1199)	A	B	C	D								
LEVER - SECONDARY THROTTLE STOP	D0OZ 9583-A (CM-1200)	A	B	C	D								
LEVER - AIR VALVE LOCK-OUT	D0OZ 9583-B (CM-1201)	A	B	C	D								
BRACKET - THROTTLE EMISSION CONTROL SOLENOID	D0OZ 9J586-A		B	C									
CAM ASSY. - FAST IDLE	D0OZ 9597-A (CM-1202)	A			D								
	D0OZ 9597-B (CM-1203)		B	C									
ROD - CHOKE CONTROL	D0OZ 9A599-A (CM-1204)	A	B	C	D								
SCREW - AIR HORN - long - No. 10-32 x 3"- fill. hd.	D0OZ 9C631-A	2	2	2	2								
Screw (air horn-inner) - No. 8-32 x 1/2" - oval hd.	50398-S13(U121)	2	2	2	2								
Screw (air horn-short) - No. 10-32 x 5/8" - pan hd.	50555-S8(U160)	5	5	5	5								
SPRING - ACCELERATOR PUMP LEVER RETURN	D0OZ 9636-A (CM-1205)	A	B	C	D								
SPRING - METERING ROD TENSION	D0OZ 9D820-A	A	B	C	D								
HOUSING - THERMOSTATIC CHOKE not part of 9510-service pkg. includes (1) D0OZ 9565-A retainer	D0OZ 9848-A (CM-1207)		B	C									
Service pkg. includes (1) D0OZ 9565-A retainer	D0OZ 9848-B (CM-1208)	A			D								
SOLENOID ASSY. - THROTTLE EMISSION CONTROL	D0AZ 9D856-A			C	D								

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 31A THRU 31M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET	D0ZZ 9502-A(CG-306)	A	B	C	D	E	F	G	H	J	K	L	M
TUNE-UP KIT	D0ZZ 9A586-B (CT-224-A)	A	B	C	D	E	F	G	H	J	K	L	M
LIMITER - IDLE ADJUSTING	C7AZ 9J500-B (CM-747)	A	B	C	D	E	F	G	H	J	K	L	M
BOWL and PLUG ASSY. FLOAT	D0ZZ 9A507-B (CM-1206)	A	B	C	D	E	F	G	H	J	K	L	M
Screw & lockwasher assy.(bowl & plug assy)-No.10-32 x 1/2"-fill.hd.	43252-S8(U77)	4	4	4	4	4	4	4	4	4	4	4	4
FITTING - FUEL INLET	D0ZZ 9A520-A (CM-1209)	A	B	C	D	E	F	G	H	J	K	L	M
RESTRICTOR - JET	D2OZ 9A521-A (CM-1521)												M
ROD - METERING	D0ZZ 9A526-A (CM-1210)	A		C								L	
	D0ZZ 9A526-B (CM-1211)		B		D		F	G		J	K		
	D1ZZ 9A526-A (CM-1430)					E			H				
Tag code D2OF-MA	D2OZ 9A526-A (CM-1517)												M
Tag code D2OF-LA	D2OZ 9A526-B (CM-1518)												M
COVER ASSY. - ACCELERATOR PUMP	D0ZZ 9528-A (CM-1212)	A	B	C	D	E	F	G	H	J	K	L	M
LINK - ACCELERATOR PUMP	D0ZZ 9529-A (CM-1213)	A	B	C	D	E	F	G	H	J	K	L	M
ROD - FAST IDLE CAM	D1ZZ 9D530-C (CM-1429)					E	F	G	H	J	K		M
SPRING - THROTTLE RETURN	D2OZ 9A538-A (CM-1520)												M
SCREW - FAST IDLE ADJUSTING (used for curb idle speed on throttle shaft)	D2OZ 9B538-C												M
Used for fast idle speed on fast idle cams	D2OZ 9B538-B												M
NEEDLE - IDLE ADJUSTING	D0ZZ 9541-A (CM-1214)	A	B	C	D	E	F	G	H	J	K	L	M
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	D0ZZ 9B542-A (CM-1215)	A	B	C	D	E	F	G	H	J	K	L	M
Retainer (pump rod)	359734-S(RR2)	2	2	2	2	2	2	2	2	2	2	2	2
PISTON - ACCELERATOR PUMP	D0ZZ 9B544-A (CP-52)	A	B	C	D	E	F	G	H	J	K	L	M
PLATE - CHOKE	D0ZZ 9545-A (CM-1216)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (choke plate)-No.4-40 x 3/16"-fill.hd.	31291-S(U43)	2	2	2	2	2	2	2	2	2	2	2	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 31A THRU 31M											
		A	B	C	D	E	F	G	H	J	K	L	M
SHAFT and LEVER ASSY. - CHOKE	D2OZ 9546-B (CM-1217-A)	A	B	C	D	E	F	G	H	J	K	L	M
DASHPOT ASSY.	C7DZ 9B549-A (CD-14)				D								
	D1DZ 9B549-A (CM-1432)						F			J			
Nut (dashpot to dashpot mounting bracket)-5/16" jam	33923-S7(M32)				D		F			J			
FLOAT ASSY.	D0ZZ 9550-A (CM-1218)	A	B	C	D	E	F	G	H	J	K	L	M
BRACKET - DASHPOT MOUNTING	D0ZZ 9B550-A (CM-1219)				D								
	D1ZZ 9B550-B (CM-1433)						F			J			
SHAFT - FLOAT LEVER	D0ZZ 9558-A (CM-1220)	A	B	C	D	E	F	G	H	J	K	L	M
HUB - FAST IDLE CAM	D1DZ 9D558-B (CM-1419)					E	F	G	H	J	K		M
GASKET - FLOAT BOWL	D0ZZ 9561-A (GG-302)	A	B	C	D	E	F	G	H	J	K	L	M
VALVE and SEAT ASSY. - FUEL INLET	D0ZZ 9564-A (CV-83)	A	B	C	D	E	F	G	H	J	K	L	M
RETAINER - PUMP OPERATING LEVER	D0ZZ 9568-A	A	B	C	D	E	F	G	H	J	K	L	M
GASKET - FUEL INLET NEEDLE SEAT	D0ZZ 9569-A (CG-300)	A	B	C	D	E	F	G	H	J	K	L	M
BUSHING - ACCELERATOR PUMP ROD	D0ZZ 9F569-A	A	B	C	D	E	F	G	H	J	K	L	
VALVE - ACCELERATOR PUMP CHECK	D0ZZ 9576-A (CM-1221)	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - FAST IDLE ADJUSTING SCREW	B7A 9578-B	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - IDLE ADJUSTING NEEDLE	D0ZZ 9578-A (CM-1222)	A	B	C	D	E	F	G	H	J	K	L	M
	C8VY 9578-A (CM-750)					E	F	G	H	J	K		M
LEVER and SHAFT ASSY. - THROTTLE	D0ZZ 9581-A (CM-1223)	A	B									L	
	D0ZZ 9581-B (CM-1237)			C	D								
	D4DZ 9581-E (CM-1416-A)					E	F	G	H	J	K		M

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 31A THRU 31M											
		A	B	C	D	E	F	G	H	J	K	L	M
PLATE - THROTTLE	D0ZZ 9585-A (CM-1224)	A	B	C	D	E	F	G	H	J	K	L	M
Screw (throttle plate)-No.4-40 x 3/16"-fill.hd.	31291-S(U43)	2	2	2	2							2	
BRACKET - THROTTLE EMISSION CONTROL SOLENOID	D0ZZ 9J586-A	A	B	C									
Tag code D1ZF-LA	D2DZ 9J586-A					E	F	G	H	J	K		M
Screw (solenoid brkt.)-1/4"-20 x 3/4" Tag code D1ZF-LA	20344-S8(B42)					E		G	H		K		M
Nut (solenoid brkt.)-1/4"-20 Tag code D1ZF-LA	34129-S7-8(M148)					E		G	H		K		M
Lockwasher (solenoid brkt.) Tag code D1ZF-LA	34940-S7-8(X88)					E		G	H		K		M
CAM ASSY. - FAST IDLE	D0ZZ 9597-B (CM-1225)	A	B	C	D							L	
Tag code D2OF-LA	D1ZZ 9597-E (CM-1440)					E			H				M
Tag code D2OF-MA	D1ZZ 9597-F (CM-1450)						F	G		J	K		M
Retainer (fast idle cam)	373907-S2(MM263D)	A	B	C	D	E	F	G	H	J	K	L	
RETAINER - ACCELERATOR PUMP SPRING	D0ZZ 9599-A (CM-1226)	A	B	C	D	E	F	G	H	J	K	L	M
RETAINER - DIAPHRAGM ROD	D0ZZ 9599-B (CM-1227)	A	B	C	D	E	F	G	H	J	K	L	
ROD - CHOKE CONTROL	D0ZZ 9A599-A (CM-1228)	A	B	C	D							L	
SCREW - DASHPOT BRACKET - No. 10-24 x 1/2"-slotted pan hd.	C8DZ 9C631-A				D								
SCREW - RETAINER ACCELERATOR PUMP ARM - No. 10-32 x 5/16" pan hd.	D0ZZ 9C631-A	A	B	C	D	E	F	G	H	J	K	L	M
SCREW - IDLE ADJUSTING - No. 10-32 x 1 1/8"-fill. hd.	D0ZZ 9C631-B	A	B	C	D	E	F	G	H	J	K	L	
SCREW - SOLENOID BRACKET - No. 12-28 x 9/16"-fill. hd.	D0ZZ 9C631-C	2	2	2		2	2	2	2	2	2		2
SPRING - ACCELERATOR PUMP LEVER RETURN - lower	D0ZZ 9636-A (CM-1229)	A		C	D	E			H			L	
	D0ZZ 9636-B (CM-1230)		B				F	G		J	K		M
UPPER	D0ZZ 9636-C (CM-1231)	A	B	C	D	E	F	G	H	J	K		
RETAINER - AIR CLEANER TO CARBURETOR	D0ZZ 9B672-A	A	B	C	D	E	F	G	H	J	K	L	M
Screw (air cleaner retainer)-No.6-32 x 1/4"-fill.hd.	31031-S8(U44)	2	2	2	2	2	2	2	2	2	2	2	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 31A THRU 31M											
		A	B	C	D	E	F	G	H	J	K	L	M
SHAFT and LEVER ASSY. - CHOKE HOUSING	D0ZZ 9A753-A (CM-1232)	A	B	C	D	E	F	G	H	J	K	L	M
LEVER - CHOKE THERMOSTAT	D0ZZ 9A754-A	A	B	C	D	E	F	G	H	J	K	L	M
Screw (choke lever)-No.6-32 x 1/4"	355027-S(BB668)	A	B	C	D	E	F	G	H	J	K	L	M
LINK - CHOKE THERMOSTAT	D0ZZ 9834-A	A	B	C	D	E	F	G	H	J	K	L	M
PISTON ASSY. - CHOKE	D0ZZ 9840-A (CM-1233)	A	B	C	D		F	G		J	K	L	
Tag code D2OF-MA													M
	D1ZZ 9840-E					E			H				
Tag code D2OF-LA	(CM-1439)												M
Pin (attach piston to choke shaft)-supplied in 9840 assy.	★359729-S	A	B	C	D	E	F	G	H	J	K	L	
CLAMP - THERMOSTATIC CHOKE HOUSING	D0ZZ 9842-A (CM-1234)	3	3	3	3	3	3	3	3	3	3	3	3
HOUSING - THERMOSTATIC CHOKE	9848												
Service pkg.includes (1) D0ZZ 9871-A gasket	D1ZZ 9848-B	A	B	C	D		F	G		J	K	L	
Tag code D2OF-MA	(CM-1412)												M
Service pkg.includes (1) D0ZZ 9871-A gasket	D1ZZ 9848-D					E			H				
Tag code D2OF-LA	(CM-1414)												M
Screw (choke housing)-No.8-32 x 3/8"-pan hd.	39031-S(U135)	3	3	3	3	3	3	3	3	3	3	3	3
BUSHING - CHOKE HOUSING	D0ZZ 9851-A (CM-1236)	A	B	C	D	E	F	G	H	J	K	L	
SOLENOID ASSY. - THROTTLE EMISSION CONTROL	D1AZ 9D856-C	A	B	C		E		G			K		
Tag code D1ZF-LA									H				
	D2AZ 9D856-B												M
GASKET - THERMOSTATIC CHOKE HOUSING	D0ZZ 9871-A (CG-301)	A	B	C	D	E	F	G	H	J	K	L	M
SCREW - FLOAT SHAFT	D0RY 12230-A (DZE-426)	2	2	2	2	2	2	2	2	2	2	2	2

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 31N THRU 31Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
GASKET SET	D0ZZ 9502-A (CG-306)	N											
TUNE-UP KIT	D0ZZ 9A586-B (CT-224-A)	N											
LIMITER - IDLE ADJUSTING	C7AZ 9J500-B (CM-747)	N											
BOWL AND PLUG ASSY. FLOAT	D0ZZ 9A507-B (CM-1206)	N											
Screw and lockwasher assy. (bowl & plug assy.) No. 10-32 x 1/2" fill. head	43252-S8(U77)	4											
FITTING - FUEL INLET	D0ZZ 9A520-A (CM-1209)	N											
RESTRICTOR - JET	D2OZ 9A521-A (CM-1521)	N											
ROD - METERING Tag code D2PF-BA	D2OZ 9A526-B (CM-1518)	N											
Tag code D2OF-SA	D2OZ 9A526-C (CM-1699)	N											
COVER ASSY. -ACCELERATOR PUMP	D0ZZ 9528-A (CM-1212)	N											
LINK - ACCELERATOR PUMP	D0ZZ 9529-A (CM-1213)	N											
ROD - FAST IDLE CAM	D1ZZ 9D530-C (CM-1429)	N											
SPRING - THROTTLE RETURN	D2OZ 9A538-A (CM-1520)	N											
SCREW - FAST IDLE ADJUSTING (used for curb idle speed on throttle shaft)	D2OZ 9B538-C	N											
Used for fast idle speed on fast idle cams	D2OZ 9B538-B	N											
NEEDLE - IDLE ADJUSTING	D0ZZ 9541-A (CM-1214)	N											
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL	D0ZZ 9B542-A (CM-1215)	N											
Retainer (pump rod)	359734-S(RR2)	2											
PISTON - ACCELERATOR PUMP	D0ZZ 9B544-A (CP-52)	N											
PLATE - CHOKE	D0ZZ 9545-A (CM-1216)	N											
Screw (choke plate)-No. 4-40 x 3/16" fill. head	31291-S(U43)	2											
SHAFT AND LEVER ASSY. - CHOKE	D2OZ 9546-B	N											
FLOAT ASSY.	D0ZZ 9550-A (CM-1218)	N											
SHAFT - FLOAT LEVER	D0ZZ 9558-A (CM-1220)	N											
HUB - FAST IDLE CAM	D1DZ 9D558-B (CM-1419)	N											
GASKET - FLOAT BOWL	D0ZZ 9561-A (CG-302)	N											
VALVE AND SEAT ASSY. - FUEL INLET	D0ZZ 9564-A (CV-83)	N											
RETAINER - PUMP OPERATING LEVER	D0ZZ 9568-A	N											
GASKET - FUEL INLET NEEDLE SEAT	D0ZZ 9569-A (CG-300)	N											

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 31N THRU 31Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
VALVE - ACCELERATOR PUMP CHECK	D0ZZ 9576-A (CM-1221)	N											
SPRING IDLE ADJUSTING NEEDLE	D0ZZ 9578-A (CM-1222)	N											
Spring - fast idle speed screw	C8VY 9578-A (CM-750)	N											
SPRING - FAST IDLE ADJUSTING SCREW	B7A 9578-B	N											
LEVER AND SHAFT ASSY. - THROTTLE	D4DZ 9581-E (CM-1416-A)	N											
PLATE - THROTTLE	D0ZZ 9585-A (CM-1224)	N											
BRACKET - THROTTLE EMISSION CONTROL SOLENOID	D2DZ 9J586-A	N											
Screw (solenoid bracket)-1/4"-20 x 3/4"	20344-S8(B42)	N											
Nut (solenoid bracket)-1/4"-20	34129-S7-8(M148)	N											
Lockwasher (solenoid bracket)	34940-S7-8(X88)	N											
CAM ASSY. - FAST IDLE	D1ZZ 9597-E (CM-1440)	N											
Tag code D2PF-BA													
Tag code D2OF-SA	D1ZZ 9597-F	N											
RETAINER - ACCELERATOR PUMP SPRING	D0ZZ 9599-A (CM-1226)	N											
SCREW - SOLENOID BRACKET - No.12-28 x 9/16" fill.head	D0ZZ 9C631-C	2											
SCREW - RETAINER ACCELERATOR PUMP ARM - No. 10-32 x 5/16" pan head	D0ZZ 9C631-A	N											
SPRING - ACCELERATOR PUMP LEVER RETURN (lower)	D0ZZ 9636-B (CM-1230)	N											
Screw (air cleaner retainer)-No. 6-32 x 1/4"-fill. head	31031-S8(U44)	2											
RETAINER - AIR CLEANER TO CARBURETOR	D0ZZ 9B672-A	N											
SHAFT AND LEVER ASSY. - CHOKE HOUSING	D0ZZ 9A753-A (CM-1232)	N											
LEVER - CHOKE THERMOSTAT	D0ZZ 9A754-A	N											
Screw (choke lever)	355027-S (BB668)	N											
LINK - CHOKE THERMOSTAT	D0ZZ 9834-A	N											
PISTON ASSY. - CHOKE	D0ZZ 9840-A (CM-1233)	N											
Tag code D2OF-SA													
Tag code D2PF-BA	D1ZZ 9840-E (CM-1439)	N											
CLAMP - THERMOSTATIC CHOKE HOUSING	D0ZZ 9842-A (CM-1234)	3											
HOUSING - THERMOSTATIC CHOKE	D1ZZ 9848-B (CM-1412)	N											
Service pkg. includes (1) D0ZZ 9871-A gasket													
Tag code D2OF-SA													
Service pkg. includes (1) D0ZZ 9871-A gasket	D1ZZ 9848-D (CM-1414)	N											
Tag code D2PF-BA													
Screw (choke housing)-No. 8-32 x 3/8"-pan head	39031-S(U135)	3											
SOLENOID ASSY. - THROTTLE EMISSION CONTROL	D2AZ 9D856-B	N											
GASKET - THERMOSTATIC CHOKE HOUSING	D0ZZ 9871-A (CG-301)	N											
SCREW - FLOAT SHAFT	D0RY 12230-A (DZE-426)	2											

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 32A THRU 32M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET	D0PZ 9502-A(CG-305)	A	B	C	D	E	F						
TUNE-UP KIT	D0PZ 9A586-B (CT-223-A)	A	B	C	D	E	F						
Connector - distributor vacuum	358165-S(II-65)	A	B	C	D	E	F	G					
Screw & lockwasher (throttle body to main body)-1/4"-20 x 1 11/16" fillister head	359736-S2(BB67)	3	3	3	3	3	3	3					
Screw (air horn)-No. 10-32 x 5/8"	43256-S8 (U-77-F)	6	6	6	6	6	6	6					
LIMITER - IDLE ADJUSTING NEEDLE	D0PZ 9J500-A (CM-1157)	A	B	C	D	E	F	G					
WEIGHT - PUMP DISCHARGE BALL	D0PZ 9B511-A (CM-1160)	A	B	C	D	E	F	G					
SPRING - CHOKE LEVER	D0PZ 9C513-A (CM-1173)				D			G					
GASKET - THROTTLE BODY TO MAIN BODY	D0PZ 9516-A (CG-295)	A				E	F						
	D0PZ 9516-B (CG-296)		B	C	D			G					
LEVER - ACCELERATOR PUMP OPERATING	D0PZ 9529-A (CM-1167)	A	B	C	D	E	F	G					
Nut (lever-pump operating)-No. 10-32 x 1/8" hexagon	34079-S7(M63)	A	B	C	D	E	F	G					
Washer-lock-No. 10	34803-S7(X60)	A	B	C	D	E	F	G					
LINK - ACCELERATOR PUMP	D0PZ 9529-B (CM-1159)	A	B	C	D	E	F	G					
JET - MAIN METERING	9533												
No. 61 - 0 to 10,000 ft. altitude	B4Q 9533-A(CJ-2)			C	D								
No. 69 - 0 to 10.000 ft. altitude	B7T 9533-A	A				E							
No. 68 - 0 to 10,000 ft. altitude	8MB 9533-A						F						
No. 60 - 0 to 10,000 ft. altitude	1GA 9533-C(CJ46)		B										
SEAL - ACCELERATOR PUMP ROD	D0PZ 9535-A (CM-1253)	A	B	C	D	E	F	G					
SPRING - THROTTLE RETURN	D0PZ 9A538-A (CM-1163)	A	B	C	D	E	F	G					
SPRING - IDLE ADJUSTING NEEDLE	★ 7HW 9540	A	B	C	D	E	F	G					
NEEDLE - IDLE ADJUSTING	D0PZ 9541-A (CM-1171)	A	B	C	D	E	F	G					
LEVER - CHOKE CONTROL	D0PZ 9D541-A (CM-1152)	A			D			G					
PISTON - ACCELERATOR PUMP	D0PZ 9B544-A(CP-53)	A	B	C	D	E	F						
PLATE - CHOKE	D0PZ 9545-A (CM-1172)	A	B	C	D	E	F	G					

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 32A THRU 32M											
		A	B	C	D	E	F	G	H	J	K	L	M
SHAFT and LEVER ASSY. - CHOKE	D0PZ 9546-A (CM-1175)	A	B	C		E	F						
	D0PZ 9546-B (CM-1169)				D			G					
RETAINER - CHOKE MODULATOR SPRING	D0PZ 9J548-A	A	B	C		E	F						
DASHPOT ASSY.	C6AZ 9B549-B (CD-13)	A	B	C				G					
DIAPHRAGM and RETAINER ASSY. - CHOKE CONTROL	D0PZ 9J549-A (CK-1156)	A	B	C		E	F						
FLOAT ASSY.	D0PZ 9550-A (CM-1151)	A	B	C	D	E	F	G					
BRACKET - DASHPOT	D0PZ 9B550-A (CM-1178)	A	B	C				G					
PISTON ASSY. - POWER VALVE	★D0PZ 9G551-A(CE-85)	A	B	C									
BODY - POWER VALVE	D0PZ 9G552-A	A	B					G					
LINK - CHOKE DIAPHRAGM	D0PZ 9J552-B	A	B	C		E	F						
SHAFT - FLOAT LEVER	D0PZ 9558-A (CM-1155)	A	B	C	D	E	F	G					
HUB - FAST IDLE CAM	D0PZ 9D558-A (CM-1154)	A	B	C	D	E	F	G					
PIN - POWER VALVE	★D0PZ 9G558-A r/b C2DZ 9594-A	A	B	C	D	E	F	G					
GASKET - FLOAT BOWL	D0PZ 9561-B (CG-294)	A	B	C	D	E	F	G					

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 32A THRU 32M											
		A	B	C	D	E	F	G	H	J	K	L	M
COVER - CHOKE DIAPHRAGM	D0PZ 9J563-A	A	B	C		E	F						
Screw (choke diaphragm)-No. 8-5/8" fillister head-split ring	$357136-S(BB-56)	3	3	3		3	3						
VALVE and SEAT ASSY. - FUEL INLET	D0PZ 9564-B (CV-80)	A	B	C	D	E	F	G					
CLAMP - PUMP ROD	D0PZ 9565-A (CM-1165)	A	B	C	D	E	F	G					
Screw (accel. pump rod clamp)-No. 10-32 x .31" pan head	★372917-S	A	B	C	D	E	F	G					
BUSHING - ACCELERATOR PUMP OVERTRAVEL	D0PZ 9F569-A	A	B	C	D	E	F						
CUP - SPRING PUMP PISTON	D0PZ 9572-A (CM-1174)	A	B	C	D	E	F	G					
VALVE ASSY. - SPARK CONTROL	B5AZ 9B572-A(CE-31)			C	D	E							
BALL - ACCELERATOR PUMP CHECK	78 9576	A	B	C	D	E	F	G					
SPRING - POWER VALVE - r/b C2DZ 9594-A	★D0PZ 9578-A (CM-1153)	A	B					G					
SPRING - FAST IDLE ADJUSTING SCREW	B8A 9578-B (CM-609)	A	B	C	D	2	F	G					
	D0PZ 9578-B (CM-1284)				D								
Screw (fast idle adjusting)-No. 10-32 x 1.00" hex. head slotted	355107-S7(BB536)				D			G					
Screw-throttle adjusting-No. 10-32 x .81" fill. head	★352986-S8	A	B					G					
PLATE - THROTTLE	D0PZ 9585-A (CM-1166)	A				E	F						
	★C0DE 9585-A		B	C	D			G					
Screw & lockwasher assy. (plate throttle)-No. 6-32 x 3/8" pan head	50802-S7(U150)	2	2	2	2	2	2	2					
SCREW - CHOKE PLATE	B9A 9586-A (CM-531)	2	2	2	2	2	2	2					
SPRING - CHOKE MODULATOR	D0PZ 9587-A (CM-1177)	A	B	C		E	F						
SPRING - CHOKE DIAPHRAGM	D0PZ 9587-B (CM-1176)	A	B	C		E	F						
GASKET - SPARK VALVE	C0AE 9A588-A				D	E							
VALVE ASSY. - POWER	C2DZ 9594-A(CJ-124)	A	B	C	D	E	F	G					
BRACKET ASSY. - CHOKE CONTROL	D0PZ 9595-A (CM-1164)				D			G					
CAM ASSY. - FAST IDLE	D0PZ 9597-B (CM-1149)	A	B	C		E	F						
	D0PZ 9597-A (CM-1148)				D			G					
Screw (choke lever swivel)-No. 8-32 x 1/4" fill. head	31032-S8(U47)				D			G					

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB.PARTS LISTS 32A THRU 32M											
		A	B	C	D	E	F	G	H	J	K	L	M
ROD - FAST IDLE	D0PZ 9598-A (CM-1147)	A			D			G					
	D0PZ 9598-B (CM-1146)		B	C		E	F						
SPRING - ACCELERATOR PUMP ROD	D0PZ 9D598-A (CM-1168)	A	B	C	D	E	F	G					
RETAINER - FLOAT LEVER SHAFT	D0PZ 9599-A (CM-1170)	A	B	C	D	E	F	G					
LEVER - CHOKE THERMOSTAT	D0PZ 9A754-A	A	B	C		E	F						
Screw (choke lever)-No. 5-40 x 13/32"-fillister head	357824-S13(BB5)	A	B	C		E	F						
GASKET - FUEL INLET FITTING	B2A 9827-A	A	B	C	D	E	F	G					
CLAMP - THERMOSTATIC CHOKE HOUSING	D0PZ 9842-A	A	B	C		E	F						
Screw (clamp-choke housing)-No. 8-32 x 1/2" fillister head	31061-S8(U50)	2	2	2		2	2						
PLATE - THERMOSTAT CHOKE HOUSING	D0PZ 9844-A (CM-1150)	A	B	C		E	F						
HOUSING - THERMOSTATIC CHOKE	D0PZ 9848-A (CM-1161)	A	B	C		E	F						
BUSHING - CHOKE THERMOSTAT LEVER	D0PZ 9851-A (CM-1162)	A	B	C		E	F						
GASKET - THERMOSTATIC CHOKE CONTROL	D0PZ 9853-A (CG-298)	A	B	C		E	F						
GASKET - THERMOSTATIC CHOKE COVER	D0PZ 9853-B (CG-299)	A	B	C		E	F						

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 33A THRU 33M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET	D1FZ 9502-B (CG-332)	A											
TUNE-UP KIT - Tag code 711W- BDA,BDB	D1FZ 9A586-C (CT-227-A)	A											
Screw and lockwasher assy.(air horn to main body)-No.8-32 x 5/8"	357136-S(BB-56)	6	6										
Nut-5/16"-24 (carb. to intake manifold)	33798-S8(M62)	2	2										
Stud(carb. to intake manifold)	113765-ES2	2	2										
WEIGHT - PUMP DISCHARGE BALL	D0RY 9B511-A (CM-1301)	A	B										
Ball (pump discharge)-5/32"	353077-S(AA2)	A	B										
SCREEN - FUEL FILTER	D0RY 9F525-A	A	B										
COVER ASSY. - ACCELERATOR PUMP	D1FZ 9528-B (CM-1391)	A	B										
Screw and lockwasher assy. (cover to accel. pump)-No.8-32 x 5/8"	357136-S(BB-56)	4	4										
ROD - FAST IDLE CAM	D0RY 9D530-A (CM-1304)	A	B										
JET - MAIN METERING	D1FZ 9533-A(CJ-196)	A											
	D2FZ 9533-C(CJ-211)		B										
SPRING - ACCELERATOR PUMP OVERTRAVEL	D0RY 9A538-A (CM-1305)	A	B										
Screw and washer assy. -No. 6-32 x 3/8"	★42790-S8B(U150)	A											
SCREW - FAST IDLE ADJUSTING	D1FZ 9B538-B (CM-1336)	A											
	D2FZ 9B538-B		B										
LEVER - CHOKE CONTROL	★D0RY 9D541-A (CM-1306)	A	B										
ROD - ACCELERATOR PUMP LINK TO OVERTRAVEL LEVER	D0RY 9B542-A (CM-1303)	A	B										
Washer-flat (rod-accel.pump)	373315-S(XX44A)	A	B										
PLATE - CHOKE	D0RY 9545-A (CM-1320)	A	B										
Screw (plate to shaft)-No. 6-32 x .25"	375016-S2(UU52AK)	2	2										
SHAFT and LEVER ASSY. - CHOKE	D0RY 9546-A (CM-1319)	A											
	D2FZ 9546-B (CM-1514)		B										
FLOAT ASSY.	D1FZ 9550-B (CM-1393)	A											
	D0RY 9550-A (CM-1307)		B										
SHAFT - FLOAT LEVER	D1FZ 9558-B (CM-1394)	A	B										
DIAPHRAGM ASSY. - ACCELERATOR PUMP	D0RY 9B559-A (CM-1309)	A	B										
BUSHING - FAST IDLE CAM	D0RY 9D559-A	A	B										

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 33A THRU 33M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET - FLOAT BOWL	D0RY 9561-A (CG-318)	A											
	D2FZ 9561-B (CG-340-A)		B										
VALVE and SEAT ASSY. - FUEL INLET - R/B D2FZ 9564-B (1-74)	★ D0RY 9564-A (CV-85)	A											
	D2FZ 9564-B (CV-91)	A	B										
GASKET - FUEL INLET NEEDLE SEAT	★B7A 9569-A	A	B										
HOUSING ASSY. - CHOKE	D0RY 9A575-A (CC-60)	A	B										
Screw (housing to 9510)-No.10-32 x 5/8"-fill.head	31628-S7(U58)	A	B										
Washer-lock	34803-S7(X60)	A	B										
VALVE - ACCELERATOR PUMP CHECK	D0RY 9576-A (CM-1310)	A											
SPRING - IDLE ADJUSTING NEEDLE - (1) Used with idle mixture screw (1) Used with idle speed screw	D0RY 9578-A (CM-1311)	2	2										
Screw (idle speed)-No. 10-32 x 5/8"	31628-S7(U58)	A	B										
LEVER and SHAFT ASSY. - THROTTLE	D1FZ 9581-B (CME-1540)	A											
	D2FZ 9581-A (CM-1515)		B										
PLATE - THROTTLE	D1FZ 9585-C (CM-1395)	A											
	D2FZ 9585-A (CM-1516)		B										
Screw (plate to shaft)-No. 6-32 x .25"	375016-S2(UU52AK)	2	2										
BRACKET - THROTTLE EMISSION CONTROL SOLENOID	D1FZ 9J586-A	A											
LEVER - ACCELERATOR PUMP	D0RY 9D591-A (CM-1314)	A	B										
Screw and lockwasher assy. (lever-accel. pump)-No.8-32 x 3/8" pan hd.	50802-S7(U150)	A	B										
CAM - FAST IDLE	D0RY 9597-A (CM-1315)	A	B										
Screw (attaches fast idle cam)	377331-S8B(BB683G)	A	B										
SPRING - PUMP CHECK VALVE	D0RY 9H598-A	A											
ROD - CHOKE CONTROL	D0RY 9A599-A (CM-1316)	A	B										
Nut - spring (rod to 9597)	374136-S2(MM259X)	A	B										
SPRING - ACCELERATOR PUMP	D0RY 9636-A (CM-1317)	A	B										
HOUSING - THERMOSTATIC CHOKE	D1FZ 9848-A (CM-1396)	A	B										
Screw (housing-thermo.choke)-No.8-32 x 3/4"	43395-S8B(U75)	3	3										
GASKET - THERMOSTATIC CHOKE CONTROL	D0RY 9853-A (CG-139)	A	B										
SOLENOID ASSY. - THROTTLE EMISSION	D1AZ 9D856-C	A											
GASKET - THERMOSTATIC CHOKE HOUSING	D0RY 9871-A (CG-320)	A	B										

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 34A THRU 34M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET SET	D1FZ 9502-A (CG-324)	A	B	C									
TUNE-UP KIT	D1FZ 9A586-D (CT-858-A)	A	B	C									
Stud (air cleaner)-1/4"-20-20 x 2 21/64"	370970-S8(WW7L)	4	4	4									
Nut (carb. to intake manifold)	N800007-S51 (AM10)	4	4	4									
Stud (carb. to intake manifold)	E804012-S(AW-20)	4	4	4									
LIMITER - IDLE ADJUSTING	C7AZ 9J500-B (CM-747)	A	B	C									
SEAL - FAST IDLE ROD	D1FZ 9B501-A (CM-1327)	A	B	C									
RETAINER - FAST IDLE SEAL	D1FZ 9B501-B (CM-1328)	A	B	C									
LEVER - THROTTLE (secondary)	D1FZ 9C504-A (CM-1329)	A	B	C									
Washer - (lever-sec.throttle) 1/4" flat	44719-S8(X17)	A	B										
BUSHING - THROTTLE SHAFT	D1FZ 9B508-A (CM-1330)	A	B	C									
SCREW AND WASHER ASSY. - PUMP COVER	D1FZ 9S510-A	6	7	7									
SCREEN - FUEL FILTER	D1FZ 9F525-A	A	B	C									
SPRING - FAST IDLE CAM	D1FZ 9G526-A (CM-1331)	A	B	C									
NUT - THROTTLE LEVER and CHOKE SHAFT - (1) retains 9C504, (1) retains 9D541	D1FZ 9B527-A (CM-1400)	2	2	2									
COVER ASSY.-ACCELERATOR PUMP	D2FZ 9528-A (CM-1524)	A	B	C									
SCREW and WASHER ASSY. - AIR HORN	D1FZ 9F529-A	5	5	5									
ROD - FAST IDLE CAM	D1FZ 9D530-A (CM-1333)	A	B	C									
JET - MAIN METERING	9533												
Primary-tag code D1AF, AA, BA, CA, DA, EA, FA, GA, D1PF-JA, KA	D1FZ 9533-C (CJ-198)	A											
Secondary-tag code D12F-AA, BA, CA, DA	D1FZ 9533-B (CJ-199)	A											
Tag code D12F-EA, FA, GA, D1PF-JA, KA	D1FZ 9533-D (CJ-201)	A											
Primary - stamped # 132 Tag code D22F-AA, BA, CA, DA Tag codes D22F-AB, BB, CB, DB, EA, GA, D2PF-ZA Tag code D22F-EB Tag code D2PF-UA Tag code D2PF-YA	D2FZ 9533-A (CJ-204)	A	B 2	C 2									
Secondary - stamped #150 Tag code D22F, AA, BA, CA, DA Tag codes D2PF-AA, D22F-AB, AC, BB, BC, CB, DB, EA, GA Tag code D2PF-UA	D2FZ 9533-B (CJ-203)	A	B	C									

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 34A THRU 34M											
		A	B	C	D	E	F	G	H	J	K	L	M
LEVER - FAST IDLE ADJUSTING	D1FZ 9538-A (CM-1334)	A	B	C									
Washer-spring (lever to 9D558)	356254-S2(XX350)	A	B										
Washer-1/4" flat (lever to 9849)	44719-S8(X17)	A	B										
SPRING - THROTTLE RETURN	9A538												
Primary	D1FZ 9A538-A (CM-1335)	A	B	C									
Secondary	D1FZ 9A538-B (CM-1336)	A	B	C									
SCREW - FAST IDLE ADJUSTING	D1FZ 9B538-A	A	B	C									
Tag codes D22F-AA, BA, CA, DA	D2FZ 9B538-A	A	B	C									
SCREW - SECONDARY IDLE & DIAPHRAGM ADJUSTING	D1FZ 9B538-D	2	2	2									
SCREW - IDLE SPEED - tag code D12F-AA, BA, CA, DA, EA, GA, D1PF-JA, KA	D1FZ 9B538-C	A											
PLUG - FUEL FILTER RETAINER	D1FZ 9A540-A	A	B	C									
TUBE - HIGH SPEED AIR BLEEDER (PRIMARY)-identified by number "170" Tag codes D1PF-JA, KA, D12F-AA, BA, CA, DA, EA, FA, GA	D1FZ 9G540-A	A											
Identified by number "180"-Tag codes D1PF-JA, KA, D12F-AA, BA, CA, DA, EA, FA, GA	D1FZ 9G540-B	A											
Tag codes D22F-AC, BC, EA, EB			B										
Tag codes D22F-AA, BA, CA, DA		2											
Tag codes D22F-AB, BB, CB, DB, D2PF-AA			2										
Tag code D2PF-UA				C									
Tag codes D22F-AC, BC, EA, EB, D2PF-ZA	D2FZ 9G540-C		B										
Tag codes D22F-GA			2										
Tag code D2PF-UA				C									
Tag code D2PF-YA				2									
NEEDLE - IDLE ADJUSTING	D1FZ 9541-A (CM-1346)	A	B	C									
LEVER - CHOKE CONTROL	D1FZ 9D541-A (CM-1348)	A	B	C									
Washer (use with choke control lever)	44718-S8	A	B	C									
JET - IDLE - identified by number "50"-tag codes D12F-AA, BA, CA, DA, FA(Qty.2), D1PF-JA, KA, D12F-EA, GA(Qty.1), D22F-AA, BA, CA, DA	D1FZ 9542-A (CJ-197)	1or2	B	C									
Identified by number "55" - tag code D12F-EA, GA, D22F-AA, AB, AC BA, BB, BC, CA, CB, DA, DB, D2PF-AA, ZA	D1FZ 9542-B (CJ-200)	A	B										
Tag code D22F-EA, EB, GA	D2FZ 9542-C (CJ-212)		B	C									
COVER SCREW - DIAPHRAGM - ADJUSTING SCREW	D1FZ 9S544-A	A	B	C									
PLATE - CHOKE	9545												
Primary Tag codes D1PF-JA, KA, D12F-AA, BA, CA, DA, EA, FA, GA	D1FZ 9545-A (CM-1351)	A											
Secondary-tag codes D1PF-JA, KA, D12F-AA, BA, CA, DA, EA, FA, GA	D1FZ 9545-B (CM-1379)	A											

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 34A THRU 34M											
		A	B	C	D	E	F	G	H	J	K	L	M
PLATE - CHOKE -continued													
	D2FZ 9545-C (CM-1497-A)	2	2	2									
SHAFT and LEVER ASSY. - CHOKE Tag codes D1PF-JA, KA, D12F-AA, BA, CA, DA, EA, FA, GA	D1FZ 9546-A (CM-1354)	A											
Tag codes D22F-AA, BA, CA, DA	D2FZ 9546-A (CM-1496)	A	B	C									
DIAPHRAGM and RETAINER ASSY.-CHOKE CONTROL	D1FZ 9J549-A (CK-1356)	A	B	C									
FLOAT ASSY.	D1FZ 9550-A (CM-1357)	A	B	C									
VALVE ASSY. (POWER)-also refer to group 9594	9G551												
Service pkg.includes (1) D1FZ 9A588-A gasket - tag codes D1PF-JA, KA, D12F-AA, BA, CA, DA, EA, FA, GA	D1FZ 9G551-A (CE-86)	A											
COVER - CHOKE CONTROL DIAPHRAGM	D1FZ 9J554-A	A	B	C									
SHAFT - FLOAT LEVER	D1FZ 9558-A (CM-1359)	A	B	C									
HUB - FAST IDLE CAM	D1FZ 9D558-A (CM-1360)	A	B	C									
SCREW and WASHER ASSY. - FAST IDLE LEVER	D1FZ 9D558-B (CM-1401)	A	B	C									
Spring washer - fast idle lever	356254-S2(XX350)	A	B	C									
DIAPHRAGM ASSY. - ACCELERATOR PUMP-tag codes D12F-AA, BA, CA, DA, EA, FA, GA, D1PF-JA, KA	D1FZ 9B559-A (CM-1361)	A											
Tag codes D22F-AA, BA, CA, DA	D2FZ 9B559-A (CM-1503)	A	B	C									
GASKET FLOAT - BOWL	D1FZ 9561-A (CG-326)	A	B	C									
VALVE and SEAT ASSY. - FUEL INLET Service pkg.includes (1) D1FZ 9569-A gasket	D2FZ 9564-A (CV-90)	A	B	C									
ECONOMIZER ASSY.-tag code D1PF-JA, KA, D12F-AA, BA, CA, DA, EA, FA, GA	D1FZ 9A565-A (CE-87)	A											
Tag codes D22F-AA, AB, BA, BB, CA, CB, DA, DB, D2PF-AA	D2FZ 9A565-A (CE-90)	A	B										
Tag code D22F-EA, EB, GA, D2PF-AA, YA	D3FZ 9A565-A (CE-91-A)		B	C									
Tag codes D22F-AC, BC, D2PF-ZA	D3FZ 9A565-B (CE-87-A)		B										
Screw and washer assy. (attaches economizer) Tag code D22F-AB, BB, CB, DB, EA, GA, D2PF-AA	355067-S7(BB53)	3	3										
Tag code D2PF-UA				3									
Screw & washer assy. (attaches economizer)-No. 8-32 x 5/8" Tag codes D22F-AC, BC, EB, D2PF-ZA	357136-S(BB-56)		3										
Tag code D2PF-YA				3									
WASHER - LEVELING SHAFT (primary)	D1FZ 9568-A	A	B	C									
WASHER - THROTTLE LEVER NUT LOCK	D1FZ 9568-B	A	B	C									

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 34A THRU 34M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET - FUEL INLET NEEDLE SEAT	D1FZ 9569-A (CG-327)	A	B	C									
PUMP - DISCHARGE NOZZLE - identified No.50	D1FZ 9A574-A	A	B	C									
RETAINER - IDLE JET	D1FZ 9575-A (CM-1339-A)	2	2	2									
VALVE ACCELERATOR - PUMP CHECK	D1FZ 9576-A (CM-1363)	A											
BALL - ACCELERATOR PUMP CHECK Tag codes D22F-AA, BA, CA, DA	EAA 9576-A	A	B	C									
SCREW - PUMP DISCHARGE NOZZLE - tag codes D12F-AA, BA, CA, DA, EA, FA, GA, D1PF-JA, KA	D1FZ 9577-A (CM-1345)	A											
Tag codes D22F-AA, BA, CA, DA	D2FZ 9577-A (CM-1502)	A	B	C									
SPRING - FAST ADJUSTING IDLE SCREW Tag codes D22F-AA, BA, CA, DA	B8A 9578-B (CM-609)	A	B	C									
SPRING - IDLE ADJUSTING NEEDLE (1) used with 9B538, (1) used with 9541	D1FZ 9578-A (CM-1364)	2	2	2									
LEVER and SHAFT ASSY. - THROTTLE Primary-tag codes D12F-AA, BA, CA, DA, EA, FA, D1PF-JA, KA, D22F-AA, AB, AC, BA, BB, BC, CA, CB, DA, DB	D1FZ 9581-A (CM-1365)	A	B										
Tag codes D2PF-AA, ZA, D22F-EA, EB, GA	D2FZ 9581-CA (CM-1525)		B	C									
Tag code D12F-GA	D1FZ 9581-F (CM-1365-A)	A											
LEVER ASSY. - THROTTLE	9583												
Primary-outer	D1FZ 9583-D (CM-1358-A)		B	C									
Primary-outer	D1FZ 9583-A (CM-1358)	A											
Primary-inner	D1FZ 9583-B (CM-1370)	A	B	C									
Secondary	D1FZ 9583-C (CM-1382)	A	B	C									
Washer - flat	379039-S(XX112H)	A	B	C									
Washer - lock	34804-S8 (X61)	A	B	C									
PLATE - THROTTLE	9585												
Primary	D1FZ 9585-A (CM-1371)	A	B	C									
Secondary	D1FZ 9585-B (CM-1378)	A	B	C									
SCREW - THROTTLE PLATE	D1FZ 9586-A (CM-1342)	4	4	4									
SCREW - CHOKE PLATE	D1FZ 9586-B (CM-1385-A)	4	4	4									

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 34A THRU 34M											
		A	B	C	D	E	F	G	H	J	K	L	M
BRACKET - THROTTLE EMISSION CONTROL SOLENOID - tag codes D12F-FA,GA, D12F-CA,CB,DA,DB,GA	D1FZ 9J586-D	A	B	C									
STRAP - SOLENOID BRACKET SUPPORT	9J586												
Tag codes D22F-CA,CB,DA,DB,GA	D2FZ 9J586-A	A	B	C									
Screw (attaches bracket to carb.)-No.10-32 x 1/2-tag codes D22F-CA,CB,DA, DB,GA	357137-S8(BB77R)	A	B	C									
SPRING - CHOKE CONTROL- tag codes D12F-AA,BA,CA,DA,EA,FA,GA, D1PF-JA,KA	D1FZ 9587-A (CM-1353)	A											
GASKET - POWER VALVE - tag codes D1PF-JA,KA,D12F-AA,BA,CA,DA,EA, FA,GA	D1FZ 9A588-A (CM-1372)	A											
SPRING - IDLE SPEED SCREW - tag codes D1PF-JA,KA,D12F-AA,BA,CA,DA,EA, FA,GA	D1FZ 9589-A (CM-1373)	A											
LEVER and SHAFT ASSY. - SECONDARY THROTTLE - PLATE	D1FZ 9A592-A (CM-1374)	A	B	C									
VALVE ASSY. -POWER-also refer to group 9551	9594												
Primary tag codes D22F-AA,AB,AC,BA,BB,BC, CA,CB,DA,DB,D2PF-AA,ZA	C2DZ 9594-A	A	B										
Tag codes D22F-EA,EB,GA	D2FZ 9594-A		B	C									
RETAINER - CARBURETOR THROTTLE SHAFT SPRING & SOLENOID BRACKET	D1FZ 9599-A (CM-1522)	A	B	C									
ROD - CHOKE CONTROL	D1FZ 9A599-A (CM-1380)	A	B	C									
Pin-cotter	353610-S8(NN126)	2	2	2									
NUT - THROTTLE LEVER RETAINING	D1FZ 9618-A	A	B	C									
SPRING - ACCELERATOR PUMP LEVER RETURN (used as choke spring)-tag codes D1PF-JA,KA,D12F-AA,BA,CA,DA,EA,FA, GA	D1FZ 9636-A (CM-1352)	A	B	C									
Accelerator pump Tag codes D22F-AA,BA,CA,DA	D2FZ 9636-A (CM-1500)	A	B	C									
COVER - THERMOSTATIC CHOKE HEAT SUPPLY - service pkg.includes (1) D1FZ 9871-B & (1) D1FZ 9871-C gaskets	D1FZ 9A705-A	A	B	C									
SPACER - THERMOSTATIC CHOKE SHAFT	D1FZ 9714-A	A	B	C									
SHAFT and LEVER ASSY. - CHOKE HOUSING - tag codes D1PF-JA,KA, D12F-AA,BA,CA,DA,EA,FA,GA	D1FZ 9A753-A (CM-1383)	A											
Tag codes D22F-AA,BA,CA,DA	D2FZ 9A753-A (CM-1498)	A	B	C									

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	CARB. PARTS LISTS 34A THRU 34M											
		A	B	C	D	E	F	G	H	J	K	L	M
RETAINER - CHOKE ROD SEAL & BUSHING SPRING	D1FZ 9836-A (CM-1402)	A	B	C									
CLAMP - THERMOSTATIC CHOKE HOUSING	D1FZ 9842-A (CM-1384)	A	B	C									
HOUSING - THERMOSTAT CHOKE - service pkg. includes (1) D1FZ 9871-A gasket - tag codes D12F-AA, BA, CA, DA, EA, FA, GA, D1PF-JA, KA	D1FZ 9848-B (CM-1403)	A											
Service pkg. includes (1) D1FZ 9871-A gasket Tag codes D22F-AA, BA, CA, DA	D2FZ 9848-B (CM-1499)	A	B	C									
HOUSING and PLUGS ASSY. - CHOKE	D1FZ 9849-A (CM-1387)	A	B	C									
BUSHING - CHOKE HOUSING - tag codes D1PF-JA, KA, D12F-AA, BA, CA, DA, EA, FA, GA	D1FZ 9851-A (CM-1388)	A											
GASKET - THERMOSTATIC CHOKE CONTROL .285" O.D.-.145" I.D.-.070" thick	D1FZ 9853-A (CG-328)	A	B	C									
SOLENOID ASSY. - THROTTLE EMISSION CONTROL - tag code D12F-CA, FA, GA,	D1AZ 9D856-C	A	B										
Tag codes D22F-CA, CB, DA, DB, GA, D2PF-AA	D2AZ 9D856-B	A	B	*C									
Screw (attaches solenoid assy. to the bracket) - 1/4"-20 x 1/2-hex.head - tag codes D22F-CA, CB, DA, DB, GA, D2PF-AA	43260-S8(U1)	A	B	C									
GASKET - THERMOSTATIC CHOKE HOUSING	9871												
Inner	D1FZ 9871-A (CG-331)	A	B	C									
Center	D1FZ 9871-B (CG-330)	A	B	C									
Outer	D1FZ 9871-C (CG-329)	A	B	C									
SCREW - RETAINING RING	D1FZ 9B874-A	3	3	3									
SCREW and WASHER ASSY. - CHOKE HOUSING - M4 x 1.34" long	D1FZ 9B874-B	2	2	2									
M4 x 1.97" long	D1FZ 9B874-C	A	B	C									
SCREW - WATER COVER RETAINING	D1FZ 9B874-D	A	B	C									
GASKET - PUMP DISCHARGE NOZZLE Tag codes D1PF-JA, KA, D12F-AA, BA, CA, DA, EA, FA, GA	D1FZ 9926-A (CM-1399)	2											
TUBE - MAIN WELL	9991												
Primary	D1FZ 9991-A	A	B	C									
Secondary	D1FZ 9991-B	A	B	C									

* Not part of service carburetor

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

Instructions for identifying Carburetor Assemblies and their related Parts List Numbers are shown at the beginning of Section 95.

For ready reference, kit part numbers are shown at the beginning of each parts list in Section 95.3 and up.

Included in Section 95A is a listing of components for each kit.

Always refer to the following Index for page numbers on which components are listed.

INDEX

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
GASKET SETS - GROUP NO. 9502							
B7AZ 9502-D	2	C8ZZ 9502-A	3	D0DZ 9502-A	4	D1FZ 9502-A	5
B7AZ 9502-G	2	C8ZZ 9502-B	3			D1FZ 9502-B	5
		C8ZZ 9502-C	3	D0OZ 9502-A	4		
C5ZZ 9502-B	2	C8ZZ 9502-D	3			D1ZX 9502-AA	5
				D0PZ 9502-A	4		
C6AZ 9502-D	2	C9OZ 9502-A	4			D2AZ 9502-A	5
				D0ZZ 9502-A	4	D2AZ 9502-C	6
C8AZ 9502-A	3	D0AZ 9502-A	4			D2AZ 9502-D	6
C8AZ 9502-C	3	D0AZ 9502-B	4	D1AZ 9502-A	5		
						D3AZ 9502-A	6
						D3OZ 9502-A	6
TUNE-UP KITS - GROUP NO. 9A586							
B9AZ 9A586-E	6	C8OZ 9A586-D	7	D0DZ 9A586-B	8	D1FZ 9A586-A	8
						D1FZ 9A586-B	8
C2SZ 9A586-D	7	C8ZZ 9A586-A	7	D0OZ 9A586-B	8	D1FZ 9A586-C	9
		C8ZZ 9A586-C	7			D1FZ 9A586-D	9
C5ZZ 9A586-B	7	C8ZZ 9A586-D	7	D0PZ 9A586-B	8		
C5ZZ 9A586-C	7	C8ZZ 9A586-E	8			D2AZ 9A586-B	9
		C8ZZ 9A586-F	8	D0TZ 9A586-A	8	D2AZ 9A586-C	9
C6AZ 9A586-K	7					D2AZ 9A586-D	10
				D0ZZ 9A586-B	8		
C7DZ 9A586-C	7					D2FZ 9A586-A	10
						D3OZ 9A586-A	10
						D4AZ 9A586-A	10
REPAIR KITS - GROUP NO. 9590							
B8AZ 9590-H	10	C8OZ 9590-D	11	C8AZ 9590-F	12	C9AZ 9590-A	14
		C6OZ 9590-F	11	C8AZ 9590-G	12		
B9AZ 9590-E	10			C8AZ 9590-H	13	C9DZ 9590-A	14
		C7AZ 9590-C	11				
C0AZ 9590-M	10	C7AZ 9590-D	11	C8DZ 9590-B	13	C9OZ 9590-A	14
						C9OZ 9590-B	14
C3AZ 9590-L	11	C7DZ 9590-A	12	C8OZ 9590-A	13	C9OZ 9590-C	14
				C8OZ 9590-B	13		
C5AZ 9590-E	11	C7OZ 9590-A	12	C8TZ 9590-A	13	C9TZ 9590-C	14
C5AZ 9590-F	11	C7UZ 9590-A	12	C8TZ 9590-C	13		
				C8TZ 9590-F	13	D0DZ 9590-A	14
C5ZZ 9590-B	11	C8AZ 9590-A	12			D0DZ 9590-B	15
		C8AZ 9590-B	12	C8ZZ 9590-A	13	D0DZ 9590-C	15
C6AZ 9590-A	11	C8AZ 9590-C	12	C8ZZ 9590-B	13		
C6AZ 9590-C	11	C8AZ 9590-D	12	C8ZZ 9590-C	14	D12X 9590-AA	15
		C8AZ 9590-E	12				

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

CARBURETOR KIT PARTS LISTS

B7AZ 9502-D Consists of
(CG-152)

1-C2AZ	9229-A	Gasket (inlet fitting)
1-C2AZ	9447-E	Gasket (flange)
1-B7AZ	9B501-A	Seal (fast idle rod)
2-B7A	9517-A	Gasket (venturi support)
2-B7AZ	9A536-A	Gasket (venturi support)
2-B8AZ	9A536-A	Gasket (venturi support)
1-B7A	9561-B	Gasket (fuel bowl)
1-C2SZ	9561-A	Gasket (fuel bowl)
1-B7A	9563-A	Gasket (economizer cover)
2-B7A	9569-A	Gasket (fuel inlet needle seat)
1-C2AZ	9A588-B	Gasket (economizer body)
1-B7A	9853-B	Gasket (thermo. choke control)
1-B8A	9853-B	Gasket (thermo. choke control)
1-C1AZ	9871-A	Gasket (thermo. choke housing)
1-374370-S		Flat washer
1-374818-S		Flat washer

OR
ALTERNATE KIT COMPONENTS

2-	Washer (1/4" flat)
1-	Gasket (fuel inlet fitting)
2-	Gasket (fuel inlet needle seat)
2-	Gasket (choke housing mounting)
1-	Seal (fast idle rod)
1-	Gasket (power valve cover)
4-	Gasket (venturi cluster)
2-	Gasket (float bowl)
1-	Gasket (flange)
1-	Gasket (power valve)
1-	Gasket (choke cover)

B7AZ 9502-G Consists of
(CG-192)

1-C2AZ	9229-A	Gasket (fuel inlet adaptor)
2-B5A	9229-A	"O" ring (inlet tube seal)
1-C2AZ	9447-E	Gasket (intake manifold)
1-B7A	9516-A	Gasket (throttle body)
1-B7A	9516-B	Gasket (throttle body)
1-B8S	9516-A	Gasket (throttle body)
1-C3AZ	9516-A	Gasket (throttle body)
2-C2AZ	9A518-B	Gasket (main metering body)
1-B8S	9519-B	Gasket (main metering)
2-B9TE	9A522-A	Gasket (adjusting screw)
2-B9TE	9A522-B	Gasket (adjusting screw)
2-B8A	9561-C	Gasket (float bowl)
1-B8A	9561-D	Gasket (float bowl)
2-B7AE	9580-A	Gasket (discharge jet)
2-C2AZ	9A588-A	Gasket (economizer body)
8-B7A	9592-A	Gasket (float bowl screw)
2-40	9608	Gasket (main well)
2-B5A	9609-A	"O" ring (fuel tube)
2-B7A	9634-A	Seal (needle adj.)
2-B2A	9829-A	Gasket (inlet seat screw)
3-B7A	9853-B	Gasket (choke control)
1-B7A	9871-B	Gasket (choke housing)

OR
ALTERNATE KIT COMPONENTS
As listed at top of next column

B7AZ 9502-G Consists of - continued
(CG-192)

1-	Gasket (fuel inlet fitting)
2-	Gasket (bowl sight plug)
2-	"O" ring (fuel transfer tube)
2-	"O" ring (balance tube)
2-	Gasket (fuel inlet seat)
3-	Gasket (gov. & secondary housing)
1-	Gasket (choke housing)
2-	Seal (idle adjusting needle)
3-	Gasket (throttle body)
2-	Gasket (fuel valve adjusting nut)
2-	Gasket (fuel valve adjusting screw)
2-	Gasket (pump disc nozzle)
1-	Gasket (flange)
2-	Gasket (economizer & anti-backfire valve)
8-	Gasket (fuel bowl screw)
1-	Gasket (secondary metering plate)
2-	Gasket (metering body)
1-	Gasket (secondary metering body)
2-	Gasket (fuel bowl)

★C5ZZ 9502-B Consists of
(CG-249)
(Service details)

1-8R-1077		Gasket (mounting flange)
1-C3AZ	9516-A	Gasket (throttle body)
2-B9TZ	9A518-A	Gasket (metering body)
2-B8A	9561-C	Gasket (fuel bowl)
1-EAD	9569-A	Gasket (fuel inlet seat)
1-B7AE	9580-A	Gasket (pump discharge nozzle)
1-B7AZ	9A588-A	Gasket (power valve)
8-B7A	9592-A	Gasket (float bowl screw)
1-EDB	9853-B	Gasket (sec. diaphragm housing)
2-323706-01		Gasket (plug)
2-333643-01		Seal (idle needle)

C6AZ 9502-D Consists of
(CG-210)

1-C3AZ	9447-A	Gasket (intake manifold)
1-C3AZ	9516-A	Gasket (throttle body)
2-B9TZ	9A518-A	Gasket (metering body)
2-B8A	9561-C	Gasket (fuel bowl)
2-B5A	9569-A	Gasket (fuel inlet needle)
2-B7AE	9580-A	Gasket (pump discharge nozzle)
1-C2AZ	9A588-B	Gasket (economizer body)
3-B7A	9853-B	Gasket (choke thermostat control)
1-B7A	9871-B	Gasket (thermostat choke housing)
2-8CM	9945	Gasket (float)

CARBURETOR KIT PARTS LISTS - continued

C8AZ 9502-A (CG-219) Consists of

1-C1TZ	9447-A	Gasket (mounting flange)
1-C3DZ	9447-A	Gasket (mounting flange)
1-C3AZ	9561-C	Gasket (fuel bowl)
1-C3AZ	9569-B	Gasket (fuel inlet)
1-C2AZ	9A588-B	Gasket (spark valve)
1-B8A	9853-A	Gasket (thermostat control)
1-C5AZ	9853-A	Gasket (thermostat control)
1-C1AZ	9871-A	Gasket (thermostat housing)
1-C5AZ	9871-A	Gasket (thermostat housing)

OR

ALTERNATE KIT COMPONENTS

1-	Gasket (fuel inlet)
2-	Gasket (thermostat control)
2-	Gasket (flange)
2-	Gasket (thermostat choke housing)
1-	Gasket (spark valve)
1-	Gasket (fuel bowl)

C8AZ 9502-C (CG-221) Consists of

1-C8SZ	9447-A	Gasket (carb. to intake manifold)
1-C7AZ	9516-A or B	Gasket (throttle body)
1-C8SZ	9516-A	Gasket (throttle body)
1-C7AZ	9561-A	Gasket (float bowl)
1-C2SF	9B567-A	Gasket (hot idle compensator)
1-C7AZ	9569-A	Gasket (fuel inlet needle seat)
1-C7AZ	9569-B	Gasket (fuel inlet needle seat)
1-C1AZ	9871-A	Gasket (thermostat housing)

C8ZZ 9502-A (CG-286) Consists of

3-C6AZ	9229-A	Gasket (fuel inlet adaptor)
1-C3AZ	9447-C	Gasket (carb. to intake manifold)
1-B8S	9516-A	Gasket (throttle body)
2-B9TZ	9A518-A	Gasket (main metering body)
2-B9TE	9A522-A	Gasket (fuel valve adj. screw)
1-C4TZ	9557-A	Valve (air vent)
2-B9TE	9A522-B	Gasket (fuel valve adj. screw)
2-B8A	9561-C	Gasket (float bowl)
2-EAA	9569-A	Gasket (fuel inlet seat)
8-B7A	9592-A	Gasket (float bowl screw)
2-B7AE	9580-A	Gasket (pump discharge nozzle)
2-B6A	9609-A	Gasket (fuel inlet needle seat)
2-B7A	9634-A	Seat (idle adj. needle)
3-B8A	9853-C	Gasket (choke thermostatic control)
1-B7A	9871-B	Gasket (thermostat choke housing)
1-B7A	9909-A	Gasket (economizer body)

OR

ALTERNATE KIT COMPONENTS

1-	Gasket (choke cover)
2-	Gasket (fuel inlet filter nut)
2-	Gasket (metering body)
1-	Gasket (flange)
1-	Gasket (power valve)
2-	Gasket (bowl cover)
3-	Bag (small parts)

★C8ZZ 9502-B (CG-250) (Service details) Consists of

1-SR-1077		Gasket (mounting flange)
3-C6AZ	9229-A	Gasket (fuel inlet fitting)
2-C3AZ	9516-A	Gasket (throttle body)
2-B2TZ	9A518-A	Gasket (metering body)
2-B9TE	9A522-A	Gasket (fuel valve seat lock screw)
2-B9TE	9A522-B	Gasket (fuel valve seat adj. nut)
2-B8A	9561-C	Gasket (float bowl)
2-EAA	9569-A	Gasket (fuel level check plug)
2-B7AE	9580-A	Gasket (pump discharge nozzle)
1-B7AZ	9A588-A	Gasket (power valve)
8-B7A	9592-A	Gasket (float bowl screw)
1-B6A	9609-A	"O" ring (fuel valve seat)
2-B7A	9634-A	Seal (idle needle)
2-EDB	9853-B	Gasket (choke housing)
1-EDB	9853-B	Gasket (sec. diaphragm housing)
1-EDB	9871-A	Gasket (thermostat housing)
2-59R-91		Baffle (float bowl vent)
1-3881420		Air vent valve

★C8ZZ 9502-C (CG-251) (Service details) Consists of

1-8R-1330		Gasket (mounting flange)
3-C6AZ	9229-A	Gasket (fuel inlet fitting)
1-B8S	9516-A	Gasket (throttle body)
2-B9TZ	9A518-A	Gasket (metering body)
2-B9TE	9A522-A	Gasket (fuel valve seat lock screw)
2-B9TE	9A522-B	Gasket (fuel valve seat lock screw)
2-B8A	9561-C	Gasket (float bowl)
2-EAA	9569-A	Gasket (fuel level check plug)
2-B7AE	9580-A	Gasket (pump discharge nozzle)
1-B7AZ	9A588-A	Gasket (power valve)
8-B7A	9592-A	Gasket (float bowl screw)
2-B6A	9609-A	"O" ring (fuel valve seat)
2-B7A	9634-A	Seal (idle needle)
1-EDB	9853-B	Gasket (sec. diaphragm housing)
1-EDB	9871-A	Gasket (thermostat housing)
2-59R-91		Baffle (float bowl vent)
1-3881420		Air vent valve

C8ZZ 9502-D (CG-237-A) Consists of

3-	Gasket (fuel inlet filter nut)
2-	Gasket (fuel filter)
2-	Gasket (choke cover)
2-	Gasket (economizer)
1-	Gasket (flange)
1-	Gasket (fuel inlet fitting)
2-	Gasket (throttle body)
2-	Gasket (bowl cover)
2-	Gasket (metering body)
1-	Gasket (metering plate)
1-	Gasket (secondary metering body)
3-	Bag (small parts)
2-	Gasket (fuel valve adjusting nut)
2-	Gasket (fuel valve adjusting screw)
2-	Gasket (fuel inlet "O" ring)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

CARBURETOR KIT PARTS LISTS - continued

C9OZ 9502-A (CG-255) Consists of

3-C6AZ	9229-A	Gasket (fuel inlet adapter)
1-C9AZ	9447-B	Gasket (intake manifold)
2-C8OZ	9J500-A	Limiter (idle adjusting needle)
1-C3AZ	9516-A	Gasket (throttle body)
2-B9TZ	9A518-A	Gasket (main metering body)
2-B9TE	9A522-A	Gasket (fuel valve adj. screw)
2-B9TE	9A522-B	Gasket (fuel valve adj. nut)
2-B8A	9561-C	Gasket (float bowl)
2-EAA	9569-A	Gasket (fuel inlet seat)
2-B7AE	9580-A	Gasket (pump discharge nozzle)
1-B7AZ	9A588-A	Gasket (spark valve)
8-B7A	9592-A	Gasket (float bowl screw)
2-B6A	9609-A	Gasket (fuel inlet "O" ring)
2-B7A	9634-A	Seal (idle adjusting needle)
1-B7A	9853-B	Gasket (choke control)

★D0AZ 9502-A (CG-264) Consists of -r/b D1AZ 9502-A (5/74) (CG-264-A)

1-C2AZ	9229-A	Gasket (fuel inlet adapter)
1-C2OZ	9447-C	Gasket (intake manifold)
1-B7AZ	9B501-A	Seal (fast idle rod)
1-B7AZ	9A536-A	Gasket (booster venturi support)
1-B8AZ	9A536-A	Gasket (booster venturi support)
1-C8AZ	9561-C	Gasket (float bowl)
1-D0AZ	9561-A	Gasket (float bowl)
1-B7A	9561-A	Gasket (float bowl)
1-B7A	9563-A	Gasket (economizer cover)
1-EDB	9569-B	Gasket (fuel inlet needle seat)
1-C2AZ	9A588-B	Gasket (economizer body)
1-B8A	9853-A	Gasket (choke thermo control)
1-B7A	9853-A	Gasket (choke thermo control)
1-C1AZ	9871-A	Gasket (thermo choke housing)
1-D0AZ	9871-A	Gasket (thermo choke housing)
1-374370-S		Washer (pump discharge nozzle screw gasket)
1-374818-S		Washer (accelerator pump retainer gasket)

D0AZ 9502-B (CG-310) Consists of

1-B5A	9229-A	Seal (fuel transfer tube "O" ring
2-C2AZ	9229-A	Gasket (fuel inlet screw)
1-D0AF	9447-A	Gasket (flange)
1-B7A	9516-A	Gasket (throttle body)
1-B8S	9516-A	Gasket (throttle body)
1-B9TZ	9A518-A	Gasket (main metering body)
1-D0AF	9A518-A	Gasket (metering body)
2-B9TE	9A522-A	Gasket (fuel valve adj. screw)
2-B9TE	9A522-B	Gasket (fuel valve adjusting screw)
1-B8A	9561-C	Gasket (float bowl)
2-EAA	9569-A	Gasket (fuel inlet valve seat)
2-B7AE	9580-A	Gasket (pump discharge jet)
8-B7A	9592-A	Gasket (fuel bowl screw)
2-B6A	9609-A	Seal (balance tube "O" ring)
2-B7A	9634-A	Seal (idle adjusting needle)
2-B7A	9853-B	Gasket (choke thermostat control)
1-B7A	9871-B	Gasket (thermostat housing)
1-C8OZ	9871-B	Gasket (thermostat choke housing)
1-B7A	9909-A	Gasket (power valve)
1-5752528		Gasket (metering body secondary)

D0DZ 9502-A (CG-257) Consists of

1-C7DZ	9447-A	Gasket (carb. to intake manifold)
1-C8AZ	9447-A	Gasket (carb. to intake manifold)
1-C7DZ	9516-A	Gasket (throttle body)
1-C8AZ	9516-A	Gasket (throttle body)
1-D0DZ	9516-A	Gasket (throttle body)
1-C7DZ	9561-A	Gasket (float)
1-C6VY	9569-A	Gasket (fuel inlet needle seat)
1-B7A	9871-C	Gasket (carb. thermostat choke)

OR
ALTERNATE KIT COMPONENTS

1-	Gasket (choke cover)
2-	Gasket (flange)
1-	Gasket (bowl cover)
2-	Gasket (throttle body)
2-	Retainer (rod)
1-	Gasket (fuel inlet seat)
1-	Gasket (bowl cover)

D0OZ 9502-A (CG-304) Consists of

1-C6AZ	9229-A	Gasket (fuel inlet filter mounting)
1-D0PF	9516-B	Gasket (carb.throttle body)
1-D0PF	9561-D	Gasket (carb.fuel bowl)
1-D0PF	9569-B	Gasket (carb.fuel inlet)

OR
ALTERNATE KIT COMPONENTS

1-	Gasket (fuel inlet filter mounting)
1-	Gasket (carb.fuel inlet)
1-	Gasket (carb.fuel bowl)
1-	Gasket (carb.throttle body)

D0PZ 9502-A (CG-305) Consists of

2-C3DZ	9447-A	Gasket (carb. to intake manifold)
2-D0PF	9447-A	Gasket (carb. to intake manifold)
2-D0PF	9447-B	Gasket (carb. to intake manifold)
1-D0PZ	9J500-A	Limiter (idle adjusting needle)
1-D0PZ	9516-A	Gasket (throttle body)
1-D0PZ	9516-B	Gasket (throttle body)
1-D0PZ	9516-C	Gasket (throttle body)
1-D0PZ	9535-A	Seal (accelerator pump plunger)
1-D0PZ	9561-B	Gasket (float bowl)
1-C0AE	9A588-A	Gasket (economizer body)
1-B2A	9827-A	Gasket (fuel inlet fitting)
1-D0PZ	9853-A	Gasket (choke thermostat control)
1-D0PZ	9853-B	Gasket (choke thermostat control)

D0ZZ 9502-A (CG-306) Consists of

1-D0DZ	9447-A	Gasket (carb. to intake manifold)
1-D0ZZ	9561-A	Gasket (float bowl)
1-D0ZZ	9569-A	Gasket (fuel inlet)
1-D0ZZ	9871-A	Gasket (thermostat choke housing)

OR
ALTERNATE KIT COMPONENTS

1-	Cap (idle limiter)
1-	Plug (pump passage)
1-	Gasket (bowl cover)
1-	Gasket (choke cover)
1-	Gasket (flange)
6-	Retainer (rod)

★D1AZ 9502-A (CG-264-A) Consists of-r/b D2AZ 9502-A (6/74)

1-C2AZ	9229-A	Gasket (fuel inlet adapter)
1-C2OZ	9447-C	Gasket (carb.to intake manifold)
1-B7AZ	9B501-A	Seal (fast idle rod)
1-B7AZ	9A536-A	Gasket (booster venturi support)
1-B8AZ	9A536-A	Gasket (booster venturi support)
1-C8AZ	9561-C	Gasket (float bowl)
1-D1AZ	9561-B	Gasket (float bowl)
1-B7A	9561-A	Gasket (float bowl)
1-B7A	9563-A	Gasket (economizer cover)
1-EDB	9569-B	Gasket (fuel inlet needle seat)
1-C2AZ	9A588-B	Gasket (economizer body)
1-B7A	9853-A	Gasket (thermo. choke control)
1-B8A	9853-A	Gasket (thermo. choke control)
1-C1AZ	9871-A	Gasket (thermo. choke housing)
1-D1AZ	9871-A	Gasket (thermo. choke housing)
1-374370-S		Flat washer
1-374818-S		Flat washer

D1FZ 9502-A (CG-324) Consists of

1-D1FZ	9561-A	Gasket (float bowl)
1-D1FZ	9569-A	Gasket (fuel inlet needle seat)
1-D1FZ	9853-A	Gasket (choke thermo control)
1-D1FZ	9871-A	Gasket (thermo choke housing)
1-D1FZ	9871-B	Gasket (thermo choke housing)
1-D1FZ	9871-C	Gasket (thermo choke housing)

OR

ALTERNATE KIT COMPONENTS

1-	Cap (idle limiter)
1-	Gasket (fuel return tube)
1-	"O" ring (seal choke housing)
1-	Gasket (power valve)
1-	Gasket (bowl cover)
1-	Gasket (choke water housing)
1-	Gasket (water housing screw)
1-	Gasket (flange)
1-	Gasket (choke cover)
1-	Gasket (pump discharge nozzle screw)

D1FZ 9502-B (CG-332) Consists of

1-D1FZ	9447-B	Gasket (carb.to intake manifold)
1-D0RY	9561-A	Gasket (float bowl)
1-B7A	9569-A	Gasket (fuel inlet)
1-D0RY	9853-A	Gasket (choke housing)
1-D0RY	9871-A	Gasket (thermo choke housing)

OR

ALTERNATE KIT COMPONENTS

1-	Cap (idle limiter)
1-	Gasket (flange)
1-	Gasket (choke housing)
1-	Gasket (bowl cover)
1-	Gasket (choke cover)

D1ZX 9502-AA Consists of

2-D0FF	9516-A	Gasket (throttle body)
2-D0FF	9516-B	Gasket (throttle body)
2-D1ZX	9558-AA	Shaft (float lever)
2-C2AZ	9B559-A	Diahpragm assy.
2-D0FF	9561-B	Gasket (float bowl)
2-C9AF	9566-A	Valve (needle)
2-C2AF	9567-F	Seat (needle valve)
2-EDB	9569-B	Gasket (needle seat)
4-C4AZ	9576-A	Valve (pump check)
2-EDB	99883-A	Connector

D2AZ 9502-A (CG-264-B) Consists of

1-C2AZ	9229-A	Gasket (carb.fuel inlet adaptor)
1-C3AZ	9447-B	Gasket (carb.to intake manifold)
1-B7AZ	9B501-A	Seal (carb.fast idle rod)
1-B7AZ	9A536-A	Gasket (carb. booster venturi)
1-B8AZ	9A536-A	Gasket (carb.booster venturi support)
1-B7A	9561-A	Gasket (carb.float bowl)
1-C8AZ	9561-C	Gasket (carb.float bowl)
1-D0AZ	9561-B	Gasket (carb.float bowl)
1-B7A	9563-A	Gasket (carb.economizer cover)
1-EDB	9569-B	Gasket (carb.fuel inlet needle seat)
1-C2AZ	9A588-B	Gasket (carb.economizer body)
1-B7A	9853-A	Gasket (carb.choke thermo control)
1-B8A	9853-A	Gasket (carb.choke thermo control)
1-C1AZ	9871-A	Gasket (carb.thermo choke hsg.)
1-D1AZ	9871-A	Gasket (carb.thermo choke hsg.)
1-374370-S		Washer (1/4"-flat)
1-374818-S		Washer (1/4"-flat)

OR

ALTERNATE KIT COMPONENTS

1-	Gasket (carb. to intake manifold)
1-	Gasket (carb. fuel inlet adapter)
2-	Gasket (float bowl)
1-	Gasket (fuel inlet needle seat)
1-	Gasket (economizer body)
2-	Gasket (thermo choke housing)
1-	Gasket (booster venturi support)
1-	Seal (fast idle rod)
1-	Gasket (economizer cover)
1-	Washer (1/4" flat-used as pump discharge nozzle screw gasket)
1-	Washer (1/4" flat-used as accelerator pump retainer gasket)
1-	Gasket (thermo control housing)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

CARBURETOR KIT PARTS LISTS - continued

★D2AZ 9502-C (CG-335-A) Consists of-r/b D3OZ 9502-A(6/74)

1-D1ZZ	9229-A	Gasket (fuel filter)
1-D1ZZ	9447-A	Gasket (carb. to intake manifold)
1-D1AZ	9516-A	Gasket (carb. throttle body)
1-D2AZ	9561-B	Gasket (carb. float bowl)
1-C7AZ	9569-A	Gasket (carb. fuel inlet needle seat)
1-C7AZ	9569-B	Gasket (carb. fuel inlet needle seat-supplementary)
1-C1AZ	9871-A	Gasket (carb. thermostat choke housing)
1-D2AZ	9871-A	Gasket (carb. thermostat choke housing)

OR

ALTERNATE KIT COMPONENTS

1-	Gasket (carb. throttle body)
1-	Gasket (fuel filter)
1-	Gasket (carb. float bowl)
1-	Gasket (carb. fuel inlet needle seat)
1-	Gasket (carb. fuel inlet needle seat-supplementary)
2-	Gasket (carb. thermostat choke housing)
1-	Gasket (carb. to intake manifold)

★D2AZ 9502-D (CG-221-A) Consists of-r/b D3AZ 9502-A (4/74)

1-C8SZ	9447-A	Gasket (carb. to intake manifold)
1-C7AZ	9516-A	Gasket (carb. throttle body)
1-C8SZ	9516-A	Gasket (carb. throttle body)
1-C7AZ	9561-A	Gasket (carb. float bowl)
1-C2SF	9B567-A	Gasket(carb. hot idle compensator)
1-C7AZ	9569-A	Gasket (carb. fuel inlet needle seat)
1-C7AZ	9569-B	Gasket (carb. fuel inlet needle seat supplementary)
1-C1AZ	9871-A	Gasket (carb. thermostat choke housing)
1-D2AZ	9871-A	Gasket (carb. thermostat choke housing)

OR

ALTERNATE KIT COMPONENTS

2-	Gasket (carb. throttle body)
1-	Gasket (carb. float bowl)
1-	Gasket (carb. hot idle compensator)
2-	Gasket (carb. fuel inlet needle seat)
2-	Gasket (carb. thermostat choke housing)
1-	Gasket (carb. to intake manifold)

D3AZ 9502-A (CG-221-B) Consists of

1-C7AZ	9516-A	Gasket (throttle body)
1-D3AZ	9561-B	Gasket (float bowl)
1-		Gasket (hot idle compensator)
1-		Gasket (fuel inlet needle seat)
1-		Gasket (fuel inlet needle seat)-(supplementary)
1-C1AZ	9871-A	Gasket (thermostatic choke housing)
1-D2AZ	9871-A	Gasket (thermostatic choke housing)
1-		Gasket (carb. to intake manifold)

D3OZ 9502-A (CG-335-B) Consists of

1-D3AZ	9516-B	Gasket (throttle body)
1-D3AZ	9561-A	Gasket (float bowl)
1-C1AZ	9871-A	Gasket (thermostatic choke housing)
1-D2AZ	9871-A	Gasket (thermostatic choke housing)
1-		Gasket (fuel filter)
1-		Gasket (fuel inlet needle seat)
1-		Gasket (fuel inlet needle seat)-(supplementary)
1-		Gasket (carb.to intake manifold)

B9AZ 9A586-E (CT-195-A) Consists of

1-	Assy. (power valve)
2-	"O" ring (balance tube)
1-	Seal (choke rod)
1-	Gasket (choke cover)
2-	Gasket (throttle body)
1-	Gasket (metering body)
1-	Gasket (secondary metering body)
1-	Gasket (fuel inlet fitting)
2-	Gasket (flange)
1-	Gasket (throttle body)
1-	Gasket (power valve)
1-	Gasket (bowl cover)
1-	Gasket (secondary metering plate)
1-	Assy. (needle & seat)
1-	Assy. (pump diaphragm)
1-	Ball (pump check)
3-	Bag (small parts)

CARBURETOR KIT PARTS LISTS - continued

C2SZ 9A586-D Consists of
(CT-191-A)

1-	Assy. (power valve)
1-	Gasket (power valve cover)
2-	Gasket (venturi cluster)
1-	Gasket (choke cover)
1-	Gasket (thermostatic valve)
1-	Gasket (bowl cover)
1-	Gasket (flange)
1-	Gasket (power valve)
1-	Assy. (needle & seat)
1-	Assy. (pump diaphragm)
1-	Valve (pump inlet)
1-	Retainer (rod)
1-	Bag (small parts)

C5ZZ 9A586-B Consists of
(CT-216)

1-C5ZZ	9502-B	Gasket set
2-18R-137A		Valve & seat assy.
1-C0AE	9B559-D	Diaphragm assy.
1-B8A	9904-A	Valve assy. (power)

C5ZZ 9A586-C Consists of
(CT-216-A)

2-	Assy. (power valve)
2-	Gasket (fuel inlet fitting)
1-	Gasket (choke cover)
2-	Gasket (metering body)
1-	Gasket (fuel inlet fitting)
1-	Gasket (flange)
1-	Gasket (throttle body)
2-	Gasket (power valve)
2-	Gasket (bowl cover)
1-	Gasket (throttle body)
2-	Assy. (needle & seat)
1-	Assy. (pump diaphragm)
2-	Bag (small parts)

C6AZ 9A586-K Consists of
(CT-200-A)

1-	Assy. (power valve)
1-	Gasket (fuel inlet fitting)
1-	Gasket (choke cover)
2-	Gasket (metering body)
2-	Gasket (secondary metering body)
1-	Gasket (fuel inlet fitting)
1-	Gasket (flange)
1-	Gasket (power valve)
2-	Gasket (bowl cover)
2-	Gasket (throttle body)
2-	Gasket (secondary metering plate)
2-	Assy. (needle & seat)
1-	Assy. (pump diaphragm)
2-	Bag (small parts)

C7DZ 9A586-C Consists of
(CT-201-A)

1-	Needle (pump check)
1-	Gasket (choke cover)
1-	Gasket (pump lifter link)
1-	Gasket (fuel filter)
1-	Gasket (fuel inlet filter nut)
2-	Gasket (flange)
3-	Gasket (throttle body)
2-	Gasket (bowl cover)
1-	Assy. (needle & seat)
4-	Retainer (rod)
1-	Assy. (pump diaphragm)

C8OZ 9A586-D Consists of
(CT-207-A)

1-	Cap (idle limiter)
1-	Assy. (spark control valve)
1-	Valve (needle)
1-	Gasket (spark control valve)
3-	Gasket (flange)
2-	Gasket (choke housing)
2-	Gasket (choke cover)
1-	Gasket (bowl cover)
1-	Assy. (needle & seat)
3-	Retainer (rod)
2-	Assy. (pump & dashpot diaphragm)
3-	Ball (check)

C8ZZ 9A586-A Consists of
(CT-212)

1-C8ZZ	9502-A	Gasket set
1-C0AE	9B559-D	Diaphragm assy. (accel. pump)
2-C6AZ	9654-C	Valve & seat (fuel inlet)
1-B8A	9904-A	Economizer

★C8ZZ 9A586-C Consists of -service details
(CT-218)

1-C8ZZ	9502-C	Gasket set
1-C0AE	9B559-D	Diaphragm assy.
2-18R-135AS		Valve & seat assy.
1-B7TZ	9A565-A	Valve assy. (power)

★C8ZZ 9A586-D Consists of -r/b D8ZZ 9A586-E
(CT-212-A)

1-	Gasket (choke cover)
2-	Gasket (fuel inlet filter nut)
2-	Gasket (metering body)
1-	Gasket (flange)
1-	Gasket (power valve)
2-	Gasket (bowl cover)
1-	Assy. (needle & seat)
1-	Assy. (pump diaphragm)
1-	Economizer assy.
3-	Bag (small parts)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

CARBURETOR KIT PARTS LISTS - continued

C8ZZ 9A586-E Consists of
(CT-211-B)

1-C8ZZ	9502-D	Gasket set
2-C6AZ	9564-C	Valve & seat assy. (carb. fuel inlet)
1-C0AE	9B559-D	Diaphragm assy. (accelerator pump)
1-EDJ	9904-A	Economizer assy.

C8ZZ 9A586-F Consists of
(CT-774-A)

2-	Power valve
1-	Gasket (choke cover)
2-	Gasket (fuel inlet filter nut)
2-	Gasket (throttle body)
2-	Gasket (fuel filter)
2-	Gasket (metering body)
2-	Gasket (flange)
2-	Gasket (power valve)
2-	Gasket (bowl cover)
1-	Needle & seat assy.
1-	Pump diaphragm assy.
3-	Bag (small parts)

D0DZ 9A586-B Consists of
(CT-842-A)

1-	Cap (idle limiter)
2-	Gasket (choke cover)
3-	Gasket (flange)
1-	Gasket (bowl cover)
2-	Gasket (throttle body)
2-	Retainer (rod)
1-	Assy. (needle & seat)
1-	Diaphragm assy. (pump)
2-	Retainer (rod)
2-	Float gauge

D0OZ 9A586-B Consists of
(CT-222-A)

1-	Gasket (fuel inlet filter nut)
1-	Gasket (bowl cover)
1-	Gasket (throttle body)
1-	Gasket (flange)
1-	Assy. (needle & seat)
1-	Assy. (pump plunger)
1-	Bag (small parts)

D0PZ 9A586-B Consists of
(CT-223-A)

1-	Cap (idle limiter)
1-	Gasket (spark valve)
7-	Gasket (flange)
1-	Gasket (bowl cover)
1-	Gasket (thermostatic housing plate)
1-	Gasket (choke cover)
3-	Gasket (throttle body)
1-	Assy. (needle & seat)
1-	Cup (pump piston)
1-	Assy. (power valve)
1-	Seal (pump rod)

★D0TZ 9A586-A Consists of -r/b D0DZ 9A586-B (3/74)
(CT-225)

1-C8AZ	9447-A	Gasket (carb. to intake manifold)
1-C8AZ	9516-A	Gasket (throttle body)
1-C7DZ	9B559-A	Diaphragm assy. (accel. pump)
1-C7DZ	9561-A	Gasket (float bowl)
1-D0TZ	9564-A	Valve and seat assy. (fuel intake)
1-B7A	9565-A	Retainer (choke rod)
1-B8A	9871-B	Gasket (thermo. choke housing)
1-359734-S		Retainer (1/8" spring)

D0ZZ 9A586-B Consists of
(CT-224-A)

1-	Cap (idle limiter)
1-	Plug (pump passage)
1-	Gasket (bowl cover)
1-	Gasket (choke cover)
1-	Gasket (flange)
6-	Retainer (rod)
1-	Needle & seat assy.
1-	Retainer (pump)
1-	Kit (step-up rod)
1-	Plunger assy. (pump)
1-	Ball (pump check)
4-	Gauge (float)
1-	Tool (step-up rod)
1-	Check assy. (pump)
1-	Cap (EGR tube)

★D1FZ 9A586-A Consists of -r/b D1FZ 9A586-D (1/74)
(CT-858)

1-D1FZ	9502-A	Gasket set
1-D1FZ	9J549-A	Diaphragm & retainer assy. (choke control)
1-D1FZ	9B559-A	Diaphragm assy. (accelerator pump)
1-D1FZ	9564-A	Valve & seat (fuel inlet)
1-D1FZ	9A565-A	Economizer

★D1FZ 9A586-B Consists of -r/b D1FZ 9A586-C (2/74)
(CT-227)

1-D1FZ	9502-B	Gasket set
1-D0RY	9B559-A	Diaphragm assy.
1-D0RY	9564-A	Valve & seat assy.
1-D0RY	9576-A	Valve (accel. pump check)

CARBURETOR KIT PARTS LIST - continued

D1FZ 9A586-C Consists of
(CT-227-A)

1-	Cap (idle limiter)
1-	Gasket (flange)
1-	Gasket (choke housing)
1-	Gasket (bowl cover)
1-	Gasket (choke cover)
1-	Assy. (needle & seat)
1-	Diaphragm assy. (pump)
1-	Ball (check)
1-	Valve (pump check)

D1FZ 9A586-D Consists of
(CT-858-A)

1-	Cap (idle limiter)
1-	Gasket (fuel return tube)
1-	"O" ring (seal choke housing)
1-	Gasket (power valve)
1-	Gasket (bowl cover)
1-	Gasket (choke water housing)
1-	Gasket (water housing screw)
1-	Gasket (flange)
1-	Gasket (choke cover)
1-	Gasket (pump discharge nozzle screw)
1-	Assy. (needle & seat)
1-	Diaphragm assy. (pump)
1-	Diaphragm assy. (choke control)
1-	Economizer assy.

OR

ALTERNATE KIT COMPONENTS

1-		Gasket (fuel return tube)
2-		Gasket (pump discharge nozzle screw)
1-D1FZ	9447-E	Gasket (flange)
1-C7AZ	9J500-B	Cap (idle limiter)
1-D1FZ	9J549-A	Diaphragm assy. (choke control)
1-D2FZ	9B559-A	Diaphragm assy. (pump)
1-D1FZ	9561-A	Gasket (bowl cover)
1-D2FZ	9564-A	Needle & seat assy.
1-D3FZ	9A565-B	Economizer assy.
1-D1FZ	9A588-A	Gasket (power valve)
1-D1FZ	9853-A	"O" ring (choke housing)
1-D1FZ	9871-A	Gasket (choke cover)
1-D1FZ	9871-B	Gasket (choke water housing)
1-D1FZ	9871-C	Gasket (water housing screw)

★D2AZ 9A586-B Consists of-r/b D4AZ 9A586-A (3/75)
(CT-499-C)

1-	Gasket set
1-	Valve (carb. fuel inlet needle)
1-	Seat (carb. needle valve)
1-	Economizer assy. (carb.) (8.5 PVT)
1-	Diaphragm assy. (carb. accelerator pump)
1-	Pin (carb. accelerator pump plunger)
2-	Retainer (carb. float lever shaft)
1-	Valve (carb. accelerator pump check)
2-	Limiter (carb. idle adjusting needle)
1-	Clip (pump rod to lever)
2-	Gauge (carb. float lever)
1-	Retainer (fuel inlet needle)

★D2AZ 9A586-C Consists of-r/b D3OZ 9A586-A
(CT-862-A) (CT-862-B)

2-C7AZ	9J500-B	Limiter (carb. idle adjusting needle)
1-D2AZ	9502-C	Kit (carb. gasket)
1-D0SF	9B528-A	Valve (carb. fuel inlet needle)
1-C7AF	9G557-A	Retainer (carb. power valve closing spring)
1-D1AZ	9564-A	Valve and seat assy. (carb. fuel inlet-supplementary)
1-D0SF	9567-A	Seat (carb. needle valve)
1-C7AZ	9572-A	Cup (carb. pump piston)

OR

ALTERNATE KIT COMPONENTS

1-	Kit (carb. gasket)
1-	Cup (carb. pump piston)
1-	Retainer (carb. power valve closing spring)
1-	Valve (carb. fuel inlet needle)
1-	Seat (carb. needle valve)
1-	Valve & seat assy. (carb. fuel inlet-supplementary)
2-	Limiter (carb. idle adjusting needle)
1-	Disc (carb. accelerator pump check valve)
1-	Retainer (carb. accelerator pump check valve disc)

A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

CARBURETOR KIT PARTS LISTS - continued

D2AZ 9A586-D Consists of
(CT-226-A)

2-C7AZ	9J500-B	Limiter (carb. idle adjusting needle)
1-D2AZ	9502-D	Kit (carb. gasket)
1-D0SF	9B528-A	Valve (carb. fuel inlet needle)
1-C7AF	9G557-A	Retainer (carb. power valve closing spring)
1-D1AZ	9564-A	Valve and seat assy. (carb. fuel inlet-supplementary)
1-D0SF	9567-A	Seat (carb. needle valve)
1-C7AZ	9572-A	Cup (carb. pump piston)
1-C7AZ	9575-B	Retainer (carb. accelerator pump check)
1-C7AZ	9576-A	Disc. (carb. accelerator pump check valve)
1-380614-S		Cap (3/16" tube)

OR
ALTERNATE KIT COMPONENTS

1-	Kit (carb. gasket)
1-	Cup (carb. pump piston)
1-	Retainer (carb. power valve closing spring)
1-	Valve (carb. fuel inlet needle)
1-	Seat (carb. needle valve)
1-	Valve & seat assy. (carb. fuel inlet-supplementary)
2-	Limiter (carb. idle adjusting needle)
1-	Disc (carb. accelerator pump check valve)
1-	Cap (3/16" tube)
1-	Retainer (carb. accelerator pump check valve disc)

★D2FZ 9A586-A Consists of-r/b D1FZ 9A586-D (1-74)
(CT-863)

1-C7AZ	9J500-B	Limiter (idle adjusting)
1-D1FZ	9502-A	Kit (carb.gasket)
1-D1FZ	9J549-A	Diaphragm & retainer assy. (carb.choke control)
1-D2FZ	9B559-A	Diaphragm assy. (carb. accel. pump)
1-D2FZ	9564-A	Fuel inlet needle & seat assy.
1-D2FZ	9A565-A	Economizer assy.

D3OZ 9A586-A Consists of
(CT-862-B)

1-D3OZ	9502-A	Gasket set
1-C7AZ	9572-A	Cup (pump piston)
1-C7AZ	9576-A	Disc (accelerator pump check valve)
1-		Retainer (power valve closing spring)
1-		Valve (fuel inlet needle)
1-		Seat (needle valve)
1-		Valve & seat assy.(fuel inlet)-(supplementary)
2-		Limiter (idle adjusting needle)
1-		Retainer (accelerator pump check valve disc)

D4AZ 9A586-A Consists of
(CT-499-D)

1-D4AZ	9502-A	Gasket set
1-C4AZ	9B559-A	Diaphragm assy. (accelerator pump)
1-C0AZ	9A565-A	Valve assy. (enrichment)
1-D2AF	9566-AA	Valve (fuel inlet needle)
1-D2AF	9567-BA	Seat (needle valve)
1-		Pin (accelerator pump plunger)
1-		Retainer (float lever shaft)
1-		Valve (accelerator pump check)
2-		Limiter (idle adjusting needle)
1-		Clip (pump rod to lever)
1-		Retainer (fuel inlet needle)

★B8AZ 9590-H Consists of
(CR-269)
(Service details)

2-C1AZ	9541-A	Needle (idle adj.)
1-78	9576	Valve (pump check)
1-C2SZ	9A586-C	Kit (tune up)
3-351825-S		Washer "C"
1-352863-S8		Washer "C"
2-370456-S8B		Retainer (spring)
2-371350-S		Ball-3/16"
2-375016-S2		Screw
1-377918-S8B		Ring (1/8" retaining)
8-378361-S2		Screw

★B9AZ 9590-E Consists of
(CR-272)

(Service details)

2-C1AE	9541-B	Needle (idle adjusting)
2-C1AZ	9541-A	Needle (idle adjusting)
1-C0AZ	9A586-E	Kit (tune up)
1-B7A	9938-A	Screen (filter)
3-351825-S		Washer "C"
1-353862-S8		Washer "C"
1-370456-S8B		Retainer (spring)
1-371350-S		Ball-3/16"
2-375016-S2		Screw
1-377918-S8B		Screw
4-378361-S2		Screw

★C0AZ 9590-M Consists of
(CR-276)
(Service details)

1-B8A	9503-A	Diaphragm (sec. throttle)
1-B9TE	9A516-A	Valve (pump check)
2-B7A	9541-A	Needle (idle adjusting)
1-B5A	9576-A	Ball (sec. throttle check)
1-B7A	9576-C	Ball (accel. pump discharge)
1-78	9576	Valve (pump check)
1-B8A	9577-A	Nozzle (pump discharge)
2-40	9586	Screw (throttle plate)
8-B8A	9586-A	Screw (throttle plate)
1-B9AZ	9A586-D	Kit (tune-up)
1-B8A	9607-A	Retainer (power jet needle valve)
2-B8A	9642-A	Clamp (float)
1-351825-S		Washer "C"
2-351826-S		Washer "C"
2-352200-S		Pin
1-353610-S		Retainer (spring)
1-359528-S7		Ring (retaining)

CARBURETOR KIT PARTS LIST - continued

★C3AZ 9590-L Consists of
(CR-283)
(Service details)

1-C3AZ	9541-B	Needle (idle adj.)
1-C3AZ	9541-C	Needle (idle adj.)
1-C3AZ	9B572-B	Valve (dist. vacuum)
1-C3AZ	9A586-F	Kit (tune up)
4-C3AZ	9586-A	Screw (throttle plate)
1-44706-S		Washer (flat)
1-97408-S		Ring (7/32" retaining)
1-371350-S		Ball-3/16"
2-377918-S8B		Ring (1/8" retaining)
4-378360-S2		Screw

★C5AZ 9590-E Consists of
(CR-286)
(Service details)

1-C5UZ	9541-A	Needle (idle adj.)
1-C5AZ	9A586-B	Kit (tune up)
4-44706-S		Washer (flat)
1-97408-S		Ring (7/32" retaining)
4-371350-S		Ball (3/16" dia.)
2-377918-S8B		Ring (1/8" retaining)

★C5AZ 9590-F Consists of
(CR-287)
(Service details)

1-C3AZ	9B572-B	Valve (dist. vacuum)
1-C5UZ	9541-A	Needle (idle adj.)
1-C5AZ	9A586-B	Kit (tune up)
1-44706-S		Washer (flat)
1-97408-S		Ring-7/32" (retaining)
4-371350-S		Ball-3/16"
2-377918-S8B		Ring-1/8" (retaining)
4-378360-S2		Screw

★C5ZZ 9590-B Consists of
(CR-379)
(Service details)

1-C5ZZ	9502-B	Gasket set
1-B7T	9503-A	Diaphragm (secondary throttle)
1-B9TE	9A516-A	Valve (pump discharge)
2-B7A	9541-A	Needle (idle adjusting)
1-C0AE	9B559-D	Diaphragm assy. (accel. pump)
1-B8LY	9A565-A	Valve assy. (power)
1-B5A	9576-A	Ball (secondary throttle check)
1-B8A	9577-A	Nozzle (pump discharge)
8-B8A	9586-A	Screw (throttle plate)
2-B9A	9586-A	Screw (choke plate)
1-351825-S		Link retainer (secondary diaphragm)
2-352200-S		Retainer (throttle connecting rod)
1-352200-S		Retainer (choke rod)
2-18R-137A		Fuel valve & seat assy.

★C6AZ 9590-A Consists of
(CR-341)
(Service details)

1-C1AZ	9502-E	Gasket set
1-B7T	9503-A	Diaphragm (secondary throttle)
1-B9TE	9A516-A	Valve (pump discharge)
2-B7A	9541-A	Needle (idle adjusting)
1-C0AE	9B559-D	Diaphragm assy. (accel. pump)
2-C1AZ	9564-A	Valve (fuel inlet)
1-B7AZ	9A565-A	Valve assy. (power)
2-40	9586	Screw (choke plate)
8-B8A	9586-A	Screw (throttle plate)
1-97407-S		Washer "C"
2-351826-S		Retainer (float)

★C6AZ 9590-C Consists of
(CR-290)
(Service details)

1-B7T	9503-A	Diaphragm (secondary)
1-B9TE	9A516-A	Valve (pump discharge needle)
2-B7A	9541-A	Needle (idle adjusting)
1-B2A	9568-B	Retainer (pump operating lever)
1-B5A	9576-A	Ball (secondary throttle check)
1-B8A	9577-A	Nozzle (pump discharge)
2-40	9586	Screw (choke plate)
8-B8A	9586-A	Screw (throttle plate)
1-C6AZ	9A586-J	Tune-up kit
2-351826-S		Washer "C"
1-352200-S		Pin (cotter)
1-353610-S		Retainer (spring)
1-370456-S		Retainer (spring)

★C6OZ 9590-D Consists of
(CR-342)
(Service details)

1-C3AZ	9502-H	Gasket set
1-B8A	9503-A	Diaphragm (secondary throttle)
1-B9TE	9A516-A	Valve (pump discharge)
2-B7A	9541-A	Needle (idle adjusting)
1-C0AE	9B559-D	Diaphragm assy. (accel. pump)
2-C6AZ	9564-A	Valve (inlet)
1-B8AZ	9A565-A	Valve (economizer)
1-B5A	9576-A	Ball (secondary check)
1-B8A	9577-A	Nozzle (pump discharge)
8-B8A	9586-A	Screw (throttle plate)
2-40	9586	Screw (choke plate)
1-97409-S		Washer "C"
2-352200-S		Retainer (throttle rod)
1-353610-S8		Retainer (choke rod)

★C6OZ 9590-F Consists of
(CR-288)
(Service details)

1-C3AZ	9541-C	Needle (idle adj.)
1-C3AZ	9A586-F	Kit (tune up)
1-44706-S		Washer (flat)
1-97408-S		Ring (7/32" retaining)
4-371350-S		Ball (3/16" dia.)
2-377918-S8B		Ring (1/8" retaining)
4-378360-S2		Screw

★C7AZ 9590-C Consists of
(CR-332)
(Service details)

1-C7AZ	9A516-B	Valve (pump discharge)
2-C7AZ	9541-A	Needle (idle adj.)
1-C7AZ	9557-A	Valve (float bowl vent)
2-C7AZ	9H584-B	Pin (air valve dampener)
1-C7AZ	9A586-A	Kit (tune up)
4-353358-S		Screw
4-353939-S		Screw
2-378360-S		Screw
4-378361-S		Screw

★C7AZ 9590-D Consists of
(CR-333)
(Service details)

2-C7AZ	9J500-B	Limiter (idle adj. needle)
2-B8AZ	9541-D	Needle (idle adj.)
1-C0AZ	9A586-E	Kit (tune up)
3-351825-S		Washer "C"
1-353862-S		Washer "C"
1-371350-S		Ball-3/16" dia.
2-375016-S		Screw-hex. head
1-377918-S		Ring-1/8" retaining
4-378361-S		Screw-hex. head

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

CARBURETOR KIT PARTS LISTS - continued

C7DZ 9590-A Consists of
(CR-289)

1-C7DZ	9A516-A	Valve (pump discharge)
1-C7DZ	9541-A	Needle (idle adjusting)
1-C7DZ	9A586-B	Kit (tune up)
1-C7DZ	9599-A	Retainer (upper pump spring)
1-ECZ	99704-A	Retainer (lower pump spring)

★C7OZ 9590-A Consists of
(CR-343)
(Service details)

1-C3AZ	9502-H	Gasket set
1-B8A	9503-A	Diaphragm (secondary)
1-B9TE	9A516-A	Valve (pump discharge)
2-B7A	9541-A	Needle (idle adjusting)
1-C0AE	9B559-D	Diaphragm (pump)
2-C6AZ	9564-A	Valve (inlet)
1-C0AZ	9A565-A	Valve (power)
1-B8A	9577-A	Nozzle (pump discharge)
8-B8A	9586-A	Screws (throttle plate)
2-40	9586	Screws (choke plate)
1-351825-S		Retainer (sec. diaph. link)
2-352200-S		Retainer (throttle rod)
1-353610-S		Retainer (choke rod)

★C7UZ 9590-A Consists of
(CR-364)
(Service details)

1-C8OZ	9541-A	Needle (idle adjusting)
1-C3UZ	9B572-A	Valve (dist. vacuum)
1-C8OZ	9A586-A	Kit (tune-up)
1-44706-S		Washer (flat)
3-371350-S		Ball (3/16" diameter)
4-375016-S		Screw (hex. head)
2-377918-S		Ring (retaining)

★C8AZ 9590-A Consists of
(CR-340)
(Service details)

2-C7AZ	9J500-B	Limiter (idle needle adjusting)
2-C8AZ	9541-C	Needle (idle adjusting)
1-78	9596	Valve (pump check)
1-C2SZ	9A586-C	Kit (tune up)
3-351825-S		"C" washer
1-353862-S		"C" washer
2-370456-S8B		Retainer (spring)
2-371350-S		Ball (3/16" diameter)
2-375016-S		Screw (No. 6-32 x .31" hex. head)
1-377918-S8B		Ring (1/8" retaining)
8-378361-S2		Screw (No. 8-32 x .38" fill. head)

★C8AZ 9590-B Consists of
(CR-344)
(Service details)

1-C8AZ	9447-A	Gasket (carb. to intake manifold)
1-C8AZ	9516-A	Gasket (throttle body)
1-C7DZ	9A516-A	Valve (pump discharge needle)
1-C7DZ	9A521-A	Restrictor (jet)
1-C8AZ	9A526-A	Rod (metering)
1-C8AZ	9533-A	Jet (metering)
1-C7DZ	9B559-A	Diaphragm (accel. pump)
1-C7DZ	9561-A	Gasket (throttle body)
1-C8AZ	9564-A	Valve & seat (fuel inlet)
1-C7DZ	9871-A	Gasket (thermostat housing)
1-359734-S		Retainer (1/8" spring)

★C8AZ 9590-C Consists of
(CR-349)
(Service details)

1-C7AZ	9B501-A	Seal (fast idle rod)
2-C8AZ	9541-D	Needle (idle adjusting)
1-C4TZ	9557-B	Valve (float bowl vent)
1-C8AZ	9A586-D	Kit (tune up)
3-97407-S		Washer "C"
1-353862-S		Washer "C"
1-371350-S		Ball (3/16" diameter)
2-375016-S		Screw (hex. head)
1-377918-S		Ring (1/8" retaining)
4-378361-S		Screw (fill. head)

★C8AZ 9590-D Consists of
(CR-350)
(Service details)

1-C7AZ	9B501-A	Seal (fast idle rod)
2-C8AZ	9541-C	Needle (idle adjusting)
1-C4TZ	9557-B	Valve (float bowl vent)
1-C8AZ	9A586-C	Kit (tune up)
3-97407-S		Washer "C"
1-353862-S		Washer "C"
1-371350-S		Ball (3/16" diameter)
2-375016-S		Screw (hex. head)
1-377918-S		Ring (1/8" retaining)
4-378361-S		Screw (fillister head)

★C8AZ 9590-E Consists of
(CR-351)
(Service details)

1-C7AZ	9B501-A	Seal (fast idle rod)
2-C8AZ	9541-C	Needle (idle adjusting)
1-C4TZ	9557-B	Valve (float bowl vent)
1-C8OZ	9A586-B	Kit (tune up)
3-97407-S		Washer "C"
1-353862-S		Washer "C"
1-371350-S		Ball (3/16" diameter)
2-375016-S		Screw (hex. head)
1-377918-S		Ring (1/8" retaining)
4-378361-S		Screw (fillister head)

★C8AZ 9590-F Consists of
(CR-352)
(Service details)

1-C7AZ	9A516-B	Valve (pump discharge needle)
2-C7MY	9541-B	Needle (idle adjusting)
1-C7AZ	9557-A	Valve (float bowl vent)
1-C7AZ	9575-A	Retainer (accel. pump check valve)
2-C7AZ	9H584-A	Pin (air valve dampener)
1-C8AZ	9A586-E	Kit (tune up)
4-353358-S		Screw (hex. washer head)
2-375016-S2		Screw (hex. head)
4-378361-S		Screw (fillister head)
4-381761-S2		Screw (pan head)
8-382681-S		Screw (truss head)

★C8AZ 9590-G Consists of
(CR-353)
(Service details)

1-C7AZ	9A516-B	Valve (pump discharge needle)
2-C8AZ	9541-D	Needle (idle adjusting)
1-C7AZ	9557-A	Valve (float bowl vent)
1-C7AZ	9575-A	Retainer (accel. pump check valve)
2-C7AZ	9H584-A	Pin (air valve dampener)
1-C8AZ	9A586-E	Kit (tune up)
4-353358-S		Screw (hex. washer)
2-375016-S2		Screw (hex. head)
4-378361-S		Screw (fill. head)
4-381761-S2		Screw (pan head)
8-382681-S		Screw (truss head)

CARBURETOR KIT PARTS LISTS - continued

★C8AZ 9590-H Consists of
(CR-354)
(Service details)

1-C8AZ	9541-B	Needle (idle adjusting)
1-C8AZ	9A586-B	Kit (tune up)
1-44706-S		Washer (flat)
1-97408-S		Ring (7/32" retaining)
1-371350-S		Ball (3/16" diameter)
4-375016-S		Screw (hex. head)
2-377918-S		Ring (1/8" retaining)

★C8DZ 9590-B Consists of
(CR-346)
(Service details)

1-C7DZ	9447-A	Gasket (carb. to intake manifold)
1-C7DZ	9516-A	Gasket (throttle body)
1-C7DZ	9A516-A	Valve (pump discharge needle)
1-C8DZ	9A521-A	Restrictor (jet)
1-C8DZ	9A526-A	Rod (metering)
1-C8DZ	9533-A	Jet (main metering)
1-C7DZ	9B559-A	Diaphragm (accel. pump)
1-C7DZ	9561-A	Gasket (float bowl)
1-C8DZ	9564-A	Valve & seat (fuel inlet)
1-C7DZ	9825-A	Clip (rod end clevis)
1-C7DZ	9871-A	Gasket (thermostat housing)

★C8OZ 9590-A Consists of
(CR-355)
(Service details)

1-C8OZ	9541-A	Needle (idle adjusting)
1-C8OZ	9A586-A	Kit (tune up)
1-44706-S		Washer (flat)
3-371350-S		Ball (3/16" diameter)
4-375016-S		Screw (hex. head)
2-377918-S		Ring (1/8" retaining)

★C8OZ 9590-B Consists of
(CR-365)
(Service details)

1-B7T	9503-A	Diaphragm (secondary)
1-B9TE	9A516-A	Valve (pump discharge needle)
2-C8OZ	9541-B	Needle (idle adjusting)
2-C6AZ	9558-A	Shaft (float lever)
8-B8A	9586-A	Screw (throttle plate)
2-40	9586	Screw (choke plate)
1-C8OZ	9A586-C	Kit (tune-up)
1-97407-S2		Washer "C"
1-97465-S		Retainer "C"
1-352200-S		Pin (cotter)
1-353610-S2		Retainer (spring)

★C8TZ 9590-A Consists of
(CR-347)
(Service details)

1-C7DZ	9447-A	Gasket (mounting)
1-C7DZ	9516-A	Gasket (throttle body)
1-C7DZ	9A516-A	Valve (pump discharge needle)
1-C7DZ	9A521-A	Restrictor (jet)
1-C8UZ	9A526-A	Rod (metering)
1-C8DZ	9533-A	Jet (main metering)
1-C7DZ	9B559-A	Diaphragm assy. (accel. pump)
1-C7DZ	9561-A	Gasket (float bowl)
1-C8DZ	9564-A	Valve seat assy. (fuel inlet)
1-B7A	9565-A	Retainer (choke rod)
1-359734-S		Retainer (1/8" spring)

★C8TZ 9590-C Consists of
(CR-356)
(Service details)

1-C7AZ	9B501-A	Seal (fast idle rod)
2-C8AZ	9541-C	Needle (idle adjusting)
1-C4TZ	9557-B	Valve (float bowl vent)
1-C8AZ	9A586-D	Kit (tune up)
3-97407-S		Washer "C"
1-353862-S		Washer "C"
1-371350-S		Ball (3/8" diameter)
2-375016-S		Screw (hex. head)
1-377918-S		Ring (1/8" retaining)
1-378361-S		Screw (fillister head)

C8TZ 9590-F Consists of
(CR-359)

1-C8AZ	9541-B	Needle (idle adjusting)
1-C3AZ	9B572-B	Valve assy. (dist. vacuum)
1-C8AZ	9A586-B	Tune up kit
1-44706-S		Washer (flat)
1-97408-S		Ring (7/8" retaining)
1-371350-S		Ball
4-375017-S8		Screw
2-377918-S		Ring (1/8" retaining)

★C8ZZ 9590-A Consists of
(CR-362)
(Service details)

1-B8A	9503-A	Diaphragm assy. (secondary)
1-B9TE	9A516-A	Valve (pump discharge needle)
2-B7A	9541-A	Needle (idle adjusting)
2-C6AZ	9558-A	Shaft (float lever)
1-B8A	9577-A	Nozzle (pump discharge)
8-B8A	9586-A	Screw (throttle plate)
2-40	9586	Screw (choke plate)
1-C8ZZ	9A586-A	Tune-up kit
3-B7A	9657-A	Bushing (throttle shaft secondary)
1-B8A	9657-A	Bushing (throttle shaft secondary)
1-97465-S		Retainer "C"
1-97407-S		Retainer "C"
1-352200-S		Pin (3/64" x 3/8" cotter)
1-353610-S		Retainer (spring)

★C8ZZ 9590-B Consists of
(CR-380)
(Service details)

1-B7T	9503-A	Diaphragm (secondary)
3-B7AZ	9B508-A	Shaft bushing (secondary throttle)
1-B8AZ	9B508-A	Shaft bushing (secondary throttle)
1-B9TE	9A516-A	Needle valve (pump discharge)
2-B7A	9541-A	Needle (idle adjusting)
1-C6AZ	9558-A	Shaft (float)
8-B8A	9586-A	Screw (throttle plate)
2-B9A	9586-A	Screw (choke plate)
1-21R-529-25		Nozzle (pump discharge)
1-C8ZZ	9A586-B	Tune-up kit
1-351825-S		Link retainer (sec. diaphragm)
1-352200-S		Retainer (throttle connecting rod)
1-352200-S		Retainer (pump operating lever)
1-353610-S		Retainer (choke rod)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

CARBURETOR KIT PARTS LISTS - continued

★C8ZZ 9590-C Consists of
(CR-381)
(Service details)

1-B8A	9503-A	Diaphragm (secondary)
3-B7AZ	9B508-A	Shaft bushing (secondary throttle)
1-B8AZ	9B508-A	Shaft bushing (secondary throttle)
1-B9TE	9A516-A	Needle valve (pump discharge)
1-B7A	9541-A	Needle (idle adjusting)
2-C6AZ	9558-A	Shaft (float)
1-C0AE	9B559-D	Diaphragm
1-C6AZ	9564-C	Fuel valve & seat assy.
1-B7TZ	9A565-A	Valve assy. (power)
1-21R-529-25		Nozzle assy. (pump discharge)
1-B5A	9576-A	Check ball
8-B8A	9586-A	Screw (throttle plate)
2-B9A	9586-A	Screw (choke plate)
1-C5AZ	9A586-C	Tune-up kit
1-351825-S		Link retainer (sec. diaphragm)
1-352200-S		Retainer (throttle connecting rod)
1-352200-S		Retainer (pump operating lever)
1-353610-S		Retainer (choke rod)

★C9AZ 9590-A Consists of
(CR-367)
(Service details)

1-C7AZ	9B501-A	Seal (fast idle rod)
2-C9AZ	9541-A	Needle (idle adjusting)
1-C4TZ	9557-B	Valve (float bowl vent)
1-C8AZ	9A586-D	Kit (tune-up)
3-97407-S2		Washer "C"
1-353862-S8		Washer "C"
1-371350-S		Ball-3/16" dia.
2-375016-S		Screw
1-377918-S		Ring
4-378361-S		Screw

★C9DZ 9590-A Consists of
(CR-374)
(Service details)

1-C7DZ	9447-A	Gasket (carb. to intake manifold)
1-C7DZ	9516-A	Gasket (throttle body)
1-C7DZ	9A516-A	Valve (pump discharge needle)
1-C8UZ	9A521-A	Restriction (jet)
1-C8DZ	9A526-E	Rod (metering)
1-C7DZ	9533-A	Jet (main metering)
1-C7DZ	9B559-A	Diaphragm assy. (accel. pump)
1-C7DZ	9561-A	Gasket (float bowl)
1-C8DZ	9564-A	Valve & seat (fuel inlet)
1-C7DZ	9825-A	Clip (rod end clevis)
1-C7DZ	9871-A	Gasket (choke housing)

★C9OZ 9590-A Consists of
(CR-368)
(Service details)

1-C7AZ	9B501-A	Seal (fast idle rod seal)
2-C7MY	9541-B	Needle (idle adjusting)
1-C4TZ	9557-B	Valve (float bowl vent)
1-C8AZ	9A586-C	Kit (tune-up)
3-97407-S		Washer "C"
1-353862-S8		Washer "C"
1-371350-S		Ball-3/16" dia.
2-375016-S2		Screw
1-377918-S		Ring
4-378361-S		Screw

★C9OZ 9590-B Consists of
(CR-378)
(Service details)

1-C8OZ	9541-A	Needle (idle adjusting)
1-C8AZ	9A586-B	Kit (tune-up)
1-44706-S2		Washer (flat)
1-97408-S8		Ring (7/32" retaining)
1-371350-S		Ball (3/16" diam.)
4-375016-S2		Screw
2-377918-S2		Ring (retaining)

C9OZ 9590-C Consists of
(CR-382)

2-C8OZ	9J500-A	Limiter (idle adj. needle)
1-B7T	9503-A	Diaphragm (secondary)
1-B9TE	9A516-A	Valve (pump discharge needle)
2-C8OZ	9541-B	Needle (idle adjusting)
2-C6AZ	9558-A	Shaft (float lever)
8-B8A	9586-A	Screw (throttle plate)
2-40	9586	Screw (choke plate)
1-C9OZ	9A586-A	Kit (tune-up)
1-97645-S		Retainer "C"
1-351825-S		Retainer
1-352200-S		Pin (cotter)
1-353610-S8		Retainer (spring)
1		Nozzle (pump discharge)

C9TZ 9590-C Consists of
(CR-375)

1-C7DZ	9447-A	Gasket (carb. to intake manifold)
1-C7DZ	9516-A	Gasket (throttle body)
1-C7DZ	9A516-A	Valve (pump discharge needle)
1-C7DZ	9A521-A	Restriction (jet)
1-C8TZ	9A526-B	Rod (metering)
1-C7DZ	9533-A	Jet (main metering)
1-C7DZ	9B559-A	Diaphragm assy. (accel. pump)
1-C7DZ	9561-A	Gasket (float bowl)
1-C8DZ	9564-A	Valve & seat (fuel inlet)
1-B7A	9565-A	Retainer (choke rod)

★D0DZ 9590-A Consists of
(CR-383)
(Service details)

1-C8AZ	9447-A	Gasket (carb. to intake manifold)
1-C7AZ	9J500-B	Limiter (carb. idle adjusting)
1-D0DZ	9516-A	Gasket (carb. throttle body)
1-C7DZ	9A516-A	Valve (carb. pump discharge)
1-D0DZ	9A521-B	Resistrictor (carb. jet)
1-C8AZ	9A526-C	Rod (carb. metering)
1-C8AZ	9533-A	Jet (carb. main metering)
1-C7DZ	9B559-A	Diaphragm assy. (carb. accelerator)
1-C7DZ	9561-A	Gasket (carb. float bowl)
1-D0PZ	9564-B	Valve and seat assy. (carb. fuel inlet)
1-C7DZ	9825-A	Clip (carb. rod end clevis)
1-B7A	9871-C	Gasket (carb. choke housing)

CARBURETOR PARTS LISTS - continued

★D0DZ 9590-B (CR-384) (Service details)		Consists of
1-C7DZ	9447-A	Gasket (carb. to intake manifold)
1-C7AZ	9J500-D	Limiter(carb. idle adjusting)
1-D0DZ	9516-A	Gasket (carb. throttle body)
1-C7DZ	9A516-A	Valve (carb. pump discharge)
1-D0DZ	9A521-B	Restrictor (carburetor jet)
1-D0DZ	9A526-B	Rod (carburetor metering)
1-D0DZ	9533-A	Jet (carburetor main metering)
1-C7DZ	9B559-A	Diaphragm assy. (accel. pump)
1-C7DZ	9561-A	Gasket (carburetor float bowl)
1-D0DZ	9564-A	Valve & seat assy. (fuel inlet)
1-C7DZ	9825-A	Clip (carburetor rod end clevis)
1-B8A	9871-B	Gasket (carburetor choke housing)

★D0DZ 9590-C (CR-385) (Service details)		Consists of
1-C8AZ	9447-A	Gasket (carb.to intake manifold)
1-C7AZ	9J500-B	Limiter (carb.idle adjusting)
1-D0DZ	9516-A	Gasket (carb.throttle body)
1-C7DZ	9A516-A	Valve (carb.pump discharge)
1-D0DZ	9A526-A	Rod (carb.metering)
1-D0DZ	9A521-A	Restrictor (carb.jet)
1-C8AZ	9533-B	Jet (carb.main metering)
1-C7DZ	9B559-A	Diaphragm assy.(carb. accelerator pump)
1-C7DZ	9561-A	Gasket (carb.float bowl)
1-D0DZ	9564-A	Valve and seat assy.(carb.fuel inlet)
1-C7DZ	9825-A	Clip (carb.rod end clevis)
1-B7A	9871-C	Gasket (carb.choke housing)

D12X 9590-AA	Consists of
1-	Filter (fuel)
1-	Needle & seat assy.
1-	Float
1-	Diaphragm (accelerator pump)
1-	Gasket (lower bowl)
1-	Gasket (upper bowl)
1-	"O" ring (needle & seat)
1-	Air inlet (main jet)
1-	Gasket (fuel inlet banjo)
3-	"O" ring (idle emul. tube)
2-	Gasket (accel. pump jet retainer-inner)
2-	Gasket (accel. pump jet retainer-outer)
1-	Fitting (fuel banjo)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

AIR CLEANER IDENTIFICATION GUIDE TO SERVICE AIR CLEANER ASSY.

IDENTIFICATION	PART NUMBER
CC4AE 9600-C	C6AF 9600-BE
C4DF 9600-H	★C5ZZ 9600-W
C4DF 9600-L	★C5ZZ 9600-W
C4OF 9600-N	★C5ZZ 9600-W
C4ZF 9600-V	C5ZZ 9600-V
C4ZF 9600-Y	C5ZZ 9600-Y
CC5AE 9600-A	C6AF 9600-BT
CC5AE 9600-B	★CC5AE 9600-B
C5AF 9600-C	★C5AZ 9600-C
C5AF 9600-K	C4AZ 9600-L
C5AF 9600-L	C4AZ 9600-L
C5AF 9600-M	★C5ZZ 9600-W
C5AF 9600-S	★C5ZZ 9600-W
☆C5AF 9600-T	C3AZ 9600-P
♦C5AF 9600-T	C7AF 9600-G
☆C5AF 9600-U	C3AZ 9600-P
♦C5AF 9600-U	C7AF 9600-G
C5AF 9600-V	★C5MY 9600-B
C5AF 9600-Y	★C5MY 9600-B
C5AF 9600-AJ	C5AZ 9600-AJ
C5AF 9600-AK	★C5AZ 9600-C
C5AF 9600-AR	★C5MY 9600-B
C5AF 9600-AS	★C5MY 9600-B
CC5DE 9600-A	C6DF 9600-F
C5DF 9600-A	C3DZ 9600-C
C5DF 9600-B	C3DZ 9600-C
C5MF 9600-G	★C5MY 9600-B
C5MF 9600-N	★C5ZZ 9600-W
C5MF 9600-R	★C5ZZ 9600-W
C5MF 9600-V	★C5MY 9600-B
CC5OE 9600-A	C7AF 9600-F
C5OF 9600-C	★C5ZZ 9600-W
C5OF 9600-D	★C5ZZ 9600-W
C5ZF 9600-H	C5ZZ 9600-D
C6AF 9600-A	★C6AZ 9600-A
C6AF 9600-D	C3AZ 9600-P
C6AF 9600-E	C3AZ 9600-P
C6AF 9600-F	C3AZ 9600-P
C6AF 9600-G	C3AZ 9600-P
C6AF 9600-S	C5AZ 9600-M
C6AF 9600-AD	C5AZ 9600-M
C6AF 9600-AN	C3AZ 9600-P
C6AF 9600-AR	C3AZ 9600-P
C6AF 9600-AS	C3AZ 9600-P
C6AF 9600-AT	C3AZ 9600-P
C6AF 9600-AU	★C5ZZ 9600-W
C6AF 9600-AV	★C5ZZ 9600-W
C6AF 9600-AY	★C5ZZ 9600-W
C6AF 9600-AZ	★C5ZZ 9600-W
C6AF 9600-BA	C5AZ 9600-M
C6AF 9600-BB	C5AZ 9600-M
C6AF 9600-BD	C7AF 9600-F
C6AF 9600-BE	C6AF 9600-BE
C6AF 9600-BF	C5AZ 9600-M
C6AF 9600-BG	C5AZ 9600-M
C6AF 9600-BH	★C6AZ 9600-A
C6AF 9600-BJ	★C6AZ 9600-A
C6AF 9600-BK	C5AZ 9600-M
C6AF 9600-BS	C5AZ 9600-M
☆C6AF 9600-BT	C5AZ 9600-M
♦C6AF 9600-BT	C6AF 9600-BT
C6AF 9600-BU	C6AF 9600-BT
C6DF 9600-A	C3DZ 9600-C
C6DF 9600-B	C6DF 9600-F

IDENTIFICATION	PART NUMBER
C6DF 9600-C	C3DZ 9600-C
C6DF 9600-D	C3DZ 9600-C
C6DF 9600-E	C3DZ 9600-C
C6DF 9600-F	C6DF 9600-F
C6DF 9600-G	C3DZ 9600-C
C6DF 9600-H	C3DZ 9600-C
C6DF 9600-J	C3DZ 9600-C
C6DF 9600-K	C3DZ 9600-C
ED-C6DF 9600-K	★C7ZZ 9600-A
C6GF 9600-A	C3AZ 9600-P
C6GF 9600-C	C3AZ 9600-P
C6TF 9600-B	C6TZ 9600-W
C6TF 9600-J	C6TZ 9600-W
C6TF 9600-R	C6TZ 9600-W
C6TF 9600-U	C6TZ 9600-U
C6TF 9600-V	C6TZ 9600-V
C6ZF 9600-A	★C5ZZ 9600-W
C6ZF 9600-B	★C5ZZ 9600-W
C6ZF 9600-C	C5ZZ 9600-D
C6ZF 9600-D	C5ZZ 9600-D
C6ZF 9600-E	C5ZZ 9600-D
C6ZF 9600-F	C5ZZ 9600-D
C6ZF 9600-G	C5ZZ 9600-D
C6ZF 9600-H	C5ZZ 9600-D
C6ZF 9600-J	C6ZZ 9600-M
C6ZF 9600-K	C6ZZ 9600-M
C6ZF 9600-L	C6ZZ 9600-M
C6ZF 9600-M	C6ZZ 9600-M
C7AF 9600-A	★C2OZ 9600-A
C7AF 9600-E	C4AZ 9600-L
C7AF 9600-F	C7AF 9600-F
C7AF 9600-G	C7AF 9600-G
C7AF 9600-H	C4AZ 9600-L
C7AF 9600-J	★C5ZZ 9600-W
C7AF 9600-K	★C5ZZ 9600-W
C7AF 9600-L	C3AZ 9600-P
C7AF 9600-M	C3AZ 9600-P
C7AF 9600-N	C3AZ 9600-P
C7AF 9600-R	C3AZ 9600-P
C7AF 9600-S	C3AZ 9600-P
C7AF 9600-T	C3AZ 9600-P
ED-C7DF 9600-A	★C7ZZ 9600-B
C7OF 9600-A	★C7OZ 9600-B
C7OF 9600-B	★C7OZ 9600-B
C7OF 9600-C	C3DZ 9600-C
C7SF 9600-A	C7SZ 9600-A
C7TF 9600-B	C6TZ 9600-W
C7TF 9600-C	C6TZ 9600-W
C7ZF 9600-A	★C5ZZ 9600-W
C7ZF 9600-B	★C5ZZ 9600-W
C7ZF 9600-C	C5ZZ 9600-D
C7ZF 9600-E	★C7ZZ 9600-F
C7ZF 9600-F	★C7ZZ 9600-F
C7ZF 9600-G	C5ZZ 9600-D
C7ZF 9600-J	C7SZ 9600-A
C7ZF 9600-K	C7SZ 9600-A
C7ZF 9600-L	C5ZZ 9600-D
C7ZF 9600-M	C5ZZ 9600-D
ED-C7ZF 9600-M	C7ZZ 9600-C
C8AF 9600-D	C8AZ 9600-D
C8AF 9600-E	★C8AZ 9600-B
C8AF 9600-G	C8AZ 9600-D
C8AF 9600-J	C8AZ 9600-C
C8AF 9600-K	C8AZ 9600-C
C8DF 9600-A	D0DZ 9600-B

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

AIR CLEANER IDENTIFICATION GUIDE TO SERVICE AIR CLEANER ASSY. - continued

IDENTIFICATION	PART NUMBER
C8DF 9600-B	C8DZ 9600-B
C8OF 9600-A	C8OZ 9600-A
C8OF 9600-B	C8OZ 9600-B
C8OF 9600-C	C8OZ 9600-C
C8OF 9600-D	C8OF 9600-D
C8OF 9600-E	C8OZ 9600-C
C8TF 9600-A	C8TZ 9600-A
C8VF 9600-C	C8SZ 9600-A
C8ZF 9600-A	C8ZZ 9600-A
C9OF 9600-E	C9OZ 9600-E
C9OF 9600-F	★C9OZ 9600-F
C9OF 9600-G	C9OZ 9600-G
C9OF 9600-H	C9OZ 9600-H
C9OF 9600-K	★C9OZ 9600-F
C9OF 9600-L	C9OZ 9600-E
C9OF 9600-M	C9OZ 9600-H
C9TF 9600-E	C6TZ 9600-V
C9ZA 9600-A	C8ZZ 9600-B
C9ZA 9600-C	C8ZZ 9600-B
C9ZF 9600-B	C9ZZ 9600-B
C9ZF 9600-C	C9ZZ 9600-A
C9ZF 9600-D	C9ZZ 9600-B
C9ZF 9600-E	D0ZZ 9600-F
C9ZF 9600-F	C9ZZ 9600-F
C9ZF 9600-H	C9ZZ 9600-H
C9ZF 9600-J	C9ZZ 9600-J
C9ZF 9600-K	C9ZZ 9600-H
D0AF 9600-A	D0OZ 9600-B
D0AF 9600-B	D0OZ 9600-B
D0AF 9600-C	D0AZ 9600-C
D0AF 9600-D	D0AZ 9600-C
D0BF 9600-A	D0BZ 9600-A
D0BF 9600-B	D0BZ 9600-B
D0DF 9600-A	D0DZ 9600-C
D0DF 9600-B	D0DZ 9600-C
D0DF 9600-C	D0DZ 9600-C
D0DF 9600-D	D0DZ 9600-C
D0DF 9600-E	D0DZ 9600-C
D0GF 9600-C	D0ZZ 9600-E
D0OF 9600-A	D0OZ 9600-A
D0OF 9600-B	D0OZ 9600-B
D0OF 9600-C	D0OZ 9600-C
D0OF 9600-D	D0ZZ 9600-A
D0OF 9600-E	D0OZ 9600-E
D0OF 9600-F	D0OZ 9600-F
D0OF 9600-H	D0OZ 9600-E
D0VF 9600-A	D0OZ 9600-B
D0ZF 9600-B	D0ZZ 9600-A
D0ZF 9600-C	D0ZZ 9600-C
D0ZF 9600-G	D0ZZ 9600-G
D0ZF 9600-J	D0ZZ 9600-F
D0ZF 9600-K	D0ZZ 9600-E
D0ZF 9600-M	D0ZZ 9600-M
D0ZF 9600-N	D0ZZ 9600-N
D0ZF 9600-R	D0ZZ 9600-C
D0ZF 9600-S	D0ZZ 9600-S
D0ZF 9600-T	D0ZZ 9600-F
D0ZF 9600-Z	D0ZZ 9600-M
D0ZF 9600-AA	D0ZZ 9600-S
D1AF 9600-CA	D2AZ 9600-J
D1AF 9600-CB	D2AZ 9600-J
D1AF 9600-DA	★D1AZ 9600-D
D1AF 9600-DB	★D1AZ 9600-D
D1AF 9600-EA	D1AZ 9600-E
D1AF 9600-EB	D1AZ 9600-E
D1AF 9600-FA	D1AZ 9600-F

IDENTIFICATION	PART NUMBER
D1AF 9600-FB	D1AZ 9600-F
D1AF 9600-FC	D1AZ 9600-F
D1AF 9600-GA	D1AZ 9600-G
D1AF 9600-GB	D1AZ 9600-G
D1AF 9600-HA	D1AZ 9600-H
D1AF 9600-HB	D1AZ 9600-H
D1AF 9600-JA	D1AZ 9600-J
D1BF 9600-AA	D1BZ 9600-A
D1BF 9600-BA	D1BZ 9600-B
D1OF 9600-BA	D1OZ 9600-B
D1OF 9600-CA	D1OZ 9600-C
D1OF 9600-CB	D1OZ 9600-C
D1OF 9600-DA	D1OZ 9600-D
D1OF 9600-DB	D1OZ 9600-D
D1OF 9600-EA	D1OZ 9600-B
D1OF 9600-EB	D1OZ 9600-B
D1VF 9600-AA	D1VY 9600-A
D1VF 9600-AB	D1VY 9600-A
D1ZF 9600-AA	D1ZZ 9600-A
D1ZF 9600-AB	D1ZZ 9600-A
D1ZF 9600-AC	D1ZZ 9600-A
D1ZF 9600-BA	D1ZZ 9600-B
D1ZF 9600-BB	D1ZZ 9600-B
D1ZF 9600-BC	D1ZZ 9600-B
D1ZF 9600-CA	D1ZZ 9600-C
D1ZF 9600-CB	D1ZZ 9600-C
D1ZF 9600-CC	D1ZZ 9600-C
D1ZF 9600-DA	D1ZZ 9600-D
D1ZF 9600-DB	D1ZZ 9600-D
D1ZF 9600-DC	D1ZZ 9600-D
D1ZF 9600-EA	D0ZZ 9600-E
D1ZF 9600-FA	D1ZZ 9600-F
D1ZF 9600-FB	D1ZZ 9600-F
D1ZF 9600-FC	D1ZZ 9600-F
D1ZF 9600-GA	D1AZ 9600-D
D12F 9600-CA	D1FZ 9600-K
D12F 9600-EA	D1FZ 9600-E
D12F 9600-FA	D1FZ 9600-K
D12F 9600-FB	D1FZ 9600-K
D12F 9600-HA	D1FZ 9600-K
D12F 9600-HB	D1FZ 9600-K
D12F 9600-HC	D1FZ 9600-K
D12F 9600-HD	D1FZ 9600-L
D12F 9600-HE	D1FZ 9600-M
D12F 9600-HF	D1FZ 9600-M
D12F 9600-JA	D1FZ 9600-E
D12F 9600-KA	D1FZ 9600-K
D12F 9600-LA	D1FZ 9600-K
D12F 9600-LB	D1FZ 9600-K
D12F 9600-LC	D1FZ 9600-L
D12F 9600-LD	D1FZ 9600-M
D12F 9600-LE	D1FZ 9600-M
D12F 9600-MA	D1FZ 9600-E
D12F 9600-MB	D1FZ 9600-E
D12F 9600-MC	D2FZ 9600-A
D12F 9600-MD	D2FZ 9600-A
D2AF 9600-AA	D2AZ 9600-A
D2AF 9600-AC	D2AZ 9600-A
D2AF 9600-BA	★D2AZ 9600-B
D2AF 9600-BC	★D2AZ 9600-B
D2AF 9600-CA	D1AZ 9600-E
D2AF 9600-FA	D1AZ 9600-F
D2AF 9600-JA	D2AZ 9600-J
D2AF 9600-KA	D2ZZ 9600-E
D2BF 9600-BA	D1BZ 9600-B
D2OF 9600-AA	D2OZ 9600-A
D2OF 9600-CA	D2OZ 9600-C

AIR CLEANER IDENTIFICATION GUIDE TO SERVICE AIR CLEANER ASSY. - continued

IDENTIFICATION	PART NUMBER	IDENTIFICATION	PART NUMBER
D2OF 9600-DA	D2OZ 9600-D	D22F 9600-CA	D1FZ 9600-L
D2OF 9600-EA	D1OZ 9600-C	D22F 9600-DA	D1FZ 9600-L
D2OF 9600-FA	D2OZ 9600-C	D22F 9600-EA	D2FZ 9600-A
D2OF 9600-HA	D2OZ 9600-H		
D2SF 9600-AA	D2SZ 9600-A	D32F 9600-BA	D2FZ 9600-A
D2VF 9600-CA	D2VY 9600-C		
D2ZF 9600-DA	D1ZZ 9600-C	D4AF 9600-AB	D4AZ 9600-A
D2ZF 9600-EA	D2ZZ 9600-E		

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9600 CLEANER ASSY. - CARBURETOR AIR					
	4 CYLINDER					
71/72	L	4	98		1	D2FZ 9600-A
71/	L	4	122		1	D1FZ 9600-M
	6 CYLINDER					
	- A -					
65	Taxicab & P/C	6	240	Oil bath-1 pt. capacity-9.06" dia.-7.04" high	1	★C5AZ 9600-C
65/67	A(except Taxi & P/C)	6	240	13.00" diameter-3.26" high-color "Blue"-service pkg. includes (1) C5AZ 9663-C bracket	1	☆C5AZ 9600-M
65/68	A	6	240	13" diameter-color "Blue"	1	♦C6AF 9600-BT
66/67	Taxicab & P/C	6	240	Oil bath-1 pint capacity-9.00" diameter-6.02" high "Black"-service pkg. includes (2) C5AZ 9C639-A cap	1	★C6AZ 9600-A
68	♦P/C, Taxi	6	240		1	
68	A, P/C, Taxi (with Carter carb. S/T & T/E) "Before 5/15/68"	6	240	Dry type-13.55" diameter-3.65" high	1	★C8AZ 9600-B
68/69	A, P/C, Taxi (with Carter carb., S/T, & Imco "From 5/15/68"	6	240	Dry type-13.55" diameter-3.63" high	1	C8AZ 9600-C
68/69	A, P/C, Taxi (with Ford carb., C4 & Imco)	6	240	Dry type-12.40" diameter-3.48" high	1	C8ZZ 9600-A
70	A	6	240	13.47" diameter-3.63" high	1	D0DZ 9600-C
71/	A	6	240	13.47" diameter-3.63" high	1	D1AZ 9600-E
	- B -					
65/67	B(except Imco with C4)	6	170,200	Color "Blue"	1	C3DZ 9600-C
67	B(with Imco & C4)	6	200	12.25" diameter-2.52" high-color "Blue"	1	C7DZ 9600-A
68	B(with Ford carb.)	6	200	Dry type-12.40" diameter-3.48" high	1	C8ZZ 9600-A
69	B	6	250		1	
68	♦B(open emission)	6	200		1	C6DF 9600-F
70	B	6	250	14.62" diameter-3.24" high	1	D0ZZ 9600-A
71/	B	6	250	14.62" diameter-3.24" high	1	D1OZ 9600-C
	- F -					
65/67	F(except Imco with C4)	6	170,200	Color "Blue"	1	C3DZ 9600-C
66	F	6	200	Color-"Chrome"-service pkg. includes (1) C5AZ 9C639-A	1	★C6ZZ 9600-M
67	F(with Imco)	6	200	12.25" diameter-2.52" high-color "Blue" tray and "Chrome" cover-use with Carter carb.	1	★C7ZZ 9600-B
67	F(with Imco & C4)	6	200	12.25" diameter-2.52" high-color "Blue"	1	C7DZ 9600-A
67	F(with T/E)	6	200	12.25" diameter-2.60" high-color "Blue" tray and "Chrome" cover-use with Ford carb.	1	★C7ZZ 9600-A
68	☆F(with Ford carb.)	6	200	Dry type-12.40" diameter-3.48" high	1	C8ZZ 9600-A
69	F(with Ford carb.)	6	200		1	
68	F(open emission)	6	200		1	♦C6DF 9600-F
69	F	6	250	14.62" diameter-3.25" high	1	C9ZZ 9600-A
70	F	6	200	13.47" diameter-3.63" high	1	D0DZ 9600-C
70	F	6	250	14.62" diameter-3.24" high	1	D0ZZ 9600-A
71/	F	6	250	14.62" diameter-3.24" high	1	D1OZ 9600-C

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9600 CLEANER ASSY. - CARBURETOR AIR - continued					
	6 CYLINDER					
	- P -					
70	P	6	170,200	13.47" diameter-3.63" high	1	D0DZ 9600-C
70	P	6	250	14.62" diameter-3.24" high	1	D0ZZ 9600-A
71/	P	6	170,200	13.47" diameter-3.63" high	1	D1AZ 9600-E
71/	P	6	250	14.62" diameter-3.24" high	1	D1OZ 9600-C
	- U -					
66/67	U	6	170	Dry type-color "Blue"	1	☆C3DZ 9600-C
66/67	U	6	170	Dry type-color "Blue"	1	♦C6DF 9600-F
68	U(open emission)	6	170		1	
66/67	☆U	6	170	Oil bath-1 pint capacity-9.93" diameter-3.84"	1	C6TZ 9600-W
68	U	6	170	high-offset type-color "Black"-service pkg. (2) C4AZ 9C639-B cap	1	
68/69	U	6	170	Dry type-13.50" diameter-3.63" high	1	C8DZ 9600-B
70	U	6	170	Dry type-13.47" diameter-3.63" high	1	D0DZ 9600-C
71/	U	6	170	Dry type-13.47" diameter-3.63" high	1	D1AZ 9600-E
	-X -					
65/67	X(except Imco with C4)	6	170,200	Color "Blue"	1	☆C3DZ 9600-C
67	X(with Imco & C4)	6	170,200	12.25" diameter-2.52" high-color "Blue"	1	☆C7DZ 9600-A
68	☆X(with Ford carb.)	6	200	12.40" diameter-3.48" high	1	C8ZZ 9600-A
69	X(with Ford carb.)	6	200		1	
69	X	6	170	13.50" diameter-3.63" high	1	C8DZ 9600-B
70	X	6	200	13.47" diameter-3.63" high	1	D0DZ 9600-C
68	☆X(with Carter carb.)	6	170		1	
65/68	X	6	170,200	Color "Blue"	1	♦C6DF 9600-F
66/	A, B, F, P, X	6	All	Screw (air cleaner to carb.)-1/4"-20 x 1" wing	1	359197-S8(BB830)
	8 CYLINDER					
65/69	All High Performance vehicles-(with 8/B carb.)	8	390,406 427,428	Service pkg. includes (1) C5AZ 9C639-A cap	1	★C5MY 9600-B
	-A -					
65	A(with S/T & O/D except P/C)	8	352,390	17.25" diameter-4.22" high-color "Gold Bronze"	1	☆C5AZ 9600-AJ
65/67	A Special (with 8/B carb.)	8	427	Service pkg. includes (1) C5AZ 9C639-A cap	1	★C5MY 9600-B
65	☆P/C	8	390	14.05" diameter-2.61" high-service pkg.	1	★C5ZZ 9600-W
66/67	A Special	8	427	includes (1) C5AZ 9C639-A cap-color "Blue"	1	
68	♦A(open emission)	8	427		1	
66/68	A(73C, 76B-7 litre only)	8	428	tray and "Chrome" cover	1	
66/69	P/C "Before 12/2/68"	8	428		1	
69	P/C "From 12/2/68"	8	428	16.79" diameter-3.66" high	1	★C9OZ 9600-F
65/67	A	8	289	14.62" diameter-4.10" high-color "Blue"-service pkg. includes (2) C5AZ 9C639-A cap, (1) C5ZZ 9654-A gasket	1 1	☆C4AZ 9600-L
65/67	A	8	289	14.62" diameter-4.10" high-color "Blue"	1	♦C7AF 9600-F
66/67	A(except P/C & 7 litre)	8	390,428	17.25" diameter-4.22" high color "Blue"-	1	☆C3AZ 9600-P
65	A(except P/C)	8	352,390	service pkg. includes (1) C5AZ 9C639-A cap	1	
66	A	8	352		1	
65	A(with S/T)	8	352	14" diameter-color "Silver"	1	★♦CC5AE 9600-B
65	A(with A/T)	8	352,390	14" diameter-color "Blue"	1	♦C6AF 9600-BE
66	A	8	352		1	
66/67	A(except "GT")	8	390	Color "Blue"	1	♦C7AF 9600-G
68	☆A	8	302,390	17.84" diameter-4.20" high-service pkg.	1	C8AZ 9600-D
69	A	8	302,351	includes (1) C5AZ 9C639-A cap	1	
69	A(with 2/B carb.)	8	390		1	
68	A(open emission)	8	390		1	♦C7AF 9600-G
68	A(except P/C)(open emission)	8	428		1	
68	A(with 2/B carb.)(open emission)	8	302		1	♦C7AF 9600-F
69	A	8	429	17.84" diameter-4.20" high-service pkg. includes (1) C5AZ 9C639-A	1	C8SZ 9600-A

☆ U.S. only ♦ Canada only

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9600 CLEANER ASSY. - CARBURETOR AIR - continued					
	8 CYLINDER					
	- A - continued					
70	A	8	302,351, 390,429	17.84" diameter-4.20" high	1	D0OZ 9600-B
70	P/C	8	428	16.79" diameter-3.66" high	1	D0AZ 9600-C
71	A	8	302-2V	17.84" diameter-4.20" high	1	D1AZ 9600-G
71	A "Before 5/17/71"	8	351(W)		1	
71/72	A "From 5/17/71"	8	351(W)	14.78" diameter-4.68" high	1	D2AZ 9600-A
	A-w/o nox emission	8	302		1	
71	A	8	351(C)	17.84" diameter-4.20" high	1	D1AZ 9600-F
71/		8	400		1	
71	P/C "Before 11/2/70"	8	429	17.76" diameter-4.10" high	1	D1AZ 9600-H
71	P/C "From 11/2/70"	8	429	17.76" diameter-4.10" high	1	D1AZ 9600-J
72	A	8	351(C)	14.78" diameter-4.68" high	1	D4AZ 9600-A
72	A	8	429P/C	16.79" diameter-3.66" high	1	D2ZZ 9600-E
72	A(except P/C)-exc.nox emission	8	429	17.84" diameter-4.20" high	1	D2AZ 9600-J
71	A(except P/C)	8	390,429	17.84" diameter-4.20" high	1	
72	A(exc. P/C)-with nox emission	8	429	17.84" diameter-4.20" high	1	D2VY 9600-C
	- B -					
65/67	B(except Special)	8	289	14.62" diameter-4.10" high-color "Blue"-service pkg. includes (2) C5AZ 9C639-A cap, (1) C5ZZ 9654-A gasket	1	☆C4AZ 9600-L
65/68	B(except Special)	8	289	14.62" diameter-4.10" high-color "Blue"	1	♦C7AF 9600-F
65/67	B Special (with 8/B carb.)	8	427	Service pkg. includes (1) C5AZ 9C639-A cap	1	★C5MY 9600-B
65	B Special	8	289	14.05" diameter-2.61" high-service pkg.	1	★C5ZZ 9600-W
66/68	B Special	8	427	includes (1) C5AZ 9C639-A cap-color "Blue"	1	
66	B(63D, 76D)	8	390	tray and "Chrome" cover	1	
66/70	B High Performance (with 4/B carb.)	8	390		1	
67	B("GT")	8	390	17.25" diameter-4.22" high-color "Blue" tray and "Chrome" cover-service pkg. includes (1) C5AZ 9C639-A cap	1	★C7OZ 9600-B
67	B(except "GT")	8	390	Color "Blue"	1	♦C7AF 9600-G
66/67	B(except "GT")	8	390	17.25" diameter-4.22" high-color "Blue"-service pkg. includes (1) C5AZ 9C639-A cap	1	☆C3AZ 9600-P
69	B	8	302	17.84" diameter-4.20" high	1	C8AZ 9600-D
68	☆B	8	302		1	
69	B	8	351		1	
68	B	8	289		1	
68	☆B(with 2/B carb.)	8	390		1	
68	B(open emission)	8	390		1	♦C7AF 9600-G
68	B(with 2/B carb.)(open emission)	8	302		1	♦C7AF 9600-F
68	B(except "GT")(with 4/B carb.)	8	390	17.00" diameter-4.20" high	1	☆C8OZ 9600-A
68	B("GT" with 4/B carb.) (open emission)	8	390	16.79" diameter-3.68" high	1	★♦C7ZZ 9600-F
68	B("GT" with 4/B carb.)	8	390	17.00" diameter-4.20" high-"Chrome" cover	1	C8OZ 9600-B
69	B(with 4/B carb.)(except "GT" and Ram Air)	8	390	16.79" diameter-3.66" high	1	C9OZ 9600-E
69	B("GT" with 4/B carb.)- "From 1/6/69"	8	390		1	
68/69	B(with 4/B carb. exc. Ram Air)- "Before 2/17/69"	8	428 CJ	16.79" diameter-3.66" high-"Chrome" cover	1	C8OZ 9600-C
69	B("GT" with 4/B carb.)	8	390		1	
69	B(with 4/B carb.)(without Ram Air)	8	428 CJ	16.79" diameter-3.66" high-"Chrome" cover	1	C9OZ 9600-H
69	B(with 4/B carb. & Ram Air)- "Before 2/17/69"	8	428 CJ	18" diameter-6.20" high-with door in cover	1	C9ZZ 9600-B
69	B(with 4/B carb. & Ram Air)- "From 2/17/69"	8	428 CJ	18" diameter-6.20" high-with door in cover	1	C9OZ 9600-G
70	B(without Ram Air & CJ)	8	302,429	17.84" diameter-4.20" high	1	D0OZ 9600-B
70	B(with Ram Air & 4/B carb.)	8	351	17.00" diameter-7.00" high	1	D0OZ 9600-E
70	B(with 2/B & 4/B carb.)(without Ram Air)	8	351	17.00" diameter-4.20" high	1	D0ZZ 9600-M

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9600 CLEANER ASSY. - CARBURETOR AIR - continued					
	8 CYLINDER					
	- B - (continued)					
70	B(without Ram Air)	8	429 CJ	17.84" diameter-4.20" high	1	D0OZ 9600-A
70	B(with Ram Air)	8	429 CJ	18.83" diameter-5.56" high	1	D0OZ 9600-C
70	B(without Ram Air)	8	429 S/CJ	16.79" diameter-3.66" high	1	D0ZZ 9600-E
70	B(with Ram Air)	8	429 S/CJ	18.83" diameter-5.34" high	1	D0OZ 9600-F
71	B	8	302	17.84" diameter-4.20 high	1	D1AZ 9600-G
71	B(without Ram Air)	8	351	17.84" diameter-4.20" high	1	D1AZ 9600-F
72	B(without Ram Air)	8	351-4V, 400		1	
71	B(with Ram Air)	8	351	19.50" diameter-6.96" high-with door in cover	1	D1OZ 9600-D
71	B(without Ram Air)	8	429CJ	17.76" diameter-4.10" high	1	D1AZ 9600-H
71	B(with Ram Air)	8	429CJ	18.83" diameter-5.34" high-with door in cover	1	D1OZ 9600-B
72	B(without nox emission)	8	302-2V	14.68" diameter-4.68" high	1	D2AZ 9600-A
72	B	8	351(W)		1	
72	B	8	351(C)-2V	14.78" diameter-4.68" high	1	D4AZ 9600-A
72	B(with nox emission)	8	302-2V		1	
72	B(with Ram Air)		351-4V	21.62" diameter-8.96" high-with door in cover	1	D2OZ 9600-D
72	B(with Ram Air)	8	429-4V	20.92" diameter-7.56" high-with door in cover	1	D2OZ 9600-C
72	B(exc.P/C)-w/o nox emission-(w/o Ram Air)	8	429-4V	17.84" diameter-4.20" high	1	D2AZ 9600-J
72	B(exc.P/C)-with nox emission-(w/o Ram Air)	8	429-4V	17.84" diameter-4.20" high	1	D2VY 9600-C
72	B	8	429P/C	17.76" diameter-3.67" high	1	D2OZ 9600-H
72	B	8	351CJ	17.3/4" diameter-3 5/8" high-chrome cover	1	D3ZZ 9600-B
	- F -					
65/67	F Special	8	289	14.05" diameter-2.61" high-service pkg.	1	★C5ZZ 9600-W
68	♦F(with 4/B carb.)(open emission)	8	289	includes (1) C5AZ 9C639-A cap-color "Blue"	1	
68	F Special (with 4/B carb.)	8	427	tray and "Chrome" cover	1	
66/71	F High Performance (with 4/B carb.)	8	390		1	
65/67	F(except Special)	8	260,289	17.25" diameter-4.22" high-color "Blue"-	1	C5ZZ 9600-D
68	♦F(with 2/B carb.)(open emission)	8	289	service pkg.-includes (1) C5AZ 9C639-A cap	1	
68	♦F(with 4/B carb.)(open emission)	8	302		1	
67	F (except Special)	8	289	17.25" diameter-4.22" high-color "Blue" tray and "Chrome" cover-includes (1) C5AZ 9C639-A cap	1	C7ZZ 9600-C
67	F (except "GT")	8	390	16.79" diameter-3.66" high-color "Blue" tray and "Chrome" cover-service pkg. includes (1) C5AZ 9C639-A cap	1	C7SZ 9600-A
67	F ("GT")	8	390	16.79" diameter-3.66" high-service pkg.	1	★C7ZZ 9600-F
68	♦F("GT" with 4/B carb.) (open emission)	8	390	includes (1) C5AZ 9C639-A cap	1	
67	F (GT500) (with 8/B carb.)	8	428	For service use the following	1	★S7MS 9600-A
68	F (GT350/500) (with 8/B carb.)	8	302,428	(1) S7MS 9600-B Base Plate (1) S7MS 9B600-B Cover (1) EDJ 9601-A Element	1	
68	F("GT" with 4/B carb.)	8	390	17.00" diameter-4.20" high	1	☆C8OZ 9600-B
68	F (except "GT") (with 4/B carb.)	8	390	17.00" diameter-4.20" high	1	C8OZ 9600-A
68	☆ F	8	302	17.84" diameter-4.20" high-service pkg.	1	C8AZ 9600-D
69	F	8	302	includes (1) C5AZ 9C639-A cap	1	
69	F	8	351		1	
68	☆ F(except Special)	8	289		1	
68	F (with 2/B carb.)	8	390		1	
69/70	F (GT350/500)	8	351,428	18.00" diameter-4.98" high	1	C9ZZ 9600-B
68	F (with 4/B carb. & Ram Air)	8	428 CJ		1	C8ZZ 9600-B
68/69	F (with 4/B carb.)(without Ram Air) -"Before 2/17/69"	8	428 CJ	16.79" diameter-3.66" high	1	C8OZ 9600-C
69	F ("GT" with 4/B carb.)	8	390		1	
69	F Boss (with 4/B carb.)	8	302		1	
69	F (with 4/B carb.)(without Ram Air) -"From 2/17/69"	8	428 CJ	16.79" diameter-3.66" high-"Chrome" cover	1	C9OZ 9600-H

☆ U.S. only ♦ Canada only

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9600 CLEANER ASSY. - CARBURETOR AIR - continued					
	8 CYLINDER					
	- F - continued					
69	F(with Ram Air)	8	351	18.83" diameter-6.14" high-with door in cover	1	C9ZZ 9600-H
69	F (with 4/B carb.) (except "GT") (without Ram Air)	8	390	16.79" diameter-3.66" high	1	C9OZ 9600-E
69	F ("GT"-with 4/B carb. & Ram Air)	8	390	18.83" diameter-5.82" high-with door in cover	1	C9ZZ 9600-J
69	F (with 4/B carb. & Ram Air)- "Before 2/17/69"	8	428 CJ	18.83" diameter-5.50" high	1	D0ZZ 9600-F
70	F (with Ram Air)	8	428CJ		1	
69	F (with 4/B carb. & Ram Air)- "From 2/17/69"	8	428 CJ	18.83" diameter-5.50" high-marked "Cobra Jet"	1	C9ZZ 9600-F
69	F Boss(with 4/B carb.)	8	429	N/S service details		★
	Consists of the following					
	1-C9ZZ 9A600-A Tray assy.(with shelf,grommet & elbow)			1-C5ZZ 9654-A Gasket		
	1-B7SZ 9601-A Element assy.			1-C9ZZ 9661-A Cover		
	1-C9ZZ 9A603-H Shroud & tube assy.			1-358871-S8 (MM297A) Wing nut		
	1-C9ZZ 9B624-F Seal-carb. air inlet to hood					
	1-C9ZZ 9A626-E Duct & valve assy.(with adapter assy.)			1-383161-S2 (WW7P) Mounting stud		
70	F Boss (with 4/B carb.) (without Ram Air)	8	302	16.79" diameter-3.66" high	1	D0ZZ 9600-C
70	F Boss (with 4/B carb. & Ram Air)	8	302	18.83" diameter	1	D0ZZ 9600-N
70	F (with 2/B, 4/B carb.) (without Ram Air)	8	351C	17.00" diameter-4.20" high	1	D0ZZ 9600-M
70	F (with 2/B carb.)(without Ram Air)	8	302, 351W	17.84" diameter-4.20" high	1	D0OZ 9600-B
70	F (with 2/B carb. & Ram Air)	8	351W	18.83" diameter-6.14" high	1	D0ZZ 9600-G
70	F (with Ram Air & 2/B, 4/B carb.)	8	351C	18.88" diameter-6.25" high	1	D0ZZ 9600-S
70	F (with 4/B carb.) (without Ram Air)	8	390	16.79" diameter-3.66" high	1	D0ZZ 9600-D
67/68	F(GT350)	8	289,302	Cylindrical-9" long -supercharger	1	★ S7MS 9600-H
70	F (without Ram Air)	8	428 CJ	16.79" diameter-3.66" high	1	D0ZZ 9600-E
71	F Boss (with 4/B carb.)(without Ram Air)	8	302		1	
71	F (with 2/B carb.)(without Ram Air)	8	302	17.84" diameter-4.20" high	1	D1AZ 9600-G
71	F Boss (with 4/B carb. & Ram Air)	8	302	18.62" diameter-5.73" high	1	D1ZZ 9600-B
71	F (without Ram Air)	8	351	17.84" diameter-4.20" high	1	D1AZ 9600-F
72	F(without Ram Air)	8	351-4V		1	
71/	F (with Ram Air)	8	351	19.70" diameter-6.44" high	1	D1ZZ 9600-C
71	F Boss (with 4/B carb. & Ram Air)	8	351 Spl.		1	
71	F (without Ram Air)	8	429 CJ	17.76" diameter-4.10" high	1	D1AZ 9600-H
71	F (with Ram Air)	8	429 CJ	18.62" diameter-4.97" high	1	D1ZZ 9600-F
71	F (without Ram Air)	8	429S/CJ	16.79" diameter-3.66" high	1	★D1AZ 9600-D
71	F (with Ram Air)	8	429S/CJ		1	D1ZZ 9600-A
72	F(without nox emission)	8	302		1	D2AZ 9600-A
72	F	8	351-2V	14.78" diameter-4.68" high	1	D4AZ 9600-A
72	F(with nox emission)	8	302		1	
72	F(without Ram Air)	8	351CJ	16 3/4" diameter-3 5/8" high - "Chrome" cover	1	D3ZZ 9600-B
	- P -					
71	P	8	302	17.84" diameter-4.20" high	1	D1AZ 9600-G
72	P(without nox emission)	8	302	14.78" diameter-4.68" high	1	D2AZ 9600-A
72	P(with nox emission)	8	302	14.78" diameter-4.68" high	1	D4AZ 9600-A
	- S -					
65/66	☆ S	8	390,428	17.25" diameter-4.22" high-color "Blue"-	1	C3AZ 9600-P
66	♦S(with road draft system)	8	390	service pkg. includes (1) C5AZ 9C639-A cap	1	
65	S	8	390	17.25" diameter-4.22" high-color "Gold"	1	♦C7AF 9600-G
66	S (with emission reduction)	8	390		1	
67	S	8	390,428	16.79" diameter-3.66" high-color "Blue" tray and "Chrome" cover-service pkg. includes (1) C5AZ 9C639-A cap	1	C7SZ 9600-A
68	S	8	390	17.84" diameter-4.20" high-service pkg. includes (1) C5AZ 9C639-A cap	1	C8AZ 9600-D

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9600 CLEANER ASSY. - CARBURETOR AIR - continued					
	8 CYLINDER					
	- S - continued					
68/69	S	8	429	17.84" diameter-4.20" high-service pkg. includes (1) C5AZ 9C639-A	1	C8SZ 9600-A
70	S	8	429	17.84" diameter-4.20" high	1	D0OZ 9600-B
71	S	8	429	17.84" diameter-4.20" high	1	D1VY 9600-A
72	S	8	400		1	D2SZ 9600-A
72	S	8	429,460	17.84" diameter-4.20" high	1	D2VY 9600-C
	- U -					
66/69	U	8	289,302	Dry type-11.00" diameter-color "Black"	1	C6TZ 9600-V
66/69	U	8	289,302	Oil bath-1 pint capacity-color "Black"	1	C6TZ 9600-U
70	U	8	302	Dry type-11.00" diameter	1	D0BZ 9600-A
70	U	8	302	Oil bath-1 pint capacity	1	D0BZ 9600-B
71	U	8	302	Oil bath-1 pint capacity	1	D1BZ 9600-A
71/	U	8	302	Dry type	1	D1BZ 9600-B
	- X -					
65/67	X	8	289	14.62" diameter-4.10" high-color "Blue"-	1	C4AZ 9600-L
67	X (with 4/B carb.)	8	289	service pkg. includes (2) C5AZ 9C639-A cap, (1) C5ZZ 9654-A gasket	1	
65	X "Sprint" Special (with closed emission system)	8	289	14.05" diameter-2.61" high-service pkg. includes (1) C5AZ 9C639-A cap-color "Blue" tray and "Chrome" cover	1	☆C5ZZ 9600-W
65/67	X	8	289	14.62" diameter-4.10" high-color "Blue"	1	♦C7AF 9600-F
68	X(with 2/B carb.)(open emission)	8	289		1	
69	X	8	289,302	17.84" diameter-4.20" high-service pkg.	1	C8AZ 9600-D
68	☆X	8	289,302	includes (1) C5AZ 9C639-A cap		
68	X(with 4/B carb.)(open emission)	8	302	17.25" diameter-4.22" high-color "Blue"	1	♦C5ZZ 9600-D
70	X	8	302	17.84" diameter-4.20" high	1	D0OZ 9600-B
65	A, B, X(except B Special)	8	289	Stud (air cleaner to carburetor)-	1	371005-S7-8
68	♦X, B(with 2/B carb.)	8	289	1/4"-20 & 5/16"-18 x 4.76"	1	(WW101)
68	♦A, B(with 2/B carb.)	8	302		1	
66/	U	8	289,302	Stud (air cleaner to carburetor)- 1/4"-20-18 x 3.38" hex. shoulder	1	378725-S(WW101U)
67	X(with 4/B carb.)	8	289	Stud(air cleaner to carburetor)-1/4"-20-20 x 5 1/4" hex. shoulder	1	380959-S(WW97C)
70/71	F Boss (with 4/B carb.)	8	302	Stud (air cleaner to carb.)-2 21/64"	1	370970-S8(WW7L)
65/66	S	8	390	Stud (air cleaner to carb.)-1/4"-20 &	1	370971-S8(WW100)
67	A, B(with 2/B carb.)	8	390	5/16"-18 x 3.80"	1	
65	A, P/I	8	352,390		1	
65	B Special, F Special(with 4/B carb)	8	289		1	
68	F (with 2/B carb.)	8	390		1	
70	P/C	8	428		1	
70/	A, B, F, P, X (with 2/B carb.)	8	302,351 390,400		1	
68	♦F(with 2/B carb.)(open emission)	8	289		1	
68	♦A, B(with 2/B carb.)- (open emission)	8	390		1	
68	♦A(with 2/B carb.)(open emission)	8	302		1	
72	S	8	All		1	
65/67	A Special(with 4/B carb.)	8	427	Stud(air cleaner to carb.)-1/4"-20-20 x 3.20"	1	371235-S8(WW8)
65/67	A Special(with 8/B carb.)	8	427	Stud (carb. air cleaner retaining)- cut to 3.60" long	2	371773-S8(WW4)
66	A(except P/C)	8	428	Stud (air cleaner to carburetor-1/4"-20-	1	380958-S(WW97B)
67	A, B(except 63D, 76D)(with 4/B carb.)	8	289,390, 428	20 x 4.16" hex. shoulder	1	
69	A, S(with 4/B carb.)	8	429		1	
70	A, B, F, S(with 4/B carb.)(except CJ)	8	351,429		1	
70/	B, F (with 4/B carb.)	8	351		1	
72	A	8	429		1	
67	S	8	390,428	Stud (air cleaner to carburetor)-1/4"-20-	1	373706-S
69	B, F("GT" with 4/B except Ram Air)	8	390	20 x 3.50" hex. shoulder	1	(WW121A)
67	A, B(with 4/B carb.), F(GT), S	8	390,428	Stud(air cleaner to carburetor)-	1	381529-S(WW77C)
68	B, F(with 4/B carb.)	8	428CJ	1/4"-20-20 x 2.30"	1	
70	F (with 4/B carb.)	8	428 CJ		1	
68	F(with 4/B carb. & Ram Air)	8	428CJ	Pin (attach air cleaner door)-clevis-3/16" x 10"	1	382890-S2(NN49X)

☆ U.S. only ♦ Canada only

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9600 CLEANER ASSY. - CARBURETOR AIR - continued					
70	B	8	429 CJ	Stud (air cleaner to carb.)-1/4"-20-20 x 4 11/32"	1	383729-S(WW8H)
65/	A, B, F, P, S, U, X	6&8	All	Nut (air cleaner to carburetor)-1/4"-20 wing	1	358871-S8B (MM297A)
71/	L	4	122		4	
70	A, B, F, S, U, X(except 351"engine tag code C")	8	All	Elbow (use in air cleaner to connect hose 6853)	1	C8AZ 6767-A
70	A, B, F, S, U, X(except 351"engine tag code C")	8	All	Grommet (use in air cleaner to retain elbow 6767)	1	C8AZ 6A892-A
71/	L	4	122	Stud (air cleaner to carb.)-1/4"-20 x 2.60" long	4	370970-S8(WW7L)
71/	B(with Ram Air)	8	351	Stud (air cleaner to carb.)-1/4"-20,	1	384330-S2
71/	F (with Ram Air)	6&8	All	20 x 4.35 locking	1	(WW97CD)
71/	A,B,F,S,U	6&8	All	Elbow (crankcase vent hose)-5/8"-3/4"-90°-nylon	1	384411-S (II-187CF)
	9A600 TRAY ASSY. - CARBURETOR AIR CLEANER - Also refer to Group 9661					
69	F-Boss(with 4/B carb.)	8	429	16.00" O.D. -2.87" high	1	★C9ZZ 9A600-A
70	F-Boss(with 4/B carb.)	8	429		1	D0ZZ 9A600-A
	9B600 COVER - CARBURETOR AIR CLEANER					
67	F(GT500)(w/4/B or 8/B carb.)	8	428	Service pkg. includes	1	★S7MS 9B600-B
68	F(GT350/500)(with 4/B or 8/B carb.) except K.R.	8	302,428	(1) 33920-S8 nut (jam) (1) 380958-S stud (1) 370970-S8 stud (2) button (chrome) (1) 358462-S7 nut (wing)	1	
	9D600 BASE PLATE - CARBURETOR AIR CLEANER					
67	F(GT500)(with 8/B carb.)	8	428	Die cast	1	S7MS 9D600-B
68	F(GT350/500)(with 8/B carb.)-except K.R.	8	302,428		1	
68	F(GT350/500)(with 4/B carb.)-except K.R.	8	302,428		1	★S8MS 9D600-C
	9E600 REINFORCEMENT ASSY. - FUEL VAPOR STORAGE CANISTER BRACKET					
70	P-with EV/EM	6&8	All		1	D0BZ 9E600-A
70	B (except S/W & 66)-with EV/EM	6&8	All		1	
71	P	6	All		1	D1DZ 9E600-A
	9601 ELEMENT ASSY. - CARBURETOR AIR CLEANER					
65	A Special(with 8/B carb.)	8	406,427	20.76" long-9.76" wide-2.00" high-use with	1	C3AZ 9601-E
66/67	A Special, B Special (with 8/B carb.)	8	427	C5MY 9600-A, B, C3AZ 9600-G, L	1	(FA-47)
65/67	A, B, X(except B Special)	8	289	6.58"I.D. -8.40" O.D. -3.22" high-use with -	1	C2OZ 9601-A
66/68	U	8	289	used with C5AZ 9600-K, L, C4AZ 9600-K, L,	1	(FA-3)
69/	U	8	302	C6TZ 9600-V, D0BZ 9600-A, D1BZ 9600-A	1	
68	♦B(with 2/B carb.)(open emission)	8	289,302		1	
68	B, F(except F Special), X	8	289	11.32" I.D. -13.30" O.D. -2.80" high-used with	1	C8AZ 9601-A
68/71	A, B, F, P, X	8	302	C8AF 9600-D, C8AZ 9600-A, C8AZ 9600-D,	1	(FA-50)
68	A(with 2/B & 4/B carbs.), B, F(with 2/B carb.), S	8	390	C8OZ 9600-A, B, C8SZ 9600-A, B, D0OZ 9600-A, B, D0VY 9600-A, D1AZ 9600-C, F, G, H, J,	1	
68	A(except P/C)	8	428	D1VY 9600-A, D1ZZ 9600-A, B, C, D, H,	1	
68	S	8	390,429	D2AZ 9600-J, D2SZ 9600-A D2ZZ 9600-E	1	
69/71	A (with 2/B carb.)	8	390		1	
69/71	A	8	429		1	
69/	S	8	429		1	
70	B (with 4/B carb.)	8	429		1	
72	A(except P/C)	8	429		1	
69/70	F (without Ram Air)	8	351		1	
69/70	A, B	8	351		1	
70	B (without Ram Air)	8	429 CJ		1	
71	B(without Ram Air)	8	429CJ		1	
71	A, B, F, S	8	351C		1	
71/	A, B, F, S	8	400			
71	F Boss (with Ram Air)	8	302		1	
71/	A P/C	8	429			
71/	F(without Ram Air)	8	429CJ		1	
71	F (with Ram Air)	8	429-S/CJ		1	
71/	F(without Ram Air)	8	351 CJ		1	
71	A "Before 5/17/71"	8	351W		1	
72	S	8	400		1	

♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9601 ELEMENT ASSY. - CARBURETOR AIR CLEANER - continued					
65/67	F (except F Special)	8	260,289	10.04" O.D.-7.50" I.D.-2.38" thick-used with	1	C5ZZ 9601-B
65	A(except P/C),S	8	352,390	C3AZ 9600-N,P,C5AZ 9600-AH,AJ,	1	(FA-23)
66	A(except P/C & 7 Litre),B,S	8	352,390, 428	C5SZ 9600-AB,C5ZZ 9600-C,D,E,G,S,T,Y,Z, C6AZ 9600-E,G,C7OZ 9600-B,C7ZZ 9600-C	1	
67	A(except P/C & 7 Litre),B	8	390,428		1	
68	♦F(with 2/B carb.)(open emission)	8	289		1	
68	♦F,X(with 4/B carb.)(open emission)	8	302		1	
	♦A,B(open emission)	8	390		1	
68	♦A(with 4/B carb.)(open emission)	8	428		1	
68	♦A(with 2/B carb.)(open emission)	8	302	(used with C5ZZ 9600-D)	1	
67	F	8	390	13.30" O.D.-11.32" I.D.-2.22" high	1	B7SZ 9601-A
67	S	8	390,428	Used with C7SZ 9600-A,C7ZZ 9600-F,	1	(FA-41)
68	B,F Special (with 4/B carb.)& T/E)	8	427	C5ZZ 9600-V,W, C8OZ 9600-C,C9OZ 9600-E,	1	
68	F(with 4/B carb. & T/E)	8	390	D1AZ 9600-D, D1ZZ 9600-D, C9OZ 9600-F,	1	
69	B,F (with 4/B carb.exc."GT" & Ram Air)	8	390	D0AZ 9600-C, C8OZ 9600-C, C8ZZ 9600-B, C9OZ 9600-G,H, C9ZZ 9600-B,E,F,H,J,	1	
68/70	P/C	8	428	D0ZZ 9600C,E,F,G, D0ZZ 9600-N,	1	
68/69	B,F (with 4/B carb.)	8	428 CJ	D2OZ 9600-A,B,C	1	
69	B,F("GT" with 4/B carb.)	8	390		1	
69/70	F Boss(with 4/B carb.)	8	302		1	
69	F(with Ram Air)	8	351,390		1	
69/70	F Boss(with 4/B carb.)	8	429		1	
65/67	P/C	8	390,428		1	
65	B Special (with 4/B carb.)	8	289		1	
65/67	F Special	8	289		1	
66/67	A(73C,76B-7 Litre only)	8	428		1	
66/67	A Special,B Special (with 4/B carb.)	8	427		1	
66/67	B (63D,76D)	8	390		1	
68	♦F(with 4/B carb.)	8	289		1	
70	F (with 2/B carb. & Ram Air)	8	351		1	
70	F	8	428 CJ		1	
70	F Boss (with 4/B carb. & Ram Air)	8	302		1	
71	P/C	8	429		1	
71	F (without Ram Air)	8	429S/CJ		1	
71	F Boss (without Ram Air)	8	302		1	
72	B(with Ram Air, door in cover)	8	429CJ		1	
72	B(with 4/B carb., Ram Air, door in cover)	8	351		1	
70	B(with Ram Air)	8	429S/CJ	11.32" I.D.-13.30" O.D.-1.90" high-identified D0OF 9601-A-used with D0OZ 9600-F	1	D0OZ 9601-A (FA-84)
70/71	B (with Ram Air)	8	429 CJ	11.32" I.D.-13.30" O.D.-2.50" high-use with	1	D0GY 9601-A
70	F (with 4/B carb. & Ram Air)	8	351	D0OZ 9600-C, D1OZ 9600-B, D1ZZ 9600-F,	1	(FA-74)
72	B	8	429P/C	D1ZF 9600-FA ,D2ZZ 9600-E	1	
67	F(GT500)(with 4/B or 8/B carb.)	8	428		1	EDJ 9601-A
68	F(GT350/500)(with 4/B or 8/B carb. except K.R.	8	302,428		1	(FA-48)
65	F	6	170	7.96" I.D.-9.90" O.D.-2.26" thick-used with C3DZ 9600-C,C5DZ 9600-A,B, C5ZZ 9600-A,	1	C1KE 9601-A (FA-1)
65/67	B,F,X	6	170,200	B, C6ZZ 9600-M, C7ZZ 9600-A	1	
66/67	U (except with closed emission)	6	170		1	
66	U(with closed emission)	6	170		1	
68	♦B,U,X(with open emission)	6	170,200		1	
65/67	A(except Taxi & P/C	6	240	10.28" O.D.-8.37" I.D.-2.59" high-used with	1	C5AZ 9601-C
68	♦A(open emission)	6	240	C5AZ 9600-G,H,J,M	1	(FA-24)
69	F	6	250	9.86" I.D.-11.75" O.D.-2.00" thick-used with	1	C9ZZ 9601-A
70/	B,F,P	6	250	C9ZZ 9600-A,D0ZZ 9600-A,D1OZ 9600-C	1	(FA-68)

♦ Canada only

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9601 ELEMENT ASSY. - CARBURETOR AIR CLEANER - continued					
68	U	6	170	8.94" I.D.-10.90" O.D.-2.12" high used with	1	C8TZ 9601-A
68/69	A(with S/T & Carter carb.)	6	240	C8AZ 9600-B,C,C8TZ 9600-A,	1	(FA-52)
69/	X,U	6	170	C8DZ 9600-B, D1AZ 9600-E, D0DZ 9600-A,	1	
70/	P	6	170,200	B,C,D,	1	
70/	A	6	240		1	
70	F,X	6	200		1	
68	X	6	170	8.35" I.D.-10.28" O.D.-2.25" high-used with	1	C8ZZ 9601-A
67	B,F,X (with Imco & C4)	6	170,200	C8DZ 9600-A, C8ZZ 9600-A, C7DZ 9600-A,	1	(FA-51)
68	B,F,X	6	200	C7ZZ 9600-B	1	
68/69	A (with Ford carb.,C4 & Imco)	6	240		1	
69	B	6	250		1	
69	F,X	6	170,200		1	
72	A (with 2/B carb.)	8	302,351	11.26" O.D.-9.00" I.D.-2.60" high-identified	1	D2AZ 9601-A
71	A "From 5/17/71"		351W	D2AF 9601-AA - used with D2AZ 9600-A,B		(FA-97)
72	B,F,P	8	302,351			
71/	L	4	98	7.00" I.D.-9.26" O.D.-2.14 high-identified	1	D1FZ 9601-B
				D12F 9601-BA-used w/D1FZ 9600-F,D2FZ-A		(FA-92)
71/	L	4	122	8.90" I.D.-11.08" O.D.-2.25" high-identified	1	D1FZ 9601-A
				D12F 9601-AA-used with D1FZ 9600-C,L		(FA-91)
67/68	F(GT350)(with P/S)	8	289,302	Cylindrical-7" long use with supercharger air cleaner	2	S2MS 9601-A
67/68	F(GT350)(less P/S)	8	289,302	Cylindrical-9" long-use with supercharger air cleaner	1	S7MS 9601-H
65	B	8	289	Washer-1/4" flat	1	★351308-S
	9601 ELEMENT - CARBURETOR AIR CLEANER - INNER					
71/	L	4	122	Used with D1FZ 9600-C,L	1	D1FZ 9601-C
						(FA-101)
71/	L	4	98	Use with D2FZ 9600-A	1	D2FZ 9601-A
						(FA-103)
	9D601 TUBE ASSY.- AIR CLEANER					
68	F(GT500)-K.R.	8	428		1	★ S8WS 9D601-A
	9E602 CAP - FUEL VAPOR STORAGE CANISTER					
70	A,B,F,P,S,U,X-with EV/EM	6&8	All	1 1/2" dia.	1	D0AZ 9E602-A
71/	A,B,F,L,P,S,U	4,6,8	All	1 1/4" dia.	1	D1AZ 9E602-A
	9A603 SHROUD and TUBE ASSY. - CARBURETOR AIR CLEANER AIR DUCT					
	- A -					
68/69	A "Before 10/15/68"	6	240		1	C8AZ 9A603-B
69/	A "From 10/15/68"	6	240		1	★D3DZ 9A603-B
65/67	A	8	289		1	C6OZ 9A603-A
68	♦A(with 2/B carb.)(open emission)	8	302	Use with air cleaner assy. C7AF 9600-F	1	
68/	A	8	302		1	C8AZ 9A603-C
68	A(with 2/B carb.)(open emission)	8	302	Use with air cleaner assy. C5ZZ 9600-D	1	♦C5ZZ 9A603-A
65	A (except P/C) (with S/T & O/D)	8	352,390		1	C5AZ 9A603-A
68	A	8	390,428		1	C8AZ 9A603-A
69/71	A (with 2/B carb.)	8	390		1	
69/70	A P/C	8	428		1	
70	A "Before 2/2/70"	8	351	Lower	1	D0AZ 9A603-A
72	A	8	351(W)	Lower	1	
70	A "Before 2/2/70"	8	351	Upper	1	D0AZ 9A603-C
72	A	8	351(W)	Upper	1	
65/67	A	8	289	Use w/D4OZ 9430-B manifold	1	D5DZ 9A603-B
69	A	8	351		1	C9OZ 9A603-A
70/71	A "From 2/2/70"	8	351(W)		1	
71	A	8	351(C)	Inner	1	D1AZ 9A603-C
71	A	8	351(C)	Outer	1	D1AZ 9A603-D
71	A	8	400		1	D1AZ 9A603-A
69	A (with 2/B carb.)	8	429		1	C8VY 9A603-A

♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A603 SHROUD and TUBE ASSY. - CARBURETOR AIR CLEANER AIR DUCT - continued					
	- A - continued					
70	A "Before 8/22/69"	8	429		1	D0OZ 9A603-A
70/71	A "From 8/22/69"	8	429		1	D3AZ 9A603-A
71/	A (except P/C)	8	429		1	
71	P/C	8	429		1	D1AZ 9A603-B
72	A	8	351(C)	Inner	1	D2AZ 9A603-B
72	A	8	400	Inner	1	D2AZ 9A603-B
72	A	8	351(C), 400	Outer	1	D2AZ 9A603-D
72	A(P/C)	8	429		1	D2AZ 9A603-A
	-B -					
68	B	6	200		1	C8ZZ 9A603-A
69	B "Before 10/15/68"	6	250		1	C9OZ 9A603-B
69/	B "From 10/15/68"	6	250		1	D3DZ 9A603-B
65/67	B (except Special)	8	289		1	C6OZ 9A603-A
68	♦B(with 2/B carb.)(open emission)	8	289,302		1	
68	B	8	289		1	C8AZ 9A603-C
68/	B(exc.nox emission)	8	302		1	
69	B	8	351		1	C9OZ 9A603-A
70	B	8	351		1	D0OZ 9A603-F
68	B	8	390		1	C9OZ 9A603-C
69	B (with 4/B carb.)	8	390		1	
69	B (with 4/B carb.)	8	390	Shroud assy. - upper	1	C9OZ 9A603-D
68/69	B	8	428 CJ		1	C8OZ 9A603-B
70	B (except CJ) "Before 8/22/69"	8	429		1	D0OZ 9A603-A
70	B (except CJ) "From 8/22/69"	8	429		1	D3AZ 9A603-A
72	B (with 2/B carb.)	8	351 W	Upper	1	D0AZ 9A603-C
72	B (with 2/B carb.)	8	351 W	Lower	1	D0AZ 9A603-A
71	B	8	351		1	D1AZ 9A603-A
70/71	B	8	429 CJ		1	D1AZ 9A603-B
72	B(with nox emission)	8	302		1	D3DZ 9A603-C
72	B(with 2/B carb.)	8	351(C) 400	Inner	1	D2AZ 9A603-B
72	B(with 4/B carb.)	8	351 CJ	Inner	1	D2AZ 9A603-C
72	B(with 2/B and 4/B carb.)	8	351(C), 351 CJ, 400	Outer	1	D2AZ 9A603-D
72	B	8	429		1	D2AZ 9A603-A
	- F -					
68/69	F "Before 10/15/69"	6	200		1	C8ZZ 9A603-A
69/70	F "From 10/15/69"	6	200		1	D3DZ 9A603-B
69/	F	6	250		1	
65/67	F (except Special)	6	260,289		1	C5ZZ 9A603-B
68	♦F(with 2/B carb.)(open emission)	8	289		1	
68	♦F(with 4/B carb.)(open emission)	8	302		1	
65/68	F (except Special)	8	260,289	Use w/D4OZ 9430-B manifold	1	D5DZ 9A603-B
68	F	8	289		1	C8AZ 9A603-C
68/	F(exc.nox emission)	8	302		1	
69/70	F Boss (with 4/B carb.)- "Before 9/2/69"	8	302	Upper	1	C9ZZ 9A603-C
70/71	F Boss (with 4/B carb.)- "From 9/2/69"	8	302	Upper	1	D0ZZ 9A603-C
69/70	F Boss (with 4/B carb.)- "Before 9/2/69"	8	302	Lower	1	C9ZZ 9A603-D
70/71	F Boss (with 4/B carb.)- "From 9/2/69"	8	302	Lower	1	D0ZZ 9A603-D
69	F	8	351		1	C9OZ 9A603-A
70	F (with 2/B carb.) - "From 2/2/70"	8	351		1	
70	F (with 2/B carb.)- "Before 2/2/70"	8	351 W	Lower	1	D0AZ 9A603-A
70	F (with 2/B carb.)- "Before 2/2/70"	8	351 W	Upper	1	D0AZ 9A603-C

♦ Canada only

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A603 SHROUD and TUBE ASSY. - CARBURETOR AIR CLEANER AIR DUCT - continued					
	- F - Continued					
70	F	8	351 C		1	D0OZ 9A603-F
71	F	8	351		1	D1AZ 9A603-A
72	F(with 2/B carb.)	8	351	Inner	1	D2AZ 9A603-B
72	F(with 4/B carb.)	8	351	Inner	1	D2AZ 9A603-C
72	F	8	351	Outer	1	D2AZ 9A603-D
68	F	8	390		1	C9OZ 9A603-C
69	F (with 4/B carb.)-except Ram Air	8	390		1	
69	F (with 4/B carb.)-except Ram Air	8	390	Shroud assy. - upper	1	C9OZ 9A603-D
69	F (GT with 4/B carb. & Ram Air)	8	390		1	C9ZZ 9A603-G
68/70	F	8	428 CJ		1	C8OZ 9A603-B
69/70	F Boss (with 4/B carb.)	8	429		1	C9ZZ 9A603-H
71/	F	8	429CJ, S/CJ		1	D1AZ 9A603-B
72	F(with nox emission)	8	302		1	D3DZ 9A603-C
	- L -					
71/	L	4	98		1	D1FZ 9A603-E
71/	L	4	122		1	D1FZ 9A603-C
	- P -					
70	P (with EV/EM)	6	170,200		1	D0DZ 9A603-A
70	P (without EV/EM)	6	All		1	D3DZ 9A603-B
71/	P	6	All		1	
71/	P	8	302		1	D3DZ 9A603-C
	- S -					
68	S	8	390		1	C8AZ 9A603-A
68/69	S	8	429		1	C8VY 9A603-A
70	S "Before 8/22/69"	8	429		1	D0OZ 9A603-A
70/	S "From 8/22/69"	8	429,460		1	D3AZ 9A603-A
72	S	8	400		1	D2AZ 9A603-D
	- U -					
68/69	U "Before Ser. E10, 001"	6	170		1	C8TZ 9A603-A
69/	U "From Ser. E10, 001"	6	170		1	D3DZ 9A603-B
66/68	U	8	289		1	C6TZ 9A603-A
69	U	8	302		1	
70	U	8	302	Lower	1	D0DZ 9A603-B
70	U	8	302	Upper	1	D0DZ 9A603-D
71/	U	8	302		1	D3DZ 9A603-C
	- X -					
68/69	X "Before 10/15/68"	6	170,200		1	C8ZZ 9A603-A
69	X "From 10/15/68 to 3/14/69"	6	170,200		1	C9ZZ 9A603-A
69/70	X "From 3/14/69"	6	200		1	D3DZ 9A603-B
66/67	X	8	289		1	C6OZ 9A603-A
65	☆X	8	289		1	
68	♦X(with 2/B carb.)(open emission)	8	289		1	
65	X	8	289		1	♦C3DZ 9A603-B
68	X	8	289		1	C8AZ 9A603-C
68/70	X	8	302		1	
68	X(with 4/B carb.)(open emission)	8	302		1	♦C5ZZ 9A603-B
65/	A, B, F, X, U(except B Special & F Special)	8	260,289	Stud (shroud & tube to exhaust manifold)-5/16"-18-18 x 1.66" hex.shoulder	1	379763-S7-8 (WW126)
				Nut-5/16"-18 hex.	1	378230-S(MM9A)
				Nut 5/16"-18 hex.-brass		33825-S(M51A)
				Lockwasher		34806-S7(X64)
65	A (exc. P/C (with S/T & O/D)	8	352,390	Stud (shroud & tube to exhaust manifold)-3/8"-16-16 x 2.06" hex. shoulder	2	380110-S(WW97E)
				Nut-3/8"-16 hex.-brass		33827-S(M53)
68/	A, B, F, X	8	289,300, 351	Screw & washer assy. (shroud & tube to exhaust manifold)-1/4"-20 x .38" Hex. head	1	★57486-S

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A603 SHROUD and TUBE ASSY. - CARBURETOR AIR CLEANER AIR DUCT - continued					
68/	A, B, F, X	8	289,300 351	Stud (shroud & tube to exhaust manifold)- 5/16"-18-18 x 1.41" Hex. shoulder	1	★382245-S
68/	A	8	390,428	Washer (shroud & tube to 33825-S nut)-	2	★34942-S
68/69	F	8	390	3/8"-25/64"-lock tooth	2	
68	S	8	390		2	
70	A, B, S (with 4/B carb.)	8	429	Nut & washer assy. (shroud & tube to exhaust	2	376838-S2
70	F Boss (with 4/B carb.)	8	302	manifold)-5/16" x 18	2	(MM296AF)
69	B, F, X, U	6	170,200, 250	Stud(shroud & tube to exhaust manifold)-5/16" -18-3/16" -18x3 1/4"	2	382330-S(WW132C)
70/	P	6	All	Nut & washer assy. (shroud & tube to exhaust	2	34661-S8(M107F)
72	A, F	6	All	manifold)-5/16" x 18	2	
70	X	8	302	Screw & washer assy. (attach upper shrould to lower shrould)-5/16"-18 x .88"	1	57140-S2(B340H)
70	B, F	8	351	Bolt & washer assy. (shroud & tube to exhaust	1	★57471-S
70	F Boss	8	302	manifold)-1/4"-20 x 1/2" Hex. head	1	
70	B	8	429 CJ	Nut & washer assy. (shroud & tube to exhaust	2	376838-S
72	A, F	8	302-2V,	manifold)-5/8"x 18	1	(MM296AF)
72	A, S	8	429		2	
72	B	8	429		1	
72	A, F	8	302-2V	Nut & washer assy. (shroud & tube to exhaust manifold)-3/8" - 16 x 9/16"	1	34394-S7-8(M93A)
71	L	4	All	Clamp (shroud & tube to air cleaner)- 61/64" O.D.-1/8" thick	1	97333-S35(E8)
71	L	4	All	Nut (shroud to manifold)	2	N620412-S(AM-6)
71/	L	4	122	Washer (shroud to manifold)-1/4" flat	2	44719-S8(X17)
70/	U	8	302	Bolt (shroud to manifold)	AR	★57039-S
72	L	4	98	Screw & washer assy. (shroud & tube to exhaust manifold)-1/4" - 20 x 49/64"	2	57472-S40(B339V)
72	P	8	302	Nut & washer assy. (shroud & tube to exhaust manifold)-3/8" - 16	1	376785-S2 (MM292H)
	9E607 SENSOR ASSY. - CARBURETOR AIR CLEANER AIR TEMPERATURE CONTROL					
70/	B, F	8	351 C	Service pkg.includes (1) 385277-S retainer &	1	D0ZZ 9E607-B
71/	A	8	351 C, 400, 429 P/C	(1) D0ZF 9E608-A gasket	1	
71/	S	8	All		1	
71/	A, B, P	8	302, 351(W)		1	
	9B608 GASKET - CARBURETOR AIR CLEANER ELEMENT - LOWER - Refer to Groups 9654, 9673					
	9D608 ADAPTOR - CARBURETOR AIR CLEANER TO INTAKE TUBE					
71/	L	4	All		1	D1FZ 9D608-B
	9609 - Refer to Carburetor Parts Lists Section 95, Page 1					
	9B612 PLATE - CARBURETOR AIR CLEANER BRACKET REINFORCEMENT					
66	U	6	170	Use with C6TZ 9600-B air cleaner (oil bath)	1	C6TZ 9B612-A
66	U	6	170	Bolt (plate to air cleaner horn support bracket)- 5/16"-18 x 1/2" hex. head	2	20310-S8(B48)
	9D612 VACUUM MOTOR ASSY. - CARBURETOR AIR CLEANER					
68	B, F, X	8	289		1	C8AZ 9D612-A
68	A, B, F, X	8	302		1	
68	A (with 4/B carb. exc. 428CJ)	8	390,428		1	
68	A (with 2/B carb.)	8	390		1	
68	S	8	390,429		1	
69	A, S	8	429		1	
70	A, B, S (except CJ & Ram Air)	8	429		1	
68	B, F (GT with 4/B carb.)	8	390		1	C8OZ 9D612-A
70	B (with Ram Air)	8	429CJ		1	
68/69	B, F (with 4/B carb. exc. Ram Air)	8	428 CJ	With door	1	C8OZ 9D612-C
69	B, F (" GT" with 4/B carb.)	8	390		1	
70	A	8	428 P/C		1	
72	A, B	8	429 P/C		1	
72	F (without Ram Air)	8	351CJ		1	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9D612 VACUUM MOTOR ASSY. - CARBURETOR AIR CLEANER - continued					
70	B (except Ram Air)	8	351		1	D0OZ 9D612-A
70	F (with 4/B carb.)	8	351		1	
71/	A,B,S	8	400		1	
72	B(with nox emission)	8	302, 351(C)		1	
68	F(with 4/B carb,& Ram Air)	8	428CJ		1	C9ZZ 9D612-A
69	B (with 4/B carb. & Ram Air)	8	428CJ		1	
69	F(with 4/B carb. & Ram Air)	8	428CJ		1	C9ZZ 9D612-B
69	F(with Ram Air)	8	351,390		1	
69/72	B(with 4/B carb. & Ram Air)	8	351,428, 429	Used to operate door in top of air cleaner	1	D2OZ 9D612-A
71	F(with 4/B)	8	351SPL		1	
71/	F(with 4/B carb.)	8	351		1	
69/70	F(with Ram Air)	8	302,351, 428,429		1	
	9A624 TUBE ASSY. - CARBURETOR AIR CLEANER INTAKE					
71/	L(with A/C)	4	122		1	D1FZ 9A624-A
71	S	8	429		1	D1SZ 9A624-A
71	P/C	8	429		1	D1VY 9A624-C
72	A	8	429P/C		1	D2AZ 9A624-A
72	A(with nox emission)	8	351(C), 400,429		1	
72	F(with nox emission)	8	302, 351-2V, 351CJ		1	D2ZZ 9A624-A
72	F	8	351 Spl.		1	
72	P(with nox emission)	8	302		1	D2DZ 9A624-A
72	B(with nox emission)-exc. Ram Air	8	302,351 (C)-2V, 400,429		1	D2OZ 9A624-A
72	B	8	429P/C		1	
72	S	8	All		1	D2SZ 9A624-A
72	A	8	429P/C	Screw (tube assy. to radiator support & fender apron)	2	381797-S2(UU89J)
72	L(with A/C)	4	122		1	
72	L(with A/C)	4	122	Strap (tube assy. to air condition comp. lines)-adjustable	2	★95874-S
	9B624 SEAL - CARBURETOR AIR CLEANER TO HOOD					
68	F(with 4/B carb. & Ram Air)	8	428CJ	Neoprene 15.60" I.D.-3.75" high	1	C9ZZ 9B624-A
69	B (with 4/B carb. & Ram Air)	8	428CJ		1	
69/70	F(with 4/B carb. & Ram Air)	8	428CJ	Neoprene-17.75" long - 13.00" wide - 1.14" high	1	C9ZZ 9B624-C
69	F(with Ram Air)	8	351,390		1	
70	F (with 2/B carb.)	8	351		1	
68	F(63)(GT500)-K.R.	8	428		1	★C9ZA 9B624-B
69/70	F (GT 350)	8	All	Urethane-16.50" I.D.-19" O.D.-1.125" thick	1	C9ZZ 9B624-D
69/70	F (GT 500)	8	All	Urethane-15.50" I.D.-18" O.D.-.750" thick	1	C9ZZ 9B624-E
69	F Boss(with 4/B carb.)	8	429	Neoprene-16.50" I.D. x 1.64" high	1	C9ZZ 9B624-F
70/71	B (with Ram Air)	8	351,429		1	D0OZ 9B624-A
71/	F (with Ram Air)	8	All	Rubber-18.50" O.D.-2.25" thick	1	D1ZZ 9B624-A
	9A626 DUCT and VALVE ASSY. - CARBURETOR AIR CLEANER					
	- A -					
65/67	A	8	289		1	C3AZ 9A626-A
65	A (except P/C)(with S/T & O/D)	8	352,390		1	C5AZ 9A626-A
68/69	A "Before 10/15/68"	6	240		1	C8OZ 9A626-A
69	A "From 10/15/68"	6	240		1	C9AZ 9A626-A
68	A (except P/C) (with 4/B carb.)	8	390,428	9 1/2" overall length	1	C8AZ 9A626-C
68/71	A(w/2/B carb.)	8	390	10 1/8" overall length	1	C8WY 9A626-A
68	A "Before 4/2/68"	8	302	7 7/8" overall length	1	C8AZ 9A626-A
69	A(w/4/B carb.) "Before 4/22/69"	8	429		1	
68/71	A "From 4/2/68"	8	302	Less motor	1	C8AZ 9A626-D

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A626 DUCT and VALVE ASSY.-CARBURETOR AIR CLEANER - continued					
	- A - continued					
68	A(with 2/B carb.)(open emission)	8	302	Used with air cleaner assy. C7AF 9600-F	1	♦C3AZ 9A626-A
69/70	A P/C	8	428	10 3/16" overall length	1	C8OZ 9A626-C
69	A(w/4/B carb.) "From 4/22/69"	8	429		1	C9AZ 9A626-B
69	A (with 2/B carb.)	8	429		1	C9SZ 9A626-A
69	A	8	351		1	C9OZ 9A626-B
70/71	"From 2/2/70 to 5/17/71"	8	351(W)		1	
70	A "Before 2/2/70"	8	351(W)		1	D0OZ 9A626-B
71/	A "From 5/17/71"	8	351(W)		1	D2AZ 9A626-D
70/	A(exc. P/C)-w/o nox emission	8	429		1	D0OZ 9A626-A
71	A	8	351(C)		1	D1OZ 9A626-B
71	P/C "Before 11/2/70"	8	429		1	D0GY 9A626-A
71/	P/C(w/o nox emission)- "From 11/2/70"	8	429		1	D1VY 9A626-A
71/	A(w/o nox emission)	8	400		1	D1AZ 9A626-A
70/72	A	6	240		1	D2TZ 9A626-B
72	A(w/o nox emission)	8	302		1	D2AZ 9A626-A
72	A(with nox emission)	8	351(C)		1	D2AZ 9A626-E
72	A(w/o nox emission)	8	351(C)		1	D2OZ 9A626-C
72	A(with nox emission)	8	400, 429-4V, 429 P/C		1	D2AZ 9A626-F
	- B -					
65/67	B (except Special)	8	289		1	C3AZ 9A626-A
68	♦B(with 2/B carb.)(open emission)	8	289,302		1	
68	B "Before 4/2/68"	8	289,302	7 7/8" overall length	1	C8AZ 9A626-A
68	B "From 4/2/68"	8	289,302	Less motor	1	C8AZ 9A626-D
69/71	B	8	302		1	
68	B(with 2/B carb.)	8	390	Dry type w/o governor-10 1/8" overall length	1	C8WY 9A626-A
68	B (with 4/B carb.)	8	390	9 1/2" overall length	1	C8OZ 9A626-B
68/69	B	8	428 CJ	10 3/16" overall length	1	C8OZ 9A626-C
69	B "Before 10/15/68"	6	250		1	C8OZ 9A626-A
68	B	6	200		1	
69	B "From 10/15/68"	6	250		1	C9AZ 9A626-A
69	B	8	351		1	C9OZ 9A626-B
69	B (with 4/B carb.)	8	390		1	C9OZ 9A626-C
70/	B	6	250		1	C9ZZ 9A626-A
70	B	8	351		1	D0OZ 9A626-D
70	B (except CJ, S/CJ & Ram Air)	8	429		1	D0OZ 9A626-A
72	B(exc.P/C)-w/o nox emission-(w/o Ram Air)	8	429		1	
70	B	8	429 S/CJ		1	D0ZZ 9A626-B
70	B (with 4/B carb.)	8	429 CJ		1	D0GY 9A626-A
71	B	8	429		1	
72	B(with Ram Air)	8	429		1	
71	B	8	351		1	D1OZ 9A626-B
72	B(w/4/B carb.)-w/o nox emission	8	351		1	
71/	B(w/o nox emission)	8	400		1	D1AZ 9A626-A
72	B(w/o nox emission)	8	302		1	D2AZ 9A626-A
72	B(with nox emission)	8	302, 351(C)		1	D2OZ 9A626-B
72	B(w/2/B carb.)-w/o nox emission	8	351(C)		1	D2OZ 9A626-C
72	B(with nox emission)-w/o Ram Air	8	351CJ, 400,429		1	D2OZ 9A626-D
72	B	8	429 P/C		1	
72	B (with 2/B carb.)	8	351 W		1	D2AZ 9A626-D
	- F -					
65/67	F (except Special)	8	260,289		1	C5ZZ 9A626-C
68	♦F(with 2/B carb.)(open emission)	8	289		1	
68	♦F(with 4/B carb.)(open emission)	8	302		1	
68	F	6	200		1	C8OZ 9A626-A

♦ Canada only

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A626 DUCT and VALVE ASSY. - CARBURETOR AIR CLEANER - continued					
	- F - continued					
68	F "Before 4/2/68"	8	289,302	7 7/8" overall length	1	C8AZ 9A626-A
68	F "From 4/2/68"	8	289,302	Less motor	1	C8AZ 9A626-D
69/71		8	302		1	
68	F ("GT" with 4/B carb.) (except "GT" 500-K.R.)	8	390	9 1/2" overall length	1	C8OZ 9A626-B
68	F (with 2/B carb.)	8	390	10 1/8" overall length	1	C8WY 9A626-A
68	F (GT-500)-K.R.	8	428		1	★S8MS 9A626-A
69	F	6	200		1	C9ZZ 9A626-B
69/	F	6	250		1	C9ZZ 9A626-A
69	F Boss (with 4/B carb.)	8	302		1	C9ZZ 9A626-C
69	F (with 4/B carb.)(exc. Ram Air)	8	390		1	C9OZ 9A626-C
69/70	F	8	428 CJ	10 3/16" overall length	1	C8OZ 9A626-C
69	F (with 4/B carb. & Ram Air)	8	390		1	
69/70	F Boss (with 4/B carb.)	8	429		1	C9ZZ 9A626-E
69	F (with Ram Air)	8	351		1	C9ZZ 9A626-D
69	F (except Ram Air)	8	351		1	C9OZ 9A626-B
70	F (with 2/B carb.)(exc. Ram Air)- "From 2/2/70"	8	351 W		1	
70	F (with 2/B carb.)(exc. Ram Air)- "Before 2/2/70"	8	351 W		1	D0OZ 9A626-B
70	F	6	200		1	D2TZ 9A626-B
70	F Boss (with 4/B carb.)	8	302		1	D0ZZ 9A626-B
71	F Boss (with 4/B carb.)(without Ram Air)	8	302	On air cleaner	1	
70	F	8	351 C		1	D0OZ 9A626-D
70	F (with 2/B carb. & Ram Air)	8	351 W		1	D0ZZ 9A626-C
71	F Boss (with 4/B carb. & Ram Air)	8	302	On air cleaner	1	D0OZ 9A626-A
71	F Boss (with 4/B carb. & Ram Air)	8	302	R.H. on hood	1	D3ZZ 9A626-C
71	F (with Ram Air)	8	429		1	
71/	F(with Ram Air)	8	351		1	
71	F Boss (with 4/B carb. & Ram Air)	8	351 Spl.		1	
				L.H.on hood	1	D3ZZ 9A626-D
71	F	8	351	On air cleaner	1	D1OZ 9A626-B
71	F Boss (with 4/B carb.)	8	351 Spl.		1	
71/	F(without Ram Air)	8	351CJ		1	
72	F(with Ram Air)	8	351-2V		1	
71	F	8	429 CJ, S/CJ	On air cleaner	1	D0GY 9A626-A
72	F(w/2/B carb.)-w/o nox emission	8	302		1	D2AZ 9A626-A
72	F(with nox emission)	8	302, 351-2V		1	D2ZZ 9A626-B
72	F(w/nox emission)-w/o Ram Air	8	351CJ		1	D2ZZ 9A626-A
72	B	8	351 Spl.		1	
72	F(w/2/B carb.)-w/o nox emission-(w/o Ram Air)	8	351		1	D2OZ 9A626-C
	- P -					
70/72	P	6	170,200		1	D2TZ 9A626-B
70/	P	6	250		1	C9ZZ 9A626-A
71	P	8	302		1	D0AZ 9A626-A
72	P(w/o nox emission)	8	302		1	D2AZ 9A626-D
72	P(with nox emission)	8	302		1	D2DZ 9A626-B
	- S -					
68	S	8	390		1	C8AZ 9A626-C
68/69	S "Before 4/22/69"	8	429		1	C8AZ 9A626-A
69	S "From 4/22/69"	8	429		1	C9AZ 9A626-B
70	S	8	429		1	D0OZ 9A626-A
71	S	8	429		1	D1VY 9A626-A
72	S	8	All		1	
72	S(w/o nox emission)	8	400		1	D1AZ 9A626-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A626 DUCT and VALVE ASSY. - CARBURETOR AIR CLEANER - continued					
	- U -					
66/68	U	8	289		1	C6TZ 9A626-A
69	U	8	302		1	
68/69	U "Before 10/15/68"	6	170		1	C8OZ 9A626-A
69	U "From 10/15/68"	6	170		1	C9UZ 9A626-A
70/72	U	6&8	All		1	D2TZ 9A626-B
	- X -					
65/67	X	8	289		1	C3AZ 9A626-A
68	♦X(with 2/B carb.)(open emission)	8	289		1	
68/69	X "Before 10/15/68"	6	170,200		1	C8OZ 9A626-A
69	X "From 10/15/68"	6	170,200		1	C9AZ 9A626-A
68	X "Before 4/2/68"	8	289	7 7/8" overall length	1	C8AZ 9A626-A
68	X "From 4/2/68"	8	289	Less motor	1	C8AZ 9A626-D
69	X	8	302		1	
68	X(with 4/B carb.)(open emission)	8	302		1	♦C5ZZ 9A626-C
70	X	6	200		1	D2TZ 9A626-B
70	X	8	302		1	D0AZ 9A626-A
65/68	A, B, X	8	221,260, 289	Wing screw (duct to air cleaner)- No. 10-32 x .375" long	2	359966-S8 (BB833K)
65/68	A, B, X	8	221,260, 289	Screw (duct to shroud & tube)-No. 10 x 3/8" self tapping	1	42120-S8(U248)
66/	U	8	289,302	Nut (bracket to air cleaner)-5/16"-18 hex.	2	33797-S7(M50)
				Washer-5/16" external tooth lock		34956-S7-8(X82)
66/	U	8	289,302	Wing nut (duct to air cleaner)-1/4"-20	2	★33895-S
70	P	6	All	Screw (duct & valve to air cleaner)-No. 10-	2	★55359-S2
68/71	A, B, F, S, U, X	8	All	32 x 3/8"-hex. hd.	2	
72	A, B, F, P	8	302, 351-2V	Screw (duck & valve to air cleaner)- 12 - 24 x 1/2"	2	40920-S8(U261)
72	A, F, P	6	All	Screw (duck & valve to air cleaner)-	2	★55359-S2
72	F	8	351-CJ, 429	10 - 32 x 3/8" hex head	2	
72	A	8	400,429		2	
	9E626 SPACER - AIR CLEANER TO CARBURETOR					
71	L	4	122		1	D1FZ 9E626-A
	9A627 BRACKET - CARBURETOR AIR CLEANER SUPPORT					
66/68	U	8	289	Carburetor air cleaner support-used with	1	C6TZ 9A627-B
69	U	8	302	C6TZ 9600-U or V cleaner	1	
70	F Boss (with 4/B carb.)	8	302	Carburetor air cleaner support	1	D0ZZ 9A627-A
70/	U	8	302	Carburetor air cleaner support	1	D0BZ 9A627-A
70	B, F(w/4/B carb., A/C & Ram Air)	8	351	Upper	1	D0ZZ 9A627-D
71	B (with Ram Air)	8	351		1	
70	B, F (with 4/B carb., A/C) (with or without Ram Air)	8	351	Lower	1	D0ZZ 9A627-C
71	B, F (with 4/B carb.)	8	351		1	
70	B, F (with 4/B carb. & Ram Air) (without A/C)	8	351		1	D0ZZ 9A627-E
71	B (with Ram Air)	8	351		1	
72	B(w/4/B carb. Ram Air, A/T w/A/C)	8	351		1	★D2OZ 9A627-B
69	F(with Ram Air)	8	351	Carburetor air cleaner support	1	C9ZZ 9A627-B
70	F (with 2/B carb. & Ram Air)	8	351W		1	
70	F (with 2/B carb. & Ram Air)	8	351C	Carburetor air cleaner support	1	D0ZZ 9A627-B
69	F(with 4/B carb. & Ram Air)	8	390, 428CJ	Carburetor air cleaner support	1	C9ZZ 9A627-C
70	F(with 4/B carb.)	8	428CJ		1	
70	F Boss (with 4/B carb.)	8	302		1	
70/71	B (with Ram Air)	8	429CJ	Carburetor air cleaner support	1	D0OZ 9A627-B
70	B(with Ram Air)	8	429S/CJ	Carburetor air cleaner support	1	D0OZ 9A627-C
71/	L	4	98	Rear	1	D1FZ 9A627-C
71/	L	4	98	Front	1	D1FZ 9A627-D

♦ Canada only

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A627 BRACKET - CARBURETOR AIR CLEANER SUPPORT - continued					
66/	U	6	170	Bolt (bracket to air cleaner)-5/16"x 18 x 1/2" hex. head	2	20310-S8(B48)
70/	U	8	302	Nut (bracket to air cleaner)	2	34661-S(M107F)
70	B	8	429 CJ	Bolt (bracket to 9424)-3/8"-16 x .62" hex. head	1	★56137-S
70	B, F	8	351	Bolt & washer assy. (bracket to 9424)-5/6"-18 x 3/4" hex. head	1	★57633-S
70	B	8	429 CJ	Nut & washer assy. (air cleaner support)-5/8" x 18	1	376838-S (MM296AF)
70	F Boss (with 4/B carb.)	8	302	Nut & washer assy. (air cleaner support)-1/2" x 18	1	34661-S(M107F)
70	F (with 2/B carb.)	8	351			
71/	L	4	All	Screw & washer assy.(bracket to 9428)	2	N602548-S51(AB60
72	L	4	98	Screw & washer assy.(bracket to air cleaner)	2	57472-S40(B339V)
72	L	4	98	Nut & washer assy.(bracket to exhaust manifold)-5/16" - 18	1	34661-S8(M107F)
	9E628 RETAINER - CRANKCASE EMISSION FILTER					
71/	A, B, F, L, P, S	4,6,8	All		1	D1AZ 9E628-A
	9B629 EXTENSION ASSY. - CARBURETOR AIR CLEANER AIR DUCT					
65	A (with S/T)	8	352,390		1	★C5AZ 9B629-A
	9630 HOSE - SUPERCHARGE AIR INTAKE					
67/68	F(GT350)	8	289,302	3 1/2" I.D.-22" extended length	1	★S7MS 9630-A
	9E630 TUBE AND SLEEVE ASSY. - FUEL VAPOR PURGE INLET					
71/	U	6&8	All		1	D1BZ 9E630-A
	9C631 - Refer to Carburetor Parts List Section 95, Page 1					
	9B632 TUBE - CARBURETOR AIR CLEANER - INLET - Improvise from C9UZ 9652-A					
70/	A, F, P, S	6&8	All	Clamp (tube to duct & valve assy.)	1	8A 8287
	9634-36 - Refer to Carburetor Parts List Section 95, Page 1					
	9E637 VALVE ASSY. - CARBURETOR AIR CLEANER ANTI SPLASH					
71/	L	4	98		1	D2FZ 9E637-A
	9C639 CAP - CARBURETOR AIR CLEANER ADAPTOR- Also Refer to Group 9A474					
69	A	8	302,390	Neoprene-3/8" I.D. -. 96" long-used with 9A474 intake manifold outlet fittings	AR	C9AZ 9C639-A
65/68	B, F, X	8	260,289	.50" I.D. -. 96" long	1	C4AZ 9C639-B
65	B Special. F Special(with 4/B carb.)	8	289	.625" I.D. -. 76" long	1	C5AZ 9C639-A
65	P/C	8	390		1	
65/67	A Special(with 8/B carb.)	8	427		1	
65	P/C (with closed emission system)	8	390	.22" I.D. -. 53" long	1	C4AZ 9C639-A
67/68	A, P/C	8	428		1	
68	F Special (with 4/B carb.)	8	427		1	
69	A(P/C)	8	428		1	
	9E645 TEE - FUEL VAPOR STORAGE CANISTER INLET					
72	A, B, F, P, S (with 2/B carb.)	8	302,351, 400,429		1	★D2AZ 9E645-A
	9D646 SCOOP & SEAL ASSY. - CARBURETOR AIR CLEANER - Also Refer to Group 16C630					
69/70	F(with 4/B carb. & Ram Air)	8	428CJ	Marked "Cobra Jet"	1	C9ZZ 9D646-A
69	F(with Ram Air)	8	351,390	When using on 351 and 390 with Ram Air	1	
70	F (with 4/B carb.)	8	351	remove Cobra Jet name plates and replace with (2) C9ZZ 16637-C name plates for 351 and with (2) C9ZZ 16637-D name plates for 390.	1	
70	F (with 2/B, 4/B carb. & Ram Air)	8	351	With White hood stripes	1	D0ZZ 9D646-A
70	F Boss (with 4/B carb.)	8	302		1	
70	F (with 2/B, 4/B carb. & Ram Air)	8	351	With Black hood stripes	1	D0ZZ 9D646-B
70	F Boss (with 4/B carb.)	8	302		1	
70/71	B (with 4/B carb. & Ram Air)	8	351		1	D0OZ 9D646-B
70/71	B (with Ram Air)	8	429 CJ, S/CJ		1	D0OZ 9D646-A
70	F	8	302,351, 428 CJ	Screw (scoop & seal assy. to hood rear)-1/4"-20 x 1"-pan head	2	38294-S8(U141)
70	B	8	429 CJ		2	
70	F	8	302,351 428 CJ	Screw (scoop & seal assy. to hood front)-1/4"-20 x 1 1/2"-pan head	1	383119-S (BB609H)
70	B	8	429 CJ		1	
70	F Boss (with 4/B carb.)	8	302	Nut-self threading	4	382110-S(M284X)
70	F (with 2/B carb.)	8	351	(Name plate to scoop & seal assy.)-11/16" x 23/64"		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9B650 THERMOSTAT ASSY. - CARBURETOR AIR CLEANER					
65	A, B, X(except B Special)	8	289	Not replaced	1	★B8SZ 9B650-A
	9652 HOSE - SUPERCHARGER DISCHARGE					
67/68	F(GT350)	8	289,302	2-3/4" I.D. -.5" long	1	★S7MS 9652-A
	9652 TUBE ASSY. - CARBURETOR AIR CLEANER HOT AIR					
68/69	U, X -"Before 10/15/68"	6	170,200	Steel-2.51" diameter on (1) end and 2.74" dia.	1	C8ZZ 9652-A
68	B, F, X	6	200		1	
68/69	A(with C4. C/M)-"Before 10/15/68"	6	240	Steel-2.51" diameter on (1) end and 2.74" on the other-7.78" formed length	1	C8AZ 9652-B
68/69	A(with S/T)-"Before 10/15/68"	6	240	Steel-2.51" diameter on (1) end and 2.74" on the other-8.23" formed length	1	C8AZ 9652-C
69/	A "From 10/15/68"	6	240	Paper and aluminum-2.02" I.D.-18" long-cut to proper length	1	C9UZ 9652-A
69/	U, X "From 10/15/68"	6	170,200		1	
69/	B	6	250		1	
69	F "Before 10/15/68"	6	200,250		1	
69	B, F(with 4/B carb.)	8	390		1	
69/71	F Boss	8	302		1	
70/	P	6	All		1	
70/71	B, F (with 4/B carb.)	8	429 CJ		1	
70/	A, B, S	8	429		1	
70/	F	6	All		1	
70	A, B, F, P(with 2/B carb.)	8	302,390		1	
70	A, F (with 2/B carb.)	8	351W		1	
70	F Boss (with 4/B carb.)	8	302		1	
71/	B, F	8	302,351		1	
71/	A	8	400		1	
71/	U	8	302		1	
70	U	8	302	2.03" I.D.-8.25" long	1	D0TZ 9652-A
70	B, F	8	351C		1	D0OZ 9652-A
68	B, F	8	390	Upper (steel)-2.030" dia. on (1) end & 2.85" diameter on the other-8.36" formed length-use without transistor ignition	1	C8AZ 9652-A
68/69	B, F(with 4/B carb.)	8	428CJ		1	
69	F(with 4/B carb. & Ram Air)	8	390		1	
70	F	8	428 CJ		1	
70	F (with 2/B carb. & Ram Air)	8	351		1	
68/	B, F	8	351,390 428 CJ	Screw (tube to 9A603)-8-18 x 1/4" hex. washer-self tapping	1	★55872-S
69	A, B, F, X	6	All	Clamp (tube to duct)-2 3/16" dia.-1/4" bolt	1	★97262-S
68/69	B, F	8	390		1	
70	B	8	429 CJ		1	
69/71	F Boss	8	302	Clamp (tube to duct and valve assy.)	AR	B7A 8287-B
70	A, B, F, P, S, U, X	6&8	All		AR	
	9D653 CANISTER ASSY. - FUEL VAPOR STORAGE					
70	P (with ev/em)	6	All	5.94" diameter-color "Blue"	1	D1AZ 9D653-A
70	A (with ev/em)	6	240		1	
70	B (with ev/em)	6	250		1	
70	F (with ev/em)	6	200,250		1	
70	A-with ev/em	8	302,351 429		1	
70	B-with ev/em	8	All		1	
70	F-with ev/em	8	All		1	
70	S-with ev/em	8	All		1	
70	U, X-with ev/em	6&8	All		1	
71	A, B, F, P, S	6&8	All		1	
70	A-with ev/em	8	390		1	
71/	L	4	All		1	
71/	U	6&8	All		1	D1BZ 9D653-A
72	A, B, F, P, S	6&8	All	Kit consists of (1) D1BZ 9D653-A canister, (1) D1AZ 9E602-A cap & (1) IS-4497	1	D1AZ 9D653-B
70	P	6	All	Screw (canister to R. H. fender apron rear)-1/4" x 14 x 1/2"-hex. washer hd.-self tapping	3	55981-S2(U254E)
72	F, P	6&8	All	Nut & washer (canister to R.H. fender apron rear)-1/4"-20	3	34657-S8

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9654 GASKET - AIR CLEANER TO CARBURETOR - Also refer to Groups 9B608, 9673					
67	B, F, X(with Imco & C4)	6	170,200	2.10" I.D. -2.30" O.D. -.10" thick	1	C7DZ 9654-A
68	X, U(with Carter carb.)	6	170	2.65" I.D. -3.12" O.D. -.030" thick	1	C8DZ 9654-A
68/69	A, P/C, Taxi(with Carter carb.)	6	240		1	
70/	A	6	240		1	
69/70	X(with Carter carb.)	6	170,200		1	
69/	U	6	170		1	
70/	P	6	170,200		1	
70	F	6	200		1	
65/67	A, B, X	6	All	1.94" I.D. -2.21" O.D. -.095" thick	1	C3AZ 9654-D
68	A, B, X(with Ford carb.)	6	200,240		1	
69	A, B, F, X(with Ford carb.)	6	200,240 250		1	
68	♦X(with Ford carb.)(open emission)	6	170		1	
70/	B, F, P	6	250	2.36" I.D. -2.80" O.D. -.06" thick	1	D0ZZ 9654-A
65	F	8	260	5.12" I.D. -5.66" O.D. -.18" thick	1	C5ZZ 9654-B
65/66	A, B, F, X, U	8	289		1	
65/67	A, S, P/C	8	352,390 428		1	
66/67	A, F Special(with 4/B carb.)	8	427		1	
68	B, F Special(with 4/B carb.)	8	427		1	
67/68	A, B, F, S, X, U, P/C	8	289,390 428		1	
69/70	A, B, F	8	351		1	
69/70	A(P/C)	8	428		1	
69	A, B, F	8	390,429		1	
67	B(63D, 76D)(with 4/B carb.)	8	390		1	
68/70	A, B, F, P, X	8	302		1	
68/69	S	8	429		1	
68/69	B, F(with 4/B carb.)	8	428CJ		1	
66/	U	8	289,302		1	
69	F Boss(with 4/B carb.)	8	429		1	
69/70	F Boss (with 4/B carb.)	8	302		1	
70	A	8	390,429		1	
70	B	8	429		1	
70	F	8	428CJ		1	
70	S	8	All		1	
71/	A	8	All		1	
71/	B	8	All		1	
71/	F	8	All		1	
71/	P	8	302		1	
65/67	A Special(with 8/B carb.)	8	427	5.12" I.D. -5.62" O.D. -.188" thick	2	C3AZ 9654-C
66/67	B Special (with 8/B carb.)	8	427		2	
71/	L	4	98		1	D1FZ 9654-A
71/	L	4	122		1	D1FZ 9654-B
	9C654 INTAKE KIT - RAM AIR					
65/67	A Special (with 8/B carb.)	8	427	High performance-drag strip	1	★C3AZ 9C654-A

Consists of the following

1-C3AA	9628-A	Clamp (ram air intake)	1-C3AA	9B687-A	Seal (ram air intake duct)
1-C3AA	9C651-A	Box (ram air intake)	6-20345-S8		Bolt (1/4" - 28 x 3/4")
1-C3AA	9C652-A	Connector (ram air tube to box)	6-44719-S8		Washer -1/4"flat
1-C3AA	9B660-A	Duct assy. (ram air intake)			

♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9661 COVER - CARBURETOR AIR CLEANER - Also Refer to Group 9A600					
67	B(63D, 76D)	8	390	Chrome-17 1/4" diameter	1	★C7OZ 9661-A
67	F(except F Special)	8	289		1	
69/70	F Boss(with 4/B carb.)	8	429		1	C9ZZ 9661-A
69	F(GT350/500)(with Ram Air)	8	351,428		1	
70	F(GT350/500)	8	351		1	
71/	L	4	98		1	D1FZ 9661-B
	9663 BRACE - CARBURETOR AIR CLEANER					
65/66	A(exc. Taxi & P/C) "Before 4/1/66"	6	240	Bracket (air cleaner support)	1	★C5AZ 9663-C
66	A(exc. Taxi & P/C) "From 4/1/66"	6	240		1	★C6AZ 9663-B
65	Taxicab & P/C	6	240	Bracket (air cleaner support)-used with C5AZ 9600-C cleaner	1	★C5AZ 9663-A
66/67	Taxicab, A(P/C)	6	240	Bracket (air cleaner horn support)-use with C6AZ 9600-A cleaner	1	★C6AZ 9663-A
				Lockwasher-5/16"		34806-S7(X64)
				Washer-flat-5/16"		44722-S8(X19)
66/67	Taxicab, A(P/C)	6	240	Screw (air cleaner to carb.)-1/4"-20 x 1" wing	1	359197-S(BB830)
66/67	Taxicab, A(P/C)	6	240	Bolt (air cleaner to brace)-5/16"-18 x 3/4"-hex. head	1	20346-S(B50)
66/67	Taxicab, A(P/C)	6	240	Nut (air cleaner to brace)-5/16"-18 -hex.	1	33797-S(M50)
66/67	Taxicab, A(P/C)	6	240	Nut (air cleaner to brace to manifold)-3/8"-16-hex.	1	33799-S(M-52)
	9D664 BRACKET & STRAP ASSY. - FUEL VAPOR STORAGE CANISTER					
70	A-with ev/em	6&8	All		1	D0AZ 9D664-A
71/	A	6&8	All		1	
72	B, S	6&8	All		1	
70	B, X-with ev/em	6&8	All		1	D0DZ 9D664-B
70	P-with ev/em	6	250		1	
71/	F, P	6&8	All		1	
71	B	6&8	All		1	
70	F-with ev/em	6&8	All		1	D0ZZ 9D664-A
71/	L	4	98		1	D3FZ 9D664-A
71	L	4	122		1	
72	L(exc. hang on A/C)	4	122		1	
72	L-with hang on A/C	4	122		1	D2FZ 9D664-A
70	P-with ev/em	6	170,200		1	D0DZ 9D664-A
70	S-with ev/em	8	All		1	D0SZ 9D664-A
71	S	8	All		1	
70/	U	6&8	All		1	D1BZ 9D664-A
70	A, F, S	8	All	Screw (bracket to frame)-No. 6-32 x 5/16"-hex. hd.-self tapping	2	381877-S2 (UU52AK)
70	B	6&8	All	Screw (bracket to frame)-1/4"-14 x 1/2"-hex. hd.-self tapping	3	55981-S2(U254E)
70	P-with ev/em	6	All	Nut (bracket & strap assy.)-1/4" x 20-square	1	34129-S7-8(M148)
70	P-with ev/em	6	All	Bolt (bracket & strap assy.)-1/4" x 20 x 1"-hex. hd.	1	20384-S8(B43)
72	A, B, F, S	6&8	All	Screw (bracket to R.H. frame)-5/16" x 18	AR	40923-S8(U264)
72	F	6&8	All	Nut(bracket to fender apron)-1/4" - 20	3	34657-S8
72	L	4	All	Screw(bracket to frame rail)-hex washer head tap	2	55914-S2(U254F)
	9D667 TUBE ASSY. - FUEL VAPOR STORAGE CANISTER PURGE					
70	A, B, F, S-with ev/em	6&8	All	Outlet-aluminum & paper-.760" I.D.-46" long	1	D1UZ 9D667-A
70	P-with ev/em	6	All		1	
71	A, F, L, P, S	4,6,8	All		1	
71	B, U	6&8	All		1	
70	P (with ev/em)	6	170,200	Inlet-aluminum & paper-.89" I.D.-19" long	1	D4HZ 9D667-A
70	A, B, F, S, U-with ev/em	6&8	All		1	
70	P(ev/em)	6	170,200	Clamp (inlet tube to shroud & tube assy.)-1"dia.	1	B7A 8287-A
70	A-with ev/em	6	240		1	
70	B-with ev/em	6	250		1	
70	P-ev/em	6	170,200	Clamp (outlet tube to air cleaner)-3/4" diam.	1	97333-S35(E8)
70	A-with ev/em	6	240		1	
70	B-with ev/em	6	250		1	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9D668 TUBE ASSY. - FUEL VAPOR STORAGE CANISTER - PURGE OUTLET - Improvise - Cut from D1UZ 9D667-A					
72	A,B,L,S		All	Clip (tube assy. to fender apron)	1	382932-S(GG338C)
72	L	4	98	Screw (tube assy. to radiator support)	1	382160-S2(UU52C)
72	L	4	98	Spring nut (tube assy. to L.H. hole in radiator support)	1	383375-S2(MM284)
	9C670 BRACKET ASSY. - CARBURETOR AIR SHROUD SUPPORT					
68	A "Before 12/27/67"	6	240	Steel-" Z" shaped with (1) .39" diameter hole and threaded stud	1	C8AZ 9C670-C
68/	A " From 12/27/67"	6	240	Steel	1	D3AZ 9C670-B
68/69	B, F(with 4/B carb.)	8	428CJ	Rear-steel-"Z" shaped-2.06" overall length-.88" wide-.06" thick	1	C8OZ 9C670-A
70	F (with 4/B carb.)	8	428 CJ		1	
68/69	B, F(with 4/B carb.)	8	428CJ	Front-steel-2.80" overall length with elongated hole on (1) end and slot on the other	1	C8OZ 9C670-B
70	F (with 4/B carb.)	8	428 CJ		1	
69	F Boss (with 4/B carb.)	8	429	Steel	1	C9ZZ 9C670-A
68/71	B, F, S	8	351,390 428,429	Washer (bracket to 9A603)-3/8"-25/64" tooth lock	1	★34942-S
72	A	6	All	Nut (bracket to exhaust manifold)-lock-3/8"-24	1	34664-S(M108)
	9B672 - Refer to Carburetor Parts List Section 95, page 1					
	9673 GASKET - CARBURETOR AIR CLEANER - INTERNAL - Also refer to groups 9B608, 9654					
65/66	A(except Taxi & P/C)	6	240	Internal-12.83" I.D. -13.43" O.D. -.31" thick-used with C5AZ 9600-G, J cleaner	1	★ C5AZ 9673-A
68/69	B, F, X	6	170,200	Internal-12.83" I.D. -13.11" O.D. -.31" thick	1	C8ZZ 9673-A
68/69	A	6	240		1	
69/70	B	6	250		1	
70	F	6	250		1	
65	F(except F Special)	8	260,289	Internal-16.02" I.D. -16.94" O.D. -.46" thick-used with C5ZZ 9600-G cleaner	1	C5ZZ 9673-A
68	♦F(with 2/B carb.)(open emission)	8	289		1	
68	♦A, B(open emission)	8	390		1	
68	♦A(open emission)	8	428		1	
68	B, F, X	8	289	Internal-Neoprene-17.24" diameter-.40" thick	1	C8AZ 9673-A
68	A, B, F, X	8	302		1	
68	A, B	8	390,428		1	
68/70	A, B, S (except CJ)	8	429		1	
67	S	8	390,428	Internal-15.82" I.D. -16.62" O.D. -.40" thick	1	★ C7SZ 9673-A
67	F	8	390		1	
68	♦F(with open emission)	8	390		1	
68	B, F, X(with 2/B carb.) (open emission)	8	289	8.52" I.D. -9.44" O.D. -46" thick	1	♦C2OZ 9673-A
68	A, B, F(with 2/B carb.) (open emission)	8	302		1	
68	B, F, X(with 4/B carb.) (open emission)	8	302		1	
68	B(with 2/B carb.)(open emission)	8	390		1	
	9D673 TUBE - FUEL VAPOR EXPANSION TANK TO CANISTER - FRONT - Improvise from Basic 2269 bulk tubing					
70	U	6&8	All	Clip (tube to frame)	3	377106-S(GG235)
70	U	6&8	All	Screw-18 x 3/4"-tap-pan head	AR	★55891-S

♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9D675 TUBE - FUEL VAPOR EXPANSION TANK TO CANISTER -CROSSOVER-Improvise from Basic 2269 bulk tubing					
70	U	6&8	All	Clip (tube to cross member)	2	358360-S(GG143)
	9677 BRACKET - THROTTLE CONTROL MOUNTING					
65/70	A(with A/C)	8	All		1	C2AZ 9677-A
	9681 - 9A684 - Refer to Carburetor Parts Lists Section 95, page 1					
	9B684 SPRING - CARBURETOR AIR CLEANER AIR DUCT INTAKE VALVE PLATE					
65	A, B, X(except B Special)	8	289		1	C3AZ 9B684-A
	9D689 CONNECTOR - FUEL VAPOR TUBE - MALE					
70	U	6&8	All	Use with standard fuel tank	AR	D0TZ 9D689-A
	9J691 VALVE - CHOKE BLEEDER TEMPERATURE CONTROL					
69/70	P/C	8	428	Located in air cleaner	1	C9OZ 9J691-A
69	B, F(with 4/B carb.)	8	428CJ		1	
70	F	8	428 CJ		1	
	9D692 ADAPTOR - FUEL VAPOR PURGE TUBE TO AIR CLEANER					
70/	A, B, F, P, S, U	6&8	All		1	D0AZ 9D692-B
	9D694 SHIELD - FUEL VAPOR STORAGE CANNISTER - Improvise					
	9J694 GASKET - CHOKE BLEEDER VALVE					
69/70	P/C	8	428	.52" I.D.-.84" O.D.-.25" thick	1	C9OZ 9J694-A
69	B, F(with 4/B carb.)	8	428CJ		1	
70	F	8	428 CJ		1	
69	P/C	8	428	Retainer-steel-(gasket to air cleaner)-	1	382255-S2(QQ109)
69	B, F(with 4/B carb.)	8	428CJ	.48" I.D.-.054" O.D.-.054" thick-with (10) internal teeth	1	
	9D695 FILTER ASSY. - CRANKCASE AIR CLEANER					
70	B, F	8	351	Identified FA-79 on housing	1	D0OZ 9D695-A (FA-79)
71/	A, B, F, P	6	All	Identified FA-88 on housing	1	D1AZ 9D695-A (FA-88)
71/	A, B, F, P, S	8	All	Identified FA-87 on housing	1	D1ZZ 9D695-A (FA-87)
71/	L	4	All		1	D1FZ 9D695-A (FA-93)
	9697 GROMMET - CARBURETOR AIR CLEANER					
66/	U	8	289,302	.25" I.D.-1.00" O.D.-.10" thick	1	C6TZ 9697-A
68	F Special(with 4/B carb.)	8	427		1	
71/	L	4	122		1	
72	U	6	170		1	
	9D697 FILTER - CRANKCASE EMISSION					
70	B, F	8	351C		1	D0OZ 9D697-A
71/	A, B, F, P, S	8	All		1	(FA-104)
71/	A, B, F, P	6	All		1	D1AZ 9D697-A (FA-105)
	9D699 PLUG - CARBURETOR AIR CLEANER AIR INTAKE PANEL MOUNTING ACCESS HOLE					
70/71	B (with Ram Air)	8	429 CJ, S/CJ		1	D0OZ 9D699-A
70/	B(with 4/B carb. & Ram Air)	8	351		1	
70	B	8	429,351	Screw (plug to 9D646)-1/4"-20 x 2 1/4" pan hd. cross recessed	1	★57563-S

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9700 CONTROL ASSY. - CARBURETOR CHOKE- Also Refer to Basic Group 9A838					
65	B Special (with 4/B carb.)	8	289	58.00" long-7/16"-14 thread	1	★ C5OZ 9700-A
65/67	F Special (with 4/B carb.)	8	289	57.62" long-7/16"-14 thread	1	C5ZZ 9700-C
69/71	F Boss (with 4/B carb.)	8	302	44.00" long-6 1/2"-20 thread	1	C9ZZ 9700-C
70	F(GT 350/500)	8	All		1	
70	F Boss (with 4/B carb.)	8	429	41" long	1	C9ZZ 9700-B
66	U	6	170	54.50" long-7/16"-14 thread	1	C6TZ 9700-A
66	U	8	289		1	
66/67	U "Before Ser. B26,001"	8	289	65.00" long-7/16"-14 thread-lettered "Choke"	1	C6TZ 9700-F
67	U	6	170	Cut to 54.50" long	1	
67	U "From Ser. B26,001"	6 & 8	170,289	54.50" long-7/16" -20 thread-bezel lettered "Choke"	1	C7TZ 9700-A
68/70	U (with Ford carburetor)	6	170	44.50" long-cut from C8UZ 9700-A	1	★C8TB 9700-J
68/70	U (with Carter carburetor)	6	170	52.88" long-cut from C8UZ 9700-A	1	★C8TB 9700-AC
68/70	U	8	289,302	63.00" long with knob-7/16" -20 thread-lettered "Choke" -identified by "Red" clinch rings	1	C8UZ 9700-A
71	L(off highway units with Kent High Performance eng. & Dellorto carb.	4	98	Use D0ZZ 9A838-A bracket to attach cable to instrument panel-cut to 47" overall length	1	D12X 9700-BA
71	L (off highway units with Dellorto carb.)	4	122	Cut to 61" overall length	1	
65/67	F Special	8	289	Clip (choke control to front fender apron brace)	1	372047-S100 (GG217)
65/68	B Special, F Special	8	289	Nut (choke control to bracket)-7/16"-14 hex.	1	34670-S7-8(M54)
				Washer-7/16" flat		44730-S8(X26)
66/	U	8	289,302	Clip (choke control to L.H. fender apron)	1	358360-S32(GG143)
66/	U	8	289,302	Grommet (choke control thru dash panel)	1	352963-S(KK17)
69/71	F Boss (with 4/B carb.)	8	302	Grommet (choke control thru dash panel)	1	379009-S(KK12A)
	9A700 BRACKET - CARBURETOR CHOKE CONTROL MOUNTING					
65	B Special (with 4/B carb.)	8	289		1	★ C5OZ 9A700-A
65/67	F Special (with 4/B carb.)	8	289		1	★C5ZZ 9A700-A
	9B700 TUBE ASSY. - THERMOSTATIC CHOKE CONTROL INLET - Improvise from Basic 2269 bulk tubing					
	9A701 ROD ASSY. - ACCELERATOR PEDAL SHAFT TO BELLCRANK					
66/68	U	8	289	7.46" long	1	C6TZ 9A701-A
69/72	U "Before Ser. P60,001"	8	302		1	
72	U "From Ser. P60,001"	8	302		1	D3TZ 9A701-B
	9A702 ROD - ACCELERATOR SHAFT TO BELLCRANK					
65/66	A Special(with 8/B carburetor)	8	406,427	Accelerator shaft to carburetor	1	C3AZ 9A702-B
65	B	6	200	10.72" long from center of ball stud to center of trunnion-adjustable	1	C2OZ 9A702-A
66/67	B	8	289,390	5.04" long	1	C6OZ 9A702-C
67	B Special (with 8/B carb. & 4/S/T)	8	427	9.50" long	1	C7OZ 9A702-L
67	B Special (with 4/B carb. & 4/S/T)	8	427	11.22" long	1	C7OZ 9A702-M
68	B	8	289,302, 390	4.32" long	1	C8OZ 9A702-B
68	B Special(with C6)	8	427		1	
68	B (CJ)(with 4/B carb.)	8	428-CJ		1	
69	B,X	8	302		1	
69	B	8	351		1	
69	B,P/C	8	390,428, 428 CJ		1	C9OZ 9A702-A
65/67	F	8	260,289	11.56" long from rod end to center of ball stud	1	C5ZZ 9A702-D
67	F (with speed control)	8	289	11.56" long from rod end to center of ball stud	1	C7ZZ 9A702-C
67	F (except with speed control)	8	390	12.96" long from rod end to center of ball stud	1	C7ZZ 9A702-A
67	F (63,65)(with speed control & solenoid)	8	390	12.96" long from rod end to center of ball stud	1	C7ZZ 9A702-D
67/69	F	6	200	13.20" long	1	C7ZZ 9A702-B
68	F(except with speed control)	8	289,302	12.66" long	1	C8ZZ 9A702-A
68	F(with speed control)	8	289,302	12.66" long	1	C8ZZ 9A702-C

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A702 ROD - ACCELERATOR SHAFT TO BELLCRANK - continued					
68	F(with 4/B carb.)(except with speed control)	8	390	12.96" long from rod end to center of ball stud	1	C8ZZ 9A702-B
68	F (CJ)(with 4/B carb.)	8	428-CJ		1	
68	F (GT with 4/B)(with speed control)	8	390	13.54" long	1	C8ZZ 9A702-D
68	F(with 2/B carb.)(with speed control)	8	390	12.66" long-not replaced	1	★ C8WY 9A702-B
68	F(with 2/B carb.)(except with speed control)	8	390	12.70" long	1	C8WY 9A702-C
65/66	S	8	390,428	6.62" long from center of ball stud to end of rod-spring loaded ball stud one end only	1	C3SZ 9A702-A
66/68	U	8	289	4.70" long	1	C6TZ 9A702-G
69/72	U "Before Ser.P60,001"	8	302		1	
72	U "From Ser.P60,001"	8	302		1	D3TZ 9A702-D
65	X(with C4) "Before 11/16/64"	6	170,200		1	C4DZ 9A702-B
65	X(with S/T)	6	170,200	11.26" long from center of ball stud to end of rod	1	C1DZ 9A702-A
65	X(with C4) "From 11/16/64"	6	170,200		1	
66/67	X	8	289	10.58" long	1	C6OZ 9A702-B
66/69	K	6	170,200	12.52" long from center of ball stud to rod end	1	C6OZ 9A702-A
66/68	B	6	200		1	
68/70	X	8	289,302	9.90" long	1	C8OZ 9A702-A
70	X	6	200	8.09" long	1	C9DZ 9A702-A
65/66	A, B, S, X	6&8	All	Nut (rod to accelerator)-No. 10-32	1	34079-S7(M163)
				Lockwasher-No. 10	1	34803-S7(X60)
65/66	A Special (6/B, 8/B carb.)	8	390,406, 427	Clip (rod to accelerator shaft)	1	375780-S8(GG227)
65/69	F	8	260,289, 390	Grommet	1	379009-S(KK12A)
65/69	F	8	260,289, 390	Pin-1/16" x 3/8"-cotter	1	72000-S7(N37)
65/69	F	8	260,289, 390	Washer-No. 8 flat-nylon	1	359182-S(XX49)
	9D702 STABILIZER - ACCELERATOR BELLCRANK					
66/67	B	8	289,390		1	C6OZ 9D702-B
66/70	X	6	170,200	16.20" long	1	C9DZ 9D702-A
66/68	B	6	200		1	
67	F	6	200		1	
66/68	U	8	289		1	C6TZ 9D702-A
69/70	U	8	302		1	
68	B	8	289,302, 390	7.24" long	1	C8OZ 9D702-A
69	B	8	302,351		1	
68	B Special(with C6)	8	427		1	
68	B(with 4/B carb.)	8	428-CJ		1	
71/	U	8	302		1	D0TZ 9D702-A
	9D703 BRACKET - ACCELERATOR BELLCRANK STABILIZER					
66/67	X	6	170,200		1	C6OZ 9D703-B
66/67	B	6	200		1	
68/70	X	6	170,200		1	C8OZ 9D703-A
68	B, F	6	200		1	
	9C704 CONNECTOR - CARBURETOR AIR CLEANER TO THERMOSTATIC CHOKE CONTROL INLET TUBE - Unless listed, improvise from Basic 17543 bulk hose					
66	A(except P/C)- "From 6/1/66"	8	428	.219" I. D. -.445" O. D. -13.50" long-cut from C1SZ 9324-C	1	★C7OE 9C704-A
67/69	A, B (except 63D, 76D), S (with 4/B carb.)	8	390		1	
67	A, S, P/C	8	428		1	
68	A, P/C	8	428		1	
70/	U	8	302	Connector(choke control inlet)-.203"/.235" I. D.-2.38" long-cut from C1AZ 7B086-A	1	★D0TE 9C704-A
65/71	A, B, S, P/C	8	352,390, 428	Clamp(air cleaner to thermostatic choke control inlet tube hose)-.438" diam.	2	97325-S35(E1)
65	B Special (with 4/B carb.)	8	289		2	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A705 COVER - THERMOSTATIC CHOKE HEAT SUPPLY - Also refer to Groups 9C869, 9891					
65/67	A, S. P/C	8	352,390 428		1	B8AZ 9A705-B
68	A, P/C	8	390,428		1	
68	S	8	390		1	
68	B, F (with 4/B carb.)	8	428-CJ		1	
69/70	A P/C	8	428		1	
69/71	A (with 2/B carb.)	8	390		1	
70	B (with 4/B carb.)	8	429-CJ	Service package to include (1) D0OZ 9S500-A-	1	D0OZ 9A705-A
71	B, F	8	429-CJ	gasket	1	
71	P/C	8	429		1	
65/71	A, B, F, S, P/C	8	352,390 428	Screw (cover to manifold)-5/16"-18 x 5/16" fillister head	1	★31041-S
	9B705 CONNECTOR - ACCELERATOR SHAFT TO SPEED CONTROL SHAFT					
67	S (with C6)	8	390,428	Connector (accelerator shaft to speed control shaft)	1	★ C7SZ 9B705-A
68/71	S(with C6)	8	390,429	Connector (accelerator shaft to speed control shaft)-#10 chain-3/16" spherical diam.-6.24" long - cut to length	1	D0VY 9B705-A
68/71	A (with C4, C6, C/M)	8	All	Cut to length	1	
72	A, S	8	All	#10 chain-17.00" long	1	D2AZ 9B705-A
	9K706 SPACER - ACCELERATOR SHAFT BRACKET					
68/69	A (with S/T & Imco)	6	240	Steel-2.44" long-.76" wide-.44" thick-improvise	2	★C8AA 9K706-A
	9P706 PLUG - DECELERATION VALVE SEALING					
71/	L	4	All		1	D1FZ 9P706-B
	9D709 BRACKET - ACCELERATOR BELLCRANK STABILIZER REAR					
66/67	B	8	289,390		1	C6OZ 9D709-B
66/68	U	8	289		1	
69/	U	8	302		1	
67/69	F	6	200		1	C7ZZ 9D709-A
68	B	8	289,302 390		1	C8OZ 9D709-A
69	B	8	302,351		1	
68	B Special (with C6)	8	427		1	
68	B (CJ) (with 4/B carb.)	8	428-CJ		1	
69/70	X	8	302		1	
66/	U	8	289,302	Screw (bracket to dash panel)-No.14-14 x 1/2" hex.washer head-tapping	2	31497-S8(U254)
	9B711 SHAFT & LEVER ASSY. - SPEED CONTROL					
67	S (with C6)	8	390,428		1	★C7SZ 9B711-A
68	S(with C6)	8	390		1	C8SZ 9B711-A
68/69	S(with C6)	8	429		1	C8SZ 9B711-B
69/70	A(with C/6	8	429		1	C9AZ 9B711-C
70	S(with C/6)	8	429		1	
69/70	A (with C4, C/M & 2/B carb.)	8	302	Identified by daub of "Green" paint	1	C9AZ 9B711-D
69/70	A(with C/M & 2/B carb.)	8	351		1	C9AZ 9B711-G
70	A(with C/6)	8	390		1	
69	A(with C6, C/M & 4/B carb.)	8	390	Identified by daub of "Green" paint	1	C9AZ 9B711-E
71	A(with C4, C/M)	8	302		1	D0AZ 9B711-A
71/	A(with C4, C6, C/M)	8	351(W) 390		1	D0AZ 9B711-B
71	A(with C6)	8	400		1	D1AZ 9B711-B
71	A, S(with C6)	8	429		1	D2AZ 9B711-B
71	S(with C6)	8	429		1	
72	A	8	429		1	
72	S	8	460		1	
72	A	8	460		1	D2AZ 9B711-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A712 CLAMP - ACCELERATOR SHAFT LEVER					
65	F (with C/4)	6	170		1	C5ZZ 9A712-A
65/66	F(with C4)	6	200		1	
65	F (with C/4)	6	170	Nut(clamp to transmission control to accelerator shaft lever)-1/4"-20 lock	2	34390-S7-8(M92)
	9B713 BELLCRANK - SPEED CONTROL					
67	A (with C4, C6, C/M)	8	289,390 428		1	★C7AZ 9B713-A
68	A(C4, C6, C/M)	8	All		1	★C8AZ 9B713-A
67	F (with C4, C6)	8	289,390		1	★C7ZZ 9B713-A
68	F(with C4, C6)	8	All		1	
	9A714 INSERT - THERMOSTATIC CHOKE CONTROL AIR INTAKE					
65	F	8	260		1	D3TZ 9A714-A
65/	A	6	240		1	
65/67	A, B, F, X (except B Special & F Special with 4/B carb.)	8	289		1	
68	B, F, X(with 2/B carb.)	8	289		1	
68/70	A, B, F, X(with 2/B carb.)	8	302		1	
68	F, X(with 4/B carb.)	8	302		1	
66/70	B, F-high performance vehicle-(with 4/B carb.)	8	390		1	
66	B	8	390		1	
67/69	B, F	8	390		1	
68	F Special (with 4/B carb.)	8	427		1	
69	A, B, F	8	351		1	
69	B, F(with 4/B carb.)	8	390, 428-CJ		1	
70	F Boss (with 4/B carb.)	8	302		1	
70	A, F (with 2/B carb.)	8	351		1	
71/	A, B, F, P, U	8	302		1	
71/	A, B	8	351(W)		1	
65	F	6	170		1	D3DZ 9A714-A
65/70	X	6	170,200		1	
65/	B, F	6	200,250		1	
70/	P, U	6	All		1	
65	F	6	170	Plug (retains insert in manifold)-3/8" cup	1	373599-S(PP60A)
	9C715 SHAFT ASSY. - ACCELERATOR CONTROL					
67	S	8	390,428		1	★C7SZ 9C715-A
67	S	8	390,428	Pin-clevis (9C715 to 9725)-3/16" x .88	1	★76187-S
	9E717 WIRING ASSY. - THROTTLE MODULATOR VALVE GROUND					
72	B, F(with 3/S/T)-"Before 10/1/71"	6&8	All	Identified D2AB 9E717-AA, AB	1	D2AZ 9E717-A
72	P(with A/T)-California	6	250		1	
72	P(with 3/S/T) "Before 10/1/71"	6&8	170,302		1	
72	P(A/T)	6	200		1	
72	P(A/T)	8	302		1	
72	B, P(with 3/S/T)-"From 10/1/71"	6&8	All	Identified D2AB 9E717-AC	1	D2AZ 9E717-D
72	F-(with 3/S/T) "From 10/1/71"	8	351-2V		1	
72	F-(with 3/S/T) "From 10/1/71 to 4/3/72"	6&8	250,302		1	
72	F (with 3/S/T) "From 4/3/72"	6&8	250,302	Identified D2ZB 9E717-AA	1	D2ZZ 9E717-A
72	F (with 4/S/T)	8	351-H.O.		1	
72	A(with A/T)-except California	8	302	Identified D2AB 9E717-BB, BC	1	D2AZ 9E717-B
72	F(with FMX)	8	302		1	
72	F(with A/T)	8	351-2V		1	
72	A(with FMX)	8	351(C)		1	
72	A(with A/T)-California	8	302,351	Identified D2AB 9E717-CA, CB	1	D2AZ 9E717-C
72	A, B(P/C)-except California	8	429 P/C		1	
72	B(with A/T)	8	302		1	
72	B(with A/T)-except California)	8	351-2V, 400		1	
72	F(with C4)-except California	8	302		1	
72	F(except California)	8	351CJ		1	
72	S-(California)	8	429	Identified D2SB 9E717-BA, BB	1	D2SZ 9E717-B
72	S	8	460		1	
72	U	8	302	Identified D2BB 9E717-AA	1	D2BZ 9E717-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9E718 VALVE and PRINTED CIRCUIT ASSY. - THROTTLE MODULATOR					
70/	A (with C/M and C4)	6	240	Identified D0AF 9E718 -A, N, AA	1	D0AZ 9E718-A
70	A(with S/T)	8	302	used with distributor or throttle modulator	1	(DY-98)
70	A	8	351		1	
70	A(with C6)	8	390		1	
70	A(with C/M)	8	302	Identified D0AF 9E718-G, T, AD-used with distributor or throttle modulator	1	D0AZ 9E718-G (DY-101)
71	S	8	429		1	
70	B, X(with S/T)	8	302	Identified D0AF 9E718 -B, R, AB	1	D0AZ 9E718-B
70	B (with 4/B carb., C/M and C4)	8	351	used with distributor or throttle modulator	1	(DY-99)
71	B, F, P	6	250		1	
70	B, X(with C4)	8	302	Identified D0AF 9E718 -H, U, AE-used with distributor or throttle modulator	1	D0AZ 9E718-H (DY-104)
70	F (with 2/B carb. & S/T)	8	302	Identified D0AF 9E718-C, AC	1	D0AZ 9E718-C
70	F (with C/M & C4)	8	351	Used with distributor or throttle modulator	1	(DY-100)
70	F(with C4)	8	302	Identified D0AF 9E718-J -J, V, AF-used with distributor or throttle modulator	1	D0AZ 9E718-J (DY-105)
70	B	8	All	Screw(throttle modulator to instrument panel flange)-No. 8-15 x 1/2" -self tapping	2	52012-S8(U202)
	9E719 BRACKET - SPEED SENSOR MOUNTING - Also refer to Group 9E729, 9E730					
70	B(with 2/B carb. & C/4)	8	302		1	D0OZ 9E719-A
70	B(with 4/B carb., CM & C/4)	8	351		1	
71	B(with C4)	6	250		1	
70	U	8	302	Use with throttle modulator	1	D0BZ 9E719-A
	9B720 INSULATOR - ACCELERATOR SHAFT - Also refer to Group 9B862					
65	F	6	170		1	★ C5ZZ 9B720-A
65/66	F	6	200		1	
67	F	6	200		1	★ C7ZZ 9B720-A
65/66	S	8	390,428			C5SZ 9B720-A
66/70	X	6	170,200		1	C6OZ 9B720-A
66/68	B	6	200		1	
	9B721 PIN - ACCELERATOR BELLCRANK					
68	B, F, X(with 3/S/T)	6	All	Steel-2.18" long-5/6"-18 thread on (1) end and	1	C8OZ 9B721-A
69/70	X(with 3/S/T)	6	All	.311" plain diam. on the other	1	
	9E720 COUPLING ASSY. - SPEED CONTROL SENSOR					
70	A	8	All	Used with modulator assy. and speed control	1	D0AZ 9E720-A
72	A, S(with speed control & nox. emission)	8	All		1	
	9E722 CORE ASSY. - SPEED CONTROL SENSOR COUPLING					
70	A	8	All	Used with modulator assy. and speed control	1	D0AZ 9E722-A
71	A(with C4, C/M)(California only)	8	302		1	
71	A	8	390		1	
	9723 BRACKET ASSY. - ACCELERATOR CABLE					
66/67	U	6	170		1	★C6TZ 9723-B
66/67	U	6	170	Attaches 9723 bracket to cylinder head	1	C1DZ 6065-BMR
68/69	U	6	170		1	C6TZ 9723-D
70	U	6	170		1	D0TZ 9723-A
71/	U	6	170		1	D1TZ 9723-A
	9C723 SPACER - CHOKE THERMOSTAT SHIELD					
65	A(except Taxi)	6	240	.44" long-cut from 1/4" steel tubing	2	★C5AF 9C723-A
	9724 LEVER and BRACKET ASSY. - CARBURETOR THROTTLE CONTROL					
66/	U	6&8	170,289 302	Used with hand throttle	1	C6TZ 9724-A
	9E724 WIRING ASSY. - THROTTLE MODULATOR CONTROL					
72	U(with S/T)	6&8	All	Identified D2BB 9E724-AA, AB, AC	1	D2BZ 9E724-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9725 ACCELERATOR ASSY.					
	- A -					
65/68	A	6&8	All		1	C5AZ 9725-B
69/	A	6&8	All		1	C9AZ 9725-A
	- B -					
65	B	8	289		1	C3OZ 9725-B
66/67	B (with S/T)	6	200		1	C6OZ 9725-F
66/67	B (with C4)	6	200		1	C6OZ 9725-G
66/67	B (with S/T & O/D)	8	All		1	C6OZ 9725-D
66/67	B (with C4)	8	289		1	C6OZ 9725-A
66/67	B(with C6)	8	390		1	C6OZ 9725-E
68	B(with S/T)	6	All		1	C8OZ 9725-C
68	B (with C4)	6	All		1	C8OZ 9725-B
68/69	B(with C6)	8	390		1	C8OZ 9725-F
68/69	B(CJ)	8	428CJ		1	
68	B (with C4)	8	289,302		1	C8OZ 9725-G
68/69	B(with C/M, C4)	8	302,351		1	
68/69	B (with S/T& O/D)	8	289,302, 351,390		1	C8OZ 9725-H
69	B (with C4)	6	250		1	C9CZ 9725-A
69	B (with S/T)	6	250		1	C9OZ 9725-B
70/71	B	6&8	All		1	D0OZ 9725-A
72	B "Before 7/10/72"	6&8	All		1	D2OZ 9725-A
72	B "From 7/10/72"	6&8	All		1	D3SZ 9725-A
	- F -					
65	F	6	170		1	C5ZZ 9725-B
65/66	F	6	200		1	
65	F	8	260,289		1	C5ZZ 9725-A
66/68	F (with S/T)	8	289		1	
67/68	F (with S/T)	8	390		1	
68	F (with S/T)	8	302		1	
66/68	F (with C4)	8	289,302		1	C6ZZ 9725-A
67/68	F (with S/T)	6	200		1	★ C7ZZ 9725-C
67/68	F (with C4)	6	200		1	C7ZZ 9725-B
67/68	F (with C6)	8	390		1	C7ZZ 9725-A
68	F(with 4/B carb.)	8	428CJ		1	
68	F Special (with 4/B carb.)	8	427		1	C8ZZ 9725-A
69	F (except speed control)	6&8	All		1	C9ZZ 9725-A
69	F (with speed control)	6&8	All		1	C9ZZ 9725-B
70	F	6&8	All		1	C9ZZ 9725-C
71/72	F "Before 6/19/72"	6&8	All		1	D1ZZ 9725-A
72	F "From 6/19/72"	6&8	All		1	D3ZZ 9725-A
	- L -					
71/72	L "Before 6/19/72"	4	All		1	D1FZ 9725-A
72	L "From 6/19/72"	4	All		1	D3FZ 9725-A
	- P -					
70	P "Before 6/2/69"	6	All	Accelerator shaft	1	D0DZ 9725-A
70	P "From 6/2/69 to 3/16/70"	6	All	Accelerator shaft	1	D0DZ 9725-C
70	P "From 3/16/70"	6	All	Accelerator shaft	1	D0DZ 9725-B
71/72	P "Before 7/31/72"	6&8	All		1	D1DZ 9725-A
72	P "From 7/31/72"	6&8	All		1	D3DZ 9725-A
	- S -					
65/66	S	8	390,428		1	C5SZ 9725-A
67	S	8	390,428		1	C7SZ 9725-B
68/71	S	8	390,429		1	C5AZ 9725-B
72	S "Before 6/19/72"	8	All		1	D2OZ 9725-A
72	S "From 6/19/72"	8	All		1	D3SZ 9725-A
	- U -					
66/72	U "Before Ser.P60,001"	6&8	170,289, 302		1	C6TZ 9725-A
72	U "From Ser.P60,001"	6&8	All		1	D3TZ 9725-J
66/72	U "Before Ser.P60,001"	8	289,302	Accelerator to bellcrank	1	C6TZ 9725-B
72	U "From Ser.P60,001"	8	302	Accelerator to bellcrank	1	D3TZ 9725-K

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9725 ACCELERATOR ASSY. - continued					
	- X -					
65	X (with C4)	6	170,200		1	C5DZ 9725-B
65	X	8	289		1	C4DZ 9725-C
66/67	X (with S/T)	6	170,200		1	C6OZ 9725-F
66/67	X (with C4)	6	170,200		1	C6OZ 9725-G
66/67	X(with S/T)	8	289		1	C6OZ 9725-D
66/67	X (with C4)	8	289		1	C6OZ 9725-A
68/69	X (with C/M, C4)	8	289,302		1	C8OZ 9725-G
70	X (with C4)	8	302		1	
68/70	X (with S/T)	8	289,302		1	C8OZ 9725-H
68/69	X (with C4)	6	All		1	C8OZ 9725-B
69	X (with S/T)	6	All		1	C8OZ 9725-C
70	X (with S/T)	6	200		1	C9DZ 9725-A
70	X (with C4)	6	200		1	C9DZ 9725-B
65/	S (with F/M)	8	All	Bolt (accelerator to engine block)-5/16"-18 x 3/4"	1	20346-S8(B50)
66/	U	8	289,302	Bolt (accelerator to dash panel)	5	
				Lockwasher-5/16"		34806-S7(X64)
				Nut-5/16"-18 hex.		33797-S7(M50)
65	F, S, X	6&8	All	Screw (accelerator to dash panel)-No.14-10 x 5/8"-self tapping-hex. washer head	AR	31498-S8(U253B)
65/	B	6&8	All	Screw (accelerator to dash panel)-No. 14-10 x 1.00" hex washer head tapping	4	42154-S7-8(U256)
65/	B	6&8	All	Washer-1/4" flat	4	370494-S(XX86)
65/66	S	8	390	Screw (accelerator to dash panel)-No. 14-10 x 3/4" hex. washer head	3	42143-S8(U255)
65	A	6&8	All	Retainer (accelerator to bracket)-snap ring	2	97409-S8(Q5A)
67	S	8	390,428	Retainer (accelerator to shaft)	4	
70/	A, S	6&8	All	Retainer (accelerator to bracket)-snap ring	2	
72	B, P	6&8	All	Retainer (accelerator shaft to accelerator bracket) snap ring	2	
72	B, S	8	All	Screw & washer assy. (bracket or bracket & servo to intake manifold)-5/16-18 x 5/8	2	42789-S8 (U-10)
67	S	8	390,428	Pin(accel. to control shaft)-5/32" x .970" clevis	1	381753-S2(NN6E)
70	P	6	All	Screw(accelerator shaft to dash panel)-	2	55914-S2(U254F)
70/	B, F	6&8	All	1/4" x 14 x 3/4" -hex. washer head-self tapping		
70	P	6	All	Washer-flat	2	356403-S8(XX126)
70	F	6&8	All	Washer-flat(used as thrust washer)	2	356214-S8(XX73)
	9C726 SOLENOID and METERING VALVE ASSY. - SPEED CONTROL					
66	S	8	390,428		1	C6SZ 9C726-A
	9727 ROD - ACCELERATOR TO PEDAL					
65/66	A,P/C(with C4, CM & speed control)	8	289,352 390,428	Attaches accelerator shaft to speed control shaft rod to accelerator pedal	1	C5AZ 9727-A
65	X(with S/T)	6	170,200		1	★ B7A 9727-B
65	X	6&8	All	Retainer (accelerator shaft rod)	1	C3AZ 9727-C
65	B	6&8	All		1	
	9C727 VALVE ASSY. - SPEED CONTROL METERING					
65/66	A, P/C	8	289,352 390,428		1	C4SZ 9C727-A
65/66	S	8	390,428		1	
	9728 BRACKET - ACCELERATOR SHAFT					
65	A, P/C	8	352,390		1	C5AZ 9728-C
65	A Special (with 8/B carb.)	8	427		1	★ C5AZ 9728-D
65/67	A(with 2/B carb.)	8	289		1	C9AZ 9728-A
68/70	A(with 2/B carb.)	8	302		1	
65/70	A	6	240		1	C5AZ 9728-E
66/67	A Special (with 8/B carb.)	8	427		1	C5AZ 9728-F
66/67	A Special (with 4/B carb.)	8	427		1	C6AZ 9728-D

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9728 BRACKET - ACCELERATOR SHAFT - continued					
66	A, P/C	8	352,390 428		1	C6AZ 9728-A
67	A, S, P/C	8	390,428		1	
68/70	A, P/C	8	390,428		1	
68	S	8	390		1	
69/70	A(with 2/B carb.)	8	351		1	
69/70	A	8	429		1	C9AZ 9728-B
70	A	6	240		1	D0AZ 9728-A
69	B, F	6	All		1	C9ZZ 9728-A
70	P "Before 10/13/69"	6	All		1	
70	B, F(with S/T)	6	All		1	D0OZ 9728-A
70	P(with S/T) - "From 10/13/69 to 3/16/70"	6	All		1	
70	X	6	All		1	
70	B, F(with C4)	6	All		1	D0OZ 9728-B
70	P(with C4) - "From 10/13/69 to 3/16/70"	6	All		1	
70	P(with C4) "From 3/16/70"	6	All		1	D0DZ 9728-B
70	P (with S/T) "From 3/16/70"	6	All		1	D0DZ 9728-A
68/70	S	8	429		1	C8SZ 9728-A
71	A "Before 3/15/71"	6	240		1	D1AZ 9728-E
71/	A "From 3/15/71"	6	240		1	D1AZ 9728-K
71	A "Before 3/15/71"	8	351W		1	D1AZ 9728-D
71/	A, B "From 3/15/71"	8	351W		1	D1AZ 9728-J
71	A	8	390		1	D1AZ 9728-C
71	A "Before 3/15/71"	8	400		1	D1AZ 9728-A
71/	A "From 3/15/71"	8	400		1	D1AZ 9728-L
72	B	8	400		1	
72	S(without speed control)	8	400		1	
71	A, F "Before 3/15/71"	8	302		1	D1ZZ 9728-D
71/	A, F "From 3/15/71"	8	302		1	D1AZ 9728-G
72	B	8	302		1	
71	B, P "Before 3/15/71"	8	302		1	D1DZ 9728-C
71	B "From 3/15/71"	8	302		1	D1OZ 9728-C
71/	P "From 3/15/71"	8	302		1	
72	A, B, F	8	351(C)		1	D2AZ 9728-A
71/	A(except P/C)	8	429		1	D1AZ 9728-M
71	S	8	429		1	
72	S(without speed control)	8	429,460		1	
72	B	8	429		1	
72	A, B(with P/C engine)	8	429		1	D2OZ 9728-B
71	B, F, P	6	170,250		1	D1ZZ 9728-G
72	B, F, P	6	250		1	D2ZZ 9728-A
71	B "Before 3/15/71"	8	351		1	D1OZ 9728-B
71	B "From 3/15/71"	8	351		1	D1OZ 9728-D
71	F Boss(with 4/B carb.)	8	302		1	D1ZZ 9728-C
71	F "Before 3/15/71"	8	351(C)		1	D1ZZ 9728-E
71	F "From 3/15/71"	8	351(C)		1	D1AZ 9728-H
71	P/C "Before 3/15/71"	8	429		1	D1ZZ 9728-B
71	B, F "Before 3/15/71"	8	429-CJ		1	
71	P/C, B, F (except S/CJ) - "From 3/15/71"	8	429		1	D1AZ 9728-F
71	F	8	429S/CJ		1	D1ZZ 9728-F
71	L(with C4)	4	122		1	D1FZ 9728-A
71	L(with S/T) "Before 7/5/71"	4	122		1	D1FZ 9728-C
71/	L(with S/T) "From 7/5/71"	4	122		1	D1FZ 9728-F
71/72	L "Before 6/19/72"	4	98		1	D1FZ 9728-D
72	L "From 6/19/72"	4	98		1	D3FZ 9728-B
72	L(with C4)	4	122		1	D1FZ 9728-E

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9728 BRACKET - ACCELERATOR SHAFT - continued					
71	P "Before 3/15/71"	6	200		1	D1DZ 9728-A
71	P "From 3/15/71"	6	200		1	D1DZ 9728-B
72	P	6	170,200		1	D2DZ 9728-A
65	A, P/C	6&8	All	Bolt(bracket to manifold)-5/16"-18 x 5/8" hex. hd.	2	20326-S7-8(B49)
67	S	8	390,428	Bolt(bracket to manifold)-5/16"-18 x 1/2" hex. hd.	2	20310-S8(B48)
				Lockwasher-5/16"		34806-S7(X64)
67	S	8	390,428	Stud (bracket to manifold)-5/8"-16-18 x 1-1/2"	2	379119-S(WW4D)
70	P	6	All	Bolt(bracket to engine)-3/8" x 16 x 5/8" hex. hd.	2	20328-S8(B76)
72	A	6&8	All	Screw & washer assy.(bracket to manifold)-5/16"-18 x 5/8"	2	42789-S8(U10)
72	L	4	122	Screw (bracket to manifold)-M8 x 14	2	N800001-S51 (AB96)
	9C728 SOLENOID ASSY. - SPEED CONTROL					
65	S	8	390,428		1	C4SZ 9C728-A
65/66	A, P/C	8	289,352 390,428		1	
65/66	A, S	8	All	Nut (solenoid to bracket)-No. 10-32	1	34079-S7(M163)
				Lockwasher-No. 10	1	34803-S7(X60)
	9E729 BRACKET - SPEED CONTROL SENSOR - Also refer to Groups 9E719, 9E730					
70/71	A(with C/M, C4, C6)	6&8	240,302 390	All with throttle modulator emission system	1	D0AZ 9E729-A
	9E730 BRACKET - THROTTLE MODULATOR MOUNTING - Also refer to Groups 9E719, 9E729					
70	B(with 2/B carb.)	8	302	Used with throttle modulation	1	D0OZ 9E730-A
70	B(with 4/B carb.)	8	351		1	
71	B(with C4)	6	250		1	
71	S	8	429		1	D1SZ 9E730-A
71/	F	6&8	All		1	D1ZZ 9E730-A
72	P(with A/T)-with nox. emission	6&8	250,302		1	D2DZ 9E730-A
	9C731 PUMP ASSY. - SPEED CONTROL					
65	S	8	390		1	C4SZ 9C731-A
65/66	A, P/C(with C4, C6, C/M)	8	289,352 390,428		1	
66	S	8	390,428		1	C6SZ 9C731-A
65/66	A, S	8	All	Screw (pump assy. to bracket)-No. 8-32 x 1/2" hex. washer head	2	40917-S8(U257)
	9E731 SENSOR ASSY. - SPEED - Also refer to Group 9D842					
70	B, F, X	8	302	Use with modulator system-identified D0AF	1	D0AZ 9E731-A
70	B, F	8	351	9E731-A-C, D0AF 9D842-A	1	(DY-102)
70	U	6&8	All		1	
71	A(with C4)(exc.California)	6	240		1	
71	B, F(with C4)	6	250		1	
71	S(California only)	8	429		1	
71	P(with C4)	6	170,250		1	
70	A	6&8	All	Use with modulator system-identified D0AF 9E731-B, D0AF 9D842-B	1	D0AZ 9E731-B (DY-103)
72	A(with A/T)-with nox. emission	8	351, 400		1	D2AZ 9E731-B (DY-108)
72	A	8	429P/C		1	
72	F, L(with A/T)-with nox. emission	4, 6 &8	All		1	D2AZ 9E731-A (DY-110)
72	P(with A/T)-with nox. emission	6&8	All		1	
72	B	6&8	All		1	D2AZ 9E731-C (DY-111)
72	S	8	All		1	D2AZ 9E731-D (DY-140)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9732 BELLCRANK ASSY. - CARBURETOR ACCELERATOR - Also refer to group 7A188					
65/67	A Special(with 8/B carb.)	8	427		1	C5AZ 9732-B
68	B, F, X	6	All		1	C8OZ 9732-A
69/70	X	6	All		1	
65	X	6	170,200		1	C4DZ 9732-C
65	B, F	6	200		1	
66/67	X	6	170,200		1	C6OZ 9732-A
66/67	B	6	200		1	
67	F	6	200		1	
69	F "Before 5/2/69"	6	All		1	C9ZZ 9732-A
69	B(with C4)	6	All		1	
69	B(with S/T) "Before 5/2/69"	6	All		1	
70	P(with C4) "Before 9/2/69"	6	170,200	"Not required on vehicles from 9/2/69"	1	C9ZZ 9732-C
69	F(with C4) "From 5/2/69"	6	All		1	
70	P(with S/T) "Before 9/2/69"	6	170,200	"Not required on vehicles from 9/2/69"	1	C9ZZ 9732-D
69	B(with S/T) "From 5/2/69"	6	All		1	
69	F(with S/T) "From 5/2/69"	6	All		1	
65/70	B, X	6	170,200	Washer (accelerator bellcrank to pin-accel. bellcrank)-1/4" retaining "C"	1	359354-S(XX8C)
65/70	X	6	170,200	Washer-spring-5/16"	1	351341-S7(XX351)
70/	B, F, P	6	All	C-washer (bellcrank to brkt.)-17/32" O. D. x 13/64" I. D. x 1/32" thick	1	97409-S8(Q5A)
	9C733 RELAY ASSY. - SPEED CONTROL					
69/70	F (with C4, C6, C/M)	8	All	1.81" long x .94" wide x 1.40" high with straight bracket-wiring 12" long with (2) male connectors-ident. C9ZA 9C733-B	1	C9ZZ 9C733-A
65	S	8	390		1	C4SZ 9C733-A
65/66	A, P/C (with C4, C6, C/M)	8	289,352 390,428		1	
66	S	8	390,428	Thermal hold	1	C6SZ 9C733-D
66/67	S	8	390,428	3"x3"square x 1 1/2"high with "L"shaped bracket	1	C6SZ 9C733-F
67/69	S (with C6)	8	All	1.81" long x .94" wide x 1.40" high with straight brkt.-wiring assy. 6" long with (2) male & (1) female connectors-ident. C7SA 9C733-A	1	C7SZ 9C733-A
67/68	S(with C6)	8	All	1.81" long x .94" wide x 1.40" high with straight bracket-wiring assy. 8" long with (1) male & (3) female connectors-ident. C8SA 9C733-A	1	C7SZ 9C733-C
69	S (with C6) "Before 2/24/69"	8	All	Anti-retard-1.81" long x .94" wide x 1.40" high with wiring assy. -8" long with (1) male & (3) female connectors-ident. C9SA 9C733-A	1	C9SZ 9C733-A
69	S(with C6) "From 2/24/69"	8	All	Anti-retard-1.81" long-.94" wide-1.40" high with wiring assy. -8" long with (1) male and (3) female connectors-ident. ED-C9SA 9C733-A, C9SA 9C733-B	1	C9SZ 9C733-B
65	S	8	390	Screw (relay to mounting bracket)-No. 14-14 x 1/2" hex. washer head-tapping	2	31497-S8(U254)
67	S(with C6)	8	390,428	Screw (relay to bracket)-No. 10-24 x 1/2" hex. washer head	2	40918-S8(U260)
	9C734 SERVO and BRACKET ASSY. - SPEED CONTROL					
69	F (with C4, C6, C/M)	8	All	Includes 9725 accel. shaft assembly	1	C9ZZ 9C734-A
	9D734 SWITCH ASSY. - SPEED CONTROL VACUUM RETARD					
66	S	8	390,428		1	★ C6SZ 9D734-A
	9735 PEDAL ASSY. - ACCELERATOR					
	- A -					
65/66	A(57F, 63C, F, 76B)	6&8	All	Cover (accelerator pedal pad)	1	C5AZ 9735-C
67	A (57F, 63C, J, 76B)	6&8	All		1	
65/67	A	6&8	All	Moulded rubber design	1	C5AZ 9735-D
68	A	6&8	All	Without chrome trim cover	1	C8AZ 9735-A
68	A	6&8	All	With chrome trim cover	1	C9SZ 9735-A
69/	A	6&8	All	With chrome trim cover	1	C9AZ 9735-C

YEAR	MODEL		CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9735 PEDAL ASSY. - ACCELERATOR - continued						
	- B -						
65	B		6&8	All	Moulded rubber design	1	C0DD 9735-A
66/67	B		6&8	All		1	C5ZZ 9735-D
68	B	"Before 4/25/68"	6&8	All	Moulded - r/b C8OZ 9735-B (12/74)	1	★C8OZ 9735-A
68/71	B	"From 4/25/68"	6&8	All	Moulded	1	C8OZ 9735-B
68	B	"Before 4/25/68"	6&8	All	Cover (accelerator pedal pad)-(rustless steel) with " Luxury trim"	1	C5ZZ 9735-E
68/70	B	"From 4/25/68"	6&8	All	Cover (accelerator pedal)-stainless steel	1	C9OZ 9735-A
72	B		6&8	All	Cover (accelerator pedal pad)	1	D2OZ 9735-A
72	B		6&8	All		1	D2SZ 9735-A
	- F -						
65/68	F		6&8	All		1	C5ZZ 9735-D
68	F	"Before 4/25/68"	6&8	All	Cover (accel. pedal pad)-(rustless steel)	1	C5ZZ 9735-E
68/70	F	"From 4/25/68"	6&8	All	Cover (accel. pedal pad)-(stainless steel)	1	C9OZ 9735-A
69/70	F		6&8	All	Moulded	1	C9ZZ 9735-A
71/	F		6&8	All		1	D1ZZ 9735-A
71	F(63R, 65F)		8	429	Cover (accel.pedal pad)	1	D1ZZ 9735-B
72	F		6&8	All		1	
	- L -						
71/	L		4	All		1	D1FZ 9735-A
	- P -						
70	P		6	All		1	D0DZ 9735-A
71/	P		6&8	All		1	D1DZ 9735-A
	- S -						
65	S(with drum brakes only)		8	390		1	★ C4SZ 9735-A
65/66	S(with disc brakes only)		8	390		1	C5SZ 9735-A
65/66	S(with disc brakes only)		8	390	Cover (accelerator pedal pad) (bright finish)	1	★ C5SZ 9735-B
65/67	S		8	All		1	MG 9735-A
67	S		8	390,428		1	C7SZ 9735-A
67	S		8	390,428	Cover (accelerator pedal pad)-(rustless steel)		C7SZ 9735-B
68/71	S		8	All	With chrome trim cover	1	C9SZ 9735-A
72	S		8	All		1	D2SZ 9735-A
72	S		8	All	Cover (accelerator pedal pad)	1	D2OZ 9735-A
	- U -						
66/	U		6&8	All		1	C5AZ 9735-D
	- X -						
66/67	X		6&8	All	Pedal assy.	1	C5ZZ 9735-D
65	X		6&8	All	Moulded rubber design	1	C0DD 9735-A
68	X	"Before 4/25/68"	6&8	All	Moulded - r/b C8OZ 9735-B (12/74)	1	★C8OZ 9735-A
68/70	X	"From 4/25/68"	6&8	All	Moulded	1	C8OZ 9735-B
68	X	"Before 4/25/68"	6&8	All	Cover (accelerator pedal pad)-(rustless steel)	1	C5ZZ 9735-E
68/70	X	"From 4/25/68"	6&8	All	Cover (accelerator pedal pad)-(stainless steel)	1	C9OZ 9735-A
65	S		8	390	Screw(pedal to floor)-No. 14-10 x 3/4" hex.	2	42143-S8(U255)
65	X		6&8	All	washer head	2	
65	F		6&8	All	Nut-1/8" spring	1	350786-AS7-8 (MM239)
65/66	B		6	170,200	Screw (pedal to floor)-No. 14-14 x 1/2"-hex. washer head-tapping	2	31497-S8(U254)
66/	F		6&8	All	Screw (pedal to accelerator shaft)-1/4"-28 x 1.05" pan head shoulder	1	380503-S8(BB701P)
66/	U		8	289,302	Retainer (pedal to accelerator) - "C"	2	351825-S(XX9)
72	A, P, S		6&8	All		2	
72	B		6&8	All	Washer (pedal assy. to shaft)-C type	1	97409-S8 (Q5A)
	9C735 SERVO ASSY. - SPEED CONTROL						
65/68	A, S, P/C (with C4, C6, C/M)		8	All		1	C7ZZ 9C735-A
69	S (with C6)		8	All		1	
67/68	F (with C4, C6)		8	All		1	
69	A, P/C (with C4, C6, C/M)		8	All	Service pkg. includes-(2) C9AZ 9D841-A pin,	1	C9AZ 9C735-A
70	S		8	429	(2) 352358-S locking pin	1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9C735 SERVO ASSY. - SPEED CONTROL - continued					
70/	A	8	All	Identified D0AA 9C735-A, D2AA 9C735-AA, AB	1	D0AZ 9C735-A
71	S	8	429	D3AA-AA	1	
72	S	8	All	Identified D2SA 9C735-AA, BA	1	D2SZ 9C735-A
69	F (with C4, C6, C/M)	8	All		1	C9ZZ 9C735-A
65/	A, S	8	All	Nut (speed control servo assy. to bracket)-1/4"-20	1	33795-S7(M49)
67	A, F (with C4, C6, C/M)	8	289,390 428	Nut (speed control servo assy. to bracket)-1/4"-20 hex. check	1	33920-S8(M25)
				Lockwasher-1/4" external tooth		34940-S7-8(XX88)
				Lockwasher-1/4"	1	34805-S8(X62)
	9B736 BRACKET - SPEED CONTROL ACTUATOR CABLE					
65/66	S	8	390,428		1	★ C5SZ 9B736-A
	9C736 BRACKET - SPEED CONTROL SERVO					
67	A, P/C (with C4, C6, C/M)	8	All		1	★ C7AZ 9C736-A
68	A, P/C (with C4, C6, C/M)	8	All		1	★ C8AZ 9C736-A
69/70	A, P/C (with C4, C6, C/M)	8	All	Service pkg. includes-(1) C9AA 9D858-B guard	1	C9AZ 9C736-A
71/	A	8	All		1	D1AZ 9C736-A
67/68	F (with C4, C6)	8	All		1	★C7ZZ 9C736-A
67	S (with C6)	8	390,428		1	★ C7SZ 9C736-A
68	S (with C6) "Before 11/1/67"	8	All	Not replaced	1	★ C8SZ 9C736-A
68/69	S (with C6) "From 11/1/67"	8	All		1	C9SZ 9C736-A
70	S (with electric wipers) - "Before 10/1/69"	8	429		1	D0SZ 9C736-A
71	S	8	429		1	
70	S(with electric wipers) - "From 10/1/69"	8	429		1	D0SZ 9C736-B
70	S(with hydraulic wipers)	8	429		1	D0SZ 9C736-C
67	F (with C4, C6)	8	289,390	Screw (bracket to dash panel)-No. 10-16 x 3/8" self-tapping hex. washer head	3	42120-S8(U248)
67	S	8	All	Screw(brkt. to dash panel)-1/4"-14 x 1/2" - self tap-hex. head	AR	★31527-S
69	A	8	All	Screw-1/4"-14 x 3/8"-self tap hex. head	AR	★55980-S
	9E736 HOSE - CARBURETOR CHOKE FRONT					
71/	L	4	98	.32" I.D.-.66" O.D.-20.00" long	1	D1FZ 9E736-A
	9E736 HOSE - CARBURETOR CHOKE REAR - Improvise from D1FZ 9E736-A					
	9737 SPRING - ACCELERATOR RETRACTING					
65/67	A Special(with S/T & 8/B carb.)	8	427	.55" O. D. -3. 52" long-60 3/4 coils	1	C5AZ 9737-K
65/69	A	6	240	.57" O. D. -3. 81" long-40 1/2 coils -Repl. by C7AZ 9737-C	1	★C5AZ 9737-A
70	A	6	240	.53" O. D. -4. 87" long-40 1/2 coils	1	D0AZ 9737-A
66/67	A Special (with 4/B carb.)	8	427	.766" O. D. -8. 00" long-15 3/4 coils - Repl. by	1	★C6AZ 9737-B
67	B Special (with 4/B carb.)	8	427	C7AZ 9737-E	1	
65	A, P/C	8	289,352 390	.58" O. D. -6. 52" long-24 1/2 coils - Repl. by C7AZ 9737-C	1	★C5AZ 9737-B
65	A(71)	6&8	All	Used with electric tailgate window	1	
66/67	A	8	289		1	
67	A(76)	6&8	All	Used as folding top compartment support to rear of deck lid hinge support	2	
67	X (with 4/B carb.)	8	289		1	
67	F (except F Special)(with 4/B carb.)	8	289		1	
68	B, F	8	289,390		1	
68	F, X	8	302		1	
66	A, P/C	8	352,390 428	.583" O. D. -7. 69" long-24 1/2 coils - Repl. by C7AZ 9737-C	1	★C6AZ 9737-A
67	A, S, P/C	8	390,428		1	
68	A, P/C (with 4/B carb.)	8	390,428		1	
68/70	S	8	390,429		1	
69/70	A, P/C (with 4/B carb.)	8	428,429		1	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9737 SPRING - ACCELERATOR RETRACTING - continued					
68	A (with 2/B carb.)	8	302,390	.567" O.D. x 6.20" long - identified "Green" - Repl. by C7AZ 9737-C	1	★C8AZ 9737-A
69/70	A (with 2/B carb.)	8	302,351, 390,429	.55" O.D. -7.79" long-24 coils	1	C9AZ 9737-B
65	B	6	200	.64" O.D. -8.86" long-5 1 3/4 coils-Repl. by C7AZ 9737-A	1	★C4DZ 9737-A
65	X	6	170,200		1	
65	B, X	8	289	.75" O.D. -5.52" long-18 coils-Repl. by C7AZ 9737-A	1	★C4AZ 9737-A
65	B, X	8	289		1	
66	B, X	6	170,200	.663" O.D. -9.01" long-24 coils - Repl. by C7AZ 9737-B	1	★C6OZ 9737-B
67	B	8	289,390	.437" O.D. -5.64" long-18 coils - Repl. by C7AZ 9737-E	1	★C7OZ 9737-A
67	B, F	6	200	.54" O.D. -7.14" long-41 coils -Replaced by C7AZ 9737-A	1	★C7ZZ 9737-A
67	X	6	170,200		1	
68	B, F	6	All	.470" O.D. -9.27" long-50 coils	1	C7AZ 9737-D
68/70	X	6	All		1	
69	F (with 2/B carb.) - "Before 4/9/69"	8	302,351		1	
68	B (with 2/B carb.)	8	289,302, 390	.650" diameter-2.10" free length-13 coils	1	C8OZ 9737-C
69	B (with 2/B carb.) "Before 4/9/69"	8	302,351		1	
68	B (with 4/B carb.)	8	302,390	.545" diameter-1.95" free length-15 coils	1	C8OZ 9737-D
68	B Special (with 4/B carb.)	8	427		1	
69	B (with 4/B carb.)	8	351		1	
68	B, F, X (with 2/B carb.)	8	289	.700" O.D. -2.34" long-15 coils	1	C8ZZ 9737-A
68	B (except 427 Special)	8	All		1	
68	F (with 2/B carb.)	8	302		1	
69/70	X (with 2/B carb.)	8	302		1	
65/66	F	6	170,200	.613" O.D. -3.04" long-34 coils - Repl. by C7AZ 9737-A	1	★C5ZZ 9737-A
65/66	F	8	260,289	.701" O.D. -1.74" long-15 coils	1	C5ZZ 9737-B
65	A (with 6/B carb. & S/T & O/D)	8	352,390		1	
65	A (with 6/B carb. & C/M, C4)	8	352,390		2	
66/68	B, X	8	289		1	
67	X (with 2/B carb.)	8	289		1	
67	B (with 2/B carb.) "Before 9/15/66"	8	289		1	
67	B "Before 9/15/66"	8	390		2	
67	F	8	289,390		1	
67/68	B "From 9/15/66 to 2/26/68"	8	289,390		1	
68	B, F, X	8	302		1	
68	F Special (with 4/B carb.) - "Before 2/26/68"	8	427		1	
68	B (CJ) (with 4/B carb.)	8	428-CJ		1	
68	F, X (with 4/B carb.)	8	302	.607" O.D. -1.44" long-20 coils	1	C8ZZ 9737-B
69	B, F "Before 4/9/69"	6	All		1	
69	F (with 4/B carb.) "Before 4/9/69"	8	351,390, 428 CJ	.427" O.D. -4.94" long-34 coils-replaced by C7TZ 9737-H	1	★C9ZZ 9737-A
69	F Boss (with 4/B carb.) - "From 4/9/69"	8	302		1	
69	F (with 4/B carb.) "From 4/9/69"	8	351,390, 428 CJ	.457" O.D. -4.22" long-34 coils - Repl. by C7AZ 9737-D (11/74)	1	★C9ZZ 9737-F
69	F Boss (with 4/B carb.) - "From 4/9/69"	8	302,429		1	
70	P, X	6	All	.614" O.D. -3.80" long-27 coils	1	C9ZZ 9737-G
69/70	B, F "From 4/9/69"	6	All		1	
69/70	B, F (with 2/B carb.) "From 4/9/69"	8	302,351		1	
70	F Boss (with 4/B carb.)	8	429		1	
70	B, F (with 4/B carb.)	8	351		1	
70	B	8	429 S/CJ	4.22" long-34 coils	1	D0OZ 9737-A
65/66	S (with 4/B carb.)	8	390	.83" O.D. -3.78" long-30 coils-Repl. by C7AZ 9737-B	1	★C1SZ 9737-B
66	S	8	390,428	.770" O.D. -3.44" long-20 coils-Repl. by C7AZ 9737-B	1	★C6SZ 9737-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9737 SPRING - ACCELERATOR RETRACTING - continued					
66/68	U "Before Ser.C28,001"	6	170	.860" O.D.-2.31" long-10 1/4 coils - Repl. by C7TZ 9737-H	1	★C6TZ 9737-B
68/	U "From Ser.C28,001"	6	170	.88" O.D.-3.15" long-9 3/4 coils	1	C8TZ 9737-D
66/68	U "Before Ser.D26,001"	8	289	.84" O.D.-5.07" long-7 coils-replaced by C7AZ 9737-A kit	1	★C6TZ 9737-C
68/72	U "From Ser.D26,001 to Ser.P20,001"	8	289,302	.75" O.D.-5.44" long-17 coils	1	C8TZ 9737-H
72	U "From Ser.P20,001"	8	302	3/8" O.D.-5 1/2" long-34 coils	1	D3TZ 9737-D
	9737 SPRING and EXTENSION KIT - ACCELERATOR RETURN - Refer to above 9737 group for spring application					
	Consists of the following 5 - C7RA 9737-B 10 - C7RA 9A843-A			Spring (accel.shaft return)-.75" O.D.-2.84" long-36 1/2" coils Extension (accel.retracting spring)-6" long	AR	C7AZ 9737-A
	Consists of the following 5 - C7RA 9737-C 10 - C7RA 9A843-A			Spring (accel.shaft return)-.78" O.D.-2.82" long-27 1/2 coils Extension (accel.retracting spring)-6" long	AR	C7TZ 9737-H
	Consists of the following 5 - C7RA 9737-D 10 - C7RA 9A843-A			Spring (accel.shaft return)-.70" O.D.-3.01" long-35 1/2 coils Extension (accel.retracting spring)-6" long	AR	C7AZ 9737-C
	Consists of the following 5 - C7RA 9737-A 10 - C7RA 9A843-A			Spring (accel.shaft return)-.78" O.D.-2.38" long-25 1/2 coils Extension (accel.retracting spring)-6" long	AR	C7AZ 9737-B
	Consists of the following 1 - C7RA 9737-G 2 - C7RA 9A843-A			Spring (accel.shaft return)-.77" O.D.-2.80" long-24 1/2 coils Extension (accel.return spring)-6" long	AR	C7AZ 9737-E
	9D737 RELAY ASSY. - SPEED CONTROL RELEASE					
67	A (with C4,C6,C/M)	8	All	Stamped C7AA 9D737-A	1	C6VY 9D737-D
67	F (with C4,C6)	8	All		1	
68	A (with C4,C6,C/M)	8	All	Stamped C7MA 9D737-B	1	C7MY 9D737-B
68/69	F (with C4,C6)	8	All	Stamped C8ZA 9D737-A	1	C8ZZ 9D737-A
66/68	S (with C6)	8	All	Stamped C6SA 9D737-C, C7SA 9D737-C	1	C6SZ 9D737-D
66	A	8	289,352,390,428		1	
67/68	S (with C6)	8	All	Stamped C7SA 9D737-A,B - located closest to large assembly bracket	1	C7SZ 9D737-B
69	S (with C6)	8	All	With bracket and (2) grommets-1.81" long-.94" wide-1.40" wide-wiring assy. 6" long with (1) male & (2) male connectors-also 5" wire with eyelet connector-ident. C9SA 9D737-A	1	C9SZ 9D737-A
67	A, F (with C4, C6, C/M)	8	289,390,428	Screw (relay to bracket)-No.10-24x1/2" hex. washer hd.	2	40918-S8(U260)
	9B739 KNOB ASSY. - CARBURETOR CHOKE CONTROL					
65	B Special, F Special(with 4/B carb.)	6	289		1	C4DZ 9B739-A
65	B	6	200		1	
66	F Special(with 4/B carb.)	8	289		1	
70	F Boss(with 4/B carb.)	8	429		1	
	9C740 ROD - SPEED CONTROL PIVOT ARM TO CARBURETOR					
67	A (with C4, C6, C/M)	8	289,390,428		1	★C7AZ 9C740-A
67	S (with C6)	8	390,428		1	★ C7SZ 9C740-A
68	A(with C4, C6, C/M) "Before 12/8/67"	8	All	Bellcrank to carburetor	1	★ C8AZ 9C740-A
68	A (with C4, C6, C/M) - "From 12/8/67 to 5/1/68"	8	All	Bellcrank to carburetor	1	★ C8AZ 9C740-B
68	A(with C4,C6,C/M) "From 5/1/68"	8	All		1	★ C8AZ 9C740-C
68	S (with C6)	8	390	Not replaced	1	★ C8SZ 9C740-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9C740 ROD - SPEED CONTROL PIVOT ARM TO CARBURETOR - continued					
68/69	S (with C6)	8	429		1	C8SZ 9C740-B
69	A (with 2/B & 4/B carb.)	8	302,390 429	7.92" long	1	C9AZ 9C740-D
69	A (with 2/B carb.)	8	351	8" long	1	C9AZ 9C740-E
70	A, S	8	All		1	
71/	A	8	All		1	D1AZ 9C740-A
71	S	8	All		1	
65/66	S	8	390	Washer (speed control pivot arm rod to speed control rod pivot arm to servo)-"C"	1	353862-S8(XX10)
67	A, S (with C4, C6, C/M)	8	289,390 428	Washer (rod to arm assy.)-3/16" flat	1	372396-S8(XX78)
67	A (with C4,C6, C/M)	8	289,390 428	Washer (rod to arm assy.)-3/16" spring	1	372395-S(XX368)
				Retainer-spring-.62" long		354569-S(RR1)
70	A, S	8	All	Clip (required as part of rod assy.)	2	372181-S100 (GG310)
	9E740 SWITCH ASSY. - SPARK CONTROL					
72	B (with A/T)	6	250	Identified White	1	D2AZ 9E740-B
72	P(with M/T)	6	200		1	
72	A, B, F(with A/T)	8	351C-2V		1	
72	B (exc.nox emission)	8	351 (W) -2V		1	
72	F(with A/T)	6&8	250,302,	Identified Black	1	D2AZ 9E740-A
72	L(with M/T)	4	122	Identified Blue	1	D2AZ 9E740-C
72	P(with A/T)-California	6	200		1	
72	B, F (with A/T)	8	351 CJ		1	
72	S(with nox emission)	8	460	Identified Grey	1	D2AZ 9E740-D
72	A, B	8	429P/C			
72	F(with A/T & nox. emission)	6&8	All	Screw-No.8-18 x 1.50"-attaches switch assy. to cowl	2	42160-S7-8 (U274A)
72	B	6&8	All	Screw (switch assy. to instrument panel)-No.18-12 x 1/2"	1	383938-S2 (UU52V)
	9741 BRACKET - ACCELERATOR TO RETRACTING SPRING					
65/68	A	6	240		1	C5AZ 9741-A
66	A Special(with 4/B, 8/B carb.)	8	427		1	C5AZ 9741-B
68	B Special (with 4/B carb.)	8	427		1	
69/70	A (with S/T)	6	240		1	C9AZ 9741-A
65	F	8	260		1	C7OZ 9741-A
66/68	B, F, X(with 2/B carb.)	8	289		1	
68	A, B (with 2/B carb.)	8	302		1	
66/68	B, F(with 2/B carb.)	8	390		1	
65	B, X	8	289		1	
69	B, X (with 2/B carb.)	8	302		1	
65	F(with 2/B carb. & S/T)	8	289		1	
66/67	F (with 2/B carb.)	8	289		1	
66/68	U(with 2/B carb.)- "Before 5/8/68"	8	289		1	
70	F, X(with 2/B carb.)	8	302		1	
66	B(with 4/B carb.)	8	390		1	★C6OZ 9741-A
67/68	B(with 4/B carb.)	8	390		1	C7OZ 9741-B
67	F (with 4/B carb.)	8	390		1	
68	F Special (with 4/B carb.)	8	427		1	
68/69	B (with 4/B carb.)	8	390,428 428 CJ		1	
65	F (with C/4)	8	260,289		1	C3AZ 9741-A
66	F, X (with C4)	8	289		1	
65/66	F (with 4/B carb.)	8	289		1	C5ZZ 9741-C
66	X(with 4/B carb.)	8	289		1	
67	F (except F Special)(with 4/B carb.)	8	289		1	C7ZZ 9741-A
67	X (with 4/B carb.)	8	289		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9741 BRACKET - ACCELERATOR TO RETRACTING SPRING - continued					
68	F (with 2/B carb.)	8	289		1	C8ZZ 9741-A
68	F (with 4/B carb.)	8	390		1	
68	F, X (with 4/B carb.)	8	302		1	
69/70	F Boss (with 4/B carb.)	8	302		1	D0ZZ 9741-A
69/70	F (w/2/B carb.)	8	302,351		1	C9ZZ 9741-D
70	F(with 2/B carb.)	8	351W		1	
69	A (with 2/B carb.	8	351			
69	F (with 4/B carb.)	8	351,428 428 CJ		1	C9ZZ 9741-B
69	F Boss (with 4/B carb.)	8	429		1	
70	P/C(with 4/B carb.)	8	428		1	
70	F(with 4/B carb.)	8	428CJ		1	D0ZZ 9741-B
69	F (with 4/B carb.)	8	390		1	C9ZZ 9741-C
70	B(with 4/B carb.)	8	429		1	
65/66	S	8	390,428		1	★C1SZ 9741-A
66/72	U "Before 7/1/72"	8	289,302		1	C8TZ 9741-G
72	U "From 7/1/72"	8	302		1	D3TZ 9741-C
70	B(with 2/B carb.)	8	351		1	D0OZ 9741-A
70	F (with 2/B carb.)	8	351C		1	
71	B, F(with 2/B carb.)	8	351		1	
70/71	B, F(with 4/B carb.)	8	351		1	D0OZ 9741-B
70	B(with 4/B carb.)	8	429CJ		1	D0OZ 9741-C
70	B(with 4/B carb.)	8	429 S/CJ		1	D0OZ 9741-D
65	F (with C/4)	8	260,289	Bolt(bracket to cyl. head)-1/4"-20x5/8"hex. hd.	1	20324-S8(B41)
				Lockwasher 1/4"		34805-S8(X62)
65	A	6	240	Bolt(bracket to manifold)-5/16"-18 x 5/8" hex.hd.	2	§20326-S7-8(B49)
66	U	8	289	Bolt (bracket to manifold)	1	
				Lockwasher-5/16"		34806-S7(X64)
	9C741 BUTTON ASSY. - SPEED CONTROL ACTUATOR PUSH					
65/66	S	8	390,428		1	★C4SZ 9C741-B
67	S (with C6)	8	390,428	Service pkg. includes (1) 354293-S8 set screw	1	★C7SZ 9C741-A
65/71	S	8	390,428	Screw(button to actuator shaft)-No. 6-32x1/8" hex. socket head set	1	354293-S8(UU27)
	9B742 THROTTLE CONTROL KIT - Also refer to Group 9775					
65/68	A	6&8	All		1	C8AZ 9B742-A
	9A745 SHIELD - CARBURETOR THERMOSTATIC CHOKE HEAT TUBE INLET - Also refer to Group 9A761					
65	F	6	170		1	C1KE 9A745-A
65/	B, F	6	200,250		1	
65/70	X	6	170,200		1	
70/71	P	6	All		1	
72	P	6	250		1	
	9C745 HOSE - SPEED CONTROL METERING VALVE TO PUMP					
65	S "Before 12/18/64"	8	390	.125" I. D. -. 27" O. D. -15. 12" long - cut from C4SZ 9C745-C	1	★C4SZ 9C745-A
65	A,P/C(with C4, C/M) - "Before 12/18/64"	8	289,352, 390	.135" I. D. -. 28" O. D. -31. 56" long - cut from C4SZ 9C745-C	1	★C4SZ 9C745-B
65/66	A,P/C(with C4, C6, C/M) "From 12/18/64"	8	289,352, 390,428	.126" I. D. -. 264" O. D. -31. 56" long	1	★ C4SZ 9C745-C
65	S "From 12/18/64"	8	390	Cut to 15. 12" long	1	
66	S	8	390,428	Control tee to pump-cut to 9. 18" long	1	
66	S	8	390,428	Cut to 10. 18" long	1	
66	S	8	390,428	Speed control tee to metering valve-cut to 7. 44" long	1	
65/66	A, S	8	390	Clamp (hose to 9C731)-1/4"	1	★378919-S
66	S	8	All	Tee-1/4" x 1/2" x 1/4"	1	★380518-S

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9C746 HOSE - SPEED CONTROL METERING VALVE TO SERVO -Improvise from basic group 17543 bulk hose					
	9C746 HOSE - SPEED CONTROL HARNESS -Improvise from basic group 17543 bulk hose					
66	S	8	All	Tee-1/4" x 1/8" x 1/4"	1	★380518-S
	9C746 HOSE - SPEED CONTROL REGULATOR TO VALVE					
67	F (with C4, C6)	8	289,390	.136" I.D.-.266" O.D.-14.09" long-not repl.	1	★C7ZZ 9C746-A
	9C747 HOSE - SPEED CONTROL SOLENOID TO METERING VALVE					
65/66	A,P/C(with C4, C6, C/M)	8	289,352 390,428	.296" I.D.-.53" O.D.-8.50" long-cut from C4SZ 9C748-B hose	1 1	★C4AA 9C747-A
	9D747 RETAINER - ACCELERATOR SHAFT BOOT					
66/	U	8	289,302		1	C6TZ 9D747-A
	9C748 HOSE - SPEED CONTROL SOLENOID TO METERING VALVE					
65	A,P/C(with C4, C/M)	8	289,352 390	.296" I.D.-.53" O.D.-69.06" long	1	★ C4SZ 9C748-B
65/66	A(with C4, C/M)	8	289	Cut to 54.06" long	1	
65/66	S	8	390,428	Cut to 32.62" long	1	
66	S	8	390,428	Speed control harness-cut to 56.12" long	1	
67	S (with C6)	8	390,428	Speed control metering valve to vacuum supply-.235" I.D.-.453" O.D.-8.84" long-cut from C4SZ 9C746-C	1	★C7SA 9C748-B
68	S (with C6)	8	All		1	
68/69	S(with C6)	8	All	Metering valve to vacuum supply-.219" I.D.-.445" O.D.-8.84" long-cut from C8AZ 17523-B	1	★C8SA 9C748-A
	9C752 NUT - SPEED CONTROL ACTUATOR BEZEL					
68	A (C4, C6, C/M)	8	All	Chrome-1/2"-28 internal thread	1	★ C8AZ 9C752-A
	9A753-54 - Refer to Carburetor Parts List Section 95					
	9D753 RETAINER - SPEED CONTROL SWITCH WIRING					
67	A(C4, C6, C/M)	8	289,390 428	Used with column gear shift	1	★ C7AZ 9D753-B
	9E754 WIRING ASSY. - THROTTLE MODULATOR VALVE JUMPER					
72	B, F(with M/T)	6	250		1	D2OZ 9E754-A
72	F(with A/T)-California only	6	250		1	
	9A756 - Refer to Carburetor Parts Lists Section 95, Page 1					
	9B756 VALVE ASSY. - IDLE SPEED UP					
65	X(with Power Steering)	8	170,200		1	C3OZ 9B756-A
	9E756 CLIP - SPARK CONTROL SWITCH WIRE RETAINER - Improvise					
	9A757 - Refer to Carburetor Parts Lists Section 95, Page 1					
	9D757 REGULATOR ASSY. - SPEED CONTROL - Also refer to Basic Group 9A819					
67	A (with C4, C6, C/M)	8	352,390 428	Use with Curtis-Wright speed control	1	C7AZ 9D757-A
67	A, F (C4, C6, C/M)	8	All	Use with dealer installed Perfect Circle speed control	1	★ C7AZ 9D757-C
68	A, F (with C4, C6, C/M)	8	All		1	C8VY 9A819-A
69	F (with C4, C6, C/M)	8	All		1	
67	F (with C4, C6)	8	289,390	Use with Curtis-Wright speed control	1	★ C7ZZ 9D757-A
67	S (with C6)	8	390,428		1	C7SZ 9D757-A
68/69	S (with C6)	8	All		1	C8SZ 9D757-B
67	A, F, S (with C4, C6, C/M)	8	352,390 428	Screw (regulator to bracket)-No. 10-24 x 1/2" hex. washer head	4	40918-S8(U260)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A758 CABLE ASSY. - ACCELERATOR PEDAL TO CARBURETOR THROTTLE - Also refer to Basic Group 9775					
	- A -					
65/67	A Special (with 8/B carb. & S/T)	8	427	21.31" long	1	C5AZ 9A758-L
66/67	A Special (with 4/B carb.)	8	427	23.56" long	1	★C6AZ 9A758-A
35/68	A	6	240	33.41" long	1	C5AZ 9A758-R
65/68	A, P/C (with 4/B carb.)	8	352,390, 428	23.84" long	1	C5AZ 9A758-P
68	A (with 2/B carb.)	8	302,390	22.94" long	1	C5AZ 9A758-N
35	A	8	289		1	
66/67	A(with 2/B carb.)	8	289,390		1	
69	A	6	240	33.35" long - r/b D0AZ 9A758-B (12/74)	1	★C9AZ 9A758-C
69/70	A (with 2/B carb.)	8	302,390	24.00" long	1	C9AZ 9A758-A
69/70	A (with 2/B carb.)	8	351	23.75" long	1	D0AZ 9A758-A
69/70	A (with 2/B and 4/B carb.)	8	429	24.70" long	1	C9AZ 9A758-D
69/70	A P/C (with 4/B carb.)	8	428	25.08" long	1	C9AZ 9A758-B
70	A	6	240	33.62" long	1	D0AZ 9A758-B
71	A "Before 4/1/71"	6	240	34.00" long-ident. by color Blue on center conduit- r/b D1AZ 9A758-F (12/74)	1	★D1AZ 9A758-C
71/	A "From 4/1/71"	6	240	34.00" long	1	D1AZ 9A758-F
71/	A, P/C	8	390-2V, 429	25.50" long	1	D1AZ 9A758-L
71/	A	8	302-2V, 351-2V, 400-2V	24.00" long	1	D1AZ 9A758-K
	- B -					
69	B	6	250	30.00" long	1	C9OZ 9A758-A
70	B(with 2/B carb.)	8	302	19.70" long	1	D0OZ 9A758-A
70	B(with 4/B carb.)	8	429		1	
70	B	8	351		1	
70	B	6	250	28.75" long	1	D0OZ 9A758-B
71	B "Before 4/1/71"	8	429	22.75" long-ident. by color Black on center conduit	1	D1OZ 9A758-B
71	B "From 4/1/71"	8	429	21.50" long	1	D1OZ 9A758-G
71	B "Before 4/1/71"	6	250	28.25" long-identified by color White on center conduit	1	D1OZ 9A758-C
71	B "From 4/1/71"	6	250	28.25" long	1	D1OZ 9A758-E
71	B "Before 4/1/71"	8	351-4V	20.50" long-ident. by color Blue on center conduit	1	D1OZ 9A758-D
71	B "Before 4/1/71"	8	302-2V, 351-2V	20.50" long	1	D1OZ 9A758-F
71	B "From 4/1/71"	8	302-2V, 351	20.50" long	1	D1OZ 9A758-H
72	B "Before 7/10/72"	6	250	30.50" long	1	D2OZ 9A758-C
72	B "From 7/10/72"	6	250	30.50" long	1	D3OZ 9A758-B
72	B "Before 7/10/72"	8	302,351, 400	21.00" long	1	D2OZ 9A758-A
72	B "From 7/10/72"	8	302,351, 400	21" long	1	D3OZ 9A758-A
72	B "Before 7/10/72"	8	429		1	D2OZ 9A758-B
72	B "From 7/10/72"	8	429		1	D3OZ 9A758-C
	- F -					
69	F	8	All	22.71" long	1	C9ZZ 9A758-A
69	F	6	All	30.50" long	1	C9ZZ 9A758-C
70	F(except 429 Boss)	8	All	22.83" long	1	C9ZZ 9A758-E
70	F	6	All	30.00" long	1	C9ZZ 9A758-D
70	F(Boss)	8	429	Refer to 9775		
71	F "Before 4/1/71"	6	250	34.00" long-identified by color Blue on center conduit- r/b D1ZZ 9A758-E (12/74)	1	★D1ZZ 9A758-C
71/72	F "From 4/1/71 to 7/10/72"	6	250	33.50" long	1	D1ZZ 9A758-E
72	F "From 7/10/72"	6	250	32.50" long	1	D3ZZ 9A758-A
71	F-Boss "Before 4/1/71"	8	302	23.75" long-identified by color Brown on center conduit - r/b D1ZZ 9A758-G (12/74)	1	★D1ZZ 9A758-A
71	F "Before 4/1/71"	8	429CJ, S/CJ			
71	F-Boss "From 4/1/71"	8	302	23.75" long	1	D1ZZ 9A758-G
71	F "From 4/1/71"	8	429CJ, 429S/CJ		1	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A758 CABLE ASSY. - ACCELERATOR PEDAL TO CARBURETOR THROTTLE - continued					
71/72	F "Before 7/10/72"	8	302-2B 351-2B, 4B	22.50" long	1	D1ZZ 9A758-H
72	F "From 7/10/72"	8	302, 351-2B	23" long	1	D3ZZ 9A758-B
72	F "From 7/10/72"	8	351-4B	23.25" long	1	D3ZZ 9A758-C
	- L -					
71/	L	4	98	28.00" long	1	D1FZ 9A758-C
71	L "Before 7/5/71"	4	122	18.25" long	1	D1FZ 9A758-A
71/	L "From 7/5/71"	4	122	18.50" long	1	D1FZ 9A758-D
71	L(off highway units with Kent High Performance engine & Holley Weber or Dellorto carb)	4	All		1	D12X 9A758-AA
	- P -					
70	P	6	All	30.00" long-ball type	1	C9ZZ 9A758-D
70	P	6	All	30.69" long-T-type	1	D0DZ 9A758-B
71	P "Before 4/1/71"	6	All	28.25" long-identified by color White on center conduit - r/b D1DZ 9A758-D (12/74)	1	★D1DZ 9A758-C
71/72	P "From 4/1/71 to 7/31/72"	6	All	28.50" long	1	D1DZ 9A758-D
72	P "From 7/31/72"	6	All		1	D3DZ 9A758-A
71/72	P "Before 7/31/72"	8	302	21.00" long	1	D1DZ 9A758-E
72	P "From 7/31/72"	8	302	21" long	1	D3DZ 9A758-B
	- S -					
67	S	8	390,428	26.18" long	1	C7SZ 9A758-A
68	S	8	All	25.12" long	1	C8SZ 9A758-B
69	S	8	All	25.02" long	1	C9SZ 9A758-A
70	S	8	All	24.50" long	1	D0SZ 9A758-A
71	S	8	429	25.00" long	1	D1SZ 9A758-B
72	S "Before 6/19/72"	8	429,460	25.50" long	1	D2SZ 9A758-A
72	S "From 6/19/72"	8	429,460	26.50" long	1	D4SZ 9A758-D
72	S	8	400	24.25" long	1	D2SZ 9A758-B
	- U -					
66/	U	6	170	22.34" long	1	C6TZ 9A758-J
65/	A, P/C	6&8	All	Screw(cable bracket to dash panel)-No. 14-10	2	31498-S8(U253-B)
67	S	8	390,428	self tapping	2	
65/	A	6&8	All	Pin (cable to accelerator)-1/4" x 21/32"-clevis	1	76132-S(N2D)
67/	S	8	390,428 429		1	
72	B	6&8	All		1	
				Pin-1/16" x 1/2"-cotter		72003-S7(N38)
65/	A	6&8	All	Pin (cable to accelerator) self locking	1	352358-S(NN127)
72	L	4	122		1	
72	B,S	6&8	All		1	
65/71	A,P/C	8	289,352, 390	Bolt (cable to bracket)-5/16"-24 x .75" hex. hd.	1	379732-S7-8 (BB817AF)
65/	A, P/C	6&8	All	Bolt (cable to mounting bracket)-5/16"-18 x 3/4" carriage	1	23378-S8(B3)
70/	A, S	6&8	All	Screw (cable to dash)-1/4"-14 x 3/4"-	1	55914-S2(U254F)
72	B	6&8	All	self tapping hex. washer hd.	1	
72	P	6	250	(1 required cable to dash-1 required cable to accelerator)	AR	
72	A,B,S	6&8	All	(Cable to bracket)	1	
	9760 SPRING - ACCELERATOR SHAFT TO PEDAL					
66/68	B, F, X "Before 4/25/68"	6&8	All		1	C5ZZ 9760-B
65	F	6&8	All		1	
68/70	B, F, X "From 4/25/68"	6&8	All		1	C9OZ 9760-A
70	P "Before 6/16/69"	6	All		1	
71	B	6	All		1	
70	P "From 6/16/69"	6	All		1	D0DZ 9760-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9C760 TRUNNION - CARBURETOR THROTTLE LEVER					
65/67	A Special (with 8/B carb.)	8	406,427		1	C3AZ 9C760-A
	9761 LEVER - ACCELERATOR SHAFT					
65	B(with 2/B carb.)	8	289	Arm (accelerator shaft)	1	C2OZ 9761-A
65	B (with 4/B carb.)	8	289	Arm (accelerator shaft)	1	C3OZ 9761-A
65	X	8	289		1	C4DZ 9761-B
65	B	8	221,260, 289	Nut (accelerator shaft arm to accelerator assy.)-5/16"-24-lock	1	34443-S7-8(M79)
65	X	8	260,289	Nut (accelerator shaft lever to accelerator shaft)	1	
				Washer-5/16"-flat	1	44722-S8(X19)
	9A761 HEAT CHAMBER KIT - THERMOSTATIC - Also refer to Group 9A745					
68	B Special (with 4/B carb.)	8	427		1	B9AZ 9A761-A
	9B761 CONNECTOR - IDLE SPEED UP VALVE TUBE					
65	F(with P/S & except F Special)	8	All		1	★C2OZ 9B761-A
	A762 BRACKET - ACCELERATOR SHAFT TO DASH					
68/71	S	8	All		1	C8SZ 9A762-A
69/	A	6&8	All		1	C9AZ 9A762-A
71/72	L	4	All		1	D1FZ 9A762-A
71/72	F "Before 7/31/72"	6&8	All		1	D1ZZ 9A762-A
72	F "From 7/31/72"	6&8	All		1	D3ZZ 9A762-A
	9D763 CONNECTOR - SPEED CONTROL SERVO TO BELLCRANK					
67	A (with C4, C6, C/M)	8	289,390, 428	Use with manual brakes	1	★ C7AZ 9D763-A
68	A (with C4, C6, C/M)	8	All		1	
67/71	A, F (with C4, C6, C/M)	8	289,390, 428	Nut (connector to servo assy.)-1/4"-20 hex. check	1	33920-S8(M25)
				Lockwasher-1/4" external tooth		34940-S7-8(X88)
68	F	8	All	Pin (9D763 to 9B713)-3/16" x 5/32"	1	★76107-S
68	F	8	All	Pin (9D763 to 9B713)-3/16" x 5/32"	1	★76107-S
	9764 BRACKET ASSY. - THROTTLE CONTROL					
67/68	U	6&8	All		1	★C7TZ 9764-A
69	A	6&8	All	Improvise-Z shaped 1.00" wide-6.25" formed length with (2) .196" holes on one end & (2) .156" holes on the other-use with dealer installed throttle control kit	1	★C9AJ 9764-A
	9D764 BEARING - SPEED CONTROL SERVO CONNECTOR TO BELLCRANK					
67	F (with C4, C6)	8	289,390		1or2	C7AZ 9D764-A
67	A (with C4, C6, C/M)	8	289,390		1or2	
68/69	A (with C4, C6, C/M)	8	All		1or2	
67/69	S (with C6)	8	All		1or2	
	9D766 TRUNNION - SPEED CONTROL SERVO BELLCRANK					
67	A (with C4, C6, C/M)	8	289,390, 428		1	★ C7AZ 9D766-A
68	A (with C4, C6, C/M)	8	All		1	★ C8AZ 9D766-A
67	F (with C4, C6)	8	289,390		1	★C7ZZ 9D766-A
68	F (with C4, C6)	8	All		1	
67/71	A (with C4, C6, C/M)	8	289,390, 428	Washer (trunnion to bellcrank)-1/2" flat	1	371703-S(XX179)
				Cotter pin-1/8" x 1"		72035-S7-8(N51)
67/71	F (with C4, C6)	8	289,390	Washer (trunnion to bellcrank)-3/8" flat	1	356403-S8(XX126)
				Pin-self locking		352358-S(NN127)
	9767 END - CARBURETOR THROTTLE SYNCHRONIZER ROD					
65/67	A Special(8/B carb.)	8	406,427		2	PB8M 9767-B
	9C767 DIAL ASSY. - SPEED CONTROL ACTUATOR					
65/66	S	8	390,428		1	★C4SZ 9C767-C

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9D768 LINK - SPEED CONTROL BELLCRANK CARBURETOR ROD ADJUSTING					
67/68	A (with C4, C6, C/M)	8	All	4.12" long-cut to required length	1	C7AZ 9D768-B
67	F (with C4, C6)	8	289,390	Speed control bellcrank accel. shaft adjusting	1	★ C7ZZ 9D768-A
68	F (with C4, C6)	8	All		1	
67	A, F (with C4, C6, C/M)	8	289,390, 428	Clip (link to rod)	1	381591-S2(GG232F)
	9D770 HOSE - SPEED CONTROL REGULATOR TO VACUUM SUPPLY - Unless listed cut from basic 17543 bulk hose					
67	A (with C4, C6, C/M)	8	289,390, 428	Used with manual brakes-.235" I.D.-.453" O.D.-61.06" long-cut from C4SZ 9C746-C	1	★C7AA 9D770-A
67	F (with C4, C6)	8	289,390	.235" I.D.-.453" O.D.-20.34" long-cut from C4SZ 9C746-C	1	★C7ZA 9D770-B
	9772 ROD ASSY. - ACCELERATOR BELLCRANK TO CARBURETOR - Also refer to group 9784					
65	B, X	6	200	2.28" long from center to center of socket ends	1	C2OZ 9772-B
65	X	6	170		1	
65	B (with C4 & 2/B carb.)	8	289	4.68" long from center of trunnion to center of rod end	1	C2OZ 9772-C
65	B (with S/T & O/D & 2/B carb.)	8	289	4.68" long from center to center of ends	1	C2OZ 9772-D
65	B (with S/T & O/D & 4/B carb.)	8	289	4.98" long from center to center of ends	1	C3OZ 9772-A
65	B, B Special (with 4/B carb. & C4)	8	289	5.44" long from center to center of ends	1	★ C4OZ 9772-A
66/67	B (with 2/B carb.)	8	289,390		1	C6OZ 9772-B
66/67	B (with 4/B carb.) (except 63D, 76D)	8	390	6.70" long from center to center of ends-(use with Ford carburetor)	1	C6OZ 9772-C
66/67	B (63D, 76D)	8	390	6.66" long-(use with Holley carburetor)	1	C6OZ 9772-E
68/69	B (with 2/B carb.) "Before 4/4/69"	8	289,302	5.78" long	1	C8OZ 9772-B
69	B (with 4/B carb.)	8	351		1	
69	B (with 2/B carb.) "From 4/4/69"	8	302	5.78" long	1	C9OZ 9772-B
68	B (with 2/B carb.)	8	390	6.08" long	1	C8GY 9772-A
69	B (with 4/B carb.)	8	390	6.90" long	1	C8OZ 9772-A
69	B (with 2/B carb.)	8	351		1	C9OZ 9772-A
69	B, F "Before 5/2/69"	6	250	2.20" long	1	C9ZZ 9772-B
69/70	B, F, P "From 5/2/69"	6	250	2.32" long	1	C9OZ 9772-C
71/	L	4	122	4.25" long-ball stud one end and bushing on other end	1	D1FZ 9772-A
69	X	6	170,200	2.70" long	1	C9ZZ 9772-A
69	F "Before 5/2/69"	6	200		1	
69/71	F "From 5/2/69"	6	200	2.60" long	1	C9ZZ 9772-C
70	P	6	170,200	3.50" long	1	D0DZ 9772-A
70	X	6	200		1	
65/66	S (without speed control)	8	390,428	13.36" long from center of trunnion to center of rod end	1	C1SZ 9772-A
65/66	S (with speed control)	8	390,428		1	★ C4SZ 9772-A
66/	U	8	289,302	5.92" long	1	C6TZ 9772-A
65	X	8	289	4.68" long from center to center of ends	1	C4DZ 9772-A
66/68	X	6	170,200		1	C6OZ 9772-A
66/68	B	6	200		1	
67/68	F	6	200		1	
69	B, X	6	170,200		1	
65/	A, B, S, X	6&8	All	Nut (rod to bellcrank or lever & carb.) No. 10-32	AR	34079-S7(M163)
				Lockwasher-No. 10	AR	34803-S7(X60)
65	S	8	390	Retainer (rod assy. accel. bellcrank to carb. to bracket assy. accel. shaft)-"C" washer	1	353862-S8(XX10)
65	B, F, X	8	All	Clip (rod to carburetor)	1	375894-S7-8 (GG 215)
	9D773 SHAFT - SPEED CONTROL BELLCRANK BRACKET					
67	F (with C4, C6)	8	289,390		1	★ C7ZZ 9D773-A
68	F (with C4, C6)	8	All		1	
67	F (with C4, C6)	8	289,390	Washer (shaft to bellcrank)-1/4" flat	2	44719-S8(X17)
	9A774 BELLCRANK ASSY. - THROTTLE CONTROL					
65	F (with P/S)	6	170		1	★ C5ZZ 9A774-A
	9D774 ROD - SPEED CONTROL BELLCRANK ACCELERATOR					
67	F (with C4, C6)	8	289,390		1	★C7ZZ 9D774-A
68	F	8	All		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9775 CONTROL ASSY. - CARBURETOR THROTTLE - Also refer to Group 9B742 Accessories Section					
66	U	6	170	15.50"long-7/16"-14 thread-cut from C5TZ 9775-J	1	★C5TB 9775-A
67	U "Before Ser.B26,001"	6&8	170,289	15.50"long-7/16"-14 thread-cut from C5TZ 9775-J	1	★C5TB 9775-E
67	U "From Ser. B26,001"	6 & 8	170,289	64.50" long-7/16"-20 thread-bezel lettered "Throttle"	1	C5TZ 9775-J
68/	U	6&8	All	44.50" long-7/16"-14 thread-bezel lettered "Throttle"	1	C8TZ 9775-B
69	F Boss (with 4/B carb.)	8	429	25.00" long	1	C9ZZ 9775-A
70	F Boss(with 4/B carb.)	8	429		1	D0ZZ 9775-A
	9B776 CLIP - ACCELERATOR SHAFT TO TRANSMISSION CONTROL SHAFT ROD					
65	X	8	289	Used with C4DZ 9784-C rod	2	C4GY 9B776-A
	9D776 VALVE - SPEED CONTROL SOLENOID					
67/69	F (with C4, C6)	8	289,390		1	C7ZZ 9D776-A
	9D782 BEZEL - SPEED CONTROL SWITCH					
68	A (with C4, C6, C/M)	8	All	Lettered "Speed Control"	1	★ C8AZ 9D782-A
67	S (with C6)	8	390,428		2	★ C7SZ 9D782-B
68	S (with C6)(with air conditioning)	8	All		1	C8SZ 9D782-B
70	S(with C6)(with air conditioning)	8	429		1	
69	S (with C6)	8	All		2	C8SZ 9D782-C
68	S (with C6)(w/o air conditioning)	8	All		2	
69	A (with C4, C6, C/M)	8	All		2	
68	S	8	All	Nut (bezel to instrument panel with A/C)-No. 8-18 spring	3	381765-S2 (MM275E)
	9D783 RING - SPEED CONTROL BRUSH OUTER					
69	A	8	All	Steel-3.143" I.D.-3.45" O.D. -serviced in 13A895 assembly only	1	★C9AZ 9D783-A
	9784 ROD ASSY. - ACCELERATOR TO TRANSMISSION CONTROL SHAFT - Also refer to Group 9772					
65	B(with 2/B carb.)	8	289		1	C2OA 9784-A
65	B, B Special(with 4/B carb. & S/T)	8	289		1	
65	B, B Special(with 4/B carb.& C4)	8	289	3.30" long between stud centers	1	★ C4OZ 9784-A
65	F	6	170	3.52"between stud centers-adjustable	1	C5ZZ 9784-A
65/66	F	6	200		1	
65	X	8	260,289		1	
65	X(with C4)	6	170,200	4.56" long	1	C0DZ 9784-A
	9C786 ADAPTOR - THERMOSTATIC CHOKE CONTROL - INLET TUBE					
65	F(except F Special)	8	260,289		1	C4AZ 9C786-A
65/	A	6	240		1	
65/67	A, B, F, X (except B Special & F Special with 4/B carb.)	8	289		1	
68	B, F, X (with 2/B carb.)	8	289		1	
68/70	A, B, F, X (with 2/B carb.)	8	302		1	
68	F Special (with 4/B carb.)	8	427		1	
68	F, X (with 4/B carb.)	8	302		1	
66	B	8	390		1	
67/69	B, F	8	390		1	
69	A, B, F	8	351, 428CJ		1	
69	B, F (with 4/B carb.)	8	390		1	
70	F Boss(with 4/B carb.)	8	302		1	
70	A, F(with 2/B carb.)	8	351		1	
71/	A, B, F, P, U	8	302		1	
71/	A, B	8	351(W)		1	
69	A (with 2/B carb.)	8	429	Choke control tube-brass or aluminum-2.150" long-.343" large O.D.-.263" small O.D.-.160" I.D.	1	C9AZ 9C786-A
69/70	B, F	6	250	Inlet-45 degree-3.82" O.D.-.219" small I.D.-.24" large I.D.	1	C9DZ 9C786-A
70/	U	6	170		1	
71/	P	6	170,200		1	
68	S	8	429	Nylon-"T" shaped-choke control adaptor	1	C8VY 9C786-A
70	A, F, B, S(with 4/B carb.)	8	All		1	
71/	L	4	98		1	D1FZ 9C786-B
71/	L	4	122		1	D1FZ 9C786-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9C787 BRACKET ASSY. - SPEED CONTROL					
67	S (with C6)	8	390,428		1	C7AZ 9C787-A
67	A (with C4, C6, C/M)	8	289,390, 428	Used with manual brakes	1	
68	A, S (with C4, C6, C/M)	8	All		1	
69	S (with C6)	8	All		1	
72	S	8	400		1	D2SZ 9C787-B
72	S	8	429,460		1	D2SZ 9C787-A
66/69	S	8	390,428	Nut (bracket to fender apron)-5/16"-18 hex.	3	379930-S
67	A	8	289,390, 428	washer lock	3	(MM173M)
	9C788 BRACKET - SPEED CONTROL SOLENOID					
65	S (model 76 only)	8	390		1	★ C4SZ 9C788-A
65/66	A,P/C (with C4, C6, C/M	8	289,352, 390,428	Screw (bracket to fender apron)-1/4"-20 x 1/2" hex. washer head	2	359294-S37 (BB574A)
				Lockwasher-1/4" external tooth		34940-S7-8(X88)
				Nut-1/4"-20 hex.		33795-S7(M49)
	9791 - Refer to Carburetor Parts Lists Section 95, page 1					
	9C791 FILTER ASSY. - THERMOSTATIC CHOKE AIR					
65/69	P/C(with closed emission system)	8	390,428		1	C4DZ 9C791-A
66/68	A (with closed emission)	8	428		1	
67	A(63C,76B)(with 7 Litre option & T/E)	8	428		1	
68	B, F Special (with 4/B carb.)	8	427		1	
	9792 CLIP - THROTTLE CABLE					
65	F(with P/S)	6	170		1	★ C5ZZ 9792-A
65	A(with P/S & A/C)	6	240		1	
	9792 CLIP - ACCELERATOR CABLE					
65/67	A	6&8	All		1	C5AZ 9792-B
67	S	8	390,428		1	
68/69	A, S (with C4, C6, C/M)	8	All		1	
70	A, S	6&8	All		1	
66/	U	6	170		1	C5TZ 9792-A
66/67	U	8	289	Used with hand throttle	1	8BA 9792
68	U	6&8	170,289		1	
69/	U	6&8	170,302		1	
65/	A, S	6&8	All	Bolt (clip to bracket)-5/16"-18 x 3/4" carriage	1	23378-S8(B3)
				Nut-5/16"-18 lock		34392-S7-8(M93)
	9792 - Refer to Carburetor Parts Lists Section 95, page 1					
	9793 SEAL - ACCELERATOR PEDAL ROD					
65	B	6&8	All		1	C2OZ 9793-A
66	B, X	6&8	All		1	C6OZ 9793-A
67/68	B, F, X	6&8	All		1	
69/70	X	6&8	All		1	
69	B	8	All		1	
65	F	6&8	All		1	C4AZ 9793-A
65/67	S	8	390,428		1	C1SS 9793-A
	9793 BOOT - ACCELERATOR SHAFT					
66/	U	8	289,302		1	D4TZ 9793-A
	9D793 COVER - SPEED CONTROL WIRING ACCESS					
68/69	A, F(C4, C6, C/M)	8	All	Use with tilt steering column	1	C7MY 9D793-A
70/71	A, F, S	8	All	Use with tilt steering column-paint to match	1	D0AZ 9D793-A
	9K793 VALVE ASSY. - DECELERATION					
71/	L	4	122●		1	D2RY 9K793-C
71/	L	4	98♦		1	D2FZ 9K793-C

♦ 1600cc ● 2000cc

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9D794 RETAINER - SPEED CONTROL WIRING ACCESS COVER					
67	A (with C4, C6, C/M)- "Before 12/1/66"	8	289,390 428	Not replaced	1	★ C7AZ 9D794-A
67	A (with C4, C6, C/M)- "From 12/1/66"	8	289,390 428	Not replaced	1	★ C7AZ 9D794-B
68/69	A, F	8	All	Use with tilt steering column	1	C7MY 9D800-A
69	S	8	All		1	
	9A796 - Refer to Carburetor Parts Lists Section 95, page 1					
	9C798 ACTUATOR - SPEED CONTROL RELEASE SWITCH					
67	A(C4, C6, C/M)	8	289,390 428		1	★ C7AZ 9C798-B
67	S (with C6)	8	390,428	Bolt (actuator to brake pedal)-1/4"-20 x 1 1/4"-hex. head	1	304699-S(B43D)
	9C799. CABLE ASSY. - THROTTLE CONTROL					
65	F (with P/S)	6	170	23.62" long-use with C5ZZ 9C531-A spring	1	★ C5ZZ 9C799-A
	9K799 DIAPHRAGM ASSY. - DECELERATION VALVE					
71/	L	4	All		1	D1FZ 9K799-A
	9D800 RETAINER - SPEED CONTROL WIRING ACCESS COVER - Refer to Group 9D794					
	9C803 BRACKET - ACCELERATOR PEDAL LEVER					
65/68	A "Before 4/1/68"	6&8	All		1	C5AZ 9C803-A
68/69	S "Before 11/4/68"	8	All		1	
68	A "From 4/1/68"	8	All		1	C8AZ 9C803-A
69/71	S "From 11/4/68"	8	All		1	C9SZ 9C803-A
69/	A	6&8	All		1	C9AZ 9C803-A
71/	P	6&8	All		1	D1DZ 9C803-A
67	S "Before 12/5/66"	8	390,428	Dash mounted	1	C7SZ 9C803-A
67	S "From 12/5/66"	8	390,428	Dash mounted	1	C7SZ 9C803-B
71/	F	6&8	All		1	D1ZZ 9C803-A
71	L "Before 11/20/70"	4	All		1	D1FZ 9C803-A
71/	L "From 11/20/70"	4	All		1	D1FZ 9C803-B
65/66	A "Before 10/1/65"	6&8	All	Screw (bracket to dash panel)-No. 14-10 x 5/8"	2	31498-S8(U253B)
67	S	8	390,428	self tapping	2	
66/	A "From 10/1/65"	6&8	All	Screw (bracket to dash panel)-1/4"-20 x .75"	2	371492-S2(BB569)
70	S	8	All	hex. washer head	2	
66				Nut-1/4"-20 lock	2	34390-S7-8(M92)
67	S	8	390,428	Nut (bracket to dash panel)-1/4"-20	2	33795-S7(M49)
				Lockwasher-1/4" external tooth		34940-S7-8(X88)
72	A, B, S	6&8	All	Nut (bracket to dash bracket)-1/4"-20 hex.	2	★55734-S2
	9D803 BUSHING - ACCELERATOR PEDAL TO CABLE					
67	S	8	390,428	Nylon-.193" I.D. x .239" O.D. x 1/2" long	1	★ C7SZ 9D803-A
	9C804 SPRING - ACCELERATOR PEDAL PIVOT					
65/68	A	6&8	All		1	C5AZ 9C804-B
66/	U	6&8	170,289 302		1	
68/71	S	8	All		1	
71/	F, P	6&8	All		1	
69/	A	6&8	All		1	C9AZ 9C804-A
71/	L	4	All		1	D1FZ 9C804-A
72	B, S	6&8	All		1	D2OZ 9C804-A
	9C805 BUSHING - ACCELERATOR PEDAL LEVER PIVOT					
65/67	A	6&8	All		1	C5AZ 9C805-A
65/67	A (with C4)	6	240	Control shaft to transmission rod to lever	1	
65/67	A (with C4, C/M)	8	289,352 390,428	Control shaft to transmission rod to carburetor	1	
68/	A	6&8	All	(2) required with standard transmission, (3) required with automatic transmission	AR	
67/	S	8	All		AR	
71/	F	6&8	All		2	
71/	P	6&8	All		2	
71/	L	4	All		2	
72	B	6&8	All		2	
69/70	F	8	All		2	C9ZZ 9C805-A
72	A (except 66, 71)	6&8	All	Washer (retains bushing on shaft)-flat	1	351283-S8(XX87A)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9C806 EXTENSION ASSY. - SPEED CONTROL FEED WIRE					
65	S	8	390		1	★ C5SZ 9C806-A
	9D808 WIRE ASSY. - SPEED CONTROL RELEASE					
67	A,F,S	8	289,390, 428	11" long with (1) male and (1) female connector-also (2) female connectors	1	C7AZ 9D808-A
	9K808 CAP - DECELERATION VALVE ADJUSTMENT SCREW					
71/	L	4	All		1	D1FZ 9K808-A
	9C812 ARM ASSY. - SPEED CONTROL ROD TO THROTTLE PIVOT					
67	S (with C6)	8	390,428		1	★ C6MY 9C812-A
67	A (with C4, C6, C/M)	8	289,390 428	Used with manual brakes	1	
68	A	8	All		1	C8AZ 9C812-B
68/70	S	8	All		1	C8SZ 9C812-B
69/70	A (with 2/B & 4/B carb.)	8	All		1	
68/70	A, S	8	All	Screw (arm assy. to carb.)-1/4"-28 x 11/32"	1	382223-S2(BB799)
67/70	S	8	All	Screw (arm to 9C740)-1/4"-28 x .31"-rd. flat hd.	AR	★379824-S
	9817 TUBE - THERMOSTATIC CHOKE CONTROL - OUTLET - Refer to Group 9819					
	9A818 SPEED CONTROL KIT					
67	F (with C4, C6)	8	289,390	Perfect circle	1	★C7ZZ 9A818-B Service details (11-74)
	9819 TUBE - THERMOSTATIC CHOKE CONTROL - OUTLET - Unless listed improvise from basic Group 2269 bulk tubing					
65	A, S	8	352,390	3/16" O.D. steel tubing-19.42" long	1	C4MY 9819-B
65	A Special (with 8/B carb.)	8	406,427	1/4" O.D. steel tubing-24.80" long-used from exhaust manifold to tee	1	C3AZ 9819-D
65	F (except F Special)	8	260	Kit-consists of-	1	C2OZ 9819-B
65	A, F, X (except B Special & F Special with 4/B carb.)	8	289	1-C2OZ 9819-A tube, 1-C1AE 9865-A insulator, 1-357940-S sleeve & 1-357980-S nut	1	(CM-1715)
65	F	6	170	1/4"O.D. steel tubing-9.21"long	1	C3GY 9819-A
65/68	X (exc. Imco with C4)	6	170,200		1	
65/68	B, F (exc. Imco with C4)	6	200		1	
69	F, X (with Imco)	6	200		1	
68	♦X (with open emission)	6	170		1	
69	P/C "Before 6/11/69"	8	428	3/16" O.D.-steel tubing-20.12" developed length with "T" adapter	1	C9AZ 9819-C (CM-1326)
66/67	A Special (with 8/B carb.)	8	427	1/4" O.D. steel tubing-24.32" long	1	C5AZ 9819-A
69	B, F (with 4/B carb.)- "From 2/3/69"	8	428-CJ	1/4" O.D. steel tubing-with brazed "T" adapter	1	C9ZZ 9819-C
70	F (with 4/B carb.)	8	428-CJ		1	
69/70	P/C "From 6/11/69"	8	428	Steel tubing	1	D0AZ 9819-A
71	L	4	98	Thermostat control outlet	1	★D1FZ 9819-A
71/	L	4	98	Thermostat choke connector outlet to water pump	1	D1FZ 9819-B
68/	A,B,F,P,U,X	8	289,302	Kit-consists of- 1-C8OZ 9819-C tube, 1-C1AE 9865-A insulator, 1-357940-S sleeve & 1-357980-S nut	1	C8OZ 9819-D (CM-1716)
65/	A, B, F, S, X	8	All	Nut (tube to carb.)-7/16"-24 hex.-brass	1	357980-S(MM111)
65/67	A Special (4/B, 6/B, 8/B carb.)	8	390,406 427		1	
65/	A	6	240		1	
72	B, F, P, U	6	All		1	
72	A	8	351W		1	

♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9819 TUBE - THERMOSTATIC CHOKE CONTROL - OUTLET - continued - Unless listed improvise from basic Group 2269 bulk tubing					
65	A Special (8/B carb.)	8	427	Tee assy. (thermostatic choke control outlet) - compression fitting	1	★378416-S
66/	A	8	All	Nut (tube to carburetor)-3/8"-24 - 3/16" tube		351112-S(MM109)
67/	A, B, F, S, X	8	All	Nut (tube to carburetor)-1/4" compression	1	381525-S (MM109C)
65/	A, B, F, X	6&8	All	Sleeve (tube to carburetor)-1/4" compression	1	357940-S(II-54X)
71/	L	4	98	Tee connection (tube to heater hose)	1	120059-ES
	9A819 REGULATOR ASSY. - SPEED CONTROL - Refer to Basic Group 9D757					
	9820 TUBE - THERMOSTATIC CHOKE CONTROL - INLET - Unless listed improvise from Basic Group 2269 bulk tubing					
65	A, S, P/C	8	352,390	1/4" O. D. steel tubing-13. 53" long	1	C4AZ 9820-D
65	F(except F Special)	8	All	1/4" O. D. -steel tubing-12. 92" long	1	C3AZ 9820-A
65	B, X	8	289	Cut to 12. 00" long	1	
71/	L	4	122	Rubber-13.06" long	1	D1FZ 9820-A
65/66	A, S	8	352	Washer (tube & exhaust manifold to cyl. head)-3/8" lock	1	371665-S(XX324)
	9A820 CABLE ASSY. - SPEED CONTROL - Also refer to group 17260					
	LOWER					
67	A, S (with C4, C6, C/M)	8	All	Identified C7MF 9A820-C-70. 94" long-trans. to regulator-L. H. core lay-w/rolling door locks	1	C7MY 9A820-B
67	A, S (with C4, C6, C/M)	8	All	Identified C8MF 9A820-A-74 1/2" long-trans. to regulator-L. H. core lay-. 150" diameter-except rolling door locks	1	C7MY 9A820-A
68	A (with C4, C6, C/M)	8	All		1	
69	A (with C6)	8	All	36. 80" long-transmission to regulator-L. H. core lay-130" diameter-use B9AZ 17262-A for service core	1	C9AZ 9A820-A
69	A (except C6)	8	All	32. 80" long-transmission to regulator-L. H. core lay-130" diameter-use B9AZ 17262-A for service core	1	C9AZ 9A820-B
68/69	S (with C6)	8	All	70" long-transmission to regulator-L. H. core -. 150" diameter	1	C8SZ 9A820-A
68	F (with C4, C6)	8	All	86. 060" long-transmission to regulator-L. H. core lay-. 150" diameter	1	C8ZZ 9A820-B
69/70	F (with C4, C6, C/M)	8	All	77. 10" long-transmission to regulator-L. H. core lay-. 150" diameter-use B9T 17262-D for service core	1	C9ZZ 9A820-A
70	A (except with C6)	6&8	240,302, 351, 428,429	Use with modulator and/or speed control assy. - use B9AZ 17262-A for service core- .130" diameter-29.25" long	1	D0AZ 9A820-A
71	A	6&8	240,302, 351		1	
70	A (with C6)	8	All	Use with modulator and/or speed control assy. - .130" diameter-33.50" long- use B9AZ 17262-A for service core	1	D0AZ 9A820-B
71	A(with C/M, C4)(exc. Calif.)	6	240		1	
71	A (with C/M, C4)	8	302,351		1	
71	A(with C6)	8	400		1	
71	A	8	390-2V, 429		1	
72	A(with A/T)	8	All		1	
72	A(P/C)-with nox. emission	8	429	33. 00" long-use B9AZ 17262-A for service core	1	D2AZ 9A820-A
70	B (with C4)	6&8	All	Use with modulator assy. -. 130" diameter- 36. 50" long-use B9AZ 17262-A for service core	1	D0OZ 9A820-A
71	B (California only)	6	250		1	
72	B(with C4, C/M)-w/nox. emission	6&8	All	51. 50" long-use B9AZ 17262-A for service core	1	D2OZ 9A820-B
72	B(with C6) - with nox. emission	8	All	54. 00" long-use B9AZ 17262-A for service core	1	D2OZ 9A820-C

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A820 CABLE ASSY. - SPEED CONTROL - continued - Also refer to Basic Group 17260					
	LOWER					
70	F (with C/M, C4, C6)(except 3.91 or 4.30 rear axle)	6&8	250,302 351 2/B, 429,429CJ	Use with modulator assy. -.130" diameter-42.25" long-use B9AZ 17262-A for service core	1	D0ZZ 9A820-B
70	F(with 4/B carb. &C/M, C4)(except 3.91 or 4.30 rear axle)- "Before 12/15/69"	8	351		1	
70	F (with C/M, C4, C6 & 3.91 or 4.30 rear axle)	8	All	Use with modulator assy. -.130" diameter-57.32" long-use B9AZ 17262-A for service core-identified D0ZF 9A820-E	1	D0ZZ 9A820-E
70	F(with 4/B carb. &C/M, C4)(except 3.91 or 4.30 rear axle)- "From 12/15/69"	8	351	Use with modulator assy. -.130" diameter-49.24"long-use B9AZ 17262-A for service core	1	D0ZZ 9A820-G
70	S	8	429	Use with speed control-.130" diameter-39.75" long-use B9AZ 17262-A for service core	1	D0SZ 9A820-D
71	S	8	429	Use with modulator and/or speed control-40.58" long-use B9AZ 17262-A for service core	1	D1SZ 9A820-B
71	F(with M/T)	6	250	Use with modulator assy.	1	
70	X (with C4)	8	302	Use with modulator assy. -.130" diameter-46.50" long-use B9AZ 17262 for service core	1	D0DZ 9A820-A
70/71	P	6&8	All		1	
71	F (with C4)	6	250		1	
72	P(with A/T)-with nox. emission	8	250,302		1	
72	P(with A/T)	6	200		1	
72	L(with A/T)-with nox. emission	4	All	52.50" long-use B9AZ 17262-A for service core	1	D2FZ 9A820-A
72	F(with A/T)-with nox. emission	8	All	49.50" long-use B9AZ 17262-A for service core	1	D2ZZ 9A820-A
72	S	8	All	Use with speed control and/or nox. emission 40.00" long - use B9AZ 17262-A for service core	1	D2SZ 9A820-B
70	F	8	All	Grommet	1	★380634-S
70	A, S	8	All	Bolt (cable to trans. housing)-1/4" -28 x 3/4" hex. hd.	1	20345-S7-8 (B150A)
70	A, S	6&8	All	"O" ring seal-3/8"-use w/speed control and modulator system (1) used on each end of cable (9A820)	2	87031-S91(T1DA)
70	A, S	6&8	All	Washer-13/32" flat-use w/speed control and modulator system (1) used on each end of cable (9A820)	2	384218-S(XX137B)
68/	S	8	All	Screw (cable to transmission)-1/4"-20 x 5/8"-hex. washer head	1	★55603-S
	UPPER					
69	S (with C6)	8	All	40.50" long-regulator to speedo.-use B9AZ 17262-A for service core-identified D0LF 9A820-B	1	D0LY 9A820-A
70	A "Before 1/19/70"	6&8	All	Use with modulator and/or speed control assy.-28.00" long-use B9AZ 17262-A for service core	1	D0AZ 9A820-L
70	A "From 1/19/70"	6&8	All	Use with modulator and speed control assy.	1	
70	A "From 1/19/70"	6&8	All	Use with modulator assy. -w/o speed control-.130" dia. -22.50" long-use B9AZ 17262-A for service core	1	D0AZ 9A820-C
71	A	6&8	240,302, 351	Use with modulator assy.-25.50" long-use B9AZ 17262-A for service core	1	D1AZ 9A820-A
71	A	8	390-2V, 400,429	Use with speed control	1	
72	A(with speed control)-without nox. emission	8	All		1	
72	A(without speed control)-with nox. emission	8	All		1	
72	A(with speed control)-with nox. emission	8	All	23.00" long	1	D2AZ 9A820-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A820 CABLE ASSY. - SPEED CONTROL - continued - Also refer to group 17260					
				UPPER		
70	B (except 4/S/T)	6&8	250,302 351 2/B,429	Use with modulator assy. - identified D0OF 9A820-J - 17.50" long	1	D0OZ 9A820-J
70	B (except 3/S/T)	8	351,4/B		1	
70	X (with C4)	8	302		1	
71	B	6	250		1	
72	B(with A/T)-with nox. emission	6&8	All	13.50" long-use B9AZ 17262-A for service core	1	D2OZ 9A820-A
70	F (with C4)	8	302,351	Use with modulator assy. -10.54" long	1	D0ZZ 9A820-H
71	F	6	250		1	
72	F(with A/T)-with nox. emission	6&8	All		1	
71	P	6&8	All	Use with modulator assy.-7.00" long-use B9AZ 17262-A for service core	1	D0DZ 9A820-B
72	P(with A/T)-with nox. emission	6&8	250,302		1	
72	L (with nox. emission)	4	All		1	
72	P(with A/T)	6	200		1	
71	S	8	429	Use with modulator and/or speed control-41.82" long-use B9AZ 17262-A for service core	1	D1SZ 9A820-A
72	S(with speed control)	8	All	22.25" long-use B9AZ 17262-A for service core	1	D2SZ 9A820-A
70	A, S	6&8	All	"O" ring seal-3/8"-use w/speed control and modulator system (1) used on each end of cable (9A820)	2	87031-S91(T1DA)
70	A, S	6&8	All	Washer-13/32" flat-use w/speed control and modulator system (1) used on each end of cable (9A820)	2	384218-S(XX137B)
72	L	4	All	Clip assy. (cable assy. to dash panel)	1	381939-S100 (GC163E)
72	A, S	6&8	All	Screw & washer assy. (cable assy. to trans. housing)-1/4"-20 x 5/8"	1	20345-S7-8 (B150A)
	9D820 - Refer to Carburetor Parts Lists Section 95, page 1					
	9D821 WIRING ASSY. - SPEED CONTROL CONNECTOR					
68/69	S (with C6)	8	All	8" long with (1) male and (2) female connectors on one end and (1) multiple connector on the other	1	C8SZ 9D821-A
	9D822 COVER - SPEED CONTROL OPENING					
68/69	S (with C6) (without speed control)	8	All	Plastic-3.13" long-1.22" wide	1	C8SZ 9D822-A
	9C824 SWIVEL ASSY. - ACCELERATOR SHAFT TO SPEED CONTROL CONNECTOR					
65/66	A, P/C (with C4, C6, C/M)	8	289,352 390,428		1	C5AZ 9C824-A
67/68	S	8	390		1	
69	A (with 2/B carb.)	8	302,390 429		1	
69/70	S	8	429		1	
70	A (with 2/B carb.)	8	351,390		1	
70	A	8	429		1	
65/66	A, P/C (with C4, C6, C/M)	8	289,352 390,428	Pin (swivel to rod)-cotter-1/16" x 3/8"	1	72000-S7(N37)
69	A (with 2/B carb.)	8	302,390 429		1	
67/	S	8	390,428 429	Retainer (swivel to rod)-snap ring	2	97409-S8(Q5A)
	9825-6 CLIP - ROD END CLEVIS					
65/70	A, B, F, S, X, U	6&8	All	R.H.	AR	B7A 9825-B
				L.H.	AR	B7A 9826-A
72	U	8	302	R.H.	AR	
				L.H.	AR	
70	B, F, P (with C4)	6	All	L.H. -attaches 7A185 to 9724	1	
67	S	8	390,428	L.H.	1	C7SZ 9826-A
67	F	8	289,390	L.H. -used with tilt steering wheel	1	
71/	L	4	98	Attaches 9728 to 9581	1	D3FZ 9825-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A825 ACTUATOR ASSY. - SPEED CONTROL					
67	A (with C4, C6, C/M)	8	289,390, 428		1	★ C7AZ 9A825-A
65	A, P/C (with C4, C/M)	8	289,352, 390	Screw (actuator to instrument panel)-No. 10-24 x 3/4" round hd.	2	53804-S7-8(U169)
				Lockwasher-No. 10-internal tooth		34903-S8(X96)
				Nut-No. 10-24-hex.		34053-S8 (M156)
	9A825 ACTUATOR CABLE and DIAL ASSY. - SPEED CONTROL					
66	A, P/C (with C4, C6, C/M)	8	289,352, 390,428	Less "Resume" feature	1	★ C6AZ 9A825-B
65/66	A, P/C (with C4, C6, C/M)	8	289,352, 390,428	With "Resume" feature	1	★ C6AZ 9A825-C
66	A, P/C	8	All	Screw(9A825 to 9D707)-12-11 x 1/2"-hex. self tap	2	★42128-S
	9C825 BRACKET ASSY. - SPEED CONTROL CONNECTOR PULLEY GUIDE					
65/66	A, P/C (with C4, C6, C/M)	8	289,352, 390,428		1	★ C5AZ 9C825-A
	9827 - Refer to Carburetor Parts Lists Section 95, page 1					
	9A832 KNOB ASSY. - SPEED CONTROL ACTUATOR					
67	F (with C4, C6)	8	289,390		1	★ C7WY 9A832-A
67	A (with C4, C6, C/M)	8	289,390, 428		1	
68	A(with C4, C6, C/M)	8	All		1	★ C8AZ 9A832-A
68	F (with C4, C6)	8	All	Identified "Speed Control"	1	★ C8OZ 9A832-A
69	F	8	All	Identified "Speed Control"	1	C9ZZ 9A832-A
67	F (with C4, C6)	8	289,390	Washer (knob to switch)-1/2" flat	1	371703-S(XX179)
	9C832 CONNECTOR and REDUCER ASSY. - SPEED CONTROL VACUUM					
65/66	A, P/C(with C4, C6, C/M)	8	289,352, 390,428	Used with A/C and/or rear door lock	1	★ C5AZ 9C832-A
	9834 - 9836 - Refer to Carburetor Parts Lists Section 95, page 1					
	9A837 SWITCH ASSY. - SPEED CONTROL RELEASE					
67	A(C4, C6, CM)	8	289,390, 428		1	★ C7AZ 9A837-C
69	F	8	302,351, 390	Actuator-on-off	1	C9ZZ 9A837-A
67	S(C6)	8	390,428	Console mounted	1	C7SZ 9A837-C
68/69	S (with C6)	8	All	Identified "Speed Control"	1	C8SZ 9A837-B
				Screw (switch to brake pedal support)-1/4"-14 x 1/2" hex. washer hd.	2	55981-S2(U254E)
65	A, P/C (with C4, C/M)	8	289,352, 390		1	★C1VV 9A837-A
66	A (with C4, C6, C/M)	8	289,352, 390,428		1	★ C6AZ 9A837-A
68	A, F(with C4, C6, C/M)	8	All	With 5 1/8" wiring assy.	1	C8AZ 9A837-B
67	F (with C4, C6)	8	289,390	Switch assy. -1" diameter with 1/2" internal thread-use with Curtis-Wright and Perfect Circle speed control	1	★ C7WY 9A837-A
67	F (with C4, C6)	8	289,390	Switch & wire assy. -use with dealer installed Perfect Circle speed control	1	★ C7ZZ 9A837-C
65/66	S	8	390,428	Console mounted	1	★ C4SZ 9A837-C
65/66	S	8	390,428	Dash mounted	1	C4SZ 9A837-D
67	S (with C6)	8	390,428	With wiring assy.	1	C7SZ 9A837-D
	9D837 CLIP - SPEED CONTROL BELLCRANK ADJUSTING LINK					
68	A, F(C4, C6, C/M)	8	All	Clip (carb. rod adj. link to speed control pivot arm rod)	1	★ C8AZ 9D837-A
	9A838 BRACKET - SPEED CONTROL RELEASE SWITCH MOUNTING					
68	A (with C4, C6, C/M)	8	All	Without wood trim panel	1	★ C8AZ 9A838-A
68	A (with C4, C6, C/M)	8	All	With wood trim panel	1	★ C8AZ 9A838-B
67	F (with C4, C6)	8	289,390		1	★ C7ZZ 9A838-A
68	F (with C4, C6)	8	All		1	D0ZZ 9A838-A
65/66	S	8	390,428		1	★ C5SZ 9A838-C

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A838 BRACKET - CARBURETOR MANUAL CHOKE MOUNTING-Also Refer to Group 9700					
70/71	F Boss (with 4/B carb.)	8	302		1	D0ZZ 9A838-A
70	F	8	428CJ		1	
	9A839 WIRE ASSY. - SPEED CONTROL FEED					
68	A (with C4, C6, C/M)	8	All	23.00" long-identified C8AB 9A839-A -not repl.	1	★ C8AZ 9A839-A
69	A (with C4, C6, C/M)	8	All	Identified C9AB 9A839-B-use with production installed speed control	1	★C9AZ 9A839-A
69	A (with C4, C6, C/M)	8	All	Identified C9AJ 9A839-B-use with dealer installed speed control	1	★C9AZ 9A839-B
70	A (with C4, C6, C/M)	8	All	Identified D0AB 9A839-B	1	D0AZ 9A839-A
71/	A	8	All	Identified D1AZ 9A839-AA, AB, AC, D2AB 9A839-AA	1	D1AZ 9A839-A
65	S	8	390		1	★ C5SZ 9A839-A
66	S	8	390,428		1	★C6SZ 9A839-A
67	S (with C6)	8	390,428	Identified C7SB-9A839-A	1	★ C7SZ 9A839-A
67	S(with C6)	8	390,428	Identified C7SB 9A839-C, D-with speed control and brake connect switch-not repl.	1	★ C7SZ 9A839-D
68	S (with C6)	8	All	36.00" long-identified C8SZ 9A839-B	1	★ C8SZ 9A839-A
69	S (with C6) "Before 10/15/68"	8	All	Identified C9SB 9A839-D-not repl.	1	★ C9SZ 9A839-A
69	S (with C6) "From 10/15/68"	8	All	Identified C9SB 9A839-C -not repl.	1	★ C9SZ 9A839-C
65	S	8	390	Clip (speed control feed wire)	AR	376219-S(GG151)
65	S	8	390	Screw (speed control feed wire clip)-No.10-12 x 1/2" hex. washer head-self tapping	AR	42127-S8(U248C)
72	A	8	All	Clip (wire assy. to panel cowl top)	1	383182-S100 (GG359)
	9840 Refer to Carburetor Parts Lists Section 95, Page 1					
	9A840 WIRE ASSY. - SPEED CONTROL					
66	A, P/C	8	289,352, 390,428	Production installed only	1	★C5AZ 9A840-C
65	A, P/C (with C4, C/M)	8	289,352, 390		1	
66	A, P/C (with C4, C6, C/M) - "From 11/29/65"	8	289,352, 390,428	Less "Resume" feature	1	★ C6AZ 9A840-C
67	A (with C4, C6, C/M)	8	289,390, 426	Identified C7AB 9A840-C	1	★ C7AZ 9A840-C
68	A (with C4, C6, C/M)	8	All	57" long-identified C8AB 9A840-B	1	★ C8AZ 9A840-A
67	F (with C4, C6) "Before 1/3/67"	8	289,390	Identified C7ZB 9A840-C -use with Curtis-Wright speed control - not repl.	1	★ C7ZZ 9A840-A
67	F(C4, C6) "From 1/3/67"	8	289,390	Identified C7ZB 9A840-D-use with Curtis-Wright speed control -not repl.	1	★ C7ZZ 9A840-B
67	F (with C4, C6)	8	289,390	Identified C7ZB 9A840-F-use with Perfect Circle speed control -not repl.	1	★ C7ZZ 9A840-F
69	F (except 76)(with C4, C6, C/M) - "Before 4/30/69"	8	All	Identified C9ZB 9A840-F	1	C9ZZ 9A840-A
68	F (with C4, C6)	8	All	Identified C8ZB 9A840-C	1	
69	F (except 76)(with C4, C6, C/M)- "From 4/30/69"	8	All	Identified C9ZB 9A840-H-not repl.	1	★ C9ZZ 9A840-H
69	F (76)(with C4, C6, C/M) - "Before 4/30/69"	8	All	Identified C9ZB 9A840-G-not repl.	1	★ C9ZZ 9A840-B
69	F(76)(with C4, C6, C/M)- "From 4/30/69"	8	All	Identified C9ZB 9A840-J-not repl.	1	★ C9ZZ 9A840-J
69	F (C4, C6, C/M)	8	302,351, 390	With dealer installed speed control-identified C9WR 9A840-K	1	C9WY 9A840-D
65	S	8	390		1	★ C4SZ 9A840-A
66	S	8	390,428		1	★C6SZ 9A840-B
67	S (with C6) "Before 2/2/67"	8	390,428	Identified C7SB 9A840-A	1	★C7SZ 9A840-A
67	S (with C6) "From 2/2/67"	8	390,428	Identified C7SB 9A840-C	1	★ C7SZ 9A840-C
68	S (with C6)	8	All	Identified C8SB 9A840-B or C8SB 9A840-C	1	★ C8SZ 9A840-A
69	S (with C6)	8	All	Identified C9SB 9A840-A	1	C9SZ 9A840-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9A840 WIRE ASSY. - SPEED CONTROL - continued					
70/71	S (with C6)	8	429	Identified D0SB 9A840-A, D1SB 9A840-AA	1	D0SZ 9A840-A
72	S	8	All	Identified D2SB 9A840-AA, AB, AC, AD, AE, AF	1	D2SZ 9A840-A
67	S (with C6)	8	390,428	Strap (wiring to front fender apron)-3 7/64" long-Nylon	1	376914-S(YY2)
65	S	8	390	Clip (speed control wire assy.)	AR	376219-S(GG151)
65	S	8	390	Screw (speed control wire assy. clip)-No.10-12 x 1/2" hex. washer head-self tapping	AR	42127-S8(U248C)
	9D840 SLEEVE - SPEED CONTROL CONNECTOR ADJUSTER					
68/70	S (with C6)	8	All	Nylon-3.25" long-.323" O.D.-.035" wall thickness	1	C8SZ 9D840-A
70	S	8	All	Plate-locking-(used to hold sleeve in place for shipping & assy.)	1	376713-S(004)
	9B841 ROD - CARBURETOR THROTTLE - FRONT					
65/67	A Special (with 8/B carb.)	8	406,427	Bright finish	1	C3AZ 9B841-B
				Retainer-spring-.44" long	1	353610-S8(NN126)
	9D841 PIN - SPEED CONTROL SERVO CLEVIS					
69/	A (with C4, C6, C/M)	8	All	Attaches servo 9C735 to bracket 9C736-.254" dia.-.38" long	2	C9AZ 9D841-A
70/71	S	8	429		2	
72	S	8	All		2	D2SZ 9D841-A
69/	A	8	All	Pin-self locking-(pin to bracket)	2	352358-S (NN127B)
	9842 Refer to Carburetor Parts Lists Section 95, Page 1					
	9B842 ROD - CARBURETOR THROTTLE - REAR					
65/67	A Special (with 8/B carb.)	8	406,427	Use with C3AZ 9732-C, C5AZ 9732-A, B	1	C3AZ 9B842-B
	9D842 SENSOR ASSY. - SPEED CONTROL - Also refer to Group 9E731					
69	A (with C4, C6, C/M)	8	All	With 5" wiring assembly	1	C9AZ 9D842-A
70/	A (with C4, C6, C/M)	8	All	Used w/speed control-identified D0AA 9D842-A	1	D0AZ 9D842-C
71/	S (with C6)	8	All	D1AA 9D842-A, D2AA 9D842-AA	1	
70	S (with C6)	8	429	Used w/speed control-identified D0SA 9D842-A	1	D0SZ 9D842-A
				Retainer-spring-.44" long	1	353610-S8(NN126)
	9B843 ACCELERATOR CONTROL KIT - COBRA					
65/67	B	8	260,289	For (3) 2 barrel carburetor installation-use with C4OZ 6B068-A, B, C4DZ 6B068-A, B high performance kit	1	★C4OZ 9B843-A

Consists of

1-C3RA	9A701-A	Rod (accel. shaft to bellcrank)	1-AB	99753-A	Trunnion (accel. shaft to bellcrank)
1-C3RA	9A800-A	Arm (accelerator shaft)	1-375780-S81		Clip (rod to bellcrank arm)
1-B7A	9825-B	Clip (rod to bellcrank)			

66/67	B,X(with S/T)	8	289	For (3) 2 barrel carburetor installation-use with C4DZ 6B068-B high performance kit	1	★C6OZ 9B843-E

Consists of

1-C5ZZ	7A440-A	Bushing (accelerator control)	1-B7A	9826-A	Clip
1-C6OA	9A702-K	Rod (accel. shaft to bellcrank)	1-72003-S8		Cotter pin
1-C6OA	9725-R	Shaft assy. (accelerator)	1-379009-S		Grommet
1-TAAK	9737-A	Spring (accel. pedal retracting)	1-379010-S		Washer-No.10 (flat)-nylon
1-C3AZ	9741-A	Bracket (accel. to retracting spring)			

66/67	B	8	390	For (2) 4 barrel carburetor installation-use with C6AZ 6B068-B, C7AZ 6B068-A high performance kit	1	★C6OZ 9B843-G (Service details)
67/68	F(GT350)	8	289,302	For use with Supercharger	1	
65/69	All high performance vehicles (with 8V manifold)	8	All		1	

Consists of

1-C7OZ	9A702-L	Rod assy. (accel. shaft to bellcrank)	1-44712-S8		Flatwasher
1-C5AZ	9737-K	Spring (accelerator return)	1-72003-S8		Cotter pin
1-C5AZ	9741-B	Bracket (return spring)			

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9D843 AMPLIFIER ASSY. - SPEED CONTROL - Also Refer to Group 9D845					
69/	A (with C4, C6, C/M)	8	All	Less bracket	1	D1AZ 9D843-A
70/	S	8	All		1	
70	A	8	All	Screw (amp. & brk. assy. to dash panel)- 1/4" -18 x 1/2" -hex. hd. -self tapping	2	55981-S2 (U254E)
	9844 Refer to Carburetor Parts Lists Section 95, Page 1					
	9D845 BRACKET - SPEED CONTROL AMPLIFIER MOUNTING -Also Refer to Group 9D843					
69/	A (with C4, C6, C/M)	8	All		1	C9AZ 9D845-A
70/71	S	8	All		1	
72	S	8	All		1	D2SZ 9D845-A
69	A	8	All	Screw (brkt. to dash)-1/4"-14 x 1 3/4"-hex. hd. -self tap	2	★55918-S
	9A846 TRUNNION - ACCELERATOR SHAFT TO BELLCRANK ROD					
65	F	8	260,289		1	C5ZZ 9A846-A
68	F (except speed control)	8	289,302		1	
68/69	B, X	8	All		1	
67	F (with C4 & speed control)	8	289	Not replaced	1	★ C7ZZ 9A846-A
67	F (with C6 & speed control)	8	390	Not replaced	1	★ C7ZZ 9A846-D
67	F (except speed control)	8	289,390	Not replaced	1	★ C7ZZ 9A846-B
68	F(except speed control)(w/4/B carb.)	8	390		1	
	9848 HOUSING ASSY. - CHOKE THERMOSTAT- Also refer to Carburetor Parts Lists Section 95, Page 1					
	APPLICATION CHART					
70	B-with C6	8	429CJ	Service package-includes (1) D0OZ 9565-A retainer	1	D0OZ 9848-A (CM-1207)
71	B, F-with C6	8	429CJ		1	
71	P/C	8	429		1	
70	B-with M/T	8	429CJ	Service package-includes (1) D0OZ 9565-A retainer	1	D0OZ 9848-B (CM-1208)
71	B, F-with M/T	8	429CJ		1	

IDENTIFICATION CHART

IDENTIFICATION	SERVICE PART NUMBER
AR	C5AZ 9848-A (CM-485)
AU	C5AZ 9848-B (CM-486)
AV	C5AZ 9848-D (CM-634)
BO	C7AZ 9848-A (CM-667)
BW	C7AZ 9848-B (CM-677)
BX	C7AZ 9848-C (CM-678)
BY	C7AZ 9848-D (CM-679)
CO	C7DZ 9848-A (CM-691)
D0B	C9AZ 9848-A (CM-1028)
D0OF-A	D0OZ 9848-A (CM-1207)
D0OF-B	D0OZ 9848-B (CM-1208)
DY	C8SZ 9848-A (CM-721)
E0B	C9ZZ 9848-A (CM-971)
EW	C8AZ 9848-C (CM-806)
EX	C8AZ 9848-B (CM-846)
EY	C8AZ 9848-A (CM-826)
GT	C7OZ 9848-A (CM-685)
GTA	C7OZ 9848-D (CM-952)
GTS	C9OZ 9848-C (CM-737)

continued on next page

9848 HOUSING ASSY. - CHOKE THERMOSTAT - continued - Also refer to Carburetor Parts Lists Section 95, Page 1

IDENTIFICATION CHART

IDENTIFICATION	SERVICE PART NUMBER	IDENTIFICATION	SERVICE PART NUMBER
TB3	D1AZ 9848-A (CM-1454)	TT	C5AZ 9848-C (CM-490)
TB4	D1AZ 9848-B (CM-1455)	TW	C6AZ 9848-A (CM-623)
TB5	D1AZ 9848-C (CM-1456)	TX	D0AZ 9848-G (CM-1259)
TK	C0AZ 9848-B (CM-334)	TY	D2AZ 9848-B (CM-1533)
TM	C3YY 9848-A (CM-462)	4TB2	D1AZ 9848-F (CM-1504)
TN	C4AZ 9848-A (CM-458)	4TB3	D1AZ 9848-G (CM-1505)
TO	C4AZ 9848-B (CM-459)	4T0C	D0AZ 9848-E (CM-1244)
T0B	D0AZ 9848-F (CM-1258)	4TX	D0AZ 9848-C (CM-1242)
TS	C5DZ 9848-A (CM-487)	4TY	D0AZ 9848-D (CM-1243)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9849 THRU 9853 - Refer to Carburetor Parts Lists Section 95, page 1					
	9850 MANUAL CHOKE KIT					
70	F (GT350/500)	8	351,428	Use with C9AZ 9510-M and C9AZ 9510-N	1	D0ZZ 9850-A
	9A853 PLATE - ACCELERATOR SHAFT EQUALIZER BRACKET					
66	S (with C6)	8	390,428		1	★C6SZ 9A853-A
				Lockwasher-5/16"		34806-S7(X64)
	9A856 BUSHING - ACCELERATOR SHAFT TO BELLCRANK ROD					
65/66	S	8	390,428		1	C1SS 9A856-A
	9D856 SOLENOID ASSY. - CARBURETOR THROTTLE EMISSION CONTROL - Also Refer to Carburetor Parts Lists Section 95, page 1					
72	L	4	98		1	D2AZ 9D856-B
	9A857 NUT - ACCELERATOR SHAFT TO BELLCRANK ROD					
65/66	S	8	390,428		1	C3OZ 9A857-A
	9D857 WIRING ASSY. - CARBURETOR THROTTLE EMISSION CONTROL SOLENOID -Unless listed-Improvise from Basic 14296 Bulk Wire, use B9A 14294-K and B7A 14488-C Terminals as required					
70	X (with S/T & A/C)	8	302	Identified C9DB 9D857-A	1	C9DZ 9D857-A
70	X (with A/C)	6	200	Identified C9DB 9D857-B	1	C9DZ 9D857-B
71	L	4	98	Identified D12B 9D857-AA	1	D1FZ 9D857-A
72	A, B	8	429	Identified D2AB 9D857-DA, DB, DC	1	D2AZ 9D857-D
72	B, F	6	All	Identified D2ZB 9D857-BA, BB	1	D2ZZ 9D857-B
72	P	6	All	Identified D2DB 9D857-AA	1	D2DZ 9D857-A
68	A (with S/T)	6	240	Clip (wiring to valve push rod cover)-wiring 1.37" long-.50" wide	1	353547-S (GG173)
68	A (with S/T)	6	240	Strap (wiring to carburetor emission hose)-nylon-adjustable-6.75" long	1	383313-S(YY6)
	9D858 GUARD - SPEED CONTROL SERVO - Refer to Group 9C736					
69	A (with C4, C6, C/M)	8	All	Steel-.62" wide-12.07" long-.060" thick-improvise	1	★C9AA 9D858-A
	9D860 HOSE and MUFFLER ASSY. - SPEED CONTROL					
69	F (with C4, C6, C/M)	8	All	42.75" overall length	1	C9ZZ 9D860-A
	9861 SHIELD - CARBURETOR CHOKE THERMOSTAT - Also Refer to Carb. Parts List Section 95, page 1					
69	F (with 4/B carb.)	8	351	Located under R.H. front carb. mounting nut	1	C9AZ 9861-A
69	F (with 2/B carb.)	8	302		1	
70	F Boss (with 4/B carb.)	8	302		1	
69/70	F (GT350)	8	351		1	D2AZ 9861-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9865 INSULATOR - THERMOSTATIC CHOKE CONTROL OUTLET TUBE - Unless listed improvise from C1AE 9865-A					
67/68	F, X (with 4/B)	8	289	.33" I.D. -14.98" long-cut from C8OZ 9865-A	1	★C8OE 9865-A
68	F, X (with 4/B)	8	302		1	
71	U	8	302		1	
68	B, F, X	6	200	.26" I.D. x 8.95" long-cut from C8AZ 9865-A	1	★C8VE 9865-C
68	S	8	429		1	
70	A	6	240		1	
70/71	A (with 2/B carb.)	8	429		1	
69	A (with A/T)	6	240	.26" I.D. -12.64" long-cut from B8A 9865-A	1	★C8AE 9865-C
68	F, X (with 4/B carb.)	8	289,302	.33" I.D. -14.80" long-cut from C8OZ 9865-A	1	★C8OE 9865-B
68/69	B, F (with 4/B carb.)- "Before 2/17/69"	8	428CJ	.33" I.D. -20" long	1	C8WZ 9865-B
68/	A, B, F, X(with 2/B carb.)	8	302		1	
68	F, X(with 2/B carb.)	8	289,390		1	
70	F Boss (with 4/B carb.)	8	302		1	
69	A, B, F(with 2/B carb.)	8	351		1	
70	A, F (with 2/B carb.)	8	351		1	
69	B, F (with 4/B carb.)	8	390		1	
71/	A, B	8	351W		1	
69	B, F	8	428CJ		1	
70	F	8	428CJ		1	
68	F, X (with 4/B carb.)	8	289,302		1	
66	B	8	390		1	
67	B (with 2/B carb.)	8	390		1	
67/69	B, F (with 4/B carb.)	8	390		1	
66/67	A, B, F, X (except F Special)	8	289		1	
68	F Special (with 4/B carb.)	8	427		1	
72	P(with Imco. & A/C)	8	302		1	
	9D866 WIRE ASSY. - CARBURETOR EMISSION CONTROL SOLENOID JUMPER					
71	A, B, F	8	429	Identified D1AB 9D866-AA	1	D1AZ 9D866-A
71	B, F, P(with 2/B carb.)	8	302	Identified D1OB 9D866-AA	1	D1OZ 9D866-A
71	B, F(with A/T, without A/C)	8	351(C)	Identified D1AB 9D866-BA	1	D1AZ 9D866-B
72	A(P/C)	8	429	Identified D2AB 9D866-AA, AB, AC, AD	1	D2AZ 9D866-A
72	B(with M/T)	8	302	Identified D2OB 9D866-AA, AB, AC	1	D2OZ 9D866-A
72	B(with C6)	8	429		1	
72	F, P (with M/T & A/C)	8	302		1	
72	P(except A/C)	6	All	Identified D2DB 9E754-AA	1	D2DZ 9D866-A
72	B (without A/C)	8	351(C)	Identified D2OB 9D866-CA	1	D2OZ 9D866-C
	9C869 TUBE ASSY. - THERMOSTATIC CHOKE HEATER					
70/	A (with 4/B carb.)	8	429	4 1/2" formed length with formed tube and square flange on (1) end-located in R.H. side of intake manifold-use with 9903 gasket	1	C8VY 9C869-A
68/69	S	8	429		1	
69	A	8	429	flange on (1) end-located in R.H. side of intake	1	
70	B (with 4/B carb.)	8	429CJ	manifold-use with C8SZ 9903-A gasket	1	
70/	B, S (with 2/B, 4/B carb.)	8	429,460		1	
70/71	A(with 2/B carb.)	8	429		1	
71	F	8	429 S/CJ		1	
72	P/C	8	429		1	
70/71	B, F (with 4/B carb.)	8	351		1	D0AZ 9C869-A
70/	B, F (with 2/B carb.)	8	351	3 loop design	1	D0AZ 9C869-B
71/	A	8	351(C)		1	
71/	F (with 4/B carb.)	8	351CJ		1	D1ZZ 9C869-A
72	F(with 4/B carb.)	8	351SPL		1	
71	A	8	400	Use with D1AZ 9903-A gasket	1	D1AZ 9C869-A
72	A, B, S	8	400		1	D2AZ 9C869-A
71	A(with 4/B carb.)	8	351CJ	Bolt (tube assy.to manifold)-5/16" x 18 x 3.25	2	56141-S(B93X)
71	A	8	351(C)	Bolt(tube assy. to manifold)-5/16" x 18 x 3.75	2	56133-S(B319S)
72	B(with 2/B carb.)	8	351		2	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9C869 TUBE ASSY. - THERMOSTATIC CHOKE HEATER - continued					
72	B, F (with 4/B carb.)	8	351	Bolt (tube assy. to intake manifold) 5/16"-18 x 3.25"	2	56131-S(B93X)
72	A, B, S	8	429	Screw & washer assy. (tube assy. to intake manifold)	2	373071-S2(BB554M)
	9871 GASKET - AUTOMATIC CHOKE PISTON HOUSING - Refer to Carburetor Parts Lists Section 95, page 1					
	9C872 SWITCH ASSY. - SPEED CONTROL INHIBITOR					
66	S (with C6, C/M)	8	390,428		1	C5AZ 9C872-B
65/66	A, P/C (with C4, C/M)	8	289,352, 390,428		1	
65	A, P/C (with C4, C/M)	8	289,352, 390	Screw (switch to brkt.)-No. 10-24 x 1 3/8" fill. head	1	378149-S(BB29D)
				Lockwasher No. 10-internal tooth		34903-S8(X96)
				Nut-No. 10-24 hex.		34053-S8(M156)
	9873 BUSHING - ACCELERATOR PEDAL HINGE					
65/66	A	6&8	All	.31" O.D. -.189" I.D. -.135" long (Nylon)	2	C5AZ 9873-B
	U	6&8	170,289, 302		2	
67	S	8	390,428			
68/71	S	8	All		2	
68/70	B, F, X	6&8	All	Pin-1/4"-28-.90" long	2	
70	P	6	All		1	C8OZ 9873-A
71	B	6&8	All		1	
71/72	L "Before 6/19/72"	4	98		1	
72	L "From 6/19/72"	4	98		1	D0RY 9873-A
68	B, F, X	6&8	All	Screw (accelerator pedal)-1/4"-28 x 1 3/64"-pan head	1	D2RY 9873-A
					1	380503-S8 (BB701P)
	9C873 BRACKET - SPEED CONTROL INHIBITOR SWITCH					
65/66	A, P/C (with C4, C6, C/M)	8	289,352, 390,428	Use with "Resume" feature	1	★C5AZ 9C873-A
65/66	A, P/C (with C4, C6, C/M)	8	289,352, 390,428	Screw (speed control solenoid bracket to inhibitor switch bracket)-No. 10-24 x 3/4" round head	2	53864-S7-8(U169)
				Lockwasher-No. 10-internal tooth		34903-S8(X96)
				Nut-No. 10-24-hex.		34053-S8(M156)
	9C874 HOSE - SPEED CONTROL INHIBITOR SWITCH					
65	A, P/C (with C4, C/M) "Before 12/18/64"	8	289,352, 390	.120" I.D. -.250" O.D. -5.00" long-cut from C4AZ 9C745-A	2	★C5AA 9C874-A
65/66	A, P/C (with C4, C6, C/M) "From 12/18/64"	8	289,352, 390,428	.126" I.D. -.264" O.D. -5.06" long-cut from C4SZ 9C745-C	2	★C5AA 9C874-B
66	S	8	390,428	.125" I.D. -.250" O.D. -2.68" long-cut from C4SZ 9C745-C	1	★C6SA 9C874-A
65/66	A, P/C (with C4, C6, C/M)	8	289,352,	Tee (connects speed control inhibitor hose)-	1	380090-S(II-106K)
65/66	A	8	All 390,428	Clamp (hose to 9C872)-1/4" 3/16" tube	AR	★378919-S
	9C875 BRACE - SPEED CONTROL PULLEY					
65/66	A, P/C (with C4, C6, C/M)	8	289,352, 390,428		1	ø★C5AZ 9C875-A
	9C876 ADJUSTER - SPEED CONTROL CONNECTOR					
65/66	A, P/C (with C4, C6, C/M)	8	289,352, 390,428		1	C5AZ 9C876-A
67	S (with C6)	8	390,428		1	
68/69	S (with C6)	8	429		1	
72	S	8	All		1	D2SZ 9C876-A
65/66	A, P/C (with C4, C6, C/M)	8	289,352, 390,428	Pin (connector speed control to adjuster)-cotter 1/16" x 3/4"	1	72015-S(N40)
67	S (with C6)	8	390,428		1	
65/66	A, P/C (with C4, C6, C/M)	8	289,352, 390,428	Nut (use as lock nut adjuster to servo assy.)-1/4"-20 hex. check	1	33920-S8(M25)
67	S (with C6)	8	390,428		1	
	9C877 WIRE ASSY. - SPEED CONTROL EXTENSION - Also refer to Group 9C887					
67	F (with C4, C6)	8	390,428	Replaced by C7ZB 14N322-A	1	★C7ZB 9C877-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

SECTION 97

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	9C887 WIRE ASSY. - SPEED CONTROL EXTENSION - Also refer to Group 9C877					
67	A (with C4, C6, C/M)	8	289,390 428		1	★ C7AZ 9C887-A
67	A(with C4, C6, C/M)	8	289,390 428	Strap (extension wire to wire assy. main) adjustable(nylon)	1	376914-S (YY2)
	9C888-9 SWITCH ASSY. - SPEED CONTROL ACTUATOR					
66	S	8	390,428	R. H. -lettered "Resume-Retard" R. H. -lettered "Resume" and "Retard"	1	★C6SZ 9C888-A
66	S	8	390,428	L. H. -lettered "Set speed"	1	★C6SZ 9C889-A
67	S (with C6)	8	390,428	Switch & button assy. -(speed control actuator)-	1	C7SZ 9C888-A
67	S (with C6)	8	390,428	Switch & button assy. (speed control actuator)- L. H. -lettered "Set" and "Speed"	1	C7SZ 9C889-A
68	S (with C6)	8	All	R. H. -switch & button assy. -lettered "Resume" and "Retard"	1	C8SZ 9C888-A
69	A (with C4, C6, C/M)	8	All	Switch & button assy. -(speed control actuator)- R. H. -lettered " Set-Acc" and " Coast"	1	C9AZ 9C888-A
69	A (with C4, C6, C/M)	8	All	L. H. -lettered "Off-on"	1	C9AZ 9C889-A
69	S (with C6)	8	All	R. H. -lettered "Resume" and "Coast"	1	C9SZ 9C888-B
68/69	S (with C6)	8	All	L. H. -lettered "Set" and "Speed"	1	C9SZ 9C889-B
70/	A, S (with C4, C6, C/M)	8	All	Dual switch assy. -L. H. -lettered " Off and On" - R. H. -lettered " Set-Accel and Coast"	1	D0AZ 9C888-A
	9890 CHAMBER ASSY. - THERMOSTATIC CHOKE HEAT					
65/67	A Special (4/B, 6/B or 8/B carb.)	8	406,427		1	C3AZ 9890-A
68	B Special (with 4/B carb.)	8	427		1	
	9C892 RETAINER - SPEED CONTROL SWITCH					
66	S	8	390,428		2	★C6SZ 9C892-A
67	S "Before 1/2/67"	8	390,428		2	★C7SZ 9C892-A
67	S "From 1/2/67"	8	390,428	Except vacuum door locks	1	★ C7SZ 9C892-E
67	S "From 1/2/67"	8	390,428	Vacuum door locks	1	★C7SZ 9C892-F
68/69	S	8	All	Nylon-2.84" long with (2).20" diameter holes- located on instrument panel	1	C8SZ 9C892-A
68/69	A, S	8	All	Nylon-located in steering wheel	2	C8SZ 9C892-B
	9C894 HOLDER and HOUSING ASSY. - SPEED CONTROL BRUSH					
66	S	8	390,428		1	C6SZ 9C894-A
	9C894 HOLDER and WIRE ASSY. - SPEED CONTROL BRUSH					
67	S (with C6)	8	390,428		1	★ C7SZ 9C894-B
68	S (with C6)	8	All	Used with tilt column	1	C8SZ 9C894-A
69	S (with C6)	8	All	Used with tilt column	1	C9SZ 9C894-A
	9D896 - Refer to Carburetor Parts Lists Section 95, page 1					
	9C898 SPRING - SPEED CONTROL BRUSH HOLDER					
66	S	8	390,428		1	★C6SZ 9C898-A
67	S	8	390,428		1	C7SZ 9C898-A
68/69	S	8	All		1	
	9C899 BRUSH ASSY. - SPEED CONTROL					
69	A (with C4, C6, C/M)	8	All		1	C9AZ 9C899-A
70/	A, S (with C4, C6, C/M)	8	All		1	D0AZ 9C899-A
	9903 GASKET - THERMOSTATIC CHOKE HEAT SUPPLY COVER					
65	A, S (except P/C)	8	352,390		1	B8A 9903-B
66/67	A, S, P/C	8	352,390 428		1	
68	A, S	8	390		1	
68	A, P/C	8	428		1	
69/71	A (with 2/B carb.)	8	390		1	
69/70	A P/C (with 4/B carb.)	8	428		1	
68	B, F (with 4/B carb.)	8	428-CJ		1	
68/	S	8	429,460	Reinforced asbestos-.057"/.067" thick - use with 9C869 thermostatic choke heater assy.	1	C8SZ 9903-A
69/	A, B (with 2/B, 4/B carb.)	8	429		1	
70/71	B (with 4/B carb.)	8	429CJ		1	
71/	A, B, S	8	400	Reinforced asbestos-.057"/.067" thick	1	D1AZ 9903-A (CG-312)
	9919 - 9998 - Refer to Carburetor Parts Lists Section 95, page 1					

INDEX

PART NAME	GROUP NUMBER
A	
Actuator (instrument cluster warning indicator switch)	10B998
Actuator & lens assy. (warning lamp indicator panel emergency flasher)	10B998
Actuator & lens assy. (warning lamp indicator panel seat belt switch)	10C850
Adapter (alternator mounting bracket)	10A336
Adapter (instrument cluster control pod back plate)	10B912
Adapter (water temperature indicator sender engine unit)	10911
Alternator (mounting)	10A313
Alternator assy.	10346
Alternator terminal kit (battery insulator)	10A383
Ammeter (instrument cluster)	10850
Arm (alternator belt adjustment)	10145
Arm (generator belt adjustment)	10145
Arm (generator brush)	10040
Armature (voltage regulator relay)	10A517
Armature assy. (generator)	10005
Armature assy. (voltage regulator)	10551
B	
Baffle (instrument cluster lamp)	10891-2
Base (instrument panel tachometer)	10C842
Battery (dry charged)	10657
Battery (mounting parts)	10732
Battery chart	10653-5
Bearing (alternator)	10095
Bearing (alternator front drive end)	10A303
Bearing (alternator rear)	10A304
Bearing (generator)	10095
Bearing (generator end plate)	10094
Bearing (generator rear)	10095
Bezel (console panel seat belt warning indicator lamp switch)	10B928
Bezel (instrument cluster)	10876
Bezel (instrument cluster control)	10852
Bezel (instrument cluster control housing)	10B903
Bezel (instrument cluster control outer)	10853
Bezel (instrument cluster emergency warning indicator lamp)	10B920
Bezel (instrument cluster low fuel level warning lamp)	10A838
Bezel (instrument panel parking brake warning lamp)	10A840
Bezel (roof console panel door opening warning switch)	10C863
Bezel (warning lamp indicator panel door opening lamp)	10A845

PART NAME	GROUP NUMBER
B - cont'd.	
Bezel & lens (instrument panel emergency flasher warning lamp)	10B920
Bezel & lens (instrument panel warning lamp)	10C876
Bezel & lens (roof console panel warning indicator)	10C876
Bezel & lens (warning indicator panel lamp)	10C876
Bezel & lens assy. (instrument panel parking brake warning lamp)	10A840
Block (terminal)	10564
Board (alternator printed circuit)	10B301
Bobbin (alternator rotor coil)	10B303
Bolt (alternator through)	10120, 10A396
Bolt (battery clamp)	10756
Bolt (generator through)	10120
Bolt (starter motor through)	10120, 11091
Brace (alternator mounting)	10B315
Brace (battery hold down clamp)	10741
Bracket (alternator mounting)	10A313
Bracket (alternator mounting front)	10156
Bracket (alternator regulator mounting)	10337
Bracket (alternator to cylinder block mounting)	10151
Bracket (battery holddown clamp to apron)	10A705
Bracket (battery support)	10769
Bracket (battery tray inner)	10729
Bracket (generator mounting)	10039, 10151
Bracket (generator mounting front)	10156
Bracket (generator mounting top)	10153
Bracket (generator splash shield)	10180
Bracket (generator to cylinder block mounting)	10151
Bracket (instrument cluster)	10A919
Bracket (instrument cluster ammeter mounting)	10847
Bracket (instrument cluster mounting)	10845
Bracket (instrument cluster warning indicator panel)	10C894
Bracket (instrument panel control)	10C935
Bracket (instrument panel seat belt warning lamp mounting)	10C893
Bracket (warning lamp indicator panel)	10C894
Brush & terminal (alternator)	10347
Brush set (generator)	10069
Bushing (alternator rectifier insulator)	10A381
Bushing (alternator terminal)	10390
Bushing (generator frame field terminal screw insulating)	10206
Bushing (generator terminal screw insulating)	10202
Button (instrument cluster clock stem opening hole plug)	10C864

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
C	
Cap (battery filler)	10720
Capacitor (alternator)	10A380
Carrier or tray (battery)	10732
Chassis (instrument cluster warning indicator panel)	10C901
Circuit assy. (instrument cluster printed)	10K843
Clamp (battery hold down)	10718
Clip (instrument cluster bezel)	10920
Cluster kit (aux. instrument)	10B960
Cluster kit (gauge eng.)	10B944
Coil (generator field)	10175
Coil (voltage regulator voltage limiter shunt)	10517
Coil assy. (voltage regulator voltage limiter shunt)	10517
Connector (voltage regulator)	10A730
Cover (alternator brush spring)	10A340
Cover (alternator terminal)	10A375
Cover (generator regulator terminal)	10A555
Cover (instrument cluster heater blower switch opening)	10874
Cover (instrument cluster housing)	10A855
Cover (instrument cluster opening)	10A862
Cover assy. (instrument cluster trim)	10B883
Cover kit (battery filler channel)	10A820
Cup (distributor oil)	10141
Cup (generator rear end plate oil)	10141
D	
Dial (instrument cluster indicator)	10B966
Dial (instrument cluster main)	10887, 10B917
Dial (instrument cluster warning lamp)	10960
Diode (alternator negative)	10378
Diode (alternator positive)	10374
Diode assy. (alternator light)	10374
Diode assy. (lamp fail indicator)	10C912
Dowel (generator end plate locating)	10088
E	
Electrolyte (battery)	10656
Escutcheon (instrument cluster control housing)	10B906
F	
Fan (alternator)	10A310
Filter (instrument cluster light)	10B870
G	
Gasket (instrument cluster)	10A948
Gasket (instrument cluster warning lamp)	10A995
Gasket (voltage regulator cover to base)	10623
Gauge (ammeter)	10850
Gauge (instrument cluster temperature)	10883
Gauge (oil pressure)	10B921, 10B971
Gauge assy. (ammeter console)	10B850
Generator mounting brackets	10039
Generator assy.	10002
Glass (instrument cluster)	10880
Guide assy. (tail lamp monitor)	10C944
H	
Holder assy. (alternator brush)	10320, 10351
Holder & stud assy. (alternator brush)	10320
Housing (alternator front)	10333
Housing (alternator rear)	10334
Housing (ignition switch)	10A885
Housing (instrument cluster)	10838
Housing (instrument cluster control)	10A858
Housing (instrument panel rally pac)	10B945
Housing (instrument panel tachometer)	10B945
Housing (seat belt warning lamp)	10C876
Housing (tachometer on instrument panel)	10B945
Housing (warning indicator panel)	10C854
Housing assy. (alternator brush end)	10334
Housing assy. (alternator drive end)	10333
Hub (instrument cluster dial)	10C942
Hub (instrument cluster lens)	10C839
Hub assy. (fuel & temperature indicator)	10C867
I	
Indicator assy. (emergency warning lamp)	10A934
Indicator assy. (tail lamp monitor)	10C955
Insulator (alternator diode plate)	10A383
Insulator (alternator stator end)	10A361
Insulator (alternator terminal)	10329
Insulator (ammeter)	10C914
Insulator (ammeter indicator)	10C914
Insulator (generator brush holder rivet)	10048
Insulator (instrument cluster ammeter)	10A758
Insulator & post (voltage regulator voltage limiter)	10A519

INDEX

PART NAME	GROUP NUMBER
J	
Jumper (alternator brush spring to field terminal)	10A342
K	
KIT - refer to appropriate noun name For example Cover kit (battery filler channel)	10A820
L	
Lamp (instrument panel parking brake warning)	10A840
Lamp assy. (console panel seat belt warning indicator)	10C859
Lamp assy. (instrument panel seat belt warning indicator)	10C859
Lamp assy. (seat belt warning)	10B925
Lamp & wiring assy. (instrument panel parking brake warning)	10A841
Lead (alternator ground)	10A374
Lens (console panel seat belt warning indicator lamp)	10B927
Lens (instrument cluster control housing)	10B908
Lens (instrument cluster main)	10880, 10887
Lens (instrument cluster warning lamp)	10A936-7
Lens (lamp fail indicator lamp)	10C950
Lens (roof console panel door opening warning lamp)	10A845
Lens (roof console panel flasher warning lamp)	10B920
Lens (tail lamp monitor)	10C950
Lug (voltage regulator base plate)	10578
M	
Mask (instrument cluster)	10890, 10894
Medallion (instrument cluster)	10952
O	
Oil cup (distributor)	10141
P	
Panel (roof console warning lamp indicator)	10C848
Panel (warning indicator)	10C854
Panel assy. (warning lamp indicator)	10C848-9
Plate (alternator positive conductor)	10B330
Plate (indicator mounting instrument cluster)	10B978
Plate (instrument cluster back)	10848
Plate (instrument cluster control mounting)	10A860, 10A885-6
Plate (instrument cluster ignition switch mounting)	10A860
Plate (instrument cluster trim)	10A861
Plate (instrument panel wiring connector mounting)	10C897
Plate assy. (alternator diode)	10A377-8
Plate assy. (generator front end)	10138-9
Plate assy. (instrument panel wire connector)	10C928
Plate & brushes assy. (generator rear end)	10050
Plate & diode assy. (alternator negative)	10377
Plate & diode assy. (alternator positive)	10373
Point (voltage regulator unit fixed contact)	10576
Post (voltage regulator voltage limiter contact lower)	10608
Post (voltage regulator voltage limiter contact upper)	10565
Pulley (alternator)	10344
Pulley (generator)	10130
R	
Rectifier assy. (alternator)	10304
Regulator (instrument cluster voltage)	10804
Regulator assy. (alternator)	10316
Regulator assy. (generator)	10505
Reinforcement (battery support bracket)	10A674, 10A710
Reinforcement (instrument cluster housing)	10C899
Relay (alternator regulator field)	10A376
Relay (console panel seat belt warning lamp indicator)	10B926
Relay (cornering lamp)	10B926
Relay (instrument panel seat belt warning lamp)	10B924
Relay (oil temperature indicator warning lamp)	10B840
Relay (warning lamp indicator)	10B926
Relay (warning lamp indicator panel low fuel level)	10A968
Relay assy. (warning lamp indicator)	10C838
Resistor (alternator voltage ballast)	10632
Resistor (voltage regulator absorbing)	10594
Resistor (voltage regulator unit field)	10570
Resistor assy. (voltage regulator ballast)	10632

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
R - cont'd.	
Retainer (alternator front bearing)	10A355
Retainer (generator bearing gasket)	10213
Retainer (generator drive end packing)	10200
Retainer (instrument cluster indicator panel warning lamp)	10918
Retainer (instrument cluster jewel)	10D838
Retainer (instrument cluster pod)	10836
Retainer (roof console panel warning lamp indicator)	10C860
Retainer (tail lamp monitor housing)	10C954
Retainer (warning indicator panel lamp)	10918
Retainer (warning lamp indicator panel lens)	10C886
Ring (alternator rotor slip)	10328
Ring (alternator rotor stop)	10370
Ring (generator front end plate bearing stop)	10163
Rotor assy. (alternator)	10335
S	
Screw (generator pole piece)	10044
Screw (generator terminal)	10211
Screw (starter motor pole piece)	10044, 11415
Seal (instrument cluster dust)	10A939
Sender (water temperature indicator eng. unit)	10884
Shaft (alternator rotor)	10330
Shield (alternator bracket)	10K347
Shield (alternator splash)	10317
Shield (battery)	10757
Shield (battery heat)	10A682
Shield (generator splash)	10170
Shield (voltage regulator)	10A506
Socket & wiring assy. (console panel seat belt warning indicator lamp)	10B925
Socket & wiring assy. (instrument panel seat belt warning indicator lamp)	10B925
Socket & wiring assy. (roof console warning indicator lamp)	10B925
Socket & wiring assy. (warning lamp indicator panel seat belt lamp)	10B925
Spacer (alternator fan or pulley)	10A344
Spacer (alternator rectifier mounting)	10A382
Spacer (alternator to mounting bracket)	8A652, 10A370
Spacer (instrument cluster housing)	10886
Spring (alternator brush)	10349
Spring (generator brush)	10057
Spring (instrument cluster windshield wiper switch bezel)	10867
Spring (instrument panel parking brake warning lamp retaining)	10A848

PART NAME	GROUP NUMBER
S - cont'd.	
Spring (voltage regulator armature tension)	10557
Spring (warning lamp indicator panel switch actuating)	10B996
Stator assy. (alternator)	10336
Stop (alternator rotor)	10A360
Stud (generator mounting bracket)	10282
Support (battery hold down clamp bracket)	10A691
Switch assy. (console panel seat belt warning indicator lamp)	10B924
Switch assy. (oil temperature warning)	10B921
Switch assy. (warning lamp indicator panel door unlock warning)	10C843-4
Switch assy. (warning lamp indicator panel seat belt lamp)	10B924
T	
Terminal (alternator field)	10383
Terminal (instrument cluster fuel level indicator)	10927
Terminal (instrument cluster oil pressure gauge)	10927
Terminal & brush assy. (alternator)	10347
Tray (battery)	10764
Trim (aux. instrument cluster rally pac)	10C858
Trim (instrument cluster housing)	10A861
V	
Vent kit (battery)	10A824
W	
Washer (battery terminal corrosion arrestor)	10A717
Washer (generator terminal screw insulating inner)	10208
Wire (constant voltage regulator to gauge)	10C931
Wire (constant voltage regulator to ignition)	10C932
Wire assy. (ignition switch to alternator regulator)	10A339
Wire assy. (voltage regulator extension)	10A545
Wire & socket (instrument cluster control lamp)	10D839
Wiring (instrument cluster)	10B942
Wiring (roof console warning lamp indicator panel)	10B923
Wiring (warning lamp indicator panel)	10B923
Wiring assy. (charge indicator)	10A665
Wiring assy. (instrument cluster feed)	10817
Wiring assy. (instrument cluster warning indicator panel extension)	10C877
Wiring assy. (seat belt warning)	10B925

10002 GENERATOR ASSY.

HOW TO FIND GENERATORS and COMPONENTS

By IDENTIFICATION:

1. Refer to Identification Chart below.
2. Check marking (on generator housing) against Identification numbers to determine part numbers of service generator and pulley.

By MODEL APPLICATION:

1. Refer to Model Application Chart below
2. Refer to appropriate Year, Model and Engine.
3. Select and refer to Parts List A or B on Page 4 of this Section.
4. If basic number is not known refer to Illustration Section 100, Page 1 of the Ford Car Master Illustration Catalog (Form FP 7635-B) or to the alphabetical index at beginning of this section.
5. Select part number shown for affected Parts List. If more than one part number is shown refer to Description and Restrictions for clarification.
6. Quantity of parts shown in columns A or B.
7. Parts are listed numerically.

Identification Example: C3DF 10000-A is listed in Parts List 100, column B.

Model Application Example: 1965 Mustang (6 cyl.) uses 25 amp. generator (C1DZ 10002-A). Internal parts for this generator are listed in Parts List 100, column B.

IDENTIFICATION CHART

GENERATOR IDENTIFICATION	PARTS LIST 100— COLUMN	SERVICE GENERATOR	PULLEY	GENERATOR IDENTIFICATION	PARTS LIST 100— COLUMN	SERVICE GENERATOR	PULLEY
C3DF 10000-A	B	C1DZ 10002-A	C2OZ 10130-C	C3OF 10000-B	A	C1TZ 10002-A	C3OZ 10130-B
C3DF 10000-B	A	C1TZ 10002-A	C2OF 10130-A	C4OF 10000-A	A	C1TZ 10002-A	C2OF 10130-A
C3DF 10000-C	A	C1TZ 10002-A	C2OZ 10130-B	C4OF 10000-B	A	C1TZ 10002-A	C2OZ 10130-B
C3DF 10000-D	B	C1DZ 10002-A	C3DZ 10130-A	C4OF 10000-C	A	C1TZ 10002-A	C3OZ 10130-B

APPLICATION CHART

MODEL	ENGINE CYL.	ENGINE C.I.D.	△ MAKE	AMP.	IDENTIFICATION	PARTS LIST 100— COLUMN	SERVICE GENERATOR	VOLTAGE REGULATOR
1965								
F (exc. A/C)	6	170	F	25	C3DF 10000-A	B	C1DZ 10002-A (GA-487)	C3DZ 10505-A (GR-267)
F (w/A/C)	6	170	F	30	C2OF 10000-J, C3DF 10000-D	B	C1DZ 10002-A (GA-487)	C3TZ 10505-B (GR-268)
F	8	260,289	F	30	C2OF 10000-G, H, C3OF 10000-B, C4OF 10000-A, B, C	A	C1TZ 10002-A (GA-427)	C3TZ 10505-B (GR-268)


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

10039 GENERATOR MOUNTING BRACKETS

Generator mounting parts are listed in chart form following the illustration below. Refer to the illustration to determine the name of the part required. Refer to the chart to select the appropriate part number. The chart is listed by year, model, engine and generator make and amperage.

Attaching parts such as bolts, nuts, etc. are listed by code number. A listing of the code numbers and their corresponding part numbers and descriptions appears at the end of the chart.



10039 GENERATOR MOUNTING PARTS

MODEL	GENERATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
					FRONT		SIDE	
	Δ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.
1965								
6 CYL. 170								
F(exc. A/C)	F	25,30	C2DZ 10145-B	1,2			C1DE 10039-A	6,7
F(A/C)	F	25,30	C4DZ 2882-A	6,7,20			C1DE 10039-A	6,7
8 CYL. 260,289								
F(exc. A/C)	F	30	C4OZ 10145-A	1,2,15			C2OZ 10151-A	16
F(A/C)	F	30	C3OZ 10145-C	1,2,17			C2OZ 10151-A	16

Δ F - Ford


* Refer to Hardware listing at end of chart for number shown in this column

10039 GENERATOR MOUNTING PARTS - NUTS, BOLTS, ETC. (QUANTITY AS REQUIRED)

CODE	PART NUMBER	DESCRIPTION
1	373293-S8(BB563)	Screw & washer-hex.hd.-3/8"-16 x 1"
2	382585-S100 (XX143A)	Washer-flat-3/8"
6	20388-S8(B80)	Bolt-hex. head-3/8"-16 x 1"
7	34807-S7(X66)	Lockwasher-spring-3/8"
15	20366-S8(B52)	Bolt-hex. head-5/16"-18 x 7/8"
16	20488-S8(B86)	Bolt-hex. head-3/8"-16 x 1 5/8"
17	357235-S(BB136)	Bolt-hex. head-5/16"-18 x 7/8"
20	33799-S7(M52)	Nut-hex. -3/8"-16

10130 PULLEY - GENERATOR

MODEL	IDENTIFICATION	TYPE	A	B	C	D	E	F	G	Δ MAKE	AMP.	PART NUMBER
1965												
6 CYL. 170												
F	C2OF 10130-G	1	2.67	.670	.38	5.57	1.62			F	25	C2OZ 10130-C (GP-376)
8 CYL. 260,289												
F(exc. A/C & Premium Fuel)	C2OF 10130-A	1	2.67	.669	.38	5.57	1.92			F	30	C2OF 10130-A (GP-384)
F(A/C exc. Premium Fuel)	C2OF 10130-B	2	2.67	.670	.38	5.57	2.22	.64		F	30	C2OZ 10130-B
F(Premium Fuel)	C3OF 10130-B	1	4.32	.670	.38	5.57	1.94			F	30	C3OZ 10130-B (GP-397)



YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	Δ MAKE	AMP.	QTY.	PART NUMBER
65	F	6&8	All	Nut(generator pulley)-21/32"-20			1	351124-S(MM42)
65	F	6&8	All	Lockwasher (generator pulley)-			1	351496-S(XX306)
65	F	6&8	All	Key (generator pulley)-			1	74175-S(L7)
	10145 ARM - ALTERNATOR ADJUSTMENT - Refer to Group 10A313							
	10151 BRACKET - GENERATOR MOUNTING - Refer to Group 10039							
	10151 BRACKET - ALTERNATOR MOUNTING REAR - Refer to Group 10A313							
	10156 BRACKET - ALTERNATOR MOUNTING FRONT - Refer to Group 10A313							
	10170 SHIELD - GENERATOR SPLASH - Also refer to Group 10317							
65	F(A/C exc. Premium Fuel)	8	260,289		F	30	1	C3OZ 10170-C (GY-777)
65	F(exc. A/C & extra cooling)	8	260,289	Outer	F	30	1	C4OZ 10170-C (GY-775)
65	F(exc. A/C & extra cooling)	8	260,289	Inner	F	30	1	C4OZ 10170-D (GY-769)
	10282 STUD - GENERATOR MOUNTING BRACKET							
65	F(with A/C)	8	260,289	Not replaced			1	★C3OZ 10282-B

Δ F - Ford

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	GENERATOR PARTS LISTS A and B	
		A	B
ARMATURE ASSY. - GENERATOR	C1TZ 10005-A (GM-20)	A	B
ARM - GENERATOR BRUSH	C1DZ 10040-A (GY-676)	A	B
SCREW - GENERATOR POLE PIECE - 7/16"-14 x 21/32"	68 10044	A	
INSULATOR - GENERATOR BRUSH HOLDER RIVET	8BA 10048-B (GY-820)	2	2
PLATE and BRUSH ASSY. - GENERATOR REAR END	C3AZ 10050-A (GH-18)	A	B
SPRING - GENERATOR BRUSH	C1VF 10057-A (MS-454)	A	B
BRUSH SET - GENERATOR	C1AZ 10069-A (GB-11)	A	B
DOWEL - GENERATOR END PLATE LOCATING	18 10088	A	B
BEARING - GENERATOR END PLATE	A8AZ 10094-B	A	B
BEARING - GENERATOR REAR	B6A 10095-B (GE-4)	A	B
BOLT - GENERATOR THRU	C3AZ 10120-A	A	B
PLATE ASSY. - GENERATOR FRONT END	B6A 10139-B	A	
	C1DZ 10139-A		B
RING - GENERATOR FRONT END PLATE BEARING STOP	01A 10163	A	B
COIL ASSY. - GENERATOR FIELD	C0DF 10175-A (GC-17)		B
	B6AZ 10175-D (GC-297)	A	
BUSHING - GENERATOR TERMINAL SCREW INSULATING	C2SZ 10202-A	A	B
BUSHING - GENERATOR FRAME FIELD TERMINAL SCREW INSULATING	81A 10206	A	B
WASHER - GENERATOR TERMINAL SCREW INSULATING - INNER	81A 10208	A	B
SCREW - GENERATOR TERMINAL	01A 10211	A	

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

10300 ALTERNATOR

HOW TO FIND ALTERNATORS and COMPONENTS

By IDENTIFICATION:

1. Refer to Identification Chart below.
2. Check marking (on alternator housing) against Identification numbers to determine part numbers of service alternator, pulley, fan & spacer.

By MODEL APPLICATION:

1. Refer to Model Application Chart beginning on page 34
2. Refer to appropriate Year, Model and Engine.

3. Select and refer to appropriate Parts List Section and Number.
4. If basic number is not known refer to Illustration Page shown in the Ford Car Master Illustration Catalog (Form FP 7635-B) or to the index at the beginning of Section 100.
5. Select part number shown for affected Parts List. If more than one part number is shown refer to Description and Restrictions for clarification.
6. Quantity of parts shown in columns A, B or C etc.
7. Parts are listed numerically.

IDENTIFICATION EXAMPLE: C6DF 10300-A is listed in Parts List Section 103.4, Column 4J.
MODEL APPLICATION EXAMPLE: 1966 Falcon (8 cyl.) uses 38 amp. alternator (D0AZ 10346-E). Internal parts for this alternator are listed in Parts List Section 103.4, Column 4J.

IDENTIFICATION CHART (Also see ALTERNATOR APPLICATION CHART on Pages 34 thru 38)

IDENTIFICATION	PARTS LIST SECTION & NO.	Δ MAKE	AMP.	SERVICE ALTERNATOR	PULLEY	FAN	SPACER	ILLUS. SEC. 100 PAGE
A001 6240-AA	103.2B	L/N	53	C5AZ 10346-C		C2AZ 10A310-A	C2AZ 10A344-A	3
A001 6242-AA	103.2A	L/N	53	★C5AZ 10346-B		C2AZ 10A310-A	C2AZ 10A344-A	3
A001 6258-AA	103.2E	L/N	53	C5AZ 10346-D				3
A001 7024-AA	103.2D	L/N	60,65	C5TZ 10346-D		C2AZ 10A310-A	C5TZ 10A344-A	2
A001 7026-AA	103.2C	L/N	60,65	C5TZ 10346-C (GL-84)		C2AZ 10A310-A	C5TZ 10A344-A	2
A0010 90302	103.2A	L/N	53	★C5SZ 10346-B	C5TZ 10344-E	C2AZ 10A310-A	C2AZ 10A344-A	3
A0010 90303	103.2B	L/N	53	C5AZ 10346-C	C5TZ 10344-E	C2AZ 10A310-A	C2AZ 10A344-A	3
A0010 90304	103.2C	L/N	60,65	C5TZ 10346-C (GL-84)	C5AZ 10344-E	C2AZ 10A310-A	C5TZ 10A344-A	2
A0010 90305	103.2D	L/N	60,65	C5TZ 10346-D	C5AZ 10344-E	C2AZ 10A310-A	C5TZ 10A344-A	2
A0010 90325	103.2D	L/N	60,65	C5TZ 10346-D	C5TZ 10344-G	C2AZ 10A310-A	C5TZ 10A344-A	2
A0010 90332	103.2E	L/N	53	C5AZ 10346-D	C5TZ 10344-E	C2AZ 10A310-A	C2AZ 10A344-A	3
C5AF 10300-A	103.4D	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C5AF 10300-B	103.4D	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C5AF 10300-C	103.4D	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C5AF 10300-D	103.4D	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-H (GP-580)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C5AF 10300-E	103.4D	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C5AF 10300-F	103.4C	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5AF 10300-G	103.4C	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5AF 10300-H	103.2A	L/N	53	C5AZ 10346-B	C5TZ 10344-E	C2AZ 10A310-A	C2AZ 10A344-A	3
C5AF 10300-J	103.2B	L/N	53	C5AZ 10346-C	C5TZ 10344-E	C2AZ 10A310-A	C2AZ 10A344-A	3
C5DF 10300-A	103.4A	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473)	C5AZ 10A344-A (GY-700)	5
C5DF 10300-B	103.4A	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5

Δ M - Motorcraft L/N - Leece Neville

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

ALTERNATOR IDENTIFICATION CHART - continued

(Also see ALTERNATOR APPLICATION CHART on Pages 33 thru 37 of this section)

IDENTIFICATION	PARTS LIST SECTION & NO.	Δ MAKE	AMP.	SERVICE ALTERNATOR	PULLEY	FAN	SPACER	ILLUS. SEC. 100 PAGE
C5OF 10300-A	103.2E	L/N	53	C5AZ 10346-D	C5TZ 10344-E	C2AZ 10A310-A	C2AZ 10A344-A	3
C5TF 10300-A	103.4B	M	45	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-B	103.4B	M	45	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-C	103.4B	M	45	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-D	103.4B	M	45	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-E	103.4C	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-F	103.4C	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-H	103.4C	M	55	D0AZ 10346-F (GL-88)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-J	103.4C	M	55	D0AZ 10346-F (GL-88)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-K	103.2D	L/N	60,65	C5TZ 10346-D (GL-82)	C5AZ 10344-E	C2AZ 10A310-A	C5TZ 10A344-A	2
C5TF 10300-L	103.2C	L/N	60,65	C5TZ 10346-C (GL-84)	C5AZ 10344-E	C2AZ 10A310-A	C5TZ 10A344-A	2
C5TF 10300-M	*	L/N	60,65	C5TZ 10346-F (GL-78)	C4TZ 10344-H	B7AZ 10A310-A		2
C5TF 10300-N	*	L/N	60,65	C5TZ 10346-D (GL-82)	C5AZ 10344-E	B7AZ 10A310-A		2
C5TF 10300-R	*	L/N	60,65	C5TZ 10346-D (GL-82)	C5TZ 10344-G	B7AZ 10A310-A		2
C5TF 10300-S	*	L/N	60,65	C5TZ 10346-F (GL-78)	C4TZ 10344-G	B7AZ 10A310-A		2
C5TF 10300-T	*	L/N	60,65	C5TZ 10346-F (GL-78)	C4TZ 10344-M	B7AZ 10A310-A		2
C5TF 10300-U	*	L/N	60,65	C5TZ 10346-F (GL-78)	C4TZ 10344-E	B7AZ 10A310-A		2
C5TF 10300-V	*	L/N	60,65	C5TZ 10346-F (GL-78)	C4TZ 10344-L	B7AZ 10A310-A		2
C5TF 10300-Y	*	L/N	60,65	C5TZ 10346-F (GL-78)	C4TZ 10344-K	B7AZ 10A310-A		2
C5TF 10300-Z	103.4B	M	45	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-AA	103.4C	M	55	D0AZ 10346-F (GL-88)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-AB	103.2C	L/N	60,65	C5TZ 10346-D (GL-82)	C5TZ 10344-G	C2AZ 10A310-A	C5TZ 10A344-A	2
C5TF 10300-AN	103.4A	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-AS	103.4A	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-AT	103.4A	M	38	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C5TF 10300-AU	103.4A	M	38	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5

Δ M - Motorcraft L/N - Leece Neville * Refer to Form 7636A for Parts List and Illustration Information

ALTERNATOR IDENTIFICATION CHART - continued

(Also see ALTERNATOR APPLICATION CHART on Pages 34 thru 38 of this section)

IDENTIFICATION	PARTS LIST SECTION & NO.	Δ MAKE	AMP.	SERVICE ALTERNATOR	PULLEY	FAN	SPACER	ILLUS. SEC. 100 PAGE
C5TF 10300-AV	103.4A	M	38	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-A (GY-700)	5
C6AF 10300-A	103.4E	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6AF 10300-B	103.4F	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6AF 10300-C	103.4E	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6AF 10300-D	103.4E	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-H (GP-580)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6AF 10300-E	103.4E	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6AF 10300-F	103.4G	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6AF 10300-G	103.4G	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6DF 10300-A	103.4J	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6DF 10300-B	103.4J	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6GF 10300-A	103.4F	M	45	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6GF 10300-B	103.4F	M	45	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-A	103.4J	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-B	103.4J	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-C	103.4J	M	38	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-D	103.4J	M	38	D3AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-E	103.4G	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-F	103.4G	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-G	103.4G	M	55	D0AZ 10346-F (GL-88)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-H	103.4G	M	55	D0AZ 10346-F (GL-88)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-J	103.4F	M	45	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-K	103.4F	M	45	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-L	103.4F	M	45	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-M	103.4F	M	45	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5

Δ M - Motorcraft L/N - Leece Neville

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

ALTERNATOR IDENTIFICATION CHART - continued

(Also see ALTERNATOR APPLICATION CHART on Pages 33 thru 37 of this section)

IDENTIFICATION	PARTS LIST SECTION & NO.	△ MAKE	AMP.	SERVICE ALTERNATOR	PULLEY	FAN	SPACER	ILLUS. SEC. 100 PAGE
C6TF 10300-AF	*	L/N	105	C6TZ 10346-A	C6TZ 10344-C (GP-487)	C6TZ 10A310-A	C6TZ 10A344-A	*
C6TF 10300-AG	*	L/N	105	C6TZ 10346-A	C6TZ 10344-B	C6TZ 10A310-A	C6TZ 10A344-A	*
C6TF 10300-AH	103.4H	M	60	D0TZ 10346-B (GL-91)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-AJ	103.4H	M	60	D0TZ 10346-B (GL-91)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-AK	103.4H	M	60	D0TZ 10346-B (GL-91)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C6TF 10300-AL	103.4H	M	60	D0TZ 10346-B (GL-91)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C7AF 10300-A	103.5B	M	65	D1AZ 10346-A (GL-93A)	C7TZ 10344-B	D0AZ 10A310-A (GP-496)	D0AZ 10A344-A (GY-974)	6
C7SF 10300-A	103.4G	M	55	D0AZ 10346-F (GL-88)	★C7SZ 10344-A	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C7SF 10300-B	103.4H	M	60	D0TZ 10346-B (GL-91)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C7TF 10300-A	103.5A	M	65	D1AZ 10346-A (GL-93A)	C7TZ 10344-B	D0AZ 10A310-A (GP-496)	D0AZ 10A344-A (GY-974)	6
C7TF 10300-B	103.5A	M	65	D1AZ 10346-A (GL-93A)	C7TZ 10344-A	D0AZ 10A310-A (GP-496)	D0AZ 10A344-A (GY-974)	6
C7TF 10300-C	103.4E	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C7TF 10300-D	103.4E	M	42	D2AZ 10346-C (GL-89A)	C5TZ 10344-J (GP-466)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C7TF 10300-E	103.4E	M	42	D2AZ 10346-C (GL-89A)	C5TZ 10344-J	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C7ZF 10300-A	103.4E	M	42	D0AZ 10346-E (GL-89)	C7ZZ 10344-A (GP-486)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C8LF 10300-B	103.4K	M	55	D0SZ 10346-A (GL-90)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	7
C9AF 10300-A	103.4E	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C9AF 10300-B	103.4G	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C9AF 10300-C		M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C9AF 10300-D	103.5D	M	65	D1AZ 10346-A (GL-93A)	C7TZ 10344-B	D0AZ 10A310-A (GP-496)	D0AZ 10A344-A (GY-974)	6
C9SF 10300-A	103.4G	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C9SF 10300-B	103.4K	M	55	C8SZ 10346-A (GL-79)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	7
C9SF 10300-C	103.5C	M	65	D1AZ 10346-A (GL-93A)	C7TZ 10344-B	D0AZ 10A310-A (GP-496)	D0AZ 10A344-A (GY-974)	6
C9ZF 10300-A	103.4E	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C9ZF 10300-B	103.4L	M	55	D0ZZ 10346-B (GL-92)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
C9ZF 10300-C	103.4L	M	55	D0ZZ 10346-B (GL-92)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5

△ M - Motorcraft L/N - Leece Neville * Refer to Form 7636A for Parts List and Illustration Information

ALTERNATOR IDENTIFICATION CHART - continued

(Also see ALTERNATOR APPLICATION CHART on Pages 34 thru 38 of this section)

IDENTIFICATION	PARTS LIST SECTION & NO.	Δ MAKE	AMP.	SERVICE ALTERNATOR	PULLEY	FAN	SPACER	ILLUS. SEC. 100 PAGE
D0AF 10300-A	103.5E	M	65	D1AZ 10346-A (GL-93A)	C7TZ 10344-B (GP-485)	D0AZ 10A310-A (GP-496)	D0AZ 10A344-A (GY-974)	6
D0AF 10300-C	103.4N	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D0AF 10300-E	103.4P	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D0AF 10300-F	103.4N	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D0AF 10300-G	103.4N	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D0AF 10300-H	103.4P	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D0LF 10300-A	103.4M	M	55	D0SZ 10346-A (GL-90)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D0SF 10300-A	103.4P	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D0ZF 10300-A	103.4Q	M	55	D0ZZ 10346-B (GL-92)	D1ZZ 10344-A (GP-465A)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D0ZF 10300-B	103.4N	M	38	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D0ZF 10300-C	103.4Q	M	55	D0ZZ 10346-B (GL-92)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D1AF 10300-AA	103.4R	M	61	D0TZ 10346-C (GL-95)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D1AF 10300-BA	103.5F	M	65	D1AZ 10346-A (GL-93A)	C7TZ 10344-B (GP-485)	D0AZ 10A310-A (GP-496)	D0AZ 10A344-A (GY-974)	6
D1AF 10300-CA	103.5F	M	70	D1AZ 10346-A (GL-93A)	D1AZ 10344-A (GP-508)	D0AZ 10A310-A (GP-496)	D0AZ 10A344-A (GY-974)	6
D1ZF 10300-AA	103.4Q	M	55	D0ZZ 10346-B (GL-92)	D1ZZ 10344-A (GP-465A)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2AF 10300-AA	103.4N	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2AF 10300-AB	103.4W	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2AF 10300-BA	103.4P	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2AF 10300-BB	103.4U	M	55	D2AZ 10346-D (GL-88A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2AF 10300-CA	103.4R	M	61	D0TZ 10346-C (GL-95)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2AF 10300-CB	103.4V	M	61	D2TZ 10346-B (GL-95A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2AF 10300-DA	103.5F	M	70	D1AZ 10346-A (GL-93A)	D1AZ 10344-A (GP-508)	D0AZ 10A310-A (GP-496)	D0AZ 10A344-A (GY-974)	6
D2BF 10300-AA	103.4U	M	55	D2AZ 10346-D (GL-88A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2DF 10300-AB	103.4V	M	61	D2TZ 10346-B (GL-95A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2DF 10300-AC	103.AV	M	61	D2TZ 10346-B (GL-95A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2OF 10300-AA	103.5G	M	70	D2OZ 10346-B (GL-101)	D2OZ 10344-A (GP-511)	D2OZ 10A310-A (GP-510)	D2OZ 10A344-A	6
D2OF 10300-BA	103.4U	M	55	D2AZ 10346-D (GL-88A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2OF 10300-BB	103.4U	M	55	D2AZ 10346-D (GL-88A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2OF 10300-CA	103.4V	M	61	D2TZ 10346-B (GL-95A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5

Δ M - Motorcraft L/N - Leece Neville

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

ALTERNATOR IDENTIFICATION CHART - continued

(Also see ALTERNATOR APPLICATION CHART on Pages 34 thru 38 of this section)

IDENTIFICATION	PARTS LIST SECTION & NO.	Δ MAKE	AMP.	SERVICE ALTERNATOR	PULLEY	FAN	SPACER	ILLUS. SEC. 100 PAGE
D2OF 10300-CB	103.4V	M	61	D2TZ 10346-B (GL-95A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2OF 10300-DA	103.4W	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2OF 10300-DB	103.4W	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2OF 10300-EA	103.4U	M	55	D2AZ 10346-D (GL-88A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2OF 10300-EB	103.4U	M	55	D2AZ 10346-D (GL-88A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2OF 10300-FA	103.4X	M	55	D2ZZ 10346-B (GL-92A)	D1ZZ 10344-A (GP-465A)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2OF 10300-FB	103.4X	M	55	D2ZZ 10346-B (GL-92A)	D1ZZ 10344-A (GP-465A)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2SF 10300-AA	103.4P	M	55	D0AZ 10346-F (GL-88)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2SF 10300-AB	103.4U	M	55	D2AZ 10346-D (GL-88A)		D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2UF 10300-AB	103.4V	M	61	D2TZ 10346-B (GL-95A)	C5AZ 10344-L (GP-494)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2ZF 10300-AA	103.4N	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2ZF 10300-AB	103.4N	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2ZF 10300-AC	103.4W	M	42	D2AZ 10346-C (GL-89A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2ZF 10300-BA	103.4Q	M	55	D0ZZ 10346-B (GL-92)	D1ZZ 10344-A (GP-465A)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D2ZF 10300-BB	103.4T	M	55	D2ZZ 10346-B (GL-92A)	D1ZZ 10344-A (GP-465A)	D0AZ 10A310-B (GP-473A)	C5AZ 10A344-B (GY-808)	5
D22F 10300-AA	103.5G	M	70	D2FZ 10346-A (GL-107)	D2OZ 10344-A (GP-511)	D2OZ 10A310-A (GP-510)	D2OZ 10A344-A	6
D22F 10300-AB	103.5G	M	70	*D2FZ 10346-B (GL-107A) r/b D2OZ 10346-B	D2OZ 10344-A (GP-511)	D2OZ 10A310-A (GP-510)	D2OZ 10A344-A	6
D22F 10300-BA	103.4V	M	61	D2TZ 10346-B (GL-95A)	C5AZ 10344-K (GP-493)	D0AZ 10A310-B (GP-473-A)	C5AZ 10A344-B (GY-808)	5
C5AF 10346-A	103.4D	M	42	D2AZ 10346-C (GL-89A)				5
C5AF 10346-D	103.2E	L/N	53	C5AZ 10346-D				
C5DF 10346-A	103.4A	M	38	D2AZ 10346-C (GL-89A)				5
C5DF 10346-B	103.4A	M	38	D2AZ 10346-C (GL-89A)				5
C5TF 10346-A	103.4B	M	45	D2AZ 10346-C (GL-89A)				5
C5TF 10346-B	103.4C	M	55	D0AZ 10346-F (GL-88)				5
C5TF 10346-C	103.2C	L/N	60, 65	C5TZ 10346-C				
C5TF 10346-D	103.2D	L/N	70	C5TZ 10346-D				
C5TF 10346-G	103.4B	M	45	D2AZ 10346-C (GL-89A)				5
C5TF 10346-H	103.4C	M	55	D0AZ 10346-F (GL-88)				5
C6AF 10346-A	103.4E	M	42	D2AZ 10346-C (GL-89A)				5
C6AF 10346-B	103.4E	M	42	D2AZ 10346-C (GL-89A)				5

Δ M - Motorcraft L/N - Leece Neville

ALTERNATOR IDENTIFICATION CHART - continued

(Also see ALTERNATOR AP PLICATION CHART on Pages 34 thru 38 of this section)

IDENTIFICATION	PARTS LIST SECTION & NO.	Δ MAKE	AMP.	SERVICE ALTERNATOR	PULLEY	FAN	SPACER	ILLUS. SEC. 100 PAGE
C6DF 10346-A	103.4E	M	42	D2AZ 10346-C (GL-89A)				5
C6TF 10346-A	103.4F	M	45	D2AZ 10346-C (GL-89A)				5
C6TF 10346-B	103.4G	M	55	D0AZ 10346-F (GL-88)				5
C6TF 10346-C	103.4G	M	55	D0AZ 10346-F (GL-88)				5
C6TF 10346-D	103.4F	M	45	D2AZ 10346-C (GL-89A)				5
C6VF 10346-A	103.4H	M	60	D0TZ 10346-B (GL-91)				5
C6VF 10346-B	103.4H	M	60	D0TZ 10346-B (GL-91)				5
C7AF 10346-A	103.5B	M	65	D1AZ 10346-A (GL-93A)				6
C7AF 10346-B	103.5B	M	65	D1AZ 10346-A (GL-93A)				6
C7TF 10346-A	103.5A	M	65	D1AZ 10346-A (GL-93A)				6
C8SF 10346-B	103.4K	M	55	C8SZ 10346-A (GL-79)				7
C9AF 10346-B	103.5D	M	65	D1AZ 10346-A (GL-93A)				6
C9SF 10346-B	103.5C	M	65	D1AZ 10346-A (GL-93A)				6
C9ZF 10346-B	103.4L	M	55	D0ZZ 10346-B (GL-92)				5
D0AF 10346-B	103.5E	M	70	D1AZ 10346-A (GL-93A)				6
D0AF 10346-E	103.4N	M	42	D2AZ 10346-C (GL-89A)				5
D0AF 10346-F	103.4P	M	55	D0AZ 10346-F (GL-88)				5
D0SF 10346-A	103.4M	M	55	D0SZ 10346-A (GL-90)				5
D0TF 10346-B	103.4S	M	60	D0TZ 10346-B (GL-91)				5
D0TF 10346-C	103.4R	M	61	D0TZ 10346-C (GL-95)				5
D0ZF 10346-B	103.4Q	M	55	D0ZZ 10346-B (GL-92)				5
D1AF 10346-BA	103.5F	M	70	D1AZ 10346-A (GL-93A)				6
D2AF 10346-CA	103.4N	M	42	D2AZ 10346-C (GL-89A)				5
D2AF 10346-DA	103.4P	M	55	D2AZ 10346-D (GL-88A)				5
D2OF 10346-BA	103.5G	M	70	D2OZ 10346-B (GL-101)				6
D2OF 10346-CA	103.4V	M	61	D2TZ 10346-B (GL-95A)				5
D2OF 10346-DA	103.4W	M	42	D2AZ 10346-C (GL-89A)				5
D2OF 10346-EA	103.4U	M	55	D2AZ 10346-D (GL-88A)				5
D2OF 10346-FA	103.4X	M	55	D2ZZ 10346-B (GL-92A)				5

Δ M - Motorcraft

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

ALTERNATOR IDENTIFICATION CHART - continued

(Also see ALTERNATOR APPLICATION CHART on Pages 34 thru 38 of this section)

IDENTIFICATION	PARTS LIST SECTION & NO.	Δ MAKE	AMP.	SERVICE ALTERNATOR	PULLEY	FAN	SPACER	ILLUS. SEC. 100 PAGE
D2OF 10346-GA	103.4W	M	42	D2AZ 10346-C (GL-89A)				5
D2OF 10346-HA	103.4U	M	55	D2AZ 10346-D (GL-88A)				5
D2OF 10346-JA	103.4X	M	55	D2ZZ 10346-B (GL-92A)				5
D2OF 10346-KA	103.4V	M	61	D2TZ 10346-B (GL-95-A)				5
D2TF 10346-BA	103.4V	M	61	D2TZ 10346-B (GL-95A)				5
D2ZF 10346-BA	103.4T	M	55	D2ZZ 10346-B (GL-92A)				5
D22F 10346-AA	103.5G	M	70	D2FZ 10346-A (GL-107)				6
D22F 10346-BB	103.5G	M	70	★D2FZ 10346-B (GL-107A) r/b D2OZ 10346-B				6
90292	*	L/N	60,65	C5TZ 10346-D (GL-82)	C5AZ 10344-E	B7AZ 10A310-A		2
90293	*	L/N	60,65	C5TZ 10346-D (GL-82)	C5TZ 10344-G	B7AZ 10A310-A		2
90294	*	L/N	60,65	C5TZ 10346-F (GL-78)	C4TZ 10344-E	B7AZ 10A310-A		2
90295	*	L/N	60,65	C5TZ 10346-F (GL-78)	C4TZ 10344-K	B7AZ 10A310-A		2
90296	*	L/N	60,65	C5TZ 10346-F (GL-78)	C4TZ 10344-L	B7AZ 10A310-A		2
90297	*	L/N	60,65	C5TZ 10346-F (GL-78)	C4TZ 10344-G	B7AZ 10A310-A		2
90298	*	L/N	60,65	C5TZ 10346-F (GL-78)	C4TZ 10344-M	B7AZ 10A310-A		2
90299	*	L/N	60,65	C5TZ 10346-F (GL-78)	C4TZ 10344-H	B7AZ 10A310-A		2
90302	103.2A	L/N	53	★C5AZ 10346-B	C5TZ 10344-E	C2AZ 10A310-A	C2AZ 10A344-A	3
90303	103.2A	L/N	53	★C5AZ 10346-B	C5TZ 10344-E	C2AZ 10A310-A	C2AZ 10A344-A	3
90304	103.2C	L/N	60,65	C5TZ 10346-C	C5AZ 10344-E	C2AZ 10A310-A	C5TZ 10A344-A	2
90305	103.2D	L/N	60,65	C5TZ 10346-D	C5AZ 10344-E	C2AZ 10A310-A	C5TZ 10A344-A	2
90325	103.2D	L/N	60,65	C5TZ 10346-D	C5TZ 10344-G	C2AZ 10A310-A	C5TZ 10A344-A	2
90332	103.2E	L/N	53	C5AZ 10346-D	C5TZ 10344-E	C2AZ 10A310-A	C2AZ 10A344-A	3


YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	Δ MAKE	AMP.	QTY.	PART NUMBER
	10B301-10 Refer to Alternator parts list Section 103, page 1							
	10A310 FAN - ALTERNATOR							
65	A, B	6&8	All	11/16" I.D. x 6 1/2" O.D.	L/N	53,60,65	1	C2AZ 10A310-A
65/	A, B, F, P, S, X	6&8	All	11/16" I.D. x 5 1/2" O.D.	M	38,42,45	1	D0AZ 10A310-B
71/	L	4	All	includes spacer		55,60,61	1	(GP-473A)
67/71	A, S	6&8	All	7/8" I.D. x 6 5/16" O.D.	M	65, 70	1	D0AZ 10A310-A (GP-496)
72	A, B, S	6&8	All		M	65, 70	1	D2OZ 10A310-A (GP-510)

Δ M - Motorcraft L/N - Leece Neville * Refer to Form 7636A for Parts List and Illustration Information

10A313 ALTERNATOR MOUNTING PARTS

Alternator mounting parts are listed in chart form following the illustration below. Refer to the illustration to determine the name of the part required. Refer to the chart to select the appropriate part number. The chart is listed by year, model, engine and alternator make and amperage.

Attaching parts such as bolts, nuts, etc. are listed by code number. A listing of the code numbers and their corresponding part numbers and descriptions appears at the end of the chart.



COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
					FRONT		SIDE	
	Δ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.
1965								
6 CYL. 170,200								
B, F, X(exc. A/C)	M	38,42, 55	C5TZ 10145-H	1,4,6,7			C5TZ 10A313-D	25
B(with A/C)	M	38,42, 55	★C5OZ 2882-A	10,16,49			C5OZ 10A313-B	3,16,49
F, X(with A/C)	M	38, 42	C5DZ 2882-B	25			★C5DZ 10A313-A	25
B	L/N	53	★C5OZ 10145-A Not replaced	1,4,8,9			C5TZ 10A313-D	25
6 CYL. 240								
A(exc. A/C)	M	42,45, 55	C5TZ 10145-G	2,7,25			†C5AZ 10A313-E	53
A(with A/C)	M	42, 45, 55	C5AZ 10145-A	2,38,42	C5AZ 10B315-A (4 5/8" long) & C5AZ 10B315-B (15" long)	10, 47, 48, 52 1,8,10, 56	C5AZ 10A313-B & C5AZ 2887-A (Spacer)	53
A	L/N	53	C5AZ 10145-E				†C5AZ 10A313-E	53
8 CYL. 289								
A(exc. Integral A/C), B, F, X	M	38,42, 45,55	C9OZ 10145-A	6,7	D1TZ 10156-A & (GY-1014) ‡D1AZ 8A652-A (Spacer)	24,26,44		
A(with Integral A/C)	M	42,45, 55	C5AZ 10145-B	6,7	D1TZ 10156-A & (GY-1014) ‡D1AZ 8A652-A (Spacer)	24,26,44		
A	L/N	53,60, 65	C9OZ 10145-A	1,6,7,8, 18,46	D1TZ 10156-A & (GY-1014) ‡D1AZ 8A652-A (Spacer)	26,44,45		
B	L/N	53	C9OZ 10145-A	1, 6, 7, 8, 18, 46, 53	C5OZ 10156-A	55	★C5OZ 10151-A & C5OZ 10A370-A (Spacer)	54
8 CYL. 352,390,427								
A, S(exc. A/C)	M	42,45, 55	C6AZ 10145-B	1,6,7,25	C5TZ 10156-A & ‡D1AZ 8A652-A (Spacer)	5,25,26		
A, S(with A/C)	M	42,45, 55	★C4MY 10145-A Not replaced	1, 6, 7, 28			C9TZ 10A313-A (GY-933)	28, 30, 50
A	L/N	53,60, 65	★C5TZ 10145-D	1,7,8,9, 25	C3SZ 10156-C & ‡D1AZ 8A652-A (Spacer)	5,25,26		
1966								
6 CYL. 170, 200								
B, F, U, X(less A/C)	M	38, 42,	C5TZ 10145-H	1, 4, 6, 7			C5TZ 10A313-D	25
B(w/A/C), X(w/A/C) - "Before 4/1/66"	M	38, 42, 45, 55	★C6DZ 10145-A Not replaced	1, 6, 8, 9, 25, 27			★C5OZ 10A313-B	1, 4, 9, 42,53,58
B(w/A/C), X(w/A/C)- "From 4/1/66"	M	38, 42, 45, 55	C6DZ 2A881-B	1, 6, 8, 9, 25, 27			★C5OZ 10A313-B	1, 4, 9, 42,53,58
F(w/A/C)	M	38, 42	C6ZZ 2882-A	1, 4, 8, 25, 58			★C5DZ 10A313-A	1, 8, 25
B	L/N	53	★C5OZ 10145-A Not replaced	1, 4, 6, 7			C5TZ 10A313-D	25

Δ M - Motorcraft L/N - Leece Neville * Refer to Hardware listing at end of chart for number shown in this column
† Improvise spacer from flat washer or steel tubing ‡ Cut to length

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
					FRONT		SIDE	
	Δ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.
1966 - continued								
6 CYL. 240								
A(less A/C & T/E)	M	42, 55	#C5TZ 10145-G	7, 16, 59			C5AZ 10A313-E	53
A(w/T/E)	M	42, 55	#C5TZ 10145-G	7, 16, 59			C6AZ 9B450-A	18
A(w/A/C less T/E)	M	42, 55	C5AZ 10145-A	2, 9, 38	C5AZ 10B315-A (4 5/8" long) & C5AZ 10B315-B (15" long)	9, 38, 47, 48 1, 8, 10, 56	C5AZ 10A313-B & C5AZ 2887-A (Spacer)	53
A(less A/C & T/E)	L/N	53	C5AZ 10145-E	1, 7, 8, 60			C5AZ 10A313-E	53
A(w/T/E)	L/N	53	C5AZ 10145-E	1, 7, 8, 60			C6AZ 9B450-A	18
8 CYL. 289								
A, B, F, U, X(less A/C & T/E)	M	38, 42, 45, 55	C9OZ 10145-A	6, 7	D1TZ 10156-A & (GY-1014) ‡D1AZ 8A652-A (Spacer)	5, 26, 43, 44		
A(w/Hang-on A/C less T/E)	M	42, 55	C9OZ 10145-A	6, 7	D1TZ 10156-A & (GY-1014) ‡D1AZ 8A652-A (Spacer)	5, 26, 43, 44		
A(w/T/E less A/C)	M	42, 55	C6OZ 10145-A	6, 7			†C6OZ 9B450-B	5, 36, 44, 61
A(w/T/E & Hang-on A/C)	M	42, 55						
B, F, U, X(w/T/E)	M	38, 42, 45, 55						
A(w/Integral A/C less T/E)	M	42, 55	C5AZ 10145-B	6, 7	D1TZ 10156-A & (GY-1014) ‡D1AZ 8A652-A (Spacer)	5, 26, 43, 44		
A(w/T/E & Integral A/C)	M	42, 55	C5AZ 10145-B	6, 7			†C6OZ 9B450-B	5, 36, 44, 61
A(less A/C & T/E)	L/N	53, 60, 65	C9OZ 10145-A	1, 6, 7, 8, 18, 46	D1TZ 10156-A (GY-1014)	5, 26, 43, 44		
B(less T/E)	L/N	53, 60, 65						
A, B(w/T/E)	L/N	53, 60, 65	C6OZ 10145-A	1, 6, 7, 8,			†C6OZ 9B450-B	5, 36, 44, 61
8 CYL. 352, 390								
A, S(w/A/C less T/E)	M	42, 55	★C4MY 10145-A	1, 6, 7, 28			C9TZ 10A313-A (GY-933)	28, 30, 50
B(w/A/C less T/E)- "Before 4/1/66"	M	42, 55	Not replaced					
B(w/A/C less T/E)- "From 4/1/66"	M	42, 55	C6AZ 10145-D	1, 6, 7, 28			C9TZ 10A313-A (GY-933)	28, 30, 50
A, B, S(less A/C & T/E)	M	42, 55	C6AZ 10145-B	1, 6, 7, 25	C5TZ 10156-A & ‡D1AZ 8A652-A (Spacer)	5, 25, 26		
A, B, S(w/T/E)	M	42, 55	C6AZ 10145-A	1, 6, 7, 8, 18, 55, 62	C6AZ 10156-A	5, 26, 53, 55		
A, B(w/T/E)	L/N	53, 60, 65						
A, B(less A/C & T/E)	L/N	53, 60, 65	C6AZ 10145-A	1, 7, 8, 9, 25	C3SZ 10156-C & ‡D1AZ 8A652-A (Spacer)	5, 25, 26		

Δ M - Motorcraft L/N - Leece Neville * Refer to Hardware listing at end of chart for number shown in this column

Includes spacer 351368-S2 to be used on engine front cover stamped C5AE 6059-A ‡ Cut to length

† Improvise spacer from flatwasher or steel tubing

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
					FRONT		SIDE	
	△ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.
1966 - continued								
8 CYL. 427								
A, B(8V-w/A/C less T/E)	M	42	★C4MY 10145-A Not replaced	1, 6, 7, 28			C9TZ 10A313-A (GY-933)	28,30, 50
A, B(8V-less A/C & T/E)	M	42	C6AZ 10145-B	1, 6, 7, 25	C5TZ 10156-A & ‡D1AZ 8A652-A (Spacer)	5, 25, 26		
A, B(8V-w/T/E)	M	42	C6AZ 10145-A	1, 6, 7, 8, 18, 55, 62	C6AZ 10156-A	5, 26, 53, 55		
A, B(4V-w/A/C less T/E)	M	42	C6AZ 10145-B	1, 6, 7, 28			C9TZ 10A313-A (GY-933)	28,30, 50
A, B(4V-less A/C & T/E)	M	42	C6AZ 10145-B	1, 6, 7, 28	C5TZ 10156-A & ‡D1AZ 8A652-A (Spacer)	5, 25, 26		
A, B(4V-w/T/E)	M	42	C6AZ 10145-B	1, 6, 7, 8, 18, 55, 62	C6AZ 10156-A	5, 26, 53, 55		
8 CYL. 428								
A, S(w/A/C less T/E) - Except P/C - "Before 4/1/66"	M	42, 55	★C4MY 10145-A Not replaced	1,6,7,28			C9TZ 10A313-A (GY-933)	28,30, 50
A(w/A/C less T/E)- P/C "From 4/1/66"	M	42, 55	C6AZ 10145-D	1,6,7,28			C9TZ 10A313-A (GY-933)	28,30, 50
A, S(w/T/E less A/C)- Except P/C	M	42, 55	C6AZ 10145-A	1, 6, 7, 8, 18, 55, 62	C6AZ 10156-A	5,26,53, 55		
A(w/T/E less A/C)- P/C	M	42, 55	★C6AZ 10145-C Not replaced	1, 6, 7, 8, 18,55,62	C6AZ 10156-A	5, 26, 53, 55		
A, S(less A/C & T/E)	M	42, 55	C6AZ 10145-B	1,6,7,25	C5TZ 10156-A& ‡D1AZ 8A652-A (Spacer)	5,25,26		
A(less A/C & T/E)- Except P/C	L/N	53, 60, 65	C6AZ 10145-A	1, 7, 8, 9, 25	C3SZ 10156-C& ‡D1AZ 8A652-A (Spacer)	5, 25, 26		
A(less A/C) - P/C	L/N	53, 60, 65	★C6AZ 10145-C Not replaced	1,7,8,9, 25, 63	C3SZ 10156-C& ‡D1AZ 8A652-A (Spacer)	5,25,26		
1967								
6 CYL. 170, 200								
B, F, U, X(lessA/C)	M	38,42, 55	C5TZ 10145-H	1, 4, 6, 7			C5TZ 10A313-D	25
B(w/A/C), X(w/A/C)	M	55	C6DZ 2A881-B	1, 6, 25, 55, 57			★C5OZ 10A313-B	1, 9, 53, 55
F(w/A/C)	M	38, 42	C6ZZ 2882-A	25, 55			★C5DZ 10A313-A	1, 8, 25
B	L/N	53	★C5OZ 10145-A Not replaced	1,4,7,8,9			C5TZ 10A313-D	25
6 CYL. 240								
A(less A/C & T/E)	M	42, 55	#C5TZ 10145-G	7, 16, 59			C5AZ 10A313-E	53
A(w/T/E)	M	42, 55	#C5TZ 10145-G	7, 16, 59			C6AZ 9B450-A	18
A(w/A/C less T/E)	M	42, 55	C5AZ 10145-A	2, 7, 9, 38	C5AZ 10B315-A (4 5/8" long) & C5AZ 10B315-B (15" long)	9, 38, 47, 48 1, 8, 10, 56	C5AZ 10A313-B & C5AZ 2887-A (Spacer)	53
A(less A/C & T/E)	L/N	53	C5AZ 10145-E	7, 59, 60			C5AZ 10A313-E	53
A(w/T/E)	L/N	53	C5AZ 10145-E	1,6,7,8,60			C6AZ 9B450-A	18

△ M - Motorcraft L/N - Leece Neville # Includes spacer 351368-S2 to be used on engine front cover stamped C5AE 6059-A

* Refer to Hardware listing at end of chart for number shown in this column ‡ Cut to length

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
					FRONT		SIDE	
	Δ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.
1967 - continued								
8 CYL. 289								
A(less T/E)-"Before 11/1/66"	M	38, 42, 45, 55	C5AZ 10145-B (curved w/4" slot)	6, 7	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5, 26, 44, 45		
A(less T/E)-"From 11/1/66"	M	38, 42, 45, 55	C9OZ 10145-A (bent w/3 3/8" slot)	6, 7, 18, 46	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5, 26, 44		
B, F, X(less T/E)	M	38, 42, 45, 55						
F(w/T/E) "Before 12/15/66"	M	38, 42, 55						
A(less T/E)	L/N	53, 60, 65						
A, B, U, X(w/T/E)	M	38, 42, 45, 55	C6OZ 10145-A (curved w/3" slot)	6, 7, 71			C7OZ 9B450-A	5, 36, 44 61, 66
F(w/T/E) "From 12/15/66"	M	38, 42, 55						
A(w/T/E)	L/N	53, 60, 65						
A	M	65	★C7AZ 10145-C Not replaced		D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)			
U(less T/E)	M	38, 45, 55	C9OZ 10145-A	6, 7	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5, 26, 44		
8 CYL. 390								
A, B, F, S(less A/C & T/E)	M	38, 42, 45, 55, 60	C6AZ 10145-B	1, 6, 7, 25	C5TZ 10156-A & D1AZ 8A652-A (Spacer)	5, 25, 26		
S(w/T/E & IMCO less A/C)	M	55, 60						
A, B, F (w/T/E less A/C) - "Before 12/15/66"	M	38, 42, 45, 55	C6AZ 10145-A	1, 6, 7, 55	C5TZ 10156-A & D1AZ 8A652-A (Spacer)	5, 25, 26		
A, B, F(w/T/E less A/C)- "From 12/15/66"	M	38, 42, 45, 55, 60	C6AZ 10145-A	1, 6, 7, 55	C6AZ 10156-A & D1AZ 8A652-A (Spacer)	53, 55		
A, B, F(w/A/C less T/E)- Except P/C	M	38, 42, 55	C6AZ 10145-A	1, 6, 7, 25, 28	C6AZ 10156-A	53, 55		
A, B(w/A/C less T/E) - P/C	M	42, 55	C6AZ 10145-D	1, 6, 7, 25, 28	C6AZ 10156-A	53, 55		
A - Except P/C	M	65	★C7AZ 10145-A Not replaced		C6AZ 10156-A			
A - P/C	M	65	★C7AZ 10145-B Not replaced		C6AZ 10156-A			
A, B	L/N	53	C6AZ 10145-B	1, 7, 8, 9, 25, 62	C3SZ 10156-C & D1AZ 8A652-A (Spacer)	5, 25, 26		
A(A/C with Imco)	L/N	53, 65						
S(w/A/C less T/E)	M	55, 60	C7SZ 10145-A	1, 6, 7, 55	★C7SZ 10156-A & ‡D1AZ 8A652-A (Spacer)	5, 26, 53, 55	★C7SZ 10B315-A	68, 69, 70

Δ M - Motorcraft L/N - Leece Neville * Refer to Hardware listing at end of chart for number shown in this column

‡ Cut to length

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
					FRONT		SIDE	
	△ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.
1967 - continued								
8 CYL. 427								
A, B	M	42	C6AZ 10145-B	1,6,7,25, 60	C5TZ 10156-A & D1AZ 8A652-A (Spacer)	5, 25, 26		
8 CYL. 428								
A, S(less A/C & T/E)	M	42, 55 60	C6AZ 10145-B	1, 6, 7, 25	C5TZ 10156-A & D1AZ 8A652-A (Spacer)	5, 25, 26		
S(w/T/E less A/C)	M	55, 60						
A(w/T/E less A/C)	M	42, 55	★C6AZ 10145-C Not replaced	1, 6, 7, 55	C6AZ 10156-A	53, 55		
A(w/A/C less T/E)- Except P/C	M	42, 55	C6AZ 10145-A	1, 6, 7, 25, 28	C6AZ 10156-A	53, 55		
A(w/A/C less T/E) - P/C- "Before 3/15/67"	M	42, 55	C6AZ 10145-D (2 3/4" slot)	1, 6, 7, 25, 28	C6AZ 10156-A	53, 55		
A(w/A/C less T/E)-P/C - "From 3/15/67"	M	42, 55	★C6AZ 10145-C (3" slot) Not replaced	1, 6, 7, 25, 28	C6AZ 10156-A	53, 55		
A - Except P/C	M	65	★C7AZ 10145-A Not replaced					
A - P/C	M	65	★C7AZ 10145-B Not replaced					
A(less A/C)- P/C	L/N	53, 60, 65	★C6AZ 10145-C Not replaced	1, 7, 8, 9, 63	C3SZ 10156-C	5, 25, 26		
A(less A/C)- Except P/C	L/N	53, 60, 65	C6AZ 10145-A	1, 7, 8, 9, 62	C3SZ 10156-C	5, 25, 56		
S(w/A/C less T/E)	M	55, 60	C7SZ 10145-A	1, 6, 7, 55	C7SZ 10156-A & ‡D1AZ 8A652-A (Spacer)	5, 26 53, 55	★C7SZ 10B315-A Not replaced	68,69,70
1968								
6 CYL. 170,200								
B, F, X, U (with T/E)	M	42, 55	C5TZ 10145-H	4, 60, 72			C5TZ 10A313-D	10,25,32
6 CYL. 240								
A(less A/C & T/E)	M	42, 55	C5TZ 10145-G	59, 72			C5AZ 10A313-E	10,52,53
A(less A/C with T/E)	M	42, 55	C5TZ 10145-G	59, 72			C8AZ 9B450-A	10,52,53
A(w/A/C-w/o T/E	M	42,55	C5AZ 10145-A	49,59,72	C5AZ 10B315-A& C5AZ 10B315-B	9,38,47, 48 1,8,10, 56	C5AZ 10A313-B& C5AZ 2887-A	10,52,53
A(less A/C & T/E)	L/N	53	C5AZ 10145-E	1,7,8,59, 60			C5AZ 10A313-E	10,52,53
8 CYL. 289								
B, F, X(with S/T & Imco)	M	38,42, 55	C9OZ 10145-A	72,74	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5,26,44, 65,74		
8 CYL. 302								
A, B, F, X(with Imco)	M	38,42, 55	C9OZ 10145-A	72,74	D1TZ 10156-A& (GY-1014) D1AZ 8A652-A (Spacer)	5,26,44, 65,74		
A, B, F, X(with T/E)	M	38,42, 55	C6OZ 10145-A	72,74			C8AZ 9B450-B	5,36,38, 44,73

△ M - Motorcraft L/N - Leece Neville * Refer to Hardware listing at end of chart for number shown in this column

‡ Cut to length

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
					FRONT		SIDE	
	Δ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.
1968 - continued								
8 CYL. 302 - continued								
A(less T/E)	M	65	‡C7AZ 10145-C Not replaced	72,74	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5,44,65, 74		
U	M	38,42, 45,55	C9OZ 10145-A	7,60,74	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5,26,43, 44		
A(less T/E)	L/N	53,65	C9OZ 10145-A	1,7,8,18, 46	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5,44,65, 74		
8 CYL. 390								
A,F,S(less T/E)	M	42,55	C8AZ 10145-A	45,72	C8AZ 10156-B & D1AZ 8A652-A (Spacer)	14,26,	C5AZ 10A370-C	
A,B,F(with T/E)	M	42,55	C8AZ 10145-B	55,72	C8AZ 10156-A & ‡D1AZ 8A652-A (Spacer)	26,53,55, 53,75		
B(less A/C & T/E)	M	42,55	C8AZ 10145-A	45,72	C8AZ 10156-B & D1AZ 8A652-A (Spacer)	5,26,43, 44		
B(66)(A/C & Imco Less P/S)				25,72		26,53		
B(66)GT	M	42,55	C8OZ 10145-A (GY-864)		C3SZ 10156-C & ‡D1AZ 8A652-A (Spacer)			
8 CYL. 427								
A,B,F(with T/E)-4V	M	42,55	C8AZ 10145-B	55,72	C8AZ 10156-A & ‡D1AZ 8A652-A (Spacer)	26,53,55		
8 CYL. 428								
A,B,F(less T/E)	M	42,55	C8AZ 10145-A	45,72	C8AZ 10156-B & ‡D1AZ 8A652-A (Spacer)	14,26,53		
A,B,F(with T/E)	M	42,55	C8AZ 10145-B	55,72	C8AZ 10156-A & ‡D1AZ 8A652-A (Spacer)	26,53,55		
A	M	65	C8AZ 10145-B	55,72	C3SZ 10156-C & ‡D1AZ 8A652-A (Spacer)	5,25,26		
8 CYL. 429								
S(with Imco)	M	55	C8SZ 10145-A	52,78, 81	C8SZ 10156-A & D0VY 10A370-A (GY-947) (Spacer)	78,81		
1969								
6 CYL.170, 200								
F,U,X(less T/E)	M	42,55	C5TZ 10145-H	4,60,72			C5TZ 10A313-D	10,25,32, 52
6 CYL. 240								
A(less T/E)	M	42,55	C9AZ 10145-C (GY-922)	72,78			C9AZ 10A313-A (GY-925)	45,72
A(w/A/C-w/oT/E)	M	42	C5AZ 10145-A	2,7,9,38	C5AZ 10B315-A & C5AZ 10B315-B	9,38,47, 48 1,8,10, 56	C5AZ 10A313-B	10,52,53

Δ M - Motorcraft L/N - Leece Neville * Refer to Hardware listing at end of chart for number shown in this column
‡ Cut to length

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
					FRONT		SIDE	
	△ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.
1969 - continued								
6 CYL. 250								
B, F(less T/E)	M	42,55	C9ZZ 10145-A (GY-917)	53, 72			C9ZZ 10A313-A (GY-918)	52, 53
8 CYL. 302								
A, B, F, X U	M	38,42, 55	C9OZ 10145-A (GY-934)	7, 60, 74	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5, 26		
F(Boss)	M	38,42, 55	C6OZ 10145-A	25, 72	C9ZZ 9B450-B	28, 36, 44, 71, 77, 79		
8 CYL. 351								
A, B, F	M	38,42, 55	C9OZ 10145-A (GY-934)	7, 60, 74	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	26, 49	C9ZZ 10A336-A	55, 79, 83
8 CYL. 390								
A, B, F(less T/E)	M	42,55	C8AZ 10145-A	25, 72	C8AZ 10156-B& ‡D1AZ 8A652-A (Spacer)	25, 26, 53		
A, B, F(with T/E)	M	42, 55	C8AZ 10145-B	55, 72	C8AZ 10156-A& ‡D1AZ 8A652-A (Spacer)	26, 53, 55, 75		
A(less T/E)	M	65	C8AZ 10145-B	55, 72	C3SZ 10156-C & ‡D1AZ 8A652-A (Spacer)	25, 26, 55		
8 CYL. 428								
A(with T/E)	M	42, 55	C8AZ 10145-B	45, 72	C8AZ 10156-A& ‡D1AZ 8A652-A (Spacer)	26, 53		
B, F (CJ)-with T/E	M	55				55, 75		
8 CYL. 429								
A, P/C	M	42,55	C9MY 10145-A (GY-923)	52, 72	C8SZ 10156-A& D0VY 10A370-A (GY-947) (Spacer)	52, 77	C9MY 10B315-A (GY-926)	53, 79
A, P/C	M	65	C9AZ 10145-B (GY-916)	72	C8SZ 10156-A & D0VY 10A370-A (GY-947) (Spacer)	52, 77		
F(4/B Special)	M	55	C9MY 10145-A (GY-923)	81	C8SZ 10156-A& D0VY 10B370-A (GY-947) (Spacer)	81, 82		
S	M	65,70	C9VY 10145-A (GY-927)	72	C9VY 10156-A& D0VY 10B370-A (GY-947) (Spacer)	52, 81		
A, P/C	L/N	65	C9AZ 10145-A (GY-915)	34, 80	C8SZ 10156-A & D0VY 10A370-A (GY-947) (Spacer)	52, 77		
S	M	55	C8SZ 10145-A	52,72, 78,81	C8SZ 10156-A & D0VY 10A370-A (GY-947) (Spacer)	52,88, 81		

△ M - Motorcraft L/N - Leece Neville * Refer to Hardware listing at end of chart for number shown in this column

‡ Cut to length

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
					FRONT		SIDE	
	Δ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.
1970								
6 CYL. 170, 200								
F,U,X P	M	42,55	C5TZ 10145-H	4,60,72			C5TZ 10A313-D	10,25, 32,52
6 CYL. 240								
A	M	42,55	C9AZ 10145-C (GY-922)	72,78			C9AZ 10A313-A (GY-925)	45,72
6 CYL. 250								
B, F, P	M	42,55	C9ZZ 10145-A (GY-917)	53,72			C9ZZ 10A313-A (GY-918)	52,53
8 CYL. 302								
A,B,F,X	M	38,42, 55	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B & D1AZ 8A652-A (Spacer)	30,43,44 119	D0OZ 10A336-A (Adapter)	
F(Boss)-S/T	M	38,42 55	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B & D1AZ 8A652-A (Spacer)	30,43,44 119	D0ZZ 10A336-A	
U	M	38,42, 55	C9OZ 10145-A	25,72	D1TZ 10156-A & D1AZ 8A652-A	44,26		
8 CYL. 351 (W)								
A,F	M	38,42, 55	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B & D1AZ 8A652-A (Spacer)	30,43,44 119	D1OZ 10A336-A	
8 CYL. 351 (C)								
B,F	M	42,55	D0OZ 10145-A (GY-938)	43,72	D2OZ 10156-B & D2SZ 10A370-A (Spacer)	43, 104		
8 CYL. 390								
A	M	42,55	C8AZ 10145-A	25,72	C8AZ 10156-B& ‡D1AZ 8A652-A (Spacer)	26,53		
A	M	65	C8AZ 10145-B	55,72	C3SZ 10156-C & ‡D1AZ 8A652-A (Spacer)	25,26,55		
8 CYL. 428								
A(P/C) F(CJ)	M	55,65	C8AZ 10145-B	1,7,8,55, 63,72	C8AZ 10156-A & ‡D1AZ 8A652-A (Spacer)	26,53, 55,75		
8 CYL. 429								
A.B.S	M	42,55	D0SZ 10145-A (GY-939)	84, 85	D0SZ 10156-A& (GY-943) D2SZ 10A370-A (Spacer)	84,85, 113		
A	M	65	D0VY 10145-A (GY-941)	72,85	D0SZ 10156-A& (GY-943) D2SZ 10A370-A (Spacer)	84,85, 113		

Δ M - Motorcraft

‡ Cut to length

* Refer to Hardware listing at end of chart for number shown in this column

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
					FRONT		SIDE	
	Δ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.
1970 - continued								
8 CYL. 429 - continued								
B(CJ)	M	42,55	D0OZ 10145-B (GY-969)	84,85	D0SZ 10156-A& (GY-943) D2SZ 10A370-A	84,85, 113		
S(with T/E)-California B(with T/E)	M	55	D0SZ 10145-A (GY-939)	72,87			D0VY 9B450-A& D0VY 10A370-A (GY-947)	84,85, 86,87
S	M	65	D0SZ 10145-B (GY-940)	72,85	D0SZ 10156-A & (GY-943) D0VY 10A370-A (GY-947) (Spacer)	84,85, 113		
A	L/N	65	D0AZ 10145-A (GY-948)					
1971								
4 CYL. 98 (1600 cc)								
L	M	38	D1FZ 10145-B	54,84			D1FZ 10A313-A	52, 96, 108
4 CYL. 122 (2000 cc)								
L(less A/C)	M	38	D2FZ 10145-B	72			D1FZ 10156-A	52,94
L(with A/C)	M	65	D3FZ 10145-B	72,94,95			D3FZ 10A313-B	96,101, 102
6 CYL. 170, 200								
F,P,U	M	42,55	C5TZ 10145-H	4,60, 72			C5TZ 10A313-D	10,25, 35,52,96
6 CYL. 240								
A	M	42,55	C9AZ 10145-C (GY-922)	72,78			C9AZ 10A313-A (GY-925)	45,72
6 CYL. 250								
B,F,P	M	42,55	C9ZZ 10145-A (GY-917)	53,72			C9ZZ 10A313-A (GY-918)	52,53
8 CYL. 302								
A,B,F,P "Before 7/16/71"	M	42,55	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B & D1AZ 8A652-A	30,43, 44,104, 119	D1OZ 10A336-A	
A,B,F,P "From 7/16/71"	M	42,55, 61	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B & D2SZ 10A370-A	30,43, 44,104, 119	D1OZ 10A336-B	
F(Boss)	M	38,42, 55,61	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B & D1AZ 8A652-A (Spacer)	30,43, 44,104, 119	D1ZZ 10A336-A	
U	M	38,42 55	C9OZ 10145-A (GY-934)	7,60,74	D1TZ 10156-A & (GY-1014) D1AZ 8A652-A (Spacer)	5,30, 119		

Δ M - Motorcraft L/N - Leece Neville * Refer to Hardware listing at end of chart for number shown in this column

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
					FRONT		SIDE	
	△ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.
1971 - continued								
8 CYL. 351(C)								
A	M	42,55 61	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B & D2SZ 10A370-A (GY-946-B) (Spacer)	30,43, 44,119		
B, F	M	42,55 61	D0OZ 10145-A (GY-938)	43,72	D2OZ 10156-B & D2SZ 10A370-A (GY-946-B) (Spacer)	30,43, 89,104, 119		
8 CYL. 351(W)								
A "Before 7/16/71"	M	42,55	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B & D1AZ 8A652-A (Spacer)	30,43, 44,104, 119	D1OZ 10A336-A	
A "From 7/16/71"	M	42,55, 61	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B & D2SZ 10A370-A (GY-946-B) (Spacer)	30,43, 44,104, 119	D1OZ 10A336-B	
8 CYL. 390								
A	M	42,55	C8AZ 10145-A	25,72	C8AZ 10156-B & ‡D1AZ 8A652-A (Spacer)			
A	M	70	C8AZ 10145-B	55,72	C3SZ 10156-C & ‡D1AZ 8A652-A (Spacer)			
8 CYL. 400								
A	M	42,55, 61	D3AZ 10145-D (GY-992)	43,72	D1AZ 10156-A & (GY-993) D2SZ 10A370-A (GY-946-B) (Spacer)	30,43, 104,119		
A	M	70	D1AZ 10145-B (GY-995)	72,91	D1AZ 10156-B & (GY-997) D2SZ 10A370-A (GY-946-B) (Spacer)	89,91		
8 CYL. 429								
A, B, S	M	42,55	D0SZ 10145-A (GY-939)	72,85	D0SZ 10156-A & (GY-943) D0VY 10A370-A (GY-947) (Spacer)	84,85, 113		
A	M	70	D0VY 10145-A (GY-941)	72,85	D0SZ 10156-A & (GY-943) D0VY 10A370-A (GY-947) (Spacer)	84,85, 113		
B(CJ), F(CJ, S/CJ)	M	42,55	D0OZ 10145-B (GY-969)	84,85	D0SZ 10156-A (GY-943) D0VY 10A370-A (GY-947) (Spacer)	84,85, 113		
S	M	70	D0SZ 10145-B (GY-940)	72,85	D0SZ 10156-A & (GY-943) D0VY 10A370-A (GY-947) (Spacer)	84,85, 113		

△ M - Motorcraft L/N - Leece Neville * Refer to Hardware listing at end of chart for number shown in this column

‡ Cut to length

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
					FRONT		SIDE	
	Δ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.
1972								
4 CYL. 98 (1600 cc)								
L(exc.A/C)	M	38	D1FZ 10145-B (GY-1002)	72,84			D1FZ 10A313-C	52,108
L(with A/C)	M	All	D2FZ 10145-A				D2FZ 10337-A	
4 CYL. 122 (2000 cc)								
L(w/o A/C)	M	38,55, 61	D2FZ 10145-B	72	D1FZ 10156-A (GY-998)	52,93		
L(with A/C)	M	42	D3FZ 10145-B (GY-994)	72,94, 95			D3FZ 10A313-B	89,96, 101,102
L(with A/C & heated backlite)	M	70	D2FZ 10145-C				D2FZ 10A313-A	96,116, 117
6 CYL. 170, 200								
P,U	M	42,55	C5TZ 10145-H	4,60,72			C5TZ 10A313-D	10,25, 32,52, 96
6 CYL. 240								
A	M	42,55	C9AZ 10145-C (GY-922)	72,78			C9AZ 10A313-A (GY-925)	45,72
6 CYL. 250								
B,F,P	M	42,55	C9ZZ 10145-A (GY-917)	53,72			C9ZZ 10A313-A (GY-918)	52,53
B	M	70	D2DZ 10145-A					
8 CYL. 302								
A,B,F,P	M	42,55, 61	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B D1AZ 8A652-A (Spacer)	30,43, 44,104, 119	D1OZ 10A336-B	
B	M	70	D2OZ 10145-B	72,98	D2OZ 10156-B & D2SZ 10A370-A (GY-946-B) (Spacer)	30,97, 98,119	D1OZ 10A336-B	103
U	M	38,42, 55	C9OZ 10145-A (GY-934)	7,60,74	D1TZ 10156-A (GY-942) & D1AZ 8A652-A (Spacer)	5,30, 104,119		
8 CYL. 351(C)								
A	M	42,55 61	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B & D2SZ 10A370-A (GY-946-B) (Spacer)	43,44 104,119		
B,F B(CJ)	M	42,55, 61	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B & D2SZ 10A370-A (GY-946-B) (Spacer)	30,43, 44,104, 119		
A(P/C) B F(CJ)	M M	70 70	D2OZ 10145-B	72,98	D2OZ 10156-B & D2SZ 10A370-A (GY-946-B) (Spacer)	30,97, 98,119		

Δ M - Motorcraft

* Refer to Hardware listing at end of chart for number shown in this column

10A313 ALTERNATOR MOUNTING PARTS - continued

MODEL	ALTERNATOR		ADJUSTMENT ARM		MOUNTING BRACKETS			
					FRONT		SIDE	
	△ MAKE	AMP.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.	PART NUMBER	* NUTS, BOLTS, ETC.
1972 - continued								
8 CYL. 351(W)								
A,B	M	42,55, 61	D0OZ 10145-A (GY-938)	44,72	D2OZ 10156-B & D2SZ 10A370-A (GY-946-B) (Spacer)	30,43, 44,104, 119	D1OZ 10A336-B	103
8 CYL. 400								
A,B	M	42,55, 61	D3AZ 10145-D (GY-992)	72,91	D1AZ 10156-A & (GY-993) D2SZ 10A370-A (GY-946-B) (Spacer)	97,104		
A, B	M	70	D2OZ 10145-A	72,97	D2OZ 10156-A & D2SZ 10A370-A (GY-946-B) (Spacer)	97,118		
A(P/C)	M	70	D2OZ 10145-B	72,98	D2OZ 10156-B & D2SZ 10A370-A (GY-946-B) (Spacer)	76,97, 98		
S	M	55	D2SZ 10145-B	71,72	D2SZ 10156-A & D2SZ 10A370-A (GY-946-B) (Spacer)	71,100		
S	M	70	D2SZ 10145-C	71,72	D2OZ 10156-A & D2SZ 10A370-A (GY-946-B) (Spacer)	71,100		
8 CYL. 429								
A,B,S	M	42,55, 61	D0SZ 10145-A (GY-939)	72,85	D0SZ 10156-A (GY-943) & D2SZ 10A370-A (GY-946-B) (Spacer)	84,85, 113		
A, B, S	M	70	D2SZ 10145-A	72,85	D0SZ 10156-A (GY-943) & D0VY 10A370-A (GY-946-B) (Spacer)	84,85, 113		
8 CYL. 460								
S	M	55,61	D0SZ 10145-A (GY-989)	72,85	D0SZ 10156-A (GY-943) & D0VY 10A370-A (GY-947) (Spacer)	84,85, 113		
S	M	70	D2SZ 10145-A	72,85	D0SZ 10156-A (GY-943) & D0VY 10A370-A (GY-947) (Spacer)	84,85, 113		

△ M - Motorcraft

* Refer to Hardware listing at end of chart for number shown in this column

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


FINAL ISSUE

10A313 ALTERNATOR MOUNTING PARTS - NUTS, BOLTS, ETC. (Quantity As Required)


CODE	PART NUMBER	DESCRIPTION
1	34807-S8(X66)	Lockwasher-spring-3/8"
2	354135-S7-8(BB155A)	Bolt-hex. head-3/8"-16 x 1 1/8"
3	45504-S7-8(B43EC)	Bolt-hex. head-1/4"-20 x 2"
4	20520-S8(B63)	Bolt-hex. head-5/16"-18 x 2"
5	34806-S7(X64)	Lockwasher-spring-5/16"
6	20428-S7-8(B82)	Bolt-hex. head-3/8"-16 x 1 1/4"
7	382585-S100(XX143A)	Washer-flat-3/8"
8	33799-S7(M52)	Nut-hex. -3/8"-16
9	20448-S8(B83)	Bolt-hex. head-3/8"-16 x 1 3/8"
10	34808-S8(X67)	Lockwasher-spring-7/16"
12	373293-S8(BB563)	Bolt-hex.head-3/8"-16 x 1"
14	43002-S(B257)	Bolt-hex. head-3/8"-16 x 1 1/2"
15	20430-S8(B104)	Bolt-hex. head-7/16"-14 x 1 1/4"
16	42999-S(B253)	Bolt-hex. head-3/8"-16 x 1 1/8"
18	20488-S8(B86)	Bolt-hex. head-3/8"-16 x 1 5/8"
24	20348-S8(B77)	Bolt-hex. head-3/8"-16 x 3/4"
25	20388-S8(B80)	Bolt-hex. head-3/8"-16 x 1"
26	375860-S2(BB405CE)	Bolt-hex.head-7/16"-14 x 5 1/4"
28	20368-S8(B79)	Bolt-hex. head-3/8"-16 x 7/8"
30	34848-S8(X75)	Lockwasher-spring-7/16"
32	20534-S8(B90)	Bolt-hex. head-3/8"-16 x 2 1/4"
34	20468-S8(B85)	Bolt-hex. head-3/8"-16 x 1 1/2"
36	45562-S8(B69)	Bolt-hex. head-5/16"-18 x 4"
38	44727-S8(X24)	Washer-flat-3/8"
42	20408-S7(B81)	Bolt-hex. head-3/8"-16 x 1 1/8"
43	45532-S7-8(B65)	Bolt-hex. head-5/16"-18 x 3"
44	355432-S(BB149)	Bolt-hex. head-5/16"-18 x 5 1/2"
45	45520-S7-8(B63B)	Bolt-hex. head-5/16"-18 x 2 1/2"
46	351428-S7(XX166)	Washer-flat-7/16"
47	★350224-S	Bolt-hex. head-7/16"-14 x 7/8"
48	352153-S(XX173)	Washer-flat-7/16"
49	45566-S7-8(B117)	Bolt-hex. head-7/16"-14 x 4"
50	371829-S100(BB191)	Bolt-hex. head-7/16"-14 x 6"
52	351989-S8(BB188)	Bolt-hex. head-7/16"-14 x 4 5/8"
53	42996-S7-8(B251F)	Bolt-hex. head-3/8"-16 x 3/4"
54	42998-S8(B252A)	Bolt-hex. head-3/8"-16 x 1"
55	C2OZ 6065-B	Bolt-hex. head-7/16"-14 x 3 7/8"
56	20508-S8(B110)	Bolt-hex. head-7/16"-14 x 1 3/4"
57	351405-S7(XX147)	Washer-flat-3/8"
58	356309-S7(XX299)	L/washer-int. & ext. tooth-5/16"
59	20466-S8(B61)	Bolt-hex. head-5/16"-18 x 1 1/2"
60	359266-S8(BB157)	Bolt-hex. head-3/8"-16 x 1 1/4"
61	20390-S8(B102)	Bolt-hex. head-7/16"-14 x 1"
62	354193-S(XX141)	Washer-flat-3/8"
63	356321-S8(XX311)	Spacer-13/32" I. D. x 7/8" O. D. x 5/32" thick
65	378365-S8(BB562G)	Bolt hex.hd.-5/16"-18 x 2 5/8"
66	356214-S8(XX162)	Washer-flat-3/8"
68	43089-S7-8(B228H)	Bolt-hex. head-1/2"-13 x 1"
69	20345-S7-8(B150A)	Bolt-hex. head-1/4"-28 x 3/4"
70	351487-S(XX291)	Lockwasher-external tooth-3/8"
71	46069-S7-8(B263E)	Bolt-hex. head locking)-7/16"-14 x 3 3/4"
72	373162-S(BB563A)	Bolt-hex. head-3/8"-16 x 1 1/8"
73	43514-S8(U17)	Screw & washer-hex.hd.-3/8"-16 x 1"
74	359088-S100(BB416C)	Bolt-hex. hd. -3/8"-16 x 1 1/4"
75	45644-S8(B97H)	Bolt-hex. hd. -3/8"-16 x 6"
76	375527-S(BB429E)	Bolt-7/16"-14 x 7/8"
77	356684-S8(B169)	Bolt-3/8" -16 x 3 3/4"
78	373564-S(BB562D)	Screw-5/16 -18 x 1 7/8"
79	56160-S4(B320T)	Bolt-7/16 - 14 x 1"
80	33771-S4(M89L)	Nut-3/8"-16 lock
81	371502-S(BB419)	Bolt-3/8"-16 x 3/4"
82	383570-S(WW49K)	Stud-7/16"-14-14 x 7"
83	56172-S4(B326)	Bolt-7/16"-14 x 4"
84	56138-S4(B319V)	Bolt-3/8"-16 x 3/4"
85	370584-S(BB420)	Bolt-3/8"-16 x 4"
87	56356-S4(B318G)	Bolt-3/8"-16 x 5 11/16"
88	56161-S4(B320U)	Bolt-7/16"-14 x 1 1/4"
89	384533-S36(BB191C)	Bolt-7/16"-14 x 7"
91	56123-S36(B319L)	Bolt-5/16" -18 x 1 1/4"
92	383107-S36(BB545EY)	Bolt-3/8"-16 x 1"
93	N602570-S51(AB70)	Bolt-M10 x 25MM (Metric)
94	N602549-S51(AB61)	Screw & washer-8M x 20MM-metric coarse
95	N602569-S51(AB69)	Screw & washer-10MM x 20MM-metric coarse
96	382469-S(UU52AN)	Screw-7/16"-14 x 4 1/8"
97	300890-S(BB66)	Bolt-5/16"-18 x 3"
98	383969-S(BB545DD)	Bolt-5/16"-18 x 5 1/16"
99	383722-S(BB518K)	Bolt-7/16"-14 x 6 3/16"
100	★384861-S	Bolt-7/16"-14 x 7 3/4"
101	N800013-S51M(AB118)	Bolt-hex.hd.-M8 x 19.0MM(Metric)
102	N800014-S51M(AB119)	Bolt-hex.hd.-M10 x 22.22MM(Metric)
103	384185-S100(BB545W)	Bolt-hex.washer hd.-7/16"-14 x 1"
104	384631-S36(BB191A)	Bolt-7/16"-14 x 6 1/4" hex.hd.
108	E600212-S72	Bolt-M8 x 35M (Metric Coarse)
113	382925-S2(BB891)	Bolt-7/16"-14 x 5 3/16"
115	N800019-S51	Stud-10MM x 35MM(Metric)
116	N601314-S51	Bolt-10MM x 45MM x 26MM(Metric)
117	N620014-S51	Nut-10MM(Metric)
118	383721-S(BB518J)	Bolt-7/16"-14 x 6 1/8"
119	302569-S(BB188E)	Bolt-7/16"-14 x 5 1/2"

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	REGULATOR CATALOG SYMBOL	QTY.	PART NUMBER
	108315 BRACE - ALTERNATOR MOUNTING - Refer to Group 10A313						
	10316 REGULATOR ASSY. - ALTERNATOR - For Generator Regulator refer to Group 10505						
65	A, B	6&8	Exc.427	14 volt, negative ground, 4 terminals -ident. 3727RA, C5AF 10316-B- use w/alternator C5AZ 10346-B,C,D	41 (Leece Neville)	1	★C5AZ 10316-B r/b C5AZ 10316-C
65/67	A, B	6&8	All	14 volt, negative ground, 5 terminals-ident. 3727RA, C5AF 10316-E-includes instruction sheet No. 1837- use with alternator C5AZ 10346-B, C, D	44 (Leece Neville)	1	C5AZ 10316-C (GR-373)
65/69	A, B	8	Exc.427	14 volt, negative ground, 3 terminals -ident. 3737RA, 3777RA, C5TF 10316-B, D-includes	42 (Leece Neville)	1	C5TZ 10316-B (GR-362)
70	A	8	390, 428,429	instruction sheet No. 1829-use w/alternator C5TZ 10346-C, D		1	
65/72	A, B, F, P, U, L, X "Before 5/22/72"	4,6 & 8	All	15 volt, negative ground, 4 terminals-ident.	T10 (Motorcraft)	1	★C3SZ 10316-B (GR-341) r/b D4TZ 10316-A(2-75)
65/68	S	8	All	C4TF 10316-B, D,		1	
69/70	S(with heated back lite)	8	All	C4UF 10316-A, B,		1	
70	S(exc. with heated back lite)- "From 9/15/69"	8	All	C5AF 10316-A, C5TF 10316-A, C8AF 10316-A, C8TF 10316-A,		1	
71/72	S "Before 5/22/72"	8	All	D0AF 10316-A, D2AF 10316-AA, D2TF 10316-AA		1	
72	A, B, F, L, P, S, U "From 5/22/72"	4,6 & 8	All	15 Volt-#D3TF 10316-AA	(Motorcraft)	1	D3TZ 10316-A (GR-341-A)
66/67	F, S, U, X	6&8	All	Transistorized-14 volt, negative ground, 3 terminals-ident. C6AF 10316-A, C6TF 10316-A, D2HF 10316-AA-use with alternator C5AZ 10346-B, C, C5DZ 10346-B, C5TZ 10346-C, D, G	43 (Motorcraft)	1	★C6AZ 10316-A (GR-374) r/b D3TZ 10316-B(9-74)
66/68	A, B	8	All	Use w/C7AF 10300-A, C7AF 10346-A, B, D0AF 10300-A		1	
69	S (exc. with heated back lite)	8	All	Ident. C8SF 10316-A		1	C8SZ 10316-A (GR-383)
70	S (exc. with heated back lite)- "Before 9/15/69"			Use w/alternator C8SZ 10346-A, D0SZ 10346-A			
65/67	A, B, F, S, X	6&8	All	Screw-hex., washer head- No. 14-10 x 3/4"		4	42143-S8(U255)
		6&8	All	Screw-hex. washer head- No. 14-10 x 1/2"		1	31497-S8(U254)
68/	A, B, F, S, U, X	6&8	All	Screw (attach regulator to fender shield)-1/4-14 x 5/8"		2	381922-S2(UU52A)
	10316 ALTERNATOR REGULATOR KIT						
66/68	A, B	8	All	Tranistorized-14 volt negative		1	D3TZ 10316-B
66/67	F, S, U, X	6&8	All	ground, 3 terminals		1	(GR-504)
	Consists of (1) D4HZ 10316-A (1) D3TZ 10A609-A (1) I. Sheet						
	10317 SHIELD - ALTERNATOR SPLASH - If not Listed Improvise						
71/	A	6&8	240,429, 460	Rubber		1	D1AZ 10317-A
71	F "Before 5/1/71"	6 8	200,250 429	Rubber		1	D1OZ 10317-A (GY-1015)
71/	F "From 5/1/71"	6&8	200,250			1	D1ZZ 10317-A
71/	P	6	All	Rubber		1	D1DZ 10317-A (GY-1016)
72	S	8	All	Rubber		1	D2SZ 10317-A
	10320-36 Refer to Alternator Parts List - Section 103, Page 1						
	10A336 ADAPTER - ALTERNATOR MOUNTING BRACKET - Refer to Group 10A313						


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN




TYPE 1




TYPE 2




TYPE 3





TYPE 4






TYPE 5





TYPE 6



P-2915

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	Δ MAKE	AMP.	QTY.	PART NUMBER
	10337 BRACKET - ALTERNATOR and COMPRESSOR MOUNTING - Refer to Group 10A313							
	10A340-43 Refer to Alternator Parts List Section 103, Page 1							

10344 PULLEY - ALTERNATOR

MODEL	IDENTIFICATION	TYPE	A	B	C	D	E	F	G	Δ MAKE	AMP.	PART NUMBER
					1965							
6 CYL. 170, 200												
B, F, X	C5AF 10A352-B,G,K C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	38,42,45	C5AZ 10344-K (GP-493)
B	C5AF 10A352-D, J, C5TF 10A352-B,K,	6	2.84	.670	.38		1.40	.64		M	42,45,55	C5AZ 10344-L (GP-494)
B(w/A/C)	C9AF 10A352-C									M	38	
B	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E
6 CYL. 240												
A(exc. A/C)	C5AF 10A352-A,B, F,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	42,45,55	C5AZ 10344-K (GP-493)
A(w/A/C)	C5AF 10A352-D, J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	42,45,55	C5AZ 10344-L (GP-494)
A	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E
A	C5AF 10A352-H	5	3.90	.670	.38		.88			M	42	C5AZ 10344-H (GP-580)
8 CYL. 289												
A, B, F, X(exc. A/C)	C5AF 10A352-B,G,K C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	All	C5AZ 10344-K (GP-493)
A, B, F, X(w/A/C)	C5AF 10A352-D, J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	All	C5AZ 10344-L (GP-494)
A, B	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E
A	74187	6	3.01	.670	.38		1.56	.65		L/N	60, 65	C5AZ 10344-E
B, F	C5AF 10A352-C, H D1ZF 10A352-A	5	3.05	.670	.38		.91			M	42, 45, 55	D1ZZ 10344-A (GP-465A)
A, B, F, X	C5AF 10A352-H	5	3.90	.670	.38		.88			M	42	C5AZ 10344-H (GP-580)
8 CYL. 352, 390												
A, S	C5AF 10A352-A, D, F, J, L, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	42,45,55	C5AZ 10344-L (GP-494)
A	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E
A	74187	6	3.01	.670	.38		1.56	.65		L/N	60, 65	C5AZ 10344-E
A	C5AF 10A352-H	5	3.90	.670	.38		.88			M	42	C5AZ 10344-H (GP-580)
8 CYL. 427												
A	C5AF 10A352-C, D1ZF 10A352-A	5	3.05	.670	.38		.91			M	42, 45	D1ZZ 10344-A (GP-465A)
A	C5AF 10A352-H	5	3.90	.670	.38		.88			M	42	C5AZ 10344-H (GP-580)

Δ M - Motorcraft L/N - Leece Neville

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

MODEL	IDENTIFICATION	TYPE	A	B	C	D	E	F	G	Δ MAKE	AMP.	PART NUMBER
10344 PULLEY - ALTERNATOR - continued												
1966												
6 CYL. 170, 200												
B	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E
B, F, U, X(exc. A/C)	C5AF 10A352-B, F, G, K, L, C9AF 10A352-A, B	3	2.84	.670	.38		1.015			M	38, 42, 55	C5AZ 10344-K (GP-493)
B, X(w/A/C)	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	38, 42, 55	C5AZ 10344-L (GP-494)
6 CYL. 240												
A	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E
A(w/T/E)	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	38, 42,	C5AZ 10344-L
A(w/A/C exc. P/S)										M	55	(GP-494)
A(w/A/C & P/S)-exc. T/E	C5AF 10A352-B, F, G, K, L, C9AF 10A352-A, B	3	2.84	.670	.38		1.015			M	55	C5AZ 10344-K (GP-493)
8 CYL. 289												
A	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E
A	74187	6	3.01	.670	.38		1.56	.65		L/N	60, 65	C5AZ 10344-E
A, B, F, U, X	C5AF 10A352-B, F, G, K, L, C9AF 10A352-A, B	3	2.84	.670	.38		1.015			M	38, 42, 55	C5AZ 10344-K (GP-493)
U, X										M	45	
A(w/T/E), B, F, U, X	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	38, 42, 45	C5AZ 10344-L (GP-494)
A, B, U, X										M	55	
F	C5AF 10A352-H D1ZF 10A352-A	5	3.05	.670	.38		.91			M	38, 42, 55	D1ZZ 10344-A (GP-465A)
8 CYL. 352, 390, 428												
A, B	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E
A	74187	6	3.01	.670	.38		1.56	.65		L/N	60, 65	C5AZ 10344-E
A, B, S	C5AF 10A352-B, F, G, K, L	5	2.84	.670	.38		1.015			M	38, 42, 55	C5AZ 10344-K (GP-493)
S										M	45	
A(w/T/E), B, S(w/T/E) A(w/A/C)	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	38, 42, 45, 55	C5AZ 10344-L (GP-494)
8 CYL. 427												
A, B	C5AF 10A352-H D1ZF 10A352-A	5	3.05	.670	.38		.91			M	42	D1ZZ 10344-A (GP-465A)
1967												
6 CYL. 170, 200												
B, F, U, X(exc. A/C)	C5AF 10A352-B, F, G, K, L, C9AF 10A352-A, B	3	2.84	.670	.38		1.015			M	38, 42, 55	C5AZ 10344-K (GP-493)
B, X(w/A/C)	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
B	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E
6 CYL. 240												
A(w/T/E)	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	42	C5AZ 10344-L
A(exc. T/E)										M	42	(GP-494)
A(w/A/C exc. P/S)										M	55	

Δ M - Motorcraft L/N - Leece Neville

MODEL	IDENTIFICATION	TYPE	A	B	C	D	E	F	G	△ MAKE	AMP.	PART NUMBER
10344 PULLEY - ALTERNATOR - continued												
1967 - continued												
6 CYL. 240 - continued												
A(w/A/C & P/S)-exc.T/E	C5AF 10A352-B,F, G,K,L, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	55	C5AZ 10344-K (GP-493)
A	74146	6	2.63	.670	.38		.86			L/N	53	C5TZ 10344-E
8 CYL. 289												
B, F, X(exc. A/C or P/S), U	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	38	C5AZ 10344-L (GP-494)
A(exc. T/E) 'From 10/1/66"										M	42	
X										M	42	
A, B(w/A/C), F, U, X(w/A/C)										M	55	
B, F, U, X	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	38	C5AZ 10344-K (GP-493)
A 'Before 10/1/66"										M	42	
A(w/T/E) 'From 10/1/66"										M	42	
B, X										M	42	
U										M	42, 45, 55	
X(w/A/C)										M	55	
A, B, F, X(w/A/C & P/S)												
F	D1ZF 10A352-A	5	3.05	.670	.38		.91			M	42, 55	D1ZZ 10344-A (GP-465-A)
F	C7ZF 10A352-A	6	3.62	.670	.38		1.49	.64		M	42	C7ZZ 10344-A (GP-486)
8 CYL. 390, 428												
A	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B
A, B	74146	6	2.63	.670	.38		1.56	.65		L/N	53	C5TZ 10344-E
A	74187	6	3.01	.670	.38		1.56	.65		L/N	60, 65	C5AZ 10344-E
B, F	C5AF 10A352-B,F, G,K,L, C9AF 10A352-A,B	5	2.84	.670	.38		1.015			M	38	C5AZ 10344-K (GP-493)
A										M	42	
B										M	42	
A, B, F										M	55	
S(exc. A/C)										M	55	
S										M	60	
B	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	38	C5AZ 10344-L (GP-494)
F(w/T/E)										M	38	
A, B										M	42	
A, B, F										M	55	
A, S(w/A/C)										M	55	
8 CYL. 427												
A, B	D1ZF 10A352-A	5	3.05	.670	.38		.91			M	42, 55	D1ZZ 10344-A (GP-465-A)
1968												
6YL. 170, 200												
B, F, X	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
F, X	C5AF 10A352-B,F, G,K,L, C9AF 10A352-A,B	3	2.84	670	.38		1.015			M	38	C5AZ 10344-K (GP-493)
U										M	38	
B										M	42	

△ M - Motorcraft L/N - Leece Neville

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

MODEL	IDENTIFICATION	TYPE	A	B	C	D	E	F	G	△ MAKE	AMP.	PART NUMBER
						1968 - continued						
10344 PULLEY - ALTERNATOR - continued												
6 CYL. 240												
A(exc. T/E)	C5AF 10A352-B, F, G, K, L, C9AF 10A352-A, B	5	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
A(w/T/E)	C5AF 10A352-D, J,	6	2.84	.670	.38		1.40	.64		M	42	C5AZ 10344-L
A	C5TF 10A352-B, K, C9AF 10A352-C									M	55	(GP-494)
8 CYL. 289												
F, X, U	C5AF 10A352-B, J, K,	3	2.84	.670	.38		1.015			M	38	C5AZ 10344-K
U	C9AF 10A352-A, B									M	42	(GP-493)
B(less P/S)										M	38	
F, U, X(A/C w/P/S)										M	55	
F	D1ZF 10A352-A	5	3.05	.670	.38		.91			M	42, 55	D1ZZ 10344-A (GP-465-A)
F, X(A/C exc. P/S)	C5AF 10A352-D, J, C5TF 10A352-B, K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
8 CYL. 302												
A(exc. P/S)	C5AF 10A352-D, J,	6	2.84	.670	.38		1.40	.64		M	42	C5AZ 10344-L
A, F, X(A/C exc. P/S)	C5TF 10A352-B, K, C9AF 10A352-C									M	55	(GP-494)
A	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B
F, X	C5AF 10A352-B, G, K,	3	2.84	.670	.38		1.015			M	38	C5AZ 10344-K
A, B(w/P/S)	C9AF 10A352-A, B									M	42	(GP-493)
A, F, X(A/C w/P/S)										M	55	
B										M	55	
8 CYL. 390												
A, B(exc. T/E)	C5AF 10A352-B, F,	5	2.84	.670	.38		1.015			M	42	C5AZ 10344-K
A(A/C w/P/S)	G, K, L,									M	55	(GP-493)
B, S	C9AF 10A352-A, B									M	55	
F(GT) (A/C w/P/S)										M	55	
A	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B
F(GT)	C5AF 10A352-D, J,	6	2.84	.670	.38		1.40	.64		M	38	C5AZ 10344-L
A, B(w/T/E)	C5TF 10A352-B, K,									M	42	(GP-494)
A(A/C exc. P/S)	C9AF 10A352-C									M	55	
B										M	55	
F(GT) (A/C exc. P/S)										M	55	
8 CYL. 427												
F	C5AF 10A352-D, J,	6	2.84	.670	.38		1.40	.64		M	42	C5AZ 10344-L
	C5TF 10A352-B, K, C9AF 10A352-C											(GP-494)
8 CYL. 428												
A(exc. T/E)	C5AF 10A352-B, F,	5	2.84	.670	.38		1.015			M	42	C5AZ 10344-K
A(P/C w/A/C & P/S)	G, K, L,									M	55	(GP-493)
A(A/C w/P/S)	C9AF 10A352-A, B									M	55	
A(w/T/E)	C5AF 10A352-D, J,	6	2.84	.670	.38		1.40	.64		M	42	C5AZ 10344-L
A(P/C)	C5TF 10A352-B, K,									M	42	(GP-494)
A(A/C exc. P/S)	C9AF 10A352-C									M	55	
A(P/C)(exc. A/C)										M	55	
A(P/C w/A/C exc. P/S)										M	55	
A	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B

△ M - Motorcraft

MODEL	IDENTIFICATION	TYPE	A	B	C	D	E	F	G	△ MAKE	AMP.	PART NUMBER
10344 PULLEY - ALTERNATOR - continued												
1968 - continued												
8 CYL. 429												
S	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
1969												
6 CYL. 170,200												
F,U,X	C5AF 10A352-B,F, G,K,L, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	38	C5AZ 10344-K (GP-493)
F										M	42	
X										M	55	
X	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
6 CYL. 240												
A(w/T/E)	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
A(exc. T/E)	C5AF 10A352-B,F, G,K,L, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
6 CYL. 250												
B	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
F										M	38	
8 CYL. 302												
A,X	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
A	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B
F,X,U	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	38	C5AZ 10344-K (GP-493)
A, B, F(w/P/S)										M	42	
X										M	55	
8 CYL. 351												
B, F	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
8 CYL. 390												
A	74187	6	3.01	.670	.38		1.56	.65		L/N	65	C5AZ 10344-E
A	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
F(GT)										M	38,55	
A	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B
B(A/C less P/S)	C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
F(GT)										M	55	
B(GT)										M	42	
A										M	55	
S										M	55	
8 CYL. 427												
B, F	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	42	C5AZ 10344-L (GP-494)

△ M - Motorcraft L/N - Leece Neville

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

See PAGE 1 of this SECTION for ALTERNATOR COMPONENT INFORMATION

MODEL	IDENTIFICATION	TYPE	A	B	C	D	E	F	G	△ MAKE	AMP.	PART NUMBER
10344 PULLEY - ALTERNATOR - continued												
					1969 - continued							
8 CYL. 428												
A	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B
A(P/C)	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	55	C5AZ 10344-K (GP-493)
A(P/C)	74187	6	3.01	.670	.38		1.56	.65		L/N	65	C5AZ 10344-E
B(CJ) A(P/C) A F(CJ)	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M M M M	42 42 55 55	C5AZ 10344-L (GP-494)
8 CYL. 429												
A	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
A,S F-Boss	C5AF 10A352-B,F, G,K,L, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M M	55 55	C5AZ 10344-K (GP-493)
S-with heated back window A	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M M	65 65	C7TZ 10344-B
					1970							
6 CYL. 170, 200												
F,P U,X	C5AF 10A352-B,F, G,K,L, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M M	42 55	C5AZ 10344-K (GP-493)
P	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
6 CYL. 240												
A-with heated backlite	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
A	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	42,55	C5AZ 10344-K (GP-493)
6 CYL. 250												
B,F B	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M M	38 55	C5AZ 10344-K (GP-493)
B,F-w/A/C	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
8 CYL. 302												
B,F,U,X A,B,F-with A/C	C5AF 10A352-B,F, G,K,L, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M M	38,42 55	C5AZ 10344-K (GP-493)
F-Boss	D1ZF 10A352-A	5	3.05	.670	.38		.91			M	55	D1ZZ 10344-A (GP-465-A)
X	C5AF 10A352-D,J, C5TF 10A352-B,K, C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
8 CYL. 351												
A,B,F	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	38,42 55	C5AZ 10344-K (GP-493)

△ M - Motorcraft L/N - Leece Neville

MODEL	IDENTIFICATION	TYPE	A	B	C	D	E	F	G	Δ MAKE	AMP.	PART NUMBER
10344 PULLEY - ALTERNATOR - continued												
1970 - continued												
8 CYL. 390												
A-with heated backlite w/o A/C	C5AF 10A352-D,J,	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L
A	C5TF 10A352-B,K, C9AF 10A352-C									M	42	(GP-494)
A-with heated backlite w/A/C	C5AF 10A352-B,G,K,	3	2.84	.670	.38		1.015			M	38	C5AZ 10344-K
A	C9AF 10A352-A,B									M	42	(GP-493)
8 CYL. 428												
A	C5AF 10A352-D,J,	6	2.84	.670	.38		1.40	.64		M	42	C5AZ 10344-L
F(CJ)	C5TF 10A352-B,K									M	55	(GP-494)
A-with heated backlite w/o/A/C	C9AF 10A352-C									M	55	
A-with heated backlite w/A/C	C5AF 10A352-B,G,K, C9AF 10A352-A,B	3	2.84	.670	.38		1.015			M	55	C5AZ 10344-K (GP-493)
8 CYL. 429												
A-with heated backlite w/o/A/C	C5AF 10A352-B,G,K,	3	2.84	.670	.38		1.015			M	55	C5AZ 10344-K
B	C9AF 10A352-A,B									M	38,55	(GP-493)
S										M	55	
B(CJ)	C5AF 10A352-H	5	3.05	.670	.38		.91			M	55	D1ZZ 10344-A
B,F	D1ZF 10A352-A									M	55	(GP-465A)
S	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B (GP-485)
1971												
4 CYL. 98, 122 (1600, 2000 cc)												
L	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	38,65	C5AZ 10344-K (GP-493)
6 CYL. 170, 200												
P,U	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	38	C5AZ 10344-K (GP-493)
P	C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
6 CYL. 240												
A	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
6 CYL. 250												
B,F	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	38	C5AZ 10344-K (GP-493)
B,F,P	C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
8 CYL. 302												
A,B,F,P,U	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
F-4V	D1ZF 10A352-A	5	3.05	.670	.38		.91			M	55	D1ZZ 10344-A (GP-465-A)
A	D1AF 10A352-A	3	3.12	.88	.38		.85			M	65	D1AZ 10344-A (GP-508)
8 CYL. 351												
A,B,F	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
A	D1AF 10A352-A	3	3.12	.88	.38		.85			M	65	D1AZ 10344-A (GP-508)

Δ M - Motorcraft L/N - Leece Neville

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

See PAGE 1 of this SECTION for ALTERNATOR COMPONENT INFORMATION

MODEL	IDENTIFICATION	TYPE	A	B	C	D	E	F	G	△ MAKE	AMP.	PART NUMBER
10344 PULLEY - ALTERNATOR - continued												
1971 - continued												
8 CYL. 390												
A	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
A	C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
8 CYL. 400												
A	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
A	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B (GP-485)
A	D1AF 10A352-A	3	3.12	.88	.38		.85			M	65	D1AZ 10344-A (GP-508)
8 CYL. 429												
A,B S	C9AF 10A352-A	3	2.84	.670	.38		1.015			M M	42 55	C5AZ 10344-K (GP-493)
A,S	C7TF 10A352-B	6	3.17	.880	.38		1.53	.64		M	65	C7TZ 10344-B (GP-485)
B,F	D1ZF 10A352-AA	5	3.05	.670	.38		.91			M	55	D1ZZ 10344-A (GP-465-A)
A,S	D1AF 10A352-AA	3	3.12	.88	.38		.85			M	65	D1AZ 10344-A (GP-508)
1972												
4 CYL. 98, 122 (1600, 2000 cc)												
L	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	38	C5AZ 10344-K (GP-493)
6 CYL. 170, 200												
P,U	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	38,42	C5AZ 10344-K (GP-493)
P	C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
P	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	61	C5AZ 10344-K (GP-493)
P-with hang-on A/C												D2OZ 10344-B (GP-573)
6 CYL. 240												
A	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
6 CYL. 250												
B, F	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	38	C5AZ 10344-K (GP-493)
B, F, P	C9AF 10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
B, F, P-with hang-on A/C												D2OZ 10344-B (GP-573)
8 CYL. 302												
A, B, F, P, U	C9AF 10A352-A	3	2.84	.670	.38		1.015			M	42,61	C5AZ 10344-K (GP-493)
F	D1ZF 10A352-A	5	3.05	.670	.38		.91			M	55	D1ZZ 10344-A (GP-465-A)
A, B, S	D2OF 10A352-AA	3	3.15	.670	.38		.91			M	65	D2OZ 10344-A (GP-511)

△ M - Motorcraft L/N - Leece Neville

MODEL	IDENTIFICATION	TYPE	A	B	C	D	E	F	G	△ MAKE	AMP.	PART NUMBER
10344 PULLEY - ALTERNATOR - continued												
1972 - continued												
8 CYL. 351												
A, B, F	C9AF10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K
A, F										M	61	(GP-493)
A, B, S	D2OF10A352-AA	3	3.15	.670	.38		.91			M	70	D2OZ 10344-A (GP-511)
8 CYL. 400												
A, B, S	C9AF10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
A, B, S	C9AF10A352-C	6	2.84	.670	.38		1.40	.64		M	55	C5AZ 10344-L (GP-494)
A	C9AF10A352-A	3	2.84	.670	.38		1.015			M	61	C5AZ 10344-K (GP-493)
A, B, S	D2OF10A352-AA	3	3.15	.670	.38		.91			M	70	D2OZ 10344-A (GP-511)
A, C	D2AF 10A352-AA	6	3.15	.670	.38		1.49	.64		M	70	D2AZ 10344-A (GP-578)
8 CYL. 429												
A, B, S	C9AF10A352-A	3	2.84	.670	.38		1.015			M	42	C5AZ 10344-K (GP-493)
B	D1ZF10A352-A	5	3.05	.670	.38		.91			M	55	D1ZZ 10344-A (GP-465-A)
A	C9AF10A352-A	3	2.84	.670	.38		1.015			M	61	C5AZ 10344-K (GP-493)
A, B, S	D2OF10A352-AA	3	3.15	.670	.38		.91			M	70	D2OZ 10344-A (GP-511)
A, C	D2AF 10A352-AA	6	3.15	.670	.38		1.49	.64		M	70	D2AZ 10344-A (GP-578)
8 CYL. 460												
S	C9AF10A352-A	3	2.84	.670	.38		1.015			M	55, 61	C5AZ 10344-K (GP-493)
S	D2OF10A352-AA	3	3.15	.670	.38		.91			M	70	D2OZ 10344-A (GP-511)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	△ MAKE	AMP.	QTY.	PART NUMBER
65/	A, B	6&8	All	Nut-hex. -1/2"-20	L/N	All	1	33943-S8(M36)
65/	A, B			Lockwasher-spring-1/2"	L/N	All	1	34809-S8(X68)
65/	A, B	6&8	All	Key-5/8" x 5/32"	L/N	All	1	74175-S(L7)
65/	A, B, F, S, U, X	6&8	All	Lockwasher-spring-21/32"	M	All	1	351496-S(XX306)
				Nut-hex. -21/32"-20	M	All	1	351124-S(MM42)
	10A344 SPACER - ALTERNATOR FAN or PULLEY							
65	A, B, F, S, X "Before 4/1/65"	6&8	All	21/32" I.D. x 7/8" O.D. x 1/4"	M	All	1	C5AZ 10A344-A (GY-700)
65/	A,B,F,P,S,U,X"From 4/1/65"	6&8	All	11/16" I.D. x 7/8" O.D. x 5/32" thick	M	All	1	C5AZ 10A344-B (GY-808)
65/67	A, B	6&8	All	11/16"I.D. x 1" O.D. x 5/16"	L/N	40, 53	1	★C2AZ 10A344-A Not replaced
67/69	A	6&8	All	13/16"I.D. x 1 1/4"O.D. x 5/32"	M	65	1	D0AZ 10A344-A
70/71	A, P, S	8	All		M	65, 70	1	(GY-974)
65/67	A	8	Exc.427	11/16" I.D. x 1 3/16" O.D. x 1/4"	L/N	60, 65	1	C5TZ 10A344-A
72	A, B, S	6&8	All	43/64" I.D. x 7/8" O.D. x 5/16"	M	65, 70	1	D2OZ 10A344-A

△ M - Motorcraft L/N - Leece Neville

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

10346 ALTERNATOR APPLICATION CHART

Determine year, model, engine, make of alternator and amperage or identification.
Find service Alternator as well as Voltage Regulator in adjacent column.
Parts are listed in order of Make and Amperage.
(Also see Page 1 of this section for PARTS LISTS instructions and ALTERNATOR IDENTIFICATION CHART)

MODEL	ENGINE CYL.	ENGINE C.I.D.	Δ MAKE	AMP.	REMARKS	PARTS LIST SECT. & NO.	SERVICE ALTERNATOR	VOLTAGE REGULATOR	ILLUS. SECT. 100 PAGE
					1965				
A,B,F,S,X	6&8	All	M	38, 42, 45		103.4W	D2AZ 10346-C (GL-89A)	%C3SZ 10316-B (GR-341)	5
A,B S (w/A/C & trans. ign.)	6&8 8	Exc.427 390	M	55		103.4P	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341)	5
A,B S(w/A/C & trans. ign.)	6&8 8	Exc.427 390	M	55		103.4D	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341)	5
A,B	6	200,240	L/N	53		103.2B	C5AZ 10346-C	C5AZ 10316-B Repl. by C5AZ 10316-C	3
A B	6&8 8	Exc.427 289	L/N	53		103.2A	★C5AZ 10346-B Not replaced	C5AZ 10316-B Repl. by C5AZ 10316-C	3
A	8	Exc.427	L/N	60, 65		103.2C	C5TZ 10346-C (GL-84)	C5TZ 10316-B (GR-362)	2
A	8	Exc.427	L/N	60, 70		103.2D	C5TZ 10346-D (GL-82)	C5TZ 10316-B (GR-362)	2
B	8	289	L/N	53		103.2E	★C5AZ 10346-D Not replaced	C5AZ 10316-B Repl. by C5AZ 10316-C	3
					1966				
B,F,U,X	6&8	Exc.427	M	38		103.4W	D2AZ 10346-C (GL-89A)	%C3SZ 10316-B (GR-341) (Non-transistorized) or ★C6AZ 10316-A (GR-374) (transistorized) r/b D3TZ 10316-B(5-74)	5
A,B,F,S,U,X	6&8	All	M	42					
S,U,X	6&8	All	M	45					
A,B,U,X S(w/A/C & trans. ign.)	6&8 8	Exc.427 390,428	M	55		103.4P	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341)(Non-transistorized) or ★C6AZ 10316-A (GR-374) (transistorized) r/b D3TZ 10316-B(5-74)	5
A B	6&8 8	Exc.427 390	L/N	53		103.2A	★C5AZ 10346-B Not replaced	C5AZ 10316-C (GR-373)(Non-transistorized) or ★C6AZ 10316-A (GR-374) (transistorized) r/b D3TZ 10416-B(5-74)	3

Δ M - Motorcraft L/N - Leece Neville

% Replaced by D4TZ 10316-A (2-75)

10346 ALTERNATOR APPLICATION CHART - continued

MODEL	ENGINE CYL.	ENGINE C.I.D.	Δ MAKE	AMP.	REMARKS	PARTS LIST SECT. & NO.	SERVICE ALTERNATOR	VOLTAGE REGULATOR	ILLUS. SECT. 100 PAGE
1966 - continued									
A	8	Exc.427	L/N	60, 65		103.2C	C5TZ 10346-C (GL-84)	C5TZ 10316-B (GR-362)(Non-transistorized) or ★C6AZ 10316-A (GR-374) (transistorized) r/b D3TZ 10316-B(5-74)	2
A	8	Exc.427	L/N	60, 70		103.2D	C5TZ 10346-D (GL-82)	C5TZ 10316-B (GR-362)(Non-transistorized) or ★C6AZ 10316-A (GR-374) (transistorized) r/b D3TZ 10316-B(5-74)	2
B	6	200	L/N	53		103.2B	C5AZ 10346-C	C5AZ 10316-C (GR-373)(Non-transistorized) or ★C6AZ 10316-A (GR-374) (transistorized) r/b D3TZ 10316-B(5-74)	3
1967									
A,B,F,U,X	6&8	All	M	38, 42, 45		103.4W	D2AZ 10346-C (GL-89A)	%C3SZ 10316-B (GR-341)(Non-transistorized) or ★C6AZ 10316-A (GR-374) (transistorized) r/b D3TZ 10316-B(5-74)	5
A	6&8	240, 289, 390, 428	M	55		103.4P	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341)(Non-transistorized) or ★C6AZ 10316-B (GR-374) (transistorized) r/b D3TZ 10316-B(5-74)	5
B,F	6&8	200,289, 390							
S	8	390,428							
U	6&8	170,289							
X	6&8	170,200, 289							
A	8	390,428	M	65		103.5F	D1AZ 10346-A (GL-87)	%C3SZ 10316-B (GR-341)(Non-transistorized)	6
A	6&8	240, 390, 428	L/N	53		103.2A	★C5AZ 10346-B Not replaced	C5AZ 10316-C (GR-373)(Non-transistorized) or ★C6AZ 10316-B (GR-374) (transistorized) r/b D3TZ 10316-B(5-74)	3
B	8	390							

Δ M - Motorcraft L/N - Leece Neville % Replaced by D4TZ 10316-A (2-75)

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

10346 ALTERNATOR APPLICATION CHART - continued

MODEL	ENGINE CYL.	ENGINE C.I.D.	Δ MAKE	AMP.	REMARKS	PARTS LIST SECT. & NO.	SERVICE ALTERNATOR	VOLTAGE REGULATOR	ILLUS. SECT. 100 PAGE
1967 - continued									
B	6	200	L/N	53		103.2B	C5AZ 10346-C	C5AZ 10316-C (GR-373)(Non-transistorized) or ★C6AZ 10316-A (GR-374) (transistorized) r/b D3TZ 10316-B(5-74)	3
A	8	390, 428	L/N	60, 65		103.2C	C5TZ 10346-C (GL-84)	C5TZ 10316-B (GR-362)(Non-transistorized) or ★C6AZ 10316-A (GR-374) (transistorized) r/b D3TZ 10316-B(5-74)	2
A	8	390, 428	L/N	60, 70		103.2D	C5TZ 10346-D (GL-82)	C5TZ 10316-B (GR-362)(Non-transistorized) or ★C6AZ 10316-A (GR-374) (Transistorized) r/b D3TZ 10316-B(5-74)	2
S	8	428	M	60		103.4S	D0TZ 10346-B (GL-91)	%C3SZ 10316-B (GR-341)(Non-transistorized)	5
1968									
A,B,F,U,X	6&8	All	M	38,		103.4W	D2AZ 10346-C	%C3SZ 10316-B	5
	6&8	All		42			(GL-89A)	(GR-341)	
A,B,F,S,U,X	6&8	All	M	55		103.4P	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341)	5
A,B	8	All	M	65, 70		103.5F	D1AZ 10346-A (GL-93A)	%C3SZ 10316-B (GR-341)	6
1969									
A,B,F,X,U	6&8	All	M	38,		103.4W	D2AZ 10346-C	%C3SZ 10316-B	5
				42			(GL-89A)	(GR-341)	
A,B,X	6&8	All	M	55		103.4P	D0AZ 10346-F	%C3SZ 10316-B	5
A,B,F	8	All					(GL-88)	(GR-341)	
B	6	All							
U	6	All							
B,F(GT)	8	All							
A,B,F(GT)(CJ)	8	All							
A,B	8	All							
B(CJ)	8	428	M	55		103.4L,	D0ZZ 10346-B	%C3SZ 10316-B	5
F(CJ)	8	428				4Q	(GL-92)	(GR-341)	
F-Boss	8	429 Spec.							
B	8	429							
S -without heated backlite	8	429	M	55	W/integral voltage regulator	103.4K	D0SZ 10346-A (GL-90)	C8SZ 10316-A (GR-383)	7
S-with heated backlite	8	429	M	65, 70		103.5F	D1AZ 10346-A (GL-93A)	%C3SZ 10316-B (GR-341)	6

Δ M - Motorcraft L/N - Leece Neville % Replaced by D4TZ 10316-A (2-75)

10346 ALTERNATOR APPLICATION CHART - continued

MODEL	ENGINE CYL.	ENGINE C.I.D.	Δ MAKE	AMP.	REMARKS	PARTS LIST SECT. & NO.	SERVICE ALTERNATOR	VOLTAGE REGULATOR	ILLUS. SECT. 100 PAGE
1969 - continued									
A, B, F	8	All	M	70		103.5F	D1AZ 10346-A (GL-93A)	%C3SZ 10316-B (GR-341)	6
A, P/C	8		L/N	70		103.2D	C5TZ 10346-D (GL-82)	C5TZ 10316-B (GR-362)	2
1970									
A, B, F, P, U, X	6&8	All	M	38, 42		103.4W	D2AZ 10346-C (GL-89A)	%C3SZ 10316-B (GR-341)	5
B(CJ)	8	429	M	55		103.4Q	D0ZZ 10346-B (GL-92)	%C3SZ 10316-B (GR-341)	5
F(Boss)	8	302							
F(CJ)	8	428							
F-with A/C	6	250	M	55		103.4P	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341)	5
P	6	200							
S-exc. heated backlite- "Before 9/15/69"	8	429	M	55	W/integral voltage regulator	103.4M	D0SZ 10346-A (GL-90)	C8SZ 10316-B (GR-383)	7
A, B, F, X	6&8	All	M	55		103.4P	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341)	5
A	6	240							
P-with A/C	6	250							
U	6&8	All							
S-exc. heated backlite- "From 9/15/69"	8	429							
A	8	390,429	M	70		103.5F	D1AZ 10346-A (GL-93A)	%C3SZ 10316-B (GR-341)	6
S-with heated backlite	8	All							
A	8	All	L/N	70		103.2D	C5TZ 10346-D (GL-82)	C5TZ 10316-B (GR-362)	2
1971									
B, F(exc. A/C)	6	250	M	38		103.4W	D2AZ 10346-C (GL-89A)	%C3SZ 10316-B (GR-341)	5
F	8	302-2V							
F	8	351							
B(exc. CJ)	8	429							
L(1600 cc)	4	98							
P, U	6&8	All							
A	6	240	M	42					
A, B, F	8	302-2V							
A, B, F	8	351							
A	8	390							
A	8	400							
A	8	429							
L	4	122							
P(62D)	6	170,200							
B, F(with A/C)	6	250	M	55		103.4P	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341)	5
P(with A/C)	6	170,200							
P(with A/C)	6	250							
A	8	390							
A, B, F, P, U	8	All							
F	6	250							
F	8	302-4V	M	55		103.4Q	D0ZZ 10346-B (GL-92)	%C3SZ 10316-B (GR-341)	58
F	8	351							
B, F(CJ)	8	429							
A(with A/C and/or heated backlite)	8	302,351, 400,429	M	61		103.4R	D0TZ 10346-C (GL-95)	%C3SZ 10316-B (GR-341)	5
P(with A/C)	6	170							
B(with A/C and heated backlite)	8	302,351							
F(with A/C and heated backlite)	8	302,351							
P(with A/C)	6	200							

Δ M - Motorcraft L/N - Leece Neville % Replaced by D4TZ 10316-A (2-75)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

MODEL	ENGINE CYL.	ENGINE C.I.D.	Δ MAKE	AMP.	REMARKS	PARTS LIST SECT. & NO.	SERVICE ALTERNATOR	VOLTAGE REGULATOR	ILLUS. SECT. 100 PAGE
10346 ALTERNATOR APPLICATION CHART - continued									
1971 - continued									
A,S	8	390,400, 429	M	70		103.5F	D1AZ 10346-A	%C3SZ 10316-B	6
1972									
L	4	All	M	38		103.4W	D2AZ 10346-C (GL-89A)	%C3SZ 10316-B (GR-341)	5
P(except A/C), U	6	170,200							
B,F,P (except A/C)	6	250							
F (except A/C)	8	302,351							
P, U	6	170,200	M	42					
A	6	240							
A, B, F, P	8	302,351							
A, B	8	400,429							
L (with A/C and heated backlite)	4	All	M	70		103.5G	★D2FZ 10346-A (GL-107) r/b D2OZ 10346-B	%C3SZ 10316-B (GR-341)	
L(with A/C and heated backlite)	4	All	M	70		103.5G	D2OZ 10346-B (GL-101)	%C3SZ 10316-B (GR-341)	
A (with A/C)	6	240	M	55	"Before 12/1/71"	103.4P	D0AZ 10346-F (GL-88)	%C3SZ 10316-B (GR-341)	5
A, B, F, P, S, U	8	All							
B, F (with A/C)	6	250							
P (with A/C)	6	200							
A (with A/C)	6	240	M	55	"From 12/1/71"	103.4U	D2AZ 10346-D (GL-88A)	%C3SZ 10316-B (GR-341)	5
A,B, F, P, S, U	8	All							
B, F (with A/C)	6	250							
P (with A/C)	6	200							
F (CJ)	8	351	M	55	"Before 12/1/71"	103.4Q	D0ZZ 10346-B	%C3SZ 10316-B (GR-341)	5
B (CJ)	8	429							
F (CJ)	8	351	M	55	"From 12/1/71"	103.4X	D2ZZ 10346-B (GL-92A)	%C3SZ 10316-B (GR-341)	5
B (CJ)	8	429							
P (with A/C)	6	200	M	61	"Before 12/1/71"	103.4R	D0TZ 10346-C	%C3SZ 10316-B (GR-341)	5
A,B, F (with A/C)	8	351,400							
B, F (with A/C)	8	302							
A,B (with A/C and/or rear window defroster)	8	429							
B (P/C)	6	250							
F (with A/C)	8	302	M	61	"From 12/1/71"	103.4V	D2TZ 10346-B (GL-95A)	%C3SZ 10316-B (GR-341)	5
A,B, F (with A/C)	8	351							
A (with A/C)	8	400							
A,B (with A/C and/or rear window defroster)	8	429							
P (with A/C)	6	200							
L-(w/o A/C with heated backlite)	4	All							
B (P/C)	6&8	250,302							
A, B	8	400	M	70		103.5G	D2OZ 10346-B (GL-101)	%C3SZ 10316-B (GR-341)	6
A(P/I), B(P/I)	8	302,351, 400,429							
A	8	429							
B (CJ)	8	429							
S (w/rear window defroster)	8	429							

Δ M - Motorcraft L/N - Leece Neville % Replaced by D4TZ 10316-A (2-75)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	Δ MAKE	AMP.	QTY.	PART NUMBER
	10A347 Refer to Alternator Parts List, Section 103 Page 1							
	10K347 SHIELD - ALTERNATOR BRACKET							
71	L-with A/C	4	122-2V	Protects 12259 wiring			1	D1FZ 10K347-A
	10349-70 Refer to Alternator Parts List, Section 103 Page 1							
	10A370 SPACER - Refer to Alternator Mounting Parts Chart 10A313							
	10B371-74 Refer to Alternator Parts List, Section 103 Page 1							
	10374 DIODE ASSY. - ALTERNATOR							
71/72	A,B,F,P,S,U,X			6 1/2" long-used with alt. indicator light-#D1AB 10374-AA, D12B 10374-AA -located at alternator regulator connector			1	D1FZ 10374-A (DY-1023)
	10A375 COVER - ALTERNATOR TERMINAL							
67/70	A, B, F, S, X	6&8	All	Plastic-7/8" O.D.	M	38,42,45, 55, 60	3	C7AZ 10A375-A
69/70	F(Boss)	8	429				3	
70	P	6&8	All		M		3	
	10A376 RELAY - ALTERNATOR REGULATOR FIELD							
66/70	A, B (P/C)	6&8	All	Ident. C6AF 10A376-A-use with transistorized regulator	M	42, 45	1	C6AZ 10A376-A
66/70	A, B (P/C)				L/N	53,60,65		(GR-376)
66/67				Screw-hex. washer head No. 14"-10 x 3/4"			2	42143-S8(U255)
68	A			Screw-hex. washer head 1/4" -14 x 1/2"			2	55981-S2(U254E)
	10377-96 Refer to Alternator Parts List, Section 103 Page 1							

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• REGULATOR CATALOG SYMBOL	QTY.	PART NUMBER
	10505 REGULATOR ASSY. - GENERATOR - For Alternator Regulator refer to Group 10316						
65	F	6	170	15 volt, 25 amp.-3 terminals-ident. C2DF 10505-A-use with generator C1DZ 10002-A	35 (Ford)	1	C3DZ 10505-A (GR-267)
65	F	6&8	All	15 volt, 30 amp.-3 terminals-ident. C2AF 10505-A, C2TF 10505-B-use with generator C1DZ 10002-A, C1TZ 10002-A	39 (Ford)	1 1	C3TZ 10505-B (GR-268)
	10A506 SHIELD - VOLTAGE REGULATOR						
66	B(w/A/C), X(w/A/C)	6&8	200,289			1	C1VF 10A506-B
66	B(w/o/A/C)	8	390			1	
68/70	B	8	390	(Prem. fuel)		1	
69	B (Boss Special)	8	428			1	
69/70	F	6&8				1	C9ZZ 10A506-A
70	B, F (302 Spec., 428CJ, 429CJ)			Used to cover 12450 governor		1	
68	B	8		Screw 1/4" -14 x 5/8"		2	381922-S2(UU52A)
70	B, F	8	302,429	Screw 1/4" -14 x 3/4"		2	55914-S(U254F)

Δ M - Motorcraft L/N - Leece Neville • Refer to Groups 10316 and 10505 for complete Regulator Identification

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• REGULATOR CATALOG SYMBOL	QTY.	PART NUMBER
	10A519 INSULATOR and POST - VOLTAGE REGULATOR VOLTAGE LIMITER						
65/	A, B, F, S, U, X	6&8	All		T10	2	C3SZ 10A519-B
	10A545 WIRE - VOLTAGE REGULATOR EXTENSION						
66/67	A	6&8	All	Ident. C6TB 10A545-C-use with 60, 65 amp. L/N alternator and transistorized regulator		1	C6TZ 10A545-C
66/67	A	6&8	All	Ident. C6AB 10A545-A-use with 53 amp. L/N alternator and transistorized regulator		1	★C6AZ 10A545-A Not replaced
66/67	A, B	6&8	All	Ident. C6TB 10A545-E, C8TB 10A545-A-use with 42 or 55 amp. Ford alternator and transistorized regulator		1	C6TZ 10A545-E
67	A	8	289	Ident. C6TB 10A545-A-use with 65 amp. Ford alternator		1	C6TZ 10A545-A
69	A "Before 3/17/69"			Ident. C9MB 10A545-A-use with 65 amp. L/N alternator		1	C9AZ 10A545-A
69	A "From 3/17/69"			Ident. C9MB 10A545-B-use with 65 amp. L/N alternator		1	C9MY 10A545-A
70	A "Before 3/2/70"			Ident. D0AB 10A545-B-use with 65 amp. L/N alternator		1	D0AZ 10A545-A
70	A "From 3/2/70"			Ident. D0AB 10A945-C-use with 65 amp. L/N alternator		1	D0AZ 10A545-B
	10A555 COVER - GENERATOR REGULATOR TERMINAL						
65	F	6&8	All	Plastic-use with Ford regulators		1	C3AZ 10A555-A
	10557 SPRING - VOLTAGE REGULATOR ARMATURE TENSION						
65/	A, B, F, S, U, X	6&8	All	5 1/2 coils	T10	1	C3SZ 10557-A
65/	A, B, F, S, U, X	6&8	All	10 1/2 coils	T10	1	C3SZ 10557-B
	10565 POST - VOLTAGE REGULATOR LIMITER CONTACT UPPER						
65/	A, B, F, S, U, X	6&8	All		T10	1	C3TZ 10565-A
	10570 RESISTOR - VOLTAGE REGULATOR UNIT FIELD						
65/	A, B, F, S, U, X	6&8	All		T10	1	C3SZ 10570-A
	10594 RESISTOR - VOLTAGE REGULATOR ABSORBING						
65/	A, B, F, S, U, X	6&8	All		T10	1	C3SZ 10594-A

• Refer to Groups 10316 and 10505 for complete Regulator Identification

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS 2A THRU 2M											
		A	B	C	D	E	F	G	H	J	K	L	M
BEARING - FRONT	10A303												
25/32" I.D. x 2 1/32" O.D. x 19/32" wide-ident. 99604 (New Departure) or 304-SZZ (Marlin Rockwell) or 304-NPP (Fafnir)	B9AZ 10A303-A (GE-8)			C	D								
21/32" I.D. x 1 9/16" O.D. x 15/32" wide-ident. 1203-RR (Federal) or 203-CC (B.C.A.) or 203-KDD (Fafnir)	★A8AZ 10094-B (GE-16) r/b C9ZZ 10094-A(5-75)	A	B			E							
RECTIFIER ASSY.	C5AZ 10304-C (GY-699)	A	B	C	D	E							
BEARING - REAR	10A304												
21/32" I.D. x 15/16" O.D. x 5/8" wide	C3SZ 10A304-A (GE-20)	A	B			E							
21/32" I.D. x 1 9/16" O.D. x 15/32" wide-ident. 1203-RR (Federal) or 203-CC (B.C.A.) or 203-KDD (Fafnir)	A8AZ 10094-B (GE-16)			C	D								
HOLDER and STUD - BRUSH	C2AZ 10320-A	A	B			E							
Screw-pan head, cross recess-No. 8-32 x 1/2"	51764-S8(U366)	2	2			2							
Nut-hex. -No. 8-32	34052-S7(M155)	A	B			E							
Lockwasher-spring-No. 8	34802-S7(X59)	A	B			E							
Washer-flat-3/16"	351270-BS(XX72)	A	B			E							
RETAINER - FRONT BEARING - refer to Group 10A355	10323												
RING - ROTOR SLIP	C1AF 10328-A			C	D								
	C2AZ 10328-A	A	B			E							
INSULATOR - TERMINAL	C4TZ 10329-A			C	D								
HOUSING - FRONT	★C5AZ 10333-C (GD-303) Not replaced	A				E							
	★C5AZ 10333-B (GD-308) Not replaced		B										
	C5TZ 10333-A (GD-304)			C									
	C5TZ 10333-C (GD-306)				D								
HOUSING - REAR	★C5AZ 10334-B (GH-291) Not replaced	A	B			E							
	C5TZ 10334-B (GH-293)			C	D								
ROTOR ASSY.	C5AZ 10335-C (GM-327)	A	B			E							
	C5TZ 10335-B (GM-329)			C	D								
STATOR ASSY.	C5AZ 10336-B (GC-286)	A	B			E							
Kit	B8TZ 10336-D (GC-302)			C	D								

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS 2 A THRU 2 M											
		A	B	C	D	E	F	G	H	J	K	L	M
COVER - BRUSH SPRING	C1AF 10A340-A			C	D								
JUMPER - BRUSH SPRING TO FIELD TERMINAL	C1AF 10A342-A			2	2								
BRUSH and TERMINAL SET - consists of (2) C2AF 10332-A brushes	C2AZ 10347-A (GB-95)	A	B			E							
Consists of (2) 2701918 brush	B8TZ 10347-A (GB-5)			C	D								
HOLDER - BRUSH	C2TZ 10351-A			C	D								
RETAINER - FRONT BEARING -not replaced	★C5TZ 10A355-B	A	B			E							
	C5TZ 10A355-A			C	D								
PLATE and DIODE ASSY. - POSITIVE	C5TZ 10373-A (GY-701)	A	B	C	D	E							
LEAD - GROUND	C2TZ 10A374-A			C	D								
PLATE and DIODE ASSY. - NEGATIVE	C5TZ 10377-A (GY-689)	A	B	C	D	E							
CAPACITOR	C5AZ 10A380-A	A	B			E							
	C5TZ 10A380-A			C	D								
BUSHING - RECTIFIER INSULATOR	10A381												
Positive and Negative- 1/4" I.D. x 3/8" O.D. x 1 9/32" long	C2AZ 10A381-A	2	2			2							
1/4" I.D. x 13/16" O.D. x 7/32" thick	C5TZ 10A381-A			2	2								
5/16" I.D. x 13/16" O.D. x 7/32" thick	C5TZ 10A381-B			2	2								
INSULATOR - DIODE PLATE	C5TZ 10A383-A (GY-876)			2	2								
BUSHING - TERMINAL	★C2AZ 10390-A Not replaced	A	B			E							
Nut-hex. -No. 8-32	34052-S7(M155)	A	B			E							
Lockwasher-spring-No. 8	34802-S7(X59)	A	B			E							
Washer-flat-3/16"	351270-BS(XX72)	A	B			E							
BOLT - THRU	10A396												
Bolt-hex. head-No. 10-32 x 3"	371790-S2(BB205)	4	4			4							
Bolt-hex. head-No. 10-32 x 3 7/8"	372212-S8(BB205C)			3	3								
Nut-hex. -No. 10-32	373235-S7(MM169)	4	4	3	3	4							

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS 4A THRU 4M											
		A	B	C	D	E	F	G	H	J	K	L	M
BOARD KIT - PRINTED CIRCUIT	D0AZ 10B301-A (GY-900-A)	A	B	C	D	E	F	G	H	J	K	L	M

Consists of

1-C8AF 10B301-A	Board	2-383255-S	Nut-No.24
9-C9AF 10B306-A	Ring	2-383758-S	Screw-No.10-24
2-374412-S100	Washer-1/4"		

Washer-flat-No.10	★378658-S	A	B	C	D	E	F	G	H	J			
BEARING - FRONT	10A303												
21/32" I.D. x 1 9/16" O.D. x 15/32" wide-ident. 1203-RR (Federal) or 203-CC (B.C.A.) or 203-KDD (Fafnir)	★A8AZ 10094-B (GE-16) r/b C9ZZ 10094-A(5-75)	A	B	C	D	E	F	G	H		K		M
	C9ZZ 10094-A (GE-21)											L	
BOBBIN - ROTOR COIL	★C5TZ 10B303-A Not replaced	A	B	C	D	E	F	G	H	J	K	L	M
RECTIFIER KIT	D0AZ 10304-A (GY-959)	A	B	C	D	E	F	G	H	J	K		M

Consists of

1-D0AF 10304-C	Rectifier Assy.	3-383255-S	Nut-No.10-24
1-C9SF 10A383-A	Insulator	1-383256-S	Nut-No.10-24
3-34053-S	Nut-No.10-24	1-383558-S	Washer-No.10
1-34055-S	Nut-1/4-20	1-383756-S	Screw-No.10-24 x 1"

Rectifier assy.	D0ZZ 10304-A (GY-980)											L	

Consists of

1-D0ZF 10304-A	Rectifier	1-383255-S8	Nut & washer-No.10-24
	1-383256-S8	Nut & washer-1/4"-20	

BEARING - REAR - 21/32" I.D. x 15/16" O.D. x 11/16" wide	★C5AZ 10A304-A (GE-13) r/b D2OZ 10A304-A(5-75)	A	B	C	D	E	F	G	H	J	K		M
	C9ZZ 10A304-A (GE-22)											L	
HOLDER ASSEMBLEY - BRUSH	C8SZ 10320-A (GY-868)										K		M
RING - ROTOR SLIP	C3SZ 10328-A	A	B	C	D	E	F	G	H	J	K	L	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS 4A THRU 4M											
		A	B	C	D	E	F	G	H	J	K	L	M
INSULATOR - TERMINAL	10329												
(battery)	D0AZ 10329-A	A	B	C	D	E	F	G	H	J	K	L	M
Black-9/32"I. D. x 5/8"O. D. x 1/4" thick (stator)	★C5AZ 10329-B R/B C9SZ 10A383-A	A	B	C	D	E	F	G	H	J			
White-9/32" I. D. x 5/8" O. D. x 1/4" thick	C5AZ 10329-D (GY-912)	A	B	C	D	E	F	G	H	J		L	
	C8SZ 10329-A (GY-869)										K		M
Approx. 1/16" x 3/4" x 1"	C5AZ 10329-C	A	B	C	D	E	F	G	H	J	K	L	M
Washer-flat-No. 10 (fibre)	★378658-S	A	B	C	D	E	F	G	H	J			
SHAFT - ROTOR	C5AZ 10330-A	A	B	C	D	E	F	G	H	J	K	L	M
PLATE - CONDUCTOR - POSITIVE	C8SZ 10B330-A (GY-870)										K		M
HOUSING - FRONT	C5AZ 10333-A (GD-309)	A	B	C	D	E	F	G	H	J	K	L	M
HOUSING - REAR	10334												
Includes bearing	C5AZ 10334-C (GH-302)	A	B	C	D	E	F	G	H	J			
	C8SZ 10334-A (GH-305)										K		M
	C9ZZ 10334-A (GH-307)											L	
Bolt-hex., washer head-No. 10-24 x 2 1/8"	378466-S100 (BB550D)	3	3	3	3	3	3	3	3	3			3
ROTOR ASSY.	10335												
Includes stop ring	C5AZ 10335-D (GM-335)		B	C			F	G			K	L	M
Includes stop ring	C5DZ 10335-C (GM-338)	A			D	E				J			
Includes stop ring	D0TZ 10335-A (GM-339-A)								H				
STATOR ASSY.	10336												
Includes coil	C5AZ 10336-A (GC-289)	A	B		D	E	F			J			
Includes coil	C6AZ 10336-B (GC-299)			C					H		K	L	M
Less coil	★C6AZ 10336-A Not replaced (5-75)							G	H		K	L	M
Eyelet	★378468-S	3	3	3									
Includes coil	C9AZ 10336-A (GC-309)							G					

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS 4A THRU 4M											
		A	B	C	D	E	F	G	H	J	K	L	M
BRUSH and TERMINAL - consists of (2) C5AF 10A367-B	★C5AZ 10347-A (GB-102) r/b C6VY 10347-A (6-74)	A	B	C	D	E				J			
Bolt-square head-No. 10-32 x 5/8"	379251-S8B (BB834C)	2	2	2	2	2	2	2		2			
BRUSH and TERMINAL SET	C6VY 10347-A (GB-111)						F	G	H			L	
Consists of: 1-C6VF 10A367-A Brush and Terminal 1-C6VF 10A367-B Brush and Terminal													
	C8SZ 10347-A (GB-117)										K		M
Consists of; 1-C8SF 10A367-A Brush and Terminal 1-C6VF 10A367-B Brush and Terminal													
Bolt-square head-No. 10-32 x 5/8"	379251-S8B (BB834C)								2				
SPRING - BRUSH	C5AZ 10349-A (GY-913)	2	2	2	2	2	2	2	2	2	2	2	2
HOLDER - BRUSH	C5AZ 10351-A (GY-1011)	A	B	C	D	E	F	G	H	J		L	
Bolt-square head-No. 10-32 x 5/8"	379251-S8B (BB834C)	A	B	C	D	E	F	G	H	J		L	
Nut & washer-hex. -No. 10-32	379618-S8 (MM291E)	A	B	C	D	E	F	G	H	J		L	
RETAINER - FRONT BEARING	C5AZ 10A355-A (GY-693)	A	B	C	D	E	F	G	H	J	K	L	M
Screw-hex. head-No. 10-32 x 3/8"	379201-S100 (UU52E)	3	3	3	3	3	3	3	3	3	3	3	
STOP - ROTOR	C5AZ 10A360-A	A	B	C	D	E	F	G	H	J	K	L	M
INSULATOR - STATOR END	C3SZ 10A361-A	2	2	2	2	2	2	2	2	2	2	2	2
RING - ROTOR STOP	C3SZ 10370-A (GY-612)	A	B	C	D	E	F	G	H	J	K	L	M
PLATE and DIODE ASSY. - POSITIVE - serviced in assy. -refer to Group 10304	10373												

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS 4A THRU 4M											
		A	B	C	D	E	F	G	H	J	K	L	M
PLATE and DIODE ASSY. - NEGATIVE - serviced in assy. -refer to Group 10304	10377												
PLATE ASSY. - DIODE POSITIVE	C5AZ 10A377-A	A	B	C	D	E	F	G	H	J	K	L	
	C9ZZ 10A377-A											L	
Bolt-swage-1/4"-28 x 15/16"	378463-S8B (BB839)	A	B	C	D	E	F	G	H	J		L	
Nut-hex. -1/4"-28	371697-S8(MM52)	A	B	C	D	E	F	G	H	J		L	
PLATE ASSY. - DIODE NEGATIVE	C5AZ 10A378-A	A	B	C	D	E	F	G	H	J	K		
	C9ZZ 10A378-A											L	
Bolt-swage-No. 10-32 x 29/32"	380056-S8B (BB388F)	A	B	C	D	E	F	G	H	J		L	
INSULATOR - DIODE PLATE	10A383												
9/32" I. D. x 5/8" O. D. x 7/32" thick (battery)	C6AZ 10A383-A (GY-816)	A	B	C	D	E	F	G	H	J		L	
KIT - TERMINAL INSULATOR	C9SZ 10A383-A (GY-937)	A	B	C	D	E	F	G	H	J	K	L	M

Consists of
1-C7AF 10A383-A Insulator 1-C7AF 10329-D Insulator 1-C9SF 10A383-A Insulator

BOLT - THRU	10A396												
Bolt-hex. head-No. 10-24 x 2 1/8"	378466-S8B (BB550D)	3	3	3	3	3	3	3	3	3	3	3	3

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS 4N THRU 4Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
BOARD KIT - PRINTED CIRCUIT	D0AZ 10B301-A (GY-900-A)	N	P	Q	R	S	T	U	V	W	X		

Consists of

1-C8AF 10B301-A	Board	2-383255-S	No. 24 Nut
9-C9AF 10B306-A	Ring	2-383758-S	#10-24 Screw
2-374412-S100	1/4" Washer		

BEARING - FRONT	10A303												
21/32" I.D. x 1 9/16" O.D. x 15/32" wide-ident. 1203-RR (Federal) or 203-CC (B.C.A.) or 203-KDD (Fafnir)	A8AZ 10094-B (GE-16) r/b C9ZZ 10094-A (7-74)	N	P		R	S		U	V	W			
	C9ZZ 10094-A (GE-21)			Q			T				X		
BOBBIN - ROTOR COIL	★C5TZ 10B303-A Not replaced	N	P	Q	R	S	T	U	V	W	X		
RECTIFIER KIT	D0AZ 10304-A (GY-959)	N	P			S		U		W			

Consists of

1-D0AF 10304-B	Rectifier Assy.	3-383255-S	#10-24 Nut
1-C9SZ 10A383-A	Insulator	1-383256-S	1/4-20 Nut
3-34053-S	#10-24 Nut	1-383558-S	#10 Washer
1-34055-S	1/4-20 Nut	1-383756-S	#10-24 x 1" Screw

	D0ZZ 10304-A (GY-980)			Q			T				X		

Consists of

1-D0ZF 10304-A	Rectifier assy.	1-383255-S8	Nut & washer-No. 10-24
		1-383256-S8	Nut & washer-1/4-20"

	D0AZ 10304-B (GY-991)				R				V				

Consists of

1-D0AF 10304-D	Rectifier assy.	3-383255-S8	Nut & washer-No.10-24
1-D0TZ 10A383-A	Insulator	1-383256-S8	Nut & washer-1/4"-20
		1-384276-S8B	Bolt-No.10-24 x 1 11/32" swage

Screw-No. 10-24 x 1 1/2" oval head	383758-S (BB817CE)	2	2			2		2	2	2	2		
Screw-No. 10-24 x 29/32"	383759-S (BB390JY)	N	P			S		U	V	W	X		
Bolt-1/4"-20 x 6 1/64"-swage	383760-S (BB390JZ)	N	P			S		U	V	W	X		
BEARING - REAR	C9ZZ 10A304-A (GE-22)			Q			T				X		
	★C5AZ 10A304-A (GE-13) r/b D2OZ 10A304-A (5-75)	N	P		R	S		U	V	W			
RING - ROTOR SLIP	C3SZ 10328-A				R	S	T	U	V	W	X		
INSULATOR - TERMINAL	10329												
Red	D0AZ 10329-A	N	P	Q	R	S							
Approx. 1/16" x 3/4" x 1"	C5AZ 10329-C (GY-911)	N	P	Q	R	S	T	U	V	W	X		
White-9/32" I.D. x 5/8" O.D. x 1/4" thick	C5AZ 10329-D (GY-912)	N	P	Q	R	S	T	U	V	W	X		
SHAFT - ROTOR	C5AZ 10330-A				R	S	T	U	V	W	X		
HOUSING and BEARING - FRONT	C5AZ 10333-A (GD-309)	N	P	Q	R	S	T						
	D2OZ 10333-B (GD-324)							U	V	W	X		
HOUSING - REAR	10334												
	C9ZZ 10334-A (GH-307)	N	P	Q	R	S	T	U	V	W	X		
Bolt-hex.hd.-No.10-24 x 2 1/8"	378466-S(BB550D)	3	3	3	3	3	3	3	3	3	3		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LIST 4N THRU 4Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
ROTOR ASSY.	10335												
Includes stop ring	C5AZ 10335-D (GM-335)		P	Q	R		T	U	V		X		
Includes stop ring	C5DZ 10335-C (GM-338)	N								W			
	D0TZ 10335-A (GM-339A)					S							
STATOR ASSY.	10336												
Includes coil	C5AZ 10336-A (GC-289)	N								W			
Includes coil	C6AZ 10336-B (GC-299)			Q	R	S	T		V		X		
Less coil	★C6AZ 10336-A r/b D2OZ 10A304-A(5-75)			Q		S	T	U			X		
Includes coil	C9AZ 10336-A (GC-309)		P					U					
Includes coil	C4SZ 10336-A (GC-281)								V				
BRUSH and TERMINAL SET	C6VY 10347-A (GB-111)	N	P	Q	R	S	T	U	V	W	X		
Consists of: 1-C6VF 10A367-A Brush and Terminal		1-C6VF 10A367-B Brush and Terminal											
Screw-No. 10-24 x 5/8"	383757-S (BB841A)	N	P					U	V				
Bolt-No. 10-24 x 1"	383704-S (BB705A)	N	P										
SPRING - BRUSH	C5AZ 10349-A (GY-913)	2	2	2	2	2	2	2	2	2	2		
HOLDER - BRUSH	C5AZ 10351-A (GY-1011)	N	P	Q	R	S	T	U	V	W	X		
RETAINER - FRONT BEARING	C5AZ 10A355-A (GY-693)	N	P	Q	R	S	T						
	D2OZ 10A355-A							U	V	W	X		
Screw-hex.hd.-No.10-32 x 3/8"	379201-S100 (UU52E)	3	3	3	3	3	3	3	3	3	3		
STOP - ROTOR	C5AZ 10A360-A	N	P	Q	R	S	T	U	V	W	X		
INSULATOR - STATOR END	C3SZ 10A361-A	2	2	2	2	2	2	2	2	2	2		
RING - ROTOR STOP	C3SZ 10370-A (GY-612)	N	P	Q									
SPACER - RECTIFIER MOUNTING - 19/64" I.D. x 1/2" O.D. x 17/64" thick	D0TZ 10A382-A (GY-989)				R				V				
KIT - TERMINAL INSULATOR	C9SZ 10A383-A (GY-937)	N	P	Q	R	S	T	U	V	W	X		
Consists of 1-C7AF 10A383-A Insulator	1-C7AF 10329-D Insulator	1-C9SF 10A383-A Insulator											
INSULATOR - DIODE PLATE - 9/32" I.D. x 5/8" O.D. x 7/32" thick	C6AZ 10A383-A (GY-816)	N	P	Q									
	D0TZ 10A383-A (GY-990)				R				V				
	D1AZ 10A383-A				R	S	T						
Consists of 1-D0AZ 10329-A Insulator	1-D0AZ 10A383-A Insulator												
CAPACITOR RADIO	18827												
Inside	C6AZ 18827-A (GY-915)				R	S	T	U	V	W	X		
Outside	D2OZ 18827-A (GY-1028)								V				

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS 5 A THRU 5 M											
		A	B	C	D	E	F	G	H	J	K	L	M
BOARD ASSY. - ALTERNATOR CIRCUIT	D2OZ 10B301-A (GY-1025)							G					
Pin 3/32" x 7/16"	384758-S (NN124ZA)							2					
BEARING - FRONT -(63/64" I. D. x 2 7/16" O. D. x 21/32" wide	C7TZ 10A303-A (GE-19)	A	B	C	D	E	F						
	C9ZZ 10094-A (GE-21)							G					
KIT - RECTIFIER ASSEMBLY	C9AZ 10304-A (GY-935)	A	B	C	D	E							

Consists of
1-C9AF 10304-A Rectifier
1-C7AZ 10329-A Insulator
1-C7TF 10A350-D Sleeve Insulator
1-Wire 4" long
1-Instruction Sheet

	D1AZ 10304-A (GY-935A)						F						

Consists of
1-D1AF 10304-AA Rectifier
1-C7AZ 10329-A Insulator
1-D3TF 10A350-AA Sleeve
1-Wire 4" long
1-Instruction Sheet

RECTIFIER ASSEMBLY	D2OZ 10304-A (GY-1026)							G					
Screw and washer No. 8-32 x 7/8" - attach rectifier to rear housing	384756-S2 (UU52AR)							4					
Bolt-swage No. 10-24 x 11/16"	384753-S8B (BB390JX)							G					
BEARING - REAR	★C5AZ 10A304-A (GE-13) r/b D2OZ 10A304-A	A	B	C	D	E	F						
	D2OZ 10A304-A (GE-31)							G					
WIRE ASSY. ALTERNATOR - 2 1/2" LONG	D2OZ 10C307-A							G					
INSULATOR - RECTIFIER	★C7TZ 10310-A	2	2	2	2	2	2						
Screw and washer-panhead, cross recess-No. 8-32 x 3/8"	★50744-S8	4	4	4	4	4	4						
RING - ROTOR SLIP	C7TZ 10328-A	A	B	C	D	E	F						
	D2OZ 10328-A							G					

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS 5A THRU 5M											
		A	B	C	D	E	F	G	H	J	K	L	M
INSULATOR - TERMINAL	10329												
Red (battery (battery)	D0AZ 10329-A	A	B	C	D		2						
Purple-3/16" I. D. x 5/8" O. D. x 1/4" thick	C7AZ 10329-A		B		D	E	F						
Red-3/16" square hole x 21/32" O. D. x 1/8" thick	★C7TZ 10329-A Not replaced	A	B	C	D								
White-3/16" I. D. x 5/8" O. D. x 7/32" thick	C7TZ 10329-B	A		C		E	F						
Washer-flat-No. 10	351256-S7(XX54)	A	B	C									
Nut-hex. -No. 10-24	★374651-S8	A	B	C									
Nut-hex. -1/4"-20	34055-S8(M158)	A	B	C									
Lockwasher-spring-1/4"	34805-S8(X62)	A	B	C									
Washer-flat-1/4"	★356279-S8	A	B	C									
Nut-hex. -1/4"-20	383256-S (MM296AE)				D	E							
SHAFT - ROTOR	★C7TZ 10330-A	A	B	C	D	E	F						
PLATE - POSITIVE CONDUCTOR	★C7TZ 10B330-A	A	B										
	C9AZ 10B330-A			C	D								
	D1AZ 10B330-A					E	F						
Rivet-semi tubular-3/32" x 11/32"	★63315-S8	4	4	4									
HOUSING - FRONT	C7TZ 10333-A (GD-316)	A	B	C	D	E	F						
	D2OZ 10333-A (GD-323)							G					
HOUSING - REAR	C7AZ 10334-A (GH-304)	A	B	C	D	E	F						
	D2OZ 10334-B (GH-312)							G					
Bolt-#10-24 x 59/64" square head	383288-S(BB390FE)				2	2	2						
Nut-#10-24	383255-S (MM296AC)				5	5	5						
ROTOR ASSEMBLY	C7TZ 10335-A (GM-342)	A	B	C	D	E	F						
	D2OZ 10335-A (GM-443)							G					
STATOR and COIL ASSEMBLY	C7TZ 10336-A (GC-300)	A	B	C	D	E	F						
	D2OZ 10336-A (GC-311)							G					

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS 5 A THRU 5 M											
		A	B	C	D	E	F	G	H	J	K	L	M
BRUSH SET	C7TZ 10347-C (GB-119)	A	B	C	D								
Consists of 1-C9HF 10347-A Brush; 1-C9HF 10347-B Brush; 1-C7TF 10B368-A Gasket													
BRUSH SET	D0AZ 10347-B					E	F						
Consists of 2-D2TF 10A367-AA Brush assy.													
"Before 12/1/71"	D2OZ 10347-A (GB-128)							G					
Consists of 1-D2OF 10A367-AA Terminal and Brush Assy.; 1-D2OF 10A367-BA Terminal and Brush Assy.													
"From 12/1/71"	D2OZ 10347-B (GB-128A)							G					
Consists of 1-D2OF 10260-AA Holder; 2-C5AZ 10349-A Spring; 2-D2OF 10A367-BB Terminal & brush													
Bolt-round hd., square neck-No. 10-24 x 3/4"	★374549-S8B	A	B										
SPRING - BRUSH	★C7TZ 10349-A (GY-914) r/b D0AZ 10B363-A	2	2	2	2								
	C5AZ 10349-A (GY-913)					2	2	2					
HOLDER - BRUSH	C7TZ 10351-A	2	2	2	2								
	D0AZ 10351-A (GY-975)					E	F						
Includes 10C307 wire	D2OZ 10351-A							G					
Screw No. 8-32 x 5/8" - attach holder to rear housing	384755-S2 (UU51DA)							2					
RETAINER - FRONT BEARING	C7TZ 10A355-A (GY-840)	A	B	C	D	E	F						
Bolt-hex. head-No. 10-32 x 3/8"	379201-S100(UU52E)	3	3	3	3	3	3						
STOP - ROTOR	C5AZ 10A360-A							G					
COVER and BRUSH ASSY.	D0AZ 10B363-A (GB-123)	A	B	C	D	E	F						
Screw-hex. washer hd. -No. 8-32 x 1/2"	40917-S8(U257)			3	3	3	3						
COVER - BRUSH	★C7TZ 10B367-A r/b D0AZ 10B363-A	A	B	C	D								
	D0AZ 10B367-A (GY-976)					E	F						
Screw-No. 10-24 x 3/8"	383757-S(BB841A)					2							

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	ALTERNATOR PARTS LISTS 5A THRU 5M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET - BRUSH COVER	C7TZ 10B368-A	A	B	C	D	E	F						
PLATE - NEGATIVE CONDUCTOR	10B371-A												
	D1AZ 10B371-A	A	B	C	D	E	F						
Nut-hex. -No. 10-24	★374651-S8	3	3	3		3							
Lockwasher-spring-No. 10	34803-S7(X60)	3	3	3		3							
PIN - BRUSH MOUNTING	★C7TZ 10B372-A r/b D0AZ 10B363-A	A	B	C	D								
PLATE ASSEMBLY - DIODE	C7TZ 10373-A (GY-844)	3	3										
TERMINAL - STATOR	D2OZ 10383-A							3					
INSULATOR - DIODE PLATE	10A383												
Red	C9AZ 10A383-A (GY-843A)	2	2	2	2	E	F						
Red-1/4" x 3/4" x 1 27/32"	C7TZ 10A383-A	2	2	2	2	2	2						
Bolt-square head-No. 10-32 x 15/16"	★374594-S8B	2	2	2		2							
Red-21/32" I.D. x 51/64" O.D. x 21/32" thick	D2OZ 10A383-A (GY-1027)							2					
KIT - ALTERNATOR TERMINAL BATTERY	D1AZ 10A383-A (GY-816-A)							G					
BOLT - THRU - hex. head-No. 12-24 x 3" (includes washer)	C7TZ 10A396-A (GY-841)	3	3	3	3	3	3						
Hex head 1/4"-20 x 2"	D2OZ 10A396-A							4					
CAPACITOR - RADIO (outside)	D2OZ 18827-A (GY-1028)						F	G					
(inside)	C6AZ 18827-A (GY-915)				D	E	F	G					

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• REGULATOR CATALOG SYMBOL	QTY.	PART NUMBER
	10623 GASKET - VOLTAGE REGULATOR COVER TO BASE						
65/	A, B, F, S, U, X	6&8	All		T10	1	C3SZ 10623-A
	10632 RESISTOR - VOLTAGE REGULATOR BALLAST						
65/70	A, B, F, S, U, X	6&8	All		T10	1	C3SZ 10632-B
	10632 RESISTOR ASSY. - ALTERNATOR VOLTAGE BALLAST						
70	S			68 ohms-located on rear of inst.		1	D0SZ 10632-A
72	S			cluster at 18A952 choke		1	

10653-5 BATTERY CHART - Also refer to Group 10657

YEAR	MODEL	ENGINE CYL.	ENGINE C. I. D.	MOTORCRAFT GROUP NO.	CASE SIZE (INCHES) WIDTH	CASE SIZE (INCHES) LENGTH AT TOP	CASE SIZE (INCHES) HEIGHT	TYPE	AMP.	PLATES	MOTORCRAFT SALES NUMBER
65/	A, B, F, L, P, S, U, X	All	All	22FC	6 13/16	9 27/64	8 5/16	Premium--dry	49	54	R-22FC
								Standard--dry	42	54	GN-22FC
				22HF	6 3/4	9	8	Premium--dry	45	54	R-22HF
								Premium--dry	54	66	R-22HF-54
				24F	6 13/16	10 3/4	8 61/64	Premium--H.D. --dry	81	78	G-24F
								Premium--dry	55	66	R-24F
								Standard--dry	41	42	GN-24F
				27F	6 13/16	12 1/2	9 9/64	Premium--dry	70	78	R-27F
								Premium--H/D --dry	94	90	G-27F
								Premium--dry	77	78	R-27FA
72	B	6&8	All	24R	6 13/16	10 19/64	8 5/16	Premium	73	78	R-24R-73

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10656 ELECTROLYTE - BATTERY			
65/	A, B, F, L, P, S, U, X	5 gallons in plastic lined container with hose	1	BB 14
65/	A, B, F, L, P, S, U, X	6 quart container with hose	1	BB 16
	10657 BATTERY ASSY. - DRY CHARGED - Also refer to 10653-5 Battery Chart			
65/67	A, B, F, X, U	12 volt-54 plates-45 amp.	1	♦C5R-10657GA
65/67	A, B, F, X, U	12 volt-66 plates-55 amp.	1	♦C5R-10657HA
65/67	A	12 volt-66 plates-70 amp.	1	♦C5R-10657SA

• Refer to Groups 10316 and 10505 for complete Regulator identification

♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	10A665 WIRING ASSY. - CHARGE INDICATOR				
65/	A,B,F,P,S		Ident. C3AB 10A665-C-26 gauge wire 60" long-	1	C3AZ 10A665-C
.65	X		used with Ford alternator & indicator light	1	
65/66	A	"Before 2/1/66"	Ident. C5AB 10A665-A-used with 60, 65 amp. Leece Neville alternator	1	C5AZ 10A665-A
66	A	"From 2/1/66"	Ident. C6AB 10A665-A-used with 60, 65 amp. Leece Neville alternator	1	★C6AZ 10A665-A
67	A		Ident. C7AB 10A665-A-used with 60, 65 amp. Leece Neville alternator	1	★C6AZ 10A665-B
68	A		Use with 65 amp. Ford alternator	1	★C8AZ 10A665-A
69/70	A	"Before 4/1/70"	Ident. C9AB 10A665-C-used with 65 amp. Leece Neville alternator	1	C9AZ 10A665-A
70	A	"From 4/1/70"	Ident. D0AB 10A665-A-used with 65 amp. Leece Neville alternator	1	D0AZ 10A665-A
67	F(GT 350/500)			1	★S7MS 10A665-A
65/68	A		Nut-hex. -No. 10-32	2	34079-S7-8(M163)
			Lockwasher-external tooth-No. 10	2	34939-S8(X86)
67	A		Strap-retaining	2	★351053-S
	10A674 REINFORCEMENT - BATTERY SUPPORT BRACKET - Refer to Group 10732				
	10A682 SHIELD - BATTERY HEAT				
67	B (390-with A/C)		Cut to fit	1	C7OZ 10A682-B
67/68	F(with A/C)		Cut to fit	1	
68/69	B(351, 390-with A/C), F(351, 390-with A/C)				
68	B, F(428-4V-CJ)				
70/71	B			1	D0OZ 10A682-A
70/	F			1	
71/	L(122)		Steel	1	D1FZ 10A682-A
72	B,S		Plastic	1	D2VY 10A682-A
66	S	"Before 12/1/65"	Refer to Group 8310-1		
66	S(without A/C)	"From 12/1/65"		1	C6SZ 10A682-A
66	S(with A/C)	"From 12/1/65"		1	C6SZ 10A682-B
68/70	S			1	C8SZ 10A682-B
	10A691 SUPPORT - BATTERY HOLD DOWN CLAMP BRACKET - Refer to Group 10732				
	10A705 BRACKET - BATTERY HOLD DOWN CLAMP TO APRON - Refer to Group 10732				
	10A710 REINFORCEMENT - BATTERY SUPPORT BRACKET - Refer to Group 10732				
	10A717 WASHER - BATTERY TERMINAL CORROSION ARRESTOR				
65/	A, B, F, S, U, X		11/16" I. D. -oil impregnated felt	2	C1AZ 10A717-A
	10718 CLAMP - BATTERY HOLD DOWN - Also refer to Group 10732				
65/	A, B, F, L, P, S, U, X		Adjustable-from 5 1/2"x9" to 7 1/4" x 14 1/4"	1	A0A 10718-B

Consists of

2-C5RA 10716-A	Clamp	2-C2RA 10755-A	Bracket
2-C5RA 10716-B	Clamp	4-379179-S2	Fastener-stud

1-Instruction sheet No. 2077


	10720 CAP - BATTERY FILLER				
65/	All		Red	6	♦CC5AF 10720-B
	10A723 SPACER (BATTERY)				
72	S			1	D3SZ 10A723-A
	10729 BRACKET - BATTERY TRAY INNER - Refer to Group 10718				
	10A730 CONNECTOR - VOLTAGE REGULATOR				
65/70	A, B, S		Nylon	AR	C4TZ 10A730-A
65/70	X			AR	
65/	F			AR	
71/	A, B, F, P, L			1	

♦ Canada only

10732 BATTERY MOUNTING PARTS

Battery mounting parts are listed in chart form following the illustration below. Refer to the illustration to determine the name of the part required. Refer to the chart to select appropriate part number. The chart is listed by year, model and amperage of battery.

Attaching parts such as bolts, nuts, etc., are listed by code number. A listing of the code numbers and their corresponding part numbers and descriptions appears at the end of the chart.



1965/ TYPICAL BATTERY SUPPORT and CARRIER INSTALLATIONS

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

10732 BATTERY MOUNTING PARTS - continued

MODEL	AMP. HRS.	CLAMP—HOLD DOWN		CARRIER or TRAY		BOLT—CLAMP		BRACE or BRACKET	
		PART NUMBER	*NUTS, BOLTS, ETC.	PART NUMBER	*NUTS, BOLTS, ETC.	PART NUMBER	*NUTS, BOLTS, ETC.	PART NUMBER	*NUTS, BOLTS, ETC.
				1965					
A	All	C5AZ 10718-A	27,29	C5AZ 10764-D	24,26, 27	%D0AZ 10756-A	27,29	C5AZ 10741-A	25,31
B	45	C2DZ 10718-A	4,8,23	C3AZ 10764-C	4,26,27			C2OZ 10732-A	26,27
B	55	C5DZ 10718-A	4,22	C3AZ 10764-C	4,26,27			C2OZ 10732-A	26,27
F	40,45	C2DZ 10718-A	4,8,23	C5ZZ 10732-C	4, 22, 24,30				
F	55,65	C5DZ 10718-A	4,8,23	C5ZZ 10732-C	4, 22, 24,30				
S	55	★C5SZ 10718-B Not replaced	4, 22	C5SZ 10764-A	8,11, 21,22, 27, 29				
S	70,80	C5DZ 10718-A	4,22	C5SZ 10764-A	8, 11, 21, 22, 27,29				
X(exc. A/C)	45	C2DZ 10718-A	4,23	C3DZ 10732-G	4, 13, 20, 21				
X(with A/C)	45	C2DZ 10718-A	4,23	C3AZ 10764-C	4, 13, 20,21			★C3DZ 10769-D	4,13,21
X(exc. A/C)	55	C5DZ 10718-A	4,23	C3DZ 10732-G	4, 13, 20,21				
X(with A/C)	55	C5DZ 10718-A	4,23	C3AZ 10764-C	4, 13, 20, 21			★C3DZ 10769-D	4,13,21
				1966					
A	All	C5AZ 10718-A	27, 29	C5AZ 10764-D	24,26, 27	%D0AZ 10756-A	27, 29	C5AZ 10741-A	27,29,31
B(200, 289), X-Top hold down-From 1/3/66	45	C5AZ 10718-A	27,29	C6OZ 10732-D	4, 22, 24,30	%D0AZ 10756-A	15, 35		
B(200, 289), X Bottom hold down Before 1/3/66	55	C5DZ 10718-A	4,32	C6OZ 10732-D	4, 22, 24, 30				
B(200, 289), X-Top hold down-From 1/3/66	55	C5AZ 10718-A	27, 29	C7OZ 10732-B	4, 22, 24, 30	%D0AZ 10756-A	15, 35		
B(200, 289-with A/C)	70	C5AZ 10718-A	27, 29	C5AZ 10764-D	4, 30	%D0AZ 10756-A	27, 29	C6GY 10769-A (lower) & C6OZ 10741-A (upper)	4,24,30 27,29
B(390, 427)	All								
F	45	C2DZ 10718-A	4,31	C5ZZ 10732-C	4,22,30				
F	55	C5DZ 10718-A	4,32	C5ZZ 10732-C	4,22,30				
S -Bottom hold down- Before 12/1/65	55	★C5SZ 10718-B Not replaced	4,23	C5SZ 10764-A	8, 21, 22,27, 29,33				
S -Bottom hold down- Before 12/1/65	80	C5DZ 10718-A	4,22	C5SZ 10764-A	8, 21, 22,27, 29,33				
S-Top hold down- From 12/1/65	All	C5AZ 10718-A	27, 29	C5AZ 10764-D	21, 33	%D0AZ 10756-A	27, 29		

* Refer to hardware listing at end of chart for number shown in this column
% Not serviced R/B D4SZ 10756-A (3-74)

10732 BATTERY MOUNTING PARTS - continued

MODEL	AMP. HRS.	CLAMP—HOLD DOWN PART NUMBER	*NUTS, BOLTS, ETC.	CARRIER or TRAY PART NUMBER	*NUTS, BOLTS, ETC.	BOLT—CLAMP PART NUMBER	*NUTS, BOLTS, ETC.	BRACE or BRACKET PART NUMBER (u)-Upper (l)-Lower	*NUTS, BOLTS, ETC.
				1966 - continued					
U-Before Ser.760001	All	C5AZ 10718-A	15,35	C5AZ 10764-D (less support)	13,34	%D0AZ 10756-A	15,35	C6TZ 10A691-B	15,34, 35
U-From Ser.760001	All	C5AZ 10718-A	15,35	C6TZ 10732-F (includes support)	13,34	%D0AZ 10756-A	15,35	C6TZ 10729-A (lower) & C6TZ 10A691-B (upper)	15,34, 35 15,34, 35
				1967					
A	All	C5AZ 10718-A	9,27	C5AZ 10764-D	24,31	%D0AZ 10756-A	9,27	C5AZ 10741-A	9,25, 27,31
B(200, 289), X	45	C5AZ 10718-A	27,29	C6OZ 10732-D	4,24,31	%D0AZ 10756-A	27,29		
B(200, 289), X	55	C5AZ 10718-A	27,29	C7OZ 10732-B	4,24,31	%D0AZ 10756-A	27,29		
B(390, 427)	All	C5AZ 10718-A	27,29	C5AZ 10764-D	4, 31	%D0AZ 10756-A		(u)C6OZ 10741-A (l) C6GY 10769-A	27,29 4,24,31
F	45	C5AZ 10718-A	27,29	C7ZZ 10732-C	24, 30	%D0AZ 10756-A	27, 29	(l) C7ZZ 10753-A	27, 29
F	55	C5AZ 10718-A	27,29	C7ZZ 10732-D	24, 30	%D0AZ 10756-A	27, 29	(l) C7ZZ 10753-A	27, 29
S	All	C5AZ 10718-A	27, 29	C5AZ 10764-D	31, 37	%D0AZ 10756-A	27, 29	★C7SZ 10741-A Not replaced	27, 29, 31, 37
U	All	C5AZ 10718-A	15, 35	C6TZ 10732-F	13, 34	%D0AZ 10756-A	15, 35	C6TZ 10A691-B	15, 34, 35
				1968					
A	All	C5AZ 10718-A		C5AZ 10764-D		%D0AZ 10756-A	27,29	C8AZ 10741-A	19,38
B(200, 289), X	45	C5AZ 10718-A		C6OZ 10732-D	4,19,24	%D0AZ 10756-A	27, 29		
B(200,289), X	55	C5AZ 10718-A		C7OZ 10732-B	4,19,24	%D0AZ 10756-A	27,29		
B, 289	70	C5AZ 10718-A		C5AZ 10764-D		%D0AZ 10756-A	27,29		
B(390)(427)	70	C5AZ 10718-A		C5AZ 10764-D	4,19,24	%D0AZ 10756-A	27,29	(u)C6OZ 10741-A (l)C6GY 10769-A	4,19,24 4,19,24
F	45	C5AZ 10718-A	27,29	C7ZZ 10732-C	24,30	%D0AZ 10756-A	27,29	(l) C7ZZ 10753-A	27,29
F	55	C5AZ 10718-A	27,29	C7ZZ 10732-D	24,30	%D0AZ 10756-A	27,29	(l) C7ZZ 10753-A	27,29
S	All	C5AZ 10718-A		C5AZ 10764-D		%D0AZ 10756-A	27,29	C8SZ 10741-A	
U	All	C5AZ 10718-A	15,35	C6TZ 10732-F	13,34	%D0AZ 10756-A	15,35	C6TZ 10A691-B	15,34, 35
				1969					
A	All	C5AZ 10718-A	27,29	C9AZ 10764-A	21,24	%D0AZ 10756-A	27,29	C9AZ 10741-A	21,24, 27,29
B(250, 302) B(351)-w/o A/C	55 55	C5AZ 10718-A	27,29	C7OZ 10732-B	4,19,24	%D0AZ 10756-A	27,29		
B(250, 302) B(351)-w/o A/C	45	C5AZ 10718-A	27,29	C6OZ 10732-D	4,19,24	%D0AZ 10756-A	27,29		
B(351)-with A/C	45,70	C5AZ 10718-A	27,29	C9OZ 10764-A	4,19,24	%D0AZ 10756-A	27,29	(u)C6OZ 10741-A (l)C6GY 10769-A	
B(351)-with A/C	55	C5AZ 10718-A	27,29	C9OZ 10764-B	4,19,24	%D0AZ 10756-A	27,29	(u)C6OZ 10741-A (l)C6GY 10769-A	
B(351)-with A/C	70,80	C5AZ 10718-A	27,29	C5AZ 10764-D	4,19,24	%D0AZ 10756-A	27,29	(u)C6OZ 10741-A (l)C6GY 10769-A	
B(390,427,428)	All	C5AZ 10718-A	27,29	C5AZ 10764-D	4,19,24	%D0AZ 10756-A	27,29	(u)C6OZ 10741-A (l)C6GY 10769-A	4,19,24 4,19,24
B(63,65)-trunk mounted battery	85	C5AZ 10718-A	27,29	C9OZ 10732-B	39	%D0AZ 10756-A	40		
F	45	C5AZ 10718-A	27,29	C7ZZ 10732-C	24,30	%D0AZ 10756-A	27,29	(l) C7ZZ 10753-A	27,29
F	55	C5AZ 10718-A	27,29	C7ZZ 10732-D	24,30	%D0AZ 10756-A	27,29	(l) C7ZZ 10753-A	27,29

* Refer to hardware listing at end of chart for number shown in this column
% Not serviced R/B D4SZ 10756-A (3-74)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

10732 BATTERY MOUNTING PARTS - continued

MODEL	AMP. HRS.	CLAMP—HOLD DOWN PART NUMBER	*NUTS, BOLTS, ETC.	CARRIER or TRAY PART NUMBER	*NUTS, BOLTS, ETC.	BOLT—CLAMP PART NUMBER	*NUTS, BOLTS, ETC.	BRACE or BRACKET PART NUMBER	*NUTS, BOLTS, ETC.
1969 - continued									
F(65)-trunk mounted battery	85	C5AZ 10718-A	27, 29	C9ZZ 10732-B	39	%D0AZ 10756-A	40	C9ZZ 10679-B C9ZZ 10A674-B C9ZZ 10A710-B	
S	All	C5AZ 10718-A		C9AZ 10764-A		%D0AZ 10756-A	27,29	C8SZ 10741-A	
U	All	C5AZ 10718-A	15,35	C6TZ 10732-F	13, 34	%D0AZ 10756-A	15, 35	C6TZ 10A691-B	15,34,35
X	All	C5AZ 10718-A	27,29	C6OZ 10732-D	4,19,24	%D0AZ 10756-A	27,29		
1970									
A	All	D0DZ 10718-A	40	C9AZ 10764-A	21,24	%D0AZ 10756-A	40	D0AZ 10741-A	21,38
B	45,55	D0OZ 10718-A	27,29	D0OZ 10732-A	19,24	%D0AZ 10756-A	40	D0OZ 10A705-A	41
B	70,80	D0OZ 10718-A	27,29	D0OZ 10732-B	19,24	%D0AZ 10756-A	40		
F(ex Boss)	45	D0OZ 10718-A	27,29	C7ZZ 10732-C	19,24	%D0AZ 10756-A	40	C9ZZ 10A705-A	41
F(ex Boss)	55	D0OZ 10718-A	27,29	C7ZZ 10732-D	19,24	%D0AZ 10756-A	40	C9ZZ 10A705-A	41
F(ex Boss)	70	D0OZ 10718-A	27,29	C9ZZ 10732-A	19,24	%D0AZ 10756-A	40	C9ZZ 10A705-A	41
F(Boss)	All	D0OZ 10718-A	27,29	C9ZZ 10732-B	19,24	%D0AZ 10756-A	40	C9ZZ 10679-B C9ZZ 10A674-B C9ZZ 10A710-B	
P- "Before 7/1/69"	45	D0DZ 10718-A	40	D0DZ 10732-A	24,42	%D0AZ 10756-A	40	D0DZ 10A705-A	
P- "From 7/1/69"	45	D0DZ 10718-A	40	D0DZ 10732-A	24,42	%D0AZ 10756-A	40	D0DZ 10A705-B	
S- "Before 11/3/69"	All	D0DZ 10718-A	40	D0SZ 10732-A	21,	%D0AZ 10756-A	40	D0SZ 10741-A	21
S- "From 11/3/69"	All	D0DZ 10718-A	40	D0SZ 10732-A	21	%D0AZ 10756-A	40	D0SZ 10741-B	21
U	All	D0DZ 10718-A	15,35	C6TZ 10732-F	13,34	%D0AZ 10756-A	15,35	C6TZ 10A691-B	15,34,35
X	All	C5AZ 10718-A	27,29	C6OZ 10732-D	4,19,24	%D0AZ 10756-A	27,29		
1971									
A	All	D0DZ 10718-A	40	C9AZ 10764-A	24,42	%D0AZ 10756-A	40	D0AZ 10741-A	38,42
B	45,55	D0OZ 10718-A	27,29	D0OZ 10732-A	19,24	%D0AZ 10756-A	40	D0OZ 10A705-A	41
B	70	D0OZ 10718-A	27,29	D0OZ 10732-B	17,24	%D0AZ 10756-A	40		
F	45,55	D0OZ 10718-A	27,29	D0OZ 10732-A	19.24	%D0AZ 10756-A	40	D0OZ 10A705-A	41
F	70,80	D0OZ 10718-A	27,29	D0OZ 10732-B	19,24	%D0AZ 10756-A	40		
L-98(1600 cc)	All	D1FZ 10718-A	19	D1FZ 10764-A		D1FZ 10756-A	40		
L-122 (2000 cc)	All	D1FZ 10718-A	19	D1FZ 10764-A		D1FZ 10756-B	40		
P	All	D0DZ 10718-A	40	D0DZ 10732-A	24,42	%D0AZ 10756-A	40	D0DZ 10A705-B	
S	All	D0DZ 10718-A	40	D0SZ 10732-A	21	%D0AZ 10756-A	40	D0SZ 10741-B	21
U	All	D0DZ 10718-A	15,35	C6TZ 10732-F	13,34	%D0AZ 10756-A	15,35	C6TZ 10A691-B	15,34,35
1972									
A	All	D0DZ 10718-A	40	C9AZ 10764-A	24,42	%D0AZ 10756-A	40	D0AZ 10741-A	38,42
B	All	D0OZ 10718-A	43	D2OZ 10732-A	42	%D0AZ 10756-A	43	D2OZ 10741-A & D2OZ 10757-A	42,44, 45
F	45,55	D0OZ 10718-A	27,29	D0OZ 10732-A	19,24	%D0AZ 10756-A	40	D0OZ 10A705-A	41
F	70	D0OZ 10718-A	27,29	D0OZ 10732-B	19,24	%D0AZ 10756-A	40	D0OZ 10A705-A	41
L-98 (1600 cc)	All	D1FZ 10718-A	19	D1FZ 10764-A	42	D1FZ 10756-A	43		
L-122 (2000 cc)	All	D1FZ 10718-A	19	D1FZ 10764-A	42	D1FZ 10756-B	43	D1FZ 10A682-A	
P- "Before 5/15/72"	All	D0DZ 10718-A	40	D0DZ 10732-A	24,42	%D0AZ 10756-A	40	D0DZ 10A705-B	41
P- "From 5/15/72"	All	D0DZ 10718-A	40	D3DZ 10732-A	24,42	%D0AZ 10756-A	40	D0DZ 10A705-B	41
S	All	D0VY 10718-B (upper) D2SZ 10718-A (lower)	40	#		%D0AZ 10756-A	40	D0SZ 10741-B	21
U	All	D0DZ 10718-A	15,35	C6TZ 10732-F	13,34	%D0AZ 10756-A	15,35	C6TZ 10A691-B	15,34,35

Part of Basic 16054 shield

* Refer to hardware listing at end of chart for number shown in this column

% Not serviced R/B D4SZ 10756-A (3-74)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER

10732 BATTERY MOUNTING PARTS - NUTS, BOLTS, Etc. (Quantity As Required)

CODE NO.	PART NUMBER	DESCRIPTION
1	23409-S7(B26)	Bolt-carriage-5/16"-24 x 1"
2	44725-S8(X22)	Washer-flat-5/16"
3	45208-S7(M171)	Nut-hex. -5/16"-18
4	34392-S7(M93)	Nut-hex. -5/16"-18
5	34393-S7(M98)	Nut-hex. 5/16"-24
6	352233-S2(BB650)	Bolt-carriage-5/16"-24 x 1 3/4"
7	353483-S2(BB588)	Bolt & lockwasher-hex. head-5/16"-24 x 1 1/8"
8	353766-S(MM269)	Nut-spring-5/16"
9	354299-S2(MM156)	Nut-hex. 5/16"-24
10	355471-S8(BB651)	Bolt-carriage-5/16"-24 x 3/4"
11	359218-S2(MM210)	Nut & retainer-5/16"-24
12	359952-S2(MM198)	Nut & retainer-5/16"-24
13	370328-S2(MM188)	Nut & retainer-5/16"-18
14	33798-S8(M62)	Nut-hex. -5/16"-24
15	44722-S8(X19)	Washer-flat-5/16"
16	★372823-S8	Bolt-round hd., shoulder-1/4"-20 x 1"
17	20387-S8(B157)	Bolt-hex. head-5/16"-24 x 1"
18	34906-S8(X98)	Lockwasher-spring-5/16"
19	372590-S(BB581)	Bolt & lockwasher-5/16"-18 x 1 1/8"
20	376337-S100(BB647D)	Bolt-carriage-5/16"-18 x 3/4"
21	359662-S7-8(BB575A)	Bolt & lockwasher-5/16"-18 x 3/4"
22	23438-S8(B4)	Bolt-carraige-5/16"-18 x 1 1/4"
23	23950-S8(B292)	Bolt-carriage-5/16"-18 x 1 3/4"
24	378680-S(MM192AA)	Nut & retainer-5/16"-18
26	20386-S8(B53)	Bolt-hex. head-5/16"-18 x 1"
27	34956-S7-8(X82)	Lockwasher-external tooth-5/16"
28	33923-S7(M32)	Nut-hex. 5/16"-24
29	33922-S8(M27)	Nut-hex. 5/16"-18
30	378291-S(BB580L)	Bolt & lockwasher-5/16"-18 x 7/8"
31	380582-S2(BB643F)	Clip-5/16"-18
32	379924-S2(BB64E)	Clip-5/16"-18
33	359613-S2(MM205)	Nut retainer-5/16"-18
34	★55615-S8	Screw & washer-hex. head-5/16"-18 x 3/4"
35	33797-S8(M50)	Nut-hex. 5/16"-18
36	380582-S2(BB643F)	Clip-5/16"-18
37	379831-S2(MM192M)	Nut & retainer-5/16"-18
38	379156-S2(MM192AE)	Nut & retainer-5/16"-18
39	33770-S4(M89K)	Nut-hex. lock-5/16"-18
40	376838-S2(MM296AF)	Nut and washer-5/16"-18
41	55981-S2(U254E)	Screw & washer 1/4"-14 x 1/2"
42	57140-S(B340H)	Screw & washer-5/16"-18 x 1"
43	55736-S(M96F)	Nut-5/16" x 18
44	383142-S(SS45A)	Rivet-1/4" x 1 1/8"
45	384930-S	Screw & washer 5/16"-18 x 61/64"

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10741 BRACE - BATTERY HOLD DOWN CLAMP - Refer to Group 10732			
	10756 BOLT - BATTERY CLAMP - Refer to Group 10732			
	10757 SHIELD - BATTERY			
69/70	A	Plastic	1	C9AZ 10757-A
	10A758 INSULATOR - INSTRUMENT CLUSTER AMMETER			
65	S		1	C4SZ 10A758-B
	10764 TRAY - BATTERY - Refer to Group 10732			
	10769 BRACKET - BATTERY SUPPORT - Refer to Group 10732			
	10804 REGULATOR - INSTRUMENT CLUSTER VOLTAGE			
71/	A, L		1	D1AZ 10804-A
72	B(w/o Rallye instrument group)		1	
72	S		1	
65	B, X		1	B9MZ 10804-C
65/66	A, S		1	
65/66	F		1	
66/	U		1	
69/	F		1	C9AZ 10804-A
69/71	B(without tachometer)		1	
70/	P		1	
69/70	A, X		1	
72	B(w/Rallye instrument group)		1	
67/71	S		1	C7SZ 10804-A
		Screw-hex. washer head, tapping-No. 6-20 x 3/8"	1	★373860-S8
		Washer-wave-1/8"	1	★375727-S100
66/68	X		1	C6DZ 10804-A
67/68	A, F		1	
66/68	B		1	
69	B(with tachometer)		1	
		Screw-hex. head, tapping-No. 8-18 x 1/2"	1	★42366-S8
	10817 WIRING ASSY. - INSTRUMENT CLUSTER FEED			
72	B (with tachometer)	Ident. D2OB 10817-AB, AC	1	D2OZ 10817-A
66	U	Ident. C3TB 10817-A-cut 3 1/2" from bulk wire (B6A 14296-C) and add terminals	1	★

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10838 HOUSING - INSTRUMENT CLUSTER			
	- B -			
67	B(less A/C)		1	C7OZ 10838-A
67	B(with A/C)		1	C7OZ 10838-B
70/71	B(less A/C)		1	D0OZ 10838-A
70/71	B(with A/C)		1	D0OZ 10838-B
65/67	B	Screw-pan head,cross recess-No. 6-20 x 1/2"	7	375557-S8(UU82)
70	B	Nut-spring-No.8-18-attach housing to inst. panel	AR	376130-S (MM268B)
	- F -			
65	F	Used only on instrument clusters with charge indicator warning light and oil pressure warning light	1	C5ZZ 10838-A
65	F	Black camera case finish-used only on clusters with ammeter and oil pressure gauge	1	C5ZZ 10838-C
65/66	F	Wood grain finish-used only on clusters with ammeter and oil pressure gauge	1	C5ZZ 10838-B
66	F	Black camera case finish-use only on clusters with ammeter and oil pressure gauge	1	C6ZZ 10838-A
67	F(63A, 65A, 65C, 76A, 76C)	Black camera case finish-includes lenses	1	C7ZZ 10838-C
67	F(63B, 65B, 76B)	Brushed aluminum-includes lenses	1	C7ZZ 10838-B
68	F	Camera case	1	C8ZZ 10838-A
68	F	Wood grain	1	C8ZZ 10838-B
69	F(exc. 63C, 65E)	Black Leathergrain	1	C9ZZ 10838-A
69	F(63C, 65E)	Light Teakwood -not replaced	1	★C9ZZ 10838-B
69	F(63C, 65E)	Dark Teakwood	1	C9ZZ 10838-C
70	F(except 63C, 65E)		1	D0ZZ 10838-A
70	F(63C, 65E)	Dark Teakwood	1	D0ZZ 10838-B
71/	F		1	D1ZZ 10838-A
65/66	F	Nut-(spring)-No. 8-15 (lower)	2	45132-S32(M125)
		Nut-(spring)-No.8-15 (upper)	2	379130-S32 (MM268A)
67	F	Screw-pan head,cross recess-No. 6-20 x 1/2"	9	375557-S8(UU82)
68	F	Nut-spring-No. 8-15	6	353464-S8(MM248)
68	F	Screw-pan head tapping-No. 8-18 x 3/4"	6	376389-S101 (UU82D)
71/	F	Spring nut-No.8-18 (attach housing to instr. cluster)	4	45174-S(M138)
	- L -			
71/	L(except Decor group)		1	D1FZ 10838-A
71/	L(Decor group)		1	D1FZ 10838-B
71/	L	Screw (attach housing to instrument panel)-No. 8-18 x 3/4"	AR	55928-S(U380-A)
	- P -			
70/	P	Black	1	D3DZ 10838-A
70/	P	Dark Red	1	D0DZ 10838-B
72	P	GINGER	1	D2DZ 10838-A
72	P	BEIGE	1	D2DZ 10838-B
72	P	DARK BEIGE	1	D2DZ 10838-C
72	P	TAN	1	D2DZ 10838-D
70/	P	Spring-nut-No.8-15	2	45174-S8(M138)
70/	P	Screw-No.8-15 x 3/4"	2	52022-S(U204)
	- X -			
65	X	Not replaced	1	★C5DZ 10838-B
66	X(less A/C)	Includes finish plate-Group 18A668	1	C6DZ 10838-A
66	X(with A/C)	Change finish plate-refer to Group 18A668	1	
67	X		1	C7DZ 10838-B
68	X(without A/C)		1	★C8DZ 10838-A
68/70	X(with A/C)		1	C9DZ 10838-B
69/70	X(without A/C)		1	C9DZ 10838-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10A838 BEZEL - INSTRUMENT CLUSTER LOW FUEL LEVEL WARNING LAMP			
65	S	Low Fuel	1	C4SZ 10A838-A
66	S(63A, 76)		1	
	10C838 RELAY ASSY. - WARNING LAMP INDICATOR			
69	A	(Lights On) #C9AB 10C838-A	1	C9AZ 10C838-A
70	F		1	
70	S(65A, C)		1	
70	A, F - with safety convenience panel	(Lights On) #D0AB 10C838-A	1	D0AZ 10C838-A
70/71	B - with safety convenience panel		1	
71/	F - with safety convenience group		1	D1AZ 10C838-A
72	B - with safety convenience group		1	
66	S(63C, 63D)	Controls rear lamps & left front parking lamp-#C6SB 10C838-A	1	C6SZ 10C838-A
		Controls right front parking lamp-#C6SB 10C838-B	1	C6SZ 10C838-B
67	S	Controls front parking lamps-#C7SB 10C838-A, B, D	2	C7SZ 10C838-B
67	S(w/warning indicator panel)		1	
68/69	S	Used with electro mechanical system-#C8SB 10C838-A	1	C8SZ 10C838-A
70	S "Before 12/1/69"	(Lights On) #D0SB 10C838-A	1	D0SZ 10C838-A
70/71	S "From 12/1/69"	(Lights On) #D0SB 10C838-C	1	D0SZ 10C838-C
72	S	Lights # D2SB 10C838-A	1	D2SZ 10C838-A
69	A	Screw-pan hd. -No. 8-32 x 3/4"-attach relay to instrument panel	2	376389-S(UU82D)
66	S	Screw-hex. hd. -No. 10-12 x 1/2"	AR	42127-S(U248C)
67/71	S	Screw-No. 14-14 x 1/2"	AR	31497-S(U254)
		Lockwasher 1/4" -Attach relay to relay panel	AR	34940-S(X88)
70	S	Screw-No. 8-15 x 1/2" flat head-(attach relay to luggage compartment stop)	AR	52012-S(U202)
71/	F	Screw-1/4"-14 x 1/2" (attach relay to relay panel)	AR	55981-S(U254E)
	10D838 RETAINER - INSTRUMENT CLUSTER JEWEL			
72	B(w/Rallye instrument group)	(Fuel)	1	D2GY 10D838-A
		(Temp.)	1	D2GY 10D838-B
		(Oil and amps.)	1	D2GY 10D838-C
	10C839 HUB - INSTRUMENT CLUSTER LENS			
68/71	S	Front	4	C8SZ 10C839-B
68/71	S	Rear	4	C8SZ 10C839-C
68/71	S	Screw	AR	★382065-S
	10D839 WIRE AND SOCKET ASSY. - INSTRUMENT CLUSTER CONTROL LAMP.			
72	B	"Headlamp"-includes bulb #D2OB 10D839-AD	1	D2OZ 10D839-A
		"Wiper"-includes bulb #D2OB 10D839-BD	1	D2OZ 10D839-B
72	S	"Lights"-#D2SB 17D432-AB	1	D2SZ 10D839-A
		"Wiper switch"-#D2SB 17D432-BA	3	D2SZ 10D839-B
		"Lighter"-#D2SB 15080-AA	1	D2SZ 10D839-C
	10A840 BEZEL and LENS - PARKING BRAKE WARNING LAMP			
66	A	Instrument panel lettered "Brake"-includes instruction sheet	1	C0AZ 10A840-A
67/	U	Also used with brake failure warning system	1	
67/69	A(without warning indicator panel)	Instrument panel lettered "Park"--Red	1	C7AZ 10A840-A
67	A(with warning indicator panel)	Warning indicator panel-lens only-lettered "Ajar", "Belts", "Lo Fuel", "Park"--Red	1	C7AZ 10A840-B
65/66	F	Instrument panel lettered "Brake"--Red	1	C3AZ 10A840-A
66/67	B		1	
65/67	X		1	
67/69	F(with warning indicator panel)	Warning indicator panel lettered "Park"--Red	1	C7ZZ 10A840-B
70	F(with warning indicator panel)	Warning indicator panel lettered "Park"--Yellow	1	D0ZZ 10A840-A
71/	F	Instrument panel lettered "Park"--Yellow	1	D1ZZ 10A840-A

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10B840 RELAY - OIL TEMPERATURE INDICATOR WARNING LAMP			
65	A (8 cyl. 427)		1	C1TF 10B840-A
		Screw-hex.washer head,tapping-No.10-12 x 1/2"	2	42127-S8(U248C)
	10A841 LAMP and WIRING ASSY. - INSTRUMENT PANEL PARKING BRAKE WARNING			
65	A	Includes bezel-24" long excluding lamp assy. - ident. C5AB 10A841-A, B, C	1	C5AZ 10A841-B
66	A "Before 11/1/65"		1	
66	A "From 11/1/65 to 1/3/66"	Ident. C6AB 10A841-A, C-parking brake warning lamp-use on vehicles with or without warning indicator panel - not replaced	1	★C6AZ 10A841-C
66	A "From 11/1/65 to 1/3/66"	Ident. C6AB 10A841-B-parking brake warning lamp and seat belt warning lamp-use on vehicles w/o warning indicator panel - not replaced	1	★C6AZ 10A841-B
66	A "From 1/3/66"	Ident. C5AB 10A841-A,B,C, C6AB 10A841-E - parking brake warning lamp-use on vehicles with or without warning indicator panel - "BRAKES"	1	C5AZ 10A841-B
66	A	Seat belt warning lamp-used on vehicles without warning indicator panel-refer to Group 10C859		
67	A	Refer to Group 15883		
68	A	Includes bezel-ident. C8AB 10A841-A with lettering "PARK"	1	C8AZ 10A841-A
68/70	B	Includes bezel-with lettering "PARK"	1	C8OZ 10A841-A
69	B	Dealer installation-lettering " PARK"	1	C9OZ 10A841-A
65/66	F	Includes bezel (10A840)-25" long excluding lamp assy. -ident. C4DA 10A841-A	1	C4DZ 10A841-A
67/68	F	Ident. C7WB 10A841-A - not replaced	1	★C7ZZ 10A841-A
69	F "Before 12/2/68"	#C9ZB 10A841-B	1	C9ZZ 10A841-A
69/70	F "From 12/2/68"	#C9ZB 10A841-C	1	C9ZZ 10A841-B
69	F	Dealer installation-lettering " PARK"	1	C9OZ 10A841-A
67	S(less warning indicator panel)	Ident. C7SB 2B249-A-includes "BRAKES" and "BELTS" lettering-used with brake failure warning lamp	1	C7SZ 10A841-A
67	S(w/warning indicator panel)	Ident. C7SB 2B249-B-includes "BRAKES" lettering-used with brake failure warning lamp	1	C7SZ 10A841-B
65/69	X	Includes bezel (10A840)-25" long excluding lamp assy. -ident. C4DA 10A841-A	1	C4DZ 10A841-A
	10K843 CIRCUIT ASSY. - INSTRUMENT CLUSTER - PRINTED			
69	A	#C9AF 10C956-B	1	C9AZ 10K843-A
70	A	#D0AF 10C956-B	1	D0AZ 10K843-A
71/	A	#D1AF 10C956-AA	1	D1AZ 10K843-A
68	B(without tachometer)	#C8OF 10K843-C, E	1	C8OZ 10K843-A
69	B(without tachometer)	#C9OF 10C956-A, B	1	C9OZ 10K843-B
68/69	B(with tachometer) "Before 12/16/68"	#C8OF 10K843-D, F	1	C8OZ 10K843-B
69	B(with tachometer) "From 12/16/68"	#C9OF 10K843-C	1	C9OZ 10K843-C
70/71	B	#D0OF 10C956-A	1	D0OZ 10K843-A
72	B(w/o Rallye instrument group)		1	D2GY 10K843-A
72	B(w/Rallye instrument group)		1	D2GY 10K843-B
69/70	F(without tachometer)	#C9ZF 10C956-B	1	C9ZZ 10K843-A
69/70	F(with tachometer)	#C9ZF 10C956-C	1	C9ZZ 10K843-B
71/	F(with tachometer)	#D1ZF 10C956-BA	1	D1ZZ 10K843-B
71/	F(without tachometer)	#D1ZF 10C956-CA	1	D1ZZ 10K843-C
71/	L	#D12F 10C956-AA	1	D1FZ 10K843-A
70/	P	#D0DF 10C956-A	1	D0DZ 10K843-A
67	S		1	C7SZ 10K843-A
68	S "Before 11/15/67"		1	C8SZ 10K843-A
68/71	S "From 11/15/67"		1	C8SZ 10K843-B
72	S		1	D2SZ 10K843-A
68	X		1	C8DZ 10K843-A
69/70	X	#C9DF 10C956-A	1	C9DZ 10K843-A
69	A	Nut-No. 8-32 (attach 10927 to circuit board)	1	45253-S
67	S	Screw-hex. washer head,tapping-No. 6-20 x 3/8"	2	★373860-S8

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10845 BRACKET- INSTRUMENT CLUSTER MOUNTING			
71/	L		2	D1FZ 10845-A
70/	P		2	D0DZ 10845-A
	10A845 BEZEL - WARNING LAMP INDICATOR PANEL DOOR OPENING LAMP			
65	S(w/warning indicator panel)	Door Ajar	1	C4SZ 10A845-A
66	S(63A, 76)(w/warning indicator panel)		1	
	10A845 LENS - ROOF CONSOLE PANEL DOOR OPENING WARNING LAMP			
66	S(63C, 63D)	Door Ajar-serviced in assy.-refer to Group 10C876		
	10847 BRACKET - INSTRUMENT CLUSTER AMMETER MOUNTING			
65/66	A	Includes 2 nylon bushings - Use with 60, 65 amp. alternator	1	C2AZ 10847-A
68/70	A	Use with L/N alternator	1	
		Lockwasher-spring-No. 10	2	34803-S7(X60)
65/70	A	Nut-hex.-No. 10-32	2	34079-S7-8(M163)
		Hang on Ammeter	1	B6AZ 10847-A
		Screw-pan head, slotted-No. 8-32 x 1/2"	1	39040-S8(U136)
		Nut-hex.-No. 8-32	1	34052-S7(M155)
		Lockwasher-external tooth-No. 8	1	34938-S8(X85)
69/70	A	Includes 2 brass bushings - Use with 65 amp. L/N alternator	1	B9A 10847-A
	10848 PLATE - INSTRUMENT CLUSTER BACK			
69/70	A		1	D0AZ 10848-A
71/	A		1	D1AZ 10848-E
68	B(without tachometer)		1	★C8OZ 10848-A
68	B(with tachometer)		1	★C8OZ 10848-B
69	B(without tachometer)		1	C9OZ 10848-A
69	B(with tachometer)	Not replaced	1	★C9OZ 10848-B
70/71	B		1	D0OZ 10848-B
72	B(w/o Rallye instrument group)		1	D3GY 10848-A
72	B(w/Rallye instrument group)		1	D3GY 10848-B
69	F(without tachometer)		1	C9ZZ 10848-A
69/70	F(oil pressure gauge, fuel gauge)		2	C9ZZ 10848-B
69/70	F(charge indicator, temperature gauge)		2	C9ZZ 10848-C
69/70	F(with tachometer)	Center	1	D0ZZ 10848-B
70	F(without tachometer)		1	D0ZZ 10848-A
71/	F(with standard clock & with warning lights)		1	D1ZZ 10848-D
71	F(with rally clock)		1	D1ZZ 10848-F
71/	F(w/o warning lights, clock, tachometer or tripodometer)		1	D1ZZ 10848-A
71/	F(with warning lights, without clock)		1	D1ZZ 10848-B
71/	F(with tachometer and tripodometer)		1	D1ZZ 10848-C
71/	F(with tachometer without tripodometer)		1	D1ZZ 10848-E
71/	L		1	D1FZ 10848-A
70	P		1	D0DZ 10848-A
71/	P		1	D1DZ 10848-A
68/70	S		1	D0SZ 10848-A
68/71	S	For control pod	1	C8SZ 10848-B
71	S		1	C9LY 10848-A
72	S		1	D2SZ 10848-A
66/	U	Less filters-includes holes for ammeter & oil pressure gauge	1	C1TF 10848-B
69/70	X		1	C9DZ 10848-A
71/	L, P	Screw No. 6-12 x 1/2" attach 10848 to 10838	2	383367-S (MM291EA)
68/	S	Screw-No. 8-15 x 1" attach plate to inst. panel	AR	42151-S(U247)
	10A848 SPRING - INSTRUMENT PANEL PARKING BRAKE WARNING LAMP RETAINING			
65/67	S, X		1	B9FM 10A848-A
65/70	A, B, F		1	
66/	U		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10850 AMMETER - INSTRUMENT CLUSTER			
65/70	A	Use with 60,65 amp. alternator	1	B9A 10850-A
72	B(w/Rallye instrument group)		1	D2GY 10850-A
71/	B, F	Nut No. 10-32 attach 10850 to10848	2	383367-S (MM291AE)
65	F		1	C5ZZ 10850-A
66	F		1	C6ZZ 10850-A
67	F(GT 350/500)	Not replaced	1	★S7MS 10850-A
67/68	F(less tachometer)-except GT 350/500)		1	C7ZZ 10850-A
		Nut	2	★45231-S8
67/68	F(with tachometer)	Refer to Group 10A936-7 for charge indicator warning light and oil pressure warning light		
69/70	F(GT 350/500)		1	C9ZZ 10850-C
69/70	F(except 65E & GT 350/500)	Black	1	C9ZZ 10850-A
69/70	F(65E)-except GT 350/500)	Grey	1	C9ZZ 10850-B
71/	F(with auxiliary cluster)		1	D1ZZ 10850-A
65	S	40 amp.	1	C4SZ 10850-A
66	S		1	C6SZ 10850-A
67/71	S	Serviced in assembly-refer to Group 10883		
66/	U		1	C5TZ 10850-B
	10B850 GAUGE ASSY. - AMMETER - CONSOLE			
68	F(GT 350/500)	In console-not replaced	1	★S8MS 10B850-A
	10852 BEZEL - INSTRUMENT CLUSTER CONTROL - Also refer to Group 10A883			
	- A -			
65/66	A		1	C5AZ 10852-A
65/66	A	Use with electric tail gate window	1	
65/66	A	Use with overdrive transmission	1	
65/66	A(71A, 71C)	Use with auxiliary seat heater	1	
65/66	A(57)	Use with uniflow ventilation system	1	
68	A(71)	Rear window	1	C8MY 10852-D
68/	A	Defogger (rear window)	1	C8AZ 10852-A
69/70	A	Lighter	1	C9AZ 10852-C
69/70	A	Light switch	1	C9AZ 10852-B
71/72	A "Before 1/17/72"	Light switch-wiper switch	2	D1AZ 10852-A
72	A "From 1/17/72"	Light switch-wiper switch	2	D2AZ 10852-A
	- B -			
65	B	Air-R.H.	1	C5AZ 10852-A
68/69	B	Light switch (no lettering)	1	C8OZ 10852-A
69	B	Wipers-exc. intermittent	1	
68/69	B(with A/C)	With lettering "LIGHTS - WIPER - WASHER - OFF 1,2,3 - COOL TEMP. - WARM - MAX. A/C FRESH - OFF - HEAT - DEFROST"	1	C8OZ 10852-F
68/69	B(except A/C)	With lettering "LIGHTS - WIPER - WASHER - OFF 1,2,3 - LOW - MEDIUM - HIGH - OFF - HEAT - DEFROST"	1	C8OZ 10852-E
68/	B	Defogger (rear window)	1	C8AZ 10852-A
69	B(with A/C)	Wipers-intermittent	1	C8GY 10852-A
69	B(except A/C)	Wipers-intermittent	1	C9OZ 10852-A
70/71	B	Wiper-Washer	1	D0OZ 10852-A
70/71	B	Lights	1	D0OZ 10852-B
72	B	Lights	1	D2OZ 10852-A
72	B	Wiper	1	D2OZ 10852-B
68	B	Nut-self thread-No. 8-32	4	377523-S100 (MM291C)
68	B	Nut-spring-5/32"	AR	381803-S2 (MM262E)
	- F -			
65/66	F	Lights	1	C4DZ 10852-B
		Wiper	1	C4DZ 10852-A
		"UP-ON"-for top or back window control-ident. C4DB 15677-B	1	C4DZ 10852-D
		Nut-hex. self threading-1/8"	2	★371583-S8

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10852 BEZEL - INSTRUMENT CLUSTER CONTROL - continued - Also refer to Group 10A883			
	- F -			
67/68	F(76)	For top control switch	1	C4VY 10852-E
67/68	F	"LIGHTS"-ident. C7ZB 10852-A	1	C7ZZ 10852-A
68/70	F	Defogger (rear window)	1	C8AZ 10852-A
69/70	F	"LIGHTS"	1	C9ZZ 10852-A
69/70	F	"WIPER-WASHER"	1	C9ZZ 10852-B
70	F	Lighter	1	D0ZZ 10852-A
71/	F	Lighter	1	D1ZZ 10852-A
71/	F	Wiper-washer	1	D3ZZ 10852-B
71/	F(76)	Top (Up-Down)	1	D1ZZ 10852-C
71/	F	Lights	1	D1ZZ 10852-D
72	F	Seat belt	1	D2ZZ 10852-A
	- L -			
72	L	Defogger	1	C8AZ 10852-A
	- P -			
70	P	Wipers-RED	1	D0DZ 10852-A1E
		Wipers-NUGGET	1	D0DZ 10852-A1Y
		Lights-RED	1	D0DZ 10852-B1D
		Lights-NUGGET	1	D0DZ 10852-B1Y
70/	P	Wipers-BLACK	1	D0DZ 10852-A1A
		Wipers-BLUE	1	D0DZ 10852-A1E
		Lights-BLACK	1	D0DZ 10852-B1A
		Lights-BLUE	1	D0DZ 10852-B1B
71/	P	Wipers-GREY	1	D0DZ 10852-A1F
		Lights-GREY	1	D0DZ 10852-B1F
72	P	Wipers-BEIGE	1	D2DZ 10852-A
		Wipers-GINGER	1	D2DZ 10852-B
		Lights-BEIGE	1	D2DZ 10852-C
		Lights-GINGER	1	D2DZ 10852-D
70/	P	Defogger	1	C8AZ 10852-A
72	P	Lights-TAN	1	D2DZ 10852-E
71/	P(54A,62A,D)	Sport lamp (On-Off) (attaches to utility shelf)	1	D1DZ 10852-A
	- S -			
68	S "Before 5/1/68"		1	★C8SZ 10852-E
68	S "From 5/1/68"		1	★C8SZ 10852-F
68/71	S	Lights-without auto/headlamp dimmer	1	C8SZ 10852-C
69/71	S	Instrument cluster-wood grain texture	1	C9SZ 10852-A
72	S	Lights-wipers	2	D2SZ 10852-A
	- U -			
66/72	U	Lights	1	D3TZ 10852-D
68/72	U	Emergency flasher	1	C8TZ 10852-M
68/	U	Fuel tank - main auxiliary	1	C8TZ 10852-B
69	U	Wipers	1	C1TF 10852-D
70/72	U "Before Ser. P40,001"	"Wiper Washer"	1	D0TZ 10852-A
72	U "From Ser. P40,001"	Wiper	1	D3UZ 10852-A
	- X -			
65	X	Wipers	1	C4DZ 10852-A
65	X	"Up-On" for top or back window control-ident. C4DB 15677-B	1	C4DZ 10852-D
65/67	X	Lights	1	C4DZ 10852-B
68/70	X	Defogger (rear window)	1	C8AZ 10852-A
68/70	X	Lights	1	C8DZ 10852-A
68/70	X	Wipers	1	C8DZ 10852-B
69/	S	Nut-No.8-18-spring (attach bezel to pad & retainer)	AR	376130-S (MM268B)
68/	S	Screw	AR	★55931-S
	10853 BEZEL - INSTRUMENT CLUSTER CONTROL OUTER			
65/66	S	Lights-chrome plated-1 1/4" O.D. -not replaced	1	★C4SZ 10853-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10A855 COVER - INSTRUMENT CLUSTER HOUSING			
65/66	S		1	C4SZ 10A855-A
	10A858 HOUSING - INSTRUMENT PANEL CONTROL			
65	S	Ident. C5SB 10A858-AP, DP-not used with safety	1	★C5SZ 10A858-D
66	S(63C, 63D)	package - not replaced	1	
65	S	Ident. C5SB 10A858-BP, CP, EP-includes holes	1	C5SZ 10A858-E
66	S(63A, 76)	for door opening warning & emergency warning equipment-used with safety package	1	
66	S(63A, 76)	Ident. C6SB 10A858-AW-includes holes for door opening warning & emergency warning equipment-used with safety package	1	C6SZ 10A858-A
	10C858 TRIM - AUXILIARY INSTRUMENT CLUSTER - RALLY PAC			
65/66	F	Used on vehicles having ammeter & oil pressure gauge	2	C5ZZ 10C858-A
	10C859 LAMP ASSY. - INSTRUMENT PANEL SEAT BELT WARNING INDICATOR - Also refer to Group 10C876			
67	A(54, 57, 62, 63B, 63J, 71, 76A) (less warning indicator panel)	"BELTS"	1	C7AZ 10C859-A
67	F(less warning indicator panel)	Not replaced	1	★C7ZZ 10C859-A
69	F(less warning indicator panel)- "Before 12/2/68"		1	C9ZZ 10C859-A
69/70	F(less warning indicator panel)- "From 12/2/68 to 12/31/69"		1	C9ZZ 10C859-B
70	F(less warning indicator panel)- "From 12/31/69"		1	D0ZZ 10C859-A
	10A860 PLATE - INSTRUMENT CLUSTER CONTROL MOUNTING - Also refer to Group 10A886			
68	A(with radio and stereo)		1	C8AZ 10A860-A
72	B (with radio)		1	D2OZ 10A860-A
69/70	F(with AM/FM multiplex, AM/stereo radio)		1	C9ZZ 10A860-A
71/	F(with auxiliary cluster)		1	D1ZZ 10A860-A
65/66	S	Approx. 2 3/4" x 10 3/4"	1	C4SZ 10A860-C
68/70	X	Use to mount windshield wiper switch	1	C6DZ 10A860-B
72	B(Taxi)(clock cover)		1	D2OZ 10A860-B
	10A860 PLATE - INSTRUMENT CLUSTER IGNITION SWITCH MOUNTING			
70	P(non-locking column)		1	D0DZ 10A860-A
		Screw-flat head, cross recess-No. 10-12 x 1/2"	2	52013-S8(U209)
		Nut-spring-No. 10-12	2	45187-S8(M141)
		Screw-hex. washer head-No. 8-32 x 3/8"	1	40917-S8(U257)
65/66	S		1	C5SZ 10A860-C
		Screw-fillister head, slotted-No. 8-32 x 1/2"	1	31061-S8(U50)
		Lockwasher-external tooth -No. 8	1	34938-S8(X85)
68/69	S(57C, 65C, 65D)	Ignition switch	1	C8SZ 10A860-A
68/69	S(57B, 65A, B)	Ignition switch	1	C8SZ 10A860-C
	10C860 RETAINER - ROOF CONSOLE PANEL WARNING LAMP INDICATOR			
66	S(63C, 63D)		1	C6SZ 10C860-A
	10A861 PLATE - INSTRUMENT CLUSTER TRIM			
65	A	Blue	1	C5AZ 10A861-D
		Red	1	C5AZ 10A861-E
66	A	Blue	1	C5AZ 10A861-D
67	F(63B, 65B, 76B)	Brushed aluminum	1	C7ZZ 10A861-A
	10A862 COVER - INSTRUMENT CLUSTER OPENING			
69/70	A(without radio and stereo)	"FORD" radio	1	C9AZ 10A862-A
69/70	A(S/T)	Transmission (bucket seats with A/T)	1	C9AZ 10A862-B
69/70	A(A/T)	Transmission clear plastic	1	C9AZ 10A862-D
70/71	B	Accessory	1	D0OZ 10A862-A
	10C863 BEZEL - ROOF CONSOLE PANEL DOOR OPENING WARNING SWITCH			
66	S(63C, 63D)	Ident. C6SB 10C863-A	1	C6SZ 10C863-A
		Nut-self threading-1/8"	2	★371583-S8
	10C864 BUTTON - INSTRUMENT CLUSTER CLOCK STEM OPENING HOLE PLUG			
72	S		1	D2SZ 10C864-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10C867 HUB ASSY.- FUEL AND TEMPERATURE INDICATOR			
69/70	F	(1) Fuel and temperature (1) Charge indicator (1) Oil pressure	AR	C9ZZ 10C867-A
71/	F	Without clock	1	D1ZZ 10C867-A
	10B870 FILTER - INSTRUMENT CLUSTER LIGHT			
65/70	A,B,X		4	C4VY 10B870-A
67/	F		7	
68/71	S		5	
71/	A	Blue	4	D1AZ 10B870-A
72	B,S		4	
67/68	S	For ignition switch	1	C7SZ 10B870-A
65/	A	Screw-pan head, cross recess-No. 8-32 x 3/8"	8	51763-S8(U352)
67/70	X			
67	A	Screw-hex. washer head-No. 6-20 x 1/2"	2	★375049-S2
65/66	B,F,X	Serviced in assy. -refer to Group 10848		
67	F	Screw-hex. washer head-No. 6-20 x 3/8"	AR	373860-S
71/	F		AR	(UU52W)
	10874 COVER - INSTRUMENT CLUSTER HEATER BLOWER SWITCH OPENING			
69/70	A(w/o heater)		1	C9AZ 10874-A
	10876 BEZEL - INSTRUMENT CLUSTER - Also refer to Group 15009			
66/72	U "Before Ser. P40,001"	Paint to match	1	C6TZ 10876-A
72	U "From Ser. P40,001"	Paint to match	1	D2BZ 10876-A
66/	U	Screw-No. 10-16 x 3/8"	4	52721-S8(U382B)
	10C876 BEZEL and LENS - INSTRUMENT PANEL WARNING LAMP - Also refer to Group 10C859			
66	B,F,X	Seat belt-ident. C6OB 10B914-A	1	C6OZ 10C876-A
67	B,X		1	
66/70	B(54A)	Door open-ident. C6OB 10A916-A	1	C6OZ 10C876-B
67	F(less warning indicator panel)	"SEAT BELT" - not replaced	1	★C7ZZ 10C876-D
	10C876 BEZEL and LENS - WARNING INDICATOR PANEL LAMP			
67	F(w/warning indicator panel) - "Before 12/1/66"	"Door" -blue	1	C7ZZ 10C876-G
67/68	F(w/warning indicator panel) "From 12/1/66"	"DOOR" -red	1	C7ZZ 10C876-K
67	F(w/warning indicator panel) - "Before 5/15/67"	"FUEL"-blue	1	C7ZZ 10C876-F
67/68	F(w/warning indicator panel)- "From 5/15/67"	"FUEL"-red	1	C7ZZ 10C876-J
67/70	F(w/warning indicator panel)- "Before 12/31/69"	"BELT"-red	1	C7ZZ 10C876-H
70	F(with warning indicator panel) "From 12/31/69"	"BELTS" -red	1	D0ZZ 10C876-A
71/	F	"BELTS"-red	1	D1ZZ 10C876-A
	10C876 BEZEL and LENS ASSY. - ROOF CONSOLE PANEL WARNING INDICATOR			
67/68	A	"DOOR"	1	C7SZ 10C876-B
68/71	S	"DOOR"	1	
67/71	A,S	"FUEL	1	C7SZ 10C876-C
66	S(63C, 63D)	"SEAT BELT"	1	C6SZ 10C876-F
		"DOOR AJAR"	1	C6SZ 10C876-E
		"LOW FUEL"	1	C6SZ 10C876-G
		"FLASHER"	1	C6SZ 10C876-H
67/69	S	"FLASHER"	1	C7SZ 10C876-A
67/71	S	"BELTS"	1	C9SZ 10C876-B
69/71	S	"LIGHTS"	1	C9SZ 10C876-A
67/68	A	"BELTS"	1	
	10C876 HOUSING - SEAT BELT WARNING LAMP			
72	S	Belts	1	D2SZ 10C876-A
72	P	Belts	1	D2DZ 10C876-A
	10C877 WIRING ASSY. - WARNING INDICATOR PANEL EXTENSION			
72	S(with sure track and/or stereo, rear seat speakers and/or, heated back lite)	#D2LB 10C877-AC	1	D2LY 10C877-A
72	S	Clip-wiring	AR	383207-S (GG271)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10C878 LENS KIT - WARNING LAMP INDICATOR PANEL			
65/66	A(with warning indicator panel)-	Not Replaced	1	★C5AZ 10C878-B
	Consists of			
	1-Lens - Door ajar	1-Lens - Flasher	1-Lens - Seat Belts	
	1-Lens - Door lock	1-Lens - Low Fuel		
	10880 GLASS - INSTRUMENT CLUSTER			
66/	U		1	C1TF 10880-A
	10880 LENS - INSTRUMENT CLUSTER MAIN - Also refer to Group 10887			
69/70	A-w/o radio	Radio	1	C9AZ 10880-A
69/70	A-w/o clock	Clock	1	C9AZ 10880-B
69	A	Fastener (attaches lens to mask)	AR	379663-S(HH8R)
69/70	F-with tripodometer and tachometer	Center (includes reset button)	1	C9ZZ 10880-A
68/71	S	R.H. - clock, alternator and temperature gauges	1	C8SZ 10880-B
68/71	S	L.H. - speedometer, oil pressure and fuel gauges	1	C8SZ 10880-A
68/71	S	Control pod	1	C8SZ 10880-C
68/71	S	Fastener (attaches lens to mask)	AR	379663-S(HH8R)
	10883 GAUGE - INSTRUMENT CLUSTER TEMPERATURE			
65/	A	Refer to Group 10A936-7		
65	B		1	C5OZ 10883-A
70/71	B	Used with gauges	1	D0OZ 10883-A
72	B(w/o Rallye instrument group)		1	D2GY 10883-A
72	B(w/Rallye instrument group)		1	D2GY 10883-B
65	F		1	C5DZ 10883-A
65/66	F	Used only on clusters with charge indicator	1	C5ZZ 10883-B
67/68	F	Temperature indicator	1	C7ZZ 10883-B
69/70	F(exc. 65E)-except tachometer	"TEMP" -"C" &"H" -Black dial	1	C9ZZ 10883-A
69/70	F(65E)-except tachometer	"TEMP" -"C" &"H" -Gray-Blue dial	1	C9ZZ 10883-D
69/70	F(exc. 63C)-with tachometer	"TEMP" -"C" &"H" -Black dial	1	C9ZZ 10883-B
69/70	F(63C)-with tachometer	"TEMP" -"C" &"H" -Gray-Blue dial	1	C9ZZ 10883-C
71/	F(with auxiliary instrument cluster)		1	D1ZZ 10883-A
65/66	S		1	C4SZ 10883-A
67	S	Temperature and ammeter gauge	1	C7SZ 10883-A
68/	S	Temperature and alternator gauge	1	C8SZ 10883-A
66/	U		1	C6TZ 10883-A
65	X		1	C5DZ 10883-A
66/67	X		1	C6DZ 10883-A
71/	B, F	Nut No. 10-32 attach 10883 to 10848	AR	383367-S (MM291AE)
	10B883 COVER ASSY. - INSTRUMENT CLUSTER TRIM			
67	A(less radio, top or back window switch control and stereo tape)		1	★C7AZ 10B883-A
67	A(with radio, less top or back window switch control and stereo tape)		1	C7AZ 10B883-B
67	A(with top or back window switch control, less radio and stereo tape)		1	★C7AZ 10B883-C
67	A(with radio and top or back window switch control, less stereo tape)		1	C7AZ 10B883-D
67	A(with radio and stereo tape, less top or back window switch control)		1	★C7AZ 10B883-E
67	A(with radio, stereo tape and top or back window switch control)		1	★C7AZ 10B883-F
69	A(less interval wiper without A/C)- "Before 10/1/68"		1	★C9AZ 10B883-A
69	A(less interval wiper without A/C)- "From 10/1/68"		1	★C9AZ 10B883-F
69	A(with interval wiper without A/C)	Woodgrain	1	★C9AZ 10B883-B
69	A(with interval wiper with A/C)	Woodgrain	1	★C9AZ 10B883-D
69	A(less interval wiper without A/C)	Woodgrain	1	★C9AZ 10B883-C
69	A(less interval wiper with A/C)	Woodgrain	1	★C9AZ 10B883-E
70	A(less interval wiper without A/C)	Standard trim	1	D0AZ 10B883-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10B883 COVER ASSY. - INSTRUMENT CLUSTER TRIM - continued			
70	A(less interval wiper without A/C)	Woodgrain trim	1	D0AZ 10B883-C
70	A(less interval wiper with A/C)	Woodgrain trim	1	D0AZ 10B883-E
65/66	A	Screw-pan head, cross recess-No. 10-32 x 1/4"	12	★51753-S13
67	A	Screw-pan head, No. 6-20 x 1"-cover to cluster	5	52812-S2(U361H)
69	A	Screw-No. 6-20 x 1 1/4" (attach 10B883 to instrument cluster back)	10	382663-S100 (UU81CR)
69	A	Nut-spring-No. 6-20-cover to cluster	10	45256-S2(M134X)
71/	B,F	Nut-spring-No.8-15-cover to cluster	AR	45174-S(M138)
71/	B,F	Screw-No.8-15 x 1"-cover to cluster	AR	372141-S (UU81DF)
70	A(with interval wiper without A/C)	Woodgrain trim	1	D0AZ 10B883-B
70	A(with interval wiper and A/C)	Woodgrain trim	1	D0AZ 10B883-D
72	B(w/Rallye instrument group)	8 openings	1	D2GY 10B883-C
72	B(w/o Rallye instrument group)	5 openings-camera case finish	1	D2GY 10B883-A
72	B(w/o Rallye instrument group)	5 openings-woodgrain finish	1	D2GY 10B883-B
71/	F(except 63R)	Black	1	D1ZZ 10B883-A
71/	F(63R)	Textured (paint to match)	1	D1ZZ 10B883-B06A
	10884 SENDER - WATER TEMPERATURE INDICATOR - ENGINE UNIT			
	- A -			
65/68	A(6 & 8 cyl.)	With warning lights	1	C5AZ 10884-B
71/	A(with A.T.C.)		1	(SW-626)
65/68	A(8 cyl.)	With gauges	1	C6DZ 10884-B (SW-552)
69/70	A,Taxi,P/C (6 & 8 cyl.)	With warning light (cold)	1	C8GY 10884-A
71/	A(without A.T.C.)		1	(SW-663)
	- B -			
65/66	B(6 cyl.) "Before 9/1/65"		1	C3AZ 10884-A
65	B(8 cyl.)		1	(SW-344)
66/68	B(6 cyl.) "From 9/1/65"		1	C6DZ 10884-B (SW-552)
70/71	B(6 cyl.)		1	D0ZZ 10884-A (SW-925)
66/67	B(8 cyl.)		1	C5AZ 10884-B
68	B(8 cyl.-exc. 427)		1	(SW-626)
68	B(8 cyl.-427)		1	C8GY 10884-A
69	B(6 & 8 cyl.)		1	(SW-663)
70	B(8 cyl.)	With warning lights	1	
70/	B(302)	With gauges	1	D0ZZ 10884-A (SW-925)
70/	B(351,429)	With gauges	1	D0WY 10884-A
72	B(250,400)		1	(SW-924)
	- F -			
65/66	F(6 cyl.) "Before 9/1/65"		1	C3AZ 10884-A (SW-344)
66/69	F(6 cyl.) "From 9/1/65"		1	C6DZ 10884-B (SW-552)
65/66	F(8 cyl.) "Before 9/1/65"		1	C5DZ 10884-A (SW-427)
66/68	F(8 cyl.) "From 9/1/65"		1	C6DZ 10884-B (SW-552)
69	F(8 cyl.-exc.302,351)		1	C6DZ 10884-B (SW-552)
69	F(8 cyl.-302,351)	With gauges	1	C9WY 10884-A (SW-888)
70/	F(8 cyl.-302 exc. Boss)	With gauges	1	D0ZZ 10884-A
70/71	F(8 cyl.-428,429)	With gauges	1	(SW-925)
70/	F(6 cyl.)	With gauges	1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10884 SENDER - WATER TEMPERATURE INDICATOR - ENGINE UNIT - continued			
	- F -			
70/	F(8 cyl.-351)	With warning lights	1	C8GY 10884-A
71/	F(6 cyl.)	With warning lights	1	(SW-663)
71	F(8 cyl.-429)	With warning lights	1	
70/	F(8 cyl.-351)	With gauges	1	D0WY 10884-A
70/71	F(8 cyl.-302 Boss)		1	(SW-924)
	- L -			
71/	L(4 cyl.-98-1600 cc.)		1	D1FZ 10884-A (SW-983)
71/	L(4 cyl.-122-2000 cc.)-with A/C		1	D1FZ 10884-B (SW-1012)
71/	L(4 cyl.-122-2000 cc.)-exc. A/C		1	C8GY 10884-A (SW-663)
	- P -			
70/	P(6 & 8 cyl.)		1	C8GY 10884-A (SW-663)
	- S -			
65/66	S "Before 9/1/65"		1	C5DZ 10884-A (SW-427)
66/69	S "From 9/1/65"		1	C6DZ 10884-B (SW-552)
70/71	S-exc. A.T.C.		1	D0WY 10884-A (SW-924)
70/71	S-with A.T.C.		1	C9SZ 10884-A (SW-889)
72	S-exc. A.T.C.		1	C8GY 10884-A (SW-663)
72	S-with A.T.C.		1	C5AZ 10884-B (SW-626)
	- U -			
66	U "Before Ser.751,001"		1	C3AZ 10884-A (SW-344)
66/69	U "From Ser.751,001"		1	C6DZ 10884-B (SW-552)
70/	U		1	D0ZZ 10884-A (SW-925)
	- X -			
65/66	X(6 cyl.) "Before 9/1/65"		1	C3AZ 10884-A (SW-344)
66/67	X(6 cyl.) "From 9/1/65"		1	C6DZ 10884-B (SW-552)
65	X(8 cyl.)		1	C5DZ 10884-A (SW-427)
66/67	X(8 cyl.)		1	C6DZ 10884-B (SW-552)
68/70	X(6 & 8 cyl.)		1	C8GY 10884-A (SW-663)
	10A885-6 PLATE - INSTRUMENT CLUSTER CONTROL MOUNTING - Also refer to Group 10A860			
65	B	1 5/16" O.D. -ignition	1	C0DF 10A885-A
68/69	B	Ignition switch	1	C8OZ 10A885-A
65/66	F		1	C4DZ 10A885-A
67	F "Before 4/3/67"	For ignition switch	1	C7ZZ 10A885-A
67/68	F "From 4/3/67"	For ignition switch	1	C7ZZ 10A885-B
69	F	Ignition switch	1	C9ZZ 10A885-A
68/69	S(57A,B,65A,B)	Ignition switch	1	C8SZ 10A885-F
68/69	S(57C,65C,D)	Ignition switch	1	C8SZ 10A885-A
66/	U	Includes hole for ignition switch	1	C1TF 10A885-A
67	U	For choke and throttle controls	2	C0AF 10A885-A
68/	U	Choke	1	
65	X		1	C4DZ 10A885-A
68/70	X	Ignition switch	1	C8OZ 10A885-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10A885 HOUSING - IGNITION SWITCH			
70	P (non-locking column)	Ignition switch	1	D0DZ 10A885-A
	10886 SPACER - INSTRUMENT CLUSTER HOUSING			
69/	F	Rubber	12	C9ZZ 10886-A
70/	L,P	Improvise	4	★D0DF 10886-A
	10887 DIAL - INSTRUMENT CLUSTER MAIN - Also refer to Group 10B917			
68	A(with forced air vent)	R. H. -woodgrain-includes "HOT", "COLD", "ALT." and heater with forced air vent control lens	1	★C8AZ 10887-N Not replaced
68	A(with A/C)	R. H. -woodgrain - includes "HOT", "COLD", "ALT." and A/C control lens	1	C8AZ 10887-M
68	A(with A/C and forced air vent)	L. H. -woodgrain - includes "OIL", "LIGHTS", "WIPERS" and "WASHER" lens	1	★C8AZ 10887-R Not replaced
68	A(with heater)	R. H. - diamond textured - includes "HOT", "COLD", "ALT.", and heater temp. control lens	1	★C8AZ 10887-D Not replaced
		L. H. - diamond textured - includes "OIL", "LIGHTS", "WIPERS", and "WASHER" lens	1	★C8AZ 10887-H Not replaced
68	A (with heater)	R. H. -woodgrain-includes "HOT", "COLD", "ALT" and heater control lens	1	★C8AZ 10887-L Not replaced
68	A(with heater)	L. H. -woodgrain-includes "OIL", "LIGHTS", "WIPERS" and "WASHER" lens	1	★C8AZ 10887-P Not replaced
66	B(less radio)	Not replaced	1	★C6OZ 10887-B
66	B(with radio)	Not replaced	1	★ C6OZ 10887-A
65	F "Before 8/17/64		2	C4DZ 10887-A
65	F "From 8/17/64"	Used only on clusters with charge indicator warning light and oil pressure warning light	1	C5DZ 10887-A
65/66	F	Used only on clusters with ammeter and oil pressure gauge	1	C5GY 10887-A
67/68	F(less trip odometer)	Speedometer	1	C7ZZ 10887-A
67/68	F	Ammeter and oil pressure gauge	1	
67/68	F	Tachometer	1	
67/68	F(with trip odometer)	Speedometer	1	C7ZZ 10887-B
67/68	F	Fuel and temperature gauges	2	C7ZZ 10887-C
67/68	F	Clock	1	C7ZZ 10887-D
65	X	Used only on clusters with charge indicator warning light and oil pressure warning light	1	C5DZ 10887-A
68/	A,F	Fastener-3/8"	AR	375048-S(HH8RA)
	10887 LENS - INSTRUMENT CLUSTER MAIN - Also refer to Group 10880			
65/66	A (with radio)		1	C5AZ 10887-A
65/66	A(less radio)	Not replaced	1	★C5AZ 10887-B
65/66	A	Clip	8	379663-S8(HH8R)
67	A	"FUEL","OIL","TEMP","ALT"	1	C7AZ 10887-A
		Screw	5	★377333-S2
		Speedometer	1	C7AZ 10887-B
		Clip	8	379663-S8(HH8R)
68	A(with radio)		1	C8AZ 10887-A
68	A(with stereo)		1	C8AZ 10887-C
68	A(without radio and stereo)	Not replaced	1	★C8AZ 10887-B
71	A	"Wiper-washer"	1	D1AZ 10887-C
71	A	"Lights"	1	D1AZ 10887-D
71/	A(less clock)	Main	1	D1AZ 10887-A
71/	A(with clock)	Main	1	D1AZ 10887-E
67	B(less radio)	Not replaced	1	★C7OZ 10887-A
67	B(with radio)		1	C7OZ 10887-B
68/69	B		1	C8OZ 10887-A
70/71	B	Main	1	D0OZ 10887-A
72	B(w/o Rallye instrument group)	(1 piece 3 lens)	1	D2GY 10887-A
72	B(w/Rallye instrument group)	(1 piece 2 lens) (includes reset knob)	1	D2GY 10887-B
72	B(w/Rallye instrument group)	(1 piece 5 lens)	1	D2GY 10887-C
69	F(with trip odometer)	Center - Refer to Group 10880		
69/70	F(without trip odometer)	Center	1	C9ZZ 10887-A
69/70	F	R. H. & L. H. Outer	2	C9ZZ 10887-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10887 LENS - INSTRUMENT CLUSTER MAIN - continued - Also refer to Group 10880			
71/	F(with clock)		1	D1ZZ 10887-B
71/	F(with tripodometer)	Includes reset knob	1	D1ZZ 10887-E
71/	F(less clock or tripodometer)	With warning lights	1	D1ZZ 10887-A
71/	F(with auxiliary instrument cluster)		3	D1ZZ 10887-D
71/	L		1	D1FZ 10887-A
70/	P	Center	1	C9ZZ 10887-A
72	S(without tripodometer)		1	D2SZ 10887-B
72	S(with tripodometer)	Includes reset knob	1	D2SZ 10887-A
68/70	X		1	C8DZ 10887-A
68/	A,F	Fastener 3/8"	AR	375048-S(HH8RA)
	10890 MASK - INSTRUMENT CLUSTER - Also refer to Group 10894			
	- A -			
65/66	A(with radio)		1	C5AZ 10890-A
68	A(with radio & without stereo)		1	C8AZ 10890-A
68	A(without radio)		1	★C8AZ 10890-B
68	A(with stereo)		1	C8AZ 10890-C
69/70	A		1	C9AZ 10890-A
71	A(less wood grain)	Inner & outer	1	D1AZ 10890-A
72	A(less wood grain)	Inner and outer	1	D2AZ 10890-A
71	A(with wood grain	Inner	1	D1AZ 10890-B
72	A(with wood grain)	Inner	1	D2AZ 10890-B
71/	A(with wood grain)	Outer	1	D1AZ 10890-C
	- B -			
68	B	Main	1	★C8OZ 10890-A
69	B	Main	1	C9OZ 10890-A
70/71	B		1	D0OZ 10890-A
72	B(w/o Rallye instrument group)		1	D2GY 10890-A
72	B(w/Rallye instrument group)		1	D2GY 10890-B
67	B	Screw- pan head, cross recess-No. 6-20 x 1/2"	9	375557-S7-8(UU82)
	- F -			
69/70	F (except 63C, 65E)	Center	1	C9ZZ 10890-A
69/70	F(63C, 65E)	Center	1	C9ZZ 10890-D
69/70	F (except 63C, 65E)	R. H. Outer	1	C9ZZ 10890-C
69/70	F (except 63C, 65E)	L. H. Outer	1	C9ZZ 10890-B
69/70	F(63C, 65E)	R. H. Outer	1	C9ZZ 10890-F
69/70	F(63C, 65E)	L. H. Outer	1	C9ZZ 10890-E
71/	F	R. H. -speedometer	1	D1ZZ 10890-A
71/	F	L. H. -warning light, clock or tachometer	1	D1ZZ 10890-B
71/	F	Fuel gauge	1	D1ZZ 10890-C
71/	F(with auxiliary instrument cluster)		3	D1ZZ 10890-D
	- L -			
71/	L		1	D1FZ 10890-A
	- P -			
70/	P		1	D0DZ 10890-A
	- S -			
68/71	S	Main	1	C8SZ 10890-A
68/71	S	Control pod	1	C8SZ 10890-B
72	S		1	D2SZ 10890-A
	- X -			
68/70	X		1	C8DZ 10890-A
	10891-2 BAFFLE - INSTRUMENT CLUSTER LAMP			
	- A -			
69/70	A	High beam	1	C9AZ 10891-B
70	A	Turn signal and warning lamp	2	D0AZ 10891-A
	- B -			
68	B	R. H. -turn signal - not replaced	1	★C8OZ 10891-B
68/69	B	High beam	1	C8OZ 10891-A
68/69	B(without tachometer)	Oil - amp.	2	C8OZ 10891-C
68/69	B(with tachometer)	Oil - amp.	1	C8OZ 10891-D

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10891-2 BAFFLE - INSTRUMENT CLUSTER LAMP - continued			
	- F -			
69/70	F	High beam	1	C9ZZ 10891-A
69/70	F	Tachometer	1	C9ZZ 10891-C
69/	F	Belts-Brakes	1	C9ZZ 10891-B
71/	F(less tripodometer)	High beam	1	D1ZZ 10891-A
	- X -			
68/70	X	High beam	1	C8DZ 10891-B
68/70	X	Warning lamp	1	C8DZ 10891-C
	10C893 BRACKET - INSTRUMENT PANEL SEAT BELT WARNING LAMP MOUNTING			
67	F(less warning indicator panel)	Not replaced	1	★C7ZZ 10C893-A
		Screw-pan head, cross recess-No. 10-24 x 1/2"	1	★54505-S2
		Lockwasher-internal tooth-No. 10	1	34903-S8(X96)
		Nut-hex. -No. 10-24	1	34053-S8(M156)
	10894 MASK - INSTRUMENT CLUSTER - Also refer to Group 10890			
66/	U		1	C1TZ 10894-C
	10C897 PLATE - INSTRUMENT PANEL WIRING CONNECTOR MOUNTING			
72	B		1	D2OZ 10C897-A
72	S		1	D2SZ 10C897-A
	10B903 BEZEL - INSTRUMENT CLUSTER CONTROL HOUSING			
65	S	Chrome plated-ident. C4SB 10B903-A	1	C4SZ 10B903-A
66	S(63A, 76)		1	
	10B906 ESCUTCHEON - INSTRUMENT CLUSTER CONTROL HOUSING			
65	S	Chrome plated-ident. C4SB 10B906-A	1	C4SZ 10B906-A
66	S(63A, 76)		1	
		Nut-self threading-5/32"	4	378205-S35 (MM288DB)
	10B908 LENS - INSTRUMENT CLUSTER CONTROL HOUSING			
65	S	Plastic	2	C4SZ 10B908-A
66	S(63A, 76)		2	
	10911 ADAPTER - WATER TEMPERATURE INDICATOR SENDER - ENGINE UNIT			
65	B, F, S, X (8 cyl.)	Screw in type-3/8"-18 external pipe thread x 1/8"-27 internal pipe thread x 1/2" long-use with senders (10884) having 1/8"-27 male ends	1	C5DZ 10911-C (SW-757)
	10B912 ADAPTER - INSTRUMENT CLUSTER CONTROL POD BACK PLATE			
70/71	S	Control Pod	1	D0SZ 10B912-A
	10C912 DIODE ASSY. - LAMP FAIL INDICATOR			
67/70	S	Ident. C7SB 10C912-A -2 1/2" long	AR	C7SZ 10C912-A
68/70	S	With cornering lamps	2	
70	B	Used with Automatic seat back release	1	
70	B, X	Used with seat belt lamp	1	
70/	S	Used with Automatic seat back latch	AR	
	10C914 INSULATOR - AMMETER			
70/	P		1	C9ZZ 10C914-A
71	F		1	
	10C915 LAMP ASSY. - WARNING INDICATOR			
72	U	"LIGHTS-HAZARD-WIPE-WASH"	1	D3BZ 10C915-A
	10918 RETAINER - WARNING INDICATOR PANEL LAMP			
72	S	R.H. -9" long	1	D2SZ 10918-A
72	S	L.H. -9" long	1	D2SZ 10918-B
72	S	2 1/2" square	1	D2SZ 10918-C
72	S	Seat belt warning indicator housing	1	D2SZ 10918-D
	10918 RETAINER - ROOF CONSOLE INDICATOR PANEL WARNING LAMP			
67/68	S(with roof console) "From 10/1/67"		1	C7SZ 10918-D
70/71	S		2	
	10A919 BRACKET - INSTRUMENT CLUSTER			
71/	A		2	D1AZ 10A919-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10B920 BEZEL and LENS - INSTRUMENT PANEL EMERGENCY FLASHER WARNING LAMP			
66	X	"FLASHER"	1	C6DZ 10B920-A
65	S	Flasher	1	C4SZ 10B920-A
66	S(63A, 76)		1	
	10B920 LENS - ROOF CONSOLE PANEL EMERGENCY FLASHER WARNING LAMP			
66	S(63C, 63D)	Serviced in assy. -refer to Group 10C876		
	10B921 SWITCH - OIL TEMPERATURE WARNING			
65/67	A(427)	On oil filter adapter-ident. AC 308-322-incl. instruction sheet No. 1397	1	C3AZ 10B921-B
	10B921 GAUGE - OIL PRESSURE - Also Refer to Group 9278			
67	F(GT 350/500)	Not replaced	1	★S7MS 10B921-A
68	F(GT 350/500)	In console -not replaced	1	★S8MS 10B971-A
	10B923 WIRING - WARNING LAMP INDICATOR PANEL - Also refer to Group 10C877			
69	A(with safety convenience panel)- "Before 3/3/69"	#C9AB 10B923-B	1	C9AZ 10B923-A
69	A(with safety convenience panel)- "From 3/3/69"	#C9AB 10B923-C	1	C9AZ 10B923-C
70	A-with safety convenience panel- "Before 11/1/69"	#D0AB 10B923-A	1	D0AZ 10B923-A
70	A-with safety convenience panel- "From 11/1/69"	#D0AB 10B923-B	1	D0AZ 10B923-B
71/	F(63, D, R)-with instrument package or sports interior package	#D1ZB 10B923-AA	1	D1ZZ 10B923-A
71/	F(65D, F, 76D)(with instrument package)		1	
68/69	S(57)with safety convenience panel	Ident. C8SB 10B923-B, D, C9SB 10B923-C	1	C9SZ 10B923-B
69	S(65)with safety convenience panel	Ident. C9SB 10B923-D-not replaced	1	★C9SZ 10B923-A
70/71	S(57) with safety convenience panel	#D0SB 10B923-E, G, D1SB 10B923-BA, BB	1	D0SZ 10B923-E
70/71	S(65) with safety convenience panel	#D0SB 10B923-D, F, K, D1SB 10B923-AA, AB	1	D0SZ 10B923-A
71	S	Clip wiring (attach wiring to roof panel)	4	376188-S(GG147M)
68/	S	Washer-No. 8	AR	34938-S(X85)
		Screw-No. 8-15 x 1/2"-pan head	AR	52726-S(U381)
		Clip	AR	★377751-S
		Clip	AR	377793-S
		Screw-hex. hd. -No. 10-12 x 1/2"- Attach wiring to roof panel	AR	42127-S(U248C)
70/	S	Screw-No.8-15 x 1/2"-flat head-(attach wiring to windshield header and front body pillar or roof panel)	AR	52012-S(U202)
71	S	Clip (attach wiring to roof rail)	AR	379042-S(GG143A)
	10B923 WIRING - ROOF CONSOLE WARNING LAMP INDICATOR PANEL			
67	S	Ident. C7SB 10B923- A, B, C -not replaced	1	★C7SZ 10B923-C
66/67	S	Screw-hex.hd.-No.10-12 x 1/2" Attach wiring to roof panel	AR	42127-S(U248C)
66/67	S	Clip	AR	★380171-S
66/67	S	Clip	AR	★377766-S
67	S	Washer-No. 8	AR	34938-S(X85)
		Screw-No. 8-15 x 1/2"	AR	52726-S(U381)
		Clip	AR	★377751-S
		Clip	AR	★377793-S
	10B924 RELAY - INSTRUMENT PANEL SEAT BELT WARNING INDICATOR LAMP			
66	A	Ident. C6AB 10B924-A, C, Tung Sol relay No. 673	1	C6AZ 10B924-A
66	B, F, X		1	
66	S	Not used on vehicles with seat belt warning switch in retractor	1	
67/70	X	Ident. C7AB 10B924-A, B, D2AB 10B924-AA	1	D1AZ 10B924-A
67/71	S		1	(SW-1094)
70/	P, L		1	
67/	A, B, F		1	

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10B924 RELAY - INSTRUMENT PANEL SEAT BELT WARNING INDICATOR LAMP - continued			
70	S	#D0SB 10B924-A	1	D0SZ 10B924-A
67/69	A, B, F, P, S, X	Screw-No. 10-12 x 1/2"	AR	42127-S(U248C)
69	A	Screw-No. 8-32 x 3/4"	2	376389-S(UU82D)
71	S	Washer (attach relay to brake pedal support)-No.8	1	34938-S(X85)
71	S	Screw-No.8-15 x 5/8" (attach relay to instrument panel)	1	52554-S(U230)
72	L, P		1	
72	F	Screw-1/4"-14 x 1/2" (attach relay to relay panel)	1	55981-S(U245E)
	10B925 SOCKET and WIRING - CONSOLE PANEL SEAT BELT WARNING INDICATOR LAMP			
65	S	Ident. C5SB 10B925-B-switch located in seat belt retractor-also serviced in assy. (10B924)	1	C5SZ 10B925-A
66	S(63A, 76)		1	
	10B925 SOCKET and WIRE - WARNING LAMP INDICATOR PANEL - SEAT BELT LAMP			
69	B, X(with warning indicator panel)	Ident. C9OB 10B925-A	1	C9OZ 10B925-A
70	B-with visibility package	#D0OB 10B925-B, D1OB 10B925-AA	1	D0OZ 10B925-A
69	F(with warning indicator panel)-"Before 12/2/68"	Ident. C9ZB 10B925-C	1	C9ZZ 10B925-A
69/70	F(with warning indicator panel)-"From 12/2/68"	Ident. C9ZB 10B925-E	1	C9ZZ 10B925-B
	10B925 SOCKET and WIRE - INSTRUMENT PANEL SEAT BELT WARNING INDICATOR LAMP			
71	B	#D1OB 10B925-AB	1	D1OZ 10B925-A
72	B	#D2OB 10B925-AA	1	D2OZ 10B925-A
71/72	F	#D1ZB 10B925-AB	1	D1ZZ 10B925-A
71/72	P	Ident. D0DB 10B925-A, D1DB 10B925-AA	1	D0DZ 10B925-B
	10B925 WIRING ASSY.- SEAT BELT WARNING			
69/70	A(without safety convenience panel)	#C9AB 14A440-B	1	C9AZ 10B925-A
71/	A	#D1AB 14A440-AB	1	D1AZ 10B925-A
	10B925 LAMP ASSY. - SEAT BELT WARNING			
72	A, B, P	#D2AB 10C859-AA, AB-"FASTEN SEAT BELT"	1	D2AZ 10B925-A
72	L--w/o ignition restraint system		1	
72	S	#D2SB 10C859-AC, AD-"FASTEN SEAT BELT"	1	D2SZ 10B925-A
72	F	#D2ZB 10C859-AA-"FASTEN SEAT BELT"	1	D3ZZ 10B925-A
72	L--w/ignition restraint system		1	
	10B926 RELAY - CONSOLE PANEL SEAT BELT WARNING INDICATOR LAMP			
65	S "Before 9/30/64"	Ident C4SB 10B926-A	1	C4SZ 10B926-A
		Screw-hex. washer head-No. 14-10 x 1/2"	2	31497-S8(U254)
	10B926 RELAY - CORNERING LAMP			
68	S	Ident. C7WB 10C838-B	1	C7WY 10B926-A
68	S	Use with Safety Convenience Panel - Ident. C7WB 10C838-C	1	C7WY 10B926-B
69	S	Refer to Basic 15A217 for 1969		
	10B926 RELAY - WARNING LAMP INDICATOR PANEL SEAT BELT			
65/66	A		1	C5AZ 10B926-A
		Screw-pan head, cross recess-No. 10-16 x 3/8"	1	★52781-S2
	10B926 RELAY - INSTRUMENT PANEL BRAKE SYSTEM			
67	A, B(with brake failure warning lamp)	Ident. C7AB 2B244-A	1	C7AZ 10B926-A
67	S(with brake failure warning lamp)	Ident. C7VB 2B244-A	1	C7SZ 10B926-A
	10B926 RELAY - INSTRUMENT PANEL STEERING COLUMN LOCK CONTROL			
67	F(with tilt steering wheel)	Ident. C7ZA 3E553-A	1	C7ZZ 10B926-A
68/69	F(with tilt steering wheel)	Ident. C8ZA 3E553-A	1	C8ZZ 10B926-A
	10927 TERMI .. - INSTRUMENT CLUSTER FUEL LEVEL INDICATOR			
69/70	A	Stud-No. 8-32	2	C9AZ 10927-B
69/70	A	Bus-Bar fuel gauge	2	C9AZ 10927-C
68/71	S	Copper - voltage regulator	AR	C8SZ 10927-A
68/71	S	Brass - fuel level indicator	AR	C8SZ 10927-B

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10B927 LENS - CONSOLE PANEL SEAT BELT WARNING INDICATOR LAMP			
65	S	"FASTEN SEAT BELTS"	1	C4SZ 10B927-A
66	S(63A, 76)		1	
66	S(63C, 63D)	Serviced in assy. -refer to Group 10C876		
	10B928 BEZEL - CONSOLE PANEL SEAT BELT WARNING INDICATOR LAMP SWITCH			
65	S	Ident. C4SB 10B928-A-used with seat belts	1	C4SZ 10B928-A
66	S(63A, 76)		1	
		Nut-self threading-1/8"	2	370713-S100 (MM292)
	10C931 WIRE - CONSTANT VOLTAGE REGULATOR TO GAUGE			
68/70	B, X	9" long	1	C8GY 10C931-B
	10C932 WIRE - CONSTANT VOLTAGE REGULATOR TO IGNITION			
68/70	B, X	7" long	1	C8GY 10C932-B
	10A934 INDICATOR ASSY. - EMERGENCY WARNING LAMP			
66	U	Ident. C3TB 10A934-A	1	C3TZ 10A934-A
65	X	Ident. C2UB 10A934-A	1	C3UZ 10A934-A
	10C935 BRACKET - INSTRUMENT PANEL CONTROL			
67	A(54) New York Taxi	Roof lamp switch	1	C7AZ 10C935-A
69/70	A(P/C), New York Taxi		1	
71/	A (Taxi, P/C)		1	D1AZ 10C935-A
71/	A	Nut-1/4"-20	1	33795-S(M49)
		Screw- 1/4"-20 x 1/2"	1	42742-S(U2A)
		Screw-No. 10-12 x 5/8"-attach bracket to instrument panel	1	42014-S(U240)
	10A936-7 LENS - INSTRUMENT CLUSTER WARNING LAMP			
	- A -			
69	A	"BRAKES", "BELTS"	1	C9AZ 10A936-A
69	A	"HOT", "PARK"	1	C9AZ 10A936-B
69	A	"OIL"	1	C9AZ 10A936-C
69	A	"ALT"	1	C9AZ 10A936-D
69	A	Turn signal R. H. & L. H.	2	C9AZ 10A936-E
70	A	"OIL"	1	D0AZ 10A936-C
70	A	"ALT"	1	D0AZ 10A936-D
71	A "Before 3/15/71"	"OIL and HOT"	1	D1AZ 10A936-A
71/	A "From 3/15/71"	"OIL and HOT"	1	D1AZ 10A936-D
71	A "Before 3/15/71"	"BRAKES and ALT"	1	D1AZ 10A936-B
71/	A "From 3/15/71"	"BRAKES and ALT"	1	D1AZ 10A936-E
71/	A	"HIGH BEAM"	1	D2AZ 10A936-A
71/72	A " Before 10/1/71"	" PARK and BELTS"	1	D1AZ 10A936-C
72	A " From 10/1/71"	" PARK"	1	D2AZ 10A936-B
	- B -			
70/71	B	L. H.- OIL, BRAKE SYSTEM, ALT.	1	D0OZ 10A936-C
		R. H.- SEAT BELTS, PARKING BRAKE, LIGHTS-ON	1	D0OZ 10A936-D
72	B(w/o Rallye instrument group)	"ALTERNATOR-HI-BEAM"	1	D2GY 10A936-D
		"BRAKES-OIL"	1	D2GY 10A936-E
		"TURN-SIGNAL"	2	D2GY 10A936-F
		"PARK"	1	D2GY 10A936-G
		"BELTS"	1	D2GY 10A936-H
72	B(w/Rallye instrument group)	"FUEL"	1	D2GY 10A936-A
		"TEMPERATURE"	1	D2GY 10A936-B
		"OIL-AMPS."	1	D2GY 10A936-C
72	B(w/Rallye instrument group)- "Before 10/1/71"	"PARK-BELTS"	1	D2GY 10A936-J
72	B(w/Rallye instrument group)- "From 10/1/71"	"PARK"	1	D2GY 10A936-K
	- F -			
69/70	F(exc. 63C)	"HIGH BEAM"	1	C9ZZ 10A936-A
69/70	F	Turn signal	2	C9ZZ 10A936-B
69/70	F(w/o tachometer)	"BRAKE SYSTEM"	1	C9ZZ 10A936-D
69/70	F(with tachometer)	"BRAKE SYSTEM, ALT. & OIL"	1	C9ZZ 10A936-E

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10A936-7 LENS - INSTRUMENT CLUSTER WARNING LAMP - continued			
	- F -			
69/71	F	"SEAT BELTS"	1	C9ZZ 10A936-C
70	F(with tachometer)	"BRAKE SYSTEM, ALT. & OIL"	1	D0ZZ 10A936-A
71/	F(with clock)	"TEMP-BRAKES"	1	D1ZZ 10A936-D
71/	F(with clock)	"OIL-ALTERNATOR"	1	D1ZZ 10A936-E
71/	F(except clock)	"OIL, ALTERNATOR, BRAKES"	1	D1ZZ 10A936-C
71/	F(less tripodometer)	"HIGH BEAM"	1	D1ZZ 10A936-A
71/	F(with tripodometer)	"HIGH BEAM"	1	D1ZZ 10A936-G
71/	F	Turn signal	2	D1ZZ 10A936-B
71/	F(with tachometer)	"BRAKES"	1	D1ZZ 10A936-F
	- L -			
71/	L	Warning lamp	1	D1FZ 10A936-A
71/	L	Turn signals (green)	2	D1FZ 10A936-E
71/	L	High beam (red)	1	D1FZ 10A936-C
	- P -			
70/	P	"HIGH BEAM"-"RED"	1	D0DZ 10A936-C
70/72	P "Before 2/15/72"	Temperature-oil-fasten seat belts-alt.-brakes	1	D0DZ 10A936-B
72	P "From 2/15/72"	Temperature-oil-fasten seat belts-alt.-brakes	1	D2DZ 10A936-A
	- S -			
69/71	S	Turn signal	1	C9SZ 10A936-A
72	S	R. H. -(temp.-alt.-oil and R. H. turn indicator)	1	D2SZ 10A936-A
72	S "Before 11/1/71"	L. H. -(brakes-Hi-beam-belts and L. H. turn indicator)	1	D2SZ 10A936-B
72	S "From 11/1/71"	L. H. -(brakes-Hi-beam-trunk and L. H. turn indicator)	1	D2SZ 10A936-G
72	S	Low fuel-door ajar-R-def. on-lights on	1	D2SZ 10A936-C
72	S	Lights	1	D2SZ 10A936-D
72	S	Lighter	1	D2SZ 10A936-E
72	S	Wipers-washers	1	D2SZ 10A936-F
	- X -			
68/70	X	"ALT." - "BRAKES" - red	1	C8DZ 10A936-C
68/70	X	"DOOR", "BELTS", "PARK", "FUEL"	1	C8DZ 10A936-D
68/70	X	Dial and jewel "HOT", "OIL"	1	C8DZ 10A936-E
	10A939 SEAL - INSTRUMENT CLUSTER DUST			
66/	U		1	C6TZ 10A939-A
	10B942 WIRING - INSTRUMENT CLUSTER			
72	B(w/Rallye instrument group)	# D2OB 10B942-AC	1	D2OZ 10B942-A
67/69	F(without tachometer)	Ident. C7ZB 10B942-A, C, E, G-use with alternator and oil gauge mounted together	1	C7ZZ 10B942-A
	10C942 HUB ASSY. - INSTRUMENT CLUSTER DIAL			
68/69	B		1	C8OZ 10C942-A
72	B(w/o Rallye instrument group)	Fuel & temperature guage	2	D2GY 10C942A
70/	P		1	D0DZ 10C942-A
	10B944 GAUGE (ENGINE VACUUM)			
72	B	Kit - consists of (1) C7AZ 14487-A Connector (1) D4AJ 19D529-AA Gauge (2) Instruction Sheets	1	§ D4AZ 10B944-B
	10C944 GUIDE ASSY. - TAIL LAMP MONITOR			
68	S	136" long -not replaced	2	★C8SZ 10C944-A
68/69	S	137" long (to repair broken units)	AR	C8SZ 10C944-B
69	S	129" long	2	C9SZ 10C944-A
	10A945 HOUSING - INSTRUMENT CLUSTER SPEEDOMETER			
65/66	S		1	C4SZ 10A945-A
	10B945 HOUSING - AUXILIARY INSTRUMENT CLUSTER RALLY PAC			
71/	F(with auxiliary instrument cluster)		1	D1ZZ 10B945-A
71/	F	Screw-No. 8-12 x 1/2"-hex.head-attach housing to instrument panel	AR	383938-S(UU52V)
	10A948 GASKET - INSTRUMENT CLUSTER			
65/66	S	Improvise from foam rubber	1	★
	10952 MEDALLION - INSTRUMENT CLUSTER			
66/68	A(63C, 76B)	Without clock	1	C6AZ 10952-A
69/70	A(S/T)		1	

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	10C954 RETAINER - TAIL LAMP MONITOR HOUSING			
68/69	S		1	C8SZ 10C954-A
	10C955 INDICATOR ASSY. - TAIL LAMP MONITOR			
69	S		1	C9SZ 10C955-A
	10960 DIAL - INSTRUMENT CLUSTER WARNING LAMP			
69	B	"OIL", "ALT."	1	C9OZ 10960-A
	10B966 DIAL - INSTRUMENT CLUSTER INDICATOR			
72	B(w/o Rallye instrument group)	Fuel(plastic)	1	D2GY 10B966-A
		Temperature(plastic)	1	D2GY 10B966-B
72	B(w/Rallye instrument group)	Fuel(steel)	1	D2GY 10B966-C
		Temperature(steel)	1	D2GY 10B966-D
		Oil-amps. (steel)	1	D2GY 10B966-E
67	F(less tachometer) "Before 6/1/67"	"ALTERNATOR", "OIL PRESSURE"-not replaced	1	★C7ZZ 10B966-A
67/69	F(less tachometer) "From 6/1/67"	"ALTERNATOR", "FUEL"	1	C7ZZ 10B966-C
69/70	F(exc. 65E)	"FUEL" and "TEMP."	1	C9ZZ 10B966-A
69/70	F(65E)	"FUEL" and "TEMP."	1	C9ZZ 10B966-B
71/	F(without clock)	"OIL", "TEMP", "ALT." and "BRAKES"	1	D1ZZ 10B966-A
70/	P	Fuel, Temperature, Oil, Alternator, Brakes	1	D0DZ 10B966-A
70/	P	Screw No. 6-18 x 3/4" attach dial to 10848	4	42138-S(U245A)
	10B966 DIAL AND JEWEL ASSY. - INSTRUMENT CLUSTER POD			
68/69	S	"BRAKES", "BELTS"	1	C9SZ 10B966-A
70	S(without intermittent wipers)	"BRAKES", "BELTS"	1	D0SZ 10B966-A
70/71	S(with intermittent wipers	"BRAKES", "BELTS"	1	D0SZ 10B966-B
70/71	S(with hydrowipers)	"BRAKES", "BELTS", "WIPERS" and "WASHERS"	1	D0SZ 10B966-C
	10A968 RELAY - WARNING LAMP INDICATOR PANEL LOW FUEL LEVEL			
65/66	A	Ident. C6AF 10A968-A	1	C5AZ 10A968-C
68/69	A		1	
67/68	F		1	
68/69	B, X		1	
67	A	Ident. C6VF 10A968-B	1	C6VY 10A968-A
71/	S	Refer to Group 9F326		
65/67	S	Ident. C4VF 10A968-B, C5VF 10A968-A, B, C6SF 10A968-A-low fuel level warning	1	C7SZ 10A968-A
68/71	S	Ident. C8SF 10A968-A	1	C8SZ 10A968-A
65/66	A	Screw-No. 10-16 x 3/8"-Attach relay to bracket	2	52721-S(U382B)
67/68	A	Screw-No. 10-12 x 1/2"-Attach relay to bracket	2	42127-S(U248C)
69	A	Screw-No. 8-15 x 5/8"-Attach relay to bracket	2	52554-S(U230)
68/	B, X	Screw-No. 8-18 x 3/8"-Attach relay to bracket	2	42119-S(U246)
65/71	S	Screw-No. 14 x 1/2"	AR	31497-S(U254)
		Washer 1/4"-Attach relay to relay panel	AR	34940-S(X88)
	10B971 GAUGE ASSY. - OIL PRESSURE - Refer to Group 10B921			
	10B978 PLATE - INDICATOR MOUNTING INSTRUMENT CLUSTER			
71/	F	Fuel	1	D1ZZ 10B978-A
	10A995 GASKET - INSTRUMENT CLUSTER WARNING LAMP			
71	A "Before 3/15/71"	(1) for oil & hot indicator-(1) for brakes & alternator indicator	2	D1AZ 10A995-A
71/	A "From 3/15/71"	(1) for oil & hot indicator-(1) for brakes & alternator indicator	2	D1AZ 10A995-D
71/	A	For parking lamp & seat belt	1	D1AZ 10A995-B
71/	A	High Beam	1	D1AZ 10A995-C
66	B		1	C6OZ 10A995-B
67	B	Not replaced	1	★C7OZ 10A995-A
70	B	Turn signal	2	D0OZ 10A995-A
72	B(w/o Rallye instrument group)	Hi-beam-brakes-oil	2	D2GY 10A995-A
72	B(w/Rallye instrument group)	Park-belts	1	D2GY 10A995-B
		Brakes-turn signal	1	D2GY 10A995-D
71/	F	Turn signal	1	D1ZZ 10A995-B
71/	F		AR	D1ZZ 10A995-C
71/	L	Turn signal	2	D1FZ 10A995-B
68/70	X		1	C8DZ 10A995-A

INDEX

PART NAME	GROUP NUMBER
A	
Armature assy. (starter motor)	11005
B	
Band (starter motor cover)	11126
Bearing (starter motor drive housing)	11135
Bezel (ignition switch)	11580
Bezel (ignition switch)	11584
Block (headlamp switch junction)	11A647-8
Bolt (starter motor through)	11091, 10120
Bracket (headlamp switch)	11A668
Brush (starter motor)	11055-6
Brush set (starter motor)	11057
Bushing (starter motor drive housing)	11135
Bushing (starter motor brush end plate)	11052
Bushing (starter motor field terminal insulator)	11107
C	
Clip (headlamp switch)	11A671
Coil (starter motor field)	11082
Coil assy. (starter motor field)	11082
Connector (starter motor solenoid)	11072
Control assy. (starter motor relay)	11A126
Cover (ignition switch)	11A604
Cover (starter motor plunger)	11060
Cylinder & keys (ignition switch lock)	11582
D	
Drive assy. (starter motor)	11350
F	
Flange (starter motor coil retainer)	11106
G	
Gasket (starter motor drive housing)	11003
Gasket (starter motor plunger cover)	11065
Gasket assy. (headlamp switch)	11A683
Grommet (starter motor terminal insulator)	11A120
H	
Housing assy. (starter motor rear end)	11130
Housing kit (starter motor rear end)	11130
I	
Insulator (starter motor brush end plate)	11431
Insulator (starter motor brush holder)	11062
Insulator (starter motor switch)	11068
Insulator (starter motor switch spring)	11181
K	
KIT - refer to appropriate noun name For example Housing kit (starter motor rear end)	11130
Knob (light sensor switch)	11666
Knob & shaft assy. (headlamp switch)	11661
L	
Lens (instrument panel headlamp switch)	11A667
Lever (starter motor drive)	11067
N	
Nut (headlamp switch)	11650
Nut (ignition switch retaining)	11A578
Nut (instrument panel vent control attaching)	11662
P	
Pin (ignition switch actuating rod)	11A601
Plate & bushing assy. (starter motor front end)	11049
Plunger assy. (starter motor solenoid)	11393
Point kit (starter motor contact)	11134
Post (starter motor contact)	11176
R	
Retainer (headlamp switch)	11A669
Retainer (starter motor drive ring)	11223
Ring (starter motor drive stop)	11222
Rivet (starter motor pin lever)	11139
Rod (ignition switch actuating)	11A599

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S	
Screw (starter motor pole piece)	11415, 10044
Screw (starter motor spring to shaft & pinion)	11382
Seal (alternator rear housing bearing)	11K013
Seal (headlamp switch)	11A670
Shaft (headlamp switch knob)	11663
Shield (ignition switch terminal)	11A592
Shield (starter motor relay)	11006
Sleeve (starter motor coil retaining)	11105
Solenoid assy. (starter motor)	11390
Spacer (ignition amplifier mounting)	11A587
Spacer (ignition switch bezel)	11A574
Spring (ignition switch retaining)	11581
Spring (starter motor brush)	11059
Spring (starter motor drive)	11375
Spring (starter motor drive roller bias)	11A000
Spring (starter motor plunger return)	11103
Starter (motor)	11001-2
Starter assy.	11002
S- cont'd.	
Switch (headlamp on instrument panel)	11654
Switch (starter motor relay solenoid)	11450
Switch assy. (ignition)	11572
Switch assy. (ignition key warning)	11A127
Switch assy. (windshield washer push button)	11500
T	
Terminal (starter motor field)	11102
Terminal & wiring (ignition key warning switch)	11A128
Washer (starter motor armature thrust)	11036
Washer (starter motor field terminal)	11093
Washer (starter motor field terminal insulating)	11094
Washer (starter motor field terminal screw)	11095
Wire assy. (starter motor relay to solenoid)	11A004
Wiring (starter motor circuit jumper extension)	11A103

11001-2 STARTER MOTOR

HOW TO FIND STARTERS and COMPONENTS

By IDENTIFICATION:

1. Refer to Identification Chart below.
2. Check marking (on starter housing) against Identification numbers.

By MODEL APPLICATION:

1. Refer to Model Application Chart beginning on next page.
2. Refer to appropriate Year, Model and Engine.

3. Select and refer to appropriate Parts List Section and Number.
4. If basic number is not known refer to Illustration Page shown in the Ford Car Master Illustrations Catalog (Form FP-7635-B), or to the Alphabetical Index at the beginning of this section.
5. Select part number shown for affected Parts List. If more than one part number is shown refer to Description and Restrictions for clarification.
6. Quantity of parts shown in columns A, B or C etc.
7. Parts are listed numerically.

Identification Example C4OF 11001-A is listed in Parts List Section 110.2, Column 2A.

Model Application Example 1965 Falcon (8 cyl.) uses starter C2OZ 11002-A. Internal parts for this starter are listed in Parts List Section 110.2, Column 2A.

IDENTIFICATION CHART

IDENTIFICATION	MAKE	PARTS LIST SECT.&NO.	TYPE	SERVICE STARTER ASSEMBLY	REPLACED BY	ILLUS. Sec.110 PAGE
C8VF 11000-A	Ford	110.4A	12 volt positive engagement	★C8VY 11002-A	C8VY 11002-C	3
D0VF 11000-A	Ford	110.4C	12 positive engagement	D0VY 11002-A		3
D2VF 11000-AA	Ford	110.4D	12 volt positive engagement	D0VY 11002-A		3
C4DF 11001-A	Ford	110.3A	12 volt positive engagement	★C2DZ 11002-A	C3OZ 11002-C	2
C4DF 11001-B	Ford	110.3A	12 volt positive engagement	★C2DZ 11002-A	C3OZ 11002-C	2
C4OF 11001-A	Ford	110.2A	12 volt positive engagement	★C2OZ 11002-A	C2OZ 11002-B	2
C4ZF 11001-A	Ford	110.2A	12 volt positive engagement	★C2OZ 11002-A	C2OZ 11002-B	2
C5AF 11001-A	Ford	110.2B	12 volt positive engagement	C3OZ 11002-C		2
C5TF 11001-A	Ford	110.2C	12 volt positive engagement	★C5TZ 11002-A	C5TZ 11002-D	2
C6AF 11001-A	Ford	110.2G	12 volt positive engagement	★C6AZ 11002-A	C3OZ 11002-C	2
C6AF 11001-B	Ford	110.3B	12 volt positive engagement	C5TZ 11002-D		2
C6OF 11001-A	Ford	110.2E	12 volt positive engagement	C6OZ 11002-A		2
C6VF 11001-A	Ford	110.2D	12 volt positive engagement	★C6VY 11002-A	C3OZ 11002-C or C6AZ 11002-A	2
C7AF 11001-A	Ford	110.2F	12 volt positive engagement	C3OZ 11002-C		2
C7AF 11001-B	Ford	110.2A	12 volt positive engagement	★C2OZ 11002-B	D4OZ 11002-A	2
C7AF 11001-C	Ford	110.2F	12 volt positive engagement	C3OZ 11002-C		2
C7AF 11001-D	Ford	110.3D	12 volt positive engagement	★C5TZ 11002-A	C5TZ 11002-D	2
C7AF 11001-E	Ford	110.2G	12 volt positive engagement	★C6AZ 11002-A	C3OZ 11002-C	2
C7AF 11001-F	Ford	110.2C	12 volt positive engagement	C5TZ 11002-D		2
C7DF 11001-A	Ford	110.3C	12 volt positive engagement	★C2DZ 11002-A	C3OZ 11002-C	2
C7OF 11001-A	Ford	110.2B	12 volt positive engagement	C3OZ 11002-C		2
C7ZF 11001-A	Ford	110.2E	12 volt positive engagement	C6OZ 11002-A		2
C8AF 11001-A	Ford	110.2H	12 volt positive engagement	★C8AZ 11002-A	C4TZ 11002-B	2
C8VF 11001-A	Ford	110.4B	12 volt positive engagement	★C8VY 11002-B	C8VY 11002-C	3
C9AF 11001-A	Ford	110.4B	12 volt positive engagement	C8VY 11002-C		3
C9AF 11001-B	Ford	110.2F	12 volt positive engagement	C3OZ 11002-C		2
C9ZF 11001-A	Ford	110.2A	12 volt positive engagement	★C2OZ 11002-A	C2OZ 11002-B	2
D0AF 11001-A	Ford	110.2L	12 volt positive engagement	C3OZ 11002-C		2
D0AF 11001-B	Ford	110.2M	12 volt positive engagement	★C2OZ 11002-B	D4OZ 11001-A	2
D0AF 11001-C	Ford	110.2K	12 volt positive engagement	C5TZ 11002-D		2
D0AF 11001-E	Ford	110.2J	12 volt positive engagement	C3OZ 11002-C		2
D0DF 11001-A	Ford	110.3E	12 volt positive engagement	C3OZ 11002-C		2
D0OF 11001-A	Ford	110.2L	12 volt positive engagement	C3OZ 11002-C		2
D0TF 11001-A	Ford	110.2L	12 volt positive engagement	C4TZ 11002-B		2
D0ZF 11001-A	Ford	110.2M	12 volt positive engagement	★C2OZ 11002-B	D4OZ 11002-A	2
D0ZF 11001-B	Ford	110.2N	12 volt positive engagement	C6OZ 11002-A		2
D1AF 11001-AA	Ford	110.2R	12 volt positive engagement	D1AZ 11002-A		2
D12F 11001-AA	Ford	110.3F	12 volt positive engagement	D1FZ 11002-A		2
D12F 11001-AB	Ford	110.3G	12 volt positive engagement	D2FZ 11002-A		2
D2AF 11001-AA	Ford	110.2S	12 volt positive engagement	D1AZ 11002-A		2
D2AF 11001-CA	Ford	110.2U	12 volt positive engagement	★C2OZ 11002-B	D4OZ 11002-A	2
D2AF 11001-DA	Ford	110.2P	12 volt positive engagement	C5TZ 11002-D		2
D2AF 11001-EA	Ford	110.4D	12 volt positive engagement	C8VY 11002-C		2
D2OF 11001-AA	Ford	110.2Q	12 volt positive engagement	C3OZ 11002-C		2
D2TF 11001-AA	Ford	110.2S	12 volt positive engagement	C4TZ 11002-B		2
D2ZF 11001-AA	Ford	110.2U	12 volt positive engagement	★C2OZ 11002-B	D4OZ 11002-A	2
D2ZF 11001-BA	Ford	110.2T	12 volt positive engagement	C6OZ 11002-A		2
D22F 11001-AA	Ford	110.3G	12 volt positive engagement	D2FZ 11002-A		2
D22F 11001-AB	Ford	110.3H	12 volt positive engagement	D2FZ 11002-A		2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

11001-2 STARTER APPLICATION CHART

Determine year, model, engine and/or identification. Find service Starter as well as Armature, Brushes, Drive and Bearings in adjacent columns.

(Also see Page 1 of this section for PARTS LIST instructions and STARTER IDENTIFICATION CHART)

MODEL	ENGINE CYL.	ENGINE C.I.D.	IDENT.	PARTS LIST SECT. & NO.	SERVICE STARTER ASSEMBLY	STARTER COMPONENTS: ARMATURE	BRUSH SET	DRIVE	BEARING FRT.	BEARING REAR	ILLUS. SECT. 110 PAGE
1965											
A B(S/T)	6&8	240,289	C5TF 11001-A, C7AF 11001-F	110. 2C	C5TZ 11002-D (SA-661)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
A, B(A/T), F, X	6&8	240,260, 289	C4OF 11001-A, C4ZF 11001-A, C7AF 11001-B	110. 2A	C2OZ 11002-B (SA-660) r/b D4OZ 11002-A	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
A, B, F, S, X	6&8	200,352, 390,427	C5AF 11001-A	110. 2B	C3OZ 11002-C (SA-628)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
F, X	6	170	C4DF 11001-A,B	110. 3A	C2DZ 11002-A (SA-528) r/b C3OZ 11002-C	C4DZ 11005-A	C2DZ 11057-A	C4DZ 11350-B	c	e	2
1966											
A,B,F,U,X(S/T)	6&8	240,289	C5TF 11001-A, C7AF 11001-F	110. 2C	C5TZ 11002-D (SA-661)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
A, B, U(S/T)	8	289	C6AF 11001-B	110. 3B	C5TZ 11002-D (SA-661)	C4DZ 11005-A	C2DZ 11057-A	C4DZ 11350-B	c	e	2
A,B(A/T) F, X	6&8 8	240,289 289	C4OF 11001-A, C4ZF 11001-A, C7AF 11001-B	110. 2A	C2OZ 11002-B (SA-660) r/b D4OZ 11002-A	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
A, B, S	6&8	200,352, 390,427	C5AF 11001-A	110. 2B	C3OZ 11002-C (SA-628)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
F, X(A/T or 4 speed)	6	200									
A, B, S	6&8	200,352, 390,427	C7AF 11001-A	110. 2F	C3OZ 11002-C (SA-628)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
A, B, S	6&8	200,352, 390,427	C6VF 11001-A	110. 2D	C6VY 11002-A r/b C3OZ 11002-C	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	g	2
A	8	428									
F, X(A/T or 4 speed)	6	200									
S	8	428	C6VF 11001-A	110. 2D	C6VY 11002-A r/b C6AZ 11002-A	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	g	2
A, S	8	428	C6AF 11001-A	110. 2G	C6AZ 11002-A (SA-648)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	g	2
B, F, X(S/T)	6	200	C6OF 11001-A	110. 2E	C6OZ 11002-A (SA-633)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
U	6	170									
U, X	6	All	C4DF 11001-B	110. 3A	C2DZ 11002-A (SA-528) r/b C3OZ 11002-C	C4DZ 11005-A	C2DZ 11057-A	C4DZ 11350-B	c	e	2
1967											
X	6	170	C4DF 11001-B	110-3A	C2DZ 11002-A (SA-528) r/b C3OZ 11002-C	C4DZ 11005-A	C2DZ 11057-A	C4DZ 11350-B	c	e	2
X	6	170	C7DF 11001-A	110. 3C	C2DZ 11002-A (SA-528) r/b C3OZ 11002-C	C4DZ 11005-A	C2DZ 11057-A	C4DZ 11350-B	c	e	2
X(S/T)	6	170	C7ZF 11001-A	110. 2E	C6OZ 11002-A (SA-633)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
B, F, X(S/T)	6	200	C6OF 11001-A, C7ZF 11001-A	110. 2E	C6OZ 11002-A (SA-633)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
U	6	170	C7ZF 11001-A								
B, F, X(A/T)	6	200	C5AF 11001-A, C7OF 11001-A	110. 2B	C3OZ 11002-C (SA-628)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2

c - Use C2DF 11052-A d - Use C0DZ 11135-A e - Use C2DF 11135-A g - Use C6VY 11135-A h - Use C4TZ 11052-A

11001-2 STARTER APPLICATION CHART - continued

(Also see Page 1 of this section for PARTS LIST instructions and STARTER IDENTIFICATION CHART)

MODEL	ENGINE CYL.	ENGINE C.I.D.	IDENT.	PARTS LIST SECT. & NO.	SERVICE STARTER ASSEMBLY	STARTER COMPONENTS ARMATURE	BRUSH SET	DRIVE	BEARING FRT.	BEARING REAR	ILLUS. SECT. 110 PAGE
1967 - continued											
A(S/T)	6	240	C5TF 11001-A, C7AF 11001-F	110. 2C	C5TZ 11002-D (SA-661)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
A	6	240	C4OF 11001-A	110. 2A	C2OZ 11002-B (SA-660) r/b D4OZ 11002-A	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
A, B, X(A/T)	8	289	C7AF 11001-B								
F	8	289									
X(S/T)	8	289									
A	6	240	C7AF 11001-F	110. 2C	C5TZ 11002-D (SA-661)	D0AZ 11005-A	C0DZ 11057-B	C6VY11350-A	h	d	2
A, B, U(3 or 4 speed S/T)	8	289									
A, B, U(3 or 4 speed S/T)	8	289	C6AF 11001-B, C7AF 11001-D	110. 3B 110. 3D	★C5TZ 11002-A (SA-629) R/B C5TZ 11002-D	C4DZ 11005-A	C2DZ 11057-A	C4DZ 11350-B	c	e	2
A, S	8	390,427, 428	C5AF 11001-A, C7OF 11001-A	110. 2B	C3OZ 11002-C (SA-628)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
A, B, F, S	8	390	C7AF 11001-A,C	110. 2F	C3OZ 11002-C (SA-628)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
A, B, S	8	427									
A, S	8	428	C6AF 11001-A, C7AF 11001-E	110. 2G	C6AZ 11002-A (SA-648)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	g	2
1968											
X	6	170	C7DF 11001-A	110. 3C	★C2DZ 11002-A (SA-528) R/B C3OZ 11002-C	C4DZ 11005-A	C2DZ 11057-A	C4DZ 11350-B	c	e	2
U	6	170	C7ZF 11001-A,B	110. 2E	C6OZ 11002-A (SA-633)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
X(S/T)	6	170									
B, F, X(S/T)	6	200									
A(S/T w/T/E)	6	240	C7AF 11001-F	110. 2C	C5TZ 11002-D (SA-661)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
A(A/T w/Imco)	6	240	C7AF 11001-B	110. 2A	C2OZ 11002-B (SA-660) r/b D4OZ 11002-A	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
B, X(A/T w/Imco)	8	289									
F(w/T/E)	8	289									
A, B, F, X(A/T w/Imco)	8	302									
B, F, X, U S/T	8	289	C7AF 11001-D	110. 3D	★C5TZ 11002-A (SA-629) R/B C5TZ 11002-D	C4DZ 11005-A	C2DZ 11057-A	C4DZ 11350-B	c	e	2
A, B, F, X(S/T w/T/E)	8	302	C7AF 11001-F	110. 2C	C5TZ 11002-D (SA-661)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
A, B, F	8	390	C7AF 11001-C	110. 2F	C3OZ 11002-C (SA-628)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
A, B, F(S/T)	8	427									
B, F, X(A/T)	6	200	C7OF 11001-A	110. 2B							
F	8	390	C7OF 11001-A	110. 2B							
A	8	428	C7AF 11001-E	110. 2G	C6AZ 11002-A (SA-648)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	g	2
A, B, F, S	8	390									
A(A/T)	8	427									
B, F	8	427,428	C8AF 11001-A	110. 2H	★C8AZ 11002-A (SA-659) R/B C4TZ 11002-B	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	g	2
S	8	429	C8VF 11000-A	110. 4A	★C8VY 11002-A (SA-652) R/B C8VY 11002-C	D0AZ 11005-A	C0DZ 11057-B	C8VY 11350-A	h	g	3
S	8	429	C9AF 11001-A	110. 4B	C8VY 11002-C (SA-658)	D0AZ 11005-A	C0DZ 11057-B	C8VY 11350-A	h	g	3

c - Use C2DF 11052-A d - Use C0DZ 11135-A e - Use C2DF 11135-A g - Use C6VY 11135-A

h - Use C4TZ 11052-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

11001-2 STARTER APPLICATION CHART - continued

(Also see Page 1 of this section for Parts List instructions and STARTER IDENTIFICATION CHART)

MODEL	ENGINE CYL.	ENGINE C.I.D.	IDENT.	PARTS LIST SECT. & NO.	SERVICE STARTER ASSEMBLY	STARTER COMPONENTS ARMATURE	BRUSH SET	DRIVE	BEARING FRT.	BEARING REAR	ILLUS. SECT. 110 PAGE
1969											
X	6	170	C7DF 11001-A	110. 3C	★C2DZ 11002-A (SA-528) R/B C3OZ 11002-C	C4DZ 11005-A	C2DZ 11057-A	C4DZ 11350-B	c	e	2
U, X	6	170	C7ZF 11001-A	110. 2E	C6OZ 11002-A (SA-633)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
F, X	6	200									
F, X	6	200	C7OF 11001-A	110. 2B	C3OZ 11002-C (SA-628)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
A	6	240	C7AF 11001-B,	110. 2A	C2OZ 11002-B (SA-660) r/b D4OZ 11002-A	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
B, F	6	250	C9ZF 11001-A								
A,B,F,X,U(A/T)	8	302,351									
A	6	240	C7AF 11001-F	110. 2C	C5TZ 11002-D (SA-661)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
A,B,F(S/T)	8	302,351									
A, B, F, S	8	390	C7AF 11001-C, C7OF 11001-A, C9AF 11001-B	110. 2F 110. 2B 110. 2F	C3OZ 11002-C (SA-628)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
B, F	8	428	C8AF 11001-A	110. 2H	★C8AZ 11002-A (SA-659) R/B C4TZ 11002-B	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	g	2
	8	428 CJ	C8AF 11001-A								
A(P/C)	8	428	C7AF 11001-E	110. 2G	C6AZ 11002-A (SA-648)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	g	2
A, S	8	429	C9AF 11001-A	110. 4B	C8VY 11002-C (SA-658)	D0AZ 11005-A	C0DZ 11057-B	C8VY 11350-A	h	g	3
F-Boss	8	429 Spec									
1970											
P	6	170	D0DF 11001-A	110. 3E	C3OZ 11002-C (SA-628)	D0DZ 11005-A	C2DZ 11057-A	C4DZ 11350-B	h	b	2
P, U	6	170	C7ZF 11001-A	110. 2E	C6OZ 11002-A (SA-633)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
F	6	200	C7ZF 11001-A								
P-with S/T	6	200									
X	6	170	C7DF 11001-A	110. 3C	★C2DZ 11002-A (SA-528) R/B C3OZ 11002-C	C4DZ 11005-A	C2DZ 11057-A	C4DZ 11350-B	c	e	2
F	6	200	C7DF 11001-A								
F	6	200	C7OF 11001-A	110. 2B	C3OZ 11002-C (SA-628)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
F	6	200	C7AF 11001-B	110. 2A	C2OZ 11002-B (SA-660) r/b D4OZ 11002-A	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
F, P, X- with A/T	6	200	D0OF 11001-A	110. 2L	C3OZ 11002-C (SA-628)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
F, P, X	6	200	D0ZF 11001-B	110. 2N	C6OZ 11002-A (SA-633)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
P(A/T)	6	200	C7DF 11001-A	110. 3C	C2DZ 11002-A (SA-528) r/b C3OZ 11002-C	C4DZ 11005-A	C2DZ 11057-A	C4DZ 11350-B	c	e	2
P(A/T)	6	200	C7OF 11001-A	110. 2B	C3OZ 11002-C (SA-628)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
F	6	250	D0ZF 11001-A	110. 2M	C2OZ 11002-B (SA-660) r/b D4OZ 11002-A	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
A(A/T)	6	240	C7AF 11001-B	110. 2A	C2OZ 11002-B (SA-660) r/b D4OZ 11002-A	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
F	6	250	C9ZF 11001-A,								
A, B, F(A/T)	8	302, 351	C7AF 11001-B								
U	8	302	C7AF 11001-F	110. 2C	C5TZ 11002-D (SA-661)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
A(S/T)	6	240	C7AF 11001-F								
A, B, F(S/T)	8	302, 351	C7AF 11001-F								

b - Use D0AZ 11135-B c - Use C2DF 11052-A d - Use C0DZ 11135-A

e - Use C2DF 11135-A g - Use C6VY 11135-A h - Use C4TZ 11052-A

11001-2 STARTER APPLICATION CHART - continued

(Also see Page 1 of this section for PARTS LIST instructions and STARTER IDENTIFICATION CHART)

MODEL	ENGINE CYL.	ENGINE C.I.D.	IDENT.	PARTS LIST SECT. & NO.	SERVICE STARTER ASSEMBLY	STARTER COMPONENTS ARMATURE	BRUSH SET	DRIVE	BEARING FRT.	BEARING REAR	ILLUS. SECT. 110 PAGE
1970 - continued											
A(A/T)	6	240	D0AF 11001-B	110.2M	C2OZ 11002-B (SA-660) r/b D4OZ 11002-A	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
B,P	6	250	D0AF 11001-B								
A,B F,X-with A/T	8	302, 351	D0AF 11001-B								
A(S/T)	6	240	D0AF 11001-C	110.2K	C5TZ 11002-D (SA-661)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
A,B,F,X-with S/T	8	302, 351	D0AF 11001-C								
A	8	390, 428	D0OF 11001-A	110.2L	C3OZ 11002-C (SA-628)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
A	8	390, 428	D0AF 11001-A D0AF 11001-E	110.2L 110.2J	C3OZ 11002-C (SA-628)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
A	8	390	C9AF 11001-B	110.2F	C3OZ 11002-C (SA-628)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	d	2
A(P/C)	8	428									
F(CJ)	8	428	C8AF 11001-A	110.2H	C8AZ 11002-A (SA-659) r/b C4TZ 11002-B	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	g	2
F(CJ)	8	428	D0TF 11001-A	110.2L	C4TZ 11002-B (SA-625)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	c	b	
A	8	429	C9AF 11001-A	110.4B	C8VY 11002-C (SA-658)	D0AZ 11005-A	C0DZ 11057-B	C8VY 11350-A	h	g	3
B(Spec)	8	429									
S	8	429	D0VF 11000-A	110.4C	D0VY 11002-A (SA-663) r/b D4VY 11002-A	D0AZ 11005-A	C0DZ 11057-B	C8VY 11350-A	h	g	3
1971											
L	4	All	D12F 11001-AA D12F 11001-AB	110.3F	D1FZ 11002-A (SA-665)	D0DZ 11005-A	D1FZ 11057-A	C4DZ 11350-B	h	b	2
L	4	All	D22F 11001-AA	110.3G	D2FZ 11002-A (SA-665-A)	D2FZ 11005-A	D1FZ 11057-A	C4DZ 11350-B	h	b	2
P(A/T)	6	200	D0OF 11001-A	110.2L	C3OZ 11002-C (SA-628)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
P,U	6	170	D0ZF 11001-B	110.2N	C6OZ 11002-A (SA-633)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
P(S/T)	6	200									
A(A/T)	6	240	D0AF 11001-B	110.2M	C2OZ 11002-B (SA-660) r/b D4OZ 11002-A	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
B,P	6	250	D0AF 11001-B								
A,B,F(A/T)	8	302, 351	D0AF 11001-B								
A(S/T)	6	240		110.2K	C5TZ 11002-D (SA-661)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
A,B,F(S/T)	8	302, 351	D0AF 11001-C								
F	6	250	D0ZF 11001-A	110.2M	C2OZ 11002-B (SA-660) r/b D4OZ 11002-A	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
P	8	302									
U	8	302	C7AF 11001-F	110.2C	C5TZ 11002-D (SA-661)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
A	8	390	D0AF 11001-A	110.2L	C3OZ 11002-C (SA-628)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
A	8	400	D1AF 11001-AA	110.2R	D1AZ 11002-A (SA-671)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
A,B,F	8	429	C9AF 11001-A	110.4B	C8VY 11002-C (SA-658)	D0AZ 11005-A	C0DZ 11057-B	C8VY 11350-A	h	g	3
S	8	429	D0VF 11000-A	110.4C	D0VY 11002-A (SA-663) r/b D4VY 11002-A	D0AZ 11005-A	C0DZ 11057-B	C8VY 11350-A	h	g	3

b - Use D0AZ 11135-B c - Use C2DF 11052-A d - Use C0DZ 11135-A g - Use C6VY 11135-A h - Use C4TZ 11052-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

11001-2 STARTER APPLICATION CHART - continued

(Also see Page 1 of this section for PARTS LIST instructions and STARTER IDENTIFICATION CHART)

MODEL	ENGINE CYL.	ENGINE C.I.D.	IDENT.	PARTS LIST SECT. & NO.	SERVICE STARTER ASSEMBLY	STARTER COMPONENTS ARMATURE	BRUSH SET	DRIVE	BEARING FRT.	BEARING REAR	ILLUS. SECT. 110 PAGE
1972											
L	4	All	D22F 11001-AA D22F 11001-AB	110.3G 110.3H	D2FZ 11002-A (SA-665A)	D2FZ 11005-A	D1FZ 11057-A	C4DZ 11350-B	c	b	2
F P	6 8	250 302	D2ZF 11001-AA	110.2U	C2OZ 11002-B (SA-660) r/b D4OZ 11002-A	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
P, U(S/T)	6	170, 200	D2ZF 11001-BA	110.2T	C6OZ 11002-A (SA-633)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
U	8	302	D2AF 11001-DA	110.2P	C5TZ 11002-D (SA-661)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
P(A/T)	6	200	D2OF 11001-AA	110.2Q	C3OZ 11002-C (SA-628)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
B,F-w/S/T	8	302,351	D2AF 11001-DA	110.2P	C5TZ 11002-D (SA-661)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
A(A/T) B,P A,B,F(A/T)	6 6 8	240 250 302, 351	D2AF 11001-CA	110.2U	C2OZ 11002-B (SA-660) r/b D4OZ 11002-A	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
A, B, S	8	400	D2AF 11001-AA	110.2S	D1AZ 11002-A (SA-671)	D0AZ 11005-A	C0DZ 11057-B	C6VY 11350-A	h	b	2
A, B, F	8	429	D2AF 11001-EA	110.4D	C8VY 11002-C (SA-658)	D0AZ 11005-A	C0DZ 11057-B	C8VY 11350-A	h	g	3
S	8	429	D0VF 11000-A	110.4C	D0VY 11002-A (SA-663) r/b D4VY 11002-A	D0AZ 11005-A	C0DZ 11057-B	C8VY 11350-A	h	g	3
S	8	429, 460	D2VF 11000-AA	110.4D	D0VY 11002-A (SA-663) r/b D4VY 11002-A	D0AZ 11005-A	C0DZ 11057-B	C8VY 11350-A	h	g	3

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	11A000 Refer to Starter Parts List - Section 110, page 1					
	11001-2 STARTER MOTOR - ATTACHING PARTS					
65/70	A,S	6&8	Exc. 240,260, 289	Bolt-hex.head-5/16"-18 x 1 1/8"	3	352464-S8(BB139)
65/70	B, F, P, X	6	All		3	
71/	P	6	All		3	
				Lockwasher-spring-5/16"	3	34806-S7(X64)
65/70	A, B, F, X	8	240 260,289	Bolt-hex. head-3/8"-16 x 1 1/8"	2	354135-S7-8 (BB155A)
				Lockwasher-spring-3/8"	2	34807-S8(X66)
71/	A	6	240	Bolt -3/8"-16 x 1 1/4"	2	378487-S(BB545F)
		8	302,351 400			
71	A(A/T)	8	429		2	
71	A(S/T)	8	429			
71/	B, F	6&8	250,302 351		2	
71/	P	6&8	All		2	
71/	A(S/T)	8	429	Bolt-3/8"-16 x 2 3/8"	1	378488-S(BB545M)
71/	B	8	429		1	
71/	A, B, F, L, S	4	All	Bolt-3/8"-16 x 1 9/16"	3	380209-S(BB545H)
	11003 Refer to Starter Parts List - Section 110, page 1					

b - Use D0AZ 11135-B c - Use C2DF 11052-A d - Use C0DZ 11135-A g - Use C6VY 11135-A h - Use C4TZ 11052-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	11A004 WIRE ASSY. - STARTER MOTOR RELAY TO SOLENOID					
70	A(taxi, P/C)	6&8	All	#D0AB 11A004-A	1	D0AZ 11A004-A
71	A(taxi, P/C)	6&8	All	#D1AB 11A004-AB	1	D1AZ 11A004-A
72	A(taxi, P/C) "Before 1/3/72"	6&8	Exc. 429P/C	#D2AB 11A004-AA, AB	1	D2AZ 11A004-C
72	A(Taxi, P/C) "From 1/3/72"	6&8	Exc. 429 P/C	#D2AB 11A004-AC	1	D2AZ 11A004-E
72	A(P/C)	8	429P/C	#D2AB 11A004-BF, DA	1	D2AZ 11A004-F
	11005 Refer to Starter Parts List - Section 110, page 1					
	11006 SHIELD - STARTER MOTOR RELAY					
68/	A, B, F, S	8	429, 460		1	D0VY 11006-A
	11K013-102 Refer to Starter Parts List - Section 110, page 1					
	11103 Refer to Starter Parts List-Section 110, page 1					
	11A103 WIRING - STARTER MOTOR CIRCUIT JUMPER EXTENSION					
65/66	A (C4) "Before 12/13/65"	6&8	All	Ident. C5AB 11A103-A -Not Replaced	1	★C5AZ 11A103-A
65/67	A "From 12/13/65"	6&8	All	Refer to Group 12638		
68	A(63C, 76B)	8	All	Ident. C8AF 11A103-A-not replaced	1	★C8AZ 11A103-A
69/70	A(63C, 65C, 76B)	8	All	Ident. C9AB 11A103-B	1	C9AZ 11A103-A
71	A(65F, H, 76H)-bucket seats			#D1AB 11A103-AB	1	D1AZ 11A103-A
72	B(4 speed floor shift) "Before 10/1/71"			#D2OB 11A103-AC	1	D2OZ 11A103-A
72	B(4 speed floor shift)- "From 10/1/71"			#D2OB 11A103-AD	1	D2OZ 11A103-B
71	P(S/T)			#D1DB 11A103-AA	1	D1DZ 11A103-A
71	P(A/T)-column shift			#D1DB 11A103-BA, BB, BC	1	D1DZ 11A103-C
72	P(S/T floor shift) "Before 10/1/71"			#D2DB 11A103-BA	1	D2DZ 11A103-B
72	P(S/T floor shift) "From 10/1/71"			#D2DB 11A103-BB	1	D2DZ 11A103-D
72	P(A/T floor shift) "Before 10/1/71"			#D2DB 11A103-AB	1	D2DZ 11A103-A
72	P(A/T floor shift) "From 10/1/71"			#D2DB 11A103-AC	1	D2DZ 11A103-C
71	A(65F, H, 76H)	8	All	Screw No. 10-16 x 3/8" attach wiring to cowl panel	1	42120-S(U248)
				Clip	1	353547-S(GG173)
	11104-26 Refer to Starter Parts List-Section 110, page 1					
	11A126 CONTROL ASSY. - STARTER MOTOR RELAY					
68	B, F	8	428CJ	Ident. C8AF 11A126-A-not replaced (11/72)	1	★C8AZ 11A126-A
	11A127 SWITCH ASSY. - IGNITION KEY - WARNING					
70/71	A, B, F, L, P, S				1	D0AZ 11A127-B
72	A, B, F, L, P, S				1	D2AZ 11A127-B
	11A128 TERMINAL AND WIRING - IGNITION KEY - WARNING SWITCH					
70	A, B, F (fixed column)			#D0ZA 11A128-A	1	D0ZZ 11A128-A
70	A, F (tilt column)			#D0ZA 11A128-B, #D1AA 11A128-AB	1	D1AZ 11A128-C
71/	A, F (tilt column)				1	
71/	A (fixed column)			#D1AA 11A128-BB	1	D1AZ 11A128-D
71/	P			#D1DA 11A128-AA	1	
71	S(fixed column)			#D1AA 11A128-BA	1	
71/	F, L(fixed column)				1	
72	B			#D2OA 11A128-AB	1	D2OZ 11A128-A
72	S(fixed column)				1	
70	P(with locking column) - "Before 1/12/70"			#D0OA 11A128-A	1	D0OZ 11A128-A
70	P(with locking column) - "From 1/12/70"			#D0DA 11A128-B	1	D0DZ 11A128-A
70	S(fixed column)			#D0AA 11A128-D	1	D0AZ 11A128-D
70/71	S(tilt column)			#D0AA 11A128-E, D1AA 11A128-AB.	1	D1AZ 11A128-C
72	S(tilt column)			#D2SA 11A128-AB	1	D2SZ 11A128-A
71/	A, F, P			Screw No. 8-15 x 5/8"(attach wiring to steering column flange)	AR	52554-S(U230)
	11130 - 11375 - Refer to Starter Parts List - Section 110 page 1					

Identification Marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	11382 SCREW - STARTER MOTOR SPRING TO SHAFT and PINION					
65	A (with F/M/2)	6&8	All	3/8"-24 x 11/16"-trans. converter tabs to fly wheel	3	B 11382
	11390 - 11431 - Refer to Starter Parts List - Section 110 page 1					
	11450 SWITCH - STARTER MOTOR RELAY - SOLENOID					
65/	A, F, U	6&8	All	Ident. 2701966, 2702610, FDR 11450-A,	1	B6AZ 11450-A
70/	P	6	All	C4AF 11450-A,B, C6AF 11450-A, C7AF 11450-A,	1	(SW-3)
65/69	S	6&8	All	C9AF 11450-A	1	
71/	L	4	All		1	
65/70	X	6&8	All			
65/71	B	6&8	All		1	
				Bolt-pan head, slotted-1/4"-28 x 5/8"	1	38229-S7-8(U145)
				Nut-hex. -5/16"-24	2	33923-S7(M32)
				Washer-flat-5/16"	2	44722-S8(X19)
				Lockwasher-external tooth-5/16"	2	★34941-S7
				Lockwasher-spring-5/16"	2	34806-S7(X64)
				Screw-hex. head-No. 14-10 x 1/2"	2	★31519-S8
				Nut-hex. -No. 10-32	2	34079-S7(M163)
				Washer-flat-No. 10	2	351256-S7(XX54)
				Lockwasher-spring-No. 10	2	34803-S7(X60)
				Nut-hex. -5/16"-18	2	381561-S (MM295AD)
72	B	6&8	All	#D2SF 11450-AB	1	D2OZ 11450-A
72	S	8	400		1	(SW-1080)
	11500 SWITCH ASSY. - WINDSHIELD WASHER PUSH BUTTON					
66/69	U	6&8	170,289		1	2C 11500-A (SW-287)
	11572 SWITCH ASSY. - IGNITION					
65/67	A	6&8	All		1	C5AZ 11572-B
66/67	B	6&8	All		1	(SW-417)
66/67	X	6&8	All		1	
65/67	S	8	All		1	
67	F	6&8	All		1	
68/69	A	6&8	All	Kit consists of: (1) C8AZ 11572-A and	1	D1AZ 11572-C
68/69	B, F, S	6&8	All	(1) C9AZ 14313-A		(SW-1054)
70	P (non-locking column)	6	All			
68/70	X	6&8	All			
70	A, B, S	6&8	All		1	D0AZ 11572-B
70	P (locking column) "From 10/1/69"	6	All			(SW-926)
70	P (locking column) "Before 10/1/69"	6	All		1	D0AZ 11572-A
70	F	6&8	All		1	(SW-882)
71/	A	6&8	All		1	D1AZ 11572-B (SW-1038)
65	B, F, X	6&8	All		1	C3AZ 11572-A
66	F, U	6&8	All		1	(SW-353)
71	B, S	6&8	All	Repl. by D4DZ 11572-A (6-74)	1	★D1AZ 11572-A
71/	F, P	6&8	All		1	(SW-992)
72	B, S	6&8	All	#D2OB 11572-AB	1	D2OZ 11572-A (SW-1079)
71	L "Before 12/3/70"	4	All		1	D1FZ 11572-A (SW-979)
71/	L "From 12/3/70"	4	All		1	D1FZ 11572-B (SW-979-A)
67/	U	6&8	All		1	C7UZ 11572-A (SW-583)
65/69	A, B, F, S, X	6&8	All	Nut-hex. -No. 10-32	3	34079-S7(M163)
				Lockwasher-spring-No. 10	3	34803-S7(X60)
71/	A, F, L, P, S			Nut 1/4"-20(attach ignition switch to steering column)	2	383256-S (MM296AE)
72	L			Screw No. 8-18 x 3/8"(attach switch to steering column)	1	42119-S(U246)
72	P			Nut 1/4"-20(attach ignition switch to steering column)	3	33795-S(M49)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	11A574 SPACER - IGNITION SWITCH BEZEL					
69	F	6&8	All		1	C9ZZ 11A574-A
	11A578 NUT - IGNITION SWITCH RETAINING					
67	A				1	C7AZ 11A578-A
	11580 BEZEL - IGNITION SWITCH					
65/66	S	8	390,428		1	C5SZ 11580-B
	11581 SPRING - IGNITION SWITCH RETAINING					
65	B, F, X	6&8	All	Use with C3AZ 11572-A switch	1	1A 11581-B
66	F, U	6&8	All		1	
	11582 CYLINDER and KEY ASSY. - IGNITION SWITCH LOCK					
65/66	A	6&8	All		1☆	C9AZ 11582-A
66	B, X	6&8	All		1☆	(SW-814)
67/69	A, B, F, S				1	
67/70	X	6&8	All		1	
70	P (non-locking column)	6	All		1	
65/66	S	8	All		1	
70/	A, B, F, L, S	6&8	All		1	D2AZ 11582-B
70/	P (locking column)	6&8	All		1	(SW1114)
65	A	6&8	All		1♦	CC5AB 11582-A
66	A, B, X				1♦	CC5AB 11582-B
65	B, X	6&8	All		1☆	C5OZ 11582-A
65/66	F	6&8	All		1	(SW-422)
65	B, X	6&8	All		1♦	CC5OB 11582-A
66/	U	6&8	All	Includes instruction sheet No. 1287	1	C3AZ 11582-A (SW-351)
	11584 BEZEL - IGNITION SWITCH					
65	A	6&8	All		1	C5AZ 11584-A
66	A	6&8	All		1	C6AZ 11584-A
68	A	6&8	All		1	
69	A	6&8	All		1	C9AZ 11584-A
70	P (non-locking column)	6	All		1	
65	B, F, X	6&8	All		1	C3AZ 11584-A
66	F	6&8	All		1	
66/67	B, X	6&8	All		1	C6OZ 11584-A
67/68	F	6&8	All		1	
68/69	B	6&8	All		1	C8OZ 11584-A
68/70	X	6&8	All		1	
69	F	6&8	All		1	C9ZZ 11584-A
65/66	S	8	390,428	Refer to Group 11580		
67	S	8	390,428		1	C7SZ 11584-A
68/69	S	6&8	All		1	C8SZ 11584-A
66/	U	6&8	All		1	C3TZ 11584-A
68	A	6&8	All	Seal	1	★379381-S
	11A592 SHIELD - IGNITION SWITCH TERMINAL					
67	A	6&8	All		1	★C7AZ 11A592-A
66	S	8	390,428		1	★C6SZ 11A592-A
67	S	8	390,428		1	★C7SZ 11A592-A

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	11A599 ROD - IGNITION SWITCH ACTUATING					
70/	A(fixed column)	6&8	All		1	D0AZ 11A599-A
71/	F (fixed column)	6&8	All		1	
70	A (tilt column) "Before 6/1/70"	6&8	All		1	D0AZ 11A599-B
70/71	S(fixed column)	8	All		1	
70/71	B	6&8	All		1	D0OZ 11A599-A
72	B	6&8	All		1	D2OZ 11A599-A
72	S(fixed column)	8	All		1	
72	S(tilt column)	8	All		1	D2SZ 11A599-A
70	F	6&8	All		1	D0ZZ 11A599-A
71	L	4	All		1	D1FZ 11A599-A
70/	P	6	All		1	D0DZ 11A599-A
70/71	S (tilt column)	8	All		1	D0SZ 11A599-A
70/	A (tilt column) "From 6/1/70"	6&8	All		1	
71/	F (tilt column)	6&8	All	Floor shift	1	
	11A601 PIN - IGNITION SWITCH ACTUATING ROD					
70/	P (locking column)	6	All		1	D0AZ 11A601-A
70/	A, B, F(fixed column)	6&8	All		1	
71/	L	4	All		1	
70/	S(fixed column	8	All		1	
	11A604 COVER - IGNITION SWITCH					
70/71	S	8	All	Plastic	1	D0SZ 11A604-A
	11A647-8 BLOCK - HEADLAMP SWITCH JUNCTION - Also Refer to Group 14448					
65	F	6&8	All		1	C4VY 11A647-A
65/	A, S	6&8	All		1	C5AZ 11A647-A
	11650 NUT - HEADLAMP SWITCH					
65/66	A	6&8	All	Not replaced	1	★C5AZ 11650-A
68	A	6&8	All		1	
69/70	A	6&8	All		1	C9AZ 11650-A
71/	A	6&8	All		1	D1AZ 11650-A
68	A			Seal	1	★379381-S
68/71	B	6&8	All		1	C8OZ 11650-A
68/70	X	6&8	All		1	
65/66	F, X	6&8	All		1	C5ZZ 11650-A
67/68	F	6&8	All		1	C7ZZ 11650-A
69/70	F	6&8	All		1	C9ZZ 11650-A
71/	F	6&8	All		1	D1ZZ 11650-B
71/	L	4	All		1	D1FZ 11650-A
70/	P	6	All		1	D0DZ 11650-A
68	S "Before 10/4/67"	8	All		1	C2TZ 11650-A
68/71	S "From 10/4/67"	8	All		1	C8SZ 11650-B
72	S	8	All		1	D2LY 11650-A
66	U	6&8	All		1	C3TZ 11650-A
68/	U	6&8	All		1	
67	U	6&8	All		1	C6TZ 11650-A
67	X(less A/C)	6&8	All		1	C5ZZ 11650-A
67	X(w/A/C)	6&8	All	Not replaced	1	★C7DZ 11650-A
	11654 SWITCH - HEADLAMP - ON INSTRUMENT PANEL					
65/67	A(less roof lamp wiring)	6&8	All	Ident. C5AB 11654-A, B	1	C5AZ 11654-A
65/68	A (Taxi-with roof lamp wiring)	6&8	All		1	(SW-629)
68/70	A(54A, B, E, 57B, 62, 63B, 65C, 76A, 71B, C, D, H, J) -w/o hidden headlamps	6&8	All		1	
70/71	B -w/o hidden headlamps	6&8	All		1	
71/	A	6&8	All		1	
68/69	B	6&8	All		1	
71	F(63,65C)	6&8	All		1	
72	F(63D, R) "Before 1/3/72"	6&8	All		1	
72	B	6&8	All		1	
72	F "From 1/3/72"				1	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	11654 SWITCH - HEADLAMP - ON INSTRUMENT PANEL - continued					
68/70	A(54C, 57F, 63C, 65A, 71AE, 76B)-with hidden headlamps	6&8	All	Ident. C8AB 11654-C	1	C8AZ 11654-A (SW-644)
70/71	B-with hidden headlamps	6&8	All		1	
65/66	B	6&8	All	Ident. C5OB 11654-A	1	C5OZ 11654-A (SW-631)
67	B	6&8	All	Ident. C5GB 11654-A-includes retainer (C5ZZ 11A669-A)	1	C5GY 11654-C (SW-630)
65	F "Before 8/17/64"	6&8	All		1	C5ZZ 11654-A (SW-440)
65	F "From 8/17/64 to 11/16/64"	6&8	All	Ident. C5DB 11654-A-repl.by D3ZZ 11654-A	1	★C5DZ 11654-A
66	F	6&8	All	(9-74)	1	(SW-435)
71	F(65, 76)	6&8	All		1	
72	F(exc.63D, R) "Before 1/3/72"	6&8	All		1	
70/72	P "Before 1/3/72"	6&8	All		1	
72	P "From 1/3/72"	6&8	All	Repl.by C5AZ 11654-A (2-75)	1	★D2DZ 11654-A (SW-435-A)
65/68	F "From 11/16/64"	6&8	All	Ident. C5ZB 11652-A-includes bracket and C5DZ 11654-A switch	1	C5ZZ 11654-B (SW-441)
69	F	6&8	All	Ident. C9ZB 11652-C	1	C9ZZ 11654-A (SW-817)
70	F	6&8	All	Ident. D0ZB 11652-B	1	D0ZZ 11654-A (SW-928)
71	L "Before 6/15/71"	4	All		1	D1FZ 11654-B (SW-952A)
71/72	L "From 6/15/71 to 1/3/72"	4	All	R/B D2FZ 11654-B (2-73)	1	★D2FZ 11654-A (SW-1095)
72	L "From 1/3/72"	4	All		1	D2FZ 11654-B (SW-1095-A)
65/67	S	8	390 428	Ident. C5SB 11654-B, C6SB 11654-A	1	C5SZ 11654-C
70/71	S	8	429		1	(SW-438)
68/69	S	8	All		1	D0VY 11654-B (SW-871A)
72	S	8	All		1	D2SZ 11654-A (SW 1063)
66/	U	8&8	All	Ident. C5TB 11652-A or D2TB 11652-AA-includes bracket & C5TZ 11654-C switch	1	C5TZ 11654-A (SW 439)
66/	U	6&8	All	Ident. C5TB 11654-A or D2TB 11654-AA	1	C5TZ 11654-C (SW-718)
65	X	6&8	All	Ident. C5ZB 11652-A	1	C5ZZ 11654-B (SW-441)
65/70	X	6&8	All	Ident. C5DB 11654-A	1	C5DZ 11654-A (SW-435)
66/70	X	6&8	All	Ident. C6DB 11652-A-includes bracket and C5DZ 11654-A switch	1	C6DZ 11654-A (SW-544)
72	S			Nut-7/16"-28	1	351038-S(MM41)
	11654 HEADLAMP LIGHTING SWITCH KIT					
65/66	F	6&8	All	Consists of (1) D3ZB 11654-AA and	1	D3ZZ 11654-A
71/72	F	6&8	All	(1) D3TB 11671-AA	1	(SW-1245)
70/72	P	6&8	All		1	
	11661 KNOB and SHAFT ASSY. - HEADLAMP SWITCH					
65/66	A	6&8	All		1	C5AZ 11661-B
67	A	6&8	All	Bright-includes set screw-less shaft-Refer to Group 11663	1	C7AZ 11661-A
68	A	6&8	All		1	C8AZ 11661-A
69/70	A	6&8	All		1	C9AZ 11661-B
71/	A	6&8	All		1	D1AZ 11661-A
66	B(54, 62, 63B, 71B, 71D, 76B)	6&8	All		1	C6OZ 11661-A
66	B(63C, 63D, 71E, 76C, 76D)	6&8	All		1	C6OZ 11661-B
67	B(54A, 62A, 66A, 71D-less A/C)	6&8	All	Bright-shaft 2 5/8" long	1	C7OZ 11661-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	11661 KNOB and SHAFT ASSY. - HEADLAMP SWITCH - continued					
67	B(54B,62B,63,66B,66D,71B,71E,76)	6&8	All	Bright-shaft 2 7/8" long	1	C7OZ 11661-A
67	B(54A, 62A, 66A, 71D-w/A/C)	6&8	All		1	
68/69	B	6&8	All		1	C8OZ 11661-A
70/71	B	6&8	All		1	D0OZ 11661-A
72	B	6&8	All	Includes insert	1	D2OZ 11661-A
65/66	F	6&8	All		1	C5ZZ 11661-B
67	F	6&8	All	Bright-shaft 3 3/4" long	1	C7ZZ 11661-A
68	F	6&8	All		1	C8ZZ 11661-B
69/70	F	6&8	All		1	C9ZZ 11661-A
71/	F	6&8	All		1	D1ZZ 11661-B
71	L "Before 6/15/71"	4	All		1	D1FZ 11661-A
71/	L "From 6/15/71"	4	All	Includes insert	1	D2FZ 11661-A
70/71	P "Before 6/15/71"	6&8	All	Lights	1	D0DZ 11661-A
71/	P "From 6/15/71"	6&8	All	Includes insert	1	D2DZ 11661-A
65/66	S	8	390,428		1	C4SZ 11661-A
67	S	8	390,428	Bright-with black insert-shaft 4 1/4" long	1	C7SZ 11661-A
68	S "Before 12/18/68"	8	All		1	C8SZ 11661-B
68	S "From 12/18/68"	8	All	Not replaced	1	★C8SZ 11661-D
69	S "Before 11/18/68"	8	All		1	C9SZ 11661-A
69/71	S "From 11/18/68"	8	All		1	C9SZ 11661-B
72	S	8	All	Includes insert	1	D2SZ 11661-A
66	U	6&8	170,289	Black knob-shaft 3 3/16" long	1	C3TZ 11661-D
67	U	6&8	All	Black-shaft 3 1/4" long	1	C7TZ 11661-A
68/	U	6&8	All		1	C8TZ 11661-A
67	X(less A/C)	6&8	All	Bright-shaft 3 3/4" long	1	C7DZ 11661-A
67	X(w/A/C)	6&8	All	Bright-shaft 4" long	1	★C7DZ 11661-B
68/70	X	6&8	All	Chrome	1	C8DZ 11661-A
	11663 SHAFT - HEADLAMP SWITCH KNOB					
67	A	6&8	All		1	C6GY 11663-A
	11666 KNOB - LIGHT SENSOR SWITCH					
68	A, F(w/auto.headlamp dimmer)				1	C8AZ 11666-A
68/69	B, S, X				1	
				Screw socket head-No.8-32 x 1/4"	1	375504-S8(UU28A)
	11A667 LENS - INSTRUMENT PANEL HEADLAMP SWITCH					
65/66	S	8	390,428	Lights	1	C4SZ 11A667-A
	11A668 BRACKET - HEADLAMP SWITCH					
71/	A	6&8	All		1	D1AZ 11A668-A
72	S				1	D2SZ 11A668-A
	11A669 RETAINER - HEADLAMP SWITCH					
71/72	A "Before 1/17/72"	6&8	All	(1) Light switch bezel,(1) wiper switch bezel	2	D1AZ 11A669-A
72	A "From 1/17/72"	6&8	All	(1) Light switch bezel, (1) wiper switch bezel	2	D2AZ 11A669-A
68/	B (without A/C)	6&8	All		1	C8OZ 11A669-A
68/70	X (without A/C)	6&8	All		1	
68/69	B, X(with A/C)	6&8	All		1	C8OZ 11A669-B
65	F "Before 11/16/64"	6&8	All		1	★C5ZZ 11A669-A
65	X "Before 12/7/64"	6&8	All		1	
67	B	6&8	All		1	
65	F "From 11/16/64"	6&8	All	Serviced in assy.-refer to Group 11654		
65	X "From 12/7/64"	6&8	All	Serviced in assy.-refer to Group 11654		
71/	F	6&8	All		1	D1ZZ 11A669-A
70/71	P	6&8	All		1	D0DZ 11A669-A
72	P	6&8	All		1	D1DZ 11A669-A
67	S	8	390,428	Includes attaching parts	1	★C7SZ 11A669-A
	11A670 SEAL - HEADLAMP SWITCH					
65/66	S	8	390,428	Sponge rubber	1	C4SZ 11A670-A
	11A683 GASKET ASSY. - HEADLAMP SWITCH					
72	S				1	D2SZ 11A683-A

DESCRIPTION AND RESTRICTIONS	PART NUMBER	STARTER PARTS LISTS 2A THRU 2M											
		A	B	C	D	E	F	G	H	J	K	L	M
SPRING - DRIVE ROLLER BIAS	★B7TZ 11A000-B	4	4	4	4	4	4	4					
ARMATURE	D0AZ 11005-A (SM-335)	A	B	C	D	E	F	G	H	J	K	L	M
SEAL - REAR HOUSING - BEARING	D0AZ 11K013-A		B		D		F	G	H	J	K	L	M
WASHER - ARMATURE THRUST	11036												
Asbestos-5/8" I.D. x 1 1/4" O.D. x 3/32" thick	C0DZ 11036-A (SZ-628)	A	B	C	D	E	F	G	H	J	K	L	M
Steel-1/2" I.D. x 23/32" O.D. x 1/32" thick	C6VY 11036-A (SZ-640)				D			G		J	K	L	M
PLATE and BUSHING - BRUSH END	C4TZ 11049-A (SH-172)	A	B	C	D	E	F	G	H	J	K	L	M
BUSHING - BRUSH END PLATE	C4TZ 11052-A (MC-170)	A	B	C	D	E	F	G	H	J	K	L	M
BRUSH - non-insulated	18 11056	A	B	C	D	E	F	G	H	J	K	L	M
Insulated	C4TZ 11056-A								H				
	★C0DF 11056-B								H				
BRUSH SET	C0DZ 11057-B (SB-134)	A	B	C	D	E	F	G	H	J	K	L	M
Consists of 1-C5AF 11055-A Brush 1-C0DF 11056-B Brush 1-18 11056 Brush 1-25247-S7 Screw													
SPRING - BRUSH	B 11059	4	4	4	4	4	4	4	4		4	4	4
	D1AZ 11059-A (MS-502)									4			
COVER - PLUNGER	C0DZ 11060-C (SZ-589)	A	B	C	D	E	F	G	H	J	K	L	M
INSULATOR BRUSH HOLDER	C4TZ 11062-A								2				
	★C9AZ 11062-A Not Replaced (2/73)	2	2	2	2	2	2	2		2	2	2	2
GASKET - PLUNGER COVER	C0DF 11065-A (SZ-591)	A	B	C	D	E	F	G	H		K	L	M
LEVER - DRIVE	C0DF 11067-B (SZ-593)	A	B	C	D	E	F	G	H	J	K	L	M
Pin-dowel-1/4" x 11/16"	73266-S(N84A)	A	B	C	D	E	F	G	H	J	K	L	M
INSULATOR - SWITCH	11068												
3/16" I.D. x 3/8" O.D. x 5/32" thick	C2DZ 11068-A	4	4	4	4	4	4	4	4	4	4	4	4
COIL - FIELD	11082-5												
Complete	C6VY 11082-A (SC-398)	A	B	C	D	E	F	G		J	K	L	M
R.H.	★C6AZ 11085-A Not Replaced (2/73)			C	D			G		J	K	L	M
L.H.	★C6AZ 11083-A Not Replaced (2/73)	A	B	C	D	E	F	G		J	K	L	M
Actuating Frame and coil assy.	C2OZ 11083-D	A	B	C	D	E	F	G		J	K	L	M
	C8AZ 11083-A (SC-408)								H			L	
Lower	★C6AZ 11084-A Not Replaced (2/73)			C	D			G		J	K	L	M
BOLT - THRU	11091												
Bolt-hex. head-1/4"-20 x 6 9/16"	C3AZ 10120-A (GY-740)	2	2	2	2	2	2	2	2	2	2	2	2
Lockwasher-internal tooth-1/4"	34905-S7(X97)	2	2	2	2	2	2	2	2	2	2	2	2
WASHER - FIELD TERMINAL - 3/8" I.D. (oblong) x 11/16" O.D. x 1/16" thick	B5A 11093-A	A	B	C	D	E	F	G					
WASHER - FIELD TERMINAL INSULATING - 11/32" I.D. x 25/32" O.D. x 1/8" thick	18 11094-B	A	B	C	D	E	F	G					
WASHER - FIELD TERMINAL SCREW - 11/32" I.D. x 11/16" O.D. x 1/16" thick	B5A 11095-A	A	B	C	D	E	F	G					
TERMINAL KIT - FIELD	C0DZ 11102-C (SZ-656)	A	B	C	D	E	F	G		J	K	L	M
Consists of 1-B5A 11093-A Washer 1-18 11094-B Washer 1-B5A 11095-A Washer 1-C0DF 11102-B Terminal 1-18 11107-B Bushing 2-33923-S7 Nut 1-34806-S7 Lockwasher													
Terminal Field	C0DZ 11102-D	A	B	C	D	E							
SPRING - PLUNGER RETURN	C1VF 11103-A (SZ-630)	A	B	C	D	E	F	G	H	J	K	L	M

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

(FORD 12 VOLT 4½" POSITIVE ENGAGEMENT STARTER)

See SECTION 110, PAGE 1 for PARTS LIST INSTRUCTIONS

DESCRIPTION AND RESTRICTIONS	PART NUMBER	STARTER PARTS LISTS 2A THRU 2M											
		A	B	C	D	E	F	G	H	J	K	L	M
SLEEVE - COIL RETAINING	C0DF 11105-A	A	B	C	D	E	F	G	H	J	K	L	M
FLANGE - COIL RETAINING	C0DF 11106-A	A	B	C	D	E	F	G	H	J	K	L	M
BUSHING - FIELD TERMINAL INSULATOR	18 11107-B	A	B	C	D		F	G					
BAND - COVER	C2OZ 11126-A	A	B	C	D	E	F	G	H	J	K	L	M
Screw-round head, slotted-No. 10-32 x 1 5/8"	27185-S2(U177A)	A	B	C	D	E	F	G		J	K	L	M
Nut-hex. -No. 10-32	34079-S7(M163)	A	B	C	D	E	F	G		J	K	L	M
HOUSING - DRIVE END	11130												
	D0TZ 11130-A (SE-130)			C									
Screw-drive-No. 6 x 7/32"	375605-S(UU16)	A			D	E	F	G					
Housing kit (drive end)	D1AZ 11130-D (SE-130A)					E					K		M

Consists of

1-D0AZ 11K013-A Seal — 1-D0AF 11130-F Housing — 1-D1PF 11A130-AA Lubricant
1-C2DZ 11222-A Ring — 1-C2DZ 11223-A Retainer — 1-C6VF 11383-A Washer
1-L.S. PK108

Housing kit (drive end)	D1AZ 11130-B (SE-129A)		B		D		F	G	H	J		L	

Consists of

1-D0AZ 11K013-A Seal — 1-D2AF 11130-AA Housing — 1-D1PF 11A130-AA Lubricant
1-C2DZ 11222-A Ring — 1-C2DZ 11223-A Retainer — 1-C6VF 11383-A Washer
1-I.S. PK108

Housing kit (drive end)	D1AZ 11130-C (SE-73B)	A											M

Consists of

1-D0AZ 11K031-A Seal — 1-D2AF 11130-EA Housing — 1-C2DZ 11222-A Ring
1-C2DZ 11223-A Retainer — 1-D1PF 11A130-AA Lubricant — 1-C6VF 11383-A Washer
1-L.S. PK108

POINT KIT - CONTACT	11134												
	C2OZ 11134-B (SZ-641)	A	B	C	D	E	F	G	H	J	K	L	M

Consists of

1-C2DZ 11068-A Insulator — 1-C2OZ 11176-B Post — 1-57013-S Screw-No.8-32 x 3/8"
1-C2OF 11116-B Spring — 1-C2OZ 11181-A Insulator

BEARING - DRIVE	★B7TZ 11135-A	A	B	C	D	E	F	G					
BEARING or BUSHING - DRIVE HOUSING	11135												
Bushing-15/32" I.D. x 17/32" O.D.x 13/16"long	C0DZ 11135-A (MC-12)	A	B	C		E	F						
Bearing-15/32" I.D. x 5/8" O.D. x 3/8" long	C6VY 11135-A (MC-189)				D			G	H				
	D0AZ 11135-B (MC-209)									J	K	L	M
POST - CONTACT	C2OZ 11176-B	A	B	C	D	E	F	G	H	J	K	L	M
ROLLER - DRIVE	★B7TZ 11178-A	4	4	4	4	4	4	4	4				
INSULATOR - SWITCH SPRING	C2OZ 11181-A	A	B	C	D	E	F	G	H	J	K	L	M
RING - DRIVE STOP	C2DZ 11222-A (SZ-604)		B	C	D	E	F	G	H	J	K	L	M
RETAINER - DRIVE STOP RING	C2DZ 11223-A (SZ-605)		B	C	D	E	F	G	H	J	K	L	M
DRIVE ASSEMBLY - Includes attaching parts	C6VY 11350-A (SD-175)	A	B	C	D	E	F	G	H	J	K	L	M
SPRING - DRIVE	★B7TZ 11375-A	A	B	C	D	E	F	G	H				
SCREW - POLE PIECE	11415												
Screw-flat head, socket-7/16"-14 x 21/32"	68 10044	3	3	3	3	3	3	3		3	3	3	3
WASHER - DRIVE SPLIT	★B7TZ 11425-A		2	2	2	2	2	2	2				

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	STARTER PARTS LISTS 2N THRU 2Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
ARMATURE	D0AZ 11005-A (SM-335)	N	P	Q	R	S	T	U					
SEAL - REAR HOUSING - BEARING	D0AZ 11K013-A	N	P	Q	R	S	T	U					
WASHER - ARMATURE THRUST	11036												
Asbestos-5/8" I.D. x 1 1/4" O.D. x 3/32" thick	C0DZ 11036-A (SZ-628)	N	P	Q	R	S	T	U					
Steel-1/2" I.D. x 23/32" O.D. x 1/32" thick	C6VY 11036-A (SZ-640)		P										
PLATE & BUSHING - BRUSH END	C4TZ 11049-A (SH-172)	N	P	Q	R	S	T	U					
BUSHING - BRUSH END PLATE	C4TZ 11052-A (MC-170)	N	P	Q	R	S	T	U					
BRUSH ASSY. -GROUND	18 11056-A	N	P	Q	R		T	U					
-Insulated	C4TZ 11056-A			Q									
BRUSH SET	C0DZ 11057-B (SB-134)	N	P	Q	R	S	T	U					
Consists of 1-C5AF 11055-A Brush 1-C0DF 11056-B Brush 1-18 11056 Brush 1-25247-S7 Screw													
SPRING - BRUSH	B 11059	4			4								
	D1AZ 11059-A		4	4		4	4	4					
COVER - PLUNGER	C0DZ 11060-C	N	P	Q	R	S	T	U					
INSULATOR - BRUSH HOLDER - not replaced	★C9AZ 11062-A	2	2	2	2								
	C4TZ 11062-A			2									
GASKET PLUNGER COVER	C0DF 11065-A (SZ-591)	N	P		R	S	T	U					
LEVER - DRIVE	C0DF 11067-B (SZ-593)	N	P	Q	R	S	T	U					
Pin-dowel-1/4" x 11/16"	73266-S(N84A)	N	P										
INSULATOR - BRUSH - 3/16" I. D. x 3/8" O. D. x 5/32" thick	C2DZ 11068-A	N	P	Q									
Insulator - switch	C4TZ 11068-A			4									
COIL FIELD	11082-5												
Complete	C6VY 11082-A (SC-398)	N	P	Q	R	S	T	U					
Actuating	C2OZ 11083-D	N	P	Q	R	S	T	U					
Frame and coil assy.	C8AZ 11083-A					S							
R.H.	★C0DF 11084-A	N											
L.H.	★C0DF 11085-A	N											
R.H. - not replaced (2-73)	★C6AZ 11085-A	N	P	Q	R	S	T	U					
L.H. - not replaced (2-73)	★C6AZ 11083-A	N	P	Q	R	S	T	U					
Lower - not replaced (2-73)	★C6AZ 11084-A	N	P	Q	R	S	T	U					
BOLT - THRU	11091												
	C3AZ 10120-A (GY-740)	2	2	2	2	2	2	2					
Lockwasher	34905-S7(X97)	2	2	2	2	2	2	2					

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

See SECTION 110, PAGE 1
for PARTS LIST INSTRUCTIONS

DESCRIPTION AND RESTRICTIONS	PART NUMBER	STARTER PARTS LISTS 2N THRU 2Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
WASHER - FIELD TERMINAL	B5A 11093-A	N	P		R		T	U					
TERMINAL KIT - FIELD	C0DZ 11102-C (SZ-656)	N	P	Q	R	S	T	U					
Consists of													
1-B5A 11093-A Washer	1-B5A 11095-A Washer				2-33923-S7 Nut								
1-18 11094-B Washer	1-C0DF 11102-B Terminal				1-34806-S7 Lockwasher								
	1-18 11107-B Bushing												
SPRING - PLUNGER RETURN	C1VF 11103-A (SZ-630)	N	P	Q	R	S	T	U					
SLEEVE COIL RETAINING	C0DF 11105-A	N	P	Q	R	S	T	U					
FLANGE COIL RETAINING	C0DF 11106-A	N	P	Q	R	S	T	U					
BAND - COVER	C2OZ 11126-A	N	P	Q	R	S	T	U					
Screw-round hd, slotted-No. 10-32 x 1 5/8"	27185-S2(U177A)	N	P	Q	R	S	T	U					
Nut-hex. -No. 10-32	34079-S7(M163)	N	P	Q	R	S	T	U					
HOUSING KIT (DRIVE END)	11130												
	D1AZ 11130-D (SE-130A)	N	P				T						
Consists of													
1-D0AZ 11K013-A Seal	1-C2DZ 11222-A Ring				1-D1PF 11A130-AA Lubricant								
1-D0AF 11130-F Housing	1-C2DZ 11223-A Retainer				1-C6VF 11383-A Washer								
1-I.S. PK108													
	D1AZ 11130-B (SE-129A)			Q									
Consists of													
1-D0AZ 11K013-A Seal	1-D1PF 11A130-AA Lubricant				1-C2DZ 11223-A Retainer								
1-C2DZ 11222-A Ring	1-D2AF 11130-AA Housing				1-C6VF 11383-A Washer								
1-I.S. PK108													
	D1AZ 11130-A (SE-133)				R	S							
Consists of													
1-D0AZ 11K013-A Seal	1-C2DZ 11222-A Ring				1-D1PF 11A130-AA Lubricant								
1-D2AF 11130-GA Housing	1-C2DZ 11223-A Retainer				1-C6VF 11383-A Washer								
1-I.S. PK108													
	D1AZ 11130-C (SE-73B)							U					
Consists of													
1-D0AZ 11K013-A Seal	1-D2AF 11130-EA Housing				1-C2DZ 11222-A Ring								
1-C2DZ 11223-A Retainer	1-D1PF 11A130-AA Lubricant				1-C6VF 11383-A Washer								
1-L.S. PK108													
POINT KIT - CONTACT	11134												
	C2OZ 11134-B (SZ-641)	N	P	Q	R	S	T	U					
Consists of													
1-C2DZ 11068-A Insulator	C2OZ 11176-B Post				1-57013-S Screw-No.8-32 x 3/8"								
1-C2OF 11116-B Spring	1-C2OZ 11181-A Insulator												
BEARING or BUSHING - DRIVE HOUSING	11135												
	D0AZ 11135-B (MC-209)	N	P	Q	R	S	T	U					
POST - CONTACT	C2OZ 11176-B	N	P	Q	R	S	T	U					
INSULATOR - SWITCH SPRING	C2OZ 11181-A	N	P	Q	R	S	T	U					
RING - DRIVE STOP RING	C2DZ 11222-A (SZ-604)	N	P	Q	R	S	T	U					
RETAINER - DRIVE STOP RING	C2DZ 11223-A (SZ-605)	N	P		R	S	T	U					
DRIVE ASSEMBLY - Includes attaching parts	C6VY 11350-A (SD-175)	N	P	Q	R	S	T	U					
SCREW - POLE PIECE	11415												
Screw-flat hd. socket-7/16"-14 x 21/32"	68 10044	3	3	3	3	3	3	3					

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

See SECTION 110, PAGE 1
for PARTS LIST INSTRUCTIONS

(FORD 12 VOLT 4" POSITIVE ENGAGEMENT STARTER)

DESCRIPTION AND RESTRICTIONS	PART NUMBER	STARTER PARTS LISTS 3A THRU 3M											
		A	B	C	D	E	F	G	H	J	K	L	M
SPRING - DRIVE ROLLER BIAS	★B7TZ 11A000-B	4	4	4	4								
ARAMATURE	C4DZ 11005-A (SM-306)	A	B	C	D								
	D0DZ 11005-A (SM-333)					E							
	D2FZ 11005-A (SM-333-A)						F	G	H				
SEAL - REAR HOUSING BEARING	D0AZ 11K013-A					E	F	G	H				
WASHER - ARMATURE THRUST - Leather-5/8" I.D. x 1 1/8" O.D. x 3/32" thick	C2DF 11036-A (SZ-626)	A	B	C	D	E	F	G	H				
PLATE and BUSHING - FRONT END	D4FZ 11049-A (SH-176)	A	B	C	D	E	F	G	H				
BUSHING - BRUSH END PLATE	C2DF 11052-A (MC-93)	A	B	C	D	E	F	G	H				
BRUSH	11056												
Ground	C2DF 11056-A	A	B	C	D	E							
Ground	C2DZ 11056-C	A	B	C	D	E	F	G	H				
Insulated	C2DZ 11056-B	A	B	C	D	E							
BRUSH SET	C2DZ 11057-A (SB-97)	A	B	C	D	E							

Consists of
1-C2DF 11056-A Brush-ground 1-C2DZ 11056-C Brush-ground 1-25247-S7 Screw
1-C2DZ 11056-B Brush-insulated 1-Instruction sheet No. 716

KIT-STARTER BRUSH SET	D1FZ 11057-A (SB-164)						F	G	H				

Consists of
1-D12F 11056-AA Brush 1-D12F 11056-CA Brush 1-D12F 11055-BA Brush
1-25247-S7 Screw

SPRING - BRUSH	C2DZ 11059-A	4	4	4	4	4	4	4	4				
COVER - PLUNGER	C2DF 11060-A	A	B	C	D	E	F	G	H				
INSULATOR - BRUSH HOLDER	C2DF 11062-A	2	2	2	2	2	2	2	2				
GASKET - PLUNGER COVER	C2DF 11065-A (SZ-592)	A	B	C	D	E	F	G	H				
KIT - DRIVE LEVER AND PIN	D1FZ 11067-A (SZ-694)	A	B	C	D	E	F	G	H				

Consists of
1-D32F 11067-AA Lever 1-306308-S Pin

INSULATOR - SWITCH - 3/16" I.D. x 3/8" O.D. x 5/32" thick	C2DZ 11068-A	A	B	C	D	E	F	G	H				
Screw-pan head, cross recess-No. 5-40 x 1/2"	373805-S7-8 (BB636C)	A	B	C	D	E	F	G	H				
Nut-hex. -No. 5-40	373804-S7-8 (MM151C)	A	B	C	D	E	F	G	H				
COIL - FIELD - COMPLETE	C2DZ 11082-C (SC-348)	A	B	C	D	E	F						
	D2FZ 11082-A (SC-348A)							G	H				
BOLT - THRU - hex. head-1/4"-20 x 5 9/16"	C2DF 11091-A	2	2	2	2	2	2	2	2				
WASHER - FIELD TERMINAL - 3/8" I.D. (oblong) x 5/8" O.D. x 3/64" thick	C2DZ 11093-A	A	B										
WASHER - FIELD TERMINAL INSULATING - 11/32" I.D. x 25/32" O.D. x 1/8" thick	18 11094-B	A	B										
WASHER - FIELD TERMINAL SCREW - 11/32" I.D. x 11/16" O.D. x 1/16" thick	B5A 11095-A	A	B										
TERMINAL - FIELD	C2DZ 11102-B	A	B										

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

(FORD 12 VOLT 4" POSITIVE ENGAGEMENT STARTER)

See SECTION 110, PAGE for PARTS LIST INSTRUCTIONS

DESCRIPTION AND RESTRICTIONS	PART NUMBER	STARTER PARTS LISTS 3A THRU 3M											
		A	B	C	D	E	F	G	H	J	K	L	M
TERMINAL KIT - FIELD	C6DZ 11102-B (SZ-657)	A	B		D	E	F	G	H				
Consists of 1-C2DZ 11093-A Washer *1-B5A 11095-A Washer 1-C2DZ 11107-A Insulator 1-18 11094-B Washer *1-7RA 11095 Washer 1-33922-S36 Nut 1-C7AF 11102-A Terminal 1-381561-S36 Nut & washer													
SPRING - PLUNGER RETURN	C2DF 11103-A (SZ-629)	A	B	C	D	E	F	G	H				
SLEEVE - COIL RETAINING	C2DZ 11105-A	A	B	C	D	E	F	G	H				
FLANGE - COIL RETAINING	D2FZ 11106-A	A	B	C	D	E	F	G					
BUSHING - FIELD TERMINAL INSULATOR	C2DZ 11107-A	A	B										
BAND - COVER	C2DF 11126-A	A	B	C	D	E							
	D1FZ 11126-A (SZ-675)						F	G	H				
Screw-round head, slotted-No. 10-32 x 1 5/8"	27185-S7(U177A)	A	B	C	D	E							
Nut-hex. -No. 10-32	34079-S7(M163)	A	B	C	D	E							
HOUSING (DRIVE END)	11130												
	C2DZ 11130-A (SE-72)	A		C		E							
Not replaced	★C6AZ 11130-A (SE-125)		B		D								
Housing kit (drive end)	D1FZ 11130-B (SE-131A)						F	G	H				
Consists of 1-D0AZ 11K013-A Seal 1-D12F 11130-AB Housing 1-D1PF 11A130-AA Lubricant 1-C2DZ 11222-A Ring 1-D1FZ 11223-A Retainer 1-C6VF 11383-A Washer 1-Instruction Sheet													
POINT KIT - CONTACT	C2DZ 11134-A (SZ-601)	A	B	C	D	E							
Consists of 1-C2DF 11068-A Insulator 1-C2DZ 11176-B Post 1-39031-S7 Screw 1-C2DF 11116-B Spring 1-C2DF 11181-A Insulator													
	D1FZ 11134-A (SZ-693)						F	G	H				
Consists of 1-C2DF 11068-A Insulator 1-D12F 11116-BA Spring 1-C2DF 11176-B Post 1-C2DF 11181-A Insulator 1-41034-S Screw													
BEARING - DRIVE HOUSING 15/32" I.D. x 17/32" O.D. x 5/8" long	C2DF 11135-A (MC-113)	A	B	C	D								
	C0DZ 11135-B	A	B	C	D								
	D0AZ 11135-B (MC-209)					E	F	G	H				
INSULATOR - SWITCH SPRING	C2DF 11181-A	A	B	C	D	E	F	G	H				
RING - DRIVE STOP	C2DZ 11222-A (SZ-604)	A	B	C	D	E	F	G	H				
RETAINER - DRIVE STOP RING	C2DZ 11223-A (SZ-605)	A	B	C	D	E							
	D1FZ 11223-A (SZ-685)						F	G	H				
DRIVE ASSEMBLY - STARTER MOTOR - includes attaching parts	C4DZ 11350-B (SD-165)	A	B	C	D	E	F	G	H				
SCREW - POLE PIECE - flat head, socket -7/16"-14 x 15/32"	C2DF 11415-A	3	3	3	3	3	3	3	3				
INSULATOR - FRONT END PLATE	C2DZ 11431-A	4	4	4	4	4							
	D1FZ 11431-A						2	2	2				

* Alternate

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	STARTER PARTS LISTS 4A THRU 4M											
		A	B	C	D	E	F	G	H	J	K	L	M
GASKET - DRIVE HOUSING	C8VY 11003-A	A	B	C	D								
ARMATURE	D0AZ 11005-A (SM-335)	A	B	C	D								
WASHER - ARMATURE THRUST	C0DZ 11036-A (SZ-628)	A	B	C	D								
Drive pinion thrust	C6VY 11036-A (SZ-640)	A	B	C	D								
PLATE ASSY. - BRUSH END	C4TZ 11049-A (SH-172)	A	B	C	D								
BUSHING - BRUSH END PLATE	C4TZ 11052-A (MC-170)	A	B	C	D								
BRUSH - non-insulated	18 11056	A	B	C									
BRUSH SET	C0DZ 11057-B (SB-134)	A	B	C	D								
Consists of 1-C5AF 11055-A Brush 1-C0DF 11056-B Brush 1-18 11056 Brush 1-24242-S Screw													
SPRING - BRUSH	B 11059	4	4	4									
	D1AZ 11059-A				4								
INSULATOR - BRUSH HOLDER - not replaced	★C9AZ 11062-A		2	2	2								
LEVER ASSY. - DRIVE	C8VY 11067-A (SZ-647)	A	B	C	D								
INSULATOR - STARTER MOTOR SWITCH - 3/16" I.D. x 3/8" O.D. x 5/32" thick	C2DZ 11068-A	4	4										
CONNECTOR - SOLENOID	C8VY 11072-A (SZ-654)	A	B										
COIL - FIELD													
Complete	C8VY 11082-A (SC-405)	A	B	C	D								
Upper - not replaced (2-73)	★C8VY 11083-A	A	B	C	D								
Lower - not replaced (2-73)	★C8VY 11083-B	A	B	C	D								
Right - not replaced (2-73)	★C8VY 11085-A	A	B	C	D								
Left - not replaced (2-73)	★C8VY 11083-C	A	B	C	D								
BOLT - STARTER THRU	11091												
Bolt-hex. head-1/4" -20 x 6 9/16"	C3AZ 10120-A (GY-740)	2	2	2	2								
Lockwasher 1/4"	34805-S7(X62)	2	2	2	2								

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

(FORD 12 VOLT 4 ½" POSITIVE ENGAGEMENT - SOLENOID ACTUATED STARTER)

DESCRIPTION AND RESTRICTIONS	PART NUMBER	STARTER PARTS LISTS 4A THRU 4M											
		A	B	C	D	E	F	G	H	J	K	L	M
TERMINAL KIT - FIELD	C8VY 11102-A (SZ-648)	A	B	C	D								
Consists of 1-C9AF 11102-A Terminal 1-C8VF 11449-B Sleeve													
SPRING - PLUNGER RETURN	C8VY 11103-B (SZ-655)	A	B	C	D								
GROMMET - TERMINAL INSULATOR	C8VY 11A120-A (SZ-651)	A	B	C	D								
SPACER - SOLENOID	C8VY 11A122-A	A	B	C	D								
BAND - STARTING MOTOR	C8VY 11126-A (SZ-650)	A	B	C	D								
HOUSING ASSY. - DRIVE END	C8VY 11130-B (SE-127)	A	B	C	D								
BEARING - DRIVE HOUSING	C6VY 11135-A (MC-189)	A	B	C	D								
RIVET - PIN LEVER	C8VY 11139-A	A	B	C	D								
RETAINER - DRIVE STOP	C2DZ 11222-A (SZ-604)	A	B	C	D								
RETAINER - DRIVE STOP RING	C2DZ 11223-A (SZ-605)	A	B	C	D								
DRIVE ASSEMBLEY	C8VY 11350-A (SD-176)	A	B	C	D								
SOLENOID ASSY.	C8VY 11390-A (SW-675)	A	B	C	D								
PLUNGER ASSY. - SOLENOID	C8VY 11393-A (SZ-653)	A	B	C	D								
SCREW - POLE PIECE - flat head, socket-7/16"-14 x 15/32"	C2DF 11415-A	4	4	4	4								

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

INDEX

PART NAME	GROUP NUMBER
A	
Amplifier assy. (ignition current)	12A027
Arm assy. (distributor timing)	12273
B	
Bleed assy. (distributor vacuum air)	12A168
Bracket (ignition cable mounting)	12111-2
Bracket (ignition current amplifier)	12A072
Breaker assy. (distributor)	12151
Bushing (distributor base lower)	12132
Bushing (distributor base upper)	12120
Button (distributor breaker plate support)	12072
C	
Cam assy. (distributor)	12210
Clamp (distributor terminal housing hold down)	12144
Clamp (distributor to cylinder head)	12270
Cobra kit (ignition parts)	12050
Coil assy. (ignition less mounting strap)	12029
Collar (distributor shaft)	12195
Condenser assy. (distributor)	12300
Connector (distributor vacuum pipe)	12224
Contact (distributor carbon)	12011
Cover (distributor breaker dust)	12239, 12276
D	
Diaphragm assy. (distributor vacuum control)	12370
Distributor assy. (less terminal housing & rotor)	12127
Distributor kit (dual point)	12050
Distributor repair kit	12000
F	
Felt (distributor cam lubricator)	12A055
Filter (distributor vacuum control valve)	12A120
G	
Gasket (distributor base)	12143
Gasket (distributor diaphragm vacuum connector)	12320
Gear (distributor driven)	12390
Governor assy. (eng.)	12450
H	
Holder (distributor housing clamp)	12144
Hose & grommet assy. (vacuum)	12A161
Housing assy. (distributor terminal)	12106
I	
Ignition cable (high tension)	12A024
Insulator (circuit breaker)	12289
Insulator (spark plug wire)	12113
K	
KIT - refer to appropriate noun name For example Distributor kit (dual point)	12050
L	
Link (distributor breaker plate)	12A186
O	
Oiler (distributor housing)	12135
P	
Plate assy. (distributor breaker)	12151
Plate kit (distributor)	12A132
Plug (distributor diaphragm)	12A022
Point set (distributor arm & breaker)	12171
R	
Relay (ignition current amplifier)	12A042
Resistor assy. (ignition coil)	12250
Resistor & bracket assy. (ignition ballast)	12A046
Retainer (distributor breaker plate)	12146
Retainer (distributor cam)	12177
Retainer (distributor rotor)	12213
Rivet (distributor terminal housing hold down clamp)	12145
Rotor assy. (distributor)	12200

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S	
Screw (carb. float shaft)	12230
Screw (distributor point)	12230
Seal (wire terminal weather)	12113
Seperator (ignition wire)	12297
Shaft (distributor)	12175
Shaft & cam assy. (distributor)	12175
Sleeve (distributor shaft plate)	12A075
Snap ring (distributor breaker plate)	12146
Spark plug assy.	12405
Spring (distributor breaker plate)	12A187
Spring (distributor weight)	12191-2
Stop (distributor vacuum advance)	12202
Strap (ignition coil mounting)	12043-4
Switch assy. (distributor modulator ambient)	12A164
T	
Tab (distributor vacuum advance control bracket lock)	12A143
Tube (distributor vacuum)	12226
Tube & bracket assy. (vacuum)	12A163
Tune-up kit	12405
V	
Valve assy. (distributor modulator)	12A170
Valve assy. (distributor vacuum control)	12A091
Valve assy. (distributor vacuum delay control)	12A091
Valve & bracket assy. (distributor vacuum advance control)	12A111
W	
Washer (distributor driven gear thrust)	12179
Weight assy. (distributor)	12188
Wick (distributor shaft)	12133
Wire assy. (distributor breaker ground)	12264
Wire assy. (distributor primary terminal)	12216
Wire assy. (distributor to spark plug radio resistance)	12286
Wire assy. (distributor vacuum control valve)	12A190
Wire assy. (eng. governor control valve)	12K454
Wire assy. (ignition coil ground)	12A069
Wire assy. (ignition current amplifier)	12045
Wire assy. (starter motor circuit jumper)	12638
Wire assy. (transistorized ignition system)	12071
Wire set (spark plug)	12259
Wiring assy. (ignition coil to distributor high tension)	12298

HOW TO FIND DISTRIBUTORS and COMPONENTS

To find Distributor (other than Calibration) Parts:

(Calibration Parts are listed by Code Number on Pages 9, 10 and 11 of this section.)

By IDENTIFICATION:

1. Refer to Identification Chart below.
2. Check marking (on distributor) against identification numbers.

By MODEL APPLICATION:

1. Refer to Model Application Chart beginning on Page 11.
2. Refer to appropriate Engine, Year and Model.

3. Select and refer to appropriate Parts List Section and Number.
4. If basic number is not known, refer to illustration page shown in the Ford Car Master Illustrations Catalog (Form FP 7635-B), or to the Index at the beginning of this section.
5. Select part number shown from appropriate Parts List. If more than one part number is shown, refer to Description and Restrictions for clarification.
6. Quantity of parts shown in columns A, B, C etc.
7. Part numbers are listed numerically.

Identification Example: C8AF 12127-A is listed in Parts List Section 120.2, Column D. Calibration parts are listed by Code number on pages 9, 10 and 11 of this section. (Cam-basic 12210, Springs-basic 12191-2 and Stop-basic 12202) are listed by Code Number etc.

Model Application Example: For an 8 cyl. 390 engine on a 1967 Ford use distributor C7AZ 12127-D (identified C7AF 12127-D or C7AF 12127-AA). Internal parts for this distributor are listed in Parts List Section 120.4, column G.

12127 **DISTRIBUTOR IDENTIFICATION CHART**

IDENTIFICATION	DISTRIBUTOR PARTS LIST SECTION & NUMBER	SERVICE REPLACEMENT DISTRIBUTOR	MOTORCRAFT SALES NO.	CALIBRATION CODE NUMBER						REFER TO ILLUS. SEC. 120 PAGE
				DIAPHRAGM ASSY. (12370)	CAM (12210)	SPRINGS (12191-2) PRIMARY	SPRINGS (12191-2) SECOND-ARY	SPRINGS (12191-2) VACUUM	STOP (12202)	
A72SX 12100-BA	#	D2FZ 12127-E	(DA-1223)	309						
701F 12100-EA	120.5A	★D1FZ 12127-B r/b D2FZ 12127-A	(DA-1092)	316	114	234	240	218	9	10
701F 12100-DA		★D1FZ 12127-B r/b D2FZ 12127-A	(DA-1092)							10
71HM 12100-ABA	120.5B	D1FZ 12127-A	(DA-1047)	319		256	257			9
71HM 12100-AEA	120.5C	D1FZ 12127-C	(DA-1105)	320		258	259			9
72HF 12100-DC	#	★D2FZ 12127-C r/b D3FZ 12127-A	(DA-1221)	396						9
72HF 12100-FA	#	★D2FZ 12127-D r/b D3FZ 12127-B	(DA-1222)	395						9
72HF 12100-SC	#	D2FZ 12127-E	(DA-1223)	396						9
721F 12100-YA	120.5D	D2FZ 12127-A	(DA-1219)	324	123	236	240	229	20	10
721F 12100-TA	120.5D	D2FZ 12127-B	(DA-1220)	324	123	236	240	229	20	10
721F 12100-AJA	120.5E	★D2FZ 12127-F Not replaced	(DAE-1238)	397	122	240				10
721F 12100-AHA	120.5E	D2FZ 12127-G	(DAE-1239)	397	122	240				10
73HF 12100-AA	#	D3FZ 12127-A	(DA-1271)	318						
73HF 12100-GA	#	D3FZ 12127-B	(DA-1288)							9
C3OF 12127-D	120.3A	★C3OZ 12127-D r/b C5OZ 12127-E			104	222	232			5
C3OF 12127-F	120.3A	★C3OZ 12127-D r/b C5OZ 12127-E			104	222	232			5
C4AF 12127-M	120.4N	★C4AZ 12127-M r/b C4AZ 12127-P	(DA-624)	301	103	210	201	217	2	5
C4DF 12127 B	120.1A	★C4DZ 12127-B r/b C4DZ 12127-E	(DA-627)	302		231	211			3
C4GF 12127-B	120.4A	★C4GY 12127-B r/b C7ZZ 12127-A		301	103	228	201	216	10	6
C4OF 12127-B	120.4A	C4OZ 12127-B	(DA-631)		103	223	206	218	1	6
C4ZF 12127-A	120.1A	★C5ZZ 12127-A r/b C4DZ 12127-D	(DA-661)	302		226	231			3
C4ZF 12127-B	120.4A	★C5ZZ 12127-B r/b C4OZ 12127-B	(DA-662)	301	103	222	230	211	3	6
C4ZF 12127-C	120.4A	★C5ZZ 12127-C r/b C7ZZ 12127-A		301	103	222	204	216	10	6
C4ZF 12127-D	120.3A	★C5ZZ 12127-D r/b C5OZ 12127-E								6

Not available

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

12127 IDENTIFICATION CHART - continued

IDENTIFICATION	DISTRIBUTOR PARTS LIST SECTION & NUMBER	SERVICE REPLACEMENT DISTRIBUTOR	MOTORCRAFT SALES NO.	CALIBRATION CODE NUMBER						REFER TO ILLUS. SEC. 120 PAGE
				DIAPHRAGM ASSY. (12370)	CAM (12210)	SPRINGS (12191-2) PRIMARY	SPRINGS (12191-2) SECONDARY	SPRINGS (12191-2) VACUUM	STOP (12202)	
C4ZF 12127-E	120.4A	★C5ZZ 12127-E r/b C4OZ 12127-B		301	103					6
C5AF 12127-A	120.4H	C5AZ 12127-A	(DA-674)	303	107	241	233	229	2	6
C5AF 12127-AD	120.1C	★C5AZ 12127-K r/b C5TZ 12127-AD		302						4
C5AF 12127-AE	120.1C	★C5AZ 12127-L r/b C5AZ 12127-P		302		212	212			4
C5AF 12127-AK	120.2C	★C5AZ 12127-AA r/b C5AZ 12127-BU	(DA-683)	304	111	241	240	217	2	4
C5AF 12127-AL	120.2C	★C5AZ 12127-AL r/b C5AZ 12127-BU		304	110	236	233	225	7	4
C5AF 12127-AM	120.2C	★C5AZ 12127-AL r/b C5AZ 12127-BU		304	110	236	233	225	7	4
C5AF 12127-B	120.4H	★C5AZ 12127-B r/b C5AZ 12127-W	(DA-675)	303	107	234	233	229	2	6
C5AF 12127-BG	120.4M	★C4AZ 12127-M r/b C4AZ 12127-P	(DA-624)	303	108	243	244	229	2	6
C5AF 12127-BU	120.2C	C5AZ 12127-BU	(DA-728)	304	110	238	233	216	5	4
C5AF 12127-C	120.4H	★C5AZ 12127-C r/b C5AZ 12127-W		303	107	234	233	229	3	6
C5AF 12127-E	120.3D	★C5AZ 12127-E r/b C0AZ 12127-L	(DA-677)		108	236	233			6
C5AF 12127-E	120.3D	C0AZ 12127-L	(DA-909)		108	236	233			6
C5AF 12127-F	120.3E	★C5AZ 12127-F r/b C0AZ 12127-L	(DA-678)		108	236	233			6
C5AF 12127-M	120.4E	★C5AZ 12127-M r/b C7ZZ 12127-A		303	107	241	240	216	1	6
C5AF 12127-N	120.4E	★C5AZ 12127-N r/b C7ZZ 12127-A	(DA-680)	303	107	234	233	216	11	6
C5DF 12127-C	120.1A	★C5DZ 12127-C r/b C4DZ 12127-D		302		226	212			3
C5DF 12127-D	120.1B	★C5DZ 12127-D r/b C4OZ 12127-F		302		231	213			3
C5DF 12127-E	120.1A	★C5DZ 12127-E r/b C4DZ 12127-D	(DA-687)	302		226	215			3
C5DF 12127-F	120.1B	★C5DZ 12127-F r/b C4OZ 12127-F	(DA-688)	302		212	212			3
C5DF 12127-K	120.1B	★C5DZ 12127-F r/b C4OZ 12127-F	(DA-688)	302		226	213			3
C5GF 12127-A	120.4E	★C5GY 12127-A r/b C7ZZ 12127-A	(DA-690)	303	108	234	235	218	1	6
C5GF 12127-B	120.4E	★C5GY 12127-B Not replaced		303						6
C5GF 12127-C	120.4D	★C4GY 12127-B r/b C7ZZ 12127-A		303	107	241,210	233	216	10	6
C5JF 12127-B	120.4D	C4OZ 12127-B	(DA-631)	303	108	237	240	218	1	6
C5MF 12127-A	120.4H	★C5MY 12127-A r/b C5AZ 12127-A	(DA-693)	303	107	241	240	225	5	6
C5OF 12127-E	120.3C	C5OZ 12127-E	(DA-691)		107	236	235			6
C5SF 12127-B	120.4P	★C5SZ 12127-B r/b C5AZ 12127-W	(DA-692)	303	109	234	233	229	3	6
C5TF 12127-AC	120.1C	★C5TZ 12127-AC r/b C5TZ 12127-AD				231	215			3
C5UF 12127-B	120.4D	C4OZ 12127-B	(DA-631)	303	108	237	240	218	1	6
C5ZF 12127-J	120.4D	★C5ZZ 12127-B r/b C4OZ 12127-B	(DA-662)	303	108	236	240	218	6	6
C6AF 12127-A	120.4H	★C6AZ 12127-A r/b C7AZ 12127-A	(DA-733)	303	107	238	240	218	9	6
C6AF 12127-AA	120.2C	★C5AZ 12127-AA r/b C5AZ 12127-BU	(DA-683)	304	111	241	240	217	2	4

12127 IDENTIFICATION CHART - continued

IDENTIFICATION	DISTRIBUTOR PARTS LIST SECTION & NUMBER	SERVICE REPLACEMENT DISTRIBUTOR	MOTORCRAFT SALES NO.	CALIBRATION CODE NUMBER						REFER TO ILLUS. SEC. 120 PAGE
				DIAPHRAGM ASSY. (12370)	CAM (12210)	SPRINGS (12191-2) PRIMARY	SPRINGS (12191-2) SECOND-ARY	VACUUM	STOP (12202)	
C6AF 12127-AB	120.2C	C5AZ 12127-BU	(DA-728)	304	110	238	233	218	5	4
C6AF 12127-AC	120.2C	C6AZ 12127-G	(DA-749)	304	110	234	240	217	3	4
C6AF 12127-AD	120.2C	C6AZ 12127-N	(DA-750)	304	111	241	233	225	3	4
C6AF 12127-AG	120.4H	★C6AZ 12127-AG r/b C6AZ 12127-L		303	108	243	233	229	2	6
C6AF 12127-AH	120.4L	C6AZ 12127-AH	(DA-756)	303	107	237	233	216	9	13
C6AF 12127-AJ	120.4E	★C6AZ 12127-J r/b C7AZ 12127-U	(DA-751)	303	108	237	240	216	11	6
C6AF 12127-AK	120.4E	C6AZ 12127-S	(DA-752)	303	108	236	219	216	11	6
C6AF 12127-B	120.4H	C7AZ 12127-E	(DA-784)	303	107	236	233	218	9	6
C6AF 12127-BA	120.4H	★C6AZ 12127-BA r/b C7SZ 12127-H	(DA-817)	303	108	234	240	229	6	6
C6AF 12127-C	120.4H	★C6AZ 12127-C r/b C7AZ 12127-E	(DA-735)	303	107	241	233	218	9	6
C6AF 12127-D	120.4H	★C6AZ 12127-D r/b C4AZ 12127-P	(DA-736)	303	107	236	244	218	9	6
C6AF 12127-E	120.4H	★C6AZ 12127-F r/b C4AZ 12127-P		303	108	237	233	216	9	6
C6AF 12127-E	120.4H	★C6AZ 12127-E r/b C4AZ 12127-P	(DA-737)	303	108	237	233	216	9	6
C6AF 12127-J	120.4E	★C6AZ 12127-J r/b C7AZ 12127-U	(DA-751)	303	108	243	233	218	11	6
C6AF 12127-K	120.4H	★C6AZ 12127-K r/b C8AZ 12127-J	(DA-738)	303	108	243	240	218	9	6
C6AF 12127-L	120.4H	★C6AZ 12127-L Not Replaced	(DA-739)	303	108	243	233	218	5	6
C6AF 12127-M	120.4H	★C6AZ 12127-M r/b C4AZ 12127-P		303						6
C6AF 12127-S	120.4E	C6AZ 12127-S	(DA-752)	303	108	241	233	218	7	6
C6AF 12127-T	120.4H	C6AZ 12127-T	(DA-740)	303	108	243	240	218	9	6
C6AF 12127-U	120.4H	★C6AZ 12127-U r/b C6AZ 12127-L		303						6
C6AF 12127-V	120.4H	★C6AZ 12127-V r/b C4AZ 12127-P or r/b C6AZ 12127-L		303						6
C6AF 12127-Y	120.1D	C5AZ 12127-P	(DA-912)	302		212	212			4
C6DF 12127-A	120.2A	C6DZ 12127-A	(DA-741)	304	110	241	240	229	2	3
C6DF 12127-C	120.2A	C6DZ 12127-C	(DA-742)	304	110	238	240	217	3	3
C6DF 12127-D	120.2A	C6DZ 12127-D	(DA-743)	304	110	234	240	229	2	3
C6DF 12127-E	120.2A	★C6DZ 12127-E r/b C6DZ 12127-K		304	110	234	240	218	7	3
C6DF 12127-K	120.2A	C6DZ 12127-K	(DA-774)	304	110	234	240	217	3	3
C6MF 12127-A	120.4H	C4AZ 12127-P	(DA-911)	303	108	236	233	218	1	6
C6OF 12127-E	120.4H	★C6OZ 12127-E r/b C6AZ 12127-K		303						6
C6OF 12127-F	120.4H	★C6OZ 12127-F r/b C6AZ 12127-T		303						6
C6OF 12127-G	120.4H	★C6OZ 12127-G r/b C6AZ 12127-L		303						6
C6OF 12127-H	120.4H	★C6OZ 12127-H r/b C6AZ 12127-L		303						6
C6OF 12127-J	120.4H	C6OZ 12127-J	(DA-771)	303	107	234	233	249	5	6
C6SF 12127-B	120.4R	★C6SZ 12127-B r/b C4AZ 12127-P	(DA-745)	303	109	237	233	218	5	6
C6SF 12127-D	120.4R	C6SZ 12127-D	(DA-746)	303	108	243	233	218	5	6
C6TF 12127-AC	120.1D	C5TZ 12127-AD	(DA-917)	302						4
C6TF 12127-BH	120.4E	★C6TZ 12127-BH r/b C7AZ 12127-U		303						6
C6ZF 12127-A	120.4E	★C6ZZ 12127-A r/b C7ZZ 12127-A	(DA-747)	303	108	243	235	216	6	6

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

12127 IDENTIFICATION CHART - continued

IDENTIFICATION	DISTRIBUTOR PARTS LIST SECTION & NUMBER	SERVICE REPLACEMENT DISTRIBUTOR	MOTORCRAFT SALES NO.	CALIBRATION CODE NUMBER						REFER TO ILLUS. SEC. 120 PAGE
				DIAPHRAGM ASSY. (12370)	CAM (12210)	SPRINGS (12191-2) PRIMARY	SPRINGS (12191-2) SECOND-ARY	SPRINGS (12191-2) VACUUM	STOP (12202)	
C6ZF 12127-B	120.4E	★C6ZZ 12127-B r/b C7OZ 12127-E	(DA-748)	303	108	234	235	218	2	6
C7AF 12127-A	120.4G	C7AZ 12127-A	(DA-780)	303	107	238	240	218	9	6
C7AF 12127-B	120.4G	C7AZ 12127-B	(DA-781)	303	107	236	233	218	9	6
C7AF 12127-C	120.4G	C8AZ 12127-J	(DA-872)	303	108	243	240	218	9	6
C7AF 12127-D	120.4G	C7AZ 12127-D	(DA-783)	303	108	243	240	218	9	6
C7AF 12127-E	120.4G	C7AZ 12127-E	(DA-784)	303	107	241	233	★	9	6
C7AF 12127-F	120.4G	★C7AZ 12127-F r/b C6MY 12127-B		303						
C7AF 12127-H	120.4G	★C7AZ 12127-H r/b C7SZ 12127-B		303						
C7AF 12127-J	120.4G	★C7AZ 12127-J r/b C6MY 12127-B	(DA-788)	303	107	237	233	218	9	6
C7AF 12127-L	120.4G	C7AZ 12127-L	(DA-790)	303	108	243	240	229	11	6
C7AF 12127-M	120.4G	★C7AZ 12127-M r/b C7SZ 12127-B		303						6
C7AF 12127-N	120.4G	C8AZ 12127-J	(DA-872)	303	107	237	233	218	9	6
C7AF 12127-S	120.4G	★C7AZ 12127-S r/b C8AZ 12127-J		302						6
C7AF 12127-T	120.4G	★C7AZ 12127-T r/b C8AZ 12127-J		303						6
C7AF 12127-U	120.4G	C7AZ 12127-U	(DA-796)	303	107	243	244	216	12	6
C7AF 12127-V	120.4G	C7AZ 12127-U	(DA-796)	303	107	243	244	216	12	6
C7AF 12127-Z	120.4G	C8AZ 12127-J	(DA-872)	303	107	236	240	216	2	6
C7AF 12127-AA	120.4G	C7AZ 12127-D	(DA-783)	303	107	241	233	216	9	6
C7AF 12127-AC	120.4G	C7AZ 12127-L	(DA-790)	303	107	234	233	218	9	6
C7AF 12127-AD	120.4G	C7AZ 12127-A	(DA-780)	303	107	238	240	216	11	6
C7AF 12127-AE	120.4G	★C7AZ 12127-AE r/b C7ZZ 12127-A		303	107	243	235	216	2	6
C7AF 12127-AF	120.4G	C8AZ 12127-J	(DA-872)	303	107	237	233	218	9	6
C7AF 12127-AG	120.4G	C7AZ 12127-AG	(DA-841)	303	107	236	233	218	2	6
C7AF 12127-AH	120.4F	★C7AZ 12127-AH r/b C7AZ 12127-AJ		303	107	236	244	216	10	6
C7DF 12127-A	120.2A	C7DZ 12127-A	(DA-798)	304	111	234	240	225	14	3
C7DF 12127-B	120.2A	C7DZ 12127-A	(DA-798)	304	111	234	240	225	14	3
C7DF 12127-C	120.2A	C7DZ 12127-F	(DA-842)	304	111	238	244	217	3	3
C7DF 12127-D	120.2A	C7DZ 12127-F	(DA-842)	304	111	234	233	217	3	3
C7DF 12127-F	120.2A	C7DZ 12127-F	(DA-842)	304	111	236	242	217	14	3
C7DF 12127-G	120.2A	C7DZ 12127-G	(DA-844)	304	110	237	255	229	13	3
C7MF 12127-A	120.4G	C6MY 12127-B	(DA-836)	303	107	236	244	218	1	6
C7MF 12127-G	120.4G	★C7SZ 12127-D r/b C6MY 12127-B	(DA-848)	303	107	236	233	216	4	6
C7MF 12127-H	120.4G	C7SZ 12127-H	(DA-805)	303	107	243	233	216	4	6
C7OF 12127-A	120.4F	C7OZ 12127-A	(DA-802)	303	107	241	240	218	1	6
C7OF 12127-B	120.4F	★C7OZ 12127-B r/b C7ZZ 12127-A		303	107	234	244	216	11	6
C7OF 12127-D	120.4F	C7OZ 12127-D	(DA-805)	303	108	237	240	218	2	6
C7OF 12127-E	120.4F	C7OZ 12127-E	(DA-806)	303	108	236	233	218	2	6
C7OF 12127-F	120.4G	C7OZ 12127-F	(DA-807)	303	108	243	233	216	12	6
C7OF 12127-G	120.4G	C7OZ 12127-F	(DA-807)	303	108	243	233	216	12	6
C7OF 12127-H	120.4G	★C7OZ 12127-H r/b C7AZ 12127-U	(DA-847)	303	107	243	244	216	11	6
C7OF 12127-J	120.4F	C7AZ 12127-AJ	(DA-895)	303	107	236	244	217	9	6
C7OF 12127-K	120.3C	C7ZZ 12127-K	(DA-904)		107	236	235			6
C7SF 12127-A	120.4G	★C7SZ 12127-A r/b C6MY 12127-B	(DA-809)	303	107	236	244	218	9	6
C7SF 12127-B	120.4G	C7SZ 12127-B	(DA-810)	303	108	243	233	218	9	6
C7SF 12127-C	120.4G	★C7SZ 12127-C r/b C6MY 12127-B		303						6

12127 IDENTIFICATION CHART - continued

IDENTIFICATION	DISTRIBUTOR PARTS LIST SECTION & NUMBER	SERVICE REPLACEMENT DISTRIBUTOR	MOTORCRAFT SALES NO.	CALIBRATION CODE NUMBER						REFER TO ILLUS. SEC. 120 PAGE
				DIAPHRAGM ASSY. (12370)	CAM (12210)	SPRINGS (12191-2) PRIMARY	SPRINGS (12191-2) SECONDARY	VACUUM	STOP (12202)	
C7SF 12127-E	120.4G	★C7SZ 12127-E r/b C6MY 12127-B		303	107	234	233	218	9	6
C7SF 12127-F	120.4G	★C7SZ 12127-F r/b C6MY 12127-B	(DA-849)	303	107	234	233	218	9	6
C7TF 12127-F	120.4G	C5AZ 12127-W	(DA-913)	303	107	234	233	229	2	6
C7TF 12127-J	120.2A	★C7TZ 12127-J r/b C6DZ 12127-A		304	110	237	240	225	14	3
C7TF 12127-L	120.2A	★C7TZ 12127-J r/b C6DZ 12127-A		304	110	237	240	225	14	3
C7TF 12127-T	120.4F	C7TZ 12127-T	(DA-851)	303	107	236	233	225	7	6
C7ZF 12127-A	120.4F	C7ZZ 12127-A	(DA-813)	303	108	234	235	218	1	6
C7ZF 12127-B	120.4F	★C7ZZ 12127-B r/b C7ZZ 12127-A		303						6
C7ZF 12127-C	120.4F	C7ZZ 12127-C	(DA-815)	303	107	243	235	216	11	6
C7ZF 12127-D	120.4F	★C7ZZ 12127-D r/b C7ZZ 12127-C		303	107	234	235	218	2	6
C7ZF 12127-E	120.4F	C7ZZ 12127-C	)DA-815)	303	107	243	235	216	2	6
C7ZF 12127-F	120.4F	C7ZZ 12127-A	(DA-813)	303	107	243	235	218	2	6
C7ZF 12127-G	120.4F	★C7ZZ 12127-G r/b C7OZ 12127-E		303	107	241	244	225	2	6
C7ZF 12127-H	120.4F	C7OZ 12127-E	(DA-806)	303	107	234	235	216	2	6
C7ZF 12127-J	120.3C	★C7ZZ 12127-J r/b C7ZZ 12127-K			107	236	235			6
C8AF 12127-A	120.2D	★C8AZ 12127-A r/b D2UZ 12127-A	(DA-1141)	360		238	244	225	7	4
C8AF 12127-AD	120.4G	★C8AZ 12127-AD r/b C7OZ 12127-F		303						6
C8AF 12127-AE	120.4AY	C8AZ 12127-E	(DA-893)	365	107	236	233			11
C8AF 12127-AF	120.4BC	C8AZ 12127-M	(DA-873)	335	108	236	233			11
C8AF 12127-AG	120.4BC	C8AZ 12127-R	(DA-875)	335	107	234	233			11
C8AF 12127-AH	120.4BC	C8AZ 12127-S	(DA-876)		107	234	233			11
C8AF 12127-AJ	120.4BC	C8AZ 12127-T	(DA-877)	335	107	236	244			11
C8AF 12127-B	120.2D	★C8AZ 12127-B r/b D2AZ 12127-B	(DA-1125)	360	110	236	244	225	14	4
C8AF 12127-E	120.4AC	C8AZ 12127-E	(DA-893)	356	107	236	233	217	11	6
C8AF 12127-F	120.4J	★C8AZ 12127-F r/b C8OZ 12127-C		335						6
C8AF 12127-J	120.4G	C8AZ 12127-J	(DA-872)	303	107	234	233	249	11	6
C8AF 12127-M	120.4C	★C8AZ 12127-M	(DA-873)	355	107	236	233	245	9	6
C8AF 12127-N	120.4C	★C8AZ 12127-N r/b C7AZ 12127-D	(DA-874)	356	107	241	233	216	8	6
C8AF 12127-R	120.4C	C8AZ 12127-R	(DA-875)	356	107	234	233	249	11	6
C8AF 12127-S	120.4C	C8AZ 12127-S	(DA-876)	356	107	243	233	216	4	6
C8AF 12127-T	120.4C	C8AZ 12127-T	(DA-877)	356	107	236	233	249	2	6
C8AF 12127-Y	120.4G	C8AZ 12127-Y	(DA-905)	303	107	236	244	249	11	6
C8DF 12127-A	120.2B	C8DZ 12127-A	(DA-859)	360	111	238	233	229	14	3
C8DF 12127-B	120.2B	★C8DZ 12127-B r/b C8DZ 12127-J	(DA-860)	361	111	237	244	247	3	3
C8DF 12127-C	120.2B	C8DZ 12127-C	(DA-861)	374	111	238	244	245	16	3
C8DF 12127-D	120.2B	C8DZ 12127-D	(DA-862)	374	111	237	246	245	11	3
C8DF 12127-G	120.1A	C4DZ 12127-D	(DA-889)	302		226	212			3
C8DF 12127-H	120.1B	C4OZ 12127-F	(DA-891)	302		226	213			3
C8DF 12127-J	120.2B	C8DZ 12127-J	(DA-965)	361	110	237	239	216	13	3
C8DF 12127-K	120.2K	C8DZ 12127-D	(DA-862)	393	111	237	246			13
C8DF 12127-L	120.2K	C8DZ 12127-C	(DA-861)	394	111	238	244			13
C8DF 12127-N	120.2K	C8DZ 12127-J	(DA-965)	393	110	237	239			13
C8OF 12127-B	120.4J	★C8OZ 12127-B r/b C8TZ 12127-F	(DA-879)	355	107	237	233	250	1	6
C8OF 12127-C	120.4J	C8OZ 12127-C	(DA-880)	356	107	236	233	229	2	6
C8OF 12127-D	120.4Q	C8OZ 12127-D	(DA-881)	357	108	243	233	216	11	6

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

12127 IDENTIFICATION CHART - continued

IDENTIFICATION	DISTRIBUTOR PARTS LIST SECTION & NUMBER	SERVICE REPLACEMENT DISTRIBUTOR	MOTORCRAFT SALES NO.	CALIBRATION CODE NUMBER						REFER TO ILLUS. SEC. 120 PAGE
				DIAPHRAGM ASSY. (12370)	CAM (12210)	SPRINGS (12191-2) PRIMARY	SPRINGS (12191-2) SECOND-ARY	SPRINGS (12191-2) VACUUM	STOP (12202)	
C8OF 12127-G	120.4G	C8OZ 12127-G	(DA-927)	303	108	236	235	216	12	6
C8OF 12127-H	120.4Q	C8OZ 12127-H	(DA-969)	357	107	243	244	216	11	6
C8OF 12127-J	120.4G	C8OZ 12127-J	(DA-970)	303	107	243	244	216	12	6
C8OF 12127-K	120.4AY	C8OZ 12127-C	(DA-880)	372	107	236	233			11
C8OF 12127-M	120.4BC	C8OZ 12127-D	(DA-881)	371	108	234	233			11
C8OF 12127-N	120.4BC	C8OZ 12127-H	(DA-969)	371	107	234	244			11
C8TF 12127-A	120.2B	★C8TZ 12127-A r/b C8UZ 12127-A		361						3
C8TF 12127-F	120.4J	C8TZ 12127-F	(DA-882)	356	108	237	233	229	2	6
C8UF 12127-A	120.2B	C8UZ 12127-A	(DA-868)	361	110	237	239	203	14	3
C8UF 12127-J	120.1A	C4DZ 12127-E	(DA-890)	302		231	211			3
C8VF 12127-A	120.4S	C8VY 12127-C	(DA-885)	303	107	243	235	217	10	6
C8VF 12127-C	120.4T	C9AZ 12127-F	(DA-933)	356	107	236	235	217	16	6
C8VF 12127-H	120.4AZ	C9AZ 12127-F	(DA-933)	377	107	236	235			11
C8WF 12127-B	120.4C	C8WY 12127-B	(DA-906)	356	107	236	233	216	10	6
C8WF 12127-C	120.4BC	C8WY 12127-B	(DA-906)	355	107	236	233			11
C8ZF 12127-A	120.4J	C8ZZ 12127-A	(DA-887)	307	108	236	235	248	2	6
C8ZF 12127-B	120.4J	★C8ZZ 12127-B r/b C8ZZ 12127-A		307						6
C8ZF 12127-D	120.4F	C8ZZ 12127-D	(DA-907)	303	108	238	235	217	11	6
C8ZF 12127-F	120.4AY	C8ZZ 12127-A	(DA-887)	385	108	236	235			11
C9AF 12127-J	120.4C	C9AZ 12127-B	(DA-929)	303	108	236	233	216	11	6
C9AF 12127-K	120.4G	C9AZ 12127-D	(DA-931)	303	107	236	233	229	2	6
C9AF 12127-M	120.4F	C9AZ 12127-M	(DA-971)	303	107	236	233	225	2	6
C9AF 12127-N	120.4F	C9AZ 12127-M	(DA-971)	303	107	234	235	229	2	6
C9AF 12127-R	120.4J	C9AZ 12127-R	(DA-973)	356	107	234	235	245	9	6
C9AF 12127-U	120.4W	★C9AZ 12127-U r/b C9ZZ 12127-D	(DA-986)	311	112	237	244	229	11	
C9AF 12127-Y	120.4AD	C9AZ 12127-Y	(DA-981)	394	107	234	235	229	13	6
C9AF 12127-AB	120.4AY	C9AZ 12127-R	(DA-973)	366	107	234	243			11
C9AF 12127-AC	120.4AZ	C9AZ 12127-Y	(DA-981)	338	107	234	235			11
C9DF 12127-B	120.2B	★C9DZ 12127-B r/b D2DZ 12127-A	(DA-937)	360	111	241	233	217	7	3
C9OF 12127-M	120.4V	★C9OZ 12127-E r/b D0OZ 12127-M	(DA-943)	303	107	241	233	218	13	6
C9OF 12127-N	120.4V	★C9OZ 12127-G r/b D0OZ 12127-N	(DA-945)	303	107	237	235	229	6	6
C9OF 12127-R	120.2E	C9OZ 12127-A	(DA-939)	304	111	234	244	217	15	7
C9OF 12127-T	120.4V	★C9OZ 12127-T r/b D0OZ 12127-R	(DA-975)	303	107	236	235	218	6	6
C9OF 12127-U	120.2E	★C9OZ 12127-U r/b C9OZ 12127-V		304	110	236	244	248	1	7
C9OF 12127-V	120.2E	C9OZ 12127-V	(DA-983)	304	110	243	240	225	3	7
C9OF 12127-Z	120.4V	★C9OZ 12127-Z r/b D0OZ 12127-R	(DA-984)	303	107	241	244	245	11	6
C9UF 12127-F	120.2B	C9UZ 12127-F	(DA-972)	360	111	237	244	225	3	3
C9ZF 12127-B	120.4X	★C9ZZ 12127-B r/b D1ZZ 12127-A	(DA-985)	311	112		233	218	16	6
C9ZF 12127-D	120.4AU	C9ZZ 12127-D	(DA-1024)	307	112	238	233	225	10	6
C9ZF 12127-E	120.4X	★C9ZZ 12127-E r/b D1ZZ 12127-A	(DA-1023)	311	112	238	235	225	15	6
C9ZF 12127-F	120.4AV	C9ZZ 12127-D	(DA-1024)	386	112	238	233			6
D0AF 12127-H	120.4K	D0AZ 12127-H	(DA-994)	307	107	241	233	248	#7	6
D0AF 12127-M	120.4C	D0AZ 12127-M	(DA-998)	356	107	234	233	249	2	6
D0AF 12127-T	120.4B	★D0AZ 12127-T r/b D0OZ 12127-AL	(DA-1025)	310	113	236	252	217	3	6
D0AF 12127-V	120.4K	D0AZ 12127-V	(DA-1032)	354	107	241	233	248	#7	6
D0AF 12127-Y	120.4AB	D0AZ 12127-Y	(DA-1033)	356	113	236	235	217	1	6
D0AF 12127-Z	120.4S	D0AZ 12127-Z	(DA-1034)	303	107	236	235	218	12	6

12127 IDENTIFICATION CHART - continued

IDENTIFICATION	DISTRIBUTOR PARTS LIST SECTION & NUMBER	SERVICE REPLACEMENT DISTRIBUTOR	MOTORCRAFT SALES NO.	CALIBRATION CODE NUMBER						REFER TO ILLUS. SEC. 120 PAGE
				DIAPHRAGM ASSY. (12370)	CAM (12210)	SPRINGS (12191-2) PRIMARY	SECOND-ARY	VACUUM	STOP (12202)	
D0AF 12127-AC	120.4K	D0AZ 12127-V	(DA-1032)	354	113	236	235	248	#16	6
D0AF 12127-AE	120.4AT	D0AZ 12127-AE	(DA-1046)	376	113	241	252	218	7	6
D0AF 12127-AG	120.4AX	D0AZ 12127-AE	(DA-1046)	381	113	241	252			11
D0AF 12127-AH	120.4AX	D0AZ 12127-Y	(DA-1033)	370	113	236	235			11
D0AF 12127-AJ	120.4U	D0AZ 12127-V	(DA-1032)	379	107	241	233			11
D0AF 12127-AK	120.4U	D0AZ 12127-H	(DA-994)	367	107	241	233			11
D0AF 12127-AL	120.4BC	D0AZ 12127-M	(DA-998)	335	107	234	233			11
D0AH 12127-A	120.5A	D1FZ 12127-B	(DA-1092)	316	120	234	240	218	19	10
D0DF 12127-C	120.2B	D0DZ 12127-C	(DA-979)	360	110	236	235	241	3	3
D0DF 12127-E	120.2F	D0DZ 12127-B	(DA-978)	361	119	236	233	250		3
D0DF 12127-H	120.2E	★D0DZ 12127-H r/b D2DZ 12127-A	(DA-1029)	304	111	241	233	247	1	3
D0DF 12127-J	120.2E	★D0DZ 12127-J r/b D0DZ 12127-C	(DA-1030)	304	110	236	235	217	14	3
D0DF 12127-K	120.2M	D0DZ 12127-B	(DA-978)	393	119	236	233			3
D0DF 12127-L	120.2K	D0DZ 12127-C	(DA-979)	349	110	236	244			13
D0OF 12127-A	120.2B	★D0OZ 12127-A r/b D2OZ 12127-P	(DA-1006)	360	110	243	241	218	13	7
D0OF 12127-F	120.4T	★D0OZ 12127-F r/b D0OZ 12127-E	(DA-1011)	321						6
D0OF 12127-G	120.4T	D0OZ 12127-T	(DA-1112)	321	107	241	243	217	2	6
D0OF 12127-M	120.4Y	D0OZ 12127-M	(DA-943A)	303	107	241	233	248	5	6
D0OF 12127-N	120.4Y	D0OZ 12127-N	(DA-945A)	303	107	237	235	229	6	6
D0OF 12127-R	120.4Y	D0OZ 12127-R	(DA-984A)	303	107	241	244	245	11	6
D0OF 12127-T	120.4AD	D0OZ 12127-E	(DA-1010)	355	107	251	240	245	9	6
D0OF 12127-U	120.4AA	D0OZ 12127-U	(DA-1036)	303	107	241	233	217	1	6
D0OF 12127-V	120.4T	D0OZ 12127-V	(DA-1037)	356	107	238	233	217	5	6
D0OF 12127-Y	120.4Z	D0OZ 12127-K	(DA-1014)	354	108	236	233	247	12	6
D0OF 12127-Z	120.4AS	D0OZ 12127-G	(DA-1012)	357	107	241	235	217	2	6
D0OF 12127-AA	120.4AQ	D0OZ 12127-J	(DA-1022)	317	112	234	233	225	2	12
D0OF 12127-AC	120.4AT	★D0OZ 12127-AC r/b D2OZ 12127-H	(DA-1045)	375	113	236	252	245	7	6
D0OF 12127-AE	120.4AZ	D0OZ 12127-T	(DA-1112)	373	107	241	235			11
D0OF 12127-AF	120.4AZ	D0OZ 12127-V	(DA-1037)	372	107	238	233			11
D0OF 12127-AG	120.4AZ	D0OZ 12127-K	(DA-1014)	338	108	243	233			11
D0OF 12127-AH	120.4AV	D0OZ 12127-J	(DA-1022)	359	118	234	233			12
D0OF 12127-AK	120.4AZ	D0OZ 12127-G	(DA-1012)	372	107	241	235			11
D0OF 12127-AL	120.4BE	D0OZ 12127-AL	(DA-1307)	383	107	234	261			
D0TF 12127-M	120.4AB	D0TZ 12127-M	(DA-1044)	354	113	238	252	249	2	6
D0ZF 12127-C	120.4AE	D0ZZ 12127-C	(DA-1020)	322	118	234	244	218	17	6
D0ZF 12127-G	120.4G	D0ZZ 12127-D	(DA-1021)	303	107	236	233	217	11	6
D0ZF 12127-J	120.4BC	D0ZZ 12127-C	(DA-1020)	362	118	234	244			11
D1AF 12127-CA	120.2H	D1AZ 12127-C	(DA-1090)	360	119	251	252	249	8	4
D1AF 12127-GA	120.4AG	D1AZ 12127-G	(DA-1086)	352	107	241	233	249	11	6
D1AF 12127-GB	120.4U	D1AZ 12127-G	(DA-1086)	369	107	241	233			12
D1AF 12127-HA	120.4AG	D1AZ 12127-H	(DA-1085)	354	107	234	233	249	2	6
D1AF 12127-HB	120.4U	D1AZ 12127-H	(DA-1085)	379	107	234	233			11
D1AF 12127-KB	120.4AN	D1AZ 12127-K	(DA-1083)	354	113	236	244	249	2	6
D1AF 12127-KC	120.4BA	D1AZ 12127-K	(DA-1083)	379	113	234	244			11
D1AF 12127-LB	120.4C	D1AZ 12127-L	(DA-1082)	310	107	234	235	217	2	6
D1AF 12127-LC	120.4BC	D1AZ 12127-L	(DA-1082)		107	243	240			11
D1AF 12127-NA	120.4AH	D1AZ 12127-N	(DA-1080)	354	107	241	244	218	2	6
D1AF 12127-NB	120.4AZ	D1AZ 12127-N	(DA-1080)	382	107	241	244			11
D1AF 12127-SA	120.4AW	D1AZ 12127-S	(DA-1124)	357	113	241	244	217	6	6
D1AF 12127-SB	120.4AX	D1AZ 12127-S	(DA-1124)	331	113	241	244			11
D1AF 12127-TA	120.4AR	★D1AZ 12127-T r/b D2AZ 12127-K	(DA-1215)	355	107	241	233	218	2	12
D1DF 12127-BB	120.2B	★D1DZ 12127-B r/b D2DZ 12127-C	(DA-1076)	360	111	237	252	225	14	3
D1DF 12127-EA	120.4AT	D1DZ 12127-E	(DA-1110)	356	113	236	252	245	10	6

For 1970 Mustang Shelby GT350 with A/Trans it is necessary to change stop #7 or #16 to #14

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

12127 IDENTIFICATION CHART - continued

IDENTIFICATION	DISTRIBUTOR PARTS LIST SECTION & NUMBER	SERVICE REPLACEMENT DISTRIBUTOR	MOTORCRAFT SALES NO.	CALIBRATION CODE NUMBERS						REFER TO ILLUS. SEC. 120 PAGE
				DIAPHRAGM ASSY. (12370)	CAM (12210)	SPRINGS (12191-2) PRIMARY	SECOND-ARY	VACUUM	STOP (12202)	
D1DF 12127-EB	120.4AX	D1DZ 12127-E	(DA-1110)	366	113	236	252			11
D1DF 12127-FA	120.2B	D1DZ 12127-F	(DA-1113)	360	111	238	233	249	13	3
D1DF 12127-FB	120.2K	D1DZ 12127-F	(DA-1113)	384	111	238	233			13
D1DF 12127-GA	120.2J	D1DZ 12127-G	(DA-1075A)	360	117	237	240	229	7	13
D1MF 12127-FA	120.4AP	D1MY 12127-F	(DA-1069)	353	107	236	235	249	17	6
D1MF 12127-FB	120.4AZ	D1MY 12127-F	(DA-1069)	369	107	236	235			11
D1OF 12127-AB	120.2E	D1OZ 12127-A	(DA-1060)	304	111	241	233	229	7	7
D1OF 12127-BB	120.2G	D1OZ 12127-B	(DA-1059)	304	117	237	244	225	5	7
D1OF 12127-CA	120.2B	D1OZ 12127-C	(DA-1058)	361	111	241	233	218	7	7
D1OF 12127-CB	120.2H	D1OZ 12127-C	(DA-1058)	340	111	241	233			7
D1OF 12127-GA	120.4AK	★D1OZ 12127-G r/b D2ZZ 12127-C	(DA-1065)	356	107	241	244	217	9	6
D1OF 12127-LA	120.4AM	D1OZ 12127-L	(DA-1061)	354	116	236	252	217	2	6
D1OF 12127-LB	120.4BA	D1OZ 12127-L	(DA-1061)	372	116	236	252			11
D1OF 12127-PA	120.4AJ	D1OZ 12127-P	(DA-1213)	354	107	241	235	229	6	6
D1ZF 12127-AA	120.4AL	D1ZZ 12127-A	(DA-1048)	363	112	238	235	225		6
D1ZF 12127-AB	120.4BD	D1ZZ 12127-A	(DA-1048)	363	112	238	235			11
D1ZF 12127-BA	120.4AQ	★D1ZZ 12127-B r/b D1ZZ 12127-E or D1ZZ 12127-G	(DA-1111)	317	112	238	244	229	9	12
D1ZF 12127-DA	120.4AV	D1ZZ 12127-D	(DA-1118)	351	112	251	251	229	9	12
D1ZF 12127-DB	120.4AV	D1ZZ 12127-D	(DA-1118)	351	112	251	251			12
D1ZF 12127-EA	120.4AR	D1ZZ 12127-E	(DA-1211)	358	118	238	244	245	11	12
D1ZF 12127-EB	120.4AV	D1ZZ 12127-E	(DA-1211)	358	118	238	244			12
D1ZF 12127-FA	120.4AF	★D1ZZ 12127-F r/b D1ZZ 12127-G	(DA-1212)	303	107	238	240	248	2	6
D1ZF 12127-GA	120.4AH	D1ZZ 12127-G	(DA-1212-A)	307	107	242	233	250	2	6
D1ZF 12127-GB	120.4AZ	D1ZZ 12127-G	(DA-1212-A)	378	108	238	233			11
D2AF 12127-BA	120.2L	D2AZ 12127-B	(DA-1125)	330	110	236	244			13
D2AF 12127-CA	120.4AX	D2AZ 12127-C	(DA-1146)	326	113	237	252			11
D2AF 12127-DA	120.4AX	D2AZ 12127-D	(DA-1147)	326	113	237	252			11
D2AF 12127-EA	120.4AZ	D2AZ 12127-E	(DA-1210)	328	107	241	233			11
D2AF 12127-FA	120.4AZ	D2AZ 12127-F	(DA-1176)	333	108	238	240			11
D2AF 12127-KA	120.4AZ	D2AZ 12127-K	(DA-1180)	329	107	241	233			11
D2AF 12127-MA	120.4BB	★D2AZ 12127-M r/b D2AZ 12127-R	(DA-1182)	332	113	238	252			11
D2AF 12127-MB	120.4AZ	D2AZ 12127-R	(DA-1224-A)	368	107	233	244			11
D2AF 12127-NA	120.4BB	★D2AZ 12127-N r/b D2AZ 12127-R	(DA-1224)	332	113	238	219			11
D2AF 12127-NC	120.4AZ	★D2AZ 12127-N r/b D2AZ 12127-R	(DA-1224)	368	107	237	244			11
D2AF 12127-PA	120.4BA	D2MY 12127-B	(DA-1172)	338	113	238	244			11
D2AF 12127-RA	120.4AZ	D2AZ 12127-E	(DA-1210)	328	107	243	240			11
D2AF 12127-SA	120.4AZ	D2AZ 12127-F	(DA-1176)	333	108	238	240			11
D2BF 12127-AA	120.2K	D2BZ 12127-A	(DA-1126)	336	111	237	244			13
D2BF 12127-EA	120.4AX	D2BZ 12127-E	(DA-1162)		113					11
D2DF 12127-AA	120.2K	D2DZ 12127-A	(DA-1127)	349	111	241	233			13
D2DF 12127-BA	120.2K	D2DZ 12127-B	(DA-1128)	349	111	241	233			13
D2DF 12127-CA	120.2K	D2DZ 12127-C	(DA-1129)	349	111	237	244			13
D2DF 12127-DA	120.2K	D2DZ 12127-D	(DA-1130)	344	110	236	244			13
D2DF 12127-EA	120.2K	D2DZ 12127-E	(DA-1131)	349	111	237	244			13
D2DF 12127-FA	120.2M	D2DZ 12127-F	(DA-1132)	337		238	252			13
D2MF 12127-EA	120.4BB	D2AZ 12127-J	(DA-1179)	331	113	238	252			11
D2MF 12127-FA	120.4BB	D2AZ 12127-H	(DA-1178)	331	113	238	252			11
D2MF 12127-GA	120.4BB	D2MY 12127-G	(DA-1230)	398	113	238	235			11
D2OF 12127-AA	120.4AX	D2OZ 12127-A	(DA-1148)	341	107	238	240			11
D2OF 12127-DA	120.2K	D2OZ 12127-D	(DA-1135)	339	111	241	244			13
D2OF 12127-EA	120.2K	D2OZ 12127-E	(DA-1149)	342	111	251	244			13

12127 IDENTIFICATION CHART - continued

IDENTIFICATION	DISTRIBUTOR PARTS LIST SECTION & NUMBER	SERVICE REPLACEMENT DISTRIBUTOR	MOTORCRAFT SALES NO.	CALIBRATION CODE NUMBERS						REFER TO ILLUS. SEC. 120 PAGE
				DIAPHRAGM ASSY. (12370)	CAM (12210)	SPRINGS (12191-2) PRIMARY	SPRINGS (12191-2) SECOND-ARY	SPRINGS (12191-2) VACUUM	STOP (12202)	
D2OF 12127-HA	120.4AX	D2OZ 12127-H	(DA-1152)	326	113	237	252			11
D2OF 12127-JA	120.4AX	D2OZ 12127-J	(DA-1153)	326	113	237	252			11
D2OF 12127-PA	120.2K	D2OZ 12127-P	(DA-1225)	340	110	234	240			13
D2OF 12127-RA	120.4AX	D2OZ 12127-R	(DA-1226)	343	113	237	219			11
D2SF 12127-EA	120.4BB	D2SZ 12127-E	(DA-1232)	346	113	237	252			11
D2UF 12127-AA	120.2L	D2UZ 12127-A	(DA-1141)	349	111	238	244			13
D2UF 12127-EA	120.4AX	D2UZ 12127-E	(DA-1155)	350	113	238	252			11
D2UF 12127-GA	120.4AX	D2UZ 12127-G	(DA-1157)	350	113	238	252			11
D2VF 12127-AA	120.4BB	D2VY 12127-A	(DA-1200)	346	113	238	219			11
D2VF 12127-BA	120.4BB	D2VY 12127-B	(DA-1201)	347	113	238	252			11
D2ZF 12127-AA	120.4AZ	D2ZZ 12127-A	(DA-1175)	335	107	251	239			11
D2ZF 12127-CA	120.4AZ	D2ZZ 12127-C	(DA-1203)	334	107	241	244			11
D2ZF 12127-EA	120.4AV	★D2ZZ 12127-E r/b D3OZ 12127-F	(DA-1205)	399	107					11
D2ZF 12127-FA	120.4AZ	D2ZZ 12127-F	(DA-1206)		107					11
D2ZF 12127-GA	120.4AZ	D2ZZ 12127-G	(DA-1207)	348	107	238	240			11
D2ZF 12127-GB	120.4AZ	D2ZZ 12127-G	(DA-1207)	348	107	238	240			11
D2ZF 12127-GC	120.4AZ	D2ZZ 12127-G	(DA-1207)	348	107	238	238			11
D2ZF 12127-HA	120.4AZ	D2ZZ 12127-H	(DA-1208)	348	107	238	240			11
D2ZF 12127-HB	120.4AZ	D2ZZ 12127-H	(DA-1208)	348	108	238	238			11
D2ZF 12127-LA	120.4AY	D2OZ 12127-A	(DA-1148)	#	107	238	240			11
Z5AF 12127-B	120.4D	★C5ZZ 12127-C r/b C7ZZ 12127-A	(DA-663)		108	237	235	216	11	6

HOW TO FIND DISTRIBUTOR CALIBRATION PARTS

(Primary, Secondary & Vacuum Springs, Cam & Stop)

You must know the Distributor Identification Number -

1. Refer to Identification Chart beginning on page 1.
2. Check distributor for marking or identification number and locate same in chart.
3. Find Calibration parts listed by code number in adjacent columns.
4. Refer to Calibration Code and Part Number Cross Reference listed below for appropriate part number.

EXAMPLE: Calibration parts for Distributor identified C8AF 12127-A are -

PRIMARY SPRING - 238 - C5AZ 12192-F, SECONDARY SPRING - 244 - C5VY 12192-A, VACUUM SPRING - 225 - C0TZ 12192-A, CAM - 111 - C6TZ 12210-B and STOP - 7 - C0TZ 12202-A

DISTRIBUTOR CALIBRATION PARTS CROSS REFERENCE LIST

CODE	PART NUMBER	MOTORCRAFT SALES NUMBER	DESCRIPTION
	12202 STOPS - Codes 1 thru 99		
1	FEW 12202-A		
2	B7A 12202-A		
3	B7A 12202-B		
4	★B7A 12202-C		Not replaced
5	B8A 12202-A		
6	B8E 12202-A		
7	C0TZ 12202-A		
8	★C3AZ 12202-A		Not replaced
9	C3AZ 12202-B		
10	C4AZ 12202-A		
11	C5GY 12202-A		
12	C7AZ 12202-A		
13	C7DZ 12202-A		
14	C7DZ 12202-B		
15	★FFA 12202-A r/b B8A 12202-A		
16	B8S 12202-A	(DZ-414)	
17	C7OZ 12202-A		
18	D0RY 12202-A		
19	D1FZ 12202-A		
20	D1RY 12202-A		

Not available

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

See PAGE 1 of this SECTION for DISTRIBUTOR COMPONENT INFORMATION

DISTRIBUTOR CALIBRATION PARTS CROSS REFERENCE LIST - continued

CODE	PART NUMBER	MOTORCRAFT SALES NUMBER	DESCRIPTION
			12210
103	C0TF 12210-B	(DF-329)	
104	C3AZ 12210-A	(DF-306)	
107	C5AZ 12210-A	(DF-342)	
108	C5AZ 12210-B	(DF-343)	
109	C5SZ 12210-A	(DF-347)	
110	C5TZ 12210-A	(DF-344)	
111	C6TZ 12210-B	(DF-352)	
			12191-2
201	FFA 12191-A		
203	B7A 12191-B		
204	B7A 12191-D	(DZ-353)	
206	B8A 12191-A	(DZ-380)	
209	B8A 12192-A	(MS-2)	
210	B8A 12192-B	(MS-3)	
211	A7AZ 12192-A		
212	A8TZ 12192-A		
213	B2AZ 12192-A		
215	B4TZ 12192-A	(MS-20)	
216	B7AZ 12192-A		
217	B7AZ 12192-B		
218	B7AZ 12192-C	(MS-429)	
219	B7AZ 12192-D	(MS-479)	
222	B8QH 12192-C		
223	C0AF 12192-A		
225	C0TZ 12192-A		
226	C1DF 12192-A		
228	C2OZ 12192-A		
229	C2OZ 12192-B	(MS-431)	
230	C2SZ 12192-A		
231	C3DZ 12192-A		
232	C3OZ 12192-A	(MS-480)	
233	C5AZ 12192-A	(MS-467)	
261	D3AZ 12192-A	(MS-510)	
			12370
301	B9AF 12370-A	(DD-9)	
302	C0DF 12370-A	(DD-12)	
303	C5AZ 12370-A	(DD-190)	
304	C5TZ 12370-A	(DD-191)	
307	D2PZ 12370-H	(DD-381)	
309	D2FZ 12370-D	(DD-727)	
310	★C8AZ 12370-F r/b D2PZ 12370-M	(DD-268)	
311	C9AZ 12370-A	(DD-256)	
312	★C9ZZ 12370-A	(DD-630)	Not replaced
313	★C9ZZ 12370-B r/b D2ZZ 12370-H	(DD-627)	
315	★D0OZ 12370-B r/bD2PZ 12370-M	(DD-631)	
316	D0RY 12370-B	(DDE-260)	
317	★D1AZ 12370-A r/b D2OZ 12370-J	(DD-267)	
318	D3FZ 12370-B	(DD-650)	
319	D1FZ 12370-A	(DD-262)	
320	D1FZ 12370-B	(DD-261)	
321	C8AZ 12370-G	(DD-255)	
322	D0ZZ 12370-B	(DD-258)	
324	D1RY 12370-A	(DDE-269)	
325	★D1ZZ 12370-B	(DD-271)	
326	D2AZ 12370-A	(DD-356)	
327	D2AZ 12370-C	(DD-367)	
328	D2AZ 12370-D	(DD-357)	

CODE	PART NUMBER	MOTORCRAFT SALES NUMBER	DESCRIPTION
	CAMS - Codes 101 thru 199		
112	C9AZ 12210-A	(DF-371)	
113	D0AZ 12210-A	(DF-375)	
114	D0RY 12210-A	(DFE-376)	
116	D1OZ 12210-A	(DF-382)	
117	D1TZ 12210-A		
118	C9AZ 12210-B	(DF-379)	
119	D0DZ 12210-A	(DF-378)	
123	D2FZ 12210-A		
	SPRINGS - Codes 201 thru 299		
234	C5AZ 12192-B	(MS-468)	
235	C5AZ 12192-C	(MS-469)	
236	C5AZ 12192-D	(MS-470)	
237	C5AZ 12192-E	(MS-471)	
238	C5AZ 12192-F	(MS-472)	
239	C5AZ 12192-H	(MS-475)	
240	C5AZ 12192-J	(MS-473)	
241	C5AZ 12192-K	(MS-474)	
242	C5AZ 12192-L	(MS-484)	
243	C5AZ 12192-M	(MS-483)	
244	C5VY 12192-A	(MS-476)	
245	C8AZ 12192-E	(MS-491)	
246	C8AZ 12192-B	(MS-488)	
247	C8AZ 12192-C	(MS-489)	
248	C8AZ 12192-D	(MS-490)	
249	C6AZ 12192-A	(MS-486)	
250	C8AZ 12192-A	(MS-487)	
251	D0OZ 12192-A	(MS-492)	
252	C9AZ 12192-A	(MS-494)	
255	C5AZ 12192-N	(MS-493)	
256	D1FZ 12192-A		
257	D1FZ 12192-B		
258	D1FZ 12192-C		
259	D1FZ 12192-D		
260	D2WY 12192-A	(MS-506)	
	DIAPHRAGM ASSY. - Codes 301 thru 399		
329	D2AZ 12370-E	(DD-354)	
330	D2AZ 12370-F	(DD-351)	
331	D2AZ 12370-G	(DD-359)	
332	D2AZ 12370-H	(DD-366)	
333	D2AZ 12370-J	(DD-364)	
334	D2AZ 12370-K	(DD-355)	
335	D2AZ 12370-L	(DD-362)	
336	D2BZ 12370-A	(DD-349)	
337	D2DZ 12370-A	(DD-350)	
338	D2MY 12370-A	(DD-358)	
339	D2OZ 12370-A	(DD-346)	
340	D2OZ 12370-B	(DD-345)	
341	D2OZ 12370-C	(DD-361)	
342	D2OZ 12370-D	(DD-348)	
343	D2OZ 12370-F	(DD-363)	
344	D2TZ 12370-A	(DD-352)	
345	D2TZ 12370-H	(DD-353)	
346	D2VY 12370-A	(DD-343)	
347	D2VY 12370-B	(DD-341)	
348	D2ZZ 12370-A	(DD-339)	
349	D2UZ 12370-A	(DD-347)	
350	D2UZ 12370-C	(DD-365)	
351	D2ZZ 12370-D	(DD-270-A)	
352	D2PZ 12370-D	(DD-376)	
353	D2PZ 12370-E	(DD-378)	
354	D2PZ 12370-F	(DD-259-A)	
355	D2PZ 12370-G	(DD-375)	

DISTRIBUTOR CALIBRATION PARTS CROSS REFERENCE LIST - continued

12370 DIAPHRAGM ASSY. - continued

CODE	PART NUMBER	MOTORCRAFT SALES NUMBER	DESCRIPTION
356	D2PZ 12370-L	(DD-377)	
357	D2PZ 12370-M	(DD-631-A)	
358	D2AZ 12370-X	(DD-371)	
359	D2OZ 12370-J	(DD-267-A)	
360	D2PZ 12370-A	(DD-237-A)	
361	D2PZ 12370-B	(DD-374)	
362	D2ZZ 12370-E	(DD-258-A)	
363	D2ZZ 12370-G	(DD-372)	
364	D2AZ 12370-B	(DD-344)	
365	D2AZ 12370-N	(DD-384)	
366	D2AZ 12370-P	(DD-386)	
367	D2AZ 12370-S	(DD-401)	
368	D2AZ 12370-Y	(DD-632)	
369	D2MY 12370-B	(DD-391)	
370	D2MY 12370-C	(DD-385)	
371	D2OZ 12370-E	(DD-388)	
372	D2OZ 12370-G	(DD-387)	
373	D2OZ 12370-H	(DD-390)	
374	D2PZ 12370-C	(DD-373)	
375	D2PZ 12370-J	(DD-382)	
376	D2PZ 12370-K	(DD-383)	
377	D2VY 12370-C	(DD-389)	
378	D2TZ 12370-E	(DD-360)	
379	D2UZ 12370-E	(DD-368)	
380	D2AZ 12370-M	(DD-397)	
381	D2AZ 12370-R	(DD-369)	
382	D2AZ 12370-V	(DD-393)	
383	D2PZ 12370-N	(DD-699)	
384	D2DZ 12370-C	(DD-396)	
385	D2ZZ 12370-C	(DD-392)	
386	D2ZZ 12370-H	(DD-380)	
393	D2DZ 12370-E	(DD-460)	
394	D2DZ 12370-F	(DD-399)	
395	D2FZ 12370-A	(DDE-402)	
396	D2FZ 12370-B	(DDE-403)	
397	D2FZ 12370-C	(DDE-276)	
398	D2MY 12370-D	(DD-635)	
399	D2ZZ 12370-F	(DD-659)	

12127 DISTRIBUTOR APPLICATION CHART

Determine engine (number of cylinders and C.I.D.), year, model and/or identification. Find service Distributor as well as Cap, Condenser, Points, Repair and Rotor in adjacent columns.

(Also see Pages 1 thru 9 of this section for PARTS LISTS instructions and DISTRIBUTOR IDENTIFICATION CHART)

YEAR	MODEL	IDENTIFICATION	PARTS LIST SECTION & NO.	SERVICE REPLACEMENT DISTRIBUTOR	DISTRIBUTOR COMPONENTS: CAP	CONDENSER	POINTS	REPAIR KIT	ROTOR	ILLUS. SEC. 120 PAGE
4 CYL. 98 (1600 cc)										
71	L	701F 12100-EA	120.5A	★D1FZ 12127-B (DA-1092) r/b D2FZ 12127-A	e	j	C5AZ 12171-A (DP-77)		D0RY 12200-B (DRE-91)	10
72	L(exc. Calif.)	721F 12100-YA	120.5D	★D2FZ 12127-A (DA-1219) r/b D2FZ 12127-G	e	j	C5AZ 12171-A (DP-77)		D0RY 12200-B (DRE-91)	10
72	L(Calif.)	721F 12100-TA	120.5D	D2FZ 12127-B (DA-1220)	e	j	C5AZ 12171-A (DP-77)		D0RY 12200-B (DRE-91)	10
72	L	721F 12100-AHA	120.5E	D2FZ 12127-G (DA-1239)	e	j	C5AZ 12171-A (DP-77)		D0RY 12200-B (DRE-91)	10
4 CYL. 122 (2000 cc)										
71 71	L(S/T) L(A/T)-exc. Calif.	71HM 12100-ABA	120.5B	D1FZ 12127-A (DA-1047)	d	m	D1FZ 12171-A (DP-124)		D1FZ 12200-A (DR-92)	9
71	L(A/T)-Calif.	71HM 12100-AEA	120.5C	D1FZ 12127-C (DA-1105)	d	m	D1FZ 12171-A (DP-124)		D1FZ 12200-A (DR-92)	9
72	L(S/T)	72HF 12100-DC	#	D2FZ 12127-C (DA-1221) R/B D3FZ 12127-A	d	m	D1FZ 12171-A (DP-124)		D1FZ 12200-A (DR-92)	9
72	L(A/T)-exc. Calif.	72HF 12100-FA	#	D2FZ 12127-D (DA-1222) R/B D3FZ 12127-B	d	m	D1FZ 12171-A (DP-124)		D1FZ 12200-A (DR-92)	9
72	L(A/T)-Calif.	72HF 12100-SC, A72SX 12100-BA	#	D2FZ 12127-E (DA-1223)	d	m	D1FZ 12171-A (DP-124)		D1FZ 12200-A (DR-92)	9
72	L(A/T)-exc. Calif.	73HF 12100-GA	#	D3FZ 12127-B (DA-1288)	d	p	D1FZ 12171-A (DP-124)		D1FZ 12200-A (DR-92)	9
72	L(S/T)	73HF 12100-AA	#	D3FZ 12127-A (DA-1271)	d	p	D1FZ 12171-A (DP-124)		D1FZ 12200-A (DR-92)	9

d - D1FZ 12106-A (DH-157) e - D0RY 12106-A (DHE-156) j - D0RY 12300-A (DCE-238) m - D1FZ 12300-A (DC-88) p - D3FZ 12300-A (DC-89) # Not available

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

12127 DISTRIBUTOR APPLICATION CHART - continued

YEAR	MODEL	IDENTIFICATION	PARTS LIST SECTION & NO.	SERVICE REPLACEMENT DISTRIBUTOR	DISTRIBUTOR COMPONENTS					ILLUS. SEC. 120 PAGE
					CAP	CONDENSER	POINTS	REPAIR KIT	ROTOR	
6 CYL. 170										
65	F(C4)	C4DF 12127-B, C8UF 12127-J	120.1A	C4DZ 12127-E (DA-890)	a	k	C9AZ 12171-B (DP-3)	A7A 12000-B (DK-2)	FAA 12200-B (DR-1)	3
65	F(S/T)	C4ZF 12127-A	120.1A	C5ZZ 12127-A r/b C4DZ 12127-D	a	k	C9AZ 12171-B (DP-3)	A7A 12000-B (DK-2)	FAA 12200-B (DR-1)	3
65/66	X,U(S/T)-exc. T/E	C5DF 12127-C	120.1A	C5DZ 12127-C R/B C4DZ 12127-D	a	k	C9AZ 12171-B (DP-3)	A7A 12000-B (DK-2)	FAA 12200-B (DR-1)	3
65/67	X,U(S/T)-exc.T/E	C8DF 12127-G	120.1A	C4DZ 12127-D (DA-889)	a	k	C3DZ 12171-A (DP-70)	A7A 12000-B (DK-2)	FAA 12200-B (DR-1)	3
65/66	U,X(S/T-exc. T/E)	C5DF 12127-D, F, K, C8DF 12127-H	120.1B	C4OZ 12127-F (DA-891)	a	k	C9AZ 12171-B (DP-3)	A7A 12000-B (DK-2)	FAA 12200-B (DR-1)	3
66 67	F(3/S/T)-with T/E U(S/T)-with T/E	C6DF 12127-A, C7TF 12127-J, L	120.2A	C6DZ 12127-A (DA-741)	a	1	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
66/67	X(C4)-with T/E or Imco	C6DF 12127-D	120.2A	C6DZ 12127-D (DA-742)	a	1	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
67	X(C4)-exc.T/E	C5DF 12127-F,K C8DF 12127-H	120.1B	C4OZ 12127-F (DA-891)	a	k	C9AZ 12171-B (DP-3)	A7A 12000-B (DK-2)	FAA 12200-B (DR-1)	3
67	X(C4)-with Imco	C7DF 12127-G	120.2A	C7DZ 12127-G (DA-844)	a	1	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
67	X(3/S/T)-with T/E	C7DF 12127-A,B	120.2A	C7DZ 12127-A (DA-798)	a	1	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
68	U(3/S/T)-with T/E	C8TF 12127-A, C8UF 12127-A	120.2B	C8UZ 12127-A (DA-868)	a	1	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
68 69 70 71	X(3/S/T)-with T/E U(3/S/T)-with T/E U(3/S/T)-with Imco U(3/S/T)-with Imco, exc. Calif.	C8DF 12127-A	120.2B	C8DZ 12127-A (DA-859)	a	1	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
69/70 71	U(3/S/T)-w/Imco, ev/em U(3/S/T)-Calif.	C9UF 12127-F	120.2B	C9UZ 12127-F (DA-972)	a	1	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16).	C5TZ 12200-B (DR-87)	3
68/69	X(C4)-with Imco	C8DF 12127-B,J	120.2B	C8DZ 12127-J (DA-965)	a	1	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
69 70 71	X(3/S/T)-with Imco P(S/T)-with Imco P(S/T)-exc. Calif.	C9DF 12127-B	120.2B	C9DZ 12127-B r/b D2DZ 12127-A	a	1	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
71	P(S/T)-Calif.	D1DF 12127-FA	120.2B	D1DZ 12127-F (DA-1113)	a	1	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
70	P(S/T,Imco)	D0DF 12127-H	120.2E	D0DZ 12127-H R/B C9DZ 12127-B	a	1	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13
70	P(A/T)-w/Imco	D0DF 12127-E	120.2F	D0DZ 12127-B (DA-978)	a	1	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13
72	U(S/T,Imco)	D2BF 12127-AA	120.2K	D2BZ 12127-A (DA-1126)	a	1	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13
72	P(S/T,Imco) exc. Calif.	D2DF 12127-AA	120.2K	D2DZ 12127-A (DA-1127)	a	1	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13
72	P(S/T,Imco)-Calif.	D2DF 12127-BA	120.2K	D2DZ 12127-B (DA-1128)	a	1	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13

a - 7HA 12106-A (DH-4)
k - 7RA 12300-C (DC-6)
1 - C9AZ 12300-A (DC-13A)

12127 DISTRIBUTOR APPLICATION CHART - continued

YEAR	MODEL	IDENTIFICATION	PARTS LIST SECTION & NO.	SERVICE REPLACEMENT DISTRIBUTOR	DISTRIBUTOR COMPONENTS					ILLUS. SEC. 120 PAGE
					CAP	CONDENSER	POINTS	REPAIR KIT	ROTOR	
6 CYL. 200										
65/66	B,F,X(C4)-exc.T/E	C8DF 12127-H	120.1B	C4OZ 12127-F (DA-891)	a	k	C9AZ 12171-B (DP-3)	A7A 12000-B (DK-2)	FAA 12200-B (DR-1)	3
66	B, F, X(C4)-with T/E	C6DF 12127-E,K	120.2A	C6DZ 12127-K (DA-774)	a	l	C9AZ12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
66	B,F,X(3/4/S/T)-with T/E	C6DF 12127-C	120.2A	C6DZ 12127-C (DA-742)	a	l	C9AZ12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
65/67	B, F, X(S/T)-exc. T/E	C5DF 12127-E, C8DF 12127-G	120.1A	C4DZ 12127-D (DA-889)	a	k	C3DZ 12171-A (DP-70)	A7A 12000-B (DK-2)	FAA 12200-B (DR-1)	3
65/67	B, F, X(C4)-with T/E	C5DF 12127-F,K C8DF 12127-H	120.1B	C4OZ 12127-F (DA-891)	a	k	C9AZ12171-B (DP-3)	A7A 12000-B (DK-2)	FAA 12200-B (DR-1)	3
67	B, F, X(C4)-with T/E	C7DF 12127-D	120.2A	C7DZ 12127-F (DA-842)	a	l	C9AZ12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
67	B, F, X(3/S/T)-with T/E	C7DF 12127-C	120.2A	C7DZ 12127-F (DA-842)	a	l	C9AZ12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
67	B, F, X(C4)-with Imco	C6DF 12127-D	120.2A	C6DZ 12127-D (DA-743)	a	l	C9AZ12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
67	B, F, X(C4)-with Imco	C7DF 12127-F	120.2A	C7DZ 12127-F (DA-842)	a	l	C9AZ12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
68 69	B, F, X(3/S/T)-with Imco F, X(3/S/T)-with Imco	C8DF 12127-C	120.2B	C8DZ 12127-C (DA-861)	a	l	C9AZ12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
68 69	B, F, X(C4)-with Imco F, X(C4)-with Imco	C8DF 12127-D	120.2B	C8DZ 12127-D (DA-862)	a	l	C9AZ12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
70 70	F(S/T) P(S/T)	D0DF 12127-J	120.2E	D0DZ 12127-J r/b D0DZ 12127-C	a	l	C9AZ 12171-B (DP-3)	A7A 12000-B (DK-2)	C5TZ 12200-B (DR-87)	13
70 70 71	P, X(A/T, S/T) F(A/T) P, (A/T, S/T)-exc.California	D0DF 12127-C	120.2B	D0DZ 12127-C (DA-979)	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
71	P(S/T)-California	D1DF12127-BB	120.2B	D1DZ 12127-B r/b D2DZ 12127-C	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	3
71	P(A/T)-Calif.	D1DF 12127-GA	120.2J	D1DZ 12127-G (DA-1075-A)	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13
72	P(S/T,Imco)-exc. Calif.	D2DF 12127-CA	120.2K	D2DZ 12127-C (DA-1129)	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13
72	P(A/T,Imco)-exc. Calif.	D2DF 12127-DA	120.2K	D2DZ 12127-D (DA-1130)	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13
72	P(S/T,Imco)-Calif.	D2DF 12127-EA	120.2K	D2DZ 12127-E (DA-1131)	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13
72	P(A/T,Imco)-Calif.	D2DF 12127-FA	120.2M	D2DZ 12127-F (DA-1132)	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13
6 CYL. 240										
65	A,Taxi,P/C(S/T)-exc.econ.carb.	C5AF 12127-AD	120.1C	C5AZ 12127-K r/b C5TZ 12127-AD	a	k	C9AZ12171-B (DP-3)	A7A 12000-B (DK-2)	FAA 12200-B (DR-1)	4
65/67	A, Taxi, P/C(C4, C/M)-exc.T/E and econ.carb.	C5AF 12127-AE	120.1C	C5AZ 12127-L r/b C5AZ 12127-P	a	k	C9AZ12171-B (DP-3)	A7A 12000-B (DK-2)	FAA 12200-B (DR-1)	4
65/67	A, Taxi, P/C(C4, C/M)-exc.econ. carb. & T/E	C6AF 12127-Y	120.1D	C5AZ 12127-P (DA-912)	a	k	C9AZ12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	4
65/67	Taxi, P/C exc.T/E-w/ econ. carb.	C5AF 12127-AK, AL, AM, BU, C6AF 12127-AA, AB	120.2C	C5AZ 12127-BU (DA-728)	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	4

a - 7HA 12106-A(DH-4) k - 7RA 12300-C (DC-6) l - C9AZ 12300-A (DC-13-A)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

See PAGE 1 of this SECTION for DISTRIBUTOR COMPONENT INFORMATION

12127 DISTRIBUTOR APPLICATION CHART - continued

YEAR	MODEL	IDENTIFICATION	PARTS LIST SECTION & NO.	SERVICE REPLACEMENT DISTRIBUTOR	DISTRIBUTOR COMPONENTS					ILLUS. SEC. 120 PAGE
					CAP	CONDENSER	POINTS	REPAIR KIT	ROTOR	
6 CYL. 240 - continued										
65/67	A, Taxi, P/C(S/T-exc. T/E)-exc. econ. carb.	C5TF 12127-AC	120. 1C	C5TZ 12127-AC r/b C5TZ 12127-AD	a	k	C9AZ12171-B (DP-3)	A7A 12000-B (DK-2)	FAA 12200-B (DR-1)	4
65/67	A, Taxi, P/C(S/T-exc. econ. carb.)-exc. T/E	C6TF 12127-AC	120. 1D	C5TZ 12127-AD (DA-917)	a	k	C9AZ12171-B (DP-3)	A7A 12000-B (DK-2)	FAA 12200-B (DR-1)	4
66/67	A, Taxi, P/C (3/S/T-w/T/E)-exc. special econ. carb.	C6AF 12127-AC	120. 2C	C6AZ 12127-G (DA-749)	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	4
66/67	A, Taxi, P/C(C4, T/E)-exc. econ. carb.	C6AF 12127-AD	120. 2C	C6AZ 12127-N (DA-750)	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	4
68/70 71	A(S/T-w/T/E) A(S/T)	C8AF 12127-A	120. 2D	C8AZ 12127-A r/b D2UZ 12127-A	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	4
68/70 71	A(C4 & Imco) A, Taxi, P/C-(C4 trans.)	C8AF 12127-B	120. 2D	C8AZ 12127-B r/b D2AZ 12127-B	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	4
71	A, Taxi, P/C-(S/T)	D1AF 12127-CA	120. 2H	D1AZ 12127-C (DA-1090)	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13
68/70 71	A(S/T with T/E) A(S/T)	D2UF 12127-AA	120.2L	D2UZ 12127-A (DA-1141)	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B DR-81)	13
72	A, Taxi, P/C-w/A/T, Imco	D2AF 12127-BA	120.2L	D2AZ 12127-B (DA-1125)	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13
6 CYL. 250										
69	B, F(S/T)	C9OF 12127-R	120. 2E	C9OZ 12127-A	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13
69	B, F-A/T	C9OF 12127-U,V	120.2E	C9OZ 12127-V	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13
70	B, F, P(A/T,S/T, Imco)	D0OF 12127-A	120. 2B	D0OZ 12127-A r/b D2OZ 12127-P	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	7
71	B, F, P(S/T) Calif.	D1OF 12127-AB	120.2E	D1OZ 12127-A (DA-1060)	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13
71	B, F, P(A/T) Calif.	D1OF 12127-BB	120-2G	D1OZ 12127-B (DA-1059)	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13
71	B, F, P(A/T, S/T)-exc. Calif.	D1OF 12127-CA	120. 2B	D1OZ 12127-C (DA-1058)	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	7
72	B, F, P(A/T)-California	D2OF 12127-EA	120.2K	D2OZ 12127-E (DA-1149)	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13
72	B, F, P(A/T)-exc.California	D2OF 12127-DA	120.2K	D2OZ 12127-D (DA-1135)	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13
72	B, F, P(S/T)	D2OF 12127-PA	120.2K	D2OZ 12127-P (DA-1225)	a	l	C9AZ 12171-B (DP-3)	C5AZ 12000-D (DK-16)	C5TZ 12200-B (DR-87)	13
8 CYL. 260										
65	F(S/T, C4)	C4OF 12127-B, C4ZF 12127-B,E C5ZF 12127-J C5JF 12127-B,	120. 4A 120.4D	C4OZ 12127-B (DA-631)	b	l	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6 6
8 CYL. 289										
65	B Special (4/B carb.)	C5OF 12127-E	120. 3C	C5OZ 12127-E (DA-691)	b	l	C9AZ12171-C (DP-6)	C5ZZ 12000-A (DK-14)	B7A 12200-A (DR-5)	6
65/67	F Special (4/B carb.)-w/T/E									
65/67	F Special (4/B carb. -S/T)-exc. T/E									

a - 7HA 12106-A (DH-4) b - B7A 12106-A (DH-6) k - 7RA 12300-C (DC-6) l - C9AZ 12300-A (DC-13-A)

12127 DISTRIBUTOR APPLICATION CHART - continued

YEAR	MODEL	IDENTIFICATION	PARTS LIST SECTION & NO.	SERVICE REPLACEMENT DISTRIBUTOR	DISTRIBUTOR COMPONENTS					ILLUS. SEC. 120 PAGE
					CAP	CONDENSER	POINTS	REPAIR KIT	ROTOR	
8 CYL. 289 - continued										
65	F Special (4/B carb.)	C3OF 12127-D, C3OF 12127-F	120.3A	C3OZ 12127-D r/b C5OZ 12127-E	b	1	C9AZ12171-C (DP-6)	C5ZZ 12000-A (DK-14)	B7A 12200-A (DR-5)	5
65	F(4/B carb.-S/T)-exc.Spec.	C4ZF 12127-C, Z5AF 12127-B	120.4A 120.4D	C5ZZ 12127-C r/b C7ZZ 12127-A	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6 6
65	F Special	C4ZF 12127-D	120.3A	C5ZZ 12127-D r/b C5OZ 12127-E	b	k	C9AZ12171-C (DP-6)	C5ZZ 12000-A (DK-14)	B7A 12200-A (DR-5)	5
65	F(C4)-exc. Special	C4GF 12127-B, C5GF 12127-C	120.4A 120.4D	C4GY 12127-B r/b C7ZZ 12127-A	b	k	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6 6
65/66	A, B, F, X(2/B carb.)-S/T exc. T/E	C5AF 12127-M	120.4E	C5AZ 12127-M r/b C7ZZ 12127-A	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
65/66	A, B, F, X(2/B carb.)(C4, C/M-exc.T/E	C5AF 12127-N	120.4E	C5AZ 12127-N (DA-680) r/b C7ZZ 12127-A	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
65/66	B, F, X(4/B carb.) -exc.T/E	C5GF 12127-A	120.4E	C5GY 12127-A r/b C7ZZ 12127-A	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66	A, B, F, X(2/B, 3/4/S/T & T/E)	C6AF 12127-J	120.4E	C6AZ 12127-J r/b C7OZ 12127-D	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66	A, B, F, X(2/B, C/M, C4 & T/E)	C6AF 12127-AK	120.4E	C6AZ 12127-S (DA-752)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK10)	B7A 12200-A (DR-5)	6
66	F,X(4/B,3/4/S/T & T/E)	C6ZF 12127-A	120.4E	C6ZZ 12127-A (DA-747) r/b C7ZZ 12127-C	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66	F,X(4/B, C4 & T/E)	C6ZF 12127-B	120.4E	C7OZ 12127-E (DA-806)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	A, B, F, X(2/B carb.)(C4-exc. T/E)	C7AF 12127-AE	120.4G	C7AZ 12127-AE R/B C7OZ 12127-B	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	A, B, F, X, U(2/B carb.)(C4-exc. T/E)	C7OF 12127-B	120.4F	C7OZ 12127-B R/B C7ZZ 12127-A	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	A, B, F, X(2/B, C4, T/E)-P/C & Taxi	C7AF 12127-AH	120.4F	C7AZ 12127-AH R/B C7AZ 12127-A	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	A, B, F, X(2/B, C4, T/E)-P/C & Taxi	C7OF 12127-J	120.4F	C7AZ 12127-AJ (DA-895)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	A,B,F,X,U(2/B carb.)(3/4/S/T-exc.T/E)	C7OF 12127-A	120.4F	C7OZ 12127-A (DA-802)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	A, B, F, X(2/B, C4 & T/E)	C7OF 12127-E	120.4F	C7OZ 12127-E (DA-806)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	F, X(4/B, C4)-exc.T/E	C7ZF 12127-B	120.4F	C7ZZ 12127-B R/B C7ZZ 12127-A	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	F,X(4/B,3/4/S/T & T/E)	C7ZF 12127-C, C7ZF 12127-E	120.4F	C7ZZ 12127-C (DA-815)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	F,X(4/B, C4 & T/E)	C7ZF 12127-D	120.4F	C7ZZ 12127-D R/B C7ZZ 12127-C	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	F, X(4/B, C4 & T/E)	C7ZF 12127-G	120.4F	C7ZZ 12127-G R/B C7ZZ 12127-H	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	F, X(4/B, C4 & T/E)	C7ZF 12127-H	120.4F	C7OZ 12127-E (DA-806)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	F Special (4/B carb. & T/E)	C7ZF 12127-J	120.3C	C7ZZ 12127-J R/B C7ZZ 12127-K	b	k	C9AZ12171-C (DP-6)	C5ZZ 12000-A (DK-14)	B7A 12200-A (DR-5)	6
67	U(T/E)	C7TF 12127-T	120.4F	C7TZ 12127-T (DA-851)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6

b - B7A 12106-A (DH-6) k - 7RA 12300-C (DC-6) 1 - C9AZ 12300-A (DC-13-A)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

12127 DISTRIBUTOR APPLICATION CHART - continued

YEAR	MODEL	IDENTIFICATION	PARTS LIST SECTION & NO.	SERVICE REPLACEMENT DISTRIBUTOR	DISTRIBUTOR COMPONENTS					ILLUS. SEC. 120 PAGE
					CAP	CONDENSER	POINTS	REPAIR KIT	ROTOR	
8 CYL. 289 - continued										
67 68	A, B, F, X(2/B, 3/4/S/T & T/E) B, F, X, U(2/B, 3/S/T & T/E)	C7OF 12127-D	120.4F	C7OZ 12127-D R/B C7AZ 12127-U	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67/68	B, F, X Special (4/B carb.& T/E)	C7OF 12127-K	120.3C	C7ZZ 12127-K (DA-904)	b	k	C9AZ 12171-C (DP-6)	C5ZZ 12000-A (DK-14)	B7A 12200-A (DR-5)	6
67/68	F, X(4/B, 3 or 4 S/T-exc. T/E)	C7ZF 12127-A, C7ZF 12127-F	120.4F	C7ZZ 12127-A (DA-813)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
68	B, F, X(2/B,A/T & Imco)	C8OF 12127-C	120.4J	C8OZ 12127-C (DA-880)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
68	U(3/S/T & T/E)	C8TF 12127-F	120.4J	C8TZ 12127-F (DA-882)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
8 CYL. 302										
68	A, B(2/B, A/T & Imco)-Taxi, P/C	C8AF 12127-F	120.4J	C8AZ 12127-F R/B C8OZ 12127-C	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
68	B, F, X(2/B, A/T & Imco)	C8OF 12127-C	120.4J	C8OZ 12127-C (DA-880)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
68	F(4/B, A/T & Imco)	C8ZF 12127-B	120.4J	C8ZZ 12127-B R/B C8ZZ 12127-A	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
68	F, X(4/B, A/T & Imco)	C8ZF 12127-D	120.4F	C8ZZ 12127-D (DA-907)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
68	F, X(4/B, 3/S/T & T/E)	C8ZF 12127-A	120.4J	C8ZZ 12127-A (DA-887)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
68/69 69	A, B(2/B, S/T & T/E) A, Taxi, P/C, B, F, X(S/T & Imco)	C8AF 12127-E	120.4AC	C8AZ 12127-E (DA-893)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
69	A, B, F, X, Taxi, P/C(2/B, A/T & Imco)w/o A/C	C9AF 12127-N	120.4F	C9AZ 12127-M (DA-971)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
69	A, B, F, X, Taxi, P/C(A/T w/A/C)	C9AF 12127-R	120.4J	C9AZ 12127-R (DA-973)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
69	F Boss(4/B, S/T w/ T/E)	C9ZF 12127-B	120.4X	C9ZZ 12127-B R/B C9ZZ 12127-E	b	1	C9AZ 12171-A (DP-5)		B7A 12200-A (DR-5)	6
70/71	A(Taxi, P/C)-A/T	D0OF 12127-AL	120.4BE	D0OZ 12127-AL (DA-1307)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
69/70	F-Boss(4/B, S/T w/ T/E)	C9ZF 12127-E	120.4X	C9ZZ 12127-E (DA-1023) r/b D1ZZ 12127-A	b	1	C9AZ 12171-A (DP-5)		B7A 12200-A (DR-5)	6
69/70	U(2/B, S/T/Imco)	C8TF 12127-F	120.4J	C8TZ 12127-F (DA-882)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
70	A, B, F, P/C, Taxi, (2/B, A/T, Imco)	D0AF 12127-T	120.4B	D0AZ 12127-T (DA-1025) R/B D00Z 12127-AL	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
70	A, B, F, P/C, Taxi (2/B, S/T, Imco)	D0AF 12127-Y	120.4AB	D0AZ 12127-Y (DA-1033)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
70/71	A, P/C, Taxi (2/B, A/T, Imco)-exc. A/C	D0AF 12127-AE	120.4AT	D0AZ 12127-AE (DA-1046)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
70/71	B, F, X(2/B, A/T, Imco)	D0OF 12127-AC	120.4AT	D0OZ 12127-AC (DA-1045) r/b D2OZ 12127-H	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
71	A, B, F, P(2/B, S/T)	D0AF 12127-Y	120.4AB	D0AZ 12127-Y (DA-1033)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
71	A, B, F, P(2/B, A/T)	D0AF 12127-T	120.4B	D0AZ 12127-T (DA-1025)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6

b - B7A 12106-A(DH-6) k - 7RA 12300-C(DC-6) 1 - C9AZ 12300-A(DC-13A)

12127 DISTRIBUTOR APPLICATION CHART - continued

YEAR	MODEL	IDENTIFICATION	PARTS LIST SECTION & NO.	SERVICE REPLACEMENT DISTRIBUTOR	DISTRIBUTOR COMPONENTS					ILLUS. SEC. 120 PAGE
					CAP	CONDENSER	POINTS	REPAIR KIT	ROTOR	
8 CYL. 302 - continued										
71	A, Taxi, P/C,	D1AF 12127-SA	120.4AW	D1AZ 12127-S (DA-1124)	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
71	F(4/B, S/T)-with T/E	D1ZF 12127-AA, AB	120.4AL	D1ZZ 12127-A (DA-1048)	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
71	P(2/B, A/T)	D1DF 12127-EA	120.4AT	D1DZ 12127-E (DA-1110)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
71	U(2/B, S/T)	D0TF 12127-M	120.4AB	D0TZ 12127-M (DA-1044)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
72	A, B, Taxi, P/C-(2/B, A/T)-exc. California	D2AF 12127-CA	120.4AX	D2AZ 12127-C (DA-1146)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	11
72	A, Taxi, P/C (2/B, A/T)-California	D2AF 12127-DA	120.4AX	D2AZ 12127-D (DA-1147)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	11
72	B(2/B, A/T)-California	D2OF 12127-RA	120.4AX	D2OZ 12127-R (DA-1226)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	11
72	B, F, P(2/B, S/T)	D2OF 12127-AA	120.4AX	D2OZ 12127-A (DA-1148)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	11
72	B, F, P(2/B, S/T)	D2ZF 12127-LA	120.4AY	D2OZ 12127-A (DA-1148)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	11
72	F, P(2/B, A/T)-California	D2OF 12127-JA	120.4AX	D2OZ 12127-J (DA-1153)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	11
72	F, P(2/B, A/T)-exc. California	D2OF 12127-HA	120.4AX	D2OZ 12127-H (DA-1152)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	11
72	U(2/B, S/T)-exc. Calif.	D2UF 12127-EA	120.4AX	D2UZ 12127-E (DA-1155)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	11
72	U(2/B, S/T)-California	D2UF 12127-GA	120.4AX	D2UZ 12127-G (DA-1157)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	11
8 CYL. 351										
69	A, B, F(S/T, A/T, 2/B, Imco)	C9OF 12127-M	120.4V	C9OZ 12127-E r/b D0OZ 12127-M	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10	B7A 12200-A (DR-5)	6
69	A, B, F(S/T, A/T, 2/B, Imco)	D0OF 12127-M	120.4Y	D0OZ 12127-M (DA-943-A)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
69	B, F(A/T, 4/B)	C9OF 12127-T	120.4V	C9OZ 12127-T r/b C9OZ 12127-Z	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
69	B, F(4/B, A/T)	C9OF 12127-Z	120.4V	C9OZ 12127-Z r/b D0OZ 12127-R	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
69	B, F(S/T, 4/B, Imco)	C9OF 12127-N	120.4V	C9OZ 12127-G r/b D0OZ 12127-N	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
69	B, F(S/T, 4/B, Imco)	D0OF 12127-N	120.4Y	D0OZ 12127-N (DA-945-A)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
69	B, F(4/B, A/T, Imco)	D0OF 12127-R	120.4Y	D0OZ 12127-R (DA-984-A)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
70	A, F(2/B, S/T, Imco)	D0AF 12127-H	120.4K	D0AZ 12127-H (DA-994)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
70	F(Shelby GT350) with S/T									
70	A, F(2/B, A/T, Imco)	D0AF 12127-V, D0AF 12127-AC	120.4K	D0AZ 12127-V (DA-1032)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
70	F(Shelby GT350) with A/T									
70	B(2/B, A/T, Imco)	D0OF 12127-F	120.4T	D0OZ 12127-F R/B D0OZ 12127-E	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
70	B, F(4/B, S/T, A/T, Imco)	D0OF 12127-Z	120.4AS	D0OZ 12127-G (DA-1012)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6

b - B7A 12106-A (DH-6)

1 - C9AZ 12300-A (DC-13-A)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

12127 DISTRIBUTOR APPLICATION CHART - continued

YEAR	MODEL	IDENTIFICATION	PARTS LIST SECTION & NO.	SERVICE REPLACEMENT DISTRIBUTOR	DISTRIBUTOR COMPONENTS					ILLUS. SEC. 120 PAGE
					CAP	CONDENSER	POINTS	REPAIR KIT	ROTOR	
8 CYL. 351 - continued										
70 70/71	B(2/B,S/T,Imco) F(2/B,S/T,Imco)	D0OF 12127-E D0OF 12127-T	120.4AD	D2ZZ12127-A (DA-1175)	b	1	B8Q 12171-A (DP-12)	C0TZ12000-A (DK-10)	B7A 12200-A (DR-5)	6
70 71	B, F(2/B, A/T, Imco) B, F(2/B, A/T)-exc. Calif.	D0OF 12127-U	120.4AA	D0OZ 12127-U (DA-1036)	b	1	B8Q 12171-A (DP-12)	C0TZ12000-A (DK-10)	B7A 12200-A (DR-5)	6
70/71	B, F(4/B,S/T, Imco)	D0OF 12127-V	120.4T	D0OZ 12127-V (DA-1037)	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
71	A(2/B, S/T)	D1AF 12127-GA	120.4AG	D1AZ 12127-G (DA-1086)	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
71	A(2/B, A/T)-351(W)-exc. California	D1AF 12127-HA	120.4AG	D1AZ 12127-H (DA-1085)	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
71	A(2/B, A/T) exc.California	D1AF 12127-TA (C)	120.4AP	D2AZ 12127-K (DA-1180)	b	1	C5AZ 12171-A (DP-77)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
71	A, P/C, Taxi, (2/B, A/T)-California	D1AF 12127-KB	120.4AN	D1AZ 12127-K (DA-1014)	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
71	B, F(2/B, A/T)-California	D1OF 12127-GA	120.4AK	D2ZZ 12127-C (DA-1203)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
71	B, F(4/B, A/T)-except California	D0OF 12127-G	120.4T	D0OZ 12127-T (DA-1112)	b	1	C5AZ 12171-A (DP-77)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
71	B, F(4/B, A/T)-California	D1OF 12127-LA	120.4AM	D1OZ 12127-L (DA-1061)	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
71	B, F(2/B, A/T) California	D1OF 12127-PA	120.4AJ	D1OZ 12127-P (DA-1213)	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
71	F(4/B, S/T, A/T) (CJ)	D1ZF 12127-BA	120.4AQ	D1ZZ 12127-B (DA-1111) R/B D1ZZ 12127-E or R/B D1ZZ 12127-G	b	1	C9AZ 12171-A (DP-5)		B7A 12200-A (DR-5)	12
71	F(4/B,S/T, Imco) "Boss"	D1ZF 12127-DA	120.4AV	D1ZZ 12127-D (DA-1118)	b	1	C9AZ 12171-A (DP-5)		B7A 12200-A (DR-5)	12
71	F(4/B, S/T)	D1ZF 12127-EA	120.4AR	D1ZZ 12127-E (DA-1211)	b	1	C9AZ 12171-A (DP-5)		B7A 12200-A (DR-5)	12
71	F(4/B, A/T)	D1ZF 12127-FA	120-4AF	D1ZZ 12127-F (DA-1212) R/B D1ZZ 12127-G	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
71	F(4/B,A/T)-"CJ"	D1ZF 12127-GA	120.4AH	D1ZZ 12127-G	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
72	A, B(2/B, A/T) California	D2MF 12127-GA	120.4BB	D2MY12127-G	b	1	B8Q 12171-A (DP-12)		B7A 12200-A (DR-5)	11
72	A, B(2/B, A/T), 351(W)	D2AF 12127-PA	120.4BA	D2MY12127-B (DA-1172)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	11
72 72	F(2/B, A/T)-exc.California A, B(2/B, A/T)-351(C)-exc.Calif.	D2AF 12127-KA	120.4AZ	D2AZ 12127-K (DA-1180)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	11
72 72	F(2/B, A/T)-California A, B(2/B, A/T)-351(C)-Calif.	D2ZF 12127-CA	120.4AZ	D2ZZ 12127-C (DA-1203)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	11
72	F(2/B,S/T)	D2ZF 12127-AA	120.4AZ	D2ZZ 12127-A (DA-1175)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	11
72	B, F(4/B,S/T\-"CJ"-exc. Calif.	D2ZF 12127-EA	120.4AV	D2ZZ 12127-E (DA-1205) r/b D3OZ 12127-F	b	1	C9AZ 12171-A (DP-5)		B7A 12200-A (DR-5)	12

b - B7A 12106-A (DH-6) 1-C9AZ 12300-A (DC-13-A)

12127 DISTRIBUTOR APPLICATION CHART - continued

YEAR	MODEL	IDENTIFICATION	PARTS LIST SECTION & NO.	SERVICE REPLACEMENT DISTRIBUTOR	DISTRIBUTOR COMPONENTS					ILLUS. SEC. 120 PAGE
					CAP	CONDENSER	POINTS	REPAIR KIT	ROTOR	
8 CYL. 351 - continued										
72	B,F(4/B,S/T)-"CJ"-Calif.	D2ZF12127-FA	120.4AZ	D2ZZ12127-F (DA-1206)	b	1	B8Q 12171-A (DP-12)	C0TZ12000-A (DK-10)	B7A 12200-A (DR-5)	11
72	B,F(4/B,A/T)-"CJ"-exc.Calif.	D2ZF12127-GA, GB, GC	120.4AZ	D2ZZ12127-G (DA-1207)	b	1	B8Q 12171-A (DP-12)	C0TZ12000-A (DK-10)	B7A 12200-A (DR-5)	11
72	B,F(4/B,A/T)-"CJ"-California	D2ZF12127-HA, HB	120.4AZ	D2ZZ12127-H (DA-1208)	b	1	B8Q 12171-A (DP-12)	C0TZ12000-A (DK-10)	B7A 12200-A (DR-5)	11
72	F(4/B,S/T)-Boss	D2ZF12127-JA	120.4AV	D2ZZ12127-J (DA-1209) r/b D2ZZ 12127-E	b	1	C9AZ12171-A (DP-5)		B7A 12200-A (DR-5)	12
8 CYL. 352										
65	A(S/T)	C5AF 12127-A	120.4H	C5AZ 12127-A (DA-674)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
65	A(C4, C/M)	C5AF 12127-B, C7TF 12127-F	120.4H 120.4G	C5AZ 12127-W (DA-913)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66	A(4/B, C/M)-exc. T/E	C4AF 12127-M, C5AF 12127-BG	120.4N 120.4M	C4AZ 12127-M r/b C4AZ 12127-P	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	5
66	A(4/B, C/M)-exc. T/E	C6MF12127-A	120.4H	C4AZ 12127-P (DA-911)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66	A(T/E)	C6AF 12127-AG,L,U C6OF 12127-G,H	120.4H	C6AZ 12127-L (DA-739) Not replaced	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
8 CYL. 390										
65/71	All High Performance Vehicles	C5AF12127-E	120.3D	C5AZ 12127-E r/b C0AZ 12127-L	b	1	C9AZ12171-C (DP-6)		B7A 12200-A (DR-5)	6
65 65	A, P/C S(C/M-exc. trans. ign.)	C5AF 12127-C	120.4H	C5AZ 12127-C r/b C5AZ 12127-W	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A DR-5)	6
65 65	A, P/C S(C/M-w/or w/o trans. ign.)	C7TF 12127-F	120.4G	C5AZ 12127-W (DA-913)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
65	S(C/M-with trans. ign.)	C5SF 12127-B	120.4P	C5SZ 12127-B r/b C5AZ 12127-W	c		B8Q 12171-A (DP-12)		B7A 12200-A (DR-5)	6
66	A,B(2/B,3/4/S/T, & R/A cover with T/E)	C6AF 12127-A	120.4H	C6AZ 12127-A r/b C7AZ 12127-A	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66	A,B(2/B,3/4/S/T, T/E)	C6AF 12127-K, C6OF 12127-E	120.4H	C6AZ 12127-K (DA-738) R/B C8AZ 12127-J	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66	A,B(2/B, C/M, C6 & R/A cover with T/E)	C6AF 12127-B	120.4H	C7AZ 12127-E (DA-784)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66	A, B(2/B, C/M, C6, T/E)	C6AF 12127-T, C6OF 12127-F	120.4H	C6AZ 12127-T (DA-740)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66 66	A,B(4/B,3/4/S/T-with T/E) A, B, S(4/B, C/M, C6-with T/E)	C6AF 12127-L,U, C6OF 12127-G,H	120.4H	C6AZ 12127-L (DA-739)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66	A, B(4/B, 3/4/ S/T-exc. T/E)	C6AF 12127-C	120.4H	C6AZ 12127-C r/b C7AZ 12127-E	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66	A, B, S(4/B,C6, C/M)-exc. T/E	C6AF12127-D, C6MF 12127-A	120.4H	C4AZ 12127-P (DA-911)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66	B(2/B, 3/4/S/T, T/E)	C6OF 12127-E	120.4H	C6OZ 12127-E r/b C0AZ 12127-L	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6

b - B7A 12106-A (DH-6) 1 - C9AZ 12300-A (DC-13A)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

12127 DISTRIBUTOR APPLICATION CHART - continued

YEAR	MODEL	IDENTIFICATION	PARTS LIST SECTION & NO.	SERVICE REPLACEMENT DISTRIBUTOR	DISTRIBUTOR COMPONENTS					ILLUS. SEC 120 PAGE
					CAP	CONDENSER	POINTS	REPAIR KIT	ROTOR	
8 CYL. 390 - continued										
66	B(2/B, C6, T/E)	C6OF 12127-F	120.4H	C6OZ 12127-F r/b C6AZ 12127-T	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66	B-GT	C6OF 12127-J	120.4H	C6OZ 12127-J (DA-771)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	A,B(2/B, 3/S/T-exc.T/E)	C7AF 12127-A, AD	120.4G	C7AZ 12127-A (DA-780)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	A, B(2/B, 3/S/T, T/E)	C7AF 12127-C,Z	120.4G	C8AZ 12127-J (DA-872)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	A, B(2/B, C/M, C6)-exc.T/E	C7AF 12127-B,Y	120.4G	C7AZ 12127-B (DA-781)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	A, B(2/B, C/M, C6)-exc.T/E	C7AF 12127-AG	120.4G	C7AZ 12127-AG (DA-841)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	A, B(4/B, 3/4/S/T-exc.T/E)	C7AF 12127-E	120.4G	C7AZ 12127-E (DA-784)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	A, B(4/B, C6-exc.T/E)	C7AF 12127-F	120.4G	C7AZ 12127-F r/b C6MY 12127-B	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	S(exc.T/E)	C7SF 12127-A	120.4G	C7SZ 12127-A r/b C6MY 12127-B	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	A, B, S(4/B, C6-exc.T/E)	C7MF 12127-G	120.4G	C7SZ 12127-D r/b C6MY 12127-B	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	A, B(4/B, C6, T/E)	C7AF 12127-H	120.4G	C7AZ 12127-H r/b C7SZ 12127-B	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	A, B, S(4/B, C6, T/E)	C7SF 12127-B	120.4G	C7SZ 12127-B	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	A, B, S(4/B, C6, T/E)	C7MF 12127-H	120.4G	C7SZ 12127-H (DA-850)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	B-GT, F(4/B, 3/4/S/T-exc.T/E)	C7OF 12127-H	120.4G	C7OZ 12127-H r/b C7AZ 12127-U	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	B-GT, F(4/B, C6-exc.T/E)	C7AF 12127-U,V	120.4G	C7AZ 12127-U (DA-796)	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
67	A, B, S(4/B, C6-exc. T/E)	C7MF 12127-A	120.4G	C6MY 12127-B (DA-836)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67 69/71	A, B(2/B, C/M, C6, T/E) A(2/B, C6, Imco)	C7AF 12127-D, AA	120.4G	C7AZ 12127-D (DA-783)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67 68/69	A,B,S(4/B, C6, T/E) A, B, F(4/B, C6, Imco)	C7AF 12127-L, AC	120.4G	C7AZ 12127-L (DA-790)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67 68/69	B-GT, F(4/B, C6, 3/4/S/T, T/E) B-GT, F(A/T-w/T/E)	C7OF 12127-F,G	120.4G	C7OZ 12127-F (DA-807)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
68	A(4/B, S/T, T/E)	C8AF 12127-S	120.4C	C8AZ 12127-S (DA-876)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
68	B-GT, F-GT(4/B, T/E)	C8OF 12127-D	120.4Q	C8OZ 12127-D (DA-881)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
68	F(2/B, C6-w/Imco)	C8WF 12127-B	120.4C	C8WY 12127-B (DA-906)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
68	S(4/B, C6, Imco)	C8AF 12127-R	120.4C	C8AZ 12127-R (DA-875)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6

b - B7A 12106-A (DH-6) 1 - C9AZ 12300-A (DC-13A)

12127 DISTRIBUTOR APPLICATION CHART - continued

YEAR	MODEL	IDENTIFICATION	PARTS LIST SECTION & NO.	SERVICE REPLACEMENT DISTRIBUTOR	DISTRIBUTOR COMPONENTS					ILLUS. SEC. 120 PAGE
					CAP	CONDENSER	POINTS	REPAIR KIT	ROTOR	
8 CYL. 390 - continued										
68 70	A, B, F(2/B, S/T, T/E) A(2/B,S/T,Imco)	C8AF 12127-M	120.4C	C8AZ 12127-M (DA-873)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
68/69 70	A, B, F(2/B,A/T & Imco) A(2/B,A/T,Imco)	C8AF 12127-N	120.4C	C8AZ 12127-N r/b C7AZ 12127-D	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
69	A(S/T & Imco)	C9AF 12127-J	120.4C	C9AZ 12127-B (DA-929)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
69	B,F(4/B,S/T,T/E)	C9OF 12127-J	120.4C	C9OZ 12127-J r/b C9AZ 12127-D	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
69	B, F(4/B,S/T w/ Imco)	C9AF 12127-K	120.4G	C9AZ 12127-D (DA-907)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
71	A(2/B, A/T)exc. California	D1AF 12127-LB	120.4C	D1AZ 12127-L (DA-1082)	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
71	A(2/B, A/T)-California	C7AF 12127-AA	120.4G	C7AZ 12127-D (DA-783)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
8 CYL. 400										
71	A(2/B,A/T-exc. California	D0OF 12127-U	120.4AA	D0OZ 12127-U (DA-1036)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
71	A(2/B, A/T)-California	D1OF 12127-GA	120.4AK	D2ZZ 12127-C (DA-1203)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
72	A, B, S(2/B, A/T)-exc.California	D2AF 12127-RA	120.4AZ	D2AZ 12127-E (DA-1210)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	11
72	A, B, S(2/B, A/T)-California	D2AF 12127-FA	120.4AZ	D2AZ 12127-F (DA-1176)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	11
8 CYL. 427										
65/67	A, B Special(4/B, 6/B or 8/B)	C5AF 12127-F (with trans.ign.)	120.3E	C5AZ 12127-F R/B C0AZ 12127-L	c		C3AZ 12171-A (DP-71)		B7A 12200-A (DR-5)	6
65 65/70	A Special(4/B, S/T) All High Performance Vehicles	C5AF 12127-E (exc.trans.ign.)	120.3D	C5AZ 12127-E r/b C0AZ 12127-L	b	1	C9AZ 12171-C (DP-6)	C5ZZ 12000-A (DK-14)	B7A 12200-A (DR-5)	6
65/67	A, B, Special(4/B, 6/B or 8/B)	C5AF 12127-E	120.3D	C0AZ 12127-L (DA-909)	c		C3AZ 12171-A (DP-71)		B7A 12200-A (DR-5)	6
68	B	C7OF 12127-F,G C8AF 12127-AD	120.4G	C7OZ 12127-F (DA-907)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
68	B, F(4/B, C6,T/E)	C8OF 12127-G	120.4G	C8OZ 12127-G (DA-927)	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
8 CYL. 428										
65/70	All High Performance Vehicles	C5AF 12127-E	120.3D	C5AZ 12127-E r/b C0AZ 12127-L	b	1	C9AZ 12171-C (DP-6)	C5ZZ 12000-A (DK-14)	B7A 12200-A (DR-5)	6
66	A(4/S/T, T/E)	C6AF 12127-BA	120.4H	C6AZ 12127-BA r/b C7SZ 12127-H	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66 66	A(4/B, S/T, C6-exc. T/E S(exc. T/E)-(exc.trans.ign.)	C6AF 12127-E,F	120.4H	C6AZ 12127-E r/b C4AZ 12127-P	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66	A, S(C6, T/E)	C6AF 12127-L,U C6OF 12127-G,H	120.4H	C6AZ 12127-L (DA-739)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6

b - B7A 12106-A (DH-6) c - B7AZ 12106-A (DH-146) 1 - C9AZ 12300-A (DC-13-A)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

12127 DISTRIBUTOR APPLICATION CHART - continued

YEAR	MODEL	IDENTIFICATION	PARTS LIST SECTION & NO.	SERVICE REPLACEMENT DISTRIBUTOR	DISTRIBUTOR COMPONENTS					ILLUS. SEC. 120 PAGE
					CAP	CONDENSER	POINTS	REPAIR KIT	ROTOR	
8 CYL. 428 - continued										
66	A, P/C(4/S/T, T/E)	C6AF 12127-M	120.4H	C6AZ 12127-M r/b C6AZ 12127-E or C6AZ 12127-L	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66	A, S, P/C(C6 & T/E)	C6AF 12127-V	120.4H	C6AZ 12127-V r/b C6AZ 12127-E or C6AZ 12127-L	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66	P/C	C6AF 12127-AH	120.4L	C6AZ 12127-AH (DA-756)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66	A(4/S/T,TE)	C7MF 12127-H	120.4G	C7SZ 12127-H (DA-850)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66	S(exc.T/E & exc.trans.lgn.)	C6MF 12127-A	120.4H	C4AZ 12127-P (DA-911)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66	A(4/S/T,C6-exc.T/E)									
66	S(exc.T/E & trans. lgn.)	C6SF 12127-B	120.4R	C6SZ 12127-B r/b C4AZ 12127-P	b		B8Q 12171-A (DP-12)		B7A 12200-A (DR-5)	6
66	S(T/E-trans.lgn.)	C6SF 12127-D	120.4R	C6SZ 12127-D (DA-746)	c		B8Q 12171-A (DP-12)		B7A 12200-A (DR-5)	6
66/67	A(4/S/T, C6-exc.T/E)	C7AF 12127-J	120.4G	C7AZ 12127-J r/b C6MY 12127-B	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	A, S(4/B, C6, Imco)	C7AF 12127-AC	120.4G	C7AZ 12127-L (DA-790)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	A(C6, T/E)	C7AF 12127-M	120.4G	C7AZ 12127-M r/b C7SZ 12127-B	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
66/67	A(4/S/T, C6-exc.T/E)	C7MF 12127-A	120.4G	C6MY 12127-B (DA-836)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	P/C(4/S/T, T/E)	C7AF 12127-S	120.4G	C7AZ 12127-S r/b C8AZ 12127-J	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	P/C(C6, T/E)	C7AF 12127-T	120.4G	C7AZ 12127-T r/b C8AZ 12127-J	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	P/C(C6)	C7AF 12127-N, AF	120.4G	C8AZ 12127-J (DA-872)	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
67	S(exc.T/E)	C7SF 12127-C	120.4G	C7SZ 12127-C r/b C7AZ 12127-J	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	S(T/E)	C7SF 12127-E	120.4G	C7SZ 12127-E r/b C7SZ 12127-F	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67	S(T/E)	C7SF 12127-F	120.4G	C7SZ 12127-F r/b C6MY 12127-B	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
67/69	B, F(CJ) (A/T & Imco)	C7OZ 12127-F	120.4G	C7OZ 12127-F (DA-807)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
69	A(P/C)(A/T & T/E)									
68	A(4/B, S/T, T/E)	C8AF 12127-T	120.4C	C8AZ 12127-T (DA-877)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
68	A(4/B, C6, Imco)	C8AF 12127-Y	120.4G	C8AZ 12127-Y (DA-905)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6

b - B7A 12106-A (DH-6) c - B7AZ 12106-A (DH-146) 1 - C9AZ 12300-A (DC-13A)

12127 DISTRIBUTOR APPLICATION CHART - continued

YEAR	MODEL	IDENTIFICATION	PARTS LIST SECTION & NO.	SERVICE REPLACEMENT DISTRIBUTOR	DISTRIBUTOR COMPONENTS					ILLUS. SEC. 120 PAGE
					CAP	CONDENSER	POINTS	REPAIR KIT	ROTOR	
8 CYL. 428 - continued										
68/69	B,F(C6,S/T,T/E)	C8OF 12127-D	120.4Q	C8OZ 12127-D (DA-881)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
68/69	A, P/C(C6, T/E)	C8AF 12127-J	120.4G	C8AZ 12127-J (DA-872)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
69	B, F(A/T, T/E)	C8OF 12127-J	120.4G	C8OZ 12127-J (DA-970)	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
69	B, F(CJ)(S/T WT/E)	C8OF 12127-H	120.4Q	C8OZ 12127-H (DA-969)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
69/70	A(P/C)(4/B A/T T/E)	D0AF 12127-M	120.4C	D0AZ 12127-M (DA-998)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
70	F(CJ)(4/B, S/T T/E)	D0ZF 12127-C	120.4AE	D0ZZ 12127-C (DA-1020)	b	1	C9AZ 12171-A (DP-5)		B7A 12200-A (DR-5)	6
70	F(CJ)(4/B, A/T, T/E) GT500	D0ZF 12127-G	120.4G	D0ZZ 12127-D (DA-1021)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
8 CYL. 429										
68/69 69/70 70	S(4/B, A/T, Imco) A,B(2/B, A/T, Imco) A, B(4/B, A/T, Imco)	C8VF 12127-A	120.4S	C8VY 12127-C (DA-885)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
69	A(P/C)(4/B, A/T, Imco)	C8AF 12127-AD	120.4G	C7OZ 12127-F (DA-807)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
70	A, B(4/B, A/T)	D0AF 12127-Z	120.4S	D0AZ 12127-Z	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
69	B, F Boss(4/B)-Spec.-"Before 2/28/69"	C9AF 12127-U	120.4W	C9AZ 12127-U r/b C9ZZ 12127-D	b		C9AZ 12171-A (DP-5)		B7A 12200-A (DR-5)	12
69	B, F Boss(4/B)-Spec.-"From 2/28/69"	C9ZF 12127-D	120.4AU	C9ZZ 12127-D (DA-1094)	b	1	C9AZ 12171-A (DP-5)		B7A 12200-A (DR-5)	12
69 70	A(4/B, S/T, Imco) A, B(2/B, 4/B, A/T, T/E, Imco, EV/EM, Imco)	C8VF 12127-C	120.4T	C9AZ 12127-F (DA-933)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
69/70 70	A(4/B, S/T, Imco) B(4/B, S/T, Imco)	C9AF 12127-Y	120.4AD	C9AZ 12127-Y (DA-981)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
70 71 71	B(4/B, S/T, T/E) F(S/CJ) (4/B, S/T, T/E) B, F(CJ)(4/B, S/T)	D0OF 12127-J, D0OF 12127-AA	120.4W 120.4AQ	D0OZ 12127-J (DA-1022)	b	1	C9AZ 12171-A (DP-5)		B7A 12200-A (DR-5)	12
70 71	S(4/B, A/T, ev/em) S(4/B, A/T)	D0AF 12127-Z	120.4S	D0AZ 12127-Z (DA-1034)	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
70/71 71	B(4/B, A/T, T/E) F(S/CJ)(4/B, S/T)-w/T/E	D0OF 12127-Y	120.4Z	D0OZ 12127-K (DA-1014)	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
71	A, B(A/T)-exc. California	C8VF 12127-C	120.4T	C9AZ 12127-F (DA-933)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	6
71	A, B(A/T)-California	D1MF 12127-FA	120.4AP	D1MY 12127-F (DA-1069)	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6
71 71 71	A(P/C)-4/B, A/T B(CJ)(4/B, A/T) F(SCJ)(4/B, A/T)	D1AF 12127-NA	120.4AH	D1AZ 12127-N (DA-1080)	b	1	C5AZ 12171-A (DP-77)		B7A 12200-A (DR-5)	6

b - B7A 12106-A (DH-6) 1 - C9AZ 12300-A (DC-13A)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

12127 DISTRIBUTOR APPLICATION CHART - continued

YEAR	MODEL	IDENTIFICATION	PARTS LIST SECTION & NO.	SERVICE REPLACEMENT DISTRIBUTOR	DISTRIBUTOR COMPONENTS					ILLUS. SEC. 120 PAGE
					CAP	CONDENSER	POINTS	REPAIR KIT	ROTOR	
8 CYL. 429 - continued										
72	A,B,S(4/B,A/T)-Imco)-Calif.	D2MF 12127-FA	120.4BB	D2AZ 12127-H (DA-1178)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	11
72	A,B,S(4/B,A/T)-Imco-exc.Calif.	D2MF 12127-EA	120.4BB	D2AZ 12127-J (DA-1179)	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	11
72	A(P/C)(4/B, A/T,Imco)-Calif.	D2AF 12127-MA	120.4BB	D2AZ 12127-M (DA-1182) r/b D2AZ 12127-R	b	1	B8Q 12171-A (DP-12)	C0TZ 12000-A (DK-10)	B7A 12200-A (DR-5)	11
72 72	A(P/C)(4/B, A/T)-exc.Calif. B(P/C)-4/B	D2AF 12127-NA, NC	120.4BB	D2AZ 12127-N (DA-1224) r/b D2AZ 12127-R	b	1	B8Q 12171-A (DP-12)		B7A 12200-A (DR-5)	11
72	A, B(4/B, A/T)	D2AF 12127-MB	120.4AZ	D2AZ 12127-R (DA-1224-A)	b	1	B8Q 12171-A (DP-12)		B7A 12200-A (DR-5)	11
72	S(4/B,A/T)-exc.California	D2SF 12127-EA	120.4BB	D2SZ 12127-E	b	1	B8Q 12171-A (DP-12)		B7A 12200-A (DR-5)	11
8 CYL. 460										
72	S(4/B,A/T)-exc. California	D2VF 12127-AA	120.4BB	D2VY 12127-A	b	1	B8Q 12171-A (DP-12)		B7A 12200-B (DR-5)	11
72	S(4/B,A/T)-California	D2VF 12127-BA	120.4BB	D2VY 12127-B	b	1	B8Q 12171-A (DP-12)		B7A 12200-B (DR-5)	11

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	12000-11 Refer to Distributor Parts Lists - Section 120, page 1					
	12A022 Refer to Distributor Parts Lists - Section 120, page 1					
	12A024 IGNITION CABLE - HIGH TENSION - 25 ft. roll - also refer to groups 12259, 12286, 12298, 14296					
66/	B, F, X, U	6	170,200	Radio resistance - linen core	AR	C3AZ 12A024-A
66/	A, Taxi, P/C	6	240		AR	
66/	A, B, F, X (2/B, 4/B P.F.)	8	289		AR	
66/	F Special (4/B)	8	289		AR	
66/	A, B, S (2/B, 4/B)	8	352,390		AR	
66/	A Special (4/B, 8/B)	8	427		AR	
66/	A, S, P/C	8	428		AR	
66/	A,B,F,S,U,X	8	All	Steel core	AR	C3AZ 12A024-B
	12A027 AMPLIFIER ASSY. - IGNITION CURRENT					
65/67	A Special (4/B, 8/B)- Trans./ign.	8	427	#C5SF 12A027-B	1	C3TZ 12A027-C
65	S	8	390		1	(DY-64)
65/66	S (Trans./ign.)	8	428		1	
65/66	S	8	390	Bolt-1/4"-20 x 3/4" (amplifier to bracket)	2	20344-S8(B42)
				Lockwasher-1/4"		34805-S8(X62)
				Nut-1/4"-20 lock		34390-S7-8(M92)
	12029 COIL ASSY. - IGNITION - LESS MOUNTING STRAP					
65/67	A Special (with 4/B or 8/B carb.)	8	427	12 volt-use with transistorized ignition system	1	C3TZ 12029-A
65/66	S	8	390,428		1	(DG-32)
65/	A,B,F,L,P,S,U,X	4,6, 8	All	12 volt-except with transistorized ignition system	1	B6A 12029-B (DG-5)
65/	A, B, F, P, S, U, X	6&8	All	Nut-No.10-32 (ignition coil terminal)	2	34079-S7(M163)
				Lockwasher-No. 10		34803-S7(X60)
71/	L	4	All	Nut-No.8-32 (ignition coil terminal)	2	34052-S(M155)
	12A042 RELAY - IGNITION CURRENT AMPLIFIER					
65/67	A Special (with 4/B or 8/B carb.)	8	427	Use with transistorized ignition system	1	C3TZ 12A042-B
65/67	S	8	390		1	(DY-56)
65/67	A Special (with 4/B or 8/B carb.)	8	427	Screw (relay to mounting plate)-No. 14-10 x 5/8"	2	31498-S8(U253B)
65/67	S	8	390	hex. washer head tapping	2	

b - B7A 12106-A 1 - C9AZ 12300-A


YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	12043-4 STRAP - IGNITION COIL MOUNTING					
65/68	A, B, S "Before 2/15/68"	8	352,390, 428		1	B8S 12043-B (DY-52)
65/68	A, B, F, X (2/B, 4/B-P.F.)	8	289,302		1	
65/68	A Special (4/B, 6/B or 8/B carb.)	8	390,406, 427		1	
65/	A, Taxi, P/C	6	240		1	
68	A, B, F(A/T with T/E)	8	427		1	
65/68	B(except B Special)	8	289,302	Use with 53 amp. Leece Neville alternator	1	
69	F(Boss 4/B special)	8	302,429		1	
72	B, F	8	351		1	
70	F(Boss 4/B)	8	302	(Bracket)	1	D0ZZ 12043-A (DY-90)
65/	B, F, X, U	6	170,200, 250		1	C0AF 12043-A
71/	L	4	All			
68/71	A, B, F, S, X	8	351		1	C8TZ 12043-A
71	A	8	390		1	(DY-70)
69/	A, B, F, X, U	6&8	All		1	C9AZ 12043-A
70/71	P	6&8	All		1	(DY-83)
70/	A, Taxi, P/C	8	302		1	D0OZ 12043-A
71/	U	8	302		1	(DY-89)
72	B, F, P	8	302		1	
66/68	S(A/C)	8	390,428		1	C6SZ 12043-A (DY-69)
71/	A	8	400		1	D1AZ 12043-A
72	B	8	400		1	(DY-95)
72	A	8	351		1	
70/	A, B, S	8	429		1	D0VY 12043-B
72	A	8	460		1	(DY-88)
72	S	8	400		1	D2SZ 12043-A (DY-107)
65/	A, S	6&8	All	Bolt (ignition coil mounting strap to cylinder head)-5/16"-18 x 5/8"	2	20326-S7(B49)
				Lockwasher-5/16"	2	34806-S7(X64)
65/67	A, S	6&8	All	Screw (ignition coil mounting strap clamping)-No.10-32 x 5/8"-round head	1	27185-S2(U177A)
68	A, B, F, S, U, X			Screw (attach strap to coil)-No.10-32 x 1 5/8" round head	1	
				Nut-No. 10-32	1	34079-S7(M163)
				Lockwasher-No. 10	1	34803-S7(X60)
72	L			Screw-5/16-18 x 5/8"-attach coil strap to fender side shield	2	378459-S(UU52K)
	12045 WIRE ASSY. - IGNITION CURRENT AMPLIFIER					
67	A Special (4/B, 8/B)-except 71	8	427		1	C7AZ 12045-A
65	S	8	390	Used with transistorized ignition system and/or A/C	1	C4SZ 12045-C (DY-61)
66	S (Trans/ign.)	8	428	#C6SB 12045-A	1	C6SZ 12045-A (DY-67)
	12A046 RESISTOR and BRACKET ASSY. - IGNITION BALLAST					
65/66	A Special (with 4/B or 8/B carb.)	8	427	Use with transistorized ignition system	1	C3TZ 12A046-C
68	A(4/B, 8/B)P/F	8	427		1	(DY-68)
65	S	8	390		1	
66	S (trans. ign.)	8	428		1	
65/67	A Special (with 4/B or 8/B carb.)	8	427	Screw (resistor & brkt.assy.to mounting plate)-No.14-10 x 5/8" hex.washer head tapping	2	31498-S8(U253B)
65/67	S	8	390		2	
	12050 DUAL POINT DISTRIBUTOR KIT COBRA - Refer to Accessories Section					
	12A055 FELT - DISTRIBUTOR CAM LUBRICATOR - Also refer to Distributor Parts Lists - Section 120, page 1					
65/68	S	8	390		1	C3TZ 12A055-A
66	A, S	8	428		1	

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	12A069 WIRE ASSY. - IGNITION COIL GROUND					
65/68	A Special (with 4/B or 8/B carb.)	8	427	6.00" long-16 gauge-make from D6A 14296-C	1	*C2AB 12A069-A
65/68	S	8	390	bulk wire-use with transistorized ign. system)	1	
	12072 Refer to Distributor Parts Lists - Section 120, page 1					
	12A072 BRACKET - IGNITION CURRENT AMPLIFIER					
65	A Special (with 8/B carb.)	8	427	Used with transistorized ignition system	1	C5AZ 12A072-B
68	A Special (with 4/B & 8/B carb.)	8	427		1	
	12073-75 Refer to Distributor Parts Lists - Section 120, page 1					
	12A091 VALVE ASSY. - DISTRIBUTOR VACUUM CONTROL					



P-10003

TYPE 1

67	A, B, F, S(2/B)-T/E, A/C	8	390		1	C7AZ 12A091-A
67	S,P/C(T/E, A/C)	8	428		1	
67	S(A/C Imco)	8	390,428		1	
67	A,P/C(A/C)-T/E & exc. T/E	8	428		1	C7AZ 12A091-C
67	B, F, X(2/B, 4/B P. F.)-T/E, A/C	8	289		1	C7OZ 12A091-A

TYPE 2

68/	A, B, F, S, X(with or without A/C)	8	All	Vacuum -located in thermostat housing	1	C8AZ 12A091-A
68/70	X	6	170,200		1	(DY-126)
69/	U	6	170		1	
69/	F	6	200		1	
71	L (2000 cc) "Before 10/1/70"	4	122		1	
69/	B, F	6	250		1	
69	F Boss (4/B Spec.)	8	302,351		1	
69/	B(CJ), F(CJ)	8	429		1	
70/	P	6	All		1	
71/	L (2000 cc)-exc. Calif. - "From 10/1/70"	4	122	Vacuum-located in thermostat housing	1	D1FZ 12A091-A (DY-151-A
72	P	6	200		1	
72	B, F, P-exc. California	6	200,250		1	
71	L	4	98, 122	Connector-attaches to manifold to adapt 12A091	1	E855027-S100 (AI-02)

TYPE 3

71/	L (2000 cc)-Calif.	4	122	#D12E-B-Black and Red	1	D1FZ 12A091-B (DY-128)
72	A, B, F	8	351	#D2AE-AA-Black and Blue	1	D2AZ 12A091-A
72	A, S	8	429		1	(DY-129)
72	B	8	302,429		1	
72	P	6	250	#D2DE-AA-Black and Yellow	1	D2DZ 12A091-A
72	B, F, P (exc. Calif)- "From 1/3/72"	8	302		1	(DY-116)
72	B, F(Calif. only)	8	351(CJ)	#D2OE-AA-Black and White	1	D2OZ 12A091-A
72	B, F	6	250		1	(DY-130)
72	L (2000 cc)	4	122		1	
71	P	8	302		1	
72	U	6	200		1	

Identification marking

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	12A091 VALVE ASSY. - DISTRIBUTOR VACUUM CONTROL - continued					
	TYPE 3 - continued					
72	A(exc. Calif.)	8	302	#D2OE-BA-Black and Green-	1	★D2OZ 12A091-B
72	B, F, P (exc. Calif.)- 'Before 1/3/72"	8	302	r/b D3FZ 12A091-B (11-74)	1	(DY-115-A)
72	L(S/T) (1600 cc, 2000 cc)	4	98, 122		1	
72	L (A/T) (2000 cc)-	4	122		1	
72	A, B, F, P (exc. California)	8	302	#D2OE-CA-Black and Red	1	D2OZ 12A091-D
72	A, B	8	351W, 460		1	(DY-120)
	TYPE 4					
71/	A, B, F	8	302, 351	Electric and vacuum-located in water jacket	1	D1AZ 12A091-A
71/72	A(P/C)	8	429		1	
72	P	8	302		1	
72	B, P (M/T)	8	302		1	D2SZ 12A091-A
72	B, F (A/T)	8	351		1	(DY-122)
72	B	8	429		1	
	12A092-110 Refer to Distributor Parts Lists - Section 120, page 1					
	2 BRACKET - IGNITION CABLE MOUNTING					
68	A, B, X	8	302	R. H. -not replaced	1	★C8AZ 12111-A
68	F	8	289	R. H.		
69	B, F(CJ)	8	428		2	C9ZZ 12111-A
69	F Boss (4/B Spec.)	8	429		2	
69	F(Boss)	8	302		2	
70/71	F	8	351		2	
69	F	8	429		7	C9AZ 12111-A
	12A111 VALVE and BRACKET ASSY. - DISTRIBUTOR VACUUM ADVANCE CONTROL					
68/	A	6	240		1	C8AZ 12A111-A
69	A, S(less A/C)	8	429		1	C9AZ 12A111-A
68/71	U, X	6	170		1	C8DZ 12A111-A
68	F(A/T with Imco)	8	390		1	
68	U	8	289		1	C8AZ 12A111-C
69/	U(M/T & Imco)	8	302		1	
70/	U(A/T, Imco)	8	302		1	
69	U(M/T & T/E)	8	302		1	C8UZ 12A111-B
68/	A, U	8	289, 302	Bolt 5/16-18 x 5/8" Attach valve and bracket to manifold	1	45963-S2 (B227B)
72	B, F(M/T)	8	351 CJ		1	D2ZZ 12A111-A
	12113 SEAL - WIRE TERMINAL WEATHER					
65/	A, B, X	6	All	Spark plug wire to distributor	6	A9AZ 12113-A
65/	A. B. S	8	All	Spark plug wire to distributor	8	(DZ-407)
65/	A, B, S	8	352, 390	Ignition coil high tension wire to distributor	1	
65	B (with 4/B carb.)	8	289	Ignition coil high tension wire distributor	1	
65/	A Special (with 4/B or 8/B carb.)	8	427		1	
65	F Special	8	289		1	
65/	A, B, S, X	6&8	All	Insulator (coil to distributor)-use with non radio resistant universal wire kit-"Black"	AR	A9AZ 12113-E
65/	A, B, S, X	6&8	All	Insulator (spark plug)-use with non radio resistant universal wire kit-"Red"	AR	A9AZ 12113-G
	12114-119 Refer to Distributor Parts List - Section 120, page 1					
	12120 BUSHING - DISTRIBUTOR BASE - LOWER					
68/	A, B, S	8	400, 429	Cast iron-O.D. 1.72"	1	C8SZ 12120-A (MC-201)
68/	A, B, S	8	400, 429	Cast iron-O.D. 1.86"	1	C8VY 12120-A (MC-202)
	12120 BUSHING - DISTRIBUTOR HOUSING - LOWER - Refer to Distributor Parts Lists - Section 120, page 1					
	12A120 FILTER - DISTRIBUTOR VACUUM CONTROL VALVE					
68/	B, F, X	6&8	All		1	C8AZ 12A120-A
68/	A	8	All		1	
70/	P	6	200, 250		1	

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	12132 BUSHING - DISTRIBUTOR BASE - Refer to Distributor Parts List - Section 120, page 1					
70/	A,F	8	351	Lower-located in engine block	1	D0OZ 12132-B
68/	A,B,S	8	400,429	Upper-cast iron-without flange	1	C8SZ 12132-A (MC-203)
68/	A,B,S	8	400,429	Upper cast iron-with flange	1	C8VY 12132-A (MC-204)
	12132 BUSHING - DISTRIBUTOR HOUSING - UPPER - Refer to Distributor Parts Lists - Section 120, page 1					
	12A132 DISTRIBUTOR PLATE REPLACEMENT-KIT - Also refer to Distributor Parts Lists - Section 120, page 1					
71/	A,B,F,P,S	8	All	Convert single point to dual points-not replaced (6-74)	1	★D1AZ 12A132-A (DS-4A)

Consists of

1-C2FF 12A006-A Spacer
1-C0AF 12152-A Plate
2-FDS 12171-A Points
1-B7A 12177-A Retainer
1-FET 12300-A Condenser
1-C9AZ 12192-A Spring
1-C5AZ 12192-A Spring
1-C5AZ 12192-C Spring
1-C5AZ 12192-D Spring
2-C5AZ 12192-E Spring
2-C5AZ 12192-F Spring
1-C5VY 12192-A Spring
2-D0OZ 12192-A Spring
1-FDS 12206-A Conductor
2-34051-S Nut-No.6-32
2-34801-S Lockwasher-No.6
2-57686-S Screw-No.8-32 x 5/8"

	12A143 TAB - DISTRIBUTOR VACUUM ADVANCE CONTROL BRACKET LOCK					
69	A, S(4/B, S/T, less A/C)	8	429		1	C9AZ 12A143-A
	12144-52 Refer to Distributor Parts Lists - Section 120, page 1					
	12A161 HOSE AND GROMMET ASSY.-VACUUM					
70	B, F, P, X (with A/T)	8	302		1	D0OZ 12A161-A
	A, B, F (with A/T, S/T)	8	351		1	
	A	8	390		1	
	A, S (with A/T, S/T)	8	429		1	
70/71	A	6	240		1	
71/	B, F	6	250		1	
	12A163 - TUBE AND BRACKET ASSY.-VACUUM					
70/71	A(A/T)	6	240		1	D0AZ 12A163-G
71	S	8	429		1	
70	A, F (2/B, A/T)	8	302		1	D0AZ 12A163-B
70	B, F (2/B, A/T)	8	302		1	D0OZ 12A163-A
70	B, F	8	351		1	D0OZ 12A163-B
71	A(A/T)	8	390		1	D0AZ 12A163-A
71	B, F, P(California only)	6	200,250		1	D1DZ 12A163-A
71	S(California only)	8	429		1	D1VY 12A163-A
70	A			Connector (3/16"-1/8")	AR	383001-S (II-191VG)
	12A164 SWITCH ASSY - DISTRIBUTOR MODULATOR AMBIENT					
70	A (with A/T-2/B)	6&8	240,302	Wire 50" long	1	D0AZ 12A164-E (SW-1042)
70	A, B (with A/T-2/B)	8	351		1	
70	A (with S/T & A/T, 2/B)	8	390		1	
70/71	B (with A/T)	8	302		1	
70	X (with A/T-2/B)	8	302		1	
71	A(A/T)	6	240		1	
71	A, F(A/T)	8	302		1	
71	B, F, P	6	250		1	
71	S	8	429		1	
70	F (with A/T)	8	302		1	D0AZ 12A164-B
70	F (with A/T, 2/B, 4/B)	8	351		1	(SW-1041)
72	A, B, F, L, P, S-exc. Nox Emission	6&8	All	Includes wire 26" long	1	D2AZ 12A164-D (SW-1065)
72	A, B, F, L, P, S			Screw-No.8-18" x 3/4"-attach switch to pillar	2	376389-S(UU82D)
71	F			Clip (attach wires, part of switch to inst. panel brace)	2	383207-S(GG271)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	12A168 BLEED ASSY. - DISTRIBUTOR VACUUM AIR					
70/71	A	6	240,		1	D0AZ 12A168-C
70	B,F,X	8	302-2V		1	
70	B,F,X	8	351-4V		1	
70/71	A	8	390-2V		1	
71	F,P	6	250		1	
71	S	8	429		1	
72	S-with Nox Emission	8	429		1	
71/	B	6	250		1	
	12A170 VALVE ASSY. - DISTRIBUTOR MODULATOR					
72	A	6	All		1	D2AZ 12A170-E
72	S	8	429,460		1	
72	B,F,P -exc. Calif.	6	200,250		1	
72	A,B,F,P,U (A/T)	8	302,		1	
72	A, B(A/T)-exc. Calif.	8	351(W)		1	
72	A,B (P/C)-exc. California	8	429		1	
72	A,B,F	8	351C		1	D2AZ 12A170-D
72	B,F-California only	8	351		1	
72	B		400		1	
72	S(exc. Calif.)	8	400,460		1	
72	L	4	122		1	D2FZ 12A170-A
72	S-California only	8	400,460		1	D2SZ 12A170-A
72	A,B,F			Stud and washer-1/4"-20 x 1/4"-20 x 1 1/2"-attach valve assy. to valve cover	1	383210-S (WW128A)
	12171-12189 Refer to Distributor Parts Lists - Section 120, page 1					
	12191-12216 Refer to Distributor Parts Lists - Section 120, page 1					
	12224 CONNECTOR - DISTRIBUTOR VACUUM PIPE					
71/	L	4	98	5mm dia. hole in one end	2	D1FZ 12224-A
71/	L	4	98	3mm dia. hole in one end	1	D1FZ 12224-B
	12226 TUBE - DISTRIBUTOR VACUUM - STEEL NOT SERVICED - Make from 8C 2269-B (unless otherwise noted)					
	12226 TUBE - DISTRIBUTOR VACUUM - RUBBER - Unless listed improvise from bulk tubing					
65/	A,B,F,L,P,S,X	4,6, & 8	All	7/64" I.D.-50 ft. long roll	AR	D0PZ 12226-A (KDV-1)
65/	A,B,F,L,P,S,X	4,6, & 8	All	5/32" I.D.-50 ft. long roll	AR	D0PZ 12226-B (KDV-2)
65/	A,B,F,L,P,S,X	4,6, & 8	All	7/32" I.D.-50 ft.long roll	AR	D0PZ 12226-C (KDV-3)
71	L	4	98	Black nylon-21 3/4" long	1	D1FZ 12226-D
71	L	4	98	Black nylon-10 1/4" long	1	D1FZ 12226-E
71/	L	4	98	Connector-elbow-1 1/4" long	2	D1FZ 12226-B
71/	L	4	122	Rubber-12" long with A/C-cut from D0PZ 12226-C	1	★
71/	L	4	98	Cut to length	1	D1FZ 12226-H
65	A,B,F,S,S,Police Interceptor	6&8	All	Connector (tube to distributor)-3/16" tube-threaded sleeve	1	359546-S8B(II-67)
65/	A,S,X	6&8	All	Nut (distributor vacuum tube)-3/8"-24	2or3	351112-S(MM109)
68/70	A,B,F,S,U,X	6&8	All	Nipple Dist. Vac.	AR	382488-S(II-2H)
68/	A,B,F,U,X	6&8	All	TEE (3 way)-3/16" tube connect distributor vacuum noses	1	378830-S(II-106H)
68/	A,B,F,S,U,X	6&8	All	Clip-attach tube to rocker arm	1	353547-S2(GG173)
70	F	8	302	Tee (5 way)-3/16" tube	1	384111-S (II-106VE)
71	A,B,F	8	351,400	Nipple-3/8" pipe-3/16" hose	AR	384068-S7(II-26)
72	A,B,F,L,P,S			Strap-adjustable-attach vacuum hose	AR	383313-S(YY6)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

See PAGE 1 of this SECTION for DISTRIBUTOR COMPONENT INFORMATION

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	12230-39 Refer to Distributor Parts Lists - Section 120, page 1					
	12250 RESISTOR ASSY. - IGNITION COIL					
65/67	A Special (with 4/B or 8/B carb. and transistorized ignition)	8	427	Resistor (ignition coil)-32.00" long-No. 26 gauge black-with resistance of 8.1 ohms	1	C3AZ 12250-A (DY-53)
65/67	S(with transistorized ignition)	8	390		1	
65/67	A, B, S, X (except with transistorized ignition)	6&8	All	Resistor (ignition coil)-61.50" long-wire color code pink with 1.30 to 1.40 ohms resistance No. 20 gauge	1	C0LF 12250-A (DY-37)
68/70	X	6&8	All		1	
65/69	F	6&8	All		1	
68	A, B, S, U	6&8	All		1	
70/	P	6	All		1	
71/	L	4	All		1	
69/70	A, F	6&8	All	Resistor 60" long(1-2)ohms-wire color code pink	1	C9AZ 12250-A
69/	S	8	All	#C9AB 12250-A	1	(DY-84)
71/	U	6&8	All		1	
71/	A	6&8	All	Resistor wire color code red with green stripe 60" long	1	D1AZ 12250-A (DY-84A)
69/70	F, X, U	6&8	All	Resistor wire color 60" long(1-2)ohms color code pink	1	C9OZ 12250-A (DY-85)
69/	B, F		All	#C9OB 12250-A	1	
71/	L, P				1	
	12259 WIRE SET - SPARK PLUG - Also refer to Groups 12A024, 12286, 12298, 14296					
65/66	A Special (with 8/B carb.)	8	427	Rayon core	1	D1AZ 12259-C
66/69	P/C (exc. T/E)	8	428		1	(WR-3812)
67	B, F, S(2/B, 4/B)	8	390		1	
66	A, B, S (2/B, 4/B)-T/E	8	352,390, 428		1	
67	A, S (2/B, 4/B)-T/E	8	390,428		1	
67/68	A & B Specials (4/B, 8/B)	8	427	Rayon-universal	1	D1PZ 12259-P
68	A, B, F(race package)	8	427		1	(WR-3162)
65/68	A, B, F, X	8	289		1	
65/68	B Special, F Special	8	289		1	
65/69	All High Performance Vehicles	8	390,406, 427,428		1	
65/69	B, F, S	8	352,390	Fiberglas core	1	C5AZ 12259-F
67	B-GT, F (4/B T/E)	8	390		1	(WR-3813)
67/68	A, F, S(except GT 500)	8	427,428		1	
67/68	B	8	427		1	
65/70	A	8	352,390		1	
70	A, F	8	428		1	
67/70	A	8	428	Fiberglas core	1	D1AZ 12259-G
67/68	A, S	8	390		1	(WR-3800)
69	B, F	8	428		1	
69/71	F(Boss)	8	302 Spec.		1	
71	A	8	390		1	
65/	A	6	240	Fiberglas core	1	D1AZ 12259-D (WR-3811)
65	B, F, X	8	260	Fiberglas core	1	D1AZ 12259-A
65/66	B Special, F Special	8	289		1	(WR-3809)
65/67	B, F, X(4/B R.F., P.F.)-except T/E	8	289		1	
65/67	A, B, F, U, X(2/B)-except T/E	8	289		1	
68	U(with Imco)	8	289		1	
68	A(with Imco)	8	302		1	
69/	A, B, U, X	8	302		1	
69/71	F(exc. Boss)	8	302		1	
72	F	8	302		1	

Identification Marking

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	12259 WIRE SET - SPARK PLUG - continued - Also Refer to Groups 12A024, 12286, 12298, 14296					
66/68	A,B,F,U,X(2/B)-T/E	8	289	Linen core	1	C6OZ 12259-B
66/68	F,X(4/B P.F.)-T/E	8	289		1	(WR-3814)
68	B,F,X(with Imco)	8	289,302		1	C8AZ 12259-B
68	A, B, F(with T/E)	8	302		1	D1AZ 12259-H
68	B, F, X, U	8	289		1	(WR-3815)
65/68	B	6	170,200		1	D1AZ 12259-B
65/70	F, X	6	170,200		1	(WR-3802)
70/	P	6	170,200, 250		1	
69/	B, F	6	250		1	
67/	U	6	170		1	
67/70	U	6	170	Linen core	1	C4TZ 12259-H
69/70	B, F (4/B Special) Boss	8	429		1	D0ZZ 12259-C
69/	A	8	351W		1	D1OZ 12259-B
69/70	F	8	351W		1	(WR-3819)
69	B	8	351W		1	
68/70	S	8	429		1	D1AZ 12259-J
69/71	A, B	8	429		1	WR-3816)
68	F(GT 500)	8	428		1	
72	S	8	400,460		1	
71/72	F, S	8	429		1	
70	B, F	8	351C		1	
71/72	A,B,F	8	351C		1	D3AZ 12259-A
71/72	A,B	8	400		1	(WR-3856)
71/	L	4	98		1	D1FZ 12259-A (WR-3817)
71/	L	4	122		1	D1FZ 12259-B (WR-3818)
71/	P	8	302	Fiberglas	1	D1UZ 12259-A (WR-3821)
	12264-75 Refer to Distributor Parts Lists - Section 120, page 1					
	12276 COVER - DISTRIBUTOR BREAKER					
69/72	A,B,S	8	429,460		1	D0SZ 12276-A
	12286 WIRE ASSY. - DISTRIBUTOR TO SPARK PLUG - RADIO RESISTANCE - Also refer to Groups 12A024, 12259, 12298 and 14296					
65/70	A,B,S,X	6&8	All	Linen core-90° moulded boot at spark plug end-180° moulded boot at dist. end-43.75" long-r/b D1AZ 12286-A (3-74)	AR	★C0AZ 12286-E
65/70	A,B,S,X	6&8	All	Linen core-180° moulded boot at plug end-60° moulded boot at dist. end-28.50" long-service pkg. includes 1-A9AZ 12113-A boot	AR	C0AZ 12286-B
65/	A,B,F,S,X	6&8	All	Steel core-90° moulded boot at plug end and straight boot at dist. end-54.50" long-service package includes 1-C5TZ 14466-A terminal	AR	C0AZ 12286-G

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

See PAGE 1 of this SECTION for DISTRIBUTOR COMPONENT INFORMATION

12286 WIRE ASSY. - DISTRIBUTOR TO SPARK PLUG - RADIO RESISTANCE - continued -

Also refer to Groups 12A024, 12259, 12298 and 14296

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
65/	A,B,F,S,X	6&8	All	Steel core-110° moulded boot at plug end-90° moulded boot at dist. end-28.00" long-service package includes 1-A9AZ 12113-A boot and 1-C5TZ 14466-A terminal	AR	C0AZ 12286-F
65/	A,B,F,S,X	6&8	All	Steel core-straight boot at plug end-90° moulded boot at distributor end-33.00" long-service package includes 1-A9AZ 12113-A boot and 1-C5TZ 14466-A terminal	AR	C0AZ 12286-H
65/	A,B,F,S,X	6&8	All	Steel core-straight boot at plug end and straight boot at distributor end-24.25" long-service pkg. includes 1-C5TZ 14466-A terminal	AR	C0AZ 12286-J
65/	A,B,F,S,X	6&8	All	Ignition cable (high tension)-not radio resistant-steel core-25 foot bulk roll	AR	C3AZ 12A024-B
65/	A,B,S,X	6&8	All	Ignition cable (high tension)-radio resistance-linen core-25 foot bulk roll	AR	C3AZ 12A024-A
65/71	A,B,F,P,S,X	6&8	All	Rayon core-110° moulded boot at plug end-90° moulded boot at dist. end-28 1/2" long-service pkg. includes (2) A9AZ 12113-A-boot (2) B8AZ 14466-A terminal	AR	D1AZ12286-B
71	A,B,F,P,S	6&8	All	Rayon core-90° moulded boot at spark plug end-180° moulded boot at dist. end-43.75" long	AR	D1AZ12286-A
71	A,B,F,P,S	6&8	All	Rayon core-180° moulded boot at plug end-60° moulded boot at dist. end-28.50" long-service pkg. includes 1-A9AZ 12113-A boot	AR	D1AZ12286-C
72	A,B,F,P,S	8	All	Rayon core-180° moulded boot at spark plug end-26" long	AR	D2AZ12286-A
72	A,B,F,P,S	8	All	Rayon core-180° moulded boot at spark plug end-28 1/2" long	AR	D2AZ12286-B
72	A,B,F,P,S	8	All	Rayon core-180° moulded boot at spark plug end-31 1/2" long	AR	D2AZ12286-C
72	A,B,F,P,S	8	All	Rayon core-110° moulded boot at spark plug end-25 1/2" long	AR	D2AZ12286-D
72	A,B,F,P,S	8	All	Rayon core-110° moulded boot at spark plug end-29" long	AR	D2AZ12280-E
72	A,B,F,P	6	All	Rayon core-180° moulded boot at spark plug end-10" long	AR	D2AZ12286-F
72	A,B,F,P	6	All	Rayon core-180° moulded boot at spark plug end-14 1/2" long	AR	D2AZ12286-G
72	A,B,F,P	6	All	Rayon core-180° moulded boot at spark plug end-17 1/4" long	AR	D2AZ12286-H
72	A,B,F,P	6	All	Rayon core-180° moulded boot at spark plug end-24 3/4" long	AR	D2AZ12286-J

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	12289 INSULATOR - CIRCUIT BREAKER					
65/71	B-(Power back windows)	6	200		1	C5AZ 12289-A
65/71	B (2/B)-Power back windows	8	289		1	
65/71	B(4/B-R. F. or P. F.)-Power back windows	8	289		1	
67	F (Fog lamp)-A/C	6&8	All		1	
68/71	A, B(Power windpw, top, tailgate)	6&8	All		1	
68/70	X(71)Power back windows	6&8	All		1	
70	F (Power top)	8	All		1	
71	B-with heated back window				1	
	12297 SEPARATOR - IGNITION WIRE					
65/	A,B,F,S	8	All	Comb shaped-8 prongs-.09" thick	2	B6A 12297-A
65/	B, F, X, U	6			1	
65/	A, Taxi, P/C	6			1	
65/	A,B, F, L, P, S	6&8		Comb shaped-2.18" long-on rocker arm cover	2	B8Q 12297-A
65/70	X	6&8			2	
71/	L	4	122		1	D1FZ 12297-A
	12298 WIRING ASSY. - IGNITION COIL TO DISTRIBUTOR HIGH TENSION - Also refer to groups 12A024, 12259, 12286, 14296					
65/68	A, B, S, X(except T/E)	8	352,390	Radio resistant-13.00" long-not used on B with	1	★C5AZ 12298-A
65/68	A, B, F, X, U	8	289	53 amp. Leece-Neville alternator-linen core	1	r/b
65/66	A Special (with 8/B carb.)	8	427		1	C7TZ 12298-A(7-73)
66	P/C	8	428		1	
65/67	A Special (8/B)	8	427	Steel core	1	★B8TZ 12298-B
65/66	F(2/B, 4/B P. F.)	8	289		1	r/b
65/66	F Special (4/B)	8	289		1	C7TZ 12298-A(7-73)
65	F	8	260	Radio resistant-linen core-10.50" long-	1	★ C3AZ 12298-C
65	B Special, F Special	8	289	90° angle coil end	1	r/b
65	B(except B Special)	8	289	Used with 53 amp. Leece-Neville alternator	1	D4VY 12298-A (10-74)
67	A Special (4/B, 8/B)	8	427	Silicone-13" long	1	8EQ 12298
65/72	A	6	240	Glass core-16" long	1	C4AZ 12298-E
66	A	8	352	Radio resistant-13" long	1	§ D4HZ 12298-A
66/69	A, B, S	8	390		1	
66/68	A Special (8/B)	8	427		1	
66/69	A, S, P/C	8	428		1	
66/68	A, B, F, X(2/B, 4/B-P. F.)-T/E	8	289	Radio resistant-9 1/2" long	1	C6AZ 12298-A
71/	A	8	351(W)	Radio resistant-8" long	1	★ D1AZ 12298-B r/b C7TZ 12298-A(3-74
68/71	A, B, F, S	8	390	Radio resistant-9" long	1	§ D3VY 12298-A
68	A, B, F	8	427		1	
68/69	A, B, F	8	428		1	
68/	A, B, F, S	8	429		1	
68	F, U, X	8	289		1	
68/70	A, B, F, X	8	302		1	
70	A, (P/C), F(CJ)	8	428		1	
72	S	8	460		1	
65	F Special (4/B carb.)	8	289		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	12298 WIRING ASSY. - IGNITION COIL TO DISTRIBUTOR HIGH TENSION - continued - Also refer to Groups 12A024, 12259, 12286, 14296					
71/	B, F, P, U	6	170,200, 250	Radio resistant-11 1/2" long	1	D1UZ 12298-A
69	A,B,X	8	302,351		1	C7TZ 12298-A
69	F-(except Boss)	8	302,351		1	
69	F-Boss "Before 4/14/69"	8	302 Spec.		1	
69	F Boss "From 4/14/69"	8	302 Spec.	13" long	1	§ D4HZ 12298-A
71/	A	8	400		1	
71/	A, B, F, P, U	8	302,351		1	
72	B,S	8	400		1	
65/70	B,F,U,X	6	170, 200,250	Radio resistant-fiberglas 16.25" long	1	C3OZ 12298-B
70	P	6	All		1	
71/	L	4	122	Radio resistant-15 1/4" long	1	§ D4FZ 12298-A
71/	L	4	98	Radio resistant-15 1/2" long	1	§ C6TZ 12298-A
66/67	U	6	170	Steel core-16" long	1	★C4UZ 12298-A r/b C3OZ 12298-B (10-74)
	12300-90 Refer to Distributor Parts Lists - Section 120, page 1					
	12405 SPARK PLUG ASSY. - 18MM					
65/	A (for racing only)	6&8	All	BF601-gap setting-.023"/.027"	6or8	C2AZ 12405-A
65/	A (for racing only)	6&8	All	BTF1-gap setting-.023"/.027"	6or8	C2AZ 12405-B
65/	A (for racing only)	6&8	All	BF22-gap setting-.028"/.032"	6or8	C3AZ 12405-A
65/	A(for racing only)	6&8	All	BF12-gap setting-.028"/.032"	6or8	C3AZ 12405-B

12405 SPARK PLUG CHART - 14MM - 18MM

RESTRICTIONS			PART NUMBERS					
			LIGHT SERVICE		NORMAL SERVICE		H/D SERVICE	
YEAR	MODEL & DESCRIPTION	C.I.D.	AUTOLITE	FORD	AUTOLITE	FORD	AUTOLITE	FORD
	4 CYLINDER ENGINES							
71/	L	98			AGR22	D1FZ 12405-B		
71/	L	122	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A
	6 CYLINDER ENGINES							
65	A "Before 8/2/65"	240	BTF6	B7A 12405-A	BTF6	B7A 12405-A	BTF6	B7A 12405-A
65/66	A "From 8/2/65 to 9/22/65"	240	BTF6	B7A 12405-A	BTF6	B7A 12405-A	BTF42	C5TZ 12405-A
66/70	A(exc. Taxi & P/C)- "From 9/22/65"	240	BF42	B8A 12405-A	BF42	B8A 12405-A	BF42	B8A 12405-A
66/70	Taxi, P/C	240	BTF6	B7A 12405-A	BTF6	B7A 12405-A	BTF6	B7A 12405-A
65/67	B,F,U,X	170,200	BF92	C2OZ 12405-A	BF82	B7A 12405-B	BF82	B7A 12405-B
68/	B,F,U,X	170, 200, 250	BF82	B7A 12405-B	BF82	B7A 12405-B	BF82	B7A 12405-B
70	P	170, 200, 250	BF82	B7A 12405-B	BF82	B7A 12405-B	BF82	B7A 12405-B
71/	P	170			BRF82	C1AZ 12405-C		
71/	B, F, P	200,250			BRF82	C1AZ 12405-C		
71/	A(P/C, Taxi)	240			BRF6	B7A 12405-C		
71/	A(Exc. P/C, Taxi)	240			BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A

12405 SPARK PLUG CHART - 14MM - 18MM - continued

RESTRICTIONS			PART NUMBERS					
YEAR	MODEL & DESCRIPTION	C.I.D.	LIGHT SERVICE		NORMAL SERVICE		H/D SERVICE	
			AUTOLITE	FORD	AUTOLITE	FORD	AUTOLITE	FORD
			8 CYLINDER ENGINES					
65	F	260	BF42	B8A 12405-A	BF42	B8A 12405-A	BF42	B8A 12405-A
65/69	A, B, F, X, U(2/B, 4/B R. F. or P. F.)	289	BF42	B8A 12405-A	BF42	B8A 12405-A	BTF42	C5TZ 12405-A
65/69	B & F Specials(4/B)	289	BF32	C0AZ 12405-A	BF32	C0AZ 12405-A	BF32	C0AZ 12405-A
65	P/C	390	BF42	B8A 12405-A	BF32	C0AZ 12405-A	BF32	C0AZ 12405-A
65/68	A Special(4/B, 6/B, 8/B)	352, 390	BF32	C0AZ 12405-A	BF32	C0AZ 12405-A	BF32	C0AZ 12405-A
65/68 68/69	A, B, F(2/B, 4/B) A, B, F, S(4/B)	352, 390, 427, 428, 429	BF42	B8A 12405-A	BF42	B8A 12405-A	BF42	B8A 12405-A
65/68	A Special(4/B, 6/B, 8/B)	406, 427	BF32	C0AZ 12405-A	BF32	C0AZ 12405-A	BF32	C0AZ 12405-A
66/69	B-GT, F(4/B)	390	BF32	C0AZ 12405-A	BF32	C0AZ 12405-A	BF32	C0AZ 12405-A
66/70	P/C	428	BF32	C0AZ 12405-A	BF32	C0AZ 12405-A	BF32	C0AZ 12405-A
68/	U	302	BF42	B8A 12405-A	BF42	B8A 12405-A	BF42	B8A 12405-A
68/70	A, B, F, X	302	BF42	B8A 12405-A	BF42	B8A 12405-A	BF42	B8A 12405-A
68/69	A, B, F	427	BF32	C0AZ 12405-A	BF32	C0AZ 12405-A	BF32	C0AZ 12405-A
69/70	B(CJ), F(Boss)	302, 429 Spec.	AF32	C9ZZ 12405-A	AF32	C9ZZ 12405-A	AF32	C9ZZ 12405-A
69/70	B(CJ), F(Boss)	302,429	ARF32	C9PZ 12405-A	ARF32	C9PZ 12405-A	ARF32	C9PZ 12405-A
69/70	A, F	351-2V	BF42	B8A 12405-A	BF42	B8A 12405-A	BF42	B8A 12405-A
69/70	B, F	351-4V, 390, 428	BF32	C0AZ 12405-A	BF32	C0AZ 12405-A	BF32	C0AZ 12405-A
69/70	A, B, F	390	BF42	B8A 12405-A	BF42	B8A 12405-A	BF42	B8A 12405-A
69/70	B, F	351	AF42	C9ZZ 12405-B	AF42	C9ZZ 12405-B	ARF42	C9PZ 12405-B
69	A	428	BF32	C0AZ 12405-A	BF32	C0AZ 12405-A	BF32	C0AZ 12405-A
70	B, F "Before 11/5/69"	351	AF32	C9ZZ 12405-A	AF32	C9ZZ 12405-A	ARF32	C9PZ 12405-A
70	B, F "From 11/15/69"	351	AF42	C9ZZ 12405-B	AF42	C9ZZ 12405-B	ARF42	C9PZ 12405-B
70	B(2/B)	351	AF42	C9ZZ 12405-B	AF42	C9ZZ 12405-B	AF42	C9ZZ 12405-B
70	B, F(4/B)	351	AF42	C9ZZ 12405-B	AF42	C9ZZ 12405-B	AF42	C9ZZ 12405-B
70	A, B, S	429	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A
71/	A(P/C, Taxi)-W	302,351	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A
71	A	302	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A
71/	A	400	ARF42	C9PZ 12405-B	ARF42	C9PZ 12405-B	ARF42	C9PZ 12405-B
71	A, B, F	429-4/B	ARF32	C9PZ 12405-A	ARF32	C9PZ 12405-A	ARF32	C9PZ 12405-A
71/	B, F, P	302-2/B	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A
71	F	302-4/B	ARF32	C9PZ 12405-A	ARF32	C9PZ 12405-A	ARF32	C9PZ 12405-A
71	B, F(2/B, 4/B)	351	ARF42	C9PZ 12405-B	ARF42	C9PZ 12405-B	ARF42	C9PZ 12405-B
72	B(W)	351	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A
72	A, B	429	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A
72	B(P/C)	429	ARF42	C9PZ 12405-B	ARF42	C9PZ 12405-B	ARF42	C9PZ 12405-B
72	A(P/C)	429	ARF42	C9PZ 12405-B	ARF42	C9PZ 12405-B	ARF42	C9PZ 12405-B
72	B, S	400	ARF42	C9PZ 12405-B	ARF42	C9PZ 12405-B	ARF42	C9PZ 12405-B
71/	S	429	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A
71	A	351, 390	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A
72	A, B, F(C)	351	ARF42	C9PZ 12405-B	ARF42	C9PZ 12405-B	ARF42	C9PZ 12405-B
72	S	460	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A	BRF42	D0AZ 12405-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	12405 TUNE UP KIT - IGNITION - continued					
				MOTORCRAFT		
65	A	6	240	Consists of 1-C9AZ 12171-B (DP-3) points 1-7RA 12300-C (DC-6) cond. 6-B7A 12405-A (BTF-6) spark plugs	1	TKF 5
66/67	A	6	240	Consists of 1-C9AZ 12171-B (DP-3) points 1-7RA 12300-C (DC-6) cond. 6- B8A 12405-A (BF-42) spark plugs 1-Feeler Gauge 1-Lubricant 1-I.S.#3384	1	TKF 15
68/70	A	6	240	Consists of 1-C9AZ 12171-B (DP-3) points 1-C9AZ 12300-A (DC-13A) cond. 6-B8A 12405-A (BF-42) spark plugs 1-Feeler Gauge 1-Lubricant 1-I.S. #3384	1	TKF 16
71	A	6	240	Consists of 1-C9AZ 12171-B (DP-3) points 1-C9AZ 12300-A (DC-13A) cond. 6-D0AZ 12405-A (BRF-42) spark plugs 1-Feeler Gauge 1-Lubricant 1-I.S. # 3384	1	TKF 20
65/67	A(exc. 390)			Consists of	1	TKF 1
68	A(428)			1-B8Q 12171-A (DP-12) points	1	
65/68	B(exc. 390 GT)			1-C9AZ 12300-A (DC-13A) cond.	1	
65/67	F(8 cyl. exc.289 Hi Perf. with T/E and 289 (4/B carb.)			8-B8A 12405-A (BF-42) spark plugs	1	
68/70	A(302, 390)				1	
70	B(302)				1	
69	B(351,390)				1	
68	F (exc. 390 GT)				1	
69/70	F(302,351,390)(2/B)				1	
65/68	S				1	
66/	U(8 cyl.)				1	
65/68	X(8 cyl.)				1	
65/67	B(exc. T/E)	6	170,	Consists of	1	TKF 2
65/67	F(exc. T/E)		200	1-C9AZ 12171-B (DP-3) points		
66/67	U(exc. T/E)			1-7RA 12300-C (DC-6) cond.		
65/67	X(exc. T/E)			6-B7A 12405-B (BF-82) spark plugs		
66/70	B(w/T/E & Imco)	6	All	Consists of	1	TKF 6
66/70	F(w/T/E & Imco)			1-C9AZ 12171-B (DP-3) points		
66/	U(w/T/E & Imco)	6	170	1-C9AZ 12300-A (DC-13A) cond.	1	
66/70	X(w/T/E & Imco)	6	250	6-B7A 12405-B (BF-82) spark plugs	1	
70	P	6	All		1	
66/70	A(427,428) P/C			Consists of	1	TKF 7
66/68	B(390 GT)			1-B8Q 12171-A (DP-12) points	1	
66/67	F(289 Hi Perf. w/ T/E)			1-C9AZ 12300-A (DC-13A) cond.	1	
67	F(289 4/B carb.)			8-C0AZ 12405-A (BF-32) spark plugs	1	
68/69	F(390 GT)				1	
69	B,F(351-4V)				1	
69/70	B(CJ)	8	429	Consists of	1	TKF 13
69/70	F(4/B Boss)	8	302	2-C9AZ 12171-A (DP-5) points 1-C9AZ 12300-A (DC-13A) cond. 8-C9ZZ 12405-A (AF-32) spark plugs 1-Feeler Gauge 1-Lubricant 1-I.S. #3384		

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
69	F(CJ)	8	428	Consists of 2-C9AZ 12171-A (DP-5) points 1-C9AZ 12300-A (DC-13A) cond. 8-C0AZ 12405-A (BF-32) spark plugs 1-Feeler Gauge 1-Lubricant 1-I.S. #3384	1	TKF 14
70	B(2/B,4/B)	8	351	Consists of 1-B8Q 12171-A (DP-12) points 1-C9AZ 12300-A (DC-13A) cond. 8-C9ZZ 12405-B (AF-42) spark plugs 1-Feeler Gauge 1-Lubricant 1-I.S. #3384	1	TKF 11
70	F(4/B)	8	351			
70/	A,B,S	8	429	Consists of 1-B8Q 12171-A (DP-12) points 1-C9AZ 12300-A (DC-13A) cond. 8-D0AZ 12405-A (BRF-42) spark plugs 1-Feeler Gauge 1-Lubricant 1-I.S.#3384	1 1 1 1 1	TKF 17
71/	A, B, F, P, U	8	302			
71/	A	8	351,			
71	A	8	390			
71/	A(2/B), B(2/B)	8	400	Consists of 1-B8Q 12171-A (DP-12) points 1-C9AZ 12300-A (DC-13A) cond. 8-C9PZ 12405-B (ARF-42) spark plugs 1-Feeler Gauge 1-Lubricant 1-I.S. #3384	1 1 1	TKF 22
71/	B(4/B)	8	351			
71/	F(2/B)	8	351			
71/	A(4/B)	8	429	Consists of 1-B8Q 12171-A (DP-12) points 1-C9AZ 12300-A (DC-13A) cond. 8-C9PZ 12405-A (ARF-32) spark plugs 1-Feeler Gauge 1-Lubricant 1-I.S. #3384	1 1	TKF 23
71/	B, F(4/B CJ, S/CJ)-A/T	8	429			
71/	B,F,P	6	170, 200, 250	Consists of 1-C9AZ 12171-B (DP-3) points 1-C9AZ 12300-A (DC-13A) cond. 6-C1AZ 12405-C (BRF-82) spark plugs 1-Feeler Gauge 1-Lubricant 1-I.S. #3384	1	TKF 19
71/	F(4/B)	8	302	Consists of 2-C9AZ 12171-A (DP-5) points 1-C9AZ 12300-A (DC-13A) cond. 8-C9PZ 12405-A (ARF-32) spark plugs 1-Feeler Gauge 1-Lubricant 1-I.S. #3384	1 1	TKF 21
71/	B, F(CJ, S/CJ)-S/T	8	429			
71/	L	4	98	Consists of 1-B8Q 12171-A (DP-12) points 1-D0RY 12300-A (DCE-238) cond. 4-D1FZ 12405-B (AGR-22) spark plugs 1-Feeler Gauge 1-Lubricant 1-I.S. #3930	1	TKF 18
71/	L	4	122	Consists of 1-D1FZ 12171-A (DP-124) points 1-D1FZ 12300-A (DC-88) cond. 4-D0AZ 12405-A (BRF-42) spark plugs 1-Feeler Gauge 1-Lubricant 1-I.S. #3936	1	TKF 24

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	12450 GOVERNOR ASSY. - ENGINE					
69/71	F-Boss (S/T)	8	302	#D0ZF 12450-B (6150 RPM)	1	D0ZZ 12450-B
70	B-S/CJ (S/T)	8	429		1	
71	F-S/CJ	8	429		1	
71/	F-Boss	8	351		1	
70/71	F-CJ-S/CJ-(S/T)	8	429	#D0ZF 12450-A (5800 RPM)	1	D0ZZ 12450-A
70/71	B-CJ (S/T)	8	429		1	
70/71	B, F	8	All	Screw 1/4"-14 x 3/4"-attach governor to R.H. suspension housing	3	55914-S(U254-F)
70/71	B, F	8	All	Bolt-3/8"-16 x 1/2-attach ground wire to intake manifold	1	20312-S(B98)
70/71	B, F	8	All	Washer-3/8"	1	34807-S(X66)
	12K454 WIRE ASSY. ENGINE GOVERNOR CONTROL VALVE EXTENSION					
71	A(with A/T)	6&8	240,390	#D1AB 12K454-AB	1	D1AZ 12K454-A
72	A(with A/T)	6	240	#D2AB 12K454-AC	1	D2AZ 12K454-A
72	A	8	351,400		1	
72	A(P/C)	8	429		1	
70	B(with A/T)	8	302	# D0OB 12K454-A	1	D0OZ 12K454-A
70	B(with A/T or S/T)	8	351		1	
71	B-California only	6	250	#D1OB 12K454-AC	1	D1OZ 12K454-A
72	B(with A/T)-Calif.only	6&8	All	#D2OB 12K454-AB	1	D2OZ 12K454-B
72	B, F (with A/T)	8	351	#D2OB 12K452-AA	1	D2OZ 12K454-C
71	F	6	250	#D1ZB 12K454-AA	1	D1ZZ 12K454-A
72	F(without A/C)-exc. Calif.	6&8	All	45" long-#D2ZB 12K454-AB	1	D2ZZ 12K454-A
72	F(without A/C)-Calif.only	6&8	All	43" long-#D2ZB 12K454-CB	1	D2ZZ 12K454-C
72	F(with A/C)-exc. Calif.	6&8	All	51" long-#D2ZB 12K454-BB	1	D2ZZ 12K454-B
72	F(with A/C)-Calif.only	6&8	All	54" long-#D2ZB 12K454-DB	1	D2ZZ 12K454-D
72	L(with S/T)-Calif. only	4	98, 122	80" long-attaches to 14401-#D22B 12K454-AA	1	D2FZ 12K454-A
72	L(with S/T, A/T)-Calif. only	4	122	25" long-attaches to 14290-#D22B 12K454-BB,	1	D2FZ 12K454-B
72	L(with S/T)-Calif.only	4	98	BC	1	
72	L(with A/T)-Calif.only	4	122	74" long-attaches to 14401-#D22B 12K452-AB	1	D2FZ 12K454-D
71	P(62D)-California only	6	All	#D1DB 12K454-AB	1	D0DZ 12K454-B
72	P(A/T)	6&8	250,302	#D2DB 12K454-AB, AC	1	D2DZ 12K454-A
71	S	8	429	#D1SB 12K454-AC	1	D1SZ 12K454-A
70	X(with A/T)	8	302	#C9DB 12K454-A	1	C9DZ 12K454-A
71/	F			Clip (attach wire to cowl top panel)	4	382033-S(GG303)
	12638 WIRE ASSY. - STARTER CIRCUIT JUMPER - Also refer to group 11A103					
65	A(with S/T)	6&8	All	Cut from B6A 14296-C bulk wire-used with back-up lights and 4 speed transmission	1	★C1MF 12638-A
65/66	A (with C/M) "Before 12/13/65"	8	All	Not replaced	1	★C5AZ 12638-A
66	A(C4, C6) "Before 12/13/65"	6&8	All	Not replaced	1	★C5AZ 11A103-A
66	A(C4, C6, C/M) "From 12/13/65"	6&8	All	Not replaced	1	★C5AZ 12638-B
68/69	A(63C, 76B)-with A/T	8		#C8AB 12638-B or C	1	C8AZ 12638-B
66	B(C4)	6	200	Not replaced	1	★C6OZ 12638-B
66	B (2/B, 4/B, R.F. or P.F.)	8	289		1	
66	B(2/B, 4/B)	8	390		1	
68/69	B(63D, E, 65, D, E, 66D, 76D, E) console mounted - C4, C6 A/T	8	390	#C8OB 12638-A, D1OB 12638-AA	1	C8OZ 12638-A
70/71	B (65E)-console mounted	8	351		1	
72	B(w/ A/T)-console - "Before 10/1/71"	6&8	All	#D2OB 12638-AA	1	D2OZ 12638-A
72	B(w/A/T) "From 10/1/71"	6&8	All	#D2OB 12638-BA	1	D2OZ 12638-B
65/66	F(C4, C6)	6&8	200,289	Not replaced	1	★C5ZZ 12638-B
67	F(tilt steering column)- "Before 2/15/67"	6&8	All	#C7ZB 12638-A - not replaced	1	★C7ZZ 12638-A
	"From 2/15/67"			Refer to Group 3D568		
66	X(C4)	6	200	Not replaced	1	★C6OZ 12638-B
66	X(2/B, 4/B, R.F. or P.F.)	8	289		1	
70/71	S	8	429	#D0SB 12638-A, B, #D1SB 12638-AA	1	D1SZ 12638-A
72	S	8	429	Improvise from bulk wire		★

Identification Marking

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 1A thru 1M											
		A	B	C	D	E	F	G	H	J	K	L	M
CUP - OIL	B6A 10141-A	A	B										
REPAIR KIT - DISTRIBUTOR	A7A 12000-B (DK-2)	A	B	C	D								
Consists of (1) C9AZ 12171-B Points (1) FAA 12200-B Rotor (1) FET 12300-A Condenser or (1) 7RA 12300-C Condenser													
HOUSING - DISTRIBUTOR TERMINAL (CAP)	7HA 12106 (DH-4)	A	B	C	D								
BUSHING UPPER	C4DZ 12120-A (MC-157)	A	B	C	D								
OILER - DISTRIBUTOR HOUSING	FAA 12135-A			C	D								
GASKET - DISTRIBUTOR BASE	C0DF 12143-A (DZ-4)	A	B										
CLAMP - TERMINAL HOUSING (HOLD DOWN)	7RA 12144 (DZ-337)	2	2	2	2								
RIVET - TERMINAL HOUSING CLAMP	B 12145	2	2	2	2								
SNAP RING - DISTRIBUTOR BREAKER PLATE	7RA 12146 (DZ-10)	A	B	C	D								
PLATE - DISTRIBUTOR BREAKER	C1DF 12151-A (DB-10)	A		C									
	C3UZ 12151-A (DB-163)		B		D								
POINT SET - DISTRIBUTOR ARM & BREAKER-PIVOTLESS	C3DZ 12171-A (DP-70)	A	B	C	D								
Pivot	C9AZ 12171-B (DP-3)	A	B	C	D								
Washer - No. 8	34802-S(X59)	2	2	2	2								
Screw No. 8-32 x 5/16" Fill. head	31037-S7(U-48)	2	2	2	2								
SHAFT and CAM DISTRIBUTOR	C5AZ 12175-B (DF-349)			C	D								
	C4DZ 12175-A (DF-325)	A	B										
WASHER - DISTRIBUTOR DRIVEN GEAR	C5TZ 12179-A (DZ-381)			C	D								
SPRING - Refer to Distributor Identification Charts for Calibration Codes	12191-2												

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 1A thru 1M											
		A	B	C	D	E	F	G	H	J	K	L	M
ROTOR ASSY. - DISTRIBUTOR	FAA 12200-B (DR-1)	A	B	C	D								
STOP - Refer to Distributor Identification Charts for Calibration Codes	12202												
CAM - Refer to Distributor Identification Charts for Calibration Codes	12210												
RETAINER - DISTRIBUTOR ROTOR	0BA 12213-A (DZ-355)	A	B	C	D								
WIRE ASSY. - PRIMARY TERMINAL	C0DF 12216-A (DW-10)	A	B	C	D								
Nut-No. 6-32	34051-S7(M154)	A	B	C	D								
Lockwahser No. 6	34801-S7(X58)	A	B	C	D								
WIRE ASSY. - DISTRIBUTOR BREAKER GROUND	7RA 12264 (ML-290)	A	B	C	D								
Screw & lockwasher No. 8-32 x 5/16"-fill. head	355067-S7(BB53)	A	B	C	D								
CLAMP - DISTRIBUTOR to CYLINDER HEAD	C3AZ 12270-A (DZ-410)	A	B	C	D								
Screw-5/16"-18 x 1"	20386-S8(B53)	A	B	C	D								
Lockwasher-5/16"	34806-S7(X64)	A	B	C	D								
CONDENSER ASSY. - DISTRIBUTOR	7RA 12300-C (DC-6)	A	B	C	D								
Lockwasher-No. 6	34801-S(X58)	A	B	C	D								
Nut-No. 6-32	34051-S7(M154)	A	B	C	D								
Screw & lockwasher No. 8-32 x 5/16"	355067-S(BB53)	A	B	C	D								
DIAPHRAGM ASSY. - Refer to Distributor Identification Charts for Calibration Codes	12370												
Screw & lockwasher-No. 8-32 x 3/4"	43395-S8(U75)	2	2										
Nut-tube-3/8"-24 (dist. vacuum tube)	351112-S(MM109)			2	2								
Pin-self-lock-7/16" long	353610-S8(NN126)	A	B	C	D								
GEAR - DISTRIBUTOR DRIVEN	C4DZ 12390-A (DZ-364)	A	B										
	C5TZ 12390-A (DZ-383)			C	D								
Rivet-1/8" x 13/16" (gear to shaft)	61489-S(S10)			C	D								
Pin-1/8" x .672/.702"(gear to shaft)	354132-S(NN97)	A	B										

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 2A thru 2M											
		A	B	C	D	E	F	G	H	J	K	L	M
CUP OIL	B6A 10141-A	A	B	C	D	E	F	G	H	J	K	L	M
REPAIR KIT - DISTRIBUTOR	C5AZ 12000-D (DK-16)	A	B	C	D	E	F	G	H	J	K	L	M
Consists of (1) C9AZ 12171-B Points (1) D5DZ 12200-A Rotor (1) C9AZ 12300-A Condenser													
PLUG - DISTRIBUTOR DIAPHRAGM	C7AZ 12A022-A					E	F	G		J			
	C8AZ 12A022-A (DZ-404)								H				
BUTTON-DIST BREAKER PLATE SUPPORT	•D2AZ 12072-A										3	3	3
SLEEVE - DISTRIBUTOR SHAFT PLATE	C2AZ 12A075-A	A	B	C	D	E	F	G	H	J	K	L	M
HOUSING - DISTRIBUTOR TERMINAL (CAP)	7HA 12106 (DH-4)	A	B	C	D	E	F	G	H	J	K	L	M
BUSHING - DISTRIBUTOR HOUSING UPPER	C5AZ 12120-A (MC-175)	A	B	C	D	E	F	G	H	J	K	L	M
GASKET - DISTRIBUTOR BASE	C0DF 12143-A (DZ-4)	A	B			E	F	G		J	K	L	M
SEAL - "O" RING DISTRIBUTOR BASE	87055-S94								H				
CLAMP - TERMINAL HOUSING (HOLD DOWN)	7RA 12144 (DZ-337)	2	2	2	2	2	2	2	2	2	2	2	2
RIVET - TERMINAL HOUSING	B 12145	2	2	2	2	2	2	2	2	2	2	2	2
RETAINER-DIST. BREAKER PLATE	•D2AZ 12146-A										K	L	M
PLATE ASSY. - DISTRIBUTOR BREAKER	12151												
Upper	C5TZ 12151-A (DB-170)	A	B	C	D	E	F	G	H	J			
Lower	C5TZ 12151-B (DB-171)	A	B	C	D	E	F	G	H	J			
Less points and condenser	D2PZ 12151-B (DP-186A)										K	L	M
Upper-plate only	•D2TZ 12151-C										K	L	M
Lower-plate only	•D2TZ 12151-B										K	L	M
Washer "C" type	351825-S(XX9)	A	B	C	D	E	F	G	H	J			
Washer-spring 3/16"	372395-S(XX368)	A	B	C	D	E	F	G	H	J			
Washer-flat-3/16"	372396-S(XX78)	A	B	C	D	E	F	G	H	J			
POINT SET - DISTRIBUTOR ARM & BREAKER	C9AZ 12171-B (DP-3)	A	B	C	D	E	F	G	H	J	K	L	M
Washer-No. 8	34802-S(X59)	2	2	2	2	2	2	2	2	2	2	2	
Screw & washer-No. 8-32 x 5/16"	355067-S7(BB53)	2	2	2	2	2	2	2	2	2	2	2	
SHAFT - DISTRIBUTOR - includes C8AZ 12179-A thrust washer (upper)	C8TZ 12175-C (DF-367)			C	D								
	D1AZ 12175-A (DF-384)								H				
Includes weights	ø D2DZ 12175-A (DF-366A)	A	B								K		
Includes weights	D2TZ 12175-A (DF-367A)											L	
Includes weights	D2DZ 12175-B (DF-370A)					E	F	G		J			M
RETAINER - DISTRIBUTOR CAM	B7A 12177-A	A	B	C	D	E	F	G	H	J	K	L	M
WASHER - DISTRIBUTOR SHAFT THRUST-UPPER	C8AZ 12179-A (DZ-413)	A	B	C	D	E	F	G	H	J	K	L	M
WASHER - DISTRIBUTOR DRIVEN GEAR	C5TZ 12179-A (DZ-381)			C	D				H				
Washer-5/16"-flat	379039-S(XX112H)			C	D				H				

• Reconditioner only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 2A thru 2M											
		A	B	C	D	E	F	G	H	J	K	L	M
LINK-DIST. BREAKER PLATE	•D2AZ 12A186-A										K	L	M
SPRING-DIST. BREAKER PLATE	•D2AZ 12A187-A										K	L	M
WEIGHT ASSY. - DISTRIBUTOR ADVANCE	C5AZ 12188-A (DZ-382)	2	2	2	2	2	2	2	2	2	2	2	2
Washer "C" type	351825-S(XX9)	2	2	2	2	2	2	2	2	2	2	2	2
SPRING - Refer to Distributor Identification Charts for Calibration Codes	12191-2												
ROTOR ASSY. - DISTRIBUTOR	C5TZ 12200-B (DR-87)	A	B	C	D	E	F	G	H	J	K	L	M
STOP - Refer to Distributor Identification Charts for Calibration Codes	12202												
CAM - Refer to Distributor Identification Charts for Calibration Codes	12210												
WIRE ASSY. - PRIMARY TERMINAL	C1VF 12216-A (DW-12)	A											
	C7VY 12216-A (DW-34)		B		D	E	F	G	H	J	K	L	M
	C5TZ 12216-A (DW-23)			C									
Nut-No. 6-32	34051-S7(M154)	A	B	C	D	E	F	G	H	J	K	L	M
Lockwasher-No. 6	34801-S7(X58)	A	B	C	D	E	F	G	H	J	K	L	M
Screw No. 6-18 x 3/8"	32921-S8(U334G)							G	H	J	K	L	M
WIRE ASSY. - DISTRIBUTOR BREAKER GROUND	D2AZ 12264-A (ML-291)	A	B	C	D	E	F	G	H	J	K	L	M
Screw-No. 8-32 x 5/16"	31037-S7(U48)		B	C	D	E	F	G	H	J	K	L	M
Lockwasher-No. 8	34802-S7(X59)		B	C	D	E	F	G	H	J	K	L	M
Screw and lockwasher-No. 8-32 x 5/16"	355067-S7(BB53)	A	B	C	D	E	F	G	H	J	K	L	M
CLAMP - DISTRIBUTOR TO CYLINDER HEAD	C3AZ 12270-A (DZ-410)	A	B	C	D	E	F	G	H	J	K	L	M
Screw 5/16"-18 x 1"	20386-S8(B53)	A	B	C	D	E	F	G	H	J	K	L	M
Lockwasher-5/16"	34806-S7(X64)	A	B	C	D	E	F	G	H	J	K	L	M
CONDENSER ASSY. - DISTRIBUTOR													
	C9AZ 12300-A (DC-13A)	A	B	C	D	E	F	G	H	J	K	L	M
Screw No. 8-32 x 5/16"	355067-S7(BB53)	A	B	C	D	E	F	G	H	J	K	L	M
GASKET - DIAPHRAGM VACUUM CONNECTOR	★B7A 12320-A	A	B	C	D	E	F	G	H	J			
DIAPHRAGM ASSY. - Refer to Distributor Identification Charts for Calibration Codes	12370												
Retainer "C" type (diaphraghm rod)	351826-S(XX2)	A	B	C	D	E	F	G	H	J			
Washer-flat-1/4" .078" thick (vacuum calibration)	354610-S(XX91)	A	B	C	D	E	F	G	H	J			
Connector-3/16" (vac. tube to dist.)	359546-S8B(II-67)	A	B	C	D	E	F	G	H	J			
Washer-flat-1/4" .009" thick	375482-S(XX85)	A	B	C	D	E	F	G	H	J			
Washer-flat-1/4" .021" thick	375483-S(XX85A)	A	B	C	D	E	F	G	H	J			
Washer-flat-1/4" .041" thick	375484-S(XX85B)	A	B	C	D	E	F	G	H	J			
Screw-No. 8-32 x 1" pan head (diaphraghm to dist.)	382331-S2(BB635A)						2	2	2	2			
GEAR - DISTRIBUTOR DRIVEN	C4DZ 12390-A	A	B			E	F	G		J	K		M
	C5TZ 12390-A (DZ-383)			C	D				H			L	
Pin-1/8" x 3/4" (gear to shaft)	353925-S(NN98)			C	D	E	F						
Rivet-1/8" x 13/16" (gear to shaft)	61489-S(S10)	A	B					G	H	J	K	L	M

• Reconditioners only

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 3A THRU 3M											
		A	B	C	D	E	F	G	H	J	K	L	M
CUP - DISTRIBUTOR OIL	B6A 10141-A	A											
REPAIR KIT - DISTRIBUTOR	C5ZZ 12000-A (DK-14)	A	B	C	D								
Consists of (2) C9AZ 12171-C Points (1) B7A 12200-A Rotor (1) FET 12300-A Condenser or (1) 7RA 12300-C Condenser													
HOUSING - DISTRIBUTOR TERMINAL (CAP)	B7A 12106-A (DH-6)	A	B	C	D	E							
BUSHING - DISTRIBUTOR HOUSING	12120												
Upper	B8QH 12120-A (MC-148)	A	B	C	D	E							
Lower	C5AZ 12132-A (MC-176)		B	C	D	E							
GASKET - DISTRIBUTOR BASE	B9TF 12143-A (DZ-3)	A	B	C									
	B8A 12143-A (DZ-1)				D	E							
CLAMP - TERMINAL HOUSING (HOLD DOWN)	B7A 12144-A (DZ-339)	2											
	7RA 12144 (DZ-337)		2	2	2	2							
RIVET - TERMINAL HOUSING (HOLD DOWN CLAMP)	B 12145	2	2	2	2	2							
PLATE - DISTRIBUTOR BREAKER UPPER	C0AF 12152-A (DB-18)	A	B	C	D	E							
POINT SET - DISTRIBUTOR ARM & BREAKER	C9AZ 12171-C (DP-6)	2	2	2	2								
	C3AZ 12171-A (DP-71)					E							
Nut-No. 6-32	34051-S7(M154)	2	2	2	2	2							
Washer-No. 6	34801-S7(X58)	2	2	2	2	2							
Screw-No. 8-32 x 5/16"	355067-S7(BB53)	2	2	2	2	2							
SHAFT - DISTRIBUTOR	B8A 12175-A (DF-6)	A											
Includes C8AZ 12179-A washer - "Before 12/28/70"	C5AZ 12175-C (DF-364)		B	C	D	E							
"From 12/28/70"	D2AZ 12175-D (DF-364-C)		B	C	D	E							

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 3A THRU 3M												
		A	B	C	D	E	F	G	H	J	K	L	M
RETAINER - DISTRIBUTOR - CAM	B7A 12177-A	A	B	C	D	E							
WASHER - DRIVEN GEAR	B7A 12179-A	A											
WASHER-DISTRIBUTOR SHAFT THRUST-UPPER	C8AZ 12179-A (DZ-413)		B	C	D	E							
WEIGHT - DISTRIBUTOR ADVANCE	C4TZ 12188-A (DZ-12)	2	2										
	C5AZ 12188-A (DZ-382)			2	2	2							
Ring-3/16" retaining	351285-S(XX9)			2	2	2							
SPRING - Refer to Distributor Identification Charts for Calibration Codes	12191-2												
COLLAR - DISTRIBUTOR SHAFT	7HA 12195	A	B	C	D	E							
ROTOR ASSY. - DISTRIBUTOR	B7A 12200-A (DR-5)	A	B	C	D	E							
STOP - Refer to Distributor Identification Charts for Calibration Codes	12202												
CAM - Refer to Distributor Identification Charts for Calibration Codes	12210												
WIRE ASSY. - PRIMARY TERMINAL	B8Q 12216-A (DW-4)	A	B	C	D								
	C3AZ 12216-A (DW-20)					E							
Nut-No. 6-32	34051-S7(M154)	A	B	C	D	E							
Lockwasher-No. 6	34801-S7(X58)	A	B	C	D	E							
COVER - DISTRIBUTOR	★C3AZ 12239-A (DZ-308)					E							
CLAMP - DISTRIBUTOR TO CYLINDER HEAD	C3AZ 12270-A (DZ-410)	A											
Bolt-5/16"-18 x 1"	20386-S8(B53)	A											
Lockwasher-5/16"	34806-S7(X64)	A											
CONDENSER ASSY. - DISTRIBUTOR	7RA 12300-C (DC-6)	A	B	C	D								
Screw-No. 8-32 x 5/16"	355067-S7(BB53)	2	2	2	2								
GEAR - DISTRIBUTOR DRIVEN	C2OF 12390-A (DZ-362)	A	B	C									
	FAB 12390-C (DZ-367)				D	E							
Rivet-1/8" x 13/16" gear to shaft	61489-S(S10)	A	B	C	D	E							

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 4A THRU 4M											
		A	B	C	D	E	F	G	H	J	K	L	M
CUP - OIL	B6A 10141-A	A											
REPAIR KIT - DISTRIBUTOR	C0TZ 12000-A (DK-10)	A	B	C	D	E	F	G	H	J		L	M
Consists of (1) B8Q 12171-A Points (1) B7A 12200-A Rotor (1) C9AZ 12300-A Condenser													
PLUG - DISTRIBUTOR DIAPHRAGM	C7AZ 12A022-A						F	G					
	C8AZ 12A022-A (DZ-404)		B	C						J	K		
SLEEVE - DISTRIBUTOR SHAFT PLATE	C2AZ 12A075-A		B	C	D		F	G	H	J	K	L	M
HOUSING - DISTRIBUTOR TERMINAL (CAP)	B7A 12106-A (DH-6)	A	B	C	D	E	F	G	H	J	K	L	M
BUSHING - DISTRIBUTOR HOUSING	12120												
Upper	B8QH 12120-A (MC-148)	A	B	C	D	E	F	G	H	J		L	M
	C5AZ 12120-A (MC-175)										K		
Lower	C5AZ 12132-A (MC-176)				D	E	F	G	H			L	
GASKET - DISTRIBUTOR BASE	B9TF 12143-A (DZ-3)	A	B		D		F			J	K		
	B8A 12143-A (DZ-1)			C		E		G	H			L	M
CLAMP - TERMINAL HOUSING HOLD DOWN	B7A 12144-A (DZ-339)	2											
	7RA 12144 (DZ-337)		2	2	2	2	2	2	2	2	2	2	2
RIVET - TERMINAL HOUSING HOLD DOWN	B 12145	2	2	2	2	2	2	2	2	2	2	2	2
PLATE ASSY. - DISTRIBUTOR BREAKER	12151												
Lower	B9AF 12151-A (DB-7)	A	B	C	D	E	F	G	H	J	K	L	M
Upper	B9AF 12151-B (DB-8)	A	B	C	D	E	F	G	H	J	K	L	M
Washer-"C" type	351825-S(XX9)	A	B	C	D	E	F	G	H	J			
Washer-spring-3/16"	372395-S(XX368)	A	B	C	D	E	F	G	H	J			
Washer-flat-3/16"	372396-S(XX78)	A	B	C	D	E	F	G	H	J			
POINT SET - DISTRIBUTOR ARM and BREAKER - PIVOT	B8Q 12171-A (DP-12)	A	B	C	D	E	F	G	H	J		L	M
- Pivotless	C5AZ 12171-A (DP-77)		B	C		E	F	G	H	J	K		
Nut-No. 6-32	34051-S(M154)	A	B	C	D	E	F	G	H	J	K	L	M
Washer-No. 6	34801-S(X58)	A	B	C	D	E	F	G	H	J	K	L	M
Screw-No. 8-32 x 5/16"	355067-S(BB53)	2	2	2	2	2	2	2	2	2	2	2	2
SHAFT - DISTRIBUTOR	B8A 12175-A (DF-6)	A											
Includes C8AZ 12179-A washer "Before 12/28/70"	C5AZ 12175-C (DF-364)			C	D	E	F	G	H	J		L	M
C2AZ 12A075-A sleeve not used with this shaft - "From 12/28/70"	§D2AZ 12175-D (DF-364-C)			C	D	E	F	G	H	J		L	M
Includes weights	D2AZ 12175-H (DF-374-C		B										
Includes weights "Before 12/28/70"	D2AZ 12175-A (DF-372-C)										K		
Includes weights "From 12/28/70"	D2AZ 12175-B (DF-372-B)										K		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 4A THRU 4M											
		A	B	C	D	E	F	G	H	J	K	L	M
RETAINER - DISTRIBUTOR CAM	B7A 12177-A	A	B	C	D	E	F	G	H	J	K	L	M
WASHER - DRIVEN GEAR	B7A 12179-A	A											
WASHER - DISTRIBUTOR SHAFT THRUST - UPPER	C8AZ 12179-A (DZ-413)		B	C	D	E	F	G	H	J	K	L	M
WEIGHT - DISTRIBUTOR ADVANCE	B7A 12188-A (DZ-11)	2											
	C5AZ 12188-A (DZ-382)		2	2	2	2	2	2	2	2	2	2	2
SPRING - Refer to Distributor Identification Charts for Calibration Codes	12191-2												
COLLAR - DISTRIBUTOR SHAFT	7HA 12195	A	B	C	D	E	F	G	H	J		L	M
	C8VY 12195-A										K		
ROTOR ASSY. - DISTRIBUTOR	B7A 12200-A (DR-5)	A	B	C	D	E	F	G	H	J	K	L	M
STOP - Refer to Distributor Identification Charts for Calibration Codes	12202												
CAM - Refer to Distributor Identification Charts for Calibration Codes	12210												
WIRE ASSY. - PRIMARY TERMINAL	C2OZ 12216-A (DW-17)	A											
	C1VF 12216-A (DW-12)				D	E			H			L	M
	C7VY 12216-A (DW-34)		B	C			F	G		J	K		
WIRE ASSY. - DISTRIBUTOR BREAKER GROUND	D2AZ 12264-A (ML-291)	A	B	C	D	E	F	G	H	J	K	L	M
CLAMP - DISTRIBUTOR TO CYLINDER HEAD	C3AZ 12270-A (DZ-410)	A	B		D	E	F		H	J	K	L	M
	B8A 12270-A (DZ-409)			C				G				L	M
CONDENSER ASSY. - DISTRIBUTOR	C9AZ 12300-A (DC-13A)	A	B	C	D	E	F	G	H	J	K	L	M
Screw-No. 8-32 x 5/16"	355067-S(BB53)	2	2	2	2	2	2	2	2	2			
GASKET - DIAPHRAGM VACUUM CONNECTOR	★B7A 12320-A	A	B	C	D	E	F	G	H	J	K	L	M
DIAPHRAGM ASSY. - Refer to Distributor Identification Charts for Calibration Codes	12370												
Screw-No. 8-32 x 1 3/16"	354988-S(BB635)	A	B	C	D	E	F	G	H	J			
"C" Retainer (diaphragm rod)	351826-S(XX2)	A	B	C	D	E	F	G	H	J			
GEAR - DISTRIBUTOR DRIVEN	C2OF 12390-A	A	B		D	E	F			J			
	FAB 12390-C (DZ-367)			C				G	H			L	M
	C9ZZ 12390-A (DZ-412)										K		
Rivet-1/8" x 13/16" gear to shaft	61489-S(S10)	A	B	C	D	E	F	G	H	J			

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 4N THRU 4Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
CUP - OIL	B6A 10141-A	N											
REPAIR KIT - DISTRIBUTOR	C0TZ 12000-A (DK-10)	N		Q		S		U	V	W		Y	
Consists of 1-B8Q 12171-A Points	1-B7A 12200-A Rotor					1-C9AZ 12300-A Condenser							
PLUG - DISTRIBUTOR DIAPHRAGM	C8AZ 12A022-A (DZ-404)			Q		S	T			W	X		Z
	C7AZ 12A022-A								V			Y	
FELT - DISTRIBUTOR CAM LUBRICATOR	C3TZ 12A055-A		P		R								
BUTTON-DISTRIBUTOR BREAKER PLATE-SUPPORT	•D2AZ 12072-A							3					
SLEEVE - DISTRIBUTOR SHAFT PLATE	C2AZ 12A075-A			Q	R	S	T		V	W	X	Y	Z
HOUSING - DISTRIBUTOR TERMINAL (CAP)	B7A 12106-A (DH-6)	N	P	Q		S	T	U	V	W	X	Y	Z
	B7AZ 12106-A (DH-146)				R								
BUSHING - DISTRIBUTOR HOUSING UPPER	B8QH 12120-A (MC-148)	N	P	Q	R						X		
	C5AZ 12120-A (MC-175)					S	T	U	V	W		Y	Z
BUSHING - DISTRIBUTOR HOUSING LOWER	C5AZ 12132-A (MC-176)		P		R						X		
GASKET - DISTRIBUTOR BASE	B9TF 12143-A (DZ-3)					S		U	V	W	X	Y	
	B8A 12143-A (DZ-1)	N	P	Q	R		T						Z
CLAMP TERMINAL HOUSING HOLD DOWN	B7A 12144-A (DZ-339)	2											
	7RA 12144 (DZ-337)		2	2	2	2	2	2	2	2	2	2	2
RIVET - TERMINAL HOUSING HOLD DOWN CLAMP	B 12145	2	2	2	2	2	2	2	2	2	2	2	2
RETAINER - DISTRIBUTOR BREAKER PLATE	•D2AZ 12146-A							U					
PLATE ASSY. - DISTRIBUTOR BREAKER	12151												
Lower	B9AF 12151-A (DB-7)	N	P	Q		S	T					Y	Z
Upper	B9AF 12151-B (DB-8)	N	P	Q	R	S	T		V			Y	Z
Lower	C1VY 12151-A (DB-158)				R								
Upper-plate only	•D2AZ 12151-C							U					
Lower-plate only	•D2AZ 12151-B							U					
	C9AZ 12151-A (DB-181)									W	X		
	D2PZ 12151-A (DB-187-A)							U					
Screw-No. 8-32 x 3/8" pan hd.	50507-S8(U151)	2	2	2	2	2	2		2	2	2	2	2
Washer "C"	351825-S(XX9)	N	P	Q	R	S	T		V	W	X	Y	Z
Washer-3/16" spring	372395-S(XX368)	N	P	Q	R	S	T		V	W	X	Y	Z
Washer-3/16" flat	372396-S(XX78)	N	P	Q	R	S	T		V	W	X	Y	Z

• Reconditioners only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 4N THRU 4Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
POINT SET - DISTRIBUTOR ARM and BREAKER Pivot	B8Q 12171-A (DP-12)	N		Q	R	S		U	V			Y	Z
Pivotless	C5AZ 12171-A (DP-77)		P				T						
Pivot	C9AZ 12171-A (DP-5)									2	2		
Screw-No. 8-32 x 5/16" fill. hd.	31037-S(U48)	3	3	3	3	3	3	3	3	3	3	3	3
Lockwasher-No. 8	34802-S(X59)	3	3	3	3	3	3	3	3	3	3	3	3
Nut-No. 6-32	34051-S(M154)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Lockwasher-No. 6	34801-S(X58)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SHAFT DISTRIBUTOR	B8A 12175-A (DF-6)	N											
Includes C8AZ 12179-A washer- "Before 12/28/70"	C5AZ 12175-C (DF-364)		P	Q	R						X		
C2AZ 12A705-A sleeve not used with this shaft- "From 12/28/70"	D2AZ 12175-D (DF-364-C)	P	Q	R							X		
	D2OZ 12175-B (DF-369-B)					S	T		V	W			Z
C2AZ 12A075-A sleeve not used with this shaft-	D2AZ 12175-A (DF-372-C)							U				Y	
Washer-5/16" thrust	379039-S(XX112H)	N	P	Q	R	S	T	U	V	W	X	Y	Z
RETAINER - DISTRIBUTOR CAM	B7A 12177-A	N	P	Q	R	S	T	U	V	W	X	Y	Z
WASHER - DRIVEN GEAR	B7A 12179-A	N											
WASHER - DISTRIBUTOR SHAFT THRUST - UPPER	C8AZ 12179-A (DZ-413)		P	Q	R	S	T	U	V	W	X	Y	Z
LINK - DISTRIBUTOR BREAKER PLATE	•D2AZ 12A186-A							U					
RETAINER - DISTRIBUTOR BREAKER PLATE	•D2AZ 12A187-A							U					
WEIGHT - DISTRIBUTOR ADVANCE	B7A 12188-A (DZ-11)	2											
	C5AZ 12188-A (DZ-382)		2	2	2	2	2		2	2	2	2	2
Ring-3/16" retaining	351825-S(XX9)	2	2	2	2	2	2		2	2	2	2	2
SPRING - Refer to Distributor Identification Charts for Calibration Codes	12191-2												
COLLAR - DISTRIBUTOR SHAFT	7HA 12195	N	P	Q	R		T				X		
	C8VY 12195-A					S		U	V	W		Y	Z
Rivet-1/8" x 13/16"	61489-S(S10)	N	P	Q	R	S	T	U	V	W	X	Y	Z
ROTOR ASSY. - DISTRIBUTOR	B7A 12200-A (DR-5)	N	P	Q	R	S	T	U	V	W	X	Y	Z
STOP - Refer to Distributor Identification Charts for Calibration Codes	12202												

• Reconditioners only

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 4N THRU 4Z											
		N	P	Q	R	S	T	U	V	W	X	Y	Z
CAM - Refer to Distributor Identification Charts for Calibration Codes	12210												
WIRE ASSY. - PRIMARY TERMINAL	C1VF 12216-A (DW-12)	N											
	C7VY 12216-A (DW-34)			Q		S	T	U	V			Y	Z
	C3SZ 12216-A		P		R								
	§D4AZ 12216-A (DW-38A)									W	X		
Nut-No.6-32	34051-S(M154)	N	P	Q	R	S	T	U	V	W	X	Y	Z
Lockwasher No. 6	34801-S(X58)	N	P	Q	R	S	T	U	V	W	X	Y	Z
SCREW - DISTRIBUTOR POINT	D0RY 12230-A							U					
COVER - DISTRIBUTOR DUST	★C3AZ 12239-A (DZ-308)		P		R								
WIRE ASSY. -DISTRIBUTOR BREAKER GROUND	D2AZ 12264-A (ML-291)	N	P	Q	R	S	T	U	V			Y	Z
	7RA 12264 (ML-290)									W	X		
CLAMP - DISTRIBUTOR TO CYLINDER HEAD	B8A 12270-A (DZ-409)	N	P	Q					V				
	C3AZ 12270-A (DZ-410)					S	T	U		W	X	Y	Z
CONDENSER ASSY. -DISTRIBUTOR	C9AZ 12300-A (DC-13A)	N		Q		S	T	U	V	W	X	Y	Z
Screw & washer No. 8-32 x 5/16"	355067-S(BB53)	N		Q		S	T	U	V	W	X	Y	Z
GASKET - DISTRIBUTOR DIAPHRAGM VACUUM CONNECTOR	★B7A 12320-A	N		Q	R	S	T		V	W	X	Y	Z
DIAPHRAGM ASSY. - Refer to Distributor Identification Charts for Calibration Codes	12370												
Screw-No. 8-32 x 1"	382331-S(BB635A)	2	2	2	2	2	2		2	2	2	2	2
Washer-flat-1/4"-.009" calibration	375482-S(XX85)	AR	AR	AR	AR	AR	AR		AR	AR	AR	AR	AR
-.021" calibration	375483-S(XX85A)	AR	AR	AR	AR	AR	AR		AR	AR	AR	AR	AR
-.041" calibration	375484-S(XX85B)	AR	AR	AR	AR	AR	AR		AR	AR	AR	AR	AR
-.78" calibration	354610-S(XX91)	AR	AR	AR	AR	AR	AR		AR	AR	AR	AR	AR
Retainer "C" washer	351826-S(XX2)	AR	AR	AR	AR	AR	AR		AR	AR	AR	AR	AR
GEAR - DISTRIBUTOR DRIVEN	FAB 12390-C (DZ-367)	N	P	Q	R								
	C4TZ 12390-A (DZ-365)					S	T			W			Z
	C9ZZ 12390-A (DZ-412)							U	V			Y	
	C2OF 12390-A (DZ-362)										X		
Rivet-1/8" x 13/16" gear to shaft	61489-S(S10)	N	P	Q	R	S	T	U	V	W	X	Y	Z

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 4AA THRU 4AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
REPAIR KIT - DISTRIBUTOR	C0TZ 12000-A (DK-10)	AA		AC									
Consists of 1-B8Q 12171-A Points	1-B7A 12200-A Rotor						1-C9AZ 12300-A Condenser						
PLUG - DISTRIBUTOR DIAPHRAGM	C7AZ 12A022-A	AA					AF			AJ			
	C8AZ 12A022-A (DZ-404)		AB	AC	AD	AE		AG	AH		AK	AL	AM
SLEEVE - DISTRIBUTOR SHAFT PLATE	C2AZ 12A075-A	AA	AB	AC	AD	AE		AG	AH		AK	AL	AM
HOUSING - DISTRIBUTOR TERMINAL (CAP)	B7A 12106-A (DH-6)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
BUSHING - DISTRIBUTOR HOUSING UPPER	C5AZ 12120-A (MC-175)	AA			AD		AF	AG	AH	AJ	AK		AM
	B8QH 12120-A (MC-148)		AB	AC		AE						AL	
GASKET - DISTRIBUTOR BASE	B9TF 12143-A (DZ-3)	AA	AB	AC			AF	AG		AJ	AK	AL	AM
	B8A 12143-A				AD	AE			AH				
CLAMP TERMINAL HOUSING HOLD DOWN	7RA 12144 (DZ-337)	2	2	2	2	2	2	2	2	2	2	2	2
RIVET - TERMINAL HOUSING HOLD DOWN CLAMP	B 12145	2	2	2	2	2	2	2	2	2	2	2	2
PLATE ASSY. - DISTRIBUTOR BREAKER	12151												
Lower	B9AF 12151-A (DB-7)	AA	AB	AC	AD		AF	AG	AH	AJ	AK	AL	AM
Upper	B9AF 12151-B (DB-8)	AA	AB	AC	AD		AF	AG	AH	AJ	AK	AL	AM
	C9AZ 12151-A					AE							
Screw-No.8-32 x 3/8"-pan head	50507-S8(U151)	2	2	2	2	2	AF	2	2	AJ	2	2	2
Washer-"C" type	351825-S(XX9)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Washer-3/16" spring	372395-S(XX368)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Washer-3/16" flat	372396-S(XX78)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
POINT SET - DISTRIBUTOR ARM and BREAKER Pivot	B8Q 12171-A (DP-12)	AA		AC									
Pivotless	C5AZ 12171-A (DP-77)	AA	AB	AC	AD		AF	AG	AH	AJ	AK	AL	AM
Pivot	C9AZ 12171-A (DP-5)					2							
Screw-No.8-32 x 5/16"-fill.hd.	31037-S(U48)	3	3	3	3	5	AF	3	3	AJ	3	3	3
Lockwasher-No.8	34802-S(X59)	3	3	3	3	5	AF	3	3	AJ	3	3	3
Nut-No.6-32	34051-S(M154)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Lockwasher-No.6	34801-S(X58)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
SHAFT DISTRIBUTOR	12175												
	D2OZ 12175-B (DF-369-B)	AA			AD		AF		AH	AJ	AK		
Includes weights	D2AZ 12175-H (DF-374-C)		AB										
"Before 12/28/70"	D2AZ 12175-A (DF-372-C)							AG					
Includes weights "From 12/28/70"	D2AZ 12175-B (DF-372-B)							AG					
C2AZ 12A075-A sleeve not used with this shaft	D1OZ 12175-A (DF-391A)												AM
"Before 12/28/70"	C5AZ 12175-C (DF-364)			AC		AE						AL	
C2AZ 12A075-A sleeve not used with this shaft "From 12/28/70"	D2AZ 12175-D (DF-364C)			AC		AE						AL	
Washer-5/16" thrust	379039-S(XX112H)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 4AA THRU 4AM											
		AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
RETAINER - DISTRIBUTOR CAM	B7A 12177-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
WASHER - DISTRIBUTOR SHAFT THRUST - UPPER	C8AZ 12179-A (DZ-413)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
WEIGHT - DISTRIBUTOR ADVANCE	C5AZ 12188-A (DZ-382)	2	2	2	2	2	2	2	2	2	2	2	2
Ring-3/16" retaining	351825-S(XX9)	2	2	2	2	2	2	2	2	2	2	2	2
SPRING - Refer to Distributor Identification Charts for Calibration Codes	12191-2												
COLLAR - DISTRIBUTOR SHAFT	C8VY 12195-A	AA					AF	AG	AH	AJ	AK		AM
	7HA 12195-A		AB	AC	AD	AE						AL	
Rivet-1/8" x 13/16"	61489-S(S10)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
ROTOR ASSY. -DISTRIBUTOR	B7A 12200-A (DR-5)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
STOP - Refer to Distributor Identification Charts for Calibration Codes	12202												
CAM - Refer to Distributor Identification Charts for Calibration Codes	12210												
	C7VY 12216-A (DW-34)	AA	AB	AC	AD		AF	AG	AH	AJ	AK	AL	AM
	D4AZ 12216-A (DW-38A)					AE							
Nut-No.6-32	34051-S(M154)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Lockwasher-No.6	34801-S(X58)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
WIRE ASSY. -DISTRIBUTOR BREAKER GROUND	D2AZ 12264-A (ML-291)	AA	AB	AC	AD		AF	AG	AH	AJ	AK	AL	AM
	7RA 12264 (ML-290)					AE							
CLAMP - DISTRIBUTOR TO CYLINDER HEAD	C3AZ 12270-A (DZ-410)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Screw & washer-5/16"-18 x 7/8"	42846-S(U13)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
CONDENSER ASSY. -DISTRIBUTOR	C9AZ 12300-A (DC-13-A)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
Screw & washer-No.8-32 x 5/16"	355067-S7(BB53)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
GASKET - DISTRIBUTOR DIAPHRAGM VACUUM CONNECTOR	★B7A 12320-A	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
DIAPHRAGM ASSY. - Refer to Distributor Identification Charts for Calibration Codes	12370												
Screw-No.8-32 x 1"	382331-S(BB635A)	2	2	2	2	2	2	2	2	2	2	2	2
Washer-flat-1/4"-.009 (calibration)	375482-S(XX85)	AR	AR	AR	AR	AR	AF	AR	AR	AJ	AR	AR	AR
-.021"	375483-S(XX85A)	AR	AR	AR	AR	AR	AF	AR	AR	AJ	AR	AR	AR
-.041"	375484-S(XX85B)	AR	AR	AR	AR	AR	AF	AR	AR	AJ	AR	AR	AR
-.78"	354610-S(XX91)	AR	AR	AR	AR	AR	AF	AR	AR	AJ	AR	AR	AR
Retainer-"C" washer	351826-S(XX2)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM
GEAR - DISTRIBUTOR DRIVEN	C4TZ 12390-A	AA			AD		AF		AH	AJ	AK		AM
	C2OF 12390-A (DZ-362)		AB	AC								AL	
	FAB 12390-C (DZ-367)					AE							
	C9ZZ 12390-A (DZ-412)							AG					
Rivet-1/8" x 13/16"	61489-S(S10)	AA	AB	AC	AD	AE	AF	AG	AH	AJ	AK	AL	AM

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 4AN THRU 4AZ											
		AN	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ
REPAIR KIT - DISTRIBUTOR	C0TZ 12000-A (DK-10)	AN	AP	AQ		·	AT		AV	AW	AX	AY	AZ
Consists of 1-B8Q 12171-A Points	1-B7A 12200-A Rotor						1-C9AZ 12300-A Condenser						
PLUG - DISTRIBUTOR DIAPHRAGM	C8AZ 12A022-A (DZ-404)	AN	AP	AQ	AR	AS	AT	AU	AV	AW			
BUTTON - DISTRIBUTOR BREAKER PLATE SUPPORT	•D2AZ 12072-A										3	3	3
SLEEVE - DISTRIBUTOR SHAFT PLATE	C2AZ 12A075-A	AN	AP	AQ		AS	AT	AU	AV	AW			
HOUSING - DISTRIBUTOR TERMINAL (CAP)	B7A 12106-A (DH-6)	AN	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ
BUSHING - DISTRIBUTOR HOUSING UPPER	C5AZ 12120-A (MC-175)	AN	AP	AQ	AR	AS		AU	AV				AZ
	B8QH 12120-A (MC-148)						AT			AW	AX	AY	
GASKET - DISTRIBUTOR BASE	B9TF 12143-A (DZ-3)	AN	AP	AQ	AR		AT	AU	AV	AW	AX	AY	AZ
CLAMP TERMINAL HOUSING HOLD DOWN	7RA 12144	2	2	2	2	2	2	2	2	2	2	2	2
RIVET - TERMINAL HOUSING HOLD DOWN CLAMP	B 12145	2	2	2	2	2	2	2	2	2	2	2	2
RETAINER - DISTRIBUTOR BREAKER PLATE	•D2AZ 12146-A										AX	AY	AZ
PLATE ASSY. - DISTRIBUTOR BREAKER													
Lower	B9AF 12151-A (DB-7)	AN	AP			AS	AT			AW			
Upper	B9AF 12151-B (DB-8)	AN	AP			AS	AT			AW			
	C9AZ 12151-A (DB-181)			AQ	AR			AU	AV				
	D2PZ 12151-A (DB-187-A)										AX	AY	AZ
Upper-plate only	•D2AZ 12151-C										AX	AY	AZ
Lower-plate only	•D2AZ 12151-B										AX	AY	AZ
Screw-No. 8-32 x 3/8"-pan head	50507-S8(U151)	2	2	2	2	2	2	2	2	2			
Washer-"C" type	351825-S(XX9)	AN	AP	AQ	AR	AS	AT	AU	AV	AW			
Washer-3/16" spring	372395-S(XX368)	AN	AP	AQ	AR	AS	AT	AU	AV	AW			
Washer-3/16" flat	372396-S(XX78)	AN	AP	AQ	AR	AS	AT	AU	AV	AW			

• Reconditioners only

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DUAL ADVANCE DISTRIBUTOR

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 4AN THRU 4AZ											
		AN	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ
POINT SET - DISTRIBUTOR ARM and BREAKER-PIVOTLESS	C5AZ 12171-A (DP-77)	AN	AP			AS	AT			AW	AX	AY	AZ
PIVOT	C9AZ 12171-A (DP-5)			2	2			2	2				
PIVOT	B8Q 12171-A (DP-12)	AN	AP			AS	AT			AW	AX	AY	AZ
Screw-No. 8-32 x 5/16"-fill. hd.	31037-S(U48)	2	2	4	2	2	2	4	4	2	2	2	2
Lockwasher-No. 8	34802-S(X59)	2	2	4	2	2	2	4	4	2	2	2	2
Nut-No. 6-32	34051-S(M154)	AN	AP	2	AR	AS	AT	2	2	AW	AX	AY	AZ
Lockwasher-No. 6	34801-S(X58)	AN	AP	2	AR	AS	AT	2	2	AW	AX	AY	AZ
SHAFT DISTRIBUTOR Includes weights	D2OZ 12175-A (DF-369C)								AV				AZ
C2AZ 12A075-A sleeve not used with this shaft - includes C8AZ 12179-A washer	D2OZ 12175-B (DF-369-B)		AP	AQ	AR	AS		AU					
Includes weights	D2AZ 12175-H (DF-374-C)						AT			AW	AX		
	D0AZ 12175-C (DF-380)	AN											
Includes weights	D2AZ 12175-C (DF-364-B)											AY	
Washer-5/16" thrust	379039-S(XX112H)	AN	AP	AQ		AS		AU	AV				
RETAINER - DISTRIBUTOR CAM	B7A 12177-A	AN	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ
WASHER - DISTRIBUTOR SHAFT THRUST - UPPER	C8AZ 12179-A (DZ-413)	AN	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ
LINK - DISTRIBUTOR BREAKER PLATE	•D2AZ 12A186-A										AX	AY	AZ
SPRING - DISTIRBUTOR BREAKER PLATE	•D2AZ 12A187-A										AX	AY	AZ
WEIGHT - DISTRIBUTOR ADVANCE	C5AZ 12188-A (DZ-382)	2	2	2	2	2	2			2			
Ring-3/16" retaining	351825-S(XX9)	2	2	2	2	2	2			2			
SPRING - Refer to Distributor Identification Charts for Calibration Codes	12191-2												
COLLAR - DISTRIBUTOR SHAFT	C8VY 12195-A	AN	AP	AQ	AR			AU	AV				AZ
	7HA 12195-A					AS	AT			AW	AX	AY	
Rivet-1/8" x 13/16"	61489-S(S10)	AN	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ
ROTOR ASSY. - DISTRIBUTOR	B7A 12200-A (DR-5)	AN	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ
STOP - Refer to Distributor Identification Charts for Calibration Codes	12202												
CAM - Refer to Distributor Identification Charts for Calibration Codes	12210												

• Reconditioners only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

DUAL ADVANCE DISTRIBUTOR

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 4AN THRU 4AZ											
		AN	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ
WIRE ASSY. - PRIMARY TERMINAL	D4AZ 12216-A (DW-38A)			AQ	AR			AU	AV				
	C7VY 12216-A (DW-34)	AN	AP			AS	AT			AW	AX	AY	AZ
Nut-No. 6-32	34051-S(M154)	AN	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ
Lockwasher-No. 6	34801-S(X58)	AN	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ
SCREW - DISTRIBUTOR POINT	D0RY 12230-A			4	4			4	4		2	2	2
WIRE ASSY. - DISTRIBUTOR BREAKER GROUND	D2AZ 12264-A (ML-291)	AN	AP			AS	AT			AW	AX	AY	AZ
	7RA 12264 (ML-290)			AQ	AR			AU	AV				
CLAMP - DISTRIBUTOR TO CYLINDER HEAD	C3AZ 12270-A (DZ-410)	AN	AP	AQ	AR		AT	AU	AV	AW	AX	AY	AZ
Screw & washer 5/16-18 x 7/8" - attach dist. clamp to block	42846-S13(U13)	AN	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ
CONDENSER ASSY. - DISTRIBUTOR	C9AZ 12300-A (DC-13A)	AN	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ
Screw & washer-No. 8-32 x 5/16"	355067-S7(BB53)	AN	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ
GASKET - DISTRIBUTOR DIAPHRAGM VACUUM CONNECTOR	★B7A 12320-A	AN	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ
DIAPHRAGM ASSY. - Refer to Distributor Identification Charts for Calibration Codes	12370												
Screw-No. 8-32 x 1"	382331-S(BB635A)	2	2	2	2	2	2	2	2	2			
Washer-flat-1/4"-.009 (calibration)	375482-S(XX85)	AR	AR	AQ	AR	AS	AT	AU	AV	AW			
-.021"	375483-S(XX85A)	AR	AR	AQ	AR	AS	AT	AU	AV	AW			
-.041"	375484-S(XX85B)	AR	AR	AQ	AR	AS	AT	AU	AV	AW			
-.78"	354610-S(XX91)	AR	AR	AQ	AR	AS	AT	AU	AV	AW			
Retainer-"C" washer	351826-S(XX2)	AN	AP	AQ	AR	AS	AT	AU	AV	AW			
GEAR - DISTRIBUTOR DRIVEN	C4TZ 12390-A		AP	AQ	AR	AS		AU	AV				AZ
	C9ZZ 12390-A (DZ-412)	AN											
	C2OF 12390-A (DZ-362)						AT			AW	AX	AY	
Rivet-1/8" x 13/16"	61489-S(S10)	AN	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DUAL ADVANCE DISTRIBUTOR

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 4BA THRU 4BM											
		BA	BB	BC	BD	BE	BF	BG	BH	BJ	BK	BL	BM
REPAIR KIT - DISTRIBUTOR	C0TZ 12000-A (DK-10)	BA	BB	BC	BD	BE							
Consists of B8Q 12171-A Points	B7A 12200-A Rotor	C9AZ 12300-A Condenser											
BUTTON - DIST. BREAKER PLATE - SUPPORT	•D2AZ 12072-A	3	3	3		3							
HOUSING - DISTRIBUTOR TERMINAL (CAP)	B7A 12106-A (DH-6)	BA	BB	BC	BD	BE							
BUSHING - DISTRIBUTOR HOUSING UPPER	C5AZ 12120-A (MC-175)	BA	BB	BC	BD								
	B8QH 12120-A (MC-148)					BE							
GASKET - DISTRIBUTOR BASE	B9TF 12143-A	BA	BB	BC	BD	BE							
CLAMP - TERMINAL HOUSING (HOLD DOWN)	7RA 12144 (DZ-337)	2	2	2	2	2							
RIVET - TERMINAL HOUSING CLAMP	B 12145	2	2	2	2	2							
RETAINER - DISTRIBUTOR BREAKER PLATE	•D2AZ 12146-A	BA	BB	BC		BE							
PLATE ASSY. - DISTRIBUTOR BREAKER	12151												
	D2PZ 12151-A (DB-187-A)	BA	BB	BC		BE							
Upper-plate only	•D2AZ 12151-C	BA	BB	BC		BE							
Lower-plate only	•D2AZ 12151-B	BA	BB	BC		BE							
	C9AZ 12151-A (DB-181)				BD								
POINT SET - DISTRIBUTOR ARM and BREAKER Pivot	B8Q 12171-A (DP-12)	BA				BE							
Pivotless	C5AZ 12171-A (DP-77)		BB	BC									
	C9AZ 12171-A (DP-5)				2								
SHAFT - DISTRIBUTOR -includes weights	D2AZ 12175-F (DF-380-A)	BA											
Includes weights	D2OZ 12175-C (DF-391-B)		BB										
Includes weights	D2AZ 12175-C (DF-364-B			BC	BD								
	D3OZ 12175-A (*DF-396)					BE							
RETAINER - DISTRIBUTOR CAM	B7A 12177-A	BA	BB	BC	BD	BE							
WASHER - DISTRIBUTOR SHAFT THRUST	C8AZ 12179-A (DZ-413)	BA	BB	BC	BD	BE							
LINK - DISTRIBUTOR BREAKER PLATE	• D2AZ 12A186-A	BA	BB	BC		BE							

• Reconditioners only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 4BA THRU 4BM											
		BA	BB	BC	BD	BE	BF	BG	BH	BJ	BK	BL	BM
SPRING - DISTRIBUTOR BREAKER PLATE	• D2AZ 12A187-A	BA	BB	BC	BD	BE							
SPRING - Refer to Distributor Identification Charts for Calibration Codes	12191-2												
COLLAR - DISTRIBUTOR SHAFT	C8VY 12195-A	BA	BB										
	7HA 12195-A			BC	BD	BE							
Rivet 1/8" x 13/16"	61489-S(S10)	BA	BB										
ROTOR ASSY. - DISTRIBUTOR	B7A 12200-A (DR-5)	BA	BB	BC	BD	BE							
STOP - Refer to Distributor Identification Charts for Calibration Codes	12202												•
CAM - Refer to Distributor Identification Charts for Calibration Codes	12210												
WIRE ASSY. - PRIMARY TERMINAL													
	C7VY 12216-A (DW-34)	BA	BB	BC	BD	BE							
Nut - No. 6-32	34051-S(M154)	BA				BE							
Lockwasher No. 6	34801-S(X58)	BA				BE							
SCREW - DISTRIBUTOR POINT	D0RY 12230-A	3	3	3	3	3							
WIRE ASSY. - DISTRIBUTOR BREAKER GROUND	D2AZ 12264-A (ML-291)	BA	BB	BC	BD	BE							
CLAMP - DISTRIBUTOR TO CYLINDER HEAD	C3AZ 12270-A (DZ-410)	BA	BB	BC	BD	BE							
CONDENSER ASSY. - DISTRIBUTOR	C9AZ 12300-A (DC-13A)	BA	BB	BC	BD	BE							
SCREW DISTRIBUTOR CONDENSER	D0RY 12230-A	BA	BB	BC	BD	BE							
DIAPHRAGM ASSY. - Refer to Distributor Identification Charts for Calibration Codes	12370												
GEAR - DISTRIBUTOR DRIVEN	C9ZZ 12390-A (DZ-412)	BA											
	C4TZ 12390-A		BB										
	FAB 12390-C (DZ-367)			BC									
	C2OF 12390-A (DZ-362)				BD	BE							
Rivet 1/8" x 13/16"	61489-S(S10)	BA	BB	BC	BD	BE							

• Reconditioners only

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 5A THRU 5M											
		A	B	C	D	E	F	G	H	J	K	L	M
CONTACT - CARBON	D1FZ 12011-A		B	C									
PLUG - DISTRIBUTOR DIAPHRAGM	D0RY 12A022-A (DZE-423)	A			D								
BUTTON - DISTRIBUTOR BREAKER PLATE SUPPORT	B9AZ 12072-A					3							
SLEEVE - DISTRIBUTOR SHAFT PLATE	C2AZ 12A075-A	A											
	D1RY 12A075-A				D								
SPRING - PRIMARY GROUND UPPER PLATE TO COVER PLATE	D0RY 12A092-A				D	E							
HOUSING - DISTRIBUTOR TERMINAL (CAP)	D0RY 12106-A (DHE-156)	A			D	E							
	D1FZ 12106-A (DH-157)		B	C									
WICK DISTRIBUTOR SHAFT	D0RY 12133-A				D	E							
SEAL - DISTRIBUTOR BASE	D2FZ 12143-A (DZ-443)	A	B	C									
CLAMP - TERMINAL HOUSING HOLD DOWN	7RA 12144 (DZ-337)	2											
	D1FZ 12144-A (DZ-432)		2	2									
	D1RY 12144-A				2	2							
HOLDER - DISTRIBUTOR HOUSING CLAMP	D1FZ 12144-B (DZ-431)		2	2									
RIVET - TERMINAL HOUSING HOLD DOWN CLAMP	B 12145	2											
	D0RY 12145-A				2								
PLATE - DISTRIBUTOR BREAKER	12151-A												
Upper	D0RY 12151-A (DBE-182)	A			D	E							
Lower	D0RY 12151-C (DBE-184)	A											
Lower	D2FZ 12151-A				D	E							
BREAKER ASSY. - incl. distributor points	D1FZ 12151-A (DBE-185)		B	C									
POINT SET - DISTRIBUTOR ARM & BREAKER - PIVOTLESS	C5AZ 12171-A (DP-77)	A			D	E							
	D1FZ 12171-A (DP-124)		B	C									
Screw-No.8-32 x 5/16"	31037-S(U48)	3											
Washer-No.8	34802-S(X59)	3											
RETAINER - DISTRIBUTOR CAM	D0RY 12177-A (DZE-417)	A			D	E							
	D1FZ 12177-A (DZ-435)		B	C									

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

DESCRIPTION AND RESTRICTIONS	PART NUMBER	DISTRIBUTOR PARTS LIST 5A THRU 5M											
		A	B	C	D	E	F	G	H	J	K	L	M
WASHER - DISTRIBUTOR GEAR THRUST	12179												
Upper	D0RY 12179-A (DZE-421)	A			D	E							
Lower	D0RY 12179-B				D	E							
Upper	D0RY 12179-C				D	E							
	B4A 12179-A				D	E							
WASHER - DISTRIBUTOR CAM RETAINER	D1FZ 12179-A		B	C									
RETAINER - DIAPHRAGM TO DISTRIBUTOR PLATE	D1FZ 12179-B (DZ-433)		B	C									
WEIGHT - DISTRIBUTOR ADVANCE	D0RY 12188-A (DZE-420)	2											
	D1FZ 12188-A (DZ-430)		2	2									
SPRING - Refer to Distributor Identification Charts for calibration codes	12191-2												
ROTOR ASSY. - DISTRIBUTOR	D0RY 12200-B (DRE-91)	A			D	E							
	D1FZ 12200-A (DR-92)		B	C									
STOP - Refer to Distributor Identification Charts for calibration codes	12202												
CAM - Refer to Distributor Identification Charts for calibration codes	12210												
WIRE ASSY. - PRIMARY TERMINAL	D0RY 12216-A (DWE-40)	A											
	D2FZ 12216-A (DWE-43)				D	E							
SCREW - ATTACH POINTS TO PLATE	D1FZ 12230-A (DZ-429)		B	C									
Screw-attach diaphragm to housing	D1FZ 12230-B (DZ-428)		2	2									
Screw-attach distributor cap to distributor housing	D1FZ 12230-C (DZ-427)		2	2									
	D0RY 12230-A (DZE-426)				2								
WIRE ASSY. - DISTRIBUTOR BREAKER GROUND	D2AZ 12264-A (ML-291)	A											
CLAMP - DISTRIBUTOR RETAINING - "Before 2/1/72"	D1FZ 12270-A (DZ-437)		B	C									
"From 2/1/72"	C3AZ 12270-A (DZ-410)		B	C									
Screw & washer-M8 x 25mm	E602550-S82		B	C									
ARM ASSY. - DISTRIBUTOR TIMING	D0RY 12273-A	A			D	E							
CONDENSER - DISTRIBUTOR	D0RY 12300-A (DCE-238)	A			D	E							
	D1FZ 12300-A (DC-88)		B	C									
Screw-No.8-32 x 5/16"	31037-S(U48)	3											
Washer-No.8	34802-S(X59)	3											
GASKET - DISTRIBUTOR DIAPHRAGM VACUUM CONTROL	★B7A 12320-A	A			D								
DIAPHRAGM ASSEMBLY - Refer to Distributor Identification Charts for calibration codes	12370												
Screw-No.8-32 x 3/8"	50803-S(U150B)	3											
GEAR - DISTRIBUTOR	D0RY 12390-A (DZE-425)	A											
	D1FZ 12390-A (DZ-439)		B										
	D2FZ 12390-A (DZ-444)				D	E							
Rivet-1/8" x 13/16"	61489-S(S10)	A			D	E							

NOTICE: When the parts list suffix is shown in the quantity required column, the quantity is one (1).

INDEX

PART NAME	GROUP NUMBER
A	
Actuator (courtesy lamp switch)	13A786
Actuator (luggage compt. door open limit switch)	13A730-1
Actuator assy. (luggage compt. door open limit switch)	13A792, 13A796
Adapter kit (headlamp alignment test)	13B121
Air horn kit	13800
B	
Bar (headlamp cover center)	13B029
Bezel (body side reflector)	13381
Bezel (headlamp dimmer control)	13B081
Bezel (headlamp inner)	13048
Bezel (headlamp outer)	13048
Bezel (map lamp lens)	13B705
Bezel (parking lamps)	13210
Bezel (turn indicator lamp)	13349
Body (dome lamp)	13787
Body (map lamp)	13765
Body (rear lamp)	13440
Body assy. (map lamp)	13786
Body assy. (parking lamp)	13206-7
Body assy. (rear lamp)	13434-5
Body & socket assy. (interior lamp)	13A744, 13786
Body & socket assy. (rear license lamp)	13560
Body & switch assy. (interior lamp)	13749, 13786
Boot (courtesy lamp switch)	13A759
Brace (headlamp housing)	13B123
Bracket (automatic headlamp dimmer sensor mounting)	13A021
Bracket (courtesy lamp)	13763
Bracket (front reflector mounting)	13A078
Bracket (headlamp cover control reservoir)	13B008
Bracket (headlamp dimmer control mounting)	13655, 13732
Bracket (headlamp door mounting)	13A116-7, 13A118-9
Bracket (headlamp door retaining)	13001
Bracket (headlamp housing mounting)	13A091-2, 13A114-5
Bracket (headlamp housing support)	13A088
Bracket (headlmap mounting)	13099-101

PART NAME	GROUP NUMBER
B - cont'd.	
Bracket (interior lamp bulb holder)	13A762
Bracket (license plate lamp shield rear)	13585
Bracket (luggage compt. door close limit switch)	13B714
Bracket (luggage compt. door open limit switch mounting)	13A793
Bracket (map lamp)	13763
Bracket (parking lamp mounting)	13256
Bracket (rear lamp mounting lower)	13A418-9
Bracket (rear lamp mounting upper)	13A540-1
Bracket (rear license lamp)	13423
Bracket (rear license plate bottom)	13401
Bracket (rear reflector mounting)	13A527
Bracket (turn indicator flasher mounting)	13351
Bracket (turn indicator lamp mounting)	13963
Bracket assy. (headlamp adjusting nut)	13021
Bracket assy. (headlamp cover stop)	13A096
Bracket & spring assy. (horn)	13830
Bracket or plate (headlamp mounting)	13A004-5
Brush & insulator kit (horn)	13A821
Bulb (headlamp)	13007
Bulb (instrument panel, rear lamp, turn signals etc.)	13465-6
Bulb assy. (lamp)	13799
Bushing (headlamp cover hinge)	13A164
Bushing (headlamp cover shaft)	13B104
Bushing (turn indicator control)	13B301
Button assy. (horn)	13805, 13A805
Buzzer assy. (warning)	13150
C	
Cam (turn indicator turn off)	13318
Cap (headlamp dimmer foot switch)	13533
Capacitor (horn switch contact)	13841
Clip (headlamp adjusting screw retaining)	13A147
Clip (headlamp door retaining)	13067
Clip (headlamp spring anchor)	13088
Clip (rear lamp door retainer)	13A424
Clip (turn indicator cover)	13377
Compressor assy. (vacuum air horn)	13801
Connector (headlamp cover check valve to vacuum hose)	13B069
Connector (headlamp cover hose)	13A170
Connector assy. (headlamp cover control hose)	13A169-70
Connector assy. (sequential flasher)	13L366

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
C - cont'd.	
Contact & spring assy. (horn blowing)	13864
Control & wiring (headlamp dimmer)	13B080
Cover (back window stop lamp)	13A656-7
Cover (headlamp)	13A138
Cover (map lamp)	13B718
Cover (turn indicator switch wiring)	13376
Cover assy. (headlamp)	13A136-7
Cover assy. (horn blowing)	13A805
Cup (horn blowing ring contact)	13A815
D	
Dimmer kit (headlamp automatic)	13A016
Door (headlamp)	13052-3, 13061, 13064
Door (interior lamp)	13788
Door (parking lamp)	13210, 13212
Door (rear lamp)	13489, 13A537-8
Door (rear license plate lamp)	13566
Door assy. (rear lamp)	13448-9
E	
Emblem (headlamp cover)	13A198
F	
Filter (rear lamp inner)	13A562
Filter (turn indicator lamp)	13B304
Flasher assy. (turn indicator)	13350
G	
Gasket (front turn indicator lamp lens)	13330
Gasket (headlamp dimmer control)	13A020
Gasket (headlamp mounting)	13044
Gasket (interior lamp)	13790
Gasket (parking lamp lens)	13211
Gasket (rear lamp interior seal)	13453
Gasket (rear lamp lens)	13461
Gasket (rear license plate lamp lens)	13568
Gasket (turn indicator lamp)	13A368
H	
Handle (turn indicator switch)	13310
Harness assy. (headlamp cover vacuum hose)	13B068
Headlamp assy. (less bulb & wiring)	13008, 13035
Hinge assy. (headlamp cover)	13A154
Horn assy.	13832-3
Horn kit (vacuum air)	13800
Hose (headlamp cover control)	13A168
Housing assy. (headlamp)	13099
Housing assy. (headlamp switch)	13A110
I	
Insulator (horn blowing contact spring lower)	13867
Insulator (horn blowing ring)	13A816
Insulator (horn blowing ring index)	13A903
Insulator (horn blowing ring inner contact plate)	13A891, 13A895
Insulator (horn blowing ring outer contact plate)	13A890
Insulator (horn blowing ring pressure)	13A813
Insulator (horn contact)	13883
Insulator (horn ring brush)	13A822
Insulator (turn indicator flasher)	13A395
Interior dome/map lamp kit	13776
J	
Jewel (high beam indicator)	13586
K	
KIT - refer to appropriate noun name For example Adapter kit (headlamp alignment test)	13B121
Knob assy. (map lamp control)	13772
Knob assy. (parking lamp switch)	13A256
L	
Lamp assy. (back window stop)	13A613
Lamp assy. (console courtesy)	13707
Lamp assy. (interior)	13776
Lamp assy. (luggage compt.)	13A756
Lamp assy. (open door warning)	13751
Lamp assy. (parking)	13200-1
Lamp assy. (rear)	13404-5
Lamp assy. (rear license)	13550

INDEX

PART NAME	GROUP NUMBER
L - cont'd.	
Lamp assy. (sport lamp)	13200
Lamp assy. (turn indicator)	13A355-6
Lamp & retainer (front turn indicator)	13368
Lamp bulbs & fuse kit	13466
Lamp kit (courtesy)	13760
Lamp kit (map)	13760
Lamp kit (rear interior)	13112
Lens (air control indicator lamp)	13A779
Lens (dome lamp)	13783
Lens (front turn indicator lamp)	13328
Lens (instrument panel turn indicator lamp)	13340
Lens (interior lamp)	13734
Lens (map lamp)	13761
Lens (parking lamp)	13208-9
Lens (pillar lamp)	13783
Lens (rear lamp)	13450
Lens (rear license plate lamp)	13564
Lens (roof side lamp)	13783
Lens assy. (back window stop lamp)	13A626
Lens assy. (courtesy lamp)	13547
Lens assy. (map lamp)	13547
Lens assy. (rear lamp optic)	13463
Lever assy. (turn indicator)	13305
M	
Motor assy. (headlamp cover control)	13A167
Moulding (headlamp cover)	13B088
Moulding assy. (headlmap housing)	13B166
N	
Nut (courtesy & fog switch)	13753
Nut (headlamp adjusting)	13181
O	
Ornament (headlamp deflector)	13A053
Ornament (rear lamp lens)	13616
P	
Pad (front fender side deflector)	13A082
Pad (front turn indicator lamp)	13332
Pad (headlamp door)	13038
Pad (horn blowing ring pressure)	13A813
Pad (horn blowing ring trim)	13A818
Pad (interior lamp)	13A739
Pad (parking lamp body to fender)	13217
Pad (rear lamp mounting)	13420
Pad (rear reflector mounting)	13A493
Pad (stop lamp relay mounting)	13A595
Pad (turn indicator lamp mounting)	13A326
Pad assy. (horn blowing ring trim)	13A907
Panel (headlamp opening finish)	13B131
Pin (headlamp cover hinge)	13A165
Pin (headlamp cover motor mounting)	13A173
Pin (headlamp dimmer control pivot)	13662
Pin (rear license plate support hinge)	13432
Pivot (headlamp cover hinge)	13B019
Plate (headlamp door)	13059
Plate (headlamp mounting)	13A004-5
Plate (headlamp opening cover)	13B041
Plate (horn bracket reinforcement)	13826
Plate (horn button or ring contact)	13A808
Plate (horn button or ring index)	13A809
Plate (horn switch brush)	13A823
Plate assy. (horn blowing ring contact)	13A586-7
R	
Reflector assy.	13380
Reflector assy. (rear bumper)	13A565
Relay (automatic headlamp dimmer)	13A025
Relay (interior lamp)	13A777
Relay assy. (parking lamp)	13A253
Relay assy. (stop lamp)	13482
Relay assy. (trailer light)	13A435
Relay assy. (turn indicator)	13A366
Relay & bracket assy. (horn)	13853
Reservoir assy. (headlamp cover control)	13A185
Retainer (front reflector mounting)	13A080, 13A134
Retainer (front turn indicator lamp)	13B313

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
R - cont'd.	
Retainer (headlamp cover guide rod)	13B109
Retainer (headlamp cover hinge spring)	13A166
Retainer (headlamp door)	13062
Retainer (horn ring medallion)	13A810
Retainer (interior lamp wiring)	13B732
Retainer (parking lamp)	13220-1
Retainer (quarter rear reflector)	13A569
Retainer (rear reflector)	13A569
Retainer (rear lamp bezel)	13A634
Retainer (rear lamp bezel lower)	13A645
Retainer (rear lamp wiring)	13A506
Retainer (turn indicator switch wire)	13327
Retainer assy. (back window stop lamp)	13A619
Ring (headlamp bulb retaining)	13015
Ring (horn blowing cam)	13A811
Ring assy. (headlamp adjusting)	13118-9
Road lamp (sport lamp)	13200
Running lamp (sport lamp)	13200
S	
Screw (headlamp adjusting)	13032
Seal (headlamp)	8B391
Seal (headlamp deflector door)	13054, 13A130
Seal (headlight deflector)	13A130
Seal (rear lamp body)	13520
Seal (rear lamp center)	13A495
Sensor & bracket (automatic headlamp dimmer)	13A019
Shaft assy. (headlamp cover)	13B013
Shield (courtesy lamp)	13B762
Shield (headlamp splash)	13B159
Shield (instrument panel light)	13771
Shield (luggage compt. lamp)	13A758
Shield (rear lamp)	13A415
Shield (rear license plate lamp)	13508
Shield assy. (headlamp opening)	13B041
Shield assy. (instrument panel lights)	13B757
Sleeve or bezel (rear lamp lens)	13489

PART NAME	GROUP NUMBER
S - cont'd.	
Socket assy. (dome lamp)	13793
Socket assy. (instrument panel lamp)	13711
Socket & wiring assy. (instrument panel lamp)	13621
Socket & wiring assy. (interior lamp)	13A719
Socket & wiring assy. (map lamp)	13757
Socket & wiring assy. (parking lamp)	13234-5
Socket & wiring assy. (rear lamp)	13410
Solenoid & valve assy. (headlamp cover)	13A161
Spacer (body side reflector)	13A398
Spacer (horn blowing ring)	13A865
Spacer (parking lamp)	13241
Spacer (rear lamp mounting bolt)	13A547
Spacer (rear lamp reflector mounting)	13A526
Sport lamp (grille mounted)	13200
Spring (headlamp ball ring)	13031
Spring (headlamp cover)	13B047
Spring (headlamp cover hinge)	13A163
Spring (headlamp dimmer control adjusting screw)	13654
Spring (horn blowing)	13A807
Spring (rear license plate support)	13455
Spring (seat regulator control knob pivot)	13703
Spring (turn indicator switch hub)	13355
Support (headlamp housing)	13B065
Support assy. (headlamp cover hinge)	13A158
Support assy. (headlamp cover motor)	13B033
Support assy. (rear license plate)	13422
Switch (map lamp)	13764
Switch (stoplight)	13480
Switch assy. (cargo lamp)	13752
Switch assy. (courtesy lamp)	13713
Switch assy. (emergency warning)	13B302, 13A350
Switch assy. (headlamp dimmer)	13A024
Switch assy. (horn blowing)	13A875
Switch assy. (interior lamp)	13752
Switch assy. (map lamp)	13713
Switch assy. (luggage compt. door closed limit)	13A729
Switch assy. (luggage compt. door open limit)	13A727
Switch assy. (sport lamp)	13A254
Switch assy. (turn indicator)	13B302
Switch & mounting plate assy. (turn indicator)	13341
Switch & wiring assy. (courtesy lamp)	13713

INDEX

PART NAME	GROUP NUMBER
V	
Valve assy. (headlamp cover vacuum check)	13B064
Valve assy. (horn air control)	13910
W	
Wire (headlamp dimmer sensor)	13B081
Wire (headlamp dimmer sensor to amplifier)	13A106
Wire assy. (back window stop lamp)	13A625
Wire assy. (console)	13C711
Wire assy. (courtesy lamp)	13B711
Wire assy. (courtesy lamp feed)	13B712
Wire assy. (courtesy lamp jumper)	13B767
Wire assy. (front door courtesy lamp switch)	13A769
Wire assy. (glove compt. lamp feed)	13A721
Wire assy. (glove compt. lamp feed)	13A721
Wire assy. (horn ground)	13A847
Wire assy. (horn relay to horn)	13A804
Wire assy. (horn switch)	13A843
Wire assy. (interior lamp lighting)	13796
Wire assy. (interior pillar lamp ground)	13A776
Wire assy. (rear door courtesy lamp)	13B721
Wire assy. (rear interior lamp)	13A710

PART NAME	GROUP NUMBER
W - cont'd.	
Wire assy. (stop lamp switch)	13A411
Wire assy. (turn indicator extension)	13B308
Wire assy. (turn indicator jumper)	13A318
Wiring (interior lamp switch)	13A709
Wiring (trailer wiring feed)	13A576
Wiring assy. (courtesy lamp switch extension)	13A724
Wiring assy. (courtesy or interior lamp switch)	13A709, 13B711
Wiring assy. (headlamp leads)	13076
Wiring assy. (horn)	13A341
Wiring assy. (interior lamp extension)	13B720
Wiring assy. (rear lamp connector)	13A409
Wiring assy. (rear lamp extension)	13A408
Wiring assy. (rear lamp jumper)	13A412
Wiring assy. (stop lamp)	13K408
Wiring assy. (stop lamp relay)	13A573
Wiring assy. (stop lamp switch jumper)	13A427
Wiring assy. (turn indicator)	13A341, 13A357
Wiring & socket assy. (ash receptacle lamp)	13A726
Wiring & socket assy. (rear license lamp)	13412

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13001 BRACKET - HEADLAMP DOOR RETAINING - Also refer to Groups 13013, 13062			
69	A(54A, B, E, 57B, 62, 63B, 65C, 71B, C, D, H, J, 76A)		4	C9AZ 13001-A
	13A004-5 BRACKET OR PLATE - HEADLAMP MOUNTING			
65	A	R.H. -inner-not replaced	1	★C5AZ 13A004-A
		L.H. -inner	1	C5AZ 13A005-A
66	A	R.H. -inner	1	C6AZ 13A004-D
		L.H. -inner	1	C6AZ 13A005-D
67	A	R.H. -inner	1	C7AZ 13A004-B
		L.H. -inner	1	C7AZ 13A005-B
68	A(54A,B,E,57B,62,63B,65C,71B,C,D,H,J,76A)	R.H. & L.H. -inner	2	C8AZ 13A004-A
69/70	A(54A, B, E, 57B, 62, 63B, 65C, 71B, C, D, H, J, 76A)	R.H. -inner	1	C9AZ 13A004-A
		L.H. -inner	1	C9AZ 13A005-A
71	A	R.H.-inner	1	D1AZ 13A004-A
		L.H.-inner	1	D1AZ 13A005-A
66	B	R.H. -lower inner	1	C6OZ 13A004-A
		L.H. -lower inner	1	C6OZ 13A005-A
67	B	R.H. -lower inner	1	C7OZ 13A004-A
		L.H. -lower inner	1	C7OZ 13A005-A
72	B(exc. 53B,65B,71B)	R.H.	1	D2OZ 13A004-A
		L.H.	1	D2OZ 13A005-A
70/71	S	R.H. -inner	1	D0SZ 13A004-A
		L.H. -inner	1	D0SZ 13A005-A
65	A	Nut "J" No. 8-15	2	353464-S(MM248)
65/71	A	Bolt(bracket thru deflectors to front fender aprons)-5/16"-18 x 1"	2	20386-S8
65/71	A	Bolt(bracket to radiator upper support)	2	
65/71	A	Lockwasher-5/16"	2or4	34906-S8
65/71	A	Nut & Retainer-5/16"-18	2or4	378680-S2 (MM192AA)
67	A	Nut & Retainer-5/16"-18	2	379156-S2 (MM192AE)
68	A	Screw-5/16"-18 x 1"	AR	378178-S(BB412B)
	13007 BULB - HEADLAMP			
69	F	Low beam-Type No. 4002	2	B8AZ 13007-A
65/72	A, B, S "Before 1/3/72"		2	
72	A, B, S "From 1/3/72"	Low beam-Type No.4000	2	D2AZ 13007-A
69	F	High beam-Type No. 4001	2	D2AZ 13007-B
65/	A, B, S		2	
65/68	F	Type No. 6012	2	C0DZ 13007-A
65/	U, X		2	
69/70	F(GT350/500)		2	
70/72	F, P "Before 1/3/72"		2	
71/72	L "Before 1/3/72"		2	
72	F, L, P "From 1/3/72"	Type No.6014	2	D2ZZ 13007-A
	13008 HEADLAMP ASSY. - LESS BULB and WIRING			
	- A -			
65	A	R.H. -includes attaching parts	1	C5AZ 13008-A
		L.H. -includes attaching parts	1	C5AZ 13008-B
66	A	R.H. -includes attaching parts	1	C6AZ 13008-A
		L.H. -includes attaching parts	1	C6AZ 13008-B
67	A	R.H. -includes attaching parts	1	C7AZ 13008-E
		L.H. -includes attaching parts	1	C7AZ 13008-F
68	A(54A,B,E,57B,62,63B,65C,71B,C,D,H,J,76A)	R.H. -includes attaching parts	1	C8AZ 13008-A
		L.H. -includes attaching parts	1	C8AZ 13008-B
	A(54C, 57F, 63C, 65A, 71A, E, 76B)	R.H. -includes attaching parts	1	C8AZ 13008-G
		L.H.	1	C8AZ 13008-H
69	A(54A, B, E, 57B, 62, 63B, 65C, 71B, C, D, H, J, 76A)	R.H. -includes attaching parts	1	C9AZ 13008-A
		L.H. -includes attaching parts	1	C9AZ 13008-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13008 HEADLAMP ASSY. - LESS BULB and WIRING - continued			
	- A -			
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)	R. H. -includes attaching parts	1	C9AZ 13008-C
		L. H. -includes attaching parts	1	C9AZ 13008-D
70	A(54A,B,E,57B,62,63B,65C,71B,C,D,H,J,76A)	R. H. -includes attaching parts	1	D0AZ 13008-A
		L. H. -includes attaching parts	1	D0AZ 13008-B
	A(54C,57F,63C,65A,71A,E,76B)	R. H. -includes attaching parts	1	D0AZ 13008-C
		L. H. -includes attaching parts	1	D0AZ 13008-D
71	A	R.H. -includes attaching parts	1	D1AZ 13008-A
		L.H.-includes attaching parts	1	D1AZ 13008-E
72	A	R.H.-includes attaching parts	1	D2AZ 13008-A
		L.H.-includes attaching parts	1	D2AZ 13008-B
	- B -			
65	B	R. H. -includes attaching parts	1	C5OZ 13008-C
		L. H. -includes attaching parts	1	C5OZ 13008-D
66	B	R. H. -includes attaching parts	1	C6OZ 13008-A
		L. H. -includes attaching parts	1	C6OZ 13008-B
67	B	R. H. -includes attaching parts	1	C7OZ 13008-D
		L. H. -includes attaching parts	1	C7OZ 13008-C
68	B	R. H. -includes attaching parts	1	C8OZ 13008-A
		L. H. -includes attaching parts	1	C8OZ 13008-B
69	B (exc. Talladega)	R. H. -includes attaching parts	1	C9OZ 13008-C
		L. H.	1	C9OZ 13008-D
	B(Talladega)	R. H. -includes attaching parts-not replaced	1	★C9OZ 13008-E
		L. H.	1	C9OZ 13008-F
70	B(54A, B, 62A, 63H, 65B, 66A, B, 71B, D)	R. H. -includes attaching parts	1	D0OZ 13008-A
		L. H. -includes attaching parts	1	D0OZ 13008-B
	B(54C,57C,E,63C,F,65C,E,66C,E,71C,E,76)	R.H.-includes attaching parts	1	D0OZ 13008-C
		L. H. -includes attaching parts	1	D0OZ 13008-D
71	B(54A,63H,65A,66A,71D)	R.H.-includes attaching parts	1	D1OZ 13008-A
		L.H.-includes attaching parts	1	D1OZ 13008-B
	B(54C,57,63C,F,65C,E,66B,C,E,71C,E,76)	R.H.-includes attaching parts	1	D1OZ 13008-C
		L.H.-includes attaching parts	1	D1OZ 13008-D
72	B(exc.53B,65B,71B)	R.H.-includes attaching parts	1	D2OZ 13008-C
		L.H.-includes attaching parts	1	D2OZ 13008-D
	B(53B,65B,71B)	R.H.-includes attaching parts	1	D2OZ 13008-A
		L.H.-includes attaching parts	1	D2OZ 13008-B
	- F -			
65/66	F	R. H. -includes attaching parts	1	C5ZZ 13008-C
		L. H. -includes attaching parts	1	C5ZZ 13008-D
67/68	F(except GT350/500)	R. H. -includes attaching parts	1	C7ZZ 13008-C
		L. H. -includes attaching parts	1	C7ZZ 13008-D
68	F(GT350/500)	R. H. & L. H.	2	C9DZ 13008-A
69	F(exc. Shelby GT350/500)	R. H. -includes attaching parts and inner and-outer assemblies	1	C9ZZ 13008-A
		L. H. -includes attaching parts and inner and-outer assemblies	1	C9ZZ 13008-B
69/70	F (Shelby GT350/500)	R. H.	1	C9ZZ 13008-C
		L. H.	1	C9ZZ 13008-D
71/	F	R.H.-includes attaching parts-r/b D3ZZ 13008-A (6/74)	1	★D1ZZ 13008-A
		L.H.-includes attaching parts	1	D3ZZ 13008-B
	- S -			
65	S	R. H. -includes attaching parts	1	C4SZ 13008-A
		L. H. -includes attaching parts	1	C4SZ 13008-B
66	S	R. H. -includes attaching parts	1	C6SZ 13008-A
		L. H. -includes attaching parts	1	C6SZ 13008-B
67	S	R. H. -includes attaching parts	1	C7SZ 13008-C
	"Before 11/1/66"	L. H. -includes attaching parts-r/b C7SZ 13008-D (10/74)	1	★C7SZ 13008-B
	"From 11/1/66"	L. H. -includes attaching parts	1	C7SZ 13008-D

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13008 HEADLAMP ASSY. - LESS BULB and WIRING - continued			
	- S -			
68/69	S	R. H. -includes attaching parts	1	C8SZ 13008-A
		L. H. -includes attaching parts	1	C8SZ 13008-B
70	S	R. H. -includes attaching parts	1	D1SZ 13008-A
		L. H. -includes attaching parts	1	D0SZ 13008-B
71	S	R.H.	1	D1SZ 13008-A
		L.H.	1	D1SZ 13008-B
72	S	R.H.-includes attaching parts	1	D2SZ 13008-A
		L.H.-includes attaching parts	1	D2SZ 13008-B
	-X -			
65	X	R. H. & L. H. -includes attaching parts	2	C4DZ 13008-B
66/70	X	R. H. & L. H. -includes attaching parts	2	C9DZ 13008-A
65	A	Screw-No.10-24 x 1/2" (headlamp to front fender body)	AR	40918-S8(U260)
	A	Nut "J" No. 10-24	4	45139 S(M128)
66	A	"U" nut (headlamp to front fender & bracket head-lamp mounting)-No.10A	8	353366-S32 (MM279)
67	A	Screw-No.10-12 x 5/8" (attach headlamp to fender)	AR	42134-S(U249)
68	A	Nut-5/16"-18 (attach headlamp body to fender)	AR	33797-S(M50)
69/	A	Screw-5/16"-18 x 1" (attach headlamp to fender)	AR	57140-S(B340H)
65/	B	Screw-No.10-12 x 1/2" (headlamp to body at front fender apron and radiator support)	AR	42127-S8(U248C)
66	B	Nut-No.10-12 (headlamp to front fender)-spring	6	45187-S8(M141)
68	B,X	Nut-No.8-18-spring	4	381863-S2 (MM275J)
68	B,X	Screw-No. 8-18 x 1/2" hex. head	4	52012-S8(U202)
68	B	Nut-sleeve-No.8 or 10-nylon (attach 13064 to headlamp body)	2	380442-S (MM228F)
69	B,F	Nut-spring-No.8-15 (attach headlamp body to fender)	AR	45174-S(M138)
		Screw-No.8-15 x 1/2"	AR	52012-S(U202)
65/	F	Bolt-1/4"-20 x 3/4" (Headlamp to front fender)	8	371492-S2(BB569)
65/66	F	Nut "J"-No.10-12 (attach door to headlamp body)	4	357033-S(MM250)
69	F	Screw-1/4"-20 x 3/4" (headlamp to fender)	AR	55914-S(U254F)
65	S	Screw-No.14-10 x 5/8" (headlamp to front fender extension)	4	31498-S8(U253B)
65	S	Nut-No.14-10	4	★45195-S32
65	S "From 3/27/65"	Nut-1/4"-20 (headlamp to front fender apron & radiator support)	4	378289-S(MM296)
66	A	Screw (headlamp to front fender & bracket headlamp mounting)	8	
66	S	Nut-5/16"-18 (headlamp to front fender)	2	34392-S7-8(M93)
	S	Bolt-5/16"-18 x 7/8" hex.head (headlamp to front fender)	4	20366-S8(B52)
	S	Washer-5/16"-lock (headlamp to front fender)	4	34806-S7(X64)
	S	Nut & retainer-5/16"-18 (headlamp to front fender)	4	370328-S2(MM188)
	S	Stud-5/16"-18 x 1 1/2" (attach headlamp to fender)	2	379119-S(WW4D)
66	S	Bolt-5/16"-18 x 3/4" (headlamp to radiator grill)	2	359662-S7-8
67/69	S	Bolt (headlamp to front fender)	8	(BB575A)
66/69	S	Screw-No.8-32 x 1/2"	AR	31061-S(U50)
66	S	Nut & retainer-5/16"-18 (headlamp to	2	379114-S2
70	A	radiator grill)	2	(MM192AD)
70	S	Screw-5/16-18 x 15/16" (attach headlamp body to fender)	AR	57139-S(B339X)
65/70	X	Screw-No.8-32 x 1/2" (headlamp to front fender radiator support)	8	51764-S8(U366)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13B008 BRACKET - HEADLAMP COVER CONTROL - RESERVOIR			
70/71	B-with hidden headlamps	Inner	1	D0OZ 13B008-A
		Outer	1	D0OZ 13B008-B
70/71	B-with hidden headlamps	Screw-1/4"-14 x 3/4" hex. head-attach bracket to reservoir	AR	55914-S(U254F)
	13B013-4 SHAFT ASSY. - HEADLAMP COVER			
68	A(54C, 57F, 63C, 65A, 71A, E, 76B)	Center	1	C8AZ 13B013-A
		R. H. -outer, L. H. -outer	2	C8AZ 13B014-A
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)	Center	1	C9AZ 13B013-A
		R. H. -outer, L. H. -outer	2	C9AZ 13B014-A
70	A(54C,57F,63C,65A,71A,E,76B)	Center	1	D0VY 13B013-A
		R. H. & L. H.	2	D0AZ 13B014-A
70/71	B-with hidden headlamps	Center	1	D0OZ 13B013-A
	B-with hidden headlamps	R. H. & L. H.	2	D0OZ 13B014-A
	13015 RING - HEADLAMP BULB RETAINING			
65	A, S		4	C1AF 13015-A
67/71	A, B		4	C7AZ 13015-B
72	B(exc.53B,65B,71B)		4	
69	F		4	
67/	S		4	
72	A		4	D3AZ 13015-A
72	B(53B,65B,71B)		4	
65/66	B		4	C5GY 13015-A
66	A, S		4	
65/70	X		2	D3TZ 13015-A
65/68	F		2	
69/70	F(Shelby GT 350/500)		2	
66/	U		2	
70/	F, P		2	
71/	L		2	
65	A, S	Screw-No.8-18 x 1/2"-(ring to headlamp	12	375452-S100
69	A	adjusting R.H. or L.H. ring)	AR	(BB630D)
68/69	B		8	
65/69	F, U		6	
70	P		6	
65/70	X		6	
68	A	Screw-No.8-15 x 1/2"-(attach ring to headlamp	AR	52344-S(U292)
70	A, B, F, S	Screw-No.8-32 x 7/8"(attach ring to headlamp)	8	385324-S(UU81WN)
71/72	A, B, F, P, S	Screw-No.8-32 x 3/8" (attach ring to headlamp)	6	383141-S(1U81WK)
	13A019 SENSOR and BRACKET - HEADLAMP DIMMER			
68	A, F	Brushed chrome	1	C8VY 13A019-A
68/69	B, S, X		1	
68	A, B, F, S, X	Prime - paint to match	1	C8VY 13A019-B
68/69	B, S, X	Screw-1/4" -20 x 1/2" hex. head-attach sensor to radiator support	3	55981(U254E)
	13B019 PIVOT - HEADLAMP COVER HINGE			
70	A(54C,57F,63C,65A,71A,E,76B)	Inner - 2 9/16" long	2	D0AZ 13B019-A
70	A(54C,57F,63C,65A,71A,E,76B)	Outer	2	D0OZ 13B019-A
70/71	B-with hidden headlamps	Outer	2	
70/71	B-with hidden headlamps	Inner	2	D0VY 13B019-A
	13A020 GASKET - HEADLAMP DIMMER CONTROL			
68	A, F		1	C8MY 13A020-A
68/69	B, S, X		1	
68/69	X		1	C8VY 13A020-A
69	B, S		1	
	13021 BRACKET ASSY. - HEADLAMP ADJUSTING NUT			
65/	A		8	D3AZ 13021-A
65	B		8	
67/	B		6	
69/71	S		8	
71/	F		4	
66	U		4	C2TZ 13021-A
67/	U		4	C7TZ 13021-D
65/70	X		2or4	C1DZ 13021-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A021 BRACKET - AUTOMATIC HEADLAMP DIMMER SENSOR - MOUNTING			
68	A, F	Brushed chrome	1	C8VY 13A021-A
68/69	B, S, X		1	
68	A, B, F, S, X	Prime - paint to match	1	C8VY 13A021-B
	13A024 SWITCH ASSY. - HEADLAMP DIMMER			
68	A, F	Automatic	1	C5MY 13A024-A
68/69	B, S, X		1	(SW-432)
65/70	X	Foot operated-also used as reverberation type	1or2	C0TZ 13A024-A
65/	A, B, F, S, U	rear seat speaker switch	1or2	(SW-263)
70/	L, P		1or2	
65/	A, B, F, L, P, S, X	Screw (switch to floor pan)-No. 10-12 x 3/4"	1or2	42141-S8(U250)
		Lockwasher - No. 10	1or2	34903-S8(X96)
70	A, B, F, P, S, U	Screw 1/4" -14 x 1/2"	2	55981-S(U254E)
71/	A	Clip and retainer No. 8-32 x 5/8"	2	380663-S(RR40A)
		Nut No. 8-32	2	34853-S(M106X)
	13A025 RELAY - AUTOMATIC HEADLAMP DIMMER			
68	A, F		1	C8VY 13A025-A
68/69	B, S, X		1	
	13B029 BAR - HEADLAMP COVER - CENTER			
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)		2	C9AZ 13B029-A
	13031 SPRING - HEADLAMP BALL RING			
65	A		4	C4AZ 13031-A
66/68	U		2	
66/71	A, B		4	C6AZ 13031-C
72	B(exc.53B, 65B, 71B)		4	
65/68	F		2	
69	F(GT350/500)		2	
69/70	F(except GT350/500) "Before 2/24/70"		4	
70	P		2	
70/	S		4	
70	F(except GT350/500) "From 2/24/70"		2	D0ZZ 13031-A
71/	F		2	
72	A		4	D2AZ 13031-A
72	B(53B, 65B, 71B)		4	
65	B	Coil type	4	C5GY 13031-A
66/69	S		4	C6SZ 13031-A
65	S		4	C2OZ 13031-A
69/70	F(Shelby GT350/500)		2	
69/	U		2	
71/	L, P		2	
72	B(53B, 65B, D, 71B, 97D)		8	
65/70	X		2	C1DZ 13031-A
	13032 SCREW - HEADLAMP ADJUSTING			
65/	A	1/4"-28 x 2" long	AR	D1OZ 13032-A
65/70	B, X		4	
71	B(54A, 63H, 65A, 66A, 71D)		4	
72	B(53B, 65B, 71B)		8	
65/68	F		4	
71/	F		8	
72	L		AR	
70/	P		4	
65/	S		AR	
66/	U		4	
68	A(54C, 57F, 63C, 65A, 71A, E, 76B)	Screw & nut assy. -White	8	C7TZ 13032-B
68/	U		4	
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)	Screw and nut assy.	8	D1TZ 13032-B
69/70	F(GT350/500)		4	
70	F		4	
66	S		8	
72	B(exc.53B, 65B, 71B)		8	
70	A(54C, 57F, 63C, 65A, 71A, E, 76B)	Screw and nut assy.	8	D0AZ 13032-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13032 SCREW - HEADLAMP ADJUSTING - continued			
70	A(54A,B,E,57B,62,63B,65C,71B,C,D,H,J,76A)	Screw and nut assy.	8	D0AZ 13032-B
70	B(54A, B, 62, 65B, 66A, B, 71B, D) 71C, E, 76)		8	
70/71	B(54C, E, 57C, E, 63C, F, 65C, E, F, 66C, E,	Screw and nut assy.	8	D0OZ 13032-A
69	F(except GT350/500	Screw and nut assy.	8	D0DZ 13032-A
70/	P		4	
71/	L		4	
72	S	Screw and nut assy.	8	D2SZ 13032-A
69	A	Screw-No.8-32 x 1/2"-attach screw and bracket to headlamp body	2	51764-S(U366)
71/	L	Screw-No.8-32 x 3/8"-attach 13032 to front fender	2	383141-S(UU81WK)
	13B033 SUPPORT ASSY. - HEADLAMP COVER MOTOR			
68	A(54C, 57F, 63C, 65A, 71A, E, 76B)		1	C8AZ 13B033-A
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)	R.H.	1	C9AZ 13B033-A
		L.H.	1	C9AZ 13B033-B
70	A(54C,57F,63C,65A,71A,E,76B)	R.H.	1	D0AZ 13B033-A
		L.H.	1	D0AZ 13B033-B
70/71	B-with hidden headlamps	R.H. & L.H.	2	D0GY 13B033-A
	13035 HEADLAMP ASSY. - LESS BULB and WIRING -Refer to Group 13008			
	13038 PAD - HEADLAMP DOOR			
65	A	Rubber-R.H.	1	C5AZ 13038-C
		Rubber-L.H.	1	C5AZ 13038-D
66	A	Rubber	2	C6AZ 13038-A
67	A	Rubber	2	C7AZ 13038-A
66/67	B	Rubber	4	C6OZ 13038-A
	13B041 PLATE - HEADLAMP OPENING COVER			
68	A(54C, 57F, 63C, 65A, 71AE, 76B)	Rubber	2	C8AZ 13B041-A
69	S	R.H.	1	C9SZ 13B041-A
		L.H.	1	C9SZ 13B041-B
	13B041 SHIELD ASSY. - HEADLAMP OPENING			
72	S	R.H.-upper	1	D2SZ 13B041-A
		L.H.-upper	1	D2SZ 13B041-B
	13044 GASKET - HEADLAMP MOUNTING			
70/71	B	Improvise from C8LY 8B391-A	2	★
67/69	F	Improvise from C8LY 8B391-A	2	★
66	S	Rubber	2	C6SZ 13044-B
	13B047 SPRING - HEADLAMP COVER			
68	A(54C, 57F, 63C, 65A, 71A, E, 76B)		4	C9AZ 13B047-B
	13048 BEZEL - HEADLAMP			
71	B(54A,63H,65A,66A,71D)	R.H.-outer	1	D1OZ 13048-A
		L.H.-outer	1	D1OZ 13048-B
	B(54A,63H,65A,66A,71D)	R.H.-inner	1	D1OZ 13048-C
		L.H.-inner	1	D1OZ 13048-D
	13052-3 DOOR - HEADLAMP			
67	F(GT 350/500)	Inner & outer	4	★S7MS 13053-A
68	F(GT 350/500)		2	S8MS 13052-A
	13054 SEAL - HEADLAMP DOOR			
65	A-with headlamp deflector		4	C5AZ 13054-A
	13059 PLATE - HEADLAMP DOOR			
72	S	Aluminum	2	D2SZ 13059-A
	13061 DOOR - HEADLAMP -Also refer to Group 13064			
65	A	R.H. & L.H.-inner	2	C5AZ 13061-A
		Nut (door to outer door)-1/8" self threading	12	371136-S7(MM288D)
	13064 DOOR - HEADLAMP			
	- A -			
65	A (except headlamp deflector)	R.H.-outer	1	C5AZ 13064-D
		L.H.-outer	1	C5AZ 13064-C
	A (with headlamp deflector)	R.H.-outer	1	C5AZ 13064-E
		L.H.-outer	1	C5AZ 13064-F

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13064 DOOR - HEADLAMP - continued			
	- A -			
66	A	R.H. -outer	1	C6AZ 13064-B
		L.H. -outer	1	C6AZ 13064-A
67	A	R.H.-includes 13038 pad	1	C7AZ 13064-B
		L.H. -includes 13038 pad	1	C7AZ 13064-A
68	A(54C, 57F, 63C, 65A, 71A, E, 76B)	R.H.	1	C8AZ 13064-A
		L.H.	1	C8AZ 13064-B
	A(54A,B,E,57B,62,63B,65C,71B,C,D,H,J,76A)	Serviced in 13008 assy.		
69	A(54A, B, E, 57B, 62B, E, 63B, 65C,71B, C,D,H,J, 76A)	R.H.	1	C9AZ 13064-A
		L.H.	1	C9AZ 13064-B
70	A(54A,B,E,57B,62,63B,65C,71B,C,D,H,J,76A)	R.H. -outer	1	D0AZ 13064-A
		L.H. -outer	1	D0AZ 13064-B
		R.H. -inner	1	D0AZ 13064-C
		L.H. -inner	1	D0AZ 13064-D
71	A(53H,K,57H,K,65H,K,71H,76H)	R.H. -outer & L.H.-inner	2	D1AZ 13064-A
		R.H. -inner & L.H.-outer	2	D1AZ 13064-B
	A(54,57F,65D,F,71B,D,F)	R.H.-outer & L.H.-inner	2	D1AZ 13064-C
		R.H.-inner & L.H.-outer	2	D1AZ 13064-D
	- B -			
65	B	R.H. -outer	1	C5OZ 13064-B
		L.H. -outer	1	C5OZ 13064-A
	B	R.H. -inner	1	C5OZ 13064-E
		L.H. -inner	1	C5OZ 13064-F
66	B	R.H.	1	C6OZ 13064-B
		L.H.	1	C6OZ 13064-A
67	B(54, 62, 63B, C, 66, 71, 76B, C)	R.H.	1	C7OZ 13064-B
		L.H.	1	C7OZ 13064-A
	B(63D, 76D)	R.H.	1	C7OZ 13064-D
		L.H.	1	C7OZ 13064-C
68	B	R.H. -outer-includes attaching parts	1	C8OZ 13064-A
		L.H.	1	C8OZ 13064-B
	B	R.H. -inner-includes attaching parts	1	C8OZ 13064-C
		L.H.	1	C8OZ 13064-D
69	B(54A, B, 63B, E, 65A, B, E, 66A, B, 71B, D, 76B, E) exc. Cobra	R.H.	1	C9OZ 13064-J
		L.H.	1	C9OZ 13064-K
	B(63B, E, 65A, E) Cobra	R.H.	1	C9OZ 13064-L
		L.H.	1	C9OZ 13064-M
	B(54C, 63D, F, 65C, D, F, 66C, D, 71E,76D, F)	R.H.	1	C9OZ 13064-G
		L.H.	1	C9OZ 13064-H
70	B(54A,B,62A,65B,66A,71B,D) B(66B) "Before 12/30/69"	R.H.	1	D0OZ 13064-A
		L.H.	1	D0OZ 13064-B
70	B(54C,57C,E,63C,F,65C,E,66C,E,71C,E,76) B(66B) "From 12/30/69"	R.H.	1	D0OZ 13064-C
		L.H.	1	D0OZ 13064-D
	B (63H)	R.H.	1	D0OZ 13064-E
		L.H.	1	D0OZ 13064-F
71	B(54A,65A,66A,71D)	R.H. -Argent	1	D1OZ 13064-A
		L.H. -Argent	1	D1OZ 13064-B
	B(63H)	R.H. -Black	1	D1OZ 13064-C
		L.H. -Black	1	D1OZ 13064-D
72	B(53D,63,65D,R,71D,K,97)	R.H.	1	D2OZ 13064-A
		L.H.	1	D2OZ 13064-B
	- F -			
65/66	F	R.H.	1	C5ZZ 13064-B
		L.H.	1	C5ZZ 13064-A
67/68	F (except GT 350/500)	R.H. & L.H.	2	C7ZZ 13064-A
69/70	F(GT 350/500)		2	
69	F (except GT 350/500)	R.H. & L.H. -outer	2	C9ZZ 13064-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13064 DOOR - HEADLAMP - continued			
	- F -			
69	F (except GT 350/500)	R. H. -inner	1	C9ZZ 13064-B
		L. H. -inner	1	C9ZZ 13064-C
70	F(except GT350/500)	R. H.	1	D0ZZ 13064-A
		L. H.	1	D0ZZ 13064-B
71/	F	R.H.	1	D1ZZ 13064-A
		L.H.	1	D1ZZ 13064-B
	- L -			
71/72	L	R. H.	1	D2FZ 13064-A
		L. H.	1	D2FZ 13064-B
	- P -			
70/	P	R. H. (bright finish)	1	D0DZ 13064-A
		L. H. (bright finish)	1	D0DZ 13064-B
	P	R. H. -Black finish	1	D0DZ 13064-C
		L. H. -Black finish	1	D0DZ 13064-D
	- S -			
65	S	R. H.	1	C4SZ 13064-A
		L. H.	1	C4SZ 13064-B
66	S	R. H.	1	C6SZ 13064-A
		L. H.	1	C6SZ 13064-B
67	S	R. H.	1	C7SZ 13064-A
		L. H.	1	C7SZ 13064-B
68/69	S	R. H.	1	C8SZ 13064-A
		L. H.	1	C8SZ 13064-B
70	S	R. H.	1	D0SZ 13064-A
		L. H.	1	D0SZ 13064-B
71	S	R.H.	1	D1SZ 13064-A
		L.H.	1	D1SZ 13064-B
72	S	R. H. -Argent finish	1	D2SZ 13064-A
		L. H. -Argent finish	1	D2SZ 13064-B
	S	R. H. -Black finish	1	D2SZ 13064-C
		L. H. -Black finish	1	D2SZ 13064-D
	- U -			
66/70	U	R. H. & L. H. -primed	2	C6TZ 13064-A
67/70	U	R. H. & L. H. -chrome	2	C7TZ 13064-B
71/	U	R.H. & L.H.-painted	2	D1BZ 13064-A
	U	R.H. & L.H.-chrome	2	D1BZ 13064-B
	- X -			
65	X	R. H.	1	C5DZ 13064-B
		L. H.	1	C5DZ 13064-A
66	X	R. H.	1	C6DZ 13064-B
		L. H.	1	C6DZ 13064-A
67	X	R. H.	1	C7DZ 13064-B
		L. H.	1	C7DZ 13064-A
68/70	X	R. H.	1	C9DZ 13064-A
		L. H.	1	C9DZ 13064-B
66	A	Nut (door to headlamp)-No. 10-12	8	45145-S(M130)
65	A "Before 10/2/63"	Screw (door to headlamp)-No. 8-18 x 1 1/2"	12	376290-S100 (UU56D)
65	A	Screw (door to headlamp)-No. 8-15 x 1 1/4"	8	53066-S14(U284)
65	A	Nut-No. 8-15-"J" shape spring	8	353464-S8(MM248)
66	B	Nut (door to headlamp)	8	
65	A	Nut 1/8" self-threading(attach door to headlamp body)	AR	371136-S (MM288D)
66	A	Screw (door to headlamp)-No. 10-12 x 1 1/8"	4	*380076-S100
66	A	Screw (door to headlamp body)-No.10-16 x 2"	AR	381557-S101 (UU56AA)
66	A	Nut-"J"-No.10-12	3	45145-S(M130)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13064 DOOR - HEADLAMP - continued			
66/67	A	Screw-No.10-12 x 1/2"-attach bracket to fender	3	42127-S(U248C)
67	A	Nut-"U"-No.10-12	AR	45187-S(M141)
67	A	Nut-"U"-No.10	AR	353366-S(MM279)
67	A	Screw (door to headlamp)-No. 10-12 x 1 5/8"	8	375706-S101 (UU56E)
69	A	Screw (attach door to headlamp body)-	AR	376362-S(UU56C)
66/67	B	No. 8-18 x 3/4"		
70/	A	Nut-No. 8 or 10 insert-nylon	AR	383356-S
70/	P	Door to fender		(MM216PA)
70	A,S	Screw (attach door to grille)-No. 8-18 x 3/4"	AR	376389-S(UU82D)
65	B	Nut-No. 8-15 spring	2 or4	359487-S32 (MM275)
65	B	Screw (door to headlamp)-No. 8-15 x 1/2"	2or4	52726-S8(U381)
65	B	Screw (door to headlamp)-No. 8-15 x 1 1/2"	2	53072-S(U285)
67	B	Nut (door to headlamp body)-No. 8-insert	4	381959-S(MM228K)
68	B	Nut (door to headlamp)-No. 8 insert	4	380442-S(MM228F)
69	B	Screw(door to headlamp body)-No. 8-18 x 2 1/2" long	8	382733-S45 (UU56DE)
70/	B	Nut-No.8-10 insert (attach door to 13008 body)	AR	383356-S (MM216PA)
65/66	F	Spring nut (door to headlamp or front fender)- No. 10-12 "J" type spring	12	357033-S32 (MM250)
65/68	F	Screw (door to headlamp)-No. 10-12 x 1"	8	378852-S(UU43B)
69	F	Screw (door to fender)-No. 8-18 x 1"	2	52445-S(U317)
69	F	Nut-No.8 or 10	AR	376309-S (MM216N)
70	F	Screw-No.8-18 x 1 3/4"-oval head-(attach door to fender)	AR	★376406-S
71/	F	Nut-No.8-10 insert (attach door to 13008 body)	AR	383556-S (MM216PA)
72	L	Screw-No. 8-15 x 5/8" (attach door to front fender)	2	52554-S(U230)
70	P	Screw (door to fender)-No. 8-18 x 1"	6	52445-S(U317)
65/69	S	Nut-No.10-12-spring	6	★376286-S
70/	S	Nut-No.8-10 insert (attach door to 13008 body)	AR	383356-S (MM216PA)
66	U	Screw (door to grille)-No. 8-15 x 5/8"	6	32937-S(U339)
66/	U	Nut-No. 8-15 spring	6	45133-S2(M126)
67/	U	Screw (door to grille)-No. 8-15 x 3/4"	6	371828-S100(UU81)
71	U	Nut-No.8 or 10	6	376309-S (MM216N)
65	X	Nut-No. 10-12 spring	6	★375348-S2
65/70	X	Screw (door & grille to headlamp)-No. 10-12 x 5/8"	3 or 6	52353-S13(U303)
65/69	S	Screw (door to headlamp)	6	
66	A	Screw (door to headlamp)	4	
66	X	Screw (door to front fender)-No. 10-12 x 3/4"- pan head	2	52743-S(U382A)
66	X	Nut (door to front fender)-No. 10-23 spring	8	45188-S2(M141A)
68	X	Nut-No. 8-18 Spring (door to fender)	6	381765-S2 (MM275E)
	13B064 VALVE ASSY. - HEADLAMP COVER VACUUM CHECK			
68/70	A(54C, 57F, 63C, 65A, 71A, E, 76B)	Also use with vacuum door locks	2	C8SZ 13B064-A
69	F	Use with tilt steering column	1	
68/69	S	Also use with vacuum door locks	2	
69	S	Power deck lid release	1	
70	B-with hidden headlamps		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13B065 SUPPORT - HEADLAMP HOUSING			
69	A(54A,B,E,57B,62,63B,65C,71B,C,D,H,J,76A)		2	C9AZ 13B065-A
68	B	R.H.	2	C8OZ 13B065-A
		L.H.	2	C8OZ 13B065-B
69	B(exc.Talladega)	R.H.	1	C9OZ 13B065-A
		L.H.	1	C9OZ 13B065-B
69	B(Talladega)	R.H.	1	C9OZ 13B065-C
		L.H.	1	C9OZ 13B065-D
71/	F	R.H. & L.H.-upper	2	D1ZZ 13B065-A
		R.H. & L.H.-lower	2	D1ZZ 13B065-B
72	S	R.H. & L.H.	2	D2SZ 13B065-A
68	B	Nut & washer-No.10-24 (attach support to gravel shield	2	353911-S100 (MM191E)
68	B	Screw & washer-1/4"-20 x 3/4"(attach support to gravel shield	2	371492-S2 (BB569)
68	B	Nut & retainer-1/4"-20 (attach support to gravel shield	2	356657-S2 (MM186)
	13067 CLIP - HEADLAMP DOOR RETAINING			
70	A(54A,B,E,57B,62,63B,65C,71B,C,D,H,76A)		4	D0AZ 13067-A
71/72	L "Before 12/1/71"	R.H. & L.H.	2	D1FZ 13067-A
72	L "From 12/1/71"	Not required		
	13B068 HARNESS ASSY. - HEADLAMP COVER VACUUM HOSE			
68/69	S(with A.T.C.)	Tilt column	1	C9SZ 13B068-L
68/69	S(w/manual A/C)	Tilt column	1	C9SZ 13B068-J
68/69	S(with A.T.C.)	Fixed column	1	C9SZ 13B068-M
70	S		1	
	13B069 CONNECTOR - HEADLAMP COVER CHECK VALVE TO VACUUM HOSE			
68/69	S		3	C8SZ 13B069-A
	13076 WIRING ASSY. - HEADLAMP LEADS			
65/68	A,B	29.00" long	2	C6OZ 13076-A
67/68	F	19.00" long	2	C7ZZ 13076-A
69	F	#C9ZB 13076-B	2	C9ZZ 13076-A
70	F	#D0ZB 13076-A	2	D0ZZ 13076-A
70	P	Part of 14290 after 8/1/69	2	C9HZ 13076-A
66/70	X		2	
65/66	S		2	C8VY 13076-A
65	X		2	C4DZ 13076-A
65	A,B	Strap (wiring to front fender apron & radiator support)-Nylon	1	376914-S(YY2)
66	B,X	Screw (ground lead of wiring to front fender	2	42127-S8(U248C)
65	B	apron & radiator support)-No.10-12 x 1/2"	2	
		Lockwasher-No.10	2	34939-S8(X86)
70	P	Screw-1/4"-14 x 1/2" hex.head	2	55981-S2(U254E)
70	P	Clip	2	383207-S(GG271)
65/	S	Screw (ground lead of wiring to front fender	1	31497-S8(U254)
65/70	X	apron & radiator support)-No.14-14 x 1/2"	1	
		Lockwasher-1/4"	1	34940-S7(X88)
	13A078 BRACKET - FRONT REFLECTOR MOUNTING			
68	B(66)	R.H. & L.H. front fender	2	C8OZ 13A078-A
68	B(54,65,76)	R.H. & L.H. -includes attaching parts (located at rear of quarter panel)	2	C8OZ 13A078-B
68	B(63)	R.H. & L.H. -includes attaching parts (located at rear of quarter panel)	2	C8OZ 13A078-C
66	X(66)	R.H.	1	C6DZ 13A078-A
		L.H. -Not replaced	1	★C6DZ 13A078-B
68	X	R.H. & L.H.	2	C8DZ 13A078-A
	13A080 RETAINER - FRONT REFLECTOR MOUNTING			
69	B(66A,B)	R.H. & L.H.	1	C9OZ 13A080-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13B080 CONTROL and WIRING - HEADLAMP DIMMER SENSITIVITY			
68	A, F		1	C8AZ 13B080-B
68/69	B, S, X		1	
68/69	A, B, F, S, X	Nut-hex. thin-3/8"-32	1	355987-S8 (MM121M)
	13B081 BEZEL - HEADLAMP DIMMER SENSITIVITY CONTROL			
68	A, F		1	C8AZ 13B081-A
68/69	B, S, X		1	
	13A082 PAD - FRONT FENDER SIDE REFLECTOR			
69	B(66A, B)	R.H.	1	C9OZ 13A082-C
		L.H.	1	C9OZ 13A082-D
	B(66C, D)	R.H.	1	C9OZ 13A082-A
		L.H.	1	C9OZ 13A082-B
67	U	R.H. - not replaced	1	★C7TZ 13A082-C
		L.H.	1	C7TZ 13A082-D
68/69	U	R.H.	1	C8TZ 13A082-A
		L.H.	1	C8TZ 13A082-B
	13088 CLIP - HEADLAMP SPRING ANCHOR			
65/66	B		4	C5GY 13088-B
66/68	A, S		4	
65/70	X		2	C1DF 13088-A
	13A088 BRACKET - HEADLAMP HOUSING SUPPORT			
72	A		2	D2AZ 13A088-A
	13B088 MOULDING - HEADLAMP COVER			
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)		2	C9AZ 13B088-A
	13A091-2 BRACKET - HEADLAMP HOUSING MOUNTING			
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)	Outer	2	C9AZ 13A091-A
71/	A	R.H.-outer	1	D1AZ 13A091-A
		L.H.-outer	1	D1AZ 13A092-A
68	B	R.H. & L.H.	12	C8OZ 13A091-B
72	B(53D, 63R, 65R, 71D, K, 97)	R.H. & L.H.-outer	2	D2OZ 13A091-A
68	B	"J" nut-1/4"-20-(attach bracket to front fender)	AR	356657-S(MM186)
		Bolt-1/4"-20 x 5/8"-(attach bracket to front fender)	AR	371492-S(BB569)
71/	A	"J" nut-5/16"-18 (attach bracket to headlamp)	AR	379114-S(MM192AD)
	13A096 BRACKET ASSY. - HEADLAMP COVER STOP			
68	A(54C, 57F, 63C, 65A, 71A, E, 76B)	1/4"-20 thread	4	C8AZ 13A096-A
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)		2	D0MY 13A096-A
68	A	Bumper	2	351139-S(CC44B)
		Nut-1/4"-20-(attach bracket to headlamp body)	2	33795-S(M49)
		Bolt-1/4"-20 x 5/8"-(attach bracket to headlamp body)	2	350325-S(BB647)
	13099 HOUSING ASSY. - HEADLAMP			
70	B(54C, 57C, E, 63, 65C, E, 66C, E, 71C, E, 76)-without hidden lamps		1	D0OZ 13099-A
70	B(66B) "From 12/30/69"	Not required before 12/30/69	1	
70/71	B(54C, 57C, E, 63, 65C, E, 66C, E, 71C, E, 76)-with hidden lamps		1	D0OZ 13099-B
	13099-101 BRACKET - HEADLAMP MOUNTING - Also Refer to Group 8B322-3			
67	F(GT 350/500)	Outboard-R.H.	1	S7MS 13099-A
		Outboard-L.H.-not replaced (2/75)	1	★S7MS 13101-A
68	F(GT 350/500)	Outer-R.H.-not replaced (11-74)	1	★S8MS 13100-A
		Outer-L.H.-not replaced (12/74)	1	★S8MS 13101-A
67/68	F	"J" nut-5/16"-18-(attach headlamp body to bracket)	4	370328-S(MM188)
		Screw-No.8-15 x 3/4"	4	52742-S(U385)
	13B104 BUSHING - HEADLAMP COVER SHAFT			
69/70	A(54C, 57F, 63C, 65A, 71A, E, 76B)		2	C9MY 13B104-A
70/71	B(54C, 57C, E, 63, 65C, E, 66B, C, E, 71C, E, 76)		2	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A106 WIRE - HEADLAMP DIMMER SENSOR TO AMPLIFIER			
68	A, F		1	C8VY 13A106-A
68/69	B, S, X		1	
68/69	S	Screw-No.8-15 x 1/2"-attach wiring to cowel panel	AR	52012-S(U202)
	13B109 RETAINER - HEADLAMP COVER GUIDE ROD			
70/71	B-with hidden headlamps		2	D0VY 13B109-E
70	A(54C, 57F, 63C, 65A, 71A, E, 76B)		2	
	13A110 HOUSING ASSY. - HEADLAMP SWITCH			
65/66	S		1	C4SZ 13A110-A
		Screw-No.8-32 x 1/4" (hsg. to instrument cluster)	3	26457-S7(U167)
		Lockwasher-No.8	3	34802-S7(X59)
	13A114-5 BRACKET - HEADLAMP HOUSING MOUNTING			
66	B	R.H.-upper	1	C6OZ 13A114-A
		L.H.-upper	1	C6OZ 13A115-A
67	B	R.H.-upper	1	C7OZ 13A114-A
		L.H.-upper	1	C7OZ 13A115-A
70	B(54C, 57C, E, 63C, F, H, 65C, E, 66B, C, E, 71C, E, 76)	Upper	2	D0OZ 13A114-A
71	B(54C, 57C, E, 63C, F, 65C, E, 66E, 71C, E, 76F)		2	
65	A	Screw -No. 10-24 x 1/2"	2	40918-S(U260)
66	A	Screw-No.10-12 x 1/2"-(attach bracket to grille opening)	3	42127-S(U248C)
		Nut-No.10-12-"J" type	3	45145-S(M130)
70/71	B	Screw & washer-1/4"-20 x 49/64"-attach bracket to radiator support	AR	57472-S(B339V)
	13A116-7 BRACKET - HEADLAMP DOOR MOUNTING			
66	B	R.H.-lower outer-not replaced	1	★C6OZ 13A116-A
		L.H.-lower outer-not replaced	1	★C6OZ 13A117-A
66	B	R.H.-upper outer-not replaced	2	★C6OZ 13A116-B
67	B	R.H.-upper outer	1	
66	B	L.H.-upper outer-not replaced	2	★C6OZ 13A117-B
67	B	L.H.-upper outer	1	
67	B	R.H. & L.H.-lower outer-not replaced	4	★C7OZ 13A116-B
67	A	Screw-No.10-12 x 5/8"-(attach bracket to fender)	AR	42134-S(U249)
		Nut-"U"-No.10	AR	353366-S(MM279)
	13118-9 RING ASSY. - HEADLAMP ADJUSTING			
	- A -			
65	A	R.H.-low beam	1	C4SZ 13118-A
		L.H.-low beam	1	C4SZ 13119-A
		R.H.-high beam	1	C4SZ 13118-B
		L.H.-high beam	1	C4SZ 13119-B
66	A	R.H.-low beam	1	C5GY 13118-D
		L.H.-low beam	1	C5GY 13119-D
		R.H.-high beam	1	C5GY 13118-C
		L.H.-high beam	1	C5GY 13119-C
67	A	R.H. & L.H.-low beam	2	C8OZ 13118-A
		R.H. & L.H.-high beam	2	C7OZ 13118-B
68	A	R.H.-high beam	1	C8AZ 13118-B
		L.H.-high beam	1	C8AZ 13119-B
68/69	A	R.H.-low beam	1	C8AZ 13119-A
		L.H.-low beam	1	C8AZ 13118-A
69	A	R.H.-high beam	1	C8AZ 13119-B
		L.H.-high beam	1	C8AZ 13118-B
70	A(54C, 57F, 63C, 65A, 71A, E, 76B)	R.H.-low beam	1	C8AZ 13119-A
		L.H.-low beam	1	C8AZ 13118-A
		R.H.-high beam	1	C8AZ 13119-B
		L.H.-high beam	1	C8AZ 13118-B
	A(exc.54C, 57F, 63C, 65A, 71A, E, 76B)	R.H.-low beam	1	D0AZ 13118-C
		L.H.-low beam	1	D0AZ 13119-C
		R.H.-high beam	1	D0AZ 13118-D
		L.H.-high beam	1	D0AZ 13119-D

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13118-9 RING HEADLAMP ADJUSTING - continued			
	- A -			
71	A	R.H.-low beam	1	C8OZ 13118-A
		L.H.-low beam	1	C8OZ 13119-A
		R.H.-high beam	1	C8OZ 13119-B
		L.H.-high beam	1	C8OZ 13118-B
72	A	R.H.-low beam	1	D2AZ 13118-A
		L.H.-low beam	1	D2AZ 13119-A
		R.H.-high beam	1	D2AZ 13118-B
		L.H.-high beam	1	D2AZ 13119-B
	- B -			
65/66	B	R.H.-low beam	1	C5GY 13118-D
		L.H.-low beam	1	C5GY 13119-D
		R.H.-high beam	1	C5GY 13118-C
		L.H.-high beam	1	C5GY 13119-C
67	B	R. H. -low beam	1	C8AZ 13118-A
		L.H.-low beam	1	C8AZ 13119-A
67	B	R. H. -high beam	1	C7OZ 13118-B
		L.H.-high beam	1	C7OZ 13119-B
68/69	B	R. H. -low beam	1	C8OZ 13118-A
		L.H.-low beam	1	C8OZ 13119-A
		R.H.-high beam	1	C8OZ 13118-B
		L.H.-high beam	1	C8OZ 13119-B
70	B(54A,B,62A,65B,66A,71B,D)	R.H.-low beam	1	D0OZ 13118-E
	B(66B)- "Before 12/30/69"		1	
		L. H. -low beam	1	D0OZ 13119-E
		R. H. -high beam	1	D0OZ 13118-F
		L. H. -high beam	1	D0OZ 13119-F
70/71	B(54C,57,63,65C,E,66C,E,71C,E,76)-exc. hidden headlights	R.H.-low beam	1	D0OZ 13118-C
	B(66B)- "From 12/30/69"		1	
		L. H. -low beam	1	D0OZ 13119-C
		R. H. -high beam	1	D0OZ 13118-D
		L. H. -high beam	1	D0OZ 13119-D
70/71	B(54C,57,63,65C,E,66B,C,E,71B,C,76)-with hidden headlights	R.H.-low beam	1	C8OZ 13118-A
		L.H.-low beam	1	C8OZ 13119-A
		R.H.-high beam	1	C8OZ 13118-B
		L.H.-high beam	1	C8OZ 13119-B
71	B(54A,65A,63H,66A,B,71D)	R.H.-low beam	1	C8OZ 13118-A
		L.H.-low beam	1	C8OZ 13119-A
		R.H.-high beam	1	C8OZ 13118-B
		L.H.-high beam	1	C8OZ 13119-B
72	B(53B,65B,71B)	R.H.-low beam	1	D2AZ 13118-A
		L.H.-low beam	1	D2AZ 13119-A
		R.H.-high beam	1	D2AZ 13118-B
		L.H.-high beam	1	D2AZ 13119-B
	B(exc.53B,65B,71B)	R.H.-low beam	1	C8OZ 13119-A
		L.H.-low beam	1	C8OZ 13118-A
		R.H.-high beam	1	C8OZ 13118-B
		L.H.-high beam	1	C8OZ 13119-B
	- F -			
65/66	F	R.H. & L.H.	2	C5ZZ 13118-A
67/68	F	R.H.	1	C9TZ 13118-B
		L.H.	1	C9TZ 13119-A
69	F(exc. GT350/500)	R.H.-low beam	1	C8AZ 13119-A
		L.H.-low beam	1	C8AZ 13118-A
		R.H.-high beam	1	C8OZ 13118-B
		L.H.-high beam	1	C8OZ 13119-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13118-9 RING HEADLAMP ADJUSTING - continued			
	- F -			
69/70	F(GT350/500)	R.H.	1	C9TZ 13118-B
		L.H.	1	C9TZ 13119-A
70	F(exc. GT350/500)	R.H.	1	D0ZZ 13118-A
		L.H.	1	D0ZZ 13119-A
71/	F	R.H.	1	D1ZZ 13118-A
		L.H.	1	D1ZZ 13119-A
	- L -			
71/	L	R.H.	1	D1FZ 13118-A
		L.H.	1	D1FZ 13119-A
	- P -			
70/	P	R.H.	1	C9TZ 13119-A
		L.H.	1	C9TZ 13118-B
	- S -			
65	S	R.H.-low beam	1	C4SZ 13118-A
		L.H.-low beam	1	C4SZ 13119-A
		R.H.-high beam	1	C4SZ 13118-B
		L.H.-high beam	1	C4SZ 13119-B
66	S	R.H.-low beam	1	C6SZ 13118-A
		L.H.-low beam	1	C6SZ 13119-A
		R.H.-high beam	1	C6SZ 13118-B
		L.H.-high beam	1	C6SZ 13119-B
67/69	S	R.H.-low beam	1	C8AZ 13118-A
		L.H.-low beam	1	C8AZ 13119-A
		R.H.-high beam	1	C8AZ 13118-B
		L.H.-high beam	1	C8AZ 13119-B
70/	S	R.H.-high beam	1	C8OZ 13118-B
		L.H.-high beam	1	C8OZ 13119-B
70/71	S	R.H.-low beam	1	C8OZ 13119-A
		L.H.-low beam	1	C8OZ 13118-A
72	S	R.H.-low beam	1	C8OZ 13118-A
		L.H.-low beam	1	C8OZ 13119-A
	- U -			
66/69	U	R.H. & L.H.	2	C1DZ 13118-A
70/	U		2	C9DZ 13118-A
	- X -			
65/70	X	R.H. & L.H.	2	C1DZ 13118-A
70/71	B	Screw & washer-1/4"-20 x 49/64"-attach ring to radiator support	AR	57472-S(B339V)
72	B(63R,65R,71K,97K,R)	Pin-1/4" x 15/32"-attach ring to headlamp body	12	384338-S(HH8L)
70/	U	Screw-No.8-18 x 1/2"-attach ring to headlamp body)	6	375452-S100 (BB630D)
	13A118-9 BRACKET - HEADLAMP DOOR MOUNTING			
66	B	R.H.-lower inner	1	C6OZ 13A118-A
		L.H.-lower inner	1	C6OZ 13A119-A
65	B	Nut "U" (attach to headlamp body)-No. 8-15	2	359487-S(MM275)
	13B121 ADAPTER KIT - HEADLAMP ALIGNMENT TEST			
69	F "Before 1/2/69"		1	C9ZZ 13B121-A
	F "From 1/2/69"		1	C9ZZ 13B121-B
	13B123 BRACE - HEADLAMP HOUSING			
69	B(54C,63D,F,65C,D,F,76D,F,71E,66C,D)		2	C9OZ 13B123-A
	13A130 SEAL - HEADLAMP DEFLECTOR			
65	A	Rubber	2	C5AZ 13A130-A
	13B131 PANEL - HEADLAMP OPENING FINISH			
70/71	S	R.H.-outer-paint to match	1	D0SZ 13B131-A
		L.H.-outer-paint to match	1	D0SZ 13B131-B
	13A134 RETAINER - FRONT REFLECTOR MOUNTING			
66	X(66)	L.H.	1	★C6DZ 13A134-A
	13A136-37 COVER ASSY. - HEADLAMP			
70/71	B-with hidden lamp	R.H.	1	D0OZ 13A136-A
		L.H.	1	D0OZ 13A137-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A138 COVER - HEADLAMP			
68	A(54C, 57F, 63C, 65A, 71A, E, 76B)	R. H.	1	C8AZ 13A138-A
		L. H.	1	C8AZ 13A138-B
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)	R. H.	1	C9AZ 13A138-A
		L. H.	1	C9AZ 13A138-B
70	A(54C,57F,63C,65A,71A,E,76B)	R. H.	1	D0AZ 13A138-A
		L. H.	1	D0AZ 13A138-B
67	S	R. H.	1	C7SZ 13A138-A
		L. H.	1	C7SZ 13A138-B
68	S	R. H.	1	C8SZ 13A138-A
		L. H.	1	C8SZ 13A138-B
69	S	R. H.	1	C9SZ 13A138-A
		L. H.	1	C9SZ 13A138-B
69	A	Nut-1/4" self-thread (attach cover to housing)	8	376842-S100 (MM 288A)
	13150 BUZZER ASSY. - WARNING			
69	A, X	#C9AB 13150-A (lights on)	1	C9AZ 13150-A
70	A, B, S	#D0AB 13150-D, G (lights on, ignition	1	D0AZ 13150-D
70/71	F	key warning)	1	
71	B		1	
70/	A, B, F, L, P, S	#D0AB 13150-B, E, F-ignition key warning-includes radio suppression	1	D0AZ 13150-E
72	A, B, F, L, P, S	Seat belt warning	1	
69	S	#C9SB 13150-A (lights on)	1	C9SZ 13150-A
70/71	S	#D0SB 13150-C, D, E (headlamps on and ignition key warning)	1	D0SZ 13150-D
72	A, B, F, P, S	#D2AB 13150-A1A, A2A-ignition key and seat belt buzzer-does not include radio suppression diode	2	D2AZ 13150-C
72	A, B, F, P, S, U	#D2AB 13150-BA-ignition key reminder and/or seat belt warning to correct radio interference	AR	D2AZ 13150-D
69	A, X	Screw (attach buzzer to inst. panel)-No. 8-32 x 3/4"	2	376389-S(UU82D)
70	A, B, F, S	Screw (attach buzzer to inst. panel)-No. 8-15 x 5/8"	2	52554-S(U230)
	13A154 HINGE ASSY. - HEADLAMP COVER			
68	A(54C, 57F, 63C, 65A, 71A, E, 76B)	R. H.	1	C8AZ 13A154-A
		L. H.	1	C8AZ 13A154-B
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)	R. H.	1	C9AZ 13A154-A
		L. H.	1	C9AZ 13A154-B
67	S	R. H.	1	C7SZ 13A154-A
		L. H.	1	C7SZ 13A154-B
68	S	R. H.	1	C8SZ 13A154-C
		L. H.	1	C8SZ 13A154-D
69	S	R. H.	1	C9SZ 13A154-A
		L. H.	1	C9SZ 13A154-B
68	A(54C, 57F, 63C, 65A, 65C)	Bumper	4	351139-S(CC44B)
	13A158 SUPPORT ASSY. - HEADLAMP COVER HINGE			
67/68	S	R. H.	1	C7SZ 13A158-S
67/68	S	L. H.	1	C7SZ 13A158-T
69	S	R. H.	1	C8SZ 13A158-A
		L. H.	1	C8SZ 13A158-B
	13B159 SHIELD - HEADLAMP SPLASH			
71	A	R.H.-steel	1	D1AZ 13B159-B
		L.H.	1	D1AZ 13B159-A
72	A	R.H.-steel	1	D2AZ 13B159-A
		L.H.	1	D2AZ 13B159-B
72	S	R.H. & L.H.-steel	2	D3SZ 13B159-A
	13A161 SOLENOID and VALVE ASSY. - HEADLAMP COVER			
67	S		1	C7SZ 13A161-A
67	S	Screw-No. 10-12 x 1/2" (attach solonoid to fender apron)	AR	42127-S(U248C)

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A163 SPRING - HEADLAMP COVER HINGE			
68	A(54C, 57F, 63C, 65A, 71A, E, 76B)		2	C8AZ 13A163-A
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)		2	C9AZ 13A163-C
70	A(54C,57F,63C,65A,71A,E,76B)		1	D0VY13A163-A
70/71	B(with hidden lamps)		1	
67/68	S		4	C7SZ 13A163-A
	13A164 BUSHING - HEADLAMP COVER HINGE			
69/70	A(54C, 57F, 63C, 65A, 71A, E, 76B)	Inner	2	C9AZ 13A164-A
70	B(with hidden lamps)		2	
		Outer	2	C9AZ 13A164-B
	13A165 PIN - HEADLAMP COVER HINGE			
67/69	S	1/4" -20 x 3/4" shoulder	4	C7SZ 13A165-A
68/69	A(54C. 57F. 63C. 65A. 71A. E. 76B)		2	
	13A166 RETAINER - HEADLAMP COVER HINGE SPRING			
70	A(54C, 57F, 63C, 65A,71A,E,76B)		2	D0VY13A166-A
70/71	B (with hidden lamps)		2	
	13B166 MOULDING ASSY. - HEADLAMP HOUSING			
72	S	R.H.-includes attaching parts	1	D2SZ 13B166-A
		L.H.	1	D2SZ 13B166-B
	13A167 MOTOR ASSY. - HEADLAMP COVER CONTROL			
68	A(54C, 57F, 63C, 65A, 71A, E, 76B)		1	C8AZ 13A167-B
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)		1	C9AZ 13A167-A
70	A(54C,57F,63C,65A,71A,E,76B)		1	D0GY13A167-A
70/71	B(with hidden lamps)		1	
67/68	S		2	C7SZ 13A167-B
69	S		2	C9SZ 13A167-A
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)	Nut and washer (attach motor to 13B033 support)-5/16"-18	2	33797-S(M50)
70	A, B(with hidden headlamps)	Nut & washer-5/16"-18-attach motor to 13B033 support)	2	376838-S (MM296AF)
	13A168 HOSE - HEADLAMP COVER CONTROL - If not listed below improvise from bulk hose 17543			
69/70	A	Tee-3-way-1/4"	AR	383009-S(II-106U)
69/70	A	Connector-1/4" x 1/4"	AR	383005-S(II-191VD)
68	A	Connector-1/4" x 1/8"	3	380731-S(II-191S)
70/71	B	Strap-(hose to fender shield)	AR	383313-S(YY6)
70/71	B	Clamp (attach hose to reservoir)	AR	97325-S(E1)
67	S	Clip	4	★376932-S
67	S	Tee	2	373843-S(II-98KB)
67	S	Clip	AR	379042-S(GG143A)
	13A169-70 CONNECTOR - HEADLAMP COVER CONTROL HOSE			
68	A(54C, 57F, 63C, 65A, 71A, E, 76B)- "Before 12/15/67"	5/8" long-"L" shaped	1	C8AZ 13A170-B
	A(54C, 57F, 63C, 65A, 71A, E, 76B)- "From 12/15/67"	"L" shaped-5/8" long -not replaced	2	★C8AZ 13A170-D
	A(54C, 57F, 63C, 65A, 71A, E, 76B)- "From 12/15/67"	"L" shaped-3/4" long	4	C8AZ 13A170-C
69	A(390, 428, 429)	Used in power vent system	1	
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)		4	C7WY 13A170-B
70	A(54C, 57F, 63C, 65A, 71A, E, 76B)		1	D0AZ 13A169-A
70	B-with hidden headlamps		1	
71	A(65H,K,71H,76H)		1	
71	B-with hidden headlamps	4 connections (round)	1	D0LY13A169-A
69	S	4 connections (round)	1	D0AZ 13A169-A
69	A(54C,57F,63C,65A,71A,E,76B)		1	
67/68	S "Before 9/11/67"	6 connections - #C7SB 13A169-A	1	C7SZ 13A169-A
68/69	S "From 9/11/67"	"T" shaped	2	C8SZ 13A170-D
68/69	S	Use with heater and headlamp covers	1	C8SZ 13A170-A
68/69	S	Use with automatic temperature control and-headlamp covers	1	C8SZ 13A170-C
67	S	Screw-No.8-18 x 3/8"-(attach connector to radiator support)	2	42119-S(U246)
70/	S	Nipple-nylon-attached to firewall	1	383019-S (II-106VC)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A173 PIN - HEADLAMP COVER MOTOR MOUNTING			
67/69	S		2	C7SZ 13A173-A
67/69	S	Nut-1/4"-20 (attach pin to cover)		55800-S(MM89C)
	13181 NUT - HEADLAMP ADJUSTING			
65/67	A	Nylon	AR	C2TZ 13181-A
65/66	X		4	
66	U		4	
67	B		2	C7OZ 13181-A
65	S		8	C3MY 13181-A
65/66	F		4	
66/67	S		AR	C6SZ 13181-A
67/68	F		2	
	13A185 RESERVOIR ASSY. - HEADLAMP COVER CONTROL - Also Refer to Group 3E547			
68	A(54C, 57F, 63C, 65A, 71A, E, 76B)		1	C8AZ 13A185-A
69/70	A(54C, 57F, 63C, 65A, 71A, E, 76B)	Includes bracket	1	C9AZ 13A185-A
70/71	B-with hidden headlamps		1	D0OZ 13A185-A
67	S	Double port-mounts L.H. fender side-outer-	1or2	C7SZ 13A185-A
68	S-with R.H. vacuum door lock	also (1) required R.H. fender side when unit equipped with vacuum door locks	1	
67	S	Single port-mounts L.H. fender side-inner	1	C7SZ 13A185-C
68/69	S	Includes bracket	1	C8SZ 13A185-A
69/70	A	Nut-No.8-32 (attach reservoir to fender)	2	34653-S(M106X)
68	A	Nut-No.8-32 (attach reservoir to fender)	4	55730-S(M96D)
70	B	Screw-1/4"-14 x 3/4" (attach reservoir to bracket)	AR	55914-S(U254F)
		Spring nut-1/4"-14	AR	★45261-S
67/69	S	Nut & washer (attach reservoir to fender apron) -No. 10-24	2	376784-S2 (MM295R)
	13A198 EMBLEM - HEADLAMP COVER			
68	A(54C, 57F, 63C, 65A, 71A, E, 76B)	"FORD" with crest	1	C8AZ 13A198-A
68	A(54C, 57E, 63C, 65A, 71A, E, 76B)	Clip-"U" type-(attach emblem to headlamp cover)	2	375639-S100 (GG370)
	13200-1 LAMP ASSY. - PARKING			
	- A -			
66	A(57F, 63C, D, F, 71A, E, 76B, D)	R.H.	1	C6AZ 13200-B
		L.H.	1	C6AZ 13201-B
66	A(57F, 63C, D, F, 71A, E, 76B, D)-ornament assy. (dummy parking lamp)	R.H.	1	C6AZ 13200-D
		L.H.	1	C6AZ 13201-D
68	A	R.H.	1	C8AZ 13200-B
		L.H.	1	C8AZ 13201-B
69/70	A	R.H.	1	D0AZ 13200-A
		L.H.	1	D0AZ 13201-A
71	A	R.H.	1	D2AZ 13200-B
		L.H.	1	D1AZ 13201-A
72	A	R.H.	1	D2AZ 13200-B
		L.H.	1	D2AZ 13201-B
	- B -			
68/69	B(exc. Talladega)	R.H.	1	C8OZ 13200-E
		L.H.	1	C8OZ 13201-E
69	B(Talladega)	R.H.	1	C9TZ 13200-B
		L.H.	1	C9TZ 13201-B
	B(66)	R.H. -bumper mounted	1	C9OZ 13200-C
		L.H.	1	C9OZ 13201-C
70	B	R.H.	1	D0OZ 13200-A
		L.H.	1	D0OZ 13201-A
71	B	R.H.	1	D1OZ 13200-A
		L.H.	1	D1OZ 13201-A
72	B	R.H.	1	D2OZ 13200-A
		L.H.	1	D2OZ 13201-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13200-1 LAMP ASSY. - PARKING - continued			
	- F -			
67/68	F	R.H. & L.H.	2	C8ZZ 13200-B
69	F(except GT350/500)	R.H.	1	C9ZZ 13200-A
		L.H.	1	C9ZZ 13201-A
69	F(GT350/500)	R.H.	1	C9WY 13200-A
		L.H.	1	C9WY 13201-A
70	F	R.H.	1	D0ZZ 13200-A
		L.H.	1	D0ZZ 13201-A
70	F (63C)	R.H. -"Sport light" -located in grille	1	D0DZ 13200-C
		L.H.	1	D0DZ 13201-C
71/	F(63D,R,65D,76D)	R.H. & L.H.-mounted in grille	2	D1ZZ 13200-B
71/72	F "Before 1/15/72"	R.H.	1	D1ZZ 13200-A
		L.H.	1	D1ZZ 13201-A
72	F "From 1/15/72"	R.H.	1	D2ZZ 13200-A
		L.H.	1	D2ZZ 13201-A
	- L -			
71/	L	R.H.	1	D1FZ 13200-A
		L.H.	1	D1FZ 13201-A
	- P -			
70	P	R.H.	1	D0DZ 13200-B
		L.H.	1	D0DZ 13201-B
71/	P	R.H.	1	D1DZ 13200-B
		L.H.	1	D1DZ 13201-B
71/72	P(62A,D,54A)	R.H.-located in grille	1	D2DZ 13200-A
		L.H.	1	D2DZ 13201-A
	- S -			
65	S	R.H.	1	C4SZ 13200-B
		L.H.	1	C4SZ 13201-B
66	S	R.H.	1	C6SZ 13200-A
		L.H.	1	C6SZ 13201-A
67	S	R.H.	1	C7SZ 13200-A
		L.H.	1	C7SZ 13201-A
68	S	R.H.	1	C8SZ 13200-A
		L.H.	1	C8SZ 13201-A
69	S	R.H. & L.H.	2	C9SZ 13200-A
70	S	R.H. & L.H. mounted vertically in grille	2	D0SZ 13200-B
70	S "Before 12/15/69"	R.H.	1	D0SZ 13200-A
		L.H.	1	D0SZ 13201-A
70/71	S "From 12/15/69"	R.H.	1	D1SZ 13200-A
		L.H.	1	D1SZ 13201-A
71	S(65A,B)	R.H. & L.H.-mounted vertically in grille	2	D1SZ 13200-B
72	S	R.H.	1	D2SZ 13200-B
		L.H.	1	D2SZ 13201-B
	- U -			
66/68	U	R.H. & L.H.	2	C6TZ 13201-A
69/70	U	R.H.	1	C9TZ 13200-B
		L.H.	1	C9TZ 13201-B
71/72	U "Before Ser. N40001"	R.H.	1	D1BZ 13200-A
		L.H.	1	D1BZ 13201-A
72	U "From Ser. N 40001"	R.H.	1	D2BZ 13200-A
		L.H.	1	D2BZ 13201-A
	- X -			
66/67	X	R.H.	1	C6DZ 13200-A
		L.H.	1	C6DZ 13201-A
68/70	X	R.H.	1	C9DZ 13200-A
		L.H.	1	C9DZ 13201-A
66	A(57F,63C,D,F,71A,E,76B,D)	Screw (lamp assy. & ornament assy. to grille)-No. 10-24 x 1/2"	8	★378679-S

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13200-1 LAMP ASSY. - PARKING - continued			
66	A,B,X	Screw (lamp & ret. to bumper)-No. 10-24 x 1/2"	4	40918-S8(U260)
69	A	Bolt-No.8-32 x 7/16"-(attach lamp to bumper)	AR	381881-S (BB541ED)
70	A	Nut-1/4"-20-(attach lamp to bumper bar)	AR	376331-S (MM292B)
66/	B,X	Washer-No. 10	4	34939-S8(X86)
68/69	B(exc.66)	Nut-1/4"-20-(attach lamp to fender)	AR	45234-S(M179)
69	B(66)	Nut-10-24-(attach lamp to bumper)	2	34053-S(M156)
69	F	Screw-No.8-32 x 3/4"-(attach lamp to bumper)	AR	57077-S(B330B)
70	S		AR	
70/	A,F,P		4	
70	F(63C)	Nut-No.-32-(attach lamp to grille)	2	382423-S(MM209P)
70	P	Nut-No. 8-32 hex. hd. (attach parking lamp to fender)	4	55730-S2(M96D)
65	S	Nut (lamp & retainer to bumper)-1/4"-20	4	33795-S7(M49)
		Lockwasher-1/4"	4	34805-S8(X62)
66	S	Nut (lamp to retainer)-1/4"-20	4	45234-S7(M179)
68/	A,B,X	Lamp to fender	4	
70	S	Nut-1/4"-20-(attach vertically mounted lamp)	4	378289-S(MM296)
66/70	U	Nut-No.8-32-(attach lamp to grille)	AR	45253-S(M176)
71	U	Nut-No.8-32 (attach lamp to grille)	4	34653-S(M106X)
71/	U	Screw-No.8-15 x 1/2"-attach parking lamp and ground wire to grille	2	52012-S(U202)
68	X	Screw (lamp to bumper)-No. 8-32 x 1/2"	4	382240-S2 (BB551BM)
	13206-7 BODY ASSY. - PARKING LAMP - Also refer to Group 13210			
	- A -			
65	A	R.H.	1	C5AZ 13206-B
		L.H.	1	C5AZ 13207-B
66	A(54, 57B, 62, 63B, 71B, C, D, 76A)	R.H.	1	C6AZ 13206-A
		L.H.	1	C6AZ 13207-A
67	A	R.H.	1	C7AZ 13206-A
		L.H.	1	C7AZ 13207-A
68/	A	Serviced in 13200-1 assy.		
	- B -			
65	B	R.H.	1	C5OZ 13206-A
		L.H.	1	C5OZ 13207-A
66/67	B	R.H.	1	C6OZ 13206-A
		L.H.	1	C6OZ 13207-A
68/	B	Serviced in 13200-1 assy.		
	- F -			
65/66	F	R.H.	1	C5ZZ 13206-B
		L.H.	1	C5ZZ 13207-B
	- S -			
67	S	R.H. - not replaced	1	★C7SZ 13206-A
		L.H.	1	C7SZ 13207-A
68/	S	Serviced in 13200-1 assy.		
	- U -			
66/68	U	R.H.	1	C6TZ 13206-A
		L.H.	1	C6TZ 13207-A
	- X -			
65	X	R.H.	1	C4DZ 13206-A
		L.H.	1	C4DZ 13207-A
66/67	X	Serviced in 13200-1 assy.		
65/66	A	Screw (body to radiator grille)-No. 10-24 x 1 1/2"	4	40918-S8(U260)
		Screw (body and headlamp housing to inner headlamp housing mounting bracket)	2	
65	A	Washer-No. 10	6	34939-S8(X86)
66	A(54, 57B, 62, 63B, 71B, C, D, 76A)	Screw (lamp to grille assy. & outer radiator grille support)-No. 10-12 x 1/2"	4	52727-S(U382)
		Nut-No. 10-12	4	45188-S8(M141A)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13206-7 BODY ASSY. - PARKING LAMP - continued			
67	A	Nut-No.8-32" (attaches lamp body to fender)	2	374202-S(MM310)
65/67	B, X	Clip (socket & wiring to front fender apron & radiator support)-Nylon	AR AR	★376801-S
65/67	F, X	Nut (body & retainer to bumper arm)-No. 10-24	4	45243-S8(M178)
65/67	F	Stud (lamp and retainer to front bumper stone deflector extension)-No. 10-24 x 1	4	379287-S40(WW5C)
65/67	S	Clip (socket wire to bumper end brace)	2	372046-S100 (GG186)
66/69	U	Nut-No.8-32 (attach park lamp body to fender)	2	45253-S(M176)
65	X	Lockwasher-No. 10	4	34803-S7(X60)
	13208-9 LENS - PARKING LAMP			
	- A -			
65	A	Clear-includes attaching parts	2	C5AZ 13208-A
66	A(54, 57B, 62, 63B 71B, C, D, 76A)	Clear-includes attaching parts-"remove black tape for vehicles built before 12/6/65"	2	C6AZ 13208-D
	A(57F, 63C, D, F, 71A, E, 76B, D)	R. H. -clear-includes attaching parts	2	C6AZ 13208-C
		L. H.	2	C6AZ 13209-C
67	A	R. H. -clear-includes attaching parts	1	C7AZ 13208-A
		L. H.	1	C7AZ 13209-A
68	A	R. H. -clear-includes attaching parts	1	C8AZ 13208-A
		L. H.	1	C8AZ 13209-A
69/70	A	R. H. -clear-includes attaching parts	1	C9AZ 13208-A
		L. H.	1	C9AZ 13209-A
71/	A	R.H.-clear-includes attaching parts	1	D1AZ 13208-A
		L.H.	1	D1AZ 13209-A
	- B -			
65	B	Amber-includes attaching parts	2	C4OZ 13208-A
65	B	Clear-includes attaching parts	2	C3AZ 13208-B
66/67	B	R. H. -Amber-includes attaching parts	1	C6OZ 13208-A
		L. H.	1	C6OZ 13209-A
68/69	B(exc. Talladega)	R. H. -fender mounted-includes attaching parts	1	C8OZ 13208-B
		L. H.	1	C8OZ 13209-B
69	B(66)	R. H. -Amber-bumper mounted	1	C7TZ 13208-B
		L. H.	1	C7TZ 13209-B
69	B(Talladega)	R. H. & L. H.	2	D1UZ 13208-A
70	B	R.H.-clear-includes attaching parts	1	D0OZ 13208-A
		L. H.	1	D0OZ 13209-A
71	B	R.H.-Amber-includes attaching parts	1	D1OZ 13208-A
		L.H.	1	D1OZ 13209-A
72	B	R.H. & L.H.-Amber-includes attaching parts	2	D2OZ 13208-A
	- F -			
65/66	F	Amber-includes attaching parts	2	C5ZZ 13208-A
67/68	F	Clear-includes attaching parts	2	C7ZZ 13208-A
69	F	R. H. -clear-includes attaching parts	1	C9ZZ 13208-A
		L. H.	1	C9ZZ 13209-A
70	F	R.H.-clear-includes attaching parts	1	D0ZZ 13208-A
		L. H.	1	D0ZZ 13209-A
70	F (63C)	R. H. -used in grille mounted lamps	1	C9WY 13208-A
69	F(GT350/500)	R.H.	1	
		L. H.	1	C9WY 13209-A
71/	F	R.H.-Amber-includes attaching parts	1	D1ZZ 13208-A
		L.H.	1	D1ZZ 13209-AA
	- P -			
70	P	R. H.	1	D0DZ 13208-A
		L. H.	1	D0DZ 13209-A
71/	P	R.H.-Amber-includes attaching parts	1	D1DZ 13208-A
		L.H.	1	D1DZ 13209-A
71/	P(62A, D, 54A)	R.H.-used with grille mounted lamps	1	C9WY 13208-A
		L.H.-used with grille mounted lamps	1	C9WY 13209-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
13208-9 LENS - PARKING LAMP - continued				
	- S -			
65	S	Clear-includes attaching parts	2	C3AZ 13208-B
66	S	R. H. -clear-includes attaching parts	1	C6SZ 13208-A
		L. H.	1	C6SZ 13209-A
67	S	R. H. -clear-includes attaching parts	1	C7SZ 13208-A
		L. H.	1	C7SZ 13209-A
68	S	R. H. -clear-includes attaching parts	1	C8SZ 13208-A
		L. H.	1	C8SZ 13209-A
69	S	R. H. & L. H. -clear	2	C9SZ 13208-A
70/71	S	R. H. & L. H. -vertically mounted lamp	2	D0SZ 13208-B
70/71	S	R.H.-clear-includes attaching parts	1	D0SZ 13208-A
		L. H.	1	D0SZ 13209-A
72	S	R.H.-clear-includes attaching parts	1	D2SZ 13208-A
		L.H.	1	D2SZ 13209-A
	- U -			
66/68	U	Clear-includes attaching parts	2	C3AZ 13208-B
69/	U	R.H. & L.H. -Amber	2	D1UZ 13208-A
	- X -			
65	X	Amber-includes attaching parts	2	C3DZ 13208-A
66/67	X	R. H. -Amber-includes attaching parts	1	C6DZ 13208-A
		L. H.	1	C6DZ 13209-A
68/70	X	R. H. -clear-includes attaching parts	1	C8DZ 13208-A
		L. H.	1	C8DZ 13209-A
65/66	A	Screw (lens & gasket to body)-No. 8-18 x 3/4"	4	376328-S(UU67G)
66	S	Screw (lens & gasket to body)	4	
69/	A	Screw (lens to body)-No. 8-18 x 57/64"	4	378179-S(UU81QA)
70/	F, P		2	
65	B, S	Screw (lens & gasket to body)-No. 8-32 x . 62"	4	374209-S(UU69B)
66/	U		4	
66/	B, X	Screw (lens & gasket to body)-No. 8-32 x 3/4"	4	372856-S100(UU79)
69	B(66)	Screw-No.8-18 x 1 7/64"-(attach lens to body)	4	373901-S (UU81QC)
65	F "Before 2/22/65"	Screw-No.8-18 x 1" (lens to body)	4	*378716-S
70	S		AR	
65/66	F "From 2/22/65"	Screw (lens to body)-No. 8-18 x 1 1/8"	4	378374-S100 (UU81E)
69	F	Screw-No.8-18 x 1"-(attach lens to body)	4	376364-S
70	P			(UU56CA)
70	S(sport lamp)	Screw-No.8-18 x 3/4"-(attach lens to body)	4	376389-S(UU82D)
65	X	Screw (lens to body)-No. 8-32 x 1 9/64"	4	370175-S100(UU72)
13210 DOOR - PARKING LAMP - Also refer to Group 13206-7				
67/69	F	R. H.	1	C7ZZ 13210-A
		L. H.	1	C7ZZ 13212-A
70	F (63C)	R. H. -used with sport lamp (located in grille)	1	C9WY 13210-A
69	F(GT350/500)	R.H.	1	
71/	P(62D)	R.H.	1	
70	F(63C)	L.H. -used with sport lamp (located in grille)	1	C9WY 13212-A
69	F(GT350/500)	L.H.	1	
71/	P(62D)	L.H.	1	
67	S	R. H.	1	C7SZ 13210-A
		L. H.	1	C7SZ 13212-A
70/71	S	R. H. & L. H. -vertically mounted lamp	2	D0GY 13210-A
70	S (not required after 12/15/69)	R. H.	1	D0SZ 13210-A
		L. H.	1	D0SZ 13212-A
69	S	R. H. & L. H.	2	C9SZ 13210-A
67/69	F	Screw-No.8-18 x 1" (attach door to fender)	2	52445-S(U317)
70	F(63C)			
70	P	Screw & washer-No.8-32 x 3/4"-pan head-(attach door to parking lamp body)	6	57077-S2(B330B)
70	P	Nut-No.8-32-"J"	6	381664-S2 (MM192AF)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13210 DOOR - PARKING LAMP - continued - Also refer to Group 13206-7			
65	S	Screw - No. 10-12 x 1/2" (socket & wire and clip 377929-S to bumper arm)	2	42127-S8(U248C)
65	S	Clip	2	★377929-S
65	S	Nut-1/4"-20 (attach body to bumper)	2	33795-S (M49)
		Washer-1/4" (attach body to bumper)	2	34805-S(X62)
	13210 BEZEL- PARKING LAMP			
70	F(63C)	R. H.-located in grille	1	D0ZZ 13210-A
		L. H. -located in grille	1	D0ZZ 13212-A
71/72	P(62D)	R.H.-located in grille	1	D0DZ 13210-A
		L.H. -located in grille	1	D0DZ 13212-A
72	P(54A, 62A)	R.H.-located in grille	1	D2DZ 13210-A
		L.H.-located in grille	1	D2DZ 13212-A
70	F(63C)	Screw-No.8-18" (attach bezel to support)	AR	★382064-S
		Nut-No.8-15" (attach bezel to support)	AR	45174-S(M138)
	13211 GASKET - PARKING LAMP LENS			
65	A		2	C5AZ 13211-A
66	A(54, 57B, 62, 63B, 71B, C, D, 76A)		2	C6AZ 13211-A
67	A		2	C7AZ 13211-A
68	A		2	C8AZ 13211-A
69/	A	R.H. & L.H.	2	C9AZ 13211-A
65	B, S		2	C1AB 13211-A
66/68	U		2	
66/67	B		2	C6OZ 13211-A
68/69	B(exc. Talladega)		2	C8OZ 13211-A
69	B(Talladega)	R.H. & L.H.	2	B9C 13211-B
70/71	B	R. H. & L. H.	2	D0OZ 13211-A
72	B	R.H. & L.H.	2	D2OZ 13211-A
65/66	F		2	C5ZZ 13211-A
67/68	F		2	C7ZZ 13211-A
69/70	F	R.H. & L.H.	2	C9ZZ 13211-A
70	F (63C)	R.H.&L.H. (used w/sport lamp located in grill)	2	C9WY 13211-A
69	F(GT350/500)		2	
71/	P(62D)	R.H. & L.H.-with grille mounted lamps	2	
71/	F	R.H. & L.H.	2	D1ZZ 13211-A
70/	P(54A, 62A)	R.H. & L.H.	2	D0DZ 13211-A
67	S	Not replaced	2	★C7SZ 13211-A
68	S	Not replaced	2	★C8SZ 13211-A
69	S	R.H. & L.H.	2	C9SZ 13211-A
70/71	S	R. H. & L. H. -vertically mounted lamp	2	D0GY 13211-B
70/71	S	R. H. & L. H.	2	D0SZ 13211-A
72	S	R.H. & L.H.	2	D2SZ 13211-A
69/	U	R.H. & L.H.	2	B9C 13211-B
65	X		2	C2DB 13211-A
66/67	X		2	C6DZ 13211-A
68/70	X		2	C8DZ 13211-A
	13212 DOOR - PARKING LAMP - Refer to Group 13210			
	13217 PAD - PARKING LAMP BODY TO FENDER			
68	A	R.H.	1	C8AZ 13217-C
	A	L.H.	1	C8AZ 13217-D
68/69	B(exc. Talladega)	R.H.	1	C8OZ 13217-A
		L.H.	1	C8OZ 13217-B
69	B(63)Talladega	R.H. & L.H.	2	C9TZ 13217-A
69/	U		2	
65/66	F	R.H.	1	C5ZZ 13217-A
		L.H.	1	C5ZZ 13217-B
	13220-1 RETAINER - PARKING LAMP			
65	B	R.H.	1	C5OZ 13220-A
		L.H.	1	C5OZ 13221-A
69	B(66)	R.H.	1	C9OZ 13220-A
		L.H.	1	C9OZ 13221-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13220-1 RETAINER - PARKING LAMP - continued			
65/66	F	R.H.	1	C5ZZ 13220-B
		L.H.	1	C5ZZ 13221-B
67/68	F	R.H.	1	C7ZZ 13220-A
		L.H.	1	C7ZZ 13221-A
70	F(63C)	R.H.	1	D0ZZ 13220-A
		L.H.	1	D0ZZ 13221-A
71/	P(62A,D,54A)	R.H. - located in grille	1	D0DZ 13220-A
		L.H. - located in grille	1	D0DZ 13221-A
65	S	R.H. & L.H.	2	C4SZ 13220-A
66	S	R.H. - not replaced	1	★C6SZ 13220-A
		L.H.	1	C6SZ 13321-A
67	S	R.H. & L.H.	2	C7SZ 13220-A
65	X	R.H.	1	C4DZ 13220-A
		L.H.	1	C4DZ 13221-A
70	F(63C)	Screw-1/4"-20 x 49/64" hex.hd.(attach 13220 to radiator support)	4	57472-S(B339V)
		Nut	4	★45263-S
65	S	Screw-No.10-12 x 1/2"	2	42127-S(U248C)
	13234-5 SOCKET and WIRING ASSY. - PARKING LAMP			
66	A(54,57B,62,63B,71B,C,D,76A)- "Before 12/13/65"	R.H.	1	C6AZ 13234-A
66	A(57F,63C,D,F,71A,E,76B,D)		1	
66	A(54,57B,62,63B,71B,C,D,76A)- "Before 12/13/65"	L.H.	1	C6AZ 13235-A
66	A(57F,63C,D,F,71A,E,76B,D)		1	
66	A(54,57B,62,63B,71B,C,D,76A)- "From 12/13/65"	R.H.	1	C6AZ 13234-B
		L.H.	1	C6AZ 13235-B
71/	F	R.H. and L.H. -service replacement-plugs into 14290 for grille lamps	AR	D1ZZ 13234-A
71/	L	R.H. or L.H.	2	D1FZ 13234-A
	13241 SPACER - PARKING LAMP			
69	B	Also used with 13008 assy.	AR	C8OZ 13241-A
70/71	S	Used with 13064 head lamp door	AR	
	13A253 RELAY ASSY. - PARKING LAMP			
71/	P(62A,D,54A)		1	D1DZ 13A253-A
72	L		1	
70/71	S	Used with vertically mounted lamp	1	D0SZ 13A253-A
	13A254 SWITCH ASSY. - SPORT LAMP			
70	F(63C)	Located in grille	1	D0ZZ 13A254-A
71	P(62D) "Before 12/7/70"	Located in grille (includes knob)	1	D1DZ 13A254-A
	P(62D) "From 12/7/70"	Located in grille (includes knob)	1	D1DZ 13A254-B
72	P(62A,D,54A)	Located in grille (includes knob)	1	D2DZ 13A254-A
70	F(63C)	Nut-1/2"-28 thin	1	356098-S(MM122A)
	13256 BRACKET - PARKING LAMP MOUNTING			
69	B(Talladega)		2	C9OZ 13256-A
70/71	B	R.H.	1	D0OZ 13256-A
		L.H.	1	D0OZ 13256-B
71/	P(62A,D,54A)	Located in grille	2	D3DZ 13256-A
70	F (63C)	R.H. & L.H. -used to retain sport lamp located in grille	2	
70	F(63C)	Screw-No.8-18 (attach bracket to retainer)	10	★382064-S
		Spring nut-No.8-18 (attach bracket to retainer)	6	381765-S(MM275E)
70	P	Screw & washer-No.8-32 x 3/4"-pan head- (attach bracket to retainer)	4	57077-S2(B330B)
70	P	Nut-No.8-32-"J"	4	381664-S2 (MM192AF)
	13A256 KNOB ASSY. - PARKING LAMP SWITCH			
70	F(63C)	"Sport lamps" located in grille	1	D0ZZ 13A256-A
70	F(63C)	Set screw-No.8-32 x 1/4" socket head	1	375504-S(UU28A)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13B301 BUSHING - TURN INDICATOR CONTROL			
71/	A, F, S-with tilt steering column		1	D1AZ 13B301-A
67	S	Not replaced	1	★C7SZ 13B301-A
67	F-with tilt steering column		1	
68/71	S		1	C7SZ 13B301-E
68/71	F-with tilt steering column		1	
69/71	A-with tilt steering column		1	
	13B302 SWITCH ASSY. - TURN and EMERGENCY WARNING INDICATOR - Refer to Group 13341			
	13305 LEVER ASSY. - TURN INDICATOR - Also refer to Group 13310			
65/66	A, F		1	D0AZ 13305-A
67/69	A, F(exc. speed control)		1	
70/	A, F, L, P		1	
65/	B		1	
65/70	X		1	
67/	U		1	
65/69	S		1	
70	S(exc. speed control)		1	
71/	S		1	
67/69	A, F(with speed control)		1	D1VY 13305-A
70	S(with speed control)		1	
	13B308 WIRE ASSY. - TURN INDICATOR EXTENSION			
69	B (Talladega)	Turn signal and marker lamps	2	C9OZ 13B308-A
69/71	F	Hood mounted turn signals - #C9ZB 13B308-A	1	C9ZZ 13B308-A
	13310 HANDLE - TURN INDICATOR SWITCH - Also refer to Group 13305			
65	S	1/4"-28 threaded end	1	C2SZ 13310-A
	13B313 RETAINER - FRONT TURN INDICATOR LAMP			
68	U		1	C8TZ 13B313-A
	13318 CAM - TURN INDICATOR TURN OFF			
65/66	A (except 63D, 76D-"7 Litre")		1	C3AZ 13318-B
66	B(except Deluxe wheel)			
66	X		1	
69	A-with tilt steering column		1	C9AZ 13318-A
71/	A, B, F, L, P, S		1	D0AZ 13318-A
65	B		1	C2OZ 13318-B
65/66	S		1	C4SZ 13318-A
67/69	S		1	C7SZ 13318-B
67	F-w/tilt strg. column (non-collapsible)		1	
68/69	F-with tilt steering column		1	
68	A-with tilt steering column		1	
70/	U		1	C7OZ 13318-A
65	X		1	C3DZ 13318-B
65/66	F		1	
66	B(with Deluxe wheel)	Used with woodgrain wheel	1	
66/70	U		1	
66	A (63D, 76D)"7 Litre"		1	
	13A318 WIRE ASSY. - TURN INDICATOR JUMPER - Unless listed improvise from B6A 14296-C wire			
68/	U	Fender mounted turn signals	2	C8TZ 13A318-A
	13A326 PAD - TURN INDICATOR LAMP MOUNTING			
65/69	A, B, F, X, S		2	C5AZ 13A326-A
	13327 RETAINER - TURN INDICATOR SWITCH WIRE - Not supplied - Improvise			
	13328 LENS - FRONT TURN INDICATOR LAMP-FRONT			
68	B(66)	Amber	2	C8OZ 13328-A
	13330 GASKET - FRONT TURN INDICATOR LAMP LENS			
68	B(66)		2	C1TF 13330-A
	13332 PAD - FRONT TURN INDICATOR LAMP			
68	U	R. H.	1	C8TZ 13332-A
		L. H.	1	C8TZ 13332-B

Identification Marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13340 LENS - INSTRUMENT PANEL TURN INDICATOR LAMP			
71/	A		2	D1AZ 13340-A
67/68	B, F	Screw-No. 8-18 x 7/16" (attach lens to lamp)	2	375731-S(UU81P)
69/ 71	B, F	Used with hood mounted turn indicator lamps-includes attaching parts	2	C9ZZ 13340-A
65	F, X		1	C2AZ 13340-A
67/68	F	Used with hood mounted turn indicator lamps-includes attaching parts	2	C7ZZ 13340-A
65	S	R. H. -parking lamp	1	C4SZ 13340-A
		L. H. -parking lamp - not replaced	1	★C4SZ 13340-B
66/	U	Turn signal	2	C1TF 13340-B
	13341 SWITCH and MOUNTING PLATE ASSY. - TURN INDICATOR			
	- A -			
65	A-with moveable steering column		1	C5AZ 13341-D
65	A(except moveable strg. column)	#C5VA 13341-D	1	C5VY 13341-B
66	A		1	
67	A	Incl. emer. warning switch #C7AA 13B302-B,C	1	C7ZZ 13341-F
68/69	A-with fixed steering column	#C9AA 13B302-A,B,C,D,E,F,C8AA 13B302-A,B	1	C9AZ 13341-B
68/69	A-with tilt steering column	#C8MA 13B302-A, #C9MA 13B302-A,B	1	C9MY 13341-A
70/	A-with fixed column	#D0AA 13B302-J,L,D0ZA 13B302-C, D2AA 13B302-AA,AB,D1AA 13B302-AC,AD, CC,CD,D2AA 13B302-AA,AB	1	D2AZ 13341-C
70/	A-with tilt column	#D0AA 13B302-K,M,T,D0ZA 13B302-D, D1AA 13B302-BD,DC,DD,ED D1AA 13B302-BD,D2AA 13B302-AA,BB	1	D2AZ 13341-D
	- B -			
65	B(exc. floor shift)	#C5OA 13341-B,C	1	C5OZ 13341-B
65	B-with floor shift	#C5VA 13341-D	1	C5VY 13341-B
66	B		1	
67	B	Incl. emer. warning switch #C7OA 13B302-A,B #C7ZA 13B302-D,F	1	C7ZZ 13341-F
68/69	B-with fixed steering column	#C8OA 13B302-B,C9AA 13B302-A,B,C,D,E,F, C9OA 13B302-A,B,D,E,F	1	C9AZ 13341-B
70/71	B	#D1AA 13B302-AA,AB,CB,D1ZA 13B302-CA,DA - D2ZA 13B302-AA,AB,D0ZA 13B302-C, D0AA 13B032-J,L,N,S,D2AA 13B302-AA,AB	1	D2AZ 13341-C
72	B	#D2OB 13B302-AE,CA,CB,D3OB 13B302-BA - NOTE 1	1	D3OZ 13341-A
	- F -			
65	F-generator		1	C3OZ 13341-B
65/66	F-with Alternator	#C5OA 13341-B,C	1	C5OZ 13341-B
67	F-with fixed strg. column	Incl. emer. warning switch #C7ZA 13B302-D,F	1	C7ZZ 13341-F
	F-with tilt strg. column	Incl. emer. warning switch #C7ZA 13B302-C,E	1	C7ZZ 13341-E
68	F-with fixed steering column	#C8SA 13B302-D	1	C8SZ 13341-A
	F-with tilt steering column		1	C8ZZ 13341-B
69	F-with fixed steering column	#CBAA 13B302-A,B,C9AA 13B302-A,B,C,D,E, F,#C9ZA 13B302-C,D,E,H,J,L	1	C9AZ 13341-B
	F-with tilt steering column	#C9ZA 13B302-B,F,K	1	C8SZ 13341-B
70	F-with tilt column	#D0AA 13B302-K,M,T,R,D0ZA 13B302-D	1	D2AZ 13341-D
70/	F-with fixed steering column	#D1AA 13B302-AA,AB,CB,CD,DA #D1ZA 13B302-CA,D2ZA 13B302-AA,AB, D0ZA 13B302-C,D0AA 13B302-J,L,S, D2AA 13B302-AA,AB	1 1	D2AZ 13341-C

Identification Marking NOTE 1 - When using D3OZ 13341-A to service prior model years it is necessary to enlarge emergency flasher button hole in flange.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13341 SWITCH and MOUNTING PLATE ASSY. - TURN INDICATOR - continued			
	- F -			
71/72	F-with tilt steering column	#D1AA 13B302-BA, BB, BC, DB, #D1ZA 13B302-AA, BA, ED-D1ZA 13B302-AA, D2ZA 13B302-BA, BB	1	D2AZ 13341-D
	- L -			
71/	L	#D1AA 13B302-AB, CB, D2ZA 13B302-AA, AB	1	D2AZ 13341-C
	- P -			
70	P (without locking steering column)	#C9OA 13B302-F	1	C9AZ 13341-B
70	P(with locking steering column)	#D0DA 13B302-C, D, #D0OA 13B302-A, B, C,	1	D2DZ 13341-B
71/	P	D1DA 13B302-AA, AB, AC, BA, BC, D2DA 13B302-AB, BA, BB	1	
	- S -			
65/66	S(exc. with speed control)		1	C5SZ 13341-B
66	S(with speed control)		1	C6SZ 13341-B
67	S(exc. with speed control)	Incl. emer. warning switch #C7SA 13B302-G, J	1	C7SZ 13341-E
	S-with speed control	Incl. emer. warning switch #C7SA 13B302-H, K	1	C7SZ 13341-F
68	S-w/fixed steering column(non-transistorized)	#C8SA 13B302-D	1	C8SZ 13341-A
	S-without speed control-with tilt column	#C8SA 13B302-B	1	C8SZ 13341-B
	S-with speed control-with tilt column	#C8SA 13B302-C	1	C8SZ 13341-C
69	S-with fixed steering column	#C9SZ 13B302-D, E, F, J, K, N, R, S, T	1	C9SZ 13341-A
	S-with tilt steering column (w/o speed control)	#C9SA 13B302-B, L, U	1	C9SZ 13341-B
	S-with tilt steering column (w/speed control)	#C9SA 13B302-C, M, V	1	C9SZ 13341-C
70/71	S-with fixed steering column	#D0SA 13B302-C, E, J, L, D1SA 13B302-AA, AB, AC, CA, CB, CC	1	D1SZ 13341-A
	S-with tilt steering column	#D0SA 13B302-D, K, M, R, T, ED-#D1SA 13B302-BA, BB, DA, DB, DC, ED-D1SA 13B302-BC	1	D1SZ 13341-B
72	S-with fixed column "Before 12/13/71"	#D2SA 13B302-CA	1	D2SZ 13341-B
	S-with fixed column "From 12/13/71"	#D2SB 13B302-CB	1	D3SZ 13341-A
	S-with tilt column	#D2SB 13B302-AE, AF	1	D2SZ 13341-C
	- U -			
66/70	U "Before Ser. 50, 001"	#C5OA 13341-B, C	1	C5OZ 13341-B
70/	U "From Ser. 50, 001"	#D0TA 13341-B	1	D0TZ 13341-C
	- X -			
65	X	#C5OA 13341-B, C	1	C5OZ 13341-B
66	X		1	C5VY 13341-B
67	X	#C7ZA 13B302-DF, #C7OA 13B302-A, B	1	C7ZZ 13341-F
68/70	X	#C8OA 13B302-B, C9OB 13B302A, B, D, E, F	1	C9AZ 13341-B
65	A	Clip(wiring to brake pedal support)	1	358350-S(GG172)
65/66	A	Screw (switch & mounting plate lead wires to steering column tube)-No.10-16 x 3/8"	2	42120-S8(U248)
67	A	Screw(switch to steering column flange)-	3	379203-S2
70/	P, L	No.8-18 x 1/2"	3	(UU81M)
65	F-with generator	Screw (switch & mounting plate to steering column tube flange)-No. 8-32 x 1/2"	3	51764-S8(U366)
65/66	F-with alternator	Screw (switch & mounting plate to steering column tube flange)-No. 8-18 x .75"	3	376389-S100 (UU82D)
66	A, B, S, X	(switch & mounting plate to steering column tube flange)	3	
71/	F, L	Screw 1/4"-14 x 1/2" (attach turn signal lead wires to steering column)	AR	55981-S(U254E)
	13A341 WIRING ASSY. - TURN INDICATOR and HORN			
67	A	#C7AB 13A341-A -Not replaced	1	★C7AZ 13A341-A
	13349 BEZEL - TURN INDICATOR LAMP			
69/70	F	Used with hood mounted turn indicator	2	C9ZZ 13349-A
69/70	B		2	

Identification marking

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	13350 FLASHER ASSY. - TURN INDICATOR				
		DESCRIPTION			
65/70	A	Emergency warning-flasher	SF-552-B	1	D1FZ 13350-A
65/70	X			1	
66/	B			1	
65/	F			1	
66/	U			1	
66	S (with safety package)			1	
65/68	S			1	
70/	L, P			1	
71	A(71) with cornering lamps			1	
71	A(exc. 53H, K, 57H, K, 65H, K, 76)			1	
71	S			1	
72	A(54, 65D, F, 57F, 71B, D, F)			1	
66/68	A(71)	Turn signal flasher	SF-323	1	C6AZ 13350-B
68/70	X(71)			1	
66/69	B(71)			1	
71	A(except cornering lamps)			1	
71	F			1	
72	A(except cornering lights and/or trailer towing)			1	
72	B			1	
72	F, S(except trailer towing)			1	
66	A(with seat belt & parking brake warning lights)	Not used with emergency warning system - not required on units built after 3-1-66	SF-554	1	C6AZ 13350-C
65	A, B, F, S	Turn signal flasher-	SF-224	1	C5AZ 13350-B
66/68	A(except 71)			1	
69	A			1	
66/69	B(except 71)			1	
66/69	F, U			1	
66	S			1	
65/67	X			1	
68/70	X(except 71)			1	
72	L			1	
72	P			1	
70	A, B, F, P	Turn signal flasher	SF-228-S	1	D0AZ 13350-C
71	B(66, 71)			1	
71	L, P			1	
70/	U			1	
71	A(exc. 71)-with cornering lamps	Turn signal flasher	SF-325	1	D0MY 13350-A
71	B(except 66, 71)			1	
72	A(with cornering lights exc.trailer towing)			1	
65/66	S (sequential flasher)	Flasher & wiring assembly	SF-100	1	C5SZ 13350-A
67/68	S (sequential flasher) "Before 11/6/67"		SF-103	1	C7SZ 13350-C
68/69	S(electro mechanical sequential flasher)- "From 11/6/67 to 10/15/68"	Mounted in luggage compartment	SF-107	1	C8SZ 13350-A
69	S (transistorized sequential flasher)- "From 10/15/68"	Turn signal flasher	SF-113	1	D0WY 13350-A
69/70	S "Before 12/29/69"			1	
70/71	S "From 12/29/69"	Turn signal flasher	SF-429-C	1	D0WY 13350-C
69/70	S	Emergency warning flasher	SF-552-L	1	D0VY 13350-A
71	A(53, 57H, H, 65H, K, 76)			1	
72	A(53, 57H, K, 65H, K, 71H, 76)			1	
72	S			1	
65	S(76)	Screw (ground wire of flasher to rear seat back spring support reinforcement)-No.14-14 x 1/2"		1	31497-S8(U254)
65	S(76)	Screw (flasher to rear seat back spring support reinforcement)-No. 10-12 x 1"		2	42152-S7(U251)
65	S(63)	(flasher to rear floor access hole cover)		2	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13350 FLASHER ASSY. - TURN INDICATOR - continued			
65	S(76)	Lockwasher-1/4"	1	34940-S7(X88)
65	S	Screw (flasher and relay to mounting bracket)-1/4"-20 x 3/4"	4	20344-S8(B42)
65	S	Nut-1/4"-20	4	34055-S8(M158)
65	S	Lockwasher-1/4"	2	34940-S7(X88)
	13A350 SWITCH ASSY. - EMERGENCY WARNING - Also refer to Group 15B590			
65	A(except speed control), B, F, X	Includes bracket	1	C5AZ 13A350-A
65	A(with speed control)	Includes bracket-not replaced	1	★C5AZ 13A350-B
65/66	A (with safety package)	See Group 15B590		
66	A, B, F, X "Before 3/1/66"	Includes bracket-with wire	1	C6AZ 13A350-A
66	A, B, F, X "From 3/1/66"	Includes bracket-without wire	1	C6AZ 13A350-D
65	S	Not replaced	1	★C4SZ 13A350-B
65/66	S(63A, 76)-with safety package		1	C5SZ 13A350-C
66	S(63C, D)-with safety package	In roof console	1	C6SZ 13A350-A
66	U "From Ser. 858, 001"		1	C6TZ 13A350-A
66	U "Before Ser. 858, 001"	Refer to basic group 15B590		
67	U "From Ser. A28, 001"		1	
67	U "Before Ser. A28, 001"	Refer to basic group 15B590		
68/72	U "Before Ser. P40, 001"		1	D0TZ 13A350-A
72	U "From Ser. P40, 001"		1	D3BZ 13A350-A
65	A, B, F, X	Nut-1/2"-27-(attach switch to bracket)	1	370679-S(MM41B)
		Screw-No.10-24 x 7/16"-(attach switch & bracket to instrument panel)	2	350002-S(B529)
		Nut-No.10-24	2	34053-S(M156)
66	A.B.F.X	Screw-No.10-24 x 21/32"-(attach switch & bracket to instrument panel)	2	378148-S(BB29)
		Nut-No.10-24	2	34053-S(M156)
66	S(63C, D)-with safety package	Screw (switch to retainer assembly warning indicator lamp)-No. 4-24 x 3/8"	2	52536-S8(U225)
	13351 BRACKET - TURN INDICATOR FLASHER MOUNTING			
65	A, B, X		1	B5A 13351-A
69/71	F(emergency warning) "From 12/2/68"		1	
70	P "Before 12/22/69"		1	
65	F-with generator		1	
71	P		1	
68/71	A, B, F, L, X, U	Use for turn signal flasher	1	C1TZ 13351-B
65/	S	(1) emergency warning syst. (1) transistorized	2	
70	P "From 12/22/69"	turn signal	1	
71	B	Emergency warning	1	
71/	F	Used with emergency warning system	1	D1ZZ 13351-A
65/67	S (sequential flasher)	Used with relay & flasher assembly - Not replaced	1	★C5SZ 13351-A
65	A		1	
66/69	U	Also used with emergency warning system	1or2	
65	F-with alternator		1	
66/69	A, B, X	Used with emergency warning system	1	
67	B, X	Used for turn signal flasher	1	
66/67	F	Used for turn signal flasher-not required on units built after 2/14/66	1	
66	A(with seat belt & parking brake warning lights)	Not used with emergency-warning system -not required on units built after 3-1-66	1	
66/69	F "Before 12/2/68"	Used with emergency warning system	1	
65	A	Screw(bracket to instrument panel)-No.8-32 x 1/2"	1	51764-S8(U366)
		Nut-No. 10	2	34079-S7(M163)
		Flatwasher-No. 10	2	44713-S8(X13)
66	A, B, F, X-with emergency warning system	Screw (brkt.to instrument panel-w/glove compt.) No. 10-24 x 7/16"	1	374067-S100 (BB637D)
		Nut-No. 10-24	1	34053-S8(M156)
		Lockwasher-No. 10-32	1	34903-S8(X96)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13351 BRACKET - TURN INDICATOR FLASHER MOUNTING - continued			
66	A	Screw-1/4-20 x 1/2"-attach bracket to brake pedal support	1	40927-S(U262)
65	B, X	Screw (bracket to instrument panel reinforcement brace)-No. 10-24 x 3/8"	1	★40515-S8
68/	U			
70/	B			
65	F-with alternator "Before 12/1/64"	Screw-No.8-15 x 5/8"	1	52554-S(U230)
65	S (63)-sequential flasher	Screw (ret. to vent air outlet duct)-No. 8-15 x 3/8"	1	52562-S37(UU228)
		Screw (bracket to rear seat back spring support) No. 10-24 x 5/8"	2	357182-S8(BB639)
		Nut-No. 10-24	2	34053-S8 (M156)
		Flatwasher-No. 10	2	44716-S8 (X15)
66	S(63)-sequential flasher	Screw & washer (brkt. to rear seat back spring support)-No. 10-24 x 1"	2	378315-S2 (BB869)
		Nut-No. 10-24	2	★55731-S2
65/66	S (76)-sequential flasher	Screw (bracket to rear seat back support reinforcement)-No. 10-12 x 1/2"	2	42127-S8(U248C)
65/	S	Screw (retainer to brake pedal suppt. or R.H. cowl side panel)	1	
65/66	S	Screw-1/4"-20 x 5/8"	1	43263-S8(U3)
65/66	S	Screw-1/4"-20 x 1"	1	20384-S8(B43)
	13355 SPRING - TURN SIGNAL HUB			
68/70	S, F-with tilt steering column	R. H.	1	C7SZ 13355-A
69/70	A		1	
72	A, F, S-with tilt steering column	R.H.	1	
68/70	F, S-with tilt column	L. H.	1	C7SZ 13355-B
69/70	A		1	
	13A355-6 LAMP ASSY. - TURN INDICATOR			
65/69	A, B, F, X, S		2	C4SZ 13A355-B
67	B(63D, 76D)	R.H. & L.H.-hood mounted	2	C7OZ 13A355-B
69	B	R.H. & L.H.-hood mounted	2	C9ZZ 13A355-A
69/70	F		2	
67/68	F	R.H. & L.H.-hood mounted	2	C7ZZ 13A355-B
65	S	R. H.	1	C4SZ 13A355-B
		L. H.	1	C4SZ 13A356-B
66	S	R. H.	1	C6SZ 13A355-A
		L. H.	1	C6SZ 13A356-A
		Nut (lamp and pad to fender)-No. 8-32	4	34052-S7(M155)
		Lockwasher-No. 8	4	34802-S7(X59)
67	B	Screw (lamp to hood)-No. 8-32 x 1/2"	2	31061-S(U50)
69/70	B, F	Screw-No. 8-18 x 3/4" (attach lamp to hood scoop)	4	55928-S2(U380A)
69	B	Screw (attach lamp to hood)-No. 8-18 x 3/4"	4	376328-S(UU67G)
69/70	F		4	
67/68	F	Nut (lamp to hood)-No. 10-24	10	353911-S100 (MM191E)
	13A357 WIRING ASSY. - TURN INDICATOR			
67	B(63D, 76D)	Used with hood mounted turn indicator lamps	1	C7OZ 13A357-B
68	B(66)	With marker lamp - Not replaced	1	★C8OZ 13A357-B
69	B	#C9OB 13A357-B-use with hood mounted turn signal lamps-includes sockets	1	C9OZ 13A357-A
69	B	#C9OB 13A315-A-use with hood mounted turn signal lamps extension	1	C9OZ 13A357-B
67/68	F	Used with hood mounted turn indicator lamps	1	C7ZZ 13A357-B
69/70	F	#C9ZB 13A357-B, #D0ZB 13A357-A-use with hood mounted turn signal lamps	1	C9ZZ 13A357-A
68	S	# C8SB 13A357-A - Not replaced	1	★C8SZ 13A357-A
67/68	B	Screw (attach wiring to hood)-No. 8-15 x 3/4"	4	42140-S(U246A)
69	B	Washer (attach wiring to hood)-No. 8	4	34938-S(X85)
		Strap-nylon adjustable (attach 13A357 to 14290)	2	383313-S(YY6)

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A357 WIRING ASSY. TURN INDICATOR - continued			
67/68	B, F	Clip (attach wiring to hood)	4	372302-S(GG264)
69	B	Screw (attach wiring to hood)-No. 8-15 x 1/2"	2	52012-S(U202)
69/70	F		2	
67/68	F	Screw (attach wiring to hood)-No. 10-16 x 3/8"	AR	42120-S(U248)
		Screw (attach wiring to cowl)-No. 12-24 x 1/2"	AR	373615-S(BB624H)
		Washer (attach wiring to cowl)-No. 10	AR	34939-S(X86)
67/68	F	Clip (attach wire to hood panel)	1	377774-S(GG270)
68	F	Screw (attach wiring to dash)-No. 8-18 x 3/4" - pan head	2	376389-S101 (UU82D)
	13A366 RELAY ASSY. - TURN INDICATOR			
68	F(GT 350/500)	Sequential type	2	S8MS 13A366-A
69	F(GT350/500)-transistorized	#C9WB 13335-B	1	C9WY 13A366-A
65/67	S	Front end-at dash panel	1	C5SZ 13A365-C
65/67	S (sequential flasher)	Located in luggage compt. #C6SB 13A366-A	1	C7WY 13A366-A
68	S "Before 11/12/67"	Located at dash panel #C8SB 13A366-B	1	C8SZ 13A366-B
68	S "From 11/12/67"	Located at dash panel #C8SB 13A366-D	1	C8SZ 13A366-D
68	S (sequential flasher) "Before 11/6/67"	Located in luggage compartment #C8SB 13A366-A	1	C8SZ 13A366-A
68	S (sequential flasher) "From 11/6/67"	Located in luggage compt. - #C8SB 13A366-E	1	C8SZ 13A366-E
69	S(sequential flasher)(with auxiliary stop lamp)- "Before 5/1/68"		1	
69/70	S(with auxiliary stop lamp) "From 5/1/68"	Located in luggage compt. #C8WB 13A366-B	1	C8WY 13A366-B
68/69	S	Located at dash panel -used with electro-mechanical turn signal syst. #C8SB 13A366-F	1	C8SZ 13A366-F
69/71	S	Located in luggage compt.- (1) switch & (4) relays #C9WB 13335-B, D0WB 13B331-A, D1WB 13B331-AA	1	D1WY 13A366-A
65	S(63) "Before 9/11/64"	Screw (relay and stoplamp relay to front rear floor pan)-No. 14-10 x 3/4"	3	42143-S8(U255)
65	S(76) "Before 9/11/64"	Screw (relay and stop lamp relay to rear seat back spring support reinforcement)	3	
65/66	S	Screw (relay to relay mounting bracket)-No. 14-14 x 1/2"	2	31497-S8(U254)
	13L366 CONNECTOR ASSY - SEQUENTIAL FLASHER ELIMINATOR			
68	F(GT 350/500)	Used in California - Not replaced	2	★S8MS 13L366-A
	13368 LAMP and RETAINER ASSY. - FRONT TURN INDICATOR			
68	B(66)	Amber lens	2	C8OZ 13368-A
68/	U		2	C8TZ 13368-B
68	B(66), U	Screw-oval head-8/32" x 3/4"	4	381518-S45 (BB601F)
68	B(66), U	Nut-No. 8-32	4	382167-S (MM191X)
68	B(66)	Nut-1/2"-20-(attach lamp to front fender)	2	33943-S(M36)
		Washer-lock-5/8"-(attach lamp to front fender)	2	374223-S (XX348B)
		Grommet	2	★354380-S
	13A368 GASKET - TURN INDICATOR LAMP			
69/70	F	Use with hood mounted turn signal lamps	2	C9ZZ 13A368-A
69	B	Use with hood mounted turn signal lamps	2	

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13376 COVER - TURN INDICATOR SWITCH WIRING - Unless listed - improvise			
68	A-with fixed steering column		1	C8AZ 13376-A
68	A-with tilt steering column		1	C8MY 13376-B
68/70	B, F, X-with fixed steering column	Black	1	C8OZ 13376-A
68	F-with tilt steering column		1	C8ZZ 13376-B
69	F-with tilt steering column		1	C8ZZ 13376-D
70	P		1	D0DZ 13376-A
68/70	S-with fixed steering column		1	C8SZ 13376-A
	13377 CLIP - TURN INDICATOR COVER			
67	A		1	C7AZ 13377-A
69	A-with fixed steering column	Nylon	1	C9AZ 13377-A
69	A-with fixed steering column	Steel	1	C9AZ 13377-B
70	A-with fixed steering column	Steel	1	D0AZ 13377-A
71/	A-with tilt steering column		1	D1AZ 13377-A
71/	F-with tilt steering column		1	D1ZZ 13377-A
71/	L		1	D1FZ 13377-A
67/71	S		1	C7SZ 13377-A
67/70	F-with tilt steering wheel		1	
69/70	A-with tilt steering column		1	
72	S(with tilt steering column)		1	D2SZ 13377-A
69/	A, F, S	Screw-No. 8-32 x 1/2"-attach cover to 3509 tube	AR	51764-S(U366)
	13380 REFLECTOR ASSY. - INCLUDES ATTACHING PARTS			
68	A(except 71)	Red-body side-rear	2	C8AZ 13380-A
68	A(71), B(66), X(54, 62)	R. H. -red-body side-rear	1	C8AZ 13380-B
69	B(66)	R. H.	1	
		L. H.	1	C8AZ 13380-C
		L. H.	1	
69	A(54C, 57F, 63C, 65A, 76B)	Located on lower back panel	1	C9AZ 13380-B
69	A(exc. 54C, 57F, 63C, 65A, 76B)	Refer to Body Group 423A42		
67	B(66)	Red	2	C7DZ 13380-A
68	B(54, 65, 76)	R. H. -red- body side-rear	1	C8OZ 13380-B
		L. H.	1	C8OZ 13380-C
68	B(63)	R. H. -red-body side-rear	1	C8OZ 13380-D
		L. H.	1	C8OZ 13380-E
68	B(71), X(71)	Red-body side-rear	2	C8OZ 13380-F
68/69	B(66)-Pennsylvania only	Red-rear	2	C8OZ 13380-A
68	F "Before 2/15/68"	Body side-rear	2	C8ZZ 13380-A
68	F "From 2/15/68"	Body side-rear	2	C8GY 13380-A
68	S	R. H. body side-rear	1	C8SZ 13380-A
		L. H. body side-rear	1	C8SZ 13380-B
70	S	Red-located on cover-luggage compartment door	1	D0SZ 13380-B
67/69	U	Red-body side-rear at hinge	2	C7TZ 13380-C
67/69	U	Amber-grille	2	C7TZ 13380-D
67	U	Amber-front fender	2	
67	B(66)		2	
69	B(66)	Amber-front fender	2	
68/69	U	R. H. -red-body side	1	C8TZ 13380-A
		L. H.	1	C8TZ 13380-B
68/69	U	R. H. -amber-front fender	1	C8TZ 13380-C
		L. H.	1	C8TZ 13380-D

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13380 REFLECTOR ASSY. - INCLUDES ATTACHING PARTS - continued			
70/	U-with sport package	R. H. -Rear "red"-includes attaching parts and-Bezel - also used with spare tire carrier	1	D0TZ 13380-A
		L. H. -Rear "red"-includes attaching parts and-Bezel	1	D0TZ 13380-B
70/	U-without sport package	R. H. -Rear "red"-includes attaching parts - less Bezel	1	D0TZ 13380-C
		L. H. -Rear "red"-includes attaching parts-less Bezel	1	D0TZ 13380-D
65/66	X(66,78)	Amber-round	2	C4TZ 13380-A
66	X(66)	Red-round	2	C4TZ 13380-B
68	X-Falcon emblem	R. H. -front fender	1	C8DZ 13380-A
		L. H.	1	C8DZ 13380-B
	X(289)	R. H. -front fender	1	C8DZ 13380-C
		L. H.	1	C8DZ 13380-D
	X(302)	R. H. -front fender	1	C8DZ 13380-E
		L. H.	1	C8DZ 13380-F
68	A(71), B(66,71), X(54,62,71)	Nut-1/8" stamped (attach reflector to quarter panel)	4	375890-S (MM222A)
68	A(exc.71), B(exc.71)	Screw-No.8-18 x 3/4"-(attach reflector to rear lamp extension)	4	376328-S(UU67G)
67	B(66)	Screw-No.8-18 x 3/4"-(attach reflector to body)	2	375454-S (BB639E)
		Nut-No.8 or 10-(attach reflector to body)	2	376309-S (MM216N)
67/69	U	Screw (attach reflector to grille)-No. 8-15 x 1 1/2"	2	32957-S(U341B)
67/69	U	(attach reflector to front fender & back panel)	2	
		Nut-"U" type-No. 8-15	2	45174-S(M138)
		Nut-No. 8 or 10	2	376309-S (MM216N)
68/69	U	Nut-crown-No. 8-32	2	382147-S100 (MM118H)
68	X	Nut-spring-No. 8-18 (reflector to grille)	4	381765-S2 (MM275E)
65	X(66,78)	Screw (reflector and bracket to tail gate)-No. 14-14 x 1/2"	4	☆52729-S40
		Screw(reflector & brkt. to tail gate)-1/4"-20 x 1/2"	2	50992-S7(U154)
		Nut-1/4"-20-self threading	2	371024-S7(MM286)
65	X(59,66,71,78)	Screw (reflector to rad. grille)-No. 8-32 x 1 1/2"	2	370676-S8(BB61)
		Nut-No. 8-32	2	34052-S(M155)
		Lockwasher-No. 8	2	34938-S8(X85)
66	X(66)	Screw (reflector to tail gate)-No. 8-15 x 3/4"	2	52742-S8(U385)
	13381 BEZEL - BODY SIDE REFLECTOR			
68	F "Before 2/15/68"	Includes attaching parts	2	C8ZZ 13381-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13401 BRACKET - REAR LICENSE PLATE - BOTTOM			
70/71	B(except 66,71)		1	D0OZ 13401-B
	13404-5 LAMP ASSY. - REAR			
	- A -			
68	A(54A, B, E, 57B, 62, 63B, 65C, 76A)		2	C8AZ 13404-H
68	A(54C, 57F, 63C, 65A, 76B)		2	C8AZ 13404-G
68	A(71)		2	C8AZ 13404-F
69	A(except 71)	R.H. & L.H.	2	C9AZ 13404-A
70	A(except 71)	R.H. & L.H.-includes attaching parts	2	D0AZ 13404-C
69/70	A(71)	R.H.-includes attaching parts	1	D0AZ 13404-B
		L.H.-includes attaching parts	1	D0AZ 13405-A
71	A(except 71)	R.H.	1	D1AZ 13404-A
		L.H.	1	D1AZ 13405-A
71	A(53H,K,57H,65H,K,76H)	Center-includes attaching parts	1	D1AZ 13404-C
71/	A(71)	R.H.-includes attaching parts	1	D1AZ 13404-B
		L.H.-includes attaching parts	1	D1AZ 13405-B
72	A(except 71)	R.H.	1	D2AZ 13404-A
		L.H.	1	D2AZ 13405-A
	- B -			
68	B(54, 65, 76)		2	C8OZ 13404-K
68/69	B(71)	Includes attaching parts	2	C8OZ 13404-N
68/69	B(66)	Includes attaching parts-when used in state of Pennsylvania C8OZ 13380-A must also be used	2	C8OZ 13404-M
68/69	B(63)		2	C9OZ 13404-B
69	B(54, 65, 76)	R.H.	1	C9OZ 13404-C
		L.H.	1	C9OZ 13405-B
70	B(54, 57, 62, 63C, H, 65B, C, E, H, 76C)	R.H.-includes attaching parts - r/b D1OZ 13404-E (3/75)	1	★D0OZ 13404-A
		L.H.-includes attaching parts	1	D1OZ 13405-E
70	B(63F, 76F)	R.H.-includes attaching parts	1	D0OZ 13404-B
		L.H.-includes attaching parts	1	D0OZ 13405-B
71	B(54,57,63C,H,65)	R.H.-includes attaching parts	1	D1OZ 13404-E
		L.H.-includes attaching parts	1	D1OZ 13405-E
71	B(63F,76)	R.H.-includes attaching parts	1	D1OZ 13404-D
		L.H.-includes attaching parts	1	D1OZ 13405-D
70/71	B(66,71)	R.H.-includes attaching parts	1	D1OZ 13404-C
		L.H.-includes attaching parts	1	D1OZ 13405-C
72	B(except 71,97)	R.H.	1	D3OZ 13404-D
		L.H.	1	D3OZ 13405-D
72	B(71,97)	R.H. - includes attaching parts	1	D2OZ 13404-B
		L.H. - includes attaching parts	1	D2OZ 13405-B
	- F -			
67	F(GT 350/500)	R.H. & L.H. - less C7WY 13450-B lens - not replaced	2	★S7MS 13404-A
67/68	F(except GT 350/500)		2	C8ZZ 13404-A
69	F	Includes attaching parts	2	C9ZZ 13404-A
70	F "Before 11/24/69"	Includes attaching parts-r/b D0ZZ 13404-B (8/74)	2	★D0ZZ 13404-A
70	F "From 11/24/69"	Includes attaching parts	2	D0ZZ 13404-B
71/	F	R.H. & L.H.	2	D1ZZ 13404-D

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13404-5 LAMP ASSY. - REAR - continued			
	- L -			
71/	L(62,64)-without sport package	R.H.-includes attaching parts-Chrome	1	D1DZ 13404-B
		L.H.-includes attaching parts -Chrome	1	D1DZ 13405-B
71/	L(62,64)-with sport package	R.H.-includes attaching parts - Black	1	D1DZ 13404-A
		L.H.-includes attaching parts - Black	1	D1DZ 13405-A
72	L(73)	R.H.-r/b D4FZ 13404-A (2/74)	1	★D2FZ 13404-A
		L.H.	1	D2FZ 13405-A
	- P -			
70/	P	R.H.-includes attaching parts - Chrome	1	D1DZ 13404-B
		L.H.-includes attaching parts - Chrome	1	D1DZ 13405-B
71/	P(62D)	R.H.-includes attaching parts - Black	1	D1DZ 13404-A
		L.H.-includes attaching parts - Black	1	D1DZ 13405-A
	- S -			
68	S	Assembly-consists of R.H. and L.H. lamps	1	C8SZ 13404-A
69	S	Assembly-consists of R.H. and L.H. lamps	1	C9SZ 13404-D
70/71	S	Assembly-consists of R.H. and L.H. lamps	1	D0SZ 13404-C
72	S	Assembly-consists of R.H. and L.H. lamps - includes attaching parts-r/b D3SZ 13404-A (10/74)	1	★D2SZ 13404-A
	- X -			
68/70	X(54,62)		2	C9DZ 13404-A
68/70	X(71)		2	C9DZ 13404-B
68	A(71)	Screw (attach tail lamp to quarter panel)-No. 10-16 x 1 1/4" long	AR	380049-S103 (UU56AB)
70	A(71)	Nut-1/4"-20 (attach lamp to rear quarter panel)	AR	45234-S (M179)
68	B(63)	Nut & washer (attach lamp to lower back panel)-1/4"-20	8	373556-S100 (BB291F)
70	B	Screw-tapping pan head No.8-18 x 3/4" (attach lamp assy. to quarter panel)	AR	376328-S (UU67G)
71	B(66,71)	Nut-No.8-18-attach lamp to rear quarter panel	8	381924-S (MM248A)
72	B(71,97)	Nut no.8 or 10 nylon insert (attach rear lamp to quarter panel)	AR	383356-S (MM216PA)
69	F	Clip-1/4" -20 x 1 1/4" (attach tail lamp to quarter panel)	8	382764-S2 (BB643CB)
70	A		8	
71/	F	Clip-1/4"-20(attach lamp to lower back panel)	8	
70/	F	Cap-cover stud in rear panel	2	380613-S(DD2)
71/	F	Nut-1/4" -20(attach lamp and clip to lower back panel)	8	383278-S (MM296AG)
71/	L, P	Nut-1/4"-20 (attach lamp to lower panel)	AR	358902-S (MM295V)
66	S	Nut-5/16"-18-attach lamp to lower panel	AR	34392-S (M93)
66	S	Nut-1/4"-20-attach lamp to bumper bar	8	45267-S(M141F)
70/	S	Nut-5/16" -18(attach lamp to lower panel)	AR	382590-S (MM295K)
	13A408 WIRING ASSY. - REAR LAMP			
65/66	F	Extension	2	C4OZ 13A408-A
71	F "Before 11/1/70"	Jumper-5" long not required after 11/1/70	1	D1ZZ 13A408-A
70	S "From 3/2/70	Jumper-not req'd. on units built before 3/2/70-#D0SB 13A412-A	1	D0SZ 13A408-A
70	S "From 3/2/70"	Extension-not req'd. on units built before 3/2/70-#D0SB 12663-A	1	D0SZ 13A408-B
	13K408 WIRING ASSY. - STOP LAMP			
68	F	#C8ZB 13K408-A-use with power disc brakes	1	C8ZZ 13K408-A

Identification Marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A409 WIRING ASSY. - REAR LAMP CONNECTOR			
66	U "Before Ser. 775,001"		1	C1TZ 13A409-AP
66	U "From Ser. 775,001"	#C6TB 13A409-A	1	★C6TZ 13A409-A
67/69	U	#C9TB 13A409-E	1	C9TZ 13A409-D
70	U	#D0BB 13A409-C	1	D0BZ 13A409-A
71/	U	#D1BB 13A409-AA	1	D1BZ 13A409-A
66/	U	Clip-special-attach wiring to lower panel	AR	372049-S (GG209)
		Clip-special-attach wiring to lower panel	AR	371645-S(GG210M)
	13410 SOCKET and WIRING ASSY. - REAR LAMP			
65/68 66 66	A(except 71) B(except 71) X(54, 62)	5.00" long-service repair-may be used for rear lamps and parking lamps	AR AR AR	C5AZ 13410-A
66/68	A(71)	R. H. & L. H.	2	C6AZ 13410-B
70/	A(except 71)	R. H. or L. H. -6" long-service replacement-attaches to 14405 at tail lamp	AR	D0AZ 13410-A
70/	A(71)	R. H. or L. H. -6" long-service replacement-attaches to 14405 at tail lamp top	AR	D0AZ 13410-B
70/	A(71)	R. H. or L. H. -6" long-service replacement-attaches to 14405 at tail lamp bottom	AR	D0AZ 13410-C
69/	A(except N.Y. taxi)	Jumper-6" long-13480 to 14401 #D1AB 13A430-AA	1	D1AZ 13410-A
71/ 71/72	A B(except 66,71,97)	R. H. or L. H. -6" long-service replacement-attaches to 14405 at tail lamp	AR	D1AZ 13410-B
66	B(71)	R. H. & L. H. -7" long	2	C6OZ 13410-A
67	B(66, 71)-except with reflectors		2	C7OZ 13410-A
68/69	B(71)	R. H. & L. H.	2	C8OZ 13410-D
68/69	B(63, 66)	R. H. & L. H.	2	C8OZ 13410-C
70	B(66,71)	R. H. side only-L. H. side part of 14405	1	D0OZ 13410-A
70	B(except 66, 71)	R. H. or L. H. -6" long-service replacement-attaches to 14405 at tail lamp	AR	D0OZ 13410-B
71	B(66,71)	R.H. side only #D1OB 13407-AA	1	D1OZ 13410-A
70/71	B(66, 71)	R. H. or L. H. -6" long-service replacement-attaches to 14405 at tail lamp	AR	D1OZ 13410-B
72	B(97)	R. H. side-tail lamp sockets back-up lamp socket marker lamp socket	1	D2OZ 13410-A
72	B (71,97)	R. H. or L. H. -6" long-service replacement	AR	D2OZ 13410-B
68	F(63)	Main loom to rear lamps	1	C8ZZ 13410-B
68	F(65, 76)	Main loom to rear lamps	1	C8ZZ 13410-A
70	F	R. H. or L. H. -6" long-service replacement-attaches to 14405 at tail lamp	AR	D0ZZ 13410-A
71/	F	R. H. or L. H. -6" long-service replacement-attaches to 14405 at tail lamp	AR	D1ZZ 13410-A
71/	L(62, 64)	R.H. or L.H.-6" long-service replacement-attaches to 14405	AR	D0AZ 13410-B
72	L(73)	R. H. or L. H. 6" long	AR	D2FZ 13410-A
70	S	R. H. or L. H. -6" long-service replacement-attaches to 14405 at tail lamp	AR	D0SZ 13410-A
70	S	R. H. or L. H. -6" long-service replacement-attaches to 14405 at body side lamp rear	AR	D0SZ 13410-B
71	S "Before 10/15/70"	R. H. or L. H. -6" long-service replacement-short base socket at tail lamp	AR	D1SZ 13410-A
71	S "From 10/15/70"	R. H. or L. H. -6" long-service replacement-short base socket at tail lamp	AR	D1SZ 13410-C
71	S "Before 10/15/70"	R. H. or L. H. -6" long-service replacement-long base socket at tail lamp	AR	D1SZ 13410-B
71	S "From 10/15/70"	R. H. or L. H. -6" long-service replacement-long base socket at tail lamp	AR	D1SZ 13410-D
72	S	R. H. or L. H. -6" long-service replacement-2 wires	AR	D2SZ 13410-A
72	S	R. H. or L. H. -6" long-service replacement - 3 wires	AR	D2SZ 13410-B
68/70	X(71)		2	C6OZ 13410-B

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A411 WIRE ASSY. - STOP LAMP SWITCH			
72	B,S	#D2OB13A411-A	1	D2OZ13A411-A
	13412 WIRING & SOCKET - REAR LICENSE LAMP			
70	A		1	D0AZ 13412-A
66	B(71),X(66,71)		1	D0OZ 13412-A
67/69	B(66,71),X(71)		2	
70	B(66,71)		1	
66	B(71),X(66,71)	Clip (socket & wiring to reinf.rear bumper)	1	372046-S100
67	B(66,71),X(71)		2	(GG186)
70/	A,B	Strap-adjustable-attach socket and wiring to rear panel	1	376914-S (XYZ)
70/	A,B	Clip-attach socket and wiring to rear panel	1	372047-S (GG217)
	13A412 WIRING ASSY. REAR LAMP JUMPER			
68	S	To turn signal flasher-not replaced	1	★C8SZ 13A412-A
68	S	To turn signal relay-not replaced	1	★C8SZ 13A412-B
	13A415 SHIELD - REAR LAMP - Also refer to Group 13420			
67	B(71),(66)-except with reflectors	Neoprene	2	C7OZ 13A415-A
	13A418-9 BRACKET - REAR LAMP MOUNTING			
65/66	S	R.H.-lower	AR	C6SZ 13A418-A
65/66	S	L.H.-lower	AR	C6SZ 13A419-A
	13420 PAD - REAR LAMP MOUNTING			
	-A-			
65	A(54A,57,62A,63B,63C,76)		2	C5AZ 13420-A
65	A(54B,54E,62B,62E)		2	C5AZ 13420-B
65	A(71)		2	C5AZ 13420-D
66	A(71)		2	C6AZ 13420-C
66	A(except 71)		2	C6AZ 13420-D
67	A(except 71)		1	C7AZ 13420-A
67	A(71)		1	C7AZ 13420-B
68	A(71)		2	C8AZ 13420-A
69/70	A(71)	R.H.	1	C9AZ 13420-C
		L.H.	1	C9AZ 13420-D
70	A(except 71) "Before 12/1/69"		2	D0AZ 13420-A
70	A(exc.71) "From 12/1/69"		2	D0AZ 13420-B
	-B-			
67	B(66)-with reflectors		2	C6DZ 13420-B
	-F-			
65/66	F		2	C5ZZ 13420-A
67/68	F		6	C7ZZ 13420-A
69	F	Inner	2	C9ZZ 13420-A
69	F	Outer	2	C9ZZ 13420-B
	-L-			
71/	L	R.H. & L.H.	2	D0DZ 13420-B
	-P-			
70/	P	R.H. & L.H.	2	D0DZ 13420-B
	-S-			
69	S		8	C9SZ 13420-A
	-X-			
65	X		2	C4DZ 13420-A
66	X(54,62)		2	C6DZ 13420-C
66	X(66,71)		2	C6DZ 13420-B
67	X(54,62)		2	C7DZ 13420-A
67	X(71)		2	C7DZ 13420-B
68/70	X(54,62)		2	C9DZ 13420-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13422 SUPPORT ASSY. - REAR LICENSE PLATE			
66/67	B(54, 62, 63, 76)		1	C6OZ 13422-A
68/69	B(54, 63, 65, 76)		1	C8OZ 13422-A
69/70	F(GT 350/500)		1	
70/71	B(54, 57, 63, 65, 76)		1	D0OZ 13422-A
72	L(73)		1	D2FZ 13422-A
72	B(except 71,97)	R/b D3OZ 13422-B (4/74)	1	★D2OZ 13422-A
72	S		1	
66/	U		1	D3BZ 13422-A
66/71	B(54, 62, 63, 76)	Bumper (anti-rattle between support and rear license plate)	2	380004-S(CC43)
66/71	B(54, 62, 63, 76)	Screw & washer (support to rear bumper)-1/4"-20 x 3/4"	2	371492-S2(BB569)
		Nut & retainer-1/4"-20	2	358902-S100 (MM295V)
66/	U	Screw-No.10-24 x 1/2"(attach support to tailgate)	AR	51765-S(U370)
	13A424 CLIP - REAR LAMP DOOR RETAINER			
70/	P		16	D0DZ 13A424-A
71/	L		24	
	13A427 WIRING ASSY. - STOP LAMP SWITCH JUMPER - Improvise from B6A 14296-C Wire			
69	S	6" long ‡C9SB 13A427-A	1	C9SZ 13A427-A
	13432 PIN - REAR LICENSE PLATE SUPPORT HINGE			
66/	B(54, 62, 63, 65, 76)		2	C6OZ 13432-A
	13434-5 BODY ASSY. - REAR LAMP - Also refer to Group 13440			
	- A -			
65	A(71)		2	C5AZ 13434-A
65	A(54B, 54E, 62B, 62E)		2	C5AZ 13434-B
	- B -			
65	B(54, 62, 65)	R.H.	1	C5OZ 13434-A
		L.H.	1	C5OZ 13435-B
65	B(71)	R.H.	1	C5OZ 13434-B
		L.H.	1	C5OZ 13435-A
66	B(71)		2	C6OZ 13434-A
67	B(66)-with reflectors		2	C7DZ 13434-D
	- F -			
65/66	F		2	C5ZZ 13434-A
68	F(65) GT/CS	R.H.	1	C5SZ 13434-B
69	F(GT 350/500)	R.H.	1	
		L.H.-not replaced	1	★C5SZ 13435-B
	- S -			
65	S	R.H.	1	C5SZ 13434-B
		L.H.	1	C5SZ 13435-B
66	S	R.H. & L.H.	2	C6SZ 13434-A
66	S	Center	1	C6SZ 13434-B
	- U -			
66	U	R.H.-rectangular	1	C4TZ 13434-B
		L.H.-rectangular	1	C4TZ 13435-B
67/70	U	R.H.-r/b D4UZ 13434-A (10/74)	1	★C7UZ 13434-C
		L.H.	1	C7UZ 13435-C
71/72	U "Before Ser. N40, 001"	R.H.-r/b D4UZ 13434-A (10/74)	1	★D0UZ 13434-A
		L.H.	1	D0UZ 13435-A
72	U "From Ser. N40, 001"	R.H.-r/b D4UZ 13434-A (10/74)	1	★D2UZ 13434-A
		L.H.-r/b D4UZ 13435-A (10/74)	1	★D2UZ 13435-A

‡ Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13434-5 BODY ASSY. - REAR LAMP - continued - Also refer to Group 13440			
	- X -			
65	X(54,62,63,76)		2	C4DZ 13434-A
65	X(59,66,71,78)		2	C4DZ 13434-B
66	X(66,71)-without back-up lamps		2	C6DZ 13434-A
66	X(66,71)-with back-up lamps		2	C6DZ 13434-B
67	X(54,62)		2	C7DZ 13434-A
67	X(71)		2	C7DZ 13434-B
65	A	Nut-"J" type-No. 10-12 (attach lamp to body)	AR	377752-S39 (MM250A)
65	A(71)	Screw-No. 10-12 x 3/4" (body to rear lamp opening reinforcement)	8	32938-S7(U345)
65	B(except 71)	Nut-1/4"-20 (body to retainer)	4	45234-S7(M179)
66	B(71)-without back-up lamps	Plug button-1.71" (to plug back-up lamp hole in rear lamp body	2	380107-S(PP4B)
66/67	B(71),X(66,71)	Screw-No. 10-12 x 7/8" (body to rear lamp opening reinforcement)	8	52369-S13(U304)
		Nut-No. 10-12-"J" shape spring	8	357033-S (MM250)
68	B(66,71)	Nut-spring-No. 8-18 (attach lamp to quarter panel)	12	381924-S2 (MM248A)
65/69	F	Nut -No. 10-24 (body to lower back panel)	8	359606-S8 (MM291A)
65	S	Bolt -1/4"-20 x 5/8" (body to rear bumper reinforcement)	8	^20324-S8(B41)
65	S	Nut-1/4"-20 caged	8	378622-S2 (MM192AC)
65	S	Clip (wiring to lamp body)	6	★376801-S
66	S	Bolt (body to rear bumper)-1/4"-20 x 3/4"	8	20344-S8(B42)
66	S	Screw (body to reinf. rear bumper impact bar)--1/4"-20 x 5/8"	8	★55613-S2
		Flat washer-3/8"	8	382585-S (XX143A)
		Nut & retainer-1/4"-20	8	378622-S2 (MM192AC)
66	S	Nut (center body assy. to R. H. & L. H. body assy.) 5/16" x 18-lock	4	34392-S7-8(M93)
66/	U	Screw-No. 14-10 x 5/8"	2	31478-S7(U350)
65	X	Screw (body to rear lamp reinforcement openings)-No. 10-16 x 1"	8	378471-S101 (UU56A)
65	B(71)		8	
	13A435 RELAY ASSY. - TRAILER LIGHTING			
65/66	A, B, F, S, X		1	C1TF 13A435-A
66/71	A, B, F, L, P, S, X		3	C6AZ 13A435-A
65/66	A	Screw-No. 10-12 x 1/2" (relay to radiator support)	2	42127-S8(U248-C)
65/66	S	(relay to dash panel)	2	
65/66	B, F, X	Screw-No. 14-14 x 1/2" (relay to dash panel)	1 or 2	31497-S8(U254)
72	A, B, F, L, P, S		3	D2AZ 13A435-A
	13440 BODY - REAR LAMP - Also refer to Group 13434-5			
	- A -			
65	A(54A, 57, 62A, 63, 76)		2	C5AZ 13440-A
66	A(except 71)		2	C6AZ 13440-A
66	A(71)		2	C6AZ 13440-C
67	A(except 71)		2	C7AZ 13440-A
67	A(71)		2	C7AZ 13440-B
	- B -			
66	B(54, 62, 63, 76)		2	C6OZ 13440-A
67	B(54, 62, 63, 76)		2	C7OZ 13440-B
67	B(71), (66)-except with reflectors	Less socket and wiring	2	C7OZ 13440-C

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13440 BODY - REAR LAMP - continued - Also refer to Group 13434-5			
	- S -			
67	S	R.H.	1	C7SZ 13440-A
		L.H.	1	C7SZ 13440-B
	- X -			
66	X(54, 62)		2	C6DZ 13440-A
66	A (except 71)	Nut (body & lens assy.to sleeve rear lamp lens) -No. 8-32	4	34052-S7(M155)
		Lockwasher-No. 8-3/8"	4	34938-S8(X85)
66	A (71)	Screw (body, gasket & lens to sleeve rear lamp lens)-No. 8-32 x 3/4"	4	372856-S100(UU79)
66	A (71)	Screw (body to sleeve rear lamp lens)-No. 8-32 x 3/8"	8	383141-S (UU81WK)
67	A	Screw-No.8-18 (attach lamp body to quarter panel)	AR	376389-S(UU82D)
66	B(54, 62, 63, 76)	Nut (body to rear quarter panel)-1/4"-20	4	34390-S7-8(M92)
67	B(54, 62, 63, 76)	Screw (body to sleeve)-No. 10-18 x 3/4"	2	381565-S36(UU51F)
66	X(54, 62)	Screw (body to lamp opening rear quarter panel) -No.10-16 x 3/4"	8	376370-S100 (UU56F)
	13448-9 DOOR ASSY. - REAR LAMP			
69	A(54, 57, 62, 63, 65, 76)		2	C9AZ 13448-A
67	F(GT 350/500)	R.H.	1	S7MS 13A537-B
		L.H.	1	S7MS 13A538-B
68	F(GT 350/500)	R.H. & L.H.	2	S8MS 13449-A
	13450 LENS - REAR LAMP - Also refer to Group 15514			
	- A -			
65	A(54A, 57, 63, 76)	Includes attaching parts	2	C5AZ 13450-C
65	A(54B, 54E, 62B, 62E)-without back up lamps	Includes attaching parts	2	C5AZ 13450-A
65	A(54B, 54E, 62B, 62E)-with back up lamps	Includes attaching parts	2	C5AZ 13450-D
65	A(71)-without back up lamps	Includes attaching parts	2	C5AZ 13450-B
65	A(71)-with back up lamps	Includes attaching parts	2	C5AZ 13450-E
66	A(54,57,62,63,76)-with back up lamps		2	C6AZ 13450-H
66	A(54B, E, 62)-without back up lamps		2	C6AZ 13450-G
66	A(71)-with back up lamps-		2	C6AZ 13450-J
66	A(71B, C, D)-without back up lamps -		2	C6AZ 13450-K
67	A(except 71)		2	C7AZ 13450-C
67	A(71)		2	C7AZ 13450-D
68	A(54A, B, E, 57B, 62, 63B, 65C, 76A)	Includes attaching parts	2	C8AZ 13450-E
68	A(71)	Includes attaching parts	2	C8AZ 13450-B
68	A(54C, 57F, 63C, 65A, 76B)	Includes attaching parts	2	C8AZ 13450-F
69	A(except 71)	R. H. & L. H. -includes attaching parts	2	C9AZ 13450-A
69/70	A(71)	R. H.	1	C9AZ 13450-B
		L. H.	1	C9AZ 13450-C
70	A(except 71)	R. H. and L. H.-includes attaching parts	2	D0AZ 13450-A
71	A(except 71)	R.H.	1	D1AZ 13450-D
		L.H.	1	D1AZ 13450-E
71	A(53H, K, 57H, K, 65H, K, 76H)	Center ("L-T-D")	1	D1AZ 13450-C
71/	A(71)	R.H.	1	D1AZ 13450-A
		L.H.	1	D1AZ 13450-B
72	A(except 71)	R. H. -includes optic lens and attaching parts	1	D2AZ 13450-A
		L. H.	1	D2AZ 13450-B
	- B -			
65	B(54, 62, 65)-without back up lamps	Includes attaching parts	2	C5OZ 13450-A
65	B(54, 62, 65)-with back up lamps	Includes attaching parts	2	C5OZ 13450-C
65	B(71)-without back up lamps	Includes attaching parts	2	C5OZ 13450-B
65	B(71)-with back up lamps	Includes attaching parts	2	C5OZ 13450-D

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13450 LENS - REAR LAMP - continued - Also refer to Group 15514			
	- B -			
66	B(54A, 62A)-without back up lamps	Includes attaching parts	2	C6OZ 13450-A
66	B(54, 62, 63, 76)-with back up lamps	Includes attaching parts	2	C6OZ 13450-C
66	B(71D)-without back up lamps	Includes attaching parts	2	C6OZ 13450-E
66	B(71)-with back up lamps	Includes attaching parts	2	C6OZ 13450-G
67	B(54, 62, 63, 76)	Includes attaching parts, body back up lamp, lens back up lamp & gaskets	2	C7OZ 13450-A
67	B(71), (66-except with reflectors)	Includes attaching parts	2	C7OZ 13450-C
67	B(66)-with reflectors	Includes attaching parts	2	C6DZ 13450-B
68	B(54, 65, 76)	Includes attaching parts	2	C8OZ 13450-A
68/69	B(71)	Includes attaching parts	2	C8OZ 13450-B
68/69	B(63)	Includes attaching parts	2	C8OZ 13450-C
68/69	B(66)	Includes attaching parts	2	C8OZ 13450-D
69	B(54, 65, 76)	R. H. -includes attaching parts	1	C9OZ 13450-A
		L. H.	1	C9OZ 13450-B
70	B(54, 57, 62A, 63C, H, 65B, C, E, H, 76C)	R. H. -includes B/U lamp lens and attaching parts	1	D0OZ 13450-A
		L. H.	1	D0OZ 13450-B
70	B(63F, 76F)	R. H. -includes B/U lamp lens and attaching parts	1	D0OZ 13450-C
		L. H.	1	D0OZ 13450-D
70/71	B(66, 71)	R. H. -includes B/U lamp lens & attaching parts	1	D0OZ 13450-E
		L. H.	1	D0OZ 13450-F
71	B(54, 57, 63C, H, 65)	R.H.-includes attaching parts	1	D1OZ 13450-C
		L.H.-includes attaching parts	1	D1OZ 13450-D
71	B(63F, 76)	R.H.-includes attaching parts	1	D1OZ 13450-E
		L.H.-includes attaching parts	1	D1OZ 13450-F
72	B(except 71, 97)	R. H. -includes attaching parts	1	D2OZ 13450-A
		L. H.	1	D2OZ 13450-B
72	B(71, 97)	R. H. -includes attaching parts	1	D2OZ 13450-C
		L. H.	1	D2OZ 13450-D
	- F -			
65/66	F		2	C5ZZ 13450-A
67	F(GT 350/500)		2	C7WY 13450-B
67/68	F(except GT/CS, GT 350/500)	Includes attaching parts	2	C7ZZ 13450-A
68	F(65) GT/CS		2	C5SZ 13450-C
68/70	F(GT 350/500)		2	
69	F(except GT 350/500)		2	C9ZZ 13450-A
70	F	R. H. and L. H. -includes attaching parts	2	D0ZZ 13450-A
71/	F	R.H. & L.H.	2	D1ZZ 13450-C
	- L -			
71/	L(62, 64)	R.H.	1	D1DZ 13450-C
		L.H.	1	D1DZ 13450-D
72	L(73)	R. H. -includes attaching parts	1	D2FZ 13450-A
		L. H. -includes attaching parts	1	D2FZ 13450-B
	- P -			
70/	P	R.H.	1	D1DZ 13450-C
		L.H.	1	D1DZ 13450-D

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13450 LENS - REAR LAMP - continued - Also refer to Group 15514			
	- S -			
65	S		2	C5SZ 13450-C
66	S	R. H. & L. H. -includes attaching parts	2	C6SZ 13450-A
66	S	Center-includes attaching parts	1	C6SZ 13450-B
67/68	S	R. H. -includes attaching parts	1	C8SZ 13450-A
		L. H.	1	C8SZ 13450-B
69	S	R. H.	1	C9SZ 13450-A
		L. H.	1	C9SZ 13450-B
70/71	S	R. H.-includes attaching parts	1	D0SZ 13450-A
		L. H.	1	D0SZ 13450-B
72	S	R. H. -includes attaching parts	1	D2SZ 13450-A
		L. H.	1	D2SZ 13450-B
	- U -			
66	U	R. H. -includes attaching parts-rectangular	1	C4TZ 13450-D
		L. H.	1	C4TZ 13451-D
67/	U	R. H.	1	C7TZ 13450-E
		L. H.	1	C7TZ 13450-F
	- X -			
65	X(54, 62, 63, 76)-without back up lamps	Includes attaching parts	2	C5DZ 13450-H
65	X(59, 66, 71, 78)-without back up lamps	Includes attaching parts	2	C5DZ 13450-E
65	X(54, 62, 63, 76)-with back up lamps-	Includes attaching parts	2	C5DZ 13450-F
65	X(59, 66, 71, 78)-with back up lamps	Includes attaching parts	2	C5DZ 13450-G
66	X(54A, 62A)-without back up lamps	Includes attaching parts	2	C6DZ 13450-A
66	X(66, 71)	Includes attaching parts	2	C6DZ 13450-B
66	X(54B, 62B, C)-without back up lamps	Includes attaching parts	2	C6DZ 13450-C
66	X(54A, B, 62A, B, C)-with back up lamps	Includes attaching parts	2	C6DZ 13450-D
67	X(54B, 62B, C)	Includes chrome bezel & attaching parts	2	C7DZ 13450-C
67	X(54A, 62A)	Includes attaching parts	2	C7DZ 13450-D
67	X(71B)	Includes chrome bezel, sleeve & attaching parts	2	C7DZ 13450-A
67	X(71A)	Includes attaching parts	2	C7DZ 13450-B
68/70	X(71)	Includes attaching parts	2	C6OZ 13450-G
68/70	X(54, 62)	Includes attaching parts	2	C8DZ 13450-A
65/66	A(71)	Screw (lens & gasket to body)-No.8-32 x .75"	2or 6	372856-S100(UU79)
65	A(54, 62)	Screw (lens to lamp body)-No. 8-32 x 1 9/64"	8	370175-S100(UU72)
65	A(71)	Screw (lens to lamp)-No. 10-12 x 1 5/8"	4	375706-S101 (UU56E)
65	B(71)	Screw-No. 8-32 x 1 1/8"	4	354798-S100(UU64)
66	B(except 71) "Before 1/3/66"	Screw(lens & gasket to lamp body)-No. 8-32 x 1"	8	★372857-S100
66	B(71)	Screw(lens & gasket to lamp body)	8	
66	B(except 71) "From 1/3/66"	Screw & washer (lens & gasket to lamp body)-No. 8-32 x 1 1/16"	8	374497-S100(BB99K)
		Nut-No.8-32	8	55730-S(M96D)
65	S	Screw(lens & gasket to lamp body)-No.8-32 x 3/4"	8	358898-S100(UU63)
66	S	Screw(lens & gasket to lamp body)-No. 8-18 x 3/4"	16	380446-S15(UU81Q)
67/	U	Screw(lens & gasket to lamp body)-No. 8-18x1 1/8"	4	378374-S(UU81E)
65/70	X	Screw (lens to lamp body)-No. 8-32 x .82"	8	★372762-S100
66/67	X(54, 62)	Screw(lens & gasket to lamp body)-No. 8-32 x 3/4"	4	372856-S100(UU79)
66/67	B(66), X(66, 71)		4	
66	X(54, 62)	Screw(lens & gasket to lamp body)-No. 8-32 x 3/4"	4	374495-S100(BB99J)
	13453 GASKET - REAR LAMP INTERIOR SEAL			
70/71	B(66, 71)	R. H. sponge rubber	1	D0OZ 13453-A
		L. H.	1	D0OZ 13453-B
	13455 SPRING - REAR LICENSE PLATE SUPPORT			
68/71	B(54,57, 63, 65, 76)	R. H.	1	C7WY 13455-A
		L. H.	1	C7WY 13455-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13461 GASKET - REAR LAMP LENS			
	- A -			
65	A(54A, 57, 62A, 63, 76)	Neoprene sponge	2	C5AZ 13461-D
65	A(54B, 54E, 62B, 62E)	Neoprene sponge	2	C5AZ 13461-B
65	A(71)	Neoprene sponge	2	C5AZ 13461-E
66	A(except 71)	Neoprene sponge	2	C6AZ 13461-A
66	A(71)	Neoprene sponge	2	C6AZ 13461-B
67	A(except 71)	Neoprene sponge	2	C7AZ 13461-A
67	A(71)	Neoprene sponge	2	C7AZ 13461-B
68	A(71)	Neoprene sponge	2	C8AZ 13461-A
68	A(except 71)	Neoprene sponge	2	C8AZ 13461-B
69	A(except 71)	Neoprene sponge	2	C9AZ 13461-A
69/70	A(71)	Neoprene sponge	2	C9AZ 13461-B
70	A(except 71)		2	D0AZ 13461-A
71	A(except 71)	R.H. & L.H.	2	D1AZ 13461-A
71	A(53H,K,57H,K,65H,K,76H)	Center lamp	1	D1AZ 13461-B
71/	A(71)	R.H. & L.H.	2	D1AZ 13461-C
72	A(except 71)	R. H. & L. H.	2	D2AZ 13461-A
	- B -			
65	B(54, 62, 65)	Neoprene sponge	2	C5OZ 13461-A
66	B(54, 62, 63, 76)	Neoprene sponge	2	C6OZ 13461-C
66	B(71)	Neoprene sponge	2	C6OZ 13461-D
67	B(54, 62, 63, 76)	Neoprene sponge	2	C7OZ 13461-A
67	B(66, 71)-except with reflectors	Neoprene sponge	2	C7OZ 13461-B
67	B(66)-with reflectors	Neoprene sponge	2	C6DZ 13461-B
68	B(66, 71)	Neoprene sponge	2	C8OZ 13461-A
69	B(71)	Neoprene sponge	2	
69	B(54, 65, 76)	R. H. -Neoprene sponge	1	C9OZ 13461-A
		L. H.	1	C9OZ 13461-B
70/71	B(except 66, 71)	R. H. -sponge rubber	1	D0OZ 13461-A
		L. H.	1	D0OZ 13461-B
70/71	B(66,71)	R.H. & L.H. -sponge rubber	2	D0OZ 13461-C
72	B(except 71,97)	R. H. & L. H.	2	D2OZ 13461-A
72	B(71,97)	R. H. & L. H.	2	D2OZ 13461-E
	- F -			
65/66	F	Rubber	2	C5ZZ 13461-B
67/68	F(except GT/CS)	Rubber	2	C7ZZ 13461-B
68	F(65) GT/CS		2	C4SZ 13461-A
69/70	F(GT 350/500)		2	
69	F(except GT 350/500)	Rubber	2	C9ZZ 13461-A
	- L -			
71/	L(62, 64)	R.H. & L.H.	2	D0DZ 13461-B
72	L(73)		2	D2FZ 13461-A
	- P -			
70	P "Before 2/20/70"		AR	D0DZ 13461-A
70/	P "From 2/20/70"	R.H. & L.H.	2	D0DZ 13461-B
	- S -			
65	S	Neoprene sponge	2	C4SZ 13461-A
66	S	R. H. & L. H. -neoprene sponge-not replaced	2	★C6SZ 13461-A
66	S	Center-neoprene sponge-not replaced	2	★C6SZ 13461-B
67/68	S	Neoprene sponge	2	C7SZ 13461-B
69	S	Neoprene & cork	2	C9SZ 13461-A
70/71	S	R. H. & L. H. neoprene	2	D0SZ 13461-A
72	S	R. H. & L. H.	2	D2SZ 13461-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13461 GASKET - REAR LAMP LENS - continued			
	- U -			
66	U		2	C4TZ 13461-A
67/	U		2	C7TZ 13461-A
	- X -			
65	X	Neoprene sponge	2	C4DZ 13461-A
66	X(54, 62)		2	C6DZ 13461-A
66	X(66, 71)	Neoprene sponge	2	C6DZ 13461-B
67	X(54, 62)	Neoprene sponge	2	C7DZ 13461-A
67	X(71)	Neoprene sponge	2	C7DZ 13461-B
68/70	X(71)	Neoprene sponge	2	C6OZ 13461-D
68/70	X(54, 62)	Neoprene sponge	2	C8DZ 13461-A
	13463 LENS ASSEMBLY - REAR LAMP OPTIC			
71	A(except 71)	R.H.	2	D1AZ 13463-A
		L.H.	2	D1AZ 13463-B
71	A(53H,K,57H,K,65H,K,76)	Center	1	D1AZ 13463-C

13465-6 BULB

Industry Number to Service Part Number Guide

INDUSTRY NUMBER	CONTACT BASE	CANDLE POWER	PART NUMBER
53	Single	1	C4SZ 13466-C
57	Single	2	B6A 13466-A
67	Single	4	09B 13466-A
89	Single	6	B5AZ 13466-A
90	Double	6	C6SZ 13466-A
93	Single	15	B7A 13799-A
94	Double	32	D0SZ 13466-A
97	Single	4	C3AZ 13466-G
97A	Single	4	C8VY 13466-A
97NA	Single	4	C8MY 13466-A
98	Double	4	C5TZ 13466-A
105	Single	12	D0AZ 13466-A
161	Wedge	1	C3AZ 13466-D
168		3	C7SZ 13466-B
194	Wedge	2	C2AZ 13466-C
194A	Wedge	2	C9DZ 13466-A
211-2	Double end	12	D1FZ 13466-B
212-1	Double end	6	C6VY 13466-A
214-2	Double end		D2SZ 13466-A
256	Single	1.6	C4SZ 13466-A
257	Single	2	C0AZ 13466-A
561	Double end	12	D1AZ 13466-A
562	Single	6	D0ZZ 13466-A
563	Wedge	4	D2AZ 13466-A

INDUSTRY NUMBER	CONTACT BASE	CANDLE POWER	PART NUMBER
631	Single	6	C3VY 13466-A
1003	Single	15	B6AZ 13466-A
1004	Double	15	C3SZ 13466-A
1073	Single	32	B6A 13465-B
1076	Double	32	C1TB 13465-A
1095	Single	4	C7TZ 13466-A
1141	Single	21	B8E 13465-A
1142	Double	21	C5ZZ 13466-A
1156	Single	32	C3DZ 13466-A
1157	Double	32.3	C8TZ 13466-A
1157A	Double	32.3	C9AZ 13466-A
1157NA	Double	32.3	C9MY 13466-A
1178	Double	4	C5TZ 13466-A
1178A	Double	4	C8ZZ 13466-A
1195	Double	50	C5VY 13466-A
1196	Double	50	C6MY 13466-A
1232	Double	4	C5TZ 13466-A
1293	Double	50	C9SZ 13466-A
1445	Single	1	B6A 13466-B
1816	Single	2.6	B8AZ 13466-A
1891	Single	1.9	B9SZ 13466-A
1892	Single	1.3	B9MY 13466-A
1893	Single	1.9	C1VY 13466-A
1895(57)	Single	2	C3AZ 13466-B
1895	Single	2	C4SZ 13466-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

13465-6 BULB - continued

MINIATURE BULB APPLICATION CHART

FORD PASSENGER

FUNCTION	YEAR	INDUSTRY NUMBER	PART NUMBER
A/C control panel-(Selectaire)	65/66	1895	C3AZ 13466-B
(Polar Aire)	67/	194	C2AZ 13466-C
Ash receptacle	65/69	1895	C3AZ 13466-B
	70	1891	B9SZ 13466-A
	71/	1892	B9MY 13466-A
Alternator charge indicator	65/66	1895	C3AZ 13466-B
	67/	194	C2AZ 13466-C
Backup lamp	65	1156	C3DZ 13466-A
(except S/W)	66/	1156	
(S/W)	66/	1076	C1TB 13465-A
Body side lamp-rear-except model 71	69	194	C2AZ 13466-C
	70	161	C3AZ 13466-D
	71/	194	C2AZ 13466-C
Brake system-master cylinder warning lamp	67/	194	C2AZ 13466-C
Cigar lighter	65/	1895	C3AZ 13466-B
Clock lamp	65/66	1816	B8AZ 13466-A
	67/68	194	C2AZ 13466-C
	69	1895	C3AZ 13466-B
Cornering lamp	71/	1196	C6MY 13466-A
Courtesy lamp			
(Instrument panel)	65/	631	C3VY 13466-A
(Console panel)	65/69	631	
(Door) "Before 1/3/66"	65/66	1003	B6AZ 13466-A
(Door) "From 1/3/66"	66/67	90	C6SZ 13466-A
(Door)	67/69	1004	C3SZ 13466-A
(Door) "Before 3/15/72	70/72	212	C6VY 13466-A
(Door) "From 3/15/72"	72	563	D2AZ 13466-A
Cargo light	70/	105	D0AZ 13466-A
Dome lamp	65/68	1003	B6AZ 13466-A
Dome lamp-"Before 6/1/71"	69/71	105	D0AZ 13466-A
Dome lamp-"From 6/1/71"	71/	561	D1AZ 13466-A
Door open warning or ajar lamp	65	257	C0AZ 13466-A
	66/	1895	C3AZ 13466-B
(On safety convenience panel)	67/	194	C2AZ 13466-C
Emergency flasher	65/	1895	C3AZ 13466-B
Engine Compartment	66/71	631	C3VY 13466-A
Generator warning lamp			
Glove compartment	65/69	1895	C3AZ 13466-B
	70	1816	B8AZ 13466-A
	71	1445	B6A 13466-B
	72	1816	B8AZ 13466-A
Heated backlite lamp	70	1895	C3AZ 13466-B
Heater control panel	65/66	1895	C3AZ 13466-B
	67/	194	C2AZ 13466-C
High beam indicator	65/66	1895	C3AZ 13466-B
	67/	194	C2AZ 13466-C
Ignition switch	65/69	1895	C3AZ 13466-B
Instrument panel	65/66	1895	C3AZ 13466-B
	67/70	194	C2AZ 13466-C
	71	631	C3VY 13466-A
	72	194	C2AZ 13466-C
Interior cargo(Station Wagon)	65/69	1003	B6AZ 13466-A
Lights on lamp	70	1895	C3AZ 13466-B
Low fuel warning	65/66	1895	C3AZ 13466-B
(On safety convenience panel)	67/69	194	C2AZ 13466-C
	70	1895	C3AZ 13466-B
Luggage compartment	65 &70/	631	C3VY 13466-A
	66/69	93	B7A 13799-A
	71/	631	C3VY 13466-A
Map lamp	65/	1895	C3AZ 13466-B
Marker lamp-front	69	1178A	C8ZZ 13466-A
	70/	194	C2AZ 13466-C
Oil pressure-warning lamp	65/66	1895	C3AZ 13466-B
	67/	194	C2AZ 13466-C
Parking brake warning	65/68	257	C0AZ 13466-A
(On safety convenience panel)	67/	194	C2AZ 13466-C
Parking lamp	65/68	1157NA (amber)	C9MY 13466-A
	69/70	1157A	C9AZ 13466-A
	71/	1157NA	C9MY 13466-A
Pillar lamp			
(63) "Before 4/1/69"	65/69	1003	B6AZ 13466-A
(54C) "Before 4/1/69"	67/69	1003	
Pillar lamp-"From 4/1/69"	69/	105	D0AZ 13466-A
(57)	65/	631	C3VY 13466-A
Portable trunk lamp	67/	1003	B6AZ 13466-A
Radio dial (Motorola)			
(Bendix)	65/66	1892	B9MY 13466-A
(Motorola)	65/66	1891	B9SZ 13466-A
	67/	1893	C1VY 13466-A
Rear lamp	65/68	1157	C8TZ 13466-A
Model 71-upper	69/		
Model 71-lower	69/71	105	D0AZ 13466-A
Except 71	69/	1157	C8TZ 13466-A
Rear license plate lamp	65/	97	C3AZ 13466-G
Seat belt warning	65/68	1895	C3AZ 13466-B
(On safety convenience panel)	67/	194	C2AZ 13466-C
Speedometer dial	65/66	1895	C3AZ 13466-B
	67/	194	C2AZ 13466-C
Tachometer lamp	66/	1895	C3AZ 13466-B
Temperature warning lamp-hot/cold	67/	194	C2AZ 13466-C
Transmission selector dial			
(steering column shift)	65/66	161	C3AZ 13466-D
(Steering column shift)	67/	57	B6A 13466-A
(console or floor shift)	66/	1445	B6A 13466-B
Turn signal indicator lamp	65/66	1895	C3AZ 13466-B
	67/	194	C2AZ 13466-C
Vacuum door lock	65	257	C0AZ 13466-A
	66	1895	C3AZ 13466-B
Windshield wiper control	65/	1895	C3AZ 13466-B

13465-6 BULB - continued

FAIRLANE/TORINO

FUNCTION	YEAR	INDUSTRY NUMBER	PART NUMBER
Alternator charge indicator	65/	1895	C3AZ 13466-B
	72	194	C2AZ 13466-C
Ash receptacle	65	1895	C3AZ 13466-B
	66/70	1445	B6A 13466-B
	71	1816	B8AZ 13466-A
	72	161	C3AZ 13466-D
(Console)	71	1892	B9MY 13466-A
A/cond. control	71	1891	B9SZ 13466-A
Backup lamp	65	1156	C3DZ 13466-A
(except S/W)	66	1156	
(Exc. Ranchero w/reflectors)	67/70	1156	
(S/W)	66	1076	C1TB 13465-A
(Ranchero w/reflectors)	67/70	1076	
Backup Lamp (All)	71	1156	C3DZ 13466-A
(except 71,97)	72	1076	C1TB 13465-A
"Before 11/1/71"			
(except 71,97)	72	1156	C3DZ 13466-A
"From 11/1/71"			
(71,97)	72	1156	C3DZ 13466-A
Body side lamp-rear	69	194	C2AZ 13466-C
	70/71	161	C3AZ 13466-D
	72	194	C2AZ 13466-C
Brake system	67/71	1895	C3AZ 13466-B
master cylinder	72	194	C2AZ 13466-C
warning lamp			
Cigar lighter	66	1895	C3AZ 13466-B
	67/	1445	B6A 13466-B
Clock lamp	65/71	1895	C3AZ 13466-B
	72	194	C2AZ 13466-C
Courtesy lamp			
(except 65B)	65/	631	C3VY 13466-A
(63C, D, 76C, D-arm rest)	66/	631	
(Console)	66/69	1816	B8AZ 13466-A
	71	1445	B6A 13466-B
	72	1895	C3AZ 13466-B
Front door	68	90	C6SZ 13466-A
Cargo light	70/	105	D0AZ 13466-A
Instrument panel	70/71	562	D0ZZ 13466-A
	72	631	C3VY 13466-A
Dome & map lamp	72	211-2	D1FZ 13466-B
	72	105	D0AZ 13466-A
Dome lamp	65/69	1003	B6AZ 13466-A
"Before 4/1/69"			
Dome lamp-	69/71	105	D0AZ 13466-A
"From 4/1/69 to 3/1/71"			
Dome lamp-"From 3/1/71"	71/	561	D1AZ 13466-A
Door courtesy lamp	68	212-1	C6VY 13466-A
Engine compartment light	66/	631	C3VY 13466-A
Fender marker lamp	70	194	C2AZ 13466-C
	71	161	C3AZ 13466-D
	72	194	C2AZ 13466-C
Fuel indicator lamp	65/	1895	C3AZ 13466-B
Glove compartment lamp	65/69	1895	C3AZ 13466-B
(except 65C)	70	1891	B9SZ 13466-A
(65C)	71	1891	B9SZ 13466-A
	72	1816	B8AZ 13466-A
	71	1893	C1VY 13466-A
Heater control panel	66	1895	
	65	57	B6A 13466-A
High beam indicator	65/69	1895	C3AZ 13466-B
	70/	194	C2AZ 13466-C
Instrument panel	65/67	1895	C3AZ 13466-B
	68/70	194	C2AZ 13466-C
	71	562	D0ZZ 13466-A
	72	194	C2AZ 13466-C
Interior cargo lamp	65/69	1003	B6AZ 13466-A
Luggage compartment light	66/69	93	B7A 13799-A
	70	105	D0AZ 13466-A
	71/	631	C3VY 13466-A
Map lamp	65/71	631	C3VY 13466-A
Oil pressure	65/71	1895	C3AZ 13466-B
warning lamp	72	194	C2AZ 13466-C
Open door warning (Taxi)	65/	1895	C3AZ 13466-B
Parking brake warning lamp	66/69	1895	C3AZ 13466-B
	71/	194	C2AZ 13466-C
Parking lamp	65/67	1157	C8TZ 13466-A
Bumper (model 66)	69	1156	C3DZ 13466-A
Talladega	69	1157	C8TZ 13466-A
Fender	68/70	1157NA	C9MY 13466-A
	71/	1157	C8TZ 13466-A
Radio dial lamp	65/66	1892	B9MY 13466-A
	67/	1895	C3AZ 13466-B
Rear lamp	65/68	1157	C8TZ 13466-A
(model 63, 71)	69	1156	C3DZ 13466-A
(model 54, 65, 76)	69/70	1157	C8TZ 13466-A
(model 66)	69	1076	C1TB 13465-A
	71/	1157	C8TZ 13466-A
Rear license plate	65/71	97	C3AZ 13466-G
	72	631	C3VY 13466-A
Seat Belt Warning	66/69	1895	C3AZ 13466-B
	70	194	C2AZ 13466-C
	71	562	D0ZZ 13466-A
	72	194	C2AZ 13466-C
Speedometer dial lamp	65/69	1895	C3AZ 13466-B
	70/	194	C2AZ 13466-C
Tachometer light	66/	1895	C3AZ 13466-B
Temperature indicator	65/71	1895	C3AZ 13466-B
	72	194	C2AZ 13466-C
Transmission selector dial	66/	1445	B6A 13466-B
(console or floor shift)			
(Steering column shift)	67/	57	B6A 13466-A
Turn signal indicator	65/69	1895	C3AZ 13466-B
	70/	194	C2AZ 13466-C
Turn signal indicator	67/68	53	C4SZ 13466-C
(hood mounted)			
	69/71	1895	C3AZ 13466-B
	72	194	C2AZ 13466-C

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

13465-6 BULB - continued

FUNCTION	YEAR	INDUSTRY NUMBER	PART NUMBER
THUNDERBIRD			
A/C control panel lamp	65/66	1895	C3AZ 13466-B
	67/	1445	B6A 13466-B
Alternator charge indicator	65/66	1895	C3AZ 13466-B
	67/	194	C2AZ 13466-C
Ash receptacle lamp	65/	1445	B6A 13466-B
(Console)	71	1892	B9MY 13466-A
Auxiliary stop lamp	68	1156	C3DZ 13466-A
Backlite "on" indicator	70	1892	B9MY 13466-A
Back up lamp	65	1076	C1TB 13465-A
	66/	1156	C3DZ 13466-A
Body side lamp-rear	69	194	C2AZ 13466-C
	70/71	161	C3AZ 13466-D
	72	194	C2AZ 13466-C
Brake lamp	68/	194	C2AZ 13466-C
Cigar lighter	67/71	1895	C3AZ 13466-B
	72	168	C7SZ 13466-B
Clock lamp	65/66	1895	C3AZ 13466-B
	67/70	194	C2AZ 13466-C
Clock pod	67/	168	C7SZ 13466-B
Control Panel	65/66	1891	B9SZ 13466-A
	71	1895	C3AZ 13466-B
	72	161	C3AZ 13466-D
(nomenclature-air & wiper)	67/70	194	C2AZ 13466-C
Cornering lamp	70/	1196	C6MY 13466-A
Courtesy lamp (door mount) (except State of California)	65/66	1004	C3SZ 13466-A
(Door mount)(state of California)	66	90	C6SZ 13466-A
(Door mount)- "Before 5/1/72"	67/72	212-1	C6VY 13466-A
(Door mount)- "From 5/1/72"	72	214-2	D2SZ 13466-A
(Instrument panel)	67/69	631	C3VY 13466-A
(Instrument panel)	71	90	C6SZ 13466-A
	72	631	C3VY 13466-A
(Console)	72	1816	B8AZ 13466-A
Courtesy lamp int.	68	212-1	C6VY 13466-A
	69	90	C6SZ 13466-A
	70	631	C3VY 13466-A
Dome & map lamp	72	211-2	D1FZ 13466-B
	72	105	D0AZ 13466-A
Dome lamp	65	1003	B6AZ 13466-A
(Convertible)	66	1816	B8AZ 13466-A
	69	150	D0AZ 13466-A
	72	561	D1AZ 13466-A
Door ajar-"Before 11/6/68"	65/69	256	C4SZ 13466-A
"From 11/6/68"	69/71	1891	B9SZ 13466-A
	72	194	C2AZ 13466-C
Emergency warning lamp	65/66	256	C4SZ 13466-A
(63A, 76)	66	256	
	65	1891	B9SZ 13466-A
(63C, D)	66	1891	
	67/70	1445	B6A 13466-B
Engine comp. lamp	72	631	C3VY 13466-A
Front fender side lamp	68	1195	C5VY 13466-A
	68	97A	C8VY 13466-A
	69	1293	C9SZ 13466-A
	70	194A	C9DZ 13466-A
	71	161	C3AZ 13466-D
	72	194	C2AZ 13466-C
Fuel indicator lamp	65	1895	C3AZ 13466-B
Fuel pod	67/71	168	C7SZ 13466-B
Glove compartment lamp	65/69	631	C3VY 13466-A
	70/71	1895	C3AZ 13466-B
	72	194	C2AZ 13466-C
Head lamps on	70/71	1891	B9SZ 13466-A
	72	194	C2AZ 13466-C
Heater control panel lamp	65/	1445	B6A 13466-B
High beam indicator	65/66	1895	C3AZ 13466-B
	67/	194	C2AZ 13466-C
Identification lamp	66/70	1816	B8AZ 13466-A
Ignition switch lamp	65/66	1895	C3AZ 13466-B
	67/68	161	C3AZ 13466-D
	69	57	B6A 13466-A
Instrument panel	65/66	1895	C3AZ 13466-B
	67/70	194	C2AZ 13466-C
	71	1895	C3AZ 13466-B
	72	194	C2AZ 13466-C
Low fuel warning (flashing)	65	256	C4SZ 13466-A
	66	1445	B6A 13466-B
(non-flashing)	65	1891	B9SZ 13466-A
	66	1445	B6A 13466-B
	67/71	1891	B9SZ 13466-A
	72	194	C2AZ 13466-C
Luggage compartment	65/	631	C3VY 13466-A
Map lamp	65/66	631	C3VY 13466-A
	67/	212-1	C6VY 13466-A
Oil pressure warning-lamps or gauges	65/66	1895	C3AZ 13466-B
	67/	194	C2AZ 13466-C
Parking brake warning lamp	65/69	1895	C3AZ 13466-B
	70/	194	C2AZ 13466-C
Parking lamp	65/68	1157NA	C9MY 13466-A
	72	(amber)	
	69/71	1157A	C9AZ 13466-A
Parking lamp (aux.)	70/71	94	D0SZ 13466-A
Pillar lamp (63A, B)	65/66	1003	B6AZ 13466-A
(65)	67/69	1003	
"Before 4/1/69" (63C, D)	66	93	B7A 13799-A
Pillar lamp- "From 4/1/69"	69/71	105	D0AZ 13466-A
Radio dial lamp			
AM	65/	1891	B9SZ 13466-A
AM/FM	65/66	1892	B9MY 13466-A
AM/FM	67/70	1893	C1VY 13466-A
AM/Stereo tape	67/70	1445	B6A 13466-B
Rear lamp	65/	1157	C8TZ 13466-A
Rear lamp (center)	66	1157	C8TZ 13466-A
Rear lamp (auxiliary)	69	1156	C3DZ 13466-A
Rear lamp (auxillary)	70	212-1	C6VY 13466-A
Rear license plate lamp	65/	97	C3AZ 13466-G
Rear window defrost	71		D1AZ 18C622-A
Rear window defrost	72	194	C2AZ 13466-C
Seat belt warning	65	1895	C3AZ 13466-B
	66	1445	B6A 13466-B
	67	1891	B9SZ 13466-A
	68/70	194	C2AZ 13466-C
	71	1891	B9SZ 13466-A
	72	194	C2AZ 13466-C
Speedometer dial lamp	65/66	1445	B6A 13466-B
	67/	194	C2AZ 13466-C
Sport lamp	70/71	90	C6SZ 13466-A
Stereo tape deck	70	1893	C1VY 13466-A
Tachometer Lamp	66/68	1895	C3AZ 13466-B

13465-6 BULB - continued

FUNCTION	YEAR	INDUSTRY NUMBER	PART NUMBER
THUNDERBIRD			
Temperature indicator	65	1895	C3AZ 13466-B
	66	194	C2AZ 13466-C
	72	194	C2AZ 13466-C
Temperature pod	67/68	168	C7SZ 13466-B
Transmission control selector dial lamp	69/70	1445	B6A 13466-B
	71	1895	C4SZ 13466-B
	65/67	194	C2AZ 13466-C
With fixed column	68	194	C2AZ 13466-C
Turn signal indicator (except states of Minn., Wis.)	72	194	C2AZ 13466-C
	65/66 (clear)	1895	C3AZ 13466-B
(states of Minn., Wis.)	65/66 (green)	1895	C4SZ 13466-B
	67	194	C2AZ 13466-C
	68	194	C9DZ 13466-A
Turning lamp	70/	1196	C6MY 13466-A
Turn signal indicator (fender mounted)	65/66	53	C4SZ 13466-C
FALCON			
Alternator charge indicator	65/70	1895	C3AZ 13466-B
Ash receptacle	65/66	1895	C3AZ 13466-B
	67/70	1445	B6A 13466-B
Back up lamp (except S/W)	65	1156	C3DZ 13466-A
	66/67	1156	
	69/70	1156	
(S/W) 54, 62	66/67	1076	C1TB 13465-A
	68	1141	B8E 13465-A
Body side lamp (front)	69/70	194A	C9DZ 13466-A
(rear)	69/70	194	C2AZ 13466-C
Cigar lighter	66	1895	C3AZ 13466-B
Clock lamp	65/66	1895	C3AZ 13466-B
	67/69	1816	B8AZ 13466-A
Courtesy lamp (Convertible except A/C)	65	631	C3VY 13466-A
(all models) (except Convertible with Air Conditioner)	66/68	631	
	65	97	C3AZ 13466-G
(except Convertible)	65	1895	C3AZ 13466-B
Convertible with A/C	65	67	C9B 13466-A
Dome lamp- "Before 4/1/69"	65/69	1003	B6AZ 13466-A
Dome lamp- "From 4/1/69"	69/70	150	D0AZ 13466-A
Emergency warning flasher	66/70	1895	C3AZ 13466-B
Engine compartment	66/70	631	C3VY 13466-A
Fuel indicator lamp	65/70	1895	C3AZ 13466-B
High beam indicator lamp	65/70	1895	C3AZ 13466-B
Instrument panel	65/67	1895	C3AZ 13466-B
	68/70	194	C2AZ 13466-C
Interior cargo lamp	66/70	1003	B6AZ 13466-A
Luggage compartment	66/69	631	C3VY 13466-A
	70	105	D0AZ 13466-A
Map lamp	65/68	631	C3VY 13466-A
Oil pressure warning-lamp	65/70	1895	C3AZ 13466-B
Open door warning lamp (Taxi)	66	1895	C3AZ 13466-B
Parking brake warning lamp	65/66	257	C0AZ 13466-A
	67/70	1895	C3AZ 13466-B
Parking lamp	65/68	1157NA (amber)	C9MY 13466-A
	69/70	1157A	C9AZ 13466-A
Radio dial light	67/69	1445	B6A 13466-B
	65/66	1891	B9SZ 13466-A
	70	1893	C1VY 13466-A
Rear lamp	65/68	1157	C8TZ 13466-A
(model 71)	69/70	1076	C1TB 13465-A
(except 71)	69/70	1157	C8TZ 13466-A
Rear license plate lamp	65/70	97	C3AZ 13466-G
Seat belt warning	66/70	1895	C3AZ 13466-B
Speedometer dial	65/70	1895	C3AZ 13466-B
Tachometer lamp	66/70	1895	C3AZ 13466-B
Temperature indicator	65/70	1895	C3AZ 13466-B
Transmission selector dial (console or floor shift)	66/70	1445	B6A 13466-B
(steering column shift)	67/68	57	B6A 13466-A
Turn signal indicator	65/70	1895	C3AZ 13466-B
MUSTANG			
Alternator charge indicator	65/70	1895	C3AZ 13466-B
	72	194	C2AZ 13466-C
Ash tray (console)	70	1892	B9MY 13466-A
Ash tray (inst. panel)	70	1445	B6A 13466-B
Auxiliary inst. cluster	71	194	C2AZ 13466-C
Back up lamp	65/68	1142	C5ZZ 13466-A
	69/	1156	C3DZ 13466-A
Body side lamp - rear	69	194A	C9DZ 13466-A
	70/71	161	C3AZ 13466-D
	72	194	C2AZ 13466-C

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

13465-6 BULB - continued

MUSTANG

FUNCTION	YEAR	INDUSTRY NUMBER	PART NUMBER
Back-up lamp	71/	1156	C3DZ 13466-A
Cigar lighter	66/	1895	C3AZ 13466-B
Clock lamp	65/71	1895	C3AZ 13466-B
(rally pak)	66/71	1816	B8AZ 13466-A
	72	194	C2AZ 13466-C
Courtesy lamp(instr.panel)	65/69	631	C3VY 13466-A
(console panel)	65/70	1816	B8AZ 13466-A
(quarter panel)	65/70	1003	B6AZ 13466-A
(Door mount)	65/66	1004	C3SZ 13466-A
(Door mount)- exc. state of California	67/68	1004	
(Door mount)	70	212	C6VY 13466-A
(instrument panel)	70	562	D0ZZ 13466-A
(Door mount)- (state of California)	67/68	90	C6SZ 13466-A
(pillar)	70	105	D0AZ 13466-A
(Instrument panel)	71/	631	C3VY 13466-A
Dome lamp	67/69	1003	B6AZ 13466-A
" Before 6/1/71"	70/71	105	D0AZ 13466-A
Dome lamp " From 6/1/71"	71/	561	D1AZ 13466-A
Door Ajar	67/70	256	C4SZ 13466-A
Engine compartment	71/	631	C3VY 13466-A
Front fender side lamp	68	1178A	C8ZZ 13466-A
	69/70	194A	C9DZ 13466-A
"Before 8/3/70"	71	97NA	C8MY 13466-A
"From 8/3/70"	71/	194	C2AZ 13466-C
Fuel indicator	65/	1895	C3AZ 13466-B
Generator warning lamp	65	1895	C3AZ 13466-B
Glove compt.(instr.panel)	65/	1895	C3AZ 13466-B
(console panel)	65	1445	ΔB6A 13466-B
(console panel)	65/70	1895	▲C3AZ 13466-B
High beam indicator	65/71	1895	C3AZ 13466-B
	72	194	C2AZ 13466-C
Illuminated emblem	66	1003	B6AZ 13466-A
	67/68	631	C3VY 13466-A
Instrument panel	65/68	1895	C3AZ 13466-B
	69/70	194	C2AZ 13466-C
	70	212-1	C6VY 13466-A
	71/	1895	C3AZ 13466-B
Interior lamp (mounts on lower quarter trim panel 65 & 76 models)	66/68	97	C3AZ 13466-G
Lights on lamp	70	1895	C3AZ 13466-B
Low fuel warning- "Before 9/6/66"	67	1891	B9SZ 13466-A
"From 9/6/66"	67/69	1445	B6A 13466-B
	70	1895	C3AZ 13466-B
Luggage compartment	71/	631	C3VY 13466-A
Map lamp (instrument panel)	69	1004	C3SZ 13466-A
	71/	212-1	C6VY 13466-A
Map lamp (roof console)	67/70	631	C3VY 13466-A
Marker lamp-front	69/70	194A	C9DZ 13466-A
	71	97NA	C8MY 13466-A
	72	194	C2AZ 13466-C
Oil pressure warning lamp	65/71	1895	C3AZ 13466-B
	72	194	C2AZ 13466-C
Parking brake warning	65/69	257	C0AZ 13466-A
(on safety convenience pkg.)	67/	256	C4SZ 13466-A
Parking lamp	65/66	1157	C8TZ 13466-A
	71/ 67/70	1157NA (amber)	C9MY 13466-A
Portable trunk lamp	67/	1003	B6AZ 13466-A
Radio dial lamp	65/66	1891	B9SZ 13466-A
	67/70	1893	C1VY 13466-A
Rear lamp	65/	1157	C8TZ 13466-A
Rear license plate	65/	97	C3AZ 13466-G
GT350/500	69	1232	C5TZ 13466-A
Rear marker lamp	71	97NA	C8MY 13466-A
	72	194	C2AZ 13466-C
Safety package lamps	67/70	1895	C3AZ 13466-B
Seat belt warning	66/68	1895	C3AZ 13466-B
(On safety convenience panel) "Before 9/6/66"	67	1891	B9SZ 13466-A
(On safety convenience panel) "From 9/6/66"	67/	1445	B6A 13466-B
Speedometer dial	65/70	1895	C3AZ 13466-B
Sport lamp	70	1157A	C9AZ 13466-A
	71/	94	D0SZ 13466-A
Stereo tape deck	70	1893	C1VY 13466-A
Tachometer	65/	1895	C3AZ 13466-B
Temperature indicator	65/71	1895	C3AZ 13466-B
	72	194	C2AZ 13466-C
Transmission control selector dial	65	1445	†B6A 13466-B
	65/69	1893	‡C1VY 13466-A
Turn signal indicator	65/71	1895	C3AZ 13466-B
	72	194	C2AZ 13466-C
Turn signal indicator- (hood mount)	67/68	53	C4SZ 13466-C
	69	1895	C3AZ 13466-B
Transmission control	70	1445	B6A 13466-B

† Before 1/4/65 ‡ From 1/4/65 Δ Before 12/1/64 ▲ From 12/1/64

13465-6 BULB - continued

FUNCTION	YEAR	INDUSTRY NUMBER	PART NUMBER
BRONCO			
Alternator & oil pressure warning lamp	66/	1895	C3AZ 13466-B
Backup lamp	66/	1156	C3DZ 13466-A
Courtesy lamp(inst.panel)	70/	631	C3VY 13466-A
Dome lamp	70/	105	D0AZ 13466-A
Engine compartment	71/	631	C3VY 13466-A
Fender side lamp	70/	194	C2AZ 13466-C
High beam indicator	66/69	1895	C3AZ 13466-B
	70/	1892	B9MY 13466-A
Instrument panel	66/	1895	C3AZ 13466-B
Map lamp	66/	631	C3VY 13466-A
Parking lamp	66/68	1157NA	C9MY 13466-A
	69/	1157C	C8TZ 13466-A
Radio dial lamp	66/	1895	C3AZ 13466-B
Rear lamp	66/	1157	C8TZ 13466-A
Rear license plate	66/70	1232	C5TZ 13466-A
	71/	97	C3AZ 13466-G
Rear marker lamp	70/	194	C2AZ 13466-C
Seat belt lamp	68	1895	C3AZ 13466-B
Turn signal indicator	66/	1895	C3AZ 13466-B
MAVERICK			
A/C control	70	1895	C3AZ 13466-B
Ash tray	71	1816	B8AZ 13466-A
Back up lamp	70/	1156	C3DZ 13466-A
Body side lamp-rear	70/	161	C3AZ 13466-D
Clock (consolette)	70/	1895	C3AZ 13466-B
Dome lamp "Before 3/1/71"	70/71	105	D0AZ 13466-A
Dome lamp "From 3/1/71"	71/	561	D1AZ 13466-A
Fender side lamp	70	194	C2AZ 13466-C
	71/	161	C3AZ 13466-D
Heater control	70	1895	C3AZ 13466-B
Ignition switch (with locking column)	70	1445	B6A 13466-B
Instrument cluster	70/	194	C2AZ 13466-C
Luggage compartment lamp	70/71	631	C3VY 13466-A
Parking lamps	70	1157A	C9AZ 13466-A
	71/	1157	C8TZ 13466-A
Rear lamp	70/	1157	C8TZ 13466-A
Rear license plate	70/71	97	C3AZ 13466-G
	72	631	C3VY 13466-A
Rear marker lamp	70/	161	C3AZ 13466-D
Seat belt lamp	71	1895	C3AZ 13466-B
Sport lamp	71/	1157A	C9AZ 13466-A
MUSTANG GT 350/500			
Console gauges	67/68		C4SZ 13466-B
Instrument cluster	67/68		S7MS 13466-A
Luggage compartment lamp	69/70	631	C3VY 13466-A
Tail lamp	68/70	1157	C8TZ 13466-A
PINTO			
Back up lamp (63, 64)	71/	1156	C3DZ 13466-A
Back up lamp (73)	72	1076	C1TB 13465-A
Body side lamp rear	71/	194	C2AZ 13466-C
Clock (consolette)	71/	1895	C3AZ 13466-B
Dome lamp- "Before 9/14/70"	71	212-1	C6VY 13466-A
Dome lamp- "From 9/14/70"	71/	211-2	D1FZ 13466-B
Fender side lamp	71/	194	C2AZ 13466-C
Instrument cluster	71/	194	C2AZ 13466-C
Luggage compartment	71	631	C3VY 13466-A
Parking lamp	71/	1157NA	C9MY 13466-A
Rear lamp	71/	1157	C8TZ 13466-A
Rear license lamp	71	97	C3AZ 13466-G
	72	631	C3VY 13466-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13466 KIT - LAMP BULBS and FUSES			
71/	L	Replaced by details (11-73)	1	★D1FZ 13466-A
	Consists of			
	1-B6A 13466-B Bulb	1-D1FZ 13466-B Bulb	1-A0AZ 14526-A	Fuse
	1-C2AZ 13466-C Bulb	1-C3VY 13466-A Bulb	1-A0AZ 14526-B	Fuse
	1-C3AZ 13466-D Bulb	1-C8TZ 13466-A Bulb	1-A2AZ 14526-A	Fuse
	1-C3DZ 13466-A Bulb	1-C9MY 13466-A Bulb		
	13480 SWITCH ASSY. - STOPLIGHT			
65/68	A	#C7ZB 13480-A,	1	C9ZZ 13480-A
65	F-with alternator	#C9ZB 13480-A	1	(SW-863)
66	F		1	
67/70	F-except power brakes		1	
65	B, X-except power brakes		1	
69/	A (New York taxi)	#C9AB 13480-E, #D1AB 13480-AA	1	D1AZ 13480-A (SW-991)
69/	A (except New York taxi)-without power brakes	#C9AB 13480-C,	1	C9AZ 13480-C
69	B, X -without power brakes "Before 11/18/68"	#D2AB 13480-AA	1	(SW-860)
71/	L		1	
66/68	B, X	#C9OB 13480-A	1	C9OZ 13480-A
69/70	X-without power brakes "From 11/18/68"		1	(SW-881)
69/71	B-without power brakes "From 11/18/68"		1	
70/	P		1	
67/	U		1	
69/	A-with power brakes	#C9AB 13480-D,	1	C9AZ 13480-D
69	B, X-with power brakes "Before 11/18/68"	#D2AB 13480-BA	1	(SW-861)
69/71	S		1	
69/70	X-with power brakes "From 11/18/68"	#C9VB 13480-A	1	C9VY 13480-A
69/71	B-with power brakes "From 11/18/68"			(SW-862)
65	B, X-with power brakes			
67/68	F-with power disc brakes	#C8ZB 13480-B	1	
71/	F-without power brakes	#D1ZB 13480-AA	1	D1ZZ 13480-A (SW-989)
72	B-without power brakes		1	
71/	F-with power brakes	#D1ZB 13480-BA	1	D1ZZ 13480-B (SW-990)
72	B-with power brakes		1	
72	S		1	
65	F-generator		1	C1AZ 13480-A
66	U		1	(SW-24)
67/68	F-with power drum brakes	#C9ZB 13480-B	1	C9ZZ 13480-B
69/70	F-with power brakes		1	(SW-864)
65/67	S	#C7SB 13480-A,B	1	C5SZ 13480-C (SW-615)
68	S	#C8SB 13480-A	1	C8SZ 13480-A (SW-690)
66/	A, B, F, L, P, S, X	Pin-(attach switch to master cylinder)	1	380699-S(NN128F)
	13482 RELAY ASSY. - STOP LAMP			
65/66	S "Before 11/17/65"		1	C5SZ 13482-A
66/67	S "From 11/17/65"	#C5SB 13A410-B, C6SB 13A410-A,	1	C7SZ 13482-B
68	S-with speed control	C8SB 13A410-C-located in engine compt.	1	
69/70	S (auxiliary stop lamp)	#C8SB 13A410-A-located in luggage compt.	2	C8SZ 13482-A
	13489 DOOR - REAR LAMP			
	- A -			
65	A(54A, 57, 62A, 63, 76)	Includes attaching parts	2	C5AZ 13489-D
65	A(54B, 54E, 62B, 62E)		2	C5AZ 13489-B
65	A(71)		2	C5AZ 13489-C
66	A(except 71)	Includes attaching parts	2	C6AZ 13489-A
66	A(71)	Includes attaching parts	2	C6AZ 13489-C

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13489 DOOR - REAR LAMP - continued			
	- A -			
67	A(71)	Includes attaching parts	2	C7AZ 13489-A
67	A(except 71)	Includes attaching parts	2	C7AZ 13489-B
68	A(54A, B, E, 57B, 62, 63B, 65C, 76A)-	Includes attaching parts	2	C8AZ 13489-E
68	A(71)	Includes attaching parts	2	C8AZ 13489-B
68	A(54C, 57F, 63C, 65A, 76B)	Includes attaching parts	2	C8AZ 13489-F
69	A(except 71)	Includes attaching parts	2	C9AZ 13489-A
69/70	A(71)	R.H. -includes attaching parts	1	C9AZ 13489-B
		L.H.	1	C9AZ 13489-C
70	A(except 71)	R.H. & L.H. -includes attaching parts	2	D0AZ 13489-B
71	A(except 71)	R.H.	1	D1AZ 13489-A
		L.H.	1	D1AZ 13489-B
71	A(53H,K,57H,K,65H,K,76H)	Center	1	D1AZ 13489-E
71/	A(71)	R.H.-includes attaching parts	1	D1AZ 13489-C
		L.H.-includes attaching parts	1	D1AZ 13489-D
	- B -			
67	B(54, 62, 63, 76)	Includes attaching parts	2	C7OZ 13489-A
67	B(66, 71)	Includes attaching parts	2	C7OZ 13489-B
68	B(54, 65, 76)	Includes attaching parts	2	C8OZ 13489-A
68/69	B(71)	Includes attaching parts	2	C8OZ 13489-C
68/69	B(66)	Includes attaching parts	2	C8OZ 13489-D
68/69	B(63)	Includes attaching parts	2	C8OZ 13489-E
69	B(54, 65, 76)		2	C9OZ 13489-A
70/71	B(66, 71)	R.H. includes attaching parts	1	D0OZ 13489-C
		L.H.	1	D0OZ 13489-D
70	B(63F, H, 76F)	R.H. & L.H. includes attaching parts	1	D0OZ 13489-E
71	B(63F,76F)	R.H. & L.H.	1	
70/71	B(54,57,62A,63C,H,65)	R.H.	1	D1OZ 13489-A
		L.H.	1	D1OZ 13489-B
71	B(63H)	R.H.	1	D1OZ 13489-C
		L.H.	1	D1OZ 13489-D
72	B(71,97)	R.H. -includes attaching parts	1	D2OZ 13489-A
		L.H.	1	D2OZ 13489-B
	- F -			
65/66	F		2	C5ZZ 13489-A
67/68	F	Includes pad	6	C8ZZ 13489-A
68	F(65) GT/CS	R.H. & L.H. -	2	C5SZ 13489-A
69	F(except GT 350/500)		2	C9ZZ 13489-A
69/70	F(GT350/500)		2	C5SZ 13489-A
70	F	R.H. - CHROME	1	D0ZZ 13489-A
		L.H. - CHROME	1	D0ZZ 13489-B
70	F	R.H. - BLACK	1	D0ZZ 13489-C
		L.H. - BLACK	1	D0ZZ 13489-D
	- L -			
71/	L(62,64)	R.H. - CHROME	1	D0DZ 13489-A
		L.H. - CHROME	1	D0DZ 13489-B
71/	L(62,64)	R.H. - BLACK	1	D1DZ 13489-A
		L.H. - BLACK	1	D1DZ 13489-B
72	L(73)	R.H. -includes attaching parts	1	D2FZ 13489-A
		L.H. -includes attaching parts	1	D2FZ 13489-B
	- P -			
70/	P(except 62D)	R.H.-CHROME	1	D0DZ 13489-A
		L.H.-CHROME	1	D0DZ 13489-B
71/	P(62D)	R.H.-BLACK	1	D1DZ 13489-A
		L.H.-BLACK	1	D1DZ 13489-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13489 DOOR - REAR LAMP - continued			
	- S -			
65	S	R.H. -outer	1	C4SZ 13489-A
		L.H. -outer	1	C4SZ 13489-B
65	S	R.H. & L.H. -inner	2	C5SZ 13489-A
66	S	R.H. -outer	1	C6SZ 13489-A
		L.H. -outer	1	C6SZ 13489-B
66	S	R.H. & L.H. -inner	2	C6SZ 13489-C
66	S	Center-lower	1	C6SZ 13489-F
67	S	R.H.	1	C7SZ 13489-A
		L.H.	1	C7SZ 13489-B
67	S	Center-upper	1	C7SZ 13489-C
67/68	S	Center-lower	1	C7SZ 13489-D
68	S	R.H.	1	C8SZ 13489-A
		L.H.	1	C8SZ 13489-B
68	S	Center-upper	1	C8SZ 13489-C
69	S	R.H. -inner	1	C9SZ 13489-A
		L.H. -inner	1	C9SZ 13489-B
69	S	Outer	1	C9SZ 13489-D
70/71	S	Assembly	1	D0SZ 13489-A
70	S "Before 10/1/69"	R.H. -moulding includes reflector	1	D0SZ 13489-B
		L.H.	1	D0SZ 13489-C
70/71	S "From 10/1/69"	R.H. -moulding includes reflector	1	D0SZ 13489-D
		L.H.	1	D0SZ 13489-E
72	S		1	D2SZ 13489-A
72	S	R.H. -includes reflector & attaching parts	1	D2SZ 13489-E
		L.H. -includes reflector & attaching parts	1	D2SZ 13489-C
	- U -			
66/	U	R.H. -includes attaching parts less lens	1	C4TZ 13489-E
66/	U	L.H. -includes attaching parts less lens	1	C4TZ 13489-F
	-X -			
68/70	X(54, 62)	Includes attaching parts	2	C8DZ 13489-A
68/70	X(71)	Serviced in 13404 lamp assy.		
65/70	X	Screw (door and lens to lamp body)-	2or4	378370-S100
66/	U	No. 8-18 x 1 1/4"		(UU81F)
65	A(except 71)	Nut (bezel to quarter panel)-3/16" self threading	8	373503-S7 (MM285A)
65/66	A	Nut (sleeve to lens)-1/8" self threading	8	371136-S7
65/66	S		8	(MM288D)
65	B		8	
		Nut-No. 8-15-"J" shaped spring	4	353464-S8(MM248)
66	A (except 71)	Nut (sleeve to quarter panel)-1/4" self threading	8	376842-S100 (MM288A)
66	A (71)	Screw (sleeve & seal to qtr. panel & extension)- No. 8-18 x 1"	4	52445-S13(U227)
70	B	Nut 1/4"-20 attach bezel rear lamp to lower back panel	AR	45234-S(M179)
65/70	F	Screw (door to lamp body)-No.8-32 x 1/2"	8	50398-S13(U121)
67/70	F	Nut & sealer No. 8-32 (door and lamp body to lower back panel)	12	377523-S (MM291C)
65	S	Screw (door to lamp)-No. 8-15 x 5/8"	8	53027-S13(U278)
66	S	Screw (outer door to lamp body)	8	
66	S	Screw (center-upper & lower door to outer door)	4	
		Nut-No. 8-15 spring "J" shaped	AR	45132-S32(M125)
		Nut-No. 8 or 10 insert	2	380442-S(MM228F)
66	S	Screw (center-lower door to rear bumper impact bar)-No. 8-15 x 1 1/4"	2	53066-S13(U284)
66	S	Screw (inner door to lamp body)-No. 8-18 x 3/4"	10	380446-S15 (UU81Q)
66	S	Screw (center-upper & lower door to lamp body)	6	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13489 DOOR - REAR LAMP - continued			
67	A(71)	Screw-No. 10-16 x 1 1/4"-attach bezel to lamp body	AR	380049-S (UU56AB)
67	A(exc. 71)	Nut-1/4"-20-attach bezel to lamp body	AR	373556-S (MM291F)
68	A(71)	Screw-No. 8-18 x 1 1/2" oval head-attach bezel to rear quarter panel	AR	376290-S(UU56D)
		"J" nut-No. 8-18 x 1 1/2" oval head-attach bezel to rear quarter panel	AR	381924-S (MM248A)
		Screw-No.8-32 x 3/8"-attach bezel to rear lamp	AR	40254-S(U219)
68	A(except 71)	Nut-1/8"-attach bezel to rear lamp	AR	373888-S(MM290)
71/	A(71)	Nut No. 8 or 10 insert (attach bezel to quarter panel)	AR	383356-S (MM216PA)
	13A493 PAD - REAR REFLECTOR MOUNTING			
67	U	Body side-rubber-not replaced	1	★C7TZ 13A493-F
67/	U	R.H.-rubber	1	C7TZ 13A493-C
		L.H.-rubber	1	C7TZ 13A493-D
68/	U	Body side	2	C8TZ 13A493-A
	13A495 SEAL - REAR LAMP			
71	A(53H,K,57H,K,65H,K,76H)	Center	1	D1AZ 13A495-A
72	L(73)	R.H.	1	D2FZ 13A495-A
		L.H.	1	D2FZ 13A495-B
72	S	Round-sponge rubber	8	D2SZ 13A495-A
72	S	Oval-sponge rubber	2	D2SZ 13A495-B
	13A506 RETAINER - REAR LAMP WIRING			
66	A		1	C3AZ 13A506-B
67/	A,F,S	Also used on vacuum hoses and wiring	AR	C7AZ 13A506-B
70/	P,L	(1) rear lamp-(1) antenna lead	2	
67/70	B,X "Before 4/15/70"		AR	
72	B		AR	
70	B "From 4/15/70"		AR	D0OZ 13A506-A
71	F		AR	
71/	A		AR	D1AZ 13A506-A
72	A		AR	C8TZ 13A506-A
72	A	Used on 14690	AR	
71	L		AR	
72	A		AR	
72	A(53,54,57,71)	Used on 14405, 14A412	AR	D2AZ 13A506-A
71	F		AR	D1ZZ 13A506-A
	13508 SHIELD - REAR LICENSE PLATE LAMP			
71	F		1	D1ZZ 13508-A
	13520 SEAL - REAR LAMP BODY			
	- A -			
65	A(54B,54E,62B,62E)		2	C5AZ 13520-A
65	A(71)		2	C5AZ 13520-B
69/70	A(71)		2	C8VY 13520-A
69/70	A(71)		2	C9AZ 13520-A
70	A(except 71)		2	D0AZ 13520-B
71	A(except 71)	R.H. & L.H.	2	D1AZ 13520-A
71/	A(71)	R.H.	1	D1AZ 13520-B
		L.H.	1	D1AZ 13520-C
	- B -			
66	B(54,62,63,76)		2	C6OZ 13520-C
66	B(71)		2	C6OZ 13520-D
67	B(54,62,63,76)		2	C7OZ 13520-A
67	B(66,71)-except with reflectors		2	C7OZ 13520-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13520 SEAL - REAR LAMP BODY - continued			
	- B -			
68	B(54, 65, 76)		2	C8OZ 13520-E
68	B(63)		2	C8OZ 13520-C
68	B(66, 71)		2	C8OZ 13520-B
69	B(71)		2	
69	B(63)		2	C8OZ 13520-F
70/71	B(66, 71)	R.H.	1	D0OZ 13520-A
		L.H.	1	D0OZ 13520-B
72	B(71, 97)	R.H.	1	D2OZ 13520-A
		L.H.	1	D2OZ 13520-B
	- F -			
67/69	F		2	C7ZZ 13520-B
70	F		2	D0ZZ 13520-B
71/	F	R.H. & L.H.	2	D1ZZ 13520-B
	- S -			
67/69	S	Outer	1	C7SZ 13520-A
70/71	S		2	D0SZ 13520-A
	- X -			
68/70	X(71)		2	C6OZ 13520-D
	13A526 SPACER - REAR LAMP REFLECTOR MOUNTING			
66	X(66)	Used with front & rear reflectors	2	C6DZ 13A526-A
	13A527 BRACKET -REAR REFLECTOR MOUNTING			
68/	U	At hinge and spare tire	AR	C8TZ 13A527-A
	13533 CAP - HEADLAMP DIMMER FOOT SWITCH			
65/	F(76)	Rubber	1	C5ZZ 13533-A
70/	A, B, F, P	Reverbration rear speaker switch	1	
71/	L		1	
	13A537-8 DOOR - REAR LAMP - Refer to Group 13448-9			
	13A540-1 BRACKET - REAR LAMP MOUNTING - UPPER			
66	S	R.H.	2	C6SZ 13A540-A
		L.H.	2	C6SZ 13A541-A
		Screw(upper & lower brkt.to lamp)-No.12-14x1/2"	2	★52608-S40
		Lockwasher-No. 12	2	34927-S7(X87)
	13547 LENS ASSY. - COURTESY and MAP LAMP			
65/	B		1	D2LY 13547-A
65/70	X		1	
	13550 LAMP ASSY. - REAR LICENSE			
	- A -			
65	A(71)		1	C5AZ 13550-B
66/68	A(71)		2	C6AZ 13550-E
65/66	A(54, 57, 62, 63, 76)		1	C5AZ 13550-C
67	A(54, 57, 62, 63, 76)		1	C6AZ 13550-D
68	A(except 71)		1	C8AZ 13550-B
69	A(except 71)		1	C9AZ 13550-A
69/	A(71)	Includes nut	2	D1AZ 13550-B
70	A(except 71)		1	D0AZ 13550-A
71	A(except 71)		1	D1AZ 13550-A
72	A(except 71)		1	D2AZ 13550-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13550 LAMP ASSY. - REAR LICENSE - continued			
	- B -			
65	B(54, 62, 65)		1	C5OZ 13550-A
65	B(71)		1	C5OZ 13550-B
66/67	B(54, 62, 63, 76)		1	C6OZ 13550-F
68/69	B(54, 63, 65, 76)		1	C8OZ 13550-E
70	B(except 66, 71)		1	C9WY 13550-A
71	B(except 66, 71)		1	D1OZ 13550-A
72	B(except 71, 97)		1	D2OZ 13550-A
66/71	B(66, 71)	Includes nut	2	D1AZ 13550-B
72	B(71)		1	D2OZ 13550-E
72	B(97)		1	D2OZ 13550-C
	- F -			
67/68	F		1	C7ZZ 13550-E
69/70	F(GT 350/500)		1	C9ZZ 13550-B
69/70	F(except GT 350/500)		1	C9ZZ 13550-A
71/	F		1	D1ZZ 13550-A
	- L -			
71/	L(62, 64)		1	D1FZ 13550-A
72	L(73)		1	D2FZ 13550-A
	- P -			
70	P "Before 10/1/69"		1	D0DZ 13550-A
70/72	P "From 10/1/69"		1	D3DZ 13550-B
	- S -			
65	S		1	C4SZ 13550-D
66	S		1	C6SZ 13550-A
67/71	S		1	D1SZ 13550-A
72	S "Before 5/15/72"		1	D2SZ 13550-A
72	S "From 5/15/72"		1	D3SZ 13550-A
	- U -			
66/72	U		1	D3BZ 13550-A
	- X -			
65	X(54, 62, 63, 76)		1	C5DZ 13550-C
65	X(59, 66, 71, 78)		1	C5DZ 13550-D
66/70	X(54, 62)		1	C6OZ 13550-F
66	X(66, 71)		2	D0OZ 13550-A
67/70	X(71)		2	
71/	A(71), B(66, 71)	Nut-1 1/4" -18-(attach lamp to bumper)	2	356642-SMM126E)
65/69	A	Screw(lamp to rear bumper impact bar or reinforcement)-No. 10-12 x 5/8"	2	42014-S8 (U240)
65	A	Lockwasher-No. 10	2	34903-S8 (X96)
66	A(71)	Clip (socket & wiring assy. to reinf. rear impact bar center)	4	380753-S(GG248)
65/67	B, X	Screw(lamp to rear bumper impact bar)-No. 10-16 x 1/2"	2	376383-S100(UU82J)
68/	B, P, U	Screw (lamp to rear bumper)-No. 8-15 x 1/2"	2	52012-S8(U202)
68/70	A(except 71)	Attach license lamp to bumper	AR	
71	A(except 71)	Screw-No. 8-32 x 1/2" -(attach license lamp to bumper)	2	40917-S(U257)
71	F	Screw-No. 8-15 x 5/8" -(attach lamp to bumper)	1	52554-S(U230)
65	S	Screw(lamp to rear bumper impact bar reinforcement)-1/4"-20 x 1/2"	2	40927-S8(U262)
66	S	Screw(lamp to rear bumper impact bar reinf.)-No. 10-24 x 1/2"	2	40918-S8(U260)
72	B(66, 71)	Cup-attach wire and socket to lamp body	AR	372047-S(GG217)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13560 BODY and SOCKET ASSY. - REAR LICENSE LAMP			
	- A -			
65/68	A(54, 57, 62, 63, 76)		1	C5AZ 13560-C
	- B -			
66/68	B(54, 62, 63, 76)		1	C6OZ 13560-A
	- F -			
65/66	F	Bracket & lamp assembly	1	C5ZZ 13560-A
	- X -			
65	X(54, 62, 63, 76)		1	C4DZ 13560-C
65	X(59, 66, 71, 78)	Not replaced	1	★C4DZ 13560-D
66/68	X(54, 62)		1	C6OZ 13560-A
67	A (except 71)	Screw-No. 10-12 x 5/8" (lamp to bumper)	2	42014-S(U540)
65/66	F	Screw(brkt.& lamp to rear bumper)-No.10-12x1/2"	2	52727-S8(U382)
67/68	F	Screw(brkt.& lamp to rear bumper)-No.10-12 x 3/4"	2	52743-S(U382A)
65/70	X(54, 62, 63, 76)	Strap (lamp wire to body support)-Black Nylon	1	376914-S(YY2)
65/70	B(except 71), X	Screw (lamp to rear bumper)-No.10-16 x 1/2"	2	376383-S100 (UU82J)
	13A562 FILTER - REAR LAMP - INNER			
66	S	Includes attaching parts	3	C6SZ 13A562-A
	13564 LENS - REAR LICENSE PLATE LAMP			
65	A, X		1	C4AZ 13564-A
65	B		1	
66/	A(except 71)		1	
66/72	B(54, 62, 63, 76)		1	
65/	F		1	
65/	S		1	
66/70	X(54, 62)		1	
72	B(71, 97)		1	
70/	P		1	
71/	L		1	
66/70	A(71), B(66, 71), X(66, 71)		2	C6AZ 13564-B
71/	A(71)		2	D1AZ 13564-A
71	B(66, 71)		2	
66/	U		1	C1TB 13564-A
	13A565 REFLECTOR ASSY. - REAR BUMPER			
72	A(53H, K, 57H, K, 65H, K, 76H)	Includes reflector D2AZ 13A565-B, ret.& pad	1	D2AZ 13A565-A
72	A(53H, K, 57H, K, 65H, K, 76H)	Reflector only	1	D2AZ 13A565-B
72	S	R. H.	1	D2SZ 13A565-A
		L. H.	1	D2SZ 13A565-B
	13566 DOOR - REAR LICENSE PLATE LAMP			
65	A, B, F		1	C5OZ 13566-B
66/70	A(except 71)		1	
66	B(except 71)		1	
67/	B(54, 62, 63, 65, 76)		1	
66/	F		1	
66/71	S		1	
65/70	X(54, 62)		1	
70/	P		1	
71/	A(except 71)		1	D1AZ 13566-A
71/	L		1	
72	S		1	
72	B(71, 97)		1	D2OZ 13566-A
65/67	A	Screw-No. 8-32 x 3/4" (door to lamp body)	2	51786-S(U-367)
68/	A(except 71), B(except 71), P	Screw-No. 8-15 x 3/4" (door to lamp body)	2	52742-S(U385)
71	A, F, P	Screw-No. 8-18 x 3/4" (door to lamp body)	2	55928-S(U380A)
65/	B, F, S, X	Screw (lens, door & gasket to lamp body)-No. 8-32 x 1/2"	2	51764-S8(U366)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13568 GASKET - REAR LICENSE PLATE LAMP LENS			
65	A, S, X	Neoprene sponge	1	C7AZ 13568-A
65	B, F		1	
66/	A(except 71)		1	
66	B(except 71)		1	
67/	B(54, 62, 63, 76)		1	
66/	F, S		1	
66/69	X(54,62)		1	
71/	B(71)		1	
70/	P		1	
71/	L		1	
66/	U		2	B6A 13568-B
	13A569 RETAINER - REAR REFLECTOR			
70	B(63F)		1	D0OZ 13A569-A
71	B(63F, 76)		1	
	13A573 WIRING ASSY. - STOP LAMP RELAY			
65	S		1	C5SZ 13A573-A
	13A576 WIRING - TRAILER WIRING FEED			
66/71	B,S		1	C6AZ 13A576-A
66/	F		1	
66/70	A,X		1	
70/	P,L		1	
71	A	#D1AB 13A576-AA, D2AB 13A576-AA	1	D1AZ 13A576-A
72	A,B	#D2AB 13A576-BA	1	D2AZ 13A576-A
72	S "From 11/1/71"		1	
72	S "Before 11/1/71"	#D2SB 13A576-AB	1	D2SZ 13A576-A
	13585 BRACKET LICENSE PLATE LAMP SHIELD REAR			
66/	U		1	C6TZ 13585-A
	13586 JEWEL - HIGH BEAM INDICATOR			
67	B, F		1	C7OZ 13586-A
66/	U		1	C1TF 13586-A
	13A595 PAD - STOP LAMP RELAY MOUNTING			
69/70	S-auxiliary stop lamp		1	C8SZ 13A595-A
	13A613 LAMP ASSY. - BACK WINDOW STOP			
69/70	S(57)-with auxiliary stop lamp	R.H.-Black	1	C8SZ 13A613-F
69/70	S(57)-with auxiliary stop lamp	L.H.-Black	1	C8SZ 13A613-H
70	S	Screw-No. 8-15 x 1"-(attach lamp to roof side rail)	AR	42151-S(U247)
69/70	S(with auxiliary stop lamp)	Grommet(wiring thru garnish moulding)	AR	375676-S(KK13A)
	13616 ORNAMENT - REAR LAMP LENS			
69	A(54C, 57F, 63C, 65A, 76B)	Lettering " Ford" (1) Lower back panel (1) Radiator grille	2	C9AZ 13616-A
66	S	Includes attaching parts	1	C6SZ 13616-A
67	S	R.H.-includes attaching parts	1	C7SZ 13616-A
		L.H.	1	C7SZ 13616-B
68	S	R.H.-Includes attaching parts	1	C8SZ 13616-A
		L.H.	1	C8SZ 13616-B
69	S	R.H.-Includes attaching parts	1	C9SZ 13616-A
		L.H.	1	C9SZ 13616-B
70/71	S		1	D0SZ 13616-A
72	S	Includes attaching parts	1	D2SZ 13616-A
66	S	Nut & washer (ornament & O-ring to center rear lamp lens)-1/8" self threading	4	380504-S100 (MM290G)

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

SECTION 134

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A619 RETAINER ASSY. - BACK WINDOW STOP LAMP			
69	S(65)-auxiliary stop lamp	R. H. -Black - not replaced	1	★C8SZ 13A619-A
		L. H. - not replaced	1	★C8SZ 13A619-C
69/70	S(57)-auxiliary stop lamp	R. H. -Black	1	C8SZ 13A619-B
		L. H.	1	C8SZ 13A619-D
	13621 SOCKET & WIRE ASSY. - INSTRUMENT PANEL LAMP			
65/70	A, B, F, X, U	Metal socket-service replacement for factory installed defective metal or plastic sockets	AR	C4AZ 13621-A
	13A625 WIRE ASSY. - BACK WINDOW STOP LAMP			
69	S-auxiliary stop lamp	#C8SB 13A625-B	1	C8SZ 13A625-B
70	S-auxiliary stop lamp "Before 1/15/70"	Not req'd. on units built from 1/15/70- #D0SB 13A625-C	1	D0SZ 13A625-A
	13A626 LENS ASSY. - BACK WINDOW STOP LAMP			
69	S(65)-auxiliary stop lamp	R. H. - not replaced	1	★C8SZ 13A626-E
		L. H.	1	C8SZ 13A626-G
69/70	S(57)-auxiliary stop lamp	R. H.	1	C8SZ 13A626-F
		L. H.	1	C8SZ 13A626-H
	13A634 RETAINER - REAR LAMP BEZEL			
70	S-auxiliary stop lamp		1	D0SZ 13A634-A
	13654 SPRING - HEADLAMP DIMMER CONTROL ADJUSTING SCREW			
68	A, F		1	C8VY 13654-A
68/69	B, S, X		1	
68/69	S		1	
	13655 BRACKET - HEADLAMP DIMMER CONTROL MOUNTING			
69/70	A "Before 11/24/69"		1	C9AZ 13655-A
70/	A "From 11/24/69"	Steel	1	D0AZ 13655-A
	13A656-7 COVER - BACK WINDOW STOP LAMP			
70	S(65)-auxiliary stop lamp	R. H. -Blue	1	D0SZ 13A656-A
		L. H.	1	D0SZ 13A657-A
		R. H. -Nugget	1	D0SZ 13A656-B
		L. H.	1	D0SZ 13A657-B
		R. H. -Black	1	D0SZ 13A656-C
		L. H.	1	D0SZ 13A657-C
		R. H. - White	1	D0SZ 13A656-D
		L. H.	1	D0SZ 13A657-D
		R. H. -Ginger	1	D0SZ 13A656-E
		L. H.	1	D0SZ 13A657-E
		R. H. -Red	1	D0SZ 13A656-F
		L. H.	1	D0SZ 13A657-F
		R. H. -Green	1	D0SZ 13A656-G
		L. H.	1	D0SZ 13A657-G
	13662 PIN - HEADLAMP DIMMER CONTROL PIVOT			
68	A, F		1	C8VY 13662-A
68/69	B, S, X		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13703 SPRING - SEAT REGULATOR CONTROL KNOB PIVOT			
65/66	A-with 6 way power seat	1 1/4" long	2	FFC 13703-A
66/69	S		2	
	13B705 BEZEL - MAP LAMP LENS			
65/66	S	R. H.	1	C4SZ 13B705-A
		L. H.	1	C4SZ 13B705-B
	13707 LAMP ASSY. - CONSOLE COURTESY LAMP			
65/66	F	Replaced by Details (7-67)	1	★C5ZZ 13707-A
		Screw (lamp to bracket)-No. 8-15 x 3/8"	4	42119-S8(U246)
	13A709 WIRING ASSY. - COURTESY or INTERIOR LAMP - Unless listed - Improvise from B6A 14296-C			
	- A -			
65	A(63C)	Not replaced	1	★C3MY 13A709-C
65/66	A(57, 63, 76)-with "C" pillar radio speaker-except A/C	9.00" long-with (1) socket-not supplied-improvise from C0AF 13A709-C wiring	1	★C5AB 13A709-A
65/66	A(57, 63, 76-with "C" pillar radio speaker and A/C)	37.00" long-with (1) socket-not supplied-improvise from C0AF 13A709-C wiring	1	★C5AB 13A709-B
66	A(6 cyl.)-with Ford Aire	58.00" long-courtesy lamp-R. H. -with socket	1	C0AF 13A709-C
67	A(except 71)	23.00" long-R. H. -front door #C7AB 13A709-E	1	C7AZ 13A709-A
67/69	A(63C, 76B)	20.00" long-with (2) sockets #C7AB 13A709-C or G, to instrument panel	1	C7AZ 13A709-D
68	A-without deluxe trim or visibility group-"Before 10/16/67"	23" long-R. H. front door #C8AB 13A709-E	1	C8AZ 13A709-A
68	A-without deluxe trim or visibility group-"From 10/16/67"	R. H. front door #C8AB 13A709-G	1	C8AZ 13A709-G
68	A(54A, B, E, 57B, 71)-with visibility group	R. H. rear door-courtesy lamp to switch #C8MB 13A709-F	1	C8MZ 13A709-A
68	A(54C, 57F)-with deluxe trim-		1	
68	A(54, 57, 71)-with visibility group	R. H. -rear door #C8MB 13A709-G	1	C8MY 13A709-A
68	A(54B, E)-New York taxi		1	
68	A(54A, B, E, 71)-with visibility group	R. H. -rear door - not replaced #C8MB 13A709-H	1	★C8MY 13A709-B
68	A(54C, 57F, 65A)-with delux trim		1	
68	A(54B, E)-New York taxi-		1	
68	A(54C, 57, 63B, C, 65, 76A, B)	Console-with (2) wire sockets-not replaced #C8AB 13A709-D	1	★C8AZ 13A709-F
69	A(54A, C, 57, 71)(New York taxi and expanded taxi)	Extension-104" long #C9MB 13A724-B, C9MB 13A724-C, D0MB 13A724-A, D1AB 13A724-AA	2	C9MY 13A709-A
70/71	A(54A, C, 57, 63, 65, 76), (Taxi 54)		2	
70	A(54C, 57F, 65A, 76)	62" long with (2) sockets for instrument panel courtesy lamps #D0AB 13720-A	1	D0AZ 13A709-A
71/	A-with visibility group, (Taxi 54)	14" long-rear door-connects 13713 switch to C9MY 13A709-A or D2AZ 13A709-A wiring #D1AB 13A709-AA	2	D1AZ 13A709-A
72	A-with visibility group	2 sockets-(1) 15" long-(1) 73" long-connects to D1AZ 13A709-A and 14405 #D2AB 13A724-AA	1	D2AZ 13A709-A
	- B -			
66	B(63C, D, 78C, D)-with arm rest courtesy lamps	5" long	2	C6AZ 13A709-A
68/71	B(54, 57, 71)-with interior light group	52" long (from front door courtesy lamp to rear door courtesy lamp switch) #C8OB 13A709-B, C, D1OB 13A709-AA	2	C8OZ 13A709-E
68/69	B(54, 57, 71)-with interior light group	8" long extension (from main loom to front door courtesy lamp switch) #C8OB 13A724-C, D	2	C8OZ 13A709-F

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION		QTY.	PART NUMBER
	13A709 WIRING ASSY. - COURTESY or INTERIOR LAMP - continued				
		Unless listed - Improvise from B6A 14296-G Wire			
	- B -				
70/71	B(54,57,71)	R.H.	#D0DB 13A724-D	1	D0DZ 13A709-C
		L.H.	#D0OB 13A724-A, B	1	D0OZ 13A709-A
70	B(71)	Feed	#D0OB 14334-A,	1	D0OZ 13A709-B
71	B	56" long-feed	#D1OB 14334-AA	1	D1OZ 13A709-A
72	B(53,71)	Rear door extension	#D2OB 13A724-BA, BC	1	D2OZ 13A709-B
	- F -				
67	F(63B)-with roof console	134.00" long-not replaced	#C7ZB 13A709-B, D	1	★C7ZZ 13A709-G
67	F-with safety convenience package (except with door mtd. stereo speakers)	Door mounted courtesy lamp	#C7ZB 13A769-E, G	2	C7ZZ 13A709-J
	- L -				
71	L	From 14401 to R.H. front door switch	#D12B 13A724-AB	1	D1FZ 13A709-A
72	L	34" long from 14401 to R.H. front door courtesy lamp switch	#D22B 13A724-AB	1	D2FZ 13A709-A
	- P -				
70	P	L.H.-(2) 4" long wires-connects 14401 main loom to courtesy lamp switch to luggage comp. lamp ext.	#D0DB 13A724-B, E	1	D0DZ 13A709-A
70	P-with visibility group and locking column	L.H.-connects courtesy lamp switch to courtesy lamp to door open switch to buzzer	#D0DB 13A724-G	1	D0DZ 13A709-B
	- S -				
67	S	"C" pillar lamp feed	#C7SB 14334-A	1	C7SZ 13A709-E
68/69	S	R.H.-front door courtesy lamp switch to door ajar switch, to stereo speakers		1	C8SZ 13A709-H
68/69	S	L.H.-front door courtesy lamp switch to door ajar switch, to stereo speakers		1	C8SZ 13A709-J
68/69	S-without tilt steering column	Courtesy lamp switch to feed wire	#C8SB 13A709-B	2	C8SZ 13A709-D
68	S-with tilt column			1	
69	S(65)	R.H. & L.H. - "C" pillar - lamp feed - not replaced	#C9SB 14334-A	1	★C8SZ 13A709-K
70	S(65)-with auto. seat back release-with safety convenience panel "Before 9/8/69"		#D0SB 13A709-B, D, E	1	D0SZ 13A709-A
70	S-without safety convenience panel - "Before 9/8/69"		#D0SB 13A709-C	1	D0SZ 13A709-C
70	S "From 9/8/69"	See 13713 switch and wiring			
	- U -				
66/69	U	58.00" long-courtesy lamp-R.H.-with socket		1	C0AF 13A709-C
68/	U	Extension		1	C8UZ 13A709-B
	-X -				
65	X(76)	58.00" long-courtesy lamp-R.H.-with socket		1 or 2	C0AF 13A709-C
65	X-with courtesy lamp group	24.00" long-with (1) socket-not supplied-improvise from C0AF 13A709-C wiring		1	★C4DB 13A709-F
65	X(76)-with A/C	42.00" long-with (2) sockets-not supplied-improvise from C0AF 13A709-C wiring		1	★C4DB 13A709-C
65	X(76)-except A/C	21.50" long-with (1) socket-not supplied-improvise from C0AF 13A709-C wiring		1	★C4DB 13A709-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A709 WIRING ASSY. - COURTESY or INTERIOR LAMP - continued - Unless listed - Improvise from B6A 14296-C Wire			
	- X -			
68	X(54,71)-with interior light group- "Before 10/16/67"	52" long (from front door courtesy lamp to rear door courtesy lamp switch) #C8OB 13A709-B	2	C8OZ 13A709-A
68/69	X(54,71)-with interior light group- "From 10/16/67"	52" long (from front door courtesy lamp to rear door courtesy lamp switch) #C8OB 13A709-C	2	C8OZ 13A709-E
68	X(54,71)-with interior light group- "Before 10/16/67"	8" long extension (from main loom to front door courtesy lamp switch) #C8OB 13A724-C	2	C8OZ 13A709-B
68/69	X(54,71)-with interior light group- "From 10/16/67"	8" long extension (from main loom to front door courtesy lamp switch) #C8OB 13A724-D	2	C8OZ 13A709-F
68	A(76A)	Clip (attach courtesy lamp wiring to lock)	2	372864-S100(GG91)
65/	A(71)	Clip (wiring to inner rail of rear back window	2	
67	A(54A, B, E, 57B, 62B, E)	Clip (attach courtesy lamp wiring to fresh air vent)	1	378674-S(GG150H)
71	A	Attach courtesy lamp wiring to front cross member	1	
70	A	Screw-No.8-15 x 1/2"-attach wiring to roof side rail	2	52012-S(U202)
65/	B(54, 71)	Clip (courtesy lamp group wiring to L. H. floor	2	★379682-S
65	X(54, 71)	side member)		
65	X(54, 71)	Strap (wiring to R. H. cowl inner panel)- adjustable Nylon	2	376914-S(YY2)
65/66	S-with warning lamp system	Strap (wiring to gusset or stop assembly)	2or4	
65/70	X	Clip (wiring to front body pillar & cowl assy. or instrument panel)	1 or 2	372046-S100 (GG186)
65/70	X	Clip (wiring to instrument panel lower flange reinforcement)	4	★376118-A
	13A710 WIRE ASSY. - REAR INTERIOR LAMP - Improvise from 14296 wire			
65	A(71) "Before 2/1/65"	Clip (wiring to inner rail of rear back window header)	2	372864-S100 (GG91)
65/69	A(71) "From 2/1/65"	Clip(wiring to inner rail of rear back window header)	2	★376118-S
65/69	X(71)	Clip (wiring to inner rail of back window header)	2	★372303-S100
	13711 SOCKET ASSY. - INSTRUMENT PANEL LAMP			
67	A		AR	D0GY 13711-B
72	A		4	
69	A	Red (seat belt)	AR	C9AZ 13711-A
69	A	Blue (door ajar)	AR	C9AZ 13711-B
69	A	Green (low fuel)	AR	C9AZ 13711-C
71/	A, B, F, L, P "From 3/1/72"	Includes two terminals	AR	D1AZ 13711-A
68/70	B, P, X	Instrument cluster lamps	AR	C8OZ 13711-A
69	A, F		AR	
68/	S, U		AR	
71	A, B, F, L, P "Before 3/1/72"		AR	
72	A, B, F, L, P		AR	
69/70	F	Instrument cluster lamps	AR	C9ZZ 13711-A
		Map lamp	1	
67	S		AR	C7SZ 13711-B
67	S-with safety convenience package	Roof console-warning lamp	1	C7SZ 13711-C
68/70	S		AR	D0GY 13711-A
72	S	9 1/4" long rectangular 4 sockets	2	D2SZ 13711-A
72	S	1 3/4" square 4 sockets	2	D2SZ 13711-B
67/	U		AR	C7AZ 13711-A
68	A		AR	
66	B, X		AR	

★Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	WIRE ASSY. - COURTESY LAMP			
69/70	A(54C, 57F, 65A)	With door mounted courtesy lamp	2	C9WY 13B711-A
71	A(53K, 57K, 65K)		1	
72	A(53K,57K,65K) "Before 3/15/72"	With door mounted courtesy #D2AB 13B711-CA	2	D2AZ 13B711-A
72	S "Before 3/15/72"	lamp	2	
72	A(53K, 57K, 65K) "From 3/15/72"	With door mounted courtesy #D2AB 13B711-DA	2	D2AZ 13B711-B
72	S "From 3/15/72"	lamp	2	
69/70	F	Door mounted lamp	2	C9WY 13B711-A
67	S	With door mounted courtesy lamp	2or4	C6VY 13B711-B
67	S	Instrument panel map lamp	1	
68	S	With map lamp - r/b C8SZ 13764-C	1	★C8SZ 13B711-B
68/71	S	Use with arm rest courtesy lamp	2	C8SZ 13B711-A
70	A	Clip (attach wiring to 14A004)	AR	382142-S(GG213K)
65/71	F	Screw (wiring and clip 377929-S to console)-No. 10-12 x 1/2"	4	42127-S8(U248C)
		Clip	4	★377929-S
69/70	F	Clip-attach wiring to door panel	2	C8WY 14A163-B
	13C711 WIRE ASSY. - CONSOLE			
69	F(GT 350/500)		1	C9ZZ 13C711-A
	13B712 WIRE ASSY. - CONSOLE COURTESY LAMP FEED - Unless listed - Improvise from B6A 14296-C Wire			
68/	A	Improvise from COAF 13A709-C	2	★
66	B(63C, D, 76C, D)	28.00" long-used with arm rest courtesy lamps	2	C6AZ 13B712-A
72	B(97)		1	D2OZ 13B712-A
70	F-without interior light	#D0ZB 13B712-G	1	D0ZZ 13B712-A
70	F-with interior light	#D0ZB 13B712-J	2	D0ZZ 13B712-J
71/72	F-with interior light group-"Before 9/20/71"	#D1ZB 13B712-BQ	1	D1ZZ 13B712-A
72	F-with interior light group-"From 9/20/71 to 12/1/71"	#D2ZB 13B712-BA	1	D1ZZ 13B712-B
72	F-with interior light group-"From 12/1/71"	#D2ZB 13B712-BB	1	D2ZZ 13B712-A
67/71	S(65)	Used on door mounted courtesy lamp-34" long #C7SB 13B712-A	2	C7SZ 13B712-A
68/71	S	Courtesy lamp to switch (feed)-18" long	2	C7SZ 13B712-C
66	B(63C, D, 76C, D)-with arm rest courtesy lamps	Screw (ground wire to cowl side panel)-No.10-12 x 1/2"	2	42127-S8(U248C)
		Lockwasher-No.10	2	34939-S8(X86)
		Clip (wire to door panel)	2	372864-S100(GG91)
71/	F	Retainer-attach wiring to quarter window panel	2	C8WY 14A163-B
	13713 SWITCH ASSY. - COURTESY LAMP - Also refer to Group 13713 Switch and Wiring			
	- A -			
65/66	A "Before 4/25/66"	For 7/8" or 29/32" mounting hole - R.H. & L.H. front doors and rear doors	AR	C3AZ 13713-B (SW-395)
67	A	R.H. & L.H.-front doors and rear doors	AR	
65/66	A "Before 4/25/66"	For 3/4" mounting hole-R.H. & L.H.-front doors and rear doors	AR	C5AZ 13713-A (SW-442)
67	A	R.H. & L.H.-rear doors	1or2	
66	A "From 4/25/66"	R.H. & L.H.-front doors and rear doors	AR	C6AZ 13713-A
67	A	R.H. & L.H.-front doors	1or2	(SW-562)
68	A, Taxi	For 3/4" mounting hole-R.H. & L.H.-front doors	1or2	C8AZ 13713-C
69	A, Taxi	R.H.-front door	1	(SW-828)
69	A-w/o safety convenience pkg.	L.H.-front door	1	
70/	A-w/o auto.seat back latch	R.H.-front door	1	
68/	A, Taxi	For 3/4" mounting hole-R.H. & L.H.-rear doors	1or2	C8AZ 13713-B (SW-647)
69	A-w/ safety convenience pkg.	L.H.-front door	1	C7SZ 13713-C
70/71	A "Before 10/1/70"	L.H.-front door	1	(SW-618)
70/71	A-w/auto.seat back latch- "Before 10/1/70"	R.H.-front door	1	
71/	A "From 10/1/70"	L.H.-front door	1	D1AZ 13713-E
71/	A-w/auto.seat back latch- "From 10/1/70"	R.H.-front door	1	(SW-1055)

Identification Marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13713 SWITCH ASSY. - COURTESY LAMP - continued - Also refer to group 13713 Switch and Wiring			
	- B -			
65	B	For 7/8" mounting hole-R.H. & L.H.-front doors & rear doors	AR	C3AZ 13713-B (SW-395)
66/67	B	R.H. & L.H.-front doors	1or2	
65	B	For 3/4" mounting hole-R.H. & L.H.-front doors & rear doors	AR	C5AZ 13713-A (SW-442)
66/67	B	R.H. & L.H.-front doors	1or2	
66/68	B	For 7/8" mounting hole-R.H. & L.H.-rear doors	1or2	C6OZ 13713-A (SW-548)
68/69	B	For 7/8" mounting hole-R.H. & L.H.-front doors	1or2	C8OZ 13713-A (SW-659)
70/	B	R.H.-front door	1	
70/	B	R.H. & L.H.-rear door	1or2	
68/69	B	For 3/4" mounting hole-R.H. & L.H.-front doors	1or2	C8AZ 13713-C (SW-828)
68	B	For 3/4" mounting hole-R.H. & L.H.-rear doors	1or2	C8AZ 13713-B (SW-647)
70/	B	L.H.-front door	1	D0OZ 13713-A
72	B-w/auto. seat back latch	R. H. -front door	1	(SW-913)
	- F -			
65/67	F	For 7/8" mounting hole-R.H. & L.H. front doors	1or2	C3AZ 13713-B (SW-395)
65/67	F	For 3/4" mounting hole-R.H. & L.H.-front doors	1or2	C5AZ 13713-A (SW-442)
67	F-w/ tilt steering wheel	For 29/32" mounting hole-on column used for ignition lock	1	C7ZZ 13713-A (SW-608)
67	F-w/ tilt steering wheel- "Before 11/14/66"	Used in door pillar for tilt release	1	
67/68	F-w/ tilt steering wheel- "From 11/14/66"	For 7/8" mounting hole-used in door pillar for tilt release	1	C6OZ 13713-A (SW-548)
69/71	F-w/ tilt steering wheel	For 7/8" mounting hole-used in door pillar for tilt release	1	C8OZ 13713-A (SW-659)
71/	F-w/o auto.seat back latch	R.H.-front door	1	
68/69	F	For 3/4" mounting hole-R.H. & L.H.-front doors	1or2	C8AZ 13713-C (SW-828)
70	F-w/o auto.seat back latch	R.H.-front door	1	
70	F	L.H.-front door	1	D1AZ 13713-E (SW-1055)
70	F-w/auto.seat back latch	R.H.-front door	1	
71/	F	L.H.-front door	1	D0OZ 13713-A (SW-913)
71/	F-w/auto.seat back latch	R.H.-front door	1	
	- L -			
71/	L	R.H. & L.H.-front door	1or2	D1FZ 13713-A (SW-975)
	- P -			
70/	P	For 7/8" mounting hole-R.H.-front door	1	C8OZ 13713-A (SW-659)
70	P-w/o locking column	L.H.-front door	1	
70/	P-w/locking column	L.H.-front door	1	D0OZ 13713-A (SW-913)
	- S -			
65	S	For 7/8" mounting hole-R.H. & L.H.-front doors	1or2	C3AZ 13713-E (SW-395)
65/66	S	For 3/4" mounting hole-R.H. & L.H.-front doors	1or2	C5AZ 13713-A (SW-442)
67	S	R.H.-front door	1	
67	S- "Before 12/1/66"	L.H.-front door	1	
67	S- "From 12/1/66"	L.H.-front door	1	C7SZ 13713-C (SW-618)
68/69	S-w/ tilt wheel	L.H.-front door	1	
70/71	S- "From 9/8/69 to 10/1/70"	L.H.-front door	1	
70/71	S-w/auto.seat back latch- "From 9/8"69 to 10/1/70"	R.H.-front door	1	
68/69	S	For 3/4" mounting hole-R.H.-front door	1	C8AZ 13713-C (SW-828)
68/69	S-exc. tilt wheel	L.H.-front door	1	
70/71	S-w/o auto.seat back latch	R.H.-front door	1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13713 SWITCH ASSY. - COURTESY LAMP - continued - Also refer to group 13713 switch and wiring			
	- S -			
71	S- "From 10/1/70"	L.H.-front door	1	D1AZ 13713-E
71	S-w/ auto.seat back latch- "From 10/1/70"	R.H.-front door	1	(SW-1055)
70	S "Before 9/8/69"	L.H.-front door	1	
70	S-w/auto.seat back latch- "Before 9/8/69"	R.H.-front door	1	
72	S	R. H. & L. H. doors	2	D0OZ 13713-A (SW-913)
	- X -			
65/67	X	For 7/8" or 29/32" mounting hole-R.H. & L.H. front doors	AR	C3AZ 13713-B (SW-395)
65	X	R.H. & L.H.-rear doors	1or2	
65/67	X	For 3/4" mounting hole-R.H. & L.H.-front doors	AR	C5AZ 13713-A (SW-442)
66/68	X	For 7/8" mounting hole-R.H. & L.H.-rear doors	1or2	C6OZ 13713-A (SW-548)
68	X	For 3/4" mounting hole-R.H. & L.H.-rear doors	1or2	C8AZ 13713-B (SW-647)
68/70	X	For 7/8" mounting hole-R.H. & L.H.-front doors	1or2	C8OZ 13713-A
70	X	R.H. & L.H.-rear doors	1or2	(SW-659)

13713 SWITCH and WIRING ASSY. - COURTESY LAMP

SWITCH and WIRING ASSEMBLY IDENTIFICATION CHART

The following chart will provide quick identification of the Service Part Number when the identification marking is known. Following this guide chart, Service Part Numbers are listed by Model, Year and Vehicle usage, which will permit the selection of replacement switch and wiring when the identification marking number is not known.

IDENTIFICATION NUMBER		PART NUMBER	
C7SB	13713-A	D1SZ	13713-A
C7SB	13713-B	D1SZ	13713-B
C7SB	13713-D	D1SZ	13713-A
C7SB	13713-E	D1SZ	13713-A
C8SB	13713-A	D1SZ	13713-A
C8SB	13713-B	D1SZ	13713-B
C9SB	13713-A	D1SZ	13713-A
C9SB	13713-B	D1SZ	13713-B
D1SB	13713-AA	D1SZ	13713-A
D1SB	13713-BA	D1SZ	13713-B
C9AB	13A764-C	D0AZ	13713-B
C9AB	13A764-D	C9AZ	13713-B
C9MB	13A764-C	C9MY	13713-A
D0AB	13A764-C	D0AZ	13713-B
D0AB	13A764-D	D0AZ	13713-C
D0AB	13A764-E	D0AZ	13713-A
D0AB	13A764-F	D0AZ	13713-D

IDENTIFICATION NUMBER		PART NUMBER	
D0SB	13A764-A	D0SZ	13713-A
D0SB	13A764-B	D0SZ	13713-B
D1AB	13A764-B1A	D0AZ	13713-D
D1AB	13A764-B2A	D0AZ	13713-D
D1AB	13A764-BB	D0AZ	13713-D
D1AB	13A764-C1A	D1AZ	13713-C
D1AB	13A764-C2A	D1AZ	13713-C
D1AB	13A764-CB	D1AZ	13713-C
D1AB	13A764-D1A	D1AZ	13713-D
D1AB	13A764-D2A	D1AZ	13713-D
D1AB	13A764-DB	D1AZ	13713-D
D1SB	13A764-AA	D1SZ	13713-C
D1SB	13A764-BA	D1SZ	13713-D
D1VB	13A764-A1A	C9MY	13713-A
D1VB	13A764-A2A	C9MY	13713-A
D1VB	13A764-AB	C9MY	13713-A

13713 SWITCH and WIRING ASSY. - COURTESY LAMP

	- A -			
69	A(54B,C,E,62,71)	R.H.-front door-includes C8AZ 13713-C switch	1	D0AZ 13713-B
69	A(54B,C,E,62,71)-w/o safety convenience pkg.	L.H.-front door	1	(SW-935)
69	A-expanded Taxi	R.H.-front door	1	
70	A(54B,E,62)-w/o auto.seat back latch	R.H.-front door	1	
69	A(54A,57,63,65,76)	R.H.-front door-includes C8AZ 13713-C switch	1	C9MY 13713-A
69	A(54A,57,63,65,76)-w/o safety convenience pkg.	L.H.-front door	1	(SW-851)
69	A-expanded Taxi	L.H.-front door	1	
69	A-w/ safety convenience pkg.	L.H.-front door-includes C7SZ 13713-C switch	1	C9AZ 13713-B (SW-855)
70	A(54A,C,57,63,65,71,76)-w/o auto.seat back latch	R.H.-front door-includes C8AZ 13713-C switch	1	D0AZ 13713-C (SW-936)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13713 SWITCH and WIRING ASSY. - COURTESY LAMP - continued			
	- A -			
70	A-w/ door courtesy lamps	L.H.-front door-includes C7SZ 13713-C switch	1	D0AZ 13713-A
70	A-w/ auto.seat back latch w/ door courtesy lamps	R.H.-front door	1	(SW-906)
70	A-w/o door courtesy lamps	L.H.-front door-includes D1AZ 13713-E switch	1	D0AZ 13713-E
70	A-w/ auto.seat back latch w/o door courtesy lamps	R.H.-front door	1	(SW-937)
71/	A-w/ auto.seat back latch w/o visibility light group	R.H.-front door	1	
71/	A(53H,54,57F,H,65F,H,71,76)	L.H.-front door	1	
71/	A-w/o auto.seat back latch	R.H.-front door-includes C8AZ 13713-C switch	1	D1AZ 13713-C (SW-1003)
71/	A(53K,57K,65K)	L.H.-front door-includes D1AZ 13713-E switch	1	D1AZ 13713-D
71/	A-w/ auto.seat back latch w/visibility light group	R.H.-front door	1	(SW-1004)
	- S -			
70	S-w/o auto.seat back latch- "From 9/8/69"	R.H.-front door-includes C8AZ 13713-C switch	1	D0SZ 13713-E (SW-948
70	S "From 9/8/69"	L.H.-front door-includes C7SZ 13713-C switch	1	D0SZ 13713-A
70	S-w/ auto.seat back latch	R.H.-front door	1	(SW-949)
67/71	S	R.H.-rear door	1	D1SZ 13713-A (SW-987)
67/71	S	L.H.-rear door	1	D1SZ 13713-B (SW-988)
71	S-w/o auto.seat back latch	R.H.-front door-includes C8AZ 13713-C switch	1	D1SZ 13713-D (SW-1006)
71	S	L.H.-front door-includes D1AZ 13713-E switch	1	D1SZ 13713-C
71	S-w/ auto.seat back latch	R.H.-front door	1	(SW-1005)
70/	A	Screw No. 8-15 x 1/2" attach wiring to cowl panel	AR	52012-S(U202)
71	A	Clip-attach switch and wire to brake pedal support	1	372172-S(GG228)
		Clip-attach switch and wire to cowl top panel	1	383182-S(GG359)
	13A718 WIRE ASSY.- REAR INTERIOR LAMP			
72	L(73)	Jumper	1	D2FZ 13A718-A
	13B718 COVER - MAP LAMP			
71/	F	Without map lamp	1	D1ZZ 13B718-A
	13A719 SOCKET and WIRING ASSY. - INTERIOR LAMP - Unless listed - improvise from B6A 14296-C wire			
65/66	A(54,57B,62,71)	Dome lamp	1	C5AZ 13A719-A
67	A(54A,B,E,57B,62,71)		1	
68	A(54,57B,62,71)		1	
69/70	A(54A,B,E,57B,62,71)	Dome lamp	1	C9AZ 13A719-A
71	A(exc.76) "Before 6/1/71"	138" long-dome lamp #D1AB 13A719-BA	1	D1AZ 13A719-B
71	F(exc.76) "Before 6/1/71"		1	
71/	A(exc.76) "From 6/1/71"	138" long-dome lamp #D1AB 14334-AA	1	D1AZ 13A719-C
71/72	F(exc.76) "From 6/1/71 to 5/1/72"	#D1ZB 14334-AA	1	
72	F(exc.76) "From 5/1/72"	Dome lamp #D3ZB14334-AA	1	D3ZZ 13A719-A
66/69	B(54,63,65,71)	Dome lamp	1	C6OZ 13A719-C
66/70	X		1	
70/71	B "Before 3/1/71"	Dome lamp-#D1OB 13A719-BA,#D0OB 13A719-DB	1	D0OZ 13A719-D
71	B "From 3/1/71"	Dome lamp #D1OB 14334-CA,DA	1	D1OZ 13A719-B
72	B(exc.adjustable dome/map lamp)	#D3OB 14334-BA	1	

* Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A719 SOCKET and WIRING ASSY. - INTERIOR LAMP - continued - Unless listed - improvise from B6A 14296-C wire			
72	B(53,63,65)-with adjustable dome/map lamp "Before 9/28/71"	Dome lamp - 80" long #D2LB 14334-AE	1	D2LY 13A719-C
72	S-(with adjustable dome/map lamp)- "Before 8/30/71"		1	
72	B(53,63,65)-with adjustable dome/map lamp- "From 9/28/71"	Dome lamp #D2OB 14334-GD, #D3OB 14334-DA	1	D2OZ 13A719-B
72	S-(with adjustable dome/map lamp)- "From 8/30/71'	Dome lamp #D2LB 14334-AF, #D3LB 14334-AA	1	D2LY 13A719-F
69/70	F(65)	Courtesy lamp at inst. panel	2	C9ZZ 13A719-A
71	L "Before 11/19/70"	Dome lamp #D12B 13A719-AB	1	D1FZ 13A719-A
71/	L "From 11/19/70"	69" long-#D12B 13A719-AC,#D32B 13A719-AA	1	D1FZ 13A719-B
70/71	P "Before 3/1/71"	Dome lamp-#D1DB 13A719-BA,#D0DB 13A719-BE	1	D0DZ 13A719-B
71/72	P "From 3/1/71 to 5/1/72"	Dome lamp #D1DB 14334-BA	1	D1DZ 13A719-B
72	P "From 5/1/72"	Dome lamp #D3DB 14334-AA	1	D3DZ 13A719-A
65/66	S(76)	For lamp at No. 4 top bow	1	C5SZ 13A719-C
72	S (exc. adjustable dome/map lamp)	82" long - #D3SB 14334-AA, #D2SB 14334-AB	1	D2SZ 13A719-A
65	X(except 64A Taxi, 66), B	Swivel dome lamp	1	C0AF 13A719-B
67/68	F(65A, C)		1	
65/67	A, B	Screw (socket & wiring to roof)-No.8-32 x 1/4"	1	51751-S7(U365)
65	B	Screw (socket & wiring to roof center reinforcement)-No. 8-18 x 3/8"	1	52720-S8(U380)
65	X(except 66, 76)		1	
65/	A(54, 57B, 62, 71)		1	
65/66	X(66)	Screw (socket & wiring to windshield header outer panel)-No. 6-18 x 5/8"	1	52732-S13(U383)
70	A	Screw No. 8-15 x 1/2" attach wire to roof side rail inner	AR	52012-S(U202)
71	F	Clip-attach socket & wiring to roof side rail	5	372046-S(GG186)
	13A721 WIRE ASSY. - GLOVE COMPARTMENT LAMP FEED - Unless listed improvise from B6A 14296-C wire			
72	B-with console	#D2OB 13A721-AB	1	D2OZ 13A721-A
72	S		1	
	13B721 WIRE ASSY. - REAR DOOR COURTESY LAMP			
68/70	S(57)	R. H.	1	C8SZ 13B721-A
		L. H.	1	C8SZ 13B721-B
71	S(57B)	R.H. #D1SB 13B721-AB	1	D1SZ 13B721-A
		L.H. #D1SB 13B721-BB	1	D1SZ 13B721-B
	13A724 WIRE ASSY. - COURTESY LAMP SWITCH EXTENSION - Improvise from B6A 14296-C wire			
	13A726 WIRING and SOCKET ASSY. - ASH RECEPTACLE LAMP - Also refer to Groups 15026, 18981			
67/68	A-with visibility group	Includes bulb	1	C7AZ 13A726-B
69/70	A-with visibility group		1	C9AZ 13A726-A
71	A "Before 4/15/71"		1	D1AZ 13A726-A
71/	A "From 4/15/71"		1	D1AZ 13A726-B
70/71	B(63F, 76F)	Located on console	1	D0OZ 13A726-A
71	B	Except console	1	D1OZ 13A726-B
72	B	On instrument panel #D2OB 13A726-AA, #D2OB 13A726-AB	1	D2OZ 13A726-B
69/70	F-with visibility group	On instrument panel	1	C9WY 13A726-A
72	L		1	
69/70	F-with visibility group	On console	1	D0ZZ 13A726-A
69/70	F(Shelby GT 350/500)		1	
72	S	7 1/2" long-double wire and plug #D2SB 13A726-AC	1	D2SZ 13A726-A
72	S	At front doors #D2SZ 13A726-BA, BC, DB	2	D2SZ 13A726-C

Identification Marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A726 WIRING and SOCKET ASSY. - ASH RECEPTACLE LAMP - continued-Also refer to Groups 15026,18981			
68	S(57A, B, 65A, B)	For ignition switch-not replaced	1	★C8SZ 13A726-D
68/69	S(57A, B, 65A, B)	On console	1	C8SZ 13A726-F
70/71	S(65A, B)	On console	1	
68/69	S(57C, 65C, D)	On instrument panel	1	C8SZ 13A726-E
70/71	S(57, 65C, D)	On instrument panel	1	D0SZ 13A726-A
70	F	Clip (attach wiring to console)	1	381954-S(GG299)
70	F	Screw No. 8-18 x 1/2" attach wiring to instrument panel at glove compartment	AR	52012-S(U202)
	13A727 SWITCH ASSY. - LUGGAGE COMPARTMENT DOOR OPEN LIMIT - Also refer to Group 15A674			
65/66	S(76)		3	C5SZ 13A727-A
	13A729 SWITCH ASSY. - LUGGAGE COMPARTMENT DOOR CLOSED LIMIT			
65/66	S(76)		2	C4SZ 13A729-A
		Screw (switch to R.H. lock support bracket)-No. 6-32 x 1/2"	2	51763-S8(U362)
		Lockwasher-No. 6	2	34937-S7(X84)
65/66	S(76)	Screw (switch to R.H. lock support bracket)-No. 8-32 x 1/2"	2	40917-S8(U257)
		Lockwasher-No. 8	2	34938-S8(X85)
	13732 BRACKET - HEADLAMP DIMMER CONTROL			
71/72	L		1	D2FZ 13732-A
	13734 LENS - INTERIOR LAMP - Also refer to Group 13783			
72	A(53K,57K,65K)	R. H. & L. H. -door mounted courtesy lamp	2	D2AZ 13734-A
72	S	R. H. & L. H. -door mounted courtesy lamp	2	
65	B(65B)	On door trim panel	4	C4GY 13734-B
65/66	F(63B, 65B, 76B), S		2	
65/66	A(57F, 63C, D, F, 76B, D) "Before 1/3/66"		2or4	
68/	B(63, 65, 66, 76)	Console rear-includes attaching parts	1	C8OZ 13734-A
65/67	F	On console rear-includes attaching parts	1	C5ZZ 13734-A
66/67	B(63C, D, 76C, D)		1	
66	X(66D)		1	
71/	F	Map lamp	1	D1ZZ 13734-A
68/71	S	Map lamp	1	C4VY 13734-C
72	L	Map lamp and cargo lamp	2	
65/66	A(57F, 63C, 63F, 76B), B(65B), S	Screw (lens to lamp door)-No. 6-20 1/4"	8or16	52533-S(U226)
	13A739 PAD - INTERIOR LAMP - Also refer to Group 13790			
65/66	F		1	C5ZZ 13A739-A
	13A744 BODY and SOCKET ASSY. - INTERIOR LAMP - Also refer to Group 13786			
68/70	S	Arm rest mounted	2	C8SZ 13A744-B
71	S	R.H. & L.H.	2	D1SZ 13A744-A
	13751 LAMP ASSY. - OPEN DOOR WARNING			
69	A(54B, E)-taxi "Before 11/18/68"	Not replaced #C9AB 13751-C	1	★C9AZ 13751-B
69/	A(54B, E)-taxi "From 11/18/68"	#C9AB 13751-A	1	C9AZ 13751-A
72	B(53B taxi)	#D2OB 13751-AA	1	D2OZ 13751-A
	13752 SWITCH ASSY. - INTERIOR LAMP			
69/	A(71)	Cargo lamp	1	C9AZ 13752-A
65/66	B(71), X(71)		1	B7A 13752-B
65/66	B(71), X(71)	Screw (switch to lamp body)-No. 4-24 x .25"	2	★370983-S8

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13753 NUT - COURTESY and FOG LAMP SWITCH			
69/70	F(GT350/500)	Grill lamps	2	C7WY 13753-A
72	P		1	
	13A756 LAMP ASSY. - LUGGAGE COMPARTMENT			
65/70	X(54, 62, 63, 76) -with courtesy lights	Mercury actuated	1	* C5DZ 13A756-A
65/67	B(54, 62, 65) -with courtesy lights		1	
66	A(54, 57, 62, 63, 76) "Before 1/17/66"		1	
66	A (54, 57, 62, 63, 76) "From 1/17/66"	Mercury actuated	1	C5DZ 13A756-B
67	A(54, 57, 63B, C, F, 76A, B)	Mercury actuated-includes mounting clips	1	C7AZ 13A756-A
68	A	Mercury actuated	1	C8AZ 13A756-B
69	A	Mercury actuated	1	C9AZ 13A756-A
70/71	A	Mercury actuated	1	D0AZ 13A756-A
72	A(except 71)-w/o electric luggage compt. lock	Mercury actuated	1	D2AZ 13A756-A
72	A(except 71)-w/ electric luggage compt. lock	Mercury actuated	1	D2AZ 13A756-B
68/71	B(except 71)-with interior light group	Mercury actuated	1	C8OZ 13A756-A
68/69	X(except 71)		1	
72	B	Mercury actuated	1	D2OZ 13A756-A
67/68	F	Mercury actuated	1	C7ZZ 13A756-B
69	F(Shelby GT 350/500)		1	
70	P "Before 4/15/69"		1	
70	P "From 4/15/69"		1	D0DZ 13A756-A
69/70	F	Mercury actuated	1	C9ZZ 13A756-B
70	F(Shelby GT 350/500)		1	
71/	F		1	D1ZZ 13A756-B
65/66	S(76)		1	C4SZ 13A756-A
65/66	S(63)		1	C5SZ 13A756-A
67/68	S	Mercury actuated	1	C7SZ 13A756-B
69/71	S	Mercury actuated	1	C9SZ 13A756-B
72	S-w/o electric luggage compt. lock	Mercury actuated	1	D2SZ 13A756-A
72	S-w/ electric luggage compt. lock	Mercury actuated	1	D2SZ 13A756-B
65	B	Screw (lamp to deck lid)-No. 8-15 x 3/4"	1	42140-S7-8(U246A
65/	B(except 71)	Clip (wiring to luggage compartment door)	1	371645-S100
65/	X(except 66, 71)		1	(GG210M)
65/	B(except 71)	Clip (wiring to luggage compartment door reinforcement or rail)	1or2	372046-S100 (GG186)
65/	X(except 62C, 66, 71, 78)	Clip (wiring to rear seat back strainer to floor)	3	
65/66	S(63)	Screw (lamp to luggage compartment inside panel)-No. 10-12 x 1/2"	1	42127-S8(U-248C)
65/66	S(76)	Screw (lamp to deck lid)-No. 8-18 x 3/8"	1or2	52720-S8(U380)
65/69	A(except 71)		1	
70/	A	Screw-No. 8-15 x 1/2" -attach lamp to luggage compartment door	AR	52012-S(U202)
70/	A	Clip (attach lamp wiring to luggage compt. door)	AR	374942-S(GG211)
65/66	S(63)	Lockwasher-No. 10	1	34939-S8 (X-86)
65/	X(except 66, 71)	Screw (lamp to deck lid)-No. 10-16 x 3/8"	1	42120-S8(U248)
65/	B(except 71)		1	
68	X(62C)	Clip (wiring to side rail at wheelhouse)	1	372047-S100 (GG217)
70/	B	Washer-No. 8	1	34938-S(X85)
71	S	Clip-attach wire and socket to luggage compt. door	1	379485-S(GG263)
	13757 SOCKET and WIRE - MAP LAMP			
68/69	B	With console lamp	1	C4VY 13757-A
68/69	F	With console lamp	1	
	13B757 SHIELD ASSY. - INSTRUMENT PANEL LIGHTS			
68/69	B	Mounted below instrument cluster	2	C8OZ 13B757-B

* Fold and tape excess wiring

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A758 SHIELD - LUGGAGE COMPARTMENT LAMP			
65	A(54A, 57, 62A, 63, 76)	Not replaced	1	★C5AZ 13A758-A
	13A759 BOOT - COURTESY LAMP SWITCH			
65/71	S		2	C2VY 13A759-A
	13760 COURTESY and MAP LAMP KIT - Refer to Accessories Section			
	13761 LENS - MAP LAMP			
67	S		1	C7SZ 13761-A
	13A762 BRACKET - INTERIOR LAMP			
67/71	S	With door mounted courtesy lamps	2or4	C6VY 13A762-A
67/71	S	Used with instrument map lamp	1	
69/70	A(54C, 57F, 65A)	With door mounted courtesy lamp	4	C9WY 13A762-A
71	A(53K, 57K, 65K)	Door mounted	2	
70	F		2	
	13763 BRACKET - COURTESY LAMP OR MAP LAMP			
65	A(57, 63)	Mounts to instrument panel	1	C0AZ 13763-A
65	A(76)-with Ford A/C		1	
66	A(57F, 63B, 63F, 76A)with Ford A/C		1or2	
66/67	A(54C, 57F, 63, 76)		1	
68	A(54C, 57B, F, 63C, 65A, C, 76A), B(66)		2	
66	B(76)		1	
65/66	F		2	
67/69	F	L. H. -instrument panel mounted	1	
67/69	S		2	
65	X(76)		1or2	
65/66	X(except 76) -with A/C		1	
66/	U		1	
67/	A(57F, 63, 65)	Mounts in roof side rear trim panel	2	C7AZ 13763-A
67/71	S		2	
69/70	F	Used with Roof Console	2	
65/68	X	Map lamp-with switch mounting hole	1	B5A 13763-C
65	A(54B, E, 62B, E, 71B, C, D)	Map lamp	1	
65	B(exc. 65B) "Before 9/7/64"	Map lamp	1	
66/71	B(exc. 65B)	Map lamp	1	
65	B (except 65B) "From 9/7/64"	Map lamp - not replaced	1	★C5OZ 13763-B
67/68	F-except with A/C	R. H. -instrument panel mounted	1	C7ZZ 13763-A
69/70	A	Instrument panel mounted courtesy lamp	1	
69/70	F	Instrument panel mounted (map lamp)	1or2	C9ZZ 13763-A
69	S	Mounts under instrument panel	1or2	C9SZ 13763-A
65/	A(51A, 76)	Screw (bracket to instrument panel)- No. 10-32 x 1/2"	1	50810-S8(U158)
65/	A(57, 63)		2	
		Lockwasher-No. 10	1or2	34903-S7(X96)
		Nut - No. 10-32	1or2	34079-S7(M163)
		Flatwasher-No. 10	1or2	44716-S8(X15)
65/66	B(65B)	Screw (bracket to door)-No. 8-18 x 3/8"	8	52720-S8(U380)
67	B(63C, D, 76C, D)	Nut-hex.self thread (attach bracket to door panel)	4	371105-S7(MM289)
70	B	Screw-No.8-15 x 5/8"-attach bracket to instrument panel	2	52554-S(U230)
65	F, X	Screw (bracket to instrument panel)- No. 10-24 x 3/4"	1	375978-S100 (BB630C)
65	F, X	Lockwasher-No. 10	1	34903-S8(X96)
65	F	Nut-No. 10-24 stamped	1	45243-S8(M178)
65/71	S(63)	Screw (bracket to rear roof side inner rail)- No. 14-14 x 1/2"	4	31497-S8(U254)
65	X	Nut-No. 10-24	1	34053-S8(M156)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13764 SWITCH - MAP LAMP			
65/66	A(71) "Before 1/3/66"	Cargo area lamp	1	C1SF 13764-A
66	B(71), X(71) "Before 1/3/66"	Courtesy lights-cargo area	1	
65/67	B, X	Includes wiring & socket	1	C4DZ 13764-A
65	A(54B, E, 62B, E, 71B, C, D)		1	
68/71	B	Includes wiring & socket-#C9OB 13764-A,	1	C8OZ 13764-A
68/70	X	C8OB 13764-A, D1OB 13764-A1A	1	
67/68	F-with roof console	Roof console map lamp-includes wiring	2	C7ZZ 13764-A
67/68	F-with roof console	Switch and housing control-"Map"-includes (2) C7ZZ 13764-A switches	1	C7ZZ 13764-B
69/70	F	Map lamp-#C9ZB 13764-A	1	C9ZZ 13764-A
65/66	S		1	C5SZ 13764-B
67	S		1	C7SZ 13764-B
68/70	S		1	C8SZ 13764-C
71	S		1	D1SZ 13764-A
65/66	A(71)	Screw (switch to cargo area lamp body)-No. 6-32 x 3/8"	2	50802-S7(U150)
65/71	B, X	Screw (switch to bracket)-No. 6-32 x 1/4"	2	31031-S8(U44)
65/66	S	Screw(switch to instrument panel)-No.8-32 x 1/4"	2	51751-S7(U365)
	13765 BODY - MAP LAMP			
67	S		1	C7SZ 13765-A
	13B767 WIRE ASSY.- COURTESY LAMP			
72	F "Before 12/1/71"	Jumper-connects 13B712 to 14401-not used after 12/1/71	1	D2ZZ 13B767-A
	13A769 WIRE ASSY. - FRONT DOOR COURTESY LAMP SWITCH - Unless listed - improvise from B6A 14296-C wire - Also refer to Group 13A709			
69	A(54C, 57F, 65A)-used with door mounted speakers and door open warning lamp	#C9AB 13A769-F	2	C9AZ 13A769-A
69	A(54C, 57F, 65A)-AM radio-not used with door mounted speakers	R. H. & L. H. #C9MB 13A769-D	2	C9MY 13A769-A
70	A-except safety convenience package	#D0MB 13B768-B	1	D0MY 13A769-A
70	A-with safety convenience package	#D0AB 13A769-A,C	1	D0AZ 13A769-B
71	A(53K, 57K, 65K)-with stereo radio	#D1AB 13A769-AC	1	D1AZ 13A769-A
72	A(53K, 57K, 65K)-w/ stereo radio	#D2AB 13A769-AA	2	D2AZ 13A769-A
65/66	F(63B, 65B, 76B)-without stereo tape player		2	C5ZZ 13A769-B
66	F-with stereo tape player	R. H. & L. H. - not replaced	2	★C6ZZ 13A769-A
69	F(63B, C, 65B, D, E, 76B)-w/o stereo tape player	R. H. -door mounted #C9ZB 13A769-J	1	C9ZZ 13A769-A
		L. H. #C9ZB 13A769-K	1	C9ZZ 13A769-B
69	F(63B, 65B, 76B)-with stereo tape player	R. H. -door mounted #C9ZB 13A769-L	1	C9ZZ 13A769-C
		L. H. #C9ZB 13A769-M	1	C9ZZ 13A769-D
70	F(63B, C, 65B, D, E, 76B)-w/o AM-FM multiplex radio	R. H. #D0ZB 13A769-A	1	D0ZZ 13A769-A
		L. H. #D0ZB 13A769-B	1	D0ZZ 13A769-B
70	F(63B, 65B, 76B)-with multiplex AM-FM radio	R. H. #D0ZB 13A769-C	1	D0ZZ 13A769-C
		L. H. #D0ZB 13A769-D	1	D0ZZ 13A769-D
71	F-with stereo AM or AM-FM radio	R.H. #D1WB 13A769-AE	1	D1WY 13A769-E
		L.H. #D1WB 13A769-BE	1	D1WY 13A769-F
70	S-with safety convenience package and/or stereo	R. H. #D0SB 13A769-V, AF	1	D0SZ 13A769-V
70	S-with or w/o power seat and/or safety convenience package and/or stereo	R. H. or L. H. #D0SB 13A769-T, AB, AE, AH, AJ	2	D0SZ 13A769-Z
71	A, S	Clip-attach wire to (14A004) wiring bracket	6	378674-S(GG159H)

Identification Marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A769 WIRE ASSY. - FRONT DOOR COURTESY LAMP SWITCH - continued - Unless listed-improvise from B6A 14296-C wire - Also refer to Group 13A709			
70	S-with split bench power seat	R.H. #D0SB 13A769-P, X, AC, AG	1	D0SZ 13A769-X
70	S-with full bench power seat	R.H. #D0SB 13A769-U, S	1	D0SZ 13A769-F
		Screw(ground lead of wiring to R.H. or L.H. cowl panel)-No. 10-12 x 1/2"	2	42127-S8(U248C)
		Lockwasher-No. 10	2	34939-S8(X86)
69	A	Screw No. 8-32 x 3/4" -attach clip to door panel	AR	57077-S(B330B)
		Clip-attach 13A769 wiring to door post	AR	382185-S(GG283)
	13771 SHIELD - INSTRUMENT PANEL LIGHT			
71/	L (without radio)		1	D1FZ 13771-A
	13772 KNOB ASSY. - MAP LAMP CONTROL			
65/66	S	"Map" -not used when vehicle is equipped with electric radio antenna	1	C5SZ 13772-E
	13776,-7 LAMP ASSY. - INTERIOR			
65	A(63)		2	C4MY 13776-A
66	A(63)		2	C6AZ 13776-B
67/68	A(54C, 57F, 63B, C, 65A, C)	Mounts to pillar	2	C7AZ 13776-B
68	A(54C, F, 57F, 65A)-with visibility group	Courtesy lamp on front door	2	C8AZ 13776-A
69	A(54, 57, 63, 65), F(63)	Mounts to pillar	2	D0AZ 13776-A
69	F(GT350/500)	Quarter trim panel	2	
69	F(63)	Mounts to pillar	2	
70/71	A(57,63,65)	Mounts to pillar	2	
69/70	A(54C, 57F, 65A)	R.H. -courtesy lamp on front door	1	C9WY 13776-A
71	A (65)	R.H.-courtesy lamp on front door	1	
71	A(53, 57)	L.H. - courtesy lamp on front door	1	
69/70	A(54C, 57F, 65A)	L.H.-courtesy lamp on front door	1	C9WY 13777-A
71	A (65)	L.H.-courtesy lamp on front door	1	
71	A(53, 57)	R.H. - courtesy lamp on front door	1	
71/	A	R.H. & L.H.-instrument panel-includes single contact bulb C3VY 13466-A	2	D1AZ 13776-B
72	A(53K, 57K, 65K)	R.H & L.H. -courtesy lamp door mounted	2	D3SZ 13776-A
72	B	R. H. -located under inst. panel	1	D1ZZ 13776-A
		L. H.	1	D1AZ 13776-B
68/71	B(63, 65, 66, 76)	Console-rear	1	C8OZ 13776-A
70/71	B	R.H. & L.H. -located under instrument panel	2	D0ZZ 13776-A
70	F	R.H.	1	D0ZZ 13776-A
70	F	L. H.	1	D0ZZ 13777-A
67/68	F-with console	On console rear	1	C7ZZ 13776-A
69/70	F(63, 65, 76)	R. H.-courtesy lamp on front door panel	1	C9WY 13776-A
		L.H.-courtesy lamp on front door panel	1	C9WY 13777-A
70	F(63)	Mounts to pillar	2	D0AZ 13776-A
71/	F	R. H. & L. H. -inst. panel	2	D1ZZ 13776-A
71/72	L	Dome - paint to match	1	D2FZ 13776-B
65	S(63)		2	C4SZ 13776-B
66	S(63A)		2	
65/69	F(63)		2	
67/69	S(65)	Rear quarter panel mounted	2	C7SZ 13776-A
70/71	S(65)	Mounts to pillar	2	D0AZ 13776-A
72	S	R. H. & L. H. -courtesy lamp-door mounted	2	D3SZ 13776-A

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13776-7 LAMP ASSY. - INTERIOR - continued			
65/66	A(57)	Screw (lamp to pillar)-No. 10-12 x 1"	2or4	52377-S13(U305)
67	B(63C, D, 76C, D)	Nut (lamp to door trim panel)-3/16"	4	373503-S7-8 (MM285A)
70/	B(63, 65, 66, 76)	Screw-No.8-15 x 5/8"-attach lamp to console	AR	52554-S(U230)
70	B	Screw-No. 8-32 x 1/2"	AR	51764-S(U366)
	13776 INTERIOR DOME/MAP LAMP - KIT			
72	B,S		1	D2LY 13776-D
	Consists of			
	1-D2LY 13783-D Lens	1-D2LY 13786-D Body	1-IS-4240	Inst. sheet
	1-D2LY 13786-C Plate	4-51855-S Screw		
	13A776 WIRE ASSY. - INTERIOR PILLAR LAMP GROUND - Improvise from B6A 14296-C wire			
	13A777 RELAY - INTERIOR LAMP			
65/66	S	#C4VB 13A777-A	1	C4VY 13A777-A
		Screw (relay to R. H. cowl side panel)-No. 14-14 x 1/2"	2	31497-S8(U254)
	13A779 LENS - AIR CONTROL INDICATOR LAMP - GREEN			
65/66	S		1	C4SZ 13A779-B
	13783 LENS - PILLAR LAMP OR DOME LAMP - Also refer to Group 13734			
65/66	A(54, 62, 71)	3.80" diameter	1	C5AZ 13783-A
65/66	A(57B)-without rear seat speaker		1	
67/68	A(54A, B, E, 57B, 62, 71)		1	
65	A(57F) "Before 10/12/64"	R.H.-screw mounted type-not replaced	1	★C5AZ 13783-D
65	A(57B)-w/rear seat speaker "Before 10/12/64"	R.H.	1	
	"Before 10/12/64"	L.H.-screw mounted type-not replaced	1	★C5AZ 13783-C
65/66	A(57F) "From 10/12/64"	R.H.-snap on type	1	C5AZ 13783-G
65/66	A(57B)-w/rear seat speaker "From 10/12/64"	R.H.	1	
	"From 10/12/64"	L.H.-snap on type	1	C5AZ 13783-F
65/66	A(63C, D, 76B, D)	Includes attaching parts-courtesy lamp (console mounted)	1	C5AZ 13783-B
65/	A(71)	Cargo area	1	C5AZ 13783-E
66/	B(71)	Cargo area	1	
66/70	X(71)	Cargo area	1	
66	A(57F, 63C, D, F, 76B, D)	On Door trim panel-includes attaching parts-not replaced	2or4	★C6AZ 13783-B
67	A(54C, 57F, 63J)		2or4	
67	A(63C, 76B)-with LTD trim package		2	
67	A(54B, E)-with folding rear seat		2	
67	A(54, 57B, 62, 71)	Swivel dome-reading lamp	1	C7AZ 13783-A
67	A(63C, 76B)	Courtesy lamp-rear of console	1	C7AZ 13783-B
66/71	B(54, 57, 62, 63, 65, 71) "Before 6/1/71"	Dome lamp	1	C6OZ 13783-A
66/70	X(54, 62, 71)		1	
69/71	A(except 76)		1	
	"Before 6/1/71"			
70/71	P "Before 6/1/71"		1	
71	F "Before 6/1/71"		1	
71/	A(exc.76) "From 6/1/71"	Dome lamp	1	D1AZ 13783-A
71	B "From 6/1/71"		1	
71/	F(exc.76) "From 6/1/71"		1	
72	B,S(except adjustable dome/map lamp)		1	
71/	P "From 6/1/71"		1	
65	B(71), X(71)	With 5 tabs	1	B8A 13783-A
66	B(63C, D, 76C, D)	Red & White lens-used with arm rest courtesy lamps	2	C6OZ 13783-B
72	B, S (with adjustable dome/map lamp)	Dome-white lens	1	D2LY 13783-D
67/68	F(63B, 65B, 76B)	Red & white lens-courtesy lamp (door mounted)	2	C7ZZ 13783-A
67/68	F	Courtesy lamp-on console rear	1	C7ZZ 13783-B
67/68	F-with roof console	Map lamp	1	C7ZZ 13783-C

Identification Marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13783 LENS - PILLAR LAMP OR DOME LAMP - continued - Also refer to Group 13734			
65	S	White-1.29" O.D.-dome lamp	2	C1SZ 13783-A
66	S(63A)		2	
65/67	A(63), F(63)	Pillar lamp	2	
68/69	A(54C,57F,63B,65A,C)	Mounts on pillar or door trim panel	2	
68/69	F(63)	Mounts on pillar	2	
67	A(54C, 57F)	Pillar lamp	2	
68/69	A(54C, F)	Pillar lamp	2	
67/68	S(65)	Interior lamp-rear quarter panel	2	
69/70	S(65A, C)		2	
66	S(63C, 63D)		2	C6SZ 13783-A
69/71	S(65B, D)	Interior lamp-rear quarter panel	2	
67	S	Red and white lens-courtesy lamp (door trim mounted)	2or4	C7SZ 13783-B
67/71	S(57)	Interior lamp-quarter panel rear	2	C7SZ 13783-A
65	X(54, 59, 62, 63, 71, 78)	4.12" diameter-includes attaching parts	1	C0AF 13783-C
65	B		1	
67/70	F(65)	Dome lamp	1	
65/66	X(66)		1	C0DF 13783-B
67	B(66)		1	
65/	A(63C, 63F, 76B)	Screw(lens to console courtesy lamp body)-No.8-15 x 1/2"	2	52726-S13(U381)
65/69	A	Screw (lens to lamp body)-No. 6-20 x 1/2"	2	52784-S8(U361A)
70/	A	Screw-No. 8-18 x 1/2" -attach lens to lamp body	AR	52413-S(U316)
70	B	Screw-No. 8-18 x 1/2" -attach lens to 13788 door	AR	52413-S(U316)
	13786 BODY and SOCKET ASSY. - INTERIOR LAMP - Also refer to Group 13A744			
65/68	A(71)	Cargo area	1	C5AZ 13786-B
66	A(57F, 63C, D, F, 76B, D)	Mounts on door trim panel -requires	2or4	C6AZ 13786-E
67	A(54C, 57F, 63J)	C6SZ 13466-A bulb	2or4	
67	A(63C, 76B)-with LTD trim package		2	
67	A(54B, E)-with folding rear seat		2	
67	F(63B, 65B, 76B)		2	
68	F(63B, D, 65B, D, 76B)	Mounts on door trim panel	-	
67	A(54, 57B, 62, 71)	Swivel dome-reading lamp	1	C7AZ 13786-A
69/	A(71)	Cargo area	1	C9AZ 13786-A
65	B(65)	Mounts on door trim panel	2	C2AZ 13786-A
65	A(57F, 63C, 63F, 76B)		2or4	
66/71	B(71)	Cargo area	1	C6OZ 13786-C
66/70	X(71)		1	
68/70	B(63D, E, 65D, E, 66D, 76D, E)	Console-rear	1	C8OZ 13786-A
71	B(63, 65C, F, H, 76)	Console-rear	1	
72	B(exc. 71), S(with adjustable dome/map lamp)	Plate assy.-includes bulbs and switches	1	D2LY 13786-C
72	B(exc. 71), S(with adjustable dome/map lamp)	Body assy.-includes map lamp lens	1	D2LY 13786-D
72	B(71)	Cargo area	1	D2OZ 13786-A
65/66	F(63B, 65B, 76B)	Mounts on door trim panel	2	C5ZZ 13786-A
67/68	F-with roof console	Map lamp	1	C7ZZ 13786-B
69/70	F(except 63C, 65E)	Map lamp	1	C9ZZ 13786-A
69/70	F(63B, C, 65E, 76B)	Map lamp on instrument panel	1	C9ZZ 13786-B
67	S	Mounts on door trim panel	2or4	C7SZ 13786-A
67/69	S(57)	Mounts on quarter panel rear	2	C7SZ 13786-D
68/71	S	Map lamp	1	C8SZ 13786-D
69/71	S(65B, D)	Mounts on "C" pillar	2	C9SZ 13786-A
65/66	F(63B, 65B, 76B)	Screw (body to door)-No. 8-18 x 1/2"	4	52413-S13(U316)
71	S	Screw-No. 8-18 x 3/4"-(body to instrument panel)	2	384154-S(UU66C)
	13A786 ACTUATOR - COURTESY LAMP SWITCH - Also Refer to Group 14022			
65/66	S		2	C4SZ 13A786-C
	13787 BODY - DOME LAMP			
65/66	B(71), X(71)		1	B7A 13787-B
66	F	On console rear	1	C6ZZ 13787-A
66/68	B (63C, D, 76C, D)		1	
66	X(66)		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13788 DOOR - INTERIOR LAMP			
65/66	A(54, 62, 71)	Dome lamp	1	C5AZ 13788-A
65/66	A(57B) -without rear seat speaker		1	
67/68	A(54A, B, E, 57B, 62, 71)	Also used with swivel dome reading lamp	1	
69/70	A(54C, 57F, 65A), F(63, 65, 76)	R. H. -courtesy lamp on door-includes lens	1	C9WY 13788-A
71	A(53K, 57K, 65K)	R.H.-courtesy lamp on door	1	
69/70	A(54C, 57F, 65A), F(63, 65, 76)	L.H.-courtesy lamp on door-includes lens	1	C9WY 13788-B
71	A(53K, 57K, 65K)	L.H.-courtesy lamp on door	1	
66/71	B (except 76) " Before 6/1/71"	Dome lamp	1	D0AZ 13788-A
69/71	A(54A, B, C, E, 57B, F, 62B, E, 63, 65, 71)		1	
70/71	P		1	
71	F		1	
66/70	X(exc.76)		1	
71/	A(exc.76), F(exc.76) " From 6/1/71"	Body assy. dome lamp	1	D1AZ 13788-A
71/	P		1	
71	B		1	
72	B, S(exc. adjustable dome/map lamp)		1	
67/68	B(54C, 63C, D, 65C, D, 66D, 76C, D)	R.H.-courtesy lamp on door-includes lens	1	C7OZ 13788-B
		L. H.	1	C7OZ 13788-A
67/68	F-with roof console	Map lamp	2	C7ZZ 13788-A
65/66	S	Courtesy lamp on door	2	C4GY 13788-B
65/66	A(57F, 63C, D, 63F, 76B, D)-"Before 1/3/66"		2or4	
65	B(65B)		2	
65/66	F(63B, 65B, 76B)		2	
66	S(63C, 63D)		2	C6SZ 13788-A
69/71	S(65B, D)	Interior lamp	2	
67/71	S(57)	Mounted quarter panel rear	2	C7SZ 13788-A
68/71	S	Arm rest courtesy lamp (includes lens)	2	C8SZ 13788-A
65	X(except 63, 64A Taxi, 76), B	Dome lamp	1	ø C0AF 13788-A
67/70	F(65)		1	
65/66	X(66)	Dome lamp	1	C0DF 13788-A
67	B(66)		1	
65/	A(57F, 63C, 65B, 75C, 76B)	Screw (door to body & socket)-No. 8-15 x 1"	4or8	52376-S13(U296)
65/	B(65B)		4	
65/	F(63B, 65B, 76B)	Screw (door to body & socket)-No. 8-18 x 1/2"	4	52413-S13 (U316)
70	P	Screw-(body to roof)-No.8-32 x 3/8"	4	51855-S7(U360N)
70/	B	Screw-No. 8-32 x 1/2" -attach interior lamp door to roof panel	4	51764-S(U366)
	13790 GASKET - INTERIOR LAMP - Also Refer to Group 13A739			
65/66	A(57F, 63C, 63F, 76B)	Mounts on door trim panel	2or4	C9OZ 13790-A
67	A(54C, 57F, 63J)	Mounts on door trim panel	2or4	
67	A(63C, 76B)-with LTD trim package		2	
67	A(54B, E)-with folding rear seat		2	
67	F(63B, 65B, 76B)	Mounts on door trim panel	2	
68	F(65B, 76B)		2	
	13A792 ACTUATOR ASSY. - LUGGAGE COMPARTMENT DOOR OPEN LIMIT SWITCH -Refer to Group 13A796			
	13793 SOCKET ASSY. - DOME LAMP			
65/66	B(71), X(71)		1	C3TZ 13793-A
	13A793 BRACKET - LUGGAGE COMPARTMENT DOOR OPEN LIMIT SWITCH MOUNTING			
65/66	S(76)		2	C4SZ 13A793-A
	13796 WIRE ASSY. - INTERIOR LAMP LIGHTING			
65/	A(71)	Cargo lamp-6.50" long	1	C5AZ 13796-A
65/67	A(54, 57B, 62, 71)	Dome lamp	1	
66/67	A(57F, 63)	Pillar lamp	2	
66	A(57B) -with rear speaker		2	
67	A(54, 57B, 62, 71)	With swivel dome-reading lamp	1	
67/68	A(54C)	Pillar lamp	2	
68	A(except 76)	Dome lamp	1	
66/71	B(71)	Cargo area lamp	1	
66/70	X(71)	Cargo area lamp	1	
65	A(63)	Dome lamp-not replaced	2	★C1SZ 13796-B
65/66	X(66)	5.00" long dome lamp	1	B7A 13796-A
67	B(66)		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A796 ACTUATOR ASSY. - LUGGAGE COMPARTMENT DOOR OPEN LIMIT SWITCH			
65/66	S(76)	R. H. -less C4SZ 13A727-A Switch	1	C4SZ 13A796-C
		L. H. -less C4SZ 13A727-A Switch	1	C4SZ 13A796-B
		Screw (actuator to switch mounting bracket)-No. 8-32 x 3/8"	4	41034-S8 (U272M)
		Lockwasher-No. 8	4	34938-S8(X85)
	13799 BULB ASSY. LAMP - Refer to Group 13465-6			
	13800 HORN KIT - VACUUM AIR			
65/	All	Dual air	1	D3AZ 13800-A

Consists of

3-D0VY	2A865-A	Insulator	1-FDV	13932-A	Pad	3-33797-S8	Nut
1-D0AJ	5A682-A	Bracket	2-C9AJ	14462-A	Terminal	5-34790-S36	Washer
1-D0AJ	5A739-A	Sleeve	1-D3AJ	14463-AA	Terminal	4-44730-S	Washer
1-D3AZ	13801-A	Compressor	1-C9PJ	14487-A	Connector	2-55736-S8	Nut
1-D2AJ	13A803-AA	Horn	2-D2AJ	14490-AA	Terminal	1-359922-S100	Washer
1-C4RA	13828-A	Bracket	1-C9AJ	17491-A	Connector	1-373387-S	Washer
1-C9AZ	13A875-B	Switch	1-7RA	17543-A	Hose	1-374677-S	Connector
1-C7RA	13A887-A	Fitting	1-D2AJ	18N173-AA	Plate	2-375810-S	Grommet
1-D3AZ	13A888-A	Reservoir	2-26499-S8		Bolt	4-382215-S	Insert
1-D3AJ	13927-AA	Wire	3-26531-S8		Screw	4-383800-S	Sleeve
1-C7RA	13930-A	Tube	5-33795-S36		Nut	1-383804-S	Nut

	13801 COMPRESSOR ASSY. - VACUUM AIR (HORN)			
65/	A,B,F,S,X,U	Used with air horn	1	C5AZ 13801-B
	13A804 WIRE ASSY. - HORN RELAY TO HORN - Not supplied - Improvise from 14296 Wire			
68/69	S	Use with 4 note horn	1	C8SZ 13A804-A
	13805 BUTTON ASSY. - HORN			
67	F(GT 350/500)	Not replaced	1	★S7MS 13805-C
	13A805 BUTTON OR RING - HORN			
	- A -			
65	A(54, 57B, 62, 63B, 71, 76A)	With ring	1	C5AZ 13A805-A
65	A(57F, 63F)	With ring	1	C5AZ 13A805-B
65	A(63C, 76B)	With ring-"XL"	1	C5AZ 13A805-C
66	A(54B, E, 62, 71B, C, D)	With ring-black leather grain texture painted trim	1	C6AZ 13A805-A
66	A(54A, 57B, 63B, 71A, E, 76A) "Before 5/2/66"		1	
66	A(54A, 57B, 63B, 71A, E, 76A) "From 5/2/66"	With ring-vinyl applique trim	1	C6AZ 13A805-C
66	A(57F, 63C, 63F, 76B)	With ring-woodgrain trim	1	C6AZ 13A805-B
66	A(63D, 76D) "7" Litre"	Used with woodgrain wheel	1	C7OZ 13A805-E
67	A-with woodgrain wheel	3-spokes	1	
67	A	Ring only-woodgrain vinyl applique	1	C7AZ 13A805-D
68	A	Ring only - 2 spoke wheel	1	C9AZ 13A805-B
69	A-less speed control		1	
69	A	3-spoke wheel-Refer to Basic Groups 3624 and 3D752		
68	A		1	
69	A-with speed control	Ring assy.	1	C8SZ 13A805-A
70/	A	Refer to 13A805 Cover Assembly Chart - Pages 21 thru 24		
	- B -			
65	B	With ring	1	C5OZ 13A805-C
66	B(54A, 62A)	Crest emblem	1	C6DZ 13A805-B
66	B-Standard wheel	With ring	1	C6OZ 13A805-A
66/67	B-with Deluxe wheel	Used with 3-spoke woodgrain wheel	1	C7OZ 13A805-E
67	B-except with woodgrain wheel	Ring only-with black camera case trim	1	C7OZ 13A805-D
68/69	B	Ring only - 2 spoke wheel	1	C9AZ 13A805-B
69	B	3-spoke wheel-refer to Basic Groups 3624 and 3D752		
70/	B	Refer to 13A805 Cover Assembly Chart - Pages 21 thru 24		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A805 BUTTON OR RING - HORN - continued			
	- F -			
65	F-with generator	With ring-"Mustang"	1	C5ZZ 13A805-C
65/66	F(63A, 65A, C, 76A, C)-with alternator	Use with standard 3 spoke wheel	1	C5ZZ 13A805-B
65	F(63B, 65B, 76B)	Used with woodgrain wheel	1	C7OZ 13A805-E
66/67	F		1	
67	F-except with woodgrain wheel	Ring assy.	1	C7ZZ 13A805-B
68/69	F	Ring only - 2 spoke wheel	1	C9AZ 13A805-B
69	F	3-spoke wheel-Refer to Basic Groups 3624 and 3D752		
70/	F	Refer to 13A805 Cover Assembly Chart - Pages 21 thru 24		
	- L -			
71/	L	Refer to 13A805 Cover Assembly Chart - Pages 21 thru 24		
	- P -			
70	P-without locking column	Ring only - 2 spoke wheel	1	C9AZ 13A805-B
70/	P-with locking column	Refer to 13A805 Cover Assembly Chart - Pages 21 thru 24		
	- S -			
65/66	S		1	C5SZ 13A805-C
66	S-with speed control	Chrome ring only-use with C5SZ 13A805-C	1	C6SZ 13A805-A
67	S-less speed control	Chrome ring only	1	C7SZ 13A805-A
67/69	S-with speed control	Chrome ring only	1	C8SZ 13A805-A
68/69	S-less speed control	Ring only - 2 spoke wheel	1	C9AZ 13A805-B
69	S	3-spoke wheel-Refer to Basic Group 3624 and 3D752		
70/	S	Refer to 13A805 Cover Assembly Chart - Pages 21 thru 24		
	- U -			
66/69	U	Button type "Ford"	1	C6TZ 13A805-E
70	U	Button type "Ford"	1	D0TZ 13A805-A
66/	U	Button type "Ford"	1	D1TZ 13A805-E
71/	U	Ring type "Ford"	1	D1TZ 13A805-F
	- X -			
65	X	Not replaced	1	★C5DZ 13A805-A
65	X	With ring	1	C5DZ 13A805-B
66	X(54B, 62B, 62C, 66, 71B)	With ring-Falcon emblem	1	C6DZ 13A805-A
66	X(54A, 62A, 71A)	Crest emblem	1	C6DZ 13A805-B
67	X	Ring only-chrome w/black paint trim	1	♦C7DZ 13A805-C
67	X(54B, 62B, 62C, 71B)	Ring only-w/black camera case trim	1	C7OZ 13A805-D
68/69	X	Ring only - 2 spoke wheel	1	C9AZ 13A805-B
	X	Refer to 13A805 Cover Assembly Chart - Page 21 thru 24		

13A805 COVER ASSY. - HORN BLOWING

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
		SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
TRIM CODES →		B	D	E	F	G	K	P	Y	Z					
COLORS →		BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
- A -		**1970**													
Wheel-2 spoke (w/o speed control)		Refer to Group 3600													
Cover assy.-Standard	D0AZ 13A805						S								1
Cover-Standard	D3AZ 13A915	C	J		F						A				1
Deluxe	D3AZ 13A915	N	T		S						L				1
Wheel-2 spoke (w/speed control) rim blow		Refer to Group 3600													
Cover assy.		Refer to Group 3D752													
Wheel-3 spoke rim blow		Refer to Group 3600													
Cover assy.		Refer to Group 3D752													

♦ Basic 3623 (cap assy.-steering wheel hub) must be repainted or replaced to match steering column color

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →		SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER		
		—B	—D	—E	—F	—G	—K	—P	—Y	—Z						
COLORS →		BLUE	RED	VER-MIL-ION	GIN-GER	IVY GREEN	AQUA	GREY	NUG-GET GOLD	TOB-ACCO	BLACK	PARCH-MENT	WHITE	SEE FOOT-NOTE		
13A805 COVER ASSY. - HORN BLOWING - continued																
- B -		**1970**														
Wheel-2 spoke		Refer to Group 3600														
Cover-Standard	D3AZ 13A915	C	J		F						A					1
Deluxe	D3AZ 13A915	N	T		S						L					1
Wheel-3 spoke rim blow		Refer to Group 3600														
Cover assy.		Refer to Group 3D752														
- F -																
Wheel-2 spoke		Refer to Group 3600														
Cover-Standard	D3AZ 13A915	C									A					1
Deluxe	D3AZ 13A915	N			S						L					1
- P -																
Wheel-2 spoke (w/o locking column)		Refer to Group 3600														
Button		Refer to Group 13A805 Button assy.-Horn														
Wheel-2 spoke-w/locking column		Refer to Group 3600														
Cover-Standard	D3AZ 13A915	C									A					1
Deluxe	D3AZ 13A915	N			S						L					1
Wheel-3 spoke		Refer to Group 3600														
Cover assy.		Refer to Group 3D752														
- S -																
Wheel-2 spoke (w/o speed control)		Refer to Group 3600														
Cover assy.	D1AZ 13A805	M														1
Cover-Standard	D3AZ 13A915	C									A					1
Deluxe	D3AZ 13A915	N									L					1
Wheel-2 spoke (w/speed control		Refer to Group 3600														
Cover assy.		Refer to 3D752														
Wheel-3 spoke		Refer to Group 3600														
Cover assy.		Refer to 3D752														
- U -																
Wheel		Refer to Group 3600														
Button		Refer to Group 13A805 Button Assy.-Horn														
- X -																
Wheel-2 spoke		Refer to Group 3600														
Cover-Standard	D3AZ 13A915	C	J		F						A					1
Deluxe	D3AZ 13A915	N	T		S						L					1
- A -		**1971**														
Wheel-2 spoke (w/o speed control)		Refer to Group 3600														
Cover assy.-Standard	D1AZ 13A805								L							1
DeLuxe	D1AZ 13A805								L							1
Cover-Standard	D3AZ 13A915	C			F			G	K		A					1
Deluxe	D3AZ 13A915	N			S			V	U		L					1
Wheel-2 spoke (with speed control)-rim blow		Refer to Group 3600														
Cover assy.		Refer to Group 3D752														
Wheel-3 spoke-rim blow		Refer to Group 3600														
Cover assy.		Refer to Group 3D752														

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

13A805 COVER ASSY. - HORN BLOWING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →		SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
		_B	_D	_E	_F	_K	_P	_R	_Y	_Z					
COLORS →		BLUE	RED	VER-MIL-ION	GIN-GER	AQUA	GREY	GREEN	GREY GOLD	TOB-ACCO	BLACK	PARCH-MENT	WHITE	SEE FOOT NOTE	
1971 - continued															
- B -															
Wheel-2 spoke		Refer to Group 3600													
Cover assy.-Standard	D1AZ 13A805								L						1
DeLuxe	D1AZ 13A805								L						1
Cover-Standard	D3AZ13A915	C			F			G	K		A				1
Deluxe	D3AZ13A915	N			S			V	U		L				1
Wheel-3 spoke-rim blow		Refer to Group 3600													
Cover assy.		Refer to Group 3623													
- F -															
Wheel-2 spoke		Refer to Group 3600													
Button assy.-Standard	D1ZZ 13A805										A				1
Cover-Deluxe	D3AZ13A915	N			S			V			L				1
Wheel-3 spoke-rim blow		Refer to Group 3600													
Cover assy.		Refer to Group 3623													
- L -															
Wheel-2 spoke		Refer to Group 3600													
Button assy.-(star emb.)	D1FZ 13A805	A													1
Cover-Deluxe	D3AZ13A915	N			S			V			L				1
- P -															
Wheel-2 spoke		Refer to Group 3600													
Cover-Deluxe	D3AZ13A915										L				1
Button assy.	D1FZ 13A805	A							D						1
Wheel-3 spoke		Refer to Group 3600													
Cover assy.		Refer to Group 3D752													
- S -															
Wheel-2 spoke (w/o speed control)		Refer to Group 3600													
Cover assy.	D1AZ 13A805	M													1
Cover-Deluxe	D3AZ13A915										L				1
Wheel-2 spoke (with speed control)-rim blow		Refer to Group 3600													
Cover assy.		Refer to Group 3D752													
Wheel-3 spoke-rim blow		Refer to Group 3600													
Cover assy.		Refer to Group 3D752													
- U -															
Wheel		Refer to Group 3600													
Button		Refer to Group 13A805 Button Assy.-Horn													

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
71	L	Screw No.8-15 x 3/4"-attach cover to steering wheel	3	350075-S

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →		SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
		_B or L	_D or N	_E	_F	_H	_R or 5	_Y or 8	_Z or 9							
COLORS →		BLUE	RED	VER-MIL-ION	GIN-GER	CRAN-BERRY	GREEN	GREY GOLD	TOB-ACCO	BLACK	PARCH-MENT	WHITE	SEE FOOT-NOTE	SEE FOOT NOTE	
- A -		**1972**													
Wheel-2 spoke (w/o speed control)-"Before 5/1/72"		Refer to Group 3600													
Cover assy.-Standard	D1AZ 13A805							L							1
Deluxe	D1AZ 13A805							L							1
Wheel-2 spoke (w/o speed control)-" From 5/1/72"		Refer to Group 3600													
Cover Standard	D3AZ13A915	C	J		F		G	K	H	A					1
Deluxe	D3AZ13A915	N	T		S		V	U	Y	L					1

13A805 COVER ASSY. - HORN BLOWING - continued

MODEL	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →		SECOND CHARACTER of TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
		_B or L	_D or N	_E	_F	_H	_R or 5	_Y or 8	_Z or 9						
COLORS →		BLUE	RED	VER-MIL-ION	GIN-GER	CRAN-BERRY	GREEN	GREY GOLD	TOB-ACCO	BLACK	PARCH-MENT	WHITE	SEE FOOT-NOTE	SEE FOOT NOTE	
- A -						**1972 - continued**									
Wheel-2 spoke (with speed control)-rim blow		Refer to Group 3600													
Cover assy.		Refer to Group 3D752													
Wheel-3 spoke-rim blow		Refer to Group 3600													
Cover assy.		Refer to Group 3D752													
- B -															
Wheel-2 spoke		Refer to Group 3600													
Cover Standard	D3AZ 13A915									A					1
Deluxe	D3AZ 13A915									L					1
Wheel-3 spoke-rim blow		Refer to Group 3600													
Cover assy.		Refer to Group 3623													
- F -															
Wheel-2 spoke		Refer to Group 3600													
Cover	D3AZ 13A915	N	T		S		V			L					1
Wheel-2 spoke		Refer to Group 3600													
Button assy.	D1ZZ 13A805									A					1
Wheel-3 spoke-rim blow		Refer to Group 3600													
Cover assy.		Refer to Group 3623													
- L -															
Wheel-2 spoke - "Before 5/1/72"		Refer to Group 3600													
Cover assy.	D2AZ 13A805												▲C		1
Wheel-2 spoke- "From 5/1/72"		Refer to Group 3600													
Cover	D3AZ 13A915	N			S		V			L			ΔM	‡P	1
	D3AZ 13A915												▲Z		1
Wheel-2 spoke		Refer to Group 3600													
Button assy. - "Before 5/1/72"	D2FZ 13A805	C													1
"From 5/1/72"	D3FZ 13A805	B													1
	D3FZ 13A805						A			E					1
"Before 1/17/72"	D2FZ 13A805												▲B		1
"From 1/17/72	D3FZ 13A805												▲C		1
	D3FZ 13A805				D										1
- P -															
Wheel-2 spoke		Refer to Group 3600													
Cover Standard	D3AZ 13A915									A					1
Deluxe	D3AZ 13A915									L			‡R		1
Wheel-2 spoke		Refer to Group 3600													
Button assy.	D1FZ 13A805	A						D							1
	D3DZ 13A805									A					1
- S -															
Wheel-2 spoke w/o speed control		Refer to Group 3600													
Cover	D3AZ 13A915									L					1
Wheel-2 spoke (with speed control)-rim blow		Refer to Group 3600													
Cover assy.		Refer to Group 3D752													
Wheel-3 spoke-rim blow		Refer to Group 3600													
Cover assy.		Refer to Group 3D752													
- U -															
Wheel		Refer to Group 3600													
Button		Refer to Group 13A805 Button Assy. -Horn													

▲ Beige Δ Orange ‡ Tan

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A807 SPRING - HORN BLOWING			
65	F(63B, 65B, 76B)	Used with woodgrain wheel	3	C5ZZ 13A807-B
66/68	F(with woodgrain wheel)		3	
66/68	B(with woodgrain wheel)		3	
66	A(63D, 76D)"7 Litre"		3	
67	S-except with speed control		3	
67	A-with woodgrain wheel		3	
65	F-with generator	Used with horn ring #Red	1	C0DZ 13A807-B
65	A, B, X		1	
65/66	F(63A, 65A, C, 76A, C)-with alternator		1	
67/69	F(exc. woodgrain wheel-less speed control)		1	
66/69	A, B(exc. woodgrain wheel)		1	
66	X(54B, 62B, 62C, 66, 71B)		1	
67/70	X(54B, 62B, C, 71B)		1	
66/	U		1	
69	S-less speed control		1	
70	P		1	
69	F (Boss)		1	
65/66	S		2	C5SZ 13A807-A
65	X(54A, D, 59, 62A, D, 66, 71, 78)	Used with horn button	1	C5DZ 13A807-A
66/70	X(54A, 62A, 71A)	Used with horn button	1	C0DF 13A807-B
66	B(54A, 62A)		1	
66/	U		1	
65	F(63B, 65B, 76B)	Screw (att. spring and horn blowing mounting	3	52812-S2(U361H)
66	F	plate to inner contact plate insulator)-	3	
66	B-with Deluxe wheel	No. 6-20 x 1" (used with woodgrain wheel)	3	
66	A(63D, 76D) "7 Litre"		3	
	13A808 PLATE - HORN BUTTON OR RING CONTACT - Also refer to Groups 13A832 & 13A889			
65/66	A, B, U, X		1	D1TZ 13A808-A
65/66	F(63A, 65A, C, 76A, C)-with alternator		1	
68/70	U		1	
67/68	A (except woodgrain wheel)		1	C7AZ 13A808-B
67	B(except woodgrain wheel)		1	
67	F(except woodgrain wheel)		1	
67	X		1	
68/69	A, B, F, X		1	C8AZ 13A808-A
68/69	S(except speed control)		1	
70	P		1	
69	A-with speed control		1	C8SZ 13A808-B
68/69	S-with speed control			
65	F-with generator		1	C0DF 13A808-B
65	F(63B, 65B, 76B)	Used with woodgrain wheel	1	C5ZZ 13A808-A
66	F		1	
65/66	S		2	C5SZ 13A808-A
67	S(except with speed control)	Painted black	1	C7SZ 13A808-B
71/	U		1	D2TZ 13A808-A
65/66	B, X	Screw (plate, blowing ring index plate & horn	3	51763-S8(U362)
65/66	A	ring medallion retainer to ring) -No. 6-32 x 1/2"	3	
	13A809 PLATE - HORN BUTTON OR RING INDEX			
65/66	A(57F, 63C, F, 76B)		1	C5AZ 13A809-A
65/66	A(54, 57B, 62, 63B, 71, 76A), B, X, U		1	D1TZ 13A809-A
65/66	F(63A, 65A, C, 76A, C)-with alternator		1	
68/	U		1	
67/68	A(except woodgrain wheel)		1	C7AZ 13A809-B
67	B(except woodgrain wheel)		1	
67	F(except woodgrain wheel)		1	
67	X		1	
68/69	A, B, F, X		1	C8AZ 13A809-B
68/69	S(except speed control)		1	
70	P		1	
65	F-with generator		1	C2DZ 13A809-A
65	F(63B, 65B, 76B)	Used with woodgrain wheel	1	C5ZZ 13A809-A
66	F		1	
66	S-with speed control		1	C6SZ 13A809-A
67/69	S-with speed control		1	C7SZ 13A809-A
69	A-with speed control		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A810 RETAINER - HORN RING MEDALLION			
65	A(except 57F, 63C, F, 76B)		1	C5AZ 13A810-A
65	F-with generator		1	
66	A (except 57F, 63C, F, 76B)		1	C3AZ 13A810-A
	13A811 RING - HORN BLOWING CAM			
65/66	A, B, X		1	C5AZ 13A811-A
65/66	F-with alternator		1	
66/	U		1	
68/69	A, B, F, X		1	C8AZ 13A811-A
68/69	S(except speed control)		1	
70	P		1	
	13A813 PAD - HORN BLOWING RING PRESSURE - Also refer to group 3672			
65/66	A(57F, 63C, 63F, 76B)		1	C5AZ 13A813-A
67	A (except woodgrain wheel) "Before 8/15/66"		1	
67	F-except woodgrain wheel		1	
65/66	A, F, U		1	C0DZ 13A813-A
65/68	X		1	
65/66	B (except Sports Coupe)		1	
67	A(except woodgrain wheel) "From 8/15/66"		1	
67/68	B(except woodgrain wheel)		1	
68/69	A, B, F, X		1	C8AZ 13A813-A
68/69	S(except speed control)		1	
70	P		1	
66/69	S-with speed control		1	C6SZ 13A813-A
69	A-with speed control		1	
	13A815 CUP - HORN BLOWING RING CONTACT			
66/69	S-with speed control		1	C6SZ 13A815-A
69	A-with speed control		1	
	13A816 INSULATOR - HORN BLOWING RING			
65	F(63B, 65B, 76B)	Used with woodgrain wheel	1	C5ZZ 13A816-A
66	F		1	
66/69	S-with speed control	Includes attaching parts	3	C6SZ 13A816-A
69	A-with speed control		3	
	13A818 PAD - HORN BLOWING RING TRIM			
66	S-with speed control	Aqua	2	C6SZ 13A818-J
		Black	2	C6SZ 13A818-B
		Burgundy	2	C6SZ 13A818-H
		Dark Blue	2	C6SZ 13A818-C
		Emberglo	2	C6SZ 13A818-L
		Ivy Gold	2	C6SZ 13A818-F
		Parchment	2	C6SZ 13A818-E
		Red	2	C6SZ 13A818-D
		Silver	2	C6SZ 13A818-K
		White	2	C6SZ 13A818-G
	13A821 HORN BRUSH and INSULATOR KIT			
65/66	S		1	C2OZ 13A821-A
65	F-with generator		1	
	13A822 INSULATOR - HORN RING BRUSH			
65	F-with generator		1	C0DF 13A822-A
	13A823 PLATE - HORN SWITCH BRUSH			
65/66	A(54, 57B, 62, 63B, 71, 76A)		1	C3AZ 13A823-A
65/66	A (except 57F, 63C, 63F, 76B)	Outer	1	C5AZ 13A823-D
67	A "Before 11/1/66"		1	
65/66	A(57F, 63C, 63F, 76B)	Outer	1	C5AZ 13A823-E
66	B, X		1	
67	B(except woodgrain wheel)-"Before 9/26/66"		1	
67	X- "Before 9/26/66"		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A823 PLATE - HORN SWITCH BRUSH - continued			
67	B(except woodgrain wheel) "From 9/26/66"	Outer	1	C7OZ 13A823-A
67	F-except woodgrain wheel		1	
67	X "From 9/26/66"		1	
67	A "From 11/1/66"		1	
65/69	A	Inner	1	C5AZ 13A823-F
65/67	B(except woodgrain wheel)		1	
65/67	X		1	
65/67	F-except woodgrain wheel		1	
66/	U		1	
68/69	A, B, F, X	Outer	1	C8AZ 13A823-A
68/69	S(except speed control)		1	
70	P(locking column)		1	
68/69	A, B, F, X	Inner	1	C8AZ 13A823-B
68/69	S(except speed control)		1	
70	P(locking column)		1	
69	A, B, F	Outer-use with 3 spoke steering wheel	1	C5VY 13A823-A
70	P(except locking column)		1	
69	A, B, F	Inner-use with 3 spoke steering wheel	1	C5VY 13A823-B
70	P(except locking column)		1	
70/	A, B, F, L, P, S, U, X	Inner-with 2 or 3 spoke wheel	1	D0AZ 13A823-D
		Outer-with 2 or 3 spoke wheel	1	D0AZ 13A823-C
65	B	Outer-not replaced	1	★C5OZ 13A823-A
65	F-with generator		1	C3DZ 13A823-A
65/66	F(63A, 65A, C, 76A, C)-with alternator	Outer	1	C5ZZ 13A823-B
65	X		1	
66/	U		1	
65/66	A, F-with alternator, X	Screw (plate to steering wheel)-No.6-32 x 3/8"	2	379906-S8(UU87)
66	B	Screw (plate to steering wheel)	2	
65	B	Screw (plate to steering wheel)-No. 6-32 x 3/4"	2	379908-S7-8(UU87B)
65	F-with generator	Screw (plate to steering wheel)-No. 8-18 x 5/8"	3	★52854-S7
	13826 PLATE - HORN BRACKET REINFORCEMENT			
69	F(428-4V)	Not replaced	1	★C9ZZ 13826-A
69	F (Boss 302)		1	
	13830 BRACKET and SPRING ASSY. - HORN			
65	F-with generator	Universal type-for R.H. & L.H. usage	2	B9A 13830-A
	13832-3 HORN ASSY.			
65/70	A, B, F, S, U, X	Kit-high pitch	1	B8AZ 13832-B
	P		1	

Consists of

1-C7AF	13A803-B	Horn & support	1-34806-S8	Lockwasher-5/16"-18
1-C7AF	13828-D	Bracket	1-55734-S2	Nut-1/4"-20
1-C7AF	13828-E	Bracket	1-372289-S2	Screw & washer-1/4"-20 x 3/4"
1-33797-S8		Nut-5/16"-18	1-379915-S2	Nut-7/8"-20

65/70/	A, B, F, S, U, X	Kit-low pitch	1	B8AZ 13833-B
	L, P		1	

Consists of

1-C7AF	13A803-A	Horn & support	1-34806-S8	Lockwasher-5/16"
1-C7AF	13828-D	Bracket	1-55734-S2	Nut-1/4"-20
1-C7AF	13828-E	Bracket	1-372289-S2	Screw & washer-1/4"-20 x 3/4"
1-33797-S8		Nut-5/16"-18	1-379915-S2	Nut-7/8"-20

68/69	S-4 note horn system	High pitch (trumpet)-R.H. side	1	C8SZ 13832-A
68/69	S-4 note horn system	Low pitch (sea shell)-with bracket-L.H. side	1	C8SZ 13833-A
67/	U	Screw 5/16-18 x 3/4" attach horn and	AR	359662-S
72	A, B, F, L, P, S	bracket to fender shield	AR	(BB575A)
71	L	Screw 5/16" - 18 x 1 1/8" attach horn to radiator support	AR	352464-S (BB139)
70/	F	Nut-lock 5/16" - 18 attach horn to radiator support	AR	379930-S (MM173M)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A832 PLATE ASSY. - HORN BLOWING RING CONTACT - Also refer to Group 13A808			
66/68	B-with woodgrain wheel	Outer-used with woodgrain wheel	1	C6OZ 13A832-A
66	A(63D, 76D) "7" Litre"		1	
67	F-with woodgrain wheel		1	
67	A-with woodgrain wheel		1	
	13841 CAPACITOR - HORN SWITCH CONTACT			
70	S		1	D0SZ 13841-A
	13A843 WIRE ASSY. - HORN SWITCH - Improvise from B6A 14296-C wire			
	13A847 WIRE ASSY. - HORN GROUND - Improvise from B6A 14296-C wire			
	13853 RELAY and BRACKET ASSY. - HORN			
65	F-with generator	#C4AB 13853-A	1	C4AZ 13853-A (HB-79)
67/72	A-with speed control	#ED-C4AB 13853-A2	1	D3TZ 13853-B
69/72	S-with speed control		1	
66	S-with speed control	#C3AB 13853-A	1	☆ B8C 13853-A (HB-50)
66	S-with speed control		1	♦ CC3AZ 13853-A (CHB500)
68/69	S-with 4 note horn system		1	C2VY 15672-A
65	F-with generator	Screw (horn relay to R. H. fender apron or radiator support)-No. 14-14 x 1/2"	2	31497-S8(U254)
	13864 CONTACT & SPRING ASSY. - HORN BLOWING			
65/69	A, X	Lower-except speed control	2	C5ZZ 13864-A
66	B		2	
67/69	B(except woodgrain wheel)		2	
65/66	F-with alternator		2	
67/69	F-except woodgrain wheel		2	
70	P		2	
68/69	S		2	
66/	U		2	
		Screw (spring and insulator to steering wheel)-No. 6-32 x 5/8"	2	379907-S7(UU87A)
	13A865 SPACER - HORN BLOWING RING			
67	A-except woodgrain wheel	Without speed control	1	C7AZ 13A865-A
68/69	A, B, F, S, X		1	
70	P(locking column)		1	
67	A-with woodgrain wheel	Plastic-with(4)equally spaced flanges on outside diameter	1	C7OZ 13A865-B
67	B(exc. woodgrain wheel), X		1	
67	F(except woodgrain wheel)		1	
69	A, B, F	With 3 spoke steering wheel	1	
70	P(except locking column)		1	
67	A-with woodgrain wheel	Plastic-with (3) equally spaced flanges on inner diameter	1	C7OZ 13A865-D
67	B-with woodgrain wheel		1	
67	F-with woodgrain wheel		1	
67	S-except with speed control		1	C7SZ 13A865-A
	13867 INSULATOR - HORN BLOWING CONTACT & SPRING - LOWER			
65/66	A(54, 57B, 62B, 63B, 76A)	Nylon-without speed control	2	C5AZ 13867-A
65/66	A(57F, 63C, F, 76B)-		2	
67/69	A		2	
65/69	B(except woodgrain wheel)		2	
65/69	F-except woodgrain wheel		2	
70	P		2	
68/69	S		2	
67/	U		2	
65/70	X		1	
			2	

Identification Marking ☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	13A875 SWITCH ASSY. - HORN BLOWING			
69	A,B,F,X	Use with 3-spoke wheel-rim blow type	1	C9AZ 13A875-C
69/	A,B,F,L,P,S,U,X	Use with air horn kit	1	C9AZ 13A875-B
70/	A,B,F,P,S,X	Use with 3-spoke wheel-rim blow type	1	D1AZ 13A875-A
70/	A,B,F,L,P	Used with standard 2 spoke steering wheel	1	D2AZ 13A875-A
70/	A,B,F,P,S	Used with deluxe 2 spoke steering wheel	1	D2AZ 13A875-B
70/	A,B,F,S (speed control)	Used with 2 spoke wheel-rim blow type-serviced in 3600 assy. only		
	13883 INSULATOR - HORN CONTACT			
66/69	S-with speed control		1	C6SZ 13883-A
69	A-with speed control		1	
	13A889 PLATE ASSY. - HORN BLOWING RING CONTACT - Also refer to Group 13A808			
66	B-with luxury trim	Inner-used with woodgrain wheel	1	C6OZ 13A889-A
66	A(63D,76D) "7 Litre"		1	
67	B-with woodgrain wheel		1	
67	F-with woodgrain wheel		1	
67	A-with woodgrain wheel		1	
	13A890 INSULATOR - HORN BLOWING RING OUTER CONTACT PLATE			
65	F(63B,65B,76B)	Nylon-used with woodgrain wheel	3	C5ZZ 13A890-A
66/68	F-with woodgrain wheel		3	
66	B-with Deluxe wheel		3	
66	A(63D,76D) "7 Litre"		3	
67	B-with woodgrain wheel		3	
67	A-with woodgrain wheel		3	
	13A891 INSULATOR - HORN BLOWING RING INNER CONTACT PLATE			
70/	A,B,F,L,P,S,U,X-with locking steering column	2 or 3 spoke wheel with or without speed control	1	D0AZ 13A891-B
65	F(63B,65B,76B)	Nylon-used with woodgrain wheel	3	C5ZZ 13A891-A
66/68	F-with woodgrain wheel		3	
66	B-with Deluxe wheel		3	
66	A(63D,76D) "7 Litre		3	
67	B-with woodgrain wheel		3	
67	A-with woodgrain wheel		3	
	13A895 INSULATOR ASSY. - HORN BLOWING RING CONTACT PLATE			
69	A-with speed control	Inner	1	C9AZ 13A895-A
66	S-with speed control	Inner	1	C6SZ 13A895-A
67	S-with speed control	Inner -not replaced	1	★C7SZ 13A895-B
68	S-with speed control	Inner	1	C8SZ 13A895-A
69	S-with speed control		1	C9SZ 13A895-A
	13A903 INSULATOR - HORN BLOWING RING INDEX			
67	A-except woodgrain wheel		1	C7AZ 13A903-B
67	B-except woodgrain wheel		1	
67	F-except woodgrain wheel		1	
67	X		1	
68/69	A,B,F,X		1	C8AZ 13A903-B
68/69	S(except speed control)		1	
70	P		1	
	13A907 PAD ASSY. - HORN BLOWING RING TRIM - Also refer to Group 3623			
67	S-with speed control	Paint to match-not replaced	1	★C7SZ 13A907-A
	13910 VALVE ASSY. - HORN AIR CONTROL			
65/68	A,B,F,S,X	Vacuum	1	C5AZ 13910-A
	13A915 COVER - HORN BLOW SWITCH - Refer to Group 13A805			
	13A932 TRIM PLATE - HORN BLOWING SWITCH COVER			
71/72	A,B,F,L,P,S		1	D3AZ 13A932-A

INDEX

PART NAME	GROUP NUMBER
A	
Actuator (seat belt warning & ignition interlock)	14A554
Actuator assy. (door lock control switch)	14022
B	
Bezel (seat regulator control switch)	14B690, 14A706
Block assy. (junction)	14448
Bolt (fuse junction panel)	14A187
Boot (wiring connector sleeve)	14490
Bracket (circuit breaker mounting)	14A066
Bracket (instrument panel wiring)	14536
Bracket (rear window regulator control switch mounting)	14A125
Bracket (relay mounting)	14A301
Bracket (seat regulator control mounting)	14B691, 14A705
Bracket (seat regulator terminal mounting)	14652
Bracket (wiring connector)	14A206
Bracket (wiring shield mounting)	14A217
Bracket assy. (relay mounting)	14A323
Bracket assy. (window regulator wiring)	14A352
Bracket assy. (wiring)	14A004
Breaker assy. (electrical circuit)	14526
Breaker assy. (electrical circuit glass tube)	14526
Breaker assy. (fusible link wire type fuse)	14526
Bus bar (top control relay)	15A687
Bus bar (window regulator switch)	14513
Bus bar assy. (accessory feed)	14A033
Bushing (terminal)	14603
Button assy. (window regulator control switch)	14530
Buzzer kit (exterior lamp warning)	14931
Buzzer kit (exterior warning)	14931
C	
Cable (battery booster)	14300
Cable (relay to starter motor)	14431
Cable assy. (battery)	14300-1
Cable assy. (dash to engine ground)	14303
Cable kit (battery booster)	14300
Case (window regulator switch)	14A317
C - cont'd.	
Clip (fuse panel wiring)	14A173
Clip (rear lamp ground)	14463
Clip (window regulator housing retainer)	14570
Clip (window regulator switch retaining)	14559
Clip (wiring)	14199
Connector (wire)	14488
Connector (wiring)	14487
Connector & sleeve assy. (wiring terminal)	14487
Connector kit (trailer wiring)	14A347
Contact (console glove compt. lamp)	14A324
Control assy. (door lock vacuum)	14028
Cover (ballast resistor mounting plate transistorized ignition)	14A276
Cover (battery insulator)	14277
Cover (fuse panel)	14A003
Cover (wiring shield)	14A390
F	
Fuse holder	14417
Fuse link (wire)	14526
Fuse assy. (cigar lighter)	14429
G	
Gasket (top control circuit breaker mounting)	14A222
Gasket (window regulator switch housing)	14A230
Grommet (wiring)	14603
H	
Hose assy. (oil pressure sending)	14322
Hose & wiring (door latch vacuum control front door)	14A412
Housing (seat regulator control switch)	14B693
Housing (window regulator switch)	14527-8
Housing assy. (window regulator switch)	14A122
I	
Insert (window regulator multiple switch)	14A307
Insulator (non metallic wiring conduit)	14A240
Insulator (window regulator control switch)	14A016

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
J	
Junction block assy. (accessory terminal)	14A725
K	
KIT - refer to appropriate noun name For example	
Buzzer kit (exterior lamp warning)	14931
Knob (seat regulator control switch)	14711
L	
Lamp & wiring assy. (glove compt.)	14412
M	
Motor assy. (electric seat regulator)	14547
Motor assy. (window regulator)	14553
N	
Nut (rear window regulator control switch)	14A124
Nut (seat regulator control switch bezel)	14695
P	
Pad (window regulator safety relay)	14A403
Panel (fuse junction)	14A068
Panel (relay)	14A481
Pin (seat regulator control knob pivot)	14B694
Plate (ballast resistor mounting)	14A274
Plate (seat regulator switch mounting)	14686
Plate (window regulator switch)	14523-4
Plate (window regulator switch cover)	14A020, 14A021
Plate assy. (ballast resistor mounting transistorized ignition)	14A274
R	
Relay (automatic seat back latch)	14512
Relay assy. (seat regulator control)	14546, 14A707
Relay assy. (window & seat regulator control)	14512
Relay assy. (window regulator safety)	14677
Retainer (power window switch)	14489
Retainer (wiring harness)	14A163
Retainer assy. (cowl wiring grommet through dash)	14608
Retainer assy. (wiring harness)	14A282
S	
Seal (tailgate window regulator switch)	14A353
Shell (wire connector)	14A309
Shield (eng. compt. wiring harness)	14A088
Shield (window regulator control)	14531
Shield (wiring)	14A099, 14A177
Sleeve (wire insulating)	14455
Sleeve (wiring connector)	14489
Socket assy. (instrument cluster)	14A522
Socket & wiring assy. (temperature & oil warning lamps)	14522
Solenoid assy. (seat regulator control)	14A700, 14A720
Spacer (bullet type terminal)	14A434
Spacer (rear window regulator control switch)	14A123
Spacer (wire connector)	14A468
Spring (back window switch control)	14A456
Support (fuse junction panel upper)	14A148
Switch (seat regulator control)	14A701
Switch assy. (door lock)	14028
Switch assy. (door open warning lamp)	14018
Switch assy. (seat regulator tilt control)	14B696
Switch assy. (top control or tailgate)	14529, 15668
Switch assy. (window regulator control)	14529, 14540, 14632
Switch & bracket assy. (tailgate window limit)	14A011
Switch & housing assy. (window regulator control)	14046
Switch & wire assy. (glove compt. lamp)	14413
Switch & wire assy. (seat belt retractor sensor)	14A501
Switch & wiring assy. (window regulator)	14632-3
Switch & wiring assy. (window regulator control)	14086-7, 14A265-6
T	
Terminal (battery cable positive)	14450
Terminal (bullet type)	14461
Terminal (electric wiring solderless crimp-on type)	14294
Terminal (high tension wire)	14466
Terminal (spark plug)	14453
Terminal (wire flag eyelet)	14464
Terminal (wire flag type)	14468
Terminal (wire snap-on)	14474
Tube assy. (fuel pump to carb.)	14588, 9369

INDEX

PART NAME	GROUP NUMBER
W	
Wire (bulk)	14296
Wire (seat control feed jumper)	14A699
Wire assy. (accessory feed)	14A318
Wire assy. (automatic seat back latch)	14B724
Wire assy. (dash panel to headlamp junction)	14290
Wire assy. (dash to engine gauge feed)	14289
Wire assy. (door lock lead)	14A412
Wire assy. (ignition switch feed)	14313
Wire assy. (ignition switch to heater switch)	14338
Wire assy. (ignition to window regulator safety switch)	14785
Wire assy. (interior lamp feed)	14334
Wire assy. (main jumper)	14A411
Wire assy. (radio rear seat speaker estension)	14574
Wire assy. (rear lamp extension)	14408
Wire assy. (seat back control extension)	14B720
Wire assy. (seat back latch)	14C692
Wire assy. (seat back latch extension)	14C691
Wire assy. (seat back latch feed)	14C694
Wire assy. (seat belt retractor switch)	14A504
Wire assy. (seat belt switch)	14A546
Wire assy. (seat regulator control relay feed extension)	14618
Wire assy. (seat regulator feed)	14716
Wire assy. (seat regulator relay feed extension)	14B710
Wire assy. (seat regulator switch to relay extension)	14B705
Wire assy. (tachometer lamp)	14064
Wire assy. (temperature sender to indicator)	14K064
Wire assy. (trailer battery feed)	14A346
Wire assy. (trailer brake control switch)	14A348
Wire assy. (window regulator jumper)	14A630
Wire assy. (window regulator safety relay to circuit breaker)	14678
Wire terminal kit	14294

PART NAME	GROUP NUMBER
W - cont'd.	
Wiring (front window regulator)	14630-1
Wiring (luggage compt.)	14276
Wiring (rear quarter window regulator)	14A081, 14644
Wiring (rear window regulator)	14632-3
Wiring assy. (alternator to voltage regulator)	14305
Wiring assy. (back window regulator)	14687
Wiring assy. (back window regulator feed)	14683
Wiring assy. (body main)	14A005
Wiring assy. (dash panel to ballast resistor)	14A273
Wiring assy. (dash panel to eng.)	14398
Wiring assy. (door lock solenoid)	14A412
Wiring assy. (door open warning lamp)	14790
Wiring assy. (fuel tank sender)	14406
Wiring assy. (generator to voltage regulator)	14305
Wiring assy. (instrument panel)	14444
Wiring assy. (instrument panel to dash panel)	14401
Wiring assy. (low fuel warning jumper)	14624
Wiring assy. (radio rear seat speaker extension)	14574
Wiring assy. (rear lamp)	14405
Wiring assy. (roof exterior lamps)	14A018
Wiring assy. (seat regulator relay feed)	14A698
Wiring assy. (seat regulator switch to relay)	14A697
Wiring assy. (warning seat belt indicator lamp)	14A313
Wiring assy. (window regulator rear quarter)	14A081
Wiring assy. (window regulator rear switch feed)	14A027
Wiring assy. (window regulator safety relay to window regulator switch)	14A200
Wiring harness & circuit breaker (body main)	14A302
Wiring & junction block assy. (instrument panel)	14A032

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14A003 COVER - FUSE PANEL			
67/68	A	Plastic	1	C7SZ 14A003-A
71/	U		1	
69/71	S	Brake skid control	1	D0SZ 14A003-A
72	S	Brake skid control	1	D0VY 14A003-A
	14A004 BRACKET ASSY. - WIRING			
69/71	A	Located in front and rear doors with power windows	AR	C9AZ 14A004-A
69/71	A	Screw (attach bracket to inside of door)-No. 8-32 x 1/2" hex. head	4	57075-S2(B330A)
72	A (53, 57)	R.H.-located in front door w/vacuum door locks	1	D2AZ 14A004-A
		L.H.	1	D2AZ 14A004-C
72	A	Located in front and rear door with power door locks and windows	AR	D2AZ 14A004-E
	14A005 WIRING ASSY. - BODY MAIN			

WIRING LOOM MARKING or TAG NUMBER TO SERVICE WIRING PART NUMBER GUIDE FOR 1965 and SUBSEQUENT MODELS

The purpose of this guide is to facilitate the identification of the Service Wiring Part Number. The chart that follows lists in numerical sequence the Wiring Loom Markings or Tag Numbers for 1965 and subsequent model vehicles. For many vehicles the Service Wiring Part Number will be the same as the Loom Marking or Tag Part Number. This type of replacement will cause little or no installation problems. However, when the Service Wiring differs from the Loom Marking or Tag Number it will be necessary to match lead wires and to tape up those lead wires which are not required. This is necessary when the Service Wiring has a more general application than the original wiring installed by the factory. Following this guide chart, Service Wiring Part Numbers are listed by model year and vehicle usage which will permit the identification of replacement wiring when the loom identification marking or tag number is not known.

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C5SB 14A005-A	★C5SZ 14A005-BJ
C5SB 14A005-C	★C5SZ 14A005-BL
C5SB 14A005-E	★C5SZ 14A005-E
C5SB 14A005-G	★C5SZ 14A005-G
C5SB 14A005-J	★C5SZ 14A005-B
C5SB 14A005-K	★C5SZ 14A005-D
C5SB 14A005-L	★C5SZ 14A005-F
C5SB 14A005-AJ	★C5SZ 14A005-BN
C5SB 14A005-AK	★C5SZ 14A005-BR
C5SB 14A005-AL	★C5SZ 14A005-BS
C5SB 14A005-AM	★C5SZ 14A005-BT
C5SB 14A005-BE	★C5SZ 14A005-BJ
C5SB 14A005-BF	★C5SZ 14A005-BK
C5SB 14A005-BG	★C5SZ 14A005-BL
C5SB 14A005-BH	★C5SZ 14A005-BM
C5SB 14A005-BJ	★C5SZ 14A005-BJ
C5SB 14A005-BK	★C5SZ 14A005-BK
C5SB 14A005-BL	★C5SZ 14A005-BL
C5SB 14A005-BM	★C5SZ 14A005-BM
C5SB 14A005-BN	★C5SZ 14A005-BN
C5SB 14A005-BR	★C5SZ 14A005-BR
C5SB 14A005-BS	★C5SZ 14A005-BS
C5SB 14A005-BT	★C5SZ 14A005-BT
C6SB 14A005-A	★C6SZ 14A005-G
C6SB 14A005-B	★C6SZ 14A005-H
C6SB 14A005-C	★C6SZ 14A005-C
C6SB 14A005-D	★C6SZ 14A005-D
C6SB 14A005-S	★C6SZ 14A005-G
C6SB 14A005-T	★C6SZ 14A005-H
C6SB 14A005-U	★C6SZ 14A005-C
C6SB 14A005-V	★C6SZ 14A005-D
C6SB 14A005-AA	★C6SZ 14A005-E
C6SB 14A005-AB	★C6SZ 14A005-F
C6SB 14A005-AC	★C6SZ 14A005-G
C6SB 14A005-AD	★C6SZ 14A005-H

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C6SB 14A005-AH	★C6SZ 14A005-E
C7AB 14A005-A	★C7AZ 14A005-A
C7AB 14A005-B	C7AZ 14A005-B
C7AB 14A005-F	C7AZ 14A005-F
C7AB 14A005-H	C7AZ 14A005-H
C7SB 14A005-B	★C7SZ 14A005-E
C7SB 14A005-C	★C7SZ 14A005-E
C7SB 14A005-D	★C7SZ 14A005-E
ED-C7SB 14A005-E	★C7SZ 14A005-E
C7SB 14A005-E	C7SZ 14A005-H
C7SB 14A005-G	C7SZ 14A005-H
C8AB 14A005-A	C8AZ 14A005-C
C8AB 14A005-B	C8AZ 14A005-D
C8AB 14A005-C	C8AZ 14A005-C
C8AB 14A005-D	C8AZ 14A005-D
C8AB 14A005-E	C8AZ 14A005-C
C8AB 14A005-F	C8AZ 14A005-D
C8AB 14A005-G	C8AZ 14A005-D
C8AB 14A005-H	★C8AZ 14A005-H
C8SB 14A005-A	★C8SZ 14A005-A
C8SB 14A005-B	★C8SZ 14A005-B
C8SB 14A005-C	★C8SZ 14A005-A
C8SB 14A005-D	★C8SZ 14A005-B
C8SB 14A005-E	★C8SZ 14A005-A
C8SB 14A005-F	★C8SZ 14A005-B
C8SB 14A005-G	★C8SZ 14A005-A
C8SB 14A005-H	★C8SZ 14A005-B
C8SB 14A005-J	★C8SZ 14A005-A
C8SB 14A005-K	★C8SZ 14A005-B
C8SB 14A005-N	★C8SZ 14A005-N
C8SB 14A005-S	★C8SZ 14A005-N
C8SB 14A005-U	★C8SZ 14A005-N

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

14A005 WIRING ASSY. - BODY MAIN - continued - See Identification Chart at beginning of Group

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C8SB 14A005-V	★C8SZ 14A005-AA
C8SB 14A005-Y	★C8SZ 14A005-N
C8SB 14A005-AA	★C8SZ 14A005-AA
C9SB 14A005-E	C9SZ 14A005-S
C9SB 14A005-F	C9SZ 14A005-T
C9SB 14A005-J	C9SZ 14A005-J
C9SB 14A005-K	C9SZ 14A005-T
C9SB 14A005-L	C9SZ 14A005-L
C9SB 14A005-N	C9SZ 14A005-S
C9SB 14A005-R	C9SZ 14A005-T
C9SB 14A005-S	C9SZ 14A005-S
C9SB 14A005-T	C9SZ 14A005-T
C9SB 14A005-U	C9SZ 14A005-J
C9SB 14A005-V	C9SZ 14A005-L
C9SB 14A005-Y	C9SZ 14A005-J
D2LB 14A005-AC	D2LY 14A005-B

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
D2SB 14A005-AD	D2SZ 14A005-F
D2SB 14A005-AF	D2SZ 14A005-F
D2SB 14A005-AG	D2SZ 14A005-F
D2SB 14A005-AH	D2SZ 14A005-F
D2SB 14A005-BD	D2SZ 14A005-G
D2SB 14A005-BF	D2SZ 14A005-G
D2SB 14A005-BG	D2SZ 14A005-G
D2SB 14A005-CD	D2SZ 14A005-H
D2SB 14A005-CF	D2SZ 14A005-H
D2SB 14A005-CG	D2SZ 14A005-H
D2SB 14A005-DD	D2SZ 14A005-J
D2SB 14A005-DE	D2SZ 14A005-J
D2SB 14A005-DG	D2SZ 14A005-J
D2SB 14A005-DH	D2SZ 14A005-J
ED-D2SB 14A005-AF	D2SZ 14A005-F
ED-D2SB 14A005-BF	D2SZ 14A005-B
ED-D2SB 14A005-CF	D2SZ 14A005-H
ED-D2SB 14A005-DG	D2SZ 14A005-J

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	- A -			
67	A-without A/C "Before 1/3/67"		1	★C7AZ 14A005-A
67	A-without A/C "From 1/3/67"		1	C7AZ 14A005-H
67	A-with A/C "Before 1/3/67"		1	C7AZ 14A005-B
67	A-with A/C "From 1/3/67"		1	C7AZ 14A005-F
68	A-with A/C		1	C8AZ 14A005-D
68	A(8 cyl.)-w/o A/C		1	C8AZ 14A005-C
68	A(6 cyl.)-w/o A/C "Before 5/15/68"			
68	A(6 cyl.)-w/o A/C "From 5/15/68"	Not replaced	1	★C8AZ 14A005-H
	- S -			
67	S "Before 2/15/67"		1	★C7SZ 14A005-E
67	S "From 2/15/67"		1	C7SZ 14A005-H
68	S-without automatic temperature control- "Before 3/1/68"		1	★C8SZ 14A005-A
68	S-without automatic temperature control- "From 3/1/68"		1	★C8SZ 14A005-N
68	S-with automatic temperature control- "Before 3/1/68"		1	★C8SZ 14A005-B
68	S-with automatic temperature control- "From 3/1/68"		1 1	★C8SZ 14A005-AA
69	S-without automatic temperature control- "Before 12/2/68"		1	C9SZ 14A005-S
69	S-without automatic temperature control- "From 12/2/68"		1	C9SZ 14A005-J
69	S-with automatic temperature control- "Before 12/2/68"		1	C9SZ 14A005-T
69	S-with automatic temperature control- "From 12/2/68"		1	C9SZ 14A005-L
72	S-w/o power seats		1	D2SZ 14A005-F
72	S-w/power seats w/auto.seat back latch	Driver and passenger power seat	1	D2LY 14A005-B
72	S-w/power seats w/o auto.seat back latch	Driver and passenger power seats	1	D2SZ 14A005-H
72	S-w/power seats w/auto.seat back latch	Drivers power seat	1	D2SZ 14A005-J
72	S-w/power seats w/o auto.seat back latch	Drivers power seat	1	D2SZ 14A005-G
65	S	Clip-attach wiring to cowl panel	AR	★377719-S
		Screw-No.14-14 x 1/2"	AR	31497-S(U254)
		Clip-attach wiring to cowl panel	AR	★376287-S
		Clip	AR	376219-S(GG151)
		Screw-No.10-12 x 1/2"	AR	42127-S(U248C)
69	S	Clip (wiring-attach main body wiring to brake pedal support)	1	382931-S(GG338)

YEAR	MODEL		DESCRIPTION		QTY.	PART NUMBER
	14A011 SWITCH and BRACKET ASSY. - TAILGATE WINDOW LIMIT					
65/67	A(71)	"Before 8/15/66"			1	C5AZ 14A011-A
66/67	B(71), X(71)	"Before 8/15/66"			1	
67/	A(71)	"From 8/15/66"		#C9AB 14743-A,	1	D2AZ 14A011-A
67/	B(71), X(71)	"From 8/15/66"		#D2AB 14743-A	1	
65	B(71)				1	C3OZ 14A011-A
65	X(59, 71, 78)				1	C0DF 14A011-C
			Screw(switch & bracket to rear corner upper inner pillar)-No. 8-15 x 1/2"		2	★42126-S8
			Lockwasher-No. 8		2	34938-S8(X85)
	14018 SWITCH ASSY. - DOOR OPEN WARNING LAMP - Also refer to Group 13713					
65	A(54, 57, 71)		R. H. -door ajar		2	C5AZ 14018-G
65	A(54 Taxi)				2	(SW-696)
65	A(54, 57, 71)		L. H.		2	
65	A(62, 63, 76)		R. H.		1	
65	S		R. H.		1	
66/68	A-with safety package		R. H. -front and rear door		1or2	
66/71	S-with safety package		R. H. -front door		1	
65	A(62, 63, 76)		L. H. -door ajar		1	C5AZ 14018-D
65	A(54 Taxi)				2	
65	S		L. H.		1	
66/67	A-with safety package	"Before 1/16/67"	L. H. -front and rear door		1or2	
66/67	S-with safety package	"Before 1/16/67"	L. H.-front door		1	
67/68	A-with safety package	"From 1/16/67"	L. H. -front and rear door ajar		1or2	C5AZ 14018-H
67/68	S-with safety package -	"From 1/16/67 to 11/6/67"	L. H. -front door		1	(SW-697)
69/71	S		L. H.		1	
68	S-with safety package	"From 11/6/67"	L. H. -front door ajar		1	C8VY 14018-B (SW-808)
67/70	B, F, X-with safety package		R. H.		1	C7ZZ 14018-E (SW-698)
			L. H.		1	C7ZZ 14018-F (SW-699)
69/70	A, (Taxi, P/C), F		R. H. -front and rear door ajar		1	C9WY 14018-A (SW-818)
			L. H. -front and rear door ajar		1	C9WY 14018-B (SW-819)
71/	A (Taxi)		R.H. & L.H. -door open warning- r/b D4LY 14018-A (2/75)		4	★D1AZ 14018-A (SW-986)
72	B(Taxi)		R. H. & L. H. - rear door		2	
72	S		R.H. & L.H.		2	
72	S		Used with remote control luggage compartment		1	D2LY 14018-A (SW-1085)
68	S		R. H. & L. H. -rear door-Refer to Group 13713			
65/69	A, S		Screw-No. 10-24 x 1/2"-attach switch to door lock		2	41308-S(U217)
67/70	B, F, X		Screw-No. 8-32 x 5/16"-attach switch to door lock		2	355067-S(BB53)
70	A, S		Screw-No. 10-24 x 5/8"-attach switch to door lock		AR	357182-S(BB639)
	14A020-1 PLATE - WINDOW REGULATOR SWITCH COVER					
68/69	S(57)-without power windows	"Before 12/15/68"	Single	#C8SB 14A020-B	3	C8SZ 14A020-A
68/69	S(65)-without power windows		Single		1	
70/71	S(57)		Rear doors		2	
69	S(57)-without power windows	"From 12/15/68"	Single-R. H. front door	#C9SB 14A020-A	1	C9SZ 14A020-A
68/71	S-without power windows		Multiple	#C8SB 14A021-B	1	C8SZ 14A021-A
72	S-without power windows or power seats		R.H. -front door		1	D2SZ 14A020-A
72	S-w/o power windows or power seats		L. H. -front door		1	D2SZ 14A021-B
70/71	S(57)-without power windows or seats		R. H. -front door arm rest		1	D0SZ 14A020-A
70/71	S(65)-without power windows or seats		R. H. -front door arm rest		1	D0SZ 14A020-B

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION		QTY.	PART NUMBER
	14022 ACTUATOR ASSY. - DOOR LOCK CONTROL SWITCH - Also refer to Group 13A786				
65/66	A-with safety package			1	C5AZ 14022-C
65/66	A-with safety package	Strap (actuator wiring to reinf. quarter panel door or rail roof side inner rear)		AR	376914-S(YY2)
	14A027 WIRING ASSY. - WINDOW REGULATOR REAR SWITCH FEED				
69/70	A(71)		#C9AB 14A304-A, B, D0AB 14A304-A	1	C9AZ 14A027-A
69/70	A-with power windows "Before 12/10/69"	R. H. to L. H. rear door	#C9AB 14A027-B	1	C9AZ 14A027-B
70	A-with power windows "From 12/10/69"	R. H. to L. H. rear door	#ED D0AB 14A027-B, C, D0AB 14A027-C	1	D0AZ 14A027-B
71/	A(53,54,57,71)	R.H. to L.H. rear door	#D1AB 14A027-AB	1	D1AZ 14A027-A
71/	A(71)	Power window w or w/o backlite washer	D1AB 14A304-BD	1	D1AZ 14A027-C
68	A(71)		#C8AB 14A304-A,	1	C8AZ 14A027-A
68/71	B(71)		D0OB 14A304-A,	1	
68/70	X(71)		D1OB 14A304-AA	1	
72	B(71)		#D2OB 14A304-AA	1	D3OZ 14A027-A
71	A	Clip-attach wiring to front floor cross member		3	378674-S(GG150H)
71	B(71)	Screw-No. 8-12 x 1/2" -attach wiring to rear of instrument cluster		2	383938-G(UU52V)
	14028 CONTROL ASSY. - DOOR LOCK - VACUUM				
65/66	A-with safety package	Less actuator - 14022		1	C5AZ 14028-A
67	A-with safety package and power windows	Safety convenience panel mounted	#C7AB 62218A78-D	1	C7AZ 14028-C
68	A			1	C8AZ 14028-A
69	A		#C9AB 62218A78-A	1	C9AZ 14028-A
70	A		#C9AB 62218A78-B	1	D0AZ 14028-A
65	S			1	C4SZ 14028-B
66	S(63A, 76)-with safety package			1	
66	S(63C, D)			1	C6SZ 14028-A
67	S-with safety package		#C7SB 65218A78-E	1	C7SZ 14028-D
68/69	S		#C8SB 65218A78-B	1	C8SZ 14028-B
65/66	A	Screw-No. 6-20 x 1/2"-control to convenience panel		2	52784-S(U361A)
	14028 SWITCH ASSY. - DOOR LOCK				
71	A(65,76) "Before 3/23/71"	R.H.	#D1AB 14017-AB, AD, AE	1	D1AZ 14028-A
		L.H.	#D1AB 14963-AB, AD, AE	1	D1AZ 14028-B
71	A(65,76) "From 3/23/71"	R.H.	#D1AB 14017-AF	1	D1AZ 14028-G
		L.H.	#D1AB 14693-AF	1	D1AZ 14028-H
71	A(54,71)	R.H.	#D1AB 14017-BB, BC	1	D1AZ 14028-C
		L.H.	#D1AB 14963-BB, BC	1	D1AZ 14028-D
71	A(53,57)	R.H.	#D1AB 14017-CB, CC	1	D1AZ 14028-E
		L.H.	#D1AB 14963-CB, CC	1	D1AZ 14028-F
72	A(65,76)	R.H.-w/threaded shaft	#D2AB 14017-EA	1	D2AZ 14028-J
		L.H.	#D2AB 14963-EA	1	D2AZ 14028-K
72	A(53,57)	R.H.-w/threaded shaft	#D2AB 14017-CB	1	D2AZ 14028-E
		L.H.	#D2AB 14963-CB	1	D2AZ 14028-F
72	A(54,71)	R.H.-w/threaded shaft	#D2AB 14017-BA	1	D2AZ 14028-C
		L.H.-w/threaded shaft	#D2AB 14963-BA	1	D2AZ 14028-D
72	A(71)-with power tailgate lock	L. H. -side only		1	
72	B(53,71)	R. H.	#D2OB 14017-AB	1	D2OZ 14028-E
		L. H.	#D2OB 14963-AB	1	D2OZ 14028-D
72	B(63,65)	R.H. & L.H.	#D2OB 14017-BA	2	D2OZ 14028-C
70/71	S	L.H. front door	#D1VB 14A460-A, D0VB 14A460-A	1	D1VY 14028-A
72	S(w/single key lock system)	R.H.	#D2SB 14017-AB	1	D2SZ 14028-A
		L.H.	#D2SB 14963-AB	1	D2SZ 14028-B
72	S(except single key lock system)	R.H. & L.H.-w/threaded shaft	#D2SB 14017-BB	2	D2SZ 14028-C
	14A032 WIRING & JUNCTION BLOCK ASSY. INSTRUMENT PANEL - Refer to Groups 11A647 & 14401				

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14A033 BUS BAR ASSY. - ACCESSORY FEED			
68/70	X	Accessory post	AR	C8OZ 14A033-C
69/	A(Taxi), F	Accessory post	AR	
70/	P, L		1	
68/71	B		1	
65/66	F, X	With 2 fuse holder-offset	AR	C5DZ 14A033-A
68/	A, B, F, X	Nut-No. 8-32-attach 14A318 to bus bar	1	34653-S(M106X)
65/66	S	With 4 fuse holders (battery)	1	C3SZ 14A033-E
65/66	S	With 6 fuse holders (accessory)	1	C4SZ 14A033-A
67/71	S		1	C4VY 14A033-A
	14046 SWITCH & HOUSING ASSY. - WINDOW REGULATOR CONTROL - Refer to Group 14529			
	14064 WIRE ASSY. - TACHOMETER LAMP			
70	B	#D0OB 14064-A, B, C	1	D0OZ 14064-A
71	B(302, 351)	#D10B 14064-AA	1	D1OZ 14064-A
	14K064 WIRE ASSY. - TEMPERATURE SENDER TO INDICATOR			
69	F(351)	9 1/2" long-2 ohms resistance	1	C9ZZ 14K064-A
	14A066 BRACKET - CIRCUIT BREAKER MOUNTING - Unless indicated, improvise from steel stock			
65/66	A-with Select Aire A/C		1	C5AZ 14A066-C
66	B, X-with Select Aire A/C		1	
67/69	S		1	C7SZ 14A066-A
65/70	X(59, 71)	Tailgate window	1	C1AZ 14A066-A
67/71	B(71)	Electric windows or seats	1	
65/71	B(71)	Tailgate window	1	
65/71	A(71)	Tailgate window	1	
65/70	A(76), X(76)	Top control	1	
65/71	F(76)	Top control	1	
65/	A	Electric windows or seats	1	
70	F-with automatic seat back latch and/or power windows		1	
70/	B-with power windows, heated back window		2	
	14A068 PANEL - FUSE JUNCTION			
65/66	A		1	C6AZ 14A068-A
66	U		1	
67/68	A		1	C7AZ 14A068-B
67	U "Before Ser. A56, 001"		1	C7TZ 14A068-C
67	U "From Ser. A56, 001"		1	C6TZ 14A068-E
68/71	B		1	C8OZ 14A068-A
69/	A		1	
70/72	P, L		1	
68/70	X		1	
69/70	F		1	
65/66	F-with alternator "Before 2/1/66"		1	C5DZ 14A068-A
65/66	B, X "Before 2/1/66"		1	
66/67	B, F, X "From 2/1/66"		1	C6OZ 14A068-A
68	F		1	
72	B "Before 11/1/71"	Includes (1) D2OZ 14417-A holder & terminal	1	D2OZ 14A068-A
72	B "From 11/1/71"	Includes (1) D2OZ 14417-A holder & terminal	1	D2OZ 14A068-B
71/	F		1	D1ZZ 14A068-A
72	S		1	D2SZ 14A068-A
65/66	S		1	C4SZ 14A068-A
67/71	S		1	C6VY 14A068-C
68/	U		1	C8TZ 14A068-A
65/66	A	Screw (panel to dash panel)-No. 10-12 x 1 1/4"	2	379180-S2(UU81C)
68/	U		2	
		Flatwasher-No. 10	2	★351262-S8
		Nut-(junction block and instrument panel wiring to L. H. air vent duct)-No. 10-24	2	34053-S8(M156)
		Lockwasher - No. 10	2	34903-S8(X96)
		Flatwasher - No. 10	1	44716-S8(X15)
67/	A	Screw-No. 10-12 x 2" (attach panel to cowl panel)	2	377192-S2(UU51X)
65/66	S	Screw (panel to R. H. cowl side)-No. 10-12 x 1/2"	2	42161-S8(U252A)

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14A081 WIRING - REAR QUARTER - WINDOW REGULATOR - Refer to Group 14632-3			
	14086-7 SWITCH and WIRING - WINDOW REGULATOR CONTROL - Refer to Group 14632-3			
	14A099 SHIELD - WIRING - UNLESS LISTED IMPROVISE - Also refer to Group 14A177 & Body Group 20770			
	- A -			
65/66	A-with electric seat	Electric seat (6 way) wiring	1	C3MY 14A099-A
65/66	A-with electric windows or safety package	R.H.-front door-steel-not replaced	1	★C5AZ 14A099-J
65/66	A(57F, 63, 76)-door mounted courtesy lamps		1	
65/66	A(54 Taxi)		1	
67/68	A(57F, 63, 76B)		1	
67/68	A(54C, 57F, 63, 76B)-door mounted courtesy lamps		1	
67/68	A(54A,B,E, 62, 57B,76A)-w/safety package		1	
67	A(54A, 57B, 71A, B, C, E, 76A)-with electric windows		1	
67	A(54B, E-New York taxi)		1	
65/66	A-with electric windows or safety package	L.H.-front door-steel	1	C5AZ 14A099-K
65/66	A(57F, 63, 76)-door mounted courtesy lamps		1	
65/66	A(54 Taxi)		1	
67/68	A(54C, 57F, 63, 76B)-door mounted courtesy lamps		1	
67/68	A(54A, B, E, 62,57B,71)-w/safety package		1	
67/68	A(54A, 57B, 71A, B, C, E, 76A)-with electric windows		1	
67	A(54B, E-New York taxi)		1	
69	A-with electric windows and safefty convenience package		1	
65/66	A(54, 57, 71)-with electric windows with or without safety package	R.H.-rear door-steel	1	C5AZ 14A099-L
65	A(57F)-door mounted courtesy lamps		1	
67	A(54C, 57F)-without safety package or power window with manual vents		1	
67/68	A(54B, E-New York taxi)		1	
68	A-power window with manual vents		1	
65/66	A(54, 57, 71)-with electric windows with or without safety package	L.H.-rear door-steel	1	C5AZ 14A099-N
65	A(57F)-door mounted courtesy lamps		1	
67	A(54C, 57F)-without safety package or power windows with manual vents		1	
67	A(54B, E-New York taxi)		1	
68	A(54B, E)-New York Taxi		1	
68	A-power window		1	
66	A(54, 57B, 57F, 71)-with safety package	R.H.-rear door-steel	1	C6AZ 14A099-A
67/68	A(54C, 57F)-with safety package or power window with manual vent		1	
67/68	A(54, 57B, 71)- w/elect.window & safety pkg.		1	
66	A(54, 57B, 57F, 71)-with safety package	L.H.-rear door-steel	1	C6AZ 14A099-C
67/68	A(54C, 57F)-with safety package or power window with manual vent		1	
67/68	A(54,57B,71)-w/elect. window & safety pkg.		1	
69	A(63, 65, 76)	R.H. -w/pwr. windows located at qtr. window	1	C9MY 14A099-A
		L.H.	1	C9MY 14A099-B
69/70	A(53, 54, 57, 71)	R.H.-with power windows or vacuum door locks located at rear door	1	C9AZ 14A099-A
		L.H.	1	C9AZ 14A099-B
69	A	R.H.-with power windows or power locks-located at front door	1	C9AZ 14A099-C
		L.H.	1	C9AZ 14A099-D
69/	A	12" long	1	D0AZ 14A099-G
69/	A	L.H.-side of steering column	1	C9AZ 14A099-F
70	A(heated back lite)	15" long	2	D0AZ 14A099-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14A099 SHIELD - WIRING - continued - UNLESS LISTED IMPROVISE			
		- Also refer to Group 14A177 & Body Group 20770		
	- A -			
70	A	R. H. -front door-located inside door to shield 14630 wiring	1	D0VY 14A099-P
70	A	L. H. -front door-located inside door to shield 14631 wiring	1	D0VY 14A099-R
71/	A(53,54,57,71)-with power windows or power door locks	R.H.-located in rear door	1	D1AZ14A099-C
		L.H.	1	D1AZ14A099-E
71/	A-with heated back window	14" long	1	D1AZ 14A099-D
	- B -			
68/69	B(54,71)-with power windows	R. H. and L. H. -located on front door inner panel	2	C8OZ 14A099-A
68/69	B(54,71)-with power windows	R. H. -located on rear door	1	C8OZ 14A099-C
		L. H.	1	C8OZ 14A099-D
68/71	B-with power windows	R. H. -located on front door inner panel	1	C8OZ 14A099-B
		L. H.	1	C8OZ 14A099-E
70/71	B	R. H. and L. H. -rear door	2	D0OZ 14A099-C
70/	B-with auto/seat back latch	R. H.	1	D0OZ 14A099-J
		L. H.	1	D0OZ 14A099-K
70/	B	Located at instrument panel to cover 14401	1	D0OZ 14A099-F
70	B	Located at instrument panel at steering column	1	D0OZ 14A099-G
71	B-with heated back window	13" long	1	D0VY 14A099-M
71	B-with heated back window	14" long	1	D1AZ 14A099-D
71	B	Located at instrument panel lower brace	1	D1OZ 14A099-A
72	B-with power windows	R.H.-located in front door	1	D2OZ 14A099-A
		L.H.	1	D2OZ 14A099-F
72	B-with power windows	R.H.-located in rear door -part of 14028	1	D2OZ 14A099-J
		L.H.	1	D2OZ 14A099-K
72	B-with power door locks or power windows	R.H. & L.H.	2	D2OZ 14A099-C
72	B "Before 7/3/72"	10" long-located at lower instrument panel flange	1	D2OZ 14A099-D
72	B "From 7/3/72"	10" long-located at lower instrument panel flange	1	D3OZ 14A099-D
72	B	Located at lower instrument panel flange with hole for w/shield wiper switch	1	D2OZ 14A099-E
72	B " Before 11/8/71"	Use with 3 speed manual trans.	1	D2AZ14A099-C
72	B " From 11/8/71"	Use with 3 speed manual trans.	1	D2AZ 14A099-D
72	B	Use with 4 speed manual trans.	1	D2OZ 14A099-H
	- F -			
65/66	F	Used on vehicles having ammeter and oil pressure gauges	1	C5ZZ 14A099-A
70	F	Located at underside of instrument panel	1	D0ZZ 14A099-A
71/	F-w/power windows	Located at quarter window wiring	2	D1ZZ 14A099-B
71/	F	Located under instrument panel center	1	D1ZZ 14A099-C
71/	F	Located under instrument panel R.H. & L.H.ends	2	D1ZZ 14A099-D
71	F-with power windows	R.H.-cowl	1	D1ZZ 14A099-E
71/	F-with power windows	L.H.-cowl	1	D1ZZ 14A099-F
72	F " Before 11/8/71"	Use with 3 speed manual trans.	1	D2AZ 14A099-C
72	F " From 11/8/71"	Use with 3 speed manual trans.	1	D2AZ 14A099-D
72	F	Use with 4 speed manual trans.	1	D2OZ 14A099-H
	- L -			
71/	L	Located at instrument panel	1	D1FZ 14A099-A
72	L(64)-with heated back lite	Located on back window lift assy.	2	D2FZ 14A099-A
	- P -			
70	P "Before 5/26/69"	R.H.-22 3/4" long-rear of instrument panel	1	D0DZ 14A099-A
70/72	P "From 5/26/69 to 3/1/72"	R.H.-rear of instrument panel	1	D0DZ 14A099-G
72	P "From 3/1/72"	R.H.-rear of instrument panel	1	D2DZ 14A099-A
72	P	Use with 3 speed manual trans.	1	D2AZ 14A099-D
72	P	Located at instrument panel at seat belt actuator	1	D2DZ 14A099-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14A099 SHIELD - WIRING - continued - UNLESS LISTED IMPROVISE - Also refer to Group 14A177 & Body Group 20770			
	- S -			
65/66	S	Attaches to rear seat riser at trans. tunnel-Nylon	1	C5SZ 14A099-K
65/66	S	7.00" long	1	C4SZ 14A099-K
65/66	S	1.76" long-located at R.H. fender support to retain basic 14290 wiring	1	C4SZ 14A099-T
65	S	Located at No. 3 floor cross member	2	C4SZ 14A099-A
66	S(63)		2	
66	S(76)-with power windows & vent windows		2	
65/66	S	48.90" long-located on console-R.H. side	1	C5SZ 14A099-E
65/66	S-with A/C	8.00" long-located on A/C evaporator-Nylon	1	C5SZ 14A099-C
66	S	33.00" long-located at front fender & apron support	1	C4SZ 14A099-J
67/71	S(57)	Rear door window regulator wiring shield	2	C7SZ 14A099-A
67/68	S "Before 9/1/66"	9.00" long located L.H. side instrument panel -lower-cut from C5SZ 14A099-E	1	★C7SB 14A099-D
67/68	S "From 9/1/66"	7.30" long-located L.H. side instrument panel-lower-cut from C5SZ 14A099-E	1	★C7SB 14A099-T
67/68	S	10.00" long-located upper instrument panel-cut from C5SZ 14A099-E	1	★C7SB 14A099-G
68/71	S	Attaches to front floor pan-19" long-curved	1	C8SZ 14A099-G
68/69	S	Attaches to front floor pan-57" long	1	★C8SZ 14A099-A
68/71	S	Attaches to front floor pan-11 3/4" long	1	C8SZ 14A099-C
69	S	Attaches to R.H. hood hinge	1	★C9SZ 14A099-C
69/71	S-with heated back window	Cut to size-13" long	1	D0VY 14A099-M
70/71	S	Located at brake pedal support	1	D0SZ 14A099-F
70/71	S	Located at steering column lower brace	1	D0SZ 14A099-G
70	S	Located at front floor pan-55" long	1	D0SZ 14A099-K
70/71	S	Steel-located at parking brake control	1	C9LY 14A099-A
71	S-with heated back window	14" long	1	D1AZ 14A099-D
72	S	R.H. & L.H.	2	D2LY 14A099-A
72	S	Plastic located at instrument panel to cover 14401	1	D2SZ 14A099-A
72	S	11" long curved located at instrument panel	1	D2SZ 14A099-B
72	S	"L" shaped nylon located at instrument panel	1	D2SZ 14A099-C
72	S	16 1/4" long located at R.H. side of instrument panel-includes hole for glove compt. lamp	1	D2SZ 14A099-D
72	S	"L" shaped plastic located at dash panel at cowl side panel to cover 14A005	1	D2SZ 14A099-E
72	S	31" long plastic located at front floor cross member to cover 14A005	1	D2SZ 14A099-F
72	S	"S" shaped plastic located at front floor cross member has 1/2" slot for attaching seat back latch wiring	1	D2SZ 14A099-G
72	S	Plastic-located at brake pedal support brace	1	D2SZ 14A099-K
		Screw-No. 10-12 x 1/2"		42127-S8(U248C)
65/66	A	Shield to inside front door panel	4	
65/66	B,X	Shield to steering column bracket	1	
65/66	F	Shield to frt. body pillar upper-inner)-L.H.	1	
65/66	S	Shield to No. 3 upper floor cross member	AR	
65/66	S	Shield to brake pedal support	2	
65/66	S	Shield to front fender apron & rad. support	5	
65/66	S	Shield and washer 44719-S8 to floor side reinforcement to rear R.H. & L.H. side member	2	
65/66	S	Shield to front body upper inner pillar	2	
65/66	S	Shield to front fender extension	2	
65/66	S	Shield to console panel lower edge retainer	1	
66	S	Shield to air conditioner evaporator	2	
68	B	Screw (attach shield to front or rear door panel)-No. 10-12 x 5/8"	2	42134-S8(U249)
71	B	Screw-No. 8-18 x 3/8" attach shield to seat back frame	2	42119-S(U246)
70	A	Screw-1/4"-14 x 1/2" (attach shield to floor pan)	AR	55981-S(U254E)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14A099 SHIELD - WIRING - continued - UNLESS LISTED IMPROVISE - Also refer to Group 14A177 & Body Group 20770			
67/	F(289, 390)	Screw (attach shield to floor pan)-No. 8-18 x 3/4"	2	376389-S101 (UU82D)
65/	A	Attach shield to rear door	2	
65/	S	Flatwasher-1/4"	2	44719-S8(X17)
65/	S	Clip & stud assembly-No. 10-24	2	372719-S100(BB643)
65/	S	Clip (shield to front floor pan)	7	★377681-S2
70	S	Screw (attach 14A099 to floor pan)-No. 8-18 x 3/8"	AR	379560-S (UU89CA)
69/	A	Screw No. 8-15 x 1/2"-attach wiring shield to front door, rear door, and seat cushion	4	52012-S(U202)
72	S	Clip No. 8-18-attach shield to inst. panel	AR	381953-S(GG376)
	14A122 HOUSING ASSY. - WINDOW REGULATOR SWITCH - Also refer to Groups 10852, 14A124 & 15A670			
69/70	A(71)-retractable back window	Located at instrument panel (paint to match)	1	C9AZ 14A122-A
69/70	A(76)-top control		1	
	14A124 NUT-REAR WINDOW REGULATOR CONTROL SWITCH			
66/67	X(71)-retractable back window		1	C6DZ 14A124-A
66/67	B(71)-with swing away tailgate-elec. back wdw.		1	
66/67	B(76)-top control		1	
	14A125 BRACKET - REAR WINDOW REGULATOR CONTROL SWITCH MOUNTING			
68	A(71C, D, H, J)	With power tail gate window	1	C8AZ 14A125-A
	14A148 SUPPORT - FUSE JUNCTION PANEL - UPPER			
71	F "Before 6/25/71"	Steel-attaches to brake pedal support	1	D1ZZ 14A148-A
71/	F "From 6/25/71"	Steel-attaches to brake pedal support	1	D1ZZ 14A148-B
71/	L	Steel-attaches to brake pedal support	1	D1FZ 14A148-A
	14A163 RETAINER - WIRING HARNESS - Unless listed, improvise locally			
65/66	A(except C/M, C4, F/M/2)	Used with rear lamp wiring at stop lamp switch	1	★C5AZ 14A163-A
65/66	A	To secure wiring to cowl side panel-not req'd. on units built after 9/6/65 - not replaced	2	★C5AZ 14A163-B
65/66	B	Nylon-not replaced	3	★C2OZ 14A163-A
66/68	A	To secure wiring in rocker panel	AR	C6AZ 14A163-A
67/70	A	To secure wire at headlamp dimmer switch	1	C7AZ 14A163-A
68/	S, F		1	
67/68	A	To attach glove & courtesy lamp leads to plate	AR	C7AZ 14A163-C
68	A, B, S, X	To attach rear seat speaker and stereo wires to pillar and package tray	AR	
68	B(54, 63, 65), X(54, 62)	Rear window defogger	1	
68	F-with safety package		AR	
68	F(63)-except with safety package	Used with rear window defogger	5	
68	F(65)-except with safety package	Used with rear window defogger	3	
68	S	Rear window defogger	1	
69/70	F(GT350/500)	Luggage compartment lamp wiring to door	1	
69/70	S	Use to retain sun roof wiring	2	
69	A(71)	Attach wiring to tailgate hinge	1	C9AZ 14A163-D
70/	A(71)	Used to retain power back lite wiring	1	D0AZ 14A163-J
72	B(71)		1	
70	A	Attaches 14630, 14631 wiring inside front doors	2	D0VY 14A163-G
71/	B, P	Steel -located at steering column	1	D1AZ 14A163-A
71	F "Before 6/25/71"		1	
71	F "From 6/25/71"		1	D1ZZ 14A163-L
71	S "Before 2/8/71"	Steel-located at steering column	1	D1SZ 14A163-A
71	S "From 2/8/71"	Clip-located at steering column	1	384742-S(GG166D)
72	B	Retain ignition switch	2	D0VY 14A163-F
72	S		2	
72	B(8 cyl. 351W)	Attach 14289 to valve cover	1	D2OZ 14A163-E

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14A163 RETAINER - WIRING HARNESS - continued - Unless listed, improvise locally			
65/69	B(54A-Taxi)	Used with roof light wiring	2	C3SZ 14A163-B
65/69	B-with 4 speed trans.	Used with backup lamp wiring	2	
65/69	B(71)	Used with tailgate window regulator	AR	
65/66	B(except 71)	Used with fuel gauge sending wire	1	
65/69	B, X(54, 62, 63)	Used with rear lamp wiring	2	
66	B(63C, D, 76C, D)	Used with arm rest courtesy lamps	AR	
67	B(63C, D, 66D, 76C, D)	With door mounted courtesy lamp	4	
67	B(71), X(71)	Used with rear lamp wiring	2	
67	B(66, 71)	Used with fuel tank sending wire	1	
67	B(63C, 66D, 76C)	Used with console wiring	1	
66/68	F(76)	Used with power top wiring	4	
67	F	Use to attach engine compt. lamp wire and/or speed control wiring to dash flange in engine compt.	AR	
67/70	F	Used w/console & safety convenience pkg. wiring	1	
68/70	S	Rear seat speaker at pkg. tray	3	
66/	U	Used with horn wiring	1	
67/	U(8 cyl. 289)	Attach No. 3 wire of 14289 to radiator surge tank bracket	1	
65/70	X(except 66, S/D, S/W)	Used with backup lamp wiring	1	
69	F	Used with speed control	1	
71/	U	Used to retain 14401 under instrument panel	1	
69	B	Attach 14401 to instrument panel	4	C8LY 14A163-A
69	X	Attach 14290 to fender apron	4	
67/68	F	Nylon-not replaced	AR	★C7ZZ 14A163-A
67/69	F-with 3 speed S/T "Before 10/1/68"	Steel	2	C7ZZ 14A163-B
67/69	F-with 4 speed S/T		1	
69	F-with 3 speed S/T "From 10/1/68"		AR	C9ZZ 14A163-A
69	F-with 4 speed S/T		AR	
71/	F, L-with 3 speed S/T		2	
71/	P-with 3 speed S/T	Attach 15520 switch and wiring to housing	2	
70/	F-with 4 speed S/T		1	D0ZZ 14A163-A
71/	F	Located at radio mounting bracket	1	D1ZZ 14A163-K
71/	F	Located at cowl side panel	2	D1ZZ 14A163-AA
71	L	Located at instrument panel reinforcement	AR	D1FZ 14A163-A
71/	L	Steel	1	D1FZ 14A163-B
71/	A, F, L	Nylon-attaches 13A719 to dome lamp	1	D1FZ 14A163-C
65/69	S	Used with door warning lamp wiring	2	C3SZ 14A163-B
65/66	S(76)	Used with rear lamp wiring	2or3	
65/69	A	Used with rear door electric window regulator	AR	
65/66	A	Used with dash panel to headlamp juction wiring	1or2	
65/69	A	Used with luggage compartment lamp wiring	AR	
65/69	A(71)		1	
65/69	A		2or4	
65/66	A-with moveable steering column	Used with starter circuit jumper wiring	2	
65/66	A	Used with backup lamp wiring	2	
65/69	A(71)		4	
65/69	A	Used with frt. door electric wdw. or safety package	1or2	
65/69	A	Used with cigar lighter lead of instrument panel wiring	1	
65/69	A(76)	Used with top control relay to circuit breaker wiring at wheelhouse flange	2or3	
65/69	A(54B, E)-New York Taxi	Used with R. H. or L. H. open door warning wiring	AR	
65/69	A-with Safety Package		AR	
65/69	A(63C, 76B)	Used with transmission control selector indicator lamp wiring	2	
66	A(57)	Used with hose vent regulator damper motor to wheelhouse	1	
68	A(54, 57, 62, 63, 71, 76)	Front seat wiring	3	
67	S-with A/C	Retains wiring assy. to A/C distribution chamber not replaced	1	★C7SZ 14A163-C
69	S	1 1/2" x 1/2" used with power windows-connector to switch	AR	C9VY 14A163-A
69	S(57)-with vac. door locks	R. H. -front door	1	C9VY 14A163-B

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14A163 RETAINER - WIRING HARNESS - continued - Unless listed, improvise locally			
72	S-with brake skid control	Steel	1	D2LY 14A163-B
72	B,S	20 1/2" long-nylon (chain link type)	1	D2OZ 14A163-D
72	S	Steel-fastens to bumper bar at side shield	AR	D2LY 14A163-C
68	S	With rear lamp monitor	8	C8WY 14A163-B
68	A(except 71, 76)	Retains fuel sender wire to rear seat strainer	2	
68	A	To attach 14405 to quarter panel rear	AR	
68/69	S	To attach rear lamp extension wire to quarter panel	AR	
		To attach luggage comp. lamp wiring to deck lid and upper back panel	AR	
68/	U	Attach windshield wiper motor wiring to windshield header	AR	
69	A, S	Defogger wiring to package tray	AR	
70	P	To attach 14290 wiring to fender apron	2	
70	F-with speed control	Attached at front fender apron	1	
71	F	Attach wiring 14406 to fuel tank flange	2	
71	A(71)	Attach 14529 and wiring to tailgate panel	2	
70/71	B	Used to attach hidden headlamp vacuum hose to radiator support	AR	
71	F	Used to attach park lamp wiring to 13008	2	
71	F	Attach wiring 14290 to fender side shield	AR	
72	S	Attach parking brake hose to brake pedal support	1	
72	S	Attach 14630-1 wiring to inner panel	2	
72	A(429), P/C, B(429)	Located on engine	1	D2AZ 14A163-D
72	F(351), Boss	Located on engine	1	
72	A(429), P/C, B(429)	Located on L.H. valve cover	1	D2AZ 14A163-F
72	A, B(302, 351, 400)	Located on engine	2	D2AZ 14A163-G
72	F(351)-except Boss	Located on engine	1	
72	F(351)-Boss	Located on engine	1	D2ZZ 14A163-A
72	L-with heated backlite	Located in luggage compt. on hinge support	2	D2FZ 14A163-A
70/	A(71)	Screw No.8-15 x 1/2" attach C8WY 14A163B to tailgate panel	2	52012-S(U202)
71	A,B,F,P,S	Screw-1/4"-20 x 3/4" hex.washer head Attach retainer to 3676	AR	383184-S (UU52AD)
	14A173 CLIP - FUSE PANEL WIRING			
65/66	S	Used with electric window wiring lead in 14401 assembly at No.3 upper floor cross member	1or2	C1SF 14A173-A
65/66	X-with 4 speed trans. or F/M	Used with back up lamp wiring	2or3	
65/66	X(8 cyl.)		2	
65/66	F	Used with console courtesy lamp feed wire	1	
65/66	F	Used with back up lamp switch feed wire	1	
65/66	F	Used w/trans.control selector indicator lamp wire	1	
65/66	S	Screw (attaches clip to No.3 upper floor cross member)	1	42127-S8(U248C)
	14A187 BOLT - FUSE JUNCTION PANEL			
68/71	B,F	1/4"-20 x 3 1/4" long	1	C8OZ 14A187-A
69/	A		1	
70/71	L,P		1	
68/70	X		1	
72	B	1/4"-20 x 2 21/32" long	1	D2OZ 14A187-A
	14199 CLIP - WIRING			
71/	L-with 4 speed manual trans.	Located on trans.	1	D1FZ 14199-A
	14A200 WIRING ASSY. - WINDOW REGULATOR SAFETY RELAY TO WINDOW REGULATOR SWITCH - Also refer to Groups 14678 & 15A669			
67/68	A(54, 57, 62, 63, 76)	Used with electric windows	1	C7AZ 14A200-A
67/68	A(71)	Used with electric windows and tailgate	1	
69	A(71) "Before 6/1/69"	Used with tailgate window	1	C9AZ 14A200-A
69	A "Before 6/1/69"	Used with electric windows	1	
69	A(71) "From 6/1/69"	Used with tailgate windows	1	C9AZ 14A200-C
69	A "From 6/1/69"	Used with electric windows	1	
70	A-with power windows or tailgate		1	D0AZ 14A200-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14A200 WIRING ASSY. - WINDOW REGULATOR SAFETY RELAY TO WINDOW REGULATOR SWITCH - continued -Also refer to Groups 14678 & 15A669			
68/69	B(71), X(71)-with power tailgate		1	C8OZ 14A200-A
68/69	B(54, 65, 71, 76)-with power windows		1	
70	B, X-with power windows or tailgate or auto/ seat back latch		1	D0OZ 14A200-A
70	A(71)	Screw 1/4"-14 x 1/2" (attach wiring to brake pedal support)	AR	55981-S (U254E)
71/72	A-with power windows	Also used with power backlite, electric luggage compt. opener & engine compt. lamp #D2AB 14A200-AA	1	D2AZ 14A200-A
71	B	Used w/pwr. window, htd. backlite, pwr. seats	1	D1OZ 14A200-A
72	B(exc. 53, 71 Police or Taxi)-w/o power windows and/or power tailgate--w/o trailer towing pkg.	#D2OB 14A435-AD	1	D2OZ 14A200-D
72	B(exc. 53, 71 Police or Taxi)-w/power windows and/or power tailgate--w/o trailer towing pkg.	#D2OB 14A200-AC	1	D2OZ 14A200-A
72	B(exc. 53, 71 Police or Taxi)-w/o power windows and/or power tailgate--w/trailer towing pkg.	#D2OB 14A435-BD	1	D2OZ 14A200-C
72	B(exc. 53, 71 Police or Taxi)-w/power windows and/or power tailgate--w/trailer towing pkg.	#D2OB 14A200-BC	1	D2OZ 14A200-B
72	B(53, 71 Police or Taxi)-w/o power windows and/or power tailgate--w/trailer towing pkg.	#D2OB 14A435-CA CC	1	D2OZ 14A200-F
72	B(53, 71 Police or Taxi)-w/power windows and/or power tailgate	#D2OB 14A200-CA CC	1	D2OZ 14A200-E
71/72	F-with power windows "Before 12/1/71"		1	D1ZZ 14A200-A
72	F-with power windows "From 12/1/71 to 6/15/72"		1	D2ZZ 14A200-A
72	F-w/power windows w/o heated backlite- "From 6/15/72"		1	
72	F-w/power windows and heated backlite- "From 6/15/72"		1	D3ZZ 14A200-A
72	F-w/o power windows and/or auto. seat back latch w/heated backlite "From 6/15/72"		1	D3ZZ 14A200-B
72	F-w/o power windows with auto. seat back latch and heated backlite "From 6/15/72"		1	D3ZZ 14A200-C
70	B	Strap(attach wiring to fender apron)	2	376914-S(YY2)
71	B	Clip (attach wiring to dash panel)	2	384007-S(GG369)
71/	F	Clip-attach wiring to L. H. air duct	1	372172-S(GG228)
		Clip-attach wiring to cowl top panel	4	382033-S(GG303)
		Clip-attach wiring to instrument panel bracket	1	383207-S(GG271)
	14A206 BRACKET - WIRING CONNECTOR			
71	A	With power windows	6	D1AZ 14A206-A
	14A217 BRACKET - WIRING SHIELD MOUNTING			
68/69	S	Improvise		
70/71	S		2	D0LY 14A217-A
	14A230 GASKET - WINDOW REGULATOR SWITCH HOUSING - Improvise from rubber material			
	14A240 INSULATOR - NON-METALLIC WIRING CONDUIT			
		3/8" I. D. x 15 ft. roll	AR	C1AZ 14A240-A
		3/16" I. D. x 15 ft. roll	AR	C1AZ 14A240-B
	14A265-6 SWITCH and WIRING - WINDOW REGULATOR CONTROL - Refer to Group 14632-3			
	14A276 COVER - BALLAST RESISTOR MOUNTING PLATE			
65/66	A	Transistorized ignition - not required on units built after 12/13/65	1	C4TZ 14A276-A
65	S		1	
	14277 COVER - BATTERY INSULATOR			
69	B, F(428CJ)	Vinyl	1	C9ZZ 14277-A
69	F(429 Boss)		1	
	14A282 RETAINER ASSY. - WIRING HARNESS			
68	A	Located on L. H. side of dash panel-not repl.	1	★C7AZ 14A282-B
71/	A	Located at steering column	1	D1AZ 14A282-A
68	A	Screw-1/4"-14 x 5/8" (attach retainer to instrument panel)	4	381922-S2(UU52A)
68	A	Plug button (attaches wiring to retainer)	1	382374-S(PP13CB)

Identification marking

14289 WIRE ASSY. - DASH TO ENGINE GAUGE FEED

WIRING LOOM MARKING or TAG NUMBER TO SERVICE WIRING PART NUMBER GUIDE FOR 1965 and SUBSEQUENT MODELS

The purpose of this guide is to facilitate the identification of the Service Wiring Part Number. The chart that follows lists in numerical sequence the Wiring Loom Markings or Tag Numbers for 1965 and subsequent model vehicles. For many vehicles the Service Wiring Part Number will be the same as the Loom Marking or Tag Part Number. This type of replacement will cause little or no installation problems. However, when the Service Wiring differs from the Loom Marking or Tag Number it will be necessary to match lead wires and to tape up those lead wires which are not required. This is necessary when the Service Wiring has a more general application than the original wiring installed by the factory. Following this guide chart, Service Wiring Part Numbers are listed by model year and vehicle usage which will permit the identification of replacement wiring when the loom identification marking or tag number is not known.

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C4OB 14289-A	★C4OZ 14289-A
C4OB 14289-B	C4OZ 14289-C
C4ZB 14289-A	C5ZZ 14289-A
C4ZB 14289-B	C5ZZ 14289-B
C5AB 14289-A	★C5AZ 14289-A
C5AB 14289-B	C5AZ 14289-B
C5AB 14289-C	C5AZ 14289-C
C5AB 14289-E	★C5AZ 14289-E
C5AB 14289-F	★C5AZ 14289-D
C5AB 14289-J	C5AZ 14289-B
C5AB 14289-K	★C5AZ 14289-E
C5AB 14289-L	★C5AZ 14289-D
C5AB 14289-N	C5AZ 14289-A
C5DB 14289-A	★C5DZ 14289-A
C5DB 14289-B	★C5DZ 14289-C
C5DB 14289-C	★C5DZ 14289-C
C5OB 14289-A	C4OZ 14289-C
C5ZB 14289-A	★C5ZZ 14289-F
C5ZB 14289-B	C5ZZ 14289-G
C5ZB 14289-C	★C5ZZ 14289-H
C5ZB 14289-D	C5ZZ 14289-J
C5ZB 14289-E	C5ZZ 14289-G
C5ZB 14289-F	★C5ZZ 14289-F
C5ZB 14289-G	C5ZZ 14289-G
C6AB 14289-A	★C6AZ 14289-A
C6AB 14289-B	C5AZ 14289-J
C6AB 14289-C	C5AZ 14289-K
C6AB 14289-E	★C6AZ 14289-E
C6AB 14289-F	★C6AZ 14289-F
C6AB 14289-H	★C6AZ 14289-H
C6AB 14289-J	C6AZ 14289-J
C6AB 14289-K	C6AZ 14289-K
C6AB 14289-L	★C6AZ 14289-L
C6DB 14289-A	C6DZ 14289-A
C6DB 14289-A	C6DZ 14289-B
C6OB 14289-A	★C6OZ 14289-A
C6OB 14289-B	C6OZ 14289-B
C6OB 14289-C	C6OZ 14289-C
C6TB 14289-C	★C6TZ 14289-C
C6TB 14289-D	C6TZ 14289-D
C6ZB 14289-A	C6ZZ 14289-A
C6ZB 14289-B	C6ZZ 14289-B
C7DB 14289-A	C7DZ 14289-A
C7DB 14289-B	C7DZ 14289-B
C7GB 14289-A	C7ZZ 14289-A
C7OB 14289-D	C7OZ 14289-D
C7OB 14289-E	C7OZ 14289-E
C7OB 14289-F	C7OZ 14289-F
C7TB 14289-BG	C7TZ 14289-BG
C7TB 14289-BF	D0BZ 14289-B
C8DB 14289-A	C8DZ 14289-A
C8DB 14289-B	C8DZ 14289-B
C8GB 14289-A	C8GY 14289-A

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C9DB 14289-A	C9DZ 14289-A
C9OB 14289-A	C9OZ 14289-A
C9TB 14289-A	D0BZ 14289-A
C9ZB 14289-A	C9ZZ 14289-A
C9ZB 14289-D	D0AZ 14289-A
C9ZB 14289-F	D0AZ 14289-A
C9ZB 14289-G	D0ZZ 14289-E
C9ZB 14289-H	D0ZZ 14289-E
D0AB 14289-A	D0AZ 14289-A
D0AB 14289-B	D0AZ 14289-B
D0AB 14289-C	D0AZ 14289-C
D0BB 14289-A	D0BZ 14289-A
D0BB 14289-B	D0BZ 14289-B
D0DB 14289-A	D0DZ 14289-C
D0DB 14289-B	D0OZ 14289-A
D0DB 14289-C	D0DZ 14289-C
D0ZB 14289-B	D0ZZ 14289-A
D0ZB 14289-E	D0ZZ 14289-E
D0ZB 14289-F	D0ZZ 14289-E
D1AB 14289-AA	D1AZ 14289-A
D1AB 14289-BA	D1AZ 14289-B
D1AB 14289-CA	D1AZ 14289-C
D1AB 14289-DB	D1AZ 14289-D
D1AB 14289-EA	D1AZ 14289-E
D1AB 14289-FC	D1AZ 14289-F
D1AB 14289-GB	D1AZ 14289-G
D1BB 14289-AA	D1TZ 14289-A
D1OB 14289-AA	D1AZ 14289-B
D1OB 14289-BA	D0DZ 14289-C
D1OB 14289-CB	D1OZ 14289-C
D1TB 14289-AA	D1TZ 14289-A
D1ZB 14289-AA	D0ZZ 14289-E
D2AB 14289-AE	D2AZ 14289-A
D2AB 14289-AF	D2AZ 14289-A
D2AB 14289-BD	D2AZ 14289-B
D2AB 14289-BE	D2AZ 14289-B
D2AB 14289-BH	D2AZ 14289-J
D2AB 14289-CC	D2AZ 14289-C
D2AB 14289-DB	D2AZ 14289-D
D2AB 14289-ED	D2AZ 14289-E
D2AB 14289-FC	D2AZ 14289-F
D2AB 14289-FD	D2AZ 14289-F
D2AB 14289-GE	D2AZ 14289-G
D2AB 14289-HD	D2AZ 14289-H
D2DB 14289-AE	D2DZ 14289-A
D2DB 14289-BC	D2DZ 14289-B
D2MB 14289-AB	D2MY 14289-A
D2MB 14289-BB	D2MY 14289-B
D2OB 14289-DB	D2OZ 14289-D
D2OB 14289-EA	D2OZ 14289-E
D2OB 14289-GA	D2OZ 14289-G
D2ZB 14289-AA	D2ZZ 14289-A
D4TB 14289-PA	D4TZ 14289-P

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14289 WIRE ASSY. - DASH TO ENGINE GAUGE FEED			
	- A -			
65	A(8 cyl. 289) "Before 6/14/65"		1	C5AZ 14289-B
65/66	A(8 cyl. 289) "From 6/14/65 to 2/1/66"		1	C5AZ 14289-J
66	A(8 cyl. 289) "From 2/1/66"		1	C6AZ 14289-J
65	A(8 cyl. 352, 390) "Before 6/14/65"		1	C5AZ 14289-C
65/66	A(8 cyl.352,390,428) "From 6/14/65 to 2/1/66"		1	C5AZ 14289-K
66	A(8 cyl.352,390,428) "From 2/1/66"		1	C6AZ 14289-K
67/69	A	Refer to Basic Group 14398		
70	A(6 cyl.240)		1	D0AZ 14289-C
70	A(8 cyl.302-2V, 351-2V)		1	D0OZ 14289-A
70	A(8 cyl.390,428)		1	D0AZ 14289-A
70	A(8 cyl.429)		1	D0AZ 14289-B
71	A(6 cyl. 240)		1	D1AZ 14289-A
71	A(8 cyl. 302,351"W")-without A.T.C.		1	D1AZ 14289-B
71	A(8 cyl. 302,351"W")-with A.T.C.		1	D1AZ 14289-E
71	A(8 cyl. 390)		1	D1AZ 14289-C
71	A(8 cyl. 400)-without A.T.C.		1	D1OZ 14289-C
71	A(8 cyl. 351 "C")-without A.T.C.		1	
71	A(8 cyl. 400)-with A.T.C.		1	D1AZ 14289-F
71	A(8 cyl. 351 "C")-with A.T.C.		1	
71	A(8 cyl. 429)-without A.T.C.		1	D1AZ 14289-D
71	A(8 cyl. 429)-with A.T.C.		1	D1AZ 14289-G
72	A(6 cyl.240)-with C4 trans.		1	D2AZ 14289-D
72	A(6 cyl.240)-with CM trans.		1	D2AZ 14289-H
72	A(8 cyl.302) "Before 10/22/71"		1	D2AZ 14289-B
72	A(8 cyl.351W)-without A.T.C.		1	
72	A(8 cyl.302) "From 10/22/71"		1	D2AZ 14289-J
72	A(8 cyl.351W)-with A.T.C.		1	D2AZ 14289-E
72	A(8 cyl.351C,400)-with A.T.C.		1	D2AZ 14289-F
72	A(8 cyl.400-2V)-without A.T.C.-California		1	D2AZ 14289-C
72	A(8 cyl.400-2V)-without A.T.C.-exc. Calif.		1	D2OZ 14289-D
72	A(8 cyl.351C)-without A.T.C.		1	
72	A(8 cyl. 429 exc. P/I)-without A.T.C.		1	D2AZ 14289-A
72	A(8 cyl. 429 exc. P/I)-with A.T.C.		1	D2AZ 14289-G
72	A(8 cyl. 429 P/I)-without A.T.C.		1	D2MY 14289-A
72	A(8 cyl. 429 P/I)-with A.T.C.		1	D2MY 14289-B
	- B -			
65	B(8 cyl.)		1	C4OZ 14289-C
66	B(8 cyl. 289)		1	C6OZ 14289-B
66	B(8 cyl. 390)		1	C6OZ 14289-C
67/68	B(6 cyl.)		1	C7OZ 14289-D
67/68	B(8 cyl. 390, 427, 428)		1	C7OZ 14289-F
67	B(8 cyl. 289)		1	C7OZ 14289-E
68	B(8 cyl. 289, 302) "Before 1/2/68"		1	
68	B(8 cyl. 289, 302) "From 1/2/68"		1	C8DZ 14289-A
69	B(8 cyl. 302, 351) "Before 11/18/68"		1	C9OZ 14289-A
69	B(8 cyl. 302, 351) "From 11/18/68"		1	C9DZ 14289-A
69	B(6 cyl.)		1	C8DZ 14289-B
69	B(8 cyl. 390, 427, 428 CJ)		1	C8GY 14289-A
70/71	B(6 cyl.)		1	D0DZ 14289-C
70	B(8 cyl.302)		1	D0OZ 14289-A
70	B(8 cyl.351)		1	D0ZZ 14289-A
70	B(8 cyl.429)		1	D0AZ 14289-B
71	B(8 cyl. 302)		1	D1AZ 14289-B
71	B(8 cyl. 351)		1	D1OZ 14289-C
71	B (8 cyl. 429)		1	D1AZ 14289-D
72	B(6 cyl.250)		1	D2ZZ 14289-A
72	B(8 cyl.302) "Before 10/22/71"		1	D2AZ 14289-B
72	B(8 cyl.302) "From 10/22/71"		1	D2AZ 14289-J
72	B(8 cyl. 351-4V CJ) "Before 9/15/71"		1	D2AZ 14289-C
72	B(8 cyl. 400-2V)- California		1	
72	B(8 cyl. 351C-2V)-w/electronic spark control- "From 2/7/72"		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14289 WIRE ASSY. - DASH TO ENGINE GAUGE FEED - continued			
	- B -			
72	B(8 cyl. 400-2V) - except California		1	D2OZ 14289-D
72	B(8 cyl. 351-2V)- "Before 2/7/72"		1	
72	B(8 cyl. 351-4V CJ) "From 9/15/71"		1	
72	B(8 cyl. 351C-2V)-w/o electronic spark control "From 2/7/72"		1	
72	B(8 cyl. 351W-2V) "From 2/7/72"		1	D2OZ 14289-E
72	B(8 cyl. 429 exc. P/I)		1	D2AZ 14289-A
72	B(8 cyl. 429 P/I)-without A. T. C.		1	D2MY 14289-A
72	B(8 cyl. 429 P/I)-with A. T. C.		1	D2MY 14289-B
	- F -			
65	F(65A, 76A)-6 cyl.		1	C5ZZ 14289-A
65	F(8 cyl.)-with generator		1	C5ZZ 14289-B
65	F(63A, 65A, C, 76A, C)-8 cyl. -with alternator		1	C5ZZ 14289-G
65	F(63B, 65B, 76B)-8 cyl.		1	C5ZZ 14289-J
65	F(63A, 65A, C, 76A, C)-8 cyl. -with ammeter & oil pressure gauges		1	
66	F(6 cyl.)		1	C6ZZ 14289-A
66	F(8 cyl.)-with heavy duty wiring		1	C6ZZ 14289-B
67	F(8 cyl. 289)		1	C6DZ 14289-B
68	F(8 cyl. 289, 302) "Before 4/8/68"		1	
68	F(8 cyl. 289, 302) "From 4/8/68"		1	C8DZ 14289-A
67/68	F(6 cyl.)		1	C7DZ 14289-A
67/68	F(8 cyl. 390, 427, 428)		1	C7ZZ 14289-A
69	F(8 cyl. 390, 428)		1	D0AZ 14289-A
70	F(8 cyl. 428CJ)		1	
69	F(8 cyl. 429)		1	
69	F(8 cyl. 302 Boss)		1	D0ZZ 14289-E
70	F(65A, B)-8 cyl. 302-4V-with tachometer		1	
71	F(8 cyl. 302-4V)-w/ or w/o gauges		1	
70	F(63A, B)-8 cyl. 302-4V Boss		1	
69	F(6 cyl.)		1	C9ZZ 14289-A
70/71	F(6 cyl.)		1	D0DZ 14289-C
69/70	F(8 cyl. 351-2V (W)		1	D0OZ 14289-A
69/70	F(8 cyl. 302-2V)		1	
70	F(8 cyl. 351-4V)		1	D0ZZ 14289-A
70	F(8 cyl. 351-2V (C)		1	
71	F(8 cyl. 302-2V)		1	D1AZ 14289-B
71	F(8 cyl. 351)		1	D1OZ 14289-C
71	F(8 cyl. 429)		1	D1AZ 14289-D
72	F(6 cyl. 250)		1	D2ZZ 14289-A
72	F(8 cyl. 302) "Before 10/22/71"		1	D2AZ 14289-B
72	F(8 cyl. 302) "From 10/22/71"		1	D2AZ 14289-J
72	F(8 cyl. 351-4V Boss) " Before 2/1/72"		1	D2AZ 14289-C
72	F(8 cyl. 351-4V CJ) "Before 9/15/71"		1	
72	F(8 cyl. 351-4V Boss) " From 2/1/72"		1	D2OZ 14289-G
72	F(8 cyl. 351-2V)		1	D2OZ 14289-D
72	F(8 cyl. 351-4V CJ) "From 9/15/71"		1	
	- P -			
70/	P(6 cyl.)		1	D0DZ 14289-C
71	P(8 cyl.)		1	D1AZ 14289-B
72	P(8 cyl.) "Before 10/22/71"		1	D2DZ 14289-A
72	P(8 cyl.) "From 10/22/71"		1	D2DZ 14289-B
	- U -			
66	U (8 cyl.)		1	C6TZ 14289-D
67/68	U(8 cyl.)		1	C7TZ 14289-BG
67/	U(6 cyl. 170)	Pkg. contains (1) - D0DB 10B886-A wire for use on past models	1	D0BZ 14289-B
69/70	U(8 cyl. 302)	Pkg. contains (1) - D0DB 10B886-A wire for use on past models	1	D4TZ 14289-P
71/72	U(8 cyl. 302)		1	D1TZ 14289-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14289 WIRE ASSY. - DASH TO ENGINE GAUGE FEED - continued			
	- X -			
66	X(6 cyl.)		1	C6DZ 14289-A
66	X(8 cyl.)		1	C6DZ 14289-B
67	X(6 cyl.)		1	C7DZ 14289-A
67	X(8 cyl.)		1	C7DZ 14289-B
68	X(8 cyl.)		1	C8DZ 14289-A
68/70	X(6 cyl.)		1	C8DZ 14289-B
69/70	X(8 cyl. 302)		1	C9DZ 14289-A
65	A	Clip (wiring to instrument panel or dash panel)	AR	★376931-S
65	A "Before 6/14/65"	Clip (wiring to R. H. front fender)	1	358350-S(GG172)
65/66	A "From 6/14/65"	Clip (wiring to R. H. front fender-apron)	1	377987-S(GG256)
68	B, X	Clip (wiring to dash panel)	AR	
65/	A, B, F, S, X	Adjustable strap (wire hold down)-Nylon	AR	376914-S(YY2)
65/	A-with 60 amp. alternator	Clip (wiring to R. H. front fender apron)	2	371645-S100 (GG210M)
65/	A (6 cyl.)	Clip (wiring to mounting bolt that attaches valve push rod chamber cover to engine)	2	353547-S2(GG173)
65/70	X	Clip (wiring to ignition coil strap)	1	
65/	A, S	Clip (wiring & coil to distributor low tension wire to L. H. cylinder head with bolt that attaches ignition coil strap)	1	
65/	A, S	Clip (wiring to bolt that attaches valve rocker arm cover to cylinder head)	3	
65/	B		3	
65/	F		3	
65	F	Clip (wiring and ignition coil screw to engine)	1	
66	A	Clip (wiring to dash panel)	6	380896-S(GG252)
68	A	Screw-1/4"-14 x 3/4"	AR	55914-S2(U254F)
65	F	Clip (wiring to fender to apron brace)	2	★372303-S100
65	X	Clip (wiring to dash panel)	AR	372866-S100 (GG89)
71	U	Clip (wiring to dash panel)	2	381645-S(GG261)
70	A, B, S	Screw No. 8-15 x 1/2" attach ground wire of 14289 to radiator support	1	52012-S(U202)
71	A, B	Bolt-3/8"-16 x 1/2" attach ground wire to engine	1	20312-S7(B75)
71	A, B	Bolt-7/16"-14 x 1/2" attach ground wire engine gauge feed to block	1	20314-S(B98)
	14290 WIRE ASSY. - DASH PANEL TO HEADLAMP JUNCTION			

WIRING LOOM MARKING or TAG NUMBER TO SERVICE WIRING PART NUMBER GUIDE FOR 1965 and SUBSEQUENT MODELS

The purpose of this guide is to facilitate the identification of the Service Wiring Part Number. The chart that follows lists in numerical sequence the Wiring Loom Markings or Tag Numbers for 1965 and subsequent model vehicles. For many vehicles the Service Wiring Part Number will be the same as the Loom Marking or Tag Part Number. This type of replacement will cause little or no installation problems. However, when the Service Wiring differs from the Loom Marking or Tag Number it will be necessary to match lead wires and to tape up those lead wires which are not required. This is necessary when the Service Wiring has a more general application than the original wiring installed by the factory. Following this guide chart, Service Wiring Part Numbers are listed by model year and vehicle usage which will permit the identification of replacement wiring when the loom identification marking or tag number is not known.

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER	LOOM WIRING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C4ZB 14290-A	C5ZZ 14290-B	C5DB 14290-B	C5DZ 14290-A
C4ZB 14290-B	C5ZZ 14290-B	C5DB 14290-C	C5DZ 14290-A
C5AB 14290-A	C5AZ 14290-D	C5OB 14290-A	C5OZ 14290-A
C5AB 14290-C	★C5AZ 14290-E	C5OB 14290-B	★C5OZ 14290-B
C5AB 14290-D	C5AZ 14290-D	C5OB 14290-C	C5OZ 14290-A
C5AB 14290-E	★C5AZ 14290-E	C5OB 14290-D	★C5OZ 14290-B
C5AB 14290-F	C5AZ 14290-D	C5OB 14290-E	★C5OZ 14290-E

14290 WIRE ASSY. - DASH PANEL TO HEADLAMP JUNCTION - continued

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C5SB 14290-E	★C5SZ 14290-S
C5SB 14290-F	C5SZ 14290-T
C5SB 14290-G	★C5SZ 14290-N
C5SB 14290-H	★C5SZ 14290-R
C5SB 14290-J	★C5SZ 14290-S
C5SB 14290-K	C5SZ 14290-T
C5SB 14290-L	★C5SZ 14290-N
C5SB 14290-M	★C5SZ 14290-R
C5SB 14290-N	★C5SZ 14290-N
C5SB 14290-R	★C5SZ 14290-R
C5SB 14290-S	★C5SZ 14290-S
C5SB 14290-T	C5SZ 14290-T
C5ZB 14290-B	C5ZZ 14290-D
C5ZB 14290-D	C5ZZ 14290-C
C5ZB 14290-E	C5ZZ 14290-C
C6AB 14290-A	C6AZ 14290-A
C6AB 14290-B	★C6AZ 14290-B
C6AB 14290-E	★C6AZ 14290-E
C6AB 14290-H	C6AZ 14290-H
C6AB 14290-J	★C6AZ 14290-J
C6AB 14290-K	C6AZ 14290-A
C6OB 14290-A	C6OZ 14290-E
C6OB 14290-B	★C6OZ 14290-F
C6OB 14290-C	C6OZ 14290-E
C6OB 14290-D	★C6OZ 14290-F
C6SB 14290-A	★C6SZ 14290-E
C6SB 14290-B	C6SZ 14290-C
C6SB 14290-C	C6SZ 14290-C
C6SB 14290-E	★C6SZ 14290-E
ED-C6SB 14290-F	C6SZ 14290-C
C6TB 14290-A	C6TZ 14290-D
C6TB 14290-D	C6TZ 14290-D
C6TB 14290-E	C6TZ 14290-E
C6TB 14290-H	★C6TZ 14290-H
C6TB 14290-J	C6TZ 14290-J
C6ZB 14290-A	C6ZZ 14290-A
C6ZB 14290-B	C6ZZ 14290-B
C7AB 14290-A	C7AZ 14290-A
C7AB 14290-AD	C7ZZ 14290-AD
C7OB 14290-A	C7OZ 14290-A
C7OB 14290-C	C6OZ 14290-E
C7OB 14290-D	C6OZ 14290-F
C7SB 14290-D	C7SZ 14290-A
C7SB 14290-F	C7SZ 14290-A
C7SB 14290-G	C7SZ 14290-A
C7TB 14290-H	C7TZ 14290-L
C7TB 14290-K	C7TZ 14290-K
C7TB 14290-L	C7TZ 14290-L
C7ZB 14290-S	C7ZZ 14290-AG
C7ZB 14290-T	C7ZZ 14290-AD
C7ZB 14290-U	★C7ZZ 14290-AJ
C7ZB 14290-V	C7ZZ 14290-AF
C7ZB 14290-Y	C7ZZ 14290-AG
C7ZB 14290-Z	C7ZZ 14290-AD
C7ZB 14290-AB	C7ZZ 14290-AF
C7ZB 14290-AC	C7ZZ 14290-AG
C7ZB 14290-AD	C7ZZ 14290-AD
C7ZB 14290-AE	★C7ZZ 14290-AJ
C7ZB 14290-AF	C7ZZ 14290-AF
C8AB 14290-A	C8AZ 14290-A
C8AB 14290-B	C8AZ 14290-A
C8AB 14290-C	C8AZ 14290-A
C8DB 14290-A	C8DZ 14290-A
C8DB 14290-B	C8DZ 14290-A
C8DB 14290-C	C8DZ 14290-A
C8DB 14290-D	C8DZ 14290-A
C8DB 14290-E	C8DZ 14290-A

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C8OB 14290-A	C8OZ 14290-F
C8OB 14290-C	C8OZ 14290-F
C8OB 14290-D	C8OZ 14290-F
C8OB 14290-E	C8OZ 14290-F
C8OB 14290-F	C8OZ 14290-F
C8SB 14290-A	C8SZ 14290-E
C8SB 14290-B	C8SZ 14290-E
C8SB 14290-C	C8SZ 14290-E
C8SB 14290-E	C8SZ 14290-E
C8TB 14290-F	C8TZ 14290-AE
C8TB 14290-K	C8TZ 14290-AE
C8TB 14290-M	C8TZ 14290-AE
C8TB 14290-Y	C8TZ 14290-AE
C8TB 14290-AD	C8TZ 14290-AD
C8TB 14290-AE	C8TZ 14290-AE
C8ZB 14290-A	C8ZZ 14290-A
C8ZB 14290-B	★C8ZZ 14290-B
C8ZB 14290-C	C8ZZ 14290-C
C8ZB 14290-D	C8ZZ 14290-D
C8ZB 14290-E	C8ZZ 14290-A
C8ZB 14290-F	★C8ZZ 14290-B
C8ZB 14290-G	C8ZZ 14290-C
C8ZB 14290-H	C8ZZ 14290-D
C9AB 14290-J	C9AZ 14290-A
ED-C9AB 14290-J	C9AZ 14290-A
C9DB 14290-C	C9DZ 14290-A
C9DB 14290-D	C9DZ 14290-A
C9DB 14290-E	C9DZ 14290-E
C9DB 14290-F	C9DZ 14290-F
C9OB 14290-C	C9OZ 14290-A
C9OB 14290-D	★C9OZ 14290-B
C9OB 14290-E	C9OZ 14290-E
C9OB 14290-F	★C9OZ 14290-F
C9OB 14290-G	C9OZ 14290-G
C9OB 14290-H	C9OZ 14290-H
C9SB 14290-C	C9SZ 14290-B
C9SB 14290-D	C9SZ 14290-D
C9SB 14290-E	C9SZ 14290-E
C9SB 14290-F	C9SZ 14290-F
C9SB 14290-G	C9SZ 14290-E
C9SB 14290-H	C9SZ 14290-F
C9SB 14290-J	C9SZ 14290-F
C9SB 14290-K	C9SZ 14290-E
C9TB 14290-F	C9TZ 14290-A
C9TB 14290-G	C9TZ 14290-B
C9ZB 14290-H	C9ZZ 14290-R
C9ZB 14290-J	C9ZZ 14290-S
ED-C9ZB 14290-K	C9ZZ 14290-R
ED-C9ZB 14290-L	C9ZZ 14290-S
C9ZB 14290-M	C9ZZ 14290-R
C9ZB 14290-N	C9ZZ 14290-S
C9ZB 14290-R	C9ZZ 14290-R
C9ZB 14290-S	C9ZZ 14290-S
D0AB 14290-J	D0AZ 14290-L
D0AB 14290-K	D0AZ 14290-A
D0AB 14290-L	D0AZ 14290-L
D0BB 14290-E	D0BZ 14290-A
D0BB 14290-F	D0BZ 14290-B
D0DB 14290-E	D0DZ 14290-F
ED-D0DB 14290-E	D0DZ 14290-E
ED-D0DB 14290-L	D0DZ 14290-J
D0DB 14290-N	D0DZ 14290-N
D0OB 14290-F	D0OZ 14290-A
D0OB 14290-J	D0OZ 14290-A
D0OB 14290-L	D0OZ 14290-L
ED-D0OB 14290-L	D0OZ 14290-L
ED-D0OB 14290-N	D0OZ 14290-L

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER	LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
14290 WIRE ASSY. - DASH PANEL TO HEADLAMP JUNCTION - continued			
D0SB 14290-F	D0SZ 14290-A	D2AB 14290-AB	D2AZ 14290-A
D0SB 14290-G	D0SZ 14290-B	D2AB 14290-BB	D2AZ 14290-B
D0SB 14290-H	D0SZ 14290-H	D2DB 14290-AC	D2DZ 14290-A
D0SB 14290-J	D0SZ 14290-L	D2DB 14290-AD	D3DZ 14290-A
D0SB 14290-K	D0SZ 14290-K	D2DB 14290-BC	D2DZ 14290-D
D0SB 14290-L	D0SZ 14290-L	D2DB 14290-BD	D2DZ 14290-D
D0ZB 14290-L	D0ZZ 14290-A	D2OB 14290-AF	D2OZ 14290-C
D0ZB 14290-M	D0ZZ 14290-K	D2OB 14290-AG	D2OZ 14290-C
D0ZB 14290-N	D0ZZ 14290-N	D2OB 14290-AH	D2OZ 14290-C
		D2SB 14290-AF	D2SZ 14290-A
D1AB 14290-AF	D1AZ 14290-A	ED-D2SB 14290-AH	D2SZ 14290-C
D1AB 14290-AG	D1AZ 14290-A	D2SB 14290-AJ	D2SZ 14290-E
D1AB 14290-AH	D1AZ 14290-A	D2SB 14290-BF	D2SZ 14290-B
D1AB 14290-BH	D1AZ 14290-B	ED-D2SB 14290-BH	D2SZ 14290-D
D1AB 14290-BJ	D1AZ 14290-B	D2SB 14290-BJ	D2SZ 14290-F
D1AB 14290-BK	D1AZ 14290-B	D2ZB 14290-BB	D2ZZ 14290-B
D1DB 14290-AC	D1DZ 14290-A	D2ZB 14290-BC	D2ZZ 14290-F
D1DB 14290-AE	D1DZ 14290-A	D2ZB 14290-BD	D2ZZ 14290-K
D1DB 14290-BC	D1DZ 14290-B	D2ZB 14290-CB	D2ZZ 14290-C
D1DB 14290-BF	D1DZ 14290-B	D2ZB 14290-CC	D2ZZ 14290-G
D1OB 14290-AF	D1OZ 14290-A	D2ZB 14290-CD	D2ZZ 14290-L
D1OB 14290-AG	D1OZ 14290-A	D2ZB 14290-DB	D2ZZ 14290-D
D1SB 14290-AC	D1SZ 14290-A	D2ZB 14290-DC	D2ZZ 14290-M
D1SB 14290-BC	D1SZ 14290-B	D2ZB 14290-DD	D2ZZ 14290-M
D1ZB 14290-AH	D1ZZ 14290-A	D2ZB 14290-EB	D2ZZ 14290-E
D1ZB 14290-AJ	D1ZZ 14290-A	D2ZB 14290-EC	D2ZZ 14290-J
ED-D1ZB 14290-AK	D1ZZ 14290-A	D2ZB 14290-ED	D2ZZ 14290-N
D1ZB 14290-AL	D1ZZ 14290-A		
D1ZB 14290-BG	D1ZZ 14290-B	D22B 14290-AB	D2FZ 14290-A
D1ZB 14290-BH	D1ZZ 14290-B	D22B 14290-AC	D2FZ 14290-D
ED-D1ZB 14290-BJ	D1ZZ 14290-B	D22B 14290-AE	D2FZ 14290-D
D1ZB 14290-BK	D1ZZ 14290-B	D22B 14290-AF	D2FZ 14290-G
D1ZB 14290-CG	D1ZZ 14290-C	D22B 14290-AG	D2FZ 14290-G
D1ZB 14290-CH	D1ZZ 14290-C	D22B 14290-BB	D2FZ 14290-B
ED-D1ZB 14290-CJ	D1ZZ 14290-C	D22B 14290-BC	D2FZ 14290-E
D1ZB 14290-CK	D1ZZ 14290-C	D22B 14290-BE	D2FZ 14290-E
ED-D1ZB 14290-DH	D1ZZ 14290-D	D22B 14290-BF	D2FZ 14290-H
D1ZB 14290-DK	D1ZZ 14290-D	D22B 14290-BG	D2FZ 14290-H
D1ZB 14290-DL	D1ZZ 14290-D	D22B 14290-BH	D2FZ 14290-N
		D22B 14290-CB	D2FZ 14290-C
D12B 14290-AG	D1FZ 14290-A	D22B 14290-CC	D2FZ 14290-J
D12B 14290-AH	D1FZ 14290-A	D22B 14290-CE	D2FZ 14290-J
D12B 14290-AK	D1FZ 14290-A	D22B 14290-CF	D2FZ 14290-J
ED-D12B 14290-AK	D1FZ 14290-A	D22B 14290-CG	D2FZ 14290-J
ED-D12B 14290-AM	D1FZ 14290-A	D22B 14290-CH	D3FZ 14290-D
ED-D12B 14290-BH	D1FZ 14290-E	D22B 14290-DB	D3FZ 14290-F
D12B 14290-BJ	D1FZ 14290-E	D22B 14290-EB	D2FZ 14290-L
D12B 14290-BL	D1FZ 14290-E	D22B 14290-EC	D2FZ 14290-P
D12B 14290-BM	D1FZ 14290-E	ED1-D22B 14290-AB	D2FZ 14290-A
ED-D12B 14290-BM	D1FZ 14290-E	ED1-D22B 14290-BB	D2FZ 14290-B
ED-D12B 14290-BP	D1FZ 14290-E	ED1-D22B 14290-CB	D2FZ 14290-C
D12B 14290-CG	D1FZ 14290-D		
ED-D12B 14290-CG	D1FZ 14290-D	D3DB 14290-AE	D3DZ 14290-A
D12B 14290-CH	D1FZ 14290-D	ED-D32B 14290-AF	D3FZ 14290-A
D12B 14290-CK	D1FZ 14290-D		
D12B 14290-CL	D1FZ 14290-D	S9MS 14L290-A	C9ZZ 14290-E
ED-D12B 14290-CL	D1FZ 14290-D	C9ZX 15A211-A	C9ZZ 14290-E
ED-D12B 14290-CN	D1FZ 14290-D		

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
14290 WIRE ASSY. - DASH PANEL TO HEADLAMP JUNCTION				
- A -				
65	A(except transistorized ignition)		1	C5AZ 14290-D
65	A-with transistorized ignition	Not replaced	1	★C5AZ 14290-E
66	A(8 cyl. 427) "Before 1/3/66"	Not replaced	1	★C6AZ 14290-B
66	A(8 cyl. 427) "From 1/3/66 to 2/1/66"	Not replaced	1	★C6AZ 14290-E
66	A(8 cyl.427) "From 2/1/66"	Not replaced	1	★C6AZ 14290-J

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14290 WIRE ASSY. - DASH PANEL TO HEADLAMP JUNCTION - continued			
	- A -			
66	A(except 8 cyl. 427) "Before 2/1/66"		1	C6AZ 14290-A
66	A(except 8 cyl. 427) "From 2/1/66"		1	C6AZ 14290-H
67	A		1	C7AZ 14290-A
68	A		1	C8AZ 14290-A
69	A		1	C9AZ 14290-A
70	A(except 54C,57F,63C,65A,71A,E,76B)		1	D0AZ 14290-A
70	A(54C, 57F, 63C, 65A, 71A, E, 76B)		1	D0AZ 14290-L
71	A-without cornering lights		1	D1AZ 14290-A
71	A-with cornering lights		1	D1AZ 14290-B
72	A-without cornering lights		1	D2AZ 14290-A
72	A-with cornering lights		1	D2AZ 14290-B
	- B -			
65	B-with 40 amp. Ford alternator		1	C5OZ 14290-A
65	B-with 52 amp. Ford or 53 amp. Leece-Neville alternator "Before 12/24/64"	Not replaced	1	★C5OZ 14290-B
65	B-with 52 amp. Ford or 53 amp. Leece-Neville alternator "From 12/24/64"	Not replaced	1	★C5OZ 14290-E
66	B-except 53 amp. Leece-Neville alternator		1	C6OZ 14290-E
67	B(54, 62, 63B, C, 66, 71, 76B, C)-except with 53 amp. Leece-Neville alternator		1	
66/67	B-with 53 amp. Leece-Neville alternator	Not replaced	1	★C6OZ 14290-F
67	B(63D, 76D)-except with 53 amp Leece-Neville alternator		1	C7OZ 14290-A
68	B		1	C8OZ 14290-F
69	B(w/o intermittent wipers) "Before 11/18/68"		1	C9OZ 14290-A
69	B(w/o intermittent wipers)- "From 11/18/68 to 4/1/69"		1	C9OZ 14290-E
69	B(w/o intermittent wipers) "From 4/1/69"		1	C9OZ 14290-G
69	B(with intermittant wipers) "Before 11/18/68"	Not replaced	1	★C9OZ 14290-B
69	B(with intermittent wipers)- "From 11/18/68 to 4/1/69"	Not replaced	1	★C9OZ 14290-F
69	B(with intermittent wipers) "From 4/1/69"		1	C9OZ 14290-H
70	B "Before 11/1/69"		1	D0OZ 14290-A
70	B "From 11/1/69"		1	D0OZ 14290-L
71	B		1	D1OZ 14290-A
72	B		1	D2OZ 14290-C
	- F -			
65	F-with generator		1	C5ZZ 14290-B
65	F(63A, 65A, C, 76A, C)-with alternator & charge or oil indicator warning lamps		1	C5ZZ 14290-C
65	F(63B, 65B, 76B)		1	C5ZZ 14290-D
65	F(63A, 65A, C, 76A, C)-8 cyl. -with ammeter & oil pressure gauges			
66	F "Before 11/15/65"		1	C6ZZ 14290-A
66	F "From 11/15/65"		1	C6ZZ 14290-B
67	F(exc. GT)-exc. w/tachometer		1	C7ZZ 14290-AG
67	F(except GT)-with tachometer		1	C7ZZ 14290-AD
67	F(GT 350/500)	Not replaced	1	★S7MS 14290-A
67	F(GT)-without tachometer	Not replaced	1	★C7ZZ 14290-AJ
67	F (GT)-with tachometer		1	C7ZZ 14290-AF
68	F(except GT)- without tachometer		1	C8ZZ 14290-A
68	F(except GT)-with tachometer	Not replaced	1	★C8ZZ 14290-B
68	F(GT, 65GT C/S)- without tachometer		1	C8ZZ 14290-C
68	F(GT, 65GT C/S)-with tachometer		1	C8ZZ 14290-D
69	F-without tachometer		1	C9ZZ 14290-S
69	F-with tachometer		1	C9ZZ 14290-R
69	F(GT 350/500)	Instrument panel to fog lamp	1	C9ZZ 14290-E
70	F(except 63C)		1	D0ZZ 14290-A
70	F(63C) "Before 10/15/69"		1	D0ZZ 14290-K
70	F(63C) "From 10/15/69"		1	D0ZZ 14290-N

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14290 WIRE ASSY. - DASH PANEL TO HEADLAMP JUNCTION - continued			
	- F -			
71	F(63D)-8 cyl. 302-2V -w/o instrument pkg.- "Before 10/1/70"		1	D1ZZ 14290-B
71	F(65,76)-w/o instrument pkg.		1	
71	F(63D,65D,F,76D) exc. 8 cyl. 351 Boss eng. w/o instrument pkg., sports interior pkg. or special value pkg. "From 10/1/70"		1	
71	F(63D)-8 cyl. 302-2V-w/instrument pkg. -		1	D1ZZ 14290-C
71	F(65,76)-w/instrument pkg. "Before 10/1/70"		1	
71	F(63D,65D,F,76D) exc. 8 cyl. 351 Boss eng. - w/instrument pkg. or sports interior pkg.- "From 10/1/70"		1	
71	F(63D)-8 cyl. 302-4V-w/o instrument pkg. -		1	D1ZZ 14290-D
71	F(63R)-w/o instrument pkg. "Before 10/1/70"		1	
71	F(63D,65D) exc. 8 cyl. 351 Boss eng. - w/special value pkg.		1	
71	F(63R)-w/o instrument pkg. or sports interior pkg. "From 10/1/70"		1	
71	F(63D)-8 cyl. 302-4V -w/instrument pkg. - "Before 10/1/70"		1	D1ZZ 14290-A
71	F(63R)-w/instrument pkg.		1	
71	F(63D)-8 cyl. 351 Boss engine		1	
71	F(63R)-w/instrument pkg. or sports interior pkg. "From 10/1/70"		1	
72	F(63D,65D,F,76D)-except 8 cyl. 351boss eng. w/o instrument pkg., sports interior pkg. or special value pkg. "Before 12/1/71"		1	D2ZZ 14290-C
72	F(63D,65D,76D)-exc. 8 cyl. 351 Boss engine w/o instrument pkg. sports interior pkg. or special valve pkg. "From 12/1/71"		1	D2ZZ 14290-L
72	F(63D,65D,F,76D)-with instrument package- "Before 12/1/71"		1	D2ZZ 14290-D
72	F(65D)-exc. 8 cyl. 351 Boss engine w/sports interior pkg. w/o instrument pkg. or special value pkg. "Before 12/1/71"		1	
72	F(63D,65D,F,76D)-w/instrument pkg.- " From 12/1/71"		1	D2ZZ 14290-M
72	F(65D)-exc. 8 cyl. 351 Boss engine w/sports interior pkg. w/o instrument pkg. or special valve pkg. " From 12/1/71"		1	
72	F(65D)-8 cyl. 351 Boss with instrument package or special value package "Before 12/1/71"		1	D2ZZ 14290-B
72	F(63D)-w/instrument pkg. or sports interior pkg. or special value pkg. "Before 12/1/71"		1	
72	F(63R) with instrument package or sports interior package "Before 12/1/71"		1	
72	F(76D)-with sports interior package and instrument package "Before 12/1/71"		1	
72	F(65D)-8 cyl. 351 Boss w/instrument pkg. or special valve pkg. "From 12/1/71"		1	D2ZZ 14290-K
72	F(63D)-w/instrument pkg. or sports interior pkg. or special valve pkg. "From 12/1/71"		1	
72	F(63R)-w/instrument pkg. or sports interior pkg. "From 12/1/71"		1	
72	F(76D)-w/sports interior pkg. & instrument pkg. "From 12/1/71"		1	
72	F(63D,R)-exc. 8 cyl. 351 Boss engine w/special value pkg. w/o instrument pkg. or sports interior pkg. "Before 12/1/71"		1	D2ZZ 14290-E
72	F(65D)-with special value package without instrument package "Before 12/1/71"		1	
72	F(76D)-with sports interior package- "Before 12/1/71"		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14290 WIRE ASSY. - DASH PANEL TO HEADLAMP JUNCTION - continued			
	- F -			
72	F(63D,R)-exc.8 cyl.351 Boss engine w/special valve pkg.w/o instrument pkg.or sports interior pkg. "From 12/1/71"		1	D2ZZ 14290-N
72	F(65D)-w/special valve pkg.w/o instrument pkg. "From 12/1/71"		1	
72	F(76D)-w/sports interior pkg.- "From 12/1/71"		1	
	- L -			
71	L(4 cyl. 98)-w/o A/C		1	D1FZ 14290-D
71	L(4 cyl. 122)-without A/C		1	D1FZ 14290-A
71	L-with A/C		1	D1FZ 14290-E
72	L(4 cyl.98)-w/o A/C "Before 11/1/71"		1	D2FZ 14290-C
72	L(4 cyl.98)-w/o A/C- "From 11/1/71 to 7/3/72"		1	D2FZ 14290-J
72	L(4 cyl. 98)-w/o A/C "From 7/3/72"		1	D3FZ 14290-A
72	L(4 cyl.122)-w/o A/C "Before 11/1/71"		1	D2FZ 14290-A
72	L(4 cyl.122)-w/o A/C - "From 11/1/71 to 1/3/72"		1	D2FZ 14290-D
72	L(4 cyl.122)-w/o A/C "From 1/3/72"	With Nox-emission	1	D2FZ 14290-G
72	L(4 cyl.122)-w/A/C-"From 1/3/72 to 5/1/72"	With Non-emission	1	D2FZ 14290-H
72	L-with A/C "Before 11/1/71"		1	D2FZ 14290-B
72	L-with A/C "From 12/1/71 to 1/3/72"		1	D2FZ 14290-E
72	L(4 cyl. 122)-without A/C	Without Nox-emission	1	D3FZ 14290-F
72	L(4 cyl. 122)-with A/C	Without Nox-emission	1	D2FZ 14290-L
72	L(4 cyl.122)-with A/C	With Nox-emission	1	D2FZ 14290-N
	- P -			
70	P-w/o locking strg.col. "Before 4/14/69"		1	D0DZ 14290-E
70	P-w/o locking steering column- "From 4/14/69 to 8/1/69"		1	D0DZ 14290-F
70	P-w/o locking strg.col. "From 8/1/69"		1	D0DZ 14290-J
70	P-with locking steering column		1	D0DZ 14290-N
71	P (except 62D)		1	D1DZ 14290-A
71	P(62D)		1	D1DZ 14290-B
72	P(54A,62A)	Without grille lamps	1	D3DZ 14290-A
72	P(62D)		1	D2DZ 14290-D
72	P(54A,62A)	With grille lamps	1	
	- S -			
65	S(except A/C or transistorized ignition)	Not replaced	1	★C5SZ 14290-S
65	S-with A/C-except transistorized ignition		1	C5SZ 14290-T
65	S-with A/C & transistorized ignition	Not replaced	1	★C5SZ 14290-R
65	S(except A/C)-with transistorized ignition	Not replaced	1	★C5SZ 14290-N
66	S-except transistorized ignition	Not replaced	1	★C6SZ 14290-E
66	S-with transistorized ignition	Not replaced	1	★C6SZ 14290-C
67	S		1	C7SZ 14290-A
68	S		1	C8SZ 14290-E
69	S-without heated back lite "Before 10/15/68"		1	C9SZ 14290-B
69	S-without heated back lite "From 10/15/68"		1	C9SZ 14290-E
69	S-with heated back lite "Before 10/15/68"		1	C9SZ 14290-D
69	S-with heated back lite "From 10/15/68"		1	C9SZ 14290-F
70	S(except 65A,B-Fiera) "Before 11/1/69"		1	D0SZ 14290-A
70	S(exc.65A,B-Fiera) "From 11/1/69 to 1/5/70"		1	D0SZ 14290-H
70	S(except 65A,B-Fiera) "From 1/5/70"		1	D0SZ 14290-K
70	S(65A,B-Fiera) "Before 1/5/70"		1	D0SZ 14290-B
70	S(65A,B-Fiera) "From 1/5/70"		1	D0SZ 14290-L
71	S (exc.65A,B-Fiera)		1	D1SZ 14290-A
71	S(65A,B-Fiera)		1	D1SZ 14290-B
72	S-without cornering lights		1	D2SZ 14290-E
72	S-with cornering lights		1	D2SZ 14290-F

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
14290	**WIRE ASSY. - DASH PANEL TO HEADLAMP JUNCTION - continued**			
	- U -			
66	U "Before Ser. 788,001"		1	C6TZ 14290-D
66	U "From Ser. 788,001 to 830,001"		1	C6TZ 14290-E
66	U-w/38 or 45 amp. alt. "From Ser. 830,001"	Not replaced	1	★C6TZ 14290-H
66	U-with 55 amp. alternator		1	C6TZ 14290-J
67	U-w/38 or 45 amp. alt.		1	C7TZ 14290-K
67	U-with 55 amp.		1	C7TZ 14290-L
68	U-with 38 or 42 amp. alt.		1	C8TZ 14290-AE
68	U-with 55 amp. alt. w/oil and ammeter gauges		1	C8TZ 14290-AD
69	U-except 55 amp. alternator		1	C9TZ 14290-A
69	U-with 55 amp. alternator		1	C9TZ 14290-B
70	U-with 55 amp. alt. "Before Ser. H10,001"		1	D0BZ 14290-B
70	U-with 38 or 45 amp. alternator		1	D0BZ 14290-A
70	U-with 55 amp. alt. "From Ser. H10,001"		1	
71/	U	Part of 14401		
	- X -			
65	X (6 cyl.)		1	☆C5DZ 14290-A
65	X (8 cyl.)		1	
66/67	X		1	C6OZ 14290-E
68	X		1	C8DZ 14290-A
69	X "Before 4/1/69"		1	C9DZ 14290-A
69	X "From 4/1/69"		1	C9DZ 14290-E
70	X		1	C9DZ 14290-F
65	A-with transistorized ignition	Nut (wiring to junction block)-No. 10-24	1	34053-S8(M156)
65/	A	Nut (wiring to L. H. front fender)	1	
		Lockwasher-No. 10	1	34803-S7(X60)
		Lockwasher-No. 10	2	34939-S8(X86)
65/	A	Clip (wiring to L. H. front fender)	1	358350-S(GG172)
		Flat washer-No. 10	1	44713-S8(X13)
65/67	A-with transistorized ignition	Nut (wiring to junction block)-1/4"-20	1	33795-S7(M49)
		Lockwasher-1/4"	1	34805-S8(X62)
70	A	Clip(attach wiring to front fender)	AR	383182-S(GG359)
65/	A,B,S	Adjustable strap (wire hold down)-Black Nylon	AR	376914-S(YY2)
65	F	Attach 14290 to fender shield and radiator	AR	
66/70	U	cross member		
65	B	Clip(wiring to accel. bar bracket on dash panel)	1	353547-S2(GG173)
70	B	Screw-1/4"-14 x 1/2" (attach wiring to fender	AR	55981-S(U254E)
66/70	U	apron)		
65/	A	Screw (wiring to radiator support)-No. 10-12 x 1/2"	2	42127-S8(U248)
65/	B	Screw(wiring to frt. fender apron & rad. support)	2	
66	B,X	Screw (wiring to front fender apron-front)	AR	
		376219-S to L. H. front fender apron)-		
65/	S	Screw (wiring, windshield wiper hose and clip	1	
65/	S(76)	Screw (377792-S or 376219-S) to R.H. front fender apron)	3	
65/	S(63)	Screw (wiring and clip 376189-S or 376219-S to	5or6	
65/67	S(76)	R. H. & L. H. front fender apron)	2or3	
65/	S	Screw (wiring and clip 376219-S or 378904-S to R. H. front fender extension)	1or2	
65/	S	Screw (wiring and clip 376189-S to L. H. front fender extension)	2	
65/	S-with or without A/C electric windows or speed control device	Screw (wiring and clip 376189-S or 376219-S to dash panel)	3or5	
65/	S-with electric windows	Screw (wiring, front window regulator wiring and clip 376219-S or 377722-S to dash panel)	1	
65/	S-with A/C	Screw (wiring, blower switch feed wiring and clip 376219-S or 377722-S to dash panel)	1	
65/	S-with speed control device	Screw (wiring, speed control wiring and clip 376219-S to dash panel)	1	
65/	S	Screw (wiring and clip 376189-S, 376219-S or 377722-S to R.H. or L.H. rear of front fender apron)	1or2	
65/	S	Screw (wiring and rear lamp wiring or air conditioner blower feed wire and clip 376189-S or 377722-S to R. H. or L. H. front fender apron cowl side upper member)	2or4	
		Lockwasher-No. 10	2	34939-S8(X86)


☆ U. S. only

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
14290	**WIRE ASSY. - DASH PANEL TO HEADLAMP JUNCTION - continued**			
70	F(63C)	Clip(attach wiring to radiator support)	AR	383207-S(GG271)
71	B,P,S	Attach wiring to fender side shield or radiator support	AR	
70	B	Rivet-1/4"(attach clip to front cross member)	AR	383142-S(SS45A)
65/	F	Nut (wiring and battery relay cable to starter solenoid)-5/16"-24	1	33798-S8(M62)
		Lockwasher-5/16"	1	34806-S7(X64)
70/	A,S	Screw-No.8-18 x 1/2" attach ground wire of 14290 to radiator support	AR	52012-S(U202)
65/	F	Lockwasher-1/4"	1	34940-S7(X88)
65/	F	Screw (wiring to radiator support)	1	31497-S8(U254)
68	F	Clip (attach wiring to cross member)	4	382350-S(GG300)
68	F	Clip (attach wiring to side cowl panel)	2	382184-S100
70	F, P		AR	(GG304)
70	F	Clip (attach wiring to front cross member)	AR	383104-S(GG300A)
70	P	Clip (attach wiring to front support)	AR	382931-S(GG338)
71	P,S	Clip (attach wiring to radiator support)	AR	
66/69	S	Clip (attach wiring to front fender)	AR	376188-S(GG147M)
70	P		AR	
70	P	Clip (attach wiring to radiator support)	AR	
70	P	Screw-No.8-15 x 1/2"(attach clip to frt.fender)	AR	52012-S(U202)
		Lockwasher-1/4"	1	34805-S8(X62)
65/	S	Clip-nylon	AR	376219-S(GG151)
65/	S-with transistorized ignition	Nut (wiring to junction block)-1/4"-20	1	33795-S7(M49)
66	S(except transistorized ignition)	Nut (wiring & fuse assy. to junction block)	1	
65/	S-with transistorized ignition	Nut (wiring to junction block)-No. 10-24	1	34053-S8(M156)
66	S(except transistorized ignition)	Nut (wiring & fuse assy. to junction block)	1	
		Lockwasher-No. 10	1	34803-S7(X60)
66	S	Screw (wiring & wiring assy. headlamp-leads & regulator assy. to extension front fender apron to radiator support)-No. 14-10 x 5/8"	1	31498-S8(U253B)
		Lockwasher-No. 10	1	34940-S7(X88)
67	U	Clip (attach wiring to dash panel)	1	376896-S(GG268)
14294	**WIRE TERMINAL - KIT**			
65/66	A, B, F, S, X, U		AR	C4AZ 14294-A
14294	**TERMINAL - ELECTRIC WIRING - SOLDERLESS CRIMP - ON TYPE**			
		Eyelet-No.10 stud-for No.16,18,20 & 22 gauge wire	AR	B9A 14294-A
		Eyelet-No. 6 stud-for No. 14 & 16 gauge wire	AR	B9A 14294-B
		Eyelet-No. 10 stud-for No. 14 & 16 gauge wire	AR	B9A 14294-C
		Eyelet-1/4" stud-for No. 14 & 16 gauge wire	AR	B9A 14294-D
		Eyelet-No. 10 stud-for 8 gauge wire	AR	C5AZ 14294-A
		Eyelet-No. 10 stud-for No. 10 & 12 gauge wire	AR	B9A 14294-F
		Eyelet-1/4" stud-for No. 10 & 12 gauge wire	AR	B9A 14294-G
		Eyelet-3/8" stud-for No. 10 & 12 gauge wire	AR	B9A 14294-H
		Faston tab-for No. 14, 16 gauge wire	AR	C5AZ 14294-C
		Snap on-male-for No. 14, 16 & 18 gauge wire	AR	B9A 14294-J
		Bullet type-(uninsulated bullet)-for No. 14, 16 & 18 gauge wire	AR	B9A 14294-K
		Snap on-female-for No. 14, 16 & 18 gauge wire	AR	B9A 14294-L
		Bullet type (insulated bullet)-for No. 14 & 16 gauge wire	AR	B9A 14294-M
		Bullet type (insulated)-for No. 14, 16 gauge wire	AR	C5AZ 14294-B
		Eyelet-1/2" stud-for No. 14, 16 & 18 gauge wire	1	C5ZZ 14294-A
		Eyelet-3/8" stud-for No. 14, 16 & 18 gauge wire	1	C6OZ 14294-A
71	L	Eyelet No. 18 or 20 gauge wire	AR	D1FZ 14294-A
14296	**WIRE** - Also refer to Groups 12284 & 12286			
		Primary-No. 8 gauge-50 ft. spool	AR	B3A 14296-A
		Primary-No. 12 gauge-100 ft. spool	AR	B6A 14296-A
		Primary-No. 14 gauge-100 ft. spool	AR	B6A 14296-B
		Primary-No. 16 gauge-100 ft. spool	AR	B6A 14296-C
		High tension-No. 16 gauge-100 ft. spool	AR	8A 14296-A
		Ignition 7MM 100 ft. spool	AR	8A 14296-B
		Plug wire-100 ft. spool	AR	D2PZ 14296-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14300 CABLE KIT - BATTERY BOOSTER			
65/	A, B, F, P, S, U, X	6 gauge-8 foot	1	C9PZ 14300-A
65/	A, B, F, P, S, U, X	6 gauge-12 foot	1	C9PZ 14300-B

14300 CABLE ASSY. - BATTERY UNIVERSAL TYPE



Battery cable terminals (battery end) are universal and may be used on either the positive or negative battery post. Battery cable length is determined by distance between hole centers.

LENGTH (inches)	WIRE GAUGE	IDENTIFICATION MARKING	SERVICE PART NUMBER
10	4	D1PF 14300-AGA	D1PZ 14300-AG(WC-8118)
10	6	D1PF 14300-AA	D1PZ 14300-A(7106)
12.50	1	D1PF 14300-MA	D1PZ 14300-M(6121)
13	4	D1PF 14300-DA	D1PZ 14300-D(7134)
16	4	D1PF 14300-EA	D1PZ 14300-E(7164)
16.50	1	D1PF 14300-NA	D1PZ 14300-N(6161)
19	4	D1PF 14300-FA	D1PZ 14300-F(7194)
20	6	D1PF 14300-BA	D1PZ 14300-B(7206)
21	1	D1PF 14300-PA	D1PZ 14300-P(6211)
23	4	D1PF 14300-GA	D1PZ 14300-G(7234)
24	6	D1PF 14300-CA	D1PZ 14300-C(7246)
27	1	D1PF 14300-RA	D1PZ 14300-R(6271)
30	4	D1PF 14300-HA	D1PZ 14300-H(7304)
34	1	D1PF 14300-SA	D1PZ 14300-S(6341)
40	1	D1PF 14300-TA	D1PZ 14300-T(6401)
41	4	D1PF 14300-JA	D1PZ 14300-J(7414)
48	4	D1PF 14300-KA	D1PZ 14300-K(7484)
53	1	D1PF 14300-UA	D1PZ 14300-U(6531)
56	4	D1PF 14300-LA	D1PZ 14300-L(7564)
56	4	D2SF 14300-AC	D1PZ 14300-E(7164) and D1PZ 14431-E(7514)
65	1	D1PF 14300-VA	D1PZ 14300-V(6651)
75	1	D1PF 14300-XA	D1PZ 14300-X(6751)
104	6	D1PF 14300-AFA	D1PZ 14300-AF(WC-8085)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	14300-1 CABLE ASSY. - BATTERY					
	BATTERY TO STARTER RELAY					
65/70	A, B	6&8	All	Universal-10" long (6 gauge)	1	D1PZ 14300-A
66/70	X	6&8	All		1	(7106)
70/	P	6&8	All		1	
71/	A	6&8	240,302, 390		1	
71	A	8	351		1	
72	A	8	351W		1	
71	B	6&8	250,302		1	
71/	L	4	All		1	
71/	U	6&8	All		1	
71/	F	6&8	250,302		1	
70	S "Before 8/3/69"	8	All	Universal-56" long (4 gauge)	1	D1PZ 14300-L (7564)
65/70	F	6&8	All	Universal-13" long (4 gauge)	1	D1PZ 14300-D
67/69	S	8	All		1	(7134)
70/71	S "From 8/3/69"	8	All	Battery to junction block on fender	1	
71	A	8	400,429		1	
71	B, F	8	351,429		1	
65	X	6&8	All	Universal-16" long (4 gauge)	1	D1PZ 14300-E
66	B	8	390		1	(7164)
72	B	6&8	All		1	
72	S-California	8	400	Battery to junction block on fender	1	
72	S	8	429,460	Battery to junction block on fender	1	
66/70	U	6&8	All		1	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	14300-1 CABLE ASSY. - BATTERY - continued					
	BATTERY TO STARTER RELAY - continued					
65/66	S	8	All	14.50" long	1	C4SZ 14300-A
72	A	8	351C, 400,429	Universal-10" long (4 gauge)	1	D1PZ 14300-AG (WC-8118)
72	F	8	351		1	
72	S-exc. California	8	400	Battery to junction block on fender	1	
69	B-with trunk mounted battery	8	428 CJ	206" long	1	C9OZ 14300-A (WC-8027)
65	F(GT-350)	8	All	186" long	1	S1MS 14300-A (WC-8024)
69	F-with trunk mounted battery	8	428 CJ	173" long	1	C9ZZ 14300-A
69	F-Boss-with trunk mounted battery	8	429		1	(WC-8028)
	BATTERY TO GROUND					
65	X-exc. with A/C	6	All	Universal-16" long (4 gauge)	1	D1PZ 14300-E
65	B, F	6	All		1	(7164)
65	X-with A/C	6	All	23" long	1	D1PZ 14300-G
67/70	S	8	All		1	
65/66	S	8	All	Universal-30" long (4 gauge)	1	D1PZ 14300-H
66/71	A	6	All		1	(7304)
69/70	A	8	390,428		1	
69/	A	8	302,351, 400		1	
69/	A	8	429		1	
65/66	B	8	All		1	
67/69	B-exc. with 70 amp. H/D battery	6&8	All		1	
70	B	6&8	All		1	
72	B	6&8	All		1	
66	F	6	All		1	
65/66	F	8	All		1	
72	S	8	400,429		1	
66/70	U	6	All		1	
65/70	X	6&8	All		1	
67/69	B-with 70 amp. H/D battery	6&8	All	Universal-41" long (4 gauge)	1	D1PZ 14300-J
67/69	F	6&8	All		1	(7414)
70/71	B	6&8	All	42" long	1	D0OZ 14301-D
70/	P	6&8	All		1	(WC-8041-A)
70	F 'Before 10/6/69"	6&8	All		1	
70	F 'From 10/6/69"	8	428		1	
71	F	8	351,429		1	
72	F	6&8	All		1	
70/71	F 'From 10/6/69"	6	All	44" long	1	D0ZZ 14301-C
70	F 'From 10/6/69"	8	302,351		1	(WC-8048)
71	F	8	302		1	
67/70	U	8	All	Universal-24" long (6 gauge)	1	D1PZ 14300-C
71	A	8	390		1	(7246)
65	A	6&8	All		1	
67/71	S	8	429	Universal-23" long (4 gauge)	1	D1PZ 14300-G (7234)
71/	L	4	All	27 1/2" long	1	D1FZ 14301-B (WC-8082-A)
71/72	U	6&8	All	26" long	1	D2BZ 14301-A (WC-8122-A)
69	B, F-with trunk mounted battery	8	428 CJ	Universal-16 1/2" long (1 gauge)	1	D1PZ 14300-N
69	F-Boss-with trunk mounted battery	8	429		1	(WC-6161)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
65/	A, B, F, S, X	Bolt (cable to battery terminal)-5/16"-18 x 1 1/4"	2or4	23017-S16(B296)
		Nut-5/16"-18	2or4	33797-S16(M51)
		Nut (cable to starter relay terminal)-5/16"-24	1	33798-S8(M62)
		Lockwasher-5/16"	1 or 2	34806-S7(X64)
65/	A (8 cyl. 352, 390, 406), S	Bolt (ground cable to bracket)-3/8"-16 x 7/8"	1	20368-S8(B79)
65/	A(6 cyl.)	Bolt (cable to cylinder block)	1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14300-1 CABLE ASSY. - BATTERY - continued			
65/	A (8 cyl. 352, 390, 406)	Nut-3/8"-16	1	33799-S7(M52)
65	F(6 cyl.)	(cable to engine head)	1	
65/	A, B(6 & 8 cyl.)	Lockwasher-3/8"	1	34807-S8(X66)
65/	A, B(8 cyl.352, 390, 406), F(6 cyl.)	Lockwasher-3/8"	1	351487-S(XX291)
67/	A, B, F, X, U	Nut & washer (attach cable to solenoid)-5/16-18	1	381561-S36 (MM295AD)
65/	B(6 cyl.)-with A/C	Bolt(relay cable to compressor mounting bracket)-5/16"-18 x 1"	1	20386-S8(B53)
65/	B(6 cyl.)-with A/C, P(6 cyl.)	Nut-5/16"-18 (battery terminal)	1	33797-S6(M51)
		Flat washer-5/16"	1	44722-S8(X19)
71/	A	Bolt sq.hd. (attach cable to battery terminal)-1/4"-20 x 1 3/8"	1	383849-S2 (BB842G)
71/	A	Nut 1/4"-20	1	383848-S2 (MM030FX)
65/	A(8 cyl. 260, 289, 406, 427 Special)	Bolt (ground cable to cyl. block)-7/16"-14 x 7/8"	1	304668-S8(B100A)
65/70	X	Adjustable strap (ground cable to R. H. front	1	376914-S(YY2)
65/	B, S(8 cyl.)	suspension housing)-Nylon	1	
66/	A, F		1	
70/	B, F	Attach cable to front fender apron	AR	
65/	B(8 cyl.)	Lockwasher-7/16"	1	★34943-S8
70	B, F, S	Screw (cable to ground)-1/4"-14 x 1/2"	1	55981-S(U254E)
70/	B, F, S	Bolt (cable to engine)-7/16"-14 x 7/8"	1	357450-S(BB172)
71	L	Attach cable to block	1	
71	A, B, U	Bolt (cable to block)-3/8"-16 x 1/2"	1	20312-S(B75)
71	A, B	Washer (cable to block)-3/8"	1	351487-S(XX291)
71/	B, F, L, P (6 cyl.)	Bolt (cable to block)-3/8"-16 x 1 1/8"	1	373162-S (BB563A)
66	B(6 cyl.), F(6 cyl.), X(6 cyl.)	Bolt (ground cable to engine)-3/8"-16 x 1/2"	1	20312-S7(B75)
70	P(6 cyl.)		1	
65/	B, X(6 cyl.)	Bolt (ground cable to engine)-5/16"-24 x 3/8"	1	★20303-S8
65/	B, X(6 cyl.)	Lockwasher-5/16"	1	★34941-S7
65/	F(8 cyl.)	Bolt(cable to cylinder block)-7/16"-14 x 3/4"	1	★20350-S7
		Lockwasher-7/16"	1	34808-S8(X67)
70	P	Bolt (cable to ground)-5/16"-18 x 1 1/4"	1	20426-S(BB55)
72	F		1	
65/66	S	Lockwasher-1/2"	1	★34944-S
65/66	S	Screw(cable to R. H. front side inner member)-5/16"-24 x 5/8"	1	359605-S8(BB590)
68	S	Nut & washer (attach cable to solenoid)-3/8"-16	1	382136-S (MM295AG)
71/	L	Screw & washer (attach 14301 to block)-M10 x 16 (metric coarse)	AR	N602568-S51M (AB67)
71/	L(122-2000 cc)	Bolt (attach cable to trans.washer)-M10 x 25MM	1	N602570-S51 (AB70)
			1	374222-S(XX348)
72	L(122-2000 cc)	Screw & washer (attach 14301 to engine)-M10 x 16MM	1	N602206-S51 (AB23)
	14A301 BRACKET - RELAY MOUNTING			
71	A	Located on instrument panel lower flange	1	D1AZ 14A301-B
72	A		1	D2AZ 14A301-A
72	B	Used with visibility group	1	D2OZ 14A301-A
69/70	F	Used w/turn signal & emergency warning flasher	1	C9ZZ 14A301-A
70	F		1	D0ZZ 14A301-A
71	F	Located under instrument panel at glove compt. door	1	D1ZZ 14A301-A
72	F "Before 6/15/72"	Located under instrument panel at glove compt.	1	D2ZZ 14A301-A
72	F "From 6/15/72"	Located under instrument panel at glove compt.	1	D3ZZ 14A301-A
71	F	Nut-No. 8 spring (attach brkt. to instru.panel)	AR	382655-S(MM273D)
71	F	Screw-No.8-15 x 5/8"	AR	52554-S8(U230)
65/66	S		1	C5SZ 14A301-C
67	S	Not replaced	1	★C7SZ 14A301-B
72	S		1	D2SZ 14A301-A
65/66	S	Screw(brkt. to brake pedal suppt.)No.14-14 x 1/2"	2or4	31497-S8(U254)
		Washer(bracket to brake pedal support)-1/4"	2or4	34940-S(X88)
	14A302 WIRING HARNESS & CIRCUIT BREAKER ASSY. - BODY MAIN - Refer to Group 14A005			

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14303 CABLE ASSY. - DASH TO ENGINE GROUND			
65/67	A(8 cyl. 289)	13 1/2"-cut from B3A 14296-A wire	1	★FEV 14303-B
67	B(6 cyl.), X(6 cyl.)		1	
65/67	A(8 cyl.-except 289 & 427 8/B Special)	15 1/2" long-cut from B3A 14296-A wire	1	★FEV 14303-C
65	A(6 cyl.) "Before 12/14/64"		1	
65/67	A(6 cyl.) "From 12/14/64"	15 1/2" long-cut from B3A 14296-A wire	1	★C5AB 14303-A
65/67	A(8 cyl. 427 8/B Special)	10" long-use D1PZ 14431-A	1	★FDA 14303-A
65	X(6 cyl.)		1	
67/68	B(8 cyl. 289), X(8 cyl. 289), F(8 cyl. 289-2V & 4V)		1	
65/67	F(6 cyl.) "Before 1/9/67"		1	
66/67	F(8 cyl.)		1	
67/71	F(6 cyl.) "From 1/9/67"	12.0"-use D1PZ 14431-A	1	★C7ZB 14303-A
65/66	B(6 cyl.)	12.0" long-cut from B3A 14296-A wire	1	★FEV 14303-A
66	X(6 cyl.)		1	
68	B(6 & 8 cyl.), X(6 & 8 cyl.)		1	
65/66	B(8 cyl.), X(8 cyl.)	7 1/2" long-use D1PZ 14431-A	1	★FDD 14303-A
65	F(8 cyl.)		1	
67/69	B(8 cyl. 390 & 427)		1	
68	A,B,S,U,X	Dash to engine-use D1PZ 14431-A	1	★C1VF 14303-A
66/70	A,B,F,S,U	Dash to engine ground-12" long (4 gauges)	1	D1PZ 14303-A
65/70	A	Screw(ground strap to dash)-No. 14-14 x 1/2"	1	31497-S8(U254)
65/70	A,S,X	Lockwasher-1/4"	1	34940-S7(X88)
65/70	A(8 cyl.), X	Bolt(strap to intake manifold)-5/16"-18 x 1/2"	1	20310-S8(B48)
65/70	A(8 cyl.), X	Lockwasher-5/16"	1	34806-S7(X64)
71	A	Bolt(attach ground cable to block)-7/16"-14 x 1/2"	1	20314-S(B98)
71	A	Washer-7/16"	1	374222-S(XX348)

14305 WIRING ASSY. - GENERATOR OR ALTERNATOR TO VOLTAGE REGULATOR

WIRING LOOM MARKING or TAG NUMBER TO SERVICE WIRING PART NUMBER GUIDE FOR 1965 and SUBSEQUENT MODELS

The purpose of this guide is to facilitate the identification of the Service Wiring Part Number. The chart that follows lists in numerical sequence the Wiring Loom Markings or Tag Numbers for 1965 and subsequent model vehicles. For many vehicles the Service Wiring Part Number will be the same as the Loom Marking or Tag Part Number. This type of replacement will cause little or no installation problems. However, when the Service Wiring differs from the Loom Marking or Tag Number it will be necessary to match lead wires and to tape up those lead wires which are not required. This is necessary when the Service Wiring has a more general application than the original wiring installed by the factory. Following this guide chart, Service Wiring Part Numbers are listed by model year and vehicle usage which will permit the identification of replacement wiring when the loom identification marking or tag number is not known.

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C4ZB 14305-A	★C5ZZ 14305-A
C4ZB 14305-B	C5ZZ 14305-B
C5AB 14305-A	C5AZ 14305-N
C5AB 14305-C	C5AZ 14305-N
C5AB 14305-H	C5AZ 14305-H
C5AB 14305-J	★C6AZ 14305-J
C5AB 14305-K	C5AZ 14305-F
C5AB 14305-L	C5AZ 14305-N
C5AB 14305-M	C5AZ 14305-N
C5DB 14305-A	C5DZ 14305-A
C5DB 14305-B	C5DZ 14305-B
C5GB 14305-A	C5GY 14305-B
C5GB 14305-C	C5GY 14305-B
C6AB 14305-A	C5AZ 14305-N
C6AB 14305-B	C5AZ 14305-P
C6AB 14305-C	C5AZ 14305-N
C6AB 14305-D	C5AZ 14305-P
C6AB 14305-E	C6AZ 14305-E

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C6AB 14305-F	C6AZ 14305-F
C6AB 14305-G	C6AZ 14305-G
C6AB 14305-H	C6AZ 14305-H
C6AB 14305-J	★C6AZ 14305-J
C6AB 14305-K	★C6AZ 14305-K
C6AB 14305-M	★C6AZ 14305-M
C6AB 14305-AL	C6AZ 14305-F
C6OB 14305-A	C6OZ 14305-C
C6OB 14305-B	C6OZ 14305-D
C6OB 14305-C	C6OZ 14305-C
C6OB 14305-D	C6OZ 14305-D
C6OB 14305-E	★C6OZ 14305-E
C6OB 14305-F	★C6OZ 14305-F
C6OB 14305-G	C6OZ 14305-D
C6OB 14305-H	C6OZ 14305-D
C6OB 14305-J	C6OZ 14305-D
C6OB 14305-K	C6OZ 14305-C
C6SB 14305-A	C6SZ 14305-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

14305 WIRING ASSY. - GENERATOR OR ALTERNATOR TO VOLTAGE REGULATOR - continued

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C6TB 14305-AU	D0BZ 14305-A
C6TB 14305-BD	C6TZ 14305-DL
C6TB 14305-BT	C6TZ 14305-DL
C6TB 14305-CD	D0BZ 14305-A
C6TB 14305-CE	C6TZ 14305-DL
C6TB 14305-CL	C6TZ 14305-DL
C6ZB 14305-A	C6ZZ 14305-A
C6ZB 14305-B	C6ZZ 14305-B
C7AB 14305-A	C7AZ 14305-B
C7AB 14305-B	C7AZ 14305-B
C7AB 14305-C	C7AZ 14305-D
C7AB 14305-D	C7AZ 14305-D
C7AB 14305-E	C7AZ 14305-F
C7AB 14305-F	C7AZ 14305-F
C7AB 14305-K	C7AZ 14305-F
C7AB 14305-G	★C7AZ 14305-G
C7OB 14305-A	C7OZ 14305-L
C7OB 14305-B	C7OZ 14305-L
C7OB 14305-C	C7OZ 14305-K
C7OB 14305-D	C7OZ 14305-K
C7OB 14305-E	C7OZ 14305-J
C7OB 14305-F	C7OZ 14305-J
C7SB 14305-A	C7SZ 14305-A
C7TB 14305-AS	C6TZ 14305-BG
C7TB 14305-AT	C6TZ 14305-DL
C7ZB 14305-A	C7ZZ 14305-A
C7ZB 14305-B	C7ZZ 14305-B
C7ZB 14305-C	C7ZZ 14305-H
C7ZB 14305-D	C7ZZ 14305-G
C7ZB 14305-E	C7ZZ 14305-E
C8AB 14305-A	C8AZ 14305-B
C8AB 14305-B	C8AZ 14305-B
C8AB 14305-C	C8AZ 14305-D
C8AB 14305-D	C8AZ 14305-D
C8AB 14305-E	C8AZ 14305-F
C8AB 14305-F	C8AZ 14305-F
C8AB 14305-G	C8AZ 14305-G
C8AB 14305-K	★C8AZ 14305-K
C8AB 14305-L	C8AZ 14305-B
C8AB 14305-M	C8AZ 14305-B
C8AB 14305-N	C8AZ 14305-D
C8AB 14305-R	C8AZ 14305-D
C8AB 14305-S	C8AZ 14305-F
C8AB 14305-T	C8AZ 14305-F
C8AB 14305-U	C8AZ 14305-G
C8AB 14305-V	★C8AZ 14305-K
C8AB 14305-Y	★C8AZ 14305-K
C8AB 14305-AA	C8AZ 14305-F
C8OB 14305-A	C7OZ 14305-J
C8OB 14305-B	C7OZ 14305-J
C8OB 14305-C	C7OZ 14305-L
C8OB 14305-D	C7OZ 14305-L
C8OB 14305-E	C7OZ 14305-K
C8OB 14305-F	C7OZ 14305-K
C8OB 14305-H	C7OZ 14305-J
C8SB 14305-B	C8SZ 14305-B
C8SB 14305-D	C8SZ 14305-B
C8TB 14305-AE	D0BZ 14305-A
C8TB 14305-AF	C6TZ 14305-DL
C8TB 14305-BD	D0BZ 14305-A
C8TB 14305-BE	C6TZ 14305-DL
C8WB 14305-C	C7ZZ 14305-B
C8WB 14305-D	C7ZZ 14305-E
C8ZB 14305-A	C7ZZ 14305-A
C8ZB 14305-B	C7ZZ 14305-H
C8ZB 14305-C	C7ZZ 14305-J
C8ZB 14305-F	C7ZZ 14305-H
C8ZB 14305-E	C7ZZ 14305-J
C9AB 14305-M	C9WY 14305-G
C9AB 14305-S	C9AZ 14305-G
C9AB 14305-U	C9AZ 14305-G
C9AB 14305-V	C9AZ 14305-B
C9AB 14305-Y	C9AZ 14305-B
C9AB 14305-Z	C9AZ 14305-D
C9AB 14305-AA	C9AZ 14305-D
C9AB 14305-AB	C9AZ 14305-F
C9AB 14305-AC	C9AZ 14305-F
C9AB 14305-AD	C9AZ 14305-B
C9AB 14305-AF	C9AZ 14305-D
C9AB 14305-AG	C9AZ 14305-D
C9AB 14305-AH	C9AZ 14305-F
C9AB 14305-AJ	C9AZ 14305-F
C9AB 14305-AK	C9AZ 14305-G
C9AB 14305-AL	C9AZ 14305-G
C9AB 14305-AM	C9AZ 14305-H
C9AB 14305-AN	C9AZ 14305-AR
C9AB 14305-AR	C9AZ 14305-AR
C9AB 14305-AS	C9AZ 14305-BH
C9AB 14305-AT	C9AZ 14305-BH
C9AB 14305-AU	C9AZ 14305-BC
C9AB 14305-AV	C9AZ 14305-BC
C9AB 14305-AY	C9AZ 14305-AY
C9AB 14305-AZ	C9AZ 14305-BF
C9AB 14305-BA	C9AZ 14305-BF
C9AB 14305-BB	C9AZ 14305-BJ
C9AB 14305-BC	C9AZ 14305-BC
C9AB 14305-BD	C9AZ 14305-BC
C9AB 14305-BE	C9AZ 14305-BF
C9AB 14305-BF	C9AZ 14305-BF
C9AB 14305-BG	C9AZ 14305-BH
C9AB 14305-BH	C9AZ 14305-BH
C9AB 14305-BJ	C9AZ 14305-BJ
C9AB 14305-BK	C9AZ 14305-BK
C9OB 14305-A	C7OZ 14305-L
C9OB 14305-B	C7OZ 14305-L
C9OB 14305-C	C7OZ 14305-K
C9OB 14305-D	C7OZ 14305-K
C9OB 14305-E	C7OZ 14305-J
C9OB 14305-F	C7OZ 14305-L
C9OB 14305-G	C7OZ 14305-L
C9OB 14305-H	C7OZ 14305-K
C9OB 14305-J	C7OZ 14305-K
C9OB 14305-K	C7OZ 14305-J
C9OB 14305-L	C7OZ 14305-L
C9OB 14305-M	C9OZ 14305-M
C9OB 14305-N	C9OZ 14305-R
C9OB 14305-R	C9OZ 14305-R
C9OB 14305-S	C9OZ 14305-S
C9SB 14305-A	C9SZ 14305-A
C9SB 14305-B	C9SZ 14305-A
C9SB 14305-C	C9SZ 14305-C
C9SB 14305-D	C9SZ 14305-A
C9SB 14305-E	C9SZ 14305-C
C9TB 14305-N	C6TZ 14305-DL
C9TB 14305-R	C6TZ 14305-DL
C9TB 14305-AF	C6TZ 14305-DL
C9TB 14305-AT	D0BZ 14305-A

14303 WIRING ASSY. - GENERATOR OR ALTERNATOR TO VOLTAGE REGULATOR - continued

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C9WB 14305-D	C9WY 14305-G
C9WB 14305-F	C9WY 14305-G
C9WB 14305-G	C9WY 14305-G
C9ZB 14305-J	C9ZZ 14305-S
C9ZB 14305-K	C9ZZ 14305-S
C9ZB 14305-L	C9ZZ 14305-S
C9ZB 14305-R	C9ZZ 14305-S
C9ZB 14305-S	C9ZZ 14305-S
D0AB 14305-A	D0AZ 14305-A
D0AB 14305-B	D0AZ 14305-P
D0AB 14305-D	D0AZ 14305-D
D0AB 14305-E	D0AZ 14305-D
D0AB 14305-F	D0AZ 14305-P
D0AB 14305-G	D0AZ 14305-P
D0AB 14305-M	D0AZ 14305-P
D0AB 14305-N	D0AZ 14305-P
D0AB 14305-P	D0AZ 14305-P
D0AB 14305-R	D0AZ 14305-P
D0BB 14305-A	D0BZ 14305-A
D0BB 14305-B	D0BZ 14305-C
D0BB 14305-C	D0BZ 14305-C
D0DB 14305-B	D0DZ 14305-B
D0DB 14305-G	D0DZ 14305-H
D0DB 14305-H	D0DZ 14305-H
D0DB 14305-J	D0DZ 14305-H
D0DB 14305-K	D0DZ 14305-H
D0DB 14305-L	D0DZ 14305-M
D0DB 14305-M	D0DZ 14305-M
D0WB 14305-B	D0WY 14305-A
D0WB 14305-C	D0WY 14305-C
D0ZB 14305-B	D0ZZ 14305-C
D0ZB 14305-G	D0ZZ 14305-C
D0ZB 14305-H	D0ZZ 14305-C
D1AB 14305-BA	D1AZ 14305-D
D1AB 14305-CB	D1AZ 14305-D
D1AB 14305-CC	D1AZ 14305-D
D1AB 14305-DB	D1AZ 14305-D
D1AB 14305-DC	D1AZ 14305-D
D1AB 14305-EB	D1AZ 14305-E
D1AB 14305-EC	D1AZ 14305-E
D1BB 14305-AB	D2BZ 14305-A
D1OB 14305-AB	D1OZ 14305-B
D1OB 14305-AC	D1OZ 14305-B
D1OB 14305-BC	D1OZ 14305-B
D1ZB 14305-BC	D1ZZ 14305-B
D1ZB 14305-BD	D1ZZ 14305-B
D12B 14305-AB	D1FZ 14305-A
D12B 14305-AC	D1FZ 14305-A
D2AB 14305-CA	D2AZ 14305-H
D2AB 14305-CB	D2AZ 14305-H
D2AB 14305-DA	D2AZ 14305-H
D2AB 14305-DB	D2AZ 14305-H
D2AB 14305-EA	D2AZ 14305-E
D2AB 14305-FA	D2AZ 14305-F
D2AB 14305-GA	D2AZ 14305-G
D2BB 14305-AA	D2BZ 14305-A
D2OB 14305-AC	D3OZ 14305-L
D2OB 14305-AD	D3OZ 14305-L
D2OB 14305-AG	D3OZ 14305-L
D2OB 14305-AH	D2OZ 14305-K
ED-D2OB 14305-AH	D2OZ 14305-K

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
D2OB 14305-CC	D2OZ 14305-C
D2OB 14305-CD	D2OZ 14305-C
D2OB 14305-CG	D2OZ 14305-J
ED-D2OB 14305-CG	D2OZ 14305-J
D2OB 14305-CH	D2OZ 14305-L
ED-D2OB 14305-CH	D2OZ 14305-L
D2OB 14305-DE	D2OZ 14305-D
D2OB 14305-DF	D2OZ 14305-D
D2OB 14305-DG	D2OZ 14305-D
ED-D2OB 14305-DG	D2OZ 14305-D
D2OB 14305-DH	D2OZ 14305-N
ED-D2OB 14305-DH	D2OZ 14305-N
D2OB 14305-EE	D2OZ 14305-E
D2OB 14305-EF	D2OZ 14305-E
D2OB 14305-EG	D2OZ 14305-E
D2OB 14305-EH	D2OZ 14305-E
ED-D2OB 14305-EH	D2OZ 14305-E
D2OB 14305-FA	D2OZ 14305-F
D2OB 14305-FB	D2OZ 14305-F
D2OB 14305-FC	D2OZ 14305-N
ED-D2OB 14305-FC	D2OZ 14305-N
D2OB 14305-GA	D2OZ 14305-G
D2OB 14305-GB	D2OZ 14305-G
D2OB 14305-GC	D2OZ 14305-M
ED-D2OB 14305-GC	D2OZ 14305-M
D2OB 14305-HA	D3OZ 14305-L
ED-D2OB 14305-HA	D3OZ 14305-L
D2ZB 14305-AA	D2ZZ 14305-C
D2ZB 14305-AB	D3DZ 14305-B(8 cyl.) or D3DZ 14305-D(6 cyl.)
D2ZB 14305-BA	D2ZZ 14305-B
D2ZB 14305-BB	D2ZZ 14305-E
D2ZB 14305-BC	D3ZZ 14305-E
D2ZB 14305-CA	D2ZZ 14305-C
D2ZB 14305-CB	D3DZ 14305-B(8 cyl.) or D3DZ 14305-D(6 cyl.)
D2ZB 14305-DA	D2ZZ 14305-H
D2ZB 14305-EA	D2ZZ 14305-G
D22B 14305-AA	D2FZ 14305-B
D22B 14305-AB	D2FZ 14305-B
D22B 14305-AC	D2FZ 14305-C
D22B 14305-BA	D2FZ 14305-D
D3DB 14305-BC	D3DZ 14305-B
D3DB 14305-DB	D3DZ 14305-D
D3OB 14305-AC	D3OZ 14305-A
D3OB 14305-AD	D3OZ 14305-A
D3OB 14305-BC	D3OZ 14305-B
D3OB 14305-BD	D3OZ 14305-B
D3OB 14305-CC	D3OZ 14305-C
D3OB 14305-CD	D3OZ 14305-C
D3OB 14305-HA	D2OZ 14305-N
ED-D3OB 14305-HC	D3OZ 14305-H
D3OB 14305-JA	D2OZ 14305-M
D3ZB 14305-AC	D3ZZ 14305-A
D3ZB 14305-BC	D3ZZ 14305-B
D3ZB 14305-CC	D3ZZ 14305-C
D32B 14305-AA	D2FZ 14305-C
D32B 14305-BA	D2FZ 14305-D

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	14305 WIRING ASSY. - GENERATOR OR ALTERNATOR TO VOLTAGE REGULATOR				
	- A -				
65/66	A(6 cyl.)	"Before 2/1/66"	Used with 53 amp. Leece-Neville alternator	1	★C5AZ 14305-E
66/67	A(6 cyl.)	"From 2/1/66"	Used with 53 amp. Leece-Neville alternator	1	★C6AZ 14305-J
65/66	A(8 cyl.)	"Before 2/1/66"	Used with 53 amp. Leece-Neville alternator	1	C5AZ 14305-F
66/67	A(8 cyl.)	"From 2/1/66"	Used with 53 amp. Leece-Neville alternator	1	★C6AZ 14305-K
65/66	A(8 cyl.)	"Before 2/1/66"	Used with 60 amp. Leece-Neville alternator	1	★C5AZ 14305-H
66/67	A(8 cyl.)	"From 2/1/66"	Used with 60 amp. Leece-Neville alternator	1	★C6AZ 14305-M
65/66	A(6 cyl.)	"Before 2/1/66"	Used with 42 or 55 amp. Ford alternator	1	C5AZ 14305-N
66	A(6 cyl.)	"From 2/1/66"	Used with 42 or 55 amp. Ford alternator	1	C6AZ 14305-E
65/66	A(8 cyl.)	"Before 2/1/66"	Used with 42 or 55 amp. Ford alternator	1	C5AZ 14305-P
66	A(8 cyl. 289)	"From 2/1/66"	Used with 42 or 55 amp. Ford alternator	1	C6AZ 14305-F
66	A(8 cyl. 352, 390, 427, 428)-except with A/C or T/E	"From 2/1/66"	Used with 42 or 55 amp. Ford alternator	1	C6AZ 14305-G
66	A(8 cyl. 352, 390, 427, 428)-with A/C or T/E-	"From 2/1/66"	Used with 42 or 55 amp. Ford alternator	1	C6AZ 14305-H
67	A(6 cyl.)		Used with 42 or 55 amp. Ford alternator	1	C7AZ 14305-B
67	A(8 cyl. 289)		Used with 42 or 55 amp. Ford alternator	1	C7AZ 14305-D
67	A(8 cyl. 390, 427, 428)		Used with 42 or 55 amp. Ford alternator	1	C7AZ 14305-F
67	A(8 cyl. 289, 390, 428)		Used with 65 amp. Ford alternator	1	★C7AZ 14305-G
68	A(6 cyl.)		Use with 42 or 55 amp. Ford alternator	1	C8AZ 14305-B
68	A(8 cyl. 302)		Use with 42 or 55 amp. Ford alternator	1	C8AZ 14305-D
68	A(8 cyl. 390, 427, 428)		Use with 42 or 55 amp. Ford alternator	1	C8AZ 14305-F
68	A(8 cyl.)		Use with 65 amp. Ford alternator	1	C8AZ 14305-G
68	A(8 cyl.)		Use with 65 amp. Leece-Neville alternator	1	C8AZ 14305-K
69	A(6 cyl. 240)	"Before 11/15/68"	Use with 42 or 55 amp. Ford alternator	1	C9AZ 14305-B
69	A(6 cyl. 240)	"From 11/15/68 to 4/1/69"	Use with 42 or 55 amp. Ford alternator	1	C9AZ 14305-AR
69	A(6 cyl. 240)	"From 4/1/69"	Use with 42, 55 amp. Ford alternator	1	C9AZ 14305-BF
69	A(8 cyl. 302, 351)	"Before 2/3/69"	Use with 42 or 55 amp. Ford alternator	1	C9AZ 14305-D
69	A(8 cyl. 302, 351)	"From 2/3/69"	Use with 42, 55 amp. Ford alternator	1	C9AZ 14305-BH
69	A(8 cyl. 390, 428, 429)	"Before 2/3/69"	Use with 42 or 55 amp. Ford alternator	1	C9AZ 14305-F
69	A(8 cyl. 390, 428, 429)	"From 2/3/69"	Used with 42, 55 amp. Ford alternator	1	C9AZ 14305-BC
69	A(8 cyl.)	"Before 4/1/69"	Use with 65 amp. Ford alternator	1	C9AZ 14305-G
69	A(8 cyl.)	"From 4/1/69"	Use with 65 amp. Ford alternator	1	C9AZ 14305-BJ
69	A(8 cyl. exc. 302)	"Before 2/3/69"	Use w/65 amp. L/N alternator	1	C9AZ 14305-H
69	A(8 cyl. exc. 302)	"From 2/3/69"	Use w/65 amp. L/N alternator	1	C9AZ 14305-AY
70	A(6 cyl. 240)		Use with 42 or 55 amp. Ford alternator	1	D0AZ 14305-D
70	A(8 cyl.)		Use with 42 or 55 amp. Ford alternator	1	D0AZ 14305-P
70	A(8 cyl.)		Use with 65 amp. Leece-Neville alternator	1	C9AZ 14305-BK
70	A(8 cyl.)		Use with 65 amp. Ford alt.	1	D0AZ 14305-A
71	A(6 & 8 cyl.)		Use with 42, 55, 61 amp. Ford alternator	1	D1AZ 14305-D
71	A(8 cyl.)		Use with 70 amp. Ford alternator	1	D1AZ 14305-E
72	A(6 & 8 cyl. 240, 302, 351, 400)		Use with 42, 55 or 61 amp. Ford alternator	1	D2AZ 14305-H
72	A(8 cyl. 429)		Use with 42, 55 or 61 amp. Ford alternator	1	D2AZ 14305-G
72	A(8 cyl. 400)		Use with 70 amp. Ford alternator	1	D2AZ 14305-E
72	A(8 cyl. 429)		Use with 70 amp. Ford alternator	1	D2AZ 14305-F
	- B -				
65	B(6 cyl.)		Used with 42, 52 amp. Ford alternator	1	☆C5OZ 14305-C
65	B(6 cyl.)			1	♦CC5OF 14305-A
65	B(6 cyl.)		Used with 53 amp. Leece-Neville alternator	1	★C5OZ 14305-E
65	B(8 cyl.)		Used with 42, 52 amp. Ford alternator	1	C5OZ 14305-D
65	B(8 cyl.)		Used with 53 amp. Leece-Neville alternator	1	★C5OZ 14305-F
66	B(6 cyl.)		Used with 42 or 52 amp. Ford alternator	1	C6OZ 14305-C
66	B(8 cyl.)		Used with 38 or 52 amp. Ford alternator	1	*C6OZ 14305-D
66/67	B(6 cyl.)		Used with 53 amp. Leece-Neville alternator	1	★C6OZ 14305-E
66/67	B(8 cyl.)		Used with 53 amp. Leece-Neville alternator	1	★C6OZ 14305-F
67/69	B(6 cyl.)	"Before 4/1/69"	Used with 42 or 55 amp. alternator	1	C7OZ 14305-L
69	B(6 cyl.)	"From 4/1/69"	Used with 42, 55 amp. Ford alternator	1	C9OZ 14305-M
67/69	B(8 cyl. 390, 427, 428)	"Before 4/1/69"	Used with 42 or 55 amp. Ford alternator	1	C7OZ 14305-J
69	B(8 cyl. 390, 428)	"From 4/1/69"	Used with 42, 55 amp. Ford alternator	1	C9OZ 14305-S
67/69	B(8 cyl. 289, 302, 351)	"Before 4/1/69"	Used with 42 or 55 amp. Ford alternator	1	C7OZ 14305-K
69	B(8 cyl. 289, 302, 351)	"From 4/1/69"	Used with 42, 55 amp. Ford alternator	1	C9OZ 14305-R
70	B	"Before 4/15/70"	Used with 38, 42, 55 amp. Ford alternator	1	D0DZ 14305-H
70	B	"From 4/15/70"	Used with 38, 42, 55 amp. Ford alternator	1	D0DZ 14305-M
71	B		Use with 38, 42, 55, 61 amp. Ford alt.	1	D1OZ 14305-B

♦ Canada only * Tape and insulate unused leads ☆ U. S. only

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14305 WIRING ASSY. - GENERATOR OR ALTERNATOR TO VOLTAGE REGULATOR - continued			
	- B -			
72	B(exc.63 w/heated backlite)-w/Rallye instrument cluster "Before 11/1/71"	Use with 42, 55, 61 amp. Ford alternator	1	D2OZ 14305-C
72	B(exc.63 w/heated backlite)-w/Rallye instrument cluster "From 11/1/71 to 1/3/72"	Use with 42, 55, 61 amp. Ford alternator	1	D2OZ 14305-J
72	B(exc.63 w/heated backlite)-w/o Rallye instrument cluster "Before 1/3/72"	Use with 42, 55, 61 amp. Ford alternator	1	D3OZ 14305-L
72	B(63-w/heated backlite)-w/o Rallye instrument cluster "Before 1/3/72"		1	D2OZ 14305-D
72	B(63-w/heated backlite)-w/Rallye instrument cluster "Before 1/3/72"		1	D2OZ 14305-E
72	B-w/o Rallye instrument cluster - "Before 1/3/72"	Use with 70 amp. Ford alternator	1	D2OZ 14305-F
72	B-w/Rallye instrument cluster - "Before 1/3/72"	Use with 70 amp. Ford alternator	1	D2OZ 14305-G
72	B(exc. P/C & Taxi)-6 & 8 cyl. 302, 351-2V, 400, 429-w/o Rallye instrument cluster- "From 1/3/72 to 7/3/72"	Use with 42 amp. Ford alternator	1	D2OZ 14305-K
72	B(exc. P/C & Taxi)-6 & 8 cyl.302, 351-2V, 400, 429-w/o Rallye instrument cluster- "From 7/3/72"	Use with 42 amp. Ford alternator	1	D3OZ 14305-A
72	B(exc. P/C & Taxi)-8 cyl. 302, 351-2V, 400, 429-with Rallye instrument cluster- "From 1/3/72 to 7/3/72"	Use with 42 amp. Ford alternator	1	D2OZ 14305-L
72	B(exc. P/C & Taxi)-8 cyl.-w/o A/C, heated backlite or trailer towing pkg.--with Rallye instrument cluster-"From 1/3/72 to 7/3/72"	Use with 55 amp. Ford alternator	1	
72	B(exc. P/C & Taxi)-8 cyl. 302, 351-2V, 400, 429 with Rallye instrument cluster- "From 7/3/72"	Use with 42 amp. Ford alternator	1	D3OZ 14305-C
72	B(exc. P/C & Taxi)-8 cyl. w/o A/C, heated backlite or trailer towing pkg. with Rallye instrument cluster- From 7/3/72"	Use with 55 amp. Ford alternator	1	
72	B(exc. P/C & Taxi)-6 & 8 cyl. 302, 351-2V, 400, 429 with A/C and/or trailer towing pkg.--w/o Rallye instrument cluster- "From 1/3/72 to 7/3/72"	Use with 55 amp. Ford alternator	1	D3OZ 14305-L
72	B(8 cyl. 351-4V CJ)-w/o A/C, heated backlite, or trailer towing pkg.--w/o Rallye instrument cluster "From 1/3/72 to 7/3/72"	Use with 55 amp. Ford alternator	1	
72	B(exc. P/C & Taxi)-6 & 8 cyl. 302, 351-2V, 400, 429 w/A/C and/or trailer towing pkg. w/o Rallye instrument cluster "From 7/3/72"	Use with 55 amp. Ford alternator	1	D3OZ 14305-B
72	B(8 cyl. 351-4V CJ)-w/o A/C, heated backlite or trailer towing pkg. w/o Rallye instrument cluster "From 7/3/72"	Use with 55 amp. Ford alternator	1	
72	B(P/C & Taxi)-6 & 8 cyl. 302, 429--w/o Rallye instrument cluster-"From 1/3/72 to 7/3/72"	Use with 61 or 70 amp. Ford alternator	1	D2OZ 14305-N
72	B(8 cyl.)--w/o Rallye instrument cluster- "From 1/3/72 to 7/3/72"	Use with 70 amp. Ford alternator	1	
72	B(8 cyl. 302, 351-2V, 400)-w/o Rallye instrument cluster "From 7/3/72"	Use with 70 amp. Ford alternator	1	D3OZ 14305-D
72	B(8 cyl. 302, 351-2V, 400, 429)--with Rallye instrument cluster-"From 1/3/72 to 7/3/72"	Use with 70 amp. Ford alternator	1	D2OZ 14305-M
72	B(8 cyl. 302, 351-2V, 400, 429)-with Rallye instrument cluster "From 7/3/72"	Use with 70 amp. Ford alternator	1	D3OZ 14305-E
	- F -			
65	F(6 cyl.)-with generator		1	★C5ZZ 14305-A
65	F(8 cyl.)-with generator		1	C5ZZ 14305-B
65	F(6 cyl.)-with alternator-except luxury trim		1	C5DZ 14305-A
65	F(8 cyl.)-with alternator-except luxury trim		1	C5DZ 14305-B
65	F(6 & 8 cyl.)-with luxury trim		1	ΔC5GY 14305-B

Δ Fold & tape excess wiring when using on units with 6 cylinder engines

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
14305 WIRING ASSY. - GENERATOR OR ALTERNATOR TO VOLTAGE REGULATOR - continued				
	- F -			
66	F(6 cyl.)		1	C6ZZ 14305-A
66	F(8 cyl.)	Heavy duty wiring	1	C6ZZ 14305-B
67/68	F(6 cyl.)		1	C7ZZ 14305-A
67	F(8 cyl. 289)-without tachometer		1	C7ZZ 14305-B
68	F(289,302)-without tachometer		1	
67	F(8 cyl. 289)-with tachometer		1	C7ZZ 14305-E
68	F(289,302)-with tachometer		1	
67/68	F(8 cyl. 390,427,428)-without tachometer		1	C7ZZ 14305-H
67/68	F(8 cyl. 390, 427, 428)-with tachometer		1	C7ZZ 14305-J
69	F(8 cyl. 302, 351, 390, 428)-with tachometer		1	C9WY 14305-G
69	F-6 cyl., Boss(8 cyl.429)-with tachometer		1	
69	F(8 cyl. 302, 351, 390, 428)-without tachometer		1	C9ZZ 14305-S
69	F-Boss (8 cyl. 429)-without tachometer		1	
70	F(8 cyl. 302-2V, 351-2V, 4V, 428-4V CJ)- "Before 5/15/70"	With tachometer	1	D0WY 14305-A
70	F(8 cyl. 302-2V, 351-2V, 4V, 428-4V CJ)- "From 5/15/70"	With tachometer	1	D0WY 14305-C
70	F(6 & 8 cyl.)	Without tachometer	1	D0ZZ 14305-C
71	F(63D, 65, 76)-w/o instrument group - "Before 10/1/70"		1	D1OZ 14305-B
71	F(63R)-w/o instrument pkg.-"From 10/1/70"		1	
71	F(63R) "Before 10/1/70"		1	D1ZZ 14305-B
71	F(63D, 65, 76)-with instrument pkg.- "Before 10/1/70"		1	
71	F(63D, R, 65D, F, 76D)-with instrument pkg.- "From 10/1/70"		1	
71	F(63D, R)-with sports interior pkg.- "From 10/1/70"		1	
71	F(63D)-with 8 cyl. 351 Boss engine- "From 10/1/70"		1	
72	F-with instrument pkg. "Before 12/1/71"		1	D2ZZ 14305-B
72	F-with instrument pkg. - "From 12/1/71 to 1/3/72"	Use with 38, 42, 55, 61 amp. Ford alternator	1	D2ZZ 14305-E
72	F-with instrument pkg. "From 1/3/72"	Use with 38, 42, 55, 61 amp. Ford alternator	1	D3ZZ 14305-E
72	F-without instrument pkg. "Before 12/1/71"	Use with 38, 42, 55, 61 amp. Ford alternator	1	D2ZZ 14305-C
72	F(8 cyl.)-without instrument pkg.- " From 12/1/71"	Use with 38, 42, 55, 61 amp. Ford alternator	1	D3DZ 14305-B
72	F(6 cyl.)-without instrument pkg. - " From 12/1/71"	Use with 38, 42, 55, 61 amp. Ford alternator	1	D3DZ 14305-D
72	F-without instrument pkg. "Before 7/3/72"	Use with 70 amp. Ford alternator	1	D2ZZ 14305-G
72	F-without instrument pkg. "From 7/3/72"	Use with 70 amp. Ford alternator	1	D3ZZ 14305-C
72	F-with instrument pkg. "Before 7/3/72"	Use with 70 amp. Ford alternator	1	D2ZZ 14305-H
72	F-with instrument pkg. "From 7/3/72"	Use with 70 amp. Ford alternator	1	D3ZZ 14305-B
	- L -			
71/72	L(122-2000cc) "Before 12/1/71"		1	D1FZ 14305-A
72	L(122-2000cc) "Before 12/1/71 to 7/3/72"		1	D2FZ 14305-B
72	L(4 cyl. 122)-with A/C and heated backlite- "From 7/3/72"		1	D2FZ 14305-C
72	L(4 cyl. 122)-without A/C or heated backlite- "From 7/3/72"		1	D2FZ 14305-D
	- P -			
70	P "Before 7/28/69"		1	D0DZ 14305-B
70	P "From 7/28/69 to 4/15/70"	Use with 38,42 or 55 amp. Ford alternator	1	D0DZ 14305-H
70	P "From 4/15/70"	Use with 38, 42, 55 amp. Ford alternator	1	D0DZ 14305-M
71	P	Use with 38, 42, 61 amp. Ford alternator	1	D1OZ 14305-B
72	P "Before 12/1/71"		1	D2ZZ 14305-C
72	P(6 cyl. 250) " From 12/1/71"		1	D3DZ 14305-D
72	P(8 cyl. 302) " From 12/1/71"		1	D3DZ 14305-B
	- S -			
65	S-without A/C	Not replaced	1	★C5SZ 14305-A
65	S-with A/C		1	C5SZ 14305-B
66	S		1	C6SZ 14305-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
14305	**WIRING ASSY. - GENERATOR OR ALTERNATOR TO VOLTAGE REGULATOR - continued**			
	- S -			
67	S		1	C7SZ 14305-A
68	S(390, 429)-with or without A/C		1	C8SZ 14305-B
69	S-without heated back lite		1	C9SZ 14305-A
69	S-with heated back lite		1	C9SZ 14305-C
	- U -			
66/70	U	Used with 38, 45 or 55 amp. Ford alternator	1	D0BZ 14305-C
71/72	U	Used with 38, 45 or 55 amp. Ford alternator	1	D2BZ 14305-A
	- X -			
65	X(6 cyl.)		1	☆ C5DZ 14305-A
65	X(6 cyl.)		1	♦CC5DF 14305-A
65	X(8 cyl.)		1	C5DZ 14305-B
66	X(6 cyl.)	Used with 42 amp. Ford alt.	1	C6OZ 14305-C
66	X(8 cyl.)		1	C6OZ 14305-D
67/68	X(6 cyl.)	Used with 42 or 55 amp. Ford alternator	1	C7OZ 14305-B
69	X(6 cyl.) "Before 4/1/69"	Used with 42, 55 amp. Ford alternator	1	C7OZ 14305-L
69/70	X(6 cyl.) "From 4/1/69"	Used with 42, 55 amp. Ford alternator	1	C9OZ 14305-M
67/69	X(8 cyl.) "Before 4/1/69"	Used with 42, 55 amp. Ford alternator	1	C7OZ 14305-K
69/70	X(8 cyl.) "From 4/1/69"	Used with 42, 55 amp. Ford alternator	1	C9OZ 14305-R
65/	A	Nut -1/4" -20	AR	33795-S7(M49)
65/	A, F	Lockwasher-1/4"	AR	34805-S8(X62)
65/	A-with P/S	Clip(alternator wiring to frt. frame cross member	1	372046-S100 (GG186)
65/	A (6 cyl.)	Screw(alternator wiring to engine)-3/8"-16 x 3/4"	1	43265-S8(U16)
65/	A, U	Strap (alternator wiring to front frame cross	AR	376914-S(YY2)
65/	S	member or L.H. front fender apron)	AR	
65/70	X	Strap (alternator wiring to R.H. front fender	AR	
65/	B, F	apron, rad. support or frt. frame cross member)	AR	
69	A, B, F, S, U, X	Clip (attach alternator wiring to stud)	AR	382963-S100
70	P, B, S	Clip (attach 14305 to 10346)	1	(GG213J)
70	P	Clip (attach wire to fender apron)	1	382931-S(GG338)
65	B-with 53 amp. alternator	Clip (wiring to alternator)	1	356628-S(GG175)
65	F	Screw (wiring and generator regulator to radiator support)-No. 14-14 x 3/4"	1	42143-S8(U255)
65	F	Lockwasher-1/4"	2	34940-S8(X88)
65	F	Nut (wiring to alternator)-No. 10-32	1	34079-S8(M163)
65	F	Nut (wiring to alternator)-1/4"-28	1	34081-S7(M164)
65/	F	Lockwasher-No. 10	1	34803-S36(X60)
65/	S	Screw (wiring & clip 376189-S or 376219-S to	AR	42127-S8(U248C)
68	B, X(427, 428)	L. H. fender apron front fender apron & radiator	AR	
		support or to R.H. & L.H. front susp. lower arm		
		strut mtg. brkt. reinforcement)-No. 10-12 x 1/2"		
71	F	Clip(attach wiring to front fender)	AR	383207-S(GG271)
71	A, B, F, L, P, U	Nut No. 10-24 (attach wiring to alternator)	AR	383255-S (MM296AC)
71	A, B, F, L, P	Nut 1/4"-20 (attach wiring to alternator)	AR	383256-S (MM296AE)
65/	S	Clip	AR	376219-S(GG151)
68	B(390, 427, 428)		1	
65/70	X(6 cyl.)	Bolt (wiring to engine)-3/8"-16 x 1/2"	1	20312-S7-8(B75)
66	B(6 cyl.)	Bolt (wiring to engine)	1	
68	F(428)		1	
	14A307 INSERT - WINDOW REGULATOR MULTIPLE SWITCH HOUSING			
65	S-except with power vent windows	Aluminum-applique ("lettering-LF-RF-LR-	1	C4SZ 14A307-A
66	S(63A, 76)-except with power vent windows	RR")	1	
65	S-with power vent windows	Aluminum-applique ("lettering-LV-RV-LF-	1	C5SZ 14A307-A
66	S(63A, 76)-with power vent windows	RF-LR-RR")	1	
66	S(63C)-with power vent windows	Chrome-die casting	1	C6SZ 14A307-A
66	S(63C)-with power vent windows	Aluminum-applique ("lettering-LV-RV-LF-RF")	1	C6SZ 14A307-B
	14A309 SHELL - WIRE CONNECTOR			
65/	A, B, F, S, U, X	Black nylon-male	AR	C6AZ 14A309-A
70/	P		AR	
65/	A, B, F, S, U, X	Black nylon-female	AR	C6AZ 14A309-B
67	A	Nylon-female-used in 14A005 body main wiring assy.-not replaced	AR	★C7AZ 14A309-B

♦ Canada only ☆ U. S. only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14A309 SHELL - WIRE CONNECTOR - continued			
67/	A	Nylon-female mates with C6AZ 14A309-A or	AR	C7AZ 14A309-A
72	B	D0AZ 14A309-A	AR	
68	A, B, S, X	Nylon-used in 14A005-body main wiring assy.	1	C8AZ 14A309-A
69/	B, X	Used in 14290 wiring to brake switch	1	
69	A	Brass	1	C9AZ 14A309-D
71/	F		1	
69	A	Nylon (round male)-(1) 12 gauge wire	AR	C9AZ 14A309-B
69	A	Nylon (round female)-(1) 12 gauge wire	AR	C9AZ 14A309-C
69/71	A	Nylon connects to windshield wiper switch	1	C9AZ 14A309-A
70/	A	Nylon-female	AR	D0AZ 14A309-A
67	B	Nylon	AR	C7OZ 14A309-A
72	L		1	
70/	P		AR	D3AZ 14A309-C
72	S-with sun roof		1	
72	A, B, S	Nylon attaches 14401 to 17A553	1	D2AZ 14A309-A
	14313 WIRE ASSY. - IGNITION FEED			
68/69	A, B, F, S, U, X	Replacement wiring and connector	1	C9AZ 14313-A
70	P (non-locking column)		1	
	14A313 WIRING ASSY. - SEAT BELT WARNING INDICATOR LAMP - Unless listed, improvise from B6A 14296-C wire			
65/66	S		1	C5SZ 14A313-C
66	B, X "Before 11/15/65"	Improvise-cut from B6A 14296-C bulk wire	1	★
66/67	B, X "From 11/15/65"	#C6OB 14A313-D-not replaced	1	★C6OZ 14A313-A
66	F "Before 11/15/65"	Improvise-cut from B6A 14296-C bulk wire	1	★
66	F "From 11/15/65"	#C6ZB 14A313-D-not replaced	1	★C6ZZ 14A313-A
72	P(manual trans.)	Extension-#D2DB 14A515-AA	1	D2DZ 14A313-A
	14A317 CASE - WINDOW REGULATOR SWITCH			
66	S(63C)-with power windows		1	C6SZ 14A317-A
	14A318 WIRE ASSY. - ACCESSORY FEED - Unless listed, improvise from B6A 14296-C wire			
68/	A, Taxi, P/C, B, X(with A/C and spot light, rear lite power windows, defogger)	#C8OB 14A318-A, C9ZB 14A318-A	1	C9ZZ 14A318-A
69/	F	Seat belt, parking brake warning, swing away	1	
70/	P	steering column, speed control, rear window	1	
71/	A, B, L	defogger	1	
65/66	B(54, 62, 71), F, X	15" long	1	C5DZ 14A318-A
70/	A, B, P	Nut-No. 8-32 (attach wire to 14A033 post)	1	34653-S(M106X)
71	F	Clip(attach wire to inst. panel)	AR	383207-S(GG271)
	14322 HOSE ASSY. - OIL PRESSURE SENDING			
65/66	F(GT350)	Used with 80 pound gauge	1	S1MS 14322-B
	14A323 BRACKET ASSY. - RELAY MOUNTING			
65/66	A-with safety package		1	C5AZ 14A323-C
65/66	A	Screw No. 8-18 x 3/4" attach bracket to inst. panel	1	376389-S(UU82D)
	14334 WIRE ASSY. - INTERIOR LAMP FEED - Improvise from B6A 14296-C wire - Also refer to Group 13A709			
65	X(63)	Clip (wiring to mounting support and bracket)	AR	356687-S32(GG28)
65	X(63)	Clip (wiring to roof side inner rear lower rail)	1	372046-S100
65	X	Clip (wiring to L. H. pillar & cowl side assy. front body)	1	
	14A346 WIRE ASSY. - TRAILER BATTERY FEED			
71	A	#D1AB 14A346-AA	1	D1AZ 14A346-A
72	A	#D2AB 14A346-AB	1	D2AZ 14A346-A
72	S "Before 11/1/71"	#D2SB 14A346-AA	1	D2SZ 14A346-A
72	S "From 11/1/71"	#D2SB 14A346-AB, AC, AD, AE	1	D2SZ 14A346-B
	14A347 TRAILER WIRING CONNECTOR KIT			
67/	A, B, F, S, X		1	C7AZ 14A347-A
70/	P		1	
	Consists of			
	1-C6RA 13A496-A Bracket	2-34656-S Nut & washer	2-36822-S Bolt	
	1-C8PJ 14487-A Connector assy.	2-34657-S Nut & washer	2-44713-S Washer	
	2-20324-S Bolt			
	14A348 WIRE ASSY. - TRAILER BRAKE CONTROL SWITCH			
71	A	#D1AB 14A348-A	1	D1AZ 14A348-A
72	A, B, S	#D2AB 14A348-BA	1	D2AZ 14A348-B
	14A352 BRACKET ASSY. - WINDOW REGULATOR WIRING			
66/71	B(71)-with power back window		1	C6AZ 14A352-A
66/69	A(71)-with power back window		1	
66/70	X(71)-with power back window		1	

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14A353 SEAL - TAIL GATE WINDOW REGULATOR SWITCH			
65/	A(71), B(71), X(71)-with power back window		1	C5AZ 14A353-E
	14A390 COVER - WIRING SHIELD			
68/71	S	57" long-attaches to front floor pan	1	C8SZ 14A390-A
72	S	R.H.-with power seats or power windows	1	D2LY 14A390-A
		L.H.	1	D2LY 14A390-B
72	B	R.H. & L.H. with power windows located in front door	2	D2OZ 14A390-A
72	S	Plastic located on dash panel at cowl side panel mates with D2SZ 14A099-E	1	D2SZ 14A390-A
72	S	Plastic located at front floor cross member mates with D2SZ 14A099-F	1	D2SZ 14A390-B
72	S	Plastic located at front floor cross member mates with D2SZ 14A099-G	1	D2SZ 14A390-C

14398 WIRING ASSY.- DASH PANEL TO ENGINE

WIRING LOOM MARKING or TAG NUMBER TO SERVICE WIRING PART NUMBER GUIDE FOR 1965 and SUBSEQUENT MODELS

The purpose of this guide is to facilitate the identification of the service Wiring Part Number. The chart that follows lists in numerical sequence the Wiring Loom Markings or Tag Numbers for 1965 and subsequent model vehicles. For many vehicles the Service Wiring Part Number will be the same as the Loom Marking or Tag Part Number. This type of replacement will cause little or no installation problems. However, when the Service Wiring differs from the Loom Marking or Tag Number it will be necessary to match lead wires and to tape up those lead wires which are not required. This is necessary when the Service Wiring has a more general application than the original wiring installed by the factory. Following this guide chart, Service Wiring Part Numbers are listed by model year and vehicle usage which will permit the identification of replacement wiring when the loom identification marking or tag number is not known.

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C7AB 14398-F	C7AZ 14398-D
C7AB 14398-G	★C7AZ 14398-L
C7AB 14398-H	★C7AZ 14398-H
C7AB 14398-J	C7AZ 14398-J
C7AB 14398-K	C7AZ 14398-D
C7AB 14398-L	★C7AZ 14398-L
C7SB 14398-B	C7SZ 14398-B
C8SB 14398-A	C8SZ 14398-A
C8SB 14398-C	C9SZ 14398-B
C9AB 14398-D	C9AZ 14398-A
C9AB 14398-E	C9AZ 14398-B
C9AB 14398-F	C9AZ 14398-F
C9AB 14398-G	C9AZ 14398-G
C9AB 14398-H	C9AZ 14398-H
C9AB 14398-J	C9AZ 14398-J
C9SB 14398-B	C9SZ 14398-B
D0SB 14398-E	D0SZ 14398-P
D0SB 14398-F	D0SZ 14398-M
D0SB 14398-L	D0SZ 14398-L
D0SB 14398-M	D0SZ 14398-M
D0SB 14398-P	D0SZ 14398-P
D0SB 14398-R	D0SZ 14398-R
D0SB 14398-S	D0SZ 14398-S
D0SB 14398-T	D0SZ 14398-S
D0SB 14398-U	D0SZ 14398-P
D0SB 14398-X	D0SZ 14398-S
D0SB 14398-V	D0SZ 14398-S
D1SB 14398-BE	D1SZ 14398-B
D1SB 14398-BF	D1SZ 14398-B
D1SB 14398-CA	D1SZ 14398-C
D1SB 14398-CB	D1SB 14398-C
D2OB 14398-AE	D2OZ 14398-A
D2OB 14398-HD	D2OZ 14398-A
D2OB 14398-HE	D2OZ 14398-A
D2OB 14398-JD	D2OZ 14398-B
D2OB 14398-JE	D2OZ 14398-B

LOOM WIRING OR TAG NUMBER	SERVICE MARKING PART NUMBER
D2OB 14398-KD	D2OZ 14398-C
D2OB 14398-KE	D2OZ 14398-C
D2OB 14398-LD	D2OZ 14398-D
D2OB 14398-LE	D2OZ 14398-D
D2SB 14398-AG	D2SZ 14398-A
D2SB 14398-BG	D2SZ 14398-B
D2SB 14398-BH	D2SZ 14398-J
ED-D2SB 14398-BK	D2SZ 14398-J
ED1-D2SB 14398-BK	D2SZ 14398-J
D2SB 14398-BM	D2SZ 14398-M
D2SB 14398-BN	D2SZ 14398-M
ED-D2SB 14398-BP	D2SZ 14398-M
ED-D2SB 14398-CA	D2SZ 14398-P
D2SB 14398-CE	D2SZ 14398-C
D2SB 14398-CF	D2SZ 14398-C
D2SB 14398-DE	D2SZ 14398-D
D2SB 14398-DF	D2SZ 14398-D
D2SB 14398-DG	D2SZ 14398-K
ED-D2SB 14398-DJ	D2SZ 14398-K
ED1-D2SB 14398-DJ	D2SZ 14398-K
D2SB 14398-DL	D2SZ 14398-N
D2SB 14398-DM	D2SZ 14398-N
ED-D2SB 14398-DN	D2SZ 14398-N
D2SB 14398-EG	D2SZ 14398-E
D2SB 14398-FG	D2SZ 14398-F
D2SB 14398-FH	D2SZ 14398-L
D2SB 14398-FL	D2SZ 14398-P
D2SB 14398-FM	D2SZ 14398-P
D2SB 14398-GE	D2SZ 14398-G
D2SB 14398-HF	D2SZ 14398-H
D2SB 14398-HG	D2SZ 14398-H
D2SB 14398-HJ	D2SZ 14398-R
D2SB 14398-HK	D2SZ 14398-R
ED-D2SB 14398-HL	D2SZ 14398-R

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14398 WIRING ASSY. - DASH PANEL TO ENGINE			
67/68	A(6 cyl.)		1	★C7AZ 14398-H
67/68	A(8 cyl. 289)		1	C7AZ 14398-J
68	A(302)		1	
67	A(8 cyl. 427)		1	★C7AZ 14398-L
67/68	A(8 cyl. 390, 428)		1	C7AZ 14398-D
68	A(427)	Used with hydraulic tappets	1	
69	A(6 cyl.) "Before 11/15/68"		1	C9AZ 14398-A
69	A(6 cyl.) "From 11/15/68"		1	C9AZ 14398-G
69	A(8 cyl. 390, 428, 429) "Before 2/3/69"		1	C9AZ 14398-B
69	A(8 cyl. 390, 428, 429) "From 2/3/69"		1	C9AZ 14398-H
69	A(8 cyl. 302, 351) "Before 2/3/69"		1	C9AZ 14398-F
69	A(8 cyl. 302, 351) "From 2/3/69"		1	C9AZ 14398-J
72	B-without tachometer and/or hidden wipers		1	D2OZ 14398-A
72	B-with tachometer without hidden wipers		1	D2OZ 14398-B
72	B-without tachometer with hidden wipers		1	D2OZ 14398-C
72	B-with tachometer with hidden wipers		1	D2OZ 14398-D
67	S		1	C7SZ 14398-B
68	S(390)		1	C8SZ 14398-A
68/69	S(429)		1	C9SZ 14398-B
70	S-w/o heated backlite "Before 9/15/69"		1	D0SZ 14398-L
70	S-w/o heated backlite- From 9/15/69 to 12/1/69"		1	D0SZ 14398-R
70	S-w/o heated backlite "From 12/1/69"		1	D0SZ 14398-S
70	S-with heated backlite "Before 12/1/69"		1	D0SZ 14398-M
70	S-with heated backlite "From 12/1/69"		1	D0SZ 14398-P
71	S-without heated backlite		1	D1SZ 14398-C
71	S-with heated backlite		1	D1SZ 14398-B
72	S(400)-without A.T.C. and/or heated backlite		1	D2SZ 14398-A
72	S(400)-without A.T.C. with heated backlite		1	D2SZ 14398-C
72	S(400)-with A.T.C. without heated backlite		1	D2SZ 14398-E
72	S(400)-with A.T.C. with heated backlite		1	D2SZ 14398-G
72	S(429)-without A.T.C. and/or heated backlite- "Before 11/1/71"		1	D2SZ 14398-B
72	S(429)-without A.T.C. and/or heated backlite- "From 11/1/71 to 4/5/72"		1	D2SZ 14398-J
72	S(460)-without A.T.C. and/or heated backlite- "Before 4/5/72"		1	
72	S(429)-without A.T.C. with heated backlite- "Before 11/1/71"		1	D2SZ 14398-D
72	S(429)-without A.T.C. with heated backlite- "From 11/1/71 to 4/5/72"		1	D2SZ 14398-K
72	S(460)-without A.T.C. with heated backlite- "Before 4/5/72"		1	
72	S(429)-with A.T.C. without heated backlite- "Before 11/1/71"		1	D2SZ 14398-F
72	S(429)-with A.T.C. without heated backlite- "From 11/1/71 to 4/5/72"		1	D2SZ 14398-L
72	S(460)-with A.T.C. without heated backlite - "Before 4/5/72"		1	
72	S(429, 460)-with A.T.C. and heated backlite- "Before 4/5/72"		1	D2SZ 14398-H
72	S(429, 460)-without A. T. C. and/or heated backlite "From 4/5/72"		1	D2SZ 14398-M
72	S(429, 460)-without A.T.C. with heated backlite- "From 4/5/72"		1	D2SZ 14398-N
72	S(429, 460)with A.T.C. without heated backlite- "From 4/5/72"		1	D2SZ 14398-P
72	S(429, 460)-with A. T. C. and heated backlite- "From 4/5/72"		1	D2SZ 14398-R
71	S	Nut No. 10-24 (attach wiring to alternator)	AR	383255-S(MM296-AC)
71	S	Nut 1/4"-20 (attach wiring to alternator)	AR	383256-S(MM296AE)
70	S	Clip (attach wiring to power steering bracket)	1	374532-S(GG335)

14401 WIRING ASSY. - INSTRUMENT PANEL TO DASH PANEL

WIRING LOOM MARKING or TAG NUMBER TO SERVICE WIRING PART NUMBER GUIDE FOR 1965 and SUBSEQUENT MODELS

The purpose of this guide is to facilitate the identification of the Service Wiring Part Number. The chart that follows lists in numerical sequence the Wiring Loom Markings or Tag Numbers for 1965 and subsequent model vehicles. For many vehicles the Service Wiring Part Number will be the same as the Loom Marking or Tag Part Number. This type of replacement will cause little or no installation problems. However, when the Service Wiring differs from the Loom Marking or Tag Number it will be necessary to match lead wires and to tape up those lead wires which are not required. This is necessary when the Service Wiring has a more general application than the original wiring installed by the factory. Following this guide chart, Service Wiring Part Numbers are listed by model year and vehicle usage which will permit the identification of replacement wiring when the loom identification marking or tag number is not known.

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C4ZB 14401-A	★C5ZZ 14401-E
C4ZB 14401-B	C5ZZ 14401-F
C4ZB 14401-E	★C5ZZ 14401-E
C4ZB 14401-F	C5ZZ 14401-F
C5AB 14401-F	C5AZ 14401-N
C5AB 14401-H	C5AZ 14401-L
C5AB 14401-J	★C5AZ 14401-M
C5AB 14401-L	C5AZ 14401-L
C5AB 14401-M	★C5AZ 14401-M
C5AB 14401-N	C5AZ 14401-N
C5DB 14401-E	★C5DZ 14401-A
C5DB 14401-F	★C5DZ 14401-B
C5OB 14401-A	C5OZ 14401-E
C5OB 14401-B	★C5OZ 14401-F
C5OB 14401-E	C5OZ 14401-E
C5OB 14401-F	★C5OZ 14401-F
C5SB 14401-A	★C5SZ 14401-A
C5SB 14401-B	C5SZ 14401-B
C5SB 14401-C	★C5SZ 14401-C
C5SB 14401-D	★C5SZ 14401-D
C5ZB 14401-E	C5ZZ 14401-M
C5ZB 14401-F	C5ZZ 14401-M
C5ZB 14401-G	C5ZZ 14401-G
C5ZB 14401-J	C5ZZ 14401-M
C5ZB 14401-K	C5ZZ 14401-M
C5ZB 14401-L	C5ZZ 14401-M
C5ZB 14401-M	C5ZZ 14401-M
C5ZB 14401-N	C5ZZ 14401-N
C6AB 14401-A	C6AZ 14401-A
C6AB 14401-B	C6AZ 14401-B
C6AB 14401-C	★C6AZ 14401-C
C6AB 14401-AK	C6AZ 14401-AN
C6AB 14401-AL	C6AZ 14401-AR
C6AB 14401-AM	★C6AZ 14401-AS
C6AB 14401-AN	C6AZ 14401-AN
C6AB 14401-AR	C6AZ 14401-AR
C6AB 14401-AS	★C6AZ 14401-AS
C6AB 14401-AT	C6AZ 14401-AN
C6AB 14401-AU	C6AZ 14401-AR
C6AB 14401-AV	★C6AZ 14401-AS
C6AB 14401-AY	C6AZ 14401-AN
ED1-C6AB 14401-AK	C6AZ 14401-AN
ED2-C6AB 14401-AK	C6AZ 14401-AN
EDA-C6AB 14401-AK	C6AZ 14401-AN
ED1-C6AB 14401-AL	C6AZ 14401-AR
ED2-C6AB 14401-AL	C6AZ 14401-AR
EDA-C6AB 14401-AL	C6AZ 14401-AR
ED1-C6AB 14401-AM	★C6AZ 14401-AS
ED2-C6AB 14401-AM	★C6AZ 14401-AS
EDA-C6AB 14401-AM	★C6AZ 14401-AS
C6DB 14401-A	★C6DZ 14401-E
C6DB 14401-C	★C6DZ 14401-E
C6DB 14401-D	★C6DZ 14401-F
C6DB 14401-E	★C6DZ 14401-F
C6DB 14401-F	★C6DZ 14401-E
C6DB 14401-G	★C6DZ 14401-F
C6DB 14401-H	★C6DZ 14401-E
C6DB 14401-J	★C6DZ 14401-F
C6DB 14401-Z	★C6DZ 14401-Z
C6DB 14401-AA	★C6DZ 14401-AA
C6OB 14401-A	★C6OZ 14401-C
C6OB 14401-C	C6OZ 14401-D
C6OB 14401-F	★C6OZ 14401-C
C6OB 14401-G	C6OZ 14401-D
C6OB 14401-Z	C6OZ 14401-Z
C6OB 14401-AA	C6OZ 14401-AA
C6SB 14401-A	★C6SZ 14401-E
C6SB 14401-B	★C6SZ 14401-F
C6SB 14401-C	★C6SZ 14401-E
C6SB 14401-D	★C6SZ 14401-F
C6SB 14401-E	★C6SZ 14401-E
C6SB 14401-F	★C6SZ 14401-F
C6TB 14401-C	C6TZ 14401-AU
C6TB 14401-AU	C6TZ 14401-AU
C6TB 14401-DV	★C6TZ 14401-DV
C6TB 14401-DY	C6TZ 14401-DY
C6ZB 14401-B	C6ZZ 14401-F
C6ZB 14401-C	C6ZZ 14401-F
C6ZB 14401-F	C6ZZ 14401-F
C7AB 14401-C	C7AZ 14401-A
C7AB 14401-D	★C7AZ 14401-B
C7AB 14401-S	C7AZ 14401-S
C7AB 14401-T	C7AZ 14401-T
C7DB 14401-A	C7DZ 14401-C
C7DB 14401-B	★C7DZ 14401-D
C7DB 14401-C	C7DZ 14401-C
C7DB 14401-D	★C7DZ 14401-D
C7OB 14401-C	C7OZ 14401-E
C7OB 14401-D	C7OZ 14401-F
C7OB 14401-E	C7OZ 14401-E
C7OB 14401-F	C7OZ 14401-F
C7SB 14401-C	★C7SZ 14401-A
C7SB 14401-E	★C7SZ 14401-F
C7SB 14401-F	★C7SZ 14401-F
C7TB 14401-BE	★C7TZ 14401-CB
C7TB 14401-DH	★C7TZ 14401-CA
C7TB 14401-DJ	★C7TZ 14401-CB
C7TB 14401-DV	C7TZ 14401-DV
C7TB 14401-DY	★C7TZ 14401-DY
C7ZB 14401-J	C7ZZ 14401-AK
C7ZB 14401-K	C7ZZ 14401-AL
C7ZB 14401-L	★C7ZZ 14401-G
C7ZB 14401-M	★C7ZZ 14401-H
C7ZB 14401-AA	C7ZZ 14401-AK
C7ZB 14401-AB	C7ZZ 14401-AL

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

14401 WIRING ASSY - INSTRUMENT PANEL TO DASH PANEL continued

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C7ZB 14401-AC	★C7ZZ 14401-AC
C7ZB 14401-AD	★C7ZZ 14401-AD
C7ZB 14401-AK	C7ZZ 14401-AK
C7ZB 14401-AL	C7ZZ 14401-AL
C7ZB 14401-AM	★C7ZZ 14401-AM
C7ZB 14401-AN	★C7ZZ 14401-AN
C8AB 14401-A	C8AZ 14401-M
C8AB 14401-B	C8AZ 14401-AC
C8AB 14401-D	C8AZ 14401-M
C8AB 14401-E	C8AZ 14401-AC
C8AB 14401-F	C8AZ 14401-M
C8AB 14401-G	C8AZ 14401-AC
C8AB 14401-J	C8AZ 14401-M
C8AB 14401-K	C8AZ 14401-AC
C8AB 14401-L	C8AZ 14401-AC
C8AB 14401-M	C8AZ 14401-M
C8AB 14401-Y	C8AZ 14401-M
C8AB 14401-Z	C8AZ 14401-AC
C8AB 14401-AA	C8AZ 14401-M
C8AB 14401-AB	C8AZ 14401-AC
C8AB 14401-AC	C8AZ 14401-AC
C8AB 14401-AF	★C8AZ 14401-AF
C8DB 14401-A	C8DZ 14401-A
C8DB 14401-B	C8DZ 14401-A
C8DB 14401-C	C8DZ 14401-A
C8DB 14401-D	C8DZ 14401-A
C8DB 14401-E	C8DZ 14401-A
C8DB 14401-F	C8DZ 14401-A
C8DB 14401-J	C8DZ 14401-A
C8DB 14401-K	C8DZ 14401-A
C8DB 14401-L	C8DZ 14401-A
C8DB 14401-M	C8DZ 14401-A
C8DB 14401-N	C8DZ 14401-A
ED-C8DB 14401-H	C8DZ 14401-A
C8OB 14401-A	C8OZ 14401-A
C8OB 14401-B	C8OZ 14401-A
C8OB 14401-C	C8OZ 14401-A
C8OB 14401-F	C8OZ 14401-A
C8OB 14401-G	C8OZ 14401-A
C8OB 14401-L	C8OZ 14401-A
C8OB 14401-M	C8OZ 14401-A
C8OB 14401-N	C8OZ 14401-A
C8OB 14401-R	C8OZ 14401-A
C8OB 14401-S	C8OZ 14401-A
ED-C8OB 14401-K	C8OZ 14401-A
ED-C8OB 14401-M	C8OZ 14401-A
C8SB 14401-A	★C8SZ 14401-A
C8SB 14401-B	★C8SZ 14401-B
C8SB 14401-C	★C8SZ 14401-A
C8SB 14401-D	★C8SZ 14401-B
C8SB 14401-E	★C8SZ 14401-A
C8SB 14401-F	★C8SZ 14401-B
C8SB 14401-S	★C8SZ 14401-AD
C8SB 14401-T	★C8SZ 14401-AE
C8SB 14401-U	★C8SZ 14401-G
C8SB 14401-AB	★C8SZ 14401-G
C8SB 14401-AC	★C8SZ 14401-H
C8SB 14401-AD	★C8SZ 14401-AD
C8SB 14401-AE	★C8SZ 14401-AE
ED-C8SB 14401-L	★C8SZ 14401-G
ED-C8SB 14401-M	★C8SZ 14401-H
ED-C8SB 14401-N	★C8SZ 14401-AD
ED-C8SB 14401-R	★C8SZ 14401-AE
C8TB 14401-T	★C8TZ 14401-DC
C8TB 14401-U	★C8TZ 14401-DC
C8TB 14401-AM	★C8TZ 14401-DC
C8TB 14401-AN	★C8TZ 14401-DC
C8TB 14401-DB	C8TZ 14401-DB
C8TB 14401-DC	★C8TZ 14401-DC

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C8ZB 14401-A	C8ZZ 14401-C
C8ZB 14401-B	C8ZZ 14401-D
C8ZB 14401-C	C8ZZ 14401-C
C8ZB 14401-D	C8ZZ 14401-D
C8ZB 14401-E	C8ZZ 14401-C
C8ZB 14401-F	C8ZZ 14401-D
C8ZB 14401-G	C8ZZ 14401-C
C8ZB 14401-H	C8ZZ 14401-D
C8ZB 14401-J	C8ZZ 14401-C
C8ZB 14401-K	C8ZZ 14401-D
C8ZB 14401-L	C8ZZ 14401-C
C8ZB 14401-M	C8ZZ 14401-D
C8ZB 14401-N	C8ZZ 14401-D
C8ZB 14401-R	C8ZZ 14401-D
C8ZB 14401-S	C8ZZ 14401-C
C8ZB 14401-T	C8ZZ 14401-D
C8ZB 14401-U	C8ZZ 14401-C
C8ZB 14401-V	C8ZZ 14401-D
C8ZB 14401-Y	C8ZZ 14401-C
C8ZB 14401-Z	C8ZZ 14401-D
C8ZB 14401-AA	C8ZZ 14401-C
C8ZB 14401-AB	C8ZZ 14401-D
C8ZB 14401-AC	C8ZZ 14401-C
C8ZB 14401-AD	C8ZZ 14401-D
C8ZB 14401-AE	C8ZZ 14401-C
C8ZB 14401-AF	C8ZZ 14401-D
C8ZB 14401-AG	C8ZZ 14401-C
C8ZB 14401-AH	C8ZZ 14401-D
C8ZB 14401-AJ	C8ZZ 14401-C
C8ZB 14401-AK	C8ZZ 14401-D
C8ZB 14401-AL	C8ZZ 14401-C
C8ZB 14401-AM	C8ZZ 14401-C
C8ZB 14401-AN	C8ZZ 14401-D
C8ZB 14401-AR	C8ZZ 14401-D
C8ZB 14401-AS	C8ZZ 14401-C
C8ZB 14401-AT	C8ZZ 14401-D
C8ZB 14401-AU	C8ZZ 14401-C
C8ZB 14401-AV	C8ZZ 14401-D
ED-C8ZB 14401-AU	C8ZZ 14401-C
C9AB 14401-BD	★C9AZ 14401-DF
C9AB 14401-BF	C9AZ 14401-DD
C9AB 14401-BG	C9AZ 14401-DH
C9AB 14401-BH	★C9AZ 14401-DF
C9AB 14401-CN	C9AZ 14401-DG
C9AB 14401-CR	C9AZ 14401-DC
C9AB 14401-CS	C9AZ 14401-BE
C9AB 14401-DC	C9AZ 14401-DC
C9AB 14401-DD	C9AZ 14401-DD
C9AB 14401-DE	C9AZ 14401-DE
C9AB 14401-DF	★C9AZ 14401-DF
C9AB 14401-DG	C9AZ 14401-DG
C9AB 14401-DH	C9AZ 14401-DH
C9AB 14401-DJ	C9AZ 14401-BE
C9AB 14401-DK	C9AZ 14401-DC
C9AB 14401-DL	C9AZ 14401-DG
C9AB 14401-DP	C9AZ 14401-DD
C9AB 14401-DT	★C9AZ 14401-DF
ED-C9AB 14401-AV	★C9AZ 14401-DF
ED-C9AB 14401-AY	C9AZ 14401-DG
ED-C9AB 14401-AZ	C9AZ 14401-DD
ED-C9AB 14401-BA	C9AZ 14401-DC
ED-C9AB 14401-BB	C9AZ 14401-DH
ED-C9AB 14401-BC	C9AZ 14401-BE
ED-C9AB 14401-BD	★C9AZ 14401-DF
ED-C9AB 14401-BN	C9AZ 14401-DH
ED-C9AB 14401-BS	C9AZ 14401-DD
ED-C9AB 14401-BY	C9AZ 14401-DH
ED-C9AB 14401-BV	C9AZ 14401-DD

14401 WIRING ASSY. - INSTRUMENT PANEL TO DASH PANEL - continued

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C9DB 14401-C	C9DZ 14401-E
C9DB 14401-D	C9DZ 14401-E
C9DB 14401-E	C9DZ 14401-E
C9DB 14401-F	C9DZ 14401-E
C9OB 14401-G	C9OZ 14401-J
C9OB 14401-H	C9OZ 14401-K
C9OB 14401-K	C9OZ 14401-K
C9OB 14401-L	C9OZ 14401-J
C9OB 14401-M	C9OZ 14401-K
C9OB 14401-N	C9OZ 14401-K
C9OB 14401-P	C9OZ 14401-J
C9OB 14401-R	C9OZ 14401-K
C9OB 14401-S	C9OZ 14401-J
C9SB 14401-G	C9SZ 14401-A
C9SB 14401-H	C9SZ 14401-B
C9SB 14401-J	C9SZ 14401-J
C9SB 14401-K	C9SZ 14401-K
C9SB 14401-L	C9SZ 14401-K
C9SB 14401-M	C9SZ 14401-J
C9SB 14401-R	C9SZ 14401-R
C9SB 14401-S	C9SZ 14401-S
C9SB 14401-T	C9SZ 14401-R
C9SB 14401-U	C9SZ 14401-S
C9SB 14401-V	C9SZ 14401-J
C9SB 14401-Y	C9SZ 14401-S
C9SB 14401-Z	C9SZ 14401-A
C9SB 14401-AA	C9SZ 14401-B
C9SB 14401-AB	C9SZ 14401-J
C9SB 14401-AC	C9SZ 14401-K
C9SB 14401-AD	C9SZ 14401-R
C9SB 14401-AE	C9SZ 14401-S
C9TB 14401-AY	C9TZ 14401-AY
C9TB 14401-AZ	C9TZ 14401-AZ
ED-C9TB 14401-AY	C9TZ 14401-A
ED-C9TB 14401-AZ	C9TZ 14401-B
C9ZB 14401-AB	C9ZZ 14401-A
C9ZB 14401-AC	C9ZZ 14401-B
C9ZB 14401-AD	C9ZZ 14401-C
C9ZB 14401-AE	C9ZZ 14401-A
C9ZB 14401-AF	C9ZZ 14401-B
C9ZB 14401-AG	C9ZZ 14401-C
C9ZB 14401-AH	C9ZZ 14401-A
C9ZB 14401-AJ	C9ZZ 14401-B
C9ZB 14401-AL	C9ZZ 14401-AL
C9ZB 14401-AK	C9ZZ 14401-C
C9ZB 14401-AM	★C9ZZ 14401-AM
C9ZB 14401-AN	★C9ZZ 14401-AM
C9ZB 14401-AR	C9ZZ 14401-AL
C9ZB 14401-AS	★C9ZZ 14401-AM
C9ZB 14401-AT	C9ZZ 14401-AN
C9ZB 14401-BB	C9ZZ 14401-BB
C9ZB 14401-BC	C9ZZ 14401-BC
C9ZB 14401-BD	C9ZZ 14401-BD
C9ZB 14401-BE	C9ZZ 14401-BE
C9ZB 14401-BF	C9ZZ 14401-AL
C9ZB 14401-BJ	C9ZZ 14401-A
C9ZB 14401-BK	C9ZZ 14401-B
C9ZB 14401-BL	C9ZZ 14401-C
C9ZB 14401-BM	★C9ZZ 14401-AM
C9ZB 14401-BN	★C9ZZ 14401-AM
C9ZB 14401-BP	C9ZZ 14401-BB
C9ZB 14401-BR	C9ZZ 14401-BC
C9ZB 14401-BS	C9ZZ 14401-BD
C9ZB 14401-BT	C9ZZ 14401-BE
D0AB 14401-G	D0AZ 14401-A
D0AB 14401-H	D0AZ 14401-B
D0AB 14401-K	D0AZ 14401-D

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
D0AB 14401-L	D0AZ 14401-BU
D0AB 14401-BK	D0AZ 14401-A
D0AB 14401-BL	D0AZ 14401-B
D0AB 14401-BM	D0AZ 14401-BU
D0AB 14401-BN	D0AZ 14401-D
D0AB 14401-BR	D0AZ 14401-BR
D0AB 14401-BS	D0AZ 14401-BS
D0AB 14401-BT	D0AZ 14401-BT
D0AB 14401-BU	D0AZ 14401-BU
D0AB 14401-CA	D0AZ 14401-BR
D0AB 14401-CB	D0AZ 14401-BS
D0AB 14401-CC	D0AZ 14401-BT
D0AB 14401-CD	D0AZ 14401-BU
ED-D0AB 14401-CA	D0AZ 14401-BR
ED-D0AB 14401-CB	D0AZ 14401-BS
ED-D0AB 14401-CC	D0AZ 14401-BT
ED-D0AB 14401-CD	D0AZ 14401-BU
ED-D0AB 14401-CE	D0AZ 14401-BR
ED-D0AB 14401-CF	D0AZ 14401-BS
ED-D0AB 14401-CG	D0AZ 14401-BT
ED-D0AB 14401-CH	D0AZ 14401-BU
D0BB 14401-C	D0BZ 14401-A
D0BB 14401-D	D0BZ 14401-B
D0BB 14401-E	D0BZ 14401-E
D0DB 14401-D	D0DZ 14401-D
D0DB 14401-G	D0DZ 14401-G
D0DB 14401-K	D0DZ 14401-D
D0DB 14401-R	D0DZ 14401-R
D0DB 14401-AA	D0DZ 14401-G
D0DB 14401-AC	D0DZ 14401-R
D0DB 14401-AL	D0DZ 14401-AL
D0DB 14401-AU	D0DZ 14401-AL
D0DB 14401-BC	D0DZ 14401-AL
D0DB 14401-CG	D0DZ 14401-AL
D0DB 14401-CH	D0DZ 14401-AL
D0DB 14401-CJ	D0DZ 14401-AL
D0OB 14401-H	D0OZ 14401-A
D0OB 14401-K	D0OZ 14401-A
D0OB 14401-M	D0OZ 14401-A
D0OB 14401-P	D0OZ 14401-A
D0OB 14401-R	D0OZ 14401-N
D0OB 14401-T	D0OZ 14401-N
D0SB 14401-N	D0SZ 14401-A
D0SB 14401-R	D0SZ 14401-B
D0SB 14401-S	D0SZ 14401-C
D0SB 14401-T	D0SZ 14401-D
D0SB 14401-AH	D0SZ 14401-A
D0SB 14401-AJ	D0SZ 14401-B
D0SB 14401-AK	D0SZ 14401-C
D0SB 14401-AL	D0SZ 14401-D
D0SB 14401-AX	D0SZ 14401-A
D0SB 14401-AY	D0SZ 14401-B
D0SB 14401-AZ	D0SZ 14401-C
D0SB 14401-BA	D0SZ 14401-D
D0SB 14401-BN	D0SZ 14401-BN
D0SB 14401-BP	D0SZ 14401-BP
D0SB 14401-BU	D0SZ 14401-BU
D0SB 14401-BV	D0SZ 14401-BS
D0SB 14401-CA	D0SZ 14401-CA
D0SB 14401-CB	D0SZ 14401-CB
ED-D0SB 14401-AS	D0SZ 14401-A
ED-D0SB 14401-AT	D0SZ 14401-B
ED-D0SB 14401-AU	D0SZ 14401-C
ED-D0SB 14401-AV	D0SZ 14401-D
ED-D0SB 14401-CA	D0SZ 14401-BY
ED-D0SB 14401-CB	D0SZ 14401-BX
ED1-D0SB 14401-CD	D0SZ 14401-BZ
D0ZB 14401-BB	D0ZZ 14401-BS
D0ZB 14401-BC	D0ZZ 14401-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

14401 WIRING ASSY - INSTRUMENT PANEL TO DASH PANEL - continued

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
D0ZB 14401-BD	D0ZZ 14401-C
D0ZB 14401-BT	D0ZZ 14401-K
D0ZB 14401-BU	D0ZZ 14401-J
D0ZB 14401-BY	D0ZZ 14401-BM
D0ZB 14401-BZ	D0ZZ 14401-BN
D0ZB 14401-CA	D0ZZ 14401-BS
D0ZB 14401-CD	D0ZZ 14401-BX
D0ZB 14401-CE	D0ZZ 14401-BV
D0ZB 14401-CF	D0ZZ 14401-BM
D0ZB 14401-CG	D0ZZ 14401-BN
D0ZB 14401-CH	D0ZZ 14401-BS
D0ZB 14401-CJ	D0ZZ 14401-BX
D0ZB 14401-CK	D0ZZ 14401-BV
D1AB 14401-AM	D1AZ 14401-A
D1AB 14401-AP	D1AZ 14401-G
D1AB 14401-AS	D1AZ 14401-K
D1AB 14401-BM	D1AZ 14401-H
D1AB 14401-BP	D1AZ 14401-H
ED1-D1AB 14401-AP	D1AZ 14401-G
ED1-D1AB 14401-BP	D1AZ 14401-H
D1AB 14401-BS	D1AZ 14401-L
D1AB 14401-EM	D1AZ 14401-E
D1AB 14401-EP	D1AZ 14401-J
D1AB 14401-ES	D1AZ 14401-M
D1BB 14401-AB	D1BZ 14401-A
D1DB 14401-AC	D1DZ 14401-C
D1DB 14401-AD	D1DZ 14401-C
D1DB 14401-BD	D1DZ 14401-B
D1DB 14401-BE	D1DZ 14401-D
D1DB 14401-BF	D1DZ 14401-E
ED-D1DB 14401-BF	D1DZ 14401-D
D1OB 14401-AF	D1OZ 14401-A
D1OB 14401-AG	D1OZ 14401-B
D1SB 14401-AK	D1SZ 14401-C
D1SB 14401-AL	D1SZ 14401-C
D1SB 14401-BK	D1SZ 14401-D
D1SB 14401-BL	D1SZ 14401-D
D1ZB 14401-AH	D1ZZ 14401-N
D1ZB 14401-AJ	D1ZZ 14401-N
D1ZB 14401-AK	D1ZZ 14401-N
D1ZB 14401-BH	D1ZZ 14401-B
D1ZB 14401-BJ	D1ZZ 14401-H
D1ZB 14401-CH	D1ZZ 14401-C
D1ZB 14401-CJ	D1ZZ 14401-J
D1ZB 14401-CL	D1ZZ 14401-P
D1ZB 14401-DH	D1ZZ 14401-D
D1ZB 14401-DZ	D1ZZ 14401-K
D1ZB 14401-EH	D1ZZ 14401-E
D1ZB 14401-EJ	D1ZZ 14401-L
D1ZB 14401-EK	D1ZZ 14401-R
D1ZB 14401-FH	D1ZZ 14401-F
D1ZB 14401-FJ	D1ZZ 14401-M
D1ZB 14401-FK	D1ZZ 14401-Q
D12B 14401-AH	D1FZ 14401-D
D12B 14401-AJ	D1FZ 14401-D
D12B 14401-AK	D1FZ 14401-H
D12B 14401-BH	D1FZ 14401-H
D12B 14401-BJ	★D1FZ 14401-E
D12B 14401-BK	D1FZ 14401-H
D12B 14401-CH	D1FZ 14401-J
D12B 14401-CJ	D1FZ 14401-J
D12B 14401-CK	D1FZ 14401-J
D2AB 14401-AD	D2AZ 14401-A
D2AB 14401-AE	D2AZ 14401-A
D2AB 14401-BD	D2AZ 14401-B
D2AB 14401-BE	D2AZ 14401-B
D2AB 14401-CD	D2AZ 14401-C
D2AB 14401-CE	D2AZ 14401-C

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
D2DB 14401-AE	D2DZ 14401-A
D2DB 14401-AF	D2DZ 14401-C
D2DB 14401-AG	D2DZ 14401-C
D2DB 14401-BE	D2DZ 14401-D
D2DB 14401-BF	D2DZ 14401-D
D2DB 14401-BG	D2DZ 14401-D
D2OB 14401-AG	D2OZ 14401-A
D2OB 14401-AL	D2OZ 14401-E
D2OB 14401-AM	D2OZ 14401-E
D2OB 14401-AN	D2OZ 14401-E
D20B 14401-AP	D2OZ 14401-J
D2OB 14401-BG	D2OZ 14401-H
D2OB 14401-BL	D2OZ 14401-F
D2OB 14401-BM	D2OZ 14401-F
D2OB 14401-BN	D2OZ 14401-F
D2OB 14401-BP	D2OZ 14401-K
D2OB 14401-CD	D2OZ 14401-C
D2OB 14401-CH	D2OZ 14401-G
D2OB 14401-CJ	D2OZ 14401-G
D2OB 14401-CK	D2OZ 14401-G
D2OB 14401-CL	D2OZ 14401-L
D2OB 14401-DD	D2OZ 14401-D
D2OB 14401-DJ	D2OZ 14401-H
D2OB 14401-DK	D2OZ 14401-H
D2OB 14401-DL	D2OZ 14401-M
ED-D2OB 14401-BK	D2OZ 14401-H
ED-D2OB 14401-DG	D2OZ 14401-D
D2SB 14401-AL	D2SZ 14401-E
D2SB 14401-AR	D2SZ 14401-E
D2SB 14401-AS	D2SZ 14401-E
D2SB 14401-BL	D2SZ 14401-F
D2SB 14401-BR	D2SZ 14401-F
D2SB 14401-BS	D2SZ 14401-F
D2SB 14401-CK	D2SZ 14401-G
D2SB 14401-CN	D2SZ 14401-G
D2SB 14401-CP	D2SZ 14401-G
D2SB 14401-DK	D2SZ 14401-H
D2SB 14401-DN	D2SZ 14401-H
D2SB 14401-DP	D2SZ 14401-H
ED-D2SB 14401-AL	D2SZ 14401-A
ED2-D2SB 14401-AP	D2SZ 14401-A
ED-D2SB 14401-BL	D2SZ 14401-B
ED-D2SB 14401-CK	D2SZ 14401-C
ED-D2SB 14401-DK	D2SZ 14401-D
ED2-D2SB 14401-BP	D2SZ 14401-B
ED2-D2SB 14401-CM	D2SZ 14401-C
ED2-D2SB 14401-DM	D2SZ 14401-D
D2ZB 14401-AB	D2ZZ 14401-A
D2ZB 14401-AE	D2ZZ 14401-E
D2ZB 14401-AF	D2ZZ 14401-E
D2ZB 14401-BB	D2ZZ 14401-B
D2ZB 14401-BD	D2ZZ 14401-D
D2ZB 14401-BE	D2ZZ 14401-F
D2ZB 14401-CA	D2ZZ 14401-G
D22B 14401-AE	D2FZ 14401-A
D22B 14401-AG	★D2FZ 14401-G
D22B 14401-BE	D2FZ 14401-B
D22B 14401-BG	★D2FZ 14401-H
D22B 14401-DC	D2FZ 14401-J
D22B 14401-DF	D2FZ 14401-J
D22B 14401-EC	D2FZ 14401-E
D22B 14401-EF	D2FZ 14401-F
D22B 14401-EG	★D2FZ 14401-M
D22B 14401-FA	D2FZ 14401-K

14401 WIRING ASSY. - INSTRUMENT PANEL TO DASH PANEL - continued

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
D22B 14401-GA	D2FZ 14401-L
D22B 14401-GB	★D2FZ 14401-N
ED-D3BB 14401-AD	D3BZ 14401-A
S9MS 14L401-A	C9ZZ 14401-D
C9ZX 14A411-A	C9ZZ 14401-D
C8AB 14444-A	C8AZ 14401-M
C8AB 14444-B	C8AZ 14401-AC
C8AB 14444-AC	C8AZ 14401-AC
ED-C8DB 14444-A	C8DZ 14401-A
ED-C8DB 14444-B	C8DZ 14401-A
C8OB 14444-A	C8OZ 14401-A
C8SB 14444-C	C8SZ 14401-B
C8SB 14444-D	C8SZ 14401-AE
C8SB 14444-E	C8SZ 14401-A
C8SB 14444-F	C8SZ 14401-AD
C8SB 14444-G	C8SZ 14401-G
C8SB 14444-H	C8SZ 14401-H
C8SB 14444-S	C8SZ 14401-AD
C8SB 14444-T	C8SZ 14401-AE
C8SB 14444-AD	C8SZ 14401-AD
C8SB 14444-AE	C8SZ 14401-AE
C8ZB 14444-A	C8ZZ 14401-C
C8ZB 14444-B	C8ZZ 14401-C
C8ZB 14444-C	C8ZZ 14401-D
C8ZB 14444-D	C8ZZ 14401-D
C9AB 14444-AA	★C9AZ 14401-DF
C9AB 14444-AB	C9AZ 14401-DD
C9AB 14444-AC	C9AZ 14401-DH
C9AB 14444-BU	C9AZ 14401-DG
C9AB 14444-BV	C9AZ 14401-DC
C9AB 14444-BY	C9AZ 14401-BE
ED-C9AB 14444-N	★C9AZ 14401-DF
ED-C9AB 14444-R	C9AZ 14401-DG
ED-C9AB 14444-S	C9AZ 14401-DD
ED-C9AB 14444-T	C9AZ 14401-DC
ED-C9AB 14444-U	C9AZ 14401-DH
ED-C9AB 14444-Y	C9AZ 14401-BD

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
ED-C9AB 14444-AD	C9AZ 14401-DC
ED-C9AB 14444-AF	C9AZ 14401-DG
ED-C9AB 14444-AL	C9AZ 14401-DH
ED-C9AB 14444-AM	C9AZ 14401-BD
ED-C9AB 14444-AT	C9AZ 14401-DD
ED-C9AB 14444-AV	C9AZ 14401-DH
ED-C9AB 14444-AY	C9AZ 14401-DH
ED-C9AB 14444-AZ	C9AZ 14401-DH
ED-C9AB 14444-CG	★C9AZ 14401-DF
ED-C9AB 14444-CH	C9AZ 14401-DH
ED-C9AB 14444-CJ	C9AZ 14401-DG
ED-C9AB 14444-CK	C9AZ 14401-DE
ED-C9AB 14444-CL	C9AZ 14401-DD
ED-C9AB 14444-CM	C9AZ 14401-DC
C9DB 14444-D	C9DZ 14401-E
C9OB 14444-G	C9OZ 14401-J
C9OB 14444-H	C9OZ 14401-K
C9SB 14444-G	C9SZ 14401-S
C9SB 14444-H	C9SZ 14401-R
C9SB 14444-J	C9SZ 14401-S
C9SB 14444-L	C9SZ 14401-J
C9SB 14444-M	C9SZ 14401-S
C9ZB 14444-D	C9ZZ 14401-A
C9ZB 14444-E	C9ZZ 14401-B
C9ZB 14444-F	C9ZZ 14401-C
C9ZB 14444-G	C9ZZ 14401-A
C9ZB 14444-H	C9ZZ 14401-B
C9ZB 14444-J	C9ZZ 14401-C
C9ZB 14444-K	C9ZZ 14401-AL
C9ZB 14444-L	★C9ZZ 14401-AM
C9ZB 14444-M	C9ZZ 14401-AN
C9ZB 14444-AA	C9ZZ 14401-BB
C9ZB 14444-AB	C9ZZ 14401-BC
C9ZB 14444-AC	C9ZZ 14401-BD
C9ZB 14444-AD	C9ZZ 14401-BE
D0DB 14444-B	D0DZ 14401-G
D0DB 14444-E	D0DZ 14401-R
D0DB 14444-G	D0DZ 14401-G
D0DB 14444-J	D0DZ 14401-R

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
14401 WIRING ASSY - INSTRUMENT PANEL TO DASH PANEL - continued - See Identification Chart at beginning of Group				
	- A -			
65	A-with A/C "Before 6/14/65"		1	C5AZ 14401-N
65/66	A-with A/C "From 6/14/65 to 2/1/66"		1	C6AZ 14401-B
66	A-with A/C "From 2/1/66"	Includes (4) C6AB 13A724-B jumper wires	1	C6AZ 14401-AR
65	A(exc.A/C or trans.ign.) "Before 6/14/65"		1	C5AZ 14401-L
65/66	A(except A/C or transistorized ignition - "From 6/14/65 to 2/1/66"		1	C6AZ 14401-A
66	A(except A/C or trans.ign.) "From 2/1/66"	Includes (4) C6AB 13A724-B jumper wires	1	C6AZ 14401-AN
65	A(8 cyl. 427)-with transistorized ignition- "Before 6/14/65"	Not replaced	1	★C5AZ 14401-M
65/66	A(8 cyl. 427)-with transistorized ignition- "From 6/14/65 to 2/1/66"	Not replaced	1	★ C6AZ 14401-C
66	A(8 cyl.427)-with trans.ign. "From 2/1/66"	Includes (4) C6AB 13A274-B jumper wires- not replaced	1	★ C6AZ 14401-AS
67	A-except A/C "Before 1/3/67"		1	C7AZ 14401-A
67	A-except A/C "From 1/3/67"		1	C7AZ 14401-S
67	A-with A/C "Before 1/3/67"	Not replaced	1	★C7AZ 14401-B
67	A-with A/C "From 1/3/67"		1	C7AZ 14401-T
68	A(8 cyl.)-exc.A/C		1	C8AZ 14401-M
68	A(6 cyl.)-exc.A/C "Before 5/15/68"		1	
68	A(6 cyl.)-exc.A/C "From 5/15/68"	Not replaced	1	★C8AZ 14401-AF
68	A-with A/C		1	C8AZ 14401-AC
69	A(6 cyl.)-exc.A/C	With intermittent wipers	1	C9AZ 14401-DG
69	A(8 cyl.)-exc.A/C	With intermittent wipers	1	C9AZ 14401-DC
69	A(with A/C) "Before 4/15/69"	With intermittent wipers	1	C9AZ 14401-BE
69	A(8 cyl.)-with A/C "From 4/15/69"	With intermittent wipers	1	C9AZ 14401-DE

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14401 WIRING ASSY. - INSTRUMENT PANEL TO DASH PANEL - continued -			
		See Identification Chart at beginning of Group		
	- A -			
69	A(6 cyl.)-exc. A/C	Without intermittent wipers -not replaced	1	★C9AZ 14401-DF
69	A(8 cyl.)-exc. A/C	Without intermittent wipers	1	C9AZ 14401-DD
69	A(with A/C)	Without intermittent wipers	1	C9AZ 14401-DH
70	A-exc. A/C "Before 11/1/69"	Without intermittent wipers	1	D0AZ 14401-A
70	A-exc. A/C "From 11/1/69"	Without intermittent wipers	1	D0AZ 14401-BR
70	A-with A/C "Before 11/1/69"	Without intermittent wipers	1	D0AZ 14401-B
70	A-with A/C "From 11/1/69"	Without intermittent wipers	1	D0AZ 14401-BS
70	A-exc. A/C "Before 11/1/69"	With intermittent wipers	1	D0AZ 14401-D
70	A-exc. A/C "From 11/1/69"	With intermittent wipers	1	D0AZ 14401-BT
70	A-with A/C	With intermittent wipers	1	D0AZ 14401-BU
71	A-except A/C "Before 3/1/71"		1	D1AZ 14401-A
71	A-except A/C "From 3/1/71 to 4/15/71"		1	D1AZ 14401-G
71	A-exc. A/C "From 4/15/71"		1	D1AZ 14401-K
71	A-with A/C - (manual control) - "Before 4/15/71"		1	D1AZ 14401-H
71	A-with A/C - (manual control) - "From 4/15/71"		1	D1AZ 14401-L
71	A-with A/T/C "Before 3/1/71"		1	D1AZ 14401-E
71	A-with A/T/C "From 3/1/71 to 4/15/71"		1	D1AZ 14401-J
71	A-with A/T/C "From 4/15/71"		1	D1AZ 14401-M
72	A-without A/C		1	D2AZ 14401-A
72	A-with A/C - (manual control)		1	D2AZ 14401-B
72	A-with A/T/C		1	D2AZ 14401-C
	- B -			
65	B-with single speed wipers		1	☆ C5OZ 14401-E
65	B-with 2 speed wipers	Not replaced	1	★☆ C5OZ 14401-F
65	B-with single speed wipers		1	♦CC50F 14401-A
65	B-with 2 speed wipers		1	♦CC50F 14401-B
66	B-with single speed wipers "Before 2/1/66"	Not replaced	1	★C6OZ 14401-C
66	B-with single speed wipers "From 2/1/66"		1	C6OZ 14401-Z
66	B-with 2 speed wipers "Before 2/1/66"		1	C6OZ 14401-D
66	B-with 2 speed wipers "From 2/1/66"		1	C6OZ 14401-AA
67	B-except A/C		1	C7OZ 14401-E
67	B-with A/C		1	C7OZ 14401-F
68	B		1	C8OZ 14401-A
69	B-w/o intermittent wipers		1	C9OZ 14401-J
69	B-with intermittent wipers		1	C9OZ 14401-K
70	B "Before 11/1/69"		1	D0OZ 14401-A
70	B "From 11/1/69"		1	D0OZ 14401-N
71	B		1	D1OZ 14401-B
72	B-w/o A/C and/or intermittent wipers "Before 11/1/71"		1	D2OZ 14401-A
72	B-w/o A/C and/or intermittent wipers "From 11/1/71 to 1/3/72"		1	D2OZ 14401-E
72	B-w/o A/C and/or intermittent wipers - "From 1/3/72"		1	D2OZ 14401-J
72	B-w/o A/C-with intermittent wipers "Before 11/1/71"		1	D2OZ 14401-C
72	B-w/o A/C with intermittent wipers "From 11/1/71 to 1/3/72"		1	D2OZ 14401-G
72	B-w/o A/C with intermittent wipers - "From 1/3/72"		1	D2OZ 14401-L
72	B-with A/C-w/o intermittent wipers "Before 11/1/71"		1	D2OZ 14401-B
72	B-with A/C w/o intermittent wipers "From 11/1/71 to 1/3/72"		1	D2OZ 14401-F
72	B-with A/C w/o intermittent wipers - "From 1/3/72"		1	D2OZ 14401-K
72	B-w/A/C-with intermittent wipers - "Before 11/1/71"		1	D2OZ 14401-D
72	B-w/A/C-with intermittent wipers - "From 11/1/71 to 1/3/72"		1	D2OZ 14401-H
72	B-with A/C with intermittent wipers - "From 1/3/72"		1	D2OZ 14401-M

☆ U.S. only ♦ Canada only

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14401 WIRING ASSY. - INSTRUMENT PANEL TO DASH PANEL - continued -			
				See Identification Chart at beginning of Group
	- F -			
65	F -with single speed wipers-with generator	Not replaced	1	★C5ZZ 14401-E
65	F -with 2 speed wipers-with generator	Not replaced	1	★C5ZZ 14401-F
65	F (except 63B,65B,76B)-with single or 2 speed wipers "Before 4/1/65"	Must be used with basic 17B587 wiring-not used with fog lamp	1	C5ZZ 14401-M
65	F-(except 63B,65B,76)-with single speed or 2 speed wipers "From 4/1/65"	Must be used with basic 17B587 wiring-not used with fog lamps	1	C5ZZ 14401-N
65	F(63B,65B,76B)	When used on units with 2 speed heater blower motor, basic 18A336 is required	1	C5ZZ 14401-G
66	F		1	C6ZZ 14401-F
67	F(except GT)-exc. w/tach.		1	C7ZZ 14401-AK
67	F(except GT)-with tach.		1	C7ZZ 14401-AL
67	F(GT)-exc. with tach. "Before 1/3/67"	Not replaced	1	★C7ZZ 14401-G
67	F(GT)-except with tachometer- "From 1/3/67 to 4/15/67"	Not replaced	1	★C7ZZ 14401-AC
67	F(GT)-exc. with tach. "From 4/15/67"	Not replaced	1	★C7ZZ 14401-AM
67	F(GT)-with tachometer "Before 1/3/67"	Replaced by C7ZZ 14401-AD(2/74)	1	★C7ZZ 14401-H
67	F(GT)-with tachometer- "From 1/3/67 to 4/15/67"	Not replaced	1	★C7ZZ 14401-AD
67	F(GT)-with tach. "From 4/15/67"	Not replaced	1	★C7ZZ 14401-AN
68	F(65 GT/CS)-with tachometer		1	
68	F-with or without fog lamps less tachometer		1	*C8ZZ 14401-C
68	F(65 GT/CS)-without tachometer		1	
68	F-with or without fog lamps with tachometer		1	*C8ZZ 14401-D
69	F-exc. A/C or tachometer "Before 4/15/69"	Except (302-4V Boss)	1	C9ZZ 14401-A
69	F-exc. A/C or tachometer "From 4/15/69"	Except (302-4V Boss)	1	C9ZZ 14401-AL
69	F-less tachometer "From 4/15/69 to 5/19/69"	With (302-4V Boss)	1	C9ZZ 14401-BC
69	F-less tachometer "From 5/19/69"	With (302-4V Boss)	1	C9ZZ 14401-BE
69	F-with tachometer, with or without A/C- "Before 4/15/69"	Except (302-4V Boss)	1	C9ZZ 14401-B
69	F (with tachometer, with or without A/C - "From 4/15/69"	Except (302-4V Boss)-not replaced	1	★C9ZZ 14401-AM
69	F-with A/C w/o tachometer "Before 4/15/69"	Except (302-4V-Boss)	1	C9ZZ 14401-C
69	F-with A/C w/o tachometer "From 4/15/69"	Except (302-4V-Boss)	1	C9ZZ 14401-AN
69	F-with tachometer "From 4/15/69 to 5/19/69"	With (302-4V Boss)	1	C9ZZ 14401-BB
69	F-with tachometer "From 5/19/69"	With (302-4V Boss)	1	C9ZZ 14401-BD
69	F(GT 350/500)	"Auxiliary"	1	C9ZZ 14401-D
70	F(63A, B, 65, 76)-w/o A/C or tachometer		1	D0ZZ 14401-BS
70	F(63A, B65, 76)-w/o A/C with tachometer - "Before 11/1/69"		1	D0ZZ 14401-B
70	F(63A, B, 65, 76)-w/o A/C with tachometer- "From 11/1/69"		1	D0ZZ 14401-BM
70	F(63A, B, 65, 76)-with A/C without tachometer- "Before 11/1/69"		1	D0ZZ 14401-C
70	F(63A, B, 65, 76)-with A/C w/o tachometer- "From 11/1/69"		1	D0ZZ 14401-BN
70	F(63C)-without tachometer "Before 11/1/69"		1	D0ZZ 14401-K
70	F(63C)-without tachometer "From 11/1/69"		1	D0ZZ 14401-BV
70	F(63C)-with tachometer "Before 11/1/69"		1	D0ZZ 14401-J
70	F(63C)-with tachometer "From 11/1/69"		1	D0ZZ 14401-BX
71	F(63)(exc. 351 Boss)-w/o instrument pkg., sports interior pkg. or A/C		1	D1ZZ 14401-N
71	F(65,76)-w/o instrument pkg. or A/C		1	
71	F(63D,65,76)-without A/C with instrument pkg. "Before 10/1/70"		1	D1ZZ 14401-E
71	F(63)(exc.351 Boss)-w/sports interior pkg., and/or instrument pkg. w/o A/C - "From 10/1/70 to 11/1/70"		1	
71	F(63D)(351 Boss)- "From 10/1/70 to 11/1/70"		1	
71	F(65,76)-w/instrument pkg. w/o A/C- "From 10/1/70 to 11/1/70"		1	

* Fold and insulate unused leads

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14401 WIRING ASSY. - INSTRUMENT PANEL TO DASH PANEL - continued-			
			See Identification Chart at beginning of Group	
	- F -			
71	F(63)(exc.351 Boss)-w/sports interior pkg., and/or instrument pkg. w/o A/C- "From 11/1/70"		1	D1ZZ 14401-H
71	F(63D)(351 Boss)- "From 11/1/70"		1	
71	F(65,76)-w/instrument pkg.w/o A/C- "From 11/1/70"		1	
71	F(63D,65,76)-with A/C w/o instrument pkg.- "Before 10/1/70"		1	D1ZZ 14401-C
71	F(63)(exc. 351 Boss)-w/o instrument pkg., and/or sports interior pkg. w/ A/C- "From 10/1/70 to 11/1/70"		1	D1ZZ 14401-C
71	F(65,76)-w/o instrument pkg., w/ A/C- "From 10/1/70 to 11/1/70"		1	
71	F(63)(exc.351 Boss)-w/o instrument pkg., and/or sports interior pkg. w/ A/C- "From 11/1/70 to 3/1/71"		1	D1ZZ 14401-J
71	F(65,76)-w/o instrument pkg., w/ A/C- "From 11/1/70 to 3/1/71"		1	
71	F(63)(exc. 351 Boss)-w/o instrument pkg. and/or sports interior pkg.-with A/C - "From 3/1/71"		1	D1ZZ 14401-P
71	F(65,76)-w/o instrument pkg.-with A/C - "From 3/1/71"		1	
71	F(63D,65,76)-with A/C with instrument pkg. - "Before 10/1/70"		1	D1ZZ 14401-E
71	F(63)(exc.351 Boss)-w/ instrument pkg., sports interior pkg. w/ A/C- "From 10/1/70 to 11/1/70"		1	
71	F(65,76)-w/ instrument pkg. w/ A/C- "From 10/1/70 to 11/1/70"		1	
71	F(63)(exc.351 Boss)-w/ instrument pkg., sports interior pkg. w/ A/C- "From 11/1/70 to 3/1/71"		1	D1ZZ 14401-L
71	F(65,76)-w/instrument pkg. w/ A/C- "From 11/1/70 to 3/1/71"		1	
71	F(63)(exc. 351 Boss)-w/instrument pkg., sports interior pkg.-w/A/C "From 3/1/71"		1	D1ZZ 14401-R
71	F(65,76)-w/instrument pkg., with A/C - "From 3/1/71"		1	
71	F(63R)-without A/C "Before 10/1/70"		1	D1ZZ 14401-D
71	F(63)(exc.351 Boss)-w/ sports interior pkg., w/o A/C- "From 10/1/70 to 11/1/70"		1	
71	F(63)(exc.351 Boss)-w/ sports interior pkg., w/o A/C "From 11/1/70"		1	D1ZZ 14401-K
71	F(63R)-with A/C "Before 10/1/70"		1	D1ZZ 14401-F
71	F(63)(exc.351 Boss)-w/ sports interior pkg., w/ A/C- "From 10/1/70 to 11/1/70"		1	
71	F(63)(exc.351 Boss)-w/ sports interior pkg. w/ A/C- "From 11/1/70 to 3/1/71"		1	D1ZZ 14401-M
71	F(63)(exc. 351 Boss)-w/sports interior pkg.- "From 3/1/71"		1	D1ZZ 14401-Q
72	F-w/o tachometer "Before 12/1/72"		1	D2ZZ 14401-A
72	F-w/o tachometer "From 12/1/72"		1	D2ZZ 14401-E
72	F-with tachometer "Before 12/1/71"		1	D2ZZ 14401-B
72	F-with tachometer "From 12/1/71 to 1/3/72"		1	D2ZZ 14401-D
72	F-with tachometer "From 1/3/72"		1	D2ZZ 14401-F
	- L -			
71	L(exc. A/C, radio or sports appearance group)		1	D1FZ 14401-D
71	L(with A/C)		1	D1FZ 14401-J

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14401 WIRING ASSY. - INSTRUMENT PANEL TO DASH PANEL - continued - See Identification Chart at beginning of Group			
	- L -			
71	L(exc. A/C, with radio and/or sports appearance group "Before 7/12/71"		1	D1FZ 14401-H
71/72	L(exc. A/C, with radio and/or sports appearance group "From 7/12/71"		1	D2FZ 14401-A
72	L-w/o A/C and/or rallye pkg.	Without ignition restraint system	1	D2FZ 14401-J
72	L-w/o A/C and/or rallye pkg.	With ignition restraint system	1	D2FZ 14401-K
72	L-w/A/C-without rallye pkg.- "Before 12/1/71"		1	D2FZ 14401-E
72	L-w/A/C-without rallye pkg.- "From 12/1/71"	Without ignition restraint system	1	D2FZ 14401-F
72	L-with A/C -without rallye pkg.	With ignition restraint system	1	D2FZ 14401-L
	- P -			
70	P-without locking column "Before 4/14/69"		1	D0DZ 14401-D
70	P-without locking column except A/C - "From 4/14/69"		1	D0DZ 14401-G
70	P-without locking column with A/C - "From 4/14/69"		1	D0DZ 14401-R
70	P-with locking steering column		1	D0DZ 14401-AL
71	P(54A,62A)		1	D1DZ 14401-C
71	P(62D) "Before 10/27/70"		1	D1DZ 14401-B
71	P(62D) "From 10/27/70 to 1/4/71"		1	D1DZ 14401-D
71	P(62D) "From 1/4/71"		1	D1DZ 14401-E
72	P(54A,62A) "Before 1/3/72"	Without grille lamps	1	D2DZ 14401-A
72	P(54A,62A) "From 1/3/72"	Without grille lamps	1	D2DZ 14401-C
72	P(54A,62A,D)	With grille lamps	1	D2DZ 14401-D
	- S -			
65	S (except transistorized ignition)-with A/C		1	C5SZ 14401-B
66	S-with trans. ignition		1	C6SZ 14401-F
69	S-exc.A/T/C "Before 10/15/68"		1	C9SZ 14401-A
69	S-exc.A/T/C "From 10/15/68 to 1/6/69"		1	C9SZ 14401-J
69	S-except A/T/C without brake skid control- "From 1/6/69"		1	
69	S-exc. A/T/C with brake skid control- "From 1/6/69"		1	C9SZ 14401-S
69	S-with A/T/C "Before 10/15/68"		1	C9SZ 14401-B
69	S-with A/T/C "From 10/15/68 to 1/6/69"		1	C9SZ 14401-K
69	S-with A/T/C without brake skid control- "From 1/6/69"		1	
69	S-with A/T/C with brake skid control- "From 1/6/69"		1	C9SZ 14401-R
70	S-without A/T/C	Without intermittent wipers	1	D0SZ 14401-A
70	S-with A/T/C	Without intermittent wipers	1	D0SZ 14401-B
70	S-without A/T/C	With intermittent wipers	1	D0SZ 14401-C
70	S-with A/T/C	With intermittent wipers	1	D0SZ 14401-D
70	S-without A/T/C "Before 12/1/69"	With hydro wipers	1	D0SZ 14401-BN
70	S-without A/T/C "From 12/1/69 to 1/19/70"	With hydro wipers	1	D0SZ 14401-BS
70	S-without A/T/C "From 1/19/70 to 3/16/70"	With hydro wipers	1	D0SZ 14401-BX
70	S-without A/T/C "From 3/16/70 to 5/1/70"	With hydro wipers	1	D0SZ 14401-BZ
70	S-without A/T/C "From 5/1/70	With hydro wipers	1	D0SZ 14401-CB
70	S-with A/T/C "Before 12/1/69"	With hydro wipers	1	D0SZ 14401-BP
70	S-with A/T/C "From 12/1/69 to 1/19/70	With hydro wipers	1	D0SZ 14401-BU
70	S-with A/T/C "From 1/19/70 to 3/16/70"	With hydro wipers	1	D0SZ 14401-BY
70	S-with A/T/C "From 3/16/70"	With hydro wipers	1	D0SZ 14401-CA
71	S-without A/T/C		1	D1SZ 14401-C
71	S-with A/T/C		1	D1SZ 14401-D
72	S-without A/T/C - except California - "Before 11/1/71"		1	D2SZ 14401-A
72	S-without A/T/C - except California - "From 11/1/71"		1	D2SZ 14401-E
72	S-without A/T/C - California - "Before 11/1/71"		1	D2SZ 14401-C
72	S-without A/T/C - California - "From 11/1/71"		1	D2SZ 14401-G

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14401 WIRING ASSY. - INSTRUMENT PANEL TO DASH PANEL - continued -			
		See Identification Chart at beginning of Group		
	- S -			
72	S-with A/T/C - except California - "Before 11/1/71"		1	D2SZ 14401-B
72	S with A/T/C - except California - "From 11/1/71"		1	D2SZ 14401-F
72	S-with A/T/C - California "Before 11/1/71"		1	D2SZ 14401-D
72	S-with A/T/C - California "From 11/1/71"		1	D2SZ 14401-H
	- U -			
66	U		1	C6TZ 14401-AU
66	U	Used with 55 amp. Ford alternator	1	C6TZ 14401-DY
67	U "Before Ser. A42,001"	Used with 38 or 45 amp. Ford alternator	1	★C7TZ 14401-CA
67	U "From Ser. A42,001"	Used with 38 or 45 amp. Ford alternator	1	C7TZ 14401-DV
67	U "Before Ser. A42,001"	Used with 55 amp. Ford alternator	1	★C7TZ 14401-CB
67	U "From Ser. A42,001"	Used with 55 amp. Ford alternator	1	★C7TZ 14401-DY
68	U	Used with 38 or 45 amp. Ford alternator	1	C8TZ 14401-DB
68	U	Used with 55 amp. Ford alternator	1	★C8TZ 14401-DC
69	U "Before Ser. E24,001"	Used with 38 or 45 amp. alternator	1	C9TZ 14401-A
69	U "From Ser. E24,001"	Used with 38 or 45 amp. Ford alternator	1	C9TZ 14401-AY
69	U "Before Ser. E24,001"	Used with 55 amp. Ford alternator	1	C9TZ 14401-B
69	U "From Ser. E24,001"	Used with 55 amp. Ford alternator	1	C9TZ 14401-AZ
70	U "Before Ser. H50,001"	Used with 38 or 45 amp. Ford alternator	1	D0BZ 14401-A
70	U "Before Ser. H50,001"	Used with 55 amp. Ford alternator	1	D0BZ 14401-B
70	U "From Ser. H50,001"	Used with 38, 45 or 55 amp. alternator	1	D0BZ 14401-E
71/72	U "Before Ser. P60,001"		1	D1BZ 14401-A
72	U "From Ser. P60,001"		1	D3BZ 14401-A
	- X -			
67	X-except A/C		1	C7DZ 14401-C
67	X-with A/C	Not replaced	1	★C7DZ 14401-D
68	X		1	C8DZ 14401-A
69/70	X		1	C9DZ 14401-E
65/	A	Screw (wiring to instru. cluster)-No. 8-32 x 3/8"	1	★40904-S8
65/	A	Screw(wiring & clip 377691-S to instrument panel) No. 10-12 x 1/2"	1	42127-S8(U248C)
65/	S	Screw (wiring to instrument panel)	1	
65/	A, S	Lockwasher - No. 10	AR	34903-S8 (X96)
65/	A	Screw (wiring and clip 377846-S to brake pedal support)-No. 10-16 x 3/8"	1	42120-S8(U248)
65/	A	Clip(wiring instr. panel)	1	★377691-S7
65/	A	Clip(wiring & junction block to instrument panel)	1	★376801-S
65	A	Screw (wiring and clip 370805-S100 to side cowl panel)-No. 10-16 x 3/8"	1	42120-S8(U248)
65/	A	Nut (wiring and clip 377692-S to instrument cluster)-No. 10-24	2	34053-S8(M156)
65/	A	Clip	AR	★377846-S
65/	A	Clip	2	★377692-S
65/	A	Flat washer-No. 10	3	44713-S8(X13)
65	A "Before 3/1/65"	Nut (wiring and clip 379962-S to instrument panel)-No. 8-32	3	45253-S7-8(M176)
65/66	A "From 3/1/65"	Nut (wiring and clip 379962-S to instrument panel)-No. 10-24	3	359606-S8 (MM291A)
65/66	A	Clip	3	379962-S(GG257)
66	A	Clip (wiring to R. H. & L. H. inner cowl panel)	4	★370805-S100
66	B, X-with S/T or O/D	Clip (wiring to steering column bracket)	1	
69	A	Clip (wiring to side cowl panel)	1	358350-S(GG172)
71	A	Clip (attach wiring to heater)	AR	384007-S(GG369)
70	A	Screw (wiring to starter)-No. 8-15 x 1/2"	1	52012-S(U202)
70/	A	Screw (attach wiring to windshield wiper motor at dash panel)-No. 8-18 x 1/2"	AR	
70	B	Attach wiring to air register control	AR	
70	A	Clip (wiring to starter solenoid)	1	376219-S(GG151)
71	A	Clip (attach wiring to instrument panel)	1	
70/	A	Screw-1/4-14 x 1/2" (wiring to instrument panel)	AR	55981-S(U254E)
70/	A	Clip (wiring to stop lamp switch)	AR	383182-S(GG359)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14401 WIRING ASSY. - INSTRUMENT PANEL TO DASH PANEL - continued - See Identification Chart at beginning of Group			
70/	A	Clip (wiring to instrument panel)	AR	382932-S(GG338C)
71	A	Clip (attach wiring to brake pedal support)	AR	384386-S(GG271A)
71	A	Clip-No. 8-18 (attach wiring to instrument panel)	AR	384246-S(GG339A)
70/	A	Strap (attach wiring to cluster)	AR	383313-S(YY6)
71	A	Clip (wiring to dash panel)	AR	372172-S(GG228)
65	B	Screw (wiring & junction block to instrument cluster)-No. 8-18 x 3/8"	1or2	52720-S8(U380)
65	B-with A/C	Screw (wiring & junction block to lower flange of instrument panel)-No. 10-32 x 3/4"	2	★50535-S8
65	B	Screw (wiring and clip 376189-S to panel-dash)	1	42120-S8(U248)
65	B-with A/C	Clip (wiring to instr. panel lower flange)	2	★377846-S
65	B-except A/C	Clip	2	★376118-S
65	B	Clip	1	★376189-S
65/	B	Lockwasher-No. 10	1	34903-S8(X96)
70	B	Screw-No.8-15 x 1"(attach wiring to brake suppt.)	AR	42151-S(U247)
65/	B	Clip(wiring & junction block to cowl top inner panel)	1	★370805-S100
65/	A	Clip (wiring to cowl side panel)	1	
65/	B	Nut(wiring and clip 370805-S to cowl top inner panel) No. 10-24	1	34053-S8(M156)
66	B,X "Before 3/1/66"	Nut (wiring and clip 380725-S to vacuum booster) -5/16"-18 x 1/2"	2	33797-S7(M50)
66	B,X "Before 3/1/66"	Clip	2	★380725-S
66	B,X "From 3/1/66"	Clip	1	★377943-S
66	B,X	Clip	1	★380752-S
66	B,X	Clip (wiring to speaker opening in instrument panel)-attach with existing parts	2	★380755-S
66	B,X-with S/T or O/D	Screw (wiring and clip 370805-S100 to steering column bracket)-No. 10-12 x 1/2"	1	42127-S8(U248C)
66	B,X "From 3/1/66"	Screw (wiring, windshield washer hose & clip 377943-S to cowl top panel)	1	
66	B,X	Screw (wiring and clip 380752-S to instrument panel)	1	
66/	B,X	Strap	AR	376914-S(YY2)
68/	B,X	Clip (wiring to inst. panel bracket)	AR	382033-S100 (GG303)
70	B	Clip (wiring to brake pedal support)	AR	382194-S(GG305)
65/	B	Nut (wiring to ignition switch)-No. 10-32	1	34079-S7(M163)
71	B	Screw-No. 10-12 x 5/8"(attach clock ground wire)	1	42014-S(U240)
		Lockwasher-No. 10	AR	34939-S8(X86)
		Flat washer-No. 10	1	44713-S8(X13)
71	B	Clip (attach wiring to dash panel)	AR	372172-S(GG228)
65	F(except 76-with power top)	Clip (wiring to instrument panel brace)	3	★377986-S
65	F "Before 9/29/64"	Nut (wiring and clip 377904-S to cowl top inner panel)-No. 10-24	1	34053-S8(M156)
65/	F "From 9/29/64"	Nut (wiring & shield to cowl top)	1	
65/	F	Lockwasher-No. 10	1	34903-S8(X96)
65	F	Screw (wiring to instrument panel brace)-No. 10-12 x 1/2"	1	52727-S8(U382)
65/	F "From 9/29/64"	Screw (wiring and clip 370805-S100 to vent air outlet duct)-No. 8-18 x 3/8"	1	376378-S101(UU97
65/	F	Screw (wiring & clip 370805-S100 to cowl top inner panel)	AR	42127-S8(U248C)
65	F "Before 9/29/64"	Clip	1	★377904-S
65/	F "From 9/29/64"	Clip	1	★370805-S100
65/	F	Clip (wiring to wiper motor bracket)	1	372047-S100
66	F	Clip (wiring to R. H. cowl side panel)	1	(GG217)
66	F	Wiring to L. H. cowl side panel)	1	★377986-S
65/	F	Clip (wiring to instrument panel lower flange)	4	★376118-S
66	F	Clip (wiring to brake pedal support)	1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14401 WIRING ASSY. - INSTRUMENT PANEL TO DASH PANEL - continued			
		See Identification Chart at beginning of Group		
67	F	Clip (wiring to cowl top panel)	1	352369-S100(GG26)
68	F	Clip (wiring to cowl top panel)	1	382193-S100 (GG293)
70/	F	Clip (wiring to instrument panel)	AR	383207-S(GG271)
70	F	Clip (wiring to cowl panel)	AR	382184-S(GG304)
70	F	Clip (wiring to instrument panel)	2	382185-S(GG283)
71	F	Clip(attach wiring to fender apron)	2	383477-S(GG271C)
71	F	Clip (attach wiring to instrument panel)	AR	382033-S(GG303)
71	F	Clip (attach wiring to fuse panel)	AR	358350-S(GG172)
70	P	Nut 1/4"-20 (wiring to clip)	AR	33795-S(M49)
70	P	Clip (wiring to brake pedal support)	AR	377599-S(GG262)
70	P	Clip (wiring to roof side)	AR	382931-S(GG338)
70/	P	Clip (wiring to dash panel)	AR	372172-S(GG228)
65	S	Clip (wiring to instrument cluster)	2	★372888-S100
65/	S	Lockwasher-1/4"	1	34940-S7(X88)
65/	S	Screw(wiring to brake pedal suppt.)-1/4"-20 x 5/8"	1	★39894-S
65/	S	Strap (wiring harness retaining)	2	376914-S(YY2)
65/	S	Bolt & clip (wiring to instrument panel)-No. 10-24	3	372719-S100 (BB643)
65/	S	Nut (wiring to instrument panel)-No. 10-24	3	45243-S7-8(M178)
65	S "Before 11/20/64"	Clip (wiring to instrument cluster)	4	★378610-S
65/	S "From 11/20/64"	Clip (wiring to instrument cluster)	4	★380319-S
65/	S	Clip (wiring to instrument panel)	3	★377719-S
70	S	Clip (wiring to instrument panel)	8	384008-S100 (GG368)
70/	S	Clip (attach wiring to instrument panel)	AR	383312-S(GG271B)
70	S	Screw-No.8-15 x 5/8"(attach ground wire of 14401 to instrument panel)	2	52554-S(U230)
70	S	Clip(attach wiring to instrument panel)	3	376219-S(GG151)
71	S	Clip-attach wiring to 01508 brake support	1	372172-S(GG228)
71	S	Clip (attach wiring to fender apron)	2	383207-S(GG271)
66/	U	Strap(attach wiring to fender shield)	AR	376914-S(YY2)
68	U	Clip (wiring to lower instrument panel)	1	380668-S100 (GG221A)
68	U	Nut 1/4" -20 (Clip to wiring to lower instrument panel)	1	45234-S7(M179)
69	U	Strap(attach wiring to speedometer cable)	1	383313-S(YY6)
71	U	Screw-1/4"-20 x 3/4"(attach wiring to lower instrument panel)	AR	38294-S(U141)
71	U	Nut-1/4"-20(attach wiring to lower instru.panel)	AR	33920-S(M25)
71	U	Screw-No.8-32 x 13/16"(attach wiring to instrument panel)	AR	354988-S(BB635)
71	U	Nut-No.8-32(attach wiring to instrument panel)	AR	34052-S(M155)
71	U	Screw-No.8-15 x 1/2"(wiring to dash panel)	8	52012-S(U202)
71	U	Clip(wiring to fuse panel)	1	376219-S(GG151)
71	U	Screw-1/4"-14 x 1/2"(attach clip to shield)	AR	55981-S(J254E)
71	U	Nut-No.10-24(wiring to fuse panel)	1	34053-S(M156)
71	U	Strap-adjustable(attach wiring to shield)	AR	382175-S(GG289)
71/	U	Clip(attach wiring to instrument cluster)	AR	381921-S(GG330)
71/	U	Clip(attach wiring to lower instrument panel)	AR	
65/70	X	Clip (wiring to instrument cluster)	2	353547-S2(GG173)
65/70	X	Clip (wiring to instrument cluster)	2	372861-S100(GG68)
65	X	Screw (wiring and clip 370805-S100 to brake pedal support)-No. 10-12 x 1/2"	1	42127-S8(U248C)
65/66	X	Clip	1	★370805-S100
65	X	Clip	1	★370409-S100
65/70	X	Nut (wiring and clip 370409-S100 or 370805-S100 to cowl top inner panel)-No. 10-24	1	34053-S8(M156)
65/70	X	Lockwasher-No. 10	1	34903-S8(X96)
	14A403 PAD - WINDOW REGULATOR SAFETY RELAY			
67/	S-with power windows	Rubber.	1	C7SZ 14A403-A

14401 WIRING ASSY. - INSTRUMENT PANEL TO DASH PANEL - continued

See Identification Chart at beginning of Group

14405 WIRING ASSY. - REAR LAMP

WIRING LOOM MARKING or TAG NUMBER TO SERVICE WIRING PART NUMBER GUIDE FOR 1965 and SUBSEQUENT MODELS

The purpose of this guide is to facilitate the identification of the Service Wiring Part Number. The chart that follows lists in numerical sequence the Wiring Loom Markings or Tag Numbers for 1965 and subsequent model vehicles. For many vehicles the Service Wiring Part Number will be the same as the Loom Marking or Tag Part Number. This type of replacement will cause little or no installation problems. However, when the Service Wiring differs from the Loom Marking or Tag Number it will be necessary to match lead wires and to tape up those lead wires which are not required. This is necessary when the Service Wiring has a more general application than the original wiring installed by the factory. Following this guide chart, Service Wiring Part Numbers are listed by model year and vehicle usage which will permit the identification of replacement wiring when the loom identification marking or tag number is not known.

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
S8ZS 13A449-A	C8ZZ 14405-C
C9SX 13A455-A	C9ZZ 14405-J
C4ZB 14405-B	★C5ZZ 14405-B
C5AB 14405-H	★C5AZ 14405-B
C5AB 14405-K	★C5AZ 14405-E
C5AB 14405-M	★C5AZ 14405-C
C5AB 14405-N	★C5AZ 14405-F
C5DB 14405-AG	★C5DZ 14405-AH
C5DB 14405-AH	★C5DZ 14405-AH
C5DB 14405-AJ	★C5DZ 14405-AM
C5DB 14405-AK	★C5DZ 14405-AM
C5DB 14405-AL	★C5DZ 14405-AM
C5DB 14405-AM	★C5DZ 14405-AM
C5OB 14405-F	★C5OZ 14405-B
C5OB 14405-H	★C5OZ 14405-D
C5SB 14405-G	★C5SZ 14405-A
C5SB 14405-H	★C5SZ 14405-B
C5SB 14405-J	★C5SZ 14405-C
C5SB 14405-K	★C5SZ 14405-D
C5SB 14405-L	★C5SZ 14405-L
C5SB 14405-M	★C5SZ 14405-M
C5SB 14405-S	★C5SZ 14405-S
C5SB 14405-T	★C5SZ 14405-T
C5SB 14405-U	★C5SZ 14405-U
C5SB 14405-V	★C5SZ 14405-V
C5ZB 14405-F	★C5ZZ 14405-D
C5ZB 14405-K	★C5ZZ 14405-C
C6AB 14405-B	★C6AZ 14405-B
C6AB 14405-C	C6AZ 14405-E
C6AB 14405-D	★C6AZ 14405-D
C6AB 14405-E	C6AZ 14405-E
C6AB 14405-F	★C6AZ 14405-F
C6AB 14405-G	C6AZ 14405-E
C6AB 14405-H	★C6AZ 14405-H
C6AB 14405-J	C6AZ 14405-E
C6AB 14405-L	C6AZ 14405-M
C6AB 14405-M	C6AZ 14405-M
C6AB 14405-U	C6AZ 14405-E
C6AB 14405-V	C6AZ 14405-E
C6AB 14405-Y	★C6AZ 14405-B
ED-C6AB 14405-AB	★C6AZ 14405-F
ED-C6AB 14405-AC	★C6AZ 14405-H
C6DB 14405-A	C6DZ 14405-J
C6DB 14405-B	C6DZ 14405-J
C6DB 14405-E	★C6DZ 14405-F
C6DB 14405-F	★C6DZ 14405-F
C6DB 14405-G	C6DZ 14405-J
C6DB 14405-H	★C6DZ 14405-F
C6DB 14405-J	C6DZ 14405-J
C6OB 14405-A	C6OZ 14405-B
C6OB 14405-B	C6OZ 14405-B

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C6OB 14405-C	C6OZ 14405-B
C6OB 14405-E	★C6OZ 14405-F
C6OB 14405-F	★C6OZ 14405-F
C6OB 14405-H	★C6OZ 14405-F
C6SB 14405-A	★C6SZ 14405-A
C6SB 14405-D	★C6SZ 14405-D
C6SB 14405-S	★C6SZ 14405-S
C6SB 14405-V	★C6SZ 14405-V
C6TB 14405-B	★C6TZ 14405-C
C6TB 14405-C	★C6TZ 14405-C
C6ZB 14405-J	★C6ZZ 14405-J
C6ZB 14405-K	★C6ZZ 14405-K
-ED-C6ZB 14405-D	★C6ZZ 14405-K
★C7AB 14405-H	★C7AZ 14405-A
C7AB 14405-J	★C7AZ 14405-B
C7AB 14405-K	★C7AZ 14405-C
C7AB 14405-L	★C7AZ 14405-D
C7AB 14405-M	★C7AZ 14405-M
C7AB 14405-N	★C7AZ 14405-N
C7DB 14405-A	★C7DZ 14405-A
C7OB 14405-A	★C7OZ 14405-A
C7OB 14405-B	C7OZ 14405-B
C7OB 14405-G	★C7OZ 14405-A
C7OB 14405-H	C7OZ 14405-B
C7SB 14405-C	★C7SZ 14405-B
C7SB 14405-G	★C7SZ 14405-G
C7TB 14405-V	C7TZ 14405-N
C7ZB 14405-A	★C7ZZ 14405-K
C7ZB 14405-B	★C7ZZ 14405-K
C7ZB 14405-C	★C7ZZ 14405-C
C7ZB 14405-D	★C7ZZ 14405-D
C7ZB 14405-J	★C7ZZ 14405-J
C7ZB 14405-K	★C7ZZ 14405-K
C8AB 14405-A	★C8AZ 14405-AZ
C8AB 14405-B	C8AZ 14405-B
C8AB 14405-C	★C8AZ 14405-AV
C8AB 14405-D	★C8AZ 14405-D
C8AB 14405-E	★C8AZ 14405-E
C8AB 14405-F	★C8AZ 14405-F
C8AB 14405-G	★C8AZ 14405-AV
C8AB 14405-H	★C8AZ 14405-D
C8AB 14405-J	★C8AZ 14405-AZ
C8AB 14405-K	C8AZ 14405-B
C8AB 14405-L	★C8AZ 14405-E
C8AB 14405-M	★C8AZ 14405-AZ
C8AB 14405-N	★C8AZ 14405-F
C8AB 14405-R	★C8AZ 14405-AV
C8AB 14405-S	★C8AZ 14405-D
C8AB 14405-T	C8AZ 14405-B
C8AB 14405-U	★C8AZ 14405-E
C8AB 14405-V	★C8AZ 14405-AZ
C8AB 14405-Y	★C8AZ 14405-F

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

14405 WIRING ASSY. - REAR LAMP - continued

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C8AB 14405-Z	★C8AZ 14405-AV
C8AB 14405-AA	★C8AZ 14405-D
C8AB 14405-AB	C8AZ 14405-B
C8AB 14405-AC	★C8AZ 14405-E
C8AB 14405-AD	★C8AZ 14405-AZ
C8AB 14405-AL	★C8AZ 14405-F
C8AB 14405-AM	★C8AZ 14405-AV
C8AB 14405-AR	C8AZ 14405-B
C8AB 14405-AS	★C8AZ 14405-E
C8AB 14405-AT	★C8AZ 14405-AZ
C8AB 14405-AU	★C8AZ 14405-AU
C8AB 14405-AV	★C8AZ 14405-AV
C8AB 14405-AY	★C8AZ 14405-AY
C8AB 14405-AZ	★C8AZ 14405-AZ
C8DB 14405-A	★C8DZ 14405-L
C8DB 14405-B	★C8DZ 14405-M
C8DB 14405-J	★C8DZ 14405-L
C8DB 14405-K	C8DZ 14405-B
C8DB 14405-L	★C8DZ 14405-L
C8DB 14405-M	★C8DZ 14405-M
C8OB 14405-A	★C8OZ 14405-C
C8OB 14405-B	★C8OZ 14405-D
C8OB 14405-C	★C8OZ 14405-C
C8OB 14405-D	★C8OZ 14405-D
C8OB 14405-E	★C8OZ 14405-E
C8OB 14405-F	★C8OZ 14405-F
C8OB 14405-G	★C8OZ 14405-C
C8OB 14405-H	★C8OZ 14405-D
C8OB 14405-J	★C8OZ 14405-F
C8OB 14405-K	★C8OZ 14405-C
C8OB 14405-L	★C8OZ 14405-D
C8OB 14405-M	★C8OZ 14405-E
C8OB 14405-N	★C8OZ 14405-C
C8OB 14405-R	★C8OZ 14405-D
C8OB 14405-S	★C8OZ 14405-F
C8OB 14405-U	★C8OZ 14405-C
C8OB 14405-Z	★C8OZ 14405-D
C8SB 14405-A	★C8SZ 14405-A
C8SB 14405-B	★C8SZ 14405-A
C8SB 14405-G	★C8SZ 14405-G
C8TB 14405-CM	C7TZ 14405-N
C8ZB 14405-A	★C8ZZ 14405-A
C8ZB 14405-B	★C8ZZ 14405-F
C8ZB 14405-C	★C8ZZ 14405-A
C8ZB 14405-D	★C8ZZ 14405-F
C8ZB 14405-E	★C8ZZ 14405-E
C8ZB 14405-F	★C8ZZ 14405-F
C8ZX 14405-A	★C8ZZ 14405-C
C9AB 14405-A	C9AZ 14405-L
C9AB 14405-B	C9AZ 14405-M
C9AB 14405-C	C9AZ 14405-C
C9AB 14405-D	C9AZ 14405-D
C9AB 14405-J	C9AZ 14405-C
C9AB 14405-K	C9AZ 14405-D
C9AB 14405-L	C9AZ 14405-L
C9AB 14405-M	C9AZ 14405-M
C9AB 14405-S	C9AZ 14405-C
C9AB 14405-T	C9AZ 14405-D
ED-C9AB 14405-N	C9AZ 14405-L
ED-C9AB 14405-R	C9AZ 14405-M
C9DB 14405-B	C9DZ 14405-A
C9OB 14405-F	C9OZ 14405-F
C9OB 14405-G	C9OZ 14405-G
C9OB 14405-H	C9OZ 14405-C
C9OB 14405-K	C9OZ 14405-K
C9OB 14405-L	C9OZ 14405-C
C9SB 14405-B	C9SZ 14405-A
C9SB 14405-C	C9SZ 14405-C
C9SB 14405-E	C9SZ 14405-E
C9SB 14405-F	C9SZ 14405-E
ED-C9SB 14405-E	C9SZ 14405-E

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C9WB 14405-R	C9WY 14405-B
C9ZB 14405-C	C9ZZ 14405-A
C9ZB 14405-D	C9ZZ 14405-B
C9ZB 14405-E	C9ZZ 14405-A
C9ZB 14405-F	C9ZZ 14405-B
D0AB 14405-Z	D0AZ 14405-AD
D0AB 14405-AA	D0AZ 14405-D
D0AB 14405-AD	D0AZ 14405-AD
D0AB 14405-AE	D0AZ 14405-AE
D0AB 14405-AH	D0AZ 14405-A
D0AB 14405-AJ	D0AZ 14405-B
D0AB 14405-AK	D0AZ 14405-A
D0AB 14405-AL	D0AZ 14405-B
D0AB 14405-AP	D0AZ 14405-AE
D0AB 14405-AR	D0AZ 14405-AD
D0AB 14405-AX	D0AZ 14405-B
D0AB 14405-AY	D0AZ 14405-A
ED-D0AB 14405-AS	D0AZ 14405-B
ED-D0AB 14405-AT	D0AZ 14405-A
D0BB 14405-A	D0BZ 14405-A
D0DB 14405-G	D0DZ 14405-G
D0DB 14405-H	D0DZ 14405-G
ED-D0DB 14405-B	D0DZ 14405-C
ED-D0DB 14405-F	D0DZ 14405-C
ED-D0DB 14405-G	D0DZ 14405-C
D0OB 14405-L	D0OZ 14405-S
D0OB 14405-P	D0OZ 14405-B
D0OB 14405-S	D0OZ 14405-S
D0OB 14405-T	D0OZ 14405-B
D0OB 14405-U	D0OZ 14405-S
D0SB 14405-N	D0SZ 14405-Y
D0SB 14405-P	D0SZ 14405-Z
D0SB 14405-R	D0SZ 14405-AA
D0SB 14405-S	D0SZ 14405-AB
D0SB 14405-Y	D0SZ 14405-Y
D0SB 14405-Z	D0SZ 14405-Z
D0SB 14405-AA	D0SZ 14405-AA
D0SB 14405-AB	D0SZ 14405-AB
D0SB 14405-AC	D0SZ 14405-AC
D0SB 14405-AE	D0SZ 14405-AE
D0SB 14405-AF	D0SZ 14405-AF
D0SB 14405-AH	D0SZ 14405-AD
D0SB 14405-AJ	D0SZ 14405-AF
D0SB 14405-AK	D0SZ 14405-AE
ED-D0SB 14405-AL	D0SZ 14405-AD
ED-D0SB 14405-AM	D0SZ 14405-AC
D0ZB 14405-V	D0ZZ 14405-U
D0ZB 14405-X	D0ZZ 14405-U
ED-D0ZB 14405-S	D0ZZ 14405-B
ED-D0ZB 14405-T	D0ZZ 14405-U
D1AB 14405-AB	D1AZ 14405-A
D1AB 14405-BB	D1AZ 14405-B
D1AB 14405-CD	D1AZ 14405-C
D1AB 14405-DB	D1AZ 14405-D
D1AB 14405-EB	D1AZ 14405-E
D1AB 14405-FC	D1AZ 14405-F
D1BB 14405-AA	D1BZ 14405-A
D1DB 14405-BA	D1DZ 14405-B
D1OB 14405-AA	D1OZ 14405-A
D1OB 14405-BA	D1OZ 14405-B
D1SB 14405-EC	D1SZ 14405-L
D1SB 14405-ED	D1SZ 14405-L
D1SB 14405-FC	D1SZ 14405-M
D1SB 14405-FD	D1SZ 14405-M
D1SB 14405-GB	D1SZ 14405-G
D1SB 14405-GC	D1SZ 14405-G
D1SB 14405-HB	D1SZ 14405-C
D1SB 14405-HC	D1SZ 14405-H
D1SB 14405-JB	D1SZ 14405-J

14405 WIRING ASSY. - REAR LAMP - continued

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
D1SB 14405-JC	D1SZ 14405-J
D1SB 14405-KB	D1SZ 14405-B
D1SB 14405-KC	D1SZ 14405-K
D1ZB 14405-AD	D1ZZ 14405-B
D1ZB 14405-AF	D1ZZ 14405-A
D1ZB 14405-AG	D1ZZ 14405-C
D12B 14405-AD	D1FZ 14405-A
D12B 14405-BC	D1FZ 14405-B
D2AB 14405-AB	D2AZ 14405-A
D2AB 14405-AD	D2AZ 14405-A
D2AB 14405-CC	D2AZ 14405-C
D2AB 14405-CE	D2AZ 14405-C
D2AB 14405-DA	D2AZ 14405-D
D2AB 14405-DC	D2AZ 14405-D
D2AB 14405-EA	D2AZ 14405-E
D2AB 14405-EC	D2AZ 14405-E
D2AB 14405-FA	D2AZ 14405-F
D2AB 14405-GA	D2AZ 14405-G
D2AB 14405-HA	D2AZ 14405-H
D2AB 14405-JA	D2AZ 14405-J
D2DB 14405-AA	D2DZ 14405-A
D2OB 14405-AF	D2OZ 14405-A
D2OB 14405-AJ	D2OZ 14405-H
D2OB 14405-AK	D2OZ 14405-H
D2OB 14405-CD	D2OZ 14405-C
D2OB 14405-CE	D2OZ 14405-C
D2OB 14405-DD	D2OZ 14405-D
D2OB 14405-EE	D2OZ 14405-E
D2OB 14405-EF	D2OZ 14405-E
D2OB 14405-FF	D2OZ 14405-F
D2OB 14405-GH	D2OZ 14405-G
D2OB 14405-GL	D2OZ 14405-J
D2OB 14405-GM	D2OZ 14405-J
D2SB 14405-AC	D2SZ 14405-A
D2SB 14405-AF	D2SZ 14405-B
D2SB 14405-BA	D2SZ 14405-C
D2SB 14405-BB	D2SZ 14405-C
D22B 14405-AB	D2FZ 14405-A
ED-D22B 14405-AB	D2FZ 14405-A
D22B 14405-AD	D2FZ 14405-C
D22B 14405-BA	D2FZ 14405-B
D3BB 14405-AA	D3BZ 14405-A
D3DB 14405-AA	D3DZ 14405-A
D3SB 14405-AA	D3SZ 14405-A
D3SB 14405-BA	D3SZ 14405-B
S9MS 14L405-A	C9ZZ 14405-J

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14405 WIRING ASSY. - REAR LAMP - continued			
	- A -			
66	A(71A, E) "Before 1/17/66"		1	*C6AZ 14405-E
66	A(71B, C, D)-except with 3 speed trans. & back up lamps- "Before 1/17/66"		1	
66	A(71A, B, C, D, E) "From 1/17/66"		1	*C6AZ 14405-M
68	A(54, 57, 62, 63, 65)-exc. safety convenience panel		1	C8AZ 14405-AZ
68	A(54, 57, 62, 63, 65)-w/safety convenience panel	Not replaced	1	★C8AZ 14405-AV
68	A(71)-except safety convenience panel		1	C8AZ 14405-B
68	A(71)-with safety convenience panel	Not replaced	1	★C8AZ 14405-D
68	A(76)-except safety convenience panel- "Before 4/1/68"	Not replaced	1	★C8AZ 14405-E
68	A(76)-except safety convenience panel- "From 4/1/68"	Not replaced	1	★C8AZ 14405-AY
68	A(76)-with safety convenience panel- "Before 4/1/68"	Not replaced	1	★C8AZ 14405-F
68	A(76)-with safety convenience panel- "From 4/1/68"	Not replaced	1	★C8AZ 14405-AU
69	A(exc. 71)-exc. safety convenience panel		1	C9AZ 14405-L
69	A(71)-except safety convenience panel		1	C9AZ 14405-C
69	A(exc. 71)-with safety convenience panel		1	C9AZ 14405-M
69	A(76)-with or without safety convenience panel		1	
69	A(71)-with safety convenience panel		1	C9AZ 14405-D
70	A(exc. 71)-without safety convenience package		1	D0AZ 14405-A
70	A(exc. 71)-with safety convenience package		1	D0AZ 14405-B
70	A(71)-with safety convenience package- "Before 10/15/69"		1	D0AZ 14405-D
70	A(71)-with safety convenience package- "From 10/15/69"		1	D0AZ 14405-AE
70	A(71)-without safety convenience package		1	D0AZ 14405-AD
71	A(53H, K, 57H, K, 65H, K, 76H)-exc. trailer pkg.		1	D1AZ 14405-B
71	A(53H, K, 57H, K, 65H, K, 76H)-w/trailer pkg.		1	D1AZ 14405-E
71	A(54B, D, F, 57F, 65F)-except trailer package		1	D1AZ 14405-A
71	A(54D, F, 57F, 65F)-with trailer package		1	D1AZ 14405-D
71	A(71)-except trailer package		1	D1AZ 14405-C
71	A(71)-with trailer package		1	D1AZ 14405-F

* Tape and insulate unused leads

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14405 WIRING ASSY. - REAR LAMP - continued			
	- A -			
72	A(53,54,57,65,76)-except 429 P/C "Before 10/1/71"		1	D2AZ 14405-F
72	A(53,54,57,65,76)-exc.429 P/C "From 10/1/71"		1	D2AZ 14405-A
72	A(71)-except 429 P/C "Before 10/1/71"		1	D2AZ 14405-G
72	A(71)-exc.429 P/C "From 10/1/71"		1	D2AZ 14405-C
72	A(54,57,65)-429 P/C "Before 10/1/71"		1	D2AZ 14405-H
72	A(54,57,65)-429 P/C "From 10/1/71"		1	D2AZ 14405-D
72	A(71)-429 P/C "Before 10/1/71"		1	D2AZ 14405-J
72	A(71)-429 P/C "From 10/1/71"		1	D2AZ 14405-E
	- B -			
67	B(54,62,63,76)		1	C7OZ 14405-A
67	B(66,71)	Not replaced	1	★ C7OZ 14405-B
68	B(54,65,76)-w/ or w/o safety.convenience pkg.	Not replaced	1	★*C8OZ 14405-C
68	B(66,71)-w/ or w/o safety convenience pkg.	Not replaced	1	★*C8OZ 14405-D
68	B(63)-except safety convenience package	Not replaced	1	★C8OZ 14405-E
68/69	B(63)-with safety convenience package	Not replaced	1	★C8OZ 14405-F
69	B(54,65,76)		1	C9OZ 14405-C
69	B(63)-except safety convenience package		1	C9OZ 14405-F
69	B(66,71)		1	C9OZ 14405-G
70	B(exc.66,71)		1	D0OZ 14405-S
70	B(66,71)		1	D0OZ 14405-B
71	B(except 66,71)		1	D1OZ 14405-B
71	B(66,71)		1	D1OZ 14405-A
72	B(53,63,65)-w/o trailer towing package- "Before 11/1/71"		1	D2OZ 14405-A
72	B(53,63,65) w/o trailer towing package- "From 11/1/71"		1	D2OZ 14405-H
72	B(53,63,65) with trailer towing package- "Before 11/1/71"		1	D2OZ 14405-G
72	B(53,63,65) w/trailer towing package- "From 11/1/71"		1	D2OZ 14405-J
72	B(71) w/o trailer towing package		1	D2OZ 14405-C
72	B(71) with trailer towing package		1	D2OZ 14405-E
72	B(97) w/o trailer towing package		1	D2OZ 14405-D
72	B(97) with trailer towing package		1	D2OZ 14405-F
	- F -			
68	F-except overhead console "Before 11/1/67"	Courtesy lamp to switch-fuel gauge to sender	1	C8ZZ 14405-A
68	F-except overhead console or safety convenience panel "From 11/1/67"	Courtesy lamp to switch-fuel gauge to sender	1	C8ZZ 14405-E
68	F-with overhead console and/or safety convenience panel	Courtesy lamp to switch to fuse panel-fuel gauge sender to gauge to warning relay-defogger switch to defogger motor	1	C8ZZ 14405-F
68	F(63A,C,65A,C)-with rear window defogger, and/or safety convenience panel			
68	F	For rear lamp wiring Refer to Group 13410		
68	F(65)GT-CS		1	C8ZZ 14405-C
69	F-except safety convenience package		1	C9ZZ 14405-A
69	F-with safety convenience package		1	C9ZZ 14405-B
67	F(GT350/500)	R.H. & L.H.	2	S7MS 14405-A
69	F(GT350/500)-ground		1	C9ZZ 14405-J
69	F(GT350/500)		1	C9WY 14405-B
70	F(6 & 8 cyl.302-4V Boss 351-390-4V,428CJ) with visibility light group "Before 12/15/69"		1	D0ZZ 14405-B
70	F "From 12/15/69"		1	D0ZZ 14405-U
71	F "Before 11/1/70"		1	D1ZZ 14405-A
71/72	F "From 11/1/70 to 10/18/71"		1	D1ZZ 14405-B
72	F "From 10/18/71"	Includes (1) D1ZZ 15B411-A wire	1	D1ZZ 14405-C
	- L -			
71/72	L(62) "Before 11/1/71"		1	D1FZ 14405-A
72	L(62) "From 11/1/71"		1	D2FZ 14405-B
71/	L(64)		1	D1FZ 14405-B
72	L(73)		1	D3FZ 14405-B

* Tape & insulate unused leads

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14405 WIRING ASSY. - REAR LAMP - continued			
	- P -			
70	P "Before 10/1/69"		1	D0DZ 14405-C
70	P "From 10/1/69"		1	D0DZ 14405-G
71	P		1	D1DZ 14405-B
72	P "Before 6/15/72"		1	D2DZ 14405-A
72	P "From 6/15/72"		1	D3DZ 14405-A
	- S -			
67	S "Before 1/3/67"		1	C7SZ 14405-B
67	S "From 1/3/67"		1	C7SZ 14405-G
68	S	Not replaced	1	★C8SZ 14405-A
69	S-with auxiliary stop lamps	Not replaced	1	★C8SZ 14405-G
69	S-w/o aux. stop lamps "Before 10/15/68"		1	C9SZ 14405-A
69	S(without auxiliary stop lamps)- "From 10/15/68 to 11/18/68"		1	C9SZ 14405-C
69	S-w/o aux. stop lamps "From 11/18/68"		1	C9SZ 14405-E
70	S(57) -w/o brake skid control "Before 5/1/70"		1	D0SZ 14405-Z
70	S(57)-w/o brake skid control "From 5/1/70"		1	D0SZ 14405-AF
70	S(57)-w/brake skid control "Before 3/16/70"		1	D0SZ 14405-AB
70	S(57)-w/brake skid control "From 3/16/70"		1	D0SZ 14405-AD
70	S(65)-w/o brake skid control "Before 5/1/70"		1	D0SZ 14405-Y
70	S(65)-w/o brake skid control "From 5/1/70"		1	D0SZ 14405-AE
70	S(65)-w/brake skid control "Before 3/16/70"		1	D0SZ 14405-AA
70	S(65)-w/brake skid control "From 3/16/70"		1	D0SZ 14405-AC
71	S(65A, C)-without brake skid control-with power windows		1	D1SZ 14405-J
71	S(65-without brake skid control-without power windows		1	D1SZ 14405-L
71	S(65A, C)-with brake skid control-with power windows "Before 10/15/70"		1	D1SZ 14405-C
71	S(65A, C)-with brake skid control-with power windows "From 10/15/70"		1	D1SZ 14405-H
71	S(65-with brake skid control-without power windows		1	D1SZ 14405-M
71	S(57)-w/o brake skid control "Before 10/15/70"		1	D1SZ 14405-B
71	S(57)-w/o brake skid control "From 10/15/70"		1	D1SZ 14405-K
71	S(57)-w/brake skid control		1	D1SZ 14405-G
72	S "Before 11/1/71"		1	D2SZ 14405-A
72	S-w/o trailer towing pkg.- "From 11/1/71 to 4/1/72"		1	D2SZ 14405-B
72	S-w/o trailer towing pkg. "From 4/1/72"		1	D3SZ 14405-A
72	S-w/trailer towing pkg. "Before 4/1/72"		1	D2SZ 14405-C
72	S-w/trailer towing pkg. "From 4/1/72"		1	D3SZ 14405-B
	- U -			
67/69	U		1	C7TZ 14405-N
70	U		1	D0BZ 14405-A
71/72	U "Before Ser.P40,001"		1	D1BZ 14405-A
72	U "From Ser.P40,001"		1	D3BZ 14405-A
	- X -			
66	X(54, 62)		1	C6DZ 14405-J
66	X(66, 71)	Used with or without backup lamps-not replaced	1	★*C6DZ 14405-F
67	X(54, 62)		1	C7DZ 14405-A
67	X(71)	Not replaced	1	★ C7OZ 14405-B
68	X(54, 62)-except safety convenience panel	Not replaced	1	★C8DZ 14405-L
68	X(54, 62)-with safety convenience panel	Not replaced	1	★C8DZ 14405-M
68	X(71)	Not replaced	1	★C8OZ 14405-D
69/70	X(exc. 71)		1	C9DZ 14405-A
69/70	X(71)		1	C9OZ 14405-G
69	A(71)	Clip-wiring attach rear lamp wiring to rear quarter panel (L. H. side)	AR	382931-S(GG338)
71	P	Clip (attach wiring to roof side rail	2	

* Tape & insulate unused leads

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14405 WIRING ASSY. - REAR LAMP - continued			
70	A(71)	Clip(wiring to L. H. quarter rail)	3	383207-S(GG271)
65	F	Clip (wiring to cowl side pillar)	3	372047-S100(GG217)
65	F	Screw (wiring and clip)	2	42127-S8(U248C)
66	S			
71	A(71),B	Screw-No.8-5 x 1/2" (attach locator on wiring to quarter pillar lower back panel and rear seat riser)	AR	52012-S(U202)
70/	B	Attach ground wire of 14405 to lower back panel	AR	
70/	F	Attach ground wire to luggage compartment striker bracket	AR	
70/	S	Attach ground wire to luggage compartment striker bracket	AR	
65	F	Clip	2	★377846-S
65	F	Nut (wiring and clip 377766-S to existing L. H. moulding stud)-1/4"-20	1	33795-S7(M49)
65	F	Clip	1	★377766-S
65/	A-with 4 speed trans.	Clip (wiring and rear window regulator switch feed wiring with screw that attaches to cover of front floor pan)	2	358350-S(GG172)
70	F	Clip (wiring to rear of wheelhouse)	AR	380753-S(GG248)
70	F(76)	Clip (wiring to belt rail to wheelhouse)	2	
70/	A(71) ,B(71)	Clip (wiring to quarter pillar)	2	
70	B	Clip (attach 14405 wiring to tail lamp)	AR	382031-S(GG280)
70/	A	Clip (attach 14405 wiring to floor pan)	2	376219-S(GG151)
70	S	Attach 14405 wiring to lower back panel	AR	
70	B(71)	Screw (attach wiring and retainer to tail gate hinge lower)-1/4"-14 x 1/2"	1	55981-S(U254E)
65/	A(except 71)	Clip (wiring with nut that attaches rear lamp to lower back panel)	2	353547-S2(GG173)
65	F	Clip (wiring with screw that attaches fuel tank to center floor pan)	2	
65	F	Clip (wiring to flange of center floor pan)	2	372046-S100
69	F	Luggage compartment lamp to upper back panel	1	(GG186)
65/	B,F,S,X ,U	Strap (wiring to lower back panel)	1	376914-S(YY2)
66	S	Clip (wiring to lower back panel)	AR	376188-S(GG147M)
67	B(except 71),X	Clip (wiring to lower rear panel)	2	379485-S(GG263)
71	A(71)	Clip (wiring to floor pan at fuel sender)	2	379042-S(GG143A)
65/70	X	Clip (wiring to L.H. body rocker panel)	5	372860-S100(GG42)
65/70	X	Clip (wiring to L. H. cowl side inner panel or	AR	372047-S100
70/	U	or rear quarter wheel housing)	AR	(GG217)
65/	B(except 71)	Clip (wiring to fuel filler housing)	1	372864-S100
65	F	Clip (wiring to L. H. side member)	4	(GG91)
71	A(71)	Screw-No.8-18 x 3/4" (attach locator to floor)	2	376389-S100
71	A	Attach fuel tank lead wire to floor pan	1	(UU82D)
71	L	Screw No. 10-16 x 1/2" attach wire 14405 to lower back panel	AR	★377847-S
70	B, F	Clip (wiring to floor pan)	AR	381645-S(GG261)
70	B(65)	Clip (wiring to quarter window regulator panel)	2	381954-S(GG299)
71	B	Clip (attach wiring to rear quarter panel)	AR	
70	B(66)	Clip (wiring to pillar)	2	382033-S(GG303)
71	B(66)	Clip (attach wiring to rear quarter pillar)	2	
70	B(76)	Clip (wiring to wheel house)	2	380753-S(GG248)
70	S	Screw-No. 8-18 x 3/8"(attach 14405 to wheel house)	AR	379560-S(UU89CA)
66	A(71)	Clip (attach wiring to wheel house)	AR	377987-S(GG256)
67	A,B	Washer No.10 (ground 14405 to lower back panel)	1	34939-S(X86)
		Screw-No. 10-12 x 1/2" (ground 14405 to lower back panel)	1	42127-S(U248C)
67	B(except 71)	Clip (attach 14405 to lower back panel)	AR	377359-S(GG236)
70/	B,U	Strap(attach 14405 to side rail)	AR	376914-S(YY2)
71	L,P	Clip (attach wiring to rear floor pan and to quarter panel at rear lamps)	AR	381645-S(GG261)
71	L	Clip (attach wiring to cowl panel)	1	382931-S(GG338)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14405 WIRING ASSY. - REAR LAMP - continued			
71	S	Clip (attach wiring to luggage compt.side board)	AR	376219-S(GG151)
71	S	Clip (attach wiring to rear lamp body)	AR	372861-S(GG68)
71	S	Clip (attach wiring to luggage compt.side board)	AR	381954-S(GG299)
71	U	Screw-5/16"-18 x 1/2" (attach 14405 to side rail)	AR	40923-S(U364)
71/	U	Clip (attach wiring to L.H. front side rail)	5	373829-S(GG267)
	14406 WIRING ASSY. - FUEL TANK SENDER - Unless listed-improvise from B6A 14296-C wire			
	- A -			
67/68	A(71)-except with safety package	#C6AB 14406-A	1	C7AZ 14406-A
	- B -			
67	B(66,71)	#C6OB 14406-B	1	C7OZ 14406-B
69/71	B(66,71)		1	
72	B(exc.71,97)	#D2OB 14406-BD	1	D2OZ 14406-B
	- F -			
71/	F	#ED-D1ZB 14406-AD, D1ZB 14406-AC, AD, AE	1	D1ZZ 14406-B
	- L -			
71/	L(exc.73)	#ED1-D12B 14406-AC, AD	1	D1FZ 14406-B
	- P -			
71/	P	#ED-D1DB 14406-AB, AC, D1DB 14406-AB	1	D1DZ 14406-B
	- S -			
68	S-without safety convenience package	#C8SB 14406-A, B -not replaced	1	★C8SZ 14406-A
68	S-with safety convenience package	#C8LB 14406-A, C8SB 14406-C	1	C8SZ 14406-B
72	S	#D2SB 14406-BB	1	D2SZ 14406-B
	- U -			
66/67	U	Used w/nylon aux. gas tank-#C6TB 14406-G	1	C7TZ 14406-G
68/70	U-with ammeter and oil pressure gauges	#C8TB 14406-A -used with 11 gallon tank	1	C8TZ 14406-A
71/	U	#D1BB 14406-AA	1	D1BZ 14406-A
	- X -			
67	X (71)	#C6OB 14406-B	1	C7OZ 14406-B
69/70	X (71)		1	
71	B	Clip (attach wire to fuel tank)	4	372047-S(GG217)
		Clip (attach wire to rear floor pan)	2	381645-S(GG261)
	14408 WIRE ASSY. - REAR LAMP EXTENSION			
72	L(73)	#D22B 14408-AB	1	D3FZ 14408-A
69	S(65) "Before 10/15/68"	#C9SB 14408-J-not replaced	1	★C9SZ 14408-C
69	S(57)	#C9SB 14408-L,S,#C9SB 14408-M,AD-	1	★C9SZ 14408-S
69	S(65) "From 10/15/68"	fold & tape unused leads -not replaced	1	
70	S	#D0SB 14408-A,B,D	1	D0SZ 14408-B
71	S "Before 10/15/70"	#D1SB 14408-BA	1	D1SZ 14408-A
71	S "From 10/15/70"	#D1SB 14408-BB	1	D1SZ 14408-B
	14A411 WIRING ASSY. - MAIN JUMPER			
69	A	Used to repair damaged wiring at fuse panel terminal	1	C9AZ 14A411-A
70	S	Connects 14401 to 14398-#D0SB 14A411-A, B	1	D0SZ 14A411-B
	14412 LAMP & WIRING ASSY. - GLOVE COMPARTMENT			
65/66	S		1	C4SZ 14412-B
65	F	Console glove compartment	1	
67/70	S	Glove compartment at instrument panel	1	C6VY 14412-A
69/70	F	#C9WB 14412-A	1	C9WY 14412-A
71/	S	#D1SB 14412-A1A	1	D1SZ 14412-A
72	B-with console		1	
65	F	Screw (wire and clip 377929-S to console panel)-No. 10-12 x 1/2"	2	42127-S8(U248C)
65	F	Clip	2	★377929-S
	14A412 WIRING ASSY. - DOOR LOCK SOLENOID			
67	S-with safety package "From 10/31/66"	Used with vacuum door lock control	1	★C7SZ 14A412-A
	14A412 HOSE and WIRING ASSY. - DOOR LATCH VACUUM CONTROL			
71	A(53,54,57,71)	R.H. #D1AB 54220A12-AC, AD	1	D1AZ 14A412-A
		L.H. #D1AB 54220A13-AC, AD	1	D1AZ 14A412-C
71	A(65,76)	R.H. #D1AB 65220A12-AC, AD	1	D1AZ 14A412-B
		L.H. #D1AB 65220A13-AC, AD	1	D1AZ 14A412-D
72	A(53,54,57,71)	R.H. #D2AB 54220A12-AC	1	D2AZ 14A412-E
		L.H. #D2AB 54220A13-AC	1	D2AZ 14A412-G
72	A(65,76)	R.H. #D2AB 65220A12-AC	1	D2AZ 14A412-H
		L.H. #D2AB 65220A13-AC	1	D2AZ 14A412-J

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14A412 WIRE ASSY. - DOOR LOCK LEAD			
72	A(71) "Before 3/15/72"	154" long #D2AB 14025-BC,BD	1	D2AZ 14A412-B
72	A(71) "From 3/15/72"	180" long #D2AB 14025-BE (connects 14028 to tailgate lock)	1	D2AZ 14A412-K
72	B(53,71) "Before 2/1/72"	R.H. & L.H. front door #D2OB 14024-AA	2	D2OZ 14A412-A
72	B(53,71) "From 2/1/72"	R.H. & L.H. front doors #D2OB 14024-AB	2	D2OZ 14A412-M
72	B(53,71)	R.H.-lead-front door-26" long-#D2OB 14A491-BA	1	D2OZ 14A412-G
		L.H.-lead-front door-26" long-#D2OB 14A492-BA	1	D2OZ 14A412-H
72	B(63,65)	R.H. & L.H. front door #D2OB 14024-BA	2	D2OZ 14A412-B
72	B(63,65)	R.H.-lead- front door-24" long #D2OB 14A491-AA	1	D2OZ 14A412-E
		L.H.-lead-front door-24" long #D2OB 14A492-AA	1	D2OZ 14A412-F
72	B(53,71)	R.H. rear door #D2OB 14026-AA	1	D2OZ 14A412-C
		L.H. rear door #D2OB 14027-AA	1	D2OZ 14A412-D
72	B(53,71)	R.H.-lead-rear door-27" long #D2OB 14A491-CA	1	D2OZ 14A412-J
		L.H.-lead-rear door-27" long #D2OB 14A492-CA	1	D2OZ 14A412-K
72	B(71)	Tailgate-lead-23" long #D2OF 14A523-AA	1	D2OZ 14A412-L
72	S	R.H.-19" long #D2SB 14A491-AB	1	D2SZ 14A412-B
		L.H.-19" long #D2SB 14A492-AB	1	D2SZ 14A412-C
72	S	R.H. extension #D2SB 14A494-AB	1	D2SZ 14A412-D
		L.H. extension #D2SB 14A495-AB	1	D2SZ 14A412-E
72	S	Feed-from 14526 to 14A005-4" long	1	D2SZ 14A412-F
72	S	Feed-from 14526 to 14512 relay-4" long	1	D2SZ 14A412-G
	14413 SWITCH and WIRE ASSY. - GLOVE COMPARTMENT LAMP			
70	A,B,P		1	D0OZ 14413-A
71/	A		1	D1AZ 14413-A
72	B-without console		1	
65	B		1	C3AZ 14413-B
65/69	A		1	
65/68	F	Instrument panel glove compartment	1	
66/69	B,X		1	D0OZ 14413-A
71	B		1	D1OZ 14413-A
69/	F		1	C9WY 14413-B
67/71	S		1	C6VY 14413-A
72	S-with console		1	D1WY 14413-A
72	B-with console		1	
69	A	Cap 3/16" I.D.-cut off 5/16" and cement to actuator	1	380614-S(DD3)
	14417 HOLDER FUSE			
66	A,B,F,S,U,X	Straight base-for 20 gauge wire (steel)	AR	C6AZ 14417-A
67	F		AR	
66	A,B,F,S,U,X	30° base-for 20 gauge wire (steel)	AR	C6AZ 14417-B
67	A		AR	
70	A	With hang on A/C (steel)	1	D0AZ 14417-A
71/	L	With clock	1	
72	B	Single fuse type	1	D2OZ 14417-A
72	S	Use with 14 or 16 gauge wire-(1) wire	2	D2SZ 14417-A
72	S	Use with 18 or 20 gauge wire-(1) wire	1	D2SZ 14417-B
72	S	Use with 14,16 or 18 gauge wire-(2) wires	1	D2SZ 14417-C
72	S	Use with 16,18 or 20 gauge wire-(2) wires	1	D2SZ 14417-D
	14429 FUSE ASSY. - CIGAR LIGHTER			
65/66	A,B,F,S,X		1	FEW 14429-A
67/69	B,X		1	
	14431 CABLE ASSY. - RELAY TO STARTER			
65/70	F	15.00" long-use as engine to ground strap	1	D1PZ 14431-A
68/70	B,X	Dash to engine ground	1	(7136)
65/67	A(6 cyl.)	Dash to engine	1	
65/70	A(8 cyl.)	Dash to engine	1	
68/	S	Dash to engine	1	
72	S(460)		1	
68	U	Dash to engine	1	

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14431 CABLE ASSY. - RELAY TO STARTER - continued			
65/67	☆B, F(6 cyl.)	28.50" long	1	D1PZ 14431-C
68/70	B, F(6 cyl.)		1	(7284)
71/	P(6 cyl. 170,200), U(6 & 8 cyl.)		1	
66/70	X(6 cyl.)		1	
67/69	S(390)		1	
65/67	♦B, F(6 cyl.)		1	CCOCZ 14431-B32
65/68	B(8 cyl.)	36" long	1	D1PZ 14431-D
65	A(6 & 8 cyl.)-except 427 Special		1	(7364)
65/70	X(8 cyl.)		1	
65/68	F(8 cyl.)		1	
69/70	B(8 cyl. 351, 429)		1	
66/70	A(6 & 8 cyl.)		1	
68/69	S(429)		1	
69/70	F(8 cyl. 302, 351, 390, 429)		1	
69/70	A(8 cyl. 302, 351)		1	
69/70	A(8 cyl. 429)		1	
69/	B(6 cyl. 250), F(6 cyl. 250)		1	
70/	A(6 cyl.)		1	
70/	P(6 cyl.)		1	
65/66	S	51" long	1	D1PZ 14431-E
65	A (8 cyl. Special)		1	(7514)
68/70	F(427, 428)		1	
70	S(8 cyl.)		1	
70/71	S(8 cyl. 400, 429)	Starter to junction block on fender-51.00" long	1	
72	S(8 cyl. 460)		1	
70/71	A(8 cyl.)	43.00" long(4 gauge)	1	D1PZ 14431-J
70/	B, F(8 cyl.)		1	(WC-8096)
72	A(Except 8 cyl. 429 P/C)		1	
69	B(428CJ)		1	
71/	P(8 cyl.)		1	
72	S(429, 460)	Starter to junction block on fender	1	
71/	L	23.50" long-relay to starter	1	D1PZ 14431-B
66/	A(6 & 8 cyl.)		1	(7244)
72	B	Dash to engine ground	1	
70	P(6 cyl.)	Engine to ground	1	
72	S(400)	Starter to junction block on fender	1	
66/70	☆U		1	
65	☆X(6 cyl.)		1	
72	A(8 cyl. 429 P/C)	41" long	1	D2AZ 14431-E
72	B(8 cyl. 429 P/C)		1	
70	A, B, F(6 cyl.)	Clip (cable to engine mount)	1	380896-S(GG252)
65/70	A, S, X, B, F	Lockwasher-5/16"	1	34806-S7(X64)
65/70	A, B, F, S, X	Nut (cable to relay)-5/16"-24	1	33798-S8(M62)
65/70	A(except 8 cyl.-Special), B	Screw (cable to No. 2 c/member or L. H. frame side member reinf.)-5/16"-18 x 5/8"	1 or 2	★40156-S8
65/70	A(8 cyl. Special)	Screw (cable support to fender apron or dash panel)-No.14-14 x 1/2"	1 or 2	31497-S8(U254)
65/70	B(8 cyl.)	Screw (relay to starter cable to front suspension bracket)-1/4"-20 x 11/16"	1	★55175-S8
65/70	B(8 cyl.)	Nut-1/4"-20	1	33920-S8(M25)
65/70	B(8 cyl.)	Lockwasher-1/4"	1	34805-S8(X62)
65/70	B(8 cyl.)	Flatwasher-1/4"	1	44719-S8(X17)
70	B, S	Screw 1/4"-14 x 1/2" (cable to ground)	1	55981-S(U254E)
65	F	Screw (ground cable and heater motor ground wire to dash panel)-No. 14-14 x 1/2"	1	31497-S8(U254)
65	F(8 cyl.)	Bolt (ground cable to R. H. cylinder head)-3/8"-16 x 1/2"	1	20312-S7(B75)
65	F(8 cyl.)	Lockwasher-3/8"	1	★34942-S8
71/	L(122)-2000 cc	Screw M8 x 16MM	1	N602548-S72
65/	S	Screw (cable to R. H. front side inner member)-5/16"-18 x 1/2"	1	40923-S8(U264)
65/	S	Clip (relay to starter cable to engine block)	1	★372865-S100
65	F		1	
65/	S	Clip (relay to starter cable to R. H. front side inner member or mounting ear on generator)	1 or 2	★373945-S100

♦ Canada only ☆ U.S. only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14431 CABLE ASSY. - RELAY TO STARTER - continued			
65/70	X	Adjustable strap (cable to R. H. frt. suspension)-	1	376914-S(YY2)
65	F	Nylon	1	
71/	U	Attach wiring to R.H. front fender	AR	
	14A434 SPACER - BULLET TYPE TERMINAL			
68/	A, B, F, S, X	Connects to C8AZ 14489-AA located at turn	AR	C8AZ 14A434-A
70/	P	signal wiring	AR	
68	B, X	Connects to C8OZ 14489-B -not replaced	AR	★C8OZ 14A434-A
69/70	A, B, F	Connects to C8OZ 14489-B	AR	C9AZ 14A434-A
70	B	Use in L. H. front door courtesy lamp wiring	AR	D0OZ 14A434-A
70	A, B, F, S, U, X	Use with ignition switch connector	AR	D0AZ 14A434-A
71	A, B, F, L, P, S	Located at ignition switch - connects to	1	D1AZ 14A434-B
72	A, F, L	D1AZ 14489-C	1	
71/	A-with intermittent wipers		1	D1AZ 14A434-A
	14444 WIRING ASSY. - INSTRUMENT PANEL - Refer to Group 14401			
	14448 BLOCK ASSY. - JUNCTION - Also refer to Groups 11A467 & 14A725			
65	A, S -with trans. ignition	Used with ballast resistor mounting plate	1	C5AZ 14448-A
67/69	A(8 cyl. 427)		1	(DY-78)
67	B(8 cyl. 427)	Not used with A/C or Stereo tape player	1	
66/69	S		1	
66/67	A, B-with trans. regulator	Used with 53 amp. Leece-Neville alternator- #C6AB 14448-A	1	C6AZ 14448-A
66/67	A, B-with trans. regulator	Used with 60 amp. Leece-Neville alternator- #C6TB 14448-A	1	D0HZ 14448-E
66/69	A(76), B(76), F(76)	Used with power convertible top	1	D3TZ 14448-A
66	U	Must be used with C6TZ 14290-D and C6TZ 14305-AU wiring	1	
65/66	S(76)	Used with top motor fusible link (wire type) fuse	1	D0SZ 14448-A
66/67	A-with transistorized regulator	Used with L/N 60 amp. alternator	1	(DY-91)
68/70	A	Used with 65 amp. L/N or Ford alternator	1	
69/	S	Located on fender apron	1	
69	F(GT350/500)	Use with ammeter	1	
71/	B, F		1	
66/69	U "Before Ser. E90,001"	Used with 55 amp. Ford alternator	1	C5TZ 14448-C
69/70	U "From Ser. E90,001"	Used with 55 amp. Ford alternator -not required after Ser. No. H50,001"	1	C5TZ 14448-B (DY-74)
72	L(4 cyl. 122-2000 cc)	Located on fender apron	1	D2FZ 14448-A
69	F	Screw -No. 10-12 x 5/8" (attach block to fender shield)	2	42134-S(U249)
65/66	S-with transistorized ignition	Screw (block, relay and bracket to ballast resistor)-No. 14-10 x 5/8"	6	31498-S8(U253B)
70/	S	Screw-No. 8-15 x 1" (attach block to front fender apron)	AR	42151-S(U247)
	14453 TERMINAL - SPARK PLUG			
65/68	A, B, F, S, X	Slip on type-used with radio resistor type wiring	AR	B8A 14453-B
69/	A, B, F, L, P, S, U		AR	D2PZ 14453-A
	14455 SLEEVE - WIRING			
67/69	S		1	C7SZ 14455-A
	14A456 SPRING - BACK WINDOW SWITCH CONTROL			
69	A(71)		1	C9AZ 14A456-A
	14461 TERMINAL WIRE			
65/66	A, B, F, S, U, X	Bullet type-crimp on for 14, 16, or 18 gauge wire	AR	C4AZ 14461-A
67/	A, B, F, U	Bullet type wire No. 14 or 16 gauge	AR	C7AZ 14461-B
68/	A, B, F, S, U, X	Bullet type wire for 14 or 16 gauge wire	AR	C8AZ 14461-C
70	P		AR	
68/	A, B, F, S, U, X	Bullet type for 14 or 16 gauge wire	AR	C8OZ 14461-C
70/	L, P		AR	
68/	A, B, F, S, U, X	Bullet type for 18 or 20 gauge wire	AR	C8AZ 14461-B
68/	A, B, F, S, U, X	Bullet type for 18 or 20 gauge wire	AR	C8OZ 14461-B
70/	L, P		AR	
70	A, B, F, S, P, U, X	Bullet type wire No. 18-20 gauge wire	AR	D0AZ 14461-A
71/	A, B, F, L, P, S	Bullet type No. 18 or 20 gauge wire	AR	D1AZ 14461-A
71/	A, B, F, L, P, S	Bullet type No. 14 or 16 gauge wire	AR	D1AZ 14461-B
71/	A, B, F, L, P, S	Bullet type for 16-20 gauge wire	AR	D1AZ 14461-D
71/	A, B, F, L, P, S	Bullet type for 6-20 gauge wire	AR	D1AZ 14461-E

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14461 TERMINAL WIRE - continued			
68/	B,U	Bullet type for 10 or 12 gauge wire	AR	C8AZ 14461-A
68	X		AR	
71/	L	Bullet type No. 18 or 20 gauge wire	AR	D1FZ 14461-A
70	S	Bullet type No. 14, 16 gauge wire-mates with D0SZ 14488-B	AR	D0SZ 14461-B
70	S	Bullet type No. 18, 20 gauge wire-mates with D0SZ 14488-A	AR	D0SZ 14461-A
	14463 CLIP - REAR LAMP GROUND			
69	F(GT350/500)	Improvise	6	★
	14464 TERMINAL - ELECTRICAL WIRING			
65/	A	Flag eyelet	AR	C4AZ 14464-A
	14466 TERMINAL - HIGH TENSION WIRE			
65/69	A, B, S, X		AR	C5TZ 14466-A
65/69	A, B, F, S, X	"J" shaped-distributor end	AR	*B8AZ 14466-A
70/	A, B, F, L, P, S, U	"J" shaped-distributor end	AR	B8AZ 14466-C
65/69	A, B, F, P, S, U	"U" shaped-spark plug end	AR	*B8AZ 14466-B
70/	A, B, F, L, P, S, U	"U" shaped-spark plug end	AR	B8AZ 14466-D
	14468 TERMINAL - WIRE			
65	A	Flag type	AR	C3TZ 14468-B
65	S		AR	
	14A468 SPACER - WIRE CONNECTOR			
71/	A, B, F, L, P, S	1" x 3/8"-Red	AR	D1AZ 14A468-A
71/	A, B, F, L, P, S	1" x 11/16"-Red	AR	D1AZ 14A468-B
72	B, S	11/16"-Gray	AR	D2OZ 14A468-A
72	B, S	3/8"-Gray	AR	D2OZ 14A468-B
72	S	21/32"-Red	AR	D2SZ 14A468-A
72	S	47/64"-Red	AR	D2SZ 14A468-B
	14474 TERMINAL - WIRE			
65/	A, B, F, L, P, S, X	Snap on internal type	AR	B8E 14474-A
65/	A, B, F, L, P, S	Snap on internal flag type	AR	C1AF 14474-A
68/	A, B, F, X, U, S	Snap on female	AR	C8AZ 14474-A
72	A	Male "L" shaped use with 18 or 20 gauge wire	AR	D2AZ 14474-A
72	A	Female-use with 16, 18 or 20 gauge wire	AR	D2AZ 14474-B
72	A, B	Female-14 or 16 gauge wire	AR	D2OZ 14474-C
72	A, B	Male-14 or 16 gauge wire	AR	D2OZ 14474-D
66	B, X	Snap on female	1	C6ZZ 14474-A
66/67	F		1	
72	B	Female (1) or (2) wire type	AR	D2OZ 14474-A
72	B	Male (1) or (2) wire type	AR	D2OZ 14474-B
72	B, S	Female	AR	D2OZ 14474-F
65/	A, B, F, L, P, S, U, X	Snap on female	AR	
71/	L-without A/C		1	D1FZ 14474-A
72	L	Female connects to terminal onto heated backlite	AR	D2FZ 14474-A
72	L	Male connects onto heated backlite	AR	D2FZ 14474-B
72	S	Female-14, 16 or 18 gauge wire	AR	D2SZ 14474-A
	14A481 PANEL - RELAY			
72	S	Plastic	1	D2SZ 14A481-A
	14487 CONNECTOR - WIRING			
		2 way plug in-for No. 14, 16 & 18 gauge wire	AR	B7A 14487-A
		2 way crimp-on - for No. 16, 18, 20 & 22 gauge wire	AR	B9A 14487-A
		2 way crimp-on - for No. 14 & 16 gauge wire	AR	B9A 14487-B
		4 way plug in-for No. 14, 16 & 18 gauge wire	AR	B6A 14487-A
		1 way crimp-on-for No. 16 & 18 gauge wire	AR	C3TZ 14487-A
68/	A, B, F, S, U, X	Ignition switch (copper)-yellow (vinyl coated)	2	C9AZ 14487-D
72	B, S	Located at fuel tank sender	AR	D2OZ 14487-A
70/	A, B, F, P, U	Located at alternator terminal	2	D0AZ 14487-A
71/	A, B, F, L, P, S	1 way crimp-on-for 10 gauge wire	AR	D1AZ 14487-B
71/	A, B, F, L, P, S	1 way crimp-on-for 12 gauge wire	AR	D1AZ 14487-A
71/	A, B, F, L, P, S	1 way crimp-on-for 12 gauge wire	AR	D1AZ 14487-C
65/	All	4 way crimp-on-for 10 or 12 gauge wire	AR	D5AZ 14487-A


* Used with radio resistor type high tension wire containing linen or fibre glass core

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

14488-9 CONNECTORS and SLEEVES (WIRE)




14488-9 CONNECTORS and SLEEVES (WIRE) - continued





COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


SECTION 144


14488-9 CONNECTORS and SLEEVES (WIRE) - continued



TYPE 41



TYPE 42



TYPE 43



TYPE 44



TYPE 45



TYPE 46



TYPE 47



TYPE 48



TYPE 49



TYPE 50



TYPE 51



TYPE 52



TYPE 53



TYPE 54



TYPE 55


TYPE 56


TYPE 57






TYPE 58


TYPE 59


TYPE 60

P-11373

14488-9 CONNECTORS and SLEEVES (WIRE) - continued

 TYPE 61	 TYPE 62	 TYPE 63	 TYPE 64

P-11374

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL/RESTRICTIONS	PART NUMBER	TYPE	DESCRIPTION	QTY.
	14488-9 CONNECTORS and SLEEVES (WIRE) - continued				
		CONNECTORS			
65/	All	B6A 14488-A		"L"shape crimp-on-for 12,14,16,18 gauge wire	AR
		B7A 14488-B		Terminal connector	AR
		B7A 14488-D		Terminal connector	AR
		B7A 14488-C		Wire end connector	AR
		C4AZ 14488-A	5	Female-for 18,20 & 22 gauge wire	AR
		C4AZ 14488-B	5	Female-for 14,16 & 18 gauge wire	AR
		C7AZ 14488-A	5	Female-for 18 or 22 guage wire	AR
		C7AZ 14488-B	5	Female-for 14 or 16 gauge wire	AR
		C7AZ 14488-C	5	Female-use with 16 or 18 gauge stacked wire	AR
		C8AZ 14488-A	1	Female-for 10,12 gauge wire	AR
		C8AZ 14488-B	3	Female-for 16,24 gauge wire	AR
		D0AZ 14488-A		Female-3/4" long for 18-20 gauge wire	AR
		D1AZ 14488-B	4	1 way crimp-on-for 18 or 20 gauge wire	AR
		D1AZ 14488-E		1 way crimp-on-for (1) 16 and 18, or (1) 16 and 20, or (1) 18 and 20, or (2) 18 or (2) 20 gauge wires	AR
		C8OZ 14488-A	25	Female-3 circuit type-with male end	AR
		D0SZ 14488-A		Female-for 18,20 gauge wire-mates with D0SZ 14461-A	AR
		D0SZ 14488-B		Female-for 14,16 gauge wire-mates with D0SZ 14461-B	AR
		SLEEVES			
65/	All	C5AZ 14489-C	56	2 wire (nylon)-to stop lamp switch	1
65/67	A-with A/C	C5AZ 14489-D		5 wire (nylon)-to heater switch	1
67/	All	C7AZ 14489-J	53	Turn signal and emergency flasher-(polypropylene)	1
68/	All	C8AZ 14489-V	14	2 plug in (nylon)-connects to headlamp bulb	2
		C8AZ 14489-Y	15	3 plug in (nylon)-connects to headlamp bulb	2
71/72	All	D1FZ 14489-B		Nylon-female (used with throttle solenoid and 10374 diode)	1
72	S			With power door locks-located between 14A005 and 14A412	AR
68/69	All	C8AZ 14489-D	60	Nylon ignition switch	1
70	P-exc. locking steering column				1
69	A	C9AZ 14489-F	46	R.H. front door-with power window-attach to 14630	1
		C9AZ 14489-G	61	L.H. front door outer-with power window-attach to 14631-mates with C9AZ 14489-J	1
		C9AZ 14489-J		L.H. front door inner-with power window-attach to 14631	1
69/70	A	D0AZ 14489-G	46	R.H. & L.H. rear door or quarter window-attaches to 14632 or 14633	2
71/	F			R.H. front door or R.H. and L.H. rear quarter	3
70	A	D0AZ 14489-H	46	R.H. front door-attach to 14630	1
70	A	D0AZ 14489-J	61	L.H. front door-attach to 14631	1
71/	F			L.H. front door-attach to 14633	1
70	A	D0AZ 14489-K	61	L.H. front door	1
71/	F			L.H. front door	1
71	A	D1AZ 14489-D		L.H. front door-attach to 14631	1

† Tab locking type ‡ Insert pressure locking type

YEAR	MODEL/RESTRICTIONS		PART NUMBER	TYPE	DESCRIPTION	QTY.
	14488-9 CONNECTORS and SLEEVES (WIRE) - continued					
			SLEEVES			
71	A		D1AZ 14489-G		L.H. rear door-attach to 14633	1
					L.H. rear quarter-attach to 14644	1
					R.H. front door-attach to 14630	1
71	A		D1AZ 14489-E		R.H. rear door-attach to 14632	1
					R.H. rear quarter-attach to 14644	1
72	A,B	"Before 1/17/72"	D2AZ 14489-H	62	L.H. front door-with power windows	1
72	A,B	"From 1/17/72"	D2AZ 14489-L		L.H. front door-with power windows-attach 14631 to 14529	1
72	A	"Before 1/17/72"	D2AZ 14489-K	43	R.H. front door or R.H. and L.H. rear doors or quarters-attaches 14630,14632,14633, 14644 to 14529 switch	AR
72	B	"Before 1/17/72"			R.H. front door or R.H. and L.H. rear door power windows	AR
72	B(exc. 63R)	"Before 1/17/72"			R.H. and L.H. rear quarter power windows-attach 14644 to 14529	AR
72	S	"Before 1/17/72"			R.H. and L.H. rear quarter power windows-attach 14644 to 14529	AR
72	A	"From 1/17/72"	D2AZ 14489-M		R.H. front door or R.H. and L.H. rear doors or quarters-attaches 14630,14632,14633, 14644 to 14529 switch	AR
72	B	"From 1/17/72"			R.H. front door or R.H. and L.H. rear door power windows-attaches 14630,14632, 14633 to 14529	AR
72	B(exc. 63R)	"From 1/17/72"			R.H. and L.H. rear quarter power windows-attach 14644 to 14529	AR
72	S	"From 1/17/72"			R.H. and L.H. rear quarter power windows-attach 14644 to 14529	AR
72	B(63R)	"Before 1/17/72"	D2OZ 14489-L		R.H. and L.H. rear quarter power windows-attach 14644 to 14529	AR
72	B(63R)	"From 1/17/72"	D2OZ 14489-M		R.H. and L.H. rear quarter power windows-attach 14644 to 14529	AR
72	S		D1MY 14489-A		L.H. front door-attach 14631 wiring to 14529	1
72	S	"Before 2/15/72"	D1MY 14489-B	63	R.H. front door-attach 14630 wiring to 14529	1
72	S	"From 2/15/72"	D2LY 14489-D		R.H. front door-attach 14630 wiring to 14529	1

YEAR	MODEL	WIRING CIRCUIT	COLOR	TYPE	MATING PART	TYPE	PART NUMBER	QTY.
			SLEEVES - Listed by Circuit Number (Number of Wire Connections)					
65/	All	1	Gray	16	D2AZ 14489-B	18	D2AZ 14489-E	AR
		1	Gray	18	D2AZ 14489-E	16	D2AZ 14489-B	1
		1			Connects to courtesy lamp	44	D2SZ 14489-F	AR
		2	Black	22	C5AZ 14489-E	21	‡C5AZ 14489-F	1
		2	Black	21	C5AZ 14489-F	22	‡C5AZ 14489-E	1
		2	Blue	23	C7AZ 14489-B	24	†C7AZ 14489-A	1
		2	Blue	24	C7AZ 14489-A	23	†C7AZ 14489-B	1
		2	Natural	8	C8AZ 14489-L	7	C8AZ 14489-K	1
		2	Natural	7	C8AZ 14489-K	8	C8AZ 14489-L	1
		2	Brown	11	D2AZ 14489-D	12	D2AZ 14489-C	1
		2	Brown	12	D2AZ 14489-C	11	D2AZ 14489-D	1
		2	Gray	13	D2SZ 14489-C	45	D2AZ 14489-F	1
		2	Gray	45	D2AZ 14489-F	13	D2SZ 14489-C	1
		2	Natural		Connects to parking brake lamp	19	D2OZ 14489-J	1
		2	Natural		Connects to alternator	17	D2OZ 14489-K	1
		2	Red		Roof side lamp		D2VY 14489-B	1
		2	Black			22	C8AZ 14489-U	AR
		2	Black		Attach to 14405	20	D0SZ 14489-E	AR
		2	Natural		Connects to 10346		D2AZ 14489-A	AR

† Tab locking type ‡ Insert pressure locking type

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

SECTION 144

14488-9 CONNECTORS and SLEEVES (WIRE) - continued

YEAR	MODEL	WIRING CIRCUIT	COLOR	TYPE	MATING PART	TYPE	PART NUMBER	QTY.
		SLEEVES - Listed by Circuit Number (Number of Wire Connections)						
65/	All	3	Green	23	C7AZ 14489-F	24	†C7AZ 14489-E	1
		3	Green	24	C7AZ 14489-E	23	†C7AZ 14489-F	1
		3	Black		R.H.-attaches to 14405	20	D0SZ 14489-F	AR
		3	Black		L.H.-attaches to 14405	20	D0SZ 14489-G	AR
		3	Black		Connects to 14512 or 14677	54	D2AZ 14489-J	AR
		4or6	Black	30	C5AZ 14489-G	31	†C5AZ 14489-H	1
		4or6	Black	31	C5AZ 14489-H	30	†C5AZ 14489-G	1
		4	Black		Attaches to 14401	20	D0SZ 14489-K	AR
		5	Blue		D1AZ 14489-B		D1AZ 14489-A	1
		5	Blue		D1AZ 14489-A		D1AZ 14489-B	1
		5	Natural		Connects to ignition switch	41	D2OZ 14489-F	AR
		6	Natural	32	C7AZ 14489-N	30	†C7AZ 14489-T	1
		6	Natural	30	C7AZ 14489-T	32	†C7AZ 14489-N	1
		6	Brown	33	D2SZ 14489-E	29	D2SZ 14489-D	1
		6	Brown	29	D2SZ 14489-D	33	D2SZ 14489-E	1
		6	Black		Attaches to 14405		D0SZ 14489-L	AR
		6	Black		Attaches to 14405		D0SZ 14489-M	AR
		6	Red		Electric spark control		D2AZ 14489-G	AR
		6	Black			40	D2OZ 14489-G	AR
		7	Gray	64	D0AZ 14489-C	28	D0AZ 14489-B	1
		7	Gray	28	D0AZ 14489-B	64	D0AZ 14489-C	1
		7	Black	29	D1AZ 14489-L	33	D1AZ 14489-C	1
		7	Black	33	D1AZ 14489-C	29	D1AZ 14489-L	1
		8	Black	31	C4AZ 14489-F	30	†C4AZ 14489-E	1
		8	Black	30	C4AZ 14489-E	31	†C4AZ 14489-F	1
		8	Black		C7AZ 14489-AD	32	†C7AZ 14489-M	1
		8	Gray	32	D2SZ 14489-H	29	D2SZ 14489-G	1
		8	Gray	29	D2SZ 14489-G	32	D2SZ 14489-H	1
		8	Black		Connects to power seat switch		D2LY 14489-A	AR
		10	Black	31	C5SZ 14489-B	30	†C5SZ 14489-A	1
		10	Black	30	C5SZ 14489-A	31	†C5SZ 14489-B	1
		10	Natural		C7AZ 14489-AG		C7AZ 14489-AF	1
		10	Natural		C7AZ 14489-AF		C7AZ 14489-AG	1
		10	Brown	32	C7AZ 14489-L	18	†C7AZ 14489-AC	1
		10	Brown	18	C7AZ 14489-AC	32	†C7AZ 14489-L	1
		10	Natural	39	C8AZ 14489-S	38	C8AZ 14489-AA	1
		10	Black	38	C8AZ 14489-AA	39	D0AZ 14489-L	1
		11	Gray	39	D2OZ 14489-B	38	D2OZ 14489-A	1
		11	Gray	38	D2OZ 14489-A	39	D2OZ 14489-B	1
		12	Black		Connects to printed circuit	50	D0VY 14489-G	AR
		18			Connects to printed circuit	34	C7SZ 14489-A	1
		18	Black		Connects to printed circuit	34	D0DZ 14489-A	AR
		21	Gray	37	D2OZ 14489-C	35	D2OZ 14489-D	1
		21	Gray	37	D2OZ 14489-C	35	D2OZ 14489-E	1
		27	Green or Orange		Attaches to 14401 at 14A068	26	C8OZ 14489-A	1
		27	Natural		Attaches to 14290	27	C8OZ 14489-B	1
		27	Green or Orange				D1ZZ 14489-A	1
		42	Gray	35 35	D2OZ 14489-D & D2OZ 14489-E	37	D2OZ 14489-C	1

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14490 BOOT - WIRING CONNECTOR SLEEVE			
72	B		2	D2OZ 14490-A

† Tab locking type ‡ Insert pressure locking type

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14A501 SWITCH and WIRE ASSY. - SEAT BELT RETRACTOR SENSOR			
72	A, B-w/bench seat " Before 11/1/71"		1	D2OZ 14A501-A
72	B-w/bucket seats		1	
72	F-w/bucket seats " Before 12/1/71"		1	
72	L-w/o ignition restraint system- " Before 4/3/72"		1	
72	P-w/bench seat " Before 12/1/71"		1	
72	S-w/bucket seats " From 9/16/71"	Passenger seat	1	
72	A, B-w/bench seats " From 11/1/71"		1	D2AZ 14A501-D
72	A,B-w/bench or split bench seat	Heavy duty	1	D2AZ 14A501-E
72	S-w/split bench seat "Before 2/11/72"	Located in passenger seat cushion	1	D2SZ 14A501-A
72	S-w/split bench seat "From 2/11/72"	Located in passenger seat cushion	1	D3SZ 14A501-A
72	S-w/bucket seats " Before 9/16/71"	Passenger seat	1	D2AZ 14A501-A
72	P-w/bench seat " From 12/1/71"		1	D2DZ 14A501-A
72	P-w/bucket seat " From 12/1/71"		1	
72	P-w/bucket seats " Before 12/1/71"		1	D2ZZ 14A501-A
72	F-w/bucket seats " From 12/1/71"		1	
72	L-w/o ignition restraint system- " From 4/3/72"		1	
72	L-w/ignition restraint system- " Before 4/3/72"		2	D2FZ 14A501-A
72	L-w/ignition restraint system- " From 4/3/72"		2	D2FZ 14A501-B
	14A502-3 SWITCH ASSY. - SEAT BELT RETRACTOR - Refer to Body Group 611A72-3			
	14A504 WIRE ASSY. - SEAT BELT RETRACTOR SWITCH			
72	B " Before 1/17/72"		1	D2OZ 14A504-A
72	B " From 1/17/72"		1	D2OZ 14A504-B
72	F	R.H.	1	D2ZZ 14A504-A
		L.H.	1	D2ZZ 14A504-B
72	L-w/o ignition restraint system- " Before 4/3/72"	R.H.	1	D2FZ 14A504-A
		L.H.	1	D2FZ 14A504-B
72	L-w/o ignition restraint system- " From 4/3/72"	R.H.	1	D2FZ 14A504-E
		L.H.	1	D2FZ 14A504-G
72	L-w/ignition restraint system- " Before 4/3/72"	R.H.	1	D2FZ 14A504-C
		L.H.	1	D2FZ 14A504-D
72	L-w/ignition restraint system- " From 4/3/72"	R.H.	1	D2FZ 14A504-F
		L.H.	1	D2FZ 14A504-H
72	P " Before 4/3/72"	R.H.	1	D2DZ 14A504-A
		L.H.	1	D2DZ 14A504-B
72	P " From 4/3/72"	R.H.	1	D2DZ 14A504-C
		L.H.	1	D2DZ 14A504-D
	14512 RELAY ASSY. - WINDOW and SEAT REGULATOR CONTROL - Also refer to Groups 14A707 & 15A668			
70	A,B,F,X-with automatic seat back latch	#D0VB 14C690-A, D1AB 14C690-AA	1	D0VY 14512-A
70/71	B-with automatic seat back latch		1	
70/	A-with automatic seat back latch		1	
71/	A(71)-with power back lite	#D1AB 14512-AA	1	D1AZ 14512-A
72	B,S-with automatic seat belt latch	#D2LB 14C690-AA	1	D2LY 14512-A
71/	F-with automatic seat back latch	#D1ZB 14C690-AA	1	D1ZZ 14512-A
65/66	S(76) "From 9/15/62"	Top control	1	C3VY 14512-D
67/68	S	Adjustable steering column actuating-located on parking brake mounting bracket	1	C3VY 14512-C
70/71	S(65)-with automatic seat back latch	#D0SB 14C690-A	1	D0SZ 14512-A
71/	F	Screw (attach relay to relay panel)-1/4"-14 x 1/2"	AR	55981-S(U254E)
65/66	S(76)	Screw (relay to R.H. cowl side panel)-No. 14-14 x 3/4"	1	42143-S8(U255)
		Screw (relay and rear lamp wiring clip to R.H. cowl side panel)	1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14513 BUS BAR - WINDOW REGULATOR SWITCH			
69/70	A-with power windows	Attaches to 14529 switch	2	C9AZ 14513-A
65/66	S		2or3	C3SZ 14513-A
	14A522 SOCKET ASSY. - INSTRUMENT CLUSTER			
68	F(GT 350/500)		2	★S8MS 14A522-A
	14523 PLATE - WINDOW REGULATOR SWITCH			
68	A, B(except 66)	Single type-R. H. front & R. H., L. H. rear	1or3	C8AZ 14523-A
69/71	B		3	
	14524 PLATE - WINDOW REGULATOR SWITCH			
68	A, B(except 66)	Front-L. H. -multiple	1	C8AZ 14524-A
69/71	B		1	

14526 BREAKER ASSY. - ELECTRICAL CIRCUIT - GLASS TUBE FUSE



AMPERAGE	LENGTH	INDUSTRY NUMBER	QTY. PER VEHICLE	PART NUMBER	AMPERAGE	LENGTH	INDUSTRY NUMBER	QTY. PER VEHICLE	PART NUMBER
1	.62"	AGA-1	AR	B6AZ 14526-D	10	1.25"	AGC-10	AR	B8TZ 14526-A
2	.62"	1AG-2	AR	D4AZ 14526-C	14	1.06"	SFE-14	AR	A0AZ 14526-A
2.5	.62"	1AG-2 1/2	AR	C4GY 14526-A	15	1.25"	AGC-15	AR	A2AZ 14526-A
3	.62"	AGA-3	AR	A6AZ 14526-A	15	.88"	AGW-15	AR	C4SZ 14526-B
3	1.00"	8AG-3	AR	D4AZ 14526-E	20	.62"	AGA-20	AR	8HC 14526
4	.62"	SFE-4	AR	C9SZ 14526-C	20	1.00"	AGX-20	AR	C5AZ 14526-B
4	.84"	AGW-4	AR	C0LY 14526-B	20	1.25"	SFE-20	AR	A0AZ 14526-B
5	.62"	AGA-5	AR	B6AZ 14526-B	25	1.25"	3AG-25	AR	C6TZ 14526-AB
6	.75"	SFE-6	AR	C1VY 14526-A	30	1.25"	AGC-30	AR	A9AZ 14526-A
7.5	.88"	SFE-7 1/2	AR	B6AZ 14526-A	30	1.00"	AGX-30	AR	C8OZ 14526-A
9	.88"	SFE-9	AR	A6AZ 14526-B					

GLASS TUBE FUSE APPLICATION CHART

FUNCTION	PINTO	MAVERICK	BRONCO	FORD	THUNDER-BIRD	FALCON	FAIRLANE TORINO	MUSTANG	INDUSTRY NUMBER	PART NUMBER
Air Conditioner (Polar Aire or Hang-on Type)				65/		65/67	65/67	65	AGC-15	A2AZ 14526-A
					65				SFE-7 1/2	B6AZ 14526-A
Air Conditioner	71/	70/				68/70	68/71	69/	AGX-30	C8OZ 14526-A
							72		AGC-30	A9AZ 14526-A
Antenna (power)					72				AGC-15	A2AZ 14526-A
Auxiliary stop lamp system					69				AGX-20	C5AZ 14526-B
Back-up lamp			69/			65/67	65/67	65/70	SFE-14	A0AZ 14526-A
					65/				SFE-7 1/2	B6AZ 14526-A
		70		69/		68/70	68/70	69	SFE-20	A0AZ 14526-B
	71/	71/					71/	71/	AGC-15	A2AZ 14526-A
Brake release lamp (*same as dome lamp) (#see back-up lamp)				*	#	*	*			
Cigar lighter					65/67		71/		AGC-15	A2AZ 14526-A
	71/	70/		72	68/				SFE-20	A0AZ 14526-B
			66	65/71		65/70		65/71	SFE-14	A0AZ 14526-A
			68/						AGW-15	C4SZ 14526-B
								72	AGX-20	C5AZ 14526-B
Clock (consolette)	71/	70/							SFE-20	A0AZ 14526-B
Clock				65/68	65/67	65/70	65/68		1AG-2	D4AZ 14526-C
					68				AGC-15	A2AZ 14526-A
								72	SFE-14	A0AZ 14526-A
Clock illumination				69		69	69	69	AGW-4	C0LY 14526-B
		72						72	SFE-4	C9SZ 14526-C
Cornering lamp					69/71				AGW-15	C4SZ 14526-B
					72				SFE-7 1/2	B6A 14526-A
				72					SFE-20	A0AZ 14526-B

14526 BREAKER ASSY. - ELECTRICAL CIRCUIT - GLASS TUBE FUSE - continued

GLASS TUBE FUSE APPLICATION CHART

FUNCTION	PINTO	MAVERICK	BRONCO	FORD	THUNDER-BIRD	FALCON	FAIRLANE TORINO	MUSTANG	INDUSTRY NUMBER	PART NUMBER
Courtesy lamp	71	70/		69/		69	69	69/	SFE-14	A0AZ 14526-A
					69				AGX-20	C5AZ 14526-B
					70/				SFE-20	A0AZ 14526-B
			72						AGW-15	C4SZ 14526-B
							72		SFE-7 1/2	B6AZ 14526-A
Dome lamp								♦65/	SFE-7 1/2	B6AZ 14526-A
						65/67	65/67	Δ65/69	AGC-15	A2AZ 14526-A
	71/	70/		69	65/67	68/70	68/	70/	SFE-14	A0AZ 14526-A
					68/				AGX-20	C5AZ 14526-B
			66						1AG-2	D4AZ 14526-C
			68/						AGW-15	C4SZ 14526-B
Door locks (electric)					72				SFE-20	A0AZ 14526-B
Defroster (see heater)										
Directional signals			69			65/70	65/		SFE-14	A0AZ 14526-A
Defogger		71/		68/		68/70	68/	68/	SFE-20	A0AZ 14526-B
	71								SFE-14	A0AZ 14526-A
	72							69	AGC-15	A2AZ 14526-A
					69				SFE-7 1/2	B6AZ 14526-A
Electric antenna				65/		68	68	68	SFE-14	A0AZ 14526-A
					69				AGC-10	B8TZ 14526-A
Emergency warning flasher	71/	70/	70/	69	65/67	68/70	68/	69	SFE-20	A0AZ 14526-B
			69	65		65/67	65/67	65/68	AGX-20	C5AZ 14526-B
Emission control							71		SFE-20	A0AZ 14526-B
Four note horn system					69				SFE-20	A0AZ 14526-B
Fuel level system					68				SFE-6	C1VY 14526-A
Fuel level system				69				69	SFE-20	A0AZ 14526-B
Glove compartment lamp							69	70/	SFE-14	A0AZ 14526-A
Heater	71/	70/	†66	65/71		65/70	65/70	65/	SFE-14	A0AZ 14526-A
			‡66/	72					SFE-20	A0AZ 14526-B
							72		3AG-25	C6TZ 14526-AB
Heated backlight					72				AGX-30	C8OZ 14526-A
				72				72	SFE-20	A0AZ 14526-B
Heater illumination					69				SFE-6	C1VY 14526-A
				69		69	69	69	AGW-4	C0LY 14526-B
		70/							SFE-4	C9SZ 14526-C
Ignition key warning	71/	70/		71/				70/	SFE-14	A0AZ 14526-A
Instrument cluster warning lights	72	70/					70/	70/	SFE-4	C9SZ 14526-C
	71			72					SFE-14	A0AZ 14526-A
Instrument panel (cluster)						65/70	65/		AGC-15	A2AZ 14526-A
				65/70		68	68		AGW-4	C0LY 14526-B
					68				SFE-6	C1VY 14526-A
						65/70	65/	65/	1AG-2 1/2	C4GY 14526-A
				71/	69/	69/70	69/	69/	SFE4	C9SZ 14526-C
			66/						1AG-2	D4AZ 14526-C
					68/				SFE-6	C1VY 14526-A
License plate lamp (see dome lamp)										
Low fuel warning					67/					B6AZ 14526-A
Luggage compartment lamp (see cigar lighter)		72						72	SFE-14	A0AZ 14526-A
Map lamp (see dome lamp)										
Overdrive				65/67			65/67		AGC-15	A2AZ 14526-A
Parking brake warning lamp				69				69/	SFE-20	A0AZ 14526-B
Parking lamp (see dome lamp)										

Δ Stop, Park & Rear Lamps ♦ Courtesy Lamp Only † "Before 9/13/65" ‡ "From 9/13/65"


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

14526 BREAKER ASSY. - ELECTRICAL CIRCUIT - GLASS TUBE FUSE - continued

GLASS TUBE FUSE APPLICATION CHART

FUNCTION	PINTO	MAVERICK	BRONCO	FORD	THUNDER-BIRD	FALCON	FAIRLANE TORINO	MUSTANG	INDUSTRY NUMBER	PART NUMBER
Pillar lamp (see dome lamp)										
Power tail gate				68/		68/70	68/		SFE-20	A0AZ 14526-B
Power window				68/	68/71	68/70	68/	69/	SFE-20	A0AZ 14526-B
Relay					72				SFE-7 1/2	B6AZ 14526-A
				72					SFE-20	A0AZ 14526-B
Radio				69/		69	69	69	SFE-20	A0AZ 14526-B
	71/	72			72		72		AGC-15	A2AZ 14526-A
		70/71							SFE-4	C9SZ 14526-C
			72						SFE-14	A0AZ 14526-A
Radio illumination					69				SFE-6	C1VY 14526-A
				69		69	69	69	AGW-4	C0LY 14526-B
				72				72	SFE-4	C9SZ 14526-C
Radio lamp (8 tube)					69				SFE-7 1/2	B6AZ 14526-A
			66	65/	65/71	65/66	65/67	65/	SFE-7 1/2	B6AZ 14526-A
			69/			67			SFE-14	A0AZ 14526-A
		70				68	68		SFE-20	A0AZ 14526-B
Rear seat speaker switch								65	SFE-7 1/2	B6AZ 14526-A
Reverberation speakers				69	69	69	69	69	AG-1	B6AZ 14526-D
Rolling door locks (vacuum)					67					C1VY 14526-A
Safety package					65/				SFE-7 1/2	B6AZ 14526-A
		70/							SFE-20	A0AZ 14526-B
				65/					AGX-20	C5AZ 14526-B
Seat belt warning lamp					65/67				AGW-4	C0LY 14526-B
		72		71/		66/70	66/	66/	SFE-14	A0AZ 14526-A
		70/71		69				69	SFE-20	A0AZ 14526-B
					69				AGW-15	C4SZ 14526-B
	72						72		SFE-4	C9SZ 14526-C
Seat belt warning lamp (console)					69/				SFE-7 1/2	B6AZ 14526-A
Skid control					69/71				8AG-3	D4AZ 14526-E
					72				AGA-3	A6AZ 14526-A
Speed control				66					SFE-14	A0AZ 14526-A
				72				69	SFE-20	A0AZ 14526-B
					69/				AGW-15	C4SZ 14526-B
Feed line at fuse panel				69/	69				AGA-5	B6AZ 14526-B
					72				SFE-7 1/2	B6AZ 14526-A
Spot lamp				65/	65/67	65/70	65/	65/	SFE-7 1/2	B6AZ 14526-A
Stereo tape radio					69				AGW-15	C4SZ 14526-B
Stop lamp (see dome lamp)										
Swing away steering column					69				AGX-20	C5AZ 14526-B
Tail lamp (see dome lamp)										
Transistorized Ignition				65					AGX-20	C5AZ 14526-B
Transmission Selector Indicator Lamp				68/		68/70	68/		AGA-5	B6AZ 14526-B
					68/				SFE-6	C1VY 14526-A
								68/	SFE-20	A0AZ 14526-B
Turn signal			70/		68/71				AGW-15	C4SZ 14526-B
								69	SFE-20	A0AZ 14526-B
					72			72	AGC-15	A2AZ 14526-A
					72				SFE-4	C9SZ 14526-C
Windshield washer			69/					65	SFE-14	A0AZ 14526-A
					65/				SFE-7 1/2	B6AZ 14526-A
	71/	71/					71/	71/	AGC-15	A2AZ 14526-A
		70		72		68/70	68/70	69	SFE-20	A0AZ 14526-B


14526 BREAKER ASSY. FUSE - ELECTRICAL CIRCUIT



-Listed by Ampere

YEAR	MODEL	AMP.	VOLT	LENGTH	WIDTH	IDENTIFICATION MARKING COLOR	MTG. BRACKET HOLE	MTG. BRACKET DIAM.	QTY.	PART NUMBER
67/70	S-headlamp door solenoid (on brake pedal support)	5	12	1.25"	.78"	Green & white dot	2	9/32"	1	C7SZ 14526-A
67	S-stop lamps & turn signal								1	
71/	S-with power deck lid release	6	12	1.06"	.40"	Blue dot	1	3/16"	1	D1VY 14526-A
72	A-with power deck lid release								1	
69	A(intermittent wiper motor)	7	12	1.25"	.79"		1	9/32"	1	C9AZ 14526-A
67/70	A(with 2 speed wiper)-on units built after 3-1-67	7.5	12	1.25"	.78"	Green & Violet	1	No. 8-32	1	C7AZ 14526-C
70	A-with intermittent wipers	8.25	12	1.25"	.79"				1	C9AZ 14526-F
65/67	F(fog lamp)	10	12	1.25"	.78"	White	2	9/32"	1	C5ZZ 14526-A
68	F(with fog lamps)	10	12	1.25"	.79"	White	1	13/64"	1	C8ZZ 14526-B
69/70	F(GT 350/500)-stop lamp & fog lamp	15	12						1	C9ZZ 14526-A
65	S(76)-top control	15	12	1.07" or 1.25"	.40" or .78"	Green Green	2 2	9/32" 9/32"	2	C5SZ 14526-B
65	S (body main wiring)-turn signal	15	12	1.25"	.78"	Green			1	C4SZ 14526-C
66	S (body main wiring)-stop lamps & turn signal	15	12	1.07"	.40"	Green dot			AR	C6SZ 14526-A
67	S(body main wiring)-stop lamps								1	
71/	F-with stop lights	15	12	1.27"	.79"		1	9/32"	1	D1MY 14526-A
71/	A-with stop lights	15	12	1.28"	.79"	Green dot	1	9/32"	1	D1AZ 14526-D
65/71	A(76), X(76)-top control	20	12	1.07"	.40"	Red			1	C4DZ 14526-C
65/	A(71), B(71), X(71)-tailgate								1	
65/	A(window or seat regulator, automatic seat back latch)								1	
67/	B(71), X(71)-electric windows or seats								1	
70	F-with automatic seat back latch								1	
71	B-with heated back window								1	
65/	F(76)-top control								1	
69/	F(GT350/500)-fog lamp	20	12	1.25"	.75"				1	C9ZZ 14526-B
65	S(body main wiring)-heater or horn	20	12	1.07"	.40"	Red			2	C1VZ 14526-B
67	S(body main wiring)-horn & ammeter								1	
68	S(body main wiring)-stop lamps								1	
69/70	S(body main wiring)-horn, power windows and seats								2	
70/71	S-with heated back lite								1	
69	S-with heated back lite	20	12	1.25"	.79"	Red dot	1	13/64"	1	C9SZ 14526-A
69/71	S-sun roof								1	
71/	A, B, F-located at 11450 relay-for heated backlite, power top, power windows or automatic seat back latch	20	12	1.07"	.40"	Red dot	1	11/32"	1	D1AZ 14526-A
72	S-power windows, stop lights	20	12	1.26"	.40"	Red dot			1	D0VY 14526-B
72	B, S-with power door locks		12	2.00"	.50"	Located at actuator			1	D2SZ 14526-A
65/67	A (air conditioner)	25	12	1.07"	.40"	Red, Yellow			1	C5AZ 14526-C
66	B, X (Select Aire A/C)								1	
67	B, F, X (with A/C)								1	
67	A, B, F, X(with A/C)	25	12	1.26"	.79"	Red, Yellow			1	C7AZ 14526-A
68/69	A(with A/C)	25	12	1.25"	.79"	Red & Green	1	9/32"	1	★C8AZ 14526-A r/b D0AZ 14526-A
68	F(6 cyl. 200, 8 cyl. 289)-with A/C	25	12	1.25"	.79"	Red & Green	1	13/64"	1	C8ZZ 14526-A
69	F(GT 350/500)-with fog lamp								1	
72	S-with sun roof								1	
69/70	A(with A/C)	30	12	1.06"	.40"	Orange	1	13/69"	1	D0AZ 14526-A
67	S(body main wiring)-heater	30	12	1.96"	.40"	Orange			1	C1VZ 14526-C
68/	S(body main wiring)-accessory feed								1	
71/	A-with A/C	30	12	2"	.50"	Orange dot	1		1	D1AZ 14526-B
65	S(76)-top control "Before 3/1/65"	60	12	2.40"	1.88"		2	17/64"	1	C3SZ 14526-A
72	S-A/C, power seat	30	12			Orange dot			1	D0VY 14526-C
72	B, S-heater A/C or A/T/C	35	12	1.27"	.70"	Orange White			1	D2SZ 14526-B
72	S-with power door locks		12						1	D2SZ 14526-C

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14526 BREAKER ASSY. - FUSIBLE LINK - WIRE TYPE FUSE 			
66/67	A(76), B(76), F(76)-top control	6.00" long-14 gauge wire	1	C6AZ 14526-A
68	A(76)-top control		1	
68	B(76)-top control		1	
68	F(76)-top control	6.00" long-#C8ZB 14A094-A-16 gauge wire	1	C8ZZ 14526-C
65	S(76)-top control	6.00" long-12 gauge wire-not replaced (3-74)	1	★C5SZ 14526-C
66	S(76)-top control	9.00" long-12 gauge wire	1	C6SZ 14526-D
66	S(power window or seats)-on apron	6.00" long-14 gauge wire	1	C6SZ 14526-B
67/69	S	7.00" long-#C6VB 14A094-F(located at starter relay)-14 gauge wire	1	C6VY 14526-B
69/	A, B, F, S, X-w/55, 61 or 65 amp. Ford alternator	9" long-14 gauge wire-r/b D3AZ 14526-D (4-74)	1	★C9AZ 14526-D
69/	A, B, F, L, P, S, U, X-with 38, 42, or 45 amp. Ford alternator	9" long-16 gauge wire fuse link (alternator protection)	1	C9AZ 14526-E
65/	S-with electric seats	Screw (breaker to R.H. or L.H. front floor pan or cowl side panel)-No. 10-12 x 1/2"	2or4	42014-S8(U240)
65/	S (76A)	Screw (breaker to inner deck panel)	2	
65/70	X (71)-with electric tailgate	Screw(breaker to R.H. rear corner pillar reinforcement)	1	
65/	A(71)	Screw (breaker to L.H. rear corner pillar lower reinforcement)	1	
65/	S-with electric windows	Screw (breaker to floor upper No. 3 cross member or to R.H. & L.H. cowl side panel)	2or4	
65/70	X-with electric windshield wipers	No. 10-32 x 5/8"	1	50525-S8(U159)
65/	A-with A/C		1	
65/	B-with electric windshield wipers		1	
65/	S(76A)	Screw (breaker (60 amp.)to R.H. front fender apron)-No. 14-10 x 1"	2	42154-S7(U256)
65/	A, S, X, B	Lockwasher-No. 10	AR	34903-S8(X96)
65/	A, S, X, B	Nut-No. 10-32	AR	34079-S7(M163)
71	B	Screw-No. 8-15 x 5/8"(circuit breaker to instrument panel)	AR	52554-S(U230)
65	F	Screw-No. 10-24 x 1/2"-attach circuit breaker to fender	2	40918-S(U260)
65/	B	Flatwasher-No. 10	1	44716-S8(X15)
66/	A(76), B(76)-top control	Nut-No. 10-24	1	34053-S8(M156)
69	S		2	
66/	A(76), B(76)-top control	Lockwasher-1/4" spring	1	34803-S7(X60)
69	S	Attach wiring to circuit breaker	2	
	14527-S HOUSING - WINDOW REGULATOR SWITCH			
65/66	A(54, 57B, 62, 63B, 71, 76A)	Multiple type-5 switch-on driver's door	1	C6GY 14527-A
65/66	♦A(57F, 63F)		1	
67	A-without safety convenience panel		1	
65	♦A(57F, 63F)	Multiple type-5 switch-on driver's door	1	C5MY 14527-B
65/66	A(54, 57B, 62, 63B, 71, 76A)	Single type-R.H. front door or R.H. & L.H. rear	3	C6GY 14528-A
65/66	♦A(57F, 63F)	doors or quarters	3	
65/66	A(63C, D, 76B, D)	R.H. & L.H. rear quarter	2	
67	A-without safety convenience panel	R.H. front door or R.H. & L.H. rear doors or quarters	3	
65/66	♦A(57F, 63F)	R.H. front or R.H. & L.H. rear door or quarter	3	C5MY 14528-B
68	A(exc. 54B, E, 62B, E, 71D)-with manual vent	Multiple type-5 switch	1	C8AZ 14527-B
68/71	B		1	
68	A "Before 1/15/68"	Single type-on R.H.-front door or R.H. & L.H.	1 or 3	C8AZ 14528-A
68/71	B(except 71E)	rear doors or quarters		
68	A "From 1/15/68"	Single type-R.H.-front door or R.H. & L.H.	1 or 3	C8AZ 14528-B
68/69	B(except 71E)	rear door or quarter		
70/71	B	R.H.-front door or R.H. & L.H. rear door or quarter	3	
69/70	A	Multiple type-5 switch-L.H. front door	1	C9AZ 14527-A
71/	F	Multiple type-5 switch-L.H. front door	1	
71	A	Multiple type-L.H. front door	1	D1AZ 14527-A

Identification Marking ★ U. S. only ♦ Canada only

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14527-8 HOUSING - WINDOW REGULATOR SWITCH - continued			
69/70	A	Single type-R.H. front door or R.H. and L.H. rear door or quarter	AR	C9AZ 14528-A
71/	F	Single type-R.H. front door or R.H. & L.H. rear quarter	3	
71	A	Single type-R.H. front or R.H. and L.H. rear door or quarter windows	3	D1AZ 14528-A
72	A	Multiple type on L.H. front door	1	D2AZ 14527-A
72	A	Single type-R.H.front door or R.H. & L.H. rear door or quarter	3	D2AZ 14528-A
72	B(exc.97)	Multiple type on L.H. front door	1	D2OZ 14527-A
72	B(exc.97)	Single type-R.H. front door or R.H. & L.H. rear door or quarter windows	3	D2OZ 14528-A
68/69	B(71E)	Single type R.H. & L.H. rear door	2	C8OZ 14528-B
65	S-without power vent windows	Multiple type	1	C4SZ 14528-B
66	S(63A, 76)-without power vent windows		1	
66	S(63C, D)-with power vent windows		1	
67	S	Multiple type	1	C5MY 14527-B
67	S(57)	Single type-on R.H. & L.H. rear door	2	C5MY 14528-C
67	S(65)	Single type -on R.H. & L.H. rear quarter	2	C7SZ 14528-B
67	A(63C, 76B)-with power reclining seat	On passenger seat	1	
67/70	S-with power reclining seat	On passenger seat-bench or bucket	1	
68	S(57, 65)-except safety convenience panel-"Before 12/15/67"	R.H.-front door	1	C8SZ 14528-B
68	S(57)	R.H. & L.H.-rear doors	2	
68/69	S(65)	R.H. & L.H.-rear quarter	2	
69/	S	Sliding roof switch	1	
68/69	S(65, 57)-except safety convenience package-"From 12/15/67"	R.H.-front door	1	C8SZ 14528-D
68/69	S(57)-with vacuum door locks	R.H.-front door	1	
68/71	S(57)-except safety convenience panel	R.H. & L.H. rear door	2	
69	S(57)-without vacuum door locks	Single type R.H. front door	1	C9LY 14528-A
70	S(57)	R.H.-rear door	1	
68/69	S(57, 65A, C)-with vacuum door locks-"Before 3/29/69"	Multiple type	1	C8SZ 14527-A
68/69	S(57, 65A, C)-without vacuum door locks-"Before 3/29/69"	Multiple type	1	C8SZ 14527-B
69	S(57, 65A, C)-with vacuum door locks-"From 3/29/69"	Multiple type	1	C9SZ 14527-E
69	S(57, 65A, C)-without vacuum door locks-"From 3/29/69"	Multiple type	1	C9LY 14527-B
69	S(65B, D)-without vacuum door locks-"Before 3/29/69"	Multiple type	1	C9SZ 14527-A
69	S(65B, D)-without vacuum door locks-"From 3/29/69"	Multiple type	1	C9SZ 14527-C
69	S(65B, D)-with vacuum door locks-"Before 3/29/69"	Multiple type	1	C9SZ 14527-B
69	S(65B, D)-with vacuum door locks-"From 3/29/69"	Multiple type	1	C9SZ 14527-D
70/71	S(57)-with power windows and power seat	R.H.-with lettering "Rear Tilt", "Front Tilt", "Seat", "Window"	1	D0SZ 14527-M
70/71	S(65)-with power windows and power seat	R.H.-with lettering "Rear Tilt", "Front Tilt", "Window"	1	D0SZ 14527-S
70/71	S-with remote control mirror	L.H. -"Mirror"	1	D0SZ 14528-A
70	S(65)-power window	R.H. & L.H.-quarter-single	2	D0SZ 14528-B
71	S(65A, C)-power windows	R.H. & L.H.-quarter-single	2	
70/71	S(57)-power window	R.H.-"Window"	1	D0SZ 14528-K
70/71	S(65)-power window	R.H.-"Window"	1	D0SZ 14528-P
70/71	S-with vacuum door locks	L.H.-with lettering "Mirror"-"Unlock"-"Lock"	1	D0SZ 14527-A
70/71	S-with power seat	L.H.-with lettering "Mirror"-"Front Tilt"-"Rear Tilt"-"Seat"	1	D0SZ 14527-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14527-8 HOUSING - WINDOW REGULATOR SWITCH - continued			
70 71	S-with power windows S(65A, C, 57)-with power windows	L. H. -with lettering "Mirror"-"L-Front"-"R-Front"-"L-Rear"-"R-Rear"-"Unlock"-"Lock"-"Window"	1 1	D0SZ 14527-C
70 71	S-with power windows and power seat S(65A, C, 57)-with power windows and power seats	L. H. -with lettering "Mirror"-"Rear Tilt"-"Front Tilt"-"Seat"-"L-Front"-"R-Front"-"L-Rear"-"R-Rear"-"Unlock"-"Lock"-"Window"	1 1	D0SZ 14527-D
70 71	S-with power window, power seat and vacuum door locks S(65A, C, 57)-with power windows, power seats, power door locks	L. H. -with lettering "Mirror"-"Rear Tilt"-"Front Tilt"-"Seat"-"L-Front"-"R-Front"-"L-Rear"-"R-Rear"-"Unlock"-"Lock"-"Window"-"Door"	1	D0SZ 14527-E
70/71	S-with power window and vacuum door locks	L. H. -with lettering "Mirror"-"L-Front"-"R-Front"-"L-Rear"-"R-Rear"-"Unlock"-"Lock"-"Window"-"Door"	1	D0SZ 14527-F
70/71	S-with power seat and vacuum door locks	L. H. -with lettering "Mirror"-"Rear Tilt"-"Front Tilt"-"Unlock"-"Lock Door"	1	D0SZ 14527-G
70/71	S(57)-with 6 way power seat	R. H. -with lettering "Rear Tilt"-"Front Tilt"-"Seat"	1	D0SZ 14527-L
70/71	S(65)-with 6 way power seat	R. H. -with lettering "Rear Tilt"-"Front Tilt"-"Seat"	1	D0SZ 14527-R
71	S(65B, D)-with power windows and power seat	L. H. -with lettering "Mirror"-"Rear Tilt"-"Front Tilt"-"Seat"-"L-Front"-"R-Front"-"Unlock"-"Lock"-"Window"	1	D1SZ 14527-A
71	S(65B, D)-with power windows	L. H. -with lettering-"Mirror"-"L-Front"-"R-Front"-"Unlock"-"Lock"-"Window"	1	D1SZ 14527-B
71	S(65B, D)-with power windows and door locks	L. H. -with lettering "Mirror"-"L-Front"-"R-Front"-"Unlock"-"Lock"-"Window"-"Door"	1	D1SZ 14527-C
71	S(65B, D)-with power windows, power seat and door locks	L. H. -with lettering "Mirror"-"Rear Tilt"-"Front Tilt"-"Seat"-"L-Front"-"R-Front"-"Unlock"-"Lock"-"Window"-"Door"	1	D1SZ 14527-D
72	S-with power windows without power seat	R.H.-front door with lettering "Window"	1	D2SZ 14528-A
72	S-with power windows with power seats	R.H. front door with lettering "Rear Tilt"-"Front Tilt"-"Seat"-"Windows"	1	D2SZ 14528-C
72	S-without power windows with power seats	R.H. front door with lettering "Rear Tilt"-"Front Tilt"-"Seat"	1	D2SZ 14528-B
72	S-with power windows, power seats & remote control mirror	L.H.-with lettering "Mirror"-"Rear Tilt"-"Front Tilt"-"Seat"-"L-Front"-"R-Front"-"L-Rear"-"R-Rear"-"Window Lock"	1	D2LY 14527-A
72	S-with power windows, remote control mirror without power seats	L.H.-with lettering "Mirror"-"L-Front"-"R-Front"-"L-Rear"-"R-Rear"-"Window Lock"	1	D2SZ 14527-D
72	S-without power windows with power seats and remote control mirror	L.H.-with lettering "Mirror"-"Rear Tilt"-"Front Tilt"-"Seat"	1	D2SZ 14527-E
72	S-without power windows-with power seats-without remote control mirror	L. H. - with lettering "Rear Tilt"-"Front Tilt"-"Seat"	1	D2SZ 14527-G
72	S-with power windows-without power seats-without remote control mirror	L. H. - with lettering "L-Front"-"R-Front"-"Lock"	1	D2SZ 14527-F
72	S-with power windows-with power seats-without remote control mirror	L. H. - with lettering "Rear Tilt"-"Front Tilt"-"Seat"-"L-Front"-"R-Front"-"L-Rear"-"R-Rear"-"Window Lock"	1	D2SZ 14527-H
72	S-without power window without power seats with remote control mirror	L.H. front door with lettering "Mirror"	1	D2SZ 14528-D
72	S-with power windows	R.H. & L.H. rear quarter window	2	D2LY 14528-A
70	S	Screw (attach housing to arm rest plate)-No.8-32 x 1/2"	AR	51764-S(U366)
71	S	Nut-1/8"-self thread-attach housing to door trim panel	4	370713-S(MM292)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14529 SWITCH ASSY. - WINDOW REGULATOR CONTROL - Also refer to Groups 14540, 14632-3 & 15668			
65	B(71, X(71, 78)	Single type-rear window-key operated	1	C4AZ 14529-A
65/67	A(71)	Single type-rear window-key operated	1	C5AZ 14529-C
66/67	B(71)		1	
66/69	X(71)-single action tailgate		1	
68	A(71)-dual action tailgate	Single type-rear window-key operated	1	C8AZ 14529-E
68/70	B(71), X(71)		1	
65/66	A(71)	Single type-switch & wiring-toggle type	1	C5AZ 14529-D
67	A(71)	Single type-switch & wiring-toggle type	1	C7AZ 14529-A
68	A(71)	Single type-switch-toggle type-rear window	1	C8AZ 14529-B
69/70	A(71)	Single type-rear window-located at instrument panel	1	C9AZ 14529-C
68	A	Single type-R. H. front door-R. H. & L. H. rear windows	1 or 3	C8AZ 14529-A
68/71	B		3	
68	A	Double type-L. H. front door	2	C8AZ 14529-C
68/71	B		2	
69/70	A	Single type-located in master control	4	C9AZ 14529-B
71/	F	Located in master control	4	
69/70	A	Single type-on R. H. front door or R. H. & L. H. rear doors or quarters	3	C9AZ 14529-D
71/	F	Single type-located in R. H. front or R. H. & L. H. quarter window	3	
69	A(71)	Single type-rear window-key operated	1	C9AZ 14529-E
71	A	Single type-R. H. front door, R. H. & L. H. rear door or quarter windows-#D1AB 14529-C1B or C2B-r/b D3AZ 14529-F (10-74)	3	★D1AZ 14529-E
72	A "Before 3/15/72"	Single type-R.H. front door, R.H. & L.H. rear doors or quarters-D2AB 14529-A1A, A2A-r/b D3AZ 14529-F (6-74)	AR	★D2AZ 14529-A
72	A "From 3/15/72 to 6/19/72"	Single type-R. H. front door, R. H. & L. H. rear doors or quarters-$D2AB 14529-A1B, A2B-r/b D3AZ 14529-F (10-74)	AR	★D2AZ 14529-B
71/72	A "From 6/19/72"	Single type-R. H. front door or R. H. & L. H. rear doors or quarters-$D3AB 14529-CA	AR	D3AZ 14529-F
71/	A	Multiple type-5 switches-L.H. front door-#D1MB 14540-AA, AB, $D2MB 14540-AA	1	D2MY 14529-B
71/	A(71)-without backlite washer	Toggle type-located on instrument panel-#D1AB 14529-AB	1	D1AZ 14529-A
71/	A(71)-with backlite washer	Toggle type & push to wash-located on instrument panel-#D1AB 14529-BB	1	D1AZ 14529-B
71	A(71)-with backlite washer-"Before 11/2/70"	Rear window-key operated-#D1AB 14046-BD	1	D1AZ 14529-D
70/	A(71)-without backlite washer	Rear window-key operated	1	D1AZ 14529-C
71/	A(71)-with backlite washer-"From 11/2/70"		1	
65	B(71)	On dash panel -toggle type - rear window	1	C3OZ 14529-A
66/67	B(71), X(71)	Single type-switch & wiring-toggle type - rear window	1	C6OZ 14529-A
68/69	B(71), X(71)	Single type-rear window-toggle type	1	C8OZ 14529-A
70/71	B(71)	Single rear window-toggle type	1	D0OZ 14529-A
71	B(71)	Single switch-key operated-#D1OB 14529-AA	1	D1OZ 14529-A
72	B(71)	Toggle type-#D2OB 14529-AA	1	D2OZ 14529-A
72	B(71)	Key operated-#D2OB 14046-AA	1	D2OZ 14529-B
72	B(exc. 97) "Before 3/15/72"	R.H. front door or R.H. and L.H. rear door or quarter windows-#D2AB 14529-A1A, A2A-r/b D2AZ 14529-B (6-74)	3	★D2AZ 14529-A
72	B(exc. 97) "From 3/15/72 to 6/19/72"	Single type-R. H. front door or R. H. & L. H. rear door or quarter windows-$D2AB 14529-A1B, A2B-r/b D3AZ 14529-F (10-74)	AR	★D2AZ 14529-B
72	B "From 6/19/72"	Single type-R. H. front door or R. H. & L. H. rear doors or quarters-$D3AB 14529-CA	AR	D3AZ 14529-F
72	B(exc. 97)	Multiple type-5 switches-L. H. front door-$D2MB 14540-AA	1	D2MY 14529-B

$ Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14529 SWITCH ASSY. - WINDOW REGULATOR CONTROL - continued			
	Also refer to Groups 14540, 14632-3 & 15668			
68	S "Before 12/15/67"	R. H. front door	1	C8SZ 14529-C
68	S(57)	R. H. & L. H. rear door	2	
69	S(57)-with vacuum door locks	R. H. front door	1	
68/69	S(65)- except safety convenience panel	Single type-R. H. & L. H. rear quarter	2	C8SZ 14529-A
68/69	S "From 12/15/67 to 3/29/69"	R. H. front door	1	
68/69	S(57)	R. H. & L. H. rear door	2	
69/70	S-with sliding roof	Actuate sliding sun roof	1	
70/71	S(65)	R. H. & L. H. quarter windows	2	C8LY 14529-A
69/71	S	Single switch and wiring used as replacement switches for 14633 wiring assy. L.H. front door	AR	C9SZ 14529-A
69/71	S (57,65A,C)	Multiple type-4 switches and wiring-L. H. front door-#C9LB 14A265-B, D1SB 14A265-AA	1	D1SZ 14529-A
69/71	S(65B, D) "From 3/29/69"	Multiple type-2 switches and wiring-L. H. front door-#C9SB 14A265-C, D1SB 14A265-DA	2	D1SZ 14529-D
71	S-without power seats	Single type-1 switch-R. H. front door-#C9LB 14A265-A, D1SB 14A265-BA	1	D1SZ 14529-B
69/70	S "From 3/29/69"	R.H.-front door-#C9LB 14A265-A-	1	
69/71	S(57) "From 3/29/69"	Single type-1 switch-R. H. rear door-#C9SB 14A265-A, D1SB 14A265-CA	1	D1SZ 14529-C
69/71	S(57) "From 3/29/69"	Single type-1 switch-L. H. rear door-#C9SB 14A265-B, D1SB 14A265-EA	1	D1SZ 14529-E
70/71	S	Single switch for master control-#D1VB 14A265-BA	1	D1VY 14529-B
70/71	S-with 6 way power seats	Single switch-R. H. front door-#D1VB 14A265-CA	1	D1VY 14529-C
72	S "Before 3/15/72"	R.H.& L.H. rear quarter-#D2AB 14529-A1A, A2A-r/b D3AZ 14529-F (10-74)	2	★D2AZ 14529-A
72	S "Before 3/15/72"	R.H. front door-#D2MB 14529-AA	1	D2MY 14529-A
72	S "From 3/15/72 to 5/22/72"	R. H. & L. H. rear quarter-#D2AB 14529-A1B, A2B-r/b D3AZ 14529-F (10-74)	2	★D2AZ 14529-B
72	S "From 3/15/72 to 5/22/72"	R. H. front door	1	
72	S "From 5/22/72"	R. H. & L. H. rear quarter-#D3AB 14529-CA	AR	D3AZ 14529-F
		R. H. front door	1	
72	S	Multiple type-5 switches-L.H. front door-#D2MB 14540-AA	1	D2MY 14529-B
71	B(71)	Screw (attach switch to tailgate)-No. 8-32 x 1/2"	2	57075-S(B330A)
71	A(71)	Snap ring retain 14529 switch to control	1	97409-S(Q5A)
71	A(71)	Screw (attach switch & wiring to tailgate panel)-No. 8-15 x 1/2"	2	52012-S(U202)
		Clip assy. (attach switch & wiring to tailgate panel)	2	383182-S(GG359)
65/	A (71)	Clip (wiring leads of switch to back window regulator control)	1	372866-S100(GG89)
65/	A (71)	Clip (wiring leads of switch to back window regulator mounting panel)	1	372047-S100 (GG217)
65/67	X (71,78)	Nut (switch to tailgate lock & cover plate)-No.8-32	2	34052-S7(M155)
65/68	A (71), B(71)	Nut (switch to back window handle plate)	2	
		Lockwasher - No. 8	2	34802-S7(X59)
70	B (71)	Nut-1/2"-28-thin	1	356098-S (MM122A)
71	B	Clip-No. 8-32 x 1/2" -attach switch to tailgate inner panel	2	382031-S(GG280)
	14530 BUTTON ASSY. - WINDOW REGULATOR CONTROL SWITCH			
71/	A	Used on single type switches	AR	D1AZ 14530-A
72	B,S		AR	
71/	A	Used on multiple type switches	AR	D1MY 14530-A
72	B,S		AR	

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14531 SHIELD - WINDOW REGULATOR CONTROL SWITCH			
71/	A	Multiple type	1	D1AZ 14531-A
72	B,S		1	
71/	A	Single type	AR	D1MY 14531-A
72	B,S		AR	
	14536 BRACKET - INSTRUMENT PANEL WIRING			
68/70	S	L. H. side of instrument panel	1	C8SZ 14536-A
72	B	Located on parking brake control	1	D2OZ 14536-C
	14540 SWITCH ASSY. - WINDOW REGULATOR- Also refer to Groups 14529 & 14632-3			
65/66	A(54,57B,62,63B,71,76A)	Master window control	1	C5AZ 14540-B
65/66	♦A(57F,63F)		1	
67	A		1	
66	♦A(57F,63F)	Master window control	1	C6MY 14540-B
67	A-w/safety convenience panel	Master window control	1	C7AZ 14540-B
68	A	Master control -#C8AB 14A695-A	1	C8AZ 14540-A
68/71	B		1	
69/70	A	Located in L. H. master control - #C9AB 14A695-B	1	C9AZ 14540-B
71/	F	Master window control	1	
65	S	Master window control	1	C4SZ 14540-B
65/66	A(63C,D,76B,D)		1	
66	S(63A,76)		1	
67	S	Master window control	1	C7SZ 14540-B
68/69	S "Before 3/29/69"	Master control -#C8VB 14A695-A	1	C8SZ 14540-A
69	S "From 3/29/69"	Master control-#C9VB 14A695-A	1	C9VY 14540-A
68/69	S "Before 3/29/69"	Double switch used in master control housing	2	C8SZ 14540-B
69	S "From 3/29/69"	Refer to basic 14529		
	14546 RELAY ASSY. - SEAT REGULATOR CONTROL - Refer to Groups 14512 & 14A707			
	14A546 WIRE ASSY.- SEAT BELT SWITCH			
72	B-with 3 speed manual trans.	Extension	1	D2OZ 14A546-A
72	B-with 3 & 4 speed manual trans.	Jumper	1	D2OZ 14A546-B
	14547 MOTOR ASSY. - SEAT REGULATOR			
65/66	A(except 63C,D,76B,D)	With 6 way bench seat	1	C5AZ 14547-B
69/71	B	With power bench seat	1	(MM-202)
67/71	S	With 6 way bucket seat	2	C7SZ 14547-A
67/72	A "Before 12/1/71"	With 6 way split bench or bucket seat	1or2	(MM-221)
67/72	A "Before 12/1/71"	With 6 way bench seat	1	C7SZ 14547-B
68/71	S		1	(MM-222)
72	B	With 6 way bench seat	1	D2OZ 14547-A
72	A "From 12/1/71"		1	(MM-304)
72	S	With 6 way bucket or split bench seat	1	D2SZ 14547-A
72	A "From 12/1/71"		1	(MM-305)
65	S		1or2	C5SZ 14547-A
65	A(63C,76B)		1or2	(MM-203)
66	S	With 6 way bucket seat	AR	C6SZ 14547-A
66	A(63C,D,76B,D)		AR	(MM-215)
		Nut (motor to vertical or horizontal regulator housing)- No. 10-32	2or4	34079-S7(M163)
		Lockwasher	AR	34803-S7(X60)
	♦ **14553 MOTOR ASSY. - WINDOW REGULATOR** - Also refer to Body Groups 23394-5,30304-5 & 40964			
65/66	B(71),X(71)	12 volt-2" dia. -#C4AF 14553-A	1	C4AZ 14553-B (MM-148)
	14A554 ACTUATOR - SEAT BELT and IGNITION - WARNING SYSTEM			
72	L-with ignition restraint system	Located under R. H. instrument panel	1	D2FZ 14A554-A
	14559 CLIP - WINDOW OR SEAT REGULATOR SWITCH RETAINING			
65/66	A,S	.31" x .51"-2 tabs	AR	FAA 14559-A
65/66	A(except 63C,76B)	.31" x .41"-1 tab	AR	C5AZ 14559-C
67/69	A,S	Used on master control switch	AR	

♦ For 1965/ Models (except Falcon & Fairlane tailgate window) Body Basic Groups 23394-5, 30304-5 & 40964 must be used
Identification marking ☆ U. S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14559 CLIP - WINDOW OR SEAT REGULATOR SWITCH RETAINING -continued			
65/67	A	.31" x .50"-"J" type	AR	C5AZ 14559-A
67/71	S-with power windows		AR	
67/71	S-with safety convenience package		2	
67	A(63C,76B)-with power reclining seat	On passenger seat	2	
67	S-with power reclining seat	On passenger seat	2	
67	S-with vacuum door lock between switch and retainer		2	
68/71	S(57C,65C,D)-with 6 way power bench seat		2	
65/	A(71)	Steel spring wire	1	C5AZ 14559-B
66/	B(71)-with swing-away tailgate		1	
66/70	X(71)-with swing-away tailgate		1	
65/66	S(76)		2	C5SZ 14559-A
	14570 CLIP - WINDOW REGULATOR HOUSING RETAINER			
69/71	A	Attach 14527,14528 to 14489 switch retainer	6	D1AZ 14570-A
71	S	Attach 14527,14528 to 14489 switch retainer	AR	
71/	F	Attach 14528 to 14489 switch retainer	AR	
70	A	Attach 14527 to multiple switch retainer	2	D0AZ 14570-A
71/	F	Attach 14527 to 14489 switch retainer	2	
65/66	S		4	C4AZ 14570-A
67	S-with power windows "Before 12/9/66"		4	C5MY 14570-B
67	S-with power reclining seat "Before 12/9/66"	On passenger seat	2	
67	A(63C,76B)-with power reclining seat- "Before 12/16/66"	On passenger seat	2	
67	A(63C,76B)-with power reclining seat- "From 12/16/66"	On passenger seat	2	C7AZ 14570-A
67/69	S-with power reclining seat "From 12/9/66"	On passenger seat-bench or bucket	2	
67/69	S-with power windows "From 12/9/66"		4	
69	F-with forced vent system or a/cond.		4	
69/70	S-with sun roof	Attach sun roof housing	2	
70	B-with a/cond.	Attach register to duct	4	
	14574 WIRE ASSY. - RADIO REAR SEAT SPEAKER EXTENSION			
69/70	A(except 71,76)-AM radio		1	C9AZ 14574-A
69/70	A(71)-dual rear speakers-AM radio		1	C9AZ 14574-B
71	A(54,57,65)-with dual rear seat speakers		1	D1AZ 14574-A
71	A(71)-with dual rear seat speakers		1	D1AZ 14574-B
71	F-with single rear seat speaker		2	D1OZ 14574-A
71	B	Refer to basic 18A900	1	
72	A(71)-AM radio	With dual rear speakers	1	D2AZ 14574-B
72	A(exc.71,76)-AM radio	With dual rear speakers	1	D2AZ 14574-A
70	B(except 71), F-with dual rear seat speakers		1	D0OZ 14574-A
72	B(exc.71,97)-AM radio	With dual rear speakers	1	D2OZ 14574-A
72	L,P	With dual rear speakers	1	
72	B-AM/FM radio		1	D2OZ 14574-B
70	S		1	D0SB 14574-A
70/	A	Clip No. 8-18 (attach rear seat speaker wiring to inner cowl panel)	AR	383182-S(GG359)
70	A	Strap(nylon) (attach rear seat speaker wiring to inner cowl panel)	AR	383313-S(YY6)
70/	A	Screw-No.8-18 x 1/2" (attach wiring to cowl top)	AR	52012-S(U202)
	14603 BUSHING - TERMINAL			
67	F,S		1	C7ZZ 14603-A
	14603 GROMMET - WIRING			
69/71	A	Back-up lamp wiring in bumper	4	C9AZ 14603-A
70/	A(71)	Used in tailgate inner panel	2	D0AZ 14603-A
70/71	S(65)	Wiring 10B923 at roof side	1	D0SZ 14603-A
	14608 RETAINER ASSY. - COWL WIRING GROMMET THROUGH DASH			
65/67	B,F,X	Wiring thru dash	2	PB9M 14608-A
	14613 RETAINER - WIRING GROMMET			
70/	S-with brake skid control	Nylon	1	C9SZ 14613-A
	14618 WIRE ASSY. - SEAT REGULATOR CONTROL RELAY FEED EXTENSION			
68/69	S	6 way bucket seat-drivers side and passenger reclining seat	AR	C8SZ 14618-A

14630-1 WIRING - FRONT WINDOW REGULATOR

WIRING LOOM MARKING or TAG NUMBER TO SERVICE WIRING PART NUMBER GUIDE FOR 1965 and SUBSEQUENT MODELS

The purpose of this guide is to facilitate the identification of the Service Wiring Part Number. The chart that follows lists in numerical sequence the Wiring Loom Markings or Tag Numbers for 1965 and subsequent model vehicles. For many vehicles the Service Wiring Part Number will be the same as the Loom Marking or Tag Part Number. This type of replacement will cause little or no installation problems. However, when the Service Wiring differs from the Loom Marking or Tag Number it will be necessary to match lead wires and to tape up those lead wires which are not required. This is necessary when the Service Wiring has a more general application than the original wiring installed by the factory. Following this guide chart, Service Wiring Part Numbers are listed by model year and vehicle usage which will permit the identification of replacement wiring when the loom identification marking or tag number is not known.

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C7SB 14A128-A	★C7SZ 14631-B
C7SB 14A205-A	★C7SZ 14630-A
C8SB 14A205-A	C8SZ 14630-B
C8SB 14A205-B	C8SZ 14630-B
C5AB 14630-C	★C5AZ 14630-A
C5AB 14630-D	★C5AZ 14630-B
C6AB 14630-G	★C6AZ 14630-A
C6AB 14630-H	★C6AZ 14630-B
C6AB 14630-M	★C6AZ 14630-B
C6AB 14630-L	★C6AZ 14630-A
C7AB 14630-A	★C7AZ 14630-A
C7AB 14630-B	★C7AZ 14630-D
C7AB 14630-D	★C7AZ 14630-D
C7AB 14630-E	★C7AZ 14630-E
C7MB 14630-G	C7MY 14630-B
C8AB 14630-D	C8AZ 14630-A
C8AB 14630-E	C8AZ 14630-A
C8OB 14630-A	★C8OZ 14630-A
C8OB 14630-B	★C8OZ 14630-B
C8OB 14630-C	★C8OZ 14630-A
C8OB 14630-D	★C8OZ 14630-B
C8OB 14630-E	★C8OZ 14630-E
C8OB 14630-F	★C9OZ 14630-A
C8OB 14630-G	C9OZ 14630-B
C8SB 14630-A	★C8SZ 14630-E
C8SB 14630-B	★C8SZ 14630-E
C8SB 14630-C	★C8SZ 14630-E
C8SB 14630-E	★C8SZ 14630-E
C8SB 14630-G	C8SZ 14630-J
C8SB 14630-J	C8SZ 14630-J
C9AB 14630-E	C9AZ 14630-A
C9AB 14630-F	C9AZ 14630-A
D0AB 14630-H	D0AZ 14630-K
D0AB 14630-J	D0AZ 14630-K
D0AB 14630-K	D0AZ 14630-K
D0LB 14630-D	D0LY 14630-E
D0LB 14630-E	D0LY 14630-E
D0OB 14630-B	D0OZ 14630-A
D0SB 14630-C	D0SZ 14630-D
D0SB 14630-D	D0SZ 14630-D
D0SB 14630-E	D0SZ 14630-D
D1AB 14630-AD	D1AZ 14630-A
D1LB 14630-AB	D0LY 14630-E
D10B 14630-AA	D0OZ 14630-A
D1OB 14630-AB	D1OZ 14630-A
D1SB 14630-AB	D1SZ 14630-A
D1WB 14630-AD	D1WY 14630-A
D2AB 14630-AB	D2AZ 14630-A
D2AB 14630-AC	D2AZ 14630-B

LOOM WIRING OR TAG NUMBER	SERVICE WIRING PART NUMBER
D2LB 14630-AG	D2LY 14630-A
D2LB 14630-AJ	D2LY 14630-B
D2OB 14630-AC	D2OZ 14630-A
D2OB 14630-AD	D2OZ 14630-C
D2OB 14630-AE	D2OZ 14630-C
D2OB 14630-AF	D2OZ 14630-C
D2SB 14630-AJ	D2SZ 14630-B
D2SB 14630-AG	D2SZ 14630-A
D3SB 14630-AA	D2SZ 14630-B
ED-C9LB 14630-C	C9LY 14630-C
ED-D0AB 14630-L	D0AZ 14630-K
C5AB 14631-C	★C5AZ 14631-A
C5SB 14631-B	★C5SZ 14631-B
C5SB 14631-C	★C5SZ 14631-A
C6AB 14631-C	C6AZ 14631-A
C7SB 14631-A	C7SZ 14631-C
C7SB 14631-B	C7SZ 14631-C
C8OB 14631-A	★C8OZ 14631-A
C8OB 14631-B	★C8OZ 14631-B
C8OB 14631-C	★C8OZ 14631-A
C8OB 14631-D	★C8OZ 14631-B
C8OB 14631-E	★C8OZ 14631-A
C8OB 14631-G	★C8OZ 14631-G
C8OB 14631-H	★C9OZ 14631-A
C8OB 14631-J	C9OZ 14631-B
C8SB 14631-A	C8SZ 14631-A
C8SB 14631-B	C8SZ 14631-A
C8SB 14631-C	C8SZ 14631-A
C8SB 14631-D	C8SZ 14631-B
C8SB 14631-E	C8SZ 14631-J
C8SB 14631-F	C8SZ 14631-K
C8SB 14631-G	C8SZ 14631-J
C8SB 14631-H	C8SZ 14631-K
C8SB 14631-J	C8SZ 14631-J
C8SB 14631-K	C8SZ 14631-K
C9AB 14631-G	C9AZ 14631-J
C9AB 14631-J	C9AZ 14631-J
C9AB 14631-K	C9AZ 14631-J
C9AB 14631-L	C9AZ 14631-L
D0AB 14631-H	D0AZ 14631-L
D0AB 14631-J	D0AZ 14631-L
D0AB 14631-N	D0AZ 14631-L
D0OB 14631-B	D0OZ 14631-A
D0LB 14631-E	D0LY 14631-G
D0LB 14631-F	D0LY 14631-G
D0LB 14631-G	D0LY 14631-G
D0LB 14631-H	D0LY 14631-G

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

14630-1 WIRING - FRONT WINDOW REGULATOR - continued

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
D0SB 14631-D	D0SZ 14631-B
D0SB 14631-E	D0SZ 14631-E
D0SB 14631-F	D0SZ 14631-E
D0SB 14631-G	D0SZ 14631-E
D0SB 14631-H	D0SZ 14631-E
D1AB 14631-AD	D1AZ 14631-A
D1LB 14631-AB	D1LY 14631-A
D1OB 14631-AB	D0OZ 14631-A
D1OB 14631-AD	D1OZ 14631-A
D1SB 14631-AC	D1SZ 14631-A
D1WB 14631-AE	D1WY 14631-A
D1WB 14631-AF	D1WY 14631-B
D2AB 14631-AB	D2AZ 14631-A
D2AB 14631-AC	D2AZ 14631-B

LOOM WIRING OR TAG NUMBER	SERVICE WIRING PART NUMBER
D2LB 14631-AG	D2LY 14631-A
D2LB 14631-AJ	D2LY 14631-B
D2OB 14631-AC	D2OZ 14631-A
D2OB 14631-AD	D2OZ 14631-C
D2OB 14631-AE	D2OZ 14631-C
D2OB 14631-AF	D2OZ 14631-C
D2SB 14631-AH	D2SZ 14631-A
D2SB 14631-AJ	D2SZ 14631-B
D3SB 14631-AA	D2SZ 14631-B
ED-C9AB 14631-J	C9AZ 14631-J
ED-C9AB 14631-K	C9AZ 14631-J
ED-C9SB 14631-D	C9SZ 14631-D
ED-C9SB 14631-E	C9SZ 14631-E

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
		- A -			
67	A-without safety convenience panel-		Used with door mounted switches	1	C7MY 14630-B
69	A		R.H.-front door	1	C9AZ 14630-A
69	A	"Before 6/2/69"	L.H.-front door	1	C9AZ 14631-J
69	A	"From 6/2/69"	L.H.-front door	1	C9AZ 14631-L
70	A		R.H.-front door	1	D0AZ 14630-K
70	A		L.H.-front door	1	D0AZ 14631-L
71	A		R.H.-front door	1	D1AZ 14630-A
			L.H.-front door	1	D1AZ 14631-A
72	A	" Before 1/17/72"	R.H.-front door	1	D2AZ 14630-A
			L.H.-front door	1	D2AZ 14631-A
72	A	" From 1/17/72"	R.H.-front door	1	D2AZ 14630-B
			L.H.-front door	1	D2AZ 14631-B
		- B -			
69	B(63,65,76)		R.H.-front door	1	C9OZ 14630-B
			L.H.-front door	1	C9OZ 14631-B
70	B		R.H.	1	D0OZ 14630-A
			L.H.	1	D0OZ 14631-A
71	B		R.H.-front door	1	D1OZ 14630-A
			L.H.-front door	1	D1OZ 14631-A
72	B(exc.97)	"Before 10/1/71"	R.H.-front door	1	D2OZ 14630-A
			L.H.-front door	1	D2OZ 14631-A
72	B(exc.97)	"From 10/1/71"	R.H.-front door	1	D2OZ 14630-C
			L.H.-front door	1	D2OZ 14631-C
		- F -			
71/	F		R.H.-front door	1	D1WY 14630-A
71/	F		L.H.-front door	1	D1WY 14631-B
		- S -			
68	S	"Before 12/15/67"	R.H.-front door	1	★C8SZ 14630-E
68/69	S	"From 12/15/67 to 10/14/68"	R.H.-front door	1	C8SZ 14630-J
69	S	"From 10/14/68"	R.H.-front door	1	C9LY 14630-C
68	S(57)	"Before 11/17/67"	L.H.-front door	1	C8SZ 14631-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14630-1 WIRING - FRONT WINDOW REGULATOR - continued			
	- S -			
68/69	S(57) "From 11/17/67 to 10/14/68"	L.H. -front door	1	C8SZ 14631-J
69	S(57) "From 10/14/68"	L.H. -front door	1	C9SZ 14631-E
68/69	S(65) "Before 10/14/68"	L.H. -front door	1	C8SZ 14631-K
69	S(65) "From 10/14/68"	L.H. -front door	1	C9SZ 14631-D
68/69	S(without safety convenience panel)	Jumper wire R.H. front door safety relay to R.H.-front door wiring	1	C8SZ 14630-B
70	S-without power seats "Before 11/1/69"	R.H.	1	D0SZ 14630-D
		L.H.	1	D0SZ 14631-B
70	S-without power seats "From 11/1/69"	R.H.	1	D0SZ 14630-D
		L.H.	1	D0SZ 14631-E
70/71	S-with power seats	R.H.	1	D0LY 14630-E
70	S-with power seats	L.H.	1	D0LY 14631-G
71	S-with power seats	L.H.	1	D1LY 14631-A
71	S-without power seat	R.H. -front door	1	D1SZ 14630-A
		L.H. -front door	1	D1SZ 14631-A
72	S-with power seat " Before 2/15/72"	R.H.-front door	1	D2LY 14630-A
		L.H.-front door	1	D2LY 14631-B
72	S-with power seat " From 2/15/72"	R.H. front door	1	D2LY 14630-B
		L.H. -front door	1	D2LY 14631-B
72	S-without power seats " Before 2/15/72"	R.H.-front door	1	D2SZ 14630-A
		L.H.-front door	1	D2SZ 14631-A
72	S-without power seat " From 2/15/72"	R.H. -front door	1	D2SZ 14630-B
		L.H. -front door	1	D2SZ 14631-B
65/	A	Clip (L.H. wiring to cowl top inner panel)	1	356628-S(GG175)
65/	A	Clip (R.H. wiring to cowl top inner panel)	2	372866-S100(GG89)
65/	A	Clip (wiring to front door inside panel)	1or2	372047-S100 (GG217)
65/	A	Clip (L.H. wiring to upper front body pillar)	1	372049-S100 (GG208)
65/	A	Clip (R.H. wiring to front floor inner panel)	1or2	371645-S100 (GG210M)
65/	A	Nut (wiring to motor) - No. 10-32	AR	34079-S7(M163)
65/	A	Lockwasher - No. 10	AR	34803-S7(X60)
65/	A	Screw (R.H. or L.H. wiring to cowl top inner panel)-No. 10-12 x 5/8"	2 or 4	42127-S8 (U248-C)
65/66	S		2	
65/	A	Screw (wiring to L.H. cowl side panel)	1	
69	A	Clip-No. 8-32 (attaches wiring power windows to door)	4	383266-S (BB643CE)
65/	A	Strap (R.H. & L.H. wiring to front body upper inner pillar)	2	376914-S(YY2)
69/	A	Clip (door wiring to inside panel)	6	382185-S100- (GG283)
		Screw-No.8-32 x 3/4"	6	57077-S(B330B)
		Washer-No.10	6	374576-S(XX55A)
70	A	Bolt and clip-No. 8-32 (attach wiring sleeve to door inside panel)	AR	383266-S (BB643CE)
70/	A,S	Clip and nut-No. 8-32 (attach wiring to door inside panel)	AR	383034-S(GG358)
71	A	Nut & washer-No. 8-32(attach wiring to door inside panel)	AR	34653-S36(M106X)
71	A	Nut-No.8-32(attach wiring & sleeve (14489) to door panel)	4	377523-S(MM291C)
70/	A	Screw-No.8-15 x 1/2"(attach wiring to cowl panel)	4	52012-S(U202)
70/	B			
71	B	Nut-No.8-32(attach locater on wiring to door panel)	4	382147-S100 (MM118H)
68/	B	Clip (wiring to instrument panel L.H. side)	AR	382033-S100 (GG303)
69	B	Nut-5/16"-18 (attach wiring to dash hinge lower)	2	353766-S(MM269)
70	B,S	Screw (attach wiring to cowl panel)-1/4"-14 x 1/2"	AR	55981-S(U254E)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	14630-1 WIRING - FRONT WINDOW REGULATOR - continued				
71	S		Screw-No.8-32 x 3/4"(attach wiring to inner door panel)	4	353609-S13(BB25)
71	S		Screw-No.8-18 x 3/8"(attach wiring to inner door panel)	4	52720-S(U380)
71	A		Clip (attach wiring to cowl panel)	4	383182-S(GG359)
	14A630 WIRE ASSY. - WINDOW REGULATOR JUMPER				
72	B(53,71)	"Before 10/1/71"	#ED-D2OB 14A488-BE	1	D2OZ 14A630-B
72	B(53,71)	"From 10/1/71"	#D2OB 14A488-BE	1	D2OZ 14A630-D
72	B(63,65)	"Before 10/1/71"	#D2OB 14A488-AC	1	D2OZ 14A630-A
72	B(63,65)	"From 10/1/71 to 2/1/72"	#D2OB 14A488-AE	1	D2OZ 14A630-C
72	B(63,65)	"From 2/1/72"	#D20B 14A488-AH	1	D2OZ 14A630-E
	14632-3 WIRING - WINDOW REGULATOR - Also refer to Groups 14529 & 14540				

WIRING LOOM MARKING or TAG NUMBER TO SERVICE WIRING PART NUMBER GUIDE FOR 1965 and SUBSEQUENT MODELS

The purpose of this guide is to facilitate the identification of the Service Wiring Part Number. The chart that follows lists in numerical sequence the Wiring Loom Markings or Tag Numbers for 1965 and subsequent model vehicles. For many vehicles the Service Wiring Part Number will be the same as the Loom Marking or Tag Part Number. This type of replacement will cause little or no installation problems. However, when the Service Wiring differs from the Loom Marking or Tag Number it will be necessary to match lead wires and to tape up those lead wires which are not required. This is necessary when the Service Wiring has a more general application than the original wiring installed by the factory. Following this guide chart, Service Wiring Part Numbers are listed by model year and vehicle usage which will permit the identification of replacement wiring when the loom identification marking or tag number is not known.

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C4SB 14086-B	C4SZ 14632-C
C4SB 14086-C	C4SZ 14632-F
C5AB 14086-H	C5AZ 14633-D
C5SB 14086-A	C5SZ 14633-A
C7SB 14086-A	C7SZ 14632-B
C7SB 14086-B	C7SZ 14632-D
C7SB 14086-C	C7SZ 14632-E
C4SB 14087-B	C4SZ 14633-E
C6AB 14087-A	C6AZ 14633-H
C7SB 14087-A	C7SZ 14633-B
C7SB 14087-B	C7SZ 14633-D
C8AB 14A264-A	C8AZ 14633-A
C8AB 14A264-B	★C8AZ 14632-A
C8AB 14A264-C	★C8AZ 14632-B
C8AB 14A264-D	★C8AZ 14633-B
C8AB 14A264-E	★C8AZ 14632-C
C8AB 14A264-F	★C8AZ 14633-C
C8OB 14A264-A	★C8OZ 14633-B
C8OB 14A264-B	★C8OZ 14632-B
C8OB 14A264-C	C8OZ 14632-C
C8OB 14A264-D	C8OZ 14633-C
C8OB 14A264-G	★C8OZ 14633-B
C8OB 14A264-E	C8OZ 14632-D
C8OB 14A264-F	C8OZ 14633-D
C8SB 14A264-A	C8SZ 14632-B
C8SB 14A264-B	C8SZ 14632-B
C9LB 14A264-A	C9LY 14632-A
C9LB 14A264-B	C9LY 14633-A
C9LB 14A264-C	C9LY 14632-B
C4SB 14A265-B	C4SZ 14632-G
C5AB 14A265-G	C5AZ 14633-E
C5AB 14A265-J	C5AZ 14633-F

LOOM WIRING OR TAG NUMBER	SERVICE WIRING PART NUMBER
C5SB 14A265-A	C5SZ 14632-A
C6AB 14A265-A	C5AZ 14632-D
C7AB 14A265-A	C7AZ 14632-A
C7AB 14A265-B	C7AZ 14633-A
C7SB 14A265-A	C7SZ 14632-C
D0VB 14A265-B	D1VY 14529-C
D0VB 14A265-E	D1VY 14529-B
C4SB 14A266-B	C4SZ 14633-F
C7SB 14A266-A	C7SZ 14633-C
C5AB 14632-B	C5AZ 14632-B
C7SB 14632-A	C7SZ 14632-A
C7SB 14632-B	C7SZ 14632-F
C7SB 14632-C	C7SZ 14632-F
C8OB 14632-A	★C8OZ 14632-A
C8OB 14632-B	★C8OZ 14632-A
C8SB 14632-A	★C8SZ 14632-A
C8SB 14632-C	C8SZ 14632-C
C9AB 14632-G	C9AZ 14632-B
C9AB 14632-H	D0AZ 14632-A
C9AB 14632-K	D0AZ 14632-A
C9AB 14632-L	C9AZ 14632-B
C9OB 14632-A	C9OZ 14632-A
C9SB 14632-A	C9SZ 14632-A
D0AB 14632-A	D0AZ 14632-A
D0AB 14632-B	D0AZ 14632-B
D0OB 14632-B	D0OZ 14632-A
D0SB 14632-B	D0SZ 14632-A
D1AB 14632-AB	D1AZ 14632-A
D1AB 14632-AC	D1AZ 14632-A
D1AB 14632-BB	D1AZ 14632-B
D1AB 14632-BC	D1AZ 14632-B
D1SB 14632-AB	D1SZ 14632-A

Identification marking

14632-3 WIRING - WINDOW REGULATOR - continued - Also refer to Groups 14529, 14540 & 14644

LOOM MARKING OR TAG NUMBER	SERVICE WIRING PART NUMBER
D2AB 14632-BA	D2AZ 14632-B
D2AB 14632-BB	D2AZ 14632-B
D2AB 14632-BD	D2AZ 14632-D
D2AB 14632-CA	D2AZ 14632-C
D2AB 14632-CB	D2AZ 14632-C
D2AB 14632-CC	D2AZ 14632-C
D2AB 14632-CD	D2AZ 14632-E
D2OB 14632-AB	D2OZ 14632-A
D2OB 14632-AC	D2OZ 14632-C
D2OB 14632-AD	D2OZ 14632-C
ED-D0AB 14632-A	D0AZ 14632-A
ED-D0AB 14632-B	D0AZ 14632-B
C6AB 14633-A	C6AZ 14633-A
C7SB 14633-A	★C7SZ 14633-A
C7SB 14633-B	C7SZ 14633-E
C7SB 14633-C	C7SZ 14633-E
C8OB 14633-A	★C8OZ 14633-A
C8OB 14633-B	★C8OZ 14633-A
C8SB 14633-A	★C8SZ 14633-A
C8SB 14633-B	★C8SZ 14633-A
C8SB 14633-C	C8SZ 14633-C
C9AB 14633-G	C9AZ 14633-A
C9AB 14633-H	C9AZ 14633-B
C9AB 14633-K	C9AZ 14633-A
C9AB 14633-L	D0AZ 14633-B
C9AB 14633-M	D0AZ 14633-B
C9AB 14633-R	D0AZ 14633-B
C9OB 14633-A	C9OZ 14633-A
C9SB 14633-A	C9SZ 14633-A
D0AB 14633-A	D0AZ 14633-A
D0AB 14633-C	D0AZ 14633-B
D0OB 14633-B	D0OZ 14633-A
D0SB 14633-B	D0SZ 14633-A
D1AB 14633-AB	D1AZ 14633-A
D1AB 14633-AC	D1AZ 14633-A
D1AB 14633-BB	D1AZ 14633-B
D1AB 14633-BC	D1AZ 14633-B
D1SB 14633-AB	D1SZ 14633-A
D2AB 14633-BA	D2AZ 14633-B
D2AB 14633-BB	D2SZ 14633-B
D2AB 14633-BD	D2AZ 14633-D
D2AB 14633-CA	D2AZ 14633-C
D2AB 14633-CB	D2AZ 14633-C
D2AB 14633-CC	D2AZ 14633-C
D2AB 14633-CD	D2AZ 14633-E
D2OB 14633-AB	D2OZ 14633-C
D2OB 14633-AC	D2OZ 14633-C
D2OB 14633-AD	D2OZ 14633-C
ED-C9AB 14633-L	D0AZ 14633-B
ED-D0AB 14633-C	D0AZ 14633-B
ED-D0AB 14633-A	D0AZ 14633-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	- A -			
65/68	A(54, 57, 71)	Wiring-R. H. -rear door	1	C5AZ 14632-B
65/66	A(54. 57, 71) "Before 4/18/66"	Wiring-L. H. -rear door	1	
66/68	A "From 4/18/66"	Wiring-L. H. -rear door	1	C6AZ 14633-A
68	A	R. H.-front door switch feed	1	★C8AZ 14632-A
		L. H.-front door switch feed	1	C8AZ 14633-A
68	A(54, 57, 71)	R. H.-rear door switch feed	1	★C8AZ 14632-B
		L. H.-rear door switch feed	1	★C8AZ 14633-B
68	A(63, 65, 76)	R. H.-rear quarter switch feed	1	★C8AZ 14632-C
		L. H.-rear quarter switch feed	1	★C8AZ 14633-C
69	A(54, 57, 71A, B, C, E)-except vacuum door locks	R.H.- rear door-repl.by D0AZ 14632-A(12-73)	1	★C9AZ 14632-A
		L.H.-rear door	1	C9AZ 14633-A
69	A(54, 57, 71A, B, C, E)-with vacuum door locks	R.H.-rear door	1	C9AZ 14632-B
		L.H.-rear door	1	D0AZ 14633-B
70	A-without power door locks	R. H. - rear door	1	D0AZ 14632-A
		L. H. - rear door	1	D0AZ 14633-A
70	A-with power door locks	R. H. - rear door	1	D0AZ 14632-B
		L. H. - rear door	1	D0AZ 14633-B
71	A(53, 54, 57, 71)-without power door locks	R. H. -rear door	1	D1AZ 14632-A
		L. H. -rear door	1	D1AZ 14633-A
71	A(53, 54, 57, 71)-with power door locks	R. H. -rear door	1	D1AZ 14632-B
		L. H. -rear door	1	D1AZ 14633-B
72	A(53,54,57,71)-with power door locks - " Before 1/17/72"	R.H.-rear door	1	D2AZ 14632-C
		L.H.-rear door	1	D2AZ 14633-C
72	A(53, 54, 57, 71)-with power door locks- " From 1/17/72"	R. H. -rear door	1	D2AZ 14632-E
		L. H. -rear door	1	D2AZ 14633-E
72	A(53,54,57,71)-without power door locks - " Before 1/17/72"	R.H.-rear door	1	D2AZ 14632-B
		L.H.-rear door	1	D2AZ 14633-B
72	A(53, 54, 57, 71)-without power door locks- " From 1/17/72"	R. H. -rear door	1	D2AZ 14632-D
		L. H. -rear door	1	D2AZ 14633-D

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14632-3 WIRING - WINDOW REGULATOR - continued - Also refer to Groups 14529, 14540 & 14644			
	- A -			
65/66	A(Tudor)	Screw (R. H. & L. H. rear quarter wiring to front floor pan)-No. 10-16 x 3/8"	1or2	42120-S8(U248)
65/66	A(Tudor)	Clip-Nylon	1or2	★377846-S
65/66	A(Tudor-62, 63, 76)	Lockwasher-No. 10	1or2	34939-S8(X86)
69	A(54, 57, 71)	Screw-No. 8-32 x 3/4" hex. hd. (attach wiring to rear door extension)	2	57077-S2(B330B)
70	A(54, 57, 71)	Screw-No. 8-32 x 1/2" (attach door open wire to rear door inner panel)	4	57075-S(B330A)
70	A(54, 57, 71)	Clip (attach door open wire to rear door inner extension)	4	382185-S(GG283)
70	A(54, 57, 71)	Bolt and clip-No. 8-32 (attach wiring sleeve to rear door inner panel)	AR	383266-S (BB643CE)
70	A(54, 57, 71)	Screw-No. 8-32 x 3/4"-attach wiring to rear door inner panel	AR	57077-S(B330B)
	- B -			
68	B(54, 71)	R. H.-rear door	1	★C8OZ 14632-A
		L. H.-rear door	1	★C8OZ 14633-A
68/69	B(54, 71)	R. H.-rear door switch feed	1	C8OZ 14632-C
		L. H.-rear door switch feed	1	★C8OZ 14633-C
68	B	R. H.-front door switch feed	1	★C8OZ 14632-B
		L. H.-front door switch feed	1	★C8OZ 14633-B
68/69	B(63, 65, 76)	R. H.-rear quarter switch feed	1	C8OZ 14632-D
		L. H.-rear quarter switch feed	1	C8OZ 14633-D
69	B(54, 71)	R. H.-rear door	1	C9OZ 14632-A
		L. H.-rear door	1	C9OZ 14633-A
70/71	B(54, 57, 71)	R.H.-rear door	1	D0OZ 14632-A
		L.H.-rear door	1	D0OZ 14633-A
72	B(53, 71) "Before 10/1/71"	R.H.-rear door	1	D2OZ 14632-A
		L.H.-rear door	1	D2OZ 14633-C
72	B(53, 71) " From 1/17/72"	R. H.-rear door	1	D2OZ 14632-C
		L. H.-rear door	1	D2OZ 14633-C
	- S -			
67	S(57) "Before 1/16/67"	Wiring-R. H.-rear door	1	C7SZ 14632-A
67	S(57) "From 1/16/67"	Wiring-R. H.-rear door	1	C7SZ 14632-F
67	S(57) "Before 1/16/67"	Wiring-L. H.-rear door	1	★C7SZ 14633-A
67	S(57) "From 1/16/67"	Wiring-L. H.-rear door	1	C7SZ 14633-E
68	S(57) "Before 12/15/67"	R. H.-rear door	1	★C8SZ 14632-A
		L. H.-rear door	1	★C8SZ 14633-A
68/69	S(57) "From 12/15/67 to 10/14/68"	R. H.-rear door	1	C8SZ 14632-C
		L. H.-rear door	1	C8SZ 14633-C
69	S(57) "From 10/14/68"	R. H.-rear door	1	C9SZ 14632-A
		L. H.-rear door	1	C9SZ 14633-A
69	S-used for model 57 with vacuum door locks- "Before 12/16/68"	R. H.-front door-switch feed	1	C9LY 14632-A
		R. H. & L. H. rear door	2	
		L. H.-front door-switch feed	1	C9LY 14633-A
69	S(57)-with vacuum door locks- "From 12/16/68"	R. H.-front door	1	C9LY 14632-B
68/69	S(65)	Switch feed	2	C8SZ 14632-B
70	S(57)	R. H.-rear door	1	D0SZ 14632-A
		L. H.-rear door	1	D0SZ 14633-A
71	S(57)	R.H.-rear door	1	D1SZ 14632-A
		L.H.-rear door	1	D1SZ 14633-A
71	B	Screw-No. 8-32 x 1/2"(wiring to door panel)	4	57075-S(B330A)
		Nut (wiring to circuit breaker)-No. 10-32	AR	34079-S7(M163)
		Lockwasher - No. 10	AR	34803-S7(X60)
70	A	Bolt & clip-No. 8-32(attach wiring and sleeve to to inner door panel	AR	383266-S (BB643CE)
		Nut-No. 8-32	AR	34653-S(M106X)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14632-3 SWITCH and WIRING ASSY. - WINDOW REGULATOR - Also refer to Groups 14529, 14540 & 14644			
	- A -			
65/66	A(54,57B,62,63B,71,76A)	Double switch and wiring located on L.H. front	1	C5AZ 14633-F
67	A	for R.H. & L.H. rear door or quarter windows	1	
65/66	☆A(57F,63F)		1	
65/66	♦A(57F,63F)	Double switch and wiring located on L.H. front door for R.H. & L.H. rear door or quarter windows	1	C5MY 14633-D
65/66	A(54,57B,62,63B,71,76A)	Double switch and wiring located on L.H. front	1	C5AZ 14633-E
67	A	door for R.H. & L.H. front door windows	1	
65/66	☆A(57F,63F)		1	
65/66	♦A(57F,63F)	Double switch and wiring located on L.H. front door for R.H. & L.H. front door windows	1	C5MY 14633-C
65/66	A(54,57B,62,63B,71,76A)	Single switch and wiring located on R.H. front	1	C5AZ 14632-D
65/66	☆A(57F,63F)	door	1	
65/67	A	R.H. & L.H. rear door or quarter window	2	
67	A	R.H. front door	1	
65/66	☆A(57F,63F)	R.H. & L.H. rear door or quarter window	2	
65/66	♦A(57F,63F)	Single switch and wiring located on R.H.front door	1	C5MY 14632-B
65/66	♦A(57F,63F)	R.H. L.H. rear door or quarter window	2	
65/66	A(63C,D,76B,D)	Switch & wiring (red connector)-single control-in console R.H. front door or R.H. rear quarter	1or2	C5AZ 14633-D
65/66	A(63C,D,76B,D)	Switch & wiring-single control-in console L.H. front door or L.H. rear quarter	1or2	C6AZ 14633-H
67	A-with safety convenience panel	Switch & wiring-in safety package console-for R.H. front and rear door or rear quarter	1	C7AZ 14633-A
67	A-with safety convenience panel	Switch & wiring-in safety package console-for L.H. front and rear door or rear quarter	1	C7AZ 14632-A
	- S -			
65/66	S	Switch & wiring-in console-R.H.-front door	1	C4SZ 14632-G
65/66	S	Switch & wiring-in console-L.H.-front door	1	C4SZ 14633-F
65	S	Switch & wiring-in console-R.H.-rear quarter	1	C4SZ 14632-F
66	S(63A,76)	Switch & wiring-in console-R.H.-rear quarter	1	
65	S	Switch & wiring-in console-L.H.-rear quarter	1	C4SZ 14633-E
66	S(63A,76)	Switch & wiring-in console-L.H.-rear quarter	1	
66	S(63C,D)	Switch & wiring-in console-R.H.-front vent	1	
65	S	Switch & wiring-R.H. & L.H.-rear quarters	2	C4SZ 14632-C
66	S(63A,76)	Switch & wiring-R.H. & L.H.-rear quarters	2	
65	S	Switch & wiring-in console-R.H.-front vent	1	C5SZ 14632-A
66	S(63A,76)	Switch & wiring-in console-R.H.-front vent	1	
65/66	S	Switch & wiring-in console-L.H.-front vent	1	C5SZ 14633-A
67	S	Switch & wiring-master control for R.H.-front door	1	C7SZ 14632-C
67	S	Switch & wiring-master control for L.H.-front door	1	C7SZ 14633-C
67	S	Switch & wiring-master control for R.H.-rear door or rear quarter	1	C7SZ 14632-B
67	S	Switch & wiring-master control for L.H.-rear door or rear quarter	1	C7SZ 14633-B
67	S(57)	Switch & wiring-R.H.-rear door	1	C7SZ 14632-D
67	S(57)	Switch & wiring-L.H.-rear door	1	C7SZ 14633-D
67	S(65)	Switch & wiring-R.H. & L.H.-rear quarters	2	C7SZ 14632-E
	14644 WIRING - REAR QUARTER WINDOW REGULATOR			
	- A -			
65/66	A(62,63,76)	R.H. & L.H.	2	C5AZ 14632-B
66/68	A(62,63,76)	R.H.-rear quarter	1	C5AZ 14632-B
		L.H.-rear quarter	1	C6AZ 14633-A
69	A(63,65,76)	L.H.-front door to R.H. and L.H.-rear quarter window switches-#C9AB 14644-A,C,D,F	1	C9AZ 14644-D

☆ U. S. only ♦ Canada only # Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	14644 WIRING - REAR QUARTER WINDOW REGULATOR - continued				
	- A -				
70	A	"Before 12/10/69"	Rear quarter-#D0AB 14644-A	1	D0AZ 14644-A
70	A	"From 12/10/69"	Rear quarter-# ED D0AB 14644-C,D	1	D0AZ 14644-C
71	A(65,76)		R.H. to L.H. side-#D1AB 14644-AC	1	D1AZ 14644-A
72	A(65,76)	" Before 1/17/72"	R.H. to L.H. side-#D2AB 14644-AA	1	D2AZ 14644-A
72	A(65,76)	" From 1/17/72"	R.H. to L.H. side-#D2AB 14644-AC,AD	1	D2AZ 14644-B
	- B -				
68/69	B(63,65)		R.H.-front door to R.H.-rear quarter-#C6GB 14644-A	1	★C6GY 14644-A Not replaced
68/69	B(63,65)		L.H.-front door to L.H.-rear quarter-#C8OB 14A081-B	1	★C8OZ 14644-B Not replaced
68/69	B(76)		R.H.-front door to R.H.-rear quarter-#C6GB 14644-B	1	★C6GY 14644-B Not replaced
68	B(76)		L.H.-front door to L.H.-rear quarter-#C8OB 14A081-A	1	★C8OZ 14644-A Not replaced
70/71	B(63,65,76)		R.H.-rear quarter-#D0OB 14644-A, D1OB 14644-AA	1	D0OZ 14644-A
			L.H.-rear quarter-#D0OB 14A081-A D1OB 14A081-AA	1	D0OZ 14644-B
72	B(63,65)	" Before 1/17/72"	R.H. to L.H. side-#D2OB 14644-AE	1	D2OZ 14644-A
72	B(63,65)	" From 1/17/72"	R.H. to L.H. side-#D2OB 14644-AF	1	D2OZ 14644-B
	- F -				
71/	F		R.H.-#D1ZB 14644-AB	1	D1ZZ 14644-A
			L.H.-#D1ZB 14A081-AB	1	D1ZZ 14644-B
	- S -				
68/69	S(65)		#C8SB 14644-A	1	C8SZ 14644-A
70/71	S(65)		R.H. & L.H.-rear quarter-#D0SB 14645-B, D1SB 14645-AA, D0SB 14A416-B, D1SB 14A416-AA	1	D0SZ 14644-B
72	S	"Before 3/15/72"	R.H. & L.H. side-#D2SB 14644-AB	1	D2LY 14644-A
72	S	"From 3/15/72"	R.H. & L.H.-side-#D2SB 14644-AC	1	D2SZ 14644-A
70	A		Strap(attach wiring to panel)	AR	383313-S(YY6)
70	A(63,65,76)		Bolt & clip No.8-32(attach wiring sleeve to inner quarter panel	AR	383266-S (BB643CE)
70	A		Nut-No.8-32	AR	34653-S(M106X)
70	A		Clip(attach wiring to front floor cross member)	2	376188-S(GG147M)
	14652 BRACKET - SEAT REGULATOR TERMINAL MOUNTING - Also refer to Body Section 618A88				
67/70	A,S-with 6-way power seat			1	C7AZ 14652-B
	14677 RELAY ASSY. - WINDOW REGULATOR-SAFETY				
65/66	S			1	C1AF 14677-A
65	B(71),X(71,78)			1	
			Screw(relay to cowl panel or dash panel)-No.14-14 x 1/2"	2	31497-S8(U254)
			Screw (relay to radiator support)	2	
65/69	A		#C8AB 14677-A	1	C5AZ 14677-A
66/69	B(71),X(71)			1	
68/69	A(71)		Power tailgate	1	
68/69	B		Power windows	1	
70	A		Power windows	1	
70	A(71),B(71),X(71)		Power tailgate	1	
70/71	B		Power windows	1	
71/	F		Power windows	1	
70/71	A(Taxi, P/C)		Accessory relay	1	C6VY 14677-B
71/	A-with power door locks		Time delay-#D1AB 14526-GA	1	D1AZ 14677-D
71	A-power windows		#D1AB 14677-AA,D2AB 14677-AA	1	D2AZ 14677-A
72	A,B-w/power windows and/or electric luggage compt. opener			1	

Identification Marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14677 RELAY ASSY. - WINDOW REGULATOR - SAFETY -continued			
72	A-with A/T/C	#D2SB 14677-AA	1	D2SZ 14677-B
72	S-with A/T/C	With power windows and/or electric luggage door opener	AR	
72	B(53,71)	Police or taxi with power tailgate window	1	
72	B,S	With power door locks-#D2SB 14A093-AA	2	D2SZ 14677-A
71	A	With automatic temperature control-#D1AB 14677-BA,BB	1	D1AZ 14677-C
67/71	S	Power windows and A/C-#C7SB 14677-A, C8SB 14677-A,D,D0SB 14677-A, D0LB 14677-A,D1LB 14677-AA	1	D1LY 14677-A
68/71	S	Used in heater circuit #C8SB 18A656-A, D1SB 18A656-AA	1	D1SZ 14677-A
71	S	Washer-No.8 flat(attach 14677 relay to brkt.)	AR	44710-S(X10)
71	S	Screw-No.10-12 x 5/8"(attach 14677 relay to brkt.)	AR	42014-S8(U240)
	14683 WIRING ASSY. - BACK WINDOW REGULATOR FEED			
	- A -			
67/68	A(71),	#C7AB 14683-C, C8AB 14683-A	1	C7AZ 14683-C
69	A(71) "Before 5/1/69"	#C9AB 14683-A	1	C9AZ 14683-A
69	A(71) "From 5/1/69"	#C9AB 14683-C	1	C9AZ 14683-C
70	A(71)	#D0AB 14683-A,B	1	D0AZ 14683-A
	-B -			
66/71	B(71)	#C6GB 14683-A, C8OB 14683-A, D1OB 14683-AB	1	C6GY 14683-A
72	B(71) "Before 10/1/71"	#D2OB 14683-AB	1	D2OZ 14683-A
72	B(71) "From 10/1/71"	#D2OB 14683-AC	1	D2OZ 14683-B
	-X -			
66/70	X(71)	#C8OB 14683-A, D1OB 14683-AB	1	C6GY 14683-A
65/70	A(71)	Clip (wiring to L. H. corner upper inner panel)	1	372864-S100(GG91)
65/70	A(71)	Clip (wiring to L.H. rear lower corner pillar reinforcement)	1	372866-S100(GG89)
65/70	A(71)	Clip (wiring to fuel filler housing inner panel or to L. H. quarter panel	1or2	
65/70	A(71),X(71,78)	Nut-No. 10-32	AR	34079-S7(M163)
65/70	A(71),X(71,78)	Lockwasher-No. 10	AR	34903-S8(X96)
65/70	X(71,76)	Clip (wiring to R. H. rocker panel or floor side outer member)	AR	377864-S(GG230)
70	A(71)	Clip No. 8-18 (attach wiring to inner cowl panel)	3	383182-S(GG359)
		Strap (nylon) (attach wiring to inner cowl panel)	1	383313-S(YY6)
	14687 WIRING ASSY. - BACK WINDOW REGULATOR			
	-A -			
65	A(71)		1	C5AZ 14687-A
66/67	A(71)		1	C6AZ 14687-B
68	A(71)	#C8AB 14687-A	1	C8AZ 14687-A
69	A(71)	#C9AB 14687-C,D	1	C9AZ 14687-D
70	A(71)-without vacuum door locks	#D0AB 14687-A,D	1	D0AZ 14687-D
70	A(71)-with vacuum door locks	#D0AB 14687-C	1	C9AZ 14687-F
71/	A(71)-w/o power door locks and/or t/gate window washer	#D1AB 14687-AB	1	D1AZ 14687-A
71/	A(71)-with power door locks-w/o t/gate window washer	#D1AB 14687-CB	1	D1AZ 14687-C
71	A(71)-with t/gate window washer-w/o power door locks "Before 11/2/70"	#D1AB 14687-BC	1	D1AB 14687-B
71/	A(71)-with t/gate window washer-w/o power door locks "From 11/2/70"	#D1AB 14687-BD	1	D1AZ 14687-E

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14687 WIRING ASSY. - BACK WINDOW REGULATOR - continued			
	- A -			
71	A(71)-with t/gate window washer-w/power door locks "Before 11/2/70"	#D1AB 14687-DC	1	D1AZ 14687-D
71/	A(71)-with t/gate window washer-w/power door locks "From 11/2/70"	#D1AB 14687-DD	1	D1AZ 14687-F
	- B -			
68/71	B(71)-with dual action tailgate	#C8OB 14687-A, D1OB 14687-AB	1	C8OZ 14687-A
72	B(71)-	#D2OB 14687-AA, AC	1	D2OZ 14687-B
	- X -			
66/70	X(71)-with single action tailgate		1	C6DZ 14687-A
68/70	X(71)-with dual action tailgate	#C8OB 14687-A, D1OB 14687-A	1	C8OZ 14687-A
65/69	A(71)	Clip (wiring to window regulator mounting panel)	2	372046-S100
65/69	A(71)	Clip (wiring to rear floor rear sill panel)	AR	(GG186)
65/69	A(71)	Clip (wiring to lower back panel or window regulator mounting panel)-rubber coated	1or2	372737-S100 (GG153A)
65/69	A(71)	Screw (wiring to lower back panel or back window regulator mounting panel)-No.8-15x1/2"	1or2	52726-S13 (U381)
65/69	A(71)	Clip (wiring to lower back panel)	1	372751-S(GG187)
71	B	Screw-No.8-32 x 1/2"(attach wiring to tail gate)	2	57075-S(B330A)
70	B(71)	Clip-No.8-18(attach wiring tailgate to inside panel)	AR	383182-S(GG359)
70	B(71)	Clip-No.8-32(attach wiring tailgate to inside panel)	AR	382031-S(GG280)
	14B691 BRACKET - SEAT REGULATOR CONTROL MOUNTING			
72	B		1	D2OZ 14B691-A
	14C691 WIRE ASSY. - SEAT BACK LATCH EXTENSION			
70/	A-except reclining seat	R.H. -#D0MB 14C691-A	1	D0AZ 14C691-A
		L.H. -#D0MB 14C693-A	1	D0AZ 14C691-B
70/	A(with passenger reclining seat)	R.H. -#D0AB 14C691-E	1	D0AZ 14C691-E
71	A(65F,76)-hi back bucket seat	R.H.	1	
71/	A(65K)-with hi back bench or split bench seat	R.H.-#D1AB 14C691-AA	1	D1AZ 14C691-A
		L.H.-#D1AB 14C693-AA	1	D1AZ 14C691-B
70/71	B,X split or bench seat	R.H. -#D0OB 14C691-A,B,D	1	D0OZ 14C691-C
		L.H. -#D0OB 14C693-A,B,D	1	D0OZ 14C691-D
70/71	B,F,X-bucket seats	R.H. -#D0ZB 14C691-C,D,G	1	D0ZZ 14C691-A
70	A-with split bench seat	R.H.	1	
		L.H. -#D0ZB 14C693-B,C,E	1	D0ZZ 14C691-B
72	B-w/bench seat	R.H. -#D2LB 14C691-AB	1	D2LY 14C691-A
72	S-split bench seat-exc. recliner	R.H.	1	
72	S-w/split bench seat with recliner	R.H. -#D2LB 14C691-BA,BB	1	D2LY 14C691-D
72	S-w/bucket seat with recliner	R.H. -#D2SB 14C691-AB	1	D2SZ 14C691-B
72	B-w/bench seat	L.H.	1	D2LY 14C691-B
72	S-w/split bench seat	L.H.	1	
72	B-w/bucket seats	R.H. & L.H. -#D2OB 14C691-AC	2	D2OZ 14C691-A
72	S-w/bucket seats-without recliner	R.H.	1	
72	S-w/bucket seats	L.H.	1	
70/71	S(65)	L.H. -#D0SB 14C691-B	1	D0SZ 14C691-A
		R.H. -#D0LB 14C693-A	1	D0LY 14C691-A
71/	F	R.H.-#D1ZB 14C691-BA	1	D1ZZ 14C691-C
71/	F	L.H.-#D1ZB 14C691-AB, D1ZB 14C693-AA	1	D1ZZ 14C691-A
70	S	Clip-attach wiring to seat frame	2	381575-S100 (GG366)
70	S	Cup-attach wiring to seat cushion	1	381921-S(GG330)

Identification marking

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	14C692 WIRE ASSY. - SEAT BACK LATCH				
72	S-with reclining seat		R.H. jumper	1	D2SZ 14C692-A
	14B694 PIN - SEAT REGULATOR CONTROL KNOB PIVOT				
65	A(except 63C,76B)			2	C1VZ 14B694-A
66	A(63C, D, 76B, D)			2	
66	S			2or4	
	14C694 WIRE ASSY. - SEAT BACK LATCH FEED				
70	B(63, 65, 76)		#D0OB 14C694-B, C	1	D0OZ 14C694-A
70	X			1	
71	B(63, 65, 76)		#D1OB 14C694-AB	1	D1OZ 14C694-A
71	B		Screw (attach wire assy.to seat brace)-No.8-15 x 1/2"	AR	52012-S(U202)
	14695 NUT - SEAT REGULATOR CONTROL SWITCH BEZEL				
65	A(except 63C, 76B)			1	C1VF 14695-A
66	A			1	
66	S			1or2	
69/71	B		4-way bench or bucket seat	1	C6GY 14695-A
65	S		9/16"-24	1or2	B5A 14695-B
65	A(63C, 76B)			1or2	
	14B696-7 SWITCH ASSY. - SEAT REGULATOR TILT CONTROL				
65	A (except 63C, 76B)	"Before 3/15/65"	R.H.	1	C1VF 14B696-A
		"From 3/15/65"	R.H.-not replaced	1	★C5AZ 14B696-A
		"Before 3/15/65"	L.H.	1	C1VF 14B697-A
		"From 3/15/65"	L.H.-not replaced	1	★C5AZ 14B697-A
66	A(except 63C, D, 76B, D)		R.H.-Chromed button-not replaced	1	★C6AZ 14B696-A
			L.H.-not replaced	1	★C6AZ 14B697-A
66	S		R.H.-not replaced	1or2	★C6VY 14B696-A
66	A(63C, D, 76B, D)		R.H.	1	
66	S		L.H.-not replaced	1or2	★C6VY 14B697-A
66	A(63C, D, 76B, D)		L.H.	1	
	14A697 WIRING ASSY. - SEAT REGULATOR SWITCH TO RELAY				
65/66	A(except 63C, D, 76B, D)		With 6 way bench seat-not replaced	1	★C5AZ 14A697-D
67	A(54, 57, 62, 63B, F, J, 71, 76A)		With 6 way bench seat	1	
69/70	B		With 4 way bench or bucket seat	1	C6GY 14A697-B
65	S		Not replaced	1 or 2	★C4SZ 14A697-A
65	A(57C, 63C, 76B)			1	
66	S		Used with 6 way bucket seat-not replaced	1or2	★C6SZ 14A697-A
66	A(63C, D, 76B, D)			1or2	
71	B		#D1GB 14A697-AA	1	D1GY 14A697-A
65/67	A(except 63C, 65B, 71G, 71H, 75C, 76B)		Clip (wiring to front seat track)	2	★359580-S32
			Clip (wiring to frt. seat cushion frame frt. cross member)	AR	372046-S100 (GG186)
			Clip	1	356628-S(GG175)
			Clip (wiring to front floor pan)	AR	★354188-S32
			Clip (wiring to front seat adjusting regulator)	1	★354473-S2
65/67	A(63, 65B, 71G, 71H, 75C, 76B)		Clip (wiring to front seat track)	1	372047-S100 (GG217)
65/67	A(63C, 65B, 71G, 71H, 75C, 76B)		Clip (wiring to front seat track)	2	★375644-S100
65/67	A(63C, 65B, 71G, 71H, 75C, 76B)		Clip (wiring to seat track)	1or2	356628-S(GG175)
65/67	A(63C, 65B, 71G, 71H, 75C, 76B)		Clip (wiring with nut that attaches motor to seat track)	1or2	
	14A698 WIRING ASSY. - SEAT REGULATOR RELAY FEED - Unless listed improvise from Basic 14296 wire				
67	A(54C, 57F, 63J)		Used with split bench seat #C7MB 14A698-C	1	★♦C7AZ 14A698-A
67/68	A(63C, 76B)-with power reclining seat		Used with 6 way bucket seat #C8MB 14A698-B	1	Not replaced
68	A		Used with 6 way bench seat-cut from 14296 wire	1	★
69	A		Used with bench seat-#C9AB 14A698-B, C	1	C9AZ 14A698-B
70	A		#D0AB 14A698-A, B	1	D0AZ 14A698-A
71/	A -6 way split bench seat		#D1AB 14A698-AA	1	D1AZ 14A698-A
71	A -6 way bench seat		#D1MY 14A698-AA	1	D1MY 14A698-A

Identification marking ♦ When used on units with Power Windows change open end terminal to bullet type

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14A698 WIRING ASSY. - SEAT REGULATOR RELAY FEED - continued			
71	B	#D1GB 14A698-AA	1	D1GY 14A698-A
72	B(exc.97)-with 6 way bench seat	#D2OB 14A698-AA	1	D2OZ 14A698-A
67	S-with power reclining seat	Not replaced	1	★C7SZ 14A698-A
70	A	Strap (Nylon)-attach wiring to cowl panel	AR	383313-S(YY6)
71	A	Clip-attach wiring to seat frame	2	382239-S(GG285)
70/71	B	Strap (attach wiring to front floor)	AR	376914-S(YY2)
	14A699 WIRE - SEAT CONTROL FEED - JUMPER			
69	S	L.H.-drivers 6 way bench or 6 way bucket seat-#C9SB 14A699-B or C	1	★C9SZ 14A699-C Not replaced
70/71	S(57)-6 way bucket seat and split bench seat-passenger side	#D0LB 14A699-H, D1SB 14A699-BA	1	D0LY 14A699-B
70/71	S-6 way bench seat-bucket and split bench seat-drivers side	#D0SB 14A699-E, D1SB 14A699-AA	1	D0SZ 14A699-B
69/71	S	Strap (attach wiring to floor crossmember)	AR	376914-S(YY2)
69/70	S	Screw (attach wiring to floor crossmember)-No.8-15 x 1/2"	AR	52012-S(U202)
	14A700 SOLENOID ASSY. - SEAT REGULATOR CONTROL			
69/70	B	4 way bench or bucket seat	2	C6GY 14A700-A
68/69	S	Located on passenger reclining seat back actuator	1	C7VY 14A700-A
70/	A, B, F, S	Automatic seat back solenoid-refer to body Group #62690		
68	S	Roll pin-3/32" x 1/2"	1	354494-S(NN88)
		Screw-No. 10-32 x 1/2"	1	370050-S(BB537)
		Nut-No. 10-32 (attach solenoid to seat back actuator)	1	34079-S(M163)
	14A701 SWITCH - SEAT REGULATOR CONTROL			
65	A(except 63C, 76B)	Center switch-6 way bench seat	1	C5AZ 14A701-B
66	A(54, 57, 62, 71, 63B, F, 76A)	Center switch-6 way bench seat	1	
65	A(except 63C, 76B)	6 way bench power seat	1	C6SZ 14A701-A
66	A(63C, D, 76B, D)	6 way power seat	1	
66	S	L.H. power seat	1	
66	S	R.H. power seat-not replaced	1	★C6VY 14A701-A
66	A(54, 57, 62, 63B, 71, 76A)	Center switch-6 way bench	1	C6AZ 14A701-A
67/70	A(54, 57, 63, 76)	L.H.-6 way split bench seat-includes 3 switches and housing and wiring	1	★C7MY 14A701-A r/b (1) C7MY 14A701-F
67/70	A(54, 57, 62, 63, 71, 76)	L.H.-6 way bench seat	1	& (1) C7MY 14716-B
67/	A	L.H.-6 way split bench seat-includes 3 switches and housing-less wiring	1	C7MY 14A701-F
67/	A	L.H.-6 way bench seat	1	
67/71	A(57, 63)	R.H.-6 way split bench seat	1	
67/71	A(63, 76)	L.H.-6 way bucket seat	1	
67/69	S	L.H.-6 way bench or bucket seat	1	
68	A(63, 76)	L.H.-6 way bucket seat-includes 3 switches and housing-less wiring	1 or 2	C7MY 14A701-E
72	B	L.H.-6 way power bench seat	1	
67/69	A57F, 63J)	R.H.-used with split bench seat-includes 3 switches, housing and wiring	1	★C7MY 14A701-C r/b (1) C7MY 14A701-F & (1) C7MY 14716-A
67/68	A(63C, 76B)-with power reclining seat	R.H.-passenger seat	1	C7AZ 14A701-A
67/71	S-with power reclining seat	R.H.-seat back control	1	
67	A(63C, 76B), S	L.H.-drivers seat-used with 6 way bucket seat-includes 3 switches, housing and wiring	1	★C7SZ 14A701-A r/b (1) C7MY 14A701-F
68	S	L.H.-drivers seat-used with 6 way bench or bucket seats	1	& (1) C7SZ 14716-A
69/70	A	L.H.-drivers seat-6 way full or split bench seat	1	
68	A(63C, 76B)	L.H.-6 way bucket seat-includes 3 switches, housing and wiring	1	★C7MY 14A701-B r/b (1) C7MY 14A701-F
69/71	B	4 way bench or bucket seat	1	C6GY 14A701-A

★ Identification marking

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	14A701 SWITCH - SEAT REGULATOR CONTROL - continued				
72	S		R.H. & L.H.-6 way power seat contains 3 switches less wiring	2	D2LY 14A701-A
69	A		Strap-adjustable (attach wiring to seat track)	1	383313-S(YY6)
65	S		R. H.	1	C4SZ 14A701-A
65	A(57C, 63C, 76B)			1	
			L. H.	1	C4SZ 14A701-B
69	S	"Before 10/10/68"	L.H.-drivers seat-6 way bench or bucket seat	1	★C8LY 14A701-C r/b (1) C7MY 14A701-E & (1) C8LY 14716-C
69	S	"From 10/10/68"	6 way power seat-#C9LB 14B711-B	1	C9LY 14A701-B
70/	S-6 way seat		R. H. & L. H. -#D0VB 14B723-D, D1VB 14B723-BA (3) switches and wiring	2	D0VY 14A701-B
			Refer to Group 14716 for wiring assemblies		
			Lockwasher-No. 10	2	34903-S8(X96)
65/	S		Clip (wiring with screw that attaches cushion to seat track)	1or2	372047-S100 (GG217)
68	S		Screw (switch to shield)-No. 8-18 x 1"	2	52445-S13(U317)
71	F		Screw (attach switch to seat)	2	
70	S		Strap (attach wiring and switch to front crossmember	1	376914-S(YY2)
70/	A		Screw (attach 14A701 to front seat side shield)-No.8-18 x 1 1/2"	AR	376290-S(UU56D)
70/	S		Screw (attach 14A701 to front seat side shield)-No.8-32 x 1/2"	AR	51764-S(U366)
	14A705 BRACKET - SEAT REGULATOR CONTROL MOUNTING - Also refer to Group 14B691				
69/	B		4 way bench or bucket seat-not replaced	1	★C6GY 14A705-A
69/	B		Screw (attach bracket to seat cushion frame)-No.8-18 x 1/2"	AR	52012-S(U202)
	14A707 RELAY ASSY. - SEAT REGULATOR CONTROL - Also refer to Group 14512				
65	A(except 63C, 76B)		Center	1	C5AZ 14A707-A
66	A		Center	1	
66	S		Center	1	
69/71	B		4 way bench or bucket seat	1	
65	A(except 63C, 76B)		L.H.	1	C5AZ 14A707-B
66	A		L. H.	1	
66	S		L. H.	1	
69/71	B		4 way bench or bucket seat	1	
65	A(except 63C, 76B)		R.H.	1	C4VY 14A707-A
66	A		R. H.	1	
66	S		R. H.	1	
65/66	A		Screw (relay to seat track)-No. 10-24 x 3/8"	2	51765-S8(U370)
	14B710 WIRE ASSY. - SEAT REGULATOR RELAY FEED EXTENSION				
65/66	S		65.00" long-cut from B6A 14296-B wire and cover with 5/32" I. D. -non-metallic conduit	1	★C5SB 14B710-A
67/68	S		Used with 6 way bucket seat-34.00" long-cut from B6A 14296-B wire & insulate with 3/16" I.D. -non-metallic conduct	1	★C7SB 14B710-A
	14711 KNOB - SEAT REGULATOR CONTROL SWITCH				
65	A(except 63C, 76B)			2	C1VF 14711-A
66	S			2or4	
66	A(63C, D, 76B, D)			2	
	14716 WIRE ASSY. - SEAT REGULATOR FEED				
67/70	A		R. H. -6 way split bench	1	C7MY 14716-A
71/72	A	"Before 6/1/72"	L.H.-bench seat or split bench seat	AR	D1AZ 14716-B
72	A	"From 6/1/72"	L.H.-bench or split bench seat-#D2AB 14716-AA	1	D2AZ 14716-A
67/70	A		L. H. -6 way split bench	1	C7MY 14716-B
			L. H. -6 way bench seat	1	

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	14716 WIRE ASSY. - SEAT REGULATOR FEED -continued			
67	A(63,76)	L.H.-6 way bucket seat	1	C7SZ 14716-A
67/68	S	L.H.-6 way bench or bucket seat	1	
69/70	A	L.H.-6 way bench or split bench seat	1	
72	B "Before 6/1/72"	Feed #D2OB 14716-AA	1	D2OZ 14716-A
72	B "From 6/1/72"	Feed #D2OB 14716-BA	1	D2OZ 14716-B
69	S	L.H.-drivers seat-6 way bench or bucket seat	1	C8LY 14716-C
69	S	R.H.-6 way split power seat	1	C9LY 14716-D
69	S	L.H.-6 way split power seat	1	C9LY 14716-C
70/71	S(65C,D)-6 way bucket,split bench,solid bench seat with auto/seat back latch-drivers side	#D0SB 14716-A, D1SB 14716-AA	1	D0SZ 14716-A
70/71	S(57,65A,B)-6 way bucket,split bench seat with auto/seat back latch-passenger side	#D0SB 14716-B, D1SB 14716-BA	1	D0SZ 14716-B
72	S-6 way power seat	Refer to 14630-1		
		Nut (wire to circuit breaker and brkt.)-No. 10-32	1	34079-S7(M163)
		Lockwasher - No. 10	1	34903-S8(X96)
		Grommet (wire thru dash panel)	1	353626-S(KK1)
	14A720 SOLENOID ASSY. - REGULATOR CONTROL - Also refer to Body Group Basic 61925			
65/66	A(except 63C,76B)		1	C5AZ 14A720-A (SW-785)
65/66	S		2or4	C1TZ 14A720-A
65/66	A(57C,63C,65B,76B)		2	
	14B720 WIRE ASSY. - SEAT BACK CONTROL EXTENSION			
67	A(63C,76B)-with power reclining seat		1	C7AZ 14B720-C
67/69	S-with power reclining seat		1	
	14B724 WIRE ASSY. - AUTOMATIC SEAT BACK LATCH			
70	A(63,65,76)	#D0AB 14B724-B,C,D	1	D0AZ 14B724-A
70	B(63,65,76),X	#D0OB 14B724-A	1	D0OZ 14B724-A
70	F(63,65,76)	#D0ZB 14B724-A,B	1	D0ZZ 14B724-B
70/71	S(65)	#D0SB 14B724-B, D1SB 14B724-AA	1	D0SZ 14B724-A
71/	A(65,76)	#D1AB 14B724-AA	1	D1AZ 14B724-A
71	B(63,65,76)	#D1OB 14B724-AB	1	D1OZ 14B724-A
71/72	F "Before 12/1/71"	#D1ZB 14B724-AB	1	D1ZZ 14B724-A
72	F "From 12/1/71"	R.H. - #D2ZB 14B724-AA	1	D2ZZ 14B724-A
		L.H. - #D2ZB 14B724-AC,AD	1	D2ZZ 14B724-B
72	S	#D2SB 14B724-AA,AB,AC	1	D2SZ 14B724-B
71/	A	Clip-attach wire to cowl panel	2	383182-S(GG359)
71/	A	Clip-attach wire to front cross member	3	378674-S(GG150H)
	14A725 JUNCTION BLOCK ASSY. - ACCESSORY TERMINAL - Also refer to Groups 11A647 & 14448			
65/66	A	Not required on units built after 12/13/65	1	C5AZ 14A725-A
	14785 WIRE ASSY. - IGNITION SWITCH TO WINDOW REGULATOR SAFETY SWITCH-Improvise from B6A 14296-C			
	14790 WIRING ASSY. - DOOR OPEN WARNING LAMP-Unless listed-improvise from B6A 14296-C Wire			
69	A-with safety convenience package	Without power windows-#C9AB 14790-E	1	C9AZ 14790-A
70	A-with safety convenience package	#D0AB 14790-C	1	D0AZ 14790-A
69/70	A(54 Taxi)	R.H. & L.H.-front-cut from B6A 14296-C wire	1	★C9AB 14790-D
71	A(54 Taxi)	R.H. & L.H.-front-cut from B6A 14296-C wire	1	★D1AB 14790-AA
72	B(53)(taxi)	R.H. & L.H.-rear door 130" long	2	D2OZ 14790-A
72	B(53)(taxi)	R.H.-front door	1	D2OZ 14790-B
		L.H.-front door	1	D2OZ 14790-C
70/	A, Taxi	Clip (attach door open warning lamp & wiring to inner cowl panel)	AR	383182-S(GG359)
70	A	Screw 1/4-14 x 1/2"(attach wiring to brake pedal support)	AR	55981-S(U254E)
70	A	Screw (attach wiring to cowl panel)-No.8-15 x 1/2"	5	52012-S(U202)
70/71	A	Clip-attach wiring to rear door inside support	4	382185-S(GG283)
	14931 EXTERIOR LAMP WARNING BUZZER KIT			
65/70	A, B, F, P, S, U, X	Consists of: 1-C9PJ 13150-A Buzzer 1-52735-S Screw 1-C9PJ 14487-A Connector 1-I.S.-3429	1	C6AZ 14931-C

Identification marking

INDEX

PART NAME	GROUP NUMBER
A	
Actuator (backup lamp switch)	15540
Actuator (top control switch limit)	15A694
Adapter (cigar lighter socket)	15063
B	
Bezel (body side reflector rear)	15A436
Bezel (emergency warning switch)	15C580
Bezel (front or rear side lamp)	15A440
Bezel assy. (clock)	15009-10
Bezel & plate assy. (front fender side lamp)	15A460
Body & socket assy. (backup lamp)	15511-2
Bracket (backup lamp mounting)	15A507
Bracket (backup lamp switch mounting)	15517
Bracket (cigar lighter)	15057
Bracket (emergency warning flasher switch mounting)	15595
Bracket (fog lamp switch mounting)	15A218
Bracket (sliding roof panel switch)	15B692
Bracket (spot lamp inside)	15320
Bracket (top control limit switch actuator)	15765
Bracket (top control limit switch mounting)	15676
Bracket assy. (emergency warning flasher switch mounting)	15B597
Bracket assy. (fog lamp mounting)	15266
Bracket & switch assy. (top control retract)	15A695
Bulb (fog lamp)	15220
Bulb (road lamp)	15220
Bulb (spotlight sealed beam)	15330
C	
Cargo lamp	15650
Cigar lighter kit	15A044
Clip (front side lamp bezel)	15424
Clip (trans. control selector indicator lamp)	15A807
Clock assy. (electric)	15000
Clock kit (electric)	15A000
Cover (instrument panel cigar lighter opening)	15067
D	
Dial (trans. gearshift indicator)	15805
Door (fog lamp)	15214
Door assy. (backup lamp)	15513
E	
Electric clock kit	15A000
Element assy. (cigar lighter)	15054
F	
Filter (gearshift indicator lamp)	15811
Flasher (emergency warning)	15B584
Flasher kit (emergency warning)	15B584
G	
Gasket (backup lamp lens)	15510
Gasket (side lamp lens)	15A209
Gasket (spotlamp bracket)	15324
H	
Housing assy. (trans. gearshift indicator lamp)	15800
I	
Insulator (top control circuit breaker stud)	15A691
K	
KIT - refer to appropriate noun name For example Flasher kit (emergency warning)	15B584
Knob (clock front reset)	15032
Knob (door lock vacuum control)	15674
Knob assy. (fog lamp switch)	15259
Knob assy. (top control)	15674
Knob & element assy. (cigar lighter)	15052
L	
Lamp assy. (backup)	15500
Lamp assy. (eng. compt.)	15702
Lamp assy. (fog)	15200
Lamp assy. (map)	15650
Lamp assy. (marker)	15A201
Lamp assy. (roof warning)	15594
Lamp assy. (trans. control selector)	15A801
Lamp assy. (turning light)	15A201
Lamp kit (backup)	15499
Lamp kit (eng. compt.)	15A700
Lamp kit (luggage compt.)	15A700
Lamp kit (parking brake indicator)	15A852
Lamp kit (parking brake warning)	15A852
Lamp kit (trunk compt.)	15A700
Lamp kit (utility portable)	15A700
Lamp switch kit (backup)	15A490
Lens (backup lamp)	15514
Lens (side lamp)	15A215
Lens assy. (fog lamp)	15L203
Lens or reflector (rear tail lamp)	15A215
Light & bracket kit (snow plow)	15312

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
M	
Motor (sliding roof panel)	15790
Motor assy. (luggage compt. door lock)	15690
N	
Nut (clock reset knob)	15A012
Nut (top control bezel)	15A670
Nut (top control switch mounting)	15B663
Panel (top control relay mounting)	15A685
Plate (emergency warning switch mounting)	15A598
Plug & wiring kit (trailer lamp)	15A416
R	
Reflector (rear tail lamp)	15A215
Relay (turning lamp)	15A217
Relay assy. (top control)	15672
Retainer (backup lamp socket)	15539
Retainer (backup lamp switch)	15A541
Retainer (front fender side lamp)	15A210
Retainer (side marker lamp)	15A210
Retainer (spotlamp control escutcheon)	15A317
S	
Screw (spotlamp mounting)	15A315
Seal (backup lamp socket retainer)	15A534
Seal (backup lamp to body)	15533
Seal (body side lamp)	15A447
Shield (body side lamp)	15B419
Shroud assy. (trans. selector indicator lamp)	15A811
Socket (body side lamp)	15B410
Socket & retainer assy. (cigar lighter)	15055
Socket & wiring assy. (body side lamp)	15A442
Socket & wiring assy. (front fender side lamp)	15A434
Socket & wiring assy. (parking brake indicator lamp)	15883
Socket assy. (backup lamp)	15508
Spacer (fog lamp mounting)	15251
Spotlight & bracket kit	15312-3
Switch (backup lamp)	15520
Switch assy. (roof marker lamp)	15443
Switch assy. (roof warning lamp)	15592
Switch assy. (sliding roof panel)	15B691

PART NAME	GROUP NUMBER
S- cont'd.	
Switch assy. (spotlamp)	15224
Switch assy. (top control or tailgate)	15668, 14529
Switch assy. (upper back panel limit)	15A674
Switch & bracket (parking brake signal)	15A851
Switch & bracket assy. (top control erect)	15A681
Switch & wire assy. (fog lamp)	15A214
Switch & wiring assy. (emergency warning flasher)	15B590
Switch kit (backup lamp)	15A490
T	
Transmission control selector lamp assy.	15A801
V	
Valve assy. (top control solenoid)	15A682
W	
Washer (spotlamp switch bracket)	15322
Wire (trans. control selector indicator lamp ground)	15A800
Wire assy. (backup lamp ground)	15A505
Wire assy. (backup lamp jumper)	15A515
Wire assy. (backup lamp socket)	15536
Wire assy. (backup lamp switch to rear lamp feed)	15525
Wire assy. (body side lamp)	15B411
Wire assy. (cigar lighter jumper)	15A056
Wire assy. (clock feed)	15A006
Wire assy. (emergency warning extension)	15B583
Wire assy. (emergency warning flasher jumper)	15A599
Wire assy. (fog lamp)	15A211
Wire assy. (fog lamp feed)	15237
Wire assy. (fog lamp switch feed)	15223
Wire assy. (parking brake warning indicator)	15A856
Wire assy. (speaker system)	15629
Wire assy. (spotlight feed)	15A300
Wire assy. (top control circuit breaker to top control switch)	15A669
Wire assy. (top control feed jumper)	15A690
Wire assy. (transistorized control selector indicator lamp feed)	15A808
Wire & socket assy. (clock or ash receptacle)	15026
Wiring assy. (emergency warning lamp)	15B581
Wiring assy. (eng. compt. lamp feed)	15A702
Wiring assy. (top control)	15A659
Wiring assy. (top control relay to circuit breaker)	15A668
Wiring assy. (top control switch)	15A657
Wiring & plug assy. (trailer lamp)	15436

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15000 CLOCK ASSY. - ELECTRIC			
67	A		1	C7AZ 15000-A
69/70	A-except safety convenience package	Without warning light lens	1	D0AZ 15000-B
69	A-with safety convenience package - "Before 10/15/68"	Includes jewels for-lights on, seat belts, low fuel-door ajar	1	C9AZ 15000-A
69	A-with safety convenience package- "From 10/15/68"	Includes warning light lenses for lights on, seat belts, low fuel, door ajar	1	C9AZ 15000-B
70	A-with safety convenience package	Includes warning light lenses for lights on, seat belts, low fuel, door ajar	1	D0AZ 15000-A
71/	A	R/B D1AZ 15A000-A (12/73)	1	★D1AZ 15000-A
67	B		1	C7OZ 15000-A
68	B	Includes warning light lens	1	C8OZ 15000-H
70/71	B	Without prod. installed tachometer	1	D0OZ 15000-A
72	B-w/o tachometer instrument group		1	D2GY 15000-A
72	B-with tachometer instrument group		1	D2GY 15000-B
65	F-with Rally Pac	Used on vehicles with oil pressure & charge indicator warning lights	1	C5ZZ 15000-A
65/66	F-with Rally Pac	Used on vehicles having ammeter & oil pressure gauge	1	C5ZZ 15000-B
69/70	F(exc. 63B, C, 65B, E, 76B)	Rectangular	1	C9ZZ 15000-A
69/70	F(63B, C, 65B, E, 76B)	60 second sweep hand (elapsed time type)	1	C9ZZ 15000-C
71/	F	Round incl. warning light jewels (temperature, brakes, alternator, oil) instrument panel mtd.	1	D1ZZ 15000-A
71/	F	Round with one jewel (brakes) instrument panel mtd.	1	D1ZZ 15000-B
71/	F(65F, 63R)	Rectangular-console mounted clock	1	D1ZZ 15000-C
70/	P	Used with consolette clock	1	D0DZ 15000-A
71/	L		1	
65/66	S		1	C4SZ 15000-A
67	S		1	C7SZ 15000-A
68/71	S		1	C8SZ 15000-A
72	S		1	D2SZ 15000-A
67	A	Screw (attach clock to cluster)-No. 6-20 x 1/2"	4	52784-S8(U361A)
68	B	Screw (attach clock to cluster)-No. 10-24 x 1/2"	3	51765-S(U370)
67/	F	Screw (attach clock to cluster)-No. 6-18 x 3/8"	2	52718-S8(U377A)
71	L	Screw-No. 6-20 x 5/8" hex. head tapping (attach clock to consolette)	2	★42371-S
70/	P	Screw (attach clock to consolette) -No. 8-15 x 1/2"	2	52012-S(U202)
70	F	Clip (attach clock to inst. panel)	2	375048-S(HH8RA)
	15A000 CLOCK KIT - ELECTRIC			
	- A -			
66	A		1	C6AZ 15A000-A
	Consists of			
	* 1-C6AF 15000-B Clock or	1-B8S 15021-A Bulb	1-Instruction Sheet	
	* C6AF 15000-A Clock	1-C5AZ 15026-A Wiring		
	* Alternate parts			
67	A	Not serviced-details (6-73)	1	★C7AZ 15A000-A
	Consists of			
	1-C7AZ 15000-A Clock	1-C7AF 15017-A Bracket	1-Instruction Sheet	
	1-C7OZ 15A012-A Nut-reset knob	1-C7OZ 15032-A Knob-front set		
68	A		1	C8AZ 15A000-A
	Consists of			
	1-C8AF 15000-A Clock	2-55902-S36 Screw -No. 6-20 x 3/8" hex. washer head		
		1-Instruction sheet		
71/	A(exc. 53K, 57K, 65K)		1	D1AZ 15A000-A
	Consists of			
	1-D1AZ 15000-A Clock	1-D1AZ 15A006-A Wire	1-D1AZ 15032-A Knob	
	1-C8OZ 14488-A Connector	1-D1AF 15A012-AA Nut	1-D1AZ 10887-B Lens	
	- B -			
65/66	B	See details listed under "X"	1	C7DZ 15A000-A
68	B(w/o safety convenience package)		1	C8OZ 15A000-B
	Consists of			
	1-C8OF 15000-G Clock	2-C3AZ 13466-B Bulb	3-51756-S Screw-#10-24 x 3/8"	
	1-C8OZ 15A006-A Wiring	3-45182-S Nut-#10-24	1-Instruction sheet	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15A000 CLOCK KIT - ELECTRIC - continued			
	- B - continued			
69	B		1	C9OZ 15A000-A
70/71	B(w/o production installed tachometer)		1	D0OZ 15A000-A
	Consists of			
	1-D0OZ 15000-A Clock	2-C3AZ 13466-B Bulb	1-Sketch	
	1-D0OZ 15A006-A Wire	1-D0OB 15A016-A Wiring		
72	B -w/o tachometer		1	D2OZ 15A000-B
	Consists of			
	1-D2GY 15000-A Clock	1-D2OZ 15A006-B Wiring	2-42380-S	Screw-No.8-18" x 3/4"
	2-C3AZ 13466-B Bulb	384816-S Nut-No.8-18	1- Sketch	
	- F -			
65/66	F	See details listed under "X"	1	C7DZ 15A000-A
69	F(exc.63C, 65E)		1	C9ZZ 15A000-A
70	F(exc.63C, 65E)	Not replaced (6-74)	1	★D0ZZ 15A000-A
71/	F-exc.console	With warning light jewels	1	D1ZZ 15A000-A
	Consists of			
	1-D1ZZ 10887-B Lens	1-D1MY 15032-A Knob	2-379808-S	Washer
	1-D1ZZ 15000-A Clock	2-34051-S Nut	1-Sketch	
	- L -			
71/	L	Includes console	1	D1FZ 15A000-A
	- P -			
70	P	Includes console-not replaced (6-74)	1	★D0DZ 15A000-A
71/	P(exc.hang-on A/C)	Includes console	1	D1DZ 15A000-A
	Consists of			
	1-D0DZ 15000-A Clock	1-D1DJ 62045A06-A Console	2-55907-S	Screw-#8-18 x 1/2"
	1-D0DZ 15A006-A Wire assy.	1-C9AZ 6206081-A Lock set	4-55927-S	Screw-#8-18 x 1/2"
	1-D0DZ 15A006-B Wire assy.	2-C3AZ 13466-B Bulb	4-55948-S	Screw-#8-18 x 1 1/4"
	1-D0DZ 62044D38-A Cover		2-381817-S	Screw-#8-18 x 1/2"
	- X -			
65/70	X		1	C7DZ 15A000-A
	Consists of			
	1-C5GF 10C856-B Spacer	1-C5GB 15A006-A Wiring assy.		
	1-C7DA 10B944-A Cluster assy.(clock)	1-34653-S8 Nut & washer assy.	1-Instruction sheet No. 2307	
	15A006 WIRE ASSY. - CLOCK FEED - Unless listed improvise from basic 14296 wire			
69/70	A		1	C9AZ 15A006-A
71/	A		1	D1AZ 15A006-A
68/69	B	Not replaced	1	★C8OZ 15A006-A
70/71	B		1	D0OZ 15A006-A
72	B "Before 11/1/71"		1	D2OZ 15A006-A
72	B "From 11/1/71"		1	D2OZ 15A006-B
65/66	F		1	C5ZZ 15A006-C
69	F		1	C9ZZ 15A006-A
70	F		1	D0ZZ 15A006-A
71/	F(63R)	With instrument package	1	D1WY 15A006-A
71/	F	With console mounted clock	1	D1ZZ 15A006-A
70/	P	From 14401 to D0DZ 15A006-A-w/consolette	1	D0DZ 15A006-B
70/	P	Console mounted clock	1	D0DZ 15A006-A
71/	L	Consolette clock	1	
71/	L	Consolette clock-From 14401 to D0DZ 15A006-A	1	D1FZ 15A006-B
	15A012 NUT - CLOCK RESET KNOB			
67	A, B	Also supplied with basic 15032	1	C7OZ 15A012-A
67/70	F		1	
68/71	S		1	
	15026 WIRE and SOCKET ASSY. -Also refer to groups 13A726, 18981			
65/66	A	Electric clock or integral air conditioner to illuminate speedometer	1or2	C5AZ 15026-A
69	A(54C, 57, 63, 65, 71B, C, 76)	With (1) socket for (1) warning light	1	C9AZ 15026-A
69/70	A	With (4) sockets for (4) warning lights	1	C9AZ 15026-B

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15032 KNOB - CLOCK FRONT RESET			
67	A	Includes (1) C7OZ 15A012-A retaining nut	1	C7OZ 15032-A
69/70	A		1	C9AZ 15032-A
70/	B		1	
69/70	F		1	
71/	F	Console mounted clock	1	
71/	A	Includes nut	1	D1AZ 15032-A
66	B	Includes (1) C5VF 15A012-A retaining nut	1	C5VY 15032-A
67	B	Includes (1) C7OZ 15A012-A retaining nut	1	C7OZ 15032-B
72	B,S	Includes 15A012 nut	1	D2SZ 15032-A
67/68	F	Includes (1) C7OZ 15A012-A retaining nut	1	C7ZZ 15032-A
71/	F	Instrument cluster mounted clock	1	D1MY 15032-A
67	S		1	C7SZ 15032-A
68/71	S		1	C8SZ 15032-A
	15A044 CIGAR LIGHTER - KIT			
	- L -			
71/	L		1	D1FZ 15A044-A
	Consists of			
	1-C7ZZ 15052-A Knob & element	1-C4AZ 15055-B Socket		
	1-C4RA 15A046-A Wire	1-Instruction sheet		
	- P -			
70/72	P		1	D1FZ 15A044-A
	Consists of			
	1-C4RA 15A046-A Wire	1-C4AZ 15055-B Socket	1-Instruction sheet	
	1-C7ZZ 15052-A Knob & element			
	- U -			
66	U		1	C5TZ 15A044-A
	Consists of			
	1-C1TZ 15052-A Knob & Element assy.	1-C4RA 15A046-A Wire assy.		
	1-C1TZ 15055-A Socket & Retainer assy.	1-Installation Sheet		
67	U		1	C7TZ 15A044-A
	Consists of			
	1-C4RA 15A046-A Wire assy.	1-C5TZ 15055-A Socket & Retainer assy.		
	1-C7TZ 15052-B Knob & Element assy.	1-Installation Sheet		
68/	U		1	C8TZ 15A044-A
	Consists of			
	C8TZ 15052-A Knob & Element assy.	1-C5TZ 15055-A Socket & Retainer assy.		
	- X -			
66/67	X	Not replaced (6/74)	1	★C7DZ 15A044-A
	Consists of			
	1-A0AZ 14526-A Fuse	1-C4AZ 15055-B Socket & Retainer assy.		
	1-C7DZ 15052-A Knob & Element assy.	1-Installation Sheet		
68/70	X(54A,62A,71)		1	C8TZ 15A044-A
	Consists of			
	1-C8TZ 15052-A Knob & Element assy.	1-C5TZ 15055-A Socket & Retainer assy.		
	15052 KNOB and ELEMENT ASSY. - CIGAR LIGHTER - 12 Volt			
	- A -			
65/66	A		1	C5AZ 15052-B
67	A		1	C7AZ 15052-A
68	A		1	C8AZ 15052-A
69/70	A		1	C9AZ 15052-A
71/	A		1	D1AZ 15052-A
	- B -			
65/69	B		1	D3TZ 15052-A
70/71	B		1	D0OZ 15052-A
72	B		1	D3OZ 15052-A
	- F -			
65/66	F		1	C8AZ 15052-A
67/68	F		1	C7ZZ 15052-A
69/70	F	On console	1	
69	F	On instrument panel	1	C8AZ 15052-A
70/	F	On instrument panel	1	D3ZZ 15052-A
	- L -			
71/72	L		1	D3OZ 15052-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15052 KNOB and ELEMENT ASSY. - CIGAR LIGHTER - continued - 12 volt			
	- P -			
70/72	P		1	D3OZ 15052-A
	- S -			
65/66	S		1	D3OZ 15052-A
67/71	S	Console and/or inst. panel	AR	D3SZ 15052-B
72	S	Instrument panel	1	D3SZ 15052-A
72	S "Before 6/1/72"	On doors	2	D0VY 15052-A
72	S "From 6/1/72"	On doors	2	D3SZ 15052-B
	- U -			
66	U		1	C1TZ 15052-A
67	U		1	C7TZ 15052-A
68/	U		1	D3TZ 15052-A
	- X -			
65/67	X		1	C8AZ 15052-A
68/69	X		1	C8DZ 15052-A
70	X		1	D0OZ 15052-A
	15054 ELEMENT ASSY. - CIGAR LIGHTER			
65/67	A,S	With ash guard-12 volt	1	D3AZ 15054-A
69/	A		1	
72	B		1	
67/68	F		1	
70/	F	On instrument panel	1	
71/	L		1	
70/	P		1	
68/71	S(57)		3	
68/71	S(65)		1	
72	S	On instrument panel and on doors	3	
69/70	X		1	
69/70	F	On console	1	
65	B(54A, 62A, 71D)		1	D3TZ 15054-A
66/	U		1	
68	X		1	
65	B(54B, 62B, 65, 71B)		1	C8OZ 15054-A
66/69	B		1	
70/71	B		1	D0OZ 15054-A
65/67	X	Includes bezel	1	C7DZ 15054-A
65/66	F		1	
68	A		1	
69	F	On instrument panel	1	
	15055 SOCKET and RETAINER ASSY. - CIGAR LIGHTER			
	- A -			
65/67	A	12 volt	1	C4AZ 15055-B
69/70	A		1	
68	A		1	C8MY 15055-A
71/72	A		1	D3AZ 15055-A
	- B -			
66	B (63C, D, 71E, 76C, D)		1	C6OZ 15055-A
67	B(54A, 62A, 66A, 71D)-with A/C		1	
67	B(54B, 62B, 63, 66B, D, 71B, E, 76)		1	
66/71	B(54, 62, 63B, 71B, D, 76B)	12 volt	1	C4AZ 15055-B
67/71	B(54A, 62A, 66A, 71D)-except with A/C		1	
72	B		1	D3AZ 15055-A
	- F -			
65	F-with generator "Before 4/10/64"		1	D3DZ 15055-A
65/66	F-with alternator		1	
69/70	F	On instrument panel	1	
65	F-with generator "From 4/10/64"	12 volt	1	C2AB 15055-A
67/68	F		1	C7ZZ 15055-A
69	F	On console	1	D3SZ 15055-A
71/72	F "Before 6/1/72"	R/B D3ZZ 15055-A (10/74)	1	★D1ZZ 15055-A
71/72	F "From 6/1/72"		1	D3ZZ 15055-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15055 SOCKET and RETAINER ASSY. - CIGAR LIGHTER - continued			
	- L -			
71/72	L "Before 6/1/72"		1	C4AZ 15055-B
72	L "From 6/1/72"		1	D3DZ 15055-A
	- P -			
70/72	P "Before 6/1/72"		1	C4AZ 15055-B
72	P "From 6/1/72"		1	D3DZ 15055-A
	- S -			
65/66	S	12 volt	1	C1SF 15055-A
67	S		1	D3SZ 15055-B
68/71	S(57)		3	
68/71	S(65)		AR	
72	S	On doors	2	
72	S	Instrument panel	1	D3SZ 15055-A
	- U -			
66/	U		1	C5TZ 15055-A
	- X -			
65/66	X	12 volt	1	C4AZ 15055-B
67	X-except with A/C		1	
68/70	X		1	
67	X-with A/C		1	C6OZ 15055-A
	15A056 WIRE ASSY.- CIGAR LIGHTER - JUMPER			
69	F	Located on console	1	C9ZZ 15A056-A
	15063 ADAPTER - CIGAR LIGHTER SOCKET			
68	A		1	C8MY 15063-A
	15200 LAMP ASSY. - FOG			
65/70	A, B, F, S, X-with 12 volt system	Road lamp-Frt. bumper or splash pan mount-clear lens includes (1) C5RA 15370-A washer	2	C5RZ 15200-A
70/	P, L		2	
65/70	A, B, F, S, X-with 12 volt system	Fog lamp-frt. bumper or splash pan mount-amber lens includes (1) C5RA 15370-A washer	2	C5RZ 15200-B
70/	P, L		2	
68	F	Mounted in grille-clear lens	2	C8ZZ 15200-A
68	F(65) GT/CS	Lucas	2	C8ZZ 15200-D
68/70	F (GT 350/500)		2	
65/68	F	Nut (attach lamp to grille)-3/8"-16	1	373403-S(MM173J)
	15A201 LAMP ASSY. - MARKER			
	- A -			
69	A	R.H.-fender	1	C9AZ 15A201-D
		L.H.-fender	1	C9AZ 15A201-E
70	A	R. H. -front fender-Amber	1	D0AZ 15A201-A
		L. H. -front fender-Amber	1	D0AZ 15A201-B
71/	A(53, 54, 57, 65, 71B, D, F, 76)-without cornering lights	R.H.-front fender-Amber	1	D1AZ 15A201-C
		L.H.-front fender-Amber	1	D1AZ 15A201-D
71/	A(53H, K, 54F, 57F, H, K, 65F, H, K, 76H)-with cornering lights	R.H.-front fender	1	D1AZ 15A201-L
		L.H.-front fender	1	D1AZ 15A201-M
71/	A(71H)	R.H.-front fender	1	D1AZ 15A201-E
		L.H.-front fender	1	D1AZ 15A201-F
69	A (except 71)	R. H. & L. H. -body side rear-Red	2	C9AZ 15A201-C
70	A(except 71)	R. H. -body side rear-Red	1	D0AZ 15A201-E
		L. H. -body side rear-Red	1	D0AZ 15A201-F
71/	A(except 71)	R.H.-body side-Red	1	D1AZ 15A201-G
		L.H.-body side-Red	1	D1AZ 15A201-H
71/	A(71)	R.H.-body side-Red	1	D1AZ 15A201-J
		L.H.-body side-Red	1	D1AZ 15A201-K
	- B -			
70/71	B	R. H. -front fender-Amber	1	D0OZ 15A201-G
		L. H. -front fender-Amber	1	D0OZ 15A201-H
72	B	R.H.-front fender-Amber	1	D2OZ 15A201-A
		L.H.-front fender-Amber	1	D2OZ 15A201-B
69	B	R.H. & L.H.-body side-rear-Red	2	C9AZ 15A201-C

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15A201 LAMP ASSY. - MARKER - continued			
	- B - continued			
70/71	B(exc. 66, 71)	R. H. -body side-Red	1	D0OZ 15A201-J
		L. H. -body side-Red	1	D0OZ 15A201-K
70/71	B(66, 71)	R. H. -body side-Red	1	D0OZ 15A201-L
		L. H. -body side-Red	1	D0OZ 15A201-M
72	B(except 71,97)	R.H.-body side-Red	1	D2OZ 15A201-G
		L.H.-body side-Red	1	D2OZ 15A201-H
72	B(71)	R.H.-body side-Red	1	D2OZ 15A201-J
		L.H.-body side-Red	1	D2OZ 15A201-K
72	B(97) "Before 10/15/71"	R.H.-body side-Red	1	D2GY 15A201-A
		L.H.-body side-Red	1	D2GY 15A201-B
72	B(97) "From 10/15/71"	R.H.-body side-Red	1	D2GY 15A201-C
		L.H.-body side-Red	1	D2GY 15A201-D
	- F -			
68	F	R.H.-front fender	1	C8ZZ 15A201-C
		L.H.-front fender	1	C8ZZ 15A201-D
70	F	R. H. -fender	1	D0ZZ 15A201-A
		L. H. -fender	1	D0ZZ 15A201-B
71/	F	R.H.-fender-Amber	1	D1ZZ 15A201-A
		L.H.-fender-Amber	1	D1ZZ 15A201-B
69	F	R.H. & L.H.-body side-rear-Red	2	C9AZ 15A201-C
70	F	R. H. -body side-Red	1	D0ZZ 15A201-E
		L. H. -body side-Red	1	D0ZZ 15A201-F
71/	F	R.H.-body side-Red	1	D1ZZ 15A201-C
		L.H.-body side-Red	1	D1ZZ 15A201-D
	- L -			
71/72	L	R.H.-fender-Amber	1	D4FZ 15A201-A
		L.H.-fender-Amber	1	D4FZ 15A201-B
71/	L	R.H.-body side-Red	1	D1FZ 15A201-C
		L.H.-body side-Red	1	D1FZ 15A201-D
	- P -			
70/	P	R. H. -fender-Amber	1	D0DZ 15A201-N
		L. H. -fender-Amber	1	D0DZ 15A201-P
70/	P	R. H. -body side-Red	1	D0DZ 15A201-R
		L. H. -body side-Red	1	D0DZ 15A201-S
	- S -			
70	S "Before 12/29/69"	R. H. -fender-Amber and White	1	D0SZ 15A201-A
		L. H. -fender-Amber and White	1	D0SZ 15A201-B
70/71	S "From 12/29/69"	R.H.-fender-Amber and White	1	D0SZ 15A201-J
		L. H. -fender-Amber and White	1	D0SZ 15A201-K
72	S-w/cornering light	R.H.-front fender	1	D2SZ 15A201-C
		L.H.-front fender	1	D2SZ 15A201-D
72	S-w/o cornering light	R.H.-front fender	1	D2SZ 15A201-A
		L.H.-front fender	1	D2SZ 15A201-B
69	S	R. H. & L. H.-body side rear	2	C9SZ 15A201-A
70/71	S	R. H. -body side-Red	1	D0SZ 15A201-G
		L. H. -body side-Red	1	D0SZ 15A201-H
72	S	R.H.-body side-Red	1	D2SZ 15A201-E
		L.H.-body side-Red	1	D2SZ 15A201-F
	- U -			
70/	U	Front-Amber	2	D0UZ 15A201-A
70/	U	Body side rear-Red	2	D0UZ 15A201-B
	- X -			
69/70	X	R.H. & L.H.-fender	2	C9DZ 15A201-E
69/70	X	R.H. & L.H.-body side-rear-Red	2	C9AZ 15A201-C
70	B	Nut-nylon (attach lamp body to quarter panel)-No. 8-10	AR	383356-S (MM216PA)
72	U	(attach front fender and body side lamp)	4	
69/70	X	Nut-5/32" stamped-attach lamp to fender	4	374566-S(MM284Z)
69	F		4	
67/69	S	Nut-1/4"-20 stamped-attach lamp body to fender	4	45234-S(M179)
68	F	Nut-1/4"-20-attach lamp to fender	4	33920-S(M25)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15A201 LAMP ASSY. - MARKER - continued			
70	A,B,F,P	Nut-No.8-32"-attach lamp to fender	4	382423-S(MM290P)
71	S	(attach body side lamp to quarter panel)	1	
69	B	Nut-5/16"-self-thread	4	382110-S(MM284X)
70/71	S	Nut-1/4"-20-attach lamp to fender	8	376331-S(MM292B)
70/	S	Clip-1/4"-20 x 1 1/2"-attach lamp to reinforcement front fender inner	8	382729-S(BB643CC)
71/	A	Nut (attach lamp to fender)-No.10-24	4	359606-S (MM291A)
70/	U	Nut-No.8 insert-attach marker lamp to fender side and body side	AR	383356-S (MM216PA)
70/	U	Screw-No.8-15 x 1/2"-attach marker lamp to fender side and body side	AR	52012-S(U202)
70/	P	Cap-stud proctector (cover studs in luggage compartment)	AR	353538-S(DD4)
70/	B(71)	Screw-No.8-18 x 3/4"-attach lamp body to quarter panel	4	376362-S101 (UU56C)
72	S-w/o cornering light	Nut (attach lamp to fender)-5/32" - self-threading	AR	384652-S (MM118K)
72	S-with cornering light	Nut (attach lamp to fender)-No.10-24	AR	359606-S (MM291A)
	15A201 LAMP ASSY. - TURNING LIGHT			
68/69	S	R.H. - fender - clear lens	1	C8SZ 15A201-E
		L.H. - fender - clear lens	1	C8SZ 15A201-F
	15L203 LENS ASSY. - FOG LAMP			
68	F(65) GT/CS	Lucas-includes attaching parts	2	C8WZ 15L203-A
68/69	F(GT 350/500)		2	
	15A209 GASKET - SIDE LAMP LENS			
69	A	R.H. & L.H. -fender	2	C9AZ 15A209-B
70/71	B	R.H. & L.H. -body side rear	2	D0DZ 15A209-A
70	A	Front & Rear	4	
70/	P	R.H. & L.H.-body side rear	2	
71/	A(53H,K,54F,57F,H,K,65F,H,K,76H)-w/cornering lights	R.H. & L.H.-fender	2	D1AZ 15A209-A
68/69	S	R.H. & L.H.-fender	2	C8SZ 15A209-A
70/71	S	Front fender	2	D0SZ 15A209-A
72	S-w/cornering lights	Neoprene	2	D2SZ 15A209-A
	15A210 RETAINER - SIDE MARKER LAMP			
70	A	R.H. -fender	1	D0AZ 15A210-C
		L.H. -fender	1	D0AZ 15A210-D
71/	A(53H,K,54F,57F,H,K,65F,H,K,76H)	R.H. - fender	1	D1AZ 15A210-A
		L.H. - fender	1	D1AZ 15A210-B
70	A(exc.71)	R.H. -body side	1	D0AZ 15A210-G
		L.H. -body side	1	D0AZ 15A210-H
70/71	B	R.H. -fender	1	D0OZ 15A210-C
		L.H. -fender	1	D0OZ 15A210-D
70/71	B(exc.71)	R.H. -body side	1	D0OZ 15A210-G
		L.H. -body side	1	D0OZ 15A210-H
68	F	R.H. & L.H.-fender	2	C8ZZ 15A210-A
69	F	R.H. & L.H. -fender	2	C9ZZ 15A210-C
70	F	R.H. -fender	1	D0ZZ 15A210-C
		L.H. -fender	1	D0ZZ 15A210-D
70	F	R.H. -body side	1	D0ZZ 15A210-E
		L.H. -body side	1	D0ZZ 15A210-F
70/	P	R.H. -fender	1	D0DZ 15A210-A
		L.H.-fender	1	D0DZ 15A210-B
70	P "Before 5/15/70"	R.H. -body side	1	D0DZ 15A210-J
70	P	L.H.-body side	1	D0DZ 15A210-M
70/	P "From 5/15/70"	R.H. - body side	1	D1DZ 15A210-A
71/	P	L.H.-body side	1	D1DZ 15A210-B
70/71	S	R.H. -body side	1	D0SZ 15A210-C
		L.H. -body side	1	D0SZ 15A210-D

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15A211 WIRE ASSY. - FOG LAMP - If not listed improvise from B6A 14296-C wire			
66/67	F (GT)	Not replaced	2	★C6ZZ 15A211-A
68	F	Not replaced	1	★C8ZZ 15A211-A
65	F (GT)	Clip (wire assy. to support front fender apron & radiator extreme left side)	1	372046-S100 (GG186)
	15214 DOOR - FOG LAMP			
65/67	F (GT)-except GT 350/500		2	C5ZZ 15214-A
68	F (65 GT/CS)		2	C8WZ 15214-A
68/69	F (GT 350/500)	Lucas design	2	
65/69	F (GT)	Screw (door to housing assy.)-No. 8-18 x 3/4"	2	376362-S101 (UU56C)
	15A214 SWITCH and WIRE ASSY. - FOG LAMP			
65/70	A, B, F, S, X-with 12 volt system	Used with utility fog or road lamp	1	C5AZ 15A214-A
70/71	L, P		1	
65	F (GT)		1	C5ZZ 15A214-A
66/67	F (GT)		1	C6ZZ 15A214-A
68	F		1	C8ZZ 15A214-A
69/70	F (GT 350/500)	Fog lamp & map lamp	2	C9ZZ 15A214-A
65/69	F (GT)	Nut (switch assy. to lower instrument panel)-1/2"-27 hex.	1	370679-S7-8 (MM41B)
	15A215 LENS - SIDE LAMP			
69	A	R.H.-front fender-includes attaching parts	1	C9AZ 15A215-A
		L.H.	1	C9AZ 15A215-B
71/	A(53H, K, 57H, K, 65H, K, 76H)-with cornering lights	R.H.-front fender-clear	1	D1AZ 15A215-A
		L.H.-clear	1	D1AZ 15A215-B
71/	A(53H, K, 57H, K, 65H, K, 76H)-with cornering lights	R.H.-front fender-amber	1	D1AZ 15A215-C
		L.H.-amber	1	D1AZ 15A215-D
68	F	R.H. & L.H.-turning lamp	2	C8ZZ 15A215-A
69	F, X	R.H. & L.H. Includes attaching parts	2	C9DZ 15A215-C
69/70	F(GT350, 500)	R.H. & L.H.	2	
69	B(Talledega)	R.H. & L.H.	2	
68/69	S	R.H. & L.H.-turning lamp	2	C8SZ 15A215-A
70/71	S	R.H.-front fender-includes attaching parts	1	D0SZ 15A215-C
		L.H.	1	D0SZ 15A215-D
72	S-with cornering lights	R.H.-front fender-clear	1	D2SZ 15A215-A
		L.H.-clear	1	D2SZ 15A215-B
72	S-with cornering lights	R.H.-front fender-amber	1	D2SZ 15A215-C
		L.H.-amber	1	D2SZ 15A215-D
69	A	Screw-No.8-32 x 3/4" (attach lens to marker lamp to body)	8	★382756-A
		Nut-No.8-32	8	377523-S(MM291C)
68	F	Screw-No.8-18 x 3/4" (attach lens to marker lamp body)	4	376328-S(UU67G)
	15A215 LENS OR REFLECTOR - REAR TAIL LAMP			
69/70	A(71)	R.H.-Located inside tail lamp	1	C9AZ 15A215-C
		L.H.	1	C9AZ 15A215-D
	15A217 RELAY - TURNING LAMP			
71/	A	#ED-D1AB 15A217-AA, D1AB 15A217-AB	2	D1AZ 15A217-B
72	S-with cornering lights		2	
69	S	#C9SB 15A217-A	2	C9SZ 15A217-A
	15220 BULB - FOG OR ROAD LAMP			
65/67	A, B, F, S, U, X	Amber lens-lamp Industry No. 4415A	2	FDU 15220-B
65/67	F (GT)	Clear lens-lamp Industry No. 4415	2	FDU 15220-A
68	F (65 GT/CS)	Lucas	2	C8WZ 15220-A
68/69	F (GT 350/500)		2	
	15224 SWITCH ASSY. - SPOTLAMP			
68/70	A, B, F, X	Use with dealer installed spotlamp	1	C8AZ 15224-A
69/	U	Includes escutcheon	1	C9TZ 15224-A
	15251 SPACER - FOG LAMP MOUNTING			
65/69	F (GT)-except CS	1.0" O.D. x .44" I.D.	2	C5ZZ 15251-A
68	F(65)-GT/CS	Improvise from steel tubing	2	★C8ZX 15251-A

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15259 KNOB ASSY. - FOG LAMP SWITCH			
65/67	F (GT)		1	C5ZZ 15259-A
68	F		1	C8ZZ 15259-A
65/67	F (GT)	Screw (knob assy. to fog lamp switch)-No. 8-32 x 1/4"-set	1	375504-S8(UU28A)
	15266-7 BRACKET ASSY. - FOG LAMP MOUNTING			
65/70	A, B, F, S, X-with 12 volt system	Used with utility fog or road lamp	2	C5RZ 15266-A
71	L		2	
70/71	P		2	
66	F (GT)	R. H.-not replaced	1	★C6ZZ 15266-A
		L. H.-not replaced	1	★C6ZZ 15267-A
67	F(GT)	R. H.	1	C7ZZ 15266-A
		L. H.	1	C7ZZ 15267-A
66	F (GT)	Screw (bracket to radiator grille)-No. 10-12 x 1/2"	6	42127-S8(U248C)
		Nut-No. 10-12-spring	6	★378293-S32
	15A300 WIRE ASSY. - SPOTLAMP FEED	Improvise from B6A 14296-C Wire		
	15312-3 SPOTLAMP and BRACKET - KIT			
	- A -			
69	A	R. H.	1	C9AZ 15312-A

Consists of

1-C8AA 15300-M	Spotlight	1-C8AA 15324-A	Gasket
1-C9AJ 15A300-A	Wire	1-C8AZ 15224-A	Switch
1-C8AA 15A313-A	Sleeve	2-33119-S13	Screw
1-C8AA 15A314-A	Knob	2-356098-S7	Nut
2-C8AA 15A315-A	Screw	2-356657-S	Nut
1-C8AJ 15322-A	Bracket		

- U -

69/	U	Roof mounted	1	C9TZ 15313-A

Consists of

1-C9TZ 15224-A	Escutcheon	1-C9TJ 15324-A	Gasket
2-C9TJ 15300-A	Spotlight	1-C9TJ 15387-A	Sleeve
1-C9TJ 15A300-A	Wire	2-356657-S32	Speed nut
2-C8AZ 15A315-A	Screw	1-Sketch	
1-C9TZ 15A317-A	Retainer		

	15312 SNOW PLOW LIGHTS and BRACKET KIT - AUXILIARY			
66/	U	Kit - use with western snow plow	1	D2TZ 15312-B
	15A315 SCREW - SPOTLAMP MOUNTING			
68/70	A, B, F, X, U	Use with dealer installed spotlamp	2	C8AZ 15A315-A
	15A317 RETAINER - SPOTLAMP CONTROL - ESCUTCHEON			
69/	U	Roof mounted	1	C9TZ 15A317-A
	15320 BRACKET - SPOTLAMP - INSIDE			
68	A, F	Use with dealer installed spotlamp	1	C8AZ 15320-A
68/70	B, X		1	
	15322 WASHER - SPOTLAMP SWITCH BRACKET			
68	A, F	Use with dealer installed spotlamp	1	C8AZ 15322-A
68/70	B, X		1	
	15324 GASKET - SPOTLAMP BRACKET - OUTSIDE			
68/70	A, B, F, X	Use with dealer installed spotlamp - flat	1	C8AZ 15324-A
68/70	A, B, F, X	Use with dealer installed spotlamp - wedge	1	C8AZ 15324-B
	15330 BULB - SPOTLAMP - SEALED BEAM			
65/70	A, B, F, X	4.4" diameter-(12 volt)-type No. 4405	1or2	B6A 15330-B
65/67	S		1or2	
	15B410 SOCKET - BODY SIDE LAMP			
69/	A		2	C9AZ 15B410-B
69/71	B, S, X		2	
	15B411 WIRE ASSY. - BODY SIDE LAMP			
71/	F	4" long-connects 14401 to 14405	1	D1ZZ 15B411-A
	15A416 TRAILER LAMP PLUG and WIRING KIT			
67/	A, B, F, S, X		1	C7AZ 15A416-A
70/	L, P		1	

Consists of

3-C6AZ 13A435-A	Relay	3-55980-S	Screw-1/4-14 x 3/8"
1-C6AZ 13A576-A	Wiring	1-354451-S	Grommet
3-C7AZ 14487-A	Sleeve	1-358292-S	Grommet
1-55906-S	Screw-No. 8-18 x 3/8"	1-Instruction sheet	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15B419 SHIELD - BODY SIDE LAMP			
70/71	S	Used on L. H. side only - Plastic	1	D0SZ 15B419-A
	15B424 CLIP - FRONT SIDE LAMP BEZEL			
70	S	Steel	2	D0SZ 15B424-A
72	S		2	D2SZ 15B424-A
	15A434 SOCKET and WIRE - FRONT FENDER SIDE LAMP			
70/	U	20" long	2	D0UZ 15A434-A
69/70	X		2	C9DZ 15A434-C
70/	A, B, F, L, P, S	Repair - 8" long - also used for rear marker lamps	AR	D0DZ 15A434-B
	15436 WIRING and PLUG ASSY. - TRAILER LAMP			
72	A	Connects 13A435, 13A576, 14A346 and 14A348	1	D2AZ 15436-A
	15A440 BEZEL - FRONT OR REAR SIDE LAMP			
69	A	R. H. & L. H. - body side rear	2	C9AZ 15A440-A
71/	A(exc.71H)-w/o cornering lights	R.H. - fender	1	D1AZ 15A440-A
71/	A(exc.71)	R.H.-body side-rear	1	
71/	A(exc.71H)-w/o cornering lights	L.H.-fender	1	D1AZ 15A440-B
71/	A(exc.71)	L.H.-body side-rear	1	
71/	A(53H, K, 54F, 57F, H, K, 65F, H, K, 76H)-with cornering lights	R.H.-fender	1	D1AZ 15A440-G
		L.H.-fender	1	D1AZ 15A440-H
71/	A(71)	R.H.-body side - paint to match	1	D1AZ 15A440-F
		L.H.-body side - paint to match	1	D1AZ 15A440-E
69	B(Talladega)	R.H. & L.H.-front fender	2	C9AZ 15A440-A
69	B (exc.66)	R.H. & L.H.-body side	2	
70	B(66, 71)	R. H.-body side	1	D0OZ 15A440-A
		L. H. body side	1	D0OZ 15A440-B
69	F	R.H. & L.H.-front fender	2	C9AZ 15A440-A
69	F	R.H. & L.H.-body side	2	
71/	F	R.H.-body side rear	1	D1AZ 15A440-A
		L.H.-body side rear	1	D1AZ 15A440-B
71/	F	R.H.-fender	1	D1ZZ 15A440-A
		L.H.-fender	1	D1ZZ 15A440-B
71/	L	R. H. -fender - Paint to match	1	D1FZ 15A440-A
		L. H. -body side - Paint to match	1	
		L. H. -fender - Paint to match	1	D1FZ 15A440-B
		R. H. -body side - Paint to match	1	
70/	P	R. H. -front fender	1	D0DZ 15A440-J
		L. H. -front fender	1	D0DZ 15A440-K
70/	P	R. H. -body side	1	D0DZ 15A440-L
		L. H. -body side	1	D0DZ 15A440-M
68/69	S	R. H.-front fender	1	C8SZ 15A440-A
		L. H.-front fender	1	C8SZ 15A440-B
69	S	R.H. & L.H.-body side	2	C9AZ 15A440-A
70/71	S	R. H. -fender	1	D0SZ 15A440-C
		L. H. -fender	1	D0SZ 15A440-D
72	S-w/o cornering lights	R.H.-front fender	1	D2SZ 15A440-A
		L.H.-front fender	1	D2SZ 15A440-B
72	S-w/cornering lights	R.H.-front fender	1	D2SZ 15A440-C
		L.H.-front fender	1	D2SZ 15A440-D
72	S	R.H.-body side	1	D2SZ 15A440-E
		L.H.-body side	1	D2SZ 15A440-F
69/70	X	R.H. & L.H.-front fender	2	C9AZ 15A440-A
69/70	X	R.H. & L.H.-body side	2	
68/69	S	Screw-No.8-18 x 1 1/2" (attach bezel to lamp)	4	376290-S(UU56D)
69/70	F, X	Nut-5/32" stamped (attach bezel to fender)	4	374566-S(MM284Z)
69/70	B	Attach bezel to quarter	4	
72	S		AR	
70	S	Nut-No.8-32 (attach bezel to fender)	4	382423-S(MM209P)
71/	A-with cornering lights	Nut (attach bezel to fender)-No.10-24	AR	359606-S(MM291A)
71/	A, F-w/o cornering lights	Nut-5/32" crown-attach bezel to fender	4	384652-S100 (MM118K)
71/	A, F, L	Nut-5/16" self threading	4	382110-S(MM284X)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15A442 SOCKET AND WIRE ASSY. - BODY SIDE LAMP			
70/	U	#D0BB 15A442-B	2	D0BZ 15A442-A
70	S	R. H. or L. H. -6" long-service replacement	AR	D0AZ 15A442-A
70/	A, B, F, L, P	attaches to 14405 assy.	AR	
	15443 SWITCH ASSY. - ROOF MARKER LAMP - Also refer to group 15592			
72	B(53) Taxi	Use with 15594 lamp	1	C9TZ 15443-A
	15A447 SEAL - BODY SIDE LAMP			
72	B	Plastic-R.H. & L.H.	2	D2OZ 15A447-A
70	P	Rear-seal-retainer 15A210 to body side	2	D0DZ 15A447-D
71/	P	Rear	2	D1DZ 15A447-A
72	S	Neoprene-R.H. & L.H.	2	D2SZ 15A447-A
	15A460 BEZEL AND PLATE ASSY. - FRONT FENDER SIDE LAMP			
69	A,P/C	R. H. "Ford Crest"	1	C9AZ 15A460-A
		L. H.	1	C9AZ 15A460-B
69	A	R. H. "429"	1	C9AZ 15A460-C
		L. H.	1	C9AZ 15A460-D
69	A	R. H. "390"	1	C9AZ 15A460-E
		L. H.	1	C9AZ 15A460-F
69	A	R. H. "351"	1	C9AZ 15A460-G
		L. H.	1	C9AZ 15A460-H
68/69	S	R. H.	1	C8SZ 15A460-A
		L. H.	1	C8SZ 15A460-B
70/	U	Body side lamp - remove gasket and discard	2	D0UZ 15A460-A
70/	U	Front fender lamp	2	
69	A	Nut-No.8-32 (attach bezel and lamp to fender)	4	377523-S(MM291C)
68/69	S	Screw-No.8-18 x 1 1/2" (attach bezel to lamp)	4	376290-S(UU56D)
	15499 BACK-UP LAMP - KIT - Refer to Accessories Section			
	15500 LAMP ASSY. - BACK UP			
69/70	A(71)	R. H. & L. H.	2	C9AZ 15500-A
70	A(exc. 71)	R. H. & L. H.	2	D0AZ 15500-A
71	A(exc.71)	R.H. & L.H.	2	D1AZ 15500-A
69/70	F	R. H.	1	C9ZZ 15500-E
69/70	F	L.H.	1	C9ZZ 15500-F
72	S	R.H. & L.H.	2	D3SZ 15500-A
70	F	Nut (attach lamp to lower back panel)-No.10-24	4	359606-S(MM291A)
		Washer-No.10	4	359972-S(XX340Z)
	15A505 WIRE ASSY. - BACK-UP LAMP GROUND - Improvise from B6A 14296-C wire			
	15A507 BRACKET - BACK-UP LAMP MOUNTING			
69/70	A(71)		2	C9AZ 15A507-A
	15508 SOCKET ASSY. - BACK UP LAMP			
66	A(71), B(71)	6 pronged	2	C6AZ 15508-A
68	X(71)		2	
69	S		2	C9SZ 15508-B
	15510 GASKET - BACK-UP LAMP LENS			
69/70	A(71)		2	C9AZ 15510-A
70	A(exc. 71)	Rubber R.H. & L.H.	2	D0AZ 15510-A
71	A(exc.71)		1	D1AZ 15510-A
65/70	F		2	C5ZZ 15510-A
65	S		2	C4SZ 15510-B
69	S		2	C9SZ 15510-A
72	S	R.H. & L.H.	2	D2SZ 15510-A
66	X (66, 71)		2	C6DZ 15510-A
67	B(66)-with reflectors		2	

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15511-2 BODY and SOCKET ASSY. - BACK-UP LAMP			
70	A(exc. 71)	R.H. & L.H.	2	D0AZ 15511-A
71	A(exc.71)	R.H. & L.H.	1	D1AZ 15511-A
65/66	F	R.H.	1	C5ZZ 15511-A
		L.H.	1	C5ZZ 15512-A
67/68	F "Before 4/8/68"	R.H.	1	C7ZZ 15511-A
68	F "From 4/8/68"	R.H.	1	C7ZZ 15511-B
67/68	F	L.H.	1	C7ZZ 15512-B
65	S	R.H.	1	C5SZ 15511-A
		L.H.	1	C5SZ 15512-A
67/68	S	R.H. & L.H.	2	C7SZ 15511-A
	15513 DOOR ASSY. - BACK-UP LAMP			
69/70	A(71)		2	C9AZ 15513-A
65	S	Includes attaching parts	2	C4SZ 15513-B
	15514 LENS - BACK-UP LAMP - Also refer to Group 13450			
69/70	A(71)		2	C9AZ 15514-A
70	A(exc. 71)	R.H. & L.H.	2	D0AZ 15514-A
71	A(exc.71)	Includes attaching parts	2	D1AZ 15514-A
65/68	F		2	C5ZZ 15514-A
69/70	F		2	C9ZZ 15514-B
65	S	Includes attaching parts	2	C4SZ 15514-B
69	S		2	C9SZ 15514-A
72	S	R.H. & L.H.	2	D2SZ 15514-A
66	X (66, 71)		2	C6DZ 15514-A
67	B(66)-with reflectors		2	
65	F	Screw (lens and gasket to lamp body)-No. 8-15 x .75"	4	376328-S(UU67G)
67	B(66)	Screw-No.8-32 x 3/4" (attach lens to body)	2	372856-S(UU79)
	15A515 WIRE ASSY. - BACK-UP LAMP JUMPER			
72	S		1	D2SZ 15A515-A
	15517 BRACKET - BACK UP LAMP SWITCH MOUNTING			
65	A (63C, 76B) with 4 speed transmission	Used with console shift -not replaced	1	★C5AZ 15517-C
65/66	A(except 57F, 63C, 63F, 76B)-with S/T or O/D		1	C5AZ 15517-B
65/66	B-with S/T or O/D	Bracket	1	C3AZ 15517-A
66	X-with 3 speed S/T		1	
65/66	B-with S/T or O/D	Clamp	1	C3AZ 15517-C
66	X-with 3 speed S/T			
65	X-with S/T or F/M	Clamp(bracket to gear shift assembly)	1	8A 8287
65	X-with S/T		1	C9TZ 15517-B
67/	U-with 3 speed S/T		1	
65/66	B-with S/T or O/D	Screw (bracket to gear shift assy.)-No. 8-32 x 3/8"	2	40917-S8(U257)
		Screw (switch to steering gear tube)-No. 10-16 x 3/8"	2	42120-S8(U248)
	15520 SWITCH - BACK UP LAMP - Also refer to groups 7A217 & 7A247 for Automatic Transmissions			
	- A -			
65/66	A(exc.57C, F, 63C, D, 65B, 71G, H, 75C, 76B, D)	Refer to Technical Service Bulletin 158 dated 1/29/71	1	‡C9TZ 15520-F (SW-938)
65	A-with 4 speed trans.	With 1/2"-20 thread	1	C2AZ 15520-E
66	A(exc. 63C, D, 76B, D)-4/S/T "From 11/1/65"		1	(SW-407)
67	A(54, 57, 62, 63B, J, 76A)-with 4 speed trans.		1	
66	A (63C, D, 76B, D)-with 4 speed trans.		1	C6AZ 15520-A
66	A(exc. 63C, D, 76B, D)-4/S/T "Before 11/1/65"		1	(SW-548)
67	A(63C, 76B)-with 4 speed trans.		1	
67	A-with 3 speed S/T or O/D	#C7AA 15520-D	1	C7AZ 15520-A (SW-581)
68	A(except 71)-with 4 speed trans. with console	Includes bracket #C8AB 15546-B	1	C8AZ 15520-B (SW-689)

Identification marking

‡ To facilitate installation it may be necessary to ream switch mounting hole in existing back-up lamp switch mounting bracket to accommodate switch diameter

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15520 SWITCH - BACK UP LAMP - continued - Also refer to groups 7A217 & 7A247 for Automatic Transmissions			
	- A - continued			
69	A(except 71)-with 4 speed trans.	#C9AB 15520-A	1	C9AZ 15520-A (SW-836)
70	A(except 71)-with 4 speed trans.	‡D0ZB 15520-A	1	D0ZZ 15520-A (SW-943)
68/71	A(with 3 speed S/T)	#C8AA 15520-C, #D0AA 15520-C, #D1AA 15520-AA	1	D0AZ 15520-D (SW-1036)
70/72	A-with A/T "Before 10/1/71"	#D0AA 15520-D, E, D1AA 15520-BA, DA, D2DA 15520-BA	1	D0AZ 15520-C (SW-890A)
72	A-with A/T "From 10/1/71 to 1/17/72"	#D2DA 15520-BB, BC, D2AA 15520-BB	1	D2DZ 15520-A (SW-1104)
72	A-with A/T "From 1/17/72"	#D2DA 15520-BD, D2AA 15520-BC, BD	1	D2DZ 15520-C (SW-1104-A)
	- B -			
65	B(8 cyl.)-with 4 speed trans.	With 1/2"-20 thread	1	C2AZ 15520-E (SW-407)
66/68	B (63D, 76D)-with 3 speed S/T		1	C6OZ 15520-A (SW-547)
66/68	B (except 71)-with 4 speed trans.		1	C6OZ 15520-B (SW-546)
65/66	B-with S/T or O/D		1	‡C9TZ 15520-F (SW-938)
67	B-with 3 speed S/T or O/D	#C7OA 15520-D	1	C7OZ 15520-A (SW-582)
69	B-390 with 3 speed S/T with console shift "Before 6/15/69"	#C9OB 15546-A	1	C9OZ 15520-A (SW-857)
69	B-390 with 3 speed S/T with console shift "From 6/15/69"	Switch has rubber coated terminals #D1OB 15546-AA	1	D1OZ 15520-A (SW-1061)
69	B(except 71)-with 4 speed S/T	#C9AB 15520-A	1	C9AZ 15520-A (SW-836)
70/	B(except 71)-with 4 speed S/T	‡D0ZB 15520-A	1	D0ZZ 15520-A (SW-943)
70/71	B-with A/T	#D0AA 15520-A, E D1AA 15520-BA, DA	1	D0AZ 15520-C (SW-890A)
68/71	B-with 3 speed S/T	#C8AA 15520-C, #D0AA 15520-C, #D1AA 15520-AA	1	D0AZ 15520-D (SW-1036)
72	B-with 3 speed S/T	#D2OA 15520-BA	1	D2OZ 15520-B (SW-1092)
72	B-with A/T "Before 12/1/71"	Column shift #D2OA 15520-AC	1	D2OZ 15520-A (SW-1077)
72	B-with A/T "From 12/1/71 to 1/17/72"	Column shift #D2OA 15520-AE, AF	1	D2OZ 15520-C (SW-1106)
72	B-with A/T "From 1/17/72"	Column shift #D2OA 15520-AG	1	D2OZ 15520-D
	- F -			
65/66	F-with 4 speed trans.		1	C5ZZ 15520-A
65/66	F-with S/T		1	C5ZZ 15520-C (SW-406)
67/68	F(8 cyl. 289, 390)-with 4 speed trans.	Includes bracket #C7ZB 15546-D	1	C7ZZ 15520-A (SW-561)
67/68	F(6 cyl. & 8 cyl. 289, 390)-with 3 speed S/T	Includes bracket #C7ZB 15546-C	1	C7ZZ 15520-C (SW-573)
69/72	F-with 3 speed S/T "Before 5/15/72"	#C9ZB 15546-D, #D0ZB 15546-A	1	D0ZZ 15520-B (SW-947)
72	F-with 3 speed S/T "From 5/15/72"	#D2ZB 15546-AA	1	D2ZZ 15520-A (SW-1160)
69	F-with 4 speed S/T	#C9ZB 15520-A	1	C9ZZ 15520-B (SW-842)
70/	F-with 4 speed S/T	#D0ZB 15520A	1	D0ZZ 15520-A (SW-943)

‡ Identification marking

‡ To facilitate installation it may be necessary to ream switch mounting hole in existing back-up lamp switch mounting bracket to accommodate switch diameter

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15520 SWITCH - BACK UP LAMP - continued - Also refer to Groups 7A217 & 7A247 for Automatic Transmissions			
	- L -			
71/	L-with 4 speed S/T	#D12B 15520-A1A,AE	1	D1FZ 15520-B (SW-1052)
	- P -			
70	P-with 3 speed S/T-less locking column	#C8AA 15520-C,#D0AA 15520-C,#D1AA 15520-AA	1	D0AZ 15520-D
71/ 72	P-with 3 speed S/T "Before 10/1/71"	Column shift	1	(SW-1036)
72	P-with 3 speed S/T "From 10/1/71"	Column shift #D2DA 15520-AB	1	D2DZ 15520-E (SW-1105)
70	P-with 3 speed S/T & locking column	#D0DA 15520-A,C,G	1	D0DZ 15520-D
71/	P-with 3 speed S/T	Floor shift #D1DB 15546-AA, AB	1	D1DZ 15520-B (SW-1090)
70	P-with C4 trans. and locking column	#D0DA 15520-B,E,F	1	D0DZ 15520-C
71/72	P-with A/T "Before 10/1/71"	#D0AA 15520-E, D1AA 15520-BA, DA	1	D0AZ 15520-C (SW-890A)
72	P-with A/T "From 10/1/71 to 1/17/72"	#D2DA 15520-BB, BC, D2AA 15520-BB	1	D2DZ 15520-A (SW-1104)
72	P-with A/T "From 1/17/72"	#D2DA 15520-BD	1	D2DZ 15520-C (SW-1104A)
	- S -			
70/71	S	#D0SA 15520-A, B,C, #D1SA 15520-AA, #D2VA 15520-AA	1	D0SZ 15520-A (SW-893)
72	S "Before 9/1/71"	#D2SA 15520-AE	1	D2SZ 15520-A (SW-1078)
72	S "From 9/1/71"	Electric and vacuum - #D2SA 15520-AF,AG,AH,AJ	1	D2SZ 15520-C (SW-1108A)
	- U -			
67/	U-with 3 speed S/T		1	‡C9TZ 15520-F (SW-938)
	- X -			
65	X-with 4 speed Borg Warner trans.	With 1/2"-20 thread	1	C2AZ 15520-E (SW-407)
65	X-with 4 speed Ford transmission		1	C4DZ 15520-A (SW-408)
66/67	X-with 4 speed trans.		1	C6OZ 15520-B (SW-546)
65/66	X-with S/T		1	‡C9TZ 15520-F (SW-938)
67	X-with 3 speed S/T or O/D	#C7OA 15520-D	1	C7OZ 15520-A (SW-582)
68/70	X-with 3 speed trans. less locking column	#C8AA 15520-C,#D0AA 15520-C,#D1AA 15520-AA	1	D0AZ 15520-D (SW-1036)
65/67	A, B, X(4 speed trans.)	Nut (switch to trans. gear shift lever)-1/2"-20	1	33943-S8(M36)
		Lockwasher-1/2"	1	★34944-S7
65/69	A	Clip (switch wiring to frame No. 2 cross member or front floor pan)	1or2	371645-S100 (GG210M)
70	A(except 71)-with 4 speed trans.	Screw 1/4-14 x 1/2" (attach switch to brake pedal support)	1	55981-S(U254E)
70	P	Screw-No.10-24 x 3/8" (attach switch to column)	1	40905-S(U258)

Identification marking

‡ To facilitate installation it may be necessary to ream switch mounting hole in existing back-up lamp switch mounting bracket to accommodate switch diameter

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15525 WIRE ASSY. - BACK UP LAMP SWITCH TO REAR LAMP FEED - Unless listed-improvise from B6A 14296-C wire			
69	A(except 71) with 4 speed S/T	#C9AB 15525-A	1	C9AZ 15525-A
70	A(except 71)-with 4 speed trans.	#D00B 15525A	1	D00Z 15525-A
70	B(except 71)-with 4 speed trans.		1	
71	B-with 4 speed S/T		1	D1OZ 15525-A
72	B-with console shift "Before 10/1/71"	#D2OB 15525-AA	1	D2OZ 15525-A
72	B-with console shift "From 10/1/71"	#D2OB 15525-AB	1	D2OZ 15525-D
72	B-with column shift "Before 12/1/71"	#D2OB 15525-AC	1	D2OZ 15525-B
72	B-with column shift-(A/T) "From 12/1/71"	#D2OB 15A519-AD	1	D2OZ 15525-C
72	B-with column shift-(M/T) "From 12/1/71"	#D2OB 15A519-BA	1	D2OZ 15525-E
70	F-with 4 speed trans.	#D0ZB 15525-A	1	D0ZZ 15525-A
71/	F-with 4 speed S/T		1	D1ZZ 15525-A
71/72	L 98(1600cc),122(2000cc)-with manual trans.-	#D22B 15525-BA	1	D2FZ 15525-B
71/72	L 98(1600cc),122(2000cc)-with manual trans.-	#D22B 15525-BB	1	D2FZ 15525-D
72	P-with S/T	#D2DB 15525-AA,AB-floor mounted	1	D3DZ 15525-A
72	S	#D2SB 15A519-AC	1	D2SZ 15525-A
71	F	Clip-attach wire to trans. bell housing	AR	353547-S(GG173)
	15533 SEAL - BACK UP LAMP TO BODY			
65/66	F	R.H.	1	C5ZZ 15533-A
		L.H.	1	C5ZZ 15533-B
67/70	F	Rubber	2	C7ZZ 15533-A
65	S		2	C4SZ 15533-B
	15536 WIRE ASSY. - BACK-UP LAMP SOCKET			
	- A -			
65	A(54A, 57B, 57F, 62A, 63, 76)		2	C5AZ 15536-A
65	A(54B, 54E, 62B, 62E, 71), B(71)		2	C3DZ 15536-A
66	A (except 71)		2	
66	A (71)		2	C6AZ 15536-A
67/68	A(except 71) "Before 4/8/68"		2	C7AZ 15536-B
68	A(except 71) "From 4/8/68"	#C8AB 15536-B, C9OB 15536-A	1	C9OZ 15536-A
69	A(except 71)	#C9AB 15536-A	2	C9AZ 15536-A
67	A(71)	Includes bulb socket	2	C7AZ 15536-A
68	A(71)	#C8AB 15536-C	2	C7OZ 15536-C
69/71	A(71)	#C9AB 15536-B	2	C9AZ 15536-B
	- B -			
65	B(54, 62, 65)		2	C5AZ 15536-A
66	B (54, 62, 63, 76)		2	
66	B(71)		2	C6AZ 15536-A
67	B(54, 62, 63, 76)		2	C7AZ 15536-B
67	B(71), (66)-except with reflectors		2	C7OZ 15536-A
68	B(54, 63, 65, 76)	#C8OB 15536-A, D	1	C8OZ 15536-D
69	B(63)		2	
68	B(66, 71)	#C8GB 15536-A	2	C4GY 15536-C
69	B(54, 65, 76)	# C9OB 15536-A	1	C9OZ 15536-A
70/	B (except 66, 71, 97)	R. H. or L. H. -socket & wire 6" long-service replacement attaches to 14405 assy.	AR	D0OZ 15536-A
	- F -			
65/66	F		2	C5ZZ 15536-A
71/	F	R. H. or L. H. -socket & wire 6" long-service replacement attaches to 14405 assy.	AR	D1ZZ 15536-A
65	F	Nut (ground wire to stud on rear lamp housing)-No. 10-24	1	34053-S8(M156)
65	F	Lockwasher-No. 10	1	34939-S8(X86)

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15536 WIRE ASSY. - BACK-UP LAMP SOCKET - continued			
	- L -			
71	L	R.H. or L.H. socket & wire 6" long	2	D0OZ 15536-A
72	L	R.H. or L.H. socket & wire 6" long	2	D2FZ 15536-A
	- P -			
70/	P	R.H. and L.H. socket & wire 6" long	2	D0OZ 15536-A
	- S -			
70	S	R.H. or L.H. -socket & wire 6" long-service replacement attaches to 14408 assy.	AR	D0SZ 15536-A
71	S	R.H. or L.H. -socket & wire 6" long-service replacement attaches to 14405 assy.	AR	D1SZ 15536-A
72	S	18" long-#D2SB 15A536-AA, D3SB 15A536-AA	2	D3SZ 15536-A
	- X -			
65	X		2	C3DZ 15536-A
66/67	X (except 66, 71)		2	
68	X(54, 62)	#C8DB 15536-A, B	1	C8DZ 15536-B
69	X(71)		2	C6AZ 15536-A
	15540 ACTUATOR - BACK-UP LAMP SWITCH			
65/66	B-with S/T or O/D		1	C3AZ 15540-B
70/71	B, S-with locking column and A/T without bucket seats		1	D0AZ 15540-A
70/	A, P-with A/T		1	
	15A541 RETAINER - BACK UP LAMP SWITCH			
70	A(except 71)-with 4 speed trans.		1	D0ZZ 15A541-A
70/	B-with 4 speed trans.		1	
70/	F-with 4 speed trans.		1	
	15C580 BEZEL - EMERGENCY WARNING SWITCH - Also refer to group 9A389			
	- A -			
67/69	A-with fixed steering wheel	Paint to match	1	C9OZ 15C580-A
68/69	A-with Tilt steering wheel	Paint to match	1	C9AZ 15C580-A
	- B -			
67/69	B	Plastic - Paint to match	1	C9OZ 15C580-A
	- F -			
67/69	F-with Tilt steering wheel	Paint to match	1	C9AZ 15C580-A
67/69	F-with fixed steering wheel	Paint to match	1	C9OZ 15C580-A
	- P -			
70	P(except locking steering column)	Plastic - "Emergency Flasher" - Paint to match	1	C9OZ 15C580-A
	- S -			
67/69	S-with Tilt steering wheel	Paint to match	1	C9AZ 15C580-A
67/69	S-with fixed steering wheel	Paint to match	1	C9OZ 15C580-A
	- U -			
66	U	Not required on units built after Ser. 858,001	1	C5TZ 15C580-A
67	U	Die cast - " Emergency Flasher"	1	C7TZ 15C580-A
70	U		1	
68/69	U	Refer to Group 10852		
	- X -			
67/69	X	Plastic - Paint to match	1	C9OZ 15C580-A
	15B584 EMERGENCY WARNING FLASHER - KIT			
65	A-without speed control device	Not replaced	1	★C5MY 15B584-A
65	B, F, X		1	

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15B590 SWITCH and WIRING ASSY. - EMERGENCY WARNING FLASHER - Also refer to group 13A350			
66	A, B, F, X-with Emergency Warning System	Not used on units built after 3/1/66	1	C6AZ 15B590-A
66	U "Before Ser. 858, 001"		1	C5TZ 15B590-C
66	U "From Ser. 858, 001"	Refer to Basic Group 13A350	1	
67	U "Before Ser. A28, 001"		1	C6TZ 15B590-A
67	U "From Ser. A28, 001"	Refer to Basic Group 13A350		
65/66	A	Screw-No. 6-20 x 1/2"-(attach switch to safety convenience panel)	2	52784-S(U361-A)
	15592 SWITCH ASSY. - ROOF WARNING LAMP - Also refer to Group 15443			
65/	A(54A, B, E, F, 62B, E, 63B, 65C, F, 71B, C, D, F, H, J), Taxi, P/C		1	C5AZ 15592-A
	15594 LAMP ASSY. - ROOF WARNING			
65/70	A(54A, B, E, 62B, E, 63B, 65C, 71B, C, D, H, J) Taxi, P/C		1	C5AZ 15594-A
71/	A(54B, D, F, 65F, 71B, D, F)-Taxi, P/C		1	D1AZ 15594-A
72	B(53B) Taxi		1	D2OZ 15594-A
	15595 BRACKET - EMERGENCY WARNING FLASHER SWITCH MOUNTING			
66	A, B, F, X		1	C6AZ 15595-A
70	U		1	
66	U	Not used on units built after Ser. 858, 001	1	C2TZ 15595-A
	15B597 BRACKET ASSY. - EMERGENCY WARNING FLASHER SWITCH MOUNTING			
66	U "Before Ser. 858, 001"		1	C3TZ 15B597-A
66/67	U "From Ser. 858, 001"	Not replaced	1	★C6TZ 15B597-B
68/69	U		1	C8TZ 15B597-A
70	U		1	D0BZ 15B597-A
71/	U		1	D1BZ 15B597-A
	15A598 PLATE - EMERGENCY WARNING SWITCH MOUNTING			
66	A, B, F, X (Emergency Warning system)		1	C6AZ 15A598-B
	15629 WIRE ASSY. - SPEAKER SYSTEM			
69	A(with stereo and speaker system)	Improvise	1	★C9AB 15629-C
70	A(with stereo and speaker system)	Improvise	1	★D0AB 15629-A
71	A(with stereo and speaker system)	Improvise	1	D1AB 15629-AC
72	A(with stereo radio and speaker system)	#D2AB 15629-AA	1	D2AZ 15629-A
72	B(with stereo radio, AM/FM radio or FMX system)	#D2OB 15629-AC	1	D3OZ 15629-A
71/	F-with stereo radio-without power windows	#D1ZB 15629-AB	1	D1AZ 15629-A
71/	F-with stereo radio-with power windows	#D1ZB 15629-BD	1	D1AZ 15629-B
68/69	S-with stereo tape system & AM-FM radio	#C8SB 15629-A	1	C8SZ 15629-A
70/71	S(with stereo system)	#D0SB 15629-A, #D1SB 15629-AB	1	D0SZ 15629-A
70	A	Screw-No. 8-15 x 1/2"-attach wire to door	2	52012-S(U202)
70	A(63C, 76B)	Screw-1/4"-14 x 1/2" (attach stereo wiring to console)	1	55981-S(U254E)
70	A	Screw-No. 8-32 x 3/4" (attach stereo wiring to door inside panel)	4	57077-S(B330B)
		Clip	4	382185-S(GG283)
	15650 LAMP ASSY. - MAP			
71/	F-with convenience package		1	D1ZZ 15650-A
72	L(73B)	Cargo area lamp-includes switch	1	D0MY 15650-A
71/	F	Screw-No. 8-18 x 3/4" (attach lamp to instrument panel)	2	384154-S(UU66G)

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15A657 WIRING ASSY. - TOP CONTROL SWITCH			
69/70	S	Sun roof motor to switch	1	C9SZ 15A657-A
69/70	S	Screw-No.10-24 x 3/8"-Attach wiring to roof panel	1	40905-S7(U258)
69/70	S	Clip-(attach wiring to roof panel)	4	372302-S100 (GG264)
	15B663 NUT - TOP CONTROL SWITCH MOUNTING			
67	F-with power top		1	C4VY 15B663-A
71/	F(76)		1	D1ZZ 15B663-A
	15668 SWITCH ASSY. - TOP CONTROL - Also refer to group 14529			
	- A -			
65	A(76) "Before 4/1/65"		1	C5AZ 15668-A
65/66	A(76) "From 4/1/65"		1	C5AZ 15668-E
67	A(76)		1	C7AZ 15668-A
68	A(76)	#C8AB 15668-A	1	C8AZ 15668-A
69/70	A(76)	#C9AB 15668-B	1	C9AZ 15668-A
71/	A(76)	#D1AB 15668-AB	1	D1AZ 15668-A
	- B -			
66/67	B (76)		1	C6OZ 15668-A
68/69	B(76)	#C8OB 15668-A	1	C8OZ 15668-A
70/71	B(76)	#D0OB 15668-A	1	D0OZ 15668-A
	- F -			
65/66	F(76)		1	C4DZ 15668-A
67	F(76)		1	C7ZZ 15668-A
68	F(76)	#C8ZB 15668-A	1	C8ZZ 15668-A
69/70	F(76)	#C9ZB 15668-C	1	C9ZZ 15668-A
71/	F(76)	Includes knob #D1ZB 15668-A	1	D1ZZ 15668-A
71/	F(76)	Screw (attach switch to instrument cluster)-No.8-12 x 1/2"	2	383938-S(UU52V)
	- S -			
65/66	S(76)		1	C4SZ 15668-B
65/66	S(76)	Nut (switch to console panel)-3/16"	2	371105-S7(MM289)
	- X -			
65	X(71)	Tailgate window	1	C4DZ 15668-A
65	X(76)		1	C4SZ 15668-B
	15A668 WIRING ASSY. - TOP CONTROL RELAY TO CIRCUIT BREAKER			
	- A -			
69	A(76)	#C9AB 15A668-A	1	C9AZ 15A668-A
70/71	A(76)	#D0AB 15A668-A, B	1	D0AZ 15A668-A
	- B -			
68/71	B(76)	#C7OB 15A668-A #D1OB 15A668-AA	1	C6OZ 15A668-B
	- S -			
65/66	S(76)-except A/C		1	C5SZ 15A668-A
65/66	S(76)-with A/C		1	C5SZ 15A668-B
66	S(76)-with A/C	Used with trailer wiring #C6SB 15A668-A Not replaced	1	★C6SZ 15A668-A
		Clip (wiring to instrument panel lower flange)		★376118-S
70	A(76)	Screw 1/4" -14 x 1/2" -(attach wiring to circuit breaker)	AR	55981-S (U254E)
70/71	A(76), B(76)	Screw-No.8-15 x 1/2"-attach wiring to cowl panel	AR	52012-S(U202)
70	A(76)	Clip #8-18 (attach wiring to circuit breaker)	3	383182-S(GG359)
		Strap (nylon)-attach wiring to circuit breaker	1	383313-S(YY6)
71	A	Clip-attach wiring to cowl panel	AR	382182-S(GG359)
70	B(76)	Clip (attach wiring to rear quarter window regulator panel)	AR	382349-S(GG294)
70	B(76)	Strap-attach wiring to side shield	AR	376914-S(YY2)
71	B	Clip-attach wire to cowl panel at instrument panel brace	2	382239-S(GG285)

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15A669 WIRE ASSY. - TOP CONTROL CIRCUIT BREAKER TO TOP CONTROL SWITCH - Unless listed improvise from 14296 wire-also refer to groups 14A200 & 14678			
72	A(76)	Top control	1	D2AZ 15A669-A
72	A	Used with A/seat back latch, with power seats	1	
69	F(76)	#C9ZB 15A669-B	1	C9ZZ 15A669-B
72	L(73)	Use with heated backlite	1	D2FZ 15A669-B
	15A670 NUT - TOP CONTROL BEZEL - Also refer to groups 10852, 14A122 & 14A124			
65/66	A(76)		1	C5AZ 15A670-A
65/66	A(71)-tailgate window		1	
67	A(76)	Not replaced	1	★C7AZ 15A670-A
67	A(71)-tailgate window		1	
68	A(76)	Use C5MY 6222158-A		
68	A(71)-tailgate window			
69/	A(76)		1	C9AZ 15A670-A
69/	A-Air control cables, brake release cable		AR	
72	B-brake release cable		1	
	15672 RELAY ASSY. - TOP CONTROL			
65/66	S(76)	3 contact posts	2or4	C1SF 15672-A
65/66	S(76)		2or4	C2VY 15672-A
	15674 KNOB ASSY. - TOP CONTROL - Also refer to group 17513			
65	B-with O/D	Top control, Fresh Air heater R. H. air control or windshield wiper control knob-not replaced	1	★C2MY 15674-A
68/69	B(76)		1	C8OZ 15674-A
70/	B(76)	Top	1	D0OZ 15674-A
	B(71)	Tailgate window switch	1	
68	F(76)		1	C8ZZ 15674-A
69/70	F(76)		1	C9ZZ 15674-A
67	S- with safety convenience panel	Automatic door lock control-"Door Lock"-includes attaching parts	1	C7SZ 15674-A
		Screw (knob to switch) No. 8-32 x .18"set	1	358812-S2 (UU21)
68	S-with safety convenience panel	Serviced in 14028 assy.		
65	X(76)		1	C4DZ 15674-A
65	X(59,71,78)	Tailgate window	1	
65/67	F(76)		1	
66/67	X(71)	Tailgate window	1	C6DZ 15674-A
66/67	B(71)	Tailgate window	1	
66/67	B(76)		1	
	15A674 SWITCH ASSY. - UPPER BACK PANEL LIMIT			
65/66	S(76)		1	C5VY 15A674-C
	15676 BRACKET - TOP CONTROL SWITCH MOUNTING			
68	A(71)	Tailgate - not replaced	1	★C8MY 15676-B
68	A(76)	Top	1	
68/69	B(71), X(71)	Tailgate	1	C8OZ 15676-A
68/69	B(76)	Top	1	
70/	B(76)	Top	1	D0OZ 15676-A
70/	B(71)	Tailgate window switch	1	
71/	F(except 76)	Use with heated back lite switch	1	D1ZZ 15676-A
71/	F(76)		1	
	15A681 SWITCH & BRACKET ASSY. - TOP CONTROL ERECT			
65/66	S(76)		1	C5SZ 15A681-A
65/66	S(76)	Screw (switch & bracket to top control bracket)-No. 8-32 x 3/8"	2	#40904-S8
		Lockwasher-No. 8	2	34938-S8(X85)
	15A682 VALVE ASSY. - TOP CONTROL SOLENOID			
65/66	S(76)		3	C3SZ 15A682-A

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15A685 PANEL - TOP CONTROL RELAY MOUNTING			
65/66	S(76)		2	C1SF 15A685-B
	15A687 BUS BAR - TOP CONTROL RELAY			
65/66	S(76)	Not supplied-improvise	1	★C4SB 15A687-A
65/66	S(76)	Screw (bus bar to relay)-No. 8-32 x 3/8"	8	★51755-S8
	15690 MOTOR ASSY. - LUGGAGE COMPARTMENT DOOR LOCK - Also refer to group 15790			
65/66	S(76)		1	C5SZ 15690-B
65/66	S(76)	Upper back finish panel lift	1	C6VY 15690-A (MM218)
	15A690 WIRE ASSY. - TOP CONTROL FEED JUMPER - Unless listed improvise from 14296 wire			
68	A(76)	#C8AB 15A690-A	1	C8AZ 15A690-A
68/70	B(76)		1	
69/70	A(76)	#C9AB 15A690-B	1	C9AZ 15A690-A
71	B(76)	#D1OB 15A690-AA	1	D1OZ 15A690-A
69/70	F(76)	#C9ZB 15A690-A	1	C9ZZ 15A690-A
71/	F(76)	#D1ZB 15A690-AA	1	D1ZZ 15A690-A
	15A691 INSULATOR - TOP CONTROL CIRCUIT BREAKER STUD			
65/66	B(71)-tailgate window	Plastic-located on firewall	1	C0SF 15A691-A
65/66	B	Generator field and ground terminals	2	
65	F(except A/C, extra cooling)	Generator field and ground terminals	2	
65/66	S	Located on ignition switch	1	
67	S-with rear seat speakers	Attaches to L. H. mount screw of radio speaker assy.	1	
67	S-with rear seat speaker	Attach to mount screw of defroster nozzle-driver's side	3	C7SZ 15A691-A
70/	P	Cover screw that attaches 14401	3	
	15B691 SWITCH ASSY. - SLIDING ROOF PANEL			
71/	S		1	D1SZ 15B691-AA
72	A		1	
	15B692 BRACKET - SLIDING ROOF PANEL SWITCH			
71	S-without roof console		1	D1SZ 15B692-A
71/	S-with roof console		1	D1SZ 15B692-B
72	A-with sun roof		1	
	15A695 BRACKET and SWITCH ASSY. - TOP CONTROL RETRACT - Also refer to groups 15A672 & 15A678			
65/66	S(76)		1	C4SZ 15A695-A
	15A700 ENGINE or TRUNK COMPARTMENT LAMP KIT			
65/71	A, B, F, S, U, X	12 volt	1 or 2	C2RZ 15A700-A
70/71	L, P		1	
	15702 LAMP ASSY. - ENGINE COMPARTMENT			
72	A	Mercury switch	1	D3AZ 15702-A
70/71	B	Mercury switch #D0OB 15702-A, E	1	D0OZ 15702-B
72	B, S		1	D2OZ 15702-A
67/70	F	Mercury switch # C7ZB 15702-A	1	D3TZ 15702-A
71/72	F "Before 12/15/71"	#D1ZB 15702-AA	1	D1ZZ 15702-A
72	F "From 12/15/71"	#D2ZB 15702-AA	1	D2ZZ 15702-A
70/	F	Screw-No.8-15 x 1/2"-attach lamp to hood	2	52012-S(U202)
	15A702 WIRING ASSY. - ENGINE COMPARTMENT LAMP FEED			
70/72	B	#D0OB 15A702-B, D2OB 15A702-AB	1	D2OZ 15A702-A
	15790 MOTOR SLIDING ROOF PANEL			
69/70	S	Sliding sun roof	1	C9SZ 15790-A
71/	S	Sliding sun roof-includes gear box and housing	1	D1SZ 15790-A
72	A	Sliding sun roof	1	

Identification marking

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15A801 LAMP ASSY. - TRANSMISSION CONTROL SELECTOR - Also refer to group 15A808			
65/66	A-with console shift		1	C5AZ 15A801-B
66	B,X-with console shift		1	
67	A	Used as control panel lamp for heater or Select Aire	1	
68/69	S-with fixed steering wheel-column shift		1	
68/69	B, X-with fixed steering column		1	
70	P-with C4 trans.		1	
65/66	A, B, X-with unlighted prism	Kit-(1) wire & socket (1) instruction sheet No. 1676	1	C1RZ 15A801-A
67	A-with column shift		1	C7AZ 15A801-B
68	A-with fixed steering wheel-column shift		1	C8AZ 15A801-A
68	A-with moveable steering column		1	C8AZ 15A801-B
71/	A-with A/T	Includes bulb	1	D1AZ 15A801-A
67	B, X-with column shift	Not replaced	1	★C7OZ 15A801-B
67	S		1	C7SZ 15A801-A
68/69	S-with moveable steering column		1	C8SZ 15A801-B
	15805 DIAL - TRANSMISSION GEAR SHIFT INDICATOR - Refer to Group 7A213			
	15A807 CLIP - TRANSMISSION CONTROL SELECTOR INDICATOR LAMP			
68/	B-with C4 or C6 transmission	Console shift	1	C8OZ 15A807-A
	15A808 WIRE ASSY. - TRANSMISSION CONTROL SELECTOR INDICATOR LAMP - Unless listed-improvise from B6A 14296-C wire			
67	A(63C, 76B)-with C4 or C6 trans.-console shift	Includes socket #C7AB 15A808-A Not replaced	1	★C7AZ 15A808-A
68	A(63C, 76B)-with C4 or C6 transmission	Includes socket #C8AB 15A808-A Not replaced	1	★C8AZ 15A808-A
71	A(65F, K, 76H) -A/T with bucket seats	#D1AB 15A808-AB	1	D1AZ 15A808-A
65	B(65B)-with C4 trans.	Not replaced	1	★C5OZ 15A808-A
67	B(63C, D, 76C, D)-with console shift	Includes socket #C7OB 15A808-A,	1	C7OZ 15A808-A
68/71	B(63D, E, 65D, E, 66D, 76D, E)	#D1OB 15A808-AA	1	
70/71	B-with C4 or C6 trans.	27 1/2" long-includes socket #D0SA 7B036-A, #D1SA 7B036-AA	1	D0SZ 15A808-C
72	B-with C4 or C6 trans.	#D2OA 7B036-AB	1	D2OZ 15A808-A
65	F-with console shift "Before 1/4/65"	Not supplied-cut from B6A 14296-C wire	1	★C4ZB 15A808-A
65	F-with floor shift "Before 1/4/65"		1	C5ZZ 15A808-B
65/66	F-with console or floor shift "From 1/4/65"		1	C5ZZ 15A808-C
67/68	F-with C4 or C6 trans.	11.00" long-includes socket #C7ZB 15A808-B, D	1	C7ZZ 15A808-D
67/68	F-with C4 or C6 trans.	31.00" long #C7ZB 15A808-A, C #C8ZB 15A808-A	1	C7ZZ 15A808-C
69/70	F-with C4 or C6 trans.	#C9ZB 15A808-B	1	C9ZZ 15A808-B
71/	F-with C4 or C6 trans.-console shift	#D1ZB 15A808-AB, #D2ZB 15A808-AA	1	D1ZZ 15A808-A
71/	L-with C4 trans.	#D12B 15A808-AB	1	D1FZ 15A808-A
71/	P-with C4 trans.	27 1/2" long-includes socket #D0SA 7B036-A,C,E #D1SA 7B036-AA	1	D0SZ 15A808-C
71/	P-with C4 trans.-floor shift	#D1ZB 15A808-AB, #D2ZB 15A808-AA	1	D1ZZ 15A808-A
70/71	S-with C4 or C6 trans. with fixed column-	27 1/2" long-includes socket #D1SA 7B036-AA, #D0SA 7B036-A	1	D0SZ 15A808-C
70/71	S-with C4 or C6 trans. with tilt column	22 1/2" long-includes socket #D1SA 7B036-BA	1	D0SZ 15A808-D
	15811 FILTER - GEAR SHIFT INDICATOR LAMP			
66	B(63D, 76D)-with C6 trans.	Not replaced	1	★C6OZ 15811-D
67	B(63C, D, 66D, 76C, D)-with C4 or C6 trans.-console shift	Not replaced	1	★C6OZ 15811-F
68/71	B(63E, 76E)-with C4 or C6 trans.-console shift		1	C8OZ 15811-A

Identification marking

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	15A811 SHROUD ASSY. - TRANSMISSION SELECTOR INDICATOR LAMP			
68/71	B(63E,76E)-with C4 or C6 trans.-console shift		1	C8OZ 15A811-A
65/66	F-with floor shift		1	C5ZZ 15A811-F
65/67	F-with console shift		1	
67/68	F-with console shift		1	C7ZZ 15A811-B
68	F-with floor shift		1	C7WY 15A811-A
	15A851 SWITCH and BRACKET - PARKING BRAKE SIGNAL			
65/68	A		1	C5AZ 15A851-B
69/	A		1	D0AZ 15A851-A
72	B		1	
66/70	X		1	C9WY 15A851-A
66/71	B		1	
69/70	F		1	
71/	F		1	D0AZ 15A851-A
67/68	F-with safety convenience package		1	C7ZZ 15A851-A
65/	A,B,X	Screw-No.10-24 x 1"-attach switch to brake support	1	41360-S(U218)
	15A852 PARKING BRAKE SIGNAL LAMP - KIT			
	- A -			
67	A	Not replaced (6/74)	1	★C7AZ 15A852-A
	Consists of			
	1-C0AZ 13466-A Bulb-indicator lamp	1-C7AZ 15883-A Socket & wiring		
	1-C7AZ 10A840-A Lamp assy.	1-C5AZ 15A851-A Switch		
	1-Instruction sheet			
69/70	A		1	C9AZ 15A852-A
	Consists of			
	1-C0AZ 13466-A Bulb	1-C9AZ 15883-A Socket & wiring		
	1-C9AZ 15A851-A Switch	1-40943-S Screw-No. 8-32 x 3/4"		
	- F -			
68	F	Not replaced (6/74)	1	★C8ZZ 15A852-A
	Consists of			
	1-C8WY 10A841-A Lamp	1-34126-S36 Nut-No. 8-32 square		
	1-C7ZZ 15A851-A Switch	1-50554-S2 Screw-No. 8-32 x 1" pan hd.		
	- X -			
68/70	X		1	C8DZ 15A852-A
	Consists of			
	1-C0AZ 13466-A Bulb	1-C8DZ 15883-A Socket & wiring		
	1-C6GY 15A851-A Switch	1-40970-S2 Screw-No. 10-24 x 1" hex. hd.		
	15A856 WIRE ASSY.-PARKING BRAKE WARNING INDICATOR			
70	B "Before 11/1/69"	#D0OB 15A856-A	1	D0OZ 15A856-A
70/71	B "From 11/1/69"	Parking brakes to seat belt and headlamps on #D0OB 15A856-D,E, #D1OB 15A856-AA,AB	1	D0OZ 15A856-C
72	B(without seat belt warning)	#D2OB 15A856-AF	1	D2OZ 15A856-C
72	B(with seat belt warning) "Before 11/1/71"	#D2OB 15A856-BB	1	D2OZ 15A856-B
72	B(with seat belt warning) "From 11/1/71"	#D2OB 15A856-BC	1	D2OZ 15A856-D
	15883 SOCKET & WIRING ASSY. - PARKING BRAKE SIGNAL LAMP			
65/66	A		1	C5AZ 15883-B
66/67	B,X		1	
67	A		1	C7AZ 15883-A
68	A	Not replaced #C8AB 15883-B	1	★C8AZ 15883-A
69/70	A-with safety convenience package	#C9AB 15883-A	1	C9AZ 15883-A
71	A-with safety convenience package	#D1AB 15883-AA	1	D1AZ 15883-A
72	A	#D2AB 15883-AA	1	D2AZ 15883-A
68/69	B	#C8AB 15883-A	1	C8AZ 15883-B
68/70	F		1	
72	B	#D2OB 10A932-AA	1	D2OZ 15883-A
68/70	X	#C8DA 15883-A	1	C8DZ 15883-A

Identification marking

INDEX

PART NAME	GROUP NUMBER
A	
Apron (front fender)	16054-5
Anti-squeak (front fender moulding to bumper)	16304
B	
Body stripe kit (complete car)	16224
Brace (front fender apron & radiator support)	16D032
Brace (front fender apron to dash)	16A052-3
Brace (front fender apron upper member)	16D154-5
Brace (front fender to apron)	16222-3
Brace (front fender to apron & radiator support)	16A023-4
Brace (front fender to bumper)	16B134
Brace (front fender to radiator support upper)	16B132-3
Brace (hood latch support)	16747
Brace (radiator support)	16152-3
Bracket (front fender apron front)	16596-7
Bracket (front fender apron rear)	16C170
Bracket (front fender apron rear mounting lower)	16B204
Bracket (front fender apron to dash)	16296-7
Bracket (front fender apron to frame)	16A200-1
Bracket (front fender extension to radiator support)	16C048
Bracket (front fender mounting rear)	16C078
Bracket (front fender to headlamp support brace)	16A280
Bracket (front fender to pillar)	16A005-6, 16C194-5
Bracket (hood aux. latch)	16C726-7
Bracket (hood bumper mounting)	16A714
Bracket (hood hinge mounting on body)	16A614-5
Bracket & spring assy. (hood hold down fastener)	16934
Bumper (hood)	16758, 16763
Bumper (hood latch cam)	16993
C	
Cable assy. (hood latch control)	16916
Catch (hood aux. latch)	16894
Clamp (hood catch control cable)	16877
Clip (hood support rod retaining)	16828
Clip (letters to luggage compt.)	16607
Control assy. (air scoop)	16C716
Cover (front fender moulding access hole)	16C062
D	
Decal (hood blackout)	16B906-7
Deflector (hood air)	16613
E	
Extension assy. (hood panel front)	16A800
Extension (front fender apron & radiator support)	16C152-3
Extension (front fender apron lower rear)	16350-1
Extension (front fender apron to dash)	16A248-9
Extension (front fender front)	16018-9
Extension (front fender headlamp panel support)	16D002-3
Extension (front fender rear splash shield upper)	16B572-3
Extension (hood inner panel front)	16494
F	
Fender (front)	16005-6
Filler (front fender)	16570-1
Filler (front fender apron to stone reflecto.)	16D036-7
Filler (front fender upper front)	16114-5
G	
Grille (front fender)	16D168
Grille (hood air extractor)	16A626-7
Grille (hood air scoop)	16A624
Grille (hood top)	16B748
Grommet (hood support to hood)	16827
Guard (wheel splash)	16A550
Guide (hood latch spring)	16927
Gusset assy. (front fender apron to radiator support)	16B198-9
H	
Handle (hood latch control cable)	16914
Handle assy. (hood fastener)	16C896
Hinge (hood)	16796-7
Hood	16612
Hood scoop	16C630
Hook (hood aux. latch)	16892
Hook (hood latch)	16929
Housing (hood front ornament)	16B782
Housing (hood hinge)	16C764
I	
Insert (hood side ornament)	16B870
Insulator (hood)	16738
K	
KIT - refer to appropriate noun name For example Transfer kit (model identification)	16B196
Klik pin	16892
Klik pin and cable	16A892
L	
Latch (hood)	16700-1, 16929
Letter (hood)	16606
Letter (back panel)	16606
Letter (luggage compt.)	16606
Letter (tailgate)	16606
M	
Moulding (front fender)	16003-4
Moulding (front fender front)	16B124-5, 16160-1
Moulding (front fender front extension)	16074-5
Moulding (front fender grille opening)	16D014-5
Moulding (front fender lower)	16C068-9
Moulding (front fender side rear)	16A038-9
Moulding (front fender upper rear)	16C132-3
Moulding (front fender wheel opening)	16038-9
Moulding (hood front)	16856-7
Moulding (hood front center)	16958
Moulding (hood rear)	16B918
Moulding (hood top center)	16958
Moulding (quarter panel)	16003-4
N	
Nut (hood latch dowel spring retaining)	16B750

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
O	
Ornament (front fender)	16228-9
Ornament (hood side model identification plate)	16A720
Ornament (hood front)	16607, 16637
Ornament (hood scoop)	16637
Ornament (hood top)	16850
P	
Pad (hood)	16740
Pad (ornament)	16675
Panel (front fender side finish)	16410-1
Pin (hood)	16929
Plate (front fender apron access hole cover)	16D200
Plate (front fender apron upper outer reinforcement)	16D114
Plate (front fender front extension)	16G556-7
Plate (front fender front extension reinforcement)	16D204-7
Plate (front fender name)	16098
Plate (hood aux. catch striker)	16918
Plate (hood hinge)	16795
Plate (hood latch)	16N782
Plate (hood pin)	16931
Plate (hood scoop name)	16720-1
Plate (hood side name)	16720-1
Plate (quarter panel name)	16098
Plate (tailgate name)	16098
Plate assy. (aux. hood lock)	16A931
R	
Rail (front fender outside finish)	16250-1
Reinforcement (apron & radiator support side)	16B200-1
Reinforcement (cowl top bracket to front fender apron)	16B240-1
Reinforcement (front fender apron)	16A052-3
Reinforcement (front fender apron lower)	16060
Reinforcement (front fender apron & radiator support upper)	16B048
Reinforcement (front fender apron & radiator support upper outer)	16B028-9
Reinforcement (front fender apron to radiator support)	16142
Reinforcement (front fender mirror mounting)	16D122
Reinforcement (front fender rear splash shield)	16256-7
Reinforcement (front fender side)	16080-1
Reinforcement (front fender top front lower)	16D186-7
Reinforcement (hood center)	16995
Reinforcement (hood front quarter panel)	16476
Reinforcement (hood latch on hood)	16A603
Reinforcement assy. (front fender top rear)	16B010-1
Reinforcement assy. (hood hinge bracket on body)	16A609
Retainer (front fender splash shield to bumper)	16D574
Retainer (hood aux. latch)	16C712
Retainer (hood bumper)	16B830, 16B844
Retainer (hood front moulding)	16A746

PART NAME	GROUP NUMBER
R - cont'd.	
Retainer (hood hinge housing)	16C766
Retainer (hood insulator)	16776
Retainer (hood release cable)	16930
Retainer (hood side moulding)	16B840
Retainer (hood weatherstrip front)	16K774
Retainer (outside moulding)	16A076, 16234, 16249, 16B840
Rocker panel stripe kit	16A224
Rod (hood latch control)	16752
Rod (hood latch release)	16B632
Rod (hood support)	16826
Rod hinge (air scoop valve)	16C722
S	
Scoop (hood air)	16C630
Seal (fender)	8B391
Seal (front fender)	16A572
Seal (front fender apron to frame)	16240, 16D076-7
Seal (front fender front extension)	16D130
Seal (front fender splash shield rear)	16D562-3, 16A582-3
Seal (front fender to front body pillar)	16246
Seal (hood air scoop)	16C666
Seal (radiator support to hood)	16A238
Shield (front fender splash)	16102-3
Shield (front fender splash upper rear)	16D566-7
Shield (front fender to bumper splash)	16B554-5
Shim (front fender to dash)	16D162
Spacer (front fender mounting)	16C220
Spacer (front fender side ornament)	16D070
Spacer (front fender to body pillar)	16A120
Spacer (front fender to cowl side)	16B154
Spring (hood aux. catch)	16897
Spring (hood hinge)	16789
Spring (hood latch)	16925
Spring (hood latch trigger)	16921
Spring (hood support rod)	16832
Stiffener (front fender reinforcement rear)	16466
Strap (hood ground)	16A600
Support (front fender)	16A140
Support (front fender apron at housing)	16D120-1
Support (hood front moulding)	16C694
Support (hood latch control rod)	16B698
Support (hood latch dowel)	16707
Support (radiator)	16138
T	
Transfer (hood emblem)	16B621
Transfer (hood stripe)	16B906
Transfer kit (model identification)	16B196
V	
Valve assy. (air scoop)	16C718
W	
Weatherstrip (front fender rear splash shield)	16C567

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16D002-3 EXTENSION - FRONT FENDER HEAD LAMP PANEL SUPPORT			
65/66	F	R.H.	1	C5ZZ 16D002-A
		L.H.-not replaced (11/73)	1	★C5ZZ 16D003-A
71/	F	R.H.	1	D1ZZ 16D002-B
		L.H.	1	D1ZZ 16D003-B
	16003-4 MOULDING - FRONT FENDER - (INCLUDES ATTACHING PARTS)			
	- A -			

			QTY.	RIGHT HAND	QTY.	LEFT HAND
65	A(54B, 62B)		1	C5AZ 16003-A	1	C5AZ 16004-A
	A(54A, E, 57B, 62E, 63B, 71B, C, 76)		1	C5AZ 16003-B	1	C5AZ 16004-B
66	A(54, 57B, 62, 63B, 71B, C, D, 76A)		1	C6AZ 16003-A	1	C6AZ 16003-A
68	A(except 71A, E)	68" long	1	C8AZ 16003-A	1	C8AZ 16003-A
69	A(54, 57, 62, 63B, 65, 71B, C, D, H, J, 76A)	Side upper	1	C9AZ 16003-A	1	C9AZ 16004-A
70	A(54B, 62B, 71H, J)		1		1	
67	A(54, 57, 62, 63, 71B, C, D, 76)		1	C7AZ 16004-A	1	C7AZ 16004-A
70	A(54C, 57F, 63C, 65A, 76B)	Side upper	1	D0AZ 16003-E	1	D0AZ 16004-E
70	A	Incl.Black vinyl insert	1	D0AZ 16003-C	1	D0AZ 16004-C
		Incl.Blue vinyl insert	1	D0AZ 16003-D	1	D0AZ 16004-D
		Incl.Brown vinyl insert	1	D0AZ 16003-A	1	D0AZ 16004-A
		Incl.Green vinyl insert	1	D0AZ 16003-B	1	D0AZ 16004-B
71	A(except 71H)	Side upper rear	1	D1AZ 16003-A	1	D1AZ 16003-A
71	A(except 71H)	Mylar-adhesive backed-cut to fit	1	D1OZ 6529038-B	1	D1OZ 6529038-B
72	A(except 71H)	Incl.Black vinyl insert-w/body side protection mouldings	1	D2AZ 16003-A	1	D2AZ 16004-A
	- B -					
65	B(54B, 62B, 65A, 71B)	Without depressions	1	C5OZ 16003-A	1	C5OZ 16004-A
	B(65B)	With depressions	1	C5OZ 16003-B	1	C5OZ 16004-B
66	B(54, 62, 63B, C, 71B, D, 76B, D)	Approx.56 31/32" long x 1" wide	1	C6OZ 16003-A	1	C6OZ 16004-A
67	B(54B, 62B, 63B, 76B)	Upper	1		1	
67	B(54B, 62B, 63B, C, 66B, D, 71B, 76B, C)	Lower	1	C7OZ 16003-A	1	C7OZ 16004-A
68	B(54C, 65C)	Side upper	1	C8OZ 16003-A	1	C8OZ 16004-A
68	B(54A, B, 63B, E, 65A, B, D, E, 66B, 71B, D, 76B, E)	Side upper	1	C8OZ 16003-B	1	C8OZ 16004-C
69	B(54A, B, C, 63B, E, 65A, B, C, E, 66A, B, 71D, 76B, E)		1	C9OZ 16003-A	1	C9OZ 16004-A
71	B(57E, 65E)	Side lower front	1	D1OZ 16003-A	1	D1OZ 16004-A
71	B(63F, 66A, C, 76)	Side lower rear	1	D1OZ 16003-B	1	D1OZ 16004-B
72	B(except 71K, 97K)	Incl. Black vinyl insert	1	D3OZ 16003-A	1	D3OZ 16004-A
72	B(71K, 97K)	Incl.Woodgrain insert	1	D3OZ 16003-B	1	D3OZ 16004-B
	- F -					
69	F	Mylar-cut to fit	1	C9SZ 6520938-A	1	C9SZ 6520938-A
70	F(63C)	Lower rear-includes MACH I letters	1	D0ZZ 16003-B	1	D0ZZ 16004-B
71	F (except 63R)	Incl.Black vinyl insert	1	D1ZZ 16003-C	1	D1ZZ 16004-C
		Incl.Blue vinyl insert	1	D1ZZ 16003-D	1	D1ZZ 16004-D
		Incl.Brown vinyl insert	1	D1ZZ 16003-A	1	D1ZZ 16004-A
		Incl.Green vinyl insert	1	D1ZZ 16003-B	1	D1ZZ 16004-B
72	F(except 63R)	Incl. Black vinyl insert	1	D2ZZ 16003-A	1	D2ZZ 16004-A
	- L -					
71/72	L "Before 2/29/72"	Frt.fender-incl. Black vinyl insert-dull finish	1	D2FZ 16003-A	1	D2FZ 16003-A
		Quarter panel	1		1	
72	L(exc. Squire) "From 2/29/72"		2	D2FZ 16003-C	2	D2FZ 16003-C
72	L(73 Squire)	Frt.fender-incl. wood-grain vinyl insert-painted finish	1	D2FZ 16003-D	1	D2FZ 16003-D
		Quarter panel	1		1	
	- P -					
70/72	P	Includes vinyl insert	1	D2DZ 16003-A	1	D2DZ 16004-A
70/	P	13" long-for dealer installed body side moulding (2) front fender, (2) quarter panel-cut to fit	2	D2RY 16003-B	2	D2RY 16003-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	RIGHT HAND	QTY.	LEFT HAND
	16003-4 MOULDING - FRONT FENDER - (INCLUDES ATTACHING PARTS) - **continued**					
	- S -					
65	S	Lower-incl. in mldg. kit (21048)	1	C5SZ 16003-B	1	C5SZ 16003-B
66	S	Lower-incl. in mldg. kit (21048)	1	C4SZ 16003-A	1	C4SZ 16003-A
69/70	S	For dealer installed aluminum body side moulding	1	C9SZ 16003-A	1	C9SZ 16003-A
	- U -					
67/	U(97,98)		1	C7TZ 16003-B	1	C7TZ 16004-B
	- X -					
65	X(66B)	51 5/8" long	1	C4DZ 16003-A	1	C4DZ 16003-A
	X(66G, 66H)	Lower-44" long	1	C4DZ 16003-B	1	C4DZ 16003-B
		Upper	1	C4DZ 16004-B	1	C4DZ 16004-B
	X(54B, 62B, 63, 76A)-fender	Lower	1	C5DZ 16003-B	1	C5DZ 16004-B
		Upper	1		1	
	X(54B)-rear quarter		2	C5DZ 16004-B	2	C5DZ 16003-B
	X(54D, 62D)	Spear-51 3/4" long	1	C5DZ 16003-A	1	C5DZ 16003-A
	X(71B) "Before 10/6/64"	Spear-51 3/4" long	1	C5DZ 16003-A	1	C5DZ 16003-A
	X(71B) "From 10/6/64"	Lower	1	C5DZ 16003-B	1	C5DZ 16004-B
		Upper	1		1	
67	X(54B, 62B, C, 71B)		1	C7DZ 16003-A	1	C7DZ 16004-A
68	X(54A, B, 62, 71A, B)		1	C8DZ 16003-A	1	C8DZ 16004-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
65	A	Nut-locking (moulding to fender)-No. 10-24	AR	373715-S(MM172)
65	X		2	
65/66	A	Rivet (moulding to fender)-blind	AR	378527-S(SS44B)
65/66	A	Nut & washer assy. (moulding to fender)-No. 10-24	AR	353911-S100
65	B		AR	(MM-191-E)
67/	U		AR	
66	A	Nut-hex. hd. (moulding to fender)-No. 10-24	2	376792-S (MM191D)
65	B	Screw-hex. washer head (moulding to fender) - No. 10-24 x 3/8"	2	380144-S100 (BB541H)
70	F(63C)	Screw (attach moulding to fender) No. 8-32 x 7/8"	6	382387-S9 (UU59B)
70/	P	Nut & washer (moulding to fender)-No. 8-32	20	381747-S100
71	A, B		4	(MM191B)
70/	P	Rivet (moulding to fender)-1/8" x 1 5/8"	12	383229-S(SS44E)
71	A		2	
71	F		14	
67/	U	Rivet (moulding to fender)-1/8 x 1 9/16"	AR	375203-S(SS44)
65	X	Screw-hex. head (moulding to fender)- No. 10-24 x 7/16"	2	350002-S(BB529)
65	X	Nut & washer (moulding to fender) No. 10-24	AR	359606-S8
66	B		AR	(MM291A)

YEAR	MODEL	DESCRIPTION	QTY.	RIGHT HAND	QTY.	LEFT HAND
	16005-6 FENDER - FRONT - Drill holes as required Certain reinforcements also required - see footnotes and refer to the group numbers shown for the complete part numbers					
	- A -					
65	A		1	C5AZ 16005-A	1	C5AZ 16006-A
66	A		1	C6AZ 16005-A	1	C6AZ 16006-A
67	A		1	C7AZ 16005-A	1	C7AZ 16006-A
68	A		1	C8AZ 16005-A	1	C8AZ 16006-A
69	A	NOTE 1	1	C9AZ 16005-A	1	C9AZ 16006-A
70	A	NOTE 1	1	D0AZ 16005-A	1	D0AZ 16006-A
71/	A(exc. 71H)-w/o cornering lights	NOTE 1	1	D1AZ 16005-A	1	D1AZ 16006-A
71/	A(exc. 71H)-w/cornering lights	NOTE 1	1	D1AZ 16005-C	1	D1AZ 16006-C
71/	A(71H)	NOTE 1	1	D1AZ 16005-B	1	D1AZ 16006-B
	- B -					
65	B		1	C5OZ 16005-A	1	C5OZ 16006-A
66/67	B		1	C6OZ 16005-C	1	C6OZ 16006-C
68/69	B(exc. 69-Talladega)		1	C8OZ 16005-C	1	C8OZ 16006-C
69	B(69-Talladega)		1	C9OZ 16005-A	1	C9OZ 16006-A
70/71	B	NOTE 5	1	D0OZ 16005-B	1	D0OZ 16006-B
72	B	NOTE 2	1	D2OZ 16005-A	1	D2OZ 16006-A

NOTE 1 - Reinforcements (16D186-7) also required

YEAR	MODEL	DESCRIPTION	QTY.	RIGHT HAND	QTY.	LEFT HAND
	16005-6 FENDER - FRONT - continued - Drill holes as required					
	Certain reinforcements also required - see footnotes and refer to the group numbers shown for the complete part numbers					
	- F -					
65/66	F	NOTE 3	1	C5ZZ 16005-A	1	C5ZZ 16006-A
67	F		1	C7ZZ 16005-B	1	C7ZZ 16006-B
68	F		1	C8ZZ 16005-A	1	C8ZZ 16006-A
69	F(exc. Shelby GT350/500 & Boss)		1	C9ZZ 16005-C	1	C9ZZ 16006-C
69/70	F(Shelby GT 350/500)	NOTE 4	1	C9ZZ 16005-D	1	C9ZZ 16006-D
69	F(Boss 302)-with F60-15 tires		1	C9ZZ 16005-F	1	C9ZZ 16006-F
70	F(except with F70 x 14 or F60 x 15 and Boss 429 & Shelby GT 350/500)		1	D0ZZ 16005-C	1	D0ZZ 16006-C
70	F(with F70 x 14 or F60 x 15 tires-except Boss 429 & Shelby GT 350/500)		1	D0ZZ 16005-B	1	D0ZZ 16006-B
70	F(Boss 429)		1	D0ZZ 16005-E	1	D0ZZ 16006-E
71/	F	NOTE 3	1	D1ZZ 16005-A	1	D1ZZ 16006-A
	- L -					
71/	L		1	D1FZ 16005-A	1	★D1FZ 16006-A r/b D3FZ 16606-A (5-75)
	- P -					
70/	P		1	D14Y 16005-B	1	D14Y 16006-B
	- S -					
65	S	NOTE 4	1	C5SZ 16005-A	1	C5SZ 16006-A
66	S	NOTE 4	1	C6SZ 16005-A	1	C6SZ 16006-A
67	S		1	C7SZ 16005-A	1	C7SZ 16006-A
68/69	S		1	C8SZ 16005-A	1	C8SZ 16006-A
70/71	S		1	D0SZ 16005-A	1	D0SZ 16006-A
72	S-w/o cornering lights	NOTE 1	1	D2SZ 16005-A	1	D2SZ 16006-A
72	S-w/cornering lights	NOTE 1	1	D2SZ 16005-B	1	D2SZ 16006-B
	- U -					
66/	U		1	D0BZ 16005-A	1	D0BZ 16006-A
	- X -					
65	X		1	C4DZ 16005-B	1	C4DZ 16006-B
66	X		1	C6DZ 16005-A	1	C6DZ 16006-A
67	X		1	C7DZ 16005-B	1	C7DZ 16006-B
68	X		1	C8DZ 16005-A	1	C8DZ 16006-A
69/70	X		1	C9DZ 16005-A	1	C9DZ 16006-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
65	B	Nut-pierce-5/16"-18 (fender to apron)	2	★34356-S
66/	U	Nut-retainer (fender attaching)-5/16"-18	AR	34392-S7-8(M93)
65/66	S	Screw (fender-rear-to pillar)-No. 10-12 x 1/2"	2	42127-S8(U248C)
68	F	Flatwasher(fender to fender body upper pillar)	AR	44722-S8(X19)
65/70	A, B, F, S, X	Washer (fender attaching)-5/16" flat	AR	44725-S2(X22)
65	X	Washer (fender attaching)-1/2" flat	AR	44735-S2(X32)
66/70	X	Springnut-"U" shape (fender attaching)No. 10-12	4	45188-S8(M141A)
69/70	A	Nut & retainer (fender to radiator support)-5/16"-18	4	★45268-S2
68/	B	(fender attaching)	AR	
69/70	F	(fender to cowl)	2	
69/70	F	(fender to radiator support)	4	
70	P	(fender to apron or cowl)	AR	
70	S	(fender to panel assy. body rocker)	4	
70	S	(fender to pillar mounting bracket)	2	
66/	U	Screw (fender attaching)-5/16"-18 x 3/4"	AR	★55615-S8
69/70	F	Screw and washer (fender to cowl)-1/4"-14 x 3/4"	2	55914-S2(U254F)
70	P	Screw (fender to radiator support)	2	★55915-S2
69/70	A	Screw & washer assy. (fender to rad. support)-15/16"-18 x 1 3/16" hex. hd.	2	★57040-S39
70	P	(fender to apron)	10	
71/72	S	(fender to rocker panel)	4	
72	S	(fender to radiator support)	6	

NOTE 1 - Reinforcements (16D186-7) also required
NOTE 2 - Reinforcements (16B010-11) also required
NOTE 3 - Reinforcements (16D002-3) also required
NOTE 4 - Reinforcements (16C152-3) also required
NOTE 5 - Reinforcements (8B466-7) also required

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16005-6 FENDER - FRONT - continued -	Drill holes as required		
	Certain reinforcements also required - see footnotes and refer to the group numbers shown for the complete part numbers			
69/70	A	Screen & washer assy. (fender to top of cowl)	2	★57048-S39
72	S		2	
71	A	Screw & washer (fender to cowl) 3/8"-16 x 1 1/2" hex. head	2	★57049-S40
69/	A	Screw & washer assy. -5/16"-18 x 7/8" (fender	4	57140-S2(B340H)
68/69	B	attaching)	AR	
70/	B	(fender to fender apron)	10	
70	B	(fender to reinf. floor side member)	2	
70/	B	(fender to fender brace to front bumper outer arm)	2	
69/70	F	(fender attaching)	AR	
70/	P		4	
70	P	(fender to pillar mounting bracket)	2	
70	S	(fender to fender support)	2	
72	S	(fender to cowl)	2	
71	A	Screw & washer (fender to body) 5/16"-18 x 1 15/32" hex. head	2	★57142-S2
67	A	"C" washer (fender to cowl)-5/16"	2	350722-S8(XX14A)
68	A,B,X	(fender to floor side outer)	AR	
68/69	B	(fender to apron)	2	
67	A	Washer (fender attaching)-5/16" plain	AR	351405-S7(XX147)
70/	S		AR	
65/66	S	Bolt and lock washer-hex.head (fender attaching)-5/16-18 x 1 1/8"	AR	353483-S2 (BB588)
65	X		AR	
65	X	Locknut (fender to radiator support)-5/16"-24	2	354299-S2(MM156)
65/68	A	Screw & washer assy. (fender to cowl) 5/16"-18 x 1 5/8"	2	359530-S8(BB576)
65/70	X	Nut-retainer (fender attaching)-5/16"-18	AR	359613-S2(MM205)
66/69	B		AR	
67/70	F	(fender to cowl)	2	
70	F	(fender to floor side outer member)	2	
65/67	B	Screw & washer assy. (fender attaching)-	AR	359662-S7-8
67	A	5/16"-18 x 3/4"	AR	(BB575A)
65/66	F		AR	
67/69	S		AR	
66/	U		AR	
65/66	S	Nut retainer (fender attaching) - 5/16"-24	AR	359952-S2(MM198)
65	B, S	Nut-retainer (fender attaching)-5/16"-18	AR	370328-S2(MM188)
66/	U		AR	
65/67	A, B	Screw & washer assy. (fender attaching)-	AR	378178-S2
66/70	X	5/16"-18 x 1"	AR	(BB412B)
65/69	S		AR	
65/68	F		AR	
68	A		4	
65/67	A	"J" Retainer-fender to apron 5/16"-18	AR	378680-S2
66	B		AR	(MM192AA)
65/69	F		AR	
66/70	X		AR	
65	B, X	Clip assy. (fender to body)-5/16"-18 x 7/8"	2	378685-S2(BB644)
65	B	Nut-retainer (fender attaching)-5/16"-18	AR	★378938-S2
69/70	A	Nut & retainer (fender attaching)-5/16"-18	6	379114-S2
68/70	B	(fender to cowl)	10	(MM192AD)
70/	B	(fender to front bumper outer arm)	2	
70	B	(fender to floor side-member reinf.)	2	
69/70	F	(fender to apron)	AR	
70	P	(fender to floor side outer member)	2	
70	P	(fender to pillar mounting bracket)	2	
70	P	(fender to radiator support)	2	
70	S	(fender to reinf. rocker panel)	2	
70	S	(fender to fender support)	2	
70/	S	(fender to radiator support)	4	
65	X	Nut-retainer (fender attaching)-5/16"-18	AR	★379115-S2
65	B	Screw (fender attaching)-5/16"-18 x 1 3/8"	AR	★379121-S2

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16005-6 FENDER - FRONT - continued - Drill holes as required			
	Certain reinforcements also required - see footnotes and refer to the group numbers shown for the complete part numbers			
68	A	Screw & washer (fender to apron)-5/16"-18 x 1 1/4" hex.hd.	4	379148-S2(BB861)
65/68	A	Nut-retainer (fender attaching)-5/16"-18	AR	379156-S2 (MM192AE)
67/68	F	"J"-retainer (fender to cowl)-5/16"-18	2	379460-S2 (MM192U)
65/68	A	Nut-retainer (fender to cowl)-5/16"-18	2	379484-S2 (MM207A)
69/70	A	Retainer nut-No. 8-18 (fender to cowl)	2	379670-S2 (MM192AB)
67/68	A	Nut-retainer (fender attaching)-5/16"-18	AR	379831-S2
66/70	X		AR	(MM192M)
65	B		AR	
67/68	F		AR	
67/69	S		AR	
65	B	Clip assy. (fender attaching)-5/16"-18 x 1 5/16"	AR	379924-S2
69	F		AR	(BB643E)
71	B	Washer (fender to extension)-3/16"	2	★380489-S
65	B, X	Nut & washer assy. (fender attaching)-5/16"-18	AR	382590-S100 (MM295K)
71	S	Nut & retainer (fender to rocker panel)-5/16"-18	4	★384481-S100
	16A005-6 BRACKET - FRONT FENDER TO PILLAR			
66/67	B	R.H. & L.H.	2	C6OZ 16A005-B
66/70	X		2	
68/69	B	R.H. & L.H.	2	C8OZ 16A005-A
70/71	B	R.H. & L.H.	2	D0OZ 16A005-A
72	B	R.H. & L.H.	2	D2OZ 16A005-A
69/70	F	R.H.	1	C9ZZ 16A005-A
		L.H.	1	C9ZZ 16A006-A
71/	F	R.H. & L.H.	2	D1ZZ 16A006-A
71/	L	R.H.	1	D1FZ 16A005-A
		L.H.	1	D1FZ 16A006-A
70/	P	R.H.	1	D0DZ 16A005-A
		L.H.	1	D0DZ 16A006-A
65/66	F	Bolt-hex head (bracket to fender)	2	359662-S7-8
66/67	B	5/16"-18 x 3/4"	2	(BB575A)
66/70	X		2	
67/68	F	Screw & washer assy. (fender to pillar assy.)-5/16"-18 x 1" hex.hd.	2	378178-S2 (BB412B)
66/67	B	"J"-retainer (bracket to fender)-5/16"-18	2	378680-S2
66/70	X	(bracket to fender)	2	(MM192AA)
	16B010-1 REINFORCEMENT ASSY. - FRONT FENDER TOP-REAR			
72	B	R.H. -r/b D2OZ 16D186-A (3/74)	1	★D2OZ 16B010-A
		L.H. -r/b D2OZ 16D187-A (3/74)	1	★D2OZ 16B011-A
	16D014-5 MOULDING - FRONT FENDER GRILLE OPENING -INCLUDES ATTACHING PARTS			
68	A	R.H.	1	C8AZ 16D014-A
		L.H.	1	C8AZ 16D015-A
70	A(54A, 57B, 63B, 65C, 71B, C)	R.H.	1	D0AZ 16D014-A
		L.H.	1	D0AZ 16D015-A
71	A(54, 57F, 65F, 71B, D, F) "Before 2/19/71"	R.H.	1	D1AZ 16D014-A
		L.H.	1	D1AZ 16D015-A
71	A(53, 57H, K, 65H, K, 71H, 76)-"Before 2/19/71"	R.H.	1	D1AZ 16D014-B
71/	A "From 2/19/71"	R.H.	1	
		L.H.	1	D1AZ 16D015-B
66/67	B	R.H.	1	C6OZ 16D014-A
		L.H.	1	C6OZ 16D015-A
70/	A	Nut (moulding to fender extension)-No. 8-32	2	381747-S100 (MM191B)
66/67	B	Screw-round washer head-(attach moulding)-No. 8-18 x 3/8"	2	379560-S101 (UU89CA)
66/67	B	Nut and washer (attach moulding)-No. 10-24	2	359606-S8 (MM291A)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16018-9 EXTENSION ASSY. - FRONT FENDER FRONT			
	- A -			
69	A	R.H. - Drill moulding holes if required	1	D0AZ 16018-E
70	A(except 54C,57F,63C,65A,71A,E,76)	R.H.	1	
		L.H.	1	D0AZ 16019-B
70	A (54C,57F,63C,65A,71A,E,76)	R.H.	1	D0AZ 16018-A
		L.H.	1	D0AZ 16019-A
	- B -			
65	B	R.H.	1	C5OZ 16018-A
		L.H.	1	C5OZ 16019-A
68/69	B	R.H. & L.H. -also serviced in 16005-6 fender assy.	2	C8OZ 16018-A
70	B (except 54C, 57C, E, 63C, F, 65C, E, 66C, E, 71C, E, 76)	R.H.	1	D0OZ 16018-A
		L.H.	1	D0OZ 16019-A
70	B(54C, 57C, E, 63C, F, 65C, E, 66C, E, 71C, E, 76)	R.H.	1	D0OZ 16018-B
71	B		1	
		L.H.	1	D0OZ 16019-B
72	B(53B, 65B, 71B)	R.H.	1	D2OZ 16018-A
		L.H.	1	D2OZ 16019-A
72	B(53D, 63R, 65D, R, 71K, D, 97D, K, R)	R.H.	1	D2OZ 16018-B
		L.H.	1	D2OZ 16019-B
	- F -			
69	F	R.H.	1	C9ZZ 16018-A
		L.H.	1	C9ZZ 16019-A
70	F	R.H.	1	D0ZZ 16018-A
		L.H.	1	D0ZZ 16019-A
65	B	Nut-hex.(extension to fender)-1/4"-20	1	33795-S7(M49)
69	F		6	
69/70	A		6	
65	B	Washer lock (extension to fender)-No. 10	1	34903-S8(X96)
69/70	A	Washer 1/4" (extension to fender)	6	34940-S7-8(X88)
65	B	Nut (extension to fender) - #10-24	2	45243-S7-8(M178)
70/	B	Nut & seal (extension to fender) -1/4"-20	6	★45275-S36
68/69	B	Nut (ext.frt.fender to rad.grille upper)-1/4"-20	2	354394-S2 (MM187)
65	B	Retainer nut (extension to fender)-5/16"-18	2	370328-S(MM188)
70/71	B	Stud-1/4"-20 x 1 1/4"	3	★372043-S36
65	B	Nut-self threading (extension to fender)-No. 10	2	375690-S(MM290D)
65	B	Nut-spring (attach extension)-No. 10-12	2	★376286-S2
68/69	B	Screw & washer assy.(fender extension to fender apron)-5/16"-18 x 1" hex.hd.	4	378178-S2 (BB412B)
68/69	B	Nut & retaining 5/16"-18 (extension front to support front apron to radiator)	4	378680-S2 (MM192AA)
	16A023-4 BRACE - FRONT FENDER TO APRON and RADIATOR SUPPORT			
	- A -			
65/66	A	R.H.	1	C5AZ 16A023-A
		L.H.	1	C5AZ 16A024-A
67	A	R.H.	1	C7AZ 16A023-A
		L.H.	1	C7AZ 16A024-A
68	A	R.H.	1	C8AZ 16A023-A
		L.H.	1	C8AZ 16A024-A
69/70	A	R.H.	1	C9AZ 16A023-A
		L.H.	1	C9AZ 16A024-A
71/	A	R.H.	1	D1AZ 16A023-A
		L.H.	1	D1AZ 16A024-A
	- B -			
66/67	B	R.H.	1	C6OZ 16A023-A
		L.H.	1	C6OZ 16A024-A
68/69	B	R.H.	1	C8OZ 16A023-A
		L.H.	1	C8OZ 16A024-A
72	B	R.H. - upper	1	D2OZ 16A023-A
		L.H.	1	D2OZ 16A024-C
72	B	R.H.-lower	1	D2OZ 16A023-B
		L.H.	1	D2OZ 16A024-B

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16A023-4 BRACE - FRONT FENDER TO APRON and RADIATOR SUPPORT - continued			
	- F -			
71/	F	R.H.	1	D1ZZ 16A023-A
		L.H.	1	D1ZZ 16A024-A
	- S -			
67/69	S	R.H.	1	C7SZ 16A023-A
		L.H.	1	C7SZ 16A024-A
72	S	R.H.	1	D2SZ 16A023-A
		L.H.	1	D2SZ 16A024-A
	- X -			
65	X	R.H.	1	C4DZ 16A023-A
		L.H.	1	C4DZ 16A024-A
66/70	X	R.H.	1	C6OZ 16A023-A
		L.H.	1	C6OZ 16A024-A
68/70	A	Nut-5/16"-18 (brace to fender to radiator support)	4	33797-S2(M50)
65/67	A	Nut (brace to fender)-5/16"-18	2	34392-S7-8(M93)
65	X	Locknut (brace to radiator support and apron)-5/16"-24	4	34393-S7(M 98)
68	A	Lockwasher (brace to fender and radiator support)-5/16"	4	34806-S(X64)
68/69	B	Retainer nut (brace to fender and rad. support)-5/16"-18	2	★45268-S2
69/	A	Screw & washer (brace to fender to radiator support)-5/16"-18 x 1 1/16" hex.hd.	4	★57040-S39
68/69	B	Screw & washer assy. (brace to fender and radiator support)-5/16"-18 x 7/8"	2	57140-S2(B340H)
65	X	Bolt and lockwasher (brace to radiator support and apron)-5/16"-24 x 1 1/8"	4	353483-S2 (BB588)
66/67	B	Bolt-hex. head (brace to fender and radiator support)-5/16"-18 x 3/4"	4	359662-S7-8 (BB575A)
66/70	X		4	
68	A		4	
65/66	A	Screw (brace to fender)-5/16"-18 x 1.00"	2	376256-S(BB545A)
65/66	A	(brace to radiator support)	2	
69/	A	Nut & washer (brace to radiator support)-5/16"-18	2	376838-S2 (MM296AF)
67	A	Screw & washer (fender to radiator support)-5/16"-18 x 1" hex. head	2	378178-S2(BB412B)
65	B	(attaching brace)	4	
67/69	S	(attaching brace)	4	
65/66	A	Nut-retainer (brace to radiator suppt.)-5/16"-18	2	378680-S2 (MM192AA)
66/67	B	Nut and retainer (brace to fender and radiator support)-5/16"-18	4	379831-S2 (MM192M)
67/69	S		4	
66/70	X		4	
	16B028-9 REINFORCEMENT - FRONT FENDER APRON & ROD SUPPORT UPPER OUTER			
66	S	R.H. - not replaced (5-75)	1	★C6SZ 16B028-A
		L.H.	1	C6SZ 16B029-A
72	S	R.H.	1	D2SZ 16B028-A
		L.H.	1	D2SZ 16B029-A
	16D032 BRACE - FRONT FENDER APRON & RADIATOR SUPPORT - Refer to Group 16152-3			
	16D036-7 FILLER - FRONT FENDER APRON TO STONE DEFLECTOR			
68	A	R.H.	1	C8AZ 16D036-B
		L.H.	1	C8AZ 16D037-B
65/66	A	Nut-lock-filler to apron-5/16"-18	2	34342-S7-8(M93)
68	A	Bolt-hex. head (filler to apron) 5/16"-18 x 3/4"	8	359662-S7-8 (BB575A)
65/66	A	Bolt-hex. washer head-filler to apron-5/16"-18 x 1"	2	376256-S(BB545A)
65/66	A	"J"-retainer (filler to apron)-5/16"-18	2	378680-S2
68	A	(filler to apron)	8	(MM192AA)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16038-9 MOULDING - FRONT FENDER WHEEL OPENING - INCLUDES ATTACHING PARTS			
	- A -			
65	A(54A, 57, 63, 71B, C, 76)	R.H.	1	C5AZ 16038-A
		L.H.	1	C5AZ 16039-A
66	A(54A, 57, 63, 71B, C, 76)	R.H.	1	C6AZ 16038-A
		L.H.	1	C6AZ 16039-A
67	A(54C, 57F, 63C, J, 76B)	R.H.	1	C7AZ 16038-A
		L.H.	1	C7AZ 16039-A
67	A(54A, 57B, 63B, 71B, C, 76A)	R.H.	1	C7AZ 16038-B
		L.H.	1	C7AZ 16039-B
68	A(54A, B, C, 57, 63, 65, 71B, C, 76)	R.H.	1	C8AZ 16038-B
		L.H.	1	C8AZ 16039-B
69	A(54A, 57B, 63B, 65C, 71B, C, 76A)	R.H.	1	C9AZ 16038-B
		L.H.	1	C9AZ 16039-B
69	A(54C, 57F, 65A)	R.H.	1	C9AZ 16038-C
		L.H.	1	C9AZ 16039-C
69	A(63C, 76B)	R.H.	1	C9AZ 16038-A
70	A(54A, C, 57, 63, 65, 71B, C, 76)	R.H.	1	
		L.H.	1	C9AZ 16039-A
71	A(54D, 71D)	R.H.	1	D1AZ 16038-A
72	A(54D, F, 57F, 65D, F, 71D, F)	R.H.	1	
		L.H.	1	D1AZ 16039-A
71	A(54F, 57F, 65D, F, 71F)	R.H.	1	D1AZ 16038-B
		L.H.	1	D1AZ 16039-B
71	A(53, 57H, K, 65H, K, 76)	R.H.	1	D1AZ 16038-C
72	A(53, 57H, K, 65H, K, 71H, 76)	R.H.	1	
		L.H.	1	D1AZ 16039-C
	- B -			
66	B(54B, 62B, 63, 71B, 76)	R.H.	1	C6OZ 16038-A
		L.H.	1	C6OZ 16039-A
67	B(54B, 62B, 63B, C, 66B, D, 71B, 76B, C)	R.H.	1	C7OZ 16038-A
		L.H.	1	C7OZ 16039-A
68	B(54C, 65C)	R.H.	1	C9OZ 16038-A
		L.H.	1	C9OZ 16039-A
68	B(54B, 63, 65B, D, E, 66B, D, 71B, 76)	R.H.	1	C9OZ 16038-B
		L.H.	1	C9OZ 16039-B
69	B(54B, 65B, 66B, 71B, 76B, E)	R.H.	1	C9OZ 16038-A
69	B(63B, E, 65A, E)-exc. Cobra option		1	
		L.H.	1	C9OZ 16039-A
69	B(54C, 63D, F, 65C, D, F, 66C, D, 76D, F)	R.H.	1	C9OZ 16038-B
69	B(63B, E, 65A, E)-with Cobra option		1	
		L.H.	1	C9OZ 16039-B
70	B(54B, C, 57C, 63C, H, 65B, C, 66B, C, 71B, C)	R.H.	1	D0OZ 16038-C
71	B(54, 57C, 63, 65A, C, 66B, C, 71C, 76)	R.H.		
		L.H.	1	D0OZ 16039-C
70	B(57E, 63F, 65E, 76F)-except with G70 x 14 tires "Before 7/30/69"	R.H. - r/b D0OZ 16038-D (5-75)	1	★D0OZ 16038-B
		L.H.	1	D0OZ 16039-B
70	B(57E, 63F, 65E, 76F) "From 7/30/69"	R.H.	1	D0OZ 16038-D
		L.H.	1	D0OZ 16039-D
71	B(57E, 65E)	R.H.	1	D1OZ 16038-A
		L.H.	1	D1OZ 16039-A
72	B(63, 97D)-full wheel lip moulding	R.H.	1	D2OZ 16038-A
		L.H.	1	D2OZ 16039-A
72	B(53D, 63, 65D, R, 71D)-partial wheel lip moulding	R.H.	1	D2OZ 16038-B
		L.H.	1	D2OZ 16039-B
	- F -			
67/68	F	R.H. - extension	1	C7ZZ 16038-B
		L.H.	1	C7ZZ 16039-B
69	F(63A, B, 65A, B, E, 76)	R.H.	1	C9ZZ 16038-A
		L.H.	1	C9ZZ 16039-A
70	F(63A, B, 65A, B, E, 76)	R.H.	1	D0ZZ 16038-A
		L.H.	1	D0ZZ 16039-A
71/	F(except 63R)	R.H.	1	D1ZZ 16038-A
		L.H.	1	D1ZZ 16039-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
16038-9	**MOULDING - FRONT FENDER WHEEL OPENING - continued - INCLUDES ATTACHING PARTS**			
	- L -			
71/	L	R.H. - dull finish	1	D1FZ 16038-A
		L.H.	1	D1FZ 16039-A
	- P -			
70	P(except with D70 x 14 tires) "Before 7/1/69"	R.H.	1	D0DZ 16038-A
		L.H. - r/b D0DZ 16039-B (5-75)	1	★D0DZ 16039-A
70	P "From 7/1/69"	R.H.	1	D0DZ 16038-P
70	P(with D70 x 14 tires) "Before 7/1/69	R.H.	1	
		L.H.	1	D0DZ 16039-B
	- S -			
66	S	R.H.	1	C6SZ 16038-A
		L.H.	1	C6SZ 16039-A
70/71	S	R.H.	1	D0SZ 16038-A
		L.H.	1	D0SZ 16039-A
72	S	R.H.-includes Black vinyl insert	1	D2SZ 16038-CA
		L.H.	1	D2SZ 16039-CA
	- X -			
66	X(54B, 62B, C, 66B, D, 71B)	R.H.	1	C9DZ 16038-A
		L.H.	1	C9DZ 16039-A
67	X(54B, 62B, C, 71B)	R.H.	1	C7DZ 16038-A
68	X(71B)		1	
		L.H.	1	C7DZ 16039-A
68	X(54B, 62B, C)	R.H.	1	C8DZ 16038-A
69/70	X(54A, 62A-without rocker mouldings)		1	
		L.H.	1	C8DZ 16039-A
69/70	X(54B, 62B, C, 71B)	R.H.	1	C9DZ 16038-A
69/70	X(54A, 62A-with rocker mouldings)		1	
		L.H.	1	C9DZ 16039-A
65	A	Screw-truss head-(moulding to fender)-No. 8-18 x 3/8"	AR	376378-S101(UU97)
66	B, X	Screw-round washer head(moulding to fender)-No. 8-18 x 3/8"	AR	379560-S101 (UU89CA)
67/	A, B, F	Screw (moulding to fender)-No. 8-18 x 3/8"	AR	381671-S45X
67/70	X		AR	(UU89C)
66	S		AR	
70/	P, S		AR	
71	L		AR	
71	A(53, 57H, K, 65H, K)	Clip (moulding to fender)-No. 8-32	4	381955-S100 (GG333)
16A038-9	**MOULDING - FRONT FENDER - SIDE - REAR - INCLUDES ATTACHING PARTS**			
	- A -			
67	A(54C, 57F, 63C, J, 76B) "Before 1/16/67"	R.H. -lower (with vinyl strip)	1	C7AZ 16A038-A
		L.H.	1	C7AZ 16A039-A
67	A(54C, 57F, 63C, J, 76B) "From 1/16/67"	R.H. -lower (with black paint stripes)	1	C7AZ 16A038-C
		L.H.	1	C7AZ 16A039-C
67	A(54A, 57B, 63B, 71B, C, 76A)	R.H.-lower (all bright finish)	1	C7AZ 16A038-B
		L.H.	1	C7AZ 16A039-B
69	A(54A, 57B, 63B, 65C, 71B, C, 76A)	R.H.-lower	1	C9AZ 16A038-A
		L.H.	1	C9AZ 16A039-A
69	A(54C, 57F, 65A)	R.H.-lower	1	C9AZ 16A038-B
		L.H.	1	C9AZ 16A039-B
71	A(54F, 57F, 65F, 71F)	R.H.-lower	1	D1AZ 16A038-B
		L.H.	1	D1AZ 16A039-B
71	A(53, 57H, K, 65H, K, 76)	R.H.-lower	1	D1AZ 16A038-A
72	A(53, 57H, K, 65H, K, 71H, 76)	R.H.	1	
		L.H.	1	D1AZ 16A039-A
	- B -			
67	B(54A, 62A, 66A, 71D)	R.H. -"Fairlane"	1	C7OZ 16A038-A
		L.H.	1	C7OZ 16A039-A
68	B(54C, 65C)	R.H. -lower	1	C9OZ 16A038-A
		L.H.	1	C9OZ 16A039-A
69	B(54B, 63B, E, 65B, E, 66B, 71B, 76B, E)	R.H. -lower-without Cobra performance group	1	C9OZ 16A038-A
		L.H.	1	C9OZ 16A039-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16A038-9 MOULDING - FRONT FENDER - SIDE - REAR - continued - INCLUDES ATTACHING PARTS			
	- B -			
71	B(57E,65E)	R.H.-lower	1	D1OZ 16A038-A
		L.H.	1	D1OZ 16A039-A
72	B(53D,63,65D,R,71D)	R.H.	1	D2OZ 16A038-A
		L.H.	1	D2OZ 16A039-A
	- F -			
71/72	F(63R)-exc.w/racing stripes F(65D,76)	R.H.-lower	1 1	D1ZZ 16A038-A
		L.H.	1	D1ZZ 16A039-A
	- S -			
69	S	Lower	2	C9SZ 16A038-A
70/71	S	R.H.-Lower-includes Black vinyl insert	1	D0SZ 16A038-C
		L.H.	1	D0SZ 16A039-C
70/71	S	R.H.-Lower-includes Blue vinyl insert	1	D0SZ 16A038-D
		L.H.	1	D0SZ 16A039-D
70/71	S	R.H.-Lower-includes Brown vinyl insert	1	D0SZ 16A038-A
		L.H.	1	D0SZ 16A039-A
70	S	R.H.-Lower-includes Green vinyl insert	1	D0SZ 16A038-B
		L.H.	1	D0SZ 16A039-B
71	S	R.H.-Lower-includes Green vinyl insert	1	D1SZ 16A038-A
		L.H.	1	D1SZ 16A039-A
	16B048 REINFORCEMENT - FRONT FENDER APRON and RADIATOR SUPPORT UPPER			
67/69	B(8 cyl. 351, 390 & 427)		1	C7OZ 16B048-A
66	S		1	C6SZ 16B048-A
	16C048 BRACKET - FRONT FENDER EXTENSION TO RADIATOR SUPPORT			
69	F		2	C9ZZ 16C048-A
70/71	P L		2 1	D0DZ 16C048-A
66/67	X		2	C6DZ 16C048-A
68	X		2	C8DZ 16C048-A
69/70	X		2	C8DZ 16C048-B
70/	P	Nut & retainer(att. bracket to apron & radiator support)-5/16"-18	2	★45268-S
70/	P	Screw & washer (att.bracket to front fender extension & radiator support)-5/16"-18	2	★57040-S39
66/70	X	Screw (bracket to body at support)-5/16"-18 x 3/4"	2	359662-S7-8 (BB575A)
66/70	X	"J"-retainer (bracket to body at support)-5/16"-18	2	378680-S (MM192AA)
65/66	A	Screw (apron to fender)-5/16"-24 x 3/4"	AR	20347-S8(B156)
70/	S	Nut & retainer (apron to dash)-5/16"-18	2	★45268-S2
	16A052-3 REINFORCEMENT - FRONT FENDER APRON			
69/70	F(Boss 429)	R.H.-attach to outboard side of C9ZZ 16054-C	1	C9ZZ 16A052-B
		L.H.-attach to outboard side of C9ZZ 16055-C	1	C9ZZ 16A053-B
	16A052-3 BRACE - FRONT FENDER APRON TO DASH			
	-A -			
69/70	A		2	C9AZ 16A052-A
71/	A		2	D1AZ 16A052-A
	- B -			
65	B	R.H. & L.H.	2	C2OZ 16A052-A
	- F -			
65/68	F	R.H.-flat stamping-19 13/16" long	1	C5ZZ 16A052-C
		L.H.	1	C5ZZ 16A053-B
67/68	F(76) 8 cyl. -without A/C	R.H.-steel tubing-31 35/64" long	1	C7ZZ 16A052-C
		L.H. - not replaced (3/74)	1	★C7ZZ 16A053-B
68	F(Shelby GT 350/500)		1	C5ZZ 16A052-E
69/70	F(except Boss 429)	R.H.	1	C9ZZ 16A052-A
		L.H.	1	C9ZZ 16A053-A
69/70	F(Boss 429)		1	C9ZZ 16A052-C
71/	F	R.H.	1	D1ZZ 16A052-A
		L.H.	1	D1ZZ 16A053-A
	- P -			
70/	P	R.H.	1	D0DZ 16A052-A
		L.H.	1	D0DZ16A053-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16A052-3 BRACE - FRONT FENDER APRON TO DASH - continued			
	- S -			
72	S	R.H. & L.H.	2	D2SZ 16A052-A
65/66	S	Bolt-hex. head-(brace to apron)-5/16"-24 x 1"	1	20387-S8(B157)
65	B	Bolt (brace to dash to underbody)-7/16"-14 x 1"	2	20390-S8(B102)
70	P	Nut (brace to dash)-3/8"-16	4	33771-S4(M89L)
69/70	F	Nut (brace to body)-7/16"-14	4	33772-S4(M89LA)
65/66	S	Locknut (brace to apron)-5/16"-24	1	34393-S7(M98)
65/66	S	Washer flat (brace to apron)-5/16"	1	34906-S8(X98)
65	B	Washer (brace to dash to underbody)-7/16" flat	2	44730-S8(X26)
69/	A	Screw & washer (att.brace)-5/16"-18 x 1 3/16"	4	★57040-S39
70	P	Screw (brace to dash)	4	★57048-S
71	A	Screw & washer (att.brace)-5/16"-18 x 1 3/16"	2	★57141-S2
69/70	F	Washer-flat-#8 (brace to body)	4	★358994-S
66	B(76)	Bolt-hex. head (att. brace)-5/16"-18 x 3/4"	4	359662-S7-8
66/68	F(76)	Screw & washer assy. (brace to dash)	2	(BB575A)
67/70	F	Bolt (brace-fender apron to body)-7/16"-14 x 1 1/4" hex. head locking	4	370301-S8(BB546)
65/66	F	Screw & washer (brace-fender apron to dash brace)-3/8"-16 x 1 1/8"	AR	373162-S(BB563A)
65/66	F	Nut-hex. head(brace-fender apron to dash brace) -3/8"-16	AR	373403-S8 (MM173J)
67/68	F	Nut-hex.(brace to body)-7/16"-14	4	375918-S7-8
65	B		2	(MM173B)
69/	A	Retainer nut (att.brace)-5/16"-18	4	379114-S (MM192AD)
66	B(76)	Nut & retainer (att. brace)-5/16"-18	4	379831-S2 (MM192M)
71	P	Nut (att.brace)-3/8"-16 -hex.washer head	4	382802-S2 (MM173JB)
	16054-5 APRON - FRONT FENDER			
	- A -			
65/66	A	R.H.-less weatherstrip	1	C5AZ 16054-C
		L.H.	1	C5AZ 16055-B
67	A	R.H.-less weatherstrip	1	C7AZ 16054-A
		L.H.	1	C7AZ 16055-A
68	A	R.H.-less weatherstrip	1	C8AZ 16054-A
		L.H.	1	C8AZ 16055-A
69/70	A	R.H.-less weatherstrip	1	C9AZ 16054-A
		L.H.	1	C9AZ 16055-A
71/	A	R.H.-less weatherstrip	1	D1AZ 16054-A
		L.H.	1	D1AZ 16055-A
	- B -			
65	B	R.H.-front section	1	C5OZ 16054-B
		L.H.	1	C5OZ 16055-B
66/69	B	R.H.-front section	1	C6OZ 16054-A
		L.H.	1	C6OZ 16055-F
66/68	B	R.H.-includes apron and front side member	1	C6OZ 16054-F
		L.H.	1	C6OZ 16055-G
69	B	R.H. - includes apron and front side member	1	C9OZ 16054-A
		L.H.	1	C9OZ 16055-A
70/71	B	R.H.-front section	1	D0OZ 16054-A
		L.H.	1	D0OZ 16055-A
70/71	B	R.H.-apron and front side member	1	D0OZ 16054-B
		L.H.	1	D0OZ 16055-B
72	B	R.H.-less weatherstrip	1	D2OZ 16054-A
		L.H.	1	D2OZ 16055-A
	- F -			
65/66	F	R.H.-front section	1	C5ZZ 16054-A
		L.H.	1	C5ZZ 16055-A
67/68	F	R.H.-front section	1	C7ZZ 16054-A
		L.H.	1	C7ZZ 16055-C
67	F	R.H.- includes apron and front side member	1	C7ZZ 16054-C
		L.H.	1	C7ZZ 16055-D

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
16054-5	APRON - FRONT FENDER - continued			
	- F -			
68	F	R.H. -includes apron and front sidemember	1	C7ZZ 16054-C
		L.H.	1	C7ZZ 16055-E
69	F	R.H. -front section	1	C9ZZ 16054-A
		L.H.	1	C9ZZ 16055-A
69	F(exc. Boss 429)	R.H. -includes apron and sidemember	1	C9ZZ 16054-B
		L.H.	1	C9ZZ 16055-B
70	F	R.H. -front section	1	D0ZZ 16054-A
		L.H.	1	C9ZZ 16055-A
70	F(except Boss 429)	R.H. -apron and front side member	1	D0ZZ 16054-B
		L.H.	1	D0ZZ 16055-A
70	F(Boss 429)	R.H. -apron and front side member	1	D0ZZ 16054-C
		L.H.	1	D0ZZ 16055-B
71/	F	R.H.-front section	1	D1ZZ 16054-B
		L.H.	1	D1ZZ 16055-B
71/	F	R.H.-apron and front side member	1	D1ZZ 16054-A
		L.H.	1	D1ZZ 16055-A
	- L -			
71/72	L "Before 5/15/72"	R.H.	1	D1FZ 16054-A
		L.H.	1	D1FZ 16055-A
72	L "From 5/15/72"	R.H.	1	D1FZ 16054-A
		L.H.	1	D2FZ 16055-A
	- P -			
70/	P	R.H. -front section - r/b D3DZ 16054-B (5-75)	1	★D0DZ 16054-A
		L.H.	1	D0DZ 16055-A
70/	P	R.H. -includes apron & side member	1	D0DZ 16054-C
		L.H.	1	D0DZ 16055-C
	- S -			
65/66	S	R.H. -front	1	C4SZ 16054-A
		L.H.	1	C4SZ 16055-A
65/66	S	R.H. -rear	1	C1SZ 16054-C
		L.H.	1	C5SZ 16055-A
67	S	R.H.	1	C7SZ 16054-A
		L.H.	1	C7SZ 16055-A
68/69	S	R.H.	1	C8SZ 16054-A
		L.H.	1	C8SZ 16055-A
70/71	S	R.H.	1	D0SZ 16054-A
		L.H.	1	D0SZ 16055-A
72	S	R.H. -r/b D4SZ 16054-A (3/74)	1	★D2SZ 16054-A
		L.H.	1	D2SZ 16055-B
	- U -			
66/	U	R.H. -less weatherstrip	1	C6TZ 16054-A
		L.H.	1	C6TZ 16055-A
	- X -			
65	X	R.H. -front section	1	C4DZ 16054-D
		L.H.	1	C4DZ 16055-B
66/70	X	R.H. -front section	1	C6OZ 16054-A
		L.H.	1	C6OZ 16055-F
66/68	X	R.H. -includes apron and front side member	1	C6OZ 16054-F
		L.H.	1	C6OZ 16055-G
69/70	X	R.H. -includes apron and front side member	1	C9OZ 16054-A
		L.H.	1	C9OZ 16055-A
65/66	A	Screw (apron to fender)-5/16"-24 x 3/4"	AR	20347-S8(B156)
68/69	B	Nut (attach apron to 3382-3 bracket assy.)-5/16"-18	12	33770-S4(M89K)
69/70	A	Nut (apron to radiator support)-5/16"-18	2	33797-S2(M50)
67	A	Nut-lock (apron to radiator support)-5/16"-18	2	34392-S7-8(M93)
69/70	A	Screw and washer (apron to radiator support) 5/16"-18 x 1 1/16"	AR	★57040-S39
71	S	(attach apron)	AR	
69/70	A	Screw & washer (apron to fender)-5/16"-18 x 5/16"	8	57140-S2(B340H)
71	A	(apron to radiator support)	2	
68/69	B	Screw & washer (attach apron to 3382-3 bracket assy.)	12	
70	S		8	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16054-5 APRON-FRONT FENDER - continued			
69/	A	Washer (apron to dash)-5/16"	8	351405-S7(XX147)
69/	A	Washer (apron to apron lower mounting bracket)	2	★356817-S2
70	S	(Apron to dash at frame brace)-13/32" flat	2	
65/67	B	Bolt hex.head (att.apron)-5/16"-18 x 3/4"	AR	359662-S7-8
66/70	X		AR	(BB575A)
67/68	A		AR	
68	A	Bolt-hex. washer head (apron to radiator support)-7/16"-14 x 1 1/4"	2	370301-S8 (BB546)
65	A, B, X	Clip (line to fender apron)	1	374998-S100 (GG213A)
65/66	A	Screw (apron to radiator support)-5/16"-18 x 1"	2	376256-S(BB545A)
65/66	A		2	
70/	S	Nut (apron to radiator support extension) 5/16"-18	4	376838-S (MM296AF)
70	F, P	Plug button (to plug hole in apron)-1/4" dia.	4	376966-S(PP3D)
69/70	A(76)	Plug button-to plug hole in apron	4	377678-S(PP3E)
70	F(8 cyl.)	Plug button (to plug hole in apron front fender rear)-7/8" diameter	1	377949-S(PP3F)
67	A	Screw & washer (apron to radiator support)-5/16"-18 x 1"	2	378178-S2(BB412B)
65/66	F	"J"-retainer (apron to body)-5/16"-18	AR	378680-S2
65/68	A	(apron to fender)	AR	(MM192AA)
69/	A	Nut & retainer (apron to radiator support) - 5/16"-18	2	379114-S2 (MM192AD)
69/	A	(Apron to fender)	12	
69/70	A	(Apron to dash)	4	
70/	S	(Apron to radiator support)	6	
70/	S	(Apron to fender)	12	
65/66	F	Nut & retainer (att. apron to body)-5/16"-18	AR	379831-S2 (MM192M)
69/70	A	Screw (apron to apron lower mounting bracket)-3/8"-16 x 1 1/4"	2	382062-S2 (UU52AA)
	16060 REINFORCEMENT - FRONT FENDER APRON LOWER			
70	A		2	D0AZ 16060-A
71/	A		6	
72	B		6	
72	S	Round	6	D2SZ 16060-A
72	S	Oblong	6	D2SZ 16060-B
	16C062 COVER - FRONT FENDER MOULDING ACCESS HOLE			
71	A(71H)	To plug access hole in front fender rail basic 16250-1	4	D1AZ 16C062-A
72	A(71H)	To plug access hole in front fender rail - basic 16250-1	4	D2AZ 16C062-A
	16C068-9 MOULDING - FRONT FENDER LOWER - INCLUDES ATTACHING PARTS			
	- A -			
67	A(54C, 57F, 63C, J, 76B) "Before 1/16/67"	R.H.-front	1	C7AZ 16C068-A
		L.H.	1	C7AZ 16C069-A
67	A(54C, 57F, 63C, J, 76B) "From 1/16/67"	R.H.-front (with black paint stripes)	1	C7AZ 16C068-B
		L.H.	1	C7AZ 16C069-B
68	A(54C, 57F, 63C, 65A, 76B)	R.H.-front side	1	C8AZ 16C068-A
		L.H.	1	C8AZ 16C069-A
71/	A(53, 57H, K, 65H, K, 71H, 76)	R.H.-front	1	D1AZ 16C068-A
		L.H.	1	D1AZ 16C069-A
71	A(54F, 57F, 65F, 71F)	R.H.-front	1	D1AZ 16C068-B
		L.H.	1	D1AZ 16C069-B
	- B -			
67	B(54B, 62B, 63B, C, 66B, D, 71B, 76B, C)	R.H.-front	1	C7OZ 16C068-A
		L.H.	1	C7OZ 16C069-A
68	B(54C, 65C)	R.H.-lower side	1	C9OZ 16C068-B
69	B(54B, 63B, E, 65B, E, 66B, 71B, 76B, E)	R.H.	1	
		L.H.	1	C9OZ 16C069-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16C068-9 MOULDING - FRONT FENDER LOWER - continued - INCLUDES ATTACHING PARTS			
	- B -			
69	B(54C,65C)	R.H.-lower side	1	C9OZ 16C068-A
		L.H.	1	C9OZ 16C069-A
72	B(53D,63,65D,R,71D)	R.H.-lower-side	1	D2OZ 16C068-A
		L.H.	1	D2OZ 16C069-A
	- F -			
71/72	F(63R)-exc.w/racing stripes F(65D,76)	R.H.-front	1 1	D1ZZ 16C068-A
		L.H.	1	D1ZZ 16C069-A
	- S -			
67	S	R.H.-front	1	C7SZ 16C068-A
		L.H.	1	C7SZ 16C069-A
70/71	S	R.H.-includes Black vinyl insert	1	D0SZ 16C068-C
		L.H.	1	D0SZ 16C069-C
70/71	S	R.H.-includes Blue vinyl insert	1	D0SZ 16C068-D
		L.H.	1	D0SZ 16C069-D
70/71	S	R.H.-includes Brown vinyl insert	1	D0SZ 16C068-A
		L.H.	1	D0SZ 16C069-A
70	S	R.H.-includes Green vinyl insert	1	D0SZ 16C068-B
		L.H.	1	D0SZ 16C069-B
71	S	R.H.-includes Green vinyl insert	1	D1SZ 16C068-A
		L.H.	1	D1SZ 16C069-A
67	S	Nut and washer (moulding to fender)-No. 10-24	4	353911-S100 (MM191E)
70/	S	Rivet (mounting to fender)-1/8 x 5/8"	4	383229-S(SS44E)
	16074-5 MOULDING - FRONT FENDER FRONT EXTENSION - INCLUDES ATTACHING PARTS			
70	F	R.H.	1	D0ZZ 16074-A
		L.H.	1	D0ZZ 16075-A
70	F	Screw (moulding to fender extension)-8-18 x 3/8"	4	381671-S45X (UU89C)
	16A076 RETAINER - OUTSIDE MOULDING			

REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER

	16D076-7 SEAL - FRONT FENDER APRON TO FRAME - Tire Carcass (Improvise)			
	16C078 BRACKET - FRONT FENDER MOUNTING - REAR			
68/69 68/70	B(except 76) X	Rear lower	2 2	C8OZ 16C078-A
72	B	R.H. - rear upper	1	D2OZ 16C078-A
		L.H.	1	D2OZ 16C078-B
66/67 66/70	B X	Screw(bracket to fender or member-floor side)-No. 14-10 x 5/8"	2 2	31498-S2(U253B)
66/67 66/70	B X	Washer-flat (bracket to fender)-1/4" (bracket to fender)	2 2	44720-S8(X18)
68/69	B	Washer(bracket fender mtg. to fender upper pillar mounting)-5/16" flat	2	44725-S8(X22)
66/67 66/70	B X	Nut-spring (bracket to fender)-No. 14-10 (bracket to fender)	2 2	45149-S8(M132)
68/69	B	Spring nut (bracket to fender)	2	★45261-S2
68/69	B	Screw-1/4"-14 x .53" (bracket to apron)	2	55981-S2(U254E)
68/69	B	Screw-1/4"-14 x 1/2" (bracket to fender)	2	381856-S40 (UU52B)
	16080-1 REINFORCEMENT - FRONT FENDER SIDE			
69/70	A	R.H.	1	C9AZ 16080-A
		L.H.	1	C9AZ 16081-A
69/70	A	Screw & washer (reinforcement to fender)-5/16"-18 x 7/8"	2	57140-S2(B340H)
69/70	A	Retainer nut (reinforcement to fender)-5/16"-18	2	379114-S2 (MM192AD)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16098 PLATE - NAME - INCLUDES ATTACHING PARTS-Also refer to Groups 16228-9, 25622&50399			
	- A -			
65	A(71B-C)	"Country Sedan"	2	C5AZ 16098-A
	A(54A, 57, 62A, 63B-F, 76A)	"Galaxie 500"	2	C5AZ 16098-B
	A(54E, 62E)	"Custom"	2	C5AZ 16098-C
	A(71A, 71E)	"Country Squire"	2	C5AZ 16098-D
	A(63C, 76B)	"Galaxie 500XL"	2	C5AZ 16098-E
	A(71D)	"Ranch Wagon"-refer to Group 25622		
67	A(54E, 62E)	"Custom"	2	C7AZ 16098-A
	A(54B, 62B)	"Custom"	2	C7AZ 16098-B
	A(54B, 62B)	"500"	2	C7AZ 16098-C
68/69	A(63C, 76B)	"G"	2	C7ZZ 16098-A
		"T"	2	C7ZZ 16098-B
70	A(54B, E)-Taxi	"Ford Taxi"	2	D0AZ 16098-A
72	A(54)-Taxi		1	
	- B -			
65	B(54A, 62A, 71D)	"Fairlane"	2	C5OZ 16098-A
66	B(54A, 62A, 71D)	"Fairlane"-front fender	2	C5OZ 16098-A
	B(63C, 76C)	-quarter	2	
	B(63D, 76D) 390 C.I.D. C/6 trans.	"GTA"	2	C6OZ 16098-A
	B(63D, 76D) 390 C.I.D. 3 & 4 speed S/T	"GT"-Plastic	2	C6OZ 16098-B
67	B(63D, 76D)-with C/6 trans.	"GTA"	2	C7OZ 16098-A
67	B(66)	"Ranchero"	2	C6DZ 16098-C
67	B(63D, 76D)-with 3 & 4 speed S/T	"G" -front fender	2	C7ZZ 16098-A
70	B(63F, 66C, 76F)	-quarter panel	2	
67	B(63D, 76D)-with 3 & 4 speed S/T	"T" -front fender	2	C7ZZ 16098-B
70	B(63F, 66C, 76F)	-quarter panel	2	
68/69	B(66)	"Ranchero"-refer to body group 42528		
70	B(54C, 57C, E, 63C, 65C, E)	"T"	2	D0OZ 16098-A
		"O"	4	D0OZ 16098-B
		"R"	2	D0OZ 16098-C
		"I"	2	D0OZ 16098-D
		"N"	2	D0OZ 16098-E
70/71	B(66E)	"Ranchero" -chrome finish	2	D0OZ 16098-F
72	B(97D, K)		2	
70/71	B(66A, B)	"Ranchero"-front fender	2	D0OZ 16098-H
70/71	B(66C)	-quarter panel	2	
72	B(97D, R)		2	
70/71	B(66B)	"500"	2	D0OZ 16098-J
72	B(97D)		2	
72	B(53B, 65B, 71B)	"Torino" - front fender	2	D2OZ 16098-B
72	B(71B)	- tailgate	1	
72	B(53D, 63, 65D, R, 71D, K)	"Torino" - front fender	2	D2OZ 16098-D
72	B(71D, K)	- tailgate	1	
72	B(53D, 63, 65D, R, 71D, K)	"Gran" - front fender	2	D2OZ 16098-E
72	B(71D, K)	- tailgate	1	
72	B(63R, 65R)	"Sport"	2	D2OZ 16098-F
72	B(71K)	"Squire"	2	D2OZ 16098-G
	- F -			
65	F(65, 76)-with generators	"Mustang"-4 1/2" long	2	C5ZZ 16098-A
65/66	F(65, 76)-with alternators-except "GT"	"Mustang"-4 7/8" long	2	C5ZZ 16098-B
	F(63)-except "GT"	"Mustang 2+2"	2	C5ZZ 16098-C
	F(63, 65, 76)-"GT" "Before 10/1/65"	"GT"-Ceramic	2	C5ZZ 16098-D
66	F(63, 65, 76)-"GT" "From 10/1/65"	"GT"-Plastic	2	C6OZ 16098-B
65/68	F(except "GT/CS")	"M"-fender- 1/compt.	AR	C5ZZ 16098-E
69/70	F	-1/compt.	1	
		"U"	AR	C5ZZ 16098-F
		"S"	AR	C5ZZ 16098-G
		"T"	AR	C5ZZ 16098-H
		"A"	AR	C5ZZ 16098-J
		"N"	AR	C5ZZ 16098-K
		"G"	AR	C5ZZ 16098-L

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16098 PLATE - NAME - INCLUDES ATTACHING PARTS - **continued** - Also refer to Groups 16228-9, 25622 & 50399			
	- F -			
67	F(GT)-with C/6 trans.	"GTA"	2	C7OZ 16098-A
	F	"G"	2	C7ZZ 16098-A
		"T"	2	C7ZZ 16098-B
67	F(Shelby GT 350)	"GT 350" -less attaching parts - not replaced (5-75)	2	★S7MS 16098-A
67	F(Shelby GT 500)	"GT 500" -less attaching parts	2	S7MS 16098-B
68	F(except "GT") F(65)-"GT/CS"	"Mustang" For fenders and rear deck	1 AR	C8ZZ 16098-A
	F(except "GT/CS")	"GT"	2	C7GY 16098-B
68	F(Shelby GT 500)-K.R.	"Cobra Jet" -less attaching parts	2	S8MS 16098-G
68/69	F(Shelby GT 350/500)	"Cobra"-less attaching parts	2	S8MS 16098-F
69/72	F	"Mustang"-front fender	2	C9ZZ 16098-A
72	F(65,76)	-1/compt.	1	
	- L -			
71/	L	"Pinto" - fender	2	D1FZ 16098-C
71/	L	- 1/compt.	1	
	- P -			
70/	P	"Maverick"	2	D0DZ 16098-A
	- S -			
70/71	S	"Thunderbird"-quarter panel	2	D2SZ 16098-A
72	S	-fender	2	
		-1/compt.	1	
	- U -			
66/	U	"Bronco"	2	C6TZ 16098-A
67/	U(97,98)	"Bronco Sport"	2	C7TZ 16098-A
	- X -			
65	X	"Falcon"-script-10" long-quarter panel	2	C4DZ 16098-B
		R.H.-"Falcon"-block letters-10 1/2" long-fender	1	C5DZ 16098-A
		L.H.	1	C5DZ 16099-A
		R.H.-"Futura"-fender	1	C5DZ 16098-B
		L.H.	1	C5DZ 16099-B
		"Ranchero"	2	C1DB 16098-C
		"Squire"	2	C4DZ 16098-A
66	X	"Falcon" - front fender or tailgate	AR	C6DZ 16098-A
		"Futura"	2	C6DZ 16098-B
		"Ranchero"	2	C6DZ 16098-C
65/69	A	Nut (name plate to fender)-1/8"-spring	AR	359464-S7(MM271)
65	B	Nut ("High Performance" plate to fender)-3/16" sleeve	2	375480-S102 (MM222E)
65	X	("Sprint" to fender)	2	
68	A	Nut(ornament to fender)-1/8" sleeve	4	375890-S100
65/66	B	(plate to fender)	AR	(MM222A)
70/	B	(plate to fender)	8	
69/	F	(plate to fender)	6	
66/	U	(plate to fender)	4	
65	X (except 66)	(plate to fender)	AR	
65	X(54D, 62D)	(plate to quarter panel)	8	
71	L	(plate to fender)	AR	
72	S	(plate to 1/compt.)	3	
72	S	(plate to fender)	6	
65/68	F	Nut(letter to fender)-3/32"-sleeve	28	378362-S102
66	X	(plate to fender)	AR	(MM228)
66	B	(plate to fender)	AR	
65	A	(plate to fender)	AR	
70/	P	Nut (plate to fender)	6	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
16C100-1	APRON - FRONT FENDER - Refer to Group 16054-5.			
16102-3	SHIELD - FRONT FENDER SPLASH			
	- B -			
66/67	B	R.H. -rear-steel-less 16A582 seal	1	C6OZ 16102-C
		L.H. -rear-steel-less 16A583 seal	1	C6OZ 16103-C
66/67	B	R.H. -rear extension	1	C6OZ 16102-D
		L.H.	1	C6OZ 16103-B
68/69	B	R.H. -rear	1	C8OZ 16102-A
		L.H.	1	C8OZ 16103-A
68/69	B	R.H. -rear extension	1	C8OZ 16102-B
		L.H.	1	C8OZ 16103-B
70/71	B	R.H. -Front	1	D0OZ 16102-A
		L.H.	1	D0OZ 16103-A
70/71	B	R.H. -Rear	1	D0OZ 16102-B
		L.H.	1	D0OZ 16103-B
	- F -			
65/66	F	R.H. -Front-steel-less (16A572)seal	1	C5ZZ 16102-A
		L.H.	1	C5ZZ 16103-A
65/66	F	R.H. -Rear-steel-less(16C566-7)w/strips	1	C5ZZ 16102-B
		L.H.	1	C5ZZ 16103-B
67/68	F	R.H. -front	1	C7ZZ 16102-A
		L.H.	1	C7ZZ 16103-A
67/68	F	R.H. -rear	1	C7ZZ 16102-B
		L.H.	1	C7ZZ 16103-B
69	F	R.H.-front	1	C9ZZ 16102-A
		L.H.	1	C9ZZ 16103-A
69	F(exc. Boss 429)	R.H.-rear-r/b D0ZZ 16102-B (5-75)	1	★C9ZZ 16102-B
		L.H.	1	D0ZZ 16103-B
69	F(Boss 429)	R.H. -rear	1	C9ZZ 16102-C
		L.H. - not replaced (5-75)	1	★C9ZZ 16103-C
70	F(except Shelby GT 350/500)	R.H. -Front	1	D0ZZ 16102-A
		L.H.	1	D0ZZ 16103-A
70	F(Shelby GT 350/500)	R.H. -front	1	C9ZZ 16102-A
		L.H.	1	C9ZZ 16103-A
70	F(exc. Boss 429)	R.H. -Rear	1	D0ZZ 16102-B
		L.H.	1	D0ZZ 16103-B
70	F(Boss 429)	R.H. -Rear	1	D0ZZ 16102-C
		L.H.	1	D0ZZ 16103-C
71/	F	R.H.-front	1	D1ZZ 16102-A
		L.H.	1	D1ZZ 16103-A
71/	F	R.H.-rear	1	D1ZZ 16102-B
		L.H.	1	D1ZZ 16103-B
	- L -			
71/	L	R.H.-front - r/b D5FZ 16102-B (5-75)	1	★D1FZ 16102-A
		L.H. - r/b D5FZ 16103-B (5-75)	1	★D1FZ 16103-A
71/	L	R.H.-rear - r/b D4FZ 16102-A (5-75)	1	★D3FZ 16102-A
		L.H. - r/b D4FZ 16103-A (5-75)	1	★D3FZ 16103-A
	- P -			
70/	P	R.H. -front	1	D0DZ 16102-A
		L.H.	1	D0DZ 16103-A
70/	P	R.H. -rear	1	D0DZ 16102-B
		L.H.	1	D0DZ 16103-B
	- S -			
65	S	R.H. -front	1	C4SZ 16102-A
		L.H.	1	C4SZ 16103-A
66	S	R.H. -front	1	C6SZ 16102-A
		L.H.	1	C6SZ 16103-A
66	S	R.H. -rear-less weatherstrip	1	C6SZ 16102-B
		L.H. - not replaced (5-75)	1	★C6SZ 16103-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16102-3 SHIELD - FRONT FENDER SPLASH - continued			
	- S -			
67/69	S	R.H.	1	C7SZ 16102-A
		L.H.	1	C7SZ 16103-A
70/71	S	R.H.	1	D0SZ 16102-A
		L.H.	1	D0SZ 16103-A
	- X -			
65	X(6 cyl. except 63, 76)	R.H. -steel-less seal	1	C4DZ 16102-A
		L.H. -	1	C4DZ 16103-A
65	X(8 cyl. & 63,76 w/6 cyl.)	R.H. -steel-less seal	1	C4DZ 16102-B
		L.H. -	1	C4DZ 16103-B
68/70	X	R.H. -rear	1	C6OZ 16102-C
		L.H.	1	C6OZ 16103-C
66/70	X	R.H. -rear extension	1	C6OZ 16102-D
		L.H.	1	C6OZ 16103-B
65/66	F	Screw (att.shield)-No.14-10 x 5/8"	AR	31498-S8(U253B)
66/67	B		AR	
66/70	X		AR	
71	L	Screw (att.shield)-1/4"-14 x 5/8"	16	40953-S8(U263)
66/67	B	Screw-hex.washer head-self-tapping (att.shield rear extension)-No.10-12 x 5/8"	AR	42134-S8(U249)
67/68	F		10	
66/70	X		AR	
65/66	S	Screw (shield to s/member)-No. 14-10 x 3/4"	2	42143-S8(U255)
65	B		2or4	
65	X(63, 76)		4	
70	P	Screw-hex.washer head (shield to radiator support)-No.14-10 x 1"	4	42154-S7-8(U256)
65/66	S	Flat washer (att. shield to s/member)-1/4"	2	44720-S8(X18)
70/71	B	Clip (att.rear shield)	6	★45258-S
70	P	Nut (att. front shield to stone deflector)-1/4"-14	2	★45261-S2
70	P	Screw & washer (rear shield to apron)-1/4"-14 x 3/4"	6	55914-S2(U254F)
70	P	(att. front shield to stone deflector)	2	
68/71	B	(att.front or rear shield)	AR	
67/70	F	(att.front or rear shield to fender)	AR	
71	S	Screw and washer (att.shield)	8	★57040-S39
70	S	Screw & washer (shield to apron)-5/16"-18 x 7/8"	6	57140-S2 (B340H)
65/66	S	Bolt (att.shield)-5/16"-24 x 1 1/8"	AR	353483-S2(BB588)
65/66	S	Locknut (att.shield)-5/16"-24	6	354299-S2(MM156)
65/66	S	Nut retainer (rear shield to fender lower)-5/16"-24	2	359952-S2(MM198)
67/69	S	Screw (shield to apron)-5/16"-18 x 1"	4	378178-S2(BB412B)
67/69	S	Nut and retainer (shield to apron)-5/16"-18	4	379831-S2 (MM192M)
70/71	S	Nut & retainer (att.shield)-5/16"-18	8	379114-S2
69/70	F	(att.rear shield to cowl)	2	(MM192AD)
	16114-5 FILLER - FRONT FENDER UPPER FRONT			
67/69	S	R.H. -aluminum	1	C7SZ 16114-A
		L.H.	1	C7SZ 16115-A
67/69	S	Screw-round washer head (attaching filler)-No.8-18 x 3/8"	AR	379560-S101 (UU89CA)
	16D114 PLATE - FRONT FENDER APRON UPPER OUTER - REINFORCEMENT			
67/69	B	Used to plug excess hole in fender apron reinf.	2	C7OZ 16D114-A
67/70	X		2	
67/69	B	Screw (upper apron to upper apron outer)-1/4"-20 x 1/2" pan head self-tapping	2	51768-S8(U373)
67/70	X		2	
	16A120 SPACER - FRONT FENDER TO BODY PILLAR			
65	B, X	Sponge rubber-improvise-3/16"x1 3/8"x1 3/8"	2	★

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16D120-1 SUPPORT - FRONT FENDER APRON AT HOUSING			
67/69	S	R.H.	1	C7SZ 16D120-A
		L.H.	1	C7SZ 16D121-A
70/71	S	R.H.	1	D0SZ 16D120-A
		L.H.	1	D0SZ 16D121-A
67/69	S	Bolt-hex.head (support to apron)-5/16"-18 x 3/4"	3	359662-S7-8 (BB575A)
	16D122 REINFORCEMENT - FRONT FENDER MIRROR MOUNTING			
66/70	U	R.H. or L.H.	1 or 2	C6TZ 16D122-B
	16B124-5 MOULDING - FRONT FENDER FRONT - Includes Attaching Parts - Also Refer to Group 16D014			
	- A -			
65	A "Before 1/4/65"	R.H. -stamped rustless steel	1	C5AZ 16B124-A
		L.H.	1	C5AZ 16B125-A
65	A "From 1/4/65"	R.H. -zinc die cast	1	C5AZ 16B124-B
		L.H.	1	C5AZ 16B125-B
66	A(54, 57B, 62, 63B, 63D, 71B, 71C, 71D, 76A, 76D)	R.H.	1	C6AZ 16B124-A
		L.H.	1	C6AZ 16B125-A
66	A(57F, 63C, F, 71A, E, 76B)	R.H.	1	C6AZ 16B124-B
		L.H.	1	C6AZ 16B125-B
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)	R.H.	1	C9AZ 16B124-A
		L.H.	1	C9AZ 16B125-A
70	A(54C, 57F, 63C, 65A, 76)	R.H.	1	D0AZ 16B124-A
		L.H.	1	D0AZ 16B125-A
	- B -			
65	B	R.H.	1	C5OZ 16B124-A
		L.H.	1	C5OZ 16B125-A
68/69	B	R.H.	1	C8OZ 16B124-B
		L.H.	1	C8OZ 16B125-B
	- F -			
69/70	F(Shelby GT350/500)	R.H.	1	C9ZZ 16B124-A
		L.H.	1	C9ZZ 16B125-A
69	F(exc. Shelby GT350/500)	R.H. & L.H.	2	C9ZZ 16B124-B
	- S -			
67/69	S	R.H.	1	C9SZ 16B124-A
		L.H.	1	C9SZ 16B125-A
69/70	S	R.H. & L.H. (end cap-for dealer installed aluminum body side moulding kit)	2	C9SZ 16B124-B
	- X -			
65	X(54B, 62B, 63, 71B, 76A)	R.H. -spear tip	1	C5DZ 16B124-A
		L.H.	1	C5DZ 16B125-A
66	X(66)	R.H.	1	C4DZ 16B124-A
		L.H.	1	C4DZ 16B125-A
70	A(54C, 57F, 63C, 65A, 76)	Screw (moulding to fender)-No.8-18 x 1/2"	1	52413-S13(U316)
65	A	Screw-pan head (moulding to fender)-No.8-15 x 1/2"	2	52726-S13(U381)
66	A	Nut & washer(moulding to fender)-No. 10-24	2	353911-S100 (MM191E)
65	X	Nut & washer (moulding to fender)-No.10-24	8	359606-S8
67/69	S		AR	(MM291A)
70	A(54C, 57F, 63C, 65A, 76)	Nut (moulding to fender)-5/32" self threading	3	374566-S100 (MM284Z)
69	A	Screw-truss head (moulding to fender extension)-No.8-18 x 3/8"	4	376378-S101 (UU97)
65	A	Nut (moulding to fender)-No.10-24	2	377633-S7-8 (MM115F)
	16D130 SEAL - FRONT FENDER FRONT EXTENSION			
70	A, F	Cut to size	2	D0MZ 16D130-A
72	B, S		2	
69	F	25-61/64" long-cut from C8LY 8B391-A	2	★

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16B132-3 BRACE - FRONT FENDER TO RADIATOR SUPPORT - UPPER			
68	A	R.H.	1	C8AZ 16B132-A
		L.H.	1	C8AZ 16B133-A
72	S	R.H.	1	D2SZ 16B132-A
		L.H.	1	D2SZ 16B133-A
72	S	Screw (brace to radiator support)	2	★57040-S34B
		Screw (brace to radiator support)-5/16"-18 x 3/4"	2	359662-S7-8 (BB575A)
		Nut-retainer (brace to radiator support)-5/16"-18	2	379831-S2 (MM192M)
	16C132-3 MOULDING - FRONT FENDER - UPPER REAR - INCLUDING ATTACHING PARTS			
71/	A	Located on door - refer to Group 20934 in Body Section		
70	B (54C, 57, 63, 65C, E, 66, 71C, E, 76)	R.H.	1	D0OZ 16C132-A
71	B(54, 57E, 63F, 65, 66, 71E, 76)- "Before 3/8/71"	R.H.	1	
71	B(54, 57E, 63F, 65, 66B, C, E, 71E, 76)- "From 3/8/71"	R.H.	1	
		L.H.	1	D0OZ 16C133-A
71	F (except Boss 302) "Before 2/1/71"	R.H.-no attaching parts-push-on type	1	D1ZZ 16C132-A
		L.H.	1	D1ZZ 16C133-A
71	F(except Boss 302) "From 2/1/71"	Not required		
70/71	S	R.H.	1	D0SZ 16C132-A
		L.H.	1	D0SZ 16C133-A
72	S	R.H.	1	D2SZ 16C132-A
		L.H.	1	D2SZ 16C133-A
70/71	B	Screw (moulding to fender)-No.8-18 x 3/8"	4	381671-S45X) (UU89C)
	16B134 BRACE - FRONT FENDER TO BUMPER			
68/69	B(exc. 63-Talladega)		2	C8OZ 16B134-A
69	B(63-Talladega)		2	C9OZ 16B134-A
70/71	B		2	D0OZ 16B134-A
70/71	B	Nut & retainer (brace to front bumper outer arm)-5/16"-18	2	379114-S2 (MM192AD)
	16138 SUPPORT - RADIATOR			
	- A -			
65/66	A		1	C5AZ 16138-C
67	A (76)		1	C7AZ 16138-A
67	A(except 76)		1	C7AZ 16138-B
68	A (76)		1	C8AZ 16138-A
68	A(exc. 76)		1	C8AZ 16138-B
69	A(76)		1	C9AZ 16138-B
69	A(except 76)		1	D0AZ 16138-C
70	A (54C, 57F, 63C, 65A, 71A, E)		1	D0AZ 16138-A
70	A(76)		1	D0AZ 16138-B
70	A (54A, B, E, 57B, 62, 63B, 65C, 71B, C, D, H, J)		1	D0AZ 16138-C
71/	A(except 76)		1	D1AZ 16138-A
71/	A(76)		1	D1AZ 16138-B
	- B -			
65	B		1	C5OZ 16138-A
66	B(except 8 cyl. 390)		1	C7DZ 16138-A
67	B		1	C7OZ 16138-A
68/69	B	If required-relocate the lower hole for headlamp support	1	C9OZ 16138-A
70	B	Repl. by D2ZZ 16138-A (3/74)	1	★D1OZ 16138-A
71	B(exc. 76)			
71	B (76)	Repl. by D3ZZ 16138-B (5/75)	1	★D1OZ 16138-B
72	B	Repl. by D3OZ 16138-A (3/74)	1	★D2OZ 16138-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16138 SUPPORT - RADIATOR - continued			
	- F -			
65/66	F		1	C5ZZ 16138-A
67/68	F		1	C7ZZ 16138-B
69	F		1	C9ZZ 16138-A
70	F		1	D0ZZ 16138-A
71/72	F(except 76) "Before 10/1/71"	Repl. by D2ZZ 16138-A (3/74)	1	★D1OZ 16138-A
72	F(exc. 76) "From 10/1/71"	Repl. by D3ZZ 16138- A (5-75)	1	★D2ZZ 16138-A
71/72	F(76) "Before 10/1/71"	Repl. by D3ZZ 16138-B (5-75)	1	★D1OZ 16138-B
72	F(76) "From 10/1/71"		1	D2ZZ 16138-B
	- L -			
71/	L		1	D1FZ 16138-A
	- P -			
70/	P	Repl. by D5DZ 16138-B (5-75)	1	★D0DZ 16138-A
	- S -			
65/66	S		1	C6SZ 16138-A
68/69	S		1	C8SZ 16138-A
70	S	Repl. by D1SZ 16138-A (3/74)	1	★D0SZ 16138-A
71	S		1	D1SZ 16138-A
72	S		1	D2SZ 16138-A
	- X -			
65	X		1	C5DZ 16138-A
66/67	X		1	C7DZ 16138-A
68/70	X		1	C9DZ 16138-A
65/66	A	Nut (support to apron)-5/16-24 lock	5or6	34393-S7(M98)
65/66	A	Nut-1/2"-20-hex. lock	1	34449-S7(M85)
71	U	Nut (support to frame)-5/16"-18	2	34847-S8(X74)
65/66	A	Screw(support to apron)-5/16"-24 x 1 1/8"	AR	353483-S2(BB588)
65/66	A	Screw(support to hood lock hook support)	1	
65/66	A	Nut-1/2"-20-push on spring	1	356080-S32(MM270)
65/66	A	Bolt(support to frame)-1/2"-20 x 3 3/4" carriage	1	373375-S8(BB654G)
65/66	A	Bolt-hex.washer head-(support to grille)-5/16"-18 x 1"	1	376256-S(BB545A)
67/68	F	Plug button	1	376966-S(PP3D)
65	B,F,S,X	Plug button-1" dia.	1or2	377678-S(PP3E)
67	S	Screw & washer(attach support, apron to radiator support)-5/16"-18 x 1"	AR	378178-S2 (BB412B)
65/69	F-with A/C	Grommet(insert in suppl. to protect hose or tube)	1or2	378264-S(KK36A)
65/67	A	"J" retainer (support to apron)-5/16"-18	AR	378680-S2
65/66	F		AR	(MM192AA)
	16A140 SUPPORT - FRONT FENDER			
70/71	S	R.H. & L.H.	2	D0SZ 16A140-A
	16142 REINFORCEMENT - FRONT FENDER APRON TO RADIATOR SUPPORT			
66	S		1	C6SZ 16142-A
	16152-3 BRACE - RADIATOR SUPPORT			
	- A -			
69/70	A(76)	R.H. & L.H. -attaches body to frame	2	C9AZ 16152-A
72	A(76)		2	
	- U -			
66/68	U-(8 cyl. 289)		2	C6TZ 16152-A
69/	U-(8 cyl. 302)	Upper	2	C9TZ 16152-A
		Lower	2	C9TZ 16153-A
65/66	S	Lock nut (brace to reinforcement)-5/16"-24	2	34393-S7(M93)
65/67	A(76)	Nut (brace to frame)-3/8"-16	2	34394-S7-8(M93A)
68	A(76)	Bolt (att.brace)-5/16"-24 x 1 1/8"	AR	353483-S2(BB588)
65/66	S		2	
65/67	A(76)	Washer-flat (brace to frame)-1/2"	2	356606-S8(XX184)
68	A(76)	Nut retainer (att.brace)-5/16"-24	AR	359952-S2(MM198)
65/66	S		2	
65/67	A(76)	Bolt-hex.washer head (brace to apron)	2	370301-S8(BB546)
65/67	A(76)	Flat washer (brace to apron)-7/16"	2	382590-S100 (XX173B)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16C152-3 EXTENSION - FRONT FENDER APRON and RADIATOR SUPPORT			
65/66	S	R.H.	1	C4SZ 16C152-B
		L.H.	1	C4SZ 16C153-A
	16B154 SPACER - FRONT FENDER TO COWL SIDE			
69/70	A	1/16"thick	AR	C9AZ 16B154-A
	16D154-5 BRACE - FRONT FENDER APRON UPPER MEMBER			
68/69	B	R.H.	1	C8OZ 16D154-A
68/70	X		1	
		L.H.	1	C8OZ 16D155-A
70/71	B	R.H.	1	D0OZ 16D154-A
		L.H.	1	D0OZ 16D155-A
	16160-1 MOULDING - FRONT FENDER FRONT - INCLUDING ATTACHING PARTS			
68	A	R.H.	1	C8AZ 16160-A
		L.H.	1	C8AZ 16161-A
70	B(except 66C,E,71E)	R.H.-includes Blue vinyl insert	1	D0OZ 16160-D
		L.H.	1	D0OZ 16161-D
70	B(except 66C,E,71E)	R.H.-includes Brown vinyl insert	1	D0OZ 16160-A
		L.H.	1	D0OZ 16161-A
70	B(except 66C,E,71E)	R.H.-includes Green vinyl insert	1	D0OZ 16160-B
		L.H.	1	D0OZ 16161-B
70	B(except 66C,E,71E)	R.H.-rear-includes Black vinyl insert - repl. by D3OZ 16003-A (11/73)	1	★D0OZ 16160-C
71	B(except 66E,71E)		1	
		L.H.-rear-repl. by D3OZ 16004-A (11/73)	1	★D0OZ 16161-C
71/	F(exc.63R,Boss 351)	R.H.-bright finish	1	D1ZZ 16160-A
		L.H.	1	D1ZZ 16161-A
71/	F(63R,Boss 351)	R.H.-paint to match	1	D1ZZ 16160-B
72	F(65D,76)		1	
		L.H.	1	D1ZZ 16161-B
72	P(54,62A)	R.H.-includes Blue vinyl insert	1	D2DZ 16160-AB
		L.H.	1	D2DZ 16161-AB
		R.H.-includes Brown vinyl insert	1	D2DZ 16160-AT
		L.H.	1	D2DZ 16161-AT
		R.H.-Includes Copper vinyl insert	1	D2DZ 16160-AC
		L.H.	1	D2DZ 16161-AC
		R.H.-includes Green vinyl insert	1	D2DZ 16160-AR
		L.H.	1	D2DZ 16161-AR
		R.H.-includes White vinyl insert	1	D2DZ 16160-AJ
		L.H.	1	D2DZ 16161-AJ
66	S	R.H.	1	C6SZ 16160-A
		L.H.	1	C6SZ 16161-A
66	S	Screw (moulding to stone deflector)-No.8-18 x 3/8"	2	52720-S8 (U380)
71	B	Nut & washer (moulding to fender)-No.8-32	8	377523-S100 (MM291C)
71	F	Nut (moulding to fender)-5/32" self threading	6	382110-S100 (MM284X)
71	F	Rivet (moulding to fender)-1/8" x 1 5/8"	14	383229-S(SS44E)
	16D162 SHIM - FRONT FENDER TO DASH -Also refer to Group 3043			
68	A	Top at cowl side	AR	C8AZ 16D162-A
68/71	A	At rear bottom	AR	C8AZ 16D162-B
	16B164 SPACER - RADIATOR SUPPORT EXTENSION TO UPPER BRACKET			
72	S		2	D2SZ 16B164-A
	16D168-9 GRILLE - FRONT FENDER			
69/70	F(Shelby GT350/500)	R.H.	1	C9ZZ 16D168-A
		L.H.	1	C9ZZ 16D169-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16C170 BRACKET - FRONT FENDER APRON - REAR			
66/68	U		2	C6TZ 16C170-A
69/	U		2	C9TZ 16C170-A
66/	U	Screw (bracket to apron to fender)-5/16"-18 x 3/4"	4	★55615-S8
66/	U	Retainer nut (bracket to apron to fender)-5/16"-18	4	370328-S(MM188)
	16D186-7 REINFORCEMENT - FRONT FENDER TOP FRONT			
69/70	A	R.H.	1	C9AZ 16D186-A
		L.H.	1	C9AZ 16D187-A
71/	A	R.H.	1	D1AZ 16D186-A
		L.H.	1	D1AZ 16D187-A
72	B	R.H.	1	D2OZ 16D186-A
		L.H.	1	D2OZ 16D187-A
72	S	R.H.	1	D2SZ 16D186-A
		L.H.	1	D2SZ 16D187-A
	16C194-5 BRACKET - FRONT FENDER TO PILLAR			
67/71	S	R.H.-on pillar	1	C7SZ 16C194-A
		L.H.	1	C7SZ 16C195-A
	16B196 TRANSFER KIT - MODEL IDENTIFICATION			
70	B(63H)	"Cobra"	1	D0OZ 16B196-A
	16B198-9 GUSSET ASSY. - FRONT FENDER APRON TO RADIATOR SUPPORT			
71/	L	R.H.	1	D1FZ 16B198-A
		L.H.	1	D1FZ 16B199-A
	16A200-1 BRACKET - FRONT FENDER APRON TO FRAME			
72	S	R.H.	1	D2SZ 16A200-A
		L.H.	1	D2SZ 16A201-A
	16B200-1 REINFORCEMENT - APRON and RADIATOR SUPPORT SIDE			
72	S		2	D2SZ 16B200-A
72	S	Screw (bracket to frame)	4	39909-S7(U269D)
	16D200 PLATE - FRONT FENDER APRON ACCESS HOLE COVER			
71/	L		2	D1FZ 16D200-A
	16B204 BRACKET - FRONT FENDER APRON REAR MOUNTING - LOWER			
69/70	A		2	C9AZ 16B204-A
71/	A		2	D1AZ 16B204-A
69/70	A	Screw (bracket to frame)-3/8"-16 x 1 1/4"	2	382062-S2 (UU52AA)
	16D204-7 PLATE - FRONT FENDER FRONT EXTENSION REINFORCEMENT			
71/	F	Front	2	D1ZZ 16D204-A
		R.H.	1	D1ZZ 16D206-A
		L.H.	1	D1ZZ 16D207-A
71/	F	Screw (plate to reinforcement)-No.8-18 x 1/2"	4	381797-S2 (UU89J)
	16C220 SPACER - FRONT FENDER MOUNTING			
72	S		1	D3SZ 16C220-A
	16222-3 BRACE - FRONT FENDER TO APRON			
70/71	S	R.H.	1	D0SZ 16222-A
		L.H.	1	D0SZ 16223-A
	16224 BODY STRIPE - COMPLETE CAR KIT - Also refer to Body Group 20000			
65/68	F(Shelby GT350)	"GT 350"-Blue	1	S1MS 16224-B
		"GT 350"-White	2	S1MS 16224-C
67/68	F(Shelby GT500)	"GT 500"-Blue	1	S7MS 16A224-B
		"GT 500"-White	1	S7MS 16A224-E
68	F(Shelby GT350)	"GT 350"-Black	1	S8MS 16224-E
68	F(Shelby GT500)-K.R.	Blue - not replaced (5/75)	1	★ S8MS 16A224-B
		White	1	S8MS 16A224-E
		Black - not replaced (5/75)	1	★ S8MS 16A224-H
	16A224 ROCKER PANEL STRIPE - KIT - Refer to Group 16224			

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16228-9 ORNAMENT - FRONT FENDER - Also refer to Groups 15A460, 16098, 16178-9, 42528			
	- A -			
65	A	"427" -fender	2	C5AZ 16228-A
		"390"	2	C5AZ 16228-B
		"352"	2	C5AZ 16228-C
		"427" -carb. air cleaner cover	Δ1	C3AZ 16228-D
65	A(71A, E)	Horse head	Δ2	C5AZ 16228-E
66	A	R.H. -"428"	Δ1	C6AZ 16228-G
		L.H.	Δ1	C6AZ 16229-D
66	A(71A, E)	R.H. -Horse head	Δ1	C6AZ 16228-J
		L.H.	Δ1	C6AZ 16229-F
66	A(54A, B, E, 57B, 62B, E, 63B, 71B, C, D, 76A)	"Ford" -scalloped top	Δ2	C6AZ 16228-A
	A(54A, 57B, 63B, 71B-C, 76A)	"Ford" -plain top	Δ2	C6AZ 16228-B
	A(57F, 63C-F, 76B)	10 21/32"	Δ2	C6AZ 16228-C
	A(63D, 76D)	R.H. -"7 Litre"	Δ1	C6AZ 16228-D
		L.H.	Δ1	C6AZ 16229-A
66	A	R.H. -"352"	Δ1	C6AZ 16228-H
		L.H.	Δ1	C6AZ 16229-E
		R.H. -"390"	Δ1	C6AZ 16228-E
		L.H.	Δ1	C6AZ 16229-B
		R.H. -"427"	Δ1	C6AZ 16228-F
		L.H.	Δ1	C6AZ 16229-C
67	A	R.H. -"390"	Δ1	C6AZ 16228-E
		L.H.	Δ1	C6AZ 16229-B
		R.H. -"427"	Δ1	C7AZ 16228-A
		L.H.	Δ1	C7AZ 16229-A
		R.H. -"428"	Δ1	C7AZ 16228-B
		L.H.	Δ1	C7AZ 16229-B
68	A	"427"	Δ2	C8AZ 16228-A
		"428"	Δ2	C8AZ 16228-B
		"390"	Δ2	C8AZ 16228-C
68	A(63C, 76B)	Ornament	Δ10	C8AZ 16228-E
69	A(63C, 76B)	Ornament	Δ10	C9AZ 16228-A
69/70	A(71A, E) - "Before 9/1/69"	R.H. -vertical bars-pressure sensitive tape	1	D0AZ 16228-J
		L.H.	1	D0AZ 16229-F
70	A(71A, E) - "From 9/1/69"	R.H. -vertical bars	Δ1	D0AZ 16228-J
		L.H.	Δ1	D0AZ 16229-F
	- B -			
65/66	B	"289"	Δ2	C5OZ 16228-A
67/68	B	"289"	Δ2	C8OZ 16228-C
68	B	"302"	Δ2	C8OZ 16228-B
69	B	"351"	2	C9GZ 16228-A
66	B	"390"	Δ2	C6OZ 16228-A
67	B	"390"	Δ2	C7OZ 16228-B
68/69	B	"390"	Δ2	C8OZ 16228-D
67	B	R.H. -"427"	Δ1	C6AZ 16228-F
		L.H.	Δ1	C6AZ 16229-C
68/69	B	"427"	Δ2	C8OZ 16228-A
68	B	"428"	2	C8AZ 16228-B
69	B-except Cobra Jet	"428"	2	C9GY 16228-A
	B(63B, E, 65A, E)-with 428 CJ	Snake Cobra-adhesive backed	2	C9OZ 16228-A
70	B(54B, 65B, 66A, 71B)	R.H. & L.H. -ornament	4	D0OZ 16228-A
70	B	R.H. & L.H. -"351"	2	D0OZ 16228-B
		R.H. & L.H. -"429"	2	D0OZ 16228-C
70	B(63H)	Snake Cobra-Refer to 16B196		
	-F -			
65	F	"260" -painted area black	Δ2	C4DZ 16228-C
65/66	F	"289" -silver	Δ2	C3OZ 16228-B
65/66	F(8 cyl. 289)-Special	"High performance"	Δ2	C5ZZ 16228-B
65/67	F	R.H. -Running Mustang-plain	Δ1	C5ZZ 16228-D
68	F(except GT/CS)		Δ1	
65/67	F	L.H. -Running Mustang-plain	Δ1	C5ZZ 16229-B
68	F(except GT/CS)		Δ1	

Δ Includes attaching parts

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16228-9 ORNAMENT - FRONT FENDER - continued - Also refer to Groups 15A460, 16098, 16178-9			
	- F -			
65/66	F(Shelby GT350)	"GT350"	1	S1MS 16229-A
67	F	R. H. -"289"	Δ1	C7ZZ 16228-C
68	F(except GT/CS)		Δ1	
67	F	L. H. -"289"	Δ1	C7ZZ 16229-C
68	F(except GT/CS)		Δ1	
68	F(except GT/CS)	R. H. -"302"	Δ1	C8ZZ 16228-A
		L. H.	Δ1	C8ZZ 16229-A
67/68	F(except GT/CS)	R. H. -Running Mustang-"390"	Δ1	C7ZZ 16228-D
		L. H.	Δ1	C7ZZ 16229-D
69/70	F(Shelby GT500)	Cobra 428 jet	2	C9ZZ 16228-C
69/70	F(Shelby GT350/500)	Snake Cobra-used on quarter panel	2	C9OZ 16228-A
69/70	F(63A)-except White cars	"Boss 429"-White-decal	2	C9ZZ 16228-D
69/70	F(63A)-White cars	"Boss 429"-Black-decal	2	C9ZZ 16228-E
69	F(except Shelby GT350/500)	"351"	1	C9ZZ 16228-A
70	F(except GT, 65E & Shelby GT350/500)		2	
69	F(except Shelby GT350/500)	"390"	1	C9ZZ 16228-B
70	F(except GT & Shelby GT350/500)		2	
	- S -			
65	S	Outer frame-"U" shape-R. H.	Δ1	C5SZ 16228-A
		Outer frame-"U" shape-L. H.	Δ1	C5SZ 16229-A
		Inner grid-5 strips-R. H.	Δ1	C5SZ 16228-B
		Inner grid-5 strips-L. H.	Δ1	C5SZ 16229-B
	- U -			
66/68	U	"289"	Δ2	C3OZ 16228-B
69/71	U	"302"	Δ2	C8OZ 16228-B
	- X -			
65	X	"289"	Δ2	C3OZ 16228-B
66	X	"289"	Δ2	C5OZ 16228-A
67	X	"289"	Δ2	C8OZ 16228-C
66	A(except 71A, E)	Nut & washer assy. (ornament to fender)-1/4" self threading	4or6	371882-S7 (MM287)
65	A(71A, E)	Nut-self-threading (medallion to fender-3/16"	2	373503-S7-8 (MM285A)
66	A(71A, E)	Nut & washer assy. (ornament to fender)-3/16" self threading	4	373504-S7 (MM285B)
70	B	Nut (ornament to fender)-1/8" self threading	8	373888-S7-8 (MM290)
67	F	Nut(medallion to fender)-3/32" spring	AR	374136-S8 (MM259X)
65	A	Nut("390" or "427" ornament to air cleaner)	1	375480-S102 (MM222E)
65	A	Nut (ornament to fender)	AR	
66	B	(ornament to fender)	2	
65/68	F, U	Nut ("289" ornament to fender)-3/16" sleeve	4	
65/66	X	("289" ornament to fender)	2	
65	B	Nut (ornament to fender)-1/8" sleeve	2	375890-S100 (MM222A)
69/70	A	Nut (ornament to fender)-1/4" self threading	1	376842-S100 (MM288A)
65/68	F	Nut (ornament to fender)-3/32" sleeve	4	378362-S102 (MM228)
70	B	Nut (emblem to fender)-No. 8-32	4	381747-S100 (MM191B)
	16234 RETAINER - OUTSIDE MOULDING			

REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER

Δ Includes attaching parts

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16A238 SEAL - RADIATOR SUPPORT TO HOOD			
	- A -			
65	A	Refer to Group 8349		
	- B -			
66/67	B	Rubber	1	C6OZ 16A238-A
69	B(except 71)-with 428CJ	Rubber	1	C9OZ 16A238-A
	- F -			
65/66	F	Rubber-34 23/32"	1	C4DZ 16A238-A
67/68	F(6 cyl. 200, 8 cyl. 390)		1	
69	F(8 cyl. 390-4V)		1	
70	F(6 cyl. 200, 8 cyl. 428CJ)		1	
	- L -			
71/	L(4 cyl. 122)-with A/C	Cut to fit	1	C4DZ 16A238-A
	- X -			
65	X(6 cyl.)	Rubber-34 23/32" long	1	C4DZ 16A238-A
66/67	X	Rubber	1	C6OZ 16A238-A
	16240 SEAL - FRONT FENDER APRON TO FRAME			
	- A -			
67	A	R. H. -lower rear of apron to frame	1	C8MY 16240-A
		L. H.	1	C8MY 16240-B
65/68	A	Rubber-front	2	C5AZ 16240-A
68	A	R. H. -lower-rear of apron to frame-includes retainer	1	C8AZ 16240-A
		L. H.	1	C8AZ 16240-B
69/70	A	Apron to frame	2	C9AZ 16240-A
69/70	A	R. H. -apron to frame -r/b D1AZ 16240-B(10-72)	1	★D0AZ 16240-A
69	A	L. H.	1	C9AZ 16240-C
70	A	L. H.	1	D0AZ 16240-B
71/	A	Apron to frame	2	D1AZ 16240-A
71/	A	R.H.-apron to frame	1	D1AZ 16240-B
		L.H.	1	D1AZ 16240-C
	- B -			
72	B	Tire carcass	2	D2OZ 16240-A
72	B	R.H.-plastic	1	D2OZ 16240-B
		L.H.	1	D2OZ 16240-C
	-S -			
67	S	Apron to frame-front	2	C7SZ 16240-C
68	S	R. H. -apron to frame	1	C8LY 16240-A
		L. H.	1	C8SZ 16240-C
69/71	S	R. H. & L. H. -apron to frame	2	C8SZ 16240-A
72	S "Before 6/1/72"	Tire carcass	2	D2SZ 16240-A
72	S "From 6/1/72"	Tire carcass - r/b D3SZ 16240-A (5/75)	2	★D2SZ 16240-B
67	A	Screw (seal to apron)-No.10-12 x 1/2"	2	42127-S8(U248C)
65/	A	Screw (seal to apron)-No.10-12 x 5/8"	AR	42134-S8(U249)
70	S	(seal to frame)	2	
70	S	(seal to fender extension apron lower)	8	
67/70	S	(seal to fender apron)	10	
65/68	A	Washer (seal to lower apron)-1/4" flat	2	44720-S8(X18)
71	A	Washer (seal to apron)-5/16"	8	44722-S8(X19)
68	A	Nut-hex. (seal to apron)-3/8"-16	1	★55713-S
71	A	Screw (seal to apron)-1/4"-14 x 3/4"	8	55914-S2(U254F)
68/70	A	Screw (seal to apron)-1/4" -14 x 1/2"	4	55981-S2(U254E)
67	A	Washer flat (seal to apron to frame)-5/16"	1	★356817-S
65/68	A	Clip (seal to lower apron)-improvise	4	★377926-S2
67	A	Stud (seal to apron to frame)-3/8"-16 x 2"	1	380311-S2(WW80G
68	A	Stud (seal to apron)-3/8"-16 x 2"	1	★382038-S
	16246 SEAL - FRONT FENDER TO FRONT BODY PILLAR			
65/66	F		2	★

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16A248-9 EXTENSION - FRONT FENDER APRON TO DASH			
72	S	R.H.	1	D2SZ 16A248-A
		L.H.	1	D2SZ 16A249-A
65/66	F	Bolt-hex.head with lockwasher (extension to brace)-3/8"-16 x 1 1/8"	2	373162-S(BB563A)
65/66	F	Nut-hex.(extension to brace)-3/8"-16	2	373403-S8 (MM173J)
	16249 RETAINER - OUTSIDE MOULDING			

REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER

16250-1 RAIL - FRONT FENDER OUTSIDE FINISH - INCLUDES ATTACHING PARTS

YEAR	MODEL	DESCRIPTION	QTY.	RIGHT HAND	QTY.	LEFT HAND
	- A -					
65	A(71A, E)		1	C5AZ 16250-A	1	C5AZ 16251-A
66	A(71A, E)		1	C6AZ 16250-A	1	C6AZ 16251-A
67	A(71A, E)		1	C7AZ 16250-A	1	C7AZ 16251-A
68	A(71A, E)		1	C8AZ 16250-A	1	C8AZ 16251-A
69/70	A(71A, E)		1	D0AZ 16250-A	1	D0AZ 16251-A
71	A(71H)		1	D1AZ 16250-B	1	D1AZ 16251-B
72	A(71H)		1	D2AZ 16250-A	1	D2AZ 16251-A
	- B -					
66/67	B(71E)		1	C6OZ 16250-A	1	C6OZ 16251-A
68/69	B(71E)		1	C8OZ 16250-A	1	C8OZ 16251-A
70/71	B(66E, 71E)		1	D0OZ 16250-A	1	D0OZ 16251-A
72	B(71K, 97K)		1	D2OZ 16250-A	1	D2OZ 16251-A
	- L -					
72	L(73 Squire)		1	D2FZ 16250-A	1	D2FZ 16251-A
69/70	A(71A, E)	Screw (rail to fender extension)-No. 8-18 x 1/2"	4			52413-S13(U316)
65/66	A(71A, E)	Retainer (rail to fender)	AR			358403-S2(GG54)
65/66	A(71A, E)	Cap (rail to fender)	AR			358404-S(DD1)
66/67	B(71E)		AR			
65/66	A(71A, E)	Screw (rail to fender)-No. 10 -16 x 3/4"	4			376382-S45 (UU82JA)
65	A(71A, E)	Screw-pan head (rail to fender)-No.10-16 x 1 1/4"	AR			376599-S101 (UU81D)
68	B(71E)	Nut (rail to fender)-No.8-32 crown	4			377522-S100 (MM115D)
65/66	A(71A, E)	Screw & washer assy. (rail to fender)-	AR			★379746-S100
66/67	B(71E)	No. 10-24 x 1 1/4" pan head	AR			
69/70	A(71A, E)	Nut & seal (rail to fender)-No. 8-32	4			381747-S100
70/71	B(71E)		4			(MM191B)
	16256 -7 REINFORCEMENT - FRONT FENDER REAR SPLASH SHIELD					
67/70	F	R. H. -steel	1			C7ZZ 16256-A
		L. H.	1			C7ZZ 16257-A
67/70	F	Screw and washer (reinforcement to shield)-1/4"-14 x 3/4"	2			55914-S2(U254F)
67/70	F	Nut (reinforcement to shield)-5/16"-18	2			370328-S2(MM188)
	16A280 BRACKET - FRONT FENDER TO HEADLAMP SUPPORT BRACE					
69	B(Talladega)	Improvise from 13 gauge steel-3" x 1"	2			★

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16296-7 BRACKET - FRONT FENDER APRON TO DASH			
69/70	A(except 76)	R.H.	1	C9AZ 16296-A
		L.H.	1	C9AZ 16297-A
71/	A(except 76)	R.H.	1	D1AZ 16296-A
		L.H.	1	D1AZ 16297-A
69/70	A(exc. 76)	Screw (bracket to cowl)-5/16"-18 x 1/2"	6	40923-S8(U264)
69/70	A(exc. 76)	Screw & washer (bracket to fender)	4	★57042-S2
69/70	A(exc. 76)	Flat washer (bracket to fender)-3/8"	4	351405-S7(XX147)
69/70	A(exc. 76)	Nut retainer (bracket to fender)-5/16"-18	4	379114-S2 (MM192A)
	16304 ANTI-SQUEAK - FRONT FENDER MOULDING TO BUMPER			
69/70	F(Shelby GT350/500)		2	C9ZZ 16304-A
	16350-1 EXTENSION - FRONT FENDER APRON LOWER - REAR			
67/71	S	R.H.-rear	1	C8SZ 16350-B
		L.H.	1	C8SZ 16351-B
70/71	S	Nut & retainer (extension to apron)-5/16" -18	8	★45268-S2
70/71	S	Screw & washer (extension to apron to fender)	12	57140-S2(B340H)
67/71	S	Washer (extension to frame)-5/16"	4	★356817-S2
70/71	S	Nut (extension to apron)-5/16" -18	2	★357312-S2
67/69	S	Screw (extension to apron)-5/16"-18 x 1"	AR	378178-S2(BB412B)
70/71	S	Nut & retainer (extension to apron to fender)-5/16"-18	4	379114-S2 (MM192AD)
67/69	S	Nut & retainer (extension to apron)-5/16"-18	AR	379831-S2 (MM192M)
	16410 -1 PANEL - FRONT FENDER SIDE FINISH			
71	A(53,57H,K,65H,K,76)	R.H.-rear	1	D1AZ 16410-A
72	A(53,57H,K,65H,K,71H,76)	R.H.	1	
		L.H.	1	D1AZ 16411-A
71/	A(53,57H,K,65H,K,71H,76)	R.H. -front	1	D1AZ 16410-B
		L.H.	1	D1AZ 16411-B
65	X(54B,62B,63,71B,76A)	R.H. -Black-ret. by fdr. mldg.	1	C5DZ 16410-A
		L.H. -Black	1	C5DZ 16411-A
		R.H. -White	1	C5DZ 16410-B
		L.H. -White	1	C5DZ 16411-B
71/	A(53,57H,K,65H,K,71H,76)	Rivet (panel to fender)-1/8"	4	375203-S(SS44)
	16466 STIFFENER - FRONT FENDER REINFORCEMENT - REAR			
71/	A		2	D1AZ 16466-A
	16476 REINFORCEMENT - HOOD FRONT QUARTER PANEL			
69	B,F	Use with pin type hood locks	2	C9OZ 16476-A
	16494 EXTENSION - HOOD INNER PANEL - FRONT			
66	S "From 9/16/65"	Not replaced (11/73)	1	★C6SZ 16494-B
66	S	Screw (extension to hood)-No. 14-10 x 5/8"	4	31498-S8(U253B)
	16A550 GUARD WHEEL SPLASH - KIT			
69/	A	Front or rear-not to be used on front fender of vehicles with F70 x 14 or E78 or 14 tires-not to be used on rear fender of vehicles with tire chains	AR	★D0ZZ 16A550-A
69/	B		AR	D5AZ 16A550-A (5-75)
68/	F		AR	
71/	L,P		AR	
	16B554-5 SHIELD - FRONT FENDER TO BUMPER SPLASH			
70/71	B	Rubber	2	D0OZ 16B554-A
71/	F(exc.63R & Boss 351)	R.H.-Black	1	D1ZZ 16B554-A
		L.H.	1	D1ZZ 16B555-A
67	S	R.H. -black rubber	1	C7SZ 16B554-B1A
		L.H.	1	C7SZ 16B555-B1A
67	S	R.H. -gray rubber	1	C7SZ 16B554-B1P
		L.H.	1	C7SZ 16B555-B1P

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16B554-5 SHIELD - FRONT FENDER TO BUMPER SPLASH - continued			
68/69	S	R.H.-black rubber	1	C8SZ 16B554-A1A
		L.H.	1	C8SZ 16B555-A1A
68/69	S	R.H.-gray rubber	1	C8SZ 16B554-A1P
		L.H.	1	C8SZ 16B555-A1P
70/71	S	R.H.-Black	1	D0SZ 16B554-F
		L.H.	1	D0SZ 16B555-F
70/71	S	R.H.-Gray	1	D0SZ 16B554-G
		L.H.	1	D0SZ 16B555-G
71/	F	Nut-No.8-18 spring	2	45174-S8(M38)
70	S	Screw (shield to fender)-No. 8-18 x 5/8"	8	375453-S100 (BB658C)
67/69	S	Screw-pan head (shield to fender)-1/4"-20 x 1 1/2"	AR	381942-S7 (BB839A)
71	S	Screw-No.8-18 x 3/4"-round washer head	12	★382064-S2
70/71	B	Pin (shield to fender extension)	4	382570-S(HH8T)
70/71	B	(shield to fender)	2	
	16G556-7 PLATE - FRONT FENDER FRONT EXTENSION			
70	F	R.H.	1	D0ZZ 16G556-A
		L.H.	1	D0ZZ 16G557-A
	16D562-3 SEAL - FRONT FENDER SPLASH SHIELD REAR			
68/69	B	R.H.	1	C8OZ 16D562-A
		L.H.	1	C8OZ 16D563-A
	16D566-7 SHIELD - FRONT FENDER SPLASH UPPER REAR			
68/69	B	R.H.	1	C8OZ 16D566-A
68/70	X		1	
68/69	B	L.H.	1	C8OZ 16D567-A
68/70	X		1	
68/69	B	Screw-1/4"-14 x 3/4" (att. shield to apron)	2	55914-S2(U254F)
68/70	X		2	
	16C567 WEATHERSTRIP - FRONT FENDER REAR SPLASH SHIELD			
65/67	F	Improvise from tire carcass approx 3 1/2" x 24"	2	★
65/67	S	Cut to 31 1/4" from B9MB 16170-B	2	★
	16570-1 FILLER - FRONT FENDER			
71	F	R.H.-not required "From 6/1/71"-upper rear	1	D1ZZ 16570-A
		L.H.-not replaced (10-72)	1	★D1ZZ 16571-A
70/71	B	Pin (attach filler to body)	6	382570-S(HH8T)
72	S	R.H.-upper rear	1	D2SZ 16570-A
		L.H.	1	D2SZ 16571-A
	16A572 SEAL - FRONT FENDER			
	- B -			
66/67	B	Rubber-approx. 16 1/2" long	2	C6OZ 16A572-A
68	B "Before 3/8/68"		2	C8OZ 16A572-A
68/69	B "From 3/8/68"	R.H.	1	C8OZ 16A572-B
		L.H.	1	C8OZ 16A572-C
	- F -			
65/66	F	Rubber-approx. 2 1/2" wide	2	C5ZZ 16A572-A
67/68	F	Masticated tire casing	2	C7ZZ 16A572-A
	- X -			
65	X	Rubber	2	C4DZ 16A572-A
66/67	X	Rubber-approx. 16 1/4" long	2	C5DZ 16A572-A
68/70	X	R.H.	1	C8DZ 16A572-B
		L.H.	1	C8DZ 16A572-C
66/69	B	Screw-hex.washer head-self-tapping (seal to radiator support)-No.10-12 x 5/8"	AR	42134-S8(U249)
66/70	X		AR	
67/68	F	Staple (seal to shield)	AR	★370168-S10

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16B572-3 EXTENSION - FRONT FENDER REAR SPLASH SHIELD - UPPER			
66/67	B, X	R.H. - r/b C6OZ 16B572-B (5-75)	1	★C6OZ 16B572-A
		L.H.	1	C6OZ 16B573-A
68/69	B	R.H.	1	C8OZ 16B572-A
		L.H.	1	C8OZ 16B573-B
68/70	X	R.H.	1	C6OZ 16B572-B
		L.H.	1	C8DZ 16B573-B
66/67	B	Screw (extension to body)-No. 10-14 x 5/8"	4	31498-S8(U253B)
66/70	X	(extension to body)	4	
65/66	S	Bolt & lockwasher (extension to shield)-5/16"-24 x 1 1/8"	2	353483-S2(BB588)
65/66	S	Locknut (extension to shield)-5/16"-24	2	354299-S2(MM156)
65/66	S	Screw (extension front fender to shield assy.-front)-5/16"-18 x 3/4"	2	359662-S7-8 (BB575A)
	16D574-5 RETAINER - FRONT FENDER SPLASH SHIELD to BUMPER			
70	S "Before 9/10/69"		2	D0SZ 16D574-A
70	S "From 9/10/69"	R.H.	1	D0SZ 16D574-B
		L.H.	1	D0SZ 16D575-A
	16A582-3 SEAL - FRONT FENDER SPLASH SHIELD - REAR - Also refer to Group 16102-3			
66/67	B	R.H.	1	C6OZ 16A582-A
		L.H.	1	C6OZ 16A583-A
65	X(6 cyl.-except 63, 76)	Rear-tire casing-used with C4DZ 16102-3-A	2	C4DZ 16A582-A
66/70	X	R.H.	1	C6OZ 16A582-A
		L.H.	1	C6OZ 16A583-A
66/67	B	Screw-hex.washer head-self-tapping (seal to shield)-No.10-12 x 5/8"	AR	42134-S8(U249)
66/70	X		AR	
65	X	Screw (seal to body)-No.14-10 x 3/4"	2	42143-S(U255)
66/67	B	Clip (seal to body	AR	371141-S32
66/70	X		AR	(GG121A)
	16596-7 BRACKET - FRONT FENDER APRON - FRONT			
66/	U	R.H.	1	C6TZ 16596-A
		L.H.	1	C6TZ 16597-A
66/	U	Screw (bracket to fender to apron)-5/16"-18 x 3/4"	4	★55615-S8

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16A600 STRAP - HOOD GROUND			
68/71	S		1	♦C7SA 16A600-A
	16A603 REINFORCEMENT - HOOD LATCH ON HOOD			
70/71	B		1	D0DZ 16A603-A
71/	L		1	
70/	P		1	
70/71	B, P	Nut & retainer (support to hood)-5/16"-18	2	★45268-S2
71/	L		2	
70/	P		2	
70/71	B, P	Screw & washer (support to hood)-5/16"-18 x 7/8"	2	57140-S2(B340H)
71/	L		2	
70/	P		2	
	16606 LETTER - INCLUDES ATTACHING PARTS			
	- A -			
65	A "Before 11/25/64"	Hood, l/compt. or t/gate		
		"F"-3/4" high x 1 9/16" long w/studs	†2	C5AZ 16606-A
		"O"-3/4" high x 1 3/4" long w/studs	†2	C5AZ 16606-B
		"R"-3/4" high x 1 5/8" long w/studs	†2	C5AZ 16606-C
		"D"-3/4" high x 1 5/8" long w/studs	†2	C5AZ 16606-D
65	A "From 11/25/64"	Hood, l/compt. or t/gate		
		"F"-3/4" high x 1 9/16" long w/studs	‡2	C5AZ 16606-E
		"O"-3/4" high x 1 3/4" long w/studs	‡2	C5AZ 16606-F
		"R"-3/4" high x 1 5/8" long w/studs	‡2	C5AZ 16606-G
		"D"-3/4" high x 1 9/16" long w/studs	‡2	C5AZ 16606-H
66	A	Hood		
66	A(54E, 57F, 62E, 63C, F, 71, 76B)	L/compt, or t/gate		
		"F"-3/4" high x 1 3/4" long w/studs	1	C6AZ 16606-A
		"O"-13/16" high x 2" long w/studs	1	C6AZ 16606-B
		"R"-3/4" high x 1 13/16" long w/studs	1	C6AZ 16606-C
		"D"-3/4" high x 1 3/4" long w/studs	1	C6AZ 16606-D
66	A(54A, 57B, 63B, 76A)	"F"-"O"-"R"-"D"-refer to body Group 40282		
67/68	A	Hood		
69/70	A(71A, E)	T/gate		
71/	A(71H)	T/gate		
		"F"-1/2" high x 1 1/8" long w/studs	1	C7AZ 16606-A
		"O"-9/16" high x 1 1/8" long w/studs	1	C7AZ 16606-B
		"R"-1/2" high x 1 1/8" long w/studs	1	C7AZ 16606-C
		"D"-1/2" high x 1 1/8" long w/studs	1	C7AZ 16606-D
68	A	"L"-hood	1	C8AZ 16606-A
		"T"	1	C8AZ 16606-B
		"D"	1	C8AZ 16606-C
69/70	A(54A, B, E, 57B, 62, 63B, 65C, 71B, C, D, H, J, 76A)	Hood		
70	A(63C, 76B)-with 429 tape stripe			
71/	A(54B, D, F, 57F, 65D, F, 71B, D, F)-"From 10/5/70"	Hood		
71	A(53, 57H, K, 71H, 76) "From 10/5/70"	L/compt. or t/gate		
		"F"-1/2" high x 1 1/8" long-adhesive backed	1	C9AZ 16606-A
		"O"-9/16" high x 1 1/8" long-adhesive backed	1	C9AZ 16606-B
		"R"-1/2" high x 1 1/8" long-adhesive backed	1	C9AZ 16606-C
		"D"-1/2" high x 1 1/8" long-adhesive backed	1	C9AZ 16606-D
69/70	A(54C, 57F, 65A, 71A, E)	"L"-hood	1	C9AZ 16606-E
		"T"	1	C9AZ 16606-F
		"D"	1	C9AZ 16606-G

† With Black paint accents ‡ Less Black paint accents ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16606 LETTER - INCLUDES ATTACHING PARTS			
	- A -			
70	A(63C,76B)	"X"	1	D0AZ 16606-A
		"L"	1	D0AZ 16606-B
71/	A(53,57H,K,65H,K,71H,76)	"L" - hood	1	D1AZ 16606-A
		"T"	1	D1AZ 16606-B
		"D"	1	D1AZ 16606-C
71	A(54D,F,57F,65F,71B,D,F) "Before 10/5/70"	Kit-includes letters "F"-"O"-"R"-"D"-hood	1	D1AZ 16606-H
71	A(53,57H,K,71H,76) "Before 10/5/70"	-l/compt. or t/gate	1	
	- B -			
65	B "Before 1/4/65"	Hood,lower back panel,or t/gate		
		"F"-3/4" high x 1 9/16" long w/studs	†2	C5AZ 16606-A
		"O"-3/4" high x 1 3/4" long w/studs	†2	C5AZ 16606-B
		"R"-3/4" high x 1 5/8" long w/studs	†2	C5AZ 16606-C
		"D"-3/4" high x 1 5/8" long w/studs - r/b C5AZ 16606-H (5-75)	†2	★C5AZ 16606-D
65/66	B "From 1/4/65"	Hood,lower back panel,or t/gate		
67	B	Hood,l/compt.or t/gate		
67	B	"F"-3/4" high x 1 9/16" long w/studs	‡2	C5AZ 16606-E
		"O"-3/4" high x 1 3/4" long w/studs	‡2	C5AZ 16606-F
		"R"-3/4" high x 1 5/8" long w/studs	‡2	C5AZ 16606-G
		"D"-3/4" high x 1 3/4" long w/studs	‡2	C5AZ 16606-H
68	B(54C,65C,71E)	L/compt. or t/gate		
69	B(71E)	T/gate		
72	B	Hood		
		"F"-1/2" high x 1 1/8" long w/studs	1	C7AZ 16606-A
		"O"-9/16" high x 1 1/8" long w/studs	1	C7AZ 16606-B
		"R"-1/2" high x 1/8" long w/studs	1	C7AZ 16606-C
		"D"-1/2" high x 1 1/8" long w/studs	1	C7AZ 16606-D
68/69	B	Hood		
68	B(54A,B,65A,B,D,E,71B,D,76)	L/compt. or t/gate		
69	B(54A,B,65A,B,E,71,76B,E)	L/compt. or t/gate		
		"F"-3/4" high x 1 9/16" long w/studs	1	C8OZ 16606-A
		"O"-3/4" high x 1 3/4" long w/studs	1	C8OZ 16606-B
		"R"-3/4" high x 1 5/8" long w/studs	1	C8OZ 16606-C
		"D"-3/4" high x 1 9/16" long w/studs	1	C8OZ 16606-D
70	B(63H,66A)	Hood		
70	B(54A,B,62A,65B,71B,D) "Before 6/24/70"	Hood		
70/71	B(54C,57,65C,E,76)	L/compt.		
70/71	B(54A,B,62,65B)	Back panel		
70/71	B(71B,C,D,E)	T/gate		
71	B(66B)-w/o special valve package	Hood,t/gate		
		"F"-1/2" high x 1 1/8" long-adhesive backed	1	C9AZ 16606-A
		"O"-9/16" high x 1 1/8" long-adhesive backed	1	C9AZ 16606-B
		"R"-1/2" high x 1 1/8" long-adhesive backed	1	C9AZ 16606-C
		"D"-1/2" high x 1 1/8" long-adhesive backed	1	C9AZ 16606-D
71	B(66A,C,E)	"F"-1 1/4" high x 3 7/16" long w/studs	1	D0TZ 16606-A
71	B(66B)-w/special value package		1	
		"O"-1 5/16" high x 3 1/8" long w/studs	1	D0TZ 16606-B
		"R"-1 1/4" high x 3 7/16" long w/studs	1	D0TZ 16606-C
		"D"-1 1/4" high x 3 7/16" long w/studs	1	D0TZ 16606-D
	- F -			
65/66	F	"F"-"O"-"R"-"D"-(Hood)-refer body group 40282		
67	F	Hood		
		"F"-1/2" high x 1 1/8" long w/studs	1	C7AZ 16606-A
		"O"-9/16" high x 1 1/8" long w/studs	1	C7AZ 16606-B
		"R"-1/2" high x 1 1/8" long w/studs	1	C7AZ 16606-C
		"D"-1/2" high x 1 1/8" long w/studs	1	C7AZ 16606-D
68/70	F(Shelby GT 350/500)	"S" - hood,l/compt. - not replaced (5-75)	2	★S8MS 16A606-A
		"H"	2	S8MS 16606-A
		"E"	2	S8MS 16606-B
		"L"	2	S8MS 16606-C
		"B"	2	S8MS 16606-D
		"Y"	2	S8MS 16606-E

† With Black paint accents ‡ Less Black paint accents

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16606 LETTER - INCLUDES ATTACHING PARTS - continued			
	- L -			
71/	L	"F"-1/2" high x 1 1/8" long w/studs	1	C7AZ 16606-A
		"O"-9/16" high x 1 1/8" long w/studs	1	C7AZ 16606-B
		"R"-1/2" high x 1 1/8" long w/studs	1	C7AZ 16606-C
		"D"-1/2" high x 1 1/8" long w/studs	1	C7AZ 16606-D
	- X -			
65	X	Hood		
		"F"-3/4" high x 1 1/2" long w/studs	1	C4DZ 16606-A
		"O"-3/4" high x 1 1/16" long w/studs	1	C4DZ 16606-B
		"R"-3/4" high x 1 9/16" long w/studs	1	C4DZ 16606-C
		"D"-3/4" high x 1 1/2" long w/studs	1	C4DZ 16606-D
65	X(66,78)	T/gate		
		"F"-7/8" high x 1 1/4" long w/studs	1	C2DZ 16606-A
		"O"-7/8" high x 1 1/2" long w/studs	1	C2DZ 16606-B
		"R"-7/8" high x 1 5/16" long w/studs	1	C2DZ 16606-C
		"D"-7/8" high x 1 5/16" long w/studs	1	C2DZ 16606-D
65	X(54A,D,59A,62A,D,71)	Lower back panel or T/gate		
		"F"-3/4" high x 1 1/2" long w/studs	1	C4DZ 16606-A
		"A"-refer body group 40282		
		"L"-refer body group 40282		
		"C"-refer body group 40282		
		"O"-3/4" high x 1 1/16" long w/studs	1	C4DZ 16606-B
		"N"-refer body group 40282		
65	X(54B,62B,63B,76)	"Falcon" (lower back panel)-refer to body group 42512		
66	X(66)	T/gate		
66/67	X	Hood-not required on units built from 9/1/66		
		"F"-3/4" high x 1 9/16" long w/studs	1	C5AZ 16606-E
		"O"-3/4" high x 1 3/4" long w/studs	1	C5AZ 16606-F
		"R"-3/4" high x 1 5/8" long w/studs	1	C5AZ 16606-G
		"D"-3/4" high x 1 9/16" long w/studs	1	C5AZ 16606-H
66	X(71)	T/gate-refer to 16098 group		
66	X(except 71)	L/compt.-refer to body groups 40282 and 425A02		
69/	A(54C,57F,65A,71A,E)	Nut (att. letter "T" to hood)-1/8" self threading	1	373888-S7-8
68	A	(att. letters "L.T.D." to hood)	6	(MM290)
68/69	B	(letter to hood)	8	
65	X	Nut (letter to hood)-1/8" sleeve	AR	375890-S100 (MM222A)
65/	A	Nut (letter to hood or t/gate)-3/32" sleeve	AR	378362-S102
65/67	B	(letter to hood)	8	(MM228)
67/68	F	(letter to hood)	8	
66/67	X	(letter to hood, l/compt. or t/gate)	8	
	16607 ORNAMENT - HOOD FRONT - Refer to Group 16637			
	16607 CLIP - LETTERS TO LUGGAGE COMPARTMENT			
68	F(Shelby GT 350/500)		15	S8MS 16607-A
	16A609-10 REINFORCEMENT ASSY. - HOOD HINGE BRACKET ON BODY			
67/69	S		1	C7SZ 16A609-A
70/71	S	R.H.	1	D0SZ 16A609-A
		L.H.	1	D0SZ 16A610-A
	16612 HOOD			
	- A -			
65/66	A		1	C5AZ 16612-B
67	A		1	C7AZ 16612-A
68	A		1	C8AZ 16612-A
69	A(54A,B,E,57B,62,63B,65C,71B,C,D,H,J,76A)		1	C9AZ 16612-B
70	A(54A,B,E,57B,63B,65C,71B,C,D,H,J)		1	
69/70	A(54C,57F,63C,65A,71A,E,76B)		1	D0AZ 16612-B
71/	A		1	D1AZ 16612-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16612 HOOD - continued			
	- B -			
65	B		1	C5OZ 16612-A
66	B(63D, 76D)	Vented-"GTA"	1	C6OZ 16612-B
66/67	B(except 63D, 76D)		1	C6OZ 16612-C
67	B(63D, 76D)	Without scoop	1	C7OZ 16612-B
68/69	B	Includes instructions for hood scoop installation	1	C8OZ 16612-B
70/71	B(exc. 63F, 66C, 76)	Without cowl top center vent	1	D0OZ 16612-C
70/71	B-with ram air	Includes instructions for ram air application	1	
70/71	B(63F, 66C, 76)-w/o ram air	Cowl top rear center vent not required for service	1	D0OZ 16612-D
72	B(53B, 65B, 71B)		1	D2OZ 16612-A
72	B(53D, 63, 65D, R, 71D, 97R)-w/hood scoop		1	D2OZ 16612-B
72	B (53D, 65D, 71D, K, 97D, K) -w/o hood scoop		1	D2OZ 16612-C
	- F -			
65/66	F(except Shelby GT 350)		1	C5ZZ 16612-B
67	F(Shelby GT 500)-with louvers	Fiberglas	1	S7MS 16612-B
67/68	F(except Shelby GT 350/500)-except hood mounted turn indicators		1	C7ZZ 16612-C
67/68	F(except Shelby GT 350/500)-hood mounted turn indicators		1	C7ZZ 16612-D
68	F(Shelby GT 350/500)-except K.R.	Fiberglas	1	S8MS 16612-A
68	F(Shelby GT 500)-K.R.-ram air	Fiberglas	1	S8MS 16612-B
69/70	F(except Boss 429 & Shelby GT 350/500)	Includes instructions for hood scoop installation	1	D0ZZ 16612-A
69/70	F(Shelby GT 350/500)		1	C9ZZ 16612-B
69/70	F(Boss 429)		1	D0ZZ 16612-B
71/	F-w/o hood scoops		1	D1ZZ 16612-A
71/	F-w/hood scoops		1	D1ZZ 16612-B
	- L -			
71/	L		1	D1FZ 16612-A
	- P -			
70	P	Repl. by D4DZ 16612-A (3-74)	1	★D0DZ 16612-A
71/	P(except 62D)-w/o hood scoops		1	
71/	P(62D)-w/hood scoops		1	D1DZ 16612-A
	- S -			
65	S	Includes (1) C5SZ 16929-A dowel & (1) C5SZ 16B750-A nut	1	C4SZ 16612-B
66	S		1	C6SZ 16612-A
67/69	S		1	C7SZ 16612-B
70/71	S		1	D0SZ 16612-A
72	S		1	D2SZ 16612-A
	- U -			
66/	U		1	C6TZ 16612-C
	- X -			
65	X	Includes (1) 1/2"-13 clinch nut & (6) 5/16"-28 clinch nuts	1	C5DZ 16612-A
66/70	X		1	C8DZ 16612-B
66/	U	Nut-retainer(latch assy. rad. grille)-5/16"-18	4	370328-S2(MM188)
70/71	B	Bumper (to restrict hood in area of windshield wiper pivot arm)	2	★380478-S
	16613 DEFLECTOR - HOOD AIR			
71/	F(63R, Boss 302 & 351, & Ram air)		1	D1ZZ 16613-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16A614-5 BRACKET - HOOD HINGE MOUNTING ON BODY			
65/66	A	R.H. - not replaced (3-74)	1	★C5AZ 16A614-A
		L.H.	1	C5AZ 16A615-A
67	A	R.H.	1	C7AZ 16A614-A
		L.H.	1	C7AZ 16A615-A
65/67	A	Screw (bracket to fender)-5/16"-18 x 1"	4	378178-S2(BB142B)
65/67	A	"J" - retainer (bracket to fender)-5/16"-18	4	379156-S2 (MM192AE)
	16B621 TRANSFER - HOOD EMBLEM - ON HOOD			
70	F	"351"-vinyl tape	2	D0ZZ 16B621-G
70	F-with tu-tone hood-Black	"428"-vinyl tape	2	D0ZZ 16B621-J
71	F(63D)-with Boss 302	"Ram Air" - Argent	2	D1ZZ 16B621-A
72	F(63D) with Boss 351		2	
		- Black	2	D1ZZ 16B621-B
71	F-with Ram air	"351 Ram Air" - Argent	2	D1ZZ 16B621-C
72	F(exc. 63D with Boss 351)		2	
		- Black	2	D1ZZ 16B621-D
71	F-with Ram air	"429 Ram Air" - Argent	2	D1ZZ 16B621-E
		- Black	2	D1ZZ 16B621-F
	16A624-5 GRILLE - HOOD AIR SCOOP			
70/71	B(63F,66C,76)		1	D0OZ 16A624-A
72	B (53D,63,65D,R,71D,97)-with 351 &429	R.H.	1	D2OZ16A624-A
		L.H.	1	D2OZ 16A625-A
69/70	F(Shelby GT 350/500)	R.H. -aluminum	1	C9ZZ 16A624-B
		L.H.	1	C9ZZ 16A625-A
69/70	F(exc.351,390,428 with ram air & Shelby GT 350/500)		Δ1	C9ZZ 16A624-A
69	B(63D,F,65D,F,66C,D,76D,F)		Δ1	
71/	F	R.H.-for non-functional scoop	1	D1ZZ 16A624-A
		L.H.	1	D1ZZ 16A625-A
70/71	B	Screw-fillister head (grille to hood scoop)-No.8-15 x 5/8"	2	52554-S(U230)
69	B	Screw-pan head (grille to hood scoop)-No.8-18 x 3/8"	1	52720-S(U380)
69/70	F		1	
	16A626-7 GRILLE - HOOD AIR EXTRACTOR			
69/70	F(Shelby GT 350/500)	R.H.	1	C9ZZ 16A626-A
		L.H.	1	C9ZZ 16A627-A
	16C630 SCOOP - HOOD AIR - Also refer to Group 9D646			
69	B	Less holes for emblem	1	C9OZ 16C630-C
70	B(63F,66C,76)	Fiberglas	1	D0OZ 16C630-A
71	B(63F,66C,76)		1	D1OZ 16C630-A
72	B(53,63,65D,R,71D,97)-with 351 & 429		1	D2OZ 16C630-A
68	F(428 CJ)	Fiberglas - repl. by C9ZZ 16C630-C (3-74)	Δ1	★C8ZZ 16C630-A
69/70	F(exc.351,390,428 with ram air & Boss 429)	Non functional	1	C9ZZ 16C630-C
69/70	F(Boss 429)	Functional	1	C9ZZ 16C630-D
71/	F	R.H.	1	D1ZZ 16C630-C
		L.H.	1	D1ZZ 16C630-D
69	B	Nut-hex. (scoop to hood)-1/4"-20	8	33795-S7(M49)
69/70	F		8	
69	B	Lockwasher (scoop to hood)-No.10	8	34803-S7(X60)
69/70	F		8	
	16B632 ROD - HOOD LATCH RELEASE			
72	A		1	D2AZ 16B632-A
71	S		1	D1SZ 16B632-A
	16637 ORNAMENT - HOOD FRONT			
	- A -			
68	A(63C,76B)	"XL"	Δ1	C8AZ 16607-A
69	A(63C,76B)	Upper-XL	Δ1	C9AZ 16607-B
69/70	A(54C,57F,63C,65A,71A,E,76B)	Lower-wreath	Δ1	C9AZ 16607-A
70	A(63C,76B)	Upper-XL-refer to Group 16606		

Δ Includes attaching parts

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

SECTION 166

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16637 ORNAMENT - HOOD FRONT - continued			
	- B -			
69	B	"427" on scoop	Δ2	C9ZZ 16637-A
69	B	"428" on scoop	Δ2	C9ZZ 16637-B
69	B	"351" on scoop	Δ2	C9ZZ 16637-C
69	B	"390" on scoop	Δ2	C9ZZ 16637-D
	- F -			
69	F	"427" on scoop	Δ2	C9ZZ 16637-A
69	F	"428" on scoop	Δ2	C9ZZ 16637-B
69	F	"351" on scoop	Δ2	C9ZZ 16637-C
69	F	"390" on scoop	Δ2	C9ZZ 16637-D
	- S -			
65	S	Emblem	1	C4SZ 16637-A
		Front bar	Δ1	C4SZ 16B774-A
		Housing	Δ1	C4SZ 16B782-A
65	S	Thunderbird emblem-near hood front	Δ1	C5SZ 16637-A
66	S		Δ1	C6SZ 16637-A
65	S	Nut (emblem to hood)	5	370713-S100 (MM292)
65/66	S	Nut & washer assy. (ornament to hood)- 3/16" x 9/16" x 1/4"	12	373504-S7 (MM285B)
69/70	A	Spring nut-to attach letter "T"	1	373888-S(MM290)
68	A	(att. "XL" emblem to hood)	2	
69/70	A	Sleeve nut-to attach letter "L" or "D"	2	378362-S(MM228)
69	B, F	Nut (attach emblem to hood scoop)- 5/32" self tapping	4	382110-S100 (MM284X)
	16C666-7 SEAL - HOOD AIR SCOOP			
69	B	Rubber-not used with functional air scoop	1	C9ZZ 16C666-A
69/70	F(except 351,390,428 with ram air or Boss 429)		1	
72	B(63,65R,97R)	R.H.	1	D2OZ 16C666-A
		L.H.	1	D2OZ 16C667-A
69	B	Screw and washer (seal to hood scoop)- No.8-18 x 1/2"	3	381801-S(UU148)
69/70	F		3	
	16675 PAD - ORNAMENT			
65	X	Hood-serviced only in C4DZ 16850-B	2	★
65	A(57F,76B)	Rear qtr.-serviced only in basic 290A76	2	
	16C694 SUPPORT - HOOD FRONT MOULDING			
70	F	41 3/8" long	1	D0ZZ 16C694-A
	16B698 SUPPORT - HOOD LATCH CONTROL ROD			
72	B(53B,65B,71B)		1	D2OZ 16B698-B
72	B(53D,63,65D,R,71D,K,97)		1	D2OZ 16B698-A
71	S		1	D1SZ 16B698-A
	16700-1 LATCH - HOOD - Also Refer to Group 16C896			
	- A -			
65	A	Includes (16897) springs	1	C5AZ 16700-A
66	A(57F,63C,D,63F,71A,71E,76B,D)		1	C6AZ 16700-C
66	A(54,57B,62,63B,71B,71C,71D,76A)		1	C6AZ 16700-D
67	A	Includes (16897) springs	1	C7AZ 16700-A
68	A		1	C8AZ 16700-A
69	A(except 54C,57F,63C,65A,71A,E,76B)	Hook type	Δ1	C9AZ 16700-A
69	A(54C,57F,63C,65A,71A,E,76B)	Hook type	Δ1	C9AZ 16700-B
70	A(54C,57F,63C,65A,71A,E,76B)- "Before 3/31/70"	Hook type - r/b D0AZ 16700-C (5-75)	Δ1	★D0AZ 16700-A
70	A(54C,57F,63C,65A,71A,E,76B)- "From 3/31/70"	Hook type	Δ1	D0AZ 16700-C
70	A(54A,B,E,57B,62,63B,65C,71B,C,D,H,J,76A) "Before 3/31/70"	Hook type-repl. by D0AZ 16700-D (3-74)	Δ1	★D0AZ 16700-B
70	A(54A,B,E,57B,62,63B,65C,71B,C,D,H,J,76A) "From 3/31/70"	Hook type	Δ1	D0AZ 16700-D
71	A	Hook type	Δ1	D1AZ 16700-A
72	A	Hook type	1	D2AZ 16700-A

Δ Includes attaching parts

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16700-1 LATCH - HOOD - continued - Also refer to Group 16C896			
	- B -			
65	B		1	C5OZ 16700-A
66/67	B (except 66)		1	C6OZ 16700-B
67	B(66)		1	C7DZ 16700-B
68/69	B(exc. 63-Talladega)	Hook type	1	C8OZ 16700-B
69	B(63-Talladega)	Hook type	1	C9OZ 16700-B
69	B(exc. 63-Talladega)	Cable type-includes cable, ring and pin	2	C9OZ 16700-A
69	B	Repair kit-for pin type hood latches	1	C9OZ 16700-C
	Consists of			
	2-C9OZ 16476-A plate hood inner	2-C9OZ 16929-A dowel pin	4-33842-S39 nut	
	2-C9OZ 16700-A cable & pin	2-55927-S39 screw	4-373596-S39 washer	
	2-C9OZ 16N782-A plate hood outer	2-358994-S39 washer	8-55996-S45 screw	
70	B	Hook type	Δ1	D0OZ 16700-B
71	B	Hook type	Δ1	D1OZ 16700-A
72	B	Hook type	1	D2OZ 16700-A
	- F -			
65	F	Hook type	1	C5ZZ 16700-A
66	F	Hook type	1	C6ZZ 16700-B
67/68	F	Hook type	1	C7ZZ 16700-C
69	F	Includes cable, ring & pin	2	C9OZ 16700-A
69	F	Repair kit-for pin type hood latches	1	C9OZ 16700-C
	Consists of			
	2-C9OZ 16476-A plate hood inner	2-C9OZ 16929-A dowel pin	4-33842-S39 nut	
	2-C9OZ 16700-A cable & pin	2-55927-S39 screw	4-373596-S39 washer	
	2-C9OZ 16N782-A plate hood outer	2-358994-S39 washer	8-55996-S45 screw	
69/70	F	Hook type	Δ1	D0ZZ 16700-B
71/	F	Hook type	Δ1	D1ZZ 16700-A
	- L -			
71/	L	Hook type	Δ1	D1FZ 16700-B
	- P -			
70/	P	Hook type	Δ1	D1DZ 16700-A
	- S -			
65	S		1	C4SZ 16700-C
66	S		1	C6SZ 16700-B
67/69	S		1	C7SZ 16700-C
70	S	Hook type	Δ1	D0SZ 16700-B
71	S	Hook type	Δ1	D1SZ 16700-A
72	S		1	D2SZ 16700-A
	- U -			
66/	U		1	C6TZ 16700-A
	- X -			
65	X	Has (3) 5/16"-18 cage nuts	1	C5DZ 16700-A
66	X		1	C6DZ 16700-A
67	X		1	C7DZ 16700-B
68/70	X		1	C8DZ 16700-A
65/66	A	"J" - spring nut-latch to brace-No. 10-24	2	45139-S2(M128)
69/	A	Nut & retainer (lock to support) -5/16"-18	2	★45268-S2
70	B, P	(att. latch to hood support)	2	
70	S	(att. latch to radiator support)	2	
69/	F	(att. latch to hood latch support)	2	
69/	A	Screw & washer (lock to support)	2	★57040-S39
70	B, P	Screw & washer (att. latch to hood support)-5/16"-18 x 7/8"	2	57140-S2(B340H)
69/	F	(att. latch to hood latch support)	2	
70	S	(att. latch to radiator support)	2	
65/66	S	Bolt & lockwasher (att. latch)-5/16"-24 x 1 1/8"	3	353483-S2(BB588)

Δ Includes attaching parts

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16700-1 LATCH - HOOD - continued - Also refer to Group 16C896			
65/66	S	"J" - retainer (att. latch)-5/16"-24	3	354926-S2(MM197)
65/	B,F	Screw & washer assy. (latch to hood support)-	2or3	359662-S7-8
65/68	A	5/16"-18 x 3/4"	2or3	(BB575A)
67/69	S		2or3	
65/67	X		2or3	
68	A, B	Screw & washer assy. (latch to hood lock)-	2	378178-S2
		5/16"-18 x 1" hex. hd.		(BB412B)
68/70	X	(latch to hood support)	2	
65/66	A	"J" - retainer-support to brace-5/16"-18	4	378680-S2
				(MM192AA)
	16707 SUPPORT - HOOD LATCH			
	- A -			
65/67	A		1	C6AZ 16707-A
68	A		1	C8AZ 16707-A
69/	A		1	D2AZ 16707-A
	- B -			
65	B		1	C5OZ 16707-A
66	B		1	C6OZ 16707-A
67/69	B		1	C8OZ 16707-A
70/71	B		1	D0OZ 16707-A
72	B		1	D2OZ 16707-A
	- F -			
65	F		1	C4DZ 16707-B
66	F		1	C6ZZ 16707-A
67/68	F		1	C7ZZ 16707-A
69/70	F		1	D0ZZ 16707-A
71	F "Before 6/14/71"		1	D1ZZ 16707-A
71/	F "From 6/14/71"	Refer to Group 16747		
	- L -			
71/	L		1	D1FZ 16707-A
	- P -			
70/	P		1	D0DZ 16707-A
	- S -			
67/69	S		1	C7SZ 16707-A
72	S		1	D2SZ 16707-A
	- X -			
65	X		1	C4DZ 16707-B
66/70	X		1	C6DZ 16707-C
65	X	Nut-hex. (support to radiator support)-5/16"-24	2	33798-S8(M62)
65/66	F	Nut (suppt. to body at radiator suppt.)-5/16"-18	2	34392-S7-8(M93)
65	X	Washer-flat (support to radiator support)-5/8"	2	44722-S8(X19)
70/	P	Screw & washer (support to radiator support)	2	★57040-S39
69/	A	Screw & washer assy. (support to rad. support)-	2	57140-S2(B340H)
		5/16"-18 x 7/8"		
68/	B		6	
69/70	F		3	
65/66	A	Bolt hex. head w/lockwasher-5/16"-24 x 1 1/8"	2	353483-S2(BB588)
65	X	(support to radiator support & apron)	2	
65	B	Retainer (support to radiator support)	AR	★357312-S
66/67	B	Screw (support to radiator support)-	2	359662-S7-8
		5/16"-18 x 3/4"		(BB575A)
67	A		1	
65/66	F		AR	
66/70	X		2	
65/67	A	Screw (support to radiator support)-	AR	378178-S2
		5/16"-18 x 1"		(BB412B)
65	B		AR	
67/68	F		AR	
67/69	S		3	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16707 SUPPORT - HOOD LATCH - continued			
67	A	"J" - retainer (support to radiator support)-5/16"-18	2	378680-S2 (MM192AA)
69/	A	Nut & retainer (support to radiator support)-5/16"-18	2	379114-S (MM192AD)
70/	B		6	
69/70	F		3	
70/	P		2	
67/68	F	"J" - retainer (att. support) -5/16"-18	1	379460-S2 (MM192U)
65/68	F	Nut & retainer (att. support to brace)-5/16"-18	2	379831-S2 (MM192M)
66/70	X		2	
67/69	S		3	
	16C712 RETAINER - HOOD AUXILIARY LATCH - Includes Attaching Parts			
70	B(63H)		2	D0ZZ 16C712-A
70	F (63A, B-with Boss option, 63C)		2	
71/	F-with Ram air		2	
70	B	Screw & conical washer (retainer to hood)-No. 8-32 x 1/2"	2	57075-S2(B330A)
70/	F		2	
	16A714 BRACKET - HOOD BUMPER MOUNTING			
67/68	F		2	C7ZZ 16A714-A
69/70	F		2	C9ZZ 16A714-A
	16C716 CONTROL ASSY. - AIR SCOOP			
69/70	F(Boss 429)	Overall length 64 3/8"	1	C9ZZ 16C716-A
	16C718 VALVE ASSY. - AIR SCOOP			
69/70	F(Boss 429)		1	C9ZZ 16C718-A
	16720-1 PLATE - HOOD SIDE NAME - Includes Attaching Parts			
66	B(63D, 76D)	R.H. -"390"	1	C6OZ 16720-A
		L.H.	1	C6OZ 16721-A
67	B(63D, 76D)	R.H.	1	C7OZ 16720-A
		L.H.	1	C7OZ 16721-A
70/71	B(54C, 57C, E, 63, 65C, E, 71C, E, 76)	"Torino"	1	D0OZ 16720-A
70	B(54A, B, 62A, 65B, 71B, D)-"From 6/24/70"		1	
71	B(63H)	"Ford"	1	D1OZ 16720-A
67/68	F	R.H.	1	C7ZZ 16720-A
		L.H.	1	C7ZZ 16721-A
69/70	F(8 cyl. 428 CJ)	"Cobra jet"	2	C9ZZ 16720-A
69	B(8 cyl. 428 CJ)		2	
72	B(8 cyl. 429 CJ)		2	
71/	P(62D)	R.H. -for hood scoop	1	D1DZ 16720-A
		L.H.	1	D1DZ 16721-A
67/68	F	Nut & washer (plate to hood)-No. 10-24	14	353911-S100 (MM191E)
66	B(63D, 76D)	Nut (plate assy. to hood)-1/4" self threading	12	371024-S7(MM286)
67	B(63D, 76D)	Nut (plate to hood)-1/4" self threading	10	371882-S7(MM287)
71/	P(62D)	Nut (plate to hood)-5/32" self-threading	6	382309-S100 (MM118J)
	16A720 ORNAMENT - HOOD SIDE MODEL IDENTIFICATION PLATE - Includes Attaching Parts			
67	B(63D, 76D) 8 cyl. 289 or 390	Numeral-"3"	2	C7OZ 16A720-A
		Numeral-"9"	2	C7OZ 16A720-B
		Numeral-"0"	2	C7OZ 16A720-C
		Numeral-"2"	2	C7OZ 16A720-H
		Numeral-"8"	2	C7OZ 16A720-G
		Nut (ornament to plate assy.)-1/8" self threading	12	373888-S7-8 (MM290)
	16C722 ROD HINGE - AIR SCOOP VALVE			
69/70	F(Boss 429)		1	C9ZZ 16C722-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16C726-7 BRACKET - HOOD AUXILIARY LATCH			
70	B(63H)	R.H.	1	D0OZ 16C726-A
		L.H.	1	D0OZ 16C727-B
71/	F-with Ram air	R.H.	1	D1ZZ 16C726-A
		L.H.	1	D1ZZ 16C727-A
70	B(63H)	Spring nut (bracket to radiator support)	2	★45263-S2
70	B(63H)	Screw (bracket to radiator support)	2	★57030-S
	16738 INSULATOR - HOOD			
69/70	A(54C, 57F, 63C, 65A, 71A, E, 76B)	Fiberglas	1	C9AZ 16738-A
71	A(53H, 54D, F, 57F, H, 65D, F, H, 71F, H, 76)	Fiberglas	1	D1AZ 16738-A
72	A(exc.54B, D, 71B, D)		1	
66/67	B(63C, D, 76C, D)	Fiberglas	1	C6OZ 16738-A
68	B(54A, B, 63B, E, 65A, B, E)	Fiberglas	1	C8OZ 16738-A
69	B(54, 63B, E, F, 65A, B, C, E, 71E, 76F)		1	
70	B	Fiberglas	1	D0OZ 16738-A
71	B(57E, 65E, 66F, 71E)		1	
72	B(53D, 65D, 71D, K, 97D, K)	Fiberglas	1	D2OZ 16738-B
69/70	F(63C, 65E)- 8 cyl. 351, 390, 428		1	C9WY 16738-A
72	P(54, 62A)	Fiberglas	1	D2DZ 16738-A
65	S	Side-fiberglas-36 51/64"x 3 51/64"	2	C4SZ 16738-B
65/69	S	Center-fiberglas-33 3/4"x 28 21/64"	1	C6SZ 16738-A
67/69	S	Side-fiberglas-13"x 34 13/32"	1	C7SZ 16738-B
70/71	S	Fiberglas	1	D0SZ 16738-A
72	S	Fiberglas	1	D2SZ 16738-A
	16740 PAD - HOOD			
	- A -			
65/68	A	51 27/64" long-with 7 holes for attaching	1	C5AZ 16740-C
69/70	A	61 1/16" long-with (15) retainers	1	C9AZ 16740-A
71/	A	65 9/32"long -with (14) retainers	1	D1AZ 16740-B
	- B -			
66/67	B	Approx. 35" long	1	C6OZ 16740-A
68/69	B	Seal-37 1/2" long (cowl top panel to hood)	1	C8OZ 16740-B
70/71	B	58 1/4" long	1	D0OZ 16740-A
72	B	58 7/8" long	1	D2OZ 16740-A
	- F -			
67/68	F	32 15/32" long-includes 7 retainers	1	C7ZZ 16740-A
69/70	F	32 29/32" long	1	C9ZZ 16740-A
71/	F	45 3/8" long	1	D1ZZ 16740-A
	- L -			
71/	L		1	D2FZ 16740-A
	- P -			
70/	P	29 11/16" long - r/b D3DZ 16740-A (5-75)	1	★D0DZ 16740-A
	- S -			
67/69	S	45 23/64" long	1	C7SZ 16740-A
70/71	S	57 5/8" long	1	D0SZ 16740-A
72	S	63 5/16" long	1	D2SZ 16740-A
	- U -			
66/	U	56" long-13 attaching holes	1	C6TZ 16740-A
	- X -			
66/70	X	35" long	1	C6OZ 16740-A
65/66	A	Screw-hex.washer head (pad to cowl)- No.8-15 x 3/4" self tapping	7	42140-S7-8 (U246A)
68	A	Screw-round washer head (pad to cowl)- No.8-18 x 1/2"	AR	381797-S(UU89J)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16A746 RETAINER - HOOD FRONT MOULDING - Also Refer to Body Group 42527			
	- A -			
68	A		8	C8AZ 16A746-A
	- B -			
65	B		11	C5OZ 16A746-A
68	B		6	C8OZ 16A746-A
69	B	Repl. by C9WY 16A076-B (5-75)	6	★C9OZ 16A746-A
	- F -			
69	F		6	C9ZZ 16A746-A
70	F		6	D0ZZ 16A746-A
	- S -			
68/69	S		11	C8SZ 16A746-A
	16747 BRACE - HOOD LATCH SUPPORT			
	- A -			
65	A		1	C5AZ 16747-A
66	A(54, 57B, 62, 63B, 71B, C, D, 76A)		2	C6AZ 16747-A
66	A(57F, 63C, D, F, 71A, E, 76B, D)	R.H.	1	C6AZ 16747-B
		L.H.	1	C6AZ 16747-C
67	A		2	C7AZ 16747-A
68	A		2	C8AZ 16747-A
69	A(54A, B, E, 57B, 62, 63B, 65C, 71B, C, D, H, J, 76A)	R.H.	1	C9AZ 16747-A
		L.H.	1	C9AZ 16747-C
70	A(54A, B, E, 57B, 62, 63B, 65C, 71B, C, D, H, J, 76A)	R.H.	1	D0AZ 16747-A
		L.H.	1	D0AZ 16747-B
69/70	A(54C, 57F, 63C, 65A, 71A, E, 76B)	Refer to Group 13B033		
71	A	R.H.	1	D1AZ 16747-A
		L.H. - r/b D2AZ 16747-B (5-75)	1	★D1AZ 16747-B
72	A	R.H.	1	D2AZ 16747-A
		L.H.	1	D2AZ 16747-B
	- B -			
65	B		1	C5OZ 16747-A
70/71	B	R.H.	1	D0OZ 16747-A
		L.H.	1	D0OZ 16747-B
72	B	One piece design	1	D2OZ 16747-A
	- F -			
65/66	F		1	C5ZZ 16747-A
68	F(Shelby GT 350/500)		2	S8MS 16747-A
71/	F		1	D2ZZ 16747-A
	- L -			
71/	L		1	D1FZ 16747-A
	- P -			
70/	P		1	D0DZ 16747-A
	- S -			
66	S		1	C6SZ 16747-A
67	S		1	C7SZ 16747-A
68/69	S		1	C8SZ 16747-A
	- X -			
65	X		1	C4DZ 16747-C
66	S	Screw & washer assy. (brace to valance suppt.)-5/16"-18 x 3/4"	2	20347-S8(B156)
		(brace to radiator support)	1	
70/	P	Nut (att. brace to radiator grille)-No. 8-18		45174-S8(M138)
70/	P	Nut & retainer (att. brace to front valence panel)-1/4"-20	2	★45263-S2
69/70	A	Screw & washer (brace to hood lock support)	2	★57040-S39
70/	P	(brace to radiator support)	1	
70/	B	Screw & washer (brace to radiator)	2	57140-S2(B340H)
65	X	Bolt & lockwasher (att. 16747)-5/16"-24 x 1 1/8"	AR	353483-S2(BB588)
68	B	Nut & retainer (hood lock support to radiator grille support)-1/4"-20	1	356657-S2 (MM186)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16747 BRACE - HOOD LATCH SUPPORT - continued			
65/66	F	Screw & washer assy. (brace to hood latch support)-5/16"-18 x 3/4"	AR	359662-S7-8 (BB575A)
66/67	B	(brace to body)	1	
66/70	X	(brace to body)	1	
65/66	F	Nut-retainer (brace to hood latch suppt.)-5/16"-18	2	370328-S2(MM188)
66	S	Nut-retainer (brace to valance suppt.)-5/16"-18	2	370328-S2(MM188)
65/66	A	Bolt (brace to grille)-5/16"-18 x 1"	2	376256-S(BB545A)
67	A	Screw (brace to grille)-5/16"-18 x 1"	4	378178-S2 (BB412B)
65/66	A	Nut & retainer (brace to radiator support)-5/16"-18	2	378680-S2 (MM192AA)
69/70	A	Nut & retainer (brace to hood lock support) - 5/16"-18	2	379114-S2 (MM192AD)
70/71	B	(Brace to radiator)	1	
70/	P		1	
65/67	A	"J" - retainer (brace to grille)-5/16"-18	4	379156-S2 (MM192AE)
66/67	B	Nut & retainer (brace to body)-5/16"-18	1	379831-S2
66/70	X	(brace to body)	1	(MM192M)
	16B748 GRILLE - HOOP TOP			
70	B	For cowl top center vent	1	D0OZ 16B748-A
70	B	Screw-pan head (grille to hood)-No.8-15 x 1/2"	2	52726-S13(U381)
	16B750 NUT - HOOD LATCH DOWEL SPRING RETAINING			
65	S		1	C5SZ 16B750-A
66/	U		1	
	16752 ROD - HOOD LATCH CONTROL			
72	B(53B, 65B, 71B)		1	D2OZ 16752-A
72	B (53D, 63, 65D, R, 71D, K, 97)		1	D2OZ 16752-B
	16758 BUMPER - HOOD			
	- A -			
65/66	A	On fender-push-in type-3/4" wide	4	C5AZ 16758-A
65/66	A	On fender (rear)-retainer for (16758 tip)	2	C5AZ 16B844-A
65/68	A	On fender (rear)-rubber tip (use w/16B884 ret.)	2	C5AZ 16758-B
67/68	A	On fender (rear)-retainer for 16758 tip	2	C7AZ 16B844-A
67/	A	On fender-wedge shape	4	C7AZ 16758-A
67	A	On radiator support-stud w/rubber tip	2	C5ZZ 16763-B
69/	A		2	
69	A	Cowl to hood-retainer	2	C8SZ 16B844-A
69/71	A "Before 9/1/70"	Hood to fender-used with 16B844 retainer	2	C9AZ 16758-A
71/	A "From 9/1/70"	Hood to fender-used with 16B844 retainer	2	D1AZ 16758-A
70	A	Retainer-on cowl top ends-with stud on one end & hex. hd. on other end	2	D0AZ 16B844-A
71/	A	Retainer on cowl top ends-with studs at both ends	2	D0SZ 16B844-A
	- B -			
65	B	On fender-push-in type-1 1/8" wide-3/8"mtg.tip	4	C3OZ 16758-A
65/	B	On hood-stud with rubber tip	2	C5ZZ 16763-B
66/69	B	On fender-wedge shaped	4	C6OZ 16758-A
70/71	B	On fender-wedge shaped	4	C7AZ 16758-A
72	B	Hood to fender	2	D2OZ 16758-B
72	B	Hood to fender	4	D2OZ 16758-A
72	B	Retainer on cowl top ends-with studs at both ends	2	D0SZ 16B844-A
	- F -			
65/67	F	On fender-push-in type-1 3/8" wide-square	4	C4DZ 16758-A
65/	F	On radiator support bracket-stud w/rubber tip 5/16"-18 thread	2	C5ZZ 16763-B
68	F(65)-GT/CS	For rear deck door over slam	2	
68	F	Hood to fender	2	C7WY 16758-A
69/70	F	Front fender to cowl-located at windshield moulding area	2	C9ZZ 16758-A
70	F	On fender-wedge shaped	4	C6OZ 16758-A
71/	F	On fender-wedge shape	4	D1ZZ 16758-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16758 BUMPER - HOOD - continued			
	- L -			
71/	L	On fender-wedge shape	4	C7AZ 16758-A
71/	L	On radiator support-with rubber tip	2	C5ZZ 16763-B
	- P -			
70/	P	On fender-wedge shape	4	C7AZ 16758-A
70/	P	Front fender to cowl	2	D0DZ 16758-A
70/	P	On radiator support-with rubber tip	2	C5ZZ 16763-B
	- S -			
65	S	Hood to radiator support reinforcement	2	C4SZ 16763-A
65/66	S	On fender-wedge shape-1 1/2" long	4	C2SZ 16763-A
66/69	S	On radiator support bracket-stud 5/16"-18 x 1 1/4"-w/rubber tip	2	C5ZZ 16763-B
72	S		2	
67	S	On fender -wedge shape	4	C7AZ 16758-A
67/68	S	On fender at cowl side(use w/16B844 retainer)	2	C5AZ 16758-B
67/68	S	Headlamp flip cover	4	
68/69	S	Stone deflector to fender	2	
68	S	Hood to fender-wedge shape	4	C8SZ 16758-A
68/69	S	Retainer (stone deflector to fender)	2	C5AZ 16B844-A
68/69	S	On fender at cowl side	2	C8SZ 16B844-A
69	S	On fender-wedge shape	4	C7WY 16758-A
69	S	Cowl to fender-used with 16B844 retainer	2	C9AZ 16758-A
70	S		3	
71	S "Before 9/1/70"		2	
71/	S "From 9/1/70"	Cowl to fender-used with 16B844 retainer	2	D1AZ 16758-A
70/	S	Retainer on cowl top ends-with studs at both ends	2	D0SZ 16B844-A
70	S	Retainer-on cowl top center-with stud on one end & hex. hd. on other end	1	D0AZ 16B844-A
70/71	S	On fender	2	D0VY 16758-A
72	S	Hood to fender	4	D2OZ 16758-A
70/71	S	On radiator support -with rubber tip	2	D0VZ 16763-A
	- U -			
66/	U	Rubber-on fender-plug type	2	C6TZ 16758-A
66/	U	Rubber-on fender-stud type	2	C1VY 16763-A
68/70	U	Hood to cowl	2	C5ZZ 16763-B
	- X -			
65	X	On fender-push-in type-1 3/8" wide-square	4	C4DZ 16758-A
65/70	X	On rad. suppt. -stud w/rubber tip-5/16"-18 thd.	2	C5ZZ 16763-B
66/70	X	On fender	4	C6OZ 16758-A
65/69	S	Screw (bumper to fender)-No. 10-12 x 1/2"	4	32924-S7(U344)
66/68	A,F,S	Nut (bumper to fender)-5/16"-18	2	33922-S8(M27)
65/	A	(bumper to radiator support)	2	
65/	B	(bumper to radiator bracket)	2	
67/69	S	(bumper to radiator support)	2	
70/	P	(bumper to radiator support)	2	
67/68	A	Nut (bumper to rad. suppt. brace-above brace)-5/16"-24	2	33923-S8(M32)
65	X		2	
65/	A	Washer (bumper to radiator support)-3/8"	2	44729-S8(X25)
70	B		2	
67/69	S	(bumper to radiator support)	2	
70/	P	Retainer nut (bumper to radiator support)-5/16"-18	2	★45268-S2
65/66	B	Screw (bumper to fender)-No. 10-12 x 1/2"	2	52727-S8(U382)
65/69	S	Nut (bumper to rad. suppt. reinf.)-3/8"-24 lock	2	351022-S2(MM138)
65/68	A	Washer (ret. assy. to fender bumper)-3/8" plain	4	351405-S7(XX147)
70/	P	Washer-flat (bumper to radiator support)-3/8"	2	382585-S100 (XX179A)
67/68	A	Nut (bumper to rad. suppt. brace-below brace)-5/16"-24	2	354299-S2(MM156)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16758 BUMPER - HOOD - continued			
65	X	Nut-retainer(bumper to body at radiator support)	2	354926-S2(MM197)
66/	U	Nut-sleeve (bumper to fender)-5/16"	2	375995-S (MM228BA)
65/69	F	Nut-retainer (16763 to rad. brkt)-5/16"-18	2	378680-S2
66/70	X	(bumper to radiator support)	2	(MM192AA)
66	B,F,S	Nut-retainer (bumper to fender)-5/16"-18	2	379831-S2 (MM192M)
	16763 BUMPER - HOOD - Refer to Group 16758			
	16C764 HOUSING - HOOD HINGE			
71/	L		2	D1FZ 16C764-A
	16C766 RETAINER - HOOD HINGE HOUSING			
71/	L		2	D1FZ 16C766-A
	16776 RETAINER - HOOD - INSULATOR			
66/67	B(63C, 63D, 76C, 76D)		10	C6GY 16776-A
68	B		5	
69	B(54C,63C,D,65C,D,E,71E,76D)		5	C7WY 16776-A
70/71	B		13	
72	B(exc.63R,97R)		12	
69/70	F(63C,65E)		10	
72	P(54,62A)		1	
72	S		12	
	16B782 HOUSING - HOOD FRONT ORNAMENT - Refer to Group 16637			
	16N782 PLATE - HOOD LATCH			
69	B,F	Use with pin type hood lock	2	C9OZ 16N782-A
69	B,F	Screw-pan head (plate to hood)-No.8-18 x 3/8"	8	52720-S8(U380)
	16789 SPRING - HOOD HINGE			
	- A -			
65/66	A	Coil type	2	C5AZ 16789-A
67/68	A	Coil type	2	C6MY 16789-A
69/70	A	Coil type 8 51/64" overall length	2	C9AZ 16789-A
71/	A	Coil type-8 9/16" overall length	2	D1AZ 16789-A
	- B -			
65/69	B	Coil type-5 13/32" overall length	2	C3OZ 16789-A
70/71	B	Coil type - 6 59/64" overall length	2	D0OZ 16789-B
72	B	Coil type-9 3/16" overall length	2	D2OZ 16789-A
	- F -			
65/66	F	Coil type-5 13/32" overall length	2	C3OZ 16789-A
67/68	F(except Shelby GT 350/500)		2	
69/70	F		2	
67/68	F(Shelby GT 350/500)		2	S7MS 16789-B
71/	F - except with hood scoop	Coil type-6 1/4" overall length	2	D1ZZ 16789-A
71/	F - with hood scoop	Coil type-6 1/4" overall length	2	D1ZZ 16789-B
	- S -			
65/66	S	Coil type-8 1/4" o/all length-2 1/8" O.D.	2	C1SZ 16789-A
67/69	S	Coil type	2	C7SZ 16789-B
70/71	S	Coil type-7 9/32" overall length	2	D0SZ 16789-A
72	S	Coil type-7 3/4" overall length	2	D2SZ 16789-A
	- X -			
65/70	X	Coil type-5 13/32" overall length	2	C3OZ 16789-A
	16796-7 HINGE - HOOD			
	- A -			
65/67	A	R.H. -less spring	1	C5AZ 16796-B
		L.H.	1	C5AZ 16797-B
68	A	R.H. -less spring	1	C8AZ 16796-A
		L.H.	1	C8AZ 16797-A
69/70	A	R.H. -less spring	1	C9AZ 16796-A
		L.H.	1	C9AZ 16797-A
71/	A	R.H. -less spring	1	D1AZ 16796-A
		L.H.	1	D1AZ 16797-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16796-7 HINGE - HOOD - continued			
	- B -			
65	B	R.H. -less spring	1	C3OZ 16796-A
		L.H.	1	C3OZ 16797-A
66/69	B	R.H. - less spring	1	C6OZ 16796-B
		L.H.	1	C6OZ 16797-B
70/71	B	R.H. -less spring	1	D0OZ 16796-B
		L.H.	1	D0OZ 16797-B
72	B	R.H.-less spring	1	D2OZ 16796-A
		L.H.	1	D2OZ 16797-A
	- F -			
65/66	F	R.H. -less spring	1	C3OZ 16796-A
		L.H.	1	C3OZ 16797-A
67/70	F	R.H. -less spring	1	C9ZZ 16796-A
		L.H.	1	C9ZZ 16797-A
71/	F	R.H.-less spring	1	D1ZZ 16796-A
		L.H.	1	D1ZZ 16797-A
	- L -			
71/	L	R.H. & L.H. - r/b D5FZ 16796-A (5-75)	2	★D1FZ 16796-A
	- P -			
70	P "Before 6/1/70"	R.H.	1	D0DZ 16796-B
		L.H.	1	D0DZ 16797-B
70/	P "From 6/1/70"	R.H.	1	D0DZ 16796-C
		L.H.	1	D0DZ 16797-C
	- S -			
65/66	S	R.H. -less spring	1	C1SZ 16796-D
		L.H.	1	C1SZ 16797-D
67/69	S	R.H. -less spring	1	C9LY 16796-A
		L.H.	1	C9LY 16797-A
70/71	S	R.H. -less spring	1	D0SZ 16796-A
		L.H.	1	D0SZ 16797-A
72	S	R.H.-less spring	1	D2SZ 16796-A
		L.H.	1	D2SZ 16797-A
	- U -			
66/	U		2	C6TZ 16796-A
	- X -			
65	X	R.H. -less spring	1	C3OZ 16796-A
		L.H.	1	C3OZ 16797-A
66/70	X	R.H. -less spring	1	C6OZ 16796-B
		L.H.	1	C6OZ 16797-B
65	X	Bolt (hinge to hood or fender apron)-5/16"-24 x 1"	4	20387-S8(B157)
65/70	X	Lockwasher (hinge to hood or apron)-5/16" internal tooth	4	34906-S8(X98)
69/70	A	Nut & retainer (hinge to hood) -5/16"-18	4	★45268-S2
70/	B, F, P, S	(hinge to hood)	4	
70/	B	(hinge to member assy.)	4	
66/	U	Screw (hinge to cowl top)-5/16"-18 x 3/4"	4	★55615-S8
69/70	A	Screw & washer assy. (hinge to reinforcement)	6	★57040-S39
69/70	A	Screw & washer assy. -5/16"-18 x 5/16" (attach hinge to hood)	4	57139-S39 (B339X)
70/	B, P	Screw & washer (hinge to hood) -5/16"-18 x 7/8"	4	57140-S2(B340H)
70/	P	(hinge to rear of fender apron)	6	
70/	S	(hinge to dash assy.)	2	
65/67	A	Bolt (hinge to dash panel or fender)-5/16"-24 x 1 1/8"	6	353483-S2 (BB588)
65/66	S	(hinge to hood)	4	
66	S	(hinge to fender)	4	
65/67	S	Retainer nut (hinge to hood)-5/16"-24'	4	★376757-S2
65/67	B	Bolt-hex.washer head(hinge to hood and fender)-5/16"-18 x 3/4"	8	359662-S7-8 (BB575A)
65/66	F	(hinge to hood and fender)	8	
66/67	X	(hinge to hood and fender)	8	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16796-7 HINGE - HOOD - continued			
65	S	Screw & washer (hinge to fender)-5/16"-24 x 1 1/16"	4	★377997-S2
65/68	A	Screw (hinge to bracket)-5/16"-18 x 1"	6	378178-S2
67/68	F	(hinge to apron or hood)	8	(BB412B)
68	B	(hinge to hood or fender)	8	
69/70	A	Nut & retainer (hinge to reinforcement)-5/16"-18	6	379114-S
67/69	S	(hinge to hood)	4	(MM192AD)
67/69	S	Screw & washer (hinge to hood)-5/16"-18 x 1 1/4" hex.hd.	4	379148-S2(BB861)
65/68	A	(hinge to hood)	AR	
67/69	S	Retainer nut (extension to hood)-1/4"-20	4	★379695-S2
66/67	B,X	Washer-special (hinge to hood)-13/16" square	4	379760-S (XX340U)
67/68	A	Retainer nut (hinge to hood)-5/16"-18	4	379831-S
67/68	F	(hinge to hood)	4	(MM192M)
68	B	(hinge to hood)	4	
	16A800 EXTENSION ASSY. - HOOD PANEL FRONT			
67/69	S		1	C7SZ 16A800-A
68/70	X		1	C8DZ 16A800-A
68/70	X	Screw (reinforce hood frt.ext.to hood inner panel)-No.8-15 x 5/8" self tap.	3	52554-S8(U230)
67/69	S	Screw-hex.washer head (extension to hood)-1/4"-20 x 3/4"	4	371492-S2 (BB569)
67/69	S	Retainer nut (extension to hood)-1/4"-20	4	★379695-S2
	16826 ROD - HOOD SUPPORT			
71/	L		1	D1FZ 16826-A
70	P		1	D0DZ 16826-A
71/	P		1	D1DZ 16826-A
66/	U		1	C6TZ 16826-A
66/	U	Flatwasher (rod to radiator air deflector)-5/16"	1	44722-S8(X19)
70/	P	(rod to radiator)	3	
66/	U	Pin (rod to radiator air deflector)-3/32" x 5/8"	1	72016-S7-8(N44)
70/	P	Pin (rod to radiator)-5/64" x 31/32"	1	353467-S2 (NN128B)
	16828 CLIP - HOOD SUPPORT ROD RETAINING			
70/	P		1	D0DZ 16828-A
70/	P	Screw-hex.washer head (clip to radiator support)-1/4"-14 x 1/2"	2	55981-S2 (U254E)
	16B830 RETAINER - HOOD BUMPER			
70	S		2	D0SZ 16B830-A
	16832 SPRING - HOOD SUPPORT ROD			
66/	U		1	8A 16832
70/	P		1	
71/	L		1	
		Cotter pin-1/16" x 3/4"	1	72015-S(N40)
		Flat washer-5/16"	2	44722-S8(X19)
	16B840 RETAINER - OUTSIDE MOULDING			

REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER

	16B844 RETAINER - HOOD BUMPER - Refer to Group 16758			
	16850 ORNAMENT - HOOD TOP			
	- A -			
65	A(54A,57,63,71A,B,C,E,76)	Includes attaching parts	1	C6AZ 16850-A
66	A(54A, 57, 63B, F, 71A, B, C, E, 76A)		1	
66	*A(63C, 63D, 76B, 76D)	Includes attaching parts	1	C6AZ 16850-B
	- B -			
65	B(54B, 62B, 65, 71B)		1	C5OZ 16850-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16850 ORNAMENT - HOOD TOP - continued			
	- X -			
65	X(54B,D,62B,P,63B,C,71B,C,76A,B)	Nut (ornament to hood)-No.10-24	2	45243-S7-8(M178)
65	B (54B, 62B, 65, 71B)	Nut (ornament to hood)-No. 10-24	1	359606-S8 (MM291A)
66	A(63C, 76B)	Nut & washer assy. (ornament to hood)- 3/16" self-threading	6	373504-S7 (MM285B)
	16856-7 MOULDING - HOOD - Includes Attaching Parts			
	- A -			
65	A	R. H. - rustless steel	1	C5AZ 16856-A
66	A(54, 57B, 62, 63B, 63D, 71B, 71C, 71D, 76A, 76D)	R.H.	1	
		L. H.	1	C5AZ 16857-A
		Center	1	C6AZ 16958-A
66	A(57F, 63C, 63F, 71A, 71E, 76B)	R. H. -Chrome	1	C6AZ 16856-A
		L. H.	1	C6AZ 16857-A
		Center	1	C6AZ 16958-B
67	A	R. H. - Aluminum	1	C7AZ 16856-A
		L. H.	1	C7AZ 16857-A
		Center	1	C7AZ 16958-A
68	A	Outer	1	C8AZ 16856-A
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)		1	C9AZ 16856-A
70	A(54A, 57B, 63B, 65C, 71B, C, 76A)	Includes "FORD" letters	1	D0AZ 16856-A
71	A(54, 57F, 65F, 71B, D, F) "Before 2/19/71"	Hood front	1	D1AZ 16856-A
71	A(53, 57H, K, 65H, K, 71H, 76) "Before 2/19/71"	Hood front	1	D1AZ 16856-B
71/	A "From 2/19/71"		1	
	- B -			
65	B		1	C5OZ 16856-A
66/67	B		1	C6OZ 16856-A
68/69	B	Lower - paint to match hood	1	C8OZ 16856-A
68/69	B	Upper	1	C9OZ 16958-A
70	B(54B, 65B, 66A, 71B) "Before 8/11/69"	Hood-front	1	D0OZ 16856-A
70	B(54B, 65B, 66A, 71B) "From 8/11/69"	Hood front-not required		
70/71	B(with ram air)	Hood top center	1	D0OZ 16958-A
	- F -			
65/66	F(63, 65, 76)		1	C5ZZ 16856-A
67/68	F		1	C7ZZ 16856-A
69	F(except Shelby GT 350/500)	Hood front-41 11/16" long	1	C9ZZ 16856-A
70	F(except Shelby GT 350/500)	Hood front	1	D0ZZ 16856-A
69/70	F(Shelby GT 350/500)	Hood-front	1	C9ZZ 16856-B
69/70	F-with ram air	Hood top center-Black	1	C9ZZ 16958-A
70	F-with ram air	Hood top center-White	1	D0ZZ 16958-A
71/	F	Hood front-bright finish	1	D1ZZ 16856-A
71/	F	Hood front-paint to match	1	D1ZZ 16856-B
	- P -			
70/	P	43 31/32" long	1	D0DZ 16856-A
	- S -			
67/69	S		1	C9SZ 16856-A
	- X -			
66/67	X		1	C6DZ 16856-A
68/70	X		1	C9DZ 16856-A
67/69	S	Nut and washer (moulding to hood)-No.10-24	AR	359606-S8 (MM291A)
65	B	Nut (moulding to hood)-No.10 self threading	7	375690-S (MM290D)
68	B	Rivet-blind (moulding to hood)-1/8" x 1 9/16"	4	376807-S(SS44C)
68	A,B	Nut-crown (moulding to hood)-No. 8-32	6	377522-S100
68/70	X		6	(MM115D)
65/66	A	Nut-crown (moulding to hood)-No. 10-24	8	377633-S7
66/67	B,X	(moulding to hood)	8	(MM115F)
69	B	Rivet-blind (moulding to hood)-1/8" x 1 9/16"	2	378527-S(SS44B)
65/68	F	Screw-round washer head	AR	379560-S101
67/69	S	(moulding to hood)	2	(UU89CA)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16856-7 MOULDING - HOOD - continued - Includes Attaching Parts			
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)	Screw (moulding to hood)-No. 8-18 x 3/8"	8	381671-S45X
67	A		AR	(UU89C)
70	A(54A, 57B, 63B, 65C, 71B, C, 76A)		8	
70/71	B(54B, 65B, 66A, 71B)		8	
70/	P		AR	
70	F		AR	
70/	B	Nut (moulding to hood top center)-5/32"	10	382110-S100
69/70	F		10	(MM284X)
	16B870 INSERT - HOOD SIDE ORNAMENT - Includes Attaching Parts			
67	B(63D, 76D)-8 cyl. 390		2	C7OZ 16B870-A
67/68	F(with hood mounted turn Indicators)- "Before 12/5/67"	Air opening ornament	2	C7ZZ 16B870-A
67/68	F	Nut (insert to plate)-3/32" spring	4	★372837-S2
	16877 CLAMP - HOOD CATCH CONTROL CABLE			
65	X (6 cyl.)-with A/C	With fast idle control	1	16H 16877-B
		Screw (hood catch control clamp to cable)-No. 12-28 x 1/4"	AR	89735-S18(U403)
	16892 HOOK - HOOD AUXILIARY CATCH			
	- S -			
65	S		1	C4SZ 16892-A
	- U -			
66/	U		1	C6TZ 16892-A
66/	U	Screw & washer assy. (hook to hood)-5/16"-18 x 1"	2	42847-S8(U14)
65	S	Screw (hook to hood)-5/16"-24 x 1 1/8"	2	353483-S2(BB588)
	16892 KLIK PIN			
65/66	F(Shelby GT 350)	Stainless steel	2	S2MS 16892-B
	16A892 KLIK PIN - WITH CABLE			
67	F(Shelby GT 350/500)	Stainless steel	1	S7MS 16A892-A
	16894 CATCH - HOOD AUXILIARY LATCH			
70	B(63H)		2	D0ZZ 16894-A
70	F(63)		2	
71/	F-with ram air		2	
70	B, F	Nut & retainer (catch to support)-No.8-32	2	381684-S2 (MM192AF)
70	B, F	Screw and conical washer (catch to support)-No.8-32 x 1/2	2	57075-S2 (B330A)
	16C896 HANDLE ASSY. - HOOD FASTENER - INCLUDES ATTACHING PARTS			
68	F(65)-GT/CS		2	C8ZZ 16C896-A
68	F (Shelby GT 350/500)		2	
69/70	F (Shelby GT 350/500)		2	C9ZZ 16C896-A
70	B(63H)		2	D0ZZ 16C896-A
70	F(63)		2	
71/	F-with ram air		2	D1ZZ 16C896-A
	16897 SPRING - HOOD AUXILIARY CATCH			
65	A	Also furnished in (16700) assy.	2	C5AZ 16897-A
66	A(57F, 63C, F, 76B), F "Before 11/15/65"		2	
66	F, S "From 11/15/65"	Also furnished in (16700) assy.	2	C5AZ 16897-B
66/67	A		2	
65	B, F, X		2	C4DZ 16897-A
66	A(54, 57B, 62, 63B, 71, 76A), S "Before 11/15/65"		2	
	16B906-7 DECAL - HOOD BLACKOUT			
68	F(Shelby GT 350/500)	R.H.-hood rear-not replaced (11-74)	1	★S8MS 16B906-A
		L.H.	1	S8MS 16B907-A
	16B906 TRANSFER - HOOD STRIPE			
72	P(62D)	Vinyl tape non-reflective-Black	1	D2DZ 16B906-D
		-Lime	1	D2DZ 16B906-C
		-Orange	1	D2DZ 16B906-A
		-Gold	1	D2DZ 16B906-B
	16914 HANDLE - HOOD LATCH CONTROL CABLE			
69	B(63-Talladega)		1	C6VY 16914-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	16916 CABLE ASSY. - HOOD LATCH CONTROL			
69	B(63-Talladega)	88 5/8" overall length	1	C9OZ 16916-A
	16918 PLATE - HOOD AUXILIARY CATCH STRIKER			
65	B,X		1	C4DZ 16918-B
65/67	A		1	
65/66	F		1	
66	S		1	
65	B,X	Bolt-hex.head (plate to hood)-5/16"-24 x 1 1/8"	3	353483-S2(BB588)
65/66	A,F	Bolt-hex.head(plate to hood)-5/16"-18 x 3/4"	2	359662-S7-8
66	S		2	(BB575A)
67	A	Bolt (plate to hood)-5/16"-18 x 1"	2	378178-S(BB412B)
	16B918 MOULDING - HOOD REAR			
71	A	Snap on-no attaching parts	1	D1AZ 16B918-A
72	A(53,54F,57,65,71F,H,76)		1	
70	B(54C,57,63,65C,E,66,71C,E,76)	Snap on-no attaching parts	1	D0OZ 16B918-A
71	B(54,57E,63F,65,66,71E,76)		1	
71	F(except Boss 302) "Before 2/1/71"	Snap on-no attaching parts	1	D1ZZ 16B918-A
71	F(except Boss 302) "From 2/1/71"	Not required		
70/71	S	Snap on-no attaching parts	1	D0SZ 16B918-A
72	S	Snap on-no attaching parts	1	D2SZ 16B918-A
	16921 SPRING - HOOD LATCH TRIGGER			
66/67	B,X		1	C6OZ 16921-B
67	F,S		1	
69	B(63-Talladega)		1	C9OZ 16921-A
	16925 SPRING - HOOD LATCH - (Coil Type - Flat Ends)			
72	B	Steel wire	1	D2OZ 16925-A
65	S	Straight sides-3 7/16" free length	1	C3AZ 16925-A
66/	U		1	
66	S	Straight sides-3 23/64" free length	1	C6SZ 16925-A
70/71	S		1	C9MY 16925-A
72	B,S	Flat steel	1	D0VY 16925-A
70/	S	Screw (spring to hood)	1	★57489-S
	16927 GUIDE - HOOD LATCH SPRING			
65/66	S		1	C2DZ 16927-A
66/	U		1	
	16929 LATCH - HOOD			
	- A -			
65/67	A	Dowel type (1/2"-13)-1 3/4" threaded, 4 59/64" length	1	C5ZZ 16929-A
68	A	Hook type	1	C6OZ 16929-A
69/	A	Hook type	1	C9AZ 16929-A
	- B -			
65	B	Dowel type (1/2"-13)-1 3/4" threaded, 4 59/64" length	1	C5ZZ 16929-A
66/69	B	Hook type	1	C6OZ 16929-A
69	B	Dowel type-used with pin type hood lock	2	C9OZ 16929-A
70/71	B	Hook type	1	C7SZ 16929-A
72	B	Hook type	1	C9AZ 16929-A
	- F -			
65/67	F(Shelby GT 350/500)	Pin type-includes attaching parts	2	S2MS 16929-A
65/66	F	Dowel type (1/2"-13)-1 3/4" threaded, 4 59/64" length	1	C5ZZ 16929-A
67/68	F	Hook type	1	C7ZZ 16929-A
69	F	Dowel type-used with pin type hood lock	2	C9OZ 16929-A
69/	F	Hook type	1	C9AZ 16929-A
	- L -			
71/	L	Hook type	1	C7SZ 16929-A
	- P -			
70/	P	Hook type	1	C7SZ 16929-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	- S -			
65	S	Dowel type (1/2"-13)-2" threaded, 4" length	1	C5SZ 16929-A
66	S	Dowel type (1/2"-13)-1 3/4" threaded, 4 59/64" length	1	C5ZZ 16929-A
67/69	S	Hook type	1	C7SZ 16929-A
70/71	S	Hook type	1	C9MY 16929-A
72	S	Hook type	1	C9AZ 16929-A
	- U -			
66	U "Before Ser. 746,001"	Dowel type (1/2"-20)-1 39/64" threaded, 4 13/64" length	1	C3OZ 16929-A
66/	U "From Ser. 746,001"	Dowel type (1/2"-13)-2" threaded, 4" length	1	C5MY 16929-A
	- X -			
65	X	Dowel type (1/2"-13)-1 3/4" threaded, 4 59/64" length	1	C5ZZ 16929-A
66/70	X		1	C6DZ 16929-A
65/66	F	Nut (dowel to hood)-1/2"-13	1	33845-S8(M57)
65/67	A		1	
66	S		1	
65	B,X	Nut (dowel to hood)-1/2"-20	1	33943-S8(M36)
66	U		1	
65	B	Washer (dowel to hood)-1/2" flat	1	44735-S8(X32)
65/67	A		1	
65/66	F		1	
66	S		1	
66	U		1	
65/70	X		1	
70/	B	Nut & retainer assy. (hook lock to lock support)-5/16"-18	2	★45268-S2
70/	P	Screw & washer (hood latch to hood lock support)	2	★57040-S39
70/	B		2	
70/	S	Screw & washer (hood latch to hood inner panel)-5/16"-18 x 7/8"	2	57140-S2(B340H)
68/69	B	Screw & washer assy. (attach hood lock to hood lock support)	2	
69/	A	Screw & washer assy. (hood latch to hood)	2	
66	S	Washer (dowel to hood)-21/32"	1	★356524-S
65	S	Washer-square-1/2"	2	★358681-S8
67/69	S	Bolt-hex.head (latch to support)-	2	359662-S7-8
66/67	B	5/16"-18 x 3/4"	2	(BB575A)
66/70	X		2	
66	S	Washer-flat (dowel to hood)-9/16"	1	371613-S7-8 (XX202)
68	A,F	Screw & washer assy. (hook to support)-5/16"-18 x 1" hex. head	2	378178-S2 (BB412B)
70/	P	Nut & retainer (hood latch to hood lock support)-5/16"-18	2	379114-S (MM192AD)
66/69	B	Nut & retainer (hook to support)-5/16"-18	2	379831-S2 (MM192M)
	16930 RETAINER - HOOD RELEASE CABLE			
69	B(63-Talladega)		1	C9OZ 16930-A
	16931 PLATE - HOOD PIN			
65/67	F(Shelby GT 350/500)	Stainless steel	2	S1MS 16931-A
		Pop rivet-1/8" (attach plate to hood)	8	375204-S
	16A931 PLATE ASSY. - AUXILIARY HOOD LATCH			
68	F(65)-GT/CS		2	C8ZZ 16A931-A
68	F(Shelby GT 350/500)		4	
69/70	F(Shelby GT 350/500)	Marked S9MS 16A931-A	2	C9ZZ 16A931-A
	16934 BRACKET and SPRING ASSY. - HOOD HOLD DOWN FASTENER			
68	F(Shelby GT 350/500)		2	S8MS 16934-A
69/70	F(Shelby GT 350/500)	R. H. -for dzus fastener	1	C9ZZ 16934-A
		L. H.	1	C9ZZ 16934-B
69/70	F(Shelby GT350/500)	Screw (bracket to fender)	2	★57030-S
	16958 MOULDING - HOOD - Refer to Group 16856-7			
	16993 BUMPER - HOOD LATCH CAM			
66/	U		2	B7A 16993-A
	16995 REINFORCEMENT - HOOD CENTER			
69/70	F(8 cyl. 351,390,428)-with ram air		2	C9ZZ 16995-A

INDEX

PART NAME	GROUP NUMBER
A	
Absorber (bumper arm to bumper)	17A924
Adapter assy. (speedo.)	17294
Anchor (rear license plate support)	17A398
Arm (front bumper)	17754-5, 17766-7, 17A973-6
Arm (rear bumper)	17787-8, 17795-6
Arm (rear view inside mirror)	17690
Arm (windshield wiper motor output)	17A436
Arm (windshield wiper mounting)	17540
Arm (windshield wiper pivot)	17526-7
Arm assy. (front bumper inner)	17973-4
Arm & link assy. (windshield wiper motor)	17A464
Arm & pivot shaft (windshield wiper mounting)	17566-7
Armature (windshield wiper motor)	17A485
B	
Bar (rear bumper name plate)	17B847
Base (jack)	17088
Bearing (windshield wiper arm)	17573
Bezel (clock)	17362
Bezel (rear view outside mirror control)	17530
Bezel (tachometer)	17362
Bezel assy. (speedo.)	17A260
Blade (windshield wiper less frame)	17593
Blade assy. (windshield wiper)	17528
Body (windshield wiper aux. drive)	17579
Bolt (bumper)	17758
Brace (front bumper inner arm)	17B962-3
Brace (front valance panel)	17899
Brace (rear bumper end)	17789
Brace (rear bumper mounting bracket to cross member)	17A906
Brace (rear bumper to cross member)	17668
Bracket (front bumper end)	17A820-1
Bracket (front bumper guard)	17B794-5
Bracket (front bumper mounting end)	17B762
Bracket (front bumper stop)	17K754
Bracket (front bumper to fender)	17A869-70
Bracket (front license plate mounting)	17A385
Bracket (jack handle retainer)	17A139-40
Bracket (jack storage)	17A039-40
Bracket (license plate)	17B875
Bracket (lower cross support)	17792-3
Bracket (rear bumper guard)	17C856, 17B876-7
Bracket (rear bumper inner arm mounting)	17A750-1
Bracket (rear bumper license plate)	17B891
Bracket (rear bumper stop)	17B965

PART NAME	GROUP NUMBER
B - cont'd.	
Bracket (rear view inside mirror)	17698
Bracket (rear view outside mirror tension)	17C697
Bracket (speedo. cable support)	17263
Bracket (tachometer mounting)	17368
Bracket (valance panel front)	17A986
Bracket (wheel nut wrench retainer)	17A139
Bracket (windshield washer reservoir mounting)	17651
Bracket (windshield wiper control mounting)	17C443
Bracket (windshield wiper motor & linkage cover)	17C570-1
Bracket (windshield wiper motor mounting)	17496
Bracket assy. (front bumper jacking)	17B839
Brush & terminal assy. (windshield wiper motor)	17B566
Bumper (front)	17756-7
Bumper (license plate)	17A396
Bumper (rear)	17906
C	
Cable assy. (speedo.)	17260, 17262
Cam (windshield wiper motor)	17A461
Cap (rear window wiper blade end)	17A402
Casing & core assy. (speedo.)	17260
Clamp (front bumper guard)	17934-5
Clamp (jack hold down)	17091
Clip (speedo. cable)	17264
Clip (speedo. drive gear retaining)	17B336
Clip (windshield wiper adapter & connecting arm)	17531
Connector (windshield washer hose)	17598
Connector (windshield washer reservoir to hose)	17615
Connector (windshield wiper hose)	17489
Contact assy. (windshield washer pump to switch)	17A669
Control assy. (windshield wiper)	17470
Core (speedo. drive)	17262
Cover (windshield washer reservoir)	17632
Cover (windshield wiper motor & linkage)	17C569
Cover (windshield wiper motor gear)	17A511
Cover (windshield wiper output arm)	17C526
Cover assy. (windshield wiper motor)	17C541
Cup & magnet assy. (windshield wiper motor)	17B584
D	
Damper (windshield wiper motor surge)	17C505
Deflector (front bumper stone)	17779
Deflector (front bumper stone lower)	17B769
Deflector (rear bumper stone)	17808, 17814
Deflector (rear bumper stone end)	17836-7

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
E	
Extension (front bumper stone deflector)	17C782, 17A939
Extension (front bumper stone deflector outer)	17798
Extension (front valance center panel)	17B948-9
F	
Filter assy. (windshield washer fluid)	17K608
Filter assy. (windshield wiper motor)	17C600
Frame (front license plate)	17A387
Frame (rear license plate)	17A387
G	
Gasket (rear view outside mirror)	17724
Gasket (speedo. case)	17303
Gasket (windshield wiper control switch)	17C573
Gasket (windshield wiper motor cover)	17471
Gasket (windshield wiper motor seal)	17C430
Gear (speedo. drive)	17285
Gear (speedo. driven)	17271
Gear assy. (speedo. driven)	17271, 17322
Gear & pinion (windshield wiper motor)	17A479
Gear & shaft assy. (windshield wiper motor output)	17A434
Gear & stop assy. (windshield wiper motor output)	17A556
Glass (rear view outside mirror)	17723
Governor (windshield wipers)	17C476
Grille (front bumper)	17B968
Grommet (speedo. case)	17304
Grommet (speedo. mounting)	17B303
Grommet (windshield wiper motor mounting)	17C431
Grommet (windshield wiper pivot shaft)	17C582
Guard (bumper)	17984-5, 17996-7
Guard kit (front bumper)	17996
Guard kit (rear bumper)	17984
H	
Handle (jack)	17032, 17081
Hardware kit (license plate)	17A356
Hook (jack)	17A003
Hose (rear window washer)	17652
Hose (windshield washer)	17543, 17A605, 17K605
Hose (windshield washer reservoir to pump)	17580
Hose (windshield wiper)	17543
Hose assy. (windshield wiper motor damper drain)	17C511
Housing (tachometer & clock)	17311
Housing (windshield wiper motor)	17A431
I	
Insulator (front bumper arm)	17B947
Insulator (front bumper stone deflector)	17C760
Insulator (rear bumper guard)	17B907
Insulator (windshield wiper motor water shield)	17C444
J	
Jack assy.	17080
Jet & bracket assy. (windshield washer nozzle)	17603
K	
KIT - refer to appropriate noun name For example Guard kit (front bumper)	17996
Knob (rear view outside mirror remote control)	17B718
Knob assy. (air scoop control)	17513
Knob assy. (air vent control)	17513
Knob assy. (emergency warning flasher control)	17513
Knob assy. (radio fader control)	17513
Knob assy. (rear window defogger switch control)	17513
Knob assy. (spotlamp switch control)	17513
Knob assy. (windshield washer control)	17513
Knob assy. (windshield wiper switch control)	17513
L	
Lens (speedo. dial opening)	17259
Lever (windshield wiper motor park switch)	17B549
License plate frame (front)	17A387
License plate frame (rear)	17A387
Link (windshield wiper)	17B439
M	
Mirror (vanity)	17A679
Mirror assy. (rear view inside)	17700
Mirror assy. (rear view outside)	17682
Mirror & cable (rear view outside)	17A708
Mirror kit (rear view inside)	17700
Mirror kit (rear view outside)	17696
Motor assy. (windshield wiper)	17504, 17508
Moulding (front bumper)	17B970
Moulding (front bumper stone deflector)	17819

INDEX

PART NAME	GROUP NUMBER
N	
Nozzle (windshield washer)	17A602, 17665-6
Nozzle repair kit (windshield washer)	17A638
Nut (rear view outside mirror control knob)	17B719
Nut (rear view outside mirror remote control)	17B732
Nut (windshield wiper control)	17512
P	
Pad (front bumper jacking bracket)	17C854
Pad (rear bumper step)	17B821
Pad (rear view inside mirror)	17A720
Pad assy. (bumper)	17C829, 17C830, 17K831-4
Pad assy. (bumper guard)	17A807, 17A812, 17988
Panel (front bumper finish)	17794
Panel (front valance)	17626-7
Panel assy. (lower radiator grille opening)	17779
Pin (windshield wiper motor)	17B563
Pin (windshield wiper motor contact operating)	17B564
Plate (bumper guard back)	17988
Plate (front bumper arm adjusting)	17B856
Plate (front bumper to front mounting)	17B991
Plate (front bumper upper)	17B984
Plate (rear bumper arm adjusting)	17B856
Plate (rear bumper guard)	17982
Plate (rear bumper name)	17B850
Plate (rear view outside mirror housing)	17B675
Plate (rear view outside mirror mounting)	17A717
Plate (rear view outside mirror remote control)	17B733
Plate (speedo. mounting)	17289
Plate assy. (windshield wiper drive link pivot)	17C563
Plate assy. (windshield wiper motor mounting)	17B518
Plate & switch assy. (windshield wiper motor)	17B583
Pointer assy. (speedo.)	17268
Pump (windshield washer)	17664
R	
Reinforcement (bumper guard outer front)	17A968-9
Reinforcement (front bumper center)	17A792
Reinforcement (front bumper stone deflector)	17A956
Reinforcement (impact bar)	17912-3
Reinforcement (rear bumper center)	17912, 17A914
Reinforcement (rear bumper mounting bracket)	17B862-3
Remote control (rear view outside mirror)	17B676
Reservoir (windshield washer)	17618
Resistor assy. (windshield wiper governor)	17C503
Retainer (jack)	17A012
Retainer (jack handle)	17A038, 17A091
Retainer (rear view outside mirror)	17C700
Retainer (rear view outside mirror cable)	17B721
Retainer (speedo. case grommet)	17305
Retainer (speedo. driven gear)	17292
Retainer (speedo. sleeve)	17B302
Retainer (wheel nut wrench)	17A038, 17A091
Retainer (windshield wiper arm)	17A504
Retainer (windshield wiper motor bushing)	17C436
Retainer (windshield wiper motor cup)	17C535
Retainer (windshield wiper switch)	17C491
Retainer assy. (jack front)	17A116

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S	
Screw (windshield wiper motor shaft stop)	17A549
Seal (rear bumper)	17A953
Seal (speedo. drive gear)	17298
Seal (windshield washer nozzle)	17634
Seal (windshield washer pump)	17B610
Seal (windshield wiper pivot shaft to cowl top)	17A475
Shaft assy. (odometer reset)	17A381
Sheath (control cable rear view outside mirror)	17B742
Shield (rear bumper opening)	17C857
Shim (front bumper)	17A799
Shim (rear bumper)	17B925
Sleeve (bumper arm bolt)	17841
Sleeve (speedo. cable)	17B301
Sleeve (windshield wiper motor switch)	17C428
Spacer (bumper guard)	17120
Spacer (front bumper arm to frame)	17765
Spacer (front bumper pad bolt)	17C864
Spacer (rear view inside mirror bracket)	17B680
Spacer (speedo. dial)	17A317
Spacer (speedo. driving gear)	17288
Spacer (windshield wiper motor output shaft)	17A558
Spacer (windshield wiper mounting outer)	17514-5
Spacer (windshield wiper pivot shaft inner)	17B588
Speedometer assy.	17255, 17282
Spring (jack hold down)	17119
Spring (windshield wiper cam return)	17A501
Spring (windshield wiper motor brush)	17B599
Spring assy. (rear license plate support)	17A397
Step (rear bumper)	17B807
Step kit (rear bumper)	17B820
Stop (front bumper)	17C817
Stop (rear bumper)	17B990
Stop (windshield wiper arm)	17C549
Stop assy. (windshield wiper arm)	17C583
Stop assy. (windshield wiper motor)	17C479


PART NAME	GROUP NUMBER
S - cont'd.	
Strap (windshield wiper motor ground)	17A497
Support (center valance panel front)	17890
Support (front bumper)	17N800
Support (front bumper stone deflector)	17747, 17890
Support (rear bumper arm)	17A858
Switch assy. (rear window washer time delay)	17A412
Switch assy. (windshield washer control)	17A625, 17A553
Switch assy. (windshield wiper)	17A553
T	
Tachometer kit	17A326
Tee (tachometer)	17B308
Tee (windshield washer hose)	17A601
Tip replacement kit (speedo. cable)	17A254
Tool (electrical terminal crimping)	17018
Tube (windshield wiper)	17544
Tube (windshield wiper pressure feed)	17B474
Tube assy. (windshield wiper pressure feed lower)	17C506
V	
Valve (windshield washer control)	17A614
W	
Washer (arm to pivot shaft)	17541
Washer (windshield wiper arm to pivot shaft)	17541
Washer kit (windshield)	17A603
Wiring (rear window washer feed)	17A409
Wiring (windshield wiper switch to ignition switch)	17A460
Wiring (windshield wiper switch to motor)	17B587
Wiring assy. (tachometer)	17A299
Wiring assy. (windshield wiper switch to motor)	17A622
Wrench (battery venting socket)	17A126
Wrench (jack handle)	17032
Wrench (wheel nut)	17032

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17A003 HOOK - JACK			
	- A -			
65/66	A		1	C5AZ 17A003-B
67	A		1	C7AZ 17A003-A
68	A		1	C8AZ 17A003-A
69/70	A (except 71)	Color Black	1	C9AZ 17A003-A
69/70	A (71)	Color Gray	1	C9MY 17A003-B
71	A (except 71)		1	D1AZ 17A003-B
71	A (71)		1	D1AZ 17A003-A
	- B -			
65/67	B		1	C5AZ 17A003-B
68/69	B		1	C8OZ 17A003-A
70/71	B(except 66, 71)	Black-used w/D0OZ 17080-A jack assy.	1	D0OZ 17A003-A
70/71	B(66, 71)	Gray-used w/D0OZ 17080-B jack assy.	1	D0OZ 17A003-B
	- S -			
66	S		1	C6SZ 17A003-A
67	S		1	C7SZ 17A003-A
68/69	S		1	C8SZ 17A003-A
70/71	S		1	D0SZ 17A003-A
	- X -			
66/70	X		1	C5AZ 17A003-B
67/68	A(except 71 & 54 with rear folding seat)	Bolt (hook assy. -jack to spare wheel)-	1	353677-S8(BB405)
69/70	A(except 71)	3/8"-16 x 3 1/2" hex. head	1	
70/71	S		1	
67	A(except 71)	Washer (hook assy. -jack to spare wheel)-	1	356383-S7(XX362)
		25/64" I.D. x 5/8" O.D.	1	
	17A012 RETAINER - JACK - Unless listed - Improvise locally			
70/71	P-with 6.45 x 14 wheels & tires		1	D0DZ 17A012-A
66	U "Before Ser. 830,001"	Refer to Group 17091		
66/67	U "From Ser. 830,001"		1	C6TZ 17A012-A
	17018 TOOL - ELECTRICAL TERMINAL CRIMPING			
65/	All		AR	B9A 17018-A
65/	All	Contact extraction tool	1	C4AZ 17018-B
	17032 WRENCH - JACK HANDLE and WHEEL NUT			
65/	F		1	★D0ZZ 17032-A
71/	L		1	r/b D4ZZ 17032-A(5-75)
70/	P		1	
66/	U		1	C2SZ 17032-C
65/	A, B, S		1	
65/70	X		1	
	17A038 RETAINER - JACK HANDLE & WHEEL NUT WRENCH			
67	A	Front	1	C7AZ 17A038-A
69/	A(71)		2	


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17A039-40 BRACKET - JACK STOWAGE - Unless listed - Improvise			
72	B		1	D2OZ 17A039-A
67/71	S	Rear	1	C7SZ 17A040-A
69/70	A(except 71)	Wing bolt (attach bracket-upper & lower in stowing jack assy.)-5/16"-18 x 53/64"	1	359615-S8(BB833)
70/71	S	Screw & washer (attach bracket-jack stowage to rear floor crossmember-No.10-12 x 1/2"	1	42127-S8(U248C)
	17080 JACK ASSEMBLY			
	- A -			
65/	A	Universal-chain lift (heavy duty)	1	C5AZ 17080-C
69/70	A(except 71)		1	C9AZ 17080-A
71	A (except 71)		1	D1AZ 17080-A
69/71	A(71)	Use C5AZ 17080-C Universal-chain lift	1	★
72	A		1	D2OZ 17080-A
	- B -			
65	B		1	C0DZ 17080-A
65/	B	Universal-chain lift (heavy duty)	1	C5AZ 17080-C
68/69	B(except 71)	Standard	1	C8OZ 17080-C
68/69	B(71)	Standard	1	C8OZ 17080-D
70/71	B(except 66, 71)		1	D0OZ 17080-A
70/71	B(66, 71)		1	D0OZ 17080-B
72	B		1	D2OZ 17080-A
	- F -			
65/70	F	Scissors type jack	1	D1ZZ 17080-A
67/70	F(6 cyl.)	Identified w/ 5/16" letter "A"	1	★ D0ZZ 17080-A r/b D1ZZ 17080-A(5-75)
71/	F	Scissors type jack	1	D1ZZ 17080-A
	- L -			
71/	L	Scissors type jack	1	D1ZZ 17080-A
	- P -			
70/	P	Scissors type jack	1	D1ZZ 17080-A
	- S -			
65/	S	Universal-chain lift (heavy duty)	1	C5AZ 17080-C
68/69	S		1	C8SZ 17080-A
70/71	S		1	D1SZ 17080-A
72	S		1	D2OZ 17080-A
	- U -			
66/	U		1	C6TZ 17080-B
	- X -			
65	X		1	C0DZ 17080-A
65/70	X	Universal-chain lift (heavy duty)	1	C5AZ 17080-C
68/70	X(except 71)	Standard	1	C8DZ 17080-C
68/70	X(71)	Standard	1	C8DZ 17080-D
	17081 HANDLE - JACK			
66/	U		1	C6TZ 17081-A


17088 BASE JACK




CROSS SECTION VIEW OF JACK COLUMNS



JACK BASE TYPES



CROSS SECTION VIEW OF JACK COLUMNS



JACK BASE TYPES P-2107

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	- A -				
72	A		Type 2	1	D2OZ 17088-D
65/68	A		Type 4	1	C4AZ 17088-B
69/71	A		Type 4	1	C9AZ 17088-B
72	A		Type 4	1	D2OZ 17088-A
65/67	A		Type 7	1	C3AZ 17088-A
68	A		Type 7	1	C8AZ 17088-E
69/70	A		Type 7	1	C9AZ 17088-A
68/71	A		Type 7	1	D0AZ 17088-B
72	A		Type 7	1	D2OZ 17088-C
68	A	"Before 11/8/67"	Type 8	1	C8AZ 17088-C
68/71	A	"From 11/8/67"	Type 8	1	C8AZ 17088-F
72	A		Type 9	1	D2OZ 17088-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17088 BASE - JACK - continued			
	- B -			
72	B	Type 2	1	D2OZ 17088-D
65/66	B	Type 4	1	C4AZ 17088-B
69/71	B	Type 4	1	C9AZ 17088-B
72	B	Type 4	1	D2OZ 17088-A
65/69	B	Type 7	1	C3AZ 17088-A
68/69	B	Type 7	1	C8AZ 17088-E
68/71	B	Type 7	1	D0AZ 17088-B
70/71	B	Type 7	1	C9AZ 17088-A
72	B	Type 7	1	D2OZ 17088-C
68/71	B	Type 8	1	C8AZ 17088-F
72	B	Type 9	1	D2OZ 17088-B
	- S -			
72	S	Type 2	1	D2OZ 17088-D
72	S	Type 4	1	D2OZ 17088-A
65/71	S	Type 7	1	D2VY 17088-A
72	S	Type 7	1	D2OZ 17088-C
72	S	Type 9	1	D2OZ 17088-B
	- X -			
66	X	Type 4	1	C4AZ 17088-B
65/67	X	Type 7	1	C3AZ 17088-A
68/70	X	Type 7	1	C8AZ 17088-E
68/70	X	Type 7	1	D0AZ 17088-B
	17091 CLAMP - JACK HOLD DOWN- Also refer to Groups 1446 & 17A012			
65	A		1	C3AZ 17091-A
66	A (63, 76)		1	
71/	A(76)		1	
66/69	B(54, 62, 63)		1	
66/71	B(76)		1	
68/71	B(71)		1	
69	B(65)-with 427 & 428 CJ with 4/S/T		1	
66	X(54, 62)		1	
66	U	Refer to Group 17A012		
68/	U		1	C7TZ 17091-A
66/	U	Nut-Wing (attach jack handle between upper brkt. & hold down clamp)	1	358462-S7(MM297)
68/	U	Stud 1/4" -20 x 1.00" - attach 17091 to upper wheel housing	1	382406-S5(WW138)
	17A091 RETAINER - JACK HANDLE and WHEEL NUT WRENCH - If not listed - Improvise			
67/68	A	Rear	1	C7AZ 17A091-A
67/69	B		2	
67/71	S		2	
67/70	X (71)		2	
	17A116 RETAINER ASSY. - JACK FRONT			
71/	A(71)		1	D1AZ 17A116-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17119 SPRING - JACK HOLD DOWN			
68/	F	With collapsible spare tire	1	C8ZZ 17119-A
65/66	S		1	BAE 17119-A
65/66	A (54, 57, 62, 63)		1	
67/68	A(54, 57, 62, 63, 76)		1	
67/71	S		1	C7SZ 17119-B
67/68	A(71)		1	
65/66	S	Screw (spring to frt. and rear brkt.)-No. 14-10 x 5/8"	2	31498-S8(U253B)
65/66		Flatwasher-1/4"	2	44719-S8(X17)
65/66	S	Flatwasher (spring to frt. & rear brkt.)-No. 16-1/4"	2	44720-S8(X18)
65/68	A(54, 57, 62)	Screw (jack hold down spring to rear floor pan)-No. 8-15 x 1/2"	2	52726-S2(U381)
	17120 SPACER - BUMPER GUARD			
66	S		2	C6SZ 17120-A
	17A139 BRACKET - JACK HANDLE and WHEEL NUT WRENCH RETAINER			
72	B(exc.71,97),S	Improvise	2	★
	17A140 BRACKET - JACK HANDLE RETAINER			
72	B,S	Improvise	1	★
	17A254 TIP REPLACEMENT KIT - SPEEDOMETER CABLE			
65/	All	Used with universal speedometer cable core with .130" diameter-consists of (1) Swaging tool (1) Cable tip	1	B9AF 17A254-A
	17255 SPEEDOMETER ASSY. - LESS MOUNTING PLATE			
	- A -			
65/66	A	2 mile graduations	1	C5AZ 17255-B
67	A	2 mile graduations	1	C7AZ 17255-B
68	A(except P/C)	5 mile graduations	1	C8AZ 17255-A
	A(P/C)	2 mile graduations	1	C8AZ 17255-B
69/70	A(except P/C)	5 mile graduations	1	D0AZ 17255-A
69	A(P/C)	2 mile graduations	1	C9AZ 17255-C
70	A(P/C)	2 mile graduations	1	D0AZ 17255-B
71/	A(except P/C)	5 mile graduations-120 M.P.H.	1	D2AZ 17255-B
	A(P/C)	2 mile graduations-140 M.P.H.	1	D2AZ 17255-C
	- B -			
65	B	2 mile graduations	1	C5OZ 17255-B
66	B	2 mile graduations	1	C6OZ 17255-B
67	B	2 mile graduations	1	C7OZ 17255-B
68	B	5 mile graduations	1	C8OZ 17255-D
69	B	5 mile graduations	1	C9OZ 17255-C
70/71	B(except P/C)	5 mile graduations	1	D1OZ 17255-D
70	B(P/C)	2 mile graduations	1	D0OZ 17255-D
71	B(P/C)	2 mile graduations	1	D1OZ 17255-C
72	B(except P/C)	120 M.P.H.-w/o tachometer instrument group	1	D2GY 17255-A
		120 M.P.H.-w/tachometer instrument group	1	D4OZ 17255-A
72	B(P/C)	140 M.P.H.	1	D2GY 17255-C

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17255 SPEEDOMETER ASSY. - LESS MOUNTING PLATE - continued			
	- F -			
65	F	Without camera case cluster-rectangular 120 M.P.H.	1	C5DZ 17255-A
65/66	F(63,65,76)	With woodgrain & camera case cluster-round 140 M.P.H.	1	C5ZZ 17255-A
67/68	F(exc. Shelby GT350/500)	Miles-w/o tripodometer	1	C7ZZ 17255-E
	F(exc. Shelby GT350/500)	Miles-with tripodometer	1	C7ZZ 17255-F
67/68	F(Shelby GT350/500)	140 M.P.H.-with tripodometer	1	C8ZF 17282-E
69	F(exc.63C & Shelby GT350/500)	Miles-with tripodometer	1	C9ZZ 17255-B
69/70	F(Shelby GT350/500)	140 M.P.H.-with tripodometer	1	C9ZZ 17255-N
69/70	F(exc. 65E & Shelby GT350/500)	W/o tripodometer-10 mile graduations-Black dial	1	D0ZZ 17255-A
69/70	F(65E)	W/o tripodometer-5 mile graduations-Gray Blue dial	1	D0ZZ 17255-B
70	F(exc. 63C)	W/tripodometer-10 mile graduations-Black dial	1	D0ZZ 17255-C
69/70	F(63C)	W/tripodometer-5 mile graduations-Gray Blue dial	1	D0ZZ 17255-D
71/	F	Miles-w/o tripodometer	1	D1ZZ 17255-A
71/	F	Miles-with tripodometer	1	D1ZZ 17255-B
	- L -			
71/	L		1	D1FZ 17255-A
	- P -			
70/	P		1	D1DZ 17255-C
	- S -			
65/66	S		1	C4SZ 17255-A
67	S		1	C7SZ 17255-A
68	S		1	C8SZ 17255-A
69/71	S		1	D0SZ 17255-A
72	S	Miles-w/o tripodometer	1	D2SZ 17255-A
		Miles-w/tripodometer	1	D2SZ 17255-B
	- U -			
66/	U		1	C1TZ 17255-E
	- X -			
65	X		1	C5DZ 17255-A
66	X		1	C6DZ 17255-A
67	X		1	C7DZ 17255-A
68	X		1	C8DZ 17255-A
69/70	X		1	C9DZ 17255-C
70	A	Screw (retains 17255)-No. 6-18 x 1/2"	3	42124-S7-8 (U245)
65/70	X	Screw (speedo. to back plate)-No. 8-18 x 3/8"	2	52540-S13 (U227)
70/	P	Screw (speedo to back plate)	2	★382576-S2
	17259 LENS - SPEEDOMETER DIAL OPENING			
69/70	A	Clear plastic	1	C9AZ 17259-A
65/66	S	Clear plastic	1	C4SZ 17259-A
69/70	A	Screw (retains 17259)-No. 6-18 x 1/2"	2	42124-S7-8 (U-245)

17260 CABLE ASSY. - SPEEDOMETER

There are two ways of selecting Speedometer Cables:
(1) By Identification
(2) By Model Application

By IDENTIFICATION:
When the Identification Number of the speedometer cable is known:

1. Refer to Identification Chart below.
2. Find the Identification Number and the corresponding Service Number.

By MODEL APPLICATION:

1. Refer to Model Application Chart beginning on page 10.
2. Refer to appropriate Model, Year and Transmission to find Service Part Number.

IDENTIFICATION CHART

IDENTIFICATION		SERVICE PART NUMBER	
C6AA	9A820-A	C5AZ	17260-G
C6SA	9A820-A	C6SZ	17260-A
C6SA	9A820-B	C6SZ	17260-A
C7AF	9A820-A	C7AZ	17260-C
C7AF	9A820-C	C7AZ	17260-E
C7SF	9A820-A	C7SZ	17260-B
C7SF	9A820-B	C7SZ	17260-D
C7SF	9A820-C	C7SZ	17260-F
C7ZF	9A820-A	★C7ZZ	17260-E
C7ZF	9A820-B	★C7ZZ	17260-E
C4SA	17260-F	C4SZ	17260-F
C4ZA	17260-A	C5ZZ	17260-E
C4ZA	17260-C	C5DZ	17260-A
C4ZA	17260-D	C5OZ	17260-A
C5AA	17260-A	C2DZ	17260-K
C5AA	17260-B	C2DZ	17260-K
C5AA	17260-E	C5AZ	17260-E
C5AA	17260-F	C5AZ	17260-G
C5DA	17260-A	C5DZ	17260-A
C5DA	17260-B	C2DZ	17260-K
C5DA	17260-D	C3DZ	17260-F
C5OA	17260-A	C5OZ	17260-A
C5OA	17260-B	C5DZ	17260-A
C5OA	17260-C	C2DZ	17260-K
C5SA	17260-A	C5DZ	17260-A
C5SA	17260-B	C4SZ	17260-G
C5SA	17260-C	C4SZ	17260-G
C5SF	17260-A	C3DZ	17260-F
C5ZA	17260-A	C5ZZ	17260-E
C5ZA	17260-B	C5DZ	17260-A
C5ZA	17260-C	C5DZ	17260-A
C5ZA	17260-D	C5OZ	17260-A
C6AA	17260-A	C2DZ	17260-K
C6DF	17260-C	C6DZ	17260-B
C6DF	17260-D	C7DZ	17260-A
C6DF	17260-F	C7DZ	17260-A
C6GF	17260-A	C6OZ	17260-A
C6SF	17260-B	C6SZ	17260-B
C6TA	17260-AB	C5TZ	17260-Y
C7AF	17260-A	C7AZ	17260-A
C7AF	17260-B	C7AZ	17260-A
C7AF	17260-C	C7AZ	17260-A
C7AF	17260-D	C7AZ	17260-D
C7AF	17260-E	C7AZ	17260-F
C7AF	17260-F	C7AZ	17260-F
C7AF	17260-G	C7AZ	17260-F
C7AF	17260-H	C7AZ	17260-F
C7DF	17260-A	C7DZ	17260-C
C7GF	17260-D	C7OZ	17260-B
C7OF	17260-A	C7OZ	17260-A
C7OF	17260-C	C7OZ	17260-C
C7OF	17260-E	C7OZ	17260-E
C7SF	17260-A	C7SZ	17260-A
C7SF	17260-C	C7SZ	17260-C
C7SF	17260-D	C7SZ	17260-E
C7TA	17260-V	C5TZ	17260-Y
C7ZF	17260-A	C7ZZ	17260-J
C7ZF	17260-D	C7ZZ	17260-D
C7ZF	17260-F	C7ZZ	17260-F
C7ZF	17260-G	C7ZZ	17260-H
C8AF	17260-A	C7AZ	17260-A
C8AF	17260-B	C7AZ	17260-A
C8AF	17260-C	C7AZ	17260-A
C8AF	17260-D	C8AZ	7260-D
C8AF	17260-E	C7AZ	1 260-D
C8DF	17260-A	C8DZ	17260-A
C8DF	17260-B	C7ZZ	17260-C
C8DF	17260-C	C7ZZ	17260-C
C8GF	17260-A	C8GY	17260-A
C8GF	17260-B	C8GY	17260-A
C8GF	17260-C	C8GY	17260-A
C8GF	17260-D	C8GY	17260-D
C8GF	17260-F	C8GY	17260-A
C8GF	17260-H	C8GY	17260-D
C8GF	17260-J	C8GY	17260-J
C8OF	17260-A	C8DZ	17260-A
C8OF	17260-B	C7ZZ	17260-C
C8OF	17260-C	C7ZZ	17260-C
C8OF	17260-D	C7ZZ	17260-C
C8OF	17260-E	C7AZ	17260-D
C8OF	17260-F	C8DZ	17260-A
C8OF	17260-G	C7ZZ	17260-C

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


17260 CABLE ASSY. - SPEEDOMETER - continued

IDENTIFICATION CHART - continued

IDENTIFICATION		SERVICE PART NUMBER	
C8OF	17260-H	C7ZZ	17260-C
C8OF	17260-J	C7ZZ	17260-C
C8OF	17260-K	C8ZZ	17260-F
C8SF	17260-A	C8SZ	17260-A
C8SF	17260-B	C8SZ	17260-B
C8SF	17260-C	C8SZ	17260-A
C8SF	17260-D	D0SZ	17260-B
C8ZF	17260-A	C7ZZ	17260-J
C8ZF	17260-B	C7ZZ	17260-C
C8ZF	17260-C	C7ZZ	17260-C
C8ZF	17260-D	C7DZ	17260-C
C8ZF	17260-E	C8ZZ	17260-E
C8ZF	17260-F	C8ZZ	17260-F
C9AF	17260-A	C9ZZ	17260-C
C9AF	17260-B	D0AZ	17260-A
C9AF	17260-C	C9AZ	17260-C
C9AF	17260-E	C9AZ	17260-E
C9AF	17260-F	D0OZ	17260-C
C9AF	17260-G	D0AZ	17260-D
C9DF	17260-A	C8GY	17260-D
C9DF	17260-B	C8GY	17260-A
C9DF	17260-C	D0DZ	17260-B
C9GF	17260-A	C9GY	17260-A
C9SF	17260-A	D0SZ	17260-B
C9ZF	17260-A	C9ZZ	17260-A
C9ZF	17260-B	C9ZZ	17260-B
C9ZF	17260-C	C9ZZ	17260-C
C9ZF	17260-D	C9ZZ	17260-D
C9ZF	17260-E	D0OZ	17260-A
C9ZF	17260-F	C9ZZ	17260-F
C9ZF	17260-G	C9ZZ	17260-G
C9ZF	17260-H	D0ZZ	17260-D
C9ZF	17260-J	D0OZ	17260-C
D0AF	17260-A	D0OZ	17260-C
D0AF	17260-C	D0AZ	17260-A
D0AF	17260-D	D0OZ	17260-C
D0DF	17260-A	C9ZZ	17260-C
D0DF	17260-B	C8GY	17260-D
D0OF	17260-A	D0OZ	17260-A
D0OF	17260-C	D0OZ	17260-C
D0OF	17260-D	D0OZ	17260-D
D0OF	17260-F	D0OZ	17260-F
D0OF	17260-G	D0OZ	17260-G
D0OF	17260-H	D0OZ	17260-A
D0OF	17260-K	D0OZ	17260-C
D0OF	17260-L	D0OZ	17260-D
D0OF	17260-R	D0OZ	17260-G
D0OF	17260-U	D0OZ	17260-F
D0OF	17260-V	D0OZ	17260-H
D0SF	17260-B	D0SZ	17260-B
D0SF	17260-C	D0SZ	17260-C
D0SF	17260-E	D0SZ	17260-B

IDENTIFICATION		SERVICE PART NUMBER	
D1AF	17260-AA	D0OZ	17260-A
D1AF	17260-AB	D0OZ	17260-A
D1AF	17260-BA	D0AZ	17260-D
D1AF	17260-BB	D0AZ	17260-D
D1AF	17260-CA	D0AZ	17260-A
D1AF	17260-DA	D1AZ	17260-C
D1DF	17260-AA	D1ZZ	17260-G
D1DF	17260-AB	D1ZZ	17260-G
D1DF	17260-AC	D1ZZ	17260-G
D1DF	17260-BA	C8GY	17260-D
D1OF	17260-AA	D0SZ	17260-B
D1OF	17260-AB	D0SZ	17260-B
D1OF	17260-DA	D0OZ	17260-F
D1OF	17260-DB	D0OZ	17260-F
D1SF	17260-AA	D0SZ	17260-B
D1SF	17260-AB	D0SZ	17260-B
D1ZF	17260-AA	D1ZZ	17260-A
D1ZF	17260-AB	D1ZZ	17260-A
D1ZF	17260-AC	D1ZZ	17260-G
D1ZF	17260-BA	D0OZ	17260-A
D1ZF	17260-BB	D0OZ	17260-A
D1ZF	17260-CA	D1ZZ	17260-A
D1ZF	17260-CB	D1ZZ	17260-A
D1ZF	17260-DA	C9ZZ	17260-A
D1ZF	17260-DB	C9ZZ	17260-A
D1ZF	17260-EA	D1ZZ	17260-E
D1ZF	17260-EB	D1ZZ	17260-E
D1ZF	17260-FA	D1ZZ	17260-F
D1ZF	17260-FB	D1ZZ	17260-F
D12F	17260-AA	D1FZ	17260-A
D12F	17260-AB	D1FZ	17260-A
D12F	17260-AC	D1FZ	17260-A
D12F	17260-AD	D1FZ	17260-C
D12F	17260-BA	D1FZ	17260-B
D12F	17260-BB	D1FZ	17260-B
D12F	17260-BC	D1FZ	17260-B
D12F	17260-BD	D1FZ	17260-D
D12F	17260-CA	D1ZZ	17260-G
D12F	17260-CB	D1ZZ	17260-G
D12F	17260-CC	D1ZZ	17260-G
D2AF	17260-BA	D1AZ	17260-C
D2AF	17260-CA	D0OZ	17260-A
D2AF	17260-DA	D0AZ	17260-D
D2DF	17260-AA	D1ZZ	17260-G
D2DF	17260-BA	D0AZ	17260-D
D2OF	17260-AA	D2OZ	17260-B
D2OF	17260-BA	D2OZ	17260-B
D2OF	17260-CA	D2OZ	17260-D
D2OF	17260-DA	D2OZ	17260-D
D2SF	17260-AB	D2VY	17260-A
D2VF	17260-AB	D2VY	17260-A
D2ZF	17260-BA	D0OZ	17260-A
D2ZF	17260-CA	C9ZZ	17260-A
D2ZF	17260-DA	D1ZZ	17260-F
D22F	17260-AA	D1FZ	17260-C
D22F	17260-BA	D1FZ	17260-D
D22F	17260-CA	D1ZZ	17260-G

17260 CABLE ASSY. - SPEEDOMETER - continued



P-868

MODEL APPLICATION CHART

For Core Replacement use B9AZ 17262-A (81") or C5AZ 17262-B (135") and cut to fit

YEAR	MODEL	TRANS.	SPEED CONTROL, MODULATOR or NOX EMISSION YES	SPEED CONTROL, MODULATOR or NOX EMISSION NO	LENGTH (INCHES)	REMARKS	PART NUMBER
				- A -			
65/66	A	All		x	55		☆C2DZ 17260-K
65/66	A	All	x		41 7/8	Pump to speedo.	☆C5AZ 17260-E
65/66	A	All	x		39 5/16	Pump to trans.	☆C5AZ 17260-G
65/66	A	3/M/T					♦CC5AA 17260-A
65/66	A	4/M/T,C4, C6,C/M					♦CC5AA 17260-B
67	A(w/o rolling door locks)	All		x	55		C7AZ 17260-A
67	A(w/rolling door locks)	All		x	53		C7AZ 17260-F
67	A(w/o rolling door locks)	All	x		75 5/16	Pump to trans.	●C7AZ 17260-C
67	A(w/rolling door locks) - "Before 9/2/66"	All	x				
67	A(w/rolling door locks)- "From 9/2/66"	All	x		73 5/16	Pump to trans.	●C7AZ 17260-E
67	A	All	x			Pump to trans.	▲Refer to Group 9A820
67/68	A	All	x		42 11/16	Pump to speedo.	C7AZ 17260-D
68	A	3/M/T,C4, C6,C/M		x	55		C7AZ 17260-A
68	A	4/M/T		x	60 5/8		C8AZ 17260-D
68/69	A	All	x			Pump to trans.	Refer to Group 9A820
69	A	All	x		15 1/2	Pump to speedo.	C9AZ 17260-E
69	A	3/M/T,C4, C/M		x	49		C9AZ 17260-C
69	A	4/M/T,C6		x	58		C9ZZ 17260-C
70	A	C6		x	58		D0OZ 17260-C
70/71	A	3/M/T		x	47		D0AZ 17260-A
70/	A(8 cyl.351-2V)	C/M		x	50 13/16		D0AZ 17260-D
70	A(8 cyl.302-2V w/o A/C)	C4,C/M		x			
71/	A(8 cyl.302-2V)	C4		x			
71/	A(exc. 429 P/C)	C6		x	53 13/16		D0OZ 17260-A
71/	A(8 cyl. 429 P/C)	C6		x	53		D1AZ 17260-C
70/	A	All	x				Refer to Group 9A820

● Used with Curtiss Wright speed control ▲ Used with Perfect Circle speed control
☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17260 CABLE ASSY. - SPEEDOMETER - continued

MODEL APPLICATION CHART - continued

YEAR	MODEL	TRANS.	SPEED CONTROL, MODULATOR or NOX EMISSION YES	SPEED CONTROL, MODULATOR or NOX EMISSION NO	LENGTH (INCHES)	REMARKS	PART NUMBER
					- B -		
65	B(6 cyl.)	3/M/T			55		C2DZ 17260-K
65	B(8 cyl.)	3/M/T			58 13/16		C5DZ 17260-A
65	B	4/M/T					♦CC4DA 17260-G
65	B	4/M/T,C4, C/M			64 15/16		C5OZ 17260-A
66	B(6 cyl. & 8 cyl. 289)	4/M/T,C4, C/M			61 3/16		C6DZ 17260-B
66	B(8 cyl. 390)	All					
66	B(6 cyl. & 8 cyl. 289)	3/M/T			53 3/16		C6OZ 17260-A
67	B(exc. 8 cyl. 390)	3/M/T,C4, O/D			56		C7OZ 17260-A
	"Before 9/1/66"	4/M/T					
	"From 9/1/66"	4/M/T			63		C7OZ 17260-E
		3/M/T					
67	B(8cyl. 390)	C6			65		C7OZ 17260-B
68	B	C6		x	62 3/4	Adapter (C8ZZ 17294-A) also required	C8ZZ 17260-F
68	B	4/M/T,C4		x	66 5/16		C7ZZ 17260-C
68	B(8 cyl. 390)	3/M/T		x			
68	B(exc. 8 cyl. 390)	3/M/T		x	54 13/16		C8DZ 17260-A
68	B	All	x		42 3/4	Pump to speedo.	C7AZ 17260-D
68	B	All	x			Pump to trans.	Refer to Group 9A820
69	B(exc. 8 cyl. 390)	3/M/T			54 3/8		C8GY 17260-D
69	B(8 cyl. 390)	3/M/T			64 3/8		C8GY 17260-A
69	B	C4,C/M					
69	B	4/M/T,C6				W/o 3.91 or 4.30:1 rear axle	
69	B(8 cyl. 428)- "From 1/31/69"	4/M/T				W/3.91 or 4.30.1 rear axle	
69	B "Before 1/31/69"	4/M/T			47	W/3.91 or 4.30:1 rear axle-adapter (C9ZZ 17294-A) also required	C9GY 17260-A
69	B(exc. 8 cyl. 428)- "From 1/31/69"	4/M/T					
69	B	C6			60 13/16	W/3.91 or 4.30:1 rear axle-adapter (C8ZZ 17294-A) also required	C8GY 17260-J
70	B	3/M/T		x	53 13/16		D0OZ 17260-A
70	B	C4,C/M		x	56		D0OZ 17260-C
70	B	C6		x	63	W/o 3.91 or 4.30:1 rear axle	D0OZ 17260-D
70	B	C6		x	61	W/3.91 or 4.30:1 rear axle-adapter (C8ZZ 17294-A) also required	D0OZ 17260-G
70	B	4/M/T		x	102 13/16	W/o 3.91 or 4.30:1 rear axle	D0OZ 17260-F
71	B	4/M/T		x		W/o 3.91 rear axle	
70	B	4/M/T		x	101 13/16	W/3.91 or 4.30:1 rear axle-adapter (D0OZ 17294-A) also required	D0OZ 17260-H
71	B	4/M/T		x		W/3.91 rear axle	
71	B	3/M/T,C4, C6		x	67 13/16		D0SZ 17260-B
72	B	3/M/T,C4, C/M		x	66		D2OZ 17260-B
72	B	4/M/T,C6		x	73		D2OZ 17260-D
70/	B	All	x				Refer to Group 9A820

♦ Canada only

17260 CABLE ASSY. - SPEEDOMETER - continued

MODEL APPLICATION CHART - continued

YEAR	MODEL	TRANS.	SPEED CONTROL, MODULATOR or NOX EMISSION YES	SPEED CONTROL, MODULATOR or NOX EMISSION NO	LENGTH (INCHES)	REMARKS	PART NUMBER
				- F -			
65/66	F	3/M/T			48 11/16		C5ZZ 17260-E
65/66	F(6 cyl.)	4/M/T			58 13/16		C5DZ 17260-A
65/66	F	C4					
65/66	F(8 cyl.)	4/M/T			64 15/16		C5OZ 17260-A
67	F	All	x		42 3/4	Pump to speedo.	▲C7ZZ 17260-H
67	F	All	x		36 7/16	Pump to speedo.	•C7ZZ 17260-F
67	F	3/M/T,C4		x	63 1/16		C7ZZ 17260-D
67	F	C6		x	66 9/16		C7ZZ 17260-C
68	F	C4,C6		x		W/o 3.91 or 4.30:1 rear axle	
67/68	F	4/M/T		x	77 1/16		C7ZZ 17260-J
68	F(8 cyl. 390)	3/M/T		x			
68	F(exc. 8 cyl. 390)	3/M/T		x	58 13/16		C7DZ 17260-C
68	F	C6		x	62 3/4	W/3.91 or 4.30:1 rear axle-adapter (C8ZZ 17294-A) also required	C8ZZ 17260-F
68	F	All	x		57 13/16	Pump to speedo.	C8ZZ 17260-E
69	F	All	x		56	Pump to speedo.	C9ZZ 17260-D
68/69	F	All	x			Pump to trans.	Refer to Group 9A820
69	F	C6		x	63 1/2	W/o 3.91 or 4.30:1 rear axle	C9ZZ 17260-B
69	F	3/M/T,C4, C/M		x	56		C9ZZ 17260-C
69/70	F	4/M/T		x	66 1/2	W/o 3.91 or 4.30:1 rear axle	C9ZZ 17260-A
69	F(8 cyl. 428)- "From 1/31/69"	4/M/T		x		W/3.91 or 4.30:1 rear axle	
69	F "Before 1/31/69"	4/M/T		x	70	W/3.91 or 4.30:1 rear axle-adapter (C9ZZ 17294-A) also required	C9ZZ 17260-F
69	F(exc. 8 cyl. 428)- "From 1/31/69"	4/M/T		x			
70	F	4/M/T		x			
69/70	F	C6		x	58	W/3.91 or 4.30:1 rear axle-adapter (C8ZZ 17294-A) also required	C9ZZ 17260-G
70	F	C4		x	56		D0OZ 17260-C
70	F "Before 12/15/69"	C/M		x			
70	F "From 12/15/69"	C/M		x	61 13/16		D0ZZ 17260-D
70	F	C6		x		W/o 3.91 or 4.30:1 rear axle	
70/	F	3/M/T		x	53 13/16		D0OZ 17260-A
71/	F	C4,C/M		x	61 1/2		★D1ZZ 17260-G r/b D4FZ 17260-A(5-75)
71	F	C6		x		W/o 3.91 or 4.11:1 rear axle	
72	F	C6		x			
71	F	C6		x	57 13/16	W/3.91 or 4.11:1 rear axle-adapter (C8ZZ 17294-A) also required	D1ZZ 17260-E
71	F(exc. 8 cyl. 302-4V H/O & 351-4V Special	4/M/T		x	66 1/2	W/o 3.91 or 4.11:1 rear axle	C9ZZ 17260-A
72	F(exc.8 cyl.351-4V H/O)	4/M/T		x			
71	F(8 cyl. 302-4V H/O & 351-4V special)	4/M/T		x	71 13/16	W/3.91 or 4.11:1 rear axle-Adapter (C9ZZ 17294-A) also required	D1ZZ 17260-F
72	F(8 cyl.351-4V H/O)	4/M/T		x			
70/	F	All	x				Refer to Group 9A820

• Used with Curtiss Wright speed control

▲ Used with Perfect Circle speed control

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17260 CABLE ASSY. - SPEEDOMETER - continued

MODEL APPLICATION CHART - continued

YEAR	MODEL	TRANS.	SPEED CONTROL, MODULATOR or NOX EMISSION YES	SPEED CONTROL, MODULATOR or NOX EMISSION NO	LENGTH (INCHES)	REMARKS	PART NUMBER
				- L -			
71	L "Before 2/19/71"	4/M/T, 71WG-AB		x	72 13/16		D1FZ 17260-A
71/	L "From 2/19/71"	4/M/T, 71WG-AB, 71WG-AC 71WG-AD		x	70		D1FZ 17260-C
71	L "Before 2/19/71"	4/M/T, 71WG-BA		x	72 13/16		★D1FZ 17260-B r/b D1FZ 17260-D(5-75)
71/	L "From 2/19/71"	4/M/T, 71WG-BA		x	70		D1FZ 17260-D
71/	L	C4			61 1/2		★D1ZZ 17260-G r/b D4FZ 17260-A(5-75)
				- P -			
70/71	P	3/M/T		x	54 3/8		C8GY 17260-D
72	P	3/M/T		x	50 13/16		D0AZ 17260-D
70	P	C4		x	56		C9ZZ 17260-C
71/	P	C4		x	61 1/2		★D1ZZ 17260-G r/b D4FZ 17260-A(5-75)
				- S -			
65	S	C/M	x		62 3/8	Pump to speedo.	C4SZ 17260-G
65	S	C/M	x		51 3/4	Pump to trans.	C4SZ 17260-F
65	S "Before 11/13/64"	C/M		x	58 13/16		C5DZ 17260-A
65	S "From 11/13/64"	C/M		x	74 9/16		C3DZ 17260-F
66	S	C6		x			
66	S	C6	x		59 9/16	Pump to speedo.	C6SZ 17260-B
66	S	C6	x		57 9/16	Pump to trans.	C6SZ 17260-A
67	S(w/o rolling door locks)	C6		x	62 5/8		C7SZ 17260-A
67	S(w/rolling door locks)- "Before 8/26/66"	C6		x			
67	S(w/rolling door locks)- "From 8/26/66"	C6		x	59 1/4		C7SZ 17260-E
67	S(w/o rolling door locks)	C6	x		70 13/16	Pump to trans.	C7SZ 17260-B
67	S(w/rolling door locks)- "From 8/26/66"	C6	x		67 11/16	Pump to trans.	C7SZ 17260-F
67	S	C6	x		44 5/16	Pump to speedo.	C7SZ 17260-C
68	S	C6		x	65		C8SZ 17260-A
68	S	C6	x		41	Pump to speedo.	C8SZ 17260-B
68/70	S	C6	x			Pump to trans.	Refer to Group 9A820
70	S	C6	x		23 5/16	Pump to speedo.	D0SZ 17260-C
69/71	S	C6		x	67 13/16		D0SZ 17260-B
72	S	C6		x	64 1/2		D2VY 17260-A
71/	S	C6	x				Refer to Group 9A820
				- U -			
66/	U	All			70 13/16		C5TZ 17260-Y
				- X -			
65	X	3/M/T			55		C2DZ 17260-K
65	X	F/4/S			74 9/16		C3DZ 17260-F
65	X	W/F/S,C4			58 13/16		C5DZ 17260-A
66/67	X	4/M/T			73		C7DZ 17260-A
66	X	3/M/T,C4			61 1/8		C6DZ 17260-B
67	X	3/M/T			58 13/16		C7DZ 17260-C
67	X	C4			65		C7OZ 17260-B
68	X	3/M/T			54 13/16		C8DZ 17260-A
68	X	C4			66 5/16		C7ZZ 17260-C
69/70	X	3/M/T			54 3/8		C8GY 17260-D
69	X	C4			64 3/8		C8GY 17260-A
70	X	C4			61 13/16		D0DZ 17260-B

17260 CABLE ASSY. - SPEEDOMETER - continued

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
65	A, B, S, X	Bolt (speedo. casing to trans.)-1/4"-20 x 5/8"	1	20324-S8(B41)
65/69	A, B, S, X	Lockwasher (cable to trans. hsg.)	1	34805-S8(X62)
65/69	A	Grommet (used for routing casing thru steering column opening cover plate)-with .22" dia. hole	1	352963-S(KK17)
65	A, B, S, X	Clip (casing & core to dash panel or floor pan)	1	359339-S32(GG75)
65/69	S	Clip (cable to floor pan)	1	
65/69	A, F, X	"O" ring (seals cable at trans. hsg.)	1	
65/69	A	Clip(cable to floor pan)-No. 14 spring	1	★378011-S32
66	B, S	"O" ring (seals cable at trans. hsg.)-11/16" I.D.	1	87036-S94(T1C)
70	B, F, S	(Use as oil seal for speedometer drive gear)	1	
66	A, B, X	Screw (speedo. cable to dash)5/16"-18 x 1/2"	1	40143-S8(U268M)
66	A, B, X	Clip (speedo. cable to dash panel)	1	352977-S100
70	F	Clip (attach cable to L.H. side member)	1	(GG156)
66	A, B, F, S, X	Screw & washer assy. (speedo. cable to trans.)-1/4"-20 x 5/8"	1	43263-S8(U3)
66	A	Clip (speedo. cable to fender apron)-5/16"	1	377987-S(GG256)
68/69	A, B, X	Clip (cable to dash panel)-also with 4/S/T	1	381939-S100 (GG163E)
65/69	B	Clip (cable to engine rear suppt. mtg. brkt.)	1	377797-S32(GG331)
66	X		1	
68	A(76)-with 4 speed S/T	Clip (cable to dash panel)	1	
66	B, X	Grommet (used for routing cable-thru firewall)	1	★380634-S
70	B, F, S		1	
68	B, X	Screw (speedo. cable to dash panel)-5/16"-18 x 1/2"	1	40923-S8(U264)
65/70	F	Clip (cable to dash or front floor member)	1or2	379816-S32
68	X	Clip (speedo. cable to rear engine support)	1	(GG234A)
70	B	(Attach cable to engine support extension)	1	
70	A	Clip assy.(attach cable to dash panel)	1	381939-S100
70	F	(Attach cable to underbody)	1	(GG163E)
70	B, F	Screw & washer (attach clamp & cable to trans.)	1	20345-S7-8(B150A)
66	F	Clip (speedo. cable to floor pan)	1	373842-S100 (GG207)
66	F	Clip (speedo. cable to floor pan)	1	★380072-S8
67/69	F-with speed control	Clip (speedo. cable to servo bracket)	1	358341-S2(GG46)
67/69	F-with speed control	Clip (cable to engine cross support)-use with Perfect Circle System	1	373829-S100 (GG267)
67/69	F-with speed control	Screw (cable to L.H. side panel)-5/16"-18 x 1 3/4"-hex. hd. -use with Perfect Circle System	1	381877-S2 (UU52AF)
70	F	Clip (attach cable to bellcrank at dash)	1	357949-S(GG141)
66	S	Lockwasher (speedo. cable to steering col.)-3/8"	1	351487-S(XX291)
66	S	Clip (speedo. cable to instrument panel)	1	358350-S(GG172)
66	S	Clip (speedo. cable to dash panel)	1	359339-S32(GG75)
66	S	Clip (speedo. cable to steering column)	1	372172-S100 (GG228)
67/69	S	Clip (use at No. 1 body bracket support)	1	358313-S32(GG44)
68	S	Clip (attach cable to floor pan)	1	382456-S(GG328)
70	A	(To hold cable L.H. side only to dash assy.)	1	
70	S	(To prevent cable from kinking)	1	
68	S, F "Before 10/19/67"	Clip (cable to floor pan)	1	381832-S100
70	F	Clip (attach cable to underbody)	1	(GG327)
68	U	Screw (attach speedo. cable)-5/16"-18 x 5/8" tap.	AR	40936-S8(U265)
65	X	Clip (Stewart Warner cable to dash panel)	1	★373841-S100
65	X	Clip (American Chain & Cable-cable to dash panel)	1	373842-S100 (GG207)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17262 CORE - SPEEDOMETER DRIVE - Also refer to Group 17260			
65/	All using core dia. .13" up to 81" long	Kit-L.H.wind-.130"dia. x 81" long-universal type	1	B9AZ 17262-A
	Consists of (1) Cable core .13" dia. x 81" long	(1) Swage die (1) Cable core tip (1) Instruction sheet No. 256A		
65/	All using core .13" dia. up to 135" long	Universal kit - cut to fit	1	C5AZ 17262-B
	17263 BRACKET - SPEEDOMETER CABLE SUPPORT - If not listed-improvise			
66/	U	8 3/4" long	1	C6TZ 17263-B
	17264 CLIP - SPEEDOMETER CABLE			
66/	B	To clip speedo.cable to transmission housing	1	B9TZ 17264-A
67/	A		1	
68/	F		1	
71/	L		1	
70/	P		1	
67/	S-except with speed control		1	
66/70	X		1	
	17271 GEAR - SPEEDOMETER DRIVEN - Refer to Section 172			
	17282 SPEEDOMETER ASSY.-Refer to Group 17255			
	17285 GEAR - SPEEDOMETER DRIVE - Refer to Section 172			
	17288 SPACER - SPEEDOMETER DRIVING GEAR			
65/66	F	11/16" long-steel	1	C2DZ 17288-B
	17289 PLATE - SPEEDOMETER MOUNTING - Also refer to Group 10848			
69/70	A		1	C9AZ 17289-A
68/70	S		1	C8SZ 17289-A
	17292 RETAINER - SPEEDOMETER DRIVEN GEAR			
65/	All	"C" type-.665"/.685" O.D.-.330"/.345" I.D.	1	C1DD 17292-A
71/	L(4 cyl. 98)	For 4/M/T-71WG--BA	1	D0RY 17292-A
	17294 ADAPTER ASSY. - SPEEDOMETER			
68/70	F-with C6 trans.	Straight-use with 3.91 or 4.30:1 rear axle-.6944 gear ratio	1	C8ZZ 17294-A
68/71	B-with C6 trans.		1	
71	F-with C6 trans.	Used with 3.91 or 4.11:1 rear axle	1	
69	B-with 4/M/T exc.8 cyl. 351, 428	90°- used with 3.91 or 4.30:1 rear axle-.7500 gear ratio	1	C9ZZ 17294-A
69	F-with 4/M/T exc.8 cyl. 428		1	
70	F-with 4/M/T		1	
71/	F-with 4/M/T	Used with 3.91 or 4.11:1 rear axle	1	
70/71	B-with 4/M/T with 429 C.I.D.	Straight-use with 3.91 or 4.30:1 rear axle-.7511 gear ratio	1	D0OZ 17294-A
70/71	B	Screw & washer (attach adapter to trans.)	1	20345-S7-8(B150A)
	17298 OIL SEAL - SPEEDOMETER DRIVE GEAR			
65	A, B, S, X		1	1A 17298
71/	L(4/M/T)		1	D0RY 17298-A
68/69	F, S	"O" ring-.669"/.679" I.D.	1	87036-S94(T1C)
	17A299 WIRING ASSY. - TACHOMETER - If not listed improvise			
68/69	A, B, F, S, X	Marked C8OB 17A299-A, B or C9OB 17A299-A or B	1	C9OZ 17A299-A
70	A, F, S, X, P	Marked D0OB 17A299-A	1	
72	A, B, P, U		1	
70/71	B(8 cyl. 302, 351)	Marked D0OB 17A299-C, D1OB 17A299-AA, AB	1	D0OZ 17A299-A

17271 SPEEDOMETER GEARS - DRIVE and/or DRIVEN

HOW TO FIND SPEEDOMETER DRIVE and DRIVEN GEAR PART NUMBERS

There are two ways of determining the part number of a speedometer drive or driven gear.

BY IDENTIFICATION or BY APPLICATION

BY IDENTIFICATION

YOU MUST KNOW: Physical shape
Material
Color
Number of teeth
Size (17285 only)
Identification number - if applicable (17271 only)

EXAMPLE:

DRIVEN GEAR (17271)

Physical shape conforms to -
TYPE: 3A
MATERIAL: Nylon
COLOR: Green or White
NUMBER of TEETH: 17
PART NUMBER listed is: C3DZ 17271-B

DRIVE GEAR (17285)

Physical shape conforms to -
TYPE: 4A
MATERIAL: Nylon
COLOR: Yellow
NUMBER of TEETH: 7
SIZE: 1 3/8" I.D. x 2 1/64" O.D. x 11/16" thick or long
PART NUMBER listed is: C8AZ 17285-A

BY APPLICATION

YOU MUST KNOW: Year
Rear Axle Ratio
Engine
Transmission
Tire Size

For convenience the model years are arranged in separate sections as follows:

1965	172.65
1966	172.66
1967	172.67
1968	172.68
1969	172.69
1970	172.70
1971	172.71
1972	172.72


EXAMPLE:

YEAR:	1970
REAR AXLE RATIO:	3.25 to 1
ENGINE:	8 cyl. 390 C.I.D.
TRANSMISSION:	3 speed manual (3/M/T)
TIRE SIZE:	8.25 x 15


DRIVEN GEAR part number listed is C8AZ 17285-A

DRIVE GEAR part number listed is C3DZ 17271-B (for both regular vehicles and Police, Taxi and Rental vehicles).


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN




TYPE 1




TYPE 1a




TYPE 2




TYPE 3




TYPE 3a



TYPE 3b



TYPE 3c




TYPE 4

P-8343


17271 SPEEDOMETER DRIVEN GEAR IDENTIFICATION CHART

TYPE ●	MATERIAL	COLOR	TEETH	DESCRIPTION	PART NUMBER
1	Nylon	Blue	16		★C7AZ 17271-A r/b D0AZ 17271-A
1a	Nylon	Blue	16		D0AZ 17271-A
2	Nylon	Red	19		C3VY 17271-A
3	Nylon	Blue	16		★C7AZ 17271-A r/b D0AZ 17271-A
3	Nylon	Blue	16		C8SZ 17271-A
3	Nylon	None	17		★C7AZ 17271-B r/b C7SZ 17271-A
3	Nylon	Green	17		C7SZ 17271-A
3	Nylon	Gray	18		C7SZ 17271-B
3	Nylon	Tan	19		★C6VY 17271-B r/b C7VY 17271-A
3	Nylon	Tan	19		C7VY 17271-A
3	Nylon	Orange	20		C8SZ 17271-B
3	Nylon	Purple	21		D0OZ 17271-A
3a	Nylon	Brown	15		★C3OZ 17271-A r/b C0DD 17271-A
3a	Nylon	Brown	15		★C3DZ 17271-A r/b C2DZ 17271-J
3a	Nylon	Wine	16		C0DD 17271-A
3a	Nylon	Orange	16		C2DZ 17271-J
3a	Nylon	Green or White	17		C3DZ 17271-B
3a	Nylon	Purple	17		C2DZ 17271-G
3a	Nylon	Green or White	18		C2DZ 17271-F
3a	Nylon	Gold or Yellow	18		C0DD 17271-B
3a	Nylon	Pink-end only	19		C4DZ 17271-A
3a	Nylon	Pink	19		C0DD 17271-C
3a	Nylon	Black	20		C1DD 17271-A
3a	Nylon	Blue	20		C2DZ 17271-H
3a	Nylon	Red	21		C4OZ 17271-A
3b	Nylon	Blue	17		C0AA 17271-A
3b	Nylon	Brown	17		C2AZ 17271-A
3b	Nylon	Purple	18		C0AA 17271-B
3b	Nylon	None	18		C0AA 17271-J
3b	Steel	None	18	Ident. C0AA 17271-F -Not repl.(3-74)	★C0AA 17271-F
3b	Steel	None	18	Ident. C0AA 17271-L	C0AA 17271-L
3b	Nylon	Red	19		C0AA 17271-K
3b	Nylon	Gray	19		C0AA 17271-C
3b	Steel	None	19	Ident. C0AA 17271-N	C0AA 17271-N
3b	Steel	None	19	Ident. C0AA 17271-S-Not replaced	★C0AA 17271-S
3b	Nylon	Black	20		C0AA 17271-D
3b	Nylon	Orange	20		C0AA 17271-G
3b	Steel	None	20	Ident. C0AA 17271-M -Not repl.(3-74)	★C0AA 17271-M
3b	Steel	None	20	Ident. C3AA 17271-A	C3AZ 17271-A
3b	Nylon	Yellow	21		C0AA 17271-E
3b	Nylon	Green	21		C0AA 17271-H
3b	Steel	None	21	Ident. C0AA 17271-R -Not repl.(3-74)	★C0AA 17271-R
3b	Steel	None	21	Ident. C0AA 17271-T	C0AA 17271-T
3c	Steel	None	17	Ident. C2OA 17271-B	C2OZ 17271-B
3c	Steel	None	18	Ident. C1DD 17271-B	C2DZ 17271-A
3c	Steel	None	19	Ident. C2OA 17271-C	C2OZ 17271-C
3c	Steel	None	20	Ident. C2OA 17271-D -Not repl.(3-74)	★C2OZ 17271-D
4	Nylon & Steel	Yellow	21	Ident. 69EG 17322-FA	D1RY 17271-A
4	Nylon & Steel	Black	23		D0RY 17271-B
4	Nylon & Steel	Green	24		D0RY 17271-A
4	Nylon & Steel	Black	24	Ident. 71BG 17322-FA	D1RY 17271-B


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN




TYPE 1




TYPE 2




TYPE 2a




TYPE 2b




TYPE 3



TYPE 4



TYPE 4a



TYPE 4b

P-8344

17285 SPEEDOMETER DRIVE GEAR IDENTIFICATION CHART

TYPE ●	MATERIAL	COLOR	TEETH	DIMENSIONS (INCHES)			PART NUMBER
				I. D.	O. D.	THICKNESS OR LENGTH	
1	Steel	None	7	1 13/64	2 3/16	31/32	C2DZ 17285-A
2	Nylon	None	6	1 5/32	2 1/64	11/16	C0DR 17285-A
2a	Steel	None	6	1 3/8	2	11/16	C2OZ 17285-C
2a	Nylon	Blue	7	1	1 17/32	1 1/8	D0RY 17285-A
2a	Steel	None	7	1 1/32	1 25/32	7/16	D1RY 17285-C
2a	Steel	None	8	1 1/8	1 7/8	7/16	D1RY 17285-A
2b	Nylon	Yellow	7	1 3/8	2	11/16	★C2OZ 17285-A r/b C3OZ 17285-C
3	Steel	None	6	1 3/32	1 29/32	35/64	D1FZ 17285-A
3	Steel	None	6	1 19/64	2	39/64	C3OZ 17285-A
3	Steel	None	7	1 3/8	2	11/16	★C5AZ 17285-A r/b C8OZ 17285-B
3	Steel	None	8	1 19/64	2	39/64	C5DZ 17285-C
3	Steel	None	8	1 19/64	2 1/64	39/64	C5OZ 17285-B
4	Nylon	Green	6	1 3/8	1 13/16	11/16	B7C 17285-A
4	Nylon	Black	7	1 1/4	2	11/16	C6ZZ 17285-A
4	Nylon	Gray	8	1 3/8	2 1/64	11/16	C5DZ 17285-B
4a	Nylon	Pink	6	1 3/8	1 13/16	11/16	C5ZZ 17285-A
4a	Nylon	Black	7	1 3/8	1 13/16	11/16	C4DZ 17285-A
4a	Nylon	Yellow	7	1 3/8	2 1/64	11/16	C8AZ 17285-A
4a	Nylon	Brown	8	1 3/8	2 1/64	11/16	C8OZ 17285-B
4b	Nylon	None	7	1 5/32	2	11/16	C2OZ 17285-B
4b	Nylon	Pink or Yellow	7	1 3/8	2	11/16	★C2OZ 17285-D r/b C3OZ 17285-C
4b	Steel	None	7	1 3/8	2	11/16	C3OZ 17285-C

● Refer to Illustration on opposite page

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
				1965			
				2.80 - REAR AXLE RATIO			
6 8	200 289	C4	6.95 x 14,7.35 x 14		$	C0DD 17271-A	C0DD 17271-A
8	289	C4	6.00 x 13		$	C3DZ 17271-B	C3DZ 17271-B
8	289	C4	6.50 x 13,6.45 x 14		$	C0DD 17271-A	C3DZ 17271-B
8	289	3/M/T	6.00 x 13	"Before 12/1/64"	C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
				"From 12/1/64"	C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8	289	3/M/T	6.50 x 13,6.45 x 14	"Before 12/1/64"	C3OZ 17285-C	C0DD 17271-A	C3DZ 17271-B
				"From 12/1/64"	C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
8	289	3/M/T	6.95 x 14	"Before 12/1/64"	C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
				"From 12/1/64"	C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	289	3/M/T	7.35 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	289	W/4/S	6.45 x 14	HEK-L - "Before 11/23/64"	*C5DZ 17285-C	C2DZ 17271-J	C2DZ 17271-G
				HEK-L,P,U - "From 11/23/64"	C5DZ 17285-C	C2DZ 17271-F	C4DZ 17271-A
8	289	W/4/S	6.95 x 14,7.35 x 14	HEK-L,R,V - "Before 11/23/64"	*C5DZ 17285-C	C2DZ 17271-J	C2DZ 17271-J
				HEK-L,P,R,U,V- "From 11/23/64"	C5DZ 17285-C	C2DZ 17271-F	C2DZ 17271-F
8	289	W/4/S	6.00 x 13,6.50 x 13	HEK-P,R,U,V	C5DZ 17285-C	C4DZ 17271-A	C4DZ 17271-A
8	289	W/4/S	6.95 x 14,7.35 x 14	HEK-J - "Before 11/23/64"	*C5OZ 17285-B	C0DD 17271-A	C0DD 17271-A
				HEK-J,S - "From 11/23/64"	C5OZ 17285-B	C0DD 17271-B	C0DD 17271-B
				2.83 - REAR AXLE RATIO			
6	170,200	C4	6.00 x 13		$	C3DZ 17271-B	C3DZ 17271-B
6	170,200	C4	6.50 x 13,6.45 x 14		$	C0DD 17271-A	C3DZ 17271-B
6	170,200	C4	6.95 x 14		$	C0DD 17271-A	C0DD 17271-A
6	170	3/M/T	6.00 x 13		C2OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
6	170	3/M/T	6.50 x 13,6.45 x 14		C2OZ 17285-B	C0DD 17271-A	C3DZ 17271-B
6	170	3/M/T	6.95 x 14		C2OZ 17285-B	C0DD 17271-A	C0DD 17271-A
				3.00 - REAR AXLE RATIO			
6 8	200 289	C4	6.95 x 14,7.35 x 14		$	C3DZ 17271-B	C3DZ 17271-B
8	289	C4	6.00 x 13		$	C0DD 17271-B	C0DD 17271-B
8	289	C4	6.50 x 13,6.45 x 14		$	C3DZ 17271-B	C0DD 17271-B
6 8	240 352	C4 C/M	7.35 x 15	PCD-Z,AA	$	C0DD 17271-A	C3DZ 17271-B
6 8	240 352	C4 C/M	7.75 x 15,8.15 x 15	PCD-Z,AA	$	C0DD 17271-A	C0DD 17271-A
6 8	240 352	3/M/T C/M	7.35 x 15	PCD-U,V	C3OZ 17285-C	C0DD 17271-A	C3DZ 17271-B
6 8	240 352	3/M/T C/M	7.75 x 15,8.15 x 15	PCD-U,V	C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
8	289	3/M/T	6.00 x 13		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
8	289	3/M/T	6.50 x 13	"Before 12/1/64"	C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
				"From 12/1/64"	C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A

$ Part of transmission output shaft

* If drive gear is replaced - must also replace driven gear

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
				1965			
				3.00 - REAR AXLE RATIO - continued			
8	289	3/M/T	6.95 x 14,7.35 x 14	"Before 12/1/64"	C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
			6.95 x 14	"From 12/1/64"	C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
			7.35 x 14	"From 12/1/64"	C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8	289	3/M/T	6.45 x 14		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
8	289	W/4/S	6.45 x 14	HEK-L	C5DZ 17285-C	C2DZ 17271-G	C2DZ 17271-F
8	289	W/4/S	6.95 x 14	HEK-L,M - "Before 11/23/64"	*C5DZ 17285-C	C2DZ 17271-G	C2DZ 17271-G
				HEK-L,M,P,R,U,V "From 11/23/64"	C5DZ 17285-C	C4DZ 17271-A	C2DZ 17271-H
8	289	W/4/S	7.35 x 14	HEK-L - "Before 11/23/64"	*C5DZ 17285-C	C2DZ 17271-J	C2DZ 17271-G
				HEK-L,P,U - "From 11/23/64"	C5DZ 17285-C	C4DZ 17271-A	C4DZ 17271-A
8	289	W/4/S	6.50 x 13	HEK-M - "Before 11/23/64"	*C5DZ 17285-C	C2DZ 17271-G	C2DZ 17271-F
				HEK-M,R,V - "From 11/23/64"	C5DZ 17285-C	C2DZ 17271-H	C2DZ 17271-H
8	289	W/4/S	6.95 x 14	HEK-J - "Before 11/23/64"	*C5OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
				HEK-J,S - "From 11/23/64"	C5OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8	289	W/4/S	7.35 x 14	HEK-J - "Before 11/23/64"	*C5OZ 17285-B	C0DD 17271-A	C0DD 17271-A
				HEK-J,S - "From 11/23/64"	C5OZ 17285-B	C0DD 17271-C	C0DD 17271-A
8	390	3/M/T C/M	7.35 x 15,7.75 x 15,8.15 x 15	PCE-BB,BC,BD, BE,BG	C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
8	390	C/M	7.35 x 15	PCE-BK,BL,BM, BM-1,BN,BN-1,BP	C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
8	390	C/M	7.75 x 15,8.15 x 15	PCE-BK,BL,BM, BM-1,BN,BN-1,BP	C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
				3.20 - REAR AXLE RATIO			
6	170,200	C4	6.00 x 13		$	C0DD 17271-C	C1DD 17271-A
6	170,200	C4	6.50 x 13,6.45 x 14		$	C0DD 17271-B	C0DD 17271-C
6	170,200	C4	6.95 x 14		$	C0DD 17271-B	C0DD 17271-B
6	170,200	C4	7.35 x 14		$	C3DZ 17271-B	C0DD 17271-B
6	170,200	3/M/T	6.00 x 13		C2OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6	170,200	3/M/T	6.50 x 13,6.45 x 14		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-C
6	170,200	3/M/T	6.95 x 14		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6	170,200	3/M/T	7.35 x 14		C2OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
				3.25 - REAR AXLE RATIO			
6	200	C4	6.95 x 14		$	C0DD 17271-B	C0DD 17271-C
6	200	C4	7.35 x 14		$	C0DD 17271-B	C0DD 17271-B
6 8	240 289	C4	7.35 x 15		$	C3DZ 17271-B	C0DD 17271-B
6 8	240 289	C4	7.75 x 15,8.15 x 15		$	C3DZ 17271-B	C3DZ 17271-B
8	289	C/M	7.35 x 15	PCT-J2,J3,K	$	C3DZ 17271-B	C0DD 17271-B
8	352	C/M	7.35 x 15	PCD-Z,AA	$	C0DD 17271-B	C0DD 17271-B
8 8	289 352	C/M C/M	7.75 x 15,8.15 x 15	PCT-J2,J3,K PCD-Z,AA	$	C3DZ 17271-B	C3DZ 17271-B
8	289	C/M	7.35 x 15	PCT-J1	C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
8 8 8	289 352 390	C/M C/M C/M	7.75 x 15,8.15 x 15	PCT-J1 PCD-U,V PCE-BB,BC,BD, BE,BG	C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B

* If drive gear is replaced - must also replace driven gear

$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
				1965			
				3.25 - REAR AXLE RATIO - continued			
8	352	C/M	7.35 x 15	PCD-U,V	C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
8	390	C/M		PCE-BC,BD,BE, BG			
8	390	C/M	7.35 x 15	PCE-BK,BL,BM, BM-1,BN,BN-1,BP	C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	390	C/M	7.75 x 15,8.15 x 15	PCE-BJ,BK,BL, BM,BM-1,BN,BN-1, BP	C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8	390	O/D	7.35 x 15		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
8	390	O/D	7.75 x 15,8.15 x 15		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
6	200	3/M/T	6.95 x 14		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-C
6	200	3/M/T	7.35 x 14		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6	240	3/M/T	7.35 x 15		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
8	289						
6	240	3/M/T	7.75 x 15,8.15 x 15		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
8	289,352, 390						
8	289	3/M/T	6.95 x 14		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
8	289	3/M/T	7.35 x 14		C8OZ 17285-B	C1DD 17271-A	C4OZ 17271-A
8	352,390	3/M/T	7.35 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
8	289	W/4/S	6.45 x 14		C5DZ 17285-C	C4DZ 17271-A	C4DZ 17271-A
8	289	W/4/S	6.95 x 14	"Before 11/23/64"	*C5DZ 17285-C	C2DZ 17271-F	C4DZ 17271-A
			7.35 x 14	"Before 11/23/64"	*C5DZ 17285-C	C2DZ 17271-F	C2DZ 17271-F
			6.95 x 14,7.35 x 14	"From 11/23/64"	C5DZ 17285-C	C2DZ 17271-H	C2DZ 17271-H
8	390	F/4/S	7.35 x 15,7.75 x 15,8.15 x 15	"Before 10/12/64"	B7C 17285-A	C0DD 17271-A	C0DD 17271-A
			7.35 x 15	"From 10/12/64"	C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
			7.75 x 15,8.15 x 15	"From 10/12/64"	C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
				3.50 - REAR AXLE RATIO			
6	170	C4	6.00 x 13		$	C4OZ 17271-A	C4OZ 17271-A
6	170	C4	6.50 x 13,6.45 x 14		$	C1DD 17271-A	C4OZ 17271-A
8	289						
6	170,200	C4	6.95 x 14		$	C1DD 17271-A	C1DD 17271-A
8	289						
6	200	C4	7.35 x 14		$	C0DD 17271-C	C1DD 17271-A
8	289						
6	240	C4	7.35 x 15		$	C0DD 17271-C	C0DD 17271-C
6	240	C4	7.75 x 15		$	C0DD 17271-B	C0DD 17271-C
6	240	C4	8.15 x 15		$	C0DD 17271-B	C0DD 17271-B
6	240	O/D	7.35 x 15		C2OZ 17285-C	C0DD 17271-A	C3DZ 17271-B
8	289,390						
6	240	O/D	7.75 x 15,8.15 x 15		C2OZ 17285-C	C0DD 17271-A	C0DD 17271-A
8	289,390						
8	289	O/D	6.95 x 14,7.35 x 14		C2OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
6	170,200	3/M/T	6.00 x 13		C2OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
6	170,200	3/M/T	6.50 x 13		C2OZ 17285-B	C1DD 17271-A	C4OZ 17271-A
6	170,200	3/M/T	6.45 x 14,6.95 x 14		C2OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6	200	3/M/T	7.35 x 14		C2OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6	240	3/M/T	7.35 x 15		C3OZ 17285-C	C0DD 17271-C	C0DD 17271-C
8	352,390						

$ Part of transmission output shaft

* If drive gear is replaced - must also replace driven gear

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
				1965			
				3.50 - REAR AXLE RATIO - continued			
6 8	240 352,390	3/M/T	7.75 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-C
6 8	240 352,390	3/M/T	8.15 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
8	289	3/M/T	6.45 x 14		C3OZ 17285-C	C1DD 17271-A	C4OZ 17271-A
8	289	3/M/T	6.95 x 14		C3OZ 17285-C	C1DD 17271-A	C1DD 17271-A
8	289	3/M/T	7.35 x 14		C3OZ 17285-C	C0DD 17271-C	C1DD 17271-A
8	289	W/4/S	6.45 x 14, 6.95 x 14	HEK-L	C5DZ 17285-C	C2DZ 17271-H	C2DZ 17271-H
8	289	W/4/S	7.35 x 14	HEK-L	C5DZ 17285-C	C4DZ 17271-A	C2DZ 17271-H
8	289	W/4/S	6.95 x 14	HEK-J	C5OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	289	W/4/S	7.35 x 14	HEK-J	C5OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8	289	W/4/S	6.95 x 14, 7.35 x 14	HEK-K	C3OZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
8	289	F/4/S	6.95 x 14		C5ZZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	390	F/4/S	7.35 x 15		C3OZ 17285-C	C0DD 17271-C	C0DD 17271-C
8	390	F/4/S	7.75 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-C
8	390	F/4/S	8.15 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
8	427	F/4/S	7.35 x 15		B7C 17285-A	C0DD 17271-A	C3DZ 17271-B
8	427	F/4/S	7.75 x 15, 8.15 x 15		B7C 17285-A	C0DD 17271-A	C0DD 17271-A
				3.89 - REAR AXLE RATIO			
6 8	240 289	C4	7.35 x 15, 6.95 x 14, 7.35 x 14		$	C4OZ 17271-A	C4OZ 17271-A
8	289	C4	6.95 x 14, 7.35 x 14		$	C4OZ 17271-A	C4OZ 17271-A
6	240	C4	7.75 x 15		$	C1DD 17271-A	C4OZ 17271-A
6	240	C4	8.15 x 15		$	C1DD 17271-A	C1DD 17271-A
6 8	240 289,390	O/D	7.35 x 15, 7.75 x 15		C2OZ 17285-C	C0DD 17271-B	C0DD 17271-B
6 8	240 289,390	O/D	8.15 x 15		C2OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
6 8	240 352,390	3/M/T	7.35 x 15, 7.75 x 15		C3OZ 17285-C	C4OZ 17271-A	C4OZ 17271-A
6 8	240 352,390	3/M/T	8.15 x 15		C3OZ 17285-C	C1DD 17271-A	C1DD 17271-A
8	289	W/4/S	6.95 x 14		C3OZ 17285-A	C0DD 17271-A	C0DD 17271-A
8	289	W/4/S	7.35 x 14		C3OZ 17285-A	C0DD 17271-B	C0DD 17271-C
8	289	F/4/S	6.95 x 14		C5ZZ 17285-A	C4DZ 17271-A	C4DZ 17271-A
8	390	F/4/S	7.35 x 15, 7.75 x 15	"Before 10/12/64"	B7C 17285-A	C0DD 17271-B	C0DD 17271-B
			7.35 x 15	"From 10/12/64"	C3OZ 17285-C	C4OZ 17271-A	C4OZ 17271-A
			7.75 x 15	"From 10/12/64"	C3OZ 17285-C	C1DD 17271-A	C4OZ 17271-A
8	390	F/4/S	8.15 x 15	"Before 10/12/64"	B7C 17285-A	C3DZ 17271-B	C3DZ 17271-B
				"From 10/12/64"	C3OZ 17285-C	C1DD 17271-A	C1DD 17271-A
				4.11 - REAR AXLE RATIO			
8	390	3/M/T	7.35 x 15		B7C 17285-A	C0DD 17271-C	C0DD 17271-C
8	390	3/M/T	7.75 x 15, 8.15 x 15		B7C 17285-A	C0DD 17271-B	C0DD 17271-C
8	289	W/4/S	6.95 x 14		C3OZ 17285-A	C1DD 17271-A	C1DD 17271-A
8	289	W/4/S	7.35 x 14		C3OZ 17285-A	C0DD 17271-C	C1DD 17271-A
8	289	F/4/S	6.95 x 14		C5ZZ 17285-A	C2DZ 17271-H	C2DZ 17271-H
8	427	F/4/S	7.35 x 15		B7C 17285-A	C0DD 17271-C	C0DD 17271-C
8	427	F/4/S	7.75 x 15, 8.15 x 15		B7C 17285-A	C0DD 17271-B	C0DD 17271-C

$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1966				
			2.80 - REAR AXLE RATIO				
6 8	170,200 289	C4	6.50 x 13		$	C0DD 17271-A	C3DZ 17271-B
6 8	170,200 289	C4	6.95 x 14,7.35 x 14		$	C0DD 17271-A	C0DD 17271-A
8	390,428	C6	7.35 x 15		$	C3DZ 17271-B	C0DD 17271-B
8	390	C6	7.75 x 15,8.15 x 15,8.45 x 15		$	C3DZ 17271-B	C3DZ 17271-B
8	390	C/M(MX)	8.15 x 15		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	289	3/M/T	6.95 x 14, 7.35 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	289	F/4/S	6.95 x 14, 7.35 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	289	W/4/S	6.95 x 14		C6ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
			2.83 - REAR AXLE RATIO				
6	170,200	C4	6.50 x 13		$	C0DD 17271-A	C3DZ 17271-B
6 8	170,200 289	C4	6.95 x 14		$	C0DD 17271-A	C0DD 17271-A
6	170,200	3/M/T	6.50 x 13		C2OZ 17285-B	C0DD 17271-A	C3DZ 17271-B
6	170,200	3/M/T	6.95 x 14		C2OZ 17285-B	C0DD 17271-A	C0DD 17271-A
			3.00 - REAR AXLE RATIO				
6 8	170,200 289	C4	6.95 x 14,7.35 x 14		$	C3DZ 17271-B	C3DZ 17271-B
6 8	170,200, 240 289	C4	7.75 x 14,7.75 x 15,8.15 x15, 8.45 x 15		$	C0DD 17271-A	C0DD 17271-A
6	240	C4	7.35 x 15		$	C0DD 17271-A	C3DZ 17271-B
8	352,390, 428	C6	7.75 x 14,7.35 x 15		$	C0DD 17271-B	C0DD 17271-C
8	352,390, 428	C6	7.75 x 15,8.15 x 15,8.45 x 15		$	C0DD 17271-B	C0DD 17271-B
8	390	C6	7.35 x 14		$	C0DD 17271-C	C0DD 17271-C
6 8	240 289,352	C/M(FX)	7.35 x 15		$	C0DD 17271-A	C3DZ 17271-B
6 8	240 289,352	C/M(FX)	7.75 x 15,8.15 x 15,8.45 x 15		$	C0DD 17271-A	C0DD 17271-A
6 8	240 352,390	C/M(MX)	7.35 x 15		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
6 8	240 352,390, 428	C/M(MX)	7.75 x 15,8.15 x 15,8.45 x 15		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	289	C/M(MX)	7.35 x 15		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
8	289	C/M(MX)	7.75 x 15,8.15 x 15,8.45 x 15		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
6 8	240 289,390	3/M/T	7.35 x 15		C3OZ 17285-C	C0DD 17271-A	C3DZ 17271-B
6 8	240 289,390	3/M/T	7.75 x 15,8.15 x 15,8.45 x 15		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A

$ Part of transmission output shaft

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
				1966			
				3.00 - REAR AXLE RATIO - continued			
8	289	3/M/T	6.95 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8	289	3/M/T	7.35 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8	289	3/M/T	7.75 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
8	390	3/M/T	7.35 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	390	3/M/T	7.75 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	289	W/4/S	6.95 x 14		C6ZZ 17285-A	C2OZ 17271-G	C2DZ 17271-G
8	289,390	F/4/S	6.95 x 14, 7.35 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	289,390	F/4/S	7.75 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
				3.20 - REAR AXLE RATIO			
6	170,200	C4	6.50 x 13		$	C0DD 17271-B	C0DD 17271-C
6 8	170,200 289	C4	6.95 x 14		$	C0DD 17271-B	C0DD 17271-B
6	170,200	3/M/T	6.50 x 13		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-C
6	170,200	3/M/T	6.95 x 14		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6	170,200	D/4/S	6.95 x 14		C5ZZ 17285-B	C2DZ 17271-F	C2DZ 17271-F
				3.25 - REAR AXLE RATIO			
6 8	170,200 289	C4	6.50 x 13		$	C0DD 17271-C	C0DD 17271-C
6 8	170,200 289	C4	7.35 x 14		$	C0DD 17271-B	C0DD 17271-B
6 8	170,200, 240 289	C4	7.75 x 14, 7.35 x 15		$	C3DZ 17271-B	C0DD 17271-B
6 8	170,200 289	C4	6.95 x 14		$	C0DD 17271-B	C0DD 17271-C
6 8	240 289	C4	7.75 x 15, 8.15 x 15, 8.45 x 15		$	C3DZ 17271-B	C3DZ 17271-B
8	352,390, 428	C6	7.35 x 15, 7.75 x 14		$	C1DD 17271-A	C1DD 17271-A
8	352,390, 428	C6	7.75 x 15, 8.15 x 15, 8.45 x 15		$	C0DD 17271-C	C1DD 17271-A
8	390	C6	7.35 x 14		$	C1DD 17271-A	C4OZ 17271-A
6 8	240 289,352	C/M(FX)	7.35 x 15		$	C3DZ 17271-B	C0DD 17271-B
6 8	240 289,352	C/M(FX)	7.75 x 15, 8.15 x 15, 8.45 x 15		$	C3DZ 17271-B	C3DZ 17271-B
6 8	240 352,390	C/M(MX)	7.75 x 15, 8.15 x 15, 8.45 x 15		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6 8	240 352,390	C/M(MX)	7.35 x 15		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6	170,200	3/M/T	6.50 x 13		C2OZ 17285-B	C0DD 17271-C	C0DD 17271-C
6	170,200	3/M/T	7.35 x 14		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6	170,200	3/M/T	7.75 x 14		C2OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
6	170,200	3/M/T	6.95 x 14		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-C
6 8	240 289,390	3/M/T	7.35 x 15		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
6 8	240 289,390	3/M/T	7.75 x 15, 8.15 x 15, 8.45 x 15		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B

$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
				1966			
				3.25 - REAR AXLE RATIO - continued			
8	289	3/M/T	7.35 x 14		C8OZ 17285-B	C1DD 17271-A	C4OZ 17271-A
8	289	3/M/T	7.75 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	289	3/M/T	6.95 x 14		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
8	289,390	F/4/S	7.35 x 14		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	390	3/M/T					
8	289,390	F/4/S	7.75 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	390	3/M/T					
8	289	F/4/S	6.95 x 14		C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
8	390,428	F/4/S	7.35 x 15		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
8	390,428	F/4/S	7.75 x 15,8.15 x 15,8.45 x 15		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
				3.50 - REAR AXLE RATIO			
6	170,200	C4	7.35 x 14		$	C0DD 17271-C	C1DD 17271-A
8	289						
6	170,200,	C4	7.75 x 14,7.35 x 15		$	C0DD 17271-C	C0DD 17271-C
	240						
8	289						
6	170,200	C4	6.95 x 14		$	C1DD 17271-A	C1DD 17271-A
8	289						
6	240	C4	7.75 x 15,8.15 x 15,8.45 x 15		$	C0DD 17271-B	C0DD 17271-C
8	289						
8	428	C6	8.45 x 15		$	C1DD 17271-A	C1DD 17271-A
6	240	C/M(FX)	7.35 x 15		$	C0DD 17271-C	C0DD 17271-C
8	289,352						
6	240	C/M(FX)	7.75 x 15,8.15 x 15,8.45 x 15		$	C0DD 17271-B	C0DD 17271-C
8	289,352						
6	240	C/M(MX)	7.75 x 15,8.15 x 15		C8OZ 17285-B		C4OZ 17271-A
6	240	C/M(MX)	8.45 x 15		C8OZ 17285-B		C1DD 17271-A
8	289	C/M(MX)	7.35 x 15,7.75 x 15		C3OZ 17285-C		C0DD 17271-C
8	289	C/M(MX)	8.15 x 15,8.45 x 15		C3OZ 17285-C		C0DD 17271-B
8	289	O/D	6.95 x 14,7.35 x 14		C2OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
6	240	O/D	7.35 x 15		C2OZ 17285-C	C0DD 17271-A	C3DZ 17271-B
8	289						
6	240	O/D	7.75 x 14,7.75 x 15,8.15 x 15,		C2OZ 17285-C	C0DD 17271-A	C0DD 17271-A
			8.45 x 15				
8	289						
6	170,200	3/M/T	7.35 x 14		C2OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6	170,200	3/M/T	7.75 x 14		C2OZ 17285-B	C0DD 17271-C	C0DD 17271-C
6	170,200	3/M/T	6.95 x 14		C2OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6	240	3/M/T	7.35 x 15		C3OZ 17285-C	C0DD 17271-C	C0DD 17271-C
8	289,390						
6	240	3/M/T	7.75 x 15,8.15 x 15,8.45 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-C
8	289,390						
8	289	F/4/S	6.95 x 14		C5ZZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	390,428	F/4/S	7.35 x 15		C3OZ 17285-C	C0DD 17271-C	C0DD 17271-C
8	390,428	F/4/S	7.75 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-C
8	390,428	F/4/S	8.15 x 15,8.45 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
8	427	F/4/S	7.35 x 15		B7C 17285-A	C0DD 17271-A	C3DZ 17271-B
8	427	F/4/S	7.75 x 15,8.15 x 15,8.45 x 15		B7C 17285-A	C0DD 17271-A	C0DD 17271-A

$ Part of transmission output shaft

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P.C. TAXI or RENTAL
				1966			
				3.50 - REAR AXLE RATIO - continued			
8	289	3/M/T	7.35 x 15	Bronco	C6TZ 17285-J	C0DD 17271-C	C0DD 17271-C
8	289	3/M/T	8.15 x 15	Bronco	C6TZ 17285-J	C0DD 17271-B	C0DD 17271-B
8	289	3/M/T	7.75 x 15	Bronco-exc. snow tires	C6TZ 17285-J	C0DD 17271-C	C0DD 17271-C
8	289	3/M/T	9.15 x 15	Bronco-exc. snow tires	C6TZ 17285-J	C3DZ 17271-B	C3DZ 17271-B
8	289	3/M/T	7.75 x 15, 9.15 x 15	Bronco-w/snow tires	C6TZ 17285-J	C0DD 17271-B	C0DD 17271-B
				3.89 - REAR AXLE RATIO			
6 8	170, 200 289	C4	6.95 x 14		$	C4OZ 17271-A	C4OZ 17271-A
8	289	F/4/S	6.95 x 14		C5ZZ 17285-A	C4DZ 17271-A	C4DZ 17271-A
				4.11 - REAR AXLE RATIO			
6 8	170 289	3/M/T	6.50 x 16	Bronco	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
6 8	170 289	3/M/T	7.35 x 15	Bronco	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6 8	170 289	3/M/T	7.75 x 15, 8.15 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6 8	170 289	3/M/T	9.15 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
6 8	170 289	3/M/T	7.75 x 15, 8.15 x 15, 9.15 x 15	Bronco-w/snow tires	C6TZ 17285-A	C0DD 17271-B	C0DD 17271-B
8	427	F/4/S	7.35 x 15		B7C 17285-A	C0DD 17271-C	C0DD 17271-C
8	427	F/4/S	7.75 x 15, 8.15 x 15, 8.45 x 15		B7C 17285-A	C0DD 17271-B	C0DD 17271-C
				4.57 - REAR AXLE RATIO			
6	170	3/M/T	6.50 x 16	Bronco	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6	170	3/M/T	7.35 x 15, 7.75 x 15, 8.15 x 15	Bronco	C6TZ 17285-A	C4OZ 17271-A	C4OZ 17271-A
6	170	3/M/T	9.15 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6	170	3/M/T	9.15 x 15	Bronco-w/snow tires	C6TZ 17285-A	C1DD 17271-A	C1DD 17271-A

$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1967				
			2.75 - REAR AXLE RATIO				
8	390	C6	205R x 15,7.75 x 14,F70 x 14		$	C3DZ 17271-B	C3DZ 17271-B
8	390	C6	8.15 x 15,215R x 15		$	C0DD 17271-A	C3DZ 17271-B
8	390	C6	8.45 x 15		$	C0DD 17271-A	C0DD 17271-A
8	390	C6	7.35 x 14		$	C3DZ 17271-B	C0DD 17271-B
8	390	C/M(MX)	205R x 15		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	390	C/M(MX)	8.15 x 15,215R x 15		C8OZ 17285-B	C0DD 17271-A	C3DZ 17271-B
8	390	C/M(MX)	8.45 x 15		C8OZ 17285-B	C0DD 17271-A	C0DD 17271-A
			2.79 - REAR AXLE RATIO				
6	200	C4	7.35 x 14		$	C0DD 17271-A	C0DD 17271-A
8	289	C4	6.95 x 14,7.35 x 14,185R x 14		$	C7SZ 17271-B	C7SZ 17271-B
8	289	C4	7.75 x 14, F70 x 14		$	C7SZ 17271-A	C7SZ 17271-B
8	289	3/M/T	6.95 x 14,7.35 x 14,185R x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	289	3/M/T	7.75 x 14, F70 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
8	289	4/M/T	6.95 x 14,7.35 x 14,185R x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
			2.80 - REAR AXLE RATIO				
6	200	C4	7.35 x 14		$	C0DD 17271-A	C0DD 17271-A
6 8	240 289	C4, C/M(FX)	7.75 x 15,8.15 x 15, 205R x 15,215R x 15		$	C7SZ 17271-A	C7SZ 17271-A
6 8	240 289	C4, C/M(FX)	8.45 x 15		$	D0AZ 17271-A	C7SZ 17271-A
8	289	C4	6.95 x 14,7.35 x 14,185R x 14		$	C7SZ 17271-B	C7SZ 17271-B
8	289	C4	7.75 x 14, F70 x 14		$	C7SZ 17271-A	C7SZ 17271-B
8	390,428	C6	8.15 x 15,205R x 15, 215R x 15,G70 x 15		$	C3DZ 17271-B	C3DZ 17271-B
8	390,428	C6	8.45 x 15		$	C0DD 17271-A	C3DZ 17271-B
8	289	3/M/T	6.95 x 14,7.35 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	289	3/M/T	7.75 x 14, F70 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
8	289	3/M/T	185R x 14		C8OZ 17285-B	C7SZ 17271-B	C7SZ 17271-B
8	289	4/M/T	6.95 x 14,7.35 x 14,185R x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
			2.83 - REAR AXLE RATIO				
6	170,200	C4	6.95 x 14,7.35 x 14,185R x 14		$	C0DD 17271-A	C0DD 17271-A
6	170,200	3/M/T-(RED)	6.95 x 14,7.35 x 14,185R x 14		C2OZ 17285-B	C0DD 17271-A	C0DD 17271-A
6	170,200	3/M/T-(RAN)	6.95 x 14,7.35 x 14,185R x 14		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A

$ Part of transmission output shaft

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1967				
			3.00 - REAR AXLE RATIO				
6	200	C4	7.35 x 14		$	C3DZ 17271-B	C3DZ 17271-B
6	200	C4	7.75 x 14, F70 x 14		$	C0DD 17271-A	C0DD 17271-A
6 8	240 289	C4, C/M(FX)	7.75 x 15, 8.15 x 15, 215R x 15		$	C7SZ 17271-B	C7SZ 17271-B
6 8	240 289	C4, C/M(FX)	8.45 x 15		$	C7SZ 17271-A	C7SZ 17271-B
6 8	240 289	C4, C/M(FX)	205R x 15		$	C7SZ 17271-B	C6VY 17271-B
8	289	C4	6.95 x 14		$	C7VY 17271-A	C8SZ 17271-B
8	289	C4	7.35 x 14, 7.75 x 14, F70 x 14, 185R x 14		$	C7VY 17271-A	C7VY 17271-A
8	289,390	C6	7.35 x 14, 7.75 x 14, F70 x 14, 185R x 14		$	C0DD 17271-C	C0DD 17271-C
8	390,428	C6	8.15 x 15		$	C7SZ 17271-B	C7SZ 17271-B
8	390,428	C6	215R x 15		$	C0DD 17271-B	C0DD 17271-B
8	390,428	C6	8.45 x 15		$	C3DZ 17271-B	C0DD 17271-B
8	390,428	C6	205R x 15		$	C0DD 17271-B	C0DD 17271-C
6 8	240 289,390, 428	C/M(MX)	7.75 x 15, 8.15 x 15, 215R x 15		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6 8	240 289,390, 428	C/M(MX)	8.45 x 15		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
8	390,428	C/M(MX)	205R x 15		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
6 8	240 289,390	3/M/T	7.75 x 15, 8.15 x 15, 8.45 x 15, 205R x 15, 215R x 15		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
8	289,390	3/M/T-(RAN)	7.35 x 14, F70 x 14, 185R x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8	289,390	3/M/T-(RAN)	7.75 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
8	289	3/M/T-(RAN)	6.95 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8	289,390	3/M/T-(RAT), 4/M/T	6.95 x 14, 7.35 x 14, 185R x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	289,390	3/M/T-(RAT), 4/M/T	7.75 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	289,390	3/M/T-(RAT), 4/M/T	F70 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
			3.10 - REAR AXLE RATIO				
6 8	240 289	C4, C/M(FX)	7.75 x 15, 205R x 15, 215 x 15		$	C7VY 17271-A	C7VY 17271-A
6 8	240 289	C4, C/M(FX)	8.15 x 15		$	C7SZ 17271-B	C6VY 17271-B

$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1967				
			3.10 - REAR AXLE RATIO - continued				
6 8	240 289	C4, C/M(FX)	8.45 x 15		$	C7SZ 17271-B	C7SZ 17271-B
6 8	240 289	3/M/T	7.75 x 15,215R x 15		C3OZ 17285-C	C0DD 17271-A	C3DZ 17271-B
6 8	240 289	3/M/T	8.15 x 15,8.45 x 15		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
6 8	240 289	3/M/T	205R x 15		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
			3.20 - REAR AXLE RATIO				
6	170,200	C4	6.95 x 14,7.35 x 14,185R x 14		$	C0DD 17271-B	C0DD 17271-B
6	200	C4	7.75 x 14		$	C3DZ 17271-B	C3DZ 17271-B
6	200	C4	F70 x 14		$	C3DZ 17271-B	C0DD 17271-B
6	170,200	3/M/T-(RED)	6.95 x 14,7.35 x 14,185R x 14		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6	170,200	3/M/T-(RAN)	6.95 x 14,7.35 x 14,185R x 14		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
6	200	3/M/T-(RAN)	7.75 x 14		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
6	200	3/M/T-(RAN)	F70 x 14		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
			3.25 - REAR AXLE RATIO				
6	170,200	C4	7.75 x 14		$	C3DZ 17271-B	C0DD 17271-B
6	170,200	C4	7.35 x 14,185R x 14,F70 x 14		$	C0DD 17271-B	C0DD 17271-B
6 8	240 289	C4, C/M(FX)	7.75 x 15,205R x 15		$	C8SZ 17271-B	C8SZ 17271-B
6 8	240 289	C4, C/M(FX)	8.15 x 15,215R x 15		$	C7VY 17271-A	C8SZ 17271-B
6 8	240 289	C4, C/M(FX)	8.45 x 15		$	C7VY 17271-A	C7VY 17271-A
8	289,390	C6	7.35 x 14,185R x 14		$	C4OZ 17271-A	C4OZ 17271-A
8	289,390, 428	C6	7.75 x 14,F70 x 14, 205R x 15,E70 x 15		$	C1DD 17271-A	C1DD 17271-A
8	390,428	C6	8.15 x 15,G70 x 15,215R x 15		$	C0DD 17271-C	C1DD 17271-A
8	390,428	C6	8.45 x 15		$	C0DD 17271-C	C0DD 17271-C
6 8	240 289	C/M(MX)	7.75 x 15,8.15 x 15,215R x 15		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6 8	240 289,390, 428	C/M(MX)	8.45 x 15		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8	390,428	C/M(MX)	7.75 x 15,205R x 15		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	390,428	C/M(MX)	8.15 x 15,215R x 15,G70 x 15		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A

$ Part of transmission output shaft

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P.C, TAXI or RENTAL
			1967				
				3.25 - REAR AXLE RATIO - continued			
6	170,200	3/M/T-(RED)	7.75 x 14		C2OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
6	170,200	3/M/T-(RAN)	7.75 x 14		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
6	170,200	3/M/T-(RED)	185R x 14		C2OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6	170,200	3/M/T-(RAN)	7.35 x 14, 185R x 14, F70 x 14		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
6 8	240 289,390, 428	3/M/T, 4/M/T, O/D	7.75 x 15, 8.15 x 15, 215R x 15, G70 x 15		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
6 8	240 289,390, 428	3/M/T, 4/M/T, O/D	8.45 x 15		C3OZ 17285-C	C0DD 17271-A	C3DZ 17271-B
6 8	240 289,390, 428	3/M/T, 4/M/T, O/D	205R x 15		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
8	289,390	3/M/T-(RAN)	7.35 x 14, 185R x 14		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
8	289,390	3/M/T-(RAT), 4/M/T	7.35 x 14, F70 x 14, 185R x 14, E70 x 15		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	289,390	3/M/T-(RAN)	7.75 x 14, F70 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	289,390	3/M/T-(RAT), 4/M/T	7.75 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
				3.50 - REAR AXLE RATIO			
6	170,200	C4	7.35 x 14		$	C0DD 17271-C	C1DD 17271-A
6 8	170,200 289	C4	7.75 x 14, F70 x 14, E70 x 15		$	C0DD 17271-C	C0DD 17271-C
6 8	170,200 289	C4	185R x 14		$	C1DD 17271-A	C1DD 17271-A

$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
				1967			
				3.50 - REAR AXLE RATIO - continued			
8	289	O/D	7.35 x 14		C2OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
8	289	O/D	7.75 x 14, F70 x 14		C2OZ 17285-C	C0DD 17271-A	C0DD 17271-A
6	170,200	3/M/T-(RED)	7.75 x 14		C2OZ 17285-B	C0DD 17271-C	C0DD 17271-C
6	170,200	3/M/T-(RAN)	7.75 x 14, F70 x 14		C3OZ 17285-C	C0DD 17271-C	C0DD 17271-C
6	170,200	3/M/T-(RED)	185R x 14		C2OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6	170,200	3/M/T-(RAN)	185R x 14		C3OZ 17285-C	C1DD 17271-A	C1DD 17271-A
6	200	3/M/T-(RAN)	7.35 x 14		C3OZ 17285-C	C0DD 17271-C	C1DD 17271-A
8	390,428	3/M/T, 4/M/T	8.15 x 15, 8.45 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
8	390,428	3/M/T, 4/M/T	G70 x 15, 215R x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-C
8	390,428	3/M/T, 4/M/T	205R x 15		C3OZ 17285-C	C0DD 17271-C	C0DD 17271-C
8	427	4/M/T	8.15 x 15, 8.45 x 15, 205R x 15, 215R x 15		B7C 17285-A	C0DD 17271-A	C0DD 17271-A
8	289	4/M/T	F70 x 14		C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	289	4/M/T	E70 x 15		C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	289	4/M/T	185R x 14		C5ZZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
				3.89 - REAR AXLE RATIO			
6 8	200 289	C4	F70 x 14		$	C4OZ 17271-A	C4OZ 17271-A
8	289,427	4/M/T	F70 x 14		C5ZZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
				4.11 - REAR AXLE RATIO			
6 8	170 289	3/M/T	6.50 x 16	Bronco	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
6 8	170 289	3/M/T	7.35 x 15	Bronco	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6 8	170 289	3/M/T	7.75 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6 8	170 289	3/M/T	8.15 x 15	Bronco-exc. snow tires - "Before Ser.A84,001"	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
				"From Ser.A84,001"	C6TZ 17285-A	C0DD 17271-B	C0DD 17271-B
6 8	170 289	3/M/T	7.75 x 15, 8.15 x 15, 9.15 x 15	Bronco-w/snow tires	C6TZ 17285-A	C0DD 17271-B	C0DD 17271-B
6 8	170 289	3/M/T	9.15 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B

$ Part of transmission output shaft

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P. C. TAXI or RENTAL
				1967			
				4.57 - REAR AXLE RATIO			
6	170	3/M/T	6.50 x 16	Bronco	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6	170	3/M/T	7.35 x 15, 7.75 x 15	Bronco	C6TZ 17285-A	C4OZ 17271-A	C4OZ 17271-A
6	170	3/M/T	8.15 x 15	Bronco - "Before Ser. A84,001"	C6TZ 17285-A	C4OZ 17271-A	C4OZ 17271-A
				"From Ser. A84,001"	C6TZ 17285-A	C1DD 17271-A	C1DD 17271-A
6	170	3/M/T	9.15 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6	170	3/M/T	9.15 x 15	Bronco-w/snow tires	C6TZ 17285-A	C1DD 17271-A	C1DD 17271-A

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1968				
			2.50 - REAR AXLE RATIO				
8	429	C6	8.15 x 15,215R x 15		$ - 9 teeth	C7SZ 17271-A	C7SZ 17271-A
8	429	C6	8.45 x 15		$ - 9 teeth	C8SZ 17271-A	C7SZ 17271-A
			2.75 - REAR AXLE RATIO				
8	390	C6	7.75 x 14,F70 x 14,205R x 15		$ - 8 teeth	C3DZ 17271-B	C3DZ 17271-B
8	390	C6	7.35 x 14,E70 x 14,FR70 x 14		$ - 8 teeth	C3DZ 17271-B	C0DD 17271-B
8	390	C6	185R x 14		$ - 8 teeth	C0DD 17271-B	C0DD 17271-B
8	390	C6	8.15 x 15,215R x 15,G70 x 15		$ - 8 teeth	D0AZ 17271-A	C3DZ 17271-B
8	390	C6, C/M-(FMX)	8.45 x 15		$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	390	C/M-(FMX)	8.15 x 15,215R x 15,G70 x 15		$	D0AZ 17271-A	C7SZ 17271-A
8	390	C/M-(FMX)	205R x 15		$	C7SZ 17271-A	C7SZ 17271-A
8	390	C/M(MX)	205R x 15		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	390	C/M(MX)	8.15 x 15,215R x 15,G70 x 15		C8OZ 17285-B	D0AZ 17271-A	C3DZ 17271-B
8	390	C/M(MX)	8.45 x 15		C8OZ 17285-B	D0AZ 17271-A	D0AZ 17271-A
			2.79 - REAR AXLE RATIO				
8	289,302	C4	6.95 x 14,185R x 14,E70 x 14		$	C7SZ 17271-B	C7SZ 17271-B
8	289,302	C4	7.75 x 14,F70 x 14		$	C7SZ 17271-A	C7SZ 17271-A
8	289,302	C4	7.35 x 14,FR70 x 14		$	C7SZ 17271-A	C7SZ 17271-B
8	289,302	3/M/T	6.95 x 14,185R x 14,E70 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	289,302	3/M/T	7.75 x 14,F70 x 14		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	289,302	3/M/T	7.35 x 14,FR70 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
8	289	4/M/T	6.95 x 14,185R x 14, 7.35 x 14,E70 x 14, F70 x 14,FR70 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
			2.80 - REAR AXLE RATIO				
6	240	C4, C/M-(FMX)	7.75 x 15,8.15 x 15,205R x 15, 215R x 15,G70 x 15		$	C7SZ 17271-A	C7SZ 17271-A
8	302						
6	240	C4,C6, C/M-(FMX)	8.45 x 15		$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	302,390, 428						
8	390,428	C6	8.15 x 15,G70 x 15, 205R x 15,215R x 15		$ - 8 teeth	C3DZ 17271-B	C3DZ 17271-B
8	429	C6	8.15 x 15,215R x 15		$ - 9 teeth	C7VY 17271-A	C7VY 17271-A
8	429	C6	8.45 x 15		$ - 9 teeth	C7SZ 17271-B	C7SZ 17271-B

$ Part of transmission output shaft

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P.C., TAXI or RENTAL
			1968				
			2.83 - REAR AXLE RATIO				
6	170,200	C4	6.95 x 14,185R x 14,7.35 x 14, E70 x 14, FR70 x 14		$	C7SZ 17271-B	C7SZ 17271-B
6	170,200	C4	7.75 x 14, F70 x 14		$	C7SZ 17271-A	C7SZ 17271-B
6	170,200	3/M/T	6.95 x 14,185R x 14		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
			3.00 - REAR AXLE RATIO				
6	200	C4	7.35 x 14,7.75 x 14, FR70 x 14,185R x 14, E70 x 14, F70 x 14		$	C7VY 17271-A	C7VY 17271-A
6 8	240 302,390	C4, C/M-(FMX)	7.75 x 15,8.15 x 15, 215R x 15,G70 x 15		$	C7SZ 17271-B	C7SZ 17271-B
6 8	240 302,390	C4, C/M-(FMX)	8.45 x 15		$	C7SZ 17271-A	C7SZ 17271-B
6 8	240 302,390	C4. C/M-(FMX)	205R x 15		$	C7SZ 17271-B	C6VY 17271-B
8	289,302	C4	6.95 x 14		$	C7VY 17171-A	C8SZ 17271-A
8	289,302	C4	7.35 x 14,E70 x 14, F70 x 14, FR70 x 14,185R x 14		$	C7VY 17271-A	C7VY 17271-A
8	289,302	C4	7.75 x 14		$	C7SZ 17271-B	C6VY 17271-B
8	390	C6	7.35 x 14, F70 x 14, FR70 x 14, 185R x 14, E70 x 14		$ - 8 teeth	C0DD 17271-C	C0DD 17271-C
8	390,428	C6	7.75 x 14,205R x 15		$ - 8 teeth	C0DD 17271-B	C0DD 17271-C
8	390,428	C6	8.15 x 15,215R x 15,G70 x 15		$ - 8 teeth	C0DD 17271-B	C0DD 17271-B
8	390,428	C6	8.45 x 15		$ - 8 teeth	C3DZ 17271-B	C0DD 17271-B
8	390,429	C6	8.15 x 15,215R x 15,8.45 x 15		$ - 9 teeth	C8SZ 17271-B	C8SZ 17271-B
6 8	240 302,390	C/M(MX)	7.75 x 15, 8.15 x 15, 215R x 15,G70 x 15		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	428	C/M(MX)	8.15 x 15,215R x 15,G70 x 15		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6 8	240 302	C/M(MX)	8.45 x 15		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	390,428	C/M(MX)	8.45 x 15		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
8	390,428	C/M(MX)	205R x 15		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
6	200	3/M/T	7.35 x 14,185R x 14, E70 x 14		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
6	200	3/M/T	7.75 x 14, F70 x 14		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
6	200	3/M/T	FR70 x 14		C3OZ 17285-C	C0DD 17271-A	C3DZ 17271-A
6 8	240 302,390	3/M/T	7.75 x 15,8.15 x 15,8.45 x 15, 205R x 15,215R x 15,G70 x 15		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
8	289,302	3/M/T	6.95 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8	289,302	3/M/T	7.75 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
8	289,302	3/M/T	7.35 x 14,185R x 14, E70 x 14, F70 x 14, FR70 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C

$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1968				
			3.00 - REAR AXLE RATIO - continued				
8	390	3/M/T	7.35 x 14, 185R x 14, E70 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	289, 302, 390	4/M/T	6.95 x 14, E70 x 14, 185R x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	390	3/M/T	7.75 x 14, F70 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	289, 302, 390	4/M/T	7.75 x 14, F70 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	390	3/M/T	FR70 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	289, 302, 390	4/M/T	FR70 x 14, 7.35 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
			3.10 - REAR AXLE RATIO				
6 8	240 302, 390	C4, C/M-(FMX)	7.75 x 15, 205R x 15, 215R x 15		$	C7VY 17271-A	C7VY 17271-A
6 8	240 302, 390	C4, C/M-(FMX)	8.15 x 15		$	C7SZ 17271-B	C6VY 17271-B
6 8	240 302, 390	C4, C/M-(FMX)	8.45 x 15		$	C7SZ 17271-B	C7SZ 17271-B
6 8	240 302, 390	C4, C/M-(FMX)	G70 x 15		$	C6VY 17271-B	C8SZ 17271-B
6 8	240 302	3/M/T	7.75 x 15, 215R x 15		C3OZ 17285-C	C0DD 17271-A	C3DZ 17271-B
6 8	240 302	3/M/T	8.15 x 15, 8.45 x 15, G70 x 15		C3OZ 17285-C	C0DD 17271-A	C0DD 17271-A
6 8	240 302	3/M/T	205R x 15		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
			3.20 - REAR AXLE RATIO				
6	170, 200	C4	6.95 x 14, E70 x 14		$	C8SZ 17271-B	D0OZ 17271-A
6	170, 200	C4	7.35 x 14, 7.75 x 14, F70 x 14		$	C8SZ 17271-B	C8SZ 17271-B
6	170, 200	C4	185R x 14		$	D0OZ 17271-A	D0OZ 17271-A
6	200	C4	FR70 x 14		$	C7VY 17271-A	C7VY 17271-A
6	170, 200	3/M/T	6.95 x 14, 185R x 14, E70 x 14		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
6	170, 200	3/M/T	7.75 x 14		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
6	200	3/M/T	7.35 x 14, F70 x 14, FR70 x 14		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B

$ Part of transmission output shaft

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P, TAXI or RENTAL
			1968				
			3.25 - REAR AXLE RATIO				
6 8	170,200 302	C4	7.75 x 14, F70 x 14, FR70 x 14		$	C8SZ 17271-B	C8SZ 17271-B
6	170,200	C4	7.35 x 14, 185R x 14, E70 x 14		$	D0OZ 17271-A	D0OZ 17271-A
8	289,302	C4	7.35 x 14		$	C8SZ 17271-B	D0OZ 17271-A
8	289,302	C4	6.95 x 14 185R x 14, E70 x 14		$	D0OZ 17271-A	D0OZ 17271-A
6 8	240 302,390	C4, C/M-(FMX)	7.75 x 15, 205R x 15		$	C8SZ 17271-B	C8SZ 17271-B
6 8	240 302,390	C4, C/M-(FMX)	8.15 x 15, 215R x 15, G70 x 15		$	C7VY 17271-A	C8SZ 17271-B
6 8	240 302,390	C4, C/M-(FMX)	8.45 x 15		$	C7VY 17271-A	C7VY 17271-A
8	390	C6	7.35 x 14		$ - 8 teeth	C1DD 17271-A	C4OZ 17271-A
8	390	C6	7.75 x 14, F70 x 14, FR70 x 14		$ - 8 teeth	C1DD 17271-A	C1DD 17271-A
8	390	C6	E70 x 14, 185R x 14		$ - 8 teeth	C4OZ 17271-A	C4OZ 17271-A
8	390,428	C6	205R x 15		$ - 8 teeth	C1DD 17271-A	C1DD 17271-A
8	390,427, 428	C6	8.15 x 15, G70 x 15, 215R x 15		$ - 8 teeth	C0DD 17271-A	C1DD 17271-A
8	390,427, 428	C6	8.45 x 15		$ - 8 teeth	C0DD 17271-C	C0DD 17271-C
6 8	240 302,390, 428	C/M(MX)	7.75 x 15, 8.15 x 15, 215R x 15, 205R x 15		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6 8	240 302,390, 428	C/M(MX)	8.45 x 15		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8	390,428	C/M(MX)	G70 x 15		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6	170,200	3/M/T	7.75 x 14, F70 x 14		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
6	170,200	3/M/T	7.35 x 14, 185R x 14, E70 x 14, FR70 x 14		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
6 8	240 302,390	3/M/T	7.75 x 15, 8.15 x 15, 215R x 15, G70 x 15		C3OZ 17285-C	C3DZ 17271-B	C3DZ 17271-B
6 8	240 302,390	3/M/T	8.45 x 15		C3OZ 17285-C	C0DD 17271-A	C3DZ 17271-B
8	289,302	3/M/T	7.35 x 14		C8OZ 17285-B	C1DD 17271-A	C4OZ 17271-A
8	289,302	3/M/T	7.75 x 14, F70 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	289,302	3/M/T	6.95 x 14, 185R x 14, E70 x 14, FR70 x 14		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A

$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
				1968			
				3.25 - REAR AXLE RATIO - continued			
6 8	240 302,390	3/M/T	205R x 15		C3OZ 17285-C	C3DZ 17271-B	C0DD 17271-B
8	390	3/M/T	7.35 x 14, F70 x 14, FR70 x 14, E70 x 14, 185R x 14		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	390	3/M/T	7.75 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	390,428	4/M/T	205R x 15		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	390,428	4/M/T	8.15 x 15, G70 x 15, 215R x 15		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	390,428	4/M/T	8.45 x 15		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	289,302, 390	4/M/T	7.35 x 14, E70 x 14, F70 x 14, FR70 x 14, 185R x 14		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	289,302, 390	4/M/T	7.75 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	289,302	4/M/T	6.95 x 14		C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
				3.50 - REAR AXLE RATIO			
8	427	C6	FR70 x 14, 8.45 x 15		$ - 8 teeth	C4OZ 17271-A	C4OZ 17271-A
8	427	C6	8.15 x 15, G70 x 15		$ - 8 teeth	C1DD 17271-A	C1DD 17271-A
8	289	4/M/T	F70 x 14		C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	289,390, 428	4/M/T	FR70 x 14		C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	390,428	4/M/T	8.15 x 15, 8.45 x 15		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	390,428	4/M/T	215R x 15, G70 x 15		C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
8	390,428	4/M/T	205R x 15		C4DZ 17285-A	C4DZ 17271-A	C4DZ 17271-A
8	390	3/M/T	8.15 x 15, 8.45 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-B
8	390	3/M/T	215R x 15, G70 x 15		C3OZ 17285-C	C0DD 17271-B	C0DD 17271-C
8	390	3/M/T	205R x 15		C3OZ 17285-C	C0DD 17271-C	C0DD 17271-C
6 8	170 289	3/M/T	7.35 x 15	Bronco	C6TZ 17285-J	C0DD 17271-C	C0DD 17271-C
6 8	170 289	3/M/T	7.75 x 15	Bronco	C6TZ 17285-A	C0DD 17271-A	C0DD 17271-A
6 8	170 289	3/M/T	8.15 x 15	Bronco-exc. snow tires	C6TZ 17285-J	C0DD 17271-B	C0DD 17271-B
				Bronco-w/snow tires	C6TZ 17285-A	C0DD 17271-A	C0DD 17271-A
6 8	170 289	3/M/T	9.15 x 15	Bronco-exc. snow tires	C6TZ 17285-J	C3DZ 17271-B	C3DZ 17271-B
				Bronco-w/snow tires	C6TZ 17285-J	C0DD 17271-B	C0DD 17271-B
6 8	170 289	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-J	C3DZ 17271-B	C3DZ 17271-B
				3.91 - REAR AXLE RATIO			
8	390,428	C6	FR70 x 14	#	$	C7SZ 17271-A	C7SZ 17271-A
8	390,428	4/M/T	FR70 x 14		C5ZZ 17285-A	C2DZ 17271-F	C2DZ 17271-F

$ Part of transmission output shaft

C8ZZ 17294-A adapter must also be used

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
				1968			
				4.11 - REAR AXLE RATIO			
6 8	170 289	3/M/T	7.35 x 15, 7.75 x 15	Bronco	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6 8	170 289	3/M/T	8.15 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C0DD 17271-B	C0DD 17271-B
				-w/snow tires	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6 8	170 289	3/M/T	9.15 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
				-w/snow tires	C6TZ 17285-A	C0DD 17271-B	C0DD 17271-B
6 8	170 289	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
				4.30 - REAR AXLE RATIO			
8	390, 428	C6	FR70 x 14	#	$	C7SZ 17271-B	C6VY 17271-B
8	390, 428	4/M/T	FR70 x 14		C5ZZ 17285-A	C2DZ 17271-H	C2DZ 17271-H
				4.57 - REAR AXLE RATIO			
6 8	170 289	3/M/T	7.35 x 15, 7.75 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C4OZ 17271-B	C4OZ 17271-B
				-w/snow tires	C6TZ 17285-A	C4OZ 17271-A	C4OZ 17271-A
6 8	170 289	3/M/T	8.15 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C1DD 17271-A	C1DD 17271-A
				-w/snow tires	C6TZ 17285-A	C4OZ 17271-A	C4OZ 17271-A
6 8	170 289	3/M/T	9.15 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
				-w/snow tires	C6TZ 17285-A	C1DD 17271-A	C1DD 17271-A
6 8	170 289	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-A

$ Part of transmission output shaft

C8ZZ 17294-A adapter must also be used

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1969				
			2.33 - REAR AXLE RATIO				
6	250	C4	E78 x 14		$	C0DD 17271-A	C0DD 17271-A
			2.75 - REAR AXLE RATIO				
8	351,390	C6,C/M	E70 x 14,F70 x 14,FR70 x 14, 7.75 x 14,7.75 x 15		$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8	351,390	C6,C/M	7.35 x 14,E78 x 14		$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
8	351,390	C6,C/M	8.55 x 15,H70 x 15		$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	351,390	C6,C/M	8.25 x 15,215R x 15		$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
8	351,390	3/M/T	E70 x 14,F70 x 14,FR70 x 14		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	351,390	3/M/T	7.35 x 14,E78 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
			2.79 - REAR AXLE RATIO				
6 8	250 302	C4	E70 x 14,6.95 x 14,C78 x 14		$	C7SZ 17271-B	C7SZ 17271-B
6 8	250 302	C4	7.75 x 14,F70 x 14		$	C7SZ 17271-A	C7SZ 17271-A
6 8	250 302	C4	7.35 x 14,E78 x 14,FR70 x 14		$	C7SZ 17271-A	C7SZ 17271-B
6 8	250 302	3/M/T	6.95 x 14,C78 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6 8	250 302	3/M/T	7.35 x 14,FR70 x 14, E70 x 14,E78 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
8	302	3/M/T	7.75 x 14,F70 x 14		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	302	4/M/T	6.95 x 14,7.35 x 14, E70 x 14,F70 x 14, FR70 x 14,C78 x 14, E78 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
			2.80 - REAR AXLE RATIO				
6 8	240 302,390, 428,429	C4,C6, C/M	7.75 x 15,8.25 x 15, 215R x 15		$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
6 8	240 302,390, 428,429	C4,C6, C/M	8.55 x 15,H70 x 15		$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	429	C6	8.25 x 15,215R x 15		$ - 9 teeth	C7VY 17271-A	C7VY 17271-A
8	429	C6	8.55 x 15		$ - 9 teeth	C7SZ 17271-B	C7SZ 17271-B
			2.83 - REAR AXLE RATIO				
6	170,200	C4	6.95 x 14,7.35 x 14,E78 x 14		$	C7SZ 17271-B	C7SZ 17271-B
6	170,200	C4	7.75 x 14		$	C7SZ 17271-A	C7SZ 17271-B
6	200	C4	C78 x 14		$	C7SZ 17271-B	C6VY 17271-B
			3.00 - REAR AXLE RATIO				
6 8	200,250 302,351, 390,428	C4,C6, C/M	6.95 x 14		$ - 8 teeth	C7VY 17271-A	C8SZ 17271-B
6 8	200,250 302,351, 390,428	C4,C6, C/M	7.35 x 14,E70 x 14, F70 x 14,FR70 x 14, E78 x 14		$ - 8 teeth	C7VY 17271-A	C7VY 17271-A
6 8 8	200,250 302,351, 390,428	C4,C6, C/M	C78 x 14		$ - 8 teeth	C8SZ 17271-B	C8SZ 17271-B

$ Part of transmission output shaft

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1969				
			3.00 - REAR AXLE RATIO - continued				
6	250	C4,C6, C/M	7.75 x 14		$ - 8 teeth	C7SZ 17271-B	C6VY 17271-B
8	302,351, 390						
6	240	C4,C6, C/M	7.75 x 15,8.25 x 15, 215R x 15		$ - 8 teeth	C7SZ 17271-B	C7SZ 17271-B
8	302,390, 428,429						
6	240	C4,C6, C/M	8.55 x 15,H70 x 15		$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
8	302,390, 428,429						
8	429	C6	8.25 x 15,215R x 15,8.55 x 15		$ - 9 teeth	C8SZ 17271-B	C8SZ 17271-B
6	170,200, 250	3/M/T	7.75 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
8	302,351						
6	250	3/M/T	7.35 x 14,E70 x 14,F70 x 14, FR70 x 14,E78 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8	302,351						
6	250	3/M/T	6.95 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8	302,351						
6	250	3/M/T	C78 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	302,351						
8	390	3/M/T	7.35 x 14,E70 x 14, FR70 x 14,E78 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	390	3/M/T	F70 x 14,7.75 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	390	3/M/T	C78 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
6	240	3/M/T	7.75 x 15,8.25 x 15,8.55 x 15, 215R x 15,H70 x 15		C8AZ 17285-A	C0DD 17271-A	C0DD 17271-A
8	302,390						
8	302,351, 390	4/M/T	7.35 x 14,E70 x 14,E78 x 14, FR70 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	302,351, 390	4/M/T	F70 x 14,7.75 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	302,351, 390	4/M/T	C78 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
			3.08 - REAR AXLE RATIO				
6	170,200	C4	6.95 x 14,C78 x 14		$	C8SZ 17271-B	C8SZ 17271-B
6	170,200	C4	7.75 x 14		$	C7VY 17271-A	C7VY 17271-A
6	200	C4	7.35 x 14,E78 x 14		$	C7VY 17271-A	C8SZ 17271-B
6	170,200	3/M/T	6.95 x 14,C78 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6	170,200	3/M/T	7.75 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
6	200	3/M/T	7.35 x 14,E78 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
			3.10 - REAR AXLE RATIO				
6	240	C4	7.75 x 15,215R x 15		$	C6VY 17271-B	C6VY 17271-B
8	302						
6	240	C4	8.25 x 15		$	C7SZ 17271-B	C6VY 17271-B
8	302						
6	240	C4	8.55 x 15,H70 x 15		$	C7SZ 17271-B	C7SZ 17271-B
8	302						
6	240	3/M/T	7.75 x 15,215R x 15		C8AZ 17285-A	C0DD 17271-A	C3DZ 17271-B
8	302						
6	240	3/M/T	8.25 x 15,8.55 x 15,H70 x 15		C8AZ 17285-A	C0DD 17271-A	C0DD 17271-A
8	302						

$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1969				
			3.20 - REAR AXLE RATIO				
6	170,200	C4	6.95 x 14		$	C8SZ 17271-B	D0OZ 17271-A
6	170,200	C4	7.75 x 14		$	C8SZ 17271-B	C8SZ 17271-B
6	170,200	3/M/T	6.95 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6	170,200	3/M/T	7.75 x 14		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
			3.25 - REAR AXLE RATIO				
6 8	250 302,351,390	C4,C6,C/M	7.35 x 14,E78 x 14		$ - 8 teeth	C8SZ 17271-B	D0OZ 17271-A
6 8	200,240,250 302,351,390,429	C4,C6,C/M	7.75 x 14,F70 x 14,FR70 x 14,7.75 x 15		$ - 8 teeth	C8SZ 17271-B	C8SZ 17271-B
6 8	250 302,351,390	C4,C6,C/M	E70 x 14,6.95 x 14,C78 x 14		$-8 teeth	D0OZ 17271-A	D0OZ 17271-A
6 8	240 302,351,390,429	C4,C6,C/M	8.25 x 15,215R x 15		$ - 8 teeth	C6VY 17271-B	C8SZ 17271-B
6 8	240 302,351,390,429	C4,C6,C/M	8.55 x 15,H70 x 15		$ - 8 teeth	C6VY 17271-B	C6VY 17271-B
6 8	250 302,351	3/M/T	7.35 x 14,E78 x 14		C8OZ 17285-B	C1DD 17271-A	C4OZ 17271-A
6 8	200,250 302,351	3/M/T	7.75 x 14,F70 x 14,FR70 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6 8	250 302,351	3/M/T	E70 x 14,6.95 x 14,C78 x 14		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
8	390	3/M/T	7.35 x 14,E70 x 14,F70 x 14,FR70 x 14,E78 x 14		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	390	3/M/T	7.75 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	390	3/M/T	6.95 x 14,C78 x 14		C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
6 8	240 302,390	3/M/T	7.75 x 15,8.25 x 15,215R x 15		C8AZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
6 8	240 302,390	3/M/T	8.55 x 15,H70 x 15		C8AZ 17285-A	C0DD 17271-A	C3DZ 17271-B
8	302,351,390	4/M/T	7.35 x 14,E70 x 14,F70 x 14,FR70 x 14,E78 x 14		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	302,351,390	4/M/T	7.75 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	428	4/M/T	7.35 x 14,7.75 x 14,F70 x 14,FR70 x 14,E70 x 14		C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	351,390	4/M/T	6.95 x 14,C78 x 14		C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
8	429	4/M/T	8.25 x 15,215R x 15		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	429	4/M/T	8.55 x 15,H70 x 15		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
			3.50 - REAR AXLE RATIO				
8	390,428	C6	7.35 x 14,7.75 x 14,F70 x 14,FR70 x 14,E70 x 14,E78 x 14		$ - 8 teeth	D0OZ 17271-A	D0OZ 17271-A
8	351,428	4/M/T	7.35 x 14,E70 x 14,FR70 x 14		C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	351,428	4/M/T	7.75 x 14,F70 x 14		C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	302,351,390	4/M/T	7.35 x 14,F70 x 14,FR70 x 14,E70 x 14,E78 x 14,F60 x 15		C4DZ 17285-A	C4DZ 17271-A	C4DZ 17271-A

$ - Part of transmission output shaft

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
				1969			
				3.50 - REAR AXLE RATIO - continued			
6 8	170 302	3/M/T	7.35 x 15, 7.75 x 15	Bronco	C6TZ 17285-J	C0DD 17271-C	C0DD 17271-C
6 8	170 302	3/M/T	8.25 x 15, G78 x 15	Bronco	C6TZ 17285-J	C0DD 17271-B	C0DD 17271-B
6 8	170 302	3/M/T	9.15 x 15	Bronco-exc. snow tires	C6TZ 17285-J	C3DZ 17271-B	C3DZ 17271-B
				-w/snow tires	C6TZ 17285-J	C0DD 17271-B	C0DD 17271-B
6 8	170 302	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-J	C3DZ 17271-B	C3DZ 17271-B
				3.91 - REAR AXLE RATIO			
8	390, 428	C6	7.35 x 14	#	$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
8	390, 428	C6	E70 x 14, E78 x 14, F70 x 14, FR70 x 14, 7.75 x 14	#	$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8	302, 390	4/M/T	7.35 x 14, F70 x 14, F60 x 15, FR70 x 14, E78 x 14, 7.75 x 14	%	C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	302, 390	4/M/T	E70 x 14	%	C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	351, 428	4/M/T	E70 x 14, FR70 x 14, F70 x 14, 7.35 x 14, 7.75 x 14		C5ZZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
				4.11 - REAR AXLE RATIO			
6 8	170 302	3/M/T	7.35 x 15, 7.75 x 15	Bronco	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6 8	170 302	3/M/T	8.25 x 15, G78 x 15	Bronco	C6TZ 17285-A	C0DD 17271-B	C0DD 17271-B
6 8	170 302	3/M/T	9.15 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
				-w/ snow tires	C6TZ 17285-A	C0DD 17271-B	C0DD 17271-B
6 8	170 302	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
				4.30 - REAR AXLE RATIO			
8	428	C6	7.35 x 14, E70 x 14, E78 x 14	#	$ - 8 teeth	C6VY 17271-B	C6VY 17271-B
8	428	C6	7.75 x 14, F70 x 14, FR70 x 14	#	$ - 8 teeth	C7SZ 17271-B	C6VY 17271-B
8	302, 390	4/M/T	7.35 x 14, E70 x 14, E78 x 14	%	C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	302, 390	4/M/T	F60 x 15, F70 x 14, FR70 x 14, 7.75 x 14	%	C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	351, 428	4/M/T	E70 x 14, F70 x 14, FR70 x 14, 7.35 x 14, 7.75 x 14		C5ZZ 17285-A	C2DZ 17271-H	C2DZ 17271-H
				4.57 - REAR AXLE RATIO			
6 8	170 302	3/M/T	7.35 x 15, 7.75 x 15	Bronco	C6TZ 17285-A	C4OZ 17271-A	C4OZ 17271-A
6 8	170 302	3/M/T	8.25 x 15, G78 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C4OZ 17271-A	C4OZ 17271-A
				-w/ snow tires	C6TZ 17285-A	C1DD 17271-A	C1DD 17271-A
6 8	170 302	3/M/T	9.15 x 15	Bronco-exc. snow tires	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
				-w/ snow tires	C6TZ 17285-A	C1DD 17271-A	C1DD 17271-A
6 8	170 302	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C

\# C8ZZ 17294-A adapter must also be used

% C9ZZ 17294-A adapter must also be used

$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1970				
			2.75 - REAR AXLE RATIO				
8	351	C4,C/M	7.35 x 14,E78 x 14		$	C7SZ 17271-A	C7SZ 17271-B
8	351	C4,C/M	7.75 x 14,E70 x 14,F70 x 14, F78 x 14,G70 x 14,F60 x 15		$	C7SZ 17271-A	C7SZ 17271-A
8	351	C4,C/M	G78 x 14		$	D0AZ 17271-A	D0AZ 17271-A
6	240	C4,C6, C/M	7.75 x 15		$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8	302,351, 390,429						
6	240	C4,C6, C/M	8.25 x 15,F78 x 15,G78 x 15		$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
8	302,351, 390,429						
6	240	C4,C6, C/M	8.55 x 15,H78 x 15,H70 x 15		$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	302,351, 390,429						
8	351	3/M/T	7.35 x 14,E78 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
8	351	3/M/T	E70 x 14,F70 x 14,F60 x 15		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
			2.79 - REAR AXLE RATIO				
6	250	C4	7.35 x 14,E70 x 14,E78 x 14		$	C7SZ 17271-A	C7SZ 17271-B
8	302						
6	250	C4	7.75 x 14,F70 x 14,F78 x 14, G70 x 14,G78 x 14,F60 x 15		$	C7SZ 17271-A	C7SZ 17271-A
8	302						
8	302	C4	6.95 x 14		$	C7SZ 17271-B	C7SZ 17271-B
6	250	3/M/T	7.35 x 14,E70 x 14,E78 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
8	302						
6	250	3/M/T	7.75 x 14,F70 x 14,F78 x 14, G70 x 14,G78 x 14,F60 x 15		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	302						
8	302	3/M/T	6.95 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
			2.80 - REAR AXLE RATIO				
8	429	C6	7.75 x 15,8.25 x 15,F78 x 15		$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8	429	C6	8.55 x 15,H70 x 15,H78 x 15		$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	429	C6	G78 x 15		$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
8	429	C6	8.55 x 15,H78 x 15		$ - 9 teeth	C7SZ 17271-B	C7SZ 17271-B
8	429	C6	215R x 15		$ - 9 teeth	C7VY 17271-A	C7VY 17271-A
			2.83 - REAR AXLE RATIO				
6	170,200	C4	6.00 x 13		$	C8SZ 17271-B	C8SZ 17271-B
6	170,200	C4	6.45 x 13,C78 x 14, B78 x 14,6.50 x 13		$	C7VY 17271-A	C7VY 17271-A

$ Part of transmission output shaft

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1970				
					2.83 - REAR AXLE RATIO - continued		
6	170,200	C4	D70 x 14,6.95 x 14,7.35 x 14, E70 x 14, F78 x 14		$	C7SZ 17271-B	C7SZ 17271-B
6	200	C4	F70 x 14,F60 x 15,7.75 x 14		$	C7SZ 17271-A	C7SZ 17271-B
6	170,200	3/M/T	6.00 x 13		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6	170,200	3/M/T	6.45 x 14,C78 x 14, B78 x 14,6.50 x 13		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
6	170,200	3/M/T	D70 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
					3.00 - REAR AXLE RATIO		
6 8	200 302	C4	B78 x 14,C78 x 14,6.95 x 14		$	C7VY 17271-A	C8SZ 17271-B
6 8	200,250 302,351, 429	C4,C6, C/M	D70 x 14,7.35 x 14,E70 x 14, F70 x 14,E78 x 14		$ - 8 teeth	C7VY 17271-A	C7VY 17271-A
6	200	C4	6.00 x 13		$	D0OZ 17271-A	D0OZ 17271-A
6	200	C4	6.45 x 14		$	C8SZ 17271-B	C8SZ 17271-B
6 8	200,250 302,351, 428,429	C4,C6, C/M	7.75 x 14,F78 x 14, F60 x 15,G70 x 14		$ - 8 teeth	C7SZ 17271-B	C7VY 17271-A
6 8	240,250 302,351, 390,428, 429	C4,C6, C/M	7.75 x 15,8.25 x 15,F78 x 15, G78 x 15,G78 x 14		$ - 8 teeth	C7SZ 17271-B	C7SZ 17271-B
6 8	240 302,390, 428,429	C4,C6, C/M	8.55 x 15,H70 x 15,H78 x 15		$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
8	429	C6	H78 x 15		$ - 9 teeth	C7VY 17271-A	C8SZ 17271-B
8	429	C6	215R x 15,8.55 x 15		$ - 9 teeth	C8SZ 17271-B	C8SZ 17271-B
6 8	250 302,351	3/M/T	7.35 x 14,F70 x 14, E78 x 14,F70 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
6 8	200,250 302,351	3/M/T	7.75 x 14,F78 x 14, F60 x 15,G70 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
6 8	250 302,351	3/M/T	8.25 x 15,G78 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	302	3/M/T	6.95 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6 8	240 302,351, 390	3/M/T	7.75 x 15,8.25 x 15,8.55 x 15, F78 x 15,G78 x 15,H70 x 15, H78 x 15		C8AZ 17285-A	C0DD 17271-A	C0DD 17271-A

$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1970				
			3.00 - REAR AXLE RATIO - continued				
8	302,351, 428,429	4/M/T	7.35 x 14, E78 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	302,351, 428,429	4/M/T	F70 x 14, F60 x 15, 7.75 x 15, F78 x 14, G70 x 15, G78 x 15, 8.25 x 15		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	302,351, 428,429	4/M/T	E70 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
			3.07 - REAR AXLE RATIO				
6 8	240 302,351	C4,C/M	7.75 x 15		$	C7VY 17271-A	C7VY 17271-A
6 8	240 302,351	C4,C/M	8.55 x 15, H78 x 15		$	C7SZ 17271-B	C7SZ 17271-B
6 8	240 302,351	C4,C/M	8.25 x 15, F78 x 15, G78 x 15		$	C7SZ 17271-B	C7VY 17271-A
6 8	240 302	3/M/T	7.75 x 15, 8.25 x 15, 8.55 x 15, G78 x 15, F78 x 15, H70 x 15, H78 x 15		C8AZ 17285-A	C0DD 17271-A	C0DD 17271-A
			3.08 - REAR AXLE RATIO				
6	170,200	C4	6.00 x 13, 6.45 x 14, 6.50 x 13		$	D0OZ 17271-A	D0OZ 17271-A
6	170,200	C4	B78 x 14, C78 x 14, E70 x 14, 6.95 x 14		$	C8SZ 17271-B	C8SZ 17271-B
6	170,200	C4	D70 x 14, 7.35 x 14, E78 x 14		$	C7VY 17271-A	C8SZ 17271-B
6	200	C4	F70 x 14, F60 x 15, 7.75 x 14		$	C7VY 17271-A	C7VY 17271-A
6	170,200	3/M/T	6.00 x 13, 6.45 x 14, 6.50 x 13		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
6	170,200	3/M/T	B78 x 14, C78 x 14, 6.95 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6	170,200	3/M/T	D70 x 14, 7.35 x 14, E78 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6	200	3/M/T	7.75 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
			3.20 - REAR AXLE RATIO				
6	170,200	C4	6.45 x 14, 6.50 x 13, B78 x 14, C78 x 14		$	D0OZ 17271-A	D0OZ 17271-A
6	170,200	C4	6.00 x 13		$	D0AZ 17271-A	D0AZ 17271-A
6	170,200	C4	D70 x 14, 6.95 x 14		$	C8SZ 17271-B	D0OZ 17271-A
6	200	C4	7.75 x 14		$	C8SZ 17271-B	C8SZ 17271-B
6	170,200	3/M/T	6.45 x 14, 6.50 x 13, B78 x 14, C78 x 14		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
6	170,200	3/M/T	D70 x 14		C8OZ 17285-B	C1DD 17271-A	C4OZ 17271-A
6	200	3/M/T	6.95 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6	200	3/M/T	6.95 x 14		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
			3.25 - REAR AXLE RATIO				
6 8	250 302,351, 429	C4,C6, C/M	7.35 x 14, E78 x 14		$ - 8 teeth	C8SZ 17271-B	D0OZ 17271-A

$ Part of transmission output shaft

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1970				
			3.25 - REAR AXLE RATIO - continued				
6 8	200,250 302,351,429	C4,C6,C/M	7.75 x 14,F70 x 14,F78 x 14,F60 x 15,G70 x 14		$ - 8 teeth	C8SZ 17271-B	C8SZ 17271-B
6 8	250 302,351,429	C4,C6,C/M	E70 x 14		$ - 8 teeth	D0OZ 17271-B	D0OZ 17271-B
6 8	250 302,351,429	C4,C6,C/M	G78 x 14		$ - 8 teeth	C7VY 17271-A	C8SZ 17271-B
6 8	240 302,351,390,429	C4,C6,C/M	7.75 x 15,F78 x 15		$ - 8 teeth	C8SZ 17271-B	C8SZ 17271-B
6 8	240,250 302,351,390,429	C4,C6,C/M	8.25 x 15,G78 x 15		$ - 8 teeth	C7VY 17271-A	C8SZ 17271-B
6 8	240 302,351,390,429	C4,C6,C/M	8.55 x 15,H70 x 15,H78 x 15		$ - 8 teeth	C7VY 17271-A	C7VY 17271-A
6 8	250 302,351	3/M/T	7.35 x 14,E78 x 14		C8OZ 17285-B	C1DD 17271-A	C4OZ 17271-A
6 8	200,250 302,351	3/M/T	7.75 x 14,F70 x 14,F78 x 14,F60 x 15,G70 x 14,8.25 x 15		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6 8	250 302,351	3/M/T	E70 x 14		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
6 8	250 302,351	3/M/T	G78 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6 8	240 302,351,390	3/M/T	7.75 x 15,8.25 x 15,F78 x 15,G78 x 15		C8AZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
6 8	240 302,351,390	3/M/T	8.55 x 15,H70 x 15,H78 x 15		C8AZ 17285-A	C0DD 17271-A	C3DZ 17271-B
8	302,351,428,429	4/M/T	7.35 x 14,E70 x 14,F70 x 14,E78 x 14,G70 x 14,F60 x 15		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	302,351,429	4/M/T	7.75 x 14,F78 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	302,351,429	4/M/T	8.25 x 15,F78 x 15,G78 x 15,G78 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	429	4/M/T	8.55 x 15,H70 x 15,H78 x 15		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G

$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
				1970			
				3.50 - REAR AXLE RATIO			
8	351,428, 429	C6,C/M	7.75 x 14,F70 x 14,F78 x 14, G70 x 14,G78 x 14,F60 x 15		$ - 8 teeth	D0OZ 17271-A	D0OZ 17271-A
8	302,351, 428,429	4/M/T	7.35 x 14,E78 x 14		C4DZ 17285-A	C4DZ 17271-A	C2DZ 17271-H
8	302,351, 428,429	4/M/T	7.75 x 14,F70 x 14,F78 x 14, F60 x 15,G70 x 14		C4DZ 17285-A	C4DZ 17271-A	C4DZ 17271-A
8	302,351, 428,429	4/M/T	F70 x 14		C4DZ 17285-A	C2DZ 17271-H	C2DZ 17271-H
8	351,429	4/M/T	G78 x 14		C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
6 8	170 302	3/M/T	7.35 x 15,7.75 x 15	Bronco	C6TZ 17285-J	C0DD 17271-C	C0DD 17271-C
6 8	170 302	3/M/T	8.25 x 15,G78 x 15	Bronco	C6TZ 17285-J	C0DD 17271-B	C0DD 17271-B
6 8	170 302	3/M/T	9.15 x 15	Bronco-exc. snow tires -w/ snow tires	C6TZ 17285-J C6TZ 17285-J	C3DZ 17271-B C0DD 17271-B	C3DZ 17271-B C0DD 17271-B
6 8	170 302	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-J	C3DZ 17271-B	C3DZ 17271-B
				3.91 - REAR AXLE RATIO			
8	351,428, 429	C6,C/M	7.35 x 14,7.75 x 14,F70 x 14, E78 x 14,F78 x 14,F60 x 15, G70 x 14	#	$	C7SZ 17271-A	C7SZ 17271-A
8	351,428, 429	C6,C/M	E70 x 14	#	$	C7SZ 17271-A	C7SZ 17271-B
8	351,429	C6,C/M	G78 x 14	#	$	D0AZ 17271-A	D0AZ 17271-A
8	302,351, 428,429	4/M/T	7.35 x 14,7.75 x 14,F70 x 14, F78 x 14,G78 x 14,G70 x 14, F60 x 15	% or ⊕	C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	302,351, 428,429	4/M/T	E70 x 14,E78 x 14	% of ⊕	C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
				4.11 - REAR AXLE RATIO			
6 8	170 302	3/M/T	7.35 x 15,7.75 x 15	Bronco	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6 8	170 302	3/M/T	8.25 x 15,G78 x 15	Bronco	C6TZ 17285-A	C0DD 17271-B	C0DD 17271-B
6 8	170 302	3/M/T	9.15 x 15	Bronco-exc. snow tires -w/snow tires	C6TZ 17285-A C6TZ 17285-A	C3DZ 17271-B C0DD 17271-B	C3DZ 17271-B C0DD 17271-B
6 8	170 302	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B

$ Part of transmission output shaft
# C8ZZ 17294-A adapter must also be used
% C9ZZ 17294-A (Mustang) adapter must also be used
⊕ D0OZ 17294-A (Torino) adapter must also be used

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
				1970			
				4.30 - REAR AXLE RATIO			
8	351,428, 429	C6,C/M	7.35 x 14,E70 x 14,E78 x 14	#	$	C7VY 17271-A	C7VY 17271-A
8	351,428, 429	C6,C/M	7.75 x 14,F70 x 14,F78 x 14, F60 x 15,G70 x 14	#	$	C7SZ 17271-B	C7VY 17271-A
8	351,429	C6,C/M	G78 x 14	#	$	C7SZ 17271-B	C7SZ 17271-B
8	302,351, 428,429	4/M/T	7.35 x 14,7.75 x 14,E70 x 14,	% or ⊕	C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	302,351, 428,429	4/M/T	F70 x 14,F78 x 14,G70 x 14, F60 x 15	% or ⊕	C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	351,429	4/M/T	G78 x 14	% or ⊕	C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
				4.57 - REAR AXLE RATIO			
6 8	170 302	3/M/T	7.35 x 15,7.75 x 15,G78 x 15	Bronco	C6TZ 17285-A	C4OZ 17271-A	C4OZ 17271-A
6 8	170 302	3/M/T	8.25 x 15	Bronco-exc. snow tires -w/ snow tires	C6TZ 17285-A C6TZ 17285-A	C4OZ 17271-A C1DD 17271-A	C4OZ 17271-A C1DD 17271-A
6 8	170 302	3/M/T	9.15 x 15	Bronco-exc. snow tires -w/ snow tires	C6TZ 17285-A C6TZ 17285-A	C0DD 17271-C C1DD 17271-A	C0DD 17271-C C1DD 17271-A
6 8	170 302	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-A	C4OZ 17271-A	C4OZ 17271-A

$ Part of transmission output shaft

% C9ZZ 17294-A (Mustang) adapter must also be used

C8ZZ 17294-A adapter must also be used

⊕ D0OZ 17294-A (Torino) adapter must also be used

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1971				
			2.75 - REAR AXLE RATIO				
8	351	C4,C/M	E70 x 14		$	C7SZ 17271-B	C7SZ 17271-B
8	351	C4,C/M	F70 x 14,F78 x 14,G70 x 14, G78 x 14,F60 x 15,8.25 x 14		$	C7SZ 17271-A	C7SZ 17271-A
8	351	C4,C/M	E78 x 14		$	C7SZ 17271-A	C7SZ 17271-B
6	240	C4,C6, C/M	F78 x 15,8.25 x 15,G78 x 15		$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
8	302,351, 390,400, 429						
6	240	C4,C6, C/M	H78 x 15,J78 x 15,8.55 x 15, 215 x 15		$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	302,351, 390,400, 429						
8	429	C6	H78 x 15,HR78 x 15,215 x 15		$ - 9 teeth	C7SZ 17271-B	C7SZ 17271-B
8	429	C6	225 x 15		$ - 9 teeth	C7SZ 17271-A	C7SZ 17271-B
8	351	3/M/T	F70 x 14,F78 x 14,F60 x 15		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	351	3/M/T	E70 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	351	3/M/T	E78 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
			2.79 - REAR AXLE RATIO				
6	200,250	C4	D70 x 14,C78 x 14,E78 x 14, E70 x 14		$	C7SZ 17271-B	C7SZ 17271-B
8	302						
6	200	C4	B78 x 14		$	C7VY 17271-A	C7VY 17271-A
8	302						
6	200	C4	6.50 x 13,6.45 x 14		$	C7SZ 17271-B	C7VY 17271-A
8	302						
6	200	C4	6.00 x 13		$	C7VY 17271-A	C8SZ 17271-B
8	302						
6	250	C4	F60 x 15,F78 x 14,G70 x 14, G78 x 14,8.25 x 14,8.25 x 15		$	C7SZ 17271-A	C7SZ 17271-A
8	302						
6	250	C4	F70 x 14		$	C7SZ 17271-A	C7SZ 17271-B
8	302						
6	170,250	3/M/T	D70 x 14,C78 x 14,E70 x 14, E78 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
8	302						
6	170	3/M/T	B78 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
8	302						
6	170	3/M/T	6.50 x 13,6.45 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
8	302						
6	170	3/M/T	6.00 x 13		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
8	302						
6	250	3/M/T	F60 x 15,F78 x 14,G70 x 14, G78 x 14,8.25 x 14,8.25 x 15		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
8	302						
6	250	3/M/T	F70 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
8	302						

$ Part of transmission output shaft

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1971				
			2.80 - REAR AXLE RATIO				
8	400,429	C6	H78 x 15,J78 x 15,8.55 x 15, 215 x 15		$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	400,429	C6	F78 x 15,8.25 x 15		$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8	400,429	C6	G78 x 15		$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
8	429	C6	H78 x 15,215 x 15,225 x 15		$ - 9 teeth	C7SZ 17271-B	C7SZ 17271-B
8	429	C6	HR78 x 15		$ - 9 teeth	C7SZ 17271-B	C7VY 17271-A
			3.00 - REAR AXLE RATIO				
6 8	170,200, 250 302	C4	6.00 x 13		$	D0OZ 17271-A	D0OZ 17271-A
6 8	170,200, 250 302	C4	6.50 x 13, B78 x 14, D70 x 14, 6.45 x 14		$	C8SZ 17271-B	C8SZ 17271-B
6 8	170,200, 250 302,351, 429	C4,C6, C/M	C78 x 14, E70 x 14		$ - 8 teeth	C7VY 17271-A	C8SZ 17271-B
6 8	250 302,351, 429	C4,C6, C/M	E78 x 14, F70 x 14		$ - 8 teeth	C7VY 17271-A	C7VY 17271-A
6 8	240,250 302,351, 400,429	C4,C6, C/M	G78 x 14,8.25 x 15, F78 x 15, G78 x 15		$ - 8 teeth	C7SZ 17271-B	C7SZ 17271-B
6 8	250 302,351, 429	C4,C6, C/M	F78 x 14,G70 x 14, F60 x 15, 8.25 x 14		$ - 8 teeth	C7SZ 17271-B	C7VY 17271-A
6 8	240 302,400, 429	C6,C/M	J78 x 15		$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
6 8	240 302,400, 429	C6,C/M	H78 x 15,215 x 15,8.55 x 15		$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
8	429 P/C	C6	H78 x 15,8.25 x 15,8.55 x 15, 215 x 15		$ - 9 teeth		C8SZ 17271-B
8	429 P/C	C6	J78 x 15		$ - 9 teeth		C7VY 17271-A
8	429	C6	225 x 15		$ - 9 teeth	C7VY 17271-A	C7VY 17271-A
8	429	C6	HR78 x 15		$ - 9 teeth	C8SZ 17271-B	C8SZ 17271-B
8	429	C6	H78 x 15,215 x 15		$ - 9 teeth	C7VY 17271-A	C8SZ 17271-B
6 8	170,200 302	3/M/T	6.00 x 13		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
6 8	170,200 302	3/M/T	6.50 x 13, B78 x 14, D70 x 14, 6.45 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6 8	170,200, 250 302,351	3/M/T	C78 x 14, F70 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A

$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1971				
			3.00 - REAR AXLE RATIO - continued				
6 8	250 302,351	3/M/T	E78 x 14,F70 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
6 8	250 300,351	3/M/T	G78 x 14,8.25 x 15		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6 8	250 302,351	3/M/T	F78 x 14,G70 x 14,F60 x 15, 8.25 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
6 8	240 302,351	3/M/T	F78 x 15,G78 x 15,8.25 x 15		C8AZ 17285-A	C0DD 17271-A	C0DD 17271-A
8	302,351, 429	4/M/T	F70 x 14,F78 x 14,G70 x 14, G78 x 14,F60 x 15,8.25 x 14, 8.25 x 15		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	302,351, 429	4/M/T	E70 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	302,351, 429	4/M/T	E78 x 14		C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
			3.07 - REAR AXLE RATIO				
6 8	240 302,351	C4,C6, C/M	G78 x 15,H78 x 15,8.55 x 15, 215 x 15		$ - 8 teeth	C7SZ 17271-B	C7SZ 17271-B
6 8	240 302,351	C4,C6, C/M	F78 x 15,8.25 x 15		$ - 8 teeth	C7SZ 17271-B	C7VY 17271-A
6 8	240 302,351	C4,C6, C/M	J78 x 15		$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
6 8	240 302	3/M/T	F78 x 15,G78 x 15,H78 x 15, 8.25 x 15,8.55 x 15,215 x 15		C8AZ 17285-A	C0DD 17271-A	C0DD 17271-A
			3.18 - REAR AXLE RATIO				
4	◊122	C4	6.00 x 13		$	D0AZ 17271-A	C7SZ 17271-A
4	◊122	C4	A70 x 13,A78 x 13		$	C7SZ 17271-A	C7SZ 17271-A
			3.25 - REAR AXLE RATIO				
6 8	250 302,351, 429	C4,C6, C/M	E70 x 14,E78 x 14		$	D0OZ 17271-A	D0OZ 17271-A
6 8	250 302,351, 429	C4,C6, C/M	F70 x 14,F78 x 14,G70 x 14, G78 x 14,F60 x 15,8.25 x 14		$	C8SZ 17271-B	C8SZ 17271-B
6 8	240,250 302,351, 390,400, 429	C4,C6, C/M	8.25 x 15,F78 x 15		$ - 8 teeth	C7VY 17271-A	C8SZ 17271-B

$ Part of transmission output shaft ◊ 2.0 litre

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1971				
			3.25 - REAR AXLE RATIO - continued				
6 8	240 302,351,390,400,429	C4,C6,C/M	G78 x 15,H78 x 15,8.55 x 15,215 x 15		$ - 8 teeth	C7VY 17271-A	C7VY 17271-A
6 8	240 302,351,390,400,429	C4,C6,C/M	J78 x 15		$ - 8 teeth	C7SZ 17271-B	C7VY 17271-A
6 8	250 302,351	3/M/T	E70 x 14,E78 x 14		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
6 8	250 302,351	3/M/T	F70 x 14,F78 x 14,G70 x 14,G78 x 14,F60 x 15,8.25 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6 8	250 302,351	3/M/T	8.25 x 15		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6 8	240 302,351	3/M/T	J78 x 15		C8AZ 17285-A	C0DD 17271-A	C0DD 17271-A
6 8	240 302,351	3/M/T	F78 x15,G78 x 15,8.25 x 15		C8AZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
6 8	240 302,351	3/M/T	H78 x 15,8.55 x 15,215 x 15		C8AZ 17285-A	C0DD 17271-A	C3DZ 17271-B
8	351,429	4/M/T	F70 x 14,E78 x 14		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	351,429	4/M/T	G78 x 14,8.25 x 15		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	351,429	4/M/T	E70 x 14		C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
8	351,429	4/M/T	F78 x 14,G70 x 14,F60 x 15,8.25 x 14		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
			3.50 - REAR AXLE RATIO				
8	351,429	C6	F70 x 14,F78 x 14,F60 x 15,G70 x 14,G78 x 14,8.25 x 14,8.25 x 15		$ - 8 teeth	D0OZ 17271-A	D0OZ 17271-A
8	302,351,429	4/M/T	F70 x 14,F78 x 14,G70 x 14,F60 x 15,8.25 x 14	Exc.RUG-BA1 trans.	C4DZ 17285-A	C4DZ 17271-A	C4DZ 17271-A
8	351,429	4/M/T	8.25 x 15	Exc.RUG-BA1 trans.	C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	351,429	4/M/T	G78 x 14	Exc.RUG-BA1 trans.	C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
8	351	4/M/T	F70 x 14,F78 x 14,F60 x 15,G70 x 14,G78 x 14,8.25 x 14,8.25 x 15	W/RUG-BA1 trans.	C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	302,351,429	4/M/T	E70 x 14	Exc.RUG-BA1 trans.	C4DZ 17285-A	C2DZ 17271-H	C2DZ 17271-H
8	351	4/M/T	E70 x 14	W/RUG-BA1 trans.	C5ZZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	302,351,429	4/M/T	E78 x 14	Exc.RUG-BA1 trans.	C4DZ 17285-A	C4DZ 17271-A	C2DZ 17271-H
8	351	4/M/T	E78 x 14	W/RUG-BA1trans.	C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
6 8	170 302	3/M/T	E78 x 15	Bronco	C6TZ 17285-J	C0DD 17271-C	C0DD 17271-C

$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
				1971			
				3.50 - REAR AXLE RATIO - continued			
6	170	3/M/T	G78 x 15	Bronco	C6TZ 17285-J	C0DD 17271-B	C0DD 17271-B
8	302						
6	170	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-J	C3DZ 17271-B	C3DZ 17271-B
8	302						
6	170	3/M/T	9.15 x 15	Bronco-exc.snow tires	C6TZ 17285-J	C3DZ 17271-B	C3DZ 17271-B
8	302			-w/ snow tires	C6TZ 17285-J	C0DD 17271-B	C0DD 17271-B
				3.55 - REAR AXLE RATIO			
4	◊122	C4	A70 x 13, A78 x 13		$	C7VY 17271-A	C7VY 17271-A
4	◊122	C4	6.00 x 13		$	C7SZ 17271-B	C7VY 17271-A
4	*98, ◊122	4/M/T 71WG-AB	A70 x 13, A78 x 13		D1FZ 17285-A	C0DD 17271-C	C0DD 17271-C
4	*98, ◊122	4/M/T 71WG-AB	6.00 x 13		D1FZ 17285-A	C0DD 17271-B	C0DD 17271-C
4	*98	4/M/T 71WG-BA	A70 x 13, A78 x 13, 6.00 x 13		D0RY 17285-A	D0RY 17271-A	D0RY 17271-A
				3.82 - REAR AXLE RATIO			
4	*98, ◊122	4/M/T 71WG-AB	6.00 x 13, A78 x 13		D1FZ 17285-A	C1DD 17271-A	C1DD 17271-A
4	*98, ◊122	4/M/T 71WG-AB	A70 x 13		D1FZ 17285-A	C4OZ 17271-A	C4OZ 17271-A
4	*98	4/M/T 71WG-BA	A70 x 13, A78 x 13, 6.00 x 13		D0RY 17285-A	D0RY 17271-A	D0RY 17271-A
				3.91 - REAR AXLE RATIO			
8	351, 429	C6	E78 x 14, F70 x 14, F78 x 14, G70 x 14, F60 x 15, 8.25 x 14	#	$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8	351, 429	C6	8.25 x 15	#	$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	351, 429	C6	E70 x 14	#	$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
8	351, 429	C6	G78 x 14	#	$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
8	302, 351, 429	4/M/T	E78 x 14, F70 x 14, F78 x 14, F60 x 15, G70 x 14, 8.25 x 14	Exc.RUG-BA1 trans. % or ⊕	C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	351, 429	4/M/T	G78 x 14	Exc.RUG-BA1 trans. ⊕	C4DZ 17285-A	C2DZ 17271-H	C2DZ 17271-J
8	351	4/M/T	E78 x 14	W/RUG-BA1 trans.	C5ZZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
8	351	4/M/T	F70 x 14, F78 x 14, G70 x 14, G78 x 14, 8.25 x 14	W/RUG-BA1 trans.	C5ZZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	302, 351, 429	4/M/T	E70 x 14	Exc.RUG-BA1 trans. % or ⊕	C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	351	4/M/T	E70 x 14	W/RUG-BA1 trans.	C5ZZ 17285-A	C4DZ 17271-A	C4DZ 17271-A
8	351, 429	4/M/T	8.25 x 15	Exc.RUG-BA1 trans. ⊕	C4DZ 17285-A	C2DZ 17271-H	C2DZ 17271-H
8	351	4/M/T	8.25 x 15	W/RUG-BA1 trans.	C5ZZ 17285-A	C2DZ 17271-G	C2DZ 17271-F

$ Part of transmission output shaft * 1.6 Litre ◊ 2.0 Litre

C8ZZ 17294-A adapter must also be used % C9ZZ 17294-A (Mustang) adapter must also be used

⊕ D0OZ 17294-A (Torino) adapter must also be used

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
				1971			
				4.11 - REAR AXLE RATIO			
8	429	C6	E70 x 14, E78 x 14, F78 x 14, F60 x 15	#	$ - 8 teeth	C7SZ 17271-B	C7SZ 17271-B
8	429	C6	E70 x 14	#	$ - 8 teeth	C7SZ 17271-B	C7VY 17271-A
8	302, 429	4/M/T	E78 x 14, F70 x 14, F78 x 14, F60 x 15	%	C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	302, 429	4/M/T	E70 x 14	%	C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
6 8	170 302	3/M/T	G78 x 15	Bronco	C6TZ 17285-A	C0DD 17271-B	C0DD 17271-B
6 8	170 302	3/M/T	E78 x 15	Bronco	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6 8	170 302	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-B
6 8	170 302	3/M/T	9.15 x 15	Bronco-exc.snow tires -w/snow tires	C6TZ 17285-A C6TZ 17285-A	C3DZ 17271-B C0DD 17271-B	C3DZ 17271-B C0DD 17271-B
				4.57 - REAR AXLE RATIO			
6 8	170 302	3/M/T	E78 x 15	Bronco	C6TZ 17285-A	C4OZ 17271-A	C4OZ 17271-A
6 8	170 302	3/M/T	G78 x 15	Bronco	C6TZ 17285-A	C1DD 17217-A	C1DD 17271-A
6 8	170 302	3/M/T	6.50 x 16	Bronco-tube type tires	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6 8	170 302	3/M/T	9.15 x 15	Bronco-exc.snow tires -w/snow tires	C6TZ 17285-A C6TZ 17285-A	C0DD 17271-C C1DD 17271-A	C0DD 17271-C C1DD 17271-A

$ Part of transmission output shaft

C8ZZ 17294-A adapter must also be used

% C9ZZ 17294-A (Mustang) adapter must also be used

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1972				
			2.75 - REAR AXLE RATIO				
6 8	240,250 302,351, 400,429	C4,C6, C/M	F78 x 15,G78 x 15,8.25 x 15, G78 x 14		$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
6 8	240,250 302,351, 400,429	C4,C6, C/M	H78 x 15,8.55 x 15,H70 x 15, HR78 x 15,H78 x 14		$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
6 8	250 302,351, 400,429	C4,C6, C/M	E70 x 14		$ - 8 teeth	C7SZ 17271-B	C7SZ 17271-B
6 8	250 302,351, 400,429	C4,C6, C/M	E78 x 14,7.35 x 14		$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
6 8	250 302,351, 400,429	C4,C6, C/M	F60 x 15,F70 x 14,F78 x 14, 7.75 x 14,G70 x 14,8.25 x 14, G60 x 15		$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8	400,429	C6	9.15 x 15,2.25 x 15		$ - 9 teeth	C7SZ 17271-A	C7SZ 17271-B
8	400,429	C6	215R x 15,8.55 x 15,H78 x 15, 215 x 15		$ - 9 teeth	C7SZ 17271-B	C7SZ 17271-B
8	429 P/C	C6	8.55 x 15,215 x 15,215R x 15, H78 x 15,J78 x 15,H70 x 15, HR78 x 15		$ - 9 teeth		C7SZ 17271-B
8	429 P/C	C6	8.25 x 15,225R x 15,F78 x 15, G78 x 15		$ - 9 teeth		C7VY 17271-B
6 8	250 302,351	3/M/T	E78 x 14,7.35 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
6 8	250 302,351	3/M/T	E70 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6 8	250 302,351	3/M/T	F60 x 15,F70 x 14,F78 x 14, 7.75 x 14,G60 x 15		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
			2.79 - REAR AXLE RATIO				
6 8	200,250 302,351	C4	E70 x 14,7.35 x 14,D70 x 14, C78 x 14,DR78 x 14,6.95 x 14		$ - 8 teeth	C7SZ 17271-B	C7SZ 17271-B
6 8	200,250 302	C4	6.50 x 13,6.45 x 14		$	C7SZ 17271-B	C7VY 17271-A
6 8	200,250 302	C4	6.00 x 13		$	C7VY 17271-A	C8SZ 17271-B
6 8	200,250 302	C4	B78 x 14		$	C7VY 17271-A	C7VY 17271-A
6 8	200,250 302	C4	A70 x 13,A78 x 13		$	C8SZ 17271-B	C8SZ 17271-B

$ Part of transmission output shaft

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1972				
			2.79 - REAR AXLE RATIO - continued				
6 8	250 302,351	C4	E78 x 14		$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
6 8	250 302,351	C4	F60 x 15, F70 x 14, F78 x 14, 7.75 x 14, G78 x 14, G70 x 14, 8.25 x 14, 8.25 x 15, F78 x 15, G60 x 15		$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
6 8	250 302,351	C4	H78 x 14, G78 x 15		$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
6 8	170,200, 250 302,351	3/M/T	E70 x 14, F70 x 14, 7.35 x 14, D70 x 14, C78 x 14, DR78 x 14, 6.95 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B
6 8	170,200 302	3/M/T	6.50 x 13, 6.45 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
6 8	170,200 302	3/M/T	6.00 x 13		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6 8	170,200 302	3/M/T	B78 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
6 8	170,200 302	3/M/T	A70 x 13, A78 x 13		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6 8	250 302,351	3/M/T	E78 x 14		C8OZ 17285-B	C3DZ 17271-B	C0DD 17271-B
6 8	250 302,351	3/M/T	F78 x 14, 7.75 x 14, G60 x 15 F60 x 15		C8OZ 17285-B	C3DZ 17271-B	C3DZ 17271-B
			2.80 - REAR AXLE RATIO				
8	400,429	C6	F78 x 15, 8.25 x 15		$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8	400,429	C6	G78 x 15, HR78 x 15		$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
8	400,429	C6	H78 x 15, 8.55 x 15, H70 x 15		$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	400,429	C6	9.15 x 15, 225 x 15, H78 x 15, 215 x 15		$ - 9 teeth	C7SZ 17271-B	C7SZ 17271-B
8	400,429	C6	215R x 15, 8.55 x 15		$ - 9 teeth	C7SZ 17271-B	C7VY 17271-A
			3.00 - REAR AXLE RATIO				
6 8	200,250 302	C4	6.50 x 13, 6.45 x 14, B78 x 14, D70 x 14, DR78 x 14		$	C8SZ 17271-B	C8SZ 17271-B
6 8	200,250 302	C4	6.00 x 13, A70 x 13, A78 x 13		$	D0OZ 17271-A	D0OZ 17271-A
6 8	200,250 302,351, 400,429	C4, C6 C/M	E70 x 14, C78 x 14, 6.95 x 14		$ - 8 teeth	C7VY 17271-A	C8SZ 17271-B

$ Part of transmission output shaft

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1972				
				3.00 - REAR AXLE RATIO - continued			
6 8	250 302,351, 400,429	C4,C6	E78 x 14,F70 x 14,7.35 x 14		$ - 8 teeth	C7VY 17271-A	C7VY 17271-A
6 8	250 302,351, 400,429	C4,C6	F60 x 15		$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
6 8	250 302,351, 400,429	C4,C6	F78 x 14,G70 x 14,8.25 x 14, 7.75 x 14		$ - 8 teeth	C7SZ 17271-B	C7VY 17271-A
6 8	250 302,351, 400,429	C4,C6	G78 x 14,8.25 x 15,F78 x 15, G60 x 15,H78 x 14,G78 x 15		$ - 8 teeth	C7SZ 17271-B	C7SZ 17271-B
8	429 P/C	C6	F78 x 15		$ - 9 teeth	D0OZ 17271-A	D0OZ 17271-A
8	429 P/C	C6	8.55 x 15,H78 x 15,J78 x 15, 215 x 15,8.25 x 15,215R x 15, 225R x 15,G78 x 15,H70 x 15, HR78 x 15		$ - 9 teeth	C8SZ 17271-B	C8SZ 17271-B
6 8	240 302,351, 400,429	C6,C/M	F78 x 15,G78 x 15,8.25 x 15 HR78 x 15		$ - 8 teeth	C7SZ 17271-B	C7SZ 17271-B
6 8	240 302,351, 400,429	C6,C/M	H78 x 15,8.55 x 15,H70 x 15		$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
6 8	170,200 302	3/M/T	6.00 x 13,A70 x 13,A78 x 13		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
6 8	170,200 302	3/M/T	6.50 x 13,6.45 x 14,D70 x 14, DR78 x 14,B78 x 14		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
6 8	170,200, 250 302,351	3/M/T	E70 x 14,C78 x 14,6.95 x 14		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6 8	250 302,351	3/M/T	E78 x 14,F70 x 14,7.35 x 14		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C
6 8	250 302,351	3/M/T	F60 x 15,F78 x 14,G70 x 14, 8.25 x 14,7.75 x 14		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-C
6 8	250 302,351	3/M/T	G78 x 14,F78 x 15,8.25 x 15, G60 x 15,H78 x 14,G78 x 15		C8OZ 17285-B	C0DD 17271-B	C0DD 17271-B

$ Part of transmission output shaft

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1972				
			3.18 - REAR AXLE RATIO				
4	◊122	C4	6.00 x 13, 175R x 13, 175 x 13		$	D0AZ 17271-A	C7SZ 17271-A
4	◊122	C4	A70 x 13, A78 x 13		$	C7SZ 17271-A	C7SZ 17271-A
			3.25 - REAR AXLE RATIO				
6 8	240, 250 302, 351, 400, 429	C4, C6, C/M	F78 x 15, F60 x 15, F70 x 14, F78 x 14, 7.75 x 14, G70 x 14, 8.25 x 14, G60 x 15		$ - 8 teeth	C8SZ 17271-B	C8SZ 17271-B
6 8	240, 250 302, 351, 400, 429	C4, C6, C/M	G78 x 15, H78 x 15, 8.55 x 15, H70 x 15, HR78 x 15, H78 x 14		$ - 8 teeth	C7VY 17271-A	C7VY 17271-A
6 8	240, 250 302, 351, 400, 429	C4, C6	8.25 x 15, G78 x 14, G78 x 15		$ - 8 teeth	C7VY 17271-A	C8SZ 17271-B
6 8	250 302, 351, 400, 429	C4, C6, C/M	E70 x 14, 7.35 x 14		$ - 8 teeth	D0OZ 17271-A	D0OZ 17271-A
6 8	250 302, 351, 400, 429	C4, C6, C/M	E78 x 14		$ - 8 teeth	C8SZ 17271-B	D0OZ 17271-A
8	400, 429	C6	9.15 x 15		$ - 9 teeth	C8SZ 17271-B	D0OZ 17271-A
8	400, 429	C6	2.25 x 15, 215R x 15, 8.55 x 15, H78 x 15, 215 x 15		$ - 9 teeth	D0OZ 17271-A	D0OZ 17271-A
6 8	250 302, 351	3/M/T	E78 x 14		C8OZ 17285-B	C1DD 17271-A	C4OZ 17271-A
6 8	250 302, 351	3/M/T	E70 x 14, 7.35 x 14		C8OZ 17285-B	C4OZ 17271-A	C4OZ 17271-A
6 8	250 302, 351	3/M/T	F60 x 15, F70 x 14, F78 x 14, 7.75 x 14, G60 x 15, G70 x 14, 8.25 x 14, F78 x 15		C8OZ 17285-B	C1DD 17271-A	C1DD 17271-A
8	351	4/M/T	E70 x 14		C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
8	351	4/M/T	E78 x 14, F70 x 14, 7.35 x 14		C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	351	4/M/T	F60 x 15, F78 x 14, G70 x 14, 8.25 x 14, 7.75 x 14, G60 x 15		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-F
8	351	4/M/T	G78 x 14, 8.25 x 15, F78 x 15, H78 x 14, G78 x 15		C4DZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
6 8	250 302	3/M/T	G78 x 14, 8.25 x 15		C8OZ 17285-B	C0DD 17271-C	C1DD 17271-A
6 8	250 302	3/M/T	H78 x 14, G78 x 15		C8OZ 17285-B	C0DD 17271-C	C0DD 17271-C

$ Part of transmission output shaft ◊ 2.0 Litre

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1972				
			3.50 - REAR AXLE RATIO				
8	351,400, 429	C6	F60 x 15, F70 x 14, F78 x 14, 7.75 x 14, G78 x 14, G70 x 14, 8.25 x 14, 8.25 x 15, F78 x 15, G60 x 15, H78 x 14, G78 x 15		$ - 8 teeth	D0OZ 17271-A	D0OZ 17271-A
8	351,400, 429	C6	E70 x 14, 7.35 x 14	#	$ - 8 teeth	D0AZ 17271-A	D0AZ 17271-A
8	351	4/M/T	E70 x 14		•C4DZ 17285-A	C2DZ 17271-H	C2DZ 17271-H
8	351	4/M/T	E78 x 14		•C4DZ 17285-A	C4DZ 17271-A	C2DZ 17271-H
8	351	4/M/T	F60 x 15, F70 x 14, F78 x 14, 7.35 x 14, 7.75 x 14, G70 x 14, 8.25 x 14, G60 x 15		•C4DZ 17285-A	C4DZ 17271-A	C4DZ 17271-A
8	351	4/M/T	G78 x 14, F78 x 15		•C4DZ 17285-A	C2DZ 17271-F	C4DZ 17271-A
8	351	4/M/T	8.25 x 15, H78 x 14, G78 x 15		•C4DZ 17285-A	C2DZ 17271-F	C2DZ 17271-F
8	351	4/M/T	E78 x 14, 7.35 x 14		†C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
8	351	4/M/T	E70 x 14		†C5ZZ 17285-A	C2DZ 17271-G	C2DZ 17271-G
8	351	4/M/T	F60 x 15, F70 x 14, F78 x 14, 7.75 x 14, G78 x 14, G70 x 14, 8.25 x 14, 8.25 x 15, F78 x 15, G60 x 15, H78 x 14, G78 x 15		†C5ZZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
6 8	170 302	3/M/T	9.15 x 15, 7.00 x 15	Bronco	C6TZ 17285-J	C3DZ 17271-B	C3DZ 17271-B
6 8	170 302	3/M/T	G78 x 15	Bronco	C6TZ 17285-J	C0DD 17271-B	C0DD 17271-B
6 8	170 302	3/M/T	E78 x 15	Bronco	C6TZ 17285-J	C0DD 17271-C	C0DD 17271-C
			3.55 - REAR AXLE RATIO				
4	◊122	C4	6.00 x 13, 175R x 13, 175 x 13		$	C7SZ 17271-B	C7VY 17271-A
4	◊122	C4	A70 x 13, A78 x 13		$	C7VY 17271-A	C7VY 17271-A
4	*98 ◊122	4/M/T, 71WG-AD	6.00 x 13, 175R x 13, 175 x 13		D1FZ 17285-A	C0DD 17271-B	C0DD 17271-C
4	*98 ◊122	4/M/T, 71WG-AD	A70 x 13, A78 x 13		D1FZ 17285-A	C0DD 17271-C	C0DD 17271-C
4	*98	4/M/T, 7WG-BC	A70 x 13, A78 x 13, 6.00 x 13		D0RY 17285-A	D0RY 17271-A	D0RY 17271-A
			3.78 - REAR AXLE RATIO				
4	◊122	C4	6.00 x 13, A70 x 13, A78 x 13, 175R x 13, 175 x 13		$	C8SZ 17271-B	C8SZ 17271-B
4	◊122	4/M/T, 71WG-AD	6.00 x 13, A70 x 13, A78 x 13, 175R x 13, 175 x 13		D1FZ 17285-A	C1DD 17271-A	C1DD 17271-A

$ Part of transmission output shaft # C8ZZ 17294-A adapter must also be used ◊ 2.0 Litre * 1.6 Litre
• 7 teeth - L.H. helix † 6 teeth - L.H. helix

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17271 SPEEDOMETER DRIVE and DRIVEN GEAR APPLICATION CHART - continued

ENGINE CYL.	ENGINE C.I.D.	TRANS.	TIRE SIZE	REMARKS	DRIVE GEAR	DRIVEN GEAR REGULAR	DRIVEN GEAR P/C, TAXI or RENTAL
			1972				
			3.91 - REAR AXLE RATIO				
8	351	C6	E78 x 14, F60 x 15, F70 x 14, F78 x 14, 7.35 x 14, 7.75 x 14	#	$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-A
8	351	C6	E70 x 14	#	$ - 8 teeth	C7SZ 17271-A	C7SZ 17271-B
8	351	C6	G60 x 15	#	$ - 8 teeth	D0AZ 17271-A	C7SZ 17271-A
8	351	4/M/T	E78 x 14, F60 x 15, F70 x 14, F78 x 14, 7.35 x 14, 7.75 x 14, G60 x 15	%	C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-J
8	351	4/M/T	E70 x 14	%	C4DZ 17285-A	C2DZ 17271-J	C2DZ 17271-G
			4.11 - REAR AXLE RATIO				
6 8	170 302	3/M/T	9.15 x 15, 7.00 x 15	Bronco	C6TZ 17285-A	C3DZ 17271-B	C3DZ 17271-E
6 8	170 302	3/M/T	G78 x 15	Bronco	C6TZ 17285-A	C0DD 17271-B	C0DD 17271-B
6 8	170 302	3/M/T	E78 x 15	Bronco	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
			4.57 - REAR AXLE RATIO				
6 8	170 302	3/M/T	9.15 x 15, 7.00 x 15	Bronco	C6TZ 17285-A	C0DD 17271-C	C0DD 17271-C
6 8	170 302	3/M/T	G78 x 15	Bronco	C6TZ 17285-A	C1DD 17271-A	C1DD 17271-A
6 8	170 302	3/M/T	E78 x 15	Bronco	C6TZ 17285-A	C4OZ 17271-A	C4OZ 17271-A

$ Part of transmission output shaft

% C9ZZ 17294-A adapter must also be used

C8ZZ 17294-A adapter must also be used

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17B301 SLEEVE - SPEEDOMETER CABLE			
67/71	S	Plastic	1	C7SZ 17B301-A
	17B302 RETAINER - SPEEDOMETER SLEEVE			
67/71	S		1	C7SZ 17B302-A
67/68	S	Screw(attach Retainer, Sleeve and Grommet to instrument cluster housing)	2	42138-S7-8(U245A)
	17303 GASKET - SPEEDOMETER CASE			
65/66	A, B, F, X	Rubber-diamond shape	1	C2SZ 17303-A
65/66	S	Rubber - Improvise	1	★
67/	A, F	Rubber	1	C7MY 17303-A
67/71	B, S		1	
67/70	X		1	
70/	P		1	C9MY 17303-A
72	B, S		1	
	17B303 GROMMET - SPEEDOMETER MOUNTING			
67/71	S	Rubber	1	C7SZ 17B303-A
	17304 GROMMET - SPEEDOMETER CASE			
65/66	A, B, F	Neoprene-13/32" O.D. x 3/16" thick	2	FDR 17304-A
65/67	X		2	
65/66	S	Rubber-improvise	3	★
	17305 RETAINER - SPEEDOMETER CASE GROMMET			
65/66	A, B, F	Steel-3/8" O.D. x 11/64" thick	2	FDR 17305-A
65/67	X		2	
	17B308 TEE - TACHOMETER			
65/67	A, B, F, X	Used with C6AZ 10B944-B cluster kit	1	C6AZ 17B308-A
68/69	A, B, F, S, X		1	
	17A317 SPACER - SPEEDOMETER DIAL - Improvise			
	17A326 TACHOMETER KIT			
65/67	All (8 cyl. high-performance units-12 volt)	Sun type kit-4" size-circle-sweep dial-to 9000 R.P.M.-for steering column or instrument panel top mount add (1) C4AZ 17368-A - Not replaced (5-75)	1	★C4AZ 17A326-A
65/72	All (8 cyl.)	Cobra-9000 RPM-250° dial-for steering column mount (1) C6AZ 17368-A mounting bracket is required-r/b D3AZ 17A326-B (11-73)	1	★C6AZ 17A326-G
65/70	All (8 cyl.)	6000 RPM (flat type)	1	C8AZ 17A326-B
66/71	All (8 cyl.)	Faria-6000 RPM-100° dial-not replaced (11-73)	1	★C6AZ 17A326-D
65/72	All (8 cyl.)	Faria-6000 RPM-250° dial-r/b D3AZ 17A326-A (11-73)	1	★D2AZ 17A326-A
72	All (8 cyl.)	Faria-6000 RPM-250° dial	1	D3AZ 17A326-A
72	All (8 cyl.)	Faria-9000 RPM-250° dial	1	D3AZ 17A326-B
65/71	All (8 cyl.)	8000 RPM-hood mounted-use with 12 volt systems only-not replaced (11-73)	1	★C9AZ 17A326-A
	17B336 CLIP - SPEEDOMETER DRIVE GEAR RETAINING			
69/	All	Used to attach speedometer drive gear to output shaft-alternate in function with BA 7064 snap ring and 353351-S ball-1/4"	1	C9AZ 17B336-A
	17A356 HARDWARE KIT - LICENSE PLATE			
65/	All	Service details Consists of (4) 380707-S(MM228B)-nut 1/4" insert (4) 381856-S40(UU52B)-screw-1/4"-14 x 1/2"	1	★

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17360 TACHOMETER ASSY. - Also refer to Group 17A326 Accessories Section			
68	B(8 cyl.)	6000 R.P.M. - use in place of clock	1	♦C8OZ 17360-F
69	B	6000 R.P.M. -use in place of clock	1	♦C9OZ 17360-A
70/71	B(8 cyl.)	8000 R.P.M. -use in place of clock	1	D0OZ 17360-A
72	B	6000 R.P.M.	1	D2GY 17360-A
67	F(8 cyl.-Special 4/B-except Shelby GT350/500)-6000 R.P.M.	Used only on vehicles having oil & ammeter warning indicator lamps & trip odometer-"RPM x 100"-r/b C7ZF 17360-E (3-74)	1	★C7ZZ 17360-A
67/68	F-8000 R.P.M.		1	C7ZF 17360-E
69/70	F (except 63C)-8000 R.P.M.		1	C9ZZ 17360-A
69/70	F (63C)-8000 R.P.M.		1	C9ZZ 17360-B
71/	F (8 cyl.)-8000 R.P.M.	Marked D1ZF 17360-AA	1	D1ZZ 17360-A
70/71	B	Screw (attach wires of tachometer assy. to 14401 main wire assy.)	1	383313-S(YY6)
	17362 BEZEL - TACHOMETER & CLOCK			
65	F(except Shelby GT350)	Supplied only in (17360)or (15000)-used on vehicles having charge indicator warning light and oil pressure warning light	2	★C4ZF 17362-A
65/66	F (except Shelby GT350)	Paint to match-used only on vehicles having ammeter and oil pressure gauges	2	C5ZZ 17362-A
65/66	F (Shelby GT350)	Use for 8000 R.P.M. tach. and 80 lb. oil gauge-not replaced (5-75)	1	★S1MS 17362-C

♦ For new installation on standard models also use 10848 plate & 10K843 printed circuit board

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17368 BRACKET - TACHOMETER MOUNTING			
65/67	All (12 volts-8 cyl. -high performance units)	For mounting C4AZ 17A326-A tachometer kit on instrument panel top or steering column	1	C4AZ 17368-A
67/	All	For mounting C6AZ 17A326-E or G tachometer kit on steering column	1	C6AZ 17368-A
	Consists of			
	1-C5RA 17368-C Bracket	1-EDB 66548-A Clamp		
	1-C4ZF 3682-B Insulator	1-I.S. 2235 Instructions		
	17A381 SHAFT ASSY. - ODOMETER RESET			
67/68	F-with trip odometer		1	C7ZZ 17A381-B
69/70	F-with trip odometer	Refer to Group 10880		
71/	F-with trip odometer	Refer to Group 10887		
	17A385 BRACKET - FRONT LICENSE PLATE MOUNTING - Also refer to Group 17B875-			
	- A -			
68	A(54C,57F,63C,65A,71A,E,76B)		1	C8AZ 17A385-A
69/70	A(54C,57F,63C,65A,71A,E,76B)		1	C9AZ 17A385-A
71	A		1	D1AZ 17A385-A
72	A		1	D2AZ 17A385-A
	- B -			
72	B(53B,65B,71B)		1	D2OZ 17A385-A
72	B(53D,63,65D,R,71D,K,97)		1	D2OZ 17A385-B
	- F -			
68	F(Shelby GT350/500)		1	S8MS 17A385-A
69/70	F(except Shelby GT350/500)		1	C9ZZ 17A385-B
71/	F		1	D1ZZ 17A385-A
	- L -			
71/	L		1	D1FZ 17A385-A
	- P -			
70/	P		1	D0DZ 17A385-A
	- S -			
70/71	S		1	D0SZ 17A385-A
72	S		1	D2SZ 17A385-A
	- U -			
67/	U-with chrome bumper & bumper guards		1	C7TZ 17A385-A
69/70	A	Bolt 1/4"-20 (bracket to front bumper)	2	350325-S100 (BB647)
69/	A,F,S	Screw (used to attach license plate-front & rear)	4	381856-S40(UU52B)
65	B	Bolt (bracket to bumper guard)-1/4"-20 x 5/8	2	305325-S100 (BB647)
65	B	Nut & washer 1/4"-20	2	33795-S7 (M49)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17A385 BRACKET - FRONT LICENSE PLATE MOUNTING - continued - Also refer to Group 17B875			
68	B, X	Bolt (bracket to rear bumper)-1/4"-20 x 3/4"	2	20344-S8(B42)
68	B, X	Nut (bracket to rear bumper)-1/4"-20 hex.	2	33795-S7(M49)
69/70	A	Nut (bracket to front bumper)	2	
70	F	(Attach bracket to front valance panel)	2	
68	B, X	Washer (bracket to rear bumper)-1/4" lock	2	34940-S7(X88)
70	F	Anti-rattler	1	358159-A1S(CC9A)
70/	S		3	
70/	P	Nut(bracket to front valence panel)-1/4"-20	2	★45263-S2
70/	P	Screw (bracket to front valance panel)	2	★57030-S2
72	S	Screw (bracket to front bumper)	2	57032-S36(B340)
66	S	Nut (brkt. to valance panel)-1/4"-20	2	357227-S2(MM206)
66	S	Screw (brkt. to valance panel)-1/4"-20 x 3/4"	2	371492-S2(BB569)
70/	S	Nut (used to attach license plate-front & rear)	4	380707-S(MM228B)
67	U	Step bolt (bracket to bumper)-1/4"-20	2	350325-S100 (BB647)
	17A387 FRAME - LICENSE PLATE			
69/71	S	Front and/or rear	AR	D2AZ 17A387-A
72	A	Front	1	
72	A (except 71), B(97)	Rear	1	
72	F, L, S, U	Front or rear	AR	
	17A396 BUMPER - LICENSE PLATE			
70/71	B		2	D0DZ 17A396-A
71/	L		2	
70/	P		2	
72	S		2	
72	B(71,97)	Rear bumper	2	D2OZ 17A396-A
66/	U	Rear bumper	1	C6TZ 17A396-A
	17A397 SPRING ASSY. - REAR LICENSE PLATE SUPPORT			
66/	U		1	C6TZ 17A397-A
	17A398 ANCHOR - REAR LICENSE PLATE SUPPORT			
66/	U		1	C6TZ 17A398-A
		Screw (anchor to license plate bracket)-No. 10-24 x 1/2"	2	51765-S8(U370)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17A402 CAP - REAR WINDOW WIPER BLADE END			
71/	A(71)-with backlite washer/wiper	R.H.	1	D1AZ 17A402-A
		L.H.	1	D1AZ 17A402-B
	17A409 WIRING - REAR WINDOW WASHER FEED			
71/	A(71)-with backlite washer/wiper		1	D1AZ 17A409-B
	17A412 SWITCH ASSY. - REAR WINDOW WASHER TIME DELAY			
71/	A(71)-with backlite washer/wiper		1	D1AZ 17A412-A
	17C428 SLEEVE - WINDSHIELD WIPER MOTOR SWITCH			
65	B,X	Used with single speed Ford motor	1	C3AZ 17C428-A
65/66	F		1	
	17C430 GASKET - WINDSHIELD WIPER MOTOR SEAL			
69/	A	Rubber	1	C9AZ 17C430-D
72	S		1	
66/71	B	Rubber-used with single speed & 2 speed wipers	1	C6OZ 17C430-A
70/	P		1	
66/70	X		1	
	17A431 HOUSING - WINDSHIELD WIPER MOTOR			
66/71	B	Used with 2 speed electric wipers	1	C6OZ 17A431-A
72	B-w/o concealed wipers		1	
66/70	F		1	
70/	P		1	
69/	U		1	
66/70	X		1	
	17C431 GROMMET - WINDSHIELD WIPER MOTOR MOUNTING			
69/71	A	Used with 2 speed wipers-without ground	2	D2AZ 17C431-A
72	B-with concealed wipers		2	
72	S		2	
69/71	B	Used with 2 speed wipers	2	C6OZ 17C431-A
69/71	A	Used with 2 speed wipers-with ground	1	D2AZ 17C431-B
72	B-with concealed wipers		1	
72	S		1	
66/71	B	Used with single speed & 2 speed wipers	1	C6OZ 17C431-B
66/70	X		1	
69/70	F	Used with 2 speed or intermittent wipers	3	C9ZZ 17C431-A
70/71	S	Used with electric or hydraulic wipers	AR	
69/70	F	Used with 2 speed or intermittent wipers	1	C9ZZ 17C431-B
71/	F	Used with 2 speed or intermittent wipers	1	D1ZZ 17C431-A
72	B-w/o concealed wipers		1	
71/	F	Used with 2 speed or intermittent wipers	2	D1ZZ 17C431-B
72	B-w/o concealed wipers		2	
70	S	Used with 2 speed or intermittent wipers-with ground	1	D0SZ 17C431-A
65/68	A	Screw and washer-hex. head (att.grommet)-No. 10-24 x 7/8"	4	★379338-S8
	17A434 GEAR and SHAFT ASSY. - WINDSHIELD WIPER MOTOR OUTPUT			
65/68	A	Used w/2 speed Ford motor	1	C5AZ 17A434-B
70	S		1	
65	B,X	Used with single speed Ford motor	1	C3DZ 17A434-B
65/66	F		1	
66/71	B	Used with 2 speed electric wipers	1	C6OZ 17A434-A
72	B-w/o concealed wipers		1	
67/	F		1	
70/	P		1	
69/	U		1	
66/70	X		1	
71/	L		1	D1FZ 17A434-A
	17A436 ARM - WINDSHIELD WIPER MOTOR OUTPUT			
	- A -			
65/66	A	Used with single speed Ford motor	1	C5AZ 17A436-A
65/68	A	Used with 2 speed Ford motor	1	C5AZ 17A436-B
69	A "Before 7/1/69"	Used with 2 speed or intermittent wipers-r/b D1AZ 17A436-A (5-75)	1	★C9AZ 17A436-B

Kit consists of

1-C9AF 17A436-A	Arm assy. w/s wiper output	1-C9AZ 17C526-A	Cover w/s wiper output arm
1-C9AF 17C518-A	Latch assy.w/s wiper wind	1-359294-S2	Screw 1/4"-20 hex. washer head
1-C9AF 17C522-A	Spring w/s wiper windlatch	1-Instruction sheet	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

SECTION 175

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17A436 ARM - WINDSHIELD WIPER MOTOR OUTPUT - continued			
69/70	A "From 7/1/69"	Used with 2 speed or intermittent wipers	1	D1AZ 17A436-A
	Kit consists of			
	1-C9AF 17A436-A Arm assy. w/s wiper output	1-C9AF 17C526-A Cover w/s wiper output arm		
	1-D1AF 17C518-AA Latch assy. w/s wiper wind	1-359294-S2 Screw 1/4"-20 hex. washer head		
	1-C9AF 17C522-A Spring w/s wiper wind latch	1-Instruction sheet		
71	A "Before 3/15/71"	Used with 2 speed or intermittent wipers- r/b D1VY 17A436-A (5-75)	1	★D0VY 17A436-A
	Kit consists of			
	1-D0VF 17A436-D Arm assy. w/s wiper output	1-C9AZ 17C526-A Cover w/s wiper output arm		
	1-C9AF 17C518-B Latch assy. w/s wiper wind	1-359294-S2 Screw 1/4"-20 hex. washer head		
	1-C9AF 17C522-A Spring w/s wiper wind latch	1-Instruction sheet		
71/	A "From 3/15/71"	Used with 2 speed or intermittent wipers	1	D1VY 17A436-A
	Kit consists of			
	1-D0VF 17A436-D Arm assy. w/s wiper output	1-C9AF 17C526-A Cover w/s wiper output arm		
	1-D1AF 17C518-AA Latch assy. w/s wiper wind	1-359294-S2 Screw 1/4"-20 hex. washer head		
	1-C9AF 17C522-A Spring w/s wiper wind latch	1-Instruction sheet		
	- B -			
65	B	Used with single speed Ford motor	1	C3OZ 17A436-D
65	B	Used with 2 speed Ford motor	1	C3OZ 17A436-A
66	B	Used with single speed wipers	1	C6OZ 17A436-A
66/69	B	Used with 2 speed wipers	1	C6OZ 17A436-B
70	B	Used with 2 speed or intermittent wipers	1	D0OZ 17A436-A
71	B	Used with 2 speed wipers	1	
72	B-with intermittent wipers		1	D2OZ 17A436-A
	Kit consists of			
	1-D2OF 17A436-AB Arm assy. w/s wiper output	1-C9AZ 17C526-A Cover w/s wiper output arm		
	1-D1AF 17C518-AA Latch assy. w/s wiper wind	1-359294-S2 Screw 1/4"-20 hex.washer head		
	1-C9AF 17C522-A Spring w/s wiper wind latch	1-Instruction sheet		
72	B-w/o intermittent wipers		1	D2OZ 17A436-B
	- F -			
65/66	F	Used with single speed Ford motor-straight arm	1	C5ZZ 17A436-B
69/70	F	Used with 2 speed wipers	1	C9ZZ 17A436-A
71/	F	Used with 2 speed wipers	1	D1ZZ 17A436-A
	- L -			
71/	L		1	D1FZ 17A436-A
	- P -			
70/	P		1	D0DZ 17A436-A
	- S -			
70	S	Used with 2 speed or intermittent wipers	1	D0SZ 17A436-A
72	S	Used with 2 speed or intermittent wipers	1	D1AZ 17A436-A
	Kit consists of			
	1-C9AF 17A436-A Arm assy.w/s wiper output	1-C9AZ 17C526-A Cover w/s wiper output arm		
	1-D1AF 17C518-AA Latch assy.w/s wiper wind	1-359294-S2 Screw 1/4"-20 hex.washer head		
	1-C9AF 17C522-A Spring w/s wiper wind latch	1-Instruction sheet		
	- U -			
69/	U	Used with 2 speed electric wipers	1	C9TZ 17A436-A
	- X -			
65	X	Used with single speed Ford motor	1	C3DZ 17A436-B
66	X	Used with single speed wipers	1	C6OZ 17A436-A
66/70	X	Used with 2 speed wipers	1	C6OZ 17A436-B
		Locknut (arm to output shaft)-5/16"-24	1	354299-S2(MM156)
		Washer spring (arm to output shaft)-5/8"	1	359981-S(XX364)
		Washer -flat (arm to output shaft)-1/2"	1	371702-S(XX180)
	17C436 RETAINER - WINDSHIELD WIPER MOTOR BUSHING			
69/	A	Used with 2 speed or intermittent wipers	1	C9AZ 17C436-A
72	S		1	
	17B439 LINK - WINDSHIELD WIPERS			
66/67	B	Used with windshield washers	1	C6OZ 17B439-A
	17C443 BRACKET - WINDSHIELD WIPER CONTROL MOUNTING			
71/	A		1	D1AZ 17C443-A
71	F "Before 2/15/71"		1	D1ZZ 17C443-A
71/	F "From 2/15/71"		1	D3ZZ 17C443-B
72	S		1	D3SZ 17C443-A
65	X		1	C4DZ 17C443-A
65/66	F		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17C444 INSULATOR - WINDSHIELD WIPER MOTOR WATER SHIELD			
65/66	S	Half-moon shape-cut from rubber-3/64" x 1 5/32" x 4"	1	★
	17A460 WIRING - WINDSHIELD WIPER SWITCH TO IGNITION SWITCH			
65	B	Used when converting 2-speed w/s wipers to single-speed wipers-improvise	1	★
65	X	Clip (wiring to instrument panel)	1	372864-S100(GG91)
	17A461 CAM - WINDSHIELD WIPER MOTOR			
35/68	A		1	C0MF 17A461-A
35/71	B			
65/	F		1	
70/	P		1	
70	S		1	
65/70	X		1	
	17A464 ARM and LINK ASSY. - WINDSHIELD WIPER MOTOR			
65/71	B	Used with 2 speed motor	1	D0SZ 17A464-A
65/68	A		1	
65/	F		1	
70/	P		1	
65/70	X		1	
70	S		1	
	17470 CONTROL ASSY. - WINDSHIELD WIPER - Also refer to Group 17A625			
65/66	S		1	C4SZ 17470-D
67	S "Before 5/23/67"	Wiper and air register control-incl. Bowden cable	1	C7SZ 17470-A
67	S "From 5/23/67"	Wiper and air register control-incl. Bowden cable	1	C7SZ 17470-D
67	S	Bowden cable assy. only	1	C7SZ 17470-C
68/69	S	Cable assy. - 23 5/8" long	1	C8SZ 17470-E
68/69	S "Before 10/1/68"	For wiper and air register control - Marked C8SB 17C530-A or C	1	C8SZ 17470-D
69	S "From 10/1/68"	For wiper and air register control -includes (1) C9SZ 17513-C knob - Marked C9SB 17C530-A	1	C9SZ 17470-A
70/71	S-with hydraulic wipers	Valve & control assy.	1	D0SZ 17470-A
70/71	S-with hydraulic wipers	Cable assy.	1	D0SZ 17470-B
70	S-with electric wipers	Refer to Group 17A553		
72	S			
65/69	S	Screw(control & brkt. to plate)-No. 10-24 x 3/8"	6	40905-S7(U258)
68/69	S	Screw & washer (control assy. to instrument pod assy.)-No. 6-18 x 3/4"	2	42138-S7(U245A)
65/69	S	Grommet (control wire thru upper cowl)	1	352963-S(KK17)
	17471 GASKET - WINDSHIELD WIPER MOTOR COVER			
65/68	A	1/64" thick-used with 2 speed motor	1	C2OZ 17471-A
65	B, X		1	
65/68	F		1	
70	S		1	
65/66	A, B, F, X	Used with single speed motor	1	C6AZ 17471-B
66/71	B	Used with 2 speed motor	1	
69/	F	Used with 2 speed motor	1	
70/	P		1	
66/70	X		1	
66	A	Used with single speed motor marked	1	C6AZ 17471-A
71/	L	C6AF 17504-B	1	
	17B474 TUBE - WINDSHIELD WIPER PRESSURE FEED			
65/66	S		1	C5SZ 17B474-A
67	S	Upper (damper to wiper motor)	1	C7SZ 17B474-A
68/69	S		1	C8SZ 17B474-A
66	S	Nut-5/8"-18-use with 3/8" tube	1	87945-S8(I-23)
68/69	S		1	
	17A475 SEAL - WINDSHIELD WIPER PIVOT SHAFT TO COWL TOP			
65	B	Leather-improvise	2	★
66/70	B, X	Leather-L. H. side only	1	C6OZ 17A475-A
65/70	F	Leather	2	C5ZZ 17A475-B
70/	P		2	
71/	F	Leather	1	D1ZZ 17A475-B
71/	L	Leather	2	D1FZ 17A475-A
69/	U	Leather -with 2 speed electric wipers	2	C9TZ 17A475-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17C476 GOVERNOR - WINDSHIELD WIPERS			
69/70	A	Used with intermittent wipers	1	C9AZ 17C476-B
69	B		1	
71/	A	Used with intermittent wipers	1	D1AZ 17C476-A
70	B	Used with intermittent wipers	1	D0OZ 17C476-C
71	B	Used with intermittent wiper	1	D1OZ 17C476-A
72	B	Used with intermittent wipers	1	D2OZ 17C476-A
69/70	F "Before 10/15/69"	Used with intermittent wipers	1	C9ZZ 17C476-B
70	F "From 10/15/69"	Used with intermittent wipers	1	D0ZZ 17C476-B
71/	F	Used with intermittent wipers	1	D1ZZ 17C476-A
70	S	Used with intermittent wipers	1	D0SZ 17C476-A
72	S	Used with intermittent wipers - r/b D5SZ 17C476-A (5-75)	1	★D2LY17C476-A
70	S-with intermittent wipers	Connector-1/8" x 1/8" hose-used in 17K605 assy. for vacuum supply to 17C476 governor assy.	1	383783-S (II-191VK)
69/70	A	Screw & washer (attach 17C476 to cowl panel)	2	42134-S8(U249)
	17A479 GEAR and PINION - WINDSHIELD WIPER MOTOR			
65	B,X	Used with single speed Ford motor	1	C3AZ 17A479-A
65/66	F		1	
65/66	A	Used with single speed Ford motor	1	C5AZ 17A479-A
66	B,X		1	
65/68	A	Used with 2 speed electric motor	1	C5AZ 17A479-B
65	B,F,X		1	
70	S	Used with 2 speed or intermittent wipers	1	D0SZ 17A479-A
		Washer-(used as spacer)-1/4"I. D. -flat	1	358662-S(XX87)
		Washer-(used as spacer)-3/8"I. D. -flat	AR	372205-S(XX161)
		"C" washer	1	374035-S(XX13C)
69/	A	Kit-used with 2 speed or intermittent wipers	1	C9AZ 17A479-A
72	B-with concealed wipers		1	
72	S		1	
	Consists of 1-C9AF 17B580-A Gear and pinion assy. windshield wiper motor	1-38044-S Ring-3/8 retaining		
69/70	B,X	Kit-for servicing motors identified as:	1	★D0PZ 17A479-A
69/	F	C9OF 17C434-A,C9ZF 17C434-A,	1	
71/	L	D1ZF 17C434-A, C9OF 17504-A,	1	
70	P	C9TF 17504-A,B, C9ZF 17504-A,B,C,D,	1	
69/	U	D0DF 17504-A,D0OF 17504-A,D1ZF 17504-AA, D12F 17504-AA,AB,C9OF 17C504-A,B D1ZF 17C504-A,C9ZF 17C504-A, C9ZF 17508-A-r/b D0PZ 17A479-B(5-75)	1	
	Consists of 1-C9OF 17A482-A Shaft 1-C5AZ 17B549-A Lever parking switch	1-C9TF 17B580-A Gear & pinion assy. 1-373907-S2 Nut-1/4" spring		
66/	B	Kit-for servicing motors identified as:	1	D0PZ 17A479-B
67/70	F	C6OF 17504-A,C,C7DF 17504-A,		
70/	P	C7OF 17504-A,B,C7ZF 17504-A,C,		
69/	U	C8OF 17504-A,D0OF 17504-B,D1DF 17504-AA,		
66/70	X	C7AF 17C504-A,C8OF 17C504-A, C6OF 17508-A,C7OF 17508-A,C7ZF 17508-A		
	Consists of 1-C9OF 17A482-A Shaft 1-C5AZ 17B549-A Lever parking switch	1-C9OF 17B580-A Gear & pinion assy. 1-373907-S2 Nut-1/4" spring		
	17C479 STOP ASSY. - WINDSHIELD WIPER MOTOR			
65	A,B,X	Used with single speed motor -not required on	1	C5AZ 17C479-A
65/66	F	units "Before 7/15/65"	1	
71/	L		1	
66	A "Before 4/1/66"	Refer to basic group 17A549		
66/71	B	Used with single speed and 2 speed wipers	1	C6OZ 17C479-A
72	B-w/o concealed wipers		1	
66	A "From 4/1/66"	Used with single speed motor	1	
66/	F	Used with 2 speed wipers	1	
70/	P	Used with 2 speed wipers	1	
69/	U	Used with 2 speed electric wipers	1	
66/70	X	Used with single and 2 speed wipers	1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17A485 ARMATURE - WINDSHIELD WIPER MOTOR			
65	B,X	Used with single speed Ford motor	1	C3AZ 17A485-C
65/66	A,F	Used with single speed Ford motor	1	C3UZ 17A485-A
66	B,X		1	
66/71	B	Used with 2 speed electric wipers	1	C6OZ 17A485-B
72	B-w/o concealed wipers		1	
66/	F		1	
71/	L		1	
70/	P		1	
69/	U		1	
66/70	X		1	
	17489 CONNECTOR - WINDSHIELD WIPER HOSE			
66/69	U-with vacuum wipers		1	C6TZ 17489-A
	17C491 RETAINER - WINDSHIELD WIPER SWITCH			
69	F		1	C9ZZ 17C491-A
70	F		1	D0ZZ 17C491-A
72	S		1	D2LY17C491-A
	17496 BRACKET - WINDSHIELD WIPER MOTOR MOUNTING			
	- B -			
66/71	B	On inner cowl	1	C6OZ 17496-A
66/71	B	Next to motor	1	D0OZ 17496-A
72	B-w/o concealed wipers		1	D2OZ 17496-A
	- F -			
69/70	F	Next to motor	1	C9ZZ 17496-A
71/	F	Located on cowl panel	1	D1ZZ 17496-A
71/	F	Next to motor	1	D1ZZ 17496-B
	- P -			
70/	P		1	D0DZ 17496-B
	- S -			
70	S	Used with electric wipers	1	D0SZ 17496-A
70/71	S	Used with hydraulic wipers	1	D0SZ 17496-B
	- U -			
69/	U	Used with 2 speed electric wipers	1	C9TZ 17496-A
	- X			
66/70	X	Used with single and 2 speed wipers on inner cowl	1	C6OZ 17496-A
66/70	X	Used with single and 2 speed wipers next to motor	1	C6OZ 17496-B
69/	F	Screw (bracket to cowl)-1/4"-20 x 3/4"	4	20344-S8(B42)
69/	F	Lockwasher (bracket to cowl)-1/4"-1/2"	4	34940-S8(X88)
65/68	A	Screw & washer-hex. head(bracket to motor)-	3	43260-S8(U-1)
65/	F	1/4"-20 x 1/2"	3	
70	S-electric wipers		3	
65/71	B	Screw(brkt.thru cowl to mtg.plate)-1/4"-20 x 3/4"	2	371492-S2(BB569)
	17A497 STRAP - WINDSHIELD WIPER MOTOR GROUND			
71/	L	Improvise from 2" brass strap x .010" thick	1	★
	17A501 SPRING - WINDSHIELD WIPER CAM RETURN			
65/68	A	Used with 2 speed Ford motor	1	C0MF 17A501-B
65/	B,F		1	
70/	P		1	
70	S		1	
65/70	X		1	
	17504 MOTOR ASSY.- WINDSHIELD WIPER - Refer to Group 17508			
	17A504 RETAINER - WINDSHIELD WIPER ARM			
71/	A,F		1	D1AZ 17A504-B
72	B		1	
70/71	B,S		1	D0SZ 17A504-A
71/	L		4	D1FZ 17A504-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17C505 DAMPER - WINDSHIELD WIPER MOTOR SURGE			
67/69	S - With hydraulic wipers		1	C6VY 17C505-B
	17C506 TUBE ASSY. - WINDSHIELD WIPER PRESSURE FEED - LOWER			
67	S-with hydraulic wipers		1	C7SZ 17C506-A
68/69	S-with hydraulic wipers		1	C8SZ 17C506-A
70/71	S-with hydraulic wipers		1	D0SZ 17C506-A
68/69	S	Nut (attach tube to steering gear to surge chamber)-5/18"-18 (3/8" flared tube)	2	87945-S8(I-23)
	17508 MOTOR ASSY. - WINDSHIELD WIPER			

The following chart will provide quick identification when the production wiper motor number is known, wiper motors may also be selected by model, year and description beginning on the next page.

IDENTIFICATION	SERVICE PART NUMBER
C5SB 17C434-A	C5SZ 17508-C
C5SB 17C434-B	C5SZ 17508-C
C6SB 17C434-A	C5SZ 17508-C
C9OF 17C434-A	C6OZ 17508-E
C9ZF 17C434-A	D0ZZ 17508-A
D0SF 17C434-A	D0SZ 17508-A
D1ZF 17C434-A	D1ZZ 17508-A
C8OF 17C439-A	C6OZ 17508-D
C9AF 17A479-B	C9AZ 17508-B
C3DF 17504-A	C3DZ 17508-A
C3DF 17504-C	C3DZ 17508-A
C3DF 17504-E	C3DZ 17508-A
C3DF 17504-G	C3DZ 17508-A
C3DF 17504-H	C3DZ 17508-A
C3DF 17504-J	C3DZ 17508-A
C3DF 17504-K	C3DZ 17508-A
C3DF 17504-L	C3DZ 17508-A
C3OF 17504-A	C3UZ 17508-C
C3OF 17504-C	C3OZ 17508-A
C3OF 17504-E	C3OZ 17508-A
C3OF 17504-H	C3OZ 17508-A
C3OF 17504-J	C3OZ 17508-A
C3OF 17504-L	C3UZ 17508-C
C4SB 17504-D	C5SZ 17508-C
C4ZF 17504-A	C3UZ 17508-C
C4ZF 17504-B	C3DZ 17508-A
C5AF 17504-A	C6AZ 17508-A
C5AF 17504-B	C5AZ 17508-E
C5AF 17504-C	C5AZ 17508-C
C5AF 17504-D	C6AZ 17508-A
C5AF 17504-E	D0SZ 17508-A
C5AF 17504-F	C5AZ 17508-C
C5AF 17504-G	C6AZ 17508-A
C5AF 17504-K	D0SZ 17508-A
C5SB 17504-B	C5SZ 17508-C
C6AF 17504-A	C6AZ 17508-A
C6AF 17504-B	C6AZ 17508-A
C6OF 17504-A	C6OZ 17508-D
C6OF 17504-B	C6OZ 17508-B
C6OF 17504-C	C6OZ 17508-D
C6SB 17504-A	C5SZ 17508-C
C6TB 17504-B	C7TZ 17508-B
C6TB 17504-D	C7TZ 17508-B
C6ZF 17504-A	C6ZZ 17508-A
C7AF 17504-A	D0SZ 17508-A
C7AF 17504-B	D0SZ 17508-A
C7DF 17504-A	C6OZ 17508-D
C7OF 17504-A	C6OZ 17508-D

IDENTIFICATION	SERVICE PART NUMBER
C7OF 17504-B	C6OZ 17508-D
C7SB 17504-A	C7SZ 17508-A
C7ZF 17504-A	C6OZ 17508-D
C7ZF 17504-C	C6OZ 17508-D
C7ZF 17504-D	C6OZ 17508-D
C8AF 17504-A	C8AZ 17508-A
C8OF 17504-A	C6OZ 17508-D
C8SB 17504-A	C8SZ 17508-E
C8SB 17504-B	C8SZ 17508-E
C8SB 17504-C	C8SZ 17508-E
C8SB 17504-E	C8SZ 17508-E
C8SB 17504-F	C8SZ 17508-E
C9AF 17504-A	C9AZ 17508-B
C9AF 17504-B	C9AZ 17508-B
C9AF 17504-C	D2AZ 17508-A
C9AF 17504-D	C9AZ 17508-B
C9OF 17504-A	C6OZ 17508-E
C9SB 17504-A	C9SZ 17508-A
C9SB 17504-E	C9SZ 17508-A
C9TF 17504-A	C6OZ 17508-E
C9TF 17504-B	C6OZ 17508-E
C9ZF 17504-A	D0ZZ 17508-A
C9ZF 17504-B	D0ZZ 17508-A
C9ZF 17504-C	D0ZZ 17508-A
C9ZF 17504-D	D0ZZ 17508-A
D0DF 17504-A	C6OZ 17508-E
D0OF 17504-A	C6OZ 17508-E
D0OF 17504-B	C6OZ 17508-D
D0SB 17504-A	D0SZ 17508-B
D0SB 17504-B	D0SZ 17508-B
D0SF 17504-A	D0SZ 17508-A
D0SF 17504-B	D0SZ 17508-A
D0VF 17504-E	D2AZ 17508-A
D1DF 17504-AA	C6OZ 17508-D
D1ZF 17504-AA	D1ZZ 17508-A
D12F 17504-AA	D1FZ 17508-A
D2AF 17504-AA	D2AZ 17508-A
D2BF 17504-AA	C6OZ 17508-D
D2DF 17504-AA	C6OZ 17508-D
D2OF 17504-AA	C6OZ 17508-D
D2OF 17504-AB	C6OZ 17508-D
D2OF 17504-BA	D2AZ 17508-A
D2OF 17504-BB	D2AZ 17508-A
D2OF 17504-BC	D2AZ 17508-A
D2SF 17504-AA	D2AZ 17508-A
D2SF 17504-AB	D2AZ 17508-A
D2SF 17504-AD	D2AZ 17508-A
D2ZF 17504-AA	D1ZZ 17508-A
D22F 17504-AA	D1FZ 17508-A

17508 MOTOR ASSY. - WINDSHIELD WIPER - continued

IDENTIFICATION	SERVICE PART NUMBER
C6AF 17C504-A	D0SZ 17508-A
C7AF 17C504-A	C6OZ 17508-D
C8AF 17C504-A	C6OZ 17508-D
C9AF 17C504-A	C9AZ 17508-B
C9AF 17C504-B	D2AZ 17508-A
C9OF 17C504-A	C6OZ 17508-E
C9OF 17C504-B	C6OZ 17508-E
C9ZF 17C504-A	D0ZZ 17508-A
D1ZF 17C504-AA	D1ZZ 17508-A
D0SF 17C504-A	D0SZ 17508-A
D1ZF 17C504-A	D1ZZ 17508-A
D2PF 17C504-AA	D2AZ 17508-A
D2PF 17C504-BA	D2SZ 17508-A
C3OF 17508-A	C3UZ 17508-C
C3OF 17508-B	C3UZ 17508-C
C3OF 17508-D	C3UZ 17508-C

IDENTIFICATION	SERVICE PART NUMBER
C3UF 17508-A	C3UZ 17508-C
C5AF 17508-A	C6AZ 17508-A
C5AF 17508-B	C6AZ 17508-A
C5OF 17508-A	C3UZ 17508-C
C6AF 17508-A	C6AZ 17508-A
C6AF 17508-B	C6AZ 17508-A
C6AF 17508-C	C6AZ 17508-A
C6OF 17508-A	C6OZ 17508-D
C6OF 17508-B	C6OZ 17508-B
C6OF 17508-C	C6OZ 17508-B
C7OF 17508-A	C6OZ 17508-D
C7ZF 17508-A	C6OZ 17508-D
C9ZF 17508-A	D0ZZ 17508-A
D0SB 17508-B	D0SZ 17508-B
D12F 17508-AA	D1FZ 17508-A
D12F 17508-AB	D1FZ 17508-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	- A -			
65/66	A	Single speed electric-less bracket & drive-	1	C6AZ 17508-A (WM-166)
65	A "Before 1/31/65"	2 speed electric (Ford)- used w/pump marked C2AB 17664-A	1	C5AZ 17508-C (WM-146)
65/68	A "From 1/31/65"	Used with 2 speed wipers	1	D0SZ 17508-A (WM-238)
69/72	A	Used with 2 speed or intermittent wipers	1	D2AZ 17508-A (WM-259)
	- B -			
65	B	Single speed electric (Ford)-less drive	1	C3UZ 17508-C (WM-122)
65	B	2 speed electric - less drive	1	C3OZ 17508-A (WM-123)
66	B	Used with single speed wipers-less bracket & drive	1	C6OZ 17508-B (WM-170)
66/71	B	Used with 2 speed or intermittent wipers	1	C6OZ 17508-D (WM-189)
72	B-w/o concealed wipers		1	
69/70	B	Used with 2 speed or intermittent wipers	1	C6OZ 17508-E (WM-230)
72	B-w/concealed wipers	Used with 2 speed or intermittent wipers	1	D2AZ 17508-A (WM-259)
	- F -			
65/66	F	Single speed electric (Ford)-less drive	1	C3UZ 17508-C (WM-122)
65	F	2 speed electric (Ford)-less drive	1	C3DZ 17508-A (WM-120)
66	F	Used with 2 speed wipers-includes brkt. & drive	1	C6ZZ 17508-A (WM-172)
67/68	F	Used with 2 speed wipers	1	C6OZ 17508-D (WM-189)
69/70	F	Used with 2 speed or intermittent wipers	1	D0ZZ 17508-A (WM-240)
71/	F	Used with 2 speed or intermittent wipers	1	D1ZZ 17508-A (WM-254)
	- L -			
71/	L	Used with 2 speed wipers-with (4) wire leads with 4 term connector-r/b D3FZ 17508-A(5-75)	1	★D1FZ 17508-A (WM-243)
	- P -			
70	P	2 speed wipers	1	C6OZ 17508-E (WM-230)
71/	P	Used with 2 speed wipers	1	C6OZ 17508-D (WM-189)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17508 MOTOR ASSY. - WINDSHIELD WIPER - continued			
	- S -			
65/66	S	Hydraulic-less bracket-includes attaching parts	1	C5SZ 17508-C (WM-215)
67	S	Hydraulic	1	C7SZ 17508-A (WM-217)
68	S	Hydraulic	1	C8SZ 17508-E (WM-226)
69	S	Hydraulic	1	C9SZ 17508-A (WM-233)
70	S	2 speed electric or intermittent wipers	1	D0SZ 17508-A (WM-238)
70/71	S	Hydraulic wipers	1	D0SZ 17508-B (WM-241)
72	S	2 speed or intermittent wipers	1	D2SZ 17508-B (WM-260)
	- U -			
66/69	U	Vacuum wipers	2	C7TZ 17508-B (WM-219)
66/69	U	Kit-used to convert vacuum wipers to electric wiper system	1	C6TZ 17508-D (WM-242)
69/71	U	Electric wipers	1	C6OZ 17508-E (WM-230)
72	U	Electric wipers	1	C6OZ 17508-D (WM-189)
	- X -			
65	X	2 speed electric - less bracket & drive	1	C3DZ 17508-A (WM-120)
65	X	Single speed electric (Ford)-less drive	1	C3UZ 17508-C (WM-122)
66	X	Used with single speed wipers-less bracket & drive	1	C6OZ 17508-B (WM-170)
66/68	X	Used with 2 speed wipers	1	C6OZ 17508-D (WM-189)
69/70	X	Used with 2 speed wipers	1	C6OZ 17508-E (WM-230)
65	A	Screw (vacuum motor thru cowl to aux. drive 1/4"-20 x 3/4"	2	20344-S8(B42)
70	F	(Attach motor to cowl)	4	
70/	P	Screw & washer (attach motor to cowl) - 14"-28 x 3/4"	4	20345-S7-8 (B150A)
65/69	A, B, S, X	Nut (electric motor output arm to shaft)-1/4"-28	1	33796-S7(M61)
65/70	X	Lockwasher-1/4" spring	2	34805-S8(X62)
65/69	A, B, S, X	Lockwasher-1/4" external tooth	AR	34940-S7(X88)
66/69	U	Nut (motor to windshield frame)-No. 10-24	4	34053-S8(M156)
66/69	U	Lockwasher (motor to w/s frame)-No. 10-24	4	34903-S8(X96)
65/68	A	Screw (elect. motor to dash panel)-1/4"-20 x 1"	2	38294-S8(U141)
65/70	X	Screw (vacuum mtr. to auxiliary drive body)	2	
65/69	S	Screw & washer assy. (motor to wiper bracket)- and 17A428 housing on output shaft - 5/16"-18 x 3/4"	1	42789-S7(U10)
66	S	Screw & washer assy. (motor to cowl)- 1/4"-20 x 1/2"	4	43260-S8(U1)
68/69	F		4	
69/	U	Screw (motor to w/s)-No. 8-32 x 1 3/8"	4	50803-S8(U150B)
66/69	U	Screw (motor to w/s frame)-No. 12-32 x 7/8"	4	*55427-S2
69/70	F	Nut 5/16" -24 (motor to bracket)	1	354299-S2(MM156
70/	P		1	
68/69	B, X		1	
69/70	F	Washer 5/8" spring (motor to bracket)	1	358981-S(XX364)
67	S	Screw (motor to cowl top panel)-5/16"-18 x 3/4"- hex.	3	359662-S8 (BB575A)
65/70	X	Bolt (elect. wiper mtr. to dash panel)-1/4"-20 x 1 3/4"	2	370521-S(BB128)
66/69	U	Screw (motor to w/s frame)-No. 10-24 x 3/4"	4	371698-S8(BB122)
69/70	F	Flat washer (motor to bracket)-1/2"	1	371702-S(XX180)
70/	P		1	
65/69	A, B, F		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17508 MOTOR ASSY. - WINDSHIELD WIPER - continued			
66/69	U	Nut (motor to windshield frame)-No. 10-32	4	372893-S2(MM193)
66	A	Screw (motor to cowl)-No. 10-24 x 1 1/4"hex. hd.	4	*379338-S7
67	B, F, X	Screw-adjusting-No. 4-40 x .562" fill. head	1	380365-S(BB4M)
66	B, X	Screw & washer assy. (motor to cowl)-	4	*380541-S7
70/	B	No.10-24 hex.head	3	
69/	U	Rivet (motor to w/s)-No.8-32	4	382167-S36 (MM119X)
68/69	U	Nut (motor to windshield frame)-No. 8-32-"J" type retainer	4	382226-S2 (MM284D)
	17C508 RESISTOR ASSY. - WINDSHIELD WIPER GOVERNOR			
67	A-with safety package	6 1/2" long-45 OHM-low fuel warning relay	1	C7AZ 17C508-A
67	S		1	
69	A "Before 3/3/69"	Use with intermittent wipers	1	
69	A "From 3/3/69"	Not required		
68	F,S	3 1/2" long-22 OHM-not required from 4/8/68	1	C8ZZ 17C508-A
	17A511 COVER - WINDSHIELD WIPER MOTOR GEAR - Also refer to Groups 17470, 17A553			
65	A "Before 1/31/65"	Used w/2 speed motor marked C5AF 17504-F	1	C2OZ 17A511-A
65/68	A "From 1/31/65"	Used with 2 speed wiper-includes switch	1	C5AZ 17A511-C
66	F		1	
70	S		1	
66	A	Use with single speed motor marked C6AF 17504-B-includes (1)C6AZ 17471-A gasket	1	C5AZ 17A511-B
69/70	A	Kit-used with 2 speed or intermittent wipers	1	C9AZ 17A511-B
71/	A	Kit-used with 2 speed or intermittent wipers	1	D2AZ 17A511-A
72	B		1	
72	S		1	
	Kit-consists of 1-C9AF 17A511-C Switch & cover assy. w/s wiper 1-Instruction Sheet 4-40917-S36 Screw-No. 8-32 tapping washer head			
65	B, F, X	Used with 2 speed electric motor	1	C2OZ 17A511-A
65	B, X	Used with single or 2 speed motor-includes	1	C3AZ 17A511-C
65/66	A	(1) C6AZ 17471-B gasket	1	
69/71	B		1	
65/	F		1	
71/	L		1	
70	P		1	
69/	U		1	
69/70	X		1	
66/71	B	Includes switch	1	C6OZ 17A511-B
66	A		1	
72	B-w/o concealed wipers		1	
66/70	F		1	
70/	P		1	
69/	U		1	
68/70	X		1	
70	S	Used with intermittent wipers	1	D0SZ 17A511-A
69/	A	Screw (switch & cover to motor)-No. 8-32 x 1/2"	4	40917-S(U257)
65/68	A	Screw (switch & cover to motor)-No. 8-18 x 1/2"	2	380934-S100 (UU67F)
	17C511 HOSE ASSY. - WINDSHIELD WIPER MOTOR DAMPER DRAIN			
67	S		1	C7SZ 17C511-A
68/69	S		1	C8SZ 17C511-A
68/69	S	Nut-7/16"-24 x 1/4"-flared tube	2	87943-S8(I-21)
	17512 NUT - WINDSHIELD WIPER CONTROL - Also refer to Group 019A10			
65	B	Also used for R. H. air control on 8 cyl. with automatic choke	1or2	C3OZ 17512-A
68/69	B		1	C8OZ 17512-A
70/71	B-with 2 speed wipers		1	
65/66	F		1 or 2	C4DZ 17512-A
69/70	F		1	C9ZZ 17512-A
71/	F		1	D1ZZ 17512-A
71/	L		1	D1FZ 17512-A
70/	P	Chrome	1	D0DZ 17512-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17512 NUT - WINDSHIELD WIPER CONTROL - continued - Also refer to Group 019A10			
70/71	S-except intermittent wipers		1	D0SZ 17512-C
70	S-with intermittent wipers		1	D0SZ 17512-B
69/	U-with electric wipers		1	C1TF 17512-A
65	X		1	C4DZ 17512-A
68/70	X		1	C8OZ 17512-A
	17513 KNOB ASSY. - Also refer to Groups 15674, 18513, 18519			
	- A -			
65/66	A	"Wash"-windshield washer control	1	C5AZ 17513-B
65/66	A	"Air"-air control-Chrome	1	C5AZ 17513-D
65/66	A	Windshield wiper control-refer to Group 18519		
67	A	Chrome-windshield wiper control & forced ventilation system control	1or2	C7AZ 17513-A
67	A	R.H. & L.H. air controls	2	C7AZ 17513-B
67	A	Plastic-emergency warning flasher	1	C7OZ 17513-A
68	A (with forced vent system)	R.H. & L.H. air vents Use with production installed defogger only	2 1	C8AZ 17513-A
68/69	A(with tilt column)	Emergency warning switch	1	C8MY 17513-C
68/71	A	Dealer installed rear window defogger w/plug type switch	1	C8MY 17513-A
68/	A	Dealer installed rear window defogger w/spade type switch	1	C8TZ 17513-A
68/70	A	Spotlamp control-1 7/8" O.D.-includes 1/4"-28 set screw (dealer installed)	AR	C8AZ 17513-C
69/70	A	Wiper control or radio fader control	1or2	C9AZ 17513-A
69	A -except integral A/C	R.H. air control letter "Right Air"	1	C9AZ 17513-B
69	A	L.H. air control letter "Left Air"	1	C9AZ 17513-C
70	A	Air control-R.H. and/or L.H.	2	D0AZ 17513-A
71/	A	Air control-R.H. and/or L.H.	2	D1AZ 17513-A
71	A "Before 5/3/71"	Wiper control	1	D1ZZ 17513-A
71/	A "From 5/3/71"	Wiper control	1	D1AZ 17513-B
	- B -			
65	B(54, 62, 65A, 71)	Black w/chrome ctr.-knurled-wiper control & R.H. air control	1or2	C4DZ 17513-E
65	B "Before 10/1/64"	Black w/black ctr.-knurled-marked "A"-L.H. air control-from 10/1/64 knob incl. in (01891) assy.	1	C4DZ 17513-C
66	B	Washer control	1	C6OZ 17513-A
66	B	Air control-service in (01890-1)		
67/68	B	Emergency warning flasher	1	C7OZ 17513-A
68	B	(1) for front mounted stereo speaker and (1) for rear seat speaker	AR	C4DZ 17513-D
68/70	B	Spotlamp control-1 7/8" O.D.-includes 1/4"-28 set screw (dealer installed)	1or2	C8AZ 17513-C
68/70	B(71)	Back window regulator control-use with swing away tailgate with power back lite	1	C8OZ 17513-B
68/71	B	Dealer installed rear window defogger w/plug type switch	1	C8MY 17513-A
68/	B	Dealer installed rear window defogger w/spade type switch	1	C8TZ 17513-A
69	B	Inner-with intermittent wiper	1	C8GY 17513-C
69	B	Outer-with intermittent wiper	1	C8GY 17513-D
68/69	B	Wiper control-without intermittent wipers	1	C9OZ 17513-A
70/71	B "Before 5/3/71"	Wiper control	1	D0OZ 17513-A
71/	B "From 5/3/71"	Wiper control	1	D1OZ 17513-A
72	B	Radio fader control	1	C9AZ 17513-A
	- F -			
65	F	Wiper control	1	C4AZ 17513-A
65	F	Air control-marked "A"	1	C4DZ 17513-C
69/70	F(Boss 429)	Air scoop control	1	
66	F	Wiper control	1	C4AZ 17513-A
67	F(with tilt steering wheel or collapsible/tilt wheel)	Emergency warning flasher	1	C7SZ 17513-C
67/68	F(with fixed steering wheel)	Emergency warning flasher	1	C7OZ 17513-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17513 KNOB ASSY. - continued-Also refer to Groups 15674, 18513, 18519			
	- F -			
68	F(289 high perf.)	Black w/Black ctr. knurled-wiper control for	1	C4DZ 17513-D
68	F(63, 65)	defogger unit	1	
68	F	"Wiper"	1	C8ZZ 17513-C
68/69	F(with tilt column)	Emergency warning switch	1	C8MY 17513-C
68/70	F	Dealer installed rear window defogger w/plug type switch	1	C8MY 17513-A
68/70	F	Spotlamp control-1 7/8" O.D. -includes 1/4"-28 set screw (dealer installed)	AR	C8AZ 17513-C
69	F	Wiper control	1	C9ZZ 17513-C
70	F	Wiper control	1	D0OZ 17513-A
71	F "Before 5/3/71"	Wiper control	1	D1ZZ 17513-A
71/	F "From 5/3/71"	Wiper control	1	D1OZ 17513-A
	- L -			
71	L	Dealer installed rear window defogger w/plug type switch	1	C8MY 17513-A
71/	L	Dealer installed rear window defogger w/spade type switch	1	C8TZ 17513-A
71	L "Before 6/15/71"	Wiper control	1	D1FZ 17513-A
71/	L "From 6/15/71"	Wiper control	1	D2DZ 17513-A
72	L	Volume control-rear seat speaker	1	C9AZ 17513-A
	- P -			
70/71	P	Dealer installed rear window defogger w/plug type switch	1	C8MY 17513-A
70/	P	Dealer installed rear window defogger w/spade type switch	1	C8TZ 17513-A
70/71	P "Before 6/15/71"	Wiper control	1	D0DZ 17513-A
71/	P "From 6/15/71"	Wiper control	1	D2DZ 17513-A
72	P	Volume control-rear seat speaker	1	C9AZ 17513-A
	- S -			
65/66	S	Air control-R.H. & L.H.	2	C4SZ 17513-C
		Wiper-washer control	2	C4SZ 17513-C
67	S	Chrome-with No. 8-32 stud-w/s wiper, washer & flo thru	3	C7SZ 17513-A
67	S	Chrome-with No. 8-32 threaded insert-w/s wiper, washer & flo thru	3	C7SZ 17513-B
67	S	R.H. & L.H. air controls	2	C7SZ 17513-D
67	S	Plastic-emergency warning flasher	1	C7SZ 17513-C
68/69	S(with tilt column)	Emergency warning switch	1	C8MY 17513-C
68/69	S	Rear vent air control	1	C8SZ 17513-B
70	S-with intermittent wipers	Wiper control	1	D0SZ 17513-A
68/71	S-except intermittent wipers	Wiper control	1	D0SZ 17513-C
72	S	Radio fader control	1	C9AZ 17513-A
72	S	Wiper control	1	D1AZ 17513-B
	- U -			
66/	U	Washer-refer to Chassis Group 11500		
66	U	Heater control & Emergency warning flasher	1or2	C3TZ 17513-A
67	U	Black-knurled-heater control & emergency warning flasher	1	C7TZ 17513-A
68/69	U -with vacuum wipers	Wiper control	1	C8TZ 17513-B
68/69	U	For emergency flasher control	1	C8TZ 17513-A
68	U "Before Ser. D82, 001"	Heater control switch knob	1	
69/	U -with electric wipers	Wiper control	1	C8UZ 17513-A
69/	U "From Ser. D82, 001"	Heater control switch knob	1	
70/	U	Emergency flasher control	1	
	- X -			
65	X(54A, 54D, 59A, 62A, 62D, 66A, 71A, 78)-X(71B) "Before 10/6/64"	Black w/black ctr. -knurled-wiper control -	1	C4DZ 17513-D
65	X(54B, 62B, 63B, 66B, H, 71C, 76A) X(71B) "From 10/6/64"	Black w/chrome ctr. -knurled-wiper control	1	C4DZ 17513-E
65	X	Black w/black ctr. -marked "A"-air control	1	C4DZ 17513-C
66	X	Air control-refer to Group 01890-1 in Body Section		
66	X(single speed)	Wiper & washer control-Chrome	1	C6DZ 17513-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17513 KNOB ASSY. - continued - Also refer to Groups 15674, 18513, 18519			
	- X -			
66/67	X(2 speed)	Washer control-Chrome	1	C6DZ 17513-B
66/67	X (2 speed)	Wiper control - refer to basic group (18519)		
67/68	X	Plastic-emergency warning flasher	1	C7OZ 17513-A
68	X	(1) for front mounted stereo speaker (1) for rear seat speaker	AR	C4DZ 17513-D
68/70	X	Tailgate window control Wiper control	1 1	C8DZ 17513-B
68/70	X	Spotlamp control-1 7/8" O.D. -includes 1/4"-28 set screw (dealer installed)	1	C8AZ 17513-C
68/70	X	Used with dealer installed defogger	1	C8MY 17513-A
69/70	X(71)	With power back lite switch	1	C8OZ 17513-B
65/69 68	A, B, F, S, X A-with defogger	Screw (knob to control)-No. 8-32 x .19" set	1or2 1	375504-S8(UU28A)
	17514-5 SPACER - WINDSHIELD WIPER MOUNTING - OUTER			
	- X -			
65	X	R.H. L.H.	1 1	C0DB 17514-B C0DB 17515-B
	17B518 PLATE - WINDSHIELD WIPER MOTOR MOUNTING			
70	S	Used with electric wipers	1	D0SZ 17B518-A
70/71	S	Used with hydraulic wipers	1	D0SZ 17B518-B

YEAR	MODEL	DESCRIPTION	QTY.	RIGHT HAND	QTY.	LEFT HAND
	17526-7 ARM - WINDSHIELD WIPER PIVOT					
	- A -					
65/68	A	Adjustable 12 7/64" to 16 23/32"	1	C1SZ 17526-A	1	C1SZ 17526-A
69/70	A	Approx. 14 3/4" long	1	C9AZ 17526-A	1	C9AZ 17526-A
71/	A		1	D1AZ 17526-A	1	D1AZ 17527-C
	- B -					
65/69	B	Adjustable 12 7/64" to 16 23/32"	1	C1SZ 17526-A	1	C1SZ 17526-A
70	B		1	D0OZ 17526-A	1	D0OZ 17527-A
71	B "Before 8/24/70"		1	D0OZ 17526-B	1	★D0OZ 17527-B r/b D0OZ 17527-C(5-75)
71	B "From 8/24/70"		1	D0OZ 17526-B	1	D0OZ 17527-C
72	B-w/concealed wipers "Before 9/15/71"		1	★D2OZ 17526-A r/b D2OZ 17526-C(5-75)	1	D2OZ 17527-A
72	B-w/concealed wipers - "From 9/15/71 to 10/1/71"		1	★D2OZ 17526-A r/b D2OZ 17526-C(5-75)	1	★D2OZ 17527-E r/b D3OZ 17527-B(5-75)
72	B-w/concealed wipers- "From 10/1/71 to 3/1/72"		1	D2OZ 17526-C	1	★D2OZ 17527-B r/b D3OZ 17527-B(5-75)
72	B-w/concealed wipers "From 3/1/72"		1	D2OZ 17526-C	1	★D3OZ 17527-A r/b D3OZ 17527-B(11-74)
72	B-w/o concealed wipers "Before 2/1/72"		1	D2OZ 17526-B	1	D2OZ 17526-B
72	B-w/o concealed wipers "From 2/1/72"		1	D2OZ 17526-D	1	D2OZ 17526-D
	- F -					
65/70	F	Adjustable 12 7/64" to 16 23/32"	1	C1SZ 17526-A	1	C1SZ 17526-A
71	F "Before 11/15/70"		1	D1ZZ 17526-A	1	D1ZZ 17527-A
71/	F "From 11/15/70"		1	D1ZZ 17526-A	1	D1ZZ 17527-B
	- L -					
71/	L		1	D1FZ 17526-A	1	D1FZ 17526-A
	- P -					
70/	P	14" long	1	D0DZ 17526-A	1	D0DZ 17526-A
	- S -					
65	S	Adjustable 12 7/64" to 16 23/32"	1	C1SZ 17526-A	1	C1SZ 17526-A
66	S	14 3/4"	1	C6SZ 17526-C	1	C6SZ 17527-C
67	S "Before 1/24/67"	Includes wiper blade assy.	1	C7SZ 17526-C	1	C7SZ 17527-D
67	S "From 1/24/67"	Includes wiper blade assy.	1	C7SZ 17526-C	1	★C7SZ 17527-C r/b C7SZ 17527-D(5-75)

YEAR	MODEL	DESCRIPTION	QTY.	RIGHT HAND	QTY.	LEFT HAND
	17526-7 ARM - WINDSHIELD WIPER PIVOT - continued					
	- S -					
68	S "Before 11/15/67"	Includes wiper blade assy.	1	C8SZ 17526-A	1	C7SZ 17527-D
68/69	S "From 11/15/67"		1	C8SZ 17526-B	1	C7SZ 17527-D
70/71	S		1	D0SZ 17526-A	1	D0SZ 17527-B
72	S "Before 9/15/71"		1	D2SZ 17526-A	1	D2SZ 17527-A
72	S "From 9/15/71"		1	D2SZ 17526-B	1	D2SZ 17527-A
	- U -					
66/	U	Adjustable 7 61/64" to 11 15/32"	1	A8TZ 17526-A	1	A8TZ 17526-A
	- X -					
65	X	Adjustable 10 3/8" to 14 7/8" long-dull finish	1	C0AZ 17526-A	1	C0AZ 17526-A
66/67	X	Adjustable 12 7/64" to 16 23/32"	1	C1SZ 17526-A	1	C1SZ 17526-A
68/70	X	14 31/32"	1	C8OZ 17526-A	1	C8OZ 17526-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17C526 COVER - WINDSHIELD WIPER OUTPUT ARM			
69/72	A		1	C9AZ 17C526-A
72	B-w/concealed wipers		1	
72	S		1	
	17528 BLADE ASSY. - WINDSHIELD WIPER			
68	All	Universal-winter blade	2	♦CC0AZ 17528-A
69	All	Universal-winter blade	2	♦CD0AZ 17528-A
70/71	All	Universal-winter blade		♦CD1AZ 17528-A

YEAR	MODEL	DESCRIPTION	BLADE ONLY	QTY.	BLADE ASSY.
	- A -				
65	A	16.00" long-(Anco)	C3OZ 17593-D	2	C3OZ 17528-H
65/68	A	16.00" long-(Trico)		2	C3OZ 17528-L
65/68	A	16.00" long-(Trico)	★C6AZ 17593-B r/b D4AZ 17593-C(5-75)	2	
69/70	A	18 7/8" long	C9AZ 17593-A	2	C9AZ 17528-A
71/	A	18" long-(Trico)	D3AZ 17593-A	2	D3AZ 17528-A
72	A	18" long-(Anco)	D2AZ 17593-A	2	★D2AZ 17528-A r/b D3AZ 17528-A(5-75)
71/	A (71)-with backlite washer	43" long-rear window wiper	★D1AZ 17593-B r/b D3AZ 17528-B(5-75)	1	D1AZ 17528-B
	- B -				
65	B-with single speed wipers	15.00" long-(Trico)	★C3AZ 17593-C r/b D4AZ 17593-D(5-75)	2	‡★C3AZ 17528-E
65/66	B(2-speed wipers)	16.00" long-(Anco)	C3OZ 17593-D	2	C3OZ 17528-H
65/66	B	15.00" long-(Trico)	Not available	2	C3AZ 17528-J
65/69	B	16.00" long-(Trico)		2	C3OZ 17528-L
70/	B	16.00" long-(Trico)		2	D0OZ 17528-A
65/	B	16.00" long-(Trico)	★C6AZ 17593-B r/b D4AZ 17593-C(5-75)	2	
	- F -				
65/68	F	15.00" long-(Trico)	★C3AZ 17593-C r/b D4AZ 17593-D(5-75)	2	‡★C3AZ 17528-E
65/68	F	15.00" long-(Trico)	Not available	2	C3AZ 17528-J
69/70	F	16.00" long-(Trico)		2	C3OZ 17528-L
69/70	F	16.00" long-(Trico)	★C6AZ 17593-B r/b D4AZ 17593-C(5-75)	2	
71/	F "From 2/1/71"	18" long-(Trico)	D3AZ 17593-A	2	D3AZ 17528-A
	- L -				
71/	L	16" long-(Anco)	D3DZ 17593-A	2	D1DZ 17528-A
	- P -				
70	P	16.00" long-(Anco)	Not available	2	★D0DZ 17528-A r/b D3DZ 17528-A(5-75)
71/	P	16" long-(Anco)	D3DZ 17593-A	2	D1DZ 17528-A

‡ For service use C3AZ 17528-J ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	BLADE ONLY	QTY.	BLADE ASSY.
	17528 BLADE ASSY. - WINDSHIELD WIPER - continued				
	- S -				
65/66	S "Before 9/3/65"	18.00" long-(Anco)	C4SZ 17593-A	2	▲★C4SZ 17528-A
65/66	S "Before 9/3/65"	18.00" long (Trico) Bright finish	D0UZ17593-A	2	C1VB 17528-C
65/66	S "From 9/3/65"	18.00"long(Trico)-dull finish	D0UZ17593-A	2	★C1VZ 17528-B r/b D1AZ 17528-A(5-75)
67	S		★C6AZ 17593-B r/b D4AZ 17593-D(5-75)		Serviced only in Basic 17526-7 Arm assy.
68/69	S	16.00" long-(Trico)-R.H.		1	C3OZ 17528-L
68/69	S	16.00" long-(Trico)-L.H.		1	C8SZ 17528-A
70/71	S	16.00" long-(Trico)		2	D0OZ 17528-A
68/71		16" long-(Anco)	★C6AZ 17593-B r/b D4AZ 17593-D(5-75)	2	
72	S	18" long-(Trico)	D3AZ 17593-A	2	D3AZ 17528-A
72	S	18" long- (Anco)	D2AZ17593-A	2	★D2AZ 17528-A r/b D3AZ 17528-A(5-75)
	- U -				
66/69	U-with vacuum wipers	12" long-(Trico)	Not available	2	A8TZ 17528-A
69/	U-with electric wipers	13" long-(Trico)	Not available	2	C9TZ 17528-A
	- X -				
65	X "Before 2/15/66"	15.00" long-(Trico)	★C3AZ 17593-C r/b D4AZ 17593-D(5-75)	2	‡★C3AZ 17528-E
65/66	X(single speed wipers) "From 2/15/66"	15.00" long-(Trico)	Not available	2	C3AZ 17528-J
66	X(2 speed wipers)	16.00" long-(Anco)	C3OZ17593-D	2	C3OZ 17528-H
66/70	X	16.00" long-(Trico)		2	C3OZ 17528-L
66/70	X	16.00" long-(Anco)	★C6AZ17593-B r/b D4AZ 17593-C(5-75)	2	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17530 BEZEL - REAR VIEW OUTSIDE MIRROR CONTROL			
69/70	A, F	With L.H. remote control mirror	1	C9AZ 17530-A
70	B		1	
68/69	B(63, 65, 66, 76)	Housing remote control	1	C8OZ 17530-A
65/66	S		1	C4SZ 17530-A
69/70	A	Nut & washer (attach bezel to panel assy. door	2	34653-S36(M106X)
70	B	trim)	2	
	17531 CLIP - WINDSHIELD WIPER ADAPTER AND CONNECTING ARM			
65	B, X	"U" shape-overall height -39/64"	2	C3SZ 17531-A
65/66	S "Before 10/18/65"		2	
65/	A, F	Use with windshield wipers	2	C5ZZ 17531-A
66/	B	Use with windshield wipers	2	
70/	P	Used with windshield wipers	1	
66/	S	Used with windshield wipers	AR	
66/70	X	Used with windshield wiper	2	
69/	U	Used with 2 speed electric wipers	1	
68/70	A(54C,57F,63C,65A,71A, E,76B)	Used to attach headlamp cover motor	2	
70/71	B	Used to attach headlamp cover motor	2	
66/69	S "From 10/18/65"	Used to attach headlamp cover motor	4	
72	S	Used to attach headlamp cover motor	2	
	17540 ARM - WINDSHIELD WIPER MOUNTING			
65/68	A	Use with C5AZ 17566-7-A pivot shafts	2	C5AZ 17540-A
	17541 WASHER - WINDSHIELD WIPER ARM TO PIVOT SHAFT			
65/66	X	Leather	2	C0DB 17541-A
	17C541 COVER ASSY.- WINDSHIELD WIPER MOTOR			
69/70	A	Kit-used with 2 speed or intermittent wipers	1	C9AZ 17C541-C

Kit-consists of

1-C9AF	17C430-C	Gasket	1-C9AF	17C541-B	Cover assy.-w/s wiper motor drive
1-C9AZ	17C430-D	Gasket	1-Instruction Sheet		
1-C9AZ	17C526-A	Cover-w/s wiper output arm			

‡ For service use C3AZ 17528-J ▲ For service use C1VZ 17528-B

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17C541 COVER ASSY. - WINDSHIELD WIPER MOTOR - continued			
71/	A		1	D2AZ 17C541-A
	Kit-consists of			
	1-C9AZ 17C430-D Gasket	1-D2AF 17C541-AA Cover assy.-w/s wiper motor drive		
	1-D2AF 17C430-AA Gasket	1-Instruction sheet		
	1-C9AF 17C526-A Cover-w/s wiper output arm			
72	B		1	D2OZ 17C541-B
	Kit-consists of			
	1-C9AZ 17C430-D Gasket	1-D2OF 17C541-AB Cover assy.-w/s wiper motor drive		
	1-D2AF 17C430-AA Gasket	1-Instruction sheet		
	1-C9AZ 17C526-A Cover-w/s wiper output arm			
72	S		1	D2SZ 17C541-A
	Kit-consists of			
	1-C9AZ 17C430-D Gasket	1-D2SF 17C541-AA Cover assy.-w/s wiper motor drive		
	1-D2AF 17C430-AA Gasket	1-Instruction sheet		
	1-C9AF 17C526-A Cover-w/s wiper output arm			
72	U "From 9/19/72"		1	D3BZ 17C541-A
	17543 HOSE - BULK			
65/	All	7/64" I.D. x 50 ft. roll	AR	D3PZ 17543-B (KW-6-B)
65/71	All	1/8" I. D. x 50 ft. long-r/b D3PZ 17543-B(5-75)	AR	★A9A 17543-A
65/	All	5/32" I.D. x 50 ft. roll-r/b D3PZ 17543-C(5-75)	AR	★D0PZ 17543-C (KW-7-A)
65/	All	7/32" I.D. x 50 ft. roll	AR	D0PZ 17543-A (KW-5-A)
65/	All	9/32" I.D. x 50 ft. roll	AR	D3PZ 17543-D (KW-8-B)
65/71	All	5/16" I. D. x 25 ft. long-r/b D3PZ 17543-D(5-75)	AR	★B9A 17543-A
65	All	Grommet (windshield wiper hose thru dash panel)	1	373114-S(KK41)
		Tee (transmission line and windshield wiper tube to intake manifold)-3 way	1	375518-S(II-167A)
66	U	Clip (hose to windshield frame)	2	★357332-S32
68	S	Elbow-90° (hose to rubber plug in harness)-1/8"	2	382294-S(II-187AD)
67	F	Grommet (hose to dash panel)	1	★376163-S
67	S	Connector tee w/s wiper (hose to hand brake supply)	1	353376-S35(II-103)
67	S	Tee (connect vacuum hose)-1/4" x 1/4" x 3/16"	1	373844-S(II-98KA)
69	S	32.50" long-including connectors-windshield washer	1	C9SZ 17543-A
	17544 TUBE - WINDSHIELD WIPER - Cut as required from 17543 hose			
68/69	A	Connector "T"-1 7/16" long x 3/16" x 7/16"	1	378830-S(II-106H)
67/69	F	Strap adjustable (tube to L.H. front fender apron)	1	376914-S(YY2)
68/69	F	Strap adjustable (tube to dash panel)	1	382175-S(GG289)
	17A549 SCREW - WINDSHIELD WIPER MOTOR SHAFT STOP			
65/68	A	With Ford 2 speed motor	1	C0MF 17A549-A
65/71	B		1	
65/	F		1	
70/	P		1	
65/70	X		1	
70	S		1	D0SZ 17A549-A
	17B549 LEVER - WINDSHIELD WIPER MOTOR PARK SWITCH			
65/66	A	Used with single speed Ford motor	1	C5AZ 17B549-A
66	B,X	Used with single speed Ford motor	1	
71/	F,L	Used with 2 speed wipers	1	
66/71	B	Used with 2 speed wipers-Stamped "H"	1	C6OZ 17B549-A
72	B-w/o concealed wipers		1	
66/70	F,X		1	
70/	P		1	
69/	U		1	
	17C549 STOP - WINDSHIELD WIPER ARM			
70/71	S		1	D0SZ 17C549-A
72	S	R.H.	1	D1SZ 17C549-A
		L.H.	1	D1SZ 17C549-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17A553 SWITCH ASSY. - WINDSHIELD WIPER and WASHER - Also refer to Group 17A625			
	- A -			
65/66	A-with single speed wipers	5 terminals-marked C5AB 17A553-A or C	1	C5AZ 17A553-A (SW-728)
65/66	A-with 2 speed wipers	7 terminals-marked C5AB 17A553-B	1	C5AZ 17A553-B (SW-729)
67	A "Before 3/1/67"	7 terminals-marked C7AB 17A553-B or C	1	C7AZ 17A553-B (SW-738)
67	A "From 3/1/67"	7 terminals-marked C7AB 17A553-D or E	1	C7AZ 17A553-D (SW-739)
68	A	7 terminals-marked C8AB 17A553-A	1	C8AZ 17A553-A (SW-827)
69	A-with 2 speed wipers	9 terminals-marked C9AB 17A553-G	1	C9AZ 17A553-G (SW-879)
69/70	A-with intermittent wipers	10 terminals-marked C9AB 17A553-D	1	C9AZ 17A553-B (SW-844)
70	A-with 2 speed wipers	9 terminals-marked C9AB 17A553-H	1	D0AZ 17A553-A (SW-939)
71/	A-with 2 speed wipers	10 terminals -marked D1AB 17A553-AB	1	D1AZ 17A553-B (SW-999)
71/	A-with intermittent wipers	10 terminals -marked D1AB 17A553-BB	1	D1AZ 17A553-C (SW-997)
	- B -			
65	B-with single speed wipers	5 terminals-marked C3OB 17A553-A	1	C4OZ 17A553-B (SW-727)
65	B-with 2 speed wipers	6 terminals-marked C4OB 17A553-A	1	C4OZ 17A553-A (SW-799)
66	B-single speed wipers	5 terminals-marked C6OB 17A553-A	1	C6OZ 17A553-A (SW-772)
66/67	B-2 speed wipers	5 terminals-marked C6OB 17A553-B or C	1	C6OZ 17A553-C (SW-773)
68/69	B-2 speed wipers	7 terminals-marked C8GB 17A553-A or C8OB 17A553-A	1	C8GY 17A553-A (SW-754)
69	B-with intermittent wipers	9 terminals-marked C8GB 17A553-B	1	C8GY 17A553-B (SW-829)
70	B-with intermittent wipers	7 terminals-marked D0OB 17A553-C or E	1	D0OZ 17A553-B (SW-897)
70/71	B-2 speed wipers	7 terminals-marked D0OB 17A553-A or D	1	D0OZ 17A553-A (SW-896)
72	B-2 speed wipers-w/o concealed wipers	8 terminals-marked D2OB 17A553-CA	1	D2OZ 17A553-A (SW-1073)
72	B-2 speed wipers w/concealed wipers	10 terminals-marked D2OB 17A553-DA	1	D2OZ 17A553-C (SW-1083)
72	B-with intermittent wipers	10 terminals-marked D2OB 17A553-EA	1	D2OZ 17A553-B (SW-1074)
	- F -			
65	F-single speed wipers without washers	5 terminals-marked C4ZB 17A553-B or E	1	C5ZZ 17A553-B (SW-731)
65/66	F-single speed wipers with washers	7 terminals-marked C4ZB 17A553-C	1	C5ZZ 17A553-C (SW-732)
65/66	F-2 speed wipers "Before 12/19/65"	7 terminals-marked C4ZB 17A553-D	1	C5ZZ 17A553-D (SW-733)
66	F-2 speed wipers "From 12/19/65"	7 terminals-marked C6ZB 17A553-A or B	1	C6ZZ 17A553-A (SW-737)
67	F	5 terminals-marked C7ZB 17A553-B	1	C7ZZ 17A553-A (SW-746)
68	F	5 terminals-marked C8ZB 17A553-A	1	C8ZZ 17A553-A (SW-834)
69/70	F-with intermittent wipers	7 terminals-marked C9ZF 17A553-B,C or D0ZB 17A553-B	1	D0ZZ 17A553-A (SW-933)
69	F-2 speed wipers	7 terminals-marked C9ZB 17A553-A	1	C9ZZ 17A553-A (SW-847)
70	F-with 2 speed wipers	7 terminals-marked D0ZB 17A553-A	1	D0ZZ 17A553-B (SW-940)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17A553 SWITCH ASSY. - WINDSHIELD WIPER and WASHER - continued - Also refer to Group 17A625			
	- F -			
71/	F-with 2 speed wipers	7 terminals-marked D1ZB 17A553-AA	1	D1ZZ 17A553-A (SW-994)
71/	F-with intermittent wipers	7 terminals-marked D1ZB 17A553-BB or D2ZB 17A553-AA	1	D1ZZ 17A553-B (SW-993)
	- L -			
71/	L-with 2 speed wipers	7 terminals-marked D12B 17A553-A1A	1	D1FZ 17A553-A (SW-977)
	- P -			
70/	P-with 2 speed wipers	7 terminals-marked D0OB 17A553-A or D	1	D0OZ 17A553-A (SW-896)
	- S -			
70	S-with 2 speed wipers	7 terminals-marked D0SB 17A553-A or C	1	D0SZ 17A553-A (SW-916)
70	S-with intermittent wipers	10 spade terminals-marked D0SB 17A553-B, D	1	D0SZ 17A553-B (SW-917)
65/71	S-with hydraulic wipers	Refer to Group 17470		
72	S-with 2 speed wipers	10 terminals-marked D2LB 17A553-AA	1	D2LY 17A553-A (SW-1075)
72	S-with intermittent wipers	10 terminals-marked D2LB 17A553-CA	1	D2LY 17A553-B (SW-1076)
	- U -			
67/69	U-vacuum wipers	Refer to Group17A625		
69/	U-2 speed wipers	7 terminals-marked C8UB 17A553-A	1	C8UZ 17A553-A (SW-869)
	- X -			
65	X-with single speed wipers	5 terminals-marked C3AB 17A553-D	1	C4DZ 17A553-B (SW-798)
65	X-with 2 speed wipers	6 terminals-marked C4DB 17A553-A	1	C4DZ 17A553-A (SW-797)
66	X-single speed wipers	5 terminals-marked C6DB 17A553-A	1	C6DZ 17A553-A (SW-805)
66	X-2 speed wipers "Before 9/16/65"	5 terminals-marked C6DB 17A553-B	1	
66/67	X-2 speed wipers "From 9/15/65"	5 terminals-marked C6DE 17A553-C	1	C6DZ 17A553-C (SW-734)
68/70	X-2 speed wipers	7 terminals-marked C8GB 17A553-A or C8OB 17A553-A	1	C8GY 17A553-A (SW-754)
68	A	Screw (wiper switch to instrument cluster)-No.6-32 x 1/2" pan head	2	51763-S8(U362)
69/	A	Screw (wiper switch to instrument cluster)	2	52533-S(U266)
	17A556 GEAR and STOP ASSY. - WINDSHIELD WIPER MOTOR OUTPUT			
65/68	A	Used with 2 speed Ford motor	1	B9MF 17A556-A
65/71	B		1	
65/	F		1	
70/	P		1	
65/70	X		1	
	17A558 SPACER - WINDSHIELD WIPER MOTOR OUTPUT SHAFT			
65/66	A	Used with single speed Ford motor	1	C5AZ 17A558-A
66/71	B	Used with 2 speed wipers	1	
72	B-w/o concealed wipers		1	
66/	F		1	
71/	L	Used with 2 speed wipers	1	
70/	P	Used with 2 speed wipers	1	
69/	U	Used with 2 speed electric wipers	1	
66/70	X	Used with 2 speed wipers	1	
	17B563 PIN - WINDSHIELD WIPER MOTOR			
66/67	B, X "Before 4/3/67"	With 2 speed wipers-(adjustable switch)	1	C6OZ 17B563-A
67	F		1	
66/71	B "From 4/3/67"	1 3/8" long-(non-adjustable switch)	1	C7OZ 17B563-A
72	B-w/o concealed wipers		1	
66/	F		1	
71/	L		1	
70/	P		1	
70	S		1	
69/	U	Used with 2 speed electric wipers	1	
66/70	X		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17C563 PLATE ASSY.- WINDSHIELD WIPER DRIVE LINK PIVOT			
69/70	A		1	C9AZ 17C563-A
70	S-with electric wipers		1	D0SZ 17C563-A
	17B564 PIN - WINDSHIELD WIPER MOTOR CONTACT OPERATING			
65/66	A, B, F, X	Used with single speed wiper	1	C3AZ 17B564-A
66/68	B, X	Used with 2 speed wipers-not required on units built from 4/3/67	1	
67	F	Used with 2 speed wiper-not required on units built from 4/3/67	1	
	17566-7 ARM and PIVOT SHAFT ASSY. - WINDSHIELD WIPER MOUNTING			
	- A -			
65/68	A	R. H. -pivot shaft only-use with C5AZ 17540-A	1	C5AZ 17566-A
		L. H.	1	C5AZ 17567-A
69/70	A	R. H.	1	C9AZ 17566-A
		L.H.	1	C9AZ 17567-B
71	A "Before 4/5/71"	R.H.-r/b D3AZ 17566-A(5-75)	1	★D1AZ 17566-A
71/	A "From 4/5/71"	R.H.-r/b D3AZ 17566-A(5-75)	1	★D2AZ 17566-A
71/72	A (65) "Before 11/1/71"	L.H.-r/b D2AZ 17567-A(5-75)	1	★D1AZ 17567-A
72	A (65) "From 11/1/71"	L.H.	1	D2AZ 17567-A
71/72	A (except 65) "Before 11/1/71"	L. H. -r/b D2AZ 17567-B(5-75)	1	★D1AZ 17567-B
72	A (except 65) "From 11/1/71"	L.H.	1	D2AZ 17567-B
	- B -			
65	B	R. H. -less spacer	1	C4OZ 17566-A
		L. H.	1	C4OZ 17567-A
66/67	B	R. H.	1	C6OZ 17566-A
		L. H.	1	C6OZ 17567-B
68/69	B	R. H.	1	C8OZ 17566-A
		L. H.	1	C6OZ 17567-B
70/71	B	R. H.	1	D0OZ 17566-A
	"Before 2/2/70"	L. H. -r/b D0OZ 17567-B(5-75)	1	★D0OZ 17567-A
	"From 2/2/70 to 11/2/70"	L. H.	1	D0OZ 17567-B
	"From 11/2/70"	L.H.	1	D1OZ 17567-A
72	B	One piece design	1	D2OZ 17566-A
	- F -			
65	F "Before 5/3/65"	R. H. -less spacer	1	C5ZZ 17566-B
		L. H.	1	C5ZZ 17567-B
65/66	F "From 5/3/65"	R. H. -with spacer	1	C5ZZ 17566-C
		L. H.	1	C5ZZ 17567-C
67/68	F	R. H.	1	C7ZZ 17566-A
		L. H.	1	C5ZZ 17567-C
69/70	F	R. H.	1	C9ZZ 17566-A
		L. H.	1	C9ZZ 17567-A
71/	F	R.H.	1	D1ZZ 17566-A
		L.H.	1	D1ZZ 17567-A
	- L -			
71/	L	One piece design-r/b D3FZ 17566-A(5-75)	1	★D1FZ 17566-A
	- P -			
70/	P	R. H.	1	D0DZ 17566-A
		L. H.	1	D0DZ 17567-A
	- S -			
65	S	R. H. -less spacer	1	C4SZ 17566-A
		L. H.	1	C4SZ 17567-B
66	S	R. H. -not replaced (5-75)	1	★C6SZ 17566-A
		L. H.	1	C6SZ 17567-B
67	S	R. H.	1	C7SZ 17566-A
		L. H.	1	C7SZ 17567-A
68/69	S	R.H. & L.H.	2	C8SZ 17566-A
70	S	R. H. - used with electric wipers	1	D0SZ 17566-A
		L. H.	1	D0SZ 17567-B
70/71	S	Use with hydraulic wipers-one piece design	1	D0SZ 17566-B
72	S	One piece design	1	D2SZ 17566-A
	- U -			
69/	U-with electric wipers		1	C9TZ 17566-B

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17566-7 ARM and PIVOT SHAFT ASSY. - WINDSHIELD WIPER MOUNTING - continued			
	- X -			
65	X	R. H. -less spacer	1	C3DZ 17566-B
		L. H.	1	C3DZ 17567-A
66/70	X	R. H.	1	C6OZ 17566-A
		L. H.	1	C6OZ 17567-B
65/70	F "From 5/3/65"	Bolt (arm pivot to cowl panel)-1/4"-20 x 3/4"	6	20344-S8(B42)
70/	P		3	
65/70	F "From 5/3/65"	Lockwasher (arm & pivot to cowl panel)-1/4"-20	6	34805-S8(X62)
70/	P		3	
65/	F "Before 5/3/65"	Screw & washer assy. (arm & pivot shaft to cowl top)-1/4"-20 x 5/8"	6	43263-S8(U3)
65/68	A	Flatwasher (arm & pivot shaft to motor)-1/4"	1or2	44719-S8(X17)
65/70	X		1or2	
65	B, X	Flatwasher(R. H. arm & pivot to L.H.arm pivot)	1	
66	A	Bolt (arm & pivot to cowl panel)-No.10-24 x 7/16"	6	350002-S(BB529)
68/	B		2	
68/70	X		2	
65	X	Nut (arm & pivot shaft to cowl)-5/8"-24	2	356094-S13 (MM182)
65/68	A	Spring washer (R. H. & L. H. arm & pivot shaft to motor)	1	356600-S(XX361)
65	S	Nut (arm & pivot shaft to cowl top)-3/4"-20-round	2	370695-S37
65	B	Nut (arm & pivot shaft to cowl top)	2	(MM213D)
65/69	S	Screw & washer assy. (arm & pivot shaft to cowl)-1/4"-20 x 3/4"	4	371492-S2(BB569)
65	S	Screw & washer (arm & pivot shaft to cowl top)-1/4"-20 x 1/2"	4	373460-S7(BB629)
65	B, X	Spring washer (R. H. arm & pivot to L. H. arm & pivot)-3/8"	1	374669-S2 (XX368A)
65	X	Spring washer (arm & pivot shaft to motor)	1	
65	A	Screw & washer assy. (arm & pivot shaft to cowl)-No. 10-24 x 7/16"	6	375921-S13(BB51C)
	17B566 BRUSH and TERMINAL ASSY. - WINDSHIELD WIPER MOTOR			
65	B, X	Slip-on terminal-used with single speed Ford motor	1	C3AZ 17B566-A
65/66	F		1	
65/66	A, B, F, X	Grounded-eyelet terminal-used with single speed Ford motor	1	C3AZ 17B566-B
66/71	B	Used with 2 speed wipers-Ground	1	C6OZ 17B566-A
72	B-w/o concealed wipers		1	
66/	F		1	
71/	L		1	
70/	P		1	
69/	U		1	
66/70	X		1	
	17C569 COVER - WINDSHIELD WIPER MOTOR and LINKAGE			
69/72	U "Before 9/19/72"	Used with 2 speed electric wipers	1	C9TZ 17C569-A
72	U "From 9/19/72"	Refer to Group 17C541		
	17C570-1 BRACKET - WINDSHIELD WIPER MOTOR and LINKAGE COVER			
69/	U	R. H. -used with 2 speed electric wipers	1	C9TZ 17C570-A
		L. H.	1	C9TZ 17C571-A
	17573 BEARING - WINDSHIELD WIPER ARM			
71/	L		4	D1FZ 17573-A
	17C573 GASKET - WINDSHIELD WIPER CONTROL SWITCH			
70/71	S-except with intermittent wipers		1	D0SZ 17C573-A
70	S-with intermittent wipers		1	D0SZ 17C573-B
	17580 HOSE - WINDSHIELD WASHER RESERVOIR TO PUMP - Cut as required from 17543 Bulk Hose			
65/70	X	Screw (attaches clip 359548-S100 and hose to front fender to apron brace to dash)-No.8-15 x 1/2"	1	52726-S13(U381)
65/70	X	Clip	1	359548-S100 (GG144)
	17C582 GROMMET - WINDSHIELD WIPER PIVOT SHAFT			
70/	P	29/32" I.D. x 1" long	1	D0DZ 17C582-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17B583 PLATE & SWITCH ASSY. - WINDSHIELD WIPER MOTOR			
69/	A	Kit-used with 2 speed or intermittent wipers	1	C9AZ 17B583-B
72	B-with concealed wipers		1	
72	S		1	
	Kit-consists of			
	1-C9AZ 17C436-A Retainer w/s wiper motor brg.	1-D2AF 17B443-A Plate assy.w/s wiper motor		
	1-C9AZ 17C535-A Retainer w/S wiper motor cup	1-Instruction Sheet		
65	B,X	Used with single speed Ford motor	1	C3AZ 17B583-A
65/66	F		1	
66/67	B,F,X "Before 4/3/67"	Used with 2 speed wipers-(adjustable switch)	1	C6OZ 17B583-A
67/68	B,F,X "From 4/3/67"	Kit - includes C7OZ 17B563-A Pin	1	C7OZ 17B583-B
69/71	B		1	C8UZ 17B583-B
72	B-w/o concealed wipers		1	
71/	F,L		1	
70/	P		1	
69/70	X		1	
69/	U		1	
69/70	F		1	C9ZZ 17B583-B
66/67	B,X	Screw-use with adjustable windshield wiper switch-No. 4-40 x 9/16"-fillister head	1	380365-S(BB4M)
67	F		1	
68	B,F,X	Screw (attach 17B583 to 17A431)-No. 6-20 x 1/2" round head	3	375557-S7 (UU82)
	17C583 STOP ASSY. - WINDSHIELD WIPER ARM			
71/	A	R.H.	1	D3AZ 17C583-A
		L.H.	1	D1AZ 17C583-C
70/71	B		1	D0OZ 17C583-A
71/	F		1	
	17B584 CUP and MAGNET ASSY. - WINDSHIELD WIPER MOTOR			
67/71	B	Used with 2 speed electric wipers	1	C7OZ 17B584-A
66/70	F		1	
72	B-w/o concealed wipers		1	
71/	L		1	
70/	P		1	
69/	U		1	
67/70	X		1	
68	B,F,X	Bolt (attach 17B584 to 17A431)-No. 10-32 x 3 7/8" hex. head	2	372212-S7-8 (BB205C)
	17B587 WIRING - WINDSHIELD WIPER SWITCH TO MOTOR			
65/66	A-2 speed wipers "From 6/14/65"	Marked C6AB 17B587-B	1	C6AZ 17B587-D
68/69	B,F	Used with 2 speed wiper	1	C8OZ 17B587-A
68/70	X		1	
65/66	F-single speed wipers	Marked C5ZB 17B587-B	1	C5ZZ 17B587-B
66/69	U	Marked D0UJ 17B587-A-used with C6TZ 17508-D conversion kit	1	C6TZ 17B587-B
69/70	U "Before Ser.G70,001"	Marked C9TB 17B587-A or B	1	C9TZ 17B587-B
70/	U "From Ser.G70,001"	Marked D0BB 17B587-A	1	D0BZ 17B587-A
66	A(8 cyl. 427)	Clip(wiring to dash panel)-single speed wipers	1	380896-S(GG252)
66	F	Screw (wire to switch)-No. 10-12 x 1/2"	1	52727-S8(U382)
66	F	Lockwasher (wire to switch)	1	34939-S8(X86)
	17593 BLADE - WINDSHIELD WIPER - LESS FRAME - Refer to Group 17528			
	17598 CONNECTOR - WINDSHIELD WASHER HOSE			
68/69	S-with integral A/C "Before 9/16/68" only	7/64" I.D. small end-5/32" I.D. large end-13/32" long-use valve to vacuum hose	2	C8SZ 17598-A
	17B599 SPRING - WINDSHIELD WIPER MOTOR BRUSH			
65/66	A	Used with single speed & 2 speed motors	2	C5AZ 17B599-A
65/71	B		3	
72	B-w/o concealed wipers		3	
65/	F		3	
71/	L		3	
70/	P		3	
69/	U		3	
65/70	X		3	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17C600 FILTER ASSY. - WINDSHIELD WIPER MOTOR			
70/71	S-with hydraulic wipers	Brass rod 3 1/16" long-w/screen filter & threaded both ends	1	D1SZ 17C600-A
	17A601 TEE - WINDSHIELD WASHER HOSE			
65/68	A		1	C0AZ 17A601-A
68/70	A,F	"F" shaped	1	C8OZ 17A601-A
68/69	B		1	
72	P		1	
65/67	B,U,X	Nylon	♦1	C0AB 17A601-A
65/66	F,S		1	
71/	A		1	D0SZ 17A601-A
70/	B		1	
70/71	S		1	
72	B		1	D2OZ 17A601-A
67/69	S	"F" shaped	1	C7SZ 17A601-A
67	B,F		1	
70/71	P		1	
70/71	S		1	D0VY 17A601-A
71/	A		1	
71/	F		1	D1ZZ 17A601-A
68/	U	Nylon-3 way	1	C8UZ 17A601-A
67/69	S	Lockwasher (tee to cowl)-No.8-3/8"	1	34938-S(X85)
67/69	S	Screw (tee to cowl)-No.8-15 x 3/4"	1	42140-S(U246A)
69	F	Screw (tee to cowl)-No.8-15 x 1/2"	1	52012-S8(U202)
70/	P	Screw (tee to cowl)-No.8-15 x 5/8"	1	52554-S8(U230)
68/70	A,X	Tee-"Y" shaped-3/16" x 3/16" x 3/16"	1	383013-S (II-106NB)
	17A602 NOZZLE - WINDSHIELD WASHER			
65	F,X	Rubber-r/b C5AZ 17603-F (5-75)	2	★C5AZ 17A602-B
65/66	A		2	
65/67	S		2	
	17603 JET & BRACKET ASSY. - WINDSHIELD WASHER NOZZLE - Also refer to Group 17666			
	- A -			
65/68	A "Before 11/1/67"	Used with pump marked C5AF 17664-A	2	C5AZ 17603-F
68	A "From 11/1/67"	R.H.	1	C8AZ 17603-A
		L.H.	1	C8AZ 17603-C
69/70	A		2	D0AZ 17603-A
71/	A	R.H.	1	D1AZ 17603-B
		L.H.	1	D1AZ 17603-A
	- B -			
65	B		2	C5OZ 17603-B
66/67	B		2	C6OZ 17603-B
68/69	B	Dual jet holes	2	C8OZ 17603-B
70	B "Before 3/10/70"		2	D0OZ 17603-A
70/71	B "From 3/10/70"		2	D0OZ 17603-B
72	B		2	D2OZ 17603-A
	- F -			
65	F "Before 5/25/64"	Includes nozzle	2	C5ZZ 17603-E
66	F		2	
65	F "From 5/25/64"	Includes nozzle (C5AZ 17A602-B) & adapter	2	C5ZZ 17603-D
67	F "Before 4/4/67"		2	C7ZZ 17603-A
67/68	F "From 4/4/67"	With dual holes in jet tube-includes bracket	2	C7ZZ 17603-B
69/70	F		2	D0ZZ 17603-A
71/	F	R.H.	1	D1ZZ 17603-B
		L.H.	1	D1ZZ 17603-A
	- L -			
71/	L		2	D1FZ 17603-A
	- P -			
70	P "Before 8/11/69"		2	D0DZ 17603-A
70/	P "From 8/11/69"		2	D0DZ 17603-E

♦ Also supplied in (17A603) washer kit

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17603 JET & BRACKET ASSY. - WINDSHIELD WASHER NOZZLE - continued - Also refer to Group 17666			
	- S -			
65/66	S	Includes nozzle (C5AZ 17A602-B)	2	C4SZ 17603-D
67	S "Before 4/7/67"	Refer to 17665		
67/69	S "From 4/7/67"	Dual jet holes	2	C7SZ 17603-C
70/71	S	R. H.	1	D0SZ 17603-E
		L. H.	1	D0SZ 17603-F
72	S		2	D2SZ 17603-A
	- X -			
65	X	Includes nozzle (C5AZ 17A602-B) & adapter	2	C4DZ 17603-D
66/67	X		2	C6OZ 17603-B
68/70	X		2	C8DZ 17603-A
67	A	Screw (nozzle to cowl top vent grille)-No. 10-12 x 3/4" self tap	2	32938-S7(U345)
67/69	S	Lockwasher (jet to cowl top)-No. 8-3/8"-1/64"	1	34938-S(X85)
67/69	S	Screw (jet to cowl top)-No. 8-15 x 3/4"	1	42140-S(U246A)
69	A, F	Screw (jet & bracket to cowl top)-No. 8-15 x 5/8"	2	52554-S8(U230)
70/	P		4	
65/69	B	Screw (jet & brkt. to cowl top)-No. 10-16 x 1/2"	2	350754-S8 (UU-86)
65/70	X	Screw (jet & brkt. to cowl top)-No. 8-18 x 3/8"	2	376378-S101(UU97)
66	F	Screw (jet & brkt. assy. to cowl top)-No. 8-15 x 3/8"	2	378278-S(XX119N)
67	A	Screw (attach windshield washer jet)-No. 8-15 x 1/2"-washer head round	2	378729-S2(UU87R)
67	S	Nipple-1/8" hose (connects hoses to R.H. & L.H. hoses)	2	379886-S(II-191T)
	17A603 WASHER KIT - WINDSHIELD			
65/68	A, B, X	Foot-operated	1	C1RZ 17A603-A

Consists of

1-C0AB 17A601-A	Tee	1-C2RZ 17632-A	Cover	4-42127-S8	Screw
1-C1RB 17A605-A	Hose	1-C1RB 17A635-A	Pin	2-376772-S	Flat washer
1-C1RB 17A605-B	Hose	1-B9BA 17651-A	Bracket	2-376773-S	Retainer washer
2-C1RB 17A605-C	Hose	1-C1RZ 17664-A	Pump	1-Instruction Sketch	
1-C1RB 17A615-A	Screen	2-C1RB 17665-A	Nozzle		
1-C1RZ 17618-A	Reservoir				

	17A605 HOSE - WINDSHIELD WASHER - Cut as required from 17543 bulk hose			
69/70	A	Clip (att. hose to cowl vent grille head seal)	2	353547-S2(GG173)
70	F	Strap-adjustable (att. hose to dash panel)	1	★374320-S
68	A	Clip (attach 17A605 hose to cowl top vent grille	1	374806-S100 (GG312)
65/69	B	Grommet (hose thru dash panel)-improvise	1	★376163-S
65/70	X-with electric w/s washer		1	
66	F	Strap-adjustable (attach hoses to fender apron)	1	376914-S(YY2)
66	F	Strap-adjustable (attach hoses to dash panel)	1	
66	U	Strap-adjustable (attach hoses to fender apron)	3	
66	F	Clip (hose to cowl top)	1	★376931-S
65/70	X-with electric w/s washer		1	
66	A	Screw (jet to cowl top)-No. 10-16 x 1/2" hex. hd.	2	377843-S(UU-52)
67	S	Nipple-1/8" hose-.99" long (R.H. to L.H. hoses)	2	379886-S(II-191T)
66/69	B, X	Clip (hose to cowl)	2	380714-S2(GG357)
70/	B	Clip (att. hose to hood panel inner)	1	★382929-S
69/70	A	Clip (att. hose to top & side of front fender reinforcement)	2	382932-S(GG338C)
69/70	A		2	382988-S(GG338B)
70/71	B	Connector (att. hose 17A605 to hose assy.)-3/16" x 3/16"	1	383003-S (II-191VF)
70/71	B	Connector (att. hose to hose)-3/16" x 3/16" x 3/16"	1	383007-S(II-106T)
	17K605 HOSE - WINDSHIELD WASHER - Cut as required from 17543 bulk hose			
70/ 71	S-Intermittent wipers	Connector-1/8" x 1/8" hose-used in 17K605 assy. for vacuum supply to 17C476 governor assy.	1	383783-S (II-191VK)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17K608 FILTER ASSY. - WINDSHIELD WASHER FLUID			
68/71	S		1	C8UZ 17K608-A
71/	A(71)-with backlite washer/wiper		1	
68/71	U		1	
68/71	S	Washer (between filter & pump)	1	382243-S(XX208A)
68/71	U		1	
	17B610 SEAL - WINDSHIELD WASHER PUMP			
68/71	S		1	C8UZ 17B610-A
71/	A(71)-with backlite washer/wiper		1	
68/71	U		1	
	17A614 VALVE - WINDSHIELD WASHER CONTROL			
68/69	S		1	C1VB 17A614-A
	17615 CONNECTOR - WINDSHIELD WASHER RESERVOIR TO HOSES			
69	A, B, F	With auxillary instrument cluster kit (10B944)	1	1H 17615
69/70	X		1	
	17618 RESERVOIR - WINDSHIELD WASHER			
	- A -			
65	A	Used with C1RZ 17A603-A	1	C1RZ 17618-A
65/66	A "Before 10/16/65"	Integral hinge type cover	1	C1AZ 17618-D
66/67	A "From 10/16/65 to 3/1/67"	Integral hinge type cover	1	C1AZ 17618-E
67	A "From 3/1/67"	Blow-moulded plastic container - uses C7AZ 17632-A cover	1	C7AZ 17618-A
68	A		1	C7AZ 17618-B
71/	A(71)-with backlite washer/wiper	Reservoir only	1	D1AZ 17618-A
69/	A	Reservoir only	1	C9AZ 17618-B
	- B -			
65	B	Used with C1RZ 17A603-A	1	C1RZ 17618-A
65/67	B "Before 3/1/67"	Integral hinge type cover	1	C1AZ 17618-E
67/68	B "From 3/1/67"	Blow-moulded plastic container - uses C7AZ 17632-A cover	1	C7OZ 17618-A
69/71	B	Reservoir and motor assy.	1	C9OZ 17618-A
69/71	B	Reservoir only	1	C9OZ 17618-B
72	B	Reservoir only	1	D2OZ 17618-B
	- F -			
65/67	F "Before 3/1/67"	Integral hinge type cover	1	C1AZ 17618-E
67/68	F "From 3/1/67"	Blow-moulded plastic container - uses C7AZ 17632-A cover	1	C7OZ 17618-A
69/70	F	Reservoir and motor assy. - r/b D2OZ 17618-B and C9AZ 17664-A (3-74)	1	★C9ZZ 17618-A
71/	F	Reservoir only	1	D1TZ 17618-B
69/70	F	Reservoir only	1	D2OZ 17618-B
	- L -			
71/	L	Reservoir and motor assy.	1	D1SZ 17618-A
71/	L	Reservoir only		D1SZ 17618-B
	- P -			
70/	P	Reservoir and motor assy.	1	C9OZ 17618-A
71/	P	Reservoir only	1	C9OZ 17618-B
	- S -			
65/67	S	Integral hinge type cover	1	C1AZ 17618-E
68/69	S	Reservoir only	1	C8SZ 17618-B
70	S		1	C8TZ 17618-A
71	S	Reservoir and motor assy. - r/b D1SZ 17618-B and C9AZ 17664-A (5-75)	1	★D1SZ 17618-A
72	S	Reservoir and motor assy.	1	D2LY 17618-A
71	S	Reservoir only	1	D1SZ 17618-B
72	S	Reservoir only	1	D2LY 17618-B
	- U -			
66/67	U	Integral hinge type cover	1	C1AZ 17618-D
68/70	U		1	C8TZ 17618-A
71/	U	Reservoir only	1	★D1TZ 17618-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
17618	**RESERVOIR - WINDSHIELD WASHER - continued**			
	- X -			
65	X	Used with C1RZ 17A603-A	1	C1RZ 17618-A
65/67	X "Before 3/1/67"	Integral hinge type cover	1	C1AZ 17618-E
67/68	X "From 3/1/67"	Blow-moulded plastic container-reservoir and motor assy.	1	C7OZ 17618-A
69/70	X	Reservoir motor assy.	1	C9OZ 17618-A
69/70	X	Reservoir only	1	C9OZ 17618-B
70	S	Washer (used between filter & pump assy.	1	382243-S(XX208A)
69/70	A, F	Screw (reservoir to fender)-1/4"-20 x 3/4"	3	40953-S8(U263)
70	B, P, S		3	
68/69	B, S, X	Screw (reservoir washer to front fender apron)-1/4"-14 x .53" hex. head	3	55981-S2(U254E)
68	A, F		3	
72	S		2	
70	S	Screw & washer (att. reservoir to radiator support)	3	381797-S2(UU89J)
17A622	**WIRING ASSY. - WINDSHIELD WASHER SWITCH TO MOTOR**			
69/70	A	8" long-use C0TF 15A300-A-remove eyelet & spade terminals & add (1) each C7AZ 14A309-A connector, C8OZ 14461-A & C7AZ 14488-A terminals-also contains 7 1/2 amp. fuse B6AZ 14526-A	1	★
69/70	A	Pump feed 4" long	1	C9AZ 17A622-A
65	F	Use with 2 speed wiper-single wire 1 bullet terminal & 1 female terminal-cut from B6A 14296-C	1	★
65	F-with alternator	Use with single speed wiper-no fuse holder, 3 female terminals & 1 eyelet terminal-cut from B6A 14296-C	1	★
65/69	A	Clip (wiring to dash panel)	1	372866-S100(GG89)
17A625	**SWITCH - WINDSHIELD WASHER CONTROL** - Also refer to Group 17470 & 17A553			
65/66	A	Marked C5AB 17A625-A	1	C5AZ 17A625-A (SW-748)
68	A	Marked C8AB 17A625-A	1	C8AZ 17A625-A (SW-835)
66/67	B	Marked C6OB 17A625-A - Also included in 17A603-Kit	1	C6OZ 17A625-A (SW-749)
65/67	S		1	C4SZ 17A625-A (SW-747)
67/69	U-with vacuum wipers		1	C7TZ 17A625-A
69/	U-with electric wipers	Refer to Group 17A553		
66/67	X	Marked C6DB 17A625-A	1	C6DZ 17A625-A (SW-776)
68	A	Screw (washer switch to instrument panel)-No. 8-32 x 1/2" fillister head	1	31061-S8(U50)
68	A	Washer (washer switch to instrument panel)-No. 8-3/8" lock	1	34938-S8(X85)
66	A, B, X	Screw (washer switch to wiper switch)-No. 6-32 x 3/8"	2	378368-S (UU74M)
65/67	S	Clip (switch to control)	1	378366-S2 (GG232E)
17626-7	**PANEL - FRONT VALANCE** - Also refer to Group 17A939			
	- B -			
70/71	B		1	D0OZ 17626-A
72	B(53B, 65B, 71B)		1	D2OZ 17626-A
72	B(53D, 63, 65D, R, 71D, K, 97)		1	D2OZ 17626-B
	- F -			
69	F (except Shelby GT 350/500)	Not used with F60-15 tires	1	C9ZZ 17626-C
69	F(except Shelby GT 350/500)	Used with F60-15 tires	1	C9ZZ 17626-E
69/70	F(Shelby GT 350/500)	Fiberglass	1	C9ZZ 17626-D
70	F(except Shelby GT350/500)		1	D0ZZ 17626-A
71	F "Before 6/14/71"	r/b D1ZZ 17626-B (11-73)	1	★D1ZZ 17626-A
71/	F "From 6/14/71"		1	D1ZZ 17626-B
	- L -			
71/	L		1	D1FZ 17626-A


YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17626-7 PANEL - FRONT VALANCE - continued - Also refer to Group 17A939			
	- P -			
70/	P		1	D0DZ 17626-A
	- S -			
66	S	R. H.	1	C6SZ 17626-A
		Center-Refer to Group 17A939		
		L. H.	1	C6SZ 17627-A
70/71	S	Chrome	1	D1SZ 17626-A
66	S	Screw (panel to valance support)-No.14-10 x 1/2"	2	31497-S2(U254)
		Screw & washer assy. (panel to valance support)-5/16"-18 x 3/4"	2	20347-S8(B156)
		Screw & washer assy. (panel to valance bracket)	2	
		Bolt (panel to fenders)-5/16"-18 x 1.00"	6	20386-S2(B53)
		Nut-retainer (panel to fender)-5/16"-18	6	370328-S2(MM188)
		Nut-retainer (panel to valance bracket)-5/16"-18	2	
		Nut-retainer (panel to valance support)-5/16"-18	2	
		Nut (panel to valance support)-No. 14-10	2	★351087-S2
70/	S	Bolt (att. front valance panel)	6	23378-S8(B3)
70/	P	Nut (attach front valence to front fender)	6	★45263-S2
70/71	B	(Attach valance)	4	
70	P	(Valance to support)	2	
70/	P	Screw (valance panel to support)	2	★57030-S2
70	B	(Attach valance)	4	
70/	P	Screw & washer (valance panel to fender)-1/4"-20 x 15/32"	6	57032-S2(B340)
70/71	S	Nut & washer (att. front valance panel)	6	376838-S2 (MM296AF)
70/71	S	Nut & retainer (att. valance panel at front bumper)	6	★378895-S36
	17632 COVER - WINDSHIELD WASHER RESERVOIR			
65	A,B,F,S,X	Used with reservoirs that contain spout at bottom	1	B8S 17632-A
66/67	U		1	
65/67	A, B, X	Used w/C1RZ 17A603-A	1	C2RZ 17632-A
67/68	A, B, F, X	Used with blow-moulded plastic reservoir	1	C7AZ 17632-A
68/70	S		1	
69/	A		1	C9AZ 17632-A
71/	A(71)-with backlite washer/wiper		1	D1AZ 17632-A
69/71	B		1	C9OZ 17632-A
70/	P		1	
69/70	X		1	
72	B		1	D2OZ 17632-A
69/70	F		1	
71/	L		1	D1SZ 17632-A
71	S		1	
71/	F, U		1	D1TZ 17632-A
72	S		1	D2LY 17632-A
	17634 SEAL - WINDSHIELD WASHER NOZZLE			
72	U		2	C1UZ 17634-A
	17651 BRACKET - WINDSHIELD WASHER RESERVOIR MOUNTING			
	- A -			
66/67	A "From 10/16/65"	Not required on units built from 3/1/67	1	C5AZ 17651-B
71/	A(71)-with backlite washer/wiper		1	D3AZ 17651-A
	- B -			
65/66	B "Before 10/16/65"		1	C4AZ 17651-A
	- F -			
65/66	F "Before 10/16/65"		1	C4AZ 17651-A
	- S -			
65/66	S		1	C1VB 17651-A
	- U -			
66/70	U		1	C4AZ 17651-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN


YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17651 BRACKET - WINDSHIELD WASHER RESERVOIR MOUNTING - continued			
	- X -			
65/66	X "Before 10/16/65"		1	C4AZ 17651-A
65	A, S	Screw (bracket to fender apron)-No.10-12 x 1/2"	2	42127-S8 (U248C)
66	A	Bolt (bracket to fender)-No. 10-24 x 3/8"	2	374469-S2 (BB704X)
		Nut (bracket to fender)-No. 10-24	2	375964-S7 (MM115E)
65/67	B, F, X	Screw (bracket to fender apron)-No.10-12 x 5/8"	2	42134-S8 (U249)
67	F	Screw (bracket to L. H. front fender apron)-No. 8-18 x 3/4" self tap pan head	2	376389-S101 (UU82D)
67	S	Bolt (bracket to radiator support)-No. 10-24 x .38"-round hd.	2	374469-S2 (BB704X)
	17652 HOSE - REAR WINDOW WASHER			
71/	A(71)-with backlite washer/wiper	Moulded hose	1	D1AZ 17652-A
	17664 PUMP - WINDSHIELD WASHER			
	- A -			
65	A "Before 1/31/65"		1	C1AZ 17664-C
65/68	A "From 1/31/65"	Marked C5AF 17664-A	1	C5AZ 17664-A
65/67	A	Used w/C1RZ 17A603-A	1	C8TZ 17664-A
69/	A	Kit	1	C9AZ 17664-A
	Consists of (1) C9AF 17B616-A Motor	(1) 383163-S36 Retainer	(1) Instruction sheet	
71/	A(71)-with backlite washer/wiper		1	C8SZ 17664-A
	- B -			
65	B-with single speed motor	Wires at side-4 single connectors	1	C4DZ 17664-A
65	B-with 2 speed motor	Wires at side-2 multiple connectors	1	C4DZ 17664-B
65/67	B	Used with C1RZ 17A603-A	1	C8TZ 17664-A
66/68	B	Marked C5AF 17664-A	1	C5AZ 17664-A
69/	B	Kit	1	C9AZ 17664-A
	Consists of (1) C9AF 17B616-A Motor	(1) 383163-S36 Retainer	(1) Instruction sheet	
	- F -			
65/66	F-1 speed motor		1	C1AZ 17664-C
65	F-2 speed motor		1	
66	F-2 speed motor	Marked C5AF 17664-A	1	C5AZ 17664-A
67/68	F	Marked C7ZB 17664-A foot-operated electric wiper actuating	1	C7ZZ 17664-A
69/	F	Kit	1	C9AZ 17664-A
	Consists of (1) C9AF 17B616-A Motor	(1) 383163-S36 Retainer	(1) Instruction sheet	
	- L -			
71/	L	Kit	1	C9AZ 17664-A
	Consists of (1) C9AF 17B616-A Motor	(1) 383163-S36 Retainer	(1) Instruction sheet	
	- P -			
70/	P	Kit	1	C9AZ 17664-A
	Consists of (1) C9AF 17B616-A Motor	(1) 383163-S36 Retainer	(1) Instruction sheet	
	- S -			
65/67	S		1	C1AZ 17664-C
68/70	S		1	C8SZ 17664-A
71/	S	Kit	1	C9AZ 17664-A
	Consists of (1) C9AF 17B616-A Motor	(1) 383163-S36 Retainer	(1) Instruction sheet	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17664 PUMP - WINDSHIELD WASHER - continued			
	- U -			
66/67	U		1	C1AZ 17664-C
68/70	U		1	C8UZ 17664-A
71/	U	Kit	1	C9AZ 17664-A
	Consists of (1) C9AF 17B616-A Motor	(1) 383163-S36 Retainer	(1) Instruction sheet	
	- X -			
65	X-with single speed motor	Wires at side-4 single connectors	1	C4DZ 17664-A
65	X-with 2 speed motor	Wires at side-2 multiple connectors	1	C4DZ 17664-B
65/67	X	Used with C1RZ 17A603-A	1	C8TZ 17664-A
66/68	X	Marked C5AF 17664-A	1	C5AZ 17664-A
69/70	X	Kit	1	C9AZ 17664-A
	Consists of (1) C9AF 17B616-A Motor	(1) 383163-S36 Retainer	(1) Instruction sheet	
65	A	Screw (pump to dash panel)-No. 10-12 x 7/8"	3	★32944-S7
66/68 66/70	A, B, F X	Screw (control to apron)-No. 10-16 x 7/8"	2 2	42120-S2(U248)
65	B, X	Screw (pump to dash panel)-No. 10-12 x 5/8"	3	42134-S8(U249)
68	F	Screw (pump windshield washer to dash panel)-No. 10-12 x 3/4" self tap	4	42141-S8(U250)
65	A	Flatwasher (pump to dash panel)-No. 10-1/2"	3	44713-S3(X13)
65	S	Screw (pump to apron)-No. 10-12 x 5/8"	3	★375408-S8
66	S	Screw (control to fender)-No. 10-12 x 5/8"	2	★376638-S8
	17665-6 NOZZLE - WINDSHIELD WASHER - Also refer to Group 17603 and Accessories Section			
67	S "Before 4/7/67"		2	C9VY 17665-A
67	S "From 4/7/67"	Refer to Group 17603		
66/	U		2	B5S 17666-A
66/	U	Nut (jet to hood panel)-5/16"-18	2	33922-S2(M27)
	17668 BRACE - REAR BUMPER TO CROSS MEMBER			
72	S		2	D2SZ 17668-A
	17A669 CONTACT ASSY. - WINDSHIELD WASHER PUMP SWITCH			
65/68 66/67 66	A-with 2 speed motor B, X F	Use w/pump marked C5AF 17664-A	1 1 1	C5AZ 17A669-A
	17B675 PLATE - REAR VIEW OUTSIDE MIRROR HOUSING			
69 71/ 70	A, F F(63D, 76D) P	Plate-use with L.H. remote control mirror	1 1 1	C9AZ 17B675-A
68/69	B(63, 65, 66, 76)		1	C8OZ 17B675-C
	17B676 REMOTE CONTROL - REAR VIEW OUTSIDE MIRROR			
65/66 65	A, S B, X-rectangular mirror		1 1	C5SZ 17B676-B
65/66 66	A, B, F, X S	Used with L.H. remote control round mirror	1 1	C4OZ 17B676-B
	17A679 MIRROR - VANITY			
68/	All		1	C6AZ 17A679-A
72	A, S	Ginger-r/b D0VY 17A679-G (5-75)	1	★D0VY 17A679-A
		Tobacco	1	D0VY 17A679-D
		White-r/b D0VY 17A679-G (5-75)	1	★D0VY 17A679-F
		Black	1	D0VY 17A679-G
		Red-r/b D0VY 17A679-G (5-75)	1	★D0VY 17A679-H
		Blue-r/b D0VY 17A679-G (5-75)	1	★D0VY 17A679-J
		Green-r/b D0VY 17A679-G (3-74)	1	★D0VY 17A679-K
	17B680 SPACER - REAR VIEW INSIDE MIRROR BRACKET			
65/67 67	A(54, 62, 71) B(54, 62, 66, 71), F, X	Nylon-27/64" O.D.	1 1	C5AZ 17B680-A


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN




TYPE 1




TYPE 2




TYPE 3




TYPE 4




TYPE 5




TYPE 6




TYPE 7




TYPE 8




TYPE 9




TYPE 10



TYPE 11



TYPE 12



TYPE 13

P-4914

17682 MIRROR ASSY. - REAR VIEW OUTSIDE - IDENTIFICATION CHART

ENGINEERING NUMBER	SERVICE NUMBER
C3RA 17682-A	★C5ZZ 17682-B
C3RA 17682-D	B5AZ 17696-A
C3RA 17682-C	★C5ZZ 17696-B
C4AA 17682-A	★C4AZ 17696-C
C4RA 17682-A	★C5ZZ 17682-B
C4SB 17682-C	C5SZ 17682-D
C4SB 17682-D	C5SZ 17682-D
C4SB 17682-F	C5SZ 17682-D
C4SB 17682-G	C5SZ 17682-D
C5AA 17682-A	C5AZ 17696-A
C5AA 17682-B	C5AZ 17696-C
C5AA 17682-C	C5AZ 17696-D
C5AA 17682-D	★C5AZ 17696-E
C5AB 17682-A	C5AZ 17682-C
C5AB 17682-C	C5AZ 17696-F
C5AB 17682-D	C5AZ 17682-C
C5AB 17682-E	C5AZ 17682-C
C5AB 17682-F	C5AZ 17696-F
C5DB 17682-B	C5DZ 17682-B
C5DB 17682-C	C1SZ 17696-B
C5OB 17682-A	C5OZ 17682-A
C5OB 17682-B	C5OZ 17682-A
C5OB 17682-C	C5AZ 17696-F
C5RA 17682-A	C5ZZ 17682-B
C5SB 17682-A	C5SZ 17682-D
C5SB 17682-B	C5SZ 17682-D
C5ZB 17682-A	★C5ZZ 17682-B
C6AB 17682-A	C5AZ 17682-C
C6OB 17682-A	★C5ZZ 17682-B
C6SB 17682-A	C5SZ 17682-D
C6SB 17682-B	C5SZ 17682-D
C7AB 17682-A	C8AZ 17696-B
C7AB 17682-B	C8AZ 17696-B
C7AB 17682-C	C8AZ 17696-B
C7AB 17682-D	C8AZ 17696-A
C7AB 17682-E	C8AZ 17696-A
C8AB 17682-B	C8AZ 17696-B
C8AB 17682-C	C8AZ 17696-A
C8DB 17682-A	C8AZ 17696-A
C8GB 17682-A	C8AZ 17696-A
C8GB 17682-B	C8AZ 17696-A
C8GB 17682-C	C8AZ 17696-A
C8GB 17682-D	C8AZ 17696-A
C8TB 17682-N	C8TZ 17696-B
C8TB 17682-U	C8TZ 17696-B
C8TB 17682-Y	C8TZ 17696-B
C8TB 17682-A	C8TZ 17682-A
C8TB 17682-AB	C8TZ 17696-B
C9AJ 17682-A	C9AZ 17696-A
C9OB 17682-AW	C9OZ 17682-A
C9OB 17682-BW	C9OZ 17682-A
C9ZB 17682-AW	C9ZZ 17682-A
C9ZB 17682-BW	C9ZZ 17682-A
D0DB 17682-AW	D0DZ 17682-D
D0OB 17682-AW	D0OZ 17682-D
D1AJ 17682-AA	D1AZ 17696-B
D1OB 17682-AW	D1OZ 17682-B
D1ZB 17682-AW	D1ZZ 17682-B
D2OB 17682-AW	D2OZ 17682-D
D2OJ 17682-BA	D2OZ 17682-D
D22B 17682-AW	D2FZ 17682-A
C7AB 17683-A	C8AZ 17682-B
C7AB 17683-B	C7AZ 17696-E
C7AB 17683-D	C7AZ 17696-E
C7AB 17683-G	C7AZ 17696-E
C7AB 17683-H	C7AZ 17696-E
C7AB 17683-J	C7AZ 17696-E
C7OB 17683-B	C7AZ 17696-E
C7SB 17683-A	C8SZ 17682-B
C7SB 17683-B	C8SZ 17682-B

ENGINEERING NUMBER	SERVICE NUMBER
C7SB 17683-C	C8SZ 17682-B
C7SB 17683-E	C8SZ 17682-B
C7SB 17683-F	C8SZ 17682-B
C7TB 17683-U	C8AZ 17682-B
C7TB 17683-AB	C8AZ 17682-B
C8AB 17683-A	C8MY 17696-B
C8AB 17683-B	C8AZ 17682-B
C8AB 17683-C	C8MY 17696-B
C8AB 17683-D	C8AZ 17682-D
C8AB 17683-D	C8MY 17696-B
C8AB 17683-E	C8MY 17696-B
C8DB 17683-A	C8DZ 17682-A
C8DB 17683-B	C8MY 17696-B
C8DB 17683-C	C8MY 17696-B
C8DB 17683-D	C8MY 17696-B
C8OB 17683-A	C8MY 17696-B
C8OB 17683-B	C8OZ 17696-A
C8OB 17683-C	C8OZ 17696-A
C8OB 17683-D	C8OZ 17696-A
C8OB 17683-G	C8OZ 17682-C
C8OB 17683-H	C8OZ 17696-A
C8SB 17683-A	C8SZ 17682-B
C8SB 17683-B	C8SZ 17682-B
C8SB 17683-C	C8SZ 17682-B
C8TB 17683-A	C8TZ 17682-D
C8TB 17683-AB	C8TZ 17696-A
C8TB 17683-N	C8TZ 17696-A
C8TB 17683-U	C8TZ 17696-A
C8TB 17683-Y	C8TZ 17696-A
C8ZB 17683-A	C8MY 17696-B
C8ZB 17683-B	C8MY 17696-B
C8ZB 17683-C	C8MY 17696-B
C8ZB 17683-D	C8MY 17696-B
C9AB 17683-C	C9AZ 17682-A
C9AB 17683-D	C9AZ 17682-B
C9AB 17683-F	C9AZ 17682-B
C9OB 17683-AW	C9OZ 17682-C
C9OB 17683-CW	C9OZ 17682-C
C9TB 17683-A	C9TZ 17682-A
C9TB 17683-B	C9TZ 17682-A
C9TB 17683-C	C9TZ 17682-A
C9ZB 17683-A	C9ZZ 17682-D
C9ZB 17683-CW	C9ZZ 17682-C
C9ZB 17683-D	C9ZZ 17682-B
C9ZB 17683-EW	C9ZZ 17682-C
C9ZB 17683-F	C9ZZ 17682-B
C9ZB 17683-GW	C9ZZ 17682-E
D0AB 17683-B	D0AZ 17682-A
D0AB 17683-CW	D0AZ 17682-B
D0DB 17683-A	D0DZ 17682-A
D0DB 17683-B	D0DZ 17682-B
D0DB 17683-CW	D0DZ 17682-C
D0DB 17683-D	D0DZ 17682-B
D0DB 17683-EW	D0DZ 17682-C
D0OB 17683-E	D0OZ 17683-B
D0OB 17683-F	D0OZ 17683-A
D0OB 17683-GW	D0OZ 17682-C
D0ZB 17683-BW	D0ZZ 17682-B
D0ZB 17683-C	D0ZZ 17682-A
D1AB 17683-AA	D2AZ 17696-A
D1AB 17683-AB	D2AZ 17696-A
D1DB 17683-AW	D1DZ 17682-A
D1OB 17683-AA	D1OZ 17682-A
D1OB 17683-AB	D1OZ 17682-A
D1OB 17683-BA	D0OZ 17682-B
D1SB 17683-AA	D1SZ 17682-A
D1SB 17683-AB	D1SZ 17682-A
D1WB 17683-BW	D1WY 17682-A
D1ZB 17683-AA	D1ZZ 17682-A
D1ZB 17683-BW	D1ZZ 17682-C

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

17682 MIRROR ASSY. - REAR VIEW OUTSIDE IDENTIFICATION CHART - continued

ENGINEERING NUMBER	SERVICE NUMBER
D12B 17683-AA	D1FZ 17682-A
D12B 17683-CW	D1FZ 17696-A
D2DB 17683-AW	D1DZ 17682-A
D2OB 17683-AB	D2OZ 17682-A
D2OB 17683-BA	D2OZ 17682-B
D2OB 17683-CW	D2OZ 17682-C

ENGINEERING NUMBER	SERVICE NUMBER
D2OJ 17683-AA	D2OZ 17682-C
D2SB 17683-AA	D2SZ 17682-A
D2SB 17683-AB	D2SZ 17682-A
D2WB 17683-AW	D1WY 17682-A
D2ZB 17683-AW	D1ZZ 17682-C

YEAR	MODEL	*TYPE	DESCRIPTION	QTY.	PART NUMBER
17682 MIRROR ASSY. - REAR VIEW OUTSIDE - INCLUDES GASKET					
	- A -				
65	A	1	Conical shaped-Kit-r/b not replaced (5-75)	1	★B5AZ 17696-A
65/66	A	2	Universal type-round head-Kit	1	C1SZ 17696-B
65	A	4	Round-Kit	1	C2OZ 17696-A
65/66	A	5	Rectangular head	1or2	C5AZ 17696-F
	Consists of				
	1-C5AB 17682-C Mirror assy.	2-376370-S100	Screw-No. 10-16 x .75"	1-Installation sketch	
	1-C5AB 17724-B Gasket	2-379830-S	Nut		
66	A	6	L.H.-Universal type-round head-Kit	1	C3RZ 17696-A
65/66	A	7	R.H.-manual rectangular head-companion mirror for L.H. rectangular remote mirror	1	C5AZ 17696-C
	Consists of				
	1-C5AA 17682-B Mirror assy.	1-C5AA 17724-B	Gasket	2-379830-S	Nut
	1-C5AA 17A717-A Plate	2-52743-S7	Screw-No. 10-12 x 3/4"	1-Installation sketch	
65/66	A		L.H.-remote-rectangular	1	C5AZ 17682-C
65/66	A		L.H.-remote control-round head	1	C5ZZ 17682-B
67	A	5	L.H.-door mounted-remote control	1	C7AZ 17696-E
	Consists of				
	1-C7AB 17683-J Mirror assy.		1-C7SZ 17B732-A	Nut (remote control knob)	
	1-C7AZ 17724-A Gasket (Ford)		1-C7SZ 17B733-A	Plate (remote control)	
	1-C7OZ 17724-A Gasket (Fairlane-Falcon)		2-376370-S100	Screw	
			2-376309-S	Insert-nut	
67/68	A	5	R.H.-rectangular head-companion to L.H. remote control mirror	1	C8AZ 17696-A
	Consists of				
	1-C8AB 17682-C Mirror assy.	1-C7OZ 17724-A	Gasket(Fairlane)	2-376370-S100	Screw
	1-C7AZ 17724-A Gasket(Ford)	2-C9AJ 17C700-A	Retainer	1-Installation sketch	
		1-C7ZZ 17724-B	Gasket(Mustang)		
67/68	A	5	R.H.-rectangular head-companion to L.H. manual mirror-r/b D4AZ 17696-A (5-75)	1	★C8AZ 17696-B
	Consists of				
	1-C8AB 17682-B Mirror assy.	1-C8OZ 17724-A	Gasket(Fairlane)	1-Installation sketch	
	1-C7AZ 17724-A Gasket(Ford)	2-376370-S100	Screw-No. 10-12 x .75"		
	1-C7OZ 17724-A Gasket(Falcon)	2-379830-S	Nut		
68	A		L.H.-remote control-rectangular head	1	C8AZ 17682-D
67/	A		L.H.-manual mirror-rectangular head-r/b D4AZ 17696-A (5-75)	1	★C8AZ 17682-B
69	A(57,63,65,76)		L.H.-remote control-rectangular head	1	C9AZ 17682-A
69/70	A(54,62,71)	5	L.H.-rectangular remote control	1	C9AZ 17696-B
	Consists of				
	1-C9AZ 17682-B Mirror assy.	1-C8SZ 17B733-C	Plate	1-Installation sketch	
	1-C7SZ 17B732-B Nut	2-382879-S45	Screw-No. 10-24 x 1.00"		
69	A(57,63,65,76)	5	L.H.-rectangular remote control	1	C9AZ 17696-C
	Consists of				
	1-C9AZ 17682-A Mirror assy.	1-C9AZ 17530-A	Bezel assy.	1-382031-S100	Clip assy.
	1-C9AZ 17B675-A Plate	2-34653-S36	Nut & washer assy.	2-382879-S45	Screw-No. 10-24 x 1"
	1-C6GB 17B732-A Nut	1-57259-S2	Screw & washer assy.	1-Installation sketch	
69	A	9	R.H.-rectangular head-manual companion to L.H. manual mirror	1	C9AZ 17696-D
	Consists of				
	1-C8AB 17682-B Mirror assy.	1-C8OZ 17724-A	Gasket(Fairlane)	2-376370-S100	Screw
	1-C9AZ 17724-A Gasket(Ford)	1-C8OZ 17724-B	Gasket(Fairlane)	1-Installation sketch	
	1-C7OZ 17724-A Gasket(Falcon)	2-C9AJ 17C700-A	Retainer		

* For type refer to Illustration on Page 8

YEAR	MODEL	*TYPE	DESCRIPTION	QTY.	PART NUMBER
17682	**MIRROR ASSY.- REAR VIEW OUTSIDE - INCLUDES GASKET - continued**				
	- A -				
70/	A	9	R.H.-rectangular head-companion to L.H. manual mirror	1	D0AZ 17696-B
	Consists of				
	1-C8AB 17682-B Mirror assy.	2-382879-S45	Screw-No. 10-24 x 1.00"		
	1-C9AZ 17724-A Gasket	2-C9AZ 17C700-B	Retainer		
69/70	A(54, 62, 71)		L.H.-remote control-rectangular head	1	C9AZ 17682-B
70	A(57,63,65,76)		L.H.-remote control-rectangular head	1	D0AZ 17682-A
70	A(63, 65, 76)		R.H.-manual "racing type head"-in prime	1	C9OZ 17682-A
70	A(63, 65, 76)		L.H.-remote control-racing type head-in prime	1	D0AZ 17682-B
70	A(57,63,65,76)	5	L.H.-rectangular head-remote control	1	D0AZ 17696-A
	Consists of				
	1-D0AZ 17682-A Mirror assy.	1-C9AZ 17B721-C	Retainer	1-57259-S2	Screw & washer assy.-No. 8-32 x 3/4"
	1-C8SZ 17B733-C Plate	2-382879-S45	Screw-No. 10-24 x 1"		
	1-C7SZ 17B732-B Nut	1-382031-S100	Clip assy.	1-Installation sketch	
71/	A	5	L.H.-remote control -rectangular head	1	D2AZ 17696-A
	Consists of				
	1-D1AB 17683-AA Mirror assy.	1-C8SZ 17B733-C	Plate	1-382031-S100	Clip
	1-C9AZ 17B721-C Retainer	1-55907-S2	Screw	2-382879-S45	Screw
	1-C7AZ 17724-A Gasket	1-57259-S2	Screw & washer	1-Installation sketch	
	1-C7SZ 17B732-B Nut				
71/	A	5	R.H.-manual-companion to L.H. remote control-rectangular head-Kit	1	D1AZ 17696-B
67/	A	12	Trailer towing mirror-R.H. or L.H. door mounted-Kit	AR	C7AZ 17696-D
65/	A	12	Trailer towing mirror-R.H. or L.H. fender mounted-Kit	AR	D3AZ 17696-B
68/	A		Kit-R.H. or L.H. manual rectangular head	AR	D4AZ 17696-A
	- B -				
65	B	1	Conical shaped-Kit-not replaced (5-75)	1	★B5AZ 17696-A
65/66	B	2	Universal type-round head-Kit	1	C1SZ 17696-B
65	B	4	Round head-Kit	1	C2OZ 17696-A
65/66	B	5	Rectangular head-Details listed under Model Code "A"-Kit	1	C5AZ 17696-F
65/66	B		L.H.-remote control-round head	1	C5ZZ 17682-B
66	B	6	L.H.-universal type-round head-Kit	1	C3RZ 17696-A
67	B	5	L.H.-door mounted-remote control (See Details listed under Model Code "A")-Kit	1	C7AZ 17696-E
67/68	B	5	R.H.-rectangular head-companion to L.H. manual mirror (See Details listed under Model Code "A")-Kit-r/b D4AZ 17696-B(5-75)	1	★C8AZ 17696-B
67/69	B	5	R.H.-rectangular head-companion to L.H. remote control mirror (See Details listed under Model Code "A")-Kit	1	C8AZ 17696-A
67/71	B		L.H.-manual mirror-rectangular head-r/b D4AZ 17696-B (5-75)	1	★C8AZ 17682-B
68/69	B(54,71)		L.H.-remote control-rectangular head	1	C8AZ 17682-D
68/69	B (except 54,71)		L.H.-remote control-rectangular head	1	C8OZ 17682-C
69	B	13	Dual racing mirrors-L.H. remote & R.H. manual-in prime	1	C9OZ 17696-A
	Consists of				
	1-C8OZ 17530-A Bezel		1-C8OZ 17B732-B Nut		
	1-C8OZ 17B675-C Plate		2-50803-S2 Screw & washer-No. 8-32 x .38"		
	1-C9OZ 17682-A R.H.-manual mirror		1-50809-S2 Screw & washer-No. 8-32 x .50"		
	1-C9OZ 17682-C L.H. remote control mirror assy.		3-376370-S100 Screw-No. 10-16 x .75"		
	1-C9OZ 17724-A R.H. gasket		1-382031-S100 Clip assy.		
	1-C9OZ 17724-B L.H. gasket		1-382879-S45 Screw-No. 10-24 x 1"		
	3-C9AJ 17C700-A Retainer		1-Installation sketch		
69	B(63,65,66,76)		R.H.-manual "Racing" type head-(in prime)	1	C9OZ 17682-A
69	B(63, 65, 66, 76)		L.H.-remote control-"Racing" type head-(in prime)	1	C9OZ 17682-C

* For type refer to Illustration on Page 8

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	*TYPE	DESCRIPTION	QTY.	PART NUMBER
	17682 MIRROR ASSY.- REAR VIEW OUTSIDE - INCLUDES GASKET - continued				
	- B -				
69/70	B	9	R.H.-rectangular head-manual companion to L.H.-manual (Details listed under Model Code "A")-Kit	1	C9AZ 17696-D
70 71	B B(exc. 63F,76F)	9	R.H.-rectangular-companion to L.H. manual mirror-(Details listed under Model Code "A")-Kit	1 1	D0AZ 17696-B
70	B(63,65,66,76)	13	Dual racing mirrors-L.H.-remote & R.H. manual-in prime	1	D0OZ 17696-C
	Consists of 1-D0OZ 17682-C L.H. remote control mirror 1-D0OZ 17682-D R.H. manual mirror 1-C9OZ 17724-A R.H. gasket 1-C9OZ 17724-B L.H. gasket 3-D0AJ 17C700-A Retainer 1-C7SZ 17B732-B Nut 1-C8SZ 17B733-C Plate 4-382879-S45 Screw No. 10-24 x 1" 1-382031-S100 Clip assy. 1-57259-S2 Screw-No. 8-32 x 3/4" 1-Installation sketch				
70	B(63,65,66,76)		L.H.-remote control-rectangular head	1	D0OZ 17682-A
70/71	B(54,57,62,71)		L.H.-remote control-rectangular head	1	D0OZ 17682-B
71	B(63C,H,65,66)		L.H.-remote control-rectangular head	1	D1OZ 17682-A
70/71	B(63,65,66,76)- "Before 9/1/70"		R.H.-manual-racing type head-in prime	1	D0OZ 17682-D
71	B(63,65,66,76) "From 9/1/70"		R.H.-manual-racing type head-in prime	1	D1OZ 17682-B
70	B(63,65,66,76)		L.H.-remote control-racing type head-in prime	1	D0OZ 17682-C
71	B(63,65,66,76)		L.H.-remote control-racing type head-in prime	1	D1WY 17682-A
70 71	B B(exc. 63F,76F)	5	R.H.-rectangular head-manual companion to L.H. remote control mirror (See Details listed under Model Code "A")-Kit	1 1	C9AZ 17696-A
70/71	B(54,57,62,71)	5	L.H.-rectangular head-remote control r/b details (5-75)	1	★D0OZ 17696-B
	Consists of 1-D0OZ 17682-B Mirror assy. 1-C7SZ 17B732-B Nut 2-382879-S45 Screw-No. 10-24 x 1" 1-C9AZ 17724-A Gasket 1-C8SZ 17B733-C Plate 1-Installation sketch				
71 70	B(63C,H,65,66) B(63,65,66,76)	5	L.H.-remote control-rectangular head	1 1	D1OZ 17696-A
	Consists of 1-D1OZ 17682-A Remote control mirror 1-C7SZ 17B732-B Nut 2-382879-S45 Screw-No. 10-24 x 1" 1-C7AZ 17724-A Gasket 1-C8SZ 17B733-C Gasket 1-Installation sketch				
71	B(57C,E,63C,65B,C,E)	13	Dual racing mirrors-L.H. remote & R.H. manual-in prime	1	D1OZ 17696-B
	Consists of 1-D0OZ 17682-D R.H.-manual mirror 1-D1WY 17724-A 1-Installation sketch 1-D1WY 17682-A L.H.-remote control mirror 1-C7SZ 17B732-B Nut 3-D0AJ 17C700-A Retainer 1-C8SZ 17B733-C Plate 1-C9OZ 17724-A R.H.-gasket 4-382879-S45 Screw-No. 10-24 x 1"				
72	B		R.H.-manual-racing type head (in prime)-incl. attaching parts	1	D2OZ 17682-D
72	B (exc. 97)		L.H.-manual mirror-rectangular head	1	D2OZ 17682-A
72	B		L.H.-remote control-rectangular head-r/b D2OZ 17696-B (5-75)	1	★D2OZ 17682-B
72	B		L.H.-remote control-racing type head (in prime)	1	D2OZ 17682-C
72	B	5	L.H.-remote control-rectangular head	1	D2OZ 17696-B
	Consists of 1-D2OZ 17682-B Remote control mirror 1-C8SZ 17B733-C Plate 2-382930-S Clip 1-D2OZ 17724-A Gasket 2-45334-S2 Nut & washer 1-Installation sketch 1-C7SZ 17B732-B Nut				
72	B(65,97D,K)	13	Dual racing mirrors-L.H. remote & R.H. manual-in prime	1	D2OZ 17696-A
	Consists of 1-D2OZ 17682-C L.H.-remote control mirror 1-D2OZ 17724-B L.H.-gasket 4-45334-S2 Nut 1-D2OZ 17724-C R.H.-gasket 2-382390-S Cup 1-D2OZ 17682-D R.H.-manual mirror 1-C7SZ 17B732-B Nut 1-Installation sketch 1-C8SZ 17B733-C Plate				

* For type refer to Illustration on Page 8

YEAR	MODEL	*TYPE	DESCRIPTION	QTY.	PART NUMBER
	17682 MIRROR ASSY. - REAR VIEW OUTSIDE - INCLUDES GASKET - continued				
	- B -				
67/	B	12	Trailer towing mirror-R.H. or L.H. door mounted	AR	C7AZ 17696-D
65/	B	12	Trailer towing mirror-R.H. or L.H. fender mounted	AR	D3AZ 17696-B
68/	B		Kit-R.H. or L.H.-manual rectangular head mirror	AR	D4AZ 17696-A
	- F -				
65	F	1	Conical shaped-not replaced (5-75)	1	★B5AZ 17696-A
65/66	F	2	Universal type-round head	1	C1SZ 17696-B
65	F	4	Round head	1	C2OZ 17696-A
65/66	F	5	Rectangular head	1	C5AZ 17696-F
65/66	F	6	L.H.-Universal type-round head-Kit-not replaced (5-75)	1	★C3RZ 17696-A
67/	F	12	Trailer towing mirror-R.H. or L.H. door mounted-Kit	AR	C7AZ 17696-D
65/	F	12	Trailer towing mirror R.H. or L.H. fender mounted-Kit	AR	D3AZ 17696-B
68/	F		Kit-R.H. or L.H.-manual rectangular head mirror	AR	D4AZ 17696-A
67/68	F		L.H.-manual mirror-rectangular head-r/b D4AZ 17696-B (5-75)	1	★C8AZ 17682-B
67	F	5	L.H.-door mounted-remote control (Details listed under Model Code "A")	1	C7AZ 17696-E
67/68	F	5	R.H.-rectangular head-companion to L.H. remote control mirror (Details listed under Model Code "A")	1	C8AZ 17696-A
68	F		L.H.-remote control-rectangular head	1	C8AZ 17682-D
69	F(63A,B,D,76)		L.H.-remote control-rectangular head	1	C9ZZ 17682-B
69	F(except 63C, 65E)		L.H.-manual-rectangular head	1	C9ZZ 17682-D
70	F(63A,65A,76A)			1	
69	F "Before 2/24/69"		L.H.-remote control-"Racing type head"-(in prime)	1	C9ZZ 17682-C
69	F "From 2/24/69"		L.H.-remote control-"Racing" type head-(in prime)	1	C9ZZ 17682-E
69/70	F		R.H.-manual-"Racing type head"-(in prime)	1	C9ZZ 17682-A
70	F	5	L.H.-rectangular-remote control	1	D0ZZ 17696-A

Consists of

1-D0ZZ 17682-A	Mirror assy.	1-C7SZ 17B732-B	Nut	1-57259-S2	Screw & washer-No. 8-32 x .75"
1-C9ZZ 17724-B	Gasket	2-382879-S45	Screw-No. 10-24 x 1"		
1-C8SZ 17B733-B	Plate	1-382031-S100	Clip assy.	1-382930-S	Clip-wiring
				1-Installation sketch	

70	F		L.H.-remote control-"Racing" type head-in prime	1	D0ZZ 17682-B
70	F		L.H.-remote control-rectangular head	1	D0ZZ 17682-A
71/	F		R.H.-manual-"Racing type head"-(in prime)	1	D1ZZ 17682-B
71/	F		L.H.-manual-rectangular head	1	D1ZZ 17682-A
71/	F		L.H.-remote control-"Racing type head"-(in prime)	1	D1ZZ 17682-C
71/	F	13	Dual racing mirrors-L.H. remote & R.H. manual-in prime-r/b details (5-75)	1	★D1ZZ 17696-B

Consists of

1-D1ZJ 17682-AA	R.H. manual mirror	1-C8SZ 17B733-C	Plate
1-D1ZJ 17683-AA	L.H. remote control mirror	4-382879-S45	Screw-No. 10-24 x 1"
3-D0AJ 17C700-A	Retainer	1-382930-S	Clip
2-D1ZZ 17724-B	Gasket	1-Installation sketch	
1-C7SZ 17B732-B	Nut		

	- L -				
71/	L	12	Trailer towing mirror-R.H. or L.H.-door mounted-Kit	AR	C7AZ 17696-D
71/	L	12	Trailer towing mirror R.H. or L.H. fender mounted-Kit	AR	D3AZ 17696-B

* For type refer to Illustration on Page 8

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	*TYPE	DESCRIPTION	QTY.	PART NUMBER
17682	MIRROR ASSY.- REAR VIEW OUTSIDE - INCLUDES GASKET - continued				
	- L -				
71/	L	13	L.H.-racing mirror-remote control-in prime	1	D1FZ 17696-A
	Consists of				
	1-D1FZ 17682-A L.H. remote control		1-C8SZ 17B733-C Plate		
	1-D0AJ 17C700-A Retainer		2-382879-S45 Screw-No. 10-24 x 1"		
	1-D1FZ 17724-A Gasket		1-382930-S Clip		
	1-C9TZ 17B732-A Nut		1-Installation sketch		
71/	L "Before 4/3/72"		L.H.-manual mirror	1	D1FZ 17682-A
72	L "From 4/3/72"		L.H.-manual mirror-rectangular head	1	D2FZ 17682-B
71/72	L "Before 7/3/72"		L.H.-remote control-"Racing " type-(in prime)	1	D1FZ 17696-A
72	L "From 7/3/72"		L.H.-remote control-"Racing"type-(in prime)	1	D2FZ 17682-C
72	L		R.H.-manual-"Racing"type-(in prime)	1	D2FZ 17682-A
	- P -				
70/	P		L.H.-manual mirror-rectangular head	1	D0DZ 17682-A
70/	P		R.H.-manual-"Racing" type head-(in prime)	1	D0DZ 17682-D
70	P		L.H.-remote control-rectangular head	1	D0DZ 17682-B
70/	P		L.H.-remote control-"Racing" type head-(in prime)	1	D1DZ 17682-A
70/	P	12	Trailer towing mirror-R.H. or L.H. door mounted-Kit	AR	C7AZ 17696-D
70/	P	12	Trailer towing mirror-R.H. or L.H.-fender mounted-Kit	AR	D3AZ 17696-B
70/	P	13	Dual racing mirrors-L.H. remote & R.H. manual-in prime	1	D1DZ 17696-B
	Consists of				
	1-D0DZ 17682-D R.H.-manual mirror		1-C9TZ 17B732-A Nut		
	1-D1DZ 17682-A L.H.-remote control mirror		1-C8SZ 17B733-C Plate		
	3-D0AJ 17C700-A Retainer		1-382879-S45 Screw-No. 10-24 x 1"		
	1-D0DZ 17724-C R.H.-gasket		1-Installation sketch		
	1-D0DZ 17724-B L.H.-gasket				
72	P	5	L.H.-rectangular head-remote control	1	D2DZ 17696-A
	Consists of				
	1-D2DB 17683-BA L.H.-remote control mirror		1-C8SZ 17B733-B Plate		
	1-D0DZ 17724-A Gasket		2-382879-S45 Screw		
	1-C9TZ 17B732-A Nut		1-Installation sketch		
72	P(54,62A)		L.H.- remote control-rectangular head	1	D2DZ 17682-A
	- S -				
65/66	S		L.H.-rectangular head-remote control	1	C5SZ 17682-D
65	S	1	Conical shaped-Kit-not replaced (5-75)	1	★B5AZ 17696-A
65	S	4	Round-Kit	1	C2OZ 17696-A
66	S	5	Rectangular head-Kit	1	C5AZ 17696-F
66	S	6	L.H.-universal type-round head-Kit-not replaced (5-75)	1	★C3RZ 17696-A
65/66	S	7	R.H.-door mtd.-companion mirror-Kit	1	C4SZ 17696-A
66	S		L.H.-remote control-round head	1	C5ZZ 17682-B
67/70	S		L.H.-remote control-retangular	1	C8SZ 17682-B
67/	S		R.H.-companion mirror-not available		★
71	S		L.H.-remote control	1	D1SZ 17682-A
72	S		L.H.-remote control-rectangular head	1	D2SZ 17682-A
72	S		L.H.-manual mirror-rectangular head-r/b D4AZ 17696-B (5-75)	1	★C8AZ 17682-B
67/	S	12	Trailer towing mirror-R.H. or L.H. door mounted-Kit	AR	C7AZ 17696-D
65/	S	12	Trailer towing mirror-R.H. or L.H. fender mounted-Kit	AR	D3AZ 17696-B
72	S		Kit-R.H. or L.H.-manual rectangular head mirror	AR	D4AZ 17696-A
	- U -				
67	U	5	R.H. manual mirror rectangular-matching to L.H.-manual-Kit	1	C8AZ 17696-B
67	U	5	R.H.-Rectangular head-manual-companion to L.H. C7AZ 17682-G-Kit	1	C7TZ 17696-F

* For type refer to Illustration on Page 8

YEAR	MODEL	*TYPE	DESCRIPTION	QTY.	PART NUMBER
	17682 MIRROR ASSY.- REAR VIEW OUTSIDE - INCLUDES GASKET - continued				
	- U -				
66	U	6	L.H.-universal type-round head-with doors-not replaced (5-75)	1	★C3RZ 17696-A
	Consists of				
	1-C8TB 17683-AB Mirror assy.	2-55593-S40	Screw & washer assy.	2-55613-S39	Screw & washer assy.
	1-C6TZ 16D122-B Reinforcement	2-376903-S36	Rivet	1-Installation sketch	
67/	U	11	R.H.-car type-Kit	1	C7TZ 17696-M
67/	U	12	Trailer towing mirror-R.H. or L.H. door mounted-Kit	AR	C7AZ 17696-D
66/	U	12	Trailer towing mirror-R.H. or L.H. fender mounted-Kit	AR	D3AZ 17696-B
66/69	U	12	L.H.-Rectangular head-fender mtd. & painted-Kit	1	C8TZ 17696-A
67	U		L.H.-manual-rectangular head-r/b D4AZ 17696-B (5-75)	1	★C8AZ 17682-B
68/	U		L.H.-door mounted-manual-rectangular head	1	C8TZ 17682-D
69/	U		L.H.-remote control-rectangular head	1	C9TZ 17682-A
	-X -				
65	X		L.H.-remote control-rectangular	1	C5DZ 17682-B
65	X	1	Conical shaped-Kit-not replaced (5-75)	1	★B5AZ 17696-A
65/66	X	2	Universal type-round head-Kit	1	C1SZ 17696-B
65	X	4	Round head-Kit	1	C2OZ 17696-A
65/66	X	5	Rectangular head-Kit	1	C5AZ 17696-F
66	X	6	L.H.-universal type-round head-Kit-not replaced (5-75)	1	★C3RZ 17696-A
65/66	X		L.H.-remote control-round	1	C5ZZ 17682-B
67	X	5	L.H.-door mounted-remote control-(Details listed under Model Code "A")-Kit	1	C7AZ 17696-E
67/70	X	5	R.H.-rectangular head-companion to L.H. manual mirror (Details listed under Model Code "A")-Kit	1	C8AZ 17696-B
67/70	X	5	R.H.-rectangular head-companion to L.H. remote control (Details listed under Model Code "A")-Kit	1	C8AZ 17696-A
67/70	X		L.H.-manual mirror-rectangular head-r/b D4AZ 17696-A (5-75)	1	★C8AZ 17682-B
68	X		L.H.-remote control-rectangular head	1	★C8DZ 17682-A r/b details (10-72)
68/70	X		L.H.-remote control-rectangular head	1	C8AZ 17682-D
69/70	X	9	R.H.-rectangular head-manual companion to L.H. manual (Details listed under Model Code "A")-Kit	1	C9AZ 17696-D
67/70	X	12	Trailer towing mirror-R.H. or L.H. door mounted-Kit	1or2	C7AZ 17696-D
65/70	X	12	Trailer towing mirror R.H. or L.H. fender mounted-Kit	AR	D3AZ 17696-B
68	B(63, 65, 66, 76)		Screw (outside mirror to door inner panel)-No. 8-32 x 1/2"	1	31061-S8(U50)
69/70	A		Screw & washer (attach mirror to L.H. door assy.)	1	31093-S7-8
70	B			1	(U-52)
67/69	S		Nut (mirror & gasket to door)-No. 10-24	2or	34053-S8(M156)
			Lockwasher-No. 10	2or4	34903-S8(X96)
65/66	A		Screw (mirror to door)-No. 10-12 x 3/4"	2	376370-S100 (UU56F)
67/69	A, B, F, X, U		Screw (mirror to door)-No. 10-24 x 1"	2or4	376770-S100 (BB602G)
67/69	A, B, F, X, U		Nut (mirror & gasket to door)-1/4"-20 round hd.	AR	376903-S40 (MM120-BF)
65/66	S		Set screw (mirror to mtg. plate)-No. 8-32 x 5/8"	AR	378213-S37(UU28E)
67/	A, B, F, X, U		Rivet-nut (mirror to door)-No. 10-24 x 17/32"	2or4	379556-S36
70	P			2	(MM120A)
65/66	S		Pin (mirror assy. to plate)-1/8" x 3/8"	1	★379954-S2

* For type refer to Illustration on Page 8

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	*TYPE	DESCRIPTION	QTY.	PART NUMBER
	17682 MIRROR ASSY. - REAR VIEW OUTSIDE - INCLUDES GASKET - continued				
67/69	A, B, F, X		Screw & washer assy. (outside mirror to arm) - No. 10-24 x .62" hex. washer head	1	★381875-S9
68	B(63, 65, 66, 76)		Clip assy. (attach mirror to inner door panel) -	1	382031-S100
70	P		No. 8-32	1	(GG280)
69/70	A		Clip (attach mirror to L. H. door assy.)	1	
70	B, F			1	
69/70	A		Screw (attach mirror to L. H. door assy.)	2	★382879-S45
70	B		(Attach mirror to R. H. or L. H. door assy.)	2	
70	F		Screw (attach mirror to R. H. or L. H. door assy.)	2	★382968-S45
	17690 ARM - REAR VIEW INSIDE MIRROR				
65	A, B, X		Includes (2) 382617-S7-8(BB 600CC) screw -	2	C2SZ 17690-F
66/67	A(57, 63, 76), B(63, 76)		8-32 x .38" oval head	2	
68/69	A, B, F, X			2	
68/69	U			2	
65/69	S			2	
67	F		Chrome-break-away mirror	1	C7ZZ 17690-B
	17696 MIRROR KIT - REAR VIEW OUTSIDE - Refer to Group 17682				
	17698 BRACKET - REAR VIEW INSIDE MIRROR				
65/69	All		Used to adapt mirrors requiring mounting arm (17690) to windshield with flat design mounting bracket	1	C9AZ 17698-B
65/67	A(54, 62, 71)		Kit-bracket & arm assy. - Chrome (break away)	1	C5AZ 17698-D
	Consists of 1-C7AB 17698-D Bracket		1-C7AB 17C715-F Bracket assy.		
65/67	A(57, 63, 76), B(65), X(63, 76)		Cement-on-type-ball type	1	C1SZ 17698-D
68/69	A, B, F			1	
65/69	S			1	
66/69	U			1	
68/70	X			1	
65	B(54, 62, 71)			1	C2DZ 17698-B
65	X(54, 62, 66)			1	
66	B(54, 62, 71), X		Screw on type	1	C6OZ 17698-A
67	B(54, 62, 66, 71), X		Kit-bracket & arm assy. - painted (break away)	1	C7OZ 17698-C
	Consists of 1-C7OB 17698-C Bracket		1-C7OB 17C715-B Bracket assy.		
65/66	F			1	C5ZZ 17698-A
67	F		Chrome-break-away mirror	1	C7ZZ 17698-C
70/	A, B, F, L, P, S, U		Flat type	1	C9AZ 17698-A
	17700 MIRROR ASSY. - REAR VIEW INSIDE				
	- A -				
65/66	A(57, 63, 76)		Day/nite mirror-cement-on type-less arm & bracket	1	C1SZ 17700-D
65/66	A(54, 62, 71)		Less bracket-chrome-header mounted	1	C5AZ 17700-A
67	A(54, 62, 71)		Day/nite mirror-2.42" x 10" long with flat arm for bolt mounted-black vinyl covered-paint to match	1	C7AZ 17700-F1A
67	A(54, 62, 71)		Less mounting arm-break-away type Blue	1	C7AZ 17700-F1B
67	A(57, 63, 76)		Day/nite mirror-2.45" x 10" long-	1	C7AZ 17700-G1A
68/69	A		1/2" dia. ball mounted-black vinyl covered less mounting arm-paint to match	1	
68	A		Less arm & bracket-cement-on-type Nugget	1	C8AZ 17700-E1Y
			Aqua	1	C7AZ 17700-E1K
70/71	A		Day/nite mirror-2.45" x 10" long- with undetachable mounting arm-black vinyl covered-paint to match	1	C9AZ 17700-AA
72	A		Day/nite mirror-2 1/2" x 12" long with undetachable mounting arm-black vinyl covered-paint to match	1	D0AZ 17700-A
	- B -				
65	B(65)		Day/nite mirror-cement-on-type-less arm & bracket	1	C1SZ 17700-D
66	B(63, 76)			1	
65	B(54, 62, 71)		Mirror head only-less arm & brkt.	1	C3AZ 17700-B

* For type refer to Illustration on Page 8

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17700 MIRROR ASSY. - REAR VIEW INSIDE - continued			
	- B -			
66	B(54,62,71)	Day/nite mirror-2 3/8" x 10" long- 1/4" flat across shank for set screw mtd. vinyl covered	1	C7OZ 17700-C
67	B(54,62,66,71)	Day/nite mirror-2.42" x 10" long- with flat arm for bolt mounted- black vinyl covered -paint to match	1	C7AZ 17700-F1A
67	B(54,62,66,71)	Less mounting arm-break-away type Blue	1	C7AZ 17700-F1B
67	B(63,76)	Day/nite mirror-2.45" x 10" long-	1	C7AZ 17700-G1A
68/69	B	1/2" dia.ball mounted-black vinyl covered less mounting arm - paint to match	1	
70/71	B	Day/nite mirror-2.45" x 10" long- with undetachable mounting arm- black vinyl covered-paint to match	1	C9AZ 17700-AA
72	B	Day/nite mirror - 2 1/2" x 12" long with undetachable mounting arm - black vinyl covered - paint to match	1	D0AZ 17700-A
	- F -			
65/66	F	Day/nite mirror-2.38" x 10" long-1/4" flat across shank for set screw mtd.vinyl covered	1	C7OZ 17700-C
67	F	Day/nite mirror-2.42" x 10" long- with flat arm for bolt mounted- black vinyl covered -paint to match	1	C7AZ 17700-F1A
67	F	Less mounting arm-break-away type Blue	1	C7AZ 17700-F1B
68/69	F	Day/nite mirror-2.45" x 10" long- 1/2" dia.ball mounted-black vinyl covered less mounting arm - paint to match	1	C7AZ 17700-G1A
68	F	Less mounting arm-cement-on-type Aqua	1	C7AZ 17700-E1K
70/71	F	Day/nite mirror-2.45 x 10" long- with undetachable mounting arm- black vinyl covered-paint to match	1	C9AZ 17700-AA
72	F	Day/nite mirror - 2 1/2" x 12" long with undetachable mounting arm-black vinyl covered-paint to match	1	D0AZ 17700-A
	-L -			
71/	L	Day/nite mirror-2.45" x 10" long-with undetachable mounting arm-black vinyl covered-paint to match	1	C9AZ 17700-AA
71/	L	Non-glare	1	D0DZ 17700-A
	- P -			
70	P	Non-day/nite mirror-2.45" x 10" long-with undetachable mounting arm-blue vinyl covered	1	C9UZ 17700-C
70/	P	Day/nite mirror-2.45" x 10" long- with undetachable mounting arm- black vinyl covered-paint to match	1	C9AZ 17700-AA
70/	P	Non-glare	1	D0DZ 17700-A
	- S -			
65/66	S	Day/nite mirror-cement-on-type-less arm & bracket	1	C1SZ 17700-D
67/69	S	Day/nite mirror-2.45" x 10" long- 1/2" dia.ball mounted-black vinyl covered less mounting arm - paint to match	1	C7AZ 17700-G1A
67/68	S	Less arm & bracket-cement-on-type Gold	1	C7AZ 17700-E1G
		Nugget	1	C8AZ17700-E1Y
70/71	S	Day/nite mirror-2.45" x 10" long- with undetachable mounting arm- black vinyl covered-paint to match	1	C9AZ 17700-AA
72	S	Day/nite mirror - 2 1/2" x 12" long with undetachable mounting arm - black vinyl covered - paint to match	1	D0AZ 17700-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17700 MIRROR ASSY. - REAR VIEW INSIDE - continued - Also refer to Accessories Section			
	- U -			
66/67	U	Day/nite mirror-cement-on-type- less arm & bracket	1	C1SZ 17700-D
68/69	U	Day/nite mirror-2.45" x 10" long-1/2" dia. ball mounted-black vinyl covered less mounting arm-paint to match	1	C7AZ 17700-G1A
68/69	U	Non-day/night-2.45" x 10" long-1/2" dia. ball mounted-black vinyl covered less mounting arm-paint to match	1	C9UZ 17700-A
70/	U	Day/nite mirror-2.45" x 10" long-with undetachable mounting arm-black vinyl covered-paint to match	1	C9AZ 17700-AA
	- X -			
65	X(except 63, 76)	Mirror head only-less arm & bracket	1	C3AZ 17700-B
66	X	Day/nite mirror-2 3/8" x 10" long-1/4" flat across shank for set screw mtd. vinyl covered	1	C7OZ 17700-C
65	X(63B, 76A)	Day/nite mirror-cement-on-type-less arm & bracket	1	C1SZ 17700-D
67	X	Day/nite mirror-2.42" x 10" long-with flat arm for bolt mounted-black vinyl covered-paint to match	1	C7AZ 17700-F1A
67	X	Less mounting arm-break-away type-Blue	1	C7AZ 17700-F1B
68/70	X	Day/nite mirror-2.45" x 10" long-1/2" dia. ball mounted-black vinyl covered less mounting arm-paint to match	1	C7AZ 17700-G1A
65	S	Screw (mirror & arm to bracket)-No. 8-32 x 3/8"	2	50387-S13(U120)
65/67	X(54,59,62,66,71,78)	Screw (mirror bracket to header)-No. 8-15 x 5/8	3	52377-S13(U305)
65/67	X(59, 71, 78)	Screw (mirror to bracket)-1/4"-28 x 1/2"	1	374560-S13
66	B(54, 62, 71), X	Screw-set (mirror to bracket)-No. 10-32 x 3/16"	1	374985-S8(UU33K)
65/66	F		1	
66	S, U	Screw (mirror to bracket)-No. 8-32 x 7/16"	2	328617-S7-8 (BB600CC)
65/67	A(54, 62, 71)	Screw (arm to bracket)-1/4"-20 x 1/2"	1	379479-S13
66/67	F	(mirror to bracket) for break away type	1	(BB600G)
66	A(57, 63, 76), B, F(63, 76)	Screw (mirror to bracket)-No. 8-32 x 3/8"	2	374986-S13 (BB600C)
	17C700 RETAINER - REAR VIEW OUTSIDE MIRROR			
69	F-with racing type mirrors		3	C9ZZ 17C700-A
68/69	F-exc. w/racing type mirrors	Stamped W-1024	2	C9AZ 17C700-B
68/70	A, B		2	
68/70	X		2	
	17A708 MIRROR and CABLE - REAR VIEW OUTSIDE - Also Included in Mirror Assembly-17682			
65	B	L.H.-remote control	1	C5DZ 17A708-A
	17A717 PLATE - REAR VIEW OUTSIDE MIRROR MOUNTING			
65/66	A	Also included in C5AZ 17696-B-marked C5AB 17A717-A	1	C5AZ 17A717-A
65/66	S	Marked C4SB 17A717-A, C, C6SB 17A717-A or C5SB 17A717-A	1	C4SZ 17A717-D
66	A	Screw (plate to door)-No. 10-12 x 3/4"	2	32938-S7(U345)
		Nut-insert (plate to door)-No. 8 or 10	2	376309-S(MM216N)
66	S	Screw (plate to door)-No. 10-24 x 3/4"	2	379598-S100 (BB637F)
		Nut-rim (plate to door)-No. 10-24 x 1/2"	2	379556-S36 (MM120A)
	17B718 KNOB - REAR VIEW OUTSIDE MIRROR REMOTE CONTROL			
65/66	A, S		1	C6GY 17B718-A
	17B719 NUT - REAR VIEW OUTSIDE MIRROR CONTROL KNOB - Also refer to Group 17B732			
65/66	A(door-mounted)		1	C3AZ 17B719-A
69	A(57, 63, 65, 76), F		1	C6GY 17B719-A
65	B, X		1	C2VY 17B719-A
	17A720 PAD - REAR VIEW INSIDE MIRROR TO WINDSHIELD			
65/	All	Refer to Group 19554 (Loctite bond adhesive #312) in paint section		

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17B721 RETAINER - REAR VIEW OUTSIDE MIRROR CABLE			
65	A,B,S,X		1	C2VY 17B721-A
66	A,S		1	
69/70	A(57,63,65,76)		1	C9AZ 17B721-C
71	A		1	
69/70	A(57,63,65,76)	Screw (attach retainer mirror cable to door)	1	52012-S8(U-202)
	17723 GLASS - REAR VIEW OUTSIDE MIRROR			
68	A,B,F,X	For remote control mirror (glass replacement)	1	C8AZ 17723-A
68/	A,B,F	R.H. & L.H. mirror (glass replacement)-	1	C8AZ 17723-B
68/70	X		1	
70/	P		1	
69/70	A,F	Glass replacement for remote control mirror	1	C9AZ 17723-A
71	B		1	
70/71	P		1	
71/	A	Glass replacement for remote control mirror	1	D1AZ 17723-A
72	B		1	
69/70	B	R.H.-racing type mirror glass replacement	1	C9WY 17723-A
69/70	F	R.H. & L.H.-racing type mirror glass	1	
70/	P	replacement	1	
69/	B	L.H.-racing type mirror-glass replacement	1	C9OZ 17723-A
71/	F,P		1	
71/	L	Glass replacement for remote control mirror	1	D1FZ 17723-A
68/70	S	Glass replacement for remote control mirror	1	C8SZ 17723-A
71/	S	Glass replacement for remote control mirror	1	D1SZ 17723-A
66/67	U	Use with C6TZ 17696-B	1	C6TZ 17723-B
68/69	U	Less arm - painted - 5" x 8" rectangular head	2	C8UZ 17723-A
	17724 GASKET - REAR VIEW OUTSIDE MIRROR - Also Included in Mirror Assembly			
	- A -			
65/66	A-with round remote control mirror	Polyethylene-flat gasket-improvise	1	★
65/66	A	Marked C5AB 17724-A	1	C5AZ 17724-A
67/70	A		1or2	D1AZ 17724-A
69/70	A	R.H. & L.H.-marked C9AB 17C701-A	1or2	C9AZ 17724-A
70	A(63,65,76)	L.H.-use with racing type mirror	1	D0AZ 17724-A
70	A(63,65,76)	R.H.-use with racing type mirror	1	D0AZ 17724-B
71/	A	L.H.-manual mirror	1	D1AZ 17724-A
	- B -			
65/66	B-with round remote control mirror	Polyethylene-improvise-flat gasket	1	★
67	B		1or2	C7OZ 17724-A
68/70	B(54,71)		1	C8OZ 17724-A
68/70	B(63,65,66,76)		1	C8OZ 17724-B
69/71	B(63,65,66,76) "Before 9/1/70"	R.H.-racing type mirror	1	C9OZ 17724-A
71	B(63,65,66,76) "From 9/1/70"	R.H.-racing type mirror	1	D1OZ 17724-B
69/70	B(63,65,66,76)	L.H.-racing type mirror	1	C9OZ 17724-B
71	B(63,65,66,76)	L.H.-racing type mirror	1	D1WY 17724-A
70	B	Used with remote control mirror	1	C9AZ 17724-A
71	B(54,57,63C,H,65,66,71)		1	C7AZ 17724-A
72	B(except racing mirrors)		1	D2OZ 17724-A
72	B(racing mirrors)	R.H.	1	D2OZ 17724-C
		L.H.	1	D2OZ 17724-B
	- F -			
65/66	F-with round remote control mirror	Polyethylene-flat gasket-improvise	1	★
67	F-with remote mirror		1	C7ZZ 17724-B
68/69	F		1	
69/70	F	R.H.-Use with Racing type mirror-improvise	1	★
69/70	F	L.H.-Use with Racing type mirror	1	C9ZZ 17724-C
69/70	F(except with Racing mirror)		1	C9ZZ 17724-B
71/	F(63D,65D,76D)	Used with manual mirror	1	D1ZZ 17724-A
71/	F	Used with Racing mirrors	2	D1ZZ 17724-B
	- L -			
71/	L		1	D1FZ 17724-A
	- P -			
70/	P-except racing type mirror	Marked D0DB 17C701-A	1	D0DZ 17724-A
70/	P-with racing type manual mirror	R.H.	1	D0DZ 17724-C
70/	P-with racing type remote control mirror	L.H.	1	D0DZ 17724-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	17724 GASKET - REAR VIEW OUTSIDE MIRROR - continued - Also included in Mirror Assembly				
	- S -				
65/66	S		Black plastic-marked C4SB 17724-C-3, 88" long	1	C4SZ 17724-B
66	S-with round remote control mirror		Polyethylene-flat gasket-improvise	1	★
68/70	S			1	C8SZ 17724-A
71	S			1	D1SZ 17724-A
72	S		L. H. -remote control	1	D2LZ 17724-A
	-U -				
67/	U		R. H. & L. H.	1or2	C7TZ 17724-A
69/	U		With remote control mirror	1	C9TZ 17724-B
	- X -				
65	X		Black plastic-marked C5OB 17724-D	1	C5OZ 17724-C
65/66	X-with round remote control mirror		Polyethylene-improvise-flat gasket	1	★
65/66	X-with round head remote control mirror			1	C5ZZ 17724-A
67/70	X			1or2	C7OZ 17724-A
	17B732 NUT - REAR VIEW OUTSIDE MIRROR REMOTE CONTROL - Also refer to Group 17B719				
67	B		Repl. by C7SZ 17B732-B (5-75)	1	★C7SZ 17B732-A
67/68	A, F, S, X	"Before 9/18/67"		1	
68	B(except 63, 65, 66, 76)	"Before 9/18/67"		1	
68/	A, S	"From 9/18/67"		1	C7SZ 17B732-B
68/69	B(except 63, 65, 66, 76)	"From 9/18/67"		1	
68/70	X	"From 9/18/67"		1	
68	F	"From 9/18/67"		1	
70/	B, F			1	
68/69	B(63, 65, 66, 76)			1	C8OZ 17B732-B
70/	P, U			1	C9TZ 17B732-A
70	F-racing mirror			1	
71/	F(63D, 65D, 76)			1	
71/	L			1	
65/66	S			1	C4SZ 17B732-A
	17B733 PLATE - REAR VIEW OUTSIDE MIRROR REMOTE CONTROL				
65/66	A		With door-mounted remote control mirror	1	C3AZ 17B733-B
67/69	A(except 54, 62, 71)			1	
69	A(54, 62, 71), S			1	C8SZ 17B733-C
70/	A, B, P, U			1	
71/	F			1	
71/	L			1	
67/69	B, F, X			1	C7SZ 17B733-A
67/68	S			1	
70	F			1	C8SZ 17B733-B
	17B742 SHEATH - CONTROL CABLE REAR VIEW OUTSIDE MIRROR				
65/	A		3/8" O.D. x 4.00" long	1	C4SZ 17B742-B
68/	B, F			1	
71/	L, P			1	
65/68	S			1	
68/70	X			1	
	17747 SUPPORT - FRONT BUMPER STONE DEFLECTOR				
70/71	B		R. H.-cut notch as required	1	D0OZ 17747-A
			L. H.	1	D0OZ 17747-B
72	B(53B, 65B, 71B)		R. H.	1	D2OZ 17747-A
			L. H.	1	D2OZ 17747-B
72	B(53D, 63, 65D, 71D, K, 97)		Center	1	D2OZ 17890-A
67/68	F		R. H.	1	C7ZZ 17747-A
			L. H.	1	C7ZZ 17747-B
			Center	1	C7ZZ 17890-A
69/70	F			2	C9ZZ 17747-A
70/	P			2	D0DZ 17747-A
66	S		R. H.	1	C6SZ 17747-A
			L. H.	1	C6SZ 17747-B
			Center	1	C6SZ 17890-A
66	S		Screw & washer assy. (support to center valance panel)-5/16"-18 x 3/4"	1	20347-S8(B156)
67/68	F		Screw (support to hood lock supports)-5/16"-18 x 1"	2	378178-S2 (BB412B)
66	S		Nut-retainer (support to center valance panel)-5/16"-18	1	379831-S2 (MM192M)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17747 SUPPORT - FRONT BUMPER STONE DEFLECTOR - continued			
70/	P	Nut (attach support to front bumper outer arm)-1/4"-20	2	★45263-S2
		(Attach support to front valence panel)	2	
70/71	B	Nut(att. support to stone deflector)-1/4"-20	4	376331-S36 (MM292B)
70/71	B	Screen(att. support to rad. extension)-1/4"-14 x 3/4"	6	55914-S2(U254F)
67/68	F	Screw (support to radiator support)-5/16"-18 x 1"	4	378178-S2 (BB412B)

17A750-1 BRACKET - REAR BUMPER INNER ARM MOUNTING - Refer to Group 17787-8

YEAR	MODEL	DESCRIPTION	QTY.	INNER	QTY.	OUTER
	17754-5 ARM - FRONT BUMPER					
	- A -					
65/66	A	R.H.	1	C5AZ 17766-A	1	C5AZ 17754-A
		L.H.	1	C5AZ 17767-A	1	C5AZ 17755-A
67	A(except Police & Taxi)	R.H.	1	C7AZ 17766-J	1	C7AZ 17754-C
		L.H.	1	C7AZ 17767-J	1	C7AZ 17755-C
67	A(Police & Taxi)	R.H.	1	C7AZ 17766-H	1	C7AZ 17754-C
		L.H.	1	C7AZ 17767-H	1	C7AZ 17755-C
68	A(except P/C & Taxi)	R.H.	1	C8AZ 17766-A	1	C8AZ 17754-A
		L.H.	1	C8AZ 17767-A	1	C8AZ 17755-A
68	A(P/C, Taxi)	R.H.	1	C8AZ 17766-B	1	C8AZ 17754-A
		L.H.	1	C8AZ 17767-B	1	C8AZ 17755-A
69/70	A	R.H.	1	C9AZ 17766-A		
		L.H.	1	C9AZ 17767-A		
71	A	R.H.			1	D1AZ 17754-A
		L.H.			1	D1AZ 17755-A
72	A	R.H.			1	D2AZ 17754-A
		L.H.			1	D2AZ 17755-A
	- B -					
65	B	R.H.	1	C5OZ 17766-A	1	C5OZ 17754-A
		L.H.	1	C5OZ 17767-A	1	C5OZ 17755-A
66/67	B	R.H.	1	C6OZ 17766-A	1	C6OZ 17754-B
		L.H.	1	C6OZ 17767-A	1	C6OZ 17755-B
68/69	B(exc. 63-Talladega)	R.H.	1	C8OZ 17766-B	1	C8OZ 17754-A
		L.H.	1	C8OZ 17767-B	1	C8OZ 17755-A
69	B(63-Talladega)	R.H.	1	C9OZ 17766-A	1	C9OZ 17754-A
		L.H.	1	C9OZ 17767-A	1	C9OZ 17755-A
70/71	B	R.H.	1	D0OZ 17766-A	1	D0OZ 17754-A
		L.H.	1	D0OZ 17767-A	1	D0OZ 17755-A
72	B(53B, 65B, 71B)	R.H.	1	D2OZ 17766-A		
		L.H.	1	D2OZ 17767-A		
72	B(53D, 63, 65D, R, 71D, K, 97)	R.H.	1	D2OZ 17766-B		
		L.H.	1	D2OZ 17767-B		
	- F -					
65/66	F	R.H.	1	C5ZZ 17766-A	1	C5ZZ 17A975-A
		L.H.	1	C5ZZ 17767-A	1	C5ZZ 17A976-A
67/68	F(except Shelby GT 350/500)	R.H.	1	C7ZZ 17766-A	1	C7ZZ 17754-A
		L.H.	1	C7ZZ 17767-A	1	C7ZZ 17755-A
67/68	F(Shelby GT 350/500)	R.H.-not repl.(5-75)	1	★S8MS 17A973-A	1	S8MS 17A975-A
		L.H.-not repl.(5-75)	1	★S8MS 17A974-A	1	S8MS 17A976-A
69/70	F(except Shelby GT 350/500)	R.H.	1	C9ZZ 17766-A	1	C9ZZ 17754-A
		L.H.	1	C9ZZ 17767-A	1	C9ZZ 17755-A
69/70	F(Shelby GT 350/500)	R.H.			1	C9ZZ 17754-B
		L.H.			1	C9ZZ 17755-B
71/	F	R.H.	1	D1ZZ 17766-A		
		L.H.	1	D1ZZ 17767-A		
	- L -					
71/	L	R.H.	1	D1FZ 17766-A	1	D1FZ 17754-A
		L.H.	1	D1FZ 17767-A	1	D1FZ 17755-A
	- P -					
70/	P	R.H.	1	D14Y 17766-A	1	D0DZ 17754-A
		L.H.	1	D14Y 17767-A	1	D0DZ 17755-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	INNER	QTY.	OUTER
	17754-5 ARM - FRONT BUMPER - continued					
	- S -					
65	S	R. H.	1	C4SZ 17766-A	1	C4SZ 17754-A
		L. H.	1	C4SZ 17767-A	1	C4SZ 17755-A
66	S "Before 9/16/65"	R. H.	1	C6SZ 17766-A	1	C6SZ 17754-A
		L. H.	1	C6SZ 17767-A	1	C6SZ 17755-A
66	S "From 9/16/65"	R. H.	1	C6SZ 17766-B	1	C6SZ 17754-A
		L. H.	1	C6SZ 17767-B	1	C6SZ 17755-A
67	S	R. H.	1	C7SZ 17766-A	1	C7SZ 17754-A
		L. H.	1	C7SZ 17767-A	1	C7SZ 17755-A
68/69	S	R. H.	1	C8SZ 17766-C	1	C8SZ 17754-A
		L. H.	1	C8SZ 17767-C	1	C8SZ 17755-A
70/71	S	R. H.	1	D0SZ 17766-A		
		L. H.	1	D0SZ 17767-A		
72	S	R. H.	1	D2SZ 17766-A		
		L. H.	1	D2SZ 17767-A		
	- X -					
65	X	R. H.	1	C4DZ 17766-B	1	C4DZ 17754-B
		L. H.	1	C4DZ 17767-B	1	C4DZ 17755-B
66/67	X	R. H.	1	C6DZ 17766-A	1	C6DZ 17754-A
		L. H.	1	C6DZ 17767-A	1	C6DZ 17755-A
68/70	X	R. H.	1	C8DZ 17766-A	1	C8DZ 17754-A
		L. H.	1	C8DZ 17767-A	1	C8DZ 17755-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
65	S	Bolt (arms to bumper)-7/16"-14 x 1 3/8"	4	20450-S(B106)
65	S	Bolt (inner arm to front end)-7/16"-14 x 2"	4	20524-S7(B111)
69/	A	Bolt (inner & outer arm to impact bar)-7/16"-14 x 1 1/2"	4	23472-S(B15)
65/66	A	Nut (inner and outer arms to impact bar)-7/16"-14	8	34396-S7-8(M95)
65/69	F	Nut-5/16"-18	2	33797-S7(M50)
66	S	Nut (inner & outer arms to impact bar)-1/2"-13	4	33845-S8(M57)
65/69	F	Nut (bracket to impact bar)-5/16"-18	2	34392-S7(M93)
66	S	Nut (outer arms to bumper ends)-7/16"-14	4	34670-S7(M54)
66	F	Washer-spring (arm to body)-7/16"	4	34808-S2(X67)
65/66	S	Lockwasher (outer arm to bumper end)-7/16"	4	
68/69	B	Washer (inner & outer arms to frame)-1/2"	4	34809-S8(X68)
65/66	A		2	
66	S		6	
65	S	Lockwasher-7/16"	4	34848-S8(X75)
70	B	Washer(att. outer arm to bumper)	2	34848-S8(X75)
68/69	B	Nut (attach inner or outer arm to impact bar)	4or6	★34948-S
70	B, S	Nut (att. inner arm to frame)	2	★34979-S4
69/	A	Nut (inner & outer arm to impact bar)-7/16"-14	8	34988-S4(M89D)
65/69	F	Washer-flat-5/16"	2	44725-S8 (X22)
65	S	Flatwasher-7/16"	AR	44730-S8(X26)
65/	A	Washer (inner & outer arm to impact bar)	8	44735-S8(X32)
66/69	B, X		6	
65	S	Screw (inner arm thru bumper to end brace)-3/8"-16 x 1 1/4"	2	50066-S8(U108)
65/68	A, F	Nut (inner arm to frame)-1/2"-13	2	55697-S8(M89F)
68/69	B	Screw (attach outer arm to 16B134 brace)-1/4"-14 x 3/4"	2	55914-S2 (U254F)
68/69	B	Bolt (attach outer arm to 17A820-1 bracket assy.)	2	★56360-S
69/	A	Screw & washer assy.(inner & outer arm to reinforcement)	4	★57048-S2
66	S	Washer (inner & outer arms to impact bar)-1/2"	6	351321-S8(XX197)
65	S	Bolt (arm to inner arm)-7/16"-14 x 3 1/2"	2	351988-S8(BB187)
70	S	Washer(att. inner arm to frame)	2	356606-S8(XX184)
65/69	F	Screw (bracket to fender)-5/16"-18 x 1 5/8"	2	359530-S8(BB576)
65	S	Bolt (arm to inner arm to front end)-7/16"-14 x 3 1/2"	2	359554-S8(BB185)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17754-5 ARM - FRONT BUMPER - continued			
65/69	F	Screw (bumper guard bracket to inner arm and	AR	359662-S7-8
68/69	S	bumper guard)-5/16"-18 x 3/4"		(BB575A)
66/67	B, X	Nut (inner & outer arm to impact bar)-7/16"-14	4or6	371951-S8(MM151)
66	F	Bolt (arm to body)-7/16"-14 x 1 3/4"	4	372434-S8(BB405C)
69/	A	Washer(att. arm to bumper)	4	375266-S7(XX326A)
70	B, F		2	
65/66	A	Bolt-Hex.head (inner and outer arms to frame)-	4	375455-S7-8
68/69	B	1/2"-13 x 1 3/4" pilot end	4	(BB405E)
66	S	Retainer (outer arms to bumper ends)-7/16"	4	★376202-S
65	F	Bolt (bracket to impact bar)-5/16"-18 x 3/4"	2	376337-S100
				(BB647D)
65/66	A	Nut and retainer (inner arm to frame)-1/2"-13	2	376487-S(MM192C)
69/	A	Washer (inner & outer arm to frame)-No. 5-1 1/2"	6	376515-S2(XX326)
65/66	A		2	
70	B		6	
70	P		2	
68/	S		2	
65/68	A	Bolt (inner arm to frame)-1/2"-13 x 1 3/4"	2	378349-S2(BB551B)
67	F	Nut & retainer (bracket front fender bumper to	2	378680-S2
		fender)-5/16"-18		(MM192AA)
65/69	F	Nut retainer (bracket to fender)-5/16"-18	2	378680-S2
				(MM192AA)
65/68	A	Nut & retainer (outer bumper arm to frame)-	2	379730-S2
		1/2"-13		(MM192S)
69/	A	Nut & retainer (inner & outer arm to frame)-	6	382928-S2
		1/2"-13		(MM192SA)
70	S	Nut & retainer(att. inner arm to front bumper	6	
		support)		
69/	A	Bolt (inner & outer arm to frame)-	4	383465-S100
		7/16"-14 x 1 1/4"		(BB647HE)
70	F	Bolt(att. inner & outer arm to bumper)	4	
70	B	Nut(att. outer arm to bumper)-7/16"	2	381968-S2
				(MM192QA)
71	F	Bolt-carriage (attach inner arms to bumper	4	381977-S40
		reinforcement)-3/8"-16 x 1"		(BB198D)
66	S	Nut & retainer (inner arms to impact bar)-1/2"	2	★380855-S2
66	S	Bolt (outer arm to bumper)	4	381745-S2
				(BB405A)
	17K754 BRACKET - FRONT BUMPER STOP			
68/69	S		2	C8SZ 17K754-A
68/69	S	Screw (bracket to front bumper outer arm)-	2	351476-S2(UU58H)
		1/4"-14 x 2" oval head		
68/69	S	Nut retainer (17766-7 arm to 17756 bumper)-	2	359761-S2
		3/8"-16		(MM192AK)
	17756-7 BUMPER - FRONT			
	- A -			
65/66	A		1	C5AZ 17757-B
67	A		1	C7AZ 17757-A
68	A		1	C8AZ 17757-A
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)		1	C9AZ 17757-B
69/70	A(except 54C, 57F, 63C, 65A, 71A, E, 76B)		1	C9AZ 17757-A
70	A(54C, 57F, 63C, 65A, 71A, E, 76B)		1	D0AZ 17757-A
71	A-except with bumper guards		1	D1AZ 17757-A
71	A-with bumper guards		1	D1AZ 17757-B
72	A-except with bumper guards		1	D2AZ 17757-A
72	A-with bumper guards		1	D2AZ 17757-B
	- B -			
65	B		1	C5OZ 17757-B
66/67	B		1	C6OZ 17757-A
68	B		1	C8OZ 17757-A
69	B(exc. 66 and Talladega)		1	
69	B(63-Talladega)		1	C9OZ 17757-C
69	B(66)		1	C9OZ 17757-B
70/71	B		1	D0OZ 17757-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17756-7 BUMPER - FRONT - continued			
	- B -			
72	B(53B, 65B, 71B)-except with bumper guards		1	D2OZ 17757-A
72	B(53B, 65B, 71B)-with bumper guards		1	D2OZ 17757-E
72	B(53D. 63, 65D, R, 71D. K. 97) - except with bumper guards		1	D2OZ 17757-B
72	B(53D, 63, 65D, R, 71D, K, 97)-with bumper guards		1	D2OZ 17757-D
	- F -			
65/66	F		1	C5ZZ 17757-A
67/68	F		1	C7ZZ 17757-A
69/70	F(Shelby GT 350/500)		1	C9ZZ 17757-B
69/70	F(except Shelby GT350/500)		1	C9ZZ 17757-A
71/	F	Chrome	1	D1ZZ 17757-A
71/	F	Paint to match with urethane paint	1	D2ZZ 17757-F
	- L -			
71/	L-except with bumper guards		1	D1FZ 17757-A
71/	L-with bumper guards		1	D1FZ 17757-B
	- P -			
70	P		1	D0DZ 17757-A
71/	P-except with high protection bumper guards		1	
71/	P-with high protection bumper guards		1	D1DZ 17757-A
	- S -			
65	S	Upper	1	C4SZ 17756-B
		Lower	1	C4SZ 17757-B
66	S		1	C6SZ 17757-B
67	S(except with T/E)		1	C7SZ 17757-A
67	S(with T/E)		1	C7SZ 17757-B
68/69	S	Front-upper	1	C9SZ 17756-A
68	S	Front-lower	1	C8SZ 17757-A
69	S	Front-lower	1	C9SZ 17757-A
70/71	S	Upper	1	D0SZ 17757-A
72	S-w/o bumper pad		1	D2SZ 17757-A
72	S-w/bumper pad		1	D2SZ 17757-B
	- U -			
66/	U	Painted-use as front or rear bumper	2	C6TZ 17757-F
66/	U	Chrome-used as front or rear bumper	2	C6TZ 17757-G
66/	U	Split type-used with winch-included in (19E536) kit		
	- X -			
65	X		1	C4DZ 17757-A
66/67	X		1	C6DZ 17757-A
68/70	X		1	C8DZ 17757-A
72	A, B, F, L, P, S	Button plug-29/32" dia. x 9/16"	AR	385361-S100(PP8H)
65	X	Bolt (license plate to bar) 1/4"-20 x 1/2"	2	20308-S7(B40)
66/	U	Bolt (impact bar to side member)-3/8"-16 x 1.00"	4	23410-S8(B9)
68/69	B	Bolt (attach bumper to inner arm)-7/16"-14 x 1 1/2"	2	23472-S(B15)
66	A	(Impact bar to inner or outer arm)	4	
65	X	Nut - 1/4"-20	2	33795-S7(M49)
68	B, X	Nut (arm inner to bumper bar)-7/16"-14 lock	AR	34396-S7(M95)
66/	U	Nut (impact bar to side member)-7/16"-14	4	34670-S2(M54)
65/69	A, S, X	Nut-7/16"-20	AR	34671-S8(M67)
65	X	Lockwasher-1/4" spring lock	2	34805-S8(X62)
65/69	A, S, X	Lockwasher-7/16"	AR	34808-S8(X67)
66/	U	Washer(impact bar to side member)7/16" spring	4	34808-S2(X67)
65	X	Lockwasher-1/4" external tooth	2	34940-S7(X88)
68/69	B	Nut (impact bar to 17A820-1)	4	34988-S4(M89D)
65/69	S	Screw(license plate to frt. bumper)-1/4"-20 x 1 1/4"	2	*41636-S40
69/	A	Washer (impact bar to reinforcement)-3/8"	2	44727-S8(X24)
65/69	A, S, X	Washer-flat-7/16"	AR	44730-S8 (X26)
65/69	A, X	Washer-flat-1/2"	AR	44735-S8(X32)
68/69	B	Washer-flat (impact bar to 17A820-1)-1/2"	4	44735-S8(X32)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17756-7 BUMPER - FRONT - continued			
65/66	S	Bolt (outer bar to center)-7/16"-14 x 7/8"	4	357450-S(BB172)
65	X	Rubber-bumper-anti-rattle	1	358159-A1S(CC9A)
69	A	Rubber anti-rattle bumper & license bracket	4	
68/69	B		2	
65/68	A, B	Rubber bumper-license plate	1	371347-S (CC23)
65/69	A, X	Nut-7/16"-14	AR	371951-S8(MM151)
65	F	Bolt-carriage (bumper to 17B762 bracket)-5/16"-18 x 3/4"	2	376337-S100 (BB647D)
69/	A	Nut (impact bar to reinforcement)-3/8"-16	2	382535-S100 (MM173MX)
69/	A	Carriage bolt (impact bar to reinforcement) 3/8"-16 x 7/8"	2	378535-S2 (BB647H)
65	F, X	Screw(attaches license plate)-1/4"-20 x 5/8"	2	379872-S2(UU86G)
65/69	A, B, F, S, X	Bumper-rubber (between bumper & license plate)	2	380521-S(CC46)
65/69	A, B, F, S, X	Nut (license plate frt. bumper)-1/4" nylon	2	380707-S
70/	P		4	(MM228B)
70	A, X	Bolt-carriage (bumper to bumper arm)-	AR	383465-S100
70/	B, F, P, S	7/16"-14 x 1 1/4"	AR	(BB647HE)
71	F(63R)	U-nut (bumper to bumper arm) - 3/8"-16 locking	1	384458-S2 (MM284DD)
	17758 BOLT - BUMPER			
	- A -			
65/67	A	7/16"-14 x 1 3/4"	AR	B9A 17758-A
68/69	A	7/16"-14 x 1 1/4"	AR	C3AZ 17758-A
71	A(53,57H,K,65H,K,71H,76)		8	
70	A	Bolt-7/16"-14 x 1 1/4"	AR	383465-S100
72	A		AR	(BB647HE)
	- B -			
66/67	B	7/16"-14 x 1 3/4"	AR	B9A 17758-A
65	B	7/16"-14 x 1 1/4"	AR	C3AZ 17758-A
68/69	B		AR	
70/	B	Bolt-7/16"-14 x 1 1/4"	AR	383465-S100 (BB647HE)
	- F -			
65/68	F	7/16"-14 x 1" -r/b C3AZ 17758-A (5-75)	AR	★C5ZZ 17758-A
69	F	7/16"-14 x 1 1/4"	4	C3AZ 17758-A
70/	F	Bolt-7/16"-14 x 1 1/4"	AR	383465-S100 (BB647HE)
	- P -			
70/	P	Bolt-7/16"-14 x 1 1/4"	AR	383465-S100 (BB647HE)
	-S -			
65	S	7/16"-14 x 1 3/4"	AR	B9A 17758-A
67	S		AR	
70/71	S	Bolt-7/16"-14 x 1 1/4"	AR	383465-S100 (BB647HE)
	- U -			
66/67	U-with chrome bumper	7/16"-14 x 1 1/4"-oval head (bumper to arm)	8	C0AB 17758-A
67	U-with chrome bumper	7/16"-14 x .88" to plug pumper guard holes	4	C4AZ 17758-A
68/69	U-with chrome bumper	7/16"-14 x 1 3/4"	AR	B9A 17758-A
70/	U-with chrome bumper		2	C4AZ 17758-A
	- X -			
65/67	X	7/16"-14 x 1 3/4"	AR	B9A 17758-A
68/70	X	7/16"-14 x 1 1/4"	AR	C3AZ 17758-A
65/69	A, S, X	Nut-7/16"-20	AR	34671-S8(M67)
65/69	A, S, X	Lockwasher-7/16"	AR	34808-S8(X67)
65/69	A, S, X	Washer-7/16"	AR	44730-S8(X26)
65/69	A, S, X	Nut-7/16"-14	AR	371951-S8(MM151)
66/69	U-with paint bumper	Bolt-carriage (3/8"-16 x 1"	1	23410-S8(B9)
67	U-with paint bumper	Bumper-use as anti-rattle at license plate	1	380369-S(CC44)
66	S	Bolt-hex. head (bumper attaching) 1/2"-13 x 1 3/4"	AR	375455-S -8 (BB405E)
	17C760 INSULATOR - FRONT BUMPER STONE DEFLECTOR			
70/71	S	39/64" x 1 1/2" x 1 55/64"	1	D0SZ 17C760-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17B762 BRACKET - FRONT BUMPER MOUNTING END			
69/70	F	Improvise from strip steel-3/4" thick-1 1/4" wide-2 5/64" long	2	★
71/	L	R.H.	1	D1FZ 17B762-A
		L.H.	1	D1FZ 17B763-A
70/	P	Improvise from strip steel-1/16" thick-1/4" wide- 5 7/8" long	2	★
70/	P	Nut-(attach bracket & stone deflector to front fender reinforcement)-1/4"-20	2	★45267-S2
69/70	F	Retainer(bracket to front valance panel)	2	357227-S(MM206)
69/70	F	Bolt(att. bracket to bumper)-5/16"-18 x 3/4"	2	376337-S100 (BB647D)
	17765 SPACER - FRONT BUMPER ARM			
69/	A	To frame	AR	C9AZ 17765-A
72	B		1	
72	B,S	To floor	AR	D2OZ 17765-A
	17766-7 ARM - FRONT BUMPER - Refer to Group 17754-5			
	17B769 DEFLECTOR - FRONT BUMPER STONE LOWER - Refer to Basic 17779			
	17779 PANEL ASSY. - LOWER - RADIATOR GRILLE OPENING			
69	F(Shelby GT 350/500)		1	C9ZZ 17779-B
	17779 DEFLECTOR - FRONT BUMPER STONE			
	- A -			
65	A		1	C5AZ 17779-A
66	A		1	C6AZ 17779-B
67	A		1	C7AZ 17779-A
68	A		1	C8AZ 17779-B
69	A(54C, 57F, 63C, 65A, 71A, E, 76B)		1	C9AZ 17779-B
69/70	A (except 54C, 57F, 63C, 65A, 71A, E, 76B)		1	C9AZ 17779-A
70	A(54C,57F,63C,65A,71A,E,76B)		1	D0AZ 17779-A
71/	A	Refer to Group 8150		
	- B -			
65	B		1	C5OZ 17779-A
66/67	B		1	C6OZ 17779-A
68	B		1	C8OZ 17779-B
69	B		1	C9OZ 17779-A
70/71	B		1	D0OZ 17779-A
	- F -			
65/66	F	Upper Lower-refer to Group 17A939	1	C5ZZ 17779-A
67/68	F		1	C7ZZ 17779-A
69	F(except Shelby GT 350/500)		1	C9ZZ 17779-A
70	F		1	D0ZZ 17779-A
71/	F	Refer to Group 8200		
	- L -			
71/	L		1	D1FZ 17779-A
	- P -			
70/	P		1	D0DZ 17779-A
	- S -			
66	S		1	C6SZ 17779-A
67/69	S	Upper	1	C8SZ 17779-B
67/69	S	Lower	1	C8SZ 17B769-B
70/71	S	R.H.	1	D0SZ 17779-A
		L.H.	1	D0SZ 17779-B
		Center	1	D0SZ 17779-C
	- X -			
65	X		1	C4DZ 17779-B
66/67	X		1	C6DZ 17779-A
68/70	X		1	C8DZ 17779-A
65/66	A	Bolt-hex.head-stone deflector to grille-5/16"-24 x 3/4"	2	20347-S8(B156)
65/66	A	Bolt-hex.head-stone deflector to grille-5/16"-18 x 1"	4	20386-S8(B53)
65	X	Screw & washer (deflector to radiator grille center support)-1/4"-20 x 5/8"	1	31680-S8(U80)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17779 DEFLECTOR - FRONT BUMPER STONE - continued			
65/66	A	Nut (frt. stone deflector to hood support)-5/16"-18	1	34392-S7-8(M93)
65/66	A	Nut (front stone deflector to fender filler)	2	
65	X	Nut-5/16"-24	AR	34393-S7(M98)
65/66	A	Washer-flat-stone deflector to grille-5/16"	4	34906-S8(X98)
68	A	Screw (deflector to parking lamp body)-1/4"-20 x 3/4" self tap	2	40953-S8(U263)
70/	P	Screw-hex.washer head (deflector to fender)-No.14-10 x 1"	2	42154-S7-8(U256)
70/	P	Spring nut (att.deflector to front fender)	2	★45261-S
70/71	B	Nut (att. deflector to hood lock support)	2	★45263-S2
70/	P	(att. defelctor to hood lock support brace)	1	
70/	P	Nut (att. deflector to front fender reinforcement)	2	★45267-S2
70/	P	Screw (att.deflector to fender and hood lock support brace)	3	★57030-S
70/71	B	(Deflector to hood lock support brace)	2	
69/70	A	Screw & washer (deflector to fender and radiator support)	AR	★57040-S39
65	X	Bolt & lockwasher (attaching stone deflector)-5/16"-24 x 1 1/8"	AR	353483-S2(BB588)
65/66	X	Nut-retainer (front stone deflector to extension)-1/4"-20	4	354394-S2(MM187)
68/69	B	(deflector to radiator support)	1	
65/66	F	Screw & washer assy. (front stone deflector to extension)-1/4"-20 x 5/8"	4	354476-S2(BB570)
68/69	B	Nut & retainer (deflector to radiator grille	2	356657-S2
68/70	X	center support)-1/4"-20	2	(MM186)
65/66	F	(Attaching stone deflector)	AR	
65/67	B	Screw (attach stone deflector)-5/16"-18 x 3/4"	AR	359662-S7-8
65/70	X		AR	(BB575A)
65/66	F		AR	
65/66	F	Nut-retainer (stone deflector)-5/16"-18	AR	370328-S2(MM188)
65	B		AR	
68/69	B	Screw & washer (deflector to radiator support)-1/4"-20 x 3/4" hex. head	1	371492-S2(BB569)
68/70	X		1	
67	A	Bolt (reinforcement to front bumper)-7/16"-14 x 1 1/8"-hex. hd.	2	20410-S8(B103)
		Bolt (arm to reinforcement)-7/16"-14 x 1 1/8"-hex. hd.	4	
67	A	Washer (reinforcement to front bumper)-7/16"-lock	2	34848-S8(X75)
		Washer (arm to reinforcement)-7/16"-lock	4	
65/66	F	Rubber bumper (license plate)	1	375838-S (CC32)
65/66	A	Screw (front stone deflector to apron)-5/16"-18 x 1"	2	376256-S
65/66	A	Screw (front stone deflector to hood support)	1	(BB545A)
65/66	A	Screw (front stone delector to fender filler)	2	
67/68	F	Nut and washer (deflector to supports)-5/8"-18	3	376838-S2 (MM296AF)
68	A	Plug button	1	377935-S(PP2D)
67/69	S	Screw & washer (attaching stone deflector)-5/16"-18 x 1" hex. head	AR	378178-S2
67/68	F		AR	(BB412B)
66	B	Nut-retainer (front stone deflector to hood brace)-5/16"-18	1	378643-S2 (MM295L)
65/67	A	Nut-retainer (front stone deflector to apron)-5/16"-18	2	378680-S2 (MM192AA)
69/70	A	Nut & retainer (deflector to fender)	AR	379114-S2
69/70	A	(att. stone deflector to brace hood lock support)	2	(MM192AD)
66/69	B	Nut-retainer (front stone deflector to fender)-5/16"-18	2	379831-S2 (MM192M)
65/70	X	(Attaching stone deflector)	AR	
70/	P	Grommet-9/32" I.D. x 7/8" O.D.	2	383333-S100 (KK71X)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17C782 EXTENSION - FRONT BUMPER STONE DEFLECTOR			
70/71	S	R.H.	1	D0SZ 17C782-A
		L.H.	1	D0SZ 17C782-B
70/71	S	Screw & washer (att. extension to bracket headlamp housing)	4	57140-S2(B340H)
70/71	S	(att. extension to stone deflector mounting brkt.)	2	
70/71	S	Nut & retainer (att. extension to bracket headlamp housing)	4	379114-S2 (MM192AD)
70/71	S	(att. extension to stone deflector mounting brkt.)	2	
	17787-8 ARM - REAR BUMPER			

YEAR	MODEL		QTY.	INNER	QTY.	OUTER
		- A -				
65/66	A(except 71)	R.H.	1	C5AZ 17787-C	1	C5AZ 17795-A
		L.H.	1	C5AZ 17788-C	1	C5AZ 17796-A
65	A(71)	R.H.	1	★C5AZ 17787-B Not repl. (3-74)	1	★C5AZ 17795-B Not repl. (3-74)
		L.H.	1	★C5AZ 17788-B Not repl. (3-74)	1	C5AZ 17796-B
67	A(except 71)	R.H.	1	C7AZ 17787-A	1	C7AZ 17795-A
		L.H.	1	C7AZ 17788-A	1	C7AZ 17796-A
68	A(except 71)	R.H.	1	C8AZ 17787-A	1	C8AZ 17795-A
		L.H.	1	C8AZ 17788-A	1	C8AZ 17796-A
66/68	A(71)	R.H.	1	C8AZ 17787-B	1	C8AZ 17795-C
		L.H.	1	C8AZ 17788-B	1	C8AZ 17796-C
69	A (except 71)	R.H.	1	C9AZ 17787-A	1	C9AZ 17795-A
		L.H.	1	C9AZ 17788-A	1	C9AZ 17796-A
70	A(except 71)	R.H.	1	D0AZ 17787-A	1	D0AZ 17795-A
		L.H.	1	D0AZ 17788-A	1	D0AZ 17796-A
69/70	A(71)	R.H.	1	C9AZ 17787-B	1	C9AZ 17795-B
		L.H.	1	C9AZ 17788-B	1	C9AZ 17796-B
71/	A(except 71)	R.H.-to frame	1	D2AZ 17787-C		
		L.H.	1	D2AZ 17788-C		
71	A(except 71)	R.H.-to bumper arm	1	D1AZ 17787-B	1	
		L.H.	1	D1AZ 17788-B	1	
71	A(71)	R.H.	1	C9AZ 17787-B	1	D1AZ 17795-A
		L.H.	1	C9AZ 17788-B	1	D1AZ 17796-A
72	A(except 71)	R.H.-to bumper arm	1	D2AZ 17787-A	1	D2AZ 17795-A
		L.H.	1	D2AZ 17788-A	1	D2AZ 17796-A
72	A(71)	R.H.	1	D2AZ 17787-B	1	D1AZ 17795-A
		L.H.	1	D2AZ 17788-B	1	D1AZ 17796-A
		- B -				
65	B	R.H.	1	C5OZ 17787-A	1	C5OZ 17795-A
		L.H.	1	C5OZ 17788-A	1	C5OZ 17796-A
66/	B(66, 71)	R.H.	1	C6OZ 17787-C	1	C6OZ 17795-B
		L.H.	1	C6OZ 17788-C	1	C6OZ 17796-C
66/67	B(except 66, 71)	R.H.	1	C6OZ 17787-A	1	C6OZ 17795-A
		L.H.	1	C6OZ 17788-A	1	C6OZ 17796-A
68/69	B(except 66, 71)	R.H.	1	C8OZ 17787-A	1	C8OZ 17795-A
		L.H.	1	C8OZ 17788-A	1	C8OZ 17796-A
70/71	B(except 66, 71)	R.H.	1	D1OZ 17787-B	1	D0OZ 17795-A
		L.H.	1	D1OZ 17788-B	1	D0OZ 17796-A
72	B(except 71, 97)	R.H.	1	D2OZ 17A750-A		
		L.H.	1	D2OZ 17A751-A		
72	B(71)	R.H.	1	D2OZ 17787-A	1	D2OZ 17795-A
		L.H.	1	D2OZ 17788-A	1	D2OZ 17796-A
72	B(97)	R.H.	1	D2OZ 17787-B	1	D2OZ 17795-B
		L.H.	1	D2OZ 17788-B	1	D2OZ 17796-B
		- F -				
65/66	F	R.H.	1	C5ZZ 17A750-A		
		L.H.	1	C5ZZ 17A750-A		
67/68	F	R.H.	1	C7ZZ 17A750-A		
		L.H.	1	C7ZZ 17A750-A		
69/70	F	R.H. or L.H.	2	C9ZZ 17A750-A		
71/	F	R.H.	1	D1ZZ 17787-A		
		L.H.	1	D1ZZ 17788-A		

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17787-8 ARM - REAR BUMPER - continued			
			QTY. INNER	QTY. OUTER
	- L -			
71/	L(62,64)	R.H. or L.H.	2 D3FZ 17A750-A	
72	L(73)	R.H. or L.H.	2 D3FZ 17A750-B	
72	L(73)	R.H. or L.H.-gusset	2 D2FZ 17787-A	
	- P -			
70/72	P "Before 6/12/72"	R.H. or L.H.	2 D0DZ 17A750-A	
72	P "From 6/12/72"	R.H. or L.H.	2 D3DZ 17787-A	
	- S -			
65/66	S	R.H.	1 ★C4SZ 17787-A Not repl.(5-75)	1 C4SZ 17795-A
		L.H.	1 C4SZ 17788-A	1 C4SZ 17796-A
		R.H. -inner bracket	1 ★C4SZ 17A750-A Not repl. (3-74)	1
		L.H. -inner bracket	1 C4SZ 17A751-A	1
67/68	S "Before 11/15/67"	R.H.	1 C7SZ 17787-B	1 C7SZ 17795-B
		L.H.	1 C8SZ 17788-B	1 C8SZ 17796-A
68/71	S "From 11/15/67"	R.H.	1 C8SZ 17787-A	1 C8SZ 17795-A
		L.H.	1 C8SZ 17788-A	1 C8SZ 17796-A
72	S	R.H.	1 D2SZ 17787-A	1 D2SZ 17795-A
		L.H.	1 D2SZ 17788-A	1 D2SZ 17795-A
	- X -			
65	X(54,62,63,76)	R.H.	1 C4DZ 17787-C	1 C4DZ 17795-A
		L.H.	1 C4DZ 17788-C	1 C4DZ 17796-A
65	X(59,66,71,78)	R.H.	1 C4DZ 17787-D	1 C4DZ 17795-B
		L.H.	1 C4DZ 17788-D	1 C4DZ 17796-B
66/70	X(54,62)	R.H.	1 C6DZ 17787-A	
		L.H.	1 C6DZ 17788-A	
66/70	X(66,71)	R.H.	1 C6OZ 17787-C	1 C6OZ 17795-B
		L.H.	1 C6OZ 17788-C	1 C6OZ 17796-C
66/69	F	Bolt (brkt. to lower back panel)-7/16"-14 x 1 1/8"		4 20410-S8(B103)
65	S	Bolt (outer arm to center bumper)-7/16"-14 x 1 1/8"		4 20410-S8(B103)
68	B,X	Bolt (arm rear bumper to impact bar)-7/16"-14 x 1" carriage head		2 23412-S8(B14)
70/	B(66,71)	Nut (att. inner & outer arms to rear floor pan assy.)-1/2"-13		4 ★33773-S4
65/68	A(except 76)	Nut (inner arm to frame)-1/2"-13		2 33845-S2(M57)
68	B,X	Nut (arm to bumper bar)-7/16"-14 lock		AR 34396-S7(M95)
65	S	Lockwasher-7/16"		6 34808-S8(X67)
70/	P	Nut (att. 17A750 brkt. to rear bumper)-7/16"-14		4 34988-S4(M89D)
65	S	Flatwasher-7/16"		6 44730-S8(X26)
66	B(54,62,63,76)	Washer-flat (arm to impact bar)-1/2"		6 44735-S8(X32)
65	B	Flatwasher-1/2"		8 44735-S8(X32)
65	X	Flatwasher-1/2"		AR 44735-S8(X32)
66	S	Bolt (outer arm to underbody)-7/16"-14 x 3 1/2"		4 45550-S7-8(B116)
65	X(59,66,71,78)	Bolt (inner & outer arms to support brace)-7/16"-14 x 3 3/4"-hex. hd.		4 ★45558-S2
65	X	Nut-7/16"-14		AR 55675-S(M89E)
65	B	Nut-1/2"-13		4 55697-S8(M89F)
68	B,X	Nut (inner arm to outer)-1/2"-13 hex.lock		4 55697-S8(M89F)
69/70	A	Bolt (attached arms to frame)		4 ★56383-S4
69/70	A(71)	Screw & washer (outer arm to brace)		2 ★57481-S36
67	A	Washer(bumper arm to frame at rear)-1/2"-flat-special		2 351453-S8(XX186)
67	A	Washer (bumper arm to frame at front)-1/2"flat		2 356606-S8(XX184)
65	S	Bolt (outer arm to outer bumper)-7/16"-14 x 1 7/16"		2 358910-S(BB176)
68	A			2
65	S	Bolt (outer arm to underbody)-7/16"-14 x 3 1/4"		4 359554-S8(BB185)
65	X(54,62,63,76)			4
66	S	Screw (bracket to impact bar)-3/8"-16 x 3/4"		4 370608-S2(BB579)
72	S	Screw & washer (outer arm to underbody)		4 ★57482-S36
66/69	B(54,62,63,76)	Nut (arm to impact bar)-7/16"-14		6 371951-S8(MM151)
66	A(71)			8

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17787-8 ARM - REAR BUMPER - continued			
68	A	Nut & retainer (arm rear bumper out to rear bar)-7/16"-14	2	372571-S2 (MM192Q)
69/70	A(71)	Nut & retainer (outer arm to brace)	2	★372949-S2
66	S	Screw (bracket to arm)-3/8"-16 x 1 1/8"	4	373162-S(BB563A)
65	B	Bolt (inner & outer arm to support)-1/2"-13 x 3 7/8"	4	373522-S8 (BB199B)
70/	P	Flat washer (att. 17A750 brkt. to rear bumper)	4	★373596-S2
69/70	A(except 71)	Washer (att. outer arm to bumper)-1/2" flat	8	375266-S7
70/	B	(att. outer arm to bumper)	8	(XX326A)
70/	B	(att. inner arm to bumper)	6	
66	S	(outer arm to underbody)	4	
65/68	A	Bolt (inner & outer arms to frame) 1/2"-13 x 1 3/4" hex. head	6	375455-S7(BB405E)
65/70	A	Lockwasher (inner & outer arms to frame)-1/2"	AR	376515-S2(XX326)
69/70	F	(att. 17A750 to lower back panel)	4	
66	F	(bracket to lower back panel)	4	
65/68	A	Nut-retainer (inner & outer arms to frame)-1/2"-13	2	379970-S2 (MM192D)
65/70	A(except 71)	Nut & retainer (att. inner arms to frame)-1/2"-13	2	★377164-S2
70/	S		2	
69/70	A	Nut & retainer (attach arms to frame)-1/2"-13	2	379970-S2
70/	S		2	(MM192D)
66	F	Washer (bracket to lower back panel)	4	★380019-S36
66	B(54, 62, 63, 76)	Screw & washer assy. (arm to pan assy.) 3/8"-16 x 1 1/8"	8	★380636-S36
68	B(54, 63, 65, 66, 76)	Screw & washer (inner & outer arms to frame	AR	381715-S100
70	B	or brace)-3/8"-16 x 1 1/4" hex. head	2	(BB412K)
70/	P		AR	
71	F	Nut & retainer (bracket to lower back panel)-7/16"-14	1	383085-S3
72	S		4	(MM192QB)
	17789 BRACE - REAR BUMPER END - Also refer to Group 17787-8			
69/70	A(71)	R.H.	1	C9AZ 17789-A
		L.H.	1	C9AZ 17789-B
71/	A(71)	R.H.	1	D1AZ 17789-A
		L.H.	1	D1AZ 17789-B
72	B(except 71, 97)	R.H.	1	D2OZ 17789-A
		L.H.	1	D2OZ 17789-B
69/70	A(71)	Nut & retainer (att. brace to rear bumper outer arm)	2	★372949-S2
	17792-3 BRACKET - LOWER CROSS SUPPORT			
68	F(Shelby -GT350/500)	R.H. -use with S8MS 8B321-A Support	1	S8MS 17792-A
		L.H.-not replaced (5-75)	1	★S8MS 17793-A
	17A792 REINFORCEMENT - FRONT BUMPER CENTER - Also refter to Group 17A820			
68	A(Police & Taxi)		1	C8AZ 17A792-A
69/70	A(except 54C, 57F, 63C, 65A, 71A, E, 76B)		1	C9AZ 17A792-A
69/70	A(54C, 57F, 63C, 65A, 71A, E, 76B)		1	D0AZ 17A792-A
70/71	B		1	D0OZ 17A792-A
72	B(53D, 63, 65D, R, 71D, K, 97)		1	D2OZ 17A792-A
72	B(53B, 65B, 71B)		1	D2OZ 17A792-B
71/	F		1	D1ZZ 17A792-A
67/68	S	"Not required from 5/15/68"	1	C7SZ 17A792-B
70/71	S		1	D0SZ 17A792-A
72	S		1	D2SZ 17A792-A
67	A	Nut & retainer (reinforcement to front bumper) 7/16"-14	2	372571-S2 (MM192Q)
		Nut & retainer (arm to reinforcement)-7/16"-14	4	
67	A	Screw (reinforcement to bumper)-7/16"-14 x 1" pan head	2	381558-S100 (BB609)
70/71	S	Screw & washer (att. reinforcement to front bumper)-3/8"-16 x 1"	3	57102-S2(B331)
70/71	S	Spring nut (att. reinforcement to front bumper)-	3	★45265-S2
69/70	A	3/8"-16	4	
72	S	Spring nut (att.reinforcement to front bumper)-3/8"-16		384458-S (MM284DD)
72	S	Bolt (att.reinforcement to front bumper)	1	380545-S40 (BB222E)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17794 PANEL - FRONT BUMPER FINISH			
70	S		2	D0SZ 17794-A
	17B794-5 BRACKET - FRONT BUMPER GUARD			
71	B	R.H.-upper	1	D1OZ 17B794-A
		L.H.	1	D1OZ 17B794-B
71	B	R.H.-lower	1	D1OZ 17B795-A
		L.H.	1	D1OZ 17B795-B
72	B(53B,65B,71B,97D)	Upper	2	D2OZ 17B794-A
72	B(53D,63,65D,71D,K,97K,R)	R.H.-upper	1	D2OZ 17B794-B
		L.H.	1	D2OZ 17B794-C
65/66	F	R.H. & L.H.	2	C5ZZ 17B794-A
71	F(except 63R)	Upper-high protection	2	D1ZZ 17B794-A
		Lower	2	D1ZZ 17B795-B
71	F	Lower-low protection	2	D1ZZ 17B795-A
71	S		4	D1SZ 17B794-A
	17795-6 ARM - REAR BUMPER - Refer to Group 17787-8			
	17798-9 EXTENSION - FRONT BUMPER STONE DEFLECTOR OUTER			
70/71	S	R.H.	1	D0SZ 17798-A
		L.H.	1	D0SZ 17799-A
	17A799 SHIM - FRONT BUMPER - IMPROVISE			
	17N800 SUPPORT-FRONT BUMPER			
70/71	S	R.H.	1	D0SZ 17N800-A
		L.H.	1	D0SZ 17N800-B
70/71	S	Washer (attach support to front bumper mounting bracket)	2	44730-S8(X-26)
70/71	S	Nut & retainer (attach support to front bumper mounting bracket)	6	★372949-S2
70/71	S	Nut (attach support to front valance panel)	2	379114-S2 (MM-192-AD)
	17A807 PAD ASSY. - BUMPER GUARD - Also refer to Group 17988			
	- A -			
70	A	Front bumper	2	D0AZ 17A812-A
70	A(exc. 71)	Rear bumper	2	
71	A	Front bumper - inner guard	2	D1AZ 17A812-A
71	A	Front bumper-outer guard	2	D1AZ 17A812-B
71	A(except 71)	Rear bumper	2	D1AZ 17A807-A
72	A	Front bumper - inner guard	2	D1MY 17A812-A
72	A(except 71)	Rear bumper	2	D1MY 17A812-B
	- B -			
71	B	Front and/or rear bumper	4	D1OZ 17A807-A
72	B	Front bumper	2	D1MY 17A812-B
72	B(except 71, 97)	Rear bumper	2	
	- F -			
67	F	Front bumper	2	C7ZZ 17A812-A
67/68	F	Rear bumper	2	C7ZZ 17A807-A
71	F	Front bumper - low protection guards	2	D1ZZ 17A812-A
71	F	For high protection guards	AR	D1MY 17A812-B
	- L -			
71	L	Front bumper	2	D1FZ 17A812-A
71	L(62,64)	Rear bumper	2	
72	L(73)	Rear bumper	2	D2FZ 17A807-A
	- P -			
70	P	Rear bumper	2	D0DZ 17A807-A
70/71	P	Front bumper	2	D0DZ 17A812-A
71	P	For high protection guards	AR	D1MY 17A812-B
70	P	Nut (attach pad to rear bumper guard)-#8-32	6	★45270-S36
72	P	Front and rear bumper-Blue	1	D2DZ 17A807-A
		-Brown	1	D2DZ 17A807-D
		-Copper	1	D2DZ 17A807-E
		-Green	1	D2DZ 17A807-C
		-White	1	D2DZ 17A807-B
	- S -			
71	S	Front bumper - Refer to Group 17K833		
71	S	Rear bumper	2	D1OZ 17A807-A
72	S	Rear bumper	2	D2SZ 17A807-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17B807 STEP - REAR BUMPER			
69	A(71A, C, J) "Before 12/5/68"	Located on rear bumper	1	C9AZ 17B807-A
69/70	A(71A, C, J) "From 12/5/68"	Located at lower back panel	1	C9AZ 17B807-B
71/	A(71)		1	
69	A(71)	Nut (to attach step to rear bumper)	4	34976-S(M89CA)
69	A(71)	Washer (to attach step to rear bumper)-1/2"flat	4	44735-S(X32)
69/	A(71)	Screw (to attach step to back panel)-No. 8-18 x 1/2"	8	52413-S13(U316)
66/68	A(71)	Nut (step to impact bar) - 7/16"-14	2	371951-S8(MM151)
66/67	A(71)	Includes pad - R. H. and L. H.	2	C6AZ 17B807-A
68	A(71)-with step bumper "From 1/24/68"	R. H.	1	
	17808 DEFLECTOR - REAR BUMPER STONE - Also refer to Group 17814 and 403B26			
	- A -			
65	A	70" long-cut to 18" long-use as C0AB 8A211-A	1	B9AB 17808-E
66/68	A(71)	Rustless steel	1	C6AZ 17808-A
67	A(54, 57, 62, 63, 76)	Masticated tire casing	1	C7AZ 17808-A
68	A(except 71)	End	2	C8AZ 17836-A
69/70	A(except 71)	End	2	C9AZ 17836-A
69/	A(71)		1	C9AZ 17808-A
71	A(except 71)		1	D1AZ 17808-A
72	A(except 71)		1	D2AZ 17808-B
	- B -			
66/69	B(66, 71)	Rubber-72" long-includes (13) 371141-S32 clips and (4) 373086-S101 screw No. 10-12 x .62"	1	C6OZ 17808-C
70/71	B(66, 71)	Rubber	1	D0OZ 17808-A
72	B(53, 63, 65)		1	D3OZ 17808-A
72	B(53, 63, 65)	R.H.	1	D3OZ 17C837-A
		L.H.	1	D3OZ 17C838-A
	- X -			
65	X(59, 66, 71, 78)	Cut to 30.86" long for rear stone deflector ends	2	C1KB 17808-A
66/70	X(54, 62)	Rubber-67.36" long	1	C6DZ 17808-A
66/70	X(71) "From 1/25/67"	Rubber-72" long-includes (13) 371141-S32 clips	1	C6OZ 17808-C
66	X(66)	and (4) 373086-S101 screw No. 10-12 x .62"	1	
66	B(71), X(66, 71)	Screw (rear stone deflector to rear floor panel, extension rear floor & quarter panel)-No. 10-12 x 1/2"	10	52727-S2(X382)
65	X	Clip (Deflector to lower back panel or rear floor cross member)	6	354045-S2 (GG41)
66	B(71), X(54, 62, 71)	Clip (deflector to upper lock panel)	12	371141-S32
67	B(66, 71)		13	(GG121A)
66	X(66, 71)		9	
66	B(71), X(54, 62, 71)	Screw (deflector to quarter panel)-No.10-12 x .62"-round washer head	4	373086-S101 (BB630-A)
67/69	B(66, 71)	Screw (to attach deflector rear bumper stone)-No. 10-12 x .62"-round washer head	4	373086-S101
66	X(66, 71)		4	(BB630A)
69/70	A(exc. 71)	Screw (to attach deflector to rear panel)-No. 8-18 x 5/8"	8	375453-S100 (BB658C)
66	A(71)	Screw (rear stone deflector to quarter panel & lower back panel)-No. 8-18 x 1/2"	9	379560-S101 (UU89CA)
69/70	A(71)	Screw (attach deflector to rear panel)-No. 8-18 x 3/8"	8	381671-S45 (UU89C)
70/71	B(66, 71)	Screw (attach deflector to rear quarter panel)	4	★382064-S36X
70/71	B(66, 71)	Clip (attach deflector to rear floor sill & quarter panel)	13	384101-S (GG-121-B)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17A812 PAD ASSY. - BUMPER GUARD - Refer to Group 17A807			
	17814 DEFLECTOR - REAR BUMPER STONE - Also refer to Group 17808			
65	B (71)	Tire carcass-7"x 12 1/2"-5/16"holes-improvise	2	★
	17819 MOULDING - FRONT BUMPER STONE DEFLECTOR - INCLUDES ATTACHING PARTS			
65	B		1	C5OZ 17819-B
65	B	Screw-hex.washer head (attach 17819)-No.10-12 x 1/2"	2	42127-S8(U248C)
	17A820-1 BRACKET - FRONT BUMPER END - Also refer to Group 17A792			
66/67	B	R.H.	1	C6OZ 17A820-A
		L.H.	1	C6OZ 17A821-A
68/69	B	R.H.	1	C8OZ 17A820-B
		L.H.	1	C8OZ 17A821-B
65	S	R.H.	1	C4SZ 17A820-A
		L.H.	1	C4SZ 17A821-A
66	S	R.H.	1	C6SZ 17A820-A
		L.H.	1	C6SZ 17A821-A
66	B	Nut (brace to impact bar)-5/16"-18	2	34392-S7-8(M93)
66	B	Flatwasher (brace to impact bar)-5/16"	2	44725-S8(X22)
66/69	B	Screw (brace to fender)-5/16"-18 x 3/4"	2	359662-S7-8 (BB575A)
66	B	Nut & retainer (brace to fender)-5/16"-18	2	379831-S2 (MM192M)
65/66	S	Flatwasher-7/16"	2	44730-S8(X26)
65/66	S	Bolt (brace to front end)-7/16"-14 x 3 3/4"	2	351988-S8(BB187)
65/66	S	Lockwasher-7/16"	2	34848-S8 (X75)
	17B820 STEP KIT - REAR BUMPER - Refer to Accessories Section			
	17B821 PAD - REAR BUMPER STEP			
66/68	A(71)	Includes attaching parts-Also included in 17B807	1	C6AZ 17B821-A
66	A(71)	Nut (pad to step)-1/4"-20	4	33920-S40(M25)
66/68	A(71)	Lockwasher (pad to step-1/4"	4	★377827-S39
	17C829-34 PAD ASSY. - BUMPER			
71/	L	R.H.-front bumper	1	D1FZ 17K833-A
		Center	1	D1FZ 17C829-AA
		L.H.	1	D1FZ 17K834-A
71/	L	R.H.-rear bumper	1	D1FZ 17K831-A
		Center	1	D1FZ 17C830-A
		L.H.	1	D1FZ 17K832-A
71	S	Front bumper center	1	D1SZ 17K833-A
72	S	Front bumper center	1	D2SZ 17K833-B
	17836-7 DEFLECTOR - REAR BUMPER STONE END - Refer to group 17808			
	17B839 BRACKET ASSY. - FRONT BUMPER JACKING			
71	A		2	D1AZ 17B839-A
	17841 SLEEVE - BUMPER ARM BOLT - If not listed improvise			
65/66	B, F, X	Cut to size required	2or4	C1KB 17841-B
68/71	A, B		2	
67	F(63)-less fold down rear seat-used at rear seat back spring		4	
70/	P		2	
67/71	S		2	
68/70	X		2	
	17B847 BAR - REAR BUMPER NAME PLATE			
65	S		1	C4SZ 17B847-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17B850 PLATE - REAR BUMPER NAME			
65	S	Plastic-Thunderbird body-bright metal finish with brush satin finish wings on dull black background-Includes attaching parts	1	C5SZ 17B850-C
	17C854 PAD - FRONT BUMPER JACKING BRACKET			
71/	A		2	D1AZ 17C854-A
	17B856 PLATE - BUMPER ARM ADJUSTING			
65/66	A(71)	Front & rear	4	C4AZ 17B856-A
65/66	A(54, 57, 62, 63, 76)	Front	2	
67/68	A	Front & rear	AR	
67/71	S	Front & rear	4	
	17C856 BRACKET ASSY. - REAR BUMPER GUARD - Refer to Group 17B876-7			
	17C857 SHIELD - REAR BUMPER OPENING			
72	S		1	D4SZ 17C857-A
	17B862-3 REINFORCEMENT - REAR BUMPER MOUNTING BRACKET			
66/69	B(except 66, 71)	R. H. -welded to floor pan	1	C6OZ 17B862-A
		L. H.	1	C6OZ 17B863-A
70/71	B (except 66, 71)	R. H.	1	D0OZ 17B862-A
		L. H.	1	D0OZ 17B863-A
65/66	F	R. H. -welded to floor pan	1	C5ZZ 17B862-A
		L. H.	1	C5ZZ 17B863-A
67/68	F		2	C7ZZ 17B862-A
69/70	F		1	D0ZZ 17B862-A
70	P		2	
71/	F, P		2	D1ZZ 17B862-A
71/	L		2	D1FZ 17B862-A
66/70	X(54, 62)	R. H. -welded to floor pan	1	C6DZ 17B862-A
		L. H.	1	C6DZ 17B863-A
	17C864 SPACER - FRONT BUMPER PAD - BOLT - Unless listed improvise			
72	S-with bumper guards		6	D2SZ 17C864-A
	17A869-70 BRACKET - FRONT SUMPER TO FENDER			
65/66	F	R. H.	1	C5ZZ 17A869-A
		L. H.	1	C5ZZ 17A870-A
67/68	F(except Shelby GT 350/500)	R. H.	1	C7ZZ 17A869-A
		L. H.	1	C7ZZ 17A870-A
67/68	F(Shelby GT 350/500)	Not required		
	17B875 BRACKET - LICENSE PLATE - Also refer to Group 17A385			
65/66	A(54, 57, 62, 63, 76)	Front bumper	1	C5AZ 17B875-A
65	A(54, 57, 62, 63, 76)	Rear bumper	1	C5AZ 17B891-A
65/66	A(71)	Front or rear bumper	1	C5AZ 17B875-A
68/69	B	Front bumper	1	C8OZ 17B875-A
70/71	B	Front bumper	1	D0OZ 17B875-A
66/67	B,	Front bumper	1	C6OZ 17B875-A
66/70	X	Front bumper	1	
66/70	X(except 66, 71)	Rear bumper	1	
67/69	S	Front bumper	1	
68/71	B	Bolt-1/4" -20 x 3/4" (attach brkt. to impact bar)	2	20344-S(B-42)
68/71	B	Nut -1/4" -20(attach bracket to impact bar)	2	33795-S (M-49)
65	B	Nut-1/4"-20	2	33795-S7(M49)
65/67	A	Nut-1/4"-20	2or4	34390-S7 (M92)
66/67	B, X		2or4	
68/71	B	Lock washer-1/4" (attach brkt. to impact bar)	2	34940-S(X-88)
65/67	A, B, X	Bolt(brkt. to front or rear bumper)-1/4"-20 x 5/8"	2or4	350325-S100(BB647
65	A, B	Nut-1/4"-20 sleeve	2or4	380707-S(MM228B)
65	A, B	Screw(license plate to front or rear brkt.)-1/4"-20 x 5/8"	2or4	379872-S2 (UU86G)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17B876-7 BRACKET - REAR BUMPER GUARD - Also refer to Group 17934-5			
70	A(exc. 71)	Upper	2	D0AZ 17B876-A
71	A	Upper-front or rear bumper guards	2	D1AZ 17B876-A
71	B(except 66,71)	Upper	2	D1OZ 17B876-A
		Lower	2	D1OZ 17C856-A
65/66	F(except dual exhaust with chrome extensions)	R. H.	1	C5ZZ 17B876-A
		L. H.	1	C5ZZ 17B877-A
67/68	F(except with F70 x 14 tires)		2	C7ZZ 17B876-A
71/	L(62,64)		2	D1FZ 17B876-A
72	L(73)	Rear bumper guards	2	D2FZ 17B876-A
70/	P		2	D0DZ 17B876-A
71	S	Upper-Improvise from 1/8" thick steel	2	★
		Lower	2	D1SZ 17C856-A
70/	P	Screw & washer(att. bracket to body)-5/16"-18	2	57140-S2(B340H)
70/	P	Nut & retainer(att. bracket to body)-5/16"-18	2	★46268-S2
65/66	F(except dual exhaust with chrome extensions)	Screw (brkt. to rear floor member)-5/16"-18 x 3/4"	3	359662-S7-8 (BB575A)
		Screw (bracket to rear floor member)-5/16"-18 x 1 5/8"	1	359530-S8(BB576)
		Nut & retainer (bracket to rear floor member)-5/16"-18	4	379831-S2 (MM192M)
	17890 SUPPORT - FRONT BUMPER STONE DEFLECTOR - Refer to Group 17747			
	17B891 BRACKET - REAR BUMPER LICENSE PLATE - Refer to Group 17B875			
	17899 BRACE - FRONT VALANCE PANEL			
72	B		2	D2OZ 17899-A
	17906 BUMPER - REAR			
	- A -			
65	A(71)		1	C5AZ 17906-B
65/66	A (except 71)		1	C6AZ 17906-B
66/67	A(71)		1	C6AZ 17906-A
68	A(71B, D, E, H)		1	
68	A(71A, C, J) "Before 1/24/68"		1	
68	A(71A, C, J) "From 1/24/68"		1	C8AZ 17906-B
67	A (except 71)		1	C7AZ 17906-A
68	A(except 71)		1	C8AZ 17906-A
69	A(except 71)		1	C9AZ 17906-A
69/70	A(71)		1	C9AZ 17906-C
70	A(except 71)		1	D0AZ 17906-A
71	A (except 71)		1	D1AZ 17906-A
71	A(71)		1	D1AZ 17906-B
72	A(54, 57F, 65D, F) w/o bumper guard		1	D2AZ 17906-A
72	A(54, 57F, 65D, F) w/ bumper guards	Use plug button 385361-S100 w/o bumper guards	1	D2AZ 17906-F
72	A(53, 57H, K, 65H, K, 76) w/bumper guards		1	D2AZ 17906-B
72	A(53, 57H, K, 65H, K, 76)-w/o bumper guards		1	D2AZ 17906-E
72	A(71)		1	D2AZ 17906-D
	- B -			
65	B		1	C5OZ 17906-A
66/67	B(except 66,71)		1	C6OZ 17906-A
68/69	B(except 66,71)		1	C8OZ 17906-A
70/71	B(except 66,71)		1	D0OZ 17906-A
66/71	B(66,71)		1	D0OZ 17906-B
72	B(except 71,97) w/o bumper guards		1	D2OZ 17906-A
72	B(except 71,97)w/ bumper guards		1	D2OZ 17906-C
72	B(71,97)		1	D2OZ 17906-B
	- F -			
65/66	F		1	C5ZZ 17906-A
67/68	F		1	C7ZZ 17906-A
69/70	F		1	C9ZZ 17906-A
71/	F	Except high protection guards-r/b D3ZZ 17906-D (5-75)	1	★D1ZZ 17906-A
71/	F (except 63R)	Used with high protection guards	1	D1ZZ 17906-B
	- L -			
71/	L-w/o bumper guards		1	D1FZ 17906-A
71/	L-with bumper guards and horizontal pads		1	D1FZ 17906-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17906 BUMPER - REAR - continued			
	- P -			
70	P	Repl. by D3DZ 17906-B (5-75)	1	★D0DZ 17906-A
71	P	Except high protection guards	1	
71/72	P	Used with high protection guards	1	D2DZ 17906-A
72	P		1	D3DZ 17906-B
	- S -			
65/66	S		1	C4SZ 17906-A
67/71	S	Lower	1	C7SZ 17906-B
72	S -without bumper guards		1	D2SZ 17906-A
72	S-with bumper guards		1	D2SZ 17906-B
	- U -			
68/	U	Refer to basic Group 17756-7		
	- X -			
65	X		1	C4DZ 17906-A
66/70	X(54, 62)		1	C6DZ 17906-A
66/70	X(71)		1	C6OZ 17906-B
66	X(66)		1	
69/70	A(71)	Carriage bolt-5/16"-18 x 3/4" (bumper to reinforcement)	2	23378-S(B-3)
69/70	A(except 71)	Carriage bolt-7/16"-14x 1 1/2" (bumper to inner & outer arms)	4	23472-S8(B-15)
72	A, B, F, L, P, S	Button plug (chrome)-29/32" dia. x 9/16"	AR	385361-S100 (PP-8H)
68	B, X	Nut (arm to bumper bar)-7/16"-14 lock	AR	34396-S7(M95)
65	A, S	Nut-7/16"-20	AR	34671-S8(M67)
65	A, S	Lockwasher-7/16"	AR	34808-S8(X67)
69/70	A(71)	Nut-5/16" (bumper to reinforcement)	2	34976-S4(M89CA)
69/70	A(except 71)	Nut (bumper to inner & outer arms)	8	34988-S4(M89D)
69/70	A(71)	(Bumper to brace)	2	
65/69	A, B, F, S, X	Screw (attach license plate)-use with 380707-S sleeve nut	AR	42154-S8(U256)
66	S	Washer-flat (bumper attaching)-3/8"	8	44727-S8(X24)
65	A, S	Washer-flat-7/16"	AR	44730-S8(X26)
69/70	A(except 71)	Washer-1/2" flat(bumper to inner & outer arms)	8	44735-S(X-32)
69/70	A(except 71)	Screw & washer assy. (bumper to reinforcement)	2	★57048-S2
69/70	A(except 71)	Anti-rattler	2	358159-A1S
65/66	A(71), X		1	(CC9A)
68	B(54, 63, 65, 76)	Nut & washer (attach license bracket to impact bar)-1/4"-20	2	383278-S2 (MM296AG)
68	A	Bolt (rear bumper to reinforcement)-7/16"-14 x 1 7/16" hex. head	2	358910-S(BB176)
66	S	Nut (bumper attaching)-3/8"-16	8	373403-S8 (MM173J)
69/70	A(71)	Washer(att. bumper to inner & outer arms)	6	375266-S7
69/70	A(71)	(Att. bumper to brace)	4	(XX326A)
66	S	Bolt (bumper attaching)-3/8"-16 x 1"	2	★378219-S2
66	S	Bolt (bumper attaching)-3/8"-16 x 7/8"	6	378535-S2 (BB647H)
67	S	Bumper (insulate rear bumper from grounding)	2	372617-S(CC24A)
69/70	A(except 71)	Nut & retainer assy. (bumper to reinforcement)	2	★379671-S2
65	F, S, X	Screw (attaches license plate)-1/4"-20 x 5/8"	2	379872-S2 (UU86G)
68	B(except 71)	Bumper (In bumper bar behind license plate bracket)	2	380005-S(CC12L)
65/69	A, B, F, S, X	Bumper-rubber (between license plate & bumper)	2	380521-S(CC46)
65/69	A, B, F, S, X	Nut (license plate to rear bumper)-1/4" nylon	2	380707-S (MM228B)
70/	P	Bolt-carriage (bumper attaching)-7/16"-14 x 1.25"	AR	383465-S100 (BB647HE)
72	A	Plug button	AR	385361-S100 (PP-8-H)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17A906 BRACE - REAR BUMPER MOUNTING BRACKET TO CROSSMEMBER			
72	L(73)		2	D2FZ 17A906-A
	17B907 INSULATOR - REAR BUMPER GUARD			
71	A	R.H.-front guard	1	D1AZ 17B907-A
		L.H.	1	D1AZ 17B907-B
71	A	Rear guard-cut to fit	2	D1OZ 17B907-A
71/	B	Front and/or rear guard-cut to fit	4	
71/	L	Front and/or rear guard-cut to fit	4	
72	S	Rear guard-cut to fit	4	
71	S		4	D1SZ 17B907-A
	17912 REINFORCEMENT - REAR BUMPER - Refer to Group 17A914			
	17A914 REINFORCEMENT - REAR BUMPER CENTER			
66/68	A(71)	Center-painted	1	C6AZ 17A914-B
67	A(54, 57, 62, 63, 76)	Center	1	C7AZ 17A914-A
68	A(except 71)		1	C8AZ 17A914-A
69	A(except 71)		1	C9AZ 17912-A
69/	A(71)		1	C9AZ 17A914-A
70	A(except 71)		1	D0AZ 17A914-A
71	A (except 71)		1	D1AZ 17A914-A
72	A(except 71)		1	D2AZ 17A914-A
66/71	B(66, 71)		1	C6OZ 17A914-C
66/70	X(71)		1	
72	B(71, 97)	Center	1	D2OZ 17A914-B
65	S		1	C4SZ 17912-A
67/71	S	Center-on units built from "12/1/69" Add (2) 11/32" dia. holes for bumper	1	C7SZ 17A914-A
72	S		1	D2SZ 17A914-A
68	B(66, 71), X(71)	Bolt (reinf. to bar rear bumper impact)-5/16"-18 x 3/4" hex. head	2	20346-S8(B50)
66/68	A(71)		2	
65/68	A(71)	Bolt (reinforcement to inner arms)-7/16"-14 x 1 1/8"	4	20410-S8 (B103)
70	B(66, 71)	Nut (attach reinforcement to bumper)-5/16"-18	2	33770-S4 (M-89-K)
66	A(71)	Nut (reinforcement to impact bar)-5/16"-18	2	34392-S7(M93)
68	A	Nut (center bar to rear bumper)-5/16"-18 lock	2	
68	B(66, 71), X(71)		2	
65	A(71)	Nut-7/16"	2	34670-S7-8(M54)
65	A(71)	Washer-7/16"	2	34808-S2(X67)
65/68	A(71)	Lockwasher (reinforcement to inner arms)-7/16"	4	34848-S8(X75)
68	B(66, 71), X(71)		4	
70	B(66, 71)	Bolt (attach reinforcement to bumper)-5/16"-18 x 7/8"	2	56320-S4 (B-318-GD)
69/70	A(except 71)	Screw & washer assy. (reinforcement to inner arm)	4	★57048-S2
69/70	A(71)	Screw & washer assy. (reinforcement to inner arm)	2	★57481-S
68	A	Bolt (reinforcement bumper bar to bumper inner)-7/16"-14 x 1 7/16"	2	358910-S(BB176)
65/70	B(66, 71), X(71)	Nut retainer-7/16"-14	4	372571-S2(MM192Q)
65/68	A(71)		4	
70/71	S	Nut & retainer (attach reinforcement to bumper)-7/16"-14	6	★372949-S2
65	A(71)	Bolt (reinforcement to impact bar)-7/16"-14 x 1.12 truss head	2	379432-S40 (BB822H)
69/70	A(except 71)	Nut & retainer assy. (reinforcement to inner arm)	4	★379671-S2
68	B(66, 71), X(71)	Bolt (reinforcement to arm)-7/16"-14 x 1 1/4" hex. head	4	381745-S2 (BB405A)
69/70	A(71)	Nut & retainer assy. (reinforcement to inner arm)	2	381968-S (MM192QA)
69/70	A(except 71)	Bolt (attach reinforcement to bumper)-3/8"-16 x 1"	2	★381977-S2
71	A(except 71)	Nut "U" (attach reinforcement)-3/8"-16 spring	4	383615-S (MM284DE)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17A924 ABSORBER - BUMPER ARM TO BUMPER - Improvise			
	17B925 SHIM - REAR BUMPER - IMPROVISE			
	17934-5 CLAMP - FRONT BUMPER GUARD - Also refer to Group 17B876			
70	A	Upper-front bumper	2	D0AZ 17934-A
70	A	Lower-front bumper	1	D0AZ 17935-A
70	A(exc. 71)	-rear bumper	2	
	17A939 EXTENSION - FRONT BUMPER STONE DEFLECTOR - Also refer to Group 17626			
68/69	B(exc.63-Talladega)	R.H.	1	C8OZ 17A939-A
		L.H.	1	C8OZ 17A939-B
69	B(63-Talladega)	R.H.	1	C9OZ 17A939-A
		L.H.	1	C9OZ17A939-B
65/66	F	Lower-with parking lamp holes Upper-Refer to Group 17779	1	C5ZZ 17A939-A
67/68	F	Lower Upper-Refer to Group 17779	1	C7ZZ 17A939-A
66	S	Center	1	C6SZ 17A939-A
		R.H. & L.H. -Refer to Group 17626-7		
66	S	Screw & washer assy. (center valance panel to support)-5/16"-18 x 3/4"	1	20347-S8(B156)
68	B	Nut & retainer-1/4"-20	AR	354394-S2(MM187)
67/68	F	Bolt & washer (extension to stone deflector)-1/4"-20 x 5/8"	4	354476-S2(BB570)
67/68	F	Nut & retainer (extension to lamp body or stone deflector)-1/4"-20	4	356657-S32 (MM186)
65/66	F	Bolt-hex.head (att.extension)-5/16"-18 x 3/4"	AR	359662-S7-8 (BB575A)
65/68	F	Nut & retainer (att.extension)-5/16"-18	AR	370328-S(MM188)
68	B	Screw & washer (extension stone deflector to radiator grille)-also to front fender (front extension)-1/4"-20 x .75"	AR	372238-S7-8 (BB811)
67/68	F	Bumper	2	375838-S(CC32)
67/68	F	Screw (extension to fender)-5/16"-18 x 1"	4	378178-S2(BB412B)
66	S	Nut-retainer (center valance panel to support)-5/16"-18	1	379831-S2 (MM192M)
	17B947 INSULATOR - FRONT BUMPER ARM - Improvise from rubber stock if not listed			
71/	L		4	D0WY17B947-A
	17B948-9 EXTENSION - FRONT VALANCE CENTER PANEL			
66	S	R.H.-not replaced (3-74)	1	★C6SZ 17B948-A
		L.H.	1	C6SZ 17B949-A
	17A953 SEAL - REAR BUMPER - Improvise from AB 19560-A Sealer			
	17A956 REINFORCEMENT - FRONT BUMPER STONE DEFLECTOR			
71	A		1	D1AZ 17A956-A
72	B		1	D2OZ 17A956-A
	17B962-3 BRACE - FRONT BUMPER INNER ARM			
69	B(63-Talladega)	R.H.	1	C9OZ 17B962-A
		L.H.	1	C9OZ 17B963-A
	17B965 BRACKET - REAR BUMPER STOP			
72	B(except 71, 97)-w/bumper guards	R.H.	1	D2OZ 17B965-A
		L.H.	1	D2OZ 17B965-B
67/71	S	R.H. & L.H.	2	C7SZ 17B965-C

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17A968-9 REINFORCEMENT - BUMPER GUARD OUTER - FRONT			
66	S	R. H.	1	C6SZ 17A968-A
		L. H. -not replaced (3-74)	1	★C6SZ 17A969-A
66	S	Nut (reinforcement to fender apron)-1/2"-13	4	33845-S8(M-57)
66	S	Washer-flat (reinforcement to fender apron)-1/2"	4	44735-S8(X32)
66	S	Bolt (reinforcement to fender apron)-1/2"-13 x 1 1/4"	4	350688-S(BB193)
	17B968 GRILLE - FRONT BUMPER			
67	S-with T/E	R. H. -includes attaching parts	1	C7SZ 17B968-A
		L. H.	1	C7SZ 17B968-B
	17B970 MOULDING - FRONT BUMPER			
71	A	Used with bumper guards	1	D1AZ 17B970-A
67	S-with T/E	Includes attaching parts	1	C7SZ 17B970-A
	17A973-6 ARM - FRONT BUMPER - Refer to Group 17754-5			
	17982 PLATE - REAR BUMPER GUARD			
71	B (except 66,71)	Lower	2	D1OZ 17982-A
71	S	Lower-improvise from 1/8" thick steel	2	★
	17984-5 GUARD - BUMPER			
	- A -			
65/66	A	R.H. and L.H.-front-includes pad	2	C5AZ 17996-B
65/66	A(except 71)	R.H. and L.H.-rear	2	
68	A	R.H. and L.H.-front	2	
68	A(except 71)	R.H. and L.H.-rear	2	
65/66	A(except 71)	R.H. and L.H.-rear-includes pad and attaching parts	2	C5AZ 17984-B
68	A(except 71)	Rear-use with dealer installed bumper guard kit-only	2	C8AZ 17984-D
68	A	R.H.-front-use with dealer installed bumper guard kit only	1	C8AZ 17996-B
		L.H.	1	C8AZ 17996-C
68	A	r/b details (3-74)	1	★C8AZ 17996-A
69	A(except 54C, 57F, 63C, 65A, 71A, E, 76B)	Not replaced (3-74)	1	★C9AZ 17996-A
70	A(except 54C, 57F, 65A, 71)			
	Consists of 1-C9AJ 17K786-A Guard & pad assy.-R.H. 1-C9AJ 17K789-A Guard & pad assy.-L.H.	1-Installation sketch		
69	A(except 71)	Rear	1	C9AZ 17984-A
	Consists of 2-C9AJ 17K785-A Guard & pad assy.	1-Installation sketch		
70	A(except 54C, 57F, 65A, 71)	Rear-includes 2 guard assys. with pads	1	D0AZ 17984-A
70	A(54A, B, E, 57B, 62B, E, 63B, C, 65C, 76A, B)	Rear-for dealer installed bumper guard kit only-includes attaching parts	2	D0AZ 17984-B
70	A	R.H.-front	1	D0AZ 17996-A
		L.H.	1	D0AZ 17997-A
70	A(exc. 71)	Rear	2	D0AZ 17984-C
71	A	R. H. -front-inner-includes pad & attaching parts	1	D1AZ 17996-A
		L.H.	1	D1AZ 17997-A
71	A	R.H.-front-outer-includes pad & attaching parts	1	D1AZ 17996-B
		L.H.	1	D1AZ 17997-B
71	A (except 71)	Rear-includes pad & attaching parts	2	D1AZ 17984-A
72	A	R. H. -front-inner -includes pad & attaching parts	1	D2AZ 17996-B
		L. H.	1	D2AZ 17997-A
72	A(except 71)	Rear - includes pad & attaching parts	2	D2AZ 17984-B
72	A(except 71)	Rear-r/b details (5-75)	1	★D2AZ 17984-A
	Consists of 2-D2AZ 17984-B Guard assy. 6-45270-S36 Nut-No. 8-32 1-Installation sketch 2-D1MY 17A812-B Pad assy. 4-384578-S2 Screw & washer-5/16"-18x1 1/18"			

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17984-5 GUARD - BUMPER - continued			
	- A -			
72	A	r/b details (3-74)	1	★D2AZ 17996-A
	Consists of			
	2-D1MY 17A812-B Pad assy.	1-D2AZ 17997-A Guard-inner-L.H.	2-384578-S2	Screw & washer-
	2-D2AB 17C864-AA Spacer	8-45270-S36 Nut-No. 8-32		5/16"-18 x 1 1/16"
	1-D2AZ 17996-B Guard-inner-R.H.	2-376838-S36 Nut & washer- 5/16"-18	1-Installation sketch	
	- B -			
65/69	B	R.H. and L.H.-front-includes pad	2	C5AZ 17996-B
65/69	B (except 71)	R.H. and L.H.-rear	2	
71	B	R.H.-front - includes pad & attaching parts	1	D1OZ 17996-A
		L.H.	1	D1OZ 17997-A
71	B (except 66,71)	Rear - includes pad & attaching parts	2	D1OZ 17984-A
71	B(exc. 66,71)	r/b details (3-74)	1	★D1OZ 17984-B
	Consists of			
	2-D1OZ 17A807-A Pad assy.	2-D1OZ 17982-A Plate	2-57040-S2	Screw-5/16"-18 x 7/8"
	2-D1OZ 17C856-A Bracket-lower	2-D1OZ 17984-A Guard assy.	4-376838-S2	Nut & washer-5/16"-16
	2-D1OZ 17B876-A Bracket-upper	6-45270-S36 Nut-No. 8-32	1-	Installation sketch
72	B(53B,65B)	Rear	1	D2OZ 17984-B
	Consists of			
	2-D2OZ 17984-A Guard assy.	1-D2OZ 17B965-A Bracket-R.H.	4-384578-S2	Screw & washer-
	2-D1MY 17A812-B Pad assy.	1-D2OZ 17B965-B Bracket-L.H.		5/16"-18 x 1 1/16"
	1-D1AZ 17B990-A Stop	6-45270-S36 Nut-No. 8-32	1-Installation sketch	
71	B	r/b details (3-74)	1	★D1OZ 17996-B
	Consists of			
	1-D1OZ 17B794-A Bracket-upper-R.H.	2-D1OZ 17A807-A Pad assy.	6-45270-S36	Nut-No. 8-32
	1-D1OZ 17B794-B Bracket-upper-L.H.	1-D1OZ 17996-A Guard assy.-R.H.	4-376838-S2	Nut & washer-5/16"-18
	1-D1OZ 17B795-A Bracket-lower-R.H.	1-D1OZ 17997-A Guard assy.-L.H.	1-	Installation sketch
	1-D1OZ 17B795-B Bracket-lower-L.H.			
72	B(53B,65B,71B)	Front	1	D2OZ 17996-C
	Consists of			
	2-D1MY 17A812-B Pad assy.	1-D2OZ 17996-A Guard assy.-R.H.	6-45270-S36	Nut-No. 8-32
	2-D1MY 17A812-B Pad assy.	1-D2OZ 17996-A Guard assy.-R.H.	6045270-S36	Nut-No. 8-32
	2-D2OZ 17B794-A Bracket-upper	1-D2OZ 17997-A Guard assy.-L.H.	4-57041-S2	Screw & washer-
		1-Installation sketch		5/16"-18 x 1"
72	B(53B,65B,71B,97D)	R.H.-front - includes pad & attaching parts	1	D2OZ 17996-A
		L.H.	1	D2OZ 17997-A
72	B(53D,63,65D,R,71D,K,97K,R)	R.H.-front-includes pad & attaching parts	1	D2OZ 17996-B
		L.H.	1	D2OZ 17997-B
72	B(except 71,97)	Rear - includes pad & attaching parts	2	D2OZ 17984-A
	- F -			
65/66	F	R.H.-front-less pad	1	C5ZZ 17996-C
		L.H.	1	C5ZZ 17997-B
65/66	F(except dual exhaust with chrome extension)	Rear-guard only-R.H. or L.H.	2	C5ZZ 17984-C
67	F "Before 5/8/67"	R.H.-front-flat front edge-less pad	1	C7ZZ 17996-A
		L.H.	1	C7ZZ 17997-A
67/68	F "From 5/8/67"	R.H.-front-painted front edge-less pad	1	▲C7ZZ 17996-B
		L.H.	1	▲C7ZZ 17997-B
67/68	F	Rear-guard only-R.H. or L.H.	2	▲C7ZZ 17984-A
69/70	F	R.H.-front-includes attaching parts	1	C9ZZ 17996-A
		L.H.	1	C9ZZ 17997-A
71	F-with low protection guard	Front - includes pad & attaching parts	2	D1ZZ 17996-A
71/	F(exc. 63R)	r/b details (3-74)	1	★D1ZZ 17996-C
	Consists of			
	2-D1ZZ 17B794-A Bracket-upper	1-D1ZZ 17996-B Guard assy.-R.H.	6-45270-S36	Nut-No. 8-32
	2-D1ZZ 17B795-B Bracket-lower	1-D1ZZ 17997-A Guard assy.-L.H.	4-384578-S36	Screw & washer-
	2-D1MY 17A812-B Pad assy.	1- Installation sketch		5/16"-18 x 1 1/16"

▲ Not used when vehicle is equipped with F70 x 14 tires

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17984-5 GUARD - BUMPER - continued			
71/	F (except 63R)-with high protection guard	R.H.-front - includes pad & attaching parts	1	D1ZZ 17996-B
		L.H.	1	D1ZZ 17997-A
71/	F(exc. 63R)	Rear-r/b details (5-75)	1	★D1ZZ 17984-B
	Consists of			
	2-D1MY 17A812-B Pad assy. 6-45270-S36 Nut-No. 8-32 1- Installation sketch			
	2-D1ZZ 17984-A Guard assy. 4-384578-S36 Screw & washer-5/16"-18 x 1 1/16"			
71/	F (except 63R)	Rear - includes pad & attaching parts	2	D1ZZ 17984-A
	- L -			
71/	L	R.H.-front-less pad	1	D1FZ 17996-A
		L.H.	1	D1FZ 17997-A
71/	L(62,64)	Rear - includes pad & attaching parts	2	D1FZ 17984-A
71/	L	r/b details (3-74)	1	★D1FZ 17996-B
	Consists of			
	2-D1FZ 17A812-A Pad assy. 1-D1FZ 17997-A Guard assy.-L.H. 4-376762-S2 Nut-1/4"-20			
	2-D1FZ 17988-A Reinforcement 2-34661-S2 Nut & washer- 1- Installation sketch			
	1-D1FZ 17996-A Guard assy.-R.H. 5/16"-18			
71/	L(62,64)	r/b details (3-74)	1	★D1FZ 17984-B
	Consists of			
	2-D1FZ 17A812-A Pad assy. 2-D1FZ 17984-A Guard assy. 4-376762-S2 Nut-1/4"-20			
	2-D1FZ 17B876-A Reinforcement 2-34661-S36 Nut & washer- 1- Installation sketch			
	5/16"-18			
72	L(73)	Rear-includes pad & attaching parts	2	D2FZ 17984-B
	- P -			
70/71	P-with low protection guard	R.H.-front	1	D0DZ 17996-A
		L.H.	1	D0DZ 17997-A
70/71	P-with low protection guard	R.H.-rear	1	D0DZ 17984-A
		L.H.	1	D0DZ 17985-A
71/	P	Front-r/b details (5-75)	1	★D1DZ 17996-A
	Consists of			
	1-D1DZ 17996-B Guard assy.-R.H. 4-384578-S36 Screw & washer-5/16"-18 x 1 1/16"			
	1-D1DZ 17997-A Guard assy.-L.H. 6-45270-S36 Nut-No. 8-32			
	2-D1MY 17A812-B Pad assy. 1-Installation sketch			
71/	P	Rear-r/b details (5-75)	1	★D1DZ 17984-A
	Consists of			
	2-D1DZ 17984-B Guard assy. 6-45270-S36 Nut-No. 8-32			
	2-D1MY 17A812-B Pad assy. 1-Installation sketch			
	4-384578-S36 Screw & washer-5/16"-18 x 1 1/16"			
71/72	P-with high protection guard -	R.H.-front - includes pad & attaching parts	1	D1DZ 17996-B
	"Before 4/3/72"	L.H. -r/b D2DZ 17997-A	1	★D1DZ 17997-A
72	P-with high protection guard-	R.H.-front-less pad	1	D2DZ 17996-A
	"From 4/3/72"	L.H.	1	D2DZ 17997-A
71/	P-with high protection guard	Rear-less pad	2	D2DZ 17984-A
	- S -			
65	S	R.H.-front	1	C4SZ 17996-A
		L.H.	1	C4SZ 17997-A
66	S "Before 9/16/65"	Front	2	C6SZ 17996-A
66	S "From 9/16/65"	Front	2	C6SZ 17996-B
71	S	Front - includes pad & attaching parts	1	D1SZ 17996-A
71	S	Rear - includes pad & attaching parts	2	D1SZ 17984-A
72	S	Rear - includes pad & attaching parts	2	D2SZ 17984-A
	- U -			
66/	U-with chrome bumper	Front bumper	2	C6TZ 17996-A
	- X -			
65/70	X	R.H. and L.H.-front-includes pad	2	C5AZ 17996-B
65/70	X (exc.71)	R.H. and L.H.-rear	2	
66	S	Nut (front guard to bracket)-3/8"-16	2	33799-S2(M52)
66	S	Washer-spring (front guard to bracket)-7/16"	2	34807-S8(X66)
65	F	Flatwasher (front guard)	2	44725-S8(X22)
65	S	Flatwasher-7/16"	2or4	44730-S8 (X26)
66	S	Flatwasher (front guard to reinforcement)-1/2"	8	44735-S8(X32)
70/	P	Nut & retainer (att.rear guard to 17B876 bracket)	2	★45268-S2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	17984-5 GUARD - BUMPER - continued			
66	S	Nut-lock (front guard to reinforcement-1/2"-13	4	55697-S8(M89F)
66	S	Bolt (front guard to bracket)-3/8"-16 x 1 5/8"	2	★302332-S2
66	S	Bolt (front guard to reinforcement)-1/2"-13 x 1 1/4"	4	350688-S(BB193)
65	F	Screw (front guard to member assy.)-5/16"-18 x 1 5/8"	2	359530-S8(BB576)
65	F	Screw (rear guard lower to lower back panel)	2	
70/	P	Nut & retainer (rear guard upper to lower back panel)-7/16"-14	2	383085-S3 (MM-192-QB)
65/	F	Screw (front guard to bracket)-5/16"-18 x 3/4"	2	359662-S7-8
65	F	Screw (rear guard upper to lower back panel)	2	(BB575A)
65/66	F	Nut-retainer (front guard)-5/16"-18	4	370328-S2(MM188)
67	F	Screw & washer (front bumper to bracket)-5/16"-18 x 1/4"	2	373762-S(BB551H)
67/70	F	Screw & washer (bumper guard to body)-5/16"-18 x 1 1/4"-hex. hd.	2	377357-S2 (BB867X)
67	F	Nut & retainer (front bumper to bracket)-5/16"-18	4	378680-S2 (MM192AA)
67	F	Nut & retainer (bumper guard to body)-5/16"-18	2	379670-S2 (BB192AB)
65	F	Nut-retainer (rear guard)-5/16"-18	4	379831-S2(MM192M)
65/66	F	Bumper-rubber (front & rear guards)	8	379944-S(CC37)
70/	P	Screw & washer (att. rear guard to 17B876 bracket)	2	379890-S40 (BB624C)
	17B984 PLATE - FRONT BUMPER UPPER END			
68/69	S	R.H.	1	C8SZ 17B984-A
		L.H.	1	C8SZ 17B984-B
	17A986 BRACKET - VALANCE PANEL - FRONT			
70/71	B	R.H.	1	D0OZ 17A986-A
		L.H.	1	D0OZ 17A986-B
66	S		2	C6SZ 17A986-A
70/71	B	Nut & retainer (att. bracket to front valance panel)	2	★45263-S2
	17988 PLATE - BUMPER GUARD BACK			
65/66	A	Front-R.H. or L.H.	AR	C5AZ 17988-A
68/69	A	Front-R.H. or L.H.	AR	
65/69	B, X	Front-R.H. or L.H.	AR	
69	F	Front-R.H. or L.H.	AR	
65/66	A(except 71)	Rear-R.H. or L.H.	AR	
68	A(except 71)	Rear-R.H. or L.H.	AR	
65/69	B, X (except 71)	Rear-R.H. or L.H.	AR	
69	F	Rear-R.H. or L.H.	AR	
71/	L	Front	2	D1FZ 17988-A
	17B990 STOP - REAR BUMPER			
70	A(except 71)		2	D0AZ 17B990-A
71/	A (except 71)		2	D3OZ 17B990-A
71/	A (except 71)	Center	2	D1AZ 17B990-B
72	A(except 71)	Cut to size	2	D1MY 17B990-A
72	A(except 71)	Center	1	D2AZ 17B990-A
72	B(53B, 63, 65B, R, 71B, K, 97)	Front bumper	AR	
72	B	Rear bumper	AR	
68/71	S		2	C8SZ 17B990-B
72	S		1	D2SZ 17B990-A
	17B991 PLATE - FRONT BUMPER TO FRONT MOUNTING			
69/	A	R.H.	1	C9AZ 17B991-A
		L.H.	1	C9AZ 17B991-B
72	B, S	R.H.	1	D2OZ 17B991-A
		L.H.	1	D2OZ 17B991-B
	17996-7 GUARD - BUMPER - Refer to Group 17984-5			

INDEX

PART NAME	GROUP NUMBER
A	
Adapter (heater temperature control valve)	18K306
Adapter (windshield defroster outlet)	18A527
Adapter assy. (A/C outlet duct)	18C387
Adapter assy. (heater outlet duct)	18C387
Adapter kit (radio antenna)	18813
Antenna kit (radio)	18813
Arm (heater air temperature control valve door)	18A553
Automatic timer (car warmer)	18497
B	
Baffle (heater plenum chamber air)	18C343
Bender (heater hose 90°)	18573
Bezel (air horn switch)	18598
Bezel (control)	18598
Bezel (heated backlite switch)	18598
Bezel (heater switch)	18598
Bezel (radio control)	18842
Bezel (radio speaker fader control)	18A842
Bezel (rear window defogger outlet)	18C573
Blower assy. (heater)	18456
Bracket (A/C air damper door motor mounting)	18C607
Bracket (A/C air duct support)	18C593
Bracket (A/C blower housing)	18C336
Bracket (A/C control motor mounting)	18A699
Bracket (A/C control mounting)	18531
Bracket (A/C control vacuum motor mounting)	18B258
Bracket (A/C defroster door control motor)	18B652
Bracket (A/C evaporator case mounting)	18A456
Bracket (A/C motor mounting)	18A456
Bracket (air duct support)	18C593
Bracket (back window heat control warning lamp)	18C623
Bracket (front shock absorber lower)	18126
Bracket (front shock absorber mounting)	18183-4
Bracket (front shock absorber upper)	18A017
Bracket (heater air damper door control)	18A272
Bracket (heater air temperature control mounting)	18B542
Bracket (heater control mounting)	18531
Bracket (heater control vacuum motor mounting)	18B258
Bracket (heater hose support)	18481
Bracket (heater water control valve mounting)	18A635
Bracket (radio speaker mounting)	18815
Bracket (rear shock absorber member mounting)	18A054
Bracket (rear shock absorber stud)	18178
Bracket (rear shock absorber upper)	18192

PART NAME	GROUP NUMBER
B cont'd.	
Bracket (rear window defogger blower switch mounting)	18C541
Bracket (rear window defogger switch mounting)	18C497
Bracket (windshield defroster nozzle mounting)	18A348
Bracket & mask assy. (A/C control)	18C540
Bumper (front shock absorber)	18A085
Bushing (A/C temperature regulator control shaft)	18C327
Bushing (front shock absorber mounting lower)	18A007
Bushing (heater temperature regulator control shaft)	18C327
Bushing repair kit (front shock absorber)	18198
Bushing repair kit (rear shock absorber)	18198
C	
Cable (radio antenna lead in)	18812
Cable assy. (defroster)	18548
Cable assy. (heater air)	18552, 18C592
Cable assy. (heater temperature)	18518
Capacitor (radio voltage regulator)	18832
Cartridge kit (stereo tape)	18816
Case assy. (A/C plenum chamber)	18A484
Case assy. (heater core)	18A542-3
Case assy. (heater plenum chamber)	18A484
Chamber assy. (heater air plenum)	18471
Chassis (radio receiver)	18806, 18810
Clamp (heater door lever)	18K254
Clamp (heater hose)	18572
Clamp (heater hose to thermostatic choke housing)	18572
Clamp (radio antenna hose)	18954
Clip (heater control cable)	18B561
Clip (vent air valve damper door stop)	18B409
Clip (windshield defroster nozzle)	18C594
Collar & connector (heater inlet)	18A566
Condenser (radio)	18827
Connector (heater inlet hose)	18A568
Connector (heater plenum chamber to defroster nozzle)	18A619-20
Connector (heater vacuum hose)	18B250
Connector (windshield defroster nozzle)	18A435
Control (radio rear seat speaker volume)	18972

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
C - cont'd.	
Control assy. (heater)	18549
Core assy. (heater)	18476
Cover (heater motor dash panel opening)	18A475
Cover (heater outlet duct)	18C301
Cover assy. (heater core case)	18B299
Cover assy. (heater housing rear)	18B447
D	
Defogger kit (rear window)	18397
Disc (A/C switch)	18830
Disc (heater switch)	18830
Disc (radio receiver tone control)	18830
Door (A/C air damper)	18A316
Door (A/C blower)	18B254
Door (heater air damper)	18A361
Door assy. (heater air temperature control)	18B545
Door & hinge (heater air vent)	18A646
Door & seal assy. (A/C air damper)	18A574
Door & seal assy. (heater air damper)	18A574
Duct (A/C air inlet)	18B259, 18B306
Duct (A/C air outlet)	18633
Duct (heater air inlet)	18B259
Duct (heater air outlet)	18C297, 18633
Duct (heater inlet)	18457
Duct assy. (heater outlet to floor)	18C433
Duct assy. (heater rear seat outlet)	18C420
E	
Elbow (heater hose)	18599
Escutcheon assy. (radio receiver)	18809
Extension (windshield defroster nozzle)	18C371-2
F	
Fitting kit (quarter panel wheel opening)	18974
Foot control kit (rear seat speaker)	18876
Frame (A/C heater core)	18A441
G	
Gasket (A/C blower housing)	18B488
Gasket (A/C to dash)	18570
Gasket (heater blower motor mounting)	18583
Gasket (heater core tube)	18596
Gasket (heater inlet)	18A596
Gasket (heater to dash)	18570
Gasket (radio antenna base)	18898
Gasket (rear window defogger blower housing)	18C471
Grille (heater air vent outlet)	18A499
Grille (heater rear seat outlet)	18C570
Grille (radio speaker)	18978
Grille assy. (rear window defogger)	18C490
Grommet (antenna lead in seal)	18912
H	
Handle kit (heater door & air vent duct)	18B578
Harness assy. (A/C control motor)	18C560
Heater & defroster kit	18455
Hose (A/C control motor vacuum supply)	18A358
Hose (heater control motor vacuum supply)	18A358
Hose (heater temperature control vacuum inlet)	18666
Hose (heater temperature control vacuum outlet)	18668
Hose (heater water)	18472
Hose (hot water heater)	18C572
Hose (windshield defroster)	18556
Hose assy. (A/C control motor vacuum)	18B372
Hose assy. (heater control motor vacuum)	18B372
Hose & connector assy. (heater)	18C533, 18C553
Housing (A/C blower motor)	18A584, 18592-3
Housing (A/C blower outer)	18755
Housing (front shock absorber insulator)	18183
Housing (heater blower motor)	18A584
I	
Insulator (front shock absorber lower)	18A018

INDEX

PART NAME	GROUP NUMBER
K	
KIT - refer to appropriate noun name For example Foot control kit (rear seat speaker)	18876
Knob (heater control)	18534
Knob (radio rear seat speaker fader control)	18958
Knob assy. (A/C blower switch control)	18513
Knob assy. (A/C control)	18519, 18817
Knob assy. (air vent control)	18519
Knob assy. (defroster control)	18519
Knob assy. (heated backlite switch)	18519
Knob assy. (heater blower switch control)	18513
Knob assy. (heater control)	18519, 18817
Knob assy. (map lamp switch)	18911
Knob assy. (radio antenna control)	18911
Knob assy. (radio control)	18817
Knob assy. (radio speaker fader control)	18817
Knob assy. (rear window defogger switch)	18513, 18519
Knob assy. (speed control)	18519
Knob assy. (stereo tape player control)	18817
Knob assy. (tailgate window control)	18519
Knob assy. (windshield washer switch)	18817
Knob assy. (windshield wiper control)	18519
L	
Lamp assy. (back window heat control warning)	18C622
Lens (glove compt. lamp)	18263
Lever (A/C temperature regulator control)	18A367
M	
Mast (radio antenna replacement)	18A886
Member (rear shock absorber mounting)	18A000-1
Motor assy. (A/C blower)	18527
Motor assy. (A/C vacuum control)	18A318
Motor assy. (heater blower)	18527
Motor assy. (heater vacuum control)	18A318
Motor assy. (rear window defogger)	18527
Motor & tube assy. (radio antenna)	18850
N	
Nozzle (windshield defroster hose)	18490-1
Nozzle assy. (rear window defogger)	18C515
Nut (adapter heater teemperature control valve)	18K307
Nut (heater blower switch)	18545

PART NAME	GROUP NUMBER
N - cont'd.	
Nut (radio antenna)	18865
Nut (radio control shaft)	18818
Nut (rear seat speaker fader control)	18A985
Nut (rear window defogger switch)	18A508, 18A985
P	
Panel assy. (heater control)	18A651
Panel assy. (A/C control)	18A651
Plate (A/C motor mounting)	18581
Plate (A/C mounting)	18679
Plate (heater air damper door seal)	18A317
Plate (heater housing blower & plenum)	18A485
Plate (heater housing core)	18A488
Plate (heater motor mounting)	18581
Plate (radio speaker mounting front)	18963
Plate assy. (A/C mounting)	18677
Plate assy. (heater housing air inlet)	18A493
Plug (heater case)	18C636
Power supply (citizen band transceiver)	18800
R	
Radio kit	18805
Radio rear seat speaker kit	18875
Radio rear seat speaker foot control kit	18876
Register (A/C air)	18C366
Register (A/C switch to blower motor)	18591
Register (heater air)	18C366
Register assy. (A/C air distribution)	18C306
Register assy. (air distribution)	18C306
Reinforcement (radio antenna grounding)	18A954
Reinforcement (rear shock absorber member)	18A024
Reinforcement (rear shock absorber member inner)	18A108-9
Reinforcement (rear shock absorber mounting member)	18A114
Relay assy. (back window heat control)	18C641
Resistor (heater switch to blower motor)	18591
Resistor (radio receiver suppression choke)	18A952
Retainer (front shock absorber bumper)	18A086
Retainer (heater control cable clip)	18C283
Retainer (heater core)	18C583, 18A573, 18B689
Retainer (heater rear air register)	18A395
Retainer (tonneau cover)	18A400
Retainer (windshield defroster nozzle)	18C350

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S	
Screen (heater plenum chamber air)	18C351
Screen (radio speaker)	18836
Screen (rear seat speaker)	18821
Seal (heater core to housing front)	18B551
Seal (heater defroster nozzle)	18C367
Shaft (A/C air damper door)	18C466
Shaft (A/C air outlet door)	18A497
Shaft (heater air damper door)	18C466
Shaft assy. (heater air vent door)	18C638
Shield (frost)	18460
Shield (radio speaker)	18814
Shock absorber (front)	18045, 18124
Shock absorber (rear)	18080, 18125
Shutter (heater core)	18C418
Sleeve (radio tone control disc)	18A945
Socket & wiring assy. (A/C control lamp)	18541
Socket & wiring assy. (heater control lamp)	18541
Spacer (radio control shaft)	18A830
Speaker assy. (radio receiver)	18808
Speaker kit (radio rear seat)	18875
Speaker kit (stereo)	18808
Spring (wheel static collector)	18938
Stanchion (radio antenna)	18919
Stiffener (rear shock absorber member reinforcement)	18A066
Strap (ammeter wire to body support)	18572
Strap (radio receiver hood bonding)	18870
Stud (rear shock absorber mounting)	18193
Support (radio receiver)	18888-90
Switch (electric radio antenna)	18863
Switch (luggage compt. remote control)	18972
Switch assy. (A/C blower)	18578
Switch assy. (A/C servo control)	18C311, 18C495
Switch assy. (heated backlite)	18578
Switch assy. (heater blower)	18578
Switch assy. (heater servo control)	18C311
Switch assy. (rear window defogger)	18578
Switch & clip assy. (A/C blower control sensor)	18C561
Switch repair kit (rear window defroster)	18704

PART NAME	GROUP NUMBER
T	
Tone alert citizens band transceiver	18801
Traction master kit	18127
Tube (A/C water outlet)	18663
Tube (heater hot water)	18B402
Tube (heater water outlet)	18663, 18674
Tube assy. (heater water inlet)	18696
V	
Valve (A/C temperature regulator)	18502
Valve (heater temperature control)	18A545
Valve (heater water control)	18495
Valve & wiring (A/C control solenoid)	18C536
W	
Warmer (car interior)	18A454
Washer (front shock absorber insulator)	18041
Wheel (heater blower)	18504
Wire assy. (back window heater)	18C618
Wire assy. (back window heater ground)	18C620
Wire assy. (heater blower motor ground)	18569
Wire assy. (rear window defogger)	18C394, 18C487
Wiring (heater control)	18B604
Wiring (radio receiver to rear seat speaker)	18A900
Wiring assy. (heater back window heat control)	18C617
Wiring assy. (heater back window heat feed)	18C619
Wiring assy. (heater blower switch jumper)	18A336
Wiring assy. (heater switch to blower motor)	18A586
Wiring assy. (radio rear seat speaker connector)	18A901
Wiring assy. (rear window defogger)	180394, 18C487
Wiring assy. (rear window defogger switch feed)	18C496, 18C538
Wiring assy. (stereo tape player to speaker)	18K825
Wiring & socket assy. (ash receptacle lamp)	18981

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	18A000-1 MEMBER - REAR SHOCK ABSORBER MOUNTING				
	- B -				
66/67	B(71)			1	C6OZ 18A000-E
66/69	B(76)			1	C6OZ 18A000-G
66/71	B (except 66,71)			1	
68/71	B(66,71)			1	C9OZ 18A000-A
	- F -				
65/67	F(with single exhaust)		R/b C7ZZ 18A000-C (3-74)	1	★ C7ZZ 18A000-A
65/67	F(with dual exhaust)		R/b C7ZZ 18A000-D (3-74)	1	★ C7ZZ 18A000-B
68/70	F-with single exhaust			1	C7ZZ 18A000-C
68/70	F-with dual exhaust			1	C7ZZ 18A000-D
69/70	F (CJ)-with 4/S/T		Upper	1	C9ZZ 18A001-B
			Lower	1	C9ZZ 18A001-A
70	F-with staggered shocks			1	D0ZZ 18A001-A
71/	F-with dual exhaust			1	D1ZZ 18A000-A
71/	F-with dual exhaust			1	D1ZZ 18A000-B
71/	F-with single exhaust			1	D1ZZ 18A000-C
	- L -				
71/	L (62,64)		R.H.	1	D1FZ 18A000-A
			L.H.	1	D1FZ 18A000-B
72	L (73)		Refer to Group 18A114		
	- P -				
70	P			1	D0DZ 18A000-A
71/	P			1	D1DZ 18A000-A
	- X -				
67/70	X(54,62)			1	C7DZ 18A000-B
69/70	X(71)			1	C9OZ 18A000-A
	18A007 BUSHING - FRONT SHOCK ABSORBER MOUNTING - LOWER - Also refer to Group 18198				
65	F		Front	2	C0AA 18A007-A
			Bolt (bushing to bracket)-5/16"-24 x 3/4"	2or4	20347-S8 (B156)
			Nut-5/16"-24	2or4	33798-S8 (M62)
			Lockwasher-5/16"	2or4	34806-S7 (X64)
	18A017 BRACKET - FRONT SHOCK ABSORBER UPPER				
65	B			2	C2OZ 18A017-A
66/71	B			2	C6OZ 18A017-A
66/70	X			2	
67/70	F			2	C7ZZ 18A017-A
71/	F			2	D1ZZ 18A017-A
70/	P			2	D0DZ 18A017-A
65	X			2	C4DZ 18A017-A
65/66	F, X	"Before 3/1/66"	Nut-5/16"-24	6	33923-S7(M32)
66	B			6	
66	B, F, X	"From 3/1/66"	Nut-5/16"-18	6	34392-S7-8 (M93)
65	B		Nut - 7/16"-14	4	34670-S7(M54)
			Lockwasher-7/16"	4	34808-S8(X67)
65/66	F, X	"Before 3/1/66"	Bolt (bracket to under body)-5/16"-24 x 3/4"	6	355471-S8(BB651)
66	B			6	
66	B, F, X	"From 3/1/66"	Bolt (bracket to underbody)	6	378940-S2 (BB647DA)
67	F		Bolt (bracket to under body)-3/8" -16 x 7/8" carriage	6	378535-S2 (BB647H)
71	F		Bolt (bracket to underbody)-3/8" -16 x 15/16"	6	384602-S2 (BB647J)
	18A018 INSULATOR - FRONT SHOCK ABSORBER LOWER				
66/67	B			8	☆ C0DD 18A018-A
65/67	F, X			8	
66/71	B			8	♦ CAD 517
65/71	F			8	♦
65/70	X			8	♦
	18A024 REINFORCEMENT - REAR SHOCK ABSORBER MEMBER				
65/66	S		Outer	2	C4SZ 18A024-B
	18041 WASHER - FRONT SHOCK ABSORBER INSULATOR				
71/	F			6	D1ZZ 18041-A
	18045 SHOCK ABSORBER - FRONT - Refer to Basic 18124				

☆ U.S. only ♦ Canada only

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18080 SHOCK ABSORBER REAR - Refer to Basic 18125			
	18A054 BRACKET - REAR SHOCK ABSORBER MEMBER MOUNTING			
69/70	F(CJ)-with 4/S/T	R.H.	1	C9ZZ 18A054-A
	18A066 STIFFNER - REAR SHOCK ABSORBER MEMBER REINFORCEMENT			
71/	F-with dual exhaust		1	D1ZZ 18A066-A
	18A085 BUMPER - FRONT SHOCK ABSORBER			
71/	L(exc. 73)		2	D2FZ 18A085-A
65/66	S		2	C4SZ 18A085-A
	18A086 RETAINER - FRONT SHOCK ABSORBER BUMPER			
71/	L		2	D1FZ 18A086-A
	18A108-9 REINFORCEMENT - REAR SHOCK ABSORBER MEMBER INNER			
69/70	F(CJ)-with 4/S/T		1	C9ZZ 18A108-A
	18A114 REINFORCEMENT - REAR SHOCK ABSORBER MOUNTING MEMBER			
72	L(73)		1	D2FZ 18A114-B
65/66	S		1	C4SZ 18A114-A

18124-5 SHOCK ABSORBER IDENTIFICATION CHART

The production number is stamped on the barrel of each shock absorber as an identification marking. The following chart will provide quick identification of the service kit number when the identification marking is known. Also shock absorber kits may be selected by model, year and description under group number 18124-5 which follows the chart. Shock absorber kits include insulators, bolts, nuts and washers.

In those instances where both Ford and Motorcraft numbers are listed, Canadian dealers are to order Motorcraft numbers only.

IDENTIFICATION	KIT PART NUMBER	MOTORCRAFT PART NUMBER
C1DD 18045-A	C1DZ 18124-E	AB-16
C1DD 18045-B	C1DZ 18124-E	AB-16
C1DD 18045-C	C1DZ 18124-E	AB-16
C1DD 18045-D	C1DZ 18124-E	AB-16
C2OA 18045-A	C2OZ 18124-D	AB-64
C2OA 18045-H	C2OZ 18124-D	AB-64
C2OA 18045-K	C2OZ 18124-D	AB-64
C2OA 18045-L	C2OZ 18124-D	AB-64
C2OA 18045-M	C2OZ 18124-D	AB-64
C3DA 18045-C	C1DZ 18124-E	AB-16
C3GA 18045-A	C1DZ 18124-E	AB-16
C3OA 18045-C	C2OZ 18124-D	AB-64
C3OA 18045-D	C2OZ 18124-D	AB-64
C3OA 18045-E	C2OZ 18124-D	AB-64
C3OA 18045-F	C2OZ 18124-D	AB-64
C3OF 18045-A	C2OZ 18124-D	AB-64
C4DF 18045-A	C8DZ 18124-A	
C4DF 18045-D	C1DZ 18124-E	AB-16
C4DZ 18045-E	C1DZ 18124-E	AB-16
C4DF 18045-F	C1DZ 18124-E	AB-16
C4DF 18045-G	C1DZ 18124-E	AB-16
C4GF 18045-A	C1DZ 18124-E	AB-16
C4OF 18045-A	C2OZ 18124-D	AB-64
C4PF 18045-AD	D1TZ 18125-B	
C4PF 18045-C	C4SZ 18124-C	AB-89
C4SF 18045-A	C4SZ 18124-C	AB-89
C4SZ 18045-B	C4SZ 18124-C	AB-89
C4ZF 18045-C	C5ZZ 18124-E	AB-100
C4ZF 18045-D	C5ZZ 18124-E	AB-100
C4ZF 18045-E	C5ZZ 18124-E	AB-100
C4ZF 18045-F	C5ZZ 18124-E	AB-100
C4ZF 18045-G	C5ZZ 18124-E	AB-100
C5AF 18045-A	C6TZ 18124-H	AB-105
C5AF 18045-B	C7AZ 18124-C	AX-110
C5AF 18045-E	C5AZ 18124-E	AX-150
C5AF 18045-F	C6TZ 18124-M	AB-105

IDENTIFICATION	KIT PART NUMBER	MOTORCRAFT PART NUMBER
C5AF 18045-G	C6TZ 18124-M	AB-105
C5AF 18045-H	C6TZ 18124-M	AB-105
C5AF 18045-J	C6TZ 18124-M	AB-105
C5AF 18045-K	C5AZ 18124-E	AX-150
C5OF 18045-A	C2OZ 18124-D	AB-64
C5OF 18045-C	C2OZ 18124-D	AB-64
C5SF 18045-A	C4SZ 18124-C	AB-89
C5ZF 18045-A	C5ZZ 18124-E	AB-100
C5ZF 18045-B	C5ZZ 18124-E	AB-100
C6AF 18045-A	C7AZ 18124-C	
C6AF 18045-B	C8AZ 18124-C	
C6AF 18045-C	C5AZ 18124-E	AX-150
C6AF 18045-D	C7AZ 18124-C	AX-110
C6DF 18045-B	C1DZ 18124-E	AB-16
C6DF 18045-C	C0DZ 18124-A	AX-31
C6DF 18045-D	C1DZ 18124-E	AB-16
C6DF 18045-E	C1DZ 18124-E	AB-16
C6DF 18045-F	C0DZ 18124-A	AX-31
C6DF 18045-G	C1DZ 18124-E	AB-16
C6DF 18045-H	C0DZ 18124-A	AX-31
C6DF 18045-J	C0DZ 18124-A	AX-31
C6DF 18045-K	C1DZ 18124-E	AB-16
C6OF 18045-B	C1DZ 18124-E	AB-16
C6OF 18045-C	C8DZ 18124-A	AB-16
C6OF 18045-D	C0DZ 18124-A	AX-31
C6OF 18045-F	C1DZ 18124-E	AB-16
C6OF 18045-G	C1DZ 18124-E	AB-16
C6OF 18045-J	C1DZ 18124-E	AB-16
C6TA 18045-D	D1TZ 18124-B	
C6TA 18045-E	D1TZ 18124-B	
C6TA 18045-M	D1TZ 18124-B	
C6TA 18045-T	D1TZ 18124-B	
C6ZF 18045-B	C5ZZ 18124-E	AB-100
C7AF 18045-A	C6TZ 18124-M	AB-105
C7AF 18045-C	C7AZ 18124-C	
C7DF 18045-C	C9OZ 18124-A	
C7OF 18045-A	C0DZ 18124-A	AX-31

18124-5 SHOCK ABSORBER IDENTIFICATION CHART - continued

IDENTIFICATION	KIT PART NUMBER	MOTORCRAFT PART NUMBER
C7OF 18045-B	C1DZ 18124-E	AB-16
C7PF 18045-BE	C5AZ 18125-AA	AB-104
C7PF 18045-BM	C6TZ 18124-N	AB-117
C7PF 18045-BN	C6TZ 18125-J	AB-118
C7PF 18045-BR	C6OZ 18125-N	AB-119
C7PF 18045-BT	C7ZZ 18124-D	AB-123
C7PF 18045-F	B9SZ 18125-C	
C7PF 18045-K	C1DZ 18124-E	AB-16
C7PF 18045-N	C1DZ 18125-G	AB-21
C7PF 18045-U	C6TZ 18125-M	AB-31
C7SF 18045-A	C4SZ 18124-C	AB-89
C7ZF 18045-A	C7ZZ 18124-D	AB-123
C7ZF 18045-B	C7ZZ 18124-D	AB-123
C7ZF 18045-C	C7ZZ 18124-E	AB-129
C7ZF 18045-D	C7ZZ 18124-D	AB-123
C7ZF 18045-E	C7ZZ 18124-D	AB-123
C7ZF 18045-F	C7ZZ 18124-E	AX-129
C7ZF 18045-H	C7ZZ 18124-D	AB-123
C7ZF 18045-J	C7ZZ 18124-E	AX-129
C7ZF 18045-K	C7ZZ 18124-A	
C8AF 18045-D	C7AZ 18124-C	
C8AF 18045-F	C5AZ 18124-E	
C8AF 18045-G	C6TZ 18124-M	AB-105
C8AF 18045-J	C8AZ 18124-C	
C8AF 18045-K		
C8DF 18045-B		
C8DF 18045-C	C1DZ 18124-E	AB-16
C8DF 18045-D	C1DZ 18124-E	
C8DF 18045-E		
C8DF 18045-F	C8OZ 18124-D	
C8OF 18045-F	C0DZ 18124-A	AX-31
C8OF 18045-J	C0DZ 18124-A	AX-31
C8PF 18045-AD	C6TZ 18125-M	AB-31
C8PF 18045-CZ	C6TZ 18125-K	AB-103
C8PF 18045-DA	C5AZ 18125-AA	AB-104
C8PF 18045-DN	C6TZ 18124-N	AB-117
C8PF 18045-DR	C6TZ 18125-J	AB-118
C8PF 18045-DS	C6OZ 18125-N	AB-119
C8PF 18045-DV	C7ZZ 18124-D	AB-123
C8PF 18045-GC	C6OZ 18125-L	AA-144
C8PF 18045-Y	C1DZ 18125-G	AB-21
C8SF 18045-A	C8SZ 18124-A	
C8SF 18045-B	C8SZ 18124-A	
C8TA 18045-K	D1TZ 18124-B	
C8ZF 18045-F	C7ZZ 18124-D	AB-123
C8ZF 18045-H	C7ZZ 18124-E	AX-129
C8ZF 18045-J	C7ZZ 18124-A	
C9AF 18045-A	C9AZ 18124-A	
C9AF 18045-D	C5AZ 18124-F	AX-110
C9AF 18045-G	C9AZ 18124-E	
C9AF 18045-H	C6TZ 18124-M	AB-105
C9AF 18045-J	C6TZ 18124-M	AB-105
C9AF 18045-K	C5AZ 18124-F	AX-110
C9DF 18045-A	C1DZ 18124-E	
C9DF 18045-B	C1DZ 18124-E	
C9DF 18045-D	C0DZ 18124-A	AX-31
C9OF 18045-A	C9OZ 18124-A	
C9OF 18045-B	C0DZ 18124-A	AX-31
C9PF 18045-K	D0DZ 18124-E	AB-154
C9PF 18045-L	D0DZ 18125-E	AB-155
C9SF 18045-A	C6TZ 18124-M	AB-105
C9TA 18045-B	D1TZ 18124-B	
C9TF 18045-B	D1TZ 18124-B	
C9ZF 18045-B	C7ZZ 18124-D	AB-123
C9ZF 18045-C	C7ZZ 18124-D	AB-123
C9ZX 18045-A	C9ZZ 18124-D	
C9ZX 18045-B	C9ZZ 18124-C	

IDENTIFICATION	KIT PART NUMBER	MOTORCRAFT PART NUMBER
D0AF 18045-A	D0AZ 18124-A	
D0AF 18045-C	D0AZ 18124-C	
D0AF 18045-E	D0AZ 18124-B	
D0AF 18045-G	D0AZ 18124-A	
D0AF 18045-H	D0AZ 18124-C	
D0AF 18045-J	D0AZ 18124-B	
D0DF 18045-A	D0DZ 18124-E	AB-154
D0DF 18045-B	D0DZ 18124-E	AB-154
D0OF 18045-A	D0OZ 18124-B	
D0OF 18045-B	D0OZ 18124-B	
D0OF 18045-C	D0OZ 18124-C	
D0PF 18045-A	D0OZ 18125-F	AB-160
D0PF 18045-AA	D1FZ 18124-E	AB-169
D0PF 18045-M	D1FZ 18125-C	AB-161
D0PF 18045-N	D1FZ 18124-E	AB-169
D0PF 18045-R	D1ZZ 18124-D	AB-164
D0SF 18045-B	D0SZ 18124-B	
D0SF 18045-C	D0LY 18124-B	
D0SF 18045-D	D0SZ 18124-D	
D0ZF 18045-A	D0ZZ 18124-A	
D0ZF 18045-B	D0ZZ 18124-B	
D1AF 18045-AA	C5AZ 18124-G	AX-150
D1AF 18045-BA	D1AZ 18124-B	
D1AF 18045-CA	D0AZ 18124-A	
D1AF 18045-DA	D1AZ 18124-B	
D1DF 18045-A	D0DZ 18124-E	AB-154
D1PF 18045-BA	C0DZ 18124-A	AX-31
D1PF 18045-BMA	D2OZ 18125-F	AB-204
D1PF 18045-FA	C5AZ 18125-J	AX-108
D1PF 18045-HA	C5AZ 18124-F	AX-110
D1PF 18045-LA	C7ZZ 18124-E	AX-129
D1SF 18045-AA	D1SZ 18124-C	
D1SF 18045-BA	D1SZ 18124-C	
D1SF 18045-CA	D1SZ 18124-C	
D1ZF 18045-AB	D1ZZ 18124-A	
D1ZF 18045-AC	D1ZZ 18124-A	
D1ZF 18045-BB	D1ZZ 18124-B	
D1ZF 18045-BC	D1ZZ 18124-B	
D12F 18045-AB	D1FZ 18124-E	AB-169
D12F 18045-AD	D1FZ 18124-E	AB-169
D2AF 18045-BA	C5AZ 18124-G	AX-150
D2AF 18045-AA	D2AZ 18124-A	
D2AF 18045-CA	D1AZ 18124-B	
D2AF 18045-DA	D0AZ 18124-A	
D2GF 18045-AA	D2OZ 18124-D	
D2GF 18045-BB	D2GY 18124-A	
D2OF 18045-AA	D2OZ 18124-A	
D2OF 18045-AB	D2OZ 18124-A	
D2OF 18045-DA	D0OZ 18124-A	
D2OF 18045-EA	D0OZ 18124-C	
D2OF 18045-GA	D0OZ 18124-B	
D2PF 18045-AA	D2FZ 18125-B	AB-210
D2SF 18045-AA	D2SZ 18124-A	
D2SF 18045-AC	D2SZ 18124-A	
D2SF 18045-BA	D2SZ 18124-B	
D2SF 18045-BB	D2SZ 18124-B	
D2SF 18045-CA	D1SZ 18124-C	
D2ZF 18045-AA	D1ZZ 18124-B	
D2ZF 18045-AB	D1ZZ 18124-B	
D2ZF 18045-BA	D1ZZ 18124-A	
D2ZF 18045-BB	D1ZZ 18124-A	
D2ZF 18045-EA	D2ZZ 18124-A	
D22F 18045-BB	D2FZ 18124-A	
S9MS 18045-A	C9ZZ 18124-C	
Z7SA 18045-A	D0LY 18124-B	
Z7ZD 18045-A	C7ZZ 18045-A	
Z8SD 18045-A	D0LY 18124-B	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

18124-5 SHOCK ABSORBER IDENTIFICATION CHART - continued

IDENTIFICATION	KIT PART NUMBER	MOTORCRAFT PART NUMBER
18045 - 4007	B9SZ 18125-C	
18045 - 4016	C1DZ 18124-E	AB-16
18045 - 4021	C1DZ 18125-G	AB-21
18045 - 4064	C2OZ 18124-D	AB-64
C3OA 18077-D	C2OZ 18124-D	AB-64
C3OA 18077-E	C2OZ 18124-D	AB-64
C3OA 18077-F	C2OZ 18124-D	AB-64
C3OF 18077-A	C2OZ 18124-D	AB-64
C4OF 18077-A	C2OZ 18124-D	AB-64
C4SF 18077-A	C4SZ 18124-C	AB-89
C4SF 18077-B	C4SZ 18124-C	AB-89
C5SF 18077-A	C4SZ 18124-C	AB-89
C6PF 18077-AL	C0DZ 18124-A	AX-31
C6PF 18077-CT	C4DZ 18125-D	AX-76
C6PF 18077-CV	C4SZ 18125-C	AX-78
C6PF 18077-DA	C4SZ 18125-B	AX-81
C6PF 18077-DY	C5ZZ 18124-D	AX-99
C6PF 18077-EH	C5AZ 18125-J	AX-108
C6PF 18077-EK	C5AZ 18124-F	AX-110
C6PF 18077-EY	C6OZ 18125-J	AX-120
C6PF 18077-EZ	C6OZ 18125-H	AX-121
C6PF 18077-FA	C6TZ 18124-G	AX-122
C6PF 18077-FB	C6TZ 18125-E	AX-123
C6PF 18077-FD	C6TZ 18125-L	AX-125
C6PF 18077-FH	C7ZZ 18124-E	AX-129
D0PF 18077-A	C7ZZ 18124-F	AX-155
D0PF 18077-D	C7ZZ 18125-B	AX-156
D0PF 18077-F	D0DZ 18125-G	AX-157
D1PF 18077-ATA	D1ZZ 18124-E	AX-201
D1PF 18077-AUA	D1ZZ 18124-F	AX-202
D1PF 18077-AA	D2OZ 18125-G	AX-204
C0DD 18080-A	C1DZ 18125-G	AB-21
C0DD 18080-E	C1DZ 18125-G	AB-21
C0DD 18080-G	C1DZ 18125-G	AB-21
C1DD 18080-A	C1DZ 18125-G	AB-21
C1DD 18080-E	C1DZ 18125-G	AB-21
C3DA 18080-C	C1DZ 18125-G	AB-21
C3DA 18080-D	C1DZ 18125-G	AB-21
C3DA 18080-F	C1DZ 18125-G	AB-21
C3DA 18080-H	C1DZ 18125-G	AB-21
C3OA 18080-F	C1DZ 18125-G	AB-21
C3OA 18080-G	C1DZ 18125-G	AB-21
C3OA 18080-J	C1DZ 18125-G	AB-21
C4DF 18080-A	C1DZ 18125-G	AB-21
C4DF 18080-C	C1DZ 18125-G	AB-21
C4DF 18080-E	C1DZ 18125-G	AB-21
C4DF 18080-F	C1DZ 18125-G	AB-21
C4ZF 18080-A	C4DZ 18125-D	AX-76
C4ZF 18080-B	C4DZ 18125-D	AX-76
C4ZF 18080-C	C4DZ 18125-D	AX-76
C5AF 18080-B	C6AZ 18125-C	
C5AF 18080-D	C5AZ 18125-J	AX-108
C5AF 18080-E	C5AZ 18125-H	
C5AF 18080-F	C5AZ 18125-AA	AB-104
C5AF 18080-G	C8AZ 18125-D	
C5OF 18080-A	C5OZ 18125-A	
C5SF 18080-A	C4SZ 18125-A	AB-91
C5ZF 18080-A	C8ZZ 18125-B	
C6AF 18080-A	C6AZ 18125-C	
C6AF 18080-B	C5AZ 18125-J	AX-108
C6DF 18080-A	C1DZ 18125-G	AB-21
C6DF 18080-B	C8DZ 18125-B	
C6DF 18080-C	C8OZ 18125-B	
C6DF 18080-D	C8DZ 18125-B	
C6DF 18080-E	C8OZ 18125-B	

IDENTIFICATION	KIT PART NUMBER	MOTORCRAFT PART NUMBER
C6OF 18080-B	C8OZ 18125-A	
C6OF 18080-C	C8DZ 18125-B	
C6OF 18080-D	C1DZ 18125-G	AB-21
C6OF 18080-E	C8DZ 18125-B	
C6TA 18080-B	C6TZ 18125-B	
C6TA 18080-C	C6TZ 18125-B	
C6TA 18080-J	D1TZ 18125-B	
C7AF 18080-A	C5AZ 18125-AA	AB-104
C7AF 18080-B	C8AZ 18125-D	
C7AF 18080-C	C5AZ 18125-J	AX-108
C7DF 18080-D	C8DZ 18125-B	
C7OF 18080-A	C1DZ 18125-G	AB-21
C7OF 18080-C	C8OZ 18125-B	
C7SF 18080-A	C8SZ 18125-A	
C7ZF 18080-A	C8ZZ 18125-B	
C7ZF 18080-B	C8ZZ 18125-B	
C7ZF 18080-C	C5ZZ 18125-B	
C7ZF 18080-D	C7ZZ 18125-A	
C8AF 18080-J	C8AZ 18125-D	
C8AF 18080-K	C6AZ 18125-C	
C8AF 18080-L	C5AZ 18125-J	AX-108
C8AF 18080-M	C5AZ 18125-H	
C8AF 18080-S		
C8AF 18080-T		
C8AF 18080-V	C5AZ 18125-AA	AB-104
C8AF 18080-Z	C8AZ 18125-E	
C8DF 18080-F	C1DZ 18125-G	AB-21
C8DF 18080-G	C8DZ 18125-B	
C8DF 18080-J		
C8DF 18080-K		
C8DF 18080-L		
C8DF 18080-M		
C8OF 18080-G	C8OZ 18125-A	
C8OF 18080-H	C8OZ 18125-B	
C8OF 18080-K	C6OZ 18125-H	AX-121
C8PF 18080-Y	C6AZ 18125-C	
C8SF 18080-B	C8SZ 18125-A	
C8ZF 18080-F	C8ZZ 18125-B	
C8ZF 18080-G	C4DZ 18125-D	AX-76
C8ZF 18080-H	C7ZZ 18125-A	
C9AF 18080-A	C9AZ 18125-A	
C9AF 18080-B	C9AZ 18125-A	
C9AF 18080-C	C9AZ 18125-B	
C9AF 18080-E	C9AZ 18125-D	
C9AF 18080-J		
C9AF 18080-L		
C9AF 18080-M	C9AZ 18125-B	
C9DF 18080-A	C9OZ 18125-A	
C9DF 18080-B	C8DZ 18125-B	
C9DF 18080-D	C9DZ 18125-A	
C9DF 18080-G		
C9DF 18080-H	C9OZ 18125-F	
C9OF 18080-A	C9OZ 18125-A	
C9OF 18080-B	C8DZ 18125-B	
C9OF 18080-C	C9OZ 18125-C	
C9OF 18080-D	C9OZ 18125-C	
C9OF 18080-E	C6OZ 18125-H	
C9SF 18080-A	C9SZ 18125-A	
C9TA 18080-K	D1TZ 18125-B	
C9ZF 18080-A	C9ZZ 18125-C	
C9ZF 18080-B	C8ZZ 18125-B	
C9ZF 18080-C	C9ZZ 18125-D	
C9ZF 18080-D	C9ZZ 18125-B	
C9ZX 18080-A	C9ZZ 18125-G	
C9ZX 18080-B	C9ZZ 18125-F	
C9ZX 18080-C	C9ZZ 18125-E	

18124-5 SHOCK ABSORBER IDENTIFICATION CHART - continued

IDENTIFICATION	KIT PART NUMBER	MOTORCRAFT PART NUMBER
D0AF 18080-B	D0AZ 18125-B	
D0AF 18080-K	D0AZ 18125-A	
D0DF 18080-A	D0DZ 18125-A	
D0DF 18080-B	D0DZ 18125-E	AB-155
D0DF 18080-F	D0DZ 18125-A	
D0OF 18080-A	D0OZ 18125-A	
D0OF 18080-B	D0OZ 18125-B	
D0OF 18080-E	D0OZ 18125-E	
D0SF 18080-B	D0SZ 18125-B	
D0SF 18080-C	D0SZ 18125-C	
D0SF 18080-D	D0SZ 18125-D	
D0SF 18080-E	D0SZ 18125-B	
D0ZF 18080-A	D0ZZ 18125-A	
D0ZF 18080-B	D0ZZ 18125-B	
D0ZF 18080-C	D0ZZ 18125-C	
D1AF 18080-AA	C5AZ 18125-AB	AX-151
D1AF 18080-BA	C5AZ 18125-AA	
D1AF 18080-CA	D1AZ 18125-C	
D1DF 18080-AA	D0DZ 18125-E	AB-155
D1SF 18080-AA	D1SZ 18125-C	
D1SF 18080-BA	D1SZ 18125-C	
D1SF 18080-CA	D1SZ 18125-C	
D1WF 18080-AB	D1WY 18125-A	
D1ZF 18080-AA	D0ZZ 18125-C	
D1ZF 18080-BA	D0ZZ 18125-B	
D1ZF 18080-AA	D1FZ 18125-A	
D2AF 18080-AA	D2AZ 18125-A	
D2AF 18080-BA	D2AZ 18125-B	
D2AF 18080-CA	D2AZ 18125-C	
D2AF 18080-DA	D2AZ 18125-D	
D2AF 18080-EA	C5AZ 18125-AB	AX-151
D2AF 18080-FA	D1AZ 18125-C	
D2AF 18080-GA	D1AZ 18125-B	
D2AF 18080-GB	D1AZ 18125-B	
D2AF 18080-KA	C9AZ 18125-D	
D2AF 18080-LA	C6AZ 18125-C	
D2DF 18080-BA	D0DZ 18125-E	AB-155
D2GF 18080-AA	D2OZ 18125-B	
D2GF 18080-BA	D2OZ 18125-D	
D2GF 18080-CA	D2OZ 18125-C	
D2OF 18080-AA	D2OZ 18125-A	
D2OF 18080-AB	D2OZ 18125-A	
D2OF 18080-EA	D0OZ 18125-C	
D2OF 18080-FA	D0OZ 18125-D	
D2OF 18080-HA	D0OZ 18125-E	
D2OF 18080-KA	D0OZ 18125-A	
D2OF 18080-LA	D0OZ 18125-B	
D2SF 18080-AA	D2SZ 18125-A	
D2SF 18080-BA	D2SZ 18125-B	
D2SF 18080-CA	D1SZ 18125-C	
D2WF 18080-AA	D1WY 18125-A	
D2ZF 18080-AA	D0ZZ 18125-C	

IDENTIFICATION	KIT PART NUMBER	MOTORCRAFT PART NUMBER
D2ZF 18080-BA	D0ZZ 18125-A	
D2ZF 18080-CA	D0ZZ 18125-B	
D2ZF 18080-EA	D2ZZ 18125-A	
D22F 18080-AD	D1FZ 18125-C	
D22F 18080-BA	D2FZ 18125-A	
S9MS 18080-A	C9AA 18125-F	
S9MS 18080-B	C9ZZ 18125-E	
Z7SA 18080-A	C7SZ 18125-A	
Z7ZD 18080-D	C7ZZ 18080-A	
Z8BD 18080-A	C7SZ 18125-A	
Z8SD 18080-A	C7SZ 18125-A	
C2PF 18A092-B	B9AZ 18125-E	AA-101
C4PF 18A092-C	C5TZ 18125-D	AA-133
C4PF 18A092-D	C5AZ 18125-L	AA-134
C5PF 18A092-E	C4SZ 18125-E	AA-141
C5PF 18A092-F	C6TZ 18125-G	AA-142
C5PF 18A092-G	C6OZ 18125-K	AA-143
C5PF 18A092-H	C6OZ 18125-L	AA-144
C5PF 18A092-J	C5ZZ 18125-E	AA-145
C7PF 18A092-AA	C4DZ 18125-D	AX-76
C7PF 18A092-AG	C7AZ 18125-D	AA-151
C7PF 18A092-T	C5AZ 18125-L	AA-134
C7PF 18A092-V	C6TZ 18125-G	AA-142
C7PF 18A092-Y	C6OZ 18125-K	AA-143
C7PF 18A092-Z	C6OZ 18125-L	AA-144
C8PF 18A092-AJ	C5TZ 18125-D	AA-133
C8PF 18A092-AK	C5AZ 18125-L	AA-134
C8PF 18A092-AV	C6OZ 18125-K	AA-143
C8PF 18A092-AZ	C5ZZ 18125-B	
C8PF 18A092-BF	C7AZ 18125-D	AA-151
D0PF 18A092-C	D0DZ 18125-H	AA-156
D1PF 18A092-AA	D2OZ 18125-E	AA-157
C3OA 18097-A	C3OZ 18125-E	
C5SF 18097-A	C4SZ 18125-A	AB-91
S1MS 18124-A	S1MS 18124-A	
S1MS 18125-A	S1MS 18125-A	
D1AF 18A125-AA	D1AZ 18125-D	
D1AF 18A125-AB	D1AZ 18125-D	
D2AF 18A125-AA	D1AZ 18125-D	
D4PF 18A125-AA	D4PZ 18125-N	AJ-34
D4PF 18A125-EA	D4PZ 18125-M	AJ-33
D4PF 18A125-KA	D4PZ 18125-K	AJ-31
D4PF 18A125-MA	D4PZ 18125-J	AJ-30
D4PF 18A125-UA	D4PZ 18125-H	AJ-29
D4PF 18A125-AJA	D4PZ 18125-C	AJ-25

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18124 SHOCK ABSORBER KIT - FRONT			
	- A -			
67	A	Regular	2	C7AZ 18124-B
68	A(71)	Regular	2	★C8AZ 18124-C r/b C6TZ 18124-M (5-75)
69	A(6 cyl. & 8 cyl. 302-exc.71)	Regular	2	C9AZ 18124-A
70	A(71)	Regular	2	D0AZ 18124-C
70/	A(exc.8 cyl. 390,400,429)	Regular	2	D0AZ 18124-A
71/	A(8 cyl. 390,400,429)	Regular	2	D1AZ 18124-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18124 SHOCK ABSORBER KIT - FRONT - continued			
	- A - continued			
67 68	A A(exc.71)	Heavy duty	2 2	C7AZ 18124-C
72	A	Heavy duty	2	D4AZ 18124-C
65/	A	Auto-flex	2	C6TZ 18124-M (AB-105)
65/71	A(exc.P/C & Special handling)	Auto-flex XD	2	C5AZ 18124-F (AX-110)
65/	A(P/C & Special handling)	Auto-flex XD	2	C5AZ 18124-G (AX-150)
	- B -			
70/71	B(exc.CJ & GT)	Regular	2	D0OZ 18124-B
70/71	B(8 cyl.429-exc.66 w/CJ)	Regular	2	D0OZ 18124-C
72 72	B(exc. 71,97) B(97-w/850 lb. payload)	Regular	2 2	D2OZ 18124-D
72 72	B(97 w/1250 lb. payload) B(71)	Regular	2 2	D2GY 18124-A
68	B(exc.66,71)	Heavy duty	2	C8OZ 18124-D
72	B	Heavy duty	2	D2GY 18124-A
65	B	Auto-flex	2	C2OZ 18124-D (AB-64)
66/71	B	Auto-flex	2	C1DZ 18124-E (AB-16)
72	B	Auto-flex	2	C6TZ 18124-M (AB-105)
66/71	B	Auto-flex XD	2	C0DZ 18124-A (AX-31)
	- F -			
65/66	F(Shelby GT350)	"Koni"	2	S1MS 18124-A
67	F(GT)-w/Racing package	Regular	2	C7ZZ 18124-A
67/68	F(Shelby GT350/500)	"Adjustable"	2	C7ZZ 18045-A
69	F(Shelby GT 350/500)	Regular	2	C9ZZ 18124-C
69/70	F(Boss 429)	Regular	2	C9ZZ 18124-D
70	F(exc. 428 CJ & Boss 429)	Regular	2	D0ZZ 18124-A
70	F(GT, CJ & Special handling package)	Regular	2	D0ZZ 18124-B
71	F(6 cyl. & 8 cyl. 302-2V & 351 exc. GT)	Regular	2	D1ZZ 18124-A
71/	F(8 cyl. 302 H/O, GT, CJ & Special handling package)	Regular	2	D1ZZ 18124-B
72	F	Regular	2	D2ZZ 18124-A
71/	F(8 cyl. 302-2V,351 exc. GT)	Heavy duty	2	D1ZZ 18124-B
65/66	F	Auto-flex	2	C5ZZ 18124-E (AB-100)
67/70	F	Auto-flex	2	C7ZZ 18124-D (AB-123)
71/	F	Auto-flex	2	D1ZZ 18124-D (AB-164)
65/66	F	Auto-flex XD	2	C5ZZ 18124-D (AX-99)
67/70	F(exc. H/D suspension or CJ)	Auto-flex XD	2	C7ZZ 18124-E (AX-129)
67/70	F(H/D suspension or CJ)	Auto-flex XD	2	C7ZZ 18124-F (AX-155)
71/	F	Auto-flex XD	2	D1ZZ 18124-E (AX-201)
71/	F	Auto-flex XD	2	D1ZZ 18124-F (AX-202)
	- L -			
71/	L(62,64)	Auto-flex	2	D1FZ 18124-E (AB-169)
72	L(73)	Regular	2	D2FZ 18124-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18124 SHOCK ABSORBER KIT - FRONT - continued			
	- P -			
70/	P	Auto-flex	2	D0DZ 18124-E (AB-154)
70/	P	Auto-flex XD	2	C7ZZ 18124-E (AX-129)
	- S -			
67/68	S	Regular	2	C8SZ 18124-A
69	S(57)		2	
70	S(57)	Regular	2	D0SZ 18124-B
70	S(65)	Regular	2	D0SZ 18124-D
71	S	Regular	2	D1SZ 18124-C
72	S	Regular	2	D2SZ 18124-A
67/70	S	Heavy duty	2	D0LY 18124-B
72	S	Heavy duty	2	D2SZ 18124-B
65/66	S	Auto-flex	2	C4SZ 18124-C (AB-89)
67/	S	Auto-flex	2	C6TZ 18124-M (AB-105)
65/66	S	Auto-flex XD	2	C4SZ 18124-B (AX-81)
67/71	S	Auto-flex XD	2	C5AZ 18124-F (AX-110)
	- U -			
66/	U	Regular	2	D1TZ 18124-B
66/	U	Auto-flex	2	C6TZ 18124-N (AB-117)
66/	U	Auto-flex XD	2	C6TZ 18124-G (AX-122)
	- X -			
68	X	Regular	2	C1DZ 18124-E (AB-16)
70	X	Regular	2	D0OZ 18124-B
65/70	X	Auto-flex	2	C1DZ 18124-E (AB-16)
65/70	X	Auto-flex XD	2	C0DZ 18124-A (AX-31)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
65/	A	Bolt (absorber & bushing to front suspension lower arm plate)-5/16"-24 x 1	4	20387-S8(B157)
65/	A	Nut (absorber to front suspension lower arms)-5/16"-24 tee-2 boss side	4	★34552-S
65/	A	Nut & washer (absorber to frame)-3/8"-24	2	34664-S(M108)
65/	B	Nut & washer (absorber to upper bracket)	2	
65/	S	Nut & washer (absorber to under body)	2	
65/70	X	Nut (absorber to front suspension upper arm spring seat)	2	
65/	B	Nut-3/8"-24	4	33800-S8(M63)
65/	B	Lockwasher-3/8"	4	34807-S8(X66)
65/	B	Bolt (absorber to front suspension upper arm shaft and joint)-3/8"-24 x 1.25" swage	4	376325-S8(BB390C)
65	F	Bolt (shock absorber to upper bracket)-5/16"-24 x 7/8"	4	355480-S8(BB525)
65/	F	Washer-5/16"-flat	4	44725-S8(X22)
65/	S	Nut-1/2"-20	2	34449-S7(M85)
65/	S	Bolt (absorber to bracket)-1/2"-20 x 2 3/8"	2	351759-S8(BB256)
65/70	X	Nut & washer (absorber to upper arm spring seat and bushing assembly)-5/16"-24	4	33923-S7(M32)
65	F		4	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18125 SHOCK ABSORBER KIT - REAR			
	- A -			
65	A	Regular	2	B9SZ 18125-C
65/68	A(71)	Regular	2	C8AZ 18125-D
69	A(exc. 71)	Regular	2	C9AZ 18125-A
69	A(71)	Regular	2	C9AZ 18125-B
70	A(exc. 71)	Regular	2	D0AZ 18125-A
70	A(71)	Regular	2	D0AZ 18125-B
71/	A(71)	Regular	2	D1AZ 18125-C
65/71	A(exc.71)	Heavy duty	2	C6AZ 18125-C
67 67/70	A-E/H/D package A(P/C,7 litre & Special handling package)	Heavy duty	2 2	C5AZ 18125-H
69/71	A(71)	Heavy duty	2	C9AZ 18125-D
72	A(exc. 71)	Heavy duty	2	D2AZ 18125-A
72	A(71)	Heavy duty	2	D2AZ 18125-B
71/	A	Automatic leveling system-air sleeve type	2	★D1AZ 18125-D r/b D4AZ 18125-H (5-75)
65/	A	Air shock	1	D4PZ 18125-K (AJ-31)
65/	A	Auto-flex	2	C5AZ 18125-AA (AB-104)
68	A	Auto-flex	2	B7AZ 18125-B (AB-5)
65/	A(exc. P/C)	Auto-flex XD	2	C5AZ 18125-J (AX-108)
65/	A(P/C & Special handling)	Auto-flex XD	2	C5AZ 18125-AB (AX-151)
65/66 67/	A A(exc. H/D susp., P/C or GT)	Super-flex	2 2	C5AZ 18125-L (AA-134)
67/	A(H/D susp., P/C or GT)	Super-flex	2	C7AZ 18125-D (AA-151)
	- B -			
65	B(71)	Load leveler	2	C3OZ 18125-E
66/71	B(exc. 66,71)	Air shock	1	D4PZ 18125-N (AJ-34)
66/71	B(66,71)	Air shock	1	D4PZ 18125-J (AJ-30)
72	B	Air shock	1	D4PZ 18125-C (AJ-25)
70/71	B(exc. 66,71)	Regular	2	★D0OZ 18125-A r/b D0OZ 18125-F (5-75)
70/71	B(66,71-exc. CJ)	Regular	2	D0OZ 18125-B
70/71	B(8 cyl. 429 exc. 66 w/CJ)	Regular	2	D0OZ 18125-E
72	B(P/C & Competition)	Regular	2	D2OZ 18125-A
72	B(exc. 71,97)	Regular	2	D2OZ 18125-B
72	B(71,97)	Regular	2	D2OZ 18125-D
72	B (exc. 71)	Heavy duty	2	D2OZ 18125-C
65 65/69	B B(exc. 66,71)	Auto-flex	2 2	C1DZ 18125-G (AB-21)
66/71	B(66,71)	Auto-flex	2	C6OZ 18125-N (AB-119)
70/71	B(exc. 71)	Auto-flex	2	D0OZ 18125-F (AB-160)
72	B	Auto-flex	2	D2OZ 18125-F (AB-204)
65	B	Auto-flex XD	2	C2OZ 18125-B (AX-47)
66/71	B(exc. 66,71)	Auto-flex XD	2	C6OZ 18125-H (AX-121)
66/71	B(66,71)	Auto-flex XD	2	C6OZ 18125-J (AX-120)
72	B	Auto-flex XD	2	D2OZ 18125-G (AX-204)
65	B	Super-flex	2	B9AZ 18125-E (AA-101)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18125 SHOCK ABSORBER KIT - REAR - continued			
	- B -continued			
66/71	B(exc. 66,71)	Super-flex	2	C6OZ 18125-L (AA-144)
66/71	B(66,71)	Super-flex	2	C6OZ 18125-K (AA-143)
72	B(exc. 71)	Super-flex	2	D2OZ 18125-E (AA-157)
	- F -			
65/66	F(Shelby GT350)	"Koni"	2	S1MS 18125-A
67/68	F(Shelby GT350/500)	"Adjustable"	2	C7ZZ 18080-A
67/68	F(8 cyl. 289-4V GT & 390-4V GT-Competitive handling package)	Regular	2	C7ZZ 18125-A
66	F(exc. 8 cyl. 289 Special)-w/alternator	Regular	2	C8ZZ 18125-B
67	F(exc. 8 cyl. 289 Special improved handling or racing package)		2	
68	F(6 cyl. & 8 cyl. 289,302 exc. H/P & 390 exc. Special handling package)		2	
69	F(8 cyl. 351,390 exc. Shelby GT350/500)		2	
69	F(Shelby GT350/500-w/A/T)	Regular	2	C9ZZ 18125-E
69	F(Shelby GT350/500-w/M/T)	Regular	2	C9ZZ 18125-F
69	F(428CJ w/4/M/T-exc. Shelby GT350/500)	Regular	2	C9ZZ 18125-B
69	F(428CJ w/C6-exc. Shelby GT350/500)	Regular	2	C9ZZ 18125-D
69/70	F(Boss 429)	Regular	2	C9ZZ 18125-G
70	F(428CJ, GT & Special handling package 302 H/O)-w/A/T	Regular	2	D0ZZ 18125-A
71	F(63R with 8 cyl. 302-2V)		2	
70	F(302 H/O & 428CJ)-w/M/T	Regular	2	D0ZZ 18125-B
71	F(8 cyl. 302 H/O, 351 GT,429CJ)-w/Competitive handling package			
70	F(exc. 302 H/O, 428CJ & Boss 429)	Regular	2	D0ZZ 18125-C
71	F(6 cyl. & 8 cyl. 302-2V exc. Special handling package		2	
71/	F(8 cyl. 351-4V)	Regular	2	D1WY 18125-A
72	F(6 cyl. 250-2V,8 cyl. 302 & 351 2V)	Regular	2	D2ZZ 18125-A
71	F(8 cyl. 302, 351-2V w/Special handling package)	Heavy duty	2	D0ZZ 18125-A
71	F(8 cyl. 351-4V)	Heavy duty	2	D0ZZ 18125-B
65/	F	Air shock	1	D4PZ 18125-M (AJ-33)
65/	F	Auto-flex	2	C1DZ 18125-G (AB-21)
65/	F(exc. H/D susp. or CJ)	Auto-flex XD	2	C4DZ 18125-D (AX-76)
67/	F(H/D susp. or CJ)	Auto-flex XD	2	C7ZZ 18125-B (AX-156)
65/	F	Super-flex	2	C5ZZ 18125-E (AA-145)
	- L -			
71/	L(62,64)	Auto-flex	2	D1FZ 18125-C (AB-161)
72	L(73)	Auto-flex	2	D2FZ 18125-B (AB-210)
	- P -			
69/	P	Air shock	1	★D4PZ 18125-H (AJ-29) Not repl. (5-75)
70/	P	Auto-flex	2	D0DZ 18125-E (AB-155)
70/	P	Auto-flex XD	2	D0DZ 18125-G (AX-157)
70	P	Super-flex	2	D0DZ 18125-H (AA-156)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18125 SHOCK ABSORBER KIT - REAR - continued			
	- S -			
70	S(57)	Regular	2	D0SZ 18125-B
70	S(65)	Regular	2	D0SZ 18125-D
71	S	Regular	2	D1SZ 18125-C
72	S	Regular	2	D2SZ 18125-A
67/70	S	Heavy duty	2	D0LY 18125-B
72	S	Heavy duty	2	★D2LY 18125-A r/b D2SZ 18125-A (5-75)
67/71	S	Air shock	1	D4PZ 18125-K (AJ-31)
72	S	Air shock	1	D4PZ 18125-C (AJ-25)
65/66	S	Auto-flex	2	C4SZ 18125-A (AB-91)
67/71	S	Auto-flex	2	C5AZ 18125-AA (AB-104)
72	S	Auto-flex	2	D2OZ 18125-F
65/66	S	Auto-flex XD	2	C4SZ 18125-C (AX-78)
67/71	S	Auto-flex XD	2	C5AZ 18125-J (AX-108)
72	S	Auto-flex XD	2	D2OZ 18125-G (AX-204)
65/66	S	Super-flex	2	C4SZ 18125-E (AA-141)
67/71	S	Super-flex	2	C5AZ 18125-L (AA-134)
	- U -			
66/	U "From Ser.830,001"	Regular	2	D1TZ 18125-B
66	U(6 cyl.)	Auto-flex	2	C6TZ 18125-J
66	U(8 cyl.) "Before Ser. 830,001"		2	(AB-118)
66/69	U(8 cyl.) "From Ser.830,001"	Auto-flex	2	C6TZ 18125-M (AB-31)
66/	U(6 cyl.) "From Ser.830,001"	Auto-flex	2	C6TZ 18125-K (AB-103)
67/	U	Auto-flex XD	2	C6TZ 18125-L (AX-125)
66	U	Super-flex	2	C6TZ 18125-AA (AA-142)
67/	U	Super-flex	2	C5TZ 18125-D (AA-133)
	- X -			
68	X(exc.71)	Regular	2	C8DZ 18125-A
70	X(exc.71)	Regular	2	D0OZ 18125-A
70	X(71)	Regular	2	D0OZ 18125-B
68	X(exc.71)	Heavy duty	2	C8OZ 18125-D
69/70	X(Trailer package)	Heavy duty	2	★C9DZ 18125-A r/b C6OZ 18125-N (5-75)
66/70	X	Air shock	1	D4PZ 18125-N (AJ-34)
65	X	Auto-flex	2	C1DZ 18125-G
66/70	X(exc. 66,71)		2	(AB-21)
66/70	X(66,71)	Auto-flex	2	C6OZ 18125-N (AB-119)
65	X	Auto-flex XD	2	C4DZ 18125-D (AX-76)
66/70	X(66,71)	Auto-flex XD	2	C6OZ 18125-J (AX-120)
68/70	X(exc. 71)	Auto-flex XD	2	C6OZ 18125-H (AX-121)
65	X	Super-flex	2	B9AZ 18125-E (AA-101)
66/70	X(exc. 66,71)	Super-flex	2	C6OZ 18125-L (AA-144)
66/70	X(66,71)	Super-flex	2	C6OZ 18125-K (AA-143)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18125 SHOCK ABSORBER KIT - REAR - continued			
65/	A	Nut & washer (absorber to rear spring "U" bolt plate or frame)-3/8"-24	2or4	34664-S(M108)
65/	B,F,S		2or4	
65/70	X		2or4	
65/	S		2	
65/	A	Washer-1/2" flat	2	44735-S8(X32)
65	F	Plug (absorber access hole in floor pan)-1.76" x 3.40"-button	2	★378923-S
68	A,S	Nut (rear shock absorber to axle)-1/2"-13 hex.	2	375032-S36 (MM173D)
	18126 BRACKET - FRONT SHOCK ABSORBER LOWER			
66/	U		4	C6TZ 18126-C
	18127 TRACTION MASTER KIT			
65/66	F(Shelby GT350)		1	S2MK 18127-A
67	F(Shelby GT350/500)		1	S7MK 18127-A
	18178 BRACKET - REAR SHOCK ABSORBER STUD			
65/66	S	Bolt (bracket to under body)-3/8"-16 x 1 1/8"	4 or 8	372158-S2(BB572F)
	18183 HOUSING - FRONT SHOCK ABSORBER INSULATOR			
65/66	S	R.H. & L.H.	2	C4SZ 18183-A
		Bolt (housing, bracket and shim to under body)-3/8"-16 x 1 1/4"	6	378026-S2 (BB390K)
		Lockwasher-3/8"	6	34807-S8(X66)
		Nut-3/8"-16	6	33799-S7(M52)
	18183-4 BRACKET - FRONT SHOCK ABSORBER MOUNTING			
67/69	F(Shelby GT350/500)		2	C7ZZ 18183-A
65	S "Before 11/15/64"	R.H. & L.H.-lower	2	C3SZ 18183-A
65/66	S "From 11/15/64"	R.H. & L.H.-lower	2	C5SZ 18183-A
65/66	S	R.H.-upper body	1	C4SZ 18183-B
		L.H.-not replaced (5-75)	1	★C5SZ 18184-A
65/66	S	Nut (bracket to front suspension arm and joint assembly)-3/8"-24"	6	33880-S8(M22)
		Nut-3/8"-16	6	33799-S7(M52)
		Lockwasher-3/8"	6	34847-S8(X74)
		Lockwasher-3/8"	6	34857-S8(X74)
		Bolt (bracket to front suspension upper arm)-3/8"-16 x 1 1/4"	6	378026-S2 (BB390K)
		Bolt (upper absorber to upper body)-3/8"-16 x .88" carriage	6	378535-S2 (BB647H)
	18192 BRACKET - REAR SHOCK ABSORBER UPPER			
71/	L(62,64)	R.H. & L.H.	2	D1FZ 18192-A
72	L(73)	R.H.	1	D2FZ 18192-A
		L.H.	1	D1FZ 18192-A
70/	P		2	D4DZ 18192-A
66/	U	Serviced only in assy.-group 5005		
	18193 STUD - REAR SHOCK ABSORBER MOUNTING			
65/66	S	Lower-1/2"-20 x 5/8"-18 x 3.94" long	2	C4SZ 18193-A
	18198 BUSHING REPAIR KIT - SHOCK ABSORBER			
65/66	A(Hi speed ride & handling package)	Front	AR	C5AZ 18198-C
65	A(except 71)	Rear	AR	(AD-22)
66	A	Rear	AR	
67	A,S	Front and rear	AR	
67	B,X(71)	Rear	AR	
68/	A,S	Front	AR	C8AZ 18198-A
72	B		1	(AD-19)
	Consists of			
	1-MG 18041-A Washer(outer)	2-I-500939 Insulator	1-384485-S2	Nut-hex. lock
	1-MG 18171-A Washer(inner)	2-376970-S2 Flange locknut		
69/71	B	Front	AR	C8OZ 18198-A
71/	F		AR	(AD-16)
68/70	X		AR	
70/	P		AR	
	Consists of			
	2-I-500939 Insulator	1-C1SS 18041-A Washer(outer)	2-34976-S2	Locknut
	4-C4DA 18A018-A Insulator	1-MG 18171-A Washer(inner)	2-382661-S2	Washer
		1-384485-S2 Nut-hex. lock		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18198 BUSHING REPAIR KIT - SHOCK ABSORBER - continued			
68/70	F	Front	AR	C8ZZ 18198-A (AD-18)
	Consists of			
	4-C4DA 18A018-A Insulator	2-382661-S2 Washer	2-34976-S2	Locknut
68/	A,S	Rear	AR	C8AZ 18198-B
68/71	B(71)		AR	(AD-20)
72	B		1	
68/70	X(71)		AR	
	Consists of			
	1-MG 18041-A Washer(outer)	2-I-500939 Insulator	1-384485-S2	Nut-hex. lock
	1-MG 18171-A Washer(inner)	1-375032-S100 Locknut		
68/71	B(except 71)	Rear	AR	C8OZ 18198-C
68/70	X(except 71)		AR	(AD-34)
68/	F		AR	
70/	P		AR	
65/67	A, B, F, S, X	Front or rear	AR	
	Consists of			
	1-MG 18041-A Washer(outer)	2-I-500939 Insulator	1-384485-S2	Nut-hex. lock
	1-MG 18171-A Washer(inner)			
71/	L	Front	AR	D1FZ 18198-A (AD-47)
	Consists of			
	1-MG 18041-A Washer(outer)	1-I-500939 Insulator(outer)	1-384485-S2	Nut-hex. lock
	1-D12A 18198-AA Insulator(inner)			
65/66	S	Front	AR	C4SZ 18198-C
	Consists of			
	1-C4SA 18A116-C Insulator	1-34420-S8 Nut & washer	1-304880-S8	Bolt
		1-34449-S8 Nut		
66/71	U	Front or rear	AR	C6TZ 18198-A (AD-36)
	Consists of			
	1-C5TA 18041-B Washer	2-I-500939 Insulator	1-C5TA 18171-B	Washer
66/71	U	Front	1	C6TZ 18198-D (AD-51)
	Consists of			
	1-C5TA 18041-B Washer	2-I-500939 Bushing	1-34979-S2	Locknut
	13-C5TA 18171-B Washer	1-34663-S2 Locknut	1-304892-S2	Bolt
66/71	U	Rear	1	C6TZ 18198-E (AD-52)
	Consists of			
	1-51A 18040 Washer	2-34979-S2-4 Locknut	1-304905-S2	Bolt
	1-C6TA 18171-A Washer			
	18B250 CONNECTOR - VACUUM HOSE			
70/71	S(with heater)		1	D0SZ 18B250-A
	18B254 DOOR - AIR CONDITIONER BLOWER			
67/	F-with integral A/C		1	C7ZZ 18B254-A
70/	P-with integral A/C		1	D0DZ 18B254-A
71/	L-with integral A/C		1	
66/	U-with heater		1	C6TZ 18B254-B
	18K254 CLAMP - HEATER DOOR LEVER			
70/	P-with heater		1	D0DZ 18K254-A
	18B258 BRACKET - CONTROL VACUUM MOTOR MOUNTING			
72	B-with integral A/C		1	D2OZ 18B258-A
72	S		1	
67/71	S		1	C7SZ 18B258-A
70/	P-with integral A/C		1	D0DZ 18B258-A
71/	L-with integral A/C		1	
	18B259 DUCT AIR INLET			
67	A(with forced ventilation system)		1	C7AZ 18B259-A
68	A(with forced air vent system)		1	C8AZ 18B259-A
71/72	A-with heater		1	D2AZ 18B259-A
65/66	S-with integral A/C		1	C4SZ 18B259-A
65/66	S-with integral A/C	Screw (duct to inner cowl panel)-No.10-12 x 5/8"	4	42134-S8 (U249)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18263 LENS - GLOVE COMPARTMENT LAMP			
65	X		1	FEW 18263-A
67/68	F(with console)	Console glove compartment lamp	1	
	18A272 BRACKET - HEATER AIR DAMPER DOOR CONTROL			
66/67	B, X	Two hole mounting	2	C6OZ 18A272-A
70/71	B-with heater		2	
71/	F-with heater		1	
69/70	X		2	
72	B-with heater		1	D2OZ 18A272-A
71/	F-with heater	Three hole mounting	1	D1ZZ 18A272-A
	18C283 RETAINER - HEATER CONTROL CABLE CLIP			
65/68	A	Used with heater or forced ventilation system	1	C5AZ 18C283-A
70/71	B	Use with heater	1	C8DZ 18C283-A
68/70	X	Used with heater	1	C8DZ 18C283-A
	18C297 DUCT ASSY. - HEATER OUTLET - Refer to Group 18633			
	18B299 COVER ASSY. - HEATER CORE CASE			
68/71	S-with heater		1	D1SZ 18B299-A
	18C301 COVER - HEATER OUTLET DUCT			
70/71	B(except with integral A/C)	L. H.	1	D0OZ 18C301-A
	18B306 DUCT ASSY. - AIR CONDITIONER AIR INLET			
67/70	S-with manual A/C		1	C7SZ 18B306-A
68/71	S-with A.T.C.		1	C8SZ 18B306-A
	18C306 REGISTER ASSY. - AIR DISTRIBUTION			
66/71	B-except with console	Used with fresh air heater	1	C6OZ 18C306-A
66/70	X-except with console		1	
66	B, X-with console	Used with fresh air heater	1	C6OZ 18C306-B
67/71	B-with console or stereo tape player		1	
67/70	X-with console or stereo tape player		1	
69	B, X-with hang-on A/C		1	
72	B-with console			
66/71	B-with console or stereo tape player	Used with integral A/C	1	C7OZ 18C306-A
66/70	X-with console or stereo tape player		1	
72	B-except with console	Used with heater	1	D2OZ 18C306-B
72	B, S	Used with integral A/C	1	D2OZ 18C306-A
67/68	F-except with console	Used with integral A/C	1	C7ZZ 18C306-A
69/70	F		1	
71/	L-with integral A/C		1	D1FZ 18C306-A
70/	P	Used with integral A/C	1	D0DZ 18C306-A
	18K306 ADAPTER - HEATER TEMPERATURE CONTROL VALVE			
71/	L		1	D1FZ 18K306-A
	18K307 NUT - ADAPTER HEATER TEMPERATURE CONTROL VALVE			
71/	L		1	D1FZ 18K307-A
	18C311 SWITCH ASSY. - SERVO CONTROL			
66/71	B-with integral A/C		1	C6OZ 18C311-A
71/	A-with manual integral A/C		1	
67/68	F-with integral A/C		1	
69/	F-with integral A/C or forced vent system		1	
71/	L-with integral A/C		1	
70/	P-with integral A/C		1	
67/69	S-with heater and/or integral A/C		1	
70/71	S-except A. T. C.		1	
66/70	X-with integral A/C		1	
69/70	A-with integral A/C		1	C9AZ 18C311-A
	18A316 DOOR - AIR CONDITIONER AIR DAMPER - Also refer to Group 18A361			
69/	A-with manual integral A/C	Plastic	1	C9AZ 18A316-A
68/71	S-with manual A/C	In heater housing	1	C8SZ 18A316-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	■CODE	DESCRIPTION	QTY.	PART NUMBER
	18A318 MOTOR ASSY. - VACUUM CONTROL				
	- A -				
65/68	A-with integral A/C		Located on plenum chamber - cut arm to required length	AR	C0AF 18A318-B (YH-161)
65/68	A-with integral A/C		Located on evaporator case	1	C5AZ 18A318-C (YH-162)
69/70	A-with manual integral A/C	1	Outside air door	1	C9AZ 18A318-D
71/	A-with integral A/C	1	Outside air door	1	D1AZ 18A318-B (YH-168)
69/	A-with manual integral A/C	2	Recirc air door	1	C9AZ 18A318-C (YH-164)
69/71	A-with manual integral A/C	3	Restrictor air door	1	C9AZ 18A318-B (YH-229)
71/	A-with A.T.C.	5	Temperature blend door	1	D1AZ 18A318-C (YH-169)
69/	A-with manual integral A/C	6	A/C heat door	1	D0VY 18A318-A (YH-165)
71/	A-with A.T.C.	6	A/C heat door	1	D0VY 18A318-B (YH-146)
71	A-with heater or integral A/C	7	Heat/defrost door	1	D1AZ 18A318-A (YH-225)
72	A-with heater or integral A/C	7	Heat/defrost door	1	D0VY 18A318-A (YH-165)
	- B -				
66	B-with integral A/C	1 & 2	Outside air door and recirc air door	1	C6OZ 18A318-B
67/71	B-with integral A/C	1 & 2	Outside air door and recirc air door	1	C7OZ 18A318-A
72	B-with integral A/C	1 & 2	Outside air door and recirc air door	1	D2OZ 18A318-B (YH-223)
72	B-with integral A/C	3	Restrictor air door	1	D2OZ 18A318-C (YH-222)
66/68	B-with integral A/C	6	A/C heat door	1	C0AF 18A318-B
69/71	B-with integral A/C	6	A/C heat door	1	D0OZ 18A318-B (YH-226)
72	B-with integral A/C	6	A/C heat door	1	D2OZ 18A318-A (YH-225)
66/69	B-with integral A/C	7	Heat/defrost door	1	C7OZ 18A318-B
70/71	B-with integral A/C	7	Heat/defrost door	1	D0OZ 18A318-A (YH-227)
72	B-with integral A/C	7	Heat/defrost door	1	D1FZ 18A318-A (YH-166)
	- F -				
67/68	F-with integral A/C		Cut arm to required length	AR	C0AF 18A318-B (YH-161)
69/	F-with integral A/C	1 & 2	Outside air door and recirc air door	1	C9ZZ 18A318-C
69/	F-with integral A/C	3	Restrictor air door	1	C9ZZ 18A318-B
69/70	F-with forced vent system	6	Forced vent/heat door	1	C9ZZ 18A318-E
69/70	F-with integral A/C	6	A/C heat door	1	C9ZZ 18A318-A
71/	F-with integral A/C	6	A/C heat door	1	D1ZZ 18A318-A
69/70	F-with integral A/C	7	Heat/defrost door	1	C9ZZ 18A318-D
71/	F-with integral A/C	7	Heat/defrost door	1	D1ZZ 18A318-B
	- L -				
71/	L-with integral A/C	1 & 2	Outside air door and recirc air door	1	C9ZZ 18A318-E
71/	L-with integral A/C	6	A/C heat door	1	D0DZ 18A318-E (YH-228)
71/	L-with integral A/C	7	Heat/defrost door	1	D1FZ 18A318-A (YH-166)
	- P -				
70/	P-with integral A/C	1 & 2	Outside air door and recirc.air door	1	D0DZ 18A318-C
70/	P-with integral A/C	6	A/C heat door	1	D0DZ 18A318-B (YH-228)
70/	P-with integral A/C	7	Heat/defrost door	1	D0DZ 18A318-A

■ To identify vacuum motors the function code is also shown on illustrations in Illustration Sections 184 and 195.1.

YEAR	MODEL	*CODE	DESCRIPTION	QTY.	PART NUMBER
	18A318 MOTOR ASSY. - VACUUM CONTROL - continued				
	- S -				
65/66	S-with integral A/C		Cut arm to required length (1) Required on heater core case (1) Required on upper evaporator cover (1) Required on evaporator case duct (1) L. H. -vent damper door	AR	C0AF 18A318-B (YH-161)
65/66	S-with integral A/C		R. H. -vent damper door	1	C1SF 18A318-D
67/71	S-with heater	1	Outside air door	1	C7SZ 18A318-D
67/71	S-with integral A/C	1 & 2	Outside air door and recirc air door	1	C7SZ 18A318-C
72	S-with integral A/C	1 & 2	Outside air door and recirc air door	1	D2OZ 18A318-B (YH-223)
67	S-with integral A/C	3	Restrictor air door	1	C7SZ 18A318-E
68/71	S-with manual A/C	3	Restrictor air door	1	C8SZ 18A318-C
72	S-with integral A/C	3	Heat defrost door	1	D2OZ 18A318-C (YH-222)
72	S-with A.T.C.	5	Temperature blend door	1	D2SZ 18A318-A (YH-170)
67	S	6	A/C heat door	1	C7SZ 18A318-A
68/71	S-with heater or integral A/C	6	A/C heat door	1	C8SZ 18A318-A
72	S-with integral A/C	6	A/C heat door	1	D2OZ 18A318-A (YH-224)
67	S	7	Heat/defrost door	1	C7SZ 18A318-B
68/71	S-with heater or integral A/C	7	Heat/defrost door	1	C8SZ 18A318-B (YH-163)
72	S-with integral A/C	7	Heat defrost door	1	D1FZ 18A318-A (YH-166)
	- X -				
66	X-with integral A/C	1 & 2	Outside air door and recirc air door	1	C6OZ 18A318-B
67/70	X-with integral A/C	1 & 2	Outside air door and recirc air door	1	C7OZ 18A318-A
66/68	X-with integral A/C	6	A/C heat door	1	C0AF 18A318-B (YH-161)
69/70	X-with integral A/C	6	A/C heat door	1	D0OZ 18A318-B (YH-226)
66/70	X-with integral A/C	7	Heat/defrost door	1	C7OZ 18A318-B
65/66	S-with integral A/C		Nut (motor to heater core case)-No. 10-32	2	34079-S7(M163)
65/66	S-with integral A/C		Lockwasher-No. 10	2	34903-S8 (X96)
65/66	S-with integral A/C		Screw (motor to heater air outlet R.H. door control motor mounting brkt.)-No. 10-12 x 1/2"	2	42127-S8(U248C)
65/66	S-with integral A/C		Flat washer-No. 10	1	44713-S8(X13)
65/66	S-with integral A/C		Nut (motor to air inlet or outlet door shaft)-3/16" spring	1	372927-S2 (MM260)
65/66	S-with integral A/C		Screw (motor to heater air outlet L.H. door control motor mounting brkt.)-No. 8-32 x 3/8"	2or4	378361-S2(UU43D)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18C327 BUSHING - TEMPERATURE REGULATOR CONTROL SHAFT			
69/70	A-with heater or integral A/C		1	C9AZ 18C327-A
	18C336 BRACKET - AIR CONDITIONER BLOWER HOUSING			
72	B, S - with integral A/C		1	D2OZ 18C336-A
	18C343 BAFFLE - HEATER PLENUM CHAMBER AIR			
66/	B	With fresh air heater	1	C6OZ 18C343-A
71/	F		1	
66/70	X		1	
	18A348 BRACKET - WINDSHIELD DEFROSTER NOZZLE MOUNTING			
72	B	R.H.	1	D2OZ 18A348-A
		Center	1	D2OZ 18A348-B
	18C350 RETAINER - WINDSHIELD DEFROSTER NOZZLE			
66/67	B, X-with heater		1	C6OZ 18C350-A
	18C351 SCREEN - HEATER PLENUM CHAMBER AIR			
66/	B	With fresh air heater	1	C6OZ 18C351-A
71/	F		1	
66/70	X		1	
	18A358 HOSE - CONTROL MOTOR VACUUM SUPPLY - Cut as required from 17543 Hose			

* To identify vacuum motors the function code is also shown on illustrations in Illustration Sections 184 and 195.1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18A361 DOOR - HEATER AIR DAMPER - Also refer to Group 18A316			
69/	A-with heater		1	C9AZ 18A361-A
66/	B-with heater		1	C6OZ 18A361-A
71/	F-with heater		1	
66/70	X-with heater		1	
70/	P-with heater		1	D0DZ 18A361-A
	18C366 REGISTER - AIR - Also refer to Group 19893			
71/	F		1	D1ZZ 18C366-A
71	L-with heater except decor trim		2	D1FZ 18C366-A
71	L-with heater with decor trim		2	D1FZ 18C366-B
71/	L-with integral A/C		2	
72	L-with heater		2	D2FZ 18C366-A
	18A367 LEVER - AIR CONDITIONER TEMPERATURE REGULATOR CONTROL			
71/	A-with manual integral A/C	Packaging specifications to include (1)372927-S2 spring nut	1	D1AZ 18A367-A
	18C367 SEAL - HEATER DEFROSTER NOZZLE			
72	B-with heater		1	D2OZ 18C367-A
	18C371-2 EXTENSION - WINDSHIELD DEFROSTER NOZZLE			
71/	A	R.H.	1	D1AZ 18C371-A
		L.H.	1	D1AZ 18C372-A
	18B372 HOSE ASSY. - CONTROL MOTOR VACUUM - If not listed cut as required from 17543 Hose			
69/70	F-with forced vent system	From water valve to check valve to defrost vacuum motor	1	C9ZZ 18B372-A
	18C387 ADAPTER ASSY. - OUTLET DUCT			
71/	F-with heater		1	D1ZZ 18C387-A
68/70	S-with heater or manual A/C		1	C9SZ 18C387-C
68/70	S-with A.T.C.		1	C9SZ 18C387-B
71	S-with A.T.C.		1	D1SZ 18C387-A
71	S-with heater or manual A/C		1	D1SZ 18C387-B
	18C394 WIRING ASSY. - REAR WINDOW DEFOGGER - Improvise			
	18A395 RETAINER - HEATER REAR AIR REGISTER			
70/	P	Dealer improvise	1	★
	18397 DEFOGGER KIT - REAR WINDOW			
68	A,B,X (exc. 71,76)		1	C8AZ 18397-A
69/70	A(54,57,62,65)		1	
71	A(exc. 71,76)		1	
69/71	B(exc. 66,71,76)		1	
68	F(exc. 63,76)		1	
69/70	F(65)		1	
71	L		1	
70	P		1	
69/70	X(54,62)		1	

Consists of

1-C8AZ	10852-A	Bezel	1-C5MY	18A508-A	Nut
1-C8TZ	17513-A	Knob assy.	1-C8AZ	18527-A	Defogger assy. (motor assy.)
		or	1-D0AZ	18578-B	Switch assy. (space type switch)
1-C8UB	17513	Knob assy.	4-34653-S2		Nut & washer assy.-No.8-32
1-C8MB	18C487-B	Wire assy.	2-55907-S2		Screw-No.8-18 x 1/2"
1-C8AZ	18C490-B	Grille & gasket assy.	1-375277-S2		Washer
1-D1AJ	18C496-B	Wire assy.	1-377847-S36		Screw-No.10-16 x 1/2"
1-C8AZ	18C497-A	Bracket (window defogger switch)	1-Installation sketch		

72	A(53,57,65),L(62),P		1	D3AZ 18397-A

Consists of

1-C8AZ	10852-A	Bezel	1-C5MY	18A508-A	Nut
1-C8TZ	17513-A	Knob assy.	1-D3AZ	18527-A	Defogger assy.
1-C8UZ	17513-A	Knob assy.	1-FEM	18578-C2	Switch assy.
1-C8AZ	18C490-B	Grille and gasket assy.	4-34653-S2		Nut and washer assy.
1-D3AZ	18C496-A	Wiring assy.	3-34653-S36		Nut and washer assy.
1-C8AZ	18C497-A	Bracket	2-55907-S2		Screw
1-D0AJ	18C497-A	Bracket	1-375277-S2		Washer

70/71	S	1	★D1SZ 18397-A Not repl. (5-75)

Consists of

1-D0SZ	18C487-B	Wire assy.	1-D0SZ	18578-B	Switch assy.	4-382076-S100	Clip
1-C8AZ	18527-A	Defogger assy.	1-377847-S36		Screw-No.10-16 x 1/2"	1-Installation sketch	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18A400 RETAINER - TONNEAU COVER			
70/71	B(66)	Round type	26	D1OZ 18A400-A
72	B(97)		23	
70/71	B(66)	Bar type-28" long	2	D1OZ 18A400-B
	18B402 TUBE - HEATER HOT WATER			
71/	A(8 cyl.302,351W)		1	D1AZ 18B402-B
71/	A(8 cyl.400)		1	D1AZ 18B402-C
71/	A(8 cyl.429)		1	D1AZ 18B402-A
69/70	F(Boss 302)		1	C9ZZ 18B402-A
70	F(8 cyl. 428)		1	D0ZZ 18B402-A
71/	L-with integral A/C		1	D1FZ 18B402-A
71/	S(8 cyl.429)-with integral A/C		1	D1AZ 18B402-A
	18B409 CLIP - VENT AIR VALVE DAMPER DOOR STOP			
71/	F,P		2	D1FZ 18B409-A
	18C418 SHUTTER - HEATER CORE			
67	S-with integral A/C		1	C7SZ 18C418-A
	18C420 DUCT ASSY. - HEATER REAR SEAT OUTLET			
68/69	S		1	C8LY 18C420-A
70/71	S-with console	Rear	1	D0SZ 18C420-A
		Front	1	D0SZ 18C420-B
70/71	S(57C,65C,D)-with bench seat		1	D0SZ 18C420-C
	18C433 DUCT ASSY. - HEATER OUTLET TO FLOOR			
69/70	F-with heater		1	C9ZZ 18C433-A
71/	F-with heater		1	D1ZZ 18C433-A
71/	L-with heater		1	D2FZ 18C433-A
70/	P-with heater		1	D0DZ 18C433-A
	18A435 CONNECTOR - WINDSHIELD DEFROSTER NOZZLE			
69/70	A-with integral A/C	R.H.	1	C9AZ 18A435-C
		L.H.	1	C9AZ 18A435-D
69/	A-except integral A/C	R.H.	1	C9AZ 18A435-A
		L.H.	1	C9AZ 18A435-B
71/	A-with integral A/C	R.H.	1	D1AZ 18A435-A
		L.H.	1	D1AZ 18A435-B
67	S	R.H. - not replaced (3-74)	1	★C7SZ 18A435-B
		L.H.	1	C8SZ 18A435-B
68/69	S	R.H.	1	D0SZ 18A435-B
	S	L.H.	1	C8SZ 18A435-B
70/71	S	R.H.	1	D0SZ 18A435-B
		L.H.	1	D0SZ 18A435-A
	18A441 FRAME - AIR CONDITIONER HEATER CORE			
72	B-with integral A/C		1	D2OZ 18A441-A
	18B447 COVER ASSY. - HEATER HOUSING REAR			
66/	U		1	C6TZ 18B447-A
	18A454 WARMER - CAR INTERIOR			
68/71	All		1	♦CD0AZ 18A454-A
	18456 BLOWER ASSY. - HEATER			
69/70	F-with integral A/C		1	C9ZZ 18456-A
	18A456 BRACKET - AIR CONDITIONER MOTOR MOUNTING			
69/	F-with integral A/C	R.H.	1	C9ZZ 18A456-A
70/	P-with integral A/C "Before 4/3/72"		1	
72	P-with integral A/C "From 4/3/72"		1	D2DZ 18A456-A
	18A456 BRACKET - AIR CONDITIONER EVAPORATOR CASE MOUNTING			
71/	L-with integral A/C	Rear bottom	1	D1FZ 18A456-B
70/	P-with integral A/C	"U" shaped-1" wide	1	D0DZ 18A456-A
70/	P-with integral A/C	"L" shaped-1 1/4" wide	1	D0DZ 18A456-B
	18457 DUCT - AIR INLET			
66/	U -with heater		1	C6TZ 18457-A

♦ Canada only

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18460 SHIELDS - FROST PLASTIC			
65/71	All	Vent	AR	CC4AZ 18460-M
		6" x 12 3/8"	AR	CBA 18460-T
		8" x 18"	AR	CB8A 18460-B
		10" x 13"	AR	CC2CZ 18460-A
		10" x 17"	AR	CC2CZ 18460-B
		10" x 23"-vent less side window	AR	CD0AZ 18460-A
		10" x 25"	AR	CC4AZ 18460-B
		13" x 25"	AR	CC4AZ 18460-F
		13" x 30"	AR	CC4AZ 18460-G
		13" x 35"	AR	CC2CZ 18460-G
		16" x 25"	AR	CC4AZ 18460-K
		Cement-2 oz.	AR	CBA 18460-M
	18C466 SHAFT - AIR DAMPER DOOR			
69/	A-with manual integral A/C	Air damper door	1	C9AZ 18C466-A
69/70	A-with heater	Air damper door	1	C9AZ 18C466-B
71/	A-with heater	Air damper door	1	D1AZ 18C466-A
72	B,S-with manual A/C	Air damper door	1	D2OZ 18C466-A
68/71	S-with manual A/C	In heater housing	1	C8SZ 18C466-A
72	S-with A.T.C.	Air damper door	1	D2SZ 18C466-A
	18471 CHAMBER ASSY. - HEATER AIR PLENUM - Also refer to Group 18A484			
	- A -			
65/67	A-with heater		1	C7AZ 18471-A
68	A-with heater		1	C8AZ 18471-A
69/70	A-with heater		1	C9AZ 18471-B
71/	A-with heater		1	D1AZ 18471-C
65/68	A-with integral A/C		1	C7AZ 18471-E
69/70	A-with integral A/C		1	C9AZ 18471-A
71/	A-with manual integral A/C		1	D1AZ 18471-D
71/	A-with A.T.C.-		1	D1AZ 18471-E
	- B -			
68/69	B-with integral A/C		1	C8OZ 18471-A
70/71	B-with integral A/C		1	D0OZ 18471-A
72	B-with integral A/C	Front	1	D2OZ 18471-A
		Rear	1	D2OZ 18471-B
	- F -			
65/69	F-with heater		1	C5ZZ 18471-A
69/70	F-with integral A/C		1	C9ZZ 18471-A
71/	F-with integral A/C		1	D1ZZ 18471-A
	- L -			
71/	L-with integral A/C		1	D1FZ 18471-A
72	L--with built-in A/C (dealer installed)		1	D4FZ 18471-B
	- P -			
70/	P-with integral A/C		1	D3DZ 18471-A
	- S -			
67	S-with heater and/or integral A/C		1	C7SZ 18471-A
68/70	S-with heater or integral A/C		1	C8SZ 18471-A
71	S-with heater or A/C		1	D1SZ 18471-A
72	S-with manual A/C	Front	1	D2OZ 18471-A
		Rear	1	D2OZ 18471-B
72	S-with A.T.C.	Front	1	D2SZ 18471-A
		Rear	1	D2SZ 18471-B
	- X -			
65	X		1	C3DZ 18471-A
68/70	X-with integral A/C		1	C8OZ 18471-A
65/	F	Screw (chamber to heater)-No.8-18 x 3/8"	4	42119-S8(U246)
65/70	X		4	
	18C471 GASKET - REAR WINDOW DEFOGGER BLOWER HOUSING			
70	S(57)-with production installed rear window defogger		1	D0SZ 18C471-A

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	18472 HOSE - HEATER WATER - If not listed, cut from bulk stock				
65/	All	1/2" I.D. x 50 feet	KH-5	AR	C9PZ 18472-D
65/	All	5/8" I.D. x 50 feet	KH-6	AR	♦C9PZ 18472-E
65/	All	3/4" I.D. x 50 feet	KH-7	AR	C9PZ 18472-F
65/	All	1" I.D. x 50 feet	KH-14	AR	D1PZ 18472-A
	- A -				
68/69	A-with 6 cyl. except integral A/C	Formed (pump to coil)		1	C8AZ 18472-C
68	A-with integral A/C	3/4" I.D. - core to pump		1	C8AZ 18472-A
68	A(8 cyl. 302, 390-2V, 428 P/C)-w/o integral A/C			1	
69	A(8 cyl.)			1	
70	A(8 cyl. 302, 351)-w/integral A/C			1	
71	A(8 cyl. 351, 400, 429)-w/integral A/C			1	
70/	A(8 cyl. 429, 460)-with heater	3/4" I.D.-core to pump	KHM-80	1	D1AZ 18472-J
70/	A(8 cyl. 351W, 400)-with heater				
71	A(8 cyl. 302)-with heater			1	
71/	A(8 cyl. 351)-with heater			1	
71/	A(8 cyl. 400)-with heater			1	
	- B -				
68/69	B(6 cyl.)-with integral A/C and Imco	Formed inlet-cylinder head to water valve		1	C8OZ 18472-B
70/71	B(6 cyl. 250)-with integral A/C	Cut to fit		1	
70/71	B(8 cyl. 429)-with heater or integral A/C	3/4" I.D. x 5/8" I.D. x 18" long-cut to fit	KHM-84	1	D1FZ 18472-A
	- F -				
69/	F-with integral A/C	Water valve to core		1	C9ZZ 18472-A
70	F(8 cyl. 428, 429)-with integral A/C	Formed outlet - water valve to heater core	KHM-63	1	D0ZZ 18472-D
70	F(8 cyl. 351-4V)-with integral A/C	Formed outlet - water valve to heater core	KHM-64	1	D0ZZ 18472-E
	- L -				
71/	L (4 cyl. 122)	Heater core outlet to engine - 3/4" I.D. x 5/8" I.D. x 34" long	KHM-84	1	D1FZ 18472-A
	- P -				
70	P-with integral A/C	Formed inlet-cylinder head to water valve		1	C8OZ 18472-B
71/	P(8 cyl.)-with integral A/C	Inlet-hose to valve		1	D0DZ 18472-B
	- S -				
68/71	S	Core to pump		1	C9SZ 18472-A
	- X -				
68/70	X(6 cyl.)-with integral A/C & Imco	Formed inlet-cylinder head to water valve		1	C8OZ 18472-B

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
68	A(8 cyl. 427)	Nipple (hose to water pump)-	1	382351-S8
68	S (8 cyl. 390)	3/8"-18 x 3"	1	(II-191AK)
68	B, X(6 cyl.)	Elbow (hose to water pump)-5/8"	1	381628-S8(II-23K)
68	F(8 cyl. 427)-Hi-Perf.	Nipple (hose to water pump)-5/8"	AR	380696-S8(II-188F
69	F(8 cyl. 429 special)	Attach heater hose & nipple(8M 18599) to intake manifold	1	383663-S100 (II-176)
68/71	S	Brass fitting (hose to water pump)	1	87238-S(I-27CA)
	18A475 COVER - HEATER MOTOR DASH PANEL OPENING			
66/69	B		1	C6OZ 18A475-A
66/70	X		1	
70	B		1	D0OZ 18A475-A
71	B		1	D1ZZ 18A475-A
71/	F		1	
72	B-w/o integral A/C		1	D2OZ 18A475-A
65	B	Screw (cover to dash panel)-No. 10-12 x 1/2"	4	42127-S8(U248C)
66	X		4	

♦ To form 90° bend in 5/8" I.D. hose-use basic 18573 bender

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18476 CORE ASSY. - HEATER			
	- A -			
65/67	A-with heater		1	C5AZ 18476-A
65/67	A-with integral A/C		1	C5AZ 18476-B
68	A-with heater		1	C8AZ 18476-A
68	A-with integral A/C		1	C8AZ 18476-B
69/	A-with integral A/C		1	C9AZ 18476-A
69/	A-with heater		1	C9AZ 18476-B
	- B -			
65	B-with heater		1	C3AZ 18476-A
66	B-with integral A/C		1	C6OZ 18476-A
66/	B-with heater		1	C6OZ 18476-B
67/70	B-with integral A/C		1	C7OZ 18476-A
71	B-with integral A/C		1	D1OZ 18476-A
72	B-with integral A/C		1	D2OZ 18476-A
	- F -			
65/68	F-with heater		1	C5DZ 18476-A
67/68	F- with integral A/C		1	C7ZZ 18476-A
69/70	F-with heater		1	C9ZZ 18476-A
69/	F-with integral A/C		1	C9ZZ 18476-B
71/	F-with heater		1	C6OZ 18476-B
	- L -			
71/	L-with integral A/C		1	C9ZZ 18476-B
71/	L-with heater		1	D1FZ 18476-A
	- P -			
70/	P-with heater		1	C9ZZ 18476-A
70/	P-with integral A/C		1	C9ZZ 18476-B
	- S -			
65/66	S-with heater		1	C4SZ 18476-B
65/66	S-with integral A/C		1	C4SZ 18476-C
67	S		1	C7SZ 18476-A
68/71	S		1	D0SZ 18476-A
72	S	Repl. by D3SZ 18476-A (5-75)	1	★D2SZ 18476-A
	- U -			
66/	U-with heater		1	C5TZ 18476-B
	- X -			
65	X		1	C5DZ 18476-A
66	X-with integral A/C		1	C6OZ 18476-A
66/70	X-with heater		1	C6OZ 18476-B
67/70	X-with integral A/C		1	C7OZ 18476-A
	18A478 DOOR ASSY. (WINDSHIELD DEFROSTER)			
66/	U		1	C6TZ 18A478-B
	18481 BRACKET - HEATER HOSE SUPPORT			
68/	A-with heater		1	C8AZ 18481-A
70/	P-with integral A/C		1	D0DZ 18481-A
72	B-with integral A/C		1	
	18A484 CASE ASSY. - PLENUM CHAMBER			
65/68	A-with heater		1	C5MY 18A484-A
65/68	A-with integral A/C		1	C8AZ 18A484-A
67/68	A-with forced ventilation system		1	C7AZ 18A484-A
69/70	A-with heater		1	C9AZ 18A484-A
71/	A-with heater		1	D1AZ 18A484-A
66/71	B-with heater		1	C6OZ 18A484-A
66/70	X-with heater		1	
72	B-with heater		1	D2OZ 18A484-A
71/	F-with heater		1	D1ZZ 18A484-A
66/	U		1	C5TZ 18A484-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18A485 PLATE - HEATER HOUSING BLOWER & PLENUM			
65/68	A-with heater		1	C5AZ 18A485-A
69/	A-with heater		1	C9AZ 18A485-A
72	B-with heater		1	D2OZ 18A485-A
71/	F-with heater		1	D1ZZ 18A485-A
68/71	S-with heater		1	D0SZ 18A485-A
66/	U		1	C6TZ 18A485-A
69	S	Clip fastener (attach plate to housing)	4	382652-S(HH8PD)
	18C487 WIRING ASSY. - REAR WINDOW DEFOGGER - If not listed Improvise			
70/71	S		1	D0SZ 18C487-B
	18A488 PLATE - HEATER HOUSING CORE			
69/	A-with heater	Includes gasket	1	C9AZ 18A488-A
66/	B	Includes(1)C6OA 18A469-B gasket	1	C6OZ 18A488-A
71/	F		1	
66/70	X		1	
	18B488 GASKET - AIR CONDITIONER BLOWER HOUSING			
72	B,S-with integral A/C		1	D2OZ 18B488-A
	18490-1 NOZZLE - WINDSHIELD DEFROSTER HOSE			
	- A -			
67	A-with heater		1	C7AZ 18490-B
68	A-with heater		1	C8AZ 18490-B
69/	A-with heater	R.H.	1	C9AZ 18490-A
69/	A-with integral A/C	R.H.	1	C9AZ 18490-B
69/	A	L.H.	1	C9AZ 18491-A
	- B -			
65	B	R.H.	1	C3OZ 18490-A
		L.H.-not replaced	1	★C3OZ 18491-A
66	B-with heater		1	C6OZ 18490-A
68/69	B-with integral A/C		1	C8OZ 18490-A
68/69	B-with heater		1	C8OZ 18490-B
70/71	B-with heater		1	D0OZ 18490-A
70/71	B-with integral A/C		1	D0OZ 18490-B
72	B-with integral A/C	R.H.	1	D2OZ 18490-A
		L.H.	1	D2OZ 18491-A
72	B-with heater		1	D2OZ 18490-B
	- F -			
65/66	F	R.H. & L.H.	2	C5ZZ 18490-A
67/68	F-with heater	R.H.	1	C7ZZ 18490-D
	"Before 11/1/67"	L.H.	1	C7ZZ 18491-A
	"From 11/1/67"	L.H.	1	C7ZZ 18491-B
69/70	F-with heater		1	C9ZZ 18490-A
69/70	F-with integral A/C		1	C9ZZ 18490-B
71/	F-with heater		1	D1ZZ 18490-A
71/	F-with integral A/C		1	D1ZZ 18490-B
	- L -			
71/	L-with integral A/C		1	D1FZ 18490-A
71/	L-with heater		1	D1FZ 18490-B
	- P -			
70/71	P-with integral A/C		1	D0DZ 18490-A
70/	P-with heater		1	D0DZ 18491-A
	- S -			
67/69	S	L.H.	1	C7SZ 18491-A
68/71	S	R.H.	1	C8SZ 18490-A
70/71	S	L.H.	1	D0SZ 18491-A
72	S	R.H.	1	D2SZ 18490-A
		L.H.	1	D2SZ 18491-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18490-1 NOZZLE - WINDSHIELD DEFROSTER HOSE - continued			
	- U -			
66/	U	R.H. or L.H.	2	C8TZ 18490-A
	- X -			
65	X	R.H.	1	♦CC4DF 18490-A
		L.H.	1	♦CC4DF 18491-A
66	X-with heater		1	C6OZ 18490-A
68/70	X-with integral A/C		1	C8OZ 18490-A
68/70	X-with heater		1	C8OZ 18490-B
67	A	Clip fastener (defroster nozzle to plenum chamber)	1	382040-S2(6H67)
69	A	Screw-No. 8-15 x 1/2" (att. 18490-1 to panel)	4	52012-S8(U202)
69	A	(att. 18490-1 to 18A435 connector)	2	
65/	B	Screw (nozzle to instrument panel)-No. 12-11 x 5/8"	4	42135-S8(U253)
65/70	F,X	Clip (nozzle to instrument panel)	2or4	372850-S32(GG188)
	18C490 GRILLE ASSY. - REAR WINDOW DEFOGGER			
68	A, B, X	Paint to match	1	C8AZ 18C490-B
69/70	A(54, 57, 62, 65)		1	
71/	A(except 71, 76)		1	
69/71	B(except 66, 71, 76)		1	
68/70	F(65)		1	
71/	L		1	
70/	P		1	
69/70	X(54, 62)		1	
69/70	A(63)	Remote	1	C9AZ 18C490-A
71/	A(except 71, 76) "Before 4/17/72"	For production installed defogger	1	C8MY 18C490-A
72	A(except 71, 76) "From 4/17/72"	For production installed defogger	1	D2AZ 18C490-A
69/70	A(63)	Rivet-3/16" x 13/16" (to att. grille assy.)	2	375064-S(SS46)
	18A493 PLATE ASSY. HEATER HOUSING AIR INLET			
71/	F-with heater		1	D1ZZ 18A493-A

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	18495 VALVE - HEATER WATER CONTROL				
	- A -				
65/67	A (71)-with under seat heater			1	C5AZ 18495-B
65/68	A(except P/C)-with integral A/C	Also use with forced vent system	YG-101	1	C8AZ 18495-C
67	A(8 cyl. 390, 428 P/I)-with integral A/C	Also use with forced vent system	YG-95	1	C7AZ 18495-A
68	A(P/I)-with integral A/C	Also use with forced vent system	YG-99	1	C8AZ 18495-A
68	A(P/C)-with integral A/C		YG-100	1	C8AZ 18495-B
69/	A		YG-110	1	D1AZ 18495-B
	- B -				
66	B(6 cyl.)-with integral A/C		YG-94	1	C6OZ 18495-B
66	B(8 cyl.)-with integral A/C		YG-93	1	C6OZ 18495-A
67/69	B-with integral A/C		YG-102	1	C8OZ 18495-C
70	B-with integral A/C		YG-106	1	D0OZ 18495-A
71	B-with integral A/C		YG-107	1	D0OZ 18495-B
72	B-with integral A/C		YG-110	1	D1AZ 18495-B
	- F -				
67/68	F-with integral A/C		YG-98	1	C7ZZ 18495-A
69/70	F-with integral A/C	Also used with forced vent system	YG-110	1	D1AZ 18495-B
71/	F-with integral A/C		YG-110	1	D1AZ 18495-B
	- L -				
71	L-with integral A/C "Before 6/30/71"		YG-111	1	D1FZ 18495-A
71/	L-with integral A/C "From 6/30/71"		YG-112	1	D1FZ 18495-B
	- P -				
70/	P(6 cyl.)-with integral A/C	Includes vacuum motor	YG-105	1	D0DZ 18495-A
71/	P(8 cyl.)-with integral A/C		YG-107	1	D0OZ 18495-B

♦ Canada only

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	18495 VALVE - HEATER WATER CONTROL - continued				
	- S -				
65/66	S		YG-101	1	C8AZ 18495-C
67/69	S		YG-110	1	D1AZ 18495-B
70/71	S		YG-108	1	D0SZ 18495-A
72	S		YG-110	1	D1AZ 18495-B
	- U -				
66/	U-with heater	Bowden cable operated		1	C3UZ 18495-A
67	U(96,98)-with rear seat heater			1	C5AZ 18495-B
	- X -				
66	X(6 cyl.)-with integral A/C		YG-94	1	C6OZ 18495-B
66	X(8 cyl.)-with integral A/C		YG-93	1	C6OZ 18495-A
67/70	X-with integral A/C		YG-102	1	C8OZ 18495-C
65/67	A (8 cyl.)	Elbow (valve to cyl. hd.)-3/8"-18-45°		1	353476-S100 (II-173)
	18C495 SWITCH ASSY. - AIR CONDITIONER SERVO CONTROL				
68	S-with A.T.C. "Before 2/1/68"			1	C8SZ 18C495-A
68/71	S-with A.T.C. "From 2/1/68"			1	C9SZ 18C495-A
	18C496 WIRING ASSY. - REAR WINDOW DEFOGGER SWITCH FEED - Unless listed improvise				
71/	A(except 71,76)	For production installed rear window defogger		1	D1AZ 18C496-A
71/	L			1	D1FZ 18C496-A
	18497 AUTOMATIC TIMER - CAR WARMER				
68/71	All			1	♦CC6AZ 18497-B
	18A497 SHAFT - AIR CONDITIONER AIR OUTLET DOOR				
69/	F-with integral A/C			1	C9ZZ 18A497-A
	18C497 BRACKET - REAR WINDOW DEFOGGER SWITCH MOUNTING				
68/	A	Used with dealer installed defogger kit		1	C8AZ 18C497-A
68/71	B			1	
68/70	F,X			1	
71/	L			1	
70/	P			1	
	18502 VALVE - TEMPERATURE REGULATOR				
65/69	A-with integral A/C		YG-44	1	C5AZ 18502-B
67/68	A-with forced ventilation system			1	C7AZ 18502-A
71/	A-with heater		YG-33	1	D1AZ 18502-A
72	B-with integral A/C		YG-46	1	D2OZ 18502-A
72	S-with manual A/C			1	
65/66	S-with integral A/C	Vacuum operated		1	C5SZ 18502-A
	18504 WHEEL - HEATER BLOWER				
70/	A-with heater			1	D0AZ 18504-A
71/	B,F-with heater			1	
71/	L-with heater			1	D1FZ 18504-A
71/	P-with heater			1	
71/	U-with heater "From Ser.K80,001"			1	
66/71	U-with heater "Before Ser.K80,001"			1	C5TZ 18504-A
70/	A	Clamp (attach wheel to motor)		1	384260-S(EE17A)
	18A508 NUT - REAR WINDOW DEFOGGER SWITCH - Refer to Group 18A985				
	18513 KNOB ASSY. - BLOWER SWITCH CONTROL - Also refer to groups 17513, 18519 and 18817				
68	A-with heater or integral A/C			1	C8AZ 18513-A
69/70	A	Use with production installed rear window defogger		1	C9AZ 18513-A
65	B			1	C4OZ 18513-A
65/67	A-with heater or integral A/C			1	
65	X			1	C4DZ 18513-A
65/69	F			1	
65/69	F	Screw (knob to switch)-No.8-32 x 1/4" set		1	375504-S8(UU28A)
65	X			1	

♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18C515 NOZZLE ASSY. - REAR WINDOW DEFOGGER			
69/70	A(63)	Remote	1	C9AZ 18C515-A
69/70	A(63)	Nut-No. 8-32(to att. nozzle assy. to package tray)	2	34653-S36(M106X)
69/70	A(63)	Clip assy. (to att. nozzle assy. to package tray)	2	357849-S2(RR40)
69/70	A(63)	Washer-No. 10 flat (to att. nozzle assy. to package tray)	2	374576-S(XX55A)
69/70	A(63)	Rivet-3/16" x 13/16" (to att. nozzle assy. to blower motor assy.)	2	375064-S(SS46)
	18518 CABLE ASSY. - HEATER TEMPERATURE - Also refer to groups 19988, 18552			
	- A -			
65/67	A-with heater or integral A/C		1	C6AZ 18518-A
68	A-with forced ventilation system		1	C8AZ 18518-A
68	A-with heater		1	C8AZ 18518-B
69/70	A-with heater		1	C9AZ 18518-A
71/	A-with heater		1	D1AZ 18518-A
	- B -			
65	B	65" long-cut to required size	1	B8C 18518-A
66/67	B		1	C6OZ 18518-A
68/69	B-with heater	41" long-cut to 37"	1	C8DZ 18518-A
70/71	B-with heater	39" long	1	D0OZ 18518-A
72	B-with heater		1	D2OZ 18518-A
	- F -			
65/66	F	27 5/8" long-use C5ZZ 18552-A	1	★
67/68	F	Heater temperature defroster & air control-combined	1	C7ZZ 18518-A
69/	F-with heater	Cable-heater temperature & defroster control	1	D1ZZ 18518-A
	- L -			
71/	L-with heater "Before 6/22/72"	Cable-heater temperature & defroster control	1	D1FZ 18518-A
72	L-with heater "From 6/22/72"	Cable-heater temperature & defroster control	1	D2FZ 18518-A
	- P -			
70/72	P-with heater "Before 6/22/72"		1	D1DZ 18518-A
72	P-with heater "From 6/22/72"		1	D2DZ 18518-A
	- S -			
65/66	S	65" long-cut to required size	1	B8C 18518-A
67/71	S		1	C7SZ 18518-A
	- U -			
66/67	U "Before Ser. A42,001"	Includes knob	1	C6TZ 18518-E
68/	U	Includes knob	1	C8TZ 18518-B
	- X -			
65	X	30" long-use C5ZZ 18552-A	1	★
66/67	X		1	C6DZ 18518-A
68/70	X-with heater & defroster		1or2	C8DZ 18518-A
65/67	A(8 cyl.)-with integral or hang-on A/C	Clip (control to evaporator case)	1	359548-S100 (GG144)
65/66	F	Screw (temperature & defroster controls and heater switch to heater)-No. 10-12 x 3/8"	3	★42067-S2
65/70	X		3	
65/66	S	Nut (control to control panel)-3/16" spring	1	372927-S2(MM260)
65/67	A, B	Nut (control to heater case)	1	
65/66	S	Clip (control to heater case or integral A/C control panel)	1or2	378897-S7 (GG162A)
		Clip (control to defroster outlet, control panel or plenum chamber)	AR	
65/67	A,B	Clip (control to heater case)	AR	
65/70	X	Nut-7/16"-20	3	34690-S8(M34)
65/70	X	Washer-flat-7/16"	3	44730-S8(X26)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18519 KNOB ASSY. - Also refer to groups 17513, 18513, 19A962			
	- A -			
65/66	A	Used with windshield wiper	1	C4OZ 18519-A
65/67	A	Used with heater, integral A/C or forced ventilation system	2	
68	A	With heater or integral A/C-use for heater temp. and defroster control	2	C8AZ 18519-A
		Use for wiper or washer control	AR	
65/67	A	Used with C8AZ 18578-B heater switch	1	
69	A	Use with dealer installed speed control	1	C8DZ 18519-A
69/70	A	Use with production installed rear window defogger	1	C9AZ 18519-B
70	A(except 71, 76)	Used with heated back lite	1	
69/70	A	Blower switch knob for heater or integral A/C without rear window defogger-refer to Group 18817		
69/70	A	Heater or integral A/C controls	2	C9AZ 18519-A
		Windshield washer control	1	
		Windshield wiper control	1	
71/	A	Heater or manual integral A/C control	3	D1AZ 18519-A
		A.T.C. control	2	
		Production installed rear window defogger	1	
		T/gate window	1	
69/70	A(63)-rear window defogger	Washer-(att. motor to back panel)	2	34805-S2(X62)
		Nut-(att. motor to back panel reinforcement)	2	★34975-S
		Screw (motor ground wire to back panel reinf.)	1	55981-S(U254E)
	- B -			
65	B	Used with fresh air heater	2	C4OZ 18519-A
66	B	Used with heater or integral A/C	3	C6OZ 18519-A
		Used with windshield wiper	1	
67/69	B	Used with heater or integral A/C -also forced vent system	3	C7OZ 18519-A
		Used with windshield wiper and washer	2	
68/69	B	Use for rear window defogger switch, on production installed defogger only	1	C8OZ 18519-A
70/71	B	Heater control	2	D0OZ 18519-A
70	B	Defogger switch	1	
72	B	Heater or integral A/C control	3	D1AZ 18519-A
		T/gate window	1	
		Heated backlite switch	1	
	- F -			
65/66	F	Temperature	1	C5DZ 18519-A
65/66	F	Heater	1	C5DZ 18519-B
67	F	Used with heater-defroster	1	C7ZZ 18519-A
68	F-with heater	Heat control	1	C8ZZ 18519-K
68	F-with integral A/C	For blower switch	1	C8ZZ 18519-N
69/	F	Heater & A/C control	3	C9ZZ 18519-A
70	F(65)	Use for production installed rear window defogger	1	C9WY 18519-A
	- L -			
71/	L	Heater or integral A/C control	3	D1FZ 18519-A
71/	L	Production installed rear window defogger	1	D1FZ 18519-B
		Heated backlite switch	1	
	- P -			
70/	P	(3) Req'd. for temperature-defroster & blower on heater or integral A/C-(1) req'd. for rear window defogger on heater or integral A/C	AR	★D0DZ 18519-A r/b C9ZZ 18519-A (5-75)
	- S -			
65/66	S	Heater or integral A/C	2	C4SZ 18519-A
		Air vent control	1	
67	S-with heater or A/C		2	C7SZ 18519-A
68/71	S-with rear window defogger		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18519 KNOB ASSY. - continued - Also refer to Groups 17513, 18513 & 19A962			
	- S -			
68/71	S-with heater or integral A/C	Use for temperature control	1	C8SZ 18519-A
72	S	Heater or A/C control	3	D1AZ 18519-A
		Heated backlite switch	1	
	- X -			
65	X	Temperature	1	C5DZ 18519-A
65	X	Heater	1	C5DZ 18519-B
66/67	X	Used with heater or integral A/C	2	C6OZ 18519-A
66	X	Used with windshield wiper	1	
68	X	Use for rear window defogger switch on production installed defogger only	1	C8OZ 18519-A
68/70	X	Use for heater regulator control	1	C8DZ 18519-A
65/	A,B,F,S	Screw (knob to control) - No. 8-32 x 1/4" set	2	375504-S8(UU28A)
65/70	X		2	

18527 MOTOR ASSY. - Also refer to Group 19805

YEAR	MODEL	HEATER TYPE	DESCRIPTION			QTY.	PART NUMBER
			VOLTAGE	SHAFT DIAM.	ROTATION		
68	A,B,X	Rear window defogger motor & wheel assy. - includes housing	12 volt	Balanced assy.		1	C8AZ 18527-A (MM-237)
68/70	F(65)					1	
69	A(54,57,62,65),B(54,63,65),X(54,62)					1	
70	A(54,57,62,65),B(54,57,63,65),P,X					1	
71/	A(except 71,76),L,P					1	
71	B(except 66,71,76)					1	
68/71	S					1	
69/70	A(63)	Rear window defogger	12 volt	Balanced assy.		1	C9AZ 18527-B (MM-269)
65	A (71)	Under seat	12 volt	5/16"	C/CW	1	C5AZ 18527-C (MM-206)
65/68	A-except with forced ventilation system	Motor & wheel assy.	12 volt	Balanced assy.		1	C5AZ 18527-D (MM-238)
67/68	A-with forced ventilation system	Fresh air-motor & wheel assy.	12volt	Balanced assy.		1	C7AZ 18527-A (MM-231)
69/70	A-with heater	Motor and wheel assy.	12 volt	Balanced assy.		1	★C9AZ 18527-A (MM-265) r/b D1AZ 18527-A and D0AZ 18504-A(6-73)
70/	A-with heater	Fresh air	12 volt	5/16"	CW	1	D1AZ 18527-A (MM-296)
68/70	B-with forced ventilation system	Motor and wheel assy.	12 volt	Balanced assy.		1	C9OZ 18527-A (MM-276)
65/71	B-with heater "Before 4/2/71"	Motor and wheel assy.	12 volt	Balanced assy.		1	★C9OZ 18527-B (MM-277) r/b D1OZ 18527-A, D0AZ 18504-A, and D1OZ 18581-A
66/70	X-with heater					1	
71	F-with heater "Before 4/2/71"					1	
71/	B,F-with heater "From 4/2/71"	Fresh air	12 volt	5/16"	CW	1	D1OZ 18527-A (MM-277A)
65	X-with heater	Motor & wheel assy.	12 volt	Balanced assy.		1	C0DZ 18527-A (MM-240)
65	F-with heater "Before 4/1/65"					1	
65/68	F-with heater "From 4/1/65"	Motor & wheel assy.	12 volt	Balance assy.		1	C5ZZ 18527-B (MM-243)
69/70	F-with heater	Motor & wheel assy.	12 volt	Balanced assy.		1	C9ZZ 18527-A (MM-270)
70	P-with heater					1	
69/70	F-with forced ventilation system	Motor & wheel assy.	12 volt	Balanced assy.		1	C9ZZ 18527-B (MM-271)
68	F(63)	Rear defogger	12 volt	Balanced assy.		1	C8ZZ 18527-A (MM-244)
71/	L-with heater	Fresh air	12 volt	5/16"	CW	1	D1FZ 18527-A (MM-291)
71/	P-with heater					1	

YEAR	MODEL	HEATER TYPE	DESCRIPTION VOLTAGE	SHAFT DIAM.	ROTATION	QTY.	PART NUMBER
	18527 MOTOR ASSY. - continued -Also refer to Group 19805						
65	S	Fresh air	12 volt	1/4"	C/W	1	C4SZ 18527-A (MM-133)
67/71	S-with heater or integral A/C	Motor & wheel - assy.	12 volt	Balanced assy.		1	C8SZ 18527-A (MM-245)
66/	U	Fresh air	12 volt	5/16"	CW	1	C5TZ 18527-A (MM-208)

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
65/	A, B, S, X	Nut (motor to blower)-No. 10-32	2	34079-S7(M163)
		Lockwasher-No. 10	2	34903-S8(X96)
		Flatwasher-No. 10	2	44713-S8(X13)
69/70	A(63)-rear window defogger	Washer (att. motor to back panel)	2	34805-S2(X62)
		Nut (att. motor to back panel reinf.)	2	★34975-S
		Screw (motor ground wire to back panel reinf.)	1	55981-S(U254E)
	18A527 ADAPTOR - WINDSHIELD DEFROSTER OUTLET			
69/71	A		2	C9AZ 18A527-A
71	S		2	
68/70	S		4	C8SZ 18A527-A
71/	A-with integral A/C		1	D2AZ 18A527-A
	18531 BRACKET - CONTROL MOUNTING - Also refer to groups 19980 and 19A884			
65/66	A-with heater		1	C5AZ 18531-A
69/70	A-with heater		1	C9AZ 18531-A
66/67	B-with heater		1	C6OZ 18531-A
68/69	B-with heater		1	C8OZ 18531-A
71	B-with heater		1	D1OZ 18531-A
67	F-with heater		1	C7ZZ 18531-A
68	F-with heater		1	C8ZZ 18531-A
69/70	F-with heater or forced ventilation system		1	C9ZZ 18531-A
71/	F-with heater		1	D1ZZ 18531-A
70/	P-with heater "Before 7/15/72"	Without rear window defogger	1	D0DZ 18531-A
72	P-with heater "From 7/15/72"	Without rear window defogger	1	D2DZ 18531-A
70/	P-with heater "Before 7/15/72"	With rear window defogger	1	D0DZ 18531-B
72	P-with heater "From 7/15/72"	With rear window defogger	1	D2DZ 18531-B
65	X-with heater		1	C4DZ 18531-A
65/66	F-with heater		1	
66/70	X-with heater		1	C6DZ 18531-A
65/66	A	Nut (bracket & heater switch to control lamp retainer)-No. 10-24	2	34053-S8(M156)
		Lockwasher-No. 10	2	34903-S8(X96)
68	F	Clip-1/4" x 1/4"-attach switch & wire to brkt.	1	382152-S(GG163H)
65/66	S	Screw (bracket to control panel)-No. 10-24 x 3/8"	4	40905-S7(U258)
	18C536 VALVE and WIRING ASSY. - AIR CONDITIONER CONTROL SOLENOID			
68/69	S-with A.T.C.	Use to adapt 19C730 A.T.C. box for service	1	C8SZ 18C536-A
	18C538 WIRING ASSY. - REAR WINDOW DEFOGGER SWITCH FEED - Improvise			
	18C540 BRACKET and MASK ASSY. - AIR CONDITIONER CONTROL			
68/71	S-with A.T.C.	Without defogger	1	C8SZ 18C540-A
	18541 SOCKET and WIRE ASSY. - CONTROL LAMP			
68	A(with heater)	Dealer improvise	1	★
71/	A	Marked D1AA 18541-AB	1	D1AZ 18541-A
72	B,S		1	D2OZ 18541-A
	18C541 BRACKET - REAR WINDOW DEFOGGER BLOWER SWITCH MOUNTING			
71/	A -w/A.T.C.		1	D1AZ 18C541-AA


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18A542-3 CASE ASSY. - HEATER CORE			
65/68	F-with heater	Front	1	C0DZ 18A542-B
		Rear	1	C7ZZ 18A543-A
69/70	F-with heater	Front	1	C9ZZ 18A542-A
		Rear	1	C9ZZ 18A543-A
69/70	F-with forced ventilation system	Use for front panel vent	1	C9ZZ 18A542-B
71/72	L-with heater "Before 6/22/72"	Front	1	D1FZ 18A542-A
72	L-with heater "From 6/22/72"	Front	1	D2FZ 18A542-A
71	L-with heater	Rear	1	D1FZ 18A543-A
72	L-with heater	Rear	1	D2FZ 18A543-A
70	P-with heater "Before 8/25/69"	Front	1	C9ZZ 18A542-A
	"From 8/25/69"	Front	1	D0DZ 18A542-A
		Rear	1	D0DZ 18A543-A
71/	P-with heater	Front	1	D1DZ 18A542-A
		Rear	1	D0DZ 18A543-A
65	X-with heater	Front	1	C0DZ 18A542-B
		Rear - not replaced (6-73)	1	★C0DF 18A543-E
	18545 NUT - HEATER BLOWER SWITCH			
68	A	R. H. & L. H. -air control-also used with forced vent control system	AR	C8AZ 18545-A
66/	U	For fresh air heater	1	C1UF 18545-A
	18A545 VALVE - HEATER TEMPERATURE CONTROL			
65	X		1	C0DZ 18A545-B
65/68	F		1	
		Screw (valve to heater core front case)-No. 8-18 x 3/8"	2	42119-S8(U246)
	18B545 DOOR ASSY. - HEATER AIR TEMPERATURE CONTROL			
66/	B-with heater		1	C6OZ 18B545-A
71/	F-with heater		1	
66/70	X-with heater		1	
71/	L-with heater		1	D1FZ 18B545-A
	18548 CABLE ASSY. - DEFROSTER AIR			
	- B -			
66/67	B		1	C6OZ 18548-A
68/69	B	Cut 16" long from C8DZ 18518-A	1	★
70/71	B-with heater	Defroster control-25" long	1	D0OZ 18548-A
72	B-with heater	Defroster control	1	D2OZ 18548-A
	- F -			
65/66	F	19" long	1	C4DZ 18548-A
67/70	F	Defroster-Refer to Basic Group 18518		
	- X -			
65	X	19" long	1	C4DZ 18548-A
66/67	X		1	C6OZ 18548-A
68/70	X	Defroster-Refer to Basic Group 18518		
65/67	A	Screw (control to plenum chamber or cowl panel) No. 10-12 x 1/2"	1 or 2	42127-S8 (U248C)
65/66	A, S	Nut (control to heater)-3/16" spring	AR	372927-S2(MM260)
65/66	S	Flatwasher-No. 9	2	44711-S8(X12)
65	F, X	Screw(control to plenum chamber)-No.10-16 x 1/2"	1	42547-S8(U248A)
65/68	X	Screw(control to plenum chamber)-No.10-16 x 3/8"	1	42120-S8(U248)
65/66	S	Screw (control to plenum chamber)	1or2	
65/66	S	Screw (control to heater air vent door control)	1	
	18549 CONTROL ASSY. - HEATER - Also refer to Groups 18A651, 19980			
67	A	Also used with forced ventilation system	1	C7AZ 18549-A
71/	A-with heater		1	D1AZ 18549-A
70	B-with heater		1	D0OZ 18549-A
72	B-with heater		1	D2OZ 18549-A
71	L-with heater-(except with decor trim)		1	D1FZ 18549-A
71/	L-with heater		1	D2FZ 18549-A
67	S		1	C7SZ 18549-A
68/71	S		1	C8SZ 18549-B
72	S-with heater		1	D2SZ 18549-A
68/70	X		1	C8DZ 18549-A
		Clip (control wire to heater control)	AR	378897-S7(GG162A)

YEAR	MODEL		DESCRIPTION	QTY.	PART NUMBER
	18B551 SEAL - HEATER CORE TO HOUSING FRONT				
72	S-with integral A/C			1	D2SZ 18B551-A
	18552 CABLE ASSY. - HEATER AIR - Also refer to Group 18518				
	-A -				
65/67	A-with heater or forced ventilation system		17" long	1	C5AZ 18552-A
68	A-with forced ventilation system		Defroster control	1	C8AZ 18552-A
68	A-with heater		Defroster control	1	C8AZ 18552-B
68	A-with forced ventilation system		On/off control	1	C8AZ 18552-C
69/70	A-with heater		Cable-air control	1	C9AZ 18552-A
69/70	A-with integral A/C		Cable-air control	1	C9AZ 18552-B
71/	A-with heater		Heater air control	1	D1AZ 18552-A
71/	A-with manual integral A/C		Heater air control-37 1/2" long-marked D1AA 18C592-AA	1	D1AZ 18C592-A
	- B -				
65	B		20 21/32" long-use B8C 18518-A	1	★
	- F -				
65/66	F		31 7/8" long	1	C5ZZ 18552-A
67/	F		Refer to Basic Group 18518		
	- P -				
70	P-with heater	"Before 8/25/69"	61" long-defroster control	1	D0DZ 18552-A
70/72	P-with heater	"From 8/25/69 to 6/22/72"	32" long-defroster control	1	D1DZ 18552-A
72	P	"From 6/22/72"	32" long-defroster control	1	D2DZ 18552-A
	- S -				
65/66	S		17 3/4" long-use B8C 18518-A	1	★
	- U -				
66	U-with heater		Includes knob	1	C6TZ 18552-A
67	U-with heater		Includes knob	1	C7TZ 18552-A
68/	U-with heater		Includes knob	1	C8TZ 18552-A
	- X -				
65	X			1	C5ZZ 18552-A
65/68	A		Clip	AR	378897-S7(GG162A)
69	A		Screw-No. 8-15 x 1/2" (att. clip to plenum chamber control panel)	AR	52012-S8(U202)
65/	B, S		Screw (attaches clip to control panel, heater, blower or plenum chamber)-No. 10-12 x 1/2"	AR	42127-S8(U248C)
65/68	A			AR	
65/66	S		Nut (control to heater)-3/16" spring	1	372927-S2(MM260)
	18A553 ARM- HEATER AIR TEMPERATURE CONTROL VALVE DOOR				
68/71	S-with A.T.C.			1	C8SZ 18A553-B
	18C553 HOSE & CONNECTOR ASSY. - HEATER - Also refer to Group 18663				
70	A(8 cyl. 351-2V)	"Before 4/1/70"		1	D0AZ 18C553-A
70	A(8 cyl. 351-2V)	"From 4/1/70"	Refer to Group 18663		
70	F(8 cyl. 428)			1	D0ZZ 18C553-A
	18556 HOSE - WINDSHIELD DEFROSTER				
65/70	A, B, F, S		2 1/2" I.D. x 36" long-cut to length required for R.H. or L.H. usage	2	B5A 18556-C
65/70	X			2	
66/	U			2	
	18C560 HARNESS ASSY. - AIR CONDITIONER CONTROL MOTOR				
70/71	B-with integral A/C		Hose and wiring	1	D0OZ 18C560-A
71/	L-with integral A/C		Located at dash panel-includes thermostal to clutch wiring	1	D1FZ 18C560-A
71/	L-with integral A/C		To A/C control	1	D1FZ 18C560-B
70/	P-with integral A/C		Hose and wiring	1	D0DZ 18C560-A
	18B561 CLIP - HEATER CONTROL CABLE				
65/69	A			1	C5AZ 18B561-A
	18C561 SWITCH and CLIP ASSY. - AIR CONDITIONER BLOWER CONTROL SENSOR				
68/71	S-with A.T.C.			1	C8SZ 18C561-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18A566 COLLAR & CONNECTOR ASSY. - HEATER INLET HOSE			
65	B		1	C2OZ 18A566-A
65	X	Drill mounting holes if necessary	1	C0DF 18A566-B
		Clip (collar & connector to cowl top inner panel)	2	373920-S2(GG243)
		Nut(collar & connector to cowl top panel)-No.10-24	3	34053-S8(M156)
	18A568 CONNECTOR - HEATER INLET HOSE			
65/	A, B, F, L, P, S	"L" type	1	C9AZ 18A568-B
65/70	X		1	
65/	A, B, F, L, P, S	"T" type	1	C9AZ 18A568-C
65/70	X		1	
67/68	A-with 390-2V & integral A/C	Used with forced ventilation system	1	C7AZ 18A568-A
68/70	A-with 302-2V & integral A/C	Used with heater	1	C8AZ 18A568-A
66/	U	Used with fresh air heater	1	C5TZ 18A568-A
	18569 WIRE ASSY. HEATER BLOWER MOTOR GROUND			
68/70	X	Improvise from B6A 14296-B-18" long	1	★
	18A569 GASKET - HEATER INLET			
65/70	F-with heater		1	C6ZZ 18A569-A
71/	L-with heater		1	
70/	P-with heater		1	
	18570 GASKET			
65/68	A-with integral A/C		1	C5MY 18570-A
71/	L-with heater	Seal heater core to case	1	D1FZ 18570-A
71/	P-with heater		1	
	18C570-1 GRILLE - HEATER REAR SEAT OUTLET			
68/71	S	R. H.	1	C8SZ 18C570-A
		L. H.	1	C8SZ 18C571-A
	18572 CLAMP			
65/	A, B, F, L, P, S	Heater water hose-also used with air conditioner	AR	BPA 18572-A
65/70	X		AR	
65/69	A, S	Power brake booster to manifold hose	4	
65	F(8 cyl.)	Used with water warmed choke-also supplied	1	C3AZ 18572-A
66	B, F, X (6 cyl.)	with carburetor	1	
		Screw(brkt. to auto. choke hsg.)-No.8-32 x 3/8"	3	43248-S8(U72)
	18C572 HOSE - HOT WATER HEATER			
69	S-with skid control	Core to pump-improvise from C9SZ 18472-A	1	★
	18573 BENDER - HEATER HOSE - 90°			



65/	All	For 5/8" I.D. heater hose	AR	D1AZ 18573-A (KX-1-A)
	18A573 RETAINER - HEATER CORE			
65	X	Used with 2" thick basic 18476 core	1	C5DZ 18A573-A
65/70	F		1	
70/	P		1	
	18C573 BEZEL - REAR WINDOW DEFOGGER OUTLET			
69/70	A(63)		1	C8VY 18C573-A
	18A574 DOOR and SEAL ASSY. - AIR DAMPER			
72	B, S-with heater		1	D2SZ 18A574-B
72	B-with integral A/C		1	D2OZ 18A574-A
72	S-with manual A/C		1	
72	S-with A.T.C.		1	D2SZ 18A574-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18578 SWITCH ASSY. - Also refer to Group 19986.			
	- A -			
65/66	A	Fresh air heater -r/b C8AZ 18578-B (3-74)	1	★C5AZ 18578-A
65	A(71)	Under seat heater	1	C5AZ 18578-B
67	A (71)	With third seat heater	1	
67	A	Fresh air heater or forced ventilation system	1	C7AZ 18578-A
68	A	For heater	1	C8AZ 18578-B
68/	A	Repair kit-spade type switch-for dealer installed rear window defogger	1	D0AZ 18578-B
69/70	A	For heater or Integral A/C	1	C9AZ 18578-A
69/70	A	Use w/rear window defogger-production installed	1	C9AZ 18578-B
70	A(except 71, 76)	Used with heated back lite	1	D0AZ 18578-A
71/	A	For heater	1	D1AZ 18578-A
71/	A(except 71,76)	For w/rear window defogger-production installed	1	D1AZ 18578-B
71/	A(except 71,76)	For heated backlite	1	D1AZ 18578-C
	-B -			
66/67	B	Used with fresh air heater	1	C6OZ 18578-A
68/69	B	For heater	1	C8OZ 18578-A
68/69	B	Use w/production installed rear window defogger	1	C8OZ 18578-B
68/71	B	Repair kit-spade type switch-for dealer installed rear window defogger	1	D0AZ 18578-B
70	B(54, 57, 63, 65)	Used with production installed rear window defogger	1	D0OZ 18578-B
70/71	B	For heater	1	D0OZ 18578-A
71	B(except 66, 71, 76)	For heated backlite	1	D1OZ 18578-A
72	B	For heater (external)	1	D2OZ 18578-A
72	B	For heater (internal)	1	D2OZ 18578-B
72	B(except 71, 97)	For heated backlite -r/b D5OZ 18578-A (5-75)	1	★D2OZ 18578-C
	- F -			
65	F "Before 4/1/65"	For heater	1	C4DZ 18578-A
65/66	F "From 4/1/65"	For heater	1	C5ZZ 18578-A
67	F	For heater	1	C7ZZ 18578-A
68	F	For heater	1	C8ZZ 18578-B
68/69	F	Use w/production installed rear window defogger	1	C8ZZ 18578-A
69/70	F	For heater or forced ventilation	1	C9ZZ 18578-A
68/70	F	Repair kit-spade type switch-for dealer installed rear window defogger	1	D0AZ 18578-B
70	F(65)	Use w/production installed rear window defogger	1	D0ZZ 18578-A
71/	F	For heater	1	D1ZZ 18578-A
71/	F(except 76)	For heated backlite	1	D1ZZ 18578-B
	- L -			
71/	L	For heater	1	D1FZ 18578-A
71/	L	For integral A/C	1	D1FZ 18578-B
71/	L (62, 64)	For rear window defogger-production installed	1	D1FZ 18578-C
71/	L (62, 64)	Repair kit-spade type switch-for dealer rear window defogger	1	D0AZ 18578-B
72	L	For heated backlite	1	D2FZ 18578-A
	- P -			
70/	P	For heater	1	D0DZ 18578-A
70/	P	Use w/production installed rear window defogger	1	D0DZ 18578-B
70/	P	Repair kit-spade type switch-for dealer installed rear window defogger	1	D0AZ 18578-B
	- S -			
65/66	S-with A/C		1	C4SZ 18578-A
67	S-with A/C		1	C7SZ 18578-A
68/69	S-with heater or manual A/C	Use without defogger or heated back lite	1	C8SZ 18578-A
68/69	S-with heater or manual A/C	Use with defogger	1	C8SZ 18578-B
68/71	S-with A.T.C.	Use with defogger	1	C8SZ 18578-C
69	S-with manual A/C	Use with heated back lite	1	C9SZ 18578-B
69	S-with A.T.C.	Use with heated back lite	1	C9SZ 18578-A
70	S-with manual A/C	Use with heated back lite	1	D0SZ 18578-C
70	S-with A.T.C.	Used with heated back lite	1	D0SZ 18578-D

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18578 SWITCH ASSY. - continued			
	- S -			
70	S-with heater or manual A/C-"Before 5/1/70"	Use with defogger	1	D0SZ 18578-B
70/71	S-with heater or manual A/C-"From 5/1/70"	Use with defogger	1	D0SZ 18578-E
70/71	S-with heater or manual A/C	Used without defogger or heated back lite	1	D0SZ 18578-A
71	S-with manual A/C	Use with heated backlite	1	D1SZ 18578-A
71	S-with A.T.C.	Use with heated backlite	1	D1SZ 18578-B
72	S	Use with heated backlite-r/b D5OZ 18578-A (5-75)	1	★D2OZ 18578-C
	- U -			
66	U	For heater	1	C5UZ 18578-A
67	U	For rear seat heater	1	C5AZ 18578-B
67/	U	For heater	1	C7TZ 18578-A
	- X -			
65	X		1	C4DZ 18578-A
66/67	X	For heater	1	C6DZ 18578-A
68/70	X	For heater	1	C8DZ 18578-A
68/70	X	Repair kit-spade type switch-for dealer installed rear window defogger	1	D0AZ 18578-B
68/70	X	Use w/production installed rear window defogger	1	C8OZ 18578-B
65/	F	Screw (switch to control mounting bracket)-No. 10-24 x 1/2"	2	40918-S8(U260)
	18B578 HANDLE KIT - HEATER DOOR and AIR DUCT			
65/68	F		1or3	C1KY 18B578-A
65/70	X		1or3	
	Consists of			
	1-C7ZA 18A561-A Pawl	1-C7ZA 18A564-B Retainer		
	1-C7ZA 18A563-B Handle	1-356363-S7 Washer (waved)		
	18581 PLATE - HEATER MOTOR MOUNTING			
69/	A-with heater		1	C9AZ 18581-A
66/69	B-with heater		1	C6OZ 18581-A
66/70	X-with heater		1	
71/	B,F-with heater		1	D1OZ 18581-A
71/	L-with heater		1	D1FZ 18581-A
71/	P-with heater		1	
66/71	U-with heater "Before Ser.K80,001"		1	C6TZ 18581-A
71/	U-with heater "From Ser.K80,001"		1	D1TZ 18581-A
	18583 GASKET - HEATER BLOWER MOTOR MOUNTING			
65/69	B	Used with fresh air heater	1	C1UF 18583-A
66/70	X		1	
66/	U		1	
	18C583 RETAINER - HEATER CORE			
69/	A-with integral A/C	R.H.	1	C9AZ 18C583-B
		L.H.	1	C9AZ 18C583-A
	18A584 HOUSING - HEATER			
67/71	S-with heater or integral A/C		1	C8SZ 18A584-B
	18A586 WIRING ASSY. - HEATER SWITCH TO BLOWER MOTOR			
65/66	A		1	C5AZ 18A586-A
	18591 RESISTOR ASSY. - HEATER SWITCH TO BLOWER MOTOR - Also refer to 19A706			
65	A(71)-with under seat heater		1	C5AZ 18591-C
65/66	A-with heater		1	C5AZ 18591-A
65	A (8 cyl.)	Use with integral A/C	1	C6AZ 18591-A
66	A		1	
67/68	A-with heater or forced vent system		1	C7AZ 18591-A
67/68	A-with integral A/C		1	C7AZ 18591-B
69/	A-with heater	Switch to blower motor	1	C9AZ 18591-A
68/	B-with heater		1	C8OZ 18591-A
69/	F-with heater		1	
71/	L-with heater		1	
70/	P-with heater		1	
68/70	X-with heater		1	
65/67	B,F	Used with fresh air heater	1	C2OA 18591-A
65/66	S		1	
66/67	X		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18591 RESISTOR ASSY. - HEATER SWITCH TO BLOWER MOTOR - continued - Also refer to Group 19A706			
68	F-with heater		1	C8ZZ 18591-A
67	S-with heater and/or air conditioner		1	C7SZ 18591-A
68/69	S-with heater or manual A/C		1	C8SZ 18591-A
69/70	A-with integral A/C		1	
68/71	S-with A.T.C.		1	C6VY 18591-B
70/71	S-with heater or manual A/C		1	D0SZ 18591-A
71/	A-with manual integral A/C		1	
66/	U-with heater		1	C5TZ 18591-A
65/66	A,B	Screw (resistor to housing)-No. 10-12 x 1/2"	2	42127-S8(U248C)
65/66	S	Screw (resistor to heater housing)-No. 10-12 x 5/8"	2	42134-S8(U249)
65/66	S	Nut (resistor to heater housing)-No. 10 spring	2	*355842-S2
	18592-3 HOUSING ASSY. - HEATER BLOWER			
69/70	F-with integral A/C	L.H.	1	C9ZZ 18592-A
		R.H.	1	C9ZZ 18593-A
71/	F-with integral A/C	L.H.	1	D1ZZ 18592-A
		R.H.	1	D1ZZ 18593-A
71/	L-with integral A/C	L.H.	1	D0DZ 18592-A
		R.H.	1	D3DZ 18593-A
70/	P-with integral A/C	L.H.	1	D0DZ 18593-A
		R.H.	1	D3DZ 18593-A
	18C592 CABLE ASSY. - HEATER AIR CONTROL - Refer to Group 18552			
	18C593 BRACKET - AIR DUCT SUPPORT			
69/70	F-with integral A/C or forced vent. system		1	C9ZZ 18C593-A
	18C594 CLIP - WINSHIELD DEFROSTER NOZZLE			
71/	L		4	D1FZ 18C594-A
	18596 GASKET - HEATER CORE TUBE - If not listed - improvise			
72	B-with heater		1	D2OZ 18596-A
	18A596 GASKET - HEATER INLET			
65/66	S		1	C5SZ 18A596-A
	18598 BEZEL - CONTROL			
67	A(71)-with third seat heater		1	C5MY 18598-A
71/	F(63,65)	For heated backlite switch	1	D1ZZ 18598-A
66/67	U-with heater		1	C1TF 18598-A
68/	U-with heater		1	C5UZ 18598-A
65/	All-with air horn		1	C5AZ 18598-A
	18599 ELBOW - Also refer to Group 9A455			
65	A,B,X (8 cyl. 221,260,289)	Hot water heater connection	1	C6AZ 18599-B
65/70	A,B,F,X,U (8 cyl. 289,302)	Used to reduce water flow thru heater core	1	
68/70	B,F,X(8 cyl. 289,302)-except high performance ("Before 5/1/69 on B & F 302 C.I.D.")	Hot water heater connection	1	
69/70	B,F (302,428 CJ) "From 5/1/69"	Hot water heater connection	1	C9ZZ 18599-A
66/67	A(8 cyl. 428 P/I)		1	
65/	A,B,F,P,U,X	Nipple (heater hose to water pump or hot water return)-straight 3/8"	AR	8M 18599
68/69	A(8 cyl. 390,428)	Hot water heater connection	1	C8AZ 18599-A
68/69	B,F,S(8 cyl. 390)		1	
70/	A(8 cyl. 351-2V)	Hot water heater connection	1	D0AZ 18599-A
70/71	F(8 cyl. 351-2V)		1	
71/	A,S	Used on 8 cyl. 429, 460 engines-except CJ,SCJ & P/C-attach heater hose to intake manifold	1	D1AZ 18599-A
71	B		1	
70/	B(429)	Attaches 18472 to 8501	1	C9AZ 18599-A
71/	B,F,P,U(8 cyl. 302)	Hot water heater connection	1	C6AZ 18599-B
72	B,F,P-with 6 cyl. eng.	For hang-on A/C-3/8" x 90°	1	D2DZ 18599-A
72	B(8 cyl. 429)	Hot water heater connection	1	D2OZ 18599-A
71/	L(4 cyl. 98)	Hot water heater connection-located on manifold	1	D1FZ 18599-A
71/	L(4 cyl.98)	Hot water heater connection-located on water pump	1	D1FZ 18599-B
72	L (4 cyl. 98)	For hang-on A/C	1	D2FZ 18599-A
65/70	A,B	Nipple-3/8" pipe	2	377665-S7(H-190F)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18B604 WIRE ASSY. - HEATER CONTROL - Not supplied - Improvise			
	18C607 BRACKET - AIR DAMPER DOOR MOTOR MOUNTING			
69/	A-with manual integral A/C		1	C9AZ 18C607-A
	18C617 WIRING ASSY. - BACK WINDOW HEAT CONTROL			
70	A	Marked D0AB 18C617-B	1	D0AZ 18C617-A
71/	A	Marked D1AB 18C617-AC	1	D1AZ 18C617-A
71	B	Marked D1OB 18C617-AB	1	D1OZ 18C617-A
72	B	Marked D2OB 18C617-AB,AC	1	D2OZ 18C617-A
71/72	F "Before 11/22/71"	Marked D1ZB 18C617-AC,AD	1	D1ZZ 18C617-A
72	F "From 11/22/71 to 6/15/72"		1	D2ZZ 18C617-A
72	F "From 6/15/72"		1	D2ZZ 18C617-B
72	L (73) "Before 7/1/72"	Marked D22B 18C617-AB	1	D2FZ 18C617-A
72	L "From 7/1/72"	Marked D32B 18C617-AA	1	D2FZ 18C617-B
69	S	Marked C9SB 18C617-A	1	C9SZ 18C617-A
70	S	Marked D0SB 18C617-D	1	D0SZ 18C617-A
71	S	Marked D1SB 18C617-AA	1	D1SZ 18C617-A
	18C618 WIRE ASSY. - BACK WINDOW HEATER - If not listed - improvise			
72	L (73)		1	D2FZ 18C618-A
72	L (62) "Before 6/1/72"		1	D2FZ 18C618-B
72	L (62) "From 6/1/72"		1	D2FZ 18C618-D
72	L (64) "Before 6/1/72"		1	D2FZ 18C618-C
72	L (64) "From 6/1/72"	R/B D3FZ 18C618-B (3-74)	1	★D2FZ 18C618-E
	18A619-20 CONNECTOR - HEATER PLENUM CHAMBER TO DEFROSTER NOZZLE - Also refer to Group 18490-1 & 18A566			
	- B -			
65	B	R. H. -Refer to Group 18490-1		
65	B	L. H. -28" long-cut from B5A 18556-C	1	★
	- F -			
65	F "Before 3/15/65"	R. H. -21 1/4" long-cut from B5A 18556-C	1	★
		L. H. -25 1/4" long-cut from B5A 18556-C	1	★
65/66	F "From 3/15/65"	R. H. -21 1/4" long-cut from C5ZZ 18A620-A	1	★
		L. H. -25 1/4" long	1	C5ZZ 18A620-A
67	F	R. H. -16 1/2" long-cut from B5C 18556-C	1	★
		L. H. -18"long-cut from B5C 18556-C	1	★
68	F	R. H. -16 1/2" long-cut from B5C 18556-C	1	★
		L. H. -18" long-cut from B5C 18556-C	1	★
	- S -			
65/66	S-with integral A/C	R. H. -12 1/2" long-cut from B5A 18556-C	1	★
		L. H. -16" long-cut from B5A 18556-C	1	★
65/66		R. H. -18" long-cut from B5A 18556-C	1	★
		L. H. -22" long-cut from B5A 18556-C	1	★
67	S	R. H. -20 1/4" long-cut from B5A 18556-C	1	★
	- U -			
66/	U	R. H. -13" long-cut from B5A 18556-C	1	★
		L. H. - 29" long-cut from B5A 18556-C	1	★
	- X -			
65	X	R. H. -20" long-cut from B5A 18556-C	1	★
		L. H. -24" long-cut from B5A 18556-C	1	★
		Screw (connector to defroster nozzle or adapter)-No. 10-12 x 1/2"	2or4	42014-S8(U240)
		Lockwasher-No. 10	2or4	34903-S8(X96)
	18C619 WIRING ASSY. - BACK WINDOW HEAT FEED - If not listed - improvise			
69	S	Marked C9SB 18C619-A	1	C9SZ 18C619-A
	18C620 WIRE ASSY. - BACK WINDOW HEATER GROUND - If not listed - improvise			
72	L (73) "Before 6/1/72"		1	D2FZ 18C620-A
72	L (73) "From 6/1/72"		1	D2FZ 18C620-D
72	L (62) "Before 6/1/72"		1	D2FZ 18C620-B
72	L (62) "From 6/1/72"		1	D2FZ 18C620-E
72	L (64) "Before 6/1/72"		1	D2FZ 18C620-C
72	L (64) "From 6/1/72"		1	D2FZ 18C620-F

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18C622 LAMP ASSY. - BACK WINDOW HEAT CONTROL WARNING			
71/	A,F	Used with heated backlite	1	D1AZ 18C622-A
71	B,S		1	
72	B	Marked D2OB 18C622-AA	1	D2OZ 18C622-A
72	L	Used with heated backlite	1	D2FZ 18C622-B
69/70	S-with heated back lite		1	D0SZ 18C622-A
	18C623 BRACKET - BACK WINDOW HEAT CONTROL WARNING LAMP			
69/71	S		1	C9SZ 18C623-A
	18633 DUCT ASSY. - HEATER OUTLET			
71/	L-with heater	Defroster nozzle extension	1	D1FZ 18633-A
71/	L-with console		1	D1FZ 18C297-A
70	P		1	D0DZ 18633-A
71/	P		1	D1DZ 18633-A
67	A	Clip (duct assy. to plenum chamber)	3	382039-S(GG279)
	18A635 BRACKET - HEATER WATER CONTROL VALVE MOUNTING			
68	A-with forced vent. system or Integral A/C		1	C8AZ 18A635-A
	18C636 PLUG - HEATER CASE			
72	S-with heater		1	D2SZ 18C636-A
	18C638 SHAFT ASSY. - HEATER AIR VENT DOOR			
70/	P-with heater	Includes knob	1	D0DZ 18C638-A
	18C641 RELAY ASSY. - BACK WINDOW HEATER CONTROL			
70	A(except 71,76)-with heated back lite		1	D0AZ 18C641-A
71/72	A(except 71,76)-with heated back lite- "Before 6/15/72"		1	D1AZ 18C641-B
72	A(except 71,76)-with heated backlite- "From 6/15/72"		1	D2FZ 18C641-B
72	B-with heated back lite		1	D2OZ 18C641-A
71	B,S-with heated back lite		1	D1AZ 18C641-A
71/72	F-with heated back lite "Before 6/15/72"		1	
72	L-with heated backlite		1	D2FZ 18C641-B
72	F-with heated backlite "From 6/15/72"		1	
70	S-with heated back lite		1	D0SZ 18C641-A
72	S-with heated back lite "Before 6/1/72"	Repl. by D2SZ 18C641-B (5-75)	1	★D2SZ 18C641-A
72	S-with heated backlite "From 6/1/72"		1	D2SZ 18C641-B
	18A646 DOOR & HINGE ASSY. - HEATER AIR VENTILATION			
70/	P-with heater		1	D0DZ 18A646-A
	18A651 PANEL & RETAINER ASSY. - HEATER CONTROL - Also refer to Groups 18549, 19808 or 19980			
	- A -			
68	A-with heater or Integral A/C		1	C8AZ 18A651-A
69/70	A-with heater		1	C9AZ 18A651-A
	- F -			
67	F (63A, C, 65A, C, 76A, C)	Black camera case finish	1	C7ZZ 18A651-B
69/70	F-with heater		1	C9ZZ 18A651-A
69/70	F-with forced ventilation system		1	C9ZZ 18A651-B
69/70	F-with Integral A/C		1	C9ZZ 18A651-C
71/	F-with heater		1	D2ZZ 18A651-A
71/72	F-with integral A/C		1	D2ZZ 18A651-B
	- P -			
70/71	P	Without rear window defogger -Red	1	D0DZ 18A651-C
70/72	P "Before 12/20/71"	Without rear window defogger-Beige	1	★D2DZ 18A651-B
				r/b D2DZ 18A651-V (5-75)
		-Black	1	★D0DZ 18A651-A
				r/b D2DZ 18A651-E (5-75)
		-Blue	1	D0DZ 18A651-E
		-Ginger	1	D2DZ 18A651-N
		-Tan	1	D2DZ 18A651-H
72	P "From 12/20/71 to 7/15/72"	Without rear window defogger-Beige (Dark)	1	D2DZ 18A651-T
		-Black	1	★ D2DZ 18A651-E
				r/b D2DZ 18A651-Y (5-75)
		-Blue	1	D2DZ 18A651-J
		-Ginger	1	D2DZ 18A651-N
		-Tan	1	D2DZ 18A651-H

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18A651 PANEL ASSY. - HEATER CONTROL - continued - Also refer to Groups 18549, 19808 or 19980			
72	P "From 7/15/72"	Without rear window defogger-Beige (Dark)	1	D2DZ 18A651-V
		-Black	1	D2DZ 18A651-Y
		-Blue	1	D2DZ 18A651-Z
		-Ginger	1	D2DZ 18A651-X
		-Tan	1	D2DZ 18A651-W
70/71	P	With rear window defogger-Red	1	D0DZ 18A651-F
70/72	P "Before 12/20/71"	With rear window defogger-Beige	1	D2DZ 18A651-D
		-Black	1	D0DZ 18A651-B
		-Blue	1	D2DZ 18A651-M
		-Ginger	1	D2DZ 18A651-R
		-Tan	1	D2DZ 18A651-L
72	P "From 12/20/71 to 7/15/72"	With rear window defogger-Beige (Dark)	1	D2DZ 18A651-U
		-Black	1	D2DZ 18A651-F
		-Blue	1	D2DZ 18A651-M
		-Ginger	1	D2DZ 18A651-R
		-Tan	1	D2DZ 18A651-L
72	P "From 7/15/72"	With rear window defogger-Beige (Dark)	1	D2DZ 18A651-AA
		-Black	1	D2DZ 18A651-DA
		-Blue	1	D2DZ 18A651-EA
		-Ginger	1	D2DZ 18A651-CA
		-Tan	1	D2DZ 18A651-BA
	18B652 BRACKET - AIR CONDITIONER DEFROSTER DOOR CONTROL MOTOR			
66/71	B-with integral A/C		1	C6OZ 18B652-A
66/70	X-with integral A/C		1	
	18658 SEAL - HEATER CORE TO HEATER CASE			
65/68	A		1	C5MY 18658-A
69/70	F-with heater	Grommet	1	C9ZZ 18658-A
	18663 TUBE - WATER OUTLET			
65	A (71)	Used with under seat heater	2	C5AZ 18663-C
65/66	S-with integral A/C	Used with C4SZ 18476-C heater core	1	
65	A (8 cyl. 352, 390)	Tee-used with integral A/C	2	C5AZ 18663-B
65	A (8 cyl. 289)	Used with integral A/C -on outlet line	1	
67	A (71)	With third seat heater	1	
67	U (96, 98)	Rear seat heater	1	
69/	A, S (8 cyl. 429)-with heater		1	C9AZ 18663-A
70/	B(8 cyl. 429)-with integral A/C		1	
70/	A(8 cyl. 302-2V & 351-2V)		1	D0AZ 18663-A
70/	B, F-with 8 cyl. 302, 351		1	D0DZ 18663-A
71/	P(8 cyl. 302)		1	
70/	F(8 cyl. 429-4V)-Special	Attached to water pump	1	C9AZ 18663-B
65/66	S-with integral A/C		1	C4SZ 18663-A
65/66	B, X (6 cyl.)-with A/C	Elbow (tube to engine)-90°-5/8" tube	1	376464-S(II-156A)
65	F(6 cyl.)-with A/C		1	
65/66	B, X (6 cyl.)-with A/C	Fitting-5/8" x 7/8"-18 inverted flared tubing	1	*87948-S
65	F(6 cyl.)-with A/C		1	
	18666 HOSE - HEATER TEMPERATURE CONTROL VACUUM - INLET OR PARKING BRAKE VACUUM SUPPLY - Cut from 17543 bulk hose			
68	A	Tee (connector (use with oil lever system)	1	374677-S(II-98K)
65/66	S	Tee connector (attach to hand brake)	1	353376-A3-S(II103)
70	S	Clamp (attach hose to switch)	1	8M 9171-B
	18668 HOSE - HEATER TEMPERATURE CONTROL VACUUM OUTLET - Improvise from 17543 hose			
	18674 TUBE - HEATER WATER OUTLET			
70/71	S		1	D0SZ 18674-A
	18677 PLATE ASSY. - AIR CONDITIONER MOUNTING			
69/70	A-with integral A/C		1	C9AZ 18677-A
	18679 PLATE - AIR CONDITIONER MOUNTING			
65/68	A-with integral A/C		1	C5AZ 18679-A
	18B689 RETAINER - HEATER CORE			
66/	U		1	C5TZ 18B689-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18696 TUBE ASSY. - HEATER WATER INLET			
69/71	A, S (8 cyl. 429)		1	C9AZ 18696-A
70/71	B(8 cyl. 429)-with integral A/C		1	
70/71	F(8 cyl. 429)-except Special		1	
70/	F(8 cyl. 429-4V)-Special		1	
70/	F(8 cyl. 351C)		1	D0ZZ 18696-A
70/	B(8 cyl. 351C)		1	
71/	L(4 cyl. 122)		1	D1FZ 18696-B
	18A699 BRACKET - AIR CONDITIONER CONTROL MOTOR MOUNTING			
69/	F-with integral A/C	L.H.	1	C9ZZ 18A699-A
	18755 HOUSING - AIR CONDITIONER BLOWER OUTER			
72	B-with integral A/C		1	D2OZ 18755-A
72	S		1	
	18800 POWER SUPPLY - CITIZENS BAND TRANSCEIVER			
65/	All	110 volt-less tone alert-use with C9AZ 18805-C -12 channel transceiver for base station operation-not replaced (5-75)	1	★C9AZ 18800-B
65/	All	Rechargeable battery-use with C9AZ 18805-C 12 channel transceiver for 5 watt walkie talkie operations-not replaced (3-74)	1	★C9AZ 18800-D
	18801 TONE ALERT - CITIZENS BAND TRANSCEIVER			
65/	All	Used with C9AZ 18805-C-12 channel transceiver not replaced (5-75)	1	★C9AZ 18801-A
	18805 RADIO KIT - Also refer to Group 18806			
65/	All	12 channel-mobile or base operation - with 12 volt system-not replaced (5-75)	1	★C9AZ 18805-C
	- A -			
67	A	Push button-AM-includes antenna-when used on models (71,76) basic 10B883 Cover must also be used	1	C7AZ 18805-AA
68	A	AM-includes antenna-not replaced (5-75)	1	★C8AZ 18805-CA
69	A	AM-dual channel-includes tape deck mounted on tunnel-includes antenna-not used with console models-basic 18808 stereo speaker & wiring kit must also be used	1	C9AZ 18805-AA
69	A	AM-includes antenna	1	C9AZ 18805-BA
70	A	AM/FM multiplex-less antenna-basic 18808 stereo speaker & wiring kit must also be used	1	★D0AZ 18805-A Not repl. (11-73)
70	A	AM-dual channel with tape deck-includes antenna-not used with console-basic 18808 stereo speaker & wiring kit must also be used	1	D0AZ 18805-AA
70	A	AM-includes antenna	1	D0AZ 18805-BA
71	A	AM/FM multiplex-8.ohm system-less antenna-basic 18808 stereo speaker & wiring kit must also be used, dealer obtain from stock for vehicles with woodgrain decor D1AZ 18842-A for bezel 76 or door mounted speakers & D1AZ 18842-B for all with rear seat speakers	1	★D1AZ 18805-A Not repl. (5-75)
71	A	AM-includes antenna-Dealer obtain from stock for vehicles with woodgrain decor D1AZ 18842-A bezel	1	D1AZ 18805-AA
71	A	AM/stereo tape player-less antenna - basic 18808 stereo speaker & wiring kit must also be used, Dealer obtain from stock for vehicles with woodgrain decor D1AZ 18842-A bezel for model 76 or door mounted speakers and D1AZ 18842-B for all with rear seat speakers-r/b D2AZ 18805-A (11-73)	1	★D1AZ 18805-B
72	A	AM/stereo tape player-3.2 ohm system-less less antenna-basic 18808 stereo speaker and wiring kit must also be used-for vehicles with woodgrain decor applicable 18842 bezel must also be used-not replaced (3-74)	1	★D2AZ 18805-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18805 RADIO KIT - continued - Also refer to 18806			
	- A -			
72	A	AM-3.2 ohm system-includes antenna-for vehicles with woodgrain decor applicable 18842 bezel must also be used	1	D2AZ 18805-AA
72	A	AM/FM multiplex-3.2 ohm system-less antenna-basic 18808 stereo speaker and wiring kit must also be used-for vehicles with woodgrain decor applicable 18842 bezel must also be used-not replaced (3-74)	1	★D2AZ 18805-B
	- B -			
67	B	Push button-AM-includes antenna	1	C7OZ 18805-AA
68	B	AM-includes antenna-for models 54C,65C,71E also procure 18817 knobs, 18830 discs and applicable 04338 finish panel	1	★C8OZ 18805-AA Not repl. (5-75)
68	B	AM/FM-includes antenna-basic 18808 stereo speaker & wiring kit must also be used - for models 54C,65C,71E also procure 18817 knobs,18830 discs and applicable 04338 finish panel-not replaced (5-75)	1	★C8OZ 18805-BA
69	B	AM/FM multiplex-less antenna-on models 54C, 63D, F, 65C, D, F, 66C, D, 71E, 76D, F-w/out integral A/C-use (2) C8OZ 18817-B knobs-Basic 18808 stereo speaker & wiring kit must also be used - applicable 19893 center A/C register must also be used -not replaced (3-74)	1	★C9OZ 18805-A
69	B (54A, B, 63B, E, 65A, B, E, 66A, B, 71B, D, 76B, E,)	AM-includes antenna-applicable 19893 center A/C register must also be used	1	C9OZ 18805-AA
69	B (54C, D, 63F, 65C, D, F, 66C, D, 71E, 76D, F)	AM-includes antenna-applicable 19893 center A/C register must also be used	1	C9OZ 18805-BA
70/71	B	AM/FM multiplex-less antenna-basic 18808 stereo speaker & wiring kit must also be used-not replaced (3-74)	1	★D0OZ 18805-A
70/71	B	AM-includes antenna	1	D0OZ 18805-AA
72	B	AM/FM multiplex-3.2 ohm system-less antenna-basic 18808 stereo speaker and wiring kit must also be used-r/b D2OZ 18806-B, D3OZ 18819-B or D3OZ 18819-C (3-74)	1	★D2OZ 18805-A
72	B	AM-3.2 ohm system-includes antenna	1	D2OZ 18805-AA
	- F -			
67	F	Push button-AM-includes antenna	1	C7ZZ 18805-AA
68	F	AM/FM multiplex-includes antenna-basic 18808 stereo speaker & wiring kit must also be used	1	★C8ZZ 18805-AA Not repl. (5-75)
68	F	AM-includes antenna	1	C8ZZ 18805-CA
68	F	AM/stereo tape player-less antenna - basic	1	★D1ZZ 18805-B
71	F	18808 stereo speaker & wiring kit must also be used-not replaced (12-72)	1	
69	F	AM/FM multiplex-less antenna-basic 18808 stereo speaker & wiring kit must also be used-not replaced (3-74)	1	★C9ZZ 18805-A
69/70	F	AM-includes antenna-when panel in kit does not match trim-add applicable 04774 panel assy.	1	C9ZZ 18805-AA
69/70	F	AM/stereo tape player-less antenna-when panel does not match trim-add applicable 04774 panel assy.-basic 18808 stereo speaker & wiring kit must also be used-not replaced (3-74)	1	★D0ZZ 18805-B
70	F	AM/FM multiplex-less antenna-when panel does not match trim-add applicable 04774 panel assy.-basic 18808 stereo speaker & wiring kit must also be used-not replaced (3-74)	1	★D0ZZ 18805-A
71	F	AM/FM multiplex-less antenna - Basic 18808 stereo speaker & wiring kit must also be used	1	★D1ZZ 18805-A Not repl. (5-75)
71	F	AM-includes antenna	1	D1ZZ 18805-AA

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18805 RADIO KIT - continued - Also refer to Group 18806			
	- F -			
72	F	AM/stereo tape player-3.2 ohm system-less antenna-basic 18808 stereo speaker and wiring kit must also be used-not replaced(3-74)	1	★D2ZZ 18805-A
72	F	AM-3.2 ohm system-includes antenna	1	★D2ZZ 18805-AA r/b D3ZZ 18805-AA (5-75)
72	F	AM/FM multiplex-3.2 ohm system-less antenna-basic 18808 stereo speakers wiring kit must also be used	1	★D2ZZ 18805-B r/b D3ZZ 18805-A (5-75)
	- L -			
71	L	AM/FM (monaural)-less antenna-8.0 ohm system	1	D1FZ 18805-A
71	L	AM-includes antenna-8.0 ohm system	1	D1FZ 18805-AA
72	L	AM/FM (monaural)-3.2 ohm system-less antenna	1	D2FZ 18805-A
72	L	AM-3.2 ohm system-includes antenna	1	D2FZ 18805-AA
	- P -			
70/71	P-with locking steering column	AM-includes antenna	1	D0DZ 18805-CA
70	P	AM/FM-includes antenna	1	D0DZ 18805-DA
72	P	AM/FM (monaural)-3.2 ohm system-less antenna	1	D2DZ 18805-A
72	P	AM-3.2 ohm system-includes antenna	1	★D2DZ 18805-AA Not repl. (5-75)
	- S -			
65	S	AM - less antenna	1	C5SZ 18805-A
68/69	S	AM/stereo tape player-less antenna-basic 18808 stereo speaker & wiring kit must also be used-applicable 19893 center register must also be used	1	★C8SZ 18805-B Not repl. (5-75)
71	S	AM/stereo tape player-less antenna-basic 18808 stereo speaker & wiring kit must also be used-applicable 04371 finish panel must also be used (remove & use the (2) existing 19893 register assys.)	1	★D1SZ 18805-A Not repl. (5-75)
71	S	AM/FM multiplex-less antenna-basic 18808 stereo speaker & wiring kit must also be used-applicable 04371 finish panel must also be used (remove & use the (2) existing 19893 register assys.)-not replaced (3-74)	1	★D1SZ 18805-B
72	S	Refer to Group 18806 in Section 184		
	- U -			
68/71	U	AM-includes antenna-not replaced (3-74)	1	★D1BZ 18805-AA
72	U	AM-3.2 ohm system-includes antenna-not replaced (3-74)	1	★D2BZ 18805-AA
	- X -			
68	X	AM-includes antenna-not replaced (5-75)	1	★C8DZ 18805-AA
68	X	AM/FM-includes antenna-basic 18808 stereo speaker & wiring kit must also be used-for models 54C,65C,71E also procure 18817 knobs, 18830 discs and applicable 04338 finish panel	1	C8OZ 18805-BA
69/70	X	AM/FM multiplex-less antenna-with integral A/C use (2) C8DZ 18817-B knobs & (2) C8OZ 18830-A discs in place of knobs & discs in kit - basic 18808 stereo speaker and wiring kit must also be used-applicable 19893 center register must also be used-Not replaced (3-74)	1	★C9OZ 18805-A
69/70	X	AM-includes antenna with integral A/C use (2) C8DZ 18817-B knobs & (2) C8OZ 18830-A discs in place of knobs & discs in kit-also use applicable 04338 panel-applicable 19893 center register must also be used	1	C9OZ 18805-AA

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18806 CHASSIS - RADIO RECEIVER			
	- A -			
68	A	AM/Stereo tape radio	1	C8AZ 18806-A
72	A	AM radio-3.2 ohm system	1	D2AZ 18806-A
71/	A	AM/FM radio-3.2 ohm system-not replaced (3-74)	1	★D2AZ 18806-B
	- B -			
72	B	AM radio 3.2 ohm system	1	D2OZ 18806-A
72	B	AM/FM radio-3.2 ohm system	1	★D2OZ 18806-B r/b D4AZ 18806-B (5-75)
	- F -			
72	F	AM radio-3.2 ohm system	1	D2ZZ 18806-A
	- L -			
71/	L	AM radio-3.2 ohm system	1	D2FZ 18806-A
72	L "Before 9/15/71"	AM/FM radio-3.2 ohm system	1	D2FZ 18806-B
72	L "From 9/15/71"	AM/FM radio 3.2 ohm system	1	D2FZ 18806-C
	- P -			
71/	P	AM radio-3.2 ohm system	1	D2DZ 18806-A
72	P	AM/FM radio-3.2 ohm system	1	D2DZ 18806-B
	- S -			
65/66	S	AM radio	1	C5SZ 18810-A
67	S	AM/Stereo tape radio	1	C7SZ 18806-A
68/69	S	AM radio	1	C9SZ 18806-A
70	S	AM-radio	1	D0SZ 18806-A
71	S	AM-radio	1	D1SZ 18806-A
72	S	AM radio-3.2 ohm system	1	D2OZ 18806-A
72	S	AM/FM radio-3.2 ohm system	1	★D2OZ 18806-B r/b D4AZ 18806-B (5-75)

If a complete installation is required the following parts must also be obtained-

1-D2LY 10C877-A	Wire Assy. (Not reqd. if equipped w/shur track or heated backlite)	1-D2SZ 18888-A	Support radio receiver rear
		1-D2SZ 19A095-A	Bond assy. radio (frequency interference suppression)
2-D2AZ 18808-E	Speaker assy. (rear)		
1-D2SZ 18813-A	Antenna kit (manual)	1-D2SZ 19A169-A	Pad radio control bezel mounting
2-D1ZZ 18817-A	Knob assy. radio receiver	4-33795-S7	Nut 1/4"-20
2-D2SZ 18818-A	Nut radio control shaft	4-34653-S36	Nut & washer assy. No.-8 x 32
2-D2SZ 18830-A	Disc assy. radio receiver	1-42742-S7 or 8	Screw hex. head-1/4"-20 x 1/2"
1-D2SZ 18842-B	Bezel radio control	2-351487-S	Lockwasher-3/8"

72	U	AM radio-3.2 ohm system	1	D2BZ 18806-B
	18808 SPEAKER KIT - STEREO			
68	A(except 54C, 57F, 65A)	Dual speakers-door mounted vertical grille	1	★C8AZ 18808-E r/b details (5-75)
68	A(54C, 57F, 65A)	Dual speakers-door mounted horizontal grille	1	★C8AZ 18808-F r/b details (5-75)
69	A	Dual speakers-stereo-front door mounted	1	C9AZ 18808-C
70	A	Dual speaker-stereo-front door mounted-r/b details-refer to Illustration Section 190, page 8 (3-74)	1	★D0AZ 18808-B
71	A	Dual speakers-stereo-8.0 ohm system-front door mounted-r/b details-refer to Illustration Section 190, page 20 (3-74)	1	★D1AZ 18808-B
71/	A	Dual speakers-stereo-3.2 ohm system-front door mounted	1	D2AZ 18808-A
69/71	B	Dual speakers-with stereo-front side cowl mounted-r/b details-refer to Illustration Section 190, page 15 (3-74)	1	★C9OZ 18808-A
69/70	X		1	
72	B	Dual speakers-stereo-3.2 ohm system-front door mounted-not replaced (5-75)	1	★D2OZ 18808-B
71/	F	Dual speakers-stereo-3.2 ohm system-front door mounted	1	D2ZZ 18808-A
68/69	S	Use with the following-with stereo or F/M multiplex-with power windows and/or courtesy lights	1	•C8SZ 18808-C

• Applicable arm rest speaker grilles must also be used

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
18808	SPEAKER ASSY. - RADIO RECEIVER			

MODEL	DESCRIPTION	IDENTIFICATION	SIZE	PART NUMBER
1965				
A	Front (AM)	C5AA 18808-B, C7AA 18808-B	4 x 10	C5AZ 18808-F
A(54, 62, 63, 71B, D, E), B, F, X	Rear (AM)	C5AA 18971-B, C5AA 18971-D, C7RA 18808-A, C9AJ 18808-B	6 x 9	C9AZ 18808-E
A(57B)	Rear (AM)	C5AA 18971-A	4 x 4	C5MY 18808-C
A(71A, C)	Rear (AM)	C5AA 18971-E, C9AJ 18808-A	4 x 10	C9AZ 18808-D
A(76), S	Rear (AM)	C5AA 18971-C, C5SA 18971-B, C7RA 18808-B, C9AJ 18808-C	5 x 7	C9AZ 18808-F
B, X	Front (AM)	C5OA 18808-A, C7RA 18808-B, D0DA 18808-A	5 x 7	C9AZ 18808-G
F, S	Front (AM)	C4ZA 18808-A, C5SA 18808-A, C9AJ 18808-A	4 x 10	C9AZ 18808-D
1966				
A	Front (AM)	C6AA 18808-B C7AA 18808-B	4 x 10	C5AZ 18808-F
A	Front (stereo)	C6AA 18808-A	5 x 5	D0SZ 18808-B
A(54, 62, 63B, C, F), B, X	Rear (AM or stereo)	C5AA 18971-B, C7RA 18808-A, C9AJ 18808-B	6 x 9	C9AZ 18808-E
A(57B)	Rear (AM)	C5AA 18971-A	4 x 4	C5MY 18808-C
A(71)	Rear (AM or stereo)	C5AA 18971-E, C9AJ 18808-A	4 x 10	C9AZ 18808-D
A(76)	Rear (AM or stereo)	C5AA 18971-C, C7RA 18808-B, C9AJ 18808-C	5 x 7	C9AZ 18808-F
B, X	Front (AM)	C6OA 18808-A	4 x 10	C6OZ 18808-C
B, X	Front (stereo)	C6AA 18808-A	5 x 5	D0SZ 18808-B
F, S	Front (AM)	C4ZA 18808-A, C5SA 18808-A, C9AJ 18808-A	4 x 10	C9AZ 18808-D
F	Front (stereo)	C6ZA 18808-B C7ZA 18808-B	4 x 8	C6ZZ 18808-A
F(65)	Rear (AM)	C5AA 18971-B, C7RA 18808-A, C9AJ 18808-B	6 x 9	C9AZ 18808-E
S	Front (stereo)	C6SA 18808-B	4 x 8	C6SZ 18808-A
S	Rear (AM)	C5SA 18971-B, C7RA 18808-B, C9AJ 18808-C	5 x 7	C9AZ 18808-F
U	Front (AM)	C6TA 18808-A, C7RA 18808-B, C9AJ 18808-C	5 x 7	C9AZ 18808-F

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

MODEL	DESCRIPTION	IDENTIFICATION	SIZE	PART NUMBER
18808 SPEAKER ASSY. - RADIO RECEIVER - continued				
1967				
A	Front (AM)	C7AA 18808-B	4 x 10	C5AZ 18808-F
A	Front (stereo)	C6AA 18808-A	5 x 5	D0SZ 18808-B
A(54, 62, 63), B, X	Rear (AM or stereo)	C5AA 18971-B, C7RA 18808-A, C9AJ 18808-B	6 x 9	C9AZ 18808-E
A(54, 62, 63), B, F, X	Rear (AM deluxe)	C7AA 18971-C	6 x 9	C7AZ 18808-C
A(57)	Rear (AM or stereo)	C5AA 18971-E, C9AJ 18808-A	4 x 10	C9AZ 18808-D
A(71)	Rear (AM or stereo)	C7AA 18971-A, C8AA 18971-A	4 x 8	C7MY 18808-C
A(76)	Rear (AM or stereo)	C7AA 18971-B C9AJ 18808-D	4 x 8	C9AZ 18808-H
B, X	Front (AM)	C7OA 18808-C	4 x 10	★C7OZ 18808-A r/b C9AZ 18808-D (5-75)
B, X	Front (stereo)	C7OA 18808-A	5 x 5	★C7OZ 18808-C r/b D0SZ 18808-B (5-75)
F	Front (AM)	C7ZA 18808-C D0DA 18808-A	5 x 7	C9AZ 18808-G
F	Front (stereo)	C7ZA 18808-B	4 x 8	C6ZZ 18808-A
F(65)	Rear (AM)	C5AA 18971-B, C7RA 18808-A, C9AJ 18808-B	6 x 9	C9AZ 18808-E
S	Front (AM)	C7SA 18808-D	4 x 10	C7SZ 18808-A
S	Front (stereo)	C7SA 18808-E	4 x 8	D0AZ 18808-C
S	Rear (AM or stereo)	C7SA 18971-B	5 x 5	D0SZ 18808-B
U	Front (AM)	C6TA 18808-A, C7RA 18808-B, C9AJ 18808-C	5 x 7	C9AZ 18808-F
1968				
A	Front (AM)	C7AA 18808-B	4 x 10	C5AZ 18808-F
A	Front (stereo) doors	C8AA 18808-C	5 x 5	D0SZ 18808-B
A(54, 57, 63, 65)	Rear (AM or stereo)	C5AA 18971-B, C7RA 18808-A, C9AJ 18808-B	6 x 9	C9AZ 18808-E
A(71)	Rear (AM or stereo)	C8AA 18971-A	4 x 8	C7MY 18808-C
A(76)	Rear (AM or stereo)	C7AA 18971-B, C9AJ 18808-D, D0AT 18808-A	4 x 8	D0AZ 18808-C
B, X	Front (AM)	C8OA 18808-A, C9AA 18808-N	4 x 10	D1AZ 18808-E
B, X	Front (stereo)	C8OA 18808-C, D0SA 18971-A	5 x 5	D0SZ 18808-B
B(except 66, 71, 76), X(except 71, 76)	Rear (AM or stereo)	C5AA 18971-B, C7RA 18808-A, C9AJ 18808-B	6 x 9	C9AZ 18808-E
F	Front (AM)	C7ZA 18808-C, D0DA 18808-A	5 x 7	C9AZ 18808-G
F	Front (stereo)	C7ZA 18808-B	4 x 8	C6ZZ 18808-A
F(65)	Rear (AM)	C5AA 18971-B, C7RA 18808-A, C9AJ 18808-B	6 x 9	C9AZ 18808-E
F(65)	Rear (AM deluxe)	C7AA 18971-C	6 x 9	C7AZ 18808-C
S	Front (AM)	C8SA 18808-A	4 x 10	C8SZ 18808-A
S	Front (stereo) doors	C8SA 18808-C	4 x 8	D0AZ 18808-C
S	Rear (AM or stereo)	C7SA 18971-B	5 x 5	D0SZ 18808-B
U	Front (AM) -8.0 ohms	C8TA 18808-A	5 x 7	C8TZ 18808-A

MODEL	DESCRIPTION	IDENTIFICATION	SIZE	PART NUMBER
18808 SPEAKER ASSY. - RADIO RECEIVER - continued				
1969				
A	Front (AM)	C9AA 18808-N	4 x 10	D1AZ 18808-E
A	Front (stereo)doors	C9AA 18808-D	5RD	★C9AZ 18808-A r/b D1AZ 18808-D (5-75)
A(except 71, 76)	Rear (AM or stereo)	C9AA 18971-B	4 x 10	C9AZ 18808-D
A(71)	Rear (AM or stereo)	C8AA 18971-A	4 x 8	C7MY 18808-C
B, X	Front (AM)	C9OA 18808-A, C9AA 18808-N, D0OA 18808-A	4 x 10	D1AZ 18808-E
B, X	Front (stereo)	C8OA 18808-C, D0SA 18971-A	5 x 5	D0SZ 18808-B
B(except 66, 71, 76), X(except 71)	Rear (AM or stereo)	C5AA 18971-B, C7RA 18808-A, C9AJ 18808-B	6 x 9	C9AZ 18808-E
F	Front (AM)	C9ZA 18808-B	5 x 7	C9ZZ 18808-B
F	Front (stereo)	C9ZA 18808-G	4 x 8	D1AZ 18808-F
F(65)	Rear (AM)	C9AA 18971-B, C9ZJ 18971-A	4 x 10	C9AZ 18808-D
S	Front (AM)	C9SA 18808-D	4 x 10	C8SZ 18808-A
S	Front (stereo)doors	C9SA 18808-C	4 x 8	D0AZ 18808-C
S	Rear (AM or stereo)	C9SA 18971-A	5 x 5	D0SZ 18808-B
U	Front (AM)-8.0 ohms	C8TA 18808-A	5 x 7	C8TZ 18808-A
1970				
A	Front (AM)	C9AA 18808-N	4 x 10	D1AZ 18808-E
A	Front (stereo) doors	D0AA 18808-B	5 1/4	D1AZ 18808-D
A(except 71, 76)	Rear (AM or stereo)	C9AA 18971-B	4 x 10	C9AZ 18808-D
A(71)	Rear (AM or stereo)	C8AA 18971-A	4 x 8	C7MY 18808-C
B, X	Front (AM)	D0OA 18808-A	4 x 10	D1AZ 18808-E
B, X	Front (stereo)	C8OA 18808-C, D0SA 18971-A	5 x 5	D0SZ 18808-B
B(except 66, 71, 76), X(except 71)	Rear (AM or stereo)	C5AA 18971-B, C7RA 18808-A, C9AJ 18808-B	6 x 9	C9AZ 18808-E
F	Front (AM)	C9ZA 18808-B	5 x 7	C9ZZ 18808-B
F	Front (stereo)	C9ZA 18808-G	4 x 8	C9ZZ 18808-A
F(65)	Rear (AM or stereo)	C9AA 18971-B	4 x 10	C9AZ 18808-D
P	Front (AM or AM/FM)	D0DA 18808-A	5 x 7	C9AZ 18808-G
S	Front (AM)	C9SA 18808-D	4 x 10	C8SZ 18808-A
S	Front (stereo) doors	C9SA 18808-C, C9AJ 18808-D	4 x 8	D0AZ 18808-C
S	Rear (AM or stereo)	D0SA 18971-A	5 x 5	D0SZ 18808-B
U	Front (AM)-8.0 ohms	C8TA 18808-A	5 x 7	C8TZ 18808-A
1971				
A	Front (AM)	D1AA 18808-AB	4 x 10	D1AZ 18808-A
A	Front (stereo) doors	D1AA 18808-BA, D1AJ 18808-AA	5 x 5	D1AZ 18808-D
A	Front (stereo) doors-3.2 ohm system	D2AA 18808-AB	5RD	D2AZ 18808-C
A(except 71, 76)	Rear (AM or stereo)	D1AA 18971-AA, C9AJ 18808-B	6 x 9	C9AZ 18808-E
A(except 71, 76)	Rear (stereo)-3.2 ohm system	D2OJ 18808-BB D2AA 18971-AA	6 x 9	D2AZ 18808-D
A(71)	Rear (AM or stereo)	C8AA 18971-A	4 x 8	C7MY 18808-C
A(71)	Rear (stereo)-3.2 ohm system	D2AJ 18971-AA D2AA 18971-BA	4 x 8	D2AZ 18808-E
B	Front (AM)	D0OA 18808-A, D1AJ 18808-BA	4 x 10	♦D1AZ 18808-E
B	Front (stereo)	C8OA 18808-C, D0SA 18971-A	5 x 5	D0SZ 18808-B
B(except 66, 71, 76)	Rear (AM or stereo)	D1AA 18971-AA, C9AJ 18808-B	6 x 9	C9AZ 18808-E

♦ D1AZ 18A900-E wiring must also be used

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

MODEL	DESCRIPTION	IDENTIFICATION	SIZE	PART NUMBER
18808 SPEAKER ASSY. - RADIO RECEIVER - continued				
1971				
F	Front (AM)	D1ZA 18808-BA, D0DA 18808-A	5 x 7	C9AZ 18808-G
F	Front (stereo) doors	D1ZA 18808-AB, D1ZJ 18808-AA	4 x 8	D1AZ 18808-F
F	Front (stereo) doors-3.2 ohm system	D2ZJ 18808-AA D2ZA 18808-BA	4 x 8	D2ZZ 18808-C
F	Rear	C9AJ 18808-A	4 x 10	C9AZ 18808-D
L, P	Front (AM)-8.0 ohms	D1ZA 18808-BA, D12A 18808-AB, D0DA 18808-A	5 x 7	C9AZ 18808-G
L, P	Front (AM)-3.2 ohms	D22A 18808-AA, D2ZA 18808-AA	5 x 7	★D2ZZ 18808-B r/b D3ZZ 18808-A (5-75)
L, P	Rear (AM or stereo)	C9AJ 18808-B	6 x 9	C9AZ 18808-E
L, P	Rear (stereo)-3.2 ohm system	D2OJ 18808-BB	6 X 9	D2AZ 18808-D
S	Front (AM)	C9SA 18808-D	4 x 10	C8SZ 18808-A
S	Front (stereo) doors	D1SA 18808-AA, D0AJ 18808-A	4 x 8	D0AZ 18808-C
S	Rear (AM or stereo)	D0SA 18971-A	5 x 5	D0SZ 18808-B
U	Front (AM)-8.0 ohms	C8TA 18808-A	5 x 7	C8TZ 18808-A
1972				
A	Front (AM)-3.2 ohm system	D2AA 18808-BA	4 x 10	D2AZ 18808-B
A	Front (stereo) doors-3.2 ohm system	D2AA 18808-AB	5RD	D2AZ 18808-C
A(except 71, 76)	Rear (AM or stereo)-3.2 ohm system	D2OJ 18808-BB, D2AA 18971-AA	6 x 9	D2AZ 18808-D
A(71)	Rear (AM or stereo)-3.2 ohm system	D2AJ 18971-AA, D2AA 18971-BA	4 x 8	D2AZ 18808-E
B B(except 71)	Front (AM)-3.2 ohm system Rear (AM or stereo)	D2OJ 18808-BB, D2OA 18808-BA	6 x 9	D2AZ 18808-D
B(71)	Rear (AM or stereo)-3.2 ohm system	D2AJ 18971-AA, D2VA 18971-AA	4 x 8	D2AZ 18808-E
B	Front (stereo) doors-3.2 ohm system	D2OA 18808-AA	5RD	D2OZ 18808-A
F	Front (AM)-8. ohm system	D1ZA 18808-BA D0DA 18808-A	5 x 7	C9AZ 18808-G
F	Front (AM)-3.2 ohm system	D2ZA 18808-AA	5 x 7	★D2ZZ 18808-B r/b D3ZZ 18808-A (5-75)
F	Front (stereo) doors-3.2 ohm system	D2ZJ 18808-AA, D2ZA 18808-BA	4 x 8	D2ZZ 18808-C
L	Front (AM)-3.2 ohm system	D22A 18808-AA, D2ZA 18808-AA	5 x 7	★D2ZZ 18808-B r/b D3ZZ 18808-A (5-75)
L, P	Rear (AM or AM/FM)	D2OJ 18808-BB	6 x 9	D2AZ 18808-D
P	Front (AM or AM/FM)-3.2 ohm system	D2ZA 18808-AA	5 x 7	★D2ZZ 18808-B r/b D3ZZ 18808-A (5-75)
S	Front (AM or stereo) doors-3.2 ohm system	D2OA 18808-AA	5RD	D2OZ 18808-A
S	Rear (AM or stereo)-3.2 ohm system	D2AA 18971-AA, D2OA 18808-BA	6 x 9	D2AZ 18808-D
U	Front (AM)-3.2 ohm system	D2BA 18808-AA	5 x 5	D2BZ 18808-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18809 EXCUTCHEON ASSY. - RADIO RECEIVER			
72	U	With radio	1	D2TZ 18809-A
	18810 CHASSIS - RADIO RECEIVER - Refer to Group 18805 and 18806			

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18812 CABLE - RADIO ANTENNA LEAD IN			
67/	A (exc. 71,76)	Used with electric antenna-Universal type-	1	C7AZ 18812-A
67/71	B(exc. 66,71)	all with rear mounting	1	
67/	F(exc. 76)		1	
71	L		1	
72	P		1	
67/69	S,X		1	
68/69	A, B, F, S, X	Used as a suppression adaptor	1	C8AZ 18812-B
66/68	A-with integral A/C or forced vent system	Use with radio for front mounted antenna	1	C8AZ 18812-A
69	A		1	C9AZ 18812-A
69/70	F(except Shelby GT350/500)	Extension-all radios	1	C9ZZ 18812-A
69/70	F(Shelby GT350/500)	Rear mounting antenna-approximately 200" long	1	C9ZZ 18812-B
65/66	S-with electric antenna		1	C5SZ 18812-A
67/68	S	Used with manual or electric antenna	1	C7SZ 18812-A
69/71	S	Use with manual or electric antenna	1	C9SZ 18812-A
70	S-with concealed windshield radio antenna		1	D0SZ 18812-A
72	S	Use with manual or electric antenna	1	D2SZ 18812-A
	18813 ANTENNA KIT - RADIO			
65/69	A, B, F, S, X	Universal-rear quarter mount	1	C5AZ 18813-J
	- A -			
65	A	Manual-front-r/b D3AZ 18813-C (5-75)	1	★C5AZ 18813-R
65	A (except 71)	R.H.-rear fender mount	1	C5AZ 18813-B
66	A (except 63, 71)		1	
65	A (except 71)	L.H.-rear fender mount	1	C5AZ 18813-C
66	A (except 63, 71)		1	
66/68	A	Manual-front-r/b D3AZ 18813-E (5-75)	1	★C6AZ 18813-E
67/	A(exc. 71,76)	Electric antenna (Universal)-rear quarter mtd.	1	C7AZ 18813-C
67	A	Rear deck mount	1	C7AZ 18813-B
68	A (except 63, 71)	Rear quarter mounted	1	C8AZ 18813-A
69	A	L.H. front-manual	1	C9AZ 18813-A
70	A	R.H.-manual-front	1	D0AZ 18813-A
71/	A	R.H.-manual-front	1	D2AZ 18813-A
	- B -			
65	B	Standard fender mount	1	C5OZ 18813-A
66	B	Standard-fender mount-r/b D3AZ 18813-B (5-75)	1	★C6AZ 18813-E
67	B	Standard-fender mount-r/b C6AZ 18813-E (3-74)	1	★C7OZ 18813-A
67/71	B(exc. 66,71)	Electric antenna (Universal)-rear quarter mtd.	1	C7AZ 18813-C
72	B(71,97)		1	
68/69	B	Air foil type-manual-r/b D3AZ 18813-C (5-75)	1	★C5AZ 18813-R
70/71	B	Manual-front-r/b D3AZ 18813-C (5-75)	1	★D0OZ 18813-A
72	B	Manual-front-r/b D4AZ 18813-A (5-75)	1	★D2OZ 18813-A
	- F -			
65/68	F	Manual-front	1	C5ZZ 18813-B
67/	F(63,65)	Electric antenna (Universal)-rear quarter mtd.	1	C7AZ 18813-C
69/70	F	R.H.-manual-front-r/b D3AZ 18813-C (5-75)	1	★C5AZ 18813-R
71/	F	R.H.-manual-front-r/b D3AZ 18813-C (5-75)	1	★D1ZZ 18813-A
69/70	F(Shelby GT350/500)	Rear antenna	1	C9ZZ 18813-C
	- L -			
71/	L	Manual-front-r/b D3AZ 18813-B (5-75)	1	★D1FZ 18813-A
	- P -			
71/	P	R.H.-manual-front-r/b D3AZ 18813-A (5-75)	1	★D0DZ 18813-A
71/	P	Electric antenna (universal)-rear quarter mtd.	1	C7AZ 18813-C
	- S -			
65/66	S	Manual (round wand)-r/b C8ZZ 18813-A (5-75)	1	★C4SZ 18813-B
67	S	Electric	1	C7SZ 18813-B
68	S	Use as replacement-manual	1	C8SZ 18813-A
67/69	S	Electric antenna (Universal)-rear quarter mtd.	1	C7AZ 18813-C
67/71	S	Manual antenna-incls. tube	1	#D0SZ 18813-C
72	S	Manual antenna	1	D2SZ 18813-A
	-U -			
66/	U	Cowl mount	1	C6TZ 18813-A
	- X -			
65	X	Standard fender mount	1	C4DZ 18813-A
66	X	Standard-fender mount	1	C6OZ 18813-A
67	X	Standard-fender mount-r/b D3AZ 18813-B(5-75)	1	★C7DZ 18813-A
68/70	X	Manual-front-r/b C5AZ 18813-R (3-74)	1	★C8DZ 18813-A
67/70	X	Electric antenna (Universal)-rear quarter mtd.	1	C7AZ 18813-C

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18813 ANTENNA ADAPTER KIT - RADIO			
70	S	Required to adapt 18813 manual or electric fender mounted antenna-service details(4-71)	1	★D0SZ 18813-D
	Consists of			
	1-C9SZ 18812-A Cable assy. (antenna lead-in)	1-D0SA 19A229-A Template		
	1-D1SZ 18919-A Stanchion (antenna)	1-D0SA 19A253-A Template		
	1-D0SZ 19126-A Retainer (antenna)	1-Installation sheet		
	1-D0SZ 19A130-A Adapter (whip antenna)			
	18814 SHIELD - RADIO SPEAKER			
66/69	U		1	C6TZ 18814-A
	18815 BRACKET - RADIO SPEAKER MOUNTING			
66	A, B, X-with stereo tape	Located under instrument panel at cowl sides	2	C6AZ 18815-A
67	A-with AM or AM/FM radio	Instrument panel mounted	1	C7AZ 18815-D
68	A-with AM radio		1	
67/71	B-with stereo		2	C7OZ 18815-A
70/71	B-with AM/FM radio		1	
67/70	X-with stereo		2	
	18816 CARTRIDGE KIT - STEREO TAPE			
66/	All		1	D1AZ 18816-A
72	All		1	D2AZ 18816-A
	18817 KNOB ASSY.			
	- A -			
65/66	A	Radio control	2	C5AZ 18817-B
66/67	A	Used with hang on or console stereo tape player	2	C6AZ 18817-A
67	A	Radio control	2	C7OZ 18817-B
67	A	Used on stereo multiplex adapter controls	2	C7OZ 18817-A
68	A	Radio control	2	C8AZ 18817-A
68/71	A	Used with hang on stereo tape player	2	C8OZ 18817-A
69/70	A	Use as follows (2) for radio control (1) required as blower switch knob for heater or integral A/C without rear window defogger	AR	C9AZ 18817-A
71/	A		2	D1AZ 18817-A
	- B -			
65	B	Radio control	2	C5OZ 18817-A
66	B	Radio control	2	C6OZ 18817-A
66/67	B	Used with hang on stereo tape player	2	C6AZ 18817-A
67	B	R.H.-tuning	1	C7OZ 18817-A
		L.H.-volume	1	C7OZ 18817-B
68/69	B(except wood grain panel)-without integral A/C	1"long-chrome center-also used with hang on stereo tape player, also radio	2	C8OZ 18817-A
70/71	B	Used with hang-on stereo tape player	2	
68/69	B(with wood grain instrument panel)-with integral A/C	1.15" long-chrome center	2	C8OZ 18817-B
70/71	B	Radio control	1	D0OZ 18817-A
72	B	Radio control	2	D1ZZ 18817-A
	- F -			
65/66	F	Radio control	2	C4AZ 18817-A
66	F	Used with integral stereo tape player	2	C6ZZ 18817-A
66/67	F	Used with hang on stereo tape player	2	C6AZ 18817-A
67	F	Radio control	2	C7GY 18817-A
67	F	Used on stereo multiplex adapter controls	2	C7OZ 18817-A
68	F(except console)	Radio control	2	C8ZZ 18817-C
68	F(with console)	Radio control	2	C8ZZ 18817-D
68/70	F	Used with hang on stereo tape player	2	C8OZ 18817-A
69/70	F	Radio control	2	C9ZZ 18817-A
71/	F		2	D1ZZ 18817-A
	- L -			
71/	L	For AM radio	2	D1AZ 18817-A
71/	L	For AM/FM radio	2	C9RZ 18817-A
	- P -			
70	P	For AM or AM/FM radio	2	D0DZ 18817-B
71	P	For AM radio	2	
70/71	P	Used with hang-on stereo	2	C8OZ 18817-A
71/	P	For AM/FM radio	2	C9RZ 18817-A
72	P	For AM radio	2	C9SZ 18817-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18817 KNOB ASSY. - continued			
	- S -			
65/66	S	Radio control	2	C4SZ 18817-A
66	S	Used with stereo tape player	2	C6SZ 18817-A
67	S	Also used on fader control switch for door mounted speakers and for blower switch	AR	C7SZ 18817-A
67	S	Used on stereo multiplex adapter controls	2	C7SZ 18817-B
68	S	Volume control	2	C8SZ 18817-A
68	S	Used as windshield washer knob	1	C8AZ 18817-A
69/71	S	Radio control	2	C9SZ 18817-A
72	S	Radio control	2	D1ZZ 18817-A
	- U -			
66	U	R.H.-radio control	1	C1TZ 18817-A
		L.H.	1	C3TZ 18817-A
67	U	R.H. - radio control	1	C6TZ 18817-B
		L.H.	1	C6TZ 18817-A
68/	U	Radio control	2	C8TZ 18817-A
	- X -			
65	X	Radio control	2	C5DZ 18817-A
66	X	Radio control	2	C6DZ 18817-A
66/67	X	Used with hang on stereo tape player	2	C6AZ 18817-A
67	X	R.H.-tunning	1	C7DZ 18817-A
		L.H.-volume	1	C7OZ 18817-E
68/70	X(except wood grain instrument panel)	1" long-Black camera case center	2	C8DZ 18817-A
68/70	X(with wood grain instrument panel)	1.15" long-Black camera case center	2	C8DZ 18817-B
68/70	X-without integral A/C	Use with hang on stereo tape player (radio)	2	C8OZ 18817-A
	18818 NUT - RADIO CONTROL SHAFT			
67/71	B		2	C7OZ 18818-A
70/	P		2	
67/70	X		2	
72	B		2	D2OZ 18818-A
72	S		2	D2SZ 18818-A
	18821 SCREEN - REAR SEAT SPEAKER			
67	A	Paint to match trim - used with 4" x 8" rear seat speaker	2	C7MY 18821-A
69/70	A(71)		2	
65/	A, B, F, L, P, S	Used with 4" x 10" rear seat speaker	1	D1AZ 18821-A
65/70	X		1	
65/	B	Used with 6" x 9" rear seat speaker	AR	C0GY 18821-A
65/70	A, F, X		AR	
71/	L		AR	
70/	P		AR	
72	A		AR	
	18K825 WIRING ASSY. - STEREO TAPE PLAYER TO SPEAKER			
69/70	A	With hang-on stereo tape player	1	C9AZ 18K825-A
70/71	P		1	
71	A	With hang-on stereo tape player	1	D1AZ 18K825-A
	18827 CONDENSER - RADIO			
65/69	A, B	Located at ignition coil	1	C5OZ 18827-A
65	A, F, S	Used when 1966 radio kit is installed in 1965 vehicle	1	C5AZ 18827-A
69/70	S-with heated back lite		1	
66/70	A, B, F, P		1	C6AZ 18827-A (GY-815)
66/70	X		1	
71/	A, F, L, P, U		1	D1AZ 18827-A (GY-1018)
71	B, S		1	
72	B, S		1	D2OZ 18827-A (GY-1028)
	18830 DISC			
65/66	A	Also used with stereo tape player	2or4	C5AZ 18830-A
66/67	B, F, X	Used with hang on stereo tape player	2	
67	A	Used with hang on stereo tape player	2	
67	A		2	C7MY 18830-A
68	A	Flag type	2	C7MY 18830-B

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18830 DISC - continued			
69/70	A	For radio	2	C9AZ 18830-A
		For heater or integral A/C switch	1	
71/	A, L		2	D1AZ 18830-A
65	B		2	C4GY 18830-A
65/66	F	Also used with integral stereo tape player	2or4	
67	B		1	C7OZ 18830-A
70/71	B		2	D0OZ 18830-A
72	B		2	D1ZZ 18830-A
68/69	B(with wood grain instrument panel)		2	C8OZ 18830-A
70	P-with AM or AM/FM radio		2	
71/	P-with AM radio		2	
68/70	X-with wood grain instrument panel		2	
68/69	B(except wood grain instrument panel)	Also without integral A/C	2	C8OZ 18830-B
68/71	A, B-with hang-on stereo		2	
68/69	F(without console)		2	
68/69	F-with hang-on stereo		2	
70/71	P-with hang-on stereo		2	
68/70	X(except wood grain instrument panel)		2	
68/70	X-with hang-on stereo		2	
67	F		2	C7ZZ 18830-A
68	F-with console		2	C8ZZ 18830-A
68	F-except console		2	C8OZ 18830-A
69/70	F-with AM, FM multiplex or AM stereo		2	C9ZZ 18830-A
71/	F		2	D1ZZ 18830-A
71/	P-with AM/FM radio	R.H. or L.H.	AR	C9RZ 18830-B
71/	L-with AM or AM/FM radio		AR	
65/66	S		2	C4SZ 18830-A
66	S	Used with stereo tape player	2	C6SZ 18830-A
68/71	S		2	C8SZ 18830-A
72	S		2	D2SZ 18830-A
66/67	U		1	C3TZ 18830-A
72	U		1	
68/	U	R. H.	2	C8TZ 18830-A
	18A830 SPACER - RADIO CONTROL SHAFT			
69/70	F-with AM radio		1	C9ZZ 18A830-A
	18832 CAPACITOR - RADIO VOLTAGE REGULATOR			
66/71	A, B, F, S, U	Replaced by D5AZ 18832-A (5-75)	1	★C6OZ 18832-A
66/70	X		1	
72	A, B, F, L, P, S, U		1	
69	S-with AM/FM radio	With radio and electrial heated back lite capacitor assy.-located at coil	1	C9SZ 18832-A
70/	S-with AM/FM radio	For radio ignition interference	1	D0LY 18832-A
	18836 SCREEN - RADIO SPEAKER			
67/69	B, X	Used with stereo tape player	1	C7OZ 18836-A
68	F		1	
	18842 BEZEL - RADIO CONTROL			
71/	A	W/o fader control w/woodgrain finish	1	D1AZ 18842-A
71/	A	W/fader control w/woodgrain finish	1	D1AZ 18842-B
71/	A	W/fader control w/camera case finish	1	D1AZ 18842-C
71/	A	W/o fader control w/camera case finish	1	D1AZ 18842-D
67/68	F-without console		1	C8ZZ 18842-A
67/68	F-with console	Refer to Body Group 04567		
71/	F	Used with AM or AM/FM radio	1	D1ZZ 18842-A
71/	F	Used with AM/stereo tape	1	D1ZZ 18842-B
71/	L	Used with AM radio-paint to match	1	D1FZ 18842-A
72	L	Used with AM/FM radio-paint to match	1	D2FZ 18842-A
70/	P		1	D0DZ 18842-A
72	S	Used with AM/stereo tape	1	D2SZ 18842-A
72	S	Used with AM or AM/FM radio	1	D2SZ 18842-B
	18A842 BEZEL - RADIO SPEAKER FADER CONTROL			
72	S(except w/AM/FM radio) "Before 2/1/72"	"Speakers"	1	D2SZ 18A842-A
72	S(except w/AM/FM radio) "From 2/1/72"	"Speakers	1	D2AZ 18A842-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18850 MOTOR & TUBE ASSY. - ELECTRIC RADIO ANTENNA			
65/66	S		1	C5VY 18850-A
67/68	S		1	C7SZ 18850-A
69/71	S		1	C9SZ 18850-A
72	S	Replaced by D3SZ 18850-A (5-75)	1	★D2SZ 18850-E
	18863 SWITCH - ELECTRIC RADIO ANTENNA			
67/	A,B,F	Universal type-all with rear mounting antenna	1	C7AZ 18863-A
71/	P		1	
67/69	S		1	
67/70	X		1	
65/66	S		1	C5SZ 18863-A
67/71	S		1	C4VY 18863-A
72	S		1	D2SZ 18863-A
	18865 NUT - RADIO ANTENNA			
72	S	For electric antenna	1	D2SZ 18865-A
66/	U		1	C3VY 18865-A
	18870 STRAP - RADIO RECEIVER HOOD BONDING			
72	A		1	D2AZ 18870-A
72	B,S		1	D2OZ 18870-A
72	F		1	D2ZZ 18870-A
72	L		1	D2FZ 18870-A
72	P		1	D2DZ 18870-A
	18875 SPEAKER KIT - RADIO REAR SEAT			
67	A,B,X(except 71,76)	Reverberation type (studio sonic system)- appropriate rear seat speaker kit is required to complete installation-also use with stereo	1	★▲C7AZ 18875-E r/b details (5-75)
67	F(65)			
67	S			
68	A,B,F,S,X	Reverberation type (studio sonic system) appropriate rear seat speaker kit is required to complete installation -not replaced (5-75)	1	★C8AZ 18875-E
69	A,S	Reverberation type (studio sonic system) - appropriate 18875 rear seat speaker kit is required to complete installation - use with AM radio only -not replaced (5-75)	1	★C9AZ 18875-A
69	B (except 71,76)		1	
69	F (except 63,76)		1	
69	X (except 71)		1	
67	A(54,62,63)	Standard - r/b details (5-75)	1	★C7AZ 18875-B
67	F(65)		1	
68	A(54,57,62,63,65)	"Standard" -square magnet -r/b details (5-75)	1	★C8AZ 18875-B
68	A(54,57,62,63,65)	"Deluxe" -round magnet -r/b details (5-75)	1	★C8AZ 18875-C
68	A(except 76,71)-with stereo	"Dual Speaker"-used without drop back light- not replaced (5-75)	1	★C8AZ 18875-F
68	A(71)-with AM radio	"Dual Speakers"-r/b details (5-75)	1	★C8AZ 18875-D
68	A(76) -with AM radio	"Dual Speaker" -r/b details (3-74)	1	★C8AZ 18875-A
68	A(71)-with stereo	"Dual Speaker" -r/b details (3-74)	1	★C8AZ 18875-G
69/70	A (71)-with stereo	Dual speakers - r/b details (5-75)	1	★C9AZ 18875-F
69/70	A(except 71,76)-with AM radio	Single speaker	1	D0AZ 18875-B
69/70	A(except 71,76)-with AM radio	Dual speakers-r/b details (3-74)	1	★D0AZ 18875-C
71	A(exc. 71,76)-with stereo	Dual speakers-8.0 ohm system-r/b details (5-75)	1	★D1AZ 18875-A
71	A(71)-with AM radio	Dual speakers - 8.0 ohm system-r/b details- refer to Illustration Section 190, page 22 (3-74)	1	★D1AZ 18875-C
71/	A(71)-with stereo	Dual speakers-3.2 ohm system	1	D2AZ 18875-B
71/	A(except 71,76)-with stereo	Dual speakers-3.2 ohm system	1	D2AZ 18875-C
72	A(except 71,76)-with AM radio	Dual speakers-3.2 ohm system	1	D2AZ 18875-A
72	A(except 71,76)-with AM radio	Single speaker-3.2 ohm system-r/b details (5-75)	1	★D2AZ 18875-D
72	A(71)-with AM radio	Dual speakers-3.2 ohm system -r/b details- refer to Illustration Section 190,page 22 (3-74)	1	★D2AZ 18875-E
67	B(54,62,63)	Deluxe	1	C7OZ 18875-B
67	X(54,62)		1	
68	B,X(except 71,76)	"Dual Speakers" -r/b details (5-75)	1	★C8OZ 18875-B
69/71	B(except 66,71,76)-with stereo	Dual speakers	1	D0OZ 18875-A
71	L-with stereo		1	
70/71	P-with stereo		1	
69/70	X(except 71)-with stereo		1	

▲ When used on Fairlane, Falcon or Mustang with A/C or O/D trans. and all Thunderbird models (1) C7SZ 18875-B Adapter Kit is required

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18875 SPEAKER KIT - RADIO REAR SEAT - continued			
71	B(exc.66,71)-with AM radio	Dual speakers - r/b details (5-75)	1	★D1OZ 18875-A
72	B(except 71,97)-with stereo	Dual speakers-3.2 ohm system-not replaced (5-75)	1	★D2OZ 18875-A
72	B(except 71,97)-with AM radio	Dual speakers-3.2 ohm system	1	D2OZ 18875-B
72	B(71)-with AM radio	Dual speakers-3.2 ohm system	1	D2OZ 18875-C
72	B(71)-with stereo	Dual speakers-3.2 ohm system	1	D2OZ 18875-D
72	B(except 71,79)-with AM radio	Single speaker-3.2 ohm system	1	D2OZ 18875-E
71/	L,P		1	
68	F(65)	"Standard"-square magnet - not replaced (5-75)	1	★C8ZZ 18875-A
69	F(65)-with AM radio	Standard-single speaker -r/b details (5-75)	1	★C9ZZ 18875-A
70	F(65)-with AM radio	Single speaker-r/b details (5-75)	1	★D0ZZ 18875-B
70	F(65)-with stereo	Dual speakers	1	D0ZZ 18875-A
69	S-with AM radio	Dual speakers - r/b details (5-75)	1	★C9SZ 18875-A
70/71	S-with AM radio	Dual speakers - r/b details (5-75)	1	★D0SZ 18875-A
	18A886 MAST - RADIO ANTENNA REPLACEMENT - Also refer to Group 18850			
65	A,B,F,S,X		1	C0AZ 18A886-B
67/	F		1	
71/	L		1	
70/	P		1	
67/70	X		1	
66/67	F,X	Airfoil	1	C6AZ 18A886-A
66/	A,B		1	
68	S	Screw type-AM/FM radio	1	C8SZ 18A886-A
72	S	Manual antenna-r/b D3AZ 18A886-A (5-75)	1	★D2SZ 18A886-A
	18888 SUPPORT - RADIO RECEIVER - If not Listed - Improvise			
	- A -			
72	A	For AM/FM radio	1	D2AZ 18888-A
72	A	For AM or AM/stereo tape radio	1	D2AZ 18888-B
	- B -			
68/71	B	For AM or AM/FM radio	1	D2OZ 18888-B
72	B	For AM or AM/FM radio	1	D2OZ 18888-A
	- F -			
72	F	For AM/FM radio	1	D2ZZ 18888-A
72	F	For AM or AM/stereo tape radio	1	D2ZZ 18888-B
	- L -			
72	L	For AM radio	1	D2FZ 18888-A
72	L	For AM/FM radio	1	D2FZ 18888-B
	- P -			
72	P	Rear	1	D2DZ 18888-A
72	P	Side	1	D2DZ 18888-B
72	P	Front	1	D2DZ 18888-C
	- S -			
72	S	For AM or AM/FM radio	1	D2SZ 18888-A
72	S	For AM/stereo tape radio	1	D2SZ 18888-B
	18898 GASKET - RADIO ANTENNA BASE			
68/69	A	Manual antenna-front fender mounted	1	C8AZ 18898-A
	18A900 WIRING - RADIO RECEIVER TO REAR SEAT SPEAKER - Refer to Basic 18972 for switch only			
	- A -			
66	A-with stereo tape player	16" long-with Fader control-marked C6VA 18A900-A	1	C6AZ 18A900-B
67	A	Without Fader control-wiring harness	1	C7AZ 18A900-B
68	A-with AM/FM multiplex stereo	Includes Fader control switch	1	C8AZ 18A900-A
68	A-with AM radio	Less Fader control switch	1	C8AZ 18A900-B
68	A(except 71,76)	139 1/2" long-less Fader control switch	1or2	C8AZ 18A900-C
69	A	Use with dual speaker-less Fader switch	1	C9AZ 18A900-A
69/70	A(71)	Use with dual front and rear speaker-less Fader switch -marked C9AB 19A017-D or D0AB 19A017-B	1	C9AZ 18A900-B
69/70	A(except 71)	Use with dual front and rear speaker-less Fader switch-marked C9AB 19A017-C or D0AB 19A017-A	1	C9AZ 18A900-C
69/70	A-with reverberation system		1	C9AZ 18A900-D

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18A900 WIRING - RADIO RECEIVER TO REAR SEAT SPEAKER - continued-Refer to Basic 18972 for switch only			
	- A -			
70	A-with AM radio (exc. 76)	Use with single or dual rear seat speakers-with hard shell locking tab connector marked D0AB 18A900-A	1	DCAZ 18A900-A
70/71	A-with AM radio	Used with applicable 18808 serviced speaker	1	D1AZ 18A900-E
71	A(exc.71,76)-with stereo	8.0 ohm system-marked D1AB 19A017-AC	1	D1AZ 18A900-C
71	A(71)-with stereo	8.0 ohm system-marked D1AB 19A017-BB	1	D1AZ 18A900-D
72	A(exc. 71)	For AM/stereo tape radio-3.2 ohm system-marked D2AB 19A017-AA	1	D2AZ 18A900-A
72	A(71)	For AM/stereo tape radio-3.2 ohm system - marked D2AB 19A017-BA	1	D2AZ 18A900-B
	- B -			
66	B-with stereo tape player	16" long-with Fader control-marked C6VA 18A900-A	1	C6AZ 18A900-B
67	B	Without Fader control-wiring harness	1	C7AZ 18A900-B
68	B-with AM radio	Less Fader control switch	1	C8AZ 18A900-B
69	B(exc.71,76)		1	
68	B	139 1/2" long-less Fader control	1or2	C8AZ 18A900-C
69/70	B(exc.71,76)	Switch	1or2	
68	B(54,57,63)-AM radio	52 1/2" long-less Fader control switch with identification C8MA 19A017-C	1	C8AZ 18A900-E
69	B(53,63,65)	AM radio with dual speakers	1	
68/70	B-with AM/FM multiplex stereo	Includes Fader control	1	C8OZ 18A900-A
69/70	B-with reverberation system		1	C9AZ 18A900-D
69/71	B(exc. 66,71,76)-AM radio	Use with dual rear seat speakers-with hardshell locking tab connector-marked D0OB 19A017-A , D1OB 19A017-AB	1	D0OZ 18A900-A
70/71	B-AM radio	With hardshell locking tab connector-marked D0ZB 18A900-A, D1OB 18A900-AB	1	D0ZZ 18A900-A
70/71	B-AM radio	Used with applicable serviced speaker	1	D1AZ 18A900-E
	- F -			
65	F(exc.76)	Not supplied-improvise-not used on reverberation type speaker system	1	★C3AA 18A900-A
67	F	Without Fader control-wiring harness	1	C7AZ 18A900-B
68	F-with AM radio	Less Fader control switch	1	C8AZ 18A900-B
69	F(76)		1	
68	F(65)-with AM radio		1or2	C8AZ 18A900-C
69	F(65)-with AM radio	With rear seat speaker	1	C9ZZ 18A900-A
69/70	F-with reverberation system		1	C9AZ 18A900-D
70	F-with AM radio or stereo		1	C9ZZ 18A900-A
70/71	F-AM radio	With hardshell locking tab connector-marked D0ZB 18A900-A , D1OB 18A900 -AB	1	D0ZZ 18A900-A
	- L -			
71	L-with AM radio	With hard shell locking tab connector-marked D1OB 18A900 -AB	1	D0ZZ 18A900-A
	- P -			
70	P-with stereo	139 1/2" long-less Fader control switch	2	C8AZ 18A900-C
70	P-with stereo	Includes Fader control	1	C8OZ 18A900-A
70	P-with reverberation system		1	C9AZ 18A900-D
70/71	P-AM & AM/FM radio	With hardshell locking tab connector-marked D0ZB 18A900-A , D1OB 18A900-AB	1	D0ZZ 18A900-A
	- S -			
67	S	Without Fader control wiring harness	1	C7AZ 18A900-B
68	S-with AM radio	With rear seat speaker w/o Fader control	1	C8SZ 18A900-A
68	S-with AM radio	Less Fader control switch	1	C8AZ 18A900-B
69	S		1	
69	S-with AM radio	Wire for rear seat speaker-68" long	1	C9SZ 18A900-A
68/69	S-wth stereo tape player (intergrated)-or AM/FM radio		1	C8SZ 18A900-B
69/70	S-with reverberation system		1	C9AZ 18A900-D
70/71	S-with AM radio	With hardshell locking tab connector- less Fader control-marked D0SB 18A900-E, D1SB 18A900-AB, AC	1	D0SZ 18A900-B
72	S	For AM radio-from fader control to 14401 harness-marked D2LB 18A900-A	1	D2LY 18A900-A

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18A900 WIRING - RADIO RECEIVER TO REAR SEAT SPEAKER - continued - Refer to Basic 18972 for switch only			
	- X -			
66	X-with stereo tape player	16" long-with Fader control-marked C6VA 18A900-A	1	C6AZ 18A900-B
67	X	Without Fader control wiring harness	1	C7AZ 18A900-B
68	X(54)-with AM radio	52 1/2" long-less Fader control switch with identification C8MA 19A017-C	1	C8AZ 18A900-E
69/70	X-with reverberation system		1	C9AZ 18A900-D
68	X-with AM radio	Less Fader control switch	1	C8AZ 18A900-B
69	X(exc. 71)		1	
68	X	139 1/2" long-less Fader control switch	1or2	C8AZ 18A900-C
69/70	X(exc. 71)		1or2	
68/70	X-with AM/FM multiplex stereo	Includes Fader control	1	C8OZ 18A900-A
70	X-with AM radio	With hardshell locking tab connector-marked D0ZB 18A900-A, D1OB 18A900-AB	1	D0ZZ 18A900-A
68	A, B, X	Strap-used to attach wiring to 14401 wiring	AR	351053-S(YY4)
68	A	Clip-attach wiring to package tray	AR	376188-S(GG147M)
68	A	Strap-used to attach wiring to quarter panel	AR	376914-S(YY2)
69	F	Clip (wiring to rear seat speaker)	1	372047-S(GG217)
68	S	Nut-3/8"-32 (attach Fader control switch)-hex.	AR	355987-S(MM121M)
	18A901 WIRING ASSY. - RADIO REAR SEAT SPEAKER CONNECTOR			
68	B, X-with stereo	R. H.	1	C8OZ 18A901-A
69/71	B(except 71, 76)-with stereo		1	
70/71	P-with stereo		1	
69/70	X(except 71)-with stereo		1	
68	B, X-with multiplex adapter or stereo tape player	L. H.	1	C8OZ 18A901-B
69/71	B(except 71, 76)-with stereo		1	
70/71	P-with stereo		1	
69/70	X(except 71)-with stereo		1	
72	B(except 71, 97)	For AM/stereo tape radio-marked D2OB 19A017-AA	1	D2OZ 18A901-A
72	B(except 71, 97)	For AM radio-marked D2OB 19A017-BB	1	D2OZ 18A901-E
72	L, P		1	
72	B(71)	For AM/stereo tape radio-marked D2OB 19A017-CC	1	D2OZ 18A901-C
72	B(71)	For AM radio-marked D2OB 19A017-DC	1	D2OZ 18A901-D
	18911 KNOB ASSY.			
67/71	S	Used with electric antenna also used with map lamp switch	1or2	C4VY 18911-A
	18912 GROMMET - ANTENNA LEAD-IN SEAL			
65/67	A, F, X		1or2	B5A 18912-A
66	B		1	
69/71	S		1	C9SZ 18912-A
	18919 STANCHION - RADIO ANTENNA			
65/66	S	Used with electric antenna	1	C5SZ 18919-A
67	S	Used with manual or electric antenna	1	C7SZ 18919-A
68/69	S	Used with manual or electric antenna	1	C8SZ 18919-A
70/71	S	Used with manual or electric antenna	1	D1SZ 18919-A
72	S	Used with electric antenna	1	D2SZ 18919-A
	18938 SPRING - WHEEL STATIC COLLECTOR			
66/70	A (with Disc Brakes)	Used with radio	2	C6AZ 18938-A
67	S		2	
	18A945 SLEEVE - RADIO TONE CONTROL DISC			
67/70	A, S		1	C7SZ 18A945-A
67/68	F		1	
69/70	F-with AM radio		1	C9ZZ 18A945-A
	18A952 RESISTOR - RADIO RECEIVER SUPPRESSOR CHOKE			
65/69	A		1	C3MY 18A952-A
69	B-with radio & production installed tach.		1	
65/66	S		1	
71/	U		1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18A952 RESISTOR - RADIO RECEIVER SUPPERSSOR CHOKE - continued			
69/72	A	Constant voltage regulator	1	C9AZ 18A952-A
	B,S		1	
69/70	B-not used with production installed tach.		1	
70/	P		1	
69/70	X		1	
67/71	S	Choke & capacitor assy.	1	C7SZ 18A952-A
	18954 CLAMP - RADIO FREQUENCY INTERFERENCE SUPPRESSION BOND			
72	S		2	D2SZ 18954-A
	18A954 REINFORCEMENT - RADIO ANTENNA GROUNDING			
72	S-without antenna		1	D2SZ 18A954-A
	18958 KNOB - RADIO REAR SEAT SPEAKER FADER CONTROL - Also Refer to Group 17513			
65/66	A, B, F, S, X		1	PB9E 18958-A
67	B(54,62,63),X(54,62)		1	
68	A	7/8" dia.-plastic	1	C8AZ 18958-A
71/	A		1	D1AZ 18958-A
71	F		1	
68/69	B(exc.71,76)-with AM or AM/FM		1	C8OZ 18958-A
70	P		1	
70	F-with stereo		1	
68/70	X(exc.71)-with AM or AM/FM		1	
70/71	B		1	D0OZ 18958-B
71	L,P		1	
	18963 PLATE - RADIO SPEAKER MOUNTING FRONT			
72	B-with radio		1	D2OZ 18963-A
71/	F-with radio		1	D1ZZ 18963-A
71/	L-with radio		1	D1FZ 18963-A
70/	P-with radio	Also used with integral A/C w/o radio	1	D1DZ 18963-A
72	U-with radio		1	D2BZ 18963-A
	18972 CONTROL - RADIO REAR SEAT SPEAKER VOLUME			
65/66	A, B, X(except 66,76,78)	Not used with reverberation type rear seat	1	C0AZ 18972-A
65/66	S	speaker	1	
65/66	F(except 76)		1	
67	B(54,62,63),X(54,62)		1	
67	A,S,X	Fader control-located on radio tuner shaft-used with rear seat speaker	1	C7AZ 18972-A
68/69	S	AM radio with Fader control	1	
69	F (except 76)	AM radio and rear seat speaker	1	
68/69	A-with AM radio	Fader control	1	C8AZ 18972-A
69	A-with AM radio "Before 3/3/69"	With rear seat speaker (volume)	1	C9AZ 18972-C
69	A-with AM radio "From 3/3/69"	With dual rear seat speakers (volume)	1	C9AZ 18972-A
69	A-with AM/FM multiplex and AM/stereo	With dual rear seat speakers (volume)	1	C9AZ 18972-B
70	A(exc.76)		1	
70	A-AM radio	Volume control-single or dual rear seat speakers-w/hardshell locking tab connector-marked D0AA 18972-A	1	D0AZ 18972-A
71	A-AM radio	Volume control-8.0 ohm system-dual rear seat speakers	1	D1AZ 18972-A
71	F-AM radio	Volume control-8.0 ohm system-single rear seat speakers	1	
71	A-stereo	Volume control-8.0 ohm system	1	D1AZ 18972-B
72	A-AM/stereo tape radio	Volume control-3.2 ohm system	1	D2AZ 18972-A
72	A-AM radio	Volume control-3.2 ohm system	1	D2AZ 18972-B
67	B(54,62,63),X(54,62)	Fader control-mounts under instrument panel-used with dealer installed rear seat speakers	1	C7OZ 18972-A
68/69	B (exc.71,76)	With AM radio only with Fader control	1	C8OZ 18972-A
68/70	X(exc.71,76)		1	
70/71	B-AM radio	Volume control-single or dual rear seat	1	D0OZ 18972-A
71	P,L-AM radio	speakers-w/hardshell locking tab connector-marked D0OA 18972-C	1	
70/71	B-AM/FM radio	Volume fader control-dual rear seat speakers-marked D0OA 18972-B	1	D0OZ 18972-B
71	P-stereo		1	
70	F-stereo	Volume fader control-rear seat speaker	1	D0ZZ 18972-A
71/72	L,P-AM radio	Volume control	1	D2OZ 18972-A
	B		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	18972 CONTROL - RADIO REAR SEAT SPEAKER VOLUME - continued			
70/71	S-AM radio	Volume control-single or dual rear seat	1	D0MY 18972-B
70	F-AM radio	speakers-w/hardshell locking tab connector-marked D0MA 18972-B	1	
72	S-AM/stereo tape radio	Volume control	1	D2SZ 18972-A
72	S-AM radio	Volume control	1	D2SZ 18972-B
	18972 CONTROL SWITCH - LUGGAGE COMPARTMENT REMOTE CONTROL			
67/	A, B, F, P, X	Used with electric luggage compartment door	1	D0AZ 18972-B
72	L, S	lock kit C9AZ 54432A00-A	1	
	18974 FITTING KIT - QUARTER PANEL WHEEL OPENING			
65/67	A, B, S	Also supplied in body group basic 27964, 27974-5 kits (consists of (4) No. 10-32 nut & (4) No. 10-32 pins)	1	B7A 18974-A
	18978 GRILLE - RADIO SPEAKER			
65/67	A, B, F, X	Used with rear seat speaker	1	C8ZZ 18978-A
68	A(except 71, 76)		1	
68/71	B(except 66, 71, 76)		AR	
68/69	F(65)		1	
71	F		AR	
70/	P-for AM or AM/FM radio		AR	
68/70	X		1	
72	A(except 71, 76)		1	
72	B(except 71, 97)		1	
72	L		1	
67	A(76)-with rear seat speaker	Paint to match trim-L. H.	1	C7MY 18978-C
67/70	A(71)-with rear seat speaker	Paint to match trim	2	C7MY 18978-A
72	A(exc. 71), B(exc. 71), F, L(62)	Rear seat speaker-incl. screen	AR	D2AZ 18978-A
67	A(57)-w/deluxe rear seat speaker		1	C7AZ 18978-B
70	A(exc. 71, 76)	Single or dual rear seat speaker	1or2	
69	F(exc. 76)-w/AM radio w/rear seat speaker		1	
70/71	F-AM radio or stereo	Rear seat speaker	1or2	
68	A(54C, 57F, 65A)	Vertical-door mounted -Parchment	2	C8AZ 18978-C
68	A(except 54C, 57F, 65A)	Horizontal-door mounted -Black -r/b	2	★C8AZ 18978-F
69/72	A-with stereo "Before 4/3/72"	D2OZ 18978-A (3-74)	2	
72	B-with stereo "Before 4/3/72"		1	
72	S "Before 4/3/72"		1	
72	A, B, S-with stereo "From 4/3/72"	Door mounted-paint to match	2	D2OZ 18978-A
71/72	A(71)-with rear seat speaker "Before 4/3/72"	Paint to match trim	2	D1AZ 18978-A
72	B(71) "Before 4/3/72"		1	
72	A(71), B(71)-with rear seat speaker- "From 4/3/72"		2	D2OZ 18978-B
66	F	Located on door trim panel	2	C6ZZ 18978-A
69/70	F(63A, 65A-C, 76A)-with AM/FM or AM/stereo	Door mounted-paint to match	2	C9ZZ 18978-A
69/70	F(63B, C, 65B, D, 76B)-with AM/FM or AM/stereo	Door mounted-paint to match	2	C9ZZ 18978-B
71/72	F-with stereo "Before 4/3/72"	Door mounted-paint to match-r/b D2ZZ 18978-A (3-74)	2	★D1ZZ 18978-A
72	F-with stereo "From 4/3/72"	Door mounted-paint to match	2	D2ZZ 18978-A
66	S	(2) located on each door trim panel	4	C6SZ 18978-A
66	F	Screw (grille & speaker to door trim panel)-No. 8-32 x 1"	8	50438-S13(U122)
	18981 WIRING and SOCKET ASSY. - ASH RECEPTACLE LAMP - Also refer to Groups 13A726, 15026			
65/66	A		1	FEK 18981-A
65/70	B		1	
70	P		1	
65/70	X		1	
	18A985 NUT			
68/71	A, B, F	Used with dealer installed rear window defogger,	1	C5MY 18A985-A
70	P	for use with plug type switch-also used on	1	
68/70	X	fader control rear seat speaker	1	
68/	A, P	Use with dealer installed defogger for use with	1	C5MY 18A508-A
68/71	B	spade type switch	1	
68/70	F, X		1	
71/	L		1	

INDEX

PART NAME	GROUP NUMBER
A	
Adapter (A/C venturi pressure tube)	19C883
Adapter assy. (windshield antenna to fender mounted)	19A130
Adapter kit (A/C drive)	19B969
Adapter kit (A/C master)	19700
Adhesives	Δ
Air conditioner refrigerant	Δ
Amplifier assy. (automatic temperature control box)	19D612
Anti-freeze & coolant	Δ
B	
Baffle (A/C evaporator core front housing)	19A675
Ball kit (trailer hitch)	19F503
Band (A/C blower motor mounting)	19A991
Bezel (A/C evaporator)	19C957, 19A995
Bezel (A/C register)	19C784, 19C871-3, 19C894
Bezel (stereo tape player)	19A112
Bezel assy. (heater register)	19C894
Bezel kit (A/C)	19C872
Block assy. (heater vacuum hose junction)	19C643
Block assy. (vacuum hose junction)	19C643
Bond (radio frequency interference suppression)	19A095
Box assy. (A/C automatic temperature control)	19C730
Brace assy. (A/C evaporator)	19C761
Bracket (A/C blower motor mounting)	19B924, 19C924, 19C942
Bracket (A/C blower motor support)	19A992
Bracket (A/C condenser mounting)	19B594, 19702, 19735
Bracket (A/C condenser tube support)	19C917
Bracket (A/C dehydrator tank mounting	19B937
Bracket (A/C evaporator case damper door cable)	19C767
Bracket (A/C evaporator case mounting)	19A822, 19A865
Bracket (A/C evaporator case support)	19A639
Bracket (A/C evaporator support)	19C897, 19C918
Bracket (A/C evaporator to instrument panel)	19A637
Bracket (A/C evaporator to instrument panel mounting)	19A993
Bracket (A/C evaporator tube support)	19C574
Bracket (A/C hose support)	19812
Bracket (A/C housing support)	19A623
Bracket (A/C register)	19B942
Bracket (A/C vacuum hose connector)	19C833
B - cont'd.	
Bracket (stereo multiplex adapter)	19A079
Bracket (stereo tape player mounting)	19A055
Bracket assy. (A/C control mounting)	19A884
Bracket assy. (A/C instrument panel register)	19C964
Bracket assy. (A/C muffler & hose)	19D606
Bracket assy. (stereo multiplex adapter)	19A100
Bracket & pad assy. (compass mounting)	19A267
Bushing (A/C air outlet door control shaft)	19B985
C	
Cable assy. (A/C temperature)	19988
Cable assy. (heater temperature regulator control)	19233
Cam (A/C damper door)	19C772
Cap assy. (A/C charging valve)	19D702
Case assy. (A/C evaporator)	19A626, 19897
Chemical (fire extinguisher recharge)	19C505
Clamp (A/C evaporator expansion valve bulb)	19A634
Clamp (A/C hose)	19B679
Clamp (A/C tube support clip)	19C862
Clamp (A/C vacuum hose to fender)	19048
Clamp (speed control hose to fender)	19048
Cleaners	Δ
Clear vision aids	Δ
Clip (A/C evaporator)	19C824
Clip (A/C tube support)	19B632
Clip (A/C vacuum hose connector)	19C949
Clip (A/C vacuum hose harness)	19C969
Clip (heater core case)	19A779
Clip (heater vacuum hose connector)	19C949
Clip (register retainer)	19C824
Compass assy.	19A548
Compressor assy. (A/C)	19703
Compressor kit (A/C)	19703
Compressor gasket kit (A/C)	19B684
Condenser kit (A/C)	19708
Connector (A/C refrigerant line)	19C705
Connector (A/C register)	19C692
Connector (A/C vacuum hose)	19B650
Connector (heater vacuum hose)	19B650
Connector assy. (A/C register)	19C626-7
Connector assy. (automatic temperature control box vacuum)	19D616
Connector & duct assy. (A/C register)	19C615
Control assy. (A/C)	19980
Control assy. (A/C air)	19A522
Cooling system aids	Δ

Δ Refer to page 1 of Paint Section

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
C - cont'd.	
Core assy. (A/C charging valve)	19D701
Core assy. (A/C condenser)	19712
Core assy. (A/C evaporator)	19860
Coupling (A/C condenser)	19C890-1
Coupling (A/C self-sealing)	19B595-6
Coupling assy. (A/C evaporator outlet tube)	19C921
Cover (A/C compressor suction)	19D655
Cover (A/C evaporator)	19B735, 19B874
Cover (A/C evaporator drain)	19869
Cover (A/C evaporator thermostat)	19736
Cover (deck lid luggage carrier)	19B507
Cover (heater evaporator case)	19B735
Cover (radio rear seat speaker opening)	19A132
Cover (roof luggage carrier)	19B507
Cover (stereo tape player mounting bracket)	19A077
Cover (tissue dispenser)	19F538
Cylinder & shaft assy. (A/C compressor)	19D654
D	
Damper assy. (A/C outside air intake flue)	19878
Deck assy. (stereo tape player)	19A237
Deflector (A/C floor air)	19A771
Deflector (A/C outlet)	19C714
Deflector (heater floor air)	19A771
Dehydrator & receiver tank assy. (A/C)	19959
Discharge line (A/C compressor to condensor)	19C700
Door (A/C evaporator case damper)	19469
Door assy. (A/C damper inlet)	19C802
Door assy. (A/C evaporator case outlet)	19B749
Duct (A/C air inlet)	19A618
Duct (A/C evaporator outlet)	19C633
Duct (A/C evaporator to instrument panel register)	19926
Duct (A/C instrument panel register)	19C850
Duct (A/C lower)	19C620
Duct assy. (A/C evaporator instrument panel)	19C832
Duct assy. (A/C evaporator to register)	19B680
Duct assy. (A/C recirculating air)	19C590
Duct assy. (heater evaporator to register)	19B680
Duct & connector assy. (A/C junction)	19C932
Dusting cloth	Δ
E	
Engine compt. kit (A/C)	19B969
Engine modification kit (A/C)	19B969
Engine reconditioning paint	Δ
Engine starting fluid	Δ
Exterior paint	Δ
Extra cooling kit (A/C)	19B969
F	
Fire extinguisher (recharge chemical)	19C505
Fire extinguisher kit	19B540
Flare kit (reflector)	19E500
G	
Gas line anti-freeze	Δ
Gasket (A/C compressor charging screw)	19D661
Gasket (A/C compressor valve plate)	19B994
Gasket (compressor valve plate)	19B994
Gasket kit (A/C compressor)	19B684
Grommet (A/C condenser tubes)	19C819
Grommet (A/C control cable)	19C898
Guard (A/C evaporator fan)	19742
H	
Harness assy. (A/C vacuum hose)	19C827
Harness assy. (automatic temperature control box)	19D615
Head (A/C compressor)	19D646-7
Hose (A/C evaporator drain)	19858
Hose (A/C floor air deflector)	19C753
Hose assy. (A/C compressor to condenser inlet valve)	19972
Hose assy. (A/C control vacuum)	19A946
Hose assy. (A/C temperature regulator control motor vacuum)	19A581
Hose assy. (A/C vacuum)	19C828
Hose assy. (heater vacuum)	19C828
Hose or tubing (refrigerant line)	19C708
Housing (A/C blower motor)	19693, 19930
Housing (A/C blower top)	19C975
Housing (blower motor resistor)	19C796
Housing assy. (A/C evaporator core)	19A553, 19A559
I	
Inflator kit (tire)	19C543
Insert (A/C control name plate)	19A980
Insulation (A/C evaporator case cover)	19B666
Insulation (A/C evaporator core)	19A644, 19C749, 19A829
Interior paint	Δ
K	
Key (A/C compressor clutch hub)	19D651
KIT - refer to appropriate noun name For example Oil pump rotor kit (A/C compressor)	19D663
Knob (A/C air outlet door control)	19B769
Knob assy. (A/C control)	19A962

Δ Refer to page 1 of Paint Section

INDEX

PART NAME	GROUP NUMBER
L	
Lever (A/C control switch actuating)	19A524
Liquid line (A/C dryer to evaporator)	19D567
Liquid tire chain	Δ
Litter container	19D504
Litter container (console)	19D504
Lock lubricant	Δ
Lubricants	Δ
Luggage carrier cover kit	19B507
M	
Master kit (A/C)	19B969
Medallion (A/C register)	19A551
Motor oils	Δ
Motor assy. (A/C blower)	19805
Motor assy. (heater blower)	19805
Motor assy. (radio antenna drive)	19112
Mounting kit (bumper winch)	19F536
Muffler assy. (A/C compressor)	19C836
N	
Nut kit (A/C compressor shaft)	19D667
O	
Oil pump rotor kit (A/C compressor)	19D663
Oils	Δ
"O" ring (A/C seal kit)	19B596
"O" ring kit (A/C compressor)	19D660
P	
Pad (A/C register louver)	19C896
Pad (radio control bezel mounting)	19A169
Pad (stereo tape player cover)	19A113
Paint	Δ
Pan (A/C evaporator drain)	19859, 19B859
Panel (A/C evaporator case)	19801, 19803, 19A998
Panel assy. (A/C control)	19808
Panel assy. (A/C register)	19C874-5
Panel assy. (A/C register trim)	19C866-70
Pin (A/C compressor head locator)	19D662
Plate (A/C blower inlet)	19A821
Plate (A/C blower motor mounting)	19833
Plate (A/C compressor valve)	19656
Plate (A/C evaporator case mounting)	19804
P - cont'd.	
Plate (A/C evaporator front housing cover)	19A586-7
Plate (A/C register mounting bracket reinforcement)	19B897
Plate (A/C register trim end)	19B781
Plate (A/C temperature control sensor mounting)	19C737
Plate (A/C tube retaining)	19D675
Plate (compass mounting)	19D503
Plate assy. (A/C compressor valve)	19D656-7
Plate assy. (A/C register)	19A568, 19B725, 19C876
Polishes	Δ
Pulley & bearing assy. (A/C compressor)	19D653
R	
Reducers	Δ
Reed (A/C compressor valve inlet)	19D659
Refinishing materials	Δ
Reflector (flare kit)	19E500
Refrigerant compressor oil	Δ
Register (A/C)	19893
Register (A/C evaporator)	19A671
Register (air vent)	19893
Register (heater)	19893
Register assy. (A/C instrument panel)	19C696
Register & connector assy. (A/C instrument panel center)	19C691
Register & duct assy. (A/C instrument panel center)	19C680
Relay assy. (A/C automatic temperature control box)	19D614
Relay assy. (A/C temperature control)	19D592
Resistor (A/C blower motor)	19A706
Retainer (A/C blower motor)	19209
Retainer (A/C evaporator register)	19B635
Retainer (A/C evaporator side register)	19A683
Retainer (A/C register mounting)	19A950
Retainer (A/C tubes to dash panel)	19B589
Retainer (forced vent register mounting)	19A950
Retainer (radio antenna)	19126
Retainer ring kit (A/C compressor)	19D664
Retainer & seal assy. (A/C evaporator to blower housing)	19C847
Rod assy. (A/C register lock activator)	19C719
Roller (A/C damper door actuating)	19C769
Rubber lubricants	Δ
Rubbing compounds	Δ
Rust penetrant and inhibitor	Δ

Δ Refer to page 1 of Paint Section

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S	
Screen (A/C compressor oil suction)	19D651
Screen (A/C evaporator core water impingement)	19B562
Screw (A/C compressor charging)	19D658
Seal (A/C compressor high pressure valve)	19A630
Seal (A/C evaporator case to dash panel)	19C593
Seal (A/C evaporatore core side)	19A672
Seal (A/C evaporator core tube to case)	19B552
Seal (A/C evaporator drain hose to floor)	19A989
Seal (A/C register to instrument panel)	19A775
Seal (A/C tubes to dash panel)	19B588
Seal (air inlet door outer)	19A812
Seal (heater water control valve)	19460
Seal assy. (A/C compressor crankshaft)	19655
Seal assy. (A/C evaporator case)	19D637
Seal kit (A/C compressor shaft)	19D665
Sealers	Δ
Seat (tot guard child safety)	19E535
Sensor assy. (A/C temperature control)	19C734
Shaft (A/C air outlet door)	19C717
Shaft assy. (A/C damper door)	19C774
Shield (A/C evaporator case to floor)	19B561
Shield (A/C evaporator expansion valve)	19D595
Shield (A/C heat)	19C958
Shield (A/C valve & heater motor)	19C842
Shield (radio frequency suppression)	19A145
Sight glass (A/C evaporator liquid indicator)	19B673
Sleeve (A/C refrigerant tube protective)	19D631
Snow plow kits	19E537
Solenoid & manifold assy. (automatic temperature control box)	19D611
Spacer (A/C compressor clutch hub)	19D648
Spacer (A/C instrument panel register)	19B696
Stereo multiplex adapter kit	19A082
Stereo tape player kit	19A035
Strap (A/C evaporator hose retainer)	19B915-6
Strap (A/C evaporator upper case to bottom case)	19B865
Strip (radio rear seat speaker mounting)	19A175
Stud (A/C condenser mounting)	19C658
Stud (A/C evaporator support)	19A982
Support (A/C evaporator core)	19784
Support (stereo tape player)	19A071
Support kit (stereo tape player)	19A122
Switch (thermostatic evaporator de-icing)	19618
Switch assy. (A/C auto. temp. control box servo)	19D617
Switch assy. (A/C blower)	19986
Switch assy. (A/C damper door)	19B888
Switch assy. (A/C temperature control)	19C733, 19A945
Switch assy. (heater damper door)	19B888
Switch & wiring assy. (luggage compt. control latch)	19C542
T	
Tank & bracket assy. (A/C vacuum reservoir)	19A566
Tape (electrical insulating)	Δ
Tape (masking)	Δ
T -cont'd.	
Thermostat (A/C evaporator temperature control)	19618
Thinners	Δ
Tip (radio antenna mast)	19298
Tire inflator kit	19C543
Tot guard	19E535
Trailer hitch kit	19D520
Transducer assy. (A/C auto. temp. control box)	19D613
Trap (A/C evaporator drain)	19998
Tube (A/C blower housing to blower motor)	19A786
Tube (A/C compressor oil inlet)	19D645
Tube (A/C control venturi pressure)	19C748
Tube (heater blower housing to blower motor)	19A786
Tube assy. (A/C dehydrator to check valve)	19835
Tube assy. (A/C dehydrator to condenser)	19C596
Tube assy. (A/C evaporator inlet to cowl)	19A704
Tube assy. (A/C evaporator outlet to cowl)	19A705
Tube assy. (A/C evaporator to check valve)	19837
Tube assy. (A/C evaporator to compressor shut-off valve)	19867
Turn kit (snow plow)	19F502
U	
Undercoating	Δ
Upholstery color reconditioners	Δ
Used car reconditioning materials	Δ
V	
Valve (A/C compressor pressure relief)	19D644
Valve (A/C evaporator expansion)	19849
Valve (A/C vacuum check)	19A563
Valve (heater vacuum check)	19A563
Valve assy. (A/C compressor high pressure)	19A990
Valve assy. (A/C compressor low pressure)	19752
Valve assy. (A/C dehydrator & receiver tank)	19C573
Valve assy. (A/C evaporator suction throttle)	19D580
Venturi (A/C control)	19C747
W	
Waxes	Δ
Wheel assy. (A/C blower)	19834
Winch kit (bumper mounted)	19E536
Winch kit with power take off	19E536
Wiring (A/C blower switch feed)	19945
Wiring (stereo tape player power feed)	19A065
Wiring assy. (A/C)	19C603
Wiring assy. (A/C blower motor feed)	19949
Wiring assy. (A/C compressor clutch feed jumper)	19D632
Wiring assy. (A/C temp. switch to blower switch)	19B572
Wiring assy. (A/C thermostat to clutch)	19A885
Wiring assy. (luggage compt. lamp)	19B516
Wiring assy. (luggage compt. remote control latch)	19D542
Wiring assy. (radio accessory connector)	19A118
Wiring assy. (radio speaker)	19A041
Wiring assy. (radio speaker extension)	19A123
Wiring assy. (radio speaker jumper)	19A170

Δ Refer to page 1 of Paint Section

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19000 - Refer to Paint Section			
	19A035 STEREO TAPE PLAYER KIT			
68/71	A, B-without console-NOTE 1, 2	Use without floor mounted manual transmission	1	C8AZ 19A035-A
68	F-without console-NOTE 1, 2		1	
70/71	P-NOTE 2, 3		1	
68/70	X-without console-NOTE 1, 2		1	
	19A041 WIRING ASSY. - RADIO SPEAKER - If not listed, improvise			
69/70	A-with AM stereo		1	C9AZ 19A041-A
71	A(76)-with stereo	8.0 ohm system-marked D1AB 19A041-AB	1	D1AZ 19A041-A
72	A-with stereo	For 3.2 ohm system	1	D2AZ 19A041-A
68/70	B-with stereo	Front side cowl	1	C8OZ 19A041-A
68	B(66, 71, 76), X(71)-AM/FM radio	Use with hang-on stereo player	1	C8OZ 19A041-B
69/71	B		1	
69/70	X		1	
71	B-with AM/FM radio	Front speaker	1	D1OZ 19A041-A
72	B-with stereo	R.H.-door speaker-not required with power windows and/or electric door locks	1	D2OZ 19A041-A
68	F-with dealer installed stereo speaker kit	R. H. -door mount	1	C8ZZ 19A041-A
		L. H.	1	C8ZZ 19A041-B
69/70	F	Use with front dual speakers	1	C9ZZ 19A041-A
71	F-with stereo		1	D1ZZ 19A041-A
72	F-with stereo		1	D2ZZ 19A041-A
68/70	X-with stereo	Front side cowl	1	C8OZ 19A041-A
	19048 CLAMP			
71	S	A/C vacuum hose or speed control hose to fender apron	2	D0VY 19048-A
	19A055 BRACKET - STEREO TAPE PLAYER MOUNTING			
68/71	A, B,	With hang on stereo tape player	1	C8OZ 19A055-A
68/69	F		1	
70/71	P		1	
68/70	X		1	
69/70	A	For tunnel mounted tape player	1	C9AZ 19A055-A
	19A065 WIRING - STEREO TAPE PLAYER - POWER FEED - If not listed - improvise			
67	A, B, F, X	Used with under dash mount stereo tape player	1	C7OZ 19A065-A
69/70	A	For tunnel mounted tape player	1	C9AZ 19A065-A
	19A071 SUPPORT - STEREO TAPE PLAYER			
69/70	A	For tunnel mounted tape player	1	C9AZ 19A071-A
69/71	A	Used with hang-on stereo tape player	1	C9AZ 19A071-B
70/71	P		1	
68/71	B-with integral A/C	With hang-on stereo	1	C8OZ 19A071-B
68/70	X-with integral A/C		1	
	19A077 COVER - STEREO TAPE PLAYER MOUNTING BRACKET			
68/71	A, B	Used with hang-on stereo tape player	1	C8AZ 19A077-A
68/69	F		1	
71	P		1	
68/70	X		1	
69/70	A	For tunnel mounted tape player	1	C9AZ 19A077-A
69/71	A	Used with hang-on stereo tape player	1	C9AZ 19A077-B
70/71	P		1	
	19A095 BOND - RADIO FREQUENCY INTERFERENCE SUPPRESSION			
72	B		1	D2OZ 19A095-A
72	S	7 1/4" long	1	D2SZ 19A095-B
72	S	8 3/4" long	1	D2SZ 19A095-A
72	S	10 1/4" long	1	D2SZ 19A095-C
72	S	Bright finish	1	D2SZ 19A095-D
72	S	9 1/4" long	1	D2SZ 19A095-E

NOTE 1 - (1) Stereo tape speaker and wiring kit (Basic 18808 - must be used)
NOTE 2 - To be used with appropriate 19A122 stereo tape player support kit
NOTE 3 - (1) Dual rear seat speaker kit (stereo) must be used-front stereo speaker not available

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19A112 BEZEL - STEREO TAPE PLAYER			
68/71	A,B	Front-for hang-on stereo tape player	1	C8OZ 19A112-A
68/69	F		1	
70/71	P		1	
68/70	X		1	
69/70	A	Front-for tunnel mounted tape player	1	C9AZ 19A112-A
	19A113 PAD - STEREO TAPE PLAYER COVER			
68/71	A,B	For hang-on stereo tape player	1	C8OZ 19A113-A
68/69	F		1	
70	P		1	
68/70	X		1	
69/70	A	For tunnel mounted tape player	1	C9AZ 19A113-A
69/70	A	Nut 1/8" sleeve (attach bezel to pad)	2	380652-S2(MM220)
	19A118 WIRING ASSY. - RADIO ACCESSORY CONNECTOR			
68/71	B	For hang-on stereo tape player	1	C8OZ 19A118-A
69/71	A		1	
71	P		1	
68/70	X		1	
69/70	A-with hang-on stereo tape player	Marked C9AJ 19A118-A	1	C9AZ 19A118-A
70/71	P-with hang-on stereo		1	
	19A122 SUPPORT KIT - STEREO TAPE PLAYER			
69/70	A-with hang-on stereo		1	★C9AZ 19A122-B
70/71	P-with hang-on stereo		1	Not replaced (5-75)
71	A-with hang-on stereo	Replaced by details (5-75)	1	★D1AZ 19A122-A
68/71	B-with hang-on stereo		1	★C8OZ 19A122-A
68/70	X-with hang-on stereo		1	Not replaced (5-75)
	19A123 WIRING ASSY. - RADIO SPEAKER EXTENSION			
72	A-with stereo	Marked D2AB 19A123-AB	1	D2AZ 19A123-A
	19126 RETAINER - RADIO ANTENNA			
68/69	S		1	C8SZ 19126-B
70/71	S		1	D1SZ 19126-A
	19A130 ADAPTER ASSY. - WINDSHIELD ANTENNA TO FENDER MOUNT			
70/71	S	To adapt from windshield antenna to manual or electric fender mounted antenna	1	D0SZ 19A130-A
	19A132 COVER - RADIO REAR SEAT SPEAKER			
72	A(53,54,57)		1	D2AZ 19A132-A
72	A(65)		1	D2AZ 19A132-B
72	S		1	D2SZ 19A132-A
	19A145 SHIELD - RADIO FREQUENCY SUPPRESSION			
72	S		2	D2SZ 19A145-A
	19A169 PAD - RADIO CONTROL BEZEL MOUNTING			
72	S		1	D2SZ 19A169-A
	19A170 WIRING ASSY. - RADIO SPEAKER-JUMPER			
72	B	For AM/FM multiplex and/or deluxe seat belts-not required with power windows	1	D2OZ 19A170-A
	19A175 STRIP - RADIO REAR SEAT SPEAKER MOUNTING			
71/	A(71)-with rear seat speakers	R. H. and L. H. -vinyl-cut to fit	2	D1AZ 19A175-A
	19209 RETAINER - AIR CONDITIONER BLOWER MOTOR			
72	B,S-with integral A/C		2	D2SZ 19209-A
70/	P-with integral A/C		1	D0DZ 19209-A
71/	L-with integral A/C		1	
	19233 CABLE ASSY. - HEATER TEMPERATURE REGULATOR CONTROL			
69/70	A-with integral A/C	Plenum chamber	1	C9AZ 19233-A
	19A237 DECK ASSY. - STEREO TAPE PLAYER			
69/70	A	For tunnel mounted tape player	1	C9AZ 19A237-A
	19A267 BRACKET and PAD ASSY. - COMPASS MOUNTING			
65/	All	Use with C9AZ 19A548-A compass - rectangular type	1	D2AZ 19A267-A
	19298 TIP - RADIO ANTENNA MAST			
67/	S	Used with electric antenna	1	C6VY 19298-A
	19460 SEAL - HEATER WATER CONTROL VALVE			
65/66	S	Used with heater or integral A/C - improvise	1	★

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19469 DOOR - AIR CONDITIONER EVAPORATOR CASE DAMPER			
68/71	B-with integral A/C		1	C8OZ 19469-A
68/70	X-with integral A/C		1	
67/	F-with integral A/C	Includes frames-upper	1	C7ZZ 19469-A
71/	L-with integral A/C		1	
70/	P-with integral A/C		1	
67/	F-with integral A/C	Lower	1	C7ZZ 19469-B
	19E500 REFLECTOR FLARE KIT			
65/	All	Replaced by D4AZ 19E500-A (5-75)	AR	★C5AZ 19E500-D
	19A501 - Refer to Paint Section			
	19F501 - Refer to Paint Section			
	19F502 TURN KIT - SNOW PLOW			
66/	U	Used only with D0TZ 19E537-A snow plow - Western	1	D0TZ 19F502-A
	19503 THRU 19A503 - Refer to Paint Section			
	19D503 PLATE - COMPASS MOUNTING			
65/69	A,B,F,S,X	Used with ★C4AZ 19A548-B compass	1	C4AZ 19D503-B
65/	All	Used with C9AZ 19A548-A compass -round type	1	D0AZ 19D503-A
	19F503 BALL - TRAILER HITCH			
65/	All	Ball-1 7/8" dia. -used with basic 19D520 trailer hitch	1	C6AZ 19F503-A
65/	All	Ball-2" dia. -used with basic 19D520 trailer hitch	1	C6AZ 19F503-B
	19D504 LITTER CONTAINER			
72	B,S	Used with floor mounted console	1	D2SZ 19D504-A
	19B507 COVER - LUGGAGE CARRIER			
65/	A(71),B(71)	Used with roof mount luggage carrier -Consists of zipper cover with straps, hardboard floor and wire frame	1	C5AZ 19B507-A
65/70	X(71)		1	
66/70	All(except 63,71)	Used with deck mount luggage carrier 6255100 - Consists of zipper cover with straps, hardboard floor and wire frame - not replaced (11-73)	1	★ C6AZ 19B507-A
	19C507 THRU 19515 - Refer to Paint Section			
	19B516 WIRING ASSY. - LUGGAGE COMPARTMENT LAMP - Unless listed - Improvise			
72	B(exc. 71,97)		1	D2OZ 19B516-B
72	B(71)		1	D2OZ 19B516-A
	19517 THRU 19520 - Refer to Paint Section			
	19D520 TRAILER HITCH KIT			
	- A -			
65/68	A(54,57,62,63,76)		1	▲C6AZ 19D520-D
66/	A(71)		1	▲C6AZ 19D520-C
69/71	A(except 71)		1	▲D0AZ 19D520-A
72	A(except 71)		1	▲D2AZ 19D520-A
	- B -			
66/69	B(exc.66,71)	Not replaced (11-73)	1	★▲C6OZ 19D520-C
67/71	B(66)	Not replaced (5-75)	1	★▲C6DZ 19D520-C
66/71	B(71)		1	▲C6OZ 19D520-D
70/71	B(except 66,71)		1	▲D0OZ 19D520-A
72	B(except 71,97) -w/o bumper guards		1	▲D2OZ 19D520-A
72	B(except 71,97)-w/bumper guards		1	▲D2OZ 19D520-D
72	B(71)		1	▲D2OZ 19D520-B
72	B(97)		1	▲D2OZ 19D520-C
	- F -			
69	F		1	▲C9ZZ 19D520-A
70	F(except Boss 302,351,428-with competition suspension chassis)		1	
71/	F	Not replaced (5-75)	1	★▲D1ZZ 19D520-A
	- L -			
71/	L(62,64)	Used only with 4 cyl. 122 with A/T, A/C-radiator, 800 lbs. GTW, 100 lbs. tongue load, 3.18 rear axle ratio and frontal area less than 25 sq.ft.	1	▲D1FZ 19D520-A
72	L(73)	Used with automatic transmission	1	▲D2FZ 19D520-B

▲ Basic 19F503 required to complete installation

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19D520 TRAILER HITCH - KIT - continued			
	- P -			
70	P		1	▲D0DZ 19D520-A
71/	P		1	▲D1DZ 19D520-A
	- S -			
67/71	S	Not replaced (11-73)	1	★▲C7SZ 19D520-A
72	S		1	▲D2SZ 19D520-A
	- U -			
66/	U	Includes ball	1	C6TZ 19D520-A
	- X -			
66/70	X(54, 62)	Not replaced (5-75)	1	★▲C6DZ 19D520-D
66	X(66, 71)	Not replaced (5-75)	1	★▲C6DZ 19D520-C
67/70	X(71)		1	
	19521 THRU 19B521 - Refer to Paint Section			
	19522 - Refer to Paint Section			
	19A522 CONTROL ASSY. - AIR CONDITIONER, AIR			
65/66	S-with integral A/C	Vacuum control	1	C5SZ 19A522-A
	19523 - Refer to Paint Section			
	19A524 LEVER - AIR CONDITIONER CONTROL SWITCH ACTUATING			
65/68	A-with integral A/C		1	C5AZ 19A524-A
	19525 THRU 19534 - Refer to Paint Section			
	19E535 SEAT - CHILDS SAFETY-TOT GUARD			
65/	All	Tot guard safety shield	AR	D1AZ 19E535-D
	19A536 - Refer to Paint Section			
	19E536 WINCH KIT - WITH POWER TAKE OFF			
66/71	U(6 cyl.)	Underslung-includes winch, drive line, power take-off lever control and attaching parts	1	C6TZ 19E536-B
72	U(6 cyl.w/M/T w/o P/S)		1	
66/71	U(8 cyl.)	Underslung-includes winch, drive line, power take-off (single output shaft) and attaching parts	1	C6TZ 19E536-C
72	U(8 cyl.w/M/T w/o P/S)		1	
	19E536 WINCH KIT - BUMPER MOUNTED			
67/	U	Electric winch-includes winch & controls-must be used with applicable 19F536 kit-electric winch bumper mounting-it is recommended that a heavy duty alternator & extra heavy duty battery also be used	1	C9TZ 19E536-A
	19F536 MOUNTING KIT - BUMPER WINCH			
67/	U	To be used with C9TZ 19E536-A kit bumper mounted electric winch-includes bumper & mounting components	1	C9TZ 19F536-A
	19A537 - Refer to Paint Section			
	19E537 SNOW PLOW - KIT			
66/	U	Electric drive-6 1/2 ft. wide blade, 26" high-use w/heavy duty front and auxiliary air spring-Western	1	$D0TZ 19E537-A
66/	U	Electrolift-6 1/2" ft. wide blade-use w/heavy duty front and auxiliary rear air springs-Meyer	1	D3BZ 19E537-A
66/	U	Super electrolift and power angling-6 1/2 ft. wide blade-use with heavy duty front and auxiliary rear air springs-Meyer	1	D3BZ 19E537-C
66/	U	Electronic Super electrolift-6 1/2 ft. wide blade -with heavy duty front and auxiliary rear air springs-Meyer	1	D3BZ 19E537-B
66/	U	Electronic Super electrolift and power angling-6 1/2 ft. wide blade-with heavy duty front and auxiliary rear air springs-Meyer	1	D3BZ 19E537-D
66/	U	Electric drive-6 1/2 ft. wide blade, 26" high-use with heavy duty front and auxiliary air springs-Douglas Dynamics Corp.	1	D2TZ 19E537-G

▲ Basic 19F503 required to complete installation

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19A538 THRU 19A540 - Refer to Paint Section			
	19F538 COVER - TISSUE DISPENSER			
72	B,S	Used with floor mounted console	1	D2SZ 19F538-A
	19B540 FIRE EXTINGUISHER KIT			
65/	All	5 lb. dry chemical (Red)-r/b D4AZ 19B540-B (5-75)	1	★D3AZ 19B540-A
65/	All	2 3/4 lb. dry chemical (Red) - r/b D3AZ 19B540-B (5-75)	1	★C9AZ 19B540-B
72	All	Universal-2 1/2 lb. dry chemical (Red)-r/b D4AZ 19B540-A (5-75)	1	★D3AZ 19B540-B
	19A541 THRU 19B542 - Refer to Paint Section			
	19C542 SWITCH and WIRING ASSY. - LUGGAGE COMPARTMENT REMOTE CONTROL LATCH			
67/	A, F(exc.71)	With electric luggage door latch release - dealer installed	1	C9AZ 19C542-A
71/	L,S		1	
67/70	B(exc. 66,71)		1	
70/	P		1	
67/70	X(except 71)		1	
71/	S	With electric luggage door latch release - production installed	1	D1MY 19C542-A
	19D542 WIRING ASSY. - LUGGAGE COMPARTMENT REMOTE CONTROL LATCH			
72	A "Before 11/1/71"	With production installed electric luggage door latch-marked D1MB 19C542-AC	1	D1MY 19D542-A
72	A "From 11/1/71"	With production installed electric luggage door latch-marked D2AB 19C542-AA	1	D2AZ 19D542-A
	19C543 CYLINDER ASSY. - SPARE TIRE INFLATOR			
66/69	A, B, S, X	Not replaced (3-74)	1	★C6AZ 19C543-A
66/69	F(exc. Shelby GT350/500 & Boss-with collapsible spare tire)		1	
69/	F	For collapsible spare tire	1	D1ZZ 19C543-A
	19C544 THRU 19C547 - Refer to Paint Section			
	19A548 COMPASS ASSY.			
65/	All	Not replaced (11-73)	1	★C9AZ 19A548-A
	19C548 THRU 19549 - Refer to Paint Section			
	19550 - Refer to Paint Section			
	19A551 MEDALLION - AIR CONDITIONER REGISTER			
65/71	A, B	Used with Economy or Deluxe hang-on A/C	1	C7AZ 19A551-A
65/69	F		1	
65/70	X		1	
71	L, P	Hang-on A/C with slide bar type control	1	D1FZ 19A551-A
72	A, B, F, L, P,	For hang-on A/C	1	
	19552 - Refer to Paint Section			
	19B552 SEAL - AIR CONDITIONER EVAPORATOR CORE TUBE TO CASE			
70/	A-with integral A/C		1	D0AZ 19B552-A
67/70	F-with integral A/C (except 428CJ)		1	C7ZZ 19B552-A
69/70	F-with integral A/C (428CJ)		1	C9ZZ 19B552-A
71/	F, L-with integral A/C		1	
70/	P-with integral A/C		1	D0DZ 19B552-A
	19553 THRU 19554 - Refer to Paint Section			
	19A553 HOUSING ASSY. - AIR CONDITIONER EVAPORATOR CORE - Refer to Group 19A559			
	19558 THRU 19560 - Refer to Paint Section			
	19A559 HOUSING ASSY. - AIR CONDITIONER EVAPORATOR CORE			
72	B-with integral A/C "Before 9/15/71"	R.H.	1	D2OZ 19A559-B
		L.H.	1	D2OZ 19A553-B
72	S-with integral A/C	R.H.	1	D2OZ 19A559-A
72	B-with integral A/C "From 9/15/71"		1	
		L.H.	1	D2SZ 19A553-A
	19562 - Refer to Paint Section			
	19B562 SCREEN - AIR CONDITIONER EVAPORATOR CORE WATER IMPINGEMENT			
69/70	A- with tunnel mounted A/C	Aluminum mesh	1	C9AZ 19B562-A
68	F-with Deluxe hang-on A/C	Nylon mesh	1	C8OZ 19B562-A
68/71	B-with Deluxe hang-on A/C		1	
68/70	X-with Deluxe hang-on A/C		1	
69/71	F-with hang-on A/C		1	C9ZZ 19B562-A
71	P-with slimline hang-on A/C		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	19A563 VALVE - VACUUM CHECK				
65/66	S-also used with heater	Used with integral A/C	YG-34	1or2	C6OZ 19A563-A
65/66	A(except 57-6 cyl. 240 & 8 cyl. 289)			1	
71/	A-with heater			1	
66/71	B			1	
67/	F-except Perfect Circle speed control			1	
66/70	X			1	
65/66	A(57-8 cyl. 352, 390, 427)-except integral A/C	Used with uniflow system		1	C5AZ 19A563-A
67	A(8 cyl. 390, 427, 428)-except with integral A/C	Used with forced ventilation system		1	
68	A			1	
69/71	A-with integral A/C		YG-35	1	C9AZ 19A563-A
70	S			1	
	19A566 TANK and BRACKET - AIR CONDITIONER VACUUM RESERVOIR - Also refer to Groups 3E547 & 13A185				
65	A(57)	Use with uniflow system		1	C5AZ 19A566-A
65	A	Used with integral A/C-r/b C6OZ 19A566-A(5-75)		1	★C5AZ 19A566-B
66/67	A	Use with uniflow system and/or integral A/C		1	C6AZ 19A566-A
67	A(6 cyl. & 8 cyl. 289)	Used with forced ventilation system		1	
68	A-with integral A/C	Also used with forced ventilation system		1	C8AZ 19A566-A
69/70	A-with integral A/C			1	C9AZ 19A566-A
71	A(except 8 cyl. 429 P/C)-w/integral A/C			1	D0SZ 19A566-A
71	A(8 cyl. 429 P/C)-w/integral A/C			1	D0VY 19A566-A
72	A-with integral A/C			1	D2AZ 19A566-A
66/69	B-with integral A/C			1	C6OZ 19A566-A
66/70	X-with integral A/C			1	
72	B-with integral A/C			1	D2OZ 19A566-A
67	F-with integral A/C "Before 1/16/67"	Used on units with Curtiss Wright speed control system only		1	C7ZZ 19A566-A
67/	F-with integral A/C "From 1/16/67"	Used on units with perfect circle speed control system or without speed control		1	C7ZZ 19A566-B
70/	P-with integral A/C			1	D0DZ 19A566-A
70/71	B-with integral A/C			1	
71/	L-with integral A/C			1	
65	S	Replaced by C6OZ 19A566-A (5-75)		1	★C5AZ 19A566-B
66	S			1	C6SZ 19A566-A
68/69	S	Also use with heater		1	C8SZ 19A566-A
70	S			1	D0SZ 19A566-A
71	S			1	D1SZ 19A566-A
72	S			1	D2SZ 19A566-A
	19D567 LIQUID LINE-AIR CONDITIONER DRYER TO EVAPORATOR				

Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.

	19A568 PLATE ASSY. - AIR CONDITIONER REGISTER - Refer to Group 19C876				
	19B572 WIRING ASSY. - AIR CONDITIONER TEMPERATURE SWITCH TO BLOWER SWITCH				
68	S-with A. T. C.			1	C8SZ 19B572-A
69	S-with A. T. C.			1	C9SZ 19B572-A
	19C573 VALVE ASSY. - AIR CONDITIONER DEHYDRATOR and RECEIVER TANK				
65/68	S-with integral A/C			1	C6SZ 19C573-A
65/67	A			1	
	19C574 BRACKET AIR CONDITIONER EVAPORATOR TUBE SUPPORT				
70/71	S			1	D0SZ 19C574-A
71/	A (8 cyl.429)-with A.T.C.			1	
72	B,S-with integral A/C	Clamp type		1	D2OZ 19C574-A
72	B,S-with integral A/C			1	D2OZ 19C574-D
72	B-with integral A/C			1	D2SZ 19C574-C
72	B,S-with integral A/C			1	D2SZ 19C574-B
	19577 THRU 19581 - Refer to Paint Section				
	19D580 VALVE ASSY. - AIR CONDITIONER EVAPORATOR SUCTION THROTTLE				
72	B-with integral A/C			1	D0VY 19D580-A
72	S			1	

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19A581 HOSE ASSY. - AIR CONDITIONER TEMPERATURE REGULATOR CONTROL MOTOR VACUUM			
69/70	A-with integral A/C		1	C9AZ 19A581-C
	19582 THRU 19584 Refer to Paint Section			
	19A586-7 PLATE - AIR CONDITIONER EVAPORATOR FRONT HOUSING COVER			
69/	A-with integral A/C		1	C9AZ 19A586-A
68/70	B,X-with integral A/C		1	C8OZ 19A586-A
71	B-with integral A/C		1	D1OZ 19A586-A
70/71	P-with Economy hang-on A/C		1	D0DZ 19A587-A
68/69	S		1	C8SZ 19A586-B
70/71	S		1	D0SZ 19A586-A
	19587 - Refer to Paint Section			
	19B588 SEAL - AIR CONDITIONER TUBES TO DASH PANEL			
68/71	B -with integral A/C		1	C8OZ 19B588-A
68/70	X-with integral A/C		1	
69	F-with integral A/C (except 428CJ)	Rubber	1	C9ZZ 19B588-A
69/70	F-with integral A/C (428CJ)		1	C9ZZ 19B588-B
71/	F,L-with integral A/C		1	D1ZZ 19B588-A
70	P-with integral A/C "Before 4/1/70"	Rubber	1	D0DZ 19B588-A
70/72	P-with integral A/C-"From 4/1/70 to 4/3/72"	Rubber	1	D0DZ 19B588-B
72	P-with integral A/C "From 4/3/72"	Rubber	1	D2DZ 19B588-A
	19589 - Refer to Paint Section			
	19B589 RETAINER - AIR CONDITIONER TUBES TO DASH PANEL			
71/	A-with integral A/C	Upper	1	D1AZ 19B589-A
		Lower	1	D1AZ 19B589-B
69/70	F-with integral A/C	Lower	1	C9ZZ 19B589-B
		Upper	1	C9ZZ 19B589-D
70	P-with integral A/C "Before 4/1/70"	Upper	1	D0DZ 19B589-A
		Lower	1	D0DZ 19B589-B
70	P-with integral A/C "From 4/1/70"	Not required		
	19590 - Refer to Paint Section			
	19C590 DUCT ASSY. - AIR CONDITIONER RECIRCULATING AIR			
72	B-with integral A/C		1	D2SZ 19C590-A
72	S		1	
	19D592 RELAY ASSY. - TEMPERATURE CONTROL	MOTORCRAFT NO.		
71	A-with A.T.C.	YH-188	1	D1AZ 19D592-B
72	A-with A.T.C.		1	D2LY 19D592-A
72	S-with A.T.C.		1	
	19C593 SEAL - AIR CONDITIONER EVAPORATOR CASE TO DASH PANEL			
70	F-with integral A/C		2	D0ZZ 19C593-A
71/	L-with integral A/C	Case to dash panel	2	D1FZ 19C593-A
71/	L-with integral A/C	Evaporator case	1	D1FZ 19C593-B
72	P-with integral A/C	R.H.	1	D2DZ 19C593-A
		L.H.	1	D2DZ 19C593-B
	19B594 BRACKET - AIR CONDITIONER CONDENSER MOUNTING			
67/71	A,B-with hang-on A/C	5 1/2" long	4	C7AZ 19B594-A
67/70	F-with hang-on A/C		4	
70/71	P-with Economy hang-on A/C		4	
67/70	X-with hang-on A/C		4	
69/71	A-with hang-on A/C	12" long	1	C9AZ 19B594-A
72	A, B, F, L, P-with hang-on A/C		1	D1RY 19B594-A
	19B595-6 COUPLING - AIR CONDITIONER SELF SEALING Refer to Section 197 for Serviced Refrigerant line Assemblies and/or replacement details			
	19D595 SHIELD - AIR CONDITIONER EVAPORATOR EXPANSION VALVE			
71	L-with hang-on A/C		1	D1FZ 19D595-A
	19B596 "O" RING - AIR CONDITIONER SEAL KIT - Also refer to 19B994 and Section 197			
69/	All	Consists of the following	AR	D1AZ 19B596-A
	(8) 379737-S "O" ring 3/8" I.D.	(8) 380977-S "O" ring 7/16" I.D.	(4) 380979-S "O" ring 11/16" I.D.	
	(8) 380976-S "O" ring 5/16" I.D.	(8) 380978-S "O" ring 9/16" I.D.	(4) 383844-S "O" ring 3/16" I.D.	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19C596 TUBE ASSY. - AIR CONDITIONER DEHYDRATOR TO CONDENSER			
71/	L-with integral A/C		1	D1FZ 19C596-A
	19C603 WIRING ASSY. - AIR CONDITIONER			
72	A,B,F,L,P-with Deluxe hang-on A/C		1	D2AZ 19C603-A
	19D606 BRACKET ASSY. - AIR CONDITIONER MUFFLER and HOSE			
71	S-with A.T.C.		1	D1SZ 19D606-A
71/	A (8 cyl. 429)-with A.T.C.		1	
	19D611 SOLENOID AND MANIFOLD ASSY.-A.T.C. BOX			
71/	A-with A.T.C.		1	D1AZ 19D611-A
72	S-with A.T.C.		1	D2SZ 19D611-A
	19D612 AMPLIFIER ASSY. - A.T.C. BOX			
71/	A-with A.T.C.		1	D1AZ 19D612-A
72	S-with A.T.C.		1	
	19D613 TRANSDUCER ASSY.- A.T.C. BOX			
71/	A-with A.T.C.		1	D1AZ 19D613-A
72	S-with A.T.C.		1	
	19D614 RELAY ASSY. - A.T.C. BOX			
71/	A-with A.T.C.		1	D1AZ 19D614-A
72	S-with A.T.C.		1	
	19C615 CONNECTOR and DUCT ASSY. - AIR CONDITIONER REGISTER			
70/71	P-with Economy hang-on A/C		1	D0DZ 19C615-A
	19D615 HARNESS ASSY. - A.T.C. BOX			
71/	A-with A.T.C.		1	D1AZ 19D615-A
72	S-with A.T.C.		1	D2SZ 19D615-A
	19D616 CONNECTOR ASSY. - A.T.C. BOX VACUUM			
71/	A-with A.T.C.		1	D1AZ 19D616-A
72	S-with A.T.C.		1	
	19D617 SWITCH ASSY. - SERVO VACUUM A.T.C. BOX			
71/	A-with A.T.C.		1	D1AZ 19D617-A
72	S-with A.T.C.		1	D2SZ 19D617-A

19618 THERMOSTAT - AIR CONDITIONER EVAPORATOR TEMPERATURE CONTROL - Also refer to Group 19A945

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	- A -				
65	A-with Deluxe hang-on A/C		YH-110	1	C4AZ 19618-A
66	A-with Economy hang-on A/C	Used only on evaporator w/top center mtd. hoses	YH-111	1	C6AZ 19618-B
67	A-with Deluxe hang-on A/C		YH-114	1	C7AZ 19618-A
67/68	A-with Economy hang-on A/C		YH-115	1	C7AZ 19618-B
68	A-with Deluxe hang-on A/C		YH-117	1	C8AZ 19618-A
69/70	A-with tunnel mounted A/C		YH-131	1	C9AZ 19618-B
69/71	A-with Slimline hang-on A/C		YH-133	1	D0AZ 19618-B
72	A-with Deluxe hang-on A/C		YH-137	1	D1RY 19618-A
72	A-with Economy hang-on A/C		YH-139	1	D2AZ 19618-A
65/68	A-with integral A/C		YH-4	1	C6AZ 19618-C
69	A-with integral A/C		YH-7	1	C9AZ 19618-A
70/	A-with integral A/C		YH-8	1	D0AZ 19618-A
	- B -				
65	B-with Deluxe hang-on A/C		YH-110	1	C4AZ 19618-A
65	B-with Deluxe hang-on A/C		YH-109	1	C3AZ 19618-A
66	B-with Economy hang-on A/C	Used only on evaporator w/top center mtd. hoses	YH-111	1	C6AZ 19618-B
67/70	B-with Economy hang-on A/C		YH-115	1	C7AZ 19618-B
68/71	B-with Deluxe hang-on A/C		YH-117	1	C8AZ 19618-A
72	B-with Deluxe hang-on A/C		YH-137	1	D1RY 19618-A
72	B-with Economy hang-on A/C		YH-139	1	D2AZ 19618-A
66/67	B-with integral A/C		YH-112	1	C6OZ 19618-B
68/71	B-with integral A/C		YH-5	1	C8OZ 19618-A
72	B-with integral A/C	Located in outer blower housing	YH-9	1	D2OZ 19618-A
72	B-with integral A/C	Located in front of condenser	YH-121	1	D0VY 19618-A

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	19618 THERMOSTAT - AIR CONDITIONER EVAPORATOR TEMPERATURE CONTROL - continued - Also refer to Group 19A945				
	- F -				
65	F-with Economy hang-on A/C		YH-110	1	C4AZ 19618-A
66	F-with Economy hang-on A/C	Used only on evaporator w/top center mtd. hoses	YH-111	1	C6AZ 19618-B
67/68	F-with Economy hang-on A/C		YH-115	1	C7AZ 19618-B
68	F-with Deluxe hang-on A/C		YH-117	1	C8AZ 19618-A
69/71	F-with hang-on A/C		YH-131	1	C9AZ 19618-B
72	F-with Deluxe hang-on A/C		YH-137	1	D1RY 19618-A
72	F-with Economy hang-on A/C		YH-139	1	D2AZ 19618-A
67/70	F-with integral A/C		YH-116	1	C7ZZ 19618-A
71/	F-with integral A/C		YH-122	1	D1ZZ 19618-A
	- L -				
71	L-with hang-on A/C	Use w/slide bar type control	YH-136	1	D1FZ 19618-B
72	L-with hang-on A/C		YH-139	1	D2AZ 19618-A
71/	L-with integral A/C		YH-122	1	D1ZZ 19618-A
	- P -				
70/71	P-with hang-on A/C	Used w/dial type control	YH-131	1	C9AZ 19618-B
71	P-with hang-on A/C	Used w/slide bar type control	YH-136	1	D1FZ 19618-B
72	P-with Deluxe hang-on A/C		YH-137	1	D1RY 19618-A
72	P-with Economy hang-on A/C		YH-139	1	D2AZ 19618-A
70/	P-with integral A/C		YH-120	1	D0DZ 19618-A
	- S -				
67/71	S-with integral A/C		YH-6	1	C8SZ 19618-A
72	S-with integral A/C		YH-9	1	D2OZ 19618-A
	- X -				
65	X-with Deluxe hang-on A/C		YH-110	1	C4AZ 19618-A
66	X-with Economy hang-on A/C	Used only on evaporator w/top center mtd. hoses	YH-111	1	C6AZ 19618-B
67/70	X-with Economy hang-on A/C		YH-115	1	C7AZ 19618-B
68/70	X-with Deluxe hang-on A/C		YH-117	1	C8AZ 19618-A
66/67	X-with integral A/C		YH-112	1	C6OZ 19618-B
68/70	X-with integral A/C		YH-5	1	C8OZ 19618-A
65	B	Screw (thermostat to control name plate)-No. 8-32 x 1"		2	★40969-S8
65/67	A-with integral A/C	Screw (thermostat to plate)-No. 8-18 x 3/8"		6	42119-S8(U246)
65	B	Screw (holds capillary tubes of thermostat in position)-No. 10-16 x 3/8"		1	42120-S8(U248)
	19A618 DUCT ASSY. - AIR CONDITIONER AIR INLET				
69/70	A-with integral A/C			1	C9AZ 19A618-A
71/	A-with integral A/C			1	D1AZ 19A618-A
72	B-with integral A/C			1	D2OZ 19A618-A
72	S			1	D2SZ 19A618-A
	19C620 DUCT - AIR CONDITIONER LOWER				
68/71	B-with integral A/C			1	D0OZ 19C620-A
68/70	X-with integral A/C			1	
	19A623 BRACKET - AIR CONDITIONER HOUSING-SUPPORT				
72	B,S-with integral A/C			1	D2OZ 19A623-A
	19A626 CASE ASSY. - AIR CONDITIONER EVAPORATOR - Also refer to Groups 18A584 & 19897				
69/	A-with manual integral A/C			1	D1AZ 19A626-B
71/	A-with A.T.C.			1	D1AZ 19A626-A
66/67	B,X-with integral A/C			1	C7OZ 19A626-A
68/71	B-with integral A/C			1	C8OZ 19A626-B
68/70	X-with integral A/C			1	
	19C626-7 CONNECTOR ASSY. - AIR CONDITIONER REGISTER				
72	F-with Deluxe hang-on A/C	For L.H. register		1	D2AZ 19C627-A
68/71	S-with integral A/C	R.H.		1	C8SZ 19C626-A
	"Before 10/1/68"	L.H.		1	C8SZ 19C627-A
	"From 10/1/68"	L.H.		1	C9SZ 19C627-A
	19627 THRU 19628 - Refer to Paint Section				

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19A630 SEAL - AIR CONDITIONER COMPRESSOR HIGH PRESSURE VALVE			
70/	A-with integral A/C		1	D0AZ 19A630-A
70/71	B-with integral A/C		1	
70/	F-with integral A/C		1	
71/	L-with integral A/C		1	
70/	P-with integral A/C	Used only from 12/1/69	1	
70/71	S		1	
	19D631 SLEEVE-AIR CONDITIONER REFRIGERANT TUBE PROTECTIVE			
71/	A(8 cyl. 429 P/C)	Cut 9" from 1" I.D. rubber hose	1	★
	19B632 CLIP - AIR CONDITIONER TUBE SUPPORT			
70/	A-with integral A/C		1	D0AZ 19B632-A
69/71	A-with slim line hang-on A/C		1	
70/71	B-with integral or hang-on A/C		1	D0OZ 19B632-A
71/	F-with integral A/C		1	
71	F, P-with slimline hang-on A/C		1	
	19D632 WIRING ASSY. - AIR CONDITIONER COMPRESSOR CLUTCH FEED JUMPER			
71/72	F-with integral A/C "Before 1/3/72"	Not required "From 1/3/72"	1	D1ZZ 19D632-A
	19C633 DUCT - AIR CONDITIONER EVAPORATOR OUTLET - Also refer to Group 18471			
66/67	B, X-with integral A/C		1	C6OZ 19C633-A
66	B, X	Stud fastener (duct to evaporator)-capped	5	380464-S(HH17D)
	19A634 CLAMP - EVAPORATOR EXPANSION VALVE BULB			
69/	A-with integral A/C	Use on aluminum A/C evaporator core 19860	1	C9AZ 19A634-A
69/	A-with integral A/C	Use on copper A/C evaporator core 19860	1	C9AZ 19A634-B
70/71	S		1	
72	B-with integral A/C		1	D0VY 19A634-A
72	S		1	
	19B635 RETAINER - AIR CONDITIONER EVAPORATOR REGISTER			
67/68	A, F-with Economy hang-on A/C		4	C7AZ 19B635-A
67/70	B-with Economy hang-on A/C		4	
67/70	X-with Economy hang-on A/C		4	
	19A637 BRACKET - AIR CONDITIONER EVAPORATOR TO INSTRUMENT PANEL			
68/71	B-with Deluxe hang-on A/C		2	C8OZ 19A637-A
68/70	X-with Deluxe hang-on A/C		2	
69/71	F-with hang-on A/C		1	C9ZZ 19A637-A
70/71	P-hang-on A/C		1	D0DZ 19A637-A
	19D637 SEAL ASSY. - AIR CONDITIONER EVAPORATOR CASE			
72	B-with integral A/C		1	D2OZ 19D637-A
72	S		1	D2SZ 19D637-A
	19A639 BRACKET - AIR CONDITIONER EVAPORATOR CASE SUPPORT			
71/	L-with integral A/C		1	D1FZ 19A639-A
	19C643 BLOCK ASSY. - VACUUM HOSE JUNCTION			
65/68	A-with integral A/C		1	C5AZ 19C643-A
67/68	A-with forced ventilation system		1	C7AZ 19C643-A
67	S-with integral A/C and/or heater	Mounts in engine compt. on fire wall-center (6) nipple	1	C7SZ 19C643-A
		Mounts in engine compt. on fire wall-R.H. (19) nipple	1	C7SZ 19C643-B
		Mounts in engine compt on fire wall-L.H. (23) nipple	1	C7SZ 19C643-C
68	S-with integral A/C "Before 2/1/68"	Mounts at dash panel-(8) nipple	1	C8SZ 19C643-A
	"From 2/1/68"	Not required		
68	S-with integral A/C and/or heater- "Before 2/1/68"	R.H.-with manual controls (13) nipple	1	C8SZ 19C643-E
	"From 2/1/68"	Not required		
68/70	S-with integral A/C and/or heater	L.H.-with manual controls (28) nipple	1	C8SZ 19C643-B
68	S-with A.T.C. "Before 2/1/68	R.H.-(18) nipple	1	C8SZ 19C643-D
68	S-with A.T.C. "From 2/1/68"	Not required		
68	S-with A.T.C. "Before 2/1/68"	L.H.-(18) nipple	1	C8SZ 19C643-C
68/69	S-with A.T.C. "From 2/1/68"	L.H.-(18) nipple	1	C8SZ 19C643-G
68/70	S-with integral A/C	Use to cap block assy. 19C643 with vacuum door locks	1	380614-S(DD3)
	19A644 INSULATION - AIR CONDITIONER EVAPORATOR CORE			
68/71	S-with integral A/C	Upper	1	C8SZ 19A644-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19D644 VALVE - AIR CONDITIONER COMPRESSOR PRESSURE RELIEF			
71/	F, L, P	For integral A/C-includes "o" ring	1	D2AZ 19D644-A
72	A, B, S		1	
	19D645 TUBE - AIR CONDITIONER COMPRESSOR OIL INLET			
72	S	For swash plate A/C compressor	1	D1VY 19D645-A
	19D646-7 HEAD - AIR CONDITIONER COMPRESSOR			
72	S	Front-for swash plate A/C compressor	1	D1VY 19D646-A
		Rear	1	D1VY 19D647-A
	19D648 SPACER - AIR CONDITIONER COMPRESSOR CLUTCH HUB			
72	S	For swash plate A/C compressor	1	D1VY 19D648-A
	19B650 CONNECTOR - VACUUM HOSE - Also refer to Group 19C827			
67	S-with integral A/C and/or heater	Rubber-(13) outlet	1	C7SZ 19B650-A
67	S-with integral A/C and/or heater	Rubber-(3) outlet	1	C7SZ 19B650-B
67	S-with integral A/C and/or heater	Rubber-(6) outlet	1	C7SZ 19B650-C
68/69	S-with A.T.C.	Serviced in 13B068 assy. only	1	★
	19D651 KEY - AIR CONDITIONER COMPRESSOR CLUTCH HUB			
72	S	For swash plate A/C compressor	1	D1VY 19D651-A
	19D652 SCREEN - AIR CONDITIONER COMPRESSOR OIL SUCTION			
72	S	For swash plate A/C compressor	1	D1VY 19D652-A
	19D653 PULLEY and BEARING ASSY. - AIR CONDITIONER COMPRESSOR			
72	S	For swash plate A/C compressor	1	D1VY 19D653-A
	19D654 CYLINDER and SHAFT ASSY. - AIR CONDITIONER COMPRESSOR			
72	S	For swash plate A/C compressor	1	D1VY 19D654-A
	19655 SEAL - AIR CONDITIONER COMPRESSOR CRANKSHAFT			
65/67	All	Used with Tecumseh Compressor-with rear oil fill plugs	1	C9AZ 19655-C (YE-12)
69/71	All-with hang-on A/C	Except with York compressor (model R 210-L)	1	
65/68	All		1	
67/68	All	Use with Tecumseh Compressor-with side fill oil plug	1	
65/69	All-with integral or hang-on A/C	Use on York compressor (Model R210-L) or	1	D0AZ 19655-C
70/	All-with hang-on A/C	Eaton (A2-10416)	1	(YE-5)
72	L-with integral A/C		1	
69/	All-with integral A/C	Kit-use with Tecumseh compressor	1	C9AZ 19655-A (YE-10)
69/	All -with integral A/C	Kit-use w/York compressor(exc. model R 210-L)	1	C9AZ 19655-B (YE-11)
	19D655 COVER - AIR CONDITIONER COMPRESSOR SUCTION			
72	S	For swash plate A/C compressor	1	D1VY 19D655-A
	19656 PLATE - AIR CONDITIONER COMPRESSOR VALVE			
65/	All	Used with Tecumseh cast iron compressor	1	C3GY 19656-A (YE-6)
65/67	All	Used with York Compressor	1	C2SZ 19656-A (YE-8)
68/	All	Used with York or Eaton compressor	1	C8SZ 19656-A (YE-7)
	19D656-7 PLATE ASSY. - AIR CONDITIONER COMPRESSOR VALVE			
72	S	Front-for swash plate A/C compressor	1	D1VY 19D656-A
		Rear	1	D1VY 19D657-A
	19C658 STUD - AIR CONDITIONER CONDENSER MOUNTING			
72	S		4	D2SZ 19C658-A
72	B-with integral A/C		4	
	19D658 SCREW - AIR CONDITIONER COMPRESSOR CHARGING OIL DRAIN PLUG			
72	S	For swash plate A/C compressor	1	D1VY 19D658-A
	19D659 REED - AIR CONDITIONER COMPRESSOR VALVE INLET			
72	S	For swash plate A/C compressor	1	D1VY 19D659-A
	19D660 "O" RING KIT - AIR CONDITIONER COMPRESSOR			
72	S	For swash plate A/C compressor	1	D1VY 19D660-A
	19D661 GASKET - AIR CONDITIONER COMPRESSOR CHARGING SCREW			
72	S	For swash plate A/C compressor	1	D1VY 19D661-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19D662 PIN - AIR CONDITIONER COMPRESSOR HEAD LOCATOR			
72	S	For swash plate A/C compressor	4	D1VY 19D662-A
	19D663 OIL PUMP ROTOR KIT - AIR CONDITIONER COMPRESSOR			
72	S	For swash plate A/C compressor	1	D1VY 19D663-A
	19D664 RETAINER RING KIT - AIR CONDITIONER COMPRESSOR			
72	S	For swash plate A/C compressor	1	D1VY 19D664-A
	19D665 SEAL KIT - AIR CONDITIONER COMPRESSOR SHAFT			
72	S	For swash plate A/C compressor	1	D1VY 19D665-A
	19B666 INSULATION - AIR CONDITIONER EVAPORATOR CASE COVER			
68/71	S-with integral A/C		1	D1SZ 19B666-A
	19D667 NUT KIT - AIR CONDITIONER COMPRESSOR SHAFT			
72	S	For swash plate A/C compressor	1	D1VY 19D667-A
	19A671 REGISTER - AIR CONDITIONER EVAPORATOR - Also refer to Group 19893			
65	A, B, F, X-with hang-on A/C	Front	4	C3AZ 19A671-A
69/71	F-with hang-on A/C		2	
71	P-with Slimline hang-on A/C		2	
66	A, B, F, X-with hang-on A/C	Side-used only with evaporator w/top mount	2	C6AZ 19A671-A
67/68	A, F-with Economy hang-on A/C	hoses	2	
67/70	B, X-with Economy hang-on A/C		2	
68	A, F-with hang-on A/C	Front	3	C8OZ 19A671-A
69/71	A-with Slimline hang-on A/C		3	
67/71	B-with hang-on A/C		3	
67/70	X-with hang-on A/C		3	
69/70	A-with tunnel mounted A/C	Center	2	C9AZ 19A671-A
70/71	P-with Economy hang-on A/C		1	
69/70	A-with tunnel mounted A/C	Side	2	C9AZ 19A671-B
69/71	F-with hang-on A/C	L.H.-includes duct	1	C9ZZ 19A671-A
71	P-with Slimline hang-on A/C		1	
	19A672 SEAL - AIR CONDITIONER EVAPORATOR CORE			
71/	F, L-with integral A/C	R.H.-side	1	D1ZZ 19A672-A
		L.H.	1	D1ZZ 19A672-B
70/	A-with integral A/C	Lower	2	D2AZ 19A672-A
	19B673 SIGHT GLASS - AIR CONDITIONER EVAPORATOR LIQUID INDICATOR - Also refer to Group 19C705			
72	B-with integral A/C		1	D0VY 19B673-A
72	S		1	
	19A675 BAFFLE - AIR CONDITIONER EVAPORATOR CORE FRONT HOUSING			
72	F-with Deluxe hang-on A/C		1	D2ZZ 19A675-A
	19B679 CLAMP - AIR CONDITIONER HOSE			
72	A, B, F, L, P-with hang-on A/C		2	D2AZ 19B679-A (YF-259)
72	All		AR	D0TZ 19B679-A (YF-256)
	19B680 DUCT ASSY. - EVAPORATOR TO REGISTER			
	- A -			
65/66	A-with integral A/C	R.H. & L.H.-38" long	2	C5AZ 19B680-A
		11" long -not replaced (3-74)	1	★C5AZ 19B680-B
69/70	A-with integral A/C	R.H.	1	C9AZ 19B680-A
69	A-with integral A/C	L.H.	1	C9AZ 19B680-B
70	A-with integral A/C	L.H.	1	D0AZ 19B680-A
71/	A-with integral A/C	R.H.	1	D1AZ 19B680-A
		L.H.	1	D1AZ 19B680-B
	- B -			
68/69	B-with integral A/C	R.H.	1	C8OZ 19B680-A
		L.H.	1	C7SZ 19B680-A
70/71	B-with integral A/C	R.H.	1	D0OZ 19B680-A
70/71	B-except with integral A/C	R.H. & L.H.-Air vent	2	D0OZ 19B680-C
72	B-with integral A/C	R.H.	1	D2OZ 19B680-A
		L.H.	1	D2OZ 19B680-B
	- F -			
67/68	F-with integral A/C	R.H. & L.H.-28" long	1	C7ZZ 19B680-A
		Center-4" long	1	C7ZZ 19B680-B
69/70	F-with integral A/C	R.H.-evaporator to connector	1	C9ZZ 19B680-B
		L.H.-evaporator to connector	1	C9ZZ 19B680-C
		L.H.-register to connector	1	C9ZZ 19B680-D

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19B680 DUCT ASSY. - EVAPORATOR TO REGISTER - continued			
	- F -			
69/70	F-with forced vent system or integral A/C	Center	1	C9ZZ 19B680-A
71/	F-with integral A/C	R.H.	1	D1ZZ 19B680-A
		L.H.	1	D1ZZ 19B680-E
	- L -			
71/	L-with integral A/C	R.H.	1	D1FZ 19B680-E
		L.H.	1	D1FZ 19B680-A
	- P -			
70/	P-with integral A/C	R.H.	1	D0DZ 19B680-E
		L.H.	1	D0DZ 19B680-A
	- S -			
67	S-with integral A/C and/or heater	R.H.	1	C7SZ 19B680-A
		L.H. -not replaced (3-74)	1	★C7SZ 19B680-B
		Center -not replaced (3-74)	1	★C7SZ 19B680-C
68	S-with integral A/C and/or heater	R.H.	1	C8SZ 19B680-A
		L.H.	1	C8SZ 19B680-B
68/71	S-with integral A/C and/or heater	Center	1	C8SZ 19B680-C
69/71	S-with integral A/C and/or heater	R.H.	1	C9SZ 19B680-A
69	S-with integral A/C and/or heater	L.H.	1	C9SZ 19B680-B
70/71	S-with integral A/C and/or heater	L.H.	1	D0SZ 19B680-A
72	S-with integral A/C and/or heater	R.H.	1	D2SZ 19B680-A
		L.H.	1	D2SZ 19B680-B
	- X -			
68/70	X-with integral A/C	R.H.	1	C8OZ 19B680-A
		L.H.	1	C7SZ 19B680-A
	19C680 REGISTER and DUCT ASSY. - INSTRUMENT PANEL CENTER			
65	A(57C, 63C, 76B)-with integral A/C	R. H. -Wood grain finish	1	C5AZ 19C680-B
66	A(57F, 63C, 63D, 63F, 76B, 76D, 71A, 71E)-with integral A/C		1	
	19A683 RETAINER - AIR CONDITIONER EVAPORATOR SIDE REGISTER			
65/67	A, B, X-with hang-on A/C	Spring clip	2 or 8	C3AZ 19A683-A
65/	F-with hang-on A/C		2or8	
69/71	F-with hang-on A/C		2	
71	P-with slimline hang-on A/C		2	
	19B684 GASKET KIT - AIR CONDITIONER COMPRESSOR			
65/	All	Used with Tecumseh Cast Iron compressor	1	C3GY 19B684-A (YE-15)

Consists of

‡2-C3AA	2944-A	Gasket (oil filler)	2-B8A	19664-A	Gasket (for bolt down type valve)
‡1-C3VA	2945-A	Gasket (cylinder head)	2-C2SZ	19B994-A	Gasket(for roto-lok type valve)
‡1-C3VA	2992-A	Gasket (valve plate)			

‡ Details of kit not serviced loose

65/71	All	Used with York compressor	1	C8AZ 19B684-A
72	All-with integral A/C		1	(YE-14)

Consists of

†(2)-028	07140	"o" ring, oil fill	†(1)-028	07145	"o" ring, bearing housing
†(1)-028	07142	gasket, base plate	†(1)-028	07146	gasket, service valve
†(1)-028	07143	gasket, cylinder	†(1)-028	07363	gasket, base plate
†(1)-028	07144	gasket, head	†(1)-028	08155	gasket, head

† York part numbers - details not serviced loose

72	All-with hang-on A/C	Used with York compressor	1	D2AZ 19B684-A
				(YE-13)

Consists of

†(2)-028	07140	ring oil seal	†(1)-028	07145	"o" ring front bearing housing
†(1)-028	07142	gasket base	†(1)-028	08155	gasket, cylinder head
†(1)-028	07143	gasket, cylinder	†(2)-028	08180	"o" ring valve post seal

† York part numbers - details not serviced loose

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19C691 REGISTER and CONNECTOR ASSY. - INSTRUMENT PANEL			
67	A-with integral A/C	L.H.	1	C7AZ 19C691-B
	19C692 CONNECTOR - AIR CONDITIONER REGISTER			
68/69	B-with integral A/C	R.H.	1	C8OZ 19C692-B
68/70	X-with integral A/C		1	
68/69	B-with integral A/C	L.H.	1	C8OZ 19C692-A
68/70	X-with integral A/C		1	
70/71	B-with integral A/C	L.H.	1	D0OZ 19C692-A
		R.H.	1	D0OZ 19C692-B
67/68	F-with integral A/C	R.H. -not replaced (3-74)	1	★C7ZZ 19C692-B
		L.H.	1	C7ZZ 19C692-A
69/70	F-with integral A/C	R.H.	1	C9ZZ 19C692-A
		L.H.	1	C9ZZ 19C692-B
71/	F-with integral A/C	R.H.	1	D1ZZ 19C692-A
		L.H.	1	D1ZZ 19C692-E
72	L-with built-in A/C (dealer installed)	R.H.	1	D4FZ 19C692-A
		L.H.	1	D4FZ 19C692-B
		Center	1	D4FZ 19C692-C
70/	P-with integral A/C	R.H.	1	D0DZ 19C692-A
70/	P-with integral A/C	L.H.	1	D0DZ 19C692-E
70/71	P-with Economy hang-on A/C		1	
	19693 HOUSING - AIR CONDITIONER BLOWER MOTOR			
69/71	A-with Slimline hang-on A/C	R.H.	1	D0DZ 19693-A
71	L-with hang-on A/C		1	
70/71	P-with hang-on A/C		1	
		L.H.	1	D0DZ 19693-B
	19D695 FITTINGS - AIR CONDITIONER REFRIGERANT LINE - Refer to Section 197 for refrigerant line fittings			
	19B696 SPACER - AIR CONDITIONER INSTRUMENT PANEL REGISTER			
70/71	P-with Economy hang-on A/C	L.H.	1	D0DZ 19B696-A
	19C696 REGISTER ASSY. - INSTRUMENT PANEL - Also refer to Group 19893			
68	F(63A,C, 65A, C, 76A)-with integral A/C	L.H. - camera case finish	1	C8ZZ 19C696-A
	19700 ADAPTER KIT - AIR CONDITIONER MASTER KIT (1970 TO 1971)			
71	A	Used to adapt 1970 master kit D0AZ 19B968-B to a 1971 master kit D1AZ 19B968-B - not replaced (11-73)	1	★D1AZ 19700-A

Consists of

1-D1AJ 6206016-AA	Panel-glove compartment-rear	1-	Installation sketch

71	F,P	Used to adapt 1970 master kit C9ZZ 19B968-B to a 1971 master kit D1ZZ 19B968-B	1	D1ZZ 19700-A

Consists of

1-D0OZ 19D567-A	Tube assy.-dehydrator outlet	2-34659-S2	Nut & washer-1/4"-20
1-D0AJ 19C599-A	Strap-evaporator mounting	3-44719-S2	Washer-flat-1/4"
1-D0OZ 19B632-A	Clip-tube support	3-55907-S2	Screw-No.8-18 x 1/2"
1-D0OZ 19C700-A	Tube assy.-condenser inlet	3-56102-S4	Bolt-1/4"-20 x 5/8"
1-D0OZ 19C917-A	Bracket-condenser tube support	1-	Installation sketch
1-20384-S8	Bolt-1/4"-20 x 1"		

19C700 DISCHARGE LINE - AIR CONDITIONER COMPRESSOR TO CONDENSOR

Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.

	19D701 CORE ASSY. - AIR CONDITIONER CHARGING VALVE			
72	B,S-with integral A/C		1	D2OZ 19D701-A
	19702 BRACKET - AIR CONDITIONER CONDENSER MOUNTING			
72	B-with integral A/C	R.H.	1	D2OZ 19702-A
		L.H.	1	D2OZ 19702-B
72	S	R.H.	1	D2SZ 19702-A
		L.H.	1	D2SZ 19702-B
72	B-with integral A/C	R.H.-lower	1	D2SZ 19735-A
72	S-with integral A/C	R.H.-lower	1	
72	B,S-with integral A/C	L.H.	1	D2SZ 19735-B
	19D702 CAP ASSY. - AIR CONDITIONER CHARGING VALVE			
72	B,S-with integral A/C		1	D2OZ 19D702-A

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	19703 COMPRESSOR KIT - AIR CONDITIONER -Also refer to Group 19B968				
71	L	Must be used with applicable 19B969 engine kit, 19B968 evaporator kit, and 19708 condenser kit		1	D2FZ 19703-B
	Consists of 1-C9RJ 2901-A Compressor clutch-kit	1-D0RY 19703-B Compressor			
	19703 COMPRESSOR ASSY. - AIR CONDITIONER				
65/68	A, B, F, S, X	Replaced by C9AZ 19703-B (3-74)		1	★C3AZ 19703-F
69/71	A, B, F, X-with hang-on A/C			1	
70	P-with hang-on A/C			1	
69	A, B, F-with integral A/C	Tecumseh or York		1	★C9AZ 19703-A
70	P-with integral A/C "Before 12/1/69"			1	r/b C9AZ 19703-B(5-75)
69/70	X-with integral A/C			1	
70/72	A, B-with integral A/C "Before 7/1/72"	Tecumseh or York		1	★D2AZ 19703-A
70/72	P-with integral A/C- "From 12/1/69 to 7/1/72"			1	r/b D3AZ 19703-A (4-73)
70/72	F-with integral A/C "Before 7/1/72"			1	
72	A, B, F, P-with integral A/C "From 7/1/72"	Replaced by D3AZ 19703-B (3-74)		1	★D3AZ 19703-A
72	A, B, F, P-with hang-on A/C	York	YC-11	1	D2AZ 19703-C
71	A, B, F, P-with hang-on A/C	York (R210-L)	YC-5	1	C9AZ 19703-B
71/	L-with hang-on A/C	Eaton (A2-10416)-w/bolt down A/C valves	YC-7	1	D0RY 19703-B
71	L-with integral A/C "Before 7/2/71"			1	D1FZ 19703-A
71/72	L-with integral A/C "From 7/2/71 to 1/10/72"	Replaced by D3FZ 19703-B (3-74)		1	★D2FZ 19703-A
72	L-with integral A/C "From 1/10/72 to 7/1/72"	R/b D3FZ 19703-A(4-73)		1	★D2FZ 19703-C
72	L-with integral A/C "From 7/1/72"			1	D3FZ 19703-A
69	S-with integral A/C	Tecumseh	YC-8	1	C9AZ 19703-C
70/71	S-with integral A/C	Tecumseh	YC-9	1	D0AZ 19703-B
72	S	Frigidaire-swash plate type	YC-10	1	D1VY 19703-A
65	F(6 cyl.)	Bolt (compress and lower brace to mounting bracket)-3/8"-16 x 1/2"		1	20312-S7(B75)
65	F(6 cyl.)	Bolt (compressor to mounting bracket)-3/8"-16 x 1"		3	20388-S8(B80)
65/66	B	Bolt (compressor to mounting bracket)-3/8"-16 x 1 1/2"		2	20468-S8(B85)

19A704 TUBE ASSY. - AIR CONDITIONER EVAPORATOR INLET TO COWL

Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.

19A705 TUBE ASSY. - AIR CONDITIONER EVAPORATOR OUTLET TO COWL

Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS

Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.

	19A706 RESISTOR - AIR CONDITIONER BLOWER MOTOR - Also refer to Group 18591				
71/	A-with A.T.C.	With diode		1	D1AZ 19A706-A
66/67	B, X-with integral A/C			1	C6OZ 19A706-B
68/71	B-with integral A/C			1	D0OZ 19A706-A
68/70	X-with integral A/C			1	
72	B-with integral A/C			1	★D2OZ 19A706-A
72	S-with manual A/C			1	r/b D0SZ 18591-A(5-75)
67/	F-with integral A/C			1	C8ZZ 19A706-A
70/	P-with integral A/C			1	D0DZ 19A706-A
71/	L-with integral A/C			1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19A706 RESISTOR - AIR CONDITIONER BLOWER MOTOR - continued - Also refer to Group 18591			
65/66	S		1	C1SZ 19A706-B
72	S-with A.T.C.		1	D1AZ 19A706-A
		Screw (resistor to plenum chamber cover)-No. 10-12 x 1/2"	2	42127-S8(U248C)
	19708 CONDENSER KIT - AIR CONDITIONER -Also refer to Group 19B968			
71	L	Must be used with applicable 19B969 engine kit, 19B968 evaporator kit and 19703 compressor kit	1	D0RY 19708-A

Consists of

4-C7AZ 19B594-A	Bracket-condenser mounting	4-	Bolt-1/4"-20 x 1"
1-C9RZ 19712-A	Condenser assy.	2-	Clamp
1-D0RY 19835-A	Tube assy.-dehydrator to condenser	3-	Clip
1-D0RY 19837-A	Hose assy.-dehydrator to evaporator	3-	Grommet-3/4" I.D.
1-D1AZ 19867-A	Hose assy.-evaporator to compressor	1-	Grommet-5/16" I.D.
1-C9RZ 19B937-A	Bracket-dehydrator mounting	8-	Screw-No.10 x 1/2"
1-C9RZ 19959-A	Dehydrator & Receiver Tank Assy.	8-	Screw-No.14 x 3/4"
1-D1AZ 19972-B	Hose assy.-compressor to condenser	4-	Nut & lockwasher-1/4"-20

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	19712 CORE ASSY. - AIR CONDITIONER CONDENSER				
	- A -				
65	A-with hang-on A/C	3/4" thick-not precharged-for dealer installed units	YJ-33	1	C5AZ 19712-B
65	A-with hang-on A/C	For factory installed units	YJ-9	1	C6AZ 19712-A
65/67	A-with integral A/C "Before 5/1/67"			1	
67	A-with integral A/C "From 5/1/67"		YJ-50	1	C7AZ 19712-B
66	A-with hang-on A/C	Not precharged-For dealer installed units	YJ-10	1	C6AZ 19712-B
67/	A-with hang-on A/C		YJ-49	1	C7AZ 19712-A
68	A-with integral A/C		YJ-14	1	C8AZ 19712-A
69	A-with integral A/C		YJ-1	1	C9AZ 19712-A
70	A-with integral A/C		YJ-3	1	D0AZ 19712-A
71/	A-with integral A/C		YJ-4	1	D1AZ 19712-A
	- B -				
65	B-with hang-on or integral A/C	For factory installed units	YJ-36	1	C5OZ 19712-A
65	B-with hang-on A/C	Not precharged-with flared fittings	YJ-8	1	C4AZ 19712-B
66	B(6 cyl. & 8 cyl. 289)-with hang-on A/C		YJ-44	1	C6OZ 19712-C
66	B(8 cyl. 390)-with hang-on or integral A/C		YJ-43	1	C6OZ 19712-B
67	B(8 cyl. 390)-with integral A/C			1	
67/	B-with hang-on A/C		YJ-49	1	C7AZ 19712-A
66	B(6 cyl. & 8 cyl.289)-with integral A/C		YJ-42	1	C6OZ 19712-A
67	B(6 cyl. & 8 cyl.289)-with integral A/C		YJ-52	1	C7OZ 19712-A
68/69	B-with integral A/C		YJ-16	1	C8OZ 19712-A
70/71	B-with integral A/C		YJ-5	1	D1OZ 19712-A
72	B-with integral A/C		YJ-6	1	D2OZ 19712-A
	- F -				
65/66	F-with hang-on A/C	Not precharged-with flared fittings	YJ-8	1	C4AZ 19712-B
67/	F-with hang-on A/C		YJ-49	1	C7AZ 19712-A
67/68	F-with integral A/C		YJ-13	1	C7ZZ 19712-A
69/70	F-with integral A/C		YJ-2	1	C9ZZ 19712-A
71/	F-with integral A/C		YJ-5	1	D1OZ 19712-A
	- L -				
71/	L-with hang-on A/C		YJ-55	1	C9RZ 19712-A
71/	L-with integral A/C		YJ-61	1	D1FZ 19712-A
	- P -				
70/	P-with hang-on A/C		YJ-49	1	C7AZ 19712-A
70/	P-with integral A/C		YJ-21	1	D1DZ 19712-A
	- S -				
66	S-without T/E		YJ-45	1	C6SZ 19712-B
66	S-with T/E		YJ-46	1	C6SZ 19712-C
67	S		YJ-12	1	C7SZ 19712-A

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	19712 CORE ASSY. - AIR CONDITIONER CONDENSER - continued				
	- S -				
68/69	S		YJ-17	1	C8SZ 19712-B
70/71	S		YJ-58	1	D0SZ 19712-A
72	S		YJ-24	1	D2SZ 19712-A
	- X -				
65	X-with hang-on A/C	Not precharged-with flared fittings	YJ-8	1	C4AZ 19712-B
66	X-with hang-on A/C		YJ-44	1	C6OZ 19712-C
67/70	X-with hang-on A/C		YJ-49	1	C7AZ 19712-A
66	X-with integral A/C		YJ-42	1	C6OZ 19712-A
67	X-with integral A/C		YJ-52	1	C7OZ 19712-A
68/70	X-with integral A/C		YJ-16	1	C8OZ 19712-A
68/69	B -with integral A/C	Screw (attach condenser to radiator support)- 5/16"-18 x 1 1/4"		2	377357-S2(BB867X)
68/70	X-with integral A/C			2	
	19C717 SHAFT - AIR CONDITIONER AIR OUTLET DOOR				
68/71	B-with integral A/C			1	C8OZ 19C717-A
68/70	X-with integral A/C			1	
	19B725 PLATE ASSY. - AIR CONDITIONER REGISTER - Refer to Group 19C876				
	19C730 BOX ASSY. - AIR CONDITIONER TEMPERATURE CONTROL				
71/	A-with A.T.C.			1	D1AZ 19C730-A
68	S-with A.T.C. "Before 2/1/68"			1	♦C8SZ 19C730-A
68/71	S-with A.T.C. "From 2/1/68"			1	C8SZ 19C730-B
72	S-with A.T.C.			1	D2SZ 19C730-A
	19C733 SWITCH ASSY. - AIR CONDITIONER TEMPERATURE CONTROL				
71/	A-with A.T.C.		YH-38	1	D1AZ 19C733-A
68/71	S-with A.T.C.		YH-35	1	C8SZ 19C733-A
72	S-with A.T.C.		YH-39	1	D2SZ 19C733-A
	19C734 SENSOR ASSY. - AIR CONDITIONER AUTOMATIC TEMPERATURE CONTROL				
71/	A-with A.T.C.	At instrument panel	YH-44	1	D1AZ 19C734-A
68/71	S-with A.T.C.	At air inlet duct	YH-41	1	C7VY 19C734-A
71/	A-with A.T.C.			1	
68/71	S-with A.T.C.	At instrument panel	YH-42	1	C7VY 19C734-C
72	S-with A.T.C.	At plenum	YH-46	1	D2SZ 19C734-A
72	S-with A.T.C.	At instrument panel	YH-47	1	D2SZ 19C734-B
	19735 BRACKET - AIR CONDITIONER CONDENSER MOUNTING - Refer to Group 19702				
	19B735 COVER - EVAPORATOR				
69 /	A-with integral A/C			1	C9AZ 19B735-A
69/71	A-with slim line hang-on A/C			1	D0AZ 19B735-A
68/69	S-with integral A/C or heater			1	C8SZ 19B735-A
70/71	S-with manual A/C			1	D0SZ 19B735-A
70/71	S-with A. T. C.			1	D0SZ 19B735-B
70/71	S-with heater			1	D0SZ 19B735-C
	19736 COVER - AIR CONDITIONER EVAPORATOR THERMOSTAT				
65/68	A-with integral A/C			1	C5AZ 19736-A
	19C737 PLATE - AIR CONDITIONER TEMPERATURE CONTROL SENSOR MOUNTING				
68/71	S-with integral A/C			1	C8SZ 19C787-A
	19742 GUARD - AIR CONDITIONER EVAPORATOR FAN				
65	A, B, F, X-with hang-on A/C			2	C3MY 19742-A
66/68	A, F-with Economy hang-on A/C	Used only with evaporator w/top mount hoses		2	C6AZ 19742-A
66/70	B-with Economy hang-on A/C			2	
69/71	F-with hang-on A/C	Plastic		2	C9ZZ 19742-A
71	P-with Slimline hang-on A/C			2	
	19C747 VENTURI - AIR CONDITIONER CONTROL				
71/	A,S-with A.T.C.			1	D1AZ 19C747-A
68/70	S-with A.T.C.			1	C6VY 19C747-A
	19C748 TUBE - AIR CONDITIONER VENTURI PRESSURE				
68/70	S-with A.T.C.			1	C8SZ 19C748-A

♦ Note - if this part requires an external valve & wire also use C8SZ 18C536-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	19B749 DOOR ASSY. - AIR CONDITIONER EVAPORATOR CASE OUTLET				
68/71	B-with integral A/C			1	C8OZ 19B749-A
68/70	X-with integral A/C			1	
	19C749 INSULATION - AIR CONDITIONER EVAPORATOR CORE FRONT				
68/71	S-with integral A/C	R.H.-front		1	C8SZ 19C749-B
	19752 VALVE ASSY. - AIR CONDITIONER COMPRESSOR - Also refer to Group 19A990				
65	A-with hang-on or integral A/C		YF-303	1	C8ZZ 19752-A
66/68	A-with integral A/C			1	
65/67	B,S			1	
67/68	F-with integral A/C			1	
69	A, B, F, S -with integral A/C		YF-304	1	C9AZ 19752-A
70/71	A,B, F, P-hang-on A/C			1	
70	P-with integral A/C "Before 12/1/69"			1	
69/70	X-with integral A/C			1	
70/	A-with integral A/C		YF-305	1	D0AZ 19752-A
70/71	B-with integral A/C			1	
70/	F-with integral A/C			1	
71/	L-with integral A/C			1	
70/	P-with integral A/C "From 12/1/69"			1	
70/	S-with integral A/C			1	
67/68	S-with integral A/C		YF-302	1	C8VY 19752-A
68	B, X-with integral A/C			1	
	19C753 HOSE - AIR CONDITIONER FLOOR AIR DEFLECTOR				
70/71	S-with A.T.C.	R.H. or L.H.-cut to suit if required		1or2	D0VY 19C753-A
71/	A-with A.T.C.			1	
68/69	S-with A.T.C.	Use between ventura and sensor assy.		AR	
	19C761 BRACE ASSY. - AIR CONDITIONER EVAPORATOR				
67/68	A,F	Front-for economy hang-on A/C		1	C7AZ 19C761-A
67/70	B,X			1	
		Rear		1	C7AZ 19C761-B
	19C767 BRACKET - AIR CONDITIONER EVAPORATOR CASE DAMPER DOOR CABLE				
67/71	B-with integral A/C			1	C7OZ 19C767-A
67/70	X-with integral A/C			1	
	19B769 KNOB - AIR CONDITIONER AIR OUTLET DOOR CONTROL				
67/71	S-with integral A/C			2	C7SZ 19B769-A
	19C769 ROLLER - AIR CONDITIONER DAMPER DOOR ACTUATING				
66/70	B-with integral A/C			1	C6OZ 19C769-A
66/70	X-with integral A/C			1	
	19A771 DEFLECTOR - AIR FLOOR				
68/71	S-with Heater or integral A/C			1	C8SZ 19A771-A
		Screw (deflector to vent air register panel)-No. 10-12 x 3/4"		4	52023-S8(U210)
	19C772 CAM - AIR CONDITIONER DAMPER DOOR				
67/71	B-with integral A/C			1	C7OZ 19C772-A
67/70	X-with integral A/C			1	
	19C774 SHAFT ASSY. - AIR CONDITIONER DAMPER DOOR				
72	B,S-with integral A/C	Damper door inlet		1	D2OZ 19C774-A
69/70	F-with integral A/C	Use on inlet		1	C9ZZ 19C774-A
69/	F-with integral A/C	Use on heater core		1	C9ZZ 19C774-B
69/	F-with integral A/C	Use on evaporator core		1	C9ZZ 19C774-C
71/	L-with integral A/C	Use on blend door inlet		1	D1FZ 19C774-A
71/	L-with integral A/C	Use on damper door inlet		1	D1FZ 19C774-B
70/	P-with integral A/C	Use on inlet		1	D0DZ 19C774-A
71/	F-with integral A/C			1	
70/	P-with integral A/C	Use on evaporator core		1	D0DZ 19C774-C
70/	P-with integral A/C	Use on blower motor		1	D0DZ 19C774-D
71/	L-with integral A/C			1	
	19A775 SEAL - AIR CONDITIONER REGISTER TO INSTRUMENT PANEL				
72	S			2	D2SZ 19A775-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19A779 CLIP - HEATER CORE CASE			
70/	P-with heater		AR	C0DF 19A779-A
72	B		AR	
71/	F,L		AR	
	19B781 PLATE - AIR CONDITIONER REGISTER TRIM END			
68/71	B-with Deluxe hang-on A/C	R.H.	1	C8AZ 19B781-C
69/71	A-with Slimline hang-on A/C		1	
68/70	X-with Deluxe hang-on A/C		1	
		L.H.	1	C8AZ 19B781-D
	19784 SUPPORT - AIR CONDITIONER EVAPORATOR CORE			
66/71	B-with integral A/C		1	C6OZ 19784-A
66/70	X-with integral A/C		1	
	19C784 BEZEL - AIR CONDITIONER REGISTER			
72	A, B, F, L, P-with Economy hang-on A/C		1	D2AZ 19C784-B
72	A-with Deluxe hang-on A/C		1	D2AZ 19C784-A
72	B-with Deluxe hang-on A/C		1	D2OZ 19C784-A
72	F-with Deluxe hang-on A/C	R.H.	1	D2ZZ 19C784-A
		L.H.	1	D2ZZ 19C784-B
72	L-with Deluxe hang-on A/C		1	D2FZ 19C784-A
72	P-with Deluxe hang-on A/C		1	D2DZ 19C784-A
	19A786 TUBE - BLOWER HOUSING TO BLOWER MOTOR			
65/68	A-with integral A/C		1	C5AZ 19A786-A
67/68	A-with forced vent system		1	C7AZ 19A786-A
69/	A-with heater		1	
69/	A-with integral A/C		1	C9AZ 19A786-A
67/70	F-with integral A/C		1	C7ZZ 19A786-A
69/70	F-with forced vent system		1	C9ZZ 19A786-A
65/66	S	Formed	1	C0AZ 19A786-A
	19C796 HOUSING - BLOWER MOTOR RESISTOR			
68/71	S		1	C8SZ 19C796-A
	19801-3 PANEL - AIR CONDITIONER EVAPORATOR CASE			
67/68	A, B, F, X-with Economy Hang-on A/C- "Before 6/1/68"	Lower -r/b C7AZ 19803-D (3-74)	1	★C7AZ 19803-C
67/68	A, F-w/Economy hang-on A/C-"From 6/1/68"	Lower	1	C7AZ 19803-D
67/70	B-with Economy hang-on A/C		1	
67/70	X-with Economy hang-on A/C		1	
69/70	A- with tunnel mounted A/C	Upper	1	C9AZ 19801-A
		Lower	1	C9AZ 19803-A
69/71	A-with Slimline hang-on A/C	Upper	1	D0AZ 19801-A
		Lower	1	D0AZ 19803-A
68/71	B-with Deluxe hang-on A/C	Upper	1	C8OZ 19801-B
68/70	X-with Deluxe hang-on A/C		1	
		Lower	1	C8OZ 19803-B
68	F-with Deluxe Hang-on A/C	Upper	1	C8ZZ 19801-B
		Lower	1	C8OZ 19803-A
69/71	F-with hang-on A/C	Upper	1	C9ZZ 19801-A
71	P-with Slimline hang-on A/C		1	
		Lower	1	C9ZZ 19803-A
70/71	P-with Economy hang-on A/C	Lower	1	D0DZ 19803-A
71	L-with hang-on A/C		1	
72	A, B, F, L, P-with hang-on A/C	Upper	1	D2AZ 19801-A
		Lower	1	D2AZ 19803-A
	19C802 DOOR ASSY. - AIR CONDITIONER DAMPER INLET			
69/	F-with integral A/C	Includes shaft	1	C9ZZ 19C802-A
70/	P-with integral A/C		1	
71/	L-with integral A/C		1	D1FZ 19C802-A
	19804 PLATE - AIR CONDITIONER EVAPORATOR CASE MOUNTING			
72	B,S-with integral A/C		1	D2OZ 19804-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	DESCRIPTION			QTY.	PART NUMBER
			VOLTAGE	SHAFT DIA.	ROTATION		
	19805 MOTOR ASSY. - AIR CONDITIONER BLOWER - Also refer to Group 18527						
65	A, B, X-with Hang-on A/C	Incl. blower wheels	12	5/16"	C/CW	1	C3AZ 19805-B (MM-200)
65/68	A-with integral A/C	Incl. blower wheels	12	Balanced assy.		1	C7AZ 19805-A (MM-236)
66	A, B, F, X-with Hang-on A/C	Incl. blower wheels	12	5/16"	C/CW	1	♦C6AZ 19805-A (MM-219)
67/68	A, F-with Economy hang-on A/C					1	
67/70	B-with Economy hang-on A/C					1	
67/70	X-with Economy hang-on A/C					1	
72	A, B, F, L, P-with hang-on A/C	Motor only				1	D2AZ 19805-A (MM-306)
67/68	A-with Deluxe Hang-on A/C	Incl. blower wheels 3 speed-4 wire	12	Balanced assy.		1	C7AZ 19805-B (MM-235)
68	A-with Deluxe Hang-on A/C	Rheostat switch		Balanced assy.		1	C8AZ 19805-A (MM-257)
69/70	A-with tunnel mounted hang-on A/C	Incl. blower wheels	12	Balanced assy.		1	C9AZ 19805-B (MM-278)
69/71	A-with Slimline hang-on A/C	Incl. blower wheels	12	Balanced assy.		1	D0AZ 19805-A (MM-289)
69/	A-with integral A/C		12	5/16"	CW	1	D2AZ 19805-B (MM-297A)
65	B-with Deluxe hang-on A/C	Incl. blower wheels	12	5/16"	C/CW	1	C4AZ 19805-A (MM-199)
66/71	B-with integral A/C	Inc. blower wheels	12	Balanced assy.		1	C8OZ 19805-A (MM-248)
66/70	X-with integral A/C					1	
68/71	B-with Deluxe hang-on A/C	Incl. blower wheels	12	Balanced assy.		1	C8OZ 19805-C (MM-258)
68/70	X-with Deluxe hang-on A/C					1	
72	B-with integral A/C	Incl. blower wheels	12	Balanced assy.		1	D2OZ 19805-A (MM-303)
67/68	F-with integral A/C	Incl. blower wheels	12	Balanced assy.		1	C7ZZ 19805-A (MM-232)
67/68	F-with Deluxe hang-on A/C	Use with 3 speed A/C blower switch incl. blower wheels	12	Balance assy.		1	C8ZZ 19805-A (MM-252)
67/68	F-with Deluxe Hang-on A/C	Use with variable speed A/C blower switch-incl. blower wheels	12	Balanced assy.		1	C8ZZ 19805-B (MM-259)
69/	F-with integral A/C	Incl. blower wheels	12	Balanced assy.		1	C9ZZ 19805-A (MM-273)
69/71	F-with hang-on A/C	Incl. blower wheels	12	Balanced assy.		1	C9ZZ 19805-B (MM279)
71	P-with Slimline hang-on A/C					1	
70/	P-with integral A/C	Inc. blower wheels	12	Balanced assy.		1	D0DZ 19805-A (MM-281)
71/	L-with integral A/C					1	
71	L, P-with hang-on A/C with slide bar type control	Motor only				1	D1FZ 19805-A (MM-300)
70/71	P-with Economy hang-on A/C with dial type control	Inc. blower wheels	12	Balanced assy.		1	D0DZ 19805-B (MM-287)
65/66	S	Used with C0AF 19834-D blower wheel	12	5/16"	CW	1	*C2AZ 19805-A (MM-125)
72	S-with heater or integral A/C	Incl. blower wheels	12	Balanced assy.		1	D2OZ 19805-A (MM-303)

* When using to replace motor identified as C0AF 19805-E the bullet terminal must be installed on ground lead

♦ To be used only with evaporator with top mounted hoses

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19808 PANEL ASSY. - AIR CONDITIONER CONTROL - Also refer to Group 18A651			
69/70	A-with integral A/C		1	C9AZ 19808-A
70/72	P-with integral A/C "Before 12/20/71"	With rear window defogger - Black	1	D2DZ 19808-DA
		- Medium Nugget	1	D0DZ 19808-D
		- Medium Blue	1	D0DZ 19808-E
70/71	P	With rear window defogger - Dark Red	1	D0DZ 19808-C
72	P-w/integral A/C-"From 12/20/71 to 7/15/72"	With rear window defogger - Black	1	D2DZ 19808-E
		- Ginger	1	D2DZ 19808-N
		- Medium Blue	1	D2DZ 19808-J
		- Medium Tan	1	D2DZ 19808-BA
72	P-with integral A/C "From 7/15/72"	With rear window defogger - Dark Beige	1	D2DZ 19808-AA
		- Black	1	D2DZ 19808-DA
		- Medium Blue	1	D2DZ 19808-EA
		- Dark Ginger	1	D2DZ 19808-CA
		- Medium Tan	1	D2DZ 19808-BA
72	P-w/integral A/C-"From 12/20/71 to 1/17/72"	With rear window defogger - Medium Beige	1	D2DZ 19808-B
	"From 1/17/72 to 7/15/72"	- Dark Beige	1	D2DZ 19808-AA
70/72	P-with integral A/C "Before 12/20/71"	Without rear window defogger - Black	1	★D0DZ 19808-B r/b D2DZ 19808-F (3-74)
		- Medium Nugget	1	D0DZ 19808-G
		- Medium Blue	1	D0DZ 19808-H
72	P-w/integral A/C-"From 12/20/71 to 7/15/72"	Without rear window defogger - Black	1	D2DZ 19808-F
		- Ginger	1	D2DZ 19808-X
		- Medium Blue	1	D2DZ 19808-Z
		- Medium Tan	1	D2DZ 19808-W
72	P-with integral A/C "From 7/15/72"	Without rear window defogger - Dark Beige	1	D2DZ 19808-V
		- Black	1	D2DZ 19808-Y
		- Medium Blue	1	D2DZ 19808-Z
		- Dark Ginger	1	D2DZ 19808-X
		- Medium Tan	1	D2DZ 19808-W
70/71	P	Without rear window defogger - Dark Red	1	D0DZ 19808-F
72	P-w/integral A/C-"From 12/20/71 to 1/17/72"	Without rear window defogger - Medium Beige	1	D2DZ 19808-D
	"From 1/17/72 to 7/15/72"	- Dark Beige	1	D2DZ 19808-V
	19812 BRACKET - AIR CONDITIONER HOSE SUPPORT			
70	A-with integral A/C		1	D0AZ 19812-A
71/	A-with integral A/C		1	D1AZ 19812-A
72	S-with integral A/C		1	D2SZ 19812-A
	19A812 SEAL - AIR INLET DOOR OUTER			
69/70	F-with integral A/C	Rubber	1	C9ZZ 19A812-A
70/	P-with integral A/C	Butyl	1	D0DZ 19A812-A
71/	L-with integral A/C		1	
	19C819 GROMMET - AIR CONDITIONER CONDENSER TUBES			
67/68	F-with integral A/C		1	C7ZZ 19C819-A
70/	P-with integral A/C		1	
69/70	F-with integral A/C		1	C9ZZ 19C819-A
	19A821 PLATE - AIR CONDITIONER BLOWER INLET			
68/71	B-with integral A/C		1	C8OZ 19A821-A
68/70	X-with integral A/C		1	
	19A822 BRACKET - AIR CONDITIONER EVAPORATOR CASE MOUNTING			
70/71	P-with Economy hang-on A/C		2	C9RZ 19A822-A
71	L-with hang-on A/C		2	
	19C824 CLIP - AIR CONDITIONER EVAPORATOR			
70/71	P-with Economy hang-on A/C		4	D0DZ 19C824-A
	19C824 CLIP - REGISTER RETAINER			
70/71	B	4 Required with heater or w/forced vent system	AR	D0OZ 19C824-A
69/70	A-with integral A/C	Attach 19C680 to instrument panel - 6 required with integral A/C	2	C9AZ 19C824-A
	19C827 HARNESS ASSY. - VACUUM HOSE - If not listed improvise from basic 17543 Hose			
	- A -			
71	A-with A.T.C.	3 Nipples on one side	1	D1AZ 19C827-F
71	A-with manual integral A/C	4 Nipples on one side	1	D1AZ 19C827-E
71/	A-with heater	2-2 Nipples-part of plenum chamber	1	D1AZ 19C827-D
71/	A-with heater	2-2 Nipples	1	D1AZ 19C827-H

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19C827 HARNESS - ASSY. - VACUUM HOSE - continued - If not listed improvise from basic 17543 Hose			
	- A -			
71/	A-with heater	2 Nipples on one side	1	D1AZ 19C827-G
71/	A-with manual integral A/C	7-4 Nipples	1	D1AZ 19C827-A
71/	A-with manual integral A/C-"Before 10/1/71"	8-7 Nipples	1	D1AZ 19C827-C
71/	A-with A.T.C.	7-3 Nipples	1	D1AZ 19C827-B
72	A-with manual integral A/C	4-4 Nipples	1	D2AZ 19C827-A
72	A-with A.T.C.	3-3 Nipples	1	D2AZ 19C827-B
72	A-with maual integral A/C	10-7 Nipples	1	D2AZ 19C827-C
	- B -			
72	B-with integral A/C	2-2 Nipples	1	D2OZ 19C827-C
72	B-with integral A/C	8-3-2-2-1 Nipples-part of plenum chamber	1	D2OZ 19C827-D
	- F -			
69/ 70	F-with integral A/C	(7) hoses	1	C9ZZ 19C827-A
69/ 70	F-with integral A/C	(2) hoses molded in grommet	1	C9ZZ 19C827-B
71/	F	(7) hoses	1	D1ZZ 19C827-A
71/	F	(2) hoses	1	D1ZZ 19C827-E
	- P -			
72	P-with integral A/C	4-3 nipples	1	D2DZ 19C827-A
	- S -			
67	S	Includes vacuum lines-(3) outlets	1	C7SZ 19C827-A
67	S-with integral A/C	Includes vacuum lines-(6 & 8) outlets-from damper door vacuum switch to firewall	1	C7SZ 19C827-B
67	S-with heater	Includes vacuum lines-(6 & 8) outlets-from damper door vacuum switch to firewall	1	★C7SZ 19C827-C r/b C8SZ 19C827-L (3-74)
68	S-w/manual A/C or heater "Before 2/1/68"	8-6-3 nipples	1	C8SZ 19C827-R
68	S-w/manual A/C or heater "From 2/1/68"	8-9 nipples	1	C8SZ 19C827-V
68/69	S-w/manual A/C or heater "From 2/1/68"	3 nipples-one end	1	C8SZ 19C827-T
68	S-with A.T.C. "Before 2/1/68"	6-6 nipples	1	C8SZ 19C827-K
68/69	S-with A.T.C. "From 2/1/68"	6-6 nipples	1	C8SZ 19C827-U
68	S-with A.T.C. "Before 2/1/68"	9-4-4 nipples	1	C8SZ 19C827-S
68/69	S-with A.T.C. "From 2/1/68"	9-4 nipples	1	C8SZ 19C827-Y
68/ 69	S-with heater	6-8 nipples	1	C8SZ 19C827-L
68/69	S-with manual A/C	6-8 nipples	1	C8SZ 19C827-J
69	S-with manual A/C	6-8 nipples	1	C9SZ 19C827-A
69	S-with heater or manual A/C	10-12 nipples	1	C9SZ 19C827-C
69	S-with A.T.C.	9-9 nipples	1	C9SZ 19C827-B
70/71	S-with A.T.C.	7 Nipples	1	D0SZ 19C827-A
70/71	S-with manual A/C	8-1-5 Nipples	1	D0SZ 19C827-B
70/71	S-with heater or manual A/C	5 Nipples	1	D0SZ 19C827-C
70/71	S-with heater	8-1-5 Nipples	1	D0SZ 19C827-D
72	S-with manual A/C	8-3-5 Nipples-part of plenum chamber	1	D2SZ 19C827-D
72	S-with manual A/C	3-3 Nipples	1	D2SZ 19C827-J
72	S-with heater	8-2-5 Nipples-part of plenum chamber	1	D2SZ 19C827-E
72	S-with heater	3-2 Nipples	1	D2SZ 19C827-H
72	S-with A.T.C.	7-2-3-2 Nipples-part of plenum chamber	1	D2SZ 19C827-F
72	S	2-2 Nipples	1	D2OZ 19C827-C
	19C828 HOSE ASSY. - VACUUM			
70	S		1	D0SZ 19C828-A
70/71	S-with heater		1	D0SZ 19C828-B
70/71	S-with manual A/C		1	D0SZ 19C828-C
70/71	S-with A.T.C.		1	D0SZ 19C828-D
71	S		1	D1SZ 19C828-A
	19A829 INSULATION - AIR CONDITIONER EVAPORATOR CORE			
68/70	S-with integral A/C	Front	1	C8SZ 19A829-A
71	S-with integral A/C	Front	1	D1SZ 19A829-A
	19C832 DUCT ASSY. AIR CONDITIONER EVAPORATOR INSTRUMENT PANEL			
69/71	F-with hang-on A/C	L.H.	1	C9ZZ 19C832-A
71	P-with Slimline hang-on A/C		1	
70/71	P-with Economy hang-on A/C		1	D0DZ 19C832-A
	19C833 BRACKET - AIR CONDITIONER VACUUM HOSE CONNECTOR			
71/	A-with A.T.C.		1	D1AZ 19C833-A
72	S-with A.T.C.		1	

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	19834 WHEEL ASSY.- AIR CONDITIONER BLOWER - Also refer to Group 18504				
71	L, P-with hang-on A/C	C.W. Rotation		1	D1DZ 19834-A
		C.C.W. Rotation		1	D1DZ 19834-B
72	A, B, F, L, P-with hang-on A/C	C.W. Rotation		1	D2AZ 19834-A
		C.C.W. Rotation		1	D2AZ 19834-B
69/	A-integral A/C			1	D2AZ 19834-C
72	A-integral A/C	Clip		1	384260-S(EE17A)
	19835 LIQUID LINE - AIR CONDITIONER DRYER TO EVAPORATOR				
	Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.				
	19C836 MUFFLER and HOSE ASSY. - AIR CONDITIONER				
	Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.				
	19837 LIQUID LINE - AIR CONDITIONER DRYER TO EVAPORATOR				
	Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.				
	19C842 SHIELD - AIR CONDITIONER VALVE and HEATER MOTOR				
69/70	F(8 cyl. 390-4V, 428 except 428CJ)-with integral A/C			1	C9ZZ 19C842-A
69/70	F-with integral A/C (428CJ)			1	C9ZZ 19C842-B
67/70	F(8 cyl. 390)	Screw (shield to motor to inst. panel)-#10-12 x 1/2" hex. tap		1	42127-S8(U248C)
68/70	F(8 cyl. 390)	Nut (shield to inst. panel)-1/4"-20		1	33920-S8(M25)
	19C847 RETAINER & SEAL ASSY. - AIR CONDITIONER EVAPORATOR TO BLOWER HOUSING				
67/70	F-with integral A/C			1	C7ZZ 19C847-A
	19849 VALVE - AIR CONDITIONER EVAPORATOR EXPANSION				
65/68	A-with integral A/C		YG-25	1	C5AZ 19849-A
65/	A, B, F -with hang-on A/C		YG-30	1	C9ZZ 19849-A
71/	L-with hang-on A/C			1	
70/	P-with hang-on A/C			1	
65/70	X-with hang-on A/C			1	
69/70	A-with integral A/C		YG-29	1	C9AZ 19849-A
71/	A-with integral A/C		YG-31	1	D1AZ 19849-A
65	B-with Deluxe Hang-on A/C		YG-60	1	C2AZ 19849-A
65/66	S			1	
66/67	B, X-with integral A/C		YG-24	1	C6OZ 19849-A
67/68	F-with integral A/C			1	
68/71	B-with integral A/C		YG-27	1	C8OZ 19849-A
71/	F-with integral A/C			1	
71/	L-with integral A/C			1	
70/	P-with integral A/C			1	
68/70	X-with integral A/C			1	
72	B, S-with integral A/C		YG-32	1	D2OZ 19849-A
69/70	F-with integral A/C		YG-28	1	C8VY 19849-A
67/71	S-with integral A/C		YG-26	1	C7SZ 19849-A
	19C850 DUCT - AIR CONDITIONER INSTRUMENT PANEL REGISTER				
70/71	B-with integral A/C	L.H.		1	D0OZ 19C850-A
	19858 HOSE - AIR CONDITIONER EVAPORATOR DRAIN				
65	A, B, X-with Hang-on A/C			1	C5AZ 19858-A
65/67	A-with integral A/C			2	C5AZ 19858-B
66	A, B, F, X-with hang-on A/C			1	C6AZ 19858-A
67	A, B, F, X-with Economy Hang-on A/C			1	C7AZ 19858-A
67	A-with Deluxe Hang-on A/C			1	C3AZ 19858-A
69/71	B-with hang-on A/C			1	
69/71	F-with hang-on A/C			1	
71	L-with hang-on A/C			1	
71	P-with Slimline hang-on A/C			1	
69/70	X-with hang-on A/C			1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	19858 HOSE - AIR CONDITIONER EVAPORATOR DRAIN - continued				
68	A-with integral A/C	Tube assy.		1	C8AZ 19858-A
69/70	A-with tunnel mounted Hang-on A/C	Tube assy.		1	C9AZ 19858-A
69/71	A-with Slimline hang-on A/C			1	D0AZ 19858-A
66/67	B, X-with integral A/C			1	C7OZ 19858-A
70/71	B-with integral A/C			1	D0OZ 19858-A
67/	F-with integral A/C			1	C7ZZ 19858-C
70/	P-with integral A/C			1	D0DZ 19858-A
71/	L-with integral A/C			1	
70/71	P-with Economy hang-on A/C			1	D0DZ 19858-B
72	A, B, F, L, P-with hang-on A/C			2	D2AZ 19858-A
67/68	F-with integral A/C	Screw (hose to floor pan)No. 8-18 x 3/4" self tap		AR	376389-S10(UU82D)
	19859 PAN - AIR CONDITIONER EVAPORATOR DRAIN				
65/68	A-with integral A/C			1	C7AZ 19859-A
67/68	A,F	Use with Economy hang-on A/C		1	C7AZ 19859-C
67/70	B,X			1	
69/70	A-with tunnel mounted A/C			1	C9AZ 19859-A
69/71	F-with hang-on A/C			1	C9ZZ 19859-A
70/71	P-with Economy hang-on A/C			1	D0DZ 19859-A
71	L-with hang-on A/C			1	
	19B859 PAN ASSY. - AIR CONDITIONER EVAPORATOR DRAIN				
68	F	Use with Deluxe hang-on A/C		1	C8OZ 19B859-A
68/71	B			1	
68/70	X			1	
	19860 CORE ASSY. - AIR CONDITIONER EVAPORATOR				
	- A -				
65	A-with hang-on A/C			1	C5AZ 19860-A
67/68	A-with Economy hang-on A/C			1	C7AZ 19860-C
69/70	A-with tunnel mounted A/C		YK-41	1	C9AZ 19860-B
69/71	A-with Slimline hang-on A/C			1	D0AZ 19860-B
72	A-with hang-on A/C		YK-35	1	D2AZ 19860-A
65/68	A-with integral A/C		YK-14	1	C8AZ 19860-A
69/	A-with integral A/C		YK-2	1	D2AZ 19860-B
	- B -				
67/70	B-with Economy hang-on A/C			1	C7AZ 19860-C
68/71	B-with Deluxe hang-on A/C			1	C8OZ 19860-B
72	B-with hang-on A/C		YK-35	1	D2AZ 19860-A
66/67	B-with integral A/C			1	C8OZ 19860-A
68/71	B-with integral A/C		YK-29	1	D0OZ 19860-A
72	B-with integral A/C "Before 9/15/71"		YK-1	1	D0VY 19860-A
72	B-with integral A/C "From 9/15/71"		YK-36	1	D2OZ 19860-A
	- F -				
65	F-with hang-on A/C			1	C5AZ 19860-A
67/68	F-with Economy hang-on A/C			1	C7AZ 19860-C
68	F-with Deluxe hang-on A/C			1	C8OZ 19860-B
69/71	F-with hang-on A/C			1	C9ZZ 19860-C
72	F-with hang-on A/C		YK-35	1	D2AZ 19860-A
67/68	F-with integral A/C			1	C7ZZ 19860-A
69/70	F-with integral A/C		YK-23	1	C9ZZ 19860-B
71/	F-with integral A/C		YK-34	1	D1ZZ 19860-A
	- L -				
71	L-with hang-on A/C			1	D1RY 19860-A
72	L-with hang-on A/C		YK-35	1	D2AZ 19860-A
71/	L-with integral A/C		YK-48	1	D2FZ 19860-A
	- P -				
70/71	P-with Economy hang-on A/C			1	D0DZ 19860-B
71	P-with Slimline hang-on A/C			1	C9ZZ 19860-C
72	P-with hang-on A/C		YK-35	1	D2AZ 19860-A
70/	P-with integral A/C		YK-26	1	D0DZ 19860-A

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	19860 CORE ASSY. - AIR CONDITIONER EVAPORATOR- continued				
	- S -				
67/71	S		YK-18	1	C8SZ 19860-A
72	S		YK-37	1	D2SZ 19860-A
	- X -				
65	X-with hang-on A/C			1	C5AZ 19860-A
67/70	X-with Economy hang-on A/C			1	C7AZ 19860-C
68/70	X-with Deluxe hang-on A/C			1	C8OZ 19860-B
66/67	X-with integral A/C			1	C6OZ 19860-A
68/70	X-with integral A/C			1	C8OZ 19860-A
	19C862 CLAMP - AIR CONDITIONER TUBE SUPPORT CLIP				
70/	P-with integral A/C			1	D0DZ 19C862-A
70/71	P-with Economy hang-on A/C			1	
	19A865 BRACKET - AIR CONDITIONER EVAPORATOR CASE MOUNTING				
67/68	A, F-with Economy hang-on A/C	R.H. -side of evaporator		1	C7AZ 19A865-C
67/71	B-with hang-on A/C			1	
67/70	X-with hang-on A/C			1	
69/71	A-with Slimline hang-on A/C			2	
71	L-with hang-on A/C			1	
67/68	A, F-with Economy hang-on A/C	L.H. -side of evaporator		1	C7AZ 19A865-A
67/70	B -with Economy hang-on A/C			1	
67/70	X-with Economy hang-on A/C			1	
71	A-with Slimline nang-on A/C			2	
71	L-with hang-on A/C			1	
67/68	A, F-with Economy hang-on A/C	Rear of evaporator		1	C7AZ 19A865-B
67/70	B -with Economy hang-on A/C			1	
67/70	X-with Economy hang-on A/C			1	
71	L-with hang-on A/C			2	
69/70	A-with tunnel mounted A/C	R.H.		1	C9AZ 19A865-A
		L.H.		1	C9AZ 19A865-B
67	B, F, X-with Deluxe Hang-on A/C	R. H. -not replaced (3-74)		1	★C7OZ 19A865-A
		L. H.		1	C7OZ 19A865-B
69/71	B-with hang-on A/C	L.H.		1	
69/70	X-with hang-on A/C			1	
68/71	B-with Deluxe hang-on A/C	L. H. -upper		1	C8OZ 19A865-A
68/70	X-with Deluxe hang-on A/C			1	
68/71	B-with Deluxe hang-on A/C	R. H.		1	C8OZ 19A865-B
68/70	X-with Deluxe hang-on A/C			1	
68/71	B-with Deluxe hang-on A/C	R. H. -center		1	C8OZ 19A865-C
68/70	X-with Deluxe hang-on A/C			1	
72	A, B, L, P-with hang-on A/C			1	D1RY 19A865-A
72	F-with Deluxe hang-on A/C			2	
72	L--with built-in A/C (dealer installed)	R.H.		1	D4FZ 19A865-A
		L.H.		1	D4FZ 19A865-B
	19B865 STRAP - AIR CONDITIONER EVAPORATOR UPPER CASE TO BOTTOM CASE				
69/70	A-with tunnel mounted A/C			1	C9AZ 19B865-A
	19867 SUCTION LINE - AIR CONDITIONER EVAPORATOR TO COMPRESSOR				

Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.

	19C866-70 PANEL ASSY.- AIR CONDITIONER REGISTER TRIM				
67	A-with Deluxe hang-on A/C	R.H. register trim-R.H. segment		1	C7AZ 19C868-A
		L.H. register trim-R.H. segment		1	C7AZ 19C869-A
		L.H. register trim-L.H. segment		1	C7AZ 19C870-A
67/68	A, F-with Economy hang-on A/C			1	C7AZ 19C869-B
67/70	B-with Economy hang-on A/C			1	
67/70	X-with Economy hang-on A/C			1	
68	A-with Deluxe hang-on A/C	With switch holes		1	▲C8AZ 19C869-A
				1	●C8AZ 19C869-B
68	A-with Deluxe hang-on A/C	R.H. & L.H.-when used on left hand side cut to fit		1	▲C8AZ 19C866-A
				1	● C8AZ 19C866-C

▲ Use with 1 13/16" horizontal grained simulated walnut insert ● Use with 1 9/16" burled simulated walnut insert

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19C866-70 PANEL ASSY. - AIR CONDITIONER REGISTER TRIM - continued			
68	A-with Deluxe hang-on A/C	At ornament section	1	▲C8AZ 19C866-B
			1	●C8AZ 19C866-D
69/70	A-with tunnel mounted A/C	With switch holes	1	C9AZ 19C869-A
69/71	A-with Slimline hang-on A/C	At ornament section	1	D0AZ 19C866-A
69/71	A-with Slimline hang-on A/C	R.H. & L.H.-cut to fit for L.H. usage	2	D0AZ 19C868-A
69/71	A-with Slimline hang-on A/C	With switch holes	1	D0AZ 19C869-A
68/71	B-with Deluxe hang-on A/C	R.H. & L.H.-when used on L.H. side-cut to fit	1	●C8OZ 19C866-E
68/70	X-with Deluxe hang-on A/C		1	
68/71	B-with Deluxe hang-on A/C	At ornament section	1	●C8OZ 19C866-F
68/70	X-with Deluxe hang-on A/C		1	
68/71	B-with Deluxe hang-on A/C	At control section	1	●C8OZ 19C866-D
68/70	X-with Deluxe hang-on A/C		1	
68	F-with Deluxe hang-on A/C	R.H. & L.H.-when used on left hand side cut to fit	1	●C8ZZ 19C866-F
68	F-with Deluxe hang-on A/C	At ornament section	1	●C8ZZ 19C866-D
68	F-with Deluxe hang-on A/C	At controls section	1	●C8ZZ 19C866-E
71	L,P-with hang-on A/C	At control section-use w/slide bar type control	1	D1FZ 19C866-A
71	L,P-with hang-on A/C	R.H. and L.H.-use/w slide bar type control	2	D1FZ 19C866-B
72	L-with built-in A/C (dealer installed)		1	D4FZ 19C866-A
69/71	F-with hang-on A/C		1	C9ZZ 19C869-A
71	P-with Slimline hang-on A/C		1	
70/71	P-with Economy hang-on A/C	Cover-evaporator case-use w/dial type control	1	D0DZ 19C866-A
70/71	P-with Economy hang-on A/C	Cover-regulator control-use w/dial type control	1	D0DZ 19C869-A
	19C871-3 BEZEL - AIR CONDITIONER REGISTER			
67	A-with Deluxe hang-on A/C	R.H.-aluminum	1	C7AZ 19C871-A
		L.H.	1	C7AZ 19C873-A
		Center -not replaced (3-74)	1	★C7AZ 19C872-A
68	A-with Deluxe hang-on A/C		1	▲C8AZ 19C872-A
68	A-with Deluxe hang-on A/C		1	●C8AZ 19C872-B
69/70	A-with tunnel mounted A/C		1	C9AZ 19C872-A
69/71	A-with Slimline hang-on A/C		1	D0AZ 19C872-A
70/71	B-with integral A/C	Center	1	D0OZ 19C872-A
70/71	B-with integral A/C or forced vent system	R.H. or L.H.	1	D0OZ 19C872-B
68	F-with Deluxe hang-on A/C	Assembly	1	●C8ZZ 19C872-B
69/71	F-with hang-on A/C	Plastic	1	C9ZZ 19C872-A
71	P-with Slimline hang-on A/C		1	
70/71	P-with Economy hang-on A/C	Upper case-use w/dial type control	1	D0DZ 19C872-A
71	L,P-with hang-on A/C	Upper case-use w/slide bar type control	1	D1FZ 19C872-A
	19C872 BEZEL KIT - AIR CONDITIONER EVAPORATOR - Refer to Group 19B968			
	19B874 COVER ASSY. - AIR CONDITIONER EVAPORATOR			
69/70	A-with tunnel mounted A/C		1	C9AZ 19B874-A
	19C874-5 PANEL ASSY. - AIR CONDITIONER REGISTER			
67/68	A-with Deluxe hang-on A/C	R.H.-rear	1	C7AZ 19C874-A
		L.H. -not replaced (3-74)	1	★C7AZ 19C875-A
68/71	B-with Deluxe hang-on A/C	R.H.-rear	1	C8OZ 19C874-A
68/70	X-with Deluxe hang-on A/C		1	
	19C876 PLATE ASSY. - AIR CONDITIONER REGISTER			
67	A-with Deluxe hang-on A/C	L.H.-rear	1	C7AZ 19C876-A
69/71	A-with Slimline hang-on A/C		1	D0AZ 19B725-A
72	A,B,F,L,P-with Economy hang-on A/C		1	D2AZ 19A568-A
	19878 DAMPER ASSY. - AIR CONDITIONER OUTSIDE AIR INTAKE FLUE			
69/70	A-with integral A/C		1	C9AZ 19878-A
71/	A-with integral A/C		1	D1AZ 19878-A
	19C883 ADAPTER - AIR CONDITIONER VENTURI PRESSURE TUBE			
68/70	S-with A.T.C.		1	C8SZ 19C883-A

▲ Use with 1 13/16" horizontal grained simulated walnut insert ● Use with 1 9/16" burled simulated walnut insert

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	19A884 BRACKET ASSY. - AIR CONDITIONER CONTROL MOUNTING				
65/67	A-with integral A/C			1	C5AZ 19A884-A
68	A-with integral A/C			1	C8AZ 19A884-A
69/70	A-with integral A/C			1	C9AZ 19A884-A
66/67	B-with integral A/C			1	C6OZ 19A884-B
68/69	B-with integral A/C	Includes 19B888 switch		1	C8OZ 19A884-A
71	B-with integral A/C			1	D1OZ 19A884-A
69/70	F-with integral A/C			1	C9ZZ 19A884-A
71/72	F-with integral A/C "Before 1/3/72"			1	D1ZZ 19A884-A
72	F-with integral A/C "From 1/3/72"	Refer to 19980			
70/72	P-with integral A/C "Before 1/3/72"	Without rear window defogger		1	D0DZ 19A884-A
72	P-with integral A/C-"From 1/3/72 to 7/15/72"			1	D2DZ 19A884-A
72	P-with integral A/C "From 7/15/72"	Without rear window defogger		1	D2DZ 19A884-C
70/72	P-with integral A/C "Before 1/3/72"	With rear window defogger		1	D0DZ 19A884-B
72	P-with integral A/C-"From 1/3/72 to 7/15/72"			1	D2DZ 19A884-B
72	P-with integral A/C "From 7/15/72"	With rear window defogger		1	D2DZ 19A884-D
	19A885 WIRING ASSY. AIR CONDITIONER THERMOSTAT TO CLUTCH - Improvise from B6A 14296-B or C				
70/71	P-with Economy hang-on A/C			1	D0DZ 19A885-A
72	B-with integral A/C			1	D2OZ 19A885-A
	19B888 SWITCH ASSY. - DAMPER DOOR				
	- A -				
65/66	A-with integral A/C	Vacuum	YH-14	1	C5AZ 19B888-A
67/68	A-with integral A/C	Vacuum	YH-17	1	C7AZ 19B888-A
69/70	A-with integral A/C	Valve assy. -vacuum-also serviced in 19A884	YH-10	1	C9AZ 19B888-A
71/72	A-with manual integral A/C-"Before 10/1/71"		YH-11	1	D1AZ 19B888-A
72	A-with manual integral A/C-"From 10/1/71"		YH-12	1	D2AZ 19B888-A
	- B -				
70/71	B-with integral A/C	Valve assy. -vacuum selector	YH-24	1	D0GY 19B888-A
72	B-with integral A/C	Vacuum selector	YH-197	1	D2OZ 19B888-B
	- F -				
67/68	F-with integral A/C	Vacuum	YH-254	1	C7ZZ 19B888-A
69/72	F-with integral A/C "Before 1/3/72"	Valve assy. -vacuum	YH-22	1	C9ZZ 19B888-A
72	F-with integral A/C "From 1/3/72"		YH-29	1	D2ZZ 19B888-A
	- L -				
71/72	L-with integral A/C "Before 12/1/71"		YH-26	1	D1FZ 19B888-A
72	L-with integral A/C "From 12/1/71"		Y-232	1	D2FZ 19B888-A
	- P -				
70/72	P-with integral A/C "Before 1/3/72"	Valve assy. -vacuum selector	YH-23	1	D0DZ 19B888-A
72	P-with integral A/C "From 1/3/72"		YH-29	1	D2ZZ 19B888-A
	- S -				
67	S-with heater	Vacuum	YH-235	1	C7SZ 19B888-A
67	S-with integral A/C	Vacuum	YH-18	1	C7SZ 19B888-B
68	S-with manual A/C	Valve assy.	YH-20	1	C8SZ 19B888-B
68/71	S-with heater	Valve assy.		1	C8SZ 19B888-A
69/71	S-with manual A/C	Valve assy.	YH-21	1	C9SZ 19B888-A
72	S-with manual A/C	Vacuum selector	YH-28	1	D2OZ 19B888-A
	- X -				
		Screw (switch to bracket)-No. 10-12 x 1/2"		2	42127-S8(U248C)
		Lockwasher-No. 10		2	34939-S8(X86)
66/70	X-with integral A/C		YH-236	1	C6DZ 19B888-A
	19C891 COUPLING - AIR CONDITIONER CONDENSER				
67/68	A-with integral A/C "From 5/1/67"	Female		1	C7AZ 19C891-A
	19893 REGISTER - Also refer to Groups 18C366, 19C696 or 19A671				
	- A -				
69/70	A-with integral A/C	R.H. -paint to match		1	C9AZ 19893-A
		L.H.		1	C9AZ 19893-B
		Center		1	C9AZ 19893-C
69/71	A-with Slimline hang-on A/C	L.H. - remote		1	D0DZ 19893-A
72	A-with hang-on A/C	Non-adjustable -r/b D2AZ19893-B (3-74)		4	D2AZ 19893-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
19893	**REGISTER - continued** -Also refer to Group 18C366, 19C696, 19A671			
	- A -			
72	A-with hang-on A/C	Adjustable	4	D2AZ 19893-B
71/	A-with heater or integral A/C	R.H.	1	D1AZ 19893-A
		L.H.	1	D1AZ 19893-C
71/	A-with integral A/C	Center	1	D1AZ 19893-B
	- B -			
67	B -with integral A/C	Center -r/b C6OZ 19893-D (3-74)	1	★C7OZ 19893-A
69	B -with integral A/C	R.H.	1	C9OZ 19893-C
		L.H.	1	C9OZ 19893-A
		Center-with radio	1	C9OZ 19893-B
		Center-without radio	1	C9OZ 19893-D
70/71	B-with integral A/C	Louvers	4	D0OZ 19893-A
70/71	B-with forced vent system		2	
72	B-with integral A/C	Center	2	D2OZ 19893-A
72	B	L.H. -r/b D3OZ 19893-A (3-74)	1	★D2OZ 19893-B
72	B	R.H. -refer to Body Group 01B808		
72	B-with hang-on A/C	Non-adjustable-r/b D2AZ 19893-B (3-74)	4	★D2AZ 19893-A
72	B-with hang-on A/C	Adjustable	4	D2AZ 19893-B
	-F-			
67/68	F(63A, C, 65A, C, 76A, C)-with integral A/C	Center-camera case finish	1	C7ZZ 19893-D
68	F(63A, C, 65A, C, 76A)-with integral A/C	R. H. -camera case finish	1	C8ZZ 19893-A
		L. H. -refer to Group 19C696		
69/70	F-with integral A/C or forced vent system	Center	1	C9ZZ 19893-A
69/70	F-with integral A/C	R. H. -paint to match	1	C9ZZ 19893-C
		L. H. -paint to match	1	C9ZZ 19893-B
71/	F-with integral A/C	Center	1	D1ZZ 19893-A
71/	F-with integral A/C	R.H. & L.H.-Refer to Body Group 01814		
72	F-with hang-on A/C	Non-adjustable-r/b D2AZ 19893-B (11-73)	4	★ D2AZ 19893-A
72	F-with hang-on A/C	Adjustable	4	D2AZ 19893-B
	- L -			
71	L-with hang-on A/C	Use w/slide bar type control	3	D1FZ 19893-A
71/	L-with heater and/or integral A/C	Refer to Group 18C366		
72	L-with hang-on A/C	Non-adjustable-r/b D2AZ 19893-B (11-73)	4	★ D2AZ 19893-A
72	L-with hang-on A/C	Adjustable	4	D2AZ 19893-B
72	L-with built-in A/C (dealer installed)	Center	1	D4FZ 19893-A
	- P -			
70/71	P-with Economy hang-on A/C	Use w/dial type control	2	D0DZ 19893-D
71	P-with Economy hang-on A/C	Use w/slide bar type control	3	D1FZ 19893-A
70/	P-with integral A/C	R.H. or L.H.	1	D0DZ 19893-A
70/71	P-with Economy hang-on A/C	L.H. -remote	1	
70/	P-with integral A/C	Center-complete- R.H. & L.H.	1	D2DZ 19893-A
72	P-with integral A/C	R.H. or L.H. -center	2	D2DZ 19893-B
72	P-with hang-on A/C	Non-adjustable-r/b D2AZ 19893-B (11-73)	4	★ D2AZ 19893-A
72	P-with hang-on A/C	Adjustable	4	D2AZ 19893-B
	- S -			
68/69	S	R.H. -black finish -r/b C9SZ 19893-A (3-74)	1	★C8SZ 19893-C
69	S	L.H. -teakwood finish	1	C9SZ 19893-B
		Center-teakwood finish-used with AM radio	1	C9SZ 19893-C
		Center-teakwood finish-used with AM/FM radio	1	C9SZ 19893-D
		Center-teakwood finish-used with AM/stereo radio	1	★C9SZ 19893-E
				Not replaced
69/71	S	R.H. -teakwood finish	1	C9SZ 19893-A
70/71	S	L.H.	1	D0SZ 19893-A
		R.H. -center	1	
		L.H. -center	1	
72	S		4	D2SZ 19893-A
	- X -			
67	X-with integral A/C	Center -r/b C6OZ 19893-D (3-74)	1	★C7OZ 19893-A
69/70	X-with integral A/C	R.H.	1	C9OZ 19893-C
		L.H.	1	C9OZ 19893-A
		Center-without radio	1	C9GY 19893-B
		Center-with radio	1	C9GY 19893-C

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19C894 BEZEL ASSY. - REGISTER			
71/	A (except 71,76)	Used with heater or manual A/C with heated backlite	1	D1AZ 19C894-A
71/	A (except 71,76)	Used with A.T.C. with heated backlite	1	D1AZ 19C894-K
71/	A (except 54B,D,65D,71B,D)	Used with heater or manual A/C without accessory switch	1	D1AZ 19C894-E
71/	A (54B,D,65D,71B,D)	Used with heater or manual A/C without accessory switch	1	D1AZ 19C894-F
71/	A	Used with A.T.C. without accessory switch	1	D1AZ 19C894-G
71/	A	Used with heater or manual A/C with accessory switch	1	D1AZ 19C894-B
71/	A	Used with A.T.C. with accessory switch	1	D1AZ 19C894-H
	19C896 PAD - AIR CONDITIONER REGISTER LOUVER			
70/	All		AR	D0OZ 19C896-A
	19897 CASE ASSY. - AIR CONDITIONER EVAPORATOR - Also refer to Groups 18A584 & 19A626			
67/68	F-with integral A/C	Upper	1	C8ZZ 19897-A
		Lower	1	C8ZZ 19897-B
69	F-with integral A/C	Upper	1	C9ZZ 19897-A
		Lower	1	C9ZZ 19897-B
70	F-with integral A/C	Upper	1	D0ZZ 19897-E
		Lower	1	D0ZZ 19897-A
71/	F-with integral A/C	Upper	1	D1ZZ 19897-B
		Lower	1	D1ZZ 19897-A
71/	L-with integral A/C	Upper	1	D1FZ 19897-B
		Lower	1	D1FZ 19897-A
70/	P-with intergral A/C	Upper	1	D0DZ 19897-B
		Lower	1	D0DZ 19897-A
	19B897 PLATE - AIR CONDITIONER REGISTER MOUNTING BRACKET REINFORCEMENT			
70/	P-with integral A/C	Improvise	1	★
	19C897 BRACKET - AIR CONDITIONER EVAPORATOR SUPPORT			
70/71	P-with Economy hang-on A/C	R. H.	1	D0DZ 19C897-A
		L. H.	1	D0DZ 19C918-A
	19C898 GROMMET - AIR CONDITIONER CONTROL CABLE			
68/	A-with integral A/C		1	C8AZ 19C898-A
	19B915 STRAP ASSY. - AIR CONDITIONER EVAPORATOR HOSE RETAINER			
68	F(Shelby GT350)		4	C1VF 19B915-A
	19B916 STRAP - AIR CONDITIONER EVAPORATOR HOSE RETAINER			
68/70	X-with integral A/C		1	C8DZ 19B916-A
	19C917 BRACKET - AIR CONDITIONER CONDENSER TUBE SUPPORT			
69/71	A-with hang-on A/C		1	C9AZ 19C917-A
68/69	B-with integral A/C		1	C8OZ 19C917-A
70/71	B-with integral or hang-on A/C		1	D0OZ 19C917-A
71	F-with hang-on A/C		1	
71	P-with Slimline hang-on A/C		1	
71/	F-with integral A/C		1	D1ZZ 19C917-A
70/	P-with integral A/C		1	D0DZ 19C917-A
70/71	P-with Economy hang-on A/C		1	
69/70	X-with integral A/C		1	
	19C918 BRACKET - AIR CONDITIONER EVAPORATOR SUPPORT - Refer to Group 19C897			
	19C921 COUPLING ASSY. - AIR CONDITIONER EVAPORATOR OUTLET TUBE			
67/68	F-with Deluxe Hang-on A/C		1	C7ZZ 19C921-A
	19B924 BRACKET - AIR CONDITIONER BLOWER MOTOR MOUNTING			
69/70	A-with tunnel mounted A/C		1	C9AZ 19B924-A
69/71	A-with Slimline hang-on A/C		1	D0AZ 19B924-A
70/71	P-with Economy hang-on A/C		1	D0DZ 19C942-A
71	L-with hang-on A/C		1	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	MOTORCRAFT	QTY.	PART NUMBER
	19C924 BRACKET - AIR CONDITIONER BLOWER MOTOR MOUNTING				
69/71	A-with hang-on A/C			1	C9AZ 19C924-A
67/68	F-with Economy hang-on A/C			1	C7AZ 19C924-A
67/70	B,X			1	
	19926 DUCT - AIR CONDITIONER EVAPORATOR TO INSTRUMENT PANEL REGISTER				
69/71	F-with hang-on A/C			1	C9ZZ 19926-A
71	P-with Slimline hang-on A/C			1	
72	L-with built-in A/C (dealer installed)			1	D4FZ 19926-A
	19930 HOUSING ASSY. - AIR CONDITIONER BLOWER				
72	B,S-with integral A/C			1	D2OZ 19930-A
	19C932 DUCT AND CONNECTOR ASSY.-AIR CONDITIONER JUNCTION				
70/71	B-with integral A/C			1	D0OZ 19C932-A
71/	F-with integral A/C			1	D1ZZ 19C932-A
70	P-with integral A/C "Before 11/1/69"			1	D0DZ 19C932-A
70/	P-with integral A/C "From 11/1/69"			1	D0DZ 19C932-B
	19B937 BRACKET - AIR CONDITIONER DEHYDRATOR TANK MOUNTING				
71/	L-with hang-on A/C			1	C9RZ 19B937-A
	19B942 BRACKET - AIR CONDITIONER REGISTER				
72	A,B,L,P-with Economy hang-on A/C	R.H.		1	D2AZ 19B942-A
72	A-with Deluxe hang-on A/C	R.H.		1	
72	B-with Deluxe hang-on A/C	R.H.-evaporator		1	
72	B-with Deluxe hang-on A/C	L.H.-instrument panel		1	
72	B-with Deluxe hang-on A/C	R.H.-instrument panel		1	D2DZ 19B942-A
72	B-with Deluxe hang-on A/C	L.H.-evaporator		1	
72	P-with Deluxe hang-on A/C	R.H.-instrument panel		1	
72	F-with Deluxe hang-on A/C			2	
	19C942 BRACKET - AIR CONDITIONER BLOWER MOTOR MOUNTING - Refer to Group 19B924				
	19945 WIRING - AIR CONDITIONER BLOWER SWITCH FEED -Unless listed - Improvise				
69/70	A-with tunnel mounted A/C			1	C9AZ 19945-A
69/71	F-with hang-on A/C			1	
71	P-with Slimline hang-on A/C			1	
69/71	A-with Slimline hang-on A/C			1	D0AZ 19945-A
71	L,P-with hang-on A/C	Use w/slide bar type control		1	D1FZ 19945-A
	19A945 SWITCH ASSY. - AIR CONDITIONER TEMPERATURE CONTROL - Also refer to Group 19618				
65/68	A-with integral A/C		YH-56	1	C5AZ 19A945-A
69/70	A-with integral A/C		YH-59	1	C9AZ 19A945-A
66/67	B,X-with integral A/C		YH-57	1	C6OZ 19A945-A
67	F-with integral A/C			1	
68/71	B-with integral A/C		YH-54	1	C8OZ 19A945-A
68/70	X-with integral A/C			1	
65/66	S		YH-55	1	C1VV 19A945-B
	19A946 HOSE ASSY. - AIR CONDITIONER CONTROL VACUUM				
69/70	A-with integral A/C			1	C9AZ 19A946-A
71/	A-with heater			1	D1AZ 19A946-A
	19949 WIRING ASSY. - AIR CONDITIONER BLOWER MOTOR FEED				
71/	F-with integral A/C			1	D1ZZ 19949-A
	19C949 CLIP - VACUUM HOSE CONNECTOR				
68	S-with integral A/C "Before 2/1/68 only"	Use with automatic temperature control-retain 13B068 to 19C643 junction block L.H.		1	C8SZ 19C949-A
68	S-with heater or integral A/C - "Before 2/1/68 only"	Use with manual control-retain 19C827 to 19C693 junction block L.H. upper		1	C8SZ 19C949-B
68	S-with heater or integral A/C - "Before 2/1/68 only"	Use with manual control-retain 19C827 to 19C643 junction block L.H. lower		1	C8SZ 19C949-C
68	S "Before 2/1/68 only"	Retain 19C827 to 19C643 junction block center		1	★
68	S "Before 2/1/68 only"	Retain 19C827 to 19C643 junction block R.H.		1	C8SZ 19C949-E

$ For units with dealer installed Air Conditioner

% For units with factory installed Air Conditioner

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	19A950 RETAINER - REGISTER MOUNTING				
71/	A-with integral A/C	Center register		1	D1AZ 19A950-A
69/70	F-with integral A/C	R.H.		1	C9ZZ 19A950-A
		L.H.		1	C9ZZ 19A950-B
	19C957 BEZEL (AIR CONDITION EVAPORATOR)				
68	A, F-with Economy hang-on A/C			1	C8AZ 19C957-A
68/70	B-with Economy hang-on A/C			1	
68/70	X-with Economy hang-on A/C			1	
	19C958 SHIELD - AIR CONDITIONER HEAT				
69/	A-with integral A/C			1	C9AZ 19C958-A
68/71	S-with integral A/C			1	C8SZ 19C958-A
	19959 DEHYDRATOR and RECEIVER TANK ASSY. - AIR CONDITIONER				
	- A -				
65/66	A-with hang-on A/C		YL-15	1	$C5AZ 19959-B
65/66	A-with integral or hang-on A/C		YL-1	1	%C5AZ 19959-A
67/68	A-with integral A/C			1	
67/	A-with hang-on A/C		YL-20	1	C7AZ 19959-B
69	A-with integral A/C		YL-4	1	C9AZ 19959-A
70	A-with integral A/C		YL-6	1	D0AZ 19959-A
71	A-with integral A/C		YL-7	1	D1AZ 19959-A
72	A-with integral A/C		YL-8	1	D2AZ 19959-A
	- B -				
65	B-with Deluxe hang-on or hang-on A/C		YL-43	1	#C5OZ 19959-A
65	B-with hang-on A/C		YL-14	1	#C4AZ 19959-B
67/	B-with hang-on A/C		YL-20	1	C7AZ 19959-B
66	B-with integral or hang-on A/C		YL-16	1	C6OZ 19959-C
67	B (6 & 8 cyl. 289)-with integral A/C		YL-21	1	C7OZ 19959-A
67	B(8 cyl. 390)-with integral A/C		YL-47	1	C7OZ 19959-B
68/69	B -with integral A/C		YL-3	1	C8OZ 19959-A
70/71	B-with integral A/C		YL-11	1	D0OZ 19959-A
72	B-with integral A/C		YL-9	1	D2OZ 19959-A
	- F -				
65/66	F-with hang-on A/C				
67/	F-with hang-on A/C		YL-14	1	%#C4AZ 19959-B
67/68	F-with integral A/C		YL-20	1	C7AZ 19959-B
69/70	F-with integral A/C	Side mounted	YL-2	1	C7ZZ 19959-A
71	F-with integral A/C "Before 8/2/71"		YL-5	1	C9ZZ 19959-A
71/	F-with integral A/C "From 8/2/71"		YL-11	1	D0OZ 19959-A
			YL-32	1	D2ZZ 19959-A
	- L -				
71/	L-with hang-on A/C				
71	L-with integral A/C "Before 7/2/71"		YL-50	1	C9RZ 19959-A
71/	L-with integral A/C "From 7/2/71"		YL-54	1	D1FZ 19959-A
			YL-56	1	D2FZ 19959-A
	- P -				
70/	P-with hang-on A/C				
70/71	P-with integral A/C "Before 8/2/71"		YL-20	1	C7AZ 19959-B
71/	P-with integral A/C "From 8/2/71"		YL-52	1	D0DZ 19959-A
			YL-28	1	D2DZ 19959-A
	- S -				
65	S				
66	S		YL-12	1	C2SZ 19959-A
67/69	S		YL-17	1	C6SZ 19959-A
70/71	S		YL-22	1	C7SZ 19959-A
72	S		YL-25	1	D0SZ 19959-A
			YL-9	1	D2OZ 19959-A

For units with side mounted dehydrator and receiver tank on condenser
$ For units with dealer installed Air Conditioner
% For units with factory installed Air Conditioner

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	19959 DEHYDRATOR and RECEIVER TANK ASSY. - AIR CONDITIONER - continued				
	- X -				
65	X-with hang-on A/C		YL-14	1	%#C4AZ 19959-B
67/70	X-with hang-on A/C		YL-20	1	C7AZ 19959-B
66	X-with integral or hang-on A/C		YL-16	1	C6OZ 19959-C
67	X (6 & 8 cyl.289)-with integral A/C		YL-21	1	C7OZ 19959-A
68/70	X-with integral A/C		YL-3	1	C8OZ 19959-A
65	S	Nut (tank to core)-1/4"-20		2	33795-S7(M49)
65	B	Nut (tank to core)-5/16"-24		2	33798-S8(M62)
65	B	Lockwasher-5/16"		2	34806-S7(X64)
65	S	Lockwasher-1/4"		2	34905-S7(X97)
	19A962 KNOB ASSY. - AIR CONDITIONER CONTROL				
65/66	A, B, F, X-with hang-on A/C	Temperature		1	C3AZ 19A962-B
67	A, B, F, X-with hang-on A/C			2	C7AZ 19A962-A
68/71	A, B-with hang-on A/C	Use w/dial type control		2	C8AZ 19A962-A
68/71	F-with hang-on A/C			2	
70/71	P-with hang-on A/C			2	
68/70	X-with hang-on A/C			2	
71	L, P-with hang-on A/C	Use w/slide bar type control		2	D1FZ 19A962-A
7					
72	A, B, L, P-with Deluxe hang-on A/C			1	D1RY19A962-A
72	A, B, L, P-with Economy hang-on A/C			2	
72	F-with hang-on A/C			2	
	19C964 BRACKET ASSY. - AIR CONDITIONER INSTRUMENT PANEL REGISTER				
69	F-with integral A/C	R.H.-upper		1	C9ZZ 19C964-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	19B968-9 AIR CONDITIONER KITS					

FOR COMPLETE INSTALLATION (1) EACH OF THE FOLLOWING GROUP NUMBERS IS REQUIRED: 19703, 19708, 19C872, 19B968 AND 19B969.

72	A	6&8	All	Bezel for Deluxe hang-on (incl. controls and ducts)	1	D2AZ 19C872-A
		6&8	All	Bezel for Economy hang-on (incl. controls and ducts)	1	D2AZ 19C872-B
		6&8	All	Compressor	1	D2AZ 19703-B
		6&8	All	Condenser	1	D2AZ 19708-A
		6	240	Drive kit-w/single groove c/shaft pulley	1	D2AZ 19B969-D
		8	302, 351W	Drive kit	1	D2AZ 19B969-C
				For X/C - fan	1	D0AZ 8600-A
				For X/C - spacer	1	C4AZ 8546-G
				For X/C - Bolt-5/16"-24 x 3 1/2"	4	★
		8	351C, 400	Drive kit	1	D2AZ 19B969-B
				For X/C - fan (8 cyl. 351C)	1	D0AZ 8600-A
				For X/C - fan (8 cyl. 400)	1	D2SZ 8600-A
				For X/C - spacer	1	C4AZ 8546-G
				For X/C - bolts 5/16"-24 x 3 1/2"	4	★
		8	429	Drive kit	1	D2AZ 19B969-A
				For X/C - fan	1	C8AZ 8600-B
				For X/C - spacer	1	D1DZ 8546-A
				For X/C - bolt 5/16"-24 x 3 1/4"	4	★
		6&8	All	Evaporator	1	D2AZ 19B968-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	19B968-9 AIR CONDITIONER KITS - continued					
72	B	6&8	All	Bezel for Deluxe hang-on (incl. controls and ducts)	1	D2OZ 19C872-A
		6&8	All	Bezel for Economy hang-on (incl. controls and ducts)	1	D2AZ 19C872-B
		6&8	All	Compressor	1	D2AZ 19703-B
		6&8	All	Condenser	1	D2AZ 19708-A
		6	250	Drive kit	1	D2OZ 19B969-A
				For X/C - fan	1	C8SZ 8600-A
				For X/C - spacer	1	D1DZ 8546-A
				For X/C - bolt 5/16"-24 x 3 1/4"	4	★
		8	302	Drive kit	1	D2AZ 19B969-C
				For X/C - fan	1	D2VY 8600-A
				For X/C - spacer	1	C4AZ 8546-G
				For X/C - bolt-5/16"-24 x 3 1/2"	4	★
		8	351C, 400	Drive kit	1	D2AZ 19B969-B
				For X/C - fan	1	D2VY 8600-A
				For X/C - spacer	1	C4AZ 8546-G
				For X/C - bolt-5/16"-24 x 3 1/2"	4	★
		8	429	Drive kit	1	D2AZ 19B969-A
				For X/C - fan	1	D2VY 8600-A
				For X/C - spacer	1	C4AZ 8546-G
				For X/C - bolt-5/16"-24 x 3 1/2"	4	★
		6&8	All	Evaporator	1	D2AZ 19B968-A
72	F	6&8	All	Bezel for Deluxe hang-on (incl. controls and ducts)	1	D2ZZ 19C872-A
		6&8	All	Bezel for Economy hang-on (incl. controls and ducts)	1	D2AZ 19C872-B
		6&8	All	Compressor	1	D2AZ 19703-B
		6&8	All	Condenser	1	D2AZ 19708-A
		6	250	Drive kit	1	D2OZ 19B969-A
				For X/C - fan	1	C8SZ 8600-B
				For X/C - spacer	1	D1DZ 8546-A
				For X/C - bolt-5/16"-24 x 3 1/4"	4	★
		8	302	Drive kit	1	D2AZ 19B969-C
				For X/C - fan	1	D2SZ 8600-A
				For X/C - spacer	1	C4AZ 8546-G
				For X/C - bolt 5/16"-24 x 3 1/4"	4	★
		8	351C	Drive kit	1	D2AZ 19B969-B
				For X/C - fan	1	D2SZ 8600-A
				For X/C - spacer	1	C4AZ 8546-G
				For X/C - bolt 5/16"-24 x 3 1/2"	4	★
		6&8	All	Evaporator	1	D2AZ 19B968-A
72	L-w/o console	4	All	Bezel for Deluxe hang-on (incl. controls and ducts) - not replaced (5-75)	1	★D2FZ 19C872-A
		4	All	Bezel for Economy hang-on (incl. controls and ducts)	1	D2AZ 19C872-B
72	L-w/console	4	All	Bezel for built-in type dealer installed (incl. controls and ducts)	1	D4FZ 19C872-A
72	L	4	All	Compressor	1	D2FZ 19703-B
		4	All	Condenser	1	D2FZ 19708-A
		4	98	Drive Kit	1	D2FZ 19B969-B
		4	122	Drive kit	1	D2FZ 19B969-A
		4	All	Evaporator	1	D2AZ 19B968-A
	-California only	4	122	Engine Adaptor Kit	1	D2FZ 19700-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	19B968-9 AIR CONDITIONER KITS - continued					
72	P -w/o console	6&8	All	Bezel for Deluxe hang-on (incl. controls and ducts) - not replaced (5-75)	1	★D2DZ 19C872-A
	-w/o floor shift	6&8	All	Bezel for Economy hang-on (incl. controls and ducts)	1	D2AZ 19C872-B
		6&8	All	Compressor	1	D2AZ 19703-B
		6&8	All	Condenser	1	D2AZ 19708-A
		6	170, 200	Drive kit	1	D2DZ 19B969-A
				For X/C - fan	1	C9DZ 8600-A
		6	250	Drive kit	1	D2OZ 19B969-A
				For X/C - fan	1	D2DZ 8600-A
				For X/C - spacer	1	D2DZ 8546-A
				For X/C - bolt-5/16"-24 x 2 1/8"	4	★
		8	302	Drive kit	1	D2AZ 19B969-C
				For X/C - fan	1	C8SZ 8600-B
				For X/C - spacer	1	C4AZ 8546-F
				For X/C - bolt-5/16"-24 x 3 1/4"	4	★
		6&8	All	Evaporator	1	D2AZ 19B968-A

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19B968 AIR CONDITIONER KIT - Use with appropriate 19B969 Engine Kit			
	MASTER			
72	A,B,F,L,P	Refer to group 19B968 on pages 37 & 38		
67	A - NOTE 1	Deluxe hang-on A/C-cannot be installed on units with hang on stereo multiplex adapter or hang on safety convenience panel-not replaced (11-73)	1	★ C7AZ 19B968-A
68	A	Deluxe hang on A/C Cannot be installed on units with the following- Hang-on stereo, Console, Safety convenience panel not replaced (11-73)	1	★ C8AZ 19B968-A
69/71	A-NOTE 4	Slimline design-cannot be installed on units with stereo tape player	1	D1AZ 19B968-B

Consists of

1-D0AZ 14417-A	Terminal-fuse retainer	1-C9AZ 19C917-A	Bracket-condenser tube support
1-C7AZ 19A551-A	Medallion-Ford	1-D0MJ 5406016-A	Panel-glove compt. rear-Mercury
1-C4MY 19A551-A	Medallion-Mercury	1-D0AJ 6206016-A	Panel-glove compt. rear-Ford
1-C8AA 19B557-A	Tag-A/C operating instructions	1-D1AJ 6206016-AA	Panel-glove compt. rear
1-C9AJ 19D567-A	Tube assy.-dehydrator outlet	16-34659-S2	Nut & washer-1/4"-20
4-C7AZ 19B594-A	Bracket-condenser mounting	1-42367-S2	Screw-No.10-16 x 1/2"
4-C9AZ 19B594-A	Bracket-condenser mounting	15-56302-S4	Bolt-1/4"-20 x 5/8"
1-D0AJ 19C599-A	Strap-evaporator mounting	1-56305-S4	Bolt-1/4"-20 x 1"
1-C7AA 19C600-A	Condenser & Dehydrator Assy.	8-373146-S39	Screw & washer-No.10-24 x 1/2"
1-D0AZ 19B632-A	Clip-A/C tube support	1-374322-S	Strap-adjustable
1-C7SA 19A688-A	Tag-A/C refrigerant charge	1-378262-S	Grommet-3/8" I.D.
1-C9AJ 19C700-A	Tube assy.-condenser inlet	4-	Bolt-1/4"-20 x 5/8"
1-C3AZ 19703-F	Compressor	2-	Bolt-1/4"-20 x 1 1/4"
1-D0AZ 19B735-A	Cover-evaporator case-rear	8-	Fastener
1-D0AZ 19805-A	Blower assy.	9-	Screw-No.10-16 x 1/2"
1-C9QJ 19837-A	Hose assy.-dehydrator to evaporator	1-	Screw-No.10-16 x 1/4"
1-D0AJ 19850-A	Evaporator assy.	2-	Spacer-5/8" long
1-D0AZ 19858-A	Hose-evaporator drain	4-	Nut & washer-1/4"-20
2-C7AZ 19A865-A	Bracket-evaporator case mtg.-L.H.	2-	Washer-1/4"
2-C7AZ 19A865-C	Bracket-evaporator case mtg.-R.H.	1-	Installation sketch

• To complete installation units with T/E system Basic 9C432 Adapter Kit must be used

Note 1 - Kit is applicable to all models with or without Power Steering with Ford alternators only

Note 4 - Kit cannot be installed on units with console

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	19B968 AIR CONDITIONER KIT - continued -Use with appropriate 19B969 Engine Kit					
	MASTER					
69/71	F			Slimline design	1	D1ZZ 19B968-B
71	P				1	

Consists of

1-C8OZ	14A033-C	Buss Bar Assy.	1-C9ZJ 19850-A	Evaporator Assy.
1-B	14526	Fuse-20 amps	1-C3AZ 19858-A	Hose-evaporator drain
1-C8AA	19B557-A	Tag-A/C operating instructions	1-D0OZ 19C917-A	Bracket-condenser tube support
1-D0OZ	19D567-A	Tube assy.-dehydrator outlet	1-C9ZZ 19926-A	Duct
4-C7AZ	19B594-A	Bracket-condenser mounting	1-C9AZ 19945-A	Wiring-blower switch feed
3-D0AJ	19C599-A	Strap-evaporator mounting	1-C9OJ 19972-A	Tube assy.-compressor to condenser
1-C7AA	19C600-A	Condenser & Dehydrator Assy.	1-C9ZZ 19A993-A	Bracket-evaporator to instr. panel-R.H.
1-D0OZ	19B632-A	Clip-tube support	2-20384-S8	Bolt-1/4"-20 x 1"
1-C9ZZ	19A637-A	Bracket-evaporator to instr.panel	1-34653-S36	Nut & washer-No.8-32
1-C7AA	19C666-A	Spacer	17-34659-S2	Nut & washer-1/4"-20
1-C9ZZ	19A671-A	Register-L.H.	3-44719-S2	Washer-flat-1/4"
1-C5AA	19A688-B	Tag-refrigerant charge	3-55907-S2	Screw-No.8-18 x 1/2"
1-D0OZ	19C700-A	Tube assy.-condenser inlet	11-56102-S4	Bolt-1/4"-20 x 5/8"
1-C3AZ	19703-F	Compressor	2-56106-S2	Bolt-1/4"-20 x 1 1/4"
1-C7AA	19835-A	Tube assy.-dehydrator to evaporator	1-97331-S35	Clamp
1-C9OJ	19837-A	Hose assy.-dehydrator to evaporator	8-373146-S39	Screw-No.10-24 x 1/2"
			1-378262-S	Grommet-3/8" I.D.
			1-	Installation sketch

71	L			Compact design-slide bar type control-must be used w/ applicable 19B969 engine kit, 19703 compressor kit & 19708 condenser kit	1	★D1FZ 19B968-A Not replaced(3-74)

Consists of

1-D0AZ	14417-A	Terminal-fuse retainer	1-	Clamp
1-C8AA	19B557-A	Tag-A/C operating instructions	4-	Nut & washer-1/4"-20
1-D0AJ	19C599-A	Strap-evaporator mounting	4-	Screw-No.10 x 3/4"
1-C5AA	19A688-B	Tag-refrigerant charge	2-	Screw-1/4"-20 x 3/4"
2-C9RZ	19A822-A	Bracket-evaporator case mounting	1-	Screw-No.10 x 1 1/4"
1-D12J	19850-AC	Evaporator Assy.	2-	Strap-adjustable
1-C3AZ	19858-A	Hose-evaporator drain	1-	Tape-insulation
1-C7AZ	19A865-A	Bracket-evaporator mounting-R.H.	2-	Washer-lock-1/4"
1-C7AZ	19A865-C	Bracket-evaporator mounting-L.H.	1-	Installation sketch-Pinto
1-D12J	19924-AA	Blower Assy.	1-	Installation sketch-Capri
2-		Bolt-1/4"-20 x 5/8"		

19B969 AIR CONDITIONER KIT - Use with appropriate 19B968 Master Kit

ENGINE COMPONENTS

72	A,B,F,L,P	All	All	Refer to group 19B968 on pages 37 & 38		
68	B,F,X	6	170,200			•C8OZ 19B969-A
69/70	F,X	6	170,200	Use with Ford alternator only	1	D0DZ 19B969-A
70/71	P	6	170,200		1	

Consists of

1-C8OZ	2882-B	Bracket-compressor mounting	1-34987-S4	Nut-3/8"-16
1-C8OZ	2888-A	Brace-compressor-front	2-44726-S36	Washer-flat-3/8"
1-C9OZ	2889-A	Brace-compressor-rear	2-97355-S8	Clamp
1-C9OJ	2901-A	Compressor Clutch Kit	1-302557-S36	Bolt-7/16"-14 x 4"
1-C5AZ	8509-K	Pulley-water pump	1-354713-S	Grommet-3/4" I.D.
1-C5AZ	8555-A	Tube-water by-pass	1-370608-S2	Screw-3/8"-16 x 3/4"
1-C6DE	8597-B	Connection-water by-pass	1-376869-S36	Screw-3/8"-16 x 1 1/8"
1-C5ME	8A615-B	Belt-drive-15/32 x 45"	4-377379-S2	Screw-3/8"-16 x 1 1/4"
1-C5AZ	10344-J	Hub assy.-alternator pulley	4-381649-S36	Screw-3/8"-16 x 1"
1-C9OJ	19867-A	Hose assy.-evaporator to compressor	1-382010-S36	Screw & washer-5/16"-18 x 2 1/4"
1-C9OJ	19972-B	Hose assy.-compressor to condenser	1-	Installation sketch
1-34793-S36		Washer-lock-7/16"		

MUSTANG (69), FALCON - for extra cooling the following additional parts are required

$1-C6OZ 8546-A Spacer 1-C5AZ 8600-A Fan $4-45521-S7-8 Screw & washer 5/16"-24 x 2 1/2"

MAVERICK -For extra cooling the following additional part is required

1-C5AZ 8600-A Fan

• To complete installation units with T/E system Basic 9C432 Adaptor Kit must be used

$ Required only when vehicle is equipped with Power Steering

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	19B969 AIR CONDITIONER KIT - continued - Use with appropriate 19B968 Master Kit					
	ENGINE COMPONENTS					
69/71	A	6	240	Not replaced (3-74)	1	★‡C9AZ 19B969-C

Consists of

1-C8AZ 2882-A	Bracket-compressor mounting	3-42998-S2	Bolt-3/8"-16 x 1"
1-C5AZ 2887-A	Spacer-alternator bracket	2-44726-S2	Washer-flat-3/8"
1-C6AZ 2888-C	Brace-compressor-rear	2-55740-S2	Nut-7/16"-14
1-C6AZ 2888-D	Brace-compressor-lateral	6-56138-S2	Bolt-3/8"-16 x 3/4"
1-C9AJ 2901-C or E	Compressor Clutch Kit	2-56140-S36	Bolt-3/8"-16 x 1"
1-C5AZ 6A312-B	Pulley-crankshaft	2-56141-S36	Bolt-3/8"-16 x 1 1/4"
1-D0AZ 8546-B	Spacer-fan	2-56142-S36	Bolt-3/8"-16 x 1 1/2"
1-C4SZ 8620-B	Belt-A/C drive-1/2" x 58 1/4"	1-56145-S36	Bolt-3/8"-16 x 2 1/4"
1-C6AE 8620-V	Belt-alt. drive-15/32" x 41 1/2"	1-56160-S36	Bolt-7/16"-14 x 1"
1-C6AZ 8678-D	Pulley-belt idler	2-56161-S2	Bolt-7/16"-14 x 1 1/4"
1-C5AZ 10145-A	Arm-alternator belt adjustment	1-56162-S36	Bolt-7/16"-14 x 1 1/2"
1-C5AZ 10A313-C	Bracket-alternator mounting	1-56173-S36	Bolt-7/16"-14 x 4 1/4"
1-C5AZ 10B315-A	Bracket-alternator lower	2-377279-S2	Stud-7/16"-14 x 2 1/8"
1-C5AZ 10B315-B	Brace-alternator upper	3-377706-S36	Nut-3/8"-16
1-C9AJ 19867-A	Hose assy.-evaporator to compressor	4-381524-S2	Bolt-5/16"-24 x 2"
1-C9AJ 19972-A	Hose assy.-compressor to condenser	1-381937-S8	Nipple-hose-3/4"
1-34793-S36	Washer-lock-7/16"	1-	Installation sketch

FORD - for extra cooling the following additional parts are required

1-C8OZ 8600-A	Fan	1-C7AZ 8620-D	Belt-P/S w/dual belt alternator
1-C8OZ 8A616-A	Clutch	1-C6AZ 8509-L	Pulley-water pump dual

Vehicles with single belt alternator these additional parts are required

1-C5AZ 3A733-H	Pulley P/S	1-C0AZ 8620-Z	Belt P/S

Vehicles with dual belt alternator these additional parts are required

1-C5AZ 3A733-H	Pulley P/S	1-C6AZ 8509-L	Pulley-water pump
1-C7AZ 8620-D	Belt P/S	1-B9AZ 8620-A	Belt Alternator

YEAR						
70/71	A,B,F	8	302	Exc. 302 H/O eng.-when vehicle is not equipped	1	D0AZ 19B969-B
71	P	8	302	with power steering-D0AZ 19B969-E adapter kit must be used	1	

Consists of

1-D0OZ 2882-D	Bracket-compressor mounting	1-C9AJ 19867-A	Hose assy.-evaporator to compressor
1-D0OZ 2888-A	Brace-compressor-lateral	1-C9AJ 19972-A	Hose assy.-compressor to condenser
1-C9AJ 2901-A	Compressor Clutch Kit-Eaton	1-34987-S4	Nut-3/8"-16
or		2-34988-S4	Nut-7/16"-14
1-C8AA 2901-C	Compressor Clutch Kit-Pitts	3-56138-S4	Bolt-3/8"-16 x 3/4"
1-D0AZ 6A312-C	Pulley-crankshaft	9-56140-S4	Bolt-3/8"-16 x 1"
1-D0AZ 8509-A	Pulley-water pump	1-354713-S	Grommet-3/4" I.D.
1-C3AZ 8620-F	Belt-A/C drive-1/2" x 56"	1-374372-S32	Clip
1-D0AE 8620-E	Belt-power steering-1/2" x 50"	1-377278-S2	Stud 3/8"-16 x 2"
1-D0AZ 8678-C	Pulley-adjusting	2-377279-S2	Stud-7/16"-14 x 2 1/8"
1-D1ZZ 8680-A	Bracket-pulley fixed	1-	Installation sketch

FORD - for extra cooling the following additional parts are required

1-D0AZ 8600-A	Fan	4-45539-S7	Bolt-5/16"-24 x 3 1/4"
1-C4AZ 8546-F	Spacer		

FAIRLANE/TORINO - for extra cooling the following additional parts are required

*1-C5AZ 8600-K	Fan	4-45539-S7	Bolt-5/16"-24 x 3 1/4"
1-D0AZ 8546-A	Spacer (1970)		
1-C4AZ 8546-F	Spacer (1971)		

MUSTANG - for extra cooling the following additional parts are required

*1-C5AZ 8600-K	Fan	@1-D0ZZ 8005-D	Radiator (1970)
@♦1-D0ZZ 8146-A	Shroud		
1-D0AZ 8546-A	Spacer (1970)	4-45539-S7	Bolt-5/16"-24 x 3 1/4"
1-C4AZ 8546-A	Spacer (1971)		

MAVERICK - for extra cooling the following additional parts are required

1-D0AZ 8600-A	Fan

‡ To complete installation-D0AZ 8546-B spacer & 379031-S7-8 bolt-5/16"-24 x 2 1/8" are also required

* Not required on vehicles factory equipped with flex fan when radiator change is recommended

@ Not required on vehicles factory equipped with part specified

♦ Replace when radiator is replaced

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	19B969 AIR CONDITIONER KIT - continued - Use with appropriate 19B968 Master Kit					
	ENGINE COMPONENTS					
70	B, F "Before 2/1/70"	8	351 C	When vehicle is not equipped with power strg. D0AZ 19B969-E adapter kit must be used	1	★D0OZ 19B969-A r/b D0AZ 19B969-F (5-75)
70	A, F "Before 2/1/70"	8	351 W	When vehicle is not equipped with power strg. D0AZ 19B969-E adapter kit must be used	1	★D0AZ 19B969-C r/b D0AZ 19B969-F (5-75)
	MUSTANG - P/S belt D0OZ 8620-B must be used when equipped with power steering					
70 /71	A, B, F "From 2/1/70"	8	351	Appropriate drive adapter kit 19B969 must also be used. Also when vehicle is not equipped with power steering, D0AZ 19B969-E adapter kit must be used	1	★D0AZ 19B969-F r/b details (5-75)
71	A	8	400		1	

Consists of

1-D0OZ 2888-A	Brace-compressor-lateral	1-34987-S4	Nut-3/8"-16
1-C8AA 2901-C	Compressor Clutch Kit-Pitts	2-34988-S4	Nut-7/16"-14
or		2-56138-S4	Bolt-3/8"-16 x 3/4
1-C9AJ 2901-A	Compressor Clutch Kit-Eaton	9-56140-S4	Bolt-3/8"-16 x 1"
1-D0AZ 6A312-C	Pulley-crankshaft	1-354713-S	Grommet-3/4" I.D.
1-D0AZ 8509-A	Pulley-water pump	1-374312-S32	Clip
1-C3AZ 8620-F	Belt-A/C drive-1/2" x 56"	1-377278-S2	Stud-3/8"-16 x 2"
1-D0AZ 8678-C	Pulley-adjusting	2-377279-S2	Stud-7/16"-14 x 2 1/8"
1-D1ZZ 8680-A	Bracket-pulley fixed	1-	Installation sketch
1-C9AJ 19867-A	Hose assy.-evaporator to compressor		
1-C9AJ 19972-A	Hose assy.-compressor to condenser		

FORD - for extra cooling the following additional parts are required

1-D0AZ 8600-A	Fan	4-45539-S7	Bolt 5/16"-24 x 3 1/4"
1-C4AZ 8546-F	Spacer		

FAIRLANE/TORINO - for extra cooling the following additional parts are required

*1-C5AZ 8600-K	Fan	4-45539-S7	Bolt-5/16"-24 x 3 1/4"
1-D0AZ 8546-A	Spacer		

MUSTANG (351-C) - for extra cooling the following additional parts are required

*1-C5AZ 8600-K	Fan	@1-D0ZZ 8005-C	Radiator(manual trans.) (1970)
@♦1-D1ZZ 8146-A	Shroud (1970)	4-45539-S7	Bolt-5/16"-24 x 3 1/4"
1-D0AZ 8546-A	Spacer (1970)	@1-D0ZZ 8005-D	Radiator(auto. trans.) (1970)
1-C4AZ 8546-F	Spacer (1971)		

69	A, B, F	8	390	Not replaced (3-74)	1	★C9AZ 19B969-A

FORD - for extra cooling the following additional parts are required

#1-C9AZ 8146-A	Shroud-with 22" wide radiator	†2-377529-S32	Clip
#1-C9AZ 8146-C	Shroud-with 26" wide radiator	†2-380250-S32	Nut-spring 1/4"
#1-C8AZ 8600-D	Fan	†2-382160-S2	Screw 1/4" -14 x 5/8"

FAIRLANE/TORINO - for extra cooling the following additional parts are required

#1-C8OZ 8146-A	Shroud	†4-380250-S32	Nut spring 1/4"
#1-C6MY 8600-B	Fan	†4-382160-S2	Screw 1/4" -14 x 5/8"

MUSTANG - for extra cooling the following additional parts are required

#1-C8ZZ 8005-A	Radiator

\# Not required on vehicles with factory installed extra cooling or Fan Clutch
† Used when Shroud is required
@ Not required on vehicles factory equipped with part specified
♦ Replace when radiator is replaced
* Not required on vehicles factory equipped with flex fan when radiator change is recommended

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	19B969 AIR CONDITIONER KIT - continued - Use with appropriate 19B968 Master Kit					
	ENGINE COMPONENTS					
70/71	A	8	390		1	D0AZ 19B969-A

Consists of

1-C9AZ 2882-A	Bracket-compressor mounting	1-C9AJ 19867-A	Hose assy.-evaporator to compressor
1-D0AZ 2888-B	Brace-compressor-lateral	1-C9AJ 19972-A	Hose assy.-compressor to condenser
1-C9AJ 2901-A	Compressor Clutch Kit	3-55713-S7 or	Nut-3/8"-16
1-C5AZ 3A733-F	Pulley-power steering	3-55768-S7	Nut-3/8"-16
1-C9OZ 6A312-E	Pulley-crankshaft	3-351415-S2	Washer-flat-3/8"
1-C6AZ 8509-A	Pulley-water pump	1-354713-S	Grommet-3/4" I.D.
1-C9AA 8A619-A	Bracket-idler pulley	2-370608-S2	Screw-3/8"-16 x 3/4"
1-C3OZ 8620-F	Belt-drive-15/32" x 51 1/2"	1-374372-S32	Clip
1-C4MY 8620-A	Belt-alternator-15/32" x 44 1/4"	3-377278-S2	Stud-3/8"-16 x 2"
1-C5AZ 8620-G	Belt-A/C drive-1/2" x 55"	10-381649-S2	Screw-3/8"-16 x 1"
1-D0AZ 8678-C	Pulley-adjusting	1-	Installation sketch

Vehicles w/65 amp. L/N alternator-procure drive belt C9PZ 8620-Y
Vehicles w/65 amp. Ford alternator-procure drive belt C9PZ 8620-V
Vehicles w/dual belt alternator-w/o power steering-procure drive belt C9PZ 8620-AC

If extra cooling is desired the following parts are to be procured

#1-C8AZ 8600-D	Fan(5 x 19 x 2.00)	#2-57472-S40	Screw-1/4"-20 x 3/4"
#1-D0AZ 8146-A	Shroud-w/22" wide radiator	#2-383375-S2	Nut
#1-C9AZ 8146-C	Shroud-w/26" wide radiator	#4-379292-S7-8	Screw-5/16"-24 x 3.50"-w/22"
#1-C8ZZ 8546-B	Spacer-w/22" wide radiator		wide radiator

69	A	8	429	Not replaced (3-74)	1	★C9AZ 19B969-D

FORD - for extra cooling the following additional parts are required

#1-C9AZ 8146-D	Shroud-with 22" wide radiator	#4-45339-S7	Bolt 5/16" -24 x 3 1/4"
#1-C9AZ 8146-C	Shroud-with 26" wide radiator	†2-377529-S32	Clip
#1-C8SZ 8546-D	Spacer	†2-380250-S32	Nut-spring 1/4"
#1-C8AZ 8600-D	Fan	†2-382160-S2	Screw 1/4" -14 x 5/8"
#4-34806-S7	Washer-5/16"		

Vehicles equipped w/dual belt alternator the following additional belts are required

For 55 amp. Ford alternator	C4SZ	8620-A (15/32 x 42.00)
For 65 amp. Ford alternator	B8AZ	8620-F (15/32 x 43.25)
For 65 amp. L/N alternator	B9SZ	8620-A (15/32 x 43.75)

70	A,B	8	429	Except Cobra Jet	1	★D0AZ 19B969-D
71	A				1	r/b details (5-75)

Consists of

1-D0AZ 2882-A	Bracket-compressor mounting	2-34987-S4	Nut-3/8"-16
1-D0AZ 2888-A	Brace-compressor-lateral	1-34988-S4	Nut-7/16"-14
1-D0AJ 2901-A	Compressor clutch kit	4-56138-S4	Bolt-3/8"-16 x 3/4"
1-D0AZ 2A934-A	Bolt-3/8"-16 x 1"	8-56140-S4	Bolt-3/8"-16 x 1"
1-D0SZ 6A312-B	Pulley-crankshaft	2-56161-S4	Bolt-7/16"-14 x 1 1/4"
1-D0SZ 8509-B	Pulley-water pump	1-354713-S	Grommet-3/4" I.D.
1-D0AA 8A619-B	Bracket-idler pulley	1-374372-S32	Clip
1-C4AZ 8620-D	Belt-drive-1/2" x 56 1/2"	2-377278-S2	Stud-3/8"-16 x 2"
1-D0AZ 8678-E	Pulley-adjusting	1-383723-S2	Stud-7/16"-14 x 2 5/8"
1-C9AJ 19867-A	Hose assy.-evaporator to compressor	1-Installation Sketch	
1-C9AJ 19972-A	Hose assy.-compressor to condenser		

If vehicle is not equipped with power steering procure applicable 3A635 Pump Kit & 3A634 Linkage Kit
If extra cooling is desired procure (1) C8AZ 8600-D fan - on Fairlane/Torino vehicles built after 5/11/70 procure (1) each D0OZ 8509-K w/p pulley, D0OZ 6A312-A c/s pulley and D0AZ 8620-F drive belt and substitute for like item in kit

Not required on vehicles with factory installed extra cooling or Fan Clutch

† Used when Shroud is required

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
	19B969 AIR CONDITIONER KIT - continued - Use with appropriate 19B968 Master Kit					
	DRIVE ADAPTER KIT					
69	A	8	302	Hose & spacer-to be used with C9AZ 19B969-B engine kit	1	C9AZ 19B969-E
69	A	8	351	Hose & spacer-to be used with C9OZ 19B969-A engine kit	1	
70/71	B, F	8	351 C	To be used with D0AZ 19B969-F engine kit	1	D0OZ 19B969-B
	Consists of					
	1-D0ZZ 2882-B Bracket-compressor mounting			1-Installation sketch		
	1-D0OZ 8620-E Belt-power steering-1/2" x 50 3/4"					
70/71	A	8	351 W	To be used with D0AZ 19B969-F engine kit	1	★D0AZ 19B969-G
70	F				1	r/b details (5-75)
	Consists of					
	1-D0ZZ 2882-A Bracket-compressor mounting			1-D0OZ 8620-B Belt-power steering-Mustang/Cougar-1/2 x 52 1/4"		
	1-D0AZ 8620-B Belt-power steering-Ford/Mercury-1/2" x 51 3/4"			1-Installation sketch		
71	A	8	400	To be used with D0AZ 19B969-F engine kit	1	★D1AZ 19B969-D r/b details (5-75)
	Consists of					
	1-D1AZ 2882-A Bracket-compressor mounting			1-D1AZ 8680-A Bracket-pulley fixed		
	1-D0AE 8620-E Belt-drive-1/2" x 50"			1-Installation sketch		
	19C969 CLIP - AIR CONDITIONER VACUUM HOSE HARNESS					
72	B, S-with integral A/C				1	D2OZ 19C969-A
	19B970 HOSE GUARD KIT - Refer to Section 197					
	19972 DISCHARGE LINE - AIR CONDITIONER COMPRESSOR TO CONDENSER					
	Refer to Section 197 for Serviced Refrigerant Line Assemblies and/or replacement details.					
	19C975 HOUSING - AIR CONDITIONER BLOWER TOP					
68	F-with Deluxe hang-on A/C				1	C8SZ 19C975-A
	19980 CONTROL ASSY. - AIR CONDITIONER - Also refer to Groups 18A651 & 19A884					
	- A -					
67	A-with integral A/C				1	C7AZ 19980-A
71/	A-with A.T.C.				1	D2AZ 19980-A
71/	A-with manual integral A/C - "Before 10/1/71"				1	D2AZ 19980-B
72	A-with manual integral A/C-"From 10/1/71"				1	D2AZ 19980-C
	- B -					
70	B-with integral A/C				1	D0OZ 19980-A
72	B-with integral A/C-				1	D2OZ 19980-B
	- F -					
67	F-with integral A/C				1	C7ZZ 19980-A
67/72	F-with integral A/C "Before 1/3/72"			Refer to Group 19A884		
72	F-with integral A/C "From 1/3/72"				1	D2ZZ 19980-A
	- L -					
71/72	L-with integral A/C "Before 12/1/71"				1	D1FZ 19980-A
72	L-with integral A/C "From 12/1/71"				1	D2FZ 19980-B
	- S -					
65/66	S			Vacuum control & plate assembly	1	C4SZ 19980-A
67	S				1	C7SZ 19980-A
68	S-with manual A/C				1	C8SZ 19980-A
68	S-with A.T.C.				1	C8SZ 19980-B
69/71	S-with manual A/C				1	C9SZ 19980-A
69/71	S-with A.T.C.				1	C8SZ 19980-C
72	S-with manual A/C-				1	D2OZ 19980-B
72	S-with A.T.C.				1	D2SZ 19980-A
	- X -					
68/70	X-with integral A/C				1	C8DZ 19980-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	19A980 INSERT - AIR CONDITIONER CONTROL NAME PLATE				
70/71	S-with A. T. C.	"Automatic temperature control"		1	D0SZ 19A980-A
70/71	S	"Off-Fan-Hi"		1	D0SZ 19A980-B
70/71	S	"Off-Fan-Hi--Off-Rear Defog-Hi"		1	D0SZ 19A980-C
70/71	S	"Off-Rear Defog-Hi"		1	D0SZ 19A980-D
72	S-except A.T.C. or heated backlite - "Before 5/3/72"	" Low-Fan-High"		1	D2SZ 19A980-A
72	S-except A.T.C. or heated backlite- "From 5/3/72"	"Low-Fan-High"		1	D3SZ 19A980-A
72	S-with heated backlite except with A.T.C. - "Before 5/3/72"	" Low-Fan-High-Rear Defrost-On"		1	D2SZ 19A980-B
72	S-with heated backlite except with A.T.C.- "From 5/3/72"	"Low-Fan-High-Rear Defrost-On"		1	D3SZ 19A980-B
72	S-with A.T.C. except with heated backlite			1	D2SZ 19A980-C
72	S-with A.T.C. and heated backlite	" Rear Defrost"		1	D2SZ 19A980-D
	19A982 STUD - AIR CONDITIONER EVAPORATOR SUPPORT				
68	B-with hang-on A/C	Use with adapter kit C8OZ 19B968-B		1	C8OZ 19A982-A
68/70	X-with hang-on A/C			1	
	19B985 BUSHING - AIR CONDITIONER AIR OUTLET DOOR CONTROL SHAFT				
69/	F-with integral A/C			1	C9ZZ 19B985-A
71/	L-with integral A/C			1	
70/	P-with integral A/C			1	
72	B,S-with integral A/C			1	
	19986 SWITCH ASSY. - Also refer to Group 18578				
	- A -				
65	A-with hang-on A/C		YH-64	1	C4AZ 19986-A
66	A-with hang-on A/C	Used only with evaporator w/top mount hoses		1	C6AZ 19986-A
67	A-with Deluxe hang-on A/C			1	C7AZ 19986-B
67/68	A-with Economy hang-on A/C			1	C7AZ 19986-C
68	A-with Deluxe hang-on A/C		YH-69	1	C8AZ 19986-B
69/70	A-with tunnel mounted A/C		YH-70	1	C9AZ 19986-A
69/71	A-with Slimline hang-on A/C		YH-240	1	D0AZ 19986-A
72	A-with hang-on A/C		YH-210	1	D1RY 19986-A
67	A-with integral A/C		YH-67	1	C7AZ 19986-A
65/66	A-with integral A/C			1	
68	A-with integral A/C		YH-68	1	C8AZ 19986-A
69/70	A -with heater or integral A/C			1	C9AZ 18578-A
71/	A-with A.T.C.		YH-72	1	D1AZ 19986-B
71/	A-with manual integral A/C		YH-73	1	D2AZ 19986-A
	- B -				
65	B-with Economy hang-on A/C		YH-64	1	C4AZ 19986-A
65	B-with Deluxe hang-on A/C		YH-65	1	C4AZ 19986-B
65	B-with hang-on A/C	Used only with evaporator w/top mount hoses		1	C6AZ 19986-A
67/70	B-with Economy hang-on A/C			1	C7AZ 19986-C
68/71	B-with Deluxe hang-on A/C			1	C8AZ 19986-B
72	B-with hang-on A/C		YH-210	1	D1RY 19986-A
66/67	B-with integral A/C		YH-66	1	C6OZ 19986-A
68/69	B-with integral A/C		YH-85	1	C8OZ 19986-A
70/71	B-with integral A/C		YH-71	1	D0OZ 19986-A
72	B-with integral A/C		YH-75	1	D2OZ 19986-B
	- F -				
65	F-with hang-on A/C		YH-64	1	C4AZ 19986-A
66	F-with hang-on A/C	Used only with evaporator w/top mount hoses		1	C6AZ 19986-A
67/68	F-with Economy hang-on A/C			1	C7AZ 19986-C
68	F-with Deluxe hang-on A/C		YH-69	1	C8AZ 19986-B
69/71	F-with hang-on A/C		YH-70	1	C9AZ 19986-A
72	F-with hang-on A/C		YH-210	1	D1RY 19986-A

YEAR	MODEL	DESCRIPTION	MOTORCRAFT NUMBER	QTY.	PART NUMBER
	19986 SWITCH ASSY. - continued - Also refer to Group 18578				
	- F -				
67	F-with integral A/C		YH-214	1	C7ZZ 19986-A
68	F-with integral A/C		YH-212	1	C8ZZ 19986-A
69/70	F-with integral A/C		YH-90	1	C9ZZ 19986-A
71/	F-with integral A/C		YH-94	1	D1ZZ 19986-A
	- L -				
71	L-with hang-on A/C	Use w/slide bar type control		1	D1FZ 19986-A
72	L-with hang-on A/C		YH-210	1	D1RY 19986-A
71/	L-with integral A/C			1	D1FZ 18578-B
	-P -				
70/71	P-with hang-on A/C	Use w/dial type control	YH-70	1	C9AZ 19986-A
71	P-with hang-on A/C	Use w/slide bar type control	YH-211	1	D1FZ 19986-A
72	P-with hang-on A/C		YH-210	1	D1RY 19986-A
70/	P-with integral A/C		YH-74	1	D2DZ 19986-A
	- S -				
65/66	S-with heater or integral A/C			1	C4SZ 18578-A
67	S			1	C7SZ 18578-A
68/69	S-with heater or manual A/C	Use without defogger or heated back light		1	C8SZ 18578-A
68/69	S-with heater or manual A/C	Use with defogger		1	C8SZ 18578-B
69	S-with manual A/C	Use with heated backlight		1	C9SZ 18578-B
68/71	S-with A.T.C.		YH-213	1	C8SZ 19986-B
68/71	S-with A.T.C.	Use with defogger		1	C8SZ 18578-C
69	S-with A.T.C.	Use with heated backlight		1	C9SZ 18578-A
70/71	S-with heater or manual A/C	Used without defogger or heated back lite		1	D0SZ 18578-A
70/71	S-with heater or manual A/C	Used with defogger		1	D0SZ 18578-B
70	S-with manual A/C	Use with heated back lite		1	D0SZ 18578-C
70	S-with A.T.C.	Used with heated back lite		1	D0SZ 18578-D
71	S-with A.T.C.	Use with heated backlite		1	D1SZ 18578-B
71	S-with manual A/C	Use with heated backlite		1	D1SZ 18578-A
72	S-with A.T.C.		YH-95	1	D2SZ 19986-A
72	S-with heater or manual A/C-" Before 9/16/71"			1	D2OZ 19986-A
72	S-with heater or manual A/C-" From 9/16/71"		YH-75	1	D2OZ 19986-B
	- X -				
65	X-with hang-on A/C		YH-65	1	C4AZ 19986-B
66	X-with hang-on A/C	Used only with evaporator w/top mount hoses		1	C6AZ 19986-A
67/70	X-with Economy hang-on A/C			1	C7AZ 19986-C
68/70	X-with Deluxe hang-on A/C		YH-69	1	C8AZ 19986-B
66/67	X-with integral A/C		YH-215	1	C6DZ 19986-A
68/70	X-with integral A/C		YH-84	1	C8DZ 19986-A
65/66	A-with integral A/C	Screw (switch to retainer)-No. 10-24 x 1/2"		2	40918-S8(U260)
		Screw (switch to name plate)-No. 8-32 x 1"		2	40969-S8
69/70	A	Screw no. 8-15 x 1/2" (attach switch to control)		2	52012-S8(U-202)
	19988 CABLE ASSY. - AIR CONDITIONER TEMPERATURE - Also refer to Group 18518				
68	A-with integral A/C			1	C8AZ 19988-A
66/67	B-with integral A/C			1	C6OZ 19988-A
68/71	B-with integral A/C			1	C8OZ 19988-A
68/70	X-with integral A/C			1	
72	B-with integral A/C			1	D2OZ 19988-A
67/68	F-with integral A/C			1	C7ZZ 19988-A
69/70	F-with integral A/C			1	C9ZZ 19988-A
71/	F-with integral A/C			1	D1ZZ 19988-A
71/72	L-with integral A/C "Before 6/22/72"			1	D1FZ 19988-A
72	L-with integral A/C "From 6/22/72"			1	§ D2FZ 19988-A
70	P-with integral A/C			1	D0DZ 19988-A
71/72	P-with integral A/C "Before 6/22/72"			1	D1DZ 19988-A
72	P-with integral A/C "From 6/22/72"			1	D2DZ 19988-A
72	S-with manual A/C			1	D2SZ 19988-A
70/	P	Clip (attach 19988 to evaporator 19850)		1	383267-S(GGI63YF)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
	19A989 SEAL - AIR CONDITIONER EVAPORATOR DRAIN HOSE TO FLOOR - Not supplied - Improvise			
	19A990 VALVE ASSY. - AIR CONDITIONER COMPRESSOR - Also refer to Group 19752			
65/69	A, B, S, X		1	C4AZ 19A990-A
70/71	A, B, F, P-with hang-on A/C		1	(YF-292)
70	X-with hang-on A/C		1	
68	A, F-with integral A/C		1	C8AZ 19A990-A
65/66	S		1	(YF-296)
65/67	A, B, F, X		1	
69	A, B, F, S -with integral A/C		1	C9AZ 19A990-A
70/71	A, B, F-with hang-on A/C		1	(YF-297)
70	P-with integral A/C "Before 12/1/69"		1	
69/70	X-with integral A/C			
70/	A, B, F-with integral A/C		1	D0AZ 19A990-A
71/	L-with integral A/C		1	(YF-237)
70/	P-with integral A/C "From 12/1/69"		1	
70/71	S-with integral A/C		1	
68	B, X, S-with integral A/C		1	C8SZ 19A990-A
				(YF-293)
71/	L-with hang-on A/C	Use for high or low pressure	2	D1FZ 19A990-B
72	A, B, F, P-with hang-on A/C		2	(YF-301)
	19A991 BAND - AIR CONDITIONER BLOWER MOTOR MOUNTING - Not supplied - Improvise			
	19A992 BRACKET - AIR CONDITIONER BLOWER MOTOR SUPPORT			
70/71	P-with Economy hang-on A/C		1	D0DZ 19A992-A
69/71	A-with slim line hang-on A/C		1	
71	L-with hang-on A/C		1	
	19A993 BRACKET - AIR CONDITIONER EVAPORATOR TO INSTRUMENT PANEL MOUNTING			
69/71	F-with hang-on A/C	R.H.	1	C9ZZ 19A993-A
71	P-with slimline hang-on A/C		1	
	19B994 GASKET - AIR CONDITIONER COMPRESSOR VALVE PLATE - Also refer to Group 19B596			
65/69	A, F, S	"O" ring-3/4"O.D.-used with Roto Lock type valves	2	C2SZ 19B994-A
65	B		1or2	
65	X (6 & 8 cyl.)-Receiver tank on condenser		2	
68/69	B, X-with A/C		2	
70/71	A, B, F, P-with hang-on A/C		2	
	19A995 BEZEL - AIR CONDITIONER EVAPORATOR			
68/71	B-with Deluxe hang-on A/C		1	o C8OZ 19A995-B
68/70	X-with Deluxe hang-on A/C		1	
	19998 TRAP - AIR CONDIONER EVAPORATOR DRAIN			
65/66	S		1	C1SS 19998-A
	19A998 PANEL - AIR CONDITIONER EVAPORATOR CASE			
69	A-with integral A/C	Cover-thermostat	1	C9AZ 19A998-A
70/	A-with integral A/C	Cover-thermostat	1	D0AZ 19A998-A
67/70	S-with heater or A/C	Top	1	C8SZ 19A998-A
71	S-with integral A/C	Top	1	D1SZ 19A998-A

o Use with 1 9/16" burled simulated walnut insert

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS

To simplify part number determination and complexity, and to reduce look-up time for air conditioning hoses the following summary describes the various service methods:

1. Hose originally used in production is serviced.

Example: Original production part number D1ZA 19835-AB is supplied for service as part number D1FZ 19835-B as shown on page 16 of the IDENTIFICATION CHART and on page 10 of the APPLICATION CHART.

2. Hose originally used in production is replaced by a "Simplified" hose.

Example: Original production part numbers C8OA 19835-D and C8OA 19837-E (combined) are replaced by a single "Simplified" hose part number C8OZ 19837-A as shown on page 15 of the IDENTIFICATION CHART and on page 8 of the APPLICATION CHART.

3. Hose originally used in production is not supplied for service and has been replaced by detail parts i.e. bulk hose (which must be cut to length) and assorted fittings.

Detail parts include:
Push-on type tube fittings (includes clamps and "o" rings) and bulk hose. Original production hose assemblies are fabricated from bulk hose (cut to length indicated) and add necessary fittings (listed by code number and cross-referenced to part number on pages 24 through 26.

Example: Original production part number D2AA 19972-AA is replaced by 41 inches of 13/32 I.D. bulk hose (part number D2AZ 19C708-B) and one each of fitting code H44 which cross-references to fitting service part number D2AZ 19D695-AF and fitting code S04 which cross-references to fitting service part number D2AZ 19D695-BE. The original production part number D2AA 19972-AA is shown on page 19 of the IDENTIFICATION CHART and on page 7 of the APPLICATION CHART. The fitting code number to part number CROSS-REFERENCE CHART is shown on pages 24 through 26.

Air Conditioning hose information is listed as follows:

	PAGE
INSTALLATION INSTRUCTIONS	2 through 5
APPLICATION CHART	6 through 13
IDENTIFICATION CHART	14 through 19
FITTING CROSS-REFERENCE CHART	20 through 26

More detailed instructions are included with the IDENTIFICATION CHART, APPLICATION CHART and FITTING CROSS-REFERENCE CHART.


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued


INSTALLATION INSTRUCTIONS

HOSE GUARDS

FOAM RUBBER SLEEVE: To protect 5/8" rubber air conditioner hose from direct rubbing against other parts and to reduce hose vibration noise.



ALUMINUM SLEEVE: To protect 13/32" discharge hose where hose contacts sharp edges in routing through the radiator side support.



1. Slide sleeve on hose before installing end fittings.
   NOTE: Sleeve can be cut lengthwise and formed around other hose sizes.

2. Use C0AZ 19552-A or 8A 19552-B adhesive to secure sleeve in desired position.

19C705-B REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

INSTALLATION INSTRUCTIONS - continued

DETAIL PARTS and HOSE ASSEMBLIES

1. Note defective hose routing before removal.

2. Repair existing rubber or nylon hose on vehicle if feasible.

   a. Repair cuts and similar failures, in otherwise sound existing hose assemblies, by using one push-on hose splicer or two splicers with the required length of bulk hose.

   b. Repair accumulator hose assemblies (Suction Line - Group Number 19C836) starting in 1970 on some models with integral A/C), by cutting the existing hose (6) inches from one or both coupled ends of the accumulator can, and splicing on the required bulk rubber hose and component fittings to replace the defective hose end.


      If the accumulator can is damaged, or if the existing hose is judged unsound, the entire accumulator assembly must be replaced with component parts.

3. Remove defective hose if splicing is not acceptable.

   a. Discharge the system if not completely discharged, following the procedure outlined in the shop manual.

   b. For those liquid lines (5/16" I.D.) having a self-sealing, quick disconnect coupling on one end, the coupling should be left on the vehicle. The new hose assembly will adapt into this coupling with 1/2"-20 male thread and an external o-ring seal.


4. Assemble the new hose as shown below if component parts are used.



   a. Select proper end fittings, splicers, hose guards, and hose size required to replace the original hose assembly. A visual comparison is required for applications not listed.

   b. Cut hose to required length. Keep ends square and remove loose fragments.

   c. Lubricate barbed end of fittings and splicers with a few drops of clean refrigerant oil.



   d. Slide loose clamps on hose, force fittings into hose (by hand) with rotating motion.

      CAUTION. Do not go past shoulder or scratch fitting with tools, this fitting must be inserted by hand.


   e. Position clamp so that spacer tab is over end of rubber hose and tighten until clamp starts to cut hose. (Tighten to 35-40 in. lbs. torque)

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

INSTALLATION INSTRUCTIONS - continued

DETAIL PARTS and HOSE ASSEMBLIES - continued



f. For nylon hose splicers only, position clamp approx. 1/8" from end of hose (tighten to 40-45 in. lbs. torque)

5. Route the new hose, using the original installation as a guide.
If simplified hose with aluminum tubing and splicer is used, bend the tubing as outlined below:

a. Bend the aluminum tubing by hand to replace the bends of the original hose, making the bends as simple as possible.

b. Drill new holes through the radiator support and side shield as required to make the installations using simplified tube bends.

6. Install and torque new hose assembly.
NOTE. When installing assembly, tighten coupling nut finger tight, then torque per chart below using a back-up tube wrench. Further tightening may distort fitting and result in an imperfect seal. Be sure that o-ring is in place on o-ring type fittings. Hoses must be installed with no twist in them.

Fitting Size or Description	Thread Size	RECOMMENDED TORQUE (IN FT. LBS.) O-Ring Type	Flare Type
3/8"	5/8"-18	11-13	15-19
1/2"	3/4"-16 or 18	15-20	21-27
5/8"	7/8"-14 or 18	21-27	25-31
3/4"	1 1/16"-14 or 18	28-33	33-40
Adapter for Self-sealing Coupling	1/2"-20 7/8"-20	8-12 21-27	
Compressor fitting and service valve	1"-14	20-40	
Block fitting plate bolt		20-30	
Pressure relief valve (into block fitting)	3/8"-24	4-11	











7. Rework the existing hose support clamps if required.

a. Check for correct installation and proper routing for clearance with other vehicle components.

b. Evacuate, charge and leak test the system following the procedure outlined in the vehicle shop manual.

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

SIMPLIFIED HOSE ASSEMBLIES

PART NUMBER	DESCRIPTION	TOTAL LENGTH INCHES
	LIQUID LINES	
D00Z-19837-C *YF-271		58
C80Z-19837-A *YF-270		81
C70Z-19837-A *YF-269		82
C7AZ-19837-A *YF-268		35
C9AZ-19837-A *YF-238		85
D1AZ-19837-B *YF-272		34
	DISCHARGE LINES	
C80Z-19972-A *YF-239		33
C9ZZ-19972-C *YF-277		27
C7AZ-19972-A *YF-276		32
	SUCTION LINES	
C7AZ-19867-A *YF-285		27
D0AZ-19867-A *YF-286		48

* Motorcraft Number

P-9877

SIMPLIFIED HOSE ASSEMBLIES

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

APPLICATION CHART

To determine the correct hose part number or detail part numbers you must know:

1. Carline-Ford (A), Torino (B), etc.
2. Year (1970, 1971, etc.)
3. Hose function (Discharge Line, Liquid Line or Suction Line)
4. Type of Air Conditioning System (Hang-on or Integral)
5. Engine (number of cylinders and cubic inch displacement)

Example No. 1. If a Discharge Line is required for a 1971 Thunderbird (S) with integral air conditioning the Application Chart (page 12) indicates (1) that the hose assembly is serviced as either part number D0SZ 19972-A (original production hose) or part number C8OZ 19972-A (simplified hose) and (2) that the hose may be fabricated from 16" of 13/32" I.D. bulk hose (Part Number D2AZ 19C708-B, one piece of Fitting Code G44 (Part Number D2AZ 19D695-AA) and one piece of Fitting Code H44 (Part Number D2AZ 19D695-AF).

Example No. 2. If a Liquid Line is required for a 1969 Fairlane/Torino (B) with integral air conditioning the Application Chart (on page 8) indicates (1) that the original production hose assembly is not serviced (★) and (2) that you may use C8OZ 19837-A (simplified hose) and (3) the hose may be fabricated from - 60" of 5/16" I.D. bulk hose (Part Number D2AZ 19C708-B), one piece of Fitting Code H33 (Part Number D2AZ 19D695-AE), one piece of Fitting Code L33 (Part Number D2AZ 19D695-R), and one piece of Fitting Code SG3 (Part Number D2AZ 19D695-BK).

Example No. 3. If a Suction Line is required for a 1970 Ford(A) with hang-on air conditioning the Application Chart (on page 7) indicates (1) that the hose assembly is not serviced (★) and (2) that you must fabricate the hose from 51" of 1/2" I.D. bulk hose (Part Number D2AZ 19C708-B), one piece of Fitting Code A45 (Part Number D2AZ 19D695-L) and one piece of Fitting Code CL6 (Part Number D0TZ 19B679-A) and one piece of Fitting Code S5 (Part Number D0TZ 19752-A).

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

REFRIGERANT LINE APPLICATION CHART

YEAR	MODEL	ENGINE		TYPE OF A/C	SERVICE ASSEMBLY	SERVICE DETAILS		
		CYL.	C. I. D.			HOSE I. D. (INCHES)	HOSE LENGTH (INCHES)	FITTINGS REQUIRED
				A (FORD)				
DISCHARGE LINE - COMPRESSOR TO CONDENSER								
67	A	All	All	Integral	*C7AZ 19972-A(YF-276)	13/32	15	A44,C44
67	A-"Before 5/1/67"	All	All	Integral	C7AZ 19C836-A	13/32	22	A44,B44
	A-"From 5/1/67"	All	All	Integral	*C7AZ 19972-A(YF-276)	13/32	21	B44,QF6
68	A	8	All	Integral	*C7AZ 19972-A(YF-276)	13/32	23	A44,B44
69	A	8	All	Integral	*C8OZ 19972-A(YF-239)	13/32	24	J44,K44
70	A	8	All	Integral	*C8OZ 19972-A(YF-239)	13/32	34	H44,K44
71/72	A-"Before 3/1/72"	8	All	Integral	*C8OZ 19972-A(YF-239)	13/32	37	H44,K44
72	A-"From 3/1/72"	8	All	Integral	★	13/32	41	H44,S04
67	A	All	All	Hang-on	★	13/32	20	A44,S4
68	A	All	All	Hang-on	★	13/32	17	B44,S4
69/70	A	All	All	Hang-on	★	13/32	15	A44,S4
71/	A	All	All	Hang-on	★	13/32	47	A44.CL6
LIQUID LINE - DRYER TO EVAPORATOR								
67/68	A	All	All	Integral	*C7AZ 19837-A(YF-268)	5/16	32	A33,Z23
69/70	A	All	All	Integral	*C9AZ 19837-A(YF-238)	5/16	78	J33,SG3,Z23
71	A	All	All	Integral	*D1AZ 19837-B(YF-272)	5/16	31	G33.H33
72	A-"Before 3/1/72"	All	All	Integral	*D1AZ 19837-B(YF-272)	5/16	29	G33.H33
	A-"From 3/1/72"	All	All	Integral	*D1AZ 19837-B(YF-272)	5/16	32	G33.H33
67	A	6	240	Hang-on	★	5/16	65	A33.A33.SG3
	(Deluxe)	8	All	Hang-on	★	5/16	30	A33.SG3.Z23
	(Economy)	8	All	Hang-on	★	5/16	57	A33.A33.SG3
68	A	All	All	Hang-on	★	5/16	64	A33,A33,SG3
69/70	A	All	All	Hang-on	★	5/16	60	A33,A33,SG3
71/	A	All	All	Hang-on	D1AZ 19837-A or *C7OZ 19837-A(YF-269)	5/16	82	A33,C33,SG3
SUCTION LINE - EVAPORATOR TO COMPRESSOR								
67	A	6	240	Integral	★	1/2	27	A55,A55
67/68	A	8	All	Integral	*C7AZ 19867-A(YF-285)	1/2	21	A55,A55
68/72	A(w/o A.T.C.)-"Before 3/1/72"	All	All	Integral	*D0AZ 19867-A(YF-286)	5/8	47	K56,P66
71/72	A(w/A/T/C/)-"Before 3/1/72"	8	351,400	Integral	D1AZ 19C836-A(YF-558)			AC6,J56,P66
71/72	A(w/A.T.C.)-"Before 3/1/72"	8	429	Integral	★	5/8	44	AC6,J56,P66
72	A(w/o A.T.C.)-"From 3/1/72"	8	All	Integral	★	5/8	50	P66,S06
72	A(w/A.T.C.) "From 3/1/72"	8	351,400, 429	Integral	★			AC6,P66,S06
67/68	A	All	All	Hang-on	★	1/2	44	A45,CL6,S5
69/70	A	All	All	Hang-on	★	1/2	51	A45,CL6,S5
71/	A	All	All	Hang-on	D1AZ 19867-A	13/32	71	B54,CL6

* Simplified Hose Assy.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

REFRIGERANT LINE APPLICATION CHART - continued

YEAR	MODEL	ENGINE		TYPE OF A/C	SERVICE ASSEMBLY	SERVICE DETAILS		
		CYL.	C. I. D.			HOSE I. D. (INCHES)	HOSE LENGTH (INCHES)	FITTINGS REQUIRED
				B (FAIRLANE/TORINO)				
DISCHARGE LINE - COMPRESSOR TO CONDENSER								
67	B	6	All	Integral	*C7AZ 19972-A(YF-276)	13/32	34	A44,C44
		8	289	Integral	*C7AZ 19972-A(YF-276)	13/32	21	C44,C44
		8	390	Integral	*C7AZ 19972-A(YF-276)	13/32	22	B44,C44
68/69	B	6	All	Integral	*C8OZ 19972-A(YF-239)	13/32	36	G44,G44
		8	All	Integral	*C8OZ 19972-A(YF-239)	13/32	31	J44,J44
70	B	6	All	Integral	D0OZ 19972-C	13/32	41	G44,G44
71	B	6	All	Integral	★	13/32	41	G44,G44
70/71	B	8	All	Integral	*C9ZZ 19972-C(YF-277)	13/32	24	G44,H44
72	B	6	250	Integral	★	13/32	37	P44,S04
		8	All	Integral	★	13/32	18	P44,S04
67	B	6	All	Hang-on	★	13/32	38	C44,CL6,S4
		8	All	Hang-on	★	13/32	24	C44,CL6,S4
68/69	B	All	All	Hang-on	★	13/32	17	B44,CL6,S4
70/71	B	6	All	Hang-on	D0OZ 19C700-A	13/32	38	B44,CL6,S4
		8	All	Hang-on	D0OZ 19C700-A	13/32	25	B44,CL6,S4
71/	B	All	All	Hang-on	★	13/32	47	A44,CL6
LIQUID LINE - DRYER TO EVAPORATOR								
67	B	6	All	Integral	★	5/16	51	A33,SG3,Z23
		8	289					
		8	390	Integral	*C7OZ 19837-A(YF-269)	5/16	63	A33,B33,SG3
68/69	B	6	All	Integral	*C8OZ 19837-A(YF-270)	5/16	58	H33,L33,SG3
		8	All	Integral	*C8OZ 19837-A(YF-270)	5/16	60	H33,L33,SG3
70	B	6	All	Integral	D0OZ 19835-A and ★19837	5/16	64	G33,L33,SG3
		8	All	Integral	D0OZ 19835-B and *D0OZ 19837-C(YF-271)	5/16	55	L33,SG3,Z23
71	B	6	All	Integral	★19835 and ★19837	5/16	64	G33,L33,SG3
		8	All	Integral	*C8OZ 19837-A(YF-270)	5/16	70	G33,H33,SG3
72	B	All	All	Integral	★	5/16	31	G33,P33,SG3
67	B	6	All	Hang-on	★	5/16	31	A33,SG3,Z23
		8	All	Hang-on	★	5/16	57	A33,A33,SG3
68/69	B	All	All	Hang-on	★	5/16	64	A33,A33,SG3
70/71	B	All	All	Hang-on	D0OZ 19D567-A	5/16	72	A33,A33,SG3
71/	B	All	All	Hang-on	D1AZ 19837-A or *C7OZ 19837-A(YF-269)	5/16	82	A33,C33,SG3
SUCTION LINE - EVAPORATOR TO COMPRESSOR								
67	B	6	All	Integral	C7AZ 19867-A(YF-285)	1/2	20	A55,A55
		8	All	Integral	★	1/2	43	A55,C55
68/69	B	6	All	Integral	★	1/2	25	H55,L55
		8	All	Integral	★	1/2	45	J55,L55
70/71	B	6	All	Integral	D0OZ 19867-B	1/2	24	H55,L55
		8	All	Integral	D0OZ 19867-A	1/2	43	J55,L55
72	B	6	All	Integral	D2OZ 19C836-C(YF-556)			
72	B	8	All	Integral	D2OZ 19C836-D			

* Simplified Hose Assy.

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

REFRIGERANT LINE APPLICATION CHART - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C. I. D.	TYPE OF A/C	SERVICE ASSEMBLY	SERVICE DETAILS HOSE I. D. (INCHES)	SERVICE DETAILS HOSE LENGTH (INCHES)	SERVICE DETAILS FITTINGS REQUIRED
B (FAIRLANE/TORINO) - continued								
SUCTION LINE - EVAPORATOR TO COMPRESSOR - CONTINUED								
67	B	6	All	Hang-on	★	1/2	56	A45,S5
67/68	B	8	All	Hang-on	★	1/2	44	A45,S5
68	B	6	All	Hang-on	★	1/2	66	A45,S5
69/71	B	6	All	Hang-on	★	1/2	74	A45,S5
		8	All	Hang-on	★	1/2	51	A45,S5
72	B	All	All	Hang-on	D1AZ 19867-A	13/32	71	B54,CL6
F (MUSTANG)								
DISCHARGE LINE - COMPRESSOR TO CONDENSER								
67/68	F	6	All	Integral	★	13/32	35	A44,B44
		8	All	Integral	C7AZ 19972-A(YF-276)	13/32	20	A44,B44
69/70	F	6	All	Integral	*C8OZ 19972-A(YF-239)	13/32	35	G44,H44
		8	All	Integral	*C9ZZ 19972-C(YF-277)	13/32	20	G44,H44
71/	F	6	All	Integral	★19972 or *C8OZ 19972-A(YF-239)	13/32	41	G44,H44
		8	All	Integral	*C9ZZ 19972-C(YF-277)	13/32	24	G44,H44
67	F	6	170,200	Hang-on	★	13/32	29	C44,S4
		8	All	Hang-on	★	13/32	21	A44,S4
68/70	F	6	All	Hang-on	★	13/32	33	B44,S4
68	F	8	All	Hang-on	★	13/32	17	B44,S4
69/70	F	8	All	Hang-on	★	13/32	20	B44,S4
71	F	6	All	Hang-on	D0OZ 19C700-A	13/32	39	B44,CL6,S4
		8	All	Hang-on	D0OZ 19C700-A	13/32	26	B44,CL6,S4
71/	F	All	All	Hang-on	★	13/32	47	A44,CL6
LIQUID LINE - DRYER TO EVAPORATOR								
67/68	F	All	All	Integral	*C7OZ 19837-A(YF-269)	5/16	74	B33,C33,SG3
69/70	F	All	All	Integral	*C9AZ 19837-A(YF-238)	5/16	68	G33,SG3,Z23
71/	F	6	All	Integral	★	5/16	65	G33,M33,SG3
		8	All	Integral	*C8OZ 19837-A(YF-270)	5/16	78	H33,L33,SG3
67	F	6	All	Hang-on	★	5/16	65	A33,A33,SG3
		8	All	Hang-on	★	5/16	58	A33,A33,SG3
68	F	All	All	Hang-on	★	5/16	64	A33,A33,SG3
69/70	F	All	All	Hang-on	★	5/16	67	A33,A33,SG3
71	F	All	All	Hang-on	D0OZ 19D587-A	5/16	72	A33,A33,SG3
71/	F	All	All	Hang-on	D1AZ 19837-A or *C7OZ 19837-A(YF-269)	5/16	82	A33,C33,SG3

* Simplified Hose Assy.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

REFRIGERANT LINE APPLICATION CHART - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C. I. D.	TYPE OF A/C	SERVICE ASSEMBLY	SERVICE DETAILS HOSE I. D. (INCHES)	SERVICE DETAILS HOSE LENGTH (INCHES)	SERVICE DETAILS FITTINGS REQUIRED
				F (MUSTANG) - continued				
SUCTION LINE - EVAPORATOR TO COMPRESSOR								
67	F	6	All	Integral	*C7AZ 19867-A(YF-285)	1/2	26	A55,A55
67/68	F	8	All	Integral	★	1/2	55	A55,A55
68	F	6	All	Integral	*C7AZ 19867-A(YF-285)	1/2	23	A55,B55
69/70	F	6	All	Integral	C9ZZ 19867-B(YF-144)	1/2	23	H45,P45
		8	All	Integral	★	1/2	55	J55,P45
70	F	8	All	Integral	D0ZZ 19867-A	1/2	55	
71/	F	6	All	Integral	★	1/2	23	H55,M55
		8	All	Integral	★	1/2	49	J55,L55
67/68	F	6	All	Hang-on	★	1/2	66	A45,S5
67/68	F	8	All	Hang-on	★	1/2	44	A45,S5
69/70	F	6	All	Hang-on	★	1/2	74	A45,S5
69/70	F	8	All	Hang-on	★	1/2	51	A45,S5
71/	F	All	All	Hang-on	D1AZ 19867-A	13/32	71	B54,CL6
				L (PINTO)				
DISCHARGE LINE - COMPRESSOR TO CONDENSER								
71/	L	4	All	Integral	*C8OZ 19972-A(YF-239)	13/32	25	J44,K44
71/	L	4	All	Hang-on	★	13/32	46	A44,CL6
LIQUID LINE - DRYER TO EVAPORATOR								
71	L-(dehydrator to condenser)- "Before 5/27/71"	4	All	Integral	D1FZ 19835-B and D1FZ 19837-B(YF-273)			
71/	L-(dehydrator to condenser)- "From 5/27/71"	4	All	Integral	D1FZ 19835-A and ★19837	5/16	30	G33,L33
71/	L-(evaporator to to dehydrator)	4	All	Integral	★	5/16	9	J33,J33
71/	L-(condenser to dehydrator)	4	All	Hang-on	D0RY 19835-A	5/16	8	A33,A33
71/	L-(dehydrator to evaporator)	4	All	Hang-on	D0RY 19837-A	5/16	60	A33,C33
SUCTION LINE - EVAPORATOR TO COMPRESSOR								
71/72	L-"Before 1/10/72"	4	All	Integral	★	1/2	14	G55,L55
72	L-"From 1/10/72"	4	All	Integral	D2FZ 19867-A			
71/	L	4	All	Hang-on	D1AZ 19867-A	13/32	71	B54,CL6

* Simplified Hose Assy.

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

REFRIGERANT LINE APPLICATION CHART - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C. I. D.	TYPE OF A/C	SERVICE ASSEMBLY	SERVICE DETAILS HOSE I. D. (INCHES)	SERVICE DETAILS HOSE LENGTH (INCHES)	SERVICE DETAILS FITTINGS REQUIRED
				P (MAVERICK)				
DISCHARGE LINE - COMPRESSOR TO CONDENSER								
70/	P	6	All	Integral	*C8OZ 19972-A(YF-239)	13/32	36	H44,H44
		8	All	Integral	★19972 or *C9ZZ 19972-C	13/32	20	G44,H44
70/71	P	6	All	Hang-on	D0DZ 19C700-A and ★19972	13/32	36	B44,CL6,S4
		8	All	Hang-on	D0DZ 19C700-A and ★19972	13/32	23	B44,CL6,S4
71/	P	All	All	Hang-on	★	13/32	47	A44,CL5
LIQUID LINE - DRYER TO EVAPORATOR								
70/	P	All	All	Integral	★19835 and ★19837 or D0DZ 19835-A and ★19837	5/16	63	J33,M33,SG3
						5/16	63	J33,M33,SG3
70/71	P	All	All	Hang-on	D0DZ 19D567 -A and ★19837	5/16	80	A33,B33,SG3
72	P	All	All	Hang-on	D1AZ 19837-A or *C7OZ 19837-A(YF-269)	5/16	82	A33,C33,SG3
SUCTION LINE - EVAPORATOR TO COMPRESSOR								
70/	P	6	All	Integral	D0DZ 19867-A	1/2	21	H55,L55
		8	All	Integral	★	1/2	41	J55,M55
70	P	6	All	Hang-on	★	1/2	74	A45,CL6,S5
71/	P	All	All	Hang-on	D1AZ 19867-A	13/32	71	B54,CL6

* Simplified Hose Assy.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

19C705-B REFRIGERANT LINE REPLACEMENT and REPAIR PARTS

REFRIGERANT LINE APPLICATION CHART - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C. I. D.	TYPE OF A/C	SERVICE ASSEMBLY	SERVICE DETAILS HOSE I. D. (INCHES)	SERVICE DETAILS HOSE LENGTH (INCHES)	SERVICE DETAILS FITTINGS REQUIRED
				S (THUNDERBIRD)				
DISCHARGE LINE - COMPRESSOR TO CONDENSER								
67	S	8	All	Integral	*C9ZZ 19972-C(YF-277)	13/32	27	J44,K44
68	S	8	390	Integral	*C8OZ 19972-A(YF-239)	13/32	30	G44,H44
		8	429	Integral	*C9ZZ 19972-C(YF-277)	13/32	26	G44,J44
69	S	8	All	Integral	*C8OZ 19972-A(YF-239)	13/32	30	H44,J44
70/71	S	8	All	Integral	*C8OZ 19972-A(YF-239)	13/32	16	G44,H44
72	S	8	400	Integral	★	13/32	34	P44,X4
		8	429,460	Integral	★	13/32	20	P44,SE4,X44
LIQUID LINE - DRYER TO EVAPORATOR								
67	S	8	All	Integral	*C7AZ 19837-A(YF-268)	5/16	72	J33,Z23
68	S	8	390	Integral	*C7AZ 19837-A(YF-268)	5/16	72	J33,Z23
		8	429	Integral	★	5/16	60	J33,Z23
69	S	8	All	Integral	*C7AZ 19837-A(YF-268)	5/16	72	J33,Z23
70/71	S	8	All	Integral	★	5/16	53	G33,Z23
72	S-(condenser to evaporator)	8	All	Integral	★	5/16	34	G33,P33,SG3
72	S-(dehydrator to evaporator)	8	All	Integral	D2OZ 19835-A	5/16	31	G33,P33,SG3
SUCTION LINE - EVAPORATOR TO COMPRESSOR								
67	S	8	All	Integral	★	5/8	52	J66,P66
68	S	8	390	Integral	C8SZ 19867-A	5/8	48	J66,P66
		8	429	Integral	D0SZ 19867-A	5/8	52	J66,P66
69	S	8	All	Integral	C8SZ 19867-A	5/8	48	J66,P66
70/71	S	8	All	Integral (manual A/C)	D0SZ 19867-A	5/8	52	J66,P66
71	S	8	All	Integral (A.T.C.)	D1SZ 19C836-A			AC6,J56,P66
72	S	8	400	Integral	D2SZ 19C836-B			G44,H44
72	S	8	400	Integral	D2SZ 19867-B	5/8	55	J66,Y6
		8	429	Integral	D2SZ 19867-A	5/8	49	J66,Y6

* Simplified Hose Assy.

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

REFRIGERANT LINE APPLICATION CHART - continued

YEAR	MODEL	ENGINE CYL.	ENGINE C. I. D.	TYPE OF A/C	SERVICE ASSEMBLY	SERVICE DETAILS HOSE I. D. (INCHES)	SERVICE DETAILS HOSE LENGTH (INCHES)	SERVICE DETAILS FITTINGS REQUIRED
				X (FALCON)				
DISCHARGE LINE - COMPRESSOR TO CONDENSER								
67	X	6	All	Integral	*C7AZ 19972-A(YF-276)	13/32	34	A44,C44
		8	289	Integral	*C7AZ 19972-A(YF-276)	13/32	21	C44,C44
68/70	X	6	All	Integral	*C8OZ 19972-A(YF-239)	13/32	36	G44,G44
		8	All	Integral	*C8OZ 19972-A(YF-239)	13/32	31	J44,J44
67	X	6	All	Hang-on	★	13/32	38	C44,CL6,S4
		8	All	Hang-on	★	13/32	24	C44,CL6,S4
68/70	X	All	All	Hang-on	★	13/32	17	B44,CL6,S4
LIQUID LINE - DRYER TO EVAPORATOR								
67	X	6	All	Integral	C7OZ 19837-A(YF-269)	5/16	51	A33,SG3,Z23
		8	289					
68/70	X	6	All	Integral	*C8OZ 19837-A(YF-270)	5/16	58	H33,L33,SG3
		8	All	Integral	*C8OZ 19837-A(YF-270)	5/16	60	H33,L33,SG3
67	X	6	All	Hang-on	★	5/16	31	A33,SG3,Z23
		8	All	Hang-on	★	5/16	57	A33,A33,SG3
68/70	X	All	All	Hang-on	★	5/16	64	A33,A33,SG3
SUCTION LINE - EVAPORATOR TO COMPRESSOR								
67	X	6	All	Integral	*C7AZ 19867-A(YF-285)	1/2	20	A55,A55
		8	All	Integral	★	1/2	43	A55,C55
68/70	X	6	All	Integral	★	1/2	25	H55,L55
		8	All	Integral	★	1/2	45	J55,L55
67	X	6	All	Hang-on	★	1/2	56	A45,S5
67/68	X	8	All	Hang-on	★	1/2	44	A45,S5
68	X	6	All	Hang-on	★	1/2	66	A45,S5
69/70	X	6	All	Hang-on	★	1/2	74	A45,S5
		8	All	Hang-on	★	1/2	51	A45,S5

* Simplified Hose Assy.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

IDENTIFICATION CHART

To determine the correct hose part number or detail part numbers you must either:

1. Know the identification number from the existing hose.

or

2. Visually identify the existing hose and select appropriate details from the Fitting Cross-Reference Chart shown on pages 20 through 26.

Example No. 1. If the identification number is D2OA 19972-CB, the Identification Chart (on Page 19) indicates (1) that the service assembly number is D2OZ 19972-B and (2) that the hose may be fabricated from 18" of 13/32" I.D. bulk hose (part number D2AZ 19C708-B), one piece of Fitting Code P44 (part number D2AZ 19D695-BC) and one piece of Fitting Code S04 (part number D2AZ 19D695-BE.

Example No. 2. If the combined identification numbers are D1ZA 19835-AB and D1ZA 19837-AD the Identification Chart (on page 16) indicates (1) that the service assembly (for the combined hoses) is C8OZ 19837-A and (2) that the combined hoses may be fabricated from - 78" of 5/16" I.D. bulk hose (part number D2AZ 19C708-A), one piece of Fitting Code H33 (part number D2AZ 19D695-AE), one piece of Fitting Code L33 (part number D2AZ 19D695-R) and one piece of Fitting Code SG3 (part number D2AZ 19D695-BK).

Example No. 3. If the combined identification numbers are (C7AA 19835-A and C9OJ 19837-A the Identification Chart (on page 15) indicates the hose assembly is not serviced (★) and that the entire combined hoses must be fabricated from - 67" of 5/16" I.D. bulk hose (part number D2AZ 19C708-A), two pieces of Fitting Code A33 (part number D2AZ 19D695-D), and one piece of Fitting Code SG3 (part number D2AZ 19D695-BK).

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

REFRIGERANT LINE IDENTIFICATION CHART

IDENTIFICATION	SERVICE ASSEMBLY	SERVICE DETAILS		
		HOSE		FITTINGS REQD. (CODE NUMBER)
		I. D. (INCHES)	LENGTH (INCHES)	
D12A 19C596-AA	★	5/16	9	J33,J33
D12J 19C596-AA	D0RY 19835-A	5/16	8	A33,A33
C9AJ 19C700-A and C9AJ 19972-A	★	13/32	28	B44,S4
D0DJ 19C700-A and C9AJ 19972-A	D0DZ 19C700-A	13/32	23	B44,CL6,S4
D0DJ 19C700-A and C9QJ 19972-B	D0DZ 19C700-A	13/32	36	B44,CL6,S4
D0QJ 19C700-B and C9AJ 19972-A	D0QZ 19C700-A	13/32	25/26	B44,CL6,S4
D0QJ 19C700-B and C9QJ 19972-B	D0QZ 19C700-A	13/32	38/39	B44,CL6,S4
C9AJ 19A704-A				
C9AJ 19A705-A				
C7AA 19A717-B	*C7AZ 19867-A (YF-285)	1/2	21	A55,A55
C7AA 19A717-C	★	1/2	27	A55,A55
C8AA 19A717-B	*C7AZ 19867-A (YF-285)	1/2	21	A55,A55
C5AA 19835-B				
C6VA 19835-D and C6VA 19837-B	C6VY 19835-B	5/16	76	A33,C33,SG3
C6VA 19835-E and C6VA 19837-B	*C7OZ 19837-A (YF-269)	5/16	76	A33,C33,SG3
C7AA 19835-A and C7AA 19837-C	★	5/16	65	A33,A33,SG3
C7AA 19835-A and C9QJ 19837-A	★	5/16	67	A33,A33,SG3
C7OA 19835-A and C7OA 19837-A	*C7OZ 19837-A (YF-269)	5/16	63	A33,B33,SG3
C7OA 19835-B				
C7SA 19835-F	*C7AZ 19837-A (YF-268)	5/16	72	J33,Z23
C7ZA 19835-A and C7ZA 19837-D	*C7OZ 19837-A (YF-269)	5/16	74	B33,C33,SG3
C8LA 19835-E	★	5/16	52	J33,Z23
C8LA 19835-E	★	5/16	60	J33,Z23

IDENTIFICATION	SERVICE ASSEMBLY	SERVICE DETAILS		
		HOSE		FITTINGS REQD. (CODE NUMBER)
		I. D. (INCHES)	LENGTH (INCHES)	
C8OA 19835-D and C8OA 19837-E	*C8OZ 19837-A (YF-270)	5/16	60	H33,L33,SG3
C8OA 19835-D and C8OA 19837-F	*C8OZ 19837-A (YF-270)	5/16	58	H33,L33,SG3
C8SA 19835-A	*C7AZ 19837-A (YF-268)	5/16	72	J33,Z23
C8VA 19835-C	C8VY 19835-A	5/16	80	A33,J33,SG3
C8VA 19835-E	C8VY 19835-A	5/16	80	A33,J33,SG3
C8VA 19835-E and C6VA 19837-B	C8VY 19835-A	5/16	80	A33,J33,SG3
C8VA 19835-F and C8VA 19837-B	★	5/16	80	G33,J33,SG3
C8ZA 19835-A and C8ZA 19837-A	*C7OZ 19837-A (YF-269)	5/16	74	B33,C33,SG3
C9AA 19835-C	*C9AZ 19837-A (YF-238)	5/16	78	J33,SG3,Z23
C9ZA 19835-A				
D0AA 19835-A	*C9AZ 19837-A (YF-238)	5/16	78	J33,SG3,Z23
D0AA 19835-C	*C9AZ 19837-A (YF-238)	5/16	78	J33,SG3,Z23
D0DA 19835-A and D0DA 19837-E	*C8OZ 19837-A (YF-270)	5/16	63	J33,M33,SG3
D0DA 19835-A and D0DA 19837-E	D0DZ 19835-A ★	5/16	63	J33,M33,SG3
D0DA 19835-B and D0DA 19837-C	*C8OZ 19837-A (YF-270)	5/16	63	J33,M33,SG3
D0DA 19835-B and D0DA 19837-C	★19835 ★	5/16	63	J33,M33,SG3
D0OA 19835-A	*C9AZ 19837-A (YF-238)	5/16	78	J33,SG3,Z23
D0OA 19835-B and D0OA 19837-D	*C8OZ 19837-A (YF-270)	5/16	64	G33,L33,SG3
D0OA 19835-B and D0OA 19837-D	D0OZ 19835-A ★19837	5/16	64	G33,L33,SG3
D0OA 19835-C and D0OA 19837-C	D0OZ 19835-B D0OZ 19837-A	5/16	64	L33,SG3,Z23
D0OA 19835-C and D0OA 19837-C	*D0OZ 19837-C (YF-271)	5/16	55	L33,SG3,Z23

* Simplified Hose Assy.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

REFRIGERANT LINE IDENTIFICATION CHART - continued

IDENTIFICATION	SERVICE ASSEMBLY	SERVICE DETAILS		
		HOSE I.D. (INCHES)	HOSE LENGTH (INCHES)	FITTINGS REQD. (CODE NUMBER)
D0SA 19835-A	D0SZ 19835-A	5/16	53	G33,Z23
D0VA 19835-B	D0VY 19835-A	5/16	32	G33,Z23
D1AA 19835-AC and D1AA 19835-BB	*D1AZ 19837-B (YF-272)	5/16	31	G33.H33
D1AA 19835-AD and D1AA 19835-BB	*D1AZ 19837-B (YF-272)	5/16	31	G33.H33
D1VA 19835-AA	D0VY 19835-A	5/16	32	G33.Z23
D1ZA 19835-AB and D1OA 19837-AB	*C8OZ 19837-A (YF-270)	5/16	70	G33.H33.SG3
D1ZA 19835-AB and D1ZA 19837-AD	*C8OZ 19837-A (YF-270)	5/16	78	H33.L33.SG3
D1ZA 19835-BA and D0QA 19837-D	★19835 ★19837	5/16	64	G33,L33, M33.SG3
D1ZA 19835-BA and D1ZA 19837-BA	*C8OZ 19837-A (YF-270)	5/16	65	G33.M33.SG3
D1ZA 19835-BA and D1ZA 19837-BA	★19835 ★19837	5/16	65	G33,M33.SG3
D12A 19835-AB	D1FZ 19835-B			
D12A 19835-AC and D12A 19837-AD	D1FZ 19835-A D1FZ 19837-A	5/16	30	G33.L33
D2AA 19835-AA and D1AA 19835-BB	*D1AZ 19837-B (YF-272)	5/16	29	G33.H33
D2AA 19835-BA	*D1AZ 19837-B (YF-272)	5/16	32	G33,H33
D2AA 19835-BB	*D1AZ 19837-B (YF-272)	5/16	32	G33,H33
D2OA 19835-BC	★	5/16	31	G33,P33.SG3
or D2OA 19835-BB	★	5/16	31	G33.P33.SG3
D2SA 19835-AD	★	5/16	34	G33,P33.SG3
D2SA 19835-AE	★	5/16	34	G33.P33.SG3
D2VA 19835-AB	D2VY 19835-A	5/16	34	G33.G33.SG3
D2VA 19835-AC	D2VY 19835-A	5/16	34	G33.G33.SG3
D2VA 19835-AE	D2VY 19835-A	5/16	34	G33.G33.SG3
C5AA 19C836-C C7AA 19C836-B	C7AZ 19C836-A *C7AZ 19972-A (YF-272)	13/32	22	A44,B44
C7AA 19C836-C	*C7AZ 19972-A (YF-276)	13/32	21	B44,Z4,QF6

IDENTIFICATION	SERVICE ASSEMBLY	HOSE I.D. (INCHES)	HOSE LENGTH (INCHES)	FITTINGS REQD. (CODE NUMBER)
C8AA 19C836-C	C8AZ 19C836-A or *C7AZ 19972-A (YF-276)	13/32	23	A44,B44
D1VA 19C836-AA	D1VY 19C836-B	13/32	61	G44,G44
D2SA 19C836-AB	★	13/32	34	X4,P44
D2SA 19C836-AC	★	13/32	34	X4,P44
C5AA 19837-E	*C7AZ 19837-A (YF-268)	5/16	32	A33,Z23
C6VA 19837-B and C6VA 19835-D	C6VY 19835-B	5/16	76	A33.C33.SG3
C6VA 19837-B and C6VA 19835-E	*C7OZ 19837-A (YF-269)	5/16	76	A33.C33.SG3
C6VA 19837-B and C8VA 19835-E	C8VY 19835-A	5/16	80	A33.J33.SG3
C7AA 19837-A	★	5/16	65	A33.A33.SG3
C7AA 19837-B	★	5/16	31	A33.SG3.Z23
C7AA 19837-B	★	5/16	30/31	A33.SG3.Z23
C7AA 19837-C	★	5/16	57/58	A33.A33.SG3
C7AA 19837-C and C7AA 19835-A	★	5/16	65	A33.A33.SG3
C7OA 19837-A	★	5/16	51	A33.SG3.Z23
C7OA 19837-A and C7OA 19835-A	*C7OZ 19837-A (YF-269)	5/16	63	A33.B33.SG3
C7ZA 19837-D and C7ZA 19835-A	*C7OZ 19837-A (YF-269)	5/16	74	B33.C33.SG3
C8AA 19837-A	★	5/16	64/65	A33.A33.SG3
C8AA 19837-C	*C7AZ 19837-A (YF-268)	5/16	32	A33,Z23
C8OA 19837-E and C8OA 19835-D	*C8OZ 19837-A (YF-270)	5/16	60	H33.L33.SG3
C8OA 19837-F and C8OA 19835-D	*C8OZ 19837-A (YF-270)	5/16	58	H33.L33.SG3
C8VA 19837-A				
C8VA 19837-B and C8VA 19835-F	★	5/16	80	G33.J33.SG3
C8ZA 19837-A and C8ZA 19835-A	*C7OZ 19837-A (YF-269)	5/16	74	B33.C33.SG3

* Simplified Hose Assy.

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

REFRIGERANT LINE IDENTIFICATION CHART - continued

IDENTIFICATION	SERVICE ASSEMBLY	SERVICE DETAILS		
		HOSE		FITTINGS REQD. (CODE NUMBER)
		I. D. (INCHES)	LENGTH (INCHES)	
C9OJ 19837-A	★	5/16	60	A33,A33,SG3
C9OJ 19837-A and C9AJ 19D567-A	★	5/16	71/73	A33,A33,SG3
C9OJ 19837-A and D0OJ 19D567-B	D0OZ 19D567-A	5/16	72	A33,A33,SG3
C9OJ 19837-A and C7AA 19835-A	★	5/16	67	A33,A33,SG3
C9ZA 19837-A	*C9AZ 19837-A (YF-238)	5/16	68	G33,SG3,Z23
C9ZA 19837-C	*C9AZ 19837-A (YF-238)	5/16	68	G33,SG3,Z23
D0DA 19837-C and D0DA 19835-B	*C8OZ 19837-A (YF-270)	5/16	63	J33,M33,SG3
D0DA 19837-C and D0DA 19835-B	D0DZ 19837-A D0DZ 19835-B	5/16	63	J33,M33,SG3
D0DA 19837-E and D0DA 19835-A	*C8OZ 19837-A (YF-270)	5/16	63	J33,M33,SG3
D0DA 19837-E and D0DA 19835-A	D0DZ 19837-A D0DZ 19835-A	5/16	63	J33,M33,SG3
D0DJ 19837-A and D0DJ 19D567-A	D0DZ 19837-B D0DZ 19D567-A	5/16	80	A33,B33,SG3
D0OA 19837-C and D0OA 19835-C	D0OZ 19837-A D0OZ 19835-B	5/16	55	L33,SG3,Z23
D0OA 19837-D and D0OA 19835-B	★19837 ★19835	5/16	64	G33,L33,SG3
D0OA 19837-D and D1ZA 19835-BA	*C8OZ 19837-A (YF-270)	5/16	64/65	G33,L33, M33,SG3
D1AJ 19837-A	*C7AZ 19837-A			
D1AJ 19837-A	D1AZ 19837-A or *C7OZ 19837-A (YF-269)	5/16	82	A33,C33,SG3
D1AJ 19837-BA	*D0OZ 19837-C (YF-271)			
D1AJ 19837-CA	*C8OZ 19837-A (YF-270)			
D1AJ 19837-DA	*C7OZ 19837-A (YF-269)			
D1AJ 19837-EA	*C7AZ 19837-A (YF-268)			
D1AJ 19837-FA	*C9AZ 19837-A (YF-238)			
D1AJ 19837-GA	*D1AZ 19837-B (YF-272)			

IDENTIFICATION	SERVICE ASSEMBLY	SERVICE DETAILS		
		HOSE		FITTINGS REQD. (CODE NUMBER)
		I. D. (INCHES)	LENGTH (INCHES)	
D1OA 19837-AA and D1ZA 19835-AB	*C8OZ 19837-A (YF-270)	5/16	70	G33,H33,SG3
D1OA 19837-AB and D1ZA 19835-AB	*C8OZ 19837-A (YF-270)	5/16	70	G33,H33,SG3
D1ZA 19837-AD	*C8OZ 19837-A (YF-270)			
D1ZA 19837-BA and D1ZA 19835-BA	*C8OZ 19837-A (YF-270)	5/16	65	G33,M33,SG3
D1ZA 19837-BA and D1ZA 19835-BA	★	5/16	65	G33,M33,SG3
D12A 19837-AD and D12A 19835-AC	D1FZ 19837-A D1FZ 19835-A	5/16	30	G33,L33
D12J 19837-A	D0RY 19837-A	5/16	60	A33,C33
C6AA 19867-B				
C6OA 19867-B	*C7AZ 19867-A (YF-285)	1/2	20	A55,A55
C6OA 19867-G	★	1/2	43	A55,C55
C6VA 19867-C	C6VY 19867-B	5/8	45	A56,A66
C7AA 19867-A	★	1/2	56	A45,S5
C7AA 19867-C	★	1/2	44	A45,CL6,S5
C7OA 19867-A	★	1/2	66	A45,S5
C7SA 19867-C	★	5/8	52	J66,P66
C7ZA 19867-C	★	1/2	55	A55,A55
C7ZA 19867-D	*C7AZ 19867-A (YF-285)	1/2	26	A55,A55
C8OA 19867-D	★	1/2	45	J55,L55
C8OA 19867-E	★	1/2	25	H55,L55
C8SA 19867-C	C8SZ 19867-A	5/8	48	J66,P66
C8SA 19867-D	★	5/8	52	J66,P66
C8VA 19867-B	★	5/8	36	P56,P66
C8ZA 19867-B	*C7AZ 19867-A (YF-285)	1/2	23	A55,B55
C8ZA 19867-C	★	1/2	55	A55,A55
C9AA 19867-C	*D0AZ 19867-A (YF-286)	5/8	47	K56,P66
C9AJ 19867-A	★	1/2	51	A45,CL6,S5
C9OJ 19867-A	★	1/2	74	A45,CL6,S5
C9SA 19867-A	C8SZ 19867-A	5/8	48	J66,P66
C9VA 19867-A	★	5/8	36	P56,P66

* Simplified Hose Assy.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

REFRIGERANT LINE IDENTIFICATION CHART - continued

IDENTIFICATION	SERVICE ASSEMBLY	SERVICE DETAILS		
		HOSE		FITTINGS REQD. (CODE NUMBER)
		I. D. (INCHES)	LENGTH (INCHES)	
C9ZA 19867-A	C9ZZ 19867-A	1/2	55	J55,P45
C9ZA 19867-B	C9ZZ 19867-B (YF-144)	1/2	23	H45,P45
D0AA 19867-A	*D0AZ 19867-A (YF-286)	5/8	47	K56,P56
D0AA 19867-B	*D0AZ 19867-A (YF-286)	5/8	47	K56,P56
D0DA 19867-C	D0DZ 19867-A	1/2	21	H55,L55
D0DA 19867-E	★	1/2	41	J55,M55
D0OA 19867-A	D0OZ 19867-A	1/2	43	J55,L55
D0OA 19867-B	D0OZ 19867-B	1/2	24	H55,L55
D0SA 19867-B	D0SZ 19867-A	5/8	52	J66,P66
D0ZA 19867-A	D0ZZ 19867-A	1/2	55	J55,P45
D1AJ 19867-A	D1AZ 19867-A	13/32	71	B54,CL6
D1AJ 19867-AA	★	13/32	71	B54,CL6
D1VA 19867-BA	D1VY 19867-A	5/8	62	G56,J66
D1ZA 19867-AB	★	1/2	23	H55,M55
D1ZA 19867-BC	★	1/2	49	J55,L55
D12A 19867-AA	★	1/2	14	G55,L55
D12J 19867-AA	D1AZ 19867-A	13/32	71	B54,CL6
D2AA 19867-AA	★	5/8	50	P66,S06
D2SA 19867-CC	D2SZ 19867-A	5/8	49	J66,Y6
D2SA 19867-CD	D2SZ 19867-A	5/8	49/52	J66,Y6
D2SA 19867-CE	D2SZ 19867-A	5/8	52	J66,Y6
D2SA 19867-DC	D2SZ 19867-B	5/8	55	J66,Y6
D2SA 19867-DD	D2SZ 19867-B	5/8	55	J66,Y6
D2VA 19867-BA	D2VY 19867-A	5/8	57	J66,Y6
D2VA 19867-BB	D2VY 19867-A	5/8	57	J66,Y6
D2VA 19867-BC	D2VY 19867-B	5/8	58	J66,Y6
D2VA 19867-BD	D2VY 19867-B	5/8	58	J66,Y6
D2VA 19867-BE	D2VY 19867-B	5/8	58	J66,Y6
D22A 19867-AB	D2FZ 19867-A			
D0VA 19C913-A	D0VY 19C836-B			AC6,J56,K66
D1AA 19C913-AC	D1AZ 19C836-A (YF-558)			AC6,J56,P66
D1AA 19C913-BB	★			AC6,J56,P66
D1LA 19C913-AB	D1LY 19C836-A			AC6,J56,P66
D1SA 19C913-AB	D1SZ 19C836-A			AC6,J56,P66
D1VA 19C913-AA	D1VY 19C836-A			AC6,J56,K66
D1VA 19C913-AB	D1VY 19C836-A			AC6,J56,K66
D2AA 19C913-AA	★			AC6,P66,S06
D2AA 19C913-BA	★			AC6,P66,S06
D2OA 19C913-CD	D2OZ 19C836-A			AC6,K66,S06
D2OA 19C913-CE	D2OZ 19C836-C (YF-556)			
D2OA 19C913-DD	D2OZ 19C836-D			AC6,K66,S06
D2OA 19C913-DE	D2OZ 19C836-D			

IDENTIFICATION	SERVICE ASSEMBLY	SERVICE DETAILS		
		HOSE		FITTINGS REQD. (CODE NUMBER)
		I. D. (INCHES)	LENGTH (INCHES)	
C3AA 19972-D	C3AZ 19972-B	13/32	13	A44,CL6,S4
C5AA 19972-C	*C7AZ 19972-A (YF-276)	13/32	15	A44,C44
C5VA 19972-A	C1VY 19972-A	1/2	10	A45,C45
C6OA 19972-M	*C7AZ 19972-A (YF-276)	13/32	22	B44,C44
C7AA 19972-A	★	13/32	20/21	A44,S4
C7OA 19972-C	*C7AZ 19972-A (YF-276)	13/32	27	C44,C44
C7OA 19972-D	★	13/32	38	C44,CL6,S4
C7OA 19972-E	*C7AZ 19972-A (YF-276)	13/32	34	A44,C44
C7OA 19972-F	★	13/32	24	C44,CL6,S4
C7SA 19972-C	*C9ZZ 19972-C (YF-277)	13/32	27	J44,K44
C7VA 19972-A				
C7VA 19972-B	★	13/32	42	B44,B54
C7ZA 19972-A				
C7ZA 19972-B	*C7AZ 19972-A (YF-276)			
C7ZA 19972-C	★	13/32	29	C44,S4
C7ZA 19972-D	★	13/32	35	A44,B44
C7ZA 19972-E	*C7AZ 19972-A (YF-276)	13/32	20	A44,B44
C8LA 19972-D	*C9ZZ 19972-C (YF-277)	13/32	26	G44,J44
C8OA 19972-F	★	13/32	17	B44,CL6,S4
C8OA 19972-G	★	13/32	33	B44,S4
C8OA 19972-K	*C8OZ 19972-A (YF-239)	13/32	31	J44,J44
C8OA 19972-L	*C8OZ 19972-A (YF-239)	13/32	36	G44,G44
C8SA 19972-B	*C8OZ 19972-A (YF-239)	13/32	30	G44,H44
C8VA 19972-C				
C8VA 19972-E	★	13/32	43	B54,H44
C8VA 19972-F	*C8OZ 19972-A (YF-239)	13/32	37	H44,J44
C8ZA 19972-A	★	13/32	35	A44,B44
C8ZA 19972-B	*C7AZ 19972-A (YF-276)	13/32	20	A44,B44
C9AA 19972-C	*C8OZ 19972-A	13/32	24	J44,K44
C9AJ 19972-A	★	13/32	15	A44,S4
C9AJ 19972-A and C9AJ 19C700-A	★	13/32	28	B44,S4
C9AJ 19972-A and D0DJ 19C700-A	D0DZ 19C700-A	13/32	23	B44,CL6,S4
C9AJ 19972-A and D0OJ 19C700-B	D0OZ 19C700-A	13/32	25/26	B44,CL6,S4
C9AJ 19972-A and C9OJ 19972-A	★	13/32	20	B44,S4

* Simplified Hose Assy.

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

REFRIGERANT LINE IDENTIFICATION CHART - continued

IDENTIFICATION	SERVICE ASSEMBLY	SERVICE DETAILS		
		HOSE		FITTINGS REQD. (CODE NUMBER)
		I. D. (INCHES)	LENGTH (INCHES)	
C9OJ 19972-A and C9AJ 19972-A	★	13/32	20	B44,CL6,S4
C9OJ 19972-A and C9OJ 19972-B	★	13/32	33	B44,S4
C9OJ 19972-B and D0DJ 19C700-A	D0DZ 19C700-A	13/32	36	B44,CL6,S4
C9OJ 19972-B and D0OJ 19C700-B	D0OZ 19C700-A	13/32	38/39	B44,CL6,S4
C9SA 19972-A	*C8OZ 19972-A (YF-239)	13/32	30	H44,J44
C9ZA 19972-C	*C9ZZ 19972-C	13/32	20	G44,H44
C9ZA 19972-D	*C8OZ 19972-A (YF-239) or C9ZZ 19972-B	13/32	35	G44,H44
C9ZA 19972-E	*C9ZZ 19972-C (YF-277)	13/32	20	G44,H44
D0AA 19972-B	*C8OZ 19972-A (YF-239)	13/32	34	H44,K44
D0DA 19972-A	*C8OZ 19972-A (YF-239) or D0DZ 19972-A or D0DZ 19972-C	13/32	36	H44,H44
D0DA 19972-C	*C9ZZ 19972-C (YF-277) or D0DZ 19972-B	13/32	20	G44,H44
D0DA 19972-D	*C8OZ 19972-A (YF-239)	13/32	36	H44,H44
D0LA 19972-A or D0LY 19972-B	D0LY 19972-B	13/32	19	G44,J44
D0OA 19972-D	*C9ZZ 19972-C (YF-277)	13/32	24	G44,H44
D0OA 19972-F	D0OZ 19972-C or *C8OZ 19972-A (YF-239)	13/32	41	G44,G44
D0SA 19972-B	*C8OZ 19972-A (YF-239)	13/32	16	G44,H44
D0VA 19972-A	*C8OZ 19972-A (YF-239)	13/32	34	G44,K44
D1AA 19972-AA	*C8OZ 19972-A (YF-239)	13/32	37	H44,K44
D1AJ 19972-AA	★	13/32	47/48	A44,CL6
D1AJ 19972-BA	*C8OZ 19972-A (YF-239)			
D1AJ 19972-CA	*C9ZZ 19972-C			
D1AJ 19972-DA	*C7AZ 19972-A (YF-276)			
D1AJ 19972-EA	*C7AZ 19972-A (YF-276)			
D1VA 19972-AA	*C8OZ 19972-A (YF-239) or D0VY 19972-AA	13/32	34	G44,G44
D1ZA 19972-AB	*C9ZZ 19972-C (YF-277)	13/32	24	G44,H44
D1ZA 19972-AB	*C9ZZ 19972-C (YF-277) or D1ZZ 19972-A	13/32	24	G44,H44
D1ZA 19972-BA	*C8OZ 19972-A (YF-239) or D1ZZ 19972-B	13/32	41	G44,H44 (G44)
D1ZA 19972-BA	D1ZZ 19972-B	13/32	41	G44,G44
D12A 19972-AB	*C8OZ 19972-A (YF-239)	13/32	25	J44,K44
D12J 19972-BA	★	13/32	46/48	A44,CL6
D2AA 19972-AA	★	13/32	41	H44,S04
D2OA 19972-CA	★	13/32	18	P44,S04
D2OA 19972-CB	★	13/32	18	P44,S04
D2OA 19972-DB	★	13/32	37	P44,S04
D2OA 19972-DC	★	13/32	37	P44,S04
D2SA 19972-DD	D2SZ 19972-A	13/32	18	P44,X4
D2SA 19972-DF	D2SZ 19972-A	13/32	18	P44,X4
D2VA 19972-AC	D2VY 19972-A	13/32	52	J44,Y4
D2VA 19972-AF	D2VY 19972-F	13/32	32	G44,Y4
D2VA 19972-AG	D2VY 19972-B	13/32	32	G44,Y4
D2VA 19972-AH	D2VY 19972-B	13/32	32	G44,Y4

* Simplified Hose Assy.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

FITTING CROSS-REFERENCE CHART

There are three ways of selecting hose and fitting part numbers.

1. From Code Number (shown in the Identification or Application Charts) to the Part Number listed below.

2. From a visual inspection of the existing hose and selection of appropriate details using the following instructions:

   a. Determine Fitting Size.
   Diameter of tube at a point behind the nut indicates fitting size, e.g. 3/8", 1/2", 5/8" or 3/4".


   Select Fittings and Splicers from the illustrations and text that follows. The necessary clamps and o-rings are included with all Fittings and Splicers and are also supplied for service as separate parts.

3. The alphabetical characters of the fitting code number can be used for physical identification by referring to the illustrated fittings shown by type on pages 21 thru 23.
   Examples

(A)44 (part number D2AZ 19D695-E)
Shown on page 21


(5G)3 (Part number D2AZ 19D695-BK)
Shown on page 22

FEMALE FLARE-STRAIGHT



(TYPE A)

SPLICER-WITH SIGHT GLASS



(TYPE SG)

FITTINGS

Determine Fitting size from the information shown below:

ORIGINAL TUBE O.D.	FRACTIONAL FITTING SIZE	INDUSTRY SIZE NO.	THREAD SIZE: SAE 45° FLARE O-RING (FEMALE) O-RING (MALE FLARE)	THREAD SIZE: O-RING (MALE SWIVEL)
5/16"	3/8"	6	5/8"-18	5/8"-18
13/32"	1/2"	8	3/4"-16	3/4"-18
1/2"	5/8"	10	7/8"-14	7/8"-18
5/8"	3/4"	12	1 1/16"-14	1 1/16"-16


b. Determine Hose Size.
Measure end of tube (not barbs). The tube O.D. matches the I.D. of the required hose.
e.g. tube O.D. is 5/16" and hose I.D. is 5/16" (size No. 6, part number D2AZ 19C708-A).

BULK RUBBER HOSE


Select the appropriate Hose from the sizes listed below:

ORIGINAL TUBE O.D.	REPLACEMENT HOSE I.D.	INDUSTRY SIZE NO.	PART NUMBER	MOTORCRAFT NUMBER
5/16"	5/16"	6	D2AZ 19C708-A(15')	*YF-248
			D4AZ 19C708-A(50')	*YF-599
13/32"	13/32"	8	D2AZ 19C708-B(15')	*YF-249
			D4AZ 19C708-B(50')	*YF-600
1/2"	1/2"	10	D2AZ 19C708-C(15')	*YF-250
			D4AZ 19C708-C(50')	*YF-601
5/8"	5/8"	12	D2AZ 19C708-D(15')	*YF-251
			D4AZ 19C708-D(50')	*YF-602


SAE 45° FLARE FITTINGS



MALE TWO PIECE (BULLET NOSE)




MALE ONE PIECE




FEMALE SWIVEL NUT

FEMALE FLARE-STRAIGHT




(TYPE A)

FEMALE FLARE-45° ELBOW




(TYPE B)



(TYPE C)


MALE FLARE-STRAIGHT




(TYPE D)

TUBE O-RING FITTINGS


FEMALE O-RING-STRAIGHT




(TYPE G)



(TYPE H)




(TYPE J)




(TYPE K)


MALE O-RING-STRIGHT




(TYPE L)



(TYPE M)



(TYPE N)




(TYPE P)

P-9238


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

O-RING COMPRESSOR VALVE ASSEMBLY




ROTOLOK COMPRESSOR FITTING WITH O-RING SEAL (TYPE SO)




(TYPE S)

BLOCK COMPRESSOR FITTING




(TYPE X)

BLOCK COMPRESSOR FITTING




(TYPE Y)

ADAPTERS FOR SELF SEALING COUPLINGS




SPLICERS AND BULKHEAD FITTINGS


180° ELBOW SPLICER




SPLICER-90° ELBOW




SPLICER-WITH SIGHT GLASS




SPLICER-STRAIGHT FOR NYLON HOSE




SPLICER-STRAIGHT



SPLICER -TEE




ACCUMULATOR HOSE ASSEMBLY




SELF SEALING COUPLINGS

FEMALE




(TYPE QF3)

FEMALE




(TYPE QF6)

MALE



(TYPE QM3)

MALE




(TYPE QM6)

P-9239


19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

O-RING SEAL KIT (40 PARTS)
C = QUANTITY IN KIT




(TYPE OSK)

CLAMP-
RUBBER HOSE




(TYPE CL)

CLAMP-
NYLON HOSE



(TYPE CN)

HOSE GUARD KIT
C = QUANTITY IN KIT



P-9267

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

REFRIGERANT LINE FITTINGS

CODE	PART NUMBER		DIMENSIONS (INCHES)				
			THREAD	HOSE I.D.	A	B	C
	ACCUMULATOR HOSE ASSY.						
AC6	D2AZ 19C836-A			5/8	5	4	24
	FEMALE FLARE - STRAIGHT						
A33	D2AZ 19D695-D	(YF-357)	5/8-18	5/16	3 3/16		5/16
A44	D2AZ 19D695-E	(YF-358)	3/4-16	13/32	3 19/32		13/32
A45	D2AZ 19D695-L	(YF-364)	3/4-16	1/2	3 1/2		1/2
A55	D2AZ 19D695-F	(YF-359)	7/8-14	1/2	3 1/4		1/2
A56	D2AZ 19D695-AZ	(YF-331)	7/8-14	5/8	3 1/2		5/8
A66	D2AZ 19D695-G	(YF-360)	1 1/16-14	5/8	3 5/16		5/8
	FEMALE FLARE - 45° ELBOW						
B33	D2AZ 19D695-H	(YF-361)	5/8-18	5/16	3 1/32	15/32	5/16
B44	D2AZ 19D695-J	(YF-362)	3/4-16	13/32	3 3/8	19/32	13/32
B54	D2AZ 19D695-AU	(YF-328)		13/32			13/32
B55	D2AZ 19D695-K	(YF-363)	7/8-14	1/2	3 1/16	5/8	1/2
	CLAMP - RUBBER HOSE						
CL6	D0TZ 19B679-A	(YF-256)		All	1/2 to 1 1/4	1/2	5/16
	CLAMP - NYLON HOSE						
CN4	C9AZ 8287-A			5/16 & 13/32	7/32 to 5/8	5/16	1/4
CN6	D2AZ 19B679-B	(YF-255)		1/2 & 5/8	3/8 to 25/32	9/16	5/16
	FEMALE FLARE - 90° ELBOW						
C33	D2AZ 19D695-M	(YF-365)	5/8-18	5/16	2 9/16	7/8	5/16
C44	D2AZ 19D695-N	(YF-366)	3/4-16	13/32	2 13/16	1 1/8	13/32
C45	D2AZ 19D695-AR	(YF-326)	3/4-16	1/2	2 13/16	1 1/8	1/2
C54	D2AZ 19D695-CF	(YF-450)	7/8-14	13/32	3 15/32	1 1/2	13/32
C55	D2AZ 19D695-P	(YF-367)	7/8-14	1/2	3 1/8	1 1/2	1/2
	MALE FLARE - STRAIGHT						
D33	D2AZ 19D695-B	(YF-332)	5/8-18	5/16	3 1/4		7/8
D44	D2AZ 19D695-A	(YF-311)	3/4-16	13/32	3 21/32		13/32
D55	D2AZ 19D695-C	(YF-354)	7/8-14	1/2	3 5/16		1/2
	FEMALE "O" RING - STRAIGHT						
G33	D2AZ 19D695-Z	(YF-375)	5/8-18	5/16	3		5/16
G44	D2AZ 19D695-AA	(YF-312)	3/4-16	13/32	3 13/32		13/32
G45	D2AZ 19D695-AC	(YF-314)	3/4-16	1/2	3 3/32		1/2
G55	D2AZ 19D695-AB	(YF-313)	7/8-14	1/2	3 1/16		1/2
G56	D2AZ 19D695-AD	(YF-315)	7/8-14	5/8	3 3/32		5/8
	HOSE GUARD KIT						
HG	D2AZ 19B970-A	(YF-267)					
	Consists of -						
	(4) foam rubber sleeves			All	1 1/8	1/2	
	(4) aluminum tubing			All	1	1/32	

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

REFRIGERANT LINE FITTINGS

CODE	PART NUMBER		DIMENSIONS (INCHES)				
			THREAD	HOSE I.D.	A	B	C
	FEMALE "O" RING - 45° ELBOW						
H33	D2AZ 19D695-AE	(YF-316)	5/8-18	5/16	3 27/32	15/32	5/16
H44	D2AZ 19D695-AF	(YF-317)	3/4-16	13/32	3 3/16	19/32	5/16
H45	D2AZ 19D695-BA	(YF-333)	3/4-16	1/2	3 7/32	19/32	1/2
H55	D2AZ 19D695-AG	(YF-318)	7/8-14	1/2	3 13/16	5/8	1/2
H56		(YF-502)	7/8-14	5/8	3 45/64	39/64	5/8
	FEMALE "O" RING - 90° ELBOW						
J33	D2AZ 19D695-AH	(YF-319)	5/8-18	5/16	2 23/32	1 1/32	5/16
J44	D2AZ 19D695-AJ	(YF-320)	3/4-16	13/32	3 1/4	1 11/32	13/32
J55	D2AZ 19D695-AK	(YF-321)	7/8-14	1/2	2 29/32	1 1/2	1/2
J56	D2AZ 19D695-AY	(YF-330)	7/8-14	5/8	2 13/16	1 1/2	5/8
J66	D2AZ 19D695-BB	(YF-334)	1 1/16-14	5/8	3 11/16	1 31/32	5/8
	FEMALE "O" RING - 180° ELBOW						
K44	D2AZ 19D695-AL	(YF-322)	3/4-16	13/32	4 13/16	3 1/8	13/32
K56	D2AZ 19D695-AM	(YF-323)	7/8-14	5/8	4 13/16	3 1/8	5/8
K66	D2AZ 19D695-AN	(YF-324)	1 1/16-14	5/8	4 13/16	3 1/8	5/8
	MALE "O" RING - STRAIGHT						
L33	D2AZ 19D695-R	(YF-368)	5/8-18	5/16	3		5/16
L55	D2AZ 19D695-S	(YF-369)	7/8-18	1/2	3 1/16		1/2
L56	D2AZ 19D695-AV	(YF-329)	7/8-18	5/8	3 11/32		5/8
	MALE "O" RING - 45° ELBOW						
M33	D2AZ 19D695-T	(YF-370)	5/8-18	5/16	3 7/32	25/32	5/16
M55	D2AZ 19D695-U	(YF-371)	7/8-18	1/2	4 1/4	1 1/16	1/2
M84		(YF-515)	3/4-18	13/32	3 13/16	1 1/8	13/32
	MALE "O" RING FLARE - 90° ELBOW						
N56		(YF-487)	7/8-14	5/8	3	2 13/32	5/8
	"O" RING KIT						
OSK	D2AZ 19B596-A	(YF-240)					
	Consists of - (8) "O" Rings		For 5/8-18		5/16	1/16	
	(8) "O" Rings		For 1/2-20		3/8	1/16	
	(8) "O" Rings		For 3/4-16		7/16	1/16	
	(8) "O" Rings		For 7/8-14		9/16	1/16	
	(4) "O" Rings		For 1 1/16-14		11/16	1/16	
	(4) "O" Rings		For block fitting		13/16	1/8	
	MALE "O" RING FLARE - STRAIGHT						
P33	D2AZ 19D695-BD	(YF-336)	5/8-18	5/16	3 7/8		5/16
P44	D2AZ 19D695-BC	(YF-335)	3/4-16	13/32	3 23/32		13/32
P45	D2AZ 19D695-V	(YF-372)	3/4-16	1/2	4		1/2
P46	D2AZ 19D695-AP	(YF-325)	3/4-16	5/8	4		5/8
P56	D2AZ 19D695-W	(YF-373)	7/8-14	5/8	4		5/8
P66	D2AZ 19D695-AS	(YF-327)	1 1/16-14	5/8	4		5/8
	COUPLINGS - SELF SEALING						
QF3	C1SZ 19B596-A	(YF-241)	5/8-18		1 9/32	27/32	
QF6	D1HZ 19B596-A	(YF-244)	1 1/16-12		1 1/2	1 5/16	
QM3	C1SZ 19B595-A	(YF-252)	5/8-18		1 3/16	23/32	
QM6	D1HZ 19B595-A	(YF-254)	1 1/16-12		1 7/8	1 1/8	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

19C705-8 REFRIGERANT LINE REPLACEMENT and REPAIR PARTS - continued

REFRIGERANT LINE FITTINGS

CODE	PART NUMBER	DIMENSIONS (INCHES)				
		THREAD	HOSE I.D.	A	B	C
	VALVE - COMPRESSOR					
S4	D0TZ 19A990-A (YF-299)	1-14	13/32	2 3/16		13/32
S5	D0TZ 19752-A (YF-308)	1-14	1/2	2 3/16		1/2
	"O" RING - COMPRESSOR ROTOLOK FITTING					
S04	D2AZ 19D695-BE (YF-337)	1-14	13/32	2 3/16		13/32
S06	D2AZ 19D695-BF (YF-338)	1-14	5/8	2 3/16		5/8
	SPLICER - 180° ELBOW					
SD6	(YF-466)		5/8	4 1/2	3	5/8
	SPLICER - 90° ELBOW					
SE3	D2AZ 19D695-BR (YF-347)		5/16	2 7/16	2 7/16	5/16
SE4	D2AZ 19D695-BS (YF-348)		13/32	2 5/8	2 5/8	13/32
	SPLICER - WITH SIGHTGLASS					
SG3	D2AZ 19D695-BK (YF-342)		5/16	4		5/16
	SPLICER - STRAIGHT - NYLON HOSE					
SN3	D2AZ 19D695-BV (YF-351)		5/16	2 5/8	5/16	
SN5	D2AZ 19D695-BY (YF-352)		1/2	2 5/8	1/2	
SN6	D2AZ 19D695-BZ (YF-353)		5/8	2 5/8	5/8	
	SPLICER - STRAIGHT - RUBBER HOSE					
SS3	D2AZ 19D695-BL (YF-343)		5/16	3 7/16		5/16
SS4	D2AZ 19D695-BM (YF-344)		13/32	3 7/16		13/32
SS5	D2AZ 19D695-BN (YF-345)		1/2	3 7/16		1/2
SS6	D2AZ 19D695-BP (YF-346)		5/8	4		5/8
	SPLICER - TEE					
ST3	D2AZ 19D695-BT (YF-349)		5/16	3 13/16	1 29/32	5/16
ST6	D2AZ 19D695-BU (YF-350)		5/8	4 1/4	2 7/32	5/8
	SPLICER - STRAIGHT - STEP UP					
SU5	(YF-473)		1/2-5/8	3 7/16	5/8	1/2
	BLOCK - COMPRESSOR FITTING - STRAIGHT					
X4	D2AZ 19D695-BG (YF-339)		13/32			13/32
	BLOCK - COMPRESSOR FITTING - 90° ELBOW					
Y4	D2AZ 19D695-BH (YF-340)		13/32			13/32
Y6	D2AZ 19D695-BJ (YF-341)		5/8			5/8
	ADAPTER - FOR SELF SEALING COUPLING - STRAIGHT					
Z23	D2AZ 19D695-Y (YF-374)	1/2-20	5/16	2 1/8		5/16
	ADAPTER - FOR SELF SEALING COUPLING - 90° ELBOW					
ZE4	D2AZ 19D695-CD (YF-355)	7/8-20	13/32	2 7/8	1 5/8	13/32
ZE6	D2AZ 19D695-CE (YF-356)	7/8-20	5/8	3 3/8	2 1/8	5/8
	"O" RING - COMPRESSOR VALVE ASSEMBLY					
SC4	D0AZ 19A990-A (YF-237)	3/4-16	13/32	3/4	11/32	7/8
SC5	D0AZ 19752-A (YF-305)	7/8-14	1/2	3/4	11/32	7/8

INDEX

PART NAME	GROUP NUMBER
A	
Absorber (body bolt)	00154-5
Absorber (dash panel sound center)	015A22
Absorber (dash panel sound outer)	01590
Absorber (quarter outside panel rear sound)	280A44
Absorber (roof panel sound)	54330
Absorber & retainer assy. (body bolt upper)	00396
Actuator (back window regulator)	44085
Actuator (front door vacuum latch)	218A42-3
Actuator (luggage compt. door vacuum latch)	43232
Actuator (rear door vacuum latch)	26594-5
Actuator (tailgate latch)	431A38
Actuator assy. (front seat back adjusting)	610A02
Adjuster (front door latch actuating rod)	21816
Adjuster (passenger reclining seat head rest guide rod)	612A24
Adjuster (tailgate latch actuating rod)	21816
Airfoil (front spoiler)	001A06, 001A74
Air scoop (quarter panel brake)	29076-7, 290A76-7
Air scoop (roof)	280B62-3
Anti-rattle (console panel finish rear floor)	044E16
Anti-rattle (front door handle outside)	22408
Anti-rattle (front door window glass)	23314
Anti-rattle (front door window lower guide)	223A58
Anti-rattle (liftgate belt)	404A76
Anti-rattle (luggage compt. torsion bar)	45028
Anti-rattle (quarter window)	29610
Anti-rattle (rear door handle outside)	22408
Anti-rattle (tailgate)	44454
Anti-rattle (tailgate counterbalance torsion bar)	431D82
Anti-rattle (tailgate torsion bar)	45028
Anti-squeak (cowl top vent grille)	02204
Anti-squeak (tailgate counterbalance spring)	430A12
Arm (visor)	04110-1
Arm & bracket assy. (visor)	04144-5
Arm & plate assy. (front door window regulator)	23234-5
Attaching kit (instrument panel pad)	04200
B	
Baffle (cowl side panel water)	021A58
Bar (engine compartment support)	29432
Bar (front door vent window division)	22296-7
Bar (front seat torsion)	604K22, 604K36
Bar (instrument panel passenger assist)	045B22
Bar (luggage compt. door hinge torsion)	44890-1
Bar (tailgate hinge torsion)	44890-1
Bar assy. (front seat adjuster torsion)	61832
Bar & link assy. (front seat adjuster front torsion)	618C30
Bar & link assy. (front seat adjuster rear torsion)	618C32
Base (aux. seat cushion)	607A60
Base (folding top main pivot support)	50140-1, 506A44-5
Base (front seat adjuster regulator)	617C80-1
Base (quarter panel outside ornament)	290C82-3

PART NAME	GROUP NUMBER
B - cont'd.	
Base (rear seat back center arm rest)	67204
Base (roof luggage carrier front)	550A30-1
Base (roof luggage carrier rear)	550A30-1
Bearing (front door vent window lower pivot)	22330, 223A30
Bearing (rear seat back latch handle)	61346
Bellcrank (front door latch)	26448-9
Bellcrank (front door latch control)	21900
Bellcrank (rear door latch)	26448-9
Belt (rear seat shoulder strap)	60126
Belt assy. (center passenger)	611B60
Belt assy. (front seat complete)	611A72-3
Belt assy. (rear seat complete)	613B84-5
Belt kit (front seat shoulder strap)	60232
Bezel (console panel glove compt. door lock)	060A12
Bezel (front seat back latch handle)	62672-3
Bezel (instrument panel A/C grille)	044B16
Bezel (instrument panel ash receptacle)	04815
Bezel (instrument panel cluster opening)	04606
Bezel (instrument panel glove compt. door lock)	060A12
Bezel (luggage compt. vacuum door latch release switch)	43662
Bezel (quarter vent air door knob)	278C52-3
Bezel (rear seat back latch)	624A08
Bezel (rear seat belt opening)	611B90
Bezel (shoulder strap opening)	60220
Bezel (vacuum door latch control switch)	218A82
Bezel assy. (quarter vent air grille screen)	278C00-9
Body (folding top hold down clamp)	50532
Body assy.	00000-1
Bolt (body mounting)	00394
Bolt (folding top bow adjusting)	51514
Bolt (front seat back pivot arm)	60392
Bolt (front seat track attaching)	60056
Bolt (front seat track link)	625A12
Bolt (liftgate latch)	404A54, 40480
Bolt (seat belt anchor eye)	61212
Bolt (tailgate check cable)	44486
Bolt (tailgate latch release lever)	431D72
Boot (front seat shoulder strap)	60234-5
Boot (fuel filler opening collar to wheelhouse)	280B24
Bow (folding top no. 2)	51274
Bow (folding top no. 3)	51269
Bow (folding top rear no. 4)	51278
Box & snuffer (instrument panel ash receptacle)	04821
Box & snuffer (console panel ash receptacle)	04821
Brace (body rear corner panel)	28442-3
Brace (body side lower panel)	278A42
Brace (body side window opening rear reinforcement)	279C72-3
Brace (brake pedal support)	01524
Brace (brake pedal support center)	015A18
Brace (brake pedal support instrument panel)	015A08
Brace (dash panel to frame)	01714-5
Brace (folding top main pivot bracket support)	53152-3

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
B - cont'd.	
Brace (instrument panel)	04488, 04510
Brace (instrument panel center)	045D56
Brace (instrument panel lower flange to cowl inner panel)	04672
Brace (instrument panel to cowl)	045D56
Brace (instrument panel to floor)	04598
Brace (instrument panel upper)	044E00
Brace (lower back panel floor inner)	40396-7
Brace (package tray strainer to floor)	46674-5
Brace (quarter latch pillar to floor)	28198-9
Brace (quarter latch pillar to quarter side member)	29388-9
Brace (quarter latch pillar to wheelhouse)	28258-9
Brace (quarter panel latch side lower rear reinforcement)	28268-9
Brace (quarter panel to rear floor)	27726-7
Brace (quarter panel to wheelhouse)	27800-1
Brace (rear seat back support to strainer)	62446
Brace (spare wheel)	47040
Brace (steering column bracket)	03052-3
Brace (upper back panel)	40378-9
Bracket (aux. seat back floor pivot)	607A04-5
Bracket (aux. seat back support)	600A74-5
Bracket (aux. seat cushion floor pivot)	606A78
Bracket (aux. seat cushion floor support)	60786
Bracket (aux. seat support to rear floor)	60774
Bracket (back window glass)	422B18-9
Bracket (back window lower stop)	44062
Bracket (back window regulator arm)	44074-5
Bracket (back window upper stop)	42202-3
Bracket (body bolt)	11278
Bracket (brake pedal support)	01530
Bracket (center body pillar to roof)	24574-5
Bracket (center body pillar upper hinge)	24450-1
Bracket (center floor pan to quarter wheelhouse)	113A70-1
Bracket (coat hook)	29019, 292A32
Bracket (console panel mounting front)	045B32
Bracket (console panel mounting rear)	045B34
Bracket (console panel opening pad front)	045E30
Bracket (console panel opening pad rear)	045E32
Bracket (cowl top inner panel to instrument panel)	023A02
Bracket (cowl top panel to front fender apron)	02294-5
Bracket (cowl top panel to pillar)	022A24-5
Bracket (cowl top vent grille)	02224-5
Bracket (dash panel to accelerator mounting)	016B84
Bracket (dash panel to cowl top panel)	016B86
Bracket (door trim panel reflector)	237A96
Bracket (floor pan to rear seat back strainer)	11456
Bracket (folding top lift solenoid)	50644-5
Bracket (folding top main pivot)	53118-9
Bracket (folding top main pivot bracket extension to wheelhouse)	50660-1
Bracket (folding top main pivot support to wheelhouse outer)	501A28-31
Bracket (folding top no. 2 bow)	514A30-1
Bracket (folding top no. 3 bow)	53144-5

PART NAME	GROUP NUMBER
B - cont'd.	
Bracket (front door arm rest finger tip plate)	240A10
Bracket (front door arm rest mounting)	24116
Bracket (front door inside pull handle mounting)	22606
Bracket (front door latch actuator)	220A14
Bracket (front door trim panel upper)	23834
Bracket (front door vent window lower pivot)	22954-5
Bracket (front door vent window upper pivot)	21464-5
Bracket (front door window channel)	23288
Bracket (front door window glass channel rear)	23296
Bracket (front door window glass rear)	21430-1
Bracket (front door window glass rear inner)	234A56-7
Bracket (front door window lower stop)	21790
Bracket (front door window rear guide adjusting lower)	23136
Bracket (front door window regulator drive arm)	21504
Bracket (front door window regulator equalizer arm)	23230-1
Bracket (front door window regulator motor mounting)	23312-3
Bracket (front door window stop)	21760-1
Bracket (front door window stop upper)	21764
Bracket (front door window stop upper rear)	21772
Bracket (front floor pan seat track reinforcement)	107A70
Bracket (front seat adjusting tube)	618A88-9
Bracket (front seat back hinge)	61066
Bracket (front seat back latch)	62614, 62634
Bracket (front seat back latch solenoid)	625A56-7
Bracket (front seat back pivot)	618C46
Bracket (front seat back side shield upper support)	621A10-1
Bracket (front seat belt boot extension)	612B12
Bracket (front seat cushion side shield)	62256
Bracket (front seat head rest mounting)	610B10-1
Bracket (front seat head rest mounting rear)	611B12
Bracket (front seat horizontal regulator)	60436
Bracket (front seat mounting)	61918
Bracket (front seat track front)	619A94-8
Bracket (front seat track motor mounting)	617B48
Bracket (front seat track mounting rear)	618B42
Bracket (front wheelhouse dash support lower)	021A64
Bracket (fuel filler door hinge on body)	40586
Bracket (instrument panel air control mounting)	01870
Bracket (instrument panel glove compt. door catch striker)	06158
Bracket (instrument panel glove compt. door latch mounting)	06136
Bracket (instrument panel locator)	045F94
Bracket (instrument panel lower flange reinforcement)	045D54-5
Bracket (instrument panel pad retaining upper)	045B66
Bracket (instrument panel to cowl side)	04366-7
Bracket (instrument panel vent air control lever mounting)	01816
Bracket (liftgate latch)	404A56
Bracket (liftgate latch release lever)	404A50
Bracket (lower back finish panel)	403C10
Bracket (luggage compt. door)	44588-9

INDEX

PART NAME	GROUP NUMBER
B - cont'd.	
Bracket (luggage compt. door check)	42790-1
Bracket (luggage compt. door hinge mounting)	45036-7
Bracket (luggage compt. door hinge support)	42810-1
Bracket (luggage compt. door hinge to floor pan)	427A24-5
Bracket (luggage compt. door hinge to hinge support)	41966-7
Bracket (luggage compt. door hinge to wheelhouse)	42704-5, 42738-9, 42744-5
Bracket (luggage compt. door latch mounting)	432A48
Bracket (luggage compt. door latch striker)	43235, 43275
Bracket (luggage compt. door latch vacuum actuator mounting)	432A36
Bracket (luggage compt. door lift on body)	427A48
Bracket (luggage compt. door lift on door)	41836
Bracket (luggage compt. front access door prop on body)	45732
Bracket (package tray strainer to wheelhouse)	46608-9
Bracket (quarter panel inside to floor pan)	278C72-3
Bracket (quarter panel to wheelhouse brace)	291B74-5
Bracket (quarter regulator extension support)	303B07-8
Bracket (quarter trim panel)	311A24
Bracket (quarter trim panel lower)	310A84-5
Bracket (quarter trim panel retainer rear)	311A22-3
Bracket (quarter trim panel support)	30308
Bracket (quarter trim panel to floor)	311A98
Bracket (quarter trim panel to wheelhouse)	31424-5
Bracket (quarter trim panel upper center)	311A78
Bracket (quarter trim panel upper retainer)	31284
Bracket (quarter window front guide lower)	298A36
Bracket (quarter window glass)	305A02-3
Bracket (quarter window glass channel)	30550
Bracket (quarter window glass channel rear)	30510
Bracket (quarter window glass run retainer)	30046
Bracket (quarter window guide lower)	29778-9, 298A56
Bracket (quarter window guide rear)	297A20
Bracket (quarter window guide roller mounting)	29854
Bracket (quarter window lower pivot)	30272-3
Bracket (quarter window lower stop)	29982
Bracket (quarter window panel to wheelhouse)	28054-5
Bracket (quarter window regulator drive arm)	30014-5
Bracket (quarter window regulator equalizer arm)	23230-1, 303A06-7
Bracket (quarter window stop)	21760-1, 29998
Bracket (quarter window stop upper rear)	21772
Bracket (rear door glass front)	263A52-3
Bracket (rear door glass rear)	257A18-9
Bracket (rear door inside handle)	266A22
Bracket (rear door pull handle)	26642
Bracket (rear door stationary window division bar lower)	263A24
Bracket (rear door trim panel upper)	23834
Bracket (rear door window equalizer arm upper)	26348
Bracket (rear door window glass channel)	26384

PART NAME	GROUP NUMBER
B - cont'd.	
Bracket (rear door window rear guide adjusting lower)	23136
Bracket (rear door window regulator drive arm)	270A42
Bracket (rear door window regulator equalizer arm)	23230-1
Bracket (rear door window regulator equalizer arm)	27166
Bracket (rear door window regulator motor)	270A02-3
Bracket (rear door window regulator motor mounting)	23312-3
Bracket (rear door window stop)	21760-1
Bracket (rear door window stop upper)	21764
Bracket (rear floor pan)	112B36-7
Bracket (rear floor pan to rear cross member)	11344-5
Bracket (rear seat back filler)	62424-5
Bracket (rear seat back latch)	613B18-20
Bracket (rear seat back spring hanger outer)	667A02-3
Bracket (rear seat back stop to wheelhouse)	631A02-3
Bracket (rear seat back support bumper)	613B76-7
Bracket (rear seat back support to side)	62444
Bracket (rear seat belt mounting)	612B00-1
Bracket (rear seat cushion torsion bar outer to floor)	606A42
Bracket (rear seat frame front to floor)	617C68
Bracket (rear seat frame rear to floor)	617C90-1
Bracket (rear seat support)	605A38
Bracket (rear seat support to floor)	62442-3
Bracket (roof bow mounting)	508A16
Bracket (roof side outer front rail extension)	51262-3
Bracket (roof side outer rail)	513B56-7
Bracket (roof side outer rear rail to rail extension)	513A84-5
Bracket (roof side rear trim)	519B96
Bracket (sliding roof motor mounting)	502L04
Bracket (spare wheel cover hold down at belt)	47250
Bracket (spare wheel cover support front)	47178
Bracket (spare wheel cover support rear)	47180
Bracket (spare wheel mounting)	47076
Bracket (spare wheel well lower panel)	47182
Bracket (tailgate counterbalance torsion bar center)	430A30
Bracket (tailgate latch)	431A26, 431D76
Bracket (tailgate latch)	431D76
Bracket (tailgate outside handle)	430A66
Bracket (upper back panel brace)	403C66-7
Bracket (upper back panel brace lower)	403D90-1
Bracket (upper back panel brace to roof rail)	403E18-9
Bracket (visor arm)	04122-3
Bracket (visor clip mounting)	04131
Bracket (windshield hold down)	03048
Bracket & pivot (visor upper corner)	04090
Bracket & screw kit (luggage compt. luggage carrier)	55078
Bracket & screw kit (roof luggage carrier)	55078
Bumper (aux. floor panel)	115A72-3
Bumper (aux. seat back floor panel)	605A18
Bumper (aux. seat back floor pivot arm)	61506
Bumper (back window stop lower)	440A06
Bumper (front door)	265A28
Bumper (front door at belt)	23036-7

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
B - cont'd.	
Bumper (front door hinge)	23567
Bumper (front door upper)	23030
Bumper (front door vent window upper)	21774-5
Bumper (front door window stop)	21762
Bumper (fuel filler door)	405A22
Bumper (instrument panel glove compt. door)	06066, 06162
Bumper (instrument panel glove compt. door arm)	06115
Bumper (liftgate)	40452
Bumper (luggage compt. door inside)	43634
Bumper (quarter window stop)	21762, 29994
Bumper (rear corner pillar)	40426
Bumper (rear door)	265A28
Bumper (rear door at belt)	23036-7
Bumper (rear door upper)	23030
Bumper (rear door upper hinge)	268A98
Bumper (rear door window stop)	21762, 26066, 29994
Bumper (rear seat back)	62430
Bumper (rear seat back floor)	613A12
Bumper (rear seat back latch)	613B30-1
Bumper (rear seat back latch handle stop pin)	61339
Bumper (rear seat back stop)	61082
Bumper (rear seat cushion panel)	60578
Bumper (tailgate)	23030
Bumper (tailgate latch)	431B62-3
Bumper (tailgate on pillar)	40224, 439A00-1
Bumper (tailgate support)	44482
Bumper (tailgate upper hinge on gate)	43082
Bumper (tailgate window stop)	29994
Bushing (back window glass)	42138
Bushing (back window guide)	42126
Bushing (folding top balance link)	54054
Bushing (folding top balance link to base extension)	50614
Bushing (folding top balance link to center side rail)	50636
Bushing (folding top balance link to main pivot bracket)	50664
Bushing (folding top center rail)	50471
Bushing (folding top center side rail rear)	503A04
Bushing (folding top hinge)	22841
Bushing (folding top hydraulic lift)	50678
Bushing (folding top lower link)	507A74
Bushing (folding top lower power link)	50453
Bushing (folding top main center link)	506A88
Bushing (folding top main control center)	50486-7
Bushing (folding top main control rear)	50486-7
Bushing (folding top main pivot bracket)	50473
Bushing (folding top no. 2 bow pivot)	506A84
Bushing (folding top rear side rail to power cylinder)	50412
Bushing (folding top side front link)	506A78
Bushing (folding top side rail hinge)	53072
Bushing (front door hinge)	22841

PART NAME	GROUP NUMBER
B - cont'd.	
Bushing (front door latch bellcrank)	21932
Bushing (front door latch pawl)	21801
Bushing (front door vent window upper pivot)	229A00
Bushing (front door window glass bracket)	23258
Bushing (front door window guide)	21496
Bushing (front door window regulator arm)	234A28
Bushing (front seat adjusting)	618A67
Bushing (front seat adjusting trans.)	618C24-5 618A55
Bushing (front seat back center arm rest pad)	654A28
Bushing (front seat back latch)	62608
Bushing (front seat back pivot shaft)	610B82
Bushing (front seat track link)	61781
Bushing (luggage compt. door latch mounting bolt)	53916
Bushing (luggage compt. door torsion bar outer)	448A06
Bushing (quarter window upper pivot)	29848
Bushing (rear door hinge)	22841
Bushing (rear door window glass bracket)	23258
Bushing (rear door window guide)	21496
Bushing (rear door window regulator arm)	234A28
Bushing (roof hold down clamp control)	54800
Bushing (spare wheel cover hold down handle)	47112
Bushing (tailgate counterbalance torsion bar lower)	407A32
Bushing (tailgate counterbalance torsion bar on body)	43074
Bushing (tailgate hinge)	22841
Bushing (tailgate window guide)	21496
Button (back window regulator)	44084
Button (front door access hole plug)	22285-6
Button (rear door window stabilizer)	25754
Button (rear seat back latch release)	62432
Button & pin kit (front door outside handle)	22454-5
Button & pin kit (rear door outside handle)	22454-5, 26602
C	
Cable (front seat adjusting front vertical actuating)	617B10-1
Cable (front seat adjusting horizontal actuating)	617B14-5
Cable (front seat adjusting rear vertical acutating)	617B12-3
Cable (front seat back adjusting actuator)	610A84
Cable (instrument panel glove compt. door check)	060A08
Cable (tailgate check)	43052
Cable & slide assy. (sliding roof)	502B20
Cable assy. (game table)	280C40
Cap (center body pillar finish)	24452-3
Cap (front seat back side shield moulding)	61482-3
Cap (luggage compt. carrier rail finish)	55182-3
Cap (quarter trim panel upper)	31490-1
Cap (roof luggage carrier rail finish)	55182-3
Cap (roof luggage carrier side rail end)	550A52-3
Cap (roof side inner rear moulding)	517B26-7
Cap (roof trim panel support)	52126
Cap (sliding roof drive housing shaft)	502L52
Carriage (rear door window roller front)	263A16
Carriage (rear door window roller rear)	262A62
Carrier (quarter window slide)	296A06-7

INDEX

PART NAME	GROUP NUMBER
C - cont'd.	
Case (quarter window regulator cable lower)	303A98
Catch (console panel glove compt. door latch)	060A96
Catch (console panel glove compt. door latch striker plate)	06064
Catch (instrument panel glove compt. door latch striker plate)	06064
Catch (rear seat back)	60575, 613B28
Channel (back window glass)	422A08
Channel (quarter window glass)	29900-1
Channel (quarter window lower)	29958-9
Channel (quarter window upper)	29962-3
Channel (rear door window glass lower)	26228-9
Channel & retainer assy. (front door glass)	21458-9
Check (console panel glove compt. door hinge)	06222
Clamp (back window housing drain tube)	423B12
Clamp (folding top hold down front)	50508
Clamp (folding top hold down side)	50500-1
Clamp (luggage compt. ski carrier hold down)	55008
Clamp (quarter window)	29846-7
Clamp (roof ski carrier hold down)	55008
Clamp (sliding roof drain hose)	502L63
Clip (back window glass)	422B34
Clip (back window outside lower moulding)	42309
Clip (console panel upper moulding)	044B26
Clip (front door arm rest)	24146
Clip (front door vent window weatherstrip)	214A18
Clip (front door weatherstrip retainer)	20479
Clip (front door window front)	222A04
Clip (front door window top)	222A44-5
Clip (front door window top outer)	222B08
Clip (instrument panel ash receptacle)	048B52
Clip (instrument panel finish panel)	045A30-1
Clip (instrument panel lower moulding)	044B26
Clip (instrument panel moulding)	04878
Clip (instrument panel pad retainer)	04278
Clip (instrument panel pad retaining upper)	044B96
Clip (instrument panel pad retaining upper moulding)	04561
Clip (luggage compt. carrier retainer)	46004
Clip (package tray trim panel front)	46705
Clip (quarter arm rest)	24146
Clip (quarter trim panel retainer)	31168
Clip (quarter window moulding outer frame set)	42450
Clip (rear door arm rest)	24146
Clip (rear door weatherstrip retainer)	20479
Clip (rear door window top)	263A80
Clip (roof headlining retainer)	51026
Clip (roof headlining side retaining strip)	51054
Clip (roof side rail weatherstrip support)	514B02
Clip (roof ski carrier hold down clamp retaining)	55020
Clip (spare wheel well cover panel front)	47154
Clip (spare wheel well cover panel rear)	47154
Clip (spare wheel well cover panel upper)	47154
Clip (tailgate latch release lever knob retaining)	431B72
Clip (visor arm)	04131-2
Collar (cowl panel vent air duct)	02880

PART NAME	GROUP NUMBER
C - cont'd.	
Collar (fuel filler)	405A62
Collar (quarter panel fuel filler)	405A98
Compartment (console panel glove)	06010
Compartment (instrument panel glove)	06010
Compartment (storage)	31500
Connector (cowl vent air duct)	01878
Connector (vacuum door latch hose)	22035
Connector (vent air register damper motor hose)	019A86
Console (roof)	519A58
Console panel	045B55
Control (instrument panel vent air outlet duct)	01890-1
Control (tailgate latch remote)	43170
Control (vent air register damper)	02006
Control & link assy. (front door latch remote)	21818-9, 26404-5
Control & link assy. (rear door latch remote)	21818-9, 26404-5
Counterbalance (folding top)	506A98
Coupling (front seat adjuster trans. drive)	618A59
Coupling (package tray lift assy. to motor)	46593
Coupling (sliding roof motor to gear box)	502A20
Coupling (tailgate window regulator drive)	23440
Coupling assy. (front door vent window driveshaft)	23624
Cover (aux. seat back latch)	605A16-7
Cover (back belt moulding joint)	403A22
Cover (back window garnish moulding joint)	42458
Cover (back window garnish upper moulding joint)	42353
Cover (back window moulding joint)	424A04
Cover (back window outside center mounting joint)	42426
Cover (back window outside lower corner mounting joint)	42426
Cover (back window outside moulding joint upper)	42450
Cover (back window outside side moulding joint)	42460
Cover (body bolt)	001A86
Cover (coat hook)	29024
Cover (console panel clock opening)	04428
Cover (console panel front)	044D38
Cover (console panel moulding joint)	04796
Cover (cowl top inner panel)	022A88
Cover (cowl top panel moulding)	022A62
Cover (cowl top panel opening inner)	02085
Cover (cowl vent air opening)	02109
Cover (dash panel wiring)	017A99
Cover (front door ash receptacle)	238A02
Cover (front door inside handle)	22642
Cover (front door outside top moulding joint)	208A12
Cover (front door pull handle)	22678
Cover (front door pull handle retainer)	22670
Cover (front door window rear stop)	234A30
Cover (front door window regulator handle screw)	23362
Cover (front door wiring shield)	20798
Cover (front floor pan wire)	112B88-9
Cover (front floor panel wire front)	112A19
Cover (front seat adjusting vertical regulator)	618A20
Cover (front seat adjusting horizontal actuator)	618A45

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
C - cont'd.	
Cover (front seat back hinge pin)	63174
Cover (front seat back pivot side inner)	61692-3
Cover (front seat back pivot side outer)	61694-5
Cover (front seat back side shield)	66456-7
Cover (front seat belt anchor bolt boot)	61140
Cover (front seat belt retractor boot)	61140
Cover (front seat retractor shoulder strap)	20235
Cover (front seat shoulder strap opening)	60230
Cover (front seat shoulder strap reel)	20235
Cover (instrument panel access hole)	044D82
Cover (instrument panel A/C opening)	04371
Cover (instrument panel cigar lighter opening)	04648
Cover (instrument panel clock opening)	04428
Cover (instrument panel glove compt. fuse panel opening)	06156
Cover (instrument panel heater control opening)	04371
Cover (instrument panel power back lite control opening)	044F58
Cover (instrument panel radio opening)	04360, 04371
Cover (instrument panel radio speaker opening)	04374
Cover (instrument panel rear window defogger control opening)	044F58
Cover (instrument panel steering column opening)	04459
Cover (instrument panel to floor brace)	044G00
Cover (instrument panel utility shelf)	13598
Cover (instrument panel vent air control register opening)	04514
Cover (liftgate hinge)	42946
Cover (luggage compt. door access hole)	45792
Cover (luggage compt. door hinge access hole)	427A88
Cover (luggage compt. door lock key hole)	43514
Cover (package tray defogger)	46884
Cover (package tray vent)	466A04
Cover (quarter ash receptacle)	238A02
Cover (quarter panel name plate stud)	290B76
Cover (quarter trim at luggage compt. door prop)	31226
Cover (quarter wheelhouse opening)	27754
Cover (quarter window latch bracket retainer)	30584
Cover (quarter window lower pivot)	30246
Cover (quarter window regulator panel access hole)	27930-1
Cover (quarter window stop)	30068
Cover (rear door ash receptacle)	238A02
Cover (rear door pull handle)	22678
Cover (rear door window front stop)	25775
Cover (rear door window regulator handle screw)	23362
Cover (rear floor access hole)	111B24
Cover (rear seat access hole)	606A54
Cover (rear seat back latch bracket)	613B24
Cover (rear seat back stop to wheelhouse)	631A05
Cover (roof drip moulding joint)	51762
Cover (roof drip side finish moulding joint)	51828-9
Cover (roof luggage carrier retainer)	550A68
Cover (roof side inner moulding joint)	51744-5
Cover (shoulder strap reel)	60235
Cover (shoulder strap storage hook)	29024

PART NAME	GROUP NUMBER
C - cont'd.	
Cover (sliding roof cable drive housing)	502L14
Cover (sliding roof panel opening side reinforcement tab)	518A38
Cover (spare wheel well)	47042
Cover (tailgate at belt)	40212-3
Cover (tailgate panel inside)	40704, 40726
Cover (tailgate window regulator access hole)	40790
Cover (trans. band adjusting access)	12128
Cover (windshield header flange)	03496
Cover (windshield outside top)	03152-3
Cover kit (console panel front)	044E34
Cover set (cargo floor complete)	60925
Crank handle (sliding roof emergency)	502A50
Cup (front door inside handle)	22634-5
Cup (rear door inside handle)	22634-5
Cup (sliding roof handle)	502A96
Cup assy. (rear door inside handle)	266A24-5
Cup & moulding assy. (front door inside handle)	226A34-5
Cup & moulding assy. (rear door inside handle)	226A34-5
Cylinder (luggage compt. door lock with keys)	43279
Cylinder (tailgate lock with keys)	431C50, 43279
D	
Dampener (front door latch spring vibration)	219A37
Dampener (rear door latch spring vibration)	219A37
Dampener (sliding roof motor mounting bracket vibration)	502L02
Damper (cowl vent air valve)	01862-3
Damper (front seat back latch vibration)	610B62
Deadener (center floor pan front sound)	111B74
Deadener (quarter panel to wheelhouse sound)	292B02
Deflector (cowl side vent air)	01415
Deflector (instrument panel vent air outlet)	01968
Door (console panel ash receptacle)	04786
Door (console panel glove compt.)	06024
Door (fuel filler opening)	405A26
Door (lower back panel fuel filler)	40628
Door (luggage compt.)	40110
Door (luggage compt. front access)	45728
Door (storage compt.)	31560
Door assy. (front)	20124-5
Door assy. (rear)	24630-1
Door & plate assy. (console panel rear ash receptacle)	048A60
Door & retainer assy. (console panel ash receptacle)	048A14
Dowel (folding top no. 1 bow)	514A38
Drain (aux. floor)	112B48
Drive assy. (front door window regulator electric)	23394-5
Drive assy. (front seat track)	617C94-5
Drive assy. (quarter window regulator electric)	23394-5, 30304-5
Drive assy. (rear door window regulator electric)	23394-5
Drive assy. (tailgate window regulator electric)	23394-5
Duct (cowl vent air outlet)	01934-5

INDEX

PART NAME	GROUP NUMBER
E	
Escutcheon (front door inside handle)	22620-1
Escutcheon (front seat back latch)	62624-5
Escutcheon (front seat back latch handle)	62680
Escutcheon (instrument panel glove compt. door lock)	06095
Escutcheon (quarter window regulator handle)	303A20
Escutcheon (rear door inside handle)	303A20
Escutcheon (rear seat back latch handle)	613B26-7
Extension (aux. floor side)	11772-3
Extension (back belt side moulding)	41740-1
Extension (back window lower frame)	422A64-5
Extension (back window upper inner frame)	422A38-9
Extension (brake pedal support)	015A36
Extension (cowl side panel)	02062-3
Extension (cowl top to front fender bracket)	023A18-9
Extension (dash panel to cowl side outer panel)	017A70-1
Extension (floor pan side)	11142-3
Extension (floor side inner member)	105A62-3
Extension (floor side inner member front)	10066-7
Extension (floor side member rear)	105A68-9
Extension (floor side member to front side member front)	103A28-9
Extension (floor side outer member)	10492-3
Extension (folding rear seat back strainer finish panel)	62494
Extension (folding top main pivot bracket)	531A18-9
Extension (folding top main pivot bracket support)	531A16-7
Extension (folding top main pivot bracket to wheelhouse support)	53142-3
Extension (front body pillar reinforcement)	026A08-9
Extension (front body upper inner pillar)	025A80-1
Extension (front door vent window regulator shaft)	23442
Extension (front floor pan rear)	112B42-3
Extension (front lower bracket to inner rear rail)	42246-7
Extension (front side inner member upper)	100A01
Extension (front side member)	10062-3
Extension (front side quarter member rear)	10644-5
Extension (lower back panel)	40544
Extension (luggage compt. door latch)	43283
Extension (package tray to quarter panel)	46534-5
Extension (package tray to roof)	46820-1
Extension (quarter belt rail)	28786-7
Extension (quarter latch pillar reinforcement to wheelhouse)	28290-1
Extension (quarter panel)	28072-3
Extension (quarter panel inside front)	27998-9
Extension (quarter panel inside rear)	278C82-3
Extension (quarter panel inside to floor pan)	28750-1
Extension (quarter panel lower rear)	279C90-1, 28058-9
Extension (quarter panel outer rear)	28518-9
Extension (quarter panel rear)	28010-1
Extension (quarter panel upper rear)	28072-3
Extension (quarter panel window regulator)	303A06
Extension (quarter trim panel)	311A96-7

PART NAME	GROUP NUMBER
E - cont'd.	
Extension (quarter trim panel to package tray)	310A62-3 311A62-3, 311A90
Extension (quarter wheelhouse front)	27950-1
Extension (quarter wheelhouse inner panel)	27926
Extension (quarter wheelhouse inner panel rear)	279A51
Extension (quarter wheelhouse rear)	27896-7
Extension (quarter wheelhouse to roof outer pillar)	28230-1
Extension (quarter window guide)	30056-7
Extension (quarter window regulator)	303A04
Extension (quarter window regulator panel)	30484-5
Extension (rear corner inner front lower pillar)	278C80-1
Extension (rear corner inner pillar rear)	410A37
Extension (rear floor cross sill to inner quarter panel)	10796-7
Extension (rear floor pan rear corner)	11252-3
Extension (rear floor pan side front)	112A48-9
Extension (rear floor pan to quarter panel)	11239, 11250-1
Extension (rear floor rear cross member)	106A18-9
Extension (rear floor rear sill panel)	10838-9
Extension (rear roof outer rail to wheelhouse)	52562-3
Extension (rear side member to floor side member)	10784-5
Extension (rear side member to floor side member upper)	104A34-5
Extension (roof drip finish moulding)	517A10-1
Extension (roof drip side moulding)	517A12
Extension (roof luggage carrier side rail)	55134-5
Extension (roof luggage carrier side rail front)	550A56-7
Extension (roof luggage carrier side rail rear)	55058-9
Extension (roof outer rear rail to wheelhouse)	513A44-5
Extension (roof panel rear)	50847
Extension (roof side inner rear rail)	51220-1, 513A34-5
Extension (roof side outer rear rail)	51206-7
Extension (roof side rear rail)	513A86-7
Extension (spare wheel well side lower front)	47122
Extension (spare wheel well side lower rear)	47120
Extension (tailgate lock cylinder)	431A66
Extension assy. (quarter panel upper rear)	27702-3
Extension assy. (rear seat back floor panel)	613A82
Extension assy. (seat belt)	611C22
F	
Fastener (body outside finish panel)	290B32
Fastener (front door inner panel bottom drain seal)	20807
Fastener (rear door inner panel bottom drain seal)	20807
Fastener (roof luggage carrier support)	55180
Fastener (roof side rail weatherstrip)	20807
Filler (aux. floor to quarter wheelhouse inner)	111A82-3
Filler (center floor pan corner)	112B72-3
Filler (console panel front)	044F98
Filler (floor side outer member front end)	10170-1
Filler (front body pillar to cowl side lower)	025A90-1
Filler (front body pillar to front fender center)	025A42-3
Filler (front body to front fender lower)	02670-1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
F - cont'd.	
Filler (front seat lower corner)	611A42-3
Filler (instrument panel cluster finish panel)	045F58
Filler (instrument panel end)	04500-1
Filler (instrument panel pad at speaker)	045D38
Filler (quarter latch pillar to reinforcement)	28438-9
Filler (quarter panel lower rear)	28034-5
Filler (quarter panel outer rear extension)	279C80-1
Filler (quarter panel upper front)	28060-1
Filler (quarter trim panel to quarter regulator panel rear)	31210-1
Filler (quarter wheelhouse outer)	278B50-1
Filler (quarter window opening front corner lower)	29436-7
Filler (quarter window opening rear corner)	29458-9
Filler (rear door upper extension trim panel)	274A48-9
Filler (rear floor pan)	11103
Filler (rear floor to quarter panel)	11228-9
Filler (spare wheel well side lower)	47276
Filler (tailgate at belt)	43896-7
Filler (tailgate outer to inner panel)	407A40-1
Filler (upper back panel to upper outer panel)	40328-9
Filler (windshield frame weatherstrip)	03082
Frame (back window lower)	42232
Frame (back window lower side)	41974-5
Frame (back window side)	42248-9
Frame (back window upper)	42220
Frame (front door glass)	22220-1
Frame (front door vent window less handle & glass)	21608-9
Frame (quarter window)	30218-9, 30504-5,
Frame (rear seat)	613A10
Frame (rear seat back upper)	613A04
Frame (sliding roof headlining less headlining)	502A42
Frame (windshield)	03014
Frame & division bar assy. (front door vent window)	22204-5
Frame set (quarter window inner)	29962-3
Frame set (quarter window outer)	29958-9
G	
Game and table kit	279B76
Game kit	280C36
Game table	279B04
Gasket (cowl vent air duct drain)	018B32
Gasket (cowl vent air inlet duct to cowl top inner panel)	01999
Gasket (cowl vent air register)	01408
Gasket (cowl vent duct)	018B24
Gasket (quarter wheelhouse opening cover)	27766
Gasket (quarter window regulator drive)	422B22
Gasket (rear spoiler support)	44228-9
Gasket (tailgate window regulator drive)	422B22
Gasket kit (folding top motor & reservoir)	50745
Gear (front door vent window regulator drive)	23626-7
Gear (front seat adjuster trans.)	617B80
Gear (front seat adjuster vertical)	618A78-9

PART NAME	GROUP NUMBER
G - cont'd.	
Gear (front seat adjusting horizontal)	618A42-3
Gear (front seat adjusting regulator)	617A15
Gear (front seat vertical regulator)	60406-7
Gear (sliding roof drive pinion)	502L87
Gear assy. (front seat horizontal regulator)	60471-2
Gear assy. (front seat vertical regulator)	60465-6
Gear box & drive assy. (sliding roof)	502C19
Gear kit (front door window regulator drive)	234A24
Gear kit (quarter window regulator drive)	234A24
Gear kit (rear door window regulator drive)	234A24
Gear kit (tailgate window regulator drive)	234A24
Glass (back window)	42006
Glass (front door vent window)	21412-3
Glass (front door window)	21410-1
Glass (quarter window)	29710-1
Glass (quarter window rear stationary)	29726, 29736, 29740-1
Glass (rear door window)	25712-3
Glass (rear door window stationary)	26870-1
Glass (windshield)	03100
Glass & channel assy. (back window)	42030
Glass & channel assy. (front door window)	21400-1
Glass, channel & frame assy. (rear door window)	25700-1
Grille (cowl top vent)	02228
Grille (quarter panel scoop)	290C60-1
Grille (upper back panel vent air)	403C28
Grille assy. (front door vent air inner)	202A24
Grille assy. (quarter pillar vent air)	280B62-3
Grommet (dash panel overdrive cable)	01694
Grommet (folding top lift hydraulic pump mounting)	50763
Grommet (front door latch knob)	21999
Grommet (front seat shoulder strap pin)	60116
Grommet (instrument panel glove compt. door check arm)	06122
Grommet (quarter window guide)	297A22
Grommet (rear door latch knob)	21999
Grommet (rear floor pan opening)	111A88
Grommet (tailgate latch knob)	431A34
Grommet (vacuum door latch control)	22192
Grommet (vacuum door latch hose)	22194
Guide (back window glass)	41960-1
Guide (front door window front)	223A00-1
Guide (front door window latch side)	222A56-7
Guide (front door window lower)	222A92
Guide (front door window upper)	22362
Guide (quarter window)	29764-5
Guide (quarter window actuator)	303A30-1
Guide (quarter window front)	29752-3
Guide (quarter window latch side)	222A56-7
Guide (rear door window front)	26216-7
Guide (rear door window latch side)	222A56-7
Guide (rear door window lower)	222A92
Guide (rear door window rear)	26222-3
Guide (rear door window upper)	22362
Guide (sliding roof cable)	502L16-7

INDEX

PART NAME	GROUP NUMBER
G - cont'd.	
Guide (sliding roof front)	502L08-9
Guide (sliding roof lower front)	502L30
Gusset (cowl side to front pillar lower)	02426-7
Gusset (dash panel lower reinforcement to front side member)	017A24-5
Gusset (floor side member to front side member)	10194-5
Gusset (floor side member to rear side member)	10196-7
Gusset (floor side member to wheelhouse)	103A18-23
Gusset (front cross member to side member)	10948-9
Gusset (front side member front)	100A14-5
Gusset (lower back panel side)	403C08-9
H	
Handle (back window regulator)	44009
Handle (console panel ash receptacle)	04830
Handle (console panel glove compt. door)	061A44
Handle (front door inside)	22600-1
Handle (front door vent window)	22916-7
Handle (front door window regulator)	23342, 30322
Handle (front seat back adjusting)	61198
Handle (front seat back latch)	62622
Handle (front seat track adjusting)	61753
Handle (instrument panel ash receptacle)	04830
Handle (liftgate)	43400
Handle (luggage compt. vacuum door latch release control valve)	43385
Handle (quarter window)	30252
Handle (quarter window regulator)	23342, 30322
Handle (rear door inside)	22600-1
Handle (rear door inside assist)	24648
Handle (rear door outside)	26604-5
Handle (rear door window regulator)	23342, 30322
Handle (rear seat back latch)	62418-9
Handle (sliding roof emergency crank)	502A50
Handle (spare wheel cover hold down)	45849
Handle (tailgate latch)	431B82
Handle (tailgate latch release)	431C62
Handle (tailgate regulator)	44009
Handle assy. (front door outside)	22404-5
Handle assy. (rear door outside)	22404-5
Handle & housing assy. (tailgate outside latch release)	430A70
Handle & knob assy. (back window regulator manual)	44008
Header (folding top)	53038
Hinge (aux. floor front panel)	11770
Hinge (aux. seat back floor)	60928
Hinge (back window louver)	44272-3
Hinge (console panel arm rest)	04604
Hinge (console panel glove compt. door)	06050
Hinge (front door vent window upper pivot)	21490-1
Hinge (instrument panel glove compt. door)	06050

PART NAME	GROUP NUMBER
H - cont'd.	
Hinge (liftgate)	42900-1
Hinge (luggage compt. door)	42700-1
Hinge (luggage compt. front access door)	45702
Hinge (quarter window inner)	302A14
Hinge (rear seat back center arm rest flap upper)	67277
Hinge (rear seat back floor extension)	60675
Hinge (rear seat back floor panel)	60615-6
Hinge (rear seat back floor support anchor)	607A86
Hinge (storage compt. door)	31518
Hinge (storage compt. door front)	11640-1
Hinge (storage compt. door rear)	116A00-1
Hinge (tailgate)	43000-1
Hinge (tailgate lower)	43056
Hinge (tailgate lower on body)	430B06
Hinge (tailgate lower on gate)	430B08
Hinge (tailgate upper on body)	43086
Hinge (tailgate upper on gate)	43090
Hinge (upper back finish panel)	40582-3
Hinge assy. (front door upper)	22800-1
Hinge assy. (rear door upper)	26800-1
Hinge & check assy. (front door lower)	22810-1
Hinge & check assy. (rear door lower)	26802-3
Hold down assy. (load restrainer)	64384
Hook (coat)	29024-5
Hook (front seat track release cable)	619A02
Hook (seat belt to floor)	61280
Hose (folding top hydraulic lift)	53456
Hose (folding top hydraulic lift lower)	53390-2
Hose (folding top hydraulic lift upper)	53390-2
Hose (instrument panel vent air register damper motor)	019A88
Hose (luggage compt. door latch vacuum control)	43240
Hose (luggage compt. door vacuum latch)	406A06-8
Hose (sliding roof frame drain front)	502C52-3
Hose (sliding roof frame drain rear)	502C52-3
Hose (tailgate vacuum latch)	406A06-8
Hose (vacuum door latch)	21927
Housing (back window regulator handle manual)	44044
Housing (front door arm rest window regulator switch plate)	24038-9
Housing (front door ash receptacle)	238A06-7
Housing (front seat adjuster trans. pinion)	618C36
Housing (front seat horizontal regulator gear)	603A46-7
Housing (front seat vertical regulator gear)	603A48-9
Housing (fuel filler pipe outer)	40354
Housing (fuel filler pipe)	27936
Housing (fuel filler pipe center)	405B12
Housing (fuel filler pipe inner)	11310
Housing (quarter window at rear roof)	525A12-3
Housing (quarter window at rear roof rail)	52564-5
Housing (quarter window regulator)	303A46-7
Housing (rear door ash receptacle)	27470-1
Housing (sliding roof cable drive)	502L10
Housing (sliding roof panel)	502C22
Housing (tailgate outside latch release handle)	431E76
Housing (vacuum door latch control)	219A61

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
I	
Insert (back window louver latch)	44288
Insert (console finish panel center)	04722
Insert (front door inside handle)	22644
Insert (front door latch striker plate)	22040
Insert (quarter panel outside lower ornament)	290C38-9
Insert (quarter panel outside ornament)	291C80-3
Insert (quarter panel outside upper ornament)	290C60-1
Insert (rear door inside handle)	22644
Insert (rear door latch striker plate)	22040
Insert (roof side rail weatherstrip)	51266
Insert (sliding roof guide rail)	502L31
Insulation (front door latch actuator)	21938-9
Insulator (dash panel)	01670-1
Insulator (front seat belt anchor bolt)	612A12
K	
Key (front door & ignition lock blank)	22053
Key (glove compt. door cylinder lock blank)	43562
Key (luggage compt. door cylinder lock blank)	43562
KIT - refer to appropriate noun name For example: Gear kit (quarter window regulator drive)	234A24
Knob (front door latch control rod)	21850
Knob (front door vent window regulator handle)	23352
Knob (front door window regulator handle)	23352
Knob (instrument panel glove compt. door)	06164
Knob (quarter window regulator handle)	23352
Knob (rear door latch control rod)	21850
Knob (rear door window regulator handle)	23352
Knob (sliding roof panel handle)	518A06
Knob (tailgate latch control rod)	431A36
Knob (tailgate latch release lever)	431A76
Knob (windshield hold down)	03848
Knob (windshield latch)	03818
Knob & insert assy. (instrument panel ash receptacle)	048B38
L	
Label (front door scuff plate)	10130
Label (shoulder strap instructions)	60234
Latch (aux. floor panel rear)	116A14
Latch (back window louver)	44274
Latch (console panel glove compt. door)	061A34
Latch (console panel glove compt. door non-locking)	06072
Latch (folding top hold down clamp)	506A48
Latch (front seat)	619A86
Latch (instrument panel glove compt. door non-locking)	06072
Latch (luggage compt. door)	43200
Latch (luggage compt. front access door)	45704
Latch (quarter window)	303A24
Latch (spare wheel cover hold down)	45848
Latch (spare wheel well cover)	47256

PART NAME	GROUP NUMBER
L - cont'd.	
Latch (storage compt. door)	11598, 31700
Latch (tailgate)	43150-1
Latch (tailgate lower)	431D88
Latch (tailgate on body)	431B54
Latch assy. (aux. seat back floor)	61142-3
Latch assy. (front door)	21812-3
Latch assy. (front seat back)	62648-9
Latch assy. (rear door)	26412-3
Latch assy. (rear seat back release)	61382-3
Latch kit (back window louver)	442A08
Latch kit (luggage compt. door remote control)	432A00
Latch kit (rear door safety)	21850
Latch kit (storage compt. door)	47026
Latch or lever (folding top hold down clamp)	50536-7
Letter (console)	044F42
Letter (lower back panel)	40282
Letter (luggage compt. door)	40282
Letter (quarter panel outside)	29210-1
Letter (tailgate)	40282
Lever (front door latch actuating rod)	22384-5
Lever (front door latch operating)	21970
Lever (front seat back latch)	62720
Lever (front seat back pivot shaft)	610B70, 610B90
Lever (liftgate latch release)	43119
Lever (luggage compt. door latch operating)	43358
Lever (rear door latch actuating rod)	22384-5
Lever (tailgate latch release)	431A75
Lever (tailgate lock cylinder)	431F60
Lid assy. (fuel filler opening)	405A26
Lift (folding top)	50600-1
Lift (luggage compt. door hydraulic)	406A10
Lift (luggage compt. door less bracket)	40654-5
Liftgate	40010
Link (folding top balance)	50454-5
Link (folding top control)	50316-7
Link (folding top no. 4 bow control)	507A66-7
Link (folding top power)	50352
Link (folding top power upper)	506A52
Link (folding top side front)	506A90-1
Link (front door latch control rod lever)	219A84, 22164-5
Link (front door latch remote control)	21940-1
Link (front seat track front)	62520-1
Link (front seat track rear)	62512-3
Link (luggage compt. door latch actuating)	43226
Link (rear door latch control rod)	26420-1
Link (rear door latch remote control)	26442-3
Link (tailgate latch release)	431A50-1, 431A78-9
Link (tailgate upper hinge release)	431E58
Link (tailgate upper latch release)	431B74
Link (tailgate upper latch to lower latch actuator)	431A24
Link assy. (front seat back latch)	62650-1
Link & support assy. (front seat back center arm rest)	65406

INDEX

PART NAME	GROUP NUMBER
L - cont'd.	
Link & vertical strainer assy. (rear seat back center arm rest)	67210
Lock cylinder & keys (front door)	21984-5
Lock cylinder & keys (front door & ignition lock)	22050
Lock cylinder & keys (glove compt. door)	06081
Lock cylinder & keys (luggage compt.)	43505
Lock cylinder & keys (storage compt.)	115A32
Lock set	22050
Lock set (glove compt. & luggage compt.)	43507
Lock set (glove compt. & tailgate)	43507
Lock set (luggage compt. & glove compt.)	43507
Lock set (tailgate & glove compt.)	43507
Loop (front seat belt retaining)	61222
Loop (tie down)	60213
Louver (back window)	44270
Louver (instrument panel vent air regulator)	018B08
Louver kit (back window)	44268
Luggage carrier (luggage compt.)	55100
Luggage carrier (roof)	55100
M	
Member (aux. floor cross at cab)	10920-1
Member (aux. floor cross front)	11361
Member (floor side inner)	10116-7
Member (floor side outer)	10120-1
Member (floor side rear)	10124-5
Member (front floor cross)	10852
Member (front floor cross lower)	10812-3
Member (front floor cross no. 1)	10692-3, 10776
Member (front floor cross no. 1A)	107A62-3
Member (front floor cross no. 2)	10728
Member (front floor cross no. 2 outer)	10662-3
Member (front floor cross upper)	10672-3
Member (front seat back front side lower)	612A22-3
Member (front side)	10462-3
Member (front side inner)	10008-9
Member (front side outer)	10218-9
Member (front suspension no. 1 cross)	10018
Member (front suspension no. 2 cross)	10010
Member (luggage compt. front access door hinge mounting)	45782
Member (rear floor cross front)	10786
Member (rear floor cross rear)	10780
Member (roof luggage carrier front)	55109
Member (roof luggage carrier rear)	55109
Motor & bracket assy. (cowl vent air register damper)	019A84
Motor & cover assy. (front door vent window regulator gear electric)	23406-7
Motor & drive (tailgate window regulator)	40964
Motor & plate assy. (folding top hydraulic lift pump)	53357
Motor & plate kit (folding top hydraulic lift)	533A00
Moulding (back belt outside center)	423A20-1
Moulding (back belt outside side)	423A18-9
Moulding (back window garnish lower)	42456-7

PART NAME	GROUP NUMBER
M - cont'd.	
Moulding (back window garnish side)	42416-7
Moulding (back window garnish upper)	42410
Moulding (back window outside lower)	42404-5
Moulding (back window outside side)	42492-3
Moulding (back window outside top)	42430-1
Moulding (back window outside upper)	423A00-1
Moulding (back window outside upper corner)	42376-7, 42452-3
Moulding (back window outside upper outer)	424A90-1
Moulding (body rocker panel)	101A04-5, 10176-7
Moulding (center body pillar outside upper)	24458-9
Moulding (console panel front)	045B24-5
Moulding (console panel lower edge)	04578-9
Moulding (console panel rear)	04736
Moulding (console panel rear lower edge)	044E12-3
Moulding (console panel side)	045C26-7
Moulding (console panel side rear)	045B70-1
Moulding (console panel upper)	045A20-1
Moulding (cowl side trim panel)	020A46-7
Moulding (cowl top panel)	022A64-5
Moulding (cowl top panel end)	02396-7
Moulding (front body pillar drip finish)	02512-3, 026A16-7
Moulding (front body pillar outside belt)	026A24-5
Moulding (front body pillar upper)	025A84-5
Moulding (front door outside)	20938-9
Moulding (front door outside at belt)	20934-5
Moulding (front door outside front)	20916-7
Moulding (front door outside lower)	20878-9
Moulding (front door outside rear edge)	20940-1, 21000-1
Moulding (front door outside upper)	20932-3
Moulding (front door outside upper rear)	20944-5
Moulding (front door trim panel)	20942-3, 21110-1
Moulding (front door trim panel center)	20970-1
Moulding (front door trim panel center lower)	21004
Moulding (front door trim panel front)	20968-9
Moulding (front door trim panel lower)	20956-7, 25578-9
Moulding (front door trim panel lower edge)	23886
Moulding (front door trim panel lower rear)	21222-3
Moulding (front door trim panel rear)	20920-1
Moulding (front door trim panel upper)	20914-5
Moulding (front door trim panel upper center front)	203A48
Moulding (front door window frame rear)	20982-3
Moulding (front door window frame top)	20492-3, 20846-7
Moulding (front door window garnish)	20904-5
Moulding (front door window garnish finish)	20986
Moulding (front pillar drip)	025A20-1
Moulding (front seat back)	65206
Moulding (front seat back center arm rest)	644A36
Moulding (front seat back side shield)	61402-3, 61424-5
Moulding (front seat back side shield top)	61404-5

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
M - cont'd.	
Moulding (front seat cushion side shield)	61400-1, 61410-1
Moulding (fuel filler door)	29140-1, 405A48
Moulding (instrument panel center)	04472-3
Moulding (instrument panel lower)	04388-9
Moulding (instrument panel lower end)	04718-9
Moulding (instrument panel lower finish panel outer)	044C10
Moulding (instrument panel pad)	04460
Moulding (instrument panel pad retaining lower)	044A36-7
Moulding (instrument panel pad retainer upper)	04522-3
Moulding (instrument panel upper pad retaining)	04296-7
Moulding (lower back panel extension)	403A96-7
Moulding (lower back panel)	423A58
Moulding (lower back panel center)	423A14
Moulding (lower back panel lower)	423A84
Moulding (lower back panel upper)	423A82
Moulding (luggage compt. door)	40104, 42512-3
Moulding (luggage compt. door upper)	42510
Moulding (luggage compt. front access door trim)	45770
Moulding (package tray finish end)	465A04-5
Moulding (package tray finish intermediate)	465A00-1
Moulding (package tray on body side)	46530-1
Moulding (quarter arm rest)	31796-7
Moulding (quarter belt inside)	29250-1
Moulding (quarter latch pillar finish)	291A58-9
Moulding (quarter outside)	29038-9
Moulding (quarter outside belt center)	290A88-9
Moulding (quarter outside lower)	291B20-1
Moulding (quarter outside lower front)	29076-7
Moulding (quarter outside lower rear)	29066-7
Moulding (quarter outside ornament)	290D14-5
Moulding (quarter outside rear belt)	29138-9
Moulding (quarter outside to lower back panel)	29098-9
Moulding (quarter outside upper)	29076-7
Moulding (quarter panel & pillar)	291C96-7
Moulding (quarter panel extension)	29078-9
Moulding (quarter panel lower rear edge)	290B10-1
Moulding (quarter panel outside belt)	29034-5
Moulding (quarter panel outside rear end)	291A50-1
Moulding (quarter panel outside rear end lower)	291C84-5
Moulding (quarter panel outside upper)	29140-1
Moulding (quarter panel outside upper rear end)	291A24-5
Moulding (quarter panel rear extension)	29312-3
Moulding (quarter trim panel)	31140-1
Moulding (quarter trim panel belt)	31322-3
Moulding (quarter trim panel lower)	31214-5
Moulding (quarter wheel opening)	29164-5
Moulding (quarter wheel opening cover)	29050-1
Moulding (quarter wheelhouse trim panel front)	290B40-1
Moulding (quarter wheelhouse trim panel rear)	290B40-1
Moulding (quarter window frame)	292A08-9
Moulding (quarter window garnish finish)	29086-7
Moulding (quarter window garnish lower)	29002-3
Moulding (quarter window garnish rear)	291A84-5

PART NAME	GROUP NUMBER
M - cont'd.	
Moulding (quarter window garnish upper)	29008-9
Moulding (quarter window garnish upper front)	29014-5
Moulding (quarter window outside front)	290A66-7, 29622
Moulding (quarter window outside lower)	291C02-3
Moulding (quarter window outside lower rear corner)	290D54
Moulding (quarter window outside rear)	290B52-3, 29396-7, 29536-7
Moulding (quarter window outside upper)	290A60-1, 29796-7
Moulding (rear corner pillar outside)	40720-1
Moulding (rear corner pillar venturi panel)	412A08-9
Moulding (rear corner pillar venturi panel lower)	412A24-5
Moulding (rear door outside)	25532-3
Moulding (rear door outside belt)	25554-5
Moulding (rear door outside belt rear)	254A92-3
Moulding (rear door outside front)	25440-1
Moulding (rear door outside lower)	25556-7
Moulding (rear door outside rear edge)	255A00-1, 25510-1
Moulding (rear door outside upper)	25540-1
Moulding (rear door outside upper rear)	26090-1
Moulding (rear door trim panel center)	25502-3
Moulding (rear door trim panel center upper)	254A84-5
Moulding (rear door trim panel lower)	25578-9
Moulding (rear door trim panel rear)	25546-7
Moulding (rear door trim panel rear outer)	255A14-5
Moulding (rear door trim panel upper front)	25504-5
Moulding (rear door window frame front)	254A12-3
Moulding (rear door window frame rear)	20982-3, 25522-3
Moulding (rear door window frame top)	25542-3
Moulding (rear floor pan side)	111A08-9
Moulding (rear floor pan side rear)	112B04
Moulding (rear quarter window garnish upper)	290A14-5
Moulding (rear seat back outer)	61144-5
Moulding (rear seat back top)	61138
Moulding (rear seat back upper)	61040-1
Moulding (roof drip finish front)	51718-9
Moulding (roof drip rear)	51704
Moulding (roof drip rear finish)	51834-5
Moulding (roof drip side finish)	51728-9
Moulding (roof drip side finish front)	51726-7
Moulding (roof drip side finish rear)	51726-7
Moulding (roof outside center rear)	517B58-9
Moulding (roof outside rear)	517A36-7
Moulding (roof outside rear center)	50044
Moulding (roof outside rear side)	517A02-3
Moulding (roof outside side center)	517B56-7
Moulding (roof outside side rear)	517A62-3
Moulding (roof side)	51628-9
Moulding (roof side inner front)	51752-3
Moulding (roof side inner rear)	51754-5
Moulding (roof side outside upper)	29140-1
Moulding (tailgate outside)	41018

INDEX

PART NAME	GROUP NUMBER
M - cont'd.	
Moulding (tailgate outside belt)	403A70
Moulding (upper back panel vent air)	423B14-5
Moulding (windshield garnish lower)	03626
Moulding (windshield garnish lower corner)	03662-3
Moulding (windshield garnish side)	03512-3, 03598-9
Moulding (windshield garnish upper)	03606-7
Moulding (windshield header inside)	03542
Moulding (windshield outside belt)	03148-9
Moulding (windshield outside side)	03136-7
Moulding (windshield outside top)	03144-5
Moulding (windshield outside upper corner)	03220-1
Moulding assy. (quarter trim panel front)	290A42-3
Moulding kit (body side)	21048
Moulding kit (front door outside rear edge)	20910
Moulding kit (rear door outside rear edge)	20910
N	
Nozzle (back window housing drain)	42312
Numeral (front fender)	291B30-1
Numeral (quarter panel)	291B30-1
Numeral (tailgate)	291B30-1
Nut (back belt moulding retaining)	423A66
Nut (folding top balance link)	506A94
Nut (instrument panel air control mounting)	018A10
Nut (luggage compt. door latch)	53510
Nut (luggage compt. vacuum door latch release control)	43387
Nut (roof luggage carrier lock)	55026
Nut (sliding roof panel front adjusting)	502B66
Nut (sliding roof panel rear guide adjusting)	518A16
Nut (vacuum door latch control mounting)	22158
Nut & housing assy. (luggage compt. door latch)	40610
O	
Ornament (console panel)	045D84
Ornament (front door trim panel)	20802-3
Ornament (front seat back)	64824
Ornament (fuel filler door)	405A86
Ornament (lower back panel)	40316
Ornament (luggage compt. door)	43500-4
Ornament (quarter panel)	291A52-3
Ornament (quarter panel outside)	28032-3, 517A20-1
Ornament (quarter panel outside rear)	290A76-7
Ornament (quarter trim panel)	20802-3
Ornament (rear corner pillar venturi panel)	412A22-3
Ornament (rear door trim panel)	20802-3
Ornament (rear seat back)	64824
Ornament (roof side)	43500-4
Ornament (roof side center)	517A28-9
Ornament (roof side inner)	50266-7, 517A00-1
Ornament (roof side lower)	517A58
O - cont'd.	
Ornament (roof side outside)	517A18, 517A20-1, 517A56-7
Ornament (seat belt buckle)	611C02
Ornament (tailgate)	43500-4
Ornament (tailgate lock cylinder hole)	43830
Ornament (tailgate lower)	517A58
Ornament (tailgate outside)	517A20-1
P	
Pad (aux. seat cushion)	66856
Pad (back window louver hinge)	44280
Pad (back window regulator handle manual)	44011
Pad (back window regulator handle power)	44011
Pad (body side rail end support)	32242
Pad (console panel)	04620
Pad (front door outside handle large)	22428-9
Pad (front door outside handle small)	22448-9
Pad (front seat back)	64810-1
Pad (front seat back head rest)	610A60
Pad (front seat cushion)	632A22
Pad (front seat back center arm rest)	65478-9
Pad (front seat back side shield)	66488
Pad (luggage compt. door hinge on body)	42840-1
Pad (luggage compt. door hinge on door)	42842-3
Pad (luggage compt. door lock cylinder sleeve)	43625
Pad (rear door inside assist handle)	24650
Pad (rear door outside handle large)	22428-9
Pad (rear door outside handle small)	22448-9
Pad (rear seat back center arm rest)	67273
Pad (rear seat back center arm rest filler)	668A14
Pad (roof air deflector panel support)	50870
Pad (roof luggage carrier slat)	55147
Pad (roof luggage carrier support)	55170-7
Pad (roof luggage carrier support front)	55156-7
Pad (roof luggage carrier support rear)	55156-7
Pad (roof outside side front)	537A02, 53740
Pad (sliding roof console header)	519B66
Pad (sliding roof front)	502L40
Pad (sliding roof side rail)	519B94
Pad (tailgate bumper)	404B40
Pad (tailgate handle)	43539
Pan (aux. floor)	11580
Pan (aux. floor rear)	114A24
Pan (center floor)	11160
Pan (front floor)	11135
Pan (rear floor)	11215-9
Pan (rear floor rear)	11360
Pan (rear floor side rear)	112A22-3
Panel (aux. floor)	11564, 11578
Panel (aux. floor center)	115A70
Panel (aux. floor front finish)	115A50
Panel (aux. floor rear)	115A42

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
P - cont'd.	
Panel (aux. floor side)	115A44-5
Panel (aux. floor support side)	115A20-1
Panel (aux. seat back)	607A26
Panel (aux. seat back floor front)	60940
Panel (aux. seat back floor rear)	60942
Panel (back)	40300
Panel (back center)	40262
Panel (back window lower frame trim)	424A68
Panel (body front)	00124
Panel (body front corner)	00350-1
Panel (body rear)	40304-5
Panel (body rear corner)	280A58-9
Panel (body rocker)	10128-9
Panel (body side inner)	27864-5
Panel (body side outer)	278A98-9
Panel (body side window opening)	278B26-7
Panel (center floor finish)	115A58
Panel (console)	045A36-7
Panel (console glove compt.)	06021
Panel (console glove compt. door finish)	060A84
Panel (console panel arm rest finish)	04610
Panel (console panel center)	045A76
Panel (console panel finish rear)	045B72
Panel (console panel front)	045A76
Panel (console panel less instruments)	045B55
Panel (console panel radio access)	044C50-1
Panel (console panel side)	044C72-3
Panel (console panel top)	044D90, 045A12
Panel (cowl side)	02038-9
Panel (cowl side outer)	02044-5
Panel (cowl top)	02010
Panel (cowl top inner)	02018
Panel (cowl top outer)	02012
Panel (dash)	01605, 01610-1
Panel (front body pillar outside finish)	025A56-7
Panel (front door arm rest finish)	24168-9
Panel (front door arm rest finish lower)	24058-9
Panel (front door opening)	202A60-1
Panel (front door opening inside front)	202A66-7
Panel (front door opening inside rear)	206A62-3
Panel (front door outer repair)	20200-1
Panel (front door outside finish)	20206-7
Panel (front door trim panel finish)	21216-7, 237A22-3
Panel (front seat back rear trim)	61632
Panel (front seat head rest trim)	610B40
Panel (front wheelhouse inner)	02048-9
Panel (front wheelhouse upper)	02046-7
Panel (fuel filler door applique)	405A50
Panel (instrument)	04320
Panel (instrument panel ash receptacle door trim)	04817
Panel (instrument panel center)	04774
Panel (instrument panel cluster opening finish)	044D70-1
Panel (instrument panel finish center)	04338
Panel (instrument panel finish end)	04334-5, 04392-3
Panel (instrument panel finish end lower)	045C41
Panel (instrument panel finish intermediate)	044B56-7
Panel (instrument panel finish lower)	044A10-1
Panel (instrument panel finish lower outer)	044A85
Panel (instrument panel finish upper)	044A90
Panel (instrument panel glove compt. door finish)	06036
Panel (instrument panel upper)	04634
Panel (lower back)	40320, 40324
Panel (lower back applique)	40584-5
Panel (lower back finish)	423A42
Panel (lower back inside)	40492
Panel (lower back panel to bumper)	403B26-7
Panel (lower back side)	40380-1
Panel (luggage compt. door outside finish)	425A02-3
Panel (package tray)	46506, 46510
Panel (package tray end)	46514-5
Panel (package tray lower)	46519
Panel (package tray trim)	46668
Panel (package tray trim end front)	46918-9
Panel (package tray upper)	46512
Panel (quarter)	27846-7
Panel (quarter arm rest finish)	316A02-3
Panel (quarter arm rest finish lower)	31644
Panel (quarter inside center)	278C58-9
Panel (quarter inside front)	27790-1
Panel (quarter lower rear extension finish)	29158-9
Panel (quarter outside finish)	290B12-3
Panel (quarter outside finish front)	291B22-3
Panel (quarter outside finish rear)	27866-7
Panel (quarter panel inside front)	278A08-9
Panel (quarter panel inside rear)	278A10-1
Panel (quarter panel inside to floor pan)	27858-9
Panel (quarter trim panel finish)	310A02-3
Panel (quarter wheel opening cover)	27974-5
Panel (quarter wheelhouse inner)	27886-7
Panel (quarter wheelhouse outer)	27894-5
Panel (quarter window regulator)	27870-1
Panel (quarter window regulator housing inner)	280A10-1
Panel (quarter window regulator housing outer)	280A26-7
Panel (rear corner inner finish upper)	40454-5
Panel (rear corner outer)	41230-1
Panel (rear corner pillar venturi front)	41096-7
Panel (rear corner pillar venturi inner)	412A20-1
Panel (rear corner pillar venturi outer)	41090-1
Panel (rear door arm rest finish)	27542-3
Panel (rear door arm rest finish lower)	27594-5
Panel (rear door outer finish)	24730-1
Panel (rear door outer repair)	24700-1
Panel (rear floor sill rear)	11318, 11323
Panel (rear seat back center arm rest)	67248
Panel (rear seat back spring support)	60700

INDEX

PART NAME	GROUP NUMBER
P - cont'd.	
Panel (roof)	50202
Panel (roof air deflector)	50822, 50860
Panel (roof side)	50284-5
Panel (roof side inner rear)	513C06-7, 51982-3
Panel (sliding roof)	502B98
Panel (spare wheel well)	47043
Panel (spare wheel well side inner)	47028
Panel (spare wheel well side lower)	47030
Panel (storage compt. door)	11698-9
Panel (tailgate inside belt finish)	425A20
Panel (tailgate inside cover)	40705
Panel (tailgate outside)	40710
Panel (tailgate outside finish)	42507
Panel (upper back)	40310, 40314
Panel (upper back finish)	403A78
Panel (windshield header)	03408
Panel assy. (aux. seat back floor)	605A10-1
Panel assy. (body side)	27700-1
Panel assy. (body side upper)	278A92-3
Panel assy. (front pillar)	02042-3
Panel assy. (quarter)	27840-1
Panel assy. (rear seat back)	60508
Panel assy. (rear seat back floor)	61390
Panel & pillar assy. (cowl side front body)	02500-1
Panel & reinforcement assy. (cowl top)	02896
Partition (console panel glove compt.)	061A84
Pawl (front seat back latch)	62606-7
Pillar (center body outer upper)	24316-7
Pillar (front body lower)	02500-1
Pillar (front body upper)	02504-5
Pillar (front body upper inner)	02508-9, 02522-3
Pillar (front body upper inner corner)	02622-3
Pillar (front body upper outer)	02516-7, 02536-7
Pillar (front body upper outer corner)	02616-7
Pillar (quarter latch upper outer)	28324-5
Pillar (quarter wheelhouse to roof inner)	278A36-7
Pillar (quarter wheelhouse to roof inner lower)	280A36-7
Pillar (quarter wheelhouse to roof inner upper)	28106-7
Pillar (quarter wheelhouse to roof outer)	278A38-9
Pillar (rear corner)	41038-9
Pillar (rear corner inner)	412A02-3
Pillar (rear corner inner front center)	412A32-3
Pillar (rear corner inner front lower)	41228-9
Pillar (rear corner inner front upper)	41210-1
Pillar assy. (center body)	24300-1
Pillar assy. (quarter latch)	28160-1
Pin (folding top balance link to center side rail)	506A76
Pin (folding top bracket no. 3 bow)	53150
Pin (folding top center side rail front)	50492
Pin (folding top hold down clamp control link)	503A02
Pin (folding top hydraulic lift)	50698
Pin (folding top main pivot bracket to rear side rail)	506A96
Pin (folding top no. 8 bow)	53008
Pin (folding top rear side rail)	503A10
Pin (folding top side front link)	506A82
Pin (folding top side rail hinge)	54052
Pin (front door hinge)	22840, 43030
Pin (front seat back pivot)	611B24
Pin (front seat track)	61880
Pin (luggage compt. door hinge spring guide)	427A06
Pin (luggage compt. hinge)	43030
Pin (quarter window latch)	30330
Pin (rear door hinge)	22840, 26832, 43030
Pin (rear door upper hinge assist spring)	268A90
Pin (rear seat back floor panel)	613B02
Pin (tailgate hinge)	22840, 43030
Pin (visor anchor)	04114
Pinion (front seat adjusting trans.)	618A54
Pivot (front door window regulator arm to glass channel)	23274
Pivot (front door window regulator to inner panel)	23242
Pivot (front seat back)	618C04
Pivot (front seat back adjuster actuator)	618C56
Pivot (quarter window upper)	30264-5
Pivot (rear door window regulator arm to glass channel)	23274
Pivot (rear door window regulator to inner panel)	23242
Pivot (tailgate lower hinge)	430A20
Pivot kit (tailgate upper hinge on body)	43096
Plate (aux. seat back floor pivot)	60780-1
Plate (back window regulator handle anchor manual)	44048
Plate (belt side rail to wheelhouse reinforcement mounting)	28702-3
Plate (body rear corner panel reinforcement)	28038-9
Plate (body side upper panel access hole cover)	278C74-5
Plate (console panel glove compt. door latch)	061A36
Plate (console panel finish insert)	044F44
Plate (console panel finish insert center)	044F24
Plate (console panel gearshift lever opening cover)	045B78
Plate (console panel glove compt. door latch catch anchor)	06150
Plate (cowl top panel access hole cover)	02256-7
Plate (dash panel speedo. cable cover)	016B56
Plate (floor outer member end)	103A94-5
Plate (floor pan seat track reinforcement)	113A28
Plate (floor side member to floor)	104A36
Plate (folding top hold down clamp latch front)	50530-1
Plate (folding top no. 1 bow scuff)	50153
Plate (front body pillar hinge anchor)	02638-9
Plate (front body pillar hinge anchor upper)	02666-7
Plate (front body pillar lower hinge reinforcement)	02576-7
Plate (front body pillar upper hinge reinforcement)	02570-1
Plate (front door arm rest)	24148-9

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
P - cont'd.	
Plate (front door inside handle)	23370
Plate (front door inside panel cover)	21122-3
Plate (front door latch striker)	22008
Plate (front door latch striker tapping)	22024
Plate (front door name)	04460
Plate (front door outside name)	04460, 20978
Plate (front door scuff)	13200-9
Plate (front door trim panel name)	20816
Plate (front door vent window handle division bar scuff)	22980
Plate (front door window glass run retainer)	214A26
Plate (front door window regulator handle)	23370
Plate (front door wire opening cover)	21202
Plate (front fender name)	25622-3
Plate (front floor lower cross member)	10962
Plate (front floor pan access hole cover)	111A74
Plate (front floor pan drain hole cover)	11117
Plate (front seat adjusting regulator)	618C38
Plate (front seat back ornament mounting)	64825
Plate (front seat back scuff)	60060, 61642-3
Plate (front seat head rest stabilizer upper)	610A80
Plate (front seat shoulder strap anchor)	60226
Plate (front side inner member)	104A02
Plate (instrument panel glove compt. door latch catch anchor)	06150
Plate (instrument panel name)	04460
Plate (instrument panel pad retainer)	044C78
Plate (instrument panel steering column finish)	04475
Plate (liftgate latch)	43108
Plate (liftgate lock access hole cover)	40466
Plate (liftgate name)	42528
Plate (liftgate prop arm anchor)	404A44
Plate (lower back panel name)	403A72
Plate (luggage compt. door hinge anchor on door)	42752
Plate (luggage compt. door latch striker)	432A06, 43252
Plate (luggage compt. door name)	42495, 42528
Plate (luggage compt. door ornament)	425A82
Plate (package tray end)	46652-3
Plate (parking brake cable skid)	112B62
Plate (quarter panel name)	25622-3, 50399-400
Plate (quarter window regulator handle)	23370, 29191
Plate (rear corner outer panel end)	41098-9
Plate (rear door inside handle)	23370
Plate (rear door latch remote control)	265A66-7
Plate (rear door latch striker)	22008
Plate (rear door latch striker tapping)	22024
Plate (rear door scuff)	13228-9
Plate (rear door window glass run retainer)	214A26
Plate (rear door window regulator handle)	23370
Plate (rear floor pan drain hole cover)	113A36
Plate (rear seat back catch striker)	601A68

PART NAME	GROUP NUMBER
P - cont'd.	
Plate (rear seat back latch striker anchor)	61340
Plate (rear seat back ornament mounting)	64825
Plate (rear seat back stop anchor)	61328
Plate (rear seat cushion torsion bar inner bracket anchor)	606A44
Plate (rear seat front anchor)	605A40
Plate (rear seat rear anchor)	605A44
Plate (roof luggage carrier front rail)	550A22
Plate (roof luggage carrier support cover)	550A54-5
Plate (roof side outer name)	50399-400
Plate (sliding roof panel rear guide)	51812
Plate (sliding roof retaining)	502L26
Plate (steering column opening cover)	01698-9
Plate (tailgate counterbalance torsion bar mounting)	430A28
Plate (tailgate hinge on body anchor)	43480-1
Plate (tailgate latch release handle mounting)	431C78
Plate (tailgate latch striker)	43146, 431A72
Plate (tailgate name)	25622-3, 42528
Plate (tailgate scuff)	42624
Plate (vent window regulator handle)	23370
Plug (floor pan seat belt anchor opening)	10034
Plug (front door vent window mounting access)	22304
Plug (seat belt retractor cover bolt access)	611B32
Prop (liftgate)	404A10
Prop (luggage compt. door)	44206-7
Prop (luggage compt. front access door)	45734
Pump repair kit (folding top hydraulic lift)	53337
R	
Rack (front seat adjusting regulator base)	619A88-9
Rail (back window header)	41302
Rail (body side)	32222
Rail (folding top center side)	51154-5
Rail (folding top front side)	53104-5
Rail (folding top rear side)	53138-9
Rail (folding top rear side inner)	531A08-9
Rail (front door opening upper)	211A10-1
Rail (front door outside finish lower)	20402-3, 20868-9
Rail (front door outside finish upper)	20960-1
Rail (quarter belt inside)	28714-5
Rail (quarter belt rear)	28716
Rail (quarter belt side)	41732-3, 41736-7
Rail (quarter belt side front)	41708-9
Rail (quarter outside finish)	28712-3
Rail (quarter panel outside finish)	290A41
Rail (rear door outside finish lower)	25300-1
Rail (rear door outside finish upper)	25320-1
Rail (roof front)	513B76
Rail (roof luggage carrier front)	55106
Rail (roof luggage carrier rear)	55106, 55138

INDEX

PART NAME	GROUP NUMBER
R - cont'd.	
Rail (roof luggage carrier side)	55114-5
Rail (roof rear)	513B06, 513A58
Rail (roof side)	513A52-3
Rail (roof side drip center)	51700-1
Rail (roof side drip front)	51700-1
Rail (roof side drip rear)	51700-1
Rail (roof side front inner)	51180-1
Rail (roof side front outer)	51186-7
Rail (roof side inner rear)	51212-3
Rail (roof side inner rear upper)	51618-9
Rail (roof side outer rear)	51216-7
Rail (sliding roof panel headlining retainer)	502L19
Rail (tailgate outside finish upper)	423A70
Rail assy. (quarter panel fuel filler door finish)	28600
Rail & guide (sliding roof)	502C06-7
Rail & moulding assy. (roof side outer)	513A54-5
Rail & reinforcement assy. (folding top rear side)	53192-3
Rail & support assy. (roof luggage carrier)	55104-5
Receptacle (console panel ash)	30702-3
Receptacle (console panel rear ash)	048A42
Receptacle (front door ash)	30702-3
Receptacle (front seat back ash)	62876
Receptacle (instrument panel ash)	04810-1
Receptacle (quarter ash)	30702-3
Receptacle (rear door ash)	30702-3
Recreation kit (table)	279B76
Reflector (front door trim panel)	23820
Register (instrument panel vent air)	01814-5,
Regulator (back window)	44000
Regulator assy. (front door vent window)	23402-3
Regulator assy. (front door window electric less motor and drive)	23208-9
Regulator assy. (front door window manual)	23200-1
Regulator assy. (front door window manual less arms)	23202-3
Regulator assy. (front seat adjusting)	617A01
Regulator assy. (front seat power adjusting)	618A36
Regulator assy. (quarter window electric)	30380-1
Regulator assy. (quarter window manual)	30306-7
Regulator assy. (rear door window electric less motor, drive & spring)	27008-9
Regulator assy. (rear door window manual)	27000-1
Reinforcement (aux. seat cushion support)	607A64
Reinforcement (back lower trim panel)	403B32
Reinforcement (belt side rail)	28708-9
Reinforcement (body side inner panel)	28126
Reinforcement (body side panel lower)	27814-5
Reinforcement (body side window opening rear)	279C18-9, 279C20-1
Reinforcement (brake pedal support dash panel)	01552-3
Reinforcement (center body pillar)	24320-1
Reinforcement (center body pillar at belt)	243A18-9
Reinforcement (center body pillar lower)	24426-7
Reinforcement (center body pillar to roof rail)	24312

PART NAME	GROUP NUMBER
R - cont'd.	
Reinforcement (center body pillar upper inner center)	243A60
Reinforcement (center body pillar upper inner top)	243A62
Reinforcement (center floor pan at pinion bumper)	112A06-7
Reinforcement (center floor pan body bolt hole)	11393-4
Reinforcement (center floor pan muffler mounting bracket)	113A12-3
Reinforcement (center floor pan no. 6 body bolt)	11376
Reinforcement (center floor pan to seat back strainer)	11192
Reinforcement (console panel rear)	04300
Reinforcement (cowl side inner panel to body rocker panel)	020A84-5
Reinforcement (cowl side panel)	02884-5
Reinforcement (cowl top inner panel)	022A06-7
Reinforcement (cowl top inner panel center)	023A20
Reinforcement (cowl top panel)	02000-1, 02034
Reinforcement (dash panel at circuit breaker)	016B44
Reinforcement (dash panel at steering column support)	01697
Reinforcement (dash panel outer)	017A00-1
Reinforcement (dash panel to frame brace inner)	016B50
Reinforcement (dash panel to frame brace to floor side member)	016A12-3
Reinforcement (dash panel to front floor pan)	016A22-3
Reinforcement (floor pan center)	113A30
Reinforcement (floor plate trans. cover)	12110
Reinforcement (floor side inner member)	10418-9
Reinforcement (floor side member at center body pillar)	10164
Reinforcement (floor side member rear extension)	105A70
Reinforcement (floor side member to dash mounting)	101A68-9
Reinforcement (floor side member to front side member front)	10262-3
Reinforcement (floor side member to front side member rear)	10156-7
Reinforcement (floor side outer member)	10132-3
Reinforcement (floor side rear member inner)	10144-5
Reinforcement (floor trans. cover plate)	12118-9
Reinforcement (folding top side quarter stay)	54212
Reinforcement (front body pillar)	02526-7
Reinforcement (front body pillar lower)	02542-3
Reinforcement (front body upper outer pillar)	02524-5
Reinforcement (front body upper pillar to roof rail)	02574-5
Reinforcement (front door outside)	20225
Reinforcement (front door outside handle)	22486
Reinforcement (front door outside panel at belt)	21124-5
Reinforcement (front door window lower)	214A48
Reinforcement (front floor no. 2 cross member)	10648
Reinforcement (front floor pan)	111A44-5
Reinforcement (front floor pan inner)	111B12-3
Reinforcement (front floor pan rear)	11144-5
Reinforcement (front floor pan seat track)	11634-5, 11246-9
Reinforcement (front seat back frame)	61046-7

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
R - cont'd.	
Reinforcement (front seat belt anchor to side member)	61216
Reinforcement (front seat shoulder strap mounting)	601A80-1
Reinforcement (front seat track)	617A46
Reinforcement (front seat track to floor)	617B70-1
Reinforcement (front suspension no. 2 cross member outer)	10104-5
Reinforcement (front suspension no. 2 cross member outer front)	10542-3
Reinforcement (front wheelhouse panel)	02464-5
Reinforcement (fuel filler pipe housing)	405B64
Reinforcement (instrument panel brace to cowl side panel)	045F38
Reinforcement (instrument panel cluster opening)	04462
Reinforcement (instrument panel finish panel)	045B86
Reinforcement (instrument panel glove compt. door latch)	06172
Reinforcement (instrument panel lower flange center)	04674
Reinforcement (liftgate hinge on body)	42942
Reinforcement (liftgate latch striker)	431F62
Reinforcement (lower back center panel)	40338-9
Reinforcement (lower back panel center)	40440
Reinforcement (luggage compt. door opening side)	279A62-3
Reinforcement (luggage compt. door upper corner)	44822-3
Reinforcement (package tray to floor pan)	46516
Reinforcement (quarter latch pillar)	28364-5
Reinforcement (quarter latch pillar to wheelhouse)	28330-1
Reinforcement (quarter panel at belt)	28700-1
Reinforcement (quarter panel latch side)	28200-1
Reinforcement (quarter panel latch side lower)	28216-7
Reinforcement (quarter panel latch side upper)	28208-9
Reinforcement (quarter panel to wheelhouse)	29200-1
Reinforcement (quarter trim panel)	31218
Reinforcement (quarter trim panel lower)	31296-7
Reinforcement (quarter trim panel upper edge)	31462
Reinforcement (quarter trim panel upper edge rear)	31464
Reinforcement (quarter wheelhouse at seat back bracket)	28022-3
Reinforcement (quarter wheelhouse inner panel)	27798-9
Reinforcement (quarter window regulator panel upper)	27874-5
Reinforcement (rear corner inner rear pillar lower)	410A42-3
Reinforcement (rear corner lower pillar)	41058-9
Reinforcement (rear door latch striker anchor plate)	26482
Reinforcement (rear door outside handle)	22486
Reinforcement (rear door outside panel at belt)	26086-7
Reinforcement (rear floor cross member to floor pan)	10950-1
Reinforcement (rear floor cross member upper)	10790-1
Reinforcement (rear floor pan)	111A64
Reinforcement (rear floor rear cross member)	10760
Reinforcement (rear floor rear sill panel)	10816
Reinforcement (rear floor rear sill panel extension)	10974-5
Reinforcement (rear floor side member rear spring mounting)	10326
Reinforcement (rear floor side member to bumper mounting)	103A06-7
Reinforcement (rear floor side member to floor side inner member)	10158-9
Reinforcement (rear seat back center arm rest flap)	67254
Reinforcement (rear side member to floor quarter)	104A70-1
Reinforcement (roof luggage carrier slat)	55124
Reinforcement (roof panel center)	50244, 50290
Reinforcement (roof panel front)	50222, 50263
Reinforcement (roof panel rear)	50217, 50291
Reinforcement (roof panel rear side)	50844-5
Reinforcement (roof rear rail)	513A24-5
Reinforcement (roof side outer rear rail)	513B34-5
Reinforcement (roof side rail)	513A06-7
Reinforcement (roof side rail lower)	513B96-7
Reinforcement (seat belt anchor to floor pan)	61216
Reinforcement (shoulder strap mounting)	60246
Reinforcement (storage compt. door latch)	11688
Reinforcement (tail lamp opening)	27970-1
Reinforcement (tailgate panel hinge)	40718
Reinforcement (tailgate upper hinge on gate)	43061
Reinforcement assy. (body rear corner panel)	278A68-9
Reservoir (vacuum door latch control)	219A02
Reservoir repair kit (folding top hydraulic lift)	53376
Retainer (aux. floor front carpet front)	130A14
Retainer (aux. floor front carpet side)	130A08-9
Retainer (aux. floor rear carpet rear)	130A26
Retainer (aux. floor rear carpet side)	130A24-5
Retainer (aux. floor rear inner panel)	115A60
Retainer (aux. seat cushion frame outer)	607A48
Retainer (back belt moulding)	40248, 423A04
Retainer (back belt moulding joint cover)	424B02
Retainer (back belt side moulding)	423B06
Retainer (back trim panel center)	403D26
Retainer (back trim panel side)	40471
Retainer (back trim panel upper)	403D26
Retainer (back window garnish side moulding)	423B18-9
Retainer (back window glass run upper)	42372
Retainer (back window glass seal)	420A58
Retainer (back window lower frame trim panel)	424A80
Retainer (back window lower frame trim panel center)	424A78
Retainer (back window lower garnish moulding)	423A06
Retainer (back window outside lower center moulding)	423A26
Retainer (back window outside lower moulding center)	424A86
Retainer (back window outside moulding)	03178, 42413
Retainer (back window outside side moulding)	42318, 423A26
Retainer (back window outside top moulding)	423A26

INDEX

PART NAME	GROUP NUMBER
R - cont'd.	
Retainer (back window outside upper moulding)	42435
Retainer (back window outside upper outer moulding)	423B10
Retainer (back window regulator button)	44088
Retainer (back window upper garnish moulding)	42468
Retainer (body bolt absorber lower)	00157
Retainer (body bolt absorber upper)	00163
Retainer (body bolt anchor plate)	113A66
Retainer (body bolt insulator lower)	00151
Retainer (body bolt no. 6 anchor plate)	111B88
Retainer (body outside moulding)	425A16
Retainer (body side inner panel)	278C96
Retainer (body side moulding)	29318
Retainer (body side outside moulding)	42413
Retainer (center body pillar upper front weatherstrip)	243A38-9
Retainer (center body pillar upper rear weatherstrip)	243A56-7
Retainer (center floor finish panel)	115A64
Retainer (coat hook)	29232
Retainer (console panel)	04684-5
Retainer (console panel ash receptacle)	04780, 04826-7, 30714
Retainer (console panel finish panel)	045A28
Retainer (console panel glove compt. door latch)	044E62
Retainer (console panel rear moulding)	045A96
Retainer (cowl top panel moulding)	022A44
Retainer (cowl top vent grille)	02316
Retainer (dash panel front sound absorber)	01691
Retainer (folding top bow listing)	50156
Retainer (folding top center side rail weatherstrip)	51560-1
Retainer (folding top dust hood front)	54676
Retainer (folding top no. 1 bow rear weatherstrip)	51352-3, 514A26-7
Retainer (folding top no. 4 bow zipper)	52542
Retainer (folding top rear side rail weatherstrip)	51554-5
Retainer (front body pillar upper weatherstrip)	02594-5
Retainer (front door arm rest finish panel)	240A16
Retainer (front door ash receptacle)	30714
Retainer (front door glass rear weatherstrip)	214A24-5
Retainer (front door glass run front)	21572
Retainer (front door glass run latch side)	222A00-1
Retainer (front door latch rod)	21952-4
Retainer (front door latch striker anchor plate)	22021
Retainer (front door lock cylinder)	22023
Retainer (front door moulding)	42533
Retainer (front door opening windface)	02614
Retainer (front door outside finish panel)	208A70
Retainer (front door outside moulding)	20842
Retainer (front door outside rear edge moulding)	208A40
Retainer (front door pull handle)	22676
Retainer (front door trim panel)	237A24-7, 25576-7 23760-3

PART NAME	GROUP NUMBER
R - cont'd.	
Retainer (front door vent window division bar glass run)	222A88-9
Retainer (front door vent window handle)	30212
Retainer (front door vent window weatherstrip)	21408-9
Retainer (front door weatherstrip)	20586
Retainer (front door window glass channel bracket)	234A46
Retainer (front door window guide)	23222
Retainer (front fender outside front edge moulding)	208A38
Retainer (front fender outside moulding)	20842
Retainer (front floor carpet edge center)	130A42
Retainer (front floor carpet side)	130A44-5
Retainer (front seat adjusting spring)	618C28
Retainer (front seat adjusting trans. pinion)	618C26
Retainer (front seat back ash receptacle)	62868
Retainer (front seat back button & strap)	63520
Retainer (front seat back center arm rest cover)	654A54
Retainer (front seat back latch spring)	610B66
Retainer (front seat back ornament)	64462
Retainer (front seat back side shield)	62178
Retainer (front seat shoulder strap)	60236-7
Retainer (front seat track adjusting handle)	618B58, 62060
Retainer (front seat track assist spring)	618C64
Retainer (front seat track rack)	618C10
Retainer (fuel filler door bumper)	405B72
Retainer (hood latch rod)	21952-4
Retainer (instrument panel ash receptacle)	04826-7
Retainer (instrument panel ash receptacle door trim panel)	048B08
Retainer (instrument panel ash receptacle retainer)	04837
Retainer (instrument panel center finish panel)	04784
Retainer (instrument panel finish lower center)	04619
Retainer (instrument panel finish panel)	045A28
Retainer (instrument panel glove compt. door latch catch)	06125
Retainer (instrument panel moulding)	04439
Retainer (instrument panel steering column opening cover)	045E94
Retainer (liftgate door latch rod)	21952-4
Retainer (liftgate latch spring)	404A48
Retainer (liftgate outside upper moulding)	42531
Retainer (liftgate weatherstrip)	43738
Retainer (load restrainer inner panel body side)	642A98
Retainer (lower back panel finish)	423A64
Retainer (lower back panel lining board)	40433
Retainer (lower back panel moulding)	40368, 42331, 42527
Retainer (luggage compt. door lock cylinder)	22023, 43629
Retainer (luggage compt. door moulding)	42533
Retainer (luggage compt. door outside finish panel)	42592
Retainer (luggage compt. front access door cover lower)	45786

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
R - cont'd.	
Retainer (luggage compt. front access door cover side)	45788-9
Retainer (luggage compt. front access door cover upper)	45790
Retainer (luggage compt. moulding)	42527
Retainer (luggage compt. side lining board lower)	45408-9
Retainer (moulding universal)	21094
Retainer (outside moulding)	20818-30, 20880-4, 21066, 21094-7, 29144
Retainer (package tray finish moulding)	46858
Retainer (package tray on body outer)	46552
Retainer (package tray panel rear)	46722-3
Retainer (package tray side moulding front)	46942-3
Retainer (package tray side moulding rear)	46940
Retainer (package tray trim panel)	46698-9, 54460
Retainer (package tray trim panel end)	465A92
Retainer (package tray trim panel inner)	465A62
Retainer (quarter arm rest base cover)	240A14
Retainer (quarter arm rest finish panel)	31840
Retainer (quarter ash receptacle)	30714
Retainer (quarter outside finish panel front)	291A66
Retainer (quarter outside finish panel rear)	290C74
Retainer (quarter panel moulding)	42364
Retainer (quarter panel outside front belt moulding)	29128
Retainer (quarter panel outside front edge moulding)	208A38
Retainer (quarter panel outside lower front moulding)	29288, 29322
Retainer (quarter panel outside lower moulding)	29033
Retainer (quarter panel outside lower moulding rear)	290B82
Retainer (quarter panel outside lower rear moulding)	29074, 29124
Retainer (quarter panel outside moulding)	20842, 29120, 42413
Retainer (quarter panel outside upper moulding)	29108, 29192
Retainer (quarter panel extension moulding)	29092
Retainer (quarter panel lower rear edge moulding)	291C10
Retainer (quarter panel lower rear moulding)	290D00
Retainer (quarter panel outside ornament)	291C56-7
Retainer (quarter panel outside rear moulding)	290A00
Retainer (quarter panel rear extension moulding)	291B80
Retainer (quarter panel upper edge moulding)	291C16
Retainer (quarter trim front panel center)	310A98-9

PART NAME	GROUP NUMBER
R - cont'd.	
Retainer (quarter trim front panel lower)	310A96
Retainer (quarter trim front panel upper)	311A00-1
Retainer (quarter trim lower front panel upper front)	311A00-1
Retainer (quarter trim lower rear panel lower front)	310A94
Retainer (quarter trim panel)	31066-7
Retainer (quarter trim panel rear)	31172-3
Retainer (quarter trim panel upper)	31200-1
Retainer (quarter trim panel upper edge)	31412-3
Retainer (quarter trim panel upper rear)	310A90-1
Retainer (quarter trim upper front panel lower)	311A14-5
Retainer (quarter trim upper front panel upper)	291C18-9
Retainer (quarter wheel opening moulding)	291B66-8
Retainer (quarter wheelhouse trim panel moulding)	291C50
Retainer (quarter window front weatherstrip)	29952-3
Retainer (quarter window garnish moulding rear)	29308
Retainer (quarter window garnish upper moulding)	28880
Retainer (quarter window glass front run upper)	298A24
Retainer (quarter window glass run)	29734-5
Retainer (quarter window glass upper run front)	298A28-9
Retainer (quarter window glass upper run rear)	298A26-7
Retainer (quarter window handle)	30212
Retainer (quarter window hinge)	302A12
Retainer (quarter window hinge front)	302A28
Retainer (quarter window hinge inner)	302A10
Retainer (quarter window hinge outer)	302A16
Retainer (quarter window latch)	302A02
Retainer (quarter window latch anchor plate)	30384
Retainer (quarter window lower rear seal)	296A02
Retainer (quarter window outside lower moulding)	291C22
Retainer (quarter window weatherstrip)	30228-9, 30270-1
Retainer (rear corner pillar cover)	41006-7
Retainer (rear corner pillar venturi panel moulding upper)	412A28
Retainer (rear door arm rest insert plate)	240A18
Retainer (rear door ash receptacle)	30714
Retainer (rear door glass run front)	25796-7
Retainer (rear door glass run latch side)	25804-5
Retainer (rear door latch rod)	21952-4
Retainer (rear door latch striker anchor plate)	22021, 26480-1

INDEX

PART NAME	GROUP NUMBER
R - cont'd.	
Retainer (rear door latch vacuum control hose)	265A36
Retainer (rear door lock cylinder)	22023
Retainer (rear door moulding)	42364
Retainer (rear door outside cover)	25012-3
Retainer (rear door outside front edge moulding)	208A38
Retainer (rear door outside lower moulding rear)	20954
Retainer (rear door outside moulding)	20842, 254A46, 25562-3
Retainer (rear door pull handle)	22676
Retainer (rear door trim panel)	237A24-7, 25576-7, 27588-9
Retainer (rear door trim panel rear)	25698-9
Retainer (rear door weatherstrip)	20586
Retainer (rear door window glass channel bracket)	234A46
Retainer (rear door window guide)	27112
Retainer (rear door window weatherstrip)	262A34-5
Retainer (rear floor mat)	13144
Retainer (rear floor rear)	130A30
Retainer (rear seat back button & strap)	63520
Retainer (rear seat back cover top)	666A56
Retainer (rear seat back floor carpet front)	130A18
Retainer (rear seat back floor carpet rear)	130A20
Retainer (rear seat back floor carpet side)	130A16-7
Retainer (rear seat back floor center support)	607A00
Retainer (rear seat back ornament)	64462
Retainer (rear seat back spring to wheelhouse)	66740-1
Retainer (rear seat cushion front)	63370
Retainer (rear seat floor support to floor)	61386
Retainer (rocker panel moulding)	10182, 10198
Retainer (roof console front)	519B06
Retainer (roof drip side finish rear moulding)	517B76
Retainer (roof front side rail weatherstrip)	513B00-1
Retainer (roof headlining center)	52208
Retainer (roof headlining front)	50980
Retainer (roof headlining header strip)	50966
Retainer (roof headlining rear)	50982-3
Retainer (roof headlining side front)	52136-7
Retainer (roof headlining side lower rear)	519A48-9
Retainer (roof headlining side rear)	52148-9
Retainer (roof headlining side upper)	52152-3
Retainer (roof headlining support)	52182-3
Retainer (roof luggage carrier)	55078
Retainer (roof luggage carrier front rail)	55068-9
Retainer (roof luggage carrier rear rail)	550A24
Retainer (roof luggage carrier support)	550A50

PART NAME	GROUP NUMBER
R - cont'd.	
Retainer (roof outside moulding)	42413
Retainer (roof outside moulding center)	517A78
Retainer (roof outside vinyl cover side)	53728-9
Retainer (roof outside rear moulding)	50002
Retainer (roof outside rear moulding side)	50030
Retainer (roof outside rear moulding upper)	50034
Retainer (roof side inner front moulding)	51756
Retainer (roof side inner rear moulding)	517C40
Retainer (roof side rail weatherstrip center)	513A66-7
Retainer (roof side rail weatherstrip front)	513A66-7
Retainer (roof side rail weatherstrip rear)	513A66-7
Retainer (roof side rear trim panel)	519A16
Retainer (seat belt shield)	611B46
Retainer (shoulder strap storage hook)	29232
Retainer (sliding roof guide rail to frame rear)	502B40
Retainer (sliding roof headlining)	52124
Retainer (sliding roof outside cover center)	54254-5
Retainer (sliding roof panel cable guide)	518A42
Retainer (sliding roof panel headlining)	518A40
Retainer (sliding roof panel rear guide plate)	51880
Retainer (sliding roof switch mounting)	502L05
Retainer (spare wheel hold down bracket)	47062
Retainer (spare wheel well cover panel lower)	47282
Retainer (spare wheel well cover rear)	47088
Retainer (steering column opening cover)	017A50-1
Retainer (storage compt. door lock cylinder)	22023
Retainer (tailgate counterbalance torsion bar)	43050
Retainer (tailgate door latch rod)	21952-4
Retainer (tailgate filler at belt)	430A16-7
Retainer (tailgate hinge on body anchor plate)	44558
Retainer (tailgate lock cylinder)	22023
Retainer (tailgate lower weatherstrip)	402A06, 43732
Retainer (tailgate moulding)	29318, 42527
Retainer (tailgate outside belt moulding)	40222
Retainer (tailgate outside belt side moulding)	40204-5
Retainer (tailgate outside finish rail)	425A94
Retainer (tailgate outside moulding)	407A12, 40740
Retainer (tailgate panel cover)	407A10
Retainer (tailgate side weatherstrip)	402A12-3
Retainer (tailgate weatherstrip)	20586

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
R - cont'd.	
Retainer (upper back panel moulding)	42536
Retainer (vacuum door latch control)	219A92
Retainer (vehicle identification container)	00052
Retainer (windshield garnish moulding lower)	03826
Retainer (windshield hold down)	03850
Retainer (windshield outside belt moulding)	03406-7
Retainer (windshield outside belt moulding end)	03782-3
Retainer (windshield outside moulding)	42413
Retainer (windshield outside side moulding)	03174, 03178
Retainer (windshield outside top moulding)	03178
Retainer (windshield outside top moulding outer)	03830
Retainer assy. (body side trim panel upper edge)	312A40-1
Retainer assy. (game table)	280C40
Retainer & division bar assy. (rear door glass run)	26900-1
Retainer & moulding assy. (back window glass run top)	422A54
Retainer kit (passenger air bag)	043A81
Retainer kit (rear spoiler)	41612
Retractor assy. (front seat belt)	610A88-9
Retractor kit (front seat belt)	611A06
Riser (rear seat front)	60650
Rivet (front door division bar weatherstrip)	21524
Rivet (rear door division bar weatherstrip)	21524
Rod (back window regulator handle regulator)	44160
Rod (folding top counter balance spring upper)	507A12
Rod (front door latch actuating)	22152-3
Rod (front door latch control to cylinder)	22134-5
Rod (front door latch push button)	21852-3
Rod (front seat back adjusting actuator)	610B84
Rod (front seat back latch actuating)	62642-3
Rod (front seat track latch tie)	61726
Rod (liftgate latch actuator)	404A38-9
Rod (rear door latch actuating)	26596-7
Rod (rear door latch push button)	26460-1
Rod (rear seat back latch handle)	61332
Rod (tailgate latch control)	43884
Rod (tailgate latch push button)	431A32
Rod (tailgate lock cylinder to release)	43876
Rod (tailgate outside handle)	431A40
Rod (tailgate support)	44400-1
Rod assy. (front seat track tie)	61802
Roller (front door window regulator arm)	23240, 262A32
Roller (luggage compt. door torsion bar)	42758
Roller (quarter window guide)	29892
Roller (quarter window guide swivel)	270A54

PART NAME	GROUP NUMBER
R - cont'd.	
Roller (quarter window regulator arm)	23240, 262A32
Roller (rear door window guide swivel)	270A54
Roller (rear door window regulator arm)	23240, 262A32
Roller (roof luggage carrier retainer)	550A58
Roller (tailgate window regulator arm)	23240, 262A32
Run (back window glass)	422A00
Run (back window glass lower side)	422A20-1
Run (back window glass side upper)	422A24-5
Run (back window glass top)	422A36
Run (front door glass top)	21596
Run (front door glass hinge side)	21546-7
Run (front door glass latch side)	21508-9, 21550
Run (front door vent window division bar glass)	21660
Run (quarter window glass)	21550, 30104-5
Run (quarter window glass upper)	30010
Run (rear door glass)	25764, 25766
Run (rear door glass latch side)	21550
Run (rear door glass upper hinge side)	25858
Run (rear door stationary window division bar)	263A48
Run & bracket assy. (front door vent window division bar glass)	21538-9
Run & bracket assy. (front door vent window division bar glass lower)	223A54-5
Run & bracket assy. (rear door glass front)	263A70-1
Run & bracket assy. (rear door glass rear)	263A72-3
Run & clip assy. (front door vent window division bar glass upper)	223A48
Run & retainer assy. (rear door glass hinge side)	262A16-7
S	
Screen (cowl top vent)	018A16-7
Screen (cowl top vent center)	022A58
Screw (folding top balance link adjusting)	50491
Screw (front seat adjusting vertical regulator)	617A06-7
Seal (back window glass)	420A28
Seal (back window housing drain)	422B00
Seal (body front panel)	00366
Seal (console panel front)	045E18
Seal (cowl side panel)	021A22
Seal (cowl side vent air duct)	02158
Seal (cowl top panel)	021A46

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Seal (cowl top vent grille)	021A32
Seal (cowl vent air duct outer)	01970
Seal (cowl vent air inlet duct)	01988
Seal (dash panel at windshield wiper hose opening)	016B04, 016B30
Seal (folding top center side rail)	54790-1
Seal (folding top header windshield)	03045
Seal (folding top rear side rail)	54784-5
Seal (front body pillar at belt)	02730-1
Seal (front door front at belt)	20264-5
Seal (front door inner panel bottom drain)	20700
Seal (front door inside panel lower)	20272
Seal (front door latch remote control)	219A59
Seal (front door rear at belt)	20266-7, 20558-9
Seal (front door trim panel)	237A48
Seal (front door vacuum latch actuator shaft)	21842
Seal (front door vent window frame)	222A80-1
Seal (front door vent window lower front)	223A32-3
Seal (front door window rear upper)	20588-9
Seal (front door window regulator drive)	422B12
Seal (fuel filler pipe opening)	28630
Seal (luggage compt. door lock cylinder shaft)	432A44
Seal (package tray)	46640-1
Seal (quarter latch pillar to window frame)	28182-3
Seal (quarter panel outer rear extension)	27802
Seal (quarter wheel opening cover)	27986-7
Seal (quarter window latch retainer)	297A30
Seal (quarter window regulator drive)	422B12
Seal (quarter window regulator panel rear)	303A80
Seal (rear door inner panel bottom drain)	20700
Seal (rear door latch remote control)	219A59
Seal (rear door rear at belt)	253A02-3
Seal (rear door vacuum latch actuator shaft)	21842
Seal (rear door window front upper)	247A10-1
Seal (rear floor pan extension drain)	11202
Seal (sliding roof panel opening rear)	50928
Seal (spare wheel well cover rear)	47262
Seal (spare wheel well cover upper)	47264
Seal (steering column opening cover plate)	01738
Seal (tailgate inner panel)	40371
Seal (tailgate inner panel bottom drain)	20700, 407A46
Seal (tailgate latch cover)	43154
Seal (tailgate upper hinge on gate)	430A84
Seal (tailgate window regulator drive)	422B12
Seal (windshield garnish side moulding)	03266
Seal (windshield glass)	03804
Seal (windshield hinge)	03828
Shaft (front door vent window handle)	30238
Shaft (front seat adjusting regulator)	60480
Shaft (front seat adjusting trans.)	618A60
Shaft (front seat back pivot)	610B68
Shaft (quarter window handle)	30238
Shaft (spare wheel cover hold down handle)	47108
Shelf (instrument panel utility)	13504
Shield (ash receptacle)	30716
Shield (back window wiring)	424B04
Shield (cowl side inner panel water)	02266
Shield (folding top compt.)	546A06
Shield (front body upper pillar wire)	026A75
Shield (front door latch remote control opening)	20334-5
Shield (front door scuff plate wiring)	13218
Shield (front door trim panel water)	20318
Shield (front door wiring)	20770
Shield (front seat adjuster)	617C20-1, 62116
Shield (front seat back)	60762
Shield (front seat back inside)	610A68-9
Shield (front seat back latch)	62730
Shield (front seat back latch actuator)	62718-9
Shield (front seat back side)	61616-7
Shield (front seat belt)	611A70
Shield (front seat center arm rest)	654A82
Shield (front seat cushion rear)	63218-9
Shield (front seat cushion side)	62186-7
Shield (liftgate latch)	404A68-9
Shield (lower back panel to bumper)	403B22
Shield (luggage compt. door latch striker)	432A70
Shield (luggage compt. door to filler)	403C50
Shield (quarter panel to bumper end splash)	280A94
Shield (quarter trim panel water)	20318, 31090-1
Shield (rear door scuff plate wiring)	13218-20
Shield (rear door trim panel water)	20318
Shield (rear door trim water)	27458
Shield (rear license plate lamp)	40427
Shim (body bolt)	00145
Shim (cowl top vent grille extension)	02249

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Shim (front door latch striker plate)	22058, 265A06
Shim (rear door latch striker plate)	265A06
Shim (tailgate latch striker plate)	265A06, 431A61
Shim (tailgate lower latch striker plate)	43152
Shim (tailgate upper latch striker plate)	43152
Sill (rear floor cross rear)	10608
Slat (folding top no. 4 bow)	50340
Slat (roof luggage carrier)	55150
Slat kit (roof luggage carrier)	550A60
Sleeve (front seat back adjusting actuator)	611A98
Sleeve (front seat back assist spring)	64730
Sleeve (front seat back hinge pivot)	61696-7
Sleeve (front seat head rest guide rod)	610A16
Sleeve (luggage compt. door latch mounting bolt bushing)	53917
Sleeve (luggage compt. door lock cylinder)	43603
Sleeve (visor anchor pin)	04115
Slide (front door window stabilizer arm inner)	21528
Slide (front seat track)	619A34
Slide (instrument panel ash receptacle)	044E26-7
Slide (quarter window guide)	298A64
Socket (back window regulator stem manual)	44017
Solenoid assy. (front seat back latch)	62690
Solenoid & valve assy. (vacuum door latch control)	220A00
Spacer (aux. floor rear)	115A62
Spacer (back belt moulding)	40249
Spacer (back window glass lower)	420A22
Spacer (back window louver)	442A14, 44284
Spacer (back window outside moulding)	42554
Spacer (back window outside side moulding)	42552
Spacer (door trim panel edge reinforcement)	237A82
Spacer (floor side member moulding)	102A78
Spacer (floor side outer member)	10510
Spacer (folding top main pivot bracket)	53082
Spacer (folding top rear side rail to upper reinforcement)	531A10
Spacer (front body pillar moulding)	026A14
Spacer (front door hinge bushing)	22822
Spacer (front door vent window handle)	302A00
Spacer (front door window garnish moulding)	20922
Spacer (front door window glass roller)	263A86

PART NAME	GROUP NUMBER
S - cont'd.	
Spacer (front door window regulator handle)	23227
Spacer (front door window regulator motor bracket)	234A18
Spacer (front seat adjuster regulator solenoid retainer)	618C34
Spacer (front seat back center arm rest support)	654A76
Spacer (front seat back latch pawl)	62704
Spacer (front seat back pivot arm)	60394
Spacer (front seat back pivot outer cover)	61610
Spacer (front seat back to cushion)	64752
Spacer (front seat back to cushion outer)	617K79
Spacer (front seat belt)	612A56
Spacer (front seat belt retractor)	612A16
Spacer (front seat head rest guide rod sleeve)	610B64
Spacer (front seat regulator gear)	618C42
Spacer (front seat shoulder strap)	612A56
Spacer (front seat shoulder strap anchor plate)	60228
Spacer (front seat track to floor)	62016
Spacer (instrument panel glove compt. door latch catch)	061A42
Spacer (liftgate latch release lever)	431A06
Spacer (luggage compt. door lock cylinder sleeve)	43565
Spacer (quarter outside center belt moulding)	290B16
Spacer (quarter trim panel)	31392
Spacer (quarter wheelhouse inner to fuel tank)	280B26
Spacer (quarter window garnish front)	29072
Spacer (quarter window garnish moulding rear)	30153
Spacer (quarter window glass roller)	263A86
Spacer (quarter window handle)	302A00
Spacer (quarter window latch retainer)	302A06
Spacer (rear door trim panel upper edge)	274A28
Spacer (rear door window garnish moulding)	20922
Spacer (rear door window glass roller)	263A86
Spacer (rear door window regulator motor bracket)	234A18, 270A50
Spacer (rear seat shoulder strap anchor plate)	60228
Spacer (roof side inner front moulding)	517C30
Spacer (sliding roof friction clutch)	502L46
Spacer (tailgate upper hinge on body)	43098
Spacer (windshield glass)	030A12
Spacer (windshield header)	03456
Spacer (windshield outside belt moulding)	03150, 03200
Spoiler kit (rear)	44210
Spring (back window regulator handle manual)	44036
Spring (back window regulator handle pawl manual)	44016
Spring (back window regulator socket retaining manual)	44050

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Spring (console panel glove compt. door)	06069
Spring (folding top hold down clamp latch)	50527
Spring (folding top hold down clamp lever)	50572
Spring (front door hinge lower)	21232
Spring (front door inside handle)	22624
Spring (front door latch remote control)	21910
Spring (front door latch toggle)	21872-3
Spring (front door vent window pivot)	22926
Spring (front door window regulator counterbalance)	23318
Spring (front door window regulator handle)	22624
Spring (front seat back adjusting handle)	610A14
Spring (front seat back assist)	64748-9
Spring (front seat back latch)	61097-8
Spring (front seat back latch catch retracting)	617K74
Spring (front seat cushion helper)	63084, 63186
Spring (front seat track assist)	61828
Spring (front seat track latch)	61883
Spring (front seat track vertical assist)	617A44, 617A64
Spring (fuel filler opening door hinge)	405A24
Spring (instrument panel glove compt. door)	06069
Spring (luggage compt. door counterbalance)	42858
Spring (luggage compt. door hinge)	42760
Spring (luggage compt. door lift retainer)	45592
Spring (passenger reclining seat back hinge check)	62466-7
Spring (quarter ash receptacle retainer cover tension)	30728
Spring (quarter window regulator counterbalance)	23318, 27048, 30351
Spring (quarter window regulator handle)	22624
Spring (rear door hinge lower)	21232
Spring (rear door inside handle)	22624
Spring (rear door latch remote control)	21910
Spring (rear door latch toggle)	21872-3
Spring (rear door upper hinge assist)	268A86
Spring (rear door window regulator counterbalance)	23318, 27048
Spring (rear door window regulator handle)	22624
Spring (rear seat back bumper)	62434
Spring (rear seat back latch handle)	61097-8
Spring (rear seat cushion)	63150
Spring (sliding roof panel rear)	518A36
Spring (tailgate check cable)	444A12-3
Spring (tailgate counterbalance)	430A00

PART NAME	GROUP NUMBER
S - cont'd.	
Spring (tailgate latch)	431B50
Spring (tailgate latch ratchet pawl)	26614
Spring (tailgate outside handle)	430A82
Spring (tailgate window regulator counterbalance)	23318, 40867
Spring (visor arm clip)	04134
Spring (windshield hold down)	03852
Spring assy. (front seat back)	64700-1
Spring assy. (front seat cushion)	63100
Spring assy. (passenger reclining seat head rest)	612A34
Spring assy. (rear seat back)	66700
Spring assy. (rear seat cushion)	63120
Stabilizer (back window at belt weatherstrip outside)	422B26
Stabilizer (front door window glass inner)	22380
Stabilizer (front door window glass rear)	214A30-1
Stabilizer (quarter window glass frame)	30470
Stabilizer (rear door window)	263A32
Stabilizer (rear door window glass inner)	22380
Stabilizer (rear door window rear)	263A54
Stabilizer (tailgate window inner)	41910
Stem (front seat back adjusting)	610B22
Stem assy. (front seat back latch)	62634
Step kit (pickup box side)	20092
Stop (back window lower)	42308
Stop (back window upper)	41958
Stop (door latch actuator rear)	220A22
Stop (front door vent window pivot)	22992
Stop (front door window front guide)	29814-5
Stop (front door window lower)	21758-9
Stop (front door window upper)	21768-9
Stop (front door window upper)	21770-1
Stop (front door window upper rear)	222A54-5
Stop (front seat back)	61064
Stop (front seat back pivot)	64754
Stop (front seat back to cushion)	60310
Stop (quarter window)	29968-9
Stop (quarter window front guide)	29814-5
Stop (quarter window lower)	21758-9, 29805, 30698
Stop (quarter window rear upper)	262A84
Stop (quarter window upper)	21768-9 25780-1
Stop (rear door window lower)	21758-9, 26058
Stop (rear door window rear upper)	262A84
Stop (rear door window upper)	21768-9
Stop (rear door window upper front)	262A20-1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Stop (rear seat back)	62426
Stop (rear seat back floor)	60596-7
Stop (storage compt. door)	11712
Stop (tailgate check cable spring)	444A16
Stop (tailgate lower hinge)	430A48
Stop (tailgate window lower)	21758-9
Strainer (luggage compt. front access door opening)	45780-1
Strainer (package tray to floor)	46610-1
Strainer (package tray to wheelhouse)	46774-5
Strainer (quarter panel belt to floor)	28788
Strainer (quarter panel to rear floor)	28772-3
Strainer (rear seat back support to belt rail)	46840-1
Strainer (roof side rear rail to floor)	513C10-1
Strainer (upper back panel to wheelhouse lower)	403D54-5
Strap (luggage compt. carrier hold down front)	46018-20
Strap (luggage compt. carrier hold down rear)	46018-20
Strap (tailgate counterbalance spring)	430A14
Strap assy. (shoulder)	60232
Strap & bracket assy. (front door check)	23574
Strap kit (roof luggage carrier hold down)	55196
Striker (console panel glove compt. door)	06157
Striker (folding top hold down side clamp)	503A08
Striker (front door latch)	265A04
Striker (front seat back latch)	62638-9
Striker (liftgate latch)	404A42
Striker (luggage compt. front access door latch)	45746
Striker (rear door latch)	265A04
Striker (rear seat back latch)	62440-1
Striker (storage compt. door latch)	105A90, 31710
Striker (tailgate door latch)	265A04
Striker (tailgate lower latch)	431E72
Striker & cable (quarter window)	302A08-9
Strip (back belt rail tacking center)	41745
Strip (belt side center tacking)	41878
Strip (belt side front tacking)	41772-3
Strip (console panel to radio bezel filler)	045B06
Strip (front door opening panel skid)	202A70
Strip (glass retainer)	21478
Strip (quarter window glass retaining)	29724
Strip (roof headlining at quarter window rear tacking)	50986
Strip (roof headlining back window tacking upper)	519A06
Strip (roof headlining header tacking)	51016
Strip (roof headlining retaining)	50956-7
Strip (roof headlining side center tacking)	50996
Strip (roof headlining side rear tacking)	50998-9
Strip (roof headlining side retaining)	50842-3
Strip (roof headlining side retaining front)	50936-7
Strip (roof headlining side retaining rear corner)	52114-5

PART NAME	GROUP NUMBER
S - cont'd.	
Strip (roof headlining side retaining rear lower)	50900-1
Strip (roof headlining side tacking upper)	519B12-3
Strip (tailgate inside cover panel)	407A16-7
Strip (windshield)	03243
Stripe kit (body side)	20000-1
Stripe kit (cowl)	20000-1
Stripe kit (front fender name)	20000-1
Stripe kit (hood)	20000-1
Stripe kit (luggage compt. door)	20000-1
Stripe kit (luggage compt. name)	20000-1
Stripe kit (quarter panel extensions)	20000-1
Stripe kit (quarter panel name)	20000-1
Stud (roof luggage carrier front rail)	550A20
Stud (windshield hold down)	03854
Support (aux. floor)	11500-1
Support (aux. floor pan rear)	11450-1
Support (aux. floor side panel)	115A46-7
Support (aux. floor side rear)	11738-9
Support (aux. seat cushion)	607A62
Support (body side rail end)	32240-1
Support (body side rail top)	32224
Support (body side window opening panel rear)	279C44-5
Support (brake pedal)	01500, 01508
Support (clutch pedal)	01500
Support (console panel)	045B56
Support (console panel front)	045B28-9
Support (console panel glove compt. door catch)	06152
Support (console panel side)	045B26-7
Support (folding top lift)	506A58
Support (folding top main pivot bracket)	53156-9
Support (folding top main pivot support base)	53004-5
Support (front door arm rest)	24160-1
Support (front seat back pivot)	617C04-5, 64744
Support (front seat back side shield)	62298
Support (front seat back side shield lower)	62296-7
Support (front seat back trim panel)	61606
Support (front seat cushion side shield front)	62168-9
Support (front seat cushion side shield rear)	62194-5
Support (front seat shoulder strap loop)	60242
Support (front seat track rear)	61796
Support (front seat track to floor)	60422
Support (instrument panel at steering column opening)	045F52
Support (instrument panel brace)	045F40
Support (instrument panel pad)	04746
Support (instrument panel pad top moulding)	045C72

INDEX

PART NAME	GROUP NUMBER
S - cont'd.	
Support (instrument panel to cowl top)	044A20
Support (lower back finish panel)	403D56
Support (luggage compt. door hinge to body)	42792
Support (luggage compt. door latch mounting)	432A48
Support (luggage compt. door lift bracket)	427A94-5
Support (package tray to rear roof rail inner)	52566-7
Support (package tray trim panel end)	46712-3
Support (passenger seat)	62506
Support (quarter arm rest)	31608-9
Support (quarter trim panel)	31468
Support (quarter trim panel upper edge reinforcement)	29188-9
Support (quarter window guide lower)	29790-1
Support (quarter window lower garnish moulding)	291C40
Support (quarter window regulator motor)	30394-5
Support (rear door arm rest rear)	24162-3, 27570-1
Support (rear door latch vacuum hose)	265A70
Support (rear floor pan to rear side member)	111A34-5
Support (rear seat back)	62332, 62400
Support (rear seat back center arm rest filler base)	66894
Support (rear seat back floor)	605A50-1
Support (rear seat back floor center)	605A12
Support (rear seat back floor panel hinge bracket)	613B10
Support (rear seat back radio speaker grille)	601A48
Support (rear seat back rear to floor)	62416
Support (rear seat cushion pad)	63844
Support (rear seat to floor)	61118
Support (roof air deflector panel)	50862
Support (roof console)	519B24
Support (roof headlining)	52101-10
Support (roof luggage carrier front)	55140-1
Support (roof luggage carrier rear)	55140-1
Support (roof side rail weatherstrip)	54712
Support (roof side rear trim panel)	519B92
Support (spare wheel to floor)	47066
Support (stowage compt. latch striker)	11510
Support (tailgate)	44400
Support (tailgate side weatherstrip)	41643
Support (upper back panel to package tray)	403C68
Support (vent air outlet duct)	018A56
Support (visor arm bracket)	04000-1
Support (visor arm clip)	04002
Support (windshield outside top moulding)	03800

PART NAME	GROUP NUMBER
T	
Table and game kit	279B76
Tailgate assy.	40700, 40709
Tip (folding top rear bow)	514A00-1
Top (folding less trim, motor & lifts)	53000
Track (front seat inner)	61644
Track (front seat side)	61710-1
Track assy. (front seat)	61704-5
Track assy. (front seat lower)	61714-5
Track assy. (front seat upper)	61710
Transfer (fuel filler door)	405A02
Transfer (lower back panel)	423B70
Transfer (luggage compt. door)	42602
Transfer (tailgate)	40722
Transfer (wood grain)	20748
Transfer kit (instrument panel)	045E44
Transmission assy. (front seat adjusting)	618A48
Trough (belt side corner drain)	41882-3
Trough (front body pillar upper)	025A10-1
Trough (luggage compt. door front corner drain)	45120-1
Trough (luggage compt. door lower corner drain rear)	45118-9
Trough (luggage compt. door side drain)	45114-5
Trough (luggage compt. door upper drain)	44840
Trough (upper back panel end drain)	44846-7
Tube (cowl top inner panel drain)	02207
Tube (cowl vent air duct)	02207
Tube (front seat adjusting horizontal actuator)	618A86-7, 618A92-3
Tube (front seat adjusting vertical actuator front)	618A90
Tube (front seat adjusting vertical actuator rear)	618A84-5, 618A98-9
Tube (fuel filler housing drain)	280B12
Tube & baffle assy. (back window housing drain)	424A62-3
V	
Valve (body rocker panel drain)	103A58
Valve (cowl top with drain)	023A30-1
Valve (front door vent air outer lock side)	014A08
Valve (luggage compt. vacuum door latch release control)	43382
Valve (sliding roof rear drain hose)	502L65
Valve (vacuum door latch control)	219A00
Vent (cowl side)	02104

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
W	
Washer (back window glass bracket)	422B50
Washer (folding top bow adjusting bolt)	51548
Washer (front door vent window handle)	22982
Washer (front door vent window pivot friction)	22963
Washer (front door window regulator roller)	270A58
Washer (front seat track link)	618C40
Washer (quarter window regulator roller)	270A58
Washer (rear door window regulator roller)	270A58
Washer (roof luggage carrier rail nut)	550A64
Washer (sliding roof handle)	502B50
Washer (tailgate window regulator roller)	270A58
Weatherstrip (back window glass)	42084
Weatherstrip (back window glass at belt)	420A00
Weatherstrip (back window glass inner)	42072
Weatherstrip (back window glass lower side run)	420A20-1
Weatherstrip (body side upper panel)	279C30
Weatherstrip (body side window)	305A26-7
Weatherstrip (body side window opening panel lower)	278C94-5
Weatherstrip (folding top front sides rail)	53986-7
Weatherstrip (folding top header rail)	53986-7
Weatherstrip (folding top no. 1 bow)	51325, 514A28
Weatherstrip (folding top no. 1 bow front)	51338
Weatherstrip (folding top side front rail intermediate)	53928-9
Weatherstrip (folding top side intermediate rear rail)	53900-1
Weatherstrip (folding top side rail center)	51564-5
Weatherstrip (folding top side rail front)	51562-3
Weatherstrip (folding top side rail rear)	51566-7
Weatherstrip (front body pillar upper)	02626-7
Weatherstrip (front door)	20530-1
Weatherstrip (front door at belt inside)	21456-7
Weatherstrip (front door at belt outside)	21452-3
Weatherstrip (front door glass channel)	21510
Weatherstrip (front door glass rear)	214A14-5
Weatherstrip (front door opening lower)	20708-9
Weatherstrip (front door vent window division bar)	21450-1
Weatherstrip (front door vent window front)	21448-9
Weatherstrip (liftgate lower)	422B32, 42289
Weatherstrip (liftgate upper)	404A06

PART NAME	GROUP NUMBER
W - cont'd.	
Weatherstrip (luggage compt. door)	43720-1
Weatherstrip (quarter window)	30248-9
Weatherstrip (quarter window at belt inner)	29744-5
Weatherstrip (quarter window at belt outer)	29732-3
Weatherstrip (quarter window front)	30146-7
Weatherstrip (quarter window glass channel)	21510
Weatherstrip (quarter window glass inner)	29742-3
Weatherstrip (quarter window inner rear)	30254-5
Weatherstrip (quarter window rear stationary glass)	29904-5
Weatherstrip (rear door)	25324-5
Weatherstrip (rear door glass at belt inside)	25860-1
Weatherstrip (rear door glass at belt outside)	25596-7
Weatherstrip (rear door glass channel)	21510, 26258
Weatherstrip (rear door glass front)	25824-5, 25854-5
Weatherstrip (rear door stationary window)	26894-5, 26928
Weatherstrip (roof rear)	54732
Weatherstrip (roof side rail)	51222-3
Weatherstrip (roof side rail rear)	513A68-9, 513B68-9
Weatherstrip (sliding roof panel front)	502C12, 502C50
Weatherstrip (sliding roof panel intermediate)	502C50
Weatherstrip (sliding roof panel rear)	502C12
Weatherstrip (sliding roof panel sides)	502C50
Weatherstrip (tailgate)	41608
Weatherstrip (tailgate lower)	43730
Weatherstrip (tailgate outer panel to belt)	41610
Weatherstrip (tailgate side)	41626
Weatherstrip (tailgate side on body)	43964-5
Weatherstrip (windshield)	03110
Weatherstrip (windshield frame)	03114
Weatherstrip (windshield outside side moulding)	03154
Weatherstrip & retainer assy. (rear door upper rear extension)	255A38-9
Weatherstrip & seal assy. (rear door window rear)	25388-9
Wedge (liftgate)	404B04-5
Wheelhouse assy. (rear quarter)	27882-3
Window (quarter less handle)	29706-7
Window assy. (quarter)	29700-1
Wiring (folding top side tension)	52806
Worm (front seat adjusting horizontal)	618A42-3

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER BODY PAINTED and TRIMMED	PART NUMBER BODY LESS PAINT and TRIM	QTY.
00000-1	**BODY ASSEMBLY**					
		- U -				
		ORDER BRONCO BODIES BY DESCRIPTION				
GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION		PART NUMBER	QTY.
00052	**RETAINER - VEHICLE IDENTIFICATION CONTAINER**					
	70/	P	Under front seat		D0DZ 6200052-A	1
001A06	**AIRFOIL - FRONT - SPOILER** - Refer to Group 001A74					
00124	**PANEL - BODY FRONT**					
	66/	U			C6TZ 9600124-A	1
00145	**SHIM - BODY MOUNT** - Also refer to Body Bolt Chart at end of Section 020					
	65/66	♦A			C3AA 6200145-A	AR
	68/72	A(except 76)	7/16" thick		C8AZ 6200145-A	AR
	72	B				AR
	69	S				AR
			3/32" thick-split		C8AZ 6200145-B	AR
			3/32" thick-solid		C8AZ 6200145-C	AR
	69/72	A(except 71) ,S	1/16" thick-2 1/4" O.D. x 3/4" I.D.		C9AZ 6200145-C	AR
	68/72	A(76)	1/16" thick		C8AZ 7600145-A	AR
	69/72	A(71, 76)	1/16" thick-2 9/32" O.D.		C9AZ 6200145-A	AR
			1/16" thick-2 1/4" O.D.		C9AZ 6200145-B	AR
			1/8" thick-2 1/8" O.D. x 13/32" I.D.		C9AZ 7600145-C	AR
			1/16" thick-2 1/8" O.D. x 13/32" I.D.		C9AZ 7600145-D	AR
	72	B,S	1/16" thick-1 3/4" O.D.		D2OZ 6500145-A	AR
	67/68	S	1/8" thick		C7MY 6200145-A	AR
			1/16" thick		C7MY 6200145-B	AR
00151	**RETAINER - BODY BOLT INSULATOR - LOWER** - Also refer to Body Bolt Chart at end of Section 020					
	69/	A(71)			C9AZ 7100151-A	2
	68/	U			C8TZ 9600151-A	4
00154-5	**ABSORBER - BODY BOLT** - Also refer to Body Bolt Chart at end of Section 020					
		- A -				
	65	A(except 76)	Upper-2 1/2" O. D.-rubber		D0VY 6500154-C	10to16
			Lower-rubber		C3AZ 6200155-A	10to16
			Lower-1 7/8" O. D. - rubber		C5AZ 6200155-B	2
	65/66	A(71)	Upper-1 1/2" O. D. -rubber		C5AZ 7600154-A	6
			Lower-2 1/4" O. D. -rubber		C5AZ 7100155-A	6
	65/68	A(76)	Upper-2" O. D. - rubber		C5AZ 7600154-C	2
			Upper-1 1/2" O.D. - rubber		C5AZ 7600154-A	6
			Lower-2 1/4" O. D. -rubber		C5AZ 7600155-A	6
	65/70	A(except 76)	Lower-2 1/4" O. D. -rubber		C7AZ 6200155-A	4
	68/70	A	Lower-2" x 1 1/4"-steel		C8AZ 6200155-A	2
	69/71	A(except 76)	Lower-2 1/4" O.D.		D0SZ 6500155-A	4 §
	71	A(except 71,76)	1 7/8" dia. x 5/8" thick		D1AZ 6500155-A	4
	68/71	A(except 71)	Upper-2 9/32" O.D.		D3AZ 6500154-A	2
	69/	A(71,76)	Upper-1 1/2" O.D.-rubber		C5AZ 7600154-A	2 or 4
			Lower-2 1/4" O. D. - rubber		C5AZ 7600155-A	6
			Lower-2 1/8" O.D.		C9AZ 7600155-C	2 or 4
			Lower-2" O. D.		C9AZ 7600155-B	2
	69/	A	Lower-1 1/2" O.D.		C9AZ 6200155-B	2
	70/	A(except 71,76)	1 7/8" O.D.-rubber		D0VY 6500154-B	AR
	72	A(except 76)	Lower-8 3/8" x 2 1/4"-rubber		D0SZ 6500155-A	2
		- B -				
	72	B	Lower-1" O.D. x 1 7/8" long		D2OZ 6500155-B	2
			Lower - 2" O.D. - yellow		D2OZ 6500155-C	AR

♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
00154-5	**ABSORBER - BODY BOLT - continued** - Also refer to Body Bolt Chart at end of Section 020				
		- S -			
	67/	S	Upper-2 1/4" O.D.-rubber	D0VY 6500154-B	AR
			Lower-2 1/4" O.D.-rubber	C7SZ 6500155-B	2 or 4
			Lower-2"x 1 3/8"	C7SZ 6500155-C	2
	67/71	S	Lower-2" x 1 1/4"-steel	C8AZ 6200155-A	2
			Lower-2 1/4" O.D.-rubber	C7AZ 6200155-A	4
	67/70	S "Before 9/2/69"	Lower-approx. 7" long x 2 1/4" wide x 1 3/4"thick	C8SZ 6500155-A	2
	70	S	Upper-29/32" O.D.	D3AZ 6500154-A	2
	70/	S "From 9/2/69"	Lower-8 5/16" long x 2 1/4" wide x 2" thick	D0SZ 6500155-A	2
	72	S	Lower-1 1/2" O.D.	D2SZ 6500155-A	AR
			Lower-2" long x 1 1/2" O.D.	C9AZ 6200155-B	2
		- U -			
	66/	U	Upper-2 1/2" O.D.-rubber-Ident. Code 3 & 4	C6TZ 8100154-A	4
			Upper-2 1/2" O.D.-rubber-Ident. Code 1 & 2	C6TZ 8100154-B	4
			Lower-2 1/4" O.D.-rubber	C6TZ 8100155-A	4
00157	**RETAINER - BODY BOLT ABSORBER - LOWER** - Also refer to Body Bolt Chart at end of Section 020				
	65/67	A	Lower-2" long x 1" wide	C5AZ 6200157-A	2
	65/	A	1 7/8" O.D.	C5AZ 6200157-B	2or4
	67/68	S	Lower-2" long x 1" wide	C5AZ 6200157-A	2
	68/71	S	1 7/8" O.D.	C5AZ 6200157-B	4
	66/	U	2 7/32" O.D.-steel	C6TZ 8100157-A	4
			2 1/2" wide-hook type-steel	C6TZ 8100157-B	2
00163	**RETAINER - BODY BOLT ABSORBER - LOWER - UPPER** - Also refer to Body Bolt Chart at end of Section 020				
	65/67	A(except 76)	1 3/4" O.D.	C7AZ 6200163-A	2
	68/	A(except 71)	2 1/4" O.D.	C8AZ 6200163-A	2
	70/71	A(except 71)	2 13/32" x 1 51/64"	D0AZ 6200163-A	2
	68/	A(except 76)	2 1/4"x 1 3/8"	C8AZ 6200163-B	2
	72	B	1 27/32" O.D.	D2OZ 6500163-A	2
	67/69	S	1 3/4" O.D.	C7AZ 6200163-A	2
	68/71	S	2 1/4" O.D.	C8AZ 6200163-A	2
	68/	S	2 1/4" x 1 3/8"	C8AZ 6200163-B	2
	66/	U	2 1/2" O.D.	C3AZ 6200163-A	4
			2 1/2" O.D.-4 grooves	C6TZ 8100163-A	4
D01A74	**AIRFOIL - FRONT SPOILER**				
	69	F(63)	Kit-includes attaching parts	C9ZZ 63001A74-A	1
	70	F(63) Boss	Black plastic	D0ZZ 65001A06-A	1
	70	F(Shelby 350/500)		D0ZZ 65001A74-A	1
	71/	F(63D) Boss (302,351 engine)		D1ZZ 63001A06-A	1
			Screw & washer assy.-hex.head-1/4"-20 x 3/4"	40953-S8(U263)	14
D01A86	**COVER - BODY BOLT**				
	72	B(97)		D2OZ 97001A86-A	1
			Screw-hex.-No. 8-18 x 3/4"	376389-S101(UU82D)	2
00350-1	**PANEL - BODY FRONT CORNER**				
	66/	U	R.H.	C6TZ 9600350-A	1
			L.H.	C6TZ 9600351-A	1
00366	**SEAL - BODY FRONT PANEL**				
	66/	U	Lower-56 3/4" long x 1 7/16" wide x 3/16" thick	C6TZ 9600366-B	1
00394	**BOLT - BODY MOUNTING** - Also refer to Body Bolt Chart at end of Section 020				
		- A -			
	68	A(except 76)	7/16"-14 x 3 1/2" hex.hd.tapping stud- steel	C8AZ 6500394-A	4
	68	A(76)	7/16"-14 x 2" hex.hd.	C8AZ 7600394-A	2
	68	A(71)	7/16"-14 x 2" hex.hd.	C8AZ 7100394-B	4
	68	A	7/16"-14 x 4 1/4" hex.hd.	C8AZ 6200394-A	2
	69/	A	7/16"-14 x 3" hex.head	C9AZ 7100394-A	2
			7/16"-14 x 4 7/8" hex.head	C9AZ 6200394-B	2
	69/	A(except 76)	7/16"-14 x 3.16" self tapping	C9AZ 6200394-D	4
	69/	A(71,76)	7/16"-14 x 2 1/2" hex.head	C9AZ 7100394-B	2 or 4
	68/	A(76)	1/2"-13 x 2 3/4" hex.head	C8AZ 7600394-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
00394	**BOLT - BODY MOUNTING - continued** - Also refer to Body Bolt Chart at end of Section 020				
		- B -			
	72	B		D0VY 6500394-A	AR
		- S -			
	68	S	7/16"-14 x 3 1/8" hex. hd.	C8AZ 6200394-A	2
	68/69	S	7/16"-14 x 3 1/2" hex. hd. tapping stud-steel	C8AZ 6500394-A	6
	69/71	S	7/16"-14 x 3 5/32" self tapping	C9AZ 6200394-D	6
	70/71	S	7/16"-14 x 3" hex. head	C9AZ 7100394-A	2
			7/16"-14 x 4 7/8" hex. head	C9AZ 6200394-B	2
	72	S		D0VY 6500394-A	AR
00396	**ABSORBER and RETAINER ASSY. - BODY BOLT - UPPER** - Also refer to Body Bolt Chart at end of Section 020				
	67	A, S	1 29/64" thick x 2 1/4" long	C7AZ 6200396-C	4
	67/68	A, S	1 1/4" O.D.	C9AZ 6200396-A	AR
	69	A(76)	3" O.D.	C9AY 7600396-A	1
	68	A, S	1 7/8" O.D.-lower	C8AZ 6200396-D	2
	69/	A(except 71), S			2
	68/69	A(except 76)	4 1/4" long-includes stud	D2OZ 6500396-C	2
	72	B			2
	69/72	S			2
	69/	A	2 1/4" O.D.	C9AZ 6200396-A	AR
	70	S			4
	69/71	A(except 76) "Before 1/15/71"	4 5/8" long-includes stud	C9AZ 6200396-B	2
	72	A(except 71, 76)			2
	71	A(except 76) "From 1/15/71"	4 1/2" long-includes stud	D1AZ 6500396-A	2
	68/	A(76)	1 3/4" O. D. -includes stud	C8AZ 6200396-C	2
	69/	A(76)	2" O. D. -includes stud	C9AZ 7600396-B	2
	72	A(except 76)	Upper - 4 1/2" long	D1MY 6500396-A	2
	72	B	2" O.D. x 1 5/8" long	D2SZ 6500396-A	2
			2" O.D. x 1 5/8" long	D2SZ 6500396-A	2
			4 1/2" long-stud	D2SZ 6500396-D	2
	72	B	Upper-2 1/2" O.D.	D2OZ 6500396-D	AR
	72	B (63, 65, 71, 97)	Upper-2 1/2" O.D.	D2OZ 6500396-E	2
01408	**GASKET - COWL VENT AIR REGISTER**				
	65/66	A(57)	Unilflow system	C4SZ 6301408-B	2
	65/66	S(63)			2
	67/68	S			1
	69	S			1
	70	S(57)		D0SZ 5701408-A	1
014A08	**VALVE - FRONT DOOR VENT AIR OUTER - LOCK SIDE**				
	69/	A		C9AZ 62014A08-A	1
01415	**DEFLECTOR - COWL SIDE VENT AIR**				
	67/71	S	L. H. -with heater-without A/C	C7SZ 6501415-A	1
01500	**SUPPORT - BRAKE AND CLUTCH PEDAL** - Also refer to Group 01508				
	66/	U		C6TZ 9601500-A	1
01508	**SUPPORT - BRAKE PEDAL**				
		- A -			
	65/66	A	Without movable steering column	C5AZ 6201508-C	1
	67	A		C7AZ 6201508-B	1
	68	A		C8AZ 6201508-A	1
	69	A		C9AZ 6201508-A	1
	70	A	With manual transmission		1
	71/	A	With manual transmission	D1AZ 6501508-A	1
	70/	A	With automatic transmission	D0AZ 6201508-A	1
			Nut & washer assy.-1/4"-20	33795-S7(M49)	2
	72	A	Clip	372172-S100(GG228)	2
			Nut(spring)-flat type-1/4"	45054-S(M120)	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
01508	SUPPORT - BRAKE PEDAL - continued				
		-B-			
	65	B		☆C5OZ 6201508-A	1
	65	B	With power brakes	♦CC5OB 6201508-B	1
			Without power brakes	CC5OB 6201508-A	1
	66	B		C6OZ 6201508-A	1
	67	B		C6OZ 6201508-B	1
	68/69	B		C9OZ 5401508-A	1
	70/71	B		D0OZ 6501508-A	1
	72	B	With manual transmission	D3OZ 6501508-A	1
			With automatic transmission	D2OZ 6501508-B	1
			Nut-3/8"-16	33799-S7(M52)	2
			Nut-U wing panel-5/16"-18	37914-S(MM192AD)	AR
			Retainer-3/8"-16	384989-S2(MM206C)	2
		-F-			
	65/66	F		C5ZZ 6501508-C	1
	67/68	F	Without power brakes	C7ZZ 6501508-C	1
			With power brakes	C7ZZ 6501508-D	1
	69	F	Without power brakes	C9ZZ 6501508-A	1
			With power brakes	C9ZZ 6501508-B	1
	70	F(exc.63 Boss)	Without power brakes	D0ZZ 6501508-A	1
			With power brakes	D0ZZ 6501508-B	1
	70	F(63) Boss		D0ZZ 6301508-A	1
	71/72	F "Before 6/25/72"	With manual brakes-manual transmission	D1ZZ 6501508-A	1
			With power brakes-manual transmission	D1ZZ 6501508-B	1
			With manual brakes-automatic transmission	D1ZZ 6501508-C	1
			With power brakes-automatic transmission	D1ZZ 6501508-D	1
			Screw-self-tapping-1/4"-14 x 3/4"	55914-S2(U254F)	2
			Stud-3/8"-16 x 1 3/4"	384463-S(WW12A)	2
	71/72	F "From 6/25/72"	With manual brakes-manual transmission	D3ZZ 6501508-A	1
			With power brakes-manual transmission	D3ZZ 6501508-B	1
			With manual brakes-automatic transmission	D3ZZ 6501508-C	1
			With power brakes-automatic transmission	D3ZZ 6501508-D	1
		-L-			
	71/72	L		D2FZ 6201508-B	1
	71/	L	Screw-self-tapping-1/4"-14 x 3/4"	55914-S36(U254F)	2
	72	L	Screw & washer-hex.head-3/8"-16 x 2"	350879-S(3B566X)	2
		-P-			
	70	P	Without locking steering column	D0DZ 6201508-B	1
	70/	P	With locking steering column	D0DZ 6201508-A	1
		-S-			
	70/71	S		D0SZ 6501508-A	1
	72	S		D2OZ 6501508-B	1
	70/	S	Screw & washer-5/16"-18 x 1"	57140-S2(B340H)	1
	72	S	Nut-U-5/16"-18	379114-S2(MM192AD)	AR
			Retainer-3/8"-16	384989-S2(MM206C)	2
		-U-			
	66/	U	Refer to Group 01500		
		-X-			
	65	X		C5DZ 6201508-A	1
	66	X		C6OZ 6201508-A	1
	67	X		C6OZ 6201508-B	2
	68/70	X		C9OZ 5401508-A	1
	65/66	A,B,F,S,X	Screw & washer-hex.head-5/16"-28 x 3/4"	359662-S7-8(BB575A)	2
			Nut-hex.-5/16"-18	34392-S7-8(M93)	2
			Screw & washer-hex.head-5/16"-18 x 1 5/8"	359530-S8(BB576)	1

☆ U. S. only ♦ Canada only

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
01508	**SUPPORT - BRAKE PEDAL - continued**				
	67	A, F	Nut-hex.-5/16"-18	34392-S7(M93)	2
	67/	A, B	Screw & washer-hex.head-5/16"-18 x 1"	378178-S2(BB412B)	2
			Nut & washer-1/4"-20	33795-S7(M49)	2
	70/	B, L	Screw-hex. head-3/8"-16 x 1"	20388-S8(B80)	2
	65/	F	Screw & washer-hex.head-No.14-10 x 5/8"	31498-S8(U253B)	2
	65/70	X			2
	67/70	X	Screw & washer-hex.head-5/16"-18 x 13/16"	359662-S7-8(BB575A)	2
015A08	**BRACE - BRAKE PEDAL SUPPORT INSTRUMENT PANEL** - Refer to Group 01524				
015A18	**BRACE - BRAKE PEDAL SUPPORT - CENTER**				
	69	F		C9ZZ 65015A18-A	1
	70	F		D0ZZ 65015A18-A	1
	70	P	W/locking steering column-refer to Group 04510		1
	70	P	Without locking steering column	D0DZ 62015A18-B	1
015A22	**ABSORBER - DASH PANEL SOUND - CENTER**				
	69/70	F "Before 8/11/69"		C9WY 65015A22-A	1
	70	F "From 8/11/69"		D0ZZ 65015A22-A	1
01524	**BRACE - BRAKE PEDAL SUPPORT**				
	66/67	B		C6OZ 6201524-A	1
	68/69	B		C8OZ 5401524-A	1
	70/71	B	Refer to Group 04488		
	72	B		D2GZ 6501524-A	1
	69/70	F		D0ZZ 6501524-A	1
	71/	L		D1FZ 6201524-A	1
	70	P	W/locking steering column-refer to Group 04510	D0DZ 6201524-A	1
	70	P	Without locking steering column	D0DZ 6201524-B	1
			Nut & retainer-5/16"-18	379114-S2(MM192AD)	1
	72	S		D2SZ 6501524-A	1
			Nut-U-5/16"-18	45264-S101(M141H)	1
			Nut & washer assy.-5/16"-18	45338-S2(M89P)	2
			Screw & washer assy.-hex. hd.-5/16"-18 x 1"	57041-S2(B340D)	2
			Screw & washer assy.-hex.hd.-5/16"-18 x 15/16"	57039-S(B340B)	2
	66/67	X		C6OZ 6201524-A	1
	68/70	X		C8OZ 5401524-A	1
	66/67	B, X	Screw & washer-5/16"-18 5/8"	★378735-S2	2
	68/69	B, X	Screw & washer-5/16"-18 x 1"	378178-S2(BB412B)	3
01530	**BRACKET - BRAKE PEDAL SUPPORT**				
	71/	L		D1FZ 6201530-A	1
015A36	**EXTENSION - BRAKE PEDAL SUPPORT**				
	69	A		C9AZ 62015A36-A	1
	70	A		D0AZ 62015A36-A	1
	71/	A		D1AZ 65015A36-A	1
01552-3	**REINFORCEMENT - BRAKE PEDAL SUPPORT DASH PANEL**				
	72	S	R.H.	D2SZ 6501552-A	1
			L.H.	D2SZ 6501553-A	1
			Nut & washer-hex.head-5/16"-18	376838-S2(MM296AF)	2or4
			Clip-5/16"-18 x 7/8"	378685-S2(BB644)	2
01590	**ABSORBER - DASH PANEL SOUND - OUTER**				
	69/70	F "Before 8/11/69"		C9WY 6501590-A	1
	70	F "From 8/11/69"		D0ZZ 6501590-A	1
	70/72	P		D0DZ 6201590-A	1
016B04	**SEAL - DASH PANEL AT WINDSHIELD WIPER HOSE OPENING**				
	67/69	S		C7SZ 65016B04-A	1
	70/71	S	Add (2) holes for windshield wipers	D0SZ 65016B30-A	1
01605	**PANEL - DASH** - Refer to Group 01610				

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
01610-1	**PANEL - DASH**				
		- A -			
	69/70	A(except 76)		C9AZ 6201610-A	1
	69/70	A(76)		C9AZ 7601610-A	1
	71/	A(except 76)		D1AZ 6501610-A	1
	71/	A(76)		D1AZ 7601610-A	1
	71	A	Bolt-hex.head-1/4"-20 x 5/8"	354476-S2(BB570)	2
	72	A	Plug (button)-1/2" dia.	377935-S(PP2D)	1
		- B -			
	68/69	B(except 76)		C8OZ 5401610-B	1
	70	B(except 76)		D0OZ 6501610-A	1
	70	B(76)		D0OZ 7601610-A	1
	71	B(except 76)		D1OZ 6501610-A	1
	71	B(76)		D1OZ 7601610-A	1
	72	B	Without A/C	D2OZ 6501610-A	1
			With A/C	D2OZ 6501610-B	1
	68/72	B	Plug (button)-1 1/8" dia. -use w/out heater	378444-S(PP3H)	2
	72	B	Plug (button)-7/8" dia.	377949-S(PP3F)	1
		- F -			
	65/66	F		C5ZZ 6501605-A	1
	65	F	Plug(button)-13/16" diameter	377949-S (PP3F)	1
	66	F	Plug (button)-3/16" x 13/16" hole size	376012-S(PP13C)	1
	70	F		D0ZZ 6501610-A	1
	71/	F	Cut to fit	D1ZZ 6501610-A	1
			Grommet-1 5/8" dia.	383945-S(KK90)	1
		- L -			
	71/	L		D1FZ 6201610-A	1
		- P -			
	70/	P		D0DZ 6201610-A	1
		- S -			
	68/69	S		C8SZ 6501610-B	1
			Plug (button)-13/16" dia.	377949-S(PP3F)	1
	70/71	S		D0SZ 6501610-A	1
	72	S	Includes reinforcement	D2SZ 6501610-A	1
		- U -			
	66/	U	R.H.	C6TZ 9601610-B	1
	66/68	U	L.H.-not replaced (3-74)	★C6TZ 9601611-A	1
	69/72	U " Before Ser. P40,001"	L.H.	C9TZ 9601611-A	1
	72	U " From Ser. P40,001"	L.H.	D3BZ 1001611-A	1
		- X -			
	68	X "Before 2/1/68"		C8OZ 5401610-A	1
	68/70	X "From 2/1/68"		C8OZ 5401610-B	1
			Plug (button)-1 1/8" dia. -use without heater	378444-S(PP3H)	2
016A12-3	**REINFORCEMENT - DASH PANEL TO FRAME BRACE TO FLOOR SIDE MEMBER**				
	69/	A(76)	R.H.	C9AZ 76016A12-A	1
			L.H.	C9AZ 76016A13-A	1
016A22-3	**REINFORCEMENT - DASH PANEL TO FRONT FLOOR PAN**				
	67/70	F(63,65)	R.H.	C7ZZ 65016A22-C	1
			L.H.	C7ZZ 65016A23-B	1
	65/70	F(76)	R.H.	C5ZZ 76016A22-A	1
	67/70	F(76)	L.H.	C5ZZ 76016A23-B	1
	71/	F(63,65)	R.H.	D1ZZ 65016A22-A	1
			L.H.	D1ZZ 65016A23-A	1
	71/	F(76)	R.H.	D1ZZ 76016A22-A	1
			L.H.	D1ZZ 76016A23-A	1
	70/	P	R.H.	D0DZ 62016A22-A	1
			L.H.	D0DZ 62016A23-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
016B30	**SEAL - DASH PANEL AT WINDSHIELD WIPER HOSE OPENING** - Refer to Group 016B04				
016B44	**REINFORCEMENT - DASH PANEL AT CIRCUIT BREAKER**				
	70/	S		D0SZ 65016B44-A	1
016B50	**REINFORCEMENT - DASH PANEL TO FRAME BRACE INNER**				
	68/	S		C8SZ 65016B50-B	1
016B56	**PLATE - DASH PANEL SPEEDOMETER CABLE COVER**				
	66/70	B,X		C6OZ 62016B56-A	1
	71	B			1
	72	B		D2OZ 65016B56-A	1
	66/68	B,X	Screw-cross recess washer head-No.8-15 x 3/4"	350075-S13(UU88)	2
	69	B,X	Screw-cross recess washer head-No.8-18 x 1/2"	381969-S2(UU89A)	7
	70/71	B	Screw-cross recess-tapping-No.8-18 x 1/2"	381944-S9(UU89B)	2
01670-1	**INSULATOR - DASH PANEL** - Also refer to group 01708				
		- A -			
	69/70	A		C9AZ 6201670-B	1
	71/	A		D1AZ 6501670-A	1
		- B -			
	70/71	B		D0OZ 6501670-A	1
	72	B	R.H.-without A/C	D2OZ 6501670-A	1
	72	B(53B,65B,71B,97D,R)	R.H.-with A/C	D2OZ 6501670-B	1
			L.H.-w/ or w/o A/C and w/automatic trans.	D2OZ 6501671-C	1
	72	B(53D,63R,65D,R,71D,K,97K)	L.H. -with or without A/C, auto. trans.	D2OZ 6501671-A	1
	70/	B	Screw-oval trim head drive-No.8-18 x 3/4"	380911-S9(UU66E)	1
		- F -			
	67	F	With heater	C6OZ 6201670-B	1
	69	F	With heater	C9WY 6501670-B	1
	70	F	With heater	D0WY 6501670-B	1
	71/	F		D1ZZ 6501670-B	1
	69/	F	Screw-oval trim head drive-No.8-18 x 3/4"	380911-S9(UU66E)	2
		- L -			
	71	L "Before 2/13/71"		D1FZ 6201670-A	1
	71/72	L-"From 2/13/71 to 8/18/72"		D1FZ 6201670-C	1
	72	L "From 8/18/72"		D3FZ 6201670-A	1
		- P -			
	70/72	P "Before 5/29/72"		D0DZ 6201670-A	1
	72	P-except LTD - "From 5/29/72"		D3DZ 621670-A	1
	72	P(54,62A)-LTD		D2DZ 5401670-A	1
		- S -			
	70/71	S		D0SZ 6501670-A	1
	72	S	R.H.	D2SZ 6501670-A	1
			L.H.	D2SZ 6501671-A	1
	67/	A,B,F,S	Clip	377347-S2(HH8H)	4to8
	68/	A,B,F,U	For retainer refer to Group 01691		
		- U -			
	69/	U(97,98)		C9TZ 9701670-A	1
		- X -			
	67	X	With heater	C6OZ 6201670-B	1
	67/70	X	Clip	377347-S2(HH8H)	4 to 8
			Screw-oval trim head drive-No.8-18 x 3/4"	380911-S9(UU66E)	1
	68/70	X	For retainer refer to Group 01691		
016B84	**BRACKET - DASH PANEL TO ACCELERATOR MOUNTING**				
	72	B		D2OZ 65016B84-B	1
	72	S		D2OZ 65016B84-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
016B86	**BRACKET - DASH PANEL TO COWL TOP PANEL**				
	72	S		D2SZ 65016B86-A	1
01691	**RETAINER - DASH PANEL FRONT SOUND ABSORBER**				
	68/	A	Use with A/C	C8ZZ 6501691-A	AR
	68/	B,F			AR
	70/	P,S			AR
	69/	U			AR
	68/70	X			AR
	71/	L	With heater and A/C	D1FZ 6201691-A	3or4
01694	**GROMMET - DASH PANEL OVERDRIVE CABLE**				
	65	S	With automatic transmission	B7S 4001694-A	1
01697	**REINFORCEMENT - DASH PANEL AT STEERING COLUMN SUPPORT**				
	70/71	S		D0SZ 6501697-A	1
01698-9	**PLATE - STEERING COLUMN OPENING COVER**				
		- A -			
	69/	A	Upper	C9AZ 6201698-A	1
			Lower	C9AZ 6201699-A	1
			Stud-5/16"-18 x 1 1/2"	382974-S(WW129Y)	1
		- B -			
	66	B	R.H.	C6OZ 6201698-A	1
			L.H.	C6OZ 6201699-A	1
			Screw & washer-hex.head-No.14-10 x 1"	42154-S7-8(U256)	5
	68/69	B	Plastic-upper - Paint to match	C8OZ 5401698-A	1
			Plastic-lower - Paint to match	C8OZ 5401698-B	1
	70/71	B	Upper	D0OZ 6201698-A	1
			Lower	D0OZ 6201699-A	1
		- P -			
	70/	P	Lower	D0DZ 6201698-A	1
		- U -			
	68/	U	Lower	C8TZ 9601698-A	1
			Upper	C8TZ 9601698-B	1
			Clip	381637-S2(GG290)	2
			Screw	★55934-S	4
		- X -			
	67	X "Before 1/16/67"	R.H.	C7OZ 6201698-A	1
			L.H.	C7OZ 6201699-A	1
	67	X "From 1/16/67"	R.H.	C7OZ 6201698-B	1
			L.H.	C7OZ 6201699-B	1
	68/69	X	Plastic-upper-Paint to match	C8OZ 5401698-A	1
			Plastic-lower-Paint to match	C8OZ 5401698-B	1
01714-5	**BRACE - DASH PANEL TO FRAME**				
	69/71	A(except 76)	R.H.	C9AZ 6201714-A	1
			L.H.	C9AZ 6201715-A	1
	72	A(except 76)	R.H.	C9MY 5401714-C	1
			L.H.	C9AZ 6201715-A	1
	72	B	R.H.	D2OZ 6501714-A	1
			L.H.	D2OZ 6501715-A	1
	68/71	S	R.H.	C8SZ 6501714-A	1
			L.H.	C8SZ 6501715-A	1
	72	S	R.H.	D2SZ 6501714-A	1
			L.H.	D2SZ 6501715-A	1
017A24-5	**GUSSET - DASH PANEL LOWER REINFORCEMENT TO FRONT SIDE MEMBER**				
	65/66	S	R.H. - not replaced (3-74)	★C2SZ 63017A24-A	1
	64	S	L.H.	C2SZ 63017A25-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
01738	SEAL - STEERING COLUMN OPENING COVER PLATE - Also Refer to Group 3513 in Chassis Section				
	70/	A		D0AZ 6501738-A	1
	65/68	B, X "Before 3/3/69"	Refer to Chassis Group 3513		
	69	B, X "From 3/3/69"		C9OZ 6501738-A	1
	70/	P		D0DZ 6201738-A	1
017A50-1	RETAINER - STEERING COLUMN OPENING COVER				
	67	B, X	R.H. - with power steering	C7OZ 62017A50-B	1
			L.H.	C7OZ 62017A51-B	1
	68/69	B		C9OZ 54017A50-B	2
	68/69	X			2
	69/70	F	Lower-at floor-with fixed column	C9ZZ 65017A50-A	1
			Upper-at instrument panel-with tilt column	C9ZZ 65017A50-D	1
			Lower-at floor-with tilt column	C9ZZ 65017A50-C	1
	71/	F	Lower	D1ZZ 65017A50-A	1
			Upper-refer to Group 04459		
	69/	F	Screw & washer-hex. hd. -5/16" -18 x 7/8"	383295-S100(BB863HX)	4
017A70-1	EXTENSION - DASH PANEL TO COWL SIDE OUTER PANEL				
	69/	A(except 76)	R.H.	C9AZ 62017A70-A	1
			L.H.	C9AZ 62017A71-A	1
	69/	A(76)	R.H.	C9AZ 76017A70-A	1
			L.H.	C9AZ 76017A71-A	1
	68/69	S	R.H.	C8SZ 65017A70-A	1
	67/69	S	L.H.	C7SZ 65017A71-A	1
	70/71	S	R.H.	D0SZ 65017A70-A	1
			L.H.	D0SZ 65017A71-A	1
017A99	COVER - DASH PANEL WIRING				
	69/	A		C9AZ 62017A99-A	1
	72	B, S		D2OZ 65017A99-A	1
			Screw-pan hd.drive point-No.8-18 x 1/2"	380934-S101(UU67F)	1
	65	A(57)	Refer to Group 10852 in Chassis Section		
018B08	LOUVER - INSTRUMENT PANEL VENT AIR REGULATOR				
	72	B	R.H.	D2OZ 65018B08-A	1
			L.H. - Refer to Group 19893 in Chassis Section		
018A10	NUT - INSTRUMENT PANEL AIR CONTROL MOUNTING				
	71/	A	Without A/C	D1AZ 62018A10-A	2
01814-5	REGISTER - VENT AIR				
	71/	F	R.H. -also used with integral A/C	D1ZZ 6501814-A	1
			L.H.	D1ZZ 6501815-A	1
			Screw-hex.washer head-No.8-12 x 1/4"	383938-S2(UU52V)	2
	67/71	S	Includes motor	C7SZ 6501815-B	1
			Screw-flat head-No.8-18 x 1/2"	377948-S2(UU48G)	8
			Gasket - refer to Group 01408		
01816	BRACKET - VENT AIR CONTROL LEVER MOUNTING				
	68/69	B	Used with Forced Ventilation & without A/C	C8OZ 5401816-B	1
018A16-7	SCREEN - COWL TOP VENT				
	71/	A	R.H. or L.H.	D1AZ 65018A16-A	2
	70/71	B	R.H.	D0OZ 65018A16-A	1
			L.H.	D0OZ 65018A17-A	1
	72	B	R.H.	D2OZ 65018A16-A	1
			L.H.	D2OZ 65018A17-A	1
	71/	F	R.H.	D1ZZ 65018A16-A	1
			L.H.	D1ZZ 65018A17-A	1
	70/71	S	R.H.	D0SZ 65018A16-A	1
			L.H.	D0SZ 65018A17-A	1
	72	S	R.H.	D2SZ 65018A16-A	1
			L.H.	D2SZ 65018A17-A	1
	70/	B, S	Pin (drive)-1/4" x 9/16"	382570-S(HH8T)	8
	72	B	Screw-pan head-No. 8-18 x 3/4"	376328-S(UU67G)	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
018B24	**GASKET - COWL VENT AIR CONDITIONER DUCT**				
	66/69	B, X	At engine	C6OZ 62018B24-B	1
	66/70	B	At air duct	C6OZ 62018B24-C	1
	66/70	X			1
018B32	**GASKET - COWL VENT AIR DUCT DRAIN**				
	66/	U		C6TZ 96018B32-A	1
01862-3	**DAMPER - VENT AIR VALVE**				
		- A -			
	69	A "Before 1/29/69"	R.H.	C9AZ 6201862-A	1
			L.H.	C9AZ 6201863-B	1
	69/	A "From 1/29/69"	R.H.	C9AZ 6201862-B	1
			L.H.	C9AZ 6201863-B	1
		- B -			
	65	B		C3AZ 6201862-B	2
	66/69	B	R.H.	C6OZ 6201862-A	1
			L.H.	C6OZ 6201863-A	1
	70/71	B	R.H.	C6OZ 6201862-A	1
			L.H.-w/o forced ventilation	C6OZ 6201863-A	1
			L.H.-w/forced ventilation	D0OZ 6201863-A	1
	72	B	R.H.-without A/C	D2OZ 6501862-A	1
			L.H.	D2OZ 6501863-A	1
		- F -			
	65/66	F		C3AZ 6201862-B	1
	67/68	F	R.H.	C6OZ 6201862-A	1
			L.H.	C6OZ 6201863-A	1
	69/70	F	R.H.	C9ZZ 6501862-A	1
			L.H.	C9ZZ 6501863-A	1
	71/	F	R.H.-without A/C	D1ZZ 6501862-A	2
		- L -			
	72	L	R.H.	D2FZ 6201862-A	1
			L.H.	D2FZ 6201863-A	1
		- S -			
	67/71	S	R.H.-without A/C	C7SZ 6501862-A	1
			L.H.	C7SZ 6501863-A	1
		- X -			
	65/70	X	R.H.	C6OZ 6201862-A	1
			L.H.	C6OZ 6201863-A	1
01870	**BRACKET - INSTRUMENT PANEL AIR CONTROL MOUNTING**				
	68/69	B, X	R.H.-without A/C	C8OZ 5401870-B	1
			L.H.-with or without A/C		1
	70/71	B		D0OZ 6501870-A	1
	65/66	F		C5ZZ 6501870-A	1
	67/69	F		C7ZZ 6501870-A	1
	71/	F	R.H.-without A/C	D1ZZ 6501870-A	1
01878	**CONNECTOR - COWL VENT AIR DUCT**				
	72	B	R.H.-without A/C	D2OZ 6501878-A	1
	71/	F	L.H.-without A/C	D1ZZ 6501878-A	1
	71	L	R.H.	D1FZ 6201878-A	1
			L.H.	D1FZ 6201878-B	1
	72	L	R.H.	D2FZ 6201878-A	1
			L.H.	D2FZ 6201878-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
01890-1	CONTROL - INSTRUMENT PANEL VENT AIR OUTLET DUCT				
		- A -			
	65/66	A	R.H.	C5AZ 6201890-A	1
			L.H.	C5AZ 6201891-A	1
			Clip	380829-S2(GG249)	1
	67	A	R.H.-without Forced Ventilation	C7AZ 6201890-A	1
			L.H.	C7AZ 6201891-A	1
	65/67	A	Also refer to Group 18552 in Chassis Section		
	68	A	R.H.	C8AZ 6201890-A	1
			L.H.-also used with Forced Ventilation	C8AZ 6201891-A	1
			Also refer to Group 18552 in Chassis Section		
	69	A	R.H.-without A/C	C9AZ 6201890-B	1
			L.H.-with or without A/C	C9AZ 6201891-B	1
	70	A	R.H.	D0AZ 6201890-A	1
			L.H.	D0AZ 6201891-A	1
			Clip	381672-S2(GG139H)	1
	71/	A	R.H.-without A/C	D1AZ 6201890-A	1
			L.H.	D1AZ 6201891-A	1
	66/71	A	Nut-spring-3/16"	383358-S(MM260)	2
		- B -			
	65	B	L.H.-with or without fresh air heater or automatic choke & cut to length	C5DZ 6201891-A	1
			Screw-cross recess pan hd.-No.10-32 x 5/8"	50525-S8 (U159)	1
			Clip-improvise	*374081-S100	1
			Washer-flat-No.10	44716-S8(X15)	1
			Lockwasher-No.10	34803-S7(X60)	1
			Nut-hex.-No.10-32	34079-S7(M163)	1
	66/67	B	R.H.	C6OZ 6201890-A	1
			L.H.	C6OZ 6201891-B	1
	68/69	B	R.H.-without A/C or Forced Ventilation	C8OZ 5401890-A	1
			R.H.-with A/C and Forced Ventilation	C8OZ 5401890-B	1
			L.H.	C8OZ 5401891-A	1
	70/71	B	R.H.-without A/C	D0OZ 5401890-A	1
	70/71	B	L.H.-with ram air vent-8 1/2" long	D0OZ 5401891-A	1
	70/71	B(54,57,62,71)	L.H.-without ram air vent-10 3/4" long	D0OZ 5401891-B	1
	66/71	B	Nut-spring-3/16"	383358-S(MM260)	2
	72	B	R.H.-without A/C	D2OZ 6501890-A	1
			L.H.	D2OZ 6501891-A	1
		- F -			
	65/66	F	L.H.-with or without fresh air heater or automatic choke & cut to length	C5DZ 6201891-A	1
	67	F "Before 4/3/67"	L.H.	C7ZZ 6501891-A	1
	67/68	F "From 4/3/67"	L.H.	C7ZZ 6501891-C	1
	69/70	F	R.H.	C9ZZ 6501890-A	1
			L.H.	C9ZZ 6501891-A	1
	71/	F	R.H.-without A/C	D1ZZ 6501890-A	1
			L.H.-with or without A/C	D1ZZ 6501891-A	1
			Nut-hex.lock-7/16"-14	34988-S4(M89D)	1
		- L -			
	71	L	R.H.-without A/C	D1FZ 6201890-A	1
			L.H.	D1FZ 6201891-A	1
	72	L	R.H.	D2FZ 6201890-A	1
			L.H.	D2FZ 6201891-A	1
		- P -			
	70/	P	L.H.	D1DZ 6201891-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
01890-1	**CONTROL - INSTRUMENT PANEL VENT AIR OUTLET DUCT - continued**				
		- S -			
	65/66	S	R.H.	C4SZ 6301890-C	1
			L.H.	C4SZ 6301891-C	1
	67	S	R.H.-Used without A/C	C7SZ 6501890-A	1
			L.H.	C7SZ 6501891-A	1
	68/70	S-includes knob	With A/C and without speed control-single cable	C8SZ 6501890-B	1
			Without A/C or speed control-dual cable	C8SZ 6501890-D	1
			Screw-hex.washer lead top-No.10-12 x 1/2"	42127-S8(U248C)	2
	68/71	S-includes knob	With A/C & ATC-single cable	C8SZ 6501890-C	1
			Without A/C-with speed control and defogger-triple cable	C8SZ 6501890-E	1
	70/	S	Back window vent control-refer to Group 02006		
	66/71	S	Nut-spring-3/16"	383358-S(MM260)	2
			- X -		
	65	X	L.H.-With or without fresh air heater or automatic choke & cut to length	C5DZ 6201891-A	1
			Screw-cross recess pan hd.-No.10-32 x 5/8"	50525-S8(U159)	1
			Clip-improvise	★374081-S100	1
			Washer-flat-No.10	44716-S8(X15)	1
			Lockwasher-No.10	34803-S7(X60)	1
			Nut-hex.-No.10-32	34079-S7(M163)	1
			Nut-spring-3/16"	383358-S(MM260)	1
	66/67	X	R.H.	C6OZ 6201890-A	1
			L.H.	C6OZ 6201891-B	1
	68/70	X	R.H.-Use without A/C	C8DZ 6201890-A	1
			L.H.	C8OZ 5401891-A	1
	66/	A, B, S	Nut-spring-1/8"	383358-S(MM260)	1
	66/70	X	Nut-spring cap-3/16"	376912-S2(MM263F)	1
			Screw-hex.hd.tap.washer-No.10-12 x 1/2"	42127-S8(U248C)	1
			Washer-flat-No.10	44713-S8(X13)	1
	68	B, X	Bolt-hex.hd.-1/4"-20 x 1/2"	376562-S(BB541)	2
	67/68	F	Clip	381965-S2(GG278)	1
	65/66	S	Clip	378897-S7-8(GG162A)	2
01934-5	**DUCT - COWL VENT AIR - OUTLET**				
		- A -			
	65/68	A	R.H.	C5AZ 6201934-A	1
			L.H.	C5AZ 6201935-A	1
			Screw-hex.washer hd.-No.10-12 x 5/8"	42134-S8(U249)	6or12
	69	A "Before 1/29/69"	R.H.-without A/C -r/b C9AZ 6201934-C(7/74)	★C9AZ 6201934-A	1
			R.H.-with A/C	C9AZ 6201934-B	1
			L.H.-with or without A/C-r/b C9AZ 6201935-B (8/74)	★C9AZ 6201935-A	1
	69/	A "From 1/29/69"	R.H.-without A/C	C9AZ 6201934-C	1
			R.H.-with A/C	C9AZ 6201934-D	1
			L.H.-with or without A/C	C9AZ 6201935-B	1
		- B -			
	66/67	B	R.H.-without heater or defroster-not repl.(3-74)	★C6OZ 6201934-A	1
			L.H.	C6OZ 6201935-C	1
	68	B	R.H.-with forced ventilation	C8OZ 5401934-B	1
	66/69	B	R.H.-without integral A/C	C8OZ 5401934-A	1
	67/69	B	R.H.-with integral A/C	C9OZ 5401934-A	1
	68/69	B	L.H.	C8OZ 5401935-A	1
			No.10-16 x 1/2" Pan head tapping screw	52787-S13(U367A)	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
01934-5	**DUCT - COWL VENT AIR - OUTLET -continued**				
		- B -			
	70/71	B	R.H.-with A/C and without forced air ventilation	D0OZ 5401934-B	1
			L.H.	D0OZ 5401935-A	1
	70/71	B	R.H.-without A/C and with forced air ventilation	D0OZ 5401934-A	1
			L.H.	D0OZ 6501935-A	1
			R.H.-without A/C or forced air ventilation	D0OZ 5401934-C	1
			L.H.	D0OZ 5401935-A	1
	72	B	R.H.-without A/C	D2OZ 6501934-A	1
			L.H.-connects to cowl panel	D2OZ 6501935-A	1
			L.H. - connects to Group 19893	D2OZ 6501935-B	1
			Screw-washer head-1/4"-14 x 3/4"	55914-S36(U254F)	1
			Clip-1/4"-20 x 1"	382764-S2(BB643CB)	3
		- F -			
	67/68	F	R.H.-without heater or defroster	C7ZZ 6501934-A	1
			L.H.-not replaced(3-74)	★C7ZZ 6501935-A	1
	69/70	F	R.H.	C9ZZ 6501934-A	1
			L.H.	C9ZZ 6501935-A	1
	71/	F	R.H.-without A/C	D1ZZ 6501934-A	1
			L.H.-with or without A/C	D1ZZ 6501935-A	1
			Nut (spring)-3/16"	383358-S(MM260)	2
			Nut & washer-hex.flange-No.10-24	376792-S(MM191D)	4
			Screw-hex.washer head-1/4"-14	55914-S2(U254F)	1
		- L -			
	71	L	R.H.-Refer to Illustration Section 184 in Chassis Section		
	71	L	L.H.	D1FZ 6201935-A	1
	72	L	R.H.	D4FZ 6201934-A	1
			L.H.	D4FZ 6201935-A	1
		- P -			
	70/	P	L.H.	D0DZ 6201935-A	1
			Nut-hex.stamped-1/4"-24	45243-S7-8(M178)	3
		- S -			
	67/71	S	R.H.-With heater and witnout defroster or A/C	C7SZ 6501934-A	1
			L.H.-With heater, defroster, with or without A/C	C7SZ 6501935-A	1
	65/	S	Screw-hex.washer head-No.10-12 x 5/8"	42134-S8 (U249)	8 or 12
		- U -			
	66/	U	L.H.	C6TZ 9601934-B	1
			Screw-round head-No.10-12 x 5/8"	373086-S101(BB630A)	8
		- X -			
	66	X "Before 1/3/66"	L.H.	C6OZ 6201935-A	1
	66	X "From 1/3/66"	L.H.	C6OZ 6201935-B	1
	66/67	X	R.H.-Without integral A/C	C8OZ 5401934-A	1
	67	X	L.H.	C6OZ 6201935-C	1
	67/70	X	R.H.-With integral A/C	C9OZ 5401934-A	1
	68/70	X	R.H.-Without integral A/C -not replaced(5/74)	★C8DZ 5401934-A	1
			L.H.-Without integral A/C	C8OZ 5401935-A	1
			Screw-pan head tapping-No.10-16 x 1/2"	52787-S13(U367A)	1
	66/67	B, F	Nut-hex.-No.10-24	359606-S8(MM291A)	3
			Nut-hex.-1/4"-20	33795-S7(M49)	3
			Lockwasher-1/4"	34940-S7-8(X88)	3
01968	**DEFLECTOR - INSTRUMENT PANEL AIR OUTLET**				
	67/71	S	R.H.-Without A/C & with heater	C7SZ 6501968-A	1
	68/71	S	R.H.-With A/C & manual temperature control	C8SZ 6501968-A	1
			R.H.-With A/C & automatic temperature control	C8SZ 6501968-B	1
	67/71	S	L.H.-Refer to basic Group 01415		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
01970	**SEAL - VENT AIR DUCT - OUTER**				
	65	A,S	R.H. or L.H. -Improvise from caulking sealer	★	
019A84	**MOTOR and BRACKET ASSY. - COWL VENT AIR REGISTER DAMPER**				
	65/66	A(57)		C4SZ 63019A84-B	2
	65/66	S(63)			2
	67/71	S		C7SZ 65019A84-A	2
			No.8-32 x 1/2" Hex.washer head screw	40917-S8(U257)	4
019A86	**CONNECTOR - VENT AIR REGISTER DAMPER MOTOR HOSE**				
	65/71	S		C4SZ 63019A86-A	1
	65/66	A(57)			1
01988	**SEAL - VENT AIR INLET DUCT**				
	66/72	U	L.H.	C6TZ 9601988-B	1
			Center-approx. 9 7/16" x 8 9/16"	C6TZ 9601988-C	1
019A88	**HOSE - VENT AIR REGISTER DAMPER MOTOR** - Refer to Group 17543 in Chassis Section				
	65	A(57)	1/16" I.D. x 1/8" O.D. & .110" I.D. x .240"O.D.- cut from C4SZ 17543-C .25" I.D. - cut from 17543 - Refer to Chassis Section		
			Clip	377987-S(GG256)	4
			Connector-T-3/16"x 3/16"x 3/16"	378830-S(II-106H)	1
			1/4"-20 Hex. nut	34055-S8(M158)	1
			No.8-15 x 1/2" Flat head tapping screw	52012-S8(U202)	26
	66/67	A(57)	Cut 106" long from 17543-Refer to Chassis Group		
	66/67	S	Cut 106"long from 17543-Refer to Chassis Section		
	68	S	Cut 143"long from 17543-Refer to Chassis Section		
	69	S	Cut 17" long from 17543-Refer to Chassis Section		
01999	**GASKET - VENT AIR INLET DUCT TO COWL TOP INNER PANEL**				
	66/69	B, X	With heater - at vent air inlet duct	C6OZ 6201999-A	2
	70/71	B	R.H.	D0OZ 5401999-A	1
			L.H.	D0OZ 6201999-A	1
	72	B	R.H.	D2OZ 6501999-B	1
			L.H.	D2OZ 6501999-A	1
	65/66	F		C2OZ 6201999-A	1
	67/68	F	L.H.	C7ZZ 6501999-A	1
	71/	F	R.H.-without A/C	D1ZZ 6501999-B	1
	71/	L	L.H.	D1FZ 6201999-B	1
	72	L	R.H.	D2FZ 6201999-A	1
	70/	P		D0DZ 6201999-A	1
	66/	U		C6TZ 9601999-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
02006	**CONTROL - VENT AIR REGISTER DAMPER**				
	65/66	A(57)		C5AZ 5702006-B	1
	65/66	S(63)		C4SZ 6302006-A	1
			1/2"-28 Hex. nut	356098-S2(MM122A)	1
	67/69	S		C7SZ 6502006-A	1
	70/71	S	Rear window vent with knob	D1SZ 6502006-A	1
	70/	S	Cowl vent control-refer to Group 01890-1		
02010	**PANEL - COWL TOP**				
	70/71	B		D0OZ 6502010-A	1
	72	B	Without A/C	D2OZ 6502010-A	1
			With A/C	D2OZ 6502010-B	1
	69/70	F		C9ZZ 6502010-A	1
	71/	F		D1ZZ 6502010-A	1
	71/72	L	Includes wiper motor bracket	D2FZ 6202010-A	1
	70	P	Without locking steering column	D0DZ 6202010-A	1
	70/	P	With locking steering column	D0DZ 6202010-B	1
	72	S		D2SZ 6502010-A	1
	66/	U		C6TZ 9602010-B	1
	66/67	X		C6OZ 6202010-E	1
	68/70	X		C8OZ 5402010-B	1
02012	**PANEL - COWL TOP - OUTER**				
	68	A		C8AZ 6202012-A	1
	69	A		C9AZ 6202012-A	1
	70	A		D0AZ 6202012-A	1
	71/	A		D1AZ 6502012-A	1
	68/69	S		C8SZ 6502012-A	1
	70/71	S		D0SZ 6502012-A	1
02018	**PANEL - COWL TOP - INNER**				
	69/70	A		C9AZ 7602018-A	1
	71	A		D1AZ 7602018-A	1
	72	A		D2AZ 7602018-A	1
	68/69	S		C8SZ 6502018-A	1
	70/71	S		D0SZ 6502018-B	1
02034	**REINFORCEMENT - COWL TOP PANEL**				
	70	F(63)-Boss 302		D0ZZ 6302034-A	1
02038-9	**PANEL - COWL SIDE**				
	69/70	A	R.H.	C9AZ 7602038-A	1
	70	A(except 76)	L.H.	D0AZ 6202039-A	1
	69/70	A(76)	L.H.	C9AZ 7602039-A	1
	71/	A(except 76)	R.H. -inner	D1AZ 6502038-A	1
			L.H.	D1AZ 6502039-A	1
	71/	A(76)	R.H. -inner	D1AZ 7602038-A	1
			L.H.	D1AZ 7602039-A	1
	72	B	R.H.	D2OZ 6502038-A	1
			L.H.	D2OZ 6502039-A	1
	69	F	R.H.	C9ZZ 6502038-A	1
	70	F	R.H.	D0ZZ 6502038-A	1
	69/70	F	L.H.	C9ZZ 6502039-A	1
	71/	F	R.H. -inner	D1ZZ 6502038-A	1
			L.H.	D1ZZ 6502039-A	1
	71/72	L "Before 10/25/71"	R.H. -inner	D1FZ 6202038-A	1
			L.H.	D1FZ 6202039-A	1
	72	L "From 10/25/71"	R.H.-inner	D3FZ 6202038-A	1
			L.H.	D1FZ 6202039-A	1
	67/69	S	R.H.	C7SZ 6502038-B	1
	70/71	S	R.H.	D0SZ 6502038-A	1
	68/71	S	L.H.	C8SZ 6502039-A	1
	72	S	R.H.	D2SZ 6502038-A	1
			L.H.	D2SZ 6502039-A	1
	69/	U	R.H.	C9TZ 9602038-A	1
			L.H.	C9TZ 9602039-A	1
			Plug (button)-1" dia. hole	377678-S(PP3E)	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
02042-3	**PANEL ASSY. - FRONT PILLAR** - Also refer to groups 02500-1 & 02504-5				
		-B -			
	68/69	B(54, 71)	R.H.	C8OZ 5402042-B	1
			L.H.	C8OZ 5402043-B	1
	70/71	B(except 63, 71)	R.H.	D0OZ 6502042-A	1
			L.H.	D0OZ 6502043-A	1
	70/71	B(63)	R.H.	D0OZ 6302042-A	1
			L.H.	D0OZ 6302043-A	1
	70/71	B(71)	R.H.	D0OZ 7102042-A	1
			L.H.	D0OZ 7102043-A	1
		- P -			
	70	P "Before 9/15/69"	R.H.	D0DZ 6202042-A	1
			L.H.	D0DZ 6202043-A	1
	70/72	P "From 9/15/69 to 7/3/72"	R.H.	D0DZ 6202042-B	1
			L.H.	D0DZ 6202043-B	1
	72	P "From 7/3/72"	R.H.	D2DZ 6202042-A	1
			L.H.	D2DZ 6202043-A	1
		- X -			
	68/70	X	R.H.	C8DZ 6202042-B	1
			L.H. - not replaced (5-75)	★C8DZ 6202043-B	1
02044-5	**PANEL - COWL SIDE OUTER**				
	66/68	A	R.H.	C5AZ 6202044-B	1
			L.H. -not replaced (3-74)	★C5AZ 6202045-B	1
	69/70	A(except 76)	R.H.	C9AZ 6202044-A	1
			L.H.	C9AZ 6202045-A	1
	69/70	A(76)	R.H.	C9AZ 7602044-A	1
	71/	A			1
			L.H.	C9AZ 7602045-A	1
	69/70	F	R.H.	C9ZZ 6502044-A	1
			L.H.	C9ZZ 6502045-A	1
	67/71	S	R.H.	C7SZ 6502044-A	1
			L.H.	C7SZ 6502045-A	1
02046-7	**PANEL - FRONT WHEELHOUSE - UPPER**				
	66/	U	R.H.	C6TZ 9602046-A	1
			L.H.	C6TZ 9602047-A	1
02048-9	**PANEL - FRONT WHEELHOUSE - INNER**				
	66/	U	R.H.	C6TZ 9602048-A	1
			L.H.	C6TZ 9602049-A	1
02062-3	**EXTENSION - COWL SIDE PANEL**				
	72	B	Refer to Group 02038-9		
	71/	L	R.H.	D1FZ 6202062-A	1
			L.H.	D1FZ 6202063-A	1
020A84-5	**REINFORCEMENT - COWL SIDE INNER PANEL TO BODY ROCKER PANEL**				
	69/	A	Refer to Group 02884-5		
	67/71	S	R.H.	C7SZ 65020A84-A	1
			L.H.	C7SZ 65020A85-A	1
02085	**COVER - COWL TOP PANEL OPENING INNER**				
	71/	L	With A/C	D1FZ 6202085-A	1
02104	**VENT - COWL SIDE**				
	66/	U	L.H.	C5TZ 8102104-A	1
02109	**COVER - COWL VENT AIR OPENING**				
	71/	A	L.H. -with A/C	D1AZ 6502109-A	1
	68/	S	L.H. -with A.T.C.	C8SZ 6502109-A	1
			No. 10-12 x 5/8" hex. head washer tap screw	42134-S2(U249)	1
021A22	**SEAL - COWL SIDE PANEL**				
	67/68	A		C7AZ 62021A22-A	2
			Clip	381672-S2(GG139H)	14
	69/70	A		C9AZ 62021A22-A	2
	67/71	S		C7SZ 65021A22-A	2
021A32	**SEAL - COWL TOP VENT GRILLE**				
	69	B, X	Cut from rubber 7" long x 1" x 1/2"	★	4
	67/69	S		C7SZ 65021A32-B	2
021A46	**SEAL - COWL TOP PANEL**				
	66	B	55" long-cut from AB 19560-A	★	

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
02158	**SEAL - COWL SIDE VENT AIR DUCT**				
	66/68	A	30" long-cut to fit	C6AZ 6202158-B	2
	69/	A			2
	67/68	S			2
	71	S			2
	69/70	S		C9SZ 6502158-A	2
021A58	**BAFFLE - COWL SIDE PANEL WATER**				
	68/69	S	Use with R.H. air duct	C8SZ 65021A58-A	1
	70/71	S		D0SZ 65021A58-A	1
021A64	**BRACKET - FRONT WHEELHOUSE DASH SUPPORT - LOWER**				
	66/	U		C6TZ 96021A64-A	2
02204	**ANTI-SQUEAK - COWL TOP VENT GRILLE**				
	65	S	Cut off 1 3/4"	B7C 8102204-A	AR
022A06-7	**REINFORCEMENT - COWL TOP INNER PANEL**				
	72	B	R.H.	D2OZ 65022A06-A	1
			L.H.	D2OZ 65022A07-A	1
	71/	L	R.H.	D1FZ 62022A06-A	1
			L.H.	D1FZ 62022A07-A	1
	72	S	R.H.	D2SZ 65022A06-A	1
			L.H.	D2SZ 65022A07-A	1
02207	**TUBE - COWL TOP INNER PANEL DRAIN**				
	72	B,S		D2OZ 6502207-A	1
	65/66	S		C1SZ 6302207-A	2
			Clamp	B7AZ 8287-D	2
02207	**TUBE - VENT AIR DUCT**				
	66/	U		C6TZ 9602207-B	1
02224-5	**BRACKET - COWL TOP VENT GRILLE**				
	69/70	A	R.H.	C9AZ 6202224-A	1
			L.H.	C9AZ 6202225-A	1
022A24-5	**BRACKET - COWL TOP PANEL TO PILLAR**				
	68/70	B,X	R.H.	C8OZ 54022A24-A	1
	71	B(except 63)			1
			L.H.	C8OZ 54022A25-A	1
02228	**GRILLE - COWL TOP VENT**				
	65/66	A		C5AZ 6202228-B	1
	67/68	A		C7AZ 6202228-B	1
	69/70	A		D0AZ 6202228-A	1
			Button (plug)-3/4" x 1"-without radio	378770-S(PP13B)	1
	66/67	B		C6OZ 6202228-B	1
	68/69	B		C8OZ 5402228-A	1
	69/70	F		C9ZZ 6502228-A	1
	68/69	S		C8SZ 6502228-A	1
	66/67	X		C6OZ 6202228-B	1
	68/70	X		C8OZ 5402228-A	1
	65/70	A, B, S, X	No. 8-15 x 5/8" Hex. washer head screw	★42133-S8	8to12
			No. 8-15 x 1/2" Cross recess pan head screw	52726-S13(U381)	2
022A44	**RETAINER - COWL TOP PANEL MOULDING**				
	69/70	A		C9AZ 62022A44-A	5
				C9AZ 62022A44-B	2
02249	**SHIM - COWL TOP VENT GRILLE EXTENSION**				
	68/70	X	37 1/2" long	C8DZ 6202249-A	1
02256-7	**PLATE - COWL TOP PANEL ACCESS HOLE COVER**				
	70/71	S	R.H.	D0SZ 6502256-A	1
			L.H.	D0SZ 6502257-A	1
022A58	**SCREEN - COWL TOP VENT - CENTER**				
	71/	A		D1AZ 65022A58-A	1
	70/	S		D0SZ 65022A58-A	1
022A62	**COVER - COWL TOP PANEL MOULDING**				
	69	A "Before 5/1/69"	Used as center cap for group 022A64-5 - r/b C9AZ 62022A62-C (7-74)	★C9AZ 62022A62-B	1
	69/70	A "From 5/1/69"	Used as center cap for group 022A64-5	C9AZ 62022A62-C	1
022A64-5	**MOULDING - COWL TOP PANEL** - Includes Attaching Parts				
	69/70	A	R.H.	C9AZ 62022A64-C	1
			L.H.	C9AZ 62022A65-C	1
			For center cap refer to Group 022A62		
022A88	**COVER - COWL TOP INNER PANEL**				
	71	B		D1OZ 65022A88-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
02294-5	**BRACKET - COWL TOP PANEL TO FRONT FENDER APRON**				
	70/71	B	R.H.	D0OZ 6502294-A	1
			L.H.	D0OZ 6502295-A	1
			Bumper (round) rubber	380624-S(CC18A)	2
	69/70	F	R.H.	C9ZZ 6502294-A	1
			L.H.	C9ZZ 6502295-A	1
	71/	L	R.H.	D1FZ 6202294-A	1
			L.H.	D1FZ 6202295-A	1
	70	P(62) "Before 12/31/69"	R.H.	D0DZ 6202294-A	1
			L.H.	D0DZ 6202295-A	1
	70/	P(62) "From 12/31/69"	R.H.	D0DZ 6202294-B	1
			L.H.	D0DZ 6202295-B	1
			Bumper (round) rubber	380624-S(CC18A)	2
	66/67	X	R.H.	C6OZ 6202294-B	1
			L.H.-not replaced (3-74)	★C6OZ 6202295-B	1
023A02	**BRACKET - COWL TOP INNER PANEL TO INSTRUMENT PANEL**				
	72	A		D2AZ 65023A02-A	1
02316	**RETAINER - COWL TOP VENT GRILLE**				
	67	S		C7SZ 6502316-A	9
023A18-9	**EXTENSION - COWL TOP TO FRONT FENDER BRACKET**				
	72	S	R.H.	D2SZ 65023A18-A	1
			L.H.	D2SZ 65023A19-A	1
023A20	**REINFORCEMENT - COWL TOP INNER PANEL - CENTER**				
	72	S		D2SZ 65023A20-A	1
023A30-1	**VALVE - COWL TOP WITH DRAIN**				
	72	B "Before 8/16/71"	R.H.	D2OZ 65023A30-A	1
			L.H.	D2OZ 65023A31-A	1
	72	B "From 8/16/71"	R.H.	D2OZ 65023A30-B	1
			L.H.	D2OZ 65023A31-B	1
02396-7	**MOULDING - COWL TOP PANEL END** - Includes Attaching Parts				
	69/70	A(except 76)	R.H.	C9AZ 6202396-B	1
			L.H.	C9AZ 6202397-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
02464-5	**REINFORCEMENT - FRONT WHEELHOUSE PANEL**					
	66/	U		C6TZ 9602464-B	C6TZ 9602465-B	1
02500-1	**PILLAR - FRONT BODY - LOWER**					
	69/	A		C9AZ 6202500-A	C9AZ 6202501-A	1
	72	B		D2OZ 6502500-A	D2OZ 6502501-A	1
	69/70	F		C9ZZ 6502500-A	C9ZZ 6502501-A	1
	71/	F		D1ZZ 6502500-A	D1ZZ 6502501-A	1
	71	L		D1FZ 6202500-A	D1FZ 6202501-A	1
	72	L		D2FZ 6202500-A	D2FZ 6202501-A	1
	67/69	S		C7SZ 6502500-B	C8SZ 6502501-B	1
	70/71	S(57, 65B, D)		D0SZ 5702500-A	D0SZ 5702501-A	1
	70/71	S(65A, C)		D0SZ 6502500-A	D0SZ 6502501-A	1
	72	S		D2SZ 6502500-A	D2SZ 6502501-A	1
	68/	U	Side front	C8TZ 9602500-B	C8TZ 9602501-B	1
	69/	A, F, S	Plug (button)-1" dia. hole	377678-S(PP3E)	377678-S(PP3E)	2
02500-1	**PANEL AND PILLAR ASSY. - COWL SIDE FRONT BODY**					
	66/67	U		C8TZ 9602500-B	C6TZ 9602501-A	1
02504-5	**PILLAR - FRONT BODY - UPPER**					
	70	A(57, 63, 65)	Inner	D0AZ 6302504-A	D0AZ 6302505-A	1
	70	A(76)	Inner	D0AZ 7602504-A	D0AZ 7602505-A	1
	71	A(53, 57)	Inner and outer	D1AZ 5702504-A	D1AZ 5702505-A	1
	70/	A(54, 62, 71)	Inner and outer	D1AZ 5402504-A	D1AZ 5402505-A	1
	71/	A(65)	Inner and outer	D1AZ 6502504-A	D1AZ 6502505-A	1
	71/	A(76)	Inner and outer	D1AZ 7602504-A	D1AZ 7602505-A	1
			Screw-pan head-No. 8-18 x 1/2"	380934-S101(UU67F)	380934-S101(UU67F)	2
	70/71	B(54, 62)		D0OZ 5402504-A	D0OZ 5402505-A	1
	70/71	B(63)		D0OZ 6302504-A	D0OZ 6302505-A	1
	72	B	Inner	D2OZ 6502504-A	D4OZ 6502505-A	1
	69/70	F(63)	Inner	C9ZZ 6302504-A	C9ZZ 6302505-A	1
	69/70	F(65)	Inner	C9ZZ 6502504-A	C9ZZ 6502505-A	1
	69/70	F(76)	Inner	C9ZZ 7602504-A	C9ZZ 7602505-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
02504-5	**PILLAR - FRONT BODY - UPPER - continued**					
	71/	F(63)		D1ZZ 6302504-A	D1ZZ 6302505-A	1
	71/	F(65)		D1ZZ 6502504-A	D1ZZ 6502505-A	1
	71/	F(76)		D1ZZ 7602504-A	D1ZZ 7602505-A	1
			Screw-pan head-No.6-20 x 3/8"	376389-S101(UU82D)	376389-S101(UU82D)	2
	70/71	S(57)	Refer to Group 02522-3			
	70	S(65)		D0SZ 6502504-A	D0SZ 6502505-A	1
	71	S(65A, C)		D1SZ 6502504-A	D1SZ 6502505-A	1
	72	S		D2SZ 6502504-A	D2SZ 6502505-A	1
02508-9	**PILLAR - FRONT BODY - UPPER INNER** -Refer to Group 02522-3					
025A10-1	**TROUGH - FRONT BODY PILLAR - UPPER**					
	65	X		C0DB 64025A10-B	C0DB 64025A11-B	1
			No. 8 x 1/2" Cross recess pan head screw	52726-S13(U381)	52726-S13(U381)	4
02512-3	**MOULDING - FRONT BODY PILLAR DRIP FINISH - INCLUDES ATTACHING PARTS**					
	70	A(57, 63, 65)		D0AZ 5702512-A	D0AZ 5702513-A	1
	71/	A(53, 57, 65)	Refer to Group 026A16-7			
	70	B(54, 62)		D0OZ 5402512-C	D0OZ 5402513-C	1
	71	B(54)				1
	70/71	B(57, 65)		D0OZ 5402512-A	D0OZ 5402513-A	1
	70/71	B(66)		D0OZ 6602512-A	D0OZ 6602513-A	1
	70	B(71B)		D0OZ 7102512-A	D0OZ 7102513-A	1
	70/71	B(71C, D, E)		D0OZ 7102512-B	D0OZ 7102513-B	1
	72	B(97)		D2OZ 9702512-A	D2OZ 9702513-A	1
	70/	B(54, 62)	No.8-18 x 3/8" Round head screw	381671-S45X(UU89C)	381671-S45X(UU89C)	2
	70/	S(65)	Refer to Group 026A16-7			
02516-7	**PILLAR - FRONT BODY - UPPER OUTER** -Also Refer to Groups 02504-5 and 02536-7					
	70/	A	Refer to Group 02504-5			
	66/67	B(54, 62, 66, 71)		C6OZ 6202516-B	C6OZ 6202517-B	1
	70	B(54, 57, 62, 65, 66)		D0OZ 6502516-A	D0OZ 6502517-A	1
	71	B(54, 57, 65, 66)				1
	66/71	B(63, 76)	Refer to Group 02536-7			
	68/71	B(71)		C8OZ 5402516-B	C8OZ 5402517-B	1
	71/	L		D1FZ 6202516-A	D1FZ 6202517-A	1
	70/	P		D0DZ 6202516-A	D0DZ 6202517-A	1
	68/70	S		D0SZ 5702516-A	D0SZ 5702517-A	1
	67	S		C7SZ 6502516-A	C7SZ 6502517-A	1
	71	S(57, 65B, D)				1
	71/	S(65A, C)	Refer to Group 02504-5			
	66/70	X		C6OZ 6202516-B	C6OZ 6202517-B	1
025A20-1	**MOULDING - FRONT PILLAR DRIP** - Includes Attaching Parts					
	65/66	S(76)	Refer to Group 517A54			
02522-3	**PILLAR - FRONT BODY - UPPER INNER**					
	69	A(54, 62, 71)	Assy.-inner & outer	C9AZ 6202508-A	★C9AZ 6202509-A Not replaced (5-75)	1
	69	A(76)	Assy.-inner & outer	★C9AZ 7602508-A Not replaced (5-75)	C9AZ 7602509-A	1
	70/	A(54, 62, 71, 76)	Refer to Group 02504-5			
	65	B(except 65)		★C2OZ 6202522-B Not replaced (1-73)	C2OZ 6202523-B	1
	65	B(65)		C3OZ 6502522-B	★C3OZ 6502523-B Not replaced (1-73)	1
	68	B(54, 71) "Before 1/1/68"		C8OZ 5402522-A	C8OZ 5402523-C	1
	68/69	B(54, 71) "From 1/1/68"		C8OZ 5402522-C	C8OZ 5402523-C	1
	68/69	B(76)		C8OZ 7602522-C	C8OZ 7602523-C	1
	68/69	B(63, 65, 66)		C8OZ 6302522-C	C8OZ 6302523-C	1
	70	B(54, 57, 62, 65, 66) - "Before 11/3/69"		D0OZ 6502522-A	D0OZ 6502523-A	1
	70	B(54, 57, 62, 65, 66) -		D0OZ 6502522-B	D0OZ 6502523-B	1
	71	B(54, 57, 65, 66) "From 11/3/69"				1
	70/71	B(71)		D0OZ 7102522-B	D0OZ 7102523-B	1
	70/71	B(76)		D0OZ 7602522-A	D0OZ 7602523-A	1
	70/	P		D0DZ 6202508-A	D0DZ 6202509-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
02522-3	**PILLAR - FRONT BODY - UPPER INNER - continued**					
	67/69	S		C7SZ 6502508-A	C7SZ 6502509-A	1
	70/71	S(57)		D0SZ 5702508-A	D0SZ 5702509-A	1
	71	S(65B, D)				1
	70	S(65)	Refer to Group 02504-5			
	71	S(65A, C)				
	68/70	X		C8OZ 5402522-C	C8OZ 5402523-C	1
02524-5	**REINFORCEMENT - FRONT BODY UPPER OUTER PILLAR**					
	70/71	B(except 63, 71)		D0OZ 6502524-A	D0OZ 6502525-A	1
02526-7	**REINFORCEMENT - FRONT BODY PILLAR**					
	66/	U		C6TZ 9602526-A	C6TZ 9602527-A	1
02536-7	**PILLAR - FRONT BODY - UPPER OUTER -** Also refer to Group 02516-7 and 02522-3					
	68/69	B(63, 65, 66)		C8OZ 6302536-B	C8OZ 6302537-B	1
	68/69	B(76)		C8OZ 7602536-B	C8OZ 7602537-B	1
	70/71	B(76)		D0OZ 7602536-B	D0OZ 7602537-B	1
02542-3	**REINFORCEMENT - FRONT BODY PILLAR - LOWER**					
	67/69	S		C7SZ 6502542-A	C7SZ 6502543-A	1
	70/71	S		D0SZ 6502542-A	D0SZ 6502543-A	1
025A42-3	**FILLER - FRONT BODY PILLAR TO FRONT FENDER - CENTER**					
	67/68	S		C7SZ 65025A42-A	C7SZ 65025A43-A	1
	70	S		D0SZ 65025A42-A	D0SZ 65025A43-A	1
025A56-7	**PANEL - FRONT BODY PILLAR OUTSIDE FINISH - INCLUDES ATTACHING PARTS**					
	70	B(54, 57, 62, 65)	W/o vinyl roof cover - paint to match-smooth finish	D0OZ 65025A56-A	D0OZ 65025A57-A	1
	71	B(54, 57, 65)				1
	70	B(54, 57, 62, 65)	W/vinyl roof cover - paint to match -textured steel	D0OZ 65025A56-B	D0OZ 65025A57-B	1
	71	B(54, 57, 65)				1
	70/71	B(66)		D0OZ 66025A56-A	D0OZ 66025A57-A	1
	70/71	B(71)		D0OZ 71025A56-A	D0OZ 71025A57-A	1
	67/69	S		C7SZ 65025A56-B	★C7SZ 65025A57-B Not replaced (5-75)	1
	70/	S(57)	Paint to match	D0SZ 57025A56-A	D0SZ 57025A57-A	1
	71	S(65B, D)				1
02570-1	**PLATE - FRONT BODY PILLAR UPPER HINGE REINFORCEMENT**					
	67/71	S		C7SZ 6502570-A	C7SZ 6502571-A	1
02574-5	**REINFORCEMENT - FRONT BODY UPPER PILLAR TO ROOF RAIL**					
	66/67	B(54, 62, 66, 71)		C6OZ 6202574-A	C6OZ 6202575-A	1
	68/70	B(54, 62, 63, 71)				1
	71	B(71)				1
	66/70	X				1
02576-7	**PLATE - FRONT BODY PILLAR LOWER HINGE REINFORCEMENT**					
	67/71	S		C7SZ 6502576-A	C7SZ 6502577-A	1
025A80-1	**EXTENSION - FRONT BODY UPPER INNER PILLAR**					
	70/71	B(63)		D0OZ 63025A80-A	D0OZ 63025A81-A	1
025A84-5	**MOULDING - FRONT BODY PILLAR - UPPER**					
	67/69	S		C7SZ 65025A84-C	C7SZ 65025A85-C	1
	70/71	S(57)		D0SZ 57025A84-A	D0SZ 57025A85-A	1
	71	S(65B, D)				1
			Screw-flat head-No.6-20 x 1/2"	373541-S(UU98)	373541-S(UU98)	2
			Clip	353675-S2(GG325)	353675-S2(GG325)	6
025A90-1	**FILLER - FRONT BODY PILLAR TO COWL SIDE LOWER**					
	68/71	S		C8SZ 65025A90-A	C8SZ 65025A91-A	1
02594-5	**RETAINER - FRONT BODY PILLAR UPPER WEATHERSTRIP**					
	71/	A(76)		D1AZ 7602594-A	D1AZ 7602595-A	1
	68/69	B(76)		C8OZ 7602594-A	C8OZ 7602595-A	1
	70	B(57, 63, 65, 66)		D1OZ 6502594-A	D0OZ 6502595-A	1
	70	B(76)		D0OZ 7602594-A	D0OZ 7602595-A	1
	71	B(57, 63, 65, 66)		D1OZ 6502594-A	D1OZ 6502595-A	1
	71	B(76)		D1OZ 7602594-A	D1OZ 7602595-A	1
	71/	F(except 76)		D1ZZ 6502594-A	D1ZZ 6502595-A	1
	71/	F(76)		D1ZZ 7602594-A	D1ZZ 7602595-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
02594-5	**RETAINER - FRONT BODY PILLAR UPPER WEATHERSTRIP - continued**					
	65/66	F(76)	Screw-flat head self	377948-S2(UU48G)	377948-S2(UU48G)	6or16
	67	A(76),B(76)	tapping-No.8-18x1/2"			6or8
	71/	A,B,F	Screw-washer head-No.8-18 x 1/2"	380660S2(UU141)	380660-S2(UU141)	6
026A08-9	**EXTENSION - FRONT BODY PILLAR REINFORCEMENT**					
	69/	U		C9TZ 96026A08-A	C9TZ 96026A09-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
02614	**RETAINER - FRONT DOOR OPENING WINDLACE**				
	65	A,B,S,X		B7A 7002614-A	AR
026A14	**SPACER - FRONT BODY PILLAR MOULDING**				
	69	S		C9SZ 65026A14-A	2
	70	S(57)			2
	71	S(65B, D)			2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
02616-7	**PILLAR - FRONT BODY UPPER OUTER CORNER**					
	70	B(54, 57, 62, 65, 66)		D0OZ 6502616-A	D0OZ 6502617-A	1
	71	B(54, 57, 65, 66)				1
	70/71	B(63)		D0OZ 6302616-A	D0OZ 6302616-A	1
	69/	F	Refer to Group 02504-5			
	66	S(63C, 63D)		C6SZ 6302616-A	C6SZ 6302617-A	1
	67/69	S		C7SZ 6502616-A	C7SZ 6502617-A	1
	70/71	S(57)				1
026A16-7	**MOULDING - FRONT BODY PILLAR DRIP FINISH - INCLUDES ATTACHING PARTS**					
	71/	A(53, 57)		D1AZ 57026A16-A	D1AZ 57026A17-A	1
	71/	A(65)		D1AZ 65026A16-A	D1AZ 65026A17-A	1
	70	S(65)		D0SZ 65026A16-A	D0SZ 65026A17-A	1
	71	S(65A, C)		D1SZ 65026A16-A	D1SZ 65026A17-A	1
02622-3	**PILLAR - FRONT BODY UPPER INNER CORNER**					
		- A -				
	69	A(57, 63, 65)		C9AZ 6302622-A	C9AZ 6302623-A	1
	70	A(57, 63, 65)		D0AZ 6302622-A	D0AZ 6302623-A	1
	71/	A(53, 57, 65)				1
	69/70	A(54, 62, 71)		C9AZ 6202622-A	C9AZ 6202623-A	1
	71/	A(54, 71)				1
		- B -				
	70	B(54, 57, 62, 65, 66)		D0OZ 6502622-A	D0OZ 6502623-A	1
	71	B(54, 57, 65, 66)				1
	70/	B(63)		D0OZ 6302622-A	D0OZ 6302623-A	1
		- F -				
	69/70	F(63)		C9ZZ 6302622-A	C9ZZ 6302623-A	1
	69/70	F(65)		C9ZZ 6502622-A	C9ZZ 6502623-A	1
		- P -				
	70/	P		D0DZ 6202622-A	D0DZ 6202623-A	1
		- S -				
	67/69	S		C7SZ 6502622-A	C7SZ 6502623-A	1
	70/71	S(57)				1
	71	S(65B, D)				1
026A24-5	**MOULDING - FRONT BODY PILLAR - OUTSIDE BELT - INCLUDES ATTACHING PARTS**					
	70/	P	With vinyl roof cover-textured steel-paint to match	D0DZ 62026A24-A	D0DZ 62026A25-A	1
02626-7	**WEATHERSTRIP - FRONT BODY PILLAR - UPPER** - Also refer to Group 03198-9					
		- A -				
	65/66	A(76)		C5AZ 7602626-A	C5AZ 7602627-A	1
	67/68	A(76)		★C7AZ 7602626-B Not replaced	C7AZ 7601627-B	1
	69/70	A(76)	With metal strip	C9AZ 7602626-A	C9AZ 7602627-A	1
	70/	A(76)	Without metal strip	D0AZ 7602626-A	D0AZ 7602627-A	1
			Screw-round head-No.8-18 x 1/2"	381801-S2(UU148)	381801-S2(UU148)	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
02626-7	**WEATHERSTRIP - FRONT BODY PILLAR - UPPER- Also refer to Group 03198-9 - continued**					
		- B -				
	66/67	B(76)		★C6OZ 7602626-A Not replaced(3-74)	C6OZ 7602627-A	1
	67	B(76)	Screw-pan head tapping No.8-32 x 7/16"	★353656-S100	★353656-S100	2
	68/69	B(76)		C8OZ 7602626-A	C8OZ 7602627-A	1
	70/71	B(76)		D0OZ 7602626-A	D0OZ 7602627-A	1
	68/71	B(76)	Screw & washer assy.- hex.hd.-No.8-18 x 3/4"	373389-S101(UU82D)	376389-S101(UU82D)	2
		- F -				
	65/68	F(76)		C5ZZ 7602626-D	C5ZZ 7602627-D	1
	69/70	F(76)		C9ZZ 7602626-A	C9ZZ 7602627-A	1
	71/	F(76)		D1ZZ 7602626-A	D1ZZ 7602627-A	1
			Screw-pan head- No.8-15 x 3/4"	371828-S100(UU81)	371828-S100(UU81)	2
	69/	F(76)	Screw & washer assy.- hex.hd.-No.8-18 x 3/4"	376389-S101(UU82D)	376389-S10(UU82D)	2
		- S -				
	65/66	S(76)	Screw-cross recess flat hd.-No.8-15 x 1/2"	377948-S2(UU48G)	377948-S2(UU48G)	10
		- U -				
	66/	U	Refer to Group 51222-3			

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
02638-9	**PLATE - FRONT BODY PILLAR HINGE ANCHOR-LOWER**				
	69/	A		D0DZ 6202638-A	4
	66 /70	B, X	R.H.	C6OZ 6202638-B	1
			L.H.	C6OZ 6202639-A	1
	72	B,S		D1FZ 6202638-A	4
	71/	F	R.H.	C6OZ 6202638-B	1
			L.H.	C6OZ 6202639-A	1
	71/	L	Upper and lower	D1FZ 6202638-A	4
	70/	P		D0DZ 6202638-A	4
02666-7	**PLATE - FRONT BODY PILLAR HINGE ANCHOR - UPPER**				
	69/70	A		C9ZZ 6502666-A	4
	66	B, X		C6OZ 6202666-A	2
	71	B	R. H.	D1ZZ 6502666-A	1
			L. H.	D1ZZ 6502667-A	1
	69/70	F		C9ZZ 6502666-A	4
	71/	F	R. H.	D1ZZ 6502666-A	1
			L. H.	D1ZZ 6502667-A	1
02670-1	**FILLER - FRONT BODY TO FRONT FENDER LOWER**				
	67/68	S	R. H.	C7SZ 6502670-A	1
			L. H. -not replaced (3-74)	★C7SZ 6502671-A	1
026A75	**SHIELD - FRONT BODY UPPER PILLAR WIRE**				
	66/69	B(54,71)		C6OZ 62026A75-B	1
	68/70	X		C6OZ 62026A75-B	1
02730-1	**SEAL - FRONT BODY PILLAR AT BELT**				
	72	A(53,65,76)	R.H.	D2AZ 6502730-A	1
			L.H.	D2AZ 6502731-A	1
	72	A(57)	R.H.	D2AZ 5702730-A	1
			L.H.	D2AZ 5702731-A	1
02880	**COLLAR - COWL PANEL VENT AIR DUCT**				
	66/	U	Use with heater	C6TZ 9602880-A	1
02884-5	**REINFORCEMENT - COWL SIDE PANEL**				
	69/70	A	R.H.	C9AZ 6202884-A	1
	71	A "Before 6/14/71"	R.H.	D1AZ 6502884-A	1
	69/71	A "Before 6/14/71"	L. H.	C9AZ 6202885-A	1
	71/	A "From 6/14/71"	R.H.	D2AZ 6502884-A	1
			L.H.	D2AZ 6502885-A	1
02896	**PANEL and REINFORCEMENT ASSY. - COWL TOP**				
	66	A(76)		♦CC6AB 7602896-B	1

♦ Canada only

BODY BOLT CHART

HOW TO FIND BODY BOLTS and RELATED PARTS

1) To determine Body Bolts and Related Parts you must know:

   a) YEAR
   b) CAR LINE
   c) BODY TYPE
   d) BODY BOLT LOCATION
   e) NAME OF PART

2) Using this information and the typical illustration shown on page 12, refer to the listing beginning on page 13.

3) Locate the appropriate Code Number for Bolts, Nuts, Retainers etc.

4) Translate the Code Number into a Service Part Number by referring to the Cross Reference listing on page 21.

   Read down to locate Code Number.


   Read across to locate Service Part Number.

EXAMPLE:


a) Year	1967
b) Car Line	FORD
c) Body Type	71
d) Body Bolt Location	Number 9
e) Name of Part	Absorber, Bolt, Flat washer, Lockwasher, Retainer, Shim and Spacer

Code Numbers listed are:	Part numbers shown for these Codes are:
Absorber ---62	C5AZ 5B098-B
Bolt ---52	★379515-S2
Flat washer---44	★375301-S
Lockwasher---13	34848-S8(X75)
Retainer ---96	C5AZ 6200157-B
Shim ---97	C3AZ 6200163-A
Spacer ---★	Not serviced

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN



1965/ FORD and 1967/ THUNDERBIRD
1972 TORINO



1966/ BRONCO

BODY BOLT CHART - continued

BODY TYPE	PART NAME	BODY BOLT LOCATION 1	2	3	4	5	6	7	8	9	10	11	12	13	14
		PART CODE NUMBER													
1965 FORD															
All	Absorber												62		
	Absorber												144		
Except 71	Absorber										62				
	Absorber										144	148			
Except 71, 76	Absorber	143													
	Absorber	82													
	Absorber			73	73										
	Absorber			82	82										
71	Absorber		62	73	79			79	79			144			
	Absorber		82	82	89			89	89			62			
76	Absorber		62			81	81	81	81						
	Absorber		90				90	90	90						
Except 71	Bolt										51		51		
Except 71, 76	Bolt	35													
71	Bolt		35									47	47		
76	Bolt	53				47									
All	Clip												★		
Except 71	Clip										★				
71	Absorber										147				
Except 71, 76	Absorber								63						
76	Absorber	65													
Except 71	Absorber											148			
Except 71	Lockwasher										13		43		
Except 71, 76	Lockwasher	9													
71	Lockwasher		9									13			
76	Lockwasher	11				13									
Except 71, 76	Nut	2													
Except 76	Nut			5	5										
71	Nut		2			3			3						
76	Nut		4			7	57	57							
All	Retainer												96		
All	Retainer												100		
Except 71	Retainer										96				
Except 71	Retainer										99	61			
Except 71, 76	Retainer	95							61						
Except 71, 76	Retainer	100													
Except 76	Retainer			49	49										
71	Retainer											96			
71	Retainer		100		48			48				100			
71, 76	Retainer		95						48						
76	Retainer				48	102		48							
76	Retainer					96									
Except 71	Shim	★							★		★	★			
Except 76	Shim	★		★	★				★			★			
71	Shim		★		★			★				★			
76	Shim	67				★	★	★	★			★			
71, 76	Spacer								★						
Except 76	Stud			54	54										
71	Stud				56			56	56						
76	Stud						55	55	56						
Except 71, 76	Washer	27													
Except 76	Washer			29	29										
71	Washer		27		28			28					15		
76	Washer	22	30			29	21	21	21						

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY BOLT CHART - continued

BODY TYPE	PART NAME	BODY BOLT LOCATION 1	2	3	4	5	6	7	8	9	10	11	12	13	14
		PART CODE NUMBER													
		1966 FORD													
All	Absorber		62										62		
All	Absorber		90										144		
Except 71	Absorber										62				
Except 76	Absorber			73	73										
Except 76	Absorber			82	82										
71	Absorber									62		62			
76	Absorber					81	81	81	81						
76	Absorber					90	90	90	90						
Except 71	Absorber										144				
71	Absorber											144			
Except 71	Bolt										51		51		
Except 76	Bolt		35												
71	Bolt									1					
71	Bolt									52			47		
76	Bolt	53				47									
All	Clip												★		
Except 71	Clip										★				
Except 76	Absorber								63						
76	Absorber	65							★						
Except 71	Absorber											148			
Except 71	Lockwasher										13				
Except 76	Lockwasher		9												
71	Lockwasher									13					
76	Lockwasher	11				13									
Except 76	Nut		2	5	5										
76	Nut					7	57	57	57						
All	Retainer												100		
All	Retainer		95										96		
Except 71	Retainer										96	61			
Except 71	Retainer										99	99			
Except 76	Retainer		100	49	49				61						
71	Retainer									96		96			
71	Retainer									100					
76	Retainer					96									
76	Retainer					102	48	48	48						
All	Shim								★			★	★		
Except 71	Shim										★				
Except 76	Shim		★	★	★										
76	Shim	67				★	★	★							
Except 76	Spacer		★												
76	Spacer								★						
Except 76	Stud			54	54										
76	Stud						56	56	56						
Except 76	Washer		27	29	29										
71	Washer									44			15		
76	Washer	22	30			29	21	21	21						

BODY BOLT CHART - continued

BODY TYPE	PART NAME	BODY BOLT LOCATION / PART CODE NUMBER													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14
1967 FORD															
All	Absorber		62										62		
All	Absorber		90												
Except 71	Absorber										105				
Except 71	Absorber										62				
Except 76	Absorber			73	73										
Except 76	Absorber			82	82										
71	Absorber									62		62			
76	Absorber					81	81	81	81						
76	Absorber						90	90	90						
Except 71	Bolt										51		51		
Except 76	Bolt		58												
71	Bolt									52		47	47		
76	Bolt	53				47									
All	Clip										★		★		
Except 71, 76	Absorber							145							
76	Absorber	65					★	★	★						
Except 71	Absorber											149			
Except 71	Lockwasher										13		43		
Except 76	Lockwasher		9												
71	Lockwasher									13		13			
76	Lockwasher	11			13										
Except 76	Nut		2	5	5										
76	Nut		4			7	57	57							
All	Retainer												96		
All	Retainer												100		
Except 71	Retainer										96				
Except 76	Retainer		100	49	49										
71	Retainer									96		95			
71	Retainer									97		100			
76	Retainer		95			96									
76	Retainer					102	48	48	48						
Except 71	Shim										★				
71	Shim									★		★			
76	Shim	67				★	★	★	★						
Except 76	Spacer		152												
71	Spacer									★					
76	Spacer								★						
Except 76	Stud			54	54										
76	Stud						56	56	56						
Except 76	Washer			29	29										
71	Washer									44					
76	Washer	27	30			29	21	21	21						
1968 FORD															
Exc. 71, 76	Absorber	191			87						174		87		
Exc. 71, 76	Absorber	172			109						175		112		
71	Absorber	191			87						174	87	112		
71	Absorber	172			109						175	112	172		
76	Absorber	172		142		81	81	81			174		112		
76	Absorber	182		184		90	90	90			175		172		
54, 57, 62, 63, 65	Clip												★		
71	Clip											★			
Exc. 71, 76	Lockwasher										60		60		
71	Lockwasher										60	60	60		
76	Lockwasher		11	186							60		60		
Exc. 71, 76	Absorber							146				150			
71	Absorber							146							
76	Absorber		65									150			
Exc. 76	Nut	116			49										
Exc. 76	Nut	-	-		14										
76	Nut	116		116		48	48	48							
76	Nut					57	57	57							

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY BOLT CHART - continued

BODY TYPE	PART NAME	BODY BOLT LOCATION PART CODE NUMBER													
		1	2	3	4	5	6	7	8	9	10	11	12	13	14
1968 FORD - continued															
Exc. 71, 76	Retainer	192									176		96		
71	Retainer	192									176	96	193		
76	Retainer										176		96		
Exc. 71	Bolt										58		178		
71	Bolt										104	104	104		
Exc. 76	Shim	188									187				
Exc. 76	Shim	189									★				
Exc. 76	Shim	190													
76	Shim		67	185		187	187	187			187				
76	Shim					★	★	★			★				
Exc. 76	Stud	181			103										
76	Stud		181	181		56	56	56							
76	Spacer							152							
Exc. 76	Washer				29										
76	Washer		22			21	21	21							
1969 FORD															
Exc. 71, 76	Absorber & stud	213													
71	Absorber & stud								121						
76	Absorber & stud	121		123											
	Absorber & stud			161		162		163	210		175		112		
Exc. 71, 76	Absorber		209		109						174		86		
	Absorber	158			157						175		112		
71	Absorber	191			109				109		78	86	86		
	Absorber	158			157						159	112	112		
76	Absorber					80	200	80	157		174		86		
Exc. 71, 76	Bolt										166		168		
71	Bolt								169		168	168	169		
76	Bolt	208							169		166		165		
54, 57, 62, 63, 65	Clip												★		
71, 76	Clip								★			★			
Exc. 71, 76	Absorber							194				195			
71	Absorber					195									
76	Absorber		202									145			
Exc. 71, 76	Lockwasher										60		60		
71	Lockwasher								60		60	60	60		
76	Lockwasher		11	207					60		60		60		
Exc. 76	Nut	116			14										
76	Nut	206		116		48	116	57							
76	Nut					57	203								
Exc. 71, 76	Retainer	192									176		96		
71	Retainer	192							96		176	96	154		
76	Retainer						164		96		176				
Exc. 71	Shim										156				
Exc. 71, 76	Shim	188									★		196		
Exc. 71, 76	Shim	189									★		197		
Exc. 71, 76	Shim	190											★		
71	Shim	188											196		
71	Shim	189							196				197		
71	Shim	190											★		
76	Shim		★	185		198		198	198		★		196		
76	Shim					199		199	199		★		197		
76	Spacer							★							
Exc. 76	Stud	181			167										
76	Stud		181	181		204	181	170							
71	Stud & absorber								121						
76	Stud & absorber	121		123											
76	Stud & absorber			161		162		163	210		175		112		
Exc. 76	Washer				29										
76	Washer		22	22		21	205	21							

BODY BOLT CHART - continued

BODY TYPE	PART NAME	BODY BOLT LOCATION 1	2	3	4	5	6	7	8	9	10	11	12	13	14
		PART CODE NUMBER													
1970/ FORD															
Exc. 71, 76	Absorber				130						160		109		
	Absorber	158									175		175		
71	Absorber				217			162	109			109	175		
	Absorber	158			★			80	175		175	109	109		
	Absorber											175			
Exc. 71, 76	Absorber & stud	213													
	Absorber & stud	218													
76	Absorber	158				80		80	175		160		175		
	Absorber	182		161							175	109	109		
	Absorber & stud			123											
Exc. 71, 76	Bolt				165						166		168		
71	Bolt	166			165				169			168	169		
76	Bolt	208							169		166				
71	Clip								★						
Exc. 71, 76	Absorber							194				195			
76	Absorber		202												
Exc. 71, 76	Lockwasher										60		60		
71	Lockwasher							60	60		60	60	60		
76	Lockwasher		11	207					60		60		60		
Exc. 76	Nut	116			14			57							
76	Nut	116		116		57		57					168		
Exc. 71, 76	Retainer	192									176		96		
71	Retainer	192						★	96			96	154		
76	Retainer								96		176		96		
Exc. 71, 76	Shim	188													
	Shim	189													
	Shim	190													
71	Shim	188						198	196						
	Shim	189						199	197						
	Shim	190						★							
76	Shim		★	185		198		198	196		156				
	Shim		★			199		199	197						
	Shim		★												
	Spacer							★							
Exc. 76	Stud	181						56							
76	Stud		181	181		56		56							
	Stud & absorber			123											
	Stud & absorber	158				80		80	175		160		175		
Exc. 76	Washer				29										
76	Washer	23	22	22											
1972 TORINO															
Exc. 71, 97	Absorber				225		227					225	225	225	
53, 64, 65	Absorber & ret.				226		226					226	224	224	
All	Absorber & stud			191											
	Absorber	172					225								
	Absorber					223									
	Bolt				216		216					216	216	216	
	Clip														
	Lockwasher														
	Nut														
	Retainer	219													
	Shim	190			163		163					163	163	163	
	Shim	188													
	Shim	189													
71, 97	Absorber & ret.				224		226					226	224		
	Absorber				228			227					225		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY BOLT CHART - continued

BODY TYPE	PART NAME	BODY BOLT LOCATION 1	2	3	4	5	6	7	8	9	10	11	12	13	14
		PART CODE NUMBER													
1967 THUNDERBIRD															
All	Absorber		62	109	109				109		105	★	105		
	Absorber		110	111	173				111		87		62		
	Bolt		58								51		47		
	Clip										★		★		
	Insulator											151			
	Lockwasher		9								13		13		
	Nut		2	115	115				115						
	Retainer		95								96	61	96		
	Retainer		100												
	Shim		★	★	★				★		★	★	★		
	Spacer		152												
	Stud			103	103				103						
	Washer		27	117	117				27						
1968 THUNDERBIRD															
All	Absorber	172			109			87			174	112	112		
	Absorber	180			173			109			175	172	86		
	Bolt										177	178	179		
	Clip											★	★		
	Lockwasher										60	60	60		
	Nut	116			14			14							
	Retainer	100									176	96	96		
	Shim	171						187			187				
	Shim	188						★			★				
	Stud	181			103			103							
	Washer				29			23							
1969 THUNDERBIRD															
All	Absorber	172			109			87			174	86	86		
	Absorber				173			109			175	112	112		
	Absorber & stud	191													
	Bolt										177	178	179		
	Clip											★			
	Lockwasher										60	60	60		
	Nut	116			14			14							
	Retainer	192									176	96	96		
	Shim	188						★			★				
	Shim	189						★			★				
	Shim	190													
	Stud	181			103			103							
	Washer				29			23							
1970/71 THUNDERBIRD															
All	Absorber	172	86		109			87			174	109	109		
	Absorber	189			*173			109				112	112		
	Absorber				#212										
	Absorber & stud	191													
	Bolt				165						166	168	165		
	Clip												★		
	Lockwasher										60	60	60		
	Nut	116			14			14							
	Retainer	192									176	96	96		
	Shim	188						★			★	★			
	Shim	189						★			★	★			
	Shim	190													
	Stud	181						103							
	Washer				29			23							

* Before 9/2/69 # From 9/2/69

BODY BOLT CHART - continued

BODY TYPE	PART NAME	BODY BOLT LOCATION 1	2	3	4	5	6	7	8	9	10	11	12	13	14
		PART CODE NUMBER													
1972 THUNDERBIRD															
All	Absorber	172			220			220			220	220	220		
	Absorber & ret.				221			221			221	221	221		
	Absorber & stud	191													
	Bolt	★						★			★	★	★		
	Clip														
	Absorber						80								
	Lockwasher														
	Nut	116						★			★	★	★		
	Retainer	219													
	Shim	188			163			163			163	163	163		
	Shim	189													
	Shim	190													
1966/67 BRONCO															
All	Absorber	118	118	118	118										
	Absorber	119	119	119	119										
	Bolt	37	37	25	123										
	Lockwasher	12	124	124	124										
	Retainer	97	97	121	121										
	Retainer	120	120	121	121										
	Retainer			122	122										
	Shim	★	★	★	★										
1968/72 BRONCO															
All	Absorber	119	119	119	118										
	Absorber	129	129												
All - 1968/69	Bolt	125	125	126	127										
All - 1970	Bolt	214	214	215	216										
All	Lockwasher	12	124	124	124										
	Retainer	97	97	121	121										
	Retainer	120	120	128	128										
	Retainer			128	128										
	Shim	★													

CODE NUMBER TO PART NUMBER LISTING - Quantity as required

CODE NO.	PART NUMBER	DESCRIPTION
1	20348-S2(B77)	Bolt-hex. head-3/8"-16 x 3/4"
2	33799-S8(M52)	Nut-hex. -3/8"-16
3	33925-S2(M33)	Nut-hex. -3/8"-24
4	34394-S7-8(M93A)	Nut-hex. -3/8"-16
5	34396-S7(M95)	Nut-hex. -7/16"-14
7	34670-S8(M54)	Nut-hex. -7/16"-14
9	34807-S8(X66)	Lockwasher-spring-3/8"
11	34809-S2(X68)	Lockwasher-spring-1/2"
12	34847-S8(X74)	Lockwasher-spring-3/8"
13	34848-S8(X75)	Lockwasher-spring-7/16"
14	34988-S4(M89D)	Nut-hex. -7/16"-14
15	44730-S8(X26)	Washer-flat-7/16"
17	★304903-S8	Bolt-hex. head
20	351092-S32(MM262)	Nut-spring-1/2"
21	351321-S8(XX197)	Washer-flat-9/16"
22	★351470-S2	Washer-flat-17/32"
23	375266-S2(XX326A)	Washer-flat-7/16"
24	351988-S8(BB187)	Bolt-hex. head-7/16"-14 x 3 3/4"
25	353677-S8(BB405)	Bolt-hex. head-3/8"-16 x 3 13/32"
27	★356379-S8	Washer-flat
28	★356442-S2	Washer-flat-1/2"
29	356583-S100(XX170)	Washer-flat-7/16"
30	356606-S8(XX184)	Washer-flat-1/2"
35	C1VE 6A527-A	Bolt-hex. head-3/8"-16 x 2 29/32"
37	371741-S(BB160)	Bolt-hex. head-3/8"-16 x 2 1/2"

CODE NO.	PART NUMBER	DESCRIPTION
39	372337-S(BB390)	Bolt-hex. head-1/2"-20 x 1 5/8"
43	375266-S2(XX326A)	Lockwasher
46	376095-S7-8(BB178A)	Bolt-hex. head-7/16"-14 x 1 7/8"
47	376275-S7-8(BB181A)	Bolt-hex. head-7/16"-14 x 2 9/16"
48	377317-S(MM192X)	Nut & retainer assy. -3/8"-16
49	377318-S2(MM192Y)	Nut & retainer assy. -7/16"-14
50	377957-S7-8(BB169A)	Bolt-hex. head-3/8"-16 x 3 3/4"
51	★379143-S8	Bolt-hex. head-7/16"-14 x 3 3/4"
52	★379515-S2	Bolt-hex. head-7/16"-14 x 2 1/8"
53	★379647-S2	Bolt-hex. head-1/2"-13 x 2 3/4"
54	379966-S2(WW98H)	Stud
55	★380612-S2	Stud
56	380616-S2(WW127)	Stud-3/8"-16 x 2 5/16"
57	380618-S(MM173T)	Nut-3/8"-16
58	381843-S2(BB404E)	Bolt-hex. head-3/8"-16 x 3 3/16"
59	C8AZ 7100394-B	Bolt-hex. head-7/16"-14 x 4 1/4"
60	★352433-S2	Lockwasher
61	C5AZ 5B078-B	Retainer
62	C5AZ 5B098-B	Absorber
63	C5AZ 5A103-E	Absorber
65	C4AZ 8125-B	Insulator
66	C4AZ 8125-C	Insulator
67	C3AZ 8126-A	Shim
69	★B8E 8126-A	Shim
72	★B7A 7000151-B	Retainer

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY BOLT CHART - continued

CODE NUMBER TO PART NUMBER LISTING - Quantity as required

CODE NO.	PART NUMBER	DESCRIPTION
73	D0VY 6500154-C	Absorber
74	C4AZ 6200154-A	Absorber
78	C9AZ 6200396-A	Absorber & retainer-lower
79	C5AZ 7600154-A	Absorber-upper
80	D2SZ 5A103-A	Absorber
81	C5AZ 7600154-C	Absorber
82	C3AZ 6200155-A	Absorber
83	C3AZ 6200155-E	Absorber
84	C4AZ 6200155-A	Absorber
85	C4AZ 6200155-B	Absorber
86	C5AZ 7600154-A	Absorber - upper
87	C7AZ 6200155-A	Absorber
89	C5AZ 7100155-A	Absorber
90	C5AZ 7600155-A	Absorber
95	C5AZ 6200157-A	Retainer
96	C5AZ 6200157-B	Retainer
97	C3AZ 6200163-A	Retainer
99	C5AZ 6200163-B	Retainer
100	C7AZ 6200163-A	Retainer
102	C5AZ 7600163-A	Retainer
103	C8AZ 6500394-A	Stud
104	C8AZ 7100394-B	Bolt-hex. head-7/16"-14 x 2"
105	C7AZ 6200396-C	Absorber and retainer
106	380311-S2(WW80G)	Stud-3/8"-16 x 2"
107	39885-S7-8(U263E)	Screw
108	373403-S8(MM173J)	Nut
109	D0VY 6500154-B	Absorber - upper
110	C7SZ 6500155-C	Absorber - 2" x 1 3/8"
111	C7SZ 6500155-B	Absorber-2 1/4" O.D. -rubber
112	C9AZ 6200396-A	Absorber and retainer
114	★40954-S2	Screw
115	★55713-S7	Nut-hex. -3/8"-16
116	34979-S4(B69FA)	Nut-hex. -1/2"-13
117	★373290-S2	Washer
118	C6TZ 8100154-A	Absorber-upper
119	C6TZ 8100155-A	Absorber-lower
120	C6TZ 8100157-A	Retainer
121	C9AZ 7600396-A	Absorber & retainer - upper
122	C6TZ 8100157-B	Retainer
123	C9AZ 7600396-B	Absorber & stud-upper
124	351487-S(XX291)	Lockwasher-external tooth-3/8"
125	383271-S2(BB552AC)	Bolt-hex. head-3/8"-16 x 3 1/2"
126	383272-S2(BB552BC)	Bolt-hex. head-3/8"-16 x 4 1/4"
127	382322-S2(BB552C)	Bolt-hex. head-3/8"-16 x 4 1/8"
128	★C6TZ 9600151-A	Retainer
129	C6TZ 8100154-B	Absorber
140	C8AZ 7600394-B	Bolt-hex.head-1/2"-13 x 2 3/4"
141	C8AZ 7600396-A	Absorber
142	★C8AZ 7600155-A	Absorber-lower
143	★C5AZ 5B098-A	Absorber
144	C5AZ 5B098-C	Absorber
145	C7AZ 5A103-B	Absorber
146	C8AZ 5A103-A	Absorber
147	★C5AZ 5A103-D	Absorber
148	C5AZ 5A103-A	Absorber
149	C7AZ 5A103-A	Absorber
150	C8AZ 5A103-B	Absorber
151	C7SZ 5A103-A	Absorber
152	C7AZ 5A076-A	Spacer
153	C3AZ 5A076-A	Spacer
154	C9AZ 7100151-A	Retainer
156	C9AZ 6200145-C	Shim
157	C9AZ 6200155-A	Absorber
158	C9AZ 6200155-B	Absorber - lower
159	C5AZ 7600154-A	Absorber
160	C9AZ 6200154-B	Absorber
161	C9AZ 7600155-B	Absorber & stud

CODE NO.	PART NUMBER	DESCRIPTION
162	C9AZ 7600155-C	Absorber & stud
163	D2OZ 6500145-A	Shim-1 3/4" O.D.
164	C9AZ 7600163-A	Retainer
165	C9AZ 6200394-D	Bolt-hex. hd.
166	C9AZ 6200394-B	Bolt-hex. hd. -7/16"-14 x 1 7/8"
167	C9AZ 6200394-D	Stud-7/16"-14 x 3 5/32"
168	C9AZ 7100394-A	Bolt-hex. hd. -7/16"-14 x 3"
169	C9AZ 7100394-B	Bolt-hex. hd. -7/16"-14 x 2 1/2"
170	★C9AZ 7600394-A	Stud-7/16"-14
171	C7MY 6200145-A	Shim
172	D2OZ 6500155-B	Absorber-lower
173	C8SZ 6500155-A	Absorber-lower
174	D0VY 6500154-B	Absorber - upper
175	C8AZ 6200396-D	Absorber & retainer - lower
176	C8AZ 6200163-A	Retainer-upper
177	C8AZ 6200394-A	Bolt
178	C8AZ 6200394-B	Bolt
179	★C8AZ 7600394-A	Bolt
180	C7AZ 6200396-C	Retainer-upper
181	C8AZ 7600394-B	Stud-hex. hd. -1/2"-13 x 2 3/4"
182	C8AZ 6200396-C	Absorber-upper
184	★C8AZ 7600396-A	Absorber & retainer-upper
185	C8AZ 7600145-A	Shim
186	376515-S2(XX326)	Lockwasher-1/2"
187	C7MY 6200145-B	Shim
188	C8AZ 6200145-A	Shim
189	C8AZ 6200145-B	Shim
190	C8AZ 6200145-C	Shim
191	D2OZ 6500396-C	Absorber & stud
192	C8AZ 6200163-B	Retainer
193	C8AZ 7100151-A	Absorber & retainer-lower
194	C9AZ 5A103-A	Absorber
195	C9AZ 5A103-B	Absorber
196	C9AZ 6200145-A	Shim
197	C9AZ 6200145-B	Shim
198	C9AZ 7600145-C	Shim
199	C9AZ 7600145-D	Shim
200	★C9AZ 5B098-A	Absorber
202	8C 8124-A	Absorber
203	★382760-S	Nut-hex. -1/2"-13
204	★382761-S	Stud-3/8"-16 x 2 1/8"
205	★382763-S	Washer-flat-11/16"
206	33773-S(M89M)	Nut-hex. -1/2" x 13
207	376515-S(XX326)	Lockwasher-internal tooth-1/2"
208	C9AZ 16152-A	Bolt
209	C9AZ 5B098-B	Absorber
210	C9AY 7600396-A	Absorber & retainer - upper
211	D0AZ 6200163-A	Retainer
212	D0SZ 6500155-A	Absorber
213	C9AZ 6200396-B	Absorber & stud - upper-4 5/8" long
214	383271-S2(BB552AC)	Bolt-hex. hd. -3/8"-16x3 1/2"
215	383272-S2(BB552BC)	Bolt-hex. hd. -3/8"-16x4 1/4"
216	383273-S2(BB552CC)	Bolt-hex. hd. -3/8"-16x5"
217	D1AZ 6500155-A	Absorber
218	D1AZ 6500396-A	Absorber & stud upper-4 1/2" long
219	D2OZ 6500163-A	Retainer
220	D2SZ 6500155-A	Absorber-lower
221	D2SZ 6500396-A	Absorber & retainer-upper
222	D2OZ 5A103-A	Absorber
223	D2OZ 5A103-B	Absorber
224	D2OZ 6500396-D	Absorber & retainer-upper
225	D2OZ 6500155-C	Absorber-lower
226	D2OZ 6500396-E	Absorber & retainer-upper
227	D2OZ 5A103-C	Absorber
228	D2OZ 6500155-D	Absorber-lower

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
030A12	**SPACER - WINDSHIELD GLASS**				
	67/68	A "Before 4/15/68"	Lower-5/8" x 2"	C5AZ 62030A12-C	2
	69	S	Lower		2
	65/70	A,B,S- "From 4/15/68"	Lower-7/8" x 1 3/16"	C8AZ 62030A12-A	2
	70/71	F			2
	68/70	X			2
	69	A,B,F,S,X	Lower-1 1/8" wide	C9AZ 62030A12-A	2
	70	A			2
	71/	A,F	Lower-attaches to cowl top outer panel	D2AZ 65030A12-A	2
	72	A,F	Lower	D0DZ 62030A12-A	2
	68	B,X "Before 4/15/68"	Lower	C8OZ 54030A12-A	2
	70/71	B,S	Lower	D0OZ 65030A12-A	2
	71	A,F			2
	72	B,S	Lower	D2OZ 65030A12-A	2
	70/	P	Lower	D0DZ 62030A12-A	4
			Screw-self tap rd.washer hd.-No.8-18 x 3/8"	379560-S101(UU89CA)	8
03014	**FRAME - WINDSHIELD**				
	66/	U		C9TZ 9603014-B	1
			1/4-20 x 1/2" Hex. head bolt	20308-S8(B40)	10
03045	**SEAL - FOLDING TOP HEADER WINDSHIELD** - Refer to Group 51338				
03048	**BRACKET - WINDSHIELD HOLD DOWN**				
	67/	U(97,98)		C8TZ 9603048-A	1
03052-3	**BRACE - STEERING COLUMN BRACKET**				
	70/71	B	R.H.	D0OZ 6503052-A	1
			L.H.	D0OZ 6503053-A	1
03082	**FILLER - WINDSHIELD FRAME WEATHERSTRIP**				
	66/	U(97,98)	Rubber	C6TZ 9703082-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	NAGS NUMBER	PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
03100	**%GLASS - WINDSHIELD**						
		- A -					
	65/67	A(54,62,71)	Δ	W665	C6AZ 6203100-A	C6AZ 6203100-B	1
	65/67	A(57,63,76)	▲	W664	★C6AZ 6303100-A Not replaced (5-75)	C6AZ 6303100-D	1
	68	A(54,62,71)	Δ	W697	C8AZ 6203100-A	C8AZ 6203100-B	1
	68	A(57,63,65,76)	Δ	W696	C6AZ 6303100-C	C6AZ 6303100-D	1
	69	A(54,62,71)	•	W719	C9AZ 6203100-A	C9AZ 6203100-B	1
	69	A(57,63,65,76)	Δ	W718	C9AZ 6303100-A	C9AZ 6303100-B	1
	70	A(54,62,71)	#	W734	C9AZ 6203100-C	C9AZ 6203100-D	1
	70	A(57,63,65,76)	#	W733	D0AZ 6303100-A	D0AZ 6303100-B	1
	71/	A(53,57,76)	Δ	W769	D1AZ 5703100-A	D1AZ 5703100-B	1
	71/	A(54,71)	Δ	W770	D1AZ 5403100-A	D1AZ 5403100-B	1
	71/72	A(65)	Δ	W799	D3AZ 6503100-A	D3AZ 6503100-B	1
		- B -					
	65	B(except 65)		W619	C2OZ 6203100-A	C2OZ 6203100-B	1
	65	B(65)	Δ	W634	C3OZ 6503100-C	C3OZ 6503100-D	1
	66/67	B(54,62,66,71)		W666	C6OZ 6203100-A	C6OZ 6203100-B	1
	66/67	B(63,76)	Δ	W667	C6OZ 6303100-A	C6OZ 6303100-B	1
	68/69	B(54,71)	•	W701	C8OZ 5403100-A	C8OZ 5403100-B	1
	68/69	B(63,65,66,76)	Δ	W700	C8OZ 6303100-A	C8OZ 6303100-B	1
	70/71	B(54,57,62,65,66,76)	Δ	W736	D0OZ 6503100-A	D0OZ 6503100-B	1
	70/71	B(63)	Δ	W735	D0OZ 6303100-A	D0OZ 6303100-B	1
	70/71	B(71)	Δ	W737	D0OZ 7103100-A	D0OZ 7103100-B	1
	72	B	Δ	W791	D2OZ 6503100-A	D2OZ 6503100-B	1

Includes flat type mirror bracket • Ball type mirror bracket Δ Includes mirror bracket ▲ Includes button & pad
% To convert ball type to flat type mirror bracket use basic Group 17698 in Chassis Section

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	NAGS NUMBER	PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
03100	**%GLASS - WINDSHIELD - continued**						
		- F -					
	65/67	F		W654	C6ZZ 6503100-A	C6ZZ 6503100-C	1
	68	F	Δ	W703	C8ZZ 6503100-A	C8ZZ 6503100-B	1
	69	F(63)	•	W720	C9ZZ 6303100-A	C9ZZ 6303100-B	1
	69	F(65,76)	•	W721	C9ZZ 6503100-A	C9ZZ 6503100-B	1
	70	F(63)	#	W738	D0ZZ 6303100-A	D0ZZ 6303100-B	1
	70	F(65,76)	#	W739	D0ZZ 6503100-A	D0ZZ 6503100-B	1
	71/72	F(63)	Δ	W800	D3ZZ 6303100-A	D3ZZ 6303100-B	1
	71/72	F(65,76)	Δ	W801	D3ZZ 6503100-A	D3ZZ 6503100-B	1
		- L -					
	71/	L	Δ	W774	D1FZ 6203100-A	D1FZ 6203100-B	1
		- P -					
	70/71	P	Δ	W727	D0DZ 6203100-A	D0DZ 6203100-B	1
	72	P	Δ	W797	D2DZ 6203100-A	D2DZ 6203100-B	1
		- S -					
	65/66	S	Δ	W651	C4SZ 6303100-A	C4SZ 6303100-B	1
	67	S	Δ	W686	C7SZ 6503100-A	C7SZ 6503100-B	1
	68/69	S	Δ	W702	C7SZ 6503100-C	C7SZ 6503100-D	1
	70	S(57)	Δ-incl.antenna	W741	D0SZ 5703100-C	D0SZ 5703100-D	1
	70	S(65)	Δ-incl.antenna	W740	D0SZ 6503100-A	D0SZ 6503100-B	1
	71	S(57,65B,D)	Δ-less antenna	W742	D0SZ 5703100-A	D0SZ 5703100-B	1
	71	S(65A,C)	Δ-less antenna	W771	D1SZ 6503100-A	D1SZ 6503100-B	1
	72	S	Δ	W792	D2SZ 6503100-B	D2SZ 6503100-A	1
		- U -					
	66	U "Before Ser. 844,001"		1084T	C6TZ 9603100-A		1
	66/67	U "From Ser. 844,001"	Δ	1084K	C6TZ 9603100-B		1
	68/69	U	Δ	1084K1	C6TZ 9603100-C		1
	70/	U	#	1084KI-A	D0BZ 9703100-A		1
		-X -					
	65	X(except 63,76)		W584	C0DB 6403100-E	C0DB 6403100-F	1
	65	X(63,76)	Δ	W635	C3DZ 7603100-C	C3DZ 7603100-D	1
	66/67	X		W666	C6OZ 6203100-A	C6OZ 6203100-B	1
	68/69	X	•	W701	C8OZ 5403100-A	C8OZ 5403100-B	1
	70	X	#	W744	C9DZ 5403100-B	C9DZ 5403100-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
03110	**WEATHERSTRIP - WINDSHIELD** - Also refer to group 19562				
		- B -			
	65	B(except 65)		C2OZ 6203110-A	1
		- F -			
	65/68	F		C5ZZ 6503110-A	1
		- L -			
	71/	L		D1FZ 6203110-A	1
		- P -			
	70/71	P	Use w/1/4" thick glass	D0DZ 6203110-A	1
	72	P	Use w/7/32" thick glass	D2DZ 6203110-A	1
		- S -			
	65/66	S(63)		C4SZ 6303110-A	1
		- U -			
	66/	U	Without mouldings	C6TZ 9603110-B	1
	67/	U	With mouldings	C7TZ 9603110-A	1
		- X -			
	65	X(except 63,76)		C0DB 6403110-C	1
	65	X(63)		C3DZ 6303110-A	1
	65	X(76)		C3DZ 7603110-A	1
03114	**WEATHERSTRIP - WINDSHIELD FRAME**				
	66/	U (97,98)	56" long	C6TZ 9703114-A	1

Δ Includes mirror bracket • Ball type mirror bracket # Includes flat type mirror bracket

% To convert ball type to flat type mirror bracket use basic Group 17698 in Chassis Section

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
03136-7	**MOULDING - WINDSHIELD OUTSIDE - SIDE** - Includes Attaching Parts					
		- A -				
	65/68	A(54, 62, 71)		C5AZ 6203136-C	C5AZ 6203137-C	1
	65/68	A(57, 63, 65)		C5AZ 6303136-C	C5AZ 6303137-C	1
	65/68	A(76)		C5AZ 7603136-D	C5AZ 7603137-D	1
	65/68	A(54,57,62,63,71)	Retainer	C6AZ 6203782-A	C6AZ 6203782-A	2
	65/67	A(57, 63)	Rivet (blind)	379229-S(SS44A)	379229-S(SS44A)	AR
	69/70	A(54, 62, 71)		C9AZ 6203136-A	C9AZ 6203137-A	1
	69/70	A(57, 63, 65)		C9AZ 6303136-A	C9AZ 6303137-A	1
	69/70	A(76)		C9AZ 7603136-B	C9AZ 7603137-B	1
	71/	A(53,54,57,71)		D1AZ 5403136-A	D1AZ 5403137-A	1
	71/	A(65)		D1AZ 6503136-A	D1AZ 6503137-A	1
	71/	A(76)		D1AZ 7603136-A	D1AZ 7603137-A	1
		- B -				
	65	B(except 65)		C2OZ 6203136-A	★C2OZ 6203137-A Not replaced(3-74)	1
	66/67	B(63)		C8OZ 6503136-A	★C6OZ 6303137-A r/b C8OZ 6503137-A (7-72)	1
	66	B(54, 62, 71)		C6OZ 6203136-A	C6OZ 6203137-A	1
	67	B(54, 62, 66, 71)				1
	68/69	B(54, 71)				1
	68/69	B(63, 65, 66)		C8OZ 6503136-A	C8OZ 6503137-A	1
	68/69	B(76)		C8OZ 7603136-A	C8OZ 7603137-A	1
	68/69	B(54, 71)	No.8-18 x 3/4" round hd. screw	379560-S101 (UU89CA)	379560-S101 (UU89CA)	6
	70/71	B(54, 57, 62, 65, 66)		D0OZ 6503136-A	D0OZ 6503137-A	1
	70/71	B(63)	Includes upper moulding	D0OZ 6303136-A	D0OZ 6303137-A	1
	70/71	B(71)		D0OZ 7103136-A	D0OZ 7103137-A	1
	70/71	B(76)		D0OZ 7603136-A	D0OZ 7603137-A	1
	72	B		D2OZ 6503136-A	D2OZ 6503137-A	1
		- F -				
	65/68	F(63, 65)		C5ZZ 6503136-B	C5ZZ 6503137-B	1
	65/68	F(76)		C5ZZ 7603136-D	C5ZZ 7603137-D	1
	69/70	F(63)		C9ZZ 6303136-A	C9ZZ 6303137-A	1
	69/70	F(65)		C9ZZ 6503136-A	C9ZZ 6503137-A	1
	69/70	F(76)		C9ZZ 7603136-B	C9ZZ 7603137-B	1
	71/	F(63)		D1ZZ 6303136-A	D1ZZ 6303137-A	1
	71/	F(65)	Refer to Group 03144-5			
	71/	F(76)		D1ZZ 7603136-A	D1ZZ 7603137-A	1
		- L -				
	71/	L		D1FZ 6203136-A	D1FZ 6203137-A	1
		- P -				
	70/72	P		D0DZ 6203136-A	D0DZ 6203137-A	1
		- S -				
	65	S(63)		C4SZ 6303136-A	★C4SZ 6303137-A	1
	66	S(63A)			Not replaced(3-74)	1
	66	S(63C, D)		C6SZ 6303136-A	C6SZ 6303137-A	1
	67/69	S		C7SZ 6503136-A	C7SZ 6503137-A	1
	70/71	S(57)		D0SZ 5703136-A	D0SZ 5703137-A	1
	71	S(65B, D)				1
	70	S(65)		D0SZ 6503136-A	D0SZ 6503137-A	1
	71	S(65A, C)				1
	72	S		D2SZ 6503136-A	D2SZ 6503137-A	1
		- U -				
	67/72	U(97, 98)		C7TZ 9603136-B	C7TZ 9603137-B	1
		- X -				
	65	X(except 63, 76)	Less attaching parts	C1DB 6403136-A	C1DB 6403137-A	1
			No. 8-15 x 3/4" Cross recess oval head screw	359872-S100(UU54B)	359872-S100(UU54B)	2
	66	X(54, 62, 66, 71)		C6OZ 6203136-A	C6OZ 6203137-A	1
	67/70	X(54, 62, 71)				1
	67/70	X	No.8-18 x 3/8" Round hd. screw	379560-S101 (UU89CA)	379560-S101 (UU89CA)	6

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
03144-5		MOULDING - WINDSHIELD OUTSIDE - TOP - INCLUDES ATTACHING PARTS			
		- A -			
	65/66	A(54, 62, 71) "Before 9/1/65"		C5AZ 6203144-B	1
			Retainer	C5AZ 6203178-B	8
	66/68	A(54, 62, 71) "From 9/1/65"		C6AZ 6203144-A	1
	65/66	A(57, 63) "Before 2/1/66"	Without weld on stud-less attaching parts	C5AZ 6303144-B	1
			Retainer	C5AZ 6303178-A	8
	66/67	A(57, 63) "From 2/1/66"	With weld on stud	C6AZ 6303144-A	1
	68	A(57, 63, 65)			1
	65/66	A(76)	R.H.	C5AZ 7603144-B	1
			L.H. -not replaced (3-74)	★C5AZ 7603145-B	1
	67/68	A(76)	R.H. -not replaced (3-74)	★C7AZ 7603144-A	1
			L.H.	C7AZ 7603145-A	1
	69/70	A(54, 62, 71)		C9AZ 6203144-A	1
	69/70	A(57, 63, 65)		C9AZ 6303144-A	1
	71/	A(53, 57)		D1AZ 5703144-A	1
	71/	A(54)		D1AZ 5403144-A	1
	71/	A(65)		D1AZ 6503144-A	1
	71/	A(71)		D1AZ 7103144-A	1
	69/	A(76)	R.H.	C9AZ 7603144-A	1
			L.H.	C9AZ 7603145-A	1
		- B -			
	65	B(65)		C3OZ 6503144-A	1
	66	B(54, 62, 71)		C6OZ 6203144-A	1
	67	B(54, 62, 66, 71)			1
	68	B(54, 66, 71)			1
	69	B(54, 71)			1
	66/67	B(63)		C6OZ 6303144-A	1
	68	B(63, 65)			1
	69	B(63, 65, 66)			1
	70	B(54, 57, 62, 65, 66, 76)		D0OZ 6503144-A	1
	71	B(54, 57, 65, 66)			1
	70/71	B(63)	Refer to Group 03136-7		
	70/71	B(71)		D0OZ 7103144-A	1
	66/71	B(76)	R.H.	C8OZ 7603144-A	1
			L.H.	C8OZ 7603145-A	1
	72	B		D2OZ 6503144-A	1
		- F -			
	65/68	F(63, 65)	R.H.	C5ZZ 6503144-B	1
			L.H.	C5ZZ 6503145-B	1
	65/68	F(76)	R.H.	C5ZZ 7603144-A	1
			L.H.	C5ZZ 7603145-A	1
	69/70	F(63)		C9ZZ 6303144-A	1
	69/70	F(65)		C9ZZ 6503144-A	1
	69	F(76) "Before 4/29/69"	R.H.	C9ZZ 7603144-A	1
			L.H.	C9ZZ 7603145-A	1
	69/70	F(76) "From 4/29/69"	R.H.	C9ZZ 7603144-B	1
			L.H.	C9ZZ 7603145-B	1
	71/	F(63)		D1ZZ 6303144-A	1
	71/	F(65)	R.H.	D1ZZ 6503144-A	1
			L.H.	D1ZZ 6503145-A	1
	71/	F(76)	R.H.	D1ZZ 7603144-A	1
			L.H.	D1ZZ 7603145-A	1
		- L -			
	71/	L	R.H.	D1FZ 6203144-A	1
			L.H.	D1FZ 6203145-A	1
		- P -			
	70/72	P	R.H.	D0DZ 6203144-A	1
			L.H.	D0DZ 6203145-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
03144-5	**MOULDING - WINDSHIELD OUTSIDE-TOP - Includes Attaching Parts - continued**				
		- S -			
	67/71	S(57)	R.H.	C7SZ 6503144-A	1
	67/69	S (65)			1
	71	S (65B, D)			1
			L.H.	C7SZ 6503145-A	1
	70	S(65)		D0SZ 6503144-A	1
	71	S (65A, C)			1
	72	S		D2SZ 6503144-A	1
		- U -			
	67/72	U(97,98)	R.H.	C7TZ 9603144-B	1
			L.H.	C7TZ 9603145-B	1
		- X -			
	65	X(except 63, 76)		C0DB 6403144-A	1
	65	X(63)		C3DZ 6303144-A	1
	66/70	X(54, 62, 66, 71)		C6OZ 6203144-A	1
03148-9	**MOULDING - WINDSHIELD OUTSIDE - BELT** - Includes Attaching Parts				
		- A -			
	65/68	A	R.H.	C5AZ 6203148-B	1
			L.H.	C5AZ 6203149-B	1
	69/70	A		C9AZ 6203148-A	1
	65	A	No. 6 x 1/2" Cross recess flat head screw	52010-S8(U200)	2
		- B -			
	66/69	B	R.H.	C6OZ 6203148-A	1
			L.H.	C6OZ 6203149-A	1
	65	B	No. 6 x 1/2" Cross recess flat head screw	52010-S8(U200)	2
		- F -			
	65/68	F		C5ZZ 6503148-B	1
	69/70	F(63, 65)	R.H.	D0ZZ 6503148-B	1
			L.H.	D0ZZ 6503149-B	1
	69/70	F(76)	R.H.	C9ZZ 7603148-A	1
			L.H.	C9ZZ 7603149-A	1
		- L -			
	71/	L	R.H.	D1FZ 6203148-A	1
			L.H.	D1FZ 6203149-A	1
		- P -			
	70/72	P	R.H.	D0DZ 6203148-A	1
			L.H.	D0DZ 6203149-A	1
		- S -			
	67/69	S	R.H.	C7SZ 6503148-A	1
			L.H.	C7SZ 6503149-A	1
		- U -			
	67/	U(97,98)		C7TZ 9603148-B	1
		- X -			
	65	X		C0DB 6403148-A	1
			No. 6 x 1/2" Cross recess flat head screw	52010-S8(U200)	2
	66/70	X	R.H.	C6OZ 6203148-A	1
			L.H.	C6OZ 6203149-A	1
03150	**SPACER - WINDSHIELD OUTSIDE BELT MOULDING** - Also refer to Group 03200				
	66/68	B, X	1" long	C6OZ 6203150-D	3
	67/68	B, X	1 1/4" long	C7OZ 6203150-A	8
	66/	B	3/4" long -at front fender	C6OZ 6203150-B	8
	66/70	X			8
	69/	B	1" long	C9OZ 5403150-A	3
	69/70	X			3
	67/68	F		C7ZZ 6503150-A	4
	69/70	F	2" long-at cowl top	C9ZZ 6503150-A	1
			3/4" long-at front fender	C9ZZ 6503150-B	1
			3/4" long-at cowl top	C9ZZ 6503150-C	1
	70/	P		D0DZ 6203150-A	2
	67/69	S "Before 4/1/69"	Lower center	C7SZ 6503150-A	4
			Side	C7SZ 6503150-B	2
	69/	S "From 4/1/69"	Lower center	C9SZ 6503150-A	4
			Side	C9SZ 6503150-B	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
03152-3	**COVER - WINDSHIELD OUTSIDE TOP** - Refer to group 03220-1				
03154	**WEATHERSTRIP - WINDSHIELD - OUTSIDE - SIDE MOULDING** - Refer to Group 19562 in Paint Section				
03174	**RETAINER - WINDSHIELD OUTSIDE SIDE MOULDING**				
	70	P "Before 10/29/69"	Refer to Group 03406		
	70/	P "From 10/29/69"		D0DZ 6203174-A	AR
	71/	L			5
03178	**RETAINER - WINDSHIELD OUTSIDE MOULDING** - Also refer to group 42413				
	65/67	A(57,63) "Before 2/1/66"	Side and top	C5AZ 6303178-A	8
	66	A(76) "From 2/1/66"	Side	C6AZ 7603178-A	4
	65/67	A(57,63)	Also used on back window		9or14
	65/67	A(54,62,71)		C5AZ 6203178-B	8
	67/68	A(76)	Side	C5AZ 6303178-A	4
	65	F	Refer to Group 42413		
	69/70	S		C9SZ 6503178-A	2
	71	S(57,65B,D)			2
	65	X(63)		C3DZ 6303178-A	5
			No. 8-18 x .38" Cross recess truss head screw	376378-S101(UU97)	8 or 22
03200	**SPACER - WINDSHIELD OUTSIDE BELT MOULDING** - Also refer to Group 03150				
	66	B(except 76),X - "Before 12/27/65"	3/4" wide	C6OZ 6203200-A	5
	66/70	B,X "From 12/27/65"	3/4" wide	C6OZ 6203200-B	5
	71	B			5
	67/69	S	3/4" wide	C7SZ 6503200-A	AR
	71	S(57,65B,D)			14

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
03220-1	**MOULDING - WINDSHIELD OUTSIDE UPPER CORNER** - Includes Attaching Parts					
	65	B(except 65)	Less attaching parts	C2OZ 6203220-B	★C2OZ 6203221-B Not replaced (3-74)	1
	65	X(except 63,76)		C0DB 6403152-C	★C0DB 6403153-C Not replaced	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
03243	**STRIP - WINDSHIELD**				
	70/72	A,B,F,S	61" long-cut to fit	D3AZ 6503243-A	1
03266	**SEAL - WINDSHIELD GARNISH SIDE MOULDING**				
	65	S(76)	Cut to 23" from C4SZ 63517B30-A		2
	66	S(63C,D)	Cut to 24" from C4SZ 63517B30-A		2
	66	S(76)	Cut to 22" from C4SZ 63517B30-A		2
03406-7	**RETAINER - WINDSHIELD OUTSIDE BELT MOULDING**				
	65/68	A	Also included with 03148-9 moulding	C5AZ 6203407-A	2
	67/68	A		C7AZ 6203407-A	6
	65/68	A	No. 8-15 x 5/8" Hex. washer head screw	★42133-S2	2or8
	66/67	B,X		C6OZ 6203407-A	7
	68/69	B,X		C9OZ 5403407-A	7
	69/70	F		C9ZZ 6503406-A	7
	70	P "Before 10/29/69"		D0DZ 6203406-A	8
	70	P "From 10/29/69"	Refer to Group 03174		
	67/69	S	R.H.	C7SZ 6503406-B	1
			L.H.	C7SZ 6503407-B	1
03408	**PANEL - WINDSHIELD HEADER**				
		- A -			
	65/66	A(57,63) "Before 2/7/66"		C5AZ 6303408-A	1
	65/66	A(76) "Before 2/7/66"		C5AZ 7603408-A	1
	69/70	A(57,63,65)		D1AZ 5703408-A	1
	71/	A(53,57)			1
	69/	A(54,62,71)		D1AZ 5403408-A	1
	71/	A(65)		D1AZ 6503408-A	1
	69/	A(76)		C9AZ 7603408-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
03408	**PANEL - WINDSHIELD HEADER - continued**				
		- B -			
	68/69	B(54, 71)		C8OZ 5403408-A	1
	68/71	B(76)		C8OZ 7603408-A	1
	70/71	B(except 71, 76)		D0OZ 6503408-A	1
	70/71	B(71)		C8OZ 5403408-A	1
	72	B		D2OZ 6503408-A	1
		- F -			
	65/66	F(63, 65)		C5ZZ 6503408-A	1
	69/70	F(63)		C9ZZ 6303408-A	1
	69/70	F(65)		C9ZZ 6503408-A	1
	69	F(76) "Before 4/29/69"		C9ZZ 7603408-A	1
	69/70	F(76) "From 4/29/69"		C9ZZ 7603408-B	1
	71/	F(63, 65)		D1ZZ 6503408-A	1
	71/	F(76)		D1ZZ 7603408-A	1
		- P -			
	70/	P		D0DZ 6203408-A	1
		- S -			
	68/69	S		C8SZ 6503408-A	1
	70/71	S(57)			1
	71	S(65B, D)			1
	70	S(65)		D0SZ 6503408-A	1
	71	S(65A, C)		D1SZ 6503408-A	1
	72	S		D2SZ 6503408-A	1
		-X -			
	68/70	X		C8OZ 5403408-A	1
03496	**COVER - WINDSHIELD HEADER FLANGE**				
	68	A(63), S(65)		C8SZ 6503496-A	2
	68	F(63, 65)	17 1/2" long	C8ZZ 6503496-A	2
	68	S(57)		C8SZ 5703496-A	1
03542	**MOULDING - WINDSHIELD HEADER - INSIDE**				
	66	B(63)	Red	C6OZ 6303542-AAC	1
			Clip	376330-S2(GG121)	1
	67/68	B(except 76), X	Black	C9OZ 5403542-C1A	1
	69	B(except 76), X	Aqua	C9OZ 5403542-C1K	1
			Black	C9OZ 5403542-C1A	1
			Blue(light)	C9OZ 5403542-C1B	1
			Nugget gold	C9OZ 5403542-C1Y	1
			White	C9OZ 5403542-C1W	1
	70	B(except 76)	Black	C9OZ 5403542-C1A	1
			Blue	D0OZ 5403542-C	1
			Ginger	D0OZ 5403542-A	1
			Green	D0OZ 5403542-B	1
			Red	D0OZ 5403542-D	1
			White	C9OZ 5403542-C1W	1
	71	B(except 76)	Black	C9OZ 5403542-C1A	1
			Blue	D0OZ 5403542-C	1
			Ginger	D0OZ 5403542-A	1
			Gray gold	D1OZ 5403542-C	1
			Green	D1OZ 5403542-B	1
			Vermillion	D1OZ 5403542-A	1
			White	C9OZ 5403542-C1W	1
	66/71	B(76)	Refer to Group 03606-7		

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
03598-9	**MOULDING - WINDSHIELD GARNISH - SIDE** - Includes Attaching Parts					
		- A -				
	65	A(57, 63)		C5AZ 6303598-B	★C5AZ 6303599-A Not replaced (3-74)	1
	66	A(57, 63)		C5AZ 6303598-B	★C5AZ 6303599-B Not replaced (3-74)	1
	67	A, B, S	Refer to Group 03598-9 in Soft Trim Section			

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
03598-9		MOULDING - WINDSHIELD GARNISH - SIDE - Incl. attaching parts - continued				
		- A -				
	68	A(54, 62, 71)	Paint to match	C8AZ 6203598-A'	★C8AZ 6203599-A Not replaced (5-75)	1
	69	A(57, 63, 65)	Paint to match	C9AZ 6303598-A	C9AZ 6303599-A	1
	69/70	A(54, 62, 71)	Paint to match	C9AZ 6203598-A	C9AZ 6203599-A	1
	71/	A(54, 71)				1
	70	A(57, 63, 65)	Paint to match	D0AZ 6303598-A	D0AZ 6303599-A	1
	71/	A(53, 57)				1
	71/	A(65)	Paint to match	D1AZ 6503598-A	D1AZ 6503599-A	1
	69/	A(76)	Paint to match	C9AZ 7603598-A	C9AZ 7603599-A	1
	69/	A	No. 8-18 x 1 1/2" oval head self tapping screw	376290-S100(UU56D)	376290-S100(UU56D)	2
		- B -				
	66/68	B	Refer to Group 03598-9 in Soft Trim Section			
	69	B	Serviced in Assembly - refer to Group 02522-3			
	70/71	B(63)	Paint to match	D0OZ 6303598-A	D0OZ 6303599-A	1
	72	B "Before 3/6/72"	Paint to match	D2OZ 6503598-A	★D2OZ 6503599-A r/b D3OZ 6503599-A (5-75)	1
	72	B "From 3/6/72"	Black	D3OZ 6503598-A	D3OZ 6503599-A	1
			Ginger	D3OZ 6503598-F	D3OZ 6503599-F	1
			Green	D3OZ 6503598-D	D3OZ 6503599-D	1
			Tobacco	D3OZ 6503598-C	D3OZ 6503599-C	1
		- F -				
	65/66	F	Serviced in assy. - Refer to Group 02522-3			
	69/70	F(63)	Paint to match	C9ZZ 6303598-A	C9ZZ 6303599-A	1
	69/70	F(65)	Paint to match	C9ZZ 6503598-A	C9ZZ 6503599-A	1
	69	F(76) "Before 4/15/70"	Paint to match	C9ZZ 7603598-A	C9ZZ 7603599-A	1
	69/70	F(76) "From 4/15/70"	Paint to match	★C9ZZ 7603598-B Not replaced	C9ZZ 7603599-B	1
	71/72	F(63)	Black	D3ZZ 6303598-G	D3ZZ 6303599-G	1
			Blue	D3ZZ 6303598-B	D3ZZ 6303599-B	1
			Ginger	D3ZZ 6303598-L	D3ZZ 6303599-L	1
			Green	D3ZZ 6303598-K	D3ZZ 6303599-K	1
			Vermillion	D3ZZ 6303598-H	D3ZZ 6303599-H	1
			White	D3ZZ 6303598-J	D3ZZ 6303599-J	1
	71/72	F(65) " Before 7/15/72"	Paint to match	D1ZZ 6503598-A	D1ZZ 6503599-A	1
	72	F(65) " From 7/15/72"	Black	D3ZZ 6503598-J	D3ZZ 6503599-J	1
			Blue	D3ZZ 6503598-B	D3ZZ 6503599-B	1
			Ginger	D3ZZ 6503598-M	D3ZZ 6503599-M	1
			Green	D3ZZ 6503598-E	D3ZZ 6503599-E	1
			Red	D3ZZ 6503598-H	D3ZZ 6503599-H	1
			Vermillion	D3ZZ 6503598-K	D3ZZ 6503599-K	1
			White	D3ZZ 6503598-L	D3ZZ 6503599-L	1
	71/72	F(76) " Before 7/15/72"	Paint to match	★D1ZZ 7603598-A r/b Colors (3-74)	D1ZZ 7603599-A	1
	72	F(76) " From 7/15/72"	Black	D3ZZ 7603598-G	D3ZZ 6503599-G	1
			Blue	D3ZZ 7603598-B	D3ZZ 6503599-B	1
			Ginger	D3ZZ 7603598-F	D3ZZ 6503599-F	1
			Green	D3ZZ 7603598-H	D3ZZ 6503599-H	1
			Red	D3ZZ 7603598-E	D3ZZ 6503599-E	1
		- S -				
	65	S(63)		C4SZ 6303598-B	★C4SZ 6303599-C Not replaced (3-74)	1
	68/69	S "From 4/15/68"	Paint to match "Before 4/15/68" - refer to basic Group 03598-9 in Soft Trim Section	C8SZ 6503598-A	C8SZ 6503599-A	1
	70/71	S(57)				1
	71	S(65B, D)				1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
03598-9		**MOULDING - WINDSHIELD GARNISH - SIDE** - Incl. attaching parts - **continued**				
		- S -				
	70	S(65)	Paint to match	D0SZ 6503598-A	D0SZ 6503599-A	1
	71	S(65A,C)				1
	72	S	Black	D3SZ 6503598-M	D3SZ 6503598-M	1
			Blue	★D3SZ 6503598-B r/b D4SZ 6503598-A	D3SZ 6503599-B	1
			Ginger	D3SZ 6503598-R	D3SZ 6503599-R	1
			Gold	D3SZ 6503598-P	D3SZ 6503599-P	1
			Green	D3SZ 6503598-G	D3SZ 6503599-G	1
			Red	D3SZ 6503598-D	D3SZ 6503599-D	1
			Tobacco	D3SZ 6503598-L	D3SZ 6503599-L	1
			White	D3SZ 6503598-N	D3SZ 6503599-N	1
GROUP NUMBER	**YEAR**	**BODY TYPE**	**DESCRIPTION**	**PART NUMBER**		**QTY.**
03606		**MOULDING - WINDSHIELD GARNISH - UPPER-** Includes attaching parts				
		- A -				
	69/70	A(except 76)	Paint to match	C9AZ 6203606-A		1
	69/	A(76)		C9AZ 7603606-A		1
	69/	A	No.8-18 x 1 1/2" oval head self tapping screw	376290-S100(UU56D)		4
	71/	A(except 65,76)	Paint to match	D1AZ 5403606-A		1
	71/	A(65)	Paint to match	D1AZ 6503606-A		1
		- B -				
	66/71	B(76)		C6OZ 7603606-C		1
	72	B	Paint to match	D2OZ 6503606-A		1
		- F -				
	65/67	F(76)		C5ZZ 7603606-A		1
	69/70	F(63)	Paint to match	C9ZZ 6303606-A		1
	69/70	F(65)	Paint to match	C9ZZ 6503606-A		1
	69/70	F(76)		C9ZZ 7603606-B		1
	71/	F(63,65)	Paint to match	D1ZZ 6503606-A		1
	71/	F(76)		D1ZZ 7603606-A		1
		- S -				
	67/68	S "Before 3/15/68"	Paint to match	C7SZ 6503606-A		1
	68/69	S "From 3/15/68"	Paint to match	C8SZ 6503606-A		1
	71	S(57,65B,D)"Before 8/17/70"				1
	71	S(57,65B,D)"From 8/17/70"	Paint to match	D1SZ 6503606-A		1
	70	S	Paint to match	D0SZ 6503606-A		1
	71	S(65A,C)				1
	72	S	Paint to match	D2SZ 6503606-A		1
	71	S(65)	Screw-oval head self tap.-No.8-18 x 1 1/2"	376290-S100(UU56D)		2
03662-3		**MOULDING - WINDSHIELD GARNISH LOWER CORNER**				
	68/69	B,X	R.H.-Paint to match	C8OZ 5403662-A		1
			L.H.	C8OZ 5403663-A		1
	70/71	B,X	Refer to Group 04500-1			
	70	P(62)	R.H.-Blue	D0DZ 6203662-E		1
			L.H.	D0DZ 6203663-E		1
			R.H.-Nugget Gold	D0DZ 6203662-D		1
			L.H.	D0DZ 6203663-D		1
			R.H.-Red	D0DZ 6203662-B		1
			L.H.	D0DZ 6203663-B		1
	70/	P(62)	R.H.-Paint to match	D0DZ 6203662-A		1
			L.H.	D0DZ 6203663-A		1
03782-3		**RETAINER - WINDSHIELD OUTSIDE BELT MOULDING END**				
	71/	L	R.H.-lower	D1FZ 6203782-A		1
			L.H.	D1FZ 6203783-A		1
03800		**SUPPORT - WINDSHIELD OUTSIDE TOP MOULDING**				
	69/	A(76),F(76)		C9AZ 7603800-A		5
	66/71	B(76)		C6OZ 7603800-A		5
03804		**SEAL - WINDSHIELD GLASS** - Refer to Group 19562 in Paint Section				
03818		**KNOB - WINDSHIELD LATCH**				
	66/	U		C6TZ 9603818-B		2
03826		**RETAINER - WINDSHIELD GARNISH MOULDING LOWER**				
	65/66	A	Slotted	C5AZ 6203826-A		4or5

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
03828	**SEAL - WINDSHIELD HINGE**				
	66/	U	60" long	C6TZ 9603828-A	1
			1/4"-20 x 1/2" Hex. head bolt	20308-S8(B40)	2
03830	**RETAINER - WINDSHIELD OUTSIDE TOP MOULDING OUTER**				
	69/70	A(76)		C9AZ 7603830-A	1
03848	**KNOB - WINDSHIELD HOLD DOWN**				
	66/	U		C6TZ 9603848-A	1
03850	**RETAINER - WINDSHIELD HOLD DOWN - INCLUDES ATTACHING PARTS**				
	66/	U		C6TZ 9603850-A	1
			1/4"-20 Hex. lock nut	34390-S7(M92)	2
03852	**SPRING - WINDSHIELD HOLD DOWN**				
	66/	U		C6TZ 9603852-A	1
03854	**STUD - WINDSHIELD HOLD DOWN**				
	66/	U	Includes extension	C6TZ 9603854-A	1
			Refer to Group 03848 for knob		

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
04000-1	**SUPPORT - VISOR ARM BRACKET**					
	67/69	S(57,65)		C7SZ 6504000-A	C7SZ 6504001-A	1
	70/71	S(57)				1
	71	S(65B, D)				1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
04002	**SUPPORT - VISOR ARM CLIP**				
	67/69	S		C7SZ 6504002-A	1
	70/71	S(57)			1
	71	S(65B, D)			1
04090	**BRACKET and PIVOT - VISOR**				
	70/71	S(57)	Refer to Group 04144-5		
	70	S(65)		D0SZ 6504090-A	2
	71	S(65A, C)			2
04110-1	**ARM - VISOR** -Also refer to Group 04144-5				
	65/66	A(76), F(76)		C5ZZ 7604110-A	2
	66/70	B(76)		C6OZ 7604110-A	2
	67/69	S		C7SZ 6504110-A	2
	70/71	S(57)			2
	70/	S(65)		D0SZ 6504110-A	2
	66/69	U "Before Ser. E24,001"	R.H.	C6TZ 9604110-A	1
			L.H.	C6TZ 9604111-A	1
	69/	U "From Ser. E24,001"		C9TZ 9704110-A	2
			No. 10-12 x 1/2" Cross recess pan head screw	52727-S8(U382)	2
04114	**PIN - VISOR ANCHOR**				
	65/69	A	Includes rubber tip-refer to Group 04115	C3DZ 7604114-B	2
	65/69	B			2
	66/69	F			2
	65/67	X(63,76)			2
	69	S,X			1
	70	A,B,F,S,X	Includes rubber tip	D0DZ 6204114-B	2
	71	A,B,F,L,P,S "Before 5/3/71"			2
	71/	A,B,F,L,P,S "From 5/3/71"		D3AZ 6504114-A	2
	65	S		C4SZ 6304114-A	2
	66	S(63A,76)			2
	65	F			2
	70	P			2
	69/	U		C9TZ 9704114-A	1
04115	**SLEEVE - VISOR ANCHOR PIN**				
	65/69	All	Rubber tip - Used with Group 04114	★C5AZ 6204115-A r/b D1DZ 6204115-A	2
	70/	A,B,F,L,P,S,U- "From 2/2/70"	Rubber tip	D1DZ 6204115-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
04122-3	BRACKET - VISOR ARM				
	72	S	R.H.	D2SZ 6504122-A	1
			L.H.	D2SZ 6504123-A	
04131	BRACKET - VISOR CLIP MOUNTING				
	65	A(76)	Chrome-Includes spring	C3AZ 7604131-B	1
			No. 6-32 x 3/8" Cross recess pan head screw	★51754-S8	1
			No. 8-15 x 5/8" Cross recess oval head screw	53027-S13 (U278)	1
04131-2	CLIP - VISOR ARM				

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
			AQUA	BLACK	BLUE	GINGER	GREEN	GREY GOLD	IVY GOLD	NUGGET GOLD	PARCHMENT	RED	SADDLE	WHITE	OTHER	OTHER	
1965/67																	
A(exc.76)		C5AZ 6304131													*B		1
1968																	
B		•C8ZZ 6504132	A2K		A2B				A2G	A2Y		A1D	A2F				1
		@C8ZZ 6504132	A1K		B1B					B1Y			A1F				1
S		♦C8SZ 6504131		B1A	C1B					C1Y							1
S	R	%C8SZ 6504131		A1A													1
	L	%C8SZ 6504132														◊A1Z	1
F		•C8ZZ 6504132	A2K		A2B				A2G	A2Y		A1D	A2F				1
		@C8ZZ 6504132	A1K		B1B					B1Y			A1F				1
X		•C8ZZ 6504132	A2K		A2B				B2G	A2Y		A1D	A2F				1
		@C8ZZ 6504132	A1K		B1B					B1Y			A1F				1
1969																	
A(exc.76)		C9AZ 6204132	A1K	A1A	•A2B				A1G	A1Y		A1D		A1W			1
		@C9AZ 6204132			A1B												1
A(76)		C9AZ 7604132		A1A	•A2B				A1G	A4Y		A1D					1
		@C9AZ 7604132			A5B												1
		D0AZ 7604132				A											1
		D1AZ 7604132					A										1
B		C8ZZ 6504132	B1K	B1A	•B2B				B2G	B1Y		B1D					1
		@C8ZZ 6504132			B1B												1
		C9ZZ 6504132												A1W			1
F(exc.76)		C9AZ 6204132	A1K	A1A	•A2B				A1G	A1Y		A1D		A1W			1
		@C9AZ 6204132			A1B												1
F(76)		C9AZ 7604132		A1A	•A2B					A4Y		A1D					1
		@C9AZ 7604132			A5B												1
S		♦C8SZ 6504131		C1A	C1B					C1Y							1
S	R	%C9SZ 6504131		A1A													1
	L	%C9SZ 6504132		A1A										A1W			1
X		C8ZZ 6504132	B1K	B1A	•B2B				B2G	B1Y		B1D					1
		@C8ZZ 6504132			B1B												1
		C9ZZ 6504132												A1W			1

* Bright finish ♦ Chrome ♠ Less roof console % With roof console ◊ Silver grey
• Dark @ Light # Beige ‡ Medium Δ Tobacco

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

04131-2 CLIP - VISOR ARM - continued

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
			AQUA	BLACK	BLUE	GINGER	GREEN	GREY GOLD	IVY GOLD	NUGGET GOLD	PARCH-MENT	RED	SADDLE	WHITE	OTHER	OTHER	
								1970									
A(exc.76)		C9AZ 6204132	A1K	A1A	•A2B				A1G	A1Y		A1D		A1W			1
		@C9AZ 6204132			A1B												1
		‡D0AZ 6204132			C	A	D					B					1
A(76)		C9AZ 7604132		A1A	@A5B												1
		D0AZ 7604132				A						B					1
		D1AZ 7604132					A										1
B		C8ZZ 6504132	B1K	B1A	•B2B				B2G	B1Y		B1D					1
		D0OZ 6504132			B	•E	C			D		F					1
		‡D0OZ 6504132				A											1
		C9ZZ 6504132												A1W			1
F(63,65)		D0AZ 6204132			‡C	A	D					B					1
		D0ZZ 6504132													ΔA	⊕B	1
F(76)		D0AZ 7604132				A						B					1
		D0ZZ 7604132					B								ΔA		1
P		C8ZZ 6504132	B1K	B1A						B1Y							1
		D0DZ 6204132			A							B					1
S		♦D0SZ 6504131	B			A				C							1
		♦C9AZ 6204132		A1A	A2B									A1W			1
		♦D0VY 6504131					A										1
	R	%D0SZ 6504131	B	G	J	A	K			C		H		F	◊E	ΔD	1
	L	%D0SZ 6504132	B	G	J	A	K			C		H		F	◊E	ΔD	1
		55928-S2(U380A)	Screw-pan head tap. -No. 8-18 x 3/4"														2
X		C8ZZ 6504132	B1K	B1A	•B2B				B2G	B1Y		B1D					1
		C9ZZ 6504132												A1W			1
								1971									
A(exc.76)		D1AZ 6504132										G		A	◊H	ΔC	1
		D3AZ 6504132		A	C	F	D										1
A(76)		C9AZ 7604132		A1A	•A5B												1
		D0AZ 7604132				A						B					1
		D1AZ 7604132					A										1
B		C8ZZ 6504132		B1A													1
		D0OZ 6504132			B	E											1
		D1DZ 6204132													◊B	⊕A	1
		D1OZ 6504132					A										1
		C9ZZ 6504132												A1W			1
F(63,65)		D1AZ 6504132			E							G		A	◊H	ΔC	1
		D1ZZ 6504132														⊕A	1
		D3AZ 6504132		A		F	D										1
F(76)		C9AZ 7604132		A1A	•A5B												1
		D0AZ 7604132				A						B					1
		D0ZZ 7604132													ΔA		1
L		Refer to Group 13776 in Chassis Section															
P		C8ZZ 6504132		B1A													1
		D1DZ 6204132													◊B	⊕A	1
		D0DZ 6204132			A												1
S	R	%D0SZ 6504131	B	G	J	A	K			C		H		F	◊E	ΔD	1
	L	%D0SZ 6504132	B	G	J	A	K			C		H		F	◊E	ΔD	1
		55928-S2(U380A)	Screw-pan head tap. -No. 8-18 x 3/4"														2
S		♦D0SZ 6504131	B			A				C							1
	♦	□C9AZ 6204132		A1A	A2B									A1W			1
		♦D0AZ 6204132										B					1
	♦	$C8SZ 6504131		C1A													1

♦ Less roof console % With roof console • Dark @ Light ‡ Medium ◊ Silver grey
Δ Tobacco ⊕ Vermilion □ One screw hole $ Two screw holes # Cranberry
* Beige o Tan

04131-2 CLIP - VISOR ARM - continued

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	COLORS and APPLICABLE PART NUMBER SUFFIXES: AQUA	BLACK	BLUE	GINGER	GREEN	GREY GOLD	IVY GOLD	NUGGET GOLD	PARCHMENT	RED	SADDLE	WHITE	OTHER	OTHER	QTY
								1972									
A(exc.76)		D1AZ 6504132										G		A	◊H		1
		D3AZ 6504132		A	C	F	D										1
		D2AZ 6504132													ΔA		1
A(76)		C9AZ 7604132		A1A	A5B												1
		D0AZ 7604132										B					1
		D1AZ 7604132					A										1
B		D2OZ 6504132		C	B	A	F			E				G	ΔD		1
F(exc.76)		D1AZ 6504132		F	E							G		A			1
		D2ZZ 6504132													⊕A		1
		D3AZ 6504132				F	D										1
		55928-S2(U380A)	Screw-pan head tap. -No. 8-18 x 3/4"														2
F(76)		C9AZ 7604132		A1A	A5B												1
		D0AZ 7604132				A						B					1
		D1AZ 7604132					A										1
L		Refer to Group 13776 in Chassis Section															
P(exc. LTD)		D2DZ 6204132		C	A										◊D	⊕B	1
P(54, 62A, LTD)															*E		1
		D2OZ 6504132				A								G	oF		1
S		D2OZ 6504132		C		A				E				G	ΔD		1
		D2SZ 6504132			D		B					C				#A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
04144-5	**ARM and BRACKET ASSY. - VISOR**					
			- A -			
	65	A(54B, E, 62) "Before 1/4/65"	Painted	★C5AZ 6204144-B Not replaced (3-74)	C5AZ 6204144-B	2
			No. 8-15 x 1 1/2" Cross recess oval head screw	52388-S13(U298)	52388-S13(U298)	8
	65/66	A(except 76) "From 1/4/65"	Chrome	C5AZ 6204144-A	C5AZ 6204144-A	2
	65/66	A(76)		C5AZ 7604144-C	C5AZ 7604145-C	1
			No. 10-32 x 3/16" Set	374985-S8(UU33K)	374985-S8(UU33K)	1
			Washer (flat)	44713-S8(X13)	44713-S8(X13)	1
			No. 10-12 x 1 1/2" Oval head tapping screw	52389-S13(U308)	52389-S13(U308)	2
	65/66	A	Refer to Group 04114 for pin & tip			
	67/68	A(except 76)	Chrome	C7AZ 6204144-A	C7AZ 6204144-A	2
	69/	A(except 76)	Includes attaching parts	C9AZ 6204144-A	C9AZ 6204144-A	2
	69/	A(76)	Includes attaching parts	C9AZ 7604144-A	C9AZ 7604145-A	1
			- B -			
	65	B(except 65)	Paint to match	C0DZ 6404144-A	C0DZ 6404145-A	1
	66	B(54, 62, 63, 71)		C6OZ 5404144-A	C6OZ 5404144-A	2
	66/67	B(76)	Chrome	C7OZ 7604144-A	C7OZ 7604145-A	1
	67	B(except 76)		C7OZ 6204144-A	C7OZ 6204144-A	2
	68	B(except 76)				1
	68	B(63,65)	Chrome	C7AZ 6204144-A	C7AZ 6204144-A	2
	69/	B(except 76)	Includes attaching parts	C9AZ 6204144-A	C9AZ 6204144-A	2
			No.8-18 x 1/2"-cross recess selftapping screw	52413-S13(U316)	52413-S13(U316)	2
	68/71	B(76)	Less arm	C8OZ 7604144-A	C8OZ 7604145-A	1
			For arm refer to Group 04110-1			

◊ Silver grey Δ Tobacco ⊕ Vermillion * Beige o Tan # Cranberry

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
04144-5	ARM and BRACKET ASSY. - VISOR - continued					
		- F -				
	65/66	F(63, 65)	Includes arm	C5ZZ 6504144-A	C5ZZ 6504144-A	2
	65/66	F(76)	Less arm	C5ZZ 7604144-B	C5ZZ 7604145-B	1
	65/66 67	F(76) B(except 76), X	No. 8-15 x 5/8" Cross recess oval head screw	53027-S13(U278)	53027-S13(U278)	4
			No. 8-15 x 1 1/4" Cross recess oval head screw	53066-S13(U284)	53066-S13(U284)	2
	65/66	F(76)	No. 10-12 x 1 1/4" Cross recess screw	52383-S6(U305A)	52383-S6(U305A)	2
	67	F(except 76)	Chrome	C7AZ 6204144-A	C7AZ 6204144-A	2
	68/70	F(63, 65)		C7AZ 6204144-A	C7AZ 6204144-A	2
	69	F(76)	Includes attaching parts	C9ZZ 7604144-B	C9ZZ 7604145-A	1
	70	F(76)	Includes attaching parts	C9ZZ 7604144-B	C9ZZ 7604145-B	1
	71/	F(63, 65)		C9AZ 6204144-A	C9AZ 6204144-A	1
	71/72	F(76)	Includes attaching parts	D2ZZ 7604144-A	D2ZZ 7604145-A	1
		- L -				
	71/	L		D1FZ 6204144-A	D1FZ 6204144-A	2
		- P -				
	70/	P	Includes attaching parts	C9AZ 6204144-A	C9AZ 6204144-A	2
		- S -				
	65/66	S(63)		C4SZ 6304144-B	C4SZ 6304145-B	1
	65/66	S(76)	Chrome bracket	C4SZ 7604144-A	C4SZ 7604145-A	1
	65/66	S(76)	No. 8-15 x 5/8" Cross recess oval head screw	53027-S13(U278)	53027-S13(U278)	4
	65/66	S(63)	No. 8-32 x 3/8" cross recess oval head screw and washer assy.	382617-S7-8 (EE600CC)	382617-S7-8 (EE600CC)	2
	65/66	S	No. 8-15 x 1 1/4" Cross recess oval head screw	53066-S13(U284)	53066-S13(U284)	4
	67/69 70/71 71	S S(57) S(65B, D)	Bright finish	C7SZ 6504144-A	C7SZ 6504144-A	2 2 2
			No. 10-24 x 1/4" Socket set lock screw	★377533-S9	★377533-S9	2
	70/71	S(65A, C)	Refer to Group 04090			
	72	S	Also refer to Group 04122-3	C9AZ 6204144-A	C9AZ 6204144-A	2
		- U -				
	66/	U	Refer to Group 04110-1			
		- X -				
	65	X(except 63, 76)	Paint to match	C0DZ 6404144-A	C0DZ 6404145-A	1
	65	X(except 63, 76), B(except 65)	No. 8-15 x 3/4" Cross recess oval head screw	52360-S13(U294)	52360-S13(U294)	6
	65	X(63, 76)	No. 8-15 x 1 1/2" Cross recess oval head screw	52388-S13(U298)	52388-S13(U298)	4
	66	X		C6OZ 5404144-A	C6OZ 5404144-A	2
	67	X		C7OZ 6204144-A	C7OZ 6204144-A	2
	68	X				2
	69/70	X	Includes attaching parts	C9AZ 6204144-A	C9AZ 6204144-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
04278	**CLIP - INSTRUMENT PANEL PAD RETAINER** - Also refer to Group 044C78				
	65/66	A		C5AZ 6204278-A	AR
			Nut-stamped-No. 10-24	45243-S8(M178)	AR
	68/70	B, X		C8OZ 5404278-A	AR
	69/70	F			AR
	70	A			AR
	71/	A, B, F, S		D1AZ 6504278-A	AR
04300	**REINFORCEMENT - CONSOLE PANEL - REAR**				
	69/70	A		C9AZ 6504300-A	1
	72	B	With full length console & bucket seats	D2OZ 6504300-A	1
	71	F	Refer to Group 045A36		1
	68/69	S		C8SZ 6504300-A	1
	70/71	S		D0SZ 6504300-B	1
	72	S	Center	D2SZ 6504300-B	1
04320	**PANEL - INSTRUMENT**				
			- A -		
	69	A		C9AZ 6204320-A	1
	70	A		D0AZ 6204320-A	1
	71	A	Lower	D1AZ 6504320-A	1
			Upper-refer to Group 044A90		
	72	A		D2AZ 6504320-A	1
			Stud-5/16"-18 x 1 5/8"	379054-S2(WW78VE)	1
	71/	A	Nut & washer assy.-5/16"-18	376838-S(MM296A)	1
			- B -		
	68/69	B	Without forced ventilation	C8OZ 5404320-C	1
			With forced ventilation	C8OZ 5404320-D	1
	70	B(54A, B, 62A, 63H, 65A, B, E, 66A, B, 71B, D)	Lower-paint to match	D0OZ 5404320-A	1
	71	B(54A, 63H, 65A, E, 66A, B, 71D)			1
	70/71	B(54C, 57C, 63C, F, 65C, 66C,	Lower-textured steel-includes instruction sheet	D0OZ 5404320-C	1
	71	B(54A, 71D) "From 6/18/71"	for A/C		1
	70/71	B(57E, 65E, 66E, 71, 76)	Lower-vinyl clad steel-wood grain finish-	D0OZ 5404320-B	1
			includes instruction sheet for A/C		
	70/71	B	Upper-refer to Group 04634		
	72	B "Before 7/15/72"	Gold	D2GZ 6504320-E	ø 1
			Tobacco	D2GZ 6504320-B	1
	72	B "From 7/15/72"	Paint to match	D3OZ 6504320-A	1
			- F -		
	69	F	Without A/C	C9ZZ 6504320-C	1
			With A/C	C9ZZ 6504320-D	1
	70	F	With or without A/C	D0ZZ 6504320-A	1
	71/	F	Includes openings for gauges	D1ZZ 6304320-A	1
			Less openings for gauges	D1ZZ 6504320-A	1
			- L -		
	71/	L	Without seat belt warning lamp opening	D1FZ 6204320-A	1
	72	L "Before 12/1/71"	With seat belt warning lamp opening	D2FZ 6204320-A	1
	72	L "From 12/1/71"	With seat belt warning lamp opening	D2FZ 6204320-B	1
			- P -		
	70	P	Without locking steering column or A/C	D0DZ 6204320-C	1
	70	P	Without locking steering column and with A/C	D0DZ 6204320-D	1
	70/72	P "Before 12/1/71"	With locking steering column, w/o A/C, and w/o lamp opening	D0DZ 6204320-A	1
	70/72	P "Before 12/1/71"	With locking steering column, A/C, and w/o lamp opening	D0DZ 6204320-B	1
			5/16"-18 x 3/4" Screw & washer assy.	57140-S2(B340H)	6
	72	P "From 12/1/71"	W/o A/C and with seat belt lamp opening	D2DZ 6204320-A	1
			With A/C and with seat belt opening	D2DZ 6204320-B	1
			- S -		
	68/69	S			
	70/71	S		C8SZ 6504320-A	1
	72	S "Before 6/15/72"	Paint to match	D1SZ 6504320-A	1
	72	S "From 6/15/72"	Paint to match	D2SZ 6504320-A	1
				D3SZ 6504320-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
04320	**PANEL - INSTRUMENT - continued**				
		- U -			
	68/	U	Paint to match-includes instruction sheet	C8TZ 9604320-B	1
			No.8-18 Nut (U type) spring	381863-S2(MM275J)	1
		- X -			
	68/70	X	Without ornament or A/C holes	C8DZ 6204320-D	1
04334-5	**PANEL - INSTRUMENT PANEL FINISH END** - Refer to Group 04392-3				
04338	**PANEL - INSTRUMENT PANEL FINISH - @ INCLUDES ATTACHING PARTS**				
		- A -			
	67	A	Without A/C or Forced Ventilation-not replaced@	★C7AZ 6204338-A	1
			With A/C-not replaced (3-73) @	★C7AZ 6204338-B	1
			With Forced Ventilation-not replaced @	★C7AZ 6304338-A	1
	68	A	Refer to Basic Groups 04392-3 or 04774		1
	69/70	A	Refer to Basic Group 04392		
	71/72	A(53H,57H,65H,71H,76)	"LTD" - w/o lamp opening @	D1AZ 6504338-C	1
	71/	A(53K,57K,65K)	"Brougham"-w/o seat belt lamp opening @	D1AZ 6504338-B	1
	72	A(53K,57K,65K)	With seat belt lamp opening @	D2AZ 6504338-B	1
	71/	A(54B,71B)	"Custom"- w/o seat belt lamp opening	D1AZ 5404338-A	1
	72	A(54B,71B)	"Custom"-with seat belt lamp opening @	D2AZ 5404338-A	1
	71/	A(54D,65D,71D)	"Custom 500"-w/o seat belt lamp opening	D1AZ 5404338-B	1
	72	A(54D,71D)	"Custom 500"-with seat belt lamp opening @	D2AZ 5404338-B	1
	72	A(54D,F,57F,65F)	W/o seat belt lamp opening @	D2AZ 6504338-C	1
			Wood grain-with seat belt lamp opening	D2AZ 6504338-E	1
	71/	A(54F,57F,65F,71F)	"Galaxie 500" -w/o seat belt lamp opening	D1AZ 6504338-A	1
	72	A(54F,57F,65F,71F)	With seat belt lamp opening @	D2AZ 6504338-A	1
	72	A(53H,57H,65H,71H,76)-"From 12/1/71"	"LTD" - w/lamp opening	D2AZ 6504338-D	1
		- B -			
	65	B(54B,62B,65,71B)	With radio	C5OZ 6204338-D	1
	68	B(54C,65C,71E)	Center-without Forced Ventilation and with radio -22.69" long	C8OZ 5404338-D	1
			Refer to basic Group 19893 Chassis section for - with radio and A/C		
	68/69	B(except 54C,65C,E,71E)	L.H. & center-without Forced Ventilation - approx. 48" long	C8OZ 5404338-A	1
			L.H. & center-with Forced Ventilation- -approx. 48" long	C8OZ 6304338-B	
	69	B(54C,65C,E,71E)	Center-w/o Forced Ventilation and w/radio @	C9OZ 5404338-A	1
			Center-without Forced Ventilation and w/o radio	C9OZ 5404338-B	1
			Center-with Forced Ventilation and w/o radio	C9OZ 5404338-C	1
	72	B(53B,65B,71B)	R.H.-w/o A/C or lamp opening -black @	D2OZ 6504338-A	1
			R.H.-w/o A/C and with lamp opening-black @	D2OZ 6504338-G	1
			R.H.-with A/C and w/o lamp opening-black @	D2OZ 6504338-D	1
			R.H.-with A/C and lamp opening-black @	D2OZ 6504338-K	1
	72	B(53D,63R,65D,R,71D)	R.H.-w/o A/C or lamp opening -black @	D2OZ 6504338-B	1
			R.H.-w/o A/C and with lamp opening-black @	D2OZ 6504338-H	1
			R.H.-with A/C and w/o lamp opening -black @	D2OZ 6504338-E	1
			R.H.-with A/C and lamp opening -black @	D2OZ 6504338-L	1
	72	B(53D,65D,71K)	R.H.-w/o A/C or lamp opening-wood grain @	D2OZ 6504338-C	1
			R.H.-w/o A/C and w/lamp opening-wood grain @	D2OZ 6504338-J	1
			R.H.-with A/C and w/o lamp opening-wood grain @	D2OZ 6504338-F	1
			R.H.-with A/C and lamp opening-wood grain @	D2OZ 6504338-M	1
	72	B(97D)	R.H.-w/o A/C or lamp opening @	D2OZ 9704338-B	1
			R.H.-w/o A/C and with lamp opening @	D2OZ 9704338-H	1
			R.H.-with A/C and w/o lamp opening @	D2OZ 9704338-A	1
			R.H.-with A/C and lamp opening @	D2OZ 9704338-G	1
	72	B(97K)	R.H.-w/o A/C or lamp opening @	D2OZ 9704338-D	1
			R.H.-with A/C and w/o lamp opening @	D2OZ 9704338-C	1
			R.H.-with A/C and lamp opening @	D2OZ 9704338-J	1
			R.H.-w/o A/C and with lamp opening @	D2OZ 9704338-K	1
	72	B(97R)	R.H.-w/o A/C and with lamp opening @	D2OZ 9704338-N	1
			R.H.-with A/C and lamp opening @	D2OZ 9704338-P	1
			R.H.-w/o A/C or lamp opening	D2OZ 9704338-L	1
			R.H.-with A/C and w/o lamp opening	D2OZ 9704338-M	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
04338	**PANEL - INSTRUMENT PANEL FINISH - @INCLUDES ATTACHING PARTS - continued**				
		- F -			
	69	F(63, 65E, 76A, B)- "Before 1/6/69"	With clock opening-Light teak wood finish-includes attaching parts	C9ZZ 6504338-C	1
	69/70	F(63, 65E, 76A, B)- "From 1/6/69"	With clock opening-Dark teak wood finish-includes attaching parts	C9ZZ 6504338-D	1
	69/70	F	Without clock opening-Black camera case finish-includes attaching parts	C9ZZ 6504338-A	1
	69/70	F	With clock opening-Black camera case finish-includes attaching parts	C9ZZ 6504338-B	1
	70	F(63A, 65A, 76A)	Without clock opening-wood grain finish-includes attaching parts	D0ZZ 6504338-A	1
	71/	F-w/o decor group	Black	D1ZZ 6504338-A	1
	71/72	F-w/decor group- "Before 12/1/71"	Argent - w/o warning lamp opening	D1ZZ 6504338-B	1
	72	F-w/decor group- "From 12/1/71"	Black- w/warning lamp opening	D2ZZ 6504338-A	1
			Nut(spring)-No. 8-18	45174-S8(M136)	1
			Nut-self thread stamping-3/8"-24	376642-S35(MM292A)	4
			Screw-hex. washer hd.-tap.-No. 8-12 x 1/2"	383938-S2(UU52Y)	4
		- L -			
	71/	L	Without seat belt warning lamp opening	D1FZ 6204338-A	1
	72	L	With seat belt warning lamp opening and wood grain insert	D2FZ 6204338-A	1
		- P -			
	72	P(54A, 62A)	W/o A/C-wood grain	D2DZ 6204338-A	1
			W/A/C-wood grain	D2DZ 6204338-B	1
		- S -			
	72	S "Before 6/15/72"		D2SZ 6504338-B	1
	72	S "From 6/15/72"		D3SZ 6504338-A	1
		- X -			
	68/70	X(54B, 62B, C, 71B)	Includes attaching parts	C8DZ 6204338-A	1
04360	**COVER - INSTRUMENT PANEL RADIO OPENING**				
	65	F	Paint to match	C5ZZ 6504360-A	1
	66/	F	Refer to Group 04371		
04366-7	**BRACKET - INSTRUMENT PANEL TO COWL SIDE**				
	69/70	A	1 11/16" x 3/4" slot	C8OZ 5404366-A	1
	70	A	3/8" x 3/4" slot	C9AZ 6204366-A	1
	71/72	A		D1AZ 6504366-A	2
	68/69	B		C8OZ 5404366-A	2
	70/71	B		D0OZ 6504366-A	2
	69/70	F		C9ZZ 6504366-A	2
	71/	F	R.H.	D1ZZ 6504366-A	1
			L.H.	D1ZZ 6504367-A	1
			5/16"-18 Hex. lock nut	376838-S(MM296AF)	2
	71/	L	R.H.	D1FZ 6204366-A	1
	70/	P	R.H.	D0DZ 6204366-A	1
			L.H.	D0DZ 6204367-A	1
			5/16"-18 x 3/4" Screw & washer assy.	57140-S2(B340H)	4
	66/67	X	R.H.	C6OZ 6204366-A	1
			L.H.	C6OZ 6204367-A	1
	68/70	X		C8OZ 5404366-A	2
04371	**COVER - INSTRUMENT PANEL RADIO, HEATER OR AIR CONDITIONING OPENING - Includes attaching parts (When radio is not used)**				
		- A -			
	69/70	A	Wood grain finish-approx. 3" long knob opening	C9AZ 6204371-B	1
	69/	A	Black-plastic-approx. 3" long knob opening	C9AZ 6204371-C	1
	71/	A(53, 54F, 57F, 65F, H, K, 71F, H, 76)	Cherry wood grain finish	D1AZ 6504371-B	1
	71	A(54B, D, 71B, D)	Gray camera case finish	D1AZ 6504371-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
04371	**COVER - INSTRUMENT PANEL RADIO, HEATER or AIR CONDITIONING OPENING - continued**				
		- B -			
	65	B	Refer to Group 04338 for panel opening cover		
	68/69	B	Paint to match - without A/C	C8OZ 5404371-A	1
	70	B(54,62A,63F,H,65B,F,H, 66A,B,C,71B,C,76F)			1
	71	B(54,57C,63F,H,65A,C,66A,B, C,71C,D,76F)			1
	70/71	B(57E,63C,65C,E,66E,71E)		D0OZ 6504371-A	1
	68/71	B	3/8"-24 Nut (stamped)	376642-S35(MM292A)	2
			No. 8-32 x 3/4" Screw- T-head	★382251-S2	2
	72	B		D2GZ 6504371-A	1
		- F -			
	65	F	Refer to Group 04360		
	66	F	Paint to match	C6ZZ 6504371-A	1
			3/8"-24 Nut (stamped)	376642-S35(MM292A)	2
	67	F	Paint to match	C7ZZ 6504371-A	1
			No. 10-16 Nut (spring)	377195-S36(MM251)	4
	68	F		C7ZZ 6504371-C	1
	71/	F		D1ZZ 6504371-A	1
		- L -			
	71/	L	Paint to match	D1FZ 6204371-A	1
		- P -			
	70/	P	Refer to Group 13598		
		- S -			
	70/71	S	R.H. -with AM radio-Teakwood	D0SZ 6504371-A	1
			R.H. -with AM/FM radio-Teakwood	D0SZ 6504371-B	1
			R.H.-with A/M radio and stereo tape-Teakwood	D0SZ 6504371-C	1
	72	S		D2SZ 6504371-A	1
		- X -			
	68	X	Chrome-with A/C	C8OZ 5404371-B	1
	68/70	X	Paint to match-without A/C	C8OZ 5404371-A	1
			No. 8-32 x 3/4"-Screw - T-head -improvise	★382251-S	
04374	**COVER - INSTRUMENT PANEL RADIO SPEAKER OPENING**				
	70/71	B	Without radio	D0OZ 6504374-A	1
			Clip	357849-S100(RR40)	2
04388-9	**MOULDING - INSTRUMENT PANEL LOWER** - Includes attaching parts				
	70/	P	R.H.	D0DZ 6204388-A	1
			L.H.	D0DZ 6204389-A	1
			Clip-refer to Group 04878		
	67	U(97,98)		C7TZ 9604388-A	1
04392-3	**PANEL - INSTRUMENT PANEL - FINISH END**				
	68	A	For integral A/C-refer to Chassis Group 19893		
	69/70	A(54A,C,57,63,65,71B,C,D, 76)	R.H. -lower-paint to match-includes attaching parts	C9AZ 5404392-C	1
	69/70	A(54B,E,62B,E,71D,H,J)	R.H.-lower-paint to match-includes attaching parts	C9AZ 6204392-B	1
	69/70	A(54C,57F,65A,71A,E)	R.H.-lower-paint to match-includes attaching parts	C9AZ 5404392-D	1
	66	B(63C,D,71E,76C,D)	R.H. -Use without A/C	C6OZ 6304392-A	1
			L.H.	C6OZ 6304393-D	1
	68/69	B(except 54C,65C,E,71E)	R.H.-without A/C or Forced Ventilation-Includes attaching parts	C8OZ 5404392-A	1
	69	B(54C,65C,71E)	R.H. -wood grain-without A/C-includes attaching parts	C9OZ 5404392-A	1
	69	B(54C,63D,F,65C,D,F, 66C,D,71E,76D)	L.H. -wood grain-without A/C-with defogger-12" long-includes attaching parts	C9OZ 5404393-A	1
	69	B(54C,65C,76E)	L.H. -wood grain-without A/C- w/o defogger-includes attaching parts	C9OZ 5404393-B	1
	71/	F	R.H.-paint to match	D1ZZ 6504392-A	1
			L.H.	D1ZZ 6504393-A	1
			Screw-oval head-No. 8-18 x 3/4"	384154-S9(UU66G)	2
			Nut (spring)-No. 8-18	55981-S2(U254E)	3

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
04392-3	**PANEL - INSTRUMENT PANEL - FINISH END - continued**				
	68/71	S	R. H. -Paint to match	C8SZ 6504392-B	1
			L. H.	C8SZ 6504393-B	1
	70/71	S	L.H.-lower-Teakwood	D0SZ 6504393-A	1
			Screw-oval truss hd.-No.8-18 x 1/2"	375452-S100(BB630D)	1
			Nut (spring)-No.8-18	381765-S2(MM275E)	2
	72	S	R.H.	D2SZ 6504334-A	1
			L.H.	D2SZ 6504335-A	1
	65	X(54B, 62B, 63B, 66B, 71B, C, 76A)	R. H.	C5DZ 6204392-B	1
	66/67	X(71)	L. H. - with power lift gate window	C6DZ 7104393-A	1
	68/70	X(54B, 62B, C, 71B)	R. H. -without A/C or Forced Ventilation-includes attaching parts	C8OZ 5404392-A	1
044E00	**BRACE - INSTRUMENT PANEL - UPPER**				
	66/67	B, X	Use with A/C	C6DZ 62044E00-A	1
044G00-2	**COVER - INSTRUMENT PANEL TO FLOOR BRACE**				
	72	L(slot type)	Avocado	D2FZ 62044G00-AEG	1
			Beige	D2FZ 62044G00-AAT	1
			Black	D2FZ 62044G00-AAA	1
			Blue	D2FZ 62044G00-AAB	1
			Ginger	D2FZ 62044G00-AAF	1
			Green	D2FZ 62044G00-AAR	1
			Orange	D2FZ 62044G00-AEC	1
	72	L (bin type)	Avocado - plastic	D2FZ 62044G02-B	1
			Beige	D2FZ 62044G02-C	1
			Black	D2FZ 62044G02-A	1
			Blue	D2FZ 62044G02-G	1
			Ginger	D2FZ 62044G02-E	1
			Green	D2FZ 62044G02-D	1
			Orange	D2FZ 62044G02-F	1
			Brace - refer to group 04598		
044A10-1	**PANEL - INSTRUMENT PANEL FINISH - LOWER - INCLUDES ATTACHING PARTS**				
	69/70	A(54A, C, 57, 63, 65, 71B, C, 76)	R.H.-approx. 2 1/2" wide	C9AZ 54044A10-B	1
			L. H.	C9AZ 54044A11-B	1
	69/70	A(54C, 57F, 65A, 71A, E)	R.H.-approx. 4 1/2" wide	C9AZ 54044A10-A	1
			L. H.	C9AZ 54044A11-A	1
	71	A	Without A/C - paint to match -includes I.S. - prime with D1AZ 19000-A(adhesive sealer)	D1AZ 65044A10-A	1
			With A/C - paint to match -includes I.S. - prime with D1AZ 19000-A (adhesive sealer)	★D1AZ 65044A10-B r/b D2AZ 65044A10-D	ø 1
			Screw-tapping washer head-No.8-18 x 3/4"	384157-S2(UU89FB)	3
	72	A	W/o A/C or lamp opening-paint to match - prime with D1AZ 19000-A (adhesive sealer)	★D2AZ 65044A10-A r/b D2AZ 65044A10-C	ø 1
			W/o A/C and w/lamp opening-paint to match prime with D1AZ 19000-A (adhesive sealer)-incl. I. S.	D2AZ 65044A10-C	1
			W/ A/C and lamp opening-paint to match prime with D1AZ 19000-A (adhesive sealer)-incl. I. S.	D2AZ 65044A10-D	1
	67	F(63B, 65B, 76B)		C7ZZ 65044A10-C	1
	67	F(63A, 65A, C, 76A, C)	Camera case finish	C7ZZ 65044A10-D	1
	68	F(63A, 65A, C, 76A)	With decor group		1
	68	F(63, 65, 76)	Wood grain finish	C8ZZ 65044A10-A	1
	67/69	S		C8SZ 65044A10-B	1
	70/71	S	R. H. -paint to match	D0LY 65044A10-A	1
			Bumper (RH) 51/64" long	377781-S(CC34)	1
			Bumper (LH) 19/32" long	380239-S(CC42)	1
044C10	**MOULDING - INSTRUMENT PANEL LOWER FINISH PANEL - OUTER - INCLUDES ATTACHING PARTS**				
	68/71	S	R. H.	C8SZ 65044C10-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
044E12-3	**MOULDING - CONSOLE PANEL REAR LOWER EDGE -INCLUDES ATTACHING PARTS**				
	68/69		R. H.	C8SZ 65044E12-B	1
			L. H.	C8SZ 65044E13-B	1
044B16	**BEZEL - INSTRUMENT PANEL AIR CONDITIONING GRILLE**				
	71/	F-w/o decor group	Black	D1ZZ 65044B16-A	1
			Screw-hex.hd. self tapping-No.8-12 x 1/2"	383938-S2(UU52V)	4
	71/	F-w/ decor group	Argent-part of group 04338		
044E16	**ANTI-RATTLE CONSOLE FINISH PANEL - REAR FLOOR**				
	67/68	F "Before 2/1/68"		C7ZZ 65044E16-A	2
	68	F "From 2/1/68"		C7ZZ 65044E16-B	2
044A20	**SUPPORT - INSTRUMENT PANEL TO COWL TOP**				
	72	S		D2SZ 65044A20-A	1
			Screw-hex. head self tapping-No. 8-18 x 1/2"	55907-S2(U254B)	3
044F24	**PLATE - CONSOLE FINISH INSERT - CENTER**				
	69/70	A		C9YZ 65044F24-A	1
044B26	**CLIP - PANEL UPPER MOULDING**				
	65/66	S	Console	C1SB 63044B26-A	AR
			Instrument panel extension lower moulding		AR
	68/69	S	Console	C8SZ 65044B26-A	AR
	70	S	Console	D0SZ 65044B26-A	14
	71	S	Console	D1SZ 65044B26-A	4or14
044E26-7	**SLIDE - INSTRUMENT PANEL ASH RECEPTACLE**				
	65	A	Serviced in assy.-refer to Group 04810		
	66/68	A	R. H. -Includes spring	C6AZ 62044E26-B	1
			L. H.	C6AZ 62044E27-B	1
04428	**COVER - INSTRUMENT PANEL OR CONSOLE - CLOCK OPENING** - When Clock is not installed				
	69/70	A		C9AZ 6204428-A	1
	71/	A		D1AZ 6504428-A	1
	69	B		C9OZ 5404428-A	1
	70/71	B		D0OZ 6504428-A	1
	72	B		D2GY 6504428-A	1
	68	F(63A,65A,C,76A,C)	Use to cover stem opening	C6GY 6204428-B	1
	69/70	F		C9ZZ 6504428-A	1
	71/	F(63R)	Console-"Mach 1"	D1ZZ 6304428-A	1
			Console-"Mustang"	D1ZZ 6304428-B	1
	70/	P	Console - Paint to match	D0DZ 6204428-A	1
			Nut-spring-1/4"	45054-S8(M120)	2
044A36	**MOULDING - INSTRUMENT PANEL PAD RETAINING-LOWER - INCLUDES ATTACHING PARTS**				
	67/68	A	R. H. -Paint to match	C7AZ 62044A36-A	1
			For clip refer to Group 04878		
	65/66	S		C4SZ 63044A36-B	1
			Clip	C4SZ 6304561-A	10
044A38-9	**EXTENSION - INSTRUMENT PANEL - LOWER** - Paint to match				
	67	A	Refer to Group 04320		
044D38	**COVER - CONSOLE PANEL FRONT**				
	71/	L	With consolette	D1FZ 62044D38-A	1
	70/	P	Consolette-incl. attaching parts-paint to match	D0DZ 62044D38-A	1
04439	**RETAINER - INSTRUMENT PANEL MOULDING**				
	65	B		C2OZ 6204439-A	5 to9
	65/66	S			16
	67/	U(97,98)	Clip-R.H.-also included in Group 04338	C7TZ 9604439-A	ø 7
			Clip-L.H.-also included in Group 04388	C7TZ 9604439-B	ø 7
			No. 8-15 x 1/2" Cross recess pan head screw	52726-S13(U381)	7
	65/66	X	Also refer to Group 044B96		
044F42	**LETTER - CONSOLE**				
	69/70	A	"X"	C9AZ 63044F42-A	1
			"L"	C9AZ 63044F42-B	1
044F44	**PLATE - CONSOLE FINISH PANEL INSERT**				
	69/71	A		C9YZ 65044F44-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
044C50-1	**PANEL - CONSOLE PANEL RADIO ACCESS**					
	66	S	Aqua	★C6SZ 63044C50-BBE Not replaced	C6SZ 63044C51-D3E	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
044B56-7	**PANEL - INSTRUMENT PANEL FINISH - INTERMEDIATE**				
	67	B	L.H.-Use with A/C	C7OZ 62044B57-A	1
	67	S	Includes attaching parts	C7SZ 65044B56-A	1
044F58	**COVER - INSTRUMENT PANEL CONTROL OPENING**				
	72	B(53,63,65)	Without rear window defogger	D2OZ 65044F58-A	1
	72	B(71)	Without power back lite		1
04459	**COVER - INSTRUMENT PANEL STEERING COLUMN**				
	70	A	Paint to match	D0AZ 6204459-A	1
	71/	A	Paint to match-includes instruction sheet-prime with D1AZ 19000-A (adhesive sealer)	D1AZ 6504459-A	1
			No.8-18 x 3/4" round washer head screw	384157-S2(UU89FB)	2
	70	B(54,62A,63H,65B,66A,B,71B,D)	Steel-paint to match	D0OZ 6504459-D	1
	71	B(54,63H,65A,66A,B,71D)			1
	70	B(57E,65E,66E) "Before 9/22/69"	Vinyl clad finish	D0OZ 6504459-B	1
	70/71	B(57E,65E,66E,71E) "From 9/22/69"	Vinyl clad finish	D0OZ 6504459-E	1
	70/71	B(54C,57C,63C,F,65C,66C,71C,76)	Steel-paint to match	D0OZ 6504459-F	1
	71	B(54A,63H,65A,66A,B,71D)-"From 6/18/71"			1
	70/	B	Nut (spring)-No.8-18	45174-S8(M138)	2
	69	F(63)		C9ZZ 6304459-A	1
	69	F(65,76)		C9ZZ 6504459-A	1
	70	F	Paint to match	D0ZZ 6504459-A	1
			No.8-18 x 3/4" rd.washer head screw	384157-S2(UU89FB)	2
	71/	F	Paint to match-includes instruction sheet-prime with D1AZ 19000-A (adhesive sealer)	D1ZZ 6504459-A	1
	71/	L		D1FZ 6204459-A	1
	68	S "Before 10/9/67"	Ivy gold	C8SZ 6504459-B1G	1
			Nugget gold	C8SZ 6504459-B1Y	1
	68	S "From 10/9/67"	Black	C8SZ 6504459-B1A	1
			Blue	C8SZ 6504459-B1B	1
	69	S	Paint to match	C9SZ 6504459-A	1
	70/71	S	Paint to match	D0SZ 6504459-A	1
			Bolt-hex. head-1/2"-20 x 1 5/8"	376889-S7-8(BB376C)	2
	72	S		D2SZ 6504459-A	1
04460	**MOULDING - INSTRUMENT PANEL PAD**				
	68/69	B	Bright finish-plastic-21 3/4" long	C9OZ 5404460-A	1
04460	**PLATE - INSTRUMENT PANEL NAME - INCLUDES ATTACHING PARTS** - Also refer to Group 04338				
		- A -			
	70	A(54A,57B,63B,65C,71B,C,76A)	"Galaxie 500"	D0AZ 5404460-A	1
	70	A(54B,62B,71H,J)	"Custom 500"	D0AZ 6204460-A	1
	70	A(54C,57F,65A,71A,E)	"LTD"	D0AZ 5404460-B	1
	70	A(54E,62E,71D)	"Custom"	D0AZ 6204460-B	1
	70	A(63C,76B)	"XL"	D0AZ 6304460-A	1
	71/	A(53K,57K,65K)	"Brougham"	D1AZ 6504460-A	1
	71	A(53H,57H,65H,71H,76)	"LTD"	D1AZ 6504460-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
04460	**PLATE - INSTRUMENT PANEL NAME - INCLUDES ATTACHING PARTS** - Also refer to Group 04338 - continued				
		- B -			
	68	B(63D, 65D, 66D, 76D)	"GT"-on instrument panel pad	C8OZ 6304460-A	1
	70	B(54A, 62A, 71D)	"Falcon"	D0OZ 6204460-A	1
	70	B(54B, 65B, 71B)	"Fairlane 500"	D0OZ 6504460-A	1
	71	B(54A, 65A, 71D)	"Torino"	D1OZ 6504460-A	1
	70	B(54C, 57C, E, 63C, 65C, E, 71C, E, 76C)	"Torino"	D0OZ 6504460-B	1
	71	B(54E, 65E, 71E)	"Torino"		1
	71	B(54C, 57C, 63C, 65C, 71C)	"Torino 500"	D1OZ 6504460-B	1
	70	B(63F, 65F, 76F)	"Torino GT"	D0OZ 6504460-D	1
	71	B(63F, 76F)			1
	70	B(63H, 65H)	"Cobra"	D0OZ 6504460-C	1
	71	B(63H)			1
	70/71	B(66)	"Ranchero"	D0OZ 6604460-A	1
		- F -			
	66/68	F(except GT 350/500)	Refer to Group 06024		
	68	F(GT 350)	"GT 350"	S8MS 6304460-D	1
	68	F(GT 500)	"GT 500"	S8MS 6304460-C	1
	69	F(63A, B, 76A, B)	"Mustang"	C9ZZ 6304460-B	1
	70	F(except 63C)			1
	69/70	F(63C)	"Mach I"	C9ZZ 6304460-A	1
	69/70	F(GT 350)	"Cobra GT 350"	C9ZZ 6304460-C	1
	69/70	F(GT500)	"Cobra GT 500"	C9ZZ 6304460-D	1
	69/71	F(65E, F)	"Grande"	C9ZZ 6504460-A	1
		- L -			
	71/	L	"Pinto"	D1FZ 6204460-A	1
		- P -			
	70/	P	"Maverick"	D0DZ 6204460-C	1
			1/8" self thread spring nut	373888-S7(MM290)	2
		- S -			
	67	S	"Thunderbird"	C7SZ 6504460-A	1
	70	S(65)	Front door		2
	72	S	"Thunderbird" medallion	D2SZ 6504460-B	1
		- U -			
	72	U(98)	"Explorer"	C9TZ 8104460-A	1
		- X -			
	66	X(66)	Refer to Group 06036		
	68/70	X(54B, 62B, C, 71B)	"Futura"	C8DZ 6204460-A	1
04462	**REINFORCEMENT - INSTRUMENT PANEL CLUSTER**				
	69/71	A		C9AZ 6204462-A	1
044E62	**RETAINER - CONSOLE PANEL GLOVE COMPARTMENT DOOR LATCH**				
	68	B		C8OZ 63044E62-A	1
044D70-1	**PANEL - INSTRUMENT PANEL CLUSTER FINISH** - Includes Attaching Parts - Paint to Match				
	69	A	R.H.	C9AZ 62044D70-A	1
			R.H. - with vacuum door latch opening	C9AZ 62044D70-B	1
			L.H.	C9AZ 62044D71-A	1
	69	A(71, 76)	L.H. - includes opening for power back window switch or folding top switch	C9AZ 62044D71-B	1
	70	A	R.H. - without vacuum door latch	D0AZ 62044D70-A	1
			R.H. - with vacuum door latch	D0AZ 62044D70-B	1
	70	A(54, 57, 62, 63, 65, 71B, D, H)	L.H.	D0AZ 62044D71-A	1
	70	A(71, 76)	L.H. - includes opening for power back window switch or folding top switch	D0AZ 76044D71-A	1
	71	A	R.H. - refer to Group 04282 in Soft Trim Section		
	71/	A	L.H. - Black - includes I.S. - prime with D1AZ 19000-A (adhesive sealer)	D1AZ 65044D70-A	1
	72	S "Before 5/3/72"		D2SZ 65044D70-B	1
	72	S "From 5/3/72"		D3SZ 65044D70-A	1
04472-3	**MOULDING - INSTRUMENT PANEL - CENTER - INCLUDES ATTACHING PARTS**				
	69/70	F	R.H. - paint to match	C9ZZ 6504472-A	1
			L.H.	C9ZZ 6504473-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
044C72-3	**PANEL - CONSOLE PANEL SIDE - INCLUDES ATTACHING PARTS**				
	68/69	S "Before 4/1/69"	R. H.	C8SZ 65044C72-C	1
			L. H.	C8SZ 65044C73-C	1
			No. 8-18 x 3/4" oval head tapping screw	52445-S(U317)	2
	69/	S "From 4/1/69"	Refer to Group 045A36		
04475	**PLATE - INSTRUMENT PANEL STEERING COLUMN FINISH**				
	68	S	Lower-Paint to match	C8SZ 6504475-B	1
	69	S		C9SZ 6504475-A	1
044C78	**PLATE - INSTRUMENT PANEL PAD RETAINER**				
	68/69	B, X		C8OZ 54044C78-A	AR
	70	A, B		D0AZ 62044C78-A	AR
	71/	A, B, S	Attach with clip 04278	D1AZ 65044C78-A	AR
044D82	**COVER - INSTRUMENT PANEL ACCESS HOLE**				
	68	A		C8AZ 62044D82-A	2
044A85	**PANEL - INSTRUMENT PANEL FINISH LOWER - OUTER - INCLUDES ATTACHING PARTS**				
	68/69	S	With A/C	C8SZ 65044A85-B	1
	68/69	S	Without A/C -paint to match	C8SZ 65044A85-A	1
	70/71	S(57, 65C, D)			1
	70/71	S(65A, B)		D0SZ 65044A85-A	1
	70/71	S(57)	No. 8-18 nut (spring)	381765-S2(MM275E)	7
04488	**BRACE - INSTRUMENT PANEL**				
	69/70	A		C9AZ 6204488-A	1
	70/71	B		D0OZ 6504488-A	1
	70/	P		D0DZ 6204488-A	1
			5/16"-18 nut (U)	379114-S2(MM192AD)	1
044A90	**PANEL - INSTRUMENT PANEL FINISH - UPPER - INCLUDES ATTACHING PARTS**				
	67/68	A	Refer to Group 044A90 in Soft Trim Section		
	69	A(54A, C, 57B, F, 63B, C, 65A, C, 71A, B, C, E, 76)	R. H. -paint to match-with Forced Ventilation and moulding	C9AZ 54044A90-B	1
	69	A(54B, E, 62, 71D, H, J)	R. H. -paint to match-with Forced Ventilation-without moulding	C9AZ 62044A90-B	1
	69/70	A(54A, C, 57B, F, 63B, C, 65A, C, 71A, B, C, E, 76)	R. H. -paint to match-without A/C or Forced Ventilation	C9AZ 54044A90-A	1
	69/70	A(54A, C, 57, 63, 65, 71A, B, C, E, 76)	R. H. -paint to match-with A/C	C9AZ 54044A90-C	1
	69/70	A(54B, E, 62, 71D, H, J)	R. H. -paint to match-without A/C or Forced Ventilation	C9AZ 62044A90-A	1
			R. H. -paint to match-with A/C	C9AZ 62044A90-C	1
	71/72	A "Before 9/13/71"	Paint to match	D1AZ 65044A90-A	1
			Lower-refer to Group 04320		
	72	A "From 9/13/71"	Paint to match	D2AZ 65044A90-C	1
	72	B	Paint to match	D2OZ 65044A90-A	1
	67/68	F(63A, 65A, C, 76A, C)	Camera case finish (black)-includes ornament	C7ZZ 65044A90-B	1
	67	F	3/8"-24 Nut (stamped)	376642-S35(MM292A)	8
	71/	F	Paint to match	D1ZZ 65044A90-A	1
			No. 8-18 x 3/4" oval trim head screw	384154-S9(UU66G)	2
	67/69	S	Paint to match	C7SZ 65044A90-A	1
			Refer to Group 045A30 for clip		
	70/71	S	Paint to match	D0SZ 65044A90-A	1
			No. 8-18 x 1/2" oval trim head screw	375452-S100(BB630D)	2
	72	S	Paint to match	D2SZ 65044A90-A	1
044B90	**REINFORCEMENT - CONSOLE PANEL - FRONT**				
	72	B, S		D2OZ 65044B90-A	2
044D90	**PANEL - CONSOLE PANEL TOP**				
	68	F	Refer to Group 044D90 in Soft Trim Section		
	69	F (except GT350/500)	Black-front	C9ZZ 63044D90-A1A	1
			Blue	C9ZZ 63044D90-A2B	1
			Ivy gold	C9ZZ 63044D90-A1G	1
			Nugget gold	C9ZZ 63044D90-A1Y	1
			Red	C9ZZ 63044D90-A1D	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
044D90	**PANEL - CONSOLE PANEL TOP - continued**				
	69/70	F(GT350/500)	Chrome ribbed)	C9ZZ 63044D90-C	1
	70	F(except GT 350/500)	Black-front	D0ZZ 63044D90-C	1
			Blue	D0ZZ 63044D90-B	1
			Ginger	D0ZZ 63044D90-D	1
			Green	D0ZZ 63044D90-A	1
	71/	F	Paint to match	D1ZZ 65044D90-A	1
	68	S	Aqua	C8SZ 65044D90-A2K	1
			No. 8-15 x 1/2" Flat hd. screw	52012-S8(U202)	8
	69	S	Paint to match	C9SZ 65044D90-A	1
	70/71	S	Paint to match	D0SZ 65044D90-A	1
	72	S	Front	D2SZ 65044D90-A	1
044B96	**CLIP - INSTRUMENT PANEL PAD RETAINING-UPPER**				
	65/66	X		C4GY 54044B96-C	10
044F98	**FILLER - CONSOLE PANEL - FRONT**				
	70/71	S		D0SZ 65044F98-A	1
	70/	S(65A,B)	No.8-18 x 3/4" Pan head cross recess screw	376389-S101(UU82D)	2
04500-1	**FILLER - INSTRUMENT PANEL END** - Paint to Match				
	70/71	B(except 63,71)	R.H.	D0OZ 6504500-A	1
			L.H.	D0OZ 6504501-A	1
	70/71	B(63)	R.H.	D0OZ 6304500-A	1
			L.H.	D0OZ 6304501-A	1
	70/71	B(71)	R.H.	D0OZ 7104500-A	1
			L.H.	D0OZ 7104501-A	1
04510	**BRACE - INSTRUMENT PANEL** -Also refer to Group 04488				
	70	A		D0AZ 6204510-A	1
	71/	A		D1AZ 6504510-A	1
			Nut & washer assy.-5/16"-18	376838-S2(MM296AF)	2
	69/70	F		C9ZZ 6504510-A	1
	71/	F		D1ZZ 6504510-B	1
			Screw & washer assy.-hex. head-5/16"-18 x 1"	57140-S2(B340H)	2
	71/	L		D1FZ 6204510-A	1
	70/	P		D0DZ 6204510-A	1
045A12	**PANEL - CONSOLE PANEL TOP**				
	65	B	Used with manual 4/S/T	C3AZ 65045A12-A	1
	68/69	S " Before 4/1/69"		C8SZ 65045A12-A	1
	69	S "From 4/1/69"	Refer to Group 045B70		
	72	S		D2SZ 65045A12-A	1
04514	**COVER - INSTRUMENT PANEL VENT AIR CONTROL REGISTER**				
	71/	F	Without A/C	D1ZZ 6504514-A	1
045E18	**SEAL - CONSOLE PANEL FRONT**				
	68	F	Black	C8ZZ 65045E18-A1A	2
04522	**MOULDING - INSTRUMENT PANEL PAD RETAINER UPPER**				
	71	F	Black	D1ZZ 6504522-C	1
			Blue	D1ZZ 6504522-B	1
			Ginger	D1ZZ 6504522-D	1
			Green	D1ZZ 6504522-A	1
045B22	**BAR - PASSENGER ASSIST**				
	71/	F	Includes pad and retainer	D1ZZ 65045B22-A	1
045B24-5	**MOULDING - CONSOLE PANEL - FRONT**				
	65	B	R.H. -Includes attaching parts	C2AZ 76045B24-A	1
			L.H.	C2AZ 76045B25-A	1
			No. 8-15 x 1/2" Cross recess oval head screw	52344-S13(U292)	2or4
045C26-7	**MOULDING - CONSOLE PANEL SIDE - INCLUDES ATTACHING PARTS**				
	69/70	A	R.H. - snap on	C9AZ 63045C26-A	1
			L.H.	C9AZ 63045C27-A	1
	68/69	S	R.H. -on upper front	C8SZ 65045C26-A	1
	70/71	S	R.H.	D0SZ 65045C26-A	1
	68/71	S	L.H.	C8SZ 65045C27-A	1
	72	S	R.H.	D2SZ 65045C26-A	1
			L.H.	D2SZ 65045C27-A	1
	66	X	L.H.	C6OZ 63045C26-A	1
045A28	**RETAINER - FINISH PANEL**				
	72	B	Instrument panel	D2GZ 65045A28-A	1
	72	B,S	Console panel	D2SZ 65045A28-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
045B28-9	**SUPPORT - CONSOLE PANEL FRONT** - Also refer to Group 045A36				
	72	B	W/full length console & bucket seats	D2OZ 65045B28-A	1
	68/71	S	R.H.	C8SZ 65045B28-A	1
	70/71	S	L.H.	D0SZ 65045B29-A	1
	72	S		D2OZ 65045B28-A	1
045A30-1	**CLIP - INSTRUMENT PANEL FINISH PANEL**				
	71/	A	R.H.-lower	D1AZ 65045A30-B	1
			L.H.	D1AZ 65045A31-A	1
	67/71	S		C7SZ 65045A30-A	4or6
045B32	**BRACKET - CONSOLE PANEL MOUNTING - FRONT**				
	72	B,S	W/full length console & bucket seats	D2OZ 65045B32-A	1
045B34	**BRACKET - CONSOLE PANEL MOUNTING - REAR**				
	72	B	W/full length console & bucket seats	D2OZ 65045B34-A	1
	72	S	W/full length console	D2SZ 65045B34-A	1

045A36 PANEL - CONSOLE

BODY TYPE	R L	PART NUMBER LESS SUFFIX	COLORS and APPLICABLE PART NUMBER SUFFIXES: AQUA	BLACK	BLUE	EMBER-GLO	GINGER	IVY GOLD	NUGGET GOLD	PALO. MINO	PARCH-MENT	RED	SADDLE	WHITE	OTHER	OTHER	QTY.
1965																	
B		C5OZ 65045A36								CAE							1
F(65,76)-w/o A/C-"Before 12/1/64"		C5ZZ 65045A36												CAF			1
F(65,76)-w/ A/C-"Before 8/20/64"		C5ZZ 65045A36												CAF			1
F(63,65,76)-w/A/C-"From 12/1/64"		C5ZZ 65045A36		CAB										CAF			1
X(62,63,66)		C5DZ 63045A36		BFA	†BFC				BFE	BFF		BFB			*BFD		1
1966																	
F		C5ZZ 65045A36		CAB													1
1967																	
F		C7ZZ 65045A36		A1A	A1B												1
1968																	
B-w/notch for 04620 pad		C8OZ 63045A36		B1A	B1B			•B1G			B1U	B1D		*A1W			1
		C9OZ 63045A36						•A1G									1
F		C8ZZ 65045A36		A1A	A1B												1
S- w/sides		C8SZ 65045A36													⊕B		1
S			Refer to Group 044D90 for Top Panel														
1969																	
A		C9AZ 63045A36		B1A	•B1B			B1G	B1Y			B1D					1
					†B2B												1
B-w/notch		C8OZ 63045A36	B1K	B1A	B1B			†B1G	B1Y		B1U	B1D		*A1W			1
		C9OZ 63045A36						•A1G									1
F		C9ZZ 65045A36	C1K	C1A				C1G	C1Y			C1D					1
S		C8SZ 65045A36													⊕B		1
1970																	
A-"Before 12/1/69"		D0AZ 65045A36			A												1
A-"From 12/1/69"		D0AZ 65045A36			B												1
B-paint to match		D0OZ 65045A36			G												1
B		52445-S13(U317)	No.8-18 x 1" -oval head screw														2
F		D0ZZ 65045A36		G			H										1
P		D0DZ 62045A36		B													1
S		D0SZ 65045A36		A													1

† Light * Turquoise • Dark ⊕ Aluminum

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	COLORS and APPLICABLE PART NUMBER SUFFIXES: AQUA	BLACK	BLUE	EMBER-GLO	GINGER	IVY GOLD	NUGGET GOLD	PALO-MINO	PARCH-MENT	RED	SADDLE	WHITE	OTHER	OTHER	QTY
045A36-7 PANEL - CONSOLE - continued																	
1971																	
A-paint to match		D0AZ 65045A36		B													1
A		381944-S9(UU89B)	Oval trim head screw-No.8-18 x 21/32"														2
B-paint to match		D0OZ 65045A36		G													1
F-full length-paint to match		D1ZZ 65045A36		A													1
F-consolette-paint to match		D1ZZ 65045A36		B													1
L-paint to match		D1FZ 62045A36		A													1
P-paint to match		D1DZ 62045A36		A													1
S-paint to match		D0SZ 65045A36		A													1
1972																	
B-paint to match		D2OZ 65045A36		A													1
F-full length-paint to match		D1ZZ 65045A36		A													1
F-w/consolette		D1ZZ 65045A36		B													1
L-paint to match		D1FZ 62045A36		#A													1
P-paint to match		D1DZ 62045A36		#A													1
S-paint to match		D2SZ 65045A36		A													1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
045D38		**FILLER - INSTRUMENT PANEL PAD AT SPEAKER**			
	66	A		C6AZ 62045D38-B	1
045F38		**REINFORCEMENT - INSTRUMENT PANEL BRACE TO COWL SIDE PANEL**			
	71/	F		D1ZZ 65045F38-A	1
045F40		**SUPPORT - INSTRUMENT PANEL BRACE**			
	71/72	L "Before 10/25/71"		D1FZ 62045F40-A	1
	72	L "From 10/25/71"		D2FZ 62045F40-B	1
045C41		**PANEL - INSTRUMENT PANEL FINISH END - LOWER**			
	67	S(57)	Paint to match-Includes attaching parts	C7SZ 57045C41-A	1
045F52		**SUPPORT - INSTRUMENT PANEL - AT STEERING COLUMN OPENING**			
	71/	L		D1FZ 62045F52-A	1
045D54-5		**BRACKET - INSTRUMENT PANEL LOWER FLANGE REINFORCEMENT**			
	66/	U	R.H.	C6TZ 96045D54-A	1
			L.H.	C6TZ 96045D55-A	1
045B56		**SUPPORT - CONSOLE**			
	69/71	A		C9AZ 63045B56-A	1
	70/71	S	Front	D0SZ 65045B56-A	1
045D56		**BRACE - INSTRUMENT PANEL**			
	72	B	R.H. -to cowl	D2OZ 65045D56-A	1
			Center -use with radio	D2GZ 65045D56-A	1
045F58		**FILLER - INSTRUMENT PANEL CLUSTER FINISH PANEL**			
	72	S	With power rear window defogger	D2SZ 65045F58-A	1
04561		**CLIP - INSTRUMENT PAD RETAINING UPPER MOULDING**			
	65/67	A, F	Used on heater-defroster nozzle	C4DZ 6404561-A	1
	65	B(54, 62, 65)			3
	65/66	S		C4SZ 6304561-A	10
	65	X(54, 62, 63B)		C4DZ 6404561-A	3or7
045B66		**BRACKET - INSTRUMENT PANEL PAD RETAINING - UPPER**			
	71/	A		D1AZ 65045B66-A	1
04567		**PANEL - CONSOLE PANEL TOP FINISH**			
		- A -			
	65/66	A(63C, D, 76B, D)-	Without power lift windows & with automatic trans.	C5AZ 6304567-E	1
	69	A	Rear-includes attaching parts-Black	C9AZ 6304567-B1A	1
			-Ivy Gold	C9AZ 6304567-B1G	1
			-Nugget Gold	C9AZ 6304567-B1Y	1
			-Red	C9AZ 6304567-B1D	1
	70/71	A	Paint to match	D0AZ 6304567-A	1

Paint to match (consolette)

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION		PART NUMBER	QTY.
04567	**PANEL - CONSOLE PANEL TOP FINISH - continued**					
		- B -				
	66/67	B	Use with manual 4 speed transmission		C6OZ 6304567-B	1
			Use with automatic transmission		C6OZ 6304567-C	1
	68/71	B	Front-to retain ash receptacle assy.-with column shift	@	C8OZ 6304567-A	1
			Rear-with manual trans. floor shift	@	C8OZ 6304567-C	1
	68/70	B(except Super GT)	Rear-with column shift	@	C8OZ 6304567-B	1
			Rear-with automatic trans. floor shift	@	C8OZ 6304567-D	1
	70	B	Rear-with manual trans. floor shift-black camera case & bright finish	@	D0OZ 6504567-A	1
	70	B(63F, 76F)-Super GT	Rear-with automatic trans. floor shift - wood grain	@	D0OZ 6504567-C	1
	70	B (Super GT)	Rear-with manual floor shift-wood grain	@	D0OZ 6504567-B	1
			Rear-with column shift-wood grain	@	D0OZ 6504567-D	1
	70/71	B(except Super GT)	Rear-with manual trans. -floor shift-black paint	@	D0OZ 6504567-E	1
			Rear-with automatic trans. floor shift-black paint	@	D0OZ 6504567-F	1
			Rear-with column shift-black paint	@	D0OZ 6504567-G	1
	72	B	Front-with column shift & bucket seats		D2OZ 6504567-A	1
			Front-with floor shift & bucket seats		D2OZ 6504567-B	1
		- F -				
	65/66	F	Used without A/C-Camera Case finish	@	C5ZZ 6504567-A	1
			Used without A/C-Wood Grain finish	@	C5ZZ 6504567-C	1
	67	F	With glove compartment door & w/o warning lamps		C7ZZ 6504567-A	1
	68	F	With glove compartment door	@	C8ZZ 6504567-A	1
	69	F(63C, 65E)	Front-with auto. trans.	@	C9ZZ 6504567-A	1
			Front-with manual trans.	@	★C9ZZ 6504567-B not replaced	ø 1
	69	F(63A, B, 65A, B, 76A, B)	Front-with auto. trans.	@	C9ZZ 6504567-D	1
			Front-with manual trans.	@	C9ZZ 6504567-C	1
	70	F(except 63C, 65E)	Front-with auto. trans. -Black	@	D0ZZ 6304567-D	1
			Front-with manual trans. -Black	@	D0ZZ 6304567-C	1
	70	F(63C, 65E)	Front-with auto. trans. -Teakwood finish	@	D0ZZ 6304567-A	1
			Front-with manual trans. -Teakwood finish	@	D0ZZ 6304567-B	1
045B70-1	**MOULDING - CONSOLE PANEL SIDE - REAR - INCLUDES ATTACHING PARTS**					
	67	S(65)	R.H.		C7SZ 65045B70-A	1
			L.H. - not replaced (3-74)	★	C7SZ 65045B71-A	1
	68/69	S	R.H. and L.H. side		C8SZ 65045B70-B	2
	70/71	S				2
	68/69	S	L.H.		C8SZ 65045B71-B	1
	69	S "From 4/1/69"	Rear		C9SZ 65045B70-A	1
	70/71	S				1
045B72	**PANEL - CONSOLE PANEL FINISH - REAR** - Includes Attaching Parts					
	68	F	Use with automatic transmission-Paint to match		C8ZZ 65045B72-B	1
	69	F	Refer to group 06010			1
045C72	**SUPPORT - INSTRUMENT PANEL PAD RETAINER TOP MOULDING**					
	67/68	F			C7ZZ 65045C72-A	1
045A76	**PANEL - CONSOLE**					
	69	A-w/o auto. trans.	Center-Black		C9AZ 63045A76-B1A	1
			Blue (dark)		C9AZ 63045A76-B1B	1
			Blue (light)		C9AZ 63045A76-B2B	1
			Ivy Gold		C9AZ 63045A76-B1G	1
			Red		C9AZ 63045A76-B1D	1
	69	A-w/auto. trans.	Center-Black		C9AZ 63045A76-C1A	1
			Blue (dark)		C9AZ 63045A76-C1B	1
			Blue (light)		C9AZ 63045A76-C2B	1
			Ivy gold		C9AZ 63045A76-C1G	1
			Nugget gold		C9AZ 63045A76-C1Y	1
			Red		C9AZ 63045A76-C1D	1

@ - Includes attaching parts

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
045A76	**PANEL - CONSOLE - continued**				
	70	A-w/o auto. trans.	Center-paint to match	D0AZ 63045A76-A	1
	70/71	A-w/auto. trans.	Center-paint to match	D0AZ 63045A76-B	1
	71	A-w/auto. trans.	Center-paint to match	D1AZ 65045A76-A	1
	71	A	No.8-18 x 1/2" oval trim head screw	52413-S13(U316)	2
04578-9	**MOULDING - CONSOLE PANEL LOWER EDGE**				
	68/69	S "Before 4/1/69"	R.H.-Includes attaching parts	C8SZ 6504578-A	1
			L.H. - not replaced (3-74)	★ C8SZ 6504579-A	1
045B78	**PLATE - CONSOLE PANEL GEAR SHIFT LEVER OPENING COVER**				
	69/71	A		C9AZ 63045B78-A	1
045D84	**ORNAMENT - CONSOLE PANEL** - Includes Attaching Parts				
	67	S	"Thunderbird" emblem-includes insert	C7SZ 65045D84-A	1
045B86	**REINFORCEMENT - INSTRUMENT PANEL FINISH PANEL**				
	70/71	S		D0SZ 65045B86-A	1
045E94	**RETAINER - INSTRUMENT PANEL STEERING COLUMM OPENING COVER**				
	71/	L		D1FZ 62045E94-A	1
045A96	**RETAINER - CONSOLE PANEL REAR MOULDING**				
	65	B		C2AZ 76045A96-A	6
			No. 8-15 x 3/8"Cross recess pan head screw	52720-S8(U380)	6
04598	**BRACE - INSTRUMENT PANEL TO FLOOR**				
	72	L	To attach basic 044G00	D2FZ 6204598-A	1
			Screw & washer assy.	★57039-S2	2
04604	**HINGE - CONSOLE PANEL ARM REST**				
	68/71	S		C8SZ 6504604-A	1
			No. 8-15 x 3/4" Cross recess pan head screw	52742-S8(U385)	3
04606	**BEZEL - INSTRUMENT PANEL CLUSTER OPENING**				
	70/71	B		D0OZ 6504606-A	1
04610	**PANEL - CONSOLE PANEL ARM REST FINISH**				
	68/71	S	Paint to match	C8SZ 6504610-B	1
			No. 8-18 x 3/8" Cross recess oval head screw	53008-S13(U275)	3
04619	**RETAINER - INSTRUMENT PANEL FINISH LOWER - CENTER - INCLUDES ATTACHING PARTS**				
	67	S		C7SZ 6504619-A	1
	68/69	S(57C, D, 65C, D)	Paint to match	C9SZ 6504619-A	1
	70/71	S(57, 65C, D)	Paint to match	D0SZ 6504619-B	1
04620	**PAD - CONSOLE PANEL** - Refer to Group in Soft Trim Section				
04634	**PANEL - INSTRUMENT PANEL - UPPER**				
	70/71	B	Paint to match	D0OZ 6504634-A	1
04648	**COVER - INSTRUMENT PANEL CIGAR LIGHTER OPENING** - When Cigar Lighter is not used				
	70	B		C8DZ 6204648-A	1
	68/70	X(54A, 62A, 71A)		C8DZ 6204648-A	1
04672	**BRACE - INSTRUMENT PANEL LOWER FLANGE TO COWL INNER PANEL**				
	68/70	B, X		C8OZ 5404672-A	1
	71	B			1
	72	B	Attaches to cowl-7 3/4" long	D2GZ 6504672-A	1
	69/70	F		C9ZZ 6504672-A	1
	71/	F		D1ZZ 6504672-A	1
	70/	P		D0DZ 6204672-A	1
	72	S		D2SZ 6504672-A	1
04674	**REINFORCEMENT - INSTRUMENT PANEL LOWER FLANGE - CENTER**				
	70/71	S		D0SZ 6504674-A	1
04684.	**RETAINER - CONSOLE PANEL**				
	68/	B		C8OZ 6304684-A	1
	68/	S		C8SZ 6504684-A	1
			No.8-18 Nut (spring)	383054-S2(MM276AD)	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
04718-9	**MOULDING - INSTRUMENT PANEL LOWER END - INCLUDES ATTACHING PARTS**				
	69/70	F	R. H. -Paint to match	C9ZZ 6504718-A	1
			L. H.	C9ZZ 6504719-A	1
04722	**INSERT - CONSOLE FINISH PANEL - CENTER**				
	69/70	A		C9YZ 6504722-A	1
04736	**MOULDING - CONSOLE PANEL - REAR -INCLUDES ATTACHING PARTS**				
	69/70	A		C9AZ 6304736-A	1
	72	S		D2SZ 6504736-A	1
04746	**SUPPORT - INSTRUMENT PANEL PAD**				
	71/	F		D1ZZ 6504746-A	1
			Screw-pan head-No.8-18 x 3/4"	376389-S100(UU82D)	4
04774	**PANEL - INSTRUMENT PANEL - CENTER**				
			- A -		
	68	A(54C,57F,63C,65A,71A,E, 76B)	Wood grain finish-includes attaching parts- 1 37/64" wide	C8AZ 5404774-A	1
			- B -		
	66/67	B(63C,D,71E,76C,D)		C6OZ 6304774-B	1
	67	B(66B,D)	With radio	C7DZ 6204774-A	1
	67	B(66B,D)	Without radio	C6DZ 6204774-A	1
	68	B(54C,65C,71E)	Refer to Group 04338		
			- F -		
	67/68	F(63A,65A,C,76A,C)	Camera case finish	C7ZZ 6504774-B	1
	68	F(63,65,76)	Wood grain finish	C8ZZ 6504774-A	1
	69	F(63C,65E)- "Before 1/6/69"	Light teak wood finish-without radio-includes attaching parts	C9ZZ 6504774-C	1
			Light teak wood finish-with radio-includes attaching parts	C9ZZ 6504774-D	1
	69/70	F(63C,65E)- "From 1/6/69"	Dark teak wood finish-without radio-includes attaching parts	C9ZZ 6504774-E	1
			Dark teak wood finish-with radio-includes attaching parts	C9ZZ 6504774-F	1
	69/70	F(except 63C,65E)	Black-camera case finish-without radio-includes attaching parts	C9ZZ 6504774-A	1
	69/70	F(except 63C,65E)	Black-corinthian grain finish-with radio	C9ZZ 6504774-B	1
	71/	F(63D,R,65D,76D)	Black-camera case finish-without instrument gauge openings-with Mustang name plate	D1ZZ 6504774-C	1
			Blue	D1ZZ 6504774-B	1
			Ginger	D1ZZ 6504774-A	1
			Green	D1ZZ 6504774-D	1
	71/	F(63D,65D,76D)	Black-camera case finish-with instrument gauge openings	D1ZZ 6504774-J	1
			Blue	D1ZZ 6504774-K	1
			Ginger	D1ZZ 6504774-L	1
			Green	D1ZZ 6504774-M	1
	71/	F(63D,R,65F)	Black-wood grain finish-with instrument gauge openings	D1ZZ 6304774-A	1
			Blue	D1ZZ 6304774-B	1
			Ginger	D1ZZ 6304774-C	1
			Green	D1ZZ 6304774-D	1
	71/	F(65F)	Black-wood grain finish-without instrument gauge openings-with Grande name plate	D1ZZ 6504774-E	1
			Blue	D1ZZ 6504774-F	1
			Ginger	D1ZZ 6504774-G	1
			Green	D1ZZ 6504774-H	1
	72	F(63D,65D)		D2ZZ 6504774-A	1
	71/	F(63,65,76)	Screw-pan head-No. 8-18 x 3/4"	376389-S100(UU82D)	2
			- S -		
	67	S(65)	Refer to Chassis Group 19893		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
04774	**PANEL - INSTRUMENT PANEL - CENTER - continued**				
		- X -			
	65	X(54B,62B,63B,66B,71B,C, 76A)	With radio	C5DZ 6204774-A	1
	66	X(54B,62B,C,66B,D,71B)	With radio	C6DZ 6204774-B	1
	67	X(54B,62B,C,71B)	With radio	C7DZ 6204774-A	1
	65/66	X	Without radio	★	
04780	**RETAINER - CONSOLE PANEL ASH RECEPTACLE**				
	68/	B		D0OZ 6504780-A	1
	71/72	F	W/consolette	D1ZZ 6304780-A	1
			W/full length console	D1ZZ 6504780-A	1
04784	**RETAINER - INSTRUMENT PANEL CENTER FINISH PANEL**				
	69/70	F		C9ZZ 6504784-A	2
04786	**DOOR - CONSOLE PANEL ASH RECEPTACLE** - Paint to match - Also refer to Group 04788				
	71/	F	W/full length console	D1ZZ 6504786-A	1
04788	**RECEPTACLE - CONSOLE PANEL ASH**				
	68/69	B		C8OZ 6304788-B	1
	70	B	Camera case finish	D0OZ 6304788-A	1
			Wood grain	D0OZ 6504788-A	1
	71	B	Black	D0OZ 6304788-B	1
	69/70	F(except GT350/500)		C9ZZ 6504788-A	1
	69/70	F(GT 350/500)		C9ZZ 6304788-B	1
	71/	F	W/consolette-paint to match	D1ZZ 6504788-A	1
	65/66	S		C4SZ 6304788-B	1
			Bumper	375838-S(CC32)	2
			No. 8-32 x 1/2" Cross recess pan head screw	51764-S8(U366)	4
			No. 8 Flat washer	44710-S8(X10)	4
	69	S	Black-paint to match	D0SZ 6504788-A	1
			Blue	C9SZ 6504788-F	1
			Ivy gold	C9SZ 6504788-E	1
			Nugget gold	C9SZ 6504788-D	1
			Red	C9SZ 6504788-A	1
			No. 6-32 x 1/4"-pan head tap. screw	41540-S(U353)	2
	70	S	Black	D0SZ 6504788-A	1
			Blue	D0SZ 6504788-C	1
			Ginger	D0SZ 6504788-B	1
			Green	D0SZ 6504788-F	1
			Nugget Gold	D0SZ 6504788-E	1
			Red	D0SZ 6504788-D	1
	71	S	Black	D0SZ 6504788-A	1
			Blue	D0SZ 6504788-C	1
			Green	D1SZ 6504788-A	1
			Red	D0SZ 6504788-D	1
04796	**COVER - CONSOLE PANEL MOULDING JOINT**				
	68	S		C8SZ 6504796-B	1
	69/71	S		C9SZ 6504796-A	1
04803	**RECEPTACLE KIT - REAR FLOOR ASH**				
	67/71	F		C8WY 6504803-A	1
04810-1	**RECEPTACLE - INSTRUMENT PANEL ASH** - Paint to match - Also refer to Groups 04821 and 04826				
		- A -			
	65/66	A		C5AZ 6204810-A	1
			Bumper-1/4" dia. hole	380239-S(CC42)	2
			Bumper	377880-S(CC39)	2
	67	A	Refer to Group 04821		
	68	A(54C, 57F, 63C, 65A, 71A-E, 76B)		C8AZ 5404810-B	1
	71/	A	R.H. - includes instruction sheet	D1AZ 6504810-A	1
			L.H. - includes instruction sheet	D1AZ 6504811-A	1
			11/32" ball bearing	354872-S(AA10B)	AR
	70	A	Refer to Groups 04821 and 04826-7		

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
04810-1	**RECEPTACLE - INSTRUMENT PANEL ASH** - Paint to match - Also refer to Groups 04821 and 04826 - **continued**				
		- B -			
	68/69	B	Includes retainer	C8OZ 5404810-A	1
	70	B(54A,B,62A,63H,65B,H,66A, B, 71B, D)			1
	71	B(54A, 63H, 65A, 66A, B, 71D)- "Before 6/18/71"			1
	70/71	B(54C,57C,63C,F,65C,66C, 71C, 76C)		D0OZ 6504810-A	1
	71	B(54A, 63H, 65A, 66A, B, 71D)	"From 6/18/71"		1
	70/71	B(57E,63F,65E,66E,71E,76F)		D0OZ 6504810-B	1
			Bumper	379919-S(CC36A)	2
	72	B "Before 10/15/71"		D2GY 6504810-A	1
	72	B "From 10/15/71"	r/b D3OZ 6504810-A (7/74)	★D2GY 6504810-B	ø 1
		- F -			
	65/66	F	3 3/4" wide	C4DZ 6204810-A	1
	68	F	For knob and insert refer to Group 048B38		
		- L -			
	71	L "Before 8/21/70"	Less handle	D1FZ 6204810-A	1
	71/	L "From 8/21/70"	Includes handle	D1FZ 6204810-B	1
		- P -			
	70/	P		D0DZ 6204810-B	1
		- S -			
	68/71	S(57B, C, 65C, D)	Includes nylon slides	D0SZ 6504810-A	1
	68/69	S	11/32" ball bearing	354872-S(AA10B)	AR
	72	S	Black	D2SZ 6504810-A	1
		- U -			
	66/67	U		C1UZ 8904810-A	1
	68/	U		C7TZ 9604810-A	1
		- X -			
	65	X	3 3/4" wide	C4DZ 6204810-A	1
	68/70	X	Includes retainer	C8OZ 5404810-A	1
	65/66	B, F, X	Bumper	380369-S(CC44)	2
048A14	**DOOR and RETAINER ASSY. - CONSOLE PANEL ASH RECEPTACLE**				
	69/70	F	Paint to match	C9ZZ 65048A14-A	1
04815	**BEZEL - INSTRUMENT PANEL ASH RECEPTACLE**				
	69/70	F		C9ZZ 6504815-A	1
04817	**PANEL - INSTRUMENT PANEL ASH RECEPTACLE DOOR TRIM -INCLUDES ATTACHING PARTS**				
	68	A(54C, 57F, 63C, 65A, 71A, E, 76B)	Wood grain	C8AZ 5404817-A	1
04821	**BOX and SNUFFER - ASH RECEPTACLE**				
		- A -			
	65/66	A	Instrument panel	C5AZ 6204821-A	1
	67	A	Instrument panel	C7AZ 6204821-A	1
			Also refer to Group 044E26-7 (slide assy.)		
	68	A	Refer to Group 04810		
	69/70	A "Before 9/15/69"	Instrument panel-paint to match	C9AZ 6204821-A	1
	70	A "From 9/15/69"	Instrument panel-paint to match-ball bearing type	D0AZ 6204821-A	1
		- B -			
	66/67	B	Instrument panel-with A/C-paint to match	C6OZ 6204821-B	ø 1
	68/	B	Refer to Group 04810		
		- F -			
	65/66	F	Console - Refer to Group 048A42		
	67	F	Instrument panel-paint to match	C7ZZ 6504821-A	1
	68	F	Instrument panel-paint to match	C8ZZ 6504821-A	1
	68	F	Console-Refer to Groups 30702 and 30714		
	67/68	F	Bumper	380369-S(CC44)	1
	69	F	Instrument panel-paint to match	C9ZZ 6504821-A	1
	70	F	Instrument panel-paint to match	D0ZZ 6504821-A	1
	71/	F	W/full length console	D1ZZ 6504821-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
04821	**BOX and SNUFFER - ASH RECEPTACLE - continued**				
		- S -			
	65/66	S	Console - Front - Also refer to Group 04788	C4SZ 6304821-A	1
	67/71	S	Console-Front	C7SZ 6504821-A	1
	68/71	S(57B,C,65C,D)	Instrument panel	C8SZ 6504821-A	1
		- X -			
	66/67	X	Instrument panel-without A/C-paint to match	C6OZ 6204821-A	1
			Instrument panel-with A/C-paint to match	C6OZ 6204821-B	1
04826-7	**RETAINER - ASH RECEPTACLE**				
		- A -			
	65/67	A		C5AZ 6204826-D	1
	68	A	Refer to Group 04810		
	69/70	A "Before 9/15/69"	Instrument panel	C9AZ 6204826-A	1
	70	A "From 9/15/69"	Instrument panel - ball bearing type	D0AZ 6204826-A	1
	71/	A	Instrument panel	D1AZ 6504827-A	1
		- B -			
	66/67	B	Without A/C	C6OZ 6204826-A	1
			With A/C	C6OZ 6204826-B	1
		- F -			
	67	F		C7ZZ 6504826-B	1
	68	F		C8ZZ 6504826-A	1
	69	F	Paint to match	C9ZZ 6504826-A	1
	70	F		D0ZZ 6504826-A	1
		- S -			
	67	S	Console panel-Rear-Paint to match	C7SZ 6504826-A	1
		- U -			
	66/67	U		C1UZ 8904826-A	1
	68/	U		C7TZ 9604826-A	1
	66/	U	No. 8-18 x 3/8" Cross recess washer head screw	376378-S101(UU97)	3
		- X -			
	65	X		C4DZ 6204826-A	1
	66/67	X	Without A/C	C6OZ 6204826-A	1
			With A/C	C6OZ 6204826-B	1
	65/67	A, B, F, X	No. 8 x 3/8" Cross recess binding head screw	52720-S8(U380)	3or4
			No. 10 External tooth lockwasher	34903-S8(X96)	3or4
			No. 8-15 x 1/2" Cross recess pan head screw	52726-S13(U381)	4
04830	**HANDLE - CONSOLE PANEL ASH RECEPTACLE**				
	67	A	Instrument panel-Includes attaching parts	C7AZ 6204830-A	1
	67	A	No. 6-20 x 1/4" Pan head screw	52533-S(U226)	2
			5/16" Rivet	★64130-S	2
04830	**HANDLE - INSTRUMENT PANEL ASH RECEPTACLE**				
	68	A	Part of 04810 assy.		
04837	**RETAINER - INSTRUMENT PANEL ASH RECEPTACLE RETAINER** - Also refer to Group 04810				
	67	A	Paint to match	C7AZ 6204837-A	1
048B38	**KNOB and INSERT ASSY. - INSTRUMENT PANEL ASH RECEPTACLE**				
	69	F		C9ZZ 65048B38-A	1
048A42	**RECEPTACLE - CONSOLE PANEL REAR ASH**				
	69/71	A, F	Receptacle-refer to Group 62876	C9YZ 65048A42-A	1
	70/71	B		D0OZ 65048A42-A	1
	65/66	F	No. 8-15 x 1/2" Cross recess pan head screw	52726-S13(U381)	3
	67	F	Includes chrome door and spring	C7ZZ 65048A42-A	1
	67	S(65)	Includes door-Black	C7SZ 65048A42-A1A	1
			-Blue	C7SZ 65048A42-A1B	1
			-Gold	C7SZ 65048A42-A1G	1
			-Parchment	C7SZ 65048A42-A1U	1
			-Red	C7SZ 65048A42-A1D	1
			-Saddle	C7SZ 65048A42-A1F	1
048B52	**CLIP - INSTRUMENT PANEL ASH RECEPTACLE - INCLUDES ATTACHING PARTS**				
	69/71	S		C9SZ 65048B52-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
04878	**. CLIP - INSTRUMENT PANEL MOULDING**				
	67/68	A		C8AZ 6204878-B	4
	70/	P	With A/C	D0DZ 6204878-A	11
060A08	**CABLE - INSTRUMENT PANEL GLOVE COMPARTMENT DOOR CHECK**				
	69/70	F		C9ZZ 65060A08-A	1
	65	X		C4DZ 62060A08-A	2
	65/66	F			1
	65/66	F, X	No. 8-18 x 1/2" Pan head shoulder screw	379203-S2(UU81M)	2
	65/66	S		C4SZ 63060A08-A	1
	72	S		D2SZ 65060A08-A	1
	66/	U		C6TZ 96060A08-A	1
			No. 8-15 x 5/8" Self tapping fillister head screw	52554-S8(U230)	2
			No. 8-15 Nut (spring)	45133-S2(M126)	2
			No. 8-12 Nut (spring)	45174-S8(M131)	1
			No. 8-18 x 9/16" Pan head shield screw	382249-S2(UU81W)	1
06010	**COMPARTMENT - INSTRUMENT PANEL GLOVE**				
		- A -			
	65/66	A	Without A/C	C5AZ 6206010-A	1
	67	A	Without A/C	C7AZ 6206010-C	1
			With A/C	C7AZ 6206010-D	1
	68	A	Without A/C	C8AZ 6206010-A	1
	69/70	A		C9AZ 6206010-A	1
	71	A "Before 3/15/71"	Without A/C or A.T.C.	D1AZ 6506010-A	1
			With A/C or A.T.C.	D1AZ 6506010-B	1
	71	A "From 3/15/71"	Without A.T.C.	D1AZ 6506010-C	1
			With A.T.C.	D1AZ 6506010-D	1
	72	A	Without A/C	D2AZ 6506010-A	1
			With A/C	D2AZ 6506010-B	1
	71/	A	Nut (spring)-U shape	45174-S8(M138)	5
		- B -			
	65	B		C2OZ 6206010-A	1
	66/67	B		C6OZ 6206010-B	1
			No. 8-15 x 3/8" Cross recess washer screw	376378-S101(UU97)	6
	67	B	With hang-on A/C	C7OZ 5406010-A	1
	67	B(63, 76)	No. 8-15 x 5/8" Oval head screw	52352-S8(U293)	2
	68/69	B	Without A/C	C9DZ 6206010-A	1
			With A/C	C8OZ 5406010-B	1
	70/71	B	Without A/C	D0OZ 6506010-A	1
			With A/C - plastic	D0OZ 5406010-A	1
			No. 8-18 x 3/8"-pan head self tap screw	52720-S8(U380)	8
	72	B(without A/C)		D2GZ 6506010-A	1 ø
	72	B (with A/C)		D0OZ 5406010-A	1 §
		- F -			
	65/66	F		C5ZZ 6506010-A	1
	67/68	F	Without hang-on A/C	C7ZZ 6506010-A	1
	69/70	F	Without A/C	C9ZZ 6506010-A	1
			With A/C	C9ZZ 6506010-B	1
	71/	F	Without A/C	D1ZZ 6506010-A	1
			With A/C	D1WY 6506010-A	1
			No. 8-18 x 1/2" Round washer head screw	382086-S9(UU89F)	5
		- L -			
	71/72	L 'Before 4/1/72"		D1FZ 6206010-A	1
	72	L 'From 4/1/72"		D2FZ 6206010-A	1
			No. 8-18 x 3/8"-self tap fill.hd.screw	52540-S13(U227)	4
		- S -			
	67	S	With identification plate retainer	C7SZ 6506010-C	1
	68/69	S		C8SZ 6506010-A	1
	70/71	S		D0SZ 6506010-A	1
	72	S		D2SZ 6506010-A	1
		- U -			
	66/70	U		C6TZ 9606010-A	1
	71/	U		D1BZ 1006010-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
D6010	COMPARTMENT - INSTRUMENT PANEL GLOVE - continued				
		- X -			
	65	X		C4DZ 6206010-A	1
	66/67	X	Without A/C	C6OZ 6206010-B	1
	67	X	With A/C	C7OZ 5406010-A	1
	68	X	With A/C	C8OZ 5406010-B	1
	70	X	Without A/C	C9DZ 6206010-A	1
	65/66	A, B, F, S, X	No. 8 x 1" Cross recess oval head screw	52376-S13(U296)	6or7
	66	F	No. 8-15 x 3/4" Cross recess washer head screw	350075-S13(UU88)	5
	66/	U			5
D6010	COMPARTMENT – CONSOLE PANEL GLOVE				
		- A -			
	69/70	A "Before 10/1/69"	Black	C9AZ 6306010-B1A	1
	70	A "From 9/2/69 to 12/1/69"	Black	D0AZ 6306010-A	1
	70/71	A "From 12/1/69"	Black-with 1/2" dia. hole on left side	D0AZ 6306010-B	1
		- B -			
	68/70	B "Before 9/2/69"		C8OZ 6306010-A	1
	70	B "From 9/2/69 to 12/1/69"		D0GY 6506010-A	1
	70/71	B "From 12/1/69"		D0GY 6506010-B	1
	72	B		D2OZ 6506010-A	1
		- F -			
	69	F	Includes retainer, spacer, socket and rivet		
			Rear-Aqua	C9ZZ 6506010-A2K	1
			-Blue	C9ZZ 6506010-A2B	1
			-Ivy gold	C9ZZ 6506010-A1G	1
			-Nugget gold	C9ZZ 6506010-A1Y	1
			-Red	C9ZZ 6506010-A1D	1
	70	F "Before 9/2/69"	Rear-Black	D0ZZ 6306010-D	1
			-Blue	D0ZZ 6306010-B	1
			-Ginger	D0ZZ 6306010-F	1
			-Green	D0ZZ 6306010-A	1
			-Red	D0ZZ 6306010-E	1
			-Tobacco	D0ZZ 6306010-C	1
	70	F "From 9/2/69 to 12/1/69"	Rear-Black	D0OZ 6306010-K	1
			-Blue	D0OZ 6306010-H	1
			-Ginger	D0OZ 6306010-M	1
			-Green	D0OZ 6306010-G	1
			-Red	D0OZ 6306010-L	1
			-Tobacco	D0OZ 6306010-J	1
	70	F "From 12/1/69"	Rear-Black	D0ZZ 6306010-R	1
			-Blue	D0ZZ 6306010-P	1
			-Ginger	D0ZZ 6306010-T	1
			-Green	D0ZZ 6306010-N	1
			-Red	D0ZZ 6306010-S	1
			-Tobacco	D0ZZ 6306010-Q	1
	71/	F	Use with full length console	D1ZZ 6506010-B	1
		- S -			
	65/66	S	Drill 1/2" hole for L/compt. door latch remote control release	C4SZ 6306010-C	1
			No. 8-15 x 1" Cross recess oval head screw	52376-S13(U296)	4
	68/70	S "Before 11/3/69"		C8SZ 6506010-B	1
	70/71	S "From 11/3/69"		D0SZ 6506010-B	1
	72	S		D2OZ 6506010-A	1
		- X -			
	66	X		C6OZ 6306010-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
060A12	**BEZEL - INSTRUMENT PANEL or CONSOLE GLOVE COMPARTMENT DOOR LOCK** - Includes Attaching Parts				
	65/66	A "Before 12/1/65"		C5AZ 62060A12-A	1
	66/68	A "From 12/1/65"		C5AZ 62060A12-B	1
	71/	A	Instrument panel	D1AZ 65060A12-A	1
	66	B(54A,62A,63C,D, 71, 76C, D), X(54, 62A, 66A, 71A)	Instrument panel	C6OZ 62060A12-A	1
	67	B, F, S, X(54, 62A, 71A)			1
	68	B, F, S, X			1
	69/70	A, F			1
	72	F			1
	69/71	B, S			1
	69	X(54A, 62A, 71A)			1
	68/71	S	Console panel	C8SZ 65060A12-A	1
	71	S			1
06021	**PANEL - CONSOLE GLOVE COMPARTMENT**				
	65	F "Before 8/20/64"	Blue	C5ZZ 6506021-AFA	1
			Palomino	C5ZZ 6506021-AFA	1
06024	**DOOR - INSTRUMENT PANEL GLOVE COMPARTMENT**				
		- A -			
	67/68	A		C7AZ 6206024-A	1
	69/70	A		C9AZ 6206024-A	1
	71/	A	Includes hinge-paint to match -incl. I. S.	D1AZ 6506024-A	1
		- B -			
	66/67	B		C6OZ 6206024-A	1
	68/69	B		C8OZ 5406024-A	1
	70	B(54,62A,63H,65B,66A,B,71B)	Paint to match	D0OZ 6506024-A	1
	71	B(54,63H,66A,B,71D)			1
	70/71	B(54C,57C,63C,F,65C,F, 66C,71C,76)	Textured steel	D0OZ 6506024-B	1
	70/71	B(57E,65E,66E,71E,76F)	Vinyl clad steel -wood grain finish	D0OZ 6506024-C	1
	72	B	Black	D2GY 6506024-B	1
			Blue	D2GY 6506024-E	1
			Green	D2GY 6506024-C	1
			Tobacco	D2GY 6506024-A	1
			Paint to match	D3OZ 6506024-A	1
		- F -			
	65/66	F(63B, 65B, 76B)	Wood grain finish	C5ZZ 6506024-D	1
	67/68	F		C7ZZ 6506024-A	1
	69/70	F		C9ZZ 6506024-A	1
	71/	F		D1ZZ 6506024-A	1
		- L -			
	71/	L		D1FZ 6206024-A	1
		- S -			
	67/69	S		C7SZ 6506024-A	1
	70/71	S		D0SZ 6506024-A	1
			Bumper	379162-S(CC34A)	1
	72	S	Paint to match	D2SZ 6506024-A	1
		- U -			
	66/	U	Paint to match	C3UZ 8906024-A	1
			No. 8-32 x 1/2" Hex. head screw and washer assy.	382240-S2(BB551BM)	2
		- X -			
	66/67	X		C6OZ 6206024-A	1
	68/69	X		C8OZ 5406024-A	1
D6024	**DOOR - CONSOLE PANEL GLOVE COMPARTMENT**				
		- A -			
	69	A	Black-Padded	C9AZ 6306024-A1A	1
			Blue (dark)	C9AZ 6306024-A1B	1
			Blue (light)	C9AZ 6306024-A2B	1
			Ivy gold	C9AZ 6306024-A1G	1
			Nugget gold	C9AZ 6306024-A1Y	1
			Red	C9AZ 6306024-A1D	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
06024	DOOR - CONSOLE PANEL GLOVE COMPARTMENT - continued				
		- A - continued			
	70	A "Before 12/1/69"	Black	D0AZ 6306024-J	1
			Blue	D0AZ 6306024-G	1
			Ginger	D0AZ 6306024-H	1
			Green	D0AZ 6306024-F	1
			Red	D0AZ 6306024-K	1
	70	A "From 12/1/69"	Black	D0AZ 6306024-P	1
			Blue	D0AZ 6306024-M	1
			Ginger	D0AZ 6306024-N	1
			Green	D0AZ 6306024-L	1
			Red	D0AZ 6306024-R	1
	71/72	A	Black	D1AZ 6306024-A	1
			Red	D1AZ 6306024-B	1
		- B -			
	68	B	Blue	C9OZ 6306024-DDB	1
	68/69	B	Aqua	C9OZ 6306024-DDK	1
			Black	C9OZ 6306024-DDA	1
			Nugget gold	C9OZ 6306024-DDY	1
			Red	C9OZ 6306024-DDD	1
	69	B	Ivy Gold	C9OZ 6306024-DDG	1
			White	C9OZ 6306024-DBW	1
	69/70	B "Before 9/2/69"	Paint to match	C9OZ 6306024-DDB	1
	70	B "From 9/2/69 to 12/1/69"	Paint to match	D0OZ 6506024-D	1
	70/71	B "From 12/1/69"	Paint to match	D0OZ 6506024-E	1
			Screw self tap. fill. head-No. 8-18 x 3/8"	52540-S13(U227)	4
	72	B	Paint to match	D2OZ 6506024-A	1
		- F -			
	65/66	F	With Camera Case finish	C5ZZ 6506024-B	1
	65/66	F "From 3/8/65"	With wood grain finish	C5ZZ 6506024-C	1
	67/68	F(except GT 350/500)		C8ZZ 6506024-A	1
			Bumper	379162-S(CC34A)	1
	69	F	Nugget gold-less hinge-no catch-plain	C9ZZ 6506024-B1Y	1
			Red	C9ZZ 6506024-B1D	1
	69/70	F "Before 9/2/69"	Black-less hinge-no catch-plain	C9ZZ 6506024-B1A	1
			Blue	C9ZZ 6506024-B2B	1
	70	F "Before 9/2/69"	Red	D0ZZ 6506024-C	1
	70	F "From 9/2/69 to 12/1/69"	Black-less hinge-magnetic catch-plain	D0ZZ 6306024-K	1
			Blue	D0ZZ 6306024-B	1
			Ginger	D0ZZ 6306024-F	1
			Green	D0ZZ 6306024-A	1
			Red	D0ZZ 6306024-E	1
			Tobacco	D0ZZ 6306024-C	1
	70	F "From 12/1/69"	Black-less hinge-positive catch-plain	D0ZZ 6306024-K	1
			Blue	D0ZZ 6306024-H	1
			Ginger	D0ZZ 6306024-M	1
			Green	D0ZZ 6306024-G	1
			Red	D0ZZ 6306024-L	1
	71/	F	Paint to match	D1ZZ 6506024-B	1
	69/	F	No. 8-18 x 3/8"-pan head screw	52720-S8(U380)	4
		- L -			
	71/	L		D1FZ 6206024-B	1
		- P -			
	70/	P	Consolette - includes hinge and attaching parts-paint to match	D0DZ 6206024-A	1
		- S -			
	65	S	Mink	C5SZ 6306024-EBD	1
	66	S	Black	C5SZ 6306024-EBB	1
			Mink (light)	C5SZ 6306024-EBD	1
	68/69	S	Black	D0SZ 6506024-BA	1
			Blue	D0SZ 6506024-GA	1
			Ivy gold	C8SZ 6506024-A1G	1
			Red	C8SZ 6506024-A1D	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
06024	**DOOR - CONSOLE PANEL GLOVE COMPARTMENT - continued**				
		- S -			
	70	S	Black-positive catch	D0SZ 6506024-B	1
			Blue	D0SZ 6506024-G	1
			Ginger	D0SZ 6506024-D	1
			Green	D0SZ 6506024-E	1
			Red	D0SZ 6506024-C	1
	70	S	Black-magnetic catch	D0SZ 6506024-BA	1
			Blue	D0SZ 6506024-GA	1
			Ginger	D0SZ 6506024-DA	1
			Green	D0SZ 6506024-EA	1
			Red	D0SZ 6506024-CA	1
	71	S	Black-positive catch	D0SZ 6506024-B	1
			Blue	D0SZ 6506024-G	1
			Ginger	D0SZ 6506024-D	1
			Green	D1SZ 6506024-A	1
			Red	D0SZ 6506024-C	1
	72	S	Paint to match -also use D1ZZ 6506050-B hinge	D2OZ 6506024-A	1
06036	**PANEL - INSTRUMENT PANEL GLOVE COMPARTMENT DOOR FINISH - INCLUDES ATTACHING PARTS**				
		- A -			
	67	A(54A,C,57,63,71A,E,76)	Wood grain finish-2" wide-lower	C7AZ 5406036-A	1
	67	A(54B,E,62,71B,C,D)	With A/C		1
	67	A(54C,57F,63J)	Wood grain finish-5" wide -upper	C7AZ 6306036-A	1
	68	A(54A,57,63,65,71A,B,C,E,76)	Bright finish and wood grain finish - lower - without name plate	C8AZ 5706036-A	1
	68	A(54C,57F,63C,65A,71A,E,76B)	Wood grain finish - upper	C8AZ 5406036-A	1
	68	A(54C,57F,65A)	Wood grain finish - lower - "Brougham"	C8AZ 5406036-B	1
	69/70	A(54A,B,C,57,63,65,71B,C,76)	Wood grain finish (2 1/4" wide) - with glove compartment lock opening	C9AZ 6206036-A	1
	69/70	A(54C,57F,65A,71A,E)	Wood grain finish (3 1/2" wide) - with glove compartment lock opening	C9AZ 5406036-A	1
	69/70	A(54C,57F,65A)	Wood grain finish (3 1/2" wide) - "Brougham"	C9AZ 5406036-B	1
		- B -			
	68	B	With A/C	C8OZ 5406036-C	1
	68	B(54C,65C,71E)	Wood grain finish-15.21" long - without A/C	C8OZ 5406036-A	1
	68 69	B(54B,63B,E,65B,E,71B,76B,E) B(63D,F,65D,F,66C,D,76D,F)	Without A/C	C8OZ 5406036-B	1
	69	B(54C,65C,71E)	Wood grain (dark teak)-without A/C	C9OZ 5406036-B	1
	69	B	Upper & lower-wood grain(rosewood)-with A/C	C9OZ 5406036-A	1
	70	B	Refer to Group 06024		
		- F -			
	71/	F-w/decor group	Argent	D1ZZ 6506036-A	1
		- S -			
	67/69	S		C7SZ 6506036-A	1
	70/71	S	Paint to match	D0LY 6506036-A	1
		- X -			
	68/69	X(54B,62B,C,71B)	Without A/C	C8OZ 5406036-B	1
	69	X	Upper & lower-wood grain(rosewood)-with A/C	C9OZ 5406036-A	1
06050	**HINGE - INSTRUMENT PANEL GLOVE COMPARTMENT DOOR**				
	69/70	A		C9AZ 6206050-A	1
	71/	A		D1AZ 6506050-A	1
	68/71	B		C8OZ 5406050-A	1
	72	B		D2GY 6506050-A	1
	67/68	F		C7ZZ 6506050-B	1
	69/70	F	Includes reinforcement	C9ZZ 6506050-A	1
	71/	F		D1ZZ 6506050-A	1
	71/	L		D1FZ 6206050-A	1
	67/71	S		C7SZ 6506050-A	1
	72	S		D2SZ 6506050-A	1
	66/	U		C3UZ 8906050-AP	1
	68/70	X		C8OZ 5406050-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
06050-1	**HINGE - CONSOLE PANEL GLOVE COMPARTMENT DOOR**				
	69/71	A	Plastic	C9AZ 6306050-A	1
	68/71	B		C8OZ 6306050-A	1
	72	B		D1ZZ 6506050-B	1
	65/66	F	R.H.	C5ZZ 6506050-A	1
			L.H.	C5ZZ 6506051-A	1
	69/70	F		C9ZZ 6306050-A	1
	71/	F	W/full length console	D1ZZ 6506050-B	1
	71/	L		D1FZ 6206050-B	1
	68/71	S	Paint to match	C8SZ 6506050-A	1
	72	S		D1ZZ 6506050-B	1
	66	X		C6OZ 6306050-A	1
06064	**CATCH - INSTRUMENT PANEL GLOVE COMPARTMENT DOOR LATCH STRIKER PLATE**				
		- A -			
	65	A		★C4VY 5306064-A r/b C6OZ 6206064-A	ø 1
	69/	A	Also used on stowage compartment	C9AZ 6206064-A	1
		- B -			
	65	B(except 65B)		C2OZ 6206064-A	1
	65	B(65B)		C2AZ 7606064-A	1
	66	B "Before 3/22/66"		C4VY 5306064-A	1
	66/69	B "From 3/22/66"		C6OZ 6206064-A	1
	70/	B		C9AZ 6206064-A	1
		-F -			
	65	F(63B, 65B, 76B)		C5ZZ 6506064-A	1
	66	F			1
	67/68	F		C6OZ 6206064-A	1
	69/	F		C9AZ 6206064-A	1
		- L -			
	71/	L		C9AZ 6206064-A	1
		- S -			
	67/69	S		C7SZ 6506064-A	1
	70/	S		C9AZ 6206064-A	1
		- U -			
	66/	U		C2SZ 6306064-A	1
			No. 8-32 x 1/2" Pan head screw	31061-S8(U50)	2
		- X-			
	65	X		C4DZ 6206064-C	1
	66	X "Before 3/22/66"		C4VY 5306064-A	1
	66/70	X "From 3/22/66"		C6OZ 6206064-A	1
	65/67	A, B, S, X	No. 8 x 3/8" Cross recess pan head screw	52720-S8(U380)	2
			No. 8 External tooth lockwasher	34938-S8(X85)	2
	65/67	A	No. 8-32 x 5/16" Fill. hd screw & lockwasher	355067-S7(BB53)	2
	69/	A	No. 8-18 x 1/2"-pan head tap. screw & washer assy.	376389-S101(UU82D)	2
	67/69	S			2
06064	**CATCH-CONSOLE PANEL GLOVE COMPARTMENT DOOR LATCH STRIKER PLATE -** Also refer to Group 060A96, 061A34, 061A36				
	65/67	A		C4DZ 6206064-C	1
	65	F		C4DZ 6206064-C	1
	70/	P		D0DZ 6206064-A	1
	65/66	S		C4SZ 6306064-B	1
	68	S	Refer to groups 061A34 & 061A36		
	70/71	S		D0SZ 6506064-A	ø 1
	65/66	X(62C, 63C, 64D, 66H, 76B, D)		C4DZ 6306064-A	1
06066	**BUMPER - INSTRUMENT PANEL GLOVE COMPARTMENT DOOR**				
	66/69	A, B, X		C6AZ 6206066-A	2
	70/71	S(65A, B)			2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
06069	**SPRING - GLOVE COMPARTMENT DOOR**				
	66/69	A	Instrument panel	C6AZ 6206069-A	1
	67/69	B,X			1
	70	X			1
	70/71	S	On console		1
06072	**LATCH - GLOVE COMPARTMENT DOOR - NON LOCKING**				
		- A -			
	65/66	A	Console door-Includes attaching parts	C5AZ 6306072-A	1
		- B -			
	67	B(66,71)	Instrument panel	C6DZ 6206072-B	1
		- F -			
	65	F	Instrument panel-Includes attaching parts	C5ZZ 6506072-A	1
	65/66	F	Console door-Includes attaching parts	C5AZ 6306072-A	1
	67/68	F	Instrument panel	C6DZ 6206072-B	1
	69/70	F	Instrument panel	C9ZZ 6506072-A	1
			No. 8-18 x 1/2"-pan head screw & washer assy.	376389-S101(UU82D)	2
	71/	F	Instrument panel	D1ZZ 6506072-A	1
			Screw & washer assy.-pan head tap-No.8-18 x 3/4"	376389-S101(UU82D)	2
		- L -			
	71/	L	Instrument panel	D1ZZ 6506072-A	1
		- X -			
	65	X(54B,62B,63B,66B,71C,76A)	Instrument panel-Includes attaching parts	C4DZ 6206072-B	1
	65	X(54A,D,59A,62D,66,71A,71B,78)	Instrument panel-Includes attaching parts	C5AZ 6306072-A	1
	66/70	X(54,62,66,71)	Instrument panel	C6DZ 6206072-B	1
06081	**LOCK CYLINDER and KEYS - GLOVE COMPARTMENT DOOR** - Refer to Group 22050				
060A84	**PANEL - CONSOLE GLOVE COMPARTMENT DOOR FINISH**				
	68/70	S "Before 11/3/69"	Paint to match	C8SZ 65060A84-A	1
	70/71	S "From 11/3/69"	Paint to match	D0SZ 65060A84-A	1
06095	**ESCUTCHEON - INSTRUMENT PANEL GLOVE COMPARTMENT DOOR LOCK**				
	65	A,B		C0AB 6406095-A	1
	66/	U			1
060A96	**CATCH - CONSOLE GLOVE COMPARTMENT DOOR LATCH**				
	70	A,B,F "Before 12/1/69"		D0AZ 63060A96-A	1
	70/71	A "From 12/1/69"		D0ZZ 63060A96-B	1
	70/	B,F			1
	72	S			1
	68/71	S	Refer to Group 06064		
061A14	**ORNAMENT - CONSOLE PANEL**				
	72	B		D2OZ 65061A14-A	1
06115	**BUMPER - INSTRUMENT PANEL GLOVE COMPARTMENT DOOR ARM**				
	65/68	A		B6A 7006115-A	1
	65	F			1
06122	**GROMMET - INSTRUMENT PANEL GLOVE COMPARTMENT DOOR CHECK ARM**				
	65/68	A		C3AZ 6206122-A	1
	65	B			1
06125	**RETAINER - INSTRUMENT PANEL GLOVE COMPARTMENT DOOR LATCH CATCH**				
	69/71	A		C9AZ 6206125-A	1
	69/	B,F,L,S			1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
061A34	**LATCH - CONSOLE PANEL GLOVE COMPARTMENT DOOR**				
	66	B, X	Magnet type	C6OZ 63061A34-A	1
	67/68	A, B			1
	68/70	S			1
	70	A, B, F "Before 12/1/69"		D0AZ 63061A34-A	1
	70/71	A "From 12/1/69"		D0AZ 63061A34-B	1
	70	B, F "From 12/1/69"		D0ZZ 63061A34-A	1
	72	B,S	Paint to match	D2OZ 65061A34-A	1
	71/	F	Full length console	D1ZZ 63061A34-A	1
	71/	L		D1FZ 62061A34-A	1
06136	**BRACKET - INSTRUMENT PANEL GLOVE COMPARTMENT DOOR LATCH MOUNTING**				
	72	S		D2SZ 6506136-A	1
061A36	**PLATE - CONSOLE PANEL GLOVE COMPARTMENT DOOR LATCH**				
	68/70	S		C8SZ 65061A36-A	1
061A44	**HANDLE - CONSOLE PANEL GLOVE COMPARTMENT DOOR**				
	70/71	S	Paint to match	D0SZ 65061A44-A	1
06150	**PLATE - GLOVE COMPARTMENT DOOR LATCH CATCH ANCHOR**				
	65/66	X		C4DZ 6206150-A	1
	65/66	A	Console		1
	65	F(63A, 65A, C, 76A, C)	Instrument panel		1
	66	F			1
06152	**SUPPORT - CONSOLE PANEL GLOVE COMPARTMENT DOOR CATCH**				
	70/71	B		D0GY 6506152-A	1
06156	**COVER - INSTRUMENT PANEL GLOVE COMPARTMENT FUSE PANEL OPENING**				
	68/69	S	With skid control	C8SZ 6506156-A	1
	70	S		D0SZ 6506156-A	1
	71	S		D1SZ 6506156-A	1
06157	**STRIKER - CONSOLE PANEL GLOVE COMPARTMENT DOOR**				
	65	A,B,X	Steel	C2AZ 7606157-B	1
			No. 8 x 3/8" Cross recess pan head screw	52720-S8(U380)	2
06158	**BRACKET - INSTRUMENT PANEL GLOVE COMPARTMENT DOOR CATCH STRIKER**				
	69/70	F		C9ZZ 6506158-A	1
	65/66	S		C4SZ 6306158-B	1
			No. 8-32 x 1/2" Screw & lockwasher assy.	40917-S8(U257)	2
			No. 8 Flat washer	44710-S8(X10)	2
06162	**BUMPER - INSTRUMENT PANEL GLOVE COMPARTMENT DOOR**				
	66/	U		C3UZ 8906162-A	2
			No. 8-15 x 3/4" Cross recess washer head screw	350075-S13(UU88)	2
06164	**KNOB - INSTRUMENT PANEL GLOVE COMPARTMENT DOOR**				
	72	B ,S		D2OZ 6506164-A	1
06172	**REINFORCEMENT - INSTRUMENT PANEL GLOVE COMPARTMENT DOOR LATCH**				
	72	B		D2GY 6506172-A	1
061A84	**PARTITION - CONSOLE PANEL GLOVE COMPARTMENT**				
	68/71	B	Plastic	C8OZ 63061A84-A	1
06222	**CHECK - CONSOLE PANEL GLOVE COMPARTMENT DOOR HINGE**				
	70/	P		D0DZ 6206222-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
100A01	**EXTENSION - FRONT SIDE INNER MEMBER UPPER**				
	70/71	B	L.H.	D0OZ 65100A01-A	1
	70/	P	L.H.	D0DZ 62100A01-A	1
10008-9	**MEMBER - FRONT SIDE INNER** - Also refer to Group 10462				
	71/	L	R.H.	D1FZ 6210008-A	1
			L.H.	D1FZ 6210009-A	1
10010	**MEMBER - FRONT SUSPENSION NO. 2 CROSS**				
	66/68	B	With 8 cyl. (390 engine)	C6OZ 6210010-D	1
	67/68	B	With 6 cyl. or 8 cyl. (289 engine)		1
	69	B	With 6 cyl. or 8 cyl. engines		1
	66	B	With 6 cyl., 8 cyl. (289 engine)	C6OZ 6210010-C	1
	66/70	X	With 6 cyl., 8 cyl. (302 engine)		1
	70/71	B		D0OZ 6510010-B	1
	70/	F			1
	71/72	L		D1FZ 6210010-A	1
100A14-5	**GUSSET - FRONT SIDE MEMBER FRONT**				
	68/70	F(63, 65)	R.H.	C8ZZ 65100A14-A	1
			L.H.	C8ZZ 65100A15-A	1
	71/	F(63, 65)	R.H.	D1ZZ 65100A14-A	1
			L.H.	D1ZZ 65100A15-A	1
	70/	P	R.H.	D0DZ 62100A14-A	1
			L.H.	D0DZ 62100A15-A	1
10018	**MEMBER - FRONT SUSPENSION NO. 1 CROSS** - Also Refer to Group 10852				
	65/66	F		C5ZZ 6510018-A	1
	65	X		C3DZ 6210018-B	1
10034	**PLUG - FLOOR PAN SEAT BELT ANCHOR OPENING**				
	65	A, B, F, S, U, X	When seat belts are not installed	C2AZ 6210034-A	4
	69/	B(71)	When rear facing seat belts are not installed		4
	70/71	S(57)			4
10062-3	**EXTENSION - FRONT SIDE MEMBER**				
		- B -			
	68/69	B(76)	R.H.	C6OZ 7610062-B	1
			L.H.	C6OZ 7610063-B	1
	68/	B(except 76)	Refer to Group 105A62		
	70/71	B(76)	R.H.	D0OZ 7610062-A	1
			L.H.	D0OZ 7610063-A	1
		- F -			
	65/68	F(63, 65)		C5ZZ 6510062-B	2
	69/70	F(63, 65)	R.H.	C5ZZ 6510062-C	1
			L.H.	C5ZZ 6510063-A	1
	65/70	F(76)	R.H.	C5ZZ 7610062-B	1
			L.H.	C5ZZ 7610063-A	1
	71/	F(63, 65)	R.H.	D1ZZ 6510062-A	1
			L.H.	D1ZZ 6510063-A	1
	71/	F(76)	R.H.	D1ZZ 7610062-A	1
			L.H.	D1ZZ 7610063-A	1
		- L -			
	71/72	L "Before 12/23/71"	R.H.	D1FZ 6210062-A	1
			L.H.	D1FZ 6210063-A	1
	72	L "From 12/23/71"	R.H.	D2FZ 6210062-A	1
			L.H.	D2FZ 6210063-A	1
		- P -			
	70/	P	Refer to Group 101A22		

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
10066-7	**EXTENSION - FLOOR SIDE INNER MEMBER FRONT**					
	66	B(except 76), X		C6OZ 6210066-A	C6OZ 6210067-A	1
	67/69	B(54, 63, 65, 66, 71), except Talladega		C8OZ 5410066-A	C8OZ 5410067-A	1
	68/70	X				1
	70/71	B(except 76)		D0OZ 6510066-A	D0OZ 6510067-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
10104-5	**REINFORCEMENT - FRONT SUSPENSION NO. 2 CROSS MEMBER OUTER**					
	66/69	B, X		★C6OZ 6210104-A	C6OZ 6210105-A	1
	70/71	B		D0OZ 6510104-A	D0OZ 6510105-A	1
101A04-5	**MOULDING - BODY ROCKER PANEL - INCLUDES ATTACHING PARTS**					
	65	A(54A, 57B, 63B, 71B, C, 76A) "Before 9/21/64"	Rear	C5AZ 62101A04-A	C5AZ 62101A05-A	1
	65	A(54A, 57, 63, 71B, C, 76)- "From 9/21/64"		C5AZ 63101A04-B	C5AZ 63101A05-B	1
			No. 8-18 x 1/2" Rd. hd. screw	379557-S101(UU89CB)	379557-S101(UU89CB)	AR
10116-7	**MEMBER - FLOOR SIDE INNER**					
	66	B(54, 62, 63)- "Before 10/1/65"		C6OZ 6310116-A	C6OZ 6310117-E	1
	66	B(71) "Before 10/1/65"		C6OZ 6310116-B	C6OZ 7110117-A	1
	66	B(exc. 76)- "From 10/1/65 to 2/14/66"		C6OZ 6310116-B	C6OZ 6310117-D	1
	66/69	B(except 76)- "From 2/14/66"	Cut to length	C6OZ 6310116-E	C6OZ 6310117-E	1
	70/71	B		D0OZ 7610116-A	D0OZ 7610117-A	1
	72	B(53) "Before 2/22/72"		D2OZ 5310116-A	D2OZ 5310117-A	1
	72	B(53) "From 2/22/72"		D2OZ 5310116-B	D2OZ 5310117-B	1
	72	B(63, 65) "Before 2/22/72"		D2OZ 6510116-A	D2OZ 6510117-A	1
	72	B(63, 65) "From 2/22/72"		D2OZ 6510116-B	D2OZ 6510117-B	1
	72	B(71) "Before 12/1/71"		D2OZ 7110116-A	D2OZ 7110117-A	1
	72	B(71)- "From 12/1/71 to 2/22/72"		D2OZ 7110116-B	D2OZ 7110117-B	1
	72	B(71) "From 2/22/72"		D2OZ 7110116-C	D2OZ 7110117-C	1
	72	B(97) "Before 2/22/72"		D2OZ 9710116-A	D2OZ 9710117-A	1
	72	B(97) "From 2/22/72"		D2OZ 9710116-B	D2OZ 9710117-B	1
	65/69	F(63, 65)		★C5ZZ 6510116-D Not Repl. (2-74)	D0WY 7610117-A	1
	65/67	F(76)		★C5ZZ 7610116-A Not Repl. (1-73)	C5ZZ 7610117-B	1
	68/69	F(76)		★C5ZZ 7610116-B Not Repl. (1-73)	C5ZZ 7610117-B	1
	70	F(65)		D0WY 6510116-A	D0WY 6510117-A	1
	70	F(76)		D0WY 7610116-A	D0WY 7610117-A	1
	71/72	F "Before 12/1/71"		D1ZZ 7610116-A	D1ZZ 7610117-A	1
	72	F(65) "From 12/1/71"		D2ZZ 6510116-A	D2ZZ 6510117-A	1
	72	F(76) "From 12/1/71"		D2ZZ 7610116-A	D2ZZ 7610117-A	1
	71	L		D1FZ 6210116-A	D1FZ 6210117-A	1
	72	L "Before 12/1/71"		D2FZ 6210116-A	D2FZ 6210117-A	1
	72	L "From 12/1/71"		D2FZ 6210116-B	D2FZ 6210117-B	1
	71	P(54)		D1DZ 5410116-A	D1DZ 5410117-A	1
	72	P(54) "Before 12/1/71"		D2DZ 5410116-A	D2DZ 5410117-A	1
	72	P(54) "From 12/1/71"		D2DZ 5410116-B	D2DZ 5410117-B	1
	70	P(62)		D0DZ 6210116-A	D0DZ 6210117-A	1
	72	P(62) "Before 12/1/71"		D2DZ 6210116-A	D2DZ 6210117-A	1
	72	P(62) "From 12/1/71"		D2DZ 6210116-B	D2DZ 6210117-B	1
	70/	P	Plug (button)-1/2" dia. hole	377935-S(PP2D)	377935-S(PP2D)	2
	72	S		D2SZ 6510116-A	D2SZ 6510117-A	1
	66/69	X(54, 62)	Cut to length	C6OZ 6310116-E	C6OZ 6310117-E	1
	66	X(66, 71) "Before 10/1/65"		C6OZ 6310116-B	C6OZ 7110117-A	1
	66	X(66, 71) "From 10/1/65"	Cut to length	C6OZ 6310116-B	C6OZ 6310117-D	1
10120-1	**MEMBER - FLOOR SIDE OUTER** - Also refer to group 10128-9					
	69	A		C9AZ 7110120-A	C9AZ 7110121-A	1
	70/71	A		D0AZ 7110120-A	D0AZ 7110121-A	1
	68/70	S(57)		C8SZ 5710120-A	C8SZ 5710121-A	1
	68/70	S(65)		C8SZ 6510120-A	C8SZ 6510121-A	1
	71	S(57)		D1SZ 5710120-A	D1SZ 5710121-A	1
	71	S(65)		D1SZ 6510120-A	D1SZ 6510121-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
10122-3	**EXTENSION - FLOOR SIDE MEMBER - FRONT -** Also refer to Group 10062-3					
	68/69	B, X		C8OZ 54101A22-A	C8OZ 54101A23-A	1
	70/	P		D0DZ 62101A22-A	D0DZ 62101A22-A	2
10124-5	**MEMBER - FLOOR SIDE REAR**					
	68/69	B(54, 63, 65)		C8OZ 5410124-A	C8OZ 5410125-A	1
	67/71	B(66, 71)		C9OZ 6610124-A	C6OZ 7110125-B	1
	68/69	B(76)		★C8OZ 7610124-A	C8OZ 7610125-A	1
	70	B(54, 57, 62, 63, 65)		D0OZ 6510124-A	D0OZ 6510125-A	1
	71	B(54, 57, 63, 65)				1
	70/	B(76)		D0OZ 7610124-A	D0OZ 7610125-A	1
	68	F(63, 65)		C9ZZ 6510124-A	C8ZZ 6510125-A	1
	69/70	F(63, 65)		C9ZZ 6510124-A	C8ZZ 7610125-A §	1
	68/70	F(76)		C8ZZ 7610124-A	C8ZZ 7610125-A	1
	71/72	F(63, 65)-with dual exhaust - "Before 12/1/71"		D1ZZ 6510124-A	D1ZZ 6510125-A	1
	72	F(63, 65) "From 12/1/71"		D2ZZ 6510124-A	D2ZZ 6510125-A	1
	71/72	F(76) "Before 12/1/71"		D1ZZ 7610124-A	D1ZZ 7610125-A	1
	72	F(76) "From 12/1/71"		D2ZZ 7610124-A	D2ZZ 7610125-A	1
	72	L(73)		D2FZ 7310124-A	D2FZ 7310125-A	1
	70	P		D0DZ 6210124-A	D0DZ 6210125-A	1
	71/	P		D1DZ 6210124-A	D1DZ 6210125-A	1
	66/67	X(66, 71)		★C6DZ 7110124-A	C6OZ 7110125-B	1
	68/69	X(54, 62) "Before 7/28/69"		C8DZ 6210124-A	C8DZ 6210125-A	1
	69/70	X(except 71) - "From 7/28/69"		C9DZ 6210124-A	C9DZ 6210125-A	1
	68	X(71)		C6OZ 7110124-A	C6OZ 7110125-B	1
	69	X(71)		C9OZ 6610124-A	C6OZ 7110125-B	1
10128-9	**PANEL - BODY ROCKER**					
		- A -				
	65/68	A(54, 57)		C5AZ 5710128-A	C5AZ 5710129-A	1
	65/68	A(62, 63, 65, 76)		C5AZ 6310128-B	C5AZ 6310129-B	1
	65/68	A(71)		C5AZ 7110128-A	C5AZ 7110129-A	1
	69/70	A(54, 57, 71)		C9AZ 5710128-A	C9AZ 5710129-A	1
	69/70	A(62, 63, 65, 76)		C9MY 7610128-A	C9MY 7610129-A	1
	71/	A(53, 54, 57, 71)		D1AZ 5710128-A	D1AZ 5710129-A	1
	71/	A(65, 76)		D1AZ 7610128-A	D1AZ 7610129-A	1
		- B -				
	66/67	B(except 66, 71)		C6OZ 7610128-B	C6OZ 7610129-B	1
	66	B(71)		C6OZ 7110128-A	C6OZ 7110129-A	1
	67	B(66, 71)				1
	68/69	B(66, 71)		C8OZ 7110128-A	C8OZ 7110129-A	1
	68/69	B(except 63, 66, 71)		C8OZ 7610128-A	C8OZ 7610129-A	1
	68/69	B(63)-except Talladega				1
	69	B(63) Talladega		C9OZ 6310128-A	C9OZ 6310129-A	1
	70/71	B(54, 57, 62, 63, 65, 76)		D0OZ 7610128-A	D0OZ 7610129-A	1
	70/71	B(66)		D0OZ 6610128-A	D0OZ 6610129-A	1
	70/71	B(71)		D0OZ 7110128-A	D0OZ 7110129-A	1
	72	B(53, 71)		D2OZ 5310128-A	D2OZ 5310129-A	1
	72	B(63, 65)		D2OZ 6510128-A	D2OZ 6510129-A	1
	72	B(97)		D2OZ 9710128-A	D2OZ 9710129-A	1
		- F -				
	65/66	F		C5ZZ 6510128-A	C5ZZ 6510129-A	1
			Valve (drain)	C4AZ 62103A58-C	C4AZ 62103A58-C	2
	67/68	F		C7ZZ 7610128-B	C7ZZ 7610129-B	1
	69/70	F		C9ZZ 7610128-B	C9ZZ 7610129-B	1
	71/	F		D1ZZ 7610128-A	D1ZZ 7610129-A	1
		- L -				
	71	L		D2FZ 6210128-A	D1FZ 6210129-A §	1
	72	L(62, 64) "Before 12/1/71"		D2FZ 6210128-A	D2FZ 6210129-A	1
	72	L(62, 64) "From 12/1/71"		D2FZ 6210128-B	D2FZ 6210129-B	1
	72	L(73)		D2FZ 7310128-B	D2FZ 7310129-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
10128-9	**PANEL - BODY ROCKER - continued**					
		- P -				
	71/	P(54)		D1DZ 5410128-A	D1DZ 5410129-A	1
	70/	P(62)		D0DZ 6210128-A	D0DZ 6210129-A	1
		- S -				
	67	S(57)		C9SZ 5710128-B	★C7SZ 5710129-A Not Repl. (3-74)	1
	68/69	S(57)		C9SZ 5710128-B	C9SZ 5710129-B	1
	67/69	S(65)		C9SZ 6510128-B	D1SZ 6510129-A	1
	70	S(57)		D0SZ 5710128-B	D0SZ 5710129-A	1
	70	S(65)		D0SZ 6510128-B	D0SZ 6510129-A	1
	71	S(57)		D1SZ 5710128-A	D1SZ 5710129-A	1
	71	S(65)		D1SZ 6510128-A	D1SZ 6510129-A	1
	72	S		D2SZ 6510128-A	D2SZ 6510129-A	1
		-U -				
	66	U "Before Ser.886,001"		C6TZ 9610128-A	C6TZ 9610128-A	2
	66/	U "From Ser.886,001"		C6TZ 9610128-B	C6TZ 9610128-B	2
		- X -				
	66/70	X(54,62)		C6DZ 5410128-A	C6DZ 5410129-A	1
	66	X(66,71)		C6OZ 7110128-A	C6OZ 7110129-A	1
	67/70	X(71)				1
10130	**LABEL - SILL PLATE**					
	65/70	F(GT 350/500)		S7MS 6310130-A	S7MS 6310130-A	2
10132-3	**REINFORCEMENT - FLOOR SIDE OUTER MEMBER**					
	65/66	F		C5ZZ 6510132-B	C5ZZ 6510132-A	2
	67/70	F		C5ZZ 6510132-B	C5ZZ 6510132-B	2
	72	L(73)		D2FZ 7310132-A	D2FZ 7310133-A	1
	72	S		D2SZ 6510132-A	D2SZ 6510133-A	1
10144-5	**REINFORCEMENT - FLOOR SIDE REAR MEMBER INNER**					
	66/71	B(76)		C6OZ 7610144-A	C6OZ 7610145-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
10146	**MOULDING KIT - ROCKER PANEL**				
	71/	L		D1FZ 6210146-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
10156-7	**REINFORCEMENT - FLOOR SIDE MEMBER TO FRONT SIDE MEMBER REAR**					
	66/69	B(54,62,63,65,66,71),X		C6OZ 6210156-B	C6OZ 6210157-B	1
	70/71	B(except 76)		D0OZ 6510156-A	D0OZ 6510157-A	1
	70/71	B(76)		D0OZ 7610156-A	D0OZ 7610157-A	1
10158-9	**REINFORCEMENT - REAR FLOOR SIDE MEMBER TO FLOOR SIDE INNER MEMBER**					
	66/69	B(76)		C6OZ 7610158-A	C6OZ 7610159-A	1
	70	B(54,62,63,76)				1
	71	B(54,57,63,65,76)				1
	66/70	X(54,62)		C6DZ 6210158-A	C6DZ 6210159-A	1
10164	**REINFORCEMENT - FLOOR SIDE MEMBER AT CENTER BODY PILLAR**					
	70/71	B(57)		D0OZ 5710164-A	D0OZ 5710164-A	2
101A68-9	**REINFORCEMENT - FLOOR SIDE MEMBER TO DASH MOUNTING**					
	66	B(76)		C6OZ 76101A68-A	C6OZ 76101A69-A	1
	67	B(76)-427 C.I.D.- "Before 1/16/67"		C7OZ 76101A68-A	★C6OZ 76101A69-B Not Repl'd. (1-73)	1
	67	B(76) "Before 1/16/67"		C6OZ 76101A68-A	★C6OZ 76101A69-B Not Repl'd. (1-73)	1
	67/69	B(76)-200,289,390- "From 1/16/67"		C6OZ 76101A68-A	★C6OZ 76101A69-A Not Repl'd. (3-74)	1
	67/69	B(76) "From 1/16/67"		C7OZ 76101A68-A	★C6OZ 76101A69-C Not Repl'd. (1-73)	1
	68/69	B(76)		C6OZ 76101A68-A	★C6OZ 76101A69-C Not Repl'd. (1-73)	1
	70/71	B(76)		C6OZ 76101A68-A	D0OZ 76101A69-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
10170-1	FILLER - FLOOR SIDE OUTER MEMBER FRONT END					
	66/69	B(54, 65, 66, 71), X		C8OZ 5410170-A	C8OZ 5410171-A	1
	68/69	B(63)-except Talladega				1
	70/71	B		D0OZ 6510170-A	D0OZ 6510171-A	1
	72	B		D2OZ 6510170-A	D2OZ 6510171-A	1
	71/	F		D1ZZ 6510170-A	D1ZZ 6510171-A	1
	70/	P		D0DZ 6210170-A	D0DZ 6210171-A	1
	72	S		D2SZ 6510170-A	D2SZ 6510171-A	1
10176-7	MOULDING - BODY ROCKER PANEL - INCLUDES ATTACHING PARTS					
		- A -				
	65	A(54A,57B,63B,71B, C, 76A)- 'Before 9/21/64"	1 3/4" wide	C5AZ 6210176-B	C5AZ 6210177-B	1
	65	A(57F, 63C, F, 76B)- 'Before 9/21/64"	3 1/8" wide	C5AZ 6310176-A	C5AZ 6310177-A	1
	65	A(54A,57,63,71, 76)- 'From 9/21/64"				1
	65	A(54B, E, 62, 71A, D, E) 71D, 71E)	3 1/8" wide	C5AZ 6210176-C	C5AZ 6210177-C	1
	66	A(54A, 57, 63, 71B, C, 76)		C6AZ 5410176-A	C6AZ 5410177-A	1
	66	A(54B, E, 62, 71A, D, E)		C6AZ 6210176-B	C6AZ 6210177-B	1
	68	A(54A, C, 57, 63, 65, 71B, C, 76)		C8AZ 5410176-A	C8AZ 5410177-A	1
	70	A(54B, C, E, 57F, 62, 63, 65A, C, 71B, C, D, H, J, 76)		D0AZ 5410176-A	D0AZ 5410176-A	2
	72	A(54F, 57F, 65F, 71F)		D2AZ 6510176-A	D2AZ 6510177-A	1
	65/66	A	Rivet (blind)	378527-S(SS44B)	378527-S(SS44B)	AR
	66	A	Clip assy. -No.10-24 x 1 1/4"	380872-S100(BB643B)	380872-S100(BB643B)	2
		- B -				
	65	B		C5OZ 6210176-A	C5OZ 6210177-A	1
	66	B(54B, 62B, 63B, C, 76B, C) 76C)		C6OZ 6210176-B	C6OZ 6210177-B	1
	66	B(71B)		C6OZ 7110176-B	C6OZ 7110177-B	1
	69	B(54C, 65C)		C9OZ 5410176-A	C9OZ 5410177-A	1
	70	B(57E, 63F, 65E, 76F)		D0OZ 6510176-A	D0OZ 6510177-A	1
	71	B(54C, 57C, 63C, 65C)		D1OZ 6510176-A	D1OZ 6510177-A	1
	71	B(63F, 76)	Includes "GT" letters	D1OZ 6310176-A	D1OZ 6310177-A	1
	71	B(66B, 71C)		D1OZ 7110176-A	D1OZ 7110177-A	1
	71	B(66C)	Includes "GT" letters	D1OZ 6610176-A	D1OZ 6610177-A	1
	71	B	Clip	381955-S100(GG333)	381955-S100(GG333)	2
		- F -				
	65/66	F(63, 65, 76)		C5ZZ 6510176-A	C5ZZ 6510177-A	1
	67/68	F		C7ZZ 6510176-A	C7ZZ 6510177-A	1
	69	F		C9ZZ 6510176-A	C9ZZ 6510177-A	1
	70	F(63A, B, 65A, B, 76)		D0ZZ 6510176-B	D0ZZ 6510177-B	1
	70	F(63C)		D0ZZ 6310176-A	D0ZZ 6310177-A	1
	70	F(65E)	Black insert	D0ZZ 6510176-A	D0ZZ 6510177-A	1
	71/	F		D1ZZ 6510176-A	D1ZZ 6510177-A	1
		- L -				
	71/72	L		D1FZ 6210176-A	D1FZ 6210176-A	2
		- P -				
	71/	P(54)		D1DZ 5410176-A	D1DZ 5410176-A	2
	70/	P(62)	1 3/4" wide-without moulding holes	D0DZ 6210176-A	D0DZ 6210176-A	2
			Screw-round washer hd.-No.8-18 x 1/4"	381671-S45X(UU89C)	381671-S45X(UU89C)	AR
			Washer nut and sealer-hex. No. 8-32	377523-S100(MM291C)	377523-S100(MM291C)	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
10176-7	**MOULDING - BODY ROCKER PANEL - INCLUDES ATTACHING PARTS - continued**					
		- S -				
	67	S(57)		C7SZ 5710176-A	C7SZ 5710177-A	1
	67	S(65)		C7SZ 6510176-A	C7SZ 6510177-A	1
	68	S(57)		★C8SZ 5710176-A	C8SZ 5710176-A r/b D0SZ 5710176-A (6/74)	ø 2
	68	S(65)		C8SZ 6510176-A	C8SZ 6510176-A	2
	69	S(57)		C9SZ 5710176-A	C9SZ 5710177-A	1
	69	S(65)		C9SZ 6510176-A	C9SZ 6510177-A	1
	70/71	S(57)		D0SZ 5710176-A	D0SZ 5710176-A	2
	70/71	S(65)		D0SZ 6510176-A	D0SZ 6510176-A	2
	72	S		D2SZ 6510176-A	D2SZ 6510177-A	1
			Clip-No. 8-32 x 1 1/4"	382121-S100(GG333A)	382121-S100(GG333A)	2
	68/71	S	Screw-pan head-No.6-20 x 3/8"	382371-S(UU81L)	382371-S(UU81L)	2
		- X -				
	65	X		C3DZ 6210176-B	C3DZ 6210177-B	1
	66	X(54, 62)		C9DZ 6210176-A	C9DZ 6210177-A	1
	69/70	X(54, 62)				1
	66	X(66, 71)		C9DZ 7110176-A	C9DZ 7110177-A	1
	69/70	X(71)				1
		- U -				
	66/	U		C6TZ 9610176-A	C6TZ 9610177-A	1
10182	**RETAINER - ROCKER PANEL MOULDING**					
			REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER			
10194-5	**GUSSET - FLOOR SIDE MEMBER TO FRONT SIDE MEMBER**					
	67/69	B(except 76), X		C7OZ 6210194-B	C7OZ 6210195-B	1
	70	B(except 76), X		D0OZ 6510194-B	D0OZ 6510195-B	1
	71	B(except 76)				1
	70/71	B(76)		D0OZ 6510194-A	D0OZ 6510195-A	1
10196-7	**GUSSET - FLOOR SIDE MEMBER TO REAR SIDE MEMBER**					
	66/71	B(76)		C6OZ 7610196-A	C6OZ 7610197-A	1
10198	**RETAINER - ROCKER PANEL MOULDING**					
			REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER			
10218-9	**MEMBER - FRONT SIDE OUTER** - Also refer to Group 10462					
	66/69	B(except 76)		C6OZ 6210218-A	C6OZ 6210219-B	1
	66/69	B(76)		C6OZ 7610218-A	C6OZ 7610219-B	1
	70/71	B		D0OZ 6510218-A	D0OZ 6510219-A	1
	67/70	F		C7ZZ 6510218-B	C7ZZ 6510219-B	1
	71/	F		D1ZZ 6510218-A	D1ZZ 6510219-A	1
	71/	L		D1FZ 6210218-A	D1FZ 6210219-A	1
	70/72	P		D0DZ 6210218-A	D0DZ 6210219-A	1
	66/70	X		C6OZ 6210218-A	C6OZ 6210219-B	1
10262-3	**REINFORCEMENT - FLOOR SIDE MEMBER TO FRONT SIDE MEMBER FRONT**					
	66	B(54, 62, 63, 66, 71)		★C6OZ 6210262-A Not Repl'd. (3-74)	C6OZ 6210263-A	1
	67	B(except 76) - "Before 4/3/67"		★C6OZ 6210262-A Not Repl'd. (3-74)	C6OZ 6210263-C	1
	67	B(except 76) - "From 4/3/67"		★C6OZ 6210262-B Not Repl'd. (1-73)	C6OZ 6210263-C	1
	68/69	B(except 76)		C8OZ 5410262-A	C6OZ 6210263-C	1
	66/69	B(76)		C6OZ 7610262-B	★C6OZ7610263-B Not repl'd. (1-73)	1
	70/71	B(except 76)		D0OZ 6510262-A	D0OZ 6510263-A	1
	70/71	B(76)		D0OZ 7610262-A	D0OZ 7610263-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
10262-3	**REINFORCEMENT - FLOOR SIDE MEMBER TO FRONT SIDE MEMBER FRONT - continued**					
	66	X		★C6OZ 6210262-A Not Repl'd. (3-74)	C6OZ 6210263-A	1
	67	X "Before 4/3/67"		★C6OZ 6210262-A Not Repl'd. (3-74)	C6OZ 6210263-B	1
	67	X "From 4/3/67"		★C6OZ 6210262-B Not Repl'd. (1-73)	C6OZ 6210263-C	1
	68/70	X		C8OZ 5410262-A	C6OZ 6210263-C	1
102A78	**SPACER - FLOOR SIDE MEMBER MOULDING**					
	66	A		C6AZ 54102A78-C	C6AZ 54102A78-C	6
	65	B		C5OZ 62102A78-A	C5OZ 62102A78-A	2
103A06-7	**REINFORCEMENT - REAR FLOOR SIDE MEMBER TO BUMPER MOUNTING**					
	66/67	B(54, 62, 63, 76)		C6OZ 62103A06-A	D0OZ 65103A07-A	1
	68/69	B(54, 63, 76)				1
	70/71	B(except 66, 71)		D0OZ 65103A06-A	D0OZ 65103A07-A	1
103A22-3	**GUSSET - FLOOR SIDE MEMBER TO WHEELHOUSE**					
	65/66	F(76) "Before 2/14/66"	Front-Steel	C5ZZ 76103A22-A	C5ZZ 76103A23-B	1
	66	F(76)- "From 2/14/66 to 5/23/66"	Front-Steel	C5ZZ 76103A22-B	C5ZZ 76103A23-B	1
	68/72	F(76) "Before 12/1/71"	Inner	D1ZZ 76103A22-A	D1ZZ 76103A23-A	1
	72	F(76) "From 12/1/71"	Inner	D2ZZ 76103A22-A	D2ZZ 76103A23-A	1
10326	**REINFORCEMENT-REAR FLOOR SIDE MEMBER REAR SPRING MOUNTING**					
	66	X(54, 62)		C6DZ 6210326-A	C6DZ 6210326-A	1
	67/	B	Serviced in basic			
	67/70	X	Group 10124-5			
103A28-9	**EXTENSION - FLOOR SIDE MEMBER TO FRONT SIDE MEMBER FRONT**					
	69	B(63) Talladega		C9OZ 63103A28-A	C9OZ 63103A29-A	1
	67/70	F(63, 65)		C8ZZ 65103A28-A	C7ZZ 65103A29-C	1
	65/70	F(76)		C5ZZ 76103A28-A		1
	65/70	F(76)			C5ZZ 76103A29-C	1
	71/	F		D1ZZ 65103A28-A	D1ZZ 65103A29-A	1
	70/	P		D0DZ 62103A28-A	D0DZ 62103A29-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
103A58	**VALVE - BODY ROCKER PANEL DRAIN**				
	65/69	A		C4AZ 62103A58-C	4or6
	71/	A(71)			2
	65/	B			2
	65/66	F			2
	65/70	X			2
	67	F, S	Refer to Group 11202		
103A94-5	**PLATE - FLOOR OUTER MEMBER END**				
	71/72	L(62, 64) "Before 12/1/71"	R.H.	D1FZ 62103A94-A	1
			L.H.	D1FZ 62103A95-A	1
	72	L(62, 64) "From 12/1/71"	R.H.	D2FZ 62103A94-A	1
			L.H.	D2FZ 62103A95-A	1
104A02	**PLATE - FRONT SIDE INNER MEMBER**				
	70/	P		D0DZ 62104A02-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
10418-9	**REINFORCEMENT - FLOOR SIDE INNER MEMBER**					
	66	B(76) "Before 11/15/65"		C6OZ 7610418-A	C6OZ 7610419-A	1
	66	B(76) "From 11/15/65"		C6OZ 7610418-B	C6OZ 7610419-B	1
	67/71	B(76)		C6OZ 7610418-E	D0OZ 7610419-A	1
	69/70	F(76)		C9ZZ 7610418-A	C9ZZ 7610419-A	1
	71	F(76)		D1ZZ 7610418-A	D1ZZ 7610419-A	1
	72	F(76)		D2ZZ 7610418-B	D2ZZ 7610419-B	1
	65/66	S(76)		★C4SZ 7610418-A Not replaced (3-74)	C4SZ 7610418-A	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
104A34-5	**EXTENSION - REAR SIDE MEMBER TO FLOOR SIDE MEMBER UPPER**				
	66	B(71), X(66, 71)	R.H.	C6OZ 71104A34-A	1
	67/71	B(66, 71)			1
	67/70	X(71)			1
			L.H.	C6OZ 71104A35-A	1
	66/69	B(54, 62, 63)	R.H.	C6OZ 62104A34-A	1
			L.H.	C6OZ 62104A35-A	1
	66/71	B(76)	R.H.	C6OZ 76104A34-A	1
	70/71	B(54, 57, 62, 63, 65)	R.H.		1
			L.H.	C6OZ 76104A35-A	1
	67	B(54, 62, 63, 76)	Plug (button) 13/16" dia. hole	377678-S(PP3E)	2
	65/	F(63, 65)	R.H.	C5ZZ 65104A34-A	1
			L.H.	C5ZZ 65104A35-A	1
	65/	F(76)	R.H.	C5ZZ 76104A34-A	1
			L.H.	C5ZZ 76104A35-A	1
	66/70	X(54, 62)	R.H.	C6DZ 62104A34-A	1
			L.H.	C6DZ 62104A35-A	1
10462-3	**MEMBER - FRONT SIDE**				
	67/70	F	R.H. - includes inner	C7ZZ 6510462-B	1
			L.H.	C7ZZ 6510463-B	1
	70/71	P	R.H.	D0DZ 6210462-A	1
			L.H.	D0DZ 6210463-A	1
104A70-1	**REINFORCEMENT - REAR SIDE MEMBER TO FLOOR QUARTER**				
	66/71	B(76)	R.H.	C6OZ 76104A70-A	1
			L.H.	C6OZ 76104A71-A	1
10492-3	**EXTENSION - FLOOR SIDE OUTER MEMBER**				
	69/70	A(54, 57, 62, 71)	R.H. - rear - 6 1/4" long	C9AZ 5410492-B	1
	71/	A(53, 54, 57, 71)			1
			L.H.	C9AZ 5410493-B	1
	71/	F	R.H.	D1ZZ 6510492-A	1
			L.H.	D1ZZ 6510493-A	1
10510	**SPACER - FLOOR SIDE OUTER MEMBER**				
	66/69	B(except 63 Talladega)		C6OZ 6210510-B	4
	66/70	X			4
10542-3	**REINFORCEMENT - FRONT SUSPENSION NO. 2 CROSS MEMBER OUTER FRONT**				
	66/71	B	R.H.	C6OZ 6210542-A	1
	66/70	X			1
			L.H.	C6OZ 6210543-A	1
105A62-3	**EXTENSION - FLOOR SIDE INNER MEMBER**				
	68/69	B(except 76), X		C8OZ 54105A62-A	2
	70/71	B(except 76)	R.H.	D0OZ 65105A62-A	1
			L.H.	D0OZ 65105A63-A	1
105A68-9	**EXTENSION - FLOOR SIDE MEMBER REAR**				
	67/71	S(57)	R.H.	C7SZ 57105A68-A	1
			L.H.	C7SZ 57105A69-A	1
	70	S(65)	R.H.	D0SZ 65105A68-A	1
	71	S(65A, C)			1
			L.H.	D0SZ 65105A69-A	1
105A70	**REINFORCEMENT - FLOOR SIDE MEMBER REAR EXTENSION**				
	66/69	B(76)		C6OZ 76105A70-B	2
	70/71	P			2
	70/71	B(76)		D0OZ 76105A70-A	2
105A90	**STRIKER - STORAGE COMPARTMENT DOOR LATCH**				
	67/71	A(71), B(71)		C7AZ 71105A90-A	1
	72	A(71)			1
	72	B(71)	Refer to group 31710		
10608	**SILL - REAR FLOOR CROSS REAR**				
	66/	U		C6TZ 9610608-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
106A18-9	**EXTENSION - REAR FLOOR REAR CROSS MEMBER**					
	72	B(97)		D2OZ 97106A18-A	D2OZ 97106A19-A	1
	67/71	S		C7SZ 65106A18-A	C7SZ 65106A19-A	1
10644-5	**EXTENSION - FRONT SIDE QUARTER MEMBER REAR**					
	66/71	B(76)		C6OZ 7610644-B	C6OZ 7610645-B	1
10648	**REINFORCEMENT - FRONT FLOOR NO. 2 CROSS MEMBER**					
	72	S		D2SZ 6510648-A	D2SZ 6510648-A	1
10662-3	**MEMBER - FRONT FLOOR CROSS NO. 2 OUTER**					
	70/71	S(65)		D0SZ 6510662-A	D0SZ 6510663-A	1
10672-3	**MEMBER - FRONT FLOOR CROSS UPPER**					
	66/71	B(76)		C6OZ 7610672-A	C6OZ 7610672-A	1
	72	B		D2OZ 6510672-A	D2OZ 6510673-A	1
	69/70	F(63)		C9ZZ 6310672-A	C9ZZ 6310673-A	1
	69/70	F(65)		C9ZZ 6510672-A	C9ZZ 6510673-A	1
	69/70	F(76)		C9ZZ 7610672-A	C9ZZ 7610673-A	1
	71/	F(63)		D1ZZ 6310672-A	D1ZZ 6310673-A	1
	71/	F(65)		D1ZZ 6510672-A	D1ZZ 6510673-A	1
	71/	F(76)		D1ZZ 7610672-A	D1ZZ 7610673-A	1
	72	S		D2OZ 6510672-A	D2OZ 6510673-A	1
10692-3	**MEMBER - FRONT FLOOR CROSS NO. 1**					
	66/67	B(except 76)		C6OZ 6210692-B	C6OZ 6210693-A	1
	68/71	B(except 76)		C6OZ 6210692-B	C6OZ 6210693-B	1
	72	B		D2OZ 6510692-A	D2OZ 6510692-A	1
	65/70	F		C5ZZ 6510692-C	C5ZZ 6510692-C	1
	71/	F	Remove emergency brake cable brkt. from engine support (6A023) and re-weld brkt. to new engine support (C7ZZ 6A023-D) as required	D1ZZ 6510692-A	D1ZZ 6510692-A	1
	70	P		D0DZ 6210692-C	D0DZ 6210692-C	1
	71/	P		D1DZ 6210692-A	D1DZ 6210692-A	1
	66	S		★C6SZ 6310692-A Not replaced (3-74)	C6SZ 6310692-A	1
	68/69	S		C8SZ 6510692-B	C8SZ 6510693-B	1
	70/71	S(57)				1
	71	S(65B, D)				1
	70	S(65)		D0SZ 6510692-A	D0SZ 6510693-A	1
	71	S(65A, C)				1
	72	S		D2OZ 6510692-A	D2OZ 6510692-A	1
	66/67	X		C6OZ 6210692-A	C6OZ 6210693-A	1
	68/70	X		C6OZ 6210692-B	C6OZ 6210693-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
10728	**MEMBER - FRONT FLOOR CROSS NO. 2**				
	70/	P	Without non-reclining bucket seats	D0DZ 6210728-A	2
	71/	P(62)	With non-reclining bucket seats	D1DZ 6210728-A	2
	68/69	S	R.H.	C8SZ 6510728-A	1
	70/71	S(57)			1
	71	S(65B, D)			1
			L.H.	C8SZ 6510728-B	1
	65	X(except 76)		C3DZ 6210728-A	2
10760	**REINFORCEMENT - REAR FLOOR REAR CROSS MEMBER**				
	66/69	B(76)		C8OZ 7610760-A	1
	70	B(76)		D0OZ 7610760-A	2
	71	B(76)		D1OZ 7610760-A	1
	65/71	F(76)		C5ZZ 7610760-B	1
107A70	**BRACKET - FRONT FLOOR PAN SEAT TRACK REINFORCEMENT**				
	67/69	S		C7SZ 65107A70-A	2
10776	**MEMBER - FRONT FLOOR CROSS NO. 1**				
	72	L		D2FZ 6210776-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
10780	**MEMBER - REAR FLOOR CROSS - REAR**				
	66/67	B(54, 62, 63, 76)		C6OZ 6210780-A	1
	68/69	B(54, 63, 65, 76)		C8OZ 5410780-A	1
	66/70	B(66), X(71)-		C6DZ 7110780-D	1
	71	B(66)			1
	70	B(54, 57, 62, 63, 65, 76)		D0OZ 7610780-A	1
	71	B(except 71)		D1OZ 7610780-A	1
	72	B(except 71,97)		D2OZ 6510780-A	1
	65/70	F		C5ZZ 7610780-B	1
			Plug (button)-3/8" diameter hole	379286-S(PP2C)	1
	71/	F		D1ZZ 6510780-A	1
	72	L(73)		D2FZ 7310780-A	1
	70	P		D0DZ 6210780-A	1
	71/	P	Notches for fuel tank straps	D1DZ 6210780-A	1
	67/71	S		C7SZ 6510780-A	1
	72	S	Refer to Group 11215		
	65	X(59, 66, 71, 78)		C4DZ 5910780-A	1
	66	X(66, 71) "Before 12/28/65"		C6DZ 7110780-A	1
	66/70	X(54, 62)		C6DZ 6210780-A	1
10784-5	**EXTENSION - REAR SIDE MEMBER TO FLOOR SIDE MEMBER** - Also refer to Group 10124-5				
	65/69	F(63, 65)	R. H.	C5ZZ 6510784-A	1
			L. H.	★C5ZZ 6510785-A	1
	70/	P	Refer to Group 10124-5		
	65/68	F	Plug (button)-1 1/2" diameter hole	377901-S(PP14N)	4
10786	**MEMBER - REAR FLOOR CROSS - FRONT**				
	67/70	B(66), X(71)		C6DZ 7110786-D	1
	71	B(66)			1
	66	X(66, 71) "Before 12/28/65"		C6DZ 7110786-A	1
	66	X(66, 71) "From 12/28/65"		C6DZ 7110786-D	1
	67	X(71) "Before 3/1/67"			1
10790	**REINFORCEMENT - REAR FLOOR CROSSMEMBER UPPER**				
	67/71	B(66)		C7OZ 6610790-A	2
	67/70	X(71)			2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
10796-7	**EXTENSION - REAR FLOOR CROSS SILL TO INNER QUARTER PANEL** - Also Refer to Group 10838-9					
	72	B(71)		D2OZ 7110796-A	D2OZ 7110797-A	1
10812-3	**MEMBER - FRONT FLOOR CROSS LOWER**					
	67/70	F(76)		C5ZZ 7610812-B		1
	68/70	F(76)			C5ZZ 7610813-C	1
	71/	F(76)		D1ZZ 7610812-A	D1ZZ 7610813-A	1
10816	**REINFORCEMENT - REAR FLOOR REAR SILL PANEL**					
	72	B(71)		D2OZ 7110816-A	D2OZ 7110816-A	1
10838-9	**EXTENSION - REAR FLOOR REAR SILL PANEL** - Also refer to Group 10796-7					
	66/68	A(71)		C6AZ 7110838-A	C6AZ 7110839-A	1
	69/70	A(71)		C9AZ 7110838-A	C9AZ 7110839-A	1
	71/	A(71)		D1AZ 7110838-A	D1AZ 7110839-A	1
	66	B(71), X(66, 71)		C6OZ 7110838-A	C6OZ 7110839-A	1
	67/70	B(66, 71), X(71)				1
	71	B(66, 71)				1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
10852	**MEMBER - FRONT FLOOR CROSS** - Also Refer to Group 10018				
	66/69	B		C8OZ 5410852-A	1
	70	B	Use w/250, 302 or 351 C. I. D. engines	★C0OZ 6510852-A r/b D0OZ 6510852-B (8-73)	1
	70	B	Use with 429 C. I. D. engines	D0OZ 6510852-B	1
	71	B	Use with all engines		1
	71/	F			1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
10852	**MEMBER - FRONT FLOOR CROSS** - Also refer to Group 10018 - **continued**				
	67/70	F		C7ZZ 6510852-B	1
	70	P "Before 9/15/69"		D0DZ 6210852-A	1
	70/	P "From 9/15/69"		D0DZ 6210852-B	1
	66/69	X		C8OZ 5410852-A	1
10920-1	**MEMBER - AUXILIARY FLOOR CROSS AT CAB**				
	72	B(97)	L.H.	D2OZ 9710921-A	1
	66	X(66)		C6DZ 6610920-B	1
	67/71	B(66)			1
10948-9	**GUSSET - FRONT CROSS MEMBER TO SIDE MEMBER**				
	70/72	P "Before 5/10/72"	R.H.	D0DZ 6210948-A	1
			L.H.	D0DZ 6210949-A	1
	72	P "From 5/10/72"	R.H.	D3DZ 6210948-A	1
			L.H.	D3DZ 6210949-A	1
10950-1	**REINFORCEMENT - REAR FLOOR CROSS MEMBER TO FLOOR PAN**				
	65/71	F(76)	R.H.	C5ZZ 7610950-A	1
			L.H.	C5ZZ 7610951-A	1
10962	**PLATE - FRONT FLOOR LOWER CROSS MEMBER**				
	66/70	B(76B,C)		C6OZ 7610962-A	1
	69/70	B(76D,F)	With 390 engine		1
	71	B(76)	With 429 engine		1
	65/	F(76)		C5ZZ 7610962-A	1
			3/8"-16 x 1 1/8" Hex. head bolt & washer assy.	373162-S(BB563A)	6
10974-5	**REINFORCEMENT - REAR FLOOR REAR SILL PANEL EXTENSION**				
	66	B(71), X(66, 71)	R.H.	C6OZ 7110974-A	1
	67/70	B(66, 71), X(71)			1
	71	B(66, 71)			1
			L.H.	C6OZ 7110975-A	1
	72	B(71)	R.H.	D2OZ 7110974-A	1
			L.H.	D2OZ 7110975-A	1
111A08-9	**MOULDING - REAR FLOOR PAN SIDE**				
	66/71	B(71)	R.H. -Paint to match	C6OZ 71111A08-A	1
			L.H.	C6OZ 71111A09-A	1
			No. 8-18 x 1/2" Pan head screw	380934-S101(UU67F)	2
111B12-3	**REINFORCEMENT - FRONT FLOOR PAN INNER**				
	68/71	S	R.H.	C7SZ 65111B12-B	1
			L.H.	C7SZ 65111B13-B	1
11117	**PLATE - FRONT FLOOR PAN DRAIN HOLE COVER**				
	65/70	A, X	Drill holes as required	C7AZ 6211117-A	AR
	65/71	B, S			AR
	65/66	F			AR
	71/	A, L, S		C7ZZ 6511117-A	AR
	69	B(54, 63, 76)	With 4 speed trans. -428 engine		AR
	71	B(62, 63, 65, 76)	With 429 engine		AR
	72	B			AR
	67/	F			AR
	70/	P			AR
	70/	P	Screw-hex. hd. - No. 8-18 x 3/4"	376389-S101(UU82D)	2
111B24	**COVER - REAR FLOOR ACCESS HOLE**				
	66	X(66)		C6DZ 66111B24-A	3
	67/71	B(66)			3
	70	B(except 66, 71), P	Improvise	★	
11135	**PAN - FRONT FLOOR**				
		- A -			
	69/70	A(54)		C9AZ 5411135-A	1
	69/70	A(57)		C9MY 5711135-A	1
	69/70	A(63, 65)		C9AZ 6311135-A	1
	69/70	A(71)		C9AZ 7111135-A	1
	69/70	A(76)		C9AZ 7611135-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
11135	PAN - FRONT FLOOR - continued				
	71/72	A(53,54,57,71)- "Before 12/1/71"		D1AZ 5711135-A	1
	72	A(53,54,57,71)- "From 12/1/71"		D2AZ 5711135-A	1
	71/72	A(65) "Before 12/1/71"		D1AZ 6511135-A	1
	72	A(65) "From 12/1/71"		D2AZ 6511135-A	1
	71/72	A(76) "Before 12/1/71"		D1AZ 7611135-A	1
	72	A(76) "From 12/1/71"		D2AZ 7611135-A	1
		- B -			
	70	B(54,57,62,63,65)		D0OZ 6511135-A	1
	70	B(66,71)		D0OZ 7111135-A	1
	70	B(76)		D0OZ 7611135-A	1
	71	B			1
	72	B(53,71,97)- "Before 1/3/72"		D2OZ 5311135-A	1
	72	B(53,71,97)- "From 1/3/72"		D2OZ 5311135-B	1
	72	B(63,65) "Before 1/3/72"		D2OZ 6511135-A	1
	72	B(63,65) "From 1/3/72"		D2OZ 6511135-B	1
		- F -			
	65/66	F		C5ZZ 6511135-A	1
	67/68	F		C5ZZ 6511135-C	1
	69/70	F		C9ZZ 6511135-A	1
	71/72	F "Before 12/1/71"		D1ZZ 6511135-A	1
	72	F(63,65) "From 12/1/71"		D2ZZ 6511135-A	1
	72	F(76) "From 12/1/71"		D2ZZ 7611135-A	1
		- L -			
	71/72	L "Before 12/1/71"		D2FZ 6211135-A	1
	72	L "From 12/1/71"		D3FZ 6211135-B	1
		- P -			
	70	P(62)		D0DZ 6211135-A	1
	71/72	P "Before 12/1/71"		D1DZ 5411135-A	1
	72	P "From 12/1/71"		D2DZ 5411135-A	1
		- S -			
	68/71	S(57)		D0SZ 5711135-A	1
	68/70	S(65)		D0SZ 6511135-A	1
	71	S(65)		D1SZ 6511135-A	1
	72	S		D2SZ 6511135-A	1
		- U -			
	66/	U		C6TZ 9611135-A	1
		- X -			
	66	X(66,71)		C6OZ 7111135-A	1
	67	X(71)			1
	66/70	X(54,62)		C6DZ 6211135-B	1
	68/70	X(71)		C6OZ 7111135-B	1
	69/	A	Plug (button)-1 1/2" diameter hole	352285-S (PP5)	4
			Plug (button)-3 1/16" diameter hole	372443-S (PP12)	2
	69/	A	Plug (button)-1" x 2"	379305-S(PP13D)	10
	69/	A	Plug (button)-5/8" diameter hole-body bolt hole	357042-S(PP2)	2or4
	65	X			4
	69/	A	Plug (button)-1 1/4" diameter hole	352284-S(PP4)	4
	69/	A, S	Plug (button)-2 7/16" diameter hole-transmission	374732-S(PP14)	1
	65/70	X	band adjustment access hole		1
	65/70	A, B, S, X	Plug (button)-7/8" diameter hole	377949-S (PP3F)	2
	65/70	A, B, F, S	Plug (button)-1 1/2" diameter hole - flat	377901-S(PP14N)	6or8
	65/70	B(66,71)	Plug (button)- 1 1/2" diameter hole	377678-S(PP3E)	2
	72	B, S			2
	67	F(76)	Plug (button)-3" diameter hole	377865-S7-8(PP14Q)	2
	66	X(66)	Plug (button)-1/2" diameter hole	377935-S(PP2D)	4
11142-3	EXTENSION - FLOOR PAN SIDE				
	66/	U	R.H.	C6TZ 9611142-A	1
			L.H.	C6TZ 9611143-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
11144-5	**REINFORCEMENT - FRONT FLOOR PAN REAR**					
	72	B(71)		D2OZ 7211144-A	D2OZ 7111145-A	1
	72	L	Side	D2FZ 6211144-A	D2FZ 6211144-A	2
111A44-5	**REINFORCEMENT - FRONT FLOOR PAN**					
	68/71	S		C8SZ 65111A44-B	C8SZ 65111A45-B	1
11160	**PAN - CENTER FLOOR**					
		- A -				
	69	A(except 71)			C9AZ 6211160-A	1
	70/71	A(except 71)			D1AZ 6511160-A	1
	69/71	A(71)			C9AZ 7111160-A	1
	72	A(except 71,76)			D2AZ 6511160-A	1
	72	A(71) "Before 12/1/71"			D2AZ 7111160-A	1
	72	A(71) "From 12/1/71"			D2AZ 7111160-B	1
	72	A(76)			D2AZ 7611160-A	1
		- B -				
	66/71	B(66)			C6DZ 6611160-B	1
	66/71	B(except 66,71)			C6OZ 6211160-C	1
	66/70	B(71), X(71)			C6OZ 7111160-B	1
	71	B(71)				1
	72	B(71) "Before 12/1/71"			D2OZ 7111160-A	1
	72	B(71) "From 12/1/71"			D2OZ 7111160-B	1
		- F -				
	65/70	F			C5ZZ 6511160-D	1
	71	F			D1ZZ 6511160-A	1
	72	F			D2ZZ 6511160-A	1
		- P -				
	70	P(62)			D0DZ 6211160-A	1
	71	P			D1DZ 6211160-A	1
	72	P			D2DZ 6211160-A	1
		- S -				
	67/70	S			D0SZ 6511160-A	1
	71	S			D1SZ 6511160-A	1
		- U -				
	66/71	U			C6TZ 9611160-A	1
	72	U "Before Ser. P40,001"			D2TZ 1011160-A	1
	72	U "From Ser. P40,001"			D3BZ 1011160-A	1
	66/	U	Plug (button)-1/4" diameter hole		380864-S(PP2A)	1
	72	U	Bolt-hex.washer hd.-3/8"-16 x 4 17/64"		383272-S2(BB552BC)	2
111A64	**REINFORCEMENT - REAR FLOOR PAN**					
	66/71	B(except 66,71)			C6OZ 62111A64-A	2
	66/70	X(except 71)				2
	70	P	Improvise from pressed board		★	
111A74	**PLATE - FRONT FLOOR PAN ACCESS HOLE COVER**					
	71/	A(P/C)	With 8 cyl. 429 engine		D1AZ 54111A74-A	1
111B74	**DEADENER - CENTER FLOOR PAN FRONT SOUND**					
	67/68	A(71)			C7AZ 71111B74-A	1
111A88	**GROMMET - REAR FLOOR PAN OPENING**					
	71	B	California units only		D0DZ 62111A88-A	1
	70	P	With evaporative emission control			1
11192	**REINFORCEMENT - CENTER FLOOR PAN TO SEAT BACK STRAINER**					
	65/67	F(76)			C5ZZ 7611192-A	1
	69/70	F(76)				1
	71/	F(76)			D1ZZ 7611192-A	1
11202	**SEAL - REAR FLOOR PAN EXTENSION DRAIN**					
	65	A, B, S, X(59, 71, 78)			C3AZ 6211202-A	1or2
	66/67	A, B, S, X				1or2
	68/70	A, B(71), S, X(54, 62, 71)				1or2
	69/71	A(except 71)			C7ZZ 6511202-A	2
	68/	B(except 71,97)				2
	67/	F				2
	72	L				2
	70/	P	Use with 11/32" square hole			2
	67/71	S				2
	72	A(except 71)	Plug (button)-hole size 7/8"		377949-S(PP3F)	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
112B04	**MOULDING - REAR FLOOR PAN SIDE REAR**				
	66/	B(71)	Paint to match	C6OZ 71112B04-A	1
	66/70	X(71)	Refer to Group 47176		
112A06-7	**REINFORCEMENT - CENTER FLOOR PAN AT PINION BUMPER**				
	72	P	R.H. for seat belt attachment	D2DZ 62112A06-A	1
			L.H.	D2DZ 62112A07-A	1
11215-9	**PAN - REAR FLOOR**				
		- A -			
	69/70	A(except 71)		C9AZ 6211215-A	1
	69/71	A(71)		C9AZ 7111215-A	1
	71	A(except 71)		D1AZ 6511215-A	1
	72	A(except 71)		D2AZ 6511215-A	1
	72	A(71)		D2AZ 7111215-A	1
	69/	A	Plug - 5/8" diameter hole	357042-S(PP2)	2
		- B -			
	66/71	B(71)		C6OZ 7111218-B	1
			Plug (button) -15/16" diameter hole	377678-S(PP3E)	2
	67/69	B(66)		C6DZ 6611218-B	1
	70/71	B(66)		D0OZ 6611218-A	1
	72	B(53,63,65)		D2OZ 6511215-A	1
	72	B(71)		D2OZ 7111215-A	1
	72	B(97)		D2OZ 9711215-A	1
	72	B(97)	End extension	D2OZ 9711218-A	§ 1
		- F -			
	65/70	F	R.H.	C9ZZ 6511218-A	1
			L.H.	C9ZZ 6511219-A	1
			Grommet-1 1/2" diameter hole	352285-S(PP5)	1
	67/68	F(except Cobra Jet)	R.H.	★C7ZZ 6511218-A Not replaced	ø 1
			L.H.	C7ZZ 6511219-A	1
			Plug (button)-7/8" diameter hole	377949-S(PP3F)	2
	71/	F		D1ZZ 6511218-A	1
		- L -			
	71/72	L(62,64) "Before 12/1/71"		D2FZ 6211218-B	1
			Plug (button)-1" diameter hole	383796-S(PP3FA)	2
	72	L(62,64) "From 12/1/71"		D2FZ 6211218-C	1
	72	L(73)		D3FZ 7311215-A	1
		- P -			
	70	P(62)	R.H.	D0DZ 6211218-A	1
			L.H.	D0DZ 6211219-A	1
	71/	P		D1DZ 6211218-A	1
			Plug(button)-7/8" diameter hole	377949-S(PP3F)	2
		- S -			
	67/71	S		C7SZ 6511218-C	1
			Plug (button)-1 5/8" diameter hole	★379536-S	2
	72	S		D2SZ 6511215-A	1
			Plug (button)-15/16" dia.hole	377678-S(PP3E)	2
		- U -			
	66/	U		C6TZ 9611215-A	1
			Bolt-hex.washer hd.-3/8"-16 x 5"	383273-S2(BB552CC)	2
		- X -			
	66/70	X(71)		C6DZ 7111218-A	1
	66	X(66)		D0OZ 6611218-A	1
			Plug(button)-1/2" diameter hole	377935-S (PP2D)	6
112A19	**COVER - FRONT FLOOR PANEL WIRE FRONT**				
	69/	A	L.H.	C9AZ 62112A19-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
112A22-3	**PAN - REAR FLOOR SIDE REAR**					
	66	B(54, 62, 63)			C6OZ 62112A23-A	1
	68/69	B(54, 63, 65)		C8OZ 54112A22-A	C8OZ 54112A23-A	1
	70/71	B(54, 57, 62, 63, 65, 76)		D0OZ 65112A22-A	D0OZ 65112A23-A	1
	66/70	X(54, 62)		C6DZ 62112A22-A	C6DZ 62112A23-A	1
	66/71	B	Plug (button)-13/16" diameter hole	377949-S(PP3F)	377949-S(PP3F)	1
	66/70	X	Plug (button-3/8" diameter hole	379286-S(PP2C)	379286-S(PP2C)	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
11228-9	**FILLER - REAR FLOOR TO QUARTER PANEL**				
	69/70	A(54, 57, 63, 65. 76)		C9AZ 5411228-A	1or2
	71	A(53, 54F, 57, 65, 76)			2
	72	A(53H, K, 57H, K, 65H, K, 76)			1or2
	68/69	B(54, 63, 65, 76)		C8OZ 5411228-A	2
	70/71	B(except 66, 71)	R. H.	D0OZ 6511228-A	1or2
			L. H.	D0OZ 6511229-A	1
	65/66	F		C5ZZ 6511228-A	1
	67/68	F	Panel board	C7ZZ 6511229-A	1
	69/70	F		C9ZZ 6511228-A	1
	71	F		D1ZZ 6511228-A	1
	68/70	X(54, 62)		C8DZ 6211228-A	2
	65/67	B, X	No. 14-10 x 1" Truss head screw	32951-S7-8(U352A)	3or6
112B36-7	**BRACKET - REAR FLOOR PAN**-Also refer to Body Bolt Chart at end of Section 020				
	67/	S	R. H. - at front body bolt hole.	C7SZ 65112B36-A	1
			L. H.	C7SZ 65112B37-A	1
112B42-3	**EXTENSION - FRONT FLOOR PAN REAR**				
	68/71	S	R. H.	C8SZ 65112B42-B	1
			L. H.	C8SZ 65112B43-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
11246-9	**REINFORCEMENT - FRONT FLOOR PAN SEAT TRACK**					
	71	A(except 76)		D1AZ 6511248-A	D1AZ 6511249-A	1
	71	A(76)		D1AZ 7611248-A	D1AZ 7611249-A	1
	66/71	B (except 76)		★C6OZ 6211246-B	C6OZ 6211247-B	1
	72	B		D2OZ 6511248-A	D2OZ 6511249-A	1
	71/	F		D1ZZ 6511246-A	D1ZZ 6511246-A	2
	70/	P		D0DZ 6211248-A	D0DZ 6211248-A	2
	68/71	S(57)		C8SZ 6511248-B	C8SZ 6511249-B	1
	70/71	S(65)		D0SZ 6511248-A	D0SZ 6511249-A	1
	72	S		D2OZ 6511248-A	D2OZ 6511249-A	1
	66/	U	Front seat-5/16"-18 Weld nut	C6TZ 9611246-A	C6TZ 9611246-A	2
			Rear seat			2
	66/	U	Front seat-5/16"-18 Weld bolt-Used with auxiliary fuel tank	C6TZ 9611246-B	C6TZ 9611246-B	2
			Rear seat			2
	66/70	X		★C6OZ 6211246-B Not replaced (3-74)	C6OZ 6211247-B	1
112A48-9	**EXTENSION - REAR FLOOR PAN SIDE FRONT**					
	66/	U		C6TZ 96112A48-A	C6TZ 96112A49-A	1
112B48	**DRAIN - AUXILIARY FLOOR**					
	67/71	B(66)	Includes 2.06" wide drain plate	C6DZ 66112B48-B	C6DZ 66112B48-B	4
	66/70	X(66) "From 4/18/66"				2or4
	66	X(66) "Before 4/18/66"	Includes 1.80" wide drain plate	C6DZ 66112B48-A	C6DZ 66112B48-A	4

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
11250-1	**EXTENSION - REAR FLOOR PAN TO QUARTER PANEL**					
	65/66	A(except 71)		C5AZ 6211250-A	C5AZ 6211251-A	1
	67	A(except 71)		C7AZ 6211250-A	C7AZ 6211251-A	1
	68	A(except 71)		C8AZ 6211250-A	C8AZ 6211251-A	1
	69/70	A(except 71)		C9AZ 6211250-A	C9AZ 6211251-A	1
	71	A(except 71)		D1AZ 6511250-A	D1AZ 6511251-A	1
	72	A(except 71)		D2AZ 6511250-A	D2AZ 6511251-A	1
	72	B(except 71,97)		D2OZ 6511250-A	D2OZ 6511251-A	1
	67/71	S		C7SZ 6511250-B	C7SZ 6511251-A	1
	72	S		D2SZ 6511250-A	D2SZ 6511251-A	1
	65/66	A,B,S	Plug(button)-1 1/2" dia. hole	377678-S(PP3E)	377678-S(PP3E)	2
	72	A	Plug(button)7/8" dia.hole	377949-S(PP3F)	377949-S(PP3F)	2
11252-3	**EXTENSION - REAR FLOOR PAN REAR CORNER**					
	68/71	B(71)		C8OZ 7111252-A	C8OZ 7111253-A	1
	67/71	S		C7SZ 6511252-A	C7SZ 6511252-A	1
112B62	**PLATE - PARKING BRAKE CABLE SKID**					
	67/68	S		C7SZ 65112B62-A	C7SZ 65112B62-A	1
	69/71	S		C9SZ 65112B62-A	C9SZ 65112B62-A	1
112B72-3	**FILLER - CENTER FLOOR PAN CORNER**					
	67/68	A(except 71)		C7AZ 62112B72-A	C7AZ 62112B73-A	1
	68/71	S				1
11278	**BRACKET - BODY BOLT**					
	68/71	S		C8SZ 6511278-B	C8SZ 6511278-B	2
112B88-9	**COVER - FRONT FLOOR PAN WIRE**					
	69/	A		C9AZ 62112B88-A		1
	69/70	A(except 63, 65, 76)			C9AZ 62112B89-A	1
	71/	A(except 65, 76)				1
	69/70	A(63, 65, 76)		C9AZ 63112B89-A	C9AZ 63112B89-A	1
	71/	A(65, 76)				1
	72	B,S			D2OZ 65112B88-B	1
	72	B,S			D2OZ 65112B88-A	1
	72	B(53,71),S		D2OZ 53112B88-A	D2OZ 53112B88-A	1
	72	B(63, 65)			D2OZ 65112B88-C	1
	72	B(97)		D2OZ 97112B88-A	D2OZ 97112B88-A	1
	71/	A	Pin-drive-plastic-5/16"	377163-S(NN165)	377163-S(NN165)	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
11310	**HOUSING - FUEL TANK FILLER PIPE INNER**				
	65/66	A(except 71)		C5AZ 6211310-B	1
	67/69	B(except 71)	Refer to Group 27936		
113A12-3	**REINFORCEMENT - CENTER FLOOR PAN MUFFLER MOUNTING BRACKET**				
	65/66	F	R.H. -Use with dual muffler-not replaced (3-74)	★C5ZZ 65113A12-A	1
			L.H.	C5ZZ 65113A13-A	1
	67/71	F	R.H. -Use with dual muffler	C5ZZ 65113A12-B	1
			L.H.	C5ZZ 65113A13-B	1
11318	**PANEL - REAR FLOOR SILL REAR**				
	66/68	A(71)		C6AZ 7111323-A	1
	69/71	A(71)		C9AZ 7111323-A	1
	66	B(71) "Before 12/10/65"		C6OZ 7111323-A	1
	67/71	B(66)		C6DZ 7111323-B	1
	67/71	B(71)		C7OZ 7111323-A	1
	72	B(71)		D2OZ 7111318-A	1
	72	B(97)		D2OZ 9711318-A	1
	72	L(73)		D2FZ 7311318-A	1
			Screw-oval head-cross recess-No. 8-18 x 1/2"	52413-S13(U316)	8
	65	X(59, 66, 71, 78)	Refer to Group 11318		1
	66/70	X(66, 71)		C6DZ 7111323-B	1
11323	**PANEL - REAR FLOOR SILL REAR** - Refer to group 11318				
113A28	**PLATE - FLOOR PAN SEAT TRACK REINFORCEMENT**				
	66/71	B(except 76)		C6OZ 62113A28-A	1
	66/70	X			1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
113A30	**REINFORCEMENT - FLOOR PAN CENTER**				
	66/70	B(62, 63, 65, 66, 76), X(62)		C6OZ 63113A30-B	1
	71	B(63, 65, 66, 76)			1
113A36	**PLATE - REAR FLOOR PAN DRAIN HOLE COVER**				
	68/	A, S		C7AZ 62113A36-A	1
	68/	A	Screw-hex. washer hd.-No. 8-18 x 3/4"	376389-S101(UU82D)	2
11344-5	**BRACKET - REAR FLOOR PAN TO REAR CROSS MEMBER**				
	66/70	X(54, 62)	R. H.	C6DZ 6211344-A	1
			L. H.	C6DZ 6211345-A	1
11360	**PAN - REAR FLOOR REAR**				
	72	A(71)		D2AZ 7111360-A	1
11361	**MEMBER - AUXILIARY FLOOR CROSS FRONT**				
	67/71	B(66)		C6DZ 6611361-B	1
	66	X(66)			1
	72	B(97)		D2OZ 9711361-A	1
113A66	**RETAINER - BODY BOLT ANCHOR PLATE**				
	72	B(except 71)		D2OZ 65113A66-A	2or4
	72	B(71)		D2OZ 71113A66-A	2
113A70-1	**BRACKET - CENTER FLOOR PAN TO QUARTER WHEEL HOUSE**				
	71/72	A(71)	R.H.	D1AZ 71113A70-A	1
			L.H.	D1AZ 71113A71-A	1
	72	B(71)	R.H.	D2OZ 71113A70-A	1
			L.H.	D2OZ 71113A71-A	1
11376	**REINFORCEMENT - CENTER FLOOR PAN NO. 12 BODY BOLT**				
	72	B(97)		D2OZ 9711376-A	2
11393-4	**REINFORCEMENT - CENTER FLOOR PAN BODY BOLT HOLE**				
	66/71	B(76)	R. H.	C6OZ 7611393-B	1
			L. H.	C6OZ 7611394-A	1
	70/71	P(62)	With evaporative emission control	D0DZ 6211393-A	1
	67	S		C7SZ 6511393-A	2
	68/69	S		C7SZ 6511393-C	2
	70	S		D0SZ 6511393-A	1
	71	S		D1SZ 6511393-A	2
114A24	**PAN - AUXILIARY FLOOR REAR**				
	67/71	B(66)		C6DZ 66114A24-A	1
	66	X(66)			1
	67/71	B(66)	5/16"-18 x 1 1/4" Hex.hd.screw & washer assy.	381746-S2(BB630P)	7

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
11450-1	**SUPPORT - AUXILIARY FLOOR PAN REAR**					
	67/68	F(63)		C7ZZ 6311450-B	C7ZZ 6311451-B	1
	69/70	F(63)		C9ZZ 6311450-A	C9ZZ 6311451-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
11456	**BRACKET - FLOOR PAN TO REAR SEAT BACK STRAINER**				
	69/70	A(54, 57, 62)		C9AZ 6211456-A	1
	71/	A(53, 54, 57)			2
	69/	A(63, 65)		C9AZ 6311456-A	1
	69/72	A(76)			1
	66/67	B(62, 63, 76)		C6OZ 6211456-A	2
	68/71	B(76)			1 or 2
	68/	B(65)		C8OZ 6511456-A	2
	70/	P		D0DZ 6211456-A	2
	66/70	X(54, 62)		C6OZ 6211456-A	2
11500-1	**SUPPORT - AUXILIARY FLOOR**				
	68/	B(71)	R. H. - w/o aux. seat	C8OZ 7111500-A	1
			L. H.	C8OZ 7111501-A	1
			W/aux. seat-refer to Group 61142-3		
			Screw & lockwasher assy.-pan hd.-5/16"-18 x 5/8"	382589-S9(BB630GH)	6

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
11510	**SUPPORT - STORAGE COMPARTMENT LATCH STRIKER**				
	72	B(71)		D2OZ 7111510-A	1
115A20-1	**PANEL - AUXILIARY FLOOR SUPPORT SIDE**				
	70/71	B(66)	R.H.	D0OZ 66115A20-A	1
			L.H.	D0OZ 66115A21-A	1
115A32	**LOCK CYLINDER and KEYS - STORAGE COMPARTMENT** - Refer to Group 22050				
115A42	**PANEL - AUXILIARY FLOOR REAR - PAINT TO MATCH**				
	69/	A(71)		C9AZ 71115A42-A	1
	72	B(71)		D2OZ 71115A42-A	1
	65	F(63)	W/folding rear seat	C5ZZ 63115A42-A	1
	66/70	F(63)	W/folding rear seat	C6ZZ 63115A42-A	1
	71/	F(63)	W/folding rear seat	D1ZZ 63115A42-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
115A44-5	**PANEL - AUXILIARY FLOOR SIDE - PAINT TO MATCH AS REQUIRED**					
	65/66	A(71A, C)- "Before 9/3/65"	Black	C5AZ 71115A44-H	C5AZ 71115A45-P	1
			Palomino	C5AZ 71115A44-J	C5AZ 71115A45-P	1
			Red	C5AZ 71115A44-K	C5AZ 71115A45-P	1
			Light Blue	C5AZ 71115A44-L	C5AZ 71115A45-P	1
			Gold	C5AZ 71115A44-M	C5AZ 71115A45-P	1
			Turquoise	C5AZ 71115A44-N	C5AZ 71115A45-P	1
	65/66	A(71B, E) "Before 9/3/65"	Black	C5AZ 71115A44-B	C5AZ 71115A45-R	1
			Gold	C5AZ 71115A44-F	C5AZ 71115A45-R	1
			Turquoise	C5AZ 71115A44-G	C5AZ 71115A45-R	1
	65/66	A(71B, D, E)- "Before 9/3/65"	Palomino	C5AZ 71115A44-C	C5AZ 71115A45-R	1
			Red	C5AZ 71115A44-D	C5AZ 71115A45-R	1
			Light Blue	C5AZ 71115A44-E	C5AZ 71115A45-R	1
	67	A(71B, D, E)- "From 4/17/67"		C5AZ 71115A44-R	C5AZ 71115A45-R	1
	68	A(71B, D, E, H)				1
	69/	A(71)		C9AZ 71115A44-A	C9AZ 71115A45-A	1
			Screw-oval head drive point-No.8-18 x 1/2"	375452-S100(BB630D)	375452-S100(BB630D)	4
	68/	A(71)	Screw-cross recess oval head tap-No.8-32 x 3/8"	52012-S8(U202)	52012-S8(U202)	4
	66/71	B(71)		C6OZ 71115A44-A	C6OZ 71115A45-A	1
	72	B(71)		D2OZ 71115A44-A	D2OZ 71115A45-A	1
			Screw-pan hd. tap-No.8-18 x 1/2"	380934-S101(UU67F)	380934-S101(UU67F)	8
115A46-7	**SUPPORT - AUXILIARY FLOOR SIDE PANEL**					
	69/	A(71)		C9AZ 71115A46-A	C9AZ 71115A47-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
115A50	**PANEL - AUXILIARY FLOOR FRONT FINISH**				
	65/	F(63)-w/folding rear seat		C6ZZ 63115A50-A	1
115A58	**PANEL - CENTER FLOOR FINISH - PAINT TO MATCH**				
	69/	A(71)		C9AZ 71115A58-A	1
	69/	A(71)	Bumper-7/16" dia.	377798-S(CC40M)	2
	69/	A(71), B(71)	Screw-oval head drive point-No.8-18 x 1/2"	375452-S100(BB630D)	AR
	66/71	B(71)		C6OZ 71115A58-A	1
	72	B(71)		D2OZ 71115A58-A	1
115A60	**RETAINER - AUXILIARY FLOOR REAR INNER PANEL**				
	65/70	F(63)	Also used with folding rear seat	C5ZZ 63115A60-A	2
	71/	F(63)	Also used with folding rear seat	D1ZZ 63115A60-A	1
115A62	**SPACER - AUXILIARY FLOOR REAR**				
	71/	F(63)	With folding rear seat	D1ZZ 63115A62-A	2
11564	**PANEL - AUXILIARY FLOOR** - Refer to Group 11578-9				
115A64	**RETAINER - CENTER FLOOR FINISH PANEL**				
	66/71	B(71)		C6OZ 71115A64-A	1
	72	B(71)		D2OZ 71115A64-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
115A72-3	**BUMPER - AUXILIARY FLOOR PANEL**				
	65/66	A(71A, C)	R.H.	C5AZ 71115A72-A	1
	67/	A(71)	L.H. -Half round-Also used as seat stop located on wheel house panel or with side facing rear seat		1or2
			Screw-pan head tapping-No.10-18 x 3/8"	52720-S8(U380)	2
	65/66	A(71A, C)	L.H.-Half round-Also used as seat stop located on wheel house panel or with side facing rear seat	C5AZ 71115A73-A	1
	67	A(71A, C)	L.H.		1
	68	A(71A, C, J)	L.H.		1
	66/68	A(71)	Rectangular-without side facing rear seat	C6AZ 71115A72-A	2
	69/	A(71)		C9AZ 71115A72-A	2
	72	B(71)		D2OZ 71115A72-A	2
11578	**PANEL - AUXILIARY FLOOR**				
	65	F(63)		C5ZZ 6311564-A	1
	66	F(63)		C6ZZ 6311564-A	1
	67/70	F(63)	With folding rear seat-Paint to match	C6ZZ 6311564-B	1
	71/	F(63)	Front-with folding rear seat-paint to match	D1ZZ 6311578-A	1
11580	**PAN - AUXILIARY FLOOR**				
	67/71	B(66)		C6DZ 6611580-B	1
	66	X(66)			1
	65/66	X(66)	5/16"-18 x 5/8" Hex. head bolt	20326-S7(B49)	AR
			5/16" Lockwasher	34806-S7(X64)	AR
			5/16"-18 Nut & retainer assy.	379484-S2(MM207A)	AR
11598	**LATCH - STORAGE COMPARTMENT DOOR**				
	65/66	A(71)	Includes link	C5AZ 7111598-C	1
	66	B(71)			1
	67/	A(71)	Includes link	C7AZ 7111598-B	1
	67/71	B(71)	Includes link		1
	72	B(71)	Refer to group 31700		
116A00-1	**HINGE - STORAGE COMPARTMENT DOOR REAR**				
	69/	A(71)	R.H.	C9AZ 71116A00-A	1
			L.H.	C9AZ 71116A01-A	1
			Front - refer to Basic Group 11640-1		
116A14	**LATCH - AUXILIARY FLOOR PANEL REAR**				
	71/	F(63)	With folding rear seat	D1ZZ 63116A14-A	2
11634-5	**REINFORCEMENT - FRONT FLOOR PAN SEAT TRACK**				
	71/	P(54, 62)	R.H.-Inner-non-reclining bucket seats	D1DZ 6211634-A	1
			L.H.	D1DZ 6211635-A	1
	68/71	S	Lower	C8SZ 6511634-A	AR
11640-1	**HINGE - STORAGE COMPARTMENT DOOR - FRONT**				
	69/	A(71)	R.H.	C9AZ 7111640-A	1
			L.H.	C9AZ 7111641-A	1
11688	**REINFORCEMENT - STORAGE COMPARTMENT DOOR LATCH**				
	67/68	A(71)		C7AZ 7111688-A	1
	67/71	B(71)		C7OZ 7111688-A	1
11698-9	**PANEL - STORAGE COMPARTMENT DOOR**				
	69/	A(71)	R.H. -Paint to match	C9AZ 7111698-A	1
			L.H.	C9AZ 7111699-A	1
11712	**STOP - STORAGE COMPARTMENT DOOR**				
	71	A(71)		D1AZ 7111712-A	2
11738-9	**SUPPORT - AUXILIARY FLOOR SIDE REAR**				
	67/71	B(66)	R.H.	C6DZ 6611738-B	1
	66	X(66)			1
			L.H. -not replaced (9/74)	★C6DZ 6611739-B	ø 1
11770	**HINGE - AUXILIARY FLOOR FRONT PANEL**				
	65/	F(63)	Includes attaching parts	C5ZZ 6311770-B	1
11772-3	**EXTENSION - AUXILIARY FLOOR SIDE**				
	72	B(71)	R.H.-Paint to match	D2OZ 7111772-A	1
			L.H.	D2OZ 7111773-A	1
			Screw-pan hd. drill point-No.8-18 x 1/2"	380934-S101(UU67F)	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
12110	**REINFORCEMENT - FLOOR PLATE TRANSMISSION COVER**				
	71/	P	With manual transmission	D1DZ 6212110-A	1
12118-9	**REINFORCEMENT - FLOOR TRANSMISSION COVER PLATE**				
	69/71	A(except 71)	With manual transmission	C9AZ 6212118-A	1
	69/71	A	R.H.with auto.trans. & console	C9AZ 6312118-A	1
			L.H.	C9AZ 6312119-A	1
	72	B(63, 65)	With auto. trans. & console	D2OZ 6512118-A	1
	65/68	F		C5ZZ 6512118-A	1
	69/70	F		C9ZZ 6512118-A	1
	71/	F		D1ZZ 6512118-A	1
	71/	L,P	With auto. trans. (floor shift)	D1DZ 6212118-A	1
12128	**COVER - TRANSMISSION BAND ADJUSTING ACCESS**				
	65	A, S	Plug (button)-2.41" diameter hole	374732-S(PP14)	1
130A08-9	**RETAINER - AUXILIARY FLOOR FRONT CARPET SIDE - INCLUDES ATTACHING PARTS**				
	67/70	F(63)	R.H.-With folding rear seat	C7ZZ 63130A08-A	1
			L.H.	C7ZZ 63130A09-A	1
	71/	F(63)	R.H. - With folding rear seat	D1ZZ 63130A08-A	1
			L.H.	D1ZZ 63130A09-A	1
	71/	L	With folding rear seats	D1FZ 62130A08-A	2
130A10	**RETAINER - AUXILIIARY FLOOR REAR CARPET FRONT**				
	71/72	F(63)	With folding rear seat	D1ZZ 63130A10-A	§ 1
130A14	**RETAINER - AUXILIARY FLOOR FRONT CARPET FRONT - INCLUDES ATTACHING PARTS**				
	66/	F(63)	With folding rear seat	C6ZZ 63130A14-A	1
	71/	L	With rear seat sport deck	D1FZ 62130A14-AA	1
130A16-7	**RETAINER - REAR SEAT BACK FLOOR CARPET SIDE - INCLUDES ATTACHING PARTS**				
	65/	F(63)	R.H.-with fixed or folding rear seat-Paint to match.	C5ZZ 63130A16-B	2
			L.H.	C5ZZ 63130A17-B	2
			Bumper (rubber)	380369-S (CC44)	2
130A18	**RETAINER - REAR SEAT BACK FLOOR CARPET FRONT - INCLUDES ATTACHING PARTS**				
	65/	F(63)	With folding rear seat-attaches carpet to basic number 115A42	C5ZZ 63130A18-A	1
			With folding rear seat-attaches carpet to basic numbers 11564 & 61390	C5ZZ 63130A18-B	1
			Also used with fixed rear seat-Paint to match		1
	71	L(64) "Before 9/15/71"		D1FZ 64130A18-A	1
	71/	L(64) "From 9/15/71"		D1FZ 64130A18-B	1
	72	L(73)			1
130A20	**RETAINER - REAR SEAT BACK FLOOR CARPET REAR**				
	65/	F(63)	Includes attaching parts	C5ZZ 63130A20-A	2
	71/	L(64)		D1FZ 64130A20-A	1
130A24-5	**RETAINER - AUXILIARY FLOOR REAR CARPET SIDE - INCLUDES ATTACHING PARTS**				
	65/70	F(63)	R.H.-With folding rear seat	C5ZZ 63130A24-A	1
			L.H.	C5ZZ 63130A25-A	1
			No. 8-15 x 5/8" Cross recess oval head screw	52352-S8(U293)	3
	71/	F(63)	With folding rear seat	D1ZZ 63130A24-A	2
130A26	**RETAINER - AUXILIARY FLOOR REAR CARPET REAR - INCLUDES ATTACHING PARTS**				
	65/69	F(63)	With folding rear seat	C5ZZ 63130A26-A	1
			No. 8-15 x 5/8" Cross recess oval head screw	52352-S8(U293)	6
130A30	**RETAINER - REAR FLOOR - REAR - INCLUDES ATTACHING PARTS**				
	67/	U(98)		C7TZ 98130A30-B	1
130A44-5	**RETAINER - FRONT FLOOR CARPET - SIDE - INCLUDES ATTACHING PARTS**				
	67	U "Before A42, 001"	R.H.	C7TZ 96130A44-A	1
			L.H.	C7TZ 96130A45-A	1
	67/	U(97, 98) "From A42, 001"	R.H.-Use with vinyl mat	C7TZ 96130A44-B	1
			L.H.	C7TZ 96130A45-B	1
13144	**RETAINER - REAR FLOOR MAT - INCLUDES ATTACHING PARTS**				
	67/	B,P,X	Refer to Group 13144-5 in Soft Trim Section		
	67/	U(98)	Front-One piece design	C7TZ 9813144-D	3

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
13200-9	**PLATE - FRONT DOOR SCUFF**					
		- A -				
	65/68	A(62,63,65,76)		C7AZ 6213208-B	C7AZ 6213209-B	1
	67	A	Retainer-front	C6AZ 14A163-A	C6AZ 14A163-A	4
	65/68	A(54,57,71)		C7AZ 5413208-B	C7AZ 5413209-B	1
	65/68	A(54,57,62,63,65,76)	No.8-18 x 1" Oval head tapping screw	52445-S(U317)	52445-S(U317)	4or6
	69/	A(53,54,57,71)		C9AZ 5413208-A	C9AZ 5413208-A	2
	69/70	A(62,63,65,76)		C9AZ 6213208-A	C9AZ 6213208-A	2
	71/	A(65,76)				2
		- B -				
	65	B(54,71)		★♦CC50B5413200-B Not replaced (3-74)	♦CC50B 5413201-B	1
	66/67	B(54,71)		☆C7OZ 5413208-A	☆C7OZ 5413208-A	2
	66	B(54,71)		♦CC60B 5413200-A	♦CC60B 5413200-A	2
	66/67	B(62,63,66,76)		C7OZ 6213208-A	C7OZ 6213208-A	2
	68/69	B(54,71)		C8OZ 5413208-A	C8OZ 5413208-A	2
	70/71	B(71)				2
	68/69	B(63,65,66,76)		C8OZ 6313208-A	C8OZ 6313208-A	2
	70/71	B(54,57)		D0OZ 5413208-A	D0OZ 5413208-A	2
	72	B(63,65,97)		D2OZ 6513208-A	D2OZ 6513208-A	2
	70	B(62,63,65,66,76)		D0OZ 6513208-A	D0OZ 6513208-A	2
	71	B(63,65,66,76)				2
	72	B(53,71)		D2OZ 5313208-A	D2OZ 5313208-A	2
		- F -				
	65/67	F	Includes attaching parts-outer or lower	* C5ZZ 6513208-B	*C5ZZ 6513208-B	2
	65/68	F(63,65)	Inner or upper	C5ZZ 6513208-D	C5ZZ 6513208-D	2
	65/68	F(76)	Inner or upper	C5ZZ 7613208-C	C5ZZ 7613208-C	2
	69/70	F		C9ZZ 6513208-A	C9ZZ 6513208-A	2
			Transfer-refer to Group 10130			
	71/	F		D1ZZ 6513208-A	D1ZZ 6513208-A	2
	65/	F	No.8-18 x 3/4" Oval head tapping screw	55974-S45(U316D)	55974-S45(U316D)	18
		- L -				
	71/	L		D1FZ 6213208-A	D1FZ 6213208-A	2
		- P -				
	70	P(62)	Includes attaching parts	D0DZ 6213208-A	D0DZ 6213208-A	2
	71/	P(54)		D1DZ 5413208-A	D1DZ 5413208-A	2
	71/	P(62)		D1ZZ 6513208-A	D1ZZ 6513208-A	2
		- S -				
	65/66	S	Inner or upper	C4SZ 6313208-D	C4SZ 6313209-D	1
	65/66	S	Outer or lower	C4SZ 6313208-C	C4SZ 6313208-C	2
			Screw-oval head tapping-No.10-24 x 5/8"	376490-S101(UU56B)	376490-S101(UU56B)	4
			Screw-oval head tapping-No.10-24 x 1"	★376359-S101	★376359-S101	8
	68/71	S(57)		C8SZ 5713208-A	C8SZ 5713209-A	1
	67/71	S(65)		C8SZ 6513208-A	C8SZ 6513208-A	2
	72	S		D2SZ 6513208-A	D2SZ 6513208-A	2
		- X -				
	65	X(54,71)		♦CC5DB 5413200-A	★C3DZ 6213209-A	1
	65	X(59,62,63,78)		♦CC5DB 6213200-A	♦CC5DB 6213201-A	1
	66/67	X(54,71)		☆C7OZ 5413208-A	☆C7OZ 5413208-A	2
	66	X(54,71)		♦CC60B 5413200-A	♦CC60B 5413200-A	2
	66/67	X(62,63,76)		☆C7OZ 6213208-A	☆C7OZ 6213208-A	2
	68/70	X(54,71)		C8DZ 5413208-A	C8DZ 5413208-A	2
	68/70	X(62)		C8OZ 6313208-A	C8OZ 6313208-A	2
	65/	A	Screw and washer assy.-No.8-18 x 3/4"	★379083-S101	★379083-S101	8 or 14
	65/	A, B	Screw-cross recess pan head-No.8-18 x 3/4"	376389-S101(UU82D)	376389-S101(UU82D)	8 or 12
	65/70	X				12

* Component of Accessory Kit C5ZZ 6513242-A ☆ U. S. only ♦ Canada only

May, 1975


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE


GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
13218	**SHIELD - DOOR SCUFF PLATE WIRING** - Cut as required					
	66/67	B(62, 63, 66), X(62)- " From 12/1/66 to 10/2/67"	Front door-39 1/2" long	C6OZ 6213218-C	C6OZ 6213218-C	2
	68	B(63, 65, 66), X(62)				2
	67/69	B(54, 71), X(54, 71)	Front door-26 51/64"long	C6OZ 5413218-C	C6OZ 5413218-C	2
			Rear door-14 3/4" long	C6OZ 5413220-C	C6OZ 5413220-C	2
	68/69	B(63, 65, 66), X(62)- "From 10/2/67"	Front door-34 1/2" long	C6OZ 6213218-C	C6OZ 6213218-C	2
	70/71	B(except 76)	Front door-39 15/32"long			2
			Rear door-cut as required			2
	70/	B(76)	37 51/64" long	D0OZ 7613218-A	D0OZ 7613218-A	2
	71/	F		D1ZZ 6513218-A	D1ZZ 6513218-A	2
	71/	L	36" long-Improvise from metal	★	★	
	70	P(62)		D0DZ 6213218-A	D0DZ 6213218-A	2
13228-9	**PLATE - REAR DOOR SCUFF**					
	65/68	A(54, 57, 71)		C5AZ 5413228-A	C5AZ 5413229-A	1
			Retainer	C6AZ 14A163-A	C6AZ 14A163-A	4
	69/	A(53, 54, 57, 71)		C9AZ 5413228-A	C9AZ 5413228-A	2
	65	B(54, 71)		C3OZ 5413228-B	C3OZ 5413229-B	1
	66/67	B(54, 71)		C6OZ 5413228-A	C6OZ 5413228-A	2
	68/69	B(54)		C8OZ 5413228-A	C8OZ 5413228-A	2
	70/71	B(54, 57)		D0OZ 5413228-A	D0OZ 5413228-A	2
	68/71	B(71)		C8OZ 7113228-A	C8OZ 7113228-A	2
	72	B(53, 71)		D2OZ 5313228-A	D2OZ 5313228-A	2
	71/	P(54)		D1DZ 5413228-A	D1DZ 5413228-A	2
			Screw-round washer hd.-No.8-18 x 1/2"	381801-S2(UU148)	381801-S2(UU148)	6
	67/71	S(57)		C7SZ 5713228-A	C7SZ 5713229-A	1
	66/70	X(54)		C6DZ 5413228-A	C6DZ 5413228-A	2
	66/70	X(71)		C6OZ 5413228-A	C6OZ 5413228-A	2
	65/	A(53, 54, 57, 71, 75)	Screw-cross recess pan head-No.8-18 x 3/4"	376389-S101(UU82D)	376389-S101(UU82D)	6 or 8
	65	B(54, 71), X(54, 71)				6
	66/	B(54, 71)	Screw-oval head tapping-No.8-18 x 3/4"	★377924-S101	★377924-S101	6
	66/70	X(54, 71)				6

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
13504	**SHELF - INSTRUMENT PANEL UTILITY - PAINT TO MATCH**				
	70	P	Without locking steering column or A/C	D0DZ 6213504-A	1
			Without locking steering column - with A/C	D0DZ 6213504-C	1
	71/72	P	With locking steering column and A/C	D0DZ 6213504-F	ø 1
	71/72	P	Without A/C	D3DZ 6213504-A	ø 1
			With A/C	D3DZ 6213504-B	1
13536	**PAD and RETAINER - UTILITY SHELF**				
	72	P(54, 62A)	Without A/C	D3DZ 6213536-A	1
			With A/C	D2DZ 6213536-B	1
13542	**COVER KIT - UTILITY SHELF**				
	72	P(54, 62A)	Without A/C	D2DZ 6213542-A	1
			With A/C	D2DZ 6213542-B	1
13598	**COVER - INSTRUMENT PANEL UTILITY SHELF** - When radio is not used				
	70/72	P "Before 3/1/72"	Includes attaching parts	D0DZ 6213598-B	1
	72	P "From 3/1/72"		D3DZ 6213598-A	1


20000-1 STRIPE KIT - BODY SIDE




TYPE 1




TYPE 2




TYPE 3




TYPE 4




TYPE 5




TYPE 6



TYPE 7




TYPE 8




TYPE 9




TYPE 10




TYPE 11




TYPE 12



TYPE 13



TYPE 14



TYPE 15




TYPE 16


P-7849

May, 1975 COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN FINAL ISSUE

20000-1 STRIPE KIT - BODY SIDE - continued




TYPE 17




TYPE 18




TYPE 19




TYPE 20




TYPE 21




TYPE 22




TYPE 23



TYPE 24



TYPE 25



TYPE 26

YEAR	MODEL	TYPE	COLOR	DESCRIPTION	PART NUMBER	QTY.
20000-1	**STRIPE KIT - BODY SIDE - continued**					
	- A -					
68	A(63C,76B)	3	Black	R.H.-non-reflective	C8AZ 6320000-A	1
				L.H.	C8AZ 6320001-A	1
			Red	R.H.-non-reflective	C8AZ 6320000-B	1
				L.H.	C8AZ 6320001-B	1
			White	R.H.-non-reflective	C8AZ 6320000-C	1
				L.H.	C8AZ 6320001-C	1
68	A(63C,76B)	3	Black	R.H.-reflective	C8AZ 6320000-E	1
				L.H.	C8AZ 6320001-E	1
			White	R.H.-reflective	C8AZ 6320000-G	1
				L.H.	C8AZ 6320001-G	1
68	A(63C,76B)	11	Black w/red center	R.H.	C8AZ 6320000-J	1
				L.H.	C8AZ 6320001-J	1
			Gold w/red center	R.H.	C8AZ 6320000-K	1
				L.H.	C8AZ 6320001-K	1
			Gold w/black center	R.H.	C8AZ 6320000-L	1
				L.H.	C8AZ 6320001-L	1
69	A(63C,76B)	17	Black		C9AZ 6320000-F	1
			Gold		C9AZ 6320000-H	1
			Red		C9AZ 6320000-G	1
			Silver		C9AZ 6320000-J	1
			White		C9AZ 6320000-K	1

PIN STRIPES

TRANSFERS NOT AVAILABLE FOR REPAIR OR REPLACEMENT.
REFER TO "STRIPING LACQUER" IN PAINT SECTION.

	- B -					
66	B(63D,76D)	1	Black		C6OZ 6320000-D	2
			White		C6OZ 6320000-E	2
67	B(63D,76D)	1	Black	Non-reflective	C6OZ 6320000-D	2
			Red	Non-reflective	C6OZ 6320000-F	2
			White	Non-reflective	C6OZ 6320000-E	2
67	B(63D,76D)	1	White	Reflective	C7OZ 6320000-G	2
68	B(63D)	17	Black	R.H.-non-reflective	C8OZ 6320000-A	1
				L.H.	C8OZ 6320001-A	1
			Blue	R.H.-non-reflective	C8OZ 6320000-B	1
				L.H.	C8OZ 6320001-B	1
			Gold	R.H.-non-reflective	C8OZ 6320000-E	1
				L.H.	C8OZ 6320001-E	1
			Red	R.H.-non-reflective	C8OZ 6320000-C	1
				L.H.	C8OZ 6320001-C	1
			White	R.H.-non-reflective	C8OZ 6320000-D	1
				L.H.	C8OZ 6320001-D	1
68	B(63D)	17	Black	R.H.-reflective	C8OZ 6320000-F	1
				L.H.	C8OZ 6320001-F	1
			Blue	R.H.-reflective	C8OZ 6320000-G	1
				L.H.	C8OZ 6320001-G	1
			Red	R.H.-reflective	C8OZ 6320000-H	1
				L.H.	C8OZ 6320001-H	1
			White	R.H.-reflective	C8OZ 6320000-J	1
				L.H.	C8OZ 6320001-J	1
68	B(63D,65D,76D)	2	Black	Non-reflective	C8OZ 6520000-A	2
			Blue	Non-reflective	C8OZ 6520000-B	2
			Gold	Non-reflective	C8OZ 6520000-E	2
			Red	Non-reflective	C8OZ 6520000-C	2
			White	Non-reflective	C8OZ 6520000-D	2
68	B(63D,65D,76D)	2	Black	Reflective	C8OZ 6520000-F	2
			Blue	Reflective	C8OZ 6520000-G	2
			Red	Reflective	C8OZ 6520000-H	2
			White	Reflective	C8OZ 6520000-J	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	TYPE	COLOR	DESCRIPTION	PART NUMBER	QTY.
20000-1 STRIPE KIT - BODY SIDE - continued						
		- B -				
68	B(66D)	17	Black	R.H.	C8OZ 6620000-A	1
				L.H.	C8OZ 6620001-A	1
			Blue	R.H. - not replaced(3-74)	★C8OZ 6620000-B	1
				L.H.	C8OZ 6620001-B	1
			Gold	R.H.	C8OZ 6620000-E	1
				L.H.	C8OZ 6620001-E	1
			Red	R.H.	C8OZ 6620000-C	1
				L.H.	C8OZ 6620001-C	1
			White	R.H.	C8OZ 6620000-D	1
				L.H.	C8OZ 6620001-D	1
69	B(63D,F,65D,76D)	17	Black		C9OZ 6320000-F	1
			Blue	Not supplied for service- use one of the other colors listed	★	
			Gold		C9OZ 6320000-H	1
			Red		C9OZ 6320000-G	1
			White		C9OZ 6320000-J	1
69	B(65D,F,76D,F)	2	Black		C8OZ 6520000-A	2
			Gold		C8OZ 6520000-E	2
			Red		C9OZ 6520000-A	2
			White		C8OZ 6520000-D	2
69	B(65A)	15	Black w/red center		C9OZ 6520000-C	1
			White w/gold center		C9OZ 6520000-D	1
			White w/red center		C9OZ 6520000-B	1
69	B(63-Talladega)	11	Black		C9OZ 6320000-K	1
			White		C9OZ 6320000-L	1
69	B(66A,B)	2	Black		C9OZ 6620000-K	1
69	B(66C,D)	17	Black		C9OZ 6620000-F	1
			Gold		C9OZ 6620000-H	1
			Red		C9OZ 6620000-G	1
			White		C9OZ 6620000-J	1
70	B(63F,76F)	9	Blue	Incl. Black border	D0OZ 6320000-A	1
			Brown/Gold	Incl. Black border	D0OZ 6320000-D	1
			Green/Yellow	Incl. Black border	D0OZ 6320000-C	1
			Red/Orange	Incl. Black border	D0OZ 6320000-B	1
70	B(66C)	9	Blue	Incl. Black border	D0OZ 6620000-A	1
			Brown/Gold	Incl. Black border	D0OZ 6620000-D	1
			Green/Yellow	Incl. Black border	D0OZ 6620000-C	1
			Red/Orange	Incl. Black border	D0OZ 6620000-B	1
71	B(63C,F,H,66C,76F)	9	Blue	Incl. Black border	D1OZ 6320000-A	1
			Brown/Gold	Incl. Black border	D1OZ 6320000-D	1
			Green/Yellow	Incl. Black border	D1OZ 6320000-C	1
			Red/Orange	Incl. Black border	D1OZ 6320000-B	1
71	B(66A,B,C)	24	Gold and Black	Incl. "Ranchero"	D1OZ 6620000-B	1
			Orange and Black	Incl. "Ranchero"	D1OZ 6620000-D	1
			Silver and Black	Incl. "Ranchero"	D1OZ 6620000-A	1
			Yellow and Black	Incl. "Ranchero"	D1OZ 6620000-C	1
72	B(63R,65R)	26	Blue		D2OZ 6320000-E	1
			Green	R/b D2OZ 6320000-M and D2OZ 6320001-D (5-73)	★D2OZ 6320000-H	1
72	B(63R,65R)	26	Blue	R.H.	D2OZ 6320000-J	1
				L.H.	D2OZ 6320001-A	1
			Brown	R.H.	D2OZ 6320000-K	1
				L.H.	D2OZ 6320001-B	1
			Green	R.H.	D2OZ 6320000-M	1
				L.H.	D2OZ 6320001-D	1
			Red	R.H.	D2OZ 6320000-L	1
				L.H.	D2OZ 6320001-C	1
72	B(65D)	26	Blue	R.H.	D2OZ 6520000-E	1
				L.H.	D2OZ 6520001-A	1
			Brown	R.H.	D2OZ 6520000-F	1
				L.H.	D2OZ 6520001-B	1
			Green	R.H.	D2OZ 6520000-H	1
				L.H.	D2OZ 6520001-D	1
			Red	R.H.	D2OZ 6520000-G	1
				L.H.	D2OZ 6520001-C	1

YEAR	MODEL	TYPE	COLOR	DESCRIPTION	PART NUMBER	QTY.
20000-1 STRIPE KIT - BODY SIDE - continued						
	- B -					
72	B(97D)		Argent	Lower body-25 ft. roll	D1ZZ 6320000-M	1
			Black	Lower body-25 ft. roll	D1ZZ 6320000-L	1
				Tailgate-refer to group 42602		
72	B(97R)	25	Yellow		D2OZ 9720000-B	1
72	B(97R)	25	Blue	R.H.	D2OZ 9720000-F	1
				L.H.-tailgate- refer to group 42602	D2OZ 9720001-A	1
			Orange	R.H.	D2OZ 9720000-H	1
				L.H.	D2OZ 9720001-C	1
			Silver	R.H.	D2OZ 9720000-J	1
				L.H.	D2OZ 9720001-D	1
			Yellow	R.H.	D2OZ 9720000-G	1
				L.H.	D2OZ 9720001-B	1

PIN STRIPES

TRANSFERS NOT AVAILABLE FOR REPAIR OR REPLACEMENT.
REFER TO "STRIPING LACQUER" IN PAINT SECTION.

	- F -					
65/66	F	1	Black		C5ZZ 6520000-A	2
			Blue		C5ZZ 6520000-D	2
			Red		C5ZZ 6520000-C	2
			White		C5ZZ 6520000-B	2
65/66	F			Racing stripes refer to Group 19E504 in Accessories Section		
65/66	F(GT350/500)			Rocker panel-refer to Group 16224 in Chassis Section		
67	F	1	Black	Non-reflective	C7ZZ 6520000-A	2
			Blue	Non-reflective	C7ZZ 6520000-D	2
			Red	Non-reflective	C7ZZ 6520000-C	2
			White	Non-reflective	C7ZZ 6520000-B	2
67	F	1	White	Reflective	C7ZZ 6520000-E	2
67/68	F(GT350/500)			Rocker panel - refer to Group 16224 in Chassis Section		
68	F	16	Black	R.H.-non-reflective	C8ZZ 6520000-A	1
				L.H.	C8ZZ 6520001-A	1
			Blue	R.H.-non-reflective	C8ZZ 6520000-B	1
				L.H.	C8ZZ 6520001-B	1
			Gold	R.H.-non-reflective	C8ZZ 6520000-E	1
				L.H.	C8ZZ 6520001-E	1
			Red	R.H.-non-reflective	C8ZZ 6520000-C	1
				L.H.	C8ZZ 6520001-C	1
			White	R.H.-non-reflective	C8ZZ 6520000-D	1
				L.H.	C8ZZ 6520001-D	1
68	F	16	Black	R.H.-reflective	C8ZZ 6520000-F	1
				L.H.	C8ZZ 6520001-F	1
			Blue	R.H.-reflective	C8ZZ 6520000-G	1
				L.H. -not replaced (3-74)	★C8ZZ 6520001-G	1
			Red	R.H.-reflective	C8ZZ 6520000-H	1
				L.H.	C8ZZ 6520001-H	1
			White	R.H.-reflective	C8ZZ 6520000-J	1
				L.H.	C8ZZ 6520001-J	1
68	F	1	Black	Non-reflective	C8ZZ 6520000-L	2
			Gold	Non-reflective	C8ZZ 6520000-R	2
			White	Non-reflective	C8ZZ 6520000-P	2
68	F	1	Black	Reflective	C8ZZ 6520000-S	2
			White	Reflective	C8ZZ 6520000-V	2
68	F(GT/CS)	*	Black	Body side-incl."GT/CS"	C8ZZ 6520000-A1A	1
			White	Body side-incl."GT/CS"	C8ZZ 6520000-A1H	1
68	F(GT/CS)	*	Black	L/compt.	C8ZZ 6520000-B1A	1
			White	L/compt.	C8ZZ 6520000-B1H	1

* Refer to appropriate Exterior Moulding Illustration Section

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

YEAR	MODEL	TYPE	COLOR	DESCRIPTION	PART NUMBER	QTY.
20000-1	**STRIPE KIT - BODY SIDE - continued**					
		- F -				
69	F(63C)	6	Black w/gold center	Incl."Mach I"	C9ZZ 6320000-D	1
			Red w/gold center	Incl."Mach I"	C9ZZ 6320000-E	1
			Gold w/white center	Incl."Mach I"	C9ZZ 6320000-F	1
69	F	1	Black		C9ZZ 6520000-M	1
			Gold		C9ZZ 6520000-P	1
			Red		C9ZZ 6520000-N	1
			White		C9ZZ 6520000-R	1
69	F(65E)	21	Black w/gold center		C9ZZ 6520000-S	1
			Gold w/white center		C9ZZ 6520000-U	1
69/70	F(63-GT350)	4	Black	Incl."GT350"	C9ZZ 6320000-R	1
			Blue	Incl."GT350"	C9ZZ 6320000-G	1
			Gold	Incl."GT350"	C9ZZ 6320000-H	1
			White	Incl."GT350"	C9ZZ 6320000-J	1
69/70	F(63-GT500)	4	Black	Incl."GT500"	C9ZZ 6320000-N	1
			Blue	Incl."GT500"	C9ZZ 6320000-K	1
			Gold	Incl."GT500"	C9ZZ 6320000-L	1
			White	Incl."GT500"	C9ZZ 6320000-M	1
69/70	F(76-GT350)	4	Black	Incl."GT350"	C9ZZ 7620000-G	1
			Blue	Incl."GT350"	C9ZZ 7620000-A	1
			Gold	Incl."GT350"	C9ZZ 7620000-B	1
			White	Incl."GT350"	C9ZZ 7620000-C	1
69/70	F(76-GT500)	4	Black	Incl."GT500"	C9ZZ 7620000-H	1
			Blue	Incl."GT500"	C9ZZ 7620000-D	1
			Gold	Incl."GT500"	C9ZZ 7620000-E	1
			White	Incl."GT500"	C9ZZ 7620000-F	1
69	F(63A)	15	Black w/red center		C9ZZ 6320000-T	1
			White w/gold center		C9ZZ 6320000-U	1
			White w/red center		C9ZZ 6320000-S	1
69	F(63A,B)	8	Black	Incl."Boss 302"	C9ZZ 6320000-V	1
69	F(65A,C)	15	Black w/red center		C9ZZ 6520000-W	1
			White w/gold center		C9ZZ 6520000-X	1
			White w/red center		C9ZZ 6520000-V	1
70	F(63A,B)	7	Black	Incl."Boss 302"	D0ZZ 6320000-C	1
70	F(63A)	8	Black		D0ZZ 6320000-D	1
70	F(63C)	*	Black	L/compt. door & quarter panel extensions	D0ZZ 6320000-A	1
			White	L/compt.door & quarter panel extensions	D0ZZ 6320000-B	1
71/	F(63,65)	20	Argent	Center body only ⊕	D1ZZ 6320000-B	1
			Black	Center body only ⊕	D1ZZ 6320000-A	1
71/	F(63,65)	20	Argent	Lower body-25 ft.roll	D1ZZ 6320000-M	1
			Black	Lower body-25 ft.roll	D1ZZ 6320000-L	1
71/	F(63R)	*	Argent	Incl. "Mach I" (l/compt.) and "Mach I/Mustang" (fenders)	D1ZZ 6320000-D	1
			Black	Incl. "Mach I" (l/compt.) and "Mach I/Mustang" (fenders)	D1ZZ 6320000-C	1
71	F(63D)-Boss 302	*	Argent	Incl. "Boss 302" (l/compt.) and "Boss 302/Mustang" (fenders)	D1ZZ 6320000-F	1
			Black	Incl. "Boss 302" (l/compt.) and "Boss 302/Mustang" (fenders)	D1ZZ 6320000-E	1
71/	F(63D)-Boss 351	*	Argent	Incl. "Boss 351" (l/compt.) and "Boss 351/Mustang" (fenders)	D1ZZ 6320000-J	1
		*	Black	Incl. "Boss 351" (l/compt.) and "Boss 351/Mustang" (fenders)	D1ZZ 6320000-K	1
71	F(63D)-exc.Boss 302, 351	*	Argent	L/compt.	D1ZZ 6320000-H	1
			Black	L/compt.	D1ZZ 6320000-G	1
72	F(65F)	21	Black w/orange center		D2ZZ 6520000-B	1
			Gold w/lime center		D2ZZ 6520000-C	1
			Gold w/white center		D2ZZ 6520000-A	1
72	F(63D)	*	Blue and Red	Hood and quarter extensions only	D2ZZ 6320000-A	1
72	F(65D)	*	Blue and Red	Hood and quarter extensions only	D2ZZ 6520000-D	1
72	F(63D,65D)	*	Blue and red	Lower body-25 ft. roll-1 1/4" wide	D2ZZ 6320000-B	1

* Refer to appropriate Exterior Moulding Illustration Section
⊕ Lower body stripe kit may also be required

YEAR	MODEL	TYPE	COLOR	DESCRIPTION	PART NUMBER	QTY.
20000-1	**STRIPE KIT - BODY SIDE - continued**					
		- L -				
72	L(64)	*	Blue and Red	Hood and quarter extensions only	D2FZ 6420000-A	1
72	L(64)	*	Blue and red	Front fender rear, door, quarter panel-25 ft.roll-1 1/4"wide	D2FZ 6420000-B	1
72	L(64)	*	Red	Front fender front, l/compt. and cowl	D2FZ 6420000-C	1
72	L(62,64)	*	Black	Front fender, rear door and quarter panel-1 1/2" wide-25 ft. roll	D2FZ 6220000-A	AR
			Blue (bright)		D2FZ 6220000-B	AR
			Blue (light)		D2FZ 6220000-G	AR
			Green (dark)		D2FZ 6220000-D	AR
			Green (medium)		D2FZ 6220000-C	AR
			Ginger		D2FZ 6220000-E	AR
			Tan		D2FZ 6220000-H	AR
			White		D2FZ 6220000-F	AR
72	L(62,64)	*	Avocado	1 1/2" wide-25 ft.roll	D2FZ 6220000-J	1
			Orange		D2FZ 6220000-K	1
		- P -				
70	P	5	Black	R/b D0DZ 6220000-C and D0DZ 6220001-A (10/74)	★D0DZ 6220000-A	1
70	P	5	Black	R. H.	D0DZ 6220000-C	1
				L. H.	D0DZ 6220001-A	1
			White	R. H.	D0DZ 6220000-D	1
				L. H.	D0DZ 6220001-B	1
71	P(62)	5	Orange w/black center	R. H. - incl. "Grabber"	D1DZ 6220000-D	1
				L. H. - incl. "Grabber"	D1DZ 6220001-A	1
			White w/silver center	R. H. - inc. "Grabber"	D1DZ 6220000-F	1
				L. H. - incl. "Grabber"	D1DZ 6220001-C	1
			Yellow w/black center	R. H. - incl. "Grabber"	D1DZ 6220000-E	1
				L. H. - incl. "Grabber"	D1DZ 6220001-B	1
72	P(62D)	5	Black w/black border	R. H. - incl. "Grabber"	D2DZ 6220000-H	1
				L. H. - incl. "Grabber"	D2DZ 6220001-D	1
			Gold w/white border	R. H. - incl. "Grabber"	D2DZ 6220000-F	1
				L. H. - incl. "Grabber"	D2DZ 6220001-B	1
			Lime w/lime border	R. H. - incl. "Grabber"	D2DZ 6220000-G	1
				L. H. - incl. "Grabber"	D2DZ 6220001-C	1
			Orange w/orange border	R. H. - incl. "Grabber"	D2DZ 6220000-E	1
				L. H. - incl. "Grabber"	D2DZ 6220001-A	1
72	P(62D)	*	Black	L/compt. door & quarter panel extensions	D2DZ 6220000-M	1
		*	Lime	L/compt. door & quarter panel extensions	D2DZ 6220000-L	1
		*	Orange	L/compt. door & quarter panel extensions	D2DZ 6220000-J	1
		*	White	L/compt. door & quarter panel extensions	D2DZ 6220000-K	1
72	P(62A)	*	Red	Cowl and deck lid-25 ft. roll	D2FZ 6420000-C	1
72	P(62A)	*	Blue and red	Lower body-25 ft. roll	D2ZZ 6320000-B	1
72	P(62A)	*	Blue and red	Hood and quarter extensions only	D2DZ 6220000-N	1
		- U -				
66/	U	1	Red		C6TZ 9620000-B	2
			White		C6TZ 9620000-A	2
72	U(Ranger)		Orange and white		D2BZ 1020000-A	1
		- X -				
65/66	X			Racing stripes-refer to Group 19E504 in Accessories Section		
69/70	X(54)	15	Black w/red center		C9DZ 5420000-A	1
			White w/gold center		C9DZ 5420000-C	1
			White w/red center		C9DZ 5420000-B	1
69/70	X(62)	15	Black w/red center		C9DZ 6220000-A	1
			White w/gold center		C9DZ 6220000-C	1
			White w/red center		C9DZ 6220000-B	1

* Refer to appropriate Exterior Moulding Illustration Section

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

PIN STRIPES

TRANSFERS NOT AVAILABLE FOR REPAIR OR REPLACEMENT.
REFER TO "STRIPING LACQUER" IN PAINT SECTION.

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
20092	**STEP KIT - PICKUP BOX SIDE**				
	66/71	U		C3UZ 8720092-A	1

Consists of
1-C3UB 8720002-A Strip
1-C3UB 8720044-A Step
1-C3UB 8720086-A Seal
1-B8A 19562-A Sealer
4-52432-S8 Screw
1-Instruction sheet No. 2029

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
20124-5	**DOOR ASSY. - FRONT** - Less Hinges, Paint, Trim, Window Regulator, Latch and Remote Control, Drill Holes as required					
		- A -				
	67	A(54, 71)		C7AZ 5420124-A	C7AZ 5420125-A	1
	67	A(57)		C7AZ 5720124-A	★C7AZ 5720125-A Not replaced (11-73)	1
	67	A(63, 76)		★C7AZ 6320124-A Not replaced (3 -74)	★C7AZ 6320125-A Not replaced (11-73)	1
	68	A(54, 71)		C8AZ 5420124-A	C8AZ 5420125-A	1
	68	A(57)		C8AZ 5720124-A	C8AZ 5720125-A	1
	68	A(63, 65, 76)		C8AZ 6320124-A	C8AZ 6320125-A	1
	69	A(54, 71)		C9AZ 5420124-A	C9AZ 5420125-A	1
	69	A(57)		C9AZ 5720124-A	C9AZ 5720125-A	1
	69	A(62)		★C9AZ 6220124-A Not replaced (3/75)	C9AZ 6220125-A	1
	69	A(63, 65, 76)		C9AZ 6320124-A	C9AZ 6320125-A	1
	70	A(54, 71)		D0AZ 5420124-A	D0AZ 5420125-A	1
	70	A(63, 65, 76)		D0AZ 6320124-A	D0AZ 6320125-A	1
	70	A(57)		D0AZ 5720124-A	D0AZ 5720125-A	1
	71/	A(53)		D2AZ 5320124-A	D2AZ 5320125-A	1
	71/	A(54, 71)		D2AZ 5420124-A	D2AZ 5420125-A	1
	71/	A(57)		D2AZ 5720124-A	D2AZ 5720125-A	1
	71/	A(65, 76)		D2AZ 6520124-A	D2AZ 6520125-A	1
		- B -				
	66	B(63, 76)		C6OZ 6320124-A	C6OZ 6320125-A	1
	66/67	B(54, 71)		★C6OZ 5420124-A Not replaced (3-74)	C6OZ 5420125-A	1
	66/67	B(62)		C6OZ 6220124-A	C6OZ 6220125-A	1
	67	B(66)		C7DZ 6620124-A	★C6DZ 6620125-B Not replaced (3/75)	1
	68/69	B(54, 71)		C8OZ 5420124-A	C8OZ 5420125-A	1
	68/69	B(63, 65, 66, 76)		C8OZ 6320124-A	C8OZ 6320125-A	1
	70	B(62)		D0OZ 6220124-A	D0OZ 6220125-A	1
	70	B(63, 65, 76)		D1OZ 6520124-A	D0OZ 6520125-A	1
	70	B(66)		D1OZ 6520124-A	D1OZ 6520125-A	1
	70/71	B(54)		D0OZ 5420124-A	D0OZ 5420125-A	1
	70/71	B(57)		D0OZ 5720124-A	D0OZ 5720125-A	1
	71	B(63, 65, 66, 76)		D1OZ 6520124-A	D1OZ 6520125-A	1
	70/71	B(71)		D0OZ 7120124-A	D0OZ 7120125-A	1
	72	B(53, 71)		★D2OZ 5320124-A r/b D3OZ 5320124-B (11-73)	D2OZ 5320125-A	1
	72	B(63, 65, 97)		D2OZ 6520124-A	★D2OZ 6520125-A r/b D3OZ 6520125-A	1
		- F -				
	65/66	F		C5ZZ 6520124-B	C5ZZ 6520125-B	1
	67/68	F	Includes arm rest retainers	C7ZZ 6520124-C	C7ZZ 6520125-C	1
	69/70	F		D0ZZ 6520124-A	D0ZZ 6520125-A	1
	71/72	F		D3ZZ 6520124-A	D3ZZ 6520125-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
20124-5	DOOR ASSY. - FRONT - continued. - Less Hinges, Paint, Trim, Window Regulator, Latch and Remote Control, Drill Holes as required					
		- L -				
	71	L(62,64)		D2FZ 6220124-A	★D1FZ 6220125-A r/b D3FZ 6220125-B (11-73)	1
	72	L(62,64) "Before 3/1/72"		D2FZ 6220124-A	★D2FZ 6220125-A r/b D2FZ 6220125-B (1-73)	1
	72	L(62,64) "From 3/1/72"		D2FZ 6220124-B	★D2FZ 6220125-B r/b D3FZ 6220125-B (12-73)	1
	72	L(73)		★D2FZ 7320124-B r/b D3FZ 7320124-B (3-74)	D2FZ 7320125-B	1
		- P -				
	70	P(62)-w/o racing mirror		D0DZ 6220124-A	★D0DZ 6220125-A r/b D1DZ 6220125-B(12/74)	1
	70	P(62)-w/ racing mirror		D0DZ 6220124-A	★D0DZ 6220125-B r/b D1DZ 6220125-B (11-73)	1
	71/72	P(54) "Before 3/1/72"		D2DZ 5420124-A	D2DZ 5420125-A	1
	71/72	P(62) "Before 3/1/72"		D0DZ 6220124-A	D1DZ 6220125-B	1
	72	P(54) "From 3/1/72"		D2DZ 5420124-B	D2DZ 5420125-B	1
	72	P(62) "From 3/1/72"		D2DZ 6220124-B	D2DZ 6220125-B	1
		- S -				
	65/66	S		★C5SZ 6320124-B Not replaced (3/75)	C5SZ 6320125-B	1
	67	S(65)		★C7SZ 6520124-A Not replaced (3 -74)	C7SZ 6520125-A	1
	68/69	S(65)		C9SZ 6520124-A	C9SZ 6520125-A	1
	69	S(57)		C9SZ 5720124-A	C9SZ 5720125-A	1
	70	S(57)		★D0SZ 5720124-A r/b D1SZ 5720124-A (11-73)	D0SZ 5720125-A	1
	70	S(65)		★D0SZ 6520124-A r/b D1SZ 6520124-A(10/74)	★D0SZ 6520125-A r/b D1SZ 6520125-A(12/74)	1
	71	S(57)		D1SZ 5720124-A	D1SZ 5720125-A	1
	71	S(65)		D1SZ 6520124-A	D1SZ 6520125-A	1
	72	S "Before 3/1/72"		D2SZ 6520124-A	D2SZ 6520125-A	1
	72	S "From 3/1/72"		D2SZ 6520124-B	★D2SZ 6520125-B r/b D3SZ 6520125-B	1
		- U -				
	66/69	U	Vinyl door-no longer available	★	★	
	66/67	U		C6TZ 9720124-B	C6TZ 9720125-B	1
	68	U	Less frame	C8TZ 9720124-A	C9TZ 9720125-A	1
	69/	U	Includes frame	C9TZ 9720124-A	C9TZ 9720125-A	1
		-X -				
	66/67	X(54,71)		★C6OZ 5420124-A Not replaced (3-74)	C6OZ 5420125-A	1
	66/67	X(62)		C6OZ 6220124-A	C6OZ 6220125-A	1
	66	X(66)		C7DZ 6620124-A	★C6DZ 6620125-B Not replaced (3/75)	1
	68/70	X(54,71)		C8DZ 5420124-A	C8DZ 5420125-A	1
	68/70	X(62)		C8DZ 6220124-A	C8DZ 6220125-A	1
	65/	A, F	Bumper-on door	C2AZ 6223030-A	C2AZ 6223030-A	4
	65/69	B(62, 65)	Bumper-at door lock	C2OZ 6223030-A	C2OZ 6223030-A	2
	65/66	F	Plug(button)-1 1/2"diam. hole-lockside	C5ZZ 6522286-A	C5ZZ 6522286-A	4
	65/66	S	Bumper on lower rear corner	372617-S(CC24A)	372617-S(CC24A)	2
	67	S	Bumper	C7SZ 6523030-A	C7SZ 6523030-A	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
20200-1	**PANEL - FRONT DOOR OUTER - REPAIR** - Drill Holes as required					
		- A -				
	65/66	A(54, 57, 71)		C6AZ 5420200-A	C6AZ 5420201-A	1
	65/66	A(62, 63, 76)		C5AZ 6220200-A	C5AZ 6220201-A	1
	67/68	A(54, 57, 71)		C7AZ 5420200-A	C7AZ 5420201-A	1
	67/68	A(62, 63, 76)		C7AZ 6220200-A	C7AZ 6220201-A	1
	68	A(65)				1
	69/70	A(54, 71)		C9AZ 5420200-A	C9AZ 5420201-A	1
	69/70	A(57)		D0AZ 5720200-A	D0AZ 5720201-A	1
	69	A(62)		C9AZ 6220200-A	C9AZ 6220201-A	1
	69/70	A(63, 65, 76)		D0AZ 6320200-A	D0AZ 6320201-A	1
	71/	A(53, 54, 57, 71)		D1AZ 5420200-A	D1AZ 5420201-A	1
	71/	A(65, 76)		D1AZ 6520200-A	D1AZ 6520201-A	1
		- B -				
	66/67	B(54, 71)		C6OZ 5420200-A	C6OZ 5420201-A	1
	66	B(62, 63, 76)		C6OZ 6220200-A	C6OZ 6220201-A	1
	67	B(62, 63, 66, 76)				1
	68/69	B(54, 71)		C8OZ 5420200-A	C8OZ 5420201-A	1
	68/69	B(63, 65, 66, 76)		C8OZ 6320200-A	C8OZ 6320201-A	1
	70/71	B(63, 65, 66, 76)		D0OZ 6520200-A	D0OZ 6520201-B	1
	70	B(62)				1
	70/71	B(54)		D0OZ 5420200-A	D0OZ 5420201-A	1
	70/71	B(57)		D0OZ 5720200-A	D0OZ 5720201-A	1
	70/71	B(71)		D0OZ 7120200-A	D0OZ 7120201-A	1
	72	B(53, 71)		D2OZ 5320200-A	D2OZ 5320201-A	1
	72	B(63, 65, 97)		D2OZ 6520200-A	D2OZ 6520201-A	1
		- F -				
	65/66	F		★C5ZZ 6520200-A Not replaced (5/75)	C5ZZ 6520201-A	1
	67/68	F		C7ZZ 6520200-A	C7ZZ 6520201-A	1
	69/70	F		C9ZZ 6520200-A	C9ZZ 6520201-A	1
	71/72	F "Before 9/15/71"		★D1ZZ 6520200-A r/b D3ZZ 6520200-A(10/74)	D1ZZ 6520201-A	1
	72	F "From 9/15/71"		★D1ZZ 6520200-A r/b D3ZZ 6520200-A(10/74)	D2ZZ 6520201-A	1
		- L -				
	71/72	L		D2FZ 6220200-A	D2FZ 6220201-A	1
		- P -				
	70/	P(62)		D0DZ 6220200-A	D0DZ 6220201-B	1
	71/	P(54)		D1DZ 5420200-A	D1DZ 5420201-A	1
		- S -				
	67/71	S(57)		C9SZ 5720200-A	C9SZ 5720201-A	1
	67/71	S(65)		C9SZ 6520200-A	C9SZ 6520201-A	1
	72	S		D3SZ 6520200-B	D3SZ 6520201-B	1
		-X -				
	65	X(54, 71)		★C4DZ 5420200-B Not replaced (3/75)	C4DZ 5420201-B	1
	65	X(except 54, 71)		C4DZ 6220200-A	C4DZ 6220201-A	1
	66/70	X(54, 71)		C6OZ 5420200-A	C6OZ 5420201-A	1
	66	X(62, 66)		C6OZ 6220200-A	C6OZ 6220201-A	1
	67/70	X(62)				1
20206-7	**PANEL - FRONT DOOR OUTSIDE FINISH**					
	71/	A(53H, K, 57H, K)		D1AZ 5720206-A	D1AZ 5720207-A	1
	71/	A(65H, K, 76H)		D1AZ 6520206-A	D1AZ 6520207-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
202A24	**GRILLE ASSY. - FRONT DOOR VENT AIR - INNER**				
	67	A-with pressure relief vent system	Black	C7AZ 63202A24-A1A	2
20225	**REINFORCEMENT - FRONT DOOR OUTSIDE**				
	72	S-w/R.H. - remote control mirror		D3SZ 6520225-A	1
20235	**COVER - FRONT SEAT SHOULDER STRAP REEL** - Refer to group 60235				
20235	**COVER - FRONT SEAT RETRACTOR SAFETY HARNESS**				
	69/70	F(63-GT 350/500)		C9ZZ 6320235-A	2
202A60-1	**PANEL - FRONT DOOR OPENING** - Paint to match				
	66/69	U(96)	R.H.-Fiberglass	C6TZ 96202A60-A	1
			L.H.	C6TZ 96202A61-A	1
			No. 10-12 x 2" Cross recess oval head screw	★370696-S101	4
			No. 10-12 x 1 5/8" Cross recess oval head self tapping screw	375706-S101(UU56E)	20
			No. 10-16 x 1/2" Pan head self tapping screw	376383-S100(UU82J)	30
			No. 10-16 x 2" Cross recess pan head screw	381557-S101(UU56AA)	4
202A62-3	**PANEL - FRONT DOOR OPENING INSIDE - REAR** - Paint to match				
	66/69	U(96)	R. H.-Steel	C6TZ 96202A62-A	1
			L. H.	C6TZ 96202A63-A	1
			No. 10-12 x 1/2" Pan head self tapping screw	376383-S100(UU82J)	16
20264-5	**SEAL - FRONT DOOR FRONT AT BELT**				
	69/70	A(57, 63, 65, 76)	R.H.-r/b D1AZ 6520264-A	★D0AZ 6320264-A	1
			L.H.	D0AZ 6320265-A	1
	71/	A(53,57,65,76)	R.H.	D1AZ 6520264-A	1
			L.H.	D1AZ 6520265-A	1
	71/	A(53,57,65,76)	Screw, pan head-No.8-15 x 3/4"	371828-S100(UU81)	8
	69/70	F	R. H.	C9ZZ 6520264-A	1
			L. H.	C9ZZ 6520265-A	1
	71/	F	R.H.	D1ZZ 6520264-A	1
			L.H.	D1ZZ 6520265-A	1
	71	F	Screw, pan head-No.8-15 x 3/4"	371828-S100(UU81)	16
20266-7	**SEAL - FRONT DOOR REAR AT BELT**				
	72	A(57)	R.H.	D2AZ 5720266-B	1
			L.H.	D2AZ 5720267-B	1
202A66-7	**PANEL - FRONT DOOR OPENING INSIDE - FRONT** - Paint to match				
	66/69	U(96)	R. H.-Steel	C6TZ 96202A66-A	1
			L. H.	C6TZ 96202A67-A	1
			No. 10-12 x 1/2" Pan head self tapping screw	376383-S100(UU82J)	14
202A70	**STRIP - FRONT DOOR OPENING PANEL SKID**				
	66/69	U(96)		C6TZ 96202A70-A	2
20272	**SEAL - FRONT DOOR INSIDE PANEL - LOWER**				
	67/68	F		C7WY 6520272-A	2
	69/71	F		C9ZZ 6520272-A	2
	71	F	Screw, pan head-No.8-15 x 3/4"	371828-S100(UU81)	16
	72	S		D2SZ 6520272-A	2
20318	**SHIELD - DOOR TRIM WATER**				
	65/70	A,B,F,S,U,X	28" x 54"-cut to fit	C0AB 6420318-C	AR
20334-5	**SHIELD - FRONT DOOR LATCH REMOTE CONTROL OPENING**				
	70/	U(97,98)	R.H.	D0TZ 9620334-A	1
			L.H.	D0TZ 9620335-A	1
	72	S		D4SZ 6520334-A	2
20402-3	**RAIL - FRONT DOOR OUTSIDE FINISH - LOWER** - Refer to Group 20868-9				
20479	**CLIP - DOOR WEATHERSTRIP RETAINER** - Includes Attaching Parts				
	70	A(57)	Front or rear door	D0AZ 5720479-A	AR

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
20492-3	**MOULDING - FRONT DOOR WINDOW FRAME TOP**					
		- A -				
	65/68	A(54,71)		C5AZ 5420492-B	C5AZ 5420493-B	1
	69/	A(54,71)	Rustless steel-less insert	C9AZ 5420492-A	C9AZ 5420493-A	1
	69/71	A(54,71)	Rustless steel-with insert	C9AZ 5420492-C	C9AZ 5420493-C	1
	70/71	A(54,71)	Aluminum	D0AZ 5420492-A	D0AZ 5420493-A	1
		- B -				
	66/67	B(54B,71B,E)		C6OZ 5420492-A	C6OZ 5420493-A	1
	66/67	B(62B)		C6OZ 6220492-A	C6OZ 6220493-A	1
	67	B(66B,D)		C6DZ 6620492-A	C6DZ 6620493-A	1
	68/69	B(54) with vinyl roof cover	Black	C8OZ 5420492-B1A	C8OZ 5420493-B1A	1
	68/69	B(54B,C,71B,E) w/out vinyl roof cover	Bright finish	C8OZ 5420492-A	C8OZ 5420493-A	1
	70/71	B(71C,E)				1
	69	B(54) with vinyl roof cover	White	C9OZ 5420492-BBW	C9OZ 5420493-BBW	1
	70/71	B(54C)		D0OZ 5420492-A	D0OZ 5420493-A	1
		- L -				
	71/72	L(62,64)		D1FZ 6220492-A	D1FZ 6220493-A	1
	72	L(73)		D2FZ 7320492-B	D2FZ 7320493-B	1
		- U -				
	67/	U(97,98)		C7TZ 9720492-A	C7TZ 9720493-A	1
		- X -				
	66/70	X(54,71)		C6OZ 5420492-A	C6OZ 5420493-A	1
	66/70	X(62)		C6OZ 6220492-A	C6OZ 6220493-A	1
	66	X(66)		★C6DZ 6620492-A Not replaced (3-74)	C6DZ 6620493-A	1
20530-1	**WEATHERSTRIP - FRONT DOOR**					
		- A -				
	65/66	A(63,76)		C5AZ 6320530-B	C5AZ 6320531-B	1
	65/68	A(54,71)		C5AZ 5420530-B	C5AZ 5420531-B	1
	65/68	A(57)		C5AZ 5720530-B	C5AZ 5720531-B	1
	65/68	A(62)		C5AZ 6220530-B	C5AZ 6220531-B	1
	66/67	A	Also refer to Group 20758			
	67/68	A(63,76)		C5AZ 6320530-B	C5AZ 6320531-B	1
	68	A(65)				1
	65/68	A(63,76)	Screw-No.8-18 x 3/8" - pan head	52720-S8 (U380)	52720-S8 (U380)	2
	69	A(62)		C9AZ 6220530-B	C9AZ 6220531-A	1
	69/71	A(54,71)		★C9AZ 5420530-B r/b D2AZ 5420530-A (1/75)	★C9AZ 5420531-A r/b D2AZ 5420531-A (1/75)	1
	69/72	A(57) "Before 10/11/71"		★C9AZ 5720530-A r/b D2AZ 5720530-B (10/74)	C9AZ 5720531-A	1
	69/	A(63,65,76)		C9AZ 6320530-A	C9AZ 6320531-A	1
	71/	A(53)		D2AZ 5320530-A	D2AZ 5320531-A	1
	69/	A(54,71)		D2AZ 5420530-A	D2AZ 5420531-A	1
	69/72	A(57) "From 10/11/71"		D2AZ 5720530-B	D2AZ 5720531-B	1
	71	A	Screw-No.8-15 x 3/4" - pan head	371828-S100 (UU81)	371828-S100 (UU81)	AR
		- B -				
	65	B(54,71)		C5OZ 5420530-A	C5OZ 5420531-A	1
	65	B	Screw No. 6-18 1/2" - pan head	32921-S7 (U334)	32921-S7 (U334)	2
	65	B	Screw No. 6-32 x 1/2" - self tap pan head	51763-S8(U362)	51763-S8(U362)	AR
	65	B	5/16" Plug	375547-S(PP14E)	375547-S(PP14E)	20or24
	66/67	B(54,71)		C6OZ 5420530-C	C6OZ 5420531-C	1
	66/67	B(62)		C6OZ 6220530-C	C6OZ 6220531-C	1
	66/67	B(63,76)		C6OZ 6320530-A	C6OZ 6320531-A	1
	67	B(66)		C6DZ 6620530-C	C6DZ 6620531-C	1
	66/67	B	Pin (drive)-Nylon	377163-S(NN165)	377163-S(NN165)	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
20530-1	WEA[illegible]STRIP - FRONT DOOR - continued					
		- B -				
	66/67	B	Screw No. 6-18 x 3/8" - pan head	52718-S8(U377A)	52718-S8(U377A)	2
	68/69	B(63, 65, 66, 76)		C8OZ 6320530-A	C8OZ 6320531-A	1
	68/69	B(54, 71)		C8OZ 5420530-A	C8OZ 5420531-A	1
	70/71	B(71)				1
	70/71	B(54)	Lower-on door	D0OZ 5420530-A	D0OZ 5420531-A	1
	70/71	B(54)	Upper-on body-refer to Group 51222-3			
	70/71	B(57)		D0OZ 5720530-A	D0OZ 5720531-A	1
	70	B(62)	Lower-on door	D0OZ 6220530-A	D0OZ 6220531-A	1
	70	B(62)	Upper-on body-refer to Group 51222-3			
	70/71	B(63, 65, 76)		D0OZ 6520530-A	D0OZ 6520531-A	1
	70	B(66) "Before 4/10/70"		D0OZ 6820530-A	D0OZ 6820531-A	1
	70/71	B(66) "From 4/10/70"		D0OZ 6620530-B	D0OZ 6620531-B	1
	70	B	Pin (drive)-1/4"	382570-S (HH8T)	382570-S (HH8T)	2 or 4
	71	B(54)				4
	71	B(57, 63, 65, 66, 76)	Screw-No.6-20 x 3/8"-	★383850-S100	★383850-S100	8
	72	B(53, 71)		D2OZ 5320530-A	D2OZ 5320531-A	1
	72	B(63, 65, 97)		D2OZ 6520530-A	D2OZ 6520531-A	1
		- F -				
	65/66	F		C5ZZ 6520530-A	C5ZZ 6520531-A	1
	67/68	F		C7ZZ 6520530-A	C7ZZ 6520531-A	1
			No.6-18 x 3/8" Cross recess pan head screw	★374842-S101	★374842-S101	10
			Pin (drive)-Nylon	377163-S (NN165)	377163-S(NN165)	2
	69/70	F		C9ZZ 6520530-A	C9ZZ 6520531-A	1
	71/	F		D1ZZ 6520530-A	D1ZZ 6520531-A	1
	71/	F	Screw-No.8-15 x 3/4"-	371828-S100 (UU81)	371828-S100 (UU81)	12
		- L -				
	71/72	L(62, 64) "Before 10/1/71"		★D1FZ 6220530-A r/b D2FZ 6220530-B (10/74)	D1FZ 6220531-A	1
	72	L "From 10/1/71 to 12/13/71"		D2FZ 6220530-A	★D2FZ 6220531-A r/b D2FZ 6220531-B (5-73)	1
	72	L "From 12/13/71"		★D2FZ 6220530-B r/b D4FZ 6220530-A	D2FZ 6220531-B	1
		- P -				
	70/	P(62)		D0DZ 6220530-A	D0DZ 6220531-A	1
	70/	P(62)	Pin-1/4" x 19/32"-drive	382570-S(HH8T)	382570-S(HH8T)	4
	71/	P(54)		D1DZ 5420530-A	D1DZ 5420531-A	1
		- S -				
	65	S		C4SZ 6320530-C	C4SZ 6320531-C	1
			5/16" Plug	375547-S(PP14E)	375547-S(PP14E)	44
	66	S		C6SZ 6320530-A	C6SZ 6320531-A	1
	67	S(65)		C7SZ 6520530-A	C7SZ 6520531-A	1
			No. 6-18 x 3/8" Cross recess pan head screw	★52718-S2	★52718-S2	10 or 12
	67/71	S(57)		D0SZ 5720530-A	D0SZ 5720531-A	1
	68/69	S(65)		D0SZ 6520530-A	★C8SZ 6520531-A r/b D0SZ 6520531-A (1-73)	1
	70/71	S(65)		D0SZ 6520530-A	D0SZ 6520531-A	1
	72	S "Before 10/15/71"		D2SZ 6520530-A	★D2SZ 6520531-A r/b D2SZ 6520531-B (5-73)	1
	72	S "From 10/15/71"		D2SZ 6520530-B	D2SZ 6520531-B	1
	71	S	Screw, pan head, cross recess tapping- No.6-20 x 3/8"	★383850-S100	★383850-S100	2
	71	S	Screw, hex.washer head- No.10-12 x 5/8"	42134-S8 (U249)	42134-S8 (U249)	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
20530-1	**WEATHERSTRIP - FRONT DOOR - continued**					
		- X -				
	65	X(54, 71)		†C4DZ 5420530-B	†C4DZ 5420531-B	1
	65	X(59, 62, 66, 78)		†C4DZ 6220530-B	†C4DZ 6220531-B	1
	65	X(63, 76)		†C4DZ 6320530-B	★†C4DZ 6320531-B Not replaced (1/75)	1
	65	X	5/16" Plug	375547-S(PP14E)	375547-S(PP14E)	20or26
	66/70	X(54, 71)		C6OZ 5420530-C	C6OZ 5420531-C	1
	66/70	X(62)		C6OZ 6220530-C	C6OZ 6220531-C	1
	66	X(66)		C6DZ 6620530-C	C6DZ 6620531-C	1
	65/71 67/71 66/71 66/70 72	A F, S B X S	Retainer	C5AZ 6220586-A	C5AZ 6220586-A	AR AR AR AR AR
20558-9	**SEAL - FRONT DOOR REAR AT BELT**					
	68/69	B(63, 65, 66, 76)		C8OZ 6320558-A	C8OZ 6320559-A	1
	70/71	B(57)		D0OZ 5720558-A	D0OZ 5720559-A	1
	70/71	B(63, 65, 66)		D0OZ 6520558-A	D0OZ 6520559-A	1
	70/71	B	Screw-pan head-No.6-20 x 3/8"	★383850-S100	★383850-S100	8
	67/69	F		C7ZZ 6520558-B	C7ZZ 6520559-B	1
			No. 6-18 x 3/8" Pan head screw	★374842-S101	★374842-S101	10
20586	**RETAINER - WEATHERSTRIP**					
	65/71 66/71 66/ 66/70 71 72	A B, F, S U X P S		C5AZ 6220586-A	C5AZ 6220586-A	AR AR AR AR AR AR
			Screw No. 6-18 x 3/8" - pan head	52718-S8 (U377A)	52718-S8(U377A)	AR
20588-9	**SEAL - FRONT DOOR WINDOW - REAR UPPER**					
	65/66	F		★C5ZZ 6520588-A Not replaced (11-73)	C5ZZ 6520589-A	1
	67/69	F	Refer to Group 20558-9			

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
20700	**SEAL - INNER PANEL BOTTOM DRAIN**				
	65/71	A, B, S, X	Front door, rear door or tail gate	C3AZ 6220700-B	AR
	72	A(71)	Tail gate		2
20708-9	**WEATHERSTRIP FRONT - DOOR OPENING - LOWER**				
	66/	U	R. H.	C6TZ 9720708-A	1
			L. H.	C6TZ 9720709-A	1
	66/71	U	Screw-No. 8-15 x 1/2"-cross recess, pan head	52726-S13(U381)	4
			Retainer	C5AZ 6220586-A	18
	72	U	Screw-No. 8-15 x 5/8"-fillister head, cross recess, tapping	52554-S8 (U230)	4
20748	**TRANSFER - WOOD GRAIN**				
		- A -			
	65	A(71A, E) "From 12/27/63"	Dark Walnut grain-cut as required-sheet 64 3/8" x 12"	C4AZ 7120748-B	AR
	65/67	A(71A, E)	Walnut grain with Black planking lines-cut as required-sheet 67" x 21" - Adhesive type - use for total repair only	C5AZ 7120748-A	AR

† Used on Units with Retainer welded to Door Bottom

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
20748	**TRANSFER - WOOD GRAIN - continued**				
		- A -			
	66	A(71A, E)	Dark Walnut Grain with Black planking lines-cut as required-sheet 63 7/8" x 13 1/2"	C6AZ 7120748-A	AR
	67	A(71A, E)	Walnut grain with Black planking lines-cut as required-sheet 61 1/2" x 13 5/8"	C7AZ 7120748-A	AR
	68	A(71A, E)-for units built at Dallas	Walnut grain with Black planking lines-cut as required-sheet 66 3/8" x 17 13/64" (Di Noc)	C8AZ 7120748-A	AR
	68	A(71A, E)-except units built at Dallas	Walnut grain with Black planking line-cut as required-sheet 66 3/8" x 17 13/64" Adhesive type	C8AZ 7120748-B	AR
	69/70	A(71A, E)-for units built at Dallas only	Cherry grain with Black planking lines-cut as required-sheet 62 11/16' x 18 5/64" (Di Noc)	C9AZ 7120748-B	AR
	71/	A(71H)	Cherry grain w/planking lines-66" x 20"-adhesive type-non reflective	D1AZ 7120748-A	AR
	69/70	A(71A, E)-except units built at Dallas			AR
	71/	A(71H)	Tailgate only-reflective-Refer to Group 40722		
		- B -			
	66	B(71E)	Walnut Grain with Black planking lines-cut as required-sheet 59. 75" x 13. 65"	C6OZ 7120748-A	AR
	66	B(71E)	Walnut Grain without Black planking lines-cut as required-sheet 8" x 1"	C6OZ 7120748-B	2
	66/67	B(71E)	Walnut grain with Black planking lines-cut as required-sheet 67" x 21"-adhesive type-use for total repair only	C5AZ 7120748-A	AR
	67	B(71E)	Walnut grain with Black planking lines-cut as required-sheet 59 3/4" x 13 5/8"	C7OZ 7120748-A	AR
	67	B(71E)	Walnut grain with Black planking lines-sheet 8"x 1"	C7OZ 7120748-B	2
	68	B(71E)	Walnut grain with Black planking lines-cut as required-sheet 59 7/8" x 15 13/16" -adhesive type	C8OZ 7120748-B	AR
	69	B(71E)	Non-reflective-Walnut grain with black planking line-cut as required-59 7/8" x 15 13/16" - adhesive type	C9OZ 7120748-A	AR
	70/71	B(66E, 71E)	Cherry woodgrain- with planking lines-cut as required-18 3/4" x 84" -adhesive type	D0OZ 6620748-A	AR
	70/71 72	B(66E, 71E) B(71K, 97K)	Reflective-tail gate only-Refer to Group 40722		
	72	B(71K, 97K)	Non-reflective-Cherry woodgrain-without planking lines-cut as required-19" x 83 1/2" - adhesive type	D2OZ 7120748-A	AR
		- L -			
	72	L(73)	Cherry woodgrain-w/o planking lines-cut as required-17" x 60"-adhesive type	D2FZ 7320748-A	AR
		- X -			
	65	X(71C)	Light Walnut grain-cut as required-sheet 64 3/8" x 12"	C4AZ 7120748-A	AR
	65	X(71C)	Walnut grain with Black planking lines-cut as required-sheet 67" x 21"-adhesive type-use for total repair only	C5AZ 7120748-A	AR
	65/		Water soluble transfer solution	M 5412-A	AR
			Bonding coat	M 4584	AR
20770	**SHIELD - FRONT DOOR WIRING** - Also Refer to Group 14A099 in Chassis Section				
	67/71	S		D0LZ 6520770-A	2
	72	S		D2SZ 6520770-A	2
20798	**COVER - FRONT DOOR WIRING SHIELD**				
	67/	S		C6VY 5320798-A	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
20802-3	**ORNAMENT - DOOR TRIM PANEL**				
		- A -			
	65	A	"500"	♦C5AB 6220802-A	1
	69	A(54A, 57B, 63B, 65C, 71B, C, 76A)	"Galaxie 500" -Includes attaching parts	C9AZ 5420802-A	2
	69	A(63C, 76B)	"XL" -With bend over tabs	C9AZ 6320802-A	2
	69	A(54C, 57F, 65A, 71A, E)	"LTD" -Includes attaching parts	C9AZ 5720802-A	2
	70	A(54C, 57F, 65A)			1
	70	A(54C, 57F, 65A)	"Brougham" -inside	D0AZ 5420802-B	2
	70	A(54C, 57F, 65A, 71A, E)	"Luxury" -inside	D0AZ 5420802-A	2
	71	A(57K, 65K, 71H)			2
	71	A(54F, 57F, 65F, 71F)	Crown emblem	D1AZ 6520802-B	2
	72	A(53H, K, 57H, K, 65H, K, 71H, 76)	Crown emblem-refer to group 23942-3 in Soft Trim Section	★D1AZ 6520802-A Not replaced (10/74)	2
	70	A	Nut-self threading 5/32"	382110-S100(MM284X)	4
		- B -			
	69	B(63)-Talladega	"Talladega"	C9OZ 6320816-A	2
	70	B(54B, 65B, 71B)	"Fairlane 500"	D0OZ 6520802-B	2
	70/71	B(63H)	Cobra emblem-includes attaching parts	D0OZ 6520802-A	2
	72	B(71K)	"Squire"	D2OZ 7120802-A	2
		- F -			
	69/70	F(63A, B, 65A, B, C, D, 76)	R. H. -Includes attaching parts	C9ZZ 6520802-A	1
			L. H.	C9ZZ 6520803-A	1
	69/70	F(Shelby GT350/500)	"Shelby Cobra" -adhesive backed	C9ZZ 6320802-B	2
		- P -			
	71/	P	Steer's head-adhesive backed	D1DZ 6220802-A	2
		- S -			
	68	S		C8SZ 6520802-A	2
	69	S(57C, 65)			2
	70/71	S(57C, 65)		D0SZ 6520802-A	2 or 4
	70	S(65)	Also refer to Group 04460		
20807	**FASTENER - DOOR INNER PANEL BOTTOM DRAIN SEAL**				
	65/66	S		C1AB 6220807-A	4 to 12
	65	B(54, 62, 65, 71)			2or4
	65/67	A(57, 63, 76)			6 to 14
	68/69	A	Front and rear doors		AR
	65/69	F	Door-upper front		4
	67/69	F(65)	Roof side rail weatherstrip		AR
	65	X(59, 71, 78)			4
208A12	**COVER - FRONT DOOR OUTSIDE TOP MOULDING JOINT**				
	66	X(66B, D)		C6DZ 66208A12-A	2
	67	B(66B, D)			2
20816	**PLATE - DOOR TRIM PANEL NAME** - Refer to group 20802				
20818	**RETAINER - OUTSIDE MOULDING**				
		REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER			
208A40	**RETAINER - DOOR OUTSIDE REAR EDGE MOULDING**				
	66	A(54, 57B, 62, 63B, 71B, C, D, 76A)		C6AZ 62208A40-A	2or4
20842	**RETAINER - OUTSIDE MOULDING**				
	65	S	Front fender	C2DZ 6420842-A	8
	65	S	Door		12
	65	S	Quarter		15
	72	L(exc. Squire)	Front door	D2FZ 6220842-A	2

♦ Canada only

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
20846-7	**MOULDING - FRONT DOOR WINDOW FRAME TOP**				
	70/	P(62)	R. H. -snap on-dull finish	D0DZ 6220846-A	1
			L. H.	D0DZ 6220847-A	1
	72	P(62A)	R.H.-snap on-bright finish	D2DZ 6220846-A	1
			L.H.	D2DZ 6220847-A	1
	71/	P(54)	R.H.-snap on -dull finish	D1DZ 5420846-A	1
			L.H.	D1DZ 5420847-A	1
	72	P(54)	R.H.-snap on-bright finish	D2DZ 5420846-A	1
			L.H.	D2DZ 5420847-A	1
	65	X(62B, 66B, 78B)	R. H.	C0DB 6420846-D	1
			L. H.	C0DB 6420847-D	1
208A48	**MOULDING - FRONT DOOR TRIM PANEL UPPER CENTER FRONT**				
	70/71	S		D0SZ 65208A48-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
20868-9	**RAIL - FRONT DOOR OUTSIDE FINISH - LOWER - INCLUDES ATTACHING PARTS**					
		- A -				
	65	A(71A, E)		C5AZ 7120868-A	★C5AZ 7120869-A Not replaced (3-74)	1
	66	A(71A,E)		C6AZ 7120868-A	C6AZ 7120869-A	1
	67	A(71A, E)		C7AZ 7120868-A	C7AZ 7120869-A	1
	68	A(71A, E)		C8AZ 7120868-A	C8AZ 7120869-A	1
	69/70	A(71A, E)		C9AZ 7120868-A	C9AZ 7120869-A	1
	71	A(71H)		D1AZ 7120868-A	D1AZ 7120869-A	1
	72	A(71H)		D2AZ 7120868-A	D2AZ 7120869-A	1
		- B -				
	66/67	B(71E)		C6OZ 7120868-A	C6OZ 7120869-A	1
	68/69	B(71E)		C8OZ 7120868-A	C8OZ 7120869-A	1
	70/71	B(66E)		D0OZ 6620868-A	D0OZ 6620869-A	1
	70/71	B(71E)		D0OZ 7120868-A	D0OZ 7120869-A	1
	72	B(71K)		D2OZ 7120868-A	D2OZ 7120869-A	1
	72	B(97K)		D2OZ 9720868-A	D2OZ 9720869-A	1
		- L -				
	72	L(73)		D2FZ 7320868-A	D2FZ 7320869-A	1
208A70	**RETAINER - FRONT DOOR OUTSIDE FINISH PANEL**					
	71/	A(53,57)		D1AZ 57208A70-A	D1AZ 57208A70-A	2
	71/	A(65,76)		D1AZ 65208A70-A	D1AZ 65208A70-A	2
20878-9	**MOULDING - FRONT DOOR OUTSIDE - LOWER - INCLUDES ATTACHING PARTS**					
		- A -				
	67	A(54A, 57B, 71B, C)		C7AZ 5420878-A	C7AZ 5420879-A	1
	67	A(54C,57F) "Before 1/16/67"	With Vinyl tape insert	C7AZ 5720878-A	C7AZ 5720879-A	1
	67	A(54C,57F) "From 1/16/67"	With painted insert	C7AZ 5420878-B	C7AZ 5420879-B	1
	67	A(63B, 76A)	With 1 stripe Vinyl tape insert	C7AZ 6320878-B	C7AZ 6320878-B	2
	67	A(63C,J, 76B)- "Before 1/16/67"	With 6 stripes Vinyl tape insert	C7AZ 6320878-A	C7AZ 6320878-A	2
	67	A(63C,J, 76B)- "From 1/16/67"	With 2 painted inserts	C7AZ 6320878-C	C7AZ 6320878-C	2
	69	A(54A, 57B, 71B, C)		C9AZ 5420878-A	C9AZ 5420879-A	1
	69	A(54C, 57F)		C9AZ 5420878-B	C9AZ 5420879-B	1
	69	A(63B, 65C, 76A)		C9AZ 6320878-A	C9AZ 6320879-A	1
	69	A(65A)		C9AZ 6520878-A	C9AZ 6520879-A	1
	71/	A(54F, 57F, 71F)		D1AZ 5420878-A	D1AZ 5420879-A	1
	71/	A(53, 57H, K)		D1AZ 5720878-A	D1AZ 5720879-A	1
	71/	A(65F)		D1AZ 6520878-A	D1AZ 6520879-A	1
	71/	A(65H, K, 76)		D1AZ 6520878-B	D1AZ 6520879-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
20878-9	**MOULDING - FRONT DOOR OUTSIDE - LOWER - INCLUDES ATTACHING PARTS - continued**					
		- B -				
	67	B(54B, 71B)		C7OZ 5420878-A	C7OZ 5420879-A	1
	67	B(62B, 63B, C, 66B, 66D, 76B, C)		C7OZ 6220878-A	C7OZ 6220879-A	1
	68	B(54C)		C8OZ 5420878-A	C8OZ 5420879-A	1
	68	B(65C)		C8OZ 6520878-A	C8OZ 6520879-A	1
	69	B(54B, 71B)		C9OZ 5420878-A	C9OZ 5420879-A	1
	69	B(63B, E, 65B, E, 66B, 76B, E)		C9OZ 6320878-A	C9OZ 6320879-A	1
	72	B(53D, 71D)		D2OZ 5320878-A	D2OZ 5320879-A	1
	72	B(63R, 65D, R)		D2OZ 6520878-A	D2OZ 6520879-A	1
		- F -				
	71/	F-w/o racing stripes		D1ZZ 6320878-A	D1ZZ 6320879-A	1
		- S -				
	69	S(57)		C9SZ 5720878-A	C9SZ 5720878-A	2
	69	S(65)		C9SZ 6520878-A	C9SZ 6520878-A	2
		- X -				
	65	X(54B)		C5DZ 5420878-A	C5DZ 5420879-A	1
	65	X(71B) "From 10/6/64"				1
	65	X(62B, 63, 76)		C5DZ 6220878-A	C5DZ 6220879-A	1
	65	X(66)		★C4DZ 6220878-A Not replaced (3-74)	C4DZ 6220879-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
20880-4	**RETAINER - OUTSIDE MOULDING**				
		REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER			
208A80	**RETAINER - FRONT DOOR WINDOW FRAME**				
	72	L(73)		D2FZ 73208A80-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
20904-5	**MOULDING - FRONT DOOR WINDOW GARNISH** - Paint to match. Drill holes as required					
	68/69	B(63B, E, 65A, B, E, 66A, B, 76B, E)		C8OZ 6320904-A	C8OZ 6320905-A	1
	69/70	F(63A, 65A, 76A)		C9ZZ 6520904-A	C9ZZ 6520905-A	1
	71/	F(63D, R, 65D)		D1ZZ 6520904-A	D1ZZ 6520905-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
20910	**MOULDING KIT - DOOR OUTSIDE REAR EDGE**				
		- A -			
	66	A(54, 57, 71)	Not replaced (11-73)	★C6AZ 5420910-A	1
	67	A(54, 57, 71)	Not replaced (11-73)	★C7AZ 5720910-A	1
	68	A(54, 57, 71)	Not replaced (11-73)	★C8AZ 5420910-A	1
	69/70	A(54, 57, 71)		C9AZ 5420910-A	1
	71/	A(53, 54, 57, 71)	Service details ⊕ (7-73)	★D1AZ 5320910-A	1
	71/	A(65, 76)		D1AZ 6520910-A	1
		- B -			
	66	B(62, 63, 76)		C6OZ 6220910-A	1
	67	B(62, 63, 66, 76)			1
	68/69	B(63, 65, 66, 76)		C8OZ 6320910-A	1
	70/71	B(54, 57)		★D0OZ 5420910-A Not replaced (10/74)	1
	70/71	B(71)		D0OZ 7120910-A	1
	72	B(63, 65, 97)		D2OZ 6520910-A	1
	72	B(53, 71)		D2OZ 5320910-A	1
		- F -			
	67/68	F	Not replaced (3-74)	★C7ZZ 6520910-A	1
	71/	F	Not replaced (5/75)	★D1ZZ 6520910-A	1
		- L -			
	71/	L (exc. Squire)		D1FZ 6220910-A	1
	72	L (Squire)	Woodgrain	D2FZ 7320910-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
20910	**MOULDING KIT - DOOR OUTSIDE REAR EDGE - continued**				
		- P -			
	70/	P(62)		D0DZ 6220910-A	1
	71/	P(54)		D1DZ 5420910-A	1
		- S -			
	65/66	S	Not replaced (11-73)	★C4SZ 6320910-A	1
	67/71	S(57)	Service details ⊕ (4-73)	★C7SZ 5720910-A	1
	72	S		D2SZ 6520910-A	1
		- U -			
	66/	U		D5TZ 9720910-A	1
		- X -			
	66/67	X(62, 66)	Not replaced (11-73)	★C6OZ 6220910-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
20914-5	**MOULDING - FRONT DOOR TRIM PANEL - UPPER - INCLUDES ATTACHING PARTS**					
	66	A(57F, 63F)		♦C6MY 5020914-A	♦C6MY 5020915-A	1
20916-7	**MOULDING - FRONT DOOR OUTSIDE - FRONT**					
	67/	U(97, 98)		C7TZ 9720916-A	C7TZ 9720917-A	1
20920-1	**MOULDING - FRONT DOOR TRIM PANEL - REAR**					
	66	A(57F)		♦C6MY 5020920-A	♦C6MY 5020921-A	1
	69	A(54C, 57F)		C9AZ 5720920-A	★C9AZ 5720921-A	1
	70	A(54C, 57F, 71H, J)			Not replaced (10/74)	1
	69/70	A(65A)		C9AZ 6520920-A	C9AZ 6520921-A	1
20922	**SPACER - DOOR WINDOW GARNISH MOULDING**					
	69/70	F(63A, 65A, 76A)		C9ZZ 6520922-A	C9ZZ 6520922-A	2 or 4
	71/	F(63D, 65D, 76D)		D1ZZ 6520922-A	D1ZZ 6520922-A	4
20932-3	**MOULDING - FRONT DOOR OUTSIDE UPPER - INCLUDES ATTACHING PARTS**					
	70	A(54C, 57F)	Upper	D0AZ 5420932-A	D0AZ 5420933-A	4
	70	A(63C, 65A, 76)	Upper	D0AZ 6320932-A	D0AZ 6320933-A	4
	68	B(54C)		C8OZ 5420932-A	C8OZ 5420933-A	1
	68	B(65C)		C8OZ 6520932-A	C8OZ 6520933-A	1
	65	X(62B, 63, 76)		C5DZ 6220932-A	★C5DZ 6220933-A	1
					Not replaced (5/75)	
	65	X(66)		C4DZ 6220932-A	C4DZ 6220933-A	1
20934-5	**MOULDING - FRONT DOOR OUTSIDE - AT BELT - INCLUDES WEATHERSTRIP and ATTACHING PARTS**					
		- A -				
	65/66	A(57)		C5AZ 5720934-A	C5AZ 5720935-A	1
	65	A(63, 76)		C5AZ 6320934-A	C5AZ 6320935-A	1
	66	A(76)				1
	66	A(63)		C6AZ 6320934-A	C6AZ 6320935-A	1
	67	A(54C)		C7AZ 5420934-A	C7AZ 5420935-A	1
	67/68	A(57)		C7AZ 5720934-A	C7AZ 5720935-A	1
	67	A(63, 76)		C7AZ 6320934-A	C7AZ 6320935-A	1
	68	A(63, 65, 76)				1
	69/70	A(53, 57, 71)	Refer to group 21452-3			
	69/70	A(63, 65, 76)		C9AZ 6320934-A	C9AZ 6320935-A	1
	71/	A(53, 57)		D1MY 5720934-A	D1MY 5720935-A	1
	71/	A(65, 76)	54" long - 3/4" wide	D1AZ 6520934-A	D1AZ 6520935-A	1
	71/	A	5" long - 3/4" wide	D1AZ 6520934-B	D1AZ 6520935-B	1
	67/	A	No. 6-20 x 3/8" screw-truss head	353803-S8(UU95)	353803-S8(UU95)	AR
		- B -				
	68/69	B(63, 65C, 66)		C8OZ 6320934-A	C8OZ 6320935-A	1
	70	B(65C, 66)				1
	70/	B(63)		D0OZ 6320934-A	D0OZ 6320935-A	1
		- L -				
	72	L(62, 64)	W/o R.H. mirror	D4FZ 6220934-A	D4FZ 6220935-A	1
	72	L(73) "Before 5/1/72"	W/o R.H. racing mirror	D2FZ 7320934-A	D2FZ 7320935-A	1
	72	L(73) "Before 5/1/72"	W/R.H. racing mirror	D2FZ 7320934-B	D2FZ 7320935-A	1
	72	L(73) "From 5/1/72"	W/o R.H. racing mirror	D2FZ 7329034-C	D2FZ 7320935-B	1
	72	L(73) "From 5/1/72"	W/R.H. racing mirror	D2FZ 7320934-D	D2FZ 7320935-B	1

♦ Canada only ⊕ Refer to appropriate Exterior Moulding Illustration Section

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
20934-5	**MOULDING - FRONT DOOR OUTSIDE - AT BELT - INCLUDES WEATHERSTRIP and ATTACHING PARTS - continued**					
		- P -				
	72	P(54)		D3DZ 5420934-A	D3DZ 5420935-A	1
	72	P(62A)		D3DZ 6220934-A	D3DZ 6220935-A	1
		- S -				
	67/71	S(57)		C7SZ 5720934-B	C7SZ 5720935-B	1
	67/71	S(65)		C7SZ 6520934-B	C7SZ 6520935-B	1
	67/71	S	Screw No. 8-18 x 3/8" - pan head	52720-S8(U380)	52720-S8(U380)	AR
	72	S		D2SZ 6520934-A	D2SZ 6520935-A	1
20938-9	**MOULDING - FRONT DOOR OUTSIDE - INCLUDES ATTACHING PARTS**					
		- A -				
	65	A(54A, E, 57B, 71B, C)	37.80" long	C5AZ 5420938-A	C5AZ 5420938-A	2
	65	A(54B)	14.78" long - Rear	C5AZ 5420938-B	C5AZ 5420938-B	2
	65	A(54B, 62B)	23.15" long - Front	C5AZ 6220938-A	C5AZ 6220938-A	2
	65	A(62E, 63B, 76A)	49.46" long	C5AZ 6220938-B	C5AZ 6220938-B	2
	66	A(54, 57B, 71B, C, D)		C6AZ 5420938-A	C6AZ 5420938-A	2
	66	A(62, 63B, 76A)		C6AZ 6220938-A	C6AZ 6220938-A	2
	67	A(54, 57, 71B, C, D)		C7AZ 5420938-A	C7AZ 5420938-A	2
	67	A(62, 63, 76)		C7AZ 6220938-A	C7AZ 6220938-A	2
	68	A(54, 57, 71)		C8AZ 5420938-B	C8AZ 5420938-B	2
	68	A(62B, E, 63, 65, 76)		C8AZ 6220938-B	C8AZ 6220938-B	2
	69	A(54, 57, 71)	Less insert	C9AZ 5420938-A	C9AZ 5420939-A	1
	70	A(54B, 71D, H, J)				1
	69	A(62, 63B, 65, 76A)	Less insert	C9AZ 6220938-A	C9AZ 6220939-A	1
	70	A(65M)				1
	70	A(54, 57, 71)	Black insert	D0AZ 5420938-C	D0AZ 5420939-C	1
			Blue insert	D0AZ 5420938-D	D0AZ 5420939-D	1
			Brown insert	D0AZ 5420938-A	D0AZ 5420939-A	1
			Green insert	D0AZ 5420938-B	D0AZ 5420939-B	1
	70	A(63, 65, 76)	Black insert	D0AZ 6520938-C	D0AZ 6520939-C	1
			Blue insert	D0AZ 6520938-D	D0AZ 6520939-D	1
			Brown insert	D0AZ 6520938-A	D0AZ 6520939-A	1
			Green insert	D0AZ 6520938-B	D0AZ 6520939-B	1
	71	A(53, 54, 57, 71B, D, F)	Less insert	D1AZ 5420938-A	D1AZ 5420938-A	2
	71	A(65, 76)	Less insert	D1AZ 6520938-A	D1AZ 6520938-A	2
	71	A(53, 54, 57, 65, 71B, D, F, 76)	Cut to fit	D1OZ 6520938-B	D1OZ 6520939-B	2
	72	A(53, 54, 57, 71B, D, F)		D2AZ 5420938-A	D2AZ 5420939-A	1
	72	A(65, 76)		D2AZ 6520938-A	D2AZ 6520939-A	1
		- B -				
	65	B(54B, 71B)		C5OZ 5420938-A	C5OZ 5420939-A	1
	65	B(62B, 65)		C5OZ 6220938-A	C5OZ 6220939-A	1
	66	B(54, 71B, 71D)		C6OZ 5420938-A	C6OZ 5420939-A	1
	66	B(62, 63B, C, 76B, C)		C6OZ 6220938-A	C6OZ 6220939-A	1
	67	B(54A, 71D)		C7OZ 5420938-A	C7OZ 5420939-A	1
	67	B(54B)		C6OZ 5420938-A	C6OZ 5420939-A	1
	67	B(62A, 66A)		C7OZ 6220938-A	C7OZ 6220939-A	1
	67	B(62B, 63B, 76B)		C6OZ 6220938-A	C6OZ 6220939-A	1
	68	B(54A, B, 71B, D)		C8OZ 5420938-A	C8OZ 5420939-A	1
	68	B(63B, E, 65A, B, E, 66A, B, 76B, E)		C8OZ 6320938-A	C8OZ 6320939-A	1
	69	B(54A, B, C, 71B)		C9OZ 5420938-A	C9OZ 5420939-A	1
	69	B(63B, E, 65A, B, C, E, 66A, B, 76B, E)		C9OZ 6520938-A	C9OZ 6520939-A	1
	70	B(54, 57, 71B, C, D)	Black insert	D0OZ 5420938-C	D0OZ 5420939-C	1
			Blue insert	D0OZ 5420938-D	D0OZ 5420939-D	1
			Brown insert	D0OZ 5420938-A	D0OZ 5420939-A	1
			Green insert	D0OZ 5420938-B	D0OZ 5420939-B	1
	70	B(62, 63, 65, 66A, B, 76)	Black insert	D0OZ 6620938-C	D0OZ 6620939-C	1
			Blue insert	D0OZ 6620938-D	D0OZ 6620939-D	1
			Brown insert	D0OZ 6620938-A	D0OZ 6620939-A	1
			Green insert	D0OZ 6620938-B	D0OZ 6620939-B	1
	71	B(57E)	Less insert	D1OZ 5720938-A	D1OZ 5720939-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
20938-9 MOULDING - FRONT DOOR OUTSIDE - INCLUDES ATTACHING PARTS - continued						
			- B -			
	71	B(65E)	Less insert	D1OZ 6520938-A	D1OZ 6520939-A	1
	71	B(63,65B,C,66,76)	Less insert	D1OZ 6520938-B	D1OZ 6520939-B	1
	71	B(54,57,71)	Black insert	D0OZ 5420938-C	D0OZ 5420939-C	1
	71	B(63,65,66,76)	Black insert	D0OZ 6620938-C	D0OZ 6620939-C	1
	72	B(53,71D)	Black insert	D3OZ 5320938-A	D3OZ 5320939-A	1
	72	B(63,65,97D)	Black insert	D3OZ 6520938-A	D3OZ 6520939-A	1
	72	B(71K)	Wood grain insert	D3OZ 7120938-A	D3OZ 7120939-A	1
	72	B(97K)	Wood grain insert	D3OZ 9720938-A	D3OZ 9720939-A	1
			- F -			
	69/70	F	52" long-adhesive backed -Black vinyl insert Front door-cut to 51" Quarter-cut to 11 3/8" Frt. fender-cut to 26 5/8" Rear end cap-Refer to Group 29076	†C9SZ 6520938-A	†C9SZ 6520938-A	AR
	70	F(63C)		D0ZZ 6320938-A	D0ZZ 6320939-A	1
	71/	F	Black insert	D1ZZ 6520938-C	D1ZZ 6520939-C	1
	71	F	Blue insert	D1ZZ 6520938-D	D1ZZ 6520939-D	1
			Brown insert	D1ZZ 6520938-A	D1ZZ 6520939-A	1
			Green insert	D1ZZ 6520938-B	D1ZZ 6520939-B	1
			- L -			
	71/72	L(62,64) "Before 3/1/72"	Black insert	D1FZ 6220938-A	D1FZ 6220938-A	1
	72	L(exc. Squire)- "From 3/1/72"	Black insert	D2FZ 6220938-B	D2FZ 6220938-B	1
	72	L(73 Squire)	Wood grain insert	D2FZ 7320938-A	D2FZ 7320938-A	1
			- P -			
	70/	P P(54) P(54) P(62)	Cut to fit Front door-41" long Rear door-27" long Front door-53" long	†D1WZ 6520938-A	†D1WZ 6520938-A	AR
	70/	P(62)	Quarter-cut to 8" long	†D1WZ 16003-A	†D1WZ 16003-A	1
	71	P(54)	Black insert	★D1DZ 5420938-A r/b D2DZ 5420938-A	★D1DZ 5420939-A r/b D2DZ 5420939-A	1
	72	P(54)	Black insert	D2DZ 5420938-A	D2DZ 5420939-A	1
	70/	P(62)	Black insert	D2DZ 6220938-A	D2DZ 6220939-A	1
	72	P(54)	Blue insert	D2DZ 5420938-BB	D2DZ 5420939-BB	1
			Brown insert	D2DZ 5420938-BT	D2DZ 5420939-BT	1
			Copper insert	D2DZ 5420938-BC	D2DZ 5420939-BC	1
			Green insert	D2DZ 5420938-BR	D2DZ 5420939-BR	1
			White insert	D2DZ 5420938-BJ	D2DZ 5420939-BJ	1
	72	P(62A)	Blue insert	D2DZ 6220938-BB	D2DZ 6220939-BB	1
			Brown insert	D2DZ 6220938-BT	D2DZ 6220939-BT	1
			Copper insert	D2DZ 6220938-BC	D2DZ 6220939-BC	1
			Green insert	D2DZ 6220938-BR	D2DZ 6220939-BR	1
			White insert	D2DZ 6220938-BJ	D2DZ 6220939-BJ	1
			- S -			
	65/66	S		C4SZ 6320938-A	C4SZ 6320938-A	1
	67	S(57)	Refer to Group 20956			
	69/71	S	52" long-adhesive backed -Black vinyl insert	†C9SZ 6520938-A	†C9SZ 6520938-A	AR
		S(57)	Frt. door-cut to 37 1/4"			
		S(57)	Rear door-cut to 27 1/2"			
		S(57)	Qtr. -front-cut to 3 1/2"			
		S(65)	Qtr. front-cut to 14" long			
		S	Qtr. rear-cut to 25" long Rear end cap-Refer to Group 29076			

† For Dealer installed Adhesive backed Body Side Moulding Kit

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
20938-9	**MOULDING - FRONT DOOR OUTSIDE - INCLUDES ATTACHING PARTS - continued**					
		- S -				
	70	S(57)	Black-insert-lower	D0SZ 5720938-C	D0SZ 5720939-C	1
			Blue	D0SZ 5720938-D	D0SZ 5720939-D	1
			Brown	D0SZ 5720938-A	D0SZ 5720939-A	1
			Green	D0SZ 5720938-B	D0SZ 5720939-B	1
	70	S(65)	Black-insert-lower	D0SZ 6520938-C	D0SZ 6520939-C	1
			Blue	D0SZ 6520938-D	D0SZ 6520939-D	1
			Brown	D0SZ 6520938-A	D0SZ 6520939-A	1
			Green	D0SZ 6520938-B	D0SZ 6520939-B	1
	71	S(57)	Black insert	D0SZ 5720938-C	D0SZ 5720939-C	1
			Blue insert	D0SZ 5720938-D	D0SZ 5720939-D	1
			Brown insert	D0SZ 5720938-A	D0SZ 5720939-A	1
			Green insert	D1SZ 5720938-A	D1SZ 5720939-A	1
	71	S(65)	Black insert	D0SZ 6520938-C	D0SZ 6520939-C	1
			Blue insert	D0SZ 6520938-D	D0SZ 6520939-D	1
			Brown insert	D0SZ 6520938-A	D0SZ 6520939-A	1
			Green insert	D1SZ 6520938-A	D1SZ 6520939-A	1
	72	S	Black insert	D2SZ 6520938-AA	D2SZ 6520939-AA	1
		- U -				
	67/	U(97,98)		C7TZ 9720938-A	C7TZ 9720938-A	2
		- X -				
	65	X(54D, 62D, 71B)- "Before 10/6/64"		C5DZ 6220938-A	C5DZ 6220939-A	1
	65	X(54D, 62D, 71A)- "From 10/6/64"				1
	65	X(66B)		C4DZ 6220938-A	C4DZ 6220938-A	2
	67	X(54B, 71B)		C7DZ 5420938-A	C7DZ 5420939-A	1
	67	X(62B, C)		C7DZ 6220938-A	C7DZ 6220939-A	1
	68	X(54, 71)		C8DZ 5420938-A	C8DZ 5420939-A	1
	68	X(62)		C8DZ 6220938-A	C8DZ 6220939-A	1
20940-1	**MOULDING - FRONT DOOR OUTSIDE REAR EDGE**					
		- A -				
	67	A(62, 63, 76)		★ C7AZ 6220940-A	C7AZ 6220941-A	1
	68	A(62, 63, 65, 76)		Not replaced (12/74)		1
	67/69	A(54, 57, 71)		C7AZ 5420940-A	C7AZ 5420941-A	1
	70	A(54, 57, 71)		D0AZ 5420940-A	D0AZ 5420941-A	1
	70	A(65)		D0AZ 6520940-A	D0AZ 6520941-A	1
	71/	A(53, 54, 57, 71B, D, F)		D1AZ 5420940-A	D1AZ 5420941-A	1
	71/	A(65, 76)		D1AZ 6520940-A	D1AZ 6520941-A	1
		- B -				
	67	B(54, 71)		C7OZ 5420940-A	C7OZ 5420941-A	1
	67	B(62, 63, 66, 76)		C7OZ 6320940-A	C7OZ 6320941-A	1
	68/69	B(54, 71)		C8OZ 5420940-A	C8OZ 5420941-A	1
	68/69	B(63, 65, 66, 76)		C8OZ 6320940-A	C8OZ 6320941-A	1
	72	B(53, 71B, D)		D2OZ 5320940-A	D2OZ 5320941-A	1
	72	B(63, 65, 97)		D2OZ 6520940-A	D2OZ 6520941-A	1
		- F -				
	67/68	F		C7ZZ 6520940-A	C7ZZ 6520941-A	1
	72	F		D2ZZ 6520940-A	D2ZZ 6520941-A	1
		- L -				
	72	L		D2FZ 6220940-A	D2FZ 6220941-A	1
		- P -				
	72	P(54)		D2DZ 5420940-A	D2DZ 5420941-A	1
	72	P(62)		D2DZ 6220940-A	D2DZ 6220941-A	1
		- S -				
	61/71	S	Refer to Group 21000-1			
	72	S		D2SZ 6520940-A	D2SZ 6520941-A	1
		- X -				
	67/68	X(54, 71)		C7OZ 5420940-A	C7OZ 5420941-A	1
	67/68	X(62)		C7OZ 6320940-A	C7OZ 6320941-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
20942-3	**MOULDING - FRONT DOOR TRIM PANEL**					
	72	B(53)		D2OZ 5320942-A	D2OZ 5320942-A	2
	72	B(63R, 97R)		D2OZ 6320942-A	D2OZ 6320943-A	1
	72	B(65)		D2OZ 6520942-A	D2OZ 6520942-A	2
	69	F(63B, 65B, D, 76B)		C9ZZ 6520942-A	C9ZZ 6520943-A	1
	72	S		D2SZ 6520942-A	D2SZ 6520943-A	1
20944-5	**MOULDING - FRONT DOOR OUTSIDE UPPER REAR - INCLUDES ATTACHING PARTS**					
	65	X(54B, 62B, 63, 76)		★C5DZ 6220944-A	C5DZ 6220945-A	1
	65	X(71B) "From 10/6/64"		Not replaced (3/75)		1
20956-7	**MOULDING - FRONT DOOR TRIM PANEL LOWER**					
		- A -				
	65/66	A(57F)		★♦C5MY 5020956-C Not replaced (3-74)	♦C5MY 5020957-C	1
	66	A(63F)		★♦C5MY 6320956-C Not replaced (3-74)	♦C5MY 6320957-C	1
	69	A(54C, 57F, 65A)		C9AZ 6520956-A	C9AZ 6520957-A	1
	70	A(54C, 57F, 65A)		D0AZ 5420956-A	D0AZ 5420957-A	2
	71/	A(57K, 65K)				2
		- B -				
	68/69	B(54C)		C8OZ 5420956-A	C8OZ 5420956-A	2
		- F -				
	67/69	F	Includes attaching parts	C7ZZ 6520956-A	C7ZZ 6520957-A	1
		- S -				
	70/71	S(65A, B)		D0SZ 6520956-A	D0SZ 6520956-A	2
20960-1	**RAIL - FRONT DOOR OUTSIDE FINISH - UPPER**					
		- A -				
	66	A(71A, E)	Includes attaching parts	C6AZ 7120960-A	C6AZ 7120961-A	1
	67	A(71A, E)	Includes attaching parts	C7AZ 7120960-A	C7AZ 7120961-A	1
	68	A(71A, E)	Includes attaching parts	C8AZ 7120960-A	C8AZ 7120961-A	1
	69/70	A(71A, E)	Includes attaching parts	C9AZ 7120960-A	C9AZ 7120961-A	1
	71	A(71H)		D1AZ 7120960-A	D1AZ 7120961-A	1
	72	A(71H)		D2AZ 7120960-A	D2AZ 7120961-A	1
		- B -				
	66/67	B(71E)	Includes attaching parts	C6OZ 7120960-A	★C6OZ 7120961-A Not replaced (3/75)	1
	68/69	B(71E)	Includes attaching parts	C8OZ 7120960-A	C8OZ 7120961-A	1
	70/71	B(66E)		D0OZ 6620960-A	D0OZ 6620961-A	1
	70/71	B(71E)		D0OZ 7120960-A	D0OZ 7120961-A	1
	72	B(71K)		D2OZ 7120960-A	D2OZ 7120961-A	1
	72	B(97K)		D2OZ 9720960-A	D2OZ 9720961-A	1
		- L -				
	72	L(73)		D2FZ 7320960-A	D2FZ 7320961-A	1
20968-9	**MOULDING - FRONT DOOR TRIM PANEL FRONT**					
	69	A(54C, 57F, 65A)		C9AZ 6520968-A	C9AZ 6520968-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
20970-1	**MOULDING - FRONT DOOR TRIM PANEL CENTER**				
	68/69	S(57)	R.H. -not replaced (3-74)	★C8SZ 5720970-A	1
			L.H.	C8SZ 5720971-A	1
	68/69	S(65)	R.H. -not replaced (3-74)	★C8SZ 6520970-A	1
			L.H.	C8SZ 6520971-A	1
20978	**PLATE - FRONT DOOR OUTSIDE NAME** - Also refer to group 20802				
	69	B(63)-Talladega	Ford "T"-adhesive backed	C9OZ 6320978-A	2

♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
20982-3	**MOULDING - DOOR WINDOW FRAME REAR**					
		- A -				
	65/68	A(54, 71)		C5AZ 5420982-A	C5AZ 5420983-A	1
	69/71	A(54, 71)	Rustless steel-with insert	C9AZ 5420982-A	C9AZ 5420983-A	1
	69/	A(54, 71)	Rustless steel-less insert	C9AZ 5420982-B	C9AZ 5420983-B	1
	70/71	A(54, 71)	Aluminum	D0AZ 5420982-A	D0AZ 5420983-A	1
		- B -				
	66/67	B(54B, 71B, E)		C6OZ 5420982-A	C6OZ 5420983-A	1
	66/67	B(62B)		C6OZ 6220982-A	C6OZ 6220983-A	1
	67	B(66B, D)		★C6DZ 6620982-A Not replaced (3-74)	C6DZ 6620983-A	1
	68/69	B(54)	With vinyl roof cover-Black-camera case	C8OZ 5420982-B2A	C8OZ 5420983-B2A	1
	68/69	B(54)	With vinyl roof cover-Black-Levant grain	C8OZ 5420982-B1A	C8OZ 5420983-B1A	1
	68/69	B(54B, C, 71B, E)	Without vinyl roof cover	C8OZ 5420982-A	C8OZ 5420983-A	1
	70/71	B(71C, E)				1
	69	B(54)	With vinyl roof cover-White	C9OZ 5420982-BBW	C9OZ 5420983-BBW	1
	70/	B(54)		D0OZ 5420982-A	D0OZ 5420983-A	1
		- L -				
	71/	L	Bright finish	D2FZ 6220982-A	D2FZ 6220983-A	1
		- P -				
	70/	P(62)	Dull finish	D0DZ 6220982-A	D0DZ 6220983-A	1
	71/	P(54)	Dull finish	D1DZ 5420982-A	D1DZ 5420983-A	1
	72	P(54)	Bright finish	D2DZ 5420982-A	D2DZ 5420983-A	1
	72	P(62A)	Bright finish	D2DZ 6220982-A	D2DZ 6220983-A	1
		- U -				
	67/	U(97, 98)		C7TZ 9720982-A	C7TZ 9720983-A	1
		- X -				
	65	X(62B, 66B, 78B)		C0DB 6420982-B	C0DB 6420983-B	1
	66	X(54A, 62B, C)		C6OZ 6220982-A	C6OZ 6220983-A	1
	67/70	X(62)				1
	66	X(54B)		C6OZ 5420982-A	C6OZ 5420983-A	1
	67/70	X(54, 71)				1
	66	X(62A, 66)		★C6DZ 6620982-A Not replaced (3-74)	C6DZ 6620983-A	1
20986	**MOULDING - FRONT DOOR WINDOW GARNISH FINISH**					
	68/69	B(63B, E, 65A, B, E, 66A, B, 76B, E)		C8OZ 6320986-A	C8OZ 6320986-A	2

♦ Canada only

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
21000-1	**MOULDING - FRONT DOOR OUTSIDE REAR EDGE - INCLUDES ATTACHING PARTS**					
	67/71	S(57)		C7SZ 5721000-C	C7SZ 5721001-C	1
	67/71	S(65)		C7SZ 6521000-C	C7SZ 6521001-C	1
21004	**MOULDING - FRONT DOOR TRIM PANEL CENTER LOWER**					
	66	A(57F)		♦C6MY 5021004-A	♦C6MY 5021004-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
21048	**MOULDING KIT - BODY SIDE**				
		-A -			
	65	A(54A,E,57B)	Service details	★C5AZ 5421048-A	1 ø

Consists of

1-C5AZ	16003-B	* Moulding-fender-R. H.	1-C5AZ	5425532-A	*Moulding-rear door-R. H.
1-C5AZ	16004-B	* Moulding-fender-L. H.	1-C5AZ	5425533-A	*Moulding-rear door-L. H.
2-C5AZ	5420938-A	* Moulding-front door	2-C5AZ	5429038-A	*Moulding-quarter

1-Installation sheet-No. 1472

	65	A(54B)	Service details	★C5AZ 5421048-B	1

Consists of

2-C5AZ	5420938-B	*Moulding-front door	1-C5AZ	5425533-A	*Moulding-rear door-L. H.
1-C5AZ	5425532-A	*Moulding-rear door-R. H.	2-C5AZ	5429038-A	*Moulding-quarter

1-Installation Sheet-No. 1473

	65	A(62B)	Service details	★C5AZ 6221048-B	1 ø

Consists of

2-C5AZ	6220938-C	* Moulding-door	2-C5AZ	6229038-A	*Moulding-quarter

1-Installation Sheet-No. 1473

	65	A(62E, 63B, 76A)	Service Details	★C5AZ 6221048-A	1

Consists of

1-C5AZ	16003-B	* Moulding-fender-R. H.	2-C5AZ	6220938-B	*Moulding-door
1-C5AZ	16004-B	* Moulding-fender-L. H.	2-C5AZ	6229038-A	*Moulding-quarter

1-Installation Sheet-No. 1472

	65	A(71B, C, D)	Service details	★C5AZ 7121048-A	1 ø

Consists of

1-C5AZ	16003-B	* Moulding-fender-R. H.	1-C5AZ	5425532-A	*Moulding-rear door-R. H.
1-C5AZ	16004-B	* Moulding-fender-L. H.	1-C5AZ	5425533-A	*Moulding-rear door-L. H.
2-C5AZ	5420938-A	* Moulding-front door	2-C5AZ	7129038-A	*Moulding-quarter

1-Installation Sheet-No. 1472

	66	A(54A,E,57B,71B,C,D)	Service details	★C6AZ 5421048-A	1

Consists of

2-C6AZ	16003-A	Moulding assy.-front fender side	22-C6AZ	16A076-A	Retainer-front fender moulding
2-C6AZ	5420938-A	Moulding-front door outside	2-C6AZ	6229144-A	Retainer-quarter rear moulding
2-C6AZ	5425532-A	Moulding-rear door outside	1-Sk-C6AA	5421048-A	Installation sketch
6-C6AZ	62208A38-A	Retainer assy.-front edge mldg.	8-376792-S		Nut
2-C6AZ	62208A40-A	Retainer assy.-rear edge mldg.	22-★52839-S8		Screw
2-C6AZ	16228-A	Medallion-front fender side-Not Included in Kit - Order Separately			

	66	A(54A, E, 57B, 71B, C, D)	Service details	★C6AZ 5421048-B	1 ø

Consists of

2-C6AZ	16003-A	Moulding assy.-front fender side	22-C6AZ	16A076-A	Retainer-front fender moulding
2-C6AZ	16228-A	Medallion-front fender side	2-C6AZ	6229144-A	Retainer-quarter rear moulding
2-C6AZ	5420938-A	Moulding-front door outside	1-Sk-C6AA	5421048-A	Installation sketch
2-C6AZ	5425532-A	Moulding-rear door outside	1-Instruction Sheet No.		2209
6-C6AZ	62208A38-A	Retainer assy.-front edge mldg.	8-376792-S		Nut
2-C6AZ	62208A40-A	Retainer assy.-rear edge mldg.	22-★52839-S8		Screw

	66	A(62E, 63B, 76A)		C6AZ 6221048-B	1 ø

Consists of

2-C6AZ	16003-A	Moulding assy.-front fender side	26 -C6AZ	16A076-A	Retainer-front fender moulding
2-C6AZ	16228-A	Medallion-front fender side	2-C6AZ	6229144-A	Retainer-quarter rear
2-C6AZ	6220938-A	Moulding-door outside	1-SK-C6AA	6221048-A	Installation sketch
2-C6AZ	6229038-B	Moulding-quarter outside	6-376792-S		Nut
4-C6AZ	62208A38-A	Retainer assy.-front edge mldg.	24-★52839-S8		Screw
2-C6AZ	62208A40-A	Retainer assy.-rear edge mldg.	1-Instruction Sheet No.		2208

* Includes Attaching Parts ⊕ Refer to appropriate Exterior Moulding Illustration Section

♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
21048	**MOULDING KIT - BODY SIDE - continued**				
		- A -			
	68	A(54,57)	Service details ⊕	*★C8AZ 5421048-A	1
	68	A(62,63,65,76)	Service details ⊕	★C8AZ 6221048-A	1
	68	A(71)	Service details ⊕	★C8AZ 7121048-A	1
	69	A(54,57)	Service details ⊕	*★C9AZ 5421048-A	1
	69	A(62,63,65,76)	Service details ⊕	*★C9AZ 6221048-A	1
	70	A(54B,C,E,57F)	Black vinyl insert -service details ⊕ (6-72)	★D0AZ 5421048-A	1
	70	A(63C.65A,76)	Black vinyl insert -service details ⊕ (10/74)	★D0AZ 6221048-A	1
	70	A(71)	Black vinyl insert -service details ⊕ (10/74)	★D0AZ 7121048-A	1
	71	A(53,54,57,71B,D,F)	Service details ⊕ (6-72)	★D1AZ 5421048-A	1
	71	A(65,76)	Service details ⊕ (6-72)	★D1AZ 6521048-A	1
	72	A(53,54,57)	Black vinyl insert -service details ⊕ (10/74)	★D2AZ 5421048-A	1
	72	A(65,76)	Black vinyl insert -service details ⊕ (10/74)	★D2AZ 6521048-A	1
	72	A(71B,D,F)	Black vinyl insert -service details ⊕ (10/74)	★D2AZ 7121048-A	1
		- B -			
	68	B(54A,54C)	Service details ⊕ (6-72)	*★C8OZ 5421048-A	1
	69	B(71B)	Service details ⊕ (6-72)	★C9OZ 7121048-A	1
	68	B(63D,65A,C,D,76D)	Service details ⊕ (6-72)	★C8OZ 6321048-A	1
	69	B(63,65,66,76)	Service details ⊕ (6-72)	★C9OZ 6521048-A	1
	70/71	B(62,63,65.66,76)	With Black vinyl insert-includes I.S. 3532 - service details ⊕ (6-73)	★D0OZ 6521048-A	1
	72	B(63,65)	Black vinyl insert-r/b D3OZ 6521048-A (3/74)	★D2OZ6521048-A	1
		- F -			
	69/70	F	With vinyl insert - not replaced (3-74)	★C9ZZ 6521048-A	1
		- L -			
	71/	L		D1FZ 6221048-A	1
		- P -			
	71/	P(54)	Adhesive backed	D1DZ 5421048-A	1
	71/	P(62)	Adhesive backed	D1DZ 6221048-A	1
		- S -			
	65	S	Service details ⊕ (6-72)	★C5SZ 6321048-A	1

Consists of

2-C5SZ 16003-B *Moulding-fender
2-C4SZ 6320938-A *Moulding assy.-door
1-C4SZ 6329038-A *Moulding-quarter-R.H.
1-C4SZ 6329039-A *Moulding-quarter-L.H.-rear
1-C4SZ 6329077-A *Moulding-quarter-L.H.-front
1-C4SZ 63405A48-A *Moulding-fuel filler door
1-Installation Sketch-No. 1323

	69/71	S(65)	Vinyl insert-Aluminum -service details ⊕	★C9SZ 6521048-B	1
	69/71	S(57)	Not replaced (10/74)	★C9SZ 5721048-B	1
		- X -			
	68/70	X(54)	Service details ⊕ (6-72)	*★C8DZ 5421048-A	1
	68/70	X(62)	Service details ⊕ (10-72)	*★C8DZ 6221048-A	1
	68/70	X(71)	Service details ⊕ (6-72)	*★C8DZ 7121048-A	1
21048	**MOULDING KIT - BODY SIDE - VINYL TAPE**				
	69	A,B,F,S,X	Tape-38 foot roll	C9AZ 6221048-B	AR
	65/	A,B,F,S,X	Bright edge w/black center (38 foot roll) - not replaced (10/74)	★D0AZ 6221048-B	AR

21060-6 RETAINER - OUTSIDE MOULDING

REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER

21094-7 RETAINER - OUTSIDE MOULDING

REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER

21094	**RETAINER - MOULDING UNIVERSAL**				
			Use with mouldings 1/2" thru 1" wide	C1AZ 6421094-C	AR
			Use with mouldings 1" thru 1 3/4" wide	C1AZ 6421094-B	AR

* Includes attaching parts ⊕ Refer to appropriate Exterior Moulding Illustration Section

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
21110-1	**MOULDING - FRONT DOOR TRIM PANEL**				
	69/70	A(54C,57F)		C9AZ 5721110-A	2
	71/	A(57K)			2
	69/70	A(65A)		C9AZ 6521110-A	2
	71/	A(65K)			2
	70/71	S(65A,B)	Paint to match	D0SZ 6521110-A	2
	70/71	S(65A,B)	Front-paint to match	D0SZ 6521110-B	2
21A10-1	**RAIL - FRONT DOOR OPENING UPPER**				
	66/	U(98)	R.H.-75 1/8" long	C6TZ 98211A10-B	1
	66/	U(97)	Cut to 31 7/8" long from round end		1
			L.H.	C6TZ 98211A11-B	1
21122-3	**PLATE - FRONT DOOR INSIDE PANEL COVER**				
	66/67	U	R.H.	C7TZ 9721122-A	1
			L.H.	C7TZ 9721123-A	1
	68/	U	R.H.	C8TZ 9721122-A	1
			L.H.	C8TZ 9721123-A	1
	66/67	U	No. 10-12 x 1/2" Cross recess pan head screw	52727-S8(U382)	20
21124-5	**REINFORCEMENT - FRONT DOOR OUTSIDE PANEL AT BELT**				
	71/72	A(53,57)	R.H.	D1AZ 5721124-A	1
			L.H.	D1AZ 5721125-A	1
	71/72	A(65,76)	R.H.	D1MY 6521124-A	1
			L.H.	D1MY 6521125-A	1
21202	**PLATE - FRONT DOOR WIRE OPENING COVER**				
	68/71	S		C8SZ 6521202-A	2
21216-7	**PANEL - FRONT DOOR TRIM PANEL FINISH**				
	66	A(57F)	R.H.	♦C6MY 5021216-A	1
			L.H.	♦C6MY 5021217-A	1
	66	A(63F)	R.H.	♦C6MY 6321216-A	1
			L.H. - not replaced	★♦C6MY 6321217-A	1
21222-3	**MOULDING - FRONT DOOR TRIM PANEL LOWER REAR**				
	69	A(65A)	R.H.	C9AZ 6521222-A	1
			L.H.	C9AZ 6521223-A	1
	70	A(65A)	R.H.	D0AZ 6521222-A	1
	71	A(65K)	R.H.		1
			L.H.	D0AZ 6521223-A	1
21232	**SPRING - DOOR HINGE LOWER**				
	65/70	B,X	11 coils-Front & rear doors-lower	C0DZ 6421232-B	2or4
	65/68	A(54,57,71)	Rear door		2
	65/68	F	Front door		2
	65/68	A	5 1/4" retracting spring-front door-lower	C5AZ 6221232-B	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	NAGS NUMBER	PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
21400-1	**GLASS and CHANNEL ASSY. - FRONT DOOR WINDOW** - Tempered, unless otherwise indicated						
		- A -					
	69	A(57)	R.H.	D4087	C9AZ 5721400-A	C9AZ 5721400-B	1
			L.H.	D4088	C9AZ 5721401-A	C9AZ 5721401-B	1
	69	A(63,65,76)"Before 5/29/69"	R.H.	D4080	C9AZ 6321400-A	C9AZ 6321400-B	1
			L.H.	D4081	C9AZ 6321401-A	C9AZ 6321401-B	1
	69	A(63,65,76)"From 5/29/69"	R.H.	D4080	C9AZ 6321400-C	C9AZ 6321400-D	1
			L.H.	D4081	C9AZ 6321401-C	C9AZ 6321401-D	1
	70	A(57)	R.H.	D4315	D0AZ 5721400-A	D0AZ 5721400-B	1
			L.H.	D4316	D0AZ 5721401-A	D0AZ 5721401-B	1
	70	A(63,76)	R.H.	D4380	D0AZ 6321400-A	D0AZ 6321400-B	1
			L.H.	D4381	D0AZ 6321401-A	D0AZ 6321401-B	1
	70	A(65)	R.H.	D4382	D0AZ 6521400-A	D0AZ 6521400-B	1
			L.H.	D4383	D0AZ 6521401-A	D0AZ 6521401-B	1
	71/	A	Refer to Group 21410-1				

♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	NAGS NUMBER	PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
21400-1	GLASS and CHANNEL ASSY. - FRONT DOOR WINDOW - continued - Tempered, unless otherwise indicated						
		- B -					
	68	B(63, 65)	R.H.	D3903	C8OZ 6321400-C	C8OZ 6321400-D	1
			L.H.	D3904	C8OZ 6321401-C	C8OZ 6321401-D	1
	68/69	B(66)	R.H.-includes frame	D3922	C8OZ 6621400-A	C8OZ 6621400-B	1
			L.H.	D3923	C8OZ 6621401-A	C8OZ 6621401-B	1
	68	B(76) "Before 10/17/67"	R.H.	D3911	C8OZ 7621400-A	C8OZ 7621400-B	1
			L.H.	D3912	C8OZ 7621401-A	C8OZ 7621401-B	1
	68	B(76) "From 10/17/67"	R.H.	D3911	C8OZ 7621400-C	C8OZ 7621400-D	1
			L.H.	D3912	C8OZ 7621401-C	C8OZ 7621401-D	1
	69	B(63, 65)	R.H.	D4129	C9OZ 6321400-A	C9OZ 6321400-B	1
			L.H.	D4130	C9OZ 6321401-A	C9OZ 6321401-B	1
	69	B(66)	R.H.-less frame	D4139	C9OZ 6621400-A	C9OZ 6621400-B	1
			L.H.	D4140	C9OZ 6621401-A	C9OZ 6621401-B	1
	69	B(76)	R.H.	D4135	C9OZ 7621400-A	C9OZ 7621400-B	1
			L.H.	D4136	C9OZ 7621401-A	C9OZ 7621401-B	1
	70/	B	Refer to Group 21410-1				
		- F -					
	65/68	F	Refer to Group 21410-1				
	69	F(65, 76)	R.H.	D4121	C9ZZ 6521400-A	C9ZZ 6521400-B	1
			L.H.	D4122	C9ZZ 6521401-A	C9ZZ 6521401-B	1
	69/70	F(63) †	R.H.	D4116	C9ZZ 6321400-A	C9ZZ 6321400-B	1
		†	L.H.	D4117	C9ZZ 6321401-A	C9ZZ 6321401-B	1
	69/70	F(63) "Before 10/1/69" ‡	R.H.- includes bonded weatherstrip retainer	D4280	C9ZZ 6321400-C	C9ZZ 6321400-D	1
		‡	L.H.	D4281	C9ZZ 6321401-C	C9ZZ 6321401-D	1
	70	F(63) "From 10/1/69" ‡	R.H. -includes bonded weatherstrip retainer	D4280	D0ZZ 6321400-A	D0ZZ 6321400-B	1
		‡	L.H.	D4281	D0ZZ 6321401-A	D0ZZ 6321401-B	1
	70	F(63) ‡	With press on weather-strip retainer-refer to Group 21410-1				
	70	F(65, 76) †	R.H.	D4384	D0ZZ 6521400-A	D0ZZ 6521400-B	1
		†	L.H.	D4385	D0ZZ 6521401-A	D0ZZ 6521401-B	1
	70	F(65, 76) ‡	Refer to Group 21410-1				
	71	F					
		- S -					
	67/69	S(57)	R.H.	D3747	C7SZ 5721400-A	C7SZ 5721400-B	1
			L.H.	D3748	C7SZ 5721401-A	C7SZ 5721401-B	1
	67/68	S(65)	R.H.	D3742	C7SZ 6521400-G	C7SZ 6521400-H	1
	69	S(65A, C)	L.H.	D3743	C7SZ 6521401-G	C7SZ 6521401-H	1
	69	S(65B, D)	R.H.	D4141	C9SZ 6521400-A	C9SZ 6521400-B	1
			L.H.	D4142	C9SZ 6521401-A	C9SZ 6521401-B	1
	70/71	S(57)	R.H.	D4366	D0SZ 5721400-A	D0SZ 5721400-B	1
			L.H.	D4367	D0SZ 5721401-A	D0SZ 5721401-B	1
	70	S(65)	R.H.	D4360	D0SZ 6521400-A	D0SZ 6521400-B	1
			L.H.	D4361	D0SZ 6521401-A	D0SZ 6521401-B	1
	71	S(65A, C)	R.H.	D4360	D0SZ 6521400-A	D0SZ 6521400-B	1
			L.H.	D4361	D0SZ 6521401-A	D0SZ 6521401-B	1
	71	S(65B, D)	R.H.	D4564	D1SZ 6521400-A	D1SZ 6521400-B	1
			L.H.	D4565	D1SZ 6521401-A	D1SZ 6521401-B	1
	67/71	S	Screw-No. 8-32 x 1/2"-oval head		50398-S13(U121)	50398-S13(U121)	AR
	72	S	Refer to Group 21410-1				

† With bonded design ‡ With bolt on design

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
21408-9	**RETAINER - FRONT DOOR VENT WINDOW WEATHERSTRIP**					
	65/68	A(54,62,71)		C5AZ 6221408-B	C5AZ 6221409-B	1
	69/70	A(54,71)		C9AZ 5421408-A	C9AZ 5421409-A	1
	69	A(62)		C9AZ 6221408-A	C9AZ 6221409-A	1
	66/69	B(54,62,71),X	Upper	C6OZ 6221408-A	C6OZ 6221409-A	1
	70/71	B(71)				1
	70/71	B(54,62)		D0OZ 5421408-A	D0OZ 5421409-A	1
	65/68	A	Bolt-No. 10-24 x 3/8"-hex. head	371698-S(BB122)	371698-S(BB122)	2
	65/68	A	Screw-No. 8-18 x 3/8"-pan head	52720-S8(U230)	52720-S8(U230)	2
	69	A(54,62,71)	Screw-No. 8-18 x 3/8"-fillister head	52540-S19(U327)	52540-S19(U327)	1
	71	B(54)	Screw & lockwasher-No. 8-32 x 1/2"-hex. head	57075-S2(B330A)	57075-S2(B330A)	2
	71	B(57)	Screw & washer-1/4"-20 x 1"	★57132-S2	★57132-S2	4
	71	B(71)	Screw-No. 8-18 x 3/8"-pan hd., cross recess-tapping	★55926-S40	★55926-S40	6
	67/71	B,X	Nut lock-5/16"-18	34392-S7(M93)	34392-S7(M93)	2
	68/71	B,X	Washer flat-5/16"	375897-S(XX118A)	375897-S(XX118A)	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	NAGS NUMBER	PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
21410-1	**GLASS - FRONT DOOR WINDOW** - Tempered, unless otherwise indicated-Also refer to Group 21400-1						
		- A -					
	65/68	A(54,71)	R.H.	D3321	C5AZ 5421410-A	C5AZ 5421410-B	1
			L.H.	D3322	C5AZ 5421411-A	C5AZ 5421411-B	1
	65/68	A(57)	R.H.	D3307	C5AZ 5721410-A	C5AZ 5721410-B	1
			L.H.	D3308	C5AZ 5721411-A	C5AZ 5721411-B	1
	65/68	A(62)	R.H.	D3316	C5AZ 6221410-A	C5AZ 6221410-B	1
			L.H.	D3317	C5AZ 6221411-A	C5AZ 6221411-B	1
	65/66	A(63,76)	R.H.	D3302	C5AZ 6321410-A	C5AZ 6321410-B	1
	67/68	A(76)					1
			L.H.	D3303	C5AZ 6321411-A	C5AZ 6321411-B	1
	67	A(63)	R.H.	D3711	C7AZ 6321410-A	C7AZ 6321410-B	1
			L.H.	D3712	C7AZ 6321411-A	C7AZ 6321411-B	1
	68	A(63)	R.H.	D3891	C8AZ 6321410-A	C8AZ 6321410-B	1
			L.H.	D3892	C8AZ 6321411-A	C8AZ 6321411-B	1
	68	A(65)	R.H.	D3896	C8AZ 6521410-A	C8AZ 6521410-B	1
			L.H.	D3897	C8AZ 6521411-A	C8AZ 6521411-B	1
	69/70	A(54,71)	R.H.	D4103	C9AZ 5421410-A	C9AZ 5421410-B	1
			L.H.	D4104	C9AZ 5421411-A	C9AZ 5421411-B	1
	69	A(62)	R.H.	D4096	C9AZ 6221410-A	C9AZ 6221410-B	1
			L.H.	D4097	C9AZ 6221411-A	C9AZ 6221411-B	1
	70	A(63,76) "Before 5/4/70"	R.H. -use with bolt-on design	D4305	D0AZ 6321410-A	D0AZ 6321410-B	1
			L.H.	D4306	D0AZ 6321411-A	D0AZ 6321411-B	1
	70	A(65)	R.H. -use with bolt-on design	D4310	D0AZ 6521410-A	D0AZ 6521410-B	1
	70	A(63,76) "From 5/4/70"					1
			L.H.	D4311	D0AZ 6521411-A	D0AZ 6521411-B	1
	71/	A(53)	R.H.	D4512	D1AZ 5321410-A	D1AZ 5321410-B	1
			L.H.	D4513	D1AZ 5321411-A	D1AZ 5321411-B	1
	71/	A(54,71)	R.H.	D4516	D1AZ 5421410-A	D1AZ 5421410-B	1
			L.H.	D4517	D1AZ 5421411-A	D1AZ 5421411-B	1
	71/	A(57)	R.H.	D4506	D1AZ 5721410-A	D1AZ 5721410-B	1
			L.H.	D4507	D1AZ 5721411-A	D1AZ 5721411-B	1
	71/	A(65)	R.H.	D4500	D1AZ 6521410-A	D1AZ 6521410-B	1
			L.H.	D4501	D1AZ 6521411-A	D1AZ 6521411-B	1
	71/	A(76)	R.H.	D4310	D0AZ 6521410-A	D0AZ 6521410-B	1
			L.H.	D4311	D0AZ 6521411-A	D0AZ 6521411-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	NAGS NUMBER	PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
21410-1	GLASS - FRONT DOOR WINDOW - continued - Tempered, unless otherwise indicated - Also refer to Group 21400-1						
		- B -					
	65	B(54,71)		4359T	C2OZ 5421410-A		2
	65	B(62)		4357T	C2OZ 6221410-A	C2OZ 6221410-B	2
	65	B(65)		2421T	C3OZ 6521410-A	C3OZ 6521410-B	2
	66/69	B(54,71)	R.H.	D3523	C6OZ 5421410-A	C6OZ 5421410-B	1
			L.H.	D3524	C6OZ 5421411-A	C6OZ 5421411-B	1
	66/67	B(62)	R.H.	D3518	C6OZ 6221410-A	C6OZ 6221410-B	1
			L.H.	D3519	C6OZ 6221411-A	C6OZ 6221411-B	1
	66/67	B(63)	R.H.	D3541	C6OZ 6321410-A	C6OZ 6321410-B	1
			L.H.	D3542	C6OZ 6321411-A	C6OZ 6321411-B	1
	66/67	B(76)	R.H.	D3546	C6OZ 7621410-A	C6OZ 7621410-B	1
			L.H.	D3547	C6OZ 7621411-A	C6OZ 7621411-B	1
	67	B(66)	R.H.	D3537	C6DZ 6621410-A	C6DZ 6621410-B	1
			L.H.	D3538	C6DZ 6621411-A	C6DZ 6621411-B	1
	68/69	B(63,65,66,76)	Refer to Group 21400-1				
	70/71	B(54)	R.H.	D4350	D00Z 5421410-A	D0OZ 5421410-B	1
			L.H.	D4351	D00Z 5421411-A	D0OZ 5421411-B	1
	70/71	B(57)	R.H.	D4335	D00Z 5721410-A	D0OZ 5721410-B	1
			L.H.	D4336	D00Z 5721411-A	D0OZ 5721411-B	1
	70	B(62)	R.H.	D4346	D0OZ 6221410-A	D0OZ 6221410-B	1
			L.H.	D4347	D0OZ 6221411-A	D0OZ 6221411-B	1
	70/71	B(63)	R.H.	D4323	D00Z 6321410-A	D0OZ 6321410-B	1
			L.H.	D4324	D00Z 6321411-A	D0OZ 6321411-B	1
	70/71	B(65)	R.H.	D4328	D00Z 6521410-A	D0OZ 6521410-B	1
			L.H.	D4329	D00Z 6521411-A	D0OZ 6521411-B	1
	70/71	B(66)	R.H.	D4373	D00Z 6621410-A	D0OZ 6621410-B	1
			L.H.	D4379	D00Z 6621411-A	D0OZ 6621411-B	1
	70/71	B(71)	R.H.	D3523	C6OZ 5421410-A	C6OZ 5421410-B	1
			L.H.	D3524	C6OZ 5421411-A	C6OZ 5421411-B	1
	70/71	B(76)	R.H.	D4340	D00Z 7621410-A	D0OZ 7621410-B	1
			L.H.	D4341	D00Z 7621411-A	D0OZ 7621411-B	1
	72	B(53,71)	R.H.	D4725	D2OZ 5321410-A	D2OZ 5321410-B	1
			L.H.	D4726	D2OZ 5321411-A	D2OZ 5321411-B	1
	72	B(63)	R.H.	D4713	D2OZ 6321410-A	D2OZ 6321410-B	1
			L.H.	D4714	D2OZ 6321411-A	D2OZ 6321411-B	1
	72	B(65)	R.H.	D4719	D2OZ 6521410-A	D2OZ 6521410-B	1
			L.H.	D4720	D2OZ 6521411-A	D2OZ 6521411-B	1
	72	B(97)	R.H.	D4753	D2OZ 9721410-A	D2OZ 9721410-B	1
			L.H.	D4754	D2OZ 9721411-A	D2OZ 9721411-B	1
		- F -					
	65/66	F(63)	R.H.	D3330	C5ZZ 6321410-A	C5ZZ 6321410-B	1
			L.H.	D3331	C5ZZ 6321411-A	C5ZZ 6321411-B	1
	65/66	F(65)	R.H.	D3295	C5ZZ 6521410-A	C5ZZ 6521410-B	1
			L.H.	D3296	C5ZZ 6521411-A	C5ZZ 6521411-B	1
	65/66	F(76)	R.H.	D3291	C5ZZ 7621410-A	C5ZZ 7621410-B	1
			L.H.	D3292	C5ZZ 7621411-A	C5ZZ 7621411-B	1
	67/68	F(63)	R.H.	D3752	C7ZZ 6321410-A	C7ZZ 6321410-B	1
			L.H.	D3753	C7ZZ 6321411-A	C7ZZ 6321411-B	1
	67/68	F(65)	R.H.	D3755	C7ZZ 6521410-C	C7ZZ 6521410-D	1
			L.H.	D3756	C7ZZ 6521411-C	C7ZZ 6521411-D	1
	67/68	F(76)	R.H.	D3759	C7ZZ 7621410-A	C7ZZ 7621410-B	1
			L.H.	D3760	C7ZZ 7621411-A	C7ZZ 7621411-B	1
	69/70	F †	Refer to Group 21400-1				

† With bonded design

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
21410-1	**GLASS - FRONT DOOR WINDOW - continued** - Tempered, unless otherwise indicated - Also refer to Group 21400-1					
		- F -	NAGS NUMBER			
	70	F(65,76) ‡	R.H. D4282	D0ZZ 6521410-A	D0ZZ 6521410-B	1
			L.H. D4283	D0ZZ 6521411-A	D0ZZ 6521411-B	1
	70	F(63) ‡	R.H. -use with press on weatherstrip retainer D4280	D0ZZ 6321410-A	D0ZZ 6321410-B	1
			L.H. D4281	D0ZZ 6321411-A	D0ZZ 6321411-B	1
	70	F(63)	With bonded weather-strip retainer-refer to Group 21400-1			
	71/	F(63)	R.H. D4531	D1ZZ 6321410-A	D1ZZ 6321410-B	1
			L.H. D4532	D1ZZ 6321411-A	D1ZZ 6321411-B	1
	71/	F(65,76)	R.H. D4537	D1ZZ 6521410-A	D1ZZ 6521410-B	1
			L.H. D4538	D1ZZ 6521411-A	D1ZZ 6521411-B	1
		- L -				
	71	L (62,64) "Before 1/11/71"	R.H. #D4544	#D1FZ 6221410-A	#D1FZ 6221410-B	1
			L.H. #D4545	#D1FZ 6221411-A	#D1FZ 6221411-B	1
	71/	L (62,64) "From 1/11/71"	R.H. D4544A	D1FZ 6221410-C	D1FZ 6221410-D	1
			L.H. D4545A	D1FZ 6221411-C	D1FZ 6221411-D	1
	72	L(73)	R.H. D4744	D2FZ 7321410-A	D2FZ 7321410-B	1
			L.H. D4745	D2FZ 7321411-A	D2FZ 7321411-B	1
		- P -				
	70/	P(62)	R.H. D4275	D2DZ 6221410-A	D2DZ 6221410-B	1
			L.H. D4276	D2DZ 6221411-A	D2DZ 6221411-B	1
	71/	P(54)	R.H. D4551	D2DZ 5421410-A	D2DZ 5421410-B	1
			L.H. D4552	D2DZ 5421411-A	D2DZ 5421411-B	1
		- S -				
	65	S	4432T	C4SZ 6321410-A	C4SZ 6321410-B	2
	66	S(63A, 76)				2
	66	S(63C, D)	4476T	C6SZ 6321410-A	C6SZ 6321410-B	2
	67/71	S	Refer to Group 21400-1			
	72	S	R.H. D4734	D2SZ 6521410-A	D2SZ 6521410-B	1
			L.H. D4735	D2SZ 6521411-A	D2SZ 6521411-B	1
		- U -				
	66/	U	4477T	C6TZ 9721410-A		2
		- X -				
	65	X(54,71)	4273T	C0DZ 5821410-J	C0DZ 5821410-K	2
	65	X(59,62,66,78)	4271T	C0DZ 6421410-J	C0DZ 6421410-K	2
	65	X(63)	2486T	C4DZ 6321410-C	C4DZ 6321410-D	2
	65	X(76)	2431T	C4DZ 7621410-C	C4DZ 7621410-D	2
	66/70	X(54,71)	R.H. D3523	C6OZ 5421410-A	C6OZ 5421410-B	1
			L.H. D3524	C6OZ 5421411-A	C6OZ 5421411-B	1
	66	X(66)	R.H. D3537	C6DZ 6621410-A	C6DZ 6621410-B	1
			L.H. D3538	C6DZ 6621411-A	C6DZ 6621411-B	1
	68/70	X(62)	R.H. D3518	C6OZ 6221410-A	C6OZ 6221410-B	1
			L.H. D3519	C6OZ 6221411-A	C6OZ 6221411-B	1
21412-3	**GLASS - FRONT DOOR VENT WINDOW** - Tempered unless otherwise indicated					
		- A -				
	65/68	A(54, 62, 71)	R.H. D3314	C5AZ 6221412-C	C5AZ 6221412-D	1
			L.H. D3315	C5AZ 6221413-C	C5AZ 6221413-D	1
	65/67	A(57, 63, 76)	R.H. V3300	C5AZ 6321412-C	C5AZ 6321412-D	1
	68	A(57, 63, 65, 76)	R.H. L.H. V3301	C5AZ 6321413-C	C5AZ 6321413-D	1

† With bonded design ‡ With bolt on design # Reinforcement required - refer to Group 214A48

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION		PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
21412-3	**GLASS - FRONT DOOR VENT WINDOW** - Tempered unless otherwise indicated - **continued**						
		- A -		NAGS NUMBER			
	69/70	A(54, 71)	R. H.	V4101	C9AZ 5421412-A	C9AZ 5421412-B	1
			L. H.	V4102	C9AZ 5421413-A	C9AZ 5421413-B	1
	69	A(62)	R. H.	V4094	C9AZ 6221412-A	C9AZ 6221412-B	1
			L. H.	V4095	C9AZ 6221413-A	C9AZ 6221413-B	1
		- B -					
	65	B(exc. 65)		2393T	C2OZ 6221412-A	C2OZ 6221412-B	2
	65	B(65)		2427T	C3OZ 6521412-A	C3OZ 6521412-B	2
	66/67	B(63, 76)	R. H.	V3539	C6OZ 6321412-C	C6OZ 6321412-D	1
			L. H.	V3540	C6OZ 6321413-C	C6OZ 6321413-D	1
	66/67	B(54, 62, 66, 71)	R. H.	V3516	C6OZ 6221412-C	C6OZ 6221412-D	1
	68/69	B(54, 71)					1
	70/71	B(71)					1
			L. H.	V3517	C6OZ 6221413-C	C6OZ 6221413-D	1
	70/71	B(54, 62)	R. H.	V4344	D0OZ 5421412-A	D0OZ 5421412-B	1
			L. H.	V4345	D0OZ 5421413-A	D0OZ 5421413-B	1
	70/71	B(57)	R. H.	V4333	D0OZ 5721412-A	D0OZ 5721412-B	1
			L. H.	V4334	D0OZ 5721413-A	D0OZ 5721413-B	1
		-F -					
	65/68	F	R. H.	V3289	C5ZZ 6521412-C	C5ZZ 6521412-D	1
			L. H.	V3290	C5ZZ 6521413-C	C5ZZ 6521413-D	1
		- S -					
	65/66	S		2490T	C4SZ 6321412-A	C4SZ 6321412-B	2
		- U -					
	66/	U		2527T	C6TZ 9721412-A		2
		- X -					
	65	X (except 63, 76)		2312T	C2DZ 6421412-A		2
	65	X(63, 76)		2430T	C3DZ 7621412-A	C3DZ 7621412-B	2
	66/70	X	R. H.	V3516	C6OZ 6221412-C	C6OZ 6221412-D	1
			L. H.	V3517	C6OZ 6221413-C	C6OZ 6221413-D	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
214A14-5	**WEATHERSTRIP - FRONT DOOR GLASS - REAR**					
	69	A(57)		C9AZ 57214A14-C	C9AZ 57214A15-C	1
	69	A(63, 65, 76)		C9AZ 63214A14-C	C9AZ 63214A15-C	1
	68/69	B(63, 65)		C8OZ 63214A14-B	C8OZ 63214A15-B	1
	68/69	B(76)		C8OZ 76214A14-B	C8OZ 76214A15-B	1
	69	F(65, 76)		C9ZZ 65214A14-A	C9ZZ 65214A15-A	1
	69/70	F(63)		D0ZZ 63214A14-A	D0ZZ 63214A15-A	1
	67/70	S(65)		D0LY 65214A14-A	D0LY 65214A15-A	1
			No. 6-18 x 3/8" Cross recess pan head screw	★52718-S2	★52718-S2	2
214A18	**CLIP - FRONT DOOR VENT WINDOW WEATHERSTRIP**					
	65/70	A(54, 62, 71)		C5AZ 62214A18-A	C5AZ 62214A18-A	2
214A24-5	**RETAINER - FRONT DOOR GLASS REAR - WEATHERSTRIP** - Refer to Group 22220-1					
214A26	**PLATE - DOOR WINDOW GLASS RUN RETAINER**					
	67/71	S	Front door	C7SZ 65214A26-B	C7SZ 65214A26-B	4
	67/71	S(57)	Rear door			2
	71	S(57)	Screw & washer-1/4"-20 x 3/4"	★382682-S100	★382682-S100	2
	67/71	S	No. 8-15 x 1/2" Flat head cross screw	52012-S8(U202)	52012-S8(U202)	2
	67/71	S	1/4"-20 x 3/4" Hex. washer head screw	371492-S2(BB569)	371492-S2(BB569)	8or12

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
21430-1	**BRACKET - FRONT DOOR WINDOW GLASS - REAR**					
	70/	A(63,65,76)'	Use with bolt on channel	D0AZ 6321430-C	D0AZ 6321431-C	1
	71/	A(53,57)		D1AZ 5721430-A	D1AZ 5721431-A	1
	71/	A(54,71)		D1AZ 5421430-A	D1AZ 5421430-A	2
	70	B(57) "Before 12/1/69"		D0OZ 5721430-A	D0OZ 5721431-A	1
	70/71	B(57) "From 12/1/69"		D0OZ 5721430-B	D0OZ 5721431-B	1
	70	B(63,65,66,76) - "Before 12/1/69"		D0OZ 6521430-A	D0OZ 6521431-A	1
	70/71	B(63,65,66,76)- "From 12/1/69"		D0OZ 6521430-B	D0OZ 6521431-B	1
	69/70	F	Use with bolt on channel	D0ZZ 6521430-A	D0ZZ 6521431-A	1
	70	A(63,65,76),B(57,63,65,66,76),F,D(65)	Screw & washer assy. - hex.head 1/4"-20 x 49/64"	57472-S40(B339V)	57472-S40(B339V)	2
	71	A	Nut-tee-1/4"-20	384289-S2(MM131GE)	384289-S2(MM131GE)	4
214A30-1	**STABILIZER - FRONT DOOR WINDOW GLASS - REAR**					
	69/70	A(57,63,65,76)		C9AZ 57214A30-A	C9AZ 57214A31-A	1
	71/	A(53,57,65,76)				1
	69/	A	1/4"-20 x 5/8"Hex.hd. screw & washer	57472-S40(B339V)	57472-S40(B339V)	AR
21448-9	**WEATHERSTRIP - FRONT DOOR VENT WINDOW FRONT**					
		- A -				
	65/68	A(54,62,71)		C5AZ 6221448-B	C5AZ 6221449-B	1
			Clip	C5AZ 62214A18-A	C5AZ 62214A18-A	2
	65/67	A(57,63,76)		C5AZ 6321448-A	C5AZ 6321449-A	1
	68	A(57,63,65,76)				1
	69/70	A(54,71)		C9AZ 5421448-A	C9AZ 5421449-A	1
	69	A(62)		C9AZ 6221448-A	C9AZ 6221449-A	1
		- B -				
	65	B(65)		C3OZ 6521448-C	★C3OZ 6521449-C Not replaced (3-74)	1
	66/67	B(63,76)		C6OZ 6321448-A	C6OZ 6321449-A	1
	66	B(54,62,71)		C6OZ 6221448-B	C6OZ 6221449-B	1
	67	B(54,62,66,71)				1
	68/69	B(54,71)				1
	70/71	B(71)				1
	70/71	B(54,62)		D0OZ 5421448-A	D0OZ 5421449-A	1
	70/71	B(57)		D0OZ 5721448-A	D0OZ 5721449-A	1
		- F -				
	65/66	F		C5ZZ 6521448-B	C5ZZ 6521449-B	1
	67/68	F		C7ZZ 6521448-A	C7ZZ 6521449-A	1
		- S -				
	65/66	S	Drill drain holes as required	C4SZ 6321448-A	C4SZ 6321449-A	1
	65/66	S	Screw-fillister head-No.6-32 x 1/4"	31031-S8(U44)	31031-S8(U44)	2
		- U -				
	66/	U		C6TZ 9721448-A	C6TZ 9721449-A	1
		- X -				
	65	X(except 63,76)		C1DZ 6421448-A	★C1DZ 6421449-A Not replaced (10/74)	1
	66/70	X		C6OZ 6221448-B	C6OZ 6221449-B	1
214A48	**REINFORCEMENT - FRONT DOOR WINDOW LOWER**					
	71	L		D1FZ 62214A48-A	D1FZ 62214A48-A	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
21450-1	**WEATHERSTRIP - FRONT DOOR VENT WINDOW DIVISION BAR**					
	65/66	F		C5ZZ 6521450-A	C5ZZ 6521450-A	2
	65/66	S		C4SZ 6321450-A	C4SZ 6321451-A	1
	66/	U		C6TZ 9721450-A	C6TZ 9721450-A	2
	65	X(except 63,76)		C0DB 6421450-A	C0DB 6421450-A	2
	65	A,B(except 65),S,X	3/16" x 5/32" Rivet	0A 7021524	0A 7021524	8 to 16
21452-3	**WEATHERSTRIP - FRONT DOOR AT BELT - OUTSIDE - INCLUDES CLIPS**					
		- A -				
	65/68	A(54,71)		C5AZ 5421452-A	C5AZ 5421453-A	1
	65/68	A(62)		C5AZ 6221452-A	C5AZ 6221453-A	1
	69	A(54,71)		C9AZ 5421452-A	C9AZ 5421453-A	1
	69	A(57)		C9AZ 5721452-A	C9AZ 5721453-A	1
	69	A(62)		C9AZ 6221452-A	C9AZ 6221453-A	1
	69	A(63,65,76)	Refer to Group 20934-5			
	70	A(54,71) "Before 2/2/70"		D0AZ 5421452-A	D0AZ 5421453-B	1
	70	A(54,71) "From 2/2/70"		D0AZ 5421452-B	D0AZ 5421453-B	1
	70	A(57)		D0AZ 5721452-B	D0AZ 5721453-B	1
	70	A(65,76) "Before 2/2/70"		D0AZ 6521452-A	D0AZ 6521453-A	1
	70	A(65,76) "From 2/2/70"		D0AZ 6521452-B	D0AZ 6521453-B	1
	71/	A(53)	Incl. 1/4" moulding	D1AZ 5321452-A	D1AZ 5321453-A	1
	71/	A(57)	Incl. 1/4" moulding	D1AZ 5721452-A	D1AZ 5721453-A	1
	71/	A(54,71)	Incl. 1/4" moulding	D1AZ 5421452-A	D1AZ 5421453-A	1
	71/	A(65,76)	Incl. 1/4" moulding	D1AZ 6521452-A	D1AZ 6521453-A	1
		- B -				
	65	B(54,71)		C2OZ 5421452-A	C2OZ 5421453-A	1
	65	B(54,71)	Inside	C2OZ 5421453-A	C2OZ 5421452-A	1
	65	B(62)		C3OZ 6221452-A	C3OZ 6221453-A	1
	65	B(65)		C3OZ 6521452-A	C3OZ 6521452-A	2
	66/67	B(54,71)		C6OZ 5421452-A	C6OZ 5421453-A	1
	66	B(62)		C6OZ 6221452-A	C6OZ 6221453-A	1
	67	B(62,66)				1
	66/67	B(63,76)		C6OZ 6321452-A	C6OZ 6321453-A	1
			No.6-20 x 9/16" Flat head screw	373541-S(UU98)	373541-S(UU98)	2
	68/69	B(54A,B,71B,D)	Less bright bead	C8OZ 5421452-A	C8OZ 5421453-A	1
	68/69	B(54C,71E)	With bright bead	C8OZ 5421452-B	C8OZ 5421453-B	1
	68/69	B(63,65C,66)	Refer to Group 20934-5			
	68/69	B(65,66A,B,76)	Less bright bead	C8OZ 6521452-A	C8OZ 6521453-A	1
	70/71	B(54)	Less bright bead	D0OZ 5421452-B	D0OZ 5421453-B	1
			With bright bead	D0OZ 5421452-A	D0OZ 5421453-A	1
	70/71	B(57)	With bright bead	D0OZ 5721452-A	D0OZ 5721453-A	1
			Less bright bead	D0OZ 5721452-B	D0OZ 5721453-B	1
	70	B(62)		D0OZ 6221452-A	D0OZ 6221453-A	1
	70/71	B(63)	Refer to Group 20934-5			
	70/71	B(65,66,76)	With bright bead	D0OZ 6521452-A	D0OZ 6521453-A	1
	70/71	B(65,66)	Less bright bead	D0OZ 6521452-B	D0OZ 6521453-B	1
	70/71	B(71)	With bright bead	D0OZ 7121452-A	D0OZ 7121453-A	1
			Less bright bead	C8OZ 5421452-A	C8OZ 5421453-A	1
	72	B(53,71)		D2OZ 5321452-A	D2OZ 5321453-A	1
	72	B(63,65,97)		D2OZ 6521452-A	★D2OZ 6521453-A r/b D3OZ 6521453-A (3-74)	1
		- F -				
	65/66	F		C5ZZ 6521452-B	C5ZZ 6521453-B	1
			No.4-24 x 3/8" Cross recess flat head screw	52003-S13(U194)	52003-S13(U194)	2
	67/68	F	Without clips	C7ZZ 6521452-A	C7ZZ 6521453-A	1
			No.6-20 x 1/2" Flat head drill point screw	★380922-S2	★380922-S2	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
21452-3	**WEATHERSTRIP - FRONT DOOR AT BELT OUTSIDE - INCLUDES CLIPS - continued**					
		- F -				
	69/70	F(63) "Before 10/1/69"		★C9ZZ 6321452-B r/b D0ZZ 6321452-A (12/74)	C9ZZ 6321453-B	1
	69/70	F(65,76)		C9ZZ 6521452-A	C9ZZ 6521453-A	1
	70	F(63) "From 10/1/69"		D0ZZ 6321452-A	D0ZZ 6321453-A	1
	71/	F(exc.65F)		D1ZZ 6521452-A	D1ZZ 6521453-A	1
	71/	F(65F)		D1ZZ 6521452-B	D1ZZ 6521453-B	1
		- L -				
	71/	L		D1FZ 6221452-A	D1FZ 6221453-A	1
		- P -				
	70	P(62)		D0DZ 6221452-B	D0DZ 6221453-B	1
	71/	P(54)		D1DZ 5421452-A	D1DZ 5421452-A	2
	71/	P(62)		D1DZ 6221452-A	D1DZ 6221453-A	1
		- S -				
	65/66	S		C4SZ 6321452-A	C4SZ 6321453-A	1
	67/	S	Refer to Group 20934-5			
		- U -				
	66/	U		C6TZ 9721452-A	C6TZ 9721453-A	1
			Inside	C6TZ 9721453-A	C6TZ 9721452-A	1
		- X -				
	65	X(54,71)	Cut to fit	C0DZ 6421452-E	C0DZ 6421453-E	2
	65	X(59,62,66,78)				2
	65	X(63,76)		C3DZ 7621452-A	C3DZ 7621453-A	1
	66/70	X(54,71)		C6OZ 5421452-A	C6OZ 5421453-A	1
	66/70	X(62,66)		C6OZ 6221452-A	C6OZ 6221453-A	1
	65/	A,B	No.4 x 3/8" Cross recess flat head screw	52003-S13(U194)	52003-S13(U194)	4
21456-7	**WEATHERSTRIP - FRONT DOOR AT BELT INSIDE**					
		- A -				
	65/68	A(54,71)	Less clips	C5AZ 5421456-B	C5AZ 5421457-B	1
	65/68	A(57)	Less clips	C5AZ 5721456-B	C5AZ 5721457-B	1
	65/68	A(62)	Less clips	C5AZ 6221456-B	★C5AZ 6221457-B Not replaced (3-74)	1
	65/67	A(63,76)	Less clips	C5AZ 6321456-B	C5AZ 6321457-B	1
	68	A(63,65,76)				1
	69/70	A(54,71)		C9AZ 5421456-B	C9AZ 5421457-B	1
	69/71	A(57)		C9AZ 5721456-A	★C9AZ 5721457-A r/b D2AZ 5721457-A (12/74)	1
	69	A(62) "Before 5/23/69"		C9AZ 6221456-B	C9AZ 6221457-A	1
	69	A(62) "From 5/23/69"		C9AZ 6221456-B	C9AZ 6221457-B	1
	69/71	A(63,65,76)		C9AZ 6321456-A	C9AZ 6321457-A	1
	71	A(54,71)		D1AZ 5421456-A	★D1AZ 5421457-A r/b D2AZ 5421457-A (12/74)	1
	72	A(53)		D2AZ 5321456-A	D2AZ 5321457-A	1
	72	A(54,71)		D2AZ 5421456-A	D2AZ 5421457-A	1
	72	A(57)		D2AZ 5721456-A	D2AZ 5721457-A	1
	72	A(65,76)		D2AZ 6521456-A	D2AZ 6521457-A	1
		- B -				
	65	B(54,71)		C2OZ 5421453-A	C2OZ 5421452-A	1
	66/67	B(54,71)	With clips - not replaced	★C6OZ 5421456-A	C6OZ 5421457-A	1
	66/67	B(62,66)	With clips	C6OZ 6221456-A	C6OZ 6221457-A	1
	66/67	B(63,76)	With clips	C6OZ 6321456-A	C6OZ 6321457-A	1
	68	B(63,65,66,76)	With clips & without rustless steel bead	C8OZ 6321456-B	C8OZ 6321456-B	2
	68/69	B(54A,B,71)	With clips	C8OZ 5421456-B	C8OZ 5421457-B	1
	68/69	B(54C)		C8OZ 5421456-A	C8OZ 5421457-A	1
	68/69	B(63,65,66,76)	With clips & rustless steel bead	C8OZ 6321456-A	C8OZ 6321456-A	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
21456-7	**WEATHERSTRIP - FRONT DOOR AT BELT INSIDE - continued**					
		- B -				
	70/71	B(54)		D0OZ 5421456-A	D0OZ 5421457-A	1
	70/71	B(57)		D0OZ 5721456-A	D0OZ 5721457-A	1
	70	B(62)		D0OZ 6221456-A	D0OZ 6221457-A	1
	70/71	B(63,65,76)		D0OZ 6521456-A	D0OZ 6521456-A	2
	70/71	B(71)		D0OZ 7121456-A	D0OZ 7121456-A	2
	70/71	B(66)		D00Z 6621456-A	D00Z 6621456-A	2
	72	B(53,71)		D2OZ 5321456-A	D2OZ 5321457-A	1
	72	B(63,65,97)		D2OZ 6521456-A	D2OZ 6521457-A	1
		- F -				
	65	F "Before 9/7/64"	With clips-Black bead	C5ZZ 6521456-B	C5ZZ 6521456-A	2
	65/66	F "From 9/7/64"	Stainless steel bead	C5ZZ 6521456-B	C5ZZ 6521456-B	2
	67/68	F		C7ZZ 6521456-A	C7ZZ 6521457-A	1
	69/70	F(63A, B, 65A, B, C, D, 76)		C9ZZ 6521456-A	C9ZZ 6521457-A	1
	71/	F		D1ZZ 6521456-B	D1ZZ 6521457-B	1
		- L -				
	71/	L		D1FZ 6221456-B	D1FZ 6221457-B	1
		- P -				
	71/72	P(62)		D2DZ 6221456-A	D2DZ 6221457-A	1
	71/72	P(54)		D2DZ 5421456-A	D2DZ 5421456-A	2
		- S -				
	65/66	S		C4SZ 6321456-A	C4SZ 6321457-A	1
	67	S(65)		★C7SZ 6521456-B Not replaced (3-74)	C7SZ 6521457-B	1
	68/70	S(57)		C8SZ 5721456-A	C8SZ 5721456-A	2
	71	S(57)		C8SZ 5721456-A	D1SZ 5721457-A	1
	68/71	S(65)		D1SZ 6521456-A	D1SZ 6521457-A	1
	72	S		D2SZ 6521456-A	D2SZ 6521457-A	1
		- U -				
	66/	U		C6TZ 9721453-A	C6TZ 9721452-A	1
		- X -				
	65	X(54,71)	Cut to fit	C0DZ 6521452-E	C0DZ 6421453-E	1
	66/70	X(54,71)	With clips - not replaced	★C6OZ 5421456-A	C6OZ 5421457-A	1
	66/70	X(62,66)	With clips	C6OZ 6221456-A	C6OZ 6221457-A	1
21458-9	**CHANNEL and RETAINER ASSY. - FRONT DOOR GLASS**					
		- A -				
	65/67	A(63, 76)		★C5AZ 6321458-A Not replaced (3-74)	C5AZ 6321459-A	1
	65/68	A(54, 71)		C5AZ 5421458-A	★C5AZ 5421459-A Not replaced (3/75)	1
	68	A(63, 65, 76)		★C8AZ 6321458-A Not replaced (3-74)	C8AZ 6321459-A	1
	69	A(54, 71)		C9AZ 5421458-A	C9AZ 5421459-A	1
	69	A(62)		C9AZ 6221458-A	C9AZ 6221459-A	1
	69/70	A(57,63,65,76)	Serviced in assembly-refer to Group 21400-1			
	70	A(54,71)		D0AZ 5421458-A	D0AZ 5421459-A	1
	69	A	No. 8-32 x 1/2" oval head screw	50398-S13(U121)	50398-S13(U121)	2
		- B -				
	66/67	B(54, 71)		C6OZ 5421458-A	C6OZ 5421459-A	1
	66/67	B(62)		★C6OZ 6221458-A Not replaced (3-74)	C6OZ 6221459-A	1
	66/67	B(63, 76)		★C6OZ 6321458-A Not replaced (3-74)	C6OZ 6321459-A	1
	67	B(66)		C6DZ 6621458-A	C6DZ 6621459-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
21458-9	**CHANNEL and RETAINER ASSY. - FRONT DOOR GLASS - continued**					
		- B -				
	68/69	B(54,71)	With manual windows	C8OZ 5421458-A	C8OZ 5421459-A	1
	70/71	B(71)				1
	70/71	B(54)	With manual windows	D0OZ 5421458-A	D0OZ 5421459-A	1
	70	B(62)		D0OZ 6221458-A	D0OZ 6221459-A	1
	68/69	B(54,71)	With power windows	C8OZ 5421458-B	C8OZ 5421459-B	1
	70/71	B(54,57)				1
	65	B	Screw-5/16"-24 x 5/8"-hex. head	359605-S8(BB590)	359605-S8(BB590)	4
	68/	B	Screw-No. 8-32 x 1/2"-oval head	50398-S13(U121)	50398-S13(U121)	2
		- F -				
	65/66	F		★C5ZZ 6521458-B Not replaced (3-74)	C5ZZ 6521459-B	1
	67/68	F		C7ZZ 6521458-C	C7ZZ 6521459-C	1
	69/70	F	Serviced in assembly-refer to Group 21400-1			
	65/66	F	Bolt-No. 8-32 x 3/8"-flat	358477-S8(BB93)	358477-S8(BB93)	2
	67/68	F	Bolt-5/16"-18 x 3/4" - hex. head	359662-S7(BB575A)	359662-S7(BB575A)	1
	67/68	F	Bolt-1/4"-20 x 1/2"-pan head	373460-S7(BB629)	373460-S7(BB629)	1
	67/68	F	Nut-No. 8-32-J-shape	379385-S2(MM284C)	379385-S2(MM284C)	2
		- U -				
	66/72	U		C6TZ 9721458-A	C6TZ 9721458-A	1
		- X -				
	65	X(59,62,66,78)		C0DB 6421458-A	C0DB 6421459-A	1
	66/70	X(54,71)		C6OZ 5421458-A	C6OZ 5421459-A	1
	67	X(62)		★C6OZ 6221458-A Not replaced (3-74)	C6OZ 6221459-A	1
	68/70	X(62)		C8DZ 6221458-A	C8DZ 6221459-A	1
21464-5	**BRACKET - FRONT DOOR VENT WINDOW - UPPER PIVOT**					
	65/68	A(57,63,76)	Includes attaching parts	C5AZ 6321464-A	C5AZ 6321465-A	1
	69/70	A(54,62,71)		C9AZ 6221464-A	C9AZ 6221465-A	1
	68	B,X	Refer to Group 21408-9			
	70/71	B(54,62)	Includes attaching parts	D0OZ 5421464-A	D0OZ 5421465-A	1
	66/	U	Includes attaching parts	C6TZ 9721464-A	C6TZ 9721465-A	1
	65	X(exc.63,76)	Includes attaching parts	C0DZ 6421464-C	C0DZ 6421465-C	1
	65/68	A	Screw-No. 8-18 x 3/8"-fillister head	52540-S13(U227)	52540-S13(U227)	2
	65/68	A	Rivet	375965-S(SS39D)	375965-S(SS39D)	1
	65	B(54,62,71)	No.8 x 3/8" Cross recess pan head screw	52720-S8(U380)	52720-S8(U380)	4
21478	**STRIP - GLASS RETAINER**					
	65/	All	Use bulk glass tape	★	★	
21490-1	**HINGE - FRONT DOOR VENT WINDOW - UPPER PIVOT**					
	65	X(63,76)	On glass frame	★C3DZ 7621490-A Not Repl'd (11-73)	C3DZ 7621491-A	1
	65	B(65),X(63,76)	No.8-32 x .20" Special oval head screw	375802-S100(BB601C)	375802-S100(BB601C)	4

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
21496	**BUSHING - DOOR WINDOW GUIDE**					
	69/70	F		C9ZZ 6521496-A	C9ZZ 6521496-A	8
	69/	A(71)	Tail gate-also serviced in assembly-refer to Group 41960-1			8
21504	**BRACKET - FRONT DOOR WINDOW REGULATOR DRIVE ARM**					
	69/	A(53,57)		C9AZ 5721504-A	C9AZ 5721504-A	2
	69/70	A(63,65,76)	With bonded design	C9AZ 6321504-A	C9AZ 6321504-A	2
	70/	A(63,65,76)	With bolt-on design	D0AZ 6321504-A	D0AZ 6321504-A	2
	71/	A(54,71)		D1AZ 5421504-A	D1AZ 5421504-B	1
	68	B(63,65,66,76)	Refer to Group 270A42			
	70/71	B(63,65,66,76)		D0OZ 6521504-A	D0OZ 6521504-A	2
	69/70	F	With bolt on design	C9ZZ 6521504-A	C9ZZ 6521504-A	2
	71/	L		D2FZ 6221504-A	D2FZ 6221504-A	2
	67/71	S(57)		C7SZ 5721504-A	C7SZ 5721504-A	2
	67/71	S(65)		C7SZ 6521504-A	C7SZ 6521504-A	2
	67/71	S	No. 8-32 x 1/2" Cross recess oval head screw	50398-S13(U121)	50398-S13(U121)	4
	67/	A				4
	67/71	S(65)	No. 10-24 x 3/8" Pan head screw & washer assy.	★54540-S2	★54540-S2	4
	70	A(63,65,76),B	1/4"-20 Nut & washer-use with bolt-on channel	383278-S2(MM296AG)	383278-S2(MM296AG)	AR
21508-9	**RUN - FRONT DOOR GLASS - LATCH SIDE**					
			- B -			
	68/69	B(63,65,66,76)	Includes bracket	C8OZ 6321508-A	C8OZ 6321508-A	2
	70/71	B(65,66,76)		D0OZ 6521508-A	D0OZ 6521508-A	2
	71	B(63)				2
	65	B	5/16"-24 Hex. jam nut	33923-S7(M32)	33923-S7(M32)	AR
	65	B	5/16"-24 x 1 3/16"-Set screw	354021-S7(UU113)	354021-S7(UU113)	AR
	65	B	5/16"-24 x 5/8"-Hex. head screw	359605-S8(BB590)	359605-S8(BB590)	2
	68/71	B	1/4"-20 x 1/4"-Hex. head bolt	371492-S2(BB569)	371492-S2(BB569)	2
			- F -			
	65/66	F		C5ZZ 6521508-B	C5ZZ 6521509-B	1
			5/16"-18 x 3/4" Screw & washer assy.	359662-S7-8(BB575A)	359662-S7-8(BB575A)	6
			- S -			
	67/71	S(57)		C7SZ 5721508-A	C7SZ 5721509-A	1
	67/71	S(65)		C7SZ 6521508-A	C7SZ 6521509-A	1
	67/71	S	1/4"-20 x 1/2" Pan head screw & washer assy.	373460-S7(BB629)	373460-S7(BB629)	4
			- U -			
	66/	U	Includes bracket	C6TZ 9721508-B	C6TZ 9721509-B	1
			1/4"-20 x .312" Cross recess pan head screw	★371360-S8	★371360-S8	6
			1/4"-20 x .312" Hex. head screw	★373289-S2	★373289-S2	2
			- X -			
	65/66	X	Refer to Group 21550			

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
21510	**WEATHERSTRIP - DOOR GLASS CHANNEL**				
	65/68	A (54,62,71)	31 1/4" long-cut to fit front door, rear door or quarter	C5AZ 6221510-B	4
	66/69	B(54,62,66,71)			4
	66/70	X			4
21524	**RIVET - DIVISION BAR WEATHERSTRIP**				
	65/68	A,B	3/32" x 5/32" Special oval head tubular	0A 7021524	8to16
	66/	U			10

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
21528	**SLIDE - FRONT DOOR WINDOW STABILIZER ARM - INNER - INCLUDES ATTACHING PARTS**				
	70	B(57)		D0GY 5721528-A	2
	71/	P			4
21538-9	**RUN and BRACKET ASSY. - FRONT DOOR VENT WINDOW DIVISION BAR GLASS**				
		- B -			
	65	B(except 65)		C2OZ 6221538-B	2
			Hex. washer head screw-5/16"-18 x 1/2"	376976-S7-8(BB574M)	2
		- F -			
	65/66	F	R.H.	C5ZZ 6521538-A	1
			L.H.	C5ZZ 6521539-A	1
	65/66	F	Hex. nut-5/16"-18	33797-S7(M50)	2
	65/66	F	Special washer-5/16"	★357789-S7	2
		- S -			
	65/66	S	R.H.	C4SZ 6321538-A	1
			L.H.	C4SZ 6321539-A	1
	65/66	S	5/16"-24 x 2.38" Screw (set)	★378067-S8	2
	65/66	S	5/16"-18 x 2.38" Screw (set)	379182-S7-8(UU108F)	2
	65/66	S	5/16"I.D. x 7/8"O.D. Washer (special)	★357789-S7	2
	65/66	S	5/16"-18 Hex. nut	33797-S7(M50)	AR
		- X -			
	65	X(except 63, 76)		C0DZ 6421538-D	2
	65	X	5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	2
21546-7	**RUN - FRONT DOOR GLASS - HINGE SIDE**				
		- A -			
	65/67	A(57, 63, 76)	On division bar-36" long	C5AZ 6321546-A	2
	65/67	A(54, 62, 71)"Before 12/1/66"	Cut to length required		2
	67/	A(54,62,71)-"From 12/1/66"	Refer to Group 21596		
	68	A(57, 63, 65, 76)	On division bar		2
	69/70	A(57)	—	C9AZ 6321546-A	6
	69/70	A(63, 65, 76)			4
	71/	A(53,57,65,76)			4
	69/	A	Screw & washer-1/4"-20 x .77" hex. head	382682-S101(BB390XF)	AR
		- B -			
	66	B(54, 62, 66, 71)	Cut to 31 3/4" at retainer end	C5AZ 6321546-A	2
	66/69	B(54, 71)	Rear door-cut to 30 3/4" at retainer end		2
	66/67	B(63, 76)	R.H.	C6OZ 6321546-A	1
			L.H.	C6OZ 6321547-A	1
	68/69	B(63, 65, 66, 76)	Includes bracket	C8OZ 6321546-A	2
			1/4-20 x 3/4" Hex. washer head screw & washer assy.	371492-S2(BB569)	4
	70/71	B(57)	R.H.-vent window division bar	D0OZ 5721546-A	1
			L.H.	D0OZ 5721547-A	1
	70/71	B(63, 65, 66, 76)	Includes bracket	D0OZ 6521546-A	2
	70/71	B(71)	Cut to fit	C7TZ 8121546-A	2
	72	B(53, 71)		D2OZ 5321546-A	2
	72	B(63, 65, 97)		D2OZ 6521546-A	2
		- F -			
	67/68	F	R.H.	C7ZZ 6521546-A	1
			L.H.	C7ZZ 6521547-A	1
			No.6-20 x 1/4" Cross recess flat head screw	52052-S13(U200A)	2
	69/70	F	R.H.	C9ZZ 6521546-A	2
			L.H.	C9ZZ 6521547-A	2
	71/	F		D1ZZ 6521546-B	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
21546-7	**RUN - FRONT DOOR GLASS - HINGE SIDE - continued -**				
		- S -			
	67/71	S(57)	R.H.	C7SZ 5721546-A	1
			L.H.	C7SZ 5721547-A	1
	67/71	S(65)	R.H.	C7SZ 6521546-A	1
			L.H.	C7SZ 6521547-A	1
	72	S		D2SZ 6521546-A	2
	67/71	S	1/4"-20 x 1/2" Pan head screw & washer assy.	373460-S7(BB629)	4
		- X -			
	66/70	X	Cut to 31 3/4" at retainer end	C5AZ 6321546-A	2
	66/70	X(54,71)	Rear door-cut to 30 3/4" at retainer end		2
21550	**RUN - DOOR GLASS - LATCH SIDE** - Also refer to Group 25766				
		- B -			
	65	B(62)	Front door-55 1/2" long	C2OZ 6221550-A	2
	65	B(54)	Rear door-cut to 52 3/8" long & notch		2
	65	B(62)	Quarter window-front-cut to 22" long		2
	65	B(62)	Quarter window top-cut to 43 3/16" long		2
	65	B(54,71)	Front door-cut to 49 3/8" long & notch		2
	65	B(71)	Rear door-cut to 52 1/16" long & notch		2
	67	B(66) "Before 11/21/66"		C6DZ 6621550-A	2
	67	B(66) "From 11/21/66"	Refer to Group 21596		
		- X -			
	65	X(except 54,71)	60.39" long-NOTE 3-front door-cut to 58 1/4" long	C3AZ 6221550-A	2
	65	X(54,71)	Front door-cut to 49 3/16" long		2
	65	X(54)	Rear door-cut to 53 3/4" long		2
	65	X(71)	Rear door-cut to 53 1/4" long		2
	65	X(62)	Quarter window-upper-cut to 32 5/8" long		2
	65	X(59,62)	Quarter window-front-cut to 19 5/8" long		2
	66	X(66)		C6DZ 6621550-A	2
21572	**RETAINER - FRONT DOOR GLASS RUN - FRONT**				
	71/	A(54,71)	R.H.	D1AZ 5421572-A	1
			L.H.	D1AZ 5421572-B	1
	71/	L	R.H.	D1FZ 6221572-C	1
			L.H.	D1FZ 6221572-D	1
			1/4"-20 x 1 7/8" Screw	384345-S(UU59G)	2
	71/	P(54)	R.H.	D1DZ 5421572-A	1
			L.H.	D1DZ 5421572-B	1
	70/	P(62)	R.H.	D0DZ 6221572-A	1
			L.H.	D0DZ 6221572-B	1
	67/71	S		C7SZ 6521572-B	4or6
			1/4"-20 x 5/8" Flat head screw & washer assy.	354831-S7(BB115)	8or2
	70/	P(62)	No.8-18 x 1/2"-washer head screw	375453-S100(BB658C)	2
21596	**RUN - FRONT DOOR GLASS TOP**				
	65/68	A(54,71)	Approx. 87 1/2" long	C5AZ 5421596-A	2
	65/68	A(62)	Approx. 101" long	C5AZ 6221596-B	2
	69/70	A(54,71)		C9AZ 5421596-A	2
	71/	A(54,71)		D1AZ 5421596-A	2
	66/67	B(62)		C6OZ 6221596-B	2
	67	B(66)		C7OZ 6621596-A	2
	66/69	B(54,71)		C6OZ 5421596-A	2
	70/71	B(71)			2
	70/71	B(54)		D0OZ 5421596-A	2
	70	B(62)		D0OZ 6221596-A	2

NOTE 3 - Also refer to Group 222A00-1 for retainer assy.

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
21596	RUN - FRONT DOOR GLASS TOP - continued				
	71/	L		D1FZ 6221596-C	2
	71/72	L	R.H.	D1DZ 6221596-A	1
			L.H.	D1DZ 6221596-B	1
	70/	P(62)	R.H.	D1DZ 6221596-A	1
			L.H.	D1DZ 6221596-B	1
	71/	P(54)		D1DZ 5421596-A	2
	66/	U		C6TZ 9721596-A	2
	66/70	X(54,71)		C6OZ 5421596-A	2
	66/70	X(62)		C6OZ 6221596-B	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
21608-9	FRAME - FRONT DOOR VENT WINDOW - LESS HANDLE and GLASS					
		- A -				
	65/68	A(54,62,71)		C5AZ 6221608-B	C5AZ 6221609-B	1
	65/67	A(57,63,76)		C5AZ 6321608-B	C5AZ 6321609-B	1
	68	A(57,63,65,76)				1
	69/70	A(54,71)		C9AZ 5421608-A	C9AZ 5421609-A	1
	69	A(62)		C9AZ 6221608-A	C9AZ 6221609-A	1
	65/70	A	1/4"-20 x 7/8" Hex.hd.bolt	370519-S(BB125)	370519-S(BB125)	2
			1/4" Lockwasher (internal tooth)	34905-S7(X97)	34905-S7(X97)	2
		- B -				
	65	B(54,62,71)		C5OZ 6221608-A	C5OZ 6221609-A	1
	66	B(54,62,71)		C6OZ 6221608-B	C6OZ 6221609-B	1
	67	B(54,62,66,71)				1
	66/67	B(63,76)		C6OZ 6321608-B	C6OZ 6321609-B	1
			5/16"-18 x 1" Screw & washer assy.	★378694-S2	★378694-S2	4
	68/69	B(54,71)		C8OZ 5421608-A	C8OZ 5421609-A	1
	70/71	B(71)				
	70/71	B(54,62)		D0OZ 5421608-A	D0OZ 5421609-A	1
	70/71	B(57)		D0OZ 5721608-A	D0OZ 5721609-A	1
	65	B	Bolt-oval head - No. 8-32 x 13/64"	350085-S(BB598)	350085-S(BB598)	AR
	65	B	Nut-lock-5/16"-24	353618-S100(MM141)	353618-S100(MM141)	AR
	66/67	B	Screw-pan head- No. 10-24 x 1/2"	51765-S8(U370)	51765-S8(U370)	4
	66/71	B	Nut lock-5/16"-18	34392-S7(M93)	34392-S7(M93)	2
	66/71	B	Washer-flat-5/16"	375897-S(XX118A)	375897-S(XX118A)	2
	67/71	B	Screw-pan hd.- No. 8-18 x 3/16"	380530-S2(UU86F)	380530-S2(UU86F)	2
		- F -				
	65/66	F		C5ZZ 6521608-A	C5ZZ 6521609-A	1
	67	F		C7ZZ 6521608-B	C7ZZ 6521609-B	1
			5/16" Washer (flat)	375897-S(XX118A)	375897-S(XX118A)	4
			5/16"-18 Locknut	34392-S7-8(M93)	34392-S7-8(M93)	2
	68	F		C8ZZ 6521608-A	C8ZZ 6521609-A	1
		- S -				
	65/66	S		C4SZ 6321608-A	C4SZ 6321609-A	1
		- U -				
	66/67	U	Painted	C6TZ 9721608-A	C6TZ 9721609-A	1
	67	U	Chrome	C7TZ 9721608-A	★C7TZ 9721609-A Not replaced (7-73)	1
	68/	U	Painted	C8TZ 9721608-A	C8TZ 9721609-A	1
	68/	U	Rustless steel	C8TZ 9621608-A	C8TZ 9621609-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
21608-9	**FRAME - FRONT DOOR VENT WINDOW - LESS HANDLE and GLASS - continued**					
		- X -				
	65	X(except 63, 76)		C2DZ 6421608-C	C2DZ 6421609-C	1
	65	X(63, 76)		C3DZ 7621608-B	C3DZ 7621609-B	1
	66/67	X		C6OZ 6221608-B	C6OZ 6221609-B	1
	68/70	X		C8OZ 5421608-A	C8OZ 5421609-A	1
	66/70	X	Screw-pan head-No. 8-18 x 3/8"	52720-S8(U380)	52720-S8(U380)	2
	65	A, B, X	Stop	C2AZ 6222992-A	C2AZ 6222992-A	2
			5/16" Washer (flat)-acts as tensioner	375897-S(XX118A)	375897-S(XX118A)	4
			.26" I. D. x 3/4" O. D. - Washer (friction)	C2AZ 6222963-A	C2AZ 6222963-A	2
			5/16"-24 Hex. locknut	353618-S100(MM141)	353618-S100(MM141)	2
			Spring	B5A 7022926-A	B5A 7022926-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
21660	**RUN - FRONT DOOR VENT WINDOW DIVISION BAR GLASS**				
	69	A(62)		C9AZ 6221660-A	2
21758-9	**STOP - DOOR WINDOW - LOWER**				
	65/68	A	Front door	C5AZ 6221758-A	2
	65/68	A(54, 57, 71)	Rear door		2
	65/68	A(62)	Quarter		2
	66/68	A(76)	Quarter		2
	66/67	B(54, 71), X(54, 71)	Rear door		2
	66/67	B(62), X(62)	Quarter		2
	68/69	B(54, 71), X(54, 71)		C8OZ 5421758-A	2
	70/71	B(71)			2
			1/4"-20 x 1/2" Pan head screw & washer assy.	373460-S7(BB629)	4
	69/	F(63)	Use with bolt on channel	C9ZZ 6321758-A	2
	71/	A(71)	Tailgate		1
	72	A(65, 76)	Door		1
	72	B(53, 71)			1
	71	L "Before 10/5/70"		D1FZ 6221758-A	2
	71/	L "From 10/5/70"		D1FZ 6221758-C	2
	67/69	S		C7SZ 6521758-C	2
	69	A(62)			2
	70/71	S(57)			2
	65/	A, B, F, X	5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	AR
			5/16"-18 Hex. nut	33797-S7(M50)	AR
21760-1	**BRACKET - DOOR WINDOW STOP**				
		- A -			
	69/70	A(57, 63, 65, 76)		C9AZ 6321760-A	2
		- B -			
	68/69	B(63, 65, 66, 76)	R. H.	C8OZ 6321760-A	1
			L. H.	C8OZ 6321761-A	1
	70	B(63, 65, 66, 76)		C9AZ 6321760-A	2
	68/70	B	Bolt-hex. hd. -1/4"-20 x 3/4"	371492-S2(BB569)	1
	68/70	B	Screw-hex. hd. -1/4"-20 x 1/2"	381560-S2(BB863K)	2
	72	B(53, 71)	Front door-upper rear	D2OZ 5321760-A	1or2
	72	B(63)	Quarter-rear	D1ZZ 6521760-A	1or2
	72	B(53, 71)	Front door-upper front, lower	D2OZ 6521760-A	2or4
	72	B(53, 71)	Rear door		6
	72	B(63, 65, 97)	Front door		6
		- F -			
	69/	F		D1ZZ 6521760-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
21760-1	**BRACKET - DOOR WINDOW STOP - continued**				
		- S -			
	67/71	S	R.H.	C7SZ 6521760-B	1
			L.H.	C7SZ 6521761-B	1
			1/4"-20 x 1/2" Pan head screw & washer assy.	373460-S7(BB629)	4
			1/4"-20 x 3/4" Screw & washer assy.	★374371-S2	2
	72	S	Upper front, lower	D2OZ 6521760-A	4
	72	S	Upper rear	D2SZ 6521760-A	2
	65/66	S	Bolt-hex. head-No. 10-24 x 7/16"	350002-S(BB529)	2
	67/	S	Bolt-hex. head-1/4"-20 x 3/4"	371492-S2(BB569)	1
	68/	S	Screw-hex. head-1/4"-20 x 1/2"	381560-S2(BB863K)	2
		- U -			
	66/	U		C6TZ 9721760-A	4
			1/4"-20 x 1/2" Hex. head screw & washer assy.	42742-S7-8(U2A)	8
			1/4" Flat washer	44720-S8(X18)	2
		- X -			
	68/70	X(62)		C8DZ 6221760-A	2
21762	**BUMPER - DOOR WINDOW STOP**				
		- A -			
	65/69	A	1 3/4" wide	C5AZ 6221762-B	2or4
	70	A(57, 63, 65, 76)	R. H. -front door-upper rear	D0AZ 6321762-A	1
			L. H.	D0AZ 6321762-B	1
	70	A(57,63,65,76)- "Before 3/26/70"	Lower	D0AZ 6321762-C	2
	70	A(57,63,65,76)- "From 3/26/70"	Lower	D0VY 5321762-A	2
	71	A(53, 57, 65, 76)	Front or rear door		2 or 4
	71	A(54, 71)	Rear door		2
	71	A(54, 71)	Front door	C7SZ 6521762-A	2
	72	A(53, 57)	Front or rear door	C7SZ 6521762-A	4
	72	A(54, 71, 76)	Front door		2
	72	A(54, 71)	Rear door	D0VY 5321762-A	2
	72	A(65, 76)	R.H.	D0AZ 6321762-A	1
			L.H.	D0AZ 6321762-B	1
		- B -			
	66/67	B(54, 71)	Rear door-cut as required	C5AZ 6221762-B	4
	66/67	B(62)	Quarter-cut as required		1
	66/67	B	Front door -cut as required		2
	68	B(54, 71)			2
	70	B(62, 71)			2
	70/71	B(63, 65, 66)		C7ZZ 7621762-A	2
	70	B(76)		C5ZZ 6521762-B	2
	70	B(54, 71)	Front and rear	D0DZ 6221762-A	2or4
	71	B(54)			4
	71	B(57)	Rear		2
		- F -			
	65/67	F "Before 12/30/66"	1 5/8" x 1 3/8" x 1 1/4"	C5ZZ 6521762-B	2
	69/70	F(63, 65) "From 12/30/66"			2
	67/68	F(76) "From 12/30/66"		C7ZZ 7621762-A	2
	69/71	F(63)	1 13/16" x 1 3/8" x 1 1/4"	C7SZ 6521762-A	2
	69/70	F(65, 76)	With bonded design	C9ZZ 6521762-A	2
	70	F(65, 76)	With bolt-on design	D0ZZ 6521762-A	2
	71/	F		C7SZ 6521762-A	2
		- P -			
	70/	P	Rubber	D0DZ 6221762-A	2or4
		- S -			
	67/71	S		C7SZ 6521762-A	2or4
		- U -			
	66/	U		C6TZ 9721762-A	2
		- X -			
	66/67	X(54, 71)	Rear door-cut as required	C5AZ 6221762-B	2
	66/67	X(62)	Quarter-cut as required		1
	66/67	X	Front door-cut as required		2
	68/70	X	1 3/4" wide		1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
21764	**BRACKET - DOOR WINDOW STOP - UPPER**				
	65/67	A(57,63,76)		C5AZ 6321764-A	2to6
	68	A(57,63,65,76)			2to6
	66	B(63)			2
			5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	2to6
			5/16"-18 x 7/16" Hex. head self-locking bolt	350211-S(BB413)	2
	67/71	S		C7SZ 6521764-A	2
			1/4"-20 x 3/4" Hex. washer head screw	371492-S2(BB569)	2
21768-9	**STOP - DOOR WINDOW - UPPER**				
		- A -			
	65/67	A(57,63,76)	Front door	C5AZ 6321768-A	4
	68/70	A(57,63,65,76)	Front door		4
	65/68	A(63,76)	Quarter		2
	68	A(65)	Quarter		2
	65/68	A(57)	Rear door		2
	69/70	A(57)	R.H.	C9AZ 5721768-A	1
			L.H.	C9AZ 5721769-A	1
	69	A(63,65,76)	R.H. - use with square anchor base	C9AZ 6321768-A	1
			L.H.	C9AZ 6321769-A	1
	69/70	A(63,65,76)	R.H. -use with curved anchor base	C9AZ 6321768-B	1
			L.H.	C9AZ 6321769-B	1
	71	A(53,57,65,76)	Upper-front	D1AZ 6521768-B	2
	71	A(65,76)	R.H.	C9AZ 6321768-B	1
			L.H.	C9AZ 6321769-B	1
	71/	A(71)		D1ZZ 6521768-A	2 or 4
	72	A(57)	R.H.	C9AZ 5721768-A	1
			L.H.	C9AZ 5721769-A	1
	72	A(65,76)	R.H.-upper rear	C9AZ 6321768-B	1
			L.H.	C9AZ 6321769-B	1
	72	A(65,76)	Upper-front	D1AZ 6521768-B	4
	65/ 68	A(57,63,76) A(65)	5/16"-18 x 1/2" Hex. washer hd. screw & washer assy.	376976-S7-8(BB574M)	AR
	69/	A	Screw & washer-1/4"-20 x 3/4" hex. head	382682-S101(BB390XF)	AR
		- B -			
	66/67	B(63,76)	Quarter	C5AZ 6321768-A	2or4
	68/69	B(63,65,66,76)	R.H.	C8OZ 6321768-A	1
			L.H.	C8OZ 6321769-A	1
	70/71	B(57)	Upper front	D0OZ 5721768-A	4
	70/71	B(63,65,66,76)	R.H.-upper rear	D0OZ 6521768-A	1
			L.H.-upper rear	D0OZ 6521769-A	1
	71	B(63,65,66,76)- "Before 1/4/71"	Upper-front	D1AZ 6521768-A	2
	71	B(63,65,66,76)- "From 1/4/71"	Upper-front	D1AZ 6521768-B	2
	72	B	Front-rear door	D1ZZ 6521768-A	2or4
	65	B	Screw-flat head-No. 12-24 x 7/16"	353908-S7(BB113)	AR
	68/	B	Bolt-hex. head-1/4"-20 x 3/4"	371492-S2(BB569)	2
	66/67	B(63,76)	Screw & washer assy.-hex.washer hd.-5/16"-18 x 1/2"	376976-S7-8(BB574M)	1
		- F -			
	65/68	F		C5ZZ 6521768-A	2
			5/16"-18 x 3/4" Hex. head screw & washer assy.	359662-S7-8(BB575A)	4
	71/	F		D1ZZ 6521768-A	4
		- S -			
	65/66	S	Upper	C4SZ 6321768-B	2
			No. 10-24 x 7/16" Hex. head bolt	350002-S(BB529)	8
	71	S		D1SZ 6521768-A	2
	72	S		D1ZZ 6521768-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
21770-1	**STOP - FRONT DOOR WINDOW UPPER**				
	69/71	A(except 54,71)		C8OZ 6321770-A	2
	68/71	B(63,65,66,76)	R.H.	C8OZ 6321770-A	1
			L.H.	C8OZ 6321771-A	1
	69/70	F		C8OZ 6321770-A	2
	67/70	S	R.H.	C7SZ 6521770-A	1
			L.H.	C7SZ 6521771-A	1
			1/4"-20 x 3/4" Hex.washer head screw	371492-S2(BB569)	2
21772	**BRACKET - DOOR WINDOW STOP UPPER REAR**				
	67/68	F	Front door	C7ZZ 6521772-A	2
			1/4"-20 x 1/2" Pan head screw & washer assy.	373460-S7(BB629)	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
21774-5	**BUMPER - FRONT DOOR VENT WINDOW UPPER**					
	65/66	S		C6SZ 6321774-A	C6SZ 6321774-A	2
	65	X(63,76)		★C4DZ 7621774-A Not replaced (7-73)	C4DZ 7621775-A	1
21790	**BRACKET - FRONT DOOR WINDOW LOWER STOP**					
	71/	F		D1ZZ 6521790-A	D1ZZ 6521790-A	2
	72	B				1
21801	**BUSHING - FRONT DOOR PAWL - INCLUDES WASHERS**					
	65	B		C4SZ 6321801-A	C4SZ 6321801-A	2
	65/66	F				2
21812-3	**LATCH ASSY. - FRONT DOOR - INCLUDES ATTACHING PARTS**					
		- A -				
	65/66	A		C5AZ 6221812-C	C5AZ 6221813-C	1
	67	A		C7AZ 6221812-A	C7AZ 6221813-A	1
	68	A		C8AZ 6221812-A	C8AZ 6221813-A	1
	69/70	A		C9AZ 6221812-A	C9AZ 6221813-A	1
	71/72	A "Before 5/3/71"		D1AZ 6521812-A	★D1AZ 6521813-A r/b D3OZ 6521813-A (3/75)	1
	71/72	A-"From 5/3/71 to 4/24/72"		★D1AZ 6521812-B r/b D3OZ 6521812-A (3/75)	★D1AZ 6521813-B r/b D3OZ 6521813-A (7-73)	1
	72	A "From 4/24/72"		★D3AZ 6521812-A r/b D3OZ 6521812-A (3/75)	★D3AZ 6521813-A r/b D3OZ 6521813-A (3/75)	1
		- B -				
	65	B		C4SZ 6321812-C	C4SZ 6321813-C	1
	66	B		C6OZ 6221812-A	C6OZ 6221813-A	1
	67	B	Without door warning light	C7OZ 6221812-A	C7OZ 6221813-A	1
	68	B	Without vacuum door latch or door ajar system	★C8OZ 5421812-A r/b C9AZ 6221812-A (11-73)	C8OZ 5421813-A	1
	68	B	With vacuum door latch or door ajar system	★C8OZ 5421812-B r/b C9AZ 6221812-A and C9WY 14018-A(10-72)	★C8OZ 5421813-B r/b C9AZ 6221813-A and C9WY 14018-B(10-72)	1
	69/70	B		C9AZ 6221812-A	C9AZ 6221813-A	1
	71/72	B "Before 5/3/71"		D1AZ 6521812-A	★D1AZ 6521813-A r/b D3OZ 6531813-A (3/75)	1
	72	B-"From 5/3/71 to 4/24/72"		★D1AZ 6521812-B r/b D3OZ 6521812-A (3/75)	★D1AZ 6521813-B r/b D3OZ 6521813-A (7-73)	1
	72	B "From 4/24/72"		★D3AZ 6521812-A r/b D3OZ 6521812-A (3/75)	★D3AZ 6521813-A r/b D3OZ 6521813-A (3/75)	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
21812-3	**LATCH ASSY. - FRONT DOOR - INCLUDES ATTACHING PARTS - continued**					
		- F -				
	65/66	F		C4SZ 6321812-C	C4SZ 6321813-C	1
	67	F	Without door warning lights	C7OZ 6221812-A	C7OZ 6221813-A	1
	67	F	With door warning light	C7ZZ 6521812-A	C7ZZ 6521813-A	1
	68	F	Without vacuum door latch or door ajar system	★C8OZ 5421812-A r/b C9AZ 6221812-A (11-73)	C8OZ 5421813-A	1
	68	F	With vacuum door latch or door ajar system	★C8OZ 5421812-B r/b C9AZ 6221812-A and C9WY 14018-A(10-72)	★C8OZ 5421813-B r/b C9AZ 6221813-A and C9WY 14018-B(10-72)	1
	69/70	F		C9AZ 6221812-A	C9AZ 6221813-A	1
	71	F "Before 5/3/71"		D1AZ 6521812-A	★D1AZ 6521813-A r/b D3OZ 6521813-A (3/75)	1
	71/72	F-"From 5/3/71 to 4/24/72"		★D1AZ 6521812-B r/b D3OZ 6521812-A (3/75)	★D1AZ 6521813-B r/b D3OZ 6521813-A (7-73)	1
	72	F "From 4/24/72"		★D3AZ 6521812-A r/b D3OZ 6521812-A (3/75)	★D3AZ 6521813-A r/b D3OZ 6521813-A (3/75)	1
	65/	F	Screw & washer-No. 12-24 x 1/2" flat head	356782-S8(BB114)	356782-S8(BB114)	AR
		- L -				
	71	L "Before 5/3/71"		D1AZ 6521812-A	★D1AZ 6521813-A r/b D3OZ 6521813-A (3/75)	1
	71/72	L-"From 5/3/71 to 4/24/72"		★D1AZ 6521812-B r/b D3OZ 6521812-A (3/75)	★D1AZ 6521813-B r/b D3OZ 6521813-A (7-73)	1
	72	L "From 4/24/72"		★D3AZ 6521812-A r/b D3OZ 6521812-A (3/75)	★D3AZ 6521813-A r/b D3OZ 6521813-A (3/75)	1
		- P -				
	70/	P		C9AZ 6221812-A	C9AZ 6221813-A	1
	70/	P	Screw & washer-No. 12-24 x 1/2" flat head	356782-S8(BB114)	356782-S8(BB114)	6
		- S -				
	65/66	S		C5AZ 6221812-C	C5AZ 6221813-C	1
	67	S		C7AZ 6221812-A	C7AZ 6221813-A	1
	68/71	S		C8SZ 6521812-A	C8SZ 6521813-A	1
	72	S "Before 4/24/72"		★D1AZ 6521812-A r/b D3OZ 6521812-A (3/75)	D1AZ 6521813-A r/b D3OZ 6521813-A (7-73)	1
	72	S "From 4/24/72"		★D3AZ 6521812-A r/b D3OZ 6521812-A (3/75)	★D3AZ 6521813-A r/b D3OZ 6521813-A (3/75)	1
		- U -				
	66/67	U		C3OZ 6221812-F	C3OZ 6221813-F	1
	68/	U		C8TZ 9721812-A	C8TZ 9721813-A	1
		- X -				
	65	X		C3OZ 6221812-F	C3OZ 6221813-F	1
	66	X		C6OZ 6221812-A	C6OZ 6221813-A	1
	67	X		C7OZ 6221812-A	C7OZ 6221813-A	1
	68	X		★C8OZ 5421812-A r/b C9AZ 6221812-A (11-73)	C8OZ 5421813-A	1
	69/70	X		C9AZ 6221812-A	C9AZ 6221813-A	1
	65	X	Nut-sleeve-7/32"	377647-S(MM216J	377647-S(MM216J)	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
21816	**ADJUSTER - DOOR LATCH ACTUATING ROD**				
	65/	A, S	Front door or tail gate	C5AZ 6221816-A	2 or 3
	66/	B,X	Front door or tail gate		2 or 3
	67/	F,L,P,U	Front door		2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
21818-9		CONTROL and LINK ASSY. - DOOR LATCH REMOTE				
		- A -				
	65/66	A	Front door	C5AZ 6221818-B	C5AZ 6221819-B	1
	65/66	A(54,57,71)	Rear door			1
			5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	376976-S7-8(BB574M)	6or12
	67	A	Front door-Includes handle screw	C6OZ 6221818-B	C6OZ 6221819-B	1
	66/67	A(54,57,71)	Rear door-Includes handle screw	C5AZ 6221818-B	C5AZ 6221819-B	1
	68	A		C8AZ 6221818-B	C8AZ 6221819-B	1
	69	A	Includes attaching parts	C9AZ 6221818-A	C9AZ 6221819-A	1or2
	70	A	Includes attaching parts	D0DZ 6221818-C	D0DZ 6221819-C	1or2
	71	A "Before 6/1/71"	Front or rear	D1AZ 6521818-B	D1AZ 6521819-B	1or2
	71/72	A "From 6/1/71 to 9/15/71"	Front or rear	★D2OZ 6521818-A r/b D2AZ 6521818-A (11-73)	★D2OZ 6521819-A r/b D2AZ 6521819-A (11-73)	1or2
	72	A "From 9/15/71"	Front or rear	D2AZ 6521818-A	D2AZ 6521819-A	1or2
		- B -				
	65	B	Refer to Group 26404-5			
	66/67	B	Front door-Includes handle screw	C6OZ 6221818-B	C6OZ 6221819-B	1
	66/67	B(54,71)	Rear door			1
	68	B "Before 9/25/67"		C8AZ 6221818-B	C8AZ 6221819-A	1
	68/69	B "From 9/25/67"		C8AZ 6221818-B	C8AZ 6221819-B	1
	70/71	B	Front or rear	D0DZ 6221818-C	D0DZ 6221819-C	1or2
	72	B "Before 9/15/71"	Front or rear	★D2OZ 6521818-A r/b D2AZ 6521818-A (11-73)	★D2OZ 6521819-A r/b D2AZ 6521819-A (11-73)	1or2
	72	B "From 9/15/71"	Front or rear	D2AZ 6521818-A	D2AZ 6521819-A	1or2
	65	B	Retainer	357550-S(QQ1)	357550-S(QQ1)	2
	65	B	Screw-hex.head-5/16"-24 x 5/8"	359605-S8(BB590)	359605-S8(BB590)	4
		- F -				
	65	F "Before 3/8/65"	Refer to Group 26404-5			
	65/66	F(63A,65A,C,76A,76C)-"From 3/8/65"		C5ZZ 6521818-C	C5ZZ 6521819-C	1
	65/66	F(63B,65B,76B)		★C5ZZ 6521818-B Not replaced (3-74)	C5ZZ 6521819-B	1
	67/68	F	Front door-Includes handle screw	C6OZ 6221818-B	C6OZ 6221819-B	1
	69/70	F	Includes attaching parts	C9AZ 6221818-A	C9AZ 6221819-A	1or2
	71	F-w/o molded armrest-"Before 6/1/71"		D1AZ 6521818-B	D1AZ 6521819-B	1
	71	F-w/molded armrest-"Before 6/1/71"		D1ZZ 6521818-B	D1ZZ 6521819-B	1
	71/72	F-w/o molded armrest-"From 6/1/71 to 9/15/71"		★D2OZ 6521818-A r/b D2AZ 6521818-A (11-73)	★D2OZ 6521819-A r/b D2AZ 6521819-A (11-73)	1
	71/72	F-w/molded armrest-"From 6/1/71 to 9/15/71"		D2ZZ 6521818-A	★D2ZZ 6521819-A r/b D2ZZ 6521819-B (3/75)	1
	72	F-w/o molded armrest -"From 9/15/71"		D2AZ 6521818-A	D2AZ 6521819-A	1
	72	F-w/molded armrest -"From 9/15/71"		D2ZZ 6521818-B	D2ZZ 6521819-B	1
	67/	F	Screw-oval head-No.8-32 x 5/8"	381571-S13(UU56BA)	381571-S13(UU56BA)	2
		- L -				
	71/72	L "Before 4/3/72"		D1FZ 6221818-A	D1FZ 6221819-A	1
	72	L "From 4/3/72"	Includes attaching parts	D2FZ 6221818-B	D2FZ 6221819-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
21818-9	**CONTROL and LINK ASSY. - DOOR LATCH REMOTE - continued**					
		- P -				
	70	P "Before 6/2/69"	Includes attaching parts	D0DZ 6221818-B	D0DZ 6221819-A	1
	70	P "From 6/2/69"	Includes attaching parts	D0DZ 6221818-B	D0DZ 6221819-B	1
	71/	P-exc. LTD		D0DZ 6221818-C	D0DZ 6221819-C	1 or 2
	72	P(54A, 62A)-LTD		D2FZ 6221818-A	D2FZ 6221819-A	1 or 2
	70	P	Screw to washer-1/4"x 20 x 5/8" Hex. head	57472-S40 (B339V)	57472-S40 (B339V)	4
		- S -				
	65/66	S		★C5SZ 6321818-A Not replaced (7-73)	C5SZ 6321819-A	1
			5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	376976-S7-8(BB574M)	6
			Screw-oval head-No. 10-24 x 7/16"	378446-S13(BB600P)	378446-S13(BB600P)	2
	67	S		C7SZ 6521818-A	★C7SZ 6521819-A Not replaced (3-74)	1or2
			Screw & washer assy.-pan head-1/4"-20 x 1/2"	373460-S7(BB629)	373460-S7(BB629)	6or12
	67	S	Screw-self-tapping-5/16"-18 x 3/4"	378428-S7(UU48E)	378428-S7(UU48E)	6
	68	S "Before 9/25/67"		C8AZ 6221818-B	C8AZ 6221819-A	1
	68/71	S "From 9/25/67"		C8AZ 6221818-B	C8AZ 6221819-B	1
	72	S "Before 9/15/71"		★D2OZ 6521818-A r/b D2AZ 6521818-A (11-73)	★D2OZ 6521819-A r/b D2AZ 6521819-A (11-73)	1
	72	S "From 9/15/71"		D2AZ 6521818-A	D2AZ 6521819-A	1
	67/	S	Nut-hex.-No. 8-32	34052-S7(MM155)	34052-S7(MM155)	2
		- U -				
	66	U		C1UZ 8921818-C	C1UZ 8921819-C	1
	67	U	Includes handle screw	C5ZZ 6521818-C	C5ZZ 6521819-C	1
	68	U "Before Ser. B96,001"		C8AZ 6221818-B	C8AZ 6221819-A	1
	68/	U "From Ser. B96,001"		C8AZ 6221818-B	C8AZ 6221819-B	1
		- X -				
	66/67	X	Front door-Includes handle screw	C6OZ 6221818-B	C6OZ 6221819-B	1
	66/67	X(54, 71)	Rear door			1
	68	X "Before 9/25/67"		C8AZ 6221818-B	C8AZ 6221819-A	1
	68/70	X "From 9/25/67"		C8AZ 6221818-B	C8AZ 6221819-B	1
	65/67	X	No. 12-24 x 1/2" Cross recess pan head screw & washer assy.	50811-S8(U150A)	50811-S8(U150A)	6
	65/67	F "From 3/8/65"				6
	66	B				
	67	A				6

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
21842	**SEAL - DOOR VACUUM LATCH ACTUATOR SHAFT**				
	69	A		C9AZ 6221842-A	2or4
	68	S			2or4
	71	B, S			2 or 4
21842A3	**ACTUATOR - FRONT DOOR VACUUM LATCH**				
	68	A(54, 57, 71)	R.H.	★C8AZ 54218A42-A Not replaced (3/75)	1
			L.H.	C8AZ 54218A43-A	1
	69	A(54, 57, 71)	R.H.	C9AZ 54218A42-A	1
			L.H.	C9AZ 54218A43-A	1
	69	A(62, 63, 65, 76)	R.H.	C9AZ 62218A42-A	1
			L.H.	C9AZ 62218A43-A	1
	70	A(54, 57, 71)	R.H.	D0AZ 54218A42-B	1
			L.H.	D0AZ 54218A43-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
218A42-3	**ACTUATOR - FRONT DOOR VACUUM LATCH - continued**				
	70	A(63,65,76) "Before 11/3/69"	R.H.	D0AZ 62218A42-A	1
			L.H.	D0AZ 62218A43-A	1
	70	A(63,65,76) "From 11/3/69"	R.H.	D0AZ 62218A42-B	1
			L.H.	D0AZ 62218A43-B	1
	71/	A(53,54,57,71)	R.H.	D1AZ 54218A42-A	1
			L.H.	D1AZ 54218A43-A	1
	71/	A(65,76)	R.H.	D1AZ 65218A42-A	1
			L.H.	D1AZ 65218A43-A	1
	67/	A	Screw-pan head-No. 12-24 x 8 1/2"	50811-S8(U150A)	2
	72	B(63,65,97)	R.H.	D3OZ 65218A42-A	1
			L.H.	D3OZ 65218A43-A	1
	72	B(53,71)	R.H.	D3OZ 53218A42-A	1
			L.H.	D3OZ 53218A43-A	1
	67	S(57)	R.H. - Includes attaching parts & I.S.	C7SZ 57218A42-D	1
			L.H.	C7SZ 57218A43-D	1
	67	S(65)	R.H. - Includes attaching parts & I.S.	C7SZ 65218A42-C	1
			L.H.	C7SZ 65218A43-C	1
	67	S	Clip assy.	C7SZ 6521952-A	2
	68/71	S(57)	R.H.	C8SZ 57218A42-A	1
			L.H.	C8SZ 57218A43-A	1
	68/71	S(65)	R.H.	C8SZ 65218A42-A	1
			L.H.	C8SZ 65218A43-A	1
	72	S	R.H.-Includes motor	D2SZ 65218A42-A	1
			L.H.	D2SZ 65218A43-A	1
	67	S	1/4"-20 x 1/2" Pan head screw & washer assy.	373460-S7(BB629)	4
	67/	S	Screw-pan head-No. 12-24 x 1/2"	50811-S8(U150A)	AR
21850	**KNOB - DOOR LATCH CONTROL ROD**				
	65/67	A,S	Chrome	C5AZ 6221850-A	2or4
	66/67	B,X			2or4
	67	F			2
	68/70	A,		C8AZ 6221850-A	2or4
	68/	F,L,P,U			2
	68/71	B,S			2or4
	72	B,S	W/o vacuum latch		1or2
	71/	A	Front and rear-w/o vacuum latch		2 or 4
	71/	A	Rear-w/vacuum latch		2
	71	A "Before 3/22/71"	Front-w/vacuum latch	D1AZ 6521850-A	2
	71	A "From 3/22/71"	Front-w/vacuum latch	D1AZ 6521850-C	2
	72	A,B,S	Front-w/vacuum latch	D2AZ 6521850-A	1
	65	B.F.X	Chrome	C5DZ 6221850-A	2or4
	66	F,U			2
	67	U			2
	65	F	Black	C3AZ 6221850-A	2
			Blue	C4AZ 6221850-AFK	2
21850	**LATCH KIT - REAR DOOR SAFETY**				
	65/	A,B,P,S,X		C6AZ 5421850-B	1
21852-3	**ROD - FRONT DOOR LATCH PUSH BUTTON**				
		- A -			
	65/67	A(54,71)	R.H.	C5AZ 5421852-B	1
			L.H. - not replaced (3-74)	★C5AZ 5421853-B	1
	65/68	A(54,71)	R.H.	C5AZ 5421852-B	1
			L.H. - not replaced (3-74)	★C5AZ 5421853-B	1
	68	A(62,63,65,76)	R.H.	C5AZ 6221852-B	1
			L.H.	C5AZ 6221853-B	1
	69/70	A(54,57,71)	R.H.	C9AZ 5421852-A	1
			L.H.	C9AZ 5421853-A	1
	69/70	A(62,63,65,76)	R.H.	C9AZ 6221852-A	1
			L.H.	C9AZ 6221853-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
21852-3	ROD - FRONT DOOR LATCH PUSH BUTTON - continued				
		- A -			
	71/	A(53,57)	R.H.	D1AZ 5721852-A	1
			L.H.	D1AZ 5721853-A	1
	71/	A(54,71)	R.H.	D1AZ 5421852-A	1
			L.H.	D1AZ 5421853-A	1
	71/	A(65,76)	R.H.	D1AZ 6521852-B	1
			L.H.	D1AZ 6521853-B	1
		- B -			
	68/69	B(54,71)	R.H.	C8OZ 5421852-A	1
			L.H.	C8OZ 5421853-A	1
	68/69	B(63,65,66,76)	R.H.	C8OZ 6321852-A	1
			L.H.	C8OZ 6321853-A	1
	70/71	B(54,57,71)	R.H.	D0OZ 5421852-A	1
			L.H.	D0OZ 5421853-A	1
	70/71	B(62,63,65,66,76)	R.H.	D0OZ 6521852-A	1
			L.H.	D0OZ 6521853-A	1
	72	B(53,71)	R.H.	D2OZ 5321852-A	1
			L.H.	D2OZ 5321853-A	1
	72	B(63,65,97)	R.H. -w/o vacuum door latch	D2OZ 6521852-A	1
			L.H.	D2OZ 6521853-A	1
	72	B(63,65,97)	R.H. -w/vacuum door latch	D2OZ 6521852-B	1
			L.H.	D2OZ 6521853-B	1
	65	B	Nut-sleeve-7/32"	377647-S(MM216J)	1
		- F -			
	65/66	F	R.H. -Includes attaching parts	C5ZZ 6521852-A	1
			L.H.	C5ZZ 6521853-A	1
	67	F	R.H.	C7ZZ 6521852-A	1
			L.H.	C7ZZ 6521853-A	1
	68	F	R.H.	C8ZZ 6521852-A	1
			L.H.	C8ZZ 6521853-A	1
	69/70	F	R.H.	C9ZZ 6521852-A	1
			L.H.	C9ZZ 6521853-A	1
	71/	F	R.H.	D1ZZ 6521852-A	1
			L.H.	D1ZZ 6521853-A	1
		- L -			
	71/	L(62)	R.H.	D1FZ 6221852-A	1
			L.H.	D1FZ 6221853-A	1
		- P -			
	70/	P(62)	R.H.	D0DZ 6221852-A	1
			L.H.	D0DZ 6221853-A	1
	71/	P(54)	R.H.	D1DZ 5421852-A	1
			L.H.	D1DZ 5421853-A	1
		- S -			
	68/71	S(57)	R.H.	C8SZ 5721852-A	1
			L.H.	C8SZ 5721853-A	1
	69/71	S(65)		C8LY 6521852-A	2
	72	S		D2SZ 6521852-A	2
		- U -			
	66/67	U	R.H.	C6TZ 9721852-A	1
			L.H.	C6TZ 9721853-A	1
	68/	U	R.H.	C8TZ 9721852-A	1
			L.H.	C8TZ 9721853-A	1
		- X -			
	67	X	R.H.	C7OZ 6221852-A	1
			L.H.	C7OZ 6221853-A	1
	68/70	X	R.H.	C8DZ 6221852-A	1
			L.H.	C8DZ 6221853-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
21872-3	**SPRING - DOOR LATCH TOGGLE**				
	67	A,B,F,S,U,X	R.H.	C7AZ 6221872-B	1or2
	68	A			1or2
	68/70	S			1or2
			L.H.	C7AZ 6221873-B	1or2
	68/70	B,F,U "Before 11/17/69"	R.H.	C8OZ 6221872-A	1or2
	68/70	X			1or2
	69/70	A "Before 11/17/69"			1or2
	70	P "Before 11/17/69"	R.H.		1
			L.H.	C8OZ 6221873-A	1or2
	70	A.B.F.P.U- "From 11/17/69"	R.H.	D0AZ 6221872-A	1or2
	71	B,P,U			1or2
	72	P,U			1or2
			L.H.	D0AZ 6221873-A	1or2
	71	A,F,L,S	R.H.	C7AZ 6221872-B	1 or 2
	72	A,B,F,L,S			1or2
			L.H.	C7AZ 6221873-B	1 or 2
218A82	**BEZEL - VACUUM DOOR LATCH CONTROL SWITCH**				
	65/66	S		C4SZ 63218A82-A	2
	67	S	With speed control-Includes attaching parts	C7SZ 65218A82-C	1
			With vacuum door latch		1
21900	**BELLCRANK - FRONT DOOR LATCH CONTROL**				
	72	B(63,65,97)	W/o vacuum door latch	D2OZ 6521900-A	2
	72	B(63,65,97)	W/vacuum door latch	D2OZ 6521900-B	2
	72	S		D2SZ 6521900-A	2
219A00	**VALVE - VACUUM DOOR LATCH CONTROL**				
	67	A	Mounted on transmission	C5MY 54219A00-B	1
	67	A 'Before 5/1/67"	Mounted on dash	C7MY 54219A00-A	1
	67/68	A 'From 5/1/67"	Mounted on dash	C7AZ 62219A00-B	1
	69/70	A		C9AZ 62219A00-A	1
	71	A	Refer to Group 220A00		
	65/66	S		C4SZ 63219A00-A	1
	67	S	Mounted on transmission	C7SZ 65219A00-C	1
	70/	S	Refer to Group 220A00		
	67	S 'Before 2/13/67"	With rolling door latch-mounted on dash	C7SZ 65219A00-D	1
	67/69	S "From 2/13/67"	Without rolling door latch-mounted on dash	C7SZ 65219A00-F	1
	67/	A	Fitting	378830-S(II-106H)	AR
	65/66	S	Screw-hex. head-No. 10-16 x 3/8"	42120-S8(U248)	2
	65/66	S	Screw-hex. washer head-No. 14-14 x 1/2"	31497-S8(U254)	1
	67	S	Bushing	380614-S(DD3)	AR
219A02	**RESERVOIR - VACUUM DOOR LATCH CONTROL**				
	65/67	A		C5AZ 62219A02-B	1
	68	A		C8AZ 62219A02-B	1
	69/70	A		C9AZ 62219A02-A	1
	71	A	Includes bracket	D1AZ 65219A02-A	1
	72	A		D2VY 65219A02-A	1
	65/66	S		C4SZ 63219A02-A	1
			No. 10-12 x 3/4" Hex. washer head screw	42141-S8(U250)	2
			No. 10-12 Nut (spring)	45145-S(M130)	2
	67/	S	Also refer to Group numbers 3E547 and 13A185 in Chassis section		
	68/69	S		C8SZ 65219A02-A	1
	70	S	Includes bracket	D0SZ 65219A02-A	1
	71	S	Includes bracket	D1SZ 65219A02-A	1
	67	A	Nut-No. 10-24	34053-S8(M156)	AR
	67	A	Washer-lock-No. 10	34903-S8(X96)	AR
	67	A	Screw-hex. head-1/4"-20 x 1/2"	40927-S8(U262)	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
21910	**SPRING - DOOR LATCH REMOTE CONTROL**				
	65	F "Before 3/8/65"		C0DZ 6421910-A	2or4
	66	U			2
	65/66	B, X		C5DZ 6221910-A	2or4
	65/68	F "From 3/8/65"			2
	67	A			2
21927	**HOSE - VACUUM DOOR LATCH** - Refer to Chassis Section 17543				
21932	**BUSHING - FRONT DOOR LATCH BELLCRANK**				
	72	B(63, 65, 97), S		D2OZ 6521932-A	4
21937	**DAMPENER - DOOR LATCH SPRING VIBRATION**				
	67/68	A		C7AZ 62219A37-A	2or4
	67/71	S			2or4
21938-9	**INSULATION - FRONT DOOR LATCH ACTUATOR**				
	72	S	R.H.	D2SZ 6521938-A	1
			L.H.	D2SZ 6521939-A	1
21940-1	**LINK - FRONT DOOR LATCH REMOTE CONTROL**				
		- A -			
	69	A(54, 57, 71)	R.H.	C9AZ 5421940-B	1
			L.H.	C9AZ 5421941-B	1
	69	A(62, 63, 65, 76)		C9AZ 6221940-B	2
	70	A(54, 57, 71)	R.H.	D0AZ 5421940-A	1
			L.H.	D0AZ 5421941-A	1
	70	A(63, 65, 76)	R.H.	D0AZ 6221940-A	1
			L.H.	D0AZ 6221941-A	1
	71/	A(53, 54, 57, 71)	R.H.	D1AZ 5421940-A	1
			L.H.	D1AZ 5421941-A	1
	71	A(65, 76)	R.H.	D1AZ 6521940-A	1
			L.H.	D1AZ 6521941-A	1
	72	A(65, 76)	R.H.	D2AZ 6521940-A	1
			L.H.	D2AZ 6521941-A	1
		- B -			
	68/69	B(54, 71)		C8OZ 5421940-A	2
	68/69	B(63, 65, 66, 76)		C8OZ 6321940-A	2
	70/71	B(54, 57, 71)	R.H.	D0OZ 5421940-A	1
			L.H.	D0OZ 5421941-A	1
	70/71	B(62, 63, 65, 66, 76)	R.H.	D0OZ 6521940-A	1
			L.H.	D0OZ 6521941-A	1
	70/71	B	Screw & washer-hex. head-No. 8-32 x 1/2"	57075-S2(B330A)	2
	72	B(53, 71)	R.H.	D2OZ 5321940-A	1
			L.H.	D2OZ 5321941-A	1
	72	B(63, 65, 97)	R.H.	D2OZ 6521940-A	1
			L.H.	D2OZ 6521941-A	1
	65/66	B	Screw-pan head-No. 12-24 x 1/2"	31061-S8(U50)	2
		- F -			
	69/70	F		C9ZZ 6521940-B	2
	71/	F	R.H.	D1ZZ 6521940-A	1
			L.H.	D1ZZ 6521941-A	1
	65/66	F	Clip	380512-S2(GG244)	AR
	65/66	F	Screw-self-tapping pan head-No. 8-15 x 1/2"	52726-S13(U381)	AR
	67/	F	Screw-pan head-No. 12-24 x 1/2"	31061-S8(U50)	2
		- L -			
	71/	L(62, 64)		D1FZ 6221940-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
21940-1	**LINK - FRONT DOOR LATCH REMOTE CONTROL - continued**				
		- P -			
	70	P(62)	R.H.	D0DZ 6221940-B	1
			L.H.	D0DZ 6221941-B	1
			Clip-No. 8-32	380165-S2(GG286)	2
	71/	P(54)-exc. LTD	R.H.	D1DZ 5421940-A	1
			L.H.	D1DZ 5421941-A	1
	72	P(54)-LTD	R.H.	D2DZ 5421940-A	1
			L.H.	D2DZ 5421941-A	1
	71/	P(62)-exc. LTD	R.H.	D1DZ 6221940-A	1
			L.H.	D1DZ 6221941-A	1
	72	P(62A)-LTD	R.H.	D2DZ 6221940-A	1
			L.H.	D2DZ 6221941-A	1
		- S -			
	68/71	S(57)		C8SZ 5721940-B	2
	68/71	S(65)		C8SZ 6521940-A	2
	72	S "Before 3/1/72"	R.H.	D2SZ 6521940-A	1
		"Before 3/1/72"	L.H.	D2SZ 6521941-A	1
	72	S "From 3/1/72"	R.H.	D2SZ 6521940-B	1
		"From 3/1/72"	L.H.	D2SZ 6521941-B	1
		- U -			
	66/67	U	R.H.	C6TZ 9721940-A	1
			L.H.	C6TZ 9721941-A	1
	68/	U		C8TZ 9721940-A	2
		- X -			
	66	X(62,66)		C6OZ 6221940-A	2
	67	X(62)		C7OZ 6221940-A	2
	68/70	X(54,71)		C8DZ 5421940-A	2
	68/70	X(62)		C8DZ 6221940-A	2
	65	A,S	Clip or retainer	C5AZ 6221952-A	AR
	66	B,X			AR
	66/	B,F,P,X	Clip	380165-S2(GG286)	2
21952-4	**RETAINER - DOOR LATCH ROD**				
	65/	A,B,F,L,P,S,U,X	Black	C5AZ 6221954-A	AR
	65/	A,B,F,L,P,U,X	White-less washer	C5AZ 6221952-A	AR
	65/67	S "Before 3/27/67"			2 or 4
	72	A	Hood		1
	65	B,X		C3AZ 6221952-A	12
	65/66	F			12
	66/	U(98)	Liftgate		3
	66/	U	Door		12
	72	B(63,65,97)	W/vacuum door latch	D2OZ 6521952-A	2
	71/	F	White-includes washer	D1ZZ 6521952-A	2
	67	S "From 3/27/67"		C7SZ 6521952-A	2 or 4
	65	X(except 63)	Front door	B9AB 6421952-A	2or4
	65/66	X(except 63,76)	Front door	C0AB 6421954-A	2
219A59	**SEAL - DOOR LATCH REMOTE CONTROL**				
	68/69	B,S,U,X		C8AZ 62219A59-B	2or4
	68	F			2
	70/71	S			2or4
	70/	U			2
	69	A,F	R.H.	C9AZ 62219A59-B	2or4
	70	F			2
			L.H.	C9AZ 62219A59-C	2or4
	68/	F	Screw-flat head external tooth-No. 12-24 x 1/2"	356782-S8(BB114)	AR
	72	A,B,F,P	Improvise	★	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
219A61	**HOUSING - VACUUM DOOR LATCH CONTROL**				
	69	A	Located on instrument cluster pad	C9AZ 62219A61-A	1
	70	A		D0AZ 62219A61-A	1
	68/69	S		C8SZ 65219A61-A	2or4
21970	**LEVER - FRONT DOOR LATCH OPERATING**				
	65	B,F,X		C2OZ 6221970-A	2
	66	F,U			2
	65/71	A,S	Includes retaining ring	D2AZ 6521970-A	2
	66/71	B,L,P,X			2
	67/71	F,U			2
	72	A,B,F,L,P,S,U	Includes retaining ring	D2AZ 6521970-A	2
	65/71	A,B,F,L,P,S,U,X	1/4" Ring (retaining)	97497-S2 (Q5)	2
	72	A, B, F, L, P, S, U	1/4" Ring (retaining)	97409-S(Q5A)	3
21984-5	**LOCK CYLINDER and KEYS - FRONT DOOR**-Refer to Group 22050				
219A84	**LINK - FRONT DOOR LATCH CONTROL ROD LEVER**				
	69/71	S(65)		C8LY 65219A84-A	2
219A92	**RETAINER - VACUUM DOOR LATCH CONTROL**				
	69/70	A	Located on instrument cluster pad	C9MY 54219A92-A	2
21999	**GROMMET - DOOR LATCH KNOB**				
		- A -			
	65/67	A	Repl. by D0DZ 6221999-A (3/75)	★C5AZ 6221999-A	2or4
	68/71	A	Bright finish plastic	C7SZ 6521999-B	2or4
	70/	A	Stainless steel	D0AZ 6221999-A	2or4
	65/67	A	Stainless steel	D0DZ 6221999-A	2or4
		- B -			
	65/67	B	Plastic	C5DZ 6221999-B	2or4
	68/70	B	Bright finish plastic	C7SZ 6521999-B	2or4
	70/	B	Stainless steel	D0AZ 6221999-A	2or4
		- F -			
	65	F "Before 6/5/64"		C2OZ 6221999-B	2
	65/69	F "From 6/5/64"	Plastic	C5DZ 6221999-B	2
	70	F(63A,65A,76A)			2
	70	F(exc.63A,65A,76A) - "Before 12/17/69"	Bright finish plastic	C7SZ 6521999-B	2
	70	F(exc.63A,65A,76A)- "From 12/17/69"	Stainless steel	D0AZ 6221999-A	2
	71/	F(63R,65F)			2
	71	F(63D,65D,76D)	Stainless steel	D0DZ 6221999-A	2
	71/	F(63D,65D,76D)	Plastic	C5DZ 6221999-B	2
		- L -			
	71/	L		C5DZ 6221999-B	2
		- P -			
	70/71	P	Stainless steel	D0DZ 6221999-A	2or4
	71/	P	Plastic	C5DZ 6221999-B	2or4
		- S -			
	65/66	S		C5SZ 6321999-A	2or4
	67	S "Before 3/1/67"	Repl. by D0DZ 6221999-A (3/75)	★C5AZ 6221999-A	2
	67/	S "From 3/1/67"	Stainless steel	D0AZ 6221999-B	2or4
	67/70	S "From 3/1/67"	Bright finish plastic	C7SZ 6521999-B	2or4
	67	S	Stainless steel	D0DZ 6221999-A	2
		- X -			
	65/67	X	Plastic	C5DZ 6221999-B	2or4
	68/70	X	Bright finish plastic	C7SZ 6521999-B	2or4

GROUP NUMBER	YEAR	BODY TYPE		DESCRIPTION	PART NUMBER	QTY.
220A00	**SOLENOID and VALVE ASSY. - VACUUM DOOR LATCH CONTROL**					
	71	A		W/o circuit breaker	★D1AZ 65220A00-A	1
	72	A(71)		Use for tailgate latch	r/b D1AZ 65220A00-B	1
	71/	A		W/circuit breaker	D1AZ 65220A00-B	1
	70/71	S		Also refer to Group 219A00	D0VY 65220A00-A	1
22008	**PLATE - DOOR LATCH STRIKER**					
			- A -			
	65/70	A			C5AZ 6222008-A	2 or 4
	71/72	A	" Before 3/20/72"	r/b D2AZ 6522008-A (3-74)	★D1AZ 6522008-A	2 or 4
	72	A	" From 3/20/72"		D2AZ 6522008-A	2 or 4
			- B -			
	65	B			C2OZ 6222008-B	2 or 4
	66/71	B			C5AZ 6222008-A	2 or 4
	72	B	" Before 3/20/72"	r/b D2AZ 6522008-A (3-74)	★D1AZ 6522008-A	2 or 4
	72	B	" From 3/20/72"		D2AZ 6522008-A	2 or 4
			- F -			
	65/66	F			C2OZ 6222008-B	2
	67/70	F			C5AZ 6222008-A	2
	71/72	F	" Before 3/20/72"	r/b D2AZ 6522008-A (3-74)	★D1AZ 6522008-A	2
	72	F	" From 3/20/72"		D2AZ 6522008-A	2
			- L -			
	71/72	L	" Before 3/20/72"	r/b D2AZ 6522008-A (3-74)	★D1AZ 6522008-A	2
	72	L	" From 3/20/72"		D2AZ 6522008-A	2
			- P -			
	70/	P			C5AZ 6222008-A	2 or 4
			- S -			
	65/71	S			C5AZ 6222008-A	2 or 4
	72	S	" Before 3/20/72"	r/b D2AZ 6522008-A (3-74)	★D1AZ 6522008-A	2
	72	S	" From 3/20/72"		D2AZ 6522008-A	2
			- U -			
	66/67				C2OZ 6222008-B	2
	68/				C5AZ 6222008-A	2
			- X -			
	65	X			C2OZ 6222008-B	2 or 4
	66/70	X			C5AZ 6222008-A	2 or 4
	65/	A, B, F, S, U, X		5/16"-18 x 3/4" Flat head locking screw	378428-S7-8(UU48E)	4or8
220A14	**BRACKET - FRONT DOOR LATCH ACTUATOR**					
	72	S			D2SZ 65220A14-A	2
22021	**RETAINER - DOOR LATCH STRIKER ANCHOR PLATE**					
	65	A			D0AZ 6222021-A	2or4
	66	A, B, X				2or4
	68/69	A, B, F, S, X				2or4
	70	A(54, 57, 62, 63, 65), B(66, 71), F(63, 65), P(62), S(65)				
	71	A(65, 76), B, F, L, P, S				2
	72	P				2
	70	B(54, 57)			D0OZ 5422021-A	2
	71	B(54, 57, 71)				2
220A22	**STOP - DOOR LATCH ACTUATOR REAR**					
	72	B(53, 71)		W/power latch front and rear	D2OZ 65220A22-A	4
22023	**RETAINER - DOOR LOCK CYLINDER** - Also refer to Group 43629					
			- A -			
	65/	A		Doors, l/compt., s/compt., t/gate	C5AZ 6222023-A	AR
			- B -			
	65	B		Doors, l/compt., s/compt.	C4AZ 6222023-A	AR
	66/71	B		Doors, l/compt., s/compt.	C5AZ 6222023-A	AR
	72	B(71)		T/gate		1
	72	B		Doors	D1ZZ 6522023-B	AR

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
22023	**RETAINER - DOOR LOCK CYLINDER - continued** - Also refer to group 43629				
		- F -			
	65/66	F	Doors, 1/compt.	C4AZ 6222023-A	2
	67/70	F		C5AZ 6222023-A	2
	71/	F		D1ZZ 6522023-B	2
		- L -			
	71/	L		C5AZ 6222023-A	2
		- P -			
	70/	P		C5AZ 6222023-A	2
		- S -			
	65/71	S		C5AZ 6222023-A	2
	72	S		D1ZZ 6522023-B	2
		- U -			
	66/		Doors,t/gate	C4AZ 6222023-A	2or3
		- X -			
	65	X		C4DZ 6222023-A	2
	66/70	X	Doors,1/compt.,t/gate	C5AZ 6222023-A	AR
22024	**PLATE - DOOR LATCH STRIKER TAPPING**				
		- A -			
	65/70	A		C5AZ 6222024-A	2 or 4
	71/	A(53,54,57,71)		D1AZ 5422024-A	2
	71/	A(65,76)		D1AZ 6522024-A	2
		- B -			
	68/69	B		C5AZ 6222024-A	2 or 4
	70/71	B(54,57,71)	On quarter pillar		2
	70/71	B(63,65,66,76)	On quarter pillar		2
	70/71	B(54,57,71)	On center body pillar	D0OZ 5422024-A	2
	72	B(53,71)	On center body pillar	D2OZ 5322024-A	2
	72	B	On quarter pillar	D1AZ 6522024-A	2
		- F -			
	68/70	F		C5AZ 6222024-A	2
	71/	F		D1AZ 6522024-A	2
		- L -			
	72	L		D1AZ 6522024-A	2
		- P -			
	70/	P		C5AZ 6222024-A	2 or 4
		- S -			
	68/71	S		C5AZ 6222024-A	2 or 4
	72	S		D1AZ 6522024-A	2
		- X -			
	68/70	X		C5AZ 6222024-A	2 or 4
22035	**CONNECTOR - VACUUM DOOR LATCH HOSE**				
	67/68	A	1 1/2" x 1 1/2" (X) shape-Nylon	C7VY 5322035-B	1
	67/69	S			1
	70	A, B, S	With vacuum door latch, with hidden head lamps	D0VY 6522035-A	AR
	71	B, S	With vacuum door latch and/or headlamp covers		1or2
	67	A	Fitting	376009-S(II-106HA)	AR
22040	**INSERT - DOOR LATCH STRIKER PLATE**				
	65	X(except 63,76)	Front door	C2AZ 6222040-A	2
	65	X(54,71)	Rear door		2
22050	**LOCK CYLINDER and KEYS - FRONT DOOR and IGNITION LOCKS** - Refer to Lock Set Chart Group 22050				

22050 LOCK SET CHART

MODEL	CONSISTS OF LOCK CYLINDERS FOR: DOOR	G/COMPT.		IGN.	L/COMPT.	S/COMPT.	T/GATE	DESCRIPTION	PART NUMBER	QTY.
1965										
SINGLE KEY SYSTEM										
A(71)-power window	D	G/C		I		S/C	T/G		C5AZ 7122050-L	1
A	D	G/C		I	L/C	S/C	T/G	Key blank	☆C5AZ 6222053-A	2
A	D	G/C		I	L/C	S/C	T/G	Key blank	♦CC5AB 6222053-A	2
DUAL KEY SYSTEM										
A	D			I					C9AZ 6222050-A	1
A	D								★☆C5AZ 6221984-B r/b D2AZ 6521984-A (10-74)	2
A	D								D2AZ 6521984-A	2
A	D								♦CC5AB 6221985-B	2
A				I					☆C9AZ 11582-A	1
A				I					♦CC5AB 11582-A	1
A(exc. 71)		G/C			L/C				☆C5AZ 6243507-C	1
A(exc.71)		G/C			L/C				♦CC5AB 6243507-D	1
A		G/C							☆C5AZ 6206081-A	1
A		G/C							C6OZ 6206081-A	1
A(exc. 71)					L/C				C5AZ 6243505-C	1
A(71)-manual window		G/C				S/C	T/G		C5AZ 7143507-B	1
A(71)-power window		G/C				S/C	T/G		C5AZ 7143507-J	1
A(71)-manual window		G/C					T/G		C5AZ 7143507-C	1
A(71)-power window		G/C					T/G		C5AZ 7143507-D	1
A(71)						S/C			☆C5AZ 7143505-D	1
A(71)						S/C			♦CC5AB 71431C54-L	1
A(71)-manual window							T/G		C5AZ 7143505-D	1
A(71)-power window							T/G		C5AZ 7143505-E	1
A	D			I				Key blank	☆C5AZ 6222053-A	2
A	D			I				Key blank	♦CC5AB 6222053-A	2
A		G/C			L/C	S/C	T/G	Key blank	☆C5AZ 6243562-A	2
A		G/C			L/C	S/C	T/G	Key blank	♦CC5AB 6243562-A	2
B	D			I					☆C5OZ 6222050-A	1
B	D			I					♦CC5OB 6222050-A	1
B	D								☆C5OZ 6221984-A	2
B	D								C5OZ 6221984-A	2
B				I					☆C5OZ 11582-A	1
B				I					♦CC5OB 11582-A	1
B(exc. 71)		G/C			L/C				☆C5OZ 6243507-A	1
B(54,62,65)		G/C			L/C				♦CC5OB 6243507-B	1
B		G/C							☆C5OZ 6206081-A	1
B		G/C							♦CC5OB 6206081-B	1
B(exc. 71)					L/C				C5OZ 6243505-B	1
B(71B)-manual window		G/C				S/C	T/G		★C5OZ 7143507-B Not replaced (5-75)	1
B(71D)-power window		G/C					T/G		☆C5OZ 6243507-A	1
B(71)-manual window							T/G		B9A 6443505-A	1
B(71)-power window							T/G		☆C5OZ 6243505-B	1
B(71)-power window							T/G		♦CC5OB 6243505-B	1
B	D			I				Key blank	☆C5OZ 6222053-A	2
B	D			I				Key blank	♦CC5OB 6222053-A	2
B(71)						S/C		Key blank	B9A 6443562-A	2
F	D			I					★C5ZZ 6522050-B Not replaced (5-75)	1
F	D								C5OZ 6221984-A	2
F				I					C5OZ 11582-A	1
F		G/C							C4DZ 6206081-A	1
F					L/C				C5ZZ 6543505-C	1
F	D			I				Key blank	★C5ZZ 6522053-B Not replaced (12-74)	2
F		G/C			L/C			Key blank	C5ZZ 6543562-B	2

☆ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

22050 LOCK SET CHART - continued

MODEL	CONSISTS OF LOCK CYLINDERS FOR DOOR	G/ COMPT.		IGN.	L/ COMPT.	S/ COMPT.	T/ GATE	DESCRIPTION	PART NUMBER	QTY.
					1965					
					DUAL KEY SYSTEM - continued					
S	D			I					C5SZ 6322050-B	1
S	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
S	D								D2AZ 6521984-A	2
S				I					C9AZ 11582-A	1
S(63)		G/C			L/C				C5SZ 6343507-B	1
S		G/C							C5SZ 7606081-A	1
S(63)					L/C				C5AZ 7143505-D	1
S		G/C			L/C			Key blank	C5SZ 6343562-A	2
X(54,62,63,66,76)	D			I					☆C5DZ 6222050-A	1
X(54,62,63,66,76)	D			I					♦CC5DB 6222050-A	1
X	D								☆C5OZ 6221984-A	2
X	D								C5OZ 6221984-A	2
X				I					☆C5OZ 11582-A	1
X				I					♦CC5OB 11582-A	1
X		G/C							C4DZ 6206081-A	1
X(54,62,63,76)					L/C				☆C5DZ 6243505-B	1
X(exc.71)					L/C				♦CC5DB 6243505-A	1
X(59,71,78)							T/G		C5OZ 6243505-B	1
X	D			I				Key blank	♦CC5DB 6222053-A	2
X(exc. 59,71,78)		G/C			L/C			Key blank	☆C5DZ 6243562-A	2
X(exc. 59,71,78)		G/C			L/C			Key blank	♦CC5AZ 6243562-A	2
					1966					
					SINGLE KEY SYSTEM					
A(71)-manual window	D	G/C		I		S/C	T/G		C6AZ 7122050-G	1
A(71)-power window	D	G/C		I		S/C	T/G		C5AZ 7122050-L	1
A	D	G/C		I	L/C	S/C	T/G	Key blank	☆C5AZ 6222053-A	2
A	D	G/C		I	L/C	S/C	T/G	Key blank	♦CC5AB 6222053-A	2
					DUAL KEY SYSTEM					
A	D			I					C9AZ 6222050-A	1
A	D								★☆C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
A	D								D2AZ 6521984-A	2
A	D								♦CC5AB 6221985-B	2
A				I					☆C9AZ 11582-A	1
A				I					♦CC5AB 11582-B	1
A(exc. 71)		G/C			L/C				☆C5AZ 6243507-C	1
A(exc.71)		G/C			L/C				♦CC5AB 6243505-D	1
A		G/C							C6OZ 6206081-C	1
A(exc. 71)					L/C				C5AZ 6243505-C	1
A(71)-manual window		G/C				S/C	T/G		C6AZ 7143507-F	1
A(71)-power window		G/C				S/C	T/G		☆C5AZ 7143507-J	1
A(71)-power window						S/C	T/G		♦CC5AB 71431C50-C	1
A(71)						S/C			☆C5AZ 7143505-D	1
A(71)						S/C			♦CC5AB 71431C54-L	1
A(71)-manual window							T/G		☆C6AZ 7143505-B	1
A(71)-power window							T/G		☆C5AZ 7143505-E	1
A	D			I				Key blank	☆C5AZ 6222053-A	2
A	D			I				Key blank	♦CC5AB 6222053-A	2
A		G/C			L/C	S/C	T/G	Key blank	☆C5AZ 6243562-A	2
A		G/C			L/C	S/C	T/G	Key blank	♦CC5AB 6243562-A	2
B	D			I					★C6OZ 6222050-A	1
B(exc.71)	D			I					♦CC6DB 6222050-A	1
B(71)	D			I			T/G		♦CC6DB 7122050-B	1
B	D								☆C5AZ 6221984-B	2
B	D								♦CC5AB 6221985-B	2
B				I					☆C9AZ 11582-A	1

☆U.S. only ♦ Canada only

22050 LOCK SET CHART - continued

MODEL	CONSISTS OF LOCK CYLINDERS FOR: DOOR	G/ COMPT.		IGN.	L/ COMPT.	S/ COMPT.	T/ GATE	DESCRIPTION	PART NUMBER	QTY.
1966										
DUAL KEY SYSTEM - continued										
B				I					♦CC5AB 11582-B	1
B(54,62,63,76)		G/C			L/C				☆C6OZ 6243507-A	1
B(54A,B,62A,B,65A,B)		G/C			L/C				♦CC6OB 6243507-A	1
B		G/C							C6OZ 6206081-C	1
B(exc. 71)					L/C				☆C5AZ 6243505-C	1
B(exc.71)					L/C				♦CC5AB 6243505-D	1
B(71)-manual window		G/C					T/G		C6OZ 7143507-B	1
B(71)-power window						S/C	T/G		♦CC5AB 71431C50-C	1
B(71)-manual window							T/G		☆B9A 6443505-A	1
B(71)-power window		G/C				S/C	T/G		C6OZ 7143507-C	1
B(71)-power window							T/G		C5AZ 7143505-E	1
B(71)						S/C			C5AZ 7143505-D	1
F	D			I					★C5ZZ 6522050-B Not replaced (12-74)	1
F	D								C5OZ 6221984-A	2
F				I					C5OZ 11582-A	1
F		G/C							C4DZ 6206081-A	1
F					L/C				C5ZZ 6543505-C	1
F	D			I				Key blank	C5ZZ 6522053-B	2
F		G/C			L/C			Key blank	C5ZZ 6543562-B	2
S	D			I					C5SZ 6322050-B	1
S	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
S	D								D2AZ 6521984-A	2
S				I					C9AZ 11582-A	1
S(63)		G/C			L/C				C5SZ 6343507-B	1
S		G/C							C5SZ 7606081-A	1
S(63)					L/C				C6AZ 7143505-B	1
S	D			I				Key blank	C5SZ 6322053-A	2
S		G/C			L/C			Key blank	C5SZ 6343562-A	2
U	D			I					C3AZ 6222050-B	1
	D								C3AZ 6221984-B	2
U				I					C3AZ 11582-A	1
U		G/C					T/G		C6TZ 9843507-C	1
U		G/C							C2OZ 6206081-A	1
U							T/G		C6TZ 9843507-B	1
U	D			I				Key blank	B9A 3685-A	2
U		G/C					T/G	Key blank	B9A 6443562-A	2
X(exc. 71)	D			I					C6DZ 6222050-A	1
X(exc.71)	D			I					♦CC6DB 6222050-A	1
X(71)-manual window	D			I			T/G		C6DZ 7122050-D	1
X(71)-power window	D			I			T/G		C9AZ 7122050-A	1
X	D								★☆C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
X	D								D2AZ 6521984-A	2
X	D								♦CC5AB 6221985-B	2
X				I					☆C9AZ 11582-A	1
X				I					♦CC5AB 11582-B	1
X		G/C			L/C			Non-locking g/compt.	★☆C6DZ 6243507-C r/b (1) each C6AZ 7143505-B & C6DZ 6206072-B (4-72)	1
X		G/C			L/C				♦CC6DB 6243507-A	1
X		G/C							C6OZ 6206081-C	1
X					L/C				C6AZ 7143505-B	1
X					L/C				♦CC5DB 6243505-A	1
X(71)-power window						S/C	T/G		♦CC5AB 71431C50-C	1

★ U.S. only ♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

22050 LOCK SET CHART - continued

MODEL	CONSISTS OF LOCK CYLINDERS FOR DOOR	G/ COMPT.		IGN.	L/ COMPT.	S/ COMPT.	T/ GATE	DESCRIPTION	PART NUMBER	QTY.
					1966					
					DUAL KEY SYSTEM - continued					
X(71)-manual window							T/G		☆C6AZ 7143505-B	1
X(71)-power window							T/G		☆C5AZ 7143505-E	1
X(71)		G/C					T/G	Key blank	☆C5AZ 6243562-A	2
					1967					
					SINGLE KEY SYSTEM					
A(exc. 71)-From 10/24/66	D	G/C		I	L/C				C7AZ 6222050-B	1
A(71)-manual window	D	G/C		I		S/C	T/G		C6AZ 7122050-G	1
A(71)-power window	D	G/C		I		S/C	T/G		C5AZ 7122050-L	1
A	D	G/C		I	L/C	S/C	T/G	Key blank	C7AZ 6222053-A	2
					DUAL KEY SYSTEM					
A	D			I					C9AZ 6222050-A	1
A	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
A	D								D2AZ 6521984-A	2
A				I					C9AZ 11582-A	1
A(exc. 71)		G/C			L/C				C7AZ 6243507-B	1
A		G/C							C6OZ 6206081-C	1
A					L/C				C7AZ 6243505-A	1
A(71)-manual window		G/C				S/C	T/G		C6AZ 7143507-F	1
A(71)-manual window							T/G		C6AZ 7143505-B	1
A(71)-power window		G/C				S/C	T/G		C5AZ 7143507-J	1
A(71)-power window							T/G		C5AZ 7143505-E	1
A(71)						S/C			C7AZ 71115A32-B	1
A	D			I				Key blank	C7AZ 6222053-A	2
A		G/C			L/C	S/C	T/G	Key blank	C7AZ 6243562-A	2
B	D			I					C9AZ 6222050-A	1
B	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
B	D								D2AZ 6521984-A	2
B				I					C9AZ 11582-A	1
B(exc. 66,71)		G/C			L/C				C7AZ 6243507-B	1
B		G/C							C6OZ 6206081-C	1
B(exc. 66,71)-Before 10/24/66					L/C				C5AZ 6243505-C	1
B(exc. 66,71)-From 10/24/66					L/C				C7AZ 6243505-A	1
B(71)-manual window		G/C				S/C	T/G		C6AZ 7143507-F	1
B(71)-manual window		G/C					T/G		C7OZ 7143507-B	1
B(71)-manual window							T/G		C6AZ 7143505-B	1
B(71)-power window		G/C				S/C	T/G		C5AZ 7143507-J	1
B(71)-power window		G/C					T/G		C7OZ 7143507-B	1
B(71)-power window							T/G		C5AZ 7143505-E	1
B(71)						S/C			C7AZ 71115A32-B	1
B	D			I				Key blank	C7AZ 6222053-A	2
B		G/C			L/C	S/C	T/G	Key blank	C7AZ 6243562-A	2
F	D			I					C9AZ 6222050-A	1
F	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
F	D								D2AZ 6521984-A	2
F				I					C9AZ 11582-A	1
F-Before 10/24/66		G/C			L/C				C5AZ 6243507-C	1
F-From 10/24/66		G/C			L/C				C7AZ 6243507-B	1
F		G/C							C6OZ 6206081-C	1
F-Before 10/24/66					L/C				C5AZ 6243505-C	1
F-From 10/24/66					L/C				C7AZ 6243505-A	1

☆ U.S. only ♦ Canada only

22050 LOCK SET CHART - continued

MODEL	CONSISTS OF LOCK CYLINDERS FOR: DOOR	G/ COMPT.		IGN.	L/ COMPT.	S/ COMPT.	T/ GATE	DESCRIPTION	PART NUMBER	QTY.
1967										
DUAL KEY SYSTEM - continued										
F	D			I				Key blank	C7AZ 6222053-A	2
F		G/C			L/C			Key blank	C7AZ 6243562-A	2
S	D			I					C9AZ 6222050-A	1
S	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
S	D								D2AZ 6521984-A	2
S				I					C9AZ 11582-A	1
S		G/C			L/C				C7SZ 6543507-B	1
S		G/C							C6OZ 6206081-C	1
S					L/C				C7SZ 6543505-A	1
S	D			I				Key blank	C7AZ 6222053-A	2
S		G/C			L/C			Key blank	C7AZ 6243562-A	2
U	D			I					C3AZ 6222050-B	1
U	D								C3AZ 6221984-B	2
U				I					C3AZ 11582-A	1
U-Before Ser. A84,001		G/C					T/G		C6TZ 9843507-C	1
U-From Ser. A84,001		G/C					T/G		C7TZ 9843507-B	1
U		G/C							C2OZ 6206081-A	1
U-Before Ser. A84,001							T/G		C6TZ 9843507-B	1
U-From Ser. A84,001							T/G		C7TZ 9843505-B	1
U	D			I				Key blank	B9A 3685-A	2
U		G/C					T/G	Key blank	B9A 6443562-A	2
X	D			I					C9AZ 6222050-A	1
X	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
X	D								D2AZ 6521984-A	2
X				I					C9AZ 11582-A	1
X(54,62)		G/C			L/C			Non-locking g/compt.	★C6DZ 6243507-C r/b (1) each C6AZ 7143505-B & C6DZ 6206072-B (4-72)	1
X		G/C							C6OZ 6206081-C	1
X(54,62)					L/C				C6AZ 7143505-B	1
X(71)-manual window	D			I			T/G		C6DZ 7122050-D	1
X(71)-manual window							T/G		C7DZ 7143505-A	1
X(71)-power window	D			I			T/G		C9AZ 7122050-A	1
X(71)-power window							T/G		C7DZ 7143505-B	1
X	D			I				Key blank	C7AZ 6222053-A	2
X		G/C			L/C		T/G	Key blank	C7AZ 6243562-A	2
1968										
SINGLE KEY SYSTEM										
A(exc. 71)	D	G/C		I	L/C				C7AZ 6222050-B	1
A(71)	D	G/C		I		S/C	T/G		C6AZ 7122050-G	1
A	D	G/C		I	L/C	S/C	T/G	Key blank	C7AZ 6222053-A	2
DUAL KEY SYSTEM										
A	D			I					C9AZ 6222050-A	1
A	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
A	D								D2AZ 6521984-A	2
A				I					C9AZ 11582-A	1
A		G/C							C6OZ 6206081-C	1
A(exc. 71)		G/C			L/C				C7AZ 6243507-B	1
A(exc. 71)					L/C				C7AZ 6243505-A	1
A(71)	D			I			T/G		C6DZ 7122050-D	1
A(71)							T/G		C7DZ 7143505-A	1
A(71)		G/C				S/C			C8AZ 7106081-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

22050 LOCK SET CHART - continued

MODEL	CONSISTS OF LOCK CYLINDERS FOR: DOOR	G/ COMPT.		IGN.	L/ COMPT.	S/ COMPT.	T/ GATE	DESCRIPTION	PART NUMBER	QTY.
					1968					
DUAL KEY SYSTEM - continued										
A(71)						S/C			C7AZ 71115A32-B	1
A	D			I			T/G	Key blank	C7AZ 6222053-A	2
A		G/C			L/C	S/C		Key blank	C7AZ 6243562-A	2
B	D			I					C9AZ 6222050-A	1
B	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
B	D								D2AZ 6521984-A	2
B				I					C9AZ 11582-A	1
B(exc. 66,71)		G/C			L/C				C7AZ 6243507-B	1
B		G/C							C6OZ 6206081-C	1
B(exc. 66,71)					L/C				C7AZ 6243505-A	1
B(71)	D			I			T/G		C6DZ 7122050-D	1
B(71)							T/G		C7DZ 7143505-A	1
B(71)		G/C				S/C			C8AZ 7106081-A	1
B(71)						S/C			C7AZ 71115A32-B	1
B	D			I			T/G	Key blank	C7AZ 6222053-A	2
B		G/C			L/C	S/C	T/G	Key blank	C7AZ 6243562-A	2
F	D			I					C9AZ 6222050-A	1
F	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
F	D								D2AZ 6521984-A	2
F				I					C9AZ 11582-A	1
F		G/C			L/C			Locking g/compt.	C7AZ 6243507-B	1
F		G/C			L/C			Non-locking g/compt.	★C8ZZ 6543507-A r/b C7AZ 6243505-A and C6DZ 6206072-B (11-73)	1
F		G/C							C6OZ 6206081-C	1
F					L/C				C7AZ 6243505-A	1
F	D			I				Key blank	C7AZ 6222053-A	2
F		G/C			L/C			Key blank	C7AZ 6243562-A	2
S	D			I					C9AZ 6222050-A	1
S	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
S	D								D2AZ 6521984-A	2
S				I					C9AZ 11582-A	1
S		●G/C			L/C				C7SZ 6543507-B	1
S		▲G/C			L/C				C8SZ 6543507-A	1
S		●G/C							C6OZ 6206081-C	1
S		⊕G/C							C8SZ 6506081-A	1
S					L/C				C7SZ 6543505-A	1
S	D			I				Key blank	C7AZ 6222053-A	2
S		G/C			L/C			Key blank	C7AZ 6243562-A	2
U	D			I					C8TZ 9722050-A	1
U	D								C8TZ 9721984-A	2
U				I					C3AZ 11582-A	1
U		G/C							C2OZ 6206081-A	1
U		G/C					T/G		C7TZ 9843507-B	1
U		G/C							C2OZ 6206081-A	1
U							T/G		C7TZ 9843505-B	1
U	D			I				Key blank	B9A 3685-A	2
U		G/C					T/G	Key blank	B9A 6443562-A	2

● Instrument Panel ⊕ Console ▲ Instrument Panel and Console

22050 LOCK SET CHART - continued

MODEL	CONSISTS OF LOCK CYLINDERS FOR: DOOR	G/ COMPT.		IGN.	L/ COMPT.	S/ COMPT.	T/ GATE	DESCRIPTION	PART NUMBER	QTY.
					1968					
					DUAL KEY SYSTEM - continued					
X	D			I					C9AZ 6222050-A	1
X	D								★C5AZ 6221984-B r/b D2AZ 6521984-A (10-74)	2
X	D								D2AZ 6521984-A	2
X				I					C9AZ 11582-A	1
X		G/C							C6OZ 6206081-C	1
X(54,62)		G/C			L/C			Non-locking g/compt.	★C6DZ 6243507-C r/b (1) each C6AZ 7143505-B & C6DZ 6206072-B (4-72)	1
X(54,62)		G/C			L/C			Locking g/compt.	C7OZ 6243507-A	1
X(54,62)					L/C				C6AZ 7143505-B	1
X(71)-manual window	D			I			T/G		C6DZ 7122050-D	1
X(71)-manual window							T/G		C7DZ 7143505-A	1
X(71)-power window	D			I			T/G		C9AZ 7122050-A	1
X(71)-power window							T/G		C7DZ 7143505-B	1
X	D			I				Key blank	C7AZ 6222053-A	2
X		G/C			L/C		T/C	Key blank	C7AZ 62242562-A	2
					1969					
					SINGLE KEY SYSTEM					
A(exc. 71)	D	G/C		I	L/C				C9AZ 6222050-B	1
A(71)	D	G/C		I		S/C	T/G		C9AZ 7122050-B	1
A	D	G/C		I	L/C	S/C	T/G	Key blank	C7AZ 6222053-A	2
					DUAL KEY SYSTEM					
A	D			I					C9AZ 6222050-A	1
A	D								★C5AZ 6221984-B r/b D2AZ 6521984-A (10-74)	2
A	D								D2AZ 6521984-A	2
A				I					C9AZ 11582-A	1
A(exc. 71)		G/C			L/C				D1AZ 6543507-A	1
A		G/C							D1OZ 6606081-A	1
A(exc. 71)					L/C				C8GY 5443505-A	1
A(71)	D			I			T/G		C9AZ 7122050-A	1
A(71)							T/G		C7DZ 7143505-B	1
A(71)		G/C				S/C			D1AZ 7106081-A	1
A(71)						S/C			C7AZ 71115A32-B	1
A	D			I			T/G	Key blank	C7AZ 6222053-A	2
A		G/C			L/C	S/C		Key blank	C7AZ 6243562-A	2
B	D			I					C9AZ 6222050-A	1
B	D								★C5AZ 6221984-B r/b D2AZ 6521984-A (10-74)	2
B	D								D2AZ 6521984-A	2
B				I					C9AZ 11582-A	1
B(exc. 66,71)		G/C			L/C				C7AZ 6243507-B	1
B		G/C							C6OZ 6206081-C	1
B(exc. 71)					L/C				C8GY 5443505-A	1
B(71)	D			I			T/G		C9OZ 7122050-A	1
B(71)							T/G		C6AZ 7143505-B	1
B(71)		G/C				S/C			C8AZ 7106081-A	1
B(71)						S/C			C7AZ 71115A32-B	1
B	D			I			T/G	Key blank	C7AZ 6222053-A	2
B		G/C			L/C	S/C		Key blank	C7AZ 6243562-A	2
F	D			I					C9AZ 6222050-A	1
F	D								★C5AZ 6221984-B r/b D2AZ 6521984-A (10-74)	2
F	D								D2AZ 6521984-A	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

22050 LOCK SET CHART - continued

MODEL	CONSISTS OF LOCK CYLINDERS FOR DOOR	G/ COMPT.		IGN.	L/ COMPT.	S/ COMPT.	T/ GATE	DESCRIPTION	PART NUMBER	QTY.
					1969					
DUAL KEY SYSTEM - continued										
F				I					C9AZ 11582-A	1
F		G/C			L/C			Non-locking g/compt.	C9ZZ 6543507-A	1
F		G/C			L/C			Locking g/compt.	D1AZ 6543507-A	1
F		G/C							D1OZ 6606081-A	1
F					L/C				C8GY 5443505-A	1
F	D			I				Key blank	C7AZ 6222053-A	2
F		G/C			L/C			Key blank	C7AZ 6243562-A	2
S	D			I					C9AZ 6222050-A	1
S	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
S	D								D2AZ 6521984-A	2
S				I					C9AZ 11582-A	1
S		●G/C			L/C				C7SZ 6543507-B	1
S		▲G/C			L/C				C8SZ 6543507-A	1
S		●G/C							C6OZ 6206081-C	1
S		⊕G/C							C8SZ 6506081-A	1
S					L/C				C7SZ 6543505-A	1
S	D			I				Key blank	C7AZ 6222053-A	2
S		G/C			L/C			Key blank	C7AZ 6243562-A	2
U	D			I					C8TZ 9722050-A	1
U	D								C8TZ 9721984-A	2
U				I					C3AZ 11582-A	1
U		G/C					T/G		C7TZ 9843507-B	1
U		G/C							C2OZ 6206081-A	1
U							T/G		C7TZ 9843505-B	1
U	D			I				Key blank	B9A 3685-A	2
U		G/C					T/G	Key blank	B9A 6443562-A	2
X	D			I					C9AZ 6222050-A	1
X	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
X				I					C9AZ 11582-A	1
X(54,62)		G/C			L/C			Non-locking g/compt.	★C6DZ 6243507-C r/b(1) each C6AZ 7143505-B & C6DZ 6206072-B (4-72)	1
X		G/C							C6OZ 6206081-C	1
X(54,62)					L/C				C6AZ 7143505-B	1
X(71)-manual window	D			I			T/G		C9OZ 7122050-A	1
X(71)-manual window							T/G		C6AZ 7143505-B	1
X(71)-power window	D			I			T/G		C9AZ 7122050-A	1
X(71)-power window							T/G		C7DZ 7143505-B	1
X	D			I			T/G	Key lock	C7AZ 622053-A	2
X		G/C			L/C			Key lock	C7AZ 6243562-A	2
					1970					
SINGLE KEY SYSTEM										
A(exc. 71)	D	G/C		I	L/C				D2AZ 6522050-B	1
A(71)	D	G/C		I		S/C	T/G		D0AZ 7122050-K	1
A	D	G/C		I	L/C	S/C	T/G	Key blank	C7AZ 6222053-A	2
DUAL KEY SYSTEM										
A	D			I					★D0AZ 6222050-J r/b D2AZ 6522050-A(3-75)	1
A(exc. 71)	D			I					D2AZ 6522050-A	1
A	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
A	D								D2AZ 6521984-A	2

● Instrument Panel ⊕ Console ▲ Instrument Panel and Console

22050 LOCK SET CHART - continued

MODEL	CONSISTS OF LOCK CYLINDERS FOR: DOOR	G/COMPT.		IGN.	L/COMPT.	S/COMPT.	T/GATE	DESCRIPTION	PART NUMBER	QTY.
1970										
DUAL KEY SYSTEM - continued										
A				I					D0AZ 11582-B	1
A(exc. 71)		G/C			L/C				D1AZ 6543507-A	1
A		G/C							D1OZ 6606081-A	1
A(exc. 71)					L/C				C8GY 5443505-A	1
A(71)	D			I			T/G		★D0AZ 7122050-E r/b D2AZ 7122050-A (5-73)	1
A(71)							T/G		C7DZ 7143505-B	1
A(71)		G/C				S/C			D1AZ 7106081-A	1
A(71)						S/C			C7AZ 71115A32-B	1
A	D			I			T/G	Key blank	C7AZ 6222053-A	2
A		G/C			L/C	S/C		Key blank	C7AZ 6243562-A	2
B	D			I					★D0AZ 6222050-J r/b D2AZ 6522050-A(3-75)	1
B	D			I					D2AZ 6522050-A	1
B	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
B	D								D2AZ 6521984-A	2
B				I					D0AZ 11582-B	1
B(exc. 66,71)		G/C			L/C				D1AZ 6543507-A	1
B		G/C							D1OZ 6606081-A	1
B(exc. 66,71)					L/C				C8GY 5443505-A	1
B(71)-Before 9/22/69	D			I			T/G		D0OZ 7122050-B	1
B(71)-From 9/22/69	D			I			T/G		D0OZ 7122050-D	1
B(71)-From 3/2/70	D			I			T/G		D0OZ 7122050-E	1
B(71)	D			I			T/G		D0OZ 7122050-E	1
B(71)							T/G		C6AZ 7143505-B	1
B(71)		G/C				S/C			D1AZ 7106081-A	1
B(71)						S/C			C7AZ 71115A32-B	1
B	D						T/G	Key blank	C7AZ 6222053-A	2
B		G/C			L/C	S/C		Key blank	C7AZ 6243562-A	2
F	D			I					★D0AZ 6222050-J r/b D2AZ 6522050-A(3-75)	1
F	D			I					D2AZ 6522050-A	1
F	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
F	D								D2AZ 6521984-A	2
F				I					D0AZ 11582-B	1
F		G/C			L/C			Non-locking g/compt.	C9ZZ 6543507-A	1
F		G/C			L/C			Locking g/compt.	D1AZ 6543507-A	1
F		G/C							D1OZ 6606081-A	1
F					L/C				C8GY 5443505-A	1
F	D			I				Key blank	C7AZ 6222053-A	2
F		G/C			L/C			Key blank	C7AZ 6243562-A	2
P	D			I				W/o locking s/column	C9AZ 6222050-A	1
P	D			I				W/locking s/column	D0AZ 6222050-E	1
P	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
P	D								D2AZ 6521984-A	2
P				I				W/o locking s/column	C9AZ 11582-A	1
P-Before 3/2/70				I				W/locking s/column	D0AZ 11582-B	1
P-From 3/2/70				I				W/locking s/column	D0AZ 11582-D	1
P		G/C			L/C				D1AZ 6543507-A	1
P		G/C							C9AZ 6206081-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

22050 LOCK SET CHART - continued

MODEL	CONSISTS OF LOCK CYLINDERS FOR: DOOR	G/ COMPT.		IGN.	L/ COMPT.	S/ COMPT.	T/ GATE	DESCRIPTION	PART NUMBER	QTY.
					1970					
DUAL KEY SYSTEM - continued										
P					L/C				C8GY 5443505-A	1
P	D			I				Key blank	C7AZ 6222053-A	2
P		G/C			L/C			Key blank	C7AZ 6243562-A	2
S	D			I					★D0AZ 6222050-J r/b D2AZ 6522050-A(3-75)	1
S	D			I					D2AZ 6522050-A	1
S	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
S	D								D2AZ 6521984-A	2
S				I					D0AZ 11582-B	1
S		▲G/C			L/C				D1SZ 6543507-A	1
S		●G/C			L/C				D0SZ 6543507-B	1
S		●G/C							D1OZ 6606081-A	1
S		⊕G/C							C8SZ 6506081-A	1
S					L/C				C7SZ 6543505-A	1
S	D			I				Key blank	C7AZ 6222053-A	2
S		G/C			L/C			Key blank	C7AZ 6243562-A	2
U	D			I					C8TZ 9722050-A	1
U	D								C8TZ 9721984-A	2
U				I					C3AZ 11582-A	1
U		G/C					T/G		C7TZ 9843507-B	1
U		G/C							C6OZ 6206081-C	1
U							T/G		C7TZ 9843505-B	1
U	D			I				Key blank	B9A 3685-A	2
U		G/C					T/G	Key blank	B9A 6443562-A	2
X	D			I					C9AZ 6222050-A	1
X	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
X	D								D2AZ 6521984-A	2
X				I					C9AZ 11582-A	1
X(54,62)		G/C			L/C			Non-locking g/compt.	★C6DZ 6243507-C r/b (1 each) C6AZ 7143505-B & C6DZ 6206072-B (4-72)	1
X		G/C							C6OZ 6206081-C	1
X(71)-manual window	D			I			T/G		C9OZ 7122050-A	1
X(71)-manual window							T/G		C6AZ 7143505-B	1
X(71)-power window	D			I			T/G		C9AZ 7122050-A	1
X(71)-power window							T/G		C7DZ 7143505-B	1
X(54,62)					L/C				C6AZ 7143505-B	1
X	D			I			T/G	Key blank	C7AZ 6222053-A	2
X		G/C			L/C			Key blank	C7AZ 6243562-A	2
					1971					
SINGLE KEY SYSTEM										
A(exc. 71)	D	G/C		I	L/C				D2AZ 6522050-B	1
A(71)	D	G/C		I		#S/C	T/G		D0AZ 7122050-K	1
A(71)	D	G/C		I		♦S/C	T/G		D1AZ 7122050-A	1
A	D	G/C		I	L/C	S/C	T/G	Key blank	C7AZ 6222053-A	2
DUAL KEY SYSTEM										
A	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
A	D								D2AZ 6521984-A	2
A		G/C							D1OZ 6606081-A	1

▲ Instrument Panel and Console ● Instrument Panel ⊕ Console

22050 LOCK SET CHART - continued

MODEL	CONSISTS OF LOCK CYLINDERS FOR: DOOR	G/ COMPT.		IGN.	L/ COMPT.	S/ COMPT.	T/ GATE	DESCRIPTION	PART NUMBER	QTY.
1971										
DUAL KEY SYSTEM - continued										
A				I					D0AZ 11582-D	1
A						‡S/C			D1OZ 6606081-A	1
A(71)	D			I			T/G		★D0AZ 7122050-J r/b D2AZ 7122050-A (11-73)	1
A(71)		G/C				#S/C			D1AZ 7106081-A	1
A(71)		G/C				♦S/C			D1AZ 7143507-A	1
A(71)						#S/C			C7AZ 71115A32-B	1
A(71)							T/G		C7DZ 7143505-B	1
A(exc. 71)	D			I					★D1AZ 6522050-A r/b D2AZ 6522050-A(3-75)	1
A(exc. 71)	D			I					D2AZ 6522050-A	1
A(exc. 71)		G/C			L/C				D1AZ 6543507-A	1
A(exc. 71)					L/C				C8GY 5443505-A	1
A	D			I			T/G	Key blank	C7AZ 6222053-A	2
A		G/C			L/C	S/C		Key blank	C7AZ 6243562-A	2
B	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
B	D								D2AZ 6521984-A	2
B		G/C							D1OZ 6606081-A	1
B				I					D0AZ 11582-D	1
B(71)	D			I			T/G		D0OZ 7122050-E	1
B(71)		G/C				S/C			D1AZ 7106081-A	1
B(71)						S/C			C7AZ 71115A32-B	1
B(71)							T/G		C6AZ 7143505-B	1
B(exc. 71)	D			I					★D1AZ 6522050-A r/b D2AZ 6522050-A(3-75)	1
B(exc. 71)	D			I					D2AZ 6522050-A	1
B(exc. 66,71)		G/C			L/C				D1AZ 6543507-A	1
B(exc. 66,71)					L/C				C8GY 5443505-A	1
B	D			I			T/G	Key blank	C7AZ 6222053-A	2
B		G/C			L/C	S/C		Key blank	C7AZ 6243562-A	2
F	D			I					★D1AZ 6522050-A r/b D2AZ 6522050-A(3-75)	1
F	D			I					D2AZ 6522050-A	1
F	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
F	D								D2AZ 6521984-A	2
F				I					D0AZ 11582-D	1
F		G/C			L/C			Locking g/compt.	D1AZ 6543507-A	1
F		G/C			L/C			Non-locking g/compt.	★D1ZZ 6543507-A r/b(1 each) C8GY 5443505-A & D1ZZ 6506072-A (10-74)	1
F		G/C						Locking g/compt.	D1OZ 6606081-A	1
F					L/C				C8GY 5443505-A	1
F	D			I				Key blank	C7AZ 6222053-A	2
F		G/C			L/C			Key blank	C7AZ 6243562-A	2
L	D			I					★D1AZ 6522050-A r/b D2AZ 6522050-A(3-75)	1
L	D			I					D2AZ 6522050-A	1
L	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2

‡ Side s/compt. # Floor s/compt. ♦ Floor s/compt. and side s/compt.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

22050 LOCK SET CHART - continued

MODEL	CONSISTS OF LOCK CYLINDERS FOR: DOOR	G/ COMPT.		IGN.	L/ COMPT.	S/ COMPT.	T/ GATE	DESCRIPTION	PART NUMBER	QTY.
1971										
DUAL KEY SYSTEM - continued										
L	D								D2AZ 6521984-A	2
L				I					D0AZ 11582-D	1
L(62, 64)					L/C				C8GY 5443505-A	1
L		G/C			L/C			Locking g/compt.	D1AZ 6543507-A	1
L		G/C			L/C			Non-locking g/compt.	★D1ZZ 6543507-A r/b(1 each) C8GY 5443505-A & D1ZZ 6506072-A(10-74)	1
L		♦G/C						Locking g/compt.	D1OZ 6606081-A	1
L	D			I				Key blank	C7AZ 6222053-A	2
L		G/C			L/C			Key blank	C7AZ 6243562-A	2
P	D			I					★D1AZ 6522050-A r/b D2AZ 6522050-A (3-75)	1
P	D			I					D2AZ 6522050-A	1
P	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
P	D								D2AZ 6521984-A	2
P				I					D0AZ 11582-D	1
P		G/C			L/C			Locking g/compt.	D1AZ 6543507-A	1
P		G/C							D1OZ 6606081-A	1
P					L/C				C8GY 5443505-A	1
P	D			I				Key blank	C7AZ 6222053-A	2
P		G/C			L/C			Key blank	C7AZ 6243562-A	2
S	D			I					★D1AZ 6522050-A r/b D2AZ 6522050-A(3-75)	1
S	D			I					D2AZ 6522050-A	1
S	D								★C5AZ 6221984-B r/b D2AZ 6521984-A(10-74)	2
S	D								D2AZ 6521984-A	2
S				I					D0AZ 11582-D	1
S		▲G/C			L/C				D1SZ 6543507-A	1
S		●G/C			L/C				D1SZ 6543507-B	1
S		⊕G/C							C8SZ 6506081-A	1
S		●G/C							D1OZ 6606081-A	1
S					L/C				C7SZ 6543505-A	1
S	D			I				Key blank	C7AZ 622053-A	2
S		G/C			L/C			Key blank	C7AZ 6243562-A	2
U	D			I					C8TZ 9722050-A	1
U	D								C8TZ 9721984-A	2
U				I					C3AZ 11582-A	1
U		G/C							C2OZ 6206081-A	1
U		G/C					T/G		C7TZ 9843507-B	1
U							T/G		C7TZ 9843505-B	1
U	D			I				Key blank	B9A 3685-A	2
U		G/C					T/G	Key blank	B9A 6443562-A	1
1972										
SINGLE KEY SYSTEM										
A(exc.71)	D	G/C		1	L/C				D2AZ 6522050-C	1
A(71)	D	G/C		1		#S/C	T/G		D2AZ 7122050-B	1
A(71)	D	G/C		1		♦S/C	T/G		D2AZ 7122050-C	1
A	D	G/C		1	L/C	S/C	T/G	Key blank	C7AZ 6222053-A	2

● Instrument Panel ⊕ Console ▲ Instrument Panel and Console
Floor s/compt. ♦ Also consolette ♦ Floor s/compt. and side s/compt.

22050 LOCK SET CHART - continued

MODEL	CONSISTS OF LOCK CYLINDERS FOR: DOOR	G/ COMPT.		IGN.	L/ COMPT.	S/ COMPT.	T/ COMPT.	DESCRIPTION	PART NUMBER	QTY.
					1972					
					DUAL KEY SYSTEM					
A(exc.71)	D			I					D2AZ 6522050-A	1
A	D								D2AZ 6521984-A	2
A				I					D1AZ 11582-A	1
A(71)	D			I			T/G		D2AZ 7122050-A	1
A						‡S/C			D1OZ 6606081-A	1
A(71)		G/C				#S/C			D1AZ 7106081-A	1
A(71)						#S/C			C7AZ 71115A32-B	1
A(71)							T/G		C7DZ 7143505-B	1
A(71)						▲S/C			D1AZ 7143507-A	1
A(exc. 71)					L/C				D2AZ 6543505-A	1
A(exc. 71)		G/C			L/C				D2AZ 6543507-A	1
A	D			1			T/G	Key blank	C7AZ 6222053-A	2
A		G/C			L/C	S/C		Key blank	C7AZ 6243562-A	2
B(exc.71,97)		G/C			L/C				D2OZ 6543507-A	1
B(exc.71)	D			I					D2AZ 6522050-A	1
B	D								D2AZ 6521984-A	2
B				I					D1AZ 11582-A	1
B(71)	D			I			T/G		D2AZ 7122050-A	1
B		G/C							D2OZ 9706081-A	1
B(71)		G/C				S/C			D2OZ 7106081-A	1
B(71)						S/C			C7AZ 71115A32-A	1
B(71)							T/G		C7DZ 7143505-B	1
								Screw-hex. hd. tap - No. 8-15 x 1/2"	52012-S8(U202)	2
B(exc. 71,97)					L/C				D2AZ 6543505-A	1
B	D			I			T/G	Key blank	C7AZ 6222053-A	2
B		G/C			L/C	S/C		Key blank	C7AZ 6243562-A	2
F	D			I					D2AZ 6522050-A	1
F	D								D2AZ 6521984-A	2
F				I					D1AZ 11582-A	1
F		G/C			L/C			Locking g/compt.	D2AZ 6543507-A	1
F		G/C						Locking g/compt.	D1OZ 6606081-A	1
F					L/C				D2AZ 6543505-A	1
F	D			1				Key blank	C7AZ 6222053-A	2
F		G/C			L/C			Key blank	C7AZ 6243562-A	2
L(62)	D			I					D2AZ 6522050-A	1
L(64)	D			I	L/C				D2FZ 6422050-A	1
L(73)	D			I			T/G		D2FZ 7322050-A	1
L	D								D2AZ 6521984-A	2
L				I					D1AZ 11582-A	1
L		G/C						Locking g/compt.	D1OZ 6606081-A	1
L		⊕G/C							D1OZ 6606081-A	1
L(62)		G/C			L/C			Locking g/compt.	D1AZ 6543507-A	1
L(62)					L/C				C8GY 5443505-A	1
L(73)							T/G		D2FZ 7343505-A	1
L	D			I			T/G	Key blank	C7AZ 6222053-A	2
L		G/C			L/C			Key blank	C7AZ 6243562-A	2
P	D			I					D2AZ 6522050-A	1
P	D								D2AZ 6521984-A	2
P				I					D1AZ 11582-A	1
P		⊕G/C			L/C			Locking g/compt.	D1AZ 6543507-A	1
P		⊕G/C							D1OZ 6606081-A	1

▲ Instrument Panel and Console ⊕ Console # Floor s/compt. ‡ Side s/compt.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

22050 LOCK SET CHART - continued

MODEL	CONSISTS OF LOCK CYLINDERS FOR: DOOR	G/ COMPT.		IGN.	L/ COMPT.	S/ COMPT.	T/ COMPT.	DESCRIPTION	PART NUMBER	QTY.
					1972					
					DUAL KEY SYSTEM - continued					
P					L/C				C8GY 5443505-A	1
P	D			I				Key blank	C7AZ 6222053-A	2
P		G/C			L/C			Key blank	C7AZ 6243562-A	2
S		G/C			L/C				D2OZ 6543507-A	1
S		G/C							D2OZ 9706081-A	1
S					L/C				D2AZ 6543505-A	1
S	D			I					D2SZ 6522050-A	1
S	D								D2SZ 6521984-A	2
S				I					D1AZ 11582-A	1
S	D			I				Key blank	C7AZ 6222053-A	2
S		G/C			L/C			Key blank	C7AZ 6243562-A	2
U	D			I					C8TZ 9722050-A	1
U	D								C8TZ 9721984-A	2
U				I					C3AZ 11582-A	1
U		G/C							C2OZ 6206081-A	1
U		G/C					T/G		C7TZ 9843507-B	1
U							T/G		C7TZ 9843505-B	1
U	D			I				Key blank	B9A 3685-A	2
U		G/C					T/G	Key blank	B9A 6443562-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
22053	**KEY - FRONT DOOR AND IGNITION LOCK - BLANK** - Refer to Lock Set Chart - Group 22050				
22058	**SHIM - FRONT DOOR LATCH STRIKER PLATE**				
	65/70	B,S,X	Refer to Group 265A06		
	65/70	A			
	67	F			
	65	B, F, X	Front door	C2OB 6222058-A	AR
	66	F, U			AR
	67/	U			AR
	65	B	Screw-5/16"-24 x 59/64" flat head	371402-S13(BB101A)	AR
	65	B	Bumper	372617-S(CC24A)	AR
	71/	A,B,F,L,S	Improvise	★	

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
22134-5	**ROD - FRONT DOOR LATCH CONTROL TO CYLINDER**					
		- A -				
	69/70	A		C9AZ 6222134-A	C9AZ 6222134-A	2
	71/	A		D1AZ 6522134-A	D1AZ 6522135-A	1
		- B -				
	66/67	B		C6OZ 6222134-B	C6OZ 6222134-B	2
	68/69	B(54, 71)		C8OZ 5422134-A	C8OZ 5422134-A	2
	68/69	B(63, 65, 66, 76)		C8OZ 6322134-A	C8OZ 6322134-A	2
	70/71	B(54, 57, 71)		D0OZ 5422134-A	D0OZ 5422134-A	2
	70/71	B(62, 63, 65, 66, 76)		D0OZ 6522134-A	D0OZ 6522134-A	2
	72	B(53, 71)		D2OZ 5322134-A	D2OZ 5322135-A	1
	72	B(63, 65, 97)		D2OZ 6522134-A	D2OZ 6522135-A	1
		- F -				
	65/66	F		C5ZZ 6522134-A	C5ZZ 6522135-A	1
	67/68	F		★C7ZZ 6522134-A Not repl'd. (3-74)	C7ZZ 6522135-A	1
	69/70	F		C9ZZ 6522134-A	C9ZZ 6522134-A	2
	71/	F		D1ZZ 6522134-B	D1ZZ 6523135-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
22134-5		ROD - FRONT DOOR LATCH CONTROL TO CYLINDER - continued				
		- L -				
	71/	L(62)		D1FZ 6222134-A	D1FZ 6222135-A	1
		- P -				
	70/	P(62)		D0DZ 6222134-A	D0DZ 6222134-A	2
	71/	P(54)		D1DZ 5422134-A	D1DZ 5422134-A	2
		- S -				
	67/71	S(57)		C7SZ 5722134-A	C7SZ 5722135-A	1
	67/71	S(65)		C7SZ 6522134-A	C7SZ 6522135-A	1
	72	S-w/o power door latch		D2SZ 6522134-A	D2SZ 6522135-A	1
	72	S-w/power door latch	Refer to Group 14028 in Chassis Section			
		- U -				
	66	U		★C6TZ 9722134-A Not repl'd. (3-74)	C6TZ 9722135-A	1
	67	U		★C7TZ 9722134-A Not repl'd. (3-74)	C7TZ 9722135-A	1
	68/	U		C8TZ 9722134-A	C8TZ 9722134-A	2
		- X -				
	66/67	X "Before 3/13/67"		C6OZ 6222134-A	C6OZ 6222134-A	2
	67	X "From 3/13/67"		C6OZ 6222134-B	C6OZ 6222134-B	2
	68/70	X				2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
22152-3		ROD - FRONT DOOR LATCH ACTUATING			
		- A -			
	67/68	A(54, 57, 71)	With adjustable end	C7AZ 5422152-A	2
	67/68	A(62, 63, 76)	With adjustable end	C7AZ 6222152-A	2
	69/70	A			2
	71/	A(53, 54, 57, 71)	R.H.	D1AZ 5422152-A	1
			L.H.	D1AZ 5422153-A	1
	71/	A(65, 76)		D1AZ 6522152-A	2
		- B -			
	66/67	B	R.H.	C6OZ 6222152-A	1
			L.H.	C6OZ 6222153-A	1
	68/69	B(54, 71)	With adjustable end	C8OZ 5422152-A	2
	68/69	B(63, 65, 66, 76)	With adjustable end	C8OZ 6322152-A	2
	70/71	B(54, 57, 71)		D0OZ 5422152-A	2
	70/71	B(62, 63, 65, 66, 76)		D0OZ 6522152-A	2
	72	B(53, 71)		D2OZ 5322152-A	2
	72	B(63, 65, 67)		D2OZ 6522152-A	2
		- F -			
	65/66	F		C5ZZ 6522152-B	2
	67/68	F		C7ZZ 6522152-A	2
	69/70	F		C9ZZ 6522152-A	2
	71/	F		D1ZZ 6522152-A	2
		- L -			
	71/	L	R.H.	D1FZ 6222152-A	1
			L.H.	D1FZ 6222153-A	1
		- P -			
	70/	P(62)		D0DZ 6222152-A	2
	71/72	P(54) "Before 3/1/72"		D1DZ 5422152-A	2
	72	P(54) "From 3/1/72"		D2DZ 5422152-A	2
		- S -			
	67/71	S(57)	With adjustable end	C7SZ 5722152-A	2
	67/71	S(65)	R.H. -with adjustable end	C7SZ 6522152-A	1
			L.H.	C7SZ 6522153-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
22152-3		ROD - FRONT DOOR LATCH ACTUATING - continued			
		- S -			
	70	S(65)	Nut-No. 12-24 locking	380331-S7-8 (MM173G)	2
	72	S(w/o power door latch)		D2SZ 6522152-A	2
	72	S(w/power door latch)		D2SZ 6522152-B	2
	67/	S(65)	Clip-No. 8-32	382055-S(GG276)	2
		- U -			
	66/67	U	R.H.	C6TZ 9722152-A	1
			L.H.	C6TZ 9722153-A	1
	68	U "Before Ser. C56.001"	R.H.-11 11/16" long-not repl'd. (3-74)	★C8TZ 9722152-A	1
			L.H.-not repl'd. (3-74)	★C8TZ 9722153-A	1
	68/72	U "From Ser. C56.001 to Ser. M60.001"	R.H.-12 1/8" long	C8TZ 9722152-B	1
			L.H.	C8TZ 9722153-B	1
	72	U "From Ser. M60.001"	R.H.	D2BZ 1022152-A	1
			L.H.	D2BZ 1022153-A	1
		- X -			
	66/70	X	R.H.	C6OZ 6222152-A	1
			L.H.	C6OZ 6222153-A	1
22158		NUT - VACUUM DOOR LATCH CONTROL MOUNTING			
	67/68	A	Also used with electric antenna	C5MY 6222158-B	1or2
	68	A(71)	With power tail gate window		1
22164-5		LINK - FRONT DOOR LATCH CONTROL ROD LEVER			
	72	B(63,65,97)	R.H.	D2OZ 6522164-A	1
			L.H.	D2OZ 6522165-A	1
	72	S		D2SZ 6522164-A	2
22192		GROMMET - VACUUM DOOR LATCH CONTROL			
	68/70	S		C7VY 5322192-B	1
22194		GROMMET - VACUUM DOOR LATCH HOSE			
	70	A	Front-1 3/8" dia. hole	D0AZ 6222194-A	1
	70	A	Front-1 5/16" dia. hole	D0AZ 6222194-B	1
	71	S			1or2
	70/	A(53,54,57,71)	Rear-1 1/4" dia. hole	D0AZ 5422194-A	1 or 2
	70/	A(53,54,57,71)	Rear-2" dia. hole	D0AZ 5422194-B	1
	71	A,S	Fits 1" dia. hole-2 hoses	D1AZ 6522194-A	AR

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
222A00-1		RETAINER - FRONT DOOR GLASS RUN LATCH SIDE				
		- A -				
	69	A(62)		C9AZ 62222A00-A	C9AZ 62222A01-A	1
	69/71	A(54,71)		C9AZ 54222A00-A	C9AZ 54222A01-A	1
		- B -				
	68/69	B(54,71)		C8OZ 54222A00-A	C8OZ 54222A01-A	1
	70/71	B(71)				1
	70	B(62)		D0OZ 62222A00-A	D0OZ 62222A01-A	1
	70/71	B(54)		D0OZ 54222A00-A	D0OZ 54222A01-A	1
		- L -				
	71/	L		D1FZ 62222A00-A	D1FZ 62222A01-A	1
		- P -				
	70/	P(62)		D0DZ 62222A00-A	D0DZ 62222A01-A	1
	70/	P(62)	Bolt-No. 8-18 x 5/8" round head	375453-S100(BB658C)	375453-S100(BB658C)	2
	71/	P(54)		D1DZ 54222A00-A	D1DZ 54222A01-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
222A00-1	**RETAINER - FRONT DOOR GLASS RUN LATCH SIDE - continued**					
		- X -				
	68/70	X(54,71)		C8DZ 54222A00-A	C8DZ 54222A01-A	1
	68/70	X(62)		C8DZ 62222A00-A	C8DZ 62222A01-A	1
	68	B(54,71),X(54,62,71)	1/4"-20 x 1/2" Hex. head screw & washer assy.	381560-S2(BB863K)	381560-S2(BB863K)	2
	70	B(54)	Screw-No. 8 x 18-1/2" washer head	375453-S100(BB658C)	375453-S100(BB658C)	2
22204-5	**FRAME and DIVISION BAR ASSY. - FRONT DOOR VENT WINDOW**					
		- A -				
	65/67	A(57,63,76)		C5AZ 6322204-B	C5AZ 6322205-B	1
	68	A(57,63,65,76)				1
			5/16"-18 x 1.88" Set screw	★378696-S2	★378696-S2	2
			5/16"-18 x 3/4" Hex. head screw & washer assy.	359662-S7-8(BB575A)	359662-S7-8(BB575A)	4
			5/16" I. D. x 7/8" O. D. Washer (special)	★357789-S7	★357789-S7	2
			5/16"-18 Hex. nut	33797-S7(M50)	33797-S7(M50)	2
			No. 8-18 x 3/8" Cross recess pan head screw	52720-S8(U380)	52720-S8(U380)	6
		- B -				
	66/67	B(63,76)		★C6OZ 6322204-B Not replaced (3-75)	C6OZ 6322205-B	1
			5/16"-18 x 1 3/4" Set screw	379721-S2(UU108H)	379721-S2(UU108H)	2
			5/16"-18 x 1 1/2" Screw & washer assy.	★380347-S2	★380347-S2	4
	66/67	B	No. 6-20 x 1/4" Screw-flat head	52052-S13(U200A)	52052-S13(U200A)	2
	66/67	B(except 63,76)	Refer to Group 21408-9			
	70/71	B(57)		D0OZ 5722204-A	D0OZ 5722205-A	1
		- F -				
	65/66	F		C5ZZ 6522204-A	C5ZZ 6522205-A	1
			5/16"-18 x 1.88" Set screw	★378696-S8	★378696-S8	2
			5/16"-18 x 1" Hex. head screw & washer assy.	★378694-S2	★378694-S2	4
			5/16"-18 x 2" Hex. head screw & washer assy.	★379384-S2	★379384-S2	2
			5/16" I. D. x 7/8" O. D. Washer (special)	★357789-S7	★357789-S7	2
			5/16"-18 Hex. nut	33797-S7(M50)	33797-S7(M50)	2
	67/68	F		C7ZZ 6522204-A	C7ZZ 6522205-A	1
			5/16"-18 x 1.88" Set screw	★378696-S8	★378696-S8	2
			5/16"-18 x 1.56" Oval head screw & washer assy.	★379384-S2	★379384-S2	2
			5/16"-18 x 1" Hex. head screw & washer assy.	★378694-S2	★378694-S2	2
			5/16"-18 Hex. nut & washer assy.	★375023-S2	★375023-S2	2
	67/68	F	Nut-hex.-5/16"-18	33797-S7(M50)	33797-S7(M50)	2
	67/68	F	Screw-flat head-No.6-20 x 1/4"	52052-S13(U200A)	52052-S13(U200A)	2
	67/68	F	Washer-flat-5/16"	375897-S(XX118A)	375897-S(XX118A)	2
		- S -				
	65/66	S		C6SZ 6322204-A	★C6SZ 6322205-A Not repl'd. (3-74)	1
	65/66	S	Rivet-tubular	351933-S(SS32)	351933-S(SS32)	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
22204-5	**FRAME and DIVISION BAR ASSY. - FRONT DOOR VENT WINDOW - continued**					
		- S -				
	65/66	S	Screw,set-5/16"-18 x 1.62"	★379388-S2	★379388-S2	2
			Screw & washer assy., hex.hd.-5/16"-18x1.19"	★379446-S2	★379446-S2	4
			Screw & washer assy., hex.hd.-No.10-24x1.00"	378315-S2(BB869)	378315-S2(BB869)	2
			Washer,special-5/16" I.D. x 7/8" O.D.	357789-S7(XX343)	357789-S7(XX343)	2
			Nut,hex-5/16"-18	33797-S7(M50)	33797-S7(M50)	2
			Nut & retainer assy.-No.10-24	★378154-S2	★378154-S2	2
		- U -				
	66/	U	Painted	C6TZ 9722204-B	C6TZ 9722205-B	1
	67	U	Bright finish	C7TZ 9722204-A	C7TZ 9722205-B	1
	68/	U	Bright finish	C7TZ 9722204-B	C7TZ 9722205-B	1
	66/	U	Nut,hex.-5/16"	33923-S7(M32)	33923-S7(M32)	AR
	66/	U	Washer,flat-5/16"	375897-S(XX118A)	375897-S(XX118A)	1
	66/	U	Screw, pan head-#20 x 1 3/4"	★57455-S9	★57455-S9	2
222A04	**CLIP - FRONT DOOR WINDOW - FRONT** - Also Refer to Groups 222B08 and 222A44					
	68	B(63,65,66,76)		C8OZ 63222A04-A	C8OZ 63222A04-A	2
	69	B(76)				2
	69	B(63,65,66),F(63,65)		C9ZZ 65222A04-A	C9ZZ 65222A04-A	ø 2
	67	S(65)		C7SZ 65222A04-A	C7SZ 65222A04-A	2
	68	S		C7SZ 65222A04-B	C7SZ 65222A04-B	2or6
	69	S(57,65)				2or4
GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
222B08	**CLIP - FRONT DOOR WINDOW TOP OUTER - INCLUDES ATTACHING PARTS** - Also Refer to Groups 222A04 and 222A44					
	69	A(57,63,65)	With dog-leg mating surface	C9AZ 63222B08-A		2
	70/71	A(53,57,65,76),B(57,63,65,66,76),F,S		D1AZ 65222B08-A		2
	72	F				2
	72	B "Before 12/15/71"	Replaced by D2AZ 65222B08-A (10-74)	★D2OZ 65222B08-A		2
	71/	L,P(62)		D1FZ 62222B08-A		2
	72	A,S		D2AZ 65222B08-A		2
	72	B "From 12/15/71"				2
GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
22220-1	**FRAME - FRONT DOOR GLASS**					
		- A -				
	65/68	A(57)	Includes attaching parts	C5AZ 5722220-A	C5AZ 5722221-A	1
	65/66	A(63,76)	Includes attaching parts	★C5AZ 6322220-A Not repl'd. (3-74)	C5AZ 6322221-A	1
	67/68	A(76)				1
	68	A(63)		C8AZ 6322220-A	C8AZ 6322221-A	1
	68	A(65)		C8AZ 6522220-A	C8AZ 6522221-A	1
	69	A(57)		C9AZ 5722220-A	C9AZ 5722221-A	1
	69	A(63,65,76)		C9AZ 6322220-A	C9AZ 6322221-A	1
		- B -				
	66/67	B(63)	Includes attaching parts	C6OZ 6322220-A	C6OZ 6322221-A	1
	66/67	B(76)	Includes attaching parts	C6OZ 7622220-A	C6OZ 7622221-A	1
	66/68	B(54,71)	Window opening frame	C6OZ 5422220-A	C6OZ 5422221-A	1
	68	B(63,65,66,76)	Serviced in 21400-1			
	69	B(63,65,66)		C9OZ 6322220-A	C9OZ 6322221-A	1
	69	B(76)		C9OZ 7622220-A	C9OZ 7622221-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
22220-1	**FRAME - FRONT DOOR GLASS - continued**					
		- F -				
	65/66	F(65)	Includes attaching parts	C5ZZ 6522220-A	C5ZZ 6522221-A	1
	67/68	F(63)	Includes attaching parts	C7ZZ 6322220-A	C7ZZ 6322221-A	1
	67/68	F(65)	Includes attaching parts	C7ZZ 6522220-B	C7ZZ 6522221-B	1
	69	F(65,76)		C9ZZ 6522220-A	C9ZZ 6522221-A	1
	69/70	F(63)	Cement-on type	D0ZZ 6322220-A	D0ZZ 6322221-A	1
	70	F(63)	Press-on type	D0ZZ 63214A24-A	D0ZZ 63214A25-A	1
		- S -				
	65	S	Includes attaching parts	C4SZ 6322220-A	C4SZ 6322220-A	2
	66	S(63A,76)				2
	67/68	S(65)		C7SZ 6522220-A	C7SZ 6522221-A	1
	69	S(65A,C)				1
		- U -				
	66/	U		C6TZ 9722220-A	C6TZ 9722221-A	1
			1/4"-20 x 1/2" Hex. head screw & washer assy.	42742-S7-8(U2A)	42742-S7-8(U2A)	4
			Screw-No. 8-18 x 3/8" Pan head	52720-S8(U380)	52720-S8(U380)	2
		- X -				
	66/70	X(54,71)	Window opening frame	C6OZ 5422220-A	C6OZ 5422221-A	1
	65/	A,B,F,S,X	No. 8-32 x 3/8" Bolt-flat head	358477-S8(BB93)	358477-S8(BB93)	AR

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
222A44-5	**CLIP - FRONT DOOR WINDOW - TOP** - Also refer to Groups 222A04, 222B08				
	68	A(63,65)		C8AZ 63222A44-A	2
	69	A(57,63,65)		C9AZ 63222A44-A	2or4
	70/71	B(57,66)			2
	68/69	B(63,65)		C8OZ 63222A44-A	2
	72	B(63,65,97),S		D2OZ 65222A44-B	2
	71/	F		D1ZZ 65222A44-A	2 or 4
	67/69	S(65A,C)		C7SZ 65222A44-B	2
222A54-5	**STOP - FRONT DOOR WINDOW UPPER REAR**				
	71/	A(53)	R.H.	C9MY 53222A54-A	1
			L.H.	C9MY 53222A55-A	1
	69/70	F	R.H.	C9ZZ 65222A54-A	1
			L.H.	C9ZZ 65222A55-A	1
	67/71	S(57)		C7SZ 57222A54-B	2
	67/68	S(65) "Before 11/15/67"	R.H.-not repl'd. (3-74)	★C7SZ 65222A54-B	1
			L.H.-not repl'd. (3-74)	★C7SZ 65222A55-B	1
	68/71	S(65) "From 11/15/67"	R.H.	C7SZ 65222A54-C	1
			L.H.	C7SZ 65222A55-C	1
	67/71	S	Screw,pan head-1/4"-20 x 1/2"	50992-S7(U154)	2
222A56-7	**GUIDE - DOOR WINDOW - LATCH SIDE**				
		- A -			
	65/67	A(63,76)	R.H.	C5AZ 63222A56-B	1
	68	A(63,65,76)	R.H.		1
			L.H.	C5AZ 63222A57-B	1
	69	A(57,63,65,76)		C9AZ 63222A56-A	6or8
	70	A(57)	Use with bonded design	D0AZ 63222A56-C	8
	70	A(63,65,76)			4
	70/71	A(63,65,76)	R.H.-use with bolt-on design	D1AZ 65222A56-A	2
			L.H.	D0AZ 63222A57-B	2
	71	A(53,57) "Before 6/7/71"	R.H.	D1AZ 65222A56-A	1
			L.H.	D0AZ 63222A57-B	1
	71/	A(54,71)	R.H.	D1AZ 54222A56-A	1
			L.H.	D1AZ 54222A57-A	1
	71/	A(53,57,65,76)- "From 6/7/71"	R.H.-front,rear door or power quarter	D1AZ 65222A56-A	AR
			L.H.	D1AZ 65222A57-A	AR

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
222A56-7	**GUIDE - DOOR WINDOW - LATCH SIDE - continued**				
		- A -			
	65/68	A(57,63,65,76)	Screw,set-5/16"-18 x 2 1/2"	379386-S2(UU108G)	2
			Hex.washer head screw-5/16"-18 x 1/2"	376976-S7-8(BB574M)	4
			Washer,special-5/16" I.D. x 7/8" O.D.	★357789-S7	2
			Hex.nut-5/16"-18	33797-S7(M50)	2
	65/68	A	Lockwasher-5/16"	356309-S7(XX299)	2
	65/68	A	Screw,set-5/16"-18 x 2 1/2"	379386-S2(UU108G)	2
	70	A(63,65,76),F,B(63,65,66,76)	Nut and washer-1/4"-20-use with Bolt-on design	383278-S2(MM296AG)	AR
		- B -			
	68/69	B(63,65,66,76)		C8OZ 63222A56-A	4
	70/71	B(57)	R.H. -front door	D0OZ 57222A56-A	1
			L.H.	D0OZ 57222A57-A	1
	70	B(57)	Rear door	C9AZ 63222A56-A	2
	70/71	B(63,65,66,76)	R.H.	D0AZ 63222A56-A	2
			L.H.	D0AZ 63222A57-A	2
	71	B(57)	R.H.-rear door	D0AZ 63222A56-A	1
			L.H.	D0AZ 63222A57-A	1
	66/67	B	5/16"-18 Hex. nut	33797-S7(M50)	4
		- F -			
	67/68	F	R.H.	C7ZZ 65222A56-C	1
			L.H.	C7ZZ 65222A57-C	1
			5/16"-18 x 7/16" & 5/16"-18 x 1 1/8" Set screw	375694-S2(UU108E)	2
			5/16"-18 Nut & washer assy.	★375023-S2	2
			1/4"-20 x 1/2" Pan head screw & washer assy.	373460-S7(BB629)	4
	67/68	F	5/16"-18 Hex. nut	33797-S7(M50)	2
	69/70	F	Use with bonded design	C9ZZ 65222A56-A	4
	69/70	F	Use with bolt-on design	D0ZZ 65222A56-A	4
		- S -			
	67/71	S(57)	R.H.	C7SZ 57222A56-A	1
			L.H.	C7SZ 57222A57-A	1
	67/71	S(65)	R.H.	C7SZ 65222A56-A	1
			L.H.	C7SZ 65222A57-A	1
	67/71	S	1/4"-20 x 3/4" Hex.washer head screw	371492-S2(BB569)	4
222A80-1	**SEAL - FRONT DOOR VENT WINDOW FRAME**				
	67	A(57,63,76)		C7AZ 63222A80-A	2
	68	A(57,63,65,76)			2
	66/67	B(63,76)	10 1/4" long	C6OZ 63222A80-A	2
	67/68	F	Cut to 9.52" long		2
22285-6	**BUTTON - FRONT DOOR ACCESS HOLE - PLUG**				
	65/66	F	Latch side-for 1 1/2" diameter hole	C5ZZ 6522286-A	4
	65	S	Lower	★B7A 6422285-A	4
222A88-9	**RETAINER - FRONT DOOR VENT WINDOW DIVISION BAR GLASS RUN**				
	65/67	A(57,63,76)	R.H.	C5AZ 63222A88-A	1
	68	A(57,63,65,76)			1
			L.H.	C5AZ 63222A89-A	1
			5/16"-18 x 2 1/2" Set screw	379386-S2(UU108G)	2
			5/16" I.D. x 7/8" O.D. Washer (special)	★357789-S7	2
			5/16"-18 Hex. nut	33797-S7(M50)	2
	65/68	A(54,62,71)	R.H.-not repl'd. (3-74)	★C5AZ62222A88-A	1
			L.H.	C5AZ 62222A89-A	1
			5/16"-18 x 3/4" Hex. head screw & washer assy.	359662-S7-8(BB575A)	2
	69/70	A(54,71)	R.H.	C9AZ 54222A88-A	1
			L.H.	C9AZ 54222A89-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
222A88-9	**RETAINER - FRONT DOOR VENT WINDOW DIVISION BAR GLASS RUN - continued**				
	69	A(62)	R.H.	C9AZ 62222A88-A	1
			L.H.	C9AZ 62222A89-A	1
	65/68	A	Screw-5/16"-18 x 2 1/2" Set	379386-S2(UU108G)	2
	65/69	A	5/16" Lockwasher	356309-S7(XX299)	1
	66	B(54,62,71),X	R.H.-not repl'd. (3-74)	★C6OZ 62222A88-A	1
	67	B(54,62,66,71),X			1
			L.H.	C6OZ 62222A89-A	1
	68/69	B(54,71)	R.H.	C8OZ 54222A88-A	1
	68/70	X			
	70/71	B(71)			
			L.H.	C8OZ 54222A89-A	1
	70/71	B(54,62)	R.H. -Includes bracket	D0OZ 54222A88-A	1
			L.H.	D0OZ 54222A89-A	1
	70/71	B(57)	R.H. -Includes bracket	D0OZ 57222A88-A	1
			L.H.	D0OZ 57222A89-A	1
	66/71	B,X	5/16"-18 x 1 3/4" Set screw	379721-S2(UU108H)	2
			5/16"-18 Nut & washer assy.	★375023-S2	2
	68/71	B	Nut and washer-1/4"-20 Hex.	378289-S2(MM296)	2
	66/67	B,F,X	5/16"-18 Hex. nut	33797-S7(M50)	2
	67/68	F	R.H.	C7ZZ 65222A88-A	1
			L.H.	C7ZZ 65222A89-A	1
			5/16"-18 x 1.88" Set screw	★378696-S8	2
			5/16"-18 Nut & washer assy.	★375023-S2	2
			Plug (button)-1 1/2" diam. hole	352216-S(PP3G)	2
	67/68	F	Screw-No. 6-20 x 1/4" Flat head	52052-S13(U200A)	AR
222A92	**GUIDE - FRONT DOOR WINDOW LOWER**				
	71/	F		D1ZZ 65222A92-B	2
	72	B(53,71)	Front or rear door	D2OZ 65222A92-A	4
	72	B(63,65,97)			2
	72	S			2
22296-7	**BAR - FRONT DOOR VENT WINDOW DIVISION - INCLUDES ATTACHING PARTS**				
	65/68	A(54,62,71)	R.H.	C5AZ 6222296-C	1
			L.H. - not replaced (3-75)	★C5AZ 6222297-C	1
	69/70	A(54,71)	R.H.	C9AZ 5422296-A	1
			L.H.	C9AZ 5422297-A	1
	69	A(62)	R.H.	C9AZ 6222296-A	1
			L.H.	C9AZ 6222297-A	1
	66/69	B(54,62,66,71),X	R.H.	C6OZ 6222296-A	1
	70	B(71),X			1
	71	B(71)			
			L.H.	C6OZ 6222297-A	1
	70/71	B(54,62)	R.H.	D0OZ 5422296-A	1
			L.H.	D0OZ 5422297-A	1
	65/	A,B,X	For weatherstrip refer to Group 21448-9		
	66/	B,X	Rivet	351909-S8(SS30)	AR
	66/70	X	Screw-No. 8-18 x 3/8" Pan head	52720-S8(U380)	2
223A00-1	**GUIDE - FRONT DOOR WINDOW - FRONT** - Also Refer to Group 222A56				
	67/71	S	R.H.	C7SZ 65223A00-A	1
			L.H.	C7SZ 65223A01-A	1
			1/4"-20 x 3/4" Hex. washer head screw	371492-S2(BB569)	4
22330-3A30	**BEARING - FRONT DOOR VENT WINDOW LOWER PIVOT**				
	65	S	Outer	C4SZ 6322330-A	2
	65/66	S	Inner	C4SZ 63223A30-A	2
	66	S	Outer	C4SZ 6322330-B	2
223A32-3	**SEAL - FRONT DOOR VENT WINDOW LOWER FRONT**				
	67/68	F	R.H.	C7SZ 65223A32-C	1
			L.H.	C7ZZ 65223A33-C	1
	67/68	F	Screw-No. 6-20 x 1/4" Fillister head	52533-S(U226)	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
223A48	**RUN and CLIP ASSY. - FRONT DOOR VENT WINDOW DIVISION BAR GLASS - UPPER**				
	66/	U		C6TZ 97223A48-A	2
223A54-5	**RUN and BRACKET ASSY. - FRONT DOOR VENT WINDOW DIVISION BAR GLASS - LOWER**				
	66/	U	R.H.	C6TZ 97223A54-A	1
			L.H.	C6TZ 97223A55-A	1
			1/4"-20 x 1/2" Hex. headscrew & washer assy.	42742-S7-8(U2A)	2
223A58	**ANTI - RATTLE ASSY. - FRONT DOOR WINDOW LOWER GUIDE**				
	71/	F		D1ZZ 65223A58-A	4
	72	B,S		D2OZ 65223A58-A	2 2
22362	**GUIDE - DOOR WINDOW UPPER**				
	72	B	Front, rear doors	D2OZ 6522362-A	2 or 4
	72	S			2
	71/	F		D1ZZ 6522362-A	2
22380	**STABILIZER - DOOR WINDOW GLASS INNER**				
	72	B,S	Front, rear doors	D2OZ 6522380-B	4 or 8
	71	F "Before 1/18/71"		D1ZZ 6522380-A	4
	71/	F "From 1/18/71"		D1ZZ 6522380-B	4
22384-5	**LEVER - DOOR LATCH ACTUATING ROD**				
		- A -			
	65/68	A	R.H.	C5AZ 6222384-A	1
			L.H.	C5AZ 6222385-A	1
			3/16" x .88" Pin (clevis)	★76187-S8	2
	69/70	A	R.H.	C9AZ 6222384-A	1or2
			L.H.	C9AZ 6222385-A	1
		- B -			
	66/71	B		C6OZ 6222384-A	2
		- F -			
	65/66	F		C4DZ 6222384-A	2
	67/68	F		C7ZZ 6522384-A	2
			3/16" x .88" Pin (clevis)	★76187-S8	2
	69/70	F		C9ZZ 6522384-A	2
	65/70	F	Pin-self locking	353610-S8(NN126)	2
	65/70	F	Pin-3/16" x 1 5/32" flat	358678-S7-8(NN7B)	2
		- L -			
	71/	L		D1FZ 6222384-A	2
		- P -			
	70/	P		C7ZZ 6522384-A	2
		- S -			
	65/66	S		C5SZ 6322384-A	2
			3/16" x 1.29" Pin (clevis)	373919-S8(NN7C)	2
	65/66	S	Pin-self locking	353610-S8(NN126)	2
			No. 8-32 x 3/8" Pan head screw	★40514-S8	2
	67/71	S	R.H.	C5AZ 6222384-A	1
			L.H.	C5AZ 6222385-A	1
		- U -			
	66/67	U		C4DZ 6222384-A	1
	68	U "Before Ser. C56, 001"	Not repl'd. (3-74)	★C8TZ 9722384-B	2
	68/72	U "From Ser. C56, 001 to Ser. M60, 001"		C8TZ 9722384-A	2
	72	U "From Ser. M60, 001"		D2BZ 1022384-A	2
		- X -			
	65	X		C4DZ 6222384-A	2
	66/70	X		C6OZ 6222384-A	2
	65	X	3/16" x 1.16" overall-Pin (clevis)	358678-S7-8(NN7B)	2
	65/66	F			2
	66/67	U			2
	65/	A,B	Pin-self locking	353610-S8(NN126)	2
	65/66	F,X			2
	66/67	U			2
	66/70	X			2
			No. 8-32 x 3/8" Pan head screw	★40514-S8	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
22404-5	**HANDLE ASSY. - FRONT DOOR OUTSIDE** - Also refer to Group 26604-5					
		- A -				
	65/66	A	Includes attaching parts	C5AZ 6222404-A	C5AZ 6222405-A	1or2
	66/70	A(54, 57, 71)	Rear door-Refer to Group 26604-5			
	67/68	A		C7AZ 6222404-A	C7AZ 6222405-A	1
	69/70	A	Includes attaching parts	C9AZ 6222404-A	C9AZ 6222405-A	1
	71/	A	Front or rear	D1AZ 6522404-A	D1AZ 6522405-A	1or2
		- B -				
	65	B	Includes attaching parts	C5OZ 6222404-A	C5OZ 6222405-A	1or2
	66/71	B	Includes attaching parts	C6OZ 6222404-A	C6OZ 6222405-A	1or2
	72	B		D3AZ 6522404-A	D3AZ 6522405-A	1or2
	65	B	Clip	73878-S8(N2A)	73878-S8(N2A)	2
	65	B	Pin-self locking	353610-S8(NN126)	353610-S8(NN126)	AR
	65	B	Nut-7/32" sleeve	377647-S(MM216J)	377647-S(MM216J)	2
	65	B	Screw-No. 12-24 x 1/2" Pan head	50811-S(U150A)	50811-S(U150A)	AR
	66/	B	No. 12 Lockwasher	34927-S7(X87)	34927-S7(X87)	AR
		- F -				
	65/66	F	Includes attaching parts	C4DZ 6222404-A	C4DZ 6222405-A	1or2
	69/70	F				1
	67/68	F	Includes attaching parts	C7ZZ 6522404-A	C7ZZ 6522405-A	1
	71/	F		D1AZ 6522404-A	D1AZ 6522405-A	1
	65	F	No. 10 Lockwasher	34903-S8(X96)	34903-S8(X96)	2
	67/68	F	Bolt-No. 10-24 x 1 3/8" Fillister head	378149-S(BB29D)	378149-S(BB29D)	2
	67/	F	No. 10-24 nut	34053-S8(M156)	34053-S8(M156)	AR
		- L -				
	71/	L		D1FZ 6222404-A	D1FZ 6222405-A	1
		- P -				
	70/	P	Includes attaching parts	C7ZZ 6522404-A	C7ZZ 6522405-A	1
	70/	P	Pin-spring retainer	353610-S40(NN126)	353610-S40(NN126)	1
	70/	P	Nut & washer assy. - No. 10-24 hex.	34655-S8(M107)	34655-S8(M107)	2
		- S -				
	65/66	S	Includes attaching parts	C4SZ 6322404-A	C4SZ 6322405-A	1
	67/71	S	Includes attaching parts	C5AZ 6222404-A	C5AZ 6222405-A	1or2
	72	S		D1AZ 6522404-A	D1AZ 6522405-A	1
	67/71	S	Nut-no. 12-24 locking	380331-S7(MM173G)	380331-S7(MM173G)	2
		- U -				
	66/	U	Includes attaching parts	C4DZ 6222404-A	C4DZ 6222405-A	1or2
	66/	U	No. 10-24 Nut	34053-S8(M156)	34053-S8(M156)	AR
	66/	U	No. 10 Lockwasher	34903-S8(X96)	34903-S8(X96)	AR
	66/	U	Pin-self locking	353610-S8(NN126)	353610-S8(NN126)	1
	66/	U	Screw-No. 10-24 x 1" round head	53866-S7(U169A)	53866-S7(U169A)	2
		- X -				
	65	X	Includes attaching parts	C4DZ 6222404-A	C4DZ 6222405-A	1or2
	66/70	X	Includes attaching parts	C6OZ 6222404-A	C6OZ 6222405-A	1or2
	65	X	Nut-No. 10-24 Hex.	34053-S8(M156)	34053-S8(M156)	2
	65	X	No. 10 Lockwasher	34903-S8(X96)	34903-S8(X96)	2
	66/70	X	No. 12 Lockwasher	34927-S7(X87)	34927-S7(X87)	AR
	65/	A,S	Nut-No. 12-24 Locking	380331-S7(MM173G)	380331-S7(MM173G)	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
22408	**ANTI-RATTLE - DOOR HANDLE OUTSIDE**				
	72	A,F,S	Front & rear doors	D2AZ 6522408-A	2or4

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
22428-9	**PAD - DOOR OUTSIDE HANDLE LARGE**					
		- A -				
	65/66	A(except 71A, E)		C5AZ 6222428-A	C5AZ 6222429-A	1or2
	67/68	A				1or2
	69/70	A		C9AZ 6222428-A	C9AZ 6222429-A	1or2
	71/	A		D1AZ 6522428-A	D1AZ 6522428-A	2or4
		- B -				
	65	B		C5AZ 6222428-A	C5AZ 6222429-A	1or2
	66/71	B		C6OZ 6222428-A	C6OZ 6222429-A	1or2
	65	B	Pin-self locking	353610-S8(NN126)	353610-S8(NN126)	AR
	72	B "Before 7/2/72"	Serviced in assy. only- Refer to Group 22404-5			
	72	B "From 7/2/72"		D3AZ 6522428-A	D3AZ 6522428-A	2or4
		- F -				
	65/66	F	Rubber or vinyl	C0DZ 6422428-B	C0DZ 6422429-B	1
	67/68	F	Nylon	C7ZZ 6522428-A	C7ZZ 6522429-A	1
	69/70	F		C9ZZ 6522428-A	C9ZZ 6522429-A	1
	71/	F		D1AZ 6522428-A	D1AZ 6522428-A	2
		- L -				
	71/	L		D1FZ 6222428-A	D1FZ 6222429-A	1
		- P -				
	70/	P		C7ZZ 6522428-A	C7ZZ 6522429-A	1or2
		- S -				
	65/66	S		C4SZ 6322428-A	★C4SZ 6322429-A Not Repl'd (11-73)	1
	67/71	S		C5AZ 6222428-A	C5AZ 6222429-A	1or2
	72	S		D1AZ 6522428-A	D1AZ 6522428-A	2
		- U -				
	66/	U	Rubber or vinyl	C0DZ 6422428-B	C0DZ 6422429-B	1
	67/	U(98)	Lift gate handle	C6TZ 9122428-A	C6TZ 9122428-A	1
		- X -				
	65	X	Rubber or vinyl	C0DZ 6422428-B	C0DZ 6422429-B	1or2
	66/70	X		C6OZ 6222428-A	C6OZ 6222429-A	1or2
22448-9	**PAD - DOOR OUTSIDE HANDLE SMALL**					
		- A -				
	65/66	A(except 71A, E)		C5AZ 6222448-A	C5AZ 6222449-A	1or2
	67/68	A				1or2
	69/70	A		C9AZ 6222448-A	C9AZ 6222449-A	1or2
		- B -				
	65	B		C5AZ 6222448-A	C5AZ 6222449-A	1or2
	66/71	B		C6OZ 6222448-A	C6OZ 6222449-A	1or2
		- F -				
	65/70	F		C0DZ 6422448-C	C0DZ 6422449-C	1
		- L -				
	71/	L		D1FZ 6222448-A	D1FZ 6222449-A	1
		- P -				
	70/	P		C0DZ 6422448-C	C0DZ 6422449-C	1
		- S -				
	65/66	S		C4SZ 6322448-A	★C4SZ 6322449-A Not Repl'd (11-73)	ø1
	67/71	S		C5AZ 6222448-A	C5AZ 6222449-A	1or2
		- U -				
	66/	U		C0DZ 6422448-C	C0DZ 6422449-C	1
22448-9	**PAD - DOOR OUTSIDE HANDLE SMALL - continued**					
		- X -				
	65	X		C0DZ 6422448-C	C0DZ 6422449-C	1or2
	66/70	X		C6OZ 6222448-A	C6OZ 6222449-A	1or2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
22454		**BUTTON and PIN KIT - DOOR OUTSIDE HANDLE** - Also refer to Groups 21984-5, 26602			
		- A -			
	65/68	A	R.H. or L.H. -Front door-Kit	C5AZ 6222454-B	2
		Consists of			
		1-Button & pin assy. 1-Retainer 1-Sleeve 1-Spring 1-Seal 1-Screw			
	69	A	R.H. or L.H. -Front door-Kit	C9AZ 6222454-A	2
		Consists of			
		1-Button & pin assy. 1-Retainer 1-Sleeve 1-Spring 1-Seal 1-Clip 1-Screw			
	70	A		C6GY 6222454-A	2
		- B -			
	65	B	R.H. or L.H. -Kit	C5OZ 6222454-A	2or4
		Consists of			
		1-Button & pin assy. 1-Retainer 1-Spring 1-Seal 1-Clip 1-Screw			
	66/71	B	R.H. or L.H. -Kit	C6OZ 6222454-B	2
		Consists of			
		1-Button & pin assy. 1-Retainer 1-Spring 1-Sleeve 1-Pin (clevis) 1-Clip 1-Seal 1-Screw			
	65	B	Clip	73878-S8(N2A)	2
	65	B	Pin-self locking	353610-S8(NN126)	2
		- F -			
	65/66	F	R.H. or L.H. -Front door-Kit	C8TZ 9722454-A	2
		Consists of			
		1-Button & pin assy. 1-Retainer 1-Spring 1-Seal 1-Screw			
	67/70	F	R.H. or L.H. -Kit	C9ZZ 6522454-A	2
		Consists of			
		1-Button & pin assy. 1-Retainer 1-Sleeve 1-Spring 1-Seal 1-Clip 1-Screw			
		- L -			
	71/	L	R.H. or L.H. -Kit	D1FZ 6222454-A	2
		Consists of			
		1-Button & pin assy. 1-Retainer 1-Spring 1-Sleeve 1-Seal 1-Clip 1-Screw			
		- P -			
	70/	P		C9ZZ 6522454-A	2
		- S -			
	65/66	S	R.H. or L.H. - Kit	C4SZ 6322454-B	2
		Consists of			
		1-Button & pin assy. 1-Retainer-R.H. 1-Retainer-L.H. 1-Spring 1-Screw 1-Seal			
	67/71	S	R.H. or L.H. -Front door-kit	C5AZ 6222454-B	2
	65/66	S	Pin-self locking	353610-S8(NN126)	2
	65/66	S	Clevis pin-3/16" x 1 9/32"	373919-S8(NN7C)	2
		- U -			
	66/	U	R.H. or L.H. -Front door-Kit	C8TZ 9722454-A	2
		Consists of			
		1-Button & pin assy. 1-Retainer 1-Spring 1-Seal 1-Screw			
		- X -			
	65	X	R.H. or L.H. - Front door - Kit	C8TZ 9722454-A	2
		Consists of			
		1-Button & pin assy. 1-Retainer 1-Spring 1-Seal 1-Screw			
	66/70	X	R.H. or L.H. -Kit	C6OZ 6222454-B	2
		Consists of			
		1-Button & pin assy. 1-Retainer 1-Spring 1-Sleeve 1-Pin (Clevis) 1-Clip 1-Seal 1-Screw			
22486		**REINFORCEMENT - DOOR OUTSIDE HANDLE**			
	65/70	A		C5AZ 6222486-A	2or4
	67/71	S			2or4
22600-1		**HANDLE - DOOR INSIDE - INCLUDES ATTACHING PARTS**			
		- A -			
	65/66	A(57F, 63C, 63F, 76B)	R.H. -Front door-Pedal type	★C5AZ 6322600-A	1
	66	A(63D, 76D)		Not Repl'd (11-73)	1
	65/66	A(57F)	R.H. -Rear door		1
			L.H.	C5AZ 6322601-A	1
	65/66	A(54A, 57B, 63B, 71A, E, 76A)	R.H. -Front door-Pedal type	C5AZ 6322600-B	1
	65/66	A(54A, 57B, 71A, E)	R.H. -Rear door		1
			L.H.	C5AZ 6322601-B	1

COPYRIGHT © 1973 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
22600-1	**HANDLE - DOOR INSIDE - INCLUDES ATTACHING PARTS - continued**				
		- A -			
	65/67	A(54B, E, 62B, E, 71B, C, D)	R. H. and L. H. -pull type	C5AZ 6222600-B	2or4
	67	A(54A, C, 57, 63, 71A, E, 76)	R. H.	C7AZ 5422600-B	1or2
	67	A(71B, C)-R.P.O.			2
			L. H.	C7AZ 5422601-B	1or2
	68	A	R.H.	C8AZ 6222600-B	1or2
			L.H.	C8AZ 6222601-B	1or2
			No. 8-32 Nut & washer assy.	34653-S36(M106X)	4or8
	69	A	R. H.	C9AZ 6222600-A	1or2
			L. H.	C9AZ 6222601-A	1or2
	70	A	R. H. -Brush finish	D0DZ 6222600-D	1or2
			L. H.	D0DZ 6222601-D	1or2
	70/	A	R. H. -Bright finish	D1AZ 6522600-A	1or2
			L. H.	D1AZ 6522601-A	1or2
	65/67	A	Screw-No. 10-24 x 39/64" Fillister head	379259-S13(BB817AN)	2or4
		- B -			
	65	B	Front door	C3AZ 6222600-B	2
	66	B(63C, D, 76C, D)	R. H.	★C5MY 5422600-A	1
				Not Repl'd (11-73)	
			L. H.	C5MY 5422601-A	1
	66	B	No. 8-32 Nut washer assy.	34653-S36(M106X)	2
	66/67	B(54, 62, 63B, 66, 71, 76B)		C5ZZ 6522600-C	2or4
	67	B(63C, D, 76C, D)	R. H.	C7AZ 5422600-B	1or2
			L. H.	C7AZ 5422601-B	1or2
	68/69	B	R. H.	C8AZ 6222600-B	1or2
			L. H.	C8AZ 6222601-B	1or2
	70	B	R.H.-Brush finish	D0DZ 6222600-D	1or2
			L. H.	D0DZ 6222601-D	1or2
	70/71	B	R.H.-Bright finish	D1AZ 6522600-A	1or2
			L.H.	D1AZ 6522601-A	1or2
	72/	B(63R, 97R)	R.H.	D2OZ 6322600-A	1
			L.H.	D2OZ 6322601-A	1
	72/	B(exc.63R, 97R)	R.H.	D1AZ 6522600-A	1
			L.H.	D1AZ 6522601-A	1
		- F -			
	65/66	F(63B, 65B, 76B)	R. H. -Wood grain	C5ZZ 6522600-A	1
			L. H.	C5ZZ 6522601-A	1
			No. 10-24 x .44" Oval head lock screw	378446-S13(BB600F)	2
	65/67	F(63A, 65A, C, 76A, C)		C5ZZ 6522600-C	2
	67	F(63B, 65B, 76B)		C7ZZ 6522600-A	2
	68	F	R.H.	C7AZ 5422600-B	1
			L.H.	C7AZ 5422601-B	1
			Bumper	378760-S(CC41)	2or4
	69	F	R. H.	C9AZ 6222600-A	1or2
			L. H.	C9AZ 6222601-A	1or2
	70	F	R. H.	D0ZZ 6522600-A	1
			L. H.	D0ZZ 6522601-A	1
	71/	F	R.H. -Rectangular	D1AZ 6522600-A	1
			L.H.	D1AZ 6522601-A	1
	71/	F	R.H. -Spearhead	D1ZZ 6522600-A	1
			L.H.	D1ZZ 6522601-A	1
	65/66	F	Screw-No. 10-24 x 7/16" Oval head	378446-S13(BB600F)	2
	65/66	F	Bolt-No. 10-24 x 39/64" Fillister head	379259-S13(BB817AN	2
	67/	F	Screw-No. 8-32 x 5/8" Oval head	381571-S13(UU56BA)	2or4
	67/	F	1/4"-20 Nut	33795-S7(M49)	1
	68	F	Bumper	378760-S(CC41)	2
		- L -			
	71/72	L "Before 4/3/72"	Approx. 4 1/2" long	D1FZ 6222600-A	2
	72	L "From 4/3/72"	Approx. 5 5/8" long	D2FZ 6222600-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
22600-1	**HANDLE - DOOR INSIDE - INCLUDES ATTACHING PARTS - continued**				
		- P -			
	70	P "Before 9/2/69"	R.H.-brush finish	D0DZ 6222600-B	1or2
			L.H.	D0DZ 6222601-B	1or2
	70	P "From 9/2/69"	R.H.-brush finish	D0DZ 6222600-D	1or2
			L.H.	D0DZ 6222601-D	1or2
	70	P "Before 9/2/69"	R.H.-bright finish	D0DZ 6222600-A	1or2
			L.H.	D0DZ 6222601-A	1or2
	70/	P "From 9/2/69"	R.H.-bright finish	D1AZ 6522600-A	1or2
			L.H.	D1AZ 6522601-A	1or2
	70	P	No. 8-32 Nut washer assy.	34653-S36(M106X)	2
		- S -			
	65/66	S	R.H.	C4SZ 6322600-A	1
			L.H.	C4SZ 6322601-A	1
			No. 10-24 x .44" Oval head lock screw	378446-S13(BB600F)	2
	67	S		C7SZ 6522600-A	2or4
	68/72	S "Before 3/1/72"	R.H.	C8AZ 6222600-B	1or2
			L.H.	C8AZ 6222601-B	1or2
	72	S "From 3/1/72"	R.H.	D2SZ 6522600-A	1
			L.H.	D2SZ 6522601-A	1
		- U -			
	66	U		B7C 8122600-B	2
	67	U		C7TZ 8122600-A	2
	68/	U	R.H.	C8AZ 6222600-B	1
			L.H.	C8AZ 6222601-B	
	66/	U	Bolt-No. 8-32 x 15/32" Fillister head	371877-S8(BD27)	1
		- X -			
	65	X	Front door	C3AZ 6222600-B	2
	66/67	X		C5ZZ 6522600-C	2or4
	68/70	X	R.H.	C8AZ 6222600-B	1or2
			L.H.	C8AZ 6222601-B	1or2
	66/70	X	No. 8-32 Nut washer assy.	34653-S36(M106X)	2
	65	B	Retainer (spring)	357550-S(QQ1)	2 or 4
	65	X			2or4
	66/	B, X	Bolt-No. 10-24 x 39/64" Fillister head	379259-S13(BB817AN)	AR
	66/	B, P, X	Bumper	379352-S(CC43A)	2
	67/	A, B, F, S, U, X	No. 8-32 x 5/8" Oval head tapping screw	381571-S13(UU56BA)	AR
22606	**BRACKET - FRONT DOOR INSIDE PULL HANDLE MOUNTING**				
	71/	F	R.H.	D1ZZ 6522606-A	1
			L.H.	D1ZZ 6522606-B	1
22620-1	**ESCUTCHEON - FRONT DOOR INSIDE HANDLE**				
	65/66	F(63B, 65B, 76B)	R.H.	C4SZ 6322620-A	1
			L.H.	C4SZ 6322621-A	1
	65/66	S	R.H.	C4SZ 6322620-A	1
			L.H.	C4SZ 6322621-A	1
	70/	S	R.H.	C8LY 6522620-A	1
			L.H.	C8LY 6522621-A	1
	65	X(63C, 66B, 71B, C, 76A, 78B)	Black	C5DZ 6322620-AGA	2
22624	**SPRING - DOOR INSIDE HANDLE**				
	70	A(except 54C, 57F, 65A)	Not used with Brougham trim	D0AZ 6322624-A	4or6
	71/	A, B, F, S			2 or 4
	65	B		B7A 7022624-A	4or6
	65	X			2or4
22634-5	**CUP - DOOR INSIDE HANDLE**				
	68	A, B	Aqua (Light)	C8AZ 6222634-A1K	2or4
	69	B(54A, 63D, F, 65A, D, F, 66A, C, D, 71B, D, 76F)			2or4

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
22634-5		CUP - DOOR INSIDE HANDLE - continued			
	68	A, B, X	Black	C8AZ 6222634-A1A	2or4
	69	B(54A, 63D, F, 65A, D, F, 66A, C, D, 71B, D, 76F), X			2or4
	70	U			2
	68	A, B, X	Blue (Dark)	C8AZ 6222634-A1B	2or4
	69	U			2
	68	A, B	Blue (Light)	C8AZ 6222634-A2B	2or4
	69	B(54A, 63D, F, 65A, D, F, 66A, C, D, 71B, D, 76F) X			2or4
	68	A, B, X	Ivy Gold (Dark)	C8AZ 6222634-A1G	2or4
	69	B(54A, 63D, F, 65A, D, F, 66A, C, D, 71B, D, 76F)U			2or4
	68	A, B	Nugget Gold	C8AZ 6222634-A1Y	2or4
	69	B(54A, 63D, F, 65A, D, F, 66A, C, D, 71B, D, 76F) X			2or4
	68	A	Parchment (Medium)	C8AZ 6222634-A1U	2or4
	68/	U			2
	68	A, B, X	Parchment (Dark)	C8AZ 6222634-A2U	2or4
	69/	U			2
	68	A, B, X	Red (Dark)	C8AZ 6222634-A1D	2or4
	69	B(54A, 63D, F, 65A, D, F, 66A, C, D, 71B, D, 76F), X			2or4
	69	B(54A, 63D, F, 65A, D, F, 66A, C, D, 71D, 76F)	Walnut	C9AZ 6222634-AEN	2or4
	69	B(54A, 63D, F, 65A, D, F, 66A, C, D, 71B, D, 76F)	White	C9AZ 6222634-AEW	2or4
	69	F(63B, C, 65B, D, E, 76B)	R.H.-Black	C9ZZ 6522634-B1A	1
			L.H.	C9ZZ 6522635-B1A	1
			R.H.-Ivy Gold	★C9ZZ 6522634-B1G Not Repl'd. (1-73)	1
			L.H.	C9ZZ 6522635-B1G	1
			R.H.-Nugget Gold	C9ZZ 6522634-B1Y	1
			L.H.	C9ZZ 6522635-B1Y	1
			R.H.-Red	★C9ZZ 6522634-B1D Not Repl'd. (1-73)	1
			L.H.	C9ZZ 6522635-B1D	1
			R.H.-White	C9ZZ 6522634-B1W	1
			L.H.	C9ZZ 6522635-B1W	1
	70	F	R.H.-Black	C9ZZ 6522634-B1A	1
			L.H.	C9ZZ 6522635-B1A	1
			R.H.-Blue	D0ZZ 6522634-C	1
			L.H.	D0ZZ 6522635-C	1
			R.H.-Ginger	D0ZZ 6522634-A	1
			L.H.	D0ZZ 6522635-A	1
			R.H.-Green	D0ZZ 6522634-E	1
			L.H.	D0ZZ 6522635-E	1
			R.H.-Vermillion	D0ZZ 6522634-F	1
			L.H.	D0ZZ 6522635-F	1
			R.H.-White	D0ZZ 6522634-D	1
			L.H.	D0ZZ 6522635-D	1
	71/	A, F	Serviced in Assembly only - refer to Group 23942-3 in Soft Trim Section		
	72	P(54, 62A)		D2DZ 6222634-A	2or4
	70	U	Blue	D0TZ 1022634-A	2
			Green	D0TZ 1022634-D	2
			Nugget	D0TZ 1022634-C	2
			Red	D0TZ 1022634-B	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
226A34-5	**CUP and MOULDING ASSY. - DOOR INSIDE HANDLE**				
	69	A "Before 3/3/69"	Refer to Group 24168-9		
	69	A "From 3/3/69"	R.H.-Aqua	C9AZ 62226A34-A1K	2
			L.H.	C9AZ 62226A35-A1K	2
			R.H.-Black	C9AZ 62226A34-A1A	2
			L.H.	C9AZ 62226A35-A1A	2
			R.H.-Blue (Light)	C9AZ 62226A34-A1B	2
			L.H.	C9AZ 62226A35-A1B	2
			R.H.-Gold	C9AZ 62226A34-A1G	2
			L.H.	C9AZ 62226A35-A1G	2
			R.H.-Nugget	C9AZ 62226A34-A1Y	2
			L.H.	C9AZ 62226A35-A1Y	2
			R.H.-Red (Dark)	C9AZ 62226A34-A1D	2
			L.H.	C9AZ 62226A35-A1D	2
			R.H.-Walnut	C9AZ 62226A34-A1N	2
			L.H.	C9AZ 62226A35-A1N	2
			R.H.-White	C9AZ 62226A34-A1W	2
			L.H.	C9AZ 62226A35-A1W	2
	69	B(54B,C,63B,E,65B,C,E, 66B,71B,E,76B,E)	Aqua	C8MY 54226A34-A1K	2or4
			Black	C8MY 54226A34-A1A	2or4
			Blue (Dark)	C8MY 54226A34-A1B	2or4
			Blue (Light)	C8MY 54226A34-A2B	2or4
			Ivy Gold	C8MY 54226A34-A1G	2or4
			Nugget Gold	C8MY 54226A34-A1Y	2or4
			Red	C8MY 54226A34-A1D	2or4
			Walnut	C9MZ 54226A34-ACN	2or4
	69	F(63A,C,65A,C,E,76A)	Black	C9ZZ 65226A34-A1A	2
			Blue (Dark)	C9ZZ 65226A34-A2B	2
			Blue (Light)	C9ZZ 65226A34-A1B	2
			Ivy Gold (Dark)	C9ZZ 65226A34-A2G	2
			Ivy Gold (Light)	C9ZZ 65226A34-A1G	2
			Nugget Gold	C9ZZ 65226A34-A1Y	2
			Red	C9ZZ 65226A34-A1D	2
			White	C9ZZ 65226A34-A1W	2
	70	F(63A,65A,76A)	Black	C9ZZ 65226A34-A1A	2
			Blue	D0ZZ 65226A34-B	2
			Ginger	D0ZZ 65226A34-A	2
			Green	D0ZZ 65226A34-D	2
			Vermillion	D0ZZ 65226A34-E	2
			White	D0ZZ 65226A34-C	2
22642	**COVER - FRONT DOOR INSIDE HANDLE**				
	68/	S(65)	Aluminum	D0SZ 6522642-A	2
22644	**INSERT - DOOR INSIDE HANDLE**				
	72	P(54,62A)	Front & rear doors	D2DZ 6222644-A	2or4
22670	**COVER - FRONT DOOR PULL HANDLE RETAINER**				
	68	F(63B,D,65B,D,76B)		C7WY 6522670-B	4
22676	**RETAINER - DOOR PULL HANDLE**				
	68	F(63B,D,65B,D,76B)		C7WY 6522676-A	4
	68/70	S		C8SZ 6522676-A	4or8
22678	**COVER - DOOR PULL HANDLE**				
	68/70	S		C8SZ 6522678-A	4or8

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
22800-1	**HINGE ASSY. - FRONT DOOR - UPPER**					
		- A -				
	65/68	A		C5AZ 6222800-C	C5AZ 6222801-C	1
	69/71	A		D3AZ 6222800-A	D0AZ 6222800-A	1
	72	A "Before 3/1/72"		D3AZ 6522800-A	D2AZ 6522800-A	1
	72	A "From 3/1/72"		D3AZ 6522800-A	D3AZ 6522800-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
22800-1	**HINGE ASSY. - FRONT DOOR - UPPER - continued**					
		- B -				
	65	B	Reverse pin for left hand	C5OZ 6222800-A	C5OZ 6222800-A	2
	66/69	B		C6OZ 6222800-B	C6OZ 6222801-B	1
	70	B		★D0OZ 6522800-A r/b D1OZ 6522800-A(10-74)	D0OZ 6522801-A	1
	71	B		D1OZ 6522800-A	D1OZ 6522801-A	1
	72	B		D2OZ 6522800-A	D2OZ 6522800-A	2
		- F -				
	65/66	F		C5ZZ 6522800-B	C5ZZ 6522801-B	1
	67/68	F		C7ZZ 6522800-C	C7ZZ 6522801-C	1
	69/70	F		D0ZZ 6522800-A	D0ZZ 6522801-A	1
			5/16"-18 x 1 1/8" hex. hd. -Screw & washer	382623-S2(UU52AL)	382623-S2(UU52AL)	4
	71/	F		D1OZ 6522800-A	D1OZ 6522801-A	1
		- L -				
	71/	L		D1OZ 6522800-A	D1OZ 6522801-A	1
		- P -				
	70/71	P		★D0AZ 6222800-A r/b D2AZ 6522800-A(10-74)	D0AZ 6222800-A	1
	72	P " Before 3/1/72"		★D2AZ 6522800-A r/b D3AZ 6522800-A(3-75)	D2AZ 6522800-A	1
	72	P " From 3/1/72"		D3AZ 6522800-A	D3AZ 6522800-A	1
	70	P	5/16"-18 x 1 1/8" Hex. hd. screw & washer	382623-S(UU52AL)	382623-S(UU52AL)	6
		- S -				
	65/66	S		C4SZ 6322800-C	C4SZ 6322801-C	1
	67/71	S	NOTE 4	C7SZ 6522800-B	C7SZ 6522810-C	1
	72	S		D2OZ 6522800-A	D2OZ 6522800-A	1
		- U -				
	66/	U	Upper & lower-reverse pin for L. H.	C6TZ 9722800-B	C6TZ 9722800-B	1
			5/16"-18 x 3/4" Hex. head bolt	20346-S8(B50)	20346-S8(B50)	12
			5/16" Lockwasher	34806-S7(X64)	34806-S7(X64)	12
		- X -				
	65	X		C4DZ 6222800-A	C4DZ 6222801-A	1
	66/70	X		C6OZ 6222800-B	C6OZ 6222801-B	1
	65/ 66/	A, B F, S, X	5/16"-18 x1 5/8" Hex. hd. screw & washer assy.	359530-S8(BB576)	359530-S8(BB576)	AR
	67	A, B, F, X "From 11/1/66"	5/16"-18 x 1 1/2" Hex. washer hd. tapping screw	351945-S2(UU52J)	351945-S2(UU52J)	8
	65	F, S, X	3/8"-16 x 1 1/2" Hex. washer head screw & washer assy.	379043-S2(BB868)	379043-S2(BB868)	AR
	65	S	3/8"-16 x 1 1/8" Hex. hd. bolt & washer assy.	373162-S(BB563A)	373162-S(BB563A)	AR
22810-1	**HINGE and CHECK ASSY. - FRONT DOOR - LOWER**					
		- A -				
	65/68	A		C5AZ 6222810-D	C5AZ 6222811-D	1
	69/72	A "Before 12/1/71"		D0AZ 6222810-A	D0AZ 6222810-A	2
	72	A "From 12/1/71"		D2AZ 6522810-A	D2AZ 6522810-A	2
		- B -				
	65	B		C5OZ 6222810-A	C5OZ 6222811-A	1
	66/69	B		C6OZ 6222810-C	C6OZ 6222811-C	1
	70/71	B		D1OZ 6522810-A	D1OZ 6522811-A	1
	72	B		D2OZ 6522810-A	D2OZ 6522810-A	2
		- F -				
	65/66	F		C5ZZ 6522810-B	C5ZZ 6522811-B	1
	67	F		★C7ZZ 6522810-B r/b C7ZZ 6522810-C (11-73)	C7ZZ 6522811-C	1
	68	F		C7ZZ 6522810-C	C7ZZ 6522811-C	1
	69/70	F		C9ZZ 6522810-A	C9ZZ 6522811-A	1
	71/	F		D1OZ 6522810-A	D1OZ 6522811-A	1

NOTE 4 - C7SZ 6522800-B includes check

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
22810-1	**HINGE and CHECK ASSY. - FRONT DOOR - LOWER - continued**					
		- L -				
	71/	L		D1OZ 6522810-A	D1OZ 6522811-A	1
		- P -				
	70/72	P "Before 12/1/71"		D0AZ 6222810-A	D0AZ 6222810-A	2
	72	P "From 12/1/71"		D2AZ 6522810-A	D2AZ 6522810-A	2
		- S -				
	65	S	Includes check-NOTE 2	C4SZ 6322810-C	C4SZ 6322811-C	1
			3/8"-16 x 1 1/8" Hex. head bolt & washer assy.	373162-S(BB563A)	373162-S(BB563A)	16
	66	S	Includes check - NOTE 2	C4SZ 6322810-C	C4SZ 6322811-C	1
	67/71	S		C7SZ 6522810-C	C7SZ 6522800-B	1
	72	S		D2OZ 6522810-A	D2OZ 6522810-A	2
		- X -				
	65	X	Includes check	C4DZ 6222810-A	C4DZ 6222811-A	1
	66/70	X	Includes check	C6OZ 6222810-C	C6OZ 6222811-C	1
	65/ 66/	A, B F, S, X	5/16"-18 x 1 5/8" Hex.hd. screw & washer assy.	359530-S8(BB576)	359530-S8(BB576)	AR
	67/	A, B, F, X "From 11/1/66"	5/16"-18 x 1 1/2" Hex. washer hd. tapping screw	351945-S2(UU52J)	351945-S2(UU52J)	8
	65	F, S, X	3/8"-16 x 1 1/2" Hex. washer head screw & washer assy.	379043-S2(BB868)	379043-S2(BB868)	AR
	66/	S	5/16"-18 x 3/4" Hex. head screw & washer assy.	359662-S7-8(BB575A)	359662-S7-8(BB575A)	16
22822	**SPACER - FRONT DOOR HINGE BUSHING**					
	69/	A, P		D1AZ 6522822-A	D1AZ 6522822-A	AR
22840	**PIN - DOOR HINGE** - Refer to Group 43030					
	65/	A, B, F, S, X	Use B9A 5943030-A & cut to fit		★	4or8
	66/67	U	Serviced in assembly only-refer to Group 22800-1			
	68/	U	Use C8AZ 8143030-A & cut to fit		★	4or8

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
22841	**BUSHING - DOOR HINGE**				
	65/70	A, B, F, L, P, S, X	Bronze	C3AZ 5422841-A	8or16
	67/	A(76), B(76), F(76)	Folding top		2or4
	71	S			AR
	66/	U	Serviced in assembly only-refer to Group 22800-1		
	71/ 72	A, B, F, L, P S		D1AZ 6522841-A	AR AR
229A00	**BUSHING - FRONT DOOR VENT WINDOW UPPER PIVOT**				
	69/70 70/71	A(54, 62, 71) B(54, 62)		C9AZ 62229A00-A	2 2
22916-7	**HANDLE - FRONT DOOR VENT WINDOW** Handle serviced less knob unless otherwise indicated - for knob refer to Group 23352				
		- A -			
	65/67	A		C5AZ 6222916-C	2
	68/70	A	Cover (screw)	C8AZ 6223362-A	AR
	68/70	A		C8AZ 6222916-A	2
	69	A	White	C9AZ 6222916-B1W	2
		- B -			
	65	B	R. H.	C3OZ 6222916-A	1
			L. H.	C3OZ 6222917-A	1
	66/67	B	R. H.	C6OZ 6222916-A	1
			L. H.	C6OZ 6222917-A	1
	68/69	B(54)	R. H.	C8OZ 5422916-B	1
			L. H.	C8OZ 5422917-B	1

NOTE 2 - Use with 5/16"-18 thread screws

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
22916-7	**HANDLE - DOOR VENT WINDOW LOCKING - continued**				
	Handle serviced less knob unless otherwise indicated - for knob - refer to Group 23352				
		- B -			
	68/71	B(71)	R.H.	C8OZ 5422916-B	1
			L.H.	C8OZ 5422917-B	1
	70/71	B(54, 57, 62)	R.H.	D0OZ 5422916-A	1
			L.H.	D0OZ 5422917-A	1
		- F -			
	65/66	F	R.H.	C3OZ 6222916-A	1
			L.H.	C3OZ 6222917-A	1
	67	F	R.H.	C6OZ 6222916-A	1
			L.H.	C6OZ 6222917-A	1
	68	F	R.H.	C8OZ 5422916-B	1
			L.H.	C8OZ 5422917-B	1
		- S -			
	65/66	S		C4SZ 6322916-A	2
		- U -			
	66/67	U	R.H.	C6OZ 6222916-A	1
			L.H.	C6OZ 6222917-A	1
	68/	U	R.H.	C8OZ 5422916-B	1
			L.H.	C8OZ 5422917-B	1
		- X -			
	65	X	R.H.	C3OZ 6222916-A	1
			L.H.	C3OZ 6222917-A	1
	66/67	X	R.H.	C6OZ 6222916-A	1
			L.H.	C6OZ 6222917-A	1
	68/70	X	R.H.	C8OZ 5422916-B	1
			L.H.	C8OZ 5422917-B	1
	65/66	A	No. 10-24 x 1/2" Fillister socket head screw	379259-S13(BB817AN)	AR
			No. 10-24 x 15/16" Fillister socket head screw	379293-S13(BB817AM)	AR
	67	A	No. 8-32 x 7/8" Oval head tapping screw	382387-S9(UU59B)	AR
	67/71	A, B, F, U, X	No. 8-32 x 5/8" Oval head tapping screw	381571-S13(UU56BA)	AR
22926	**SPRING - FRONT DOOR VENT WINDOW PIVOT**				
	65/71	B, F, U, X		B5A 7022926-A	2
	72	U			2
22954-5	**BRACKET - FRONT DOOR VENT WINDOW LOWER PIVOT**				
	66	B(54, 62, 71), X	R.H. -Includes attaching parts	C8OZ 6222954-A	1
	67	B(54, 62, 66, 71), X			1
	68/70	B(54, 71), X			1
	71	B(71)			1
			L.H.	C6OZ 6222955-A	1
22963	**WASHER - FRONT DOOR VENT WINDOW PIVOT FRICTION**				
	65/71	B, F, U, X		C2AZ 6222963-A	2
	72	U			2
22980	**PLATE - FRONT DOOR VENT WINDOW HANDLE DIVISION BAR SCUFF**				
	66/67	U		C6TZ 9722980-A	2
	68/	U		C6TZ 9722980-B	2
22982	**WASHER - FRONT DOOR VENT WINDOW HANDLE**				
	66/	U		B7A 7022982-A	2
22992	**STOP - FRONT DOOR VENT WINDOW PIVOT**				
	65	B, X		C2AZ 6222992-A	2
	66/	U			2
	66/67	B, X		C6OZ 6222992-A	2
	68/70	B(71), X			2
	68/69	B(54)			2
	71	B(71)			2
	70	B(54, 62)		C7TZ 8122992-A	2
	71	B(54)			2
	65	B, X	5/16" Washer (flat) - acetal resin - acts as tensioner	375897-S(XX118A)	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
23030	**BUMPER -DOOR UPPER -** Also refer to Group 265A28				
		- A -			
	65/	A	Quarter panel below belt	C2AZ 6223030-A	4or8
	65	A(57)	Also Refer to Group 265A28		
		- B -			
	66/67	B		C2AZ 6223030-A	4 or 8
	68/71	B(71)			2 or 8
	68/69	B		C7SZ 6523030-A	AR
	72	B(53,71)			4
		- F -			
	65/68	F	Door	C2AZ 6223030-A	4 or 8
		- P -			
	70/	P(62)	Door	C2AZ 6223030-A	2
		- S -			
	65/66	S	Door-rear	C4SZ 6323030-A	2
	67/68	S(65)		C2AZ 6223030-A	2
	67/71	S(57)	Rear door	C7SZ 6523030-A	2
	67/71	S	Front door		2
		- X -			
	65	X(63,76)		C3DZ 7623030-A	2
	66/67	X		C2AZ 6223030-A	4 or 8
	68/70	X			2 or 8

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
23036-7	**BUMPER - DOOR - AT BELT**					
	67/71	S(57)	Front door	C7SZ 5723036-A	C7SZ 5723037-A	1
			Rear door	C7SZ 5723037-A	C7SZ 5723036-A	1
			No.8-18 x 3/4" Cross recess pan head screw	376389-S101(UU82D)	376389-S101(UU82D)	4
23136	**BRACKET - DOOR WINDOW REAR GUIDE ADJUSTING LOWER**					
	70/71	B(57)		D0OZ 5723136-A	D0OZ 5723136-A	2
23200-1	**REGULATOR ASSY. - FRONT DOOR WINDOW - MANUAL**					
		- A -				
	65/68	A(54,71)		C8AZ 5423200-C	C8AZ 5423201-C	1
	65/68	A(57)		C8AZ 5723200-B	C8AZ 5723201-B	1
	65/67	A(62)		C5AZ 6223200-C	C5AZ 6223201-B	1
	68	A(62)		C8AZ 6223200-B	C8AZ 6223201-B	1
	65/68	A(63,65,76)		C8AZ 6323200-B	C8AZ 6323201-B	1
	65/68	A	No. 8-32 x 5/8" Self-tapping-cross recess oval hd. screw	381571-S13(UU56BA)	381571-S13(UU56BA)	1
	69/70	A(54,71)		C9AZ 5423200-A	C9AZ 5423201-A	1
	69/70	A(57)		C9AZ 5723200-A	C9AZ 5723201-A	1
	69	A(62)		C9AZ 6223200-A	C9AZ 6223201-A	1
	69/70	A(63,65,76)	Use w/bonded design	C9AZ 6323200-A	C9AZ 6323201-A	1
	70	A(63,65,76)	Use w/bolt on design	D0AZ 6323200-A	D0AZ 6323201-A	1
	71/	A(53,57)		D1AZ 5723200-A	D1AZ 5723201-A	1
	71/	A(54,71)		D1AZ 5423200-A	D1AZ 5423201-A	1
	71/	A(65)		D1AZ 6523200-A	D1AZ 6523201-A	1
	71/	A(76)		D0AZ 6323200-A	D0AZ 6323201-A	1
		- B -				
	65	B(54,71)		★C5OZ 5423200-A Not replaced (6-73)	C5OZ 5423201-A	1
	65	B(62)		C5OZ 6223200-A	C5OZ 6223201-A	1
	66/67	B(54,71)	Includes handle screw	C6OZ 5423200-B	C6OZ 5423201-B	1
	66/67	B(62,66)	Includes handle screw	C6OZ 6223200-C	C6OZ 6223201-C	1
	66/67	B(63,76)	Includes handle screw	C6OZ 6323200-C	C6OZ 6323201-C	1
	68/69	B(54)		C8OZ 5423200-B	C8OZ 5423201-B	1
	68/71	B(71)				1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
23200-1	**REGULATOR ASSY. - FRONT DOOR WINDOW - MANUAL - continued**					
		- B -				
	68	B(63,65,66,76)- "Before 4/18/68"		C8OZ 6323200-A	C8OZ 6323201-B	1
	68/69	B(63,65,66,76)- "From 4/18/68"		C8OZ 6323200-B	C8OZ 6323201-B	1
	70	B(62)		D0OZ 6223200-A	D0OZ 6223201-A	1
	70/71	B(54,57)		D0OZ 5423200-A	D0OZ 5423201-A	1
	70/71	B(63,65,66,76)		D0OZ 6523200-A	D0OZ 6523201-A	1
	72	B(53,71)		D2OZ 5323200-A	D2OZ 5323201-A	1
	72	B(63,65,97)		D2OZ 6523200-A	D2OZ 6523201-A	1
	66/67	B	5/16"-18 hex.nut	33797-S7(M50)	33797-S7(M50)	2
		- F -				
	67	F		C7ZZ 6523200-A	C7ZZ 6523201-A	1
			5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	376976-S7-8(BB574M)	8
	68	F		C8ZZ 6523200-A	C8ZZ 6523201-A	1
	69/70	F	Use w/bonded design	C9ZZ 6523200-A	C9ZZ 6523201-A	1
	69/70	F	Use with bolt on design	C9ZZ 6523200-B	C9ZZ 6523201-B	1
	71/	F		D1ZZ 6523200-A	D1ZZ 6523201-A	1
		- L -				
	71/	L		D1FZ 6223200-B	D1FZ 6223201-B	1
		- P -				
	70	P(62)		D0DZ 6223200-B	D0DZ 6223201-B	1
	71/	P(54)		D1DZ 5423200-A	D1DZ 5423201-A	1
	71/	P(62)		D1DZ 6223200-A	D1DZ 6223201-A	1
		- S -				
	65/66	S		C4SZ 6323200-B	C4SZ 6323201-B	1
	67	S(65)		★C7SZ 6523200-B Not replaced (3-74)	C7SZ 6523201-B	1
	68/71	S(57)		C8SZ 5723200-B	C8SZ 5723201-B	1
	68/71	S(65)		C8SZ 6523200-B	C8SZ 6523201-B	1
	72	S		D2SZ 6523200-A	D2SZ 6523201-A	1
	65/66	S	Bolt-5/16"-18 x 3/4" hex.head	359662-S7(BB575A)	359662-S7(BB575A)	AR
		- U -				
	66	U		C6TZ 9723200-A	C6TZ 9723201-A	1
	67	U		C7TZ 9723200-A	C7TZ 9723201-A	1
	68/	U		C8TZ 9723200-A	C8TZ 9723201-A	1
	66/67	U	No.12-24 x 1/2" Cross recess pan head screw	50811-S8(U150A)	50811-S8(U150A)	8
	66/	U	Screw-1/4"-20 x 1/2" hex.head	42742-S8(U2A)	42742-S8(U2A)	AR
		- X -				
	65	X(59,62,66,78)		C0DZ 6423200-B	C0DZ 6423201-B	1
	65	X(54,71)		C3DZ 5423200-B	C3DZ 5423201-B	1
	66	X(54,71)		C6OZ 5423200-A	C6OZ 5423201-A	1
	67	X(54,71)	Includes handle screw	C6OZ 5423200-B	C6OZ 5423201-B	1
	66	X(62,66)		C6OZ 6223200-C	C6OZ 6223201-C	1
	67	X(62)				1
	68/70	X(54,71)		C8OZ 5423200-B	C8OZ 5423201-B	1
	68/70	X(62)		C8DZ 6223200-B	C8DZ 6223201-B	1
	65/67	A,B,S,X	5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	376976-S7-8(BB574M)	8
	67/	S	1/4"-20 x 1/2" Pan head screw & washer assy.	373460-S7(BB629)	373460-S7(BB629)	8
			1/4"-20 x 1" Hex.head screw & washer assy.	★376775-S2	★376775-S2	2
			1/4" Internal & external tooth lockwasher	351274-S7(XX298)	351274-S7(XX298)	2
			.45" I.D. Spring washer	★353383-S2	★353383-S2	2
			1/4"-20 Hex.nut	33795-S7(M49)	33795-S7(M49)	2
			1/4"-20 Hex.nut	34055-S8(M158)	34055-S8(M158)	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
23202-3	**REGULATOR ASSY. - FRONT DOOR WINDOW - MANUAL - LESS ARMS**					
		- B -				
	65	B(65)		C3OZ 6523202-B	C3OZ 6523203-B	1
	65	B	Retainer	357550-S(QQ1)	357550-S(QQ1)	2
	65	B	Screw-5/16"-24 x 5/8" hex head	359605-S8(BB590)	359605-S8(BB590)	AR
		- F -				
	65	F "Before 3/8/65"		C5ZZ 6523202-A	C5ZZ 6523203-A	1
	65/66	F "From 3/8/65"		C5ZZ 6523202-B	C5ZZ 6523203-B	1
		- X -				
	65	X(63,76)		C3DZ 7623202-B	C3DZ 7623203-B	1
	65	A, B(65), F, X(63,76)	5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	376976-S7-8(BB574M)	8
	66	F				8
	65	B(65), X(63,76)	Retainer (stud)	74274-S(R3)	74274-S(R3)	2
	65/66	F				2
23208-9	**REGULATOR ASSY. - FRONT DOOR WINDOW - ELECTRIC - LESS MOTOR and DRIVE**					
		- A -				
	65/68	A(54,57,71)		C5AZ 5423208-B	★C5AZ 5423209-B Not replaced (12/74)	1
	65/66	A(62,63,76) "Before 8/16/65"		C5AZ 6223208-B	C5AZ 6223209-A	1
	66/68	A(63,76) "From 8/16/65"		C5AZ 6223208-B	C5AZ 6223209-B	1
	69/70	A(54,71)		C9AZ 5423208-A	C9AZ 5423209-A	1
	69/70	A(57)		C9AZ 5723208-A	C9AZ 5723209-A	1
	69/70	A(63,65,76) - "Before 1/5/70"	Bonded design	C9AZ 6323208-A	C9AZ 6323209-A	1
	70	A(63,65,76)- "From 1/5/70"	Bolt-on design	D0AZ 6323208-A	D0AZ 6323209-A	1
	71/	A(53,57)		D1VY 5323208-A	D1VY 5323209-A	1
	71/	A(54,71)		D1AZ 5423208-A	D1AZ 5423209-A	1
	71/	A(65,76)		D0AZ 6323208-A	D0AZ 6323209-A	1
	65/68	A	Screw No.12-24 x 1/2" hex.head	378608-S8(UU52D)	378608-S8(UU52D)	2
		- B -				
	68/69	B(54,71)		C8OZ 5423208-A	C8OZ 5423209-A	1
	68/69	B(63,65,76)		C8OZ 6323208-B	C8OZ 6323209-B	1
	70/71	B(54,57)		D0OZ 5423208-A	D0OZ 5423209-A	1
	70/71	B(63,65,66,76)		D0OZ 6523208-A	D0OZ 6523209-A	1
	70/71	B(71)		C8OZ 5423208-A	C8OZ 5423209-A	1
	72	B(53,71)		D2OZ 5323208-A	D2OZ 5323209-A	1
	72	B(63,65) "Before 4/1/72"		D2OZ 6523208-B	D2OZ 6523209-B	1
	72	B(63,65) "From 4/1/72"		D3OZ 6523208-A	D3OZ 6523209-A	1
		- F -				
	71/	F		D1ZZ 6523208-B	D1ZZ 6523209-B	1
		- S -				
	65/66	S		C5SZ 6323208-A	C5SZ 6323209-A	1
	67/71	S(57)		C8SZ 5723208-B	C8SZ 5723209-B	1
	67/71	S(65)		C7SZ 6523208-C	C7SZ 6523209-C	1
	72	S "Before 4/1/72"		D2OZ 6523208-B	D2OZ 6523209-B	1
	72	S "From 4/1/72"		D3OZ 6523208-A	D3OZ 6523209-A	1
	65/66	A, S	5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	376976-S7-8(BB574M)	8
	67/	S	Bolt-1/4"-20 x 1/2" pan head	373460-S7(BB629)	373460-S7(BB629)	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
23222	**RETAINER - FRONT DOOR WINDOW GUIDE**				
	68/69	B(except 54, 71)		C8OZ 6323222-A	2
			Bolt-1/4"-20 x 3/4" hex.head	371492-S2(BB569)	2
23227	**SPACER - FRONT DOOR WINDOW REGULATOR HANDLE**				
	69/70	F(63A, 65A, C, 76A)		C7TZ 8123227-A	2
	71	F(63D, 65D, 76)			2
23230-1	**BRACKET - WINDOW REGULATOR EQUALIZER ARM**				
		- A -			
	65/67	A		C5AZ 6223230-A	2
	68	A(54, 57, 62, 71)			2
	68	A(63, 65)	Quarter window	C7VY 5323230-A	2
	69/70	A(54, 71)		C9AZ 5423230-A	2
	69	A(62)	Front door & rear door	C8OZ 5423230-A	2
	69	A(63)			2
	71	A(54, 71)	R. H.	D1AZ 5423230-A	1
			L. H.	D1AZ 5423231-A	1
	72	A(54, 71)	R. H.	D2AZ 5423230-A	1
			L. H.	D2AZ 5423231-A	1
		- B -			
	66	B(62, 63, 76)		C5AZ 6223230-A	2
	67	B(62, 63, 66, 76)			2
	68/69	B(54, 71)	Front & rear door with or without power windows	C8OZ 5423230-A	4
	70	B(62, 71)			2
	71	B(71)			2
	70/71	B(54, 57)		D0OZ 5423230-A	2
	68/71	B	Bolt-1/4"-20 x 1/2" pan head	373460-S7(BB629)	2
		- F -			
	67/68	F		C5AZ 6223230-A	2
	65/66	F	Washer-5/16"	★357789-S7	2
	65/66	F	Nut-5/16"-18 hex.	33797-S7(M50)	2
		- L -			
	71/			D1FZ 6223230-A	2
		- X -			
	66	X(62, 66)		C5AZ 6223230-A	2
	67/68	X(62)			2
	65/66	A, F, S	Washer-5/16"	★357789-S7	4
	66/67	A, B, F, S, X	Screw & washer assy.-hex.hd.-5/16"-18 x 1/2"	376976-S7-8(BB574M)	4
	65/67	A, B, F, S, X	Nut-hex.-5/16"-18	33797-S7(M50)	4
23234-5	**ARM and PLATE ASSY. - FRONT DOOR WINDOW REGULATOR**				
	65	B(65), F, X(63, 76)	R. H. - manual	C5ZZ 6523234-A	1
	66	F			1
			L. H.	C5ZZ 6523235-A	1
			Screw & washer assy.-hex.hd.-5/16"-18 x 1/2"	376976-S7-8(BB574M)	4
23240	**ROLLER WINDOW REGULATOR ARM** - Also refer to Group 262A32				
	65/70	A(71)	Tailgate	C0AB 6423240-B	2
	65	B	Front door		4 or 8
	65/66	F			6or10
	67/68	F(65, 76)	Quarter window		4
	65/66	S			10
	66/	U			2
	65	X			2 to 10
	65	X(59, 71)	Tailgate window		2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
23240	**ROLLER WINDOW REGULATOR ARM - continued**				
	65	B(65)	Quarter window	C3OZ 6523240-B	2
	66/70	X(71)	Tailgate	C6OZ 7123240-A	2
	66/71	B(71)	Tailgate		2
	72	B	Doors, quarter and tailgate	D2OZ 5323240-A	AR
	72	S	Front door		AR
	65	B	Screw-hex.hd.-5/16"-24 x 5/8"	359605-S8(BB590)	AR
	65/66	F	Spring retainer	74274-S(R3)	2
23242	**PIVOT - DOOR WINDOW REGULATOR TO INNER PANEL - INCLUDES ATTACHING PARTS**				
	68	S		C8SZ 6523242-A	2or4
23258	**BUSHING - DOOR WINDOW GLASS BRACKET**				
	70/	A	Use w/bolt-on design	D0ZZ 6523258-A	AR
	70/	B(63, 65, 66, 76)			AR
	70/71	B(57)			AR
	71	B(54)			AR
	69/	F			AR
23274	**PIVOT - DOOR WINDOW REGULATOR ARM TO GLASS CHANNEL - INCLUDES ATTACHING PARTS**				
	67	S		C7SZ 6523274-A	2or4
	68/69	B(63, 65, 66, 76)		C8SZ 6523274-A	2or4
	68/	A(53, 57, 63, 65, 76)			2or4
	69/71	F, S			2or4
23288	**BRACKET - FRONT DOOR WINDOW CHANNEL**				
		- A -			
	65/68	A(54, 71)		C5AZ 5423288-A	2
	65/68	A(57)		C5AZ 5723288-A	2
	65/67	A(63, 76)		C5AZ 6323288-A	2
	68	A(63, 65, 76)			2
	69	A(54, 71)		C9AZ 5423288-A	2
	69	A(62)		C9AZ 6223288-A	2
	70	A(54, 71)		C9AZ 5423288-A	2
	70/	A (63, 65, 76)	R. H. -use with bolt-on channel	D0AZ 6323288-E	1
			L. H.	D0AZ 6323288-F	1
	71/	A(53, 57)	R. H.	D1AZ 5723288-A	1
			L. H.	D1AZ 5723288-B	1
	65/	A(54, 57, 62, 63, 71)	Screw-flat hd.-No.8-32 x 3/8"	358477-S8(BB93)	4 or 6
	67/68	A	Screw-oval hd.-No.8-32 x 1/2"	50398-S13(U121)	6
		- B -			
	68/71	B(54, 71)	Power windows	C6GY 5423288-A	2
	66	B(62)		C6OZ 6223288-A	2
	67	B(62, 66)			2
	68	B(66)			2
	70/71	B(54, 57)	Traverse channel-16 13/16" long	D0OZ 5423288-A	2
	70	B(57) "Before 12/1/69"	R.H.	D0OZ 5723288-A	1
			L.H.	D0OZ 5723288-B	1
	70/71	B(57) "From 12/1/69"	R. H.	D0OZ 5723288-C	1
			L. H.	D0OZ 5723288-D	1
	70	B(62)		D0OZ 6223288-A	2
	70	B(63, 65, 66, 76)- "Before 12/1/69"	R.H.	D0OZ 6523288-A	1
			L.H.	D0OZ 6523288-B	1
	70/71	B(63, 65, 66, 76)- "From 12/1/69"	R. H.	D0OZ 6523288-C	1
			L. H.	D0OZ 6523288-D	1
	72	B(53, 71) "Before 10/1/71"	R.H.	D2OZ 5323288-A	1
			L.H.	D2OZ 5323288-B	1
	72	B(53, 71) "From 10/1/71"	R.H.	D2OZ 5323288-C	1 1
			L.H.	D2OZ 5323288-D	1 1
	72	B(63, 65, 97)	R.H.	D2OZ 6523288-A	1
			L.H.	D2OZ 6523288-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
23288	**BRACKET - FRONT DOOR WINDOW CHANNEL - continued**				
		- F -			
	67/68	F		C7ZZ 6523288-A	2
			Screw-cross recess oval hd.-No.8-32 x 1/2"	50398-S13(U121)	6
			Nut-spring-No.8-32	379385-S2(MM284C)	6
	69/70	F	Use with bonded glass channel	C9ZZ 6523288-A	2
	69/70	F	R. H. - use with bolt-on channel	D0ZZ 6523288-A	1
			L. H.	D0ZZ 6523288-B	1
	71	F "Before 8/19/70"	R. H.	D1ZZ 6523288-C	1
			L. H.	D1ZZ 6523288-D	1
	71/	F "From 8/19/70"	R. H.	D1ZZ 6523288-E	1
			L. H.	D1ZZ 6523288-F	1
		- P -			
	70/	P(62)		D0DZ 6223288-B	2
	71	P(54) "Before 6/14/71"		D1DZ 5423288-A	2
	71/	P(54) "From 6/14/71"		D2DZ 5423288-A	2
		- S -			
	72	S	R. H.	D2SZ 6523288-A	1
			L. H.	D2SZ 6523288-B	1
		- X -			
	66/70	X(62, 66)		C6OZ 6223288-A	2
	67/68	B, X	Screw-oval head-No.8-32 x 1/2"	50398-S13(U121)	6
	70	A(63,65,76), B(57,63,65,66,76), F	Screw & washer assy.-hex. head-1/4"-20 x 49/64"	57472-S40(B339V)	2
23296	**BRACKET - FRONT DOOR WINDOW GLASS CHANNEL - REAR**				
	66	B(62), X(62, 66)		C6OZ 6223296-A	2
	67	B(62, 66), X(62)			2
	68/70	X(62)			2
	66/67	B(63, 76)		C6OZ 6323296-A	2
	66/70	X	Screw-No. 8-32 x 1/2" Oval head	50398-S13(U121)	4
23312-3	**BRACKET - DOOR WINDOW REGULATOR MOTOR MOUNTING**				
		- A -			
	69	A(54, 57, 71)	R. H.	C9AZ 5423312-A	1
			L. H.	C9AZ 5423313-A	1
	70/71	A	Front door	D0AZ 5423312-A	2
	71	A(53, 54, 57, 71)	Rear door	C9AZ 5423312-A	2
	72	A	Improvise	★	
		- B -			
	68/69	B(54, 71)	R. H.	C6GY 5423312-B	1
			L. H.	C6GY 5423313-B	1
	68/69	B(63, 65, 76)		C8OZ 6323312-A	2
			Locknut hex. -No. 10-24	55731-S2(M96E)	2
			Screw & washer assy. -hex. head-No. 10-24 x 1"	380600-S2(BB541L)	2
	70	B(63, 65, 66, 76)		C9WY 6523312-A	2
	70	B(71)	R. H.	C6GY 5423312-B	1
			L. H.	C6GY 5423313-B	1
	72	B	Improvise	★	
		- F -			
	71/	F	R. H.	D1ZZ 6523312-A	1
			L. H.	D1ZZ 6523313-A	1
		- S -			
	72	S	Improvise	★	
	69	A(54, 62, 71)	Nut & washer-No. 10-24	34655-S8(M107)	1
	69	A	Washer No. 10-1/2" flat	44713-S8(X13)	AR
	69	A	Washer-3/8" flat	44727-S8(X24)	AR
	69/	A	Screw-No. 8-32 x 3/4" washer hd.	57077-S2(B330B)	1
23314	**ANTI - RATTLE - FRONT DOOR WINDOW GLASS**				
	72	B(63, 65, 97)		D2OZ 6523314-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
23318	**SPRING - WINDOW REGULATOR - COUNTER BALANCE**				
		- A -			
	65/	A(54, 57, 71)	Rear door-Refer to Group 27048		
	65/68	A(62)		C5AZ 6223318-A	2
	68	A(62, 63, 65, 76)	With manual regulator		2
	69/70	A(54, 71)	With manual regulator	C9AZ 5423318-A	2
	69/70	A(63, 65, 76)	Quarter		2
	69/70	A(54, 71)	With power regulator	C9AZ 5423318-B	2
	69/70	A(57)	With manual regulator	C9AZ 5723318-A	2
	69/70	A(57)	With power regulator	C9AZ 5723318-B	2
	69	A(62)	With manual regulator	C9AZ 6223318-A	2
	69/70	A(63, 65, 76)	With power or manual regulator	C9AZ 6323318-A	2
	69/70	A(71)	Tail gate	C9WY 6523318-A	2
	71/	A(65)	Quarter-with power regulator	C9AZ 5423318-A	2
	71/	A(54, 71)	With manual regulator		2
	71/	A(76)	Quarter-with manual regulator		2
	71/	A(54, 71)	With power regulator	C9AZ 5423318-B	2
	71/	A(53, 57)	With manual regulator	D1AZ 5723318-A	2
	71/	A(53, 57)	With power regulator	D1AZ 5723318-B	2
	71	A(65)		D1AZ 6523318-A	2
	72	A(65, 76)	With manual regulator		2
	71	A(76)		C9AZ 6323318-A	2
	72	A(65, 76)	With power regulator		2
	71/	A(71)	Tailgate	C9WY 6523318-A	1
		- B -			
	66	B(63, 65, 76)		C5AZ 6323318-B	2
	68/71	B(63, 65, 66, 76)	With power regulator	C8OZ 6323318-A	2
	68/71	B(63, 65, 66, 76)	With manual regulator	C8OZ 6323318-B	2
	70	B(62)	With manual regulator	D0OZ 6223318-A	2
	70/71	B(54, 57)	With manual regulator	D0OZ 5423318-A	2
	70/71	B(54, 57)	With power regulator	D0OZ 5423318-B	2
	72	B(53, 71)		D2OZ 5323318-A	2
	72	B(71)	Tailgate	C9WY 6523318-A	1
	72	B(63, 65, 97)	With manual regulator	D2OZ 6523318-A	2
	72	B(63, 65, 97)	With power regulator	D2OZ 6523318-B	2
		- F -			
	65/66	F		C5AZ 6323318-B	2
	69/70	F		C9AZ 6323318-A	2
	71/	F		D0OZ 6223318-A	2
		- L -			
	71/	L		D1FZ 6223318-A	2
		- P -			
	70/	P(62)		D0DZ 6223318-A	2
		- S -			
	65/66	S		C3SZ 6323318-A	2
	67/71	S(57)		C7SZ 5723318-A	2
	67/71	S(65)		C7SZ 6523318-A	2
	72	S	With manual regulator	D2SZ 6523318-A	2
	72	S	With power regulator	D2OZ 6523318-B	2
		- X -			
	66	X(54, 71)		C5AZ 6323318-B	2
	65/68	A	Screw-No. 12-24 x 1/2" hex. head	378608-S8(UU52D)	2
23342	**HANDLE - WINDOW REGULATOR**				
		- A -			
	65/67	A(54, 57, 63, 71, 76)	Front door-incl. chrome knob	C5AZ 5423342-C	2
	65/67	A(54, 57, 71)	Rear door		2
	65/67	A(63, 76)	Quarter		2
	65/67	A(63C, 76)	Quarter - Refer to Group 30322		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
23342	HANDLE - WINDOW REGULATOR - continued				
		- A -			
	65/67	A(54B,E,62B,E,71B,C,D)	Front door-incl. black knob	C5AZ 6223342-C	2
	65/67	A(54B,E,71B,C,D)	Rear door		2
	65/67	A(62B, E)	Quarter		2
	68/69	A		C8AZ 6223342-A	2or4
	68/69	A	Incl. aqua knob	C8SZ 6523342-B1K	2or4
			Incl. parchment knob	C8AZ 6223342-B1U	2or4
			Incl. red knob-r/b details-refer to groups 23352 (knob) and 30322 (handle)	★C8AZ 6223342-B1D	2or4
			Incl. white knob-r/b details-refer to groups 23352 (knob) and 30322 (handle)	★C9AZ 6223342-B1W	2
			Screw-No. 8-32 x 5/8" oval head	381571-S(UU56BA)	1
	70	A(76)	Door - Refer to Group 30322		
	70/72	A(exc. 76) "Before 10/1/71"	Less knob	C9UZ 8223342-A	2or4
	71/72	A(76) "Before 10/1/71"	Door		2
	71/	A(76)	Quarter - Refer to Group 30322		
	72	A(exc. 76) "From 10/1/71"	Front and rear door or quarter -incl. clear plastic knob	D2OZ 6523342-A	2 or 4
	72	A(76) "From 10/1/71"	Door		2
		- B -			
	65	B	Front door - incl. black knob	C4DZ 6223342-A	2
	65	B(54, 71)	Rear door		2
	66/67	B	Front door	C6OZ 6223342-B	2
	66/67	B(54, 71)	Rear door		2
	66/67	B(62, 63)	Quarter		2
	68/69	B		C8AZ 6223342-A	2 or 4
	68/69	B	Incl. aqua knob-r/b details-refer to groups 23352 (knob) and 30322 (handle)	★C8SZ 6523342-B1K	2 or 4
			Incl. red knob	C8AZ 6223342-B1D	2 or 4
			Incl. parchment knob	C8AZ 6223342-B1U	2 or 4
	69	B	Inc. white knob	C9AZ 6223342-B1W	2
	70/71	B	Front, rear and quarters refer to Group 30322		
	72	B	Front and rear door - includes clear plastic knob	D2OZ 6523342-A	2or4
	72	B	Quarter - Refer to Group 30322		
		- F -			
	65	F "Before 3/8/65"	Incl. chrome knob	C4SZ 6323342-A	2
	65/67	F "From 3/8/65"	Incl. chrome knob	C5ZZ 6523342-C	2
	68	F	Refer to Group 30322		
	69	F(63A,C,65A,C,76A)-without Stereo	Incl. red knob	C8AZ 6223342-B1D	2or4
			Incl. white knob	C9AZ 6223342-B1W	2 or 4
	69	F(63A,C,65A,C,76A)-without Stereo- "Before 12/2/68"	Less knob	C8AZ 6223342-A	2 or 4
	69	F(63B,C,D,65B,E,76B)-with or without Stereo- "From 12/2/68"	Less knob	C9UZ 8223342-A	2or4
	69	F-with Stereo			2 or 4
	70/72	F "Before 10/1/71"	Less knob	C9UZ 8223342-A	2
	72	F "From 10/1/71"	Door-incl. clear plastic knob	D2OZ 6523342-A	2
	70/	F	Quarter - Refer to Group 30322		
		- L -			
	72	L "From 4/3/72"	Incl. clear plastic knob	D2FZ 6223342-A	2
	71/72	L "Before 4/3/72"	Refer to group 30322		
		- P -			
	70	P "Before 7/21/69"	Less knob	C8AZ 6223342-A	2
	70/72	P(62) "From 7/21/69" to 10/1/71"	Less knob	C9UZ 8223342-A	2
	72	P(62) "From 10/1/71"	Door-incl. clear plastic knob	D2OZ 6523342-A	2
	71/	P(54)	Refer to group 30322		

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
23342	**HANDLE - WINDOW REGULATOR - continued**				
		-S-			
	65/66	S	Incl. chrome knob	C4SZ 6323342-A	2
	67	S	Front door	C7SZ 6523342-B	2
	67	S(57)	Rear door		2
	68/69	S	Incl. aqua knob-r/b details-refer to groups 23352 (knob) and 30322 (handle)	★C8SZ 6523342-B1K	2 or 4
			Incl. parchment knob	C8AZ 6223342-B1U	2or4
			Incl. red knob	C8AZ 6223342-B1D	2 or 4
			Incl. white knob	C9AZ 6223342-B1W	2 or 4
	68/69	S	Less knob	C8AZ 6223342-A	2 or 4
	72	S "Before 10/1/71"	Less knob	C9UZ 8223342-A	2
	72	S "From 10/1/71"	Incl. clear plastic knob	D2OZ 6523342-A	2or4
		-U-			
	66	U		C1TZ 8123342-A	2
	67	U		C7TZ 8123342-A	2
	68/	U	Incl. parchment knob	C8AZ 6223342-B1U	2
	68/	U	Less knob	C8AZ 6223342-A	2
	66/	U	Bolt-No. 8-32 x 15/32"-Fillister head	371877-S8(BB27)	1
		-X-			
	65	X	Front door-incl. black knob	C4DZ 6223342-A	2
	65	X(54,71)	Rear door		2
	66/67	X	Front door	C6OZ 6223342-B	2
	66/67	X(54,71)	Rear door		2
	66/67	X(62)	Quarter		2
	68/70	X	Incl. parchment knob	C8AZ 6223342-B1U	2 or 4
			Incl. red knob	C8AZ 6223342-B1D	2 or 4
	68/70	X	Less knob	C8AZ 6223342-A	2 or 4
	65/67	A,B,F,X	No. 10-24 x 1/2" Fillister socket head screw	379259-S13 (BB817AN)	2
	67	A	No. 8-32 x 7/8"-Oval head tapping screw	382387-S9(UU59B)	AR
	67/	A,B,F,P,S,U,X	No. 8-32 x 5/8"-Oval head tapping screw	381571-S13(UU56BA)	AR
	70	P	Washer-3/8"-spring	★356432-S2	AR

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
			AQUA	BLACK	BLUE	GINGER	GREEN	GREY GOLD	IVY GOLD	NUGGET GOLD	PARCH-MENT	RED	SADDLE	TO-BACCO	VER-MILION	WHITE	
23352	**KNOB - WINDOW REGULATOR HANDLE - INCLUDES ATTACHING PARTS**																
		1965/67															
A,B,F,S,U,X		C5MY 6223352														*A	AR
		C5AZ 6223352		A													AR
		1968/69															
A,B,F,S,U,X		C8SZ 6523352	A1K										A1F				AR
		C8AZ 6223352							A1G	A1Y	A1U	A1D					AR
		D1AZ 6523352		C												D	AR
		D1SZ 6523352			B												
		1970															
A,B,F,P,S,U,X		C8AZ 6223352							A1G	A1Y	A1U	#A1D					AR
		C8SZ 6523352	A1K														AR
		D0AZ 6223352		★◊□A			◊D					★$●B					AR
		D0SZ 6523352					♦E										AR
		D1AZ 6523352		C		G										D	AR
		D1SZ 6523352			♦B												
A,B,F,L,P,S			Clear plastic knob-serviced only in assy. - refer to group 23342														

♦ Mustang and Thunderbird ◊ Exc. Mustang and Thunderbird # Falcon $ Exc. Falcon (X) * Chrome
□ R/b D1AZ 6523352-E (10/74) ● R/b D1AZ 6523352-F (12/74)

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN
FINAL ISSUE

23352 KNOB - WINDOW REGULATOR HANDLE - INCLUDES ATTACHING PARTS - continued

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY
			AQUA	BLACK	BLUE	GINGER	GREEN	GREY GOLD	IVY GOLD	NUGGET GOLD	PARCH-MENT	RED	SADDLE	TO-BACCO	VER-MILLION	WHITE	
1971/																	
A,B,F,L,P,S,U- "Before 2/1/71"		D0AZ 6223352			★♦■A							★#B					AR
		D1MY 6523352												A			AR
		D1AZ 6523352		C		G	♦H	J								D	AR
		D1OZ 6523352													A		AR
		D1SZ 6523352			●B		●C										AR
A,B,F,L,P,S,U- "From 2/1/71 to 10/1/71"		D1AZ 6523352		C	♦E	G	♦H	J				F				D	AR
		D1OZ 6523352													A		AR
		D1SZ 6523352			●B		●C										AR
-1971		D1MY 6523352												A			AR
-1972		D1MY 6523352												A			AR
A,B,F,L,P,S			Clear plastic knob-serviced only in assy. - refer to group 23342														

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
23362	**COVER - WINDOW REGULATOR HANDLE SCREW**				
	67	A(54A, C, 57, 63, 71A, E, 76)	Bright	C7AZ 6223362-A	AR
	68/	A, B, F, L, P, S, U, X	Aluminum	C8AZ 6223362-A	AR
23370	**PLATE - WINDOW REGULATOR HANDLE**				
		- A -			
	65/67	A	Front Door-Nylon	C5AZ 6223370-A	2or4
	65/67	A(54, 57, 71)	Rear Door		2or4
	65/67	A(62, 63, 76)	Quarter		2
	68/70	A	Nylon-3/4" I.D. x 1 9/16" O.D.	C8AZ 6223370-A	AR
	70/	A	Bright finish-3/4" I.D. x 1 13/16" O.D. -3/8" thick	C9ZZ 6523370-A	AR
		- B -			
	66/67	B	Front door	C5AZ 6223370-A	4
	66/67	B(54, 71)	Rear door		4
	66/67	B(62, 63, 76)	Quarter		2
	68/71	B	Nylon -3/4" I.D. x 1 9/16" O.D.	C8AZ 6223370-A	AR
	70/71	B	Bright finish-3/4" I.D. x 1 13/16" O.D. -3/8" thick	C9ZZ 6523370-A	AR
	72	B		D1DZ 6223370-A	2or4
		- F -			
	65	F "Before 3/8/65"	Door	C3AZ 6223370-A	4
	65/67	F "From 3/8/65"	Door	C5AZ 6223370-A	2or4
	65/67	F	Quarter	C4SZ 6323370-A	2
	68/	F	Nylon -3/4" I.D. x 1 9/16" O.D.	C8AZ 6223370-A	2to6
	69/	F	Bright finish-3/4" I.D. x 1 13/16" O.D. -3/8" thick	C9ZZ 6523370-A	2
		- L -			
	71/72	L "Before 4/3/72"	1 5/8" O.D.	D1DZ 6223370-A	2or4
	72	L "From 4/3/72"	1 3/4" O.D.	D2FZ 6223370-A	2or4
		- P -			
	70	P	Nylon-3/4" I.D. x 1 9/16" O.D.	C8AZ 6223370-A	2or4
	70	P	Bright finish-3/4" I.D. x 1 13/16" O.D.-3/8" thick	C9ZZ 6523370-A	2
	71/	P		D1DZ 6223370-A	2or4
		- S -			
	65/66	S	Vent and door window regulator handle	C3AZ 6223370-A	4
	65/66	S	Quarter	C4SZ 6323370-A	2
	67	S(65)	Quarter		2
	67	S	Front door	C5AZ 6223370-A	2
	67	S(57)	Rear door		2
	68/70	S	Nylon-3/4" I.D. x 1 9/16" O.D.	C8AZ 6223370-A	4
	71/	S	Bright finish-3/4" I.D. x 1 13/16" O.D. -3/8" thick	C9ZZ 6523370-A	4

♦ Exc. Thunderbird ● Thunderbird ■ R/b D1AZ 6523352-E (10/74) # R/b D1AZ 6523352-F (12/74)

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
23370	**PLATE - WINDOW REGULATOR HANDLE - continued**				
		- U -			
	67	U	Front door	C5AZ 6223370-A	2
	68/	U		C8AZ 6223370-A	2to6
		- X -			
	65	X	Front door	C3AZ 6223370-A	4
	65	X(54, 71)	Rear door		4
	65	X(62, 63, 76)	Quarter		2
	66/67	X	Front door	C5AZ 6223370-A	4
	66/67	X(54, 71)	Rear door		4
	66/67	X(62, 76)	Quarter		2
	68/70	X	Nylon	C8AZ 6223370-A	2to6
23394-5	**DRIVE ASSY. - WINDOW REGULATOR - ELECTRIC**				
		- A -			
	65/68	A(71)	Tailgate - Refer to Group 40964		
	69/70	A(71) "Before 3/16/70"	Tailgate-w/9 tooth drive gear	D0AZ 5723394-A	1
		A(71) "From 3/16/70"	Tailgate-w/7 tooth drive gear	D0OZ 7123394-A	1
	65/	A	R. H. -front, rear doors and quarter	D0AZ 5723394-A	1
			L. H. -front, rear doors and quarter	D0AZ 5723395-A	1
	71/	A(71)	Tailgate-w/o wash and wipe system	D0OZ 7123394-A	1
			Tailgate-w/wash and wipe system	D1AZ 7123394-A	1
	65/68	A	Nut-No.10-24 lock	55731-S2(M96E)	4
	65/68	A	Washer No.10-1/2" flat	44713-S8(X13)	AR
	65/68	A	Washer-3/8" flat	44727-S8(X24)	1
	65/68	A	Screw-No.10-24 x 1" round head	53866-S7(U169A)	2
	69	A	Screw-No.8-32 x 3/4" washer head	57077-S2(B330B)	AR
		- B -			
	65	B(71)	Tailgate	C1AZ 5723394-B	1
		B	For regulator drive gear kit - Refer to Group 234A24		
	66/67	B(71)	Tailgate - Refer to Group 40964		
		B	For regulator drive gear kit - Refer to Group 234A24		
	68/69	B(76)	R.H.-quarter	C6GY 7623394-A	1
			L.H.	C6GY 7623395-A	1
		B(71)	Tailgate - Refer to Group 40964		
	68/69	B	For regulator drive gear kit - Refer to Group 234A24		
	68/70	B	R.H.-front and rear doors	D0AZ 5723394-A	1or2
	70	B	R.H.-quarter		1
	68/70	B	L.H.-front and rear doors	D0AZ 5723395-A	1or3
	70	B	L.H.-quarter		1
	70	B(71) "Before 3/16/70"	Tailgate-w/9 tooth drive gear	D0AZ 5723394-A	1
		B(71) "From 3/16/70"	Tailgate-w/7 tooth drive gear	D0OZ 7123394-A	1
	71	B	R. H. -front, rear door and quarter	D0AZ 5723394-A	1
			L. H.	D0AZ 5723395-A	1
			Tailgate	D0OZ 7123394-A	1
	72	B(53, 71)	R. H. -front door	D2OZ 5323394-A	1or2
		B(65)	R. H. -quarter		1or2
			L. H.	D2OZ 5323395-A	1or2
		B(63, 65)	R. H. -front door	D0AZ 5723394-A	1or2
		B(53, 71)	R. H-rear door		1or2
		B(63)	R. H. -quarter		1or2
			L. H.	D0AZ 5723395-A	1or2
		B(71)	Tailgate	D0OZ 7123394-A	1
	68/71	B	Screw-No.8-32 x 5/8" oval head	381571-S13(UU56BA)	2
	68/71	B	Bolt-1/4"-20 x 1/2" pan head	373460-S7(BB629)	2
		- F -			
	71/	F	R. H. -front door	D0AZ 5723394-A	1
			L. H.	D0AZ 5723395-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
23394-5	**DRIVE ASSY. - WINDOW REGULATOR - ELECTRIC - continued**				
		- S -			
	65/66	S	Quarter - Refer to Group 30304		
		S	R.H. -front door	C5SZ 6323394-A	1
			L.H.	C5SZ 6323395-A	1
		S	For regulator drive gear kit - Refer to Group 234A24		
	67/69	S(65)	Quarter - Refer to Group 30380-1		
	67/71	S	R.H. -front and rear doors	D0AZ 5723395-A	1or2
			L.H. -quarter		1
	67/71	S	L.H. -front and rear doors	D0AZ 5723394-A	1or2
			R.H. -quarter		1
	72	S	R.H. - door	D0AZ 5723394-A	1
			L.H. - quarter		1
	72	S	L.H. - door	D0AZ 5723395-A	1
			R.H. - quarter		1
	65/	S	Washer-3/8" flat	44727-S8(X24)	1
		- X -			
	65	X(59, 71, 78)	Tail gate	C1AZ 5723394-B	1
	65/70	X	For regulator drive gear kit - Refer to Group 234A24		
	66/70	X(71)	Tail gate- Refer to Group 40964		
	69	A(54, 62, 71)	Screw-No. 8-32 x 3/4" washer head	57077-S2(B330B)	1
	67/71	B, S	No.10-24 nut	34053-S8(M156)	AR
	67/71	B, S	No.10-lockwasher	34903-S8(X96)	4
23402-3	**REGULATOR ASSY. - FRONT DOOR VENT WINDOW**				
	65/68	A	R.H.	C8AZ 6223402-A	1
			L.H.	C8AZ 6223403-A	1
	69/71	A(54, 62, 71)	R.H. -Manual	C9AZ 6223402-A	1
			L.H.	C9AZ 6223403-A	1
	65/66	S	R.H.	C4SZ 6323402-B	1
			L.H.	C4SZ 6323403-B	1
	65/66	A, S	5/16"-18 x 1/2" Hex.washer head screw	376976-S7-8(BB574M)	4
	69/71	A(54, 62, 71)	Screw-No. 8-32 x 5/8" oval head	381571-S13(UU56BA)	1
	65/68	A	Bolt-1/4"-20 x 7/8" hex.head	370519-S(BB125)	AR
	65/68	A	Screw-No.10-20 x 15/16" socket head	379293-S(BB817AM)	AR
	65/66	S	Washer-1/4" lock	34805-S8(X62)	2
	65/66	S	Bolt-1/4"-20 x 3/4" hex.head	20344-S8(B42)	2
23406-7	**MOTOR and COVER ASSY. - FRONT DOOR VENT WINDOW REGULATOR GEAR - ELECTRIC**				
	65/66	S	R.H.	C3VY 5723406-C	1
			L.H.	C3VY 5723407-C	1
234A18	**SPACER - DOOR WINDOW REGULATOR MOTOR BRACKET**				
	65/66	S	1.20" long	C5SZ 63234A18-A	2
	65/68	A	Cut .30" from large end		AR
234A24	**GEAR KIT - WINDOW REGULATOR DRIVE**				
		- A -			
	65/69	A(71)	Tailgate	C9AZ 62234A24-B	1
	65/	A	Door and quarter	D0AZ 62234A24-B	2or4
	70	A(71)	Tailgate w/9 tooth drive gear		1
	71/	A(71)	Tailgate-w/7 tooth drive gear-w/o wash and wipe system	D0VY 53234A24-A	1
	72	A(71)	Tailgate -w/7 tooth drive gear-w/wash and wipe system	D2VY 53234A24-A	1
		- B -			
	65/69	B(71)	Tailgate	C9AZ 62234A24-B	1
	65/71	B	Door and quarter	D0AZ 62234A24-B	2or4
	70	B(71)	Tailgate-w/9 tooth drive gear		1
	71/	B(71)	Tailgate-w/7 tooth drive gear	D0VY 53234A24-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
234A24	**GEAR KIT - WINDOW REGULATOR DRIVE - continued**				
		- F -			
	71/	F	Door and quarter	D0AZ 62234A24-B	2or4
		- S -			
	65/66	S	Door and quarter	C9AZ 62234A24-B	2or4
	67/	S	Door	D0AZ 62234A24-B	2or4
	70/		Quarter		1or2
	67/69	S	Quarter - serviced in Assembly only - refer to Group 30380-1		
		- X -			
	66/70	X(71)	Tailgate	C9AZ 62234A24-B	1
234A28	**BUSHING - DOOR WINDOW REGULATOR ARM**				
	67/68	S	Front door	C7SZ 65234A28-A	2
	67/68	S(57)	Rear door		2
	68	B(63, 65, 66, 76)	Front door		2
	69	F			2
234A30	**COVER - FRONT DOOR WINDOW REAR STOP**				
	69/	A(57)		C9AZ 57234A30-B	2
	69/70	A(63, 65, 76)		C9AZ 63234A30-A	2
	71/	A(65, 76)			2
	72	A(53)		C9MY 53234A30-A	2
	68/69	B(63, 65, 66, 76)		C8OZ 63234A30-A	2
	69/71	F		C9ZZ 65234A30-A	2
	67/71	S(57) "Before 9/1/70"		C7SZ 57234A30-A	2
	71	S(57) "From 9/1/70"		D1SZ 57234A30-A	2
	67/71	S(65) "Before 9/1/70"		C7SZ 65234A30-A	2
	71	S(65) "From 9/1/70"		D1SZ 65234A30-A	2
	67/71	S	1/4"-20 x 3/4" Hex. washer head screw	371492-S2(BB569)	4or8
23440	**COUPLING - TAILGATE WINDOW REGULATOR DRIVE**				
	65/66	X(71)		C1VB 5723440-A	1
	65	B(71)			1
23442	**EXTENSION - FRONT DOOR VENT WINDOW REGULATOR SHAFT**				
	65/66	S		C4SZ 6323442-A	2
			5/16"-24 x 1 1/8" Hex. head screw	353483-S2(BB588)	4
			5/16"-24 Nut (lock)	34443-S7-8(M79)	4
234A46	**RETAINER - DOOR WINDOW GLASS CHANNEL BRACKET**				
	71/	A(54, 71)		D0DZ 62234A46-B	AR
	70/72	P "Before 3/1/72"	Use with 3/16" thick glass		4or8
	71	L	Rear		2
	71	L	Front	D1FZ 62234A46-A	2
	72	L	Front or rear		2or4
	72	P "From 3/2/72"	Use with 5/32" thick glass		4or8
234A56-7	**BRACKET - FRONT DOOR WINDOW GLASS REAR - INNER**				
	71/	A(54, 71)	R. H.	D1AZ 54234A56-A	1
			L. H.	D1AZ 54234A57-A	1
23567	**BUMPER - FRONT DOOR HINGE**				
	67/71	S		C7SZ 6523567-A	2
23574	**STRAP and BRACKET ASSY. - DOOR CHECK**				
	66/	U	Black	C6TZ 9623574-AAB	2
23624	**COUPLING ASSY. - FRONT DOOR VENT WINDOW DRIVESHAFT**				
	65/66	S		C2VY 5723624-B	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
237A22-3	**PANEL - FRONT DOOR TRIM PANEL FINISH**				
	67	F(63B, 65B, 76B)	R.H.	C7ZZ 65237A22-A	1
			L.H.	C7ZZ 65237A23-A	1
	69/70	F(63B, C, 65B, E, 76B)	R.H.-Aluminum-includes light teakwood insert	C9ZZ 65237A22-A	1
			L.H.	C9ZZ 65237A23-A	1
	69/70	F(63B, C, 65B, E, 76B)	R.H.-Aluminum-includes dark teakwood insert	C9ZZ 65237A22-B	1
			L.H.	C9ZZ 65237A23-B	1
	71/	F(63R, 65F, 76)	R.H. -w/wood grain applique	D1ZZ 65237A22-A	1
			L.H.	D1ZZ 65237A23-A	1
237A24	**RETAINER - DOOR TRIM PANEL**				
	65/66	S	Side-Chrome	C4SZ 63237A24-A	4
237A48	**SEAL - FRONT DOOR TRIM PANEL**				
	66/	U	Cut from C6AZ 19627-A	*	2
23760-3	**RETAINER - FRONT DOOR TRIM PANEL**				
	66/67	B(62, 63, 76)	R.H. -Upper-Chrome-Includes attaching parts	C6OZ 6223762-A	1
			L.H.	C6OZ 6223763-A	1
	66/67	B(54, 71)	R.H. -Upper-Chrome-Includes attaching parts	C6OZ 5423762-A	1
			L.H.	C6OZ 5423763-A	1
	67/69	B(54B, 71)	Lower-Chrome-paint when desired	C6GY 5423760-A	2
	66/70	X(54, 71)	R.H. -Upper	C6OZ 5423762-A	1
			L.H.	C6OZ 5423763-A	1
	66/70	X(54, 71)	Lower	C6GY 5423760-A	2
	66/70	X(62, 66)	R.H. -Upper-Chrome-Includes attaching parts	C6OZ 6223762-A	1
			L.H.	C6OZ 6223763-A	1
	66/70	X(62, 66)	R.H. -Upper-Paint to match	C6DZ 6223762-A	1
			L.H.	C6DZ 6223763-A	1
	65	X	No. 8 x 3/8" Cross recess pan head screw	52720-S8 (U380)	8to12
237A82	**SPACER - DOOR TRIM PANEL EDGE REINFORCEMENT**				
	66	A		C6AZ 54237A82-A	AR
237A96	**BRACKET - DOOR TRIM PANEL REFLECTOR**				
	68/71	S		C8SZ 65237A96-A	2
238A06-7	**HOUSING - FRONT DOOR ASH RECEPTACLE**				
	72	S	R.H. - Includes cover	D2SZ 65238A06-A	1
			L.H.	D2SZ 65238A07-A	1
23820	**REFLECTOR - DOOR TRIM PANEL**				
	68/71	S		C8SZ 6523820-A	2
	72	A, S		D2AZ 6523820-A	2
23834	**BRACKET - DOOR TRIM PANEL - UPPER**				
	69/70	A(54, 71)		C9AZ 6223834-A	8
	69	A(62)			4
	71/	A			4or8
	69/70	A(57)		C9AZ 6323834-A	8
	69/70	A(63, 65, 76)			6
23886	**MOULDING - FRONT DOOR TRIM PANEL - LOWER EDGE - INCLUDES ATTACHING PARTS**				
	65/70	A(54, 57, 71)		C5AZ 5423886-A	2
	65/67	A(62, 63, 76)		C5AZ 6223886-A	2
	68	A(62, 63, 65, 76)			2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
240A10	**BRACKET - FRONT DOOR ARM REST FINGER TIP PLATE**					
	69	F(63B, C, 65B, D, E, 76B)		C9ZZ 65240A10-A	C9ZZ 65240A10-A	2
	70	F(63B, C, 65B, D, E, 76B)		D0ZZ 65240A10-A	D0ZZ 65240A10-A	2
			Nut-1/8" spring	374177-S2(MM265)	374177-S2(MM265)	4
	72	B(63R, 65R, 97R)		D2OZ 63240A10-A	D2OZ 63240A10-A	2
240A16	**RETAINER - FRONT DOOR ARM REST FINISH PANEL**					
	69	A(54, 57, 71)		C9AZ 62240A16-A	C9AZ 62240A16-A	12
	69	A(63, 65, 76)				6
24038-9	**HOUSING - FRONT DOOR ARM REST WINDOW REGULATOR SWITCH PLATE**					
	68/71	S(57)		C8SZ 5724038-A	C8SZ 5724039-A	1
	68/69	S(65) "Before 12/15/68"	7 7/16" long	C8SZ 6524038-B	C8SZ 6524039-C	1
	69/70	S(65) "From 12/15/68"	8" long	C9SZ 6524038-A		1
			7 7/16" long		C8SZ 6524039-C	1
24058-9	**PANEL - FRONT DOOR ARM REST FINISH - LOWER**					
	69	A(54, 57, 62, 63, 65, 71B, C, D, H, J, 76)	White-paint to match	C9AZ 6224058-A	C9AZ 6224059-A	1
	69	A(54C,57F,65A,71A,E)	Dark Teak	C9AZ 5424058-A	C9AZ 5424059-A	1
24116	**BRACKET - FRONT DOOR ARM REST MOUNTING**					
	66/67	U		C6TZ 9724116-A	C6TZ 9724116-A	4
			1/4"-20 x 1/2" Cross recess pan head screw	51768-S8(U373)	51768-S8(U373)	16
24146	**CLIP - ARM REST**					
	65	X	Rear door	BA 7024146-A	BA 7024146-A	4or8
	65	F	Door			4
	66	F(63A, 65A, C, 76A, C)	Door			4
	65	B				4or8
	66/67	A, B, F(63A, 65A, 65C, 76A, 76C), U, X	Front door	C7AZ 6224146-A	C7AZ 6224146-A	4
	66/67	A(54, 57, 71), B(54, 71), X(54, 71)	Rear door			4
	67	A(62, 63, 76), B(62, 63, 76), X(62)	Quarter			4
	68/69	A, B, F, U, X				AR
	68/71	S(57)	Front and rear doors			AR
	72	S, U				AR
	67	F		C8ZZ 6524146-A	C8ZZ 6524146-A	AR
	65	S	Front door	C6AZ 6224146-B	C6AZ 6224146-B	4
	65	X				4 or 8
	65	B	Front door			2
	70/71	B	Front door			8
	65/66	A	Front door			2 or 4
	65/66	A(54, 57, 71)	Rear door			4
	65/66	A(62, 63)	Quarter			4
	69/	A	Front door			8 or 10
	69/70	F(63A, C, 65A, C, 76A)	Front door			6
	70/	P	Door			4
	71/	L	Door -w/o moulded arm rest			4
	71/	F(63D, 65D, 76D)				8
	72	B	With intermittent wipers			2
	72	B	Without door speakers			2
	72	B(63D,R,65D,R)	With door speakers	D2OZ 6524146-A	D2OZ 6524146-A	2
	72	L, P	Door lower-w/moulded arm rest	D2FZ 6224146-A	D2FZ 6224146-A	4
	72	L, P	Door upper-w/moulded arm rest	★45263-S101	★45263-S101	1
	67	S(65)	Front door	C7SZ 6524146-A	C7SZ 6524146-A	2
			Quarter			4
	68/	S(65)	Front door	C8SZ 6524146-A	C8SZ 6524146-A	2or3
			Quarter			4

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
24148-9	**PLATE - FRONT DOOR ARM REST**					
	69	F(63B, C, 65B, D, E, 76B)	Includes attaching parts	C9ZZ 6524148-A	C9ZZ 6524149-A	1
	70	F(63B, C, 65B, D, E, 76B)	Includes attaching parts	D0ZZ 6524148-A	D0ZZ 6524149-A	1
			Screw-No. 8 x 1/2" pan head	52554-S8(U230)	52554-S8(U230)	2
24160	**SUPPORT - FRONT DOOR ARM REST**					
	68/71	S(57)		C8SZ 5724160-A	C8SZ 5724160-A	2
24162-3	**SUPPORT - REAR DOOR ARM REST - REAR**					
	65/66	A(54, 57, 71)		C5AZ 5424162-A	★C5AZ 5424163-A Not replaced (3-74)	1
			No. 10-16 x 3/8" Cross recess pan head screw	52721-S8(U382B)	52721-S8(U382B)	4
24168-9	**PANEL - FRONT DOOR ARM REST FINISH - INCLUDES ATTACHING PARTS**					
	69	A "Before 3/2/69"	Rustless steel-snap on	C9AZ 6224168-A	C9AZ 6224169-A	1
	69	A "From 3/3/69"	Refer to Group 226A34-5			
	68/69	S(57)	Without speaker	C8SZ 5724168-C	C8SZ 5724169-C	1
	68/69	S(57)	With speaker	C8SZ 5724168-D	C8SZ 5724169-D	1
	68/69	S(65)	Without speaker	C8SZ 6524168-A	C8SZ 6524169-A	1
	68/69	S(65)	With speaker	C8SZ 6524168-B	C8SZ 6524169-B	1
	70/71	S(57)	Without speaker	C8SZ 5724168-C	D0SZ 5724169-A	1
	70/71	S(57)	With speaker	C8SZ 5724168-D	D0SZ 5724169-B	1
	70/71	S(65)	Without speaker	C8SZ 6524168-A	D0SZ 6524169-A	1
	70/71	S(65)	With speaker	C8SZ 6524168-B	D0SZ 6524169-B	1
24300-1	**PILLAR ASSY. - CENTER BODY**					
		- A -				
	65/68	A(54, 71)		C5AZ 5424300-B	C5AZ 5424301-B	1
	69/70	A(54, 71)		C9AZ 5424300-A	C9AZ 5424301-A	1
	69/70	A(57)		C9AZ 5724300-A	C9AZ 5724301-A	1
	71/	A(53)		D1AZ 5324300-A	D1AZ 5324301-A	1
	71/	A(54, 71)		D1AZ 5424300-A	D1AZ 5424301-A	1
	71/	A(57)		D1AZ 5724300-A	D1AZ 5724301-A	1
		- B -				
	68/69	B(54, 71)		C8OZ 5424300-A	C8OZ 5424301-A	1
	70/71	B(54)		D0OZ 5424300-A	D0OZ 5424301-A	1
	70/71	B(57)		D0OZ 5724300-A	D0OZ 5724301-A	1
	70/71	B(71)		D0OZ 7124300-A	D0OZ 7124301-A	1
	72	B(53, 71)		D2OZ 5324300-A	D2OZ 5324301-A	1
		- P -				
	71/	P(54)		D1DZ 5424300-A	D1DZ 5424301-A	1
		- S -				
	68/71	S(57)		C9SZ 5724300-A	C9SZ 5724301-A	1
		- X -				
	66/70	X(54, 71)		C6OZ 5424300-C	C6OZ 5424301-C	1
	65/	A(54, 57, 71), B(54, 71)	3/4" Plug (button)	352291-S(PP3)	352291-S(PP3)	2
	65/70	X(54, 71)				2
24316-7	**PILLAR - CENTER BODY OUTER - UPPER**					
	67/71	S(57)		C7SZ 5724316-A	C7SZ 5724317-A	1
243A18-9	**REINFORCEMENT - CENTER BODY PILLAR AT BELT**					
	68/71	S(57)		C7SZ 57243A18-A	C7SZ 57243A19-A	1
24320-1	**REINFORCEMENT - CENTER BODY PILLAR**					
	70	B(57)		D0OZ 5724320-A	D0OZ 5724321-A	1
	71	B(57)		D1OZ 5724320-A	D1OZ 5724321-A	1
243A38-9	**RETAINER - CENTER BODY PILLAR UPPER FRONT WEATHERSTRIP**					
	71/	A(53)		D1AZ 53243A38-B	D1AZ 53243A39-B	1
	72	B(53, 71)		D2OZ 53243A38-A	D2OZ 53243A39-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
243A56-7	**RETAINER - CENTER BODY PILLAR UPPER REAR WEATHERSTRIP**					
	71/	A(53)		D1AZ 53243A56-B	D1AZ 53243A57-B	1
	72	B(53,71)		D2OZ 53243A56-A	D2OZ 53243A57-A	1
243A60	**REINFORCEMENT - CENTER BODY PILLAR UPPER INNER - CENTER**					
	68/71	S(57)		C7SZ 57243A60-A	C7SZ 57243A60-A	2
243A62	**REINFORCEMENT - CENTER BODY PILLAR UPPER INNER - TOP**					
	68/71	S(57)		C7SZ 57243A62-A	C7SZ 57243A62-A	2
24426-7	**REINFORCEMENT - CENTER BODY PILLAR - LOWER**					
	69/70	A(57) "Before 9/5/69"		C9AZ 5724426-A	C9AZ 5724427-A	1
	70/	A(57) "From 9/5/69"		D0AZ 5724426-A	D0AZ 5724427-A	1
	70/71	B(57)		D0OZ 5724426-A	D0OZ 5724427-A	1
	68/71	S(57)		C8SZ 5724426-A	C8SZ 5724427-A	1
	70/71	S(57)	Screw-No. 8-18 x 3/4" pan head	376328-S(UU67G)	376328-S(UU67G)	6
24450-1	**BRACKET - CENTER BODY PILLAR UPPER HINGE**					
	70	B(57) "Before 9/29/69"		D0OZ 5724450-A	D0OZ 5724451-A	1
	70/71	B(57) "From 9/29/69"		D0OZ 5724450-B	D0OZ 5724451-B	1
	70	B(57)	Screw-5/16" -18 x 1 1/8" hex washer tap	382623-S2(UU52AL)	382623-S2(UU52AL)	6
24452-3	**CAP - CENTER BODY PILLAR FINISH** - Refer to Group in Soft Trim Section					
24458-9	**MOULDING - CENTER BODY PILLAR OUTSIDE - UPPER - INCLUDES ATTACHING PARTS**					
		- A -				
	65/68	A(54,71)		C5AZ 5424458-A	C5AZ 5424459-A	1
		- B -				
	66/67	B(71B,E)		C6OZ 5424458-A	C6OZ 5424459-A	1
	68/69	B(54C)-with vinyl roof cover-	Black-Levant grain	C8OZ 5424458-C1A	C8OZ 5424459-C1A	1
	68/71	B(71C,E)	Bright finish	C8OZ 5424458-A	C8OZ 5424459-A	1
	69	B(54C)-with vinyl roof cover	White-Levant grain	C9OZ 5424458-CBW	C9OZ 5424459-CBW	1
	70/71	B(54C,E)-with vinyl roof cover or two tone paint	Bright finish	D0OZ 5424458-A	D0OZ 5424459-A	1
		- P -				
	72	P(54)	Blue	D2DZ 5424458-AB	D2DZ 5424459-AB	1
			Brown	D2DZ 5424458-AT	D2DZ 5424459-AT	1
			Copper	D2DZ 5424458-AC	D2DZ 5424459-AC	1
			Green	D2DZ 5424458-AR	D2DZ 5424459-AR	1
			White	D2DZ 5424458-AJ	D2DZ 5424459-AJ	1
		- S -				
	68/71	S(57)		C8SZ 5724458-A	C8SZ 5724458-A	2
	70/71	S(57)	Screw & washer-No. 8-18 x 1/2" self tap.	381969-S(UU89A)	381969-S(UU89A)	12
		- X -				
	67/70	X(71)		C6OZ 5424458-A	C6OZ 5424459-A	1
24630-1	**DOOR ASSY. - REAR** - NOTE 1					
		- A -				
	65	A(54,57,71)	Bumper-on door	C2AZ 6223030-A	C2AZ 6223030-A	2or4
	65	A(57)	Bumper - upper	C5AZ 57265A28-B	C5AZ 57265A28-B	2
	65/66	A(57)	Bumper-on quarter panel	★379871-S	★379871-S	1
	67	A(54,57,71)	Bumper	C7AZ 54265A28-A	C7AZ 54265A28-A	2or4
	68	A(54)		★C8AZ 5424630-A Not replaced (1/75)	C8AZ 5424631-A	1
	68	A(57)		C8AZ 5724630-A	C8AZ 5724631-A	1
	68	A(71)		C8AZ 7124630-A	C8AZ 7124631-A	1
	69	A(54)		C9AZ 5424630-A	C9AZ 5424631-A	1
	69	A(57)		C9AZ 5724630-A	C9AZ 5724631-A	1
	69	A(71)		C9AZ 7124630-A	C9AZ 7124631-A	1
	70	A(54)		D0AZ 5424630-A	D0AZ 5424631-A	1
	70	A(57)		D0AZ 5724630-A	D0AZ 5724631-A	1
	70	A(71)		D0AZ 7124630-A	D0AZ 7124631-A	1

NOTE 1 - Less hinges, paint, trim, window regulator, latch and Remote Control. Drill holes as required.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
24630-1	**DOOR ASSY. - REAR - continued** - NOTE 1					
		- A -				
	71/	A(53)		D2AZ 5324630-A	D2AZ 5324631-A	1
	71/	A(54)		D2AZ 5424630-A	D2AZ 5424631-A	1
	71/	A(57)		D2AZ 5724630-A	D2AZ 5724631-A	1
	71/	A(71)		D2AZ 7124630-A	D2AZ 7124631-A	1
		- B -				
	68/69	B(54)		C8OZ 5424630-A	C8OZ 5424631-A	1
	68/69	B(71)		★C8OZ 7124630-A Not replaced (12/74)	C8OZ 7124631-A	1
	70/71	B(54)		D0OZ 5424630-A	D0OZ 5424631-A	1
	70	B(57)		D0OZ 5724630-A	D0OZ 5724631-A	1
	71	B(57)		D1OZ 5724630-A	D1OZ 5724631-A	1
	70/71	B(71)		D0OZ 7124630-A	D0OZ 7124631-A	1
	72	B(53, 71)		D3OZ 5324630-B	D3OZ 5324631-B	1
		- P -				
	71/72	P(54) "Before 3/1/72"		D2DZ 5424630-B	D1DZ 5424631-A	1
	72	P(54) "From 3/1/72"		D3DZ 5424630-A	D2DZ 5424631-B	1
		- S -				
	68/71	S(57)		C9SZ 5724630-A	C9SZ 5724631-A	1
		- X -				
	68/70	X(54)		C8DZ 5424630-A	C8DZ 5424631-A	1
	67	A	5/16"-18 x 1 5/8" Hex. washer head screw	359530-S8(BB576)	359530-S8(BB576)	8

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
24648	**HANDLE - REAR DOOR INSIDE ASSIST**				
	65/67	A(54), B(54)		B9A 5824648-A	1
	68/	A(54)-Taxi			1
	72	B(53B)-Taxi			1
			No. 12-24 x 1" Oval head screw	★52961-S13	4
24650	**PAD - REAR DOOR INSIDE ASSIST HANDLE**				
	65/72	A-Taxi		B6A 7324650-A	2
	65/72	B(53B)-Taxi			2
	65/68	X			2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
24700-1	**PANEL - REAR DOOR OUTSIDE** - Drill holes as required					
		- A -				
	65	A(54, 71)		★C5AZ 5424700-A Not replaced (3-74)	C5AZ 5424701-A	1
	65	A(57)		C5AZ 5724700-A	C5AZ 5724701-A	1
	66	A(54, 71)		C6AZ 5424700-A	C6AZ 5424701-A	1
	66	A(57)		C6AZ 5724700-A	★C6AZ 5724701-A Not replaced (1/75)	1
	67	A(54, 71)		C7AZ 5424700-A	C7AZ 5424701-A	1
	67	A(57)		C7AZ 5724700-A	C7AZ 5724701-A	1
	68	A(54, 71)		C8AZ 5424700-A	C8AZ 5424701-A	1
	68	A(57)		C8AZ 5724700-A	C8AZ 5724701-A	1
	69/70	A(54, 71)		C9AZ 5424700-A	C9AZ 5424701-A	1
	69/70	A(57)		C9AZ 5724700-A	C9AZ 5724701-A	1
	71/	A(53, 57)		D1AZ 5724700-A	D1AZ 5724701-A	1
	71/	A(54, 71)		D1AZ 5424700-A	D1AZ 5424701-A	1

NOTE 1 - Less hinges, paint, trim, window regulator, latch and Remote Control. Drill holes as required.

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
24700-1	**PANEL - REAR DOOR OUTSIDE - continued** - Drill holes as required					
		- B -				
	66/67	B(54,71)		C6OZ 5424700-A	C8OZ 5424701-A	1
	68/69	B(54)		C8OZ 5424700-A	C8OZ 5424701-A	1
	68/69	B(71)		C8OZ 7124700-A	C8OZ 7124701-A	1
	70/71	B(54,57)		D0OZ 5424700-A	D0OZ 5424701-A	1
	70/71	B(71)		D0OZ 7124700-A	D0OZ 7124701-A	1
	72	B(53,71)		D2OZ 5324700-A	★D2OZ 5324701-A r/b D3OZ 5324701-A(3-74)	1
		- P -				
	71/	P(54)		D1DZ 5424700-A	D1DZ 5424701-A	1
		- S -				
	67/71	S(57)		C9SZ 5724700-A	C9SZ 5724701-A	1
		- X -				
	66/70	X(54)		C6DZ 5424700-A	C6DZ 5424701-A	1
	66/70	X(71)		C6OZ 5424700-A	C6OZ 5424701-A	1
247A10-1	**SEAL - REAR DOOR WINDOW FRONT - UPPER**					
	69	A(57)		C9AZ 57247A10-A	C9AZ 57247A11-A	1
	70/	A(57)		D0AZ 57247A10-A	D0AZ 57247A11-A	1
	70/71	B(57)		D0OZ 57247A10-B	D0OZ 57247A11-B	1
24730-1	**PANEL - REAR DOOR OUTSIDE FINISH**					
	71/	A(53,57H,K)		D1AZ 5724730-A	D1AZ 5724731-A	1
25012-3	**RETAINER - REAR DOOR OUTSIDE COVER - INCLUDES ATTACHING PARTS**					
	68/71	S(57B,C)		C7SZ 5725012-D	C7SZ 5725013-D	1
25300-1	**RAIL - REAR DOOR OUTSIDE FINISH - LOWER** - Includes Attaching Parts					
		- A -				
	66	A(71A,E)		C6AZ 7125300-A	C6AZ 7125301-A	1
	67	A(71A,E)		C7AZ 7125300-A	C7AZ 7125301-A	1
	68	A(71A,E)		C8AZ 7125300-A	C8AZ 7125301-A	1
	69/70	A(71A,E)		C9AZ 7125300-A	C9AZ 7125301-A	1
	71	A(71H)		D1AZ 7125300-A	D1AZ 7125301-A	1
	72	A(71H)		D2AZ 7125300-A	D2AZ 7125301-A	1
		- B -				
	66/67	B(71E)		★C6OZ 7125300-A Not replaced (12/74)	C6OZ 7125301-A	1
	68/69	B(71E)		C8OZ 7125300-A	C8OZ 7125301-A	1
	70/71	B(71E)		D0OZ 7125300-A	D0OZ 7125301-A	1
	72	B(71K)		D2OZ 7125300-A	D2OZ 7125301-A	1
253A02-3	**SEAL - REAR DOOR REAR AT BELT**					
	69/70	A(57)		C9AZ 57253A02-A	C9AZ 57253A03-A	1
	70/71	B(57)		D0OZ 57253A02-B	D0OZ 57253A03-B	1
25320-1	**RAIL - REAR DOOR OUTSIDE FINISH - UPPER** - Includes Attaching Parts					
		- A -				
	66	A(71A,E)		★C6AZ 7125320-A Not replaced (12/74)	C6AZ 7125321-A	1
	67	A(71A,E)		C7AZ 7125320-A	C7AZ 7125321-A	1
	68	A(71A,E)		C8AZ 7125320-A	C8AZ 7125321-A	1
	69/70	A(71A,E)		C9AZ 7125320-A	C9AZ 7125321-A	1
	71	A(71H)		D1AZ 7125320-A	D1AZ 7125321-A	1
	72	A(71H)		D2AZ 7125320-A	D2AZ 7125321-A	1
		- B -				
	68/69	B(71E)		C8OZ 7125320-A	C8OZ 7125321-A	1
	70/71	B(71E)		D0OZ 7125320-A	D0OZ 7125321-A	1
	72	B(71K)		D2OZ 7125320-A	D2OZ 7125321-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
25324-5	**WEATHERSTRIP - REAR DOOR** - Also refer to Group 513A68-9					
		- A -				
	65/68	A(54)		C5AZ 5425324-B	C5AZ 5425325-B	1
	65/66	A(57)		C5AZ 5725324-A	C5AZ 5725325-A	1
	65/68	A(71)		C5AZ 7125324-B	C5AZ 7125325-B	1
	67	A(57)		C7AZ 5725324-A	C7AZ 5725325-A	1
	68	A(57)		C8AZ 5725324-A	C8AZ 5725325-A	1
	69	A(54)	"Before 7/3/69"	C9AZ 5425324-A	C9AZ 5425325-A	1
	69	A(54)	" From 7/3/69"	C9AZ 5425324-B	C9AZ 5425324-B	2
	69	A(57)		C9AZ 5725324-A	D0AZ 5725325-A	1
	69	A(71)		C9AZ 7125324-B	C9AZ 7125325-B	1
	70	A(54)	"Before 11/24/69"	C9AZ 5425324-B	C9AZ 5425325-B	1
	70	A(54)	"From 11/24/69"	C9AZ 5425324-B	C9AZ 5425324-B	2
	70	A(57)		D0AZ 5725324-A	D0AZ 5725325-A	1
	70	A(71)		C9AZ 7125324-B	C9AZ 7125325-B	1
	71	A(53)		D1AZ 5325324-A	D1AZ 5325325-A	1
	71	A(57)		D1AZ 5725324-A	D1AZ 5725325-A	1
	72	A(53)		D2AZ 5325324-A	D2AZ 5325325-A	1
	71/	A(54)		D1AZ 5425324-A	D1AZ 5425325-A	1
	72	A(57)		D2AZ 5725324-A	D2AZ 5725325-A	1
	71/72	A(71)		D2AZ 7125324-A	D2AZ 7125325-A	1
		- B -				
	65	B(54)		★C3OZ 5425324-B Not replaced (12/74)	C3OZ 5425325-B	1
	65	B(54,71)	5/16" Plug	375547-S(PP14E)	375547-S(PP14E)	12
	66/67	B(54)		C6OZ 5425324-A	C6OZ 5425325-A	1
	66/67	B(71)		C6OZ 7125324-A	C6OZ 7125325-A	1
	68/69	B(54)		C8OZ 5425324-B	C8OZ 5425325-B	1
	68/71	B(71)		C8OZ 7125324-B	C8OZ 7125325-B	1
	70/71	B(54)	Lower-on door	D0OZ 5425324-A	D0OZ 5425325-A	1
	70/71	B(54)	Upper-on body-refer to Group 513A68-9			
	70/71	B(57)		D0OZ 5725324-A	D0OZ 5725325-A	1
	72	B(53,71)		D2OZ 5325324-A	D2OZ 5325325-A	1
		- P -				
	71/	P(54)		D1DZ 5425324-A	D1DZ 5425325-A	1
		- S -				
	68/70	S(57)	"Before 1/15/70"	C8SZ 5725324-A	C8SZ 5725325-A	1
	70/71	S(57)	"From 1/15/70"	D0SZ 5725324-A	D0SZ 5725325-A	1
	67/71	S		376389-S101(UU82D)	376389-S101(UU82D)	2
		- X -				
	66/70	X(54)		C6OZ 5425324-A	C6OZ 5425325-A	1
	66/70	X(71)		C6OZ 7125324-A	C6OZ 7125325-A	1
	65	X(54,71)	7/16" Plug	375547-S(PP14E)	375547-S(PP14E)	10
	65/67	A	Retainer	C5AZ 6220586-A	C5AZ 6220586-A	AR
	66/67	B,X				AR
25388-9	**WEATHERSTRIP and SEAL ASSY. - REAR DOOR WINDOW REAR**					
	67/69	S(57)	"From 12/11/67"	C7SZ 5725388-C	C7SZ 5725589-C	1
	70/71	S(57)		D0SZ 5725388-A	D0SZ 5725389-A	1
	67/71	S	Screw No. 8-15 x 5/8" - oval head	53027-S13(U278)	53027-S13(U278)	AR

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
254A12-3	**MOULDING - REAR DOOR WINDOW FRAME FRONT**					
		- A -				
	65/68	A(54,71)		C5AZ 54254A12-A	C5AZ 54254A13-A	1
	69/	A(54,71)	Chrome-w/o insert	C9AZ 54254A12-A	C9AZ 54254A13-A	1
	69	A(54)	Chrome-w/insert	C9AZ 54254A12-B	C9AZ 54254A13-B	1
	70/71	A(54)	Aluminum	D0AZ 54254A12-A	D0AZ 54254A13-A	1
		- B -				
	66/67	B(54B,71B,E)		C6OZ 54254A12-A	C6OZ 54254A13-A	1
	68/69	B(54B,54C,71B,E)		C8OZ 54254A12-A	C8OZ 54254A13-A	1
	70/71	B(71C,E)				1
	68/69	B(54C)-with vinyl roof cover	Black-Levant grain	C8OZ 54254A12-B1A	C8OZ 54254A13-B1A	1
	69	B(54C)-with vinyl roof cover	White-Levant grain	C9OZ 54254A12-BBW	C9OZ 54254A13-BBW	1
	70/71	B(54C)	Snap-on	D0OZ 54254A12-A	D0OZ 54254A13-A	1
		- P -				
	71/	P(54)	Snap-on-dull finish	D1DZ 54254A12-A	D1DZ 54254A13-A	1
	72	P(54)	Snap-on-bright finish	D2DZ 54254A12-A	D2DZ 5425A413-A	1
		- X -				
	65	X(54,71)	Refer to group 20982-3			
	66/70	X(54,71)		C6OZ 54254A12-A	C6OZ 54254A13-A	1
25440-1	**MOULDING - REAR DOOR OUTSIDE - FRONT**					
	65	B(54B,71B)	Includes attaching parts	C5OZ 5425440-A	C5OZ 5425441-A	1
254A46	**RETAINER - REAR DOOR OUTSIDE MOULDING**					
		REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER				
254A84	**MOULDING - REAR DOOR TRIM PANEL CENTER UPPER**					
	70/71	S(57)		D0SZ 57254A84-A	D0SZ 57254A84-A	2
254A92-3	**MOULDING - REAR DOOR OUTSIDE BELT-REAR - INCLUDES ATTACHING PARTS**					
	67/69	S(57)		C7SZ 57254A92-A	C7SZ 57254A93-A	1
	71	S(57)				1
255A00-1	**MOULDING - REAR DOOR OUTSIDE REAR EDGE - INCLUDES ATTACHING PARTS**					
	67/71	S(57)		C7SZ 57255A00-C	C7SZ 57255A01-C	1
25502-3	**MOULDING - REAR DOOR TRIM PANEL CENTER**					
	66	A(57F)		♦C6MY 5025502-A	♦C6MY 5025503-A	1
	68/71	S(57)		C8SZ 5725502-B	C8SZ 5725503-B	1
25504-5	**MOULDING - REAR DOOR TRIM PANEL UPPER FRONT - INCLUDES ATTACHING PARTS**					
	66	A(57F)		♦C6MY 5025504-A	♦C6MY 5025505-A	1
	68/69	B(54C)		C8OZ 5425504-A	C8OZ 5425504-A	2
	72	B(53)		D2OZ 5325504-A	D2OZ 5325505-A	1
25510-1	**MOULDING - REAR DOOR OUTSIDE REAR EDGE**					
	68	A(54,57,71)		C8AZ 5425510-A	C8AZ 5425511-A	1
	70	A(54,57,71)		D0AZ 5425510-A	D0AZ 5425511-A	1
	71/	A(53,54,57,71)		D1AZ 5425510-A	D1AZ 5425511-A	1
	67	B(54,71)		C7OZ 5425510-A	C7OZ 5425511-A	1
	72	B(53,71)		D2OZ 5325510-A	D2OZ 5325511-A	1
	72	P(54)		D2DZ 5425510-A	D2DZ 5425511-A	1
	67/70	X(54)		C7DZ 5425510-A	C7DZ 5425511-A	1
	67/70	X(71)		C7OZ 5425510-A	C7OZ 5425511-A	1

♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
25522-3	**MOULDING - REAR DOOR WINDOW FRAME REAR**					
	67/68	A(54)		C7AZ 5425522-A	C7AZ 5425523-A	1
	67/68	A(71)		C7AZ 7125522-A	C7AZ 7125523-A	1
	69/70	A(71A,B,C,E)		D0AZ 7125522-A	D0AZ 7125523-A	1
	71/	A(71F,H)				1
	68/69	B(71B,E)	Snap on	C8OZ 7125522-A	C8OZ 7125523-A	1
	70/71	B(71C,E)				1
	66	B(71B,E)		C6OZ 7125522-A	C6OZ 7125523-A	1
	67	B(71B,E),X(71B)				1
	68/70	X(71)				1
25532-3	**MOULDING - REAR DOOR OUTSIDE- INCLUDES ATTACHING PARTS**					
		- A -				
	65	A(54, 57B, 71B, C)		C5AZ 5425532-A	C5AZ 5425533-A	1
	66	A(54, 57B, 71B, C, D)		C6AZ 5425532-A	C6AZ 5425532-A	2
	67	A(54A, 57B, 71B, C)		C7AZ 5425532-A	C7AZ 5425533-A	1
	67	A(54C, 57F)-"Before 1/16/67"	With vinyl tape insert	C7AZ 5725532-A	C7AZ 5725533-A	1
	67	A(54C, 57F)- "From 1/16/67"	With painted insert	C7AZ 5425532-B	C7AZ 5425533-B	1
	68	A(54, 57, 71)		C8AZ 5425532-B	C8AZ 5425533-B	1
			No. 8-32 x .44" Hex head screw	381881-S(BB541ED)	381881-S(BB541ED)	4
	69/ 70	A(54B, 71D, H, J)	Upper-without insert	C9AZ 5425532-A	C9AZ 5425533-A	1
	69	A(54A, C, E, 57, 71B, C, D)				1
	70	A	Rivet 1/8" x 5/16" oval head	383229-S(SS44E)	383229-S(SS44E)	AR
	70	A(54, 57, 71)	Black insert	D0AZ 5425532-C	D0AZ 5425533-C	1
			Blue insert	D0AZ 5425532-D	D0AZ 5425533-D	1
			Brown insert	D0AZ 5425532-A	D0AZ 5425533-A	1
			Green insert	D0AZ 5425532-B	D0AZ 5425533-B	1
	71	A(53, 54, 57, 71B, D, F)	Less insert	D1AZ 5425532-A	D1AZ 5425532-A	2
	71	A(53, 54, 57, 71B, D, F)	Refer to Group 29038-9			2
	72	A(53, 54, 57, 71)		D2AZ 5425532-A	D2AZ 5425533-A	1
		- B -				
	66	B(54A, B, 71B, D)		C6OZ 5425532-A	C6OZ 5425533-A	1
	67	B(54B)				1
	67	B(54A, 71D)		C7OZ 5425532-A	C7OZ 5425533-A	1
	68	B(54A, B)		C8OZ 5425532-A	C8OZ 5425533-A	1
	68	B(71B, D)		C8OZ 7125532-A	C8OZ 7125533-A	1
	69	B(54A, B, C)		C9OZ 5425532-A	C9QZ 5425533-A	1
	69	B(71B, D)		C9OZ 7125532-A	C9OZ 7125533-A	1
	72	B(53,71B,D)	Black insert	D3OZ 5325532-A	D3OZ 5325533-A	1
	72	B(71K)	Wood grain insert	D3OZ 7125532-A	D3OZ 7125533-A	1
		- P -				
	71	P(54)		D1DZ 5425532-A	★D1DZ 5425533-A r/b D2DZ 5425533-A (10/74)	1
	72	P(54) -exc. LTD	Black insert	D2DZ 5425532-A	D2DZ 5425533-A	1
	72	P(54)-LTD	Blue insert	D2DZ 5425532-BB	D2DZ 5425533-BB	1
			Brown insert	D2DZ 5425532-BT	D2DZ 5425533-BT	1
			Copper insert	D2DZ 5425532-BC	D2DZ 5425533-BC	1
			Green insert	D2DZ 5425532-BR	D2DZ 5425533-BR	1
			White insert	D2DZ 5425532-BJ	D2DZ 5425533-BJ	1
		- S -				
	70	S(57)	Black insert	D0SZ 5725532-C	D0SZ 5725533-C	1
			Blue insert	D0SZ 5725532-D	D0SZ 5725533-D	1
			Brown insert	D0SZ 5725532-A	D0SZ 5725533-A	1
			Green insert	D0SZ 5725532-B	D0SZ 5725533-B	1
	71	S(57)	Black insert	D0SZ 5725532-C	D0SZ 5725533-C	1
			Blue insert	D0SZ 5725532-D	D0SZ 5725533-D	1
			Brown insert	D0SZ 5725532-A	D0SZ 5725533-A	1
			Green insert	D1SZ 5725532-A	D1SZ 5725533-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
25532-3	**MOULDING - REAR DOOR OUTSIDE - INCLUDES ATTACHING PARTS - continued**					
		- X -				
	65	X(54B)		C5DZ 5425532-A	C5DZ 5425533-A	2
	65	X(71B) "From 10/6/64"				2
	67	X(54B)		C7DZ 5425532-A	C7DZ 5425533-A	1
	67	X(71B)		C7DZ 7125532-A	C7DZ 7125533-A	1
	68	X(54)		C8DZ 5425532-A	C8DZ 5425533-A	1
	68	X(71)		C8DZ 7125532-A	C8DZ 7125533-A	1
255A38-9	**WEATHERSTRIP and RETAINER ASSY. - REAR DOOR UPPER REAR EXTENSION**					
	68/71	S(57)		C8SZ 57255A38-B	C8SZ 57255A39-B	1
	70	S(57)	Screw No. 8-32 x 5/16" pan head	353655-S100(UU86FD)	353655-S100(UU86FD)	6
25540-1	**MOULDING - REAR DOOR OUTSIDE UPPER - INCLUDES ATTACHING PARTS**					
		- A -				
	67	A(54, 57B, 71B, C, D)		C7AZ 5425540-A	C7AZ 5425540-A	1
	70	A(54C)		D0AZ 5425540-A	D0AZ 5425541-A	1
	70	A(57F)		D0AZ 5725540-A	D0AZ 5725541-A	1
		- B -				
	65	B(54, 71)		C5OZ 5425540-A	★C5OZ 5425541-A Not replaced (3-74)	1
	68	B(54C)		C8OZ 5425540-A	C8OZ 5425541-A	1
	70	B(54, 57)	Black insert	D0OZ 5425540-D	D0OZ 5425541-D	1
			Blue insert	D0OZ 5425540-E	D0OZ 5425541-E	1
			Brown insert	D0OZ 5425540-B	D0OZ 5425541-B	1
			Green insert	D0OZ 5425540-C	D0OZ 5425541-C	1
	70	B(71B, C, D)	Black insert	D0OZ 7125540-D	D0OZ 7125541-D	1
			Blue insert	D0OZ 7125540-E	D0OZ 7125541-E	1
			Brown insert	D0OZ 7125540-B	D0OZ 7125541-B	1
			Green insert	D0OZ 7125540-C	D0OZ 7125541-C	1
	71	B(54, 57)	Black insert-Cut to fit	†D1OZ 6529038-B	D1OZ 6529038-B	1
	71	B(54, 57)	Black insert	D0OZ 5425540-D	D0OZ 5425541-D	1
	71	B(71B, C, D)	Black insert	D0OZ 7125540-D	D0OZ 7125541-D	1
		- X -				
	66	X(54B, 71B)		C6DZ 5425540-A	C6DZ 5425541-A	1
	66/67	X(54A)				1
25542-3	**MOULDING - REAR DOOR WINDOW FRAME TOP**					
		- A -				
	65/66	A(54)		★C5AZ 5425542-A Not replaced (3-74)	C5AZ 5425543-A	1
	65/68	A(71)		C5AZ 7125542-A	C5AZ 7125543-A	1
	67/68	A(54)		C7AZ 5425542-A	C7AZ 5425543-A	1
	69/70	A(54C)	Chrome-w/insert	C9AZ 5425542-B	C9AZ 5425543-B	1
	69/70	A(54A, C) "Before 10/1/69"	Chrome-less insert	C9AZ 5425542-A	C9AZ 5425543-A	1
	70	A(54A, C) "From 10/1/69"	Chrome-less insert	D0AZ 5425542-A	D0AZ 5425543-A	1
	71/	A(54F)				1
	70	A(54C)	Aluminum	D0AZ 5425542-C	D0AZ 5425543-C	1
	69/	A(71)		C9AZ 7125542-A	C9AZ 7125543-A	1

† For dealer installed adhesive backed moulding

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
25542-3	**MOULDING - REAR DOOR WINDOW FRAME TOP - continued**					
		- B -				
	66/67	B(54B)		C6OZ 5425542-A	C6OZ 5425543-A	1
	66/67	B(71B,E)		C6OZ 7125542-A	C6OZ 7125543-A	1
	68/69	B(54B,C)		C8OZ 5425542-A	C8OZ 5425543-A	1
	68/69	B(54C)-with vinyl roof cover	Black-Levant grain	C8OZ 5425542-B1A	C8OZ 5425543-B1A	1
	69	B(54C)-with vinyl roof cover	White-Levant grain	C9OZ 5425542-BBW	C9OZ 5425543-BBW	1
	70/71	B(54C)	Chrome-snap on	D0OZ 5425542-A	D0OZ 5425543-A	1
	68/71	B(71)		C8OZ 7125542-A	C8OZ 7125543-A	1
		- P -				
	71/	P(54)	Snap-on -dull finish	D1DZ 5425542-A	D1DZ 5425543-A	1
	72	P(54)	Snap-on-bright finish	D2DZ 5425542-A	D2DZ 5425543-A	1
		- X -				
	66/70	X(54)		C6OZ 5425542-A	C6OZ 5425543-A	1
	67/70	X(71)		C6OZ 7125542-A	C6OZ 7125543-A	1
25546-7	**MOULDING - REAR DOOR TRIM PANEL REAR**					
	69/70	A(54C,57F)		C9AZ 5725546-A	C9AZ 5725547-A	1
	71	A(57K)				1
25554-5	**MOULDING - REAR DOOR OUTSIDE - BELT - INCLUDES ATTACHING PARTS**					
	65/66	A(57)		C5AZ 5725554-B	C5AZ 5725555-B	1
	67	A(57)		C7AZ 5725554-A	C7AZ 5725555-A	1
	68	A(57)		C8AZ 5725554-A	C8AZ 5725555-A	1
	71/	A(53,57)-with vinyl roof		D1MY 5725554-A	D1MY 5725555-A	1
	71	A(53,57)-with out vinyl roof	Refer to Group 25596-7			
	72	B(53)	3 1/2" long	D2OZ 5325554-A	D2OZ 5325555-A	1
	72	P(54)		D2DZ 5425554-A	D2DZ 5425555-A	1
	67/71	S(57)		C7SZ 5725554-B	C7SZ 5725555-B	1
	67/71	S	Screw No. 8-18 x 3/8" - pan head	52720-S8(U380)	52720-S8(U380)	AR
25556-7	**MOULDING - REAR DOOR OUTSIDE LOWER - INCLUDES ATTACHING PARTS**					
		- A -				
	69	A(54A,57B,71B,C)		C9AZ 5425556-A	C9AZ 5425557-A	1
	69	A(54C,57F)		C9AZ 5425556-B	C9AZ 5425557-B	1
	71	A(54F,57F,71F)		D1AZ 5425556-A	D1AZ 5425557-A	1
	71/	A(53,57H,K)		D1AZ 5725556-A	D1AZ 5725557-A	1
		- B -				
	65	B(54B,71B)		C5OZ 5425556-A	C5OZ 5425556-A	2
	67	B(54B,71B)		C7OZ 5425556-A	C7OZ 5425557-A	1
	68	B(54C)		C8OZ 5425556-A	C8OZ 5425556-A	2
	69	B(54B)		C9OZ 5425556-A	C9OZ 5425556-A	2
	69	B(71B)		C9OZ 7125556-A	C9OZ 7125556-A	2
	71	B(57E)		D1OZ 5725556-A	D1OZ 5725557-A	1
	72	B(53,71D)		D2OZ 5325556-A	D2OZ 5325557-A	1
		- S -				
	69	S(57)		C9SZ 5725556-A	C9SZ 5725557-A	1
25562-3	**RETAINER - REAR DOOR OUTSIDE MOULDING**					

REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
25576	**RETAINER - REAR DOOR TRIM PANEL** - Also refer to Group 27590					
	68/69	B(54A, B)		C8OZ 5425576-A	C8OZ 5425576-A	2
	68/69	B(71)		C8OZ 7125576-A	C8OZ 7125576-A	2
25578-9	**MOULDING - REAR DOOR TRIM PANEL - LOWER**					
	65/66	A(57F)		♦C5MY 5025578-C	★♦C5MY 5025579-C Not replaced (1-73)	1
	69	A(54C, 57F)		C9AZ 5725578-A	C9AZ 5725579-A	1
	70	A(54C, 57F)	Bent over tabs	D0AZ 5425578-A	D0AZ 5425579-A	1
	71	A(57K)				1
25596-7	**WEATHERSTRIP - REAR DOOR GLASS AT BELT - OUTSIDE - INCLUDES CLIPS** - Also refer to Group 25860-1					
		- A -				
	65	A(54, 71) "Before 9/14/64"		C5AZ 5425596-B	C5AZ 5425596-A	2
	65/66	A(54, 71) "From 9/14/64"		C5AZ 5425596-B	C5AZ 5425596-B	2
			No. 4 x 3/8" Cross recess flat head screw	52003-S13(U194)	52003-S13(U194)	4
	67/68	A(54, 71)		C7AZ 5425596-A	C7AZ 5425597-A	1
			No. 6-20 x 1/2" Flat head drill point screw	★380922-S2	★380922-S2	4
	69	A(54, 71)		C9AZ 5425596-A	C9AZ 5425597-A	1
	69	A(57)		C9AZ 5725596-A	C9AZ 5725597-A	1
	70	A(54, 71)		D0AZ 5425596-B	D0AZ 5425597-B	1
	70	A(57) "Before 2/2/70"		D0AZ 5725596-A	D0AZ 5725597-A	1
	70	A(57) "From 2/2/70"		D0AZ 5725596-B	D0AZ 5725597-B	1
	71	A(53,57)-with vinyl roof	Refer to Group 25554-5			
	71/	A(53, 57)-w/o vinyl roof	Incl. 1/4" moulding	D1AZ 5725596-A	D1AZ 5725597-A	1
	71/	A(54,71)		D1AZ 5425596-A	D1AZ 5425597-A	1
	67/	A	No. 6-20 x 3/8" -screw-truss head	353803-S8(UU95)	353803-S8(UU95)	AR
		- B -				
	65	B(54, 71)		C2OZ 5425596-A	C2OZ 5425597-A	1
	66/67	B(54, 71)		C6OZ 5425596-A	C6OZ 5425597-A	1
	68/69	B(54)	Without bright bead	C8OZ 5425596-A	C8OZ 5425597-A	1
	68/69	B(54)	With bright bead	C8OZ 5425596-B	C8OZ 5425597-B	1
	68/69	B(71)	Without bright bead	C8OZ 7125596-A	C8OZ 7125597-A	1
	68/69	B(71)	With bright bead	C8GY 7125596-A	C8GY 7125597-A	1
	70/71	B(54)	With bright bead	D0OZ 5425596-A	D0OZ 5425597-A	1
	70/71	B(54)	Without bright bead	D0OZ 5425596-B	D0OZ 5425597-B	1
	70/71	B(57)	With bright bead	D0OZ 5725596-A	D0OZ 5725597-A	1
	70/71	B(57)	Without bright bead	D0OZ 5725596-B	D0OZ 5725597-B	1
	70/71	B(71)	With bright bead	D0OZ 7125596-B	D0OZ 7125597-B	1
	70/71	B(71)	Without bright bead	D0OZ 7125596-A	D0OZ 7125597-A	1
	72	B(53,71)		D2OZ 5325596-A	D2OZ 5325597-A	1
		- P -				
	71/	P(54)		D1DZ 5425596-A	D1DZ 5425596-A	2
		- X -				
	65	X(54,71)		C0DZ 5825596-E	C0DZ 5825597-E	1
			1/4"-20 x 5/8" Hex. washer head screw	★373108-S2	★373108-S2	2
	66/70	X(54,71)		C6OZ 5425596-A	C6OZ 5425597-A	1

♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
25622-3	**PLATE - QUARTER PANEL NAME - INCLUDES ATTACHING PARTS** - Also refer to Chassis Group 16098					
		- A -				
	65	A(54B, 62B)	"Custom 500"	C5AZ 6225622-A	C5AZ 6225623-A	1
	65	A(71D)	Front fender -Tailgate	C3OZ 7125622-A	C3OZ 7125622-A	2
	66	A(54E, 62E)	"Custom"-10 5/8" long	★C6AZ 6225622-A Not replaced (2/75)	C6AZ 6225623-A	1
	66	A(54B, 62B)	"Custom"- 9 5/8" long	C6AZ 6225622-B	C6AZ 6225623-B	1
	66/67	A(71A,E)	"Country Squire"	C6AZ 7125622-B	C6AZ 7125622-B	2
	66/67	A(71B,C)	"Country Sedan"	C6AZ 7125622-A	C6AZ 7125622-A	2
	66/67	A(71D)	"Ranch Wagon"	C6AZ 7125622-C	C6AZ 7125622-C	2
	68	A(54A, 57B, 63B, 65C, 76A)	"Galaxie"	C8AZ 5425622-A	C8AZ 5425622-A	2
	68	A(54B, 62B, 71H, J)	"Custom" - Painted	C8AZ 6225622-A	C8AZ 6225622-A	2
	68	A(71H, J)	On tailgate			1
	68	A(54E, 62E)	"Custom" - Chrome	C8AZ 6225622-B	C8AZ 6225622-B	2
	68	A(71A, E)	" Country Squire"	C8AZ 7125622-E	C8AZ 7125622-E	2
	68	A(71B, C)	" Country Sedan"	C8AZ 7125622-D	C8AZ 7125622-D	2
	68	A(71D, H, J)	"Ranch Wagon"	C8AZ 7125622-C	C8AZ 7125622-C	2
	69	A(54A, 57B, 63B, 65C, 76A)	"Galaxie"	C9AZ 5425622-A	C9AZ 5425622-A	2
	69/70	A(54B, E, 62, 71H, J)	"Custom"	C9AZ 6225622-A	C9AZ 6225622-A	1
	69	A(71A, B, C, E) - "Before 4/14/69"	"Country"	C9AZ 7125622-A	C9AZ 7125623-A	1
	69	A(71A, E) "Before 4/14/69"	"Squire"	C9AZ 7125622-C	C9AZ 7125623-C	1
	69	A(71B, C) "Before 5/1/69"	"Sedan"	C9AZ 7125622-B	C9AZ 7125623-B	1
	69	A(71D, H, J)"Before 4/14/69"	"Ranch"	C9AZ 7125622-D	C9AZ 7125623-D	1
	69	A(71D, H, J)"Before 4/14/69"	"Wagon"	C9AZ 7125622-E	C9AZ 7125623-E	1
	69/70	A(71A,B,C,E)"From 4/14/69"	" Country"	C9AZ 7125622-F	C9AZ 7125623-F	1
	69/70	A(71A, E) "From 4/14/69"	" Squire"	C9AZ 7125622-H	C9AZ 7125623-H	1
	69/70	A(71B, C) "From 5/1/69"	" Sedan"	C9AZ 7125622-G	C9AZ 7125623-G	1
	69/70	A(71D, H, J)"From 4/14/69"	" Ranch"	C9AZ 7125622-J	C9AZ 7125623-J	1
	69/70	A(71D, H, J) "From 4/14/69"	" Wagon"	C9AZ 7125622-K	C9AZ 7125623-K	1
	70	A	"Galaxie"-Refer to Group 42528			
	70	A	"500"-Refer to Group 42495			
	70	A(54E, 62E)	Nut-1/8" crown self threading	382146-S100(MM290E)	382146-S100(MM290E)	8
	71/	A(71B, D)	"Wagon"	D1AZ 7125622-A	D1AZ 7125622-A	2
	71/	A(71B, D)	"Ranch"	D1AZ 7125622-B	D1AZ 7125622-B	2
	71/	A(71F)	"Sedan"	D1AZ 7125622-C	D1AZ 7125622-C	2
	71/	A(71H)	"Squire"	D1AZ 7125622-D	D1AZ 7125622-D	2
	71/	A(71F, H)	"Country"	D1AZ 7125622-E	D1AZ 7125622-E	2
		- B -				
	65	B(54B, 62B, 65, 71B)	"Fairlane 500"	C5OZ 6225622-A	C5OZ 6225622-A	1
	66	B(54B, 62B, 63B, 71B, 76B)				1
	66/67	B(71E)	"Fairlane Squire"	C6OZ 7125622-A	C6OZ 7125622-A	1
	68/69	B(54A, B, 63B, E, 65A, B, E, 71B, D, 76B, E)	"Fairlane"	C8OZ 5425622-A	C8OZ 5425622-A	1
	70	B(54B, 65B, 71B, D)				1
	68	B(63D, 65D, 76D)	"Torino"	C8OZ 6325622-A	C8OZ 6325622-A	1
	69	B(63D, F, 65D, F, 76D, F)				1
	68/69	B(71E)	Also on tailgate			3
	70	B(63F, 65F, 71C, D, E, 76F)				2or3
	68/69	B(71E)	"Squire"	C8OZ 7125622-A	C8OZ 7125622-A	1
	70/71	B(66E, 71E)				1
	72	B(97K)				1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
25622-3	**PLATE - QUARTER PANEL NAME - INCLUDES ATTACHING PARTS - continued** - Also Refer to Chassis Group 16098					
		- B -				
	71	B(63H)	"Cobra" w/snake (tape transfer)			
			Blue	D1OZ 6325622-B	D1OZ 6325623-B	1
			Brown	D1OZ 6325622-C	D1OZ 6325623-C	1
			Green	D1OZ 6325622-D	D1OZ 6325623-D	1
			Red	D1OZ 6325622-E	D1OZ 6325623-E	1
	71	B(54, 57, 63, 65, 71, 76)	"Torino"- aluminum - Quarter Panel Tailgate	D1OZ 6525622-A	D1OZ 6525622-A	2
			"Torino"-bright zinc die cast-Quarter Panel Tailgate	D1OZ 6525622-B	D1OZ 6525622-B	2
						1
		- F -				
	68	F(65)GT/CS	"California Special"	C8ZZ 6525622-A	C8ZZ 6525622-A	2
	69/70	F-GT350/500	"Shelby"	C9ZZ 6325622-B	C9ZZ 6325622-B	2
	72	F(63, 65)	"USA" shield	D2ZZ 6525622-A	D2ZZ 6525622-A	1
	72	F(63, 65)	"Canada" shield	D2ZZ 6525622-B	D2ZZ 6525622-B	1
		- L -				
	72	L(64)	"USA" shield	D2DZ 6225622-A	D2DZ 6225622-A	1
	72	L(64)	"Canada" shield	D2DZ 6225622-B	D2DZ 6225622-B	1
		- P -				
	72	P(62)	"USA" shield	D2DZ 6225622-A	D2DZ 6225622-A	1
	72	P(62)	"Canada" shield	D2DZ 6225622-B	D2DZ 6225622-B	1
		- S -				
	65/67	S	"Thunderbird"	C5SZ 6325622-A	C5SZ 6325622-A	2
	70	S	"Thunderbird"-Refer to Group 16098			ø
		- X -				
	67	X(54A, 62A, 71A)	"Falcon"	C7DZ 6225622-A	C7DZ 6225622-A	2
	67	X(71B)	"Futura"	C7DZ 7125622-A	C7DZ 7125622-A	2
	68/69	X(54A, 62A)	"Falcon"	C8DZ 6225622-A	C8DZ 6225622-A	2
	68/70	X(71A)				2
	68/70	X(54B, 62B, C, 71B)	"Futura"	C8DZ 6225622-B	C8DZ 6225622-B	2
	70	A, B	Nut-1/8" self threading	373888-S7(MM290)	373888-S7(MM290)	4or8
	70	A,B	Nut-1/8" sleeve	375890-S100(MM21R)	375890-S100(MM21R)	4or8

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	NAGS NUMBER	PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
25700-1	**GLASS, CHANNEL and FRAME ASSY. - REAR DOOR WINDOW** - Tempered unless otherwise indicated						
	69	A(57)	R.H.	D4089	C9AZ 5725700-C	C9AZ 5725700-D	1
			L.H.	D4090	C9AZ 5725701-C	C9AZ 5725701-D	1
	70	A(57)	R.H. - includes weatherstrip	D4317	DQAZ 5725700-A	D0AZ 5725700-B	1
			L.H.	D4318	D0AZ 5725701-A	D0AZ 5725701-B	1
	68/69	B(54)	R.H.	D3915	C8OZ 5425700-A	C8OZ 5425700-B	1
			L.H.	D3916	C8OZ 5425701-A	C8OZ 5425701-B	1
	70	B(57)	R.H.-includes weatherstrip	D4337	D00Z 5725700-A	D00Z 5725700-B	1
			L.H.	D4338	D00Z 5725701-A	D00Z 5725701-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	NAGS NUMBER	PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
25700-1	**GLASS, CHANNEL and FRAME ASSY. - REAR DOOR WINDOW - continued** - Tempered unless otherwise indicated						
	67/69	S(57)	R.H.	D3749	C7SZ 5725700-A	C7SZ 5725700-B	1
			L.H.	D3750	C7SZ 5725701-A	C7SZ 5725701-B	1
	67/69	S(57)	Screw-No. 8-32 x 1/2"- oval head		50398-S13(U121)	50398-S13(U121)	AR
	70/71	S(57)	R.H.	D4368	D0SZ 5725700-A	D0SZ 5725700-B	1
			L.H.	D4369	D0SZ 5725701-A	D0SZ 5725701-B	1
25712-3	**GLASS - REAR DOOR WINDOW** - Tempered unless otherwise indicated						
		- A -					
	65/66	A(54)	R.H.	D3323	C5AZ 5425712-A	C5AZ 5425712-B	1
			L.H.	D3324	C5AZ 5425713-A	C5AZ 5425713-B	1
	65/66	A(57)	R.H.	D3309	C5AZ 5725712-A	C5AZ 5725712-B	1
			L.H.	D3310	C5AZ 5725713-A	C5AZ 5725713-B	1
	65/66	A(71)	R.H.	D3325	C5AZ 7125712-A	C5AZ 7125712-B	1
			L.H.	D3326	C5AZ 7125713-A	C5AZ 7125713-B	1
	67/68	A(54)	R.H.	D3726	C7AZ 5425712-A	C7AZ 5425712-B	1
			L.H.	D3727	C7AZ 5425713-A	C7AZ 5425713-B	1
	67	A(57)	R.H.	D3718	C7AZ 5725712-A	C7AZ 5725712-B	1
			L.H.	D3719	C7AZ 5725713-A	C7AZ 5725713-B	1
	68	A(57)	R.H.	D3901	C8AZ 5725712-A	C8AZ 5725712-B	1
			L.H.	D3902	C8AZ 5725713-A	C8AZ 5725713-B	1
	67/68	A(71)	R.H.	D3728	C7AZ 7125712-A	C7AZ 7125712-B	1
			L.H.	D3729	C7AZ 7125713-A	C7AZ 7125713-B	1
	69/70	A(54)	R.H.	D4105	C9AZ 5425712-A	C9AZ 5425712-B	1
			L.H.	D4106	C9AZ 5425713-A	C9AZ 5425713-B	1
	69/70	A(57)	Refer to Group 25700-1				
	69/70	A(71)	R.H.	D4107	C9AZ 7125712-A	C9AZ 7125712-B	1
			L.H.	D4108	C9AZ 7125713-A	C9AZ 7125713-B	1
	71/	A(53)	R.H.	D4514	D1AZ 5325712-A	D1AZ 5325712-B	1
			L.H.	D4515	D1AZ 5325713-A	D1AZ 5325713-B	1
	71/	A(54)	R.H.	D4518	D1AZ 5425712-A	D1AZ 5425712-B	1
			L.H.	D4519	D1AZ 5425713-A	D1AZ 5425713-B	1
	71/	A(57)	R.H.	D4508	D1AZ 5725712-A	D1AZ 5725712-B	1
			L.H.	D4509	D1AZ 5725713-A	D1AZ 5725713-B	1
	71/	A(71)	R.H.	D4522	D1AZ 7125712-A	D1AZ 7125712-B	1
			L.H.	D4523	D1AZ 7125713-A	D1AZ 7125713-B	1
		- B -					
	65	B(54)		4360T	C2OZ 5425712-A	C2OZ 5425712-B	2
	65	B(71)		4389T	C3OZ 7125712-A	C3OZ 7125712-B	2
	66/67	B(54)	R.H.	D3525	C6OZ 5425712-A	C6OZ 5425712-B	1
			L.H.	D3526	C6OZ 5425713-A	C6OZ 5425713-B	1
	66/67	B(71)	R.H.	D3530	C6OZ 7125712-A	C6OZ 7125712-B	1
			L.H.	D3531	C6OZ 7125713-A	C6OZ 7125713-B	1
	68	B(54)	Serviced in 25700-1				
	68/69	B(71)	R.H.	D3918	C8OZ 7125712-A	C8OZ 7125712-B	1
			L.H.	D3919	C8OZ 7125713-A	C8OZ 7125713-B	1
	70/71	B(54)	R.H.	D4352	D00Z 5425712-A	D00Z 5425712-B	1
			L.H.	D4353	D00Z 5425713-A	D00Z 5425713-B	1
	70/71	B(71)	R.H.	D4354	D00Z 7125712-A	D00Z 7125712-B	1
			L.H.	D4355	D00Z 7125713-A	D00Z 7125713-B	1
	71	B(57)	R.H.	D4558	D1OZ 5725712-A	D1OZ 5725712-B	1
			L.H.	D4559	D1OZ 5725713-A	D1OZ 5725713-B	1
	72	B(53)	R.H.	D4727	D2OZ 5325712-A	D2OZ 5325712-B	1
			L.H.	D4728	D2OZ 5325713-A	D2OZ 5325713-B	1
	72	B(71)	R.H.	D4729	D2OZ 7125712-A	D2OZ 7125712-B	1
			L.H.	D4730	D2OZ 7125713-A	D2OZ 7125713-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	NAGS NUMBER	PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
25712-3	**GLASS - REAR DOOR WINDOW - continued** - Tempered unless otherwise indicated						
		- P -					
	71/	P(54)	R.H.	D4553	D2DZ 5425712-A	D2DZ 5425712-B	1
			L.H.	D4554	D2DZ 5425713-A	D2DZ 5425713-B	1
		- X -					
	65	X(54)		4392T	C3DZ 5425712-A	C3DZ 5425712-B	2
	65	X(71)		4326T	★C1DZ 7125712-J Not replaced (12/74)	C1DZ 7125712-K	2
	66/70	X(54)	R.H.	D3525	C6OZ 5425712-A	C6OZ 5425712-B	1
			L.H.	D3526	C6OZ 5425713-A	C6OZ 5425713-B	1
	66/70	X(71)	R.H.	D3530	C6OZ 7125712-A	C6OZ 7125712-B	1
			L.H.	D3531	C6OZ 7125713-A	C6OZ 7125713-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
257A18-9	**BRACKET - REAR DOOR GLASS - REAR**					
	71/	A(53,57)		D1AZ 57257A18-A	D1AZ 57257A19-A	1
	71	B(57)		D1OZ 57257A18-A	D1AZ 57257A19-A	1
25754	**BUTTON - REAR DOOR WINDOW STABILIZER**					
	71/	A(53,57)		D1AZ 5725754-A	D1AZ 5725754-A	2
	72	B				AR
25764	**RUN - REAR DOOR GLASS** - Refer to Groups 21550 & 25766					
	65	B(54)	Cut to 52.38" long & notch from C2OZ 6221550-A			2
	65	B(71)	Cut to 52.06" long & notch from C2OZ 6221550-A			2
	65	X(54)	Cut to 53.73" long from C3AZ 6221550-A			2
	65	X(71)	Cut to 53.25" long from C3AZ 6221550-A			2
25766	**RUN - REAR DOOR GLASS** - Also refer to groups 21550 & 25764					
		- A -				
	65/66	A(71)		C5AZ 7125766-A	C5AZ 7125766-A	2
	67/68	A(54)		C7AZ 5425766-A	C7AZ 5425766-A	2
	67/68	A(71)		C7AZ 7125766-A	C7AZ 7125766-A	2
	69/70	A(54)		C9AZ 5425766-A	C9AZ 5425766-A	2
	69/70	A(71)		C9AZ 7125766-A	C9AZ 7125766-A	2
	71/	A(54)		D1AZ 5425766-A	D1AZ 5425766-A	2
	71/	A(71)		D1AZ 7125766-A	D1AZ 7125766-A	2
		- B -				
	66/67	B(54)		C6OZ 5425766-B	C6OZ 5425766-B	2
	66/67	B(71)		C6OZ 7125766-B	C6OZ 7125766-B	2
	68/69	B(54)		C8OZ 5425766-A	C8OZ 5425766-A	2
	68/69	B(71)		C8OZ 7125766-B	C8OZ 7125766-B	2
	70/71	B(54)		D0OZ 5425766-A	D0OZ 5425766-A	2
	70/71	B(71)		D0OZ 7125766-A	D0OZ 7125766-A	2
		- P -				
	71/	P(54)		D1DZ 5425766-A	D1DZ 5425766-A	2
		- X -				
	66/70	X(54)		C6OZ 5425766-B	C6OZ 5425766-B	2
	66/70	X(71)		C6OZ 7125766-B	C6OZ 7125766-B	2
25775	**COVER - REAR DOOR WINDOW FRONT STOP**					
	69/70	A(57)		C9AZ 5725775-A	C9AZ 5725775-A	2
	71/	A(53,57)		D1AZ 5725775-A	D1AZ 5725775-A	2
	67/71	S(57)		C7SZ 5725775-A	C7SZ 5725775-A	2
25780-1	**STOP - REAR DOOR WINDOW - UPPER**					
	67/71	S(57)		C7SZ 5725780-A	C7SZ 5725781-A	1
			1/4"-20 x 3/4" Hex. head screw & washer assy.	★372289-S13	★372289-S13	4

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
25796-7	**RETAINER - REAR DOOR GLASS RUN - FRONT**					
	70/71	B(71)		D0OZ 7125796-A	D0OZ 7125797-A	1
	71/	P(54)		D1DZ 5425796-A	D1DZ 5425797-A	1
25804-5	**RETAINER - REAR DOOR GLASS RUN - LATCH SIDE**					
	69/70	A(54, 71)		C9AZ 5425804-A	C9AZ 5425805-A	1
	71/	A(54, 71)		D1AZ 5425804-A	D1AZ 5425805-A	1
	70/71	B(54)		D0OZ 5425804-A	D0OZ 5425805-A	1
			Screw-No. 8-18 x 5/8"-round head	375453-S100(BB658C)	375453-S100(BB658C)	2
25824-5	**WEATHERSTRIP - REAR DOOR GLASS - FRONT**					
	65/67	A(57) "Before 1/18/67"		C5AZ 5725824-A	C5AZ 5725825-A	1
	67/68	A(57) "From 1/18/67"		C5AZ 5725824-B	C5AZ 5725825-B	1
	70/	A(57)	Refer to Group 25854-5			
	70/71	B(57)		D0OZ 5725824-A	D0OZ 5725825-A	1
	65/68	A	Screw-No. 8-18 x 3/8" - pan head	52720-S8(U380)	52720-S8 (U380)	2
25854-5	**WEATHERSTRIP - REAR DOOR GLASS-FRONT**					
	70/	A(57)		D1AZ 5725854-A	D1AZ 5725855-A	1
25858	**RUN - REAR DOOR GLASS - UPPER HINGE SIDE**					
	65	A(71)	Cut to 15.10" from C0AB 5825766-B			2
25860-1	**WEATHERSTRIP - REAR DOOR GLASS AT BELT - INSIDE** -Also refer to Group 25596-7					
		- A -				
	65/66	A(54, 71)	Use C5AZ 6221456-B by cutting to fit at forward end & drill holes for attaching screws			2
	67/68	A(54, 71)	Less clips	C7AZ 5425860-A	C7AZ 5425861-A	1
	69/72	A(54, 71) "Before 10/15/71"		C9AZ 5425860-B	C9AZ 5425861-B	1
	69	A(57)		C9AZ 5725860-A	C9AZ 5725861-A	1
	70/72	A(57) "Before 10/15/71"		D0AZ 5725860-A	D0AZ 5725861-A	1
	71/72	A(53) "Before 10/15/71"		D1AZ 5325860-A	D1AZ 5325861-A	1
	72	A(53) "From 10/15/71"		D2AZ 5325860-A	D2AZ 5325861-A	1
	72	A(54, 71) "From 10/15/71"		D2AZ 5425860-A	D2AZ 5425861-A	1
	72	A(57) "From 10/15/71"		D2AZ 5725860-A	D2AZ 5725861-A	1
		- B -				
	65	B(54, 71)		C2OZ 5425596-A	C2OZ 5425597-A	1
	66/67	B(54, 71)	With clips	C6OZ 5425860-A	C6OZ 5425861-A	1
	68/69	B(54A, B)		C8OZ 5425860-C	C8OZ 5425861-A	1
	68/69	B(54C)		C8OZ 5425860-C	C8OZ 5425861-C	1
	68/69	B(71)		C8OZ 7125860-A	C8OZ 7125861-A	1
	69	B(71E)		C9OZ 7125860-A	C9OZ 7125861-A	1
	70/71	B(54)		D0OZ 5425860-A	D0OZ 5425861-A	1
	70/71	B(57)		D0OZ 5725860-A	D0OZ 5725861-A	1
	70/71	B(71)		D0OZ 7125860-A	D0OZ 7125861-A	1
	72	B(53, 71)		D2OZ 5325860-A	D2OZ 5325861-A	1
		- P -				
	71/72	P(54) "Before 3/20/72"	With clips	D1DZ 5425860-A	D1DZ 5425860-A	2
	72	P(54) "From 3/20/72"		D2DZ 5425860-A	D2DZ 5425860-A	2
		- S -				
	67	S(57)	Less clips	C7SZ 5725860-B	C7SZ 5725861-B	1
	68/71	S(57)	Cut to fit-20 3/8" long			1
		- X -				
	65	X(54, 71)		C0DZ 5825596-E	C0DZ 5825597-E	1
	66/70	X(54, 71)	With clips	C6OZ 5425860-A	C6OZ 5425861-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
26066	**BUMPER - REAR DOOR WINDOW STOP**				
	71/	P(54)		D1DZ 5426066-A	2
26086-7	**REINFORCEMENT - REAR DOOR OUTSIDE PANEL AT BELT**				
	71/72	A(53,57)	R.H.	D1AZ 5726086-A	1
			L.H.	D1AZ 5726087-A	1
26090-1	**MOULDING - REAR DOOR OUTSIDE UPPER REAR - INCLUDES ATTACHING PARTS**				
	67/71	S(57)	R.H.	C7SZ 5726090-A	1
			L.H.	C7SZ 5726091-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
26216-7	**GUIDE - REAR DOOR WINDOW - FRONT**					
	68/69	B(54,71)		C8OZ 5426216-A	C8OZ 5426216-A	2
	68/69	B	Bolt-hex. head-1/4"-20 x 3/4"	371492-S2(BB569)	371492-S2(BB569)	AR
	68/69	B	Nut & retainer ("J")-1/4"-20	356657-S32(MM186)	356657-S32(MM186)	AR
	67/71	S(57)		C7SZ 5726216-A	C7SZ 5726217-A	1
262A16-7	**RUN and RETAINER ASSY. - REAR DOOR GLASS - HINGE SIDE** - Refer to groups 21550 and 25796-7					
262A20-1	**STOP - REAR DOOR WINDOW UPPER - FRONT**					
	69/70	A(57)		C9AZ 57262A20-A	C9AZ 57262A21-A	1
	71/	A(53)		D1AZ 53262A20-A	D1AZ 53262A21-A	1
	71/	A(57)		D1AZ 57262A20-A	D1AZ 57262A21-A	1
	70	B(57)		D0OZ 57262A20-A	D0OZ 57262A20-A	2
	71	F				2
	71	B(57)		D1OZ 57262A20-A	D1OZ 57262A20-A	2
	70/	B	Screw & washer-1/4"-20 x 5/8"	57472-S2(B339V)	57472-S2(B339V)	2
26222-3	**GUIDE - REAR DOOR WINDOW - REAR**					
	71/	A(53,57)		D1AZ 5726222-A	D1AZ 5726223-A	1
	68/69	B(54)		C8OZ 5426222-B	C8OZ 5426222-B	2
			Nut & retainer-1/4"-20	356657-S32(MM186)	356657-S32(MM186)	AR
			Bolt-hex. head-1/4"-20 x 3/4"	371492-S2(BB569)	371492-S2(BB569)	AR
	70	B(57)	Use with fixed type roller	D0OZ 5726222-A	D0OZ 5726223-A	1
	70/	B(57)	Use with swivel type roller	D0OZ 5726222-B	D0OZ 5726223-B	1
26228-9	**CHANNEL - REAR DOOR WINDOW GLASS LOWER**					
		- A -				
	67/68	A(57)		C7AZ 5726228-A	★C7AZ 5726229-A Not replaced (3-74)	1
	69/70	A(54,71)		C9AZ 5426228-A	C9AZ 5426229-A	1
	65/70	A	Bolt-hex. head-No. 8-32 x 3/8"	358477-S8(BB93)	358477-S8(BB93)	2
	65/70	A	Screw-oval head-No. 8-32 x 1/2"	50398-S13(U121)	50398-S13(U121)	AR
		- B -				
	66/67	B(54,71)		C6OZ 5426228-A	C6OZ 5426229-A	1
	68/69	B(71)		C8OZ 7126228-A	C8OZ 7126229-A	1
	70/71	B(54)		D0OZ 5426228-A	D0OZ 5426229-A	1
	70/71	B(71)		D0OZ 7126228-A	D0OZ 7126229-A	1
	65/71	B	Screw-oval head-No. 8-32 x 1/2"	50398-S13(U121)	50398-S13(U121)	AR
		- X -				
	66/70	X(54,71)		C6OZ 5426228-A	C6OZ 5426229-A	1
			Screw-oval head-No. 8-32 x 1/2"	50398-S13(U121)	50398-S13(U121)	AR

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
262A32	**ROLLER - WINDOW REGULATOR ARM** - Also refer to group 23240				
	65/71	A, B, X	Incl. attaching stud-11/16" O.D. x 1/2" thick	C5AZ 57262A32-A	AR
	67/68	F			AR
	68/	A, P, S, X	Incl. attaching stud-1" O.D. x 1/2"thick	C8SZ 57262A32-A	AR
	68/71	B, F	Incl. attaching stud-1" O.D. x 1/2" thick	C8SZ 57262A32-A	AR
262A34-5	**RETAINER - REAR DOOR WINDOW WEATHERSTRIP**				
	71/	A(57)	R.H.	D1AZ 57262A34-A	1
			L.H.	D1AZ 57262A35-A	1
	70/71	B(57)	R.H.	D0OZ 57262A34-A	1
			L.H.	D0OZ 57262A35-A	1
26258	**WEATHERSTRIP - REAR DOOR GLASS CHANNEL**				
	65/68	A(54, 71)	Cut from C5AZ 6221510-A		2
	66/67	B(54, 71)	Cut to 21.65" long from C5AZ 6221510-A		2
	66/70	X(54, 71)			2
262A62	**CARRIAGE - REAR DOOR WINDOW ROLLER - REAR**				
	68/69	B(54)		C8OZ 54262A62-A	2
262A84	**STOP - REAR DOOR WINDOW REAR - UPPER**				
	69/	A(53, 57)		C9AZ 57262A84-A	2
	70	B(57)		D0OZ 57262A84-A	2
	68/69	B(63, 65, 76)	Quarter window upper		2
	71	B(57)		D1OZ 57262A84-A	2
263A16	**CARRIAGE - REAR DOOR WINDOW ROLLER - FRONT**				
	68/69	B(54, 71)		C8OZ 54263A16-A	2
263A24	**BRACKET - REAR DOOR STATIONARY WINDOW DIVISION BAR - LOWER**				
	68/71	B(71)		C8OZ 71263A24-A	2
263A32	**STABILIZER - REAR DOOR WINDOW**				
	67/70	A(57)		C7AZ 57263A32-A	2
	71/	A(53,57)		D1AZ 57263A32-A	2
26348	**BRACKET - REAR DOOR WINDOW EQUALIZER ARM - UPPER**				
	69	A(54)		C9AZ 5426348-A	2
	70	A(54, 71)		D0AZ 5426348-A	2
	71/	A(53,54,57,71)		D1AZ 5426348-A	2
	68/69	X(62)	Front door window	C8OZ 5426348-A	2
	69	A(62)	Quarter window regulator arm		2
263A48	**RUN - REAR DOOR STATIONARY WINDOW DIVISION BAR**				
	66/67	B(54, 71)	Cut from C5AZ 6321546-A		2
	66/70	X(54, 71)	Cut from C5AZ 6321546-A		2
263A52-3	**BRACKET - REAR DOOR GLASS - FRONT**				
	71/	A(53,57)	R.H.	D1AZ 57263A52-A	1
			L.H.	D1AZ 57263A53-A	1
	71/	A(54,71)		D1AZ 54263A52-A	4
	71	B(57)	R.H.	D1OZ 57263A52-A	1
			L.H.	D1CZ 57263A53-A	1
	72	B(53,71)	R.H.	D2OZ 53263A52-A	1
			L.H.	D2OZ 53263A53-A	1
	71/	P(54)		D1DZ 54263A52-A	2
263A54	**STABILIZER - REAR DOOR WINDOW - REAR**				
	70/	A(53,57,65,76)		D0AZ 57263A54-A	2or4
263A70-1	**RUN and BRACKET ASSY. - REAR DOOR GLASS - FRONT**				
	69/70	A(57)		C9AZ 57263A70-A	2
	71/	A(53,57)		D1AZ 53263A70-A	2
	70/71	B(57)		D0OZ 57263A70-A	2
	72	B(53,71)		D2OZ 53263A70-A	2
	67/71	S(57)	R.H.	C7SZ 57263A70-A	1
			L.H.	C7SZ 57263A71-A	1
			1/4"-20 x 1/2" Pan head screw & washer assy.	373460-S7(BB629)	4
	70/	A, B	Screw & washer 1/4"-20 x 3/4" Hex. head	382682-S100(BB390XF)	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
263A72-3	**RUN and BRACKET ASSY. - REAR DOOR GLASS - REAR**				
	67/71	S(57)	R.H.	C7SZ 57263A72-B	1
			L.H.	C7SZ 57263A73-B	1
			1/4"-20 x 3/4" Hex. washer head screw	371492-S2(BB569)	4
			1/4" Flat washer	44720-S8(X18)	2
	67/71	S	Bolt-pan head-1/4"-20 x 1/2"	373460-S7(BB629)	2
263A80	**CLIP - REAR DOOR WINDOW TOP**				
	69/	A(54)		C9AZ 57263A80-A	2
26384	**BRACKET - REAR DOOR WINDOW GLASS CHANNEL**				
	69/70	A(54,71)		C9AZ 5426384-A	2
	66/67	B(54,71)		C6OZ 5426384-A	2
	66/70	X(54,71)			2
	68/69	B(54,71)		C8OZ 5426384-B	2
	70/71	B(54)		D0OZ 5426384-A	2
	70	B(57)		D0OZ 5726384-A	2
	70/71	B(71)		D0OZ 7126384-A	2
263A86	**SPACER - WINDOW GLASS ROLLER**				
	71	B(57)		D1OZ 57263A86-A	6
	72	B,S	Front Door, quarter		4
	71/	F	Front door		6
26404-5	**CONTROL and LINK ASSY. - DOOR LATCH REMOTE**				
	65	F "Before 8/20/64"	R.H.-front door-not replaced (3-74)	★C2OZ 5426404-B	1
			L.H.	C2OZ 5426405-B	1
	65	B	R.H.-Front or rear door	C5DZ 5426404-A	1 or 2
	65	F "From 8/20/64 to 3/8/65"	R.H.-Front door		1
	65	X(54,71)	R.H.-Rear door		1
			L.H.	C5DZ 5426405-A	1 or 2
	65/66	F "From 3/8/65"	Refer to Group 21818-9		
	68/69	A(54,57,71), B(54,71)	R.H.	C8AZ 5426404-B	1
	68/70	X(54,71)	R.H.		
	68/71	S(57)	R.H.		1
			L.H.	C8AZ 5426405-B	1
	70	A,B	Refer to Group 21818-9		
	65	B(54,71), F,X(54,71)	Cross recess pan head screw & washer assy. - No. 12-24 x 1/2"	50811-S8(U150A)	AR
	65	B	Screw-hex. head-5/16"-24 x 5/8"	359605-S8(BB590)	AR
	68/71	S(57)	Nut-hex.-No. 10-24	34053-S8(M156)	4
	68/71	S(57)	Washer-No. 8-external lock	34938-S8(X85)	4
	70	S(57)	Screw & washer No. 12-24 x 1/2"	356782-S8(BB114)	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
26412-3	**LATCH ASSY. - REAR DOOR - INCLUDES ATTACHING PARTS**					
		- A -				
	65/67	A(54,57,71)	Without vacuum door latch	C7AZ 5426412-A	C7AZ 5426413-A	1
	65/66	A(54,57,71)	With vacuum door latch	C5AZ 5426412-B	★C5AZ 5426413-B Not replaced (12-74)	1
	68	A(54,57,71)		C8AZ 5426412-A	C8AZ 5426413-A	1
	69/70	A(54,57,71)		C9AZ 5426412-A	C9AZ 5426413-A	1
	71/	A(53,54,57,71)		D1AZ 5426412-B	D1AZ 5426413-B	1
		- B -				
	65	B(54,71)		C3OZ 5426412-C	C3OZ 5426413-C	1
	66/68	B(54,71)	Without vacuum door latch	C6OZ 5426412-C	C6OZ 5426413-C	1
	69	B(54,71)		C9OZ 5426412-A	C9OZ 5426413-A	1
	70/71	B(54,57,71)		C9AZ 5426412-A	C9AZ 5426413-A	1
	72	B(53,71)		★D1AZ 5426412-B r/b D3OZ 5326412-A (10-74)	D1AZ 5426413-B	1
	65/	B	Screw-flat head with lockwasher-No. 12-24 x 7/16"	353908-S7(BB113)	353908-S7(BB113)	AR
	66/	B	Screw-pan head	★359444-S8	★359444-S8	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
26412 -3	**LATCH ASSY. - REAR DOOR - INCLUDES ATTACHING PARTS - continued**					
		- P -				
	71/	P(54)		C9AZ 5426412-A	C9AZ 5426413-A	1
		- S -				
	67	S(57)		C7SZ 5726412-A	C7SZ 5726413-A	1
	68/71	S(57)		C8SZ 5726412-A	C8SZ 5726413-A	1
		- X -				
	66/68	X(54, 71)	Without vac. door latch	C6OZ 5426412-C	C6OZ 5426413-C	1
	68	X(54, 71)	With vacuum door latch	C8OZ 5426412-A	C8OZ 5426413-A	1
	69/70	X(54, 71)		C9OZ 5426412-A	C9OZ 5426413-A	1
	65	A(54, 71, 75), B(54, 71)	No.12-24x.44"Cross	356782-S7(BB114)	356782-S7(BB114)	6
	70	A(54, 57, 71)	recess flat head screw			6
	70	B(54, 57, 71)	& washer assy.			6
	70	P				6
	70	S(57)				6

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
26420-1	**LINK - REAR DOOR LATCH CONTROL ROD**				
		- A -			
	65/68	A(57)	R.H.	C5AZ 5726420-A	1
			L.H.-not replaced (3-74)	★C5AZ 5726421-A	1
	69/70	A(54, 57, 71)		C9AZ 5426420-A	2
	71/	A(53,54,57,71)		D1AZ 5426420-A	2
		- B -			
	66/67	B(54, 71)		C6OZ 5426420-A	2
			Clip	380165-S2(GG286)	2
			No. 8-32 x .40" Pan head screw	★359444-S8	2
	68/69	B(54)		C8OZ 5426420-A	2
	70/71	B(54, 57)	R.H.	D0OZ 5426420-A	1
			L.H.	D0OZ 5426421-A	1
	70/71	B(71)		D0OZ 7126420-A	2
	70/71	B(54, 57, 71)	Screw & washer No. 8-32 x 1/2" Hex. head	57075-S2(B330A)	2
	72	B(53, 71)	R.H.	D2OZ 5326420-A	1
			L.H.	D2OZ 5326421-A	1
		- P -			
	71/	P(54)		D1DZ 5426420-A	2
		- X -			
	66/70	X(54, 71)		C6OZ 5426420-A	2
	70/	A(53, 54, 57, 71)	Screw & washer No. 12-24 x 1/2" flat head	356782-S8(BB114)	2
	70/	B(54, 57, 71)			2
26442-3	**LINK - REAR DOOR LATCH REMOTE CONTROL**				
		- A -			
	69	A(54, 57, 71)		C9AZ 5426442-B	2
	70	A(54, 57, 71)	R.H.	D0AZ 5426442-A	1
			L.H.	D0AZ 5426443-A	1
	71/	A(53,54,57,71)	R.H.	D1AZ 5426442-A	1
			L.H.	D1AZ 5426443-A	1
		- B -			
	68/69	B(54)		C8OZ 5426442-A	2
	68/69	B(71)		C8OZ 7126442-A	2
	70/71	B(54, 57)	R.H.	D0OZ 5426442-A	1
			L.H.	D0OZ 5426443-A	1
	72	B(53,71)	R.H.	D2OZ 5326442-A	1
			L.H.	D2OZ 5326443-A	1
	70/71	B(71)	R.H.	D0OZ 7126442-A	1
			L.H.	D0OZ 7126443-A	1
	65	B	Nut-7/32" sleeve	377647-S(MM216J)	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
26442-3	**LINK - REAR LATCH REMOTE CONTROL - continued**				
		- P -			
	71/	P(54)-exc. LTD	R.H.	D1DZ 5426442-A	1
			L.H.	D1DZ 5426443-A	1
	72	P(54)-LTD	R.H.	D2DZ 5426442-A	1
			L.H.	D2DZ 5426443-A	1
		- S -			
	68/71	S(57)		C8SZ 5726442-A	2
		- X -			
	68/70	X(54, 71)		C8DZ 5426442-A	2
26448-9	**BELLCRANK - REAR DOOR LATCH**				
		- A -			
	69/	A(53,54,57,71)	Without vacuum door latch	C9AZ 5426448-A	2
	69/	A(53,54,57,71)	With vacuum door latch	C9AZ 5426448-B	2
	65/	A(53,54,57,71)	Screw-Hex.washer head-5/16"-18 x 1/2"	376976-S7-8(BB574M)	2
		- B -			
	68/69	B(54, 71)		C8OZ 5426448-A	2
	70/71	B(54, 57, 71)		C9AZ 5426448-A	2
	72	B(53, 71)	R.H.	D2OZ 5326448-A	1
			L.H.	D2OZ 5326449-A	1
		- P -			
	71/	P(54)		C9AZ 5426448-A	2
		- S -			
	69/71	S(65)	Front door	C8DZ 5426448-A	2
		- X -			
	68/70	X(54, 71)		C8DZ 5426448-A	2
26460-1	**ROD - REAR DOOR LATCH PUSH BUTTON**				
		- A -			
	65/68	A(54, 57, 71)		C5AZ 5426460-B	2
	69/	A(53,54,57,71)		C9AZ 5426460-A	2
		- B -			
	65	B(54, 71)	Retainer	C3AZ 6221952-A	2
	66/69	B(54, 71), X(54, 71)		C6OZ 5426460-A	2
	70/71	B(71)			2
	70/71	B(54, 57)		D0OZ 5426460-A	2
	72	B(53, 71)		D2OZ 5326460-A	2
		- P -			
	71/	P(54)		D1DZ 5426460-A	2
		- S -			
	67/71	S(57)	R.H.	C7SZ 5726460-B	1
			L.H. -not replaced (3-74)	★C7SZ 5726461-B	1
26480-1	**RETAINER - REAR DOOR LATCH STRIKER ANCHOR PLATE**				
	71/	A(71)	R.H.	D1AZ 7126480-A	1
			L.H.	D1AZ 7126481-A	1
265A04	**STRIKER - DOOR LATCH**- Also refer to Group 22008-9				
	65	X(54, 71)	Rear door	C4DZ 54265A04-A	2
	66/	A(71), B(66, 71), X(66, 71)	R.H.-tailgate latch-upper		1
			L.H. -Refer to Group 43146		
	67	F	Front door		2
	65	X(54, 71)	5/16"-24 x 15/16" Flat head locking screw	371402-S13(BB101A)	4
	66	A(71), B(71), X(66, 71)	5/16"-18 x 1" Flat head locking screw	382541-S100(UU48DA)	4
265A06	**SHIM - DOOR LATCH STRIKER PLATE**				
	65	X(54, 71)		C4DZ 54265A06-A	AR
	65/71	A, B, P, S, U, X	Front or rear door		AR
	66/71	A(71), B(66, 71), X(66, 71)	R.H.-tailgate latch		AR
	72	P			AR
			L.H.-Refer to Group 43152		
	72	A	Improvise	★	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
26514	**SPRING - TAILGATE LATCH RATCHET PAWL**				
	66/71	A(71), B(66,71), X(66,71)		C6AZ 7126514-A	3
	72	A(71), B(71)			3
265A28	**BUMPER - DOOR** - Also refer to Group 23030				
	65/66	A(57)	Lower	C5AZ 57265A28-B	2
		"From 4/1/65"	Upper - NOTE 2		2
	68	X(54,71)	Front door-upper		2
	69	S(65)	Rear		2
	71	S(65)			2
	67/	A(54,71)	Lower	C7AZ 54265A28-A	2
	67/	A(53,57)	Lower & upper		4
	69/	F			4
	70/	P	Door		2
	71/	B,L	Door		4
	72	S			4
	68/69	B(54)		C8OZ 54265A28-A	2
	71/	A	Upper		2
265A36	**RETAINER - REAR DOOR LATCH VACUUM CONTROL HOSE**				
	65/	A(54,57,71)	Use 376914-S(YY2) adjustable strap		2
265A66-7	**PLATE - REAR DOOR LATCH REMOTE CONTROL**				
	68/71	S(57)	R.H.	C8SZ 57265A66-A	1
			L.H.	C8SZ 57265A67-A	1
265A70	**SUPPORT - REAR DOOR LATCH VACUUM HOSE**				
	69/71	A(53,54,57,71)		C9AZ 54265A70-A	2
26594-5	**ACTUATOR - REAR DOOR VACUUM LATCH**				
	68	A(54,57,71)	R.H.	C8AZ 5426594-A	1
			L.H.	C8AZ 5426595-A	1
	69/	A(53,54,57,71)	R.H.	C9AZ 5426594-A	1
			L.H.	C9AZ 5426595-A	1
	72	B(53,71)	R.H. - Electric	D2OZ 5326594-B	1
			L.H.	D2OZ 5326595-B	1
	67	S(57)	R.H. - Includes attaching parts & I.S.No. 3174	C7SZ 5726594-C	1
			L.H.	C7SZ 5726595-C	1
			Clip assy.	C7SZ 6521952-A	2
	68/71	S(57)	R.H.	C8SZ 5726594-A	1
			L.H.	C8SZ 5726595-A	1
			Screw-pan head-No. 12-24 x 1/2"	50811-S8(U150A)	2
26596-7	**ROD - REAR DOOR LATCH ACTUATING**				
	71/	A(53,54,57,71)	R.H.	D1AZ 5426596-B	1
			L.H.	D1AZ 5426597-B	1
	72	B(53,71)		D2OZ 5326596-A	1
26602	**BUTTON and PIN KIT - REAR DOOR OUTSIDE HANDLE** - Also refer to Groups 22454-5				
		- A -			
	65	A(54,57,71)	Includes attaching parts	C5AZ 5426602-A	2
	66	A(54,57,71)	R.H. or L.H. -Kit-Consists of 1-Button & Pin Assy. 1-Sleeve 1-Retainer 1-Seal 1-Spring 1-Screw	C6AZ 5426602-B	2
	67	A(54,57,71)	R.H. or L.H. -Kit-Consists of 1-Button & Pin Assy. 1-Sleeve 1-Retainer 1-Seal 1-Spring 1-Screw	C7AZ 5426602-A	2
	68	A(54,57,71)	R.H. or L.H. -Kit-Consists of 1-Button & Pin Assy. 1-Sleeve 1-Retainer 1-Seal 1-Spring 1-Screw	C8AZ 5426602-A	2
	69/70	A(54,57,71)	R.H. or L.H. -Kit-Consists of 1-Button & Pin Assy. 1-Sleeve 1-Retainer 1-Seal 1-Spring 1-Screw	C9AZ 5426602-A	2

NOTE 2 - Before 4/1/65 - refer to Group 23030

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
26602	**BUTTON and PIN KIT - REAR DOOR OUTSIDE HANDLE - continued** - Also refer to Groups 22454-5				
		- B -			
	65	B(54, 71)	Refer to Group 22454		
	66/67	B(54, 71)	R. H. or L. H. -Kit-Consists of 1-Button & Pin Assy. 1-Sleeve 1-Retainer 1-Seal 1-Spring 1-Screw	C6OZ 5426602-B	2
	68/69	B(54)	R. H. or L. H. -Kit-Consists of 1-Button & Pin Assy. 1-Sleeve 1-Retainer 1-Seal 1-Spring 1-Screw	C8OZ 5426602-A	2
	68/69	B(71)	R. H. or L. H. -Kit-Consists of 1-Button & Pin Assy. 1-Sleeve 1-Retainer 1-Seal 1-Spring 1-Screw	C8OZ 7126602-A	2
	70/71	B(54, 57)	Includes attaching parts R.H. or L.H. - consists of 1-Button & pin assy. 1-Retainer assy. 1-Spring 1-Screw 1-Seal	D0OZ 5426602-A	2
	70/71	B(71)	Includes attaching parts R.H. or L.H. - consists of 1-Button & pin assy. 1-Retainer assy. 1-Spring 1-Screw 1-Seal	D0OZ 7126602-A	2
		- P -			
	71/	P(54)	Consists of 1-Button & pin 1-Sleeve 1-Retainer 1-Screw 1-Spring 1-Seal	D1DZ 5426602-A	2
		-S -			
	67/71	S(57)	R. H. or L. H. -Kit-Consists of 1-Button & Pin Assy. 1-Sleeve 1-Retainer 1-Seal 1-Spring 1-Screw	C7SZ 5726602-A	2
		- X -			
	65	X(54, 71)	R. H. or L. H. -Kit-Consists of 1-Button & Pin Assy. 1-Seal 1-Retainer 1-Screw 1-Spring	C4DZ 5426602-A	2
	66/70	X(54)	R. H. or L. H. -Kit-Consists of 1-Button & Pin Assy. 1-Sleeve 1-Retainer 1-Seal 1-Spring 1-Screw	C6DZ 5426602-B	2
	66/70	X(71)	R. H. or L. H. -Kit-Consists of 1-Button & Pin Assy. 1-Sleeve 1-Retainer 1-Seal 1-Spring 1-Screw	C6OZ 5426602-B	2
26604-5	**HANDLE - REAR DOOR OUTSIDE**				
	65	A	Refer to Group 22404-5		
	66	A(54, 57, 71)	R.H. L.H. - not replaced (12/74)	C6AZ 5426604-A ★C6AZ 5426605-A	1 1
	67	A(54, 57, 71)	R.H. L.H.	C7AZ 5426604-A C7AZ 5426605-A	1 1
	68	A(54, 57, 71)	R.H. L.H.	C8AZ 5426604-A C8AZ 5426605-A	1 1
	69/70	A(54, 57, 71)	R.H. L.H.	C9AZ 5426604-A C9AZ 5426605-A	1 1
	65/67	B(54, 71)	Refer to Group 22404-5		
	71/	A, B	Refer to Group 22404-5		
	71/	P(54)	R.H. L.H.	D1DZ 5426604-A D1DZ 5426605-A	1 1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
266A24-5	**CUP - REAR DOOR INSIDE HANDLE**				
	69	A(54, 57, 71)	Teakwood-refer to Group 27542-3		
			R.H. -Aqua	C9AZ 54266A24-E	1
			L.H.	C9AZ 54266A25-E	1
			R.H. -Black	C9AZ 54266A24-A	1
			L.H.	C9AZ 54266A25-A	1
			R.H. -Blue (light)	C9AZ 54266A24-B	1
			L.H.	C9AZ 54266A25-B	1
			R.H. -Gold	C9AZ 54266A24-D	1
			L.H.	C9AZ 54266A25-D	1
			R.H. -Nugget	C9AZ 54266A24-H	1
			L.H.	C9AZ 54266A25-H	1
			R.H. -Red (dark)	C9AZ 54266A24-C	1
			L.H.	C9AZ 54266A25-C	1
			R.H. -Walnut	C9AZ 54266A24-F	1
			L.H.	C9AZ 54266A25-F	1
			R.H. -White	C9AZ 54266A24-G	1
			L.H.	C9AZ 54266A25-G	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
26642	**BRACKET - REAR DOOR PULL HANDLE**					
	68	S(57C)		C8SZ 5726642-A	C8SZ 5726642-A	2
26800-1	**HINGE ASSY. - REAR DOOR - UPPER**					
			- A -			
	65/68	A(54,57,71)		C5AZ 5426800-E	C5AZ 5426801-E	1
			5/16"-18 x 1 1/2" Hex. washer head tapping screw	351945-S2(UU52J)	351945-S2(UU52J)	6
	69/	A(53,54,57,71)		C9AZ 5426800-A	C9AZ 5426801-A	1
			Screw-5/16"-18x1 1/8" hex.head	382623-S2(UU52AL)	382623-S2(UU52AL)	6
			- B -			
	66/67	B(54,71)		C6OZ 5426800-B	C6OZ 5426801-B	1
			5/16"-18 x 1 1/2" Hex. washer head tapping screw	351945-S2(UU52J)	351945-S2(UU52J)	6
	68/69	B(54,71)		C8OZ 5426800-A	C8OZ 5426801-A	1
	70/71	B(54)		D0OZ 5426800-A	D0OZ 5426801-A	1
	70/71	B(57)		D0OZ 5726800-A	D0OZ 5726801-A	1
	70/71	B(71)		D0OZ 7126800-A	D0OZ 7126801-A	1
	72	B(53,71)		D2OZ 5326800-A	D2OZ 5326801-A	1
	69	B(54,71)	Screw-hex. - 11/32"-18 x 1 3/8"	383509-S2(UU52BB)	383509-S2(UU52BB)	AR
	70/	B(54,57,71)	Screw-5/16"-18x1 1/8" hex.head	382623-S2(UU52AL)	382623-S2(UU52AL)	6
			- P -			
	71/	P(54)		C9AZ 5426800-A	C9AZ 5426801-A	1
			- S -			
	67/71	S(57)		C7SZ 5726800-C	C7SZ 5726801-C	1
	67/69	S(57)	5/16"-18 x 1 5/8" hex. head screw & washer assy.	359530-S8(BB576)	359530-S8(BB576)	8
	70/71	S(57)	Screw & washer- 5/16"-18x1 1/4"hex.hd.	382531-S100 (BB569D)	382531-S100 (BB569D)	6

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
26800-1	**HINGE ASSY. - REAR DOOR - UPPER - continued**					
		- X -				
	65	X(54, 71)	Reverse hinge pin	C4DZ 5426800-A	C4DZ 5426800-A	1
	65	X	3/8"-16 x 1 1/8" Hex. head screw & washer assy.	373162-S(BB563A)	373162-S(BB563A)	AR
	66/67	X(54, 71)		C6OZ 5426800-B	C6OZ 5426801-B	1
	68/70	X(54, 71)		C8DZ 5426800-A	C8DZ 5426801-A	1
	69/70	X(54, 71)	Screw-hex. - 11/32"-18 x 1 3/8"	383509-S2(UU52BB)	383509-S2(UU52BB)	AR
26802-3	**HINGE and CHECK ASSY. - REAR DOOR - LOWER**					
		- A -				
	65/68	A(54,57,71)		C5AZ 5426802-C	C5AZ 5426803-C	1
	65/67	A(54, 57, 71)- "Before 11/1/66"	5/16"-18 x 1 5/8" Hex. head screw & washer assy.	359530-S8(BB576)	359530-S8(BB576)	6
	67/68	A(54, 57, 71)- "From 11/1/66"	5/16"-18 x 1 1/2" Hex. washer hd. tapping screw	351945-S2(UU52J)	351945-S2(UU52J)	6
	69/	A(53, 54, 57, 71)		C9AZ 5426802-B	C9AZ 5426803-B	1
			Screw-5/16"-18 x 1 1/8" hex. head	382623-S2(UU52AL)	382623-S2(UU52AL)	6
		- B -				
	66/69	B(54, 71)		C6OZ 5426802-C	C6OZ 5426803-C	1
			5/16"-18 x 1 1/2" Hex. washer hd. tapping screw	351945-S2(UU52J)	351945-S2(UU52J)	6
	70/71	B(54, 57, 71)		D0OZ 5426802-A	D0OZ 5426803-A	1
	70/71	B(54, 57, 71)	Screw-5/16"-18 x 1 1/8" hex. head	382623-S2(UU52AL)	382623-S2(UU52AL)	6
	72	B(53, 71)		D2OZ 5326802-A	D2OZ 5326803-A	1
		- P -				
	71	P(54)	Less check	D1DZ 5426802-A	D1DZ 5426803-A	1
	71/	P(54)	Incl. check	C9AZ 5426802-B	C9AZ 5426803-B	1
		- S -				
	67/71	S(57)		C7SZ 5726802-B	C7SZ 5726803-B	1
	68/69	S(57)	5/16"-18 x 1 5/8" Hex. hd. screw & washer assy.	359530-S8(BB576)	359530-S8(BB576)	8
	70/71	S(57)	Screw & washer- 5/16"-18 x 1 1/4" hex. hd.	382531-S100(BB569D)	382531-S100(BB569D)	6
		- X -				
	66/70	X(54, 71)		C6OZ 5426802-C	C6OZ 5426803-C	1
26832	**PIN - REAR DOOR HINGE**					
	65/70	A, B, P, S, X	Cut from B9A 5943030-A	★	★	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	NAGS NUMBER	PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
26870-1	**GLASS - REAR DOOR STATIONARY WINDOW**						
		- B -					
	65	B(54)		2513T	C4OZ 5426870-A	C4OZ 5426870-B	2
	65	B(71)		2514T	C4OZ 7126870-A	C4OZ 7126870-B	2
	66/67	B(54)	R.H.	V3527	C6OZ 5426870-A	C6OZ 5426870-B	1
			L.H.	V3528	C6OZ 5426871-A	C6OZ 5426871-B	1
	66/67	B(71)	R.H.	V3532	C6OZ 7126870-A	C6OZ 7126870-B	1
			L.H.	V3533	C6OZ 7126871-A	C6OZ 7126871-B	1
	68/69	B(71)	R.H.	V3920	C8OZ 7126870-A	C8OZ 7126870-B	1
			L.H.	V3921	C8OZ 7126871-A	C8OZ 7126871-B	1
	70/71	B(71)	R.H.	V4356	D0OZ 7126870-A	D0OZ 7126870-B	1
			L.H.	V4357	D0OZ 7126871-A	D0OZ 7126871-B	1
		- P -					
	71/	P(54)	R.H.	V4555	D1DZ 5426870-A	D1DZ 5426870-B	1
			L.H.	V4556	D1DZ 5426871-A	D1DZ 5426871-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	NAGS NUMBER	PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
26870-1	**GLASS - REAR DOOR STATIONARY WINDOW - continued**						
		- X -					
	65	X(54)		2518T	C5DZ 5426870-A	C5DZ 5426870-B	2
	65	X(71)		2517T	C5DZ 7126870-A	C5DZ 7126870-B	2
	66/70	X(54)	R.H.	V3527	C6OZ 5426870-A	C6OZ 5426870-B	1
			L.H.	V3528	C6OZ 5426871-A	C6OZ 5426871-B	1
	66/70	X(71)	R.H.	V3532	C6OZ 7126870-A	C6OZ 7126870-B	1
			L.H.	V3533	C6OZ 7126871-A	C6OZ 7126871-B	1
26A86	**SPRING - REAR DOOR UPPER HINGE ASSIST**						
	67/71	S(57)			C7SZ 57268A86-B		2
26A90	**PIN - REAR DOOR UPPER HINGE ASSIST SPRING**						
	67/71	S(57)			C7SZ 57268A90-A		2
26894-5	**WEATHERSTRIP - REAR DOOR STATIONARY WINDOW**						
	66/67	B(54)	R.H.		C6OZ 5426894-A		1
	66/70	X(54)	R.H.				1
			L.H.		C6OZ 5426895-A		1
	66/67	B(71)	R.H.		C6OZ 7126894-A		1
	66/70	X(71)	R.H.				1
			L.H.		C6OZ 7126895-A		1
	68/71	B(71)	R.H.		C8OZ 7126894-A		1
			L.H.		C8OZ 7126895-A		1
26A98	**BUMPER - REAR DOOR UPPER HINGE**						
	67/71	S(57)			C7SZ 57268A98-A		2
26900-1	**RETAINER and DIVISION BAR ASSY. - REAR DOOR GLASS RUN** - Also refer to Group 262A02-3						
		- B -					
	65	B(54,71)	Serviced only in assembly-refer to Group 262A02-3				
	66/67	B(71)	R.H.		C6OZ 7126900-A		1
			L.H.		C6OZ 7126901-A		1
	68/69	B(71)	R.H.		C8OZ 7126900-A		1
			L.H.		C8OZ 7126901-A		1
	70/71	B(71)	R.H.		D0OZ 7126900-A		1
			L.H.		D0OZ 7126901-A		1
	68/71	B(71)	Bolt-pan head-1/4"-20 x 1/2"		373460-S7(BB629)		4
	68/71	B	Screw-truss head-No. 8-32 x 3/8"		376129-S7(UU97D)		AR
		- P -					
	71/	P(54)-exc. LTD	R.H.		D1DZ 5426900-A		1
			L.H.		D1DZ 5426901-A		1
	72	P(54A)-LTD	R.H.		D2DZ 5426900-A		1
			L.H.		D2DZ 5426901-A		1
		- X -					
	65	X(54,71)	Serviced only in assembly-refer to Group 262A02-3				
	68/70	X(54)	R.H.		C8DZ 5426900-A		1
			L.H.		C8DZ 5426901-A		1
	68/70	X(71)	R.H.		C8DZ 7126900-A		1
			L.H.		C8DZ 7126901-A		1
	66/67	B(54,71), X(54,71)	5/16"-18 x 1.38" Screw (set)		*379720-S2		2
			5/16"-18 Nut & washer assy.		*379307-S2		2
			No. 8-32 x .38" Truss head screw		376129-S8(UU97D)		2
26928	**WEATHERSTRIP - REAR DOOR STATIONARY WINDOW**						
	71/	P(54)			D1DZ 5426928-A		2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
27000-1	**REGULATOR ASSY. - REAR DOOR WINDOW - MANUAL**					
		- A -				
	65/68	A(54, 57, 71)		C8AZ 5427000-B	C8AZ 5427001-B	1
	69/70	A(54, 71)		C9AZ 5427000-A	C9AZ 5427001-A	1
	69/70	A(57)		C9AZ 5727000-A	C9AZ 5727001-A	1
	71/	A(54, 71)		D1AZ 5427000-A	D1AZ 5427001-A	1
	71/	A(53, 57)		D1AZ 5727000-A	D1AZ 5727001-A	1
		- B -				
	66/67	B(54, 71)	Includes handle screw	★C6OZ 5427000-B not repl'd. (3-74)	C6OZ 5427001-B	1
	68/69	B(54, 71)		C8OZ 5427000-B	C8OZ 5427001-B	1
	70/71	B(54, 57, 71)		D0OZ 5427000-A	D0OZ 5427001-A	1
	72	B(53, 71)		D2OZ 5327000-A	D2OZ 5327001-A	1
		- P -				
	71/	P(54)		D1DZ 5427000-A	D1DZ 5427001-A	1
		- S -				
	67	S(57) "Before 4/21/69"		C7SZ 5727000-B	★C7SZ 5727001-A not repl'd. (1-73)	1
	67	S(57) "From 4/21/69"		C7SZ 5727000-B	★C7SZ 5727001-B not repl'd. (1-73)	1
	68/71	S(57)		C8SZ 5727000-B	C8SZ 5727001-B	1
	67/71	S	Nut-1/4"-20	33795-S7(M49)	33795-S7(M49)	AR
	67/71	B, S	Bolt-pan head-1/4"-20 x 1/2"	373460-S7(BB629)	373460-S7(BB629)	4
	70	S(57)	Nut and spring	382206-S2(MM262A)	382206-S2(MM262A)	2
		- X -				
	66	X(54, 71)		★C6OZ 5427000-B not repl'd. (3-74)	C6OZ 5427001-A	1
	67	X(54, 71)	Includes handle screw	★C6OZ 5427000-B not repl'd. (3-74)	C6OZ 5427001-B	1
	68/70	X(54, 71)		C8DZ 5427000-B	C8DZ 5427001-B	1
	65/66	A, B, X	5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	376976-S7-8(BB574M)	8
270A02-3	**BRACKET - REAR DOOR WINDOW REGULATOR MOTOR**					
	70	B(54, 71)		D0OZ 54270A02-A	D0OZ 54270A03-A	1
	71	B(54, 57)				1
27008-9	**REGULATOR ASSY. - REAR DOOR WINDOW ELECTRIC - LESS MOTOR, DRIVE and SPRING**					
	65/68	A(54, 57, 71)		★C5AZ 5427008-B not repl'd. (3-74)	C5AZ 5427009-B	1
			5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	376976-S7-8(BB574M)	8
	69/70	A(54, 71)		C9AZ 5427008-A	C9AZ 5427009-A	1
	69/70	A(57)		C9AZ 5727008-A	C9AZ 5727009-A	1
	71/	A(54, 71)		D1AZ 5427008-A	D1AZ 5427009-A	1
	71/	A(53, 57)		D1AZ 5727008-A	D1AZ 5727009-A	1
	68/69	B(54, 71)		C8OZ 5427008-A	C8OZ 5427009-A	1
	70/71	B(54, 57, 71)		D0OZ 5427008-A	D0OZ 5427009-A	1
	72	B(53, 71)		D2OZ 5327008-A	D2OZ 5327009-A	1
	67/71	S(57)		C7SZ 5727008-B	C7SZ 5727009-B	1
	67/71	B, S	Bolt-pan head-1/4-20 x 1/2"	373460-S7(BB629)	373460-S7(BB629)	4
270A42	**BRACKET - REAR DOOR WINDOW REGULATOR DRIVE ARM**					
	69/70	A(57)		C9AZ 57270A42-A	C9AZ 57270A42-A	2
	71/	A(53, 57)		D1AZ 57270A42-A	D1AZ 57270A42-A	2
	71	B(57)		D1OZ 57270A42-A	D1OZ 57270A42-A	2
	67/71	S(57)		C7SZ 57270A42-A	C7SZ 57270A42-A	2
	68/69	B(63, 65, 66, 76)	Front door			2
			No. 8-32 x 1/2" Cross recess oval head screw	50398-S13(U121)	50398-S13(U121)	4
	69/	A	Cross recess oval head screw-No. 8-32 x 1/2"	50398-S13(U121)	50398-S13(U121)	4

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
27048	**SPRING - LIFT WINDOW REGULATOR COUNTER BALANCE**					
	65/68	A(57)		C5AZ 5727048-A	C5AZ 5727048-A	2
	68/71	B(63, 65, 76)	Quarter			2
	69/70	A(54, 71)	Manual or power regulator	C9AZ 5427048-A	C9AZ 5427048-A	2
	69/70	A(57)	Manual regulator	C9AZ 5727048-A	C9AZ 5727048-A	2
	69/70	A(57)	Power regulator	C9AZ 5727048-B	C9AZ 5727048-B	2
	71/	A(53, 57)		D1AZ 5727048-A	D1AZ 5727048-A	2
	71/	A(54, 71)		D1AZ 5427048-A	D1AZ 5427048-A	2
	70/71	B(54, 57, 71)		D0OZ 5427048-A	D0OZ 5427048-A	2
	72	B(53, 71)	Manual regulator	D2OZ 5327048-A	D2OZ 5327048-A	2
			Power regulator	D2OZ 5327048-B	D2OZ 5327048-B	2
270A50	**SPACER - REAR DOOR WINDOW REGULATOR MOTOR BRACKET**					
	68/69	B(54, 71)		C8OZ 54270A50-A	C8OZ 54270A50-A	AR
	70/71	A, B, F, P, S, X				AR
	72	A(65), F(65)				AR
270A54	**ROLLER - WINDOW GUIDE SWIVEL**					
	71/	A(53, 57)		D1AZ 57270A54-A	D1AZ 57270A54-A	2
	71/	B		D1OZ 57270A54-A	D1OZ 57270A54-A	2
			Rear door and quarter			6
	72	B(65)				4
	72	F(65, 76)				6
	72	S				4
270A58	**WASHER - WINDOW REGULATOR ROLLER**					
	71/	A	Front door and tailgate	D1OZ 57270A58-A	D1OZ 57270A58-A	AR
	71/	B				AR
	71/	F	Rear door and quarter			AR
	72	S				AR
27112	**RETAINER - REAR DOOR WINDOW GUIDE**					
	68/69	B(54, 71)		C8OZ 5427112-A	C8OZ 5427112-A	2
	70	B(71)				4
27166	**BRACKET - REAR DOOR WINDOW REGULATOR EQUALIZER ARM**					
	69/70	A(54, 71)		C9AZ 5427166-A	C9AZ 5427166-A	2
274A48-9	**FILLER - REAR DOOR UPPER EXTENSION - TRIM PANEL**					
	70/71	B(54)		D0OZ 54274A48-A	D0OZ 54274A49-A	1
27458	**SHIELD - REAR DOOR TRIM WATER** - Refer to Group 20318					
27470-1	**HOUSING - REAR DOOR ASH RECEPTACLE**					
	68/71	S(57)	Includes cover	C8SZ 5727470-B	C8SZ 572747I-B	1
27542-3	**PANEL - REAR DOOR ARM REST FINISH - INCLUDES ATTACHING PARTS**					
	69	A(54, 57, 71)-"Before 3/3/69"	Snap on	C9AZ 5427542-A	C9AZ 5427543-A	1
	69	A(54, 57, 71)-"From 3/3/69"	Refer to Group 266A24-5			
	68/71	S(57)		C8SZ 5727542-A	C8SZ 5727543-A	1
27588	**RETAINER - REAR DOOR TRIM PANEL**					
	66/67	B(54, 71)	Chrome-Includes attaching parts	C6OZ 5427588-A	C6OZ 5427588-A	2
	68	B(54, 71)	Refer to Group 25576-7			
	66/67	X(54B)	Chrome-Includes attaching parts	C6OZ 5427588-A	C6OZ 5427588-A	2
	66/70	X(54, 71)	Paint to match if desired			2
27594-5	**PANEL - REAR DOOR ARM REST FINISH - LOWER**					
	69	A(54C, 57F, 71A, E)	Dark teak finish	C9AZ 5427594-A	C9AZ 5427595-A	1
	69	A(54, 57, 71)	White-paint to match	C9AZ 5427594-E1W	C9AZ 5427595-E1W	1
27700-1	**PANEL ASSY. - BODY SIDE**					
	66/67	U		C6TZ 9627700-A	C6TZ 9627701-A	1
	68/69	U		C8TZ 9627700-B	★C8TZ 9627701-B r/b D0BZ 1027701-A(3-74)	1
	70/	U		D0BZ 1027700-A	D0BZ 1027701-A	1
	66/	U	Plug button	383573-S(KK60)	383573-S(KK60)	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
27702-3	**EXTENSION ASSY. - QUARTER PANEL UPPER REAR**					
	65/66	F	Includes attaching parts	C5ZZ 6527702-A	C5ZZ 6527703-A	1
	67/68	F(65, 76), exc. F(65) GT/CS	W/out moulding holes	C7ZZ 6527702-A	C7ZZ 6527703-A	1
	67	F(63-GT350/500)		S7MS 6327702-A	S7MS 6327703-A	1
	67/68	F(63 -except GT350/500)		C7ZZ 6327702-A	C7ZZ 6327703-A	1
	68	F(63-GT350/500)	Refer to Group 28072-3			
	68	F(65) GT/CS		C8ZZ 6527702-A	C8ZZ 6527703-A	1
	69	F	Refer to Group 28010-1			
	67/69	F	1/4" Flat washer (3/4" O.D. x 1/16" thick)	★351308-S2	★351308-S2	6
			1/4"-20 Nut & washer assy.	373556-S100 (MM291F)	373556-S100 (MM291F)	6
27726-7	**BRACE - QUARTER PANEL TO REAR FLOOR**					
	72	A(exc.71)		D2AZ 6527726-A	D2AZ 6527727-A	1
	72	B(53, 65)		D2OZ 6527726-A	D2OZ 6527727-A	1
27754	**COVER - QUARTER WHEELHOUSE OPENING**					
	70	A(71)	Use with emission control system(California only)		D0AZ 7127754-A	1
27766	**GASKET - QUARTER WHEELHOUSE OPENING COVER**					
	70	A(except 71)	Use with emission control system		D0AZ 6227766-A	AR
27790-1	**PANEL - QUARTER INSIDE - FRONT**					
	68/71	B(66)		C8OZ 6627790-A	C8OZ 6627791-A	1
	67	B(66)	Refer to Group 278A08-9			
	72	L(73)		D2FZ 7327790-A	D2FZ 7327791-A	1
27798-9	**REINFORCEMENT - QUARTER WHEELHOUSE INNER PANEL**					
	69/71	A(71) "Before 10/22/70"		C9AZ 7127798-A	C9AZ 7127798-A	2
	71/	A(71) "From 10/22/70"		D1AZ 7127798-A	D1AZ 7127799-A	1
	66/71	B(66, 71)		C6OZ 7127798-A	C6OZ 7127798-A	2
	72	B(71)		D2OZ 7127798-A	D2OZ 7127799-A	1
	69/70	F(63)		C9ZZ 6327798-A	C9ZZ 6327799-A	1
	69/	F(76)		C9ZZ 7627798-A	C9ZZ 7627799-A	1
	66	X(66, 71)		C6OZ 7127798-A	C6OZ 7127798-A	2
	67/70	X(71)				2
27800-1	**BRACE - QUARTER PANEL TO WHEELHOUSE**					
	69/70	A(except 71, 76)		C9AZ 6227800-A	C9AZ 6227800-A	2
	71/	A(53, 54, 57, 65)		D1AZ 6527800-A	D1AZ 6527801-A	2
	71/	A(71)		D1AZ 7127800-A	D1AZ 7127801-A	1
	71/	A(76)		D1AZ 7627800-A	D1AZ 7627801-A	1
	68/69	B(54, 65)		C8OZ 5427800-A	C8OZ 5427801-A	1
	70/71	B(76)		D0OZ 7622800-A	D0OZ 7627801-A	1
	72	B(53, 65)		D2OZ 6527800-A	D2OZ 6527801-A	1
	68/69	S(65) "From 1/29/68"		C7SZ 6527800-B	C7SZ 6527800-B	2
	71	S(65B, D)				2
27802	**SEAL - QUARTER PANEL OUTER REAR EXTENSION**					
	68	A(54B, C, E, 57, 62, 63, 65, 76)	21 13/64"-rubber-cut to fit	C8OZ 5427802-A	C8OZ 5427802-A	2
	68/69	A(except 71)	Washer type-3/4" O.D.	C8AZ 5427802-A	C8AZ 5427802-A	4
	69/70	A(except 71)	22 7/8" long	C9AZ 6227802-A	C9AZ 6227802-A	2
	69/70	A(71)	7 29/32" long-cut to fit	C9AZ 7127802-A	C9AZ 7127802-A	2
	68	B(except 71)	21 13/64"-rubber-cut to fit	C8OZ 5427802-A	C8OZ 5427802-A	2
	69/	B(except 71)	22 7/8" long	C9AZ 6227802-A	C9AZ 6227802-A	2
	65/68	F except F(65) GT/CS		C5ZZ 6527802-C	C5ZZ 6527802-C	2
	67	F	Front fender extension	C7AZ 6227802-A	C7AZ 6227802-A	2
	69/70	F	22 7/8" long	C9AZ 6227802-A	C9AZ 6227802-A	2
	71	F	Cut from D0MZ 16D130-A	★	★	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
27802	**SEAL - QUARTER PANEL OUTER REAR EXTENSION - continued**					
	70/	P	Cut from D0MZ 16D130-A	★	★	
	68	X(except 71)	21 13/64"-rubber-cut to fit	C8OZ 5427802-A	C8OZ 5427802-A	2
	69/70	X(except 71)	22 7/8" long	C9AZ 6227802-A	C9AZ 6227802-A	2
278C02-3	**BEZEL ASSY. - QUARTER VENT AIR GRILLE SCREEN - INCLUDES ATTACHING PARTS**					
	65/66	F(63)	Quarter panel vent	C5ZZ 63278C08-A	C5ZZ 63278C09-A	1
				C5ZZ 63278C02-A	C5ZZ 63278C03-A	1
278A08-9	**PANEL - QUARTER PANEL INSIDE - FRONT**					
	67	B(66)		C6DZ 66278A08-A	C6DZ 66278A09-A	1
	68/	B(66,97)	Refer to Group 27790-1			
	67/69	S(65)		C7SZ 65278A08-A	C7SZ 65278A09-A	1
	71	S(65B, D)				1
	66	X(66)		C6DZ 66278A08-A	C6DZ 66278A09-A	1
278C08-9	**BEZEL - QUARTER PANEL VENT** - Refer to group 278C02-3					
278A10-1	**PANEL - QUARTER PANEL INSIDE - REAR**					
	72	B(97)		D2OZ 97278A10-A	D2OZ 97278A11-A	1
	66	X(66)		C6DZ 66278A10-A	C6DZ 66278A11-A	1
	67/71	B(66)				1
27814-5	**REINFORCEMENT - BODY SIDE PANEL - LOWER**					
	72	B(97)		D2OZ 9727814-A	D2OZ 9727815-A	1
278B26-7	**PANEL - BODY SIDE WINDOW OPENING**					
	66/	U(98)		C6TZ 98278B26-D	C6TZ 98278B27-D	1
278A36-7	**PILLAR - QUARTER WHEELHOUSE TO ROOF - INNER**					
	69/	A(71)		C9AZ 71278A36-A	C9AZ 71278A37-A	1
	66/71	B(71)		C6OZ 71278A36-A	C6OZ 71278A37-A	1
	66/70	X(71)		C6OZ 71278A36-A	C6OZ 71278A37-A	1
278A38-9	**PILLAR - QUARTER WHEELHOUSE TO ROOF - OUTER**					
	69/	A(71)		C9AZ 71278A38-A	C9AZ 71278A39-A	1
	66/71	B(71)		C6OZ 71278A38-A	C6OZ 71278A39-A	1
	72	B		D2OZ 71278A38-A	D2OZ 71278A39-A	1
	66/70	X(71)		C6OZ 71278A38-A	C6OZ 71278A39-A	1
27840-1	**PANEL ASSY. - QUARTER** - Drill Holes as Required					
		- A -				
	66	A(54)		C6AZ 5427840-A	C6AZ 5427841-A	1
	66	A(57)		C6AZ 5727840-A	C6AZ 5727841-A	1
	66	A(62)		C6AZ 6227840-A	★C6AZ 6227841-A Not replaced (12/74)	1
	66	A(63)		C6AZ 6327840-A	C6AZ 6327841-A	1
	66	A(76)		C6AZ 7627840-A	C6AZ 7627841-A	1
	67	A(54)		C7AZ 5427840-A	C7AZ 5427841-A	1
	67	A(57)		C7AZ 5727840-A	C7AZ 5727841-A	1
	67	A(62)		C7AZ 6227840-A	★C7AZ 6227841-A Not replaced (12/74)	1
	67	A(63)		C7AZ 6327840-A	C7AZ 6327841-A	1
	67	A(76)		C7AZ 7627840-A	C7AZ 7627841-A	1
	68	A(54)		C8AZ 5427840-A	C8AZ 5427841-A	1
	68	A(57)		C8AZ 5727840-A	C8AZ 5727841-A	1
	68	A(62)		C8AZ 6227840-A	C8AZ 6227841-A	1
	68	A(63)		C8AZ 6327840-A	C8AZ 6327841-A	1
	68	A(65)		C8AZ 6527840-A	C8AZ 6527841-A	1
	68	A(76)		C8AZ 7627840-A	C8AZ 7627841-A	1
	69	A(54)		C9AZ 5427840-A	C9AZ 5427841-A	1
	69	A(57)		C9AZ 5727840-A	C9AZ 5727841-A	1
	69	A(62)		C9AZ 6227840-A	C9AZ 6227841-A	1
	69	A(63)		C9AZ 6327840-A	C9AZ 6327841-A	1
	69	A(65)		C9AZ 6527840-A	C9AZ 6527841-A	1
	69	A(76)		C9AZ 7627840-A	C9AZ 7627841-A	1
	70	A(54)		D0AZ 5427840-A	D0AZ 5427841-A	1
	70	A(57)		D0AZ 5727840-A	D0AZ 5727841-A	1
	70	A(63)		D0AZ 6327840-A	D0AZ 6327841-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
27840-1		PANEL ASSY. - QUARTER - continued	- Drill Holes as required			
		- A -				
	70	A(65)		D0AZ 6527840-A	D0AZ 6527841-A	1
	70	A(76)		D0AZ 7627840-A	D0AZ 7627841-A	1
	71	A(54)		D1AZ 5427840-A	D1AZ 5427841-A	1
	71	A(53, 57)		D1AZ 5727840-A	D1AZ 5727841-A	1
	71	A(65)		D1AZ 6527840-A	D1AZ 6527841-A	1
	71	A(76)		D1AZ 7627840-A	D1AZ 7627841-A	1
	72	A(54)		D2AZ 5427840-A	D2AZ 5427841-A	1
	72	A(53, 57)		D2AZ 5727840-A	D2AZ 5727841-A	1
	72	A(65)		D2AZ 6527840-A	D2AZ 6527841-A	1
	72	A(76)		D2AZ 7627840-A	D2AZ 7627841-A	1
		- B -				
	66	B(54)		C6OZ 5427840-A	C6OZ 5427841-A	1
	66	B(62)		C6OZ 6227840-A	C6OZ 6227841-A	1
	66	B(63)		C6OZ 6327840-A	C6OZ 6327841-A	1
	66	B(71, 76)	Refer to Group 27846-7			
	67	B(54)		C7OZ 5427840-A	C7OZ 5427841-A	1
	67	B(62)		C7OZ 6227840-A	C7OZ 6227841-A	1
	67	B(63)		C7OZ 6327840-A	C7OZ 6327841-A	1
	67	B(66, 71, 76)	Refer to Group 27846-7			
	68/69	B(63)		C8OZ 6327840-A	C8OZ 6327841-A	1
	68/69	B(65)	Less rear lamp opening reinforcement (27970-1)	C9OZ 6527840-B	C9OZ 6527841-B	1
	68/69	B(66, 71, 76)	Refer to Group 27846-7			
	68/69	B(54)	Less rear lamp opening reinforcement(27970-1)	C9OZ 5427840-B	C9OZ 5427841-B	1
	70/71	B(54, 57)		D0OZ 5427840-A	D0OZ 5427841-A	1
	70/71	B(63)		D0OZ 6327840-A	D0OZ 6327841-A	1
	70/71	B(62, 65)		D0OZ 6527840-A	D0OZ 6527841-A	1
	70/71	B(66, 71, 76)	Refer to Group 27846-7			
	72	B(53)		D3OZ 5327840-A	D3OZ 5327841-A	1
	72	B(63)		D3OZ 6327840-A	D3OZ 6327841-A	1
	72	B(65)		D3OZ 6527840-A	D3OZ 6527841-A	1
	72	B(71,97)	Refer to Group 27846-7			
		- F -				
	65/66	F	Refer to Group 27846-7			
	67	F(63)		C7ZZ 6327840-A	C7ZZ 6327841-A	1
	67	F(65)		C7ZZ 6527840-A	C7ZZ 6527841-A	1
	67	F(76)		C7ZZ 7627840-A	C7ZZ 7627841-A	1
	68	F(63) "Before 2/15/68"	With depression for reflector	C8ZZ 6327840-A	C8ZZ 6327841-A	1
	68	F(63) "From 2/15/68"	Less depression for reflector	C8ZZ 6327840-B	C8ZZ 6327841-B	1
	68	F(65) "Before 2/15/68"	With depression for reflector	C8ZZ 6527840-A	C8ZZ 6527841-A	1
	68	F(65) "From 2/15/68"	Less depression for reflector	C8ZZ 6527840-B	C8ZZ 6527841-B	1
	68	F(76) "Before 2/15/68"	With depression for reflector	C8ZZ 7627840-A	C8ZZ 7627841-A	1
	68	F(76) "From 2/15/68"	Less depression for reflector	★C8ZZ 7627840-B not repl'd. (3-74)	C8ZZ 7627841-B	1
	69	F(63) exc. Boss-302	With scoop	C9ZZ 6327840-A	C9ZZ 6327841-A	1
	70	F(63) GT 350/500				1
	69	F(63) Boss-302	Without scoop	C9ZZ 6327840-B	C9ZZ 6327841-B	1
	69	F(65)		C9ZZ 6527840-A	C9ZZ 6527841-A	1
	70	F(65) GT 350/500				1
	69	F(76)		C9ZZ 7627840-A	C9ZZ 7627841-A	1
	70	F(76) GT 350/500				1
	70	F(63), exc. GT 350/500		D0ZZ 6327840-A	D0ZZ 6327841-A	1
	70	F(65)		D0ZZ 6527840-A	D0ZZ 6527841-A	1
	70	F(76), exc. GT 350/500		D0ZZ 7627840-A	D0ZZ 7627841-A	1
	71/	F(63)		D3ZZ 6327840-A	D3ZZ 6327841-A	1
	71/	F(65)	Also refer to Group 45118-0	D1ZZ 6527840-A	D1ZZ 6527841-A	1
	71/	F(76)		D1ZZ 7627840-A	D1ZZ 7627841-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
27840-1	**PANEL ASSY. - QUARTER - continued** - Drill holes as required					
		- L -				
	71/	L(62)		D1FZ 6227840-A	D1FZ 6227841-A	1
	71/72	L(64) " Before 4/3/72"		D1FZ 6427840-A	D1FZ 6427841-A	1
	72	L(64) " From 4/3/72"		D2FZ 6427840-A	D2FZ 6427841-A	1
		- P -				
	70/	P(62)		D0DZ 6227840-A	D0DZ 6227841-A	1
	71/	P(54)		D1DZ 5427840-A	D1DZ 5427841-A	1
		- S -				
	70/71	S(57)	Refer to Group 27846-7			
	70	S(65)		D0SZ 6527840-A	D0SZ 6527841-A	1
	71	S(65A, C)				1
	71	S(65B, D)		D1SZ 6527840-A	D1SZ 6527841-A	1
	72	S		D2SZ 6527840-A	D2SZ 6527841-A	1
		- U -				
	66/	U	Refer to Group 27700-1			
		- X -				
	66/70	X(66, 71)	Refer to Group 27846-7			
	66/67	X(54)		C6DZ 5427840-A	C6DZ 5427841-A	1
	66/67	X(62)		C6DZ 6227840-A	C6DZ 6227841-A	1
	68/70	X(54)		C9DZ 5427840-B	C9DZ 5427841-B	1
	68/70	X(62)		C9DZ 6227840-A	C9DZ 6227841-A	1
278A42	**BRACE - BODY SIDE LOWER PANEL**					
	66/	U		C6TZ 96278A42-A	C6TZ 96278A42-A	2
27846-7	**PANEL - QUARTER** - Drill holes as required					
		- A -				
	65	A(54)		★C5AZ 5427846-A not repl'd. (3-74)	C5AZ 5427847-A	1
	65	A(57)		C5AZ 5727846-A	C5AZ 5727847-A	1
	65	A(62)		C5AZ 6227846-A	★C5AZ 6227847-A Not replaced (12-74)	1
	65	A(63)		C5AZ 6327846-A	C5AZ 6327847-A	1
	66/	A(except 71)	Refer to Group 27840-1			
	66	A(71)		C6AZ 7127846-A	C6AZ 7127847-A	1
	67	A(71)		C7AZ 7127846-A	C7AZ 7127847-A	1
	68	A(71)		C8AZ 7127846-A	C8AZ 7127847-A	1
	69/70	A(71)		C9AZ 7127846-A	C9AZ 7127847-A	1
	71/	A(71)		D1AZ 7127846-A	D1AZ 7127847-A	1
		- B -				
	65	B(54)		C5OZ 5427846-A	C5OZ 5427847-A	1
	65	B(65)		C5OZ 6527846-A	★C5OZ 6527847-A not repl'd. (3-74)	1
	66	B(71)		★C6OZ 7127846-A Not replaced (12-74)	C6OZ 7127847-A	1
	66/67	B(76)		C6OZ 7627846-A	C6OZ 7627847-A	1
	66/	B(except 66, 71, 76)	Refer to Group 27840-1			
	67	B(66)		C7OZ 6627846-A	C7OZ 6627847-A	1
	67	B(71)		C7OZ 7127846-A	C7OZ 7127847-A	1
	68	B(71)		C8OZ 7127846-A	C8OZ 7127847-A	1
	68/69	B(66)		C9OZ 6627846-A	C9OZ 6627847-A	1
	68/69	B(76)		C8OZ 7627846-B	C8OZ 7627847-B	1
	69	B(71)		C9OZ 7127846-A	C8OZ 7127847-A	1
	70/71	B(66)		D0OZ 6627846-A	D0OZ 6627847-A	1
	70/71	B(71)		D0OZ 7127846-A	D0OZ 7127847-A	1
	70/71	B(76)		D0OZ 7627846-A	D0OZ 7627847-A	1
	72	B(71)		D2OZ 7127846-A	D2OZ 7127847-A	1
	72	B(97)		D2OZ 9727846-A	D2OZ 9727847-A	1
	72	B(exc.71,97)	Refer to Group 27840-1			
		- F -				
	65/66	F(63)		C5ZZ 6327846-A	C5ZZ 6327847-A	1
	65/66	F(65)		C5ZZ 6527846-B	C5ZZ 6527847-B	1
	65/66	F(76)		C5ZZ 7627846-B	C5ZZ 7627847-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
27846-7	**PANEL - QUARTER - continued** - Drill holes as required					
		- L -				
	72	L(73)		D2FZ 7327846-A	D2FZ 7327847-A	1
		- S -				
	65	S(63)		C4SZ 6327846-A	C4SZ 6327847-A	1
	66	S(63A)				1
	66	S(63C, D)		C6SZ 6327846-A	C6SZ 6327847-A	1
	65/66	S(76)		C4SZ 7627846-A	C4SZ 7627847-A	1
	67/69	S(57)		C7SZ 5727846-B	C7SZ 5727847-B	1
	67/69	S(65)		C7SZ 6527846-B	C7SZ 6527847-B	1
	70/71	S(57)		D0SZ 5727846-A	D0SZ 5727847-A	1
	70/	S(65)	Refer to Group 27840-1			
		- U -				
	66/	U	Refer to Group 27700-1			
		- X -				
	65	X(62)		C4DZ 6227846-B	C4DZ 6227847-B	1
	65	X(63)		★C4DZ 6327846-B not repl'd. (3-74)	C4DZ 6327847-B	1
	65	X(66)		C4DZ 6627846-A	C4DZ 6627847-A	1
	66/70	X(54, 62)	Refer to Group 27840-1			
	66	X(66)		C7OZ 6627846-A	C7OZ 6627847-A	1
	66	X(71)		★C6OZ 7127846-A not replaced (12-74)	C6OZ 7127847-A	1
	67/70	X(71)		C7OZ 7127846-A	C7OZ 7127847-A	1
278B50-1	**FILL - QUARTER WHEELHOUSE - OUTER**					
	72	L(73)		D2FZ 73278B50-A	D2FZ 73278B51-A	1
27858-9	**PANEL - QUARTER PANEL INSIDE TO FLOOR PAN**					
	69/	A(71)		Refer to Groups 47028 and 47030	C9AZ 7127859-A	1
	67	B(66, 71)		C6DZ 6627858-A	C6DZ 7127859-A	1
	68/69	B(66)		C8OZ 6627858-A	C8OZ 6627859-A	1
	70	B(66)		D0OZ 6627858-A	D0OZ 6627859-A	1
	71	B(66)		D0OZ 6627858-A	D1OZ 6627859-A	1
	66	X(66)		★C6DZ 6627858-A not repl'd. (3-74)	C6DZ 7127859-A	1
	66/70	X(71)		Refer to Group 47028	C6DZ 7127859-A	1
278C58-9	**PANEL - QUARTER INSIDE - CENTER**					
	68/71	B(66)		C8OZ 66278C58-A	C8OZ 66278C59-A	1
	66	X(66)		C6DZ 66278C58-A	C6DZ 66278C59-A	1
	67	B(66)				1
27864-5	**PANEL - BODY SIDE - INNER**					
	68/69	B(66)		C8OZ 6627864-B	C8OZ 6627865-A	1
	70/71	B(66)		D0OZ 6627864-A	D0OZ 6627865-A	1
	72	B(97)		D2OZ 9727864-A	D2OZ 9727865-A	1
27866-7	**PANEL - QUARTER OUTSIDE FINISH - REAR**					
	71/	A(53, 57H, K, 65H, K, 76)		D1AZ 6527866-A	D1AZ 6527867-A	1
278A68-9	**REINFORCEMENT ASSY. - BODY REAR CORNER PANEL**					
	66/	U		D3BZ 10278A68-A	D3BZ 10278A69-A	1
27870-1	**PANEL - QUARTER WINDOW REGULATOR**					
		- A -				
	65/66	A(76)		C5AZ 7627870-A	C5AZ 7627871-A	1
	65/66	A(76)	Plug (button)-1 1/4" dia. hole	352284-S(PP4)	352284-S(PP4)	2
	65/68	A(76)	Plug(button)-1 1/2" dia. hole	377901-S(PP14N)	377901-S(PP14N)	2
			Plug (button)-2.15"x5.32" hole	★379718-S	★379718-S	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
27870-1	**PANEL - QUARTER WINDOW REGULATOR - continued**					
		- A -				
	69	A(62)		★C9AZ 6227870-A not repl'd.(1-73)	C9AZ 6227871-A	1
	69	A(63)		C9AZ 6327870-A	C9AZ 6327871-A	1
	69	A(65)		C9AZ 6527870-A	C9AZ 6527871-A	1
	69	A(76)		C9AZ 7627870-A	C9AZ 7627871-A	1
	70	A(63)		D0AZ 6327870-A	D0AZ 6327871-A	1
	70	A(65)		D0AZ 6527870-A	D0AZ 6527871-A	1
	70	A(76)		D0AZ 7627870-A	D0AZ 7627871-A	1
	71/	A(65)		D1AZ 6527870-A	D1AZ 6527871-A	1
	71/	A(76)		D1AZ 7627870-A	D1AZ 7627871-A	1
		- B -				
	68/69	B(76)		C8OZ 7627870-A	★C8OZ 7627871-A not repl'd. (3-74)	1
	70	B(62)		D0OZ 6227870-A	D0OZ 6226871-A	1
	70/71	B(63, 65)		D0OZ 6527870-A	D0OZ 6527871-A	1
	70/71	B(76)		D0OZ 7627870-A	D0OZ 7627871-A	1
	72	B(63)		D2OZ 6327870-A	D2OZ 6327871-A	1
	72	B(65)		D2OZ 6527870-A	D2OZ 6527871-A	1
		- F -				
	67/68	F(76)		C7ZZ 7627870-A	C7ZZ 7627871-A	1
	69/70	F(65)		C9ZZ 6527870-A	C9ZZ 6527871-A	1
	69/70	F(76)		C9ZZ 7627870-A	C9ZZ 7627871-A	1
	71/	F(63, 65)		D1ZZ 6527870-A	D1ZZ 6527871-A	1
	71/	F(76)		D1ZZ 7627870-A	D1ZZ 7627871-A	1
		- S -				
	68/69	S(65)		C8SZ 6527870-C	C8SZ 6527871-C	1
	70	S(65)		D0SZ 6527870-A	D0SZ 6527871-A	1
	71	S(65A, C)		D1SZ 6527870-A	D1SZ 6527871-A	1
	72	S		D2SZ 6527870-A	D2SZ 6527871-A	1
		- X -				
	68/70	X(62)		C8DZ 6227870-A	C8DZ 6227871-A	1
27874-5	**REINFORCEMENT - QUARTER WINDOW REGULATOR PANEL - UPPER**					
	70	B(76)		D0OZ 7627874-A	D0OZ 7627875-A	1
278C74-5	**PLATE - BODY SIDE UPPER PANEL ACCESS HOLE COVER**					
	66	X(66)		★C6DZ 66278C74-A not repl'd.(1-73)	C6DZ 66278C75-A	1
	67	B(66)				1
			No. 8-15 x 1/2" Flat head screw	52012-S8(U202)	52012-S8(U202)	8
278C80-1	**EXTENSION - REAR CORNER INNER FRONT LOWER PILLAR**					
	66	X(66)		C6DZ 66278C80-A	C6DZ 66278C81-A	1
	67/71	B(66)				1
27882-3	**WHEELHOUSE ASSY. - REAR QUARTER**					
	65	A, B, F, S, X	Service Details -refer to Groups 27886-7 and 27894-5			
	69	B(63)-Talladega		C9OZ 6327882-A	C9OZ 6327883-A	1
	69/	B(exc. Talladega)	Service details-refer to Groups 27886-7 and 27894-5			
278C82-3	**EXTENSION - QUARTER INSIDE REAR PANEL**					
	66	X(66)		C6DZ 66278C82-A	C6DZ 66278C83-A	1
	67/71	B(66)				1
27886-7	**PANEL - QUARTER WHEELHOUSE - INNER**					
		- A -				
	65/66	A(71)		C5AZ 7127886-A	★C5AZ 7127887-A not replaced (7-73)	1
	65/68	A(except 71)		C5AZ 6227886-A	C5AZ 6227887-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
27886-7	**PANEL - QUARTER WHEELHOUSE - INNER - continued**					
		- A -				
	67/68	A(71)		C5AZ 7127886-A	C7AZ 7127887-A	1
	69/	A(except 71)		C9AZ 6227886-A	C9AZ 6227887-A	1
	69/71	A(71) "Before 10/22/70"		D1AZ 7127886-A	C9AZ 7127887-A	1
	71	A(71) "From 10/22/70"		D1AZ 7127886-A	D1AZ 7127887-A	1
	72	A(71)		D2AZ 7127886-A	D2AZ 7127887-A	1
		- B -				
	66/69	B(except 71,Talladega)		C6OZ 6227886-A	C6OZ 6227887-A	1
	69	B(63)-Talladega	Serviced in assy.-refer to Group 27882-3			
	70/71	B(exc.71)		D0OZ 6527886-A	D0OZ 6527887-A	1
	66/71	B(71)		C6OZ 7127886-A	C6OZ 7127887-A	1
	72	B(exc.71,97)		D2OZ 6527886-A	D2OZ 6527887-A	1
	72	B(71)		D2OZ 7127886-A	D2OZ 7127887-A	1
		- F -				
	65/70	F		C5ZZ 6527886-B	C5ZZ 6527887-A	1
	71/72	F " Before 12/1/71"		D2ZZ 6527886-B	D1ZZ 6527887-A	1
	72	F " From 12/1/71"		D2ZZ 6527886-B	D2ZZ 6527887-A	1
		- L -				
	71/	L(62,64)		D1FZ 6227886-A	D1FZ 6227887-A	1
	72	L(73)	Serviced in assy.-refer to Group 27790-1			
		- P -				
	70/	P		D0DZ 6227886-A	D0DZ 6227887-A	1
		- S -				
	67/71	S		C7SZ 6527886-A	C7SZ 6527887-A	1
	72	S		D2SZ 6527886-A	D2SZ 6527887-A	1
		- X -				
	66/70	X(except 71)		C6OZ 6227886-A	C6OZ 6227887-A	1
	66/70	X(71)		C6OZ 7127886-A	C6OZ 6227887-A	1
27A92-3	**PANEL ASSY. - BODY SIDE UPPER**					
	66/	U(97)		C6TZ 97278A92-A	C6TZ 97278A93-A	1
27894-5	**PANEL - QUARTER WHEELHOUSE - OUTER**					
		- A -				
	66	A(except 71)		C6AZ 6227894-A	C6AZ 6227895-A	1
	66	A(71)		C6AZ 7127894-A	★C6AZ 7127895-A not repl'd. (3-74)	1
			Plug (button)-1"dia. hole	377678-S(PP3E)	377678-S(PP3E)	1
	67	A(except 71)		C7AZ 6227894-A	C7AZ 6227895-A	1
	67	A(71)		C7AZ 7127894-A	C7AZ 7127895-A	1
	68	A(54,57,62,65,76)		C8AZ 6227894-A	C8AZ 6227895-A	1
	68	A(63)		C8AZ 6327894-A	C8AZ 6327895-A	1
	68	A(71)		C8AZ 7127894-A	C8AZ 7127895-A	1
	69	A(71)		C9AZ 7127894-A	C9AZ 7127895-A	1
	69/70	A(except 71)		D0AZ 6227894-A	D0AZ 6227895-A	1
	71/	A(exc.71)		D1AZ 6527894-A	D1AZ 6527895-A	1
	70/71	A(71) "Before 10/22/70"		D1AZ 7127894-B	D1AZ 7127895-A	1
	71/	A(71) "From 10/22/70"		D1AZ 7127894-B	D1AZ 7127895-B	1
		- B -				
	66/67	B(except 66,71)		C6OZ 6227894-A	C6OZ 6227895-A	1
	66/67	B(71)	Dual action tailgate	C6OZ 7127894-A	★C6OZ 7127895-A not repl'd. (3-74)	1
	67	B(66,71)	Single action tailgate	C6OZ 7127894-A	C6DZ 7127895-B	1
	68	B(71)		C8OZ 7127894-B	C8OZ 7127895-B	1
	68/69	B(except 66,71 & Talladega)		C8OZ 5427894-B	C8OZ 5427895-B	1
	69	B(63)-Talladega	Serviced in assy.-refer to Group 27882-3			
	68/69	B(66)		C8OZ 6627894-B	C8OZ 6627895-B	1
	70/71	B(54,57,62,63,65,76)		D0OZ 6527894-A	D0OZ 6527895-A	1
	70/71	B(66)		D0OZ 7127894-A	D0OZ 6627895-A	1
	70/71	B(71)		D0OZ 7127894-A	D0OZ 7127895-A	1
	72	B(exc.71,97)		D2OZ 6527894-A	D2OZ 6527895-A	1
	72	B(71)		D2OZ 7127894-A	D2OZ 7127895-A	1
	72	B(97)		D2OZ 9727894-A	D2OZ 9727895-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
27894-5	**PANEL - QUARTER WHEELHOUSE - OUTER - continued**					
		- F -				
	65/66	F		C5ZZ 6527894-A	★C5ZZ 6527895-A Not replaced (3/75)	1
	67/68	F		C7ZZ 6527894-A	C7ZZ 6527895-A	1
	69	F	Without F60-15 tire	C9ZZ 6527894-A	★C9ZZ 6527895-A r/b D0ZZ 6527895-A (1/75)	1
	69	F	With F60-15 tire	C9ZZ 6327894-A	C9ZZ 6327895-A	1
	70	F		D0ZZ 6527894-A	D0ZZ 6527895-A	1
	71/	F		D1ZZ 6527894-A	D1ZZ 6527895-A	1
		- L -				
	71/	L(62, 64)		D1FZ 6227894-A	D1FZ 6227895-A	1
	72	L(73)		D2FZ 7327894-A	D2FZ 7327895-A	1
		- P -				
	70/	P		D0DZ 6227894-A	D0DZ 6227895-A	1
		- S -				
	65/66	S	Drill holes as required	★C4SZ 6327894-A Not replaced (1/75)	C4SZ 6327895-A	1
	67	S		C7SZ 6527894-A	C8SZ 6527895-A	1
			Plug (button)-3/4" diam. hole		379150-S(KK23A)	1
	68/69	S		C8SZ 6527894-A	C8SZ 6527895-A	1
	70/71	S		D0SZ 6527894-A	D0SZ 6527895-A	1
	72	S		D2SZ 6527894-A	D2SZ 6527895-A	1
		- X -				
	66/70	X(54, 62)		C6DZ 6227894-A	C6DZ 6227895-A	1
	66	X(66, 71)	Single action tailgate	C6OZ 7127894-A	C6DZ 7127895-B	1
	67/70	X(71)				1
	66/70	X(71)	Dual action tailgate	C6OZ 7127894-A	C6OZ 7127895-A	1
278C94-5	**WEATHERSTRIP - BODY SIDE WINDOW OPENING PANEL LOWER**					
	66/	U(98)		C6TZ 98278C94-A	C6TZ 98278C95-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
27896-7	**EXTENSION - QUARTER WHEELHOUSE REAR**				
	69/	A(71)	L.H.	C9AZ 7127897-A	1
	69/	A(71)	R.H.-Refer to Group 47122		
	70/71	B(66)	R.H.	D0OZ 6627896-A	1
	72	B(97)	R.H.	D2OZ 9727896-A	1
			L.H.	D2OZ 9727897-A	1
278C96	**RETAINER - BODY SIDE INNER PANEL**				
	66/	U(98)	Body side & windshield	C6TZ 98278C96-A	12
	66/	U(97)	Windshield		4
	66/	U(97)	Back window		3

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
278A98-9	**PANEL - BODY SIDE - OUTER**					
	68/69	B(66)		C8OZ 66278A98-A	C8OZ 66278A99-A	1
	70/71	B(66)		D0OZ 66278A98-A	D0OZ 66278A99-A	1
	70	B(66)	Screw & washer-No.8-18 x 1/2" self tapping	381969-S2(UU89A)	381969-S2(UU89A)	2
279B04	**GAME TABLE**					
	69/	A(71)			D3AZ 71279B04-A	1
279C18-9	**REINFORCEMENT - BODY SIDE WINDOW OPENING - REAR**					
	66/68	U(98) "Before Ser. D40, 001"		C6TZ 98279C18-A	C6TZ 98279C19-A	1
			5/16"-18 x 3/4" Hex. hd. screw & washer assy.	359662-S7-8(BB575A)	359662-S7-8(BB575A)	2
	68/	U(98) "From Ser. D40, 001"	Refer to groups 279C20-1, 279C44-5, 279C72-3			

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
279C20-1	**REINFORCEMENT - BODY SIDE WINDOW OPENING - REAR**					
	68/	U(98) "From D40,001"		C8TZ 98279C20-A	C8TZ 98279C21-A	1
27926	**EXTENSION - QUARTER WHEELHOUSE INNER PANEL**					
	71/	F(76)		D1ZZ 7627926-A	D1ZZ 7627926-A	2
27930-1	**COVER - QUARTER WINDOW REGULATOR PANEL ACCESS HOLE**					
	66	B(76) "Before 11/24/65"	NOTE 1	★C6OZ 7627930-A Not replaced (7/73)	C6OZ 7627931-A	1
	66	B(76) "From 11/24/65"		★C6OZ 7627930-B Not replaced (1/73)	★C6OZ 7627931-B Not replaced (11/73)	1
			No. 8-18 x 1/2" Cross recess pan head screw	52726-S13(U381)	52726-S13(U381)	12

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
279C30	**WEATHERSTRIP - BODY SIDE UPPER PANEL**				
	66/	U(97)		C6TZ 97279C30-A	2
27936	**HOUSING - FUEL FILLER PIPE**				
	67	A(except 71)		C7AZ 6227936-B	1
			No. 10-12 x 3/4" Hex. washer head screw	42141-S8(U250)	2
			No. 10-12 Nut (speed)	45147-S8(M131)	2
	68	A(except 71)		C8AZ 6227936-A	1
	69	A	Refer to Group 40354		
	70	A		D2MZ 7127936-A	1
	71	A "Before 1/25/71"	R/B D1AZ 6527936-B (1-73)	★D1AZ 6527936-A	1
	71	A "From 1/25/71"		D1AZ 6527936-B	1
			Plug button-3/8" dia.	379286-S(PP2C)	1
	72	A		D2AZ 6527936-A	1
	72	B(71)		D2OZ 7127936-A	1
	67/69	S		C7SZ 6527936-B	1
	70	S(57)			1
	71	S(57,65B,D)			1
	70	S(65)		D0SZ 6527936-A	1
	71	S(65A,C)			1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
279C44-5	**SUPPORT - BODY SIDE WINDOW OPENING PANEL - REAR**					
	68/	U(98) "From Ser. D40,001"		C8TZ 98279C44-A	C8TZ 98279C45-A	1
27950-1	**EXTENSION - QUARTER WHEELHOUSE FRONT**					
	72	B(97)		D2OZ 9727950-A	D2OZ 9727951-A	1
279A51	**EXTENSION - QUARTER WHEELHOUSE INNER PANEL REAR**					
	72	B(71)			D2OZ 71279A51-A	1
279A62-3	**REINFORCEMENT - LUGGAGE COMPARTMENT DOOR OPENING - SIDE**					
		- A -				
	65	A(54,57,62,63,76)		C5AZ 62279A62-A	C5AZ 62279A62-A	2
	66	A(54,57,62,76)				2
	67	A(54,57,62)				2
	68	A(54,57,62,65)				2
	66	A(63)		C6AZ 63279A62-A	C6AZ 63279A62-A	2
		- B -				
	66/69	B(54,62,63,76)		C6OZ 62279A62-A	C6OZ 62279A62-A	2
	70/71	B(54,57,62,63,65,76)		D0OZ 65279A62-A	D0OZ 65279A63-A	1
		- F -				
	71	F(63)		D1ZZ 63279A62-A	D1ZZ 63279A63-A	1
		- S -				
	67/70	S(57)	Front	C7SZ 57279A62-A	C7SZ 57279A63-A	1
	67/70	S(65)		C7SZ 65279A62-A	C7SZ 65279A62-A	2
	71	S(57,65B,D)				2

NOTE 1 - Used on units with Power Tops

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
27970-1	**REINFORCEMENT - TAIL LAMP OPENING**					
		- A -				
	65	A(except 71)		C5AZ 6227970-A	C5AZ 6227970-A	2
	66	A(except 71)		C6AZ 6227970-A	C6AZ 6227970-A	2
	66	A(71)		C6AZ 7127970-A	C6AZ 7127970-A	2
	67	A(71)		C7AZ 7127970-A	C7OZ 7127970-A	2
	68	A(except 71)		C8AZ 6227970-A	C8AZ 6227971-A	1
	68	A(71)		C8AZ 7127970-A	C8AZ 7127970-A	2
	69	A(except 71)		C9AZ 6227970-A	C9AZ 6227971-A	1
	69/70	A(71)		C9AZ 7127970-A	C9AZ 7127971-A	1
	70	A(except 71)		D0AZ 6227970-A	D0AZ 6227971-A	1
	71/	A(exc.71)		D1AZ 6527970-A	D1AZ 6527971-A	1
	71/	A(71)		D1AZ 7127970-A	D1AZ 7127971-A	1
	65	B(54, 62, 65)	Serviced only in assy.- refer to Group 40320			2
	66	B(except 71)		C6OZ 6227970-A	C6OZ 6227970-A	2
	66	B(71)		C6OZ 7127970-A	C6OZ 7127970-A	2
	67	B(except 71)		C7OZ 6227970-A	C7OZ 6227970-A	2
	67	B(71)		C7OZ 7127970-A	C7OZ 7127970-A	2
	68	B(54, 65, 76)		C8OZ 5427970-A	C8OZ 5427971-A	1
	68/69	B(66, 71)		C8OZ 7127970-A	C8OZ 7127970-A	2
	69	B(54, 65, 76)		C9OZ 5427970-A	C9OZ 5427971-A	1
	70	B(54, 57, 62, 65, 76)		D0OZ 6527970-A	D0OZ 6527971-A	1
	71	B(54, 57, 65, 76)				1
	70/71	B(63)		D0OZ 6327970-A	D0OZ 6327971-A	1
	70	B(71)		D0OZ 7127970-A	D0OZ 7127971-A	1
	71	B(66, 71)				1
	72	B(exc.71,97)		D2OZ 6527970-A	D2OZ 6527971-A	1
	72	B(71,97)		D2OZ 7127970-A	D2OZ 7127971-A	1
		- L -				
	72	L(73)		D2FZ 7327970-A	D2FZ 7327971-A	1
		- P -				
	70	P(62)	Rear	D0DZ 6227970-A	D1DZ 6227971-A	1
	71/	P(54)	Rear	D1DZ 5427970-A	D1DZ 5427971-A	1
	71/	P(62)		D1DZ 6227970-A	D1DZ 6227971-A	1
		- S -				
	72	S		D2SZ 6527970-A	D2SZ 6527971-A	1
		- X -				
	66	X(66, 71)		C6OZ 7127970-A	C6OZ 7127970-A	2
	66/67	X(54, 62)		C7DZ 6227970-A	C7DZ 6227970-A	2
	67/70	X(66, 71)		C7OZ 7127970-A	C7OZ 7127970-A	2
	68/70	X(54, 62)		C8DZ 6227970-A	C8DZ 6227971-A	1
279C72-3	**BRACE - BODY SIDE WINDOW OPENING REAR REINFORCEMENT**					
	68/	U(98) "From Ser. D40,001"		C8TZ 98279C72-A	C8TZ 98279C73-A	1
27974-5	**PANEL - QUARTER WHEEL OPENING COVER - INCLUDES SEAL and ATTACHING PARTS**					
	65/66	S		C4SZ 6327974-B	C4SZ 6327975-B	1
279B76	**RECREATION KIT - TABLE**					
	69/	A(71)	Includes checkers		D3AZ 71279B76-A	1

Consists of

1-D3AZ 71279B04-A Game table
1-D3AZ 71280C36-A Checkers
2-D3AZ 71280C38-A Retainer
1-D3AZ 71280C40-A Cable
5-380098-S Rivet

279C80-1	**FILLER - QUARTER PANEL OUTER REAR EXTENSION**					
	68	A(except 71)		C8AZ 62279C80-A	C8AZ 62279C81-A	1
27986-7	**SEAL - QUARTER WHEEL OPENING COVER**					
	65/66	S		C4SZ 6327986-A	C4SZ 6327987-A	1
279C90-1	**EXTENSION - QUARTER PANEL LOWER - REAR**					
	72	B(71)		D2OZ 71279C90-A	D2OZ 71279C91-A	1
	72	B(97)		D2OZ 97279C90-A	D2OZ 97279C91-A	1
	71/	L		D1FZ 62279C90-A	D1FZ 62279C91-A	1
	71/	F		D1ZZ 65279C90-A	D1ZZ 65279C91-A	1
27998-9	**EXTENSION - PANEL QUARTER INSIDE FRONT**					
	70/71	B(66)		D0OZ 6627998-A	D0OZ 6627999-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
28010-1	**EXTENSION - QUARTER PANEL - REAR**				
		- A -			
	67	A(54,57,62,63,76)	R.H.-Outer rear	C7AZ 6228010-A	1
			L.H.	C7AZ 6228011-A	1
	67	A(54,57,62,63,76)	1/4" Flat washer & sealer assy.	381923-S100(XX91B)	6
			1/4"-20 Nut & washer assy.	373556-S100(MM291F)	8
	68	A(54,57,63,65,76)	R.H.-Outer rear-without holes	C8AZ 6228010-A	1
			L.H.	C8AZ 6228011-A	1
	69	A(except 71)	R.H.-outer	C9AZ 6228010-C	1
			L.H.	C9AZ 6228011-C	1
	70	A(except 71)	R.H.	D0AZ 6228010-A	1
			L.H.	D0AZ 6228011-A	1
	71	A(except 71)	R.H.	D1AZ 6528010-A	1
			L.H.	D1AZ 6528011-A	1
	72	A(except 71)	R.H.	D2AZ 6528010-A	1
			L.H.	D2AZ 6528011-A	1
	70	A	Nut 1/4" - 20 self threading	376842-S100(MM288A)	6
	70	A	Washer and sealer 7/8" dia.	383103-S100(XX119P)	6
		- B -			
	65	B(54,62,65)	R.H.	C5OZ 6228010-A	1
			L.H.	C5OZ 6228011-A	1
	65	B(71)	R.H.	C5OZ 7128010-A	1
			L.H.	C5OZ 7128011-A	1
	68	B(54,65,76)	R.H.-Outer rear	C8OZ 5428010-A	1
			L.H.	C8OZ 5428011-A	1
	68	B(63)	R.H.-Outer rear	C8OZ 6328010-A	1
			L.H.	C8OZ 6328011-A	1
	69	B(54,65,76)	R.H.-Outer	C9OZ 5428010-A	1
			L.H.	C9OZ 5428011-A	1
	69	B(63)	R.H.	C9OZ 6328010-A	1
			L.H.	C9OZ 6328011-A	1
	70/71	B(54,57,62,65,76)	R.H.	D0OZ 6528010-A	1
			L.H.	D0OZ 6528011-A	1
	70/71	B(63)	R.H.	D0OZ 6328010-A	1
			L.H.	D0OZ 6328011-A	1
	70/71	B	Nut 1/4" - 20 self threading	376842-S100(MM288A)	6
	70/71	B	Washer and sealer 7/8" dia.	383103-S100(XX119P)	6
		-F -			
	65/68	F	Refer to Group 27702-3		
	68	F(Shelby GT 350/500)	Refer to Group 28072-3		
	69	F(63 exc.Shelby GT350/500)	R.H.	C9ZZ 6328010-A	1
			L.H.	C9ZZ 6328011-A	1
	69	F(65,76-exc.Shelby GT350/500)	R.H.	C9ZZ 6528010-A	1
			L.H.	C9ZZ 6528011-A	1
	69/70	F(63-Shelby GT350/500)	R.H.-outer	C9ZZ 6328010-B	1
			L.H.	C9ZZ 6328011-B	1
	69/70	F(76-Shelby GT350/500)	R.H.-outer	C9ZZ 7628010-B	1
			L.H.	C9ZZ 7628011-B	1
	70	F(63)	R.H.	D0ZZ 6328010-A	1
			L.H.	D0ZZ 6328011-A	1
	70	F(65)	R.H.	D0ZZ 6528010-A	1
			L.H.	D0ZZ 6528011-A	1
	70	F(76)	R.H.	D0ZZ 7628010-A	1
			L.H.	D0ZZ 7628011-A	1
	70	F	Washer and seal-1/4"	383103-S100(XX119P)	6
	71	F(63)	R.H.	D1ZZ 6328010-A	1
			L.H.	D1ZZ 6328011-A	1
	71	F(65,76)	R.H.	D1ZZ 6528010-A	1
			L.H.	D1ZZ 6528011-A	1
		- P -			
	70	P(62)-w/o spoiler	R.H.	D0DZ 6228010-A	1
			L.H.	D0DZ 6228011-A	1
	70	P(62)-w/spoiler	R.H.	D1DZ 6228010-A	1
			L.H.	D1DZ 6228011-A	1
	71	P(54)	R.H.	D1DZ 5428010-A	1
			L.H.	D1DZ 5428011-A	1
			Washer and seal assy.	381923-S100(XX91B)	4

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
28010-1	**EXTENSION - QUARTER PANEL - REAR - continued**				
		- X -			
	68/70	X(54, 62)	R. H. -Outer rear-Zinc die cast	C8DZ 6228010-B	1
			L. H.	C8DZ 6228011-B	1
	66/70	X(66, 71)	Refer to Group 28072-3		
280A10-1	**PANEL - QUARTER WINDOW REGULATOR HOUSING - INNER**				
	67/71	S(65)	R. H.	C7SZ 65280A10-B	1
			L. H.	C7SZ 65280A11-B	1
			No. 8-18 x 3/8" Hex. washer head screw	42119-S8(UU246)	24
	67/71	S	No. 8-18 x 3/8" screw pan head	52720-S8(U380)	AR
			Screw-1/4"-20 x 1/4" set	381742-S2(UU106A)	AR
			Nut & washer -1/4"-20	378289-S2(MM296)	AR
	69/71	S	Screw-No. 8-18 x 3/4" pan head	376389-S101(UU82D)	AR
280B12	**TUBE - FUEL FILLER HOUSING DRAIN**				
	66/67	A(exc. 71) "Before 11/1/66"		C5AZ 62280B12-B	1
	66	A(71)- "From 11/15/65 to 12/29/65"			1
	67/71	S			1
	67/	A(exc. 71) "From 11/1/66"	Refer to Chassis Group 9A129		
	65/71	A, S	Grommet	379150-S(KK23A)	1
28022-3	**REINFORCEMENT - QUARTER WHEELHOUSE AT SEAT BACK BRACKET**				
	69/70	F(63)	R. H.	C9ZZ 6328022-A	1
			L. H.	C9ZZ 6328023-A	1
280B24	**BOOT - FUEL FILLER OPENING COLLAR TO WHEELHOUSE**				
	65/68	A(exc. 71), B(exc. 71)	Refer to Group 9008 in Chassis Section		
	66	A(71)		C6AZ 71280B24-A	1
	67	A(71)		C7AZ 71280B24-A	1
	68	A(71)		C8AZ 71280B24-A	1
	69/	A	Refer to Group 40354		
	66/67	B(71)		C6OZ 71280B24-A	1
	68/69	B(71)		C8OZ 71280B24-B	1
	70/71	B(71)		D0OZ 71280B24-A	1
	66/67	A(71), B(71)	No. 8-18 x .38" Cross recess truss head screw	376378-S101(UU97)	4
280A26-7	**PANEL - QUARTER WINDOW REGULATOR HOUSING - OUTER**				
	68/71	S(65)	R. H.	C8SZ 65280A26-B	1
			L. H.	C8SZ 65280A27-B	1
	68/71	S	Screw-1/4"-20 x 1 1/4" set	381742-S2(UU106A)	AR
	68/71	S	Nut & washer-1/4"-20	378289-S2(MM296)	AR
280B26	**SPACER - QUARTER WHEELHOUSE INNER TO FUEL TANK**				
	65/68	A(71)		C5AZ 71280B26-A	1
	66/69	B(71)		C6OZ 71280B26-A	1
	70/71	B(71)		D0OZ 71280B26-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
28032-3	**ORNAMENT - QUARTER PANEL OUTSIDE - INCLUDES ATTACHING PARTS**					
	70	B(63F, 66C, 76F)		D0OZ 6528032-A	D0OZ 6528032-A	10
			Nut 1/8" Sleeve	375890-S100(MM222A)	375890-S100(MM222A)	20
	69	F(63 exc. Boss and Shelby GT350/500)	Paint to match	C9ZZ 6328032-A	C9ZZ 6328033-A	1
	69	F(65, 76-exc. Shelby GT350/500	Paint to match-For Moulding refer to Group 290D14-5	C9ZZ 6528032-Y	C9ZZ 6528033-Y	1
	69/70	F(63-Shelby GT350/500)	Use on extension-adhesive backed	C9ZZ 6328032-B	C9ZZ 6328033-B	1
	69/70	F(76-Shelby GT350/500)	Use on extension-glue on type	C9ZZ 7628032-A	C9ZZ 7628033-A	1
	71	F(65D)	Refer to Group 8213 in Chassis Section			
	70	F (76)	Nut 5/16" self threading	382110-S100(MM284X)	382110-S100(MM284X)	12
28034-5	**FILLER - QUARTER PANEL LOWER REAR**					
	72	B(71)		D2OZ 7128034-A	D2OZ 7128035-A	1
	72	B(97)		D2OZ 9728034-A	D2OZ 9728035-A	1
280A36-7	**PILLAR - QUARTER WHEELHOUSE TO ROOF INNER - LOWER**					
	72	B(71)		D2OZ 71280A36-A	D2OZ 71280A37-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
280C36	**GAME KIT**				
	69/	A(71)	Incl. 24 checkers	D3AZ 71280C36-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
28038-9	**PLATE - BODY REAR CORNER PANEL REINFORCEMENT**					
	66/	U		C4TZ 9928038-B	C4TZ 9928039-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
280A38	**RETAINER ASSY. - GAME TABLE**				
	69/	A(71)		D3AZ 71280A38-A	2
280C40	**CABLE ASSY. - GAME TABLE**				
	69/	A(71)		D3AZ 71280C40-A	1
280A44	**ABSORBER - QUARTER OUTSIDE PANEL REAR - SOUND** - Refer to Group 54330				

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
28054-5	**BRACKET - QUARTER WINDOW PANEL TO WHEELHOUSE**					
	71/	F(76)		D1ZZ 7628054-A	D1ZZ 7628055-A	1
28058-9	**EXTENSION - QUARTER PANEL - LOWER REAR**					
		- A -				
	65	A(54, 57, 62, 63, 76)		C5AZ 6228058-A	C5AZ 6228059-A	1
	66	A(except 71)		C6AZ 6228058-A	C6AZ 6228059-A	1
	66	A(71)		★C6AZ 7128058-A Not replaced(3-74)	C6AZ 7128059-A	1
	67	A(except 71)		C7AZ 6228058-A	C7AZ 6228059-A	1
	67	A(71)		C7AZ 7128058-A	C7AZ 7128059-A	1
	68	A(71)		C8AZ 7128058-A	C8AZ 7128059-A	1
	69/70	A(71)		C9AZ 7128058-A	C9AZ 7128059-A	1
	71/	A(71)		D1AZ 7128058-A	D1AZ 7128059-A	1
		- B -				
	66/67	B(54, 62, 63, 76)		C7OZ 6228058-A	C7OZ 6228059-A	1
	66	B(71)		★C6OZ 7128058-A	C6OZ 7128059-A	1
	67	B(66, 71)		Not replaced (1-75)		1
	68/69	B(66)		C8OZ 6628058-A	C8OZ 6628059-A	1
	68/69	B(71)		C8OZ 7128058-A	C8OZ 7128059-A	1
	70/71	B(66)		D0OZ 6628058-A	D0OZ 6628059-A	1
	70/71	B(71)		D0OZ 7128058-A	D0OZ 7128059-A	1
		- F -				
	65/66	F		C5ZZ 6528058-A	C5ZZ 6528059-A	1
	67/68	F		C7ZZ 6528058-A	C7ZZ 6528059-A	1
	69	F(63)		C9ZZ 6328058-A	C9ZZ 6328059-A	1
	69	F(65, 76)		C9ZZ 6528058-A	D0ZZ 6528059-A	1
	70	F(63)		D0ZZ 6328058-A	D0ZZ 6328059-A	1
	70	F(65)		D0ZZ 6528058-A	D0ZZ 6528059-A	1
	70	F(76)		D0ZZ 7628058-A	D0ZZ 7628059-A	1
	71/	F(63)		D1ZZ 6328058-A	D1ZZ 6328059-A	1
	71/	F(65,76)		D1ZZ 6528058-A	D1ZZ 6528059-A	1
		- P -				
	70/	P		D0DZ 6228058-A	D0DZ 6228059-A	1
			Washer & seal assy.	381923-S100(XX91B)	381923-S100(XX91B)	2
		- S -				
	67/69	S		C7SZ 6528058-A	C7SZ 6528059-A	1
	70/71	S		D0SZ 6528058-A	D0SZ 6528059-A	1
			Screw No. 8-18 x 1/2"-pan head	55997-S45X(U381-D)	55997-S45X(U381-D)	2
	72	S		D2SZ 6528058-A	D2SZ 6528059-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
28058-9	**EXTENSION - QUARTER PANEL - LOWER REAR - continued**					
		- X -				
	66/67	X(54,62)		C7DZ 6228058-A	★C7DZ 6228059-A Not replaced (3/74)	1
	66	X(66)		C6OZ 7128058-A	C6OZ 7128059-A	1
	66/70	X(71)				1
280A58-9	**PANEL - BODY REAR CORNER**					
	66/69	U "Before Ser. E24,001"		C4TZ 99280A58-A	C4TZ 99280A59-A	1
	69/	U "From Ser. E24,001"		C9TZ 97280A58-A	C9TZ 97280A59-A	1
28060-1	**FILLER - QUARTER PANEL - UPPER FRONT** - Also Refer to Group 27840					
	66/67	B(62)		C6OZ 6228060-A	C6OZ 6228061-A	1
	66/70	X(62)				1
	69	F(65)		C9ZZ 6528060-A	C9ZZ 6528061-A	1
	70/	F(65)	Serviced in assy. - refer to Groups 27840-1 and 45118-9			
	67/69	S(65)		C7SZ 6528060-A	C7SZ 6528061-A	1
	71	S(65B,D)		C7SZ 6528060-A	C7SZ 6528061-A	1
280B62-3	**GRILLE ASSY. - QUARTER PILLAR VENT AIR - INCLUDES ATTACHING PARTS**					
	70	A(except 71)		D0AZ 62280B62-A	D0AZ 62280B63-A	1
	71/	A(53,54,57)		D1AZ 54280B62-A	D1AZ 54280B62-A	2
	71/	A(65,76)		D1AZ 65280B62-A	D1AZ 65280B62-A	2
	70/71	B(54,57)		D0AZ 62280B62-A	D0AZ 62280B63-A	1
	70/71	B(62,63,65,66,76)		D0OZ 65280B62-A	D0OZ 65280B62-A	2
	72	B(53)		D2OZ 53280B62-A	D2OZ 53280B62-A	2
	72	B(63,65,97)		D2SZ 65280B62-A	D2SZ 65280B62-A	2
	70/	F		D0ZZ 65280B62-A	D0ZZ 65280B63-A	1
	70	P(62)		D0OZ 65280B62-A	D0OZ 65280B62-A	2
	72	S		D2SZ 65280B62-A	D2SZ 65280B62-A	2
280B62-3	**AIR SCOOP - ROOF**					
	68	F(63-GT350/500)	On roof	S8MS 63280B62-A	S8MS 63280B63-A	1
28072-3	**EXTENSION - QUARTER PANEL - UPPER REAR** - Also Refer to Group 28010-1					
	67/69	B(71)		C7OZ 7128072-A	C7OZ 7128073-A	1
	68/69	B(66)		C8OZ 6628072-A	C8OZ 6628073-A	1
	67	B(66)		C6DZ 6628072-A	C6DZ 6628073-A	1
	70/71	B(66)		D0OZ 6628072-A	D0OZ 6628073-A	1
	72	B(71)		D2OZ 7128072-A	D2OZ 7128073-A	1
	66	X(66)		C6DZ 6628072-A	C6DZ 6628073-A	1
	67/70	X(71)		C7OZ 7128072-A	C7OZ 7128073-A	1
28072-3	**EXTENSION - QUARTER PANEL**					
	68	F(GT350/500)		S8MS 6328072-A	S8MS 6328073-A	1
	68	F(except GT350/500)	Refer to Group 27702			
	69	F(GT350/500)	Refer to Group 28010-1			
280A94	**SHIELD - QUARTER PANEL TO BUMPER END**					
	68/69	B(54,63,65,76)	Rubber	C8OZ 54280A94-A	C8OZ 54280A94-A	2
28106-7	**PILLAR - QUARTER WHEELHOUSE TO ROOF INNER UPPER**					
	72	B(71)		D2OZ 7128106-A	D2OZ 7128107-A	1
28126	**REINFORCEMENT - BODY SIDE INNER PANEL**					
	72	B(97)		D2OZ 9728126-A	D2OZ 9728126-A	2
28160-1	**PILLAR ASSY. - QUARTER LATCH**					
		- A -				
	67	A(54)		C7AZ 5428160-A	★C7AZ 5428161-A Not replaced (1/75)	1
	67	A(71)		C7AZ 7128160-A	★C7AZ 7128161-A Not replaced (1/75)	1
	68	A(54)		C8AZ 5428160-A	C8AZ 5428161-A	1
	68	A(57)		C8AZ 5728160-A	★C8AZ 5728161-A Not replaced (1/75)	1
	67	A(63,76)		C7AZ 6328160-B	C7AZ 6328161-B	1
	68	A(63,65,76)				1
	68	A(71)		C8AZ 7128160-A	C8AZ 7128161-A	1
	69	A(54)		C9AZ 5428160-A	C9AZ 5428161-A	1
	69	A(57)		C9AZ 5728160-A	C9AZ 5728161-A	1
	69	A(62)		C9AZ 6228160-A	C9AZ 6228161-A	1
	69	A(63,65,76)		C9AZ 6328160-A	C9AZ 6328161-A	1
	69	A(71)		C9AZ 7128160-A	C9AZ 7128161-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
28160-1	PILLAR ASSY. - QUARTER LATCH - continued					
		- A -				
	70	A(54)		D0AZ 5428160-A	D0AZ 5428161-A	1
	70	A(57)		D0AZ 5728160-A	D0AZ 5728161-A	1
	70	A(63,65,76)		D0AZ 6328160-A	D0AZ 6328161-A	1
	70	A(71)		C9AZ 7128160-A	C9AZ 7128161-A	1
	71/	A(53,57)		D1AZ 5728160-A	D1AZ 5728161-A	1
	71/	A(54)		D1AZ 5428160-A	D1AZ 5428161-A	1
	71/	A(65,76)		D1AZ 6528160-A	D1AZ 6528161-A	1
	71/	A(71)		D1AZ 7128160-A	D1AZ 7128161-A	1
		- B -				
	65	B(54)		C5OZ 5428160-A	★C5OZ 5428161-A Not replaced(3-74)	1
	66/67	B(54,71)		C6OZ 5428160-A	C6OZ 5428161-A	1
	66/67	B(62)		C6OZ 6228160-A	C6OZ 6228161-A	1
	66/67	B(63,76)		C6OZ 6328160-A	C6OZ 6328161-A	1
	67	B(66)		C6DZ 6628160-A	C6DZ 6628161-A	1
	68/69	B(54)		C8OZ 5428160-A	C8OZ 5428161-A	1
	68/69	B(63,65,76)		C8OZ 6328160-B	C8OZ 6328161-B	1
	68/69	B(66)		C8OZ 6628160-A	C8OZ 6628161-A	1
	68/69	B(71)		C8OZ 7128160-A	C8OZ 7128161-A	1
	70/71	B(54,57)		D0OZ 5428160-A	D0OZ 5428161-A	1
	70	B(62)		D0OZ 6228160-A	D0OZ 6228161-A	1
	70/71	B(63,65,76)		D0OZ 6528160-A	D0OZ 6528161-A	1
	70/71	B(66)		D0OZ 6628160-A	D0OZ 6628161-A	1
	70/71	B(71)		D0OZ 7128160-A	D0OZ 7128161-A	1
	72	B(53)		D2OZ 5328160-A	D2OZ 5328161-A	1
	72	B(63,65)		D2OZ 6528160-A	D2OZ 6528161-A	1
	72	B(71)		D2OZ 7128160-A	D2OZ 7128161-A	1
	72	B(97)		D2OZ 9728160-A	D2OZ 9728161-A	1
		- F -				
	65/66	F(65,76)		C5ZZ 6528160-A	C5ZZ 6528161-A	1
	67/68	F(63)		C7ZZ 6328160-A	C7ZZ 6328161-A	1
	67/68	F(65,76)		C7ZZ 6528160-A	C7ZZ 6528161-A	1
	69	F(63)		C9ZZ 6328160-A	C9ZZ 6328161-A	1
	69	F(65,76)		C9ZZ 6528160-A	C9ZZ 6528161-A	1
	70	F(63)		D0ZZ 6328160-A	D0ZZ 6328161-A	1
	70	F(65,76)		D0ZZ 6528160-A	D0ZZ 6528161-A	1
	71/	F		D1ZZ 6528160-A	D1ZZ 6528161-A	1
		- L -				
	71/72	L(62,64) "Before 5/1/72"		D1FZ 6228160-A	D1FZ 6228161-A	1
	72	L(62,64) "From 5/1/72"		D2FZ 6228160-A	D2FZ 6228161-A	1
	72	L(73)		D2FZ 7328160-A	D2FZ 7328161-A	1
		- P -				
	70/	P(62)		D0DZ 6228160-A	D0DZ 6228161-A	1
	71/	P(54)		D1DZ 5428160-A	D1DZ 5428161-A	1
		- S -				
	67/69	S(65)		C7SZ 6528160-B	C7SZ 6528161-B	1
	68/71	S(57)		C8SZ 5728160-A	C8SZ 5728161-A	1
	70	S(65)		D0SZ 6528160-A	D0SZ 6528161-A	1
	71	S(65A,C)		D0SZ 6528160-A	D0SZ 6528161-A	1
	71	S(65B,D)		D1SZ 6528160-A	D1SZ 6528161-A	1
	72	S		D2SZ 6528160-A	D2SZ 6528161-A	1
		- U -				
	66/	U		C8TZ 9628160-A	C8TZ 9628161-A	1
			Plug (button)-1" dia. hole	377678-S(PP3E)	377678-S(PP3E)	2
		- X -				
	66/67	X(62)		C6OZ 6228160-A	C6OZ 6228161-A	1
	66/67	X(71)		C6OZ 5428160-A	C6OZ 5428161-A	1
	66/70	X(54)		C6DZ 5428160-A	C6DZ 5428161-A	1
	66/70	X(62)		C6OZ 6228160-A	C6OZ 6228161-A	1
	66/70	X(71)		C6OZ 5428160-A	C6OZ 5428161-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
28182-3	**SEAL - QUARTER LATCH PILLAR TO WINDOW FRAME**					
	65/68	A(63, 65, 76)		C5AZ 6328182-B	C5AZ 6328183-B	1
	69	A(63, 65, 76)		C9AZ 6328182-A	C9AZ 6328183-A	1
	70/	A(63, 65, 76)		D0AZ 6328182-A	D0AZ 6328183-A	1
	68/69	B(63, 65, 76)		C8OZ 6328182-A	C8OZ 6328183-A	1
	70/71	B(63, 65, 76)		D0OZ 6528182-A	D0OZ 6528183-A	1
	72	B(63, 65)		D2OZ 6528182-A	D2OZ 6528183-A	1
	65	F		C5ZZ 6528182-A	C5ZZ 6528183-A	1
	66	F(65, 76)				1
	67/68	F(65, 76)		C7ZZ 6528182-A	C7ZZ 6528183-A	1
	69/70	F(63)		C9ZZ 6328182-A	C9ZZ 6328183-A	1
	69	F(65, 76)		C9ZZ 6528182-A	C9ZZ 6528183-A	1
	70	F(65, 76)		D0ZZ 6528182-B	D0ZZ 6528183-B	1
	71	F "Before 3/29/71"		D1ZZ 6528182-A	D1ZZ 6528183-A	1
	71/	F "From 3/29/71"		D1ZZ 6528182-B	D1ZZ 6528183-B	1
	67/68	S(65)		C7SZ 6528182-C	C7SZ 6528183-C	1
	69	S(65A, C)				1
	70/71	S(65)		D0SZ 6528182-A	D0SZ 6528183-A	1
	72	S		D2SZ 6528182-A	D2SZ 6528183-A	1
	65	X(63, 76)		C3DZ 7628182-B	C3DZ 7628182-B	2
			No. 8-18 x 3/8" Cross recess pan head screw	52720-S8(U380)	52720-S8(U380)	2
	65/ 66/67	A(63, 76), F B(63, 76)	No. 6-18 x 3/8" Cross recess pan head screw	52718-S8(U377A)	52718-S8(U377A)	8or14
	70/	S (65)	No. 8-8 x 1/2" Washer head screw	381801-S2 (UU148)	381801-S2(UU148)	2
28198-9	**BRACE - QUARTER LATCH PILLAR TO FLOOR**					
	68/69	B(76)		★C8OZ 7628198-A Not replaced(1-73)	C8OZ 7628199-A	1
	69/70	F(76)		C9ZZ 7628198-A	C9ZZ 7628199-A	1
28200-1	**REINFORCEMENT - QUARTER PANEL LATCH SIDE**					
		- A -				
	67	A(63, 76)		C7AZ 6328200-A	C7AZ 6328201-A	1
	68	A(63, 65, 76)				1
		- B -				
	66/67	B(63, 76)		★C6OZ 6328200-A Not replaced(3-74)	C6OZ 6328201-A	1
	66/71	B(71)		C6OZ 7128200-A	C6OZ 7128201-A	1
	67	B(66)		C6DZ 6628200-A	C6DZ 6628201-A	1
	68/69	B(54)		C8OZ 5428200-A	C8OZ 5428201-A	1
	68/69	B(63, 65, 76)		C8OZ 6328200-A	C8OZ 6328201-A	1
	68/69	B(66)		C8OZ 6628200-A	C8OZ 6628201-A	1
	70/71	B(54, 57)	Lower	D0OZ 5428200-A	D0OZ 5428201-A	1
	70/71	B(66)		D0OZ 6628200-A	D0OZ 6628201-A	1
	72	B(53, 71)		D2OZ 5328200-A	D2OZ 5328201-A	1
		- F -				
	65/66	F(65, 76)		C5ZZ 6528200-A	C5ZZ 6528201-A	1
	67/68	F		C7ZZ 6528200-A	C7ZZ 6528201-A	1
		- P -				
	71/	P(54)		D1DZ 5428200-A	D1DZ 5428201-A	1
		- X -				
	66/70	X(54)		C6DZ 5428200-A	C6DZ 5428201-A	1
	66/70	X(71)		C6OZ 7128200-A	C6OZ 7128201-A	1
28208-9	**REINFORCEMENT - QUARTER PANEL LATCH SIDE - UPPER**					
	69	A(62)		C9AZ 6228208-A	C9AZ 6228209-A	1
	66	B(62), X(62)		C6OZ 6228208-A	C6OZ 6228209-A	1
	67/68	B(62)		C6OZ 6228208-B	C6OZ 6228209-B	1
	67/70	X(62)				1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
28216-7	**REINFORCEMENT - QUARTER PANEL LATCH SIDE - LOWER** - Also refer to Group 28200-1					
	69/70	A(54, 57, 71)	Cut to fit	C9AZ 5428216-A	D1AZ 5428217-A	1
	71/	A(53,54,57,71)	Cut to fit	D1AZ 5428216-A	D1AZ 5428217-A	1
28230-1	**EXTENSION - QUARTER WHEELHOUSE TO ROOF OUTER PILLAR**					
	69/70	A(71)		C9AZ 7128230-A	C9AZ 7128230-A	2
	71/	A(71)		D1AZ 7128230-A		1
	66/69	B(71), X(71)		C6OZ 7128230-A	★C6OZ 7128231-A Not replaced (1-73)	1
	70/71	B(71)		D0QZ 7128230-A	D0OZ 7128230-A	2
28258-9	**BRACE - QUARTER LATCH PILLAR TO WHEELHOUSE**					
	72	L		D2FZ 6228258-B	D2FZ 6228259-B	1
28268-9	**BRACE - QUARTER PANEL LATCH SIDE LOWER REAR REINFORCEMENT**					
	70/71	B(66)		D0OZ 6628268-A	D0OZ 6628269-A	1
28290-1	**EXTENSION - QUARTER LATCH PILLAR REINFORCEMENT TO WHEELHOUSE**					
	68/69	B		★C8OZ 5428290-A Not replaced (1-73)	C8OZ 5428291-A	1
28324-5	**PILLAR - QUARTER LATCH UPPER - OUTER**					
	65/68	A(62)	Refer to Group 30504-5			
	71/72	L(62,64) "Before 5/1/72"		D1FZ 6228324-A	D1FZ 6228325-A	1
	72	L(62,64) "From 5/1/72"		D2FZ 6228324-A	D2FZ 6228325-A	1
	70/	P		D0DZ 6228324-A	D0DZ 6228325-A	1
28330-1	**REINFORCEMENT - QUARTER LATCH PILLAR TO WHEELHOUSE**					
	68/69	B(54)		C8OZ 5428330-A	C8OZ 5428331-A	1
	71/	L		D1FZ 6228330-A	D1FZ 6228331-A	1
28364-5	**REINFORCEMENT - QUARTER LATCH PILLAR**					
	70/71	B(66)		D0OZ 6628364-A	D0OZ 6628365-A	1
28438-9	**FILLER - QUARTER LATCH PILLAR TO REINFORCEMENT**					
	69/70	F(65)		C9ZZ 6528438-A	C9ZZ 6528439-A	1
	71/	F(65)	Serviced in assembly - Refer to Group 28160-1			
28442-3	**BRACE - BODY REAR CORNER PANEL**					
	68/	U		C8TZ 9628442-A	C8TZ 9628443-A	1
28518-9	**EXTENSION - QUARTER PANEL OUTER REAR**					
	69/70	A(71)		C9AZ 7128518-A	C9AZ 7128519-A	1
	69/70	A(71)	Nut-1/4"-20 self tap	376842-S100 (MM288A)	376842-S100 (MM288A)	10

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
28600	**RAIL ASSY. - QUARTER PANEL FUEL FILLER LID FINISH - INCLUDES ATTACHING PARTS**				
	66	A(71A, E)	L.H.	C6AZ 7128600-A	1
	67	A(71A, E)	L.H.	C7AZ 7128600-A	1
	68	A(71A, E)	L.H.	C8AZ 7128600-A	1
	69/70	A(71A, E)	L.H.	C9AZ 7128600-A	1
	68/69	B(71E)	L.H.	C8OZ 7128600-A	1
	72	B(71K)	L.H.	D2OZ 7128600-A	1
28611	**DOOR - FUEL FILLER** - Refer to Group 405A26				
28630	**SEAL - FUEL FILLER PIPE OPENING**				
	69/71	A		D1AZ 6528630-C	1
28700-1	**REINFORCEMENT - QUARTER PANEL AT BELT**				
	68/69	B(63)	R.H.	C8OZ 6328700-B	1
			L.H. -not replaced (12-74)	★C8OZ 6328701-B	1
28702-3	**PLATE - BELT SIDE RAIL TO WHEELHOUSE REINFORCEMENT MOUNTING**				
	69/70	F(76)	R.H.	C9ZZ 7628702-A	1
			L.H.	C9ZZ 7628703-A	1
	71/	F(76)	R.H.	D1ZZ 7628702-A	1
			L.H.	D1ZZ 7628703-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
28708	**REINFORCEMENT - BELT SIDE RAIL**					
	69/	A(76)		C9AZ 7628708-A	C9AZ 7628708-A	2
	70/71	B(76)		D0OZ 7628708-A	D0OZ 7628708-A	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
28712-3	**RAIL - QUARTER OUTSIDE FINISH**					
			- A -			
	65	A(71A, E)		C5AZ 7128712-A		1
			Front		C5AZ 71290A41-A	1
			Fuel filler door		C5AZ 7128600-A	1
			Rear		C5AZ 7128713-A	1
	66	A(71A, E)		C6AZ 7128712-A		1
			Front		C6AZ 71290A41-A	1
			Fuel filler door		C6AZ 7128600-A	1
			Rear		C6AZ 7128713-A	1
	67	A(71A, E)		C7AZ 7128712-A		1
			Front		C7AZ 71290A41-A	1
			Fuel filler door		C7AZ 7128600-A	1
			Rear		C7AZ 7128713-A	1
	68	A(71A, E)		C8AZ 7128712-A		1
			Upper		C8AZ 71290A41-A	1
			Fuel filler door		C8AZ 7128600-A	1
			Lower		C8AZ 7128713-A	1
	69/70	A(71A, E)		C9AZ 7128712-A		1
			Upper		C9AZ 71290A41-A	1
			Fuel filler door		C9AZ 7128600-A	1
			Lower		C9AZ 7128713-A	1
	71	A(71H)		D1AZ 7128712-A	D1AZ 7128713-A	1
	72	A(71H)		D2AZ 7128712-A	D2AZ 7128713-A	1
			- B -			
	66/67	B(71E)		C6OZ 7128712-B	C6OZ 7128713-B	1
			Fuel filler door		C6OZ 7128600-A	1
	68/69	B(71E)		C8OZ 7128712-A		1
			Front		C8OZ 71290A41-A	1
			Fuel filler door		C8OZ 7128600-A	1
			Lower		C8OZ 7128713-A	1
	70/71	B(66E)		D0OZ 6628712-A	D0OZ 6628713-A	1
	70/71	B(71E)		D0OZ 7128712-A	D0OZ 7128713-A	1
	72	B(71K)		D2OZ 7128712-A	D2OZ 7128713-A	1
	72	B(97K)		D2OZ 9728712-A	D2OZ 9728713-A	1
			- L -			
	72	L(73)		D2FZ 7328712-A	D2FZ 7328713-A	1
28714-5	**RAIL - QUARTER BELT - INSIDE**					
	66	A(71)		★C6AZ 7128714-A Not replaced (7-73)	C5AZ 7128715-A	1
	69/70	A(71)		C9AZ 7128714-A	C9AZ 7128715-A	1
	71/	A(71)		D1AZ 7128714-A	D1AZ 7128715-A	1
	65	B(71)		Refer to Group 279B68	C3OZ 7128715-A	1
	66/71	B(71)		C6OZ 7128714-A	C6OZ 7128715-A	1
	72	B(71)		D2OZ 7128714-A	D2OZ 7128715-A	1
28716	**RAIL - QUARTER BELT - REAR**					
	69/	A(71)		C9AZ 7128716-A		1
	66/71	B(71)		C6OZ 7128716-A		1
	66/70	X(71)				1
28750-1	**EXTENSION - QUARTER PANEL INSIDE TO FLOOR PAN**					
	68/69	B(66)		C8OZ 6628750-A	C8OZ 6628751-A	1
	70/71	B(66)		D0OZ 6628750-A	D0OZ 6628751-A	1
28772-3	**STRAINER - QUARTER PANEL TO REAR FLOOR**					
	71/	L(62)		D1FZ 6228772-A	D1FZ 6228773-A	1
	71/72	L(64)-w/lever prop		D1FZ 6428772-A	D1FZ 6428773-A	1
	72	L(64)-w/gas cylinder prop		D2FZ 6428772-A	D2FZ 6428773-A	1
28787	**EXTENSION - QUARTER BELT RAIL**					
	66/	B(71)			C6OZ 7128787-A	1
28788	**STRAINER - QUARTER PANEL BELT TO FLOOR**					
	67/69	S(65)		C7SZ 6528788-A	C7SZ 6528788-A	2
	71	S(65D)				2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
28880	**RETAINER - QUARTER WINDOW GARNISH UPPER MOULDING**				
	72	B(71)		D2OZ 7128880-A	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
290A00	**RETAINER - QUARTER PANEL OUTSIDE REAR MOULDING**					
		REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER				
290D00	**RETAINER - QUARTER PANEL LOWER REAR MOULDING**					
		REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER				
29002-3	**MOULDING - QUARTER WINDOW GARNISH LOWER** -Drill holes as required, paint to match					
		- B -				
	66/67	B(62)		C6OZ 6229002-A	C6OZ 6229003-A	1
	68/70	B(63B, C)		C8OZ 6329002-A	C8OZ 6329003-A	1
	68/70	B(65A, B, E)		C8OZ 6529002-B	C8OZ 6529003-B	1
	68/70	B(76B, E)		C8OZ 7629002-B	C8OZ 7629003-B	1
		- X -				
	65	X(59)		★C0DB 5929002-BP Not replaced(1-73)	C0DB 5929003-BP	1
	66/70	X(62)		C6OZ 6229002-A	C6OZ 6229003-A	1
	66/67	B(63, 76)	No. 8-18 x 3/8" Cross recess pan head screw	52720-S8(U380)	52720-S8(U380)	2 or 4
	66/67	B(76)	No. 8-18 x 3/8" Cross recess oval head screw	53008-S13(U275)	53008-S13(U275)	2
	66/67	B(62)	No. 8-15 x 1 1/2" Cross recess oval head screw	52388-S13(U298)	52388-S13(U298)	2
	65	X(59, 62, 64, 76)	No. 8-18 x 3/8" Cross recess pan head screw	52720-S8(U380)	52720-S8(U380)	8or12
	65	X(59, 62, 63, 64, 76)	No. 8 x 1 1/2" Cross recess oval head screw	52388-S13(U298)	52388-S13(U298)	2to6
	65	X(59)	No. 8 x 3/4" Cross recess oval head screw	52360-S13(U294)	52360-S13(U294)	4
	66/67	X(62)	No. 8-15 x 1 1/2" Cross recess oval head screw	52388-S13(U298)	52388-S13(U298)	2
29008-9	**MOULDING - QUARTER WINDOW GARNISH - UPPER**					
	68/70	B(63)	Paint to match	C8OZ 6329008-B	C8OZ 6329009-B	1
290B10-1	**MOULDING - QUARTER PANEL LOWER REAR EDGE**					
	65	A(57F, 63B, C, 76A, B)		C5AZ 63290B10-A	C5AZ 63290B11-A	1
	66	A(57F, 63C, D, F, 76B, D)		C6AZ 63290B10-A	C6AZ 63290B11-A	1
	66	B(63B, C, 76B, C)		C6OZ 63290B10-A	C6OZ 63290B11-A	1
290B12-3	**PANEL - QUARTER OUTSIDE FINISH**					
	65	X(54B)	White	★C5DZ 54290B12-B Not replaced(3-74)	C5DZ 54290B13-B	1
	65	X(62B, 63, 76)	White	C5DZ 62290B12-B	C5DZ 62290B13-B	1
29014-5	**MOULDING - QUARTER WINDOW GARNISH - UPPER FRONT**					
	69/	A(71)		C9AZ 7129014-A	C9AZ 7129015-A	1
			Screw-No. 8-15 x 5/8" filllister head	52554-S8(U230)	52554-S8(U230)	AR
		- B -				
	66/67	B(62)	Paint to match	C6OZ 6229014-A	C6OZ 6229015-A	1
	72	B(71) " Before 5/18/72"	Black	D2OZ 7129014-D	D2OZ 7129015-D	1
			Blue	D2OZ 7129014-C	D2OZ 7129015-C	1
			Ginger	D2OZ 7129014-A	D2OZ 7129015-A	1
			Green	D2OZ 7129014-B	D2OZ 7129015-B	1
	72	B(71) " From 5/18/72"	Black	D3OZ 7129014-A	D3OZ 7129015-A	1
			Blue	D3OZ 7129014-B	D3OZ 7129015-B	1
			Ginger	D3OZ 7129014-C	D3OZ 7129015-C	1
			Green	D3OZ 7129014-D	D3OZ 7129015-D	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
29014-5	**MOULDING - QUARTER WINDOW GARNISH - UPPER FRONT - continued**					
		- L -				
	71/	L (62, 64) "Before 5/19/72"	Black	D1FZ 6229014-D	D1FZ 6229015-D	1
			Ginger	D1FZ 6229014-A	D1FZ 6229015-A	1
			Green	D1FZ 6229014-B	D1FZ 6220015-B	1
			White	D2FZ 6229014-A	D2FZ 6229015-A	1
	72	L (62, 64) "From 5/19/72"	Black	D3FZ 6229014-A	D3FZ 6229015-A	1
			Ginger	D3FZ 6229014-F	D3FZ 6229015-F	1
			Green	D3FZ 6229014-J	★D3FZ 6229015-J Not replaced(3-74)	1
			White	D3FZ 6229014-K	D3FZ 6229015-K	1
	71/72	L(62, 64) "Before 2/1/72"	Blue	D1FZ 6229014-C	D1FZ 6229015-C	1
	72	L(62,64)- "From 2/1/72 to 5/19/72"	Blue	D2FZ 6229014-D	D2FZ 6229015-D	1
	72	L(62, 64) "From 5/19/72"	Blue	D3FZ 6229014-B	D3FZ 6229015-B	1
	72	L(62, 64) "Before 5/19/72"	Avocado	D2FZ 6229014-B	D2FZ 6229015-B	1
			Orange	D2FZ 6229014-C	D2FZ 6229015-C	1
	72	L(62, 64) "From 5/19/72"	Avocado	D3FZ 6229014-G	D3FZ 6229015-G	1
			Orange	D3FZ 6229014-C	D3FZ 6229015-C	1
	72	L(62, 64)	Beige	D3FZ 6229014-D	D3FZ 6229015-D	1
		- X -				
	66/70	X(62)		C6OZ 6229014-A	C6OZ 6229015-A	1
290A14-5	**MOULDING - REAR QUARTER WINDOW GARNISH - UPPER** - Paint to Match					
	69	A(71)		C9AZ 71290A14-A	C9AZ 71290A15-A	1
	71/	A(71)				1
	66/67	B(62), X(62)		C6OZ 62290A14-A	C6OZ 62290A15-A	1
	68/70	X(62)				1
			No. 8-15 x 1 1/4" Cross recess oval head screw	53066-S13(U284)	53066-S13(U284)	2
	66/71	B(71)		C6OZ 71290A14-C	C6OZ 71290A15-C	1
	66/70	X(71)				1
	72	B(71)		D2OZ 71290A14-A	D2OZ 71290A14-A	2
290D14-5	**MOULDING - QUARTER OUTSIDE ORNAMENT**					
	69	F(65)	Includes attaching parts	C9ZZ 65290D14-A	C9ZZ 65290D15-A	1
290B16	**SPACER - QUARTER OUTSIDE CENTER BELT MOULDING**					
	65	X(66)		C0DB 66290B16-A	C0DB 66290B16-A	6
29019	**BRACKET - COAT HOOK**					
	69/70	A(54, 62, 71)		C9AZ 6229019-A	C9AZ 6229019-A	2
	71	A(65, 71)				2
	72	A(71)				2
	72	L(62, 64)		D2FZ 6229019-A	D2FZ 6229019-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
29024-5	**HOOK - COAT**				
	65/66	A(76)		B2A 7029025-A	2
	66	B(76)			2
	65/66	F(76)			2
	67	A, B, F, X			2
			No. 8 x 7/8" Cross recess oval head screw	52368-S23(U295)	2
	65/66	A(except 76)	Includes attaching parts	C4AZ 6229025-A	2
	65/66	B(except 76)			2
	65/66	F(63, 65)			2
	65	X(except 66, 76, 78)			2
	66	X(except 76)			2
	66	S(63C, D)	Includes attaching parts	C6SZ 6329025-A	2
	67	S(57)	Includes attaching parts	C7SZ 5729024-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
29024	**COVER - COAT HOOK**				
	68	A, B, F, S, X	Ivy Gold	C8AZ 6229024-B1G	2
			Parchment	C8AZ 6229024-B2U	2
			Saddle (Brown)	C8AZ 6229024-A1F	2
			Silver (Gray)	C8AZ 6229024-B1L	2
	68/	A, B, F, S, X	Also refer to Group 60236		
	68/69	A, B, F, S, X	Also use for shoulder strap storage		
			Aqua	C8AZ 6229024-B1K	2or4
			Black	C8AZ 6229024-B1A	2or4
			Blue (Dark)	C8AZ 6229024-B2B	2or4
			Blue (Light)	C8AZ 6229024-B1B	2or4
			Ivy Gold	C8AZ 6229024-B2G	2or4
			Nugget (Gold)	C8AZ 6229024-B1Y	2or4
			Parchment	C8AZ 6229024-B1U	2or4
			Red	C8AZ 6229024-B1D	2or4
			White	C9AZ 6229024-A1W	2or4
	70	A, B, F, P, S, X	Aqua	D0AZ 6229024-J	4
			Beige	D0AZ 6229024-N	4
			Black	C8AZ 6229024-B1A	4
			Blue (Dark)	D0AZ 6229024-R	4
			Blue (Light)	C8AZ 6229024-B1B	4
			Ginger	D0AZ 6229024-F	4
			Green (Dark)	D0AZ 6229024-B	4
			Green (Medium)	D0AZ 6229024-A	4
			Nugget	D0AZ 6229024-L	4
			Red	D0AZ 6229024-D	4
			Tobacco	D0AZ 6229024-C	4
			Vermilion	D0AZ 6229024-E	4
			White	D0AZ 6229024-K	4
	71	A, B, F, L, P, S	Aqua	D0AZ 6229024-J	4
			Beige	D0AZ 6229024-N	4
			Black	C8AZ 6229024-B1A	4
			Blue (Dark)	D0AZ 6229024-R	4
			Blue (Light)	C8AZ 6229024-B1B	4
			Ginger	D0AZ 6229024-F	4
			Green (Dark)	D2AZ 6229024-A	4
			Green (Medium)	D1AZ 6229024-B	4
			Grey Gold	D1AZ 6229024-A	4
			Red	D0AZ 6229024-D	4
			Tobacco	D0AZ 6229024-C	4
			Vermilion	D1AZ 6229024-C	4
			White	D0AZ 6229024-K	4
			Screw No. 8 - 15 x 5/8" filllister head tap.	52554-S8(U230)	2
	72	A, B, F, L, P, S	Avocado	D2FZ 6229024-A	4
			Beige	D2AZ 6229024-G	4
			Black	C8AZ 6229024-B1A	4
			Blue	C8AZ 6229024-B1B	4
			Cranberry	D2AZ 6229024-C	4
			Ginger	D0AZ 6229024-F	4
			Gray Gold	D1AZ 6229024-A	4
			Green †	D1AZ 6229024-B	4
			Green #	D2AZ 6229024-A	4
			Orange	D2FZ 6229024-B	4
			Red	D0AZ 6229024-D	4
			Tobacco	D2AZ 6229024-B	4
			Vermilion	D1AZ 6229024-C	4
			White	D0AZ 6229024-K	4
	68/	A, B, F, L, P, S, X	For retainer (hook)-Refer to Group 29232		

† Except Thunderbird # Thunderbird

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
290B32	**FASTENER - BODY OUTSIDE FINISH PANEL**				
	ALSO REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER				
	67/70	S	Power window regulator	C5DZ 71290B32-A	2or4
			Washer-flat-3/8"	44727-S8(X24)	1
29033	**RETAINER - QUARTER OUTSIDE LOWER MOULDING**				
	REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER				
29034-5	**MOULDING - QUARTER PANEL - OUTSIDE BELT - INCLUDES ATTACHING PARTS**				
		- A -			
	65	A(63)	At belt-Includes outside weatherstrip	C5AZ 6329034-A	C5AZ 6329035-A 1
	66	A(63)	At belt-Includes outside weatherstrip & extension	C6AZ 6329034-A	C6AZ 6329035-A 1
	65/66	A(76)	At belt-Includes outside weatherstrip	C5AZ 7629034-A	C5AZ 7629035-A 1
	67	A(63B, C)	At belt-Includes outside weatherstrip & extension	C7AZ 6329034-B	C7AZ 6329035-B 1
	67	A(63J)	At belt-Includes outside weatherstrip - no extension	C7AZ 6329034-A	C7AZ 6329035-A 1
	68	A(63)	At belt-Includes outside weatherstrip	C8AZ 6329034-A	C8AZ 6329035-A 1
	68	A(65)	At belt-Includes outside weatherstrip	C8AZ 6529034-B	C8AZ 6529035-B 1
	69/70	A(65)		D0AZ 6529034-A	D0AZ 6529035-A 1
	69	A(76)		C9AZ 7629034-A	C9AZ 7629035-A 1
	69/70	A(63)	At belt-outside-approx. 39" o/all length	D0AZ 6329034-A	D0AZ 6329035-A 1
	70	A(63B, C)	At belt-outside-approx. 23 1/2" o/all length	D0AZ 6329034-C	D0AZ 6329035-C 1
	70	A(76)		D0AZ 7629034-A	D0AZ 7629035-A 1
	65/67	A	Screw-truss head-No. 8-20 x 3/8"	353803-S8(UU95)	353803-S8(UU95) AR
	70	A	Rivet 1/8" dia. x 5/16"	375203-S(SS44)	375203-S(SS44) 2
		- B -			
	67	B(66)		C6DZ 6629034-A	C6DZ 6629035-A 1
	68/69	B(63)	At belt-Includes outside weatherstrip	C8OZ 6329034-B	C8OZ 6329035-B 1
	68/69	B(65C)	At belt-Includes outside weatherstrip	C8OZ 6529034-A	C8OZ 6529035-A 1
	68/69	B(66) "Before 8/19/68"	At belt	C8OZ 6629034-A	C8OZ 6629034-A 2
	69	B(66) "From 8/19/68"		C9OZ 6629034-A	C9OZ 6629034-A 2
	70/71	B(66)	Belt front	D0OZ 6629034-A	D0OZ 6629034-A 2
	72	B(97)		D2OZ 9729034-A	D2OZ 9729035-A 1
		- P -			
	72	P(62)		D3DZ 6229034-A	D3DZ 6229035-A 1
		- S -			
	67/68	S(65)		C7SZ 6529034-B	C7SZ 6529035-B 1
	69	S(65A, C)			1
	69	S	Screw-pan head-No. 8-18 x 3/8"	52720-S8(U380)	52720-S8(U380) AR
		- X -			
	65	X(66)	At belt-Chrome	C0DB 6629034-B	C0DB 6629035-B 1
	66	X(66)		C6DZ 6629034-A	C6DZ 6629035-A 1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
29038-9 MOULDING - QUARTER OUTSIDE - INCLUDES ATTACHING PARTS						
		- A -				
	65	A(54, 57B)		C5AZ 5429038-A	C5AZ 5429038-A	2
	65	A(62, 63B, 76A)		C5AZ 6229038-A	C5AZ 6229038-A	2
	65	A(71B, C)		C5AZ 7129038-A	C5AZ 7129038-A	2
	66	A(62, 63B, 76A)		C6AZ 6229038-B	C6AZ 6229038-B	2
	67	A(54, 57)	Upper	C7AZ 5429038-A	C7AZ 5429038-A	2
	67	A(54A, 57B, 63B, 76A)	Lower	C7AZ 5429038-B	C7AZ 5429039-B	1
	67	A(54C, 57F, 63C, J, 76B) "Before 1/16/67"	Lower-With vinyl tape insert	C7AZ 6329038-A	C7AZ 6329039-A	1
	67	A(54C, 57F, 63C, J, 76B) "From 1/16/67"	With painted insert	C7AZ 5429038-C	C7AZ 5429039-C	1
	67	A(62, 63, 76)	Upper	C7AZ 6229038-A	C7AZ 6229038-A	1
	67	A(71B, C, D)	Upper	C7AZ 7129038-A	C7AZ 7129038-A	1
	67	A(71B, C)	Lower	C7AZ 7129038-B	C7AZ 7129039-B	1
	68	A(54C, 57F, 63C, 65A, 76B)	Lower	C8AZ 5429038-A	C8AZ 5429039-A	1
	69	A(54A, 57B, 63B, 65C, 76A)	Lower	C9AZ 5429038-A	C9AZ 5429039-A	1
	69	A(54C, 57F, 65A)	Lower	C9AZ 5429038-B	C9AZ 5429039-B	1
	69	A(71B, C)	Lower	C9AZ 7129038-A	C9AZ 7129039-A	1
	70	A(54, 57)	Black insert	D0AZ 5429038-A	D0AZ 5429039-A	1
			Blue insert	D0AZ 5429038-C	D0AZ 5429039-C	1
			Brown insert	D0AZ 5429038-B	D0AZ 5429039-B	1
			Green insert	D0AZ 5429038-D	D0AZ 5429039-D	1
	70	A(63, 65, 76)	Black insert	D0AZ 6529038-A	D0AZ 6529039-A	1
			Blue insert	D0AZ 6529038-C	D0AZ 6529039-C	1
			Brown insert	D0AZ 6529038-B	D0AZ 6529039-B	1
			Green insert	D0AZ 6529038-D	D0AZ 6529039-D	1
	70	A(65M)		D0AB 6529066-E	D0AB 6529067-E	1
	70	A(71B, C, D)	Black insert	D0AZ 7129038-A	D0AZ 7129039-A	1
			Blue insert	D0AZ 7129038-C	D0AZ 7129039-C	1
			Brown insert	D0AZ 7129038-B	D0AZ 7129039-B	1
			Green insert	D0AZ 7129038-D	D0AZ 7129039-D	1
	71	A(54F, 57F, 65F)	Lower rear-aluminum	D1AZ 6529038-A	D1AZ 6529039-A	1
	71/	A(53, 57H, K, 65H, K, 76)	Incl. Black painted groove approx. 29 1/2" long	D1AZ 6529038-B	D1AZ 6529039-B	1
	71	A	Incl. vinyl insert-cut to fit door, quarter-79 1/4" long	†D1OZ 6529038-B	†D1OZ 6529038-B	AR
	71	A(71F)	Aluminum	D1AZ 7129038-B	D1AZ 7129039-B	1
	71/	A(65, 76)	Center-aluminum-20 1/2" long	D1AZ 6529038-C	D1AZ 6529038-C	1
	72	A(53, 54, 57)	Black vinyl insert-approx. 57 1/4" long	D2AZ 5429038-A	D2AZ 5429039-A	1
	72	A(65, 76)	Black vinyl insert-approx. 81 5/8" long	D2AZ 6529038-A	D2AZ 6529038-A	1
	72	A(71B, D, F, H)	Black vinyl insert	D2AZ 7129038-A	D2AZ 7129039-A	1
		- B -				
	65	B(54B)		C5OZ 5429038-A	C5OZ 5429039-A	1
	65	B(62B, 65)		C5OZ 6229038-A	C5OZ 6229039-A	1
	66	B(54)		C6OZ 5429038-A	C6OZ 5429039-A	1
	66	B(62, 63B, C, 76B, C)		C6OZ 6229038-A	C6OZ 6229039-A	1
	66	B(71B, D)		C6OZ 7129038-A	C6OZ 7129039-A	1
	67	B(54A)		C7OZ 5429038-A	C7OZ 5429039-A	1
	67	B(54B)	Upper	C7OZ 5429038-B	C7OZ 5429039-B	1
	67	B(54B, 62B, 63B, C, 76B, C)	Lower	C7OZ 6229038-B	C7OZ 6229039-B	1
	67	B(62A)		C7OZ 6229038-A	C7OZ 6229039-A	1
	67	B(62B, 63B, 76B)	Upper	C7OZ 6229038-C	C7OZ 6229039-C	1
	67	B(66A)		C7OZ 6629039-A	C7OZ 6629039-A	1
	67	B(66B, D)	Lower	C7OZ 7129038-B	C7OZ 7129039-B	1
	67	B(71) "Before 3/6/67"				1
	67	B(71) "From 3/6/67"	Lower	C7OZ 7129038-C	C7OZ 7129039-B	1
	67	B(71D)		C7OZ 7129038-A	C7OZ 7129039-A	1

† Dealer installed adhesive backed moulding

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
29038-9		MOULDING - QUARTER OUTSIDE - INCLUDES ATTACHING PARTS - continued				
		- B -				
	68	B(54C, 65C)	Lower	C9OZ 5429038-B	C9OZ 5429039-B	1
	69	B(54B, 63B, E, 65B, E, 76B, E)	Lower	C9OZ 5429038-B	C9OZ 5429039-B	1
	69	B(54C, 65C)	Lower	C9OZ 5429038-A	C9OZ 5429039-A	1
	69	B(66B)	Lower	C9OZ 6629038-A	C9OZ 6629039-A	1
	69	B(71B)		C9OZ 7129038-A	C9OZ 7129039-A	1
	70	B(54, 57)	Black insert	D0OZ 5429038-A	D0OZ 5429039-A	1
			Brown insert	D0OZ 5429038-B	D0OZ 5429039-B	1
			Blue insert	D0OZ 5429038-C	D0OZ 5429039-C	1
			Green insert	D0OZ 5429038-D	D0OZ 5429039-D	1
	70	B(62, 63, 65, 66A, B, 76)	Black insert	D0OZ 6629038-A	D0OZ 6629039-A	1
			Brown insert	D0OZ 6629038-B	D0OZ 6629039-B	1
			Blue insert	D0OZ 6629038-C	D0OZ 6629039-C	1
			Green insert	D0OZ 6629038-D	D0OZ 6629039-D	1
	70	B(71B, C, D)	Black insert	D0OZ 7129038-A	D0OZ 7129039-A	1
			Brown insert	D0OZ 7129038-B	D0OZ 7129039-B	1
			Blue insert	D0OZ 7129038-C	D0OZ 7129039-C	1
			Green insert	D0OZ 7129038-D	D0OZ 7129039-D	1
	71	B(54, 57)	Center-Black insert	D0OZ 5429038-A	D0OZ 5429039-A	1
	71	B(57E, 65E)	Lower-less insert	D1OZ 6529038-A	D1OZ 6529039-A	1
	71	B(63, 65, 66, 76)	Center-Black insert	D0OZ 6629038-A	D0OZ 6629039-A	1
	71	B(66A, C)	Bright-1" wide	D1OZ 6629038-A	D1OZ 6629039-A	1
	71	B(66B)	Bright-w/single Black stripe-2 5/8" wide	D1OZ 6629038-B	D1OZ 6629039-B	1
	71	B(66C)	Painted Black-2 5/8"wide	D1OZ 6629038-C	D1OZ 6629039-C	1
	71	B(71)	Black insert	D0OZ 7129038-A	D0OZ 7129039-A	1
	71	B(54, 57, 63, 65, 76)	Black insert-cut to fit fenders and doors	†D1OZ 6529038-B	†D1OZ 6529038-B	AR
	72	B(53)	Center-Black insert	D3OZ 5329038-A	D3OZ 5329039-A	1
	72	B(53D, 63R, 65D, R)	Lower rear	D2OZ 6529038-A	D2OZ 6529039-A	1
	72	B(63, 65)	Center-Black insert	D3OZ 6529038-A	D3OZ 6529038-A	2
	72	B(71B, D)	Center-Black insert	D3OZ 7129038-A	D3OZ 7129039-A	1
	72	B(71D)	Lower	D2OZ 7129038-B	D2OZ 7129039-B	1
	72	B(97D)	Center-Black insert	D3OZ 9729038-A	D3OZ 9729039-A	1
		- F -				
	71/	F		D1ZZ 6329038-A	D1ZZ 6329039-A	1
		- L -				
	71	L	Black insert	D1FZ 16003-A	D1FZ 16003-A	2
	72	L "Before 2/29/72"	Black insert	D2FZ 16003-A	D2FZ 16003-A	2
	72	L "From 2/29/72"	Black insert	D2FZ 16003-C	D2FZ 16003-C	2
	72	L(73)-Squire		D2FZ 16003-D	D2FZ 16003-D	2
		- P -				
	70/	P(62)	Black insert	D0DZ 6229038-B	D0DZ 6229039-B	1
	71/	P(54)	Black insert	D1DZ 5429038-A	D1DZ 5429039-A	1
	72	P(54)	Blue insert	D2DZ 5429038-BB	D2DZ 5429039-BB	1
			Brown insert	D2DZ 5429038-BT	D2DZ 5429039-BT	1
			Copper insert	D2DZ 5429038-BC	D2DZ 5429039-BC	1
			Green insert	D2DZ 5429038-BR	D2DZ 5429039-BR	1
			White insert	D2DZ 5429038-BJ	D2DZ 5429039-BJ	1
	72	P(62A)	Blue insert	D2DZ 6229038-BB	D2DZ 6229039-BB	1
			Brown insert	D2DZ 6229038-BT	D2DZ 6229039-BT	1
			Copper insert	D2DZ 6229038-BC	D2DZ 6229039-BC	1
			Green insert	D2DZ 6229038-BR	D2DZ 6229039-BR	1
			White insert	D2DZ 6229038-BJ	D2DZ 6229039-BJ	1
	70/	P	Cut to fit	†D1WY 16003-A	†D1WY 16003-A	2

† Dealer installed adhesive backed moulding

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
29038-9	**MOULDING - QUARTER OUTSIDE - INCLUDES ATTACHING PARTS - continued**					
		- S -				
	65/66	S		C4SZ 6329038-A		1
			Front		C4SZ 6329077-A	1
			Rear		C4SZ 6329039-A	1
			Fuel filler lid		C4SZ 63405A48-A	1
	68/69	S	End - refer to Group 291C84-5			
	69	S	Side	C9SZ 6529038-A	C9SZ 6529039-A	1
	70	S	Black insert	D0SZ 6529038-A	D0SZ 6529039-A	1
			Blue insert	D0SZ 6529038-C	D0SZ 6529039-C	1
			Brown insert	D0SZ 6529038-B	D0SZ 6529039-B	1
			Green insert	D0SZ 6529038-D	D0SZ 6529039-D	1
	71	S	Black insert	D0SZ 6529038-A	D0SZ 6529039-A	1
			Blue insert	D0SZ 6529038-C	D0SZ 6529039-C	1
			Brown insert	D0SZ 6529038-B	D0SZ 6529039-B	1
			Green insert	D1SZ 6529038-A	D1SZ 6529039-A	1
	72	S	Refer to Group 29164-5			
		- U -				
	67/	U(97,98)		C7TZ 9729038-A	C7TZ 9729039-A	1
		- X -				
	65	X(66A, B)		C4DZ 6629038-A		1
			Front		C4DZ 6629077-A	1
			Rear		C4DZ 7129039-A	1
			Fuel filler lid		C4DZ 59405A48-A	1
	65	X(66H)	Refer to Group 29068-9 & 29076-7			
	65	X(71B)		C5DZ 7129038-A	C5DZ 7129038-A	2
			Upper front		C5DZ 7129069-A	1
			Upper rear		C5DZ 7129069-B	1
			Lower front		C5DZ 7129077-A	1
			Lower rear		C5DZ 7129039-A	1
	67	X(62B, C)		C7DZ 6229038-A	C7DZ 6229038-A	2
	67	X(71B)		C7DZ 7129038-A	C7DZ 7129039-A	1
290C38-9	**INSERT - QUARTER PANEL OUTSIDE LOWER ORNAMENT**					
	67	F	Paint to match	C7ZZ 65290C38-A	C7ZZ 65290C39-A	1
290A41	**RAIL - QUARTER PANEL OUTSIDE FINISH**					
	66	A(71A, E)	Front-Includes attaching parts		C6AZ 71290A41-A	1
	67	A(71A, E)	Upper-Includes attaching parts		C7AZ 71290A41-A	1
	68	A(71A, E)	Upper-Includes attaching parts		C8AZ 71290A41-A	1
	69/70	A(71A, E)	Upper-Includes attaching parts		C9AZ 71290A41-A	1
	68/69	B(71E)	Upper-Includes attaching parts		C8OZ 71290A41-A	1
	70/71	B(71E)	Front		D0OZ 71290A41-A	1
	72	B(71K)			D2OZ 71290A41-A	1
290B40-1	**MOULDING - QUARTER WHEELHOUSE TRIM PANEL - FRONT** - Paint to Match					
	66/70	X(71)		C6DZ 71290B40-A	C6DZ 71290B41-A	1
290A42-3	**MOULDING ASSY. - QUARTER TRIM PANEL FRONT**					
	69	A(65A)	Upper	C9YZ 65290A42-A	C9YZ 65290A43-A	1
	72	B(65)		D2OZ 65290A42-A	D2OZ 65290A42-A	2
	70/71	S(65A, B)		D0SZ 65290A42-A	D0SZ 65290A43-A	1
	72	S		D2SZ 65290A42-A	D2SZ 65290A43-A	1
29050-1	**MOULDING - QUARTER WHEEL OPENING COVER - INCLUDES ATTACHING PARTS**					
	66	S		C6SZ 6329050-A	C6SZ 6329051-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
290B52-3	**MOULDING - QUARTER WINDOW OUTSIDE REAR**					
	67/68	A(71)		C7AZ 71290B52-A	C7AZ 71290B53-A	1
	66/67	B(62)		C6OZ 62290B52-A	C6OZ 62290B53-A	1
	66/70	X(62)				1
	67/	U(98)		C7TZ 98290B52-B	C7TZ 98290B53-B	1
290D54	**MOULDING - QUARTER WINDOW OUTSIDE LOWER REAR CORNER**					
	72	B(71)		D2OZ 71290D54-A	D2OZ 71290D54-A	2
290A60-1	**MOULDING - QUARTER WINDOW OUTSIDE - UPPER**					
		- A -				
	65/68	A(71)	Includes attaching parts	C5AZ 71290A60-B	C5AZ 71290A61-B	1
	70	A(63)	W/two tone paint-includes moulding & attaching parts	D0AZ 63290A60-A	D0AZ 63290A61-A	1
	70	A (63)	W/o two tone paint-refer to Group 51726-7			
	69/	A(71)	Includes attaching parts	C9AZ 71290A60-A	C9AZ 71290A61-A	1
	65/66	A	Screw-oval pan head-No. 8-15 x 5/8"	53027-S13(U278)	53027-S13(U278)	2
	70	A(71)	Screw No. 8-18 x 3/8" self tap.	379560-S101(UU89CA)	379560-S101(UU89CA)	AR
		- B -				
	66/67	B(62B)		C6OZ 62290A60-A	C6OZ 62290A61-A	1
	66/67	B(71)	Rustless steel	C6OZ 71290A60-A	C6OZ 71290A61-A	1
	66/71	B(71)	Paint to match	C6OZ 71290A60-B	C6OZ 71290A61-B	1
	68/71	B(71)	Rustless steel	C8OZ 71290A60-A	C8OZ 71290A61-A	1
	66/71	B(71)	Screw No. 8-18 x 1/2" self tap oval head	52413-S13(U316)	52413-S13(U316)	2
	72	B(71)		D2OZ 71290A60-A	D2OZ 71290A61-A	1
		- L -				
	71/72	L(62,64)-w/stationary window "Before 5/1/72"	Paint to match -1 piece moulding	D1FZ 62290A60-A	D1FZ 62290A61-A	1
			Bright finish	D1FZ 62290A60-B	D1FZ 62290A61-B	1
	72	L(62,64) "From 5/1/72"	Paint to match-2 piece moulding	D2FZ 62290A60-B	D2FZ 62290A61-B	1
			Bright finish	D2FZ 62290A60-C	D2FZ 62290A61-C	1
	72	L(73)		D2FZ 73290A60-A	D2FZ 73290A61-A	1
		- P -				
	70/	P(62)	Dull finish	D0DZ 62290A60-A	D0DZ 62290A61-A	1
	72	P(62)	Bright finish	D2DZ 62290A60-A	D2DZ 62290A61-A	1
		- U -				
	67/	U(98)		C7TZ 98290A60-B	C7TZ 98290A61-B	1
		- X -				
	66/70	X(62)		C6OZ 62290A60-A	C6OZ 62290A61-A	1
	67/70	X(71B)	Bright finish	C6OZ 71290A60-A	C6OZ 71290A61-A	1
	66/70	X(71)	Paint to match	C6OZ 71290A60-B	C6OZ 71290A61-B	1
290C60-1	**INSERT - QUARTER PANEL OUTSIDE UPPER ORNAMENT**					
	67	F	Paint to match	C7ZZ 65290C60-A	C7ZZ 65290C61-A	1
	69/70	F(63)		C9ZZ 63290C60-A	C9ZZ 63290C61-A	1
290C60-1	**GRILLE - QUARTER PANEL SCOOP**					
	69	F(63-GT350/500)		C9ZZ 63290C60-D	C9ZZ 63290C61-D	1
	69	F(76-GT350/500)		C9ZZ 76290C60-A	C9ZZ 76290C60-B	1
29066-7	**MOULDING - QUARTER OUTSIDE LOWER REAR** - Refer to group 29038-9					

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
290A66-7	**MOULDING - QUARTER WINDOW OUTSIDE FRONT**					
		- A -				
	67/68	A(62B)		C7AZ 62290A66-A	C7AZ 62290A67-A	1
	69/	A(71)	Includes attaching parts	C9AZ 71290A66-A	C9AZ 71290A67-A	1
	65/66	A	Screw oval head-No. 8-15 x 5/8"	53027-S13(U278)	53027-S13(U278)	AR
	69/	A(71)	Screw-No. 8-18 x 3/8"-self tap	379560-S101 (UU89CA)	379560-S101 (UU89CA)	AR
		- B -				
	66/67	B(62B)	Rustless steel	C6OZ 62290A66-A	C6OZ 62290A67-A	1
	66/67	B(71B, E)	Rustless steel	C6OZ 71290A66-B	C6OZ 71290A67-B	1
	66/71	B(71)	Paint as required	C6OZ 71290A66-C	C6OZ 71290A67-C	1
	68/71	B(71)	Bright finish	C8OZ 71290A66-A	C8OZ 71290A67-A	1
	70	B	Screw-No. 8-18 x 1/2"-self tap oval head	52413-S13(U316)	52413-S13(U316)	2
		- L -				
	71/72	L(62, 64)-w/stationary window "Before 5/1/72"	Bright finish-3 retainer holes	D1FZ 62290A66-A	D1FZ 62290A67-A	1
	72	L(62, 64)-w/stationary window "From 5/1/72"	Bright finish-1 retainer hole	D2FZ 62290A66-B	D2FZ 62290A67-B	1
	71/	L(62, 64)-w/pivoting window	Refer to Group 29796-7			
		- P -				
	70/	P(62)	Dull finish	D0DZ 62290A66-A	D0DZ 62290A67-A	1
	72	P(62)	Bright finish	D2DZ 62290A66-A	D2DZ 62290A67-A	1
		- U -				
	67/	U(98)		C7TZ 98290A66-B	C7TZ 98290A67-B	1
		- X -				
	66/70	X(62)		C6OZ 62290A66-A	C6OZ 62290A67-A	1
	67/70	X(71)	Bright finish	C6OZ 71290A66-B	C6OZ 71290A67-B	1
	66/70	X(71)	Paint as required	C6OZ 71290A66-C	C6OZ 71290A67-C	1
29074	**RETAINER - QUARTER OUTSIDE LOWER REAR MOULDING**					
	67	A(54A, 57B, 63B, 76A)		C7AZ 5429074-A	C7AZ 5429074-A	6
290C74	**RETAINER - QUARTER OUTSIDE FINISH PANEL - REAR**					
	71	A(53H,K, 57H,K, 65H,K, 71H,K)		D1AZ 65290C74-A	D1AZ 65290C74-A	AR
29076-7	**AIR SCOOP - QUARTER PANEL - BRAKE**					
	65/66	F(GT350)		S2MS 29076-A	S2MS 29077-A	1
	67	F(Shelby GT350/500)		S7MS 63290A76-A	S7MS 63290A77-A	1
	68	F(Shelby GT350/500)		S8MS 63290A76-B	S8MS 63290A77-B	1
	69/70	F(63-Shelby GT350/500)		C9ZZ 63290A76-A	C9ZZ 63290A77-A	1
	69/70	F(76-Shelby GT350/500)		C9ZZ 76290A76-A	C9ZZ 76290A76-B	1
29076-7	**MOULDING - QUARTER OUTSIDE - LOWER FRONT - INCLUDES ATTACHING PARTS**					
		- A -				
	67	A(54C,57F)	With vinyl tape insert	C7AZ 5729076-A	C7AZ 5729077-A	1
	67	A(54C,57F)	With painted insert	C7AZ 5429076-A	★C7AZ 5429077-A Not replaced (1/75)	1
	67	A(63B, 76A)		C7AZ 6329076-B	C7AZ 6329077-B	1
	67	A(63C, J, 76B)	With vinyl tape insert	C7AZ 6329076-A	C7AZ 6329077-A	1
	67	A(63C, J, 76B)	With painted insert	C7AZ 6329076-C	C7AZ 6329077-C	1
	68	A(54, 57)		C8AZ 5429076-B	C8AZ 5429077-B	1
	68	A(62, 63, 65, 76)		C8AZ 6229076-B	C8AZ 6229077-B	1
	68	A(71B, C, D, H, J)		C8AZ 7129076-B	C8AZ 7129077-B	1
	69	A(54A, 57B, 71B, C)	Lower front	C9AZ 5429076-B	C9AZ 5429077-B	1
	69	A(54C, 57F)	Lower front	C9AZ 5429076-C	C9AZ 5429077-C	1
	69	A(63B, 65C, 76A)	Lower front	C9AZ 6329076-A	C9AZ 6329077-A	1
	69	A(65A)	Lower front	C9AZ 6529076-A	C9AZ 6529077-A	1
	69/70	A(54, 57, 71B, C, E)	Upper	C9AZ 5429076-D	C9AZ 5429076-D	2
	70	A(54B) "Before 12/22/69"	Less vinyl insert-62 1/4" long	D0AZ 5429076-D	D0AZ 5429076-D	2
	70	A(54B) "From 12/22/69"	Less vinyl insert-61 15/16" long	D0AZ 5429076-E	D0AZ 5429076-E	2
	69/70	A(62, 63B, 65, 76A)	Upper	C9AZ 6229076-B	C9AZ 6229077-B	1
	69/70	A(71B, C, D, H, J)	Upper-without insert	C9AZ 7129076-A	C9AZ 7129076-A	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
29076-7	**MOULDING - QUARTER OUTSIDE - LOWER FRONT - INCLUDES ATTACHING PARTS - continued**					
		- A -				
	71	A(54F,57F)		D1AZ 5429076-A	D1AZ 5429077-A	1
	71	A(65F)		D1AZ 6529076-A	D1AZ 6529077-A	1
	71/	A(65H,K,76)		D1AZ 6529076-B	D1AZ 6529077-B	1
	71	A(71F)		D1AZ 7129076-A	D1AZ 7129077-A	1
	69/70	A	Screw-No. 8-18 x 3/8"-hex. head	379560-S101 (UU89CA)	379560-S101 (UU89CA)	12
	70	A	Rivet-1/4" x 5/16"-oval head	383229-S(SS44E)	383229-S(SS44E)	2
		- B -				
	65	B(62B,65)		C5OZ 6229076-A	C5OZ 6229077-A	1
	67	B(54B)		C7OZ 5429076-A	C7OZ 5429077-A	1
	67	B(62B,63B,C,76B,C)		C7OZ 6229076-A	C7OZ 6229077-A	1
	67	B(66B,D)		C7OZ 6629076-A	C7OZ 6629077-A	1
	67	B(71B)		C7OZ 7129076-A	C7OZ 7129077-A	1
	68	B(54A,B)		C8OZ 5429076-B	C8OZ 5429076-B	2
	68	B(54C)- "From 2/1/68"	Lower front	C9OZ 5429076-B	C9OZ 5429077-B	1
	68	B(63A,B,E,65A,B,E,76B,E)		C8OZ 6329076-B	C8OZ 6329076-B	2
	68	B(65C)	Lower front	C9OZ 6329076-A	C9OZ 6329077-A	1
	68	B(66A,B)		C8OZ 6629076-B	C8OZ 6629076-B	2
	68	B(71B,D)		C8OZ 7129076-B	C8OZ 7129076-B	2
	68	B(54C) "Before 2/1/68"	Lower front-Refer to group 291B20-1			
	69	B(54)	Upper	C9OZ 5429076-A	C9OZ 5429076-A	2
	69	B(54B,71B)	Lower front	C9OZ 5429076-B	C9OZ 5429077-B	1
	69	B(63B,E,65B,E,76B,E)	Lower front	C9OZ 6329076-A	C9OZ 6329077-A	1
	69	B(63,65,76)	Upper	C9OZ 6529076-A	C9OZ 6529076-A	2
	69	B(66)	Upper-Refer to group 29140-1			
	69	B(66B)	Lower front	C9OZ 6629076-A	C9OZ 6629077-A	1
	69	B(71)		C9OZ 7129076-A	C9OZ 7129076-A	2
	71	B(57E)		D1OZ 5729076-A	D1OZ 5729077-A	1
	71	B(63F,76)		D1OZ 6529076-B	D1OZ 6529077-B	1
	71	B(65E)		D1OZ 6529076-A	D1OZ 6529077-A	1
	71	B(66A,C)		D1OZ 6629076-A	D1OZ 6629077-A	1
	72	B(53D,71D)		D2OZ 5329076-A	D2OZ 5329077-A	1
	72	B(63R,65D,R)		D2OZ 6529076-A	D2OZ 6529077-A	1
		- F -				
	69/70	F	Rear end cap-adhesive backed	C9ZZ 6529076-A	C9ZZ 6529076-A	2
	70	F(63C)	Includes attaching parts	D0ZZ 6329076-A	D0ZZ 6329077-A	1
	71/	F	Less insert	D1ZZ 6329076-A	D1ZZ 6329077-A	1
	71/	F	Black insert	D1ZZ 6529076-C	D1ZZ 6529077-C	1
	71	F	Blue insert	D1ZZ 6529076-D	D1ZZ 6529077-D	1
			Brown insert	D1ZZ 6529076-A	D1ZZ 6529077-A	1
			Green insert	D1ZZ 6529076-B	D1ZZ 6529077-B	1
		- S -				
	65/66	S	Front		C4SZ 6329077-A	1
	70	S	Quarter moulding end cap-used with dealer installed aluminum mouldings	C9ZZ 6529076-A	C9ZZ 6529076-A	2
	70	S(57)	Black insert	D0SZ 5729076-A	D0SZ 5729077-A	1
			Blue insert	D0SZ 5729076-C	D0SZ 5729077-C	1
			Brown insert	D0SZ 5729076-B	D0SZ 5729077-B	1
			Green insert	D0SZ 5729076-D	D0SZ 5729077-D	1
	70	S(65)	Black insert	D0SZ 6529076-A	D0SZ 6529077-A	1
			Blue insert	D0SZ 6529076-C	D0SZ 6529077-C	1
			Brown insert	D0SZ 6529076-B	D0SZ 6529077-B	1
			Green insert	D0SZ 6529076-D	D0SZ 6529077-D	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
29076-7	**MOULDING - QUARTER OUTSIDE - LOWER FRONT - INCLUDES ATTACHING PARTS - continued**					
		- S -				
	71	S(57)	Black insert	D0SZ 5729076-A	D0SZ 5729077-A	1
			Blue insert	D0SZ 5729076-C	D0SZ 5729077-C	1
			Brown insert	D0SZ 5729076-B	D0SZ 5729077-B	1
			Green insert	D1SZ 5729076-A	D1SZ 5729077-A	1
	71	S(65)	Black insert	D0SZ 6529076-A	D0SZ 6529077-A	1
			Blue insert	D0SZ 6529076-C	D0SZ 6529077-C	1
			Brown insert	D0SZ 6529076-B	D0SZ 6529077-B	1
			Green insert	D1SZ 6529076-A	D1SZ 6529077-A	1
	72	S	Refer to Group 29164-5			
	70	S	Screw No. 8-18 x 3/8" self tap.	379560-S101(UU89CA)	379560-S101(UU89CA)	4
		- U -				
	68/	U(97, 98)-with swing away wheel carrier		C8TZ 9729076-A		1
		- X -				
	65	X(66G,H)		★C4DZ 6629076-A Not replaced (3-74)	C4DZ 6629077-B	1
	65	X(62B, 63, 76)		C5DZ 6229076-A	C5DZ 6229077-A	2
	68/69	X(54)		C8DZ 5429076-A	C8DZ 5429076-A	2
	68/70	X(62)		C8DZ 6229076-A	C8DZ 6229076-A	2
	68/70	X(71)		C8DZ 7129076-A	C8DZ 7129077-A	1
290A76-7	**ORNAMENT - QUARTER OUTSIDE REAR - INCLUDES ATTACHING PARTS UNLESS OTHERWISE INDICATED**					
		- A -				
	65	A(57F, 63C, F, 76B)		C5AZ 63290A76-A	C5AZ 63290A76-A	2
	67	A(71A, E)		C7AZ 71290A76-A	C7AZ 71290A76-A	2
	68	A(76)	"XL"	C8AZ 76290A76-A	C8AZ 76290A76-A	2
		- F -				
	65	F(65, 76)		C5ZZ 65290A76-A	C5ZZ 65290A77-A	1
	66	F(65, 76)		C6ZZ 65290A76-A	C6ZZ 65290A77-A	1
	67	F	Upper-die cast-Paint to match-No attaching parts	C7ZZ 65290A76-A	C7ZZ 65290A77-A	1
	68	F exc. F(65)GT/CS	Less base-Refer to Group 290C82-3	C8ZZ 65290A76-A	C8ZZ 65290A77-A	1
	68	F(65)GT/CS	Less insert-refer to Group 291C80-1	C8ZZ 65290A76-B	C8ZZ 65290A77-B	1
	69	F(GT 350/500)		C9ZZ 76290A76-A	C9ZZ 76290A76-B	1
		- X -				
	65	X(66)		C4DZ 62290A76-A	C4DZ 62290A77-A	1
290A76-7	**AIR SCOOP - QUARTER PANEL - BRAKE** - Refer to Group 29076-7					
290B76	**COVER - QUARTER PANEL NAME PLATE STUD**					
	66	A(54, 57B, 62, 63B, 76A)		C6AZ 62290B76-A	C6AZ 62290B76-A	AR
	67	B(63D, 76D)	Improvise from sponge rubber weatherstrip	★	★	2
29078-9	**MOULDING - QUARTER PANEL EXTENSION**					
	69	A(54A, B, C, 57, 62B, 63, 65, 76)	Includes attaching parts	C9AZ 6229078-A	C9AZ 6229079-A	1
	70	A(54A, B, C, 57, 63, 65A, C, 76B)		D0AZ 6229078-A	D0AZ 6229079-A	1
	71	A(53, 54, 57, 65, 76)		D1AZ 6529078-A	D1AZ 6529079-A	1
	68/69	B(63)	Includes attaching parts	C9OZ 6329078-A	C9OZ 6329079-A	1
	72	B(53D, 63R, 65)		D2OZ 6529078-A	D2OZ 6529079-A	1
	67/68	F(63)	Rear-Includes attaching parts	C7ZZ 6329078-A	C7ZZ 6329079-A	1
	67/68	F(65, 76)exc. F(65)GT/CS	Rear-Includes attaching parts	C7ZZ 6529078-A	C7ZZ 6529079-A	1
	69	F(65, 76)	Includes attaching parts	C9ZZ 6529078-A	C9ZZ 6529079-A	1
	71/	L(62, 64)	Bright finish	D1FZ 6229078-A	D1FZ 6229079-A	1
	70	P(62)	Rear-Includes attaching parts	D0DZ 6229078-A	D0DZ 6229079-A	1
	72	P(62A)-LTD				1
	72	P(54)-LTD		D1DZ 5429078-A	D1DZ 5429079-A	1
	70	P(62)	Nut No. 8-32 hex wshr.	377523-S100(MM291C)	377523-S100(MM291C)	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
29078-9	**MOULDING - QUARTER PANEL EXTENSION - continued**					
	70	P(62)	Screw No. 8-18 x 3/8" round hd.	381671-S45X(UU89C)	381671-S45X(UU89C)	4
	72	S		D2SZ 6529078-A	D2SZ 6529079-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
290B82	**RETAINER - QUARTER OUTSIDE LOWER MOULDING - REAR** - Also refer to Group 29033				
	68	A(54C, 57F, 63C, 65A, 76B)		C8AZ 54290B82-A	2
290C82-3	**BASE - QUARTER OUTSIDE ORNAMENT**				
	68	Fexc. F(65)GT/CS	R.H.-Paint to match	C8ZZ 65290C82-A	1
			L.H.	C8ZZ 65290C83-A	1
29086-7	**MOULDING - QUARTER WINDOW GARNISH FINISH - INCLUDES ATTACHING PARTS**				
	68/70	B(63B, E)		C8OZ 6329086-A	2
	68/70	B(65B, E)		C8OZ 6529086-A	2
	69	B(65A)			2
	68/69	B(76B, E)	R.H. - Not Repl'd. (1-73)	★C8OZ 7629086-A	1
			L.H.	C8OZ 7629087-A	1
290A88-9	**MOULDING - QUARTER OUTSIDE BELT - CENTER - INCLUDES ATTACHING PARTS**				
	65	X(66)	R.H. -Chrome	C0DB 66290A88-B	1
			L.H.	C0DB 66290A89-B	1
	65	X(66)	Spacer	C0DB 66290B16-A	6
	66	X(66)		C6DZ 66290A88-A	2
	67	B(66)			2
29092	**RETAINER - QUARTER PANEL EXTENSION MOULDING**				

REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION
FOR COMPLETE RETAINER PART NUMBER

29098-9	**MOULDING - QUARTER OUTSIDE TO LOWER BACK PANEL - INCLUDES ATTACHING PARTS**				
	67/68	S	R.H.	C7SZ 6529098-A	1
			L.H.	C7SZ 6529099-A	1
	69	S	R.H.	C9SZ 6529098-A	1
			L.H.	C9SZ 6529099-A	1
	70/71	S	R.H.	D0SZ 6529098-A	1
			L.H.	D0SZ 6529099-A	1
291C02-3	**MOULDING - QUARTER WINDOW OUTSIDE LOWER**				
	65/66	A(71)	R.H. -Includes attaching parts -not replaced(3-74)	★C5AZ 71291C02-B	1
			L.H.	C5AZ 71291C03-B	1
	72	B(71)	R.H.	D2OZ 71291C02-A	1
			L.H.	D2OZ 71291C03-A	1
	72	L(73)	R.H.	D2FZ 73291C02-A	1
			L.H.	D2FZ 73291C03-A	1
	67/69	U(98)	R.H.	C7TZ 98291C02-A	1
			L.H.	C7TZ 98291C03-A	1
	70/	U(98)	R.H.	C7TZ 98291C02-B	1
			L.H.	C7TZ 98291C03-B	1
	65/66	A(71)	Nut and retainer-No. 10-24	379395-S35(MM295U)	2
29108	**RETAINER - QUARTER OUTSIDE UPPER MOULDING**				
	69/70	A(63)		C9AZ 6329108-A	2
291C10	**RETAINER - QUARTER PANEL LOWER REAR EDGE MOULDING**				
	65/66	A(57F, 63B, C, F, 76)		C5AZ 63291C10-A	4
	66	A(57F, 63C, F, 76B)		C6AZ 63291C10-A	4
291C16	**RETAINER - QUARTER PANEL UPPER EDGE MOULDING**				
	65	B(54, 71)	Rear door	C5OZ 62291C16-A	4
	65	B(54, 71)	Quarter		12
	65	B(62, 65)	Quarter		16
291C18-9	**RETAINER - QUARTER TRIM UPPER FRONT PANEL - UPPER**				
	67/68	F(63)	R.H. - Not Repl'd. (1-73)	★C7ZZ 63291C18-A	1
			L.H.	C7ZZ 63291C19-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
29120	**RETAINER - QUARTER MOULDING - OUTSIDE**				
			REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER		
291B20-1	**MOULDING - QUARTER OUTSIDE LOWER - INCLUDES ATTACHING PARTS**				
	68	B(54C) "Before 2/1/68"	R.H.	C8OZ 54291B20-A	1
			L.H.	★C8OZ 54291B21-A r/b C90Z 5429077-B (10-72)	1
	68	B(54C) "From 2/1/68"	Refer to Group 29076-7		
	68	B(65C)	Refer to Group 29076-7		
	67	S	R.H.	C7SZ 65291B20-A	1
			L.H.	C7SZ 65291B21-A	1
	68/71	S	R.H. -rear	C8SZ 65291B20-A	1
			L.H.	C8SZ 65291B21-A	1
	69	S(57)	R.H. -front	C9SZ 57291B20-A	1
			L.H.	C9SZ 57291B21-A	1
	69	S(65)	Front	C9SZ 65291B20-A	2
291B22-3	**PANEL - QUARTER OUTSIDE FINISH - FRONT - INCLUDES ATTACHING PARTS**				
	71/	A(53, 57H, K)	R.H.	D1AZ 57291B22-A	1
			L.H.	D1AZ 57291B23-A	1
	71/	A(65H, K, 76)	R.H.	D1AZ 65291B22-A	1
			L.H.	D1AZ 65291B23-A	1
291C22	**RETAINER - QUARTER WINDOW OUTSIDE LOWER MOULDING**				
	65/66	A(71)		C5AZ 71291C22-A	12
29124	**RETAINER - QUARTER OUTSIDE LOWER REAR MOULDING**				
			REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER		

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
291A24-5	**MOULDING - QUARTER PANEL OUTSIDE UPPER REAR END - INCLUDES ATTACHING PARTS**					
	67/71	S		C9SZ 65291A24-A	C9SZ 65291A25-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
29128	**RETAINER - QUARTER OUTSIDE FRONT BELT MOULDING**				
	70/71	B(66)		D0OZ 6629128-A	16
	72	B(97)		D2OZ 9729128-A	18
291B30-1	**NUMERAL - MODEL IDENTIFICATION - INCLUDES ATTACHING PARTS**				
	66	A(54A,57B,63B,D, 76A, D)	"500"-quarter panel	C6AZ 54291B30-A	2
	66	A(54B, 62B)	"500" -quarter panel	C6AZ 62291B30-A	2
	66	A(63C, 76B)	R. H. -"500 XL"-quarter panel	C6AZ 63291B30-A	1
			L. H.-quarter panel	C6AZ 63291B31-A	1
	67	A(54A, 57B, 63B, 76A)	"5"-quarter panel	C7AZ 54291B30-A	2
	67	A(54A, 57B, 63B, 76A)	"0"-quarter panel	C7AZ 54291B30-B	4
	68	A(54A, B, 57B, 62B, 63B, 65C, 76A)	"500"-quarter panel	C8AZ 62291B30-A	2
	68	A(71H,J)	On tailgate		1
	69	A(54A, B, 57B, 62B, 63B, 65C, 76A)	"500"-quarter panel	C9AZ 62291B30-A	2
	69/70	A(71H, J)	On tailgate		1
	70	A (54B,E)	"500"-Refer to Group 42495		
	71	A(54D,71D)	"500" -quarter panel	D1AZ 54291B30-A	1
	72	A(54D, F, 57F, 65D, F)			1
	66	B(63C, F, 76C)	"500 XL"-quarter panel	C6OZ 63291B30-A	2
	67	B(54B, 62B, 63B, 76B)	R.H.-"500"-quarter panel	C7OZ 62291B30-A	1
			L.H.-quarter panel	C7OZ 62291B31-A	1
	67	B(71B)	R.H.-"500"-quarter panel	C7OZ 71291B30-A	1
			L.H.-quarter panel	C7OZ 71291B31-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
291B30-1	**NUMERAL - MODEL IDENTIFICATION - INCLUDES ATTACHING PARTS - continued**				
	68/69	B(54B, 63B, E, 65B, E, 66B, 71B, 76B, E)	"500"-quarter panel	C8OZ 54291B30-A	2
	70	B(54B, 65B, 71B)			2
	72	B(97D)	Front fender-w/studs		2
	72	B(97D)	"500"-front fender-adhesive backed	D0OZ 16098-J	2
	71	B(54C, 57C, 63C, 65C, 71C)	"500"-Aluminum-quarter panel	D1OZ 65291B30-A	2
	71	B(54C, 57C, 63C, 65C, 71C)	"500"-Zinc die cast-quarter panel	D1OZ 65291B30-B	2
	71	B(65C)	"500" -Lime-quarter panel	D1OZ 65291B30-D	2
			"500" -Red-quarter panel	D1OZ 65291B30-C	2
			"500" -Yellow-quarter panel	D1OZ 65291B30-E	2
	70	B(54, 57, 65, 71)	Nut 1/8" spring	373888-S7(MM290)	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
29138-9	**MOULDING - QUARTER OUTSIDE REAR BELT**					
	67	B(66)		C6DZ 6629138-A	C6DZ 6629139-A	1
	68/69	B(66)		C8OZ 6629138-A	C8OZ 6629139-A	1
	70/71	B(66)		D0OZ 6629138-A	D0OZ 6629139-A	1
	72	B(97)		D2OZ 9729138-A	D2OZ 9729139-A	1
	65	X(66A, B)	Chrome	C0DB 6629138-B	★C0DB 6629139-B Not replaced (1/75)	1
	66	X(66)		C6DZ 6629138-A	C6DZ 6629139-A	1
29140-1	**MOULDING - QUARTER OUTSIDE - UPPER - INCLUDES ATTACHING PARTS**					
		- A -				
	69/70	A(63)-w/o vinyl roof or two tone paint	Use on roof side	C9AZ 6329140-A	C9AZ 6329141-A	1
	69/70	A(63)-w/vinyl roof or two tone paint	Use on roof side	C9AZ 6329140-B	C9AZ 6329141-B	1
	70	A(63C)	Use on quarter under window	D0AZ 6329140-A	D0AZ 6329141-A	1
	70	A(76)		D0AZ 7629140-A	D0AZ 7629141-A	1
		- B -				
	65	B(54)		C5OZ 5429140-A	★C5OZ 5429141-A Not replaced (1/75)	1
	65	B(62, 65)		C5OZ 6229140-A	C5OZ 6229141-A	1
	68	B(54C)		C8OZ 5429140-B	C8OZ 5429141-B	1
	68	B(65C)		C8OZ 6529140-A	C8OZ 6529141-A	1
	69	B(66A, B)		C9OZ 6629140-A	C9OZ 6629140-A	2
		- X -				
	66	X(71B)		C6DZ 7129140-A		1
			Fuel filler lid		C6DZ 71405A48-A	1
	66/67	X(54)		C6DZ 5429140-A	C6DZ 5429141-A	1
	66/67	X(62)		C6DZ 6229140-A	C6DZ 6229141-A	1
291C40	**SUPPORT - QUARTER WINDOW LOWER GARNISH MOULDING**					
	70/	A(71)			C9AZ 71291C40-A	1

29144 RETAINER - OUTSIDE MOULDING

REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER

291A50-1	**MOULDING - QUARTER PANEL OUTSIDE REAR END - INCLUDES ATTACHING PARTS**					
	65	X(54B, 62B, 63, 76)		C5DZ 62291A50-A	C5DZ 62291A51-A	1
	65	X(71B)				1
291C50	**RETAINER - QUARTER WHEELHOUSE TRIM PANEL MOULDING**					
	66/70	X(71)			C6DZ 71291C50-A	1
291A52-3	**ORNAMENT - QUARTER PANEL**					
	67	F	Lower-Paint to match	C7ZZ 65291A52-A	C7ZZ 65291A53-A	1
291C56	**RETAINER - QUARTER PANEL OUTSIDE ORNAMENT**					
	69	F(63)		C9ZZ 63291C56-A	C9ZZ 63291C56-A	2
29158-9	**PANEL - QUARTER LOWER REAR EXTENSION FINISH - INCLUDES ATTACHING PARTS**					
	68	A(54A, B, 57B, 63B, 65C, 76A)		C8AZ 5429158-C	C8AZ 5429159-C	1
	68	A(54C, 57F, 63C, 65A, 76B)		C8AZ 5429158-D	C8AZ 5429159-D	1
	67	B(54B, 62B, 63, 76)		C7OZ 6229158-A	C7OZ 6229159-A	1
	69	B(54C, 65C, D, F, 76D, F)		C9OZ 5429158-A	C9OZ 5429159-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
291A58-9	**MOULDING - QUARTER LATCH PILLAR FINISH**					
	66/70	X(71)		C6DZ 71291A58-A	C6DZ 71291A59-A	1
29164-5	**MOULDING - QUARTER WHEEL OPENING - INCLUDES ATTACHING PARTS**					
		- A -				
	65	A(54,57,63,76)	Approx. 34 1/4" long	C5AZ 6229164-A	C5AZ 6229165-A	1
	65	A(57,63,76)	Approx. 30 3/4" long	C5AZ 6329164-A	C5AZ 6329165-A	1
	65	A(71B,C)		C5AZ 7129164-A	C5AZ 7129165-A	1
	66	A(54A, 57B, 63B, 76A)		C6AZ 5429164-A	C6AZ 5429165-A	1
	66	A(57F, 63C, D, F, 76B, D)		C6AZ 6329164-A	C6AZ 6329165-A	1
	66	A(71B, C)		C6AZ 7129164-A	C6AZ 7129165-A	1
	67	A(54A, 57B)		C7AZ 5429164-B	C7AZ 5429165-B	1
	67	A(54C, 57F, 63C, J, 76B)		C7AZ 6329164-B	C7AZ 6329165-B	1
	67	A(63B, 76A)		C7AZ 6329164-A	C7AZ 6329165-A	1
	67	A(71B, C)		C7AZ 7129164-B	C7AZ 7129165-B	1
	68	A(54, 57, 63, 65, 76)		C8AZ 5429164-B	C8AZ 5429165-B	1
	68	A(71B, C)		C8AZ 7129164-A	C8AZ 7129165-A	1
	69	A(54A, 57B, 63B, 65C, 76A)		C9AZ 5429164-A	C9AZ 5429165-A	1
	69	A(54C, 57F, 65A)		C9AZ 5429164-B	C9AZ 5429165-B	1
	69	A(71B, C)		C9AZ 7129164-A	C9AZ 7129165-A	1
	69	A(63C, 76B)		C9AZ 6329164-A	C9AZ 6329165-A	1
	70	A(54A, C, 57, 63, 65, 76)				1
	70	A(71B, C)- "Before 8/11/69"				1
	70	A(71B, C)- "From 8/11/69"		D0AZ 7129164-A	D0AZ 7129165-A	1
	71/	A(53H, K, 57H, K)		D1AZ 5729164-A	D1AZ 5729165-A	1
	71	A(54D, 65D)		D1AZ 5429164-A	D1AZ 5429165-A	1
	72	A(54D, F, 57F, 65D, F)				1
	71	A(54F, 57F, 65F)		D1AZ 6529164-A	D1AZ 6529165-A	1
	71/	A(65H, K, 76)		D1AZ 6529164-B	D1AZ 6529165-B	1
	71	A(71D)		D1AZ 7129164-A	D1AZ 7129165-A	1
	72	A(71D, F)				1
	71	A(71F)		D1AZ 7129164-B	D1AZ 7129165-B	1
	70	A	Screw No. 8-18 x 3/8" washer hd.	381671-S45X(UU89C)	381671-S45X(UU89C)	4
		- B -				
	66	B(54B, 62B, 63, 76)		C6OZ 6229164-A	C6OZ 6229165-A	1
	66	B(71B)		C6OZ 7129164-A	C6OZ 7129165-A	1
	67	B(54B, 62B, 63B, C, 76B, C)		C7OZ 6229164-A	C7OZ 6229165-A	1
	67	B(66B, D, 71B)		C7OZ 7129164-A	C7OZ 7129165-A	1
	68	B(71B)		C8OZ 7129164-A	C8OZ 7129165-A	1
	68	B(54C, 65C)		C9OZ 5429164-A	C9OZ 5429165-A	1
	69	B(54A, B, 63B, E, 65A, B, E, 66B, 71D, 76B, E)				1
	68	B(54B, 63B, D, E, 65B, D, 65E, 66B, D, 76B, D, E)		C9OZ 5429164-B	C9OZ 5429165-B	1
	69	B(54C, 63D, F, H, 65C, D, F, H, 66C, D, 76D, F)				
	69	B(71B)		C9OZ 7129164-A	C9OZ 7129165-A	1
	70	B(54B, C, 57C, 63C, H, 65B, C)		D0OZ 6529164-A	D0OZ 6529165-A	1
	71	B(54C, 57C, 63, 65C, 76)				1
	70	B(57E, 63F, 65E, 76F)		D0OZ 6529164-B	D0OZ 6529165-B	1
	70/71	B(66B, C)		D0OZ 6629164-A	D0OZ 6629165-A	1
	70	B(71B, C)		D0OZ 7129164-A	D0OZ 7129165-A	1
	71	B(71C)				1
	71	B(57E, 65E)		D1OZ 6529164-A	D1OZ 6529165-A	1
	72	B(53, 63, 65)	Half wheel opening	D2OZ 6529164-B	D2OZ 6529165-B	1
	72	B(63, 65)	Full wheel opening	D2OZ 6529164-A	D2OZ 6529165-A	1
	72	B(71D)		D2OZ 7129164-B	D2OZ 7129165-B	1
	72	B(97D)		D2OZ 9729164-A	D2OZ 9729165-A	1
	70	B	Screw No. 8- 18 x 3/8" washer hd.	381671-S45X(UU89C)	38167-S45X(UU89C)	12

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
29164-5	**MOULDING - QUARTER WHEEL OPENING - INCLUDES ATTACHING PARTS - continued**					
		- F -				
	67/68	F		C7ZZ 6529164-A	C7ZZ 6529165-A	1
	69	F(63)-except Boss		C9ZZ 6329164-A	C9ZZ 6329165-A	1
	69	F(65, 76)		C9ZZ 6529164-A	C9ZZ 6529165-A	1
	70	F(63)-except Boss	Without F60-15 tire	D0ZZ 6329164-A	D0ZZ 6329165-A	1
	70	F(65A, B, E, 76A, B)		D0ZZ 6529164-A	D0ZZ 6529165-A	1
	71/	F		D1ZZ 6529164-A	D1ZZ 6529165-A	1
	70	F(63, 65)	Screw No. 8-18 x 3/8" washer hd.	381671-S45X(UU89C)	381671-S45X(UU89C)	2
		- L -				
	71/	L(62, 64)	Bright finish	D1FZ 6229164-A	D1FZ 6229165-A	1
	72	L(73)		D2FZ 7329164-A	D2FZ 7329165-A	1
		- P -				
	70	P(62)		D0DZ 6229164-A	D0DZ 6229165-A	1
	70	P(62)	Screw No. 8-18 x 3/8" round washer hd.	381671-S45X(UU89C)	381671-S45X(UU89C)	12
		- S -				
	66	S		C6SZ 6329164-A	C6SZ 6329165-A	1
	70/71	S(57)		D0SZ 5729164-A	D0SZ 5729165-A	1
	70/71	S(65)		D0SZ 6529164-A	D0SZ 6529165-A	1
	72	S	Black insert	D2SZ 6529164-CA	D2SZ 6529165-CA	1
		- X -				
	66	X(54,62)		C9DZ 6229164-B	C9DZ 6229165-B	1
	66	X(66,71)		C9DZ 7129164-A	C9DZ 7129165-A	1
	67	X(54,62)		C7DZ 6229164-A	C7DZ 6229165-A	1
	67/68	X(71)		C7DZ 7129164-A	C7DZ 7129165-A	1
	68/69	X(54,62)	W/o rocker panel mldg.	C8DZ 6229164-A	C8DZ 6229165-A	1
	69/70	X(54,62)	W/rocker panel mldg.	C9DZ 6229164-B	C9DZ 6229165-B	1
	69/70	X(71)		C9DZ 7129164-A	C9DZ 7129165-A	1
291A66	**RETAINER - QUARTER OUTSIDE FINISH PANEL - FRONT**					
	71/	A(65H,K,76)		D1AZ 65291A66-A	D1AZ 65291A66-A	2
291B66-8	**RETAINER - QUARTER WHEEL OPENING MOULDING**					
		REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER				
291B74-5	**BRACKET - QUARTER PANEL TO WHEELHOUSE BRACE**					
	66/71	B(76)		C6OZ 76291B74-A	C6OZ 76291B75-A	1
	72	B(53)		D2OZ 53291B74-A	D2OZ 53291B75-A	1
	72	B(65)		D2OZ 65291B74-A	D2OZ 65291B75-A	1
291B80	**RETAINER - QUARTER PANEL REAR EXTENSION MOULDING**					
		REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER				
291C80-3	**INSERT - QUARTER PANEL OUTSIDE ORNAMENT**					
	67	F	Center-lower-paint to match	C7ZZ 65291C80-A	C7ZZ 65291C81-A	1
			Center-upper-paint to match	C7ZZ 65291C82-A	C7ZZ 65291C83-A	1
	68	F(65) GT/CS	With attaching parts	C8ZZ 65291C80-A	C8ZZ 65291C81-A	1
291A84-5	**MOULDING - QUARTER WINDOW GARNISH REAR** - Paint to match					
	69	A(62)		C9AZ 62291A84-A	C9AZ 62291A85-A	1
	66/67	B(62)		C6OZ 62291A84-A	C6OZ 62291A85-A	1
	66/70	X(62)				1
			No. 8-15 x 2 1/2" Cross recess oval head screw	371847-S13(UU56)	371847-S13(UU56)	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
291C84-5	**MOULDING - QUARTER PANEL OUTSIDE REAR END - LOWER - INCLUDES ATTACHING PARTS**					
	67	S		C7SZ 65291C84-A	C7SZ 65291C85-A	1
	70/71	S	Use with body side mouldings	D0SZ 65291C84-A	D0SZ 65291C85-A	1
	68/71	S	Use with lower body mouldings	D0SZ 65291C84-B	D0SZ 65291C85-B	1
	70/71	S	Screw No. 8-18 x 1/2" oval head	52413-S13(U316)	52413-S13(U316)	2
29188-9	**SUPPORT - QUARTER TRIM PANEL UPPER EDGE REINFORCEMENT**					
	69/70	F(76)		C9ZZ 7629188-A	C9ZZ 7629189-A	1
29192	**RETAINER - QUARTER OUTSIDE UPPER MOULDING**					

REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION
FOR COMPLETE RETAINER PART NUMBER

291C96-7	**MOULDING - QUARTER PANEL and PILLAR - INCLUDES ATTACHING PARTS**					
	68/69	B(66)		C8OZ 66291C96-A	C8OZ 66291C97-A	1
29200-1	**REINFORCEMENT - QUARTER PANEL TO WHEELHOUSE**					
	71/	A(53,57,65)		D1AZ 6529200-A	D1AZ 6529201-A	1
292B02	**DEADENER - QUARTER PANEL TO WHEELHOUSE - SOUND**					
	67	A(63J)	Includes retainer & bumper	C7AZ 63292B02-A	C7AZ 63292B02-A	2
292A08-9	**MOULDING - QUARTER VENT WINDOW FRAME**					
	71/	L(62,64) -w/pivoting window		D1FZ 62292A08-A	D1FZ 62292A09-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
29210-1	**LETTER - QUARTER PANEL - OUTSIDE - INCLUDES ATTACHING PARTS**				
	66	A(54A, 57B, 63B, C, D, 76)	"G"	C6AZ 5429210-A	2
			"A"	C6AZ 5429210-B	4
			"L"	C6AZ 5429210-C	2
			"X"	C6AZ 5429210-D	2
			"I"	C6AZ 5429210-E	2
			"E"	C6AZ 5429210-F	2
	67	A(54A, 57B, 63B, 76A)	"G"	C7AZ 5429210-A	2
			"A"	C7AZ 5429210-B	4
			"L"	C7AZ 5429210-C	2
			"X"	C7AZ 5429210-D	2
			"I"	C7AZ 5429210-E	2
			"E"	C7AZ 5429210-F	2
	67	B(63C, 76C)	R.H. -"XL"	C7OZ 6329210-A	1
			L.H.	C7OZ 6329211-A	1
	66/67	B(63D, 76D)	"F"	C6OZ 6329210-A	2
			"A"	C6OZ 6329210-B	4
			"T"	C6OZ 6329210-C	2
			"R"	C6OZ 6329210-D	2
			"L"	C6OZ 6329210-E	2
			"N"	C6OZ 6329210-F	2
			"E"	C6OZ 6329210-G	2
29232	**RETAINER - COAT HOOK**				
	68/69	A(exc. 76), B(exc. 76), F(exc. 76), S, U, X	Also used for shoulder strap storage	C8AZ 6229232-A	C8AZ 6229232-A	2
	70	A,B,F,P,S,U,X				4
	71/	A,B,F,L,P,S,U				4
	68/	A,B,F,L,P,S,U,X	For cover Refer to Group 29024			

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
292A32	**BRACKET - COAT HOOK**					
	72	A(57)-w/sliding roof		D2AZ 57292A32-A	D2AZ 57292A32-A	1
	72	A(65)-w/sliding roof		D2AZ 65292A32-A	D2AZ 65292A32-A	1
29250-1	**MOULDING - QUARTER BELT INSIDE**					
	72	B(65)		D2OZ 6529250-A	D2OZ 6529251-A	1
	72	S		D2SZ 6529250-A	D2SZ 6529251-A	1
29288	**RETAINER - QUARTER OUTSIDE LOWER FRONT MOULDING**					

REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION
FOR COMPLETE RETAINER PART NUMBER

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
29308	**RETAINER - QUARTER WINDOW GARNISH MOULDING - REAR**				
	69/	A(71)		C9AZ 7129308-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
29312-3	**MOULDING - QUARTER PANEL REAR EXTENSION - INCLUDES ATTACHING PARTS**					
	66	A(54A, 57B, 63B, 76A)		C6AZ 5429312-A	C6AZ 5429313-A	1
	67	A(54A, 57B, 63B, 76A)		C7AZ 5429312-A	C7AZ 5429313-A	1
	67	A(54C, 57F, 63C, J, 76B)		C7AZ 6329312-A	C7AZ 6329313-A	1
	68	A(54, 57, 63, 65, 76)		C8AZ 5429312-A	C8AZ 5429313-A	1
	69	B(54B, C, 65, 76)		C9OZ 5429312-A	C9OZ 5429313-A	1
29318	**RETAINER - BODY SIDE MOULDING**					
	67/	U(97, 98)		C7TZ 9729318-A	C7TZ 9729318-A	18
			Tail gate			5
29322-3	**RETAINER - QUARTER OUTSIDE LOWER FRONT MOULDING**					
	70	S		D0SZ 6529322-A	D0SZ 6529322-A	4
	71	S		D0SZ 6529322-A	D0SZ 6529323-A	AR
29388-9	**BRACE - QUARTER LATCH PILLAR TO QUARTER SIDE MEMBER**					
	68/69	B(63, 65)		C8OZ 6329388-A	C8OZ 6329389-A	1
	70/71	B(62, 63, 65, 76)		D0OZ 6529388-A	D0OZ 6529389-A	1
	72	B(53, 63, 65)		D2OZ 5329388-A	D2OZ 5329389-A	1
	72	B(71)		D2OZ 7129388-A	D2OZ 7129389-A	1
	69/70	F(63)		C9ZZ 6329388-A	C9ZZ 6329389-A	1
29396-7	**MOULDING - QUARTER WINDOW OUTSIDE REAR**					
	68/69	B(65A, B, D, E)		C8OZ 6529396-A	C8OZ 6529397-A	1
	70	B(65F)				1
	67/68	S(65) "Before 8/28/67"	Includes weatherstrip	C7SZ 6529396-C	C7SZ 6529397-D	1
	68	S(65) "From 8/28/67"	Includes weatherstrip	C7SZ 6529396-D	C7SZ 6529397-D	1
	69	S(65A, C)				1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
29432	**BAR - ENGINE COMPARTMENT SUPPORT**				
	65/66	F(GT350)		S1MS 29432-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
29436-7	**FILLER - QUARTER WINDOW OPENING - FRONT CORNER - LOWER**					
	69/	A(71)		C9AZ 7129436-A	C9AZ 7129437-A	1
	66/	B(71)	Improvise	★	★	
	66/70	X(71)	Improvise	★	★	
29458-9	**FILLER - QUARTER WINDOW OPENING - REAR CORNER**					
	69/	A(71)		C9AZ 7129458-A	C9AZ 7129459-A	1
	66	B(71), X(71)	Improvise	★	★	
	72	B(63)		D2OZ 6329458-A	D2OZ 6329459-A	1
	72	B(71)		D2OZ 7129458-A	D2OZ 7129459-A	1
	69	F(63)		C9ZZ 6329458-A	C9ZZ 6329459-A	1
	69/70	F(65)		C9ZZ 6529458-A	C9ZZ 6529459-A	1
	71/	L(62, 64)		D1FZ 6229458-A	D1FZ 6229459-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
29536-7	**MOULDING - QUARTER WINDOW OUTSIDE REAR**					
	70	A(63)	Use with two tone paint	D0AZ 6329536-B	D0AZ 6329537-B	1
	70	A(65)	Use with vinyl roof or two tone paint	D0AZ 6529536-B	D0AZ 6529537-B	1
	70	A(65)	Use without vinyl roof or two tone paint	D0AZ 6529536-A	D0AZ 6529537-A	1
	69/70	F(65)	Includes attaching parts	C9ZZ 6529536-A	C9ZZ 6529537-A	1
296A06-7	**CARRIER - QUARTER WINDOW SLIDE**					
	67/71	S(65A,C)		C7SZ 65296A06-A	C7SZ 65296A07-A	1
			1/4"-20 x 1" Shoulder set screw	★352332-S2	★352332-S2	4
			1/4"-20 Nut & wshr. assy.	★376762-S2	★376762-S2	4
29610	**ANTI-RATTLE - QUARTER WINDOW**					
	71/	F		D1ZZ 6529610-A	D1ZZ 6529610-A	2
	72	B(65)		D2OZ 6529610-A	D2OZ 6529610-A	2
29622	**MOULDING - QUARTER WINDOW OUTSIDE FRONT**					
	72	B(71)		D2OZ 7129622-A	D2OZ 7129622-A	2
29638-9	**MOULDING - REAR QUARTER WINDOW REAR**					
	72	L(73)		D2FZ 7329638-B	D2FZ 7329639-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	Nags No.	PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
29700-1	**WINDOW ASSY. - QUARTER** - Tempered, unless otherwise indicated Also refer to Groups 29710-1 and 29740-1						
	69	A(63)	R. H.	Q4082	C9AZ 6329700-A	C9AZ 6329700-B	1
			L. H.	Q4083	C9AZ 6329701-A	C9AZ 6329701-B	1
	69	A(65)	R. H.	Q4084	C9AZ 6529700-A	C9AZ 6529700-B	1
			L. H.	Q4085	C9AZ 6529701-A	C9AZ 6529701-B	1
	69	A(76)	R. H.	Q4092	C9AZ 7629700-A	C9AZ 7629700-B	1
			L. H.	Q4093	C9AZ 7629701-A	C9AZ 7629701-B	1
	69	A(63, 65, 76)	Screw-No. 8-32 x 1/2" o. hd.		50398-S13(U121)	50398-S13(U121)	AR
	69	A	Screw & washer- 1/4"-20 x 5/8" hex. hd.		57472-S40(B339V)	57472-S40(B339V)	AR
	70	A(63)	R. H.	Q4307	D0AZ 6329700-A	D0AZ 6329700-B	1
			L. H.	Q4308	D0AZ 6329701-A	D0AZ 6329701-B	1
	70	A(65)	R. H.	Q4312	D0AZ 6529700-A	D0AZ 6529700-B	1
			L. H.	Q4313	D0AZ 6529701-A	D0AZ 6529701-B	1
	70/	A(76)	R. H.	Q4320	D0AZ 7629700-A	D0AZ 7629700-B	1
			L. H.	Q4321	D0AZ 7629701-A	D0AZ 7629701-B	1
	71/	A(65)	Refer to Group 29710-1				
	68	B(63)	R. H.	Q3905	C8OZ 6329700-A	C8OZ 6329700-B	1
			L. H.	Q3906	C8OZ 6329701-A	C8OZ 6329701-B	1
	68	B(65)	R. H.	Q3908	C8OZ 6529700-A	C8OZ 6529700-B	1
			L. H.	Q3909	C8OZ 6529701-A	C8OZ 6529701-B	1
	68	B(76)	R. H.	Q3913	C8OZ 7629700-A	C8OZ 7629700-B	1
			L. H.	Q3914	C8OZ 7629701-A	C8OZ 7629701-B	1
	69	B(63)	R. H.	Q4131	C9OZ 6329700-A	C9OZ 6329700-B	1
			L. H.	Q4132	C9OZ 6329701-A	C9OZ 6329701-B	1
	69	B(65)	R. H.	Q4133	C9OZ 6529700-A	C9OZ 6529700-B	1
			L. H.	Q4134	C9OZ 6529701-A	C9OZ 6529701-B	1
	69	B(76)	R. H.	Q4137	C9OZ 7629700-A	C9OZ 7629700-B	1
			L. H.	Q4138	C9OZ 7629701-A	C9OZ 7629701-B	1
	70/71	B(63)	R. H.	Q4325	D0OZ 6329700-A	D0OZ 6329700-B	1
			L. H.	Q4326	D0OZ 6329701-A	D0OZ 6329701-B	1
	70/71	B(65)	R. H.	Q4330	D0OZ 6529700-A	D0OZ 6529700-B	1
			L. H.	Q4331	D0OZ 6529701-A	D0OZ 6529701-B	1
	70/71	B(76)	R. H.	Q4342	D0OZ 7629700-A	D0OZ 7629700-B	1
			L. H.	Q4343	D0OZ 7629701-A	D0OZ 7629701-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION		PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
29700-1	**WINDOW ASSY. - QUARTER - continued -** Tempered, unless otherwise indicated-Also refer to Groups 29710-1 and 29740-1						
				Nags No.			
	69	F(65, 76)	R.H.	Q4123	C9ZZ 6529700-A	C9ZZ 6529700-B	1
			L.H.	Q4124	C9ZZ 6529701-A	C9ZZ 6529701-B	1
	70	F(65, 76) "Before 1/19/70"	R.H.	Q4284	D0ZZ 6529700-A	D0ZZ 6529700-B	1
			L.H.	Q4285	D0ZZ 6529701-A	D0ZZ 6529701-B	1
	70	F(65, 76) "From 1/19/70"	R.H.	Q4284	D0ZZ 6529700-C	D0ZZ 6529700-D	1
			L.H.	Q4285	D0ZZ 6529701-C	D0ZZ 6529701-D	1
	67/69	S(65)	R.H.	Q3744	C7SZ 6529700-E	C7SZ 6529700-F	1
			L.H.	Q3745	C7SZ 6529701-E	C7SZ 6529701-F	1
	70	S(65A, C) "Before 1/19/70"	R.H.	Q4362	D0SZ 6529700-A	D0SZ 6529700-B	1
			L.H.	Q4363	D0SZ 6529701-A	D0SZ 6529701-B	1
	70/71	S(65A, C) "From 1/19/70"	R.H.	Q4362	D0SZ 6529700-C	D0SZ 6529700-D	1
			L.H.	Q4363	D0SZ 6529701-C	D0SZ 6529701-D	1
	72	S	Refer to Group 29710-1				
	67/71	S	1/4"-20 nut		33795-S7(M49)	33795-S7(M49)	AR
	67/71	S	No. 8-lockwasher		34803-S8(X60)	34803-S8(X60)	1
29706-7	**WINDOW - QUARTER VENT - LESS HANDLE**						
				Nags No.			
	69/70	F(63)	R.H. - includes frame	Q4118	C9ZZ 6329706-A	C9ZZ 6329706-B	1
			L.H.	Q4119	C9ZZ 6329707-A	C9ZZ 6329707-B	1
	70	P(62)	Refer to Illustration Section 290 for details				
	72	L(62, 64) "From 5/1/72"	R.H.-pivoting quarter window	Q4798	D2FZ 6229706-A	D2FZ 6229706-B	1
			L.H.	Q4799	D2FZ 6229707-A	D2FZ 6229707-B	1
	72	L(73)-w/frame - "From 5/1/72"	R.H.	Q4796	D2FZ 7329706-A	D2FZ 7329706-B	1
			L.H.	Q4797	D2FZ 7329707-A	D2FZ 7329707-B	1
	72	L(73)-w/o frame - "Before 5/1/72"	Refer to Group 29710-11				
29710-1	**GLASS - QUARTER WINDOW** - Tempered, unless otherwise indicated - Also refer to group 29700-1						
				Nags No.			
		- A -					
	65	A(63)	R.H.	Q3304	C5AZ 6329710-A	C5AZ 6329710-B	1
			L.H.	Q3305	C5AZ 6329711-A	C5AZ 6329711-B	1
	65/66	A(62)	R.H.	Q3318	C5AZ 6229710-A	C5AZ 6229710-B	1
			L.H.	Q3319	C5AZ 6229711-A	C5AZ 6229711-B	1
	65/66	A(76)	R.H.	Q3312	C5AZ 7629710-A	C5AZ 7629710-B	1
			L.H.	Q3313	C5AZ 7629711-A	C5AZ 7629711-B	1
	66	A(63)	R.H.	Q3513	C6AZ 6329710-A	C6AZ 6329710-B	1
			L.H.	Q3514	C6AZ 6329711-A	C6AZ 6329711-B	1
	67	A(63B, C)	R.H.	Q3716	C7AZ 6329710-A	C7AZ 6329710-B	1
			L.H.	Q3717	C7AZ 6329711-A	C7AZ 6329711-B	1
	67	A(63J)	R.H.	Q3713	C7AZ 6329710-C	C7AZ 6329710-D	1
			L.H.	Q3714	C7AZ 6329711-C	C7AZ 6329711-D	1
	67/68	A(62)	R.H.	Q3723	C7AZ 6229710-A	C7AZ 6229710-B	1
			L.H.	Q3724	C7AZ 6229711-A	C7AZ 6229711-B	1
	69	A(62)	R.H.	Q4098	C9AZ 6229710-A	C9AZ 6229710-B	1
			L.H.	Q4099	C9AZ 6229711-A	C9AZ 6229711-B	1
	68	A(63)	R.H.	Q3893	C8AZ 6329710-A	C8AZ 6329710-B	1
			L.H.	Q3894	C8AZ 6329711-A	C8AZ 6329711-B	1
	68	A(65)	R.H.	Q3898	C8AZ 6529710-A	C8AZ 6529710-B	1
			L.H.	Q3899	C8AZ 6529711-A	C8AZ 6529711-B	1
	67/68	A(76)	R.H.	Q3721	C7AZ 7629710-A	C7AZ 7629710-B	1
			L.H.	Q3722	C7AZ 7629711-A	C7AZ 7629711-B	1
	67/	A(71)	Refer to Group 29740-1				
	69/70	A(63, 65, 76)	Refer to Group 29700-1				
	71/	A(65)	R.H.	Q4502	D1AZ 6529710-A	D1AZ 6529710-B	1
			L.H.	Q4503	D1AZ 6529711-A	D1AZ 6529711-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	Nags No.	PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
29710-1	**GLASS - QUARTER WINDOW** - Tempered, unless otherwise indicated - **continued** - Also refer to group 29700-1						
		- B -					
	65	B(62)		4358T	C2OB 6229710-A	★C2OB 6229710-B Not replaced (10/74)	2
	65	B(65)		2428T	C3OZ 6529710-A	C3OZ 6529710-B	2
	66/67	B(62)	R.H.	Q3520	C6OZ 6229710-A	C6OZ 6229710-B	1
			L.H.	Q3521	C6OZ 6229711-A	C6OZ 6229711-B	1
	66/67	B(63)	R.H.	Q3543	C6OZ 6329710-A	C6OZ 6329710-B	1
			L.H.	Q3544	C6OZ 6329711-A	C6OZ 6329711-B	1
	66/67	B(76)	R.H.	Q3548	C6OZ 7629710-A	C6OZ 7629710-B	1
			L.H.	Q3549	C6OZ 7629711-A	C6OZ 7629711-B	1
	70	B(62)	R.H.	Q4348	D0OZ 6229710-A	D0OZ 6229710-B	1
			L.H.	Q4349	D0OZ 6229711-A	D0OZ 6229711-B	1
	68/71	B(63,65,76)	Refer to Group 29700-1				
	72	B(63)	R.H.	Q4715	D2OZ 6329710-C	D2OZ 6329710-D	1
			L.H.	Q4716	D2OZ 6329711-C	D2OZ 6329711-D	1
	72	B(65)	R.H.	Q4721	D2OZ 6529710-A	D2OZ 6529710-B	1
			L.H.	Q4722	D2OZ 6529711-A	D2OZ 6529711-B	1
		- F -					
	65/66	F(65)-except GT 350	R.H.	Q3297	C5ZZ 6529710-A	C5ZZ 6529710-B	1
			L.H.	Q3298	C5ZZ 6529711-A	C5ZZ 6529711-B	1
	65/66	F(76)	R.H.	Q3293	C5ZZ 7629710-A	C5ZZ 7629710-B	1
			L.H.	Q3294	C5ZZ 7629711-A	C5ZZ 7629711-B	1
	66	F(GT 350)	R.H.-plexi glass		S2MS 29710-A		1
			L.H.		S2MS 29711-A		1
	67/68	F(65)	R.H.	Q3757	C7ZZ 6529710-A	C7ZZ 6529710-B	1
			L.H.	Q3758	C7ZZ 6529711-A	C7ZZ 6529711-B	1
	67/68	F(76)	R.H.	Q3761	C7ZZ 7629710-A	C7ZZ 7629710-B	1
			L.H.	Q3762	C7ZZ 7629711-A	C7ZZ 7629711-B	1
	69/70	F(65,76)	Refer to Group 29700-1				
	69/70	F(63)	Refer to Group 29706-7				
	71/	F(63)	R.H.	Q4533	D1ZZ 6329710-A	D1ZZ 6329710-B	1
			L.H.	Q4534	D1ZZ 6329711-A	D1ZZ 6329711-B	1
	71/	F(65)	R.H.	Q4539	D1ZZ 6529710-A	D1ZZ 6529710-B	1
			L.H.	Q4540	D1ZZ 6529711-A	D1ZZ 6529711-B	1
	71/	F(76)	R.H.	Q4542	D1ZZ 7629710-A	D1ZZ 7629710-B	1
			L.H.	Q4543	D1ZZ 7629711-A	D1ZZ 7629711-B	1
		- L -					
	71/	L(62,64)	R.H. - stationary quarter window	Q4548	D1FZ 6229710-A	D1FZ 6229710-B	1
			L.H.	Q4549	D1FZ 6229711-A	D1FZ 6229711-B	1
	71/72	L(62,64) "Before 5/1/72"	R.H.-pivoting quarter window	Q4546	D1FZ 6229710-C	D1FZ 6229710-D	1
			L.H.	Q4547	D1FZ 6229711-C	D1FZ 6229711-D	1
	72	L(73) - w/o frame "Before 5/1/72"	R.H.	Q4746	D2FZ 7329710-A	D2FZ 7329710-B	1
			L.H.	Q4747	D2FZ 7329711-A	D2FZ 7329711-B	1
	72	L(73) - w/frame "From 5/1/72"	Refer to Group 29706-7				
		- P -					
	70/	P(62)	R.H.	Q4277	D0DZ 6229710-C	D0DZ 6229710-D	1
			L.H.	Q4278	D0DZ 6229711-C	D0DZ 6229711-D	1
		- S -					
	65/66	S(63)		2491T	C4SZ 6329710-A	C4SZ 6329710-B	2
	65/66	S(76)		2492T	C4SZ 7629710-A	C4SZ 7629710-B	2
	72	S	R.H.	Q4736	D2SZ 6529710-A		1
			L.H.	Q4737	D2SZ 6529711-A		1
	72	S	R.H.	Q4740		D2LY 6529710-B	1
			L.H.	Q4741		D2LY 6529711-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION		PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
29710-1	**GLASS - QUARTER WINDOW** - Tempered, unless otherwise indicated - **continued** - Also refer to group 29700-1			Nags No.			
		- X -					
	65	X(59)		4393T	C3DZ 5929710-A	C3DZ 5929710-B	2
	65	X(62)		4390T	C2DZ 6229710-A	C2DZ 6229710-B	2
	65	X(63)		2487T	C3DZ 6329710-A	C3DZ 6329710-B	2
	65	X(76)		2432T	C3DZ 7629710-A	C3DZ 7629710-B	2
	66/70	X(62)	R. H.	Q3520	C6OZ 6229710-A	C6OZ 6229710-B	1
			L. H.	Q3521	C6OZ 6229711-A	C6OZ 6229711-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
297A20	**BRACKET - QUARTER WINDOW GUIDE - REAR**					
	72	S		D2SZ 65297A20-A	D2SZ 65297A20-A	2
297A22	**GROMMET - QUARTER WINDOW GUIDE**					
	71/	A(65)		D1AZ 65297A22-A	D1AZ 65297A22-A	2
29724	**STRIP - QUARTER WINDOW GLASS RETAINING**					
	65/	A, B, S, X	Use bulk glass tape	★	★	
	67/	F	Use bulk glass tape	★	★	

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION		PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
29726	**GLASS - QUARTER WINDOW REAR - STATIONARY** - Tempered, unless otherwise indicated			NAGS NO.			
	66/	U(98)		1085T	C6TZ 9829726-A		2
	65	X(59, 71)	R. H.	Q3062	C0DB 5929726-A	C0DB 5929726-B	1
	65	X(59, 71)	L. H.	Q3063	C0DB 5929736-A	C0DB 5929736-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
297A30	**SEAL - QUARTER VENT WINDOW LATCH RETAINER**					
	71/	L, P(62)		D1DZ 62297A30-A	D1DZ 62297A30-A	2
29732-3	**WEATHERSTRIP - QUARTER WINDOW AT BELT OUTER**					
		- A -				
	65/66	A(62)		C5AZ 6229732-B	C5AZ 6229732-B	2
			No. 4-24 x 3/8" Cross recess flat head screw	52003-S13(U194)	52003-S13(U194)	2
	67/68	A(62)		C7AZ 6229732-A	★C7AZ6229733-A Not replaced(3-74)	1
			No. 6-20 x 1/2" Flat head drill point screw	★380922-S2	★380922-S2	4
	69	A(62)		C9AZ 6229732-A	C9AZ 6229733-A	1
	70	A(65A) "Before 2/2/70"		D0AZ 6529732-C	D0AZ 6529733-A	1
	70	A(65C) "Before 2/2/70"		D0AZ 6529732-B	D0AZ 6529733-B	1
	70	A(65A, C, M) "From 2/2/70"	With two tone paint	D0AZ 6529732-C	D0AZ 6529733-C	1
	70	A(65C, M) "From 2/2/70"	Less two tone paint	D0AZ 6529732-D	D0AZ 6529733-D	1
	71	A(65D, F)		D1AZ 6529732-A	D1AZ 6529733-A	1
	71	A(65H, K)		D1AZ 6529732-B	D1AZ 6529733-B	1
	71/	A(76)		D1AZ 7629732-A	D1AZ 7629733-A	1
		- B -				
	65	B(62)		C2OZ 6229732-A	C2OZ 6229732-A	2
	66/67	B(62)		C6OZ 6229732-A	C6OZ 6229733-A	1
	66/67	B(63)		C6OZ 6329732-A	C6OZ 6329733-A	1
	66/67	B(76)		C6OZ 7629732-A	C6OZ 7629733-A	1
	68/69	B(65A, B, D, E, F)		C8OZ 6529732-A	C8OZ 6529733-A	1
	68/69	B(76)		C8OZ 7629732-A	C8OZ 7629733-A	1
	70	B(62)	With clips	D0OZ 6229732-A	D0OZ 6229733-A	1
	70/71	B(65)	With bright bead	D0OZ 6529732-A	D0OZ 6529733-A	1
	70/71	B(65)	Without bright bead	D0OZ 6529732-B	D0OZ 6529733-B	1
	70/71	B(76)		D0OZ 7629732-A	D0OZ 7629733-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
29732-3	**WEATHERSTRIP - QUARTER WINDOW AT BELT OUTER - continued**					
		- B -				
	70/71	B(65, 76)	Screw-No. 8-18 x 1/2"-pan head	375452-S100 (BB630D)	375452-S100 (BB630D)	2
	72	B(63)		D2OZ 6329732-A	D2OZ 6329733-A	1
	72	B(65)		D2OZ 6529732-A	D2OZ 6529733-A	1
		- F -				
	65/66	F(65, 76)	Stainless steel bead Cut to length required	C5ZZ 6529732-B	C5ZZ 6529733-B	1
	67/68	F(65)		C7ZZ 6529732-A	C7ZZ 6529733-A	1
	67/68	F(76)	Cut to fit			1
	67/68	F(65, 76)	No. 6-20 x 1/2" Flat head drill point screw	★380922-S2	★380922-S2	2
	69/70	F(65)		C9ZZ 6529732-A	C9ZZ 6529733-A	1
	69/70	F(76)		C9ZZ 7629732-A	C9ZZ 7629733-A	1
	71/	F(63)		D1ZZ 6329732-A	D1ZZ 6329733-A	1
	71/	F(65D)		D1ZZ 6529732-A	D1ZZ 6529733-A	1
	71/	F(65F)		D1ZZ 6529732-B	D1ZZ 6529733-B	1
	71/	F(76)		D1ZZ 7629732-A	D1ZZ 7629733-A	1
		- L -				
	71/	L (62, 64) "Before 5/1/72"		D1FZ 6229732-B	D1FZ 6229732-B	1
	72	L(62, 64) "From 5/1/72"		D2FZ 6229732-A	D2FZ 6229733-A	1
		- S -				
	65/66	S(63)		C4SZ 6329732-A	C4SZ 6329732-A	2
	65/66	S	Screw-fillister head-No. 4-24 x 3/8"	52003-S13(U194)	52003-S13(U194)	AR
	72	S "Before 11/22/71"		D2SZ 6529732-A	D2SZ 6529733-A	1
	72	S "From 11/22/71"	Serviced only in assembly-Refer to Group 29796-7			
		- X -				
	65	X(63)		C3DZ 6329732-A	C3DZ 6329732-A	2
	66/70	X(62)		C6OZ 6229732-A	C6OZ 6229733-A	1
29734-5	**RETAINER - QUARTER WINDOW GLASS RUN**					
	69	A(62)		C9AZ 6229734-A	C9AZ 6229735-A	1
	70	B(62)	Rear	D0OZ 6229734-B	D0OZ 6229735-B	1
	68/70	X(62)		C8DZ 6229734-A	C8DZ 6229735-A	1
	65/	A(62), B(62), X(62)	5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	376976-S7-8(BB574M)	4or6
29736	**GLASS - QUARTER WINDOW REAR - STATIONARY** - Refer to group 29726					

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	NAGS NUMBER	PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
29740-1	**GLASS - QUARTER WINDOW REAR - STATIONARY** - Tempered, unless otherwise indicated						
	65/66	A(71)	R.H.	Q3327	C5AZ 7129740-A	C5AZ 7129740-B	1
			L.H.	Q3328	C5AZ 7129741-A	C5AZ 7129741-B	1
	67/68	A(71)	R.H.	Q3730	C7AZ 7129740-A	C7AZ 7129740-B	1
			L.H.	Q3731	C7AZ 7129741-A	C7AZ 7129741-B	1
	69/	A(71)	R.H.	Q4109	C9AZ 7129740-A	C9AZ 7129740-B	1
			L.H.	Q4110	C9AZ 7129741-A	C9AZ 7129741-B	1
	65	B(71)		1062T	C3OZ 7129740-A	C3OZ 7129740-B	2
	66/69	B(71), X(71)	R.H.	Q3534	C6OZ 7129740-A	C6OZ 7129740-B	1
	70/71	B(71)					1
	70	X(71)					1
			L.H.	Q3535	C6OZ 7129741-A	C6OZ 7129741-B	1
	72	B(71)	R.H.	Q4731	D2OZ 7129740-A	D2OZ 7129740-B	1
			L.H.	Q4732	D2OZ 7129741-A	D2OZ 7129741-B	1
	72	L(73)	R.H.	Q4748	D2FZ 7329740-A	D2FZ 7329740-B	1
			L.H.	Q4749	D2FZ 7329741-A	D2FZ 7329741-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
29742-3 WEATHERSTRIP - QUARTER WINDOW GLASS INNER						
	65	B(62)	Inner-Use C2OZ 6229732-A and remove clips			2
29744-5 WEATHERSTRIP - QUARTER WINDOW AT BELT INNER						
		- A -				
	69	A(62) "Before 4/25/69"		C9AZ 6229744-B	C9AZ 6229744-B	1
	69	A(62) "From 4/25/69"		C9AZ 6229744-B	C9AZ 6229745-B	1
	69	A(63) "Before 12/2/68"		C9AZ 6329744-A	C9AZ 6329745-A	1
	69/70	A(63) "From 12/2/68"		C9AZ 6329744-B	C9AZ 6329745-B	1
	69/70	A(65)		C9AZ 6529744-A	C9AZ 6529745-A	1
	69/72	A(76) "Before 10/15/71"		C9AZ 7629744-A	C9AZ 7629745-A	1
	71/72	A(65) "Before 10/15/71"		D1AZ 6529744-A	D1AZ 6529745-A	1
	72	A(65) "From 10/15/71"		D2AZ 6529744-A	D2AZ 6529745-A	1
	72	A(76) "From 10/15/71"		D2AZ 7629744-A	D2AZ 7629745-A	1
		- B -				
	66/67	B(63)		C6OZ 6329744-A	★C6OZ 6329745-A Not replaced (1/75)	1
	66/67	B(76)		C6OZ 7629744-A	C6OZ 7629745-A	1
	66/67	B(62)		C6OZ 6229744-A	★C6OZ 6229745-A Not replaced (1/75)	1
	68/69	B(63)		C8OZ 6329744-A	C8OZ 6329745-A	1
	68/69	B(65)		C8OZ 6529744-B	★C8OZ 6529745-B Not replaced	1
	70	B(62)	At belt	D0OZ 6229744-A	D0OZ 6229745-A	1
	70/71	B(63)	At belt	D0OZ 6329744-A	D0OZ 6329745-A	1
	70/71	B(65)	At belt	D0OZ 6529744-A	D0OZ 6529745-A	1
	70/71	B(76)	At belt	D0OZ 7629744-A	D0OZ 7629745-A	1
	72	B(63)		D2OZ 6329744-A	D2OZ 6329745-A	1
	72	B(65)		D2OZ 6529744-A	D2OZ 6529745-A	1
		- F -				
	67/68	F(65)		C7ZZ 6529744-A	C7ZZ 6529745-A	1
	67/68	F(76)		C7ZZ 7629744-A	C7ZZ 7629745-A	1
	69	F(65) "Before 10/1/68"		C9ZZ 6529744-A	C9ZZ 6529745-A	1
	69/70	F(65) "From 10/1/68"		C9ZZ 6529744-B	C9ZZ 6529745-B	1
	69/70	F(76)		C9ZZ 7629744-A	C9ZZ 7629745-A	1
	71/	F(63)		D1ZZ 6329744-A	D1ZZ 6329745-A	1
	71/	F(65)		D1ZZ 6529744-A	D1ZZ 6529745-A	1
	71/	F(76)		D1ZZ 7629744-A	D1ZZ 7629745-A	1
		- S -				
	68	S(65) "Before 10/2/67"		C8SZ 6529744-B	C8SZ 6529745-A	1
	68/69	S(65) "From 10/2/67"		C8SZ 6529744-B	C8SZ 6529745-B	1
	70/71	S(65A,C)		D0SZ 6529744-A	D0SZ 6529745-A	1
	72	S		D2SZ 6529744-A	D2SZ 6529745-A	1
		- X -				
	66/70	X(62)		C6OZ 6229744-A	C6OZ 6229745-A	1
29752-3 GUIDE - QUARTER WINDOW - FRONT						
		- A -				
	65/67	A(63)		C5AZ 6329752-B	★C5AZ 6329753-B Not replaced(3-74)	1
	65/67	A(63)	5/16"-18 x 3/4" Hex. hd. screw & washer assy.	359662-S7-8 (BB575A)	359662-S7-8 (BB575A)	4
	65	A(63)	5/16"-18 x 1/2" Hex. washer head screw	376976-S(BB574M)	376976-S(BB574M)	2
	66/67	A(63)	5/16"-18 x 1 1/2" - screw & washer assy.	★380347-S2	★380347-S2	2
	71/	A(65)		D1AZ 6529752-A	D1AZ 6529753-A	1
		- B -				
	68/69	B(63,65,76)		C8OZ 6329752-A	C8OZ 6329752-A	2
	70/71	B(63,65,76)		D0OZ 6529752-A	D0OZ 6529753-A	1
			Nut-1/4"-20 rivet type	376903-S40(MM120BF)	376903-S40(MM120BF)	2
			Screw-1/4"-20 x 1 1/4"- shoulder set	381742-S2(UU106A)	381742-S2(UU106A)	2
	72	B(63)		D2OZ 6329752-A	D2OZ 6329753-A	1
	72	B(65)		D2OZ 6529752-A	D2OZ 6529753-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
29752-3	**GUIDE - QUARTER WINDOW - FRONT - continued**					
		- F -				
	67/68	F(65,76)		C7ZZ 6529752-A	C7ZZ 6529753-A	1
			5/16"-18 x 3/4" Hex. head screw & washer assy.	359662-S7-8(BB575A)	359662-S7-8(BB575A)	6
			5/16"-18 Nut retainer assy.	370328-S2(MM188)	370328-S2(MM188)	6
	69/70	F(65,76)		C9ZZ 6529752-A	C9ZZ 6529753-A	1
			Screw-1/4"-20 x 1 1/4"-shoulder set	381742-S2(UU106A)	381742-S2(UU106A)	2
	71/	F(65,76)		D1ZZ 6529752-A	D1ZZ 6529753-A	1
	71/	F(63)	W/movable quarter window			1
	71/	F(63)	W/stationary quarter window	D1ZZ 6327870-A	D1ZZ 6327871-A	1
	71/	F	Screw-shoulder set-1/4" -20 x 1 1/2"	381758-S2(UU106AA)	381758-S2(UU106AA)	2
		- S -				
	70/71	S(65A,C)		D0SZ 6529752-A	D0SZ 6529753-A	1
	70/71	S(65)	Nut 1/4"-20 Rivet type	376903-S40(MM120BF)	376903-S40(MM120BF)	2
	70/71	S(65)	Screw 1/4"-20 x 1 1/4" shoulder set	381742-S2(UU106-A)	381742-S2(UU106A)	2
	72	S "Before 5/8/72"		D2SZ 6529752-A	★D2SZ 6529753-A r/b D3SZ 6529753-A (1/75)	1
	72	S "From 5/8/72"		D3SZ 6529752-A	D3SZ 6529753-A	1
29764-5	**GUIDE - QUARTER WINDOW**					
		- A -				
	69/70	A(63)		★C9AZ 6329764-A Not replaced (2/75)	C9AZ 6329765-A	1
	69/70	A(65,76)		C9AZ 6529764-A	C9AZ 6529765-A	1
	71/	A(76)				1
	71/	A(65)		D1AZ 6529764-A	D1AZ 6529765-A	1
	69/70	A(63,65,76)	1/4"-20 Nut	33795-S7(M49)	33795-S7(M49)	AR
	69/70	A(63,65,76)	No. 8 Lockwasher	34803-S8(X60)	34803-S8(X60)	1
	69/70	A(63,65,76)	Screw-1/4"-20 x 1 1/4" set	381742-S2(UU106A)	381742-S2(UU106A)	2
	69/70	A(63,65,76)	Screw & washer-1/4"-20 x 5/8" hex. head	57472-S40(B339V)	57472-S40(B339V)	AR
		- B -				
	68/69	B(63,65,76)		C8OZ 6329764-A	C8OZ 6329765-A	1
		- F -				
	65/66	F(65,76)		C5ZZ 6529764-C	★C5ZZ 6529765-C Not replaced (3-74)	1
			5/16"-18 x 3/4" Hex. head screw & washer assy.	359662-S7-8(BB575A)	359662-S7-8(BB575A)	4
			5/16"-18 Nut retainer	370328-S2(MM188)	370328-S2(MM188)	4
29778-9	**BRACKET - QUARTER WINDOW GUIDE - LOWER** - Also refer to Group 298A36					
	69/70	A(63)		C9AZ 6329778-A	C9AZ 6329778-A	2
	69/	A(65,76)		C9AZ 6529778-A	C9AZ 6529779-A	1
	68/69	B(63,65,76)		C8OZ 6329778-A	C8OZ 6329778-A	2
	70/71	S(65A,C)		D0SZ 6529778-A	D0SZ 6529778-A	2
	72	S		D2SZ 6529778-A	D2SZ 6529778-A	2
29790-1	**SUPPORT - QUARTER WINDOW GUIDE LOWER**					
	70/71	B(63,65,76)		D0OZ 6529790-A	D0OZ 6529790-A	2
	72	B(63)		D2OZ 6329790-B	D2SZ 6329791-B	1
	72	B(65)		D2OZ 6529790-A	D2OZ 6529790-A	2
	71/	F(65,76)		D1ZZ 6529790-A	D1ZZ 6529790-A	2
	71/	F(63)	W/movable quarter window			2
	71/	F	Nut & retainer-1/4" -20	374251-S2(MM206H)	374251-S2(MM206H)	4

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
29796-7	**MOULDING - QUARTER WINDOW OUTSIDE UPPER**					
		- A -				
	71/	A(65)	W/o vinyl roof -incl. w/strip	D1AZ 6529796-A	D1AZ 6529797-A	1
	71/	A(65)	W/ vinyl roof-incl. w/strip	D1AZ 6529796-B	D1AZ 6529797-B	1
		- B -				
	70/71	B(62, 65)		D0OZ 6529796-A	D0OZ 6529797-A	1
	70/71	B(63)		D0OZ 6329796-A	D0OZ 6329797-A	1
	72	B(65)	Incl. w/strip	D2OZ 6529796-A	D2OZ 6529797-A	1
		- F -				
	69/70	F(63)		C9ZZ 6329796-A	C9ZZ 6329797-A	1
			Nut-5/16" self tapping	382110-S100 (MM284X)	382110-S100 (MM284X)	2
		- L -				
	71/72	L(62 ,64)-w/pivoting window - "Before 5/1/72"	Bright finish	D1FZ 6229796-A	D1FZ 6229797-A	1
	72	L(62, 64)-w/pivoting window - "From 5/1/72"	Not required			
		- P -				
	70	P(62)	Bright finish	D0DZ 6229796-B	D0DZ 6229797-B	1
			Screw No. 8-18 x 3/4" oval head	55974-S45(U316D)	55974-S45(U316D)	2
			Nut 5/16" self threading	382110-S100(MM284X)	382110-S100(MM284X)	2
	70/	P(62)	Paint to match	D0DZ 6229796-A	D0DZ 6229797-A	1
	71/	P(62)	Bright finish	D1DZ 6229796-A	D1DZ 6229797-A	1
		- S -				
	70/71	S(65)		D0SZ 6529796-A	D0SZ 6529797-A	1
	72	S "Before 11/22/71"		D2SZ 6529796-A	D2SZ 6529797-A	1
	72	S "From 11/22/71"	Includes weatherstrip	D2SZ 6529796-B	D2SZ 6529797-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
29805	**STOP - QUARTER WINDOW - LOWER**				
	69/70	A(62, 63)		C9AZ 6329805-A	2
	71/	A(65)		D1AZ 6529805-A	1
	68/71	B(63, 65, 76)		C8OZ 6329805-A	2
	70	B(62)		D0OZ 6229805-A	2
	72	B(65)		D2OZ 6529805-A	2
	71/	F(63)	W/movable quarter window	D1ZZ 6529805-A	1
	71/	F(65, 76)			1
	72	S	Angular-on run	D2SZ 6529805-A	1
	72	S	Square - on guide	D1ZZ 6529805-A	2
	68/70	X		C8DZ 6229805-A	2
29814	**STOP - WINDOW - FRONT GUIDE**				
	65/69	A(63), B(63, 76)	5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	2
			Bumper	378760-S(CC41)	2
	66/67	B(63, 76)	Upper front	C6OZ 6529814-A	2
	68/69	B(63, 65, 76)			2
298A24	**RETAINER - QUARTER WINDOW GLASS FRONT RUN - UPPER**				
	69	A(62)		C9AZ 62298A24-A	2
	66/67	B(62)		C6OZ 62298A24-A	2
	66/70	X(62)			2
	70	B(62)		D0OZ 62298A24-A	2
			Screw-No. 8-15 x 5/8" self tap-fillister head	52554-S8(U230)	6
	65/69	A(62)	Screw-No. 8-15 x 1/2" hex. washer head	★42126-S2	6
	66/70	B(62)			6
	66/70	X(62)			6
298A26-7	**RETAINER - QUARTER WINDOW GLASS UPPER RUN - REAR**				
	66/67	B(62)	R.H.	C6OZ 62298A26-A	1
	66/70	X(62)			1
			L.H.	C6OZ 62298A27-A	1
	66/70	B(62), X(62)	Screw-No. 8-15 x 1/2"-hex. washer head	★42126-S2	4or6

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
298A28-9	**RETAINER - QUARTER WINDOW GLASS UPPER RUN - FRONT**				
	69	A(62)	R.H.	C9AZ 62298A28-A	1
			L.H.	C9AZ 62298A29-A	1
	65/70	A(62), B(62), X(62)	No. 8-15 x 1/2" Hex. washer head screw	52554-S8(U230)	4
	66/67	B(62)	R.H.	C6OZ 62298A28-A	1
	66/70	X(62)			1
			L.H.	C6OZ 62298A29-A	1
	70	B(62)	R.H. -Paint to match	D0OZ 62298A28-A	1
			L.H.	D0OZ 62298A29-A	1
298A36	**BRACKET - QUARTER WINDOW FRONT GUIDE LOWER** - Also refer to Group 29778-9				
	65/66	F(65, 76)		C5ZZ 65298A36-A	2
	69/70	F(65, 76)		C9ZZ 65298A36-A	2
	65/70	F(65, 76)	5/16"-18 x 3/4" Hex. washer head screw & washer assy.	359662-S7-8(BB575A)	4
29846-7	**CLAMP - QUARTER VENT WINDOW**				
	69/70	F(63)	R.H.	C9ZZ 6329846-A	1
			L.H.	C9ZZ 6329847-A	1
29848	**BUSHING - QUARTER VENT WINDOW UPPER PIVOT**				
	69/70	F(63)		C9ZZ 6329848-A	2
29854	**BRACKET - QUARTER WINDOW GUIDE ROLLER MOUNTING**				
	71/	A(65)		D1AZ 6529854-A	2
298A56-7	**BRACKET - QUARTER WINDOW GUIDE LOWER**				
	70/71	B(63, 65, 76)		D0OZ 65298A56-A	2
	72	B(63)		D2OZ 63298A56-A	2
	72	B(65)	R.H.	D2OZ 65298A56-A	1
			L.H.	D2OZ 65298A57-A	1
	71/	F(63)	W/movable quarter window	D1ZZ 65298A56-A	1
	71/	F(65, 76)			1
298A64	**SLIDE - QUARTER WINDOW GUIDE - INCLUDES ATTACHING PARTS**				
	69/70	F(65, 76)		C9ZZ 65298A64-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
29892	**ROLLER - QUARTER WINDOW GUIDE**					
	72	B(63) "Before 12/1/71"	Lower	★D2OZ 6329892-A r/b D2OZ 6329892-C (10/74)	D2OZ 6329892-A	4
	72	B(63) "Before 12/1/71"	Upper	D2OZ 6329892-B	D2OZ 6329892-B	2
	72	B(63) "From 12/1/71"	Upper and lower	D2OZ 6329892-C	D2OZ 6329892-C	6
29900-1	**CHANNEL - QUARTER WINDOW GLASS**					
	67/69	A(62)	Refer to Group 29958-9			
	70	B(62)		D0OZ 6229900-A	D0OZ 6229901-A	1
	66/67	B(62)		C6OZ 6229900-A	C6OZ 6229901-A	1
	66/70	X(62)				1
29904-5	**WEATHERSTRIP - QUARTER WINDOW REAR STATIONARY GLASS**					
	69/	A(71)		C9AZ 7129904-A	C9AZ 7129905-A	1
	66/71	B(71)		C6OZ 7129904-A	C6OZ 7129905-A	1
	72	B(71)	Refer to Group 19562 in Paint Section			
	66/70	X(71)		C6DZ 7129904-A	C6DZ 7129905-A	1
	72	L(73) " Before 4/15/72"		D2FZ 7329904-A	D2FZ 7329905-A	1
	72	L(73)- "From 4/15/72 to 5/1/72"		D2FZ 7329904-B	D2FZ 7329905-B	1
	72	L(73) " From 5/1/72"		D2FZ 7329904-C	D2FZ 7329905-C	1
29952-3	**RETAINER - QUARTER WINDOW FRONT WEATHERSTRIP**					
	71/	A(65)		D1AZ 6529952-A	D1AZ 6529953-A	1
	70/71	B(63)		D0OZ 6329952-A	D0OZ 6329953-A	1
	70/71	B(65)		D0OZ 6529952-A	D0OZ 6529953-A	1
	70/71	B(76)		D0OZ 7629952-A	D0OZ 7629953-A	1
	72	B(63)		D2OZ 6329952-A	D2OZ 6329952-A	2
	72	B(65)		D2OZ 6529952-A	D2OZ 6529952-A	2
	71/	F(63)		D1ZZ 6329952-A	D1ZZ 6329953-A	1
	71/	F(65, 76)		D1ZZ 6529952-A	D1ZZ 6529953-A	1
	70/71	S(65)		D0SZ 6529952-A	D0SZ 6529953-A	1
	72	S		D2SZ 6529952-A	D2SZ 6529952-A	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
29958-9	**CHANNEL - QUARTER WINDOW - LOWER** - Also Refer to Group 29700					
		- A -				
	65/66	A(76)		C5AZ 7629958-B	C5AZ 7629959-B	1
	68	A(63)		C8AZ 6329958-A	★C8AZ 6329959-A Not replaced (3-74)	1
	68	A(65)		C8AZ 6529958-A	★C8AZ 6529959-A Not replaced (12/74)	1
	69	A(62)		C9AZ 6229958-A	C9AZ 6229959-A	1
		- F -				
	65/66	F(65)		C5ZZ 6529958-A	★C5ZZ 6529959-A Not replaced (12/74)	1
	67/68	F(65)		C7ZZ 6529958-A	C7ZZ 6529959-A	1
	65/66	F	5/16"-20 x 1/2" Hex. hd. screw	350211-S(BB413)	350211-S(BB413)	2
	65/68	F	No. 8-32 x 1/2" Pan head	51764-S8(U366)	51764-S8(U366)	2
29958-9	**FRAME SET - QUARTER WINDOW OUTER**					
	66	F(GT 350)		S2MS 29958-A	S2MS 29959-A	1
29962-3	**CHANNEL - QUARTER WINDOW - UPPER - INCLUDES ATTACHING PARTS**					
	65/66	A(76)		C5AZ 7629962-B	C5AZ 7629963-B	1
	65/68	F(65)		C5ZZ 6529962-A	C5ZZ 6529963-A	1
	65/66	S(76)		C4SZ 7629962-A	C4SZ 7629962-A	2
	65/66	S	No. 8-32 x 1/2" Oval head screw	50398-S13(U121)	50398-S13(U121)	2
29962-3	**FRAME SET - QUARTER WINDOW INNER**					
	66	F (GT 350)		S2MS 29962-A	S2MS 29963-A	1
29968-9	**STOP - QUARTER WINDOW** - Also Refer to Group 262A84					
		- A -				
	69/70	A(63)	Upper-front	C9AZ 6329968-A	C9AZ 6329968-A	2
	69/	A(65, 76)	Upper-front	D1AZ 6329968-A	D1AZ 6329968-A	2
	69/70	A(65, 76)	Upper-rear	C9AZ 6529968-A	C9AZ 6529968-A	2
	71/	A(65, 76)	Upper-rear	D1AZ 6529968-B	D1AZ 6529969-B	1
	69/70	A(63, 65, 76)	Screw & washer-1/4"-20	57472-S40(B339V)	57472-S40(B339V)	2
		- B -				
	68/69	B(76)	Rear	C8OZ 7629968-A	C8OZ 7629968-A	2
	70	B(63, 65, 76)	Upper	D0OZ 6529968-A	D0OZ 6529968-A	2or4
	71	B(63, 65, 76)	Upper	D1OZ 6529968-A	D1OZ 6529968-A	4
	72	B(63)	Upper-front	D2OZ 6329968-A	D2OZ 6329968-A	2
	72	B(65)	Upper	D2OZ 6529968-A	D2OZ 6529968-A	2
		- F -				
	69/70	F(65, 76)	Upper-rear	C9ZZ 6529968-A	C9ZZ 6529969-A	1
			Upper-front	C9ZZ 6529968-B	C9ZZ 6529968-B	2
	71/	F	Upper-front	D1ZZ 6529968-A	D1ZZ 6529968-A	2
	71/	F	Upper-rear	D1ZZ 6529968-B	D1ZZ 6529968-B	2
		- S -				
	67/69	S(65)		C7SZ 6529968-A	C7SZ 6529968-A	2
	71	S(65A, C)				2
			Bumper	378760-S(CC41)	378760-S(CC41)	2
			1/4"-20 x 1/2" Pan head screw & washer assy.	373460-S7(BB629)	373460-S7(BB629)	2
	70	S(65A, C)	Upper	D0SZ 6529968-A	D0SZ 6529968-A	4
	72	S		D2SZ 6529968-A	D2SZ 6529969-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
29994	**BUMPER - WINDOW STOP** - Also refer to Group 21762				
	65/	A(63)	Cut to fit from C5AZ 6221762-B	★	2
	66/67	B(63)	Quarter		2
	66	B(54, 71), X(54, 71)	Rear door		2
	66/67	B(76)	Quarter		2
	68/70	A(65)	Quarter		2
	68/70	X(54, 71)	Rear door		2
	68/	B(54, 71)	Rear door	C7MY 6329994-A	2
	69/70	A(71)	Tail gate		2
29998	**BRACKET - QUARTER WINDOW STOP**				
	67/69	S(65)		C7SZ 6529998-A	2
			1/4"-20 x .62" Hex. head bolt & washer assy.	★374371-S2	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
30010	**RUN - QUARTER WINDOW GLASS - UPPER**				
	67/68	S(65)		C7SZ 6530010-A	2
	69	S(65A, C)			2
30014-5	**BRACKET - QUARTER WINDOW REGULATOR DRIVE ARM**				
	71/	A(65)	R.H.	D1AZ 6530014-A	1
			L.H.	D1AZ 6530015-A	1
	72	B(63)		D2OZ 6330014-A	2
	72	B(65)	R.H.	D2OZ 6530014-A	1
			L.H.	D2OZ 6530015-A	1
	72	S	R.H.	D2SZ 6530014-A	1
			L.H.	D2SZ 6530015-A	1
30046	**BRACKET - QUARTER WINDOW GLASS RUN RETAINER**				
	72	B(65)		D2OZ 6530046-A	2
	72	S		D2SZ 6530046-A	2
30056-7	**EXTENSION - QUARTER WINDOW GUIDE**				
	69/70	F(65, 76)	R.H.	C9ZZ 6530056-A	1
			L.H.	C9ZZ 6530057-A	1
			Screw-set-1/4"-20 x 1 1/4"	381742-S2(UU106A)	2
30068	**COVER - QUARTER WINDOW STOP**				
	69/70	F(65, 76)		C9ZZ 6530068-A	2
			Screw-washer hex. head-1/4"-20 x 1/2"	383049-S100 (BB551FA)	2
30104-5	**RUN - QUARTER WINDOW GLASS**				
		- A -			
	69	A(62)		C9AZ 6230104-A	2
	69/70	A(63)		C9AZ 6330104-A	2
	69/	A(65, 76)		C9AZ 6530104-A	2
	69/	A(62, 63, 65, 76)	Screw & washer-hex. head-1/4"-20 x 5/8"	57472-S40(B339V)	2
		- B -			
	66/67	B(62)		C6OZ 6230104-A	2
	68/69	B(63, 65, 76)		C8OZ 6330104-A	2
	70	B(62)		D0OZ 6230104-A	2
	72	B(65)	R.H.	D2OZ 6530104-A	1
			L.H.	D2OZ 6530105-A	1
		- S -			
	72	S	R.H.	D2SZ 6530104-A	1
			L.H.	D2SZ 6530105-A	1
		- X -			
	65	X(59, 62)	Refer to Group 21550		
	66/70	X(62)		C6OZ 6230104-A	2
30146-7	**WEATHERSTRIP - QUARTER WINDOW - FRONT**				
		- A -			
	65/66	A(63)	C5AZ 6330146-B	C5AZ 6330147-B	1
	68	A(65)			1
	65/68	A(76)			1
	67/68	A(63)	C7AZ 6330146-B	C7AZ 6330147-B	1
	70	A(63, 76)	D0AZ 6330146-A	D0AZ 6330147-A	1
	71/	A(76)			1
	70	A(65)	D0AZ 6530146-A	D0AZ 6530147-A	1
	71/	A(65)	D1AZ 6530146-A	D1AZ 6530147-A	1
	65/68	A(63, 65, 76)	No. 8-18 x 3/8" Cross recess pan head screw — 52720-S8(U380)	52720-S8(U380)	2
		- B -			
	66/67	B(63, 76)	C6OZ 6330146-A	C6OZ 6330147-A	1
	70/71	B(63)	D0OZ 6330146-A	D0OZ 6330147-A	1
	70/71	B(65)	D0OZ 6530146-A	D0OZ 6530147-A	1
	70/71	B(76)	D0OZ 7630146-A	D0OZ 7630147-A	1
	72	B(63)	D2OZ 6330146-A	D2OZ 6330147-A	1
	72	B(65)	★D2OZ 6530146-A r/b D5OZ 6530146-A (1/75)	★D2OZ 6530147-A r/b D5OZ 6530147-A (1/75)	1
		- F -			
	65/68	F(65)	C5ZZ 6530146-B	C5ZZ 6530147-B	1
			No. 8-32 x 1/2" Cross recess pan head screw — 51764-S8(U366)	51764-S8(U366)	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
30146-7	**WEATHERSTRIP - QUARTER WINDOW - FRONT - continued**					
		- F -				
	65/68	F(76)		C5ZZ 7630146-B	C5ZZ 7630147-B	1
	71/	F(63)		D1ZZ 6330146-A	D1ZZ 6330147-A	1
	70/	F(65, 76)		D1ZZ 6530146-A	D1ZZ 6530147-A	1
		- S -				
	65/66	S(63)		C4SZ 6330146-D	C4SZ 6330147-D	1
	70/71	S(65)		D0OZ 6330146-A	D0OZ 6330147-A	1
	72	S		D2SZ 6530146-A	D2SZ 6530147-A	1
		- X -				
	65	X(76)		C3DZ 7630146-A	C3DZ 7630147-A	1
30153	**SPACER - QUARTER WINDOW GARNISH MOULDING - REAR**					
	68/69	B(65A, B, E)		C8OZ 6530153-A	C8OZ 6530153-A	2
302A00	**SPACER - VENT WINDOW HANDLE**					
	70	F(63)	Quarter	D0ZZ 63302A00-A	D0ZZ 63302A00-A	2
	70/71	B(54, 57, 62, 71)	Front door			2
302A02	**RETAINER - QUARTER VENT WINDOW LATCH**					
	71/	L(62, 64)		D1FZ 62302A02-A	D1FZ 62302A02-A	2
	72	L(73) "Before 5/1/72"	Bright finish	D2FZ 73302A02-A	D2FZ 73302A02-A	2
	72	L(73) "From 5/1/72"	Black chromium finish	D2FZ 73302A02-B	D2FZ 73302A02-B	2
	70/	P(62)	For die cast latch	D0DZ 62302A02-A	D0DZ 62302A02-A	2
			For plastic latch	D0DZ 62302A02-B	D0DZ 62302A02-B	2
302A06	**SPACER - QUARTER WINDOW LATCH RETAINER**					
	70/	P(62)		D0DZ 62302A06-A	D0DZ 62302A06-A	4
	71/	L				AR
302A08-9	**STRIKER and CABLE - QUARTER WINDOW - INCLUDES ATTACHING PARTS**					
	69/70	F(63)		C9ZZ 63302A08-A	C9ZZ 63302A09-A	1
302A10	**RETAINER - QUARTER WINDOW HINGE INNER**					
	71/	L		D1FZ 62302A10-A	D1FZ 62302A10-A	4
30212	**RETAINER - WINDOW HANDLE**					
	69/70	F(63)	Quarter	C9ZZ 6330212-A	C9ZZ 6330212-A	2
	70/71	B(54, 57, 62, 71)	Front door vent			2
	70/	P	Quarter	D0DZ 6230212-B	D0DZ 6230212-B	2
	71/	L				2
	72	L(73)-w/o framed quarter window				2
	72	L(73)-w/framed quarter window		D2FZ 7330212-A	D2FZ 7330212-A	2
302A12	**RETAINER - QUARTER WINDOW HINGE**					
	72	L(73)		D2FZ 73302A12-A	D2FZ 73302A12-A	4
	72	L(62,64)		D2FZ 62302A12-A	D2FZ 62302A12-A	4
302A14	**HINGE - QUARTER WINDOW - INNER**					
	71/72	L(62, 64) "Before 5/1/72"		D1FZ 62302A14-A	D1FZ 62302A14-A	4
	72	L(62,64) "Before 5/1/72"				
	72	L(62,64) "From 5/1/72"	Serviced in assy. only - refer to Group 30218-9			
	72	L(73) "Before 5/1/72" "Before 5/1/72"		D2FZ 73302A14-A	D2FZ 73302A14-A	2
	72	L(73) "From 5/1/72"	Serviced in assy. only - refer to Group 30218-9			
302A16	**RETAINER - QUARTER WINDOW HINGE - OUTER**					
	71/72	L		D1FZ 62302A16-A	D1FZ 62302A16-A	4
30218-9	**FRAME - QUARTER WINDOW**					
	71/72	L(62,64)-w/pivoting quarter window "Before 5/1/72"	Paint to match	D1FZ 6230218-B	D1FZ 6230219-B	1
	71/72	L(62,64)-w/pivoting quarter window "Before 5/1/72"	Bright finish	D1FZ 6230218-A	D1FZ 6230219-A	1
	72	L(62,64)-w/pivoting quarter window "From 5/1/72"	Serviced in assy. - group 29706-7	★	★	1
	70/	P(62)		D0DZ 6230218-B	D0DZ 6230219-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
30228-9	**RETAINER - QUARTER WINDOW WEATHERSTRIP**					
	69/70	F(63)		C9ZZ 6330228-B	C9ZZ 6330229-B	1
302A28	**RETAINER - QUARTER WINDOW HINGE FRONT**					
	71/	L	Rivet blind-3/16" x 1/2"	383614-S100(SS45HX)	383614-S100(SS45HX)	4
30238	**SHAFT - VENT WINDOW HANDLE**					
	69/70	F(63)		C9ZZ 6330238-A	C9ZZ 6330238-A	2
	70/71	B(54, 57, 62)	Front door vent			2
30246	**COVER - QUARTER WINDOW LOWER PIVOT**					
	69/70	F(63)		C9ZZ 6330246-B	C9ZZ 6330246-B	2
30248-9	**WEATHERSTRIP - QUARTER WINDOW**					
	71/	L(62, 64)		D1FZ 6230248-A	★D1FZ 6230249-A r/b D3FZ 6230249-A (1/75)	1
	72	L(73)-w/o framed quarter window		D2FZ 7330248-A	D2FZ 7330249-A	1
	72	L(73)-w/framed quarter window		D2FZ 7330248-B	D2FZ 7330249-B	1
	70/	P(62)	Black	D0DZ 6230248-AB	D0DZ 6230249-AB	1
			Blue	D0DZ 6230248-BB	D0DZ 6230249-BB	1
			Red	D0DZ 6230248-CB	D0DZ 6230249-CB	1
			Nugget	D0DZ 6230248-EB	D0DZ 6230249-EB	1
	71/	P(62)	Gray Gold	D1DZ 6230248-B	D1DZ 6230249-B	1
			Vermilion	D1DZ 6230248-A	D1DZ 6230249-A	1
	72	P(62)	Beige	D2DZ 6230248-C	D2DZ 6230249-C	1
			Ginger	D2DZ 6230248-A	D2DZ 6230249-A	1
			Tan	D2DZ 6230248-D	D2DZ 6230249-D	1
			White	D2DZ 6230248-B	D2DZ 6230249-B	1
30252	**HANDLE - QUARTER WINDOW - INCLUDES ATTACHING PARTS**					
	69/70	F(63)		C9ZZ 6330252-A	C9ZZ 6330252-A	2
30254-5	**WEATHERSTRIP - QUARTER WINDOW - INNER REAR**					
	71/72	A(65) "Before 11/10/71"		D1AZ 6530254-B	D1AZ 6530255-B	1
	72	A(65) "From 11/10/71"		D2AZ 6530254-A	D2AZ 6530255-A	1
	72	B(65)		D2OZ 6530254-A	D2OZ 6530255-A	1
	67/68	S(65)		C7SZ 6530254-A	C7SZ 6530255-A	1
	69	S(65A, C)				1
	72	S		D2SZ 6530254-A	D2SZ 6530255-A	1
30264-5	**PIVOT - QUARTER WINDOW - UPPER**					
	69/70	F(63)		C9ZZ 6330264-A	★C9ZZ 6330265-A Not replaced (3/75)	1
30270-1	**RETAINER - QUARTER WINDOW WEATHERSTRIP**					
	71/	L(62, 64)		D1FZ 6230270-A	D1FZ 6230271-A	1
30272-3	**BRACKET - QUARTER WINDOW LOWER PIVOT**					
	69/70	F(63)		C9ZZ 6330272-A	C9ZZ 6330273-A	1
			Screw-No. 8-15 x 3/4" pan head	52742-S8(U385)	52742-S8(U385)	2
30304-5	**DRIVE ASSY. - QUARTER WINDOW REGULATOR - ELECTRIC** -Also Refer to Group 23394-5					
	71/	F		C9WY 6530304-A	C9WY 6530304-A	2
	65/66	S	Includes motor	C5SZ 6330304-A	C5SZ 6330305-A	1
			No. 12-24 x 1/2" Hex. washer head screw	378608-S8(UU52D)	378608-S8(UU52D)	6
			7/16"-20 x .88" Screw (set)	★378113-S34	★378113-S34	2
			7/16"-20 Nut (stamped)	45219-S(M173)	45219-S(M173)	2
			For regulator drive gear kit refer to group 234A24			
	67/	S(65)	Serviced only in assy.- refer to Group 30380-1			

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
303A04	**EXTENSION-QUARTER WINDOW REGULATOR**					
	69/ 70	F(76-GT350/500)		C9ZZ 76303A04-A	C9ZZ 76303A04-A	2
30306-7	**REGULATOR ASSY. - QUARTER WINDOW - MANUAL**					
		- A -				
	65/66	A(76)		C5AZ 7630306-C	★C5AZ7630307-C Not replaced (3-74)	1
	65/67	A(63)	Includes handle screw	C8MY 6330306-B	C8MY 6330307-B	1
	67	A(76)	Includes handle screw	C8AZ 7630306-B	★C5AZ7630307-C Not replaced (3-74)	1
	68	A(63, 65)		C8AZ 6330306-B	C8AZ 6330307-B	1
	69	A(62)		C9AZ 6230306-A	C9AZ 6230307-A	1
	69/70	A(63)		C9AZ 6330306-A	C9AZ 6330307-A	1
	69/ 70	A(65, 76)		C9AZ 6530306-A	C9AZ 6530307-A	1
	71/	A(65)		D1AZ 6530306-A	D1AZ 6530307-A	1
	71/	A(76)		C9AZ 6530306-A	C9AZ 6530307-A	1
	65/67	A(62, 63, 76)	5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	376976-S7-8(BB574M)	8
		- B -				
	66/67	B(63)	Includes handle screw	C6OZ 6330306-B	★C6OZ6330307-B Not replaced (1/75)	1
	66/67	B(62, 63, 76)	5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	376976-S7-8(BB574M)	8
	68/71	B(63, 65, 76)		C8OZ 6330306-B	C8OZ 6330307-B	1
	70	B(62)		D0OZ 6230306-A	D0OZ 6230307-A	1
	72	B(63)		D2OZ 6330306-A	D2OZ 6330307-A	1
	72	B(65)		D2OZ 6530306-A	D2OZ 6530307-A	1
		- F -				
	65/67	F(65, 76)		C5ZZ 6530306-A	C5ZZ 6530307-A	1
			5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	376976-S7-8(BB574M)	8
	68	F(65, 76)		C8ZZ 6530306-A	C8ZZ 6530307-A	1
	69/ 70	F(65, 76)		C9ZZ 6530306-B	C9ZZ 6530307-B	1
	71/	F(65, 76)		D1ZZ 6530306-A	D1ZZ 6530307-A	1
		- S -				
	68	S(65)		C8SZ 6530306-B	C8SZ 6530307-B	1
	69	S(65A, C)				1
	70/71	S(65)		C9ZZ 6530306-B	C9ZZ 6530307-B	1
	72	S		D2SZ 6530306-A	D2SZ 6530307-A	1
	65/67	S	5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	376976-S7-8(BB574M)	8
		- X -				
	68/70	X(62)		C8DZ 6230306-B	C8DZ 6230307-B	1
	66/67	X(62)	5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	376976-S7-8(BB574M)	8
	66/70	X	Hex. head washer screw-5/16"-24 x 5/8"	359605-S8(BB590)	359605-S8(BB590)	AR
303A06	**EXTENSION - QUARTER PANEL WINDOW REGULATOR**					
	68	F(76-GT 350/500)		S8MS 76303A06-A	S8MS 76303A06-A	1
303A06-7	**BRACKET - QUARTER WINDOW REGULATOR EQUALIZER ARM**					
	69/70	A(63)		C9AZ 63303A06-A	C9AZ 63303A07-A	1
	71/	A(65)		D1AZ 65303A06-A	D1AZ 65303A06-A	1
	68/70	X(62)		C8DZ 62303A06-A	C8DZ 62303A06-A	1
	65/70	A, B, X	3/8" Flat washer	351405-S7(XX147)	351405-S7(XX147)	2
			5/16" I. D. x 7/8" O. D. Washer (special)	★357789-S7	★357789-S7	2
			5/16"-18 Hex. nut	33797-S7(M50)	33797-S7(M50)	4
303B07-8	**BRACKET - QUARTER REGULATOR EXTENSION SUPPORT**					
	68	F(76-GT 350/500)		S8MS 76303B07-A	S8MS 76303B08-A	1
30308	**BRACKET - QUARTER TRIM PANEL SUPPORT**					
	69/70	F(76-GT 350/500)		C9ZZ 7630308-A	C9ZZ 7630308-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
30322	**HANDLE - WINDOW REGULATOR**				
	Handles are serviced less knob unless otherwise indicated - for knob refer to Group 23352				
		- A -			
	65	A(76A)	Chrome knob	C5AZ 7630322-A	2
	66	A(76)			2
	68/69	A(76)		C8AZ 7630322-A	2
	70/72	A(76) "Before 10/1/71"		D0AZ 7630322-A	2
	72	A(76) "From 10/1/71"	Includes clear plastic knob	D2AZ 7630322-A	2
		- B -			
	65	B(62, 65)	Black knob	C4DZ 6230322-A	2
			Retainer-spring	357550-S(QQ1)	2or4
	66	B(76)		C6OZ 7630322-A	2
	68/69	B(76)		C8AZ 7630322-A	2
	70/71	B	Front, rear and quarters	D0AZ 7630322-A	AR
	72	B(63, 65)	Includes clear plastic knob	D2AZ 7630322-A	2
		- F -			
	65/67	F(65, 76)	Chrome knob	C5ZZ 6530322-B	2
			No. 10-24 x 3/4" Socket set lock screw	377720-S7(UU29D)	2
	68/70	F		C8ZZ 6530322-A	2
	71/72	F "Before 10/1/71"		D0AZ 7630322-A	2
	72	F "From 10/1/71"	Includes clear plastic knob	D2AZ 7630322-A	2
		- L -			
	71/72	L "Before 10/1/71"	Front door	D0AZ 7630322-A	2
	72	L "From 10/1/71 to 4/3/72"	Front door - includes clear plastic knob	D2AZ 7630322-A	2
	72	L "From 4/3/72"	Refer to Group 23352-3		
		- P -			
	71/72	P(54) "Before 10/1/71"	Front door, rear door	D0AZ 7630322-A	4
	72	P(54) "From 10/1/71"	Front door, rear door - includes clear plastic knob	D2AZ 7630322-A	4
		- S -			
	68/69	S(65)		C8ZZ 6530322-A	2
	70/72	S "Before 10/1/71"	Front door and rear door or quarter	D0AZ 7630322-A	2
	72	S "From 10/1/71"	Includes clear plastic knob	D2AZ 7630322-A	2
		- X -			
	65	X(59, 62, 63, 76)	Black knob	C4DZ 6230322-A	2
			Retainer-spring	357550-S(QQ1)	2or4
303A24	**LATCH - QUARTER WINDOW**				
	70/	P(62)	Plastic with 5/32" hole	D0DZ 62303A24-C	2
	71/	L(62, 64)			2
	72	L(73)		D2FZ 73303A24-A	2
30330	**PIN - QUARTER WINDOW LATCH**				
	70/	L, P(62)	3/4" long	D0DZ 6230330-A	4
			1/2" long	D0DZ 6230330-B	2
303A30-1	**GUIDE - QUARTER WINDOW ACTUATOR**				
	65/68	F(65, 76)	R. H.	C5ZZ 65303A30-A	1
			L. H.	C5ZZ 65303A31-A	1
			5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	4
30351	**SPRING - QUARTER WINDOW REGULATOR COUNTERBALANCE**				
	65/69	A(76)		C5AZ 6230351-A	2
	65/68	A(62)			2
	69	A(62)		C9AZ 6230351-A	2
	70/	A	Refer to group 23318		
	65	B(65)		B5A 7630351-A	2
	66/67	B(62)		C6OZ 6230351-A	2
	68	B(54, 66, 71), X(54, 71)			2
	66/70	X(62)			2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
30351	**SPRING - QUARTER WINDOW REGULATOR COUNTER BALANCE - continued**				
	72	B(63)		D2OZ 6330351-A	2
	65/68	F(65, 76)		C5ZZ 6530351-A	2
	69/	F(65, 76)		C9ZZ 6530351-A	2
	70	S(65)			2
	71/	P(54)			2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
30380-1	**REGULATOR ASSY. - QUARTER WINDOW - ELECTRIC - LESS MOTOR and DRIVE**					
		- A -				
	69	A(63)		C9AZ 6330380-A	C9AZ 6330380-A	1
	69/70	A(65, 76)		C9AZ 6530380-A	C9AZ 6530381-A	1
	70	A(63)		D0AZ 6330380-A	D0AZ 6330380-A	1
	71/	A(65)		D1AZ 6530380-A	D1AZ 6530381-A	1
	71/	A(76)		D1AZ 7630380-A	D1AZ 7630381-A	1
	65/67	A(62, 63, 65, 76)	Hex.washer head screw-5/16"-18 x 1/2"	376976-S7(BB574M)	376976-S7(BB574M)	AR
		- B -				
	68	B(63, 76)		C8OZ 6330380-B	C8OZ 6330381-B	1
	69/71	B(63, 65, 76)				1
	72	B(63)		D2OZ 6330380-A	D2OZ 6330381-A	1
	72	B(65)		D2OZ 6530380-A	D2OZ 6530381-A	1
		- F -				
	71/	F		D1ZZ 6530380-A	D1ZZ 6530381-A	1
		- S -				
	67/69	S(65) "From 12/19/66"	Includes Motor, drive & guide assy.	C7SZ 6530380-B	C7SZ 6530381-B	1
			No.10-24 x 3/8" Pan head screw & washer assy.	★54540-S2	★54540-S2	12
			Clip (wire)	379485-S(GG263)	379485-S(GG263)	2
	70/71	S(65)		D0SZ 6530380-A	D0SZ 6530381-A	1
	72	S		D2LY 6530380-A	D2LY 6530381-A	1
	65/66	S	Hex. head screw-5/16"-24 x 1 1/8"	353483-S2(BB588)	353483-S2(BB588)	AR
303A80	**SEAL - QUARTER WINDOW REGULATOR PANEL - REAR**					
	65/68	A(76)		C5AZ 76303A80-A	C5AZ 76303A80-A	1
30384	**RETAINER - QUARTER WINDOW LATCH ANCHOR PLATE**					
	72	L(73)		D2FZ 7330384-A	D2FZ 7330384-A	§ 1
30394-5	**SUPPORT - QUARTER WINDOW REGULATOR MOTOR**					
	70	S(65)		D0SZ 6530394-A	D0SZ 6530395-A	1
	71	S(65)		D1SZ 6530394-A	D1SZ 6530395-A	1
303A98	**CASE - QUARTER WINDOW REGULATOR CABLE - LOWER**					
	67/	S(65)	Improvise from A9A 17543-A	★	★	
30484-5	**EXTENSION - QUARTER WINDOW REGULATOR PANEL**					
	66/67	B(76)		C6OZ 7630484-A	C6OZ 7630485-A	1
	65/68	F(76)		C5ZZ 7630484-A	C5ZZ 7630485-A	1
	69/70	F(76)		C9ZZ 7630484-A	C9ZZ 7630485-A	1
	71/	F(76)		D1ZZ 7630484-A	D1ZZ 7630485-A	1
305A02-3	**BRACKET - QUARTER WINDOW GLASS**					
	71/	A(65)		D1AZ 65305A02-A	D1AZ 65305A03-A	1
	72	B(63)		D2OZ 63305A02-A	D2OZ 63305A03-A	1
	71/	F(63)	W/stationary window	D1ZZ 63305A02-A	D1ZZ 63305A03-A	1
	71/	F(65, 76)		D1ZZ 65305A02-A	D1ZZ 65305A03-A	1
	71/	F(63)	W/movable window			1
30504-5	**FRAME - QUARTER WINDOW GLASS**					
	69	A(62)		C9AZ 6230504-A	C9AZ 6230505-A	1
	66/67	B(62)		C6OZ 6230504-A	C6OZ 6230505-A	1
	70	B(62)		D0OZ 6230504-A	D0OZ 6230505-A	1
	66/70	X(62)		C6OZ 6230504-A	C6OZ 6230505-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
30510	**BRACKET - QUARTER WINDOW GLASS CHANNEL - REAR**					
	68	A(63,65)		C6VY 6530510-A	C6VY 6530510-A	1
	69/70	A(65,76)		C9AZ 6530510-A	C9AZ 6530510-A	1
	71/	A(76)				1
	70/71	B(63,65,76)		D0OZ 6530510-A	D0OZ 6530510-A	1
	70	A,B	Screw No. 8-32 x 1/2" oval head tapping	50398-S13(U121)	50398-S13(U121)	4
305A26-7	**WEATHERSTRIP - BODY SIDE WINDOW**					
	66/	U(98)	Without window mouldings	C6TZ 98305A26-B	C6TZ 98305A27-B	1
	67/	U(98)	With window mouldings	C7TZ 98305A26-C	C7TZ 98305A27-C	1
30550	**BRACKET - QUARTER WINDOW GLASS CHANNEL**					
	68	A(63,65,76),B(63,65,76)	Rear	C6VY 6530550-A	C6VY 6530550-A	1
	69	A(62)		C9AZ 6230550-A	C9AZ 6230550-A	1
	65/67	A	Pan head screw-No. 8-32 x 3/8"	52720-S8(U380)	52720-S8(U380)	AR
	65/	A	No. 8-32 x 1/2" Cross recess oval head screw	50398-S13(U121)	50398-S13(U121)	4
	69	A	Screw & washer-hex. head-1/4"-20 x 5/8"	57472-S40(B339V)	57472-S40(B339V)	AR
	66/67	B(62)		C6OZ 6230550-A	C6OZ 6230550-A	1
	66/70	X(62)				1
	70	B(62)		C9AZ 6230550-A	C9AZ 6230550-A	1
	66/67	B(62,63,76),X(62)	No. 8-32 x 3/8" Cross recess flat head screw	358477-S8(BB93)	358477-S8(BB93)	2or4
30584	**COVER - QUARTER WINDOW LATCH BRACKET RETAINER**					
	71/	L		D0DZ 6230584-B	D0DZ 6230584-B	1
	70/	P(62)	Use with die cast latch	D0DZ 6230584-A	D0DZ 6230584-A	1
			Use with plastic latch	D0DZ 6230584-B	D0DZ 6230584-B	1
30698	**STOP - QUARTER WINDOW LOWER**					
	72	B(63)		D2OZ 6330698-A	D2OZ 6330698-A	1
30702	**RECEPTACLE ASH**					
		- A -				
	65/67	A(62,63)	Quarter-Less cover	C5AZ 6230702-A	C5AZ 6230702-A	1
	65/67	A(54,57,71)	Rear door			1
	65/67	A	Front door			1
	65/68	A(76)	Less cover	C5AZ 7630702-A	C5AZ 7630702-A	2
	71	A(53,57)	Front seat back	D1MY 6530702-A	D1MY 6530702-A	1
		- B -				
	65	B(62,65)	Quarter-Less cover	C5AZ 6230702-A	C5AZ 6230702-A	1
	65/67	B(54,71)	Rear door			1
	66	B	Front door			1
	66/67	B(62,63)	Quarter			1
	66/71	B(76)	Less cover	C5AZ 7630702-A	C5AZ 7630702-A	1
		- F -				
	65/67	F(65)	Quarter-Less cover	C5AZ 6230702-A	C5AZ 6230702-A	1
	68	F(63A,B,65A,B,76A,B)	On console			1
	71/	F				1
	66/68	F(76)	Less cover	C5AZ 7630702-A	C5AZ 7630702-A	1
	68	F(GT 350/500)	Saddle (Brown)	S8MS 6330702-B	S8MS 6330702-B	1
		- L -				
	71/	L		C5AZ 6230702-A	C5AZ 6230702-A	1
		- P -				
	70/	P	Quarter	C5AZ 6230702-A	C5AZ 6230702-A	1
		- S -				
	67	S(57)	Rear door	C5AZ 6230702-A	C5AZ 6230702-A	1
	68/71	S	Rear door or quarter-For R.H. & L.H.	D1MY 6530702-A	D1MY 6530702-A	1
	72	S	Front door-rear			1
		- X -				
	66/67	X(54,71)	Rear door	C5AZ 6230702-A	C5AZ 6230702-A	1
	66/67	X(62)	Quarter			1
	66	X	Front door			1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
30714	**RETAINER - ASH RECEPTACLE**					
	65/66	A(62, 63B), F(65)	Quarter-Includes cover	C5AZ 6230714-A	C5AZ 6230714-A	1
	65/66	A(except 57F, 63C, F, 76B)	Front door			1
	65/66	A(54, 57B, 71)	Rear door			1
	65	B(54, 71)	Rear door			1
	65	B(62, 65)	Quarter			1
	66	B(62, 63), X(62)	Quarter			1
	66	B(54, 71), X(54, 71)	Rear door			1
	66	B(76)	Front door-with A/C			1
	66	B, X	Front door			1
	71	L	Quarter			1
	70/	P	Quarter			1
	65/66	A(63C, D, F)	Quarter-Includes cover	C5AZ 6330714-A	C5AZ 6330714-A	1
	65/66	A(57F)	Rear door			1
	65/66	A(57F, 63C, F, 76B)	Front door			1
	67	A(54A, B, E, 57B, 71), B(54, 71), X(54B, 71B)	Rear door-Includes cover-Bright Finish	C7AZ 6230714-A	C7AZ 6230714-A	2
	67	A(62), B(62, 63), X(62)	Quarter			2
	67	A(54C, 57F), S(57)	Rear door-Includes cover-Center Brush Finish	C7AZ 6330714-A	C7AZ 6330714-A	2
	67	A(63C, J)	Quarter			2
	68	F(63A, B, 65A, B, 76A, B)	Console			2
	71/	F	Quarter	D1ZZ 6530714-A	D1ZZ 6530714-A	2
	68/69	S(65)	Quarter-Includes cover	C8SZ 6530714-A	C8SZ 6530714-A	2
	65	X(54, 59, 62, 63, 71)		C4MY 6530714-A	C4MY 6530714-A	2
	65	X(76)		C1AB 7630714-A	C1AB 7630714-A	2
	65/70	F(76)				2
30716	**SHIELD - ASH RECEPTACLE**					
	68/	S		C2VY 5730716-A	C2VY 5730716-A	4
30728	**SPRING - ASH RECEPTACLE RETAINER COVER TENSION**					
	68/69	S	Front door, rear door and quarter	C8VZ 5330728-A	C8VZ 5330728-A	3
	70/	S	Rear door & quarter			2
310A02-3	**PANEL - QUARTER TRIM FINISH**					
		- F -				
	69	F(63E)	Light Wood grain	C9ZZ 65310A02-A	C9ZZ 65310A03-A	1
	69	F(63E)	Dark Wood grain	C9ZZ 65310A02-B	C9ZZ 65310A03-B	1
		- S -				
	68/69	S(65)	Upper-Includes attaching parts	C8SZ 65310A02-A	C8SZ 65310A03-A	1
310A62-3	**EXTENSION - QUARTER TRIM PANEL TO PACKAGE TRAY**					
	69/70	F(63)	Without folding rear seat -paint to match	C9ZZ 63310A62-A	C9ZZ 63310A63-A	1
31066-7	**RETAINER - QUARTER TRIM PANEL**					
		- A -				
	65/66	A(71)	Paint to match	C5AZ 7131066-A	C5AZ 7131066-A	2
			No. 8-15 x 1/2" Cross recess pan head screw	52726-S13(U381)	52726-S13(U381)	4
	67/68	A(71) "Before 12/11/67"	Upper front	★C7AZ 7131066-B Not replaced (3-74)	C7AZ 7131067-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
31066-7	**RETAINER - QUARTER TRIM PANEL - continued**					
		- A -				
	68	A(71) "From 12/11/67"	Upper front	★C7AZ 7131066-C Not replaced (3-74)	★C7AZ 7131067-C Not replaced (3-74)	1
			No. 8-15 x 3/8" Cross recess pan head screw	52720-S8(U380)	52720-S8(U380)	5
	69/	A(71)	Refer to Group 31200-1			
		- B -				
	66/67	B(71)	Upper	★C6OZ 7131066-A Not replaced (3-74)	C6OZ 7131067-A	1
	66/67	B(76)	Chrome	★C6OZ 7631066-A Not replaced (3-74)	C6OZ 7631067-A	1
	66	B(62, 63), X(62B, C)	Chrome	C6OZ 6231066-A	C6OZ 6231067-A	1
	67	B(62, 63), X(62)				1
	66/67	B(62, 63, 71, 76)	No. 8-15 x 3/8" Cross recess pan head screw	52720-S8(U380)	52720-S8(U380)	4or6
		- X -				
	66	X(62)	Paint to match	C6DZ 6231066-A	C6DZ 6231067-A	1
	66/70	X(71)		Refer to Group 47176		
			Paint to match		C6DZ 7131067-A	1
	66/70	X(62)	Chrome	C6OZ 6231066-A	C6OZ 6231067-A	1
	66/70	X(62, 71)	No. 8-15 x 3/8" Cross recess pan head screw	52720-S8(U380)	52720-S8(U380)	4or6
310A84-5	**BRACKET - QUARTER TRIM PANEL - LOWER**					
	65/70	F(63)		C5ZZ 63310A84-B	C5ZZ 63310A85-B	1
	69/70	F(76A)		C9ZZ 76310A84-A	C9ZZ 76310A84-A	2
	71	F(63)		D1ZZ 63310A84-A	D1ZZ 63310A85-A	1
	71/	F(65)		D0DZ 62310A84-A	D0DZ 62310A84-A	4
	71/	F(76)		D1ZZ 76310A84-A	D1ZZ 76310A84-A	2
	72	F(63)		C5ZZ 63310A84-A	C5ZZ 63310A85-A	1
	70/	P(62)		D0DZ 62310A84-A	D0DZ 62310A84-A	4
	70/	P(62)	No. 8-15 x 5/8" fill. screw	52554-S8(U230)	52554-S8(U230)	4
	72	U(98)		D2BZ 1031084-A	D2BZ 1031084-A	8
31090-1	**SHIELD - QUARTER TRIM WATER**					
	65/	A, S, X	Refer to Group 20318			
	65/	B(62, 65)				
	65/	F(65, 76)				
	65/68	F(63)		★C5ZZ 6331090-A Not replaced (7-73)	C5ZZ 6331091-A	1
310A90-1	**RETAINER - QUARTER TRIM PANEL UPPER REAR**					
	65/66	F(63)		C5ZZ 63310A90-A	C5ZZ 63310A91-A	1
			No. 8-18 x 3/8" Cross recess pan head screw	52720-S8(U380)	52720-S8(U380)	4
	70	F(65)		C9WY 65310A90-A	C9WY 65310A90-A	2
310A94	**RETAINER - QUARTER TRIM LOWER REAR PANEL LOWER - FRONT**					
	65/68	F(63)		C5ZZ 63310A94-A	C5ZZ 63310A94-A	1
	69/70	F(63)	Without folding rear seat	C9ZZ 63310A94-A	C9ZZ 63310A94-A	1
310A96	**RETAINER - QUARTER TRIM FRONT PANEL - LOWER**					
	67/68	A(71)		C7AZ 71310A96-A	C7AZ 71310A96-A	1
	69/	A(71)		C9AZ 71310A96-A	C9AZ 71310A96-A	1
	69/70	F(63)	Without folding rear seat	C9ZZ 63310A96-A	C9ZZ 63310A96-A	2
310A98-9	**RETAINER - QUARTER TRIM FRONT PANEL - CENTER**					
	67/68	A(71)		C7AZ 71310A98-A	C7AZ 71310A99-A	1
	69/	A(71)		C9AZ 71310A98-A	C9AZ 71310A98-A	1
	69/70	F(63)	Without folding rear seat	C9ZZ 63310A98-A	C9ZZ 63310A98-A	1
	69/	A	Screw-No. 8-18 x 1/2"	52413-S13(U316)	52413-S13(U316)	AR
311A00-1	**RETAINER - QUARTER TRIM LOWER FRONT PANEL UPPER - FRONT**					
	69/70	F(63)	Without folding rear seat	C9ZZ 63311A00-A	C9ZZ 63311A01-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
311A00-1	**RETAINER - QUARTER TRIM FRONT PANEL - UPPER**					
	67/68	A(71)		C7AZ 71311A00-A	C7AZ 71311A01-A	1
	69/	A(71)		C9AZ 71311A00-A	C9AZ 71311A01-A	1
	69/	A(71)	Screw-oval head-No. 8-18 x 1/2"	52413-S13(U316)	52413-S13(U316)	AR
311A14-5	**RETAINER - QUARTER TRIM UPPER FRONT PANEL LOWER**					
	65/68	F(63)		C5ZZ 63311A14-A	C5ZZ 63311A15-A	2
			No. 8-18 x 3/8" Cross recess pan head screw	52720-S8(U380)	52720-S8(U380)	8
311A22-3	**BRACKET - QUARTER TRIM PANEL RETAINER - REAR**					
	66/67	B(71), X(71)			C6OZ 71311A23-A	1
	68/71	B(71)				2
	72	B(63, 65)		D2OZ 65311A22-A	D2OZ 65311A22-A	1
	70/71	P(62)	No. 8- 15 x 5/8" Fillister head screw	52554-S8(U230)	52554-S8(U230)	4
	70/	P(62)	Upper rear	D2DZ 62311A22-A	D2DZ 62311A22-A	1
311A24	**BRACKET - QUARTER TRIM PANEL**					
	66/67	B(76)		C6OZ 76311A24-A	C6OZ 76311A24-A	1
	68/69	B(76)	Upper	C8OZ 76311A24-A	C8OZ 76311A24-A	1
	68/69	B(76)	Lower	C8OZ 76311A24-B	C8OZ 76311A24-B	1
	69/70	F(76)		C9ZZ 76311A24-A	C9ZZ 76311A24-A	1
	70/	P(62)	Upper front	D0DZ 62311A24-A	D0DZ 62311A24-A	1
	70/	P(62)	No. 8-15 x 5/8" fillister head screw	52554-S8(U230)	52554-S8(U230)	4
31140-1	**MOULDING - QUARTER TRIM PANEL**					
	67	A(63J)		C7AZ 6331140-A	C7AZ 6331140-A	1
	67	A(76)		C7AZ 7631140-A	C7AZ 7631141-A	1
311A62-3	**EXTENSION - QUARTER TRIM PANEL TO PACKAGE TRAY**					
	69/70	F(63)	Without folding rear seat	C9ZZ 63311A62-A	C9ZZ 63311A63-A	1
31168	**CLIP - QUARTER TRIM PANEL RETAINER**					
	65/66	A(71)		C5AZ 7131168-A		1
	67/68	A(71) "Before 12/11/67"		C7AZ 7131168-A	C7AZ 7131168-A	2or4
	68	A(71)	On wheel well cover			2
	68	A(71) "From 12/11/67"		C8AZ 7131168-A	C8AZ 7131168-A	2or4
			No. 8-15 x 1/2" Cross recess pan head screw	52726-S13(U381)	52726-S13(U381)	2
31172-3	**RETAINER - QUARTER TRIM PANEL REAR** - Paint to match					
	65/66	A(71)			C5AZ 7131173-E	1
			No. 8-15 x 1/2" Cross recess pan head screw		52726-S13(U381)	3
	67/68	A(71)		C7AZ 7131172-A	C7AZ 7131173-A	1
	69	A(62)		C9AZ 6231172-A	C9AZ 6231172-A	1
	69/	A(71)		C9AZ 7131172-A	C9AZ 7131173-A	1
	69/	A(71)	Screw-self tapping-drilled end-No. 8-18 x 3/4"	382413-S2(UU148A)	382413-S2(UU148A)	
	72	B(71)		D2OZ 7131172-A	D2OZ 7131173-A	1
	71/	L(64)		D1FZ 6431172-A	D1FZ 6431173-A	1
	72	L(73)		D2FZ 7331172-A	D2FZ 7331173-A	1
311A78	**BRACKET - QUARTER TRIM PANEL UPPER CENTER**					
	69	A(76)		C9AZ 76311A78-A	C9AZ 76311A78-A	1
311A90	**EXTENSION - QUARTER TRIM PANEL TO PACKAGE TRAY** - Paint to match					
	69/70	F(63)	W/o folding rear seat	C9ZZ 63311A90-A	C9ZZ 63311A90-A	1
311A96-7	**EXTENSION - QUARTER TRIM PANEL** - Paint to match					
	71	L(62)		D1FZ 62311A96-A	D1FZ 62311A97-A	1
	72	L(62) "Before 5/15/72"		D2FZ 62311A96-A	D2FZ 62311A97-A	1
	72	L(62) "From 5/15/72"		D2FZ 62311A96-B	D2FZ 62311A97-B	1
	70/71	P(62)		D0DZ 62311A96-A	D0DZ 62311A97-A	1
	71	P(54)		D1DZ 54311A96-A	D1DZ 54311A97-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
311A96-7	**EXTENSION - QUARTER TRIM PANEL - continued** - Paint to match					
	72	P(54) "Before 3/1/72"		D2DZ 54311A96-A	D2DZ 54311A97-A	1
	72	P(54) "From 3/1/72"		D2DZ 54311A96-B	D2DZ 54311A97-B	1
	72	P(62) "Before 3/1/72"		D2DZ 62311A96-A	D2DZ 62311A97-A	1
	72	P(62) "From 3/1/72"		D2DZ 62311A96-B	D2DZ 62311A97-B	1
311A98	**BRACKET - QUARTER TRIM PANEL TO FLOOR** - Refer to Group 310A84-5					
31200-1	**RETAINER - QUARTER TRIM PANEL - UPPER**					
	69/	A(71)		D2AZ 7131200-A	D2AZ 7131201-A	1
	72	B(71)	Smooth steel	D2OZ 7131200-A	D2OZ 7131201-A	1
	72	B(71)	Textured steel	D2OZ 7131200-B	D2OZ 7131201-B	1
31210-1	**FILLER - QUARTER TRIM PANEL TO QUARTER REGULATOR PANEL - REAR**					
	65/68	A(63C)		C5AZ 6331210-A	C5AZ 6331211-A	1
			No. 8-15 x 1/2" Cross recess pan head screw	52726-S13(U381)	52726-S13(U381)	10
31214-5	**MOULDING - QUARTER TRIM PANEL - LOWER**					
	69	A(65A)		C9YZ 6531214-A	C9YZ 6531215-A	1
	70	A(65A)		D0AZ 6531214-A	D0AZ 6531215-A	1
	71/	A(65K)				1
31218	**REINFORCEMENT - QUARTER TRIM PANEL**					
	66/71	B(71)		C6OZ 7131218-A	C6OZ 7131218-A	2
31226	**COVER - QUARTER TRIM AT LUGGAGE COMPARTMENT DOOR PROP**					
	71/	L(64)		D1FZ 6431226-A	D1FZ 6431226-A	2
312A40-1	**RETAINER ASSY. - BODY SIDE TRIM PANEL UPPER EDGE**					
	72	U(98)-Ranger		D2BZ 10312A40-A	D2BZ 10312A41-A	1
31284	**BRACKET - QUARTER TRIM PANEL - UPPER RETAINER**					
	68	A(71)	R.H. side only	C8AZ 7131284-A		1
31296-7	**REINFORCEMENT - QUARTER TRIM PANEL LOWER**					
	72	B(63, 65)		D2OZ 6531296-A	D2OZ 6531297-A	1
31322-3	**MOULDING - QUARTER TRIM PANEL - BELT** - Paint to match					
	66/70	X(71)		C6DZ 7131322-A	C6DZ 7131323-A	1
31392	**SPACER - QUARTER TRIM PANEL**					
	67/68	S(65)		C7SZ 6531392-A	C7SZ 6531392-A	4
	69	S(65A, C)				4
31412-3	**RETAINER - QUARTER TRIM PANEL UPPER EDGE** - Paint to match					
	66	B(71)		★C6OZ 7131412-A Not replaced (7/73)	C6OZ 7131413-A	1
	67/69	B(71)		C7OZ 7131412-A	C6OZ 7131413-A	1
	70/71	B(71)		D0OZ 7131412-A	C6OZ 7131413-A	1
31424-5	**BRACKET - QUARTER TRIM PANEL TO WHEELHOUSE**					
	69/70	F(65)		C9ZZ 6531424-A	C9ZZ 6531425-A	1
31462	**REINFORCEMENT - QUARTER TRIM PANEL UPPER EDGE**					
	69	F(65)		C9ZZ 6531462-A	C9ZZ 6531462-A	2
	72	U(98)		D2BZ 1031462-A	D2BZ 1031462-A	1
31464	**REINFORCEMENT - QUARTER TRIM PANEL UPPER EDGE - REAR**					
	69	F(65)		C9ZZ 6531464-A	C9ZZ 6531464-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
31468	**SUPPORT - QUARTER TRIM PANEL**				
	68/69	B(71)		C8OZ 7131468-A	1
	70/71	B(71)		D0OZ 7131468-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
31490-1	**CAP - QUARTER TRIM PANEL - UPPER - INCLUDES ATTACHING PARTS**					
	68	F(65B)	Paint to match	C7WY 6531490-B	C7WY 6531491-B	1
	66/70	X(71)	Paint to match	C6DZ 7131490-A	C6DZ 7131491-A	1
			No. 8-15 x 1/2" Cross recess oval head screw	52344-S13(U292)	52344-S13(U292)	2
31500	**COMPARTMENT - STORAGE** - Paint to match					
	71/	A(71)			D1AZ 7131500-B	1
31518	**HINGE - STORAGE COMPARTMENT DOOR**					
	71/	A(71)			D1AZ 7131518-A	1
31560	**DOOR - STORAGE COMPARTMENT** - Paint to match					
	71/	A(71)			D1AZ 7131560-B	1
316A02-3	**PANEL - QUARTER ARM REST FINISH - INCLUDES ATTACHING PARTS** - Also Refer to Group 31796					
	69	A(62, 63, 65, 76)		C9AZ 62316A02-A	C9AZ 62316A02-A	2
	68/71	S(65)		C8SZ 65316A02-A	C8SZ 65316A03-A	1
	67/71	S(65)	Stud fastener	358592-S2(HH17N)	358592-S2(HH17N)	4
31608-9	**SUPPORT - QUARTER ARM REST**					
	67	A(62)		C7AZ 6231608-A	C7AZ 6231609-A	1
	67/68	A(63)		★C7AZ 6331608-A Not replaced (3-74)	C7AZ 6331609-A	1
31644	**PANEL - QUARTER ARM REST FINISH - LOWER**					
	69	A(65A)	Teak	C9AZ 6531644-A	C9AZ 6531644-A	2
	69	A(62, 63, 65A, C, 76)	Aqua-cloth & vinyl base	C9AZ 6231644-B1K	C9AZ 6231644-B1K	2
			Black-cloth & vinyl base	C9AZ 6231644-B1A	C9AZ 6231644-B1A	2
			Blue-cloth & vinyl base	C9AZ 6231644-B1B	C9AZ 6231644-B1B	2
			Ivy Gold-cloth & vinyl base	C9AZ 6231644-B1G	C9AZ 6231644-B1G	2
			Nugget Gold-cloth & vinyl base	C9AZ 6231644-B1Y	C9AZ 6231644-B1Y	2
			Red-cloth & vinyl base	C9AZ 6231644-B1D	C9AZ 6231644-B1D	2
			White-cloth & vinyl base	C9AZ 6231644-B1W	C9AZ 6231644-B1W	2
31700	**LATCH - STORAGE COMPARTMENT DOOR**					
	72	A(71)	Refer to group 11598			
	72	B(71)			D2OZ 7131700-A	1
31710	**STRIKER - STORAGE COMPARTMENT DOOR LATCH**					
	72	A(71)	Refer to group 105A90			
	72	B(71)			D2OZ 7131710-A	1
31796	**MOULDING - QUARTER ARM REST**					
	69	A(62,63,65,76)		C9AZ 6231796-A	C9AZ 6231796-A	2
31840	**RETAINER - QUARTER ARM REST FINISH PANEL**					
	69	A(62)		C9AZ 6231840-A	C9AZ 6231840-A	4
32222	**RAIL - BODY SIDE - INCLUDES ATTACHING PARTS**					
	69	B(66A, B)		C9OZ 6632222-A	C9OZ 6632222-A	2
32224	**SUPPORT - BODY SIDE RAIL TOP - INCLUDES ATTACHING PARTS**					
	69	B(66A, B)		C9OZ 6632224-A	C9OZ 6632224-A	2
32240-1	**SUPPORT - BODY SIDE RAIL END - INCLUDES ATTACHING PARTS**					
	69	B(66A, B)	Rear	C9OZ 6632240-A	C9OZ 6632241-A	1
	69	B(66A, B)	Front	C9OZ 6632241-A	C9OZ 6632240-A	1
32242	**PAD - BODY SIDE RAIL END SUPPORT**					
	69	B(66A, B)		C9OZ 6632242-A	C9OZ 6632242-A	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
40010	**LIFTGATE** - Less Paint, Trim and Glass				
	72	L(73) "Before 2/14/72"	With handle	D2FZ 7340010-A	1
	72	L(73) "From 2/14/72"	Less handle - for handle refer to Group 43400	D2FZ 7340010-C	1
	66/67	U(98)		C7TZ 9840010-A	1
40104	**MOULDING - LUGGAGE COMPARTMENT DOOR**				
	66	A(54A, 57B, 63B, 76A)	Lower - includes attaching parts	C6AZ 5440104-A	1
40110	**DOOR - LUGGAGE COMPARTMENT** - Less latch and hinges - drill holes as required				
		- A -			
	65	A(except 71)		C5AZ 6240110-B	1
	66	A(except 63, 71)			1
	67	A(except 63, 71)		C7AZ 6240110-B	1
	67	A(63)		C7AZ 6340110-B	1
	68	A(except 63, 71)	Fill moulding holes when not required	C8AZ 6240110-A	1
	68	A(63)		C8AZ 6340110-A	1
	69	A(except 71)		C9AZ 6240110-A	1
	70	A(except 71)		D0AZ 6240110-A	1
	71	A(except 71)		D1AZ 6540110-A	1
	72	A(except 71)		D2AZ 6540110-A	1
	70/	A(except 71)	Bumper (round rubber)-1/2"	371496-S(CC2)	2
		- B -			
	66/67	B(except 71)		C6OZ 6240110-C	1
	68/69	B(63)		C8OZ 6340110-A	1
	68/69	B(54, 65, 76)		C9OZ 5440110-A	1
	70/71	B(except 63, 66, 71)		D0OZ 6540110-A	1
	70/71	B(63)		D1OZ 6340110-A	1
	72	B(except 71, 97) - "Before 8/11/71"		D2OZ 6540110-A	1
	72	B(except 71, 97) - "From 8/11/71"		D3OZ 6540110-B	1
	70/	B	5/16"-18 x 1 3/16" Nut & retaining assy. - "J" shape	379831-S2(MM192M)	4
		- F -			
	65/66	F(63)		C5ZZ 6340110-A	1
	65/66	F(65, 76)		C5ZZ 6540110-A	1
	67/68	F(63)		C7ZZ 6340110-C	1
	67/68	F(65 except GT/CS and 63 except GT350/500, 76 except GT350/500)		C7ZZ 6540110-C	1
	68	F(63-GT 350/500)		S8MS 6340110-A	1
	69/70	F(63 exc. GT 350/500)	Includes moulding holes	D0ZZ 6340110-A	1
	70	F(63)	Less moulding holes	D0ZZ 6340110-B	1
	69/70	F(63-GT 350/500)		C9ZZ 6340110-C	1
	69/70	F(65)		C9ZZ 6540110-A	1
	69/70	F(76 exc. GT 350/500)			1
	69/70	F(76-GT 350/500)		C9ZZ 7640110-A	1
	71/72	F(63) "Before 3/1/72"	r/b (1 ea.) D2ZZ 6340110-A, D2ZZ 6343629-A, D2ZZ 65433A28-A and (2) 375203-S(SS44) (6-72)	*D1ZZ 6340110-A	1
	72	F(63) "From 3/1/72"	Includes instruction sheet	D2ZZ 6340110-A	1
	71/72	F(65, 76) "Before 3/1/72"	r/b (1 ea.) D2ZZ 6540110-A, C9ZZ 16098-A, D2ZZ 6543629-A, D2ZZ 65433A28-A and (2) 375203-S(SS44) (6-72)	*D1ZZ 6540110-A	1
	72	F(65, 76) "From 3/1/72"	Includes instruction sheet	D2ZZ 6540110-A	1
	67/70	F	Bumper (round rubber)-1/2"	371496-S(CC2)	2
		- L -			
	71/	L(62)		D1FZ 6240110-A	1
	71/72	L(64) "Before 7/12/71"	R/b following parts-(12-71) (1) D2FZ 6442006-A (1) D2FZ 6442701-A (1) D2FZ 6442084-A (2) D2FZ 6442840-A (1) D2FZ 6442492-A (1) D2FZ 6442842-A (1) D2FZ 6442493-A (1) D2FZ 6442843-A (1) D2FZ 6442700-A (1) D2FZ 6440110-A	*D1FZ 6440110-A	1
	71/	L(64) "From 7/12/71"	Glass size 28" x 47"	D4FZ 6440110-A	1
	71/	L(73)	Refer to Group 40010		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
40110	**DOOR - LUGGAGE COMPARTMENT - continued**-Less latch and hinges - drill holes as required.				
		- P -			
	71/	P(54)		D1DZ 5440110-A	1
	70/	P(62)		D0DZ 6240110-A	1
			Bumper(round rubber)-1/2"	371496-S(CC2)	2
		- S -			
	65/66	S(63)		C5SZ 6340110-A	1
	67/69	S		C7SZ 6540110-A	1
	70/71	S(57)			1
	71	S(65B, D)			1
	70	S(65)		D0SZ 6540110-A	1
	71	S(65A, C)			1
	72	S		D2SZ 6540110-A	1
		- X -			
	66/70	X(54, 62)		C7DZ 6240110-B	1
40204-5	**RETAINER - TAILGATE OUTSIDE BELT SIDE MOULDING**				
	70/71	B(66)	R.H.	D0OZ 6640204-A	1
			L.H.	D0OZ 6640205-A	1
402A06	**RETAINER - TAILGATE LOWER WEATHERSTRIP** - Paint to Match				
	68	A(71)		C8AZ 71402A06-A	1
	66/71	B(71)		C6OZ 71402A06-A	1
			No. 8-18 x 1/2" Cross recess washer head screw	381969-S2(UU89A)	2
40212-3	**COVER - TAILGATE AT BELT**				
	72	B(71)	R.H.	D2OZ 7140212-A	1
			L.H.	D2OZ 7140213-A	1
402A12-3	**RETAINER - TAILGATE SIDE WEATHERSTRIP**				
	66/67	U(98)	R.H.	C6TZ 98402A12-A	1
			L.H.	C6TZ 98402A13-A	1
			No. 8-15 x 1/2" Cross recess pan head screw	52726-S13(U381)	12
	68/	U(98)	R.H.	C8TZ 98402A12-A	1
			L.H.	C8TZ 98402A13-A	1
40222	**RETAINER - TAILGATE OUTSIDE BELT MOULDING**				
	70/71	B(66)		D0OZ 6640222-A	1
	72	B(97)		D2OZ 9740222-A	1
40224	**BUMPER - TAILGATE - ON PILLAR**				
	66/	U	For service use B7A 16993-A		
40248	**RETAINER - BACK BELT MOULDING**		REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER		
40249	**SPACER - BACK BELT MOULDING**				
	68/70	A(76), B(76), F(76)		C8AZ 7640249-A	AR
	71	B(76)			AR
40262	**PANEL - BACK CENTER**				
	72	B(97)		D2OZ 9740262-A	1
40282	**LETTER - LUGGAGE COMPARTMENT DOOR - INCLUDES ATTACHING PARTS**				
		- A -			
	65	A	Refer to Chassis Group 16606		
	66	A(54A, 57B, 63B, 76A)	"F"-3/4" high x 1 3/4" long-w/studs	C6AZ 5440282-A	1
			"O"-13/16" high x 1 15/16" long	C6AZ 5440282-B	1
			"R"-3/4" high x 1 13/16" long	C6AZ 5440282-C	1
			"D"-3/4" high x 1 3/4" long	C6AZ 5440282-D	1
	67	A(71A, E)	"F" - Stake type-no attaching parts necessary	C7AZ 7140282-A	1
			"O"	C7AZ 7140282-B	1
			"R"	C7AZ 7140282-C	1
			"D"	C7AZ 7140282-D	1
	67	A(54A, C, E, 57, 62E, 63, 71, 76)	"F"-1 3/4" high x 3/4" long-adhesive-backed	C7AZ 5440282-A	1
	68	A(54A, C, E, 57, 63, 65, 71, 76)			1
	69	A(54A, 57B, 63B, 65C, 71B, C, D, H, J, 76A)			1
	70	A(71B, C, D, H, J)	"O"-1 3/4" high x 11/16" long	C7AZ 5440282-B	1
	71/	A(71B, D, F)	"R"-1 3/4" high x 7/8" long	C7AZ 5440282-C	1
			"D"-1 3/4" high x 3/4" long	C7AZ 5440282-D	1
			3/32" Nut (sleeve)	378362-S102(MM228)	8

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
40282			LETTER - LUGGAGE COMPARTMENT DOOR - INCLUDES ATTACHING PARTS - continued		
			- A -		
	69/70	A(54B, E, 62, 65M)	"F"-3/4" high x 1 11/16" long-w/studs	C9AZ 6240282-A	1
			"O"-13/16" high x 1 3/4" long	C9AZ 6240282-B	1
			"R"-3/4" high x 1 11/16" long	C9AZ 6240282-C	1
			"D"-3/4" high x 1 5/8" long	C9AZ 6240282-D	1
	70	A(63H)	Refer to Group 425A02		
	71	A(54B, D, 65D)	"F"-3/4" high x 1 11/16" long-w/studs	D1AZ 5440282-A	1
			"O"-13/16" high x 1 3/4" long	D1AZ 5440282-B	1
			"R"-3/4" high x 1 11/16" long	D1AZ 5440282-C	1
			"D"-3/4" high x 1 5/8" long	D1AZ 5440282-D	1
	72	A(54B, D, F, 57F, 65F)	"F"-7/8" high x 1 13/16" long-w/studs-on bumper	D2AZ 6540282-A	1
			"O"-7/8" high x 2 3/64" long	D2AZ 6540282-B	1
			"R"-7/8" high x 1 15/16" long	D2AZ 6540282-C	1
			"D"-7/8" high x 1 7/8" long	D2AZ 6540282-D	1
			- B -		
	68/69	B(63)	"F"-3/4" high x 1 9/16" long-w/studs	C8OZ 6340282-A	1
			"O"-3/4" high x 1 3/4" high long	C8OZ 6340282-B	1
			"R"-3/4" high x 1 5/8" long	C8OZ 6340282-C	1
			"D"-3/4" high x 1 9/16" long	C8OZ 6340282-D	1
	68/69	B(66)	"F"-5 5/16" high x 9 7/8" long-w/studs	C8OZ 6640282-A	1
			"O"-5 9/16" high x 9 9/16" long	C8OZ 6640282-B	1
			"R"-5 5/16" high x 9 3/4" long	C8OZ 6640282-C	1
			"D"-5 5/16" high x 9 7/16" long	C8OZ 6640282-D	1
	70	B(66A, E)	"F"-5 5/16" high x 9 7/8" long-w/studs	D0OZ 6640282-A	1
			"O"-5 9/16" high x 9 9/16" long	D0OZ 6640282-B	1
			"R"-5 5/16" high x 9 3/4" long	D0OZ 6640282-C	1
			"D"-5 5/16" high x 9 7/16" long	D0OZ 6640282-D	1
	70	B(66B)	"F"-"O"-"R"-"D"-serviced only in assembly - refer to Group 42507		
	72	B(97D, K, R)	"F"-1 3/64" high x 2 5/8" long-w/studs	D2OZ 9740282-A	1
			"O"-1 7/64" high x 2 9/16" long	D2OZ 9740282-B	1
			"R"-1 3/64" high x 2 39/64" long	D2OZ 9740282-C	1
			"D"-1 3/64" high x 2 1/2" long	D2OZ 9740282-D	1
	70	B(63)	Refer to Chassis Group 16606		
			- F -		
	65/67	F	"F"-1/2" high x 1 5/8" long-w/studs	C4OZ 6240282-A	1
			"O"-9/16" high x 1 11/16" long	C4OZ 6240282-B	1
			"R"-1/2" high x 1 9/16" long	C4OZ 6240282-C	1
			"D"-1/2" high x 1 9/16" long	C4OZ 6240282-D	1
	67	F	Refer to Chassis Group 16606 for hood letters		
	70	F(63C)	"M"	D0ZZ 6340282-A	1
			"A"	D0ZZ 6340282-B	1
			"C"	D0ZZ 6340282-C	1
			"H"	D0ZZ 6340282-D	1
			"1"	D0ZZ 6340282-E	1
	71	F(63D, 65, 76, exc. Boss)	"M"	D1ZZ 6540282-A	1
	72	F(63D exc. Boss)	"U"	D1ZZ 6540282-B	1
			"S"	D1ZZ 6540282-C	1
			"T"	D1ZZ 6540282-D	1
			"A"	D1ZZ 6540282-E	1
			"N"	D1ZZ 6540282-F	1
			"G"	D1ZZ 6540282-G	1
	72	F(65, 76)	Refer to Group 16098 in Chassis Section		
			- S -		
	70/	S	Refer to Group 13489 in Chassis Section		
			- X -		
	65	X(except 66, 78)	"F"	C4DZ 16606-A	1
			"A"	C4DZ 6240282-A	1
			"L"	C4DZ 6240282-B	1
			"C"	C4DZ 6240282-C	1
			"O"	C4DZ 16606-B	1
			"N"	C4DZ 6240282-D	1
	65	X(66, 78)	Refer to Chassis Group 16606		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
40282	**LETTER - LUGGAGE COMPARTMENT DOOR - INCLUDES ATTACHING PARTS - continued**				
		- X -			
	66/67	X(54A, 62A)	"F"	C6DZ 6240282-A	1
			"A"	C6DZ 6240282-B	1
			"L"	C6DZ 6240282-C	1
			"C"	C6DZ 6240282-D	1
			"O"	C6DZ 6240282-E	1
			"N"	C6DZ 6240282-F	1
40300	**PANEL - BACK**				
	67/71	B(66)		C8OZ 6640300-A	1
	65	X(66)			1
	66	X(66)		C6DZ 6640300-A	1
	65/66	X(66)	No. 8 x 3/8" Cross recess pan head screw	52720-S8 (U380)	11
40304-5	**PANEL - BODY REAR**				
	72	B(97)	R.H.	D2OZ 9740304-A	1
			L.H.	D2OZ 9740305-A	1
40310	**PANEL - UPPER BACK**				
	65/66	A(76)		C5AZ 7640310-B	1
	69/70	A(54, 62)		C9AZ 6240310-A	1
	69/70	A(57)		C9AZ 5740310-A	1
	69/70	A(63)		C9AZ 6340310-A	1
	69/70	A(65)		C9AZ 6540310-A	1
	69/70	A(76)		C9AZ 7640310-A	1
	71/	A(53, 57)		D1AZ 5740310-A	1
	71/	A(54)		D1AZ 5440310-A	1
	71/	A(65)		D1AZ 6540310-A	1
	71/72	A(76)		D1AZ 7640310-A	1
	68/69	B(54)		C8OZ 5440310-A	1
	68/69	B(63)		C8OZ 6340310-A	1
	70/71	B(54, 57, 62, 65)		D0OZ 6540310-A	1
	70/71	B(63)		D0OZ 6340310-A	1
	70/71	B(76)		D0OZ 7640310-A	1
	72	B(53, 65)		D2OZ 6540310-A	1
	65/66	F(65)		C5ZZ 6540310-B	1
	67/68	F(65)		C7ZZ 6540310-B	1
	69	F(65)		C9ZZ 6540310-A	1
	69/70	F(63)		C9ZZ 6340310-A	1
	69/70	F(76)		C9ZZ 7640310-A	1
	70	F(65)		D0ZZ 6540310-A	1
	71/	F(65)		D1ZZ 6540310-A	1
	71/	F(76)		D1ZZ 7640310-A	1
	67/71	S(57)		C7SZ 5740310-A	1
	70/71	S(65A, C)		D0SZ 6540310-C	1
	70/71	S(65B, D)		D0SZ 6540310-D	1
	72	S		D2SZ 6540310-A	1
	66/70	X(54)		C6DZ 5440310-B	1
403C10	**BRACKET - LOWER BACK FINISH PANEL**				
	67/71	S		C7SZ 65403C10-A	1
40314	**PANEL - UPPER BACK**				
	66/	U(97)		C6TZ 9740314-A	1
40316	**ORNAMENT - LOWER BACK PANEL - INCLUDES ATTACHING PARTS**				
	68	B(63D)	"GT"	C8OZ 6340316-A	1
	69	B(63B, E exc. Talladega)	Ford symbol insert	C9OZ 6340316-A	1
	69	B(63)-Talladega	Ⓣ	C9OZ 6340316-C	1
	69	B(63D, F)	"Torino GT" insert	C9OZ 6340316-B	1
	71	B(63H)	Cobra symbol-also used on radiator grille	D1OZ 6340316-A	1
403E18-9	**BRACKET - UPPER BACK PANEL BRACE TO ROOF RAIL**				
	69/70	F(63)	R.H.	C9ZZ 63403E18-A	1
			L.H.	C9ZZ 63403E19-A	1
40320	**PANEL - LOWER BACK** - Refer to Group 40324				
403A22	**COVER - BACK BELT MOULDING JOINT** - Paint to Match				
	69/70	A(65)		C9AZ 65403A22-A	1
	71/	A(53, 57)	Center-Approx. 1 1/4" wide-includes attaching parts-two tone paint or vinyl roof cover	D1AZ 57403A22-A	1
			Also Refer to Group 42426		
	69/71	S(65B, D)		C9SZ 65403A22-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
403B22	**SHIELD - LOWER BACK PANEL TO BUMPER - INCLUDES ATTACHING PARTS**				
	71	A(except 71)		D1MZ 65403B22-A	1
40324	**PANEL - LOWER BACK**				
		- A -			
	66	A(except 71)		C6AZ 6240320-A	1
	65/	A(71)	Plug (button)-1 3/4" x 3" hole size-rubber	380009-S (PP13M)	2
	67	A(except 71)		C7AZ 6240320-A	1
	67/68	A(71)		C7AZ 7140320-A	1
	68	A(except 71)		C8AZ 6240320-A	1
	69	A(except 71)		C9AZ 6240320-A	1
	70	A(except 71)		D0AZ 6240320-A	1
	71	A(54, 57F, 65D. F)		D1AZ 6540320-C	1
	71	A(53H, K, 57H, K, 65H, K, 76)- "Before 11/2/70"		D1AZ 6540320-B	1
	71	A(53H, K, 57H, K, 65H, K, 76)- "From 11/2/70"		D1AZ 6540320-D	1
	72	A(except 71)		D2AZ 6540320-A	1
	69/	A(71)		C9AZ 7140324-A	1
		- B -			
	65	B(54, 62, 65)		C5OZ 6240320-A	1
	66/67	B(54, 62, 63, 76)		C6OZ 6240320-B	1
	68/69	B(54, 65, 76)		C8OZ 5440324-A	1
	68/69	B(63)		C8OZ 6340320-B	1
	70/71	B(except 66, 71)		D0OZ 6540324-A	1
	66/71	B(66 ,71)	Drill holes as required for weatherstrip	C6DZ 6640324-B	1
	72	B(53, 65)		D2OZ 6540320-A	1
	72	B(63)		D2OZ 6340320-A	1
	72	B(71)		D3OZ 7140320-A	1
	72	B(97)		D2OZ 9740320-A	1
		- F -			
	65/66	F		C6ZZ 6540324-A	1
	67	F(63-GT350/500)	Fiberglas-outer	S7MS 6340324-B	1
	68	F (65-GT/CS, GT 350/500)	Fiberglas-outer	C8ZZ 6540324-A	1
	67/68	F(exc. 65GT/CS, GT350/500)		C7ZZ 6540324-B	1
	67/68	F(GT 350/500)	Inner		1
	66/68	F(exc. 65 GT/CS, GT350/500)	Plug (button)-3/8" hole-steel-improvise	379286-S(PP2C)	2
	69	F(exc. GT 350/500)		C9ZZ 6540320-A	1
	70	F(exc. GT350/500)	Includes moulding holes	D0ZZ 6540320-A	1
			Less moulding holes	D0ZZ 6540320-B	1
	69/70	F(GT 350/500)	Fiberglas	C9ZZ 6540320-B	1
	71/	F		D3ZZ 6540320-A	1
		- L -			
	71/	L(62, 64)		D1FZ 6240320-A	1
	72	L(73)		D2FZ 7340320-A	1
		- P -			
	70/	P		D0DZ 6240324-A	1
		- S -			
	65/66	S(63)		C6SZ 6340324-A	1
	67/68	S		C8SZ 6540320-A	1
	69	S		C9SZ 6540320-A	1
	70/71	S		D0SZ 6540320-A	1
	72	S		D2SZ 6540320-A	1
		- U -			
	66/	U(97)		C6TZ 9740324-A	1
			Washer-flat-5/16"-1 1/8" O.D.	44725-S8(X22)	1
		- X -			
	65	X(54, 62, 63, 76)		C4DZ 6240320-B	1
	66/67	X(54, 62)		C6DZ 6240320-B	1
	66	X(66)		C6DZ 6640324-B	1
	68/70	X(54, 62)		C8DZ 6240324-A	1
	66/71	X(71)	Drill holes as required for weatherstrip	C6DZ 6640324-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
403B26-7	**PANEL - LOWER BACK PANEL TO BUMPER**				
	65/66	A(except 71)		C5AZ 62403B26-B	1
	72	A(except 71)		D2AZ 65403B26-A	1
	66/67	B(54, 62, 63, 76)	R. H.	C6OZ 62403B26-A	1
			L. H.	C6OZ 62403B27-A	1
	67	F	Refer to Group 40544		
	65/66	S		C6SZ 63403B26-A	1
	67	S	Rustless steel	C7SZ 65403B26-B	1
			Bolt and retainer assy.-1/4"-20 x 5/8"	371544-S100(BB879)	2
			Nut-hex.-1/4"-20	33795-S7 (M49)	2
			Lockwasher-No.10	34903-S8 (X96)	2
	68/71	S	Incl. license plate support	D0SZ 65403B26-A	1
	67/68	S	Bolt and retainer assy.-1/4"-20 5/8"	371544-S100(BB879)	2
403D26	**RETAINER - BACK TRIM PANEL - UPPER** - Paint to Match				
	70/71	B(66)	Center	D0OZ 66403D26-A	1
	72	B(97)		D2OZ 97403D26-A	1
	66	X(66B, D)	Side	C6DZ 6640471-A	1
	67	B(66B, D)			1
	70/71	B(66)	Side	D0OZ 6640471-A	2
40328-9	**FILLER - UPPER BACK PANEL TO UPPER OUTER PANEL**				
	68/71	S(57)	R. H.	C8SZ 5740328-A	1
			L. H.	C8SZ 5740329-A	1
403C28	**GRILLE - UPPER BACK PANEL VENT AIR**				
	66	S(63C, D)		C6SZ 63403C28-A	1
			Nut and washer assy.	353911-S(MM191E)	1
	67/71	S(57)		C7SZ 57403C28-A	1
	67/69	S(65)		C7SZ 65403C28-A	1
	71	S(65B, D)			1
	70/	S(65)	Refer to Group 40310		
	66/69	S	No.8-18 x 1" Cross recess oval head screw	52445-S13(U317)	7
403B32	**REINFORCEMENT - BACK LOWER TRIM PANEL**				
	72	B(97)		D2OZ 97403B32-A	1
40338-9	**REINFORCEMENT - LOWER BACK CENTER PANEL**				
	71/	L(62)	R.H.	D1FZ 6240338-A	1
			L.H.	D1FZ 6240339-A	1
40354	**HOUSING - FUEL FILLER PIPE - OUTER**				
	65/66	A(except 71)		C5AZ 6240354-B	1
	67	A(except 71)	Refer to Group 27936		
	69	A		C9AZ 6240354-A	1
	70/	A	Refer to Group 27936		
403D54-5	**STRAINER - UPPER BACK PANEL TO WHEELHOUSE-LOWER**				
	67	S	Refer to Group 41966-7		
403D56	**SUPPORT - LOWER BACK PANEL FINISH**				
	67/71	S		C7SZ 65403D56-A	1
			No. 8-18 x 1/2" Hex. washer head screw	*380923-S2	4
403C66-7	**BRACKET - UPPER BACK PANEL BRACE**				
	69/70	F(63)	R. H.	C9ZZ 63403C66-A	1
			L. H.	C9ZZ 63403C67-A	1
40368	**RETAINER - LOWER BACK PANEL MOULDING**				
	65	B(54B, 62B, 65, 71)	Lower	C5OZ 6240368-A	9 or 12
	70	F	Refer to Group 291B60		
	71/	F(63D, R, 65, 76)		D1ZZ 6540368-A	12
403C68	**SUPPORT - UPPER BACK PANEL TO PACKAGE TRAY**				
	68/71	S(57)		C8SZ 57403C68-A	1
403A70	**MOULDING - TAILGATE OUTSIDE BELT** - Includes attaching parts				
	67	B(66)		C6DZ 66403A70-B	1
	68/69	B(66)		C8OZ 66403A70-A	1
	70/71	B(66)		D0OZ 66403A70-A	1
	66/71	B(71)		C6OZ 71403A70-A	1
	72	B(71)	Incl. weatherstrip	D2OZ 71403A70-A	1
	72	B(97) "Before 8/12/71"		D2OZ 97403A70-A	1
	72	B(97) "From 8/12/71"		D2OZ 97403A70-B	1
	66	X(66)		C6DZ 66403A70-B	1
	66/70	X(71)		C6OZ 71403A70-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
40371	**SEAL - TAILGATE INNER PANEL**				
	72	B(71)	1" O.D. x 1 1/4" long	D2OZ 7140371-A	1
403A72	**PLATE - LOWER BACK PANEL NAME - INCLUDES ATTACHING PARTS**				
	68/70	B(71B)	"Fairlane"	C8OZ 63403A72-A	1
	68/69	B(71D)			1
	69	B(63B, E)	Cobra snake -on lower back panel	C9OZ 63403A72-B	1
	69	B(65A, E)	On luggage compartment door		1
	69	B(63B, E, 65A, E)	Cobra name plate - refer to Group 42528		
	70/71	B(63H)	Refer to Group 16B196 in Chassis Section		
40378-9	**BRACE - UPPER BACK PANEL**				
	69/70	F(63)	R.H.	C9ZZ 6340378-A	1
			L.H.	C9ZZ 6340379-A	1
	71/	F(63)	R.H.-with folding rear seat	D1ZZ 6340378-A	1
			L.H.	D1ZZ 6340379-A	1
403D90-1	**BRACKET - UPPER BACK PANEL BRACE LOWER**				
	71/	F(63)	R.H.-with folding rear seat	D1ZZ 63403D90-A	1
			L.H.	D1ZZ 63403D91-A	1
40396	**BRACE - LOWER BACK PANEL FLOOR INNER**				
	70	A		D0AZ 6240396-A	2
403A96-7	**MOULDING - LOWER BACK PANEL EXTENSION**				
	72	B(53D, 63R, 65D, R)	R.H.	D3OZ 65403A96-A	1
			L.H.	D3OZ 65403A97-A	1
404A06	**WEATHERSTRIP - LIFTGATE** - Also refer to Group 43964-5				
	72	L(73)		D2FZ 73404A06-A	1
	66/	U	Upper	C6TZ 98404A06-B	1
404A10	**PROP - LIFTGATE**				
	66/67	U(98) "Before Ser. A84, 001"		C6TZ 98404A10-A	2
	67/	U(98) "From Ser. A84, 001"		C7TZ 98404A10-A	2
	66/	U(98)	1/4"-20 x 3/4" Hex. head bolt	20344-S8(B42)	4
			1/4" Lockwasher	34805-S8(X62)	4
			No. 14-10 x 5/8" Hex. washer head screw	31498-S8(U253B)	4
40427	**SHIELD - REAR LICENSE PLATE LAMP**				
	69/70	F		C9ZZ 6540427-A	1
	69/70	F	No. 8-15 x 1/2" Washer head tapping screw	378729-S(UU87R)	3
40433	**RETAINER - LOWER BACK PANEL LINING BOARD**				
	67/69	S		C7SZ 6540433-A	5
	70/71	S		D0SZ 6540433-A	5
404A38-9	**ROD - LIFTGATE LATCH ACTUATOR**				
	66/67	U(98) "Before Ser. A42,001"	R.H.	C6TZ 98404A38-B	1
			L.H. - not replaced (5-75)	★C6TZ 98404A39-B	1
	67/68	U(98) "From Ser. A42, 001"	R.H.	C7TZ 98404A38-A	1
			L.H.	C7TZ 98404A39-A	1
	69/	U(98)	R.H.	C9TZ 98404A38-A	1
			L.H.	C9TZ 98404A39-A	1
	66/	U(98)	Retainer	C3AZ 6221952-A	1
404B40	**PAD - TAILGATE BUMPER**				
	72	L(73)	Nylon	D2FZ 73404B40-A	2
404A42	**STRIKER - LIFTGATE LATCH**				
	72	L(73)		D2FZ 73404A42-A	1
	66/68	U(98)		C6TZ 98404A42-A	1
	69/	U(98)		C9TZ 98404A42-A	2
	66/	U(98)	No. 10-24 x 5/8" Oval head tapping screw	373712-S(BB602D)	4
404A44	**PLATE - LIFTGATE PROP ARM ANCHOR**				
	66/	U(98)		C6TZ 98404A44-A	2
404A48	**RETAINER - LIFTGATE LATCH SPRING**				
	72	L(73)		D2FZ 73404A48-A	1
	66/68	U(98)		C6TZ 98404A48-A	2
	69/	U(98)	1 1/16" diameter	C9TZ 98404A48-A	2
			1 1/16" diameter	C9TZ 98404A48-B	2
404A50	**BRACKET - LIFTGATE LATCH RELEASE LEVER**				
	66/67	U(98) "Before Ser. A42, 001"		C6TZ 98404A50-B	1
	67/68	U(98) "From Ser. A42, 001"		C7TZ 98404A50-A	1
	69/	U(98)		C9TZ 98404A50-A	1
40452	**BUMPER - LIFTGATE**				
	66/	U(98)		C6TZ 9840452-A	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
40454-5	**PANEL - REAR CORNER INNER FINISH UPPER**					
	69	A(71B, C, H, J)	Blue (light)	C9AZ 7140454-B1B	★C9AZ 7140455-B1B Not replaced (5-75)	1
			Nugget gold	C9AZ 7140454-B1Y	★C9AZ 7140455-B1Y Not replaced (5-75)	1
			Red	C9AZ 7140454-B1D	★C9AZ 7140455-B1D Not replaced (5-75)	1
	70	A(71)	Black	D0AZ 7140454-E	D0AZ 7140455-E	1
			Blue	D0AZ 7140454-D	D0AZ 7140455-D	1
			Ginger	D0AZ 7140454-A	D0AZ 7140455-A	1
			Green	D0AZ 7140454-B	D0AZ 7140455-B	1
			Nugget gold	D0AZ 7140454-C	D0AZ 7140455-C	1
			Red	D0AZ 7140454-F	D0AZ 7140455-F	1
	71/	A(71)	Black	D0AZ 7140454-E	D0AZ 7140455-E	1
			Blue	D0AZ 7140454-D	D0AZ 7140455-D	1
			Ginger	D0AZ 7140454-A	D0AZ 7140455-A	1
			Green	D1AZ 7140454-A	D1AZ 7140455-A	1
			Red	D0AZ 7140454-F	D0AZ 7140455-F	1
	72	B(71)	Black	D2OZ 7140454-D	D2OZ 7140455-D	1
			Blue	D2OZ 7140454-C	D2OZ 7140455-C	1
			Ginger	D2OZ 7140454-A	D2OZ 7140455-A	1
			Green	D2OZ 7140454-B	D2OZ 7140455-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
404A54	**BOLT - LIFTGATE LATCH**				
	66/68	U(98)		C6TZ 98404A54-A	2
	69/	U(98)	Includes bracket-2 3/16" long	C9TZ 98404A54-A	2
			2 27/32" long	C9TZ 9840480-A	1
404A56	**BRACKET - LIFTGATE LATCH**				
	66/67	U(98) "Before Ser. A42, 001"		C6TZ 98404A56-A	2
	67/68	U(98) "From Ser. A42, 001"		C7TZ 98404A56-A	1
	69/	U(98)	3 3/4" long	C9TZ 98404A56-A	1
			2 7/8" long	C9TZ 98404A56-B	2
40466	**PLATE - LIFTGATE LOCK ACCESS HOLE COVER**				
	66/	U(98)		C6TZ 9840466-B	1
			No. 10-12 x 1/2" Pan head screw	52727-S8(U382)	2
404A68-9	**SHIELD - LIFT GATE LATCH**				
	66/	U(98)	R.H.	C6TZ 98404A68-A	1
			L.H.	C6TZ 98404A69-A	1
40471	**RETAINER - BACK TRIM PANEL - SIDE** - Refer to Group 403D26				
404A76	**ANTI-RATTLER - LIFTGATE BELT**				
	67/	U(98)		C7TZ 98404A76-A	2
40480	**BOLT - LIFTGATE LATCH** - Refer to Group 404A54				
40492	**PANEL - LOWER BACK INSIDE**				
	71/72	L(64) "Before 3/1/72"		D1FZ 6440492-A	1
	72	L(64) "From 3/1/72"		D2FZ 6440492-A	1
405A02	**TRANSFER - FUEL FILLER DOOR**				
	69/70	A(71A, E)	Cherry wood grain	C9AZ 71405A02-A	1
	69/70	A(71A, E)-units built in Dallas	Cherry wood grain	C9AZ 71405A02-B	1
	71/	A(71H)	Cherry wood grain	D1AZ 71405A02-A	1
405A22	**BUMPER - FUEL FILLER DOOR**				
	67/	A(except 71), F	Rubber	C5SZ 63405A22-A	1or2
	69	B(54)			1
	65/71	S			1
405A24	**SPRING - FUEL FILLER DOOR HINGE**				
	65/67	A(except 71)		C7SZ 65405A24-A	1
	65/71	S			
	65/69	A(71)		C5AZ 71405A24-A	1
	68/	A		C8AZ 62405A24-A	1
	66/67	B(71)		C6OZ 71405A24-A	1
	68/71	B(71)		C8OZ 71405A24-A	1
	72	B(71)		D2OZ 71405A24-A	1
	66/70	K(71)		C6OZ 71405A24-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
405A26	**DOOR - FUEL FILLER OPENING**				
		- A -			
	65	A(except 71)		C5AZ 62405A26-A	1
			Bumper	378399-S(CC40)	2
	66	A(except 71)		C6AZ 62405A26-A	1
	67	A(except 71)-"Before 11/1/66"	Use with metal fuel tank housing	C7AZ 62405A26-A	1
	67	A(except 71)-"From 11/1/66"	Use with plastic fuel tank housing	C7AZ 62405A26-B	1
	67	A(71)		C7AZ 71405A26-A	1
	67	A(71)	Bumper-on boot	379162-S(CC34A)	2
			Bumper-on body	377781-S(CC34)	1
	67	A	Bumper-on lid	★378437-S	2
	68	A(except 71)		C8AZ 62405A26-A	1
	68	A(71)		C8AZ 71405A26-A	1
	69/70	A		C9AZ 62405A26-A	1
	71/	A		D1AZ 65405A26-A	1
		- B -			
	65	B(except 71)		C5OZ 62405A26-A	1
			Bumper	★379070-S	2
	66/	B(except 71)	Refer to Chassis Group 13422		
	66/67	B(71)		C6OZ 71405A26-A	1
	66/67	B(71)	Bumper	377781-S(CC34)	2
			Bumper-on boot	379162-S(CC34A)	2
			No. 12-24 x .62 screw and washer assy.	379358-S2(BB580DA)	2
	68/69	B(71)		C8OZ 71405A26-A	1
	70/71	B(71)		D0OZ 71405A26-A	1
			1/4"-20 x 3/4" Hex. screw & washer, assy.	57472-S40(B339-V)	2
			Bumper	354860-S(CC-6)	1
	72	B(71)	Includes shim	D2OZ 71405A26-A	1
		- S -			
	65/66	S		C4SZ 63405A26-B	1
	65	S	Bumper	357549-S(CC44A)	1
			Bumper	358713-S(CC16)	1
			Bumper	370374-S(CC20)	1
	66	S	Bumper	375838-S(CC32)	2
	67/71	S		C7SZ 65405A26-A	1
		- X -			
	67/70	X(71)		C6OZ 71405A26-A	1
	67/70	X(71)	Bumper-on boot	379162-S(CC34A)	2
			Bumper-on body	377781-S(CC34)	1
40544	**EXTENSION - LOWER BACK PANEL**				
	72	A(except 71)	Refer to Group 403B26		
	70/71	B(except 66,71)		D1OZ 6540544-A	1
	72	B(exc. 71,97)		D3OZ 6540544-A	1
	65/66	F	With single exhaust-cut hole for backup light when required	C5ZZ 6540544-B	1
			No. 10-24 x .98" Bolt & clip assy.	372719-S100(BB643)	2
			No. 10-16 x 1/2" Round head washer screw	350754-S8(UU86)	11
	65/66	F	With dual exhaust	C5ZZ 6540544-C	1
	67/68	F	Without exhaust opening	C7ZZ 6540544-C	1
	67/68	F	With exhaust opening	C7ZZ 6540544-D	1
	65/67	F	For exhaust pipe moulding refer to group 5C299 in Chassis Section		
	69/70	F	Without exhaust opening	C9ZZ 6540544-A	1
	69/70	F(GT350/500)	Cut opening for exhaust		1
	69/70	F	With exhaust opening	C9ZZ 6540544-B	1
	71/	F	Without exhaust opening	D1ZZ 6540544-A	1
	71/	F	With exhaust opening & 351 C.I.D. engine	D1ZZ 6540544-B	1
	67/	F	No. 8-18 x 1/2" Pan head drive screw	380934-S100(UU67F)	11
	71/	L		D3FZ 6240544-A	1
	70/	P		D0DZ 6240544-A	1
	67	S	Refer to Group 403B26		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
405A48	**MOULDING - FUEL FILLER DOOR - INCLUDES ATTACHING PARTS**				
	68/69	B(54B, 62B, 65)	6" long	C5OZ 62405A48-A	2
	70/71	B(71E)	At quarter panel	D0OZ 71405A48-A	1
	65	X(66B, 71B, C)		C4DZ 59405A48-A	1
405A62	**COLLAR - FUEL FILLER**				
	68/69	B(66,71)		C8OZ 71405A62-A	1
	70/71	B(71)		D0OZ 71405A62-A	1
405B64	**REINFORCEMENT - FUEL FILLER PIPE HOUSING**				
	69/70	A(71)		D2MZ 71405B64-A	1
	71	A		D2AZ 65405B64-A	1
405B72	**RETAINER - FUEL FILLER DOOR BUMPER**				
	66/70	X(71)		C6DZ 71405B72-A	1
			No.8-15 x 3/8" cross recess screw	376378-S101(UU97)	2
			Bumper	377781-S(CC34)	1
40582-3	**HINGE - UPPER BACK PANEL FINISH**				
	65/66	S(76)	R.H. - Refer to Group 403A52		
			L.H. - not replaced (3-74)		
40584-5	**PANEL - LOWER BACK APPLIQUE - INCLUDES ATTACHING PARTS**				
	67	F(63)	R.H.	C7ZZ 6340584-A	1
			L.H.	C7ZZ 6340585-A	1
	67	F(65, 76)	R.H.	C7ZZ 6540584-A	1
			L.H.	C7ZZ 6540585-A	1
40586	**BRACKET - FUEL FILLER DOOR HINGE - ON BODY**				
	72	B(71)		D2OZ 7140586-A	1
405A86	**ORNAMENT - FUEL FILLER DOOR - INCLUDES ATTACHING PARTS**				
	65	B(54B, 62B, 65)		C5OZ 62405A86-A	1
405A98	**COLLAR - QUARTER PANEL FUEL FILLER**				
	66/70	X(71)		C6DZ 71405A98-A	1
406A06-8	**HOSE - VACUUM LATCH** - Also refer to Group 17543 in Chassis Section				
	69	A(54, 71)	Improvise from 3/16" bulk hose	★	
	70	A	Improvise	★	
	65/66	S(76)	Upper - approx. 128" long	C4SZ 76406A07-A	1
			Lower - approx. 94" long	C4SZ 76406A08-A	1
40610	**NUT and HOUSING ASS'Y. - LUGGAGE COMPARTMENT DOOR LATCH**				
	65	S(76)	Refer to Group 432A34		
406A10	**LIFT - LUGGAGE COMPARTMENT DOOR HYDRAULIC**				
	65/66	S(76)		C4SZ 76406A10-A	2
			Pin (flat head shoulder)	373022-S8(NN65)	2
			1/2" I.D. x 1 1/16" O.D. x 7/64" thick	44735-S8(X32)	2
			3/8" x 1 13/16" Pin (clevis)	76073-S8(N25)	2
			1/16" Pin (self-locking)	352358-S(NN127)	4
	72	L(64) "Before 12/1/71"	Refer to Group 44206-7		
	72	L(64) "From 12/1/71"		D2FZ 64406A10-A	2
40628	**DOOR - LOWER BACK PANEL FUEL FILLER**				
	65	A, B	Refer to Group 405A26		
40654-5	**LIFT - LUGGAGE COMPARTMENT DOOR - LESS BRACKET**				
	65/66	S(76)	Refer to Group 406A10		
40676	**DOOR - FUEL FILLER - WITH HINGES**				
	65/	A, B, S	Refer to Group 405A26		
40700	**PANEL - TAILGATE ASSY.**				
	66/	U		C6TZ 9640700-A	1
			1/4"-20 x 5/8" Screw & washer assy.	★374928-S40	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
40704	**COVER - TAILGATE PANEL INSIDE** - Paint to Match				
	66/68	A(71)		C6AZ 7140704-A	1
	69/72	A(71)		D2AZ 7140704-A	1
	66/70	B(71), X(71)	Paint to match	C6OZ 7140704-B	1
	71	B(71)			1
	68/71	B(66)		C8OZ 6640726-A	1
	72	B(71)		D2OZ 7140704-A	1
	72	B(97)		D2OZ 9740704-A	1
40705	**PANEL - TAILGATE INSIDE COVER**				
	65	X(59,66,71,78)	Remove belt moulding retainer	C0DZ 6640705-D	1
			No. 10-32 x 3/8" Pan head screw & washer assy.	42802-S8(U33)	13
40709	**TAILGATE ASSY. - LESS MOULDING HOLES and HINGES** - Less paint and trim				
		- A -			
	65	A(71)	With power window	C5AZ 7140709-A	1
	66/68	A(71)	Dual action - use C6AZ 7144048-A when manual tail gate window is installed	C6AZ 7140709-C	1
	69/70	A(71)	Dual action -use C6AZ 7144048-A when manual tail gate window is installed	C9AZ 7140709-A	1
	71	A(71) "Before 12/1/70"	Dual action	D1AZ 7140709-A	1
	71/	A(71) "From 12/1/70"	Dual action -use C6AZ 7144048-A when manual tail gate window is installed	D1AZ 7140709-B	1
		- B -			
	65	B(71)		C3OZ 7140709-B	1
			Plug (button)- 29/32" x 2 29/32"	378688-S(PP14C)	1
			Plug (button)- 1 13/32" x 3 13/32"	377844-S(PP14A)	1
	66/67	B(71)	Dual action-use C6OZ 7144048-A when manual tail gate window is installed	C6OZ 7140709-A	1
	68/69	B(71)	Dual action-use C6OZ 7144048-A when manual tail gate window is installed	C8OZ 7140709-B	1
	68/70	B(71)	Single action-use C6DZ 7144048-A when manual tail gate window is installed	C6DZ 7140709-C	1
	67/71	B(66)		C6DZ 6640709-D	1
	70/71	B(71)	Dual action - use C6OZ 7144048-A when manual tail gate window is installed	D0OZ 7140709-A	1
	72	B(71)	Includes instruction sheet	D3OZ 7140709-A	1 §
	72	B(97)		D2OZ 9740709-A	1
		- L -			
	72	L(73)	Refer to Group 40010		
		- X -			
	65	X(59,66,71,78)		C4DZ 5940709-B	1
	66/67	X(71)	Dual action-use C6OZ 7144048-A when manual tail gate window is installed	C6OZ 7140709-A	1
	66/70	X(66,71)	Single action-use C6DZ 7144048-A when manual tail gate window is installed - Incl. I. S. 3749	C6DZ 7140709-C	1
	68/70	X(71)	Dual action-use C6OZ 7144048-A when manual tail gate window is installed	C8OZ 7140709-B	1
40710	**PANEL - TAILGATE OUTSIDE**				
	69/70	A(71)		C9AZ 7140710-A	1
	71/	A(71)		D1AZ 7140710-A	1
407A10	**RETAINER - TAILGATE PANEL COVER** - Paint to match				
	65	A(71)		C5AZ 71407A10-A	1
	66/69	A(71)		C6AZ 71407A10-A	1
	66/70	B(71), X(71)	With dual action tail gate	C6OZ 71407A10-A	1
	71	B(71)			1
	67/71	B(66)		C6DZ 66407A10-A	1
	66	X(66)		C6DZ 66407A10-A	1
	65/71	B(66,71)	No. 8-18 x 1/2" Cross recess oval head screw	52413-S13(U316)	6
	65/70	X(66,71)			6
	72	U(98)	Lower	D2BZ 10407A10-A	1
			Upper-cut to fit		2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
407A12	**RETAINER - TAILGATE OUTSIDE MOULDING**				
	REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER				
407A16-7	**STRIP - TAILGATE INSIDE COVER PANEL**				
	65	X(59, 71, 78)	R.H. -Not replaced (1-73)	★C1DB 59407A16-B	1
			L.H.	C1DB 59407A17-B	1
			No. 6-18 x 1/2" Binding head screw	32921-S8(U334)	4
40718	**REINFORCEMENT - TAILGATE PANEL HINGE**				
	72	B(71, 97)		D2OZ 7140718-A	2
40720-1	**MOULDING - REAR CORNER PILLAR - OUTSIDE - INCLUDES ATTACHING PARTS**				
	65/66	A(71)	R.H.	C5AZ 7140720-B	1
			L.H.	C5AZ 7140721-B	1
	67/69	A(71)	R.H.	C7AZ 7140720-A	1
			L.H.	C7AZ 7140721-A	1
40722	**TRANSFER - TAILGATE GRAINING**				
	71/72	A(71H)	Cherry wood grain-w/black plank lines-	D3AZ 7140722-B	1
	70/71	B(66E, 71E)	non-reflective-w/instruction sheet		1
	72	B(71K, 97K)	Cherry wood grain-w/o planking lines- reflective-w/instruction sheet	D2O7 7140722-A	1
	71	A, B	For non-reflective tailgate transfer-Refer to Group 20748		
	72	B(71K, 97K)	Refer to Group 20748		
40726	**COVER - TAILGATE INSIDE** - Refer to Group 40704				
407A32	**BUSHING - TAILGATE COUNTER BALANCE TORSION BAR-LOWER**				
	65	A(71)	Refer to Group 44466		
40740	**RETAINER - TAILGATE OUTSIDE MOULDING**				
	69	B(54A, 65A, 66A, 71D)	Also on front fender	C9GY 7140740-A	14
	70/	B(54C, 57C, E, 63C, F, 65C, E, 76)	Also on front fender	C9MY 7140740-A	14
407A40-1	**FILLER - TAILGATE OUTER TO INNER PANEL**				
	67/71	B(66)	R.H.	C6DZ 66407A40-A	1
			L.H.	C6DZ 66407A41-A	1
	66	X(66)	R.H.	C6DZ 66407A40-A	1
			L.H.	C6DZ 66407A41-A	1
	66/71	B(66)	No. 8-18 x 3/8" Cross recess screw & washer assy.	376378-S101(UU97)	2
	66/70	X(66)			2
407A46	**SEAL - TAILGATE INNER PANEL BOTTOM DRAIN - INCLUDES ATTACHING PARTS**				
	66/67	A(71)		C6AZ 71407A46-A	2
40790	**COVER - TAILGATE WINDOW REGULATOR ACCESS HOLE** - Also refer to Group 43114				
	66	A(71), B(71), X(66, 71)-	Approx. 3 1/2" wide	C6AZ 7140790-B	1
	67/71	A(71), B(66, 71)			1
	72	A(71), B(71, 97)			1
	67/70	X(71)			1
			Screw-self tapping pan head-No.10-16 x 1/2"	52787-S13(U367A)	4
40867	**SPRING - TAILGATE WINDOW REGULATOR COUNTER BALANCE**				
	65/68	A(71), B(71), X(71)	With power window regulator	C5AZ 7140867-A	1
	69/72	B(71) "Before 6/1/72"			1
	69/70	X(71)			1
	72	B(71) "From 6/1/72"		D3OZ 7140867-A	1
40964	**MOTOR AND DRIVE - TAILGATE WINDOW REGULATOR**				
	65/68	A(71)		C5AZ 7140964-A	1
	66/69	B(71)			1
	66/70	X(71)			1
			Screw-hex.washer head-No.12-24 1/2"	378608-S8(UU52D)	3
			Nut (stamped)-7/16"-20	379800-S2(MM1212E)	1
			For gear replacement kit refer to group 234A24		
	69/	A(71)	Refer to Group 23394-5		
	70/	B(71)			

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
41006-7	**RETAINER - REAR CORNER PILLAR COVER** - Paint to Match				
	70/	A(71)	R.H.-with vinyl roof cover	C9MY 7141006-A	1
			L.H.	C9MY 7141007-A	1
41018	**MOULDING - TAILGATE OUTSIDE - INCLUDES ATTACHING PARTS**				
	65/68	A(71)		C5AZ 7141018-C	1
	69/70	A(71)	Upper	C9AZ 7141018-B	1
	71	A(71)	Without back lite washer-upper edge-includes weatherstrip	D1AZ 7141018-B	1
	71/	A(71)	With back lite washer-upper edge - includes weatherstrip and cap	D2AZ 7141018-A	1
	72	A(71)	Without back lite washer-upper edge-includes weatherstrip	D2AZ 7141018-B	1
	65	B(71B, E)	Upper-52 3/4" long	C3OZ 7141018-B	1
	65	B(71)	Lower-51 3/16"	C5OZ 7141018-A	2
	67/	U(97, 98)		C7TZ 9741018-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
410A37	**EXTENSION - REAR CORNER INNER PILLAR REAR**					
	69/	A(71)		C9AZ 71410A37-A	C9AZ 71410A37-A	1
	66	B(71), X(66, 71)		C6OZ 71410A37-A	C6OZ 71410A37-A	1
	67/71	B(66,71)				1
	67/70	X(71)				1
41038-9	**PILLAR - REAR CORNER**					
	69/70	A(71)		D1AZ 7141038-A	C9AZ 7141039-A	1
	71/	A(71)		D1AZ 7141038-A	D1AZ 7141039-A	1
	66/71	B(71)		C6OZ 7141038-A	C6OZ 7141039-A	1
	66/70	X(71)				1
	72	B(71)	Outer	D2OZ 7141038-A	D2OZ 7141039-A	1
	72	L(73)		D2FZ 7341038-A	D2FZ 7341039-A	1
410A42-3	**REINFORCEMENT - REAR CORNER INNER REAR PILLAR LOWER**					
	72	B(97)		D2OZ 97410A42-A	D2OZ 97410A43-A	1
41058-9	**REINFORCEMENT - REAR CORNER LOWER PILLAR**					
	66/71	B(71)		C6OZ 7141058-A	C6OZ 7141059-A	1
	66/70	X(71)				1
	67/71	B(66)		C6DZ 6641058-A	C6OZ 7141059-A	1
	66	X(66)				1
41090-1	**PANEL - REAR CORNER PILLAR VENTURI - OUTER**					
	67/69	A(71)		C7AZ 7141090-A	C7AZ 7141091-A	1
41096-7	**PANEL - REAR CORNER PILLAR VENTURI - INCLUDES ATTACHING PARTS**					
	67/69	A(71)		★C7AZ 7141096-A Not repl. (3-74)	C7AZ 7141097-A	1
			Nut & washer-No.10-24	373265-S7(MM291D)	373265-S7(MM291D)	2
41098-9	**PLATE - REAR CORNER OUTER PANEL END**					
	69/	A(71)		C9AZ 7141098-A	C9AZ 7141099-A	1
	72	B(71)		D2OZ 7141098-A	D2OZ 7141099-A	1
412A02-3	**PILLAR - REAR CORNER INNER**					
	69/70	A(71)		C9AZ 71412A02-A	C9AZ 71412A03-A	1
	71/	A(71)		D1AZ 71412A02-A	D1AZ 71412A03-A	1
	65	B(71)		C5OZ 71412A02-A	C5OZ 71412A03-A	1
	70	B(71D)	Single action tailgate	C6DZ 71412A02-A	C6DZ 71412A03-A	1
	67/71	B(66)	Single action tailgate	C6DZ 66412A02-A	C6DZ 66412A03-A	1
	66/71	B(71)	Dual action tailgate	C6OZ 71412A02-B	C6OZ 71412A03-A	1
	72	B(71)	Dual action tailgate	D2OZ 71412A02-A	D2OZ 71412A03-A	1
	72	B(97)		D2OZ 97412A02-A	D2OZ 97412A03-A	1
	66	X(66)	Single action tailgate	C6DZ 66412A02-A	C6DZ 66412A03-A	1
	66	X(71B)	Dual action tailgate	★C6OZ 71412A02-A Not repl. (5-75)	C6OZ 71412A03-A	1
	66/70	X(71)	Single action tailgate	C6DZ 71412A02-A	C6DZ 71412A03-A	1
	67/70	X(71)	Dual action tailgate	C6OZ 71412A02-B	C6OZ 71412A03-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
412A08-9	**MOULDING - REAR CORNER PILLAR VENTURI PANEL - INCLUDES ATTACHING PARTS**					
	65/66	A(71)		C5AZ 71412A08-C	★C5AZ 71412A09-C Not replaced (5-75)	1
	67/69	A(71)		C7AZ 71412A08-A	C7AZ 71412A09-A	1
41210-1	**PILLAR - REAR CORNER INNER FRONT UPPER**					
	69/	A(71)		C9AZ 7141210-A	C9AZ 7141211-A	1
	66/71	B(71)		C6OZ 7141210-A	C6OZ 7141211-A	1
	66/70	X(71)				1
	72	B(71)		D2OZ 7141210-A	D2OZ 7141211-A	1
412A20-1	**PANEL - REAR CORNER PILLAR VENTURI INNER - INCLUDES ATTACHING PARTS**					
	67/68	A(71)		★C7AZ 71412A20-A Not replaced (5-75)	C7AZ 71412A21-A	1
412A22-3	**ORNAMENT - REAR CORNER PILLAR VENTURI PANEL- INCLUDES ATTACHING PARTS**					
	67/68	A(71)	Paint to match	C7AZ 71412A22-A	C7AZ 71412A23-A	1
412A24-5	**MOULDING - REAR CORNER PILLAR VENTURI PANEL LOWER - INCLUDES ATTACHING PARTS**					
	67/68	A(71)		C7AZ 71412A24-A	C7AZ 71412A25-A	1
41228-9	**PILLAR - REAR CORNER INNER FRONT - LOWER**					
	69/	A(71)		C9AZ 7141228-A	C9AZ 7141229-A	1
	66	B(71), X(66, 71)	Cut 2. 07" from upper end and fill holes for Body Type 66	C6OZ 7141228-A	C6OZ 7141229-A	1
	67/71	B(66, 71)	Cut 2. 07" from upper end			1
	67/70	X(71)	and fill holes for Body Type 66			1
	72	B(71)		D2OZ 7141228-A	D2OZ 7141229-A	1
412A28	**RETAINER - REAR CORNER PILLAR VENTURI PANEL MOULDING UPPER**					
	67/68	A(71)		C7AZ 71412A28-A	C7AZ 71412A28-A	8
41230-1	**PANEL - REAR CORNER OUTER**					
	69/	A(71)		C9AZ 7141230-A	C9AZ 7141231-A	1
	68/71	B(71)		C8OZ 7141230-A	C8OZ 7141231-A	1
412A32-3	**PILLAR - REAR CORNER INNER FRONT CENTER**					
	67/68	A(71)		★C7AZ 71412A32-A Not repl. (1-73)	C7AZ 71412A33-A	1
	66/71	B(71)		C6OZ 71412A32-A	C6OZ 71412A33-A	1
	66/70	X(71)				1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
41302	**RAIL - BACK WINDOW HEADER**				
	69/	A(71)		C9AZ 7141302-A	1
	66/71	B(71)		C6OZ 7141302-A	1
	72	B(71)		D2OZ 7141302-A	1
	72	L(73)		D2FZ 7341302-B	1
	66/70	X(71)		C6OZ 7141302-A	1
41608	**WEATHERSTRIP - TAILGATE**				
	65	A(71)		C5AZ 7141608-B	1
	65	A(71)	Fastener (button)	C1AB 6220807-A	2or4
	66/68	A(71)		C6AZ 7141608-A	1
	69	A(71)	Less grooves	C9AZ 7141608-C	1
	70/	A(71)	Includes grooves	D0AZ 7141608-A	1
	65/	A(71)	Screw-cross recess pan head-No.6 x 3/8"	52718-S8(U377A)	4or8
			Retainer	C5AZ 6220586-A	21
	65	B(71)		C3OZ 7141608-B	1
			Screw-cross recess truss hd.tap.-No.6-20 x 3/8"	353803-S8(UU95)	2
			Screw-cross recess pan head-No.6 x 3/8"	52718-S8(U377A)	4or8
	67/71	B(71)		C6OZ 7141608-B	1
	72	B(71)		D2OZ 7141608-A	1
	65/71	B(71)	Retainer	C5AZ 6220586-A	21
	67/70	X(71)		C6OZ 7141608-B	1
	65/70	X(71)	Retainer	C5AZ 6220586-A	21

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
41610	**WEATHERSTRIP - TAILGATE OUTER PANEL TO BELT**				
	65	A(71)		C5AZ 7141610-A	1
			No. 8-18 x 3/8" Cross recess truss head screw	376378-S101(UU97)	7
	66/68	A(71)		C6AZ 7141610-B	1
	65	B(71)		C3OZ 7141610-B	1
			No. 8 x 3/8" Cross recess pan head screw	52720-S8 (U380)	2
	66/71	B(71)		C6OZ 7141610-B	1
	66/70	X(71)			1
41612	**RETAINER KIT - REAR SPOILER**				
	70/72	P		D0DZ 6241612-A	4
41626	**WEATHERSTRIP - TAILGATE SIDE** - Also refer to Group 43964-5				
	68/	U(98)	One piece	C8TZ 9841626-A	1
41643	**SUPPORT - TAILGATE SIDE WEATHERSTRIP**				
	72	B(71)	L.H.	D2OZ 7141643-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
41708-9	**RAIL - QUARTER BELT SIDE - FRONT**					
		- A -				
	69	A(63)	Includes bracket	C9AZ 6341708-A	D0AZ 6341709-A	1
	69	A(65)		C9AZ 6541708-A	D0AZ 6541709-A	1
	69	A(76)		C9AZ 7641708-A	C9AZ 7641709-A	1
	70	A(63)		D0AZ 6341708-A	D0AZ 6341709-A	1
	70	A(65)		D0AZ 6541708-A	D0AZ 6541709-A	1
	70	A(76)		D0AZ 7641708-A	D0AZ 7641709-A	1
	71/	A(65)		D1AZ 6541708-A	D1AZ 6541709-A	1
	71/	A(76)		D1AZ 7641708-A	D1AZ 7641709-A	1
		- B -				
	68/69	B(65)		C8OZ 6541708-A	C8OZ 6541709-A	1
	70/71	B(63)		D0OZ 6341708-A	D0OZ 6341709-A	1
	70/71	B(65)		D0OZ 6541708-A	D0OZ 6541709-A	1
	70/71	B(76)		D0OZ 7641708-A	D0OZ 7641709-A	1
		- F -				
	69/70	F(65)		C9ZZ 6541708-A	C9ZZ 6541709-A	1
	69/70	F(76)		C9ZZ 7641708-A	C9ZZ 7641709-A	1
	69/70	F(63)		C9ZZ 6341708-A	C9ZZ 6341709-A	1
	71/72	F(63,65,76)		D1ZZ 6541708-A	D1ZZ 6541709-A	1
		- L -				
	71/72	L		D1FZ 6241708-A	D1FZ 6241709-A	1
		- P -				
	70/	P		D0DZ 6241708-A	D0DZ 6241709-A	1
		-S -				
	70	S(65)		D0SZ 6541708-A	D0SZ 6541709-A	1
	71	S(65A,C)				1
41732-3	**RAIL - QUARTER BELT SIDE** - Refer to Group 41736-7					
41736-7	**RAIL - QUARTER BELT SIDE**					
	69/70	A(76)		C9AZ 7641736-A	C9AZ 7641737-A	1
	71/	A(76)		D1AZ 7641736-A	D1AZ 7641737-A	1
	68/69	B(76)		★C8OZ 7641736-A Not repl. (1-73)	C8OZ 7641737-A	1
	70/71	B(76)		D0OZ 7641736-A	D0OZ 7641737-A	1
	65	F(65) "Before 10/1/64"		★C5ZZ 6541736-A Not repl. (1-73)	C7ZZ 6541737-A	1
	65/69	F(65) "From 10/1/64"		C7ZZ 6541736-A	★C7ZZ 6541737-A Not replaced (3-74)	1
	69/70	F(76)		C9ZZ 7641736-A	C9ZZ 7641737-A	1
	71/	F(76)		D1ZZ 7641736-A	D1ZZ 7641737-A	1
	67/68	S(65)		C7SZ 6541736-A	C7SZ 6541737-A	1
	69	S(65A,C)				1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
41740-1	**EXTENSION - BACK BELT SIDE MOULDING - INCLUDES ATTACHING PARTS**				
	67/68	S(65)	R.H.	C7SZ 6541740-A	1
			L.H.	C7SZ 6541741-A	1
41745	**STRIP - BACK BELT RAIL TACKING CENTER**				
	69/	A(76)		C9AZ 7641745-A	1
	69/71	F(76)		C9ZZ 7641745-A	1
	65/66	S(76)	Serviced in assembly-refer to Group 46506		
	65/69	B(76), F(76)	1/4"-20 x 1 1/4" Hex. head screw & washer assy.	379392-S2(BB574F)	6
			1/4"-20 x 2" Hex. head screw & washer assy.	380462-S2(UU52R)	4
			1/4" Flat washer	44719-S8(X17)	6

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
41772-3	**STRIP - BELT SIDE FRONT TACKING**					
	69/	A(76)		C9AZ 7641772-A	C9AZ 7641773-A	1
	68/70	B(76)		C8OZ 7641772-A	C8OZ 7641773-A	1
	69/70	F(76)		C9ZZ 7641772-A	C9ZZ 7641773-A	1
	71/	F(76)		D1ZZ 7641772-A	D1ZZ 7641773-A	1
41782-3	**STRIP - BELT SIDE REAR TACKING**					
	65/66	S(76)		C4SZ 7641782-A	C4SZ 7641783-A	1
			No. 10-16 x 1/2" Cross recess flat head screw	52013-S8(U209)	52013-S8(U209)	8
41836	**BRACKET - LUGGAGE COMPARTMENT DOOR LIFT ON DOOR**					
	72	L(64)		D2FZ 6441836-A	D2FZ 6441837-A	1
41882-3	**TROUGH - BELT SIDE CORNER DRAIN**					
	69/70	A(76)		C9AZ 7641882-A	C9AZ 7641883-A	1
	68/69	B(76)		★C8OZ 7641882-A Not repl. (1-73)	C8OZ 7641883-A	1
	70/71	B(76)		D0OZ 7641882-A	D0OZ 7641883-A	1
	69/70	F(76)		C9ZZ 7641882-A	C9ZZ 7641883-A	1
	71/	F(76)		D1ZZ 7641882-A	D1ZZ 7641883-A	1
41910	**STABILIZER - TAILGATE WINDOW INNER**					
	72	B(71)	Approx. 1 3/4" long		D2OZ 7141910-A	2
41958	**STOP - BACK WINDOW UPPER**					
	69/70	A(71)		C9AZ 7141958-A	C9AZ 7141958-A	2
	72	B(71)		D2OZ 7141958-A	D2OZ 7141958-A	2
41960-1	**GUIDE - BACK WINDOW GLASS**					
	69/70	A(71)	Includes guide & bushing	C9AZ 7141960-A	C9AZ 7141961-A	1
	71/	A(71)	For bushing only-refer to Group 21496			
	71/	A(71)		D1AZ 7141960-A	D1AZ 7141961-A	1
	72	B(71)	For R.H.-refer to Group 222A92		D2OZ 7141960-A	1
41966-7	**BRACKET - LUGGAGE COMPARTMENT DOOR HINGE TO HINGE SUPPORT**					
	67/69	S		C7SZ 6541966-A	C7SZ 6541967-A	1
	70/71	S(57)				1
	71	S(65B,D)				1
41974-5	**FRAME - BACK WINDOW LOWER SIDE**					
	67/	A	Refer to Group 52566			
	70/71	B(54,57,62,65)		D0OZ 6541974-A	D0OZ 6541975-A	1
	70/71	B(63)		D0OZ 6341974-A	D0OZ 6341975-A	1
	71/	F(65)		D1ZZ 6541974-A	D1ZZ 6541975-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
420A00	**WEATHERSTRIP - BACK WINDOW GLASS AT BELT**				
	65	X(59, 71, 78)		C3DZ 59420A00-A	1
			No. 8 x 1/2" Cross recess pan head screw	52726-S13 (U381)	2or6

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	Nags Number	PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
42006	**GLASS - BACK WINDOW**						
			- A -				
	65/66	A(54, 62)		B3320	C5AZ 6242006-A	C5AZ 6242006-B	1
	65/66	A(57)		B3311	C5AZ 5742006-A	C5AZ 5742006-B	1
	65	A(63)		B3306	C5AZ 6342006-A	C5AZ 6342006-B	1
	66	A(63)		B3515	C6AZ 6342006-A	C6AZ 6342006-B	1
	67/68	A(54, 62)		B3725	C7AZ 6242006-A	C7AZ 6242006-B	1
	67	A(57)		B3720	C7AZ 5742006-A	C7AZ 5742006-B	1
	68	A(57, 65)		B3900	C8AZ 5742006-A	C8AZ 5742006-B	1
	67	A(63)		B3715	C7AZ 6342006-A	C7AZ 6342006-B	1
	68	A(63)		B3895	C8AZ 6342006-A	C8AZ 6342006-B	1
	65/68	A(71)		4466T	C5AZ 7142006-A	C5AZ 7142006-B	1
	69/70	A(54, 62)	Unheated	B4100	C9AZ 6242006-A	C9AZ 6242006-B	1
	70	A(54)	Heated	B4322		D0AZ 5442006-A	1
	69/70	A(57)	Unheated	B4091	C9AZ 5742006-A	C9AZ 5742006-B	1
	70	A(57)	Heated	B4319		D0AZ 5742006-A	1
	69/70	A(63)	Unheated	4528T	C9AZ 6342006-A	C9AZ 6342006-B	1
	70	A(63)	Heated	B4309		D0AZ 6342006-A	1
	69/70	A(65)	Unheated	B4086	C9AZ 6542006-A	C9AZ 6542006-B	1
	70	A(65)	Heated	B4314		D0AZ 6542006-A	1
	69/70	A(71)	Refer to Group 42030				
	71/	A(53, 57)	Unheated	B4511	D1AZ 5742006-B	D1AZ 5742006-C	1
			Heated	B4510		D1AZ 5742006-A	1
	71/	A(54)	Unheated	B4521	D1AZ 5442006-B	D1AZ 5442006-C	1
			Heated	B4520		D1AZ 5442006-A	1
	71/	A(65)	Unheated	B4505	D1AZ 6542006-B	D1AZ 6542006-C	1
			Heated	B4504		D1AZ 6542006-A	1
	71/	A(71)	Unheated	B4524	D1AZ 7142006-C	D1AZ 7142006-D	1
			- B -				
	65	B(54, 62)		B3285	C4OZ 6242006-A	C4OZ 6242006-B	1
	65/67	B(65)		B3176	C3OZ 6542006-A	C3OZ 6542006-B	1
	65	B(71)		1063T	C3OZ 7142006-A	C3OZ 7142006-B	1
	66/67	B(54)		B3529	C6OZ 5442006-A	C6OZ 5442006-B	1
	66/67	B(62)		B3522	C6OZ 6242006-A	C6OZ 6242006-B	1
	66/67	B(63)		B3545	C6OZ 6342006-A	C6OZ 6342006-B	1
	67	B(66)		2526T	C6DZ 6642006-A	C6DZ 6642006-B	1
	68/69	B(54)		B3917	C8OZ 5442006-A	C8OZ 5442006-B	1
	68/69	B(63)		B3907		C8OZ 6342006-B	1
	68/69	B(65)		B3910	C8OZ 6542006-A	C8OZ 6542006-B	1
	70/71	B(54, 57)	Unheated	B4339	D0OZ 5442006-A	D0OZ 5442006-B	1
	71	B(54, 57)	Heated	B4562		D1OZ 5442006-A	1
	70/71	B(63)	Unheated	B4327	D0OZ 6342006-A	D0OZ 6342006-B	1
	71	B(63)	Heated	B4560		D1OZ 6342006-A	1
	70/71	B(65)	Unheated	B4332	D0OZ 6542006-A	D0OZ 6542006-B	1
	71	B(65)	Heated	B4561		D1OZ 6542006-A	1
	66/71	B(66)		1099T	C8OZ 6642006-A	C8OZ 6642006-B	1
	66/71	B(71)		B3536	C6OZ 7142006-A	C6OZ 7142006-B	1
	72	B(53, 65)	Unheated	B4724	D2OZ 6542006-B	D2OZ 6542006-C	1
			Heated	B4723		D2OZ 6542006-A	1
	72	B(63)	Unheated	B4718	D2OZ 6342006-B	D2OZ 6342006-C	1
			Heated	B4717		D2OZ 6342006-A	1
	72	B(71)		B4733	D2OZ 7142006-C	D2OZ 7142006-D	1
	72	B(97)		1110	D2OZ 9742006-B	D2OZ 9742006-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	Nags Number	PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
42006	GLASS - BACK WINDOW - continued						
		- F -					
	65/66	F(63)		B3332		C5ZZ 6342006-B	1
	67/68	F(63)		B3754		C7ZZ 6342006-A	1
	69/70	F(63)	Unheated	B4120		C9ZZ 6342006-A	1
	65/68	F(65)		B3299	C5ZZ 6542006-A	C5ZZ 6542006-B	1
	69/70	F(65)	Unheated	B4125	C9ZZ 6542006-A	C9ZZ 6542006-B	1
	71/72	F(63)	Unheated	B4536		D1ZZ 6342006-B	1
		"Before 6/15/72"	Heated	B4535		D1ZZ 6342006-A	1
	72	F(63) "From 6/15/72"	Heated	B4800		D3ZZ 6342006-A	1
	71/72	F(65)	Unheated	1109	D1ZZ 6542006-B	D1ZZ 6542006-C	1
		"Before 6/15/72"	Heated	B4541		D1ZZ 6542006-A	1
	72	F(65) "From 6/15/72"	Heated-flat	B4801		D3ZZ 6542006-A	1
		- L -					
	71/	L(62)	Unheated	B4550	D1FZ 6242006-A	D1FZ 6242006-B	1
	72	L(62)	Heated	B4794		D2FZ 6242006-B	1
	71	L(64)	Small window	B4709		D1FZ 6442006-B	1
	72	L(64)	Unheated-large window	B4752	D2FZ 6442006-B	D2FZ 6442006-A	1
			Heated-large window	B4795		D2FZ 6442006-C	1
	72	L(73)	Unheated	B4751	D2FZ 7342006-A	D2FZ 7342006-B	1
			Heated	B4750		D2FZ 7342006-C	1
		- P -					
	71/	P(54)		B4557	D1DZ 5442006-A	D1DZ 5442006-B	1
	70/	P(62)		B4279	D0DZ 6242006-A	D0DZ 6242006-B	1
		- S -					
	65	S(63)		B3286	C4SZ 6342006-A	C4SZ 6342006-B	1
	66	S(63A)					1
	66	S(63C, D)		B3565	C6SZ 6342006-A	C6SZ 6342006-B	1
	69	S(65)	Heated	B4143		C9SZ 6542006-A	1
	69/70	S(57) "Before 6/15/70"	Heated	B4144		C9SZ 5742006-A	1
	70	S(65) "Before 6/15/70"	Heated	B4364		D0SZ 6542006-C	1
	70/71	S(57) "From 6/15/70"	Heated	B4711		D1SZ 5742006-A	1
	67/71	S(57)	Unheated	B3751	C7SZ 5742006-A	C7SZ 5742006-B	1
	70	S(65)	Unheated	B4365	D0SZ 6542006-A	D0SZ 6542006-B	1
	71	S(65A, C)					1
	70/71	S(65A, C) "From 6/15/70"	Heated	B4563		D1SZ 6542006-B	1
	67/69	S(65)	Unheated	B3746	C7SZ 6542006-A	C7SZ 6542006-B	1
	71	S(65B, D)					1
	71	S(65B, D)	Heated	B4710		D1SZ 6542006-A	1
	72	S	Unheated	B4739		D2SZ 6542006-B	1
			Heated	B4738		D2SZ 6542006-A	1
		- U -					
	66/	U(97)		2528T	C6TZ 9742006-A		1
	66/	U(98)		2529T	C6TZ 9842006-A		1
		- X -					
	65	X(54, 62)		B3134	C2DZ 6242006-A	C2DZ 6242006-B	1
	65	X(59, 71, 78)		1074T	C3DZ 5942006-A	C3DZ 5942006-B	1
	65	X(63)		B3198	C3DZ 6342006-A	C3DZ 6342006-B	1
	65	X(66)		1042T	C0DB 6642006-A	C1DZ 6642006-A	1
	66/70	X(54)		B3529	C6OZ 5442006-A	C6OZ 5442006-B	1
	68/69	X(63)		B3907		C8OZ 6342006-B	1
	66/70	X(62)		B3522	C6OZ 6242006-A	C6OZ 6242006-B	1
	66	X(66)		2526T	C6DZ 6642006-A	C6DZ 6642006-B	1
	66/70	X(71)		B3536	C6OZ 7142006-A	C6OZ 7142006-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
420A20-1	**WEATHERSTRIP - BACK WINDOW GLASS LOWER SIDE RUN**					
	66/68	A(71)		C6AZ 71420A20-A	C6AZ 71420A21-A	1
	69	A(71) "Before 3/19/69"		D1AZ 71420A20-A	C9AZ 71420A21-A	1
	69/70	A(71) "From 3/19/69		D1AZ 71420A20-A	D1AZ 71420A21-A	1
	71/	A(71)		D1AZ 71420A20-A	D1AZ 71420A21-A	1
	66/71	B(71)		C6OZ 71420A20-B	C6OZ 71420A21-B	1
	66/70	X(71)				1
	66/	A(71), B(71)	No. 10-16 x 3/8" Cross	52721-S(U382B)	52721-S(U382B)	AR
	66/70	X(71)	recess pan hd. screw			AR
420A22	**SPACER - BACK WINDOW GLASS LOWER**					
	65/66	A(57, 63)		C5AZ 63420A22-A	C5AZ 63420A22-A	2
	67	A(57)				2
	68	A(57, 65)				2
	69/70	A(except 71, 76)				2
	68/70	B(63)				2
	72	L(64)				2
	67/70	S				2
	68/69	B(66)		C8OZ 66420A22-A	C8OZ 66420A22-A	1
	65/68	F(63)	3 1/2" long	C5ZZ 63420A22-B	C5ZZ 63420A22-B	4
	69/70	F(63)		C9ZZ 63420A22-A	C9ZZ 63420A22-A	4
	70	S(65)	Rubber	D0SZ 65420A22-A	D0SZ 65420A22-A	2
420A28	**SEAL - BACK WINDOW GLASS** - Refer to Group 19562 in Paint Section					

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	Nags Number	PART NUMBER CLEAR	PART NUMBER TINTED	QTY.
42030	**GLASS and CHANNEL ASSY. - BACK WINDOW**						
	69/70	A(71)		B4111	C9AZ 7142030-A	C9AZ 7142030-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
420A58	**RETAINER - BACK WINDOW GLASS SEAL**				
	70	S(65)		D0SZ 65420A58-A	1
42072	**WEATHERSTRIP - BACK WINDOW GLASS - INNER**				
	65	A(71)	Includes retainer	C5MY 7142072-A	1
			No. 8-15 x 3/8" Cross recess washer head screw	52720-S8(U380)	8
	66/68	A(71)	52 3/8" long-Includes retainer	C6AZ 7142072-A	1
	66/68	B(71), X(71)	Cut to 47 1/2" long		1
	69/72	A(71)		D2AZ 7142072-A	1
	69/71	B(71)		C9OZ 7142072-A	1
	69/70	X(71)			1
	72	B(71)		D2OZ 7142072-A	1
	65	X(59, 71, 78)	Refer to Group 422A36		
42084	**WEATHERSTRIP - BACK WINDOW GLASS**				
		- A -			
	65/66	A(54, 62)		C5AZ 6242084-A	1
	67/68	A(54, 62)		C8AZ 6242084-A	1
	67/69	A(63)		C7AZ 6342084-B	1
	67/	A(57)	Cut from C6AZ 19562-B	★	1
	68/	A(65)	Cut from C6AZ 19562-B	★	1
		- B -			
	66/67	B(54)		C6OZ 5442084-A	1
	67	B(66)		C6DZ 6642084-A	1
	68/69	B(54)		C8OZ 5442084-A	1
	68/69	B(65)		C8OZ 6542084-A	1
	70	B(54C, 57)	Blue -vinyl	D0OZ 5442084-C	1
			Green -vinyl	D0OZ 5442084-B	1
			Nugget gold -vinyl	D0OZ 5442084-E	1
			Red -vinyl	D0OZ 5442084-D	1
	70	B(62, 65)	Blue -vinyl	D0OZ 6542084-C	1
			Green -vinyl	D0OZ 6542084-B	1
			Nugget gold -vinyl	D0OZ 6542084-E	1
			Red-vinyl	D0OZ 6542084-D	1
			Ginger-vinyl	D0OZ 6542084-F	1
			Rubber	D0OZ 6542084-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
42084	**WEATHERSTRIP - BACK WINDOW GLASS - continued**				
		- B -			
	70/71	B(54A, 57E)	Rubber	D0OZ 5442084-A	1
	71	B(54C, 57C)	Blue	D1OZ 5442084-A	1
			Gray gold	D1OZ 5442084-C	1
			Green	D1OZ 5442084-B	1
	71	B(62,65)	Blue-vinyl	D0OZ 6542084-C	1
			Ginger-vinyl	D0OZ 6542084-F	1
			Gray gold-vinyl	D1OZ 6542084-B	1
			Green-vinyl	D1OZ 6542084-A	1
	68/71	B(63)	Cut from C6AZ 19562-B		1
	71	B(65A)	Rubber	D0OZ 6542084-A	1
	68/71	B(66)		C8OZ 6642084-A	1
	72	B(53,65)	Black	D2OZ 6542084-D	1
			Blue	D2OZ 6542084-B	1
			Ginger	D2OZ 6542084-A	1
			Gold	D2OZ 6542084-G	1
			Green	D2OZ 6542084-E	1
			Tobacco	D2OZ 6542084-F	1
			White	D2OZ 6542084-C	1
	72	B(63)	Black	D2OZ 6342084-D	1
			Blue	D2OZ 6342084-B	1
			Ginger	D2OZ 6342084-A	1
			Gold	D2OZ 6342084-G	1
			Green	D2OZ 6342084-E	1
			Tobacco	D2OZ 6342084-F	1
			White	D2OZ 6342084-C	1
	72	B(97)		D2OZ 9742084-A	1
		- F -			
	65/66	F(63)		C5ZZ 6342084-A	1
	67/68	F(63)		C7ZZ 6342084-A	1
	65/68	F(65)		C5ZZ 6542084-A	1
	69/70	F(63)		C9ZZ 6342084-A	1
	69/70	F(65)		D0ZZ 6542084-A	1
	71/	F(63)		D1ZZ 6342084-A	1
	71/	F(65)		D1ZZ 6542084-A	1
		- L -			
	71/	L(62)	With moulding	D1FZ 6242084-B	1
	71	L(64) "Before 7/12/71"	With small window	D1FZ 6442084-B	1
	71/	L(64) "From 7/12/71"	With large window	D2FZ 6442084-A	1
	72	L(73)		D2FZ 7342084-A	1
		- P -			
	71/	P(54)		D1DZ 5442084-A	1
	70/	P(62)		D0DZ 6242084-A	1
		- S -			
	67/	S	Cut from C6AZ 19562-B	★	1
		- U -			
	66/	U(98)	Less mouldings	C6TZ 9842084-B	1
	67/	U(97)		C7TZ 9742084-A	1
	67/	U(98)	Use with mouldings	C7TZ 9842084-A	1
		- X -			
	65	X(54, 62)		C2DZ 6242084-A	1
	65	X(66)		C0DB 6642084-A	1
	66/70	X(54)		C6OZ 5442084-A	1
	66/70	X(62)		C6OZ 6242084-A	1
	66	X(66)		C6DZ 6642084-A	1
42126	**BUSHING - BACK WINDOW GUIDE**				
	69/70	A(71)		C9AZ 7142126-A	2
	71/	A(71)		D1AZ 7142126-A	1
42138	**BUSHING - BACK WINDOW GLASS**				
	71/	A(71)	Nylon-1 1/2" diameter	D1AZ 7142138-A	4
	72	B(63,65,71),S			AR

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
422A00	**RUN - BACK WINDOW GLASS**				
	69/70	A(71)		C9AZ 71422A00-A	2
	71/	A(71)		D1AZ 71422A00-A	2
	72	B(71)		D2OZ 71422A00-A	2
422B00	**SEAL - BACK WINDOW HOUSING DRAIN**				
	69/	S	Foam rubber	C9SZ 65422B00-A	2
42202-3	**BRACKET - BACK WINDOW UPPER STOP**				
	69/	A(71)	R.H.	C9AZ 7142202-A	1
			L.H.	C9AZ 7142203-A	1
	72	B(71)		D2OZ 7142202-A	2
422A08	**CHANNEL - BACK WINDOW GLASS**				
	65/69	A(71)		C5AZ 71422A08-B	1
	65	B(71)		C3OZ 71422A08-A	1
	66/71	B(71)		C9OZ 71422A08-A	1
	66/70	X(71)			1
	65	X(59, 71, 78)		C3DZ 59422A08-A	1
422B12	**SEAL - WINDOW REGULATOR DRIVE**				
	65/69	A(71), B(71), X(71)	Tailgate	C9AZ 71422B12-A	1
	65/69	S	On front door and quarter		2or4
422B18-9	**BRACKET - BACK WINDOW GLASS**				
	72	B(71)	R.H.	D2OZ 71422B18-A	1
			L.H.	D2OZ 71422B19-A	1
42220	**FRAME - BACK WINDOW - UPPER**				
		- A -			
	69/70	A(63)		C9AZ 6342220-A	1
	69/70	A(65)		C9AZ 6542220-A	1
	71/	A(53, 57)		D1AZ 5742220-A	1
	69/70	A(54, 57, 62)		C9AZ 6242220-A	1
	71/	A(54)			1
	71/	A(65)		D1AZ 6542220-A	1
		- B -			
	66/67	B(54)		C6OZ 5442220-A	1
	66/67	B(62)		C6OZ 6242220-A	1
	67	B(66)		C6DZ 6642220-A	1
	68/69	B(54)		C8OZ 5442220-A	1
	68/69	B(63)		C8OZ 6342220-A	1
	68/69	B(65)		C8OZ 6542220-A	1
	68/71	B(66)		C8OZ 6642220-A	1
	70/71	B(54, 57)		D0OZ 5442220-A	1
	70/71	B(62, 65)		D0OZ 6542220-A	1
	70/71	B(63)		D0OZ 6342220-A	1
	72	B(53, 65)		D2OZ 6542220-A	1
	72	B(63)		D2OZ 6342220-A	1
	72	B(97)	Outer	D2OZ 9742220-A	1
			Inner	D2OZ 9742220-B	1
		- F -			
	69/70	F(63)		C9ZZ 6342220-A	1
	69/70	F(65)		C9ZZ 6542220-A	1
	71/	F(63)		D1ZZ 6342220-A	1
	71/	F(65)		D1ZZ 6542220-A	1
		- P -			
	71/	P(54)		D1DZ 5442220-A	1
	70/	P(62)		D0DZ 6242220-A	1
		- S -			
	68/69	S(65)		C8SZ 6542220-A	1
	67/71	S(57)		C7SZ 5742220-A	1
	70	S(65)		D0SZ 6542220-A	1
	71	S(65A, C)			1
	71	S(65B, D)		D0LY 6542220-A	1
	72	S "Before 1/3/72"		D2SZ 6542220-A	1
	72	S "From 1/3/72"		D2SZ 6542220-B	1
		- X -			
	66/70	X(54)		C6OZ 5442220-A	1
	66/70	X(62)		C6OZ 6242220-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
422A20-1	**RUN - BACK WINDOW GLASS LOWER SIDE**					
		- A -				
	65	A(71)		C5AZ 71422A20-C	C5AZ 71422A21-C	1
			5/16"-18 x 1/2" Hex. hd. screw & washer assy.	42718-S7-8 (U9)	42718-S7-8 (U9)	2
			5/16"-18 Nut & washer assy.	33797-S7(M50)	33797-S7(M50)	2
	66/70	A(71)		C6AZ 71422A20-A	C6AZ 71422A21-A	1
		- B -				
	65	B(71)		C3OZ 71422A20-B	★C3OZ 71422A21-B Not replaced (3-74)	1
			5/16"-18 x 3/4" Hex. hd. screw & washer assy.	359662-S7-8(BB575A)	359662-S7-8(BB575A)	4
	66/71	B(71)		C6OZ 71422A20-A	C6OZ 71422A21-A	1
		- X -				
	65	X(59, 71, 78)		C0DB 59422A20-E	C0DB 59422A20-E	2
			5/16" Lockwasher (internal & external tooth)	356309-S7(XX299)	356309-S7(XX299)	4
			5/16"-18 x 1 1/2" Set screw	★379356-S2	★379356-S2	4
			5/16"-18 Hex. nut	33922-S8(M27)	33922-S8(M27)	4
	66/70	X(71)		C6OZ 71422A20-A	C6OZ 71422A21-A	1
422A24-5	**RUN - BACK WINDOW GLASS SIDE UPPER** - Includes Retainer					
	65	A(71)		C5AZ 71422A24-A	C5AZ 71422A25-A	1
	66/69	A(71)		C6AZ 71422A24-A	C6AZ 71422A25-A	1
	66/71	B(71)		C6OZ 71422A24-B	C6OZ 71422A25-B	1
	66/70	X(71)				1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
422B26	**STABILIZER - BACK WINDOW AT BELT WEATHERSTRIP OUTSIDE**				
	66/67	B(71), X(71)		C6AZ 71422B26-A	1
	66/69	A(71)			1
	68/71	B(71)		C8OZ 71422B26-A	1
	68/70	X(71)			1
			No. 8-18 x 1/2" cross recess washer head screw	381969-S2(UU89A)	3
42232	**FRAME - BACK WINDOW LOWER**				
	67	B(66)		C6DZ 6642232-A	1
	66	X(66)			1
	70/71	B(54, 57, 62, 65)	Center	D0OZ 6542232-A	1
	68/71	B(66)		C8OZ 6642232-A	1
	72	B(97)		D2OZ 9742232-A	1
	71/	F(63)		D1ZZ 6342232-A	1
	71/	L(62)	Inner	D1FZ 6242232-A	1
	71/	P(54)	Center	D1DZ 5442232-A	1
	70/	P(62)		D0DZ 6242232-A	1
422B32	**WEATHERSTRIP - LIFTGATE - LOWER**				
	66/68	U(98)	Refer to Group 42289		
	69/	U(98)		C9TZ 98422B32-A	1
			No. 8-18 x 3/8" cross recess screw	★55944-S45X	2
422B34	**CLIP - BACK WINDOW GLASS**				
	69/71	A(71)	On body-at roof	C9AZ 71422B34-A	1
422A36	**RUN - BACK WINDOW GLASS - TOP** - Also refer to Group 422A24-5				
	65/68	A(71)		C5AZ 71422A36-B	1
	65	B(71)	Top and sides-76.22" long	C3OZ 71422A36-A	1
	66/71	B(71)		C6OZ 71422A36-B	1
	66/70	X(71)			1
	65	X(59, 71, 78)	Top and sides-72" long	C3DZ 59422A36-A	1
422A38-9	**EXTENSION - BACK WINDOW UPPER INNER FRAME**				
	68/69	B(65)	R. H.	C8OZ 65422A38-A	1
			L. H.	C8OZ 65422A39-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
42246-7	**EXTENSION - FRONT LOWER BRACKET TO INNER REAR RAIL**				
	68/69	B(54)	R. H.	C8OZ 5442246-A	1
			L. H. - Not repl'd (1-73)	★C8OZ 5442247-A	1
	68/69	B(65)	R. H.	C8OZ 6542246-A	1
			L. H.	C8OZ 6542247-A	1
42248-9	**FRAME - BACK WINDOW - SIDE**				
	68/69	B(66)	R. H.	C8OZ 6642248-A	1
			L. H.	C8OZ 6642249-A	1
	70/71	B(66)	R. H.	D0OZ 6642248-A	1
			L. H.	D0OZ 6642249-A	1
	72	B(97)	R.H.	D2OZ 9742248-A	1
			L.H.	D2OZ 9742249-A	1
422B50	**WASHER - BACK WINDOW GLASS BRACKET**				
	71/	A(71)		D1AZ 71422B50-A	4
422A64-5	**EXTENSION - BACK WINDOW LOWER FRAME**				
	69/70	F(65)	R.H.	C9ZZ 65422A64-A	1
			L.H.	C9ZZ 65422A65-A	1
	71/	F(63)	R.H.	D1ZZ 63422A64-A	1
			L.H.	D1ZZ 63422A65-A	1
42289	**WEATHERSTRIP - LIFTGATE LOWER**				
	66/68	U(98)	Rubber	C6TZ 9842289-B	1
			Retainer	C5AZ 6220586-A	14
	69/	U(98)	Refer to Group 422B32		
423A00-1	**MOULDING - BACK WINDOW OUTSIDE UPPER - INCLUDES ATTACHING PARTS**				
	69	F(65)	Paint to match	C9ZZ 65423A00-A	1
	70	F(65)	R.H.	D0ZZ 65423A00-A	1
			L.H.	D0ZZ 65423A01-A	1
423A04	**RETAINER - BACK BELT MOULDING**				
	71	B(54B, C, 57C, 63C, F, 65B, C, 66A, B, C, 71B, C, 76)		C8MY 57423A04-A	4or8
423A06	**RETAINER - BACK WINDOW LOWER GARNISH MOULDING**				
	70/71	B(63)	Without counter sunk holes in moulding	D0OZ 63423A06-A	3
	67/71	S(57)		C7SZ 57423A06-B	5
423B06	**RETAINER - BACK BELT SIDE MOULDING**				
	69/70	A(54, 57, 62, 65)		C9AZ 65423B06-A	2
	69/70	A(63)		C9AZ 63423B06-A	1or2
	68	A(63)		C8AZ 63423B06-A	10
	71/	A(54B, D, F)	With vinyl roof cover or two-tone paint		8
	72	B(65, 97)			AR
	71/	F(63)	With vinyl roof cover		8
	71/	A(53, 57F, 65)	With vinyl roof cover-front	D1AZ 65423B06-A	6or8
	72	B(53, 63, 65)	With vinyl roof cover	D2OZ 53423B06-A	AR
	72	B(63)	Without vinyl roof cover	D2OZ 63423B06-A	8
	70/71	S(65B, D)		D0SZ 65423B06-A	4
42308	**STOP - BACK WINDOW - LOWER**				
	69/	A(71)		C9AZ 7142308-A	1
	72	B(71)		D2OZ 7142308-A	1
42309	**CLIP - BACK WINDOW - OUTSIDE LOWER MOULDING**				
	70	F(65)		D0ZZ 6542309-A	6
423B10	**RETAINER - BACK WINDOW OUTSIDE UPPER OUTER MOULDING**				
	67/	A(71)		C9AZ 71423B10-B	4
42312	**NOZZLE - BACK WINDOW HOUSING DRAIN**				
	67/69	S		C7SZ 6542312-A	2
	71	S			2
423B12	**CLAMP - BACK WINDOW HOUSING DRAIN TUBE**				
	65/66	A(57), S(63)		C4SZ 63423B12-B	2
	67/69	S		C7MY 54423B12-A	2
423A14	**MOULDING - LOWER BACK PANEL CENTER - INCLUDES ATTACHING PARTS**				
	65	B(54B, 62B, 65)		C5OZ 62423A14-A	2
42318	**RETAINER - BACK WINDOW OUTSIDE SIDE MOULDING**				
	69/	A(71)	Lower	C9AZ 7142318-B	2
	69/70	F(65)	Lower	C9ZZ 6542318-A	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
423A18-9	**MOULDING - BACK BELT OUTSIDE SIDE - INCLUDES ATTACHING PARTS**					
		- A -				
	66	A(54, 62)		C6AZ 62423A18-A	C6AZ 62423A19-A	1
	66	A(63)	With vinyl roof cover or two-tone paint	C6AZ 63423A18-A	C6AZ 63423A19-A	1
	67	A(57)		C7AZ 57423A18-A	C7AZ 57423A19-A	1
	67	A(63B, 63C)	With vinyl roof cover or two-tone paint	C7AZ 63423A18-A	C7AZ 63423A19-A	1
	67	A(63J)		C7AZ 63423A18-B	C7AZ 63423A19-B	1
	68	A(57)	With vinyl roof cover or two-tone paint	C8AZ 57423A18-A	C8AZ 57423A19-A	1
	68	A(65)	With vinyl roof cover or two-tone paint	C8AZ 65423A18-A	C8AZ 65423A19-A	1
	69/70	A(54, 62)		C9AZ 62423A18-A	C9AZ 62423A19-A	1
	69/70	A(57)		C9AZ 57423A18-A	C9AZ 57423A19-A	1
	69/70	A(63)	With vinyl roof cover or two tone paint	C9AZ 63423A18-A	C9AZ 63423A19-A	1
	69/70	A(65)		C9AZ 65423A18-A	C9AZ 65423A19-A	1
	69/70	A(76)		C9AZ 76423A18-A	C9AZ 76423A19-A	1
	70	A(65A, C)	With vinyl roof cover	D0AZ 65423A18-A	D0AZ 65423A19-A	1
	71/	A(53, 57)	Front-with vinyl roof cover or two-tone paint-paint to match	D1AZ 57423A18-A	D1AZ 57423A19-A	1
			Rear-with vinyl roof cover or two-tone paint-paint to match	D1AZ 57423A18-B	D1AZ 57423A19-B	1
	71/	A(54)	Front-with vinyl roof cover or two-tone paint-paint to match	D1AZ 54423A18-A	D1AZ 54423A19-A	1
	71/	A(65)	Front-with vinyl roof cover or two-tone paint-paint to match-black	D1AZ 65423A18-A	D1AZ 65423A19-A	1
			Rear-with vinyl roof cover or two-tone paint-paint to match-black	D1AZ 65423A18-B	D1AZ 65423A19-B	1
	71/	A(65)	Front-with vinyl roof cover or two-tone paint-white	D1AZ 65423A18-C	D1AZ 65423A19-C	1
			Rear-with vinyl roof cover or two-tone paint-white	D1AZ 65423A18-D	D1AZ 65423A19-D	1
	71/72	A(76)		D1AZ 76423A18-A	D1AZ 76423A19-A	1
	69/	A(71)		C9MZ 71423A18-B	C9MZ 71423A19-B	1
		- B -				
	66/67	B(54)	With two-tone paint	C6OZ 54423A18-A	C6OZ 54423A19-A	1
	67	B(63)	With vinyl roof cover	C7OZ 63423A18-A	C7OZ 63423A19-A	1
	68/69	B(54A, 54B)	With vinyl roof cover or two-tone paint	C8OZ 54423A18-A	C8OZ 54423A19-A	1
	68/69	B(54C)	With vinyl roof cover-paint to match	★C8OZ 54423A18-B Not replaced (5-75)	C8OZ 54423A19-B	1
	68/69	B(65C)	With vinyl roof cover-paint to match	C8OZ 65423A18-A	C8OZ 65423A19-A	1
	68/69	B(65A, 65B, 65D, 65E)	With vinyl roof cover or two-tone paint	C8OZ 65423A18-B	C8OZ 65423A19-B	1
	68/69	B(76)		C8OZ 76423A18-B	C8OZ 76423A19-B	1
	70/71	B(54, 57)	With two tone paint-rustless steel	D0OZ 54423A18-A	D0OZ 54423A19-A	1
			With vinyl roof cover-paint to match	D0OZ 54423A18-B	D0OZ 54423A19-B	1
	70/71	B(62, 65)	With two tone paint - rustless steel	D0OZ 65423A18-A	D0OZ 65423A19-A	1
			With vinyl roof cover-w/o halo roof moulding-paint to match	★D0OZ 65423A18-B Not replaced (5-75)	D0OZ 65423A19-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
423A18-9	MOULDING - BACK BELT - OUTSIDE - SIDE - INCLUDES ATTACHING PARTS - continued					
		- B -				
	71	B(65C)	With vinyl roof cover and halo roof moulding-paint to match	D1OZ 65423A18-A	D1OZ 65423A19-A	1
	70/71	B(66)	With two tone paint	D0OZ 66423A18-A	D0OZ 66423A19-A	1
			With vinyl roof cover	D0OZ 66423A18-B	D0OZ 66423A19-B	1
	70/71	B(76)		D0OZ 76423A18-A	D0OZ 76423A19-A	1
	72	B(53)	With vinyl roof cover	D4OZ 53423A18-A	D4OZ 53423A19-A	1
	72	B(63)	With vinyl roof cover	D2OZ 63423A18-A	D2OZ 63423A19-A	1
	72	B(65)	With vinyl roof cover	D4OZ 65423A18-A	D4OZ 65423A18-A	§ 1
			With vinyl roof cover-rear	D4OZ 65423A18-T	D4OZ 65423A19-T	1
	72	B(97)	With vinyl roof cover-White	D2OZ 97423A18-A	D2OZ 97423A19-A	1
			With vinyl roof cover-Black	D2OZ 97423A18-B	D2OZ 97423A19-B	1
		- F -				
	65/66	F(76)		C5ZZ 76423A18-A	★C5ZZ 76423A19-A Not replaced (5-75)	1
	67	F(76)		C7ZZ 76423A18-A	C7ZZ 76423A19-A	1
			No.8-32 x .41" Stud fastener	372958-S100(HH21F)	372958-S100(HH21F)	13
	67/68	F(65)	With vinyl roof cover	C7ZZ 65423A18-A	C7ZZ 65423A19-A	1
	69	F(65)	With vinyl roof cover-White-paint to match	C9ZZ 65423A18-C	C9ZZ 65423A19-C	1
			With vinyl roof cover-Black	C9ZZ 65423A18-D	C9ZZ 65423A19-D	1
	70	F(65)	Without decorative design and with or without vinyl roof cover-paint to match	D0ZZ 65423A18-A	D0ZZ 65423A19-A	1
			With decorative design and with vinyl roof cover	★D0ZZ 65423A18-B Not replaced (5-75)	D0ZZ 65423A19-B	1
	69/70	F(76)		C9ZZ 76423A18-A	C9ZZ 76423A19-A	1
	71/	F(65)	Front- with vinyl roof cover-paint to match	D1ZZ 65423A18-A	D1ZZ 65423A19-A	1
			Rear-with vinyl roof cover-paint to match	D1ZZ 65423A18-C	D1ZZ 65423A19-C	1
	71/	F(76)		D1ZZ 76423A18-A	D1ZZ 76423A19-A	1
		- L -				
	71/	L(62)	With vinyl roof cover	D1FZ 62423A18-B	D1FZ 62423A19-B	1
	72	L(64)	With vinyl roof cover	D2FZ 64423A18-A	D2FZ 64423A19-A	1
		- P -				
	71/	P(54)	With vinyl roof cover or two-tone paint	D1DZ 54423A18-A	D1DZ 54423A19-A	1
	70/	P(62)	With vinyl roof cover or two-tone paint	D0DZ 62423A18-A	D0DZ 62423A19-A	1
		- S -				
	67/68	S(65)		C7SZ 65423A18-A	C7SZ 65423A19-A	1
	67/71	S(57)		C7SZ 57423A18-A	C7SZ 57423A19-A	1
	69	S(65B, D)	Front-paint to match	C9SZ 65423A18-A	C9SZ 65423A19-A	1
	71	S(65B, D)				1
			Rear-paint to match	C9SZ 65423A18-B	C9SZ 65423A19-B	1
	70	S(65B, D)	Front-paint to match	D0SZ 65423A18-A	D0SZ 65423A19-A	1
	71	S(65A, C)				1
			Rear-paint to match	D0SZ 65423A18-B	D0SZ 65423A19-B	1
	72	S	With vinyl roof cover	D2SZ 65423A18-A	D2SZ 65423A19-A	1
		- X -				
	68/70	X(54)	With two-tone paint	C8DZ 54423A18-A	★C8DZ 54423A19-A Not replaced (5-75)	1
	68/70	X(62)	With vinyl roof cover or two-tone paint	C8DZ 62423A18-A	C8DZ 62423A19-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
423B18-9	**RETAINER - BACK WINDOW GARNISH SIDE MOULDING**					
	67/70	S(65)		C7SZ 65423B18-A	C7SZ 65423B18-A	4
	67/71	S(57)		C7SZ 57423B18-A	C7SZ 57423B19-A	2
	71	S(65B, D)		D1SZ 65423B18-A	D1SZ 65423B18-A	4
423A20-1	**MOULDING - BACK BELT OUTSIDE CENTER - INCLUDES ATTACHING PARTS**					
		- A -				
	65/66	A(57)		C5AZ 57423A20-B	C5AZ 57423A20-B	1
	65	A(63)		C5AZ 63423A20-A	★C5AZ 63423A21-A Not replaced (3-74)	1
	66	A(63)	With vinyl roof cover or two-tone paint	C6AZ 63423A20-A	C6AZ 63423A21-A	1
	67	A(54, 62)	With two-tone paint	C7AZ 62423A20-B	C7AZ 62423A21-B	1
	67	A(57)		C7AZ 57423A20-A	C7AZ 57423A20-A	1
	67	A(63B, C, J)	With vinyl roof cover or two-tone paint	C7AZ 63423A20-A	C7AZ 63423A21-A	1
	68	A(54, 62)	With vinyl roof cover or two-tone paint	C8AZ 62423A20-A	C8AZ 62423A21-A	1
	68	A(57, 65)	With vinyl roof cover or two-tone paint	C8AZ 57423A20-A	C8AZ 57423A21-A	1
	69/70	A(54, 62)		C9AZ 62423A20-A	C9AZ 62423A21-A	1
	69/70	A(57)		C9AZ 57423A20-A	C9AZ 57423A21-A	1
	69/70	A(65)		C9AZ 65423A20-A	C9AZ 65423A21-A	1
	71/	A(53, 57)	With vinyl roof cover or two-tone paint-paint to match	D1AZ 57423A20-A	D1AZ 57423A21-A	1
	71/	A(54)	With vinyl roof cover or two-tone paint-paint to match	D1AZ 54423A20-A	D1AZ 54423A21-A	1
		- B -				
	66/67	B(54)	With two-tone paint	C6DZ 54423A20-A	C6DZ 54423A20-A	1
	66/67	B(62)	With vinyl roof cover or two-tone paint	C6DZ 62423A20-A	C6DZ 62423A20-A	1
	67	B(63)	With vinyl roof cover	C7OZ 63423A20-A	C7OZ 63423A21-A	1
	68/69	B(54A, B)	With vinyl roof cover-or two-tone paint	C8OZ 54423A20-A	C8OZ 54423A21-A	1
	68/69	B(54C)	With vinyl roof cover-paint to match	C8OZ 54423A20-B	★C8OZ 54423A21-B Not replaced (5-75)	1
	68	B(65A, B, D, E)	With vinyl roof cover or two-tone paint	C8OZ 65423A20-A	C8OZ 65423A21-A	1
	69	B(65A, B, D, E, F)				1
	68/69	B(65C)	With vinyl roof cover-paint to match	C8OZ 65423A20-B	C8OZ 65423A21-B	1
	68/69	B(76)		C8OZ 76423A20-C	C8OZ 76423A21-C	1
	70/71	B(54, 57, 62, 65)	With two tone paint-rustless steel	D0OZ 65423A20-A	D0OZ 65423A21-A	1
			With vinyl roof cover-w/o halo roof moulding-paint to match	D0GY 65423A20-A	D0GY 65423A21-A	1
	71	B(65C)	With vinyl roof cover and halo roof moulding-paint to match	D1OZ 65423A20-A	D1OZ 65423A21-A	1
	72	B(53, 65)	Aluminum-one piece	D2OZ 65423A20-A	D2OZ 65423A20-A	1
		- F -				
	69	F(65)	With vinyl roof cover-White-paint to match	C9ZZ 65423A20-C	C9ZZ 65423A21-C	1
	69	F(65)	With vinyl roof cover-Black	C9ZZ 65423A20-D	C9ZZ 65423A21-D	1
	70	F(65)	Without decorative design and with or without vinyl roof cover	D0ZZ 65423A20-A	D0ZZ 65423A21-A	1
			With decorative design and with vinyl roof cover	D0ZZ 65423A20-B	D0ZZ 65423A21-B	1
	69/70	F(76)		C9ZZ 76423A20-A	C9ZZ 76423A21-A	1
	71/	F(76)		D1ZZ 76423A20-A	D1ZZ 76423A20-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
423A20-1	**MOULDING - BACK BELT - OUTSIDE - CENTER - INCLUDES ATTACHING PARTS - continued**					
		- S -				
	67/68	S(65)		C7SZ 65423A20-A	C7SZ 65423A20-A	1
	69	S(65A, C)				1
	67/71	S(57)		C7SZ 57423A20-A	C7SZ 57423A20-A	1
	69	S(65B, D)	Paint to match	C9SZ 65423A20-A	C9SZ 65423A21-A	1
	71	S(65B, D)				1
	72	S	Aluminum-with vinyl roof cover	D2SZ 65423A20-A	D2SZ 65423A21-A	1
		- X -				
	66/67	X(54)	With two-tone paint	C6DZ 54423A20-A	C6DZ 54423A20-A	1
	66/67	X(62)	With vinyl roof cover or two-tone paint	C6DZ 62423A20-A	C6DZ 62423A20-A	1
	68/70	X(54)	With two-tone paint	C8DZ 54423A20-A	C8DZ 54423A21-A	1
	68/70	X(62)	With vinyl roof cover or two-tone paint	C8DZ 62423A20-A	C8DZ 62423A21-A	1



GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
423A26	**RETAINER - BACK WINDOW OUTSIDE CENTER MOULDING**				
	65	A(57)		C5AZ 63423A26-A	10
	65	A(63)			8
	66	A, B, F, S, X	Refer to Group 42413		
	65	F(63, 65)	Top moulding	C5ZZ 65423A26-A	6or7
			Side moulding		6or7
			Lower moulding		7or8
42331	**RETAINER - LOWER BACK PANEL MOULDING**				

REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION
FOR COMPLETE RETAINER PART NUMBER

423A42	**PANEL - LOWER BACK FINISH - INCLUDES ATTACHING PARTS**				
		- A -			
	69	A(54A, B, E, 57B, 62, 63B, 65C, 76A)		C9AZ 54423A42-A	1
	69	A(54C,57F,63C,65A,76B)	Refer to Group 13380 in Chassis Section		
	70	A(54A,57B,63B,65C)		D0AZ 54423A42-B	1
	70	A(54C,57F,63C,65A,76)		D0AZ 54423A42-A	1
	71	A(54F,57F,65F)		D1AZ 65423A42-A	1
		- B -			
	68	B(63)		C8OZ 63423A42-B	1
	69	B(63)	Refer to Groups 423A58-9 and 423A84		
	70	B(54C, 57C, E, 63C, 65C, E, 76)		D0OZ 65423A42-A	1
	71	B(57E, 65E)		D1OZ 65423A42-A	1
	70/71	B(63F, H)	Refer to Group 425A02		
		-F -			
	70	F(63C)		D0ZZ 63423A42-A	1
	71/72	F(63-w/Boss)		D2ZZ 63423A42-A	1
	71/	F(63 exc.Boss)	Retained with mouldings	D1ZZ 65423A42-A	1
	71/	F(65, 76)			1
42353	**COVER - BACK WINDOW GARNISH UPPER MOULDING JOINT** - Paint to match				
	71/	A(53, 57)		D1AZ 5742353-A	1
423A58	**MOULDING - LOWER BACK PANEL - INCLUDES ATTACHING PARTS**				
	71	A(54D,65D)	Side	D1AZ 54423A58-A	2
	65	B(54B, 62B, 65)	18.56" long	C5OZ 62423A58-A	4
	69	B(63)	Upper	C9OZ 63423A58-A	2
42364	**RETAINER - MOULDING**				
	65	B(54, 71)	Rear door	C4GY 6242364-A	2
	65	B	Quarter		2or4
423A64	**RETAINER - LOWER BACK FINISH PANEL**				
	69	A(54A, 57B, 63B, 65C, 76A)		C9AZ 54423A64-A	7

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
423A66	**NUT - BACK BELT MOULDING RETAINING**				
	68/71	A(76), B(76), F(76)		C8AZ 76423A66-A	AR
	72	A(76), F(76)			AR
423A70	**RAIL - TAILGATE OUTSIDE FINISH UPPER - INCLUDES ATTACHING PARTS**				
	65	A(71A, E)		C5AZ 71423A70-A	1
	66	A(71A, E)		C6AZ 71423A70-A	1
	67	A(71A, E)	Includes "FORD" letters	C7AZ 71423A70-B	1
	68	A(71A, E)		C8AZ 71423A70-A	1
	69/70	A(71A, E)		C9AZ 71423A70-A	1
	71	A(71H)			1
	72	A(71H)		D2AZ 71423A70-A	1
	66/67	B(71E)		C6OZ 71423A70-B	1
	68/69	B(71E)		C8OZ 71423A70-A	1
	70/71	B(66E, 71E)		D0OZ 71423A70-A	1
	72	B(71K, 97K)		D2OZ 71423A70-A	1
	72	L(73)		D2FZ 73423A70-A	1
423B70	**TRANSFER - LOWER BACK PANEL**				
	70	F(65E, 76B)	Black	D0ZZ 65423B70-A	1
42372	**RETAINER - BACK WINDOW GLASS RUN - UPPER**				
	65/69	A(71)		C5AZ 7142372-A	1
			No. 8-15 x 1/2" Cross recess pan head screw	52726-S13(U381)	6
	66/71	B(71)		C6OZ 7142372-A	1
	66/70	X(71)			1
			No. 8-15 x 3/4" Cross recess washer head screw	350075-S13(UU88)	4
	65	B(71)	No. 8-15 x 1/2" Cross recess pan head screw	52726-S13(U381)	6
42376-7	**MOULDING - BACK WINDOW OUTSIDE UPPER CORNER**				
	65	A(71) "Before 10/15/64"	Refer to Group 424A90-1		
	65/67	A(71) - "From 10/15/64 to 1/24/67"	R. H. -Includes attaching parts	C5AZ 7142376-B	1
			L. H.	C5AZ 7142377-C	1
	67/69	A(71) "From 1/24/67"	R. H. -Includes attaching parts	C5AZ 7142376-C	1
			L. H.	C5AZ 7142377-C	1
	70/71	B(66)	Refer to Group 42452-3		
	65/66	F(65)		C5ZZ 6542376-A	2
	67/69	F(63)	R. H.	C7ZZ 6342376-A	1
			L. H.	C7ZZ 6342377-A	1
	65	X(54, 62)	R. H. -Not repl'd (1-73)	★C2DZ 6242376-A	1
			L. H.	C2DZ 6242377-A	1
423A82	**MOULDING - LOWER BACK PANEL - UPPER - INCLUDES ATTACHING PARTS**				
	70	F(63C, 65E)		D0ZZ 65423A82-A	2
	71/	F(63-w/Boss)		D1ZZ 63423A82-A	1
	71/	F(63 exc.Boss)		D1ZZ 65423A82-A	1
	71/	F(65, 76)			1
423A84	**MOULDING - LOWER BACK PANEL - LOWER - INCLUDES ATTACHING PARTS**				
	69	B(63D, F)		C9OZ 63423A84-A	1
	70	F(63C, 65E)		D0ZZ 65423A84-A	1
	71/	F(63-w/Boss)		D1ZZ 63423A84-A	1
	71/	F(63 exc.Boss)		D1ZZ 65423A84-A	1
	71/	F(65, 76)			1
424B02	**RETAINER - BACK BELT MOULDING JOINT COVER**				
	71/	A(53, 57)	With vinyl roof cover or two-tone paint	D1AZ 57424B02-A	1
42404-5	**MOULDING - BACK WINDOW OUTSIDE LOWER - INCLUDES ATTACHING PARTS**				
		-A-			
	65	A(54)	R. H. -2.50" wide	C6AZ 5442404-A	1
			L. H.	C6AZ 5442405-A	1
	66	A(54, 62)	R. H. -With insert	C6AZ 5442404-A	1
			L. H.	C6AZ 5442405-A	1
	66	A(63)	R. H.	C6AZ 6342404-A	1
			L. H.	C6AZ 6342405-A	1
	67/68	A(54, 62)	R. H.	C7AZ 6242404-A	1
			L. H.	C7AZ 6242405-A	1
	67	A(63)	R. H.	C7AZ 6342404-A	1
			L. H.	C7AZ 6342405-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
42404-5	**MOULDING - BACK WINDOW OUTSIDE LOWER - INCLUDES ATTACHING PARTS - continued**				
		- A -			
	68	A(57, 65)	R. H.	C8AZ 5742404-A	1
			L. H.	C8AZ 5742405-A	1
	68	A(63)	R. H.	C8AZ 6342404-A	1
			L. H.	C8AZ 6342405-A	1
	69/70	A(54, 62)	R. H.	C9AZ 6242404-A	1
			L. H.	C9AZ 6242405-A	1
	69/70	A(57)	R. H.	C9AZ 5742404-A	1
			L. H.	C9AZ 5742405-A	1
	69	A(63) "Before 3/3/69"	R. H. - end view shaped like this 	C9AZ 6342404-A	1
			L. H.	C9AZ 6342405-A	1
	69/70	A(63) "From 3/3/69"	R. H. - end view shaped like this 	C9AZ 6342404-B	1
			L. H.	C9AZ 6342405-B	1
	69/70	A(65)	R. H.	C9AZ 6542404-A	1
			L. H.	C9AZ 6542405-A	1
	71/	A(53, 57)	R. H.	D1AZ 5742404-A	1
			L. H.	D1AZ 5742405-A	1
	71/	A(54)	R. H.	D1AZ 5442404-A	1
			L. H.	D1AZ 5442405-A	1
	71/	A(65)	R. H.	D1AZ 6542404-A	1
			L. H.	D1AZ 6542405-A	1
		- B -			
	66/67	B(54)	R. H. - not replaced (5-75)	★C6OZ 5442404-A	1
			L. H.	C6OZ 5442405-A	1
	66/67	B(62)		C6OZ 6242404-A	1
	66/67	B(63)	R. H.	C6OZ 6342404-A	1
			L. H.	C6OZ 6342405-A	1
	67	B(66)	R. H. - snap-on type - Not replaced (2-74)	★C6DZ 6642404-A	1
			L. H.	C6DZ 6642405-A	1
	68/69	B(54)	R. H.	C8OZ 5442404-A	1
			L. H.	C8OZ 5442405-A	1
	68/69	B(63)	R. H.	C8OZ 6342404-A	1
			L. H.	C8OZ 6342405-A	1
	68/69	B(65)		C8OZ 6542404-A	1
	68/69	B(66)	R. H.	C8OZ 6642404-A	1
			L. H.	C8OZ 6642405-A	1
	70/71	B(54, 57, 62, 65)		D0OZ 6542404-A	1
	70/71	B(63)	R. H.	D0OZ 6342404-A	1
			L. H.	D0OZ 6342405-A	1
	70/71	B(66)		D0OZ 6642404-A	1
			No. 8-18 x 3/8" Round washer head screw	379560-S101(UU89CA)	AR
	72	B(53, 65)	R.H.	D4OZ 6542404-A	1
			L.H.	D4OZ 6542405-A	1
	72	B(63)	R.H.	D2OZ 6342404-A	1
			L.H.	D2OZ 6342405-A	1
	72	B(97)	R.H.	D2OZ 9742404-A	1
			L.H.	D2OZ 9742405-A	1
		- F -			
	65/66	F(63)	R. H.	C5ZZ 6342404-A	1
			L. H.	C5ZZ 6342405-A	1
	67/68	F(63)		C7ZZ 6342404-A	1
	65/66	F(65)		C5ZZ 6542404-A	1
	67/68	F(65)	Less vinyl roof cover	C7ZZ 6542404-A	1
	69	F(65)	Paint to match	C9ZZ 6542404-A	1
	69/70	F(63)	R. H. - bright finish	C9ZZ 6342404-A	1
			L. H.	C9ZZ 6342405-A	1
	70	F(63)	R. H. - black	D0ZZ 6342404-A	1
			L. H.	D0ZZ 6342405-A	1
	70	F(65)	R. H.	D0ZZ 6542404-B	1
			L. H.	D0ZZ 6542405-B	1
			Clip	D0ZZ 6542309-A	6

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
42404-5	**MOULDING - BACK WINDOW OUTSIDE - LOWER - INCLUDES ATTACHING PARTS - continued**				
		- F -			
	71/	F(63)	R.H.	D1ZZ 6342404-A	1
			L.H.	D1ZZ 6342405-A	1
	71/	F(65)	R.H.	D1ZZ 6542404-A	1
			L.H.	D1ZZ 6542405-A	1
		- L -			
	71/	L(62)	R.H.	D1FZ 6242404-A	1
			L.H.	D1FZ 6242405-A	1
	71	L(64)	R.H.	D1FZ 6442404-B	1
			L.H.	D1FZ 6442405-B	1
		- P -			
	70	P(62)	R.H.	D0DZ 6242404-A	1
			L.H.	D0DZ 6242405-A	1
	71/	P(54)	R.H.	D1DZ 5442404-A	1
			L.H.	D1DZ 5442405-A	1
	71/	P(62)	R.H.	D1DZ 6242404-A	1
			L.H.	D1DZ 6242405-A	1
		- S -			
	67/71	S(57)	R.H.	C7SZ 5742404-B	1
			L.H.	C7SZ 5742405-B	1
	70	S(65)	R.H.	D0SZ 6542404-A	1
	71	S(65A, C)			1
			L.H.	D0SZ 6542405-A	1
	67/69	S(65)	R.H.	C7SZ 6542404-A	1
	71	S(65B, D)			1
			L.H.	C7SZ 6542405-A	1
	72	S	R.H.	D2SZ 6542404-A	1
			L.H.	D2SZ 6542405-A	1
		- U -			
	67/72	U(97)	Aluminum-back window	C7TZ 9742404-B	1
	67/72	U(98)	Aluminum-used on lift gate		1
		- X -			
	66/70	X(54)	R.H. - not replaced (5-75)	★C6OZ 5442404-A	1
			L.H.	C6OZ 5442405-A	1
	66/70	X(62)		C6OZ 6242404-A	1
424A04	**COVER - BACK WINDOW MOULDING JOINT**				
	70	F(65)	Saddle finish-includes attaching parts	D0ZZ 65424A04-A	1
424B04	**SHIELD - BACK WINDOW WIRING**				
	71	F(63)		D1ZZ 63424B04-A	2
	72	B(65)	Black	D2OZ 65424B04-A	1
			Blue	D2OZ 65424B04-C	1
			Ginger	D2OZ 65424B04-G	1
			Gold	D2OZ 65424B04-E	1
			Green	D2OZ 65424B04-D	1
			Tobacco	D2OZ 65424B04-F	1
			White	D2OZ 65424B04-B	1
	72	L(64)	Refer to group 14A099 in Chassis Section		
42410	**MOULDING - BACK WINDOW GARNISH UPPER - PAINT TO MATCH**				
	69/70	A(54, 62)	R.H.	C9AZ 6242410-A	1
			L.H.	C9AZ 6242410-B	1
	69/70	A(57)	R.H.	C9AZ 5742410-A	1
			L.H.	C9AZ 5742410-B	1
	69/70	A(63)	R.H.	C9AZ 6342410-A	1
			L.H.	C9AZ 6342410-B	1
	69/70	A(65)	R.H.	C9AZ 6542410-A	1
			L.H.	C9AZ 6542410-B	1
	71/	A(53, 57)	R.H.	D1AZ 5742410-A	1
			L.H.	D1AZ 5742410-B	1
	71/	A(54)	R.H.	D1AZ 5442410-A	1
			L.H.	D1AZ 5442410-B	1
	71/	A(65)	R.H.	D1AZ 6542410-A	1
			L.H.	D1AZ 6542410-B	1



GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
42410	**MOULDING - BACK WINDOW GARNISH - UPPER - PAINT TO MATCH - continued**				
	69/	A(71)		C9AZ 7142410-A	1
	68	B(63)	R. H.	C8OZ 6342410-A	1
			L. H.	C8OZ 6342410-B	1
	70/	B(63)	R. H.	D0OZ 6342410-A	1
			L. H.	D0OZ 6342410-B	1
	67/71	S(57)	R. H. -Includes attaching parts	C7SZ 5742410-A	1
			L. H.	C7SZ 5742410-B	1
	67/68	S(65)		C7SZ 6542410-B	1
	71	S(65B, D)			1
	70	S(65)		D0SZ 6542410-A	1
	71	S(65A, C)			1
	72	S	R.H.	D2SZ 6542410-A	1
			L.H.	D2SZ 6542410-B	1
42413	**RETAINER - OUTSIDE MOULDING**				
	65	A(54, 62)		C5AZ 6242413-A	12or20
			No. 8-18 x .38" Cross recess truss head-screw	376378-S101(UU97)	20
	66/	A(except 76), B(except 76)-	Also used on side, lower, windshield, roof extension moulding and quarter	D1AZ 6542413-B	AR
	65/	F			AR
	71/	L	Windshield		24
	70	P			AR
	66/	S	Also used on lower, center and windshield		AR
	66/70	X	Also used on side and lower		AR
	68/70	B(71), F(63, 65), S	No. 8-18 x 3/8"Round washer head-screw	379560-S101(UU89CA)	AR
	70/71	B(66)		D0GZ 6642413-A	7
	65	F(63, 65)	Refer to Group 423A26		
	67/68	F(65)		C7ZZ 6542413-A	6
	69/70	F(65)		C9ZZ 6542413-A	1
	70	F(65)		D0ZZ 6542413-A	10
				D0ZZ 6542413-B	6

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
42416-7	**MOULDING - BACK WINDOW GARNISH - SIDE - INCLUDES ATTACHING PARTS**					
	65/68	A(71)	Refer to Group 40428-9			
	69/70	A(54, 62)	Paint to match	C9AZ 6242416-A	C9AZ 6242417-A	1
	69/70	A(57)	Paint to match	C9AZ 5742416-A	C9AZ 5742417-A	1
	69/70	A(63)	Paint to match	C9AZ 6342416-A	C9AZ 6342417-A	1
	69/70	A(65)	Paint to match	C9AZ 6542416-A	C9AZ 6542417-A	1
	71/	A(53, 57)	Paint to match	D1AZ 5742416-A	D1AZ 5742417-A	1
	71/	A(54)	Paint to match	D1AZ 5442416-A	D1AZ 5442417-A	1
	71/72	A(65) "Before 7/19/72"	Paint to match	D3AZ 6542416-A	D1AZ 6542417-A	1
	72	A(65) "From 7/19/72"	Paint to match	D3AZ 6542416-A	D3AZ 6542417-A	1
	67/68	B(71)	Gold	★C7OZ 7142416-D1G Not replaced (3-74)	C7OZ 7142417-E1G	1
			Red	C6OZ 7142416-DBD	C6OZ 7142417-EBD	1
	68/69	B(63)	Paint to match	★C8OZ 6342416-B Not replaced (3-74)	C8OZ 6342417-B	1
	69	B(71)	Black	C9OZ 7142416-DCA	C9OZ 7142417-ECA	1
			Nugget gold	C9OZ 7142416-DBY	C9OZ 7142417-EBY	1
			Red	C9OZ 7142416-DBD	★C9OZ 7142417-EBD Not repl'd (1-73)	1
	70	B(71)	Black	D0OZ 7142416-D	D0OZ 7142417-D	1
			Blue	D0OZ 7142416-A	D0OZ 7142417-A	1
			Ginger	D0OZ 7142416-B	D0OZ 7142417-B	1
			Green	D0OZ 7142416-E	D0OZ 7142417-E	1
			Red	D0OZ 7142416-C	D0OZ 7142417-C	1
	70/71	B(63)	Paint to match	D0OZ 6342416-A	D0OZ 6342417-A	1
	71	B(71)	Black	D1OZ 7142416-E	D1OZ 7142417-E	1
			Blue	D1OZ 7142416-C	D1OZ 7142417-C	1
			Ginger	D1OZ 7142416-B	D1OZ 7142417-B	1
			Gray gold	D1OZ 7142416-A	D1OZ 7142417-A	1
			Green	D1OZ 7142416-F	D1OZ 7142417-F	1
			Vermilion	D1OZ 7142416-D	D1OZ 7142417-E	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
42416-7	**MOULDING - BACK WINDOW GARNISH - SIDE - INCLUDES ATTACHING PARTS - continued**					
	65	S(63)		C4SZ 6342416-B	★C4SZ 6342417-B Not replaced (3-74)	1
	66	S(63A)				1
	65/66	S(63)	No. 8-15 x 1" Cross recess oval head screw	52376-S13(U296)	52376-S13(U296)	AR
	67/71	S(57)	Paint to match	C7SZ 5742416-B	C7SZ 5742417-B	1
	70	S(65)		D0SZ 6542416-A	D0SZ 6542417-A	1
	71	S(65A, C)				1
	67/69	S(65)	Paint to match	C7SZ 6542416-B	C7SZ 6542417-B	1
	71	S(65B, D)				1
	72	S	Black	D3SZ 6542416-M	D3SZ 6542417-A	1
			Ginger - paint to match	D3SZ 6542416-Q	D3SZ 6542417-A	1
			Gold - paint to match	D3SZ 6542416-P	D3SZ 6542417-A	1
			White - paint to match	D3SZ 6542416-N	D3SZ 6542417-A	1
	66	X(71) "Before 4/1/66	Aqua	C6OZ 7142416-ABG	C6OZ 7142417-ABG	1
			Parchment	C6OZ 7142416-ABF	C6OZ 7142417-ABF	1
			Red	C6OZ 7142316-ABD	C6OZ 7142417-ABD	1
	66	X(71) "From 4/1/66"	Use with C6OZ 71290A14-5-A			
			Aqua	C6OZ 7142416-DBG	★C6DZ 7142417-ABG Not replaced (3-74)	1
			Black	C6OZ 7142416-DBC	★C6DZ 7142417-ABC Not replaced (3-74)	1
	66/68	X(71)	Red	C6OZ 7142416-DBD	★C6DZ 7142417-ABD Not replaced (1-73)	1
	67/68	X(71)	Black	C6OZ 7142416-DBC	C6OZ 7142417-ABC	1
			Parchment	C7OZ 7142416-D1U	★C7DZ 7142417-A1U Not replaced (1-73)	1
	67/69	X(71)	Blue	C7OZ 7142416-BDE	C7DZ 7142417-ABE	1
	69/70	X(71)	Black	C9OZ 7142416-DCA	C9DZ 7142417-ACA	1
			Nugget gold	C9DZ 7142416-DBY	C9DZ 7142417-ABY	1
			Red	C9OZ 7142416-DBD	C9DZ 7142417-ABD	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
42426	**COVER - BACK WINDOW OUTSIDE MOUNTING JOINT**				
	68	A(63)	Lower Corner	C8AZ 6342426-A	1
	69/70	A(65)	Lower Corner	C9AZ 6542426-A	1
	71/	A(53, 57)	Center	D1AZ 5742426-A	1
	71	A(53, 57)	Also refer to Group 403A22		
	67/69	S(65)	Center	C7SZ 6542426-A	1
	71	S(65B, D)			1
42430-1	**MOULDING - BACK WINDOW OUTSIDE TOP - INCLUDES ATTACHING PARTS**				
		- A -			
	65/66	A(54,62)	R.H.	C5AZ 6242430-B	1
			L.H.	C5AZ 6242431-B	1
	67/68	A(54, 62)	R.H.	C7AZ 6242430-A	1
			L.H.	C7AZ 6242431-A	1
	65/67	A(57)	R.H.	C5AZ 5742430-B	1
			L.H.	C5AZ 5742431-B	1
	68	A(57, 65)	R.H.	C8AZ 5742430-A	1
			L.H.	C8AZ 5742431-A	1
	66	A(63)	R.H.	C6AZ 6342430-A	1
			L.H. - Not replaced (3-74)	★C6AZ 6342431-A	1
	67	A(63)	R.H.	C7AZ 6342430-A	1
			L.H.	C7AZ 6342431-A	1
	68	A(63)	R.H.	C8AZ 6342430-A	1
			L.H.	C8AZ 6342431-A	1
	65/69	A(71)		C5AZ 7142430-D	1
	69/70	A(54, 62)	R.H.	C9AZ 6242430-A	1
			L.H.	C9AZ 6242431-A	1
	69/70	A(57)		C9AZ 5742430-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
42430-J	MOULDING - BACK WINDOW OUTSIDE - TOP, - INCLUDES ATTACHING PARTS - continued				
	69	A(63) "Before 3/3/69"	R.H. -end view shaped like this 	C9AZ 6342430-A	1
			L.H. 	C9AZ 6342431-A	1
	69/70	A(63) "From 3/3/69	R.H. -end view shaped like this	C9AZ 6342430-B	1
			L.H. 	C9AZ 6342431-B	1
	69/70	A(65)	R.H.	C9AZ 6542430-A	1
			L.H.	C9AZ 6542431-A	1
	71/	A(53,57)	R.H.	D1AZ 5742430-A	1
			L.H.	D1AZ 5742431-A	1
	71/	A(54)	R.H.	D1AZ 5442430-A	1
			L.H.	D1AZ 5442431-A	1
	71/	A(65)	R.H. - bright finish - w/o two-tone paint or vinyl roof cover	D1AZ 6542430-A	1
			L.H.	D1AZ 6542431-A	1
			R.H. - black - w/two-tone paint or vinyl roof cover	D1AZ 6542430-B	1
			L.H.	D1AZ 6542431-B	1
			R.H. - white - w/two-tone paint or vinyl roof cover	D1AZ 6542430-C	1
			L.H.	D1AZ 6542431-C	1
		- B -			
	66/67	B(54)	R.H. - Also used on side	C6OZ 5442430-A	1
			L.H.	C6OZ 5442431-A	1
	66/67	B(62)	R.H.	C6OZ 6242430-A	1
			L.H.	C6OZ 6242431-A	1
	67	B(66)	R.H. - snap on type	C6DZ 6642430-A	1
			L.H.	C6DZ 6642431-A	1
	68/69	B(54)	R.H.	C8OZ 5442430-A	1
			L.H.	C8OZ 5442431-A	1
	68/69	B(63)	R.H.	C8OZ 6342430-A	1
			L.H.	C8OZ 6342431-A	1
	68/69	B(65)	R.H.	C8OZ 6542430-A	1
			L.H.	C8OZ 6542431-A	1
	68/69	B(66)	R.H.	C8OZ 6642430-B	1
			L.H.	C8OZ 6642431-B	1
			No. 8-18 x 3/8" Round washer head screw	379560-S101(UU89CA)	AR
	70/71	B(54,57)	R.H.	D0OZ 5442430-A	1
			L.H.	D0OZ 5442431-A	1
	70/71	B(63)	R.H.	D0OZ 6342430-A	1
			L.H.	D0OZ 6342431-A	1
	70/71	B(62,65)	R.H.	D0OZ 6542430-A	1
			L.H.	D0OZ 6542431-A	1
	70/71	B(66)		D0OZ 6642430-B	1
	66/71	B(71)		C6OZ 7142430-A	1
	72	B(53,65)	R.H.	D2OZ 6542430-A	1
			L.H.	D2OZ 6542431-A	1
	72	B(63)	R.H.	D2OZ 6342430-A	1
			L.H.	D2OZ 6342431-A	1
		- F -			
	65/66	F(63)	R.H.	C5ZZ 6342430-A	1
			L.H.	C5ZZ 6342431-A	1
	65/66	F(65)		C5ZZ 6542430-A	1
	67/68	F(63)		C7ZZ 6342430-A	1
	69/70	F(63)	R.H. - bright finish	C9ZZ 6342430-A	1
			L.H.	C9ZZ 6342431-A	1
	67/70	F(65)		C7ZZ 6542430-A	1
	70	F(63)	R.H. - black	D0ZZ 6342430-A	1
			L.H.	D0ZZ 6342431-A	1
	71/	F(63)	R.H.	D1ZZ 6342430-A	1
			L.H.	D1ZZ 6342431-A	1
	71/	F(65)	R.H.	D1ZZ 6542430-A	1
			L.H.	D1ZZ 6542431-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
42430-1	**MOULDING - BACK WINDOW OUTSIDE - TOP - INCLUDES ATTACHING PARTS - continued**				
		- L -			
	71/	L(62)	R.H.	D1FZ 6242430-A	1
			L.H.	D1FZ 6242431-A	1
	71	L(64) " Before 7/12/71"	R.H.-with small window	D1FZ 6442430-B	1
			L.H.	D1FZ 6442431-B	1
	71/	L(64) " From 7/12/71"	Refer to Group 42492-3(large window)		
		- P -			
	70/72	P(62) " Before 4/3/72"	Snap-on	D0DZ 6242430-A	1
	72	P(62) " From 4/3/72"		D2DZ 6242430-A	1
	71/	P(54)	R.H.	D1DZ 5442430-A	1
			L.H.	D1DZ 5442431-A	1
		- S -			
	65/66	S(63A)		C4SZ 6342430-A	1
	72	S	R.H.	D2SZ 6542430-A	1
			L.H.	D2SZ 6542431-A	1
		- U -			
	67/72	U(97)	R.H.	C7TZ 9742430-B	1
			L.H.	C7TZ 9742431-B	1
	67/72	U(98)	R.H.	C7TZ 9842430-B	1
			L.H.	C7TZ 9842431-B	1
		- X -			
	66/70	X(54)	R.H. -also used on side	C6OZ 5442430-A	1
			L.H.	C6OZ 5442431-A	1
	66/70	X(62)	R.H.	C6OZ 6242430-A	1
			L.H.	C6OZ 6242431-A	1
	66/70	X(71)		C6OZ 7142430-A	1
42435	**RETAINER - BACK WINDOW OUTSIDE UPPER MOULDING**				
	69/	A(71)		C9AZ 7142435-A	6
42450	**COVER - BACK WINDOW OUTSIDE MOULDING JOINT UPPER**				
	71/	A(53,57)		D1AZ 5742450-A	1
42450	**CLIP - QUARTER WINDOW MOULDING OUTER FRAME SET**				
	66	F(GT350)		S2MS 42450-A	4
42452-3	**MOULDING - BACK WINDOW OUTSIDE UPPER CORNER-INCLUDES ATTACHING PARTS**				
	70/71	B(66)	R.H.	D0OZ 6642452-B	1
			L.H.	D0OZ 6642453-B	1
42456-7	**MOULDING - BACK WINDOW GARNISH LOWER - PAINT TO MATCH - INCLUDES ATTACHING PARTS**				
	67	A(54,62)	Refer to Group 02600 in Soft Trim Section		
	69/70	A(54,62)		C9AZ 6242456-A	1
	69/70	A(57)		C9AZ 5742456-A	1
	69/70	A(63)		C9AZ 6342456-A	1
	69/70	A(65)	R.H.	C9AZ 6542456-A	1
			L.H.	C9AZ 6542457-A	1
	71/	A(53,57)		D1AZ 5742456-A	1
	71/	A(54)		D1AZ 5442456-A	1
	71/	A(65)	R.H.	D1AZ 6542456-A	1
			L.H.	D1AZ 6542457-A	1
	68/69	B(63)		C8OZ 6342456-A	1
	70	B(63) "Before 12/15/69"		D0OZ 6342456-A	1
	70/71	B(63) "From 12/15/69"		D0OZ 6342456-B	1
	67/71	S(57)		C7SZ 5742456-B	1
	72	S		D2SZ 6542456-A	1
42458	**COVER - BACK WINDOW GARNISH MOULDING JOINT**				
	69/70	A(65)	Paint to match	C9AZ 6542458-A	1
42460	**COVER - BACK WINDOW OUTSIDE SIDE MOULDING JOINT**				
	67/69	S(65)		C7SZ 6542460-A	1
	71	S(65B,D)			1
424A62-3	**TUBE and BAFFLE ASSY. - BACK WINDOW HOUSING DRAIN**				
	65/66	A(57)	R.H.	C5AZ 57424A62-B	1
			L.H.	C5AZ 57424A63-B	1
			Clamp	C4SZ 63423B12-B	2
	65/66	S(63)	R.H.	C4SZ 63424A62-D	1
			L.H.	C4SZ 63424A63-D	1
			No.10-12 x 1/2" Hex.washer head screw	42127-S7-8(U248C)	8
	67/71	S		C7SZ 65424A62-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
42468	**RETAINER - BACK WINDOW UPPER GARNISH MOULDING**				
	67/70	S(65)		C7SZ 6542468-A	4
	67/71	S(57)		C7SZ 5742468-A	5
	71	S(65B, D)		D1SZ 6542468-A	4
424A68	**PANEL - BACK WINDOW LOWER FRAME TRIM** - Paint to match				
	69/70	F(63)	With folding rear seat	C9ZZ 63424A68-A	1
	71/	F(63)	With folding rear seat	D1ZZ 63424A68-A	1
			Without folding rear seat	D1ZZ 63424A68-B	1
424A78	**RETAINER - BACK WINDOW LOWER FRAME TRIM PANEL - CENTER**				
	69	F(63)	Paint to match -with folding rear seat	C9ZZ 63424A78-A	1
424A80	**RETAINER - BACK WINDOW LOWER FRAME TRIM PANEL**				
	69/70	F(63)	With folding rear seat	C9ZZ 63424A80-A	2
			Without folding rear seat	C9ZZ 63424A80-B	2
424A86	**RETAINER - BACK WINDOW OUTSIDE LOWER MOULDING - CENTER**				
	69/70	F(65)		C9ZZ 65424A86-A	1
424A90	**MOULDING - BACK WINDOW - OUTSIDE - INCLUDES ATTACHING PARTS**				
	65/66	A(71)	Upper outer	C5AZ 71424A90-C	1
	67/69	A(71)	Upper outer	C7AZ 71424A90-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
42492-3	**MOULDING - BACK WINDOW OUTSIDE - SIDE - INCLUDES ATTACHING PARTS**					
		- A -				
	65/66	A(54,62)		C5AZ 6242492-B	C5AZ 6242493-B	1
	67	A(57)		C7AZ 5742492-A	C7AZ 5742493-A	1
	69/70	A(57)		C9AZ 5742492-A	C9AZ 5742493-A	1
	71/	A(65)	Bright finish-w/o two-tone paint or vinyl roof cover	D1AZ 6542492-A	D1AZ 65 42493-A	1
			Black-w/two-tone paint or vinyl roof cover	D1AZ 6542492-B	D1AZ 6542493-B	1
			White-w/two-tone paint or vinyl roof cover	D1AZ 6542492-C	D1AZ 6542493-C	1
	69/	A(71)		C9AZ 7142492-A	C9AZ 7142493-A	1
		- B -				
	66/67	B(62)		C6OZ 6242492-A	C6OZ 6242493-A	1
	68/69	B(65)		C8OZ 6542492-A	C8OZ 6542493-A	1
	68	B(66)	With vinyl roof cover	C8OZ 6642492-D	C8OZ 6642493-D	1
	68/69	B(66)	Without vinyl roof cover	C8OZ 6642492-C	C8OZ 6642493-C	1
	68/69	B(66)	No. 8-18 x 3/8" Round washer head	379560-S101(UU89CA)	379560-S101(UU89CA)	AR
	70/71	B(54, 57)		D0OZ 5442492-A	D0OZ 5442493-A	1
	70/71	B(62, 65)		D0OZ 6542492-A	D0OZ 6542493-A	1
	70/71	B(66)		D0OZ 6642492-A	D0OZ 6642493-A	1
	66/	B(71)		C6OZ 7142492-A	C6OZ 7142493-A	1
	72	B(97)		D2OZ 9742492-A	D2OZ 9742493-A	1
		- F -				
	65/66	F(65)		C5ZZ 6542492-A	C5ZZ 6542493-A	1
	67/68	F(65)		C7ZZ 6542492-A	C7ZZ 6542493-A	1
	67/69	F(63)		C7ZZ 6342492-A	C7ZZ 6342493-A	1
	69	F(65)	Paint to match	C9ZZ 6542492-A	C9ZZ 6542493-A	1
		- L -				
	71/	L(64) " From 7/12/71"	w/large window	D2FZ 6442492-A	D2FZ 6442493-A	1
	72	L(73)		D2FZ 7342492-A	D2FZ 7342493-A	1
	71	L(64) " Before 7/12/71"	Refer to Group 42430-1	(small window)		
		- P -				
	70/	P(62)		D0DZ 6242492-A	D0DZ 6242493-A	1
		- S -				
	67/71	S(57)		C7SZ 5742492-B	C7SZ 5742493-B	1
	67/69	S(65)		C7SZ 6542492-A	C7SZ 6542493-A	1
	71	S(65B,D)				1
	70	S(65)		D0SZ 6542492-A	D0SZ 6542493-A	1
	71	S(65A,C)				1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
42492-3	**MOULDING - BACK WINDOW OUTSIDE - SIDE - INCLUDES ATTACHING PARTS - continued**					
		- U -				
	67/	U(97)	Insert joint	C7TZ 9742492-B	C7TZ 9742493-B	1
	67/	U(98)	Insert joint	C7TZ 9842492-B	C7TZ 9842493-B	1
		- X -				
	66/70	X(62)		C6OZ 6242492-A	C6OZ 6242493-A	1
	66/70	X(71)		C6OZ 7142492-A	C6OZ 7142493-A	1
42495	**PLATE - LUGGAGE COMPARTMENT NAME**					
	70	A(54A,B,57B,63B,65C,76A)	"500"		D0AZ 6242495-A	1
425A02-3	**PANEL - LUGGAGE COMPARTMENT DOOR OUTSIDE FINISH - INCLUDES ATTACHING PARTS**					
		- A -				
	68	A(54A, 57B, 63B, 65C, 76A)			C8AZ 54425A02-A	1
	68	A(54B, 62B)			C8AZ 62425A02-A	1
	68	A(54C, 57F, 63C, 65A, 76B)			C8AZ 54425A02-B	1
		- B -				
	66	B(54B, 62B, 63B, 76B)	"FAIRLANE 500"-Refer to Group 42528			
	66	B(63C, 76C)	"FAIRLANE XL"		C6OZ 63425A02-D	1
	66	B(63D, 76D)	"FAIRLANE G.T."		C6OZ 63425A02-E	1
			"FAIRLANE G.T.A."		C6OZ 63425A02-F	1
	67	B(54B, 62B, 63, 76)			C7OZ 62425A02-A	1
	69	B(54C, 65C)	"FORD"		C9OZ 54425A02-A	1
	69	B(65D, F, 76D, F)	"GT"		C9OZ 65425A02-B	1
	70	B(63)	R.H. -includes "FORD" letters		D0OZ 63425A02-A	1
	71	B(63F)				
			L.H. - less "FORD" letters		D0OZ 63425A03-A	1
		- X -				
	66	X(54B, 62B, C)	"FALCON"		C6DZ 62425A02-A	1
	67	X(54B, 62B, C)	"FALCON"		C7DZ 62425A02-A	1
42507	**PANEL - TAILGATE OUTSIDE FINISH - INCLUDES ATTACHING PARTS** - Also refer to Group 40282					
	70/71	B(66B)	Includes "FORD" letters		D0OZ 6642507-A	1
	72	B(97D)			D2OZ 9742507-A	1
42510	**MOULDING - LUGGAGE COMPARTMENT DOOR UPPER - INCLUDES ATTACHING PARTS**					
	66	A(54A, 57B, 63B, 76A)			C6AZ 5442510-A	1
	69/70	F(63-GT350/500)	Adhesive backed		C9ZZ 6342510-A	1
	69/70	F(76-GT350/500)	Adhesive backed		C9ZZ 7642510-A	
42512-3	**MOULDING - LUGGAGE COMPARTMENT DOOR - INCLUDES ATTACHING PARTS**					
		- A -				
	65	A(54A, 57, 63, 76)	R.H.		C5AZ 5442512-A	1
			L.H.		C5AZ 5442513-A	1
	66	A(54B, 62B)			C6AZ 6242512-A	1
	67	A(54A, 57B, 63B, 76A)			C7AZ 5442512-A	1
	67	A(54B, 62B)			C7AZ 6242512-A	1
	67	A(54C, 57F, 63C, J, 76B)			C7AZ 6342512-B	1
	68	A(54A, B, C, 57, 63, 65, 76)			C8AZ 5442512-B	1
	69	A(54A, B, C, 57, 62B, 63, 65, 76)			C9AZ 5442512-A	1
	70	A(54A,B,C,57,62B,63,65,76)	R.H.		D0AZ 6242512-A	1
			L.H.		D0AZ 6242513-A	1
	71	A(53, 54D, F, 57, 65, 76)			D1AZ 6542512-A	1
		- B -				
	68	B(54B,65B,D,E,76)			C8OZ 5442512-B	1
	69	B(54B,C,65A,B,C,D,E,F,76)			C9OZ 5442512-A	1
	68/69	B(63)			C9OZ 6342512-A	1
	72	B(53D, 63R, 65D, R)			D2OZ 6542512-B	1
		- F -				
	67/68	F(65,76)			C7ZZ 6542512-A	1
	67/69	F(63)			C7ZZ 6342512-A	1
			No.8-32 Nut & washer assy.(hex.)		377523-S100(MM291C)	2
	69	F(65, 76)			C9ZZ 6542512-A	1
	67	F	No.8-32 Nut (crown)		377522-S100(MM115D)	9
		- L -				
	71/	L			D1FZ 6242512-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
42512-3	**MOULDING - LUGGAGE COMPARTMENT DOOR - INCLUDES ATTACHING PARTS - continued**				
		- P -			
	70	P(62)		D0DZ 6242512-A	1
	71/	P(except 62A, LTD)		D1DZ 5442512-A	1
	72	P(62A, LTD)		D14Z 6242512-A	1
		- S -			
	67/68	S		C7SZ 6542512-A	1
	67	S	No. 8-32 Nut (crown)	377522-S100(MM115D)	9
	69/71	S		C9SZ 6542512-A	1
	72	S		D2SZ 6542512-A	1
		- X -			
	65	X(54B, 62B, 63B, 76A)		C5DZ 6242512-A	1
	68/70	X(54B, 62B, C)		C9DZ 6242512-A	2
425A16	**RETAINER - BODY OUTSIDE MOULDING**				
	71	A(54F. 57F. 65F)		C8MY 71425A16-A	AR
	71	B(57E, 65E)			AR
425A20	**PANEL - TAILGATE INSIDE BELT FINISH**				
	65	B(71)	Includes attaching parts	C3OZ 71425A20-A	1
42527	**RETAINER - MOULDING**				

REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER

42528	**PLATE - NAME - INCLUDES ATTACHING PARTS**				
		- A -			
	70	A(54A, 57B, 63B, 65C, 76A)	"Galaxie"	D0AZ 5442528-A	1
	70	A(54A, B, 57B, 63B, 65C, 76A)	"500" - Refer to Group 42495		
	70	A(54B)	"Custom"	D0AZ 6242528-A	1
	70	A(71)	Refer to Group 25622 for "Custom" name plate		
	71	A(54B, D, 71B, D, F)	"Custom"	D1AZ 5442528-A	1
	72	A(54B, D, 71D)			1
	72	A(54F, 57F, 65F)	"Galaxie"	D2AZ 6542528-A	1
		- B -			
	65	B(65B)	"Sports Coupe"	C2OZ 6242528-A	1
	66	B(54B, 62B, 63B, 76B)	"Fairlane 500"	C6OZ 6242528-A	1
	66	B(63C, D, 76C, D)	Refer to Group 425A02		
	67	B(54B, 62B, 63B, 66B, 76B)	"Fairlane 500"	C7OZ 6242528-A	1
	67	B(63D, 76D)-Std. trans.	Fairlane "GT"	C7OZ 6342528-B	1
	67	B(66, 71)	"Ford Fairlane"	C7OZ 7142528-B	1
	68/69	B(54A, B, 65B, 76B, E)	"Fairlane"	C8OZ 5442528-A	1
	69	B(63B, E, 65A, E)	"Cobra"-on front fender, lower back panel or luggage compartment door-for Cobra snake refer to Group 403A72	C9OZ 6542528-A	1
	68/69	B(66)	"Ranchero"- also used on front fender	C8OZ 6642528-A	1
	70/71	B(63H, 65H)	Refer to Group 16B196 in Chassis Section		1
	70	B(54A, 62)	"Falcon"	C8DZ 6242528-A	1
	70	B(71D)	"Falcon"		1
	71	B(66C)	"GT"-On tail gate	D1OZ 6642528-A	3
	72	B(53B, 65B)	"Torino"-#D2OB 6542528-AA	D2OZ 6542528-A	1
	72	B(53D, 63R, 65D, R)	"Gran"	D2OZ 6542528-B	1
			"Torino"-#D2OB 6542528-BA	D2OZ 6542528-C	1
		- F -			
	72	F(o3D, exc. Boss)	"Mustang"	D2ZZ 6342528-A	1
		- L -			
	71/	L(64)	"Runabout"	D1FZ 6442528-A	2
	72	L(73)	"Squire" -with studs	D2FZ 7342528-A	1
		- P -			
	70/	P(62)	"Maverick"-adhesive backed-also used on radiator grille ornament (8213)	D0DZ 6242528-A	1
		- X -			
	67	X(71)	"Falcon"	C7DZ 7142528-A	1
	68/70	X	"Falcon" - on quarter panel	C8DZ 6242528-A	1
42531	**RETAINER - LIFTGATE OUTSIDE UPPER MOULDING**				
	72	L(73)	Nylon	D2FZ 7342531-A	7

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
42533	**RETAINER - MOULDING**				
	69/70	A(except 54E, 71)	Also used with front door moulding	C9AZ 6242533-A	9
	71	A(except 71H)	Also used with front door moulding	D1AZ 6542533-A	AR
	70/71	S	Luggage compt.	D0SZ 6542533-A	9
	72	B(53D,63R,65D,R)	Used with lower back panel extension moulding	D3OZ 6542533-A	8
42552	**SPACER - BACK WINDOW OUTSIDE SIDE MOULDING**				
	69/70	F(65)		C9ZZ 6542552-A	4
42554	**SPACER - BACK WINDOW OUTSIDE MOULDING**				
	71/	A(65)		D1AZ 6542554-A	1
425A82	**PLATE - LUGGAGE COMPARTMENT DOOR ORNAMENT**				
	65	A(54A, 57, 63, 76)		C5AZ 54425A82-A	1
42592	**RETAINER - LUGGAGE COMPARTMENT DOOR OUTSIDE FINISH PANEL**				
			REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER		
425A94	**RETAINER - TAILGATE OUTSIDE FINISH RAIL**				
			REFER TO APPROPRIATE EXTERIOR MOULDING ILLUSTRATION FOR COMPLETE RETAINER PART NUMBER		
42602	**STRIPE - TAILGATE DOOR** -Also refer to Group 20000-1				
	72	B(97R)	Blue	D2OZ 9742602-A	1
			Orange	D2OZ 9742602-C	1
			Silver	D2OZ 9742602-D	1
			Yellow	D2OZ 9742602-B	1
42624	**PLATE - TAILGATE SCUFF**				
	66/68	B(71)	Used with manual window	C6OZ 7142624-B	1
	69/71	B(71)	Also used with auxiliary seat		1
	66/	B(71)	No. 8-18 x 3/8" Cross recess truss head screw	376378-S101(UU97)	7

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
42700-1	**HINGE - LUGGAGE COMPARTMENT DOOR**					
			- A -			
	65/66	A(except 57,71)		C5AZ 6242700-B	★C5AZ 6242701-B Not replaced (3-74)	1
	67	A(54, 57, 62, 76)		C7AZ 6242700-B	★C7AZ 6242701-B Not replaced (5-75)	1
	68	A(54, 57, 62, 65, 76)		C8AZ 6242700-A	C8AZ 6242701-A	1
	68	A(63)		C8AZ 6342700-B	C8AZ 6342701-B	1
	69/	A(except 71)		C9AZ 6242700-A	C9AZ 6242701-A	1
	65/68	A(except 71)	5/16"-18 x 1 5/8"Hex. hd. screw & washer assy.	359530-S8(BB576)	359530-S8(BB576)	AR
			5/16"-18 x 1.19" Nut & retainer assy. "J" shape	379831-S2(MM192M)	379831-S2(MM192M)	AR
			- B -			
	68/69	B(54, 65, 76)		C8OZ 5442700-B	C8OZ 5442701-B	1
	68/69	B(63)		C8OZ 6342700-B	C8OZ 6342701-B	1
	70/71	B(except 66, 71)		C9AZ 6242700-A	C9AZ 6242701-A	1
	65/71	B(except71)	5/16"-18 x 1 5/8"Hex. hd.screw & washer assy.	359530-S8(BB576)	359503-S8(BB576)	AR
			5/16"-18 x 1 3/16"Nut & retainer assy. "J" shape	379831-S2(MM192M)	379831-S2(MM192M)	AR
	65/71	B(except 66, 71)	5/16"-18 x 3/4" Hex. hd. screw & washer assy.	359662-S7-8(BB575A)	359662-S7-8(BB575A)	AR
	72	B(53, 65)		D4OZ 6542700-A	D2OZ 6542701-A	1
	72	B(63)		D2OZ 6342700-A	D2OZ 6342701-A	1
			- F -			
	65/66	F(65, 76)		C4DZ 6242700-A	C4DZ 6242701-B	1
	67/68	F(63)		C7ZZ 6342700-D	C7ZZ 6342701-C	1
	67/68	F(65, 76)		C7ZZ 6542700-C	C7ZZ 6542701-C	1
	69	F(65, 76)	Also use D0ZZ 6544890-A with L. H. hinge when reworking R. H. hinge - incl. L S.	C9ZZ 6542700-A	C9ZZ 6542701-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
42700-1	**HINGE - LUGGAGE COMPARTMENT DOOR - continued**					
		- F -				
	69/70	F(63)		C9ZZ 6342700-A	C9ZZ 6342701-A	1
	70	F(65,76)		D0ZZ 6542700-A	D0ZZ 6542701-A	1
	71/	F(63)		D1ZZ 6342700-A	D1ZZ 6342701-A	1
	71	F(65,76) "Before 4/1/71"		D1ZZ 6542700-B	D1ZZ 6542701-A	1
	71/	F(65,76) "From 4/1/71"		D1ZZ 6542700-B	D1ZZ 6542701-B	1
	65/	F	5/16"-18 x 3/4" Hex. hd. screw & washer assy.	359662-S7-8(BB575A)	359662-S7-8(BB575A)	AR
			5/16"-18 x 1 3/16"Nut & retainer assy. "J"shape	379831-S2(MM192M)	379831-S2(MM192M)	4
		- L -				
	71/	L(62)		D1FZ 6242700-A	D4FZ 6242701-A	1
	71	L(64) "Before 7/12/71"	With small window	D1FZ 6442700-A	D1FZ 6442701-A	1
	71/	L(64) "From 7/12/71"	With large window	D2FZ 6442700-A	D2FZ 6442701-A	1
			Nut & washer-1/4"-20 x 3/4	383278-S2(MM296AG)	383278-S2(MM296AG)	4
		- P -				
	70/	P(62)		D0DZ 6242700-A	D0DZ 6242701-A	1
	71/	P(54)		D1DZ 5442700-A	D1DZ 5442701-A	1
		- S -				
	65/66	S(63)		C4SZ 6342700-A	C4SZ 6342701-A	1
			5/16"-18 x 3/4" Hex. hd. screw & washer assy.	359662-S7-8(BB575A)	359662-S7-8(BB575A)	10
	67	S		C7SZ 6542700-A	C7SZ 6542701-A	1
	68/69	S		C8SZ 6542700-B	C8SZ 6542701-B	1
	70/71	S(57)				1
	71	S(65B,D)				1
	70	S(65)		D0SZ 6542700-B	D0SZ 6542701-B	1
	71	S(65A,C)				1
	72	S "Before 8/16/71"		D2SZ 6542700-B	D2SZ 6542701-A	1
	72	S "From 8/16/71"		D2SZ 6542700-B	D2SZ 6542701-B	1
		- X -				
	65	X(54,62,63,76)		★C4DZ 6242700-B Not replaced (5-75)	C4DZ 6242701-B	1
	66/67	X(54,62)		C6OZ 6242700-A	C6OZ 6242701-A	1
	68/70	X(54,62)		C8OZ 5442700-B	C8OZ 5442701-B	1
	65/70	X(54,62,63,76)	5/16"-18 x 3/4" Hex. hd. screw & washer assy.	359662-S7-8(BB575A)	359662-S7-8(BB575A)	AR
42704-5	**BRACKET - LUGGAGE COMPARTMENT DOOR HINGE TO WHEELHOUSE**-Refer to Group 42738-9					
427A24	**BRACKET - LUGGAGE COMPARTMENT DOOR HINGE TO FLOOR PAN**					
	67/69	A(except 71,76)		C7AZ 62427A24-A	C7AZ 62427A24-A	2
	70	S(65)		D0SZ 65427A24-A	D0SZ 65427A24-A	2
	71	S(65A,C)				2
	67/69	S		C7AZ 62427A24-A	C7AZ 62427A24-A	2
	71	S(57,65B,D)				2
42738-9	**BRACKET - LUGGAGE COMPARTMENT DOOR HINGE TO WHEELHOUSE**					
	68/69	B(54,65)		C8OZ 5442738-A	C8OZ 5442739-A	1
	70/71	B(54,57,62,65,76)		D0OZ 6542738-A	D0OZ 6542739-A	1
	70/71	B(63)		D0OZ 6342738-A	D0OZ 6342739-A	1
	72	B(53,63,65)		D2OZ 6542738-A	D2OZ 6542738-A	1
	65/66	F(65,76)		C2GB 6242704-A	C2GB 6242705-A	1
	65/70	F(65,76)	Upper	C5ZZ 6542704-A	C5ZZ 6542705-A	1
	70/	P		D0DZ 6242738-A	D0DZ 6242738-A	2
	68/70	X(54,62)		C8DZ 6242738-A	C8DZ 6242739-A	1
42744-5	**BRACKET - LUGGAGE COMPARTMENT DOOR HINGE TO WHEELHOUSE**					
	69/70	F(65,76)	Lower	C9ZZ 6542744-A	C9ZZ 6542745-A	1
	71/	F(65,76)		D1ZZ 6542744-A	D1ZZ 6542745-A	1
	72	S		D2SY 6542744-A	D2SY 6542744-A	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
427A48	**BRACKET - LUGGAGE COMPARTMENT DOOR LIFT ON BODY**				
	72	L(64)	Paint to match	D2FZ 64427A48-A	2
42752	**PLATE - LUGGAGE COMPARTMENT DOOR HINGE ANCHOR ON DOOR**				
	69/	A(exc.71)		C9AZ 6242752-A	2
	69/71	B(exc.66,71)			2
	72	B(exc. 71,97), F(65,76)			2
	69/70	F			2
	71	F "From 3/31/71"			2
	70/	P,S			2
	71	F "Before 3/31/71"		D1ZZ 6542752-A	2
42758	**ROLLER - LUGGAGE COMPARTMENT DOOR TORSION BAR**				
	66/67	B(54, 62, 63, 76), X(54, 62)		C6OZ 6242758-A	2
42760	**SPRING - LUGGAGE COMPARTMENT DOOR HINGE**				
	71/72	L(64) "Before 12/1/71"		D1FZ 6442760-A	2
427A88	**COVER - LUGGAGE COMPARTMENT DOOR HINGE ACCESS HOLE**				
	71/	L(64)	Black	D1FZ 64427A88-A	AR
			Blue	D1FZ 64427A88-B	AR
			Ginger	D1FZ 64427A88-D	AR
			Green	D1FZ 64427A88-C	AR
	72	L(64)	Beige	D2FZ 64427A88-A	AR
			White	D2FZ 64427A88-B	1
			Avocado	D2FZ 64427A88-C	1
			Orange	D2FZ 64427A88-D	1
42792	**SUPPORT - LUGGAGE COMPARTMENT DOOR HINGE TO BODY**				
	67/71	S(57)	R.H.	C7SZ 5742792-A	1
			L.H.	C7SZ 5742792-B	1
	67/69	S(65)	R.H.	C7SZ 6542792-A	1
	71	S(65B, D)			
			L.H.	C7SZ 6542792-B	1
427A94-5	**SUPPORT - LUGGAGE COMPARTMENT DOOR LIFT BRACKET**				
	72	L(64) " From 12/1/71"	R.H.	D2FZ 64427A94-A	1
		" From 12/1/71"	L.H.	D2FZ 64427A95-A	1
42810-1	**BRACKET - LUGGAGE COMPARTMENT DOOR HINGE SUPPORT**				
	68/69	B(63)	R.H.	C8OZ 6342810-A	1
			L.H.	C8OZ 6342811-A	1
42840-1	**PAD - LUGGAGE COMPARTMENT DOOR HINGE ON BODY**				
	71	L(64) "Before 7/12/71"	R.H.-with small window	D1FZ 6442840-A	1
			L.H.	D1FZ 6442841-A	1
	71/	L(64) "From 7/12/71"	R.H. and L.H.-with large window	D2FZ 6442840-A	2
42842-3	**PAD - LUGGAGE COMPARTMENT DOOR HINGE ON DOOR**				
	71	L(64) "Before 7/12/71"	R.H. -with small window	D1FZ 6442842-A	1
			L.H.	D1FZ 6442843-A	1
	71/	L(64) "From 7/12/71"	R.H. -with large window	D2FZ 6442842-A	1
			L.H.	D2FZ 6442843-A	1
42858	**SPRING - LUGGAGE COMPARTMENT DOOR COUNTERBALANCE**				
	67/70	F(63)	Without torsion bar	C7ZZ 6342858-A	1
42900-1	**HINGE - LIFTGATE**				
	72	L(73)	R.H.	D3FZ 7342900-A	1
			L.H.	D3FZ 7342901-A	1
			Screw & washer-1/4" -20 x 3/4"	371492-S2(BB569)	8
42942	**REINFORCEMENT - LIFTGATE HINGE ON BODY**				
	69/	U(98)		C9TZ 9842942-A	1
42946	**COVER - LIFTGATE HINGE**				
	72	L(73)	Paint to match-(Black)	D3FZ 7342946-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
43000-1	**HINGE - TAILGATE**					
	65	A(71)		C5AZ 7143000-A	C5AZ 7143001-A	1
	65	B(71)		C3OZ 7143000-A	C3OZ 7143001-A	1
	66/71	B(66,71)	Single action tail gate	C6DZ 7143000-B	C6DZ 7143001-B	1
	72	B(97)		D2OZ 9743000-A	D2OZ 9743001-A	1
	66/	U		C4TZ 9943000-A	C4TZ 9943000-A	2
			Bolt-hex. head-3/8"-16 x 1"	20388-S8(B80)	20388(B80)	4
			Lockwasher - 3/8"	34847-S8(X74)	34847-S8(X74)	4
	66	X(66,71) "Before 3/21/66"	Single action tail gate	C6DZ 7143000-A	C6DZ 7143001-B	1
	66	X(66,71) "From 3/21/66"	Single action tail gate	C6DZ 7143000-B	C6DZ 7143001-B	1
	67/70	X(71)				1
	66/71	B(66)	3/8"-16 x 1 1/2" Flat hd. screw & washer assy.	380837-S7-8 (BB110D)	380837-S7-8 (BB110D)	2
	66/70	X(66,71)				2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
430B06	**HINGE - TAILGATE LOWER - ON BODY**				
	69/72	A(71)		C9AZ 71430B06-A	1
	72	B(71)			1
430B08	**HINGE - TAILGATE LOWER ON GATE**				
	69/	A(71) "Before 9/5/72"		C9AZ 71430B08-A	1
	72	B(71)			1
430A12	**ANTI-SQUEAK - TAILGATE COUNTERBALANCE SPRING**				
	69/	A(71), B(66, 71)	Refer to Group 44890-1		
	65	X(59, 71, 78)	2" long- cut from B9A 17543-A	★	
430A16-7	**RETAINER - TAILGATE FILLER AT BELT**				
	69/	U(98)	R. H.	C9TZ 98430A16-A	1
			L. H.	C9TZ 98430A17-A	1
430A20	**PIVOT - TAILGATE LOWER HINGE**				
	66/69	A(71), B(71), X(71)	7/16"-14 x 2 1/2" Hex. head	C6AZ 71430A20-A	1
	69/	A(71), B(71)	1/2" x 2 3/16" Round head	C9AZ 71430A20-A	1
430A28	**PLATE - TAILGATE COUNTERBALANCE TORSION BAR MOUNTING**				
	66	A(71), B(71), X(66, 71)		C6AZ 71430A28-A	1
	67/68	A(71), B(66, 71), X(71)			1
	69/71	B(66, 71)			1
	69/70	X(71)			1
			5/16"-15 x 5/8" Flat head screw & washer assy.	★380212-S8	2
	69/	A(71)		C9AZ 71430A28-A	1
	72	B(71, 97)			1
			5/16"-18 x 15/16" Hex. head screw & washer assy.	359662-S7-8(BB575A)	4
43030	**PIN - HINGE**				
	65/66	S(76)	11/32" dia. x 3 9/16" long-luggage compartment	B9A 5943030-A	2
	65/	A, B, F, S	Doors cut to fit		AR
	65/71	X	Doors - cut to fit		AR
	66/67	U	Door - 1/4" dia. x 2 5/16" long - serviced only in assy. - Refer to Group 22800-1		
	68/	U	Door-9/32" dia. x 2 3/8" long	C8AZ 8143030-A	4
430A30	**BRACKET - TAILGATE COUNTERBALANCE TORSION BAR CENTER**				
	65/67	A(71)	In tail gate	C5AZ 71430A30-A	1 or 2
	66	B(71), X(66, 71)			2
	67/71	B(66, 71)			2
	67/70	X(71)			2
	66	A(71), B(71), X(66, 71)	On body	C6AZ 71430A30-A	1
	67/68	A(71), B(66, 71), X(71)			1
	69/71	B(66, 71)			1
	69/70	X(71)			1
	69/	A(71)	One hole-9/32" dia.	C9AZ 71430A30-A	2
			Two holes-9/32" dia.	C9AZ 71430A30-B	2
	72	B(71, 97)		D2OZ 71430A30-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
430A48	**STOP - TAILGATE LOWER HINGE**				
	66/68	A(71), B(71), X(71) - "Before 5/13/68"	Dual action tail gate	C6AZ 71430A48-A	1
	66/68	A(71), B(71)- "From 5/13/68"	Dual action tail gate	C6AZ 71430A48-B	1
			5/16"-18 x 5/8" Flat hd.screw & washer assy.	382528-S100(BB116B)	2or3
			5/16"-18 Pierce nut	34362-S(M91)	3
43050	**RETAINER - TAILGATE COUNTERBALANCE TORSION BAR**				
	65	A(71)		C5AZ 7143050-A	1
	66	A(71), B(71), X(71)	Dual action tail gate	C6AZ 7143050-A	1
	67/	A(71)			1
	67/71	B(66, 71)			1
	67/70	X(71)			1
			5/16"-18 x 3/4" Hex. head screw & washer assy.	359662-S7-8(BB575A)	2
			1/4"-20 x 1/2" Hex. washer head tapping screw	40927-S8(U262)	1
	72	B(71)	Dual action tail gate - on body	D2OZ 7143050-A	1
	72	B(97)	On body	D2OZ 9743050-A	1
43052	**CABLE - TAILGATE CHECK**				
	66	A(71), B(71), X(66, 71)		C6AZ 7143052-A	1or2
	67/68	A(71), B(66, 71), X(71)			1or2
	69/71	B(66, 71)			1or2
	69/70	X(71)			1or2
	69/	A(71)		C9AZ 7143052-A	1
	72	B(71, 97)		D2OZ 7143052-A	1or2
43056	**HINGE - TAILGATE - LOWER**				
	66/68	A(71), B(71), X(71)	Dual action	C6AZ 7143056-C	1
	69/71	B(71)			1
	69/70	X(71)			1
			3/8"-16 Hex. nut	377605-S7-8(MM151G)	2
			3/8"-16 x 1 1/2" Flat head screw & washer assy.	380837-S7-8(BB110D)	2
			3/8"-16 x 1 1/2" Hex. head screw & washer assy.	378015-S7-8(BB580E)	2
	69/72	A(71)	Dual action	D3AZ 7143056-A	1
	72	B(71)			1
43061	**REINFORCEMENT - TAILGATE UPPER HINGE ON GATE**				
	66	B(71), X(71)	Dual action	C6OZ 7143061-A	1
	67/	B(71)	Dual action	C6OZ 7143061-B	1
	67/70	X(71)			1
430A66	**BRACKET - TAILGATE OUTSIDE HANDLE**				
	68	A(71), B(71), X(71)	With manual window - Dual action	C6AZ 71430A66-B	1
	69/71	B(71)	With manual window		1
	69/70	X(71)			1
	68	A(71), B(71), X(71)	With power window - Dual action	C8AZ 71430A66-A	1
	69/71	B(71)	With power window		1
	69/70	X(71)			1
	69/	A(71)	With manual or power window - Dual action	C9AZ 71430A66-B	1
430A70	**HANDLE and HOUSING ASSY. - TAILGATE OUTSIDE LATCH RELEASE**				
	66/67	A(71)	With manual or electric window-Includes attaching parts - Dual action	C6AZ 71430A70-B	1
	68	A(71)	With manual window-Includes attaching parts		1
	68	A(71)	With power window - Dual action	C8AZ 71430A70-A	1
	69/	A(71)	With manual or power windows - Dual action	C9AZ 71430A70-A	1
	66/71	B(71)	With manual window - Dual action	C6OZ 71430A70-B	1
	66/70	X(71)			1
			No. 12-24 Hex. head locking nut	34054-S(M157)	2
			No. 12 Lockwasher	34927-S7-8(X87)	2
	68/71	B(71)	With power window - Dual action	C8OZ 71430A70-A	1
	68/70	X(71)	Dual action		1
	72	B(71)		D2OZ 71430A70-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
43074	**BUSHING - TAILGATE COUNTERBALANCE TORSION BAR ON BODY**				
	66	A(71), B(71), X(71)		C6AZ 7143074-A	1
	67/	A(71)			1
	67/71	B(71)			1
	67/70	X(71)			1
	72	B(71), Y(71)			1
	72	B(97)	On body		2
43082	**BUMPER - TAILGATE UPPER HINGE ON GATE**				
	66	A(71), B(71), X(71)	Dual action	C6AZ 7143082-A	1
	67/	B(71)	Dual action	C7AZ 7143082-A	1
	67/70	X(71)			1
	67/69	A(71) "Before 12/30/68"			1
	69/	A(71) "From 12/30/68"	Dual action	C9AZ 7143082-A	1
430A82	**SPRING - TAILGATE OUTSIDE HANDLE**				
	66/68	A(71), B(71), X(71)	With manual window regulator - Dual action	C6AZ 71430A82-A	1
	69/71	B(71)			1
	69/70	X(71)			1
	68	A(71), B(71), X(71)	With power window regulator - Dual action	C8AZ 71430A82-A	1
	69/71	B(71)			1
	69/70	X(71)			1
	69/	A(71)		C9AZ 71430A82-A	1
430A84	**SEAL - TAILGATE UPPER HINGE - ON GATE**				
	66/71	B(71)	Dual action	C6OZ 71430A84-A	1
	66/70	X(71)			1
43086	**HINGE - TAILGATE UPPER - ON BODY** - Also Refer to Groups 43090 & 43096				
	66/67	A(71), B(71), X(71) - "Before 12/27/66"	With C6AZ 7143090-C or C6OZ 7143090-C - Dual action	C6AZ 7143086-B	1
			3/8"-16 x 1 1/2" Hex. head screw & washer assy.	378015-S7-8(BB580E)	2
	67/68	A(71), B(71), X(71) - "From 12/27/66"	With C7AZ 7143090-A or C7OZ 7143090-A - Dual action	C7AZ 7143086-A	1
	69/71	B(71)			1
	69/70	X(71)			1
	69/	A(71)	Dual action	C9AZ 7143086-A	1
	66/	A(71)	5/16"-18 x 1 7/8" Oval head screw & washer assy.	380685-S7-8 (BB817AV)	2
	66/	B(71)	3/8"-16 x 1.84" Flat head screw & washer assy.	380838-S7-8(BB112)	2
	66/70	X(71)			2
	72	B(71) " Before 3/1/72"	Dual action	D2OZ 7143086-A	1
	72	B(71) " From 3/1/72"		D2OZ 7143086-B	1
43090	**HINGE - TAILGATE UPPER - ON GATE**				
	66/67	A(71) "Before 12/27/66"	Use with C6AZ 7143086-B	C6AZ 7143090-C	1
	67/68	A(71) "From 12/27/66"	Use with C7AZ 7143086-A - Dual action	C7AZ 7143090-A	1
			5/16"-18 Clinch nut	34274-S(M8D)	4
	69/70	A(71)	Dual action	C9AZ 7143090-B	1
	71/	A(71)	Dual action	D1AZ 7143090-A	1
	69/	A(71)	5/16"-18 x 1 3/8" Fillister head screw & washer assy.	380687-S7-8(BB110C)	4
	66/67	B(71), X(71) "Before 12/27/66"	Use with C6AZ 7143086-B	C6OZ 7143090-C	1
	67/71	B(71)	Dual action	D0OZ 7143090-A	1
	67/70	X(71)			1
			5/16-18 x 1 3/8" Fillister hd. screw & washer assy.	380687-S7(BB110C)	4
	66/	A(71), B(71)	Bumper	C6AZ 7143082-A	1
	66/70	X(71)			1
	72	B(71) " Before 3/1/72"		D2OZ 7143090-A	1
	72	B(71) " From 3/1/72"		D2OZ 7143090-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
43096	**PIVOT KIT - TAILGATE UPPER HINGE - ON BODY**				
	66/70	A(71), B(71), X(71)	Dual action	C6MY 7143096-A	1
	71/72	A(71), B(71)			1
		Consists of 1-Pivot 1-Pin 1-Bushing 1-Instruction sheet			
43098	**SPACER - TAILGATE UPPER HINGE ON BODY**				
	66	A(71), B(71), X(66, 71)	.030" thick	C6AZ 7143098-A	AR
	67/68	A(71), B(66, 71), X(71)			AR
	69/71	B(71)			AR
	69/70	X(71)			AR
	69/	A(71), B(71)	.060" thick	C9AZ 7143098-A	AR
			.030" thick	C9AZ 7143098-B	AR
	72	L(64)		D2FZ 6443098-A	2
431A06	**SPACER - LIFTGATE LATCH RELEASE LEVER**				
	66/	U(98)		C6TZ 98431A06-A	1
43108	**PLATE - LIFTGATE LATCH.**				
	69/	U(98)		C9TZ 9843108-A	1
43119	**LEVER - LIFTGATE LATCH RELEASE**				
	66/	U(98)		C6TZ 9843119-B	1
431A24	**LINK - TAILGATE UPPER LATCH TO LOWER LATCH ACTUATOR**				
	66	A(71), B(71), X(66, 71)		C6AZ 71431A24-A	1
	67/68	A(71), B(66, 71), X(71)			1
	69/71	B(71)			1
	69/70	X(71)			1
	69/	A(71)		D3AZ 71431A24-A	1
	72	B(71)		D2OZ 71431A24-B	1
431A26	**BRACKET - TAILGATE LATCH**				
	66/	U(98)		C6TZ 98431A26-A	2
			No. 10-12 x 1/2" Cross recess pan head screw	52727-S8(U382)	4
431A32	**ROD - TAILGATE LATCH PUSH BUTTON**				
	69/	A(71)		C9AZ 71431A32-A	1
	72	B(71)		D2OZ 71431A32-A	1
431A34	**GROMMET - TAILGATE LATCH KNOB**				
	69/	A(71)		C9AZ 71431A34-A	1
	72	B(71)			1
431A36	**KNOB - TAILGATE LATCH CONTROL ROD**				
	69/	A(71)		C9AZ 71431A36-A	1
	72	B(71)			1
431A38	**ACTUATOR - TAILGATE LATCH**				
	70/	A(71)	With vacuum door latch	D0AZ 71431A38-A	1
	72	B(71)		D3OZ 71431A38-A	1
431A40	**ROD - TAILGATE OUTSIDE HANDLE**				
	72	B(71)		D2OZ 71431A40-B	1
43146	**PLATE - TAILGATE LATCH STRIKER**				
	65	A(71)		C2AZ 7143146-B	2
	65	B(71)			2
	67/71	B(66, 71)			1
	72	B(97)	L.H.-For R.H. refer to Group 265A04		1
	66	X(66, 71)			1
	67/70	X(71)			1
	65	X(59, 66, 71, 78)	Refer to Group 431A72		
	65	B(71)	5/16"-18 x 3/4" Flat head locking screw	378428-S7-8(UU48E)	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
43150-1	**LATCH - TAILGATE**				
	65	A(71)	R. H.	C5AZ 7143150-A	1
			L. H.	C6DZ 7143151-B	1
	66/68	A(71)	Dual action-Includes attaching parts	C6AZ 7143150-D	1
	69/70	A(71) "Before 2/2/70"	Upper-dual action-incl.attaching parts	C9AZ 7143150-B	1
	70/	A(71) "From 2/2/70"	Upper-dual action-incl.attaching parts	D4AZ 7143150-A	1
	65	B(71)	R. H.	C3AZ 7143150-A	1
			L. H. - not replaced (5-75)	★C3AZ 7143151-A	1
	66/71	B(71)	Dual action-Includes attaching parts	C6AZ 7143150-D	1
	67/71	B(66,71)	R. H. -Single action-Includes attaching parts	C6DZ 7143150-D	1
	72	B(97)			1
			L. H.	C6DZ 7143151-B	1
					1
	72	B(71)		D2OZ 7143150-A	1
	72	L(73)	Includes attaching parts	D2FZ 7343150-A	1
	66	X(66,71)	R. H. -Single action-Includes attaching parts	C6DZ 7143150-D	1
	67/70	X(71)			1
			L. H.	C6DZ 7143151-B	1
	66/70	X(71)	Dual action-Includes attaching parts	C6AZ 7143150-D	1
	65	A(71)	No. 12-24 x 1/2" Cross recess flat head screw &	356782-S8(BB114)	6
	65	B(71)	washer assy.		6
431A50-1	**LINK - TAILGATE LATCH RELEASE**				
	66	B(71),X(66,71)	R. H. -Dual or single action tail gate-Includes	C6OZ 71431A50-A	1
	67/71	B(66,71)	attaching parts		1
	67/70	X(71)			1
	66	B(71),X(66,71)	L. H.-Single action tail gate	C6DZ 71431A51-A	1
	67/71	B(66,71)			1
	67/70	X(71)			1
	72	B(71)		D2OZ 71431A50-A	1
431B50	**SPRING - TAILGATE LATCH**				
	65	A(71)		C1AB 59431B50-B	2
	65	B(71)			2
	67	B(66),X(71)			1
	68/71	B(66,71)			1
	72	B(97)			1
	65	X(59,66,71,78)			2
	66	X(66,71)	Single action tail gate		1
	68/70	X(71)			1
	66/68	U(98)		C6TZ 98431B50-A	2
	69/	U(98)		C9TZ 98431B50-A	2
431C50	**CYLINDER ASSY. - TAILGATE LOCK - WITH KEYS** -Refer to Group 22050				
43152	**SHIM - TAILGATE LATCH STRIKER PLATE**				
	66	A(71),B(71),X(71) - "Before 3/7/66"	Lower	C6AZ 7143152-A	AR
	67/	A(71),B(71)			AR
	67/70	X(71)			AR
	66	A(71),B(71),X(66,71)- "From 3/7/66"	Upper	C6AZ 7143152-B	AR
	67/	A(71)			AR
	72	B(71,97)			AR
	67/71	B(66,71)			AR
	67/70	X(71)			AR
	65	A(71)	1 3/4" wide x 2 11/16" long	C1AZ 5943152-A	AR
	65	B(71)			AR
	67/71	B(66,71)			AR
	72	B(97)			AR
	65	X(59,66,71,78)			AR
	66	X(66,71)			AR
	67/70	X(71)			AR

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
43154	**SEAL - TAILGATE LATCH COVER**				
	72	B(71)		D2OZ 7143154-A	1
431B54	**LATCH - TAILGATE ON BODY**				
	66/	U		C4TZ 99431B54-A	2
			Screw-flat head-cross recess-5/16"-18 x 3/4"	379630-S2(BB116)	4
			Lockwasher-5/16"	34956-S8(X82)	4
431E58	**LINK - TAILGATE UPPER HINGE RELEASE**				
	69/	A(71)	Upper-with anti-rattler	C9AZ 71431E58-A	1
			Lower-with anti-rattler-27.74" long	C9AZ 71431E58-B	1
	66	B(71), X(71)-"Before 1/17/66"	L. H. -Dual action tail gate	C6OZ 71431E58-A	1
	66/71	B(71) "From 1/17/66"	L. H. -Dual action tail gate-with anti-rattler-	C6OZ 71431E58-B	1
	66/70	X(71)	Includes attaching parts		1
			R. H. -Refer to Group 431A50-1		
	72	B(71)		D3OZ 71431E58-A	1
431F60	**LEVER - TAILGATE LOCK CYLINDER** - Also refer to Group 14529 in Chassis Section				
	69/71	A(71)	Manual	C9AZ 71431F60-A	1
	72	B(71)	Manual	D2OZ 71431F60-A	1
431B62-3	**BUMPER - TAILGATE LATCH**				
	65	A(71)	R. H.	★C1AZ 71431B62-A	1
	65	B(71)		Not Repl'd. (1-73)	1
	65	X(59, 66, 71, 78)			1
			L. H.	C1AZ 71431B63-B	1
	66	A(71), B(71), X(66, 71)	R. H.	C6AZ 71431B62-B	1
	67/71	A(71), B(66, 71)			1
	72	B(97)			1
	67/70	X(71)			1
			L. H.	C1AZ 71431B63-B	1
	66/	A(71)	Dual action tail gate-lower	C6AZ 71431B62-A	1
	72	B(71)			1
	66/71	B(71)			1
	66/70	X(71)			1
431C62	**HANDLE - TAILGATE LATCH RELEASE**				
	66/68	A(71), B(66, 71), X(66, 71)	Includes attaching parts	C6AZ 71431C62-B	1
	69/71	B(66, 71)			1
	69/70	X(71)			1
	69/	A(71)	Includes attaching parts	C9AZ 71431C62-A	1
	72	B(71)			1
	72	B(97)		D2OZ 97431C62-A	1
431F62	**REINFORCEMENT - LIFTGATE LATCH STRIKER**				
	69/	U(98)		C9TZ 98431F62-A	2
431A66	**EXTENSION - TAILGATE LOCK CYLINDER**				
	65	X(59, 71, 78)		C0DB 59431A66-C	1
	66/70	X(71)		C6DZ 71431A66-A	1
43170	**CONTROL - TAILGATE LATCH REMOTE**				
	66	A(71), B(71), X(66, 71)	Includes attaching parts	C6AZ 7143170-A	1
	67/68	A(71), B(66, 71), X(71)			1
	69/71	B(66, 71)			1
	72	B(97)			1
	69/70	X(71)			1
	69/	A(71)		C9AZ 7143170-A	1
	72	B(71)			1
431A72	**PLATE - TAILGATE LATCH STRIKER**				
	65	X(59, 66, 71, 78)		C0DB 59431A72-B	2
			5/16"-24 x .92" Flat head locking screw	371402-S13(BB101A)	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
431B72	**CLIP - TAILGATE LATCH RELEASE LEVER KNOB RETAINING**				
	65	X(59, 66, 71, 78)		C0DB 59431B72-B	1
431D72	**BOLT - TAILGATE LATCH RELEASE LEVER**				
	66/	U		C4TZ 99431D72-B	1
431E72	**STRIKER - TAILGATE LOWER LATCH**				
	66/	A(71), B(71)	Dual action tail gate	C6AZ 71431E72-A	1
	66/70	X(71)			1
			5/16"-18 x 1" Flat head tapping screw	379790-S7-8(UU48D)	4
431B74	**LINK - TAILGATE UPPER LATCH RELEASE**				
	66/69	A(71)	R.H.-Dual action tail gate	C6AZ 71431B74-A	1
			L.H.-Refer to Group 431E58		
431A75	**LEVER - TAILGATE LATCH RELEASE**				
	66/	U		C4TZ 99431A75-A	2
431A76	**KNOB - TAILGATE LATCH RELEASE LEVER**				
	65	X(59, 66, 71, 78)		C0DB 59431A76-B	1
			Clip (retaining)	C0DB 59431B72-B	1
431D76	**BRACKET - TAILGATE LATCH**				
	66/	U		C4TZ 99431D76-A	2
431E76	**HOUSING - TAILGATE OUTSIDE LATCH RELEASE HANDLE**				
	66/71	B(71)	Manual window regulator	C6OZ 71431E76-B	1
	66/70	X(71)			1
	68/71	B(71)	Electric window regulator	C8OZ 71431E76-A	1
	68/70	X(71)			1
431A78-9	**LINK - TAILGATE LATCH RELEASE**				
	72	B(97)	R.H.	D2OZ 97431A78-A	1
			L.H.	D2OZ 97431A79-A	1
	66/	U	R.H.	C6TZ 96431A78-A	1
			L.H.	C6TZ 96431A79-A	1
			Washer-flat-3/16"	44710-S8(X10)	2
431C78	**PLATE -TAILGATE LATCH RELEASE HANDLE MOUNTING**				
	66/	U		C4TZ 99431C78-B	1
431B82	**HANDLE - TAILGATE LATCH**				
	66/	U		C4TZ 99431B82-A	1
431D82	**ANTI-RATTLE - TAILGATE COUNTERBALANCE TORSION BAR**				
	66/70	A(71), B(71), X(66, 71)	5" long-Cut from A9A 17543-C	★	1
			Nut-hex.-5/16"-18	379930-S2(MM173M)	1
			Washer-spring-7/16"	356383-S2(XX362)	1
431D88	**LATCH - TAILGATE - LOWER - INCLUDES ATTACHING PARTS**				
	66/68	A(71), B(71), X(71)	Dual action tail gate	C6AZ 71431D88-B	1
	69/	B(71)			1
	69/70	X(71)			1
			No. 12-24 x 1/2" Screw & washer assy.	356782-S8(BB114)	3
	69/	A(71)		C9AZ 71431D88-A	1
43200	**LATCH - LUGGAGE COMPARTMENT DOOR**				
	65/	A (except 71)	W/o power release	C5AZ 6243200-A	1
	66/71	B(except 71)			1
	67/	F			1
	71/72	L "Before 9/1/71"			1
	70/	P			1
	67/	S			1
	66/70	X(54, 62)			1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
43200	**LATCH - LUGGAGE COMPARTMENT DOOR - continued**				
	72	A (except 71)	W/power release	D1MY 6543200-A	1
	65	A, B (except 71)	5/16"-24 x 1 1/8" Hex. washer head screw	353483-S2(BB588)	2or3
	65	X(54, 62, 63, 76)			2
	65/	A (except 71)	1/4" - 20 x 3/4" Hex. washer head screw	371492-S2(BB569)	3
	65	B(except 71)	W/o power release	C2OZ 6243200-B	1
	65/66	F			1
	65	X(54, 62, 63, 76)			1
	65/66	F	5/16"-18 x 3/4" Hex. head screw & washer assy.	359662-S7-8(BB575A)	2
	65/66	S (63)	W/o power release	C4SZ 6343200-B	1
	71/	S	W/power release	D1MY 6543200-A	1
	72	B(except 71,97)		D2OZ 6543200-A	1
	72	L(64) "From 9/1/71"	Black chromate finish	D2FZ 6443200-A	1
432A00	**LOCK RELEASE KIT - LUGGAGE COMPARTMENT DOOR REMOTE CONTROL**				
	67/	A, F, S(exc. 71)	Electric	D5MZ 65432A00-A	1
	67/71	B			1
	71/	L(62, 64)			1
	70/	P			1
	67/70	X			1

Consists of

1-C9AZ	43248-A	Spacer	4-57033-S	Screw
1-C9PJ	14487-A	Connector	4-378858-S	Washer
1-D5MJ	19C542-AA	Wire assy.	1-	Installation sketch
1-D4VB	6543200-AA	Latch		

432A06	**PLATE - LUGGAGE COMPARTMENT DOOR LATCH STRIKER** -Also refer to Group 43146				
	65/66	S(63)		C4VY 53432A06-A	1
			5/16"-24 x .92" Flat head locking screw	371402-S13(BB101A)	2
43226	**LINK - LUGGAGE COMPARTMENT DOOR LATCH ACTUATING**				
	65/66	S(63)		C4SZ 6343226-A	1
43232	**ACTUATOR - LUGGAGE COMPARTMENT DOOR VACUUM LATCH**				
	65/66	S(63)		C5SZ 6343232-B	1
			1/4"-20 x 3/4" Hex. head screw & washer assy.	371492-S2(BB569)	2
	67/69	S		C4VY 5343232-A	1
	70/71	S	7 5/16" pigtail-with power release	D0SZ 6543232-A	1
43235	**BRACKET - LUGGAGE COMPARTMENT DOOR LATCH STRIKER**				
	67	A(54, 62, 63, 76)		C7AZ 6243235-A	1
	67	A(57)			1
	69	A(except 71)		C9AZ 6243235-B	1
	70	A(except 71)		D0AZ 6243235-A	1
	71	A(except 71)		D1MZ 6543235-A	1
	72	A (except 71)		D2AZ 6543235-A	1
	68/69	B(54, 65)		C8OZ 5443235-A	1
	68/69	B(76)		C8OZ 7643235-A	1
	70/71	B(except 66, 71)		D0OZ 6543235-A	1
	72	B(53, 65)		D2OZ 6543235-A	1
	72	B(63)		D2OZ 6343235-A	1
	65/66	F(63, 65)		C5ZZ 6543235-A	1
	67/69	F		C7ZZ 6543235-B	1
	71/	F		D1ZZ 6543235-A	1
	72	S		D2SZ 6543235-A	1
	66/70	X(54, 62)		C6DZ 6243235-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
432A36	**BRACKET - LUGGAGE COMPARTMENT DOOR LATCH VACUUM ACTUATOR MOUNTING**				
	67/69	S		C7SZ 65432A36-A	1
	70/71	S		D0SZ 65432A36-A	1
43240	**HOSE - LUGGAGE COMPARTMENT DOOR LATCH VACUUM CONTROL** - Also refer to Chassis Group 17543				
	65/66	S(63)	1/4" I.D.-Cut from D0PZ 17543-A	★	AR
			1/8" I.D.-Cut from A9A 17543-A	★	AR
			5/64" I.D.-Cut from D0PZ 17543-B	★	AR
			3/16" x 3/16" x 3/16" "T" Connector	378830-S(H-106H)	1
			1/4" x 1/8" Reducer	380731-S(H-191S)	1
	67	S(57)	9/64" O.D.-Used on door latch-Cut 72" long from D0PZ 17543-B	★	1
	67	S(65)	9/64" O.D.-Used on door latch-Cut 144" long from D0PZ 17543-B	★	1
	68/	S	1/8" I.D.-Cut from A9A 17543-A	★	AR
	69	S	Clamp	352436-S2(GG365)	AR
432A44	**SEAL - LUGGAGE COMPARTMENT DOOR LATCH CYLINDER SHAFT**				
	67/69	S		C7SZ 65432A44-A	1
432A48	**BRACKET - LUGGAGE COMPARTMENT DOOR LATCH MOUNTING**				
	68/69	B(63)		C8OZ 63432A48-A	1
	69	F		C9ZZ 65432A48-A	1
	70	F		D0ZZ 65432A48-A	1
	71/72	L(62) " Before 3/1/72"		D1FZ 62432A48-A	1
	72	L(62) " From 3/1/72"		D2FZ 62432A48-A	1
	70/72	P		D2DZ 62432A48-A	1
	67/69	S		C7SZ 65432A48-A	1
	70	S		D0SZ 65432A48-A	1
	71	S		D1SZ 65432A48-A	1
43252	**PLATE - LUGGAGE COMPARTMENT DOOR LATCH STRIKER**				
		- A -			
	65/69	A(except 71)		C5AZ 6243252-B	1
	70	A(except 71)		C6OZ 6243252-A	1
	71/	A(except 71)		D3AZ 6543252-A	1
		- B -			
	65	B(54,62,65)		C4OZ 6243252-A	1
	66/67	B(54,62,63,76)		C6OZ 6243252-A	1
	70/71	B(except 66,71)			1
	65/69	B(54,65,76)		C5AZ 6243252-B	1
	68/69	B(63)		C8OZ 6343252-A	1
	72	B (except 71,97)		D1AZ 6543252-A	1
		- F -			
	65/66	F		C4OZ 6243252-A	1
	67/70	F		C7ZZ 6543252-A	1
	71/	F		D1AZ 6543252-A	1
		- L -			
	71/72	L(62,64)		D1FZ 6243252-B	1
		- P -			
	70/	P		C7ZZ 6543252-A	1
		- S -			
	67/71	S		C7SZ 6543252-A	1
	72	S		D2SZ 6543252-A	1
		- X -			
	65	X(54,62,63,76)		C4OZ 6243252-A	1
	66/70	X(54,62)		C6OZ 6243252-A	1
	65/70	A(except 71),F	Screw-hex.washer head-1/4"-20 x 3/4"	371492-S2(BB569)	2
	65	B,F,X	Screw & washer assy.-hex.hd.-5/16"-18 x 3/4"	359662-S7-8(BB575A)	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
43275	**BRACKET - LUGGAGE COMPARTMENT DOOR LATCH STRIKER** - Refer to Group 43235				
43279	**CYLINDER - TAILGATE LOCK - WITH KEYS** -Refer to Group 22050				
43283	**EXTENSION - LUGGAGE COMPARTMENT DOOR LATCH**				
	65/67	A(except 71)		C5AZ 6243283-A	1
	66/67	B(except 71)			1
	68	A(except 71)		C8AZ 6243283-A	1
	69	A(except 71)		C9AZ 6243283-A	1
	70	A(except 71)		D0AZ 6243283-A	1
	71/	A(except 71)		D3AZ 6543283-A	1
	65	B(except 71)		C2YB 6243283-A	1
	68/69	B(54, 65, 76)		C8OZ 5443283-A	1
	68/69	B(63)		C8OZ 6343283-A	1
	70/71	B(63)		D0OZ 6343283-A	1
	70/71	B(except 63, 66, 71)		D0OZ 6543283-A	1
	72	B (except 71)		D2OZ 6543283-A	1
	65/66	F		C5ZZ 6543283-A	1
	67/68	F		C7ZZ 6543283-A	1
	69	F		C9ZZ 6543283-A	1
	70	F	Cut to fit	D0OZ 6343283-A	1
	71/	F		D1ZZ 6543283-A	1
	71/	L		D1FZ 6243283-A	1
	70/	P	Cut to fit	D0OZ 6343283-A	1
	67/68	S		C7SZ 6543283-A	1
	69	S		C9SZ 6543283-B	1
	70/71	S		D0SZ 6543283-A	1
	72	S		D2SZ 6543283-A	1
	65	X(54,62,63,76)		C2YB 6243283-A	1
	66/70	X(54,62)		C6DZ 6243283-A	1
433A28	**SEAL - LUGGAGE COMPARTMENT DOOR LOCK CYLINDER RETAINER**				
	72	A,B(exc. 71,97),S		D2OZ 65433A28-A	1
	72	F		D2ZZ 65433A28-A	1
43358	**LEVER - LUGGAGE COMPARTMENT DOOR LATCH OPERATING**				
	65	S(63)		C5SZ 6343358-A	1
43382	**VALVE - LUGGAGE COMPARTMENT VACUUM DOOR LATCH RELEASE CONTROL**				
	65/66	S(63)		C2VY 5743382-A	1
	67/69	S		C7SZ 6543382-A	1
	70/71	S		D0SZ 6543382-A	1
43385	**HANDLE - LUGGAGE COMPARTMENT VACUUM DOOR LATCH RELEASE CONTROL VALVE**				
	65/66	S(63)		C2VY 5743385-A	1
43387	**NUT - LUGGAGE COMPARTMENT VACUUM DOOR LATCH RELEASE CONTROL**				
	65/66	S(63)		C2VY 5743387-A	1
43400	**HANDLE - LIFTGATE - INCLUDES ATTACHING PARTS**				
	72	L(73)		D2FZ 7343400-A	1
	66/67	U(98) "Before Ser. A42, 001"		C6TZ 9843400-A	1
	67/	U(98) "From Ser. A42, 001"	Less cylinder and keys	C7TZ 9843400-A	1
	66/	U(98)	Cylinder and keys - refer to Group 22050		
43480-1	**PLATE - TAIL GATE HINGE ON BODY ANCHOR**				
	66/	U		C4TZ 9943480-A	2
	72	B(97)	R.H.	D2OZ 9743480-A	1
			L.H.	D2OZ 9743481-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
43500-4	**ORNAMENT - INCLUDES ATTACHING PARTS**				
		- A -			
	65	A(54A, 57, 63, 76)	Luggage compartment door	C5AZ 5443504-A	1
	65	A(54B, 62B)	Luggage compartment door	C5AZ 6243504-B	1
	66	A(57F, 63F)	"LTD" -luggage compartment door	C6AZ 6343504-B	1
	66	A(63C, 76B)	"XL" -luggage compartment door	C6AZ 6343504-D	1
	66	A(63D, 76D)	"7 Litre"-luggage compartment door	C6AZ 6343504-E	1
	67	A(54A, 57B, 63B, 71B,C, 76A)	Luggage compartment door and tailgate	C7AZ 5443504-A	1
	68	A(71B, C)			1
	68	A(71A, E)	"LTD"-tailgate	C8AZ 7143500-A	1
	67	A(54C, 57F, 63J)	"LTD"-luggage compartment door	C7AZ 6343504-A	1
	67	A(63C, 76B)	"XL"-luggage compartment door	C7AZ 6343504-C	1
	68	A(54C, 57F, 65A)	"LTD"-luggage compartment door	C8AZ 5443504-A	1
	68	A(63C, 76B)	"XL"-luggage compartment door	C8AZ 6343504-A	1
	69	A(71B, C)	Refer to Group 22050		
	69/70	A(71A, E)	"LTD" -tailgate	C9AZ 7143500-A	1
			Lower emblem	C9AZ 7143500-B	1
		- B -			
	67	B(66)	Tail gate	C6DZ 6643500-A	1
	67	B(66B, D)	Roof side		2
	68	B(54C, 65C)	"Torino"-luggage compartment door	C8OZ 5443504-A	1
	68	B(65D, 76D)	"GT"-luggage compartment door	C8OZ 6543504-B	1
	68	B(63D)	Refer to group 40316		
	69	B(54C, 65C, D, F, 76D, F)		C9OZ 5443504-A	1
		- L -			
	71/	L(64)	Moulding -liftgate	D1FZ 6443500-A	5
		- X -			
	66	X(66)	Tail gate	C6DZ 6643500-A	1
			Roof side		2
	68/70	X(54B, 62B, C)		C8DZ 6243504-A	1
43505	**LOCK CYLINDER and KEYS**- Refer to Group 22050				
43507	**LOCK CYLINDER and KEYS**,- Refer to Group 22050				
43514	**COVER - LUGGAGE COMPARTMENT DOOR LOCK KEY HOLE** - Also refer to Group 43603				
		- A -			
	69	A(63C, 76B)	Includes retaining spring	C9AZ 6343514-A	1
	69/70	A(54C, 57F, 65A)	@	D0AZ 5443514-A	1
	70	A(63C, 76B)	@	D0AZ 6343514-A	1
	72	A(53H,K, 57H,K, 65H,K, 76H)	Includes retaining spring	D2AZ 6543514-A	1
		- B -			
	72	B(53D, 63R, 65D, R)		D2OZ 6543514-A	1
		- S -			
	65/66	S(63)	Insert on cover -paint to match @	C5SZ 6343514-A	1
	70/71	S	Includes attaching parts	D0SZ 6543514-A	1
			Bumper	378760-S(CC41)	2
43539	**PAD - HANDLE**				
	66/67	A(71B,C,D), B(71), X(71)	Vinyl	C6AZ 7143539-A	1
	68	A(71B,C,D), B(71), X(71)	With manual window		1
	69/71	B(71)			1
	69/70	X(71)			1
	68	A(71), B(71), X(71)	With power window	C8AZ 7143539-A	1
	69/71	B(71)			1
	69/70	X(71)			1
	69/	A(71)		C9AZ 7143539-A	1
	72	B(71)		D2OZ 7143539-A	1
	72	L(73) "Before 2/14/72"	Liftgate	D2FZ 7343539-A	1

@ Includes Attaching Parts

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
43562	**KEY - GLOVE and LUGGAGE COMPARTMENT DOOR CYLINDER LOCK - BLANK** - Refer to Group 22050				
43565	**SPACER - LUGGAGE COMPARTMENT DOOR HANDLE LOCK CYLINDER SLEEVE**				
	65	B(except 71)		C2OB 6243565-A	1
	65/66	F		C5ZZ 6543565-A	1
	65	X(54,62,63,76)		C4DZ 6243565-A	1
	66/70	X(54,62)		C6DZ 6243565-B	1
43603	**SLEEVE - LUGGAGE COMPARTMENT DOOR LOCK CYLINDER - INCLUDES ATTACHING PARTS**				
		- A -			
	69	A(54C,57F,63C,65A,76B)		C9AZ 5443603-A	1
	70	A(54C,57F,65A)		D0AZ 5443603-A	1
	70	A(63C,76B)		D0AZ 6343603-A	1
	72	A(53H,K,57H,K,65H,K,76H)		D2AZ 6543603-A	1
		- B -			
	70	B(57E,65E)	Includes cover (43514)	D0OZ 6543603-A	1
	71	B(54C,57C,65C)			1
	72	B(53D,63R,65D,R)		D3OZ 6543603-A	1
		- F -			
	65/66	F		C5ZZ 6543603-B	1
		- S -			
	65/66	S(63)		C5SZ 6343603-A	1
	67	S		C7SZ 6543603-A	1
	68	S		C8SZ 6543603-A	1
	69	S		C9SZ 6543603-A	1
	70/71	S	Less cover-refer to Group 43514	D0SZ 6543603-A	1
		- X -			
	65	X(54,62,63,76)		C5DZ 6243603-A	1
	66/70	X(54,62)		C6DZ 6243603-A	1
43625	**PAD - LUGGAGE COMPARTMENT DOOR LOCK CYLINDER SLEEVE**				
		- A -			
	65/67	A(except 71)- "Before 10/24/66"	Use with 3 lug cylinder	C5AZ 6243625-B	1
	67/	A(except 71)"From 10/24/66"	Use with 4 lug cylinder	C7AZ 6243625-A	1
		- B -			
	65	B(except 71)		C2OB 6243625-A	1
	66/67	B(except 66,71)- "Before 10/24/66"	Use with 3 lug cylinder	C5AZ 6243625-B	1
	67/71	B(except 66,71)- "From 10/24/66"	Use with 4 lug cylinder	C7AZ 6243625-A	1
	72	B (except 71,97)			1
		- F -			
	65/66	F		C5ZZ 6543625-B	1
	67	F "Before 10/24/66"	Use with 3 lug cylinder	C5AZ 6243625-B	1
	67/	F "From 10/24/66"	Use with 4 lug cylinder	C7AZ 6243625-A	1
		- L -			
	71	L		C7AZ 6243625-A	1
		- P -			
	70/	P		C7AZ 6243625-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
43625	**PAD - LUGGAGE COMPARTMENT DOOR LOCK CYLINDER SLEEVE - continued**				
		- S -			
	66	S	Front door-use with remote control mirror	C5AZ 6243625-B	1
	72	S		C7AZ 6243625-A	1
		- X -			
	65	X(54, 62, 63, 76)		C4DZ 6243625-A	1
	66/70	X(54, 62)		C6DZ 6243625-A	1
43629	**RETAINER - LUGGAGE COMPARTMENT DOOR LOCK CYLINDER** - Also refer to Group 22023				
	66	A(except 71), B(54, 62, 63, 76)- "From 5/2/66"		C6AZ 6243629-A	1
	67/71	A(except 71), B(except 66, 71)		C7AZ 6243629-A	1
	67/72	F " Before 3/1/72"			1
	71/72	L " Before 3/1/72"			1
	70/72	P " Before 3/1/72"			1
	72	A(Except 71)"Before 3/1/72"		D2AZ 6543629-A	1
	72	A(except 71)" From 3/1/72"		D2MY 6543629-A	1
	72	B (except 71, 97)		D2OZ 6543629-A	1
	72	F(63) " From 3/1/72"		D2ZZ 6343629-A	1
	72	F(65,76) " From 3/1/72"		D2ZZ 6543629-A	1
	72	L(62) " From 3/1/72"		D2FZ 6243629-A	1
	72	L(64) " From 3/1/72"		D2FZ 6443629-A	1
	72	P " From 3/1/72"		D2DZ 6243629-A	1
	72	S		D2SZ 6543629-A	1
43634	**BUMPER - LUGGAGE COMPARTMENT DOOR INSIDE**				
	65	B(except 71)		C2OZ 6243634-A	2
	65/66	F			2
	72	L(73)		D1FZ 7343634-A	2
	68/70	X	Includes attaching parts	C8DZ 6243634-A	2
43662	**BEZEL - LUGGAGE COMPARTMENT DOOR LATCH RELEASE SWITCH**				
	72	A (except 71)		C9MY 5443662-A	1
	67/	S		C7SZ 6543662-A	1
43720	**WEATHERSTRIP - LUGGAGE COMPARTMENT DOOR**				
		- A -			
	65/	A(except 71)	219" long-cut to fit	D0AZ 6243720-A	1
		- B -			
	65/67	B(except 66, 71)	165 1/2" long-cut to fit	D0AZ 6243720-A	1
	68/69	B(54, 65, 76)	159" long-cut to fit		1
	68/69	B(63)	144" long-cut to fit		1
	70/71	B(except 66, 71)	219" long-cut to fit		1
	72	B (except 71, 97)			1
		- F -			
	65/68	F(63)	125" long-cut to fit	C5ZZ 6343720-B	1
	65/68	F(65, 76)	142" long-cut to fit	C0MB 6443720-C	1
	69/70	F(65, 76)	130" long-cut to fit		1
	69/70	F(76-GT350/500)	132" long	C9ZZ 7643720-B	1
	69/70	F(63)	109" long	C9ZZ 6343720-A	1
	71/72	F " Before 3/1/72"	219" long-cut to fit	D0AZ 6243720-A	1
	72	F(65,76) " From 3/1/72"	16" long-cut to fit	D2WY 6543720-A	2
		- L -			
	71/	L(62)	138" long-cut to fit	D1DZ 5443720-A	1
	71/72	L(64)	155" long	D2FZ 6543720-A	1
		- P -			
	70/71	P "Before 1/4/71"	135" long	D0DZ 6243720-A	1
	71/	P "From 1/4/71"	138" long	D1DZ 5443720-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
43720-1	**WEATHERSTRIP - LUGGAGE COMPARTMENT DOOR - continued**				
		- S -			
	65/66	S(63)	Cut to 203" long	C3AZ 6243720-A	1
	67/69	S	Cut to 168" long		1
	70/	S	219" long - cut to fit	D0AZ 6243720-A	1
		- X -			
	65/66	X(54, 62, 63, 76) - "Before 8/15/66"	Cut to fit	D0AZ 6243720-A	1
	66	X(54, 62) "From 8/15/66"	Cut to fit	C6DZ 6243720-A	1
	67/70	X(54, 62)	Cut to fit	C3AZ 6243720-A	1
43730	**WEATHERSTRIP - TAILGATE LOWER**				
	66/67	U(98)		C6TZ 9843730-A	1
	68/	U(98)	Cut to 56 11/16" long		1
43732	**RETAINER - TAILGATE LOWER WEATHERSTRIP**				
	66/	U(98)		C6TZ 9843732-A	1
			No. 8-15 x 1/2" Cross recess pan head screw	52726-S8(U381)	11
43738	**RETAINER - LIFTGATE WEATHERSTRIP**				
	69/	U(98)		C9TZ 9843738-A	1
	72	L(73)	Improvise from wire	★	
43830	**ORNAMENT - TAILGATE LOCK CYLINDER HOLE - INCLUDES ATTACHING PARTS**				
	67/69	A(71A, B, C, E, H, J)	Also used with power lift window regulator	C7AZ 7143830-A	1
43876	**ROD - TAILGATE LOCK CYLINDER TO RELEASE**				
	69/	A(71)		C9AZ 7143876-B	1
	72	B(71)		D2OZ 7143876-A	1
43884	**ROD - TAILGATE LATCH CONTROL**				
	66/68	A(71)		C6AZ 7143884-A	1
	69/71	A(71) "Before 12/1/70"		C9AZ 7143884-A	1
	71/	A(71) "From 12/1/70"		D1AZ 7143884-A	1
	66/71	B(71)		C6OZ 7143884-A	1
	66/70	X(71)			1
	72	B(71)		D2OZ 7143884-A	1
	66/71	A(71), B(71)	3/16" x 1/4" x 5/32" Grommet	380511-S(KK73)	2
	66/70	X(71)			2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
43896-7	**FILLER - TAILGATE AT BELT**					
	69/70	A(71)		C9AZ 7143896-A	C9AZ 7143897-A	1
	68/	U(98)		C8TZ 9843896-A	C8TZ 9843897-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
439A00-1	**BUMPER - TAILGATE ON PILLAR**				
	67/71	B(66)		C6DZ 66439A00-A	2
	65	X(66)			2
	72	B(97)			2
	72	U		D3TZ 99439A00-A	2or4
	65	X(59, 66, 71, 78)	R.H.	C0DZ 66439A00-B	1
			L.H.	C0DZ 66439A01-B	1
			No. 10-12 x 5/8" Cross recess pan head screw	52735-S13(U382C)	4
43964-5	**WEATHERSTRIP - TAILGATE SIDE ON BODY**				
	66/68	U(98)	R.H.	C6TZ 9843964-B	1
			L.H.	C6TZ 9843965-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
44000	**REGULATOR - BACK WINDOW**				
		- A -			
	65	A(71B)	Manual regulator	C5AZ 7144000-A	1
	66/68	A(71)			1
	65/68	A(71)	Power-less drive & motor	C5AZ 7144000-B	1
			5/16"-18 x .62" Hex. washer head screw & washer assy.	★379487-S2	4
			Spring replacement refer to Group 40867		
	69/70	A(71B, D, H, J) "Before 12/1/69"	Manual regulator	C9AZ 7144000-A	1
	70	A(71) "From 12/1/69"	Manual regulator	D0AZ 7144000-A	1
	69/70	A(71)	Power regulator-9 tooth pinion	D1AZ 7144000-A	1
	70	A(71)	Power regulator-7 tooth pinion	D0AZ 7144000-B	1
	71	A(71)	Manual regulator	D1AZ 7144000-A	1
	71/72	A(71)	Power regulator-less motor	D1AZ 7144000-B	1
		- B -			
	65	B(71)	Install motor then remove manual gear when power regulator is required	C3OZ 7144000-C	1
	66/69	B(71B, D, E)	Manual regulator	C6OZ 7144000-A	1
	70	B(71B) "Before 12/1/69"			1
			5/16"-18 x 1/2" Hex. head screw & washer assy.	376976-S7-8(BB574M)	1
	70/71	B(71) "From 12/1/69"	Manual regulator	D0OZ 7144000-A	1
	66/69	B(71)	Power regulator-less motor	C6OZ 7144000-B	1
	69/70	B(71)	Power regulator-less motor-9 tooth pinion	C9OZ 7144000-A	1
	70/71	B(71)	Power regulator-less motor-7 tooth pinion	D0OZ 7144000-B	1
	72	B(71)	Manual regulator	D2OZ 7144000-A	1
	72	B(71)	Power regulator	D2OZ 7144000-B	1
		- X -			
	66/70	X(71)	Manual regulator	C6OZ 7144000-A	1
			5/16"-18 x 1/2" Hex. head screw & washer assy.	376976-S7-8(BB574M)	1
	66/68	X(71)	Power regulator-less motor	C6OZ 7144000-B	1
	69/70	X(71)	Power regulator-less motor	C9OZ 7144000-A	1
440A06	**BUMPER - BACK WINDOW STOP LOWER**				
	65/68	A(71)		C5AZ 71440A06-A	1
	66/	B(71)			1
	66/70	X(71)			1
44008	**HANDLE and KNOB ASSY. - BACK WINDOW REGULATOR**				
	65/67	A(71B, D)		C5AZ 7144008-A	1
	68	A(71B, D, H)			1
	66/71	B(71)			1
	66/70	X(71)			1
	69/71	A(71)		C9AZ 7144008-A	1
	72	B(71)		D2OZ 7144008-A	1
	65/	A(71), B(71)	1/4"-20 x 1/4" Set screw (headless)	89571-S8B(U409X)	2
44009	**HANDLE - BACK WINDOW REGULATOR**				
		- A -			
	65	A(71)	Manual regulator	C5AZ 7144009-A	1
	66/68	A(71)	Manual regulator	C6AZ 7144009-C	1
	69/71	A(71)	Manual regulator-Includes attaching parts	C9AZ 7144009-B	1
	65	A(59, 71)	No. 10 Internal tooth lockwasher	34903-S8(X96)	3
			No. 10-24 Hex. nut	34053-S8 (M156)	3
		- B -			
	65	B(71)	Manual regulator-with constant engagement	C1AZ 5944009-H	1
			No. 10 Internal tooth lockwasher	34903-S8(X96)	3
			No. 10-24 Hex. nut	34053-S8(M156)	3
	66/71	B(71)	Manual regulator-Includes attaching parts	C6OZ 7144009-C	1
	72	B(71)	Manual regulator-includes attaching parts	D2OZ 7144009-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
44009	**HANDLE - BACK WINDOW REGULATOR - continued**				
		- X -			
	65	X(59,71,78)	Manual regulator	C5DZ 5944009-A	1
	66/70	X(71)	Manual regulator-Single action tail gate-Includes attaching parts	C6DZ 7144009-A	1
	66/70	X(71)	Dual action tail gate	C6OZ 7144009-C	1
44011	**PAD - BACK WINDOW REGULATOR HANDLE**				
		- A -			
	65	A(71)		C5AZ 7144011-A	1
	66/67	A(71)	Power regulator		1
	66/68	A(71)	Manual regulator	C6AZ 7144011-A	1
	69/71	A(71)	Manual regulator	C9AZ 7144011-A	1
		- B -			
	65	B(71)	Manual regulator	C1AB 5944011-C	1
	66/71	B(71)	Manual regulator	C5AZ 7144011-A	1
	72	B(71)	Manual regulator	D2OZ 7144011-A	1
		- X -			
	65	X(59,71,78)	Manual or power regulator	C0DB 5944011-B	1
	66/70	X(71)	Rectangular-with power regulator	C5AZ 7144011-A	1
	69	X(71)	Manual regulator-dual action		1
	66/70	X(71)	Round-Manual regulator	C6DZ 7144011-A	1
44016	**SPRING - BACK WINDOW REGULATOR HANDLE PAWL - MANUAL**				
	65/	A(71),B(71)		C5AZ 7144016-A	1
	68/70	X(71)			1
44017	**SOCKET - BACK WINDOW REGULATOR STEM - MANUAL**				
	65	A(71B,D)		C5AZ 7144017-C	1
			Spring (retaining)-refer to Group 44050		
	69/	A(71)	Refer to Group 431F60		
	66/68	A(71)		C6AZ 7144017-A	1
	66/	B(71)			1
	66/70	X(71)			1
	65	X(59,71,78)	Use with C0DB 5944009-G	C0DB 5944017-D	1
44036	**SPRING - BACK WINDOW REGULATOR HANDLE**				
	65/68	A(71),B(71)		C1AZ 7144036-A	2
	69/71	A(71B,D,H)			2
	72	B(71)			1
44044	**HOUSING - BACK WINDOW REGULATOR HANDLE - MANUAL**				
	69/71	A(71)		C9AZ 7144044-A	1
	72	B(71)			1
44048	**PLATE - BACK WINDOW REGULATOR HANDLE ANCHOR - MANUAL**				
	66/67	A(71)		C6AZ 7144048-A	1
	71	A(71)			1
	66/71	B(71)		C6OZ 7144048-A	1
	65	X(59,71,78)		C0DB 5944048-A	1
			No.8 External tooth lockwasher	34938-S8(X85)	2
			No.8 x 3/8" Cross recess pan head screw	52720-S8(U380)	2
	66/70	X(71)		C6DZ 7144048-A	1
44050	**SPRING - BACK WINDOW REGULATOR SOCKET RETAINING - MANUAL**				
	65	A(71B,D) "Before 6/7/65"		C5AZ 7144050-A	1
	65/67	A(71B,C,D) - "From 6/7/65 to 3/15/67"		C5AZ 7144050-B	1
	66/67	B(71B,D),X(71)			1
	67/69	A(71B,C,D)-"From 3/15/67"		C5AZ 7144050-C	1
	67/69	B(71B,D)			1
	70/71	B(71)			1
	67/70	X(71)			1
	70/	A(71)	Serviced only in assembly-refer to Group 44009		
	72	B(71)			

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
44062	**BRACKET - BACK WINDOW LOWER STOP**				
	65/71	A(71), B(71)		C5AZ 7144062-A	1
	65/70	X(71)			1
			5/16"-18 x 1/2" Hex. washer head screw	376976-S7-8(BB574M)	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
44074-5	**BRACKET - BACK WINDOW REGULATOR ARM**					
	69/70	A(71)		C9AZ 7144074-A	C9AZ 7144075-A	1
	71/	A(71)	Approx.9 3/8" long	D1AZ 7144075-A	D1AZ 7144075-A	2
	66/71	B(71), X(71)	Use with C9OZ 71422A08-A	C6OZ 7144074-A	C6OZ 7144075-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
44084	**BUTTON - BACK WINDOW REGULATOR**				
	69/71	A(71)		C9AZ 7144084-A	1
	72	B(71)			1
44085	**ACTUATOR - BACK WINDOW REGULATOR**				
	69/71	A(71)	Manual regulator	C9AZ 7144085-A	1
	72	B(71)			1
44088	**RETAINER - BACK WINDOW REGULATOR BUTTON**				
	69/71	A(71)	Manual regulator	C9AZ 7144088-A	1
	72	B(71)			1
44160	**ROD - BACK WINDOW REGULATOR HANDLE REGULATOR**				
	69/71	A(71B,D,H)	With manual regulator	C9AZ 7144160-A	1
	72	B(71)		D2OZ 7144160-A	1
44206-7	**PROP SPOILER - LUGGAGE COMPARTMENT DOOR**				
	69/70	F(63)		D0ZZ 6344206-A	1
	71/72	L(64) "Before 12/1/71"	R.H.	D1FZ 6444206-A	1
			L.H.	D1FZ 6444207-A	1
			Screw-hex. washer head-1/4"-20 x 9/16"	384653-S2(UU52GB)	6
	72	L(64) "From 12/1/71"	Refer to Group 406A10		
442A08	**LATCH KIT - BACK WINDOW LOUVER**				
	70/71	B(63)	Includes catch	D0OZ 63442A08-A	1
44210	**SPOILER KIT - REAR**				
	69/70	F(63)		D0ZZ 6344210-A	1

Consists of

(1) C5AZ 6221952-A	Clip & bushing	(2) D0ZB 6344296-C	Retainer-outer
(1) D0WB 6544202-A	Bracket	(1) D0ZB 6344298-9-C	Retainer-inner
(1) D0ZB 63442A02-D	Spoiler & support	(1) 55926-S2	Screw
(1) D0ZB 6344206-A	Prop	(4) 380613-S	Cap
(1) D0ZB 6344228-9-B	Gasket	(4) 383278-S2	Nut & washer

	69/70		Screw-No.10-16 x 5/8" oval head tapping	384354-S100(UU59G)	12
	71/	F(63)	Black	D1ZZ 6344210-A	1
			Gray	D1ZZ 6344210-B	1

Consists of

(1) D1ZZ 6344228-A	Gasket(R.H.)	(1) D1ZB 6344299	Retainer
(1) D1ZZ 6344229-A	Gasket(L.H.)	(4) 378289-S39	Nut & washer assy.
(AR) D1ZB 6344296	Retainer	(4) 380613-S	Cap
(1) D1ZB 6344298	Retainer		

	70/	P	Includes attaching parts	D0DZ 6244210-A	1
442A14	**SPACER - BACK WINDOW LOUVER** - Refer to Group 44284				

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
44228-9	**GASKET - REAR SPOILER SUPPORT**					
	71/	F(63)		D1ZZ 6344228-A	D1ZZ 6344229-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
44268	**LOUVER KIT - BACK WINDOW**				
	69/70	F(63)		C9ZZ 6344268-A	1
44270	**LOUVER - BACK WINDOW**				
	70/71	B(63)	Includes (5) louvers	D0OZ 6344270-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
44272-3	**HINGE - BACK WINDOW LOUVER**					
	70/71	B(63)		D0OZ 6344272-A	D0OZ 6344273-A	1
	69/70	F(63)		C9ZZ 6344272-A	C9ZZ 6344273-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
44274	**LATCH - BACK WINDOW LOUVER**				
	69/70	F(63)		C9ZZ 6344274-A	2
44280	**PAD - BACK WINDOW LOUVER HINGE**				
	70/71	B(63)	Rubber	D0OZ 6344280-A	2
44284	**SPACER - BACK WINDOW LOUVER**				
	70/71	B(63)		D0OZ 63442A14-A	3
	69/70	F(63)		C9ZZ 6344284-A	2
44288	**INSERT - BACK WINDOW LOUVER LATCH**				
	69/70	F(63)		C9ZZ 6344288-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
44400	**SUPPORT - TAILGATE**					
	66/	U		C4TZ 9944400-A	C4TZ 9944400-A	2
			5/16"-24 x 1 1/8" Hex head screw & washer	353483-S2(BB588)	353483-S2(BB588)	4
44400-1	**ROD - TAILGATE SUPPORT**					
	65	A(71)		C5AZ 7144400-A	C5AZ 7144400-A	2
	65	A(71)	5/16"-18 x .56" Pan head locking screw	379935-S8(BB838P)	379935-S8(BB838P)	4
			7/16" Washer(spring)	379934-S2(XX362A)	379934-S2(XX362A)	2
	65/67	B(71)		★C3OZ 7144400-B Not replaced (2-74)	C3OZ 7144401-A	1
	65/67	B(71)	5/16"-18 x .56" Pan head locking screw	379935-S(BB838P)	379935-S8(BB838P)	4
			7/16" Washer (spring)	379934-S2(XX362A)	379934-S2(XX362)	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
444A12-3	**SPRING - TAILGATE CHECK CABLE**				
	66/	A(71), B(71)	Dual action tail gate	C6AZ 71444A12-A	1
	66/70	X(71)			1
	67/71	B(66,71)	R.H. -Single action tail gate	C6DZ 71444A12-A	1
	72	B(97)			1
	66	X(66,71)			1
	67/70	X(71)			1
			L.H.	C6DZ 71444A13-A	1
444A16	**STOP - TAILGATE CHECK CABLE SPRING**				
	67/71	B(66,71)	Single action tail gate	C6DZ 71444A16-A	2
	72	B(97)			1
	66	X(66,71)			2
	67/70	X(71)			1
44482	**BUMPER - TAILGATE SUPPORT**				
	66/	U		C4TZ 9944482-A	2
			Cross recess pan head screw-No. 10-12 x 1/2"	52727-S8(U382)	2
			Nut-hex. washer lock-5/16" -18	379930-S2(MM173M)	9

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
44486	**BOLT - TAILGATE CHECK CABLE**				
	66/	A(71), B(71)	Upper-dual action tail gate-3/8"-16 x 2.20"-hex. head-on body	C6AZ 7144486-C	1
	66	X(66, 71)	Upper-single action tail gate		4
	67/69	B(66), X(71)			4
	72	B(97)			2
	66/	A(71), B(71), X(71)	Lower-Dual action tail gate-7/16"-14 x 1 9/32"-cross recess head-on gate	C6AZ 7144486-B	1
	66/71	B(66, 71)	Lower-Single action tail gate		4
	72	B(97)			2
	66/70	X(66, 71)			4
44558	**RETAINER - TAILGATE HINGE ON BODY ANCHOR PLATE**				
	72	B(97)		D2OZ 9744558-A	1
44588-9	**BRACKET - LUGGAGE COMPARTMENT DOOR**				
	71/72	L(64) "Before 12/1/71"	R.H.	D1FZ 6444588-A	1
			L.H.	D1FZ 6444589-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
44822	**REINFORCEMENT - LUGGAGE COMPARTMENT DOOR UPPER CORNER**					
	67/69	S		C7SZ 6544822-A	C7SZ 6544822-A	2
	70/71	S(57)				2
	71	S(65B, D)				2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
44840	**TROUGH - LUGGAGE COMPARTMENT DOOR UPPER DRAIN**				
	71/72	L(64)		D2FZ 6444840-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
44846-7	**TROUGH - UPPER BACK PANEL END DRAIN**					
	71/	A(65)		D1AZ 6544846-A	D1AZ 6544847-A	1
44890-1	**BAR - HINGE TORSION**					
		- A -				
	65	A(except 71)		C5AZ 6244890-A	C5AZ 6244891-A	1
	66	A(except 63, 71)				1
	65	A(71)		C5AZ 7144890-A		1
	67	A(63)		C7AZ 6344890-A	C7AZ 6344891-A	1
	67/68	A(except 63, 71)		C7AZ 6244890-A	C7AZ 6244891-A	1
	68	A(63)		C8AZ 6344890-C	C8AZ 6344891-C	1
	69	A(except 71)		C9AZ 6244890-A	C9AZ 6244891-A	1
	70	A(except 71)		D0AZ 6244890-A	D0AZ 6244891-A	1
	71	A(except 71)		D1AZ 6544890-A	D1AZ 6544891-A	1
	72	A(except 71)		D2AZ 6544890-A	D2AZ 6544891-A	1
	69/	A(71)		C9AZ 7144890-A	C9AZ 7144890-A	1
		- B -				
	66/67	B(except 71)		C6OZ 6244890-B	C6OZ 6244891-B	1
			Roller (nylon)	C6OZ 6242758-A	C6OZ 6242758-A	2
	68	B(54, 65, 76)-"Before 12/7/67"		C8OZ 5444890-B	C8OZ 5444891-C	1
	68/69	B(54, 65, 76)-"From 12/7/67"		C8OZ 5444890-C	C8OZ 5444891-C	1
	68	B(63) "Before 11/6/67"		C8OZ 6344890-B	C8OZ 6344891-B	1
	68/69	B(63)		C8OZ 6344890-C	C8OZ 6344891-C	1
	70/71	B(except 66, 71)		D0OZ 6544890-A	D0OZ 6544891-A	1
	66/71	B(66)		C6DZ 6644890-A		1
	66/71	B(71)	Dual action tail gate	C6OZ 7144890-A		1
	66/70	B(71)	Single action tail gate	C6DZ 7144890-A		1
	72	B(53, 65)		D2OZ 6544890-A	D2OZ 6544891-A	1
	72	B(63)		D2OZ 6344890-A	D2OZ 6344891-A	1
	72	B(71)		D2OZ 7144890-A	D2OZ 7144890-A	1
	72	B(97)		D2OZ 9744890-B	D2OZ 9744890-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
44890-1	**BAR - HINGE TORSION - continued**					
		- F -				
	65/66	F(65)		C5ZZ 6544890-C	C5ZZ 6544891-C	1
	67	F(63)		C7ZZ 6344890-A	C7ZZ 6344890-A	2
	67/68	F(65 except GT/CS, 76)		C7ZZ 6544890-A	C7ZZ 6544891-A	1
	69	F(65, 76)		C9ZZ 6544890-A	C9ZZ 6544891-A	1
	68/70	F(63)	Refer to Group 42700-1			
	70	F(65, 76)		D0ZZ 6544890-A	D0ZZ 6544890-A	1
	71/	F(63)	Without rear spoiler	D1ZZ 6344890-A	D1ZZ 6344891-A	1
			With rear spoiler	D1ZZ 6344890-B	D1ZZ 6344891-B	1
	71/	F(65, 76)		D1ZZ 6544890-A	D1ZZ 6544890-A	2
		- L -				
	71/	L(62)		D1FZ 6244890-B	D1FZ 6244891-A	1
	72	L(73)		D2FZ 7344890-A	D2FZ 7344891-A	1
		- P -				
	71/	P(54)		D1DZ 5444890-B	D1DZ 5444891-A	1
	70/	P(62A)		D0DZ 6244890-A	D0DZ 6244890-A	2
	71/	P(62D)		D1DZ 6244890-A	D1DZ 6244890-A	2
		- S -				
	65/66	S(63A)		C1SB 6344890-A	★C1SB 6344891-A Not replaced (5-75)	1
	68/71	S		C8SZ 6544890-A	C8SZ 6544891-A	1
	72	S		D2SZ 6544890-A	D2SZ 6544891-A	1
		- X -				
	66/67	X(54, 62)		C6DZ 6244890-A	C6OZ 6244891-B	1
	68	X(54, 62) "Before 12/7/67"		C8DZ 6244890-B	C8DZ 6244891-C	1
	68/70	X(54, 62) "From 12/7/67"		C8DZ 6244890-C	C8DZ 6244891-C	1
	66/70	X(66)		C3DZ 6644890-A		1
	66/70	X(71)	Dual action tail gate	C6OZ 7144890-A		1
	66/70	X(71)	Single action tail gate	C6DZ 7144890-A		1
45028	**ANTI-RATTLE - TORSION BAR**					
	65	A(71), B(71)	Cut from A9A 17543-C			
	65/67 65/67 65/68	B(except 71) A(except 71), X(54, 62, 63, 76) F(63)	Cut from A9A 17543-C			
	68	A(71), B(66, 71), X(71)	Cut from B9A 17543-A			
	68	A(except 71), B(except 63, 66, 71), X(except 71)	Cut from B9A 17543-A			
	68	B(63), F(65, 76)	Cut from B9A 17543-A			
	69/	A, B, F, P	Refer to Group 19627 in Paint Section			
	71	L(62)		D1FZ 6245028-A	D1FZ 6245028-A	2
45036-7	**BRACKET - LUGGAGE COMPARTMENT DOOR HINGE MOUNTING**					
	69/70	F(63)		C9ZZ 6345036-A	C9ZZ 6345037-A	1
45114-5	**TROUGH - LUGGAGE COMPAPTMENT DOOR - SIDE DRAIN**					
	71/	L(62)		D1FZ 6245114-A	D1FZ 6245115-A	1
	72	S		D2SZ 6545114-A	D2SZ 6545115-A	1
45118-9	**TROUGH - LUGGAGE COMPARTMENT DOOR LOWER CORNER DRAIN**					
		- A -				
	65/66	A(except 63, 71)		C6AZ 6245118-A	C6AZ 6245119-A	1
	67	A(except 71)	Includes retainer for rear lamp wire	C7AZ 6245118-A	C7AZ 6245119-A	1
	68	A(54, 57, 62, 65, 76)		C8AZ 6245118-A	C8AZ 6245119-A	1
	68	A(63)		C8AZ 6345118-A	C8AZ 6345119-A	1
	69	A(except 71)		C9AZ 6245118-A	C9AZ 6245119-A	1
	70	A(except 71)		D0AZ 6245118-A	D0AZ 6245119-A	1
	71	A(except 71)		D1AZ 6545118-A	D1AZ 6545119-A	1
	72	A(except 71)		D2AZ 6545118-A	D2AZ 6545119-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
45118-9	**TROUGH - LUGGAGE COMPARTMENT DOOR LOWER CORNER DRAIN - continued**					
		- B -				
	66/67	B(except 66, 71)		★C6OZ 6245118-A Not replaced (5-75)	C6OZ 6245119-A	1
	68/69	B(54, 65, 76)		C8OZ 5445118-A	C8OZ 5445119-A	1
	68/69	B(63)		C8OZ 6345118-A	C8OZ 6345119-A	1
	70/71	B(except 66, 71)		D0OZ 6545118-A	D0OZ 6545119-A	1
		- F -				
	65/66	F(65, 76)		C5ZZ 6545118-A	C5ZZ 6545119-A	1
	67/68	F(63)	L.H.-Includes retainer for rear lamp wire	C7ZZ 6345118-A	C7ZZ 6345119-A	1
	67/68	F(65, 76)	L.H.-Includes retainer for rear lamp wire	C7ZZ 6545118-A	C7ZZ 6545119-A	1
	69/70	F(63)		C9ZZ 6345118-A	C9ZZ 6345119-A	1
	69/70	F(65, 76)		C9ZZ 6545118-A	C9ZZ 6545119-A	1
	71/	F(63)		D1ZZ 6345118-A	D1ZZ 6345119-A	1
	71/	F(65, 76)		D1ZZ 6545118-A	D1ZZ 6545119-A	1
		- L -				
	71/	L(64)		D1FZ 6445118-A	D1FZ 6445119-A	1
		- P -				
	71/	P(54)		D1DZ 5445118-A	D1DZ 5445119-A	1
	70/	P(62)		D0DZ 6245118-A	D0DZ 6245119-A	1
		- S -				
	67/69	S		C7SZ 6545118-A	C7SZ 6545119-A	1
	70/71	S(57)				1
	71	S(65B, D)				1
	70	S(65)		D0SZ 6545118-A	D0SZ 6545119-A	1
	71	S(65A, C)				1
		- X -				
	65	X(54, 62, 63, 76)		★C4DZ 6245118-A Not Repl'd. (1-73)	C4DZ 6245119-A	1
	66/67	X(54, 62)		C6DZ 6245118-B	★C6DZ 6245119-B Not replaced (3-74)	1
	68/70	X(54, 62)		C8DZ 6245118-A	C8DZ 6245119-A	1
45120	**TROUGH - LUGGAGE COMPARTMENT DOOR - FRONT CORNER DRAIN**					
	67/68	A(except 63, 71)		C7AZ 6245120-A	C7AZ 6245120-A	2
	66/67	B(except 71)		C6OZ 6245120-A	C6OZ 6245120-A	2
	68/71	B(54, 62, 65, 76)				2
	67/69	S				2
	71	S(65B, D)				2
	70	S		D0SZ 6545120-A	D0SZ 6545120-A	2
	71	S(57, 65)				2
	66/70	X(54, 62)		C6OZ 6245120-A	C6OZ 6245120-A	2
45408-9	**RETAINER - LUGGAGE COMPARTMENT SIDE LINING BOARD - LOWER**					
	67/69	S		C7SZ 6545408-A	C7SZ 6545409-A	1
	70/71	S		D0SZ 6545409-A	D0SZ 6545409-A	1
	67/71	S	Screw & washer-No.8-18 x 1/2"	381969-S2(UU89A)	381969-S2(UU89A)	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
45592	**SPRING - LUGGAGE COMPARTMENT DOOR LIFT RETAINER**				
	72	L(64)		D2FZ 6445592-A	4
45702	**HINGE - LUGGAGE COMPARTMENT FRONT ACCESS DOOR** - Paint to match				
	67/70	F(63)	With folding rear seat	C7ZZ 6345702-B	2
	71/	F(63)	With folding rear seat	D1ZZ 6345702-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
45704	**LATCH - LUGGAGE COMPARTMENT FRONT ACCESS DOOR**				
	65/70	F(63)	With folding rear seat	C5ZZ 6345704-C	1
	71/	F(63)	With folding rear seat	D1ZZ 6345704-A	1
45728	**DOOR - LUGGAGE COMPARTMENT FRONT ACCESS**				
	67/70	F(63)	With folding rear seat-paint to match	C9ZZ 6345728-A	1
	71/	F(63)	With folding rear seat	D1ZZ 6345728-A	1
	71/72	L(62) "Before 9/1/71"	With folding rear seat-w/steady rest	D1FZ 6245728-A	1
	72	L(62)- "From 9/1/71 to 12/1/71"	With folding rear seat-w/steady rest	D2FZ 6245728-B	1
	72	L(62) "From 12/1/71"	With folding rear seat-w/o steady rest	D2FZ 6245728-A	1
	71/72	L(64)- "Before 12/1/71"	With folding rear seat-w/steady rest-paint to match	D2FZ 6445728-B	1
	72	L(64) "From 12/1/71"	With folding rear seat-w/o steady rest-paint to match	D2FZ 6445728-A	1
45732	**BRACKET - LUGGAGE COMPARTMENT FRONT ACCESS DOOR PROP ON BODY**				
	69/70	F(63)	With folding rear seat	C9ZZ 6345732-A	1
45734	**PROP - LUGGAGE COMPARTMENT FRONT ACCESS DOOR**				
	69/70	F(63)	With folding rear seat	C9ZZ 6345734-A	1
	65/68	F(63)	Screw-hex.washer hd.-No.8-32 x 1/2"	40917-S8(U259)	2
45746	**STRIKER - LUGGAGE COMPARTMENT FRONT ACCESS DOOR LATCH**				
	65/70	F(63)	With folding rear seat	C5ZZ 6345746-A	1
			Screw & washer assy.-hex.hd.-No.8-32 x 1/2"	42722-S8(X19)	2
45770	**MOULDING - LUGGAGE COMPARTMENT FRONT ACCESS DOOR TRIM**				
	72	L(64)	Steel-includes attaching parts	D2FZ 6445770-A	1
45780-1	**STRAINER - LUGGAGE COMPARTMENT FRONT ACCESS DOOR OPENING**				
	71	F(63) "Before 2/15/71"	R.H. -with folding rear seat	D1ZZ 6345780-A	1
			L.H.	D1ZZ 6345781-A	1
	71/	F(63) "From 2/15/71"	R.H.-with folding rear seat	D1ZZ 6345780-B	1
			L.H.	D1ZZ 6345781-B	1
45782	**MEMBER - LUGGAGE COMPARTMENT FRONT ACCESS DOOR HINGE MOUNTING**				
	71/	F(63)	With folding rear seat	D1ZZ 6345782-A	1
45786	**RETAINER - LUGGAGE COMPARTMENT FRONT ACCESS DOOR COVER - LOWER**				
	71/	F(63)	With folding rear seat	D1ZZ 6345786-A	1
45788-9	**RETAINER - LUGGAGE COMPARTMENT FRONT ACCESS DOOR COVER - SIDE**				
	71/	F(63)	R.H.	D1ZZ 6345788-A	1
			L.H.	D1ZZ 6345789-A	1
45790	**RETAINER - LUGGAGE COMPARTMENT FRONT ACCESS DOOR COVER - UPPER**				
	71/	F(63)	With folding rear seat	D1ZZ 6345790-A	1
45792	**COVER - LUGGAGE COMPARTMENT DOOR ACCESS HOLE**				
	71/	L(64)	Rubber-paint to match	D1FZ 6445792-A	2
45848	**LATCH - SPARE WHEEL COVER HOLD DOWN**				
	69/	A(71)		C9AZ 7145848-A	2
45849	**HANDLE - SPARE WHEEL COVER HOLD DOWN**				
	69/72	A(71)		C9AZ 7145849-A	2
	72	B(71)			2
46004	**CLIP - LUGGAGE COMPARTMENT CARRIER RETAINER**				
	71/	L	1" long	D1FZ 6246004-A	8

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
46018-20	**STRAP - LUGGAGE COMPARTMENT CARRIER HOLD-DOWN**				
	69/71	A(except 63, 71)	Front-use w/C9AZ 6255100-A-rear deck mount	C9AZ 6246018-A	2
			Rear-use w/C9AZ 6255100-A-rear deck mount	C9AZ 6246020-A	2
	68/71	B(except 66, 71)	Front-use w/C6AZ 6255100-A-rear deck mount	C8OZ 5446018-A	2
				C8OZ 5446020-A	2
	66/68	F(65, 76)	Front-2.88" long -use w/C6AZ 6255100-A rear deck mount	C6ZZ 6546018-A	2
	69	F(except 63)	Use with C9AZ 6255100-A rear deck mount		2
	68/69	X(except 71)			2
			Rear-2.50" long -use with C6AZ 6255100-A rear deck mount	C6ZZ 6546020-A	2
	66/68	F(65, 76)	No. 10-32 Square nut	★380294-S	4
			No. 10-32 x 3/4" Screw & washer assy.	★380295-S	4
	70/71	P(62)	Front-use with C9AZ 6255100-A kit	D0DZ 6246018-A	2
			Rear-use with C9AZ 6255100-A kit	D0DZ 6546020-A	2
	69/70	X(54, 62)	Rear-2.28" long-removable installation-use with C9AZ 6255100-A rear deck mount-dealer installed	C9DZ 6246020-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
465A00-1	**MOULDING - PACKAGE TRAY FINISH - INTERMEDIATE - INCLUDES ATTACHING PARTS - PAINT TO MATCH**					
	70/71	B(62, 65)		D0OZ 65465A00-A	D0OZ 65465A01-A	1
	71/	F(63)	Without folding rear seat	D1ZZ 63465A00-A	D1ZZ 63465A01-A	1
465A04-5	**MOULDING - PACKAGE TRAY FINISH - END - INCLUDES ATTACHING PARTS**					
	70/71	B(54, 57)	Paint to match	D0OZ 54465A04-A	D0OZ 54465A05-A	1
	70/71	B(62, 65)	Paint to match	D0OZ 65465A04-A	D0OZ 65465A05-A	1
	70/71	B(63)	Paint to match	D0OZ 63465A04-A	D0OZ 63465A05-A	1
	72	B(53)	Black	D2OZ 53465A04-C	D2OZ 53465A05-C	1
			Blue	D2OZ 53465A04-D	D2OZ 53465A05-D	1
			Ginger	D2OZ 53465A04-A	D2OZ 53465A05-A	1
			Gold	D2OZ 53465A04-F	D2OZ 53465A05-F	1
			Green	D2OZ 53465A04-B	D2OZ 53465A05-B	1
			Tobacco	D2OZ 53465A04-E	D2OZ 53465A05-E	1
	72	B(63)	Black	D3OZ 63465A04-A	D3OZ 63465A05-A	1
			Blue	D3OZ 63465A04-B	D3OZ 63465A05-B	1
			Ginger	D3OZ 63465A04-F	D3OZ 63465A05-F	1
			Gold	D2OZ 63465A04-G	D2OZ 63465A05-G	1
			Green	D3OZ 63465A04-C	D2OZ 63465A05-B	1
			Tobacco	D3OZ 63465A04-E	D3OZ 63465A05-E	1
			White	D2OZ 63465A04-E	D2OZ 63465A05-E	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
46506	**PANEL - PACKAGE TRAY**				
	68/69	B(63)		C8OZ 6346506-B	1
	70/71	B(63)		D0OZ 6346506-A	1
	72	B(63)		D2OZ 6346506-A	1
	70/71	B(54, 57, 62, 65)		D0OZ 6546510-A	1
	71/	F(63)	Without folding rear seat	D1ZZ 6346506-A	1
	69/70	F(63)		C9ZZ 6346510-A	1
	71/	L(62)		D1FZ 6246506-A	1
	71/	P(54)		D1DZ 5446506-A	1
	70/	P(62)		D0DZ 6246506-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
46510	**PANEL - PACKAGE TRAY** - Refer to Group 46506				
46512	**PANEL - PACKAGE TRAY UPPER**				
	68/69	S		C8SZ 6546512-B	1
	70/71	S(57)			1
	70	S(65)		D0SZ 6546512-A	1
	71	S(65A,C)		D1SZ 6546512-A	1
	71	S(65B,D)		D1SZ 6546512-B	1
46514-5	**PANEL - PACKAGE TRAY END**				
	68/71	S(57)	R.H.	C8SZ 5746514-B	1
			L.H.	C8SZ 5746515-B	1
	68/69	S(65)	R.H.	C8SZ 6546514-B	1
	71	S(65B,D)			1
			L.H.	C8SZ 6546515-B	1
	70	S(65)	R.H.	D0SZ 6546514-A	1
	71	S(65A,C)			1
			L.H.	D0SZ 6546515-A	1
46516	**REINFORCEMENT - PACKAGE TRAY TO FLOOR PAN**				
	72	B(except 71,97)		D2OZ 6546516-A	1
46519	**PANEL - PACKAGE TRAY - LOWER**				
	70/71	S(57)		D0SZ 5746519-A	1
	71	S(65B,D)			1
	70	S(65)		D0SZ 6546519-A	1
	71	S(65A,C)			1
46552	**RETAINER - PACKAGE TRAY ON BODY - OUTER**				
	67/70	S(65)	Finish end moulding	C7SZ 6546552-A	2
465A62	**RETAINER - PACKAGE TRAY TRIM PANEL INNER**				
	67/71	S(57)		C7SZ 57465A62-A	2
465A92	**RETAINER - PACKAGE TRAY TRIM PANEL END**				
	67/71	S(57)		C7SZ 57465A92-A	2
46593	**COUPLING - PACKAGE TRAY LIFT ASSY. TO MOTOR**				
	65/66	S(76)		BAD 5146593-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
466A04	**COVER - PACKAGE TRAY VENT**					
	68/69	S		C8SZ 65436A04-A	C8SZ 65466A04-A	2
	71	S(57,65B,D)				1
46608-9	**BRACKET - PACKAGE TRAY STRAINER TO WHEELHOUSE**					
	69/70	A(54,57,62)		C9AZ 6246608-A	C9AZ 6246609-A	1
	71/	A(except 71,76)				1
	69/70	A(63,65)		C9AZ 6346608-A	C9AZ 6346609-A	1
	70/71	B(except 66,71)		D0OZ 6546608-A	D0OZ 6546609-A	1
	72	B(except 71,97)		D2OZ 6546608-A	D2OZ 6546609-A	1
	71/	F(63)	Without folding rear seat	D1ZZ 6346608-A	D1ZZ 6346609-A	1
	65/	F(65)		C5ZZ 6546608-A	C5ZZ 6546609-A	1
	67/71	S		C7SZ 6546608-A	C7SZ 6546609-A	1
	72	S		D2SZ 6546608-A	D2SZ 6546609-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
46610-1	**STRAINER - PACKAGE TRAY TO FLOOR**					
		- A -				
	65/68	A(54, 57, 63, 65)		C5AZ 6246610-B	★C5AZ 6246611-B Not replaced (3-74)	1
	65/68	A(63)		C5AZ 6346610-A	★C5AZ 6346611-A Not replaced (3-74)	1
	65/68	A(76)		★C5AZ 7646610-A Not Repl'd. (1-73)	C5AZ 7646610-A	2
	69/70	A(63)		C9AZ 6346610-A	C9AZ 6346611-A	1
	69/70	A(54, 57. 62)		C9AZ 6246610-A	C9AZ 6246611-A	1
	71/	A(53, 54, 57)				1
	72	A(65)				1
	69/71	A(65)		C9AZ 6546610-A	C9AZ 6546611-A	1
		- B -				
	68/69	B(54)		C6OZ 5446610-B	C6OZ 5446611-B	1
	68/71	B(63)		C8OZ 6346610-A	C8OZ 6346611-A	1
	68/69	B(65)		C8OZ 6546610-A	C8OZ 6546611-A	1
	70/71	B(54, 57, 65)		D0OZ 6546610-A	D0OZ 6546611-A	1
	72	B(except 71, 97)		D2OZ 6546610-A	D2OZ 6546611-A	1
		- F -				
	65/70	F(65)		C5ZZ 6546610-A	C5ZZ 6546611-A	1
	65/70	F(76)		C5ZZ 7646610-B	C5ZZ 7646610-B	1
	71/72	F(63)	Without folding rear seat	D2ZZ 6346610-A	D2ZZ 6346611-A	1
	71/	F(65)		D1ZZ 6546610-A	D1ZZ 6546611-A	1
	71	F(76)	Refer to Group 62400			
		- S -				
	68/71	S		C7SZ 6546610-B	C8SZ 6546611-A	1
	72	S		D2SZ 6546610-A	D2SZ 6546611-A	1
		- X -				
	66/70	X(54, 62)		C6DZ 6246610-B	C6DZ 6246611-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
46668	**PANEL - PACKAGE TRAY TRIM** - Refer to Groups 46656 and 46668 in Soft Trim Section				
46674-5	**BRACE - PACKAGE TRAY STRAINER TO FLOOR**				
	71/72	F(63)	R.H.-paint to match-w/o folding rear seat	D1ZZ 5346674-B	1
			L.H.	D1ZZ 6346675-B	1
	70/72	P(62)	R.H. -paint to match	D0DZ 6246674-A	1
			L.H.	D0DZ 6246675-A	1
	71/72	P(54)	R.H.-15 5/8" long	D1DZ 5446674-A	1
			L.H.	D1DZ 5446675-A	1
46698-9	**RETAINER - PACKAGE TRAY TRIM**				
	67	A(63)		C7AZ 6346698-C	4
	68	A(63)		C8AZ 6346698-A	4
	68/71	B(54, 63), F(65)	Improvise	★	
	70	B(62, 65)		D0OZ 6546698-A	4
	71	B(65)			4
	72	B(except 71, 97), F(65)		D1DZ 6246698-A	3
	70/71	P "Before 11/2/70"	Paint to match	D0DZ 6246698-A	2
	71/	P "From 11/2/70"	Stainless steel	D1DZ 6246698-A	2
	67/71	S(57)	R.H.	C7SZ 5746698-A	1
			L.H.	C7SZ 5746699-A	1
	67/71	S(65)	R.H.	C7SZ 6546698-A	1
			L.H.	C7SZ 6546699-A	1
	72	S		D1DZ 6246698-A	3

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
46705	**CLIP - PACKAGE TRAY TRIM PANEL FRONT**				
	70	A(65)		D0AZ 6546705-A	6
	70/71	S(65)		D0SZ 6546705-A	5
46722-3	**RETAINER - PACKAGE TRAY PANEL REAR** - Paint to Match				
	67/69	S(65)	R.H.	C7SZ 6546722-A	1
	71	S(65B,D)			1
			L.H.	C7SZ 6546723-A	1
	70	S(65)	R.H.	D0SZ 6546722-A	1
	71	S(65A,C)			1
			L.H.	D0SZ 6546723-A	1
46774-5	**STRAINER - PACKAGE TRAY TO WHEELHOUSE**				
	71/	L(62)	R.H.	D1FZ 6246774-A	1
			L.H.	D1FZ 6246775-A	1
	70/	P(62)	R.H.	D0DZ 6246774-A	1
			L.H.	D0DZ 6246775-A	1
46884	**COVER - PACKAGE TRAY DEFOGGER**				
	68/71	S		C8SZ 6546884-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
46918-9	**PANEL - PACKAGE TRAY TRIM END FRONT**					
	68	S(57) "Before 11/1/67"	Paint to match	C8SZ 5746918-A	★C8SZ 5746919-A Not Repl'd. (1-73)	1
	68/69	S(57)- "From 11/1/67 to 12/16/68"	Paint to match-crinkle grain	C8SZ 5746918-B	★C8SZ 5746919-B Not repl'd. (1-73)	1
	69/71	S(57) "From 12/16/68"	Paint to match-Corinthian grain	C9SZ 5746918-A	C9SZ 5746919-A	1
						1
	68/69	S(65) "Before 12/16/68"	Paint to match-crinkle grain	C8SZ 6546918-A	C8SZ 6546919-A	1
	70	S(65)	Paint to match	D0SZ 6546918-A	D0SZ 6546919-A	1
	71	S(65A,C)				1
	71	S(65B,D)	Paint to match	D1SZ 6546918-A	D1SZ 6546919-A	1
	65/66	S(63)	Screw-cross recess oval head-No.8-15 x 1"	52376-S13(U296)	52376-S13(U296)	2
	65/66	S(76)	Screw-cross recess truss head-No.8-18 x .38"	376378-S101(UU97)	376378-S101(UU97)	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
46940	**RETAINER - PACKAGE TRAY SIDE MOULDING REAR**				
	70	B54,57,62,65)		D0OZ 6546940-A	2
	71	B(54,57,65)			2
	70/	B(63)		D0OZ 6346940-A	2
46942-3	**RETAINER - PACKAGE TRAY SIDE MOULDING FRONT**				
	70	B(54,57,62,65)		D0OZ 6546942-A	2
	71	B(54,57,65)			2
	70/	B(63)	R.H.	D0OZ 6346942-A	1
			L.H.	D0OZ 6346943-A	1
47028	**PANEL - SPARE WHEEL WELL SIDE INNER**				
	65	A(71)	Refer to Group 11215		
	66	A(71B,D,E)		C5AZ 7147028-B	1
	69/	A(71)	R.H.-for left side refer to Group 27859	C9AZ 7147028-A	1
	66/69	B(71),X(71)	R.H.	C6OZ 7147028-B	1
	66/67	B(71),X(71)			1
	70/71	B(71)		D0OZ 7147028-A	1
	72	B(71)		D2OZ 7147028-A	1
	65	X(59,71,78)	R.H.	C4DZ 5947028-A	1
	66/70	X(71)	L.H.-refer to Group 27859		

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
47030	**PANEL - SPARE WHEEL WELL SIDE LOWER**				
	65/68	A(71)	R.H.	C7AZ 7147030-B	1
	65/68	A(71)	Plug (button)-1 1/2" diameter hole	377901-S(PP14N)	1
	69/	A(71)	R.H.	C9AZ 7147030-A	1
	69/	A(71)	L.H.-refer to Group 27859		
	66/69	B(71), X(71)	Dual action tail gate	C6OZ 7147030-A	1
	70/71	B(71)		D0OZ 7147030-A	1
	72	B(71)		D2OZ 7147030-A	1
	65	A(71)	Plug (button)-1 1/2" diameter hole	352285-S(PP5)	1
	65	X(59,71,78)			1
47040	**BRACE - SPARE WHEEL**				
	69/70	A(63)		C9AZ 6347040-A	1
	69/70	A(65)		C9AZ 6547040-A	1
	69/70	A(54,57,62)		C9AZ 6247040-A	1
	71	A(53,54)			1
	72	A(53,54,57)			1
	71	A(57)		C9MY 5747040-A	1
	71/72	A(65)		D1AZ 6547040-A	1
47042	**COVER - SPARE WHEEL WELL** - Also refer to Soft Trim Sections				
	65	A(71)	Refer to Groups 47042 & 45826 in Soft Trim Section		
	65	B(71)	Paint to match	C3OZ 7147042-A	1
			No. 8 x 3/8" Cross recess pan head screw	52720-S8(U380)	2
	72	L(73)		D2FZ 7347042-A	1
47043	**PANEL - SPARE WHEEL WELL**				
	72	L(73)		D2FZ 7347043-A	1
47062	**RETAINER - SPARE WHEEL HOLD DOWN BRACKET**				
	66/	U	On tail gate	C6TZ 9647062-A	1
47066	**SUPPORT - SPARE WHEEL TO FLOOR**				
	72	F	With folding rear seat	D2ZZ 6347066-A	1
			With F60 tire w/o folding rear seat		1
47076	**BRACKET - SPARE WHEEL MOUNTING**				
	67	A(54,57,62,63,76)		C7AZ 6247076-A	1
	68/69	A(54,57,62,76)			1
	67/68	B(54,62,63,66,76)			1
	69/71	B(exc. 71)	With trunk mounted battery		1
	68/72	F(exc. 63)	With 302, 351, 390 engines & trunk mounted battery		1
	71	L			1
	70/	P(62)			1
	67/69	S			1
	67/70	X(54,62)			1
	69/	A(76)		C9AZ 7647076-A	1
	69/71	F	With 427, 428 engines		1
	69/70	B(54,63,65,66,76)	With 428 engines (4) speed transmission	C9OZ 5447076-A	1
	71	B(63,65,76)	With 429 engine (4) speed transmission	D1OZ 6547076-A	1
	72	B(except 71,97)		D2OZ 6547076-A	1
	72	B(97)		D2OZ 9747076-A	1
	71	F(63,65)	Without folding rear seat	D1ZZ 6547076-A	1
	71/72	F(63) "Before 10/18/71"	With folding rear seat	D1ZZ 6347076-A	1
	72	F(63) "From 10/18/71"	With folding rear seat	D2ZZ 6347076-A	1
			With F60 tire w/o folding rear seat		1
	72	L		C9AZ 6247076-A	1
	72	P		C9AZ 6247076-A	1
	70/71	S		D0SZ 6547076-A	1
	72	S		D2OZ 6547076-A	1
	66/	U	On tail gate	C6TZ 9647076-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
47088	**RETAINER - SPARE WHEEL WELL COVER REAR**				
	69/	A(71)		C9AZ 7147088-A	2
	66/71	B(71)		C6OZ 7147088-A	1
	72	B(71)		D2OZ 7147088-A	2
47108	**SHAFT - SPARE WHEEL COVER HOLD DOWN HANDLE**				
	69/	A(71)		C9AZ 7147108-A	2
47112	**BUSHING - SPARE WHEEL COVER HOLD DOWN HANDLE**				
	69/	A(71)		C9AZ 7147112-A	2
47120	**EXTENSION - SPARE WHEEL WELL SIDE LOWER REAR**				
	66/69	A(71)		C6AZ 7147120-A	1
	66/69	B(71), X(71)		C6OZ 7147120-B	1
	70/71	B(71)		D0OZ 7147120-A	1
47122	**EXTENSION - SPARE WHEEL WELL SIDE LOWER FRONT**				
	65	A(71)		C5AZ 7147122-A	1
	66	A(71)		C6AZ 7147122-A	1
	67	A(71)		C7AZ 7147122-A	1
	68	A(71)		C8AZ 7147122-A	1
	69/70	A(71)	R.H.	C9AZ 7147122-A	1
	69/70	A(71)	L.H.-refer to Group 27897		
	71/	A(71)		D1AZ 7147122-A	1
	66/67	B(71)		C6OZ 7147122-A	1
	66/69	X(71)			1
	70/71	B(71)		D0OZ 7147122-A	1
	72	B(71)		D2OZ 7147122-A	1
47154	**CLIP - SPARE WHEEL WELL COVER PANEL**				
	66/69	B(71)	Front	C6OZ 7147154-B	1
	66/70	X(71)			1
	66/69	B(71)	Rear	C6OZ 7147154-A	1
	66/70	X(71)			1
47178	**BRACKET - SPARE WHEEL COVER SUPPORT FRONT**				
	69/	A(71)		C9AZ 7147178-A	1
	72	B(71)		D2OZ 7147178-A	1
47180	**BRACKET - SPARE WHEEL COVER SUPPORT REAR**				
	69/	A(71)		C9AZ 7147180-A	1
47182	**BRACKET - SPARE WHEEL WELL - LOWER PANEL**				
	70/71	B(71)		D0OZ 7147182-A	1
47250	**BRACKET - SPARE WHEEL COVER HOLD DOWN AT BELT**				
	65/66	A(71)		C5AZ 7147250-A	1
			No. 8-15 x 1/2" Cross recess tapping screw	52726-S13(U381)	2
47256	**LATCH - SPARE WHEEL WELL COVER**				
	65/66	A(71)	Paint to match	C5AZ 7147256-B	1
			No. 8-15 x .38" Pan head self-tapping screw	52720-S8(U380)	2
47262	**SEAL - SPARE WHEEL WELL COVER REAR**				
	66/	B(71)	Supplied in assy. 47042-Refer to Group in Soft Trim Section		
47264	**SEAL - SPARE WHEEL WELL COVER UPPER**				
	66/	B(71)	Supplied in assy. 47042-Refer to Group in Soft Trim Section		
47276	**FILLER - SPARE WHEEL WELL SIDE LOWER**				
	66/68	B(71), X(71) "Before 5/18/67"		C6OZ 7147276-A	1
	68/	B(71), X(71) "From 5/18/67"	Serviced in assembly-refer to Group 47028		
47282	**RETAINER - SPARE WHEEL WELL COVER PANEL LOWER**				
	69	A(71)		C9AZ 7147282-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
50002	**RETAINER - ROOF OUTSIDE REAR MOULDING** - Refer to Group 50030				
50030	**RETAINER - ROOF OUTSIDE REAR MOULDING**				
	69/70	A(63)	Side	C9AZ 6350030-A	4
	69/70	A(63)	Upper	C9AZ 6350034-A	6
	72	B(71)		D2OZ 7150002-A	2
			Nut-hex stamped w/sealer-No.8-32	45271-S36(M180)	AR
50034	**RETAINER - ROOF OUTSIDE REAR MOULDING** - Refer to Group 50030				
50044	**MOULDING - ROOF OUTSIDE REAR CENTER**				
	69	A(63)	Includes attaching parts - one piece design	C9AZ 6350044-A	1
	69/70	A(63)	Two piece design-refer to Group 517A02		
50140-1	**BASE - FOLDING TOP MAIN PIVOT SUPPORT** - Refer to Group 506A44-5				
50156	**RETAINER - FOLDING TOP BOW LISTING**				
	69/	A(76)		C9AZ 7650156-A	2
	66/71	B(76)	37" long	C6OZ 7650156-A	2
	69/70	F(76)		C9ZZ 7650156-A	2
	71/	F(76)	33" long	D1ZZ 7650156-A	1
50202	**PANEL - ROOF**				
			- A -		
	69/70	A(57)		C9AZ 5750202-A	1
	69/70	A(63)		C9AZ 6350202-A	1
	69/70	A(65)		C9AZ 6550202-A	1
	69/70	A(54,62)		C9AZ 6250202-A	1
	71/	A(54)			1
	69/	A(65)		D1AZ 6550202-A	1
	69/	A(71)		C9AZ 7150202-A	1
	71/	A(53,57)		D1AZ 5750202-A	1
			- B -		
	66/67	B(54)		C6OZ 5450202-B	1
	66/69	B(62)		C6OZ 6250202-B	1
	66/71	B(71)		D0OZ 7150202-A	1
	67	B(66)		C6DZ 6650202-A	1
	68/69	B(54)		C8OZ 5450202-A	1
	68/69	B(63)		C8OZ 6350202-A	1
	68/69	B(65)		C8OZ 6550202-A	1
	68/69	B(66)		D0OZ 6650202-A	1
	70/71	B(54,57)		D0OZ 5450202-A	1
	70/71	B(62,65)		D0OZ 6550202-A	1
	70/71	B(63)		D0OZ 6350202-A	1
	70/71	B(66)		D0OZ 6650202-A	1
	72	B(53)		D2OZ 5350202-A	1
	72	B(63)		D2OZ 6350202-A	1
	72	B(65)		D2OZ 6550202-A	1
	72	B(71)		D2OZ 7150202-A	1
	72	B(97)		D2OZ 9750202-A	1
			- F -		
	65/66	F(65)		C5ZZ 6550202-A	1
	69/70	F(63)		C9ZZ 6350202-A	1
	69	F(65)		C9ZZ 6550202-A	1
	70	F(65)		D0ZZ 6550202-A	1
	71/	F(63)		D1ZZ 6350202-A	1
	71/	F(65)		D1ZZ 6550202-A	1
			- L -		
	71/	L(62,64)	W/o sliding roof	D1FZ 6250202-A	1
	72	L(62,64)	W/sliding roof	D2FZ 6250202-A	1
	72	L(73)		D2FZ 7350202-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
50202	**PANEL - ROOF - continued**				
		- P -			
	71/	P(54)		D1DZ 5450202-A	1
	70/	P(62)		D0DZ 6250202-A	1
		- S -			
	67/68	S(65) "Before 3/4/68"		C7SZ 6550202-A	1
	68	S(65) "From 3/4/68		C7SZ 6550202-B	1
	69	S(65A,C)			1
	67/71	S(57)		C7SZ 5750202-A	1
	69	S(65B,D)		C9SZ 6550202-A	1
	71	S(65B,D)			1
	70	S(65)		D0SZ 6550202-A	1
	71	S(65A,C)			1
	72	S		D2SZ 6550202-A	1
		- U -			
	66/	U(97)	Short roof	C6TZ 9750202-A	1
	66/	U(98)	Long roof	C6TZ 9850202-A	1
		- X -			
	66/67	X(54)		C6OZ 5450202-B	1
	66/70	X(62)		C6OZ 6250202-B	1
	68/70	X(54)		C6OZ 5450202-B	1
	68/70	X(71)		C6OZ 7150202-B	1
502L02	**DAMPENER - SLIDING ROOF MOTOR MOUNTING BRACKET VIBRATION**				
	69/70	S	Rubber	C9SZ 65502L02-A	4
502L04	**BRACKET - SLIDING ROOF MOTOR MOUNTING - INCLUDES ATTACHING PARTS**				
	69/70	S		C9SZ 65502L04-A	1
502L05	**RETAINER - SLIDING ROOF SWITCH MOUNTING**				
	69/70	S		C9SZ 57502L05-A	1
			24 x 21/32"	378148-S(BB29)	1
502C06-7	**RAIL & GUIDE - SLIDING ROOF - INCLUDES ATTACHING PARTS**				
	72	A	R.H.	C9SZ 65502C06-A	1
	69/	S			
			L.H.	C9SZ 65502C07-A	1
	72/	L	R.H.	D2FZ 62502C06-A	1
			L.H.	D2FZ 62502C07-A	1
502L08-9	**GUIDE - SLIDING ROOF - FRONT - INCLUDES ATTACHING PARTS**				
	72	A	R.H. - includes plate	C8WY 65502L08-A	1
	69/	S			
			L.H.	C8WY 65502L09-A	1
	72/	L	R.H. & L.H.	D2FZ 62502L08-A	2
502L10	**HOUSING - SLIDING ROOF CABLE DRIVE - INCLUDES ATTACHING PARTS**				
	72	A		C9SZ 65502L10-A	1
	69/	S			1
502C12	**WEATHERSTRIP - SLIDING ROOF PANEL**				
	72	A(exc.71) "Before 7/12/71"	Rear	D2AZ 65502C12-B	1
	72	A(exc.71) "From 7/12/71"	Rear-black velvet	D4SZ 65502C12-A	1 §
	72	A(exc.71) "Before 12/13/71"	Front of rear	D2AZ 65502C12-A	1
	72	A(exc.71) "From 12/13/71"	Front of rear	D2AZ 65502C12-D	1
	72/	L	Front	D2FZ 62502C12-A	1
			Rear	D2FZ 62502C12-B	1
	69/71	S	Black velvet	C9SZ 65502C12-A	1
	69/72	S "Before 12/13/71"	Flange-rubber	C9SZ 65502C12-B	1
	72	S "From 12/13/71"	Rear flange-rubber	D2SZ 65502C12-D	1
502L14	**COVER - SLIDING ROOF CABLE DRIVE HOUSING - INCLUDES ATTACHING PARTS**				
	72	A		C8WY 65502L14-A	1
	69/	S			1
	72/	L	Front	D2FZ 62502L14-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
502L16-7	**GUIDE - SLIDING ROOF CABLE - INCLUDES ATTACHING PARTS**				
	72	A(except 71)	Lower front	D2AZ 65502L16-A	2
			Front	D2AZ 65502L16-B	2
	72	A	R.H.-lower elbow	C8WY 65502L16-A	1
			L.H.	C8WY 65502L17-A	1
	72/	L	Front	D2FZ 62502L16-A	1
	69/	S	R.H. - upper elbow	C9SZ 65502L16-A	1
			L.H.	C9SZ 65502L17-A	1
	69/	S	R.H. - lower elbow	C8WY 65502L16-A	1
			L.H.	C8WY 65502L17-A	1
	71	S	R.H. - front	C9SZ 65502L16-B	2
			L.H.	C9SZ 65502L17-B	2
			Lower front connection	C9SZ 65502L16-C	2
	72	S	Lower front connection	D2SZ 65502L16-A	1
50217	**REINFORCEMENT - ROOF PANEL - REAR** - Refer to Group 50244				
502C19	**GEAR BOX and DRIVE ASSY.- SLIDING ROOF - INCLUDES ATTACHING PARTS**				
	72	L		D2FZ 62502C19-A	1
	69/70	S	With friction clutch	C8WY 65502C19-A	1
	71/	S	Refer to Group 15790 in Chassis Section		
502L19	**RAIL - SLIDING ROOF PANEL HEADLINING RETAINER**				
	72	A		D2AZ 65502L19-A	1
	69/71	S		C9SZ 65502L19-A	1
	72	S		D2SZ 65502L19-A	1
502A20	**COUPLING - SLIDING ROOF MOTOR TO GEAR BOX**				
	69/70	S		C9SZ 65502A20-A	1
502B20-1	**CABLE and SLIDE ASSY. - SLIDING ROOF**				
	72	A	R.H.	C8WY 65502B20-B	1
	69/	S			1
			L.H.	C8WY 65502B20-A	1
	72/	L	R.H.	D2FZ 62502B20-B	1
			L.H.	D2FZ 62502B21-B	1
50222	**REINFORCEMENT - ROOF PANEL - FRONT** - Refer to Group 50244				
502C22	**HOUSING - SLIDING ROOF PANEL**				
	72/	L		D2FZ 62502C22-B	1
			Screw-hex.washer hd.-No.10-24	385036-S2(BB893C)	2
502L26	**PLATE - SLIDING ROOF RETAINING**				
	72	A		C8WY 65502L26-A	1
	69/	S			1
502L30	**GUIDE - SLIDING ROOF LOWER FRONT**				
	69/	S	Contact American Sun Roof Corp. for availability	★C9SS 65502L30-A	2
502L31	**INSERT - SLIDING ROOF GUIDE RAIL**				
	72/	L		D2FZ 62502L31-A	2
502B40	**RETAINER - SLIDING ROOF GUIDE RAIL TO FRAME - REAR**				
	72	A		C8WY 65502B40-A	2
	69/	S			2
	72/	L		D2FZ 62502B40-A	2
502L40	**PAD - SLIDING ROOF**				
	69/70	S	Plastic -front	C9SZ 57502L40-A	1
502A42	**FRAME - SLIDING ROOF HEADLINING - LESS HEADLINING - INCLUDES ATTACHING PARTS**				
	72	A,S		D2SZ 65502A42-A	1
	72/	L		D2FZ 62502A42-A	1
	71	S		D1SZ 65502A42-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
50244	**REINFORCEMENT - ROOF PANEL**				
		- A -			
	65/70	A(71)	Rear	C5AZ 7150217-B	1
	69/70	A(54,62)	Center	C9AZ 6250244-A	1
	69/70	A(63)	Rear	C9AZ 6350217-A	1
	69/70	A(57,63,65)	Center	C9AZ 6350244-A	1
	71/	A(53,54,57)			1
	69/71	A(71)	Front	C9AZ 7150222-A	1
	69/71	A(71) "Before 6/1/71"	Center and rear	C9AZ 7150244-A	2
	71/	A(71) "From 6/1/71"	Center	D1AZ 7150244-A	2
	71/	A(65)	Center	D1AZ 6550244-A	1
	71/	A(65)	Rear	D1AZ 6550217-A	1
		- B -			
	66	B(71)	Rear	C6OZ 7150217-A	1
	66/67	B(54,62,71)	Center	C6OZ 6250244-A	1
	68/69	B(54,71)			1
	70/71	B(71)			1
	67/69	B(71)	Rear	C6OZ 7150217-B	1
	68/69	B(63)	Center	C8OZ 6350244-A	1
	68/71	B(65)	Center	C8SZ 6550244-A	1
	70/71	B(54,57)	Center	D0OZ 5450244-A	1
	70/71	B(63)	Center	D0OZ 6350244-A	1
	70/	B(71)	Rear	D0OZ 7150217-A	3
	72	B(53)	Center	D2OZ 5350244-A	1
	72	B(63,65)	Center	D2OZ 6550244-A	1
	72	B(63)	Rear	D2OZ 6350217-A	1
	72	B(71)	Front	D2OZ 7150222-A	1
			Center	D2OZ 7150244-A	1
		- F -			
	65/70	F(exc.65E)-w/vinyl roof	Center	C9ZZ 6550244-A	1
	70	F(65E)-w/vinyl roof	Center	D0ZZ 6550244-A	1
	71/	F(63)	Center	D1ZZ 6350244-A	1
	71/	F(63)-w/vinyl roof	Rear	D1ZZ 6350217-A	1
	71/	F(65) "Before 9/1/71"	Center	D1ZZ 6550244-A	1
	72	F(65) "From 9/1/71"	Center	D2ZZ 6550244-A	1
		- L -			
	72	L(73)	Rear	D2FZ 7350217-A	1
		- P -			
	70/	P(62)	Center	D0DZ 6250244-A	1
	71/	P(54)	Center	D1DZ 5450244-A	1
		- S -			
	67/71	S(57)	Center	C7SZ 5750244-A	1
	68/69	S(65)	Center	C8SZ 6550244-A	1
	71	S(65B,D)			1
	70	S(65)	Center	D0SZ 6550244-A	1
	71	S(65A,C)			1
	72	S	Center	D2SZ 6550244-A	1
		- X -			
	66	X(71)	Rear	C6OZ 7150217-A	1
	66/67	X(54,62,71)	Center	C6OZ 6250244-A	1
	68/70	X			1
	67/69	X(71)	Rear	C6OZ 7150217-B	1
502L46	**SPACER - SLIDING ROOF FRICTION CLUTCH**				
	69/71	S		C8WY 65502L46-A	AR
502A50	**CRANK HANDLE - SLIDING ROOF EMERGENCY**				
	72	A		C9SZ 65502A50-A	1
	69/	S			1
	72/	L	With attaching parts	D2FZ 62502A50-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
502B50	**WASHER HANDLE - SLIDING ROOF**				
	72	A,S		D2AZ 65502B50-A	1
502C50	**WEATHERSTRIP - SLIDING ROOF PANEL**				
	72	A	Black	D2AZ 65502C50-A	1
			Gray	D2AZ 65502C50-B	1
	72/	L	Manual-less vinyl roof cover-front	D2FZ 62502C50-A	1
			Manual-Silver-with vinyl roof cover-front	D2FZ 62502C50-B	1
	69/71	S	Front and intermediate - Gray velvet	C9SZ 65502C50-A	1
			Front and sides - Black	C9SZ 65502C50-B	1
	72	S	Front and intermediate - Black	D2SZ 65502C50-A	1
			Front and sides - Gray velvet	D2SZ 65502C50-B	1
502C52-3	**HOSE - SLIDING ROOF FRAME DRAIN**				
	72	A	Front	C8WY 65502C52-A	2
	68/	S			2
	72	A	Rear	C8WY 65502C53-A	2
	71/	S			2
	69/70	S	Front	C9SZ 65502C52-A	2
			Rear	C9SZ 65502C53-A	2
502L52	**CAP - SLIDING ROOF DRIVE HOUSING SHAFT**				
	72	A	Cover with headlining	C8WY 65502L52-A	1
	69/71	S			1
50263	**REINFORCEMENT - ROOF PANEL FRONT**				
	71/	L(62,64)		D1FZ 6250263-A	1
	72	L(73)		D2FZ 7350263-A	1
502L63	**CLAMP - SLIDING ROOF DRAIN HOSE** - Refer to Group 8287 in Chassis Section				
502L65	**VALVE - SLIDING ROOF - REAR DRAIN HOSE**				
	69	S		C9SZ 65502L65-A	2
50266-7	**ORNAMENT - ROOF SIDE - INNER - INCLUDES ATTACHING PARTS - PAINT TO MATCH**				
	68	S(57)	R.H.	C8SZ 5750266-A	1
			L.H.-not replaced (1-73)	★C8SZ 5750267-A	1
	69/71	S(57)	R.H.	C9SZ 5750266-A	1
			L.H.	C9SZ 5750267-A	1
502B66	**NUT - SLIDING ROOF PANEL FRONT ADJUSTING**				
	72/	L		D2FZ 62502B66-A	2
502B74	**ABSORBER (SLIDING ROOF PANEL)**				
	72	A(65)		D2AZ 65502B74-A	1
502A82	**PANEL - SLIDING ROOF OUTER**				
	72	A-w/steel sliding roof		D2AZ 65502A82-A	1
	71/	S-w/sliding roof		D1SZ 65502A82-A	1
50284-5	**PANEL - ROOF SIDE**				
	69/70	A(57)	R.H.-also serviced in assy. (27840)	C9AZ 5750284-A	1
			L.H.-also serviced in assy. (27841)	C9AZ 5750285-A	1
502L87	**GEAR - SLIDING ROOF DRIVE PINION**				
	69/71	S	Use with sun roof	C8WY 65502L87-A	1
50290	**REINFORCEMENT - ROOF PANEL CENTER** - Refer to Group 50244				
50291	**REINFORCEMENT - ROOF PANEL REAR** - Refer to Group 50244				
502A96	**CUP - SLIDING ROOF HANDLE - INCLUDES ATTACHING PARTS**				
	72/	L		D2FZ 62502A96-A	1
502B98	**PANEL - SLIDING ROOF**				
	72/	L	Manual-use appropriate cover (53700)	D2FZ 62502B98-A	1
			Plug (button)-Nylon	385034-S(PP9A)	2
503A02	**PIN - FOLDING TOP HOLD DOWN CLAMP CONTROL LINK**				
	65/68	A(76)		C5AZ 76503A02-A	2
	69/	A(76)		C9AZ 76503A02-A	2
	66/71	B(76)		C6OZ 76503A02-A	2
	69	F(76)			2
	70	F(76)	1 7/8" long	D0ZZ 76503A02-A	1
	71/	F(76)	1 17/64" long	D1ZZ 76503A02-A	1
			1 7/8" long	D1ZZ 76503A02-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
503A04	**BUSHING - FOLDING TOP CENTER SIDE RAIL REAR**				
	66/67	B(76) "Before 12/22/66"		C6OZ 76503A04-A	2
	67/71	B(76) "From 12/22/66"		C7OZ 76503A04-A	2
503A08	**STRIKER - FOLDING TOP HOLD DOWN SIDE CLAMP**				
	66/69	B(76)		C6OZ 76503A08-A	2
			No. 8-18 x 1/2" oval head tapping screw	52413-S13(U316)	2
503A10	**PIN - FOLDING TOP REAR SIDE RAIL**				
	69/	A(76)		C9AZ 76503A10-A	2
	71/	F(76)	59/64" long	D1ZZ 76503A10-A	2
			1 3/16" long	D1ZZ 76503A10-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
50316-7	**LINK - FOLDING TOP CONTROL -** Paint to match					
	66	B(76)		C6OZ 7650316-A	C6OZ 7650317-A	1
	67/71	B(76)		C8OZ 7650316-A	C8OZ 7650317-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
50340	**SLAT - FOLDING TOP NO. 4 BOW**				
	69/70	F(76)		C9ZZ 7650340-A	2
50352	**LINK - FOLDING TOP POWER**				
	71/	F(76)	Upper & lower assy.	D1ZZ 7650352-A	1
50399-400	**PLATE - OUTER NAME - INCLUDES ATTACHING PARTS** - Also refer to Group 16096				
	65	B(54B, 62B)	R. H. -"Fairlane 500"-On roof side	C2OZ 6250399-G	1
			L. H. -not replaced (3-74) ★	C2OZ 6250399-H	1
	65	B(65B)	"Sports Coupe"- On roof side	C4OZ 6550399-A	2
	66	X(62C)			2
	68/69	B(54C, 65C)	"Torino"	C8OZ 5450399-A	2
	70	B(57E, 65E)	"Brougham"	D0OZ 6550399-A	2
	71	B(57E, 65E)	"Brougham"	C7MY 5450400-A	2
	69/70	F(65E)	"Grande"-on roof side	C9ZZ 6550399-A	2
	71/	F(65F)			2
	69/70	F(GT350/500)	Refer to Group 8213 in Chassis Section		
	69/71	S	Refer to Group 16098 in Chassis Section		
	67	X(62C)	"Futura Sports Coupe" - On roof sides	C7DZ 6250399-A	2
	68/69	X(62C)	R. H. -"Sports Coupe"	C8DZ 6250399-A	1
			L. H.	C8DZ 6250399-B	1
	67	X(54B, 62B, C)	Nut-sleeve-3/32"	378362-S102(MM228)	5
50412	**BUSHING - FOLDING TOP REAR SIDE RAIL TO POWER CYLINDER**				
	65/	A(76)	Nylon	C3AZ 7650412-A	4
	66/71	B(76)			4
	65/	F(76)	Power operated top only		4
	65/66	S(76)			4
	65	X(76)			4
50453	**BUSHING - FOLDING TOP LOWER POWER LINK**				
	65/66	S(76)		C0SB 7650453-A	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
50454-5	**LINK - FOLDING TOP BALANCE -** Paint to Match					
	67/71	B(76)		C7OZ 7650454-B	C7OZ 7650455-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
50471	**BUSHING - FOLDING TOP CENTER RAIL**				
	65/66	A(76), F(76)	Nylon	C5ZZ 7650471-A	2
50473	**BUSHING - FOLDING TOP MAIN PIVOT BRACKET**				
	65/68	A(76)	Nylon-1 1/4" dia.	C5AZ 7650473-A	4
	66/71	B(76)			4
	69	A(76)	3/4" dia.	C9AZ 7650473-A	6
	71	A(76)			3
	69/	A(76)	3/4" dia.	C6OZ 7650473-A	2
	69/71	B(76)	3/4" dia.		AR
	65/69	F(76)	Nylon	C5ZZ 7650473-A	2
	65	X(76)			8
	71/	F(76)	11/64" long	D1ZZ 7650473-A	1
			13/32" long	D1ZZ 7650473-B	1
			1/4" long	D1ZZ 7650473-C	1
	65/66	S(76)	Side rail-rear	C0SB 7650473-A	8or10
50486-7	**BUSHING - FOLDING TOP MAIN CONTROL**				
	65	A(76), F(76)	Rear	C5AZ 7650487-A	6or22
	66/67	A(76), F(76)			2or16
	69/	A(76)			1
	66	B(76)			2or16
	65	A(76), S(76), X(76)	Rear	C5AZ 7650486-A	2
	66	A(76), B(76), S(76)			2
	67/69	A(76)			2
	67/71	B(76) "Before 12/22/66"			2
	68	A(76) "From 12/22/66"	Rear	C7OZ 7650487-A	1or3
	67/71	B(76)			1or3
	68/71	F(76)			2or3
	68	A(76)	Center	C8OZ 7650487-A	AR
	68/71	B(76)			1
	69/	F(76)			1
50491	**SCREW - FOLDING TOP BALANCE LINK ADJUSTING**				
	69/	A(76)		C9AZ 7650491-A	1
50492	**PIN - FOLDING TOP CENTER SIDE RAIL FRONT**				
	65/66	A(76), B(76), F(76)- "Before 10/20/65"	1.10" long	C5ZZ 7650492-A	2
	66/68	A(76), B(76), F(76)- "From 10/20/65"	Refer to Group 54052		
	69/70	F(76)	2.25" long	C9ZZ 7650492-A	1
	71/	F(76)	13/32" long	D1ZZ 7650492-A	1
			1 23/64" long	D1ZZ 7650492-B	1
50500-1	**CLAMP - FOLDING TOP HOLD DOWN SIDE**				
	65/68	F(76)	R.H.	C5ZZ 7650500-D	1
			L.H.	C5ZZ 7650501-D	1
	69/70	F(76)	With manual top	C9ZZ 7650500-A	2
50508	**CLAMP - FOLDING TOP HOLD DOWN FRONT**				
		- A -			
	65/68	A(76)	R.H.	C5AZ 7650508-E	1
			L.H.	C5AZ 7650508-F	1
			7/16" x 1 1/8" overall length-Pin (oval head)	379219-S13(NN156H)	2
			7/16" Washer (spring)	356573-S2(XX357)	2
			7/16" Washer (flat)	376668-S(XX166A)	2
			1/8" x 1 1/8" Pin (roll)	372929-S(NN103)	2
	69/	A(76)	R.H.	C9AZ 7650508-A	1
			L.H.	C9AZ 7650508-B	1
		- B -			
	66/71	B(76)	R.H. -Includes bushing (54800)	C8OZ 7650508-A	1
			L.H.	C8OZ 7650508-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
50508	**CLAMP - FOLDING TOP HOLD DOWN FRONT - continued**				
		- F -			
	65/67	F(76)	R.H.	C5ZZ 7650508-E	1
			L.H.	C5ZZ 7650508-F	1
			5/16" Washer	356316-S(XX114)	2
			7/16" x 1 1/8" overall length-Pin (oval head)	379219-S2(NN156H)	2
	68	F(76)	R.H.	C8ZZ 7650508-A	1
			L.H.	C8ZZ 7650508-B	1
	69/70	F(76)	R.H.	C9ZZ 7650508-A	1
			L.H.	C9ZZ 7650508-B	1
			5/16"-18 x 1 1/8" Truss head shoulder tapping screw	380348-S2(UU97J)	2
		- F -			
	71/	F(76)	R.H.	D1ZZ 7650508-C	1
			L.H.	D1ZZ 7650508-D	1
		- S -			
	65/66	S(76)		C4SZ 7650508-A	2
			5/16"-18 x 5/8" Cross recess oval trim hd. 1 kg. screw	378926-S13(BB600H)	4
	65/66	A(76), F(76)	1/4"-20 x 5/8" Pan head tapping screw	379872-S2(UU86G)	6
50527	**SPRING - FOLDING TOP HOLD DOWN CLAMP LATCH**				
	65	A(76), F(76)		C5ZZ 7650527-A	2
	66/	A(76), F(76)			2
	66/71	B(76)			2
50532	**BODY - FOLDING TOP HOLD DOWN CLAMP**				
	71/	F(76)	Brass	D1ZZ 7650532-A	1
50536-7	**LATCH or LEVER - FOLDING TOP HOLD DOWN CLAMP**				
	65	A(76), F(76)		C5ZZ 7650536-A	2
	66	A(76), B76), F(76) - "Before 11/8/65"			2
	66/69	A(76), B(76), F(76) - "From 11/8/65"	Refer to Group 506A48		
	71/	F(76)	R.H.	D1ZZ 7650536-A	1
			L.H.	D1ZZ 7650537-A	1
50572	**SPRING - FOLDING TOP HOLD DOWN CLAMP LEVER**				
	65	A(76), F(76)		C5ZZ 7650572-A	2
	66/70	A(76), B(76), F(76)			2
	72	A(76)			2
	71/	F(76)			2
50600-1	**LIFT - FOLDING TOP**				
		- A -			
	65/68	A(76)	R.H.	C5AZ 7650600-A	1
			L.H.	C5AZ 7650601-A	1
	69/70	A(76) "Before 10/15/69"	R.H.	D0AZ 7650600-A	1
			L.H.	C9AZ 7650601-A	1
	70/	A(76) "From 10/15/69"	R.H.	D0AZ 7650600-A	1
			L.H.	D0AZ 7650601-A	1
		- B -			
	66/71	B(76)		C6OZ 7650600-A	2
		- F -			
	65/69	F(76)		D0ZZ 7650600-A	2
			3/8" x .80" Pin (clevis)	378887-S13(NN30L)	2
			.39" I.D. x .745" O.D. Washer (plain)	356403-S8(XX126)	2
			.45" I.D. x .75" O.D. Spring wave washer	356383-S7(XX362)	2
			1/16" Pin (self-locking)	352358-S(NN127)	2
			5/16"-18 x 3/4" Hex. head screw & washer assy.	359662-S7-8(BB575A)	2
	70	F(76)		D0ZZ 7650600-A	2
			Clip (tube)	358341-S2(GG46)	3

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
50600-1	**LIFT - FOLDING TOP - continued**				
		- F -			
	71	F(76)		D1ZZ 7650600-A	2
			Clip (tube)	381837-S2(GG163A)	2
	72	F(76)	R.H.	D1WY 7650600-A	1
			L.H.	D1WY 7650601-A	1
		- S -			
	65/66	S(76)		C4SZ 7650600-A	2
			3/8" x 1.156" Oval head pin	359236-S13(NN12)	2
			3/8" x 1 13/16" Clevis pin	76073-S8 (N25)	2
			3/8" Flat washer	44727-S8(X24)	4
			.45" I.D. x .75" O.D. Special spring washer	356383-S7(XX362)	2
			1/16" Pin (self-locking)	352358-S(NN127)	4
			Bushing	C0SB 7650453-A	2
			7/16" Flat washer	359820-S8(XX203)	2
			7/16" x 1.71" Pin	370588-S8(NN33)	2
			No. 10-12 x 1/2" Cross recess pan head screw	32924-S7(U344)	6
			1/4" Flat washer	44720-S8(X18)	2
			1/4"-20" Hex. nut	34055-S8 (M158)	2
		- X -			
	65	X(76)		C4DZ 7650600-A	2
	65	A(76),X(76)	1/16" Pin (self locking)	352358-S(NN127)	2
			.45" I.D. x .75" O.D. Special spring washer	356383-S7(XX362)	2
	65/66	A(76), X(76)	No. 10-12 x 5/8" Hex. washer head screw	42134-S8(U249)	2or3
			No. 10-32 x 1/2" Cross recess oval head screw & washer assy.	350056-S13(BB107)	4
			1/4" Flat washer	44720-S8(X18)	2
			1/4"-20 Hex. nut	34055-S8(M158)	2
	65/	A(76)	.45" I.D. x .75" O.D. Special spring washer	356383-S7(XX362)	4
			3/8" x 1 13/16" Clevis pin	76073-S8 (N25)	2
			3/8" Flat washer	44727-S8(X24)	4or6
			1/16" Pin (self locking)	352358-S(NN127)	2or4
	66/	A(76)	Clip assy. - tube - improvise	★380935-S2	2
50636	**BUSHING - FOLDING TOP BALANCE LINK TO CENTER SIDE RAIL** - Nylon				
	69/	A(76)		C7OZ 7650636-A	2
	67/71	B(76)			1
	66	B(76)		C6OZ 7650636-A	4
	65/68	F(76)		C5ZZ 7650636-A	2
	69/71	F(76)		C9ZZ 7650636-A	1
506A44-5	**BASE - FOLDING TOP MAIN PIVOT SUPPORT**				
	65/66	S(76)	R.H.-paint to match-not replaced (3-74)	★C4SZ 76506A44-D	1
			L.H.	C4SZ 76506A45-C	1
			5/16"-24 x 1" Hex. head bolt	20387-S8(B157)	6or8
			5/16" Flat washer	44722-S8 (X19)	6or8
			3/8" Lockwasher	34807-S8(X66)	6or8
506A48	**LATCH - FOLDING TOP HOLD DOWN CLAMP**				
	66	A(76), B(76), F(76)- "Before 11/8/65"	Refer to Group 50536		
	66/70	A(76), B(76), F(76)- "From 11/8/65"	5/16"-24 thread end	C8AZ 76506A48-A	1
	71/	F(76)			1
506A52	**LINK - FOLDING TOP POWER - UPPER**				
	67	B(76) "Before 12/22/66"		C7OZ 76506A52-A	2
	67/71	B(76) "From 12/22/66"		C7OZ 76506A52-B	2
50660	**BRACKET - FOLDING TOP MAIN PIVOT BRACKET EXTENSION TO WHEELHOUSE**				
	69	A(76)		C9AZ 7650660-A	2
	70	A(76)		C9MY 7650660-A	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
50664	**BUSHING - FOLDING TOP BALANCE LINK TO MAIN PIVOT BRACKET - NYLON**				
	69/	A(76)		C6OZ 7650664-A	2
	66/71	B(76)			2
	69/	A(76)		C5ZZ 7650664-A	1
	65/68	F(76)			4
	71	F(76)			4
	69/	F(76)		C9ZZ 7650664-A	1
506A76	**PIN - FOLDING TOP BALANCE LINK TO CENTER SIDE RAIL**				
	65/68	A(76)		C5AZ 76506A76-A	2
	67	B(76)		C7OZ 76506A76-A	2
	68/69	B(76)		C8OZ 76506A76-A	2
	70/71	B(76)		D0OZ 76506A76-A	2
	69/70	F(76)		C9ZZ 76506A76-A	2
50678	**BUSHING - FOLDING TOP HYDRAULIC LIFT**				
	65	A(76), X(76)		C4DZ 7650678-A	4
	65	F(76)			4
	66/70	A(76), B(76), F(76)			4
506A78	**BUSHING - FOLDING TOP SIDE FRONT LINK**				
	65	A(76), F(76)		C5ZZ 76506A78-A	2
506A82	**PIN - FOLDING TOP SIDE FRONT LINK**				
	65	A(76), F(76) "Before 12/1/64"		C5ZZ 76506A82-A	2
506A84	**BUSHING - FOLDING TOP NO. 2 BOW PIVOT**				
	69/	A(76), F(76)		C9AZ 76506A84-A	2
506A88	**BUSHING - FOLDING TOP MAIN CENTER LINK**				
	71/	F(76)	3/32" thick	D1ZZ 76506A88-A	1
506A90-1	**LINK - FOLDING TOP SIDE FRONT**				
	67/71	B(76)	R. H.	C7OZ 76506A90-A	1
			L. H.	C7OZ 76506A91-A	1
506A94	**NUT - FOLDING TOP BALANCE LINK**				
	65/67	F(76)		C5ZZ 76506A94-A	2
506A96	**PIN - FOLDING TOP MAIN PIVOT BRACKET TO REAR SIDE RAIL**				
	65/68	F(76)	1.60" long	C5ZZ 76506A96-A	2
	69/70	F(76)		C9ZZ 76506A96-A	2
50698	**PIN - FOLDING TOP HYDRAULIC LIFT**				
	65/	A(76), F(76)	Serviced in assembly-refer to Group 53118-9		
	65/71	B(76)			
506A98	**COUNTERBALANCE - FOLDING TOP**				
	65/66	F(76) "Before 3/1/66"	Manual top	C5ZZ 76506A98-A	2
	66/70	F(76) "From 3/1/66"	Manual top	C5ZZ 76506A98-B	2
	65/70	F(76)	3/8" x .80" Pin (clevis)	378887-S13(NN30L)	2
			3/8" Wave washer	356383-S7(XX362)	2
			3/8" flat washer	356403-S7(XX136)	2
			1/16" Pin (self-locking)	352358-S2(NN127)	2
507A12	**ROD - FOLDING TOP COUNTERBALANCE SPRING - UPPER**				
	65/71	F(76)	Manual top	C5ZZ 76507A12-A	2
50745	**GASKET KIT - FOLDING TOP MOTOR and RESERVOIR**				
	69/	A(76), F(76)		59MK 7650745-A	2
	69/71	B(76)			2

Consists of

(1) FDH 15686-A "O" Ring
(2) BN 7650745-E "O" Ring
(2) BN 7650745-A "O" Ring
(1) 1P 77265-B "O" Ring

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
50763	**GROMMET - FOLDING TOP LIFT HYDRAULIC PUMP MOUNTING**				
	65/66	S(76)		C4SZ 7650763-A	4
507A66-7	**LINK - FOLDING TOP NO. 4 BOW CONTROL**				
	65/67	A(76)	R. H.	C5AZ 76507A66-B	1
			L. H.	C5AZ 76507A67-B	1
	69/	A(76)		C9AZ 76507A66-A	2
	68/71	B(76)	R. H.	C8OZ 76507A66-A	1
			L. H.	C8OZ 76507A67-A	1
507A74	**BUSHING - FOLDING TOP LOWER LINK**				
	71/	F(76)	13/64" long	D1ZZ 76507A74-A	1
508A16	**BRACKET - ROOF BOW MOUNTING**				
	66/	U(98)		C6TZ 98508A16-B	4
			5/16"-18 x 15/16" long nut & retainer assy.	370328-S2(MM188)	4
			5/16"-18 x 1/2" Hex. head screw & washer assy.	42718-S7-8(U9)	4
50822	**PANEL - ROOF AIR DEFLECTOR** - Refer to Group 50860				
50842-3	**STRIP - ROOF HEADLINING SIDE RETAINING**				
	69/70	A(71)	R. H. -rear corner	C9AZ 7150842-A	1
			L. H.	C9AZ 7150843-A	1
50844-5	**REINFORCEMENT - ROOF PANEL REAR SIDE**				
	71/	L(64)	R. H.	D1FZ 6450844-A	1
			L. H.	D1FZ 6450845-A	1
50847	**EXTENSION - ROOF PANEL REAR**				
	65/69	A(71)	R. H.	C5AZ 7150847-F	1
			L. H.	C5AZ 7150847-G	1
			No. 10-24 Nut & washer assy.	373265-S7(MM291D)	2
50860	**PANEL - ROOF AIR DEFLECTOR**				
	69	A(71)	Less support	C9AZ 7150822-A	1
	69/	A(71), B(71)	For wood grain transfer refer to Group 20748		
	70	A(71)	Less support-wood grain	D0AZ 7150860-A	1
	71/	A(71)			1
	71/	A(71)	Less support-stainless steel - 45" long	D1AZ 7150860-A	1
			Supports - refer to Group 50862		
	70	B(71) "Before 11/3/69"		D0OZ 7150860-A	1
	70/71	B(71) "From 11/3/69"		D0OZ 7150860-B	1
	72	B(71)		D2OZ 7150860-B	1
50862	**SUPPORT - ROOF AIR DEFLECTOR PANEL**				
	69	A(71)	Rustless steel-adjustable carrier	C9AZ 7150862-A	1
	71/	A(71)	Includes attaching parts-adjustable carrier	D1AZ 7150862-A	1
50870	**PAD - ROOF AIR DEFLECTOR PANEL SUPPORT**				
	69/	A(71), B(71)	Rubber-adjustable carrier	C9AZ 7150870-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
50900-1	**STRIP - ROOF HEADLINING SIDE RETAINING REAR LOWER**					
	69/70	A(54, 62)		C9AZ 6250900-A	C9AZ 6250901-A	1
	71/	A(54)				1
	72	B(53)		D2OZ 5350900-A	D2OZ 5350901-A	1
	70/71	B(54, 57)		D0OZ 5450900-A	D0OZ 5450901-A	1
	70	B(62, 63, 65)		D0OZ 6550900-A	D0OZ 6550901-A	1
	71/	B(63, 65)				1
	68/71	B(66)		C8OZ 6650900-A	C8OZ 6650900-A	2
	69/70	F(63)	Refer to Group 50956-7			
	71/	L(62)		D1FZ 6250900-A	D1FZ 6250901-A	1
	71/72	L(64) "Before 12/1/71"		D1FZ 6450900-A	D1FZ 6450901-A	1
	72	L(64) "From 12/1/71"		D2FZ 6450900-A	D2FZ 6450901-A	1
	71/	P(54)		D1DZ 5450900-A	D1DZ 5450901-A	1
	70/	P(62)		D0DZ 6250900-A	D0DZ 6250901-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
50928	**SEAL - SLIDING ROOF PANEL OPENING REAR**				
	72/	L	Manual-rubber	D2FZ 6250928-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
50936-7	**STRIP - ROOF HEADLINING SIDE RETAINING FRONT**					
	65	X(59, 71, 78)		C1DZ 5950936-A	C1DZ 5950937-A	1
50956-7	**STRIP - ROOF HEADLINING RETAINING**					
	69/70	F(63)	Rear	C9ZZ 6350956-A	C9ZZ 6350957-A	1
	69/70	F(65)	Improvise from .024" thick steel x 9" long	★	★	
	66/67	U(98)	Side	C6TZ 9850956-A	C6TZ 9850956-A	2
			No. 10-12 x 1/2" Cross recess pan head screw	52727-S8(U382)	52727-S8(U382)	10
	65	X	Refer to 50936-7			

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
50966	**RETAINER - ROOF HEADLINING HEADER STRIP**				
	70	A(71)		C6OZ 6250966-A	1
	66	B(54, 62, 71), X(54, 62, 66, 71)			1
	67	B(54, 62, 66, 71), X(54, 62, 71)			1
	68/69	B(54, 71), X(54, 62, 71)			1
	71	B(71)			1
	66	B(63) "Before 2/7/66"		C6OZ 6350966-A	1
	66/67	B(63) "From 2/7/66"		C6OZ 6350966-B	1
	68/69	B(63, 65, 66)			1
	70	B(54, 57, 62, 63, 65) -			1
	71	B(54, 57, 65, 66) "Before 9/28/70"			1
	71	B(54, 57, 65, 66)- "From 9/28/70"		D1OZ 6550966-A	1
	70/ 71	B(63)	Attaches windshield header panel-inner	D0OZ 6350966-A	1
50980	**RETAINER - ROOF HEADLINING FRONT**				
	66/	U(97, 98)	Paint to match	C6TZ 9850980-B	1
	67/	U(98)	Bright finish	C7TZ 9850980-A	1
			No. 8-15 x 5/8" Oval head tapping screw	52360-S13(U294)	8
50982-3	**RETAINER - ROOF HEADLINING REAR**				
	71/	A(54)	R.H.	D1AZ 5450982-A	1
			L.H.	D1AZ 5450983-A	1
	72	L(73)		D5FZ 7350982-A	1 §
50986	**STRIP - ROOF HEADLINING AT QUARTER WINDOW REAR TACKING**				
	68	S(65)		C8SZ 6550986-A	2
	69/71	S			2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
50996	**STRIP - ROOF HEADLINING SIDE CENTER TACKING**					
	69	S(65)	Improvise from .093" thick steel-16 7/8" x 50"	★	★	2
50998-9	**STRIP - ROOF HEADLINING SIDE REAR TACKING**					
	69/70	A(57)		C9AZ 5750998-A	C9AZ 5750999-A	1
	69/70	A(65)		C9AZ 6550998-A	C9AZ 6550999-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
51026	**CLIP - ROOF HEADLINING RETAINER**				
	71	A(53K, 57K, 65K)		D0VY 6551026-A	6
	72	B, S			5
	72/	L	Manual sliding roof	D2FZ 6251026-A	6
51054	**CLIP - ROOF HEADLINING SIDE RETAINING STRIP**				
	65/66	A	Windshield garnish-lower	BJ 7051054-A	5
	65	B, X			8or26

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
51154-5	**RAIL - FOLDING TOP CENTER SIDE**					
		- A -				
	69/	A(76)		C9AZ 7651154-B	C9AZ 7651155-B	1
		- B -				
	67	B(76) - "From 12/22/66 to 7/1/67"		C7OZ 7651154-D	C7OZ 7651155-C	1
	67/71	B(76) "From 7/1/67"		C7OZ 7651154-D	C7OZ 7651155-D	1
	66/71	B(76)	Locknut-3/8"-16	33924-S8(M-28)	33924-S8(M-28)	2
			Lockwasher-3/8"	34807-S8(X-66)	34807-S8(X-66)	1
			Screw-truss head-3/8"-16 x 2.18"	379163-S2(BB675D)	379163-S2(BB675D)	2
			Bolt-hex.hd.-3/8"-16 x 2"	370967-S(BB158)	370967-S(BB158)	2
		- F -				
	66/67	F(76)- "From 5/1/66 to 9/15/66"	Paint to match	C6ZZ 7651154-B ★	C6ZZ 7651155-B Not replaced (3-74)	1
	65/67	F(76) -	Screw-truss head-3/8"-16 x 1.62"	378839-S7-8 (BB675C)	378839-S7-8 (BB675C)	2
			Locknut-hex.3/8"-16	★55738-S8	★55738-S8	2
		"From 10/15/65 to 5/1/66"	Screw & lockwasher assy. -pan hd.-1/4"-20 x 1/2"	50992-S7(U154)	50992-S7(U154)	2
	69/70	F(76)		C9ZZ 7651154-A	C9ZZ 7651155-A	1
	71/	F(76)	Refer to Group 53104-5			
51180-1	**RAIL - ROOF SIDE FRONT INNER**					
		- A -				
	65/66	A(71)		C5AZ 7151180-A	★C5AZ7151181-A	1
	69/70	A(57)		C9AZ 5751180-A	C9AZ 5751181-A	1
	69/70	A(62)		C9AZ 6251180-A	C9AZ 6251181-A	1
	69/70	A(63, 65)		C9AZ 6351180-A	C9AZ 6351181-A	1
	69/	A(54)		C9AZ 5451180-A	C9AZ 5451181-A	1
	69/	A(71)		C9AZ 7151180-A	C9AZ 7151181-A	1
	71/	A(53,57)		D1AZ 5751180-A	D1AZ 5751181-A	1
		- B -				
	66/67	B(62), X(62)		C6OZ 6251180-E	C6OZ 6251181-E	1
	67	B(66)		C6DZ 6651180-A	C6DZ 6651181-A	1
	68/70	B(71)		C8OZ 7151180-C	C8OZ 7151181-C	1
	68/71	B(66)		C8OZ 6651180-A	C8OZ 6651181-A	1
	68/69	B(65)		C8OZ 6551180-D	C8OZ 6551181-D	1
	70	B(54, 57)		D0OZ 5451180-A	D0OZ 5451181-A	1
	70	B(62, 65)		D0OZ 6551180-A	D0OZ 6551181-A	1
	70/71	B(63)		D0OZ 6351180-A	D0OZ 6351181-A	1
	71	B(54, 57)		D1OZ 5451180-A	D1OZ 5451181-A	1
	71	B(65)		D1OZ 6551180-A	D1OZ 6551181-A	1
	71	B(71)		D1OZ 7151180-A	D1OZ 7151181-A	1
	72	B(97)		D2OZ 9751180-A	D2OZ 9751181-A	1
		- F -				
	69/70	F(63)		C9ZZ 6351180-A	C9ZZ 6351181-A	1
	69/70	F(65)		C9ZZ 6551180-A	C9ZZ 6551181-A	1
		- L -				
	71/	L(62, 64)		D1FZ 6251180-A	D1FZ 6251181-A	1
	72	L(73)		D2FZ 7351180-A	D2FZ 7351181-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
51180-1	**RAIL - ROOF SIDE FRONT INNER - continued**					
		- P -				
	70	P(62)		D0DZ 6251180-A	D0DZ 6251181-A	1
	71/	P(54)		D1DZ 5451180-A	D1DZ 5451181-A	1
	71/	P(62)		D1DZ 6251180-A	D1DZ 6251181-A	1
		- S -				
	67	S(57)		C7SZ 5751180-B	C7SZ 5751181-B	1
	68/71	S(57)		C7SZ 5751180-E	C7SZ 5751181-E	1
	68/69	S(65)		C8SZ 6551180-C	C8SZ 6551181-C	1
	71	S(65B, D)				1
	70	S(65)		D0SZ 6551180-A	D0SZ 6551181-A	1
	71	S(65A, C)				1
		- X -				
	65	X(63)		C3DZ 6351180-A	C3DZ 6351181-A	1
	68	X(62) "Before 12/15/67"		C6OZ 6251180-E	C6OZ 6251181-C	1
	68/69	X(62) "From 12/15/67 to 1/1/68"		C6OZ 6251180-E	C6OZ 6251181-D	1
	68/70	X(62) "From 1/1/68"		C6OZ 6251180-E	C6OZ 6251181-E	1
	68/70	X(71)		C8OZ 7151180-C	C8OZ 7151181-C	1
51186-7	**RAIL - ROOF SIDE FRONT OUTER**					
		- A -				
	69	A(57)		C9AZ 5751186-A	C9AZ 5751187-A	1
	69	A(62)		C9AZ 6251186-A	C9AZ 6251187-A	1
	69	A(63, 65)		C9AZ 6351186-A	D0AZ 6351187-A	1
	69/	A(54)		C9AZ 5451186-A	C9AZ 5451187-A	1
	69/	A(71)		C9AZ 7151186-A	C9AZ 7151187-A	1
	70	A(57)		D0AZ 5751186-A	D0AZ 5751187-A	1
	70	A(63, 65)		D0AZ 6351186-A	D0AZ 6351187-A	1
	71/	A(53, 57)		D1AZ 5751186-A	D1AZ 5751187-A	1
	71/	A(65)		D1AZ 6551186-A	D1AZ 6551187-A	1
		- B -				
	66/67	B(54)		C6OZ 5451186-B	★C6OZ 5451187-B	1
	66/67	B(62)		C6OZ 6251186-B	C6OZ 6251187-B	1
	66/67	B(71)		C6OZ 7151186-B	C6OZ 7151187-B	1
	67	B(66)		C6DZ 6651186-A	C6DZ 6651187-A	1
	68/69	B(63) "From 12/18/67"		C8OZ 6351186-B	C8OZ 6351187-B	1
	68/69	B(65)		C8OZ 6551186-B	C8OZ 6551187-B	1
	68/71	B(71)		C8OZ 7151186-B	C8OZ 7151187-B	1
	68/69	B(54)		C8OZ 5451186-B	C8OZ 5451187-B	1
	68/71	B(66)		C8OZ 6651186-A	C8OZ 6651187-A	1
	70/71	B(54, 57)		D0OZ 5451186-A	D0OZ 5451187-A	1
	70/71	B(62, 65)		D0OZ 6551186-A	D0OZ 6551187-A	1
	70/71	B(63)		D0OZ 6351186-A	D0OZ 6351187-A	1
	72	B(53)		D2OZ 5351186-A	D2OZ 5351187-A	1
	72	B(63)		D2OZ 6351186-A	D2OZ 6351187-A	1
	72	B(65)		D2OZ 6551186-A	D2OZ 6551187-A	1
	72	B(71)		D2OZ 7151186-A	D2OZ 7151187-A	1
	72	B(97)		D2OZ 9751186-A	D2OZ 9751187-A	1
		- F -				
	69/70	F(63)		C9ZZ 6351186-A	C9ZZ 6351187-A	1
	69/70	F(65)		C9ZZ 6551186-A	C9ZZ 6551187-A	1
	71/	F(63)		D1ZZ 6351186-A	D1ZZ 6351187-A	1
	71/	F(65)		D1ZZ 6551186-A	D1ZZ 6551187-A	1
		- P -				
	70/	P(62)		D0DZ 6251186-A	D0DZ 6251187-A	1
	71/	P(54)		D1DZ 5451186-A	D1DZ 5451187-A	1
		- S -				
	72	S		D2SZ 6551186-A	D2SZ 6551187-A	1
		- X -				
	65	X(66)		C0DB 6651186-A	C0DB 6651187-A	1
	66/68	X(62) "Before 1/1/68"		C6OZ 6251186-A	C6OZ 6251187-A	1
	66/68	X(71) "Before 1/1/68"		C6OZ 7151186-A	C6OZ 7151187-A	1
	66/70	X(54)		C6OZ 5451186-B	C6OZ 5451187-B	1
	68/70	X(62) "From 1/1/68"		C6OZ 6251186-B	C6OZ 6251187-B	1
	68/70	X(71) "From 1/1/68"		C6OZ 7151186-B	C6OZ 7151187-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
31206-7	**EXTENSION - ROOF SIDE OUTER REAR RAIL**					
	68/69	B(65)		C8OZ 6551206-A	C8OZ 6551207-A	1
	70/71	B(54, 57)		D0OZ 5451206-A	D0OZ 5451207-A	1
	70/71	B(62, 65)		D0OZ 6551206-A	D0OZ 6551207-A	1
	70/71	B(63)		D0OZ 6351206-A	D0OZ 6351207-A	1
	72	B(65)		D2OZ 6551206-A	D2OZ 6551207-A	1
	69/70	F(65)		C9ZZ 6551206-A	C9ZZ 6551207-A	1
51212-3	**RAIL - ROOF SIDE INNER REAR**					
		- A -				
	69	A(65)		C9AZ 6551212-A	★C9AZ 6551213-A Not replaced (5-75)	1
	69/70	A(54, 62)		C9AZ 6251212-A	C9AZ 6251213-A	1
	69/70	A(57)		C9AZ 5751212-A	C9AZ 5751213-A	1
	69/70	A(63)		C9AZ 6351212-A	C9AZ 6351213-A	1
	69/	A(71)		D1AZ 7151212-A	D1AZ 7151213-A	1
	70	A(65)		D0AZ 6551212-A	D0AZ 6551213-A	1
	71/	A(53, 57)		D1AZ 5751212-A	D1AZ 5751213-A	1
	71/	A(54)		D1AZ 5451212-A	D1AZ 5451213-A	1
		- B -				
	66	B(71)		C6OZ 7151212-C	C6OZ 7151213-E	1
	67	B(66)		★C6DZ 6651212-A	C6DZ 6651213-A	1
	67	B(71)		C6OZ 7151212-E	C6OZ 7151213-E	1
	68/69	B(54)		★C8OZ 5451212-A Not replaced (1-73)	C8OZ 5451213-A	1
	68/69	B(63)		C8OZ 6351212-B	C8OZ 6351213-B	1
	68/69	B(65)		C8OZ 6551212-B	C8OZ 6551213-B	1
	68	B(71) "Before 1/1/68"		C6OZ 7151212-D	C6OZ 7151213-E	1
	68/71	B(71) "From 1/1/68"		C6OZ 7151212-E	C6OZ 7151213-E	1
	70/71	B(54, 57)		D0OZ 5451212-A	D0OZ 5451213-A	1
	70/71	B(62, 65)		D0OZ 6551212-A	D0OZ 6551213-A	1
	70/71	B(63)		D0OZ 6351212-A	D0OZ 6351213-A	1
	72	B(53)		D2OZ 5351212-A	D2OZ 5351213-A	1
	72	B(63)		D2OZ 6351212-A	D2OZ 6351213-A	1
	72	B(71)		D2OZ 7151212-A	D2OZ 7151213-A	1
	72	B(97)		D2OZ 9751212-A	D2OZ 9751213-A	1
		- F -				
	69/70	F(63)		C9ZZ 6351212-A	C9ZZ 6351213-A	1
	69/70	F(65)		C9ZZ 6551212-A	C9ZZ 6551213-A	1
	71/	F(63)		D1ZZ 6351212-A	D1ZZ 6351213-A	1
	71/	F(65)		D1ZZ 6551212-A	D1ZZ 6551213-A	1
		- L -				
	71/	L(62)		D1FZ 6251212-A	D1FZ 6251213-A	1
	72	L(64)		D2FZ 6451212-A	D2FZ 6451213-A	1
		- P -				
	70/	P(62)		D0DZ 6251212-A	D0DZ 6251213-A	1
	71/	P(54)		D1DZ 5451212-A	D1DZ 5451213-A	1
		- S -				
	68/69	S(65)		C8SZ 6551212-A	C8SZ 6551213-A	1
	68/71	S(57)		C8SZ 5751212-A	C8SZ 5751213-A	1
	70	S(65)		D0SZ 6551212-A	D0SZ 6551213-A	1
	71	S(65A, C)		D1SZ 6551212-B	D0SZ 6551213-A	1
	71	S(65B, D)		D1SZ 6551212-C	D1SZ 6551213-C	1
			Also refer to Group 513C06-7			
		- X -				
	66	X(71)		C6OZ 7151212-C	C6OZ 7151213-E	1
	66/67	X(54)		C6DZ 5451212-A	★C6DZ 5451213-A Not replaced (1-73)	1
	66/67	X(62)		C6DZ 6251212-B	C6DZ 6251213-B	1
	67	X(71) "Before 7/1/67"		C6OZ 7151212-B	C6OZ 7151213-C	1
	67/70	X(71) "From 7/1/67"		C6OZ 7151212-E	C6OZ 7151213-E	1
	68/70	X(54)		C6DZ 5451212-A	C8DZ 5451213-A	1
	68/70	X(62)		C6DZ 6251212-B	C6DZ 6251213-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
51216-7	**RAIL - ROOF SIDE OUTER REAR**					
		- A -				
	68	A(65)		★C8AZ 6551216-A Not replaced (3-74)	C8AZ 6551217-A	1
	69/70	A(54, 62)		C9AZ 6251216-A	C9AZ 6251217-A	1
	69/70	A(57)		C9AZ 5751216-A	C9AZ 5751217-A	1
	69/70	A(63)		D0AZ 6351216-A	D0AZ 6351217-A	1
	69/70	A(65)		D0AZ 6551216-A	D0AZ 6551217-A	1
	69/	A(71)		C9AZ 7151216-A	C9AZ 7151217-A	1
	71/	A(53, 57)		D1AZ 5751216-A	D1AZ 5751217-A	1
	71/	A(54)		D1AZ 5451216-A	D1AZ 5451217-A	1
	71/	A(65)		D1AZ 6551216-A	D1AZ 6551217-A	1
		- B -				
	66/67	B(54)		C6OZ 5451216-A	C6OZ 5451217-A	1
	66/67	B(62)		C6OZ 6251216-B	C6OZ 6251217-B	1
	66/71	B(71)		C6OZ 7151216-A	C6OZ 7151217-A	1
	68/69	B(54)		C8OZ 5451216-A	C8OZ 5451217-A	1
	68/69	B(65)		C8OZ 6551216-A	C8OZ 6551217-A	1
	70/71	B(54, 57)		D0OZ 5451216-A	D0OZ 5451217-A	1
	70/71	B(63)		D0OZ 6351216-A	D0OZ 6351217-A	1
	70/71	B(62, 65)		D0OZ 6551216-A	D0OZ 6551217-A	1
	72	B(53)		D2OZ 5351216-A	D2OZ 5351217-A	1
	72	B(63)		D2OZ 6351216-A	D2OZ 6351217-A	1
	72	B(65)		D2OZ 6551216-A	D2OZ 6551217-A	1
		- F -				
	69/70	F(63)		C9ZZ 6351216-A	C9ZZ 6351217-A	1
	69/70	F(65)		C9ZZ 6551216-A	C9ZZ 6551217-A	1
	71/	F(63)		D1ZZ 6351216-A	D1ZZ 6351217-A	1
	71/	F(65)		D1ZZ 6551216-A	D1ZZ 6551217-A	1
		- P -				
	71/	P(54)		D1DZ 5451216-A	D1DZ 5451217-A	1
		- S -				
	68/71	S(57)		C7SZ 5751216-B	C7SZ 5751217-B	1
	70	S(65)		D0SZ 6551216-A	D0SZ 6551217-A	1
	71	S(65A, C)				1
	71	S(65B, D)		D1SZ 6551216-A	D1SZ 6551217-A	1
	72	S		D2SZ 6551216-A	D2SZ 6551217-A	1
		- X -				
	66/70	X(54)		C6OZ 5451216-A	C6OZ 5451217-A	1
	66/67	X(62)		C6OZ 6251216-A	C6OZ 6251217-B	1
	68/70	X(62)		C6OZ 6251216-B	C6OZ 6251217-B	1
	66/70	X(71)		C6OZ 7151216-A	C6OZ 7151217-A	1
51220-1	**EXTENSION - ROOF SIDE INNER REAR RAIL** - Refer to Group 513A34-5					
51222-3	**WEATHERSTRIP - ROOF SIDE RAIL**					
		- A -				
	65/66	A(57)		C5AZ 5751222-A	C5AZ 5751223-A	1
			Fastener	C1AB 6220807-A	C1AB 6220807-A	2
	65	A(63)		C5AZ 6351222-A	C5AZ 6351223-A	1
	66	A(63)		C6AZ 6351222-A	C6AZ 6351223-A	1
	67	A(57)		C7AZ 5751222-B	C7AZ 5751223-B	1
	67	A(63B, C)		C7AZ 6351222-C	C7AZ 6351223-C	1
	67	A(63J)		C7AZ 6351222-D	C7AZ 6351223-D	1
	68	A(57)		C8AZ 5751222-B	C8AZ 5751223-B	1
	68	A(63)		C8AZ 6351222-A	★C8AZ 6351223-B Not replaced (3-74)	1
	68	A(65)		C8AZ 6551222-A	C8AZ 6551223-A	1
	69	A(57)		C9AZ 5751222-B	C9AZ 5751223-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
51222-3		WEATHERSTRIP - ROOF SIDE RAIL - continued				
		- A -				
	69	A(63,65)		C9AZ 6551222-B	C9AZ 6551223-B	1
	70	A(57)		D0AZ 5751222-A	D0AZ 5751223-A	1
	70	A(63, 65)		D0AZ 6351222-A	D0AZ 6351223-A	1
	71	A(53,71) "Before 5/28/71"	Front	D1AZ 5351222-C	D1AZ 5351223-C	1
	71/72	A(53,71) "From 5/28/71 to 10/4/71"		D2AZ 5351222-A	D1AZ 5351223-D	1
	72	A(53,71) "From 10/4/71"		D2AZ 5351222-A	D2AZ 5351223-A	1
	71/72	A(57) "Before 9/1/71"		D1AZ 5751222-A	D2AZ 5751223-A	1
	72	A(57) "From 9/1/71 to 10/4/71"		D2AZ 5751222-A	D2AZ 5751223-A	1
	72	A(57) "From 10/4/71"		D2AZ 5751222-B	D2AZ 5751223-B	1
	71/72	A(65)		D2AZ 6551222-A	D2AZ 6551223-A	1
	65/	A	No. 8-15 x 1/2" Cross recess pan head screw	52726-S13(U381)	52726-S13(U381)	AR
		- B -				
	65	B(65)		C3OZ 6551222-E	C3OZ 6551223-E	1
			No. 8-18 x 3/8" Cross recess pan head screw	52720-S8(U380)	52720-S8(U380)	36
	66/67	B(63)		C6OZ 6351222-B	C6OZ 6351223-B	1
	68/69	B(63)		C8OZ 6351222-A	C8OZ 6351223-A	1
	68/69	B(65)		C8OZ 6551222-A	C8OZ 6551223-A	1
	68/69	B(66)		C8OZ 6651222-A	C8OZ 6651223-A	1
	70	B(54)	Front			
			Incl. Black windlace	D0OZ 5451222-J	D0OZ 5451223-J	1
			Incl. Blue windlace	D0OZ 5451222-G	D0OZ 5451223-G	1
			Incl. Green windlace	D0OZ 5451222-H	D0OZ 5451223-H	1
			Incl. Nugget gold windlace	D0OZ 5451222-F	D0OZ 5451223-F	1
			Incl. Red windlace	D0OZ 5451222-K	D0OZ 5451223-K	1
	70	B(62)	Incl. Black windlace	D0OZ 6251222-D	D0OZ 6251223-D	1
			Incl. Blue windlace	D0OZ 6251222-F	D0OZ 6251223-F	1
			Incl. Nugget gold windlace	D0OZ 6251222-E	D0OZ 6251223-E	1
	71	B(54)	Front			
			Incl. Black windlace	D0OZ 5451222-J	D0OZ 5451223-J	1
			Incl. Blue windlace	D0OZ 5451222-G	D0OZ 5451223-G	1
			Incl. Gray windlace	D1OZ 5451222-B	D1OZ 5451223-B	1
			Incl. Green windlace	D1OZ 5451222-A	D1OZ 5451223-A	1
	70/71	B(54)	Rear-Refer to Group 513A68-9			
	70/71	B(57)		D0OZ 5751222-B	D0OZ 5751223-B	1
	70/71	B(63)		D0OZ 6351222-A	D0OZ 6351223-A	1
	70/71	B(65)		D0OZ 6551222-A	D0OZ 6551223-A	1
	70/71	B(66)		D0OZ 6651222-A	D0OZ 6651223-A	1
	72	B(53, 71) "Before 2/21/72"		D2OZ 5351222-A	D2OZ 5351223-A	1
	72	B(53,71) "From 2/21/72"		D2OZ 5351222-B	D2OZ 5351223-B	1
	72	B(63)		D3OZ 6351222-A	D3OZ 6351223-A	1
	72	B(65)		D3OZ 6551222-A	D3OZ 6551223-A	1
	72	B(97) "Before 2/21/72"		D2OZ 9751222-A	D3OZ 9751223-A	1
	72	B(97) "From 2/21/72"		D2OZ 9751222-B	D3OZ 9751223-B	1
		- F -				
	65/66	F(63)		C5ZZ 6351222-C	C5ZZ 6351223-C	1
	65/66	F(65)		C5ZZ 6551222-C	C5ZZ 6551223-C	1
	67/68	F(63)		C7ZZ 6351222-A	C7ZZ 6351223-A	1
	67/68	F(65)		C7ZZ 6551222-B	C7ZZ 6551223-B	1
	69/70	F(63)		C9ZZ 6351222-C	C9ZZ 6351223-C	1
	69/70	F(65)		C9ZZ 6551222-A	C9ZZ 6551223-A	1
	71/	F(except 76)		D1ZZ 6551222-A	D1ZZ 6551223-A	1
	65/	F(63,65)	No. 8-15 x 1/2" Cross recess pan head screw	52726-S13(U381)	52726-S13(U381)	AR

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
51222-3	**WEATHERSTRIP - ROOF SIDE RAIL - continued**					
		- P -				
	70	P(62)	Incl. Black windlace	D0DZ 6251222-A	D0DZ 6251223-A	1
			Incl. Blue windlace	D0DZ 6251222-B	D0DZ 6251223-B	1
			Incl. Nugget gold windlace	D0DZ 6251222-E	D0DZ 6251223-E	1
			Incl. Red windlace	D0DZ 6251222-C	D0DZ 6251223-C	1
	71/	P(54)	Incl. Black windlace	D1DZ 5451222-G	D1DZ 5451223-G	1
			Incl. Blue windlace	D1DZ 5451222-E	D1DZ 5451223-E	1
		" Before 1/18/71"	Incl. Gray gold windlace	D1DZ 5451222-D	D1DZ 5451223-D	1
		" From 1/18/71"	Incl. Gray gold windlace	D1DZ 5451222-H	D1DZ 5451223-H	1
			Incl. Vermilion windlace	D1DZ 5451222-F	D1DZ 5451223-F	1
	71/	P(62)	Incl. Black windlace	D0DZ 6251222-A	D0DZ 6251223-A	1
			Incl. Blue windlace	D0DZ 6251222-B	D0DZ 6251223-B	1
			Incl. Gray gold windlace	D1DZ 6251222-B	D1DZ 6251223-B	1
			Incl. Vermilion windlace	D1DZ 6251222-A	D1DZ 6251223-A	1
	72	P(54)	Incl. Beige windlace	D2DZ 5451222-B	D2DZ 5451223-B	1
			Incl. Ginger windlace	D2DZ 5451222-A	D2DZ 5451223-A	1
			Incl. Tan windlace	D2DZ 5451222-C	D2DZ 5451223-C	1
	72	P(62)	Incl. Beige windlace	D2DZ 6251222-C	D2DZ 6251223-C	1
			Incl. Ginger windlace	D2DZ 6251222-A	D2DZ 6251223-A	1
			Incl. Tan windlace	D3DZ 6251222-A	D3DZ 6251223-A	1
			Incl. White windlace	D2DZ 6251222-B	D2DZ 6251223-B	1
		- S -				
	65	S(63)		C4SZ 6351222-A	C4SZ 6351223-A	1
	66	S(63A, B)		C6SZ 6351222-A	C6SZ 6351223-A	1
	66	S(63C, D)		C6SZ 6351222-B	C6SZ 6351223-B	1
	67/68	S(65)		C7SZ 6551222-A	C7SZ 6551223-A	1
	67/71	S(57)		D0SZ 5751222-A	D0SZ 5751223-A	1
	69	S(65A, C)		C9SZ 6551222-B	C9SZ 6551223-B	1
	69	S(65B, D)		C9SZ 6551222-A	C9SZ 6551223-A	1
	70	S(65)		D0SZ 6551222-A	D0SZ 6551223-A	1
	71	S(65A, C)				1
	71	S(65B, D)		D1SZ 6551222-A	D1SZ 6551223-A	1
	72	S "Before 6/1/72"		D2SZ 6551222-A	D3SZ 6551223-A	1
	72	S "From 6/1/72"		D3SZ 6551222-A	D3SZ 6551223-A	1
		- U -				
	66/	U		C9TZ 9751222-A	C9TZ 9751223-A	1
		- X -				
	65	X(63)		C3DZ 6351222-A	C3DZ 6351223-A	1
			No. 8-15 x 1/2" Cross recess pan head screw	52726-S13(U381)	52726-S13(U381)	12

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
51262-3	**BRACKET - ROOF SIDE OUTER FRONT RAIL EXTENSION**				
	72	B(65)	R. H.	D2OZ 6551262-A	1
			L. H.	D2OZ 6551263-A	1
51266	**INSERT - ROOF SIDE RAIL WEATHERSTRIP**				
	72	A(53,57,65)	Rubber	D2AZ 5751266-A	2
51269	**BOW - FOLDING TOP - NO.3 -** Paint to Match				
	65	A(76) "Before 4/19/65"	No. 3 bow-Refer to Group 51274		
	69/	A(76)		C9AZ 7651269-A	1
	66/68	B(76)		D0OZ 7651269-A	1
	70/71	B(76)		D0OZ 7651269-A	1
	71/	F(76)		D1ZZ 7651269-A	1
	66/	U(98)		C6TZ 9851269-B	2
	65/	A(76), B(76)	1/4"-28 x 5/8" Cross recess oval head screw	52931-S13(U329)	4
			1/4" External tooth countersunk lockwasher	34954-S7(X81)	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
51274	**BOW - FOLDING TOP - NO.2 -** Paint to Match				
	65/67	A(76) "From 4/19/65"	No. 3 bow-Refer to Group 51269		
	69/	A(76)		C9AZ 7651274-A	1
	69/71	B(76)		C9OZ 7651274-A	1
	69/70	F(76)		C9ZZ 7651274-A	1
	71/	F(76)		D1ZZ 7651274-A	1
	65	F(76)	No.10-24 x 7/16" Screw & washer assy.	378446-S13(BB600F)	4
	66/70	F(76)	No.10-24 x 1/2" Oval head tapping screw	376490-S101(UU56B)	2
	65	X(76)		C3DZ 7651274-A	1
	65/	A(76),B(76),X(76)	1/4"-28 x 5/8"-cross recess oval head screw	52931-S13(U329)	4
			1/4" External tooth countersunk lockwasher	34954-S7-8(X81)	4
51278	**BOW - FOLDING TOP REAR - NO.4 -** Paint to Match				
	69/	A(76)		C9AZ 7651278-A	1
	67	B(76)		C9OZ 7651278-A	1
	68/69	B(76) "Before 2/15/69"		C8OZ 7651278-A	1
	69	B(76) "From 2/15/69"		C9OZ 7651278-A	1
	70/71	B(76)		D0OZ 7651278-A	1
	69/70	F(76)		C9ZZ 7651278-A	1
	71/	F(76)		D1ZZ 7651278-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
513B00-1	**RETAINER - ROOF FRONT SIDE RAIL WEATHERSTRIP**					
	71/	A(53,57,65,76)		D1AZ 65513B00-A	D1AZ 65513B01-A	1
513A06-7	**REINFORCEMENT - ROOF SIDE RAIL**					
	66	U(98)		C6TZ 97513A06-A	C6TZ 97513A07-A	1
	66	U(97) "Before 4/4/66"				1
	66/	U(97) "From 4/4/66"		C6TZ 97513A06-B	C6TZ 97513A07-A	1
	67/	U	Refer to Group 278B26-7			
513B06	**RAIL - ROOF REAR**					
	66/	U(97,98)	Refer to Groups 513A58 and 51704			
513C06-7	**PANEL - ROOF SIDE INNER REAR**					
	71	S(65B,D)		D1SZ 65513C06-A	D1SZ 65513C07-A	1
513C10-1	**STRAINER - ROOF SIDE REAR RAIL TO FLOOR**					
	72	S		D2SZ 65513C10-A	D2SZ 65513C11-A	1
513A24-5	**REINFORCEMENT - ROOF REAR RAIL**					
	66/68	U(98) "Before Ser. D40,001"		C6TZ 98513A24-A	C6TZ 98513A25-A	1
	68/	U(98) "From Ser. D40,001"		C8TZ 98513A24-A	C8TZ 98513A25-A	1
51325	**WEATHERSTRIP - FOLDING TOP NO. 1 BOW**					
	71/	F(76)	48 3/4" long		D1ZZ 7651325-A	1
513A34-5	**EXTENSION - ROOF SIDE INNER REAR RAIL**					
	71/	A(65)		D1AZ 65513A34-A	D1AZ 65513A35-A	1
	67	S(57)		C7SZ 57513A34-A	C7SZ 57513A35-A	1
	67/69	S(65)		C7SZ 65513A34-A	C7SZ 65513A35-A	1
	71	S(65B,D)				1
	68/71	S(57)		C8SZ 57513A34-A	C8SZ 57513A35-A	1
	72	S		D2SZ 65513A34-A	D2SZ 65513A35-A	1
513B34-5	**REINFORCEMENT - ROOF SIDE OUTER REAR RAIL**					
	69/	A(71)		C9AZ 71513B34-A	C9AZ 71513B35-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
51338	**WEATHERSTRIP - FOLDING TOP NO. 1 BOW FRONT** - Refer to Soft Trim Section					
513A44-5	**EXTENSION - ROOF OUTER REAR RAIL TO WHEELHOUSE** - Also refer to Group 513A86-7					
		- A -				
	66	A(54, 62)		C6AZ 62513A44-A ★	C6AZ 62513A45-A Not replaced (3-74)	1
	67	A(54, 62)		★C7AZ 62513A44-A Not Repl'd. (1-73)	C7AZ 62513A45-A	1
	67	A(57, 63)	Refer to group 51654-5 in Soft Trim Section			
	68	A(63)		★C8AZ 63513A44-A Not replaced (4-74)	C8AZ 63513A45-A	1
	69/70	A(57)		C9AZ 57513A44-A	C9AZ 57513A45-A	1
	69/70	A(63)		C9AZ 63513A44-A	C9AZ 63513A45-A	1
	69/70	A(65)		C9AZ 65513A44-A	C9AZ 65513A45-A	1
	69/71	A(54, 62)		C9AZ 62513A44-A	C9AZ 62513A45-A	1
	72	A(54)				1
	71/	A(53, 57)		D1AZ 57513A44-A	D1AZ 57513A45-A	1
	71/	A(65)		D1AZ 65513A44-A	D1AZ 65513A45-A	1
		- B -				
	68/69	B(63)		★C8OZ 63513A44-A Not Repl'd. (1-73)	C8OZ 63513A45-A	1
	68/69	B(65)		C8OZ 65513A44-A	C8OZ 65513A45-A	1
	70/71	B(54, 57, 62, 63, 65)				1
	72	B(53)		D2OZ 53513A44-A	D2OZ 53513A44-A	2
	72	B(63)		D2OZ 63513A44-A	D2OZ 63513A45-A	1
	72	B(65)		D2OZ 65513A44-A	D2OZ 65513A45-A	1
		- F -				
	69/70	F(63)		C9ZZ 63513A44-A	C9ZZ 63513A44-A	2
	69/70	F(65)		C9ZZ 65513A44-A	C9ZZ 65513A45-A	1
	71/	F(63, 65)		D1ZZ 65513A44-A	D1ZZ 65513A44-A	2
		- P -				
	71/	P(54)		D1DZ 54513A44-A	D1DZ 54513A45-A	1
		- S -				
	67/69	S(65)		C7SZ 65513A44-A	C7SZ 65513A45-A	1
	70	S(65)		D0SZ 65513A44-A	D0SZ 65513A45-A	1
	71	S(65A, C)				1
	72	S		D2SZ 65513A44-A	D2SZ 65513A44-A	2
		- X -				
	66/70	X(54)		C6DZ 54513A44-A	C6DZ 54513A45-A	1
	66/70	X(62)		C6DZ 62513A44-A	C6DZ 62513A45-A	1
51352	**RETAINER - FOLDING TOP NO. 1 BOW REAR WEATHERSTRIP**					
	69/	A(76)		C9AZ 7651352-A	C9AZ 7651352-A	1
	66/71	B(76)		C6OZ 7651352-A	C6OZ 7651352-A	1
	69/70	F(76)		C9ZZ 7651352-A	C9ZZ 7651352-A	1
	71/	F(76)		D1ZZ 7651352-A	D1ZZ 7651352-A	1
513A52-3	**RAIL - ROOF SIDE**					
	66/	U(97, 98)	75 1/8" long Cut to length	C6TZ 98513A52-A	C6TZ 98513A53-A	1 1
513A54-5	**RAIL and MOULDING ASSY. - ROOF SIDE OUTER**					
	67/71	S(57)	Includes drip moulding & reinforcement	C7SZ 57513A54-C	C7SZ 57513A55-D	1
	67/68	S(65)	Includes drip moulding	C7SZ 65513A54-D	C7SZ 65513A55-D	1
	69	S(65A, C)				1
	69	S(65B, D)		C9SZ 65513A54-A	C9SZ 65513A55-A	1
	70	S(65)		D0SZ 65513A54-A	D0SZ 65513A55-A	1
	71	S(65A, C)				1
	71	S(65B, D)		C9SZ 65513A54-A	C9SZ 65513A55-A	1
513A58	**RAIL - ROOF - REAR**					
	66/	U(98)		C6TZ 98513A58-A	C6TZ 98513A58-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
513A66-7		RETAINER - ROOF SIDE RAIL WEATHERSTRIP - INCLUDES ATTACHING PARTS				
		- A -				
	66	A(63)	Less attaching parts	★C6AZ 63513A66-A Not replaced (3-74)	C6AZ 63513A67-A	1
	65/66 65/66	A(63), X(63) A(57), F(63, 65)	No. 8-18 x 1/2" Flat head screw	377948-S2(UU48G)	377948-S2(UU48G)	14or16 20or24
	67	A(57)	Seal-Improvise-Refer to Group 19560 in Paint Section	★	★	
	67	A(63J)		C7AZ 63513A66-D	C7AZ 63513A67-D	1
	69	A(57, 63, 65)	Front-includes moulding	C9AZ 63513A66-B	C9AZ 63513A67-B	1
	69	A(57)	Rear-includes retainer extension	C9AZ 57513A66-A	C9AZ 57513A67-A	1
	69	A(63)	Rear-includes retainer extension	★C9AZ 63513A66-A Not replaced (5-75)	C9AZ 63513A67-A	1
	69	A65)	Rear-includes retainer extension	C9AZ 65513A66-A	C9AZ 65513A67-A	1
	70	A(57, 63, 65, 76)	Front	D0AZ 63513A66-A	D0AZ 63513A67-A	1
	70	A(57)	Center	D0AZ 57513A66-B	D0AZ 57513A67-B	1
	70	A(57) "Before 12/19/69"	Rear	D0AZ 57513A66-A	D0AZ 57513A67-A	1
	70	A(57) "From 12/19/69"	Rear	D0AZ 57513A66-C	D0AZ 57513A67-C	1
	70	A(63)		D0AZ 63513A66-B	D0AZ 63513A67-B	1
	70	A(65)		D0AZ 65513A66-A	D0AZ 65513A67-A	1
	71	A(53, 57, 65, 76)	Front-also refer to Group 513B00-1			
	71/72	A(53) "Before 11/1/71"	Front-Bright finish	D1AZ 53513A66-A	D1AZ 53513A67-A	1
	72	A(53) "From 11/1/71"	Front-Bright finish-use with D2AZ 65222B08-A clip	D2AZ 53513A66-B	D2AZ 53513A67-B	1
	71/72	A(57) "Before 11/1/71"	Front-Bright finish	D1AZ 57513A66-A	D1AZ 57513A67-A	1
	72	A(57) "From 11/1/71"	Front-Bright finish-Use with D2AZ 65222B08-A clip	D2AZ 57513A66-C	D2AZ 57513A67-C	1
	71/	A(53, 57)	Rear-Bright finish	D2AZ 57513A66-A	D1AZ 57513A67-B	1
	71/72	A(65) "Before 11/1/71"	Bright finish-includes w/strip	D1AZ 65513A66-A	D1AZ 65513A67-A	1
	72	A(65) "From 11/1/71"	Bright finish-includes w/strip - Use with D2AZ 65222B08-A clip	D2AZ 65513A66-B	D2AZ 65513A67-B	1
	70/	A(76)	Rear	D0AZ 76513A66-A	D0AZ 76513A67-A	1
		- B -				
	66	B(63) "Before 11/19/65"	Less attaching parts	C6OZ 63513A66-A ★	C6OZ 63513A67-A Not replaced (3-74)	1
	67	B(63) "From 11/19/65 to 2/1/67"	Less attaching parts	★C6OZ 63513A66-C ★ Not replaced (3-74)	C6OZ 63513A67-C Not replaced (3-74)	1
	67	B(63) "From 2/1/67"		C6OZ 63513A66-C ★	C6OZ 63513A67-D Not replaced (3-74)	1
	68/69	B(63)		C8OZ 63513A66-A	C8OZ 63513A67-A	1
	68/69	B(65)		C8OZ 65513A66-A	C8OZ 65513A67-A	1
	68/69	B(66)		C8OZ 66513A66-A	C8OZ 66513A67-A	1
	70	B(57)		D1OZ 57513A66-B	D0OZ 57513A67-B	1
	70	B(63)		D0OZ 63513A66-A	D0OZ 63513A67-A	1
	70	B(65)		D0OZ 65513A66-A	D0OZ 65513A67-A	1
	70	B(66)		D0OZ 66513A66-A	D0OZ 66513A67-A	1
	71	B(57) "Before 9/8/70"		D1OZ 57513A66-B	D1OZ 57513A67-A	1
	71	B(57) "From 9/8/70"		D1OZ 57513A66-B	D1OZ 57513A67-B	1
	71	B(63)		D1OZ 63513A66-A	D1OZ 63513A67-A	1
	71	B(65) "Before 9/8/70"		D1OZ 65513A66-A	D1OZ 65513A67-A	1
	71	B(65) "From 9/8/70"		D1OZ 65513A66-B	D1OZ 65513A67-B	1
	71	B(66)		D1OZ 66513A66-B	D1OZ 66513A67-B	1
	72	B(53, 71) "Before 2/21/72"	Front	D2OZ 53513A66-A	D2OZ 53513A67-A	1
	72	B(53, 71) "From 2/21/72"	Front - Use with D2AZ 65222B08-A clip	D4OZ 53513A66-A	D4OZ 53513A67-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
513A66-7	RETAINER - ROOF SIDE RAIL WEATHERSTRIP - INCLUDES ATTACHING PARTS - continued					
		- B -				
	72	B(53)	Rear	D2OZ 53513A66-B	D2OZ 53513A67-B	1
	72	B(63) "Before 2/21/72"		D2OZ 63513A66-A	D2OZ 63513A67-A	1
	72	B(63) "From 2/21/72"	Use with D2AZ 65222B08-A clip	D2OZ 63513A66-C	D2OZ 63513A67-C	1
	72	B(65) "Before 10/25/71"		D2OZ 65513A66-A	D2OZ 65513A67-A	1
	72	B(65) "From 10/25/71 to 2/21/72"		D2OZ 65513A66-B	D2OZ 65513A67-B	1
	72	B(65) "From 2/21/72"	Use with D2AZ 65222B08-A clip	D4OZ 65513A66-A	D2OZ 65513A67-D	1
	72	B(71)	Rear	D2OZ 71513A66-A	D2OZ 71513A67-A	1
	72	B(97) "Before 2/21/72"		D2OZ 97513A66-A	D2OZ 97513A67-A	1
	72	B(97) "From 2/21/72"	Use with D2AZ 65222B08-A clip	D2OZ 97513A66-C	D3OZ 97513A67-A	1
		- F -				
	65/66	F(63)	Less attaching parts	C5ZZ 63513A66-A	C5ZZ 63513A67-A	1
	65/68	F(65)		C5ZZ 65513A66-B	C5ZZ 65513A67-B	1
	67/68	F(63)		C7ZZ 63513A66-A	C7ZZ 63513A67-A	1
	69	F(63)		D0ZZ 63513A66-A	C9ZZ 63513A67-B	1
	69	F(65)		C9ZZ 65513A66-A	C9ZZ 65513A67-A	1
	70	F(63)		D0ZZ 63513A66-A	D0ZZ 63513A67-A	1
	70	F(65)		D0ZZ 65513A66-A	D0ZZ 65513A67-A	1
	71/	F(63)		D1ZZ 63513A66-A	D1ZZ 63513A67-A	1
	71/	F(65)		D1ZZ 65513A66-A	D1ZZ 65513A67-A	1
		- S -				
	66	S(63C, D)	Front-less attaching parts	C6SZ 63513A66-A ★	C6SZ 63513A67-A Not replaced (3-74)	1
			Rear-less attaching parts	C6SZ 63513A66-B ★	C6SZ 63513A67-B Not replaced (3-74)	1
	65/66	S(63)	No. 8-15 x 1" Cross recess oval head screw	52376-S13(U296)	52376-S13(U296)	4
	67	S(57)	Front	C7SZ 57513A66-F	C7SZ 57513A67-F	1
			Rear-less attaching parts	C7SZ 57513A66-D	D0SZ 57513A67-B	1
			No. 6-18 x 3/8"-Cross recess pan head screw	★374842-S100	★374842-S100	8
			No. 8-18 x 1/2" Cross recess flat head screw	377948-S2(UU48G)	377948-S2(UU48G)	2
	67/68	S(65) "Before 8/21/67"		C7SZ 65513A66-C	C7SZ 65513A67-C	1
	68/69	S(57)	Rear	C7SZ 57513A66-D	C7SZ 57513A67-B	1
	68	S(57) "Before 8/21/67"	Front	C7SZ 57513A66-F	C7SZ 57513A67-E	1
	68/69	S(57) "From 8/21/67"	Front	C7SZ 57513A66-F	C7SZ 57513A67-F	1
	68	S(65) "From 8/21/67"	C9SB 65516A02-A seal (NS) r/b C6AZ 19627-A tape-cut to fit (4-72)	C7SZ 65513A66-C	C7SZ 65513A67-C	1
	69	S(65A, C)				1
	69	S(65B, D)		C9SZ 65513A66-A	C9SZ 65513A67-A	1
	70	S(57)	Front	D0SZ 57513A66-A	D0SZ 57513A67-A	1
			Rear-11 5/16" long	D0SZ 57513A66-B	D0SZ 57513A67-B	1
	70	S(65)		D0SZ 65513A66-A	D0SZ 65513A67-A	1
	71	S(57)	Front	D1SZ 57513A66-A	D1SZ 57513A67-A	1
	71	S(57)	Rear-16" long	D0SZ 57513A66-C	D0SZ 57513A67-C	1
	71	S(57)	Rear-11 5/16" long	D1SZ 57513A66-B	D1SZ 57513A67-B	1
	71	S(65A, C)		D1SZ 65513A66-B	D1SZ 65513A67-B	1
	71	S(65B, D) "Before 9/22/70"		D1SZ 65513A66-C	D1SZ 65513A67-A	1
	71	S(65B, D) "From 9/22/70"		D1SZ 65513A66-C	D1SZ 65513A67-C	1
	72	S	Use with D2AZ 65222B08-A clip	D2SZ 65513A66-B	D2SZ 65513A67-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
513A68-9	**WEATHERSTRIP - ROOF SIDE RAIL REAR**					
	71/72	A(53)		D2AZ 53513A68-A	D2AZ 53513A69-A	1
	70	B(54) "Before 1/5/70"	Incl. Black windlace	D0OZ 54513A68-J	D0OZ 54513A69-J	1
			Incl. Blue windlace	D0OZ 54513A68-G	D0OZ 54513A69-G	1
			Incl. Green windlace	D0OZ 54513A68-H	D0OZ 54513A69-H	1
			Incl. Nugget gold windlace	D0OZ 54513A68-F	D0OZ 54513A69-F	1
			Incl. Red windlace	D0OZ 54513A68-K	D0OZ 54513A69-K	1
	70	B(54) "From 1/5/70"	Incl. Black windlace	D0OZ 54513A68-J	D0OZ 54513A69-J	1
			Incl. Blue windlace	D0OZ 54513A68-G	D0OZ 54513A69-G	1
			Incl. Green windlace	D0OZ 54513A68-H	D0OZ 54513A69-H	1
			Incl. Nugget gold windlace	D0OZ 54513A68-F	D0OZ 54513A69-F	1
			Incl. Red windlace	D0OZ 54513A68-K	D0OZ 54513A69-K	1
	70/71	B(54)	Front-Refer to Group 51222-3			
	71	B(54)	Incl. Black windlace	D0OZ 54513A68-J	D0OZ 54513A69-J	1
			Incl. Blue windlace	D0OZ 54513A68-G	D0OZ 54513A69-G	1
			Incl. Gray gold windlace	D1OZ 54513A68-B	D1OZ 54513A69-B	1
			Incl. Green windlace	D1OZ 54513A68-A	D1OZ 54513A69-A	1
	72	B(53,71)		D3OZ 53513A68-A	D3OZ 53513A69-A	1
	71/	P(54)	Incl. Black windlace	D1DZ 54513A68-C	D1DZ 54513A69-C	1
			Incl. Blue windlace	D1DZ 54513A68-A	D1DZ 54513A69-A	1
			Incl. Gray gold windlace	D1DZ 54513A68-D	D1DZ 54513A69-D	1
			Incl. Vermilion windlace	D1DZ 54513A68-B	D1DZ 54513A69-B	1
	72	P(54)	Incl. Beige windlace	D2DZ 54513A68-B	D2DZ 54513A69-B	1
			Incl. Ginger windlace	D2DZ 54513A68-A	D2DZ 54513A69-A	1
			Incl. Tan windlace	D2DZ 54513A68-C	D2DZ 54513A69-C	1
	68/71	S(57)		C8SZ 57513A68-B	C8SZ 57513A69-B	1
513B68-9	**WEATHERSTRIP - ROOF SIDE RAIL REAR**					
	67	S(57)		C7SZ 57513B68-C	C7SZ 57513B69-C	1
513B76	**RAIL - ROOF FRONT**					
	66/	U(97,98)		C6TZ 97513B76-C	C6TZ 97513B76-C	2
			Washer-flat- 5/16"-11/16" O.D.	44722-S8(X19)	44722-S8(X19)	1
			Bolt-hex.hd.- 5/16"-18 x 1 1/8"	352464-S8(BB139)	352464-S8(BB139)	2
513A84-5	**BRACKET - ROOF SIDE OUTER REAR RAIL TO RAIL EXTENSION**					
	70/	A(65)		D0AZ 65513A84-A	D0AZ 65513A85-A	1
513A86-7	**EXTENSION - ROOF SIDE REAR RAIL** -Also Refer to Group 513A44-5					
	72	B(65)		D2OZ 65513A86-A	D2OZ 65513A87-A	1
513B96-7	**REINFORCEMENT - ROOF SIDE RAIL LOWER**					
	66/	U(97,98)		C6TZ 97513B96-A	C6TZ 97513B97-A	1
514A00-1	**TIP - FOLDING TOP REAR BOW**					
	65/66	A(76) "Before 2/15/66"	Use at binding	C3AZ 76514A00-A	C3AZ 76514A00-A	2
	65/66	F(76),S(76),X(76)				2
	66	A(76),B(76),F(76),S(76) "From 2/15/66"		C3AZ 76514A00-B	C3AZ 76514A00-B	2
	67/	A(76),F(76)				2
	67/71	B(76)				2
			No. 8-18 x .75" Cross recess oval head screw	376362-S101(UU56C)	376362-S101(UU56C)	2
	66	B(76) "Before 2/15/66"		C6OZ 76514A00-A	C6OZ 76514A01-A	2
			No. 6-20 x .88" Cross recess oval head screw	★378993-S	★378993-S	2
	65	X(76)	No. 6-18 x .88" Cross recess oval head screw	357556-S15(UU53)	357556-S15(UU53)	2or4
	65/66	A(76),F(76),S(76)				
514B02	**CLIP - ROOF SIDE RAIL WEATHERSTRIP SUPPORT**					
	69/70	A		C9AZ 63514B02-A	C9AZ 63514B02-A	2
514A26-7	**RETAINER - FOLDING TOP NO. 1 BOW REAR WEATHERSTRIP** - Refer to Group 51352-3					

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
514A28	**WEATHERSTRIP - FOLDING TOP NO. 1 BOW** - Refer to Group 53986-7				
514A30-1	**BRACKET - FOLDING TOP NO. 2 BOW** - Paint to match				
	68	A(76)		C8AZ 76514A30-A	2
	69/	A(76)		C9AZ 76514A30-A	2
	70/71	B(76)		D0OZ 76514A30-A	1
	69/70	F(76)		C9ZZ 76514A30-A	2
	71/	F(76)	R.H.	D1ZZ 76514A30-A	1
			L.H.	D1ZZ 76514A31-A	1
514A38	**DOWEL - FOLDING TOP NO. 1 BOW**				
	65/66	A(76), B(76), F(76)		C5ZZ 76514A38-B	2
	68	A(76), B(76), F(76)			2
	69	A(76), F(76)		C9AZ 76514A38-A	2
	67	A(76), F(76)		C7OZ 76514A38-A	2
	70/	A(76), F(76)			2
	67/71	B(76)			2
51514	**BOLT - FOLDING TOP BOW ADJUSTING**				
	65	A(76) "From 12/1/64 to 4/19/65"	5/16"-18 x 1 5/32" long - NOTE 6	C5AZ 7651514-A	2
	65	F(76)			2
	66/68	A(76)	Center side rail-5/16"-24 x 1 1/2" long	C6AZ 7651514-B	2
	69/70	A(76)		C9AZ 7651514-A	1
	66/67	B(76)	5/16"-24 x 1 1/4" long	C6AZ 7651514-A	2
	68	A(76), F(76)			2
	66/71	B(76)	5/16"-24 x 1 7/16" long	C6OZ 7651514-A	2
	69/70	F(76)		C9ZZ 7651514-A	1
	71	F(76)	21/64" long	D1ZZ 7651514-A	1
51542-3	**RETAINER - FOLDING TOP FRONT SIDE RAIL WEATHERSTRIP**				
	68/71	B(76)	R.H.	C8OZ 7651542-A	1
			L.H.	C8OZ 7651543-A	1
51548	**WASHER - FOLDING TOP BOW ADJUSTING BOLT**				
	65	A(76), B(76), F(76)- "From 12/1/64"	NOTE 3 or 7	C5AZ 7651548-A	AR

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
51554-5	**RETAINER - FOLDING TOP REAR SIDE RAIL WEATHERSTRIP**					
	66/67	B(76)		C6OZ 7651554-A ★	C6OZ 7651555-A Not replaced (3-74)	1
	68/71	B(76)		D0OZ 7651554-A	D0OZ 7651555-A	1
51560-1	**RETAINER - FOLDING TOP CENTER SIDE RAIL WEATHERSTRIP**					
	68/71	B(76)*		C8OZ 7651560-A	C8OZ 7651561-A	1
51562-3	**WEATHERSTRIP - FOLDING TOP SIDE RAIL - FRONT**					
	65/66	A(76), S(76)	Refer to Group 53986-7			
	65	X(76)		C3DZ 7651562-A	C3DZ 7651563-A	1
	65	A(76), X(76)	No. 10-32 x .44" Special head moulding bolt	353014-S8(BB80)	353014-S8(BB80)	4 or 6
	65	A(76), X(76)	No. 8 x 1/2" Cross	52726-S13(U381)	52726-S13(U381)	2 or 4
	65	X(76)	No. 10-32 Nut (tee) recess pan head screw	373855-S8(MM131)	373855-S8(MM131)	4
			.27"I.D. x .75"O.D. x .164" thick-washer (special)	351320-S8(XX310)	351320-S8(XX310)	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
51564-5	**WEATHERSTRIP - FOLDING TOP SIDE RAIL CENTER**					
	65/68	A(76)		C5AZ 7651564-A	C5AZ 7651565-A	1
			No. 10-24 Nut (tee)	379270-S2(MM131G)	379270-S2(MM131G)	6
	69/	A(76)		C9AZ 7651564-A	C9AZ 7651565-A	1
	66/67	B(76)		C6OZ 7651564-A	C6OZ 7651564-A	2
			No. 10-24 Nut (tee)	379361-S2(MM130X)	379361-S2(MM130X)	6
	68/71	B(76)		C8OZ 7651564-A	C8OZ 7651565-A	1
	65/68	F(76)		C5ZZ 7651564-A	C5ZZ 7651565-A	1
	69/70	F(76)		C9ZZ 7651564-A	C9ZZ 7651565-A	1
	71/	F(76)		D1ZZ 7651564-A	D1ZZ 7651565-A	1
	65	X(76)		C3DZ 7651564-A	C3DZ 7651565-A	1
	65/68	A(76), X(76)	No. 10-32 x .44" Special head moulding bolt	353014-S8(BB806)	353014-S8(BB806)	6 or 8
	65	X(76)	.27"I.D.x.75"O.D.x.164" thick-washer (special)	351320-S8(XX310)	351320-S8(XX310)	6
	65/68	A(76), F(76)				6
	65	X(76)	No. 10-32 Nut (tee)	373855-S8(MM131)	373855-S8(MM131)	8
51566-7	**WEATHERSTRIP - FOLDING TOP SIDE RAIL REAR**					
		- A -				
	65/68	A(76)		C5AZ 7651566-B	★C5AZ 7651567-B Not replaced (5-75)	1
			No. 10-24 Nut (tee)	379270-S2(MM131G)	379270-S2(MM131G)	8
	65/68	A(76), X(76)	No. 10-32 x .44" Special head moulding bolt	353014-S8(BB806)	353014-S8(BB806)	6 or 8
	69/	A(76)		C9AZ 7651566-A	C9AZ 7651567-A	1
	65/68	A(76)	.27"I.D.x.75"O.D.x.164" thick-washer (special)	351320-S8(XX310)	351320-S8(XX310)	6or8
		- B -				
	66/67	B(76)		C6OZ 7651566-A	C6OZ 7651567-A	1
	68/69	B(76)		C8OZ 7651566-A	C8OZ 7651567-A	1
	70/71	B(76)		D0OZ 7651566-A	D0OZ 7651567-A	1
		- F -				
	65/68	F(76)		C5ZZ 7651566-A	C5ZZ 7651567-A	1
			No. 10-24 Nut (tee)	379361-S2(MM130X)	379361-S2(MM130X)	6
			.27"I.D.x.75"O.D.x.164" thick-washer (special)	351320-S8(XX310)	351320-S8(XX310)	6or8
	69/70	F(76)		C9ZZ 7651566-A	C9ZZ 7651567-A	1
	71/	F(76)		D1ZZ 7651566-A	D1ZZ 7651567-A	1
51628-9	**MOULDING - ROOF SIDE** - Includes Attaching Parts					
	71	B(65C)	Halo type-paint to match	D1OZ 6551628-A	D1OZ 6551629-A	1
	71/	F(65)	With vinyl roof paint to match	D1ZZ 6551628-A	D1ZZ 6551629-A	1
51700-1	**RAIL - ROOF SIDE DRIP**					
		- A -				
	69	A(54, 62)		C9AZ 6251700-A	C9AZ 6251701-A	1
	69	A(63)		C9AZ 6351700-A	C9AZ 6351701-A	1
	69	A(65)		C9AZ 6551700-A	★C9AZ 6551701-A Not replaced (5-75)	1
	70	A(54)		D0AZ 6251700-A	D0AZ 6251701-A	1
	69/70	A(57)		C9AZ 5751700-A	C9AZ 5751701-A	1
	70	A(63)		D0AZ 6351700-A	D0AZ 6351701-A	1
	70	A(65)		D0AZ 6551700-A	D0AZ 6551701-A	1
	71/	A(53,57)		D1AZ 5751700-A	D1AZ 5751701-A	1
	71/	A(54)		D1AZ 5451700-A	D1AZ 5451701-A	1
	69/	A(71)	Front	C9AZ 7151700-A	C9AZ 7151701-A	1
			Rear	C9AZ 7151700-B	C9AZ 7151701-B	1
			Center - snap on type	C9AZ 7151700-C	C9AZ 7151701-C	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE		DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
51700-1	RAIL - ROOF SIDE DRIP - continued						
		- B -					
	66/69	B(71)		Front	★C6OZ 7151700-A Not replaced (5-75)	D0OZ 7151701-A	1
	67	B(66)		Front	C6DZ 6651700-A	C6DZ 6651701-A	1
				Rear	C6DZ 6651700-B	★C6DZ 6651701-B Not replaced (1-73)	1 -
	68/69	B(63)			C8OZ 6351700-A	C8OZ 6351701-A	1
	68/69	B(65)			C8OZ 6551700-A	C8OZ 6551701-A	1
	68/69	B(66)		Front	C8OZ 6651700-A	C8OZ 6651701-A	1
				Rear	C8OZ 6651700-B	C8OZ 6651701-B	1
	68/71	B(71)		Rear	C8OZ 7151700-A	C8OZ 7151701-A	1
	70/71	B(54, 57)			D0OZ 5451700-A	D0OZ 5451701-A	1
	70/71	B(62, 65)		Front	D0OZ 6551700-A	D0OZ 6551701-A	1
				Rear	D0OZ 6551700-B	D0OZ 6551701-B	1
	70/71	B(63)			D0OZ 6351700-A	D0OZ 6351701-A	1
	70/71	B(66)		Front	D0OZ 6651700-A	D0OZ 6651701-A	1
				Rear	D0OZ 6651700-B	D0OZ 6651701-B	1
	70/71	B(71)		Front	D0OZ 7151700-A	D0OZ 7151701-A	1
		- F -					
	65/66	F(65)			C7ZZ 6551700-A	C7ZZ 6551701-A	1
	67/68	F(63)			C7ZZ 6351700-A	C7ZZ 6351701-A	1
	67/68	F(65)			C7ZZ 6551700-A	C7ZZ 6551701-A	1
	69/70	F(63)		Front	C9ZZ 6351700-B	C9ZZ 6351701-B	1
				Rear	C9ZZ 6351700-C	C9ZZ 6351701-C	1
	69/70	F(65)		Snap on type	C9ZZ 6551700-A	C9ZZ 6551701-A	1
		- P -					
	71/	P(54)			D1DZ 5451700-A	D1DZ 5451701-A	1
	70/72	P(62)	"Before 3/1/72"	Snap on	D0DZ 6251700-A	D0DZ 6251701-A	1
	72	P(62)	"From 3/1/72"		D2DZ 6251700-A	D2DZ 6251701-A	1
		- L -					
	72	L(73)			D2FZ 7351700-A	D2FZ 7351701-A	1
		- S -					
	66	S(63C, D)		Refer to Group 51726-7			
		- U -					
	66/	U(97)		Short roof	C6TZ 9751700-A	C6TZ 9751701-A	1
	66/	U(98)		Long roof	C6TZ 9851700-A	C6TZ 9851701-A	1
		- X -					
	66/67	X(71)	"Before 11/3/69"	Front	C6OZ 7151700-A	D0OZ 7151701-A	1
	70	X(71)	"From 11/3/69"	Front	D0OZ 7151700-A	D0OZ 7151701-A	1
	66/70	X(54)			C6OZ 5451700-A	C6OZ 5451701-A	1
	66/70	X(62)			C6OZ 6251700-A	C6OZ 6251701-A	1
	68/70	X(71)		Rear	C8OZ 7151700-A	C8OZ 7151701-A	1
517A00-1	ORNAMENT - ROOF SIDE INNER - Refer to Group 50266-7						
517A02-3	MOULDING - ROOF OUTSIDE - REAR SIDE - Includes attaching parts						
	69	A(63)	"Before 7/1/69"	(2) pc. design	C9AZ 63517A02-A	C9AZ 63517A02-B	1
	69/70	A(63)	"From 7/1/69"	(2) pc. design	C9AZ 63517A02-C	C9AZ 63517A02-D	1
	69	A(63)		For (1) pc. design refer to Group 50044			
	71/	F(63)		With vinyl roof cover	D1ZZ 63517A02-A	D1ZZ 63517A03-A	1
51704	MOULDING - ROOF DRIP - REAR						
	66/	U(97)		Serviced in assy. - refer to Group 40314 or 51834			
	66/	U(98)			C6TZ 9851704-A	C6TZ 9851704-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
517A10-1		EXTENSION - ROOF DRIP FINISH MOULDING - INCLUDES ATTACHING PARTS				
	67/68	F(63)	36" long	C7ZZ 63517A10-A	★C7ZZ63517A11-A Not replaced (5-75)	1
	69/70	F(65)		C9ZZ 65517A10-A	C9ZZ 65517A11-A	1
517A12		EXTENSION - ROOF DRIP SIDE MOULDING				
	67/71	S(57)		C7SZ 57517A12-A	C7SZ 57517A12-A	2
51718-9		MOULDING - ROOF DRIP FINISH - FRONT - INCLUDES ATTACHING PARTS				
	67/69	S		C7SZ 6551718-A	C7SZ 6551718-A	1
	71	S(57,65B,D)				1
	67/	U(97,98)		C7TZ 9751718-A	C7TZ 9751719-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
517A18		ORNAMENT - ROOF SIDE OUTSIDE - INCLUDES ATTACHING PARTS - Also Refer to Group 517A56-7			
	65	A(54A,57B)		C5AZ 62517A18-A	2
	65	A(54B,62B)		C5AZ 62517A18-B	2
	65/66	A(57F,63F)		C5AZ 63517A18-B	2
	65	S(63A)		C5SZ 63517A18-A	2
	66	S(63A)		C6SZ 63517A18-A	2
	66	S(63C)		C6SZ 63517A18-B	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
517A20-1		ORNAMENT - OUTSIDE - INCLUDES ATTACHING PARTS				
		- A -				
	65/66	A(57F,63F) "From 11/9/64"	"LTD"	C5AZ 63517A20-B	C5AZ 63517A20-B	2
	66	A(63B,C,D)- With or W/o vinyl roof	Black	C6AZ 63517A20-A	C6AZ 63517A21-A	3
	66	A(63B,C,D)-w/vinyl roof	White	C6AZ 63517A20-B ★	C6AZ 63517A21-B Not replaced (3-74)	3
	67	A(54C,57F,63J)	"LTD"	C8AZ 54517A20-A	C8AZ 54517A20-A	2
	68	A(54C,57C,65A)				2
	67	A(57F)	3/16" Nut(sleeve)	375480-S102(MM222E)	375480-S102(MM222E)	6
	68	A(63C)		C8AZ 63517A20-A	C8AZ 63517A20-A	2
	68	A(76B)	Quarter panel			2
	69	A(54C,57F,65A)	"LTD"	C9AZ 54517A20-A	C9AZ 54517A20-A	2
	69	A(63C)		C9AZ 63517A20-A	C9AZ 63517A20-A	2
	70	A(54C,57F,65A)	"LTD"	D0AZ 54517A20-A	D0AZ 54517A20-A	2
			"Brougham"	D0AZ 54517A20-B	D0AZ 54517A20-B	2
	70	A(63C,76B)	"XL"	D0AZ 63517A20-A	D0AZ 63517A21-A	1
	71/	A(53H,57H,65H,71H)	"LTD"-also used on tailgate	D1AZ 65517A20-A	D1AZ 65517A20-A	2
	71/	A(53K,57K,65K)	"Brougham"	D1AZ 65517A20-B	D1AZ 65517A20-B	2
	70	A(54C,57F,63C,65A)	Wreath ornament-refer to Group 517A58			
	71/	A(53K,57K,65K)				
	72	A(65F)	"Galaxie 500"	D2AZ 65517A20-A	D2AZ 65517A20-A	2
		- B -				
	65	B(65B)	Refer to Group 50399			
	68	B(63)	6 1/8" long	C8OZ 63517A20-G	C8OZ 63517A21-G	1
			5 7/8" long	C8OZ 63517A20-H	C8OZ 63517A21-H	1
			5 1/2" long	C8OZ 63517A20-J	C8OZ 63517A21-J	1
			5 1/8" long	C8OZ 63517A20-K	C8OZ 63517A21-K	1
			4 7/8" long	★C8OZ 63517A20-L Not replaced (5-75)	C8OZ 63517A21-L	1
	68	B(65D)		C8OZ 65517A20-A	C8OZ 65517A21-A	1
	69	B(65D,F)				1
	69	B(63)	Front	C9OZ 63517A20-A	C9OZ 63517A21-A	1
	69	B(63)	Rear	C9OZ 63517A56-A	C9OZ 63517A57-A	1
			Rivet-1/8"x.30"oval head (attach ornament roof side)	383229-S(SS44E)	383229-S(SS44E)	AR
	70/	B	Refer to Group 50399			
	68/71	B(66)	With vinyl roof cover	D0OZ 66517A56-A	D0OZ 66517A56-A	2
	72	B(53D,65D)		D2OZ 65517A56-A	D2OZ 65517A56-A	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
517A20-1	**ORNAMENT - ROOF SIDE - OUTSIDE - INCLUDES ATTACHING PARTS - continued**					
		- F -				
	65/66	F(65)	With vinyl roof cover or two-tone paint	C5ZZ 65517A56-A	C5ZZ 65517A57-A	1
	69/70	F(63)		C9ZZ 63517A20-A	C9ZZ 63517A21-A	1
	69/70	F(GT350/500)	Refer to Group 8213 in Chassis Section			
	69/	F(65)	Refer to Group 50399			
		- S -				
	66	S(63D)	Black	★C6SZ 63517A20-A Not replaced (3-74)	C6SZ 63517A21-A	1
	67	S(57B)		★C7SZ 57517A20-A Not replaced (3-74)	C7SZ 57517A21-A	1
	65	S(63) "Before 2/10/65"		C5SZ 63517A56-A	C5SZ 63517A57-A	1
	65/66	S(63A) "From 2/10/65"				1
	66	S(63C, D)		C6SZ 63517A56-A	C6SZ 63517A57-A	1
	67	S(65A)	Black	C7SZ 65517A20-AA	C7SZ 65517A20-AA	2
			Blue (dark)	C7SZ 65517A20-G	C7SZ 65517A20-G	2
			Blue (medium)	C7SZ 65517A20-AP	C7SZ 65517A20-AP	2
			Diamond green	C7SZ 65517A20-AU	C7SZ 65517A20-AU	2
			Gray	C7SZ 65517A20-P	C7SZ 65517A20-P	2
			Gray (medium)	★C7SZ 65517A20-AJ Not Repl'd. (1-73)	C7SZ 65517A20-AJ	2
			Green (dark)	C7SZ 65517A20-K	C7SZ 65517A20-K	2
			Platinum	C7SZ 65517A20-AV	C7SZ 65517A20-AV	2
			Red	C7SZ 65517A20-AH	C7SZ 65517A20-AH	2
			White	C7SZ 65517A20-AB	C7SZ 65517A20-AB	2
			Yellow	C7SZ 65517A20-G	C7SZ 65517A20-G	2
	67	S(65B)	Black	C7SZ 65517A20-B	C7SZ 65517A21-B	1
			White-Use with White vinyl roof	C7SZ 65517A20-E	C7SZ 65517A21-E	1
			Dark Brown	C7SZ 65517A20-G ★	C7SZ 65517A21-G Not replaced (3-74)	1
	68	S(65A, C)	Aqua	C8SZ 65517A20-N	C8SZ 65517A20-N	2
			Black	C7SZ 65517A20-AA	C7SZ 65517A20-AA	2
			Blue (dark)	C8SZ 65517A20-G	C8SZ 65517A20-G	2
			Blue (medium)	C7SZ 65517A20-AP	C7SZ 65517A20-AP	2
			Ivy Gold	C8SZ 65517A20-E	C8SZ 65517A20-E	2
			Diamond green	C7SZ 65517A20-AU	C7SZ 65517A20-AU	2
			Gray (medium)	C8SZ 65517A20-P	C8SZ 65517A20-P	2
			Pewter	C7SZ 65517A20-AW	C7SZ 65517A20-AW	2
			Platinum	C7SZ 65517A20-AV	C7SZ 65517A20-AV	2
			Red	C7SZ 65517A20-AH	C7SZ 65517A20-AH	2
			Turquoise (medium)	C7SZ 65517A20-AL	C7SZ 65517A20-AL	2
			White	C7SZ 65517A20-AB	C7SZ 65517A20-AB	2
			Yellow	C8SZ 65517A20-M	C8SZ 65517A20-M	2
	68	S(65B, D)	Black	C8SZ 65517A20-A	C8SZ 65517A21-A	1
			Parchment	C8SZ 65517A20-C	★C8SZ 65517A21-C Not replaced (5-75)	1
	68/71	S(57)	Wood grain finish	C8SZ 57517A20-B	C8SZ 57517A21-B	1
	69	S(65A, C)	Aqua	C8SZ 65517A20-N	C8SZ 65517A20-N	2
			Black	C7SZ 65517A20-AA	C7SZ 65517A20-AA	2
			Blue (dark)	C8SZ 65517A20-G	C8SZ 65517A20-G	2
			Blue (medium)	C7SZ 65517A20-AP	C7SZ 65517A20-AP	2
			Diamond green	C7SZ 65517A20-AU	C7SZ 65517A20-AU	2
			Gray (medium)	C8SZ 65517A20-P	C8SZ 65517A20-P	2
			Ivy gold	C8SZ 65517A20-E	C8SZ 65517A20-E	2
			Maroon	C8SZ 65517A20-F	C8SZ 65517A20-F	2
			Platinum	C7SZ 65517A20-AV	C7SZ 65517A20-AV	2
			Red	C7SZ 65517A20-AH	C7SZ 65517A20-AH	2
			Turquoise (medium)	C7SZ 65517A20-AL	C7SZ 65517A20-AL	2
			White	C7SZ 65517A20-AB	C7SZ 65517A20-AB	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
517A20-1	**ORNAMENT - ROOF SIDE - OUTSIDE - INCLUDES ATTACHING PARTS - continued**					
		- S -				
	69	S(65A, C)	Yellow	C8SZ 65517A20-M	C8SZ 65517A20-M	2
			Copper	C9SZ 65517A20-K	C9SZ 65517A20-K	2
			Gold (light)	C9SZ 65517A20-G	C9SZ 65517A20-G	2
			Gold (medium)	C9SZ 65517A20-J	C9SZ 65517A20-J	2
			Green (dark ivy)	C9SZ 65517A20-L	C9SZ 65517A20-L	2
	69	S(65B, D)	Black	C9SZ 65517A20-A	C9SZ 65517A21-A	1
			Blue (dark)	C9SZ 65517A20-D	C9SZ 65517A21-A	1
			Gold (dark)	C9SZ 65517A20-C	C9SZ 65517A21-C	1
			White	C9SZ 65517A20-B	C9SZ 65517A21-B	1
	70/71	S(65)	Also used on quarter panel	D0SZ 65517A20-A	D0SZ 65517A20-A	2
	72	S	W/o vinyl roof	D2SZ 65517A20-A	D2SZ 65517A21-A	1
			Landau type-w/vinyl roof	D2SZ 65517A20-B	D2SZ 65517A21-B	1
			W/ vinyl roof & glamour paint	D2SZ 65517A20-C	D2SZ 65517A21-C	1
51726-7	**MOULDING - ROOF DRIP SIDE FINISH**					
		- A -				
	65/66	A(54, 62)	Front	C5MY 5051726-A	C5MY 5051727-A	1
	65/66	A(71D)	Includes attaching parts	C5AZ 7151726-A	C5AZ 7151727-A	1
	65/66	A(71A, B, C, E)				1
	67/68	A(71)				1
	65/67	A(57)	Front	C5AZ 5751726-C	C5AZ 5751727-C	1
	66	A(63)	Rear-includes attaching parts	C6AZ 6351726-B	C6AZ 6351727-B	1
	67	A(63B, C)		C7AZ 6351726-C	C7AZ 6351727-C	1
	67/68	A(54, 62)	Front-snap on	C7AZ 6251726-A	C7AZ 6251727-A	1
			Rear-snap on	C7AZ 6251726-C	C7AZ 6251727-C	1
	68	A(57)		C8AZ 5751726-A	C8AZ 5751727-A	1
	68	A(63)		C8AZ 6351726-A	C8AZ 6351727-A	1
	68	A(65)		C8AZ 6551726-A	C8AZ 6551727-A	1
	69	A(54, 62)	Without vinyl roof cover-snap on	D0AZ 6251726-A	C9AZ 6251727-A	1
	69	A(57)	Front - includes attaching parts	C9AZ 5751726-A	C9AZ 5751727-A	1
			Rear - includes attaching parts	C9AZ 5751726-B	C9AZ 5751727-B	1
	69	A(63)	Includes attaching parts	C9AZ 6351726-A	C9AZ 6351727-A	1
	69	A(65)	Includes attaching parts	C9AZ 6551726-A	C9AZ 6551727-A	1
	69	A(71)	Front-snap on	D0AZ 7151726-A	D0AZ 7151727-A	1
	69/	A(54)	With vinyl roof-snap on	D1AZ 5451726-B	D1AZ 5451727-B	1
	69/	A(71)	Rear-Refer to Group 51728-9			
	70	A(54)	Without vinyl roof	D0AZ 6251726-A	D0AZ 6251727-A	1
	70	A(57)	Front	D0AZ 5751726-A	D0AZ 5751727-A	1
			Rear	D0AZ 5751726-B	D0AZ 5751727-B	1
	70	A(63)	Without two tone paint	D0AZ 6351726-A	D0AZ 6351727-A	1
			Refer to Group 02512-3 for front finish moulding			
			With two tone paint refer to Group 290A60-1			
	70	A(65)		D0AZ 6551726-A	D0AZ 6551727-A	1
	70/	A(71)	Without vinyl roof includes 3" joint cover	D0AZ 7151726-A	D0AZ 7151727-A	1
			With vinyl roof	D0MY 7151726-A	D0MY 7151727-A	1
	71/	A(53, 57)	Front	D1AZ 5751726-A	D1AZ 5751727-A	1
			Rear	D1AZ 5751726-B	D1AZ 5751727-B	1
	71/	A(54)	Without vinyl roof with two-tone paint-snap on	D1AZ 5451726-A	D1AZ 5451727-A	1
	71/	A(65)		D1AZ 6551726-A	D1AZ 6551727-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
51726-7	MOULDING - ROOF DRIP SIDE FINISH - continued					
		- B -				
	65	B(71)	Rear-Refer to Group 51728-9			
	66/67	B(54)		C6OZ 5451726-A	C6OZ 5451727-A	1
	66/67	B(62)	Front	C6OZ 6251726-A	C6OZ 6251727-A	1
			Rear	C6OZ 6251726-D	C6OZ 6251727-D	1
	66/67	B(63)		C6OZ 6351726-A	C6OZ 6351727-A	1
	66/70	B(71)	Front	C6OZ 7151726-A	C6OZ 7151727-A	1
			Rear	C6OZ 7151726-B	C6OZ 7151727-B	1
	67	B(66)		C6DZ 6651726-A	C6DZ 6651727-A	1
	68/69	B(54)	Snap on	C8OZ 5451726-A	C8OZ 5451727-A	1
	68/69	B(63)	Includes attaching parts	C8OZ 6351726-B	C8OZ 6351727-B	1
	68/69	B(65)	Snap on	C8OZ 6551726-B	C8OZ 6551727-B	1
	68/69	B(66)	Snap on	C8OZ 6651726-A	C8OZ 6651727-A	1
	70/71	B(54, 57)	Without vinyl roof	D0OZ 5451726-A	D0OZ 5451727-A	1
			With vinyl roof	D0OZ 5451726-B	D0OZ 5451727-B	1
	70/71	B(62, 65)	Without vinyl roof	D0OZ 6551726-A	D0OZ 6551727-A	1
	70/71	B(63)	Includes attaching parts	D0OZ 6351726-A	D0OZ 6351727-A	1
	70/71	B(65)	With vinyl roof	D0OZ 6551726-B	D0OZ 6551727-B	1
	70/71	B(66)		D0OZ 6651726-A	D0OZ 6651727-A	1
	72	B(53)	Front-includes attaching parts	D2OZ 5351726-A	D2OZ 5351727-A	1
			Rear-includes attaching parts	D2OZ 5351726-B	D2OZ 5351727-B	1
	72	B(63)	Front-includes attaching parts	D2OZ 6351726-A	D2OZ 6351727-A	1
			Rear-includes attaching parts	D2OZ 6351726-B	D2OZ 6351727-B	1
	72	B(65)	Front-with vinyl roof - includes attaching parts	D2OZ 6551726-A	D2OZ 6551727-A	1
			Rear-with vinyl roof - includes attaching parts	D2OZ 6551726-C	D2OZ 6551727-C	1
			Without vinyl roof - includes attaching parts	D2OZ 6551726-B	D2OZ 6551727-B	1
	72	B(71)	Front-includes attaching parts	D2OZ 7151726-A	D2OZ 7151727-A	1
			Rear-includes attaching parts	D4OZ 7151726-B	D2OZ 7151727-B	1
	72	B(97)	Includes attaching parts	D2OZ 9751726-A	D2OZ 9751727-A	1
		- F -				
	65/66	F(63)		C5ZZ 6351726-A	C5ZZ 6351727-A	1
	65/68	F(65)		C5ZZ 6551726-B	C5ZZ 6551727-B	1
	67/68	F(63)		C7ZZ 6351726-A	C7ZZ 6351727-A	1
	69/70	F(65)	Without vinyl roof	C9ZZ 6551726-C	C9ZZ 6551727-C	1
	69/70	F(65)	With vinyl roof	C9ZZ 6551726-D	C9ZZ 6551727-D	1
	69/70	F(63)	Snap on type	C9ZZ 6351726-A	C9ZZ 6351727-A	1
	71/	F(63)	Cut forward lower-inboard end	D1ZZ 6351726-B	D1ZZ 6351727-B	1
	71/	F(65)	Cut forward lower-inboard end	D1ZZ 6551726-B	D1ZZ 6551727-B	1
		- L -				
	71/72	L(62, 64)	Front-w/o vinyl roof	D2FZ 6251726-A	D2FZ 6251727-A	1
	71/72	L(62, 64)	Rear-w/o vinyl roof	D1FZ 6251726-C	D1FZ 6251727-C	1
	71/72	L(62, 64) "Before 4/3/72"	Front-w/vinyl roof	D1FZ 6251726-B	D1FZ 6251727-B	1
	72	L(62, 64) "From 4/3/72"	Front-w/vinyl roof	D2FZ 6251726-B	D2FZ 6251727-B	1
	71/72	L(62, 64)	Rear-w/vinyl roof	D1FZ 6251726-D	D1FZ 6251727-D	1
	72	L(73)	Refer to Group 51700-1			

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
51726-7	**MOULDING - ROOF DRIP SIDE FINISH - continued**					
		- P -				
	70/	P(62)-exc. LTD	Front-snap on type-without vinyl roof -dull finish	D3DZ 6251726-A	D3DZ 6251727-A	1
			Rear-snap on type-without vinyl roof	D0DZ 6251726-C	D0DZ 6251727-C	1
			Front-snap on type-with vinyl roof - dull finish	D0DZ 6251726-B	D0DZ 6251727-B	1
			Rear-snap on type-with vinyl roof - dull finish	D0DZ 6251726-D	D0DZ 6251727-D	1
	71/	P(54) -exc. LTD	Front-without vinyl roof	D3DZ 5451726-A	D3DZ 5451727-A	1
			Rear-without vinyl roof	D1DZ 5451726-C	D1DZ 5451727-C	1
			Front-with vinyl roof - dull finish	D1DZ 5451726-B	D1DZ 5451727-B	1
		- S -				
	65 66	S(63) S(63A)	Front	C4SZ 6351726-A ★	C4SZ 6351727-A Not replaced (3-74)	1 1
	65/66	S(63)	Rear-Refer to Group 51728-9			
	66	S(63C, D)	Includes attaching parts	★C6SZ 6351726-A Not replaced (3-74)	C6SZ 6351727-A	1
	67/68	S(65A, C)	Without two-tone paint-includes attaching parts	C7SZ 6551726-F	C7SZ 6551727-F	1
	67/68 69	S(65) S(65A, C)	With vinyl roof or two-tone paint-includes attaching parts	C7SZ 6551726-E	C7SZ 6551727-E	1 1
	67/71	S(57)	Includes attaching parts	★C7SZ 5751726-B Not replaced (3-74)	C7SZ 5751727-C	1
	69 71	S(65B, D) S(65B, D)	Includes attaching parts	C9SZ 6551726-A	C9SZ 6551727-A	1 1
	70	S(65)	Includes attaching parts	D0SZ 6551726-A	D0SZ 6551727-A	1
			Refer to Group 026A16-7 for front body pillar finish moulding			
	71	S(65A, C)		D1SZ 6551726-A	D1SZ 6551727-A	1
	72	S	Without vinyl roof	D2SZ 6551726-C	D2SZ 6551727-C	1
			Front-with vinyl roof - includes attaching parts	D2SZ 6551726-B	D2SZ 6551727-B	1
	72	S "Before 7/10/72"	Rear-with vinyl roof - includes attaching parts	D2SZ 6551726-A	D2SZ 6551727-A	1
		"From 7/10/72 to 10/31/72"	Rear-with vinyl roof - includes attaching parts	D2SZ 6551726-D	D2SZ 6551727-D	1
	72	S "From 10/31/72"	Rear-with vinyl roof - includes attaching parts	D2SZ 6551726-E	D2SZ 6551727-E	1
		- U -				
	67/	U(97)		C7TZ 9751726-A	C7TZ 9751727-A	1
		- X -				
	65	X(63) "From 3/16/64"	Used without vinyl roof	C4DZ 6351726-A ★	C4DZ 6351727-A Not replaced (3-74)	1
	65	X(66)		C3DZ 6651726-A	C3DZ 6651727-A	1
	66	X(66)		C6DZ 6651726-A	C6DZ 6651727-A	1
	66/70	X(54)		C6OZ 5451726-A	C6OZ 5451727-A	1
	66/70	X(62)	Front	C6OZ 6251726-A	C6OZ 6251727-A	1
			Rear	C6OZ 6251726-D	C6OZ 6251727-D	1
	66/70	X(71)	Front	C6OZ 7151726-A	C6OZ 7151727-A	1
			Rear	C6OZ 7151726-B	C6OZ 7151727-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
517B26-7	**CAP-ROOF SIDE INNER REAR MOULDING** - Paint to Match - Also refer to Group 24452-3 in Soft Trim Section					
	69	A(54, 71)		C9AZ 54517B26-A	C9AZ 54517B27-A	1
	70/	A(54, 71)		D0AZ 54517B26-A	D0AZ 54517B27-A	1
	71/	A(53)		D1AZ 53517B26-A	D1AZ 53517B27-A	1
51728-9	**MOULDING - ROOF DRIP SIDE FINISH**					
	69/	A(71)	Rear-without vinyl roof	D0AZ 7151728-A	D0AZ 7151729-A	1
			Rear-w/vinyl roof	D0MY 7151728-A	D0MY 7151729-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
517A28-9	**ORNAMENT - ROOF SIDE - CENTER** - Includes attaching parts				
	69	B(63)	R. H.	C9OZ 63517A28-A	1
			L. H.	C9OZ 63517A29-A	1
517C30	**SPACER - ROOF SIDE INNER FRONT MOULDING**				
	70	S(65)	Plastic	D0SZ 65517C30-A	2
	71	S(65A, C)			2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
517A36-7	**MOULDING - ROOF OUTSIDE REAR - INCLUDES ATTACHING PARTS**					
	69	A(63)	Refer to Group 50044			
	67	B(66)	Rustless steel	C6DZ 66517A36-B ★	C6DZ 66517A37-B	1
	66	X(66)			Not replaced (3-74)	1
			No. 8-18 x 1 1/2" Oval head screw	376290-S100(UU56D)	376290-S100(UU56D)	4
	68/69	B(66)		C8OZ 66517A36-A	C8OZ 66517A37-A	1
	72	B(71)		D2OZ 71517A36-A	D2OZ 71517A37-A	1
	72	B(97)		D2OZ 97517A36-A	D2OZ 97517A36-A	1
	71/	F(65)	With vinyl roof paint to match	D1ZZ 65517A36-A	D1ZZ 65517A37-A	1
	72	L(64)	With vinyl roof aluminum	D2FZ 64517A36-A	D2FZ 64517A37-A	1
	65	X(66)	Chrome-paint as required	C0DB 66517A36-B	C0DB 66517A37-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
517C49	**RETAINER - ROOF SIDE INNER REAR MOULDING**				
	70	A(57)		D0AZ 57517C40-A	2
	70	A(63)		D0AZ 63517C40-A	2
	71/	A(53, 57)		D1AZ 57517C40-A	2
	70/71	B(63)		D0OZ 63517C40-A	12

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
51744-5	**COVER - ROOF SIDE INNER MOULDING JOINT**					
	69	A(57) "Before 2/3/69"	Paint to match	C9AZ 5751744-A	C9AZ 5751744-A	2
	69	A(57) "From 2/3/69"	Aqua -with coat hook	C9AZ 5751744-B2K	C9AZ 5751744-B2K	2
			Black	C9AZ 5751744-B2A	C9AZ 5751744-B2A	2
			Blue (dark)	C9AZ 5751744-B4B	C9AZ 5751744-B4B	2
			Blue (light)	C9AZ 5751744-B3B	C9AZ 5751744-B3B	2
			Ivy Gold	C9AZ 5751744-B2G	C9AZ 5751744-B2G	2
			Nugget Gold	C9AZ 5751744-B2Y	C9AZ 5751744-B2Y	2
			Red	C9AZ 5751744-B2D	C9AZ 5751744-B2D	2
	69	A(63)	Aqua-with coat hook	C9AZ 6351744-A1K	★C9AZ 6351745-A1K Not replaced (1-73)	1
			Black	C9AZ 6351744-A1A	C9AZ 6351745-A1A	1
			Blue (dark)	C9AZ 6351744-A2B	C9AZ 6351745-A2B	1
			Blue (light)	C9AZ 6351744-A1B	C9AZ 6351745-A1B	1
			Ivy Gold	C9AZ 6351744-A1G	C9AZ 6351745-A1G	1
			Nugget Gold	C9AZ 6351744-A1Y	C9AZ 6351745-A1Y	1
			Red	C9AZ 6351744-A1D	C9AZ 6351745-A1D	1
			White	C9AZ 6351744-A1W	C9AZ 6351745-A1W	1
	72	B(53,63,71)	Paint to match	D2OZ 6351744-A	D2OZ 6351744-A	2
51752-3	**MOULDING - ROOF SIDE INNER FRONT - INCLUDES ATTACHING PARTS** - Paint to match					
	69/	A,B,F,S	Refer to Group in Soft Trim Section			
	67/68	S(57) "Before 11/20/67"		C7SZ 5751752-C	C7SZ 5751753-B	1
	68	S(57) "From 11/20/67"		C7SZ 5751752-C	C7SZ 5751753-C	1
	68	S(65)		C8SZ 6551752-A	C8SZ 6551753-A	1
51754-5	**MOULDING - ROOF SIDE INNER REAR - INCLUDES ATTACHING PARTS** - Paint to match					
	69/	A,B,F,S	Refer to Group in Soft Trim Section			
	67/68	S(65)		C7SZ 6551754-B	C7SZ 6551755-B	1
51756	**RETAINER - ROOF SIDE INNER FRONT MOULDING**					
	70	A(57,63,65)		D0AZ 6351756-A	D0AZ 6351756-A	AR
	71/	A(53,57)				6
	71/	A(65),F(65)		D1AZ 6551756-A	D1AZ 6551756-A	4
	72	B(65,97)		D2OZ 6551756-A	D2OZ 6551756-A	6
	67	S		C7SZ 6551756-A	C7SZ 6551756-A	6or8
	68	S(57)				8
	70/71	S(65)		D0SZ 6551756-A	D0SZ 6551756-A	2
	72	S		D2SZ 6551756-A	D2SZ 6551756-A	4
517A56-7	**ORNAMENT - ROOF SIDE - OUTSIDE** - Refer to Group 517A20-1					
517B56-7	**MOULDING - ROOF OUTSIDE SIDE CENTER - INCLUDES ATTACHING PARTS**					
	66	A(57F)		C6AZ 57517B56-A	★C6AZ 57517B57-A	1
	71	F(63)	Refer to Group 517A02-3			

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
517A58	**ORNAMENT- LOWER - INCLUDING ATTACHING PARTS**				
	69	A(54C, 57F, 65A)	Lower-round wreath - roofside	C9AZ 54517A58-A	2
	69/70	A(54C, 57F, 63C, 65A)	Lower-square wreath - roofside	C9AZ 63517A58-A	2
			Refer to Group 517A20-1 for upper ornament		
	71/	A(53H, K, 57H, K, 65H, K, 71H)	Lower-also used on tailgate	D1AZ 65517A58-A	1or2
517B58-9	**MOULDING - ROOF OUTSIDE CENTER REAR - INCLUDES ATTACHING PARTS**				
	70	F(65E)	R.H.	D0ZZ 65517B58-A	1
			L.H.	D0ZZ 65517B59-A	1
51762	**COVER - ROOF DRIP MOULDING JOINT**				
	69/70	A(71), B(71), X(71)	3/4" long	B5A 7051762-A	2or4
	69/	A(71)			4
	65	B(65, 71B)			2
	66	B(71), X(66)			2
	67/68	B(71B, E)			2
	72	L(73)			2
	69/	A(71)	3" long-serviced in assy. -refer to Group 51726-7		
	66/	U(97, 98)	Rear corner	C6TZ 9751762-A	4
517A62-3	**MOULDING - ROOF OUTSIDE SIDE REAR - INCLUDES ATTACHING PARTS**				
	72	B(97)	R.H. -corner	D2OZ 97517A62-A	1
			L.H.	D2OZ 97517A63-A	1
	70	F(65E)	R.H.	D0ZZ 65517A62-A	1
			L.H.	D0ZZ 65517A63-A	1
	71/	F(65)	R.H. - with vinyl roof - paint to match	D1ZZ 65517A62-A	1
			L.H.	D1ZZ 65517A63-A	1
517B76	**RETAINER - ROOF DRIP SIDE FINISH REAR MOULDING**				
	72	B(65), S	With vinyl roof	D2OZ 65517B76-A	AR
517A78	**RETAINER - ROOF OUTSIDE MOULDING - CENTER**				
	72	B(71)		D2OZ 71517A78-A	12
518A06	**KNOB - SLIDING ROOF PANEL HANDLE - INCLUDES ATTACHING PARTS**				
	72/	L	Manual	D2FZ 62518A06-A	1
51812	**PLATE - SLIDING ROOF PANEL REAR GUIDE**				
	72/	L		D2FZ 6251812-B	2
518A16	**NUT - SLIDING ROOF PANEL REAR GUIDE ADJUSTING**				
	72/	L	Manual	D2FZ 62518A16-A	1
51828-9	**COVER - ROOF DRIP SIDE FINISH MOULDING JOINT** - Includes attaching parts				
	70/71	B(63)	R.H.	D0OZ 6351828-A	1
			L.H.	D0OZ 6351829-A	1
	69/70	F(63)	R.H.	C9ZZ 6351828-A	1
			L.H.	C9ZZ 6351829-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
51834-5	**MOULDING - ROOF DRIP REAR FINISH**				
	67/	U(97)		C7TZ 9751834-A	1
	67/	U(98)	R. H.	C7TZ 9851834-A	1
			L. H.	C7TZ 9851835-A	1
	69/	U(97)	1/8" x 1/4" Rivet (blind)	375936-S(SS44DA)	9
518A36	**SPRING - SLIDING ROOF PANEL REAR**				
	72/	L	5 23/32" long	D2FZ 62518A36-A	2
518A38	**COVER - SLIDING ROOF PANEL OPENING SIDE REINFORCEMENT TAB**				
	72/	L	Manual	D2FZ 62518A38-A	2
518A40	**RETAINER - SLIDING ROOF PANEL HEADLINING**				
	72/	L	Manual	D2FZ 62518A40-A	7
518A42	**RETAINER - SLIDING ROOF PANEL CABLE GUIDE**				
	72/	L	Manual	D2FZ 62518A42-A	1
			Screw-hex.hd.-No.8-32 x 25/64"	385035-S2(BB893)	1
518A56	**SHIM - SLIDING ROOF PANEL HOUSING**				
	72	L		D2FZ 62518A56-A	AR
51880	**RETAINER - SLIDING ROOF PANEL REAR GUIDE PLATE**				
	72/	L	Manual	D2FZ 6251880-A	2
519A06	**STRIP - ROOF HEADLINING BACK WINDOW TACKING UPPER**				
	68/71	S(65)		C8SZ 65519A06-A	1
519B06	**RETAINER - ROOF CONSOLE, FRONT**				
	70/71	S(65A,C)		D0SZ 65519B06-A	1
	71	S(57,65B,D)		D1SZ 65519B06-A	1
519B12-3	**STRIP - ROOF HEADLINING SIDE TACKING - UPPER**				
	70/71	B(63)	R. H.	D0OZ 63519B12-A	1
			L. H.	D0OZ 63519B13-A	1
519A16	**RETAINER - ROOF SIDE REAR TRIM PANEL**				
	65/68	A(57,63)		C3AZ 63519A16-A	AR
	69	B(65)			AR
	66	S(63C,D)			6
	67	S(65)			2
519B24	**SUPPORT - ROOF CONSOLE**				
	67/71	S(57)		C7SZ 57519B24-A	1
	68/69	S(65)		C8LY 65519B24-A	1
	71	S(65B,D)			1


GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
519A48-9	**RETAINER - ROOF HEADLINING SIDE LOWER REAR**					
	72	B(63)		D2OZ 63519A48-A	D2OZ 63519A49-A	1
	71/	F(63)		D1ZZ 63519A48-A	D1ZZ 63519A49-A	1
	71/	F(65)		D1ZZ 65519A48-A	D1ZZ 65519A49-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
519A58	**CONSOLE - ROOF**				
	68	F(63B)	Saddle (Brown)	C8ZZ 63519A58-A1F	1
	66	S(63C)-Front	Aqua	C6SZ 63519A58-EAF	1
	70	S(57)-long	Cut hole for switch when sliding roof is used		
			Black	D0LY 65519A58-G	1
			Blue	D0LY 65519A58-J	1
			Red	D0LY 65519A58-H	1
			Tobacco	D0LY 65519A58-E	1
			White	D0LY 65519A58-C	1
	70	S(65)-short	Cut hole for switch when sliding roof is used		
			Black	D0SZ 65519A58-B	1
			Blue	D0SZ 65519A58-F	1
			Ginger	D0SZ 65519A58-C	1
			Red	D0SZ 65519A58-D	1
			White	D0SZ 65519A58-G	1
	71	S(57,65B,D)-short	Includes visor arm clips (04131-2) and retainer (10918) for warning indicator lamp-cut hole for switch when sliding roof is used		
			Black	D1SZ 65519A58-H	1
			Blue	D1SZ 65519A58-L	1
			Ginger	D1SZ 65519A58-E	1
			Gray Gold	D1SZ 65519A58-M	1
			Green	D1SZ 65519A58-J	1
			Red	D1SZ 65519A58-K	1
			Tobacco	D1SZ 65519A58-F	1
			White	D1SZ 65519A58-G	1
	71	S(57,65B,D)-long	Cut hole for switch when sliding roof is used		
			Black	D0LY 65519A58-G	1
			Blue	D0LY 65519A58-J	1
			Ginger	D0LY 65519A58-A	1
			Gray gold	D1SZ 65519A58-D	1
			Green	D1SZ 65519A58-C	1
			Red	D0LY 65519A58-H	1
			Tobacco	D0LY 65519A58-E	1
			White	D0LY 65519A58-C	1
	71	S(65A,C)-short	Cut hole for switch when sliding roof is used		
			Black	D0SZ 65519A58-B	1
			Blue	D0SZ 65519A58-F	1
			Ginger	D0SZ 65519A58-C	1
			Gray Gold	D1SZ 65519A58-B	1
			Green	D1SZ 65519A58-A	1
519B66	**PAD - SLIDING ROOF CONSOLE HEADER**				
	72/	L		D2FZ 62519B66-A	1
	71	S		D1SZ 65519B66-A	1
	72	S		D2SZ 65519B66-A	1
51982-3	**PANEL - ROOF SIDE INSIDE REAR** - Refer to Group 513C06-7				
519B92	**SUPPORT - ROOF SIDE REAR TRIM PANEL**				
	72	S		D2SZ 65519B92-A	2
519B94	**PAD - SLIDING ROOF SIDE RAIL**				
	72	A		D2SZ 65519B94-A	1
	72	S			2


52101 SUPPORT - ROOF HEADLINING

NO. 33



TYPICAL ROOF BOW and HEADLINING INSTALLATION

D4AZ 6552101 -A




USED FOR ALL HEADLINING LOCATIONS EXCEPT SLIDING ROOF PANEL ON 1974/ MUSTANG AND 1971/ BOBCAT AND PINTO

P-11625-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

52101 SUPPORT - ROOF HEADLINING - continued

STEP NO.1




NOTE: FIT ROOF HEADLINING SUPPORT TIGHT AGAINST ROOF SOUND ABSORBER WHEN CUSTOM BENDING AND CUTTING ARE COMPLETED.

NOTE: DETERMINE "A" AND "B" DIMENSIONS AT TIME OF INSTALLATION BY BENDING TO FIT CONTOUR OF ROOF

STEP NO. 2




STEP NO.3




NOTE: DETERMINE "C" DIMENSION AT TIME OF INSTALLATION.

STEP NO. 4





NOTE: IN ORDER TO MAINTAIN MAXIMUM HEADROOM OVER THE DRIVER AND ENSURE WRINKLE FREE HEADLINING, INSERT THE SUPPORT ENDS INTO THE UPPER HOLES.



USED ONLY FOR SLIDING ROOF PANEL ON 1974/ MUSTANG AND 1971/ BOBCAT AND PINTO

P-11625-B

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
52124	**RETAINER - SLIDING ROOF HEADLINING**				
	72	L(62,64)	Avocado-manual	D2FZ 6252124-D	1
			Beige	D2FZ 6252124-G	1
			Black	D2FZ 6252124-H	1
			Blue	D2FZ 6252124-F	1
			Ginger	D2FZ 6252124-C	1
			Green	D2FZ 6252124-E	1
			Orange	D2FZ 6252124-B	1
			White	D2FZ 6252124-A	1
52126	**CAP - ROOF TRIM PANEL SUPPORT**				
	65	A(71)	Front-chrome finish ♦	B9KB 7152126-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
52136-7	**RETAINER - ROOF HEADLINING - SIDE - FRONT**					
		- A -				
	69/70	A(54,62,71)		C9AZ 6252136-A	C9AZ 6252137-A	1
	71/	A(54,71)				1
	71/	A(65)		D1MY 6552136-A	D1MY 6552137-A	1
		- B -				
	68/69	B(54,71) "Before 6/2/69"	Paint to match	C8OZ 5452136-A	C8OZ 5452137-A	1
	69	B(54,71) "From 6/2/69"	Aqua	C9OZ 5452136-E	★C90Z 5452137-E Not repl'd (1-73)	1
			Black	C9OZ 5452136-A	C9OZ 5452137-A	1
			Blue (light)	C9OZ 5452136-B	C9OZ 5452137-B	1
			Ivy Gold	C9OZ 5452136-D	★C9OZ 5452137-D Not repl'd (1-73)	1
			Nugget Gold	C9OZ 5452136-F	C9OZ 5452137-F	1
			Red	★C9OZ 5452136-C Not repl'd (1-73)	C9OZ 5452137-C	1
	68/69	B(63,65) "Before 6/2/69"	Paint to match	C8OZ 6352136-A	C8OZ 6352137-A	1
	69	B(66)				1
	69	B(63,65,66) "From 6/2/69"	Black	C9OZ 6352136-A	C9OZ 6352137-A	1
			Blue (dark)	C9OZ 6352136-G	C9OZ 6352137-G	1
			Blue (light)	C9OZ 6352136-B	C9OZ 6352137-B	1
			Ivy Gold	C9OZ 6352136-D	★C9OZ 6352137-D Not repl'd (1-73)	1
			Nugget Gold	C9OZ 6352136-F	C9OZ 6352137-F	1
			Red	C9OZ 6352136-C	C9OZ 6352137-C	1
			White	C9OZ 6352136-H	C9OZ 6352137-H	1
	70	B(54) "Before 11/3/69"	Black	D0OZ 7152136-E	D0OZ 7152137-E	1
	70	B(71)				
			Blue	D0OZ 7152136-D	D0OZ 7152137-D	1
			Ginger	D0OZ 7152136-A	D0OZ 7152137-A	1
			Green	D0OZ 7152136-B	D0OZ 7152137-B	1
			Nugget Gold	D0OZ 7152136-C	D0OZ 7152137-C	1
			Red	D0OZ 7152136-F	D0OZ 7152137-F	1
	70	B(57,63,65) "Before 11/3/69"	Black	D0OZ 6352136-E	D0OZ 6352137-E	1
			Blue	D0OZ 6352136-D	D0OZ 6352137-D	1
			Ginger	D0OZ 6352136-A	D0OZ 6352137-A	1
			Green	D0OZ 6352136-B	D0OZ 6352137-B	1
			Nugget Gold	D0OZ 6352136-C	D0OZ 6352137-C	1
			Red	D0OZ 6352136-F	D0OZ 6352137-F	1
			White	D0OZ 6352136-G	D0OZ 6352137-G	1
	70	B(54,57,63,65,66)- "From 11/3/69"	Black	D0OZ 6552136-E	D0OZ 6552137-E	1
			Blue	D0OZ 6552136-D	D0OZ 6552137-D	1
			Ginger	D0OZ 6552136-A	D0OZ 6552137-A	1
			Green	D0OZ 6552136-B	D0OZ 6552137-B	1
			Nugget Gold	D0OZ 6552136-C	D0OZ 6552137-C	1
			Red	D0OZ 6552136-F	D0OZ 6552137-F	1
			White	D0OZ 6552136-G	D0OZ 6552137-G	1

♦ Canada only

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
52136-7	**RETAINER - ROOF HEADLINING - SIDE - FRONT - continued**					
		- B -				
	71	B(54,57,65,66)	Black	D0OZ 6552136-E	D0OZ 6552137-E	1
			Blue	D0OZ 6552136-D	D0OZ 6552137-D	1
			Ginger	D0OZ 6552136-A	D0OZ 6552137-A	1
			Gray	D1OZ 6552136-A	D1OZ 6552137-A	1
			Green	D1OZ 6552136-C	D1OZ 6552137-C	1
			Vermillion	D1OZ 6552136-B	D1OZ 6552137-B	1
			White	D0OZ 6552136-G	D0OZ 6552137-G	1
	71	B(71)	Black	D0OZ 7152136-E	D0OZ 7152137-E	1
			Blue	D0OZ 7152136-D	D0OZ 7152137-D	1
			Ginger	D0OZ 7152136-A	D0OZ 7152137-A	1
			Gray	D1OZ 7152136-A	D1OZ 7152137-A	1
			Green	D1OZ 7152136-C	D1OZ 7152137-C	1
			Vermillion	D1OZ 7152136-B	D1OZ 7152137-B	1
	72	B(53)	Stainless steel	D2OZ 5352136-A	D2OZ 5352137-A	1
	72	B(63)	Stainless steel	D2OZ 6352136-A	D2OZ 6352137-A	1
	72	B(65)	Stainless steel	D2OZ 6552136-A	D2OZ 6552137-A	1
	72	B(71)	Plastic	D2OZ 7152136-A	D2OZ 7152137-A	1
	72	B(97)	Stainless steel	D2OZ 9752136-A	D2OZ 9752137-A	1
		- F -				
	71/	F(63)		D1ZZ 6352136-A	D1ZZ 6352137-A	1
	71/	F(65)		D1ZZ 6552136-A	D1ZZ 6552137-A	1
		- L -				
	72	L(73)	Stainless steel	D2FZ 7352136-A	D2FZ 7352137-A	1
		- P -				
	70/72	P(62) "Before 4/3/72"	Paint to match	D0DZ 6252136-B	D0DZ 6252136-B	2
	72	P(62) "From 4/3/72"	Paint to match	D3DZ 6252136-A	D3DZ 6252136-A	2
	70	P(62)	Center-refer to group 52208			
		- S -				
	72	S		D2SZ 6552136-B	D2SZ 6552137-B	1
		- X -				
	68/69	X "Before 6/2/69"	Paint to match	C8OZ 5452136-A	C8OZ 5452137-A	1
	69	X "From 6/2/69"	Aqua	C9OZ 5452136-E	★C9OZ 5452137-E Not repl'd (1-73)	1
			Black	C9OZ 5452136-A	C9OZ 5452137-A	1
			Blue (light)	C9OZ 5452136-B	C9OZ 5452137-B	1
			Ivy Gold	C9OZ 5452136-D	★C9OZ 5452137-D Not repl'd (1-73)	1
			Nugget Gold	C9OZ 5452136-F	C9OZ 5452137-F	1
			Red	★C9OZ 5452136-C Not repl'd (1-73)	C9OZ 5452137-C	1
52148-9	**RETAINER - ROOF HEADLINING SIDE REAR**					
	69/70	A(62)		C9AZ 6252148-A	C9AZ 6252148-B	1
	69/	A(54)		C9AZ 5452148-A	C9AZ 5452148-B	1
	69/	A(71)		C9AZ 7152148-A	C9AZ 7152149-A	1
	72	B(53)		D2OZ 5352148-A	D2OZ 5352149-A	1
	72	B(63)		D2OZ 6352148-A	D2OZ 6352149-A	1
	72	B(65)		D2OZ 6552148-A	D2OZ 6552149-A	1
	72	B(71)		D2OZ 7152148-A	D2OZ 7152149-A	1
	71/	F(63)		D1ZZ 6352148-A	D1ZZ 6352149-A	1
	71/	F(65)		D1ZZ 6552148-A	D1ZZ 6552149-A	1
	72	S		D2SZ 6552148-A	D2SZ 6552149-A	1
52152-3	**RETAINER - ROOF HEADLINING SIDE UPPER**					
	69/70	A(63)		C9AZ 6352152-A	C9AZ 6352153-A	1
	71/	A(53,57)	17 21/32" long	D1AZ 5752152-A	D1AZ 5752153-A	1
	71/	A(65)	20 3/4" long	D1AZ 6552152-A	D1AZ 6552153-A	1
	70/	B	Refer to Group 50900			
	70/71	S(65)		D0SZ 6552152-A	D0SZ 6552153-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
52182-3	**RETAINER - ROOF HEADLINING SUPPORT**				
	69/70	A(57)		C9AZ 5752182-A	1
	69/70	A(63)		C9AZ 6352182-A	1
	69/70	A(65)		C9AZ 6552182-A	1
	71/	A(53,57)		D1AZ 5752182-A	1
	71/	A(65)		D1AZ 6552182-A	1
	68/69	B(65)		C8OZ 6552182-A	1
	70	B(62,65)		D0OZ 6552182-A	1
	71	B(65)			1
	72	B(53)		D2OZ 5352182-A	1
	72	B(63)		D2OZ 6352182-A	1
	72	B(65)		D2OZ 6552182-A	1
	71/	L(62,64)	R.H.	D1FZ 6252182-A	1
			L.H.	D1FZ 6252183-A	1
	70	S(65)		D0SZ 6552182-A	1
	71	S(65A,C)			1
	68/69	S(65)		C8SZ 6552182-A	1
	71	S(65B,D)			1
	72	S		D2SZ 6552182-A	1
52208	**RETAINER - ROOF HEADLINING - CENTER**				
	70	B(54)	Paint to match	D0OZ 5452208-D	1
	71	B(54)	Paint to match	D1OZ 5452208-A	2
525A12-3	**HOUSING - QUARTER WINDOW - AT REAR ROOF**				
	72	S	R.H.	D2SZ 65525A12-A	1
			L.H.	D2SZ 65525A13-A	1
52562-3	**EXTENSION - REAR ROOF OUTER RAIL TO WHEELHOUSE** -Refer to Group 513A44-5				

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER		QTY.
				RIGHT HAND	LEFT HAND	
52564-5	**HOUSING - QUARTER WINDOW at REAR ROOF RAIL**					
	71/	A(65)		D1AZ 6552564-A	D1AZ 6552565-A	1
	72	S		D2SZ 6552564-A	D2SZ 6552565-A	1
52566-7	**SUPPORT - PACKAGE TRAY TO ROOF RAIL - INNER**					
		- A -				
	69/70	A(54,62)		C9AZ 6252566-A	C9AZ 6252567-A	1
	69/70	A(57)		C9AZ 5752566-A	C9AZ 5752567-A	1
	69/70	A(63)		C9AZ 6352566-A	C9AZ 6352567-A	1
	69/70	A(65)		C9AZ 6552566-A	C9AZ 6552567-A	1
	71/	A(53,57)		D1AZ 5752566-A	D1AZ 5752567-A	1
	71/	A(54)		D1AZ 5452566-A	D1AZ 5452567-A	1
	71/	A(65)		D1AZ 6552566-A	D1AZ 6552567-A	1
		-B-				
	68/69	B(63)		C8OZ 6352566-B	C8OZ 6352567-B	1
	68/69	B(65)		C8OZ 6552566-B	C8OZ 6552567-B	1
	70	B(54,57,62,65)		D0OZ 6552566-A	D0OZ 6552567-A	1
	71	B(54,57,65)				1
	70/71	B(63)		D0OZ 6352566-A	D0OZ 6352567-A	1
	72	B(53,65)		D2OZ 6552566-A	D2OZ 6552567-A	1
	72	B(63)		D2OZ 6352566-A	D2OZ 6352567-A	1
		- F -				
	71/	F(63)	Without folding rear seat	D1ZZ 6352566-A	D1ZZ 6352567-A	1
	69/70	F(65)		C9ZZ 6552566-A	C9ZZ 6552567-A	1
	71/	F(65)		D1ZZ 6552566-A	D1ZZ 6552567-A	1
		- L -				
	71/	L(62)		D1FZ 6252566-A	D1FZ 6252567-A	1
		- P -				
	71/	P(54)		D1DZ 5452566-A	D1DZ 5452567-A	1
	70/	P(62)		D0DZ 6252566-A	D0DZ 6252567-A	1
		- S -				
	72	S		D2SZ 6552566-A	D2SZ 6552567-A	1
		- X -				
	68/70	X(54)		C8DZ 5452566-B	C8DZ 5452567-B	1
	68/70	X(62)		C8DZ 6252566-B	C8DZ 6252567-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
52806	**WIRING - FOLDING TOP SIDE TENSION**				
	65/68	A(76)	33 5/8" long - includes spring	C5AZ 7652806-B	2
	69/	A(76)	35 3/8" long	C9AZ 7652806-A	2
	66/71	B(76)	30 7/8" long - includes spring	C6OZ 7652806-A	2
	65/68	F(76)	28 3/16" long - includes spring	C5ZZ 7652806-B	2
	69/70	F(76)	28 35/64" long	C9ZZ 7652806-A	2
	71/	F(76)		D1ZZ 7652806-A	2
	65/66	A(76)	No. 8-18 x 3/8" Cross recess tapping screw	52720-S8(U380)	2
	65/70	F(76)			2
			1/4" Flat washer	44719-S8(X17)	2
			1/4"-20 Hex. nut	34055-S8(M158)	4
53000	**TOP - FOLDING - LESS TRIM, MOTOR and LIFTS** - Paint to Match				
	69/	A(76)		C9AZ 7653000-A	1
	70/71	B(76)		D0OZ 7653000-A	1
	69/70	F(76)		C9ZZ 7653000-A	1
	71/	F		D1ZZ 7653000-A	1
53008	**PIN - FOLDING TOP - NO. 8 BOW**				
	71/	F(76)	17/64" long	D1ZZ 7653008-A	2
53038	**HEADER - FOLDING TOP**- Paint to Match				
	69/	A(76)		C9AZ 7653038-A	1
	67/71	B(76)		C7OZ 7653038-A	1
	69/70	F(76)		C9ZZ 7653038-A	1
	71/	F(76)		D1ZZ 7653038-A	1
53072	**BUSHING - FOLDING TOP SIDE RAIL HINGE** - Refer to Group 22841				
53082	**SPACER - FOLDING TOP MAIN PIVOT BRACKET**				
	72	F(76)		D2ZZ 7653082-A	AR

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
53104-5	**RAIL - FOLDING TOP FRONT SIDE** - Paint to Match					
	69/	A(76)		C9AZ 7653104-A	C9AZ 7653105-A	1
	67/	A(76),	1/4"-20 x 1/2" hex. head slotted locking tap tite screw	381793-S2(BB413A)	381793-S2(BB413A)	2
	67/69	B(76)		C7OZ 7653104-A	C7OZ 7653105-A	1
	70/71	B(76)		D0OZ 7653104-A	D0OZ 7653105-A	1
	69/70	F(76)		C9ZZ 7653104-A	C9ZZ 7653105-A	1
	71/	F(76)		D1ZZ 7653104-A	D1ZZ 7653105-A	1
	67	F(76)	1/4"-20 x 1/2" hex. head slotted locking tap tite screw	381793-S2(BB413A)	381793-S2(BB413A)	2
531A08-9	**RAIL - FOLDING TOP REAR SIDE INNER**					
	71/	F(76)		D1ZZ 76531A08-A	D1ZZ 76531A09-A	1
531A10	**SPACER - FOLDING TOP REAR SIDE RAIL TO UPPER REINFORCEMENT**					
	65/69	A(76), F(76)		C5ZZ 76531A10-A	C5ZZ 76531A10-A	2
531A16-7	**EXTENSION-FOLDING TOP MAIN PIVOT BRACKET SUPPORT**					
	69/	A(76)		C9AZ 76531A16-A	C9AZ 76531A17-A	1
	69/70	F(76)		C9ZZ 76531A16-A	C9ZZ 76531A17-A	1
	71/	F(76)		D1ZZ 76531A16-A	D1ZZ 76531A17-A	1
53118-9	**BRACKET - FOLDING TOP MAIN PIVOT**- Paint to Match					
		- A -				
	69/	A(76)		C9AZ 7653118-A	C9AZ 7653119-A	1
	66/	A(76)	5/16"-18 x 3/4" Hex. hd. tapping screw & washer assy.	375822-S2 (MM52Q)	375822-S2 (MM52Q)	6or8
		- B -				
	67/71	B(76) "From 12/22/66"		C7OZ 7653118-B	C7OZ 7653119-B	1
	66/71	B(76)	5/16"-18 x 3/4" Hex. head tapping screw & washer assy.	375822-S2(MM52Q)	375822-S2(MM52Q)	6or8

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
53118-9	**BRACKET - FOLDING TOP MAIN PIVOT - continued -** Paint to match					
		- F -				
	69/70	F(76)	Includes pin	C9ZZ 7653118-A	C9ZZ 7653119-A	1
	71/	F(76)	Includes pin	D1ZZ 7653118-A	D1ZZ 7653119-A	1
	69/	F(76)	5/16"-18 x 3/4" Hex. head tapping screw & washer assy.	375822-S2(MM52Q)	375822-S2(MM52Q)	6or8
53A18-9	**EXTENSION - FOLDING TOP MAIN PIVOT BRACKET** - Paint to Match					
	65	A(76), X(76)		C4DZ 76531A18-A	C4DZ 76531A18-A	2
	66	A(76), B(76)				2
	67/68	A(76)				2
	67/71	B(76) "From 12/22/66"				2
	69/	A(76)		C9AZ 76531A18-A	C9AZ 76531A18-A	2
	65/70	F(76)		C5ZZ 76531A18-A	C5ZZ 76531A19-A	1
			5/16"-18 x 3/4" Hex. head screw & washer assy.	359662-S7(BB575A)	359662-S7(BB575A)	2
	71/	F(76)		D1ZZ 76531A18-A	D1ZZ 76531A18-A	2
53138-9	**RAIL - FOLDING TOP REAR SIDE** - Paint to Match					
		- A -				
	67/68	A(76)		C7AZ 7653138-A ★	C7AZ 7653139-A Not replaced (3-74)	1
	69/	A(76)		C9AZ 7653138-A	C9AZ 7653139-A	1
	65/	A(76)	.45" I.D. x .75" O.D. Spring wave washer	356383-S7(XX362)	356383-S7(XX362)	2or4
			3/32" x 1" Cotter pin	72034-S(N45)	72034-S(N45)	4
			7/16" x 1.58" Ovalhd. pin	359224-S2(NN35F)	359224-S2(NN35F)	2
		- B -				
	66	B(76)		C6OZ 7653138-A	C6OZ 7653139-A	1
	67	B(76) "Before 12/22/66"		C7OZ 7653138-A	C7OZ 7653139-A	1
	67/71	B(76) "From 12/22/66"		C7OZ 7653138-B	C7OZ 7653139-B	1
		- F -				
	69/70	F(76)		C9ZZ 7653138-A	C9ZZ 7653139-A	1
	71/	F(76)		D1ZZ 7653138-A	D1ZZ 7653139-A	1
53142-3	**EXTENSION - FOLDING TOP MAIN PIVOT BRACKET TO WHEELHOUSE SUPPORT**					
	69/	A(76)		C9AZ 7653142-A	C9AZ 7653143-A	1
	66/71	B(76)		C6OZ 7653142-C	C6OZ 7653143-C	1
53144-5	**BRACKET - FOLDING TOP - NO. 3 BOW** - Paint to Match					
	68	A(76)		C8AZ 7653144-A	C8AZ 7653145-A	1
	69/	A(76)		C9AZ 7653144-A	C9AZ 7653145-A	1
	66/69	B(76)		C6OZ 7653144-A	C6OZ 7653144-A	2
	70/71	B(76)		D0OZ 7653144-A	D0OZ 7653144-A	2
	69/70	F(76)		C9ZZ 7653144-A	C9ZZ 7653144-A	2
	71/	F(76)		D1ZZ 7653144-A	D1ZZ 7653145-A	1
53150	**PIN - FOLDING TOP BRACKET - NO. 3 BOW**					
	71/	F(76)	3/16" long	D1ZZ 7653150-A	D1ZZ 7653150-A	2
53152-3	**BRACE - FOLDING TOP MAIN PIVOT BRACKET SUPPORT.**					
	65/66	F(76)		C5ZZ 7653152-A	C5ZZ 7653153-A	1
	67/71	F(76)		C5ZZ 7653152-B	C5ZZ 7653153-B	1
	72	F(76)		D2ZZ 7653152-A	D2ZZ 7653153-A	1
53158-9	**SUPPORT - FOLDING TOP MAIN PIVOT BRACKET**					
	69/	A(76)		C9AZ 7653158-A	C9AZ 7653159-A	1
	68/71	B(76)		C8OZ 7653158-A	C8OZ 7653159-A	1
53222	**PIN - FOLDING TOP POWER LINK**					
	66/67	B(76)	.369" dia. x 1.08" long	C6OZ 7653322-A	C6OZ 7653322-A	2
	71/	F(76)	1 5/64" long	D1ZZ 7653222-A	D1ZZ 7653222-A	2
			2 3/8"	D1ZZ 7653222-B	D1ZZ 7653222-B	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
533A00	**MOTOR and PLATE KIT - FOLDING TOP HYDRAULIC LIFT**				
	65/	A(76)		D1AZ 76533A00-A	1
	66/71	B(76)			1
	65/	F(76)			1
	65	X(76)			1
	Consists of				
	1-Motor & pump end plate assy.		2-Grommets	2-Tetra seals	
	1-"O" ring		2-Lockwashers	2-Plugs	
	1-Mounting bracket		2-Screws		
	65/66	S(76)		C3SZ 76533A00-A	1
	Consists of				
	1-Motor & pump end plate assy.		2-Sleeves	1-"O" ring	
	2-Screws		2-Grommets	2-Plugs	
	2-Lockwashers		1-Bracket	1-Connector adapter	
	2-Grommets		2-Hydraulic packing	1-Inner rotor	
53337	**PUMP REPAIR KIT - FOLDING TOP HYDRAULIC LIFT**				
	65/66	S(76)	Used with "D" and "O" type motor shafts	C3SZ 7653337-A	1
	Consists of				
	1-Plate assy.		1-Outer rotor	2-"O" rings	
	1-Ball bearing (1/8" dia.)		2-Ball bearings (1/4" dia.)	1-Inner rotor	
	1-"O" ring		1-Inner rotor		
	65/	A(76)		C4DZ 7653337-A	1
	66/71	B(76)			1
	65/	F(76)			1
	65	X(76)			1
	Consists of				
	1-Plate assy.		1-"O" ring	1-Inner rotor	
	1-"O" ring (reservoir)		2-Ball bearings (1/4")	1-Outer rotor	
53357	**MOTOR and PLATE ASSY. - FOLDING TOP HYDRAULIC LIFT PUMP** - Refer to Group 533A00				
53376	**RESEVOIR REPAIR KIT - FOLDING TOP HYDRAULIC LIFT**				
	69/	A(76)	Repair kit	C9AZ 7653376-A	1
	66/71	B(76)	Repair kit	C4DZ 7653376-A	1
	65/	F(76)			1
	65	X(76)			1
	Consists of				
	1-Reservoir and bracket assy.		1-"O" ring	1-Bolt, washer and "O" ring assy.	
	1-Filler plug and "O" ring assy.				
	65/66	S(76)	Kit for round pump lifts-(Repair)	B5A 7653376-A	1
	Consists of				
	1-Plate		1-Bolt	1-"O" ring	
	1-Reservoir		2-Seals	2-Grommets	
53390-2	**HOSE - FOLDING TOP HYDRAULIC LIFT**				
		- A -			
	65/72	A(76)	Upper and lower	D0AZ 7653456-A	2
		- B -			
	66/71	B(76)	Upper or lower	D0AZ 7653456-A	1
		- F -			
	65/66	F(76)	Upper and lower	D0AZ 7653456-A	2
	67/70	F(76)	Lower-91" long	C7ZZ 7653390-A	1
	67/	F(76)	Upper and lower-78" long-includes fittings	D0AZ 7653456-A	2
		- S -			
	65/66	S(76)	Lower-approx. 58" long	C4SZ 7653392-A	1
		- X -			
	65/70	X(76)	Upper and lower	D0AZ 7653456-A	2
53456	**HOSE - FOLDING TOP HYDRAULIC LIFT** -Refer to Group 53390-2				
53510	**NUT - LUGGAGE COMPARTMENT DOOR LATCH**				
	65/66	S(76)		B7A 5153510-A	2
			No. 8-32 x 5/8" Socket head set screw	371293-S13(UU8B)	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
537A02	**PAD - ROOF OUTSIDE SIDE FRONT**				
	69	S(65B,D)	Rubber	C9SZ 65537A02-A	2
	70/71	S(57)	Rubber	C7SZ 57537A02-A	2
	72	S		D2SZ 65537A02-A	2
53728-9	**RETAINER - ROOF OUTSIDE VINYL COVER SIDE - INCLUDES ATTACHING PARTS**				
		- A -			
	65	A(63)	66 3/4" long-Aluminum	C5AZ 6353729-A	2
	66	A(63)	61 1/2" long-Aluminum	C6AZ 6353729-A	2
	67	A(54C)		C7MY 5453728-A	2
	67	A(57)		C7AZ 5753729-A	2
	67	A(63B,C)		C7AZ 6353729-A	2
	67	A(63J)		C7AZ 6353729-B	2
	68	A(54C,57)	Snap on	C8ZZ 6553729-A	2
		- B -			
	67	B(63)		C6GY 6353728-A	2
	68	B(65)	Snap on	C8OZ 6553729-A	2
	69/71	B(66)			2
	72	B	R.H.	D2OZ 5353728-A	1
			L.H.	D2OZ 5353729-A	1
		- F -			
	65/67	F(65)	"Before 4/3/67"	C5ZZ 6553729-A	2
	67/69	F(65)	"From 4/3/67" Snap on	C8ZZ 6553729-A	2
		- S -			
	67	S(57)	R.H. -Paint to match	C7SZ 5753729-A	1
	68/71	S(57B,C)			1
			L.H.	C7SZ 5753729-B	1
		- X -			
	65	X(63C)	55 1/4" long - Aluminum	C3DZ 6353729-A	2
	68	X(54)	Snap on	C8OZ 5453729-A	2
53740	**PAD - ROOF OUTSIDE SIDE FRONT-** Also Refer to Soft Trim Section				
	69	S(65B,D)		C9SZ 6553740-A	2
	70/71	S		D0SZ 6553740-A	2
	72	S		D2SZ 6553740-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
53900-1	**WEATHERSTRIP - FOLDING TOP SIDE INTERMEDIATE REAR RAIL**					
	65/66	S(76)		C4SZ 7653900-A	C4SZ 7653901-A	1
			No. 10-32 x .75" Special head moulding screw	352222-S8(BB807)	352222-S8(BB807)	8
			No. 10 Flat washer	44716-S8(X15)	44716-S8(X15)	8
			No. 10 Lockwasher	34803-S7(X60)	34803-S7(X60)	8
			No. 10-32 Hex. nut	34079-S7(M163)	34079-S7(M163)	8
			No. 7 Flat washer	44709-S8B(X9)	44709-S8B(X9)	2or4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
53928-9	**WEATHERSTRIP - FOLDING TOP SIDE FRONT RAIL INTERMEDIATE**				
	65/66	S(76)	R.H.	C4SZ 7653928-A	1
			L.H.	C4SZ 7653929-A	1
			No. 10-32 x .75" Special head moulding screw	352222-S8(BB807)	6
			No. 10 Flat washer	44716-S8(X15)	6
			No. 10 Lockwasher	34803-S7(X60)	6
			No. 10-32 Hex. nut	34079-S7(M163)	6

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
53986-7	**WEATHERSTRIP - FOLDING TOP RAIL**				
		- A -			
	65/68	A(76)	Header and front sides	C5AZ 7653986-B	1
			No. 10-24 x .56" "T" bolt	379279-S2(BB815D)	4
			No. 10-24 Nut (tee capped)	379270-S2(MM131G)	4
			No. 8-18 x 3/8" Cross recess pan head screw	52720-S8(U380)	4
	69/	A(76)		C9AZ 7653986-A	1
		- B -			
	66/67	B(76)	Header and front sides	C6OZ 7653986-B	1
	68/69	B(76)		C8OZ 7653986-A	1
			No. 8-18 x 1/2" Round washer head screw	378729-S(UU87R)	2
	70/71	B(76)		D0OZ 7653986-A	1
		- F -			
	69/70	F(76)		C9ZZ 7653986-A	1
	71/	F(76)	R.H.	D1ZZ 7653986-A	1
			L.H.	D1ZZ 7653987-A	1
		- S -			
	65/66	S(76)	Header & front sides	C4SZ 7653986-B	1
			No. 10-32 x .75" Special head moulding screw	352222-S8(BB807)	4or6
			No. 10 Flat washer	44716-S8(X15)	4or6
			No. 10 Lockwasher	34803-S7(X60)	4or6
			No. 10-32 Hex. nut	34079-S8 (M163)	4or6
54052	**PIN - FOLDING TOP SIDE RAIL HINGE**				
	66	A(76), B(76), F(76)- "Before 10/20/65"	Refer to Group 50492		
	66/	A(76), B(76), F(76)- "From 10/20/65"		C6OZ 7654052-B	1
54054	**BUSHING - FOLDING TOP BALANCE LINK**				
	66/71	B(76)		C6OZ 7654054-A	2
54212	**REINFORCEMENT - FOLDING TOP SIDE QUARTER STAY**				
	71/	A(76)	With black top	C9AZ 7654212-AAB	1
			With white top	D1AZ 7654212-B	1
54254-5	**RETAINER - SLIDING ROOF OUTSIDE COVER CENTER** - Paint to match				
	72	L	R.H.-vinyl roof cover	D2FZ 6254254-A	1
			L.H.	D2FZ 6254255-A	1
54330	**ABSORBER - ROOF PANEL SOUND**				
	71/72	L	Fibre board-31" x 42"-cut to fit	D3DZ 5454330-A	1
54676	**RETAINER - FOLDING TOP DUST HOOD FRONT**				
	67	A(76)	Refer to Group 61138-9		
	66/70	B(76)		C6OZ 7654676-A	1
	65/70	F(76)		C5ZZ 7654676-A	1
	71/	F(76)		D1ZZ 7654676-A	1
54712	**SUPPORT - ROOF SIDE RAIL WEATHERSTRIP**				
	68/70	S(57)		C7SZ 5754712-C	2
			No. 8-18 x 1/2" cross recess washer lead screw	381969-S2(UU89A)	2
54732	**WEATHERSTRIP - ROOF REAR**				
	66/	U(97)		C6TZ 9754732-A	1
			5/16"-1 1/8" O.D. Flat washer	44725-S8(X22)	1
54784-5	**SEAL - FOLDING TOP REAR SIDE RAIL**				
	71/	F(76)	R.H. -rubber	D1ZZ 7654784-A	1
			L.H.	D1ZZ 7654785-A	1
54790-1	**SEAL - FOLDING TOP CENTER SIDE RAIL**				
	70	A(76)	R.H.	D0AZ 7654790-A	1
			L.H.	D0AZ 7654791-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
54800	**BUSHING - FOLDING TOP HOLD DOWN CLAMP CONTROL -** Also refer to group 50508				
	69/	A(76),F(76)		C9AZ 7654800-A	2
	69/71	B(76)			2
55008	**CLAMP - SKI CARRIER HOLD DOWN**				
	65/71	All (except S roof mount)	Roof or luggage compartment	C3AZ 2555008-A	4
550A20	**STUD - ROOF LUGGAGE CARRIER FRONT RAIL**				
	66/67	A(71),B(71),X(71)- "Before 2/20/67"	With 5 slat-adjustable	C5MY 71550A20-A	8
	67/69	A(71),B(71),X(71)- "From 2/20/67"	With 5 slat-adjustable	C7AZ 71550A20-A	1
550A22	**PLATE - ROOF LUGGAGE CARRIER FRONT RAIL**				
	67/69	A(71),B(71),X(71)- "From 2/20/67"	With 5 slat-adjustable carrier	C7AZ 71550A22-A	1
	66/69	A(71),B(71),X(71)	1/4" -28 x 1/4" Oval point set screw	375377-S100(UU37D)	4
550A24	**RETAINER - ROOF LUGGAGE CARRIER REAR RAIL**				
	66/68	A(71),B(71),X(71)	With 5 slat-adjustable carrier	C7AZ 71550A24-A	1
	69	A(71),B(71)	R.H.-with adjustable carrier	C9AZ 71550A24-A	1
			L.H.	C9AZ 71550A24-B	1
	70/	A(71),B(71)	With adjustable carrier-refer to Group 55106 for aluminum side rail		
	71/	A(71)	With stainless steel side rail and chrome deflector	D1AZ 71550A24-A	2
55026	**NUT - ROOF LUGGAGE CARRIER LOCK**				
	70/	A(71),B(71)		D0AZ 7155026-A	2
550A30-1	**BASE - ROOF LUGGAGE CARRIER**				
	66/68	A(71),B(71),X(71)	R.H.-rear & L.H.-front	C6OZ 71550A30-A	2
			L.H.-rear & R.H.-front	C6OZ 71550A31-A	2
550A50	**RETAINER - ROOF LUGGAGE CARRIER SUPPORT**				
	69	A(71),B(71)		C9AZ 71550A50-A	8
	69/70	X(71)			8
550A52-3	**CAP - ROOF LUGGAGE CARRIER SIDE RAIL END**				
	69	A(71),B(71)	R.H.-with adjustable carrier	C9AZ 71550A52-A	1
			L.H.-not replaced (5/75)	★ C9AZ 71550A53-A	1
550A54-5	**PLATE - ROOF LUGGAGE CARRIER SUPPORT COVER**				
	69/70	A(71)	R.H.-with adjustable carrier	C9AZ 71550A54-A	1
			L.H.	C9AZ 71550A55-A	1
550A56-7	**EXTENSION - ROOF LUGGAGE CARRIER SIDE RAIL FRONT**				
	69	A(71)	R.H.-with adjustable carrier	C9AZ 71550A56-A	1
			L.H.	C9AZ 71550A57-A	1
55058-9	**EXTENSION - ROOF LUGGAGE CARRIER SIDE RAIL REAR**				
	69	A(71),B(71)	R.H.-with adjustable carrier	C9AZ 7155058-A	1
			L.H.	C9AZ 7155059-A	1
	70/	A(71),B(71)	R.H. - with adjustable carrier-alum. side rail & deflector	D0AZ 7155058-A	1
			L.H.	D0AZ 7155059-A	1
	71/	A(71)	R.H.-with stainless steel side rail & chrome deflector	D1AZ 7155058-A	1
			L.H.	D1AZ 7155059-A	1
550A58	**ROLLER - ROOF LUGGAGE CARRIER RETAINER**				
	69/70	A(71),B(71)		C9AZ 71550A58-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
550A60	**SLAT KIT - ROOF LUGGAGE CARRIER**				
	70	A(71), B(71)	With adjustable carrier-refer to Groups 55124, 55147, 55150		
550A64	**WASHER - ROOF LUGGAGE CARRIER RAIL NUT**				
	70/	A(71), B(71)	With adjustable carrier	D0AZ 71550A64-A	2
55068-9	**RETAINER - ROOF LUGGAGE CARRIER FRONT RAIL**				
	71/	A(71), B(71)	R.H.-includes attaching parts	D1AZ 7155068-A	1
			L.H.	D1AZ 7155069-A	1
550A68	**COVER - ROOF LUGGAGE CARRIER RETAINER**				
	70/	B(71)	Rubber	D0OZ 71550A68-A	6
55078	**BRACKET and SCREW KIT - LUGGAGE CARRIER**				
	65/71	All (except S roof mount)	Luggage compt. or roof	C3AZ 2555078-A	2
55078	**RETAINER - ROOF LUGGAGE CARRIER**				
	69	A(71), B(71), X(71)	46.75" long	C9AZ 7155078-A	5
	70/	B(71)	Refer to Groups 55124 and 55147		
55100	**CARRIER KIT - ROOF LUGGAGE**				
	65	A(59,71), B(71), X(59, 71, 78)	5 Slats-Permanent installation-less crossmember	★C5AZ 7155100-B	1
	66/68	A(71)	member-non adjustable carrier - service details		

Consists of

4-C6OZ 71550A30-1-A	Base (R. H. & L. H.)	4-C6OB 7155156-A	Pad
2-C6AZ 7155106-A	Rail	4-371429-S100	Screw-No. 10-24 x 3/4"
2-C6AZ 7155114-A	Rail (side)	10-375959-S101	Screw-No. 10-16 x 3/4"
4-C6OZ 7155140-A-B	Support (R. H. & L. H.)	4-378979-S100	Screw-No. 10-24 x 3/8"
5-C6AB 7155147-A	Pad	4-378980-S100	Screw-No. 10-24 x 3/8"
5-C6AZ 7155150-B	Slat assy.	1-Installation sketch	

	66/68	A(71)	5 slats-permanent installation-adjustable carrier-service details	★C5MY 7155100-A	1

Consists of

4-C5MY 71550A20-A	Stud	5-C5MY 7155150-A	Slat
4-C5MY 71550A22-A	Plate	2-C5MY 7155170-B	Pad (rear)
2-C5MY 71550A24-A	Retainer	2-C5MY 7155176-B	Pad (front)
2-C5MY 7155068-A	Retainer	4-50421-S13	Screw-1/4"-20 x 3/4"
2-C5MY 7155106-A	Rail (front)	4-374067-S100	Screw-No. 10-24 x 7/16"
2-C5MY 7155114-A	Rail (side)	4-375377-S100	Screw-1/4"-28 x 1/4"
4-C5MY 7155140-1-A	Support	12-376370-S101	Screw-No. 10-16 x 3/4"
5-C5MY 7155147-B	Pad (slat)	10-376525-S101	Screw-No. 10-16 x 3/8"

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
55100	CARRIER KIT - ROOF LUGGAGE - continued				
	69	A(71),B(71),X(71)	5 slats-permanent installation-non-adjustable carrier-service details	★C9AZ 7155100-A	1

Consists of

8-C9AZ 71550A50-A	Retainer	5-C9AZ 7155150-A	Slat
5-C9AZ 7155078-A	Retainer (slat)	2-C9AZ 7155156-A	Pad (support-R. H.)
2-C9AZ 7155106-A	Rail	2-C9AZ 7155157-A	Pad (support-L. H.)
2-C9AZ 7155114-C	Rail (side)	15-55997-S45X	Screw-No. 8-18 x 1/2"
2-C9AZ 7155140-A	Support (R. H.)	8-376608-S100	Screw-1/4"-20 x 3/4"
2-C9AZ 7155141-A	Support (L. H.)	8-383141-S45	Screw-No. 8-32 x 3/8"

69	A(71)	5 Slats-Permanent installation-adjustable carrier -service details	★C9AZ 7155100-B	1

Consists of

1-C9AZ 7150822-A	Panel (air deflector)	1-C9AZ 7155106-B	Rail
1-C9AZ 7150870-A	Pad (air deflector)	4-C9AZ 7155156-B	Pad (support)
5-C9AB 7155022-A	Slat assy.	1-C9AB 7155190-A	Rail assy.
8-C9AZ 71550A50-A	Retainer	17-55974-S45X	Screw No. 8-15 x 3/4"
2-C9AZ 7155104-5-A	Rail (R. H. & L. H.)	8-376608-S100	Screw-No. 8-20 x 3/4"

70/71	A(71)	5 slats-Permanent installation-non-adjustable carrier -service details	★D0AZ 7155100-A	1

Consists of

8-D0AZ 6455180-A	Rivet nut	5-D0AZ 7155124-A	Reinforcement
2-D0AZ 7155140-A	Support (R. H.)	5-D0AZ 7155147-A	Pad
2-D0AZ 7155141-A	Support (L. H.)	5-D0AZ 7155150-A	Slat
2-D0AZ 7155106-A	Rail	15-55997-S45X	Screw
2-C9AZ 7155114-C	Rail	8-383141-S45	Screw
2-C9AZ 7155156-A	Pad (R. H.)	8-383905-S45X	Screw
2-C9AZ 7155157-A	Pad (L. H.)	1-Installation sketch	

66/68	B(71),X(71)	5 Slats-Permanent installation-w/cross member-non-adjustable-service details	★C6OZ 7155100-A	1

Consists of

2-C6OZ 71550A30-A	Base (R. H.)	5-C6OA 7155147-A	Pad (slat)
2-C6OZ 71550A31-A	Base (L. H.)	5-C6OA 7155150-B	Slat
2-C6OZ 7155106-A	Rail	4-C6OB 7155156-A	Pad (support)
2-C6OZ 7155109-A	Member assy.	4-371429-S100	Screw-No. 10-24 x 3/4"
2-C6OZ 7155114-A	Rail (side)	8-375959-S101	Screw-No. 10-16 x 3/4"
2-C6OZ 7155140-A	Support	4-378979-S100	Screw-No. 10-24 x 3/8"
2-C6OZ 7155140-B	Support	4-378980-S100	Screw-No. 10-24 x 3/8"
		4-378981-S100	Screw-No. 8-22 x 1 1/8"

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
55100	CARRIER KIT - ROOF LUGGAGE - continued				
	66/69	B(71), X(71)	5 Slats-Permanent installation - adjustable carrier service details	★C6GY 7155100-A	1

Consists of

4-C5MY 71550A20-A	Stud	5-C6GY 7155150-A	Slat
4-C5MY 71550A22-A	Plate	2-C6GY 7155170-1-A	Pad (R. H. & L. H.)-rear
2-C5MY 71550A24-A	Retainer	2-C6GY 7155176-7-A	Pad (R. H. & L. H.)-front
2-C5MY 7155068-A	Retainer	4-50421-S13	Screw-1/4"-20 x 3/4"
2-C5MY 7155100-A	Rail (front)	4-374067-S100	Screw-No. 10-24 x 7/16"
2-C5MY 7155114-A	Rail (side)	4-375377-S100	Screw-1/4"-28 x 1/4"
4-C5MY 7155140-1-A	Support (R. H. & L. H.)	12-376370-S101	Screw-No. 10-16 x 3/8"
5-C6GY 7155147-A	Pad (slat)	10-376525-S101	Screw-No. 10-16 x 3/8"
		10-380555-S	Spacer-3/16"

	70/71	B(71)	5 Slats-Permanent installation-non-adjustable carrier -service details	★D0OZ 7155100-A	1

Consists of

8-D0AZ 6455180-A	Rivet nut	1-C9AZ 7155156-A	Pad-R. H. - Rear
2-C9AZ 7155106-A	Rail-Front & Rear	1-D0OZ 7155156-B	Pad-R. H. - Front
2-C9AZ 7155114-C	Rail-Side	1-C9AZ 7155157-A	Pad-L. H. - Rear
5-D0AZ 7155124-A	Reinforcement	1-D0OZ 7155157-B	Pad-L. H. - Front
2-C9AZ 7155140-A	Support-R. H.	8-376608-S100	Screw
2-C9AZ 7155141-A	Support-L. H.	8-383141-S	Screw
5-C9AZ 7155147-A	Pad	1-Installation sketch	
5-D0AZ 7155150-A	Slat		

	70/71	B(71)	5 Slats-Permanent installation-adjustable carrier -service details	★D0OZ 7155100-B	1

Consists of

8-D0AZ 6455180-A	Rivet-nut	1-D0AZ 7155140-D	Support-R. H. -Rear
1-D0AZ 7150860-B	Panel (air deflector)	1-D0AZ 7155141-C	Support-L. H. -Front
2-D0AZ 7155026-A	Nut	1-D0AZ 7155141-D	Support-L. H. -Rear
1-D0AZ 7155058-A	Extension-R. H.	5-D0AZ 7155147-A	Pad
1-D0AZ 7155059-A	Extension-L. H.	5-D0AZ 7155150-A	Slat
2-D0AZ 71550A64-A	Washer	1-C9AZ 7155156-A	Pad-R. H. -Rear
1-D0OZ 7155106-D	Rail-Front	1-D0OZ 7155156-B	Pad-R. H. -Front
1-D0OZ 7155114-A	Rail-R. H. -Side	1-C9AZ 7155157-A	Pad-L. H. -Rear
1-D0OZ 7155115-A	Rail-L. H. -Side	1-D0OZ 7155157-B	Pad-L. H. - Front
5-D0AZ 7155124-A	Reinforcement	8-383141-S	Screw
1-D0OZ 7155138-B	Rail-Rear	1-Installation sketch	
1-D0AZ 7155140-C	Support-R. H. -Front		

	72	B(71)	5 slats-permanent installation-adjustable carrier	D2OZ 7155100-A	1
	71/	L(62,64)	Collapsible installation	D0RY 6255100-A	1
			Permanent installation-non-adjustable carrier	D1FZ 6255100-A	1

Consists of

1-D1FZ 6255106-A	Rail-Front	2-D1FZ 6255156-A	Pad-support-R.H.
2-D1FZ 6255114-A	Rail-Side	2-D1FZ 6255157-A	Pad-support-L.H.
4-D1FZ 6255124-A	Reinforcement	8-D0AZ 6455180-A	Rivet-nut
1-D1FZ 6255138-A	Rail-Rear	16-	Screws
2-D1FZ 6255140-A	Support-R.H.	1-	Bolt
2-D1FZ 6255141-A	Support-L.H.	3-	Washers
4-D1FZ 6255147-A	Pad	1-	Nut
4-D1FZ 6255150-A	Slat	1-Installation sketch	

	72	L(73)	Permanent installation-non-adjustable carrier	D2FZ 7355100-A	1

Consists of

1-D2FZ 7355106-A	Rail-Front	2-D2FZ 7355157-A	Pad-support-L.H.
2-D2FZ 7355114-A	Rail-Side	8-D0AZ 6455180-A	Rivet-nut
1-D2FZ 7355124-A	Reinforcement	16-	Screws
1-D2FZ 7355138-A	Rail-Rear	1-	Bolt
2-D1FZ 6255140-A	Support-R.H.	3-	Washers
2-D1FZ 6255141-A	Support-L.H.	1-	Nut
1-D2FZ 7355147-A	Pad-slat	8-	Sealer
4-D2FZ 7355150-A	Slat	1-Installation sketch	
2-D2FZ 7355156-A	Pad-support-R.H.		

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
55100	**CARRIER KIT - LUGGAGE COMPARTMENT**				
	69/	A(except 63,71)		C9AZ 6255100-A	1
	69/	B(except 66,71,97)			1
	69/	F(except 63)			1
	69/	S	Permanent installation		1
	69/70	X(except 63,71)			1
	71	L			1
	70/	P	Use w/D0DZ 6255196-A kit-for removeable installation		1
	Consists of				
	1-★C9AJ 6246002-A	Carrier assy.	4-★C6AA 6255014-A	Fastener	1-Installation sketch
	4-★C6AA 6246012-A	Pad	4-50421-S8	Screw-1/4"-20 x 3/4"	

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER FRONT	PART NUMBER REAR	QTY.
55106	**RAIL - ROOF LUGGAGE CARRIER - FRONT and REAR**					
	65/66	A(71)	Non-adjustable carrier-5 slat type-41 7/8" long	C4DZ 5955106-A	C4DZ 5955138-A	1
	66/68	A(71)	Non-adjustable carrier-5 slat type-43" long x 1 1/16" oval	C6AZ 7155106-A	C6AZ 7155106-A	2
	65/68	A(71)	Adjustable carrier-5 slat type-41 5/32" long	C5MY 7155106-A	C5MY 7155106-A	2
	69	A(71)	Non-adjustable carrier	C9AZ 7155106-A	C9AZ 7155138-A	1
	69	A(71)	Adjustable carrier	C9AZ 7155106-B	C9AZ 7155138-B	1
	70	A(71) "Before 3/2/70"	Non-adjustable carrier	D0AZ 7155106-A	D0AZ 7155106-A	2
	70/71	A(71) "From 3/2/70"	Non-adjustable carrier	D0AZ 7155106-E	D0AZ 7155106-E	2
	70	A(71) "Before 11/3/69"	Adjustable carrier-includes retainer	D0AZ 7155106-C	D0AZ 7155138-A	1
	70/	A(71) "From 11/3/69"	Adjustable carrier-with alum. side rail & deflector-includes retainer	D0AZ 7155106-D	D0AZ 7155138-B	1
	71/	A(71)	Adjustable carrier-with stainless steel side rail & chrome deflector	D1AZ 7155106-A	D1AZ 7155138-A	1
			8/32" x 1/2" -screw	376358-S(BB637XA)	376358-S(BB637XA)	AR
	65/66	B(71), X(59,71)	Non-adjustable carrier-5 slat type-41 7/8" long	C4DZ 5955106-A	C4DZ 5955138-A	1
	66/68	B(71), X(71)	Non-adjustable carrier-5 slat type-38" long	C6OZ 7155106-A	C6OZ 7155106-A	2
	65/68	B(71), X(71)	Adjustable carrier-5 slat type-41 5/32" long	C5MY 7155106-A	C5MY 7155106-A	2
	69	B(71), X(71)	Adjustable carrier	C9AZ 7155106-B	C9AZ 7155138-B	1
	69/70	B(71), X(71)- "Before 3/2/70"	Non-adjustable carrier	C9AZ 7155106-A	C9AZ 7155106-A	2
	70/71	B(71) "From 3/2/70"	Non-adjustable carrier	D0OZ 7155106-E	D0OZ 7155106-E	2
	70	X(71)				2
	70	B(71), X(71)- "Before 11/3/69"	Adjustable carrier-includes retainer	D0OZ 7155106-C	D0OZ 7155138-A	1
	70/71	B(71), X(71)- "From 11/3/69"	Adjustable carrier-includes retainer	D0OZ 7155106-D	D0OZ 7155138-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER FRONT	PART NUMBER REAR	QTY.
55106	**RAIL - ROOF LUGGAGE CARRIER - FRONT and REAR - continued**					
	72	B(71)	Adjustable carrier-includes retainer	D2OZ 7155106-A	D2OZ 7155138-A	1
	71/	L(62,64)	Non-adjustable carrier	D1FZ 6255106-A	D1FZ 6255138-A	1
			No.8-32 x 3/8" pan head screw	383141-S45(UU81WK)	383141-S45(UU81WK)	8
	72	L(73)	Non-adjustable carrier	D2FZ 7355106-A	D2FZ 7355138-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
55114-5	**RAIL - ROOF LUGGAGE CARRIER SIDE**				
	65	A(71),X(59,71)	63" long-non-adjustable carrier	C1DZ 5955114-A	2
	65	B(71)			2
	66/68	A(71),B(71),X(71)	With 5 slat-52.82" long-adjustable carrier	C5MY 7155114-A	2
	66/68	A(71)	With 5 slat-57.66" long-non-adjustable carrier	C6AZ 7155114-A	2
	69	A(71)	R.H.-adjustable carrier	C9AZ 7155114-A	1
			L.H.	C9AZ 7155114-B	1
	69/71	A(71)	Non-adjustable carrier	C9AZ 7155114-C	2
	70/	A(71)	R.H. - adjustable carrier-with alum. side rail & deflector-wood grain	D0AZ 7155114-C	1
			L.H.	D0AZ 7155115-A	1
	71/	A(71)	R.H.-adjustable carrier-with stainless steel side rail & chrome deflector-wood grain	D1AZ 7155114-A	1
			L.H.	D1AZ 7155115-A	1
	66/68	B(71),X(71)	With 5 slat-52.82" long-non-adjustable carrier	C6OZ 7155114-A	2
	69/71	B(71)	Non-adjustable carrier	C9AZ 7155114-C	2
	70/71	B(71)	R.H. - adjustable carrier	D0OZ 7155114-A	1
			L.H.	D0OZ 7155115-A	1
	72	B(71)	R.H. - adjustable carrier	D2OZ 7155114-B	1
			L.H.	D2OZ 7155115-B	1
	71/	L(62,64)	R.H. & L.H.-non-adjustable carrier	D1FZ 6255114-A	2
	72	L(73)	R.H. & L.H.-non adjustable carrier	D2FZ 7355114-A	2
	65/	A(71)	No. 10-24 x .44" pan head screw	374087-S100(BB637D)	4
	66/	A(71),B(71),X(71)	No. 10-24 x 1 7/8" oval head screw	★371409-S	4
55124	**REINFORCEMENT - ROOF LUGGAGE CARRIER SLAT**				
	69	A(71),B(71)		C9AZ 7155124-A	5
	69/70	X(71			5
	70/71	A(71), B(71)		D0AZ 7155124-A	5
	71/	L(62,64)	Non-adjustable carrier	D1FZ 6255124-A	1
	72	L(73)	Non-adjustable carrier	D2FZ 7355124-A	1
55134-5	**EXTENSION - ROOF LUGGAGE CARRIER SIDE RAIL** - Refer to Group 55058				
55138	**RAIL - ROOF LUGGAGE CARRIER REAR** - Refer to Group 55106				
55140-1	**SUPPORT - ROOF LUGGAGE CARRIER**				
	65	A(71),B(71),X(59,71)	Non-adjustable carrier	C4DZ 5955140-A	4
	66/68	A(71),B(71),X(71)	Left front or right rear	C6OZ 7155140-A	2
			Right front or left rear-non-adjustable carrier	C6OZ 7155140-B	2
			R.H. - adjustable carrier	C5MY 7155140-A	2
			L.H.	C5MY 7155141-A	2
			Screw-oval head-No.10-16 x 3/4"	376370-S101(UU56F)	12
	69	A(71)	R.H.-adjustable carrier	C9AZ 7155140-C	1
			L.H.	C9AZ 7155141-C	1
	69/70	A(71)	Assy.-R.H.-includes attaching parts-adjustable	C9AZ 7155140-B	2
			L.H.	C9AZ 7155141-B	2
	69/70	A(71),B(71),X(71)-"Before 3/2/70"	R.H.-non-adjustable carrier	C9AZ 7155140-A	2
			L.H.	C9AZ 7155141-A	2
	70/71	A(71), B(71)	R.H.-non-adjustable carrier	D0AZ 7155140-E	2
	70	X(71) "From 3/2/70"	L.H.	D0AZ 7155141-E	2
	70/	A(71),B(71)	R.H.-front-adjustable carrier-with alum. side side rail & deflector	D0AZ 7155140-C	1
			L.H.	D0AZ 7155141-C	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
55140-1	**SUPPORT - ROOF LUGGAGE CARRIER - continued**				
	71/	A(71)	R.H.-front-with stainless steel side rail & chrome deflector	D1AZ 7155140-A	1
			L.H.	D1AZ 7155141-A	1
	70/	A(71), B(71)	R.H.-rear-with adjustable carrier-with alum. side rail & deflector	D0AZ 7155140-D	1
			L.H.	D0AZ 7155141-D	1
			Nut-rivet-1/4"-20 x 15/32"	D0AZ 6455180-A	8
	71/	A(71)	R.H.-rear-with stainless steel side rail & chrome deflector	D1AZ 7155140-B	1
			L.H.	D1AZ 7155141-B	1
	71/	L	R.H.	D1FZ 6255140-A	2
			L.H.	D1FZ 6255141-A	2
	65	A(59, 71), B(71), X(59, 71)	Screw-fillister hd.machine-No.10-32 x 1.187"	374468-S13(BB26G)	4
55147	**PAD - ROOF LUGGAGE CARRIER SLAT**				
	65	A(71), B(71)	Adjustable carrier	C5MY 7155147-A	5
	69/70	A(71), B(71)	Non-adjustable carrier	C9AZ 7155147-A	5
	69/70	X(71)			5
	70/71	A(71), B(71)	Adjustable carrier	D0AZ 7155147-A	5
	66/68	B(71), X(71)	Adjustable carrier	C6GY 7155147-A	5
	72	B(71)	Adjustable carrier	D2OZ 7155147-A	1
	71/	L(62, 64)	Non-adjustable carrier	D1FZ 6255147-A	1
	72	L(73)	Non-adjustable carrier	D2FZ 7355147-A	1
55150	**SLAT - ROOF LUGGAGE CARRIER**				
			- A -		
	66/68	A(71)	Adjustable carrier	C5MY 7155150-A	5
	69	A(71)	Non-adjustable carrier-for pad refer to Group 55147	C9AZ 7155150-A	5
			Adjustable carrier-includes pad	C9AZ 7155150-B	5
			Screw-cross recess pan hd.-No.10-16 x 3/8"	★376525-S101	10
			Screw-oval hd.-No.8-18 x 3/4"	55974-S45X(U316D)	17
			Screw-cross recess pan hd.-No.8-15 x 1/2"	55997-S45X(U381D)	15
	70/71	A(71)	Permanent installation-non-adjustable carrier	D0AZ 7155150-A	1
	71/	A(71)	Adjustable carrier-with alum. & stainless steel side rails	D1AZ 7155150-A	5
			Screw-head washer-No.8-18 x 1/2"	384654-S45X(UU89JA)	20
			- B -		
	66/68	B(71)	With 5 slat-less cross member-52" long-non-adjustable carrier	C6OZ 7155150-D	5
			No. 10-16 x 3/4" Oval head screw	376370-S101(UU56F)	15
			With 5 slat-adjustable carrier	C6GY 7155150-A	5
	69	B(71)	With 5 slat-non-adjustable carrier	C9AZ 7155150-A	5
			No. 8-15 x 1/2" Pan head cross recess screw	55997-S45X(U-381-D)	15
	70/71	B(71)	Non-adjustable carrier	D0AZ 7155150-A	1
	71	B(71)	Adjustable carrier-with alum. side rail	D1OZ 7155150-A	5
			No. 8-18 x 1/2" rd. head washer screw	384654-S45X(UU89JA)	20
	72	B(71)		D2OZ 7155150-A	1
			- L -		
	71/	L(62, 64)	Inner-non adjustable carrier	D1FZ 6255150-A	4
	72	L(73)	Inner-35 13/32"-non-adjustable carrier	D2FZ 7355150-A	4
			- X -		
	66/68	X(71)	With 5 slat-adjustable carrier	C6GY 7155150-A	5
	69/70	X(71)		C9AZ 7155150-A	5

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
55156-7	**PAD - ROOF LUGGAGE CARRIER SUPPORT**				
	69/	A(71), B(71)	R.H.-front or rear	C9AZ 7155156-A	1
	69/70	X(71)			1
			L.H.	C9AZ 7155157-A	1
	69	A(71)	With adjustable carrier	C9AZ 7155156-B	4
	70/	A(71)	R. H. -front-with alum. side rail & deflector	D0OZ 7155156-B	1
	70/71	B(71)			1
	70	X(71)			1
			L. H.	D0OZ 7155157-B	1
	71/	A(71)	R.H.-front-with stainless steel side rail & chrome deflector	D1AZ 7155156-A	1
			L.H.	D1AZ 7155157-A	1
	71/	A(71)	R.H.-rear-with alum. side rail & chrome deflector	D1AZ 7155156-B	1
			L.H.	D1AZ 7155157-B	1
	72	B(71)	R. H. -front-adjustable carrier	D2OZ 7155156-B	1
			L. H.	D2OZ 7155157-B	1
			R. H. -rear-adjustable carrier	D2OZ 7155156-A	1
			L. H.	D2OZ 7155157-A	1
	71/	L(62,64)	R. H. -non-adjustable carrier	D1FZ 6255156-A	2
			L. H.	D1FZ 6255157-A	2
	72	L(73)	R.H.-black-non adjustable carrier	D2FZ 7355156-A	2
			L.H.	D2FZ 7355157-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER FRONT	PART NUMBER REAR	QTY.
55170-7	**PAD - ROOF LUGGAGE CARRIER SUPPORT**					
	66/68	A(71)-adjustable carrier	R. H.	C5MY 7155176-B		2
			L. H.		C5MY 7155170-B	2
	66/69	B(71), X(71)-adjustable carrier	R. H.	C6GY 7155176-A	C6GY 7155170-A	1
			L.H.	C6GY 7155177-A	C6GY 7155171-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
55180	**FASTENER - ROOF LUGGAGE CARRIER SUPPORT**				
	69/	A(71), B(71)	Rivet nut	D0AZ 6455180-A	8
	71/	L(73)			8
55182-3	**CAP - LUGGAGE CARRIER RAIL**				
	65/68	A(59, 71)	Roof	C0DZ 5955182-A	4
	65	B(71)			4
	65	X(59, 71)			4
			1/4"-28 x 1/4" Set screw	375377-S100(UU37D)	8
	70/	A(71), B(71)	R.H.-chrome finish-for side rail end roof	D0MY 7155182-A	1
			L.H.	D0MY 7155183-A	1
	66/70	A, B, F, S, X	Plastic-use with C6AZ 6255100-A luggage carrier	C6AZ 6255182-A	AR
	69/	A(except 63,71),B(exc. 71,97), F(65,76),P,S	Brown plastic-use with C9AZ 6255100-A luggage compartment mount	C9AZ 6255182-A	9
55196	**STRAP KIT - ROOF LUGGAGE CARRIER HOLD DOWN**				
	70	P(62)	Use with C9AZ 6255100-A kit-deck mounted	D0DZ 6255196-A	1

Consists of

4-C4RA 2546012-A	Pad	4-C5ZA 6546022-A	Clamp
4-C6AA 6246016-B	Retainer	4-52344-S40	Screw-No. 8-15 x 1/2"
2-D0DZ 6546020-A	Strap (rear)	4-380294-S	Nut-No. 10-32
2-D0DZ 6246018-A	Strap (front)	4-380295-S	Screw & washer-No. 10-32 x 3/4"
2-C5ZA 6546012-A	Pad	1-Installation sketch	

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
60056	**BOLT - FRONT SEAT TRACK ATTACHING**				
	68	S(57A,B,65A,B)	Front	C8SZ 6560056-A	2
			Rear	C8SZ 6560056-B	2
	66/	U	R.H.-driver seat-5/16"-18 x 11/16" shoulder bolt-1 3/4" overall length	C6TZ 9660056-A	1
			L.H.-passenger seat		2
60060	**PLATE - FRONT SEAT BACK SCUFF**				
	65	B(71)	S/compt.	C3UZ 8960060-A	1
	65	A(63C,76B),S,X(76B,D)			2
	66	A(63C,D,76B,D),B(63C,D,76C,D),S,X(62C,66D)			2
	67	A(62-Police and Taxi)-"Before 12/15/66"	Refer to Group 61642-3		
	67/68	A(62-Police and Taxi)-"From 12/15/66"			2
	67	A(63C,76B),B(63C,D,66D,76C,D),X(62C)			2
	71	S	Not used with reclining seat		2
			Screw & washer-pan head-No. 10-32 x 3/8"	50804-S8(U157)	2
	68	F		C8ZZ 6560060-A	2
	71/	F,L(62),P(62)		D1ZZ 6560060-A	8
600A74-5	**BRACKET - AUXILIARY SEAT BACK SUPPORT**				
	65/68	A(71B.D.E.H)	R.H.	C5AZ 71600A74-C	1
			L.H.	C5AZ 71600A75-C	1
			Screw & washer-hex.head-5/16"-18 x 5/8"	★55605-S8	10
	65	A(71B,D,E)	Bumper	★379366-S	2
	66	A(71B,D,E)	Bumper	C6AZ 71115A72-A	2
	66/71	B(71)		C6OZ 71600A74-A	2
			Screw & washer-hex.head-5/16"-18 x 3/4"	★55615-S2	4
60116	**GROMMET - FRONT SEAT SHOULDER STRAP PIN**				
	70/71	A,B,F,L,P,S		D1AZ 6560116-A	AR
60126	**BELT - REAR SEAT SHOULDER STRAP**				
		- A -			
	68	A(except 71,76)	Black-finger tip release lever	C8AZ 6260126-A1A	2
	68	A(except 71,76)	Black-push button release lever	C8AZ 6260126-B1A	2
	68	A(71)	Black-finger tip release lever	C8AZ 7160126-B1A	2
	68	A(71)	Black-push button release lever	C8AZ 7160126-A1A	2
		- B -			
	68	B(54,63,65)	Black-finger tip release lever	C8ZZ 6360126-A1A	2
	68	B(54,63,65)	Black-push button release lever	C8ZZ 6360126-B1A	2
	68	B(71)	Black-finger tip release lever	C8AZ 7160126-B1A	2
	68	B(71)	Black-push button release lever	C8AZ 7160126-A1A	2
		- F -			
	68	F(63)	Black-finger tip release lever	C8ZZ 6360126-A1A	2
	68	F(63)	Black-push button release lever	C8ZZ 6360126-B1A	2
	68	F(65)	Black-finger tip release lever	C8ZZ 6560126-B1A	2
	68	F(65)	Black-push button release lever	C8ZZ 6560126-A1A	2
		- S -			
	68	S	Black-finger tip release lever	C8SZ 6560126-B1A	2
	68	S	Black-push button release lever	C8SZ 6560126-A1A	2
		- U -			
	68/	U(98)	Refer to Group 60232		
		- X -			
	68	X(54,62)	Black-finger tip release lever	C8ZZ 6360126-A1A	2
	68	X(54,62)	Black-push button release lever	C8ZZ 6360126-B1A	2
	68	X(71)	Black-finger tip release lever	C8AZ 7160126-B1A	2
	68	X(71)	Black-push botton release lever	C8AZ 7160126-A1A	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
60126	**BELT - REAR SEAT SHOULDER STRAP - continued**				
			AT ROOF RAIL OR PACKAGE TRAY		
	68	A(except 76), B(except 76), F(except 76), S, X, U(98)	Bolt-hex. hd., shoulder-3/8" -16 x 1 1/2"	382517-S36(BB445LD)	2
	68	A(71), F(63)	Nut and retainer -3/8" -16	382537-S100 (MM207AH)	2
	68	F(63)	Washer-Flat-7/16"	382581-S100(XX173E)	2
	68	U(98)	Screw-pan hd.-No. 8-32 x 3/8"	50803-S2(U150B)	4
			AT FLOOR PAN		
	68	A, B, S(57), X	Bolt-hex. hd., shoulder-7/16"-20 x 2"-7/8"	382518-S100(BB155A)	2
	68	A, B, F(except 76), S, X, U	Washer-flat-7/16"	382581-S100(XX173E)	2
	68	A, B, X	Spacer-1/2" x 1/4"	382582-S100(XX179A)	4
	68	S(65)	Washer-serrated-1/2"	382583-S100 (XX340AC)	4
	68	U(98)	Bolt-hex. hd., shoulder-11/16" -20 x 1 1/2"	382516-S100 (UU155B)	2
	68	U(98)	Washer-flat-7/16"	354959-S(XX178C)	4
601A48	**SUPPORT - REAR SEAT BACK RADIO SPEAKER GRILLE**				
	65/66	A(76)		C5AZ 76601A48-A	1
			Screw-oval head, cross recess-No. 8-32 x 3/8"	376378-S101(UU97)	6
601A68	**PLATE - REAR SEAT BACK CATCH STRIKER**				
	67/71	F(63)-w/folding rear seat		C7ZZ 63601A68-A	1
			Screw-oval head, cross recess-No. 8-15 x 5/8"	52352-S8(U293)	4
			Screw-oval head, cross recess-No. 8-15 x 5/8"	★53100-S8	2
601A80-1	**REINFORCEMENT - FRONT SEAT SHOULDER STRAP MOUNTING**				
	71/	L	R.H.	D1FZ 62601A80-A	1
			L.H.	D1FZ 62601A81-A	1
60213	**LOOP - TIE DOWN**				
	68/70	F(76-GT 350/500)		S8MS 7660213-A	1
60220	**BEZEL - SHOULDER STRAP OPENING**				
	69/71	B(66)		C9OZ 6660220-A	2
	72	B(97)			2
60226	**PLATE - FRONT SEAT SHOULDER STRAP ANCHOR**				
	68/	U(98)		C8TZ 9860226-A	2
60228	**SPACER - SHOULDER STRAP ANCHOR PLATE**				
			- A -		
	67	A(54, 62, 71)	Front seat	C7TZ 8160228-A	2
	68	A(76)		C8UZ 8260228-A	2
	67/69	A(57, 63, 65)	Front or rear seat	C7AZ 6260228-B	2or4
	71/	A(except 76)			2
	68/70	A(54, 62, 71, 76)	Front or rear seat	C7AZ 6260228-C	2or4
			- B -		
	67	B(54, 62, 63, 71)	Front seat	C7TZ 8160228-A	2
	68	B(54, 63, 65)	Rear seat	C7AZ 6260228-B	2
	68	B(71).	Front or rear seat	C7AZ 6260228-C	2or4
	68	B(except 71)	Front seat		2
	69/	B(except 76)	Front seat		2
			- F -		
	68	F(63, 65)	Rear seat	C7TZ 8160228-A	2
	68	F(65)	Rear seat	C7AZ 6260228-B	2
	72	F(63)	Front seat		2
	68/71	F(63, 65)	Front seat	C7AZ 6260228-C	2
	72	F(65)			2
			- L -		
	71/	L		D2FZ 6260228-A	2
			- P -		
	70/	P	Front seat	C7AZ 6260228-C	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
60228	**SPACER - SHOULDER STRAP ANCHOR PLATE - continued**				
		- S -			
	67	S	Front seat	C7SZ 6560228-A	2
	68	S	Front or rear seat	C7SZ 6560228-A	2or4
	69/70	S	Front seat		2
	71/	S		C7AZ 6260228-B	2
		- U -			
	68/	U	Front or rear seat	C7AZ 6260228-B	2or4
		- X -			
	67	X	Front seat	C7TZ 8160228-A	2
	68	X(54,62)	Rear seat	C7AZ 6260228-B	2
	68	X(71)	Front or rear seat	C7AZ 6260228-C	2or4
	68	X(54,62)	Front seat		2
	69/70	X	Front seat		2
60230	**COVER - FRONT SEAT SHOULDER STRAP OPENING**				
	68	A(except 76),B(except66,76), F(except 76),S,X	Parchment-on roof side rail	C9AZ 6260230-A	2
60232	**STRAP ASSY. - SHOULDER**				
	67/70	F(63-Shelby GT 350/500)	Inertia type-safety	C9ZZ 6560232-A	2
	68/70	F(76-Shelby GT 350/500)		C9ZZ 7660232-A	2
60232	**BELT KIT - FRONT SEAT SHOULDER STRAP**				
	67	A(54,57,62,63,71)	Black	C7AZ 6260232-D1A	2

Consists of

1	Belt assy.-Complete	1-C7AZ 62612A56-A	Spacer
1-C7AZ 6260228-A	Spacer	2-*51754-S13	Screw-pan hd.,tapping-No.6-32 x 3/8"
1-C7TZ 8160228-A	Spacer	1-381512-S36(BB513K)	Bolt-hex. hd.,shoulder-3/8"-16 x 1 1/2"
1-C7AZ 6260234-C1A	Boot-black(upper)	1-381513-S2(MM207AF)	Nut & retainer-3/8"-16
1-C7AZ 6260236-B	Retainer	1-381873-S100(BB701V)	Bolt-hex. hd.,shoulder-7/16"-20 x 2"

67	A(76),B(76) - "Before 2/1/67"	Black	C7AZ 7660232-A1A	2
67	F(76)			2

Consists of

1-	Belt assy.-Complete	1-44727-S8(X24)	Washer-flat-3/8"
1-C7AZ 6260228-A	Spacer	1-381512-S36(BB513K)	Bolt-hex.hd.,shoulder-3/8"-16 x 1 1/2"
1-C7AZ 62612A56-A	Spacer	1-381873-S100(BB701V)	Bolt-hex.hd.,shoulder-7/16"-20 x 2"
1-33799-S7(M52)	Nut-hex.-3/8"-16	1-	Instruction Sheet No. 2566-D

67	A(76),B(76) "From 2/1/67"	Black	C7AZ 7660232-B1A	2

Consists of

1-	Belt assy.-Complete	1-44727-S8(X24)	Washer-flat-3/8"
1-C7AZ 6260228-A	Spacer	1-381512-S36(BB513K)	Bolt-hex. hd.,shoulder-3/8"-16 x 1 1/2"
1-C7AZ 62612A56-A	Spacer	1-381873-S100(BB701V)	Bolt-hex. hd.,shoulder-7/16"-20 x 2"
1-33799-S2(M52)	Nut-hex.-3/8"-16	1-	Instruction sheet No. 2566-D

68	A(except 76),B,F(63,65),S,X	Plastic buckle-less boot		
		Black	C8AZ 6260232-E1A	2
		Blue	C8AZ 6260232-E1B	2
		Parchment	C8AZ 6260232-E1U	2
68	A(except 76),B(except 66,76), F(63,65),S,X	Chrome and Plastic buckle-less boot		
		Aqua	C8AZ 6260232-F1K	2
		Black	C8AZ 6260232-F1A	2
		Blue	C8AZ 6260232-F1B	2
		Ivy Gold	C8AZ 6260232-F1G	2
		Nugget Gold	C8AZ 6260232-F1Y	2
		Parchment	C8AZ 6260232-F1U	2
		Red	C8AZ 6260232-F1D	2
		Saddle (Brown)	C8AZ 6260232-F1F	2
68	A(76),B(76)	Chrome and Plastic buckle-less boot		
		Black	C8AZ 7660232-D1A	2
69/	A	Refer to Group 611A72-3		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
60232	**BELT KIT - FRONT SEAT SHOULDER STRAP - continued**				
	67	B(54, 62, 63, 71), F(63, 65), X	Black	C7OZ 6260232-C1A	2
		Consists of			
		1-	Belt assy.-Complete	2-★51754-S13	Screw-pan hd., tapping-No. 6-32 x 3/8"
		1-C7TZ 8160228-A	Spacer	1-★375950-S100	Screw-pan hd., tapping-No. 6-32 x 3/8"
		1-C7AZ 6260234-C1A	Boot-black(upper)	1-381512-S36(BB513K)	Bolt-hex. hd., shoulder-3/8"-16 x 1 1/2"
		1-C7AZ 6260236-A	Retainer	1-381513-S2(MM207AF)	Nut & retainer-3/8"-16
		1-C7AZ 62612A56-A	Spacer	1-381873-S100(BB701V)	Bolt-hex. hd., shoulder-7/16"-20 x 2"
	67	B(66) "Before 2/1/67"	Black	C7OZ 6660232-A1A	2
		Consists of			
		1-	Belt assy.-Complete	1-381512-S36(BB513K)	Bolt-hex.hd.,shoulder-3/8"-16 x 1 1/2"
		1-C7AZ 6260228-A	Spacer	1-381513-S2(MM207AF)	Nut & retainer-3/8"-16
		1-C7AZ 6260234-B1A	Boot-black(upper)	1-381559-S2(XX340AB)	Washer-serrated-1/2"
		1-C7AZ 62612A56-A	Spacer	1-★381602-S100	Bolt-hex.hd.-7/16"-20 x 1 1/2"
				1-381873-S100(BB701V)	Bolt-hex.hd.,shoulder-7/16"-20 x 2"
	67	B(66) "From 2/1/67"	Black	C7OZ 6660232-B1A	2
		Consists of			
		1-	Belt assy.-Complete	1-381513-S2(MM207AF)	Nut & retainer-3/8"-16
		1-C7TZ 8160228-A	Spacer	1-381559-S2(XX340AB)	Washer-serrated-1/2"
		1-C7AZ 6260234-C1A	Boot-black(upper)	1-381872-S100(BB701U)	Bolt-hex.hd.,shoulder-7/16"-20 x 1 1/2"
		1-C7AZ 62612A56-A	Spacer	1-381873-S100(BB701V)	Bolt-hex.hd.,shoulder-7/16"-20 x 2"
		1-381512-S36(BB513K)	Bolt-hex.hd.,shoulder-3/8"-16 x 1 1/2"	1-	Instruction sheet-No. 2566-B
	68	B(66)	Chrome and Plastic buckle-less boot		
			Black	C8OZ 6660232-C1A	2
			Blue	C8OZ 6660232-C1B	2
			Parchment	C8OZ 6660232-C1U	2
	69/	B	Refer to Group 611A72-3		
	68	F(76)	Chrome and Plastic buckle-less boot		
			Black	C8ZZ 7660232-H1A	2
	69/	F	Refer to Group 611A72-3		
	67	S	Black	C7SZ 6560232-D1A	2
		Consists of			
		1-	Belt assy.-Complete	1-★356420-S	Washer-flat-7/16"
		1-C7SZ 6560228-A	Spacer	1-381872-S100(BB701U)	Bolt-hex. hd., shoulder-7/16"-20 x 1 1/2"
		1-C7AZ 6260234-C1A	Boot-black(upper)	1-381512-S36(BB513K)	Bolt-hex.hd.,shoulder-3/8"-16 x 1 1/2"
		1-C7AZ 6260236-B	Retainer	1-381513-S2(MM207AF)	Nut & retainer-3/8"-16
		2-★51754-S13	Screw-pan hd. tapping-No. 6-32 x 3/8"	1-	Instruction sheet-No. 2566-B
	69/	S	Refer to Group 611A72-3		
	68	U	Parchment-front and rear seat	C8OZ 6660232-C1U	2 or 4
	69	U	Black-front and rear seat	C9TZ 9660232-A1A	2 or 4
	70/	U	Black-front and rear seat	D0BZ 1060232-A	2 or 4
			AT ROOF RAIL OR REAR QUARTER		
	68	A(except 76), B(except 76), F, S, X	Nut and retainer-3/8" x 16"	382537-S100 (MM207AH)	2
	68	A, B, F, S, X, U(97, 98)	Bolt-hex. hd., shoulder-3/8"-16 x 1 1/2"	382517-S36(BB445LD)	2
	68	A(76), B(76), U(97, 98)	Nut-3/8"-16" hex. hd.	383406-S100 (MM173MY)	2
	68	B(76)	Washer-flat-5/16"	351360-S(XX112)	2
	68	U(97, 98)	Washer-flat-3/8"	382548-S100(XX163)	2
			AT FLOOR PAN		
	68	A(full width or split bench seat), B, S, X(full width seat), U(full width or bucket seat)	Bolt-hex. hd., shoulder-7/16"-20 x 2"-7/8" shoulder	382518-S100 (BB701VA)	2
	68	A, B, F, S, X, U	Washer-flat-7/16"	382581-S100(XX173E)	2
	68	A, B, F, S, X, U	Spacer-1/2" x 1/4"	382582-S100(XX179A)	2or4
	68	U	Washer-flat-7/16"	354959-S(XX178C)	4

60234-5 BOOT - FRONT SEAT SHOULDER STRAP - Also Refer to Group 61140

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	COLORS AND APPLICABLE PART NUMBER SUFFIXES: UPPER OR LOWER	AQUA	BLACK	BLUE	GINGER	GREEN	IVY GOLD	NUGGET GOLD	PARCHMENT	RED	SADDLE	TOBACCO	SILVER		QTY.
1967																	
A,B,F,S,X		C7AZ 6260234			♦B1A												AR
		C7AZ 6260234			◊C1A												AR
1968																	
S-front seat		C8AZ 6260234											A1F				2
S-rear seat		C8MY 5460234											A1F				2
1969																	
A		C9AZ 6260234	U	A3K	A3A	A3B			A3G	A2Y		A3D					2
		C9AZ 6260234	L		E3A	E3B			E3G	E2Y		E3D					2
B(exc.66),F,S,U,X		C9AZ 6260234		A3K	A3A	A3B			A3G	A2Y		A3D					2
S-at tunnel		Refer to Group 61140															
1970																	
A,B(exc.66),F(63),P(w/3 piece belt assy.),S	R	D0DZ 6260234		F	A	D	C	G		E	K	B		H			1
	L	D0DZ 6260235		F	A	D	C	G		E	K	B		H			1
B(66)		D0OZ 6660234			A												2
F(65)	R	†D0ZZ 6560234			A	B		D									1
	L	†D0ZZ 6560235			A	B		D									1
P(w/4 piece belt assy.)		C9AZ 6260234			A3A					A2Y							2
		D0AZ 6260234		B		A						C					2
U,X		C9AZ 6260234		A3K	A3A	A3B			A3G	A2Y		A3D					2
S-at tunnel		Refer to Group 61140															

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	COLORS AND APPLICABLE PART NUMBER SUFFIXES: UPPER OR LOWER	AQUA	BLACK	BLUE	GREY	GREEN	GINGER	PARCHMENT	RED	TOBACCO	VERMILION	WHITE	OTHER	OTHER	QTY.
1971																	
A,B(exc.66),F,L,P		D1AZ 6560235		J	H	E	G	D	A	B	F	C	N				2
B(66)		D0OZ 6660234			A												2
		D1OZ 6660234				A	B	E	C				D				2
S		D1AZ 6560235		J	H	M	G	L	A	B	F	C	N				2
1972																	
A,B(exc.97),F,L,P		D1AZ 6560235			H	E	G	D	A	B	F						2
		D2AZ 6560235										A			• B		2
B(97)		D0OZ 6660234			A												2
		D1OZ 6660234				A	B	E	C								2
		D2OZ 6660234										A					2
S		D1AZ 6560235			H	M		L	A		F						2
		D2AZ 6560235										A					2
L		D2FZ 6560235													♣ A	⊕ B	2

♦ - "Before 2/1/67" ◊ - "From 2/1/67" † - Includes coat hook

† - Includes coat hook • Beige ♣ Avocado ⊕ Orange

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
60234	**LABEL - SHOULDER STRAP INSTRUCTIONS**				
	67/68	F(63-GT 350/500)		S7MS 6360234-A	2
60235	**COVER - SHOULDER STRAP REEL** - Also refer to Group 20235				
	67	F(63)-GT 350/500	Snap on	S7MS 6360235-A	2
	72	P(54, 62A)	Tan	D2DZ 6560235-A	2
60236-7	**RETAINER - FRONT SEAT SHOULDER STRAP**				
	67	A(54,57,62,63,71), B(54,62,63, 71), F(63, 65), S, X		C7AZ 6260236-B	2
	68	A(except 76), F(63, 65), S, X	R. H. -front seat	C8AZ 6260236-A	1
	68	B(except 76)	R. H. -front seat		1
	68	A(71), B(71), X(71)	R. H. -rear seat		1
	71	L "Before 12/1/70"			1
			L. H.	C8AZ 6260237-A	1
	68/	A, B, F, L, P, S, U, X	Also refer to Group 29024		
	71/	L-w/o sun roof- "From 12/1/70"	Refer to group 60242		
	72	L-w/sun roof		D2FZ 6260236-A	2
60242	**SUPPORT - FRONT SEAT SHOULDER STRAP - LOOP**				
	72	B		D2OZ 6560242-A	2
	71/	F(63)	Stainless steel wire	D1ZZ 6360242-A	2
	71/	L-w/o sun roof		D1FZ 6260242-A	2
	72	L-w/sun roof	Refer to group 60236-7		
	70	S	Stainless steel wire	D0SZ 6560242-A	2
60246	**REINFORCEMENT - SHOULDER STRAP MOUNTING**				
	69/71	B(66)		C9OZ 6660246-A	2
	72	B(97)		D2OZ 9760246-A	2
60310	**STOP - FRONT SEAT BACK - TO CUSHION**				
	65/71	A, B, F, U, X	21/64" x 1" x 1 1/2"	C7MY 6360310-B	2or4
	68/	A, B, F, U	15/64" x 1" x 1 1/2"	C8AZ 6260310-A	2or4
	68/	A, F, U	21/32" x 1" x 3/4"	C8ZZ 6560310-A	2or4
	71	A, B	13/64" I.D. x 1 1/16" O.D. x 1/2" thick	D1GY 6560310-A	4
	68/	A, B, F, U, X	No. 8-32 x 3/4" pan head (stop to cushion to seat back)	51786-S8(U367)	4
603A46-7	**HOUSING - FRONT SEAT HORIZONTAL REGULATOR GEAR**				
	67/68	A	R.H.-Driver power bucket seat-also serviced in assy. (60471)	C7AZ 62603A46-A	2
	67/68	S			2
	67/69	A	R. H.-Power full width seat		2
	67/68	A	R. H.-Power split seat		4
	67/68	A, S	L. H.-Driver power bucket seat-also serviced in assy. (60472)	C7AZ 62603A47-A	2
	67/69	A	L. H.-Power full width seat		2
	67/68	A	L. H. -Power split seat		4
	70/	A, S	Serviced in assembly-refer to Group 60471-2		
603A48-9	**HOUSING - FRONT SEAT VERTICAL REGULATOR GEAR** - Refer to Group 60465-6				
60392	**BOLT - FRONT SEAT BACK PIVOT ARM**				
	68/69	A	Bolt-hex. head shoulder-3/8"-16 x 1/2" - (1 1/4" overall length)	C8AZ 6360392-A	4
	66/67	B			4
	69	S			4
	71/	F, L, P		D1ZZ 6560392-A	4
60394	**SPACER - FRONT SEAT BACK PIVOT ARM**				
	68/	A, B, P, X	Inboard pivot	C8OZ 6260394-A	2
	65	B(62, 65), X(63C, D, 66G, H)	Rubber-1/2" I. D. x 1" O. D. x 7/16" thick-improvise	★	4
	68	F(63C, D, 65C, D)	Use between center arm rest and inner seat pivot	C8VY 6260394-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
60394	**SPACER - FRONT SEAT BACK PIVOT ARM - continued**				
	68	A(57F, 65A)	Use with split seat-inboard pivot	C8MZ 5460394-A	2
	68	B(63B, D, 65A, B, C, D, 66A, B, 76B, D), X(62B)	Outboard pivot arm		2
	69	A(63C, 76B), B(63B, F, 65, 66A, B, C, 76D), X(62A, B)			2
	69	A	Used with reclining seat		1
	70	A	With automatic seat back latch		2
	70	A(63, 65C, 76)	Use with bucket seat		1
	70	B(63, 65, 66, 76)	Use with manual bucket seat		2
	71/	A(65)	Used with automatic seat back latch-non reclining		1
60406-7	**GEAR - FRONT SEAT VERTICAL REGULATOR**				
	67/	A, S	Serviced only in assembly-refer to group 60465-6		
60422	**SUPPORT - FRONT SEAT TRACK TO FLOOR**				
	67	A	Power split seat	C7AZ 6260422-A	2or4
	67/68	A	Power full width seat	C7AZ 6260422-A	2
	67/68	A	Driver power bucket seat	C7AZ 6360422-A	2
	69/	A	Power full width seat	C9AZ 6260422-A	2
	71/	A	Power-split seat		2
	67/	S	Power seat		2
604K22	**BAR - FRONT SEAT TORSION**				
	72	P	R.H. - with reclining seat	D0RY 62604K22-A	2
			L.H.	D0RY 62604K36-A	2
60436	**BRACKET - FRONT SEAT HORIZONTAL REGULATOR**				
	67/71	A	Driver power bucket seat	C7AZ 6260436-A	2
	67/71	S	Power full width and driver bucket		2
	67/71	A	Power split seat		4
	67/71	A	Power full width seat		2
604K36	**BAR - FRONT SEAT TORSION** - Refer to group 604K22				
60465-6	**GEAR ASSY. - FRONT SEAT VERTICAL REGULATOR**				
	67/68	A-split seat	R.H.-rear-Passenger	C7AZ 6260466-A	1
			L.H.-front	C7AZ 6260466-B	1
	67/70	A-bucket seat	R.H.-rear-Driver	C7AZ 6360466-A	1
			L.H.-front		1
	67/70	A-split seat	R.H.-rear-Driver	C7AZ 6260466-A	1
			L.H.-front	C7AZ 6260466-B	1
	67/70	A-full width seat	R.H.-rear	C7AZ 6260465-A	1
			L.H.-rear	C7AZ 6260466-A	1
			R.H.-front	C7AZ 6260465-B	1
			L.H.-front	C7AZ 6260466-B	1
	71/	A-split seat or bucket seat	R.H.-Driver or Passenger	D0SZ 6560465-B	1or2
			L.H.	D0VY 6560465-B	1or2
	71/	A-full width seat	R.H.-front	D0SZ 6560465-B	1
			R.H.-rear	D0VY 6560466-B	1
			L.H.-front	D0SZ 6560466-B	1
			L.H.-rear	D0VY 6560465-B	1
	68/69	S-full width seat	R.H.-front	C8SZ 6560465-A	1
			L.H.-rear		1
			R.H.-rear	D0SZ 6560466-B	1
			L.H.-front		1
	69	S-bucket seat	R.H.-Driver	C8SZ 6560465-A	1
			L.H.	D0SZ 6560466-B	1
	70	S-split seat	R.H.-rear-Driver or Passenger	D0SZ 6560466-B	2
			L.H.-front	D0SZ 6560465-B	2
	70/71	S-bucket seats	R.H.-rear-Driver or Passenger	D0SZ 6560465-B	2
			L.H.-front	D0SZ 6560466-B	2
	70/71	S-full width seat	R.H.-front	D0SZ 6560465-B	1
			L.H.-front	D0SZ 6560466-B	1
			R.H.-rear	D0SZ 6560466-B	1
			L.H.-rear	D0SZ 6560465-B	1
	71	S-split seat	R.H.-Driver or Passenger	D0SZ 6560465-B	2
			L.H.	D0SZ 6560466-B	2
	67	S-bucket seats	R.H. & L.H.-Driver	C7AZ 6360466-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
60471-2	**GEAR ASSY. - FRONT SEAT HORIZONTAL REGULATOR**				
	67/	A	R.H.	D0VY 6560471-A	1or2
			L.H.	D0VY 6560472-A	1or2
			Bolt-hex. head-3/8"-16 x 3"	45534-S8(B95)	4or8
	67/71	S	R.H.	D0VY 6560471-A	1or2
			L.H.	D0VY 6560472-A	1or2
			Bolt-hex. head-3/8"-16 x 3"	45534-S8(B95)	4or8
	72	S "Before 7/3/72"		D2LZ 6560472-A	1or2
	72	S "From 7/3/72"	L.H.-6 way split bench seat	D3LZ 6560472-A	1
60480	**SHAFT - FRONT SEAT ADJUSTING REGULATOR**				
	69/71	B	Power full width seat	C6GY 6260480-A	2
60508	**PANEL ASSY. - REAR SEAT BACK** - Paint to Match				
		- A -			
	69/72	A(71) "Before 12/1/71"		D0AZ 7160508-A	1
	72	A(71) "From 12/1/71"		D2AZ 7160508-A	1
		- B -			
	66	B(71) "Before 1/3/66"	Palomino	C6OZ 7160508-A	1
	66/67	B(71) "From 1/3/66"	Palomino	C9OZ 7160508-B	1
	68/69	B(71) "Before 6/2/69"		C8OZ 7160508-A	1
	69/71	B(71) "From 6/2/69"		C9OZ 7160508-A	1
	72	B(71) "Before 12/1/71"		D2OZ 7160508-A	1
	72	B(71) "From 12/1/71"		D2OZ 7160508-B	1
		- L -			
	72	L(73)		D2FZ 7360508-B	1
		- X -			
	68/69	X(71)	19" high	C8DZ 7160508-A	1
	66/70	X(71)	22" high-not replaced (5-75)	★C9DZ 7160508-A	1
605A10-1	**PANEL ASSY. - AUXILIARY SEAT BACK FLOOR** - Paint to Match				
	66/67	A(71A,C)	R.H. -not replaced (3-74)	★C5AZ 71605A10-G	1
			L.H.	C5AZ 71605A11-G	1
	69/	A(71)	Refer to Group 11698-9		
605A12	**SUPPORT - REAR SEAT BACK FLOOR - CENTER**				
	71/	L(62,64)		D1FZ 62605A12-A	1
605A16-7	**COVER - AUXILIARY SEAT BACK LATCH** - Paint to Match				
	68/	A(71)	R.H.	C8AZ 71605A16-A	1
			L.H.	C8AZ 71605A17-A	1
	68/	B(71)	R.H.	C8OZ 71605A16-A	1
			L.H.	C8OZ 71605A17-A	1
605A18	**BUMPER - AUXILIARY SEAT BACK FLOOR PANEL**				
	65/67	A(71B,D,E)	Rubber	C5AZ 71605A18-A	2
	68	A(71B,D,E,H)			2
	65/67	A(71A,C)	Rubber	C5AZ 71605A18-B	2
	68	A(71A,C,J)			2
	69/	A(71)	Also used on stowage compartment	C9AZ 71605A18-A	2
	66/71	B(71)		C6OZ 71605A18-A	2
	72	B(71)		D2OZ 71605A18-A	2
605A40	**PLATE - REAR SEAT FRONT ANCHOR**				
	65	X(59,71)		C5DZ 59605A40-A	2
605A44	**PLATE - REAR SEAT REAR ANCHOR**				
	66/71	B(71),X(71)		C6OZ 71605A44-A	2
605A50-1	**SUPPORT - REAR SEAT BACK FLOOR** - Paint to Match				
	66/71	B(71),X(71)	R.H.	C6OZ 71605A50-A	1
			L.H.	C6OZ 71605A51-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
60575	**CATCH - REAR SEAT BACK**				
	66/70	F(63)	With folding rear seat	C6ZZ 6360575-A	2
			Screw-pan head, cross recess-No. 10-24 x 1/2"	★54505-S13	2
			Screw-pan head, cross recess-No. 10-24 x 1 1/2"	★54511-S13	2
	71/	F(63)	With folding rear seat	D1ZZ 6360575-A	2
60578	**BUMPER - REAR SEAT CUSHION PANEL**				
	65	X(59, 71)		B7A 5960578-A	2
			Screw & washer assy. -pan head, cross recess-No. 12-24 x 3/8"	★50805-S8	2or4
60596-7	**STOP - REAR SEAT BACK FLOOR** - Refer to Group 115A73				
60615-6	**HINGE - REAR SEAT BACK FLOOR PANEL** - Paint to Match				
	65/67	A(54)	Used with folding rear seat	C5AZ 7160615-A	1
	65/	A(71)			1
	72	B(71)		D2OZ 7160615-A	1
	65/70	F(63)	R.H.	C5ZZ 6360615-B	1
			L.H.	C5ZZ 6360616-B	1
	71/	F(63)	R.H.-with folding rear seat	D1ZZ 6360615-A	1
			L.H.	D1ZZ 6360616-A	1
	71/	L (62, 64)	With folding rear seat-refer to Group 45728		
	72	L(73)	Refer to Group 60508		
606A42	**BRACKET - REAR SEAT CUSHION TORSION BAR OUTER TO FLOOR**				
	65	B(71)		C2AB 71606A42-A	2
			Screw-hex., washer head-5/16"-24 x 1 1/4"	★359950-S8	8
60650	**RISER - REAR SEAT - FRONT**				
	65/	A(63, 76), B(63, 65), X(63, 76)	Improvise from sheet metal	★	
	68/71	S		C8SZ 6560650-A	1
	72	S	Improvise from sheet metal	★	
606A54	**COVER - REAR SEAT ACCESS HOLE**				
	68/71	S		C8SZ 65606A54-A	1
60675	**HINGE - REAR SEAT BACK FLOOR EXTENSION**				
	65/68	A(71)		C5AZ 7160675-A	1
			Screw-hex. head-No. 8-18 x 3/8"	42119-S8(U246)	8
	69/	A(71)		C9AZ 7160675-A	1
	72	B(71)			1
606A78	**BRACKET - AUXILIARY SEAT CUSHION FLOOR PIVOT**				
	65	A(71A, C)		C5AZ 71606A78-A	2
			Screw & washer-hex. head-5/16"-18 x 5/8"	★55605-S2	8
60700	**PANEL - REAR SEAT BACK SPRING SUPPORT**				
	65	S(63)		C4SZ 6360700-C	1
607A00	**RETAINER - REAR SEAT BACK FLOOR CENTER SUPPORT**				
	71/	L		D1FZ 62607A00-A	1
607A04-5	**BRACKET - AUXILIARY SEAT BACK FLOOR PIVOT** - Paint to Match				
	66/68	B(71)	R.H.-Palomino	C6OZ 71607A04-A	1
			L.H. -not replaced (3-74)	★C6OZ 71607A05-A	1
607A26	**PANEL - AUXILIARY SEAT BACK** - Refer to groups 11550 and 60534				

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
607A48	**RETAINER - AUXILIARY SEAT CUSHION FRAME - OUTER**				
	65/68	A(71A,C,J)		C5AZ 71607A48-A	2
			Screw & washer-hex. head-5/16"-18 x 5/8"	359662-S7-8(BB575A)	4
	69/	A(71)		C9AZ 71607A48-A	2
607A60	**BASE - AUXILIARY SEAT CUSHION**				
	66/71	B(71)		C6OZ 71607A60-A	1
	72	B(71)		D2OZ 71607A60-A	1
60762	**SHIELD - FRONT SEAT BACK**				
	65/66	S	Textured steel - not used with reclining seat	C4SZ 6360762-A	2
	65	A(63C,76B)			2
	66	A(63C,D,76B,D)			2
	67	A(63C,76B)	Textured steel-paint to match-includes attaching parts	C7AZ 6560762-A	2
	65/66	S	Textured steel-used with reclining seat	C4SZ 6360762-B	1
	65	A(63C,76B)			1
	66	A(63C,D,76B,D)			1
	67	S	Textured steel-Parchment-paint to match	C7SZ 6560762-A	2
	67/68	S	Refer to Soft Trim Section		
607A62	**SUPPORT - AUXILIARY SEAT CUSHION**				
	66/	B(71)		C6OZ 71607A62-A	2
			Screw & washer-hex. head-5/16"-18 x 5/8"	★55605-S2	4
607A64	**REINFORCEMENT - AUXILIARY SEAT CUSHION SUPPORT**				
	66/	B(71)		C6OZ 71607A64-A	2
			Washer-spring-7/16"	356383-S7(XX362)	2
60774	**BRACKET - AUXILIARY SEAT SUPPORT TO REAR FLOOR**				
	65/68	B(71)		C5OZ 7160774-A	2
60780-1	**PLATE - AUXILIARY SEAT BACK FLOOR PIVOT**				
	68/	B(71)	R.H.	C8OZ 7160780-A	1
			L.H.	C8OZ 7160781-A	1
60786	**BRACKET - AUXILIARY SEAT CUSHION FLOOR SUPPORT**				
	69/	A(71)	Paint to match	C9AZ 7160786-A	2
607A86	**HINGE - REAR SEAT BACK FLOOR SUPPORT ANCHOR** - Refer to group 605A12				
60925	**COVER SET - CARGO FLOOR COMPLETE** - Refer to Group 11488 in Soft Trim Section				
60928	**HINGE - AUXILIARY SEAT BACK FLOOR**				
	65/68	A(71B,D,E,H)		C5AZ 7160928-A	1
	65/	B(71)	Serviced in assy. -refer to Group 60940		
60940	**PANEL - AUXILIARY SEAT BACK FLOOR - FRONT** - Paint to Match				
	65/68	A(71B,D,E,H)	Remove seat cushion spring retainer	C8MY 7160940-A	1
	68/71	B(71)		C8OZ 7160940-A	1
	72	B(71)		D2OZ 7160940-A	1
60942	**PANEL - AUXILIARY SEAT BACK FLOOR - REAR**				
	68/71	B(71)		C8OZ 7160942-A	1
	72	B(71)		D2OZ 7160942-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
610A02	**ACTUATOR ASSY. - FRONT SEAT BACK ADJUSTING**				
	69/70	A		C9AZ 62610A02-A	1
	71	A		D1AZ 65610A02-E	1
	72	A		D2AZ 65610A02-A	1
	65/66	S		C4SZ 63610A02-B	1
	65	A(63C, 76B)			1
	66	A(63C, D, 76B, D)			1
			Pin-roll-1/4" x 1 1/2"	352506-S(NN115)	1
			Pin-roll-1/4" x 1"	305080-S(NN113)	1
			Pin-clevis-1/4" x 1"	352547-S(NN6)	1
			Nut-spring-1/4"	★356728-S	1
	67	S	Includes solenoid	C7VY 53610A02-A	1
			Pin - spring - 1/4" x 3/4"	★67769-S2	3
			Pin - clevis - 1/4" x 1 1/16"	★73910-S13	1
			Pin - self locking	358883-S7-8(NN128)	1
	68/69	S		C8SZ 65610A02-B	1
	70	S "Before 1/7/70"	R/b D0SZ 65610A02-B (1-73)	★D0SZ 65610A02-A	1
	70/71	S "From 1/7/70"		D0SZ 65610A02-B	1
	72	S- split seat		D2LZ 65610A02-A	1
	72	S- bucket seat		D2SZ 65610A02-A	1
610B10-1	**BRACKET - FRONT SEAT HEAD REST MOUNTING**				
	68	A -full width seat	R. H.	C8AZ 62610B10-B	2
			L. H.	C8AZ 62610B11-B	2
	69/	A		C9AZ 62610B10-A	2
	70/71	B, P -full width seat			2
	72	P-full width seat			2
	68	B, X -full width seat	R. H.	C8OZ 54610B10-B	2
			L. H.	C8OZ 54610B11-B	2
	69	B, X		C9OZ 63610B10-A	2
	68	F, S, U	R. H.	C8ZZ 65610B10-B	2
			L. H.	C8ZZ 65610B11-B	2
	69/71	F, S		C9ZZ 65610B10-A	2
	70/71	B-bucket seat			2
	72	L, S		C9AZ 62610B10-A	2
	69/	A, B, F, P, S, U, X	Screw 1/4" -20 x 3/4" -hex. head tapping	383184-S2(UU52AD)	8
610A14	**SPRING - FRONT SEAT BACK ADJUSTING HANDLE**				
	69	A	Use with split seat or reclining seat	C9AZ 62610A14-A	1
610A16	**SLEEVE - FRONT SEAT HEAD REST GUIDE ROD**				
	68	A, B, F, S	3 13/32" Long	C8AZ 63610A16-A	2or4
	68	A, B, X	2 3/4" Long	C8AZ 62610A16-A	2or4
	69	A, B, F	Chrome	C9MZ 65610A16-A	2
	69/	S			2
	69/71	A, B, F, X	Paint to match	C9AZ 62610A16-A	2
	70/	P			2
	72	A			2
	68	S	4" Long	C8MZ 54610A16-A	4
610B22	**STEM - FRONT SEAT BACK ADJUSTING**				
	69/71	A		C9AZ 62610B22-A	1
	72	A		D2AZ 65610B22-A	1
	70/71	S		D0SZ 65610B22-B	1
	72	P(54, 62A)		D0RY 62610B22-A	1
61040-1	**MOULDING - REAR SEAT BACK UPPER - INCLUDES ATTACHING PARTS**				
	69/	A(76)	Refer to Group 61138-9		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
610B40	**PANEL - FRONT SEAT HEAD REST TRIM** - Paint to match				
	69	A, B, F, S, X	Used on 11" head rest	C9OZ 63610B40-A	2
	70	B(63, 65C, F, H, 66C, 76), F, S			2
	69/	A, B, X	Used on 13" head rest	C9AZ 62610B40-A	2
	70/71	P			2
	71	S			2
61046-7	**REINFORCEMENT - FRONT SEAT BACK FRAME**				
	72	B(53)	R.H.	D2OZ 5361046-A	1
			L.H.	D2OZ 5361047-A	1
610A60	**PAD - FRONT SEAT BACK HEAD REST**				
	67	S-w/vinyl trims	Used with reclining seat	C7SZ 65610A60-A	1
610B62	**DAMPER - FRONT SEAT BACK LATCH VIBRATION**				
	68	A(62, 63, 65, 76), B(63, 65, 66B, 76) S(65), X(62)	1 3/4" long	C8AZ 62610B62-A	2
	69	A(62, 63, 65, 76), S(65), X(62)			
	69	B(62, 63, 65, 66, 76)			2
61064	**STOP - FRONT SEAT BACK** - Also Refer to Group 60310				
		- A -			
	65	A(63C, 76B)	Driver side-bolt hex. hd., pointed-5/16"-18 x 1 5/8"	379390-S13(BB140C)	2
	66	A(63C, D, 76B, D)			2
			Passenger side-2 1/4" long w/pointed head	C9TZ 8161064-A	2
			Passenger side-2 1/8" long w/flat head- used with reclining seat	C5SZ 6361064-A	2
			Nut-hex. -5/16"x 18	33922-S8(M27)	2
			Washer-flat-5/16"	44722-S8(X19)	2
	65/68	A-full width seat	Refer to Group 60310		
	67	A(63C, 76B)		C9TZ 8161064-A	2
	68	A(63C, 76B)	Shoulder bolt type	C8AZ 6261064-A	4
		- B -			
	66	B(63C, D, 76C, D)		C9TZ 8161064-A	2
	67	B(63C, D, 66D, 76C, D)			2
	66/69	B-full width seat	Refer to Group 60310		
	68	B(63D, E, 65D, E, 66D, 76E)	Shoulder bolt type	C8AZ 6261064-A	4
	69	B(63D, E, 65D, E, 66B, D, 76D, E)			4
	68/69	B	Screw-No. 10-12 x 1/2" -pan head	52727-S8(U382)	2
		- F -			
	69	F	Bolt type-5/16"-18 x 1 3/4"	★	
		- S -			
	65/66	S	Driver side-bolt hex.hd. pointed-5/16"-18 x 1 5/8"	379390-S13(BB140C)	2
			Passenger side-2 1/4" long w/pointed head	C9TZ 8161064-A	2
			Passenger side-2 1/8" long w/flat head-used with reclining seat	C5SZ 6361064-A	2
			Nut-hex. 5/16" x 18	33922-S8(M27)	2
			Washer-flat-5/16"	44722-S8(X19)	2
	67	S		C5AZ 6361064-A	2
		- U -			
	69	U	Bolt type-5/16"-18 x 1 3/4"	★	
		- X -			
	65	X(76B, 76D)		C9TZ 8161064-A	2
	66/67	X(62C, 66D)			
			Nut-hex. -5/16"-18	33922-S8(M27)	2
			Washer-flat-5/16"	44722-S8(X19)	2
	66	X(62A, B, 66A, B)	On cushion-Repl. by C7MY 6360310-B	★C5AZ 6261064-A	2
	67	X(62A, B)	Full width seat		2
	69	X(62)			2or4
	68/70	X(62C)	Shoulder bolt type	C8AZ 6261064-A	4
	68/70	X	Screw-pan head-No. 10-12 x 1/2"	52720-S8(U380)	2
610B64	**SPACER - FRONT SEAT HEAD REST GUIDE ROD SLEEVE**				
	68	A, B, X		C8AZ 62610B64-A	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
61066	**BRACKET - FRONT SEAT BACK HINGE**				
	70	A, B		D0AZ 6561066-A	1
	70	F			1
610B66	**RETAINER - FRONT SEAT BACK LATCH SPRING**				
	71	F	Used w/automatic seat latch-center mounted	D1ZZ 65610B66-C	2
	71	P-bucket seat- "Before 6/15/71"	Used with center mounted seat latch		2
	71	F	Used w/o automatic seat latch-center mounted	D1ZZ 65610B66-D	2
	71	L "Before 5/3/71"			2
	71/	L "From 5/3/71"		D3ZZ 62610B66-A	2
	71/	P-bucket seat- "From 6/15/71"	Used with outboard mounted seat latch		2
	72	F	Without automatic seat latch		2
	71/	F	Used with outboard mounted seat latch with automatic seat latch	D1ZZ 65610B66-E	2
	72	B, S		D2OZ 65610B66-A	2
610A68-9	**SHIELD - FRONT SEAT BACK INSIDE**				
	69/71	A	R.H. -use on split seat	C9MZ 65610A68-A	1
			L.H.	C9MZ 65610A69-A	1
	69	A(65A)	R.H. -use on full width seat with center arm rest	C9AZ 65610A68-A	1
	70	A(54, 57)	R.H. -use with reclining bench seat		1
	70	A(65)	R.H. -use with bench seat or reclining bench		1
	69	A(65A)	L.H. -use on full width seat with center arm rest	C9AZ 65610A69-A	1
	69	A(54C, 57F, 65A)	L.H. -used with reclining seat		1
	70/	A(54, 57, 65)	L.H. -use with reclining bench seat		1
	70/	A(65)	L.H. -use with bench seat		1
610B68	**SHAFT - FRONT SEAT BACK PIVOT**				
	72	S-bucket seat		D2LZ 65610B68-A	1
	72	S-split bench seat		D2SZ 65610B68-B	1
610B70	**LEVER - FRONT SEAT BACK PIVOT SHAFT**				
	69/71	A	Use with reclining seat	D0AZ 62610B70-A	1
61082	**BUMPER - REAR SEAT BACK STOP**				
	69/	A(71)	Rubber	C9AZ 7161082-A	1
	66/	B(71)	Rubber-also serviced in assembly (group 62426)	C6OZ 7161082-B	1
	67/68	A(71)			1
610B82	**BUSHING - FRONT SEAT BACK PIVOT SHAFT**				
	71/	A	Used with reclining seat	D1AZ 65610B82-A	1
	72	A(53K, 57K, 65K)	Hi Back seat-inner	D2AZ 65610B82-A	1
			-outer	D2AZ 65610B82-B	1
610A84	**CABLE - FRONT SEAT BACK ADJUSTING ACTUATOR - INCLUDES ATTACHING PARTS**				
	65/66	S	Used with reclining seat	C4SZ 63610A84-C	1
	65	A(63C, 76B)			1
	66	A(63C, D, 76B, D)			1
610B84	**ROD - FRONT SEAT BACK ADJUSTING ACTUATOR**				
	69/	A		C9AZ 62610B84-A	1
	70	S	2 9/32" long-use with reclining seat	D0SZ 65610B84-A	1
	71	S		D1SZ 65610B84-A	1
	72	S-bucket seat		D2SZ 65610B84-A	1
	72	S-split bench seat- "Before 11/1/71"		D2LY 65610B84-A	1
	72	S-split bench seat- "From 11/1/71"		D2LY 65610B84-B	1


COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
610A88-9	**RETRACTOR ASSY. - FRONT SEAT BELT - Includes Outboard Belt and Attaching Parts**					
	65	S	Used on vehicles with seat belt warning lamp switch in console			1
			Black	C4SZ 63610A88-AAG	C4SZ 63610A88-AAG	2
	65	S	Used on vehicles with seat belt warning lamp switch in retractor			
			Beige	⊕	C5SZ 63610A89-CAJ	1
			Black	C5SZ 63610A88-CAB	C5SZ 63610A89-CAB	1
			Blue	⊕	C5SZ 63610A89-CAC	1
			Burgundy	⊕	⊕	1
			Emberglo	C5SZ 63610A88-BBA	⊕	1
			Ivy Gold	C5SZ 63610A88-BAG	⊕	1
	65	S	Used on vehicles with seat belt warning lamp switch in retractor			
			Palomino	C5SZ 63610A88-BAF	⊕	1
			Red	⊕	⊕	1
			Silver Mink	⊕	⊕	1
			Turquoise	⊕	⊕	1
	70/	F(76)		D0ZZ 76610A88-A	D0ZZ 76610A88-A	2


GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
610B90	**LEVER - FRONT SEAT BACK PIVOT SHAFT**				
	72	S		D2SZ 65610B90-A	1
61097-8	**SPRING - FRONT SEAT BACK LATCH**				
	68	A, B, X	Used with full width seat	C8AZ 6261097-A	2
	69	A	Used with full width seat with recliner		2
	70/	A	Used with full width or split seat	D0AZ 6261097-A	2
	70	X(62)			2
	70/71	A	R. H.-Use with bucket seats-use on pawl-free length 1/2"-8 1/2 coils with 2 tangs	D0ZZ 6561097-C	1
			L. H.	D0ZZ 6561097-D	1
	70/71	B(63, 65, 66, 76)	Use with split bench-free length 1 1/4"-10 3/4 coils	D0AZ 6261097-A	4
	70/71	B(63, 65, 66, 76)	R. H. -use on pawl-bucket seat-free length 1/2"-8 1/2 coils with 2 tangs	D0ZZ 6561097-C	1
			L. H.	D0ZZ 6561097-D	1
	72	B(63, 65, 97)	R.H.	D2OZ 6561097-A	1
			L.H.	D2OZ 6561097-B	1
	68/69	F, U(96, 98)	R. H. -full width or bucket seat	C8ZZ 6561097-A	1
	69	A(63B, 65C, 76A)	R. H. -used with bucket seat		2
			L. H.	C8ZZ 6561097-B	1
	70	F	R. H. -use with bucket seat-free length 1/2"-8 1/2 coils	D0ZZ 6561097-C	1
			L. H. -free length 1/2"-8 1/2 coils	D0ZZ 6561097-D	1
	70	F	Bucket seat-free length 1 1/4"-10 3/4 coils	D0AZ 6261097-A	2
	71/	F		D1ZZ 6561097-A	2
	71/	L		D1ZZ 6561097-A	2
	70/	P	R. H. - w/full width seat	D0DZ 6261097-A	1
			L. H.	D0DZ 6261098-A	1
	71/	P	W/bucket seats	D1ZZ 6561097-A	2
	70/	U	Full width seat	D0BZ 9661097-A	1

⊕ Use black

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
61097-8	**SPRING - FRONT SEAT BACK LATCH - continued**				
	68/69	S	Used with reclining seat-pivot	C8SZ 6561097-B	2
	68/69	S	Used with full width or bucket seat-seat back latch	C8SZ 6561097-A	2
	70/71	S(65)	Free length-1 1/4"-10 3/4 coils	D0AZ 6261097-A	4
			Also use as an assist spring for front seat back adjust lever		2
	72	S	R.H.	D2OZ 6561097-A	1
			L.H. -also used with reclining seat	D2OZ 6561097-B	1
	70/	U	Use w/bkt. seats-free length-1 1/4"-10 3/4 coils	D0AZ 6261097-A	1
	70/	U	R. H. -use with bucket seat at pawl-free length 1/2"-8 1/2 coils with 2 tangs	D0ZZ 6561097-C	1
			L. H.	D0ZZ 5561097-D	1
	70/	U	Full width seat	D0BZ 9661097-A	1
61097-8	**SPRING - REAR SEAT BACK LATCH HANDLE**				
	68/	A(71), B(71)		C8AZ 7161097-A	2
	65	A(71), B(71)	R. H.	C2AZ 7161097-A	1
	65/67	A(54)	Use with folding rear seat		1
	66	A(71)			1
	66/70	X(71)			2
			L. H.	C2AZ 7161098-A	1
			Pin-roll-1/8" x 7/8"	352146-S (NN99)	2
611C02	**ORNAMENT-SEAT BELT BUCKLE**				



TYPE 1



TYPE 2



TYPE 3

P-10769

	72	A,B,F,L,P,S	Type 1	D2AZ 65611C02-A	6
			Type 2	D2AZ 65611C02-B	6
			Type 3	D2AZ 65611C02-C	6
611B12	**BRACKET - FRONT SEAT HEAD REST MOUNTING - REAR**				
	69	A "Before 1/1/69"	Full width or split seat	C9AZ 62611B12-B	2
	69	B,X "Before 1/1/69"	Full width seat	C9MZ 65611B12-A	2
	69/	A "From 1/1/69"	Full width,split or bucket seat	C9AZ 62611B12-A	2
	69	B,X "From 1/1/69"	Full width seat		2
	69/71	B,X	Bucket seat	C9OZ 65611B12-B	2
	70/71	A(54C,57F,65A)			2
	69	F,S "Before 1/1/69"	Bucket seat	C9AZ 62611B12-A	2
	69/70	F,S "From 1/1/69"	Bucket seat	C9OZ 63611B12-A	2
	72	L		C9AZ 62611B12-A	2
	70/	P	Full width seat	C9AZ 62611B12-A	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
61118	**SUPPORT - REAR SEAT TO FLOOR**				
	68/71	B(63)		C8OZ 6361118-A	2
611C22	**EXTENSION ASSY. - SEAT BELT**				
	72	L	Use with 19E535 Tot Guard Kit-rear seat only	†D3FZ 62611C22-B	1
			Use with 19E535 Tot Guard Kit-rear seat only	▲D3FZ 62611C22-A	1
611B24	**PIN - FRONT SEAT BACK PIVOT**				
	72	B(63,65,97)		D2OZ 65611B24-A	2
	72	S "From 10/15/71"			2
	72	S "Before 10/15/71"		D2SZ 65611B24-A	2
611B32	**PLUG - SEAT BELT RETRACTOR COVER BOLT ACCESS**				
	70/71	A,B,F,L,P,S,X	Use to plug hole in retractor		
			Aqua	D0AZ 62611B32-C	2
			Black	D0AZ 62611B32-A	2
			Blue (dark)	D0AZ 62611B32-J	2
			Blue (medium)	D0AZ 62611B32-H	2
			Ginger	D0AZ 62611B32-B	2
			Gray-1970	D0AZ 62611B32-F	2
			Gray (gold)-1971	D1AZ 62611B32-B	2
			Green (dark)-1970	D0AZ 62611B32-L	2
			Green (dark)-1971	D1AZ 62611B32-A	2
			Green (medium)	D0AZ 62611B32-K	2
			Nugget	D0AZ 62611B32-D	2
			Red	D0AZ 62611B32-G	2
			Tobacco	D0AZ 62611B32-E	2
	72	A, B, S	**SQUARE**		
			Black	D2SZ 65611B32-E	2
			Blue ●	D2SY 65611B32-G	2
			Blue $	D2SZ 65611B32-C	2
			Gray Gold	D2SY 65611B32-B	2
			Green ●	D2SZ 65611B32-F	2
			Green $	D2SZ 65611B32-A	2
			Red	D2SZ 65611B32-B	2
			Tobacco	D2SZ 65611B32-D	2
			ROUND		
			Black	D0AZ 62611B32-A	2
			Blue	D0AZ 62611B32-H	2
			Gray Gold	D1AZ 62611B32-B	2
			Green	D2AZ 62611B32-B	2
			Red	D0AZ 62611B32-G	2
			Tobacco	D2AZ 62611B32-A	2
	72	F, L, P	**SQUARE**		
			Avocado	D2FZ 62611B32-C	2
			Beige	D2ZZ 65611B32-G	2
			Black	D2ZZ 65611B32-D	2
			Blue	D2ZZ 65611B32-A	2
			Ginger	D2ZZ 65611B32-F	2
			Green	D2ZZ 65611B32-E	2
			Orange	D2FZ 62611B32-D	2
			ROUND		
			Beige	D2DZ 62611B32-B	2
			Black	D0AZ 62611B32-A	2
			Blue	D0AZ 62611B32-H	2
			Ginger	D0AZ 62611B32-B	2
			Gray Gold	D1AZ 62611B32-B	2
			Green	D1AZ 62611B32-A	2
			Vermilion	D2DZ 62611B32-A	2

● - Exc. Thunderbird $ - Thunderbird † - Standard ▲ - Deluxe

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
611B32	**PLUG - SEAT BELT RETRACTOR COVER BOLT ACCESS - continued**				
	72	L	Avocado-round	D2FZ 62611B32-A	2
			Orange-round	D2FZ 62611B32-B	2
			Avocado-round	D3AZ 65611B32-E	2
			Orange-round	D3AZ 65611B32-D	2
	72	P(54,62A)	Tan	D2DZ 62611B32-C	2
61138	**MOULDING - REAR SEAT BACK TOP -INCLUDES ATTACHING PARTS**				
	69/	A(76)		C9AZ 7661138-A	1
	69/	A(76)	Screw-No. 8-18 x 1/2" self tap	381969-S2(UU89A)	9
61140	**COVER - FRONT SEAT BELT ANCHOR BOLT (BOOT)**				
	69	S	Black-use with center belt	D0MY 6261140-A	2
			Blue	D0MY 6261140-J	2
			Nugget Gold	D0MY 6261140-D	2
	70/72	A,S "Before 4/3/72"	Black-at tunnel	D0MY 6261140-A	2
			Blue	D0MY 6261140-J	2
			Ginger	D0MY 6261140-E	2
			Green	D0MY 6261140-G	2
			Nugget	D0MY 6261140-D	2
			Red	D0MY 6261140-F	2
			Tobacco	D0MY 6261140-B	2
	72	A "From 4/3/72 to 7/17/72"	Black-at tunnel	D3AZ 6561140-T	2
			Blue	D2AZ 6561140-D	2
			Gold	D2AZ 6561140-N	2
			Green	D2AZ 6561140-E	2
			Red	D2AZ 6561140-K	2
			Tobacco	D2AZ 6561140-F	2
	72	A "From 7/17/72"	Black-at tunnel	D3OZ 6561140-E	2
			Blue	D3OZ 6561140-A	2
			Green	D3OZ 6561140-C	2
			Red	D3OZ 6561140-B	2
			Tobacco	D3OZ 6561140-D	2
	72	B	Black-at tunnel	D2AZ 6561140-T	2
			Blue	D2AZ 6561140-G	2
			Ginger	D2AZ 6561140-B	2
			Gold	D2AZ 6561140-N	2
			Green	D2AZ 6561140-S	2
	72	F	Black-at tunnel	D2AZ 6561140-T	2
			Blue	D2AZ 6561140-D	2
			Green	D2AZ 6561140-E	2
			Red	D2AZ 6561140-K	2
			Tobacco	D2AZ 6561140-F	2
	72	L	Avocado-at tunnel	D2AZ 6561140-M	2
			Beige	D2AZ 6561140-H	2
			Black	D2AZ 6561140-T	2
			Blue	D2AZ 6561140-D	2
			Ginger	D2AZ 6561140-P	2
			Green	D2AZ 6561140-E	2
			Orange	D2AZ 6561140-C	2
	72	P	Beige-at tunnel	D2AZ 6561140-H	2
			Black	D2AZ 6561140-T	2
			Blue	D2AZ 6561140-D	2
			Ginger	D2AZ 6561140-P	2
			Tan	D2AZ 6561140-R	2
	72	S "From 4/3/72"	Black-at tunnel	D2AZ 6561140-T	2
			Blue	D2AZ 6561140-L	2
			Gold	D2AZ 6561140-N	2
			Green	D2AZ 6561140-J	2
			Red	D2AZ 6561140-K	2
			Tobacco	D2AZ 6561140-F	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
61140	**COVER - FRONT SEAT BELT RETRACTOR (BOOT)** - Also Refer to group 610A88-9				
61142-3	**LATCH ASSY. - AUXILIARY SEAT BACK FLOOR** - Paint to Match				
	69/	A(71)	R.H. -Includes attaching parts	C9AZ 7161142-A	1
			L.H.	C9AZ 7161143-A	1
	69/	A(71)	Screw-pan head-No.8-32 x 1/4"	51751-S8 (U365)	1
	68/	B(71)	R.H. -with auxiliary seat	C8OZ 7161142-A	1
			L.H.	C8OZ 7161143-A	1
	68/	B(71)	Without auxiliary seat-refer to Group 11500-1		
611A42-3	**FILLER - FRONT SEAT LOWER CORNER**				
	69/70	A(62, 63, 65, 76)	R.H.	C9AZ 62611A42-A	1
	69/71	A(54C, 57C)	R.H. -use with split seat		1
	70	A(54A, 57B, 65C, 71A, B, C, E)	R.H. -use with reclining full width seat		1
			L.H.	C9AZ 62611A43-A	1
	71/	A(65, 76)	R.H.	D1AZ 65611A42-A	1
			L.H.	D1AZ 65611A43-A	1
61144-5	**MOULDING - REAR SEAT BACK OUTER** - Refer to Group 61138				
611B46	**RETAINER - SEAT BELT SHIELD**				
	72	A	Front and rear	D2AZ 65611B46-A	2or4
611B60	**BELT ASSY. - CENTER PASSENGER** - Refer to Group 611A72-3 or 613B84-5				
611A70	**SHIELD - FRONT SEAT BELT**				
	65/66	A(54, 57, 71)		C5AZ 54611A70-A	2
	66	A(63C, D, 76B, D), S	Used with power seat		1or2
	67/71	A(53, 54, 57, 71)	Full width seat		2
			Screw-pan head, cross recess-No. 10-12 x 5/8"	*52735-S8	4
	72	A, S	Black	D2AZ 65611A70-A	2
			Blue	D2AZ 65611A70-J	2
			Gold	D2AZ 65611A70-E	2
			Green	D2AZ 65611A70-H	2
			Tobacco	D2AZ 65611A70-G	2
			White	D2AY 65611A70-A	2

611A72-3 BELT ASSY. - FRONT SEAT COMPLETE

BODY TYPE		R/L	PART NUMBER LESS SUFFIX	RETRC. or NON-RETRC.	INCL. S HARNESS	COLORS and APPLICABLE PART NUMBER SUFFIXES											QTY.
						AQUA	BLACK	BLUE	BURGUNDY	EMBER-GLO	IVY GOLD	PALOMINO	PARCHMENT	RED	SADDLE	SILVER	
1966																	
A	*		†C6AZ 62611A72	N		FAF			FAH	FAG	FAE		FAJ	FAC		FAK	2
	*	R	†C7AZ 62611A72	R			C1A	C1B									1
	*	L	†C7AZ 62611A73	R			B1A	⊕									1
A	*		#C6AZ 62611A72	R						KAG	KAE			KAC		KAK	2
	*	R	#C7AZ 62611A72	R		⊕	A1A		⊕				⊕				1
	*	L	#C7AZ 62611A73	R		⊕	A1A	⊕	⊕				⊕				1
B(54, 62, 63, 71)	*		†C6OZ 62611A72	N		CAF		CAD		CAG	⊕			CAC			2
	*		†C7OZ 62611A72	N			B1A						⊕				2
	*		#C6OZ 62611A72	R		⊕	GAB	GAD		⊕			⊕	GAC			2
	*	R	#C7OZ 76611A72	R			A1A	⊕									
	*	L	#C7OZ 76611A73	R			A1A	⊕		⊕	⊕			⊕			1
B(76)	*		#C6AZ 62611A72	N		FAF			FAH	FAG	FAE		FAJ	FAC		FAK	2
	*	R	†C7AZ 62611A72	N			C1A	C1B									1
	*	L	†C7AZ 62611A73	N			B1A	B1B									1
	*		†C6AZ 62611A72	R						KAG	KAE		KAJ	KAC		KAK	2
	*	R	#C7AZ 62611A72	R		⊕	A1A	A1B	⊕								1
	*	L	#C7AZ 62611A73	R		⊕	A1A	⊕									1

* Includes attaching parts † With finger tip release # With push button release ⊕ Use black

611A72-3 BELT ASSY. - FRONT SEAT COMPLETE - continued

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	RETRC. or NON-RETRC.	INCL. S/ HARNESS	COLORS and APPLICABLE PART NUMBER SUFFIXES: AQUA	BLACK	BLUE	BUR-GUNDY	EMBER-GLO	IVY GOLD	PALO-MINO	PARCH-MENT	RED	SADDLE	SILVER	QTY.
1966																
F(63, 65) *		†C6OZ 62611A72	N		⊕	GAB	⊕	⊕	⊕	⊕		⊕	CAC			2
*		†C7OZ 62611A72	R			B1A	B1B					⊕				2
*	R	#C7OZ 76611A72	R			A1A	⊕									1
*	L	#C7OZ 76611A73	R			A1A	⊕			⊕						1
F(63, 65) * "Before 3/28/66"		#C6OZ 62611A72	R		DAF	DAB	GAD		GAG			⊕	GAC			2
F(63, 65) * "From 3/28/66 to 5/16/66"		#C6OZ 62611A72	R		⊕	GAB						⊕	GAC			2
F(63, 65) * "From 5/16/66"		#C6ZZ 65611A72	R		DAF	DAB	⊕		DAG	DAE		DAJ	DAC			2
F(76) *		†C6ZZ 76611A72	N		⊕	DAB	⊕		⊕	⊕		⊕	⊕			2
F(76) * "Before 5/16/66"		#C6ZZ 76611A72	N		⊕	EAB	⊕		⊕	⊕		⊕	⊕			2
F(76) * "From 5/16/66"		#C6ZZ 76611A72	N		⊕	EAB	⊕		⊕	⊕		⊕	⊕			2
S "Before 11/15/65" *	R	#C6SZ 63611A72	R				⊕		CAG	⊕	⊕		CAC		CBA	1
*	R	#C7SZ 65611A72	R		⊕	B1A						⊕				1
*	L	#C6SZ 63611A73	R		BAF	BAB	⊕	BAH	BAG	BAE	BBB	BAJ	BAC		BBA	1
		Left Hand Includes Seat Belt Warning Switch														
S "From 11/15/65" *		#C6SZ 63611A72	R				⊕		CAG	⊕			CAC		CBA	2
*		#C7SZ 65611A72	R		⊕	B1A						⊕				2
		Used with Time Delay Seat Belt Warning Lamp Switch														
U-front		C6TZ 81611A72				AAB										2
-rear																2
X *		†C6OZ 62611A72	N		CAF		CAD		CAG	CAE			CAC			2
*		†C7OZ 62611A72	N			B1A						⊕				2
X "From 3/28/66" *		#C6OZ 62611A72	R		GAF	GAB						⊕	GAC			2
X "Before 3/28/66" *		#C6OZ 62611A72	R		GAF	GAB	GAD		GAG			DAJ	⊕			2
X *	R	#C7OZ 76611A72	R			A1A	⊕									1
*	L	#C7OZ 76611A73	R			A1A	⊕			⊕						1

MODEL	PART NUMBER	DESCRIPTION	QTY.
A, B (76)	380527-S13(BB453D)	Bolt-hex. head, shoulder 7/16"-20 x 1 1/8"	2
A, B (76)	380528-S13(BB449C)	Bolt-hex. head, shoulder 7/16"-20 x 1 1/4"	2
B(54, 62, 63, 71), F, S, X			4
A, B (76)	359820-S8(XX203)	Washer-flat-9/16"	2
B(54, 62, 63, 71), F, S, X			4
A, B (76), U	★34921-S13	Lockwasher-spring-7/16"	AR
B(54,62,63,71),F(63,65),X	354959-S(XX178C)	Washer-flat-7/16" (rubber)	2
U	379936-S13(BB481E)	Bolt-hex. head, shoulder 7/16"-20 x 7/8"	4or8

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	RETRC. or NON-RETRC.	INCL. S/ HARNESS	COLORS and APPLICABLE PART NUMBER SUFFIXES: AQUA	BLACK	BLUE	BUR-GUNDY	EMBER-GLO	IVY GOLD	PALO-MINO	PARCH-MENT	RED	SADDLE	SILVER	QTY.
1967																
A *	R	#C7AZ 62611A72	R		A1K	A1A	⊕			⊕		⊕	⊕	⊕	⊕	1
*	L	#C7AZ 62611A73	R			A1A	⊕			⊕		⊕	A1D	⊕	⊕	1
A *	R	†C7AZ 62611A72	R			C1A	⊕					C1U				1
*	L	†C7AZ 62611A73	R													1
A-center *		†C7AZ 62611A72				F1A	⊕					⊕				1
*		#C7AZ 62611A72					⊕			⊕		⊕	⊕	G1F		1
*		#C8MY 54611A72				F1A										1

* Includes attaching parts † With finger tip release # With push button release ⊕ Use black

COPYRIGHT © 1975— FORD MOTOR COMPANY —DEARBORN, MICHIGAN
FINAL ISSUE

611A72-3 BELT ASSY. - FRONT SEAT COMPLETE - continued

1967

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	RETRC. or NON-RETRC.	INCL. S/ HARNESS	COLORS and APPLICABLE PART NUMBER SUFFIXES											QTY.
					AQUA	BLACK	BLUE	BUR-GUNDY	EMBER-GLO	IVY GOLD	PALO-MINO	PARCH-MENT	RED	SADDLE	SILVER	
B(54, 62, 63, 66, 71) *		#C7OZ 62611A72	R		⊕	A1A	A1B			A1G		A1U	A1D	A1F		2
*		†C7OZ 62611A72	R			B1A	B1B					⊕				2
B(76) *	R	#C7OZ 76611A72	R		⊕	A1A	⊕			⊕		⊕	⊕	⊕		1
*	L	#C7OZ 76611A73	R		⊕	A1A	⊕			⊕		⊕	⊕	⊕		1
B(76) *	R	†C7OZ 76611A72	R			B1A	⊕					⊕				1
*	L	†C7OZ 76611A73	R			B1A	⊕					⊕				1
B-center *		†C7AZ 62611A72				F1A	F1B					F1U				1
*		#C7AZ 62611A72			⊕	G1A	G1B			G1G		G1U	G1D	G1F		1
F(63, 65) *		#C7ZZ 65611A72	R		⊕	D1A	⊕			⊕		⊕	⊕	⊕		2
F(76) *		#C7ZZ 76611A72	N		⊕	A1A	⊕			⊕		⊕	⊕	⊕		2
*		†C7ZZ 76611A72	N			B1A	⊕					⊕				2
F(63, 65-exc. Shelby-GT350/500) *		†C7ZZ 65611A72	R			B1A	B1B					⊕				2
F(63-Shelby GT350/500)		S7MS 65611A72-A	Includes Emblem													2
S *		#C7SZ 65611A72	R		B1K	B1A	⊕			⊕		B1U	⊕	⊕	⊕	2
U-front *		C7TZ 81611A72				D1A										2
-rear						D1A										2
X *		#C7OZ 62611A72	R		⊕	A1A	A1B			A1G		A1U	⊕	⊕		2
*		†C7OZ 62611A72	R			B1A	⊕					⊕				2
X-center *		†C7AZ 62611A72				F1A	F1B					F1U				1
*		#C7AZ 62611A72			⊕	G1A	G1B			G1G		G1U	G1D	G1F		1

MODEL	PART NUMBER	DESCRIPTION	QTY.
A, B (76), S	★381870-S100	Bolt-hex. head, shoulder 7/16"-20 x 1 1/2"	AR
A, B (76)	382627-S100(UU156)	Bolt-hex. head, shoulder 7/16"-20 x 2"	2
B(54, 62, 63, 66, 71)-side, F, X			4
U			4or8
A, B (76)	356420-S13(XX167A)	Washer-flat-7/16"	2
B(54, 62, 63, 66, 71)-side, F, X			4
A, B(76), U	382583-S100(XX340AC)	Washer-serrated-1/2"	AR
A-center, B-center, X-center	359820-S8(XX203)	Washer-flat-9/16"	2
A-center, B-center, X-center	★381874-S100	Bolt-hex. head, shoulder 7/16"-20 x 2"	2
A-center, B-center, X-center	★382072-S100	Washer-flat-1/2"	2
B(54, 62, 63, 66, 71)-side	354959-S(XX178C)	Washer-flat-7/16" (rubber)	2
F, X			4
S	351453-S8(XX186)	Washer-flat-1/2"	2

1968

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	RETRC. or NON-RETRC.	INCL. S/ HARNESS	COLORS and APPLICABLE PART NUMBER SUFFIXES											QTY.
					AQUA	BLACK	BLUE	BUR-GUNDY	EMBER-GLO	IVY GOLD	PALO-MINO	PARCH-MENT	RED	SADDLE	SILVER	
A	R	‡C8AZ 62611A72			E1K	E1A	E1B			⊕	⊕	E1U	⊕			1
	L	‡C8AZ 62611A73			E1K	E1A	⊕			E1G	⊕	E1U	E1D			1
A	R	◊C8AZ 62611A72				F1A	F1B					⊕				1
	L	◊C8AZ 62611A73				F1A	⊕					F1U				1
A-center		‡C8AZ 62611A72			⊕	G1A	G1B			G1G	G1Y	G1U	⊕	⊕		1
		◊C8AZ 62611A72				H1A	H1B					H1U				1
B(except 76)		‡C8WZ 65611A72			B1K	B1A	B1B			B1G	B1Y	B1U	B1D			2
		◊C8ZZ 65611A72					E1B									2

* Includes attaching parts † With finger tip release # With push button release ⊕ Use black
◊ Plastic buckle ‡ Chrome and plastic buckle

611A72-3 BELT ASSY. - FRONT SEAT COMPLETE - continued

1968

BODY TYPE	R-L	PART NUMBER LESS SUFFIX	RETRC. or NON-RETRC.	INCL. S. HARNESS	COLORS and APPLICABLE PART NUMBER SUFFIXES: AQUA	BLACK	BLUE	GINGER	GREEN	IVY GOLD	NUGGET GOLD	PARCHMENT	RED	SADDLE	TOBACCO	QTY.
B(76)		‡C8OZ 76611A72				F1A	⊕					⊕	⊕			2
		◊C8OZ 76611A72					E1B									2
B-center		‡C8AZ 62611A72			⊕	G1A	G1B			G1G	G1Y	G1U	G1D	G1F		1
		◊C8AZ 62611A72				H1A	H1B					H1U				1
F(63, 65-except Shelby GT350/500)		‡C8WZ 65611A72			B1K	B1A	B1B			B1G	B1Y	B1U	B1D			2
F(76-exc. Shelby-GT350/500)		‡C8ZZ 76611A72	N		⊕	E1A	⊕			⊕	⊕	⊕	⊕			2
		◊D1TZ 10611B60	N			E										2
S-full width seat	R	‡C8SZ 65611A72			⊕	G1A	⊕			⊕	⊕	⊕	⊕	⊕		1
	L	‡C8SZ 65611A73			⊕	G1A	⊕			⊕	⊕	⊕	⊕	⊕		1
S-full width seat	R	◊C8SZ 65611A72				E1A	⊕					⊕				1
	L	◊C8SZ 65611A73				E1A	⊕					⊕				1
S-bucket seat		‡C8SZ 65611A72			⊕	M1A	⊕			⊕	⊕	⊕	M1D	⊕		2
S-center		‡C8AZ 62611A72			G1K	G1A	G1B			G1G	G1Y	G1U	G1D	G1F		1
		◊C8AZ 62611A72				H1A	H1B					H1U				1
U-front & rear seat		◊C9TZ 81611A72	N			C1A										AR
U	R	‡C9TZ 96611A72	R									B2U				1
	L	‡C9TZ 96611A73	R									B2U				1
X		‡C8WZ 65611A72			B1K	B1A	B1B			B1G	B1Y	B1U	B1D			2
		◊C8ZZ 65611A72					E1B									2
X-center		‡C8AZ 62611A72			G1K	G1A	G1B			G1G	G1Y	G1U	G1D	G1F		1
		◊C8AZ 62611A72				H1A	H1B					H1U				1

MODEL	PART NUMBER	DESCRIPTION	QTY.
OUTBOARD BELT			
A,B(76),S	382624-S100(UU170)	Bolt-torx head, tapping-7/16"-20 x 1 3/8"	2
B(exc.76),F,U,X	382627-S100(UU156)	Bolt-torx head, tapping-7/16"-20 x 1 3/4"	2
B(exc.76),F,U,X	382629-S100(XX173AA)	Washer-flat-7/16"	2
F	354959-S100(XX178C)	Washer-flat-1/2" x 9/64" thick-rubber	4
INBOARD BELT			
A(w/3 belts),B(w/3 belts), X(w/3 belts)	382628-S100(UU157)	Bolt-torx head, tapping-7/16"-20 x 2 1/4"	2
A(w/2 belts),B(w/2 belts),F,U, X(w/2 belts)	382627-S100(UU156)	Bolt-torx head, tapping-7/16"-20 x 1 3/4"	2
S	382624-S100(UU170)	Bolt-torx head, tapping-7/16"-20 x 1 3/8"	2
A(w/3 belts),B(w/3 belts), S(w/3 belts),X(w/3 belts)	382582-S100(XX179A)	Washer-flat-1/2"	4
A(w/2 belts),B(w/2 belts), F,U(w/3 belts),X(w/2 belts)			2
A,B,F,S(w/3 belts),U,X	382629-S100(XX173AA)	Washer-flat-7/16"	2
S	382583-S100(XX340AC)	Washer-serrated-1/2"	2
U	354959-S100(XX178C)	Washer-flat-1/2" x 9/64" thick-rubber	4
SHOULDER STRAP			
A,B,F,S(w/bench seat),U,X	382517-S100(BB445LD)	Bolt-hex.,shoulder,locking-3/8"-16 x 1 1/2"	2
S(w/bucket seat)-upper			2
S(w/bucket seat)-lower	382627-S100(XX156)	Bolt-torx head, tapping-7/16"-20 x 1 3/4"	2
A,B,F,S,U,X		Spacer - refer to Group 60228	
U	382548-S100(XX163)	Washer-flat-3/8"	2
U	382535-S100(MM173MX)	Nut-hex.-3/8"-16	2

‡ Chrome and plastic buckle ◊ Plastic buckle ⊕ Use black

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

611A72-3 BELT ASSY. - FRONT SEAT COMPLETE - continued

1969

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	RETRC. or NON-RETRC.	INCL. S/ HARNESS	COLORS and APPLICABLE PART NUMBER SUFFIXES											QTY.
					AQUA	BLACK	BLUE	GINGER	GREEN	IVY GOLD	NUGGET GOLD	PARCHMENT	RED	SADDLE	TOBACCO	
UNLESS OTHERWISE INDICATED, BELTS SHOWN ARE STANDARD LENGTH WITH DELUXE BUCKLE																
A(except 76)		‡C9AZ 62611A72	R	Yes	H1K	H1A	H1B			H1G	H1Y		H1D			2
A(76)		‡C9AZ 76611A72	R	No		D2A	⊕			⊕	D2Y		⊕			2
A-center, rear and auxiliary seat		‡C9AZ 62611A72	N		⊕	K1A	K1B			K1G	K1Y		K1D			AR
B(except 76)		‡C9ZZ 65611A72	R	Yes	F2K	F2A	F2B			F2G	F2Y		F2D	F2F		2
B(76)		‡C9OZ 76611A72	R			F2A							⊕			2
B-center, rear and auxiliary seat		‡C9AZ 62611A72	N		K1K	K1A	K1B			K1G	K1Y		K1D			AR
F(63, 65)		‡C9ZZ 65611A72	R	Yes	F2K	F2A	F2B			F2G	F2Y		F2D	F2F		2
F(76)		‡C9ZZ 76611A72	N		⊕	B1A	⊕			⊕	⊕		⊕	⊕		2
F-center & rear seat		‡C9AZ 62611A72	N		K1K	K1A	K1B			K1G	K1Y		K1D			AR
S		‡C9AZ 62611A72	R	Yes	H1K	H1A	H1B			H1G	H1Y		H1D			2
S-center & rear seats		‡C9AZ 62611A72	N		K1K	K1A	K1B			K1G	K1Y		K1D			AR
U	R	‡C9TZ 96611A72	R									B2U				1
	L	‡C9TZ 96611A73	R									B2U				1
U-center & rear seats		#C8AZ 71613B84										D1U				AR
X		‡C9ZZ 65611A72	R	Yes	F2K	F2A	F2B			F2G	F2Y		F2D	F2F		2
X-center & rear seat		‡C9AZ 62611A72	N		K1K	K1A	K1B			K1G	K1Y		K1D			AR

MODEL	PART NUMBER	DESCRIPTION	QTY.
OUTBOARD BELT (FRONT SEAT)			
A,B(76),S	382624-S100(UU170)	Bolt-torx head, tapping-7/16"-20 x 1 3/8"	2
B(exc.76),F(exc.76),U,X	382627-S100(UU156)	Bolt-torx head, tapping-7/16"-20 x 1 3/4"	2
A,S	382582-S100(XX179A)	Washer-flat-1/2"	2
F(exc.76),U	354959-S(XX178C)	Washer-flat-1/2" x 9/64" thick-rubber	4
B(exc.76),F(exc.76),U,X	382629-S100(XX173AA)	Washer-flat-7/16"	2
INBOARD BELT (FRONT SEAT)			
A,B,F,S,U(w/1 or 2 belts),X	382627-S100(UU156)	Bolt-torx head, tapping-7/16"-20 x 1 3/4"	2
U(w/3 belts)	382628-S100(UU157)	Bolt-torx head, tapping-7/16"-20 x 2 1/4"	2
A,B,F,S,U,X	382629-S100(XX173AA)	Washer-flat-7/16"	2
U(w/2 belts)	382582-S100(XX179A)	Washer-flat-1/2"	2
U(w/3 belts)			4
SHOULDER STRAP (FRONT SEAT)			
A,B,F,S,U,X	382626-S100(UU175)	Bolt-torx head, tapping-3/8"-16 x 1 1/2"	2
U	382535-S100(MM173MX)	Nut-hex.-3/8"-16	2
A,B,F,S,U,X		Spacer - refer to Group 60228	
U	★382554-S100	Washer-spring lock-3/8"	2
U	382548-S100(XX163)	Washer-flat-3/8"	2
OUTBOARD BELT (REAR SEAT)			
A,B,F,S,X	382624-S100(UU170)	Bolt-torx head, tapping-7/16"-20 x 1 3/8"	2
U	382627-S100(UU156)	Bolt-torx head, tapping-7/16"-20 x 1 3/4"	2
U	382629-S100(XX173AA)	Washer-flat-7/16"	2
U	354959-S(XX178C)	Washer-flat-1/2" x 9/64" thick-rubber	4
A,B,F,S,X	382583-S100(XX340AC)	Washer-serrated-1/2"	2
INBOARD BELT (REAR SEAT)			
A,B,S(57),U	382627-S100(UU156)	Bolt-torx head, tapping-7/16"-20 x 1 3/4"	2
F,S(65)	382624-S100(UU170)	Bolt-torx head, tapping-7/16"-20 x 1 3/8"	2
A,B,S(57),U	382629-S100(XX173AA)	Washer-flat-7/16"	2
A,B,S(57),U(w/2 belts)	382582-S100(XX179A)	Washer-flat-1/2"	2
U(w/1 belt)	354959-S(XX178C)	Washer-flat-1/2" x 9/64" thick-rubber	4
F,S(65)	382583-S100(XX340AC)	Washer-serrated-1/2"	2
SHOULDER STRAP (REAR SEAT)			
U(98)	382626-S100(UU175)	Bolt-torx head, tapping-3/8"-16 x 1 1/2"	2
U(98)		Spacer - refer to Group 60228	
U(98)	★382554-S100	Washer-spring lock-3/8"	2
AUXILIARY SEAT			
A(71),B(71)	382624-S100(UU170)	Bolt-torx head, tapping-7/16"-20 x 1 3/8"	4
A(71),B(71)	382583-S100(XX340AC)	Washer-serrated-1/2"	4

‡ Chrome and plastic buckle # With push button release ⊕ Use black

611A72-3 BELT ASSY. - FRONT SEAT COMPLETE - continued

1970

BODY TYPE	• LOC.	PART NUMBER LESS SUFFIX	RETRC. or NON-RETRC.	INCL. S. HARNESS	COLORS and APPLICABLE PART NUMBER SUFFIXES											QTY.
					AQUA	BLACK	BLUE	GINGER	GREEN	IVY GOLD	NUGGET GOLD	PARCHMENT	RED	SADDLE	TOBACCO	
UNLESS OTHERWISE INDICATED, BELTS SHOWN ARE STANDARD LENGTH WITH DELUXE BUCKLE																
A(exc.76)	R	D0AZ 62611A72	R	Yes	G	A	C	E	H		F	D	B			1
	L	D0AZ 62611A73	R	Yes	G	A	C	E	H		F	D	B			1
	R	♦D0AZ 62611A72		Yes		L										1
	L	♦D0AZ 62611A73		Yes		L										1
A(76)	R	D0MZ 76611A72	R	No		E	B	C	F		G	A	D			1
	L	D0MZ 76611A73	R	No		E	B	C	F		G	A	D			1
A-center		♦D0AZ 62611A72	N	No		M										1
		D0MZ 76611A72	N	No	T	N	J	K	R		M	H	L			1
B(54, 62, 63, 65, 71)		D0ZZ 65611A72	R	Yes		J	G	H	K		L	F	M			2
		♦D0ZZ 65611A72				N										2
B(57)		D0OZ 57611A72	R	Yes		E	B		F		D		C			2
		♦D0OZ 57611A72				G										2
B(66)		D0OZ 66611A72	R	Yes			B	D	G		H	E	C			2
		D2ZZ 76611A72	N	No		C										2
B(76)		D0OZ 76611A72	R	No		E	B	⊕				⊕	⊕			2
		D2ZZ 76611A72	N	No								B				2
B-center		D0MZ 76611A72	N	No		N	J	K	R		M	H	L			1
B(exc.66,76)-center		♦D0OZ 65611A72				A										1
B(76)-center		♦D0DZ 62611A72				U										1
F(63, 65)		D0ZZ 65611A72	R	Yes		J	G	H	K			F				2
		♦D0ZZ 65611A72				N										2
F(76)		D0ZZ 76611A72	N	No		B	A	E	C							2
P		D0DZ 62611A72	N	Yes		A	B				E					2
P-with 4 point belt assemblies "Before 10/1/69"		D0DZ 62611A72	R	Yes		K	F				J		G			2
P-with 4 point belt assemblies "From 10/1/69"		D0DZ 62611A72	R	Yes		S	L				R		M			2
P-with 3 point belt assemblies		D0ZZ 65611A72	R	Yes		E	C				B		D			2
S	R	D0AZ 62611A72	R	Yes		A	◊C	E	H		F	D	B		J	1
	L	D0AZ 62611A73	R	Yes		A	◊C	E	H		F	D	B		J	1
	R	D0AZ 62611A72	R	Yes			@K									1
	L	D0AZ 62611A73	R	Yes			@K									1
	R	♦D0AZ 62611A72				L										1
	L	♦D0AZ 62611A73				L										1
S-center		D0AZ 76611A72	N	No			@B									1
		♦D0AZ 62611A72				M										1
		D0MZ 76611A72	N	No		N	◊J	K	R		M	H	L		S	1
U-full width seat	R	C9TZ 96611A72	R	No								B2U				1
	L	C9TZ 96611A73	R	No								B2U				1
U-bucket seat	R	D0BZ 10611A72	R	No								F				1
	L	D0BZ 10611A73	R	No								F				1
U-center, front or rear		D0BZ 10611A72	N	No		E	B		D			A	C			AR
X		C9ZZ 65611A72	R	Yes	F2K	F2A	F2B			F2G	F2Y		F2D	F2F		2
X-center		C9AZ 62611A72	N	No	K1K	K1A	K1B			K1G	K1Y		K1D			AR

MODEL	PART NUMBER	DESCRIPTION	QTY.
OUTBOARD BELT			
A,B(57,76),S,U(w/bucket seat)	382624-S100(UU170)	Bolt-torx head, tapping-7/16"-20 x 1 3/8"	2
B(exc.57,76),F,P,U(w/bench seat)	382627-S100(UU156)	Bolt-torx head, tapping-7/16"-20 x 1 3/4"	2
S(57)	382582-S100(XX179A)	Washer-flat-1/2"	2
F,P,U(w/bench seat)	354959-S(XX178C)	Washer-flat-1/2" x 9/64" thick-rubber	4
F,P,U(w/bench seat)	382629-S100(XX173AA)	Washer-flat-7/16"	2

♦ Standard buckle - plastic covered • Loc - Location R - Right Hand L - Left Hand ⊕ Use black
@ Medium ◊ Dark

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

611A72-3 BELT ASSY. - FRONT SEAT COMPLETE - continued

1970

MODEL	PART NUMBER	DESCRIPTION	QTY.
INBOARD BELT			
A,B,F,P,S,U(w/1 or 2 belts)	382627-S100(UU156)	Bolt-torx head, tapping-7/16"-20 x 1 3/4"	2
U(w/3 belts)	382628-S100(UU157)	Bolt-torx head, tapping-7/16"-20 x 2 1/4"	2
A,B,F,P,S,U	382629-S100(XX173AA)	Washer-flat-7/16"	2
U(w/1 belt)	354959-S(XX178C)	Washer-flat-1/2" x 9/64" thick-rubber	4
U(w/3 belts)	382582-S100(XX179A)	Washer-flat-1/2"	4
U(w/2 belts)			2
SHOULDER STRAP			
A,B,F,P,S,U	382626-S100(UU175)	Bolt-torx head, tapping-3/8"-16 x 1 1/2"	2
U	382535-S100(MM173MX)	Nut-hex.-3/8"-16	2
A,B,F,P,S,U		Spacer - refer to Group 60228	
U	★382554-S100	Washer-spring lock-3/8"	2
U	382548-S100(XX163)	Washer-flat-3/8"	2

1971

UNLESS OTHERWISE INDICATED, BELTS SHOWN ARE STANDARD LENGTH WITH DELUXE BUCKLE

BODY TYPE	Loc. ●	PART NUMBER LESS SUFFIX	RETRC. or NON-RETRC.	INCL. S/HARNESS	COLORS and APPLICABLE PART NUMBER SUFFIXES: AQUA	BLACK	BLUE	GINGER	GRAY	GRAY GOLD	GREEN	PARCHMENT	RED	TOBACCO	VERMILION	QTY.
A	C	D0MZ 76611A72	N	No		N	J	K				H	L			1
	C	D1AZ 76611A72	N	No						A	B					1
	C	♦D1AZ 65611A72	R	No		J										1
A(exc.76)	R	D1AZ 62611A72	R	Yes						B	A					1
	L	D1AZ 62611A73	R	Yes						B	A					1
	R	D1AZ 65611A72	R	Yes		F	B	D				A	E	C		1
	L	D1AZ 65611A73	R	Yes		F	B	D				A	E	C		1
	R	♦D1AZ 65611A72				H										1
	L	♦D1AZ 65611A73				H										1
	R	#D1AZ 65611A72				AA										1
	L	#D1AZ 65611A73				AA										1
A(76)	R	D1AZ 76611A72	R	No			F	⊕		⊕		J	G			1
	R	D2AZ 76611A72	R	No		L			⊕		D					1
	L	D1AZ 76611A73	R	No				⊕		⊕		J	G			1
	L	D2AZ 76611A73	R	No		L	B				D					1
	R	#D3AZ 76611A72	R	No		L										1
	L	#D3AZ 76611A73	R	No		L										1
	L	#D1AZ 76611A73	R	No		AA										1
B	C	D1OZ 65611A72	N	No											A	1
	C	D0MZ 76611A72	N	No		N	J	K				H	L			1
	C	D1AZ 76611A72	N	No						A	B					1
B(54,63,65,71)	R/L	D0ZZ 65611A72	R	Yes		J	G	H				F				2
	R/L	D1ZZ 65611A72	R	Yes						B	A				C	2
B(54,63,65,71)	R/L	#D1OZ 65611A72	R	Yes		AA										2
B(54,63,65,71)	R/L	♦D1ZZ 65611A72	R	Yes		D										2
B(57)	R/L	D1OZ 57611A72	R	Yes		C	D			B	A					2
B(57)	R/L	♦D1OZ 57611A72	R	Yes		F										2
B(57)	R/L	#D1OZ 57611A72	R	Yes		AA										2
B(exc.66)	C	♦D1OZ 65611A72	R	Yes		B										1
B(66)	R/L	D0OZ 66611A72	R	Yes		A	B	D				E	C			2
	R/L	D1OZ 66611A72	R	Yes						B	A				C	2
B(66)	R/L	#D1OZ 66611A72	R	Yes		AA										2
B(76)	R/L	D0OZ 76611A72	R	Yes		E		C				A				2
	R/L	D1OZ 76611A72	R	Yes							A				B	2
F(63,65)	R/L	D0ZZ 65611A72	R	Yes		J	G	H				F	M			2
	R/L	D1ZZ 65611A72	R	Yes							A					2
F(63,65)	R/L	♦D1ZZ 65611A72	R	Yes		D										2
	R/L	#D1OZ 65611A72	R	Yes		AA										2
F(76)	R/L	D0ZZ 76611A72	N	No		B	A	E			⊕					2
	R/L	D1ZZ 76611A72	N	No							⊕	C				2
L	R/L	D1FZ 62611A72	N	Yes		A		B								2
	R/L	♦D1FZ 62611A72	N	Yes		C										2

♦ Standard buckle - plastic covered ● Loc - Location # Extra length belt R - Right Hand L - Left Hand C - Center
⊕ Use black

611A72-3 BELT ASSY. - FRONT SEAT COMPLETE - continued

BODY TYPE	Loc. ●	PART NUMBER LESS SUFFIX	RETRC. or NON-RETRC.	INCL. S/ HARNESS	COLORS and APPLICABLE PART NUMBER SUFFIXES: AQUA	BLACK	BLUE	GINGER	GRAY	GRAY GOLD	GREEN	PARCHMENT	RED	TOBACCO	VERMILION	QTY.
					1971											
UNLESS OTHERWISE INDICATED, BELTS SHOWN ARE STANDARD LENGTH WITH DELUXE BUCKLE																
P-with 3 point belt	R/L	D1DZ 62611A72	R	Yes						B					A	2
	R/L	D0ZZ 65611A72	R	Yes		E	C									2
P-with 4 point belt	R/L	D0DZ 62611A72	N	Yes		A										2
P	R/L	#D1DZ 62611A72	N	Yes		AA										2
S	R	D1AZ 62611A72	R	Yes						B						1
	L	D1AZ 62611A73	R	Yes						B						1
	R	D1SZ 62611A72	R	Yes							A					1
	L	D1SZ 62611A73	R	Yes							A					1
	R	D1AZ 65611A72	R	Yes		F	G	D				A	E	C		1
	L	D1AZ 65611A73	R	Yes		F	G	D				A	E	C		1
	C	D0AZ 76611A72	N	No			B									1
	C	D0MZ 76611A72	N	No		N		K				H	L	S		1
	C	D1AZ 76611A72	N	No						A						1
	C	D1SZ 76611A72	N	No							A					1
	R	♦D1AZ 65611A72	R	Yes		H										1
	L	♦D1AZ 65611A73	R	Yes		H										1
	C	♦D1AZ 65611A72	R	Yes		J										1
	R	#D1AZ 65611A72	R	Yes		AA										1
	L	#D1AZ 65611A73	R	Yes		AA										1
U-full width seat	R	C9TZ 96611A72	R	No								B2U				1
	L	C9TZ 96611A73	R	No								B2U				1
U-bucket seat	R	D0BZ 10611A72	R	No								F				1
	L	D0BZ 10611A73	R	No								F				1
U-front or rear	C	D0BZ 10611A72	N	No		E	B					A	C			AR
	C	D1TZ 10611A72	N	No							B					AR

MODEL	PART NUMBER	DESCRIPTION	QTY.
INBOARD BELT			
A,B,F,L,P,S,U(w/1 or 2 belts)	382627-S100(UU156)	Bolt-torx head, tapping-7/16"-20 x 1 3/4"	2
U(w/3 belts)	372628-S100(UU157)	Bolt-torx head, tapping-7/16"-20 x 2 1/4"	2
A,B,F,L,P,S,U	382629-S100(XX173AA)	Washer-flat-7/16"	2
U(w/3 belts)	382582-S100(XX179A)	Washer-flat-1/2"	4
U(w/2 belts)			2
L,U(w/1 belt)	354959-S(XX178C)	Washer-flat-1/2" x 9/64" thick-rubber	4
OUTBOARD BELT			
A,B(57,76),S	383608-S100(UU160)	Bolt-torx head, tapping-7/16"-20 x 7/8"	2
B(exc.57,66,76)	382627-S100(UU156)	Bolt-torx head, tapping-7/16"-20 x 1 3/4"	2
B(66),F,L,P,U(w/bench seat)	382627-S100(UU156)	Bolt-torx head, tapping-7/16"-20 x 1 3/4"	2
U(w/bucket seat)	382624-S100(UU170)	Bolt-torx head, tapping-7/16"-20 x 1 3/8"	2
B(exc.57,76),F,L,P, U(w/bench seat)	382629-S100(XX173AA)	Washer-flat-7/16"	2
B(exc.57,76),F(w/retractor), P(w/retractor)	382552-S100(XX191B)	Washer-1/2"	2
S(57)	382582-S100(XX179A)	Washer-flat-1/2"	2
B(exc.57,76),F(w/o retractor),L, P(w/o retractor),U(w/bench seat)	354959-S(XX178C)	Washer-flat-1/2" x 9/64" thick-rubber	4
F(w/retractor), P(w/retractor)			2
SHOULDER STRAP			
A,B,F,L,P,U	382626-S100(UU175)	Bolt-torx head, tapping-3/8"-16 x 1 1/2"	2
S	382627-S100(UU156)	Bolt-torx head, tapping-7/16"-20 x 1 3/4"	2
U	382535-S100(MM173MX)	Nut-hex.-3/8"-16	2
A,B,F,L,P,S,U		Spacer - refer to Group 60228	
U	★382554-S100	Washer-spring lock-3/8"	2
U	382548-S100(XX163)	Washer-flat-3/8"	2

♦ Standard buckle - plastic covered ● Loc - Location # Extra length belt R - Right Hand L - Left Hand C - Center

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

611A72-3 BELT ASSY. - FRONT SEAT COMPLETE - continued

BODY TYPE	● Loc.	PART NUMBER LESS SUFFIX	RETRC. or NON-RETRC.	INCL. S/ HARNESS	COLORS and APPLICABLE PART NUMBER SUFFIXES											QTY.
					BLACK	BLUE	GINGER -	GRAY GOLD	GREEN	PARCHMENT	RED	TOBACCO	OTHER	OTHER	OTHER	
					1972 - "Before 12/1/71"											
UNLESS OTHERWISE INDICATED, BELTS SHOWN ARE STANDARD LENGTH WITH DELUXE BUCKLE																
A	C	D2AZ 76611B60	N	No		A			B							1
	C	D2AY 76611B60	N	No	F		B	H		A	C	E				1
A(exc. 76)	R	D2AZ 65611A72	R	Yes	H	C	D	J	F	B	E	G				1
	L	D2AZ 65611A73	R	Yes	H	C	D	J	F	B	E	G				1
	R	♦D2AZ 65611A72	R	Yes	A											1
	L	♦D2AZ 65611A73	R	Yes	A											1
	C	♦D2AZ 65611B60	N	No	A											1
	R#	♦D2AY 65611A72	R	Yes	E											1
	L#	♦D2AY 65611A73	R	Yes	E											1
	R#	D2AY 65611A72	R	Yes	F											1
	L#	D2AY 65611A73	R	Yes	F											1
A(76)	R	D2AZ 76611A72	R	Yes	E	B			D	A	C					1
	L	D2AZ 76611A73	R	Yes	E	B			D	A	C					1
	R#	D2AZ 76611A72	R	No	L											1
	L#	D2AZ 76611A73	R	No	L											1
B	C	♦D2OZ 65611B60	N	No	A											1
	C	D2OZ 97611B60	N	No	C	E	A	D	F			B				1
B(53,71)	R/L	D2OZ 53611A72	R	Yes	F	B	C	G	D			E				2
	R/L	♦D2OZ 53611A72	R	Yes	A											2
	R/L#	♦D2OZ 53611A72	R	Yes	S											
	R/L#	D2OZ 53611A72	R	Yes	T											2
B(63,65)	R	D2OZ 65611A72	R	Yes	E	G	B	F	C			D				1
	L	D2OZ 65611A73	R	Yes	E	G	B	F	C			D				1
	R	♦D2OZ 65611A72	R	Yes	A											1
	L	♦D2OZ 65611A73	R	Yes	A											1
	R#	♦D2OZ 65611A72	R	Yes	R											1
	L#	♦D2OZ 65611A73	R	Yes	R											1
	R#	D2OZ 65611A72	R	Yes	S											1
	L#	D2OZ 65611A73	R	Yes	S											1
B(97)	R	D2OZ 97611A72	R	Yes	E	A	B	F	C			D				1
	L	D2OZ 97611A73	R	Yes	E	A	B	F	C			D				1
	R#	D2OZ 97611A72	R	Yes	V											1
	L#	D2OZ 97611A73	R	Yes	V											1
F(63,65)	R/L	D2ZZ 65611A72	R	Yes	H	D	E		G	B	F				$C	2
	R/L	♦D2ZZ 65611A72	R	Yes	A											2
F(exc. 76)	R/L#	♦D2ZZ 65611A72	R	Yes	S											2
	R/L#	D2ZZ 65611A72	R	Yes	T											2
F(76)	R/L	D2ZZ 76611A72	N	No	A	C	F		D	G	B				$E	2
	R/L#	D2ZZ 76611A72	R	No	S											2
L	R/L	D2FZ 62611A72	N	Yes	E	P	C		D				▲L			2
	R/L	♦D2FZ 62611A72	N	Yes	A											2
	R/L#	♦D2FZ 62611A72	N	Yes	N											2
	R/L#	D2FZ 62611A72	N	Yes	P											2
P	R/L	D2DZ 62611A72	R	Yes	D	C	P	E					▲L		$B	2
	R/L	♦D2DZ 62611A72	N	Yes	A											2
	R/L#	♦D2DZ 62611A72	R	Yes	R											2
	R/L	#D2DZ 62611A72	R	Yes	S											2
S	R	D2LY 65611A72	R	Yes			A									1
	L	D2LY 65611A73	R	Yes			A									1
	R	D2LZ 65611A72	R	Yes	E	F		G	C		B	D				1
	L	D2LZ 65611A73	R	Yes	E	F		G	C		B	D				1
	C	D2OY 97611B60	N	No		D			C		B					1
	C	D2OZ 97611B60	N	No	C		A	D				B				1
	C	♦D2OZ 65611B60	N	No	A											1
	R#	♦D2SZ 65611A72	R	Yes	B											1
	L#	♦D2SZ 65611A73	R	Yes	B											1
	R#	D2SZ 65611A72	R	Yes	C											1
	L#	D2SZ 65611A73	R	Yes	C											1

♦ Standard buckle-plastic covered # Extra length belt ●Loc-Location R - Right Hand L - Left Hand C - Center

611A72-3 BELT ASSY. - FRONT SEAT COMPLETE - continued

BODY TYPE	• LOC.	PART NUMBER LESS SUFFIX	RETRC. or NON-RETRC.	INCL. S/ HARNESS	COLORS and APPLICABLE PART NUMBER SUFFIXES: BLACK	BLUE	GINGER	GRAY GOLD	GREEN	PARCHMENT	RED	TOBACCO	OTHER	OTHER	OTHER	QTY.
1972 - "Before 12/1/71"																
UNLESS OTHERWISE INDICATED, BELTS SHOWN ARE STANDARD LENGTH WITH DELUXE BUCKLE																
S-"Before 9/1/71"	R	♦D2SZ 65611A72	R	Yes	A											1
	L	♦D2SZ 65611A73	R	Yes	A											1
S-"From 9/1/71"	R	♦D2AZ 65611A72	R	Yes	K											1
	L	♦D2AZ 65611A73	R	Yes	K											1
U	C	D1TZ 10611B60	N	No	E	B			D	A	C					1
	R	D1BZ 10611A72	R	No		⊕			⊕	A	⊕					1
	L	D1BZ 10611A73	R	No		⊕			⊕	A	⊕					1
	R	D3BZ 10611A72	R	Yes	A											
	L	D3BZ 10611A73	R	Yes	A											
1972 - "From 12/1/71"																
UNLESS OTHERWISE INDICATED, BELTS SHOWN ARE STANDARD LENGTH WITH DELUXE BUCKLE																
A	C	D2AZ 65611B60	N	No	G	J	D	H	K	C	E	F				1
	C	♦D2AZ 65611B60	N	No	B											1
A(exc. 76)	R	D2AZ 65611A72	R	Yes	T	M	N	U	R	L	P	S				1
	L	D2AZ 65611A73	R	Yes	T	M	N	U	R	L	P	S				1
	R	♦D3AZ 65611A72	R	Yes	A											1
	L	♦D3AZ 65611A73	R	Yes	A											1
	R#	♦D2AY 65611A72	R	Yes	G											1
	L#	♦D2AY 65611A73	R	Yes	G											1
	R#	D2AY 65611A72	R	Yes	H											1
	L#	D2AY 65611A73	R	Yes	H											1
A(76)	R	D2AZ 76611A72	R	Yes	K	F	G		J		H					1
	L	D2AZ 76611A73	R	Yes	K	F	G		J		H					1
	R#	D2AZ 76611A72	R	No	M											1
	L#	D2AZ 76611A73	R	No	M											1
B	C	D2AZ 65611B60	N	No	G	J	D	H	K			F				1
	C	D2AZ 65613B84	N	No	A											1
B(53,71)	R	D2OZ 53611A72	R	Yes	N	J	K	R	L							1
	R	D3OZ 53611A72	R	Yes								F				1
	L	D2OZ 53611A73	R	Yes	N	J		R	L							1
	L	D3OZ 53611A73	R	Yes			D					F				1
	R	♦D2OZ 53611A72	R	Yes	H											1
	L	♦D2OZ 53611A73	R	Yes	H											1
	R#	♦D2OZ 53611A72	R	Yes	U											1
	L	♦D2OZ 53611A73	R	Yes	H											1
	R#	D2OZ 53611A72	R	Yes	V											1
	L	#D3OZ 53611A73	R	Yes	J											1
B(63,65)-bucket seat	R	D2OZ 65611A72	R	Yes	N	P	J		L		K	M				1
	L	D2OZ 65611A73	R	Yes	N	P	J		L		K	M				1
	R	♦D2OZ 65611A72	R	Yes	H											1
	L	♦D2OZ 65611A73	R	Yes	H											1
	R#	♦D2OZ 65611A72	R	Yes	T											1◊
	L#	♦D2OZ 65611A73	R	Yes	T											1
	R#	D2OZ 65611A72	R	Yes	U											1
	L#	D2OZ 65611A73	R	Yes	U											1
B(63,65)-full width seat	R	D2AZ 65611A72	R	Yes	T	M	N	U	R			S				1
	L	D2AZ 65611A73	R	Yes	T	M	N	U	R			S				1
	R	♦D3OZ 65611A72	R	Yes	R											1
	L	♦D3OZ 65611A73	R	Yes	R											1
	R#	♦D2AY 65611A72	R	Yes	G											1
	L#	♦D2AY 65611A73	R	Yes	G											1
	R#	D2AY 65611A72	R	Yes	H											1
	L#	D2AY 65611A73	R	Yes	H											1

• Loc.-Location C-Center L-Left Hand R-Right Hand ♦ Standard buckle-plastic covered # Extra length belt
⊕ Use black

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

611A72-3 BELT ASSY. - FRONT SEAT COMPLETE - continued

BODY TYPE	LOC.	PART NUMBER LESS SUFFIX	RETRC. or NON-RETRC.	INCL. S/ HARNESS	COLORS and APPLICABLE PART NUMBER SUFFIXES											QTY
					BLACK	BLUE	GINGER	GRAY GOLD	GREEN	PARCHMENT	RED	TOBACCO	OTHER	OTHER	OTHER	
					1972 - "From 12/1/71"											
UNLESS OTHERWISE INDICATED, BELTS SHOWN ARE STANDARD LENGTH WITH DELUXE BUCKLE																
B(97)-bucket seat	R	D2OZ 97611A72	R	Yes	T	N	⊕	U	⊕			S				1
	R	D3OZ 97611A72	R	Yes			C	⊕	D							1
	L	D2OZ 97611A73	R	Yes	T	N	⊕	U	⊕			S				1
	L	D3OZ 97611A73	R	Yes	M											1
	R	#D3OZ 97611A72	R	Yes	M											1
	L	#D3OZ 97611A73	R	Yes	M											1
B(97)-full width seat	R	D2OZ 97611A72	R	Yes		⊕	⊕	M	⊕			K				1
	R	D3OZ 97611A72	R	Yes	E	A	C		D							1
	L	D2OZ 97611A73	R	Yes	L	⊕	H	M	⊕			K				1
	L	D3OZ 97611A73	R	Yes		A		⊕	D							1
	R	D3OZ 97611A72	R	Yes	L											1
	L	#D3OZ 97611A73	R	Yes	L											1
F(63,65)	R/L	D2ZZ 65611A72	R	Yes	R	M	N		Q	K	P				$L	2
	R/L	♦D2ZZ 65611A72	R	Yes	J											2
	R/L	#♦D2ZZ 65611A72	R	Yes	U											1
	R/L	# D2ZZ 65611A72	R	Yes	V											1
F(76)	R/L	D2ZZ 76611A72	R	No	H	L	M		P	J	N				$K	2
	R/L	# D2ZZ 76611A72	R	No	R											2
L	R	D2FZ 62611A72	R	Yes	K	G	H		J					▲M		1
	L	D2FZ 62611A73	R	Yes	K	G	H		J					▲M		1
	R	♦D2FZ 62611A72	N	Yes	F											1
	L	♦D2FZ 62611A73	N	Yes	F											1
	R#	♦D2FZ 62611A72	R	Yes	R											1
	L#	♦D2FZ 62611A73	R	Yes	R											1
	R#	D2FZ 62611A72	R	Yes	S											1
	L#	D2FZ 62611A73	R	Yes	S											1
	R	D3FZ 62611A72	R	Yes									♦C	†D		1
	L	D3FZ 62611A73	R	Yes									♦C	†D		1
	R	♦D3FZ 62611A72	R	Yes									♦A	†B		1
	L	♦D3FZ 62611A73	R	Yes									♦A	†B		1
P	R/L	D2DZ 62611A72	R	Yes	J	H	N							▲M	‡V	2
	R/L	#♦D2DZ 62611A72	R	Yes	T											2
	R/L	# D2DZ 62611A72	R	Yes	U											2
S	C	D2AY 76613B84	N	No		G			D							1
	C	♦D2AZ 65613B84	N	No	A											1
S-full width or split bench seat	R	D3LZ 65611A72	R	Yes					D							1
	L	D3LZ 65611A73	R	Yes					D							1
	R	D2AZ 65611A72	R	Yes	T	M	N	U			P	S				1
	L	D2AZ 65611A73	R	Yes	T	M	N	U			P	S				1
	R	♦D3SZ 65611A72	R	Yes	A											1
	L	♦D3SZ 65611A73	R	Yes	A											1
	R#	♦D2AY 65611A72	R	Yes	G											1
	L#	♦D2AY 65611A73	R	Yes	G											1
	R#	D2AY 65611A72	R	Yes	H											1
	L#	D2AY 65611A73	R	Yes	H											1
S-bucket seat	R	D2OZ 65611A72	R	Yes	N	P	J		L		K	M				1
	L	D2OZ 65611A73	R	Yes	N	P	J		L		K	M				1
	R	♦D2OZ 65611A72	R	Yes	H											1
	L	♦D2OZ 65611A73	R	Yes	H											1
	R#	♦D2OZ 65611A72	R	Yes	T											1
	L#	♦D2OZ 65611A73	R	Yes	T											1
	R#	D2OZ 65611A72	R	Yes	U											1
	L#	D2OZ 65611A73	R	Yes	U											1

♦ Standard buckle - plastic covered • Loc.-Location C - Center L - Left Hand R - Right Hand
▲ Beige $ Vermilion ‡ Tan † Orange ♦ Avocado # Extra length belt ⊕ Use black

611A72-3 BELT ASSY. - FRONT SEAT COMPLETE - continued

BODY TYPE	• Loc.	PART NUMBER LESS SUFFIX	RETRC- or NON-RETRC.	INCL. S/ HARNESS	COLORS and APPLICABLE PART NUMBER SUFFIXES: BLACK	BLUE	GINGER	GRAY GOLD	GREEN	PARCHMENT	RED	TOBACCO	OTHER	OTHER	OTHER	QTY.
					1972 - "From 12/1/71"											
UNLESS OTHERWISE INDICATED, BELTS SHOWN ARE STANDARD LENGTH WITH DELUXE BUCKLE																
U	R	D1BZ 10611A72	R	No					⊕	A	⊕					1
	L	D1BZ 10611A73	R	No					⊕	A	⊕					1
	R	D3BZ 10611A72	R	Yes	A											1
	L	D3BZ 10611A73	R	Yes	A											1
	C	D1TZ 10611B60	N	No	E	B			D	A	C					1

MODEL	PART NUMBER	DESCRIPTION	QTY
OUTBOARD BELT			
A,B,S	383608-S100(UU160)	Bolt-torx head,tapping -7/16"-20 x 7/8"	2
F,L,P	382627-S100(UU156)	Bolt-torx head,tapping-7/16"-20 x 1 3/4"	2
U	382624-S100(UU170)	Bolt-torx head,tapping-7/16"-20 x 1 3/8"	2
F(w/retractor), P(w/retractor)	382552-S100(XX191B)	Washer-flat-1/2"	2
F,P,L	382629-S100(XX173AA)	Washer-flat-7/16"	2
F,P,L	354959-S(XX178C)	Washer-flat-1/2" x 9/64" thick-rubber	2or4
INBOARD BELT			
A,B,F,L,P,S	382627-S100(UU156)	Bolt-torx head,tapping-7/16"-20 x 1 3/4"	2
A,B,F,L,P,S	382629-S100(XX173AA)	Washer-flat-7/16"	2
L,U	354959-S(XX178C)	Washer-flat-1/2" x 9/64" thick-rubber	2or4
SHOULDER STRAP			
A,B,F,L,P,S,U	382626-S100(UU175)	Bolt-torx head,tapping-3/8"-16 x 1 1/2"	2
A,B,F,L,P,S,U		Spacer - refer to Group 60228	

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
611B90	**BEZEL - REAR SEAT BELT OPENING**				
	72	F(63,65),P	Beige	D2ZZ 65611B90-H	2
			Gray Gold	D2ZZ 62611B90-D	2
	72	F(76),L	Black	D2ZZ 76611B90-D	2
	72	F(63) "From 12/1/71"			
			Blue	D2ZZ 76611B90-E	2
			Ginger	D2ZZ 76611B90-B	2
			Green	D2ZZ 76611B90-C	2
			Vermilion	D2ZZ 76611B90-F	2
			White	D2ZZ 76611B90-A	2
	72	F(76),L	Avocado	D2FZ 7611B90-H	2
			Orange	D2FZ 76611B90-J	2
	72	F(63) "Before 12/1/71"	Black	D2ZZ 65611B90-D	2
			Blue	D2ZZ 65611B90-E	2
			Ginger	D2ZZ 65611B90-B	2
			Green	D2ZZ 65611B90-C	2
			Vermilion	D2ZZ 65611B90-F	2
			White	D2ZZ 65611B90-A	2
	72	P(54,62A)	Tan	D2DZ 54611B90-A	2
61198	**HANDLE - FRONT SEAT BACK ADJUSTING**				
	69/70	A		C9AZ 5461198-A	1
	69/70	A	Screw-oval head-No.8-32 x 1"	50438-S13(U122)	1
	72	P(54,62A)	With reclining seat	D0RY 6261198-A	2
611A98	**SLEEVE - FRONT SEAT BACK ADJUSTING ACTUATOR**				
	72	S		D2SZ 65611A98-A	1
612B00-1	**BRACKET - REAR SEAT BELT MOUNTING**				
	72	A,B	R.H.	D2AZ 71612B00-A	1
			L.H.	D2AZ 71612B01-A	1

⊕ Use black

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
61212	**BOLT - SEAT BELT ANCHOR EYE**				
	65	A, B, F, X	Front or rear seat	C4AZ 6261212-C	4
612A12	**INSULATOR - FRONT SEAT BELT ANCHOR BOLT**				
	66	A	Black	C6AZ 62612A12-AAB	2
			Ivy Gold	C6AZ 62612A12-AAE	2
			Parchment	C6AZ 62612A12-AAJ	2
61216	**REINFORCEMENT SEAT BELT ANCHOR TO FLOOR PAN**				
	65/66	A, B, S, X	3 7/32" O.D. x 1/8" thick	C2AZ 6261216-A	2or4
	66	A, B, F, S, X	7/16" x 1 5/8" x 3 3/4"-rear seat belts	C6AZ 6261216-A	2
	66	A(71), B(71)	Auxiliary seat belts		2or4
	67/70	A	Front seat inboard	C7AZ 6261216-A	2
			Rear seat outboard	C7AZ 6261216-B	2
			Rear seat inboard	C7AZ 6261216-A	2
	69/70	A(71A, C)	Auxiliary seats	C7AZ 7161216-A	4
	71	A		D1AZ 6561216-B	2
	72	A		C7AZ 6261216-A	2
	67/70	B, X	Front seat inboard	C7AZ 7161216-A	2
	67/70	B, X	Front seat outboard	C7AZ 6261216-A	2
	67/70	B(except 66), X	Rear seat	C7AZ 7161216-A	4
	70	B(76)		C7AZ 6261216-B	2
	71	B		D1AZ 6561216-B	2
	67/68	F	Front seat outboard	C7AZ 6261216-B	2
	67/	F	Front seat inboard	C7AZ 7161216-A	2
	67/	F	Rear seat inboard and outboard	C7AZ 7161216-A	4
	71/	L		C7AZ 6261216-A	2
	70/	P		C7AZ 6261216-A	2
	67/68	S	Rear seat inboard	C7AZ 6261216-A	2
	67/70	S	Rear seat outboard	C7AZ 6261216-B	2
	71	S		D1AZ 6561216-B	2
	67/	U	Front seat inboard and outboard	C7AZ 6261216-B	4
			Rear seat inboard and outboard		4
61216	**REINFORCEMENT - FRONT SEAT BELT ANCHOR TO SIDE MEMBER**				
	65	A, B, F, S	1/8" x 1 13/16" x 2 1/2"	C6AZ 6261216-A	2
	66	A, B(54, 62, 63, 71), F, S, U, X			2or4
	67	B(54, 62, 63, 66, 71), F, X			2or4
	66	U	1/8" x 1 3/8" x 3 9/16"	C6TZ 9661216-A	4
	67/	U			2
612A16	**SPACER - FRONT SEAT BELT RETRACTOR**				
	72	A, B, F, L, P, S		D2AZ 65612A16-A	2
61222	**LOOP - FRONT SEAT BELT RETAINING - INCLUDES ATTACHING PARTS**				
	65	A, B, F, S, X	Transparent plastic	C4AZ 6261222-AAB	2or4
	67/	A	Use with split seat		2
	69/	A			2
			Screw-oval head, cross recess-No. 10-12 x 3/4"	52361-S13(U303A)	2or4
			Washer-countersunk-No. 10	★34970-S	2or4
612A22-3	**MEMBER - FRONT SEAT BACK FRONT SIDE LOWER**				
	68	S	R. H. -Use with reclining seat	C8SZ 65612A22-A	1
			L. H.	C8SZ 65612A23-A	1
612A34	**SPRING ASSY. - PASSENGER RECLINING SEAT HEAD REST**				
	67	S		C7SZ 65612A34-A	1
612A56	**SPACER - FRONT SEAT BELT**				
	67/68	A, B, F, X	Used with shoulder harness	C7AZ 62612A56-A	2
	67/68	A, B, F, S, X	Used with front seat belt		4
	67/68	A, B, S, X	Front seat-center		2
61280	**HOOK ASSY. - SEAT BELT**				
	65	A, B, F, S, X	Use with Rotunda seat belts only	C3AZ 6261280-A	4
			Pin-cotter-1/16" x 3/8"	72000-S7(N37)	AR
612K83	**PLATFORM - FRONT SEAT BACK**				
	72	P(54, 62)		D0RY 62612K83-B	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
613B02	PIN - REAR SEAT BACK FLOOR PANEL				
	65/	A(71)	46 1/2" long-cut to fit	C5AZ 71613B02-A	2
	65/67	A(54)	Use with folding rear seat		1
613A04	FRAME - REAR SEAT BACK - UPPER - Paint to Match				
	65/71	B(71)		C6OZ 71613A04-A	1
	72	B(71)		D2OZ 71613A04-A	1
	66/70	X(71)		C6OZ 71613A04-A	1
	65	X(59, 71)		C0DB 59613A04-AP	1
613A10	FRAME - REAR SEAT				
	66/67	U		C6TZ 96613A10-A	1
	68/	U		C6TZ 96613A10-B	1
613B10	SUPPORT ASSY. - REAR SEAT BACK FLOOR PANEL HINGE BRACKET				
	69/70	F(63)		C9ZZ 63613B10-A	2
	71/	F(63)		D1ZZ 63613B10-A	2
613A12	BUMPER - REAR SEAT BACK FLOOR				
	72	B(71)		D2OZ 71613A12-A	1
613B18	BRACKET - REAR SEAT BACK LATCH				
	65/66	A(71)	Reinforcement	C6AZ 7128022-A	1
	71/	L(64)		D1FZ 64613B18-A	1
	72	L(73)		D2FZ 73613B18-A	1
613B24	COVER - REAR SEAT BACK LATCH BRACKET				
	65	A(71)	R.H. -Black	C5AZ 71613B24-AAB	1
			R.H. -Blue	C5AZ 71613B24-AAD	1
	66	A(71)	R.H. -Aqua	C6AZ 71613B24-CAK	1
			R.H. -Black	C5AZ 71613B24-AAB	1
			R.H. -Blue	C5AZ 71613B24-AAD	1
			R.H. -Parchment	C6AZ 71613B24-CBA	1
			R.H. -Red	C6AZ 71613B24-CAH	1
	65/66	A(71)	Screw-pan head, cross recess-No. 8-18 x 3/8"	52720-S8(U380)	3
			Washer-flat-No. 8	44710-S8(X10)	3
	65/66	A	Screw-hex.head-5/16"-18 x 1 1/8"	55644-S13(U2E)	4
613B26-7	ESCUTCHEON - REAR SEAT BACK LATCH HANDLE				
	66	F(63) "Before 2/1/66"	R.H.-not replaced (3-74)	★C6ZZ 63613B26-A	1
	65	F(63)	R.H.	C5ZZ 63613B26-A	1
	66	F(63) "From 2/1/66"			1
	67	F(63)	R.H. -use with folding rear seat	C7ZZ 63613B26-A	1
			L.H.	C7ZZ 63613B26-B	1
	68	F(63)	R.H. -use with folding rear seat	C8ZZ 63613B26-A	1
			L.H.	C8ZZ 63613B27-A	1
	71/	L-w/folding rear seat	Black	D1FZ 62613B26-A	1
			Blue	D3FZ 62613B26-E	1
			Ginger	D3FZ 62613B26-B	1
			Green	D1FZ 62613B26-C	1
61328	PLATE - REAR SEAT BACK STOP ANCHOR				
	71/72	L(62, 64)		D2FZ 6261328-A	1
	72	L(73)		D2FZ 7361328-A	1
	66/70	X(71)	L.H.	C6DZ 7161328-A	1
613B28	CATCH - REAR SEAT BACK				
	65/66	F(63)		C5ZZ 63613B28-B	1
	67/	F(63)	Refer to Group 601A68		
613B30-1	BUMPER - REAR SEAT BACK LATCH				
	67/70	F(63)	R.H.-use with folding rear seat - refer to group 61382-3	★C5ZZ 63613B30-A	1
			L.H.	C7ZZ 63613B31-A	1
	71/	F(63), L	Use with folding rear seat	D1ZZ 63613B30-A	1
61332	ROD - REAR SEAT BACK LATCH HANDLE				
	65/66	A(71)	Use with folding rear seat	C5AZ 7161332-A	1
	65/67	A(54)			1
	66/70	X(71)			2
	72	B(71)		D2OZ 7161332-A	1
61339	BUMPER - REAR SEAT BACK LATCH HANDLE STOP PIN				
	65/67	A(54)	Used with folding rear seat	C2AZ 7161339-A	1
	65/66	A(71)			1or2
	66/70	X(71)			1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
61340	**PLATE - REAR SEAT BACK LATCH STRIKER ANCHOR**				
	71/	F(63)	Use with folding rear seat	D1ZZ 6361340-A	1
61346	**BEARING - REAR SEAT BACK LATCH HANDLE**				
	65/67	A(54)	Used with folding rear seat	C2AB 7161346-A	1
	65	A(71), B(71)			1or2
	66	A(71)			1or2
	66/70	X(71)			2
613B77	**BRACKET - REAR SEAT BACK SUPPORT BUMPER**				
	71	L(64) "Before 1/18/71"		D1FZ 64613B77-A	1
	71/72	L(64)- "From 1/18/71 to 12/1/71"		D1FZ 64613B77-B	1
	72	L(64,73) "From 12/1/71"		D2FZ 64613B77-A	1
61382-3	**LATCH ASSY. - REAR SEAT BACK RELEASE**				
	65	F(63)	R. H.	C5ZZ 6361382-B	1
	66	F(63)	R. H.	C6ZZ 6361382-B	1
	67/70	F(63)	R. H. -Use with folding rear seat	C7ZZ 6361382-A	1
			L. H.	C7ZZ 6361383-A	1
	71/	F(63), L	Used with folding rear seat	D1ZZ 6361382-A	1
			Screw and washer - hex. head - No. 10-24 x 1/2"	★55590-S2	8
	65/67	F(63)	Screw & washer-hex. head-No. 10-24 x 3/8"	375921-S13(BB551C)	4
613A82	**EXTENSION ASSY. - REAR SEAT BACK FLOOR PANEL** - Paint to Match				
	65/	A(71)	Paint to match	C5AZ 71613A82-H	1
	66/71	B(71), X(71)	Palomino-paint to match	C6OZ 71613A82-A	1
	72	B(71)		D2OZ 71613A82-A	1

613B84-5 BELT ASSY. - REAR SEAT COMPLETE

BODY TYPE		R/L	PART NUMBER LESS SUFFIX			COLORS and APPLICABLE PART NUMBER SUFFIXES											QTY.
						AQUA	BLACK	BLUE	BUR-GUNDY	EMBER-GLO	IVY GOLD	PALO-MINO	PARCH-MENT	RED	SADDLE	TOB-ACCO	
1966																	
A-also aux. seats- "Before 5/16/66"	*		†C6AZ 62613B84						DAH	DAG	DAE		⊕	DAC		DAK	4
	*		†C7AZ 62613B84				B1A	B1B									AR
A-also aux. seats- "From 5/16/66"	*		# C6AZ 63613B84					EAD	⊕	■	⊕		EAJ			EAK	4
	*		# C7AZ 62613B84			A1K	A1A							A1D			AR
A(71)-aux. seat	*		# C6AZ 63613B84						EAH								2
B(54)"Before 5/16/66"	*		†C6OZ 54613B84			AAF					AAE		AAJ	AAC			2
	*		†C7AZ 62613B84					A1B									2
B(54) "From 5/16/66"	*		# C6SZ 63613B84			CAF	CAB	CAD	CAH	CAG	CAE		CAJ	CAC		CBA	2
B(62, 63, 71, 76)- also auxiliary seat- "Before 5/16/66"	*		†C6AZ 62613B84								DAE		⊕	DAC		DAK	4
	*		# C7AZ 62613B84			A1K	A1A							A1D			AR
	*		†C7AZ 62613B84				B1A	B1B									AR
B "From 5/16/66"	*		# C6AZ 63613B84					EAD		■			EAJ			EAK	4
B(71)-aux. seat	*		# C6AZ 62613B84						EAH								2
F "Before 1/3/66"	*		†C6AZ 62613B84								DAE			DAC		DAK	4
F "From 1/3/66 to 5/16/66"	*		# C6AZ 63613B84					EAD		■			EAJ			EAK	4
F "From 5/16/66"	*		# C6ZZ 65613B84					BAD		BAG			BAJ				2
S	*		# C6SZ 63613B84			CAF	CAB	⊕	CAH	CAG	⊕		⊕	CAC		⊕	2
X(54)"Before 5/16/66"	*		†C6OZ 54613B84			AAF					AAE		AAJ	AAC			2
	*		†C7AZ 62613B84					A1B									2
X(54)"From 5/16/66"	*		#C6SZ 63613B84			CAF	CAB	⊕	CAH	CAG	⊕		⊕	CAC		⊕	2
X(62, 71)- "Before 5/16/66"	*		†C6AZ 62613B84								DAE			DAC		DAK	4
X(62, 71)- "From 5/16/66"	*		# C6AZ 63613B84					EAD		■			EAJ			EAK	4

* Includes attaching parts † With finger tip release # With push button release

■ Use C7AZ 62613B84-A1D ⊕ Use black

613B84-5 BELT ASSY. - REAR SEAT COMPLETE - continued

BODY TYPE	R/L	PART NUMBER LESS SUFFIX		COLORS and APPLICABLE PART NUMBER SUFFIXES												QTY.
				AQUA	BLACK	BLUE	BUR GUNDY	EMBER-GLO	IVY GOLD	NUG-GET GOLD	PARCH-MENT	RED	SADDLE	TOB-ACCO		
1967																
A	*	#C7AZ 62613B84			A1K	A1A	A1B			A1G		A1U	A1D	A1F	⊕	3
	*	†C7AZ 62613B84				B1A	B1B					⊕				3
A(71)-aux. seat	*	#C8MY 71613B84				A1A	⊕			⊕		⊕	⊕	⊕		2
	*	†C7AZ 71613B84				E1A	⊕					⊕				2
B-also aux. seat	*	#C7AZ 62613B84			A1K	A1A	A1B			A1G		A1U	A1D	A1F	⊕	5
	*	†C7AZ 62613B84				B1A	B1B					⊕				5
F(exc.Shelby GT350/500)	*	#C7AZ 62613B84			A1K	A1A	A1B			A1G		A1U	A1D	A1F	⊕	3
	*	†C7AZ 62613B84				B1A	B1B					⊕				3
S	*	#C7AZ 62613B84			A1K	A1A	A1B			A1G		A1U	A1D	A1F	⊕	3
U		Refer to Group 611A72-3														
X	*	#C7AZ 62613B84			A1K	A1A	A1B			A1G		A1U	A1D	A1F	⊕	5
	*	†C7AZ 62613B84				B1A	B1B					⊕				5
1968																
A		▲C8AZ 62613B84				C1A	⊕					⊕				3
		‡C8WZ 65613B84			A1K	A1A	⊕			A1G	A1Y	A1U	⊕	⊕		3
A(71)-aux. seat		▲C8AZ 71613B84				C1A	⊕					⊕				2
		‡C8AZ 71613B84			D1K	D1A	⊕			⊕	D1Y					2
B-also aux. seat		▲C8AZ 62613B84				C1A	C1B					⊕				3
		‡C8WZ 65613B84			A1K	A1A	A1B			A1G	A1Y	A1U	A1D	A1F		3
F(exc.Shelby GT350/500)		▲C8AZ 62613B84				C1A	C1B					⊕				3
		‡C8WZ 65613B84			A1K	A1A	A1B			A1G	A1Y	A1U	A1D	A1F		3
S		▲C8AZ 62613B84				C1A	C1B					⊕				3
		‡C8WZ 65613B84			A1K	A1A	A1B			A1G	A1Y	A1U	A1D	A1F		3
X		▲C8AZ 62613B84				C1A	C1B					⊕				3
		‡C8WZ 65613B84			A1K	A1A	A1B			A1G	A1Y	A1U	A1D	A1F		3
U		Refer to Group 611A72-3														

MODEL	PART NUMBER	DESCRIPTION	QTY.
OUTBOARD BELT			
A,B,F,S,X	382624-S100(UU170)	Bolt-torx head, tapping-7/16"-20 x 1 3/8"	2
U	382627-S100(UU156)	Bolt-torx head, tapping-7/16"-20 x 1 3/4"	2
S	382582-S100(XX179A)	Washer-flat-1/2"	2
U	382629-S100(XX173AA)	Washer-flat-7/16"	2
U	354959-S(XX178C)	Washer-flat-1/2" x 9/64" thick-rubber	4
A,F,S	382583-S100(XX340AC)	Washer-serrated-1/2"	2
B			4
INBOARD BELT			
A,B,S(57),U,X	382627-S100(UU156)	Bolt-torx head, tapping-7/16"-20 x 1 3/4"	2
F,S(65)	382624-S100(UU170)	Bolt-torx head, tapping-7/16"-20 x 1 3/8"	2
A,B,S(57),X	382582-S100(XX179A)	Washer-flat-1/2"	2
A,B,S(57),U,X	382629-S100(XX173AA)	Washer-flat-7/16"	2
U	354959-S(XX178C)	Washer-flat-1/2" x 9/64" thick-rubber	4
F,S(65)	382583-S100(XX340AC)	Washer-serrated-1/2"	2

* Includes attaching parts † With finger tip release # With push button release ⊕ Use black
‡ Chrome and plastic buckle ▲ Plastic buckle ■ Use D1AZ 62613B84-A1D

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

613B84-5 BELT ASSY. - REAR SEAT COMPLETE - continued

MODEL	PART NUMBER	DESCRIPTION	QTY.
		1968	
SHOULDER STRAP			
U(98)	382517-S100(BB445LD)	Bolt-hex.,shoulder,locking-3/8"-16 x 1 1/2"	2
U(98)		Spacer - refer to Group 60228	
AUXILIARY SEAT			
A(71),B(71)	382624-S100(UU170)	Bolt-torx head, tapping-7/16"-20 x 1 3/8"	4
A(71),B(71)	382583-S100(XX340AC)	Washer-serrated-1/2"	4

BODY TYPE	R/L	PART NUMBER LESS SUFFIX			COLORS and APPLICABLE PART NUMBER SUFFIXES											QTY.
					AQUA	BLACK	BLUE	GINGER	GREEN	IVY GOLD	NUGGET GOLD	PARCHMENT	RED	SADDLE	TOBACCO	

613B84-5 BELT ASSY. - REAR SEAT COMPLETE - continued

BODY TYPE	Loc. ●	PART NUMBER LESS SUFFIX			COLORS and APPLICABLE PART NUMBER SUFFIXES											QTY.
					AQUA	BLACK	BLUE	GINGER	GRAY	GRAY GOLD	GREEN	PARCHMENT	RED	TOBACCO	VERMILION	
									1971							
									UNLESS OTHERWISE INDICATED, BELTS SHOWN ARE STANDARD LENGTH WITH DELUXE BUCKLE							
A-rear and aux.		D0MZ 76613B84				A										AR
		D0MZ 76611A72					J	K				H	L	S		AR
		D1AZ 76611A72								A	B					AR
A(71)-aux.		♦D0AZ 71613B84				A										AR
A-rear		♦D1AZ 65613B84				A										AR
B-rear and aux.		D0MZ 76613B84				A										AR
		♦D1AZ 65613B84				A										AR
		D1AZ 76611A72								A	B					AR
		D0MZ 76611A72					J	K				H	L	S		AR
F		D0MZ 76613B84				A										2
		♦D1AZ 65613B84				A										2
		D1AZ 76611A72								A	B				E	2
		D0MZ 76611A72					J	K				H	L	S		2
L		D1FZ 62613B84				A		⊕								2
		♦D2FZ 62613B84				C										2
P		D0MZ 76613B84				A										2
		♦D1AZ 65613B84				A										2
		D1AZ 76611A72								A	B					2
		D0MZ 76611A72					J	K				H	L	S		2
S		D0MZ 76613B84				A										AR
		♦D1AZ 65613B84				A										AR
		D1AZ 76611A72								A	B					AR
		D0MZ 76611A72					J	K				H	L	S		AR
U		D0BZ 10611A72				E	B					A	C			AR
		D1TZ 10611A72									B					AR

MODEL	PART NUMBER	DESCRIPTION	QTY.
OUTBOARD BELT			
A,B,F,P,S	382624-S100(UU170)	Bolt-torx head, tapping-7/16"-20 x 1 3/8"	2
L			4
U	382627-S100(UU156)	Bolt-torx head, tapping-7/16"-20 x 1 3/4"	2
S(57)	382582-S100(XX179A)	Washer-flat-1/2"	2
U	382629-S100(XX173AA)	Washer-flat-7/16"	2
U	354959-S(XX178C)	Washer-flat-1/2" x 9/64" thick-rubber	4
A,B,F,P,S	382583-S100(XX340AC)	Washer-serrated-1/2"	2
L,U			4
INBOARD BELT			
A,B,P(54),U	382627-S100(UU156)	Bolt-torx head, tapping-7/16"-20 x 1 3/4"	2
P(62),S	382624-S100(UU170)	Bolt-torx head, tapping-7/16"-20 x 1 3/8"	2
A,B,P(54),S,U	382582-S100(XX179A)	Washer-flat-1/2"	2
A,B,P(54),S,U	382629-S100(XX173AA)	Washer-flat-7/16"	2
P(62)	382583-S100(XX340AC)	Washer-serrated-1/2"	2
AUXILIARY SEAT			
A(71),B(71)	382624-S100(UU170)	Bolt-torx head, tapping-7/16"-20 x 1 3/8"	4
A(71),B(71)	382583-S100(XX340AC)	Washer-serrated-1/2"	4
SHOULDER STRAP			
U(98)	382626-S100(UU175)	Bolt-torx head, tapping-3/8"-16 x 1 1/2"	2
U(98)		Spacer - refer to Group 60228	
U(98)	★382554-S100	Washer-spring lock-3/8"	2

♦ Standard buckle - plastic covered (Black only)
● Loc. - Location
R - Right Hand
L - Left Hand
⊕ Use black

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

613B84-5 BELT ASSY. - REAR SEAT COMPLETE - continued

BODY TYPE	• LOC.	PART NUMBER LESS SUFFIX	RETRC. or NON RETRC.	COLORS and APPLICABLE PART NUMBER SUFFIXES											QTY.
				BLACK	BLUE	GINGER	GRAY GOLD	GREEN	PARCHMENT	RED	TOB-ACCO	OTHER	OTHER	OTHER	
1972 - "Before 12/1/71"															
UNLESS OTHERWISE INDICATED, BELTS SHOWN ARE STANDARD LENGTH WITH DELUXE BUCKLE															
A	R/L	D2AY 76613B84	N	F		B	H		A	C	E				3
	R/L	D2AZ 76613B84	N		A			B							3
A(exc. 76)	R/L	♦D2AZ 65613B84	N	A											3
A(71)-aux.	R/L	♦D2AZ 65611B60	N	A											2
B	R/L	D2OY 65613B84	N				B								AR
	R/L	D2OZ 65613B84	N	E	G	A		H			D				AR
	R/L	♦D2OZ 65613B84		J											AR
F	R/L	♦D2ZZ 65613B84	N	G											2
	R/L	D2ZZ 76613B84	R	F	B	C		E	A	D					2
L	R/L	D2FZ 62613B84	N	D	A	E		D				▲L			2
	R/L	♦D2FZ 62613B84	N	C											2
P(54)- "Before 10/1/71"		D2AY 7661B84	N	F			H								2
	R/L	D2AZ 76613B84	N		A									$C	2
	R/L	♦D2DZ 62613B84	R	A											2
	C	♦D2AZ 65613B84	N	A											1
	C	D2AZ 76613B84	N		A									$C	1
	C	D2AY 76613B84	N	F			H								1
P(54)- "From 10/1/71"	R/L	D2DZ 54613B84	R				E							$B	2
	R/L	D3DZ 54613B84	R		F	B	E							▲C	2
	R/L	♦D2DZ 62613B84	R	A											2
	C	♦D2AZ 65613B84	N	A											1
	C	D2AY 76613B84	N	F			H								1
	C	D2AZ 76613B84	N		A									$C	1
P(62)- "Before 10/1/71"	R/L	D2DZ 62613B84	N	D	C	M	E					▲F			2
	R/L	♦D2DZ 62613B84	N	A											2
P(62)- "From 10/1/71"	R/L	D2DZ 62613B84	R	J	H	P						▲N			2
	R/L	♦D2DZ 62613B84	R	F											2
S	R/L	D2OZ 65613B84	N	E	F	A		C		B	D				2
	C	♦D2OZ 65613B84	N	J											2
1972 - "From 12/1/71"															
A(53,54,57)	R/L	D2AZ 65613B84	R	J	D	⊕	K	⊕	C	⊕	⊕				2
	R/L	♦D3AZ 53613B84	R			E		F		H	G				2
	R/L	♦D2AZ 65613B84	R	L											2
A(65)	R/L	D2AZ 65613B84	R	V	⊕	⊕	W	⊕	N	S	U				2
	R/L	♦D3AZ 65613B84	R		B	E		F							2
	R/L	♦D2AZ 65613B84	R	M											2
A	C	D2AZ 76613B84	N		A			B							1
	C	D2AY 76613B84	N	F		B	H		A	C	E				1
	C	♦D2AZ 65613B84	N	A											1
A(71)-rear	R/L	D2AZ 71613B84	R				F			D					2
	R/L	D3AZ 71613B84	R		B	D		E							1
	R/L	♦D2AZ 71613B84	R	A											
A(71)-aux.	R/L	D2AZ 65611B60	N	G	J	D	H	K	C	E	F				2
	R/L	♦D2AZ 65611B60	N	B											2
A(76)	R/L	D2AZ 76613B84	R	J	E	F		H	D	G					2

♦ Standard buckle - plastic covered (Black only) • Loc - Location R - Right hand L - Left hand C - Center
▲ Beige $ Vermilion ⊕ Use standard belt

613B84-5 BELT ASSY. - REAR SEAT COMPLETE - continued

BODY TYPE	LOC e	PART NUMBER LESS SUFFIX	RETRC. or NON RETRC.		COLORS and APPLICABLE PART NUMBER SUFFIXES											QTY.
					BLACK	BLUE	GINGER	GRAY GOLD	GREEN	PARCHMENT	RED	TOBACCO	OTHER	OTHER	OTHER	
					1972 - "From 12/1/71" - continued											
UNLESS OTHERWISE INDICATED, BELTS SHOWN ARE STANDARD LENGTH WITH DELUXE BUCKLE																
B	C	D2OZ 65613B84	N		E	⊕	⊕		⊕			⊕				1
	C	D2OY 65613B84	N					B								1
	C	♦D2OZ 65613B84	N		J											1
	C	♦D3OZ 65611B66				J	C		L			F				1
B(exc. 71)	R	D2OZ 65613B84	R		P	S		R				N				1
	R	D3OZ 65613B84	R				D		E							1
	L	D2OZ 65613B85	R		E	G		F				D				1
	L	D3OZ 65613B85	R				D		E							1
	R	♦D2OZ 65613B84	R		K											1
	L	♦D2OZ 65613B85	R		A											1
B(71)-rear	R/L	D3OZ 71613B84	R		E	B	C		D							2
	R/L	♦D2OZ 71613B84	R		A											2
B(71)-aux.	R/L	D2OZ 65613B84	N		E	⊕	⊕				H	⊕				2
	R/L	♦D3OZ 65611B66				J	C					F				2
	R/L	♦D2OZ 65613B84	N		J											2
F	R/L	D2ZZ 76613B84	R		M	H	J		L	G	K					2
	R/L	♦D2ZZ 65613B84	R		A											2
L	R	D2FZ 62613B84	R		T	P	R		S				ΔU			1
	L	D2FZ 62613B85	R		T	P	R		S				ΔU			1
	R	♦D2FZ 62613B84	R		N											1
	L	♦D2FZ 62613B85	R		N											1
	R	D3FZ 62613B84	R											†B	♦A	1
	L	D3FZ 62613B85	R											†B	♦A	1
	R	♦D3FZ 62613B84	R											†D	♦C	1
	L	♦D3FZ 62613B85	R											†D	♦C	1
P(54)	R/L	D3DZ 54613B84	R		F	B	E						ΔC		#D	2
	R/L	♦D2DZ 54613B84	R		A		M						ΔF			2
	C	D2AZ 76613B84	N			A							ΔK			1
	C	D2AY 76613B84	N		F		B									1
	C	♦D2DZ 62613B84	N		A											1
	C	D2DZ 76613B84	N											#A		1
P(62)	R/L	D2DZ 62613B84	R		J											2
	R/L	D3DZ 62613B84	R			B	E						ΔC		#D	2
	R/L	♦D2DZ 62613B84	R		F											2
S	R	D2LY 65613B84	R					D								1
	L	D2LY 65613B85	R					B								1
	R	D2LZ 65613B84	R		N	P	J		L		K	M				1
	L	D2LZ 65613B85	R		E	F	A		C		B	D				1
	R	♦D2SZ 65613B84	R		B											1
	L	♦D2SZ 65613B85	R		A											1
	C	D2OZ 65613B84	N		E											1
	C	D3OZ 65611B66	N			H	C		E		D	F				1
	C	♦D2OZ 65613B84	N		J											1
U	R/L	D1TZ 10611B60	N		E	B			D	A	C					2

MODEL	PART NUMBER	DESCRIPTION	QTY.
OUTBOARD BELT			
A,B(exc.71),F,L,P,S,U	382624-S100(UU170)	Bolt-torx head,tapping-7/16"-20 x 1 3/8"	2
B(71)	383608-S100(UU160)	Bolt-torx head,tapping-7/16"-20 x 7/8"	2
A,B(exc.71)		Spacer-refer to Group 612A16	2
F,L	382583-S100	Washer	4

♦ Loc - Location R - Right hand L - Left hand C - Center ⊕ Use deluxe belt
♦ Standard buckle - plastic covered Δ Beige $ Vermilion † Orange ♦ Avocado # Tan

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

613B84-5 BELT ASSY. - REAR SEAT COMPLETE - continued

MODEL	PART NUMBER	DESCRIPTION	QTY.
		1972 - "From 12/1/71" - continued	
INBOARD BELT			
A,B	382624-S100(UU170)	Bolt-torx head,tapping-7/16"-20 x 1 3/8"	2
P(54),U	382627-S100(UU156)	Bolt-torx head,tapping-7/16"-20 x 1 3/4"	2
F	382583-S100	Washer	
P(54)		Spacer-refer to Group 612A16	2
P(54),U	382629-S100(XX173AA)	Washer-flat-7/16"	
U	354959-S(XX178C)	Washer-flat-1/2" x 9/16" thick-rubber	4
AUXILIARY BELT			
A(71),B(71)	382624-S100(UU170)	Bolt-torx head,tapping-7/16"-20 x 1 3/8"	4
B(71)	C2AB 6210034-A	Plug-to plug seat belt hole when seatbelts are not used	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
61386	**RETAINER - REAR SEAT FLOOR SUPPORT TO FLOOR**				
	69/71	F(63)		C9ZZ 6361386-A	2
61390	**PANEL ASSY. - REAR SEAT BACK FLOOR**				
	65/	A(54, 71)	Refer to Group 60508		
	65/71	F(63)		C5ZZ 6361390-A	1
61400-1	**MOULDING - FRONT SEAT CUSHION SIDE SHIELD**				
	70/	A	R.H.-snap on-with bucket seat	C9YZ 6561400-A	1
			L.H.	C9YZ 6561401-A	1
	72	B	R.H.	D2GZ 6561400-A	1
			L.H.	D2GZ 6561401-A	1
	72	S	R.H.	D2LZ 6561400-A	1
			L.H.	D2LZ 6561401-A	1
61402-3	**MOULDING - FRONT SEAT BACK SIDE SHIELD**				
	69	A(63C, 76B)-"Before 4/23/69"	R.H.-snap on -with bucket seat	C9YZ 6561402-A	1
	69	A "From 4/23/69"	R.H.-with bucket seat	C9YZ 6561402-B	1
			L.H.	C9YZ 6561403-A	1
	70/71	A	R.H.-with bucket seat		1
			L.H.	C9YZ 6561403-B	1
	70/71	A	R.H.-15 5/8" long-upper-with bucket seats	D0YZ 6561402-A	1
			L.H.	D0YZ 6561403-A	1
	72	S-bucket seat	Side	D2GZ 6561402-A	2
	72	B	Top	D2LZ 6561402-A	2
	72	S-split bench seat			2
61404-5	**MOULDING - FRONT SEAT BACK SIDE SHIELD-TOP - INCLUDES ATTACHING PARTS**				
	69/71	S(57, 65)	R.H.	C8SZ 6561404-A	1
			L.H.	C8SZ 6561405-A	1
61410-1	**MOULDING - FRONT SEAT CUSHION SIDE SHIELD - INCLUDES ATTACHING PARTS**				
	67	A(63C, 76B)	R.H.	C7AZ 6361410-B	2
			L.H.	C7AZ 6361411-B	2
	70/71	A	R.H.-with bucket seat	D0YZ 6561410-A	1
			L.H.	D0YZ 6561411-A	1
	67/71	S	R.H.	C7AZ 6361410-B	2
			L.H.	C7AZ 6361411-B	2
61424-5	**MOULDING - FRONT SEAT BACK SIDE SHIELD - INCLUDES ATTACHING PARTS**				
	68/71	S	R.H.-inner	C8SZ 6561424-A	1
			L.H.	C8SZ 6561425-A	1
	70/71	S(65)	R.H.-outer	D0SZ 6561424-B	1
			L.H.	D0SZ 6561425-B	1
61482-3	**CAP - FRONT SEAT BACK SIDE SHIELD MOULDING**				
	69	A(63C, 76B)	R.H.-Lower front-with bucket seat	C9AZ 6361482-A	1
			L.H.	C9YZ 6561483-A	1
	69	A(63C, 76B)	R.H.-Upper rear-with bucket seat	C9YZ 6561482-A	1
			L.H.	C9YZ 6561483-B	1
	70/71	A	R.H.-Lower front-with bucket seat	C9AZ 6361482-A	1
			L.H.	C9YZ 6561483-A	1
	70/71	A	R.H.-Upper rear-with bucket seat	C9YZ 6561482-A	1
			L.H.	C9YZ 6561483-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
61506	**BUMPER - AUXILIARY SEAT BACK FLOOR PIVOT ARM**				
	68/	A(71),B(71)		D3AZ 7161506-A	§ 2
61606	**SUPPORT - FRONT SEAT BACK TRIM PANEL**				
	72	B,S		D2SZ 6561606-A	1
61610	**SPACER - FRONT SEAT BACK PIVOT OUTER COVER**				
	68	A(63C,76C),B(63D,E,65D,66B,D,76D,E),X(62C)		C7AZ 6361610-A	4
	69	B(63B,E,65D,E,66B,D,76D,E),X(62C)			4
	67	F(63A,65A,C,76A,C),U	Approx. 17/32" x 5/8" x 1 3/8"	C7ZZ 6561610-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
61616-7	**SHIELD - FRONT SEAT BACK SIDE** - Also refer to Group 60762 in Soft Trim Section					
		- A -				
	65/67	A(62,63,76)-full width seat	Aluminum	C5AZ 6361616-A	C5AZ 6361617-A	1
	68	A-bucket seat	Driver	C7MY 6361616-B	C8AZ 6361617-A	1
			Passenger	C8AZ 6361616-A	C7MY 6361617-B	1
	69	A(54,57,71)-full width or split seat	Wood grain insert	C9AZ 5461616-A	C9AZ 5461617-A	1
	69	A(62,63,65,76)-full width or split seat	Wood grain insert	C9AZ 6561616-A	C9AZ 6561617-A	1
	69	A-bucket seat		C9AZ 6361616-A	C9AZ 6361617-A	1
	70	A(54,57,71)-full width seat	W/o recliner-wood grain insert	D0AZ 5461616-A	D0AZ 5461617-A	1
	70	A(54,57,71)-full width or split seat	W/recliner-wood grain insert	D0AZ 6261616-A	D0AZ 6261617-A	1
	70	A(63,65,76)-full width or split seat				1
	70/71	A-bucket seat		D0YZ 6561616-A	D0YZ 6561617-A	1
	71/72	A(53,57)-w/hi-back split bench seat "Before 5/1/72"		D1AZ 5761616-A	D1AZ 5761617-A	1
	72	A(53,57)-w/hi-back split bench seat "From 5/1/72"		D2AZ 5361616-A	D1AZ 5761617-A	1
	71/	A-w/lo-back seat		D1AZ 6561616-A	D1AZ 6561617-A	1
	71/72	A(65)-w/hi-back split bench seat "Before 5/1/72"		D1AZ 6561616-B	D1AZ 6561617-B	1
	72	A(65)-w/hi-back split bench seat "From 5/1/72"		D2AZ 6561616-A	D1AZ 6561617-B	1
		- B -				
	68/69	B-bucket seat	Driver	C7MY 6361616-B	C8AZ 6361617-A	1
			Passenger	C8AZ 6361616-A	C7MY 6361617-B	1
		- F -				
	65/66	F	Aluminum	C5ZZ 6561616-A	C5ZZ 6561617-A	1
			Screw-oval head-cross recess-No.10-12 x 5/8"	52353-S13(U303)	52353-S13(U303)	4
			Screw-oval head-cross recess-No.10-16 x 3/4"	★52430-S13	★52430-S13	2
			Washer-flat-5/16"	★377902-S	★377902-S	4
	67	F(63A,65A,C,76A,C)	Aluminum	C7ZZ 6561616-A	C7ZZ 6561617-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RECLINING	PART NUMBER NON-RECLINING	QTY.
61616-7	SHIELD - FRONT SEAT BACK SIDE - continued - Also refer to Group 60762 in Soft Trim Section					
		- S -				
	68	S "Before 5/27/68"	W/(9) holes	★C8SZ 6561616-B Not replaced (1-73)	★C8SZ 6561616-A Not replaced (6-75)	ø 2
	68/69	S-"From 5/27/68 to 12/12/68"	W/o (9) holes	★C8SZ 6561616-D Not replaced (6-75)	★C8SZ 6561616-C Not replaced (6-75)	ø 2
	69/70	S-"From 12/12/68 to 10/13/69"		C9SZ 6561616-A	C9SZ 6561616-A	1or2
	70/71	S "From 10/13/69"		D0SZ 6561616-A	D0SZ 6561616-A	1or2
	69/71	S	Screw-truss head-No.8-18 x 3/8"	376378-S101(UU97)	376378-S101(UU97)	4
			Screw-self-tap.pan head-No.10-16 x 1/2"	350754-S8(UU86)	350754-S8(UU86)	2
	72	S-split bench seat-passenger-"Before 3/15/72"	Black	D3LZ 6561616-B	D3LZ 6561616-B	§ 1
			Blue	D3LZ 6561616-G	D3LZ 6561616-G	§ 1
			Ginger	D3LZ 6561616-E	D3LZ 6561616-E	§ 1
			Green	D3LZ 6561616-F	D3LZ 6561616-F	§ 1
			Red	D3LY 6561616-F	D3LY 6561616-F	§ 1
			Tobacco	D3LZ 6561616-C	D3LY 6561616-C	§ 1
			White	D3LZ 6561616-C	D3LZ 6561616-D	§ 1
	72	S-split bench seat-passenger-"From 3/15/72"	Black	D3LZ 6561616-B	D3LZ 6561616-B	§ 1
			Blue	†D2LZ 6561616-E	D3LZ 6561616-G	§ 1
			Ginger	D3LZ 6561616-E	D3LZ 6561616-E	§ 1
			Green	D3LZ 6561616-F	D3LZ 6561616-F	§ 1
			Red	D3LY 6561616-F	D3LY 6561616-F	§ 1
			Tobacco	D3LZ 6561616-C	D3LZ 6561616-C	§ 1
			White	D3LZ 6561616-D	D3LZ 6561616-D	§ 1
	72	S-bucket seat-passenger-"Before 3/15/72"	Black	D3SZ 6561616-C	D3SZ 6561616-C	§ 1
			Blue	D3SZ 6561616-F	D2GY 6561616-C	§ 1
			Ginger	D2GY 6561616-G	D2GY 6561616-G	§ 1
			Green	D3SZ 6561616-E	D2GY 6561616-A	§ 1
			Red	D2GZ 6561616-G	D2GZ 6561616-G	§ 1
	72	S-bucket seat-passenger-"From 3/15/72"	Black	D3SZ 6561616-C	D3SZ 6561616-C	§ 1
			Blue	D3SZ 6561616-F	D2GY 6561616-C	§ 1
			Ginger	†D2GY 6561616-G	D2GY 6561616-G	1
			Green	D3SZ 6561616-E	D2GY 6561616-A	§ 1
			Red	†D2GZ 6561616-G	D2GZ 6561616-G	1
	72	S-split bench seat-driver	Black		D3LZ 6561616-B	§ 1
			Blue		D3LZ 6561616-G	1
			Ginger		D3LZ 6561616-F	§ 1
			Gold		D2LZ 6561616-G	1
			Green		D3LZ 6561616-F	§ 1
			Red		D3LY 6561616-F	§ 1
			Tobacco		D3LZ 6561616-C	§ 1
			White		D3LZ 6561616-D	§ 1
	72	S-bucket seat-driver	Black		D3SZ 6561616-C	§ 1
			Blue		D2GY 6561616-C	1
			Ginger		D2GY 6561616-G	1
			Green		D2GY 6561616-A	1
			Red		D2GZ 6561616-G	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
		- U -				
	67	U	Aluminum	C7TZ 9661616-A	C7ZZ 6561617-A	2
		- X -				
	66	X(62C,66D)		C6OZ 6361616-A	★C6OZ 6361617-A	2
	67	X(62C)			Not replaced (3-74)	2
	68/70	X-Bucket seat	Driver	C7MY 6361616-B	C8AZ 6361617-A	1
			Passenger	C8AZ 6361616-A	C7MY 6361617-B	1

† Drill hole for reclining seat

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
61632	**PANEL - FRONT SEAT BACK REAR TRIM**				
	72	L		D3FZ 6261632-AA	2
61642-3	**PLATE - FRONT SEAT BACK SCUFF**				
		- A -			
	65	A(63C, 76B)	Passenger bucket seat	C2SZ 6361642-B	2
	66/67	A(62-Police and Taxi) - "Before 12/15/66"			2
	67	A(62-Police and Taxi)- "From 12/15/66"	Refer to Group 60060		
	65	A(63C, 76B)	Driver bucket seat	C2SZ 6361643-A	2
	66	A(63C, D, 76B, D)			2
	67	A(63C, 76B)			2
	65/66	A(63B, F, 76A)		C5AZ 6261642-A	2
	66	A(62 except Police and Taxi)			2
	67	A(62B, E, 63B, J, 76A)			2
	68	A(57F, 62, 63B, 65, 76)			2
	67/69	A	Split seat	C6VY 5361642-A	8
			Screw-flat head, tapping-No.10-12 x 3/4"	52023-S8(U210)	16
		- B -			
	66/67	B(63C, D, 76C, D)	Driver bucket seat	C2SZ 6361643-A	2
	65	B(62, 65A)		PB9M 5661642-A	4
	65	B(65B)	Improvise	★	4
	65	B(71)	Storage compartment-refer to Group 60060		
		- F -			
	65	F		PB9M 5661642-A	2
	65/69	F	Bucket seats	C1DZ 6461643-A	2
		- S -			
	65	S	Passenger bucket seat	C2SZ 6361642-B	2
	65/67	S	Driver bucket seat	C2SZ 6361643-A	2
		- U -			
	66/	U	Bucket seats	C1DZ 6461643-A	2
		- X -			
	65	X(59, 62, 63B, 66A, B, 78)		PB9M 5661642-A	4
	65	X(76B, D)	Driver bucket seat	C2SZ 6361643-A	2
	66	X(62C, 66D)			2
	67	X(62C)			2
	65	X(63C, D)	Improvise	★	4
61644-5	**TRACK - FRONT SEAT**				
	72	A "From 12/1/71"	6-way bench seat-inner -R.H.	D2AZ 6561644-B	1
		"From 12/1/71"	6-way bench seat--inner-L.H.	D2AZ 6561645-A	1
		"From 12/1/71"	6-way split-bench seat-upper -driver	D2AZ 6561644-A	1
	72	S "Before 7/3/72"	Split seat or bucket-inner	D2LZ 6561644-A	4
	72	S "From 7/3/72"	Split seat or bucket-inner	D3LZ 6561644-A	1or2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
61692-5	**COVER - FRONT SEAT BACK PIVOT SIDE**					
		- A -				
	65/66	A(63C, D, 76B, D)	Outer-aluminum-w/ reclining seat	★C4SZ 6361694-B Not replaced (7-73)	C4SZ 6361695-A	1
			Outer-aluminum-w/o reclining seat	C4SZ 6361694-A	★C6SZ 6361695-A Not replaced (7-73)	1
	69	A(63B, C, 65C, 76A, B)-Bucket seat	Black	C8ZZ 6561692-B1A	C8ZZ 6561693-B1A	1
			Blue (Light)	C8ZZ 6561692-B1B	C8ZZ 6561693-B1B	1
			Ivy Gold (Dark)	C8ZZ 6561692-B2G	C8ZZ 6561693-B2G	1
			Nugget Gold	C8ZZ 6561692-B1Y	C8ZZ 6561693-B1Y	1
			Red	C8ZZ 6561692-B2D	C8ZZ 6561693-B2D	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE		DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
61692-5		COVER - FRONT SEAT BACK PIVOT SIDE - continued					
		- A -					
	70	A-Bucket seat		Black	C8ZZ 6561692-B1A	C8ZZ 6561693-B1A	1
				Blue	D0ZZ 6561692-G	D0ZZ 6561693-G	1
				Ginger	D0ZZ 6561692-J	D0ZZ 6561693-J	1
				Green	D0ZZ 6561692-K	D0ZZ 6561693-K	1
				White	D0ZZ 6561692-L	D0ZZ 6561693-L	1
	71	A-Bucket seat		Black-inner	C8ZZ 6561692-B1A	C8ZZ 6561693-B1A	1
				Ginger-inner	D0ZZ 6561692-J	D0ZZ 6561693-J	1
				Red-inner	D0WY 6561692-B	D0WY 6561693-B	1
				White-inner	D0ZZ 6561692-L	D0ZZ 6561693-L	1
				Black-outer	D0ZZ 6561694-G	D0ZZ 6561695-G	1
				Blue-outer	D0ZZ 6561694-A	D0ZZ 6561695-A	1
				Ginger-outer	D0ZZ 6561694-C	D0ZZ 6561695-C	1
				Green-outer	D1AZ 6561694-B	D1AZ 6561695-B	1
				Vermillion-outer	D1AZ 6561694-A	D1AZ 6561695-A	1
				White-outer	D0ZZ 6561694-E	D0ZZ 6561695-E	1
	71/	A-w/hi-back full width seat		BLACK	D1AZ 6561692-A	D1AZ 6561693-A	1
				BLUE	D1AZ 6561692-B	D1AZ 6561693-B	1
				GINGER	D1AZ 6561692-C	D1AZ 6561693-C	1
				GRAY GOLD	D1AZ 6561692-F	D1AZ 6561693-F	1
				GREEN	D1AZ 6561692-E	D1AZ 6561693-E	1
				RED	D1AZ 6561692-D	D1AZ 6561693-D	1
				TOBACCO(1971)	D1AY 6561692-A	D1AY 6561693-A	1
				TOBACCO(1972)	D2AZ 6561692-A	D2AZ 6561693-A	1
					PASSENGER-NON-RECLINING	DRIVER	
	71/	A-w/hi-back split bench seat-non-reclining	#	BLACK	D1MY 6561692-A	D1MY 6561693-A	1
			♦	BLACK	D1AZ 6561692-A	D1AZ 6561693-A	1
			#	BLUE	D1MY 6561692-D	D1MY 6561693-D	1
			♦	BLUE	D1AZ 6561692-B	D1AZ 6561693-B	1
			#	GINGER	D1MY 6561692-B	D1MY 6561693-B	1
			♦	GINGER	D1AZ 6561692-C	D1AZ 6561693-C	1
			#	GRAY GOLD	D1MY 6561692-G	D1MY 6561693-G	1
			♦	GRAY GOLD	D1AZ 6561692-F	D1AZ 6561693-F	1
			#	GREEN	D1MY 6561692-F	D1MY 6561693-F	1
			♦	GREEN	D1AZ 6561692-E	D1AZ 6561693-E	1
			#	RED	D1MY 6561692-E	D1MY 6561693-E	1
			♦	RED	D1AZ 6561692-D	D1AZ 6561693-D	1
			#	TOBACCO	D1MY 6561692-C	D1MY 6561693-C	1
			♦	TOBACCO	D1AY 6561692-A	D1AY 6561693-A	1
	71/	A-w/hi-back split bench seat-reclining	#	BLACK	D1MY 6561692-A	D1MY 6561693-A	1
			♦	BLACK	D1AZ 6561692-L	D1AZ 6561693-A	1
			#	BLUE	D1MY 6561692-D	D1MY 6561693-D	1
			♦	BLUE	D1AZ 6561692-K	D1AZ 6561693-B	1
			#	GINGER	D1MY 6561692-B	D1MY 6561693-B	1
			♦	GINGER	D1AZ 6561692-G	D1AZ 6561693-C	1
			#	GRAY GOLD	D1MY 6561692-G	D1MY 6561693-G	1
			♦	GRAY GOLD	D1AZ 6561692-N	D1AZ 6561693-F	1
			#	GREEN	D1MY 6561692-F	D1MY 6561693-F	1
			♦	GREEN	D1AZ 6561692-J	D1AZ 6561693-E	1
			#	RED	D1MY 6561692-E	D1MY 6561693-E	1
			♦	RED	D1AZ 6561692-M	D1AZ 6561693-D	1
			#	TOBACCO(1971)	D1MY 6561692-C	D1MY 6561693-C	1
			♦	TOBACCO(1971)	D1AZ 6561692-H	D1AY 6561693-A	1
			♦	TOBACCO(1972)	D2AZ 6561692-A	D2AZ 6561693-A	
			#	TOBACCO(1972)	D2MY 6561692-A	D2MY 6561693-A	1

Armrest pivot ♦ Seat pivot

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
61692-5		COVER - FRONT SEAT BACK PIVOT SIDE - continued				
		- B -				
	68	B(63B, 65A, B, C, J, 66A, B, 76B)	Aqua	C8OZ 6361694-A1K	C8OZ 6361695-A1K	1
			Black	C8OZ 6361694-A1A	C8OZ 6361695-A1A	1
			Blue (Dark)	C8OZ 6361694-A2B	C8OZ 6361695-A2B	1
			Blue (Light)	C8OZ 6361694-A1B	C8OZ 6361695-A1B	1
			Nugget Gold	C8OZ 6361694-A1Y	C8OZ 6361695-A1Y	1
			Red	C8OZ 6361694-A2D	C8OZ 6361695-A2D	1
	69	B(63B, F, 65A, B, C, F, 66A, B, C, D, 76B, F)	Aqua	C8OZ 6361694-A1K	C8OZ 6361695-A1K	1
			Black	C8OZ 6361694-A1A	C8OZ 6361695-A1A	1
			Blue (Dark)	C8OZ 6361694-A2B	C8OZ 6361695-A2B	1
			Blue (Light)	C8OZ 6361694-A1B	C8OZ 6361695-A1B	1
			Ivy Gold (Dark)	C9OZ 6361694-A2G	C9OZ 6361695-A2G	1
			Nugget Gold	C8OZ 6361694-A1Y	C8OZ 6361695-A1Y	1
			Red	C8OZ 6361694-A2D	C8OZ 6361695-A2D	1
			White	C9OZ 6361694-A1W	C9OZ 6361695-A1W	1
	70	B-Full width seat	Black-outer	C8OZ 6361694-A1A	C8OZ 6361695-A1A	1
			Blue-outer	D0OZ 6361694-A	D0OZ 6361695-A	1
			Ginger-outer	D0OZ 6361694-D	D0OZ 6361695-D	1
			Green-outer	D0OZ 6361694-B	D0OZ 6361695-B	1
			Nugget Gold-outer	C8OZ 6361694-A1Y	C8OZ 6361695-A1Y	1
			Red-outer	D0OZ 6361694-C	D0OZ 6361695-C	1
	70	B-Bucket seat	Black-inner	C8ZZ 6561692-B1A	C8ZZ 6561693-B1A	1
			Blue-inner	D0ZZ 6561692-G	D0ZZ 6561693-G	1
			Ginger-inner	D0ZZ 6561692-J	D0ZZ 6561693-J	1
			Green-inner	D0ZZ 6561692-K	D0ZZ 6561693-K	1
			Nugget Gold-inner	C8ZZ 6561692-B1Y	C8ZZ 6561693-B1Y	1
			Red-inner	D0WY 6561692-B	D0WY 6561693-B	1
			White-inner	D0ZZ 6561692-L	D0ZZ 6561693-L	1
			Black-outer	D0ZZ 6561694-G	D0ZZ 6561695-G	1
			Blue-outer	D0ZZ 6561964-A	D0ZZ 6561695-A	1
			Ginger-outer	D0ZZ 6561694-C	D0ZZ 6561695-C	1
			Green-outer	D0ZZ 6561694-D	D0ZZ 6561695-D	1
			Red-outer	D0WY 6561694-A	D0WY 6561695-A	1
			White-outer	D0ZZ 6561694-E	D0ZZ 6561695-E	1
	71	B-Bucket seat	Black-inner	C8ZZ 6561692-B1A	C8ZZ 6561693-B1A	1
			Blue-inner	D0ZZ 6561692-G	D0ZZ 6561693-G	1
			Ginger-inner	D0ZZ 6561692-J	D0ZZ 6561693-J	1
			Green-inner	D1ZZ 6561692-B	D1ZZ 6561693-B	1
			Vermilion-inner	D1ZZ 6561692-A	D1ZZ 6561693-A	1
			White-inner	D0ZZ 6561692-L	D0ZZ 6561693-L	1
			Black-outer	D0ZZ 6561694-G	D0ZZ 6561695-G	1
			Blue-outer	D0ZZ 6561694-A	D0ZZ 6561695-A	1
			Ginger-outer	D0ZZ 6561694-C	D0ZZ 6561695-C	1
			Green-outer	D1AZ 6561694-B	D1AZ 6561695-B	1
			Vermilion-outer	D1AZ 6561694-A	D1AZ 6561695-A	1
			White-outer	D0ZZ 6561694-E	D0ZZ 6561695-E	1
	71	B-Full width seat	Black	C8OZ 6361694-A1A	C8OZ 6361695-A1A	1
			Blue	D0OZ 6361694-A	D0OZ 6361695-A	1
			Ginger	D0OZ 6361694-D	D0OZ 6361695-D	1
			Gray Gold	D1OZ 6361694-D	D1OZ 6361695-D	1
			Green	D1OZ 6361694-C	D1OZ 6361695-C	1
			Vermilion	D1OZ 6361694-B	D1OZ 6361695-B	1
			White	D1OZ 6361694-A	D1OZ 6361695-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
61692-5		COVER - FRONT SEAT BACK PIVOT SIDE - continued - F -				
	68	F(63A,B,65A,B,76)	Black-inner	C8ZZ 6561692-B1A	C8ZZ 6561693-B1A	1
			Blue-inner	C8ZZ 6561692-B1B	C8ZZ 6561693-B1B	1
			Nugget Gold-inner	C8ZZ 6561692-B1Y	C8ZZ 6561693-B1Y	1
			Red-inner	C8ZZ 6561692-B2D	C8ZZ 6561693-B2D	1
	68	F	Parchment-outer	C8ZZ 6561694-A1U	C8ZZ 6561695-A1U	1
	68/69	F	Aqua-outer	C8ZZ 6561694-A1K	C8ZZ 6561695-A1K	1
			Black-outer	C8ZZ 6561694-A1A	C8ZZ 6561695-A1A	1
			Blue (Dark)-outer	C8ZZ 6561694-A2B	★C8ZZ 6561695-A2B Not replaced (1-73)	1
			Blue (Light)-outer	C8ZZ 6561694-A1B	C8ZZ 6561695-A1B	1
			Nugget Gold-outer	C8ZZ 6561694-A1Y	C8ZZ 6561695-A1Y	1
			Saddle (brown)-outer	C8ZZ 6561694-A1F	C8ZZ 6561695-A1F	1
			Red-outer	C8ZZ 6561694-A1D	C8ZZ 6561695-A1D	1
	69	F	Ivy Gold (Light)-outer	C9ZZ 6561694-A3G	★C9ZZ 6561695-A3G Not replaced (1-73)	1
			White-outer	C9ZZ 6561694-A1W	C9ZZ 6561695-A1W	1
	69	F(63,65A,C,E,76)	Black-inner	C8ZZ 6561692-B1A	C8ZZ 6561693-B1A	1
			Blue-inner	C8ZZ 6561692-B1B	C8ZZ 6561693-B1B	1
			Nugget Gold-inner	C8ZZ 6561692-B1Y	C8ZZ 6561693-B1Y	1
			Ivy Gold (Dark)-inner	C8ZZ 6561692-B2G	C8ZZ 6561693-B2G	1
			Red-inner	C8ZZ 6561692-B2D	C8ZZ 6561693-B2D	1
	69/70	F(65C,D)	Black-inner	C9ZZ 6561692-A2A	C9ZZ 6561693-A2A	1
	70	F(63,65A,B,E,76)	Black-inner	C8ZZ 6561692-B1A	C8ZZ 6561693-B1A	1
			Blue-inner	D0ZZ 6561692-G	D0ZZ 6561693-G	1
			Ginger-inner	D0ZZ 6561692-J	D0ZZ 6561693-J	1
			Green-inner	D0ZZ 6561692-K	D0ZZ 6561693-K	1
			Tobacco-inner	D0ZZ 6561692-M	D0ZZ 6561693-M	1
			Vermilion-inner	D0ZZ 6561692-H	D0ZZ 6561693-H	1
			White-inner	D0ZZ 6561692-L	D0ZZ 6561693-L	1
	70	F	Black-outer	D0ZZ 6561694-G	D0ZZ 6561695-G	1
			Blue-outer	D0ZZ 6561694-A	D0ZZ 6561695-A	1
			Ginger-outer	D0ZZ 6561694-C	D0ZZ 6561695-C	1
			Green-outer	D0ZZ 6561694-D	D0ZZ 6561695-D	1
			Tobacco-outer	D0ZZ 6561694-F	D0ZZ 6561695-F	1
			Vermilion-outer	D0ZZ 6561694-B	D0ZZ 6561695-B	1
			White-outer	D0ZZ 6561694-E	D0ZZ 6561695-E	1
	71	F "Before 2/1/71"	Black-driver & passenger	D1ZZ 6561694-A	D1ZZ 6561695-A	2
			Blue-driver & passenger	D1ZZ 6561694-B	D1ZZ 6561695-B	2
			Ginger-driver & passenger	D1ZZ 6561694-N	D1ZZ 6561695-F	2
	71	F "Before 2/1/71"	Green-driver & passenger	D1ZZ 6561694-G	D1ZZ 6561695-G	2
			Red-driver & passenger	D1ZZ 6561694-D	D1ZZ 6561695-D	2
			Vermilion-driver & passenger	D1ZZ 6561694-E	D1ZZ 6561695-E	2
			White-driver & passenger	D1ZZ 6561694-C	D1ZZ 6561695-C	2
	71/	F "From 2/1/71"	Black (1971)	D1ZZ 6561694-H	D1ZZ 6561695-H	2
			Black (1972)	D2ZZ 6561694-A	D2ZZ 6561695-A	2
			Blue	D1ZZ 6561694-J	D1ZZ 6561695-J	2
			Ginger	D1ZZ 6561694-N	D1ZZ 6561695-N	2
			Green	D1ZZ 6561694-P	D1ZZ 6561695-P	2
			Red	D1ZZ 6561694-L	D1ZZ 6561695-L	2
			Vermilion	D1ZZ 6561694-M	D1ZZ 6561695-M	2
			White	D1ZZ 6561694-K	D1ZZ 6561695-K	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
61692-5	COVER - FRONT SEAT BACK PIVOT SIDE - continued					
		- L -				
	71/	L	Beige-driver & passenger	D2FZ 6261694-B	D2FZ 6261695-B	1
			Black (1971)-driver & passenger	D1FZ 6261694-A	D1FZ 6261695-A	1
			Black (1972)-driver & passenger	D2FZ 6261694-A	D2FZ 6261695-A	1
			Blue (exc.GB,HB trim code)-driver & passenger	D1FZ 6261694-B	D1FZ 6261695-B	1
			Ginger-driver & passenger	D1FZ 6261694-D	D1FZ 6261695-D	1
			Green-driver & passenger	D1FZ 6261694-C	D1FZ 6261695-C	1
			White (exc.GH,HB trim code)-driver & passenger	D2FZ 6261694-C	D2FZ 6261695-C	1
	71/72	L "Before 2/1/72"	Blue (GB, HB trim code)-driver & passenger	D0DZ 6261694-A1B	D0DZ 6261695-A1B	1
			White(GB,HB trim code)-driver & passenger	D2DZ 6261694-C	D2DZ 6261695-C	1
	72	L	Avocado-driver & passenger	D3FZ 6261694-B	D3FZ 6261695-B	1
			Orange-driver & passenger	D3FZ 6261694-A	D3FZ 6261695-A	1
		- P -				
	70	P(62)	Aqua	D0DZ 6261694-A1K	D0DZ 6261695-A1K	1
			Black	D0DZ 6261694-A1A	D0DZ 6261695-A1A	1
			Blue	D0DZ 6261694-A1B	D0DZ 6261695-A1B	1
			Nugget Gold	D0DZ 6261694-A1Y	D0DZ 6261695-A1Y	1
			Red	D0DZ 6261694-A1D	D0DZ 6261695-A1D	1
	71	P-w/bucket seat- "Before 2/1/71"	Black-driver & passenger	D1ZZ 6561694-A	D1ZZ 6561695-A	2
			Blue-driver & passenger	D1ZZ 6561694-J	D1ZZ 6561695-J	§ 2
			Grey Gold-driver & passenger	D14Y 6561694-A	D14Y 6561695-A	2
			Red-driver & passenger	D1ZZ 6561694-L	D1ZZ 6561695-L	§ 2
			Vermilion-driver & passenger	D1ZZ 6561694-M	D1ZZ 6561695-M	§ 2
	71/	P-w/bucket seat- "From 2/1/71"	Black (1971)	D1ZZ 6561694-H	D1ZZ 6561695-H	2
			Black (1972)	D2ZZ 6561694-A	D2ZZ 6561695-A	2
			Blue	D1ZZ 6561694-J	D1ZZ 6561695-J	2
			Ginger	D1ZZ 6561694-N	D1ZZ 6561695-N	2
			Grey Gold	D14Y 6561694-A	D14Y 6561695-A	2
			Green	D1ZZ 6561694-P	D1ZZ 6561695-P	2
			Red	D1ZZ 6561694-L	D1ZZ 6561695-L	2
			Vermilion	D1ZZ 6561694-M	D1ZZ 6561695-M	2
			White	D1ZZ 6561694-K	D1ZZ 6561695-K	2
	72	P(54,62A)-w/reclining bucket seat	Tan	D3DZ 6261694-C	D3DZ 6261695-C	§ 1
	72	P-w/reclining seat	Button-tan	130055-ESJX	130055-ESJX	2
	71/	P-w/full width seat	Beige	D2DZ 6261694-A	D2DZ 6261695-A	1
			Black-outer	D0DZ 6261694-A1A	D0DZ 6261695-A1A	1
			Blue-outer	D0DZ 6261694-A1B	D0DZ 6261695-A1B	1
			Ginger	D2DZ 6261694-B	D2DZ 6261695-B	1
			Gray Gold-outer	D1DZ 6261694-B	D1DZ 6261695-B	1
			Vermilion-outer	D1DZ 6261694-A	D1DZ 6261695-A	1
			White	D2DZ 6261694-C	D2DZ 6261695-C	1
	72	P(54,62A)-w/full width seat	Tan	D2ZZ 6561694-D	D2ZZ 6561695-D	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
61692-5	**COVER - FRONT SEAT BACK PIVOT SIDE - continued**					
		- S -				
	65/66	S	Outer-aluminum-w/ reclining seat	★C4SZ 6361694-B Not replaced (7-73)	C4SZ 6361695-A	1
			Outer-aluminum-w/o reclining seat	C4SZ 6361694-A	★C6SZ 6361695-A Not replaced (7-73)	1
	72	S-Split seat	Black	D2LZ 6561692-C	D2LZ 6561693-C	1or2
			Blue	D2LZ 6561692-F	D2LZ 6561693-F	1or2
			Ginger	D2LZ 6561692-A	D2LZ 6561693-A	1or2
			Green	D2LZ 6561692-D	D2LZ 6561693-D	1or2
			Red	D2LZ 6561692-E	D2LZ 6561693-E	1or2
			Tobacco	D2LZ 6561692-G	D2LZ 6561693-G	1or2
			White	D2LZ 6561692-B	D2LZ 6561693-B	1or2
		- U -				
	67	U -bucket seat	Parchment	C7WY 6561693-A1U	★C7TZ 9661695-B1U Not replaced (3-74)	1
	67	U -full width seat	Parchment	C7TZ 9661694-C1U	C7TZ 9661695-C1U	1
	68	U -bucket seat	Black	C8ZZ 6561695-A1A	C8ZZ 6561695-A1A	1
			Blue	C8ZZ 6561695-A1B	C8ZZ 6561695-A1B	1
			Parchment	C8ZZ 6561695-A1U	C8ZZ 6561695-A1U	1
			Red	C8ZZ 6561695-A1D	C8ZZ 6561695-A1D	1
	70/71	U -bucket seat	Parchment	C7TZ 9661694-C1U	C7TZ 9661695-C1U	1
	70/71	U -full width seat	Parchment	D0TZ 9761694-A	D0TZ 9761695-A	1
	72	U	Parchment	D0TZ 9761692-A	D0TZ 9761693-A	1
	72	U	Black-inboard	D2BZ 1061692-A	D2BZ 1061693-A	1
	72	U	Black-outboard	D2BZ 1061694-A	D2BZ 1061695-A	1
	70/	U	Screw-self-tap.pan head-No.8-32 x 1/2"	51764-S8(U366)	51764-S8(U366)	4
		- X -				
	65	X(63,66) -bucket seat	Bright plastic-outer	C3DZ 6361694-A	C3DZ 6361695-A	1
	66	X(62B,66B)	Blue	C6OZ 6261694-ABA	C6OZ 6261695-ABA	1
	66	X(62A,B,66A,B)	Black	C6OZ 6261694-AAH	C6OZ 6261695-AAH	1
			Parchment	C6OZ 6261694-AAK	C6OZ 6261695-AAK	1
	68/70	X(62A,B)	Aqua	C8OZ 6361694-A1K	C8OZ 6361695-A1K	1
			Black	C8OZ 6361694-A1A	C8OZ 6361695-A1A	1
			Blue (Dark)	C8OZ 6361694-A2B	C8OZ 6361695-A2B	1
			Blue (Light)	C8OZ 6361694-A1B	C8OZ 6361695-A1B	1
			Nugget Gold	C8OZ 6361694-A1Y	C8OZ 6361695-A1Y	1
			Red	C8OZ 6361694-A2D	C8OZ 6361695-A2D	1
	69/70	X	Screw-fillister head-tapping-No.10-32 x 1/2"	357456-S13(UU43)	357456-S13(UU43)	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
61696-7	**SLEEVE - FRONT SEAT BACK HINGE PIVOT**				
	65	X(76B,D)	Outer-Chrome plated-2 3/32" O.D.	C1SB 6361697-B	2
			Pin-self-locking-1/16" x 15/16"	352358-S(NN127)	4
			Washer-flat-1/2"	★351455-S	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
61704-5	**TRACK ASSY. - FRONT SEAT**				
		- A -			
	65/66	A	R.H. -Driver manual bucket seat	C5AZ 6361704-G	1
			L.H.	C5AZ 6361705-G	1
			R.H. -Passenger manual bucket seat	C5AZ 6361704-F	1
			L.H.	C5AZ 6361705-F	1
			Stud-3/8"-16	★380558-S2	8
			Lockwasher-spring-3/8"	34808-S8(X67)	8
			Nut-hex. -3/8"-16	33799-S8(M52)	8
	65/66	A	Power full width seat-refer to Group 617A44-5		
	65/67	A(54, 57, 62, 63B, F, 71, 76A)	R.H. -Manual full width seat	C5AZ 6261704-A	1
			L.H.	C5AZ 6261705-A	1
			Stud-5/16"-18 x 1 5/8"	★379054-S2	8
			Nut & washer-hex. -5/16"-18	★376838-S2	8
	66	A	Power bucket seat-refer to Groups 61710 (upper track), 61714-5 (lower track) and 619A34 (slide)		
	67	A	R.H. -Driver manual bucket seat	C7AZ 6361704-A	1
			L.H.	C7AZ 6361705-A	1
			R.H. -Passenger manual bucket seat	C7AZ 6361704-B	1
			L.H.	C7AZ 6361705-B	1
	67	A "Before 9/26/66"	R.H. -Driver manual split seat	C7AZ 6361704-C	1
			L.H.	C7MY 6361705-B	1
			R.H. -Passenger manual split seat	C7MY 6361704-A	1
			L.H. -not repl'd. (3-74)	★C7AZ 6361705-C	1
	67/68	A "From 9/26/66"	R.H. -Driver manual split seat	C7AZ 6361704-C	1
			L.H.	C7MY 6361705-B	1
			R.H. -Passenger manual split seat	C7MY 6361704-A	1
			L.H. -not repl'd. (3-74)	★C7AZ 6361705-C	1
	68	A	R.H. -Manual full width seat	C8AZ 6261704-A	1
			L.H.	C8AZ 6261705-A	1
			R.H. -Manual bucket seat	C7MY 6361704-C	2
			L.H.	C7MY 6361705-C	2
	69	A	R.H.-Driver manual split seat	C9MZ 6561704-A	1
			L.H.	C9AZ 6261705-A	1
			R.H. -Passenger manual split seat	C9MZ 6561704-B	1
			L.H.	C9MZ 6561705-C	1
	69/70	A	R.H. -Manual full width seat	C9AZ 6261704-A	1
			L.H.	C9AZ 6261705-A	1
	69/70	A	R.H.-Manual bucket seat	C9AZ 6361704-A	2
			L.H.	C9AZ 6361705-A	2
	70	A	R.H.-Driver manual split bench seat	D0AZ 6561704-A	1
			L.H.	C9AZ 6261705-A	1
			R.H.-Passenger manual split bench seat	C9MZ 6561704-A	1
			L.H.	C9MZ 6561705-C	1
	71/72	A "Before 12/1/71"	R.H.-Manual full width seat	D1AZ 6561704-A	1
			L.H.	D1AZ 6561705-A	1
			R.H.-Driver or passenger-manual bucket seat	D1AZ 6561704-B	2
			L.H.	D1AZ 6561705-B	2
			R.H.-Driver manual split seat	D1AZ 6561704-A	1
			L.H.	D1AZ 6561705-A	1
			R.H.-Passenger manual split seat	D2AZ 6561704-A	§ 1
			L.H.	D1AZ 6561705-C	1
	72	A "From 12/1/71"	R.H.-Passenger split seat	D2AZ 6561704-A	1
			L.H.	D2AZ 6561705-A	1
			R.H.-Driver split seat	D2AZ 6561704-B	1
			L.H.	D2AZ 6561705-B	1
			R.H.-Full width seat	D2AZ 6561704-B	1
			L.H.	D2AZ 6561705-B	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
61704-5	**TRACK ASSY. - FRONT SEAT - continued**				
		- B -			
	65	B(except 65B)	R.H. -Manual full width seat-5" travel	C3OZ 6261704-E	1
			L.H.	C3OZ 6261705-D	1
			Bolt-square head-5/16"-24 x 1"	★373749-S8	2
			Nut-spring-5/16"-18	353766-S(MM269)	4
			Screw & washer-cross recess-5/16"-24 x 1"	★378142-S7	4
			Washer-flat-7/16"	44730-S8(X26)	4
			Nut-hex. -5/16"-24	354299-S8(MM156)	4
	66	B(63C,D)	R.H. -Manual bucket seat	C6OZ 6361704-A	2
			L.H.	C6OZ 6361705-B	2
	66	B(76C,D)	R.H. -Manual bucket seat	C6OZ 7661704-A	2
			L.H. -not replaced (5-75) ★	C6OZ 7661705-B ø	2
	66	B(63C,D,76C,D)	Nut & washer-hex. -5/16"-18	378643-S2(MM295L)	8
	66/71	B	R.H. -Manual full width seat	C6OZ 6261704-C	1
			L.H.	C6OZ 6261705-C	1
	67/69	B(63, 65, 66)	R.H. -Manual bucket seat	C6OZ 6361704-A	2
			L.H.	C6OZ 6361705-B	2
	67/69	B(76)	R.H. -Manual bucket seat	C6OZ 7661704-A	2
			L.H.	C6OZ 7661705-B	2
	69/71	B	R.H. -Power full width seat	C6GY 6261704-A	1
			L.H.	C6GY 6261705-A	1
	69/71	B	Nut & washer-5/16"-18 (track to front floor pan)	382590-S100 (MM295K)	8
	70/71	B(63,65,66,76)	R.H. -Manual bucket seat	D0OZ 6561704-A	2
			L.H.	D0OZ 6561705-A	2
	72	B	R.H.	D2OZ 6561704-A	1or2
			L.H.	D2OZ 6561705-A	1or2
		- F -			
	65/66	F	R.H. -Manual full width seat	C5ZZ 6561704-E	1
			L.H.	C5ZZ 6561705-E	1
			Screw & washer assy.	★379874-S2	4
			Nut & washer-hex. -5/16"-18	378643-S2(MM295L)	4
	65/70	F	R.H. -Manual bucket seat	C5ZZ 6561704-F	2
			L.H.	C5ZZ 6561705-F	2
	67/69	F	R.H. -Manual full width seat	C7ZZ 6561704-A	1
			L.H.	C7ZZ 6561705-A	1
	71/72	F "Before 12/1/71"	R.H.-Driver and passenger bucket seat	D1ZZ 6561704-A	2
			L.H.	D2ZZ 6561705-A	2
	72	F "From 12/1/71"	R.H.-Driver or passenger	D2ZZ 6561704-A	2
			L.H.	D2ZZ 6561705-A	2
	71/	F(76)	Screw-washer head-5/16"-18 x 1 1/2"-attach seat track to cushion	384872-S2(UU52AH)	8
		- L -			
	71	L	R.H.-Driver and passenger	D1FZ 6261704-A	2
			L.H.	D1FZ 6261705-A	2
	72	L	R.H.-Driver or passenger	D2FZ 6261704-A	2
			L.H.	D2FZ 6261705-A	2
		- P -			
	70	P	R.H.-Full width seat	C6OZ 6261704-C	1
			L.H.	D0DZ 6261705-B	1
			Screw & washer assy. (torx head)-5/16"-18 X 7/8"	383500-S100	4
			Nut-5/16"-18 -washer assy.	382590-S100(MM269K) (BB817YE)	4
			Screw & washer assy. (torx head)-5/16"-18 x 1 1/4"	383501-S100 (BB817YF)	2
			Screw & washer assy. 5/16"-18 x 7/8" fillister head	382592-S100 (BB817CM)	4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
61704-5	**TRACK ASSY. - FRONT SEAT - continued**				
		- P -			
	71	P	R.H.-Full width seat	C6OZ 6261704-C	1
			L.H.	C6OZ 6261705-C	1
			R.H.-Driver and passenger bucket seat	D1DZ 6261704-A	2
			L.H.	D1DZ 6261705-A	2
	72	P-exc. LTD	R.H.-Bucket seat	D2DZ 6261704-A	2
			L.H.	D2DZ 6261705-A	2
			R.H.-Full width seat	D2DZ 6261704-B	1
			L.H.	D2DZ 6261705-B	1
	72	P(54,62A)-LTD	R.H.-Driver bucket seat	D2DZ 6261704-D	1
			L.H.-Driver bucket seat	D2DZ 6261705-D	1
			R.H.-Passenger bucket seat	D2DZ 6261704-C	1
			L.H.-Passenger bucket seat	D2DZ 6261705-C	1
		- S -			
	65	S	R.H.-Power bucket seat	C4SZ 6361704-C	1or2
			L.H.	C4SZ 6361705-C	1or2
			Nut-hex.-3/8"-16	33799-S8(M52)	4or8
			Screw & washer assy.-filllister head, cross recess-5/16"-24 x 7/8"	★378103-S7	2or4
			Stud-3/8"-16 x 7/16" & 3/8"-16 x 1 1/4"	★378174-S8	4or8
			Washer-flat-3/8"	352981-S(XX143)	4or8
			Washer-lock, spring-3/8"	34808-S8(X67)	4or8
	65/66	S	R.H.-Driver manual bucket seat	C4SZ 6361704-E	1
			L.H.	C4SZ 6361705-E	1
			R.H.-Passenger manual bucket seat	C4SZ 6361704-F	1
			L.H.	C4SZ 6361705-F	1
			Stud-3/8"-16 x 7/16" & 3/8"-16 x 1 1/4"	★378174-S8	16
			Nut-hex.-3/8"-16	★379748-S2	16
	66	S	Power bucket seat-refer to Groups 61710 (upper track), 61714-5 (lower track)and 619A34 (slide)		
	67/68	S	R.H.-Driver manual bucket seat	C7SZ 6561704-H	1
			L.H.-Driver manual bucket seat	C7SZ 6561705-H	1
			R.H.-Passenger manual bucket seat	C7SZ 6561704-J	1
			L.H.-Passenger manual bucket seat	C7SZ 6561705-J	1
	68	S	R.H.-Manual full width seat	C8SZ 6561704-A	1
			L.H.-Manual full width seat	C8SZ 6561705-A	1
	69	S	R.H.-Manual full width seat & driver bucket seat	D0SZ 6561704-B	1
			L.H.	D0SZ 6561705-B	1
	69/70	S	R.H.-Passenger manual bucket seat	D0SZ 6561704-C	1
	69/70	S	L.H.-Passenger manual bucket seat	D0SZ 6561705-C	1
	70	S	R.H.-Manual full width seat & driver bucket seat	D0SZ 6561704-B	1
			L.H.	D0SZ 6561705-B	1
	71	S	R.H.-Driver bucket or split bench	D0SZ 6561704-B	1
			R.H.-Full width seat		1
			L.H.	D0SZ 6561705-B	1
			R.H.-Passenger bucket or split bench	D0SZ 6561704-C	1
			L.H.	D0SZ 6561705-C	1
	72	S	R.H.	D2OZ 6561704-A	1or2
			L.H.	D2OZ 6561705-A	1or2
		- U -			
	66/71	U	R.H.-Driver bucket seat	C6TZ 9661704-C	1
			L.H.	C6TZ 9661705-A	1
			Bolt-hex.head-3/8"-16 x 3/4"	20346-S8(B50)	12
			Lockwasher-external tooth-5/16"	34956-S7-8(X82)	12
			Washer-flat-7/16"	44730-S8(X26)	12
			Washer-flat-5/16"	354054-S8(XX121)	12

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
61704-5	**TRACK ASSY. - FRONT SEAT - continued**				
		- U -			
	66/71	U	R.H.-Full width seat	D2BZ 1061704-A	1
			L.H.	C6TZ 9661705-B	1
			Bolt-hex.head-3/8"-16 x 3/4"	20346-S8(B50)	8
			Lockwasher-external tooth-5/16"	34956-S7-8(X82)	8
			Bolt-hex.head-5/16"-18 x 7/8"	20366-S8(B52)	4
			Washer-flat-5/16"	354054-S8(XX121)	12
	72	U "Before Ser. P00,001"	R.H.	D2BZ 1061704-A	2
			L.H.	D2BZ 1061705-A	2
	72	U "From Ser. P00,001"	R.H.-Driver	D2BZ 1061704-B	1
			L.H.	D2BZ 1061704-B	1
		- X -			
	65	X(54, 62, 63B, 66A, B, 78)	R.H.-Manual full width seat-steel ball slide-5" travel	C4DZ 6261704-D	1
			L.H.	C4DZ 6261705-D	1
			Bolt-square head-5/16"-18 x 1"	★379402-S2	2
			Bolt-square head-5/16"-18 x 1 1/4"	★379423-S2	2
			Nut-spring-5/16"-18	353766-S(MM269)	4
			Nut & washer assy.-5/16"-18	378643-S2(MM295L)	4
			Nut & washer-hex.-5/16"-18	378643-S2(MM295L)	4
	65	X(63C, D, 66G, H)	R.H.-Manual bucket seat	C3DZ 6261704-C	2
			L.H.-not repl'd. (3-74)	★C3DZ 6261705-C	2
	66	X(62C, 66D)	R.H.-Manual bucket seat	C6OZ 6361704-A	2
			L.H.	C6OZ 6361705-B	2
			Nut & washer-hex.-5/16"-18	378643-S2(MM295L)	8
	66/70	X	R.H.-Manual full width seat	C6OZ 6261704-C	1
			L.H.	C6OZ 6261705-C	1
	67/69	X	R.H.-Manual bucket seat	C6OZ 6361704-A	2
			L.H.	C6OZ 6361705-B	2
	69/70	X	Nut-5/16"-18 washer assy.	382590-S100(MM295K)	4
617C04-5	**SUPPORT - FRONT SEAT BACK PIVOT**				
	69/70	A	Less bumper-with split bench reclining seat	D0AZ 54617C04-A	1
	70	A	Heavy duty springs-non-reclining seat	D0AZ 62617C04-A	2
	71/	A-bucket seat	Non-reclining seat		2
	71/	A	R.H.-full width or split bench seat-non reclining	D1AZ 65617C04-A	1
			L.H.	D1AZ 65617C05-A	1
	71/	A-split seat	Reclining seat	D1AZ 65617C04-B	1
	70/71	S	R.H.-with bench and bucket seat-non-reclining	D0SZ 65617C04-A	1
			R.H.-with bucket and bench reclining seat	D0SZ 65617C04-B	1
			L.H.	D0SZ 65617C05-A	1
	72	S	Reclining seat	D2SZ 65617C04-A	1
617A06-7	**SCREW - FRONT SEAT ADJUSTING VERTICAL REGULATOR**				
	67/68	A,S	R.H.-rear-Driver power bucket seat-2 27/32" long-also serviced in assy.(60466)	C7AZ 63617A07-A	1
			L.H.-front-Driver power bucket seat		1
	67/68	A	R.H.-front-Power full width seat-2 19/32" long-also serviced in assy.(60465)	C7AZ 62617A06-B	2
			L.H.-front-Power full width seat-2 19/32" long-also serviced in assy.(60466)	C7AZ 62617A07-B	2
	67/68	A	R.H.-rear-Driver power split seat-3 15/16" long-also serviced in assy.(60466)	★C7AZ 62617A07-A Not repl'd.(3-74)	1
			L.H.-front-Driver power split seat-2 19/32" long-also serviced in assy.(60466)	C7AZ 62617A07-B	1
			R.H.-rear-Passenger power split seat-3 15/16" long-also serviced in assy.(60466)	★C7AZ 62617A07-A Not repl'd.(3-74)	1
			L.H.-front-Passenger power split seat-2 19/32" long-also serviced in assy.(60466)	C7AZ 62617A07-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
61710	**TRACK ASSY. - FRONT SEAT UPPER**				
	72	A "From 12/1/71"	6-way split bench-driver	D2AZ 6561710-A	1
	72	S	Split bench & bucket seat	D2LZ 6561710-A	2
61710-1	**TRACK - FRONT SEAT SIDE**				
	67/72	A "Before 12/1/71"	R.H.-outer-Power split seat	C7AZ 6261710-A	1
			L.H.-outer-Power split seat	C7AZ 6261711-A	1
			R.H.-inner-Power split seat	C7AZ 6261711-A	1
			L.H.-inner-Power split seat	C7AZ 6261710-A	1
	67/68	A	R.H.-outer-Driver power bucket seat	C7AZ 6361710-A	1
			L.H.-outer-Driver power bucket seat	C7AZ 6361711-A	1
			R.H.-inner-Driver power bucket seat	C7AZ 6361711-A	1
			L.H.-inner-Driver power bucket seat	C7AZ 6361710-A	1
	67/72	A "Before 12/1/71"	R.H.-outer-Power full width seat	C7AZ 6261710-A	1
			L.H.-outer-Power full width seat	C7AZ 6261711-A	1
			R.H.-inner-Power full width seat	C7AZ 6261711-A	1
			L.H.-inner-Power full width seat	C7AZ 6261710-A	1
	72	A "From 12/1/71"	With power seat-refer to group 617C80-1		
	72	A "From 12/1/71"	6-way split bench-driver	D2AZ 6561710-A	1
	72	B	R.H.-full width seat	D2OZ 6561710-A	1
			L.H.	D2OZ 6561711-A	1
	72	B	R.H.-6-way full bench seat	D3OZ 6561710-A	1
			L.H.	D3OZ 6561711-A	1
	67/71	S	R.H.-outer-Power full width or bucket seat	C7AZ 6361710-A	1
			L.H.-outer-Power full width or bucket seat	C7AZ 6361711-A	1
			R.H.-inner-Power full width or bucket seat	C7AZ 6361711-A	1
			L.H.-inner-Power full width or bucket seat	C7AZ 6361710-A	1
	72	S	R.H.-Power hi back bench seat	D2OZ 6561710-A	1
			L.H.	D2OZ 6561711-A	1
	72	S "From 7/3/72"	R.H. and L.H.-6-way split bench	D3LZ 6561710-A	1or2
617B10	**CABLE - FRONT SEAT ADJUSTING FRONT VERTICAL ACTUATING**				
	67/68	A	Split seat-7 1/16" long	C7MY 63617B10-A	2
	69/70	A	Passenger split seat		1
	67/72	A "Before 12/1/71"	Full width seat-7 13/16" long	C7AZ 62617B10-A	1
	69/71	A	Driver split seat	C9AZ 54617B10-A	1
	70/71	A(54C, 57F, 65A)	Driver split seat	C7AZ 62617B10-B	1
	72	A "From 12/1/71"	Full width or split bench seat - Refer to Group 617B12		
	67/71	S	Driver bucket seat-5 9/16" long	C7AZ 62617B10-B	1
	69/71	S	Full width seat-7 13/16" long	C7AZ 62617B10-A	1
617B12-3	**CABLE - FRONT SEAT ADJUSTING REAR VERTICAL ACTUATING**				
	67/68	A	Driver bucket seat-20 1/16" long	C7AZ 63617B12-A	1
	67/70	S			1
	67/72	A "Before 12/1/71"	Full width seat-9 7/16" long	C7AZ 62617B12-A	1
	67/72	A "Before 12/1/71"	Split seat-23 1/16" long	C7MY 63617B12-A	2
	72	A "From 12/1/71"	Full width or split bench seat	D2LZ 65617B12-A	4
	69/71	B(except 76)	Power full width seat-35 1/4" long	C6GY 62617B12-A	1
	69/71	B(76)	Power full width seat-36 1/8" long	C6GY 76617B12-A	1
	72	B	Full width seat-12 1/16" long.	D2LZ 65617B12-A	2
	68	S	Power full width seat-9 7/16" long	C8SZ 65617B12-A	1
	69/71	S	Power full width seat-9 7/16" long	C7AZ 62617B12-A	1
	72	S	Used for horizontal and rear vertical	D2LZ 65617B12-A	4
61714-5	**TRACK ASSY. - FRONT SEAT LOWER**				
	66	S	R.H.-Power bucket seat-not replaced (7-73)	★C6SZ 6361714-A	2
			L.H.	C6SZ 6361715-A	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
617B14-5	**CABLE - FRONT SEAT ADJUSTING - HORIZONTAL ACTUATING**				
	67/68	A	Power split seat-6 3/4" long	C7MY 63617B15-A	2
	69	A	Driver power split seat		1
	67/71	A, S	R. H. -Power full width seat-39" long	C7AZ 62617B14-A	1
			L. H. -7 11/16" long	C7AZ 62617B15-A	1
	69/71	A	Driver power split bench	C9AZ 54617B15-A	1
	72	A "Before 12/1/71"	R.H.-Full width seat	C7AZ 62617B14-A	1
			L.H.	C7AZ 62617B15-A	1
	72	A "Before 12/1/71"	R.H.-Driver split bench seat	C7AZ 63617B14-A	1
			L.H.	C9AZ 54617B15-A	1
	72	A "From 12/1/71"	Full width or split bench seat	D2LZ 65617B14-A	1
	69/71	B(except 76)	R. H. -Power full width seat-32 3/8" long	C6GY 62617B14-A	1
			L. H. -Power full width seat-14 1/8" long	C6GY 62617B15-A	1
	69/71	B(76)	R. H. -Power full width seat-33 1/4" long	C6GY 76617B14-A	1
			L. H. -Power full width seat-14 1/8" long	C6GY 62617B15-A	1
	72	B	Full width seat-37 1/16" long	D0SZ 65617B14-A	3
	72	B	Horizontal and front vertical-15 9/16" long	D2LZ 65617B14-A	1
	67/71	S	R. H. -Driver power bucket seat-3 1/4" long	C7AZ 63617B14-A	1
			L. H. -3 1/4" long	C7AZ 63617B15-A	1
	70/71	S	Power full width seat-39" long-use with 38" tube (618A86)	C7AZ 62617B14-A	AR
	70/71	S	Power full width seat-37" long-use with 36" tube (618A86)	D0SZ 65617B14-A	AR
	72	S		D2LZ 65617B14-A	2
617A15	**GEAR - FRONT SEAT ADJUSTING REGULATOR**				
	69/71	B	Power full width seat	C6GY 62617A15-A	1
617C20-1	**SHIELD - FRONT SEAT ADJUSTER**				
	65	A(54, 57, 62, 63B, F, 71, 76A)	R. H. -Burgundy-Power full width seat	C5AZ 63617C20-AAH	1
			L. H.	C5AZ 63617C21-AAH	1
	65	A(54, 57, 62, 63B, F, 71, 76A)	R. H. -Turquoise-Power full width seat	C5AZ 63617C20-AAE	1
			L. H.	C5AZ 63617C21-AAE	1
	66	A(54, 57, 62, 63B, F, 71, 76A)	R. H. -Black-Power full width seat	C5AZ 63617C20-AAB	1
			L. H.	C5AZ 63617C21-AAB	1
	66	A(54, 57, 62, 63B, F, 71, 76A)	R. H. -Blue-Power full width seat	C5AZ 63617C20-AAC	1
			L. H.	C5AZ 63617C21-AAC	1
	66	A(54, 57, 62, 63B, F, 71, 76A)	R. H. -Ivy Gold-Power full width seat	C5AZ 63617C20-AAF	1
			L. H.	C5AZ 63617C21-AAF	1
	66	A(54, 57, 62, 63B, F, 71, 76A)	R. H. -Palomino-Power full width seat	C5AZ 63617C20-AAD	1
			L. H.	C5AZ 63617C21-AAD	1
61726	**ROD - FRONT SEAT TRACK LATCH TIE**				
		- A -			
	65/66	A	Manual bucket seat-12 1/2" long-includes adjusting nut	C4SZ 6361726-A	2
	65/68	A	Manual full width seat-50" long-includes adjusting nut	C5AZ 6261726-A	1
	67/68	A	Manual split seat-16 3/16" long-includes adjusting nut	C7MY 6361726-A	2
	68	A	Manual bucket seat-14" long-includes adjusting nut	C6OZ 6361726-A	2
	69/71	A	Manual bucket seat-12 7/16" long-includes adjusting nut	C9AZ 6361726-A	1or2
	69/71	A	Manual split seat-15 1/2" long-includes adjusting nut	C9MZ 6561726-A	2
	69/	A	With split bench-14 3/4" long	C9MZ 6561726-B	1or2
	69/	A	Manual full width seat-48" long-includes adjusting nut	C9AZ 6261726-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
61726	**ROD - FRONT SEAT TRACK TIE - continued**				
		- B -			
	65	B	Full width seat-includes adjusting nut-48 7/8" long	C1DZ 6261726-A	1
	65	B	Manual bucket seat-14 7/16" long-includes adjusting nut	C3DZ 7661726-B	2 2
	66/69	B	Manual bucket seat-14" long-includes adjusting nut	C6OZ 6361726-A	2
	67/68	B	Manual full width seat-44" long-includes adjusting nut	C6OZ 6261726-A	1
	70/71	B			1
	70/71	B	Manual bucket seat	C9AZ 6361726-A	2
	72	B	Full width seat-41 1/8" long	D2OZ 6561726-A	1
	72	B	Split bench or bucket seat-9 1/4" long	D2OZ 6561726-B	1
		- F -			
	65/71	F	Manual bucket seat	C5ZZ 6561726-A	2
	65/69	F	Manual full width seat	C5ZZ 6561726-B	1
		- P -			
	70/	P(exc. LTD)		D0DZ 6261726-A	1
	72	P(LTD)	Serviced in assy. only - refer to Group 61704-5		
		- S -			
	65/66	S	Manual bucket seat-12 1/2" long-includes adjusting nut	C4SZ 6361726-A	2 2
	67/69	S	Manual bucket seat-8 3/4" long-includes adjusting nut	C7SZ 6561726-A	2
	68/71	S	Manual full width seat-45 1/16" long-includes adjusting nut	C8SZ 6561726-A	1
	70/71	S	Bucket seat or split seat	C5ZZ 6561726-A	2
	72	S		D2OZ 6561726-A	2
		- U -			
	66/	U	Manual bucket seat	C5ZZ 6561726-A	2
	66/71	U	Manual full width seat-46 3/4" long-includes adjusting nut	C4DZ 7661726-A	1
		- X -			
	65	X(54, 59,62,63B,66A,B,71,78)	Includes adjusting nut-48 7/8" long	C1DZ 6261726-A	1
	65	X(76A)	Manual full width seat-46 3/4" long-includes adjusting nut	C4DZ 7661726-A	1
	66/70	X	Manual bucket seat-14" long-includes adjusting nut	C6OZ 6361726-A	2
	67/68	X	Manual full width seat-44" long-includes adjusting nut	C6OZ 6261726-A	1
617A44	**SPRING - FRONT SEAT TRACK VERTICAL ASSIST**				
	69/71	S		C9SZ 62617A44-A	2
617A46	**REINFORCEMENT- FRONT SEAT TRACK**				
	66	S		C6SZ 63617A46-A	1
617B48	**BRACKET - FRONT SEAT TRACK MOTOR MOUNTING**				
	67/68	A-split bench seat	Passenger	C7AZ 62617B48-A	1
	67/70	A-split bench seat	Driver	C7AZ 63617B48-A	1
	67/70	A, S -bucket seat	Driver	C7AZ 63617B48-A	1
	67/70	A, S-full width seat		C7AZ 62617B48-A	1
	71	A-full width seat	W/terminal bracket	D0VY 65617B48-A	1
	71/72	A-split bench seat - "Before 12/1/71"	Driver	D0VY 65617B48-B	1
	72	A-6-way split bench seat- "From 12/1/71"	Driver	D2AZ 65617B48-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
617B48	**BRACKET - FRONT SEAT TRACK MOTOR MOUNTING - continued**				
	71/72	A-full width seat - "Before 12/1/71"	W/o terminal bracket	D0VY 65617B48-C	1
	72	A-full width or split seat- "From 12/1/71"		D2OZ 65617B48-A	1
	72	B-full width seat, S-full width seat			1
61753	**HANDLE - FRONT SEAT TRACK ADJUSTING**				
	65	A	Manual bucket seat-includes attaching parts	C5AZ 6261753-B	2
	65	B,F,X	Manual seat		1or2
	66/70	A,B,F,U,X	Manual bucket seat		2
	71	A,B,F,L,U	Manual bucket seat		2
	72	B,F,L,P,S,U			1or2
			Retainer-refer to Group 62060		
	65/68	A	Manual full width seat	C7AZ 6261753-B	1
	65/68		Manual split seat		2
	69/70	A	Manual full width seat	C9AZ 6261753-A	1
	71/	A	Manual full width seat	D1AZ 6561753-A	1or2
	66/69	B,X	Manual full width seat	D0OZ 6261753-A	1
	70/71	B,P	Manual full width seat		1
	71	P	Manual bucket seat		1 or 2
	65/68	F	Manual full width seat-includes attaching parts	C5AZ 6261753-B	1or2
			Screw-socket head, set-No. 8-32 x 1/4"	375504-S8(UU28A)	1or2
	65/71	S	Manual bucket seat	C4SZ 6361753-A	1or2
			Screw-socket head, set-No. 8-32 x 1/4"	375504-S8(UU28A)	1or2
617A64	**SPRING - FRONT SEAT TRACK VERTICAL ASSIST**				
	67/69	A,S	Driver power bucket seat	C7AZ 62617A64-B	1
	67/69	A,S	Power full width seat		2
	67/69	A	Power split seat		2
	71/72	A "Before 12/1/71"	Driver power split seat		2
	70/71	S	Power full width seat		2
	69/71	A	Power full width seat	C9AZ 62617A64-A	2
	72	A "Before 12/1/71"	Full width or split bench seat		2
	72	A "From 12/1/71"	Full width or split bench seat	D2LZ 65617A64-A	1
	72	S			1
617B70-1	**REINFORCEMENT - FRONT SEAT TRACK TO FLOOR**				
	66/71	B(except 76)	R.H.-Driver bucket seat	C6OZ 63617B70-A	1
	66/69	X			1
			L.H.-Passenger bucket seat		1
	66/71	B(76)	R.H.-Full width seat	C6OZ 76617B70-B	1
			R.H.-Passenger bucket seat		1
	66/71	B(76)	L.H.-Full width seat	C6OZ 76617B71-B	1
			L.H.-Driver bucket seat		1
617K74	**SPRING - FRONT SEAT BACK LOCKING CATCH RETRACTING**				
	72	P(54A,62A)-LTD		D0RY 62617K74-A	4
617K79	**SPACER - FRONT SEAT BACK TO CUSHION OUTER**				
	72	P(54A,62A)-LTD		D0RY 62617K79-A	2
617B80	**GEAR - FRONT SEAT ADJUSTER TRANSMISSION**				
	65/66	A	Power full width seat	C5AZ 62617B80-A	3
617C80-1	**BASE - FRONT SEAT ADJUSTER REGULATOR**				
	67/68	A	R.H.-Driver power split seat-not repl'd.(3-74)	★C7MY 63617C81-A	1
			L.H.	C7AZ 62617C80-A	1
			R.H.-Passenger power split seat	C7AZ 62617C80-B	1
			L.H.-not repl'd.(3-74)	★C7MY 63617C80-A	1
			R.H.-Power full width seat	C7AZ 62617C80-B	1
			L.H.	C7AZ 62617C80-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
617C80-1	**BASE - FRONT SEAT ADJUSTER REGULATOR - continued**				
	69/70	A	R.H.-Power full width seat	C9AZ 62617C80-A	1
			L.H.	C9AZ 62617C81-A	1
			R.H.-Power split seat	C9AZ 65617C80-A	1
			L.H.	C9AZ 65617C81-A	1
	71	A	R.H.-Power full width seat	D0VY 65617C80-B	1
	72	A "Before 12/1/71"	R.H.-Power full width or split seat		1
			L.H.	D0VY 65617C81-B	1
	72	A "From 12/1/71"	R.H.-6-way split bench-driver	D2AZ 65617C80-A	1
			L.H.	D2AZ 65617C81-A	1
	72	A "From 12/1/71"	R.H.-6-way full bench	D2AZ 65617C80-B	1
			L.H.	D2AZ 65617C81-B	1
	72	B, S "Before 7/3/72"	R.H.	D2OZ 65617C80-A	1
			L.H.	D2OZ 65617C81-A	1
	72	B "From 7/3/72"	R.H.-6-way full width seat	D3OZ 65617C80-A	1
	72	S "From 7/3/72"	R.H.-6 way split bench		1
			L.H.	D3OZ 65617C81-A	1
	67/69	S	R.H.-Driver power bucket seat	C7SZ 65617C80-A	1
	70/71	S	R.H.-Passenger power bucket seat		
			L.H.	C7SZ 65617C81-A	1
	70/71	S	R.H.-Driver power bucket or split bench	D0SZ 65617C80-A	1
			L.H.	D0SZ 65617C81-A	1
61781	**BUSHING - FRONT SEAT TRACK LINK**				
	67/69	A,S	Power driver bucket seat -3/8" I.D. x 7/16" O.D. x 1 7/8" long	C7AZ 6261781-A	4
	67/69	A,S	Power full width seat		4
	67/69	A	Power split seat		8
	70/	A	Power seat		4
	70/71	S	Power bucket seat		4
617C88	**BRACKET - REAR SEAT FRAME FRONT TO FLOOR** - Refer to group 11246				
617C90-1	**BRACKET - REAR SEAT FRAME REAR TO FLOOR**				
	66/	U	R.H.	C6TZ 96617C90-A	1
			L.H.	C6TZ 96617C91-A	1
617C94-5	**DRIVE ASSY. - FRONT SEAT TRACK**				
	69/71	B	R.H.-Power full width seat	C6GY 62617C94-A	1
			L.H.	C6GY 62617C95-A	1
61796	**SUPPORT - FRONT SEAT TRACK REAR**				
	66/69	B	Manual bucket seat	C6OZ 6361796-A	2
	66/70	X			2
	70/	B	Manual bucket seat	D0OZ 6561796-A	2
	71/	P	Use on inboard side	D1DZ 6561796-A	2
61802	**ROD ASSY. - FRONT SEAT TRACK TIE** - Refer to Group 61726				
618C04	**PIVOT - FRONT SEAT BACK**				
	68/69	S	Used with reclining seat	C8SZ 65618C04-A	1
618C10	**RETAINER - FRONT SEAT TRACK RACK**				
	69/71	B	Power full width seat	C6GY 62618C10-A	3
618A20	**COVER - FRONT SEAT ADJUSTING VERTICAL REGULATOR**				
	67/68	A,S	Driver power bucket seat-also serviced in assy.(60465-6)	C7AZ 62618A20-A	2
	67/68	A	Power full width seat		4
	67/68	A	Power split seat		4
	69/	A,S	Serviced in assembly-refer to Group 60465-6		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
618C24-5	**BUSHING - FRONT SEAT ADJUSTING TRANSMISSION**				
	67/68	A	R.H.-rear-Power full width seat-also serviced in assy.(60465)	C7AZ 62618C24-A	1
			L.H.-rear-Power full width seat-also serviced in assy.(60466)	C7AZ 62618C25-A	1
			R.H.-front-Power full width seat-also serviced in assy.(60465)	C7AZ 62618C24-A	1
			L.H.-front-Power full width seat-also serviced in assy.(60466)	C7AZ 62618C25-A	1
	67/68	A	R.H.-rear-Driver power split seat-also serviced in assy.(60466)	C7AZ 62618C25-A	1
			L.H.-front-Driver power split seat		1
			R.H.-rear-Passenger power split seat		1
			L.H.-front-Passenger power split seat		1
	67/68	A,S	R.H.-rear-Driver power bucket seat-also serviced in assy.(60466)	C7AZ 62618C25-A	1
			L.H.-front-Driver power bucket seat		1
	69/	A,S	Serviced in assembly-refer to Group 60465-6		
618C26	**RETAINER - FRONT SEAT ADJUSTING TRANSMISSION PINION**				
	67/71	A	Driver power bucket seat	C7AZ 62618C26-A	2
	67	S	Driver power bucket seat		2
	67/72	A "Before 12/1/71"	Full width or split bench seat		2 or 4
	68/71	S	Power bucket or full width seat	C8SZ 62618C26-A	2
	72	A "From 12/1/71"	Full width or split bench seat	D2LZ 65618C26-A	2
	72	B,S			4
61828	**SPRING - FRONT SEAT TRACK ASSIST**				
		- A -			
	65/71	A	Manual bucket seat	C1SY 6361828-A	2
	72	A "Before 12/1/71"	Full width or split seat		1or2
	72	A "From 12/1/71"		D2SZ 6561828-A	1
		- B -			
	65/	B	Manual bucket seat	C1SY 6361828-A	2
	69/71	B	Power full width seat-horizontal	C6GY 6261828-C	1
	69/71	B	Power full width seat-vertical	C6GY 6261828-D	1
	72	B		D2OZ 6561828-A	2
		- F -			
	65/70	F	Manual seat	C5ZZ 6561828-A	2
	71/	F		D1ZZ 6561828-A	2
		- L -			
	71/	L		D1ZZ 6561828-A	2
		- P -			
	70/	P	Full width seat	C1SY 6361828-A	2
	70	P	Bucket seat	C5ZZ 6561828-A	2
	71/	P(exc. LTD)	Bucket seat	D1ZZ 6561828-A	2
	72	P(54A,62A)-LTD	Bucket seat	D2DZ 6561828-A	2
		- S -			
	65/66	S	Manual bucket seat	C4SZ 6361828-B	2
	68	S	Manual full width seat	C8SZ 6561828-A	2
	68	S	Manual bucket seat		4
	69	S	Manual bucket seat	C1SY 6361828-A	2
	69/71	S	Manual bucket or full width seat	C9SZ 6561828-A	2or4
	72	S	Manual bucket or split bench seat	D2OZ 6561828-A	2
	72	S	Power bucket seat	D2SZ 6561828-A	2
	72	S	Power split bench or full width seat	D2LZ 6561828-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
61828	**SPRING - FRONT SEAT TRACK ASSIST - continued**				
		- U -			
	66/71	U	Manual full width seat	C4DZ 7661828-A	2
	66/	U	Manual bucket seat	C5ZZ 6561828-A	2
		- X -			
	65	X(76A)	Manual full width seat	C4DZ 7661828-A	2
	65/70	X	Manual bucket seat	C1SY 6361828-A	2
618C28	**RETAINER - FRONT SEAT ADJUSTER SPRING**				
	67	A "Before 2/6/67"	Power split seat-Nylon-1" dia. x 2 5/16" long	*C7AZ 63618C28-A	2
	67	A,S "Before 2/6/67"	Driver power bucket seat	Not repl'd. (3-74)	1
	67	A "Before 2/6/67"	Power full width seat		1
	67/71	A,S "From 2/6/67"	Power split seat-Nylon	C7AZ 63618C28-B	2
	67/71	A,S "From 2/6/67"	Driver power bucket seat		1
	67/71	A,S "From 2/6/67"	Power full width seat		1
	72	A	Power full width seat		2
618C30	**BAR and LINK ASSY. - FRONT SEAT ADJUSTER FRONT TORSION**				
	67/71	A,S	Driver power bucket seat	C7AZ 63618C30-A	1
	69	A	Driver power split seat	C9AZ 54618C30-A	1
	70	S(57B, 65A, B)	Power bucket seat		1
	70/71	A(54C, 57F, 65A)	Power split seat		1
61832	**BAR ASSY. - FRONT SEAT ADJUSTER TORSION**				
	67/	A,S	Driver power bucket seat-refer to Group 618C32		
	69/	A	Driver power split seat-refer to Group 618C32		
	66/71	B	Power bench seat	C6GY 7661832-A	1
618C32	**BAR and LINK ASSY. - FRONT SEAT ADJUSTER REAR TORSION**				
	67/68	A	Driver power bucket seat	C7AZ 63618C32-A	1
	67/71	S			1
	69/71	A	Driver power split seat	C9AZ 54618C32-A	1
618C34	**SPACER - FRONT SEAT ADJUSTER REGULATOR SOLENOID RETAINER**				
	67/71	A,S	Driver power bucket seat- 11/32" I. D. x 7/16" O. D. x 1/4" long	C7AZ 62618C34-A	3
	67/	A	Power full width seat		3
	67/	A	Power split seat		6
	70/71	S	Power full width seat		1
	72	S	Power split seat		2
618C36	**HOUSING - FRONT SEAT ADJUSTER TRANSMISSION PINION**				
	67/70	A	Power full width seat	C7AZ 62618C36-A	1
	67/70	A	Power split seat		2
	67/70	A	Driver power bucket seat		1
	71	A	Driver power split seat	D0VY 65618C36-A	2
	71	A	Power full width seat		2
	72	A	Power full width or split seat		1or2
	67/	S	Driver power bucket seat	C7SZ 65618C36-A	1or2
618C38	**PLATE - FRONT SEAT ADJUSTING REGULATOR**				
	67/	A,S	Serviced in assembly-refer to Group 60471-2		
618C40	**WASHER - FRONT SEAT TRACK LINK**				
	67/71	A	Driver power bucket seat	C7AZ 62618C40-A	4
	67/71	S	Power bucket seat		4
	67/	A	Power full width seat		4
	67/71	A	Power split seat		8
	68/71	S	Power full width seat		4
	71	S	Power split bench seat		4

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
618A42-3	**GEAR - FRONT SEAT ADJUSTING HORIZONTAL**				
	67/	A,S	Serviced in assembly-refer to Group 60471-2		
618A42-3	**WORM - FRONT SEAT ADJUSTING HORIZONTAL**				
	67/	A,S	Serviced in assembly-refer to Group 60471-2		
618B42	**BRACKET - FRONT SEAT TRACK MOUNTING REAR**				
	70/	B(76)		D0OZ 76618B42-A	2
618C42	**SPACER - FRONT SEAT REGULATOR GEAR**				
	67/68	A,S	Driver power bucket seat-washer-flat-1/4" (plastic)-also serviced in assy.(60466) vertical regulator gear	C7AZ 62618C42-A	2
			Driver power bucket seat-also serviced in assy. (60471-2) horizontal regulator gear		6
	67/68	A	Power full width seat-also serviced in assy. (60465-6) vertical regulator gear		4
			Power full width seat-also serviced in assy. (60471-2) horizontal regulator gear		6
	67/68	A	Power split seat-also serviced in assy.(60465-6) vertical regulator gear		4
			Power split seat-also serviced in assy.(60471-2) horizontal regulator gear		12
	69/	A,S	Serviced in assembly-refer to Group 60465-6 or 60471-2		
618A45	**COVER - FRONT SEAT ADJUSTING HORIZONTAL ACTUATOR** - Refer to Group 60471-2				
618C46	**BRACKET - FRONT SEAT BACK PIVOT**				
	70	A	R.H.-Full width seat with recliner	D0AZ 54618C46-A	1
	70	A	R.H.-Split seat	D0AZ 54618C46-B	1
618A48	**TRANSMISSION ASSY. - FRONT SEAT ADJUSTING**				
	65/69	A	6-way full width seat	C5AZ 62618A48-A	1
	72	A	Split bench seat	D2LY 65618A48-A	1
	72	A,S	Full width seat	D2OZ 65618A48-A	1
	69/71	B	Power full width seat	C6GY 62618A48-A	1
	72	B "Before 7/3/72"	6-way full width seat	D2OZ 65618A48-A	1
	72	B(53,63,65,71)- "From 7/3/72"	6-way full width seat	D3OZ 65618A48-A	1
	72	S "Before 7/3/72"	6-way split bench seat	D2LY 65618A48-A	1
	72	S "From 7/3/72"	6-way split bench seat	D3LZ 65618A48-A	1
618A54	**PINION - FRONT SEAT ADJUSTING TRANSMISSION** - Also refer to Group 60471-2				
	66/70	B	Power full width seat and driver power bucket seat	C6GY 62618A54-A	1or2
618A55	**BUSHING - FRONT SEAT ADJUSTING TRANSMISSION** - Refer to Group 60465-6 or 60471-2				
618C56	**PIVOT - FRONT SEAT BACK ADJUSTER ACTUATOR**				
	72	S	Split seat	D2LY 65618C56-A	1
	72	S	Bucket seat	D2SZ 65618C56-A	1
618B58	**RETAINER - FRONT SEAT TRACK ADJUSTING HANDLE**				
	68/	A	Manual full width seat	C8AZ 62618B58-B	1
			Manual split seat		2
	72	B,F,L,P,S			1or2
	68/71	B,F,U,X	Refer to Group 62060		
618A59	**COUPLING - FRONT SEAT ADJUSTER TRANSMISSION DRIVE**				
	69/70	B	Power full width seat and driver power bucket seat	C4VY 53618A59-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
618A60	**SHAFT - FRONT SEAT ADJUSTING TRANSMISSION**				
	69/70	B	Power full width seat and driver power bucket seat	C6GY 62618A60-A	2
618C64	**RETAINER - FRONT SEAT TRACK ASSIST SPRING**				
	72	S		D2LZ 65618C64-A	1
618A67	**BUSHING - FRONT SEAT ADJUSTING**				
	67/	A	Power full width seat-3/4" x 1 1/2" with 5/16" x 1 1/4" slot	C7AZ 62618A67-A	4
	67/	A	Power split seat		8
	67/71	A,S	Driver power bucket seat		4
	67/	S			4
618A78-9	**GEAR - FRONT SEAT ADJUSTER VERTICAL**				
	67/68	A	R.H.-rear-Power full width seat-15/32" diam. x 1 53/64" long-also serviced in assy.(60465)	C7AZ 62618A78-A	1
			L.H.-rear-Power full width seat-15/32" diam. x 1 53/64" long-also serviced in assy. (60466)	C7AZ 62618A79-A	1
			R.H.-front-Power full width seat-15/32" diam. x 1 53/64" long-also serviced in assy.(60465)	C7AZ 62618A78-A	1
			L.H.-front-Power full width seat-15/32" diam. x 1 53/64" long-also serviced in assy.(60466)	C7AZ 62618A79-A	1
	67/68	A	R.H.-rear-Driver power split seat-15/32" dia. x 1 53/64" long-also serviced in assy.(60466)	C7AZ 62618A79-A	1
			L.H.-front-Driver power split seat		1
			R.H.-rear-Passenger power split seat		1
			L.H.-front-Passenger power split seat		1
	67/68	A,S	R.H.-rear-Driver power bucket seat-15/32" dia. x 1 53/64" long-also serviced in assy.(60466)	C7AZ 62618A79-A	1
			L.H.-front-Driver power bucket seat		1
	69/	A,S	Serviced in assembly-refer to Group 60465-6		
61880	**PIN - FRONT SEAT TRACK**				
	68/71	S	Front-Power full width seat	C8SZ 6561880-A	4
	72	A	Power full width seat		4
	69	A			4
	68/71	S	Rear-Power full width seat	C8SZ 6561880-B	4
61883	**SPRING - FRONT SEAT TRACK LATCH**				
	65/66	A(76)	Top folding compartment	C0AB 6461883-A	2
	65	A(63C,76B),F	Manual bucket seat-3" long	C0DZ 6461883-A	2 or 4
	65	X(except 76B,D)			2or4
	65/	F(76)	Top folding compartment		2
	65	B(65B)	Manual bucket seat		4
	66	A(63C,D,76B,D),B(63C,D,76C,D),S,X(62C,66D)	Manual bucket seat		1or2
	66	F,U	Manual seat		1or2
	67	A,B,X	Manual bucket seat		4
	67/70	F	Manual full width or bucket seat		2or4
	68/	A	Manual bucket seat		2
	68/70	F	Manual full width or bucket seat		1or2
	69/71	S	Manual full width or bucket seat		2
	70/71	B(63,65C,F,H,66C,76)	Bucket seat		2
	65/66	A	Manual full width seat-7/8" long	C5AZ 6261883-A	1
	67/	A	Manual full width seat		2
	67/68	A	Manual split seat		4
	71/	A	Manual split bench seat		2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
61883	**SPRING - FRONT SEAT TRACK LATCH - continued**				
	65	B(except 65B)	Manual full width seat-2 5/16" long	C4OZ 6261883-A	2
	65	X(54,62,63B,66A,B, 76A, 78)			2
	66	B(54, 62, 63B, 71, 76B), X(54, 62A, B, 66A, B, 71)			2
	67	B(54, 62, 63B, 66A, B, 71, 76B), U, X(54, 62A, B, 71)			2
	68	B, X	Manual bucket seat		2
	68	B(66)	Manual full width or bucket seat		1or2
	70/71	P			2
	70/	U			2
	71	B	Manual full width seat		1
	72	B, P(exc. LTD), S	R.H.-manual seat	D2OZ 6561883-B	1
			L.H.	D2OZ 6561883-A	1
	72	P(54A, 62A)-LTD	L.H.	D2OZ 6561883-A	1
	65	F(76)	Top folding compartment	C1SB 6361883-A	2
	71	F	Manual bucket seat	D1ZZ 6561883-A	2
	71/	F, L, P	Manual bucket seat	D1DZ 6261883-A	2
	72	B	Manual bucket or full width seat	D2OZ 6561883-A	1or2
	72	P	Manual full width seat		1
	72	S	Manual bucket or split seat		1
	67	S	Manual bucket seat-1 5/8" long	C7SZ 6561883-A	4
	68	S	Manual full width or bucket seat		2or4
618A84-6	**TUBE - FRONT SEAT ADJUSTER VERTICAL ACTUATOR REAR**				
	67/71	A, S	R.H.-Power full width seat-38" long	C7AZ 62618A86-A	1
			L.H.-Power full width seat-8 3/8" long	C7AZ 62618A85-A	1
	67/	A	Power split seat-refer to Group 618A98		
	67/68	A	Driver power bucket seat-19" long	C7AZ 63618A84-A	1
	67/70	S			1
	71	S	Power seat-8 3/8" long	C7AZ 62618A85-A	1
	72	A	Full width seat		1
618A86-7	**TUBE - FRONT SEAT ADJUSTER HORIZONTAL ACTUATOR**				
	67/69	A, S	R.H.-Power full width seat-38" long	C7AZ 62618A86-A	1
			L.H.-Power full width seat-6 9/16" long	C7AZ 62618A87-A	1
	67/	A	Power split seat-refer to Group 618A92		
	67/70	S	Driver power bucket seat-4 1/8" long	C7AZ 63618A87-A	1
	71/72	A "Before 12/1/71"	R.H.-Full width seat-38" long	C7AZ 62618A86-A	3
	71	S	R.H.-Split bench or bucket seat		3
			L.H.-6 9/16" long	C7AZ 62618A87-A	3
	72	B, S	R.H.-Horizontal-full width seat-37 1/16" long	D2OZ 65618A86-A	1
	72	A "From 12/1/71"			1
			R.H.-Vertical-front and rear-bucket or split seat		2
			L.H.-Horizontal-11 5/8" long	D2LZ 65618A86-A	2
			L.H.-Vertical-front and rear-12 1/16" long	D2LZ 65618A92-A	2
	70/71	S	Power full width seat-38" long-use with 39" cable (617B14)	C7AZ 62618A86-A	AR
	70/71	S	Power full width seat-36" long-use with 37" cable (617B14)	D0SZ 65618A86-A	AR

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
618A88	**BRACKET - FRONT SEAT ADJUSTING TUBE**				
	67/71	A,S	Driver power bucket seat	C7AZ 62618A88-A	1
	67/70	A	Power full width seat		1
	67/72	A "Before 12/1/71"	Power split seat		2
	72	B,S	Power full width seat		1
	71/72	A "Before 12/1/71"	Full width seat	D0VY 65618A88-B	1
	71/72	A "Before 12/1/71"	Split bench seat	D1AZ 65618A88-A	1
	71	S			1
	72	B,S		D2LZ 65618A88-A	1
	72	A "From 12/1/71 to 5/22/72"	Full width or split bench seat		1
	72	A "From 5/22/72"	Passenger-split bench		1
	72	A "From 12/1/71"	6-way bench seat	D2AZ 65618A88-A	2
	72	A "From 5/22/72"	Driver-split bench		1
618A90	**TUBE - FRONT SEAT ADJUSTER FRONT VERTICAL ACTUATOR**				
	67/	A	R.H.-Power full width seat-38" long	C7AZ 62618A86-A	1
			L.H.-Power full width seat-6 3/4" long	C7AZ 62618A90-A	1
	67/	A	Power split seat-6" long	C7MY 63618A90-A	1
	68/69	A	Driver power bucket seat-3 5/8" long	C7MY 63618A90-B	1
	69/71	B(except 76)	Power full width seat	C6GY 62618A90-A	1
	69/71	B(76)	Power full width seat	C6GY 76618A90-A	1
	67/70	S	Driver power bucket seat-4 1/2" long	C7AZ 63618A90-A	1
	67/71	S	R.H.-Power full width seat-38" long	C7AZ 62618A86-A	1
			L.H.-Power full width seat-6 3/4" long	C7AZ 62618A90-A	1
618A92-3	**TUBE - FRONT SEAT ADJUSTER HORIZONTAL ACTUATOR**				
	67	A	Power full width seat-refer to Group 618A86-7		
	67/72	A "Before 12/1/71"	L.H.-Driver power split seat-5 5/8" long	C7MY 63618A92-A	1
	68	A	Driver power bucket seat-3 5/8" long	C7MY 63618A92-B	1
	69/70	A	L.H.-Passenger power split seat ★	C9MB 63618A92-A	1
	72	A "From 12/1/71"	Split bench seat -11" long	D2LZ 65618A92-A	ø 2
	69/71	B(except 76)	R.H.-Power full width seat	C6GY 62618A92-A	1
			L.H.	C6GY 62618A93-A	1
	69/71	B(76)	R H.-Power full width seat	C6GY 76618A92-A	1
			L.H.	C6GY 62618A93-A	1
	72	B	Refer to Group 618A86-7		
	67/	S	Driver power bucket seat-refer to Group 618A86-7		
618A98	**TUBE - FRONT SEAT ADJUSTER REAR VERTICAL ACTUATOR**				
	67/	A	Power full width seat-refer to Group 618A84-5		
	67/	A,S	Driver power bucket seat-refer to Group 618A84-5		
	67/	A	Power split seat-22" long	C7MY 63618A98-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
619A02	**HOOK - FRONT SEAT TRACK RELEASE CABLE**				
	69/70	A	Manual full width seat	C9AZ 62619A02-A	1
	72	B,S			1
	65	B(except 65B)		C4DZ 62619A02-A	1or2
	65	A(54, 57, 62. 63B. F, 71, 76A), X(54, 62A, B, D, 63B, 66A, B, 76A, 78)			1or2
	65	X(59, 71)			1
	66	A(54, 57,62,63B, F,71, 76A), U			1or2
	66	B(54, 62, 63B, 71, 76B), X(54, 62A, B, 66A, B, 71)			1
	67/68	A	Manual full width seat		1
	67/71	B,X			1
	70/	P		D0AZ 62619A02-A	1
	71/	A			1
61918	**BRACKET - FRONT SEAT MOUNTING**				
	67	U	Passenger bucket seat	C7TZ 9661918-A	1
			Bolt-hex. head-5/16-18 x 3/4"	20346-S8(B50)	1
			Nut-hex. -5/16"-18	34392-S7(M93)	1
619A34	**SLIDE - FRONT SEAT TRACK**				
	66	A,S	R.H.-front-plastic-1 1/2" long-includes 1 tab-Power bucket seat	C6AZ 63619A34-A	2or4
			L.H.-front-plastic-1 1/2" long-includes 1 notch-Power bucket seat	★C6AZ 63619A34-C Not repl'd. (7-73)	2or4
			R.H.-rear-plastic-3 1/2" long-includes 2 tabs-Power bucket seat	C6AZ 63619A34-B	2or4
			L.H.-rear-plastic-2 1/2" long-includes 2 notches-Power bucket seats	★C6AZ 63619A34-D Not repl'd. (7-73)	2or4
	67/68	A	Power full width seat-plastic-1 1/4" long	C7AZ 62619A34-A	8
	67/68	A	Driver power split seat		8
	67/68	A	Passenger power split seat		8
	67/68	A	Driver power bucket seat-zinc die cast-1 1/8" long	C7AZ 63619A34-A	8
	67/71	S			8
	68/71	S	Power full width seat		8
	70/71	S	Driver power split seat		8
	69/	A	Power full width seat	C9AZ 62619A34-A	8
	69	A	Power bucket seat		8
	69/72	A "Before 12/1/71"	Power split bench seat		8
	71	S			8
	72	A "From 12/1/71"	6-way bench-driver	D2AZ 65619A34-A	8
	72	B "Before 7/3/72"	Full width seat	D2LZ 65619A34-A	16
	72	S			16
	72	B "From 7/3/72"	Full width seat	D2AZ 65619A34-A	4or8
	72	S			4or8
619A86	**LATCH - FRONT SEAT**				
	67	U	Passenger bucket seat	C7TZ 96619A86-A	1
			Bolt-fillister head-5/16"-18 x 3/4"	★55431-S2	1
619A94-8	**BRACKET - FRONT SEAT TRACK FRONT**				
	66/	U "Before Ser.788,001"	R.H.-Passenger bucket seat	C6TZ 96619A94-A	1
			L.H.	C6TZ 96619A98-A	1
		"From Ser.788,001"	R.H.-Passenger bucket seat	C6TZ 96619A94-B	1
			L.H.	C6TZ 96619A98-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
62016	**SPACER - FRONT SEAT TRACK TO FLOOR**				
	65	B	1/4" x 1 3/4" x 2 1/8"-improvise from fiber board	★	1
	66	B,X		C6OZ 6362016-A	2
	67/70	X			4or6
	67/71	B			4or6
	70	P			2
62060	**RETAINER - FRONT SEAT TRACK ADJUSTING HANDLE**				
	65	A, B, F, X	Manual bucket seat	C5AZ 6262060-A	1or2
	66/67	A, F, U, X	Manual full width or bucket seat		1or2
	68/70	F, U, X			1or2
	70/71	A, B, F	Manual bucket seat		2
	72	B, F			2
	71	L (62)			2
	68/	A	Refer to Group 618B58		
	66/71	B	Manual full width seat	C6OZ 6262060-A	1
	70/	P			1
	72	L	Folding rear seat		1
621A10-1	**BRACKET - FRONT SEAT BACK SIDE SHIELD UPPER SUPPORT**				
	71/	A	R.H.	D1AZ 65621A10-C	1
			L.H.	D1AZ 65621A11-C	1
62116	**SHIELD - FRONT SEAT ADJUSTER**				
	72	A		D2LZ 6562116-B	4
	72	B,S "Before 7/3/72"			2
	72	B "From 7/3/72"	Full width seat	D3LZ 6562116-A	2
	72	S "From 7/3/72"	6-Way split bench seat		2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
62168-9	**SUPPORT - FRONT SEAT CUSHION SIDE SHIELD FRONT**					
		- A -				
	67	A-bucket seat		C7SZ 6562168-A	C7SZ 6562169-A	2
	65/67	A	Screw-pan head, tapping-No.10-12 x 3/4"	32938-S7(U345)	32938-S7(U345)	2
						2
	69	A	Full width seat	C9MZ 6562168-A	C9MZ 6562168-A	2
	69	A	Used with split seat			2
	69/71	A	Used with bucket seat	C9YZ 6562168-A	C9YZ 6562169-A	1
	70	A	Full width seat	D0AZ 6262168-A	D0AZ 6262168-A	1or2
	71/	A	Full width or split bench seat	D1AZ 6562168-A	D1AZ 6562168-A	2
		- B -				
	72	B(53K,65K)		D2GZ 6562168-A	D2GZ 6562169-A	1
		- S -				
	67/71	S		C7SZ 6562168-A	C7SZ 6562169-A	1or2
	72	S	With split seat	D2LZ 6562168-A	D2LZ 6562169-A	1
	72	S	With bucket seat	D2SZ 6562168-A	D2SZ 6562168-A	2
62178	**RETAINER - FRONT SEAT BACK SIDE SHIELD**					
	68/71	S		C8SZ 6562178-A	C8SZ 6562178-A	4
62186-7	**SHIELD - FRONT SEAT CUSHION SIDE**					
		- A -				
	65/66	A(54,57,71)- "Before 11/15/65"	Power full width seat	C5AZ 5462186-A	★C5AZ 5462187-C Not replaced (1-73)	
		"From 11/15/65"	Power full width seat	C5AZ 5462186-A	★C6AZ 5462187-A Not replaced (7-73)	1
	65/66	A(62,63B,F,76A)	Manual full width seat-aluminum	C5AZ 6362186-A	C5AZ 6362187-A	1
		"Before 11/15/65"	Power full width seat	C5AZ 6362186-A	★C5AZ 6362187-C Not replaced (3-74)	1
		"From 11/15/65"	Power full width seat	C5AZ 6362186-A	C6AZ 6362187-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
62186-7 SHIELD - FRONT SEAT CUSHION SIDE - continued						
		- A -				
	67/68	A(54, 57, 71)	Manual full width seat-aluminum	C5AZ 5462186-A	C5AZ 5462187-A	1
			Power full width seat	C5AZ 5462186-A	★C7AZ 5462187-A Not replaced (3-74)	1
			Screw-oval hd., tapping-No. 10-16 x 1/2"	52345-S6(U302C)	52345-S6(U302C)	6
			Nut-spring-No. 10-24	45139-S2(M128)	45139-S2(M128)	4
	67/68	A(62, 63, 65, 76)	Manual full width seat-aluminum	C5AZ 6362186-A	C5AZ 6362187-A	1
			Power full width seat	C5AZ 6362186-A	★C7AZ 6262187-A Not replaced (3-74)	1
			Screw-oval hd., tapping-No. 10-16 x 1/2"	52345-S6(U302C)	52345-S6(U302C)	8
			Nut-spring-No. 10-24	45139-S2(M128)	45139-S2(M128)	4
	68	A(63, 76)	Driver power bucket seat	★C7AZ 6362186-A Not replaced (3-74)	C7MY 6362187-C	1
	69	A	Manual full width seat w/o recliner-includes wood grain insert	C9AZ 5462186-B	D0AZ 5462187-C	1
	69	A	Manual full width seat w/ recliner-includes wood grain insert	C9AZ 5462186-C	D0AZ 5462187-C	1
	69	A	Manual split seat w/o recliner-includes wood grain insert	C9AZ 5462186-B	D0AZ 5462187-C	1
	69	A	Manual split seat w/ recliner-includes wood grain insert	C9AZ 5462186-C	D0AZ 5462187-C	1
	69	A	Power full width seat w/o recliner-includes wood grain insert	C9AZ 5462186-B	C9AZ 5462187-B	1
	69	A	Power full width seat w/ recliner-includes wood grain insert	C9AZ 6262186-D	C9AZ 5462187-B	1
	69	A	Driver power split seat w/o recliner-includes wood grain insert	C9AZ 5462186-B	C9AZ 5462187-B	1
	69	A	Driver power split seat w/ recliner-includes wood grain insert	C9AZ 5462186-C	C9AZ 5462187-B	1
	69/70	A(63, 65, 76)	Driver and passenger manual bucket seat	C9AZ 6362186-A	C9AZ 6362187-A	1
			Driver power bucket seat	C9AZ 6362186-A	C9YZ 6562187-A	1
	70	A	Manual full width seat w/o recliner-includes wood grain insert	D0AZ 5462186-A	D0AZ 5462187-A	1
	70	A	Manual full width seat w/ recliner-includes wood grain insert	D0AZ 5462186-B	D0AZ 5462187-A	1
	70	A	Manual split seat w/o recliner-includes wood grain insert	D0AZ 5462186-A	D0AZ 5462187-A	1
	70	A	Manual split seat w/ recliner-includes wood grain insert	D0AZ 5462186-B	C9AZ 5462187-B	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
62186-7	**SHIELD - FRONT SEAT CUSHION SIDE - continued**					
		- A -				
	70	A	Power full width seat w/o recliner-includes wood grain insert	D0AZ 5462186-A	C9AZ 5462187-B	1
	70	A	Power full width seat w/ recliner-includes wood grain insert	C9AZ 5462186-C	C9AZ 5462187-B	1
	70	A	Power split seat w/o recliner-includes wood grain insert	D0MY 6562186-A	C9AZ 5462187-B	1
	70	A	Power split seat w/ recliner-includes wood grain insert	D0MY 6562186-B	C9AZ 5462187-B	1
	71	A	Manual full width seat-w/o recliner	D1AZ 6562186-A	D1MZ 6562187-A	1
	71	A	Manual full width seat-w/recliner	D1AZ 6562186-B	D1MZ 6562187-A	1
	71	A	Power full width seat-w/o recliner	D1AZ 6562186-A	D1AZ 6562187-A	1
	71	A	Power full width seat-w/recliner	D1AZ 6562186-B	D1AZ 6562187-A	1
	71	A	Manual split bench seat	D1AZ 6562186-C	D1MZ 6562187-A	1
	71	A	Power split bench seat	D1AZ 6562186-C	D1AZ 6562187-A	1
	72	A	Manual full width seat	D1AZ 6562186-A	D2MZ 6562187-A	1
			Power full width seat	D1AZ 6562186-A	D1AZ 6562187-A	1
			Manual split bench seat-non-reclining	D2MY 6562186-A	D2MZ 6562187-A	1
			Manual split bench seat-reclining	D2AZ 6562186-A	D2MZ 6562187-A	1
			Power split bench seat-non-reclining	D1MY 6562186-C	D1AZ 6562187-A	1
			Power split bench seat-reclining	D1MY 6562186-B	D1AZ 6562187-A	1
		- B -				
	72	B(53K)-w/o power seat	Black	D2GZ 5362186-B	D2GZ 5362187-B	1
			Blue	D2GZ 5362186-A	D2GZ 5362187-A	1
			Gold	D2GZ 5362186-E	D2GZ 5362187-E	1
			Green	D2GZ 5362186-C	D2GZ 5362187-C	1
			Tobacco	D2GZ 5362186-D	D2GZ 5362187-D	1
	72	B(53K)-w/power seat	Black	D2GZ 5362186-B	D2GZ 5362187-G	1
			Blue	D2GZ 5362186-A	D2GZ 5362187-F	1
			Gold	D2GZ 5362186-E	D2GZ 5362187-K	1
			Green	D2GZ 5362186-C	D2GZ 5362187-H	1
			Tobacco	D2GZ 5362186-D	D2GZ 5362187-J	1
	72	B(65K)-w/o power seat	Black	D2GZ 6562186-B	D2GZ 6562187-B	1
			Blue	D2GZ 6562186-A	D2GZ 6562187-A	1
			Gold	D2GZ 6562186-E	D2GZ 6562187-E	1
			Green	D2GZ 6562186-C	D2GZ 6562187-C	1
			Tobacco	D2GZ 6562186-D	D2GZ 6562187-D	1
	72	B(65K)-w/power seat	Black	D2GZ 6562186-B	D2GZ 6562187-G	1
			Blue	D2GZ 6562186-A	D2GZ 6562187-F	1
			Gold	D2GZ 6562186-E	D2GZ 6562187-K	1
			Green	D2GZ 6562186-C	D2GZ 6562187-H	1
			Tobacco	D2GZ 6562186-D	D2GZ 6562187-J	1
		- F -				
	67	F(63B,65B,76B)	Blue	C7ZZ 6562186-A1B	★C7ZZ 6562187-A1B Not replaced (3-74)	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
62186-7	SHIELD - FRONT SEAT CUSHION SIDE - continued					
		- P -				
	72	P(54,62A)-LTD	Tan	D2DZ 6262186-A	D2DZ 6262187-A	1
		- S -				
	67	S	Driver manual bucket seat Parchment-paint to match	C7SZ 6562186-E	C7SZ 6562187-E	1
			Driver power bucket seat-Parchment-paint to match	C7SZ 6562186-E	★C7SZ 6562187-C Not replaced (3-74)	1
			Passenger manual bucket seat w/o reclining back-Parchment-paint to match	C7SZ 6562186-E	C7SZ 6562187-E	1
			Passenger manual bucket seat with reclining back-Parchment-paint to match	C8SZ 6562186-E	C7SZ 6562187-E	1
			Screw-oval head, cross recess-No.10-12 x 1 1/2"	★53073-S13	★53073-S13	8
	68/69	S	Power full width seat-paint to match	C8SZ 6562186-C	C8LY 6562187-A	1
			Power full width seat-with reclining back-paint to match	C8SZ 6562186-C	C8LY 6562187-A	1
			Manual full width seat w/o recliner-paint to match	C8SZ 6562186-C	C7SZ 6562187-E	1
			Manual full width seat w/ recliner-paint to match	C8SZ 6562186-C	C7SZ 6562187-E	1
	68/69	S "Before 3/17/69"	Crinkle grain-driver manual bucket seat-Parchment-paint to match	C7SZ 6562186-E	C7SZ 6562187-E	1
			Crinkle grain-driver power bucket seat-Parchment-paint to match	C7SZ 6562186-E	★C7SZ 6562187-C Not replaced (3-74)	1
			Crinkle grain-passenger manual bucket seat-w/o reclining back-Parchment-paint to match	C7SZ 6562186-E	C7SZ 6562187-E	1
			Crinkle grain-passenger manual bucket seat-with reclining back-Parchment-paint to match -cut hole 1 7/64" x 1 35/64" for switch	C7SZ 6562186-E	C7SZ 6562187-E	1
	69	S "Before 3/17/69"	Corinthian grain-driver manual bucket seat-paint to match	★C9SZ 6562186-B Not replaced (5/75)	C9SZ 6562187-A	1
	69	S "Before 3/17/69"	Corinthian grain-passenger manual bucket seat-w/o recliner-paint to match	★C9SZ 6562186-B Not replaced (5/75)	C9SZ 6562187-A	1
			Corinthian grain-passenger manual bucket seat-w/ recliner-paint to match-add hole for switch	★C9SZ 6562186-B Not replaced (5/75)	C9SZ 6562187-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER RIGHT HAND	PART NUMBER LEFT HAND	QTY.
62186-7	**SHIELD - FRONT SEAT CUSHION SIDE - continued**					
		- S -				
	69	S "From 3/17/69"	Corinthian grain-driver power bucket seat-paint to match	C9SZ 6562186-C	★C9SZ 6562187-B Not replaced (5/75)	1
			Corinthian grain-driver manual bucket seat-paint to match	C9SZ 6562186-C	C9SZ 6562187-A	1
			Corinthian grain-passenger manual bucket seat-w/o recliner-paint to match	C9SZ 6562186-C	C9SZ 6562187-A	1
			Corinthian grain-passenger manual bucket seat-w/ recliner-paint to match-add hole for switch	C9SZ 6562186-C	C9SZ 6562187-A	1
	70/71	S	Manual bucket seats	D0SZ 6562186-A	D0SZ 6562187-A	1
			Power bucket seats	D0SZ 6562186-B	D0SZ 6562187-B	1
			Manual full width seat	D0SZ 6562186-A	D0SZ 6562187-A	1
			Power full width seat	D0SZ 6562186-B	D0SZ 6562187-B	1
	72	S-w/o reclining seat	Black	D2LZ 6562186-C	D2LZ 6562187-C	1
			Blue	D2LZ 6562186-E	D2LZ 6562187-E	1
			Ginger	D2LZ 6562186-A	D2LZ 6562187-A	1
			Gold	D2LZ 6562186-G	D2LZ 6562187-G	1
			Green	D2LZ 6562186-D	D2LZ 6562187-D	1
			Red	D2LY 6562186-B	D2LY 6562187-B	1
			Tobacco	D2LZ 6562186-F	D2LZ 6562187-F	1
			White	D2LZ 6562186-B	D2LZ 6562187-B	1
	72	S-w/reclining seat	Black	D2SZ 6562186-C	D2LZ 6562187-C	1
			Blue	D2SZ 6562186-E	D2LZ 6562187-E	1
			Ginger	D2SZ 6562186-A	D2LZ 6562187-A	1
			Green	D2SZ 6562186-D	D2LZ 6562187-D	1
			Red	D2SZ 6562186-G	D2LY 6562187-B	1
			Tobacco	D2SZ 6562186-F	D2LZ 6562187-F	1
			White	D2SZ 6562186-B	D2LZ 6562187-B	1
62194-5	**SUPPORT - FRONT SEAT CUSHION SIDE SHIELD REAR**					
		- A -				
	69	A	Full width or split seat	C9MZ 6562194-A	C9MZ 6562194-A	2
	69/71	A	Bucket seat	C9YZ 6562194-A	C9YZ 6562195-A	1
	70	A	Full width or split bench seat	D0AZ 6262194-A	D0AZ 6262194-A	1or2
	71/72	A		D3AZ 6562194-A	D3AZ 6562195-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
62296-7	**SUPPORT - FRONT SEAT BACK SIDE SHIELD LOWER**				
	70	A(except 54A, 57B)		D0AZ 6262296-A	2
	71/	A(53,54,57,71)	R.H.-used w/lo-back full width seat	D1AZ 5462296-A	1
			L.H.	D1AZ 5462297-A	1
	71/	A(65,76)	Used w/lo-back full width seat	D1AZ 6562296-A	2
	71	A "Before 5/1/71"	R.H.-used w/hi-back full width seat	D1AZ 6562296-B	1
			L.H.	D1AZ 6562297-B	1
	71/	A "From 5/1/71"	R.H.-used w/hi-back full width seat	D1AZ 6562296-C	1
			L.H.	D1AZ 6562297-C	1
62298	**SUPPORT - FRONT SEAT BACK SIDE SHIELD**				
	69	A		C9AZ 6262298-A	2or4
	70	A	Full width seat-upper and lower	D0AZ 6262298-A	2or4
	65/68	A(54, 57, 63B, F, J, 71, 76A)	Screw-pan head, tapping-No. 10-12 x 3/4"	32938-S7(U345)	4or8

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
62332	**SUPPORT - REAR SEAT BACK**				
	69/	A(76)		C9AZ 7662332-A	1
	66/71	B(76)		C6OZ 7662332-A	1
	65/70	F(76)		C5ZZ 7662332-B	1
62400	**SUPPORT - REAR SEAT BACK**				
	71/	F(76)		D1ZZ 7662400-AA	1
624A08	**BEZEL - REAR SEAT BACK LATCH**				
	72	B(71)	Black	D2OZ 71624A08-C	2
			Blue	D2OZ 71624A08-D	2
			Ginger	D2OZ 71624A08-A	2
			Green	D2OZ 71624A08-B	2
62416	**SUPPORT - REAR SEAT BACK REAR TO FLOOR**				
	65/67	F(76)		C5ZZ 7662416-B	1
	68	F(76)	Drill 1/2" hole for attaching shoulder harness		1
62418-9	**HANDLE - REAR SEAT BACK LATCH**				
	65	B(71)	R.H. - Not Replaced (7-73)	★C2AZ 7162418-B	1
			L.H.	C2AZ 7162419-B	1
	65/66	F(63)	R.H. -use with folding rear seat	C5ZZ 6362418-B	1
	67/70	F(63)			2
	71/	F(63)	Use with folding rear seat	D1ZZ 6362418-A	1
	71/	L	Use with folding rear seat	D2FZ 6262418-A	1
	66/70	X(71)	L.H.	C2AZ 7162419-B	1
62424-5	**BRACKET - REAR SEAT BACK FILLER**				
	68/71	S(65)	To floor	C8SZ 6562424-A	1
			To package tray	C8SZ 6562425-A	1
62426	**STOP - REAR SEAT BACK** - Paint to Match				
		- A -			
	67/68	A(71)		C8AZ 7162426-A	1
			Retainer	C5AZ 6221952-A	1
			Screw & washer-flat head, cross recess- No. 12-24 x 1 1/2"	356782-S8(BB114)	3
	69/71	A(71)		D0AZ 7162426-A	1
	72	A(71)		D2AZ 7162426-A	1
		- B -			
	66/67	B(71)		C8AZ 7162426-A	1
	66/71	B(71)	Retainer	C5AZ 6221952-A	1
			Screw & washer-flat head, cross recess- No. 12-24 x 1/2"	356782-S8(BB114)	3
	68/71	B(71)		D0OZ 7162426-A	1
	72	B(71)		D2OZ 7162426-A	1
		- F -			
	66/	F(63)	Used with folding rear seat	C6ZZ 6362426-A	2
			Nut-hex. -5/16"-18	33922-S8(M27)	2or4
		- X -			
	65	X(59, 71)		C1DZ 5962426-B	1
			Bolt-hex., washer head-5/16"-24 x 1 1/8"	353483-S2(BB588)	3
62430	**BUMPER - REAR SEAT BACK**				
		- A -			
	65/66	A(54, 71)	1 7/8" long	C5AZ 5462430-A	1or2
	67	A(54)			2
	66	A(54, 71) "From 1/3/66"	R.H. - 1 5/8" long-spring mounted-refer to Group 62434 for spring	C6AZ 7162430-B	1
	67	A(54)			1
		- B -			
	66/71	B(71)	1 7/8" long	C5AZ 5462430-A	1or2
		- L -			
	71	L(64) "Before 6/15/71"	1 3/8" long- r/b D1FZ 6462430-B (7-73)	★D1FZ 6462430-A	1
	71/72	L(64) "From 6/15/71 to 12/1/71"	1 3/8" long	D1FZ 6462430-B	1
	72	L(64,73) "From 12/1/71"	2 3/4" long	D2FZ 6462430-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
62430	**BUMPER - REAR SEAT BACK - continued**				
		- X -			
	66/70	X(71) "From 1/3/66"	L.H.-1 5/8" long-spring mounted - Refer to to group 62434 for spring	C6AZ 7162430-B	1
	66/70	X(71)	1 7/8" long	C5AZ 5462430-A	1or2
62432	**BUTTON - REAR SEAT BACK LATCH RELEASE**				
	66/	B(71)		C6OZ 7162432-B	1
	67/	A(71)			1
62434	**SPRING - REAR SEAT BACK BUMPER**				
	66	A(54, 71) "From 1/3/66"	R.H.	C6AZ 7162434-A	1
	67	A(54)			1
	66/70	X(71)	L.H.		1
62440-1	**STRIKER - REAR SEAT BACK LATCH**				
		- A -			
	65/66	A(54, 71)		C2AZ 7162440-A	1
	67	A(54)			1
	67/	A(71)		D3AZ 7162440-A	1
	65/	A(54, 71)	Washer-flat-5/16"	44722-S8(X19)	2
	65/	A(54, 71)	Lockwasher-spring-5/16"	34806-S7(X64)	4
	65/	A(54, 71)	Nut-blind-5/16"-24	34179-S13(M5)	2
	65/	A(54, 71)	Bolt-carriage-5/16"-24 x 3/4"	23379-S8(B25)	
		- B -			
	66/	B(71)		D3AZ 7162440-A	1
	65/	B(71)	Washer-flat-5/16"	44722-S8(X19)	2
	65/	B(71)	Lockwasher-spring-5/16"	34806-S7(X64)	4
	65/	B(71)	Lockwasher-spring-5/16"	34806-S7(X64)	4
	65/	B(71)	Nut-blind-5/16" -24	34179-S13(M5)	2
		- F -			
	71/	F(63)	Use with folding rear seat	D1ZZ 6362440-A	1
		- X -			
	66/70	X(71)		C6DZ 7162440-A	1
			Nut-blind-5/16"-18	34163-S13(M2A)	2
			Lockwasher-spring-3/8"	34806-S7(X64)	2
			Washer-flat-5/16"	44725-S8(X22)	2
62442-3	**BRACKET - REAR SEAT SUPPORT TO FLOOR**				
	71/	L(62)	R.H.-use with folding rear seat	D1FZ 6262442-A	1
			L.H.	D1FZ 6262443-A	1
62444	**BRACKET - REAR SEAT BACK SUPPORT TO SIDE**				
	69/70	A(63, 65)		C9AZ 6362444-A	2
62446	**BRACE - REAR SEAT BACK SUPPORT TO STRAINER**				
	71/	F(63)	Use without folding rear seat	D1ZZ 6362446-A	1
62506	**SUPPORT - PASSENGER SEAT**				
	71/72	L		D1FZ 6262506-A	2
62512-3	**LINK - FRONT SEAT TRACK REAR**				
	67/71	A, S	R.H. -Power full width seat and driver bucket	C7AZ 6262512-A	1
			L.H. -Power full width seat	C7AZ 6262512-B	1
	67/71	A, S	R.H. -Driver power split seat	C7AZ 6362512-A	1
			L.H. -Driver power split seat	C7MY 6362513-A	1
			R.H. -Passenger power split seat	C7AZ 6362512-A	1
			L.H. -Passenger power split seat	C7MY 6362513-A	1
	67/71	A, S	R.H. -Driver power bucket seat	C7AZ 6262512-A	1
			L.H. -Driver power bucket seat	C7AZ 6362512-A	1
	72	A "Before 12/1/71"	R.H. -split seat	C7AZ 6362512-A	1
			L.H.	C7AZ 6262512-B	1
625A12	**BOLT - FRONT SEAT TRACK LINK**				
	67/71	A, S	Driver power bucket seat-bolt-slotted head-3/8"-16 x 1" (3 1/2" overall length)	C7AZ 63625A12-A	4
	68/71	S	Power full width seat and split bench seat		4
	68/72	A "Before 12/1/71"	L.H. -Power split seat		4

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
62520-1	**LINK - FRONT SEAT TRACK FRONT**				
	67/68	A	R.H.-Power full width seat	C7AZ 6262520-A	1
			L.H.-Power full width seat	C7AZ 6262521-A	1
	67/69	A	R.H.-Driver power split seat	C7AZ 6362520-B	1
			L.H.-Driver power split seat	C7AZ 6262521-A	1
			R.H.-Passenger power split seat	C7AZ 6362520-B	1
			L.H.-Passenger power split seat	C7AZ 6262521-A	1
	67/71	A,S	R.H.-Driver power bucket seat	C7AZ 6362520-A	1
			L.H.-Driver power bucket seat	C7AZ 6362521-A	1
	69/71	A	R.H.-Power full width seat	C9AZ 6262520-A	1
			L.H.-Power full width seat	C9AZ 6262521-A	1
	69/72	A "Before 12/1/71"	R.H.-Driver power split seat	C9AZ 5462520-A	1
			L.H.-Driver power split seat	C9AZ 6262521-A	1
			R.H.-Passenger power split seat	C9AZ 5462520-A	1
			L.H.-Passenger power split seat	C9AZ 6262521-A	1
	68/72	S	R.H.-Power full width seat	C8SZ 6562520-A	1
	72	S	R.H.-power 6-way split bench seat		1
			L.H.-Power full width seat	C7AZ 6362521-A	1
625A56-7	**BRACKET - FRONT SEAT BACK LATCH SOLENOID**				
	70/	A(63,65,76)	R.H.	D0AZ 62625A56-A	1
			L.H.	D0AZ 62625A57-A	1
	72	B		D2OZ 65625A56-A	2
62606-7	**PAWL - FRONT SEAT BACK LATCH**				
		- A -			
	68	A	R.H.-Used with split seat	C8MZ 6362606-B	1
	68/69	S	R.H.-Used with full width or bucket seat		1
			L.H.	C8MZ 6362607-B	1
	69	A	R.H.-Used with full width seat	C9AZ 6262606-A	1
			L.H.	C9AZ 6262607-A	1
	69	A	Used with full width seat with recliner	C9AZ 6262606-A	2
	70/71	A(63,65,76)-full width seat	R.H.	D0AZ 6262606-B	1
			L.H.	C9AZ 6262607-A	1
	70/71	A(54,57,71)-full width seat	R.H.-with recliner	D0AZ 6262606-B	1
	70/71	A-bucket seat		D0ZZ 6562606-B	2
	70/71	A-split seat		D0AZ 6262606-B	2
	72	A(65F,H,76)		D0AZ 6262606-B	2
	72	A(65K)		D0SZ 6562606-A	2
		- B -			
	68/69	B	Serviced in assembly-see Group 60136-7 in Soft Trim Section	★	
	70/71	B(62,63,65,66)	Full width seat	D0OZ 6562606-A	2
	70/71	B	Bucket seat	D0ZZ 6562606-B	2
	72	B(63,65,97)		D2OZ 6562606-B	2
		- F -			
	68/69	F		C8ZZ 6562606-A	2
	70	F		D0ZZ 6562606-B	1
	71	F "Before 6/15/71"		D1FZ 6262606-A	2
	71/	F "From 6/15/71"		D1FZ 6262606-B	2
		- L -			
	71	L "Before 5/3/71"		D1FZ 6262606-A	2
	71	L "From 5/3/71"		D1FZ 6262606-B	2
		- P -			
	70/	P-full width seat		D0DZ 6262606-A	2
	71	P-bucket seat - "Before 6/15/71"		D1FZ 6262606-A	2
	71/	P-bucket seat - "From 6/15/71"		D1FZ 6262606-B	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
62606-7	**PAWL - FRONT SEAT BACK LATCH - continued**				
		- S -			
	68/71	S	On cushion-used with reclining seat	C8SZ 6562606-A	1
	70/71	S(65)	On back	D0SZ 6562606-A	2
	72	S-split bench seat		D2OZ 6562606-B	2
	72	S - bucket seat	With recliner	D2SZ 6562606-A	2
		- U -			
	68/69	U-full width or bucket seat	Driver side	C8ZZ 6562606-A	2
	70/	U-bucket seat	Driver side	D0ZZ 6562606-B	1
			Passenger side	D0BZ 1062606-A	1
		- X -			
	70	X(62)-full width seat		D0OZ 6562606-A	1
62608	**BUSHING - FRONT SEAT BACK LATCH**				
	68/69	A, B, F, S, U, X		C8AZ 6262608-A	AR
	69	A	Used with reclining seat		2
	71/	A	Used with reclining seat		1
	71	B	Used with bucket seat		2
	71	A-bucket seat	W/automatic seat back latch		2
	70/71	F	Full width seat or split seat	D0VZ 6562608-A	2or4
	70/71	S(65)			2or4
	70/	A(63, 65, 76)			2
	72	B, P, S		D2FZ 6262608-A	2
62614	**BRACKET - FRONT SEAT BACK LATCH**				
	72	B, S	Used with automatic seat latch	D2SZ 6562614-A	2
	71/	L		D1FZ 6262614-A	2
	71/	F, P			2
	72	F	Used with automatic seat latch	D2ZZ 6562614-A	2
	68	S	Use with reclining seat	C8SZ 6562614-B	1
	68	U	Driver side		2
	68/69	S	Without reclining seat	C8SZ 6562614-A	2
	69	A	Used with bucket seat		2
	68/69	F, U			1
62622	**HANDLE - FRONT SEAT BACK LATCH - INCLUDES ATTACHING PARTS** - Also refer to Group 61198				
	68/69	A	Used with full width seat with side shields	C8AZ 6362622-B	2
	68/69	A	Used with split seat		2
	69	A	Used with full width seat with recliner		2
	69	A "Before 11/4/68"	With reclining seat	C9AZ 6262622-A	1
	72	A(65K)	With reclining seat		1
	69/71	S	With reclining seat		1
	72	S	Used on seat cushion reclining		1
	68	A	Used with full width seat less side shields	C8AZ 6262622-B	2
	68/70	B, F, S(65), X	Used with full width or bucket seat		2
	68/71	A, U	Used with bucket seat		2
	68/	U			2
	69/71	A "From 11/4/68"	With reclining seat		2
	69	S "Before 8/26/68"	Without reclining seat		2
	69	S "From 8/26/68"	Without reclining seat	C9SZ 6562622-A	2
	70/	A		C8AZ 6262622-B	2
	70/	B, F, U			2
	72	B, S	Used on seat cushion - non-reclining	D2OZ 6562622-A	2
	71	F	With center mounted latch	D1FZ 6262622-A	2
	71	P			2
	71	L			2
	71/	F, L, P	R.H. -with outboard mounted latch	D1FZ 6262622-B	1
			L.H.	D1FZ 6262622-C	1
	70/	P	Used w/full width seat	D0DZ 6262622-A	2
	70/71	S		D0VZ 6562622-A	2
	72	S	Used on seat back-reclining		1
	68/	B, P, X	Screw-oval head-No. 8-32 x 1/2"	50398-S13(U121)	AR

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
62624-5	**ESCUTCHEON - FRONT SEAT BACK LATCH**				
	68/71	B	R.H.-Used with full width seat	C8OZ 6362624-A	1
			L.H.	C8OZ 6362625-A	1
	68/71	B	Screw-fillister head-self-tap.-No.8-18 x 5/8"	52554-S8(U230)	4
62634	**STEM ASSY. - FRONT SEAT BACK LATCH**				
		- A -			
	69	A	Used with full width or bucket seat	C9AZ 6262634-A	2
	69	A	Used with full width seat with recliner		2
	69	A	Used with bucket seats or split seats	C9YZ 6562634-A	2
	70/	A(63,65,76)-full width seat		D0AZ 6262634-A	1
	70/	A(54,57,71)-full width seat	Used with recliner		1
	71/	A	Used with hi-back full width seat	D1AZ 6562634-A	2
		- B -			
	68/69	B(63,65,66,76)-	Used with full width seat	C8OZ 6262634-A	2
	70/71	B(62,63,65,66,76)	Used with full width seat	D0OZ 6562634-A	1
	70/71	B(63,65,66,76)	Used with bucket seat	D0ZZ 6562634-A	2
	72	B-full width or bucket seat	W/o automatic latch	D5OZ 6562634-B	2
	72	B-full width seat - "Before 7/12/71"	With automatic latch-service in assy. 62648-9	★D2LZ6562634-A	2
	72	B-full width seat - "From 7/12/71"	With automatic latch-service in assy. 62648-9	★D2LZ6562634-B	2
	72	B-bucket seat	With automatic latch	D2OZ 6562634-B	2
	70/71	B	Nut-spring-1/2"	351092-S32(MM262)	2
		- F -			
	68/69	F		C8ZZ 6562634-A	2
	70	F		D0ZZ 6562634-A	2
	71/	F	Used w/o automatic seat latch	D1ZZ 6562634-D	2
	71/	F	Used w/automatic seat latch	D1ZZ 6562634-E	2
	70	F	Washer-11/16" x 1/32" thick(between stem and latch handle)	351513-S8(XX213)	2
		- L -			
	71/	L	Used with outboard seat latch	D1ZZ 6562634-D	2
		- P -			
	70/	P-full width seat		C8OZ 6262634-A	2
	71/	P-bucket seat		D1ZZ 6562634-D	2
		- S -			
	68/69	S	Used with full width or bucket seat	C8SZ 6562634-C	2
	68/69	S	Used with reclining seat	C8SZ 6562634-A	1
	70/71	S(65)	Used with full width or bucket seat	D0SZ 6562634-B	1
	72	S-split bench seat - "Before 7/12/71"	With automatic seat latch-service in assy. 62648-9	★D2LZ6562634-A	2
	72	S-split bench seat - "From 7/12/71"	With automatic seat latch-service in assy. 62648-9	★D2LZ6562634-B	2
	72	S-bucket seat	With automatic seat latch	D2OZ 6562634-B	2
	72	S-bucket seat	W/o automatic seat latch-non reclining	D5OZ 6562634-B	2
	72	S-bucket seat	W/o automatic seat latch-reclining	D2SZ 6562634-B	1
		- U -			
	68/69	U-bucket seat		C8ZZ 6562634-A	1
	70/	U-bucket seat		D0ZZ 6562634-A	1
			Ring-retainer 1/2"	★97519-S	1
		- X -			
	68/70	X(62)		C8OZ 6262634-A	2

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
62634	**BRACKET - FRONT SEAT BACK LATCH**				
	71	F	Used w/automatic seat latch-center mounted	D1ZZ 6562634-C	2
	71/72	F "Before 1/3/72"	R.H.-Used w/automatic seat latch - outboard mounted	D1ZZ 6562634-F	1
			L.H.	D1ZZ 6562634-G	1
	72	F "From 1/3/72"	Used w/automatic seat latch	D2ZZ 6562634-A	2
62638-9	**STRIKER - FRONT SEAT BACK LATCH**				
	68/71	B,X	R.H.-Used with full width seat	C8OZ 6362638-A	1
			L.H.	C8OZ 6362639-A	1
	68	A	R.H.-Used with bucket seat	C8AZ 6362638-A	1
	68/69	B,X	R.H.-Used with bucket seat		1
			L.H.	C8AZ 6362639-A	1
	68/69	F	R.H.-Used with full width or bucket seat	C8ZZ 6562638-A	1
	69	A	R.H.-Used with bucket seat		1
	68/69	U	R.H.-Used with bucket seat		1
			L.H.	C8ZZ 6562639-A	1
	70	A,F	R.H.-Used with full width or bucket seat	D0ZZ 6562638-A	1
	70	B	R.H.-Used with bucket seat		1
			L.H.	D0ZZ 6562639-A	1
	71	A,B	R.H.-used with bucket seat	D1GY 6562638-A	1
			L.H.	D1GY 6562639-A	1
	71/	F,L,P	Used with bucket seat	D1ZZ 6562638-A	2
	70/	U	R.H.	D0BZ 9662638-A	1
			L.H.	D0ZZ 6562639-A	1
62642-3	**ROD - FRONT SEAT BACK LATCH ACTUATING**				
		- A -			
	68	A	R.H.-Used with split seat	C8AZ 6562642-A	1
			L.H.	C8AZ 6562643-A	1
	69	A	R.H.-bucket seat	C8ZZ 6562642-B	1
			L.H.	C9ZZ 6562643-A	1
	69	A	R.H.-full width seat	C9AZ 6262642-A	1
			L.H.	C9AZ 6262642-B	1
	70	A(54,57,71)	R.H.-used with reclining full width seat	D0AZ 6262642-A	1
		- B -			
	68/70	B-full width seat		C8OZ 6362642-A	2
	68/70	B-bucket seat		C8AZ 6362642-A	2
		- F -			
	68/69	F	Used with full width seat	C8ZZ 6562642-B	1
	69/70	F	R.H.-Used with bucket seat		1
	69/70	F	L.H.-Used with bucket seat	C9ZZ 6562643-A	1
		- S -			
	68/69	S	Used with reclining full width seat	C8SZ 6562642-A	2
	68/69	S	R.H.-used w/manual bucket seat w/o recliner	C9SZ 6562642-B	1
	68/69	S	Used with full width seat		1
	68/69	S	L.H.-used w/manual bucket seat w/o recliner	C9SZ 6562643-A	1
	68/69	S	Used with full width seat		1
		- U -			
	68/69	U	Driver bucket seat	C8ZZ 6562642-B	1
	70	U	Bucket seat	D0BZ 9662642-A	1
		- X -			
	68/70	X-full width seat		C8OZ 6362642-A	2
	68/70	X-bucket seat		C8AZ 6362642-A	2
62648-9	**LATCH ASSY. - FRONT SEAT BACK**				
	72	B,S	R.H.-w/manual seat latch	D2OZ 6562648-A	1
			L.H.	D2OZ 6562649-A	1
	72	B,S	R.H.-w/automatic seat latch	D2LZ 6562648-A	1
			L.H.	D2LZ 6562649-A	1
	72	B(63R,65)	R.H.-lo-back bench seat-automatic seat latch	D2LZ 6562648-A	1
			L.H.	D2LZ 6562649-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
62650-1	**LINK ASSY. - FRONT SEAT BACK LATCH**				
	68/69	B,X	R.H.-bucket seat	C8AZ 6362650-B	1
			L.H.	C8AZ 6362651-B	1
	68	A	R.H.-bucket seat		1
			L.H.		1
	72	B(63,65),S	Serviced in assembly only - refer to Group 62690		
62672-3	**BEZEL - FRONT SEAT BACK LATCH HANDLE**				
	68	A,B,X	Used with bucket seat	C8VY 5362672-A	2
	69	A	Used with full width seat with recliner		2
	71/	A	Used with reclining seat		2
	68	A	Used with full width seat	C8AZ 6262672-A	2
	68/	B,F,X	Used with full width seat		2
	68/69	U	Used with bucket seat		2
	68/	S	Used with reclining seat		1
	69	A	Used with full width seat	C9AZ 6262672-A	2
	70/71	F	Bucket seat		2
	71	B	Used with bucket seat		2
	70	B(65F,H)	With automatic seat back latch		2
	70	A(62,63,65,76)	Used with side shields	D0AZ 6262672-A	1or2
	70	A	Used with reclining seat		1
	71/	A		D1AZ 6562672-A	1
	70/71	A	R.H.-Used with bucket seats	D0YZ 6562672-A	1
			L.H.	D0YZ 6562673-A	1
	72	B(63,65)		D2OZ 6562672-A	2
	72	L	Beige	D2FZ 6262672-F	2
			Black	D2FZ 6262672-C	2
			Blue	D2FZ 6262672-B	2
			Ginger	D2FZ 6262672-E	2
			Green	D2FZ 6262672-A	2
			White	D2FZ 6262672-D	2
	72	S	Bright finish	D2OZ 6562672-A	2
			Black	D2SZ 6562672-B	1
			Blue (Dark)	D2SZ 6562672-H	1
			Ginger	D2SZ 6562672-A	1
			Gray Gold	D2SZ 6562672-E	1
			Green (Dark)	D2SZ 6562672-F	1
			Red	D2SZ 6562672-G	1
			Tobacco	D2SZ 6562672-D	1
			White	D2SZ 6562672-C	1
	70/	U	Bucket seat	C9AZ 6262672-A	1
62680	**ESCUTCHEON - FRONT SEAT BACK LATCH HANDLE**				
	70/	S		C8LY 6562680-A	1
62690	**SOLENOID ASSY. - FRONT SEAT BACK LATCH - INCLUDES WIRING**				
	70	A(62,63,65,76)	Used with full width or split seat	D0AZ 6262690-A	2
	71/	A(65,76)	Full width seat		2
	71/	A(65,76)	Split bench seat	D0SZ 6562690-A	2
	70/71	B(63,65,66,76)	Used with full width seat	D0OZ 6562690-A	2
	70/71	B(63,65,66,76)	Used with bucket seats	D0ZZ 6562690-A	2
	71	A-bucket seat			2
	70	F			2
	72	B	Bucket seat	D2OZ 6562690-A	2
	72	B	Full width or split bench seat	D2LZ 6562690-B	2
	71	F	Used with center mounted seat latch	D1ZZ 6562690-A	2
	71/	F	Used with outboard mounted seat latch	D1ZZ 6562690-B	2
	70/71	S(65)		D0SZ 6562690-A	2
	72	S	Bucket seat	D2OZ 6562690-A	2
	72	S "Before 10/15/71"	Full width or split bench seat	D2LZ 6562690-B	2
	72	S "From 10/15/71 to 7/17/72"	Full width or split bench seat-reclining	D2SZ 6562690-A	1
	72	S "From 7/17/72"	Full width or split bench seat-reclining	D3SZ 6562690-A	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
62704	**SPACER - FRONT SEAT BACK LATCH PAWL**				
	70/	B(63,65,66,76)		D0OZ 6562704-A	2
	70	X(62)			2
62718-9	**SHIELD - FRONT SEAT BACK LATCH ACTUATOR**				
	72	B,S	R.H.-bucket seat	D2SZ 6562718-B	1
			L.H.	D2SZ 6562719-B	1
	72	B,S	R.H.-split bench seat	D2LZ 6562718-A	1
			L.H.	D2LZ 6562719-A	1
62720	**LEVER - FRONT SEAT BACK LATCH**				
	72	S		D2SZ 6562720-B	1
62730	**SHIELD - FRONT SEAT BACK LATCH**				
	72	P(62) "Before 9/18/72"	Tan-reclining seat	D2DZ 6262730-A	2
62868	**RETAINER - FRONT SEAT BACK ASH RECEPTACLE**				
	68/69	A,B,X	Used with full seat back	C8AZ 5462868-A	1
	70	A	Without split bench and/or center arm rest		1
	71	A "Before 7/11/71"			1
	71	P(54) "Before 7/11/71"			1
	71	B "Before 6/1/71"			1
	71/	A,P(54) "From 7/11/71"		D2AZ 6562868-A	1
	71/	B "From 6/1/71"			1
	72	S	Used with console and seat back		2
	68/69	A,B,X	Use with split seat back	C8AZ 6262868-A	2
	70	A	With split bench and/or center arm rest		1or2
	70/71	B(63,65,76)	Used with console		1
	70	X			2
	72	L	Used on R.H. quarter		1
62876	**RECEPTACLE - FRONT SEAT BACK ASH** - Paint to Match				
	68/69	A,B,X	Used with full seat back	C8AZ 5462876-A	1
	70	A	Without split bench and/or center arm rest		1
	71	A "Before 7/11/71"			1
	70/71	B "Before 6/1/71"	Not used in console		1
	71	P(54) "Before 7/11/71"			1
	70	X			2
	71/	A,P(54) "From 7/11/71"		D2AZ 6562876-A	1
	71/	B "From 6/1/71"			2
	72	S	Used with console and seat back		2
	68/69	A,B,X		C8AZ 6262876-A	2
	69/	A,F	Used with console		1
	70	A	With split bench and/or center arm rest		1or2
	70/71	B(63,65,76)	Used in console		1
	72	L "Before 12/1/71"	Used on R.H. quarter		1
	68/70	X			2
	72	L "From 12/1/71"	Used on R.H. quarter-Bright finish	D2FZ 6262876-A	1
63084	**SPRING - FRONT SEAT CUSHION HELPER**				
	70	A		D0AZ 6263084-A	1
63100	**SPRING ASSY. - FRONT SEAT CUSHION**				
	65/66	A(62-Police & Taxi)		C7AZ 6263100-A	1
	67	A(54,62,71)			1
	67	A(62 Police)		C7AZ 6263100-F	1
	68	A(62)		C8AZ 6263100-A	1
	69	A(54,71)		C9AZ 5463100-G	1
	69	A(62,65)		C9AZ 6263100-L	1
	70	A(54,71)		D0AZ 5463100-A	1
	70	A(63,65)		D0AZ 6263100-A	1
	71	A(54,71)		D1AZ 5463100-A	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
63100	**SPRING ASSY. - FRONT SEAT CUSHION - continued**				
	71	A(65)		D1AZ 6563100-A	1
	72	A(65) "Before 12/1/71"		D2AZ 6563100-B	1
	72	A(53,54,57,71)- "Before 12/1/71"	Remove center pivot bracket		1
	72	A(65)-"From 12/1/71 to 4/3/72"		D2AZ 6563100-C	1
	72	A(53,54,57,71)- "From 12/1/71 to 4/3/72"	Remove center pivot bracket		1
	72	A(65) "From 4/3/72"		D3AZ 6563100-A	1
	72	A(53,54,57,71)- "From 4/3/72"	Remove center pivot bracket		1
	70/71	B(54)		D0GY 5463100-A	1
	72	B(53)		D2OZ 5363100-A	1
	72	B(65)		D2OZ 6563100-A	1
631A02-3	**BRACKET - REAR SEAT BACK STOP TO WHEELHOUSE**				
	69/	A(71)		C9AZ 71631A02-A	1
	66/67	B(71)		C6OZ 71631A02-A	1
	68/71	B(71)		C6OZ 71631A02-C	1
	72	B(71)		D2OZ 71631A02-A	1
	65/68	F(63)	R.H.	C5ZZ 63631A02-B	1
	67/68	F(63)	L.H. -not replaced (3-74)	★C7ZZ 63631A03-A	1
	69/70	F(63)	R.H.	C9ZZ 63631A02-A	1
			L.H.	C9ZZ 63631A03-A	1
	71/	F(63) -with folding rear seat		D1ZZ 63631A02-A	1
	71	L(62) -with folding rear seat- "Before 2/1/70"		D1FZ 62631A02-A	1
	71/	L(62) -with folding rear seat- "From 2/1/70"		D1FZ 62631A02-B	1
	71/	L(64) -with folding rear seat		D1FZ 64631A02-A	1
	72	L(73)		D2FZ 73631A02-A	1
	65	X(59,71)	L.H.	C5DZ 59631A03-A	1
	69	A	Screw-flat head-No.12-24 x 1/2"	382542-S(BB114A)	AR
631A05	**COVER - REAR SEAT BACK STOP TO WHEELHOUSE** - Paint to Match				
	66	A(71)	L.H.-Black	C5AZ 71631A05-AAB	1
			L.H.-Blue	C5AZ 71631A05-AAD	1
	65/66	A(71)	Screw-pan head, cross recess-No.8-18 x 3/8"	52720-S8(U380)	3
			Washer-flat-No.8	44710-S8(X10)	1
63120	**SPRING ASSY. - REAR SEAT CUSHION**				
	65/68	A(54-Police & Taxi)		C5AZ 5463120-J	1
	69/70	A(54-Taxi)		C9AZ 5463120-E	1
	72	A(54)		D2AZ 5463120-A	1
	69/71	B(54)		C9GZ 5463120-A	1
63150	**SPRING - REAR SEAT CUSHION**				
	70/	A(54)	Use with heavy duty seat	D0AZ 5463150-A	6
63174	**COVER - FRONT SEAT BACK HINGE PIN**				
	69	A	Aqua-use with full width reclining seat	C9AZ 5463174-A1K	1
			Black	C9AZ 5463174-A1A	1
			Nugget Gold	C9AZ 5463174-A1Y	1
			White	C9AZ 5463174-A1W	1
	70	A	Aqua-use with full width reclining seat	C9AZ 5463174-A1K	1
			Black	C9AZ 5463174-A1A	1
			Blue	D0AZ 5463174-A	1
			Ginger	D0AZ 5463174-D	1
			Green	D0AZ 5463174-B	1
			Nugget Gold	C9AZ 5463174-A1Y	1
			Red	D0AZ 5463174-C	1
			White	C9AZ 5463174-A1W	1

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
63174	**COVER - FRONT SEAT BACK HINGE PIN - continued**				
	70	A	Aqua-use with split seat w/ recliner	C9MY 6563174-A1K	1
			Black	C9MY 6563174-A1A	1
			Blue	D0AZ 6563174-A	1
			Ginger	D0AZ 6563174-D	1
			Green	D0AZ 6563174-B	1
			Nugget Gold	C9MY 6563174-A1Y	1
			Red	D0AZ 6563174-E	1
			Tobacco	D0AZ 6563174-C	1
			White	C9MY 6563174-A1W	1
63186	**SPRING - FRONT SEAT CUSHION HELPER**				
	70/	A		D0AZ 6263186-B	1
63218-9	**SHIELD - FRONT SEAT CUSHION REAR**				
	68/69	S(57C, 65C, D)	Plastic	C8SZ 6563218-A	1
	70/71	S(57B)	R.H.	C9LY 6563218-A	1
			L.H.	C9LY 6563219-A	1
	70/71	S(57C, 65C, D)		D0SZ 6563218-A	1
632A22	**PAD - FRONT SEAT CUSHION**				
	67	A(54, 62, 71)		C8AZ 62632A22-B	1
	68	A(54, 71)			1
	69/70	A(54, 62, 65, 71)		C9AZ 62632A22-A	1
	71/72	A(54, 65, 71) Police & Taxi	W/o sensor	D2AZ 65632A22-A	1
	72	A(54, 65, 71) Police & Taxi- "Before 6/1/72"	W/sensor	D2AZ 65632A22-D	1
	72	A(54, 65, 71)-Police & Taxi- "From 6/1/72"		D2AZ 65632A22-E	1
63370	**RETAINER - REAR SEAT CUSHION - FRONT**				
	65/67	A, B, F(65, 76), S, X	Bend to fit	C5AZ 6263370-A	2
	68	A, F(65, 76), S, X		C5AZ 6263370-B	2
	70	S			2
	69/	A		C9AZ 6263370-A	2
	70/71	P			2
	68/71	B		C8OZ 5463370-A	2
	68/70	X			2
	72	B		D2OZ 6563370-A	2
	65/	F(63)		C5ZZ 6363370-A	2
	71	F(65, 76)		C9AZ 6263370-A	2
63520	**RETAINER - SEAT BACK BUTTON and STRAP -Also Refer to Group 64402**				
	67	S-w/o reclining seat	Front seat back-used with cloth trim only	C7SZ 6563520-A	2
	67	S-w/reclining seat	L. H. -front seat back		1
	67	S	Rear seat back		2
63844	**SUPPORT - REAR SEAT CUSHION PAD**				
	69/	A(54, 57)	Use with heavy duty seat	C9AZ 5463844-A	1
642A98	**RETAINER - LOAD RESTRAINER - INNER PANEL BODY SIDE**				
	72	B(97)		D2OZ 97642A98-A	4
64384	**HOLD DOWN ASSY. - LOAD RESTRAINER**				
	69	B(66A, B)		C9OZ 6664384-A	4
644A36	**MOULDING - FRONT SEAT BACK CENTER ARM REST - INCLUDES ATTACHING PARTS**				
	65/69	F	Used with full width seat	C5ZZ 65644A36-A	1
	68/71	S	Used with full width seat	C8SZ 65644A36-A	1
	71	S	Use with split bench seat	C8LY 65644A36-A	2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
64462	**RETAINER - SEAT BACK ORNAMENT** - Also Refer to Group 63520				
	67	B(66B, D), X(54B,62B,C, 71B)		C7DZ 6264462-A	2or4
	69	B(54, 63, 66, 76)			2
64700-1	**SPRING ASSY. - FRONT SEAT BACK - HEAVY DUTY**				
	69	A(54, 71 Police and Taxi)	With head rest	C9AZ 5464700-A	1
	71	A(54,71-Police and Taxi)		D1AZ 5464700-B	1
	71	A(65-Police)	R.H.	D1AZ 6564700-B	1
			L.H.	D1AZ 6564701-B	1
	72	A(54-Police and Taxi)		D2AZ 5464700-A	1
	72	A(65-Police and Taxi)	R. H.	D2AZ 6564700-A	1
			L. H.	D2AZ 6564701-A	1
	70/71	B(54)		D0OY 5464700-A	1
64744	**SUPPORT - FRONT SEAT BACK PIVOT**				
	70	S	R.H.-use with reclining seat	D0SZ 6564744-A	1
64752	**SPACER - FRONT SEAT BACK TO CUSHION**				
	70/	P		D0DZ 6264752-A	2
64754	**STOP - FRONT SEAT BACK PIVOT**				
	68/71	A, S		C8SZ 6564754-A	2or4
64810-1	**PAD - FRONT SEAT BACK - INCLUDES SPRINGS**				
	72	B-bucket seat	R. H.	D2OZ 6564810-A	1
			L. H.	D2OZ 6564811-A	1
	71/	L(62)		D1FZ 6264810-A	2
64824	**ORNAMENT - SEAT BACK**				
		- A -			
	65/66	A(57F, 63F)	Refer to Group in Soft Trim Section		
	68	A	Front seat back-includes attaching parts	C8AZ 5464824-A	2
			Rear seat back		2
	69	A(54C, 57F, 65A)	Refer to Group 63500 in Soft Trim Section		
	70	A	Aqua-includes attaching parts	D0AZ 5464824-H	AR
		- B -			
	68	B(54B, 63B, 65B, 66B, 71B, E, 76B)	Front seat back-includes attaching parts	C8OZ 5464824-A	2
			Rear seat back		2
	69	B(54B, 63B, 65B, C)	Front seat-used with cloth and vinyl trim		2
	69	B(66B, C)	Front seat-use with all vinyl trim		2
			Rear seat		2
	68	B(63D, 63E, 65D, E, 66D, E, 76D, E)	Front seat back-includes attaching parts	C8OZ 6364824-A	2
			Rear seat back		2
	69	B(54B, 63B, D, E, F, 65B, F, 66A, D, 76B, D, E, F)	Front seat-use with all vinyl trim		2
			Rear seat		2
		- F -			
	69	F(63, 65A, B, C, 76)	Front seat - Light Teak Wood	C9ZZ 6564824-A	4
		- S -			
	65/66	S	Front seat backs-refer to Group 64824 in Soft Trim Section		
			Package tray-refer to Group 465A38 in Soft Trim Section		
	69	S(57B, 65A, B)	Front seat - White - includes attaching parts	C9SZ 6564824-A	4
			Rear seat		4
	69	S(65A, B)	R. H. -Rear seat-White-includes attaching parts	C9SZ 6564824-C	1
			L. H.	C9SZ 6564824-D	1
	69	S(65A, B)	R. H. -Rear seat-Black-includes attaching parts	C9SZ 6564824-E	1
			L. H.	C9SZ 6564824-F	1
64825	**PLATE - SEAT BACK ORNAMENT MOUNTING**				
	69	A		C9AZ 5464825-A	1or2
	69	F(63, 65A, B, C, 76)	Front seat backs	C9ZZ 6564825-A	4
			Rear seat backs		4

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
65206	**MOULDING - FRONT SEAT BACK - INCLUDES ATTACHING PARTS**				
	65	A(63C,76B),S	Aluminum	C4SZ 6365206-A	2
	66	A(63C,D,76B,D),S			2
			Clip-trim	358372-S3(GG120)	18
			Screw-oval head, cross recess-No. 8-32 x 3/8"	376378-S100(UU97)	18
	66	B(63C,D,76C,D),X(62C,66D)		C6OZ 6365206-A	2
	67	B(63C,D,66D,76C,D),X(62C)			2
			Screw-oval head,cross recess-No. 10-12 x 1 1/2"	★53073-S13	4
			Nut-spring-No. 10-12	★376286-S2	4
65406	**LINK and SUPPORT ASSY. - FRONT SEAT BACK CENTER ARM REST**				
	69/	A(53,54,57)	Used with full width seat	C9MZ 5765406-A	1
	69/	A(53,54,57,65)	Used with split seat	C9MZ 6565406-A	2
	69/	A(65)	Used with full width seat		2
	70/71	S(57B)	R.H.	C8LY 6565406-A	1
			L.H.	C8LY 6565406-B	1
	70/71	S(57C,65C,D)		D0SZ 6565406-A	2
654A28	**BUSHING - FRONT SEAT BACK CENTER ARM REST PAD**				
	65/70	F	Used with full width seat	C5ZZ 65654A28-A	2
	71/	A			2
	72	B,S			2
654A54	**RETAINER - FRONT SEAT BACK CENTER ARM REST COVER**				
	67/	A	Split seat	C7MY 63654A54-A	2
	69	A	Full width seat with recliner		2
654A76	**SPACER - FRONT SEAT BACK CENTER ARM REST SUPPORT**				
	70/71	S(57C,65C,D)		D0SZ 65654A76-A	2
65478-9	**PAD - FRONT SEAT BACK CENTER ARM REST**				
	67/68	A	Split seat	C7AZ 6365478-A	1
	69	A(54,57)	Used with split seat	C9MZ 6565478-A	2
	69	A(65A)	Used with full width or split seat		2
	69/	A(53,54,57,71)	Used with full width seat	C9MZ 5465478-A	1
	70/	A(53,54,57)	Used with lo-back split seat	D0MZ 6565478-A	2
	70/	A(65)	Used with lo-back split or full width seat		2
	71/	A(53,57,65)	R.H.-use with hi-back split seat	D4AZ 6565478-A	1
			L.H.	D4AZ 6565479-A	1
	71/	A	Used with hi-back full width seat	D3AZ 6565478-B	1
	72	B		D2GZ 6565478-A	1
	68/69	S	Used with full width seat	C8SZ 6565478-A	1
	70/71	S(57B)	R.H.	C8LY 6565478-A	1
			L.H.	C8LY 6565479-A	1
	70/71	S(57C,65C,D)		D0SZ 6565478-A	1
	72	S	Full width seat	D2SZ 6565478-B	1
	72	S "Before 4/6/72"	R.H. - split seat	D2LZ 6565478-B	1
			L.H.	D2LZ 6565479-B	1
	72	S "From 4/6/72"	R.H. - split seat	D3SZ 6565478-C	1
			L.H.	D3SZ 6565479-C	1
654A82	**SHIELD - FRONT SEAT COVER ARMREST**				
	72	B,S	Black	D3GZ 65654A82-B	1
			Blue	D3GY 65654A82-C	1
			Gold	D2SZ 65654A82-K	1
			Green	D3GY 65654A82-A	1
			Tobacco	D3GZ 65654A82-E	1
66456-7	**COVER - FRONT SEAT BACK SIDE SHIELD**				
	68	S	R.H.-use with reclining seat-Paint to match	C8SZ 6566456-A	1
			L.H.	C8SZ 6566457-A	1
66488	**PAD - FRONT SEAT BACK SIDE SHIELD**				
	70/71	A	15/32" x 41/64 x 29/32" - used with bucket seat	D0AZ 6366488-A	4
	70/71	A	5/16" x 41/64 x 29/32"-used with power full width seat or bucket seats	D0MZ 6566488-A	AR

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

GROUP NUMBER	YEAR	BODY TYPE	DESCRIPTION	PART NUMBER	QTY.
666A56	**RETAINER - REAR SEAT BACK COVER TOP**				
	71	L-with fixed rear seat - "Before 10/12/70"		D1FZ 62666A56-A	1
	71/	L-with fixed rear seat - "From 10/12/70"		D1FZ 62666A56-E	1
	71	L-with folding rear seat - "Before 10/12/70"		D1FZ 62666A56-B	1
	71/	L-with folding rear seat - "From 10/12/70"		D1FZ 62666A56-D	1
66700	**SPRING ASSY. - REAR SEAT BACK**				
	65/67	A(54, 62-Police and Taxi)		C5AZ 6266700-D	1
	70	A(54, 71)		D0AZ 5466700-A	1
	71/	A(54)		D1AZ 5466700-A	1
	70/	B(54)		D0GY 5466700-A	1
667A02-3	**BRACKET - REAR SEAT BACK SPRING HANGER OUTER**				
	72	B,S		D2OZ 65667A02-A	3
	70/71	S(65)	R.H.	D0SZ 65667A02-A	1
			L.H.	D0SZ 65667A03-A	1
66740-1	**RETAINER - REAR SEAT BACK SPRING TO WHEELHOUSE** - Paint to match				
	67/70	F(63)-with fixed rear seat	R.H.	C7ZZ 6366740-A	1
			L.H.	C7ZZ 6366741-A	1
	67/70	F(63)	Washer-flat-3/4"	351360-S(XX112)	4
668A14	**PAD - REAR SEAT BACK CENTER ARM REST FILLER**				
	67	S(65)	Use with vinyl trim	C7SZ 65668A14-A	1
	68	S(65)		C8SZ 65668A14-A	1
	69	S(65)		C9SZ 65668A14-A	1
	71	S(65)			1
66856	**PAD - AUXILIARY SEAT CUSHION**				
	66/71	B(71)		C6OZ 7166856-A	1
	72	B(71)		D2OZ 7166856-A	1
66894	**SUPPORT - REAR SEAT BACK CENTER ARM REST FILLER BASE**				
	67/69	S		C7SZ 6566894-A	1
	70/71	S(65)	Upper	D0SZ 6566894-A	1
67204	**BASE - REAR SEAT BACK CENTER ARM REST**				
	67/68	A(54C,57F,63J)		C5MY 6367204-A	1
67210	**LINK and VERTICAL STRAINER ASSY. - REAR SEAT BACK CENTER ARM REST**				
	65/66	A(57F, 63F)		C5AZ 6367210-A	1
	67	A(54C, 57F, 63J)			1
	68	A(54C, 57F, 63D)			1
	70	A(53, 65)			1
			Screw-hex., washer head-No. 14-10 x 1"	42154-S8(U256)	4
			Nut-spring-No. 14-10	★350940-S32	4
	67/71	S(57)		C7SZ 5767210-A	1
			Screw-hex. washer hd., tapping-No. 10-12 x 3/4"	42141-S8(U250)	4
			Nut-spring-No. 10	★372980-S2	4
	67/71	S(65)		C7SZ 6567210-A	1
			Screw-pan head, tapping-No. 10-16 x 1/2"	350754-S8(UU86)	4
	69/71	S	Washer-flat-1/4"-attach to panel 67248	44719-S2(X17)	2
67248	**PANEL - REAR SEAT BACK CENTER ARM REST**				
	68/71	S(65)		C8SZ 6567248-A	1
67254	**REINFORCEMENT - REAR SEAT BACK CENTER ARM REST FLAP**				
	65/66	S	Improvise from spring steel	★	1
67273	**PAD - REAR SEAT BACK CENTER ARM REST**				
	65/66	A(57F, 63F)		C5AZ 6367273-A	1
	67	A(54C, 57F, 63J)			1
	68	A(54C, 57F, 65A)			1
	67/71	S(57)		C7SZ 5767273-A	1
	67/71	S(65)		C7SZ 6567273-A	1
	72	S		D0VY 6567273-A	1
67277	**HINGE - REAR SEAT BACK CENTER ARM REST FLAP UPPER**				
	67/71	S(65)		C7SZ 6567277-A	1

INDEX

PART NAME	GROUP NUMBER
A	
Attaching kit (instrument panel pad)	04200
B	
Back assy. (rear seat lower)-includes cover	672A20-1
Back assy. (rear seat upper)-includes cover	672A18
Back kit (aux. seat)	60096
Back kit (front seat)	60136-7
Back kit (rear seat)	60032-3
Base (aux. seat cushion)	607A60
Base (front door arm rest)	24144
Base (rear door arm rest)	24144, 27578
Base (quarter arm rest)	31604-5
Binding (folding top no. 4 bow)	52300
Boot (roll bar)	61218-9
Button (front door trim panel)	237A14, 65400
Button (rear door trim panel)	237A14, 65400
Button (front door arm rest plug)	24056
Button (front seat back)	63500, 63522
Button (front seat cushion)	63500, 63522
Button (quarter arm rest plug)	31690
Button (rear seat back)	63500, 63522
Button (rear seat cushion)	63500, 63522
C	
Cap (center body pillar finish)	24452-3
Cap (quarter pillar finish)	281A38-9
Cap (quarter window)	311A92-3
Carpet (aux. floor)	13049, 13065
Carpet (aux. floor front)	13042
Carpet (aux. floor rear)	130A34, 13065
Carpet (front floor)	13000-1
Carpet (rear floor)	13046, 13054
Carpet (rear seat back floor)	60579
Case (folding top back stay pad)	54212-3
Case (folding top side quarter)	52874-5
Compartment (folding top-rear)	54600
Container (folding top dust hood)	54486
Cover (aux. floor rear panel)	115A86
Cover (aux. seat back)	66640
Cover (aux. seat cushion)	63822
Cover (console panel side)	044F62
Cover (floor riser side)	13188-9
Cover (folding top compt. upper front)	54640-2
Cover (front seat back)	64416-7
Cover (front seat back center arm rest)	644A18-22
Cover (front seat back pivot side)	61640-1
Cover (front seat cushion)	62900
Cover (front seat track side)	618C54
Cover (luggage compt. floor)	45455-6, 45474-5 45494, 45546, 47196
Cover (luggage compt. floor front)	45518
Cover (luggage compt. floor front side)	45454
Cover (luggage compt. floor rear)	45476
Cover (luggage compt. floor side)	45406-7
Cover (luggage compt. fuel filler housing)	45489
Cover (luggage compt. fuel filler pipe)	45568

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
C - cont'd.	
Cover (luggage compt. side)	45422
Cover (luggage compt. side outer)	45474
Cover (luggage compt. spare wheel)	45026
Cover (package tray trim)	46868
Cover (quarter latch pillar flange)	281A74-5
Cover (quarter pillar trim panel upper)	31342-3
Cover (quarter rear trim panel)	31021
Cover (quarter trim panel)	31040-1
Cover (quarter trim panel lower)	31364-5
Cover (quarter wheelhouse)	45466-7
Cover (quarter wheelhouse in luggage compt.)	31750-1
Cover (quarter wheelhouse trim panel)	31040-1
Cover (rear door outside upper extension)	255A30-1
Cover (rear seat back)	66600-1
Cover (rear seat back center arm rest)	67244, 67354
Cover (rear seat back center arm rest opening)	67299
Cover (rear seat back center filler)	668A16
Cover (rear seat cushion)	63804
Cover (roof outside)	53700
Cover (roof side rear trim)	52018-9
Cover (roof sliding panel outside)	53701
Cover (spare wheel well)	47042
Cover (spare wheel well panel)	45826
Cover (tailgate carpet inside)	40704
Cover (wheelhouse flange in luggage compt.)	31466
Cover & pad assy. (aux. seat back)	60103
Cover & panel (roof outside)	502A82
Cushion kit (aux. seat)	60090
Cushion kit (front seat)	60050-1
Cushion kit (rear seat)	60080
E	
Extension (quarter trim panel upper)	310A32-3
F	
Filler (quarter trim panel to rear seat)	31116-7
Filler (quarter trim panel)	31106
Flap (front seat back center arm rest)	644A16
Flap (rear seat back center arm rest)	67286
G	
Grommet (front floor carpet steering column)	130A36
H	
Handle (front door pull)	22666-7, 26656
Handle (rear door pull)	22666-7, 26656
Handle & retainer (front door pull)	22656
Headlining (roof)	51916, 51944-5
Headlining (roof sliding panel)	519A02
Headlining & frame (roof)	51918
Head rest kit (front seat)	612A18
Head rest assy. (front seat back)	611A08
Hood (folding top dust)	54400
Insert (door trim panel)	23724-5
Insert (front door arm rest finger tip plate)	24046
K	
KIT - refer to appropriate noun name For example Head rest kit (front seat)	612A18
L	
Lining board (luggage compt. front)	45444
Lining board (luggage compt. rear)	45520-3
Lining board (luggage compt. side)	45416-7

INDEX

PART NAME	GROUP NUMBER
M	
Mat (front floor)	13000, 13010, 13086-7
Mat (front floor rear)	13017
Mat (rear floor)	13046, 13054, 13106
Mat (rear floor rear)	13176, 13182
Mat (storage compartment floor)	60579
Moulding (folding top no. 4 bow outside)	51416
Moulding (roof side inner front)	51752-3
Moulding (roof side inner rear)	51754-5
O	
Ornament (front seat back)	64824
Ornament (rear seat back)	64824
P	
Pad (aux. seat cushion)	66856
Pad (center body pillar upper)	24546-7
Pad (console panel)	04620
Pad (console panel arm rest)	04602
Pad (console panel front)	044A90
Pad (console panel opening)	045E28
Pad (console panel top)	044D90
Pad (console panel top upper)	045E06
Pad (folding top side quarter upper)	52852
Pad (front body upper pillar)	03598-9
Pad (front door arm rest)	24100-1
Pad (front seat back center arm rest)	65478
Pad (instrument panel finish panel)	044E88
Pad (instrument panel lower)	04292, 045A58
Pad (instrument panel upper)	04282, 04290
Pad (quarter arm rest)	31718-9

PART NAME	GROUP NUMBER
P. cont'd.	
Pad (rear door arm rest)	24100-1, 27618
Pad (rear seat back floor)	668A06
Pad (roof outside cover front side)	53740
Pad (roof outside cover lower rear)	537A00
Pad (roof outside cover rear side	537A02
Pad (roof side inner rail)	51654-5
Pad & retainer (instrument cluster)	045C84
Pad & retainer (roof console panel rear)	519A90
Panel (back panel lower trim)	40374-5
Panel (back window lower front trim)	424A68
Panel (center body pillar inside finish)	24346-7
Panel (center body pillar inside finish upper)	24356-7
Panel (cowl trim)	02344-5, 02348-9
Panel (front seat back rear trim panel insert)	60762-3
Panel (front seat cushion trim rear)	63218-9
Panel (package tray trim)	46656, 46668
Panel (quarter front trim)	31004-5, 31136-7
Panel (quarter intermediate trim)-less cover	31004-5
Panel (quarter lower front trim)	31486-7
Panel (quarter lower rear trim)	31222-3
Panel (quarter pillar trim)	31330-1
Panel (quarter rear trim)	31148-9
Panel (quarter trim)	31070-1
Panel (quarter upper rear trim)	31112-3
Panel (rear door upper extension)	274A34-5
Panel (rear seat back strainer center trim)	62492
Panel (rear seat back strainer side trim)	62490-1
Panel (roof rear trim)	51996
Panel (roof trim)	51966
Panel assy. (front door trim)	23942-3
Panel assy. (quarter trim)	31012-3
Panel assy. (rear door trim)	27406-7
Plate (front door arm rest)	24148
Plate (front door arm rest finger tip)	24142
Plate (quarter trim panel access hole cover)	312A28-9

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

INDEX

PART NAME	GROUP NUMBER
R	
Reinforcement (package tray trim panel end)	46562
Rest (aux. seat shoulder)	672A02-3
Rest (front door arm)	24140-1
Rest (front seat back center arm)	644A22
Rest (quarter arm)	31600-1
Rest (rear door arm)	27540-1
Rest (rear seat arm)	67112
Retainer (rear floor mat)	13144-5
S	
Seal (quarter trim panel front)	311A36-7
Shield (front door arm rest wiring)	241A20
Shield (front seat belt cushion)	611A70
Strap (rear door assist)	31406
T	
Top (folding)	52700
Tonneau cover kit	501A42
Trim (folding top compt.)	54602
V	
Visor (less arm & bracket)	04104-5
W	
Weatherstrip (folding top no. 1 bow)	51338
Welt (quarter wheelhouse flange cover)	31466
Windlace (center body pillar)	243A34-5, 24486-7
Windlace (center body pillar front)	02600, 24486-7
Windlace (center body pillar rear)	02600, 243A34-5
Windlace (front door opening)	02600, 02906
Windlace (quarter pillar)	02600, 02906, 31290-1
Windlace (quarter window opening)	31074
Windlace (rear door opening)	24544-5
Window (folding top back curtain)	52500
Z	
Zipper (folding top back curtain)	53278

THE SOFT TRIM SECTION INCLUDES ONLY THOSE ITEMS WHICH WERE AVAILABLE FOR SERVICE AT THE TIME OF PRINTING. ITEMS NOT SHOWN IN THE CATALOG MUST BE IMPROVISED OR PROCURED LOCALLY.

INSTRUCTIONS

Determine correct Group Number by referring to an appropriate illustration in the Interior Trim Section of the Illustration Catalog, Form AF-7635-B or to the Soft Trim Index of this catalog. Identify Model, Body Type and Trim Code by referring to 1965 Warranty Plate Codes as shown in the General Information Section.

The 1965 Soft Trim Section consists of: (1) Trim Scheme Codes and Swatches (Pages A1, A2, A3, B, etc.). (2) Listing of Soft Trim Parts for all Ford (A), Fairlane (B), Mustang (F), Thunderbird (S) and Falcon (X) models.

TRIM SCHEME CODE and SWATCHES

Consists of: (1) Listing of Trim Scheme Codes arranged in order of model, i. e. Ford, Fairlane, etc. (2) Colored Swatches identified by a number beside the swatch.

How to use: (1) Identify Model, Body Type and Trim Code and apply this information to listing of Trim Scheme Codes. (2) Determine Swatch Identification Numbers and refer to Colored Swatches on page B, etc. (3) Locate appropriate swatches to verify the color and/or pattern of the principle materials used in the unit.

Colored Swatch pages are primarily for verification of color and/or pattern and do not indicate the type or weight of material.

For example, to determine which Swatches make up Trim Code 32 on Ford Four Door Sedan refer to page A1, A2, etc.

As shown on page A1 (Ford) Trim Code 32 indicates: (1) Body types (54B, 62B). (2) Trim scheme description (Light blue crinkle vinyl and medium blue frost stripe cloth). (3) Door and quarter material (swatch no. 56 & 58), bolster material (swatch no. 56), cushion and back material (swatch no. 12) and headlining material (swatch no. 129).

SOFT TRIM PARTS for ALL MODELS

Consists of: (1) Parts cataloged by trim code and color (e. g. Group 02344-5, 24346-7, etc.). (2) Parts cataloged by trim code only (e. g. Groups 23942-3, 62900, etc.). (3) Miscellaneous parts (e. g. Groups 47042, 64824, etc.).

PARTS CATALOGED BY COLOR: (1) Identify Model, Body Type and Color of desired part. (2) Determine Group Number of Part. (3) Locate appropriate Trim code and Color listed at top of page. Trim codes generally applicable to each color are also shown above the colors as an additional aid. NOT INCLUDED are 3 digit trim codes such as 15A or 151. Colored parts required for 3 digit trim codes (15A or 151) will be the same as for the 2 digit equivalent (in this case 15). On some vehicles the colors and trim codes may not agree with this catalog due to late changes or customer request. When color of part is in doubt refer to the list of Trim Codes and Colored Swatch pages for further identification. (4) Match Color with Model and Body Type to select desired part number.

For example, should a Blue Front Floor Carpet (Group 13000) be desired for a Mustang Two Door Hardtop. (1) Refer to Group 13000. (2) Read list of Colors above title to find Blue. (3) read down to find F (65). (4) Part number shown in C5ZZ 6513000 and suffix in "Blue" column is AAD.

PARTS CATALOGED BY TRIM CODE: (1) Identify Model, Body Type and Trim Code. (2) Determine Group Number of part. (3) Locate appropriate Trim Code (listing of Trim Codes precedes each Body Type). (4) Match Model and Body Type with Trim Code to select part number.

For example, should a R.H. Front Door Trim Panel (Group 23942-3) be desired for a Mustang Two Door Hardtop, Trim Code 26. (1) Refer to Group 23942-3. (2) Read down to locate F(65A). (3) Read trim codes (listed numerically) to find Trim Code 26. (4) Part number shown is C5ZZ 6523942 and suffix listed is AAB.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 TRIM SCHEME CODES

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
		FORD (A)				
01	54B, 54E	Medium green crush vinyl and medium green rib vinyl (Police and Taxi)	74	74	92	74 or 103
04	54B, 54E, 62B, 62E	Medium beige crush vinyl and light beige rib vinyl (Police and Taxi)	72	72	93	72 or 104
12	54E, 62E	Light blue crinkle vinyl and medium blue plaid stripe cloth	55 & 57	55	16	129
15	54E, 62E	Red crinkle vinyl and red plaid stripe cloth	63	63	17	129
19	54E, 62E	Medium palomino crinkle vinyl and medium palomino plaid stripe cloth	66	66	18	129
29	54E, 62E	Medium palomino crinkle vinyl and medium palomino blip pattern vinyl	66	66	153	129
32	54B, 62B	Light blue crinkle vinyl and medium blue frost stripe cloth	56 & 58	56	12	129
35	54B, 62B	Red crinkle vinyl and red frost stripe cloth	63	63	14	129
37	54B, 62B	Light turquoise crinkle vinyl and medium turquoise frost stripe cloth	60 & 61	60	13	129
39	54B, 62B	Medium palomino crinkle vinyl and light palomino frost stripe cloth	66	66	15	129
49	54B, 62B	Medium palomino crinkle vinyl and medium palomino shadow block pattern vinyl	66	66	119	129
52	54A, 57A, 63B	Light blue crinkle vinyl and medium blue carthage pattern cloth	56 & 76	56	11 & 56	129
55	54A, 57B, 63B	Red crinkle vinyl and red carthage pattern cloth	63 & 78	63	8 & 63	129
56	54A	Black crinkle vinyl and black carthage pattern cloth	54 & 74	54	6 & 54	129
57	54A, 57B, 63B	Light turquoise crinkle vinyl and medium turquoise carthage pattern cloth	60 & 77	60	7 & 60	129
58	54A, 57B, 63B	Light ivy gold crinkle vinyl and medium ivy gold carthage pattern cloth	67 & 79	67	10 & 67	129
59	54A, 57B, 63B	Medium palomino crinkle vinyl and medium palomino carthage pattern cloth	66 & 145	66	9 & 66	129
59	71A, 71B, 71C, 71E	Medium palomino crinkle vinyl and medium palomino carthage pattern cloth	66	66	9 & 66	129
62	54A, 57B, 63B, 71	Light blue crinkle vinyl and medium blue crinkle vinyl	56 & 76	56	56 & 58	129
62	54E, 62E	Light blue crinkle vinyl and medium blue crinkle vinyl	55 & 57	55	16	129
62	76A	Light blue crinkle vinyl and medium blue crinkle vinyl	56 & 76	56	56 & 58	
63	63B	White all vinyl				
65	54A, 57B, 63B, 71	Red crinkle all vinyl	63 & 78	63	63	129
65	54E, 62E	Red crinkle all vinyl	63	63	63	129
65	76A	Red crinkle all vinyl	63 & 78	63	63	
66	57B, 63B, 71A, 71B, 71C, 71E	Black crinkle all vinyl	54 & 75	54	54	129
66	76A	Black crinkle all vinyl	54 & 75	54	54	
66B, L, P, T, R	63C, 76	White all vinyl				
67	63B, 76A	Light turquoise crinkle vinyl and medium turquoise crinkle vinyl	60 & 77	60	60 & 61	
68	54A, 57B, 63B, 71A, 71B, 71C, 71E	Light ivy gold crinkle all vinyl	67 & 79	67	67	129
68	76A	Light ivy gold crinkle all vinyl	67 & 79	67	67	
69	54A, 57B, 63B, 71A, 71B, 71C, 71E	Medium palomino crinkle all vinyl	66 & 145	66	66	129
69	76A	Medium palomino crinkle all vinyl	66 & 145	66	66	
72	63C	Light blue crinkle vinyl and medium blue crinkle vinyl	58 & 131	58	56 & 58	129
72	76B	Light blue crinkle vinyl and medium blue crinkle vinyl	58 & 131	58	56 & 58	

* For swatch identification refer to Page B, etc.

1965 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
72A	63C	Light blue crinkle vinyl and medium blue crinkle vinyl	58 & 131	58	56 & 58	129
72A	76B	Light blue crinkle vinyl and medium blue crinkle vinyl	58 & 131	58	56 & 58	
75	63C	Red crinkle all vinyl	63 & 133	63	63	129
75	76B	Red crinkle all vinyl	63 & 133	63	63	
75A	63C	Red crinkle all vinyl	63 & 133	63	63	129
75A	76B	Red crinkle all vinyl	63 & 133	63	63	
76	63C	Black crinkle all vinyl	54 & 130	54	54	129
76	76B	Black crinkle all vinyl	54 & 130	54	54	
76A	63C	Black crinkle all vinyl	54 & 130	54	54	129
76A	76B	Black crinkle all vinyl	54 & 130	54	54	
77	63C	Light turquoise crinkle vinyl and medium turquoise crinkle vinyl	61 & 132	61	60 & 61	129
77	76B	Light turquoise crinkle vinyl and medium turquoise crinkle vinyl	61 & 132	61	60 & 61	
77A	63C	Light turquoise crinkle vinyl and medium turquoise crinkle vinyl	61 & 132	61	60 & 61	129
77A	76B	Light turquoise crinkle vinyl and medium turquoise crinkle vinyl	61 & 132	61	60 & 61	
78	63C	Light ivy gold crinkle all vinyl	67 & 135	67	67	129
78	76B	Light ivy gold crinkle all vinyl	67 & 135	67	67	
78A	63C	Light ivy gold crinkle all vinyl	67 & 135	67	67	129
78A	76B	Light ivy gold crinkle all vinyl	67 & 135	67	67	
79	63C	Medium palomino crinkle all vinyl	66 & 138	66	66	129
79	76B	Medium palomino crinkle all vinyl	66 & 138	66	66	
79A	63C	Medium palomino crinkle all vinyl	66 & 138	66	66	129
79A	76B	Medium palomino crinkle all vinyl	66 & 138	66	66	
82	71B, 71C	Light blue crinkle vinyl and medium blue shadow block pattern vinyl	56 & 58	56	116	129
85	71B, 71C	Red crinkle vinyl and red shadow block pattern vinyl	63	63	118	129
87	71B, 71C	Light turquoise crinkle vinyl and medium turquoise shadow block pattern vinyl	60 & 61	60	117	129
89	71B, 71C	Medium palomino crinkle vinyl and medium palomino shadow block pattern vinyl	66	66	119	129
92	57F, 63F	Dark blue cologne vinyl and dark blue shadow stripe cloth	59, 140 & 146	48 & 106	42	87
92A	57F, 63F	Dark blue cologne vinyl and dark blue shadow stripe cloth	59, 140 & 146	48 & 106	42	87
93	57F, 63F	Burgundy cologne vinyl and burgundy shadow stripe cloth	69, 144 & 146	51 & 110	46	91
93A	57F, 62F	Burgundy cologne vinyl and burgundy shadow stripe cloth	69, 144 & 146 & 146	51 & 110	46	91
96A	57F, 63F	Black cologne vinyl and black shadow stripe cloth	54, 139	47 & 105	41	54
96	57F, 63F	Black cologne vinyl and black shadow stripe cloth	54, 139 & 146	47 & 105	41	54
97	57F, 63F	Dark turquoise cologne vinyl and dark turquoise shadow stripe cloth	62, 141 & 146	49 & 107	43	88
97A	57F, 63F	Dark turquoise cologne vinyl and dark turquoise shadow stripe cloth	62, 141 & 146	49 & 107	43	88

* For swatch identification refer to Page B, etc.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
98	57F, 63F	Light ivy gold cologne vinyl and light ivy gold shadow stripe cloth	67, 143 & 146	50 & 109	45	89
98A	57F, 63F	Light ivy gold cologne vinyl and light ivy gold shadow stripe cloth	67, 143 & 146	50 & 109	45	89
99	57F, 63F	Medium palomino cologne vinyl and medium palomino shadow stripe cloth	66, 142 & 146	52 & 108	44	90
99A	57F, 63F	Medium palomino cologne vinyl and medium palomino shadow stripe cloth	66, 142 & 146	52 & 108	44	90
A9	63C	Medium palomino crinkle vinyl and medium palomino shadow stripe cloth	66 & 142	66	44 & 66	129
A9A	63C	Medium palomino crinkle vinyl and medium palomino shadow stripe cloth	66 & 142	66	44 & 66	129
G2	63C	White crinkle all vinyl with blue	68	68	68	129
G2	76B	White crinkle all vinyl with blue	68	68	68	
G2A	63C	White crinkle all vinyl with blue	68	68	68	129
G2A	76B	White crinkle all vinyl with blue	68	68	68	
G5	63C	White crinkle all vinyl with red	68	68	68	129
G5	76B	White crinkle all vinyl with red	68	68	68	
G5A	63C	White crinkle all vinyl with red	68	68	68	129
G5A	76B	White crinkle all vinyl with red	68	68	68	
G6	63C	White crinkle all vinyl with black	68	68	68	129
G6	76B	White crinkle all vinyl with black	68	68	68	
G6A	63C	White crinkle all vinyl with black	68	68	68	129
G6A	76B	White crinkle all vinyl with black	68	68	68	
G7	63C	White crinkle all vinyl with turquoise	68	68	68	129
G7	76B	White crinkle all vinyl with turquoise	68	68	68	
G7A	63C	White crinkle all vinyl with turquoise	68	68	68	129
G7A	76B	White crinkle all vinyl with turquoise	68	68	68	
G8	63C	White crinkle all vinyl with ivy gold	68	68	68	129
G8	76B	White crinkle all vinyl with ivy gold	68	68	68	
G8A	63C	White crinkle all vinyl with ivy gold	68	68	68	129
G8A	76B	White crinkle all vinyl with ivy gold	68	68	68	
G9	63C	White crinkle all vinyl with palomino	68	68	68	129
G9	76B	White crinkle all vinyl with palomino	68	68	68	
G9A	63C	White crinkle all vinyl with palomino	68	68	68	129
G9A	76B	White crinkle all vinyl with palomino	68	68	68	
K2	63C	Light blue crinkle vinyl and medium blue crinkle vinyl	58 & 131	58	56 & 58	129
K2	76B	Light blue crinkle vinyl and medium blue crinkle vinyl	58 & 131	58	56 & 58	
K2A	63C	Light blue crinkle vinyl and medium blue crinkle vinyl	58 & 131	58	56 & 58	129
K2A	76B	Light blue crinkle vinyl and medium blue crinkle vinyl	58 & 131	58	56 & 58	
K5	63C	Red crinkle all vinyl	63 & 133	63	63	129
K5	76B	Red crinkle all vinyl	63 & 133	63	63	
K5A	63C	Red crinkle all vinyl	63 & 133	63	63	129
K5A	76B	Red crinkle all vinyl	63 & 133	63	63	
K6	63C	Black crinkle all vinyl	54 & 130	54	54	129
K6	76B	Black crinkle all vinyl	54 & 130	54	54	
K6A	63C	Black crinkle all vinyl	54 & 130	54	54	129
K6A	76B	Black crinkle all vinyl	54 & 130	54	54	

* For swatch identification refer to Page B, etc.

1965 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
K7	63C	Light turquoise crinkle vinyl and medium turquoise crinkle vinyl	61 & 132	61	60 & 61	129
K7	76B	Light turquoise crinkle vinyl and medium turquoise crinkle vinyl	61 & 132	61	60 & 61	
K7A	63C	Light turquoise crinkle vinyl and medium turquoise crinkle vinyl	61 & 132	61	60 & 61	129
K7A	76B	Light turquoise crinkle vinyl and medium turquoise crinkle vinyl	61 & 132	61	60 & 61	
K8	63C	Light ivy gold crinkle all vinyl	67 & 135	67	67	129
K8	76B	Light ivy gold crinkle all vinyl	67 & 135	67	67	
K8A	63C	Light ivy gold crinkle all vinyl	67 & 135	67	67	129
K8A	76B	Light ivy gold crinkle all vinyl	67 & 135	67	67	
K9	63C	Medium palomino crinkle all vinyl	66 & 138	66	66	129
K9	76B	Medium palomino crinkle all vinyl	66 & 138	66	66	
K9A	63C	Medium palomino crinkle all vinyl	66 & 138	66	66	129
K9A	76B	Medium palomino crinkle all vinyl	66 & 138	66	66	
L2	63C	White crinkle all vinyl with blue	68	68	68	129
L2	76B	White crinkle all vinyl with blue	68	68	68	
L2A	63C	White crinkle all vinyl with blue	68	68	68	129
L2A	76B	White crinkle all vinyl with blue	68	68	68	
L5	63C	White crinkle all vinyl with red	68	68	68	129
L5	76B	White crinkle all vinyl with red	68	68	68	
L5A	63C	White crinkle all vinyl with red	68	68	68	129
L5A	76B	White crinkle all vinyl with red	68	68	68	
L6	63C	White crinkle all vinyl with black	68	68	68	129
L6	76B	White crinkle all vinyl with black	68	68	68	
L6A	63C	White crinkle all vinyl with black	68	68	68	129
L6A	76B	White crinkle all vinyl with black	68	68	68	
L7	63C	White crinkle all vinyl with turquoise	68	68	68	129
L7	76B	White crinkle all vinyl with turquoise	68	68	68	
L7A	63C	White crinkle all vinyl with turquoise	68	68	68	129
L7A	76B	White crinkle all vinyl with turquoise	68	68	68	
L8	63C	White crinkle all vinyl with ivy gold	68	68	68	129
L8	76B	White crinkle all vinyl with ivy gold	68	68	68	
L8A	63C	White crinkle all vinyl with ivy gold	68	68	68	129
L8A	76B	White crinkle all vinyl with ivy gold	68	68	68	
L9	63C	White crinkle all vinyl with palomino	68	68	68	129
L9	76B	White crinkle all vinyl with palomino	68	68	68	
L9A	63C	White crinkle all vinyl with palomino	68	68	68	129
L9A	76B	White crinkle all vinyl with palomino	68	68	68	
N2	71D	Light blue crinkle vinyl and medium blue blip pattern vinyl	55 & 57	55	151	129
N5	71D	Red crinkle vinyl and red blip pattern vinyl	63	63	152	129
N9	71D	Medium palomino crinkle vinyl and medium palomino blip pattern vinyl	66	66	153	129
P9	63C	Medium palomino crinkle vinyl and medium palomino shadow stripe cloth	66 & 142	66	44 & 66	129
P9A	63C	Medium palomino crinkle vinyl and medium palomino shadow stripe cloth	66 & 142	66	44 & 66	129

* For swatch identification refer to Page B, etc.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
Y5	54B, 54E	Red crinkle vinyl and red shadow block pattern vinyl	63	63	118	129
Y9	54B, 54E	Medium palomino crinkle vinyl and medium palomino shadow block pattern vinyl	66	66	119	129
Z6	54A	Black crinkle all vinyl	54 & 75	54	54	129
Z9	54A	Medium palomino crinkle all vinyl	66 & 145	66	66	129
121	54E, 62E	Light blue crinkle vinyl and medium blue key pattern cloth (Code 12-see Note 3)				
151	54E, 62E	Red crinkle vinyl and red key pattern cloth (Code 15-see Note 3)				
191	54E, 62E	Medium palomino crinkle vinyl and parchment key pattern cloth (Code 19-see Note 3)				
321	54B, 62B	Light blue crinkle vinyl and dark blue eaton pattern cloth (Code 32-see Note 3)				
351	54B, 62B	Red crinkle vinyl and red eaton pattern cloth (Code 35-see Note 3)				
371	54B, 62B	Light turquoise crinkle vinyl and medium aqua eaton pattern cloth (Code 37-see Note 3)				
391	54B, 62B	Medium palomino crinkle vinyl and parchment eaton pattern cloth (Code 39-see Note 3)				
521	54A, 57B, 63B	Light blue crinkle vinyl and light blue venetian pattern cloth (Code S2-see Note 3)				
551	54A, 57B, 63B	Red crinkle vinyl and red venetian pattern cloth (Code 55-see Note 3)				
561	54A	Black crinkle vinyl and black venetian pattern cloth (Code 56-see Note 3)				
571	54A, 57B, 63B	Light turquoise crinkle vinyl and light turquoise venetian pattern cloth (Code 57-see Note 3)				
581	54A, 57B, 63B	Light ivy gold crinkle vinyl and light ivy gold venetian pattern cloth (Code 58-see Note 3)				
591	54A,57B,63B,71A,71B, 71C, 71E	Medium palomino crinkle vinyl and parchment venetian pattern cloth (Code 59-see Note 3)				
601	54E, 62E	Red vinyl and red cloth				
602	54E, 62E	Blue vinyl and blue cloth				
605	54E, 62E	Palomino vinyl and palomino cloth				
615	54E	Palomino all vinyl				
621	54B, 62B	Red vinyl and red cloth				
622	54B, 62B	Blue vinyl and blue cloth				
624	54B, 62B	Turquoise vinyl and turquoise cloth				
625	54B, 62B	Palomino vinyl and palomino cloth				
631	57B, 63B	Red vinyl and red cloth				
632	57B, 63B	Blue vinyl and blue cloth				
633	57B, 63B	Ivy gold vinyl and ivy gold cloth				
634	57B, 63B	Turquoise vinyl and turquoise cloth				
635	57B, 63B	Palomino vinyl and palomino cloth				
636	57B	Black all vinyl				

* For swatch identification refer to Page B, etc.

NOTE 3 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1965 Soft Trim Section. For replacement of Back covers (66416-7 and 66600) and Cushion covers (62900 and 63804) contact your Service Representative. All other parts are included in the 1965 Soft Trim Section.

1965 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
641	76A	Red all vinyl				
642	76A	Blue all vinyl				
643	76A	Ivy gold all vinyl				
644	76A	Turquoise all vinyl				
645	76A	Palomino all vinyl				
646	76A	Black all vinyl				
651	57F	Red vinyl and red cloth				
652	57F	Blue vinyl and blue cloth				
653	57F	Ivy gold vinyl and ivy gold cloth				
654	57F	Turquoise vinyl and turquoise cloth				
655	57F	Palomino vinyl and palomino cloth				
656	57F	Black vinyl and black cloth				
661	63C,76B	Red all vinyl				
662	63C,76B	Blue all vinyl				
663	76B	Ivy gold all vinyl				
664	63C,76B	Turquoise all vinyl				
665	63C,76B	Palomino all vinyl				
666	63C,76B	Black all vinyl				
671	71B,C	Red all vinyl				
672	71B,C	Blue all vinyl				
674	71B,C	Turquoise all vinyl				
675	71B,C	Palomino all vinyl				
681	71A,E	Red all vinyl				
682	71A,E	Blue all vinyl				
684	71A,E	Turquoise all vinyl				
685	71A,E	Palomino all vinyl				
931	57F, 63F	Burgundy cologne vinyl and burgundy shadow stripe cloth (Code 93-see Note 3)				
971	63F	Dark turquoise cologne vinyl and dark turquoise shadow stripe cloth (See Trim Code 97 for all parts)	66 & 145	66	66	129
981	57F, 63F	Light ivy gold cologne vinyl and light ivy gold shadow stripe cloth (Code 98-see Note 3)				
991	57F, 63F	Medium palomino cologne vinyl and parchment shadow stripe cloth (Code 99-see Note 3)				
N21	71D	Light blue crinkle vinyl and light blue match stick pattern vinyl (Code N2-see Note 3)				
N51	71D	Red crinkle vinyl and red match stick pattern vinyl (Code N5-see Note 3)				
N91	71D	Medium palomino crinkle vinyl and parchment match stick pattern vinyl(Code N9-see Note 3)				
6022	62E	Blue all vinyl				
6312	57B	Red all cloth				
6322	57B	Blue all cloth				
6332	63B	Ivy gold vinyl and ivy gold cloth				

* For swatch identification refer to Page B, etc.

NOTE 3 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1965 Soft Trim Section. For replacement of Back covers (66416-7 and 66600) and Cushion covers (62900 and 63804) contact your Service Representative. All other parts are included in the 1965 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
6512	57F	Red vinyl and red cloth				
6522	57F	Blue vinyl and blue cloth				
6532	57F	Ivy gold vinyl and ivy gold cloth				
6542	57F	Turquoise vinyl and turquoise cloth				
6552	57F	Palomino vinyl and palomino cloth				
6562	57F	Black vinyl and black cloth				
FAIRLANE (B)						
04	54A	Medium beige crush vinyl and light biege rib vinyl (Police and Taxi)	72	72	93	72
12	54A, 62A	Light blue crinkle vinyl and medium blue tartan pattern cloth	55	56 & 58	25	129
15	54A, 62A	Red crinkle vinyl and red tartan pattern cloth	63	63 & 68	26	129
17	54A, 62A	Light turquoise crinkle vinyl and medium turquoise tartan pattern cloth	148	60 & 61	155	129
19	54A, 62A	Medium palomino crinkle vinyl and medium palomino tartan pattern cloth	66	65 & 66	27	129
22	54B, 62B, 65A	Light blue crinkle vinyl and light blue shasta pattern cloth	56 & 58	36 & 56	20 & 111	129
25	54B, 62B, 65A	Red crinkle vinyl and red shasta pattern cloth	54 & 63	38 & 63	22 & 113	129
27	54B, 62B, 65A	Light turquoise crinkle vinyl and light turquoise shasta pattern cloth	60 & 61	37 & 60	21 & 112	129
28	54B, 62B, 65A	Light ivy gold crinkle vinyl and light ivy gold shasta pattern cloth	67	40 & 67	23 & 115	129
29	54B, 62B, 65A	Medium palomino crinkle vinyl and light palomino shasta pattern cloth	66	39 & 66	24 & 114	129
29A	54B, 62B, 65A	Medium palomino crinkle vinyl and light palomino shasta pattern cloth	66	39 & 66	24 & 114	129
32	65A	Light blue crinkle vinyl and medium blue crinkle vinyl	56 & 58	56	56 & 58	129
35	54B, 62B, 65A	Red crinkle all vinyl	63	63	63	129
36	54B, 62B, 65A	Black crinkle all vinyl	54	54	54	129
39	54B, 62B, 65A	Medium palomino crinkle all vinyl	66	66	66	129
42	71D	Light blue crinkle vinyl and medium blue basket pattern vinyl	55	56 & 58	120	129
49	54A, 62A	Medium palomino crinkle vinyl and medium palomino basket pattern vinyl				
49	71D	Medium palomino crinkle vinyl and medium palomino basket pattern vinyl	66	65 & 66	121	129
52	71B	Light blue crinkle vinyl and medium blue crinkle vinyl	56 & 58	56 & 58	58	129
55	71B	Red crinkle all vinyl	63	63 & 68	63	129
56	71B	Black crinkle all vinyl	54	54 & 68	54	129
59	71B	Medium palomino crinkle all vinyl	66	65 & 66	66	129
79	71B	Medium palomino crinkle vinyl and light palomino shasta pattern cloth	66	65 & 66	24	129
82	65B	Light blue crinkle vinyl and medium blue crinkle vinyl	56 & 58	56	56 & 58	129
82B, L, P, R	65B	White all vinyl				
85	65B	Red crinkle all vinyl	63	63	63	129
86	65B	Black crinkle all vinyl	54	54	54	129
88	65B	Light ivy gold crinkle all vinyl	67	67	67	129
89	65B	Medium palomino crinkle all vinyl	66	66	66	129
96	65B	Black crinkle vinyl and black shasta pattern cloth	54	54	19 & 54	129
99	65B	Medium palomino crinkle vinyl and light palomino shasta pattern cloth	66	66	24 & 66	129

* For swatch identification refer to Page B, etc.

1965 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE (B) - continued						
C2	65A	White crinkle all vinyl with blue	68	68	68	129
C5	65A	White crinkle all vinyl with red	68	68	68	129
C6	65A	White crinkle all vinyl with black	68	68	68	129
C7	65A	White crinkle all vinyl with turquoise	68	68	68	129
C8	65A	White crinkle all vinyl with ivy gold	68	68	68	129
C9	65A	White crinkle all vinyl with palomino	68	68	68	129
H2	65B	White crinkle all vinyl with blue	68	68	68	129
H5	65B	White crinkle all vinyl with red	68	68	68	129
H6	65B	White crinkle all vinyl with black	68	68	68	129
H7	65B	White crinkle all vinyl with turquoise	68	68	68	129
H8	65B	White crinkle all vinyl with ivy gold	68	68	68	129
H9	65B	White crinkle all vinyl with palomino	68	68	68	129
121	54A, 62A	Light blue crinkle vinyl and medium blue panama pattern cloth (Code 12-see Note 3)				
151	54A, 62A	Red crush vinyl and red bar O pattern cloth (Code 15-see Note 1) (Code 15A-see Note 2)				
152	54A, 62A	Red crush vinyl and red tartan pattern cloth (Code 15-see Note 3)				
153	54A, 62A	Red crush vinyl and red ellipse pattern cloth (Code 15-see Note 1)(Code 25-see Note 2)				
154	54A, 62A	Red crush vinyl and red gothic pattern cloth (Code 15-see Note 3)				
155	54A, 62A	Red crinkle vinyl and red panama pattern cloth (Code 15-see Note 3)				
171	54A, 62A	Light turquoise crush vinyl and medium turquoise ellipse pattern cloth (Code 17-see Note 1)(Code 27-see Note 2)				
172	54A, 62A	Light turquoise crush vinyl and medium turquoise gothic pattern cloth (Code 17-see Note 3)				
173	54A, 62A	Light turquoise crinkle vinyl and medium turquoise panama pattern cloth (Code 17-see Note 3)				
191	54A, 62A	Medium palomino crinkle vinyl and parchment panama pattern cloth (Code 19-see Note 3)				
221	54B, 62B, 65A	Light blue crinkle vinyl and light blue venetian pattern cloth (Code 22-see Note 3)				
251	54B, 62B, 65A	Red crush all vinyl (Code 25-see Note 1) (Code 65-see Note 2)				
252	54B, 62B, 65A	Red crinkle vinyl and red venetian pattern cloth (Code 25-see Note 3)				
271	54B, 62B, 65A	Light turquoise crinkle vinyl and light turquoise venetian pattern cloth (Code 27-see Note 3)				
281	54B, 62B, 65A	Light ivy gold crinkle vinyl and light ivy gold venetian pattern cloth (Code 28-see Note 3)				
291	54B, 62B, 65A	Palomino crinkle vinyl and parchment venetian pattern vinyl (Code 29-see Note 3)				
361	65A	Black crush all vinyl (Code 36-see Note 1)(Code 66-see Note 2)				
491	71D	Medium palomino crinkle all vinyl (Code 49-see Note 1) (Code 69-body type 71B-see Note 2)				
551	71D	Red crush all vinyl (Code 55-body type 71B-see Note 1) (Code 65-body type 71B-see Note 2)				
561	71D	Black crush all vinyl (Code 56-body type 71B-see Note 1)				

* For swatch identification refer to Page B, etc.

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in 1965 Soft Trim.

NOTE 2 - For replacement of Cushion covers (62900 and 63804) and Back covers 64416-7 and 66600) refer to this code in the 1964 Soft Trim Section.

NOTE 3 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1965 Soft Trim. For replacement of Back covers (64416-7 and 66600) and Cushion covers (62900 and 63804) contact your Service Representative. All other parts are included in the 1965 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE (B) - continued						
801	54A,62A	Red vinyl and red cloth				
802	54A,62A	Blue vinyl and blue cloth				
805	54A,62A	Dark Palomino vinyl and palomino cloth				
811	54B,62B,65A	Red vinyl and red cloth				
812	54B,62B,65A	Blue vinyl and blue cloth				
813	54B,62B,65A	Ivy gold vinyl and ivy gold cloth				
814	54B,62B,65A	Turquoise vinyl and turquoise cloth				
815	54B,62B	Palomino vinyl and palomino cloth				
8152	54B,62B,65A	Palomino vinyl and light palomino cloth				
821	65B	Red all vinyl				
822	65B	Blue all vinyl				
825	65B	Palomino all vinyl				
826	65B	Black all vinyl				
831	71D	Red all vinyl				
832	71D	Blue all vinyl				
835	71D	Palomino all vinyl				
836	71D	Black all vinyl				
841	71B	Red all vinyl				
842	71B	Blue all vinyl				
845	71B	Palomino all vinyl				
846	71B	Black all vinyl				
8051	54A,62A	Palomino vinyl and palomino cloth				
MUSTANG (F)						
22	63A,65A	Medium blue crinkle all vinyl	58	58	58	125
22	76A	Medium blue crinkle all vinyl	58	58	58	
25	63A,65A	Red crinkle all vinyl	63	63	63	129
25	76A	Red crinkle all vinyl	63	63	63	
26	63A,65A	Black crinkle all vinyl	54	54	54	124
26	76A	Black crinkle all vinyl	54	54	54	
28	63A,65A	Light ivy gold crinkle all vinyl	67	67	67	129
28	76A	Light ivy gold crinkle all vinyl	67	67	67	
29	63A,65A	Medium palomino crinkle all vinyl	66	66	66	127
29	76A	Medium palomino crinkle all vinyl	66	66	66	
32	65C	Medium blue crinkle all vinyl	58	58	58	125
32	76C	Medium blue crinkle all vinyl	58	58	58	
35	65C	Red crinkle all vinyl	63	63	63	129
35	76C	Red crinkle all vinyl	63	63	63	
36	65C	Black crinkle all vinyl	54	54	54	124
36	76C	Black crinkle all vinyl	54	54	54	
39	65C	Medium palomino crinkle all vinyl	66	66	66	127
39	76C	Medium palomino crinkle all vinyl	66	66	66	
42	63A,65A	White crinkle all vinyl with blue	68	68	68	123
42	76A	White crinkle all vinyl with blue	68	68	68	
45	63A,65A	White crinkle all vinyl with red	68	68	68	123
45	76A	White crinkle all vinyl with red	68	68	68	
46	63A,65A	White crinkle all vinyl with black	68	68	68	123
46	76A	White crinkle all vinyl with blue	68	68	68	

* For swatch identification refer to Page B, etc.

1965 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
MUSTANG (F) - continued						
49	63A, 65A	White crinkle all vinyl with palomino	68	68	68	123
49	76A	White crinkle all vinyl with palomino	68	68	68	
56	65A	Black crinkle vinyl and black cord pattern cloth	54	54	53 & 54	123
56A	65A	Black crinkle vinyl and black cord pattern cloth	54	54	53 & 54	123
62	63B, 65B	Light blue crinkle vinyl and white crinkle vinyl	68	56	56 & 68	125
62	76B	Light blue crinkle vinyl and white crinkle vinyl	68	56	56 & 68	
65	63B, 65B	Red crinkle all vinyl	63	63	63	129
65	76B	Red crinkle all vinyl	63	63	63	
66	63B, 65B	Black crinkle all vinyl	54	54	54	124
66	76B	Black crinkle all vinyl	54	54	54	
67	63B, 65B	Light turquoise crinkle vinyl and white crinkle vinyl	68	60	60 & 68	126
67	76B	Light turquoise crinkle vinyl and white crinkle vinyl	68	60	60 & 68	
68	63B, 65B	Light ivy gold crinkle vinyl and white crinkle vinyl	68	67	67 & 68	128
68	76B	Light ivy gold crinkle vinyl and white crinkle vinyl	68	67	67 & 68	
69	63B, 65B	Medium palomino crinkle all vinyl	66	66	66	127
69	76B	Medium palomino crinkle all vinyl	66	66	66	
76	63A	Black crinkle vinyl and black cord pattern cloth	54	54	53	124
76	65A	Black crinkle vinyl and black cord pattern cloth	54	54	53 & 54	129
79	63A	Medium palomino crinkle vinyl and light palomino cord pattern cloth	66	66	150	127
79	65A	Medium palomino crinkle vinyl and light palomino cord pattern cloth	66	66	150	129
80	63A, 65A, 76A	White all vinyl				
82	63A, 65A	Medium blue crinkle all vinyl	73	73	73	123
82	76A	Medium blue crinkle all vinyl	73	73	73	
85	63A, 65A	Red crinkle all vinyl	63	63	63	123
85	76A	Red crinkle all vinyl	63	63	63	
85A	65A	Red crinkle all vinyl	63	63	63	123
85A	76A	Red crinkle all vinyl	63	63	63	
86	63A, 65A	Black crinkle all vinyl	54	54	54	123
86	76A	Black crinkle all vinyl	54	54	54	
86A	65A	Black crinkle all vinyl	54	54	54	123
86A	76A	Black crinkle all vinyl	54	54	54	
88	63A, 65A, 76A	Gold all vinyl				
89	63A, 65A	Medium palomino crinkle all vinyl	66	66	66	123
89	76A	Medium palomino crinkle all vinyl	66	66	66	
D2	63A, 65A	White crinkle all vinyl with blue	68	68	68	129
D2	76A	White crinkle all vinyl with blue	68	68	68	
D5	63A, 65A	White crinkle all vinyl with red	68	68	68	129
D5	76A	White crinkle all vinyl with red	68	68	68	
D6	63A, 65A	White crinkle all vinyl with black	68	68	68	129
D6	76A	White crinkle all vinyl with black	68	68	68	
D8	63A, 65A	White crinkle all vinyl with ivy gold	68	68	68	129
D8	76A	White crinkle all vinyl with ivy gold	68	68	68	

* For swatch identification refer to Page B, etc.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
MUSTANG (F) - continued						
D9	63A, 65A	White crinkle all vinyl with palomino	68	68	68	129
D9	76A	White crinkle all vinyl with palomino	68	68	68	
F2	63B, 65B	White crinkle all vinyl with blue	68	68	68	129
F2	76B	White crinkle all vinyl with blue	68	68	68	
F5	63B, 65B	White crinkle all vinyl with red	68	68	68	129
F5	76B	White crinkle all vinyl with red	68	68	68	
F6	63B, 65B	White crinkle all vinyl with black	68	68	68	129
F6	76B	White crinkle all vinyl with black	68	68	68	
F7	63B, 65B	White crinkle all vinyl with turquoise	68	68	68	129
F7	76B	White crinkle all vinyl with turquoise	68	68	68	
F8	63B, 65B	White crinkle all vinyl with ivy gold	68	68	68	129
F8	76B	White crinkle all vinyl with ivy gold	68	68	68	
F9	63B, 65B	White crinkle all vinyl with palomino	68	68	68	129
F9	76B	White crinkle all vinyl with palomino	68	68	68	
221	63A, 65A, 76A	Medium blue crinkle all vinyl (Code 22-see Note 3)				
261	63A, 65A, 76A	Black crinkle all vinyl (Code 26-see Note 3)				
291	63A, 65A, 76A	Parchment crinkle all vinyl (Code 29-see Note 3)				
321	65C, 76C	Medium blue crinkle all vinyl (Code 32-see Note 3)				
361	65C, 76C	Black crinkle all vinyl (Code 36-see Note 3)				
681	63B, 65B, 76B	Light ivy gold crinkle vinyl and white crinkle vinyl (Code 68-see Note 3)				
THUNDERBIRD (S)						
12	63A	Light blue crinkle vinyl and medium blue pompeii pattern cloth	56 & 131	56	4 & 56	95
12	63B	Light blue crinkle vinyl and medium blue pompeii pattern cloth	56, 131 & 146	56	4 & 56	95
12	76A	Light blue crinkle vinyl and medium blue pompeii pattern cloth	56 & 131	56	4 & 56	
12A	63A	Light blue crinkle vinyl and medium blue pompeii pattern cloth	56 & 131	154	4 & 154	95
12A	63B	Light blue crinkle vinyl and medium blue pompeii pattern cloth	56 & 131 & 146	154	4 & 154	95
12A	76A	Light blue crinkle vinyl and medium blue pompeii pattern cloth	56 & 131	154	4 & 154	
16	63A	Black crinkle vinyl and black pompeii pattern cloth	54 & 130	54	3 & 54	94
16	63B	Black crinkle vinyl and black pompeii pattern cloth	54, 130 & 146	54	3 & 54	94
16	76A	Black crinkle vinyl and black pompeii pattern cloth	54 & 130	54	3 & 54	
16A	63A	Black crinkle vinyl and black pompeii pattern cloth	54 & 130	54	3 & 54	94
16A	63B	Black crinkle vinyl and black pompeii pattern cloth	54, 130 & 146	54	3 & 54	94
16A	76A	Black crinkle vinyl and black pompeii pattern cloth	54 & 130	54	3 & 54	
19	63A	Medium palomino crinkle vinyl and medium palomino pompeii pattern cloth	66 & 138	66	5 & 66	97
19	63B	Medium palomino crinkle vinyl and medium palomino pompeii pattern cloth	66, 138 & 146	66	5 & 66	97

* For swatch identification refer to Page B, etc.

NOTE 3 - For replacement of Door and Quarter trim panels (23942-3 and 31012-3) refer to this code in 1965 Soft Trim Section. For replacement of Back covers (64416-7 and 66600 and Cushion covers (62900 and 63804) contact your Service Representative. All other parts are included in 1965 Soft Trim Section.

1965 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
THUNDERBIRD (S) - continued						
19	76A	Medium palomino crinkle vinyl and medium palomino pompeii pattern cloth	66 & 138	66	5 & 66	
21	63A	Light silver mink crinkle all vinyl	71 & 137	71	71	102
21	63B	Light silver mink crinkle all vinyl	71, 137 & 146	71	71	102
21	76A	Light silver mink crinkle all vinyl	71 & 137	71	71	
22	63A	Light blue crinkle all vinyl	56 & 131	56	56	95
22	63B	Light blue crinkle all vinyl	56, 131 & 146	56	56	95
22	76A	Light blue crinkle all vinyl	56 & 131	56	56	
23	63A	Burgundy crinkle all vinyl	69 & 136	69	69	100
23	63B	Burgundy crinkle all vinyl	69, 136 & 146	69	69	100
23	76A	Burgundy crinkle all vinyl	69 & 136	69	69	
24	63A	Light beige crinkle all vinyl	64 & 134	64	64	96
24	63B	Light beige crinkle all vinyl	64, 134 & 146	64	64	96
24	76A	Light beige crinkle all vinyl	64 & 134	64	64	
25	63A	Red crinkle all vinyl	63 & 133	63	63	99
25	63B	Red crinkle all vinyl	63, 133 & 146	63	63	99
25	76A	Red crinkle all vinyl	63 & 133	63	63	
26	63A	Black crinkle all vinyl	54 & 130	54	54	94
26	63B	Black crinkle all vinyl	54, 130 & 146	54	54	94
26	76A	Black crinkle all vinyl	54 & 130	54	54	
27	63A	Light aqua crinkle all vinyl	70 & 147	70	70	101
27	63B	Light aqua crinkle all vinyl	70, 146 & 147	70	70	101
27	76A	Light aqua crinkle all vinyl	70 & 147	70	70	
28	63A	Light ivy gold crinkle all vinyl	67 & 135	67	67	98
28	63B	Light ivy gold crinkle all vinyl	67, 135 & 146	67	67	98
28	76A	Light ivy gold crinkle all vinyl	67 & 135	67	67	
29	63A	Medium palomino crinkle all vinyl	66 & 138	66	66	97
29	63B	Medium palomino crinkle all vinyl	66, 138 & 146	66	66	97
29	76A	Medium palomino crinkle all vinyl	66 & 138	66	66	
32	63A	Light blue crinkle all leather	56 & 131	1	1	95
32	63B	Light blue crinkle all leather	56, 131 & 146	1	1	95
32	76A	Light blue crinkle all leather	56 & 131	1	1	
33	63A	Burgundy crinkle all leather	69 & 136	69	69	100
33	63B	Burgundy crinkle all leather	69, 136 & 146	69	69	100
33	76A	Burgundy crinkle all leather	69 & 136	69	69	

* For swatch identification refer to Page B, etc.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
THUNDERBIRD (S) - continued						
35	63A	Red crinkle all leather	63 & 133	63	63	99
35	63B	Red crinkle all leather	63, 133 & 146	63	63	99
35	76A	Red crinkle all leather	63 & 133	63	63	
36	63A	Black crinkle all leather	54 & 130	54	54	94
36	63B	Black crinkle all leather	54, 130 & 146	54	54	94
36	76A	Black crinkle all leather	54 & 130	54	54	
39	63A	Medium palomino crinkle all leather	66 & 138	2	2	97
39	63B	Medium palomino crinkle all leather	66, 138 & 146	2	2	97
39	76A	Medium palomino crinkle all leather	66 & 138	2	2	
42	63A	Light blue crinkle vinyl and medium blue pompeii pattern cloth	56 & 131	56	4 & 56	95
42	63B	Light blue crinkle vinyl and medium blue pompeii pattern cloth	56, 131 & 146	56	4 & 56	95
42	76A	Light blue crinkle vinyl and medium blue pompeii pattern cloth	56 & 131	56	4 & 56	
42A	63A	Light blue crinkle vinyl and medium blue pompeii pattern cloth	56 & 131	154	4 & 154	95
42A	63B	Light blue crinkle vinyl and medium blue pompeii pattern cloth	56, 131 & 146	154	4 & 154	95
42A	76A	Light blue crinkle vinyl and medium blue pompeii pattern cloth	56 & 131	154	4 & 154	
46	63A	Black crinkle vinyl and black pompeii pattern cloth	54 & 130	54	3 & 54	94
46	63B	Black crinkle vinyl and black pompeii pattern cloth	54, 130 & 146	54	3 & 54	94
46	76A	Black crinkle vinyl and black pompeii pattern cloth	54 & 130	54	3 & 54	
46A	63A	Black crinkle vinyl and black pompeii pattern cloth	54 & 130	54	3 & 54	94
46A	63B	Black crinkle vinyl and black pompeii pattern cloth	54, 130 & 146	54	3 & 54	94
46A	76A	Black crinkle vinyl and black pompeii pattern cloth	54 & 130	54	3 & 54	
49	63A	Medium palomino crinkle vinyl and medium palomino pompeii pattern cloth	66 & 138	66	5 & 66	97
49	63B	Medium palomino crinkle vinyl and medium palomino pompeii pattern cloth	66, 138 & 146	66	5 & 66	97
49	76A	Medium palomino crinkle vinyl and medium palomino pompeii pattern cloth	66 & 138	66	5 & 66	
51	63A	Light silver mink crinkle all vinyl	71 & 137	71	71	102
51	63B	Light silver mink crinkle all vinyl	71, 137 & 146	71	71	102
51	76A	Light silver mink crinkle all vinyl	71 & 137	71	71	
52	63A	Light blue crinkle all vinyl	56 & 131	56	56	95
52	63B	Light blue crinkle all vinyl	56, 131 & 146	56	56	95
52	76A	Light blue crinkle all vinyl	56 & 131	56	56	
53	63A	Burgundy crinkle all vinyl	69 & 136	69	69	100
53	63B	Burgundy crinkle all vinyl	69, 136 & 146	69	69	100
53	76A	Burgundy crinkle all vinyl	69 & 136	69	69	
54	63A	Light beige crinkle all vinyl	64 & 134	64	64	96
54	63B	Light beige crinkle all vinyl	64, 134 & 146	64	64	96

* For swatch identification refer to Page B, etc.

1965 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
THUNDERBIRD (S) - continued						
54	76B	Light beige crinkle all vinyl	64 & 134	64	64	
55	63A	Red crinkle all vinyl	63 & 133	63	63	99
55	63B	Red crinkle all vinyl	63, 133 & 146	63	63	99
55	76A	Red crinkle all vinyl	63 & 133	63	63	
56	63A	Black crinkle all vinyl	54 & 130	54	54	94
56	63B	Black crinkle all vinyl	54, 130 & 146	54	54	94
56	76A	Black crinkle all vinyl	54 & 130	54	54	
57	63A	Light aqua crinkle all vinyl	70 & 147	70	70	101
57	63B	Light aqua crinkle all vinyl	70, 146 & 147	70	70	101
57	76A	Light aqua crinkle all vinyl	70 & 147	70	70	
58	63A	Light ivy gold crinkle all vinyl	67 & 135	67	67	98
58	63B	Light ivy gold crinkle all vinyl	67, 135 & 146	67	67	98
58	76A	Light ivy gold crinkle all vinyl	67 & 135	67	67	
59	63A	Medium palomino crinkle all vinyl	66 & 138	66	66	97
59	63B	Medium palomino crinkle all vinyl	66, 138 & 146	66	66	97
59	76A	Medium palomino crinkle all vinyl	66 & 138	66	66	
62	63A	Light blue crinkle all leather	56 & 131	1	1	95
62	63B	Light blue crinkle all leather	56, 131 & 146	1	1	95
62	76A	Light blue crinkle all leather	56 & 131	1	1	
63	63A	Burgundy crinkle all leather	69 & 136	69	69	100
63	63B	Burgundy crinkle all leather	69, 136 & 146	69	69	100
63	76A	Burgundy crinkle all leather	69 & 136	69	69	
65	63A	Red crinkle all leather	63 & 133	63	63	99
65	63B	Red crinkle all leather	63, 133 & 146	63	63	99
65	76A	Red crinkle all leather	63 & 133	63	63	
66	63A	Black crinkle all leather	54 & 130	54	54	94
66	63B	Black crinkle all leather	54, 130 & 146	54	54	94
66	76A	Black crinkle all leather	54 & 130	54	54	
69	63A	Medium palomino crinkle all leather	66 & 138	2	2	97
69	63B	Medium palomino crinkle all leather	66, 138 & 146	2	2	97
69	76A	Medium palomino crinkle all leather	66 & 138	2	2	
7D	63B	Parchment crinkle all vinyl	156, 158 & 159	156	156	157
G2	63A	White crinkle all vinyl with blue	68	68	68	99
G2	63B	White crinkle all vinyl with blue	68 & 146	68	68	99
G2	76A	White crinkle all vinyl with blue	68	68	68	
G3	63A	White crinkle all vinyl with burgundy	68	68	68	99
G3	63B	White crinkle all vinyl with burgundy	68 & 146	68	68	99
G3	76A	White crinkle all vinyl with burgundy	68	68	68	

* For swatch identification refer to Page B, etc.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
THUNDERBIRD (S) - continued						
G4	63A	White crinkle all vinyl with beige	68	68	68	99
G4	63B	White crinkle all vinyl with beige	68 & 146	68	68	99
G4	76A	White crinkle all vinyl with beige	68	68	68	
G5	63A	White crinkle all vinyl with red	68	68	68	99
G5	63B	White crinkle all vinyl with red	68 & 146	68	68	99
G5	76A	White crinkle all vinyl with red	68	68	68	
G6	63A	White crinkle all vinyl with black and white	68	68	68	99
G6	63B	White crinkle all vinyl with black and white	68 & 146	68	68	99
G6	76A	White crinkle all vinyl with black and white	68	68	68	
G7	63A	White crinkle all vinyl with aqua	68	68	68	99
G7	63B	White crinkle all vinyl with aqua	68 & 146	68	68	99
G7	76A	White crinkle all vinyl with aqua	68	68	68	
G8	63A	White crinkle all vinyl with ivy gold	68	68	68	99
G8	63B	White crinkle all vinyl with ivy gold	68 & 146	68	68	99
G8	76A	White crinkle all vinyl with ivy gold	68	68	68	
G9	63A	White crinkle all vinyl with palomino	68	68	68	99
G9	63B	White crinkle all vinyl with palomino	68 & 146	68	68	99
G9	76A	White crinkle all vinyl with palomino	68	68	68	
H2	63A	White crinkle all leather with blue	68	68	68	99
H2	63B	White crinkle all leather with blue	68 & 146	68	68	99
H2	76A	White crinkle all leather with blue	68	68	68	
H3	63A	White crinkle all leather with burgundy	68	68	68	99
H3	63B	White crinkle all leather with burgundy	68 & 146	68	68	99
H3	76A	White crinkle all leather with burgundy	68	68	68	
H4	63A	White crinkle all leather with beige	68	68	68	99
H4	63B	White crinkle all leather with beige	68 & 146	68	68	99
H4	76A	White crinkle all leather with beige	68	68	68	
H5	63A	White crinkle all leather with red	68	68	68	99
H5	63B	White crinkle all leather with red	68 & 146	68	68	99
H5	76A	White crinkle all leather with red	68	68	68	
H6	63A	White crinkle all leather with black and white	68	68	68	99
H6	63B	White crinkle all leather with black and white	68 & 146	68	68	99
H6	76A	White crinkle all leather with black and white	68	68	68	
H7	63A	White crinkle all leather with turquoise	68	68	68	99
H7	63B	White crinkle all leather with turquoise	68 & 146	68	68	99
H7	76A	White crinkle all leather with turquoise	68	68	68	
H8	63A	White crinkle all leather with ivy gold	68	68	68	99
H8	63B	White crinkle all leather with ivy gold	68 & 146	68	68	99
H8	76A	White crinkle all leather with ivy gold	68	68	68	
H9	63A	White crinkle all leather with palomino	68	68	68	99
H9	63B	White crinkle all leather with palomino	68 & 146	68	68	99
H9	76A	White crinkle all leather with palomino	68	68	68	
P2	63A	White crinkle all vinyl with blue	68	68	68	99
P2	63B	White crinkle all vinyl with blue	68 & 146	68	68	99
P2	76A	White crinkle all vinyl with blue	68	68	68	
P3	63A	White crinkle all vinyl with burgundy	68	68	68	99
P3	63B	White crinkle all vinyl with burgundy	68 & 146	68	68	99
P3	76A	White crinkle all vinyl with burgundy	68	68	68	

* For swatch identification refer to Page B, etc.

1965 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
THUNDERBIRD (S) - continued						
P4	63A	White crinkle all vinyl with beige	68	68	68	99
P4	63B	White crinkle all vinyl with beige	68 & 146	68	68	99
P4	76A	White crinkle all vinyl with beige	68	68	68	
P5	63A	White crinkle all vinyl with red	68	68	68	99
P5	63B	White crinkle all vinyl with red	68 & 146	68	68	99
P5	76A	White crinkle all vinyl with red	68	68	68	
P6	63A	White crinkle all vinyl with black and white	68	68	68	99
P6	63B	White crinkle all vinyl with black and white	68 & 146	68	68	99
P6	76A	White crinkle all vinyl with black and white	68	68	68	
P7	63A	White crinkle all vinyl with aqua	68	68	68	99
P7	63B	White crinkle all vinyl with aqua	68 & 146	68	68	99
P7	76A	White crinkle all vinyl with aqua	68	68	68	
P8	63A	White crinkle all vinyl with ivy gold	68	68	68	99
P8	63B	White crinkle all vinyl with ivy gold	68 & 146	68	68	99
P8	76A	White crinkle all vinyl with ivy gold	68	68	68	
P9	63A	White crinkle all vinyl with palomino	68	68	68	99
P9	63B	White crinkle all vinyl with palomino	68 & 146	68	68	99
P9	76A	White crinkle all vinyl with palomino	68	68	68	
Q2	63A	White crinkle all leather with blue	68	68	68	99
Q2	63B	White crinkle all leather with blue	68 & 146	68	68	99
Q2	76A	White crinkle all vinyl with blue	68	68	68	
Q3	63A	White crinkle all vinyl with burgundy	68	68	68	99
Q3	63B	White crinkle all vinyl with burgundy	68 & 146	68	68	99
Q3	76A	White crinkle all vinyl with burgundy	68	68	68	
Q4	63A	White crinkle all leather with beige	68	68	68	99
Q4	63B	White crinkle all leather with beige	68 & 146	68	68	99
Q4	76A	White crinkle all leather with beige	68	68	68	
Q5	63A	White crinkle all leather with red	68	68	68	99
Q5	63B	White crinkle all leather with red	68 & 146	68	68	99
Q5	76A	White crinkle all leather with red	68	68	68	
Q6	63A	White crinkle all leather with black and white	68	68	68	99
Q6	63B	White crinkle all leather with black and white	68 & 146	68	68	99
Q6	76A	White crinkle all leather with black and white	68	68	68	
Q7	63A	White crinkle all leather with turquoise	68	68	68	99
Q7	63B	White crinkle all leather with turquoise	68 & 146	68	68	99
Q7	76A	White crinkle all leather with turquoise	68	68	68	
Q8	63A	White crinkle all leather with ivy gold	68	68	68	99
Q8	63B	White crinkle all leather with ivy gold	68 & 146	68	68	99
Q8	76A	White crinkle all leather with ivy gold	68	68	68	
Q9	63A	White crinkle all leather with palomino	68	68	68	99
Q9	63B	White crinkle all leather with palomino	68 & 146	68	68	99
Q9	76A	White crinkle all leather with palomino	68	68	68	
XD	63B	Parchment crinkle all vinyl	156, 158 & 159	156	156	157

* For swatch identification refer to Page B. etc.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1965 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FALCON (X)						
12	54A, 54D, 62A, 62D	Light blue crinkle vinyl and medium blue T bar pattern cloth	55	55 & 56	33	129
15	54A, 54D, 62A, 62D	Red crinkle vinyl and red T bar pattern cloth	63	63	34	129
17	54A, 54D, 62A, 62D	Light turquoise crinkle vinyl and medium turquoise T bar pattern cloth	148	60 & 148	149	129
19	54A, 54D, 62A, 62D	Medium palomino crinkle vinyl and medium palomino T bar pattern cloth	66	66	35	129
22	54B, 62B	Light blue crinkle vinyl and medium blue gothic pattern cloth	56 & 81	56	28 & 56	129
22A	54B, 52B	Light blue crinkle vinyl and medium blue gothic pattern cloth	56 & 81	56	28 & 56	129
25	54B, 62B	Red crinkle vinyl and red gothic pattern cloth	63 & 82	63	30 & 63	129
25A	54B, 62B	Red crinkle vinyl and red gothic pattern cloth	63 & 82	63	30 & 63	129
27	54B, 62B	Light turquoise crinkle vinyl and medium turquoise gothic pattern cloth	60 & 83	60	29 & 60	129
27A	54B, 62B	Light turquoise crinkle vinyl and medium turquoise gothic pattern cloth	60 & 83	60	29 & 60	129
28	54B, 62B	Light ivy gold crinkle vinyl and medium ivy gold gothic pattern cloth	67 & 85	67	32 & 67	129
28A	54B, 62B	Light ivy gold crinkle vinyl and medium ivy gold gothic pattern cloth	67 & 85	67	32 & 67	129
29	54B, 62B	Medium palomino crinkle vinyl and medium palomino gothic pattern cloth	66 & 84	66	31 & 66	129
29A	54B, 62B	Medium palomino crinkle vinyl and medium palomino gothic pattern cloth	66 & 84	66	31 & 66	129
32	54B, 62B, 63B, 71B, 71C	Light blue crinkle vinyl and medium blue crinkle vinyl	56 & 81	56	56 & 58	129
32A	54B, 62B, 71B, 71C	Light blue crinkle vinyl and medium blue crinkle vinyl	56 & 81	56	56 & 58	129
35	54B, 62B, 63B, 71B, 71C	Red crinkle all vinyl	63 & 82	63	63	129
35A	54B, 62B, 71B, 71C	Red crinkle all vinyl	63 & 82	63	63	129
36	63B, 71B, 71C	Black crinkle all vinyl	54 & 80	54	54	129
36A	71B, 71C	Black crinkle all vinyl	54 & 80	54	54	129
37	63B	Light turquoise crinkle vinyl and medium turquoise crinkle vinyl	60 & 83	60	60 & 61	129
38	63B, 71B, 71C	Light ivy gold crinkle all vinyl	67 & 85	67	67	129
38A	71B, 71C	Light ivy gold crinkle all vinyl	67 & 85	67	67	129
39	54B, 62B, 63B, 71B, 71C	Medium palomino crinkle all vinyl	66 & 84	66	66	129
39A	54B, 62B, 71B, 71C	Medium palomino crinkle all vinyl	66 & 84	66	66	129
49	54A, 54D, 59A, 62A, 62D, 66A, 71A, 78A	Medium palomino crinkle vinyl and medium palomino striped rib pattern vinyl	66	66	122	129
52	76A	Light blue crinkle vinyl and medium blue crinkle vinyl	56 & 81	56	56 & 58	
55	76A	Red crinkle all vinyl	63 & 82	63	63	
56	76A	Black crinkle all vinyl	54 & 80	54	54	
57	76A	Light turquoise crinkle vinyl and medium turquoise crinkle vinyl	60 & 83	60	60 & 61	
58	76A	Light ivy gold crinkle all vinyl	67 & 85	67	67	
59	76A	Medium palomino crinkle all vinyl	66 & 84	66	66	
62	66B, 78B	Light blue crinkle vinyl and medium blue crinkle vinyl	56 & 81	56	56 & 58	129
65	66B, 78B	Red crinkle all vinyl	63 & 82	63	63	129
66	66B, 78B	Black crinkle all vinyl	54 & 80	54	54	129
69	66B, 78B	Medium palomino crinkle all vinyl	66 & 84	66	66	129
82	63C, 63D, 66H	Light blue crinkle vinyl and medium blue crinkle vinyl	56 & 81	56	56 & 58	129
82	76B, 76D	Light blue crinkle vinyl and medium blue crinkle vinyl	56 & 81	56	56 & 58	

* For swatch identification refer to Page B, etc.

1965 TRIM SCHEME CODES

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
		FALCON (X) - continued				
85	63C, 63D, 66H	Red crinkle all vinyl	63 & 82	63	63	129
85	76B, 76D	Red crinkle all vinyl	63 & 82	63	63	
86	63C, 63D, 66H	Black crinkle all vinyl	54 & 80	54	54	129
86	76B, 76D	Black crinkle all vinyl	54 & 80	54	54	
87	63C, 63D	Light turquoise crinkle vinyl and medium turquoise crinkle vinyl	60 & 83	60	60 & 61	129
87	76B, 76D	Light turquoise crinkle vinyl and medium turquoise crinkle vinyl	60 & 83	60	60 & 61	
88	63C, 63D	Light ivy gold crinkle all vinyl	67 & 85	67	67	129
88	76B, 76D	Light ivy gold crinkle all vinyl	67 & 85	67	67	
89	63C, 63D, 66G, 66H	Medium palomino crinkle all vinyl	66 & 84	66	66	129
89	76B, 76D	Medium palomino crinkle all vinyl	66 & 84	66	66	
121	54A, 62A	Light blue crush vinyl and medium blue cord stripe pattern cloth (Code 12-see Note 1)(Code 22-see Note 2)				
121	54A, 62A	Light blue crinkle vinyl and medium blue mesa pattern cloth (Code 12-see Note 3)				
121	54D, 62D	Light blue crush vinyl and medium blue band pattern cloth (Code 12-see Note 1)(Code 12-see Note 2)				
122	54A, 62A	Light blue crush vinyl and medium blue gothic pattern cloth (Code 12-see Note 3)				
122	54D, 62D	Light blue crush vinyl and medium blue T bar pattern cloth (Code 12-see Note 3)				
151	54A, 62A	Red crush vinyl and red band pattern cloth (Code 15-see Note 1)(Code 25-see Note 2)				
151	54A, 62A	Red crinkle vinyl and red mesa pattern cloth (Code 15-see Note 3)				
151	54D, 62D	Red crush vinyl and red band pattern cloth (Code 15-see Note 1)(Code 15-see Note 2)				
152	54A, 62A	Red crush vinyl and red gothic pattern cloth (Code 15-see Note 3)				
152	54D, 62D	Red crush vinyl and red T bar pattern cloth (Code 15-see Note 3)				
171	54A, 54D, 62A, 62D	Light turquoise crush vinyl and medium turquoise cord stripe pattern cloth (Code 17-see Note 1)(Code 27-see Note 2)				
171	62A	Light turquoise crinkle vinyl and medium aqua panama pattern cloth (Code 17-see Note 3)				
172	54A	Light turquoise crinkle vinyle and medium aqua panama pattern cloth (Code 17-see Note 3)				
172	54A, 54D, 62A, 62D	Light turquoise crush vinyl and medium turquoise gothic pattern cloth (Code 17-see Note 3)				
191	54A, 62A	Medium palomino crinkle vinyl and parchment mesa pattern cloth (Code 19-see Note 3)				
221	54B	Light blue crinkle vinyl and medium blue shuttle pattern cloth (Code 22-see Note 3)				
251	54B	Red crinkle vinyl and red shuttle pattern cloth (Code 25-see Note 3)				

* For swatch identification refer to Page B, etc.

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in 1965 Soft Trim.
NOTE 2 - For replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) refer to this code in 1964 Soft Trim.
NOTE 3 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in 1965 Soft Trim.
For replacement of Back covers (64416-7 and 66600) and Cushion covers (62900 and 63804) contact your Service Representative.
All other parts are included in the 1965 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FORD TRUCK PARTS

1965 TRIM SCHEME CODES

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FALCON (X) - continued						
271	54B	Light turquoise crinkle vinyl and medium turquoise shuttle pattern cloth (Code 27-see Note 3)				
281	54B	Light ivy gold crinkle vinyl and light ivy gold shuttle pattern cloth (Code 28-see Note 3)				
291	54B	Medium palomino crinkle vinyl and parchment shuttle pattern cloth (Code 29-see Note 3)				
321	54B. 62B, 71B	Light blue crush vinyl and medium blue crush vinyl (Code 32-see Note 1)(Code 62-see Note 2)				
321	63B	Light blue crush vinyl and medium blue crush vinyl (Code 32-see Note 4)				
351	54B,62B,71B	Red crush all vinyl (Code 35-see Note 1)(Code 65-see Note 2)				
361	71B	Black crush all vinyl (Code 36-see Note 1)(Code 66-see Note 2)				
701	54D,62D	Red vinyl and red cloth				
702	54D,62D	Blue vinyl and blue cloth				
705	54A,D, 62A,D	Palomino vinyl and palomino cloth				
715	71A	Palomino all vinyl				
721	71B ,C	Red all vinyl				
722	71B,C	Blue all vinyl				
723	71B,C	Ivy gold all vinyl				
725	71B,C	Palomino all vinyl				
731	54B,62B	Red vinyl and red cloth				
732	54B,62B	Blue vinyl and blue cloth				
733	54B,62B	Ivy gold vinyl and ivy gold cloth				
734	54B,62B	Turquoise vinyl and turquoise cloth				
735	54B,62B	Palomino vinyl and palomino cloth				
741	63B	Red vinyl and red cloth				
742	63B	Blue vinyl and blue cloth				
743	63B	Ivy gold vinyl and ivy gold cloth				
744	63B	Turquoise vinyl and turquoise cloth				
745	63B	Palomino vinyl and palomino cloth				
751	76A	Red all vinyl				
752	76A	Blue all vinyl				
753	76A	Ivy gold all vinyl				
754	76A	Turquoise all vinyl				
755	76A	Palomino all vinyl				
951	76B	Red all vinyl				
952	76B	Blue all vinyl				
955	76B	Palomino all vinyl				

* For swatch identification refer to Page B, etc.

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in 1965 Soft Trim.

NOTE 2 - For replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) refer to this code in 1964 Soft Trim

NOTE 3 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in 1965 Soft Trim. For replacement of Back covers (64416-7 and 66600) and Cushion covers (62900 and 63804) contact your Service Representative. All other parts are included in the 1965 Soft Trim Section.

NOTE 4 - For replacement of Door and Quarter trim panels (23942-3 and 31012-3) and Cushion covers (62900 and 63804) and Back covers (66600) refer to this code in 1965 Soft Trim. For replacement of Front seat back covers (66416-7) contact your Service Representative. All other parts are included in the 1965 Soft Trim Section.

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE												ALL CODES	ALL CODES	
				_1	_2	OTHER	_3	_4	_5	_6	_7	_7	_8	_9			
COLORS →			LENGTH	SILVER MINK	BLUE	SEE FOOTNOTE	BURGUNDY	BEIGE	RED	BLACK	AQUA	TURQ.	GOLD	PALOMINO	BLACK	WHITE	
02344-5 PANEL - COWL TRIM																	
A	R	C7AZ 6202344			▲A1B												1
F(65)Before 8/17/64	R	C5ZZ 6502344														DFE	1
	L	C5ZZ 6502345														DFE	1
F(63A, 65A, 65C) From 8/17/64	R	C5ZZ 6502344			DFC											DFE	1
	L	C5ZZ 6502345			DFC											DFE	1
	R	C7ZZ 6502344								A1A			A1G				1
	L	C7ZZ 6502345								A1A			A1G				1
F(63B, 65B)	R	C5ZZ 6502344							AGF	AGG							1
	L	C5ZZ 6502345								AGG							1
F(76) Before 8/17/64	R	C5ZZ 7602344								A1A							1
	L	C7ZZ 7602345								A1A							1
F(76A,C) From 8/17/64	L	C5ZZ 7602345			CFC												1
	R	C7ZZ 7602344								A1A							1
	L	C7ZZ 7602345								A1A							1
X(except 76)	R	C5DZ 6202344			CFA					CFB							1
	L	C5DZ 6202345			AAB					AAC							1
02906 WINDLACE - DOOR OPENING and QUARTER PILLAR																	
F(63A, 65A, 65C)-frt. body pillar, roof rail & qtr.pillar F(76)-qtr.pillar		C5ZZ 6502906	72"							DFA							2 #
F(63B,65B)-frt. body pillar and roof rail F(63B, 76B)-qtr. pillar F(76) - frt. body pillar		C5ZZ 6502906	72"							DFA							# # #
04104 VISOR - LESS ARM and BRACKET																	
STANDARD																	
A(54,57B,62, 63B,C,71)		C5AZ 6204104						JAG								FAB	2
B(except 65)		C5OZ 6204104														AAB	2
F(65)		C5ZZ 6504104			CAD											CAB	2
F(76)		C5ZZ 7604104								BAB							2
X(except 63, 76)		C5DZ 6204104														AAB	2
X(63)		C5DZ 6304104														AAB	2
SAFETY																	
A(54,57B,62, 63B,C,71)		C5AZ 6204104						GAB								EAB	2
A(76)		C5AZ 7604104			CAD					CAB							2
F(63,65)		C5ZZ 6504104			EFD					EFB				EFE		EFC	2
F(76) Before 8/17/64		C5ZZ 7604104							FFD								2
		C6ZZ 7604104								DAJ							2
F(76A,C)- From 8/17/64		C5ZZ 7604104							FFD							FFG	2
		C6ZZ 7604104								DAJ							2
F(76B)		C5ZZ 7604104							FFD							FFG	2
		C6ZZ 7604104			DAH					DAJ							2
S(63)		C5SZ 6304104					BBA			BAC	BAK		BAH			BAG	2
X(except 63, 76)		C5DZ 6204104														AFA	2
X(63)		C5DZ 6304104														AFA	2

▲ Light # As required - cut to fit

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

SOFT TRIM

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE											ALL CODES	ALL CODES	
			—1	—2	OTHER	—3	—4	—5	—6	—7	—7	—8	—9			
COLORS →			SILVER MINK	BLUE	SEE FOOTNOTE	BURGUNDY	BEIGE	RED	BLACK	AQUA	TURQ.	GOLD	PALOMINO	BLACK	WHITE	
04290 PAD - INSTRUMENT PANEL - SAFETY																
A		C5AZ 6204290		BAE		BAD		BAC	BAB		BAF	BAH	BAG			1
F		C5ZZ 6504290		AFB				AFD	AFA				AFC			1
		45243-S7-8(M178) Nut-hex-No. 10-24														2
X		C5DZ 5404290		BAC				BAE								1
045C84 PAD and RETAINER - INSTRUMENT CLUSTER																
A	△	C5AZ 62045C84		AAE			AAJ	AAC	AAB			AAH	AAG			1
A	▲	C5AZ 62045C84		BAE									BAG			1
13000 CARPET - FRONT FLOOR																
A(54, 57B, 62, 63B, 71, 76A)	☆	C5AZ 6213000										GAG	GAD			1
F(63, 65)		C5ZZ 6513000		AAD												1
		350075-S13(UU88)	Screw-washer head, cross recess-No. 8-15 x 3/4"													4
13000 MAT - FRONT FLOOR																
(Mats listed are black, flecked with the color shown)																
A(54, 62, 71)	☆	C5AZ 6213000												KAB		1
B(54, 62, 71)	☆	C5OZ 6213000							BAC					BAC		1
X	☆	C5DZ 6213000							GFA					GFA		1
130A36 GROMMET - FRONT FLOOR CARPET STEERING COLUMN																
A-w/moveable strg. col.		C6AZ 62130A36				ABA										1
13046 MAT - REAR FLOOR																
(Mats listed are black, flecked with the color shown)																
B(54)		C2OZ 5413046							BBA					BBA		1

MODEL	PART NUMBER LESS SUFFIX	RUBBER OR VINYL	FULL WIDTH OR TWIN	COLORS and APPLICABLE SUFFIXES												
				AQUA/ TURQ.	BLACK	BLUE	GINGER	GREEN	GREY GOLD	IVY GOLD	NUGGET GOLD	RED/ BURG.		WHITE	OTHER	OTHER
13086 MAT - FRONT FLOOR																
A, B, F, S, X †	C9AZ 6213086	V	FW		AB	AA									•AC	◊Y
F	C5ZZ 6513086	R	T		C									A		
	D0ZZ 6513086	R	T			C										
13106 MAT - REAR FLOOR																
A	C5AZ 6313106	R	FW											L		
F	C5ZZ 6513106	R	T		C	D										
S	C4SZ 6313106	R	T		E							C		D		
	D0SZ 6313106	R	T			B										
A, B, F, S, X †	C9AZ 6213106	V	FW			AA						Z			◊Y	•AC

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE											ALL CODES	ALL CODES	
			—1	—2	OTHER	—3	—4	—5	—6	—7	—7	—8	—9			
COLORS →			SILVER MINK	BLUE	SEE FOOTNOTE	BURGUNDY	BEIGE	RED	BLACK	AQUA	TURQ.	GOLD	PALOMINO	BLACK	WHITE	
13176 MAT - REAR FLOOR REAR																
A(71A, 71C)		C5AZ 7113176												AAB		1
13188-9 COVER - FLOOR RISER SIDE																
F(63B, 65B, 65C)			Serviced in Carpet-refer to Group 13000 or 13046													

△ Used with padded instrument panel
† Cut to form twin mats if so desired
▲ Not used with padded instrument panel
• Tan
☆ Except 4 speed transmission
◊ Clear

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
23942-3 PANEL ASSY. - FRONT DOOR TRIM																	
TRIM CODES →			26	36	56, 56A	76	86, 86A										
F	R	C5ZZ 6523942	AAB	AAB	AAB	AAB	AAB										1
	L	C5ZZ 6523943	AAB	AAB	AAB	AAB	AAB										1
F		380552-S102 (GG139E)	Clip-trim														30
F		375553-S100 (GG232J)	Clip-trim														40

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
			SECOND CHARACTER OF TRIM CODE											ALL CODES	ALL CODES	
TRIM CODES →				—1	—2	OTHER	—3	—4	—5	—6	—7	—7	—8	—9			
COLORS →			LENGTH	SILVER MINK	BLUE	SEE FOOTNOTE	BURGUNDY	BEIGE	RED	BLACK	AQUA	TURQ.	GOLD	PALOMINO	BLACK	WHITE	
24046 INSERT - FRONT DOOR ARM REST FINGER TIP PLATE																
F(63B,65B,76B)		C5SZ 6324046								AAB						2
S																2
24100 PAD - DOOR ARM REST - INCLUDES ATTACHING PARTS																
A(54B,E,71B,C,D) ‡		C5AZ 6231718	6"		AAC			AAJ	AAB	AAG		AAF		AAD		2
A(62, 63B) Δ																2
A(54B, E, 62, 71B. C. D) $ A(54A, 57B, 71A,E)‡		C5AZ 6224100	9 1/2"			†AAK	ABA	AAJ	AAB	AAG		AAF		AAD		2
		C6OZ 6224100	9 1/2"		CCD											2
A(57F) ⊕		C5AZ 6224100	9 1/2"		ABB		ABA		AAB	AAG		ABC		AAD		4
A(63F) $																2
A(63F) Δ		C5AZ 6231718	6"							AAG						2
A(54A,57B,63B, 71A, E, 76A) $		C5AZ 6224100	13"		BAC				BAB	BAG			BAE	BAD		2
A(63C, 76B) $ -except A/C		C5AZ 6324100	27"		AAD					AAB			AAF	AAE	AAH	2
A(63C, 76B) $ -with A/C		C5AZ 6324100	24"		BAD											2
A(63C) Δ																2
A		32930-S7(U340)	Screw-pan head, cross recess-No. 8-15 x 5/8"													AR
B $		C5AZ 6224100	9 1/2"					AAJ	AAB	AAG		AAF	AAE	AAD		2
		C6OZ 6224100	9 1/2"		CCD											2
		C5OZ 6224100	9 1/2"												AAH	2
B(54, 71) ‡		C5AZ 6231718	6"		AAC					AAG						2
B(62, 65) Δ		C5OZ 6231718	6"												AAH	2
A, B		32930-S7(U340)	Screw - pan head, cross recess - No. 8-15 x 5/8"													4
F-Before 8/17/64		C5ZZ 6524100	10"		AAJ					AAG				AFD	AFE	2
F(63A,65A,C,76A,C)- From 8/17/64		C5ZZ 6524100	10"		AFC				AFB	AFA			AFF	AFD	AFE	2
F Δ		C5AZ 6231718	6"		AAC					AAG						2
24140-1 REST - FRONT DOOR ARM - INCLUDES ATTACHING PARTS																
X $	R	C5DZ 6224140			AAC				AAB	AAG		AAF	AAE	AAD		1
	L	C5DZ 6224141			AAC				AAB	AAG		AAF	AAE	AAD		1
		353557-S8(UU58)	Screw-oval head, cross recess-No. 14-10 x 1 1/4"													4

$ Front door only ⊕ Front and rear doors Δ Quarter trim panel only ‡ Rear door only † Green-Trim Code 01
♦ Front door and quarter panel

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE												ALL CODES	ALL CODES	
			—1	—2	OTHER	—3	—4	—5	—6	—7	—7	—8	—9			
COLORS →			Length	SILVER MINK	BLUE	SEE FOOTNOTE	BURGUNDY	BEIGE	RED	BLACK	AQUA	TURQ.	GOLD	PALOMINO	BLACK	WHITE	
24142 PLATE - FRONT DOOR ARM REST FINGER TIP																
F(63B,65B,76B)		C5ZZ 6524142								AAB						2
F(63B, 65B, 76B), S		377948-S2(UU48G)	Screw-flat head, cross recess-No. 8-18 x 1/2"													4
24144 BASE - DOOR ARM REST - COLORED - INCLUDES ATTACHING PARTS																
A(54E, 71D) ⊕		C5AZ 6224144	9 1/4"		AAC			AAJ	AAB			AAF		AAD			2
A(62E) ♦																	2
A(54E, 62E, 71D)		353557-S8(UU58)	Screw-truss head, cross recess-No. 14-10 x 1"														AR
B(54, 71) ⊕		C5AZ 6224144	9 1/4"		AAC			AAJ	AAB			AAF		AAD			4
		C5OZ 6224144	9 1/4"							AAG							4
B(62, 65) ♦		C5AZ 6224144	9 1/4"		AAC			AAJ	AAB			AAF		AAD			4
		C5OZ 6224144	9 1/4"							AAG							4
B		353557-S8(UU58)	Screw-truss head, cross recess-No. 14-10 x 1"														AR

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
24144 BASE - DOOR ARM REST - CHROME - INCLUDES ATTACHING PARTS				
A(except 63C, 76B)		C5AZ 6224144-B	Chrome-9 1/4" long	4
A(except 63C, 76B)		C5AZ 6224144-A	Chrome-12 5/8" long	4
A(63C, 76B)		C5AZ 6324144-A	Chrome-27 1/8" long-front door	2
A(63C)		C5AZ 6331604-A	Chrome-17 3/4" long-quarter	2
A		353557-S8(UU58)	Screw-truss head, cross recess-No. 14-10 x 1"	AR
F(63A, 65A, 65C, 76A, 76C)		C5ZZ 6524144-A	Chrome-9 11/16" long-front door	2
		★377905-S8	Screw-truss head, cross recess-No. 14-10 x 1 3/8"	4
F(65)		C5AZ 6224144-B	Chrome-9 1/4" long-quarter	2

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE												ALL CODES	ALL CODES	
			—1	—2	OTHER	—3	—4	—5	—6	—7	—7	—8	—9			
COLORS →			SILVER MINK	BLUE	SEE FOOTNOTE	BURGUNDY	BEIGE	RED	BLACK	AQUA	TURQ.	GOLD	PALOMINO	BLACK	WHITE	
24346-7 PANEL - CENTER BODY PILLAR FINISH																
A(54, 71)	R	C5AZ 5424346			AAD											1
	L	C5AZ 5424347			AAD											1
		380560-S(GG287)	Clip-trim													24
24486 WINDLACE - CENTER BODY PILLAR																
B(54, 71)		C5OZ 5424486			AFE						AFH		AFF			4

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES	QTY.
31113 PANEL - QUARTER REAR TRIM				
B(71)	R		Refer to Group 47042 in Body Section	
31486-7 PANEL - QUARTER TRIM LOWER FRONT				
TRIM CODES →			All	
F(63)	R	C5ZZ 6331486	A-Paint to match	1

31604 BASE - QUARTER ARM REST - Refer to Group 24144

31718 PAD - QUARTER ARM REST - Refer to Group 24100

⊕ Front and rear doors ♦ Front door and quarter panel

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
45455-6 COVER - LUGGAGE COMPARTMENT FLOOR				
A(54A, 57, 63, 76)	R	C5AZ 6245455-AAB	Gray tweed-burtex	1
	L	C5AZ 6245456-AAB	Gray tweed-burtex	1
			Center-refer to Group 45494	
B(54, 62, 65)		C5OZ 6245456-AAB	Gray-burtex	1
F(63)		C5ZZ 6345456-CAB	Gray plaid-rubber	1
F(65) Before 8/17/64		C5ZZ 6545456-BAB	Gray and tan tweed print-burtex	1
F(65) From 8/17/64		C5ZZ 6545456-CAB	Gray plaid-rubber	1
F(76)		C5ZZ 7645456-CAB	Gray plaid-rubber	1
X(54, 62, 63)		C5DZ 6245456-FFA	Gray plaid-rubber	1
45494 COVER - LUGGAGE COMPARTMENT FLOOR CENTER				
A(54, 57, 62, 63)		C5AZ 6245494-BAB	Gray tweed-burtex	1
A(54A, 57, 63)			Side-refer to Group 45455-6	

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES												QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE												
				—1	—2	OTHER	—3	—4	—5	—6	—7	—7	—8	—9	ALL CODES	ALL CODES
COLORS →				SIL-VER MINK	BLUE	SEE FOOT-NOTE	BUR-GUN-DY	BEIGE	RED	BLACK	AQUA	TURQ.	GOLD	PALO-MINO	BLACK	WHITE
46656 PANEL - PACKAGE TRAY TRIM															
A(54, 62) ◊		C5AZ 6246656			CAD												1
F(65A, C)		C5ZZ 6546656			BAD					BAB				BAE			1
F(65B)		C5ZZ 6546656													CAB		1

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
51338 WEATHERSTRIP - FOLDING TOP NO.1 BOW				
A(76)		C5AZ 7651338-BAB	Black	1
		C5AZ 7651338-BAD	Blue	1
F(76)		C5ZZ 7651338-BFA	Black	1
51416 MOULDING - FOLDING TOP NO.4 BOW OUTSIDE - INCLUDES RETAINER				
A(76), F(76), S(76), X(76)		C5SZ 7651416-BAJ	White-59" long-cut to fit	1
F(76)		C3AZ 7651416-D	Black-cut to fit	1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES												QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE												
				—1	—2	OTHER	—3	—4	—5	—6	—7	—7	—8	—9	ALL CODES	ALL CODES
COLORS →				SIL-VER MINK	BLUE	SEE FOOT-NOTE	BUR-GUN-DY	BEIGE	RED	BLACK	AQUA	TURQ.	GOLD	PALO-MINO	BLACK	WHITE
51916 HEADLINING - ROOF															
F(65)		C5ZZ 6551916								AGG							1

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
52300 BINDING - FOLDING TOP NO.4 BOW - Refer to Group 51416				
52500 WINDOW - FOLDING TOP BACK CURTAIN				
A(76)		C5AZ 7652500-DAB	Glass window-used with Black tops	1
		C5AZ 7652500-AAE	Glass window-used with Blue tops	1
		C5AZ 7652500-AAD	Glass window-used with Tan tops	1
		C5AZ 7652500-DAC	Glass window-used with White tops	1
F(76) Before 11/9/64		C5ZZ 7652500-BAB	Used with all tops - Straight collar on zipper	1
F(76) From 11/9/64		C5ZZ 7652500-DAB	Used with all tops - Curved collar on zipper	1
52700 TOP - FOLDING - LESS BACK CURTAIN and BOWS				
F(76)		C5ZZ 7652700-BAB	Black	1
		C5ZZ 7652700-BAC	White	1

◊ Not used with folding rear seat

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
53700 COVER - ROOF OUTSIDE				
A(57)		C5AZ 5753729-A	Retainer (includes rivets)	2
		C5AZ 57537A02-A	Pad-side front	2
A(57F)		C5AZ 5753740-A	Pad-side rear	2
A(63)	R	C5AZ 63517A02-A	Moulding (includes attaching parts)	1
	L	C5AZ 63517A02-B	Moulding (includes attaching parts)	1
A(57, 63)		378368-S(UU74M)	Screw - pan head, cross recess-No. 6-32 x 3/8"	8
		378367-S(XX44B)	Washer - flat-No. 6	8
A(57, 63), B(65), F(65), S(63), X(63)		C3AZ 19562-B	Sealer-black (5 oz. tube)	AR
		C3AZ 19562-A	Sealer-white (5 oz. tube)	AR

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
			SECOND CHARACTER OF TRIM CODE											ALL CODES	ALL CODES	
TRIM CODES →				—1	—2	OTHER	—3	—4	—5	—6	—7	—7	—8	—9			
COLORS →				SILVER MINK	BLUE	SEE FOOTNOTE	BURGUNDY	BEIGE	RED	BLACK	AQUA	TURQ.	GOLD	PALOMINO	BLACK	WHITE	
54486 CONTAINER - FOLDING TOP DUST HOOD																
F(76)		D0OZ 7654486								A01						1

BODY TYPE	R/L	KIT PART NUMBER LESS COVER
60032-3 BACK KIT - REAR SEAT - CONSISTS of SPRING, PADS, WIRE and INSTRUCTION SHEET - SHIPPED K.D.		
A(54, 62)		C5AZ 6260032-A
A(57F)		C5AZ 5760032-A
A(63F)		C5AZ 6360032-B
F(63B, 76)		C5ZZ 6360032-B
F(65B)		C5ZZ 6560032-C
60050-1 CUSHION KIT - FRONT SEAT-CONSISTS of SPRING, PADS, WIRE and INSTRUCTION SHEET-SHIPPED K.D.		
F(63A, 65A, 76A)	R	C5ZZ 6560050-B
	L	C5ZZ 6560051-A
F(63B, 65B, 76B)	R	C5ZZ 6360050-A
	L	C5ZZ 6360051-A
60080 CUSHION KIT - REAR SEAT - CONSISTS of SPRING, PADS, WIRE and INSTRUCTION SHEET - SHIPPED K.D.		
A(54, 57B, F)		C7AZ 5760080-A
A(63B)		C7AZ 6260080-A
F(65)		C7ZZ 6560080-A
F(76B)		C7ZZ 7660080-B
S		C4SZ 6360080-A
60136-7 BACK KIT - FRONT SEAT - CONSISTS of SPRING, PADS, WIRE and INSTRUCTION SHEET-SHIPPED K.D.		
A(54, 57B, 71)		C5AZ 5460136-B
A(57F)		C5AZ 5760136-A
A(63B, F)	R	C5AZ 6360136-B
	L	C5AZ 6360137-A
F(63A, 65A, 76A)	R	C5ZZ 6560136-B
	L	C5ZZ 6560137-B

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
60762-3 PANEL - FRONT SEAT BACK REAR TRIM PANEL INSERT																
A(63C, 76B), S			Refer to Group in Body Section													
TRIM CODES →			26	36	56, 56A	76	86, 86A									
F		C5ZZ 6560762	AAB	AAB	AAB	AAB	AAB									2

THE SOFT TRIM SECTION INCLUDES ONLY THOSE ITEMS WHICH WERE AVAILABLE FOR SERVICE AT THE TIME OF PRINTING. ITEMS NOT SHOWN IN THE CATALOG MUST BE IMPROVISED OR PROCURED LOCALLY.

INSTRUCTIONS

Determine correct Group Number by referring to an appropriate illustration in the Interior Trim Section of the Illustration Catalog, Form AF-7635-B or to the Soft Trim Index of this catalog. Identify Model, Body Type and Trim Code by referring to 1966 Warranty Plate Codes as shown in the General Information Section.

The 1966 Soft Trim Section consists of: (1) Trim Scheme Codes and Swatches (Pages A1, A2, A3, B, etc.). (2) Listing of Soft Trim Parts for all Ford (A), Fairlane (B), Mustang (F), Thunderbird (S), Bronco (U) and Falcon (X) models. (Pages 1 to end).

TRIM SCHEME CODE and SWATCHES

Consists of: (1) Listing of Trim Scheme Codes arranged in order of model, i.e. Ford, Fairlane, etc. (2) Colored Swatches identified by a number beside the swatch.

How to use: (1) Identify Model, Body Type and Trim Code and apply this information to listing of Trim Scheme Codes. (2) Determine Swatch Identification Numbers and refer to Colored Swatches on page B, etc. (3) Locate appropriate swatches to verify the color and/or pattern of the principle materials used in the unit.

Colored Swatch pages are primarily for verification of color and/or pattern and do not indicate the type or weight of material.

For example, to determine which Swatches make up Trim Code 32 on Ford Four Door Sedan refer to page A1, A2, etc.

As shown on page A1 (Ford) Trim Code 32 indicates: (1) Body types (54B, 62B). (2) Trim scheme description (Light blue crinkle vinyl and dark blue eaton pattern cloth). (3) Door and quarter material (swatch no. 57 & 98), bolster material (swatch no. 57), cushion and back material (swatch no. 51 & 57) and headlining material (swatch no. 137).

SOFT TRIM PARTS for ALL MODELS

Consists of: (1) Parts cataloged by trim code and color (e.g. Group 02344-5, 24346-7, etc.). (2) Parts cataloged by trim code only (e.g. Groups 23942-3, 62900, etc.). (3) Miscellaneous parts (e.g. Groups 47042, 64824, etc.).

PARTS CATALOGED BY COLOR: (1) Identify Model, Body Type and Color of desired part. (2) Determine Group Number of Part. (3) Locate appropriate Trim code and Color listed at top of page. Second character of trim code generally applicable to each color is also shown above the color as an additional aid. When color of part is in doubt refer to the list of Trim Codes and Colored Swatch pages for further identification. (4) Match Color with Model and Body Type to select desired part number.

For example, should a Black Rear Floor Carpet (Group 13046) be desired for a Falcon Four Door Sedan: (1) Refer to Group 13046, (2) Read list of Colors above title to find Black. (3) Read down to find X(54). (4) Part number shown is C6DZ 5413046 and suffix in "Black" column is AAH.

PARTS CATALOGED BY TRIM CODE: (1) Identify Model, Body Type and Trim Code. (2) Determine Group Number of part. (3) Locate appropriate Trim Code (listing of Trim Codes precedes each Body Type. (4) Match Model and Body Type with Trim Code to select part number.

For example, should a L.H. Front Door Trim Panel (Group 23942-3) be required for a Mustang Two Door Hardtop, Trim Code 62. (1) Refer to Group 23942-3. (2) Read down to locate F(65B). (3) Read trim codes (listed numerically) to find Trim Code 62. (4) Part number shown is C6ZZ 6523942 and suffix listed is BGA.

3 DIGIT TRIM CODES

Parts for 3 digit trim codes ending with an alphabet (e.g. 15A) are listed with parts cataloged by trim code.

Parts for 3 digit trim codes ending with a numeral (e.g. 151) are not cataloged. Refer to the listing of trim codes to determine which parts are available through service. For parts which are not available for service contact your Service Representative, who will process in accordance with General ICC bulletin No. 7526.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A)						
03	54E	Medium green crinkle vinyl and medium green morocco vinyl(Police and Taxi)	172	172	169	172
03A	54E	Medium green crinkle vinyl and medium green morocco vinyl (Police and Taxi)	172	172	169	172
04	54B, 54E, 62B, 62E	Medium beige crinkle vinyl and light beige morocco vinyl (Police and Taxi)	170	170	171	101 or 170
12	54E, 62E	Light blue crinkle vinyl and medium blue key pattern cloth	57	57	31 & 112	137
15	54E, 62E	Red crinkle vinyl and red key pattern cloth	71	71	32 & 115	139 or 202
1D	54E, 62E	Parchment crinkle vinyl and parchment key pattern cloth	94	94	33 & 126	145
32	54B, 62B	Light blue crinkle vinyl and dark blue eaton pattern cloth	57 & 98	57	51 & 57	137
35	54B, 62B	Red crinkle vinyl and red eaton pattern cloth	71 & 182	71	52 & 71	139 or 202
37	54B, 62B	Light aqua crinkle vinyl and medium aqua eaton pattern cloth	81 & 100	81	53 & 81	143
3D	54B, 62B	Parchment crinkle vinyl and parchment eaton pattern cloth	94 & 99	94	54 & 94	145
51	54A, 57B, 63B	Light silver mink crinkle vinyl and light silver mink olympia pattern cloth	87 & 133	86	39, 46 & 86	144
52	54A, 57B, 63B, F	Light blue crinkle vinyl and light blue olympia pattern cloth	58 & 56	57	35, 42 & 57	137
55	54A, 57B, 63B	Red crinkle vinyl and red olympia pattern cloth	70 & 79	71	36, 43 & 71	139 or 202
56	54A, 63F	Black crinkle vinyl and black olympia pattern cloth	55 & 63	55	34, 41 & 55	136
57	54A, 57B, 63B, F	Light aqua crinkle vinyl and light aqua olympia pattern cloth	82 & 84	81	38, 45 & 81	143
58	54A, 57B, 63B, F	Light ivy gold crinkle vinyl and light ivy gold olympia pattern cloth	60 & 77	76	37, 44 & 76	140
5D	54A, 57B, 63B, F, 71A, 71B, 71C, 71E	Parchment crinkle vinyl and parchment olympia pattern cloth	75 & 94	94	40, 47 & 94	139 or 145
62	54A, 57B, 63B, 71, 76A	Light blue crinkle vinyl and light blue venetian pattern vinyl	57 & 67	57	57 & 67	137 or 139
62	54B, 62B, 63B, 71A, E	Light blue crinkle vinyl and light blue venetian pattern vinyl	57 & 98	57	57 & 67	137
64	54A, 57B, 63B, 76A	Medium emberglo crinkle vinyl and medium emberglo venetian pattern vinyl	88 & 89	89	88 & 89	145
65	54A, 57B, 63B, 71, 76A	Red crinkle vinyl and red venetian pattern vinyl	70 & 79	71	70 & 71	139 or 202
65	54B, 62B, 71A, 76A	Red crinkle vinyl and red venetian pattern vinyl	71 & 182	71	70 & 71	202
66	54A, 57B, 63B, 71A, 71B, 71C, 71E, 76A	Black crinkle vinyl and black venetian pattern vinyl	55 & 63	55	55 & 63	136 or 139
67	54A, 57B, 63B, 71A, 71B, 71C, 71E, 76A	Light aqua crinkle vinyl and light aqua venetian pattern vinyl	82 & 84	81	81 & 82	139 or 143
68	76A	Light ivy gold crinkle vinyl and light ivy gold venetian pattern vinyl	60 & 77	76	76 & 77	
6D	54A, 57B, 63B, 71, 76A	Parchment crinkle vinyl and parchment venetian pattern vinyl	75 & 94	94	75 & 94	145
72	71B, 71C	Light blue crinkle vinyl and light blue parnay stripe pattern vinyl	57 & 98	57	57 & 113	138 or 139
75	71B, 71C	Red crinkle vinyl and red parnay stripe pattern vinyl	71 & 182	71	71 & 116	139 or 202
77	71B, 71C	Light aqua crinkle vinyl and light aqua parnay stripe pattern vinyl	81 & 100	81	81 & 124	139 or 143
7D	54B, 71B, 71C	Parchment crinkle vinyl and parchment parnay stripe pattern vinyl	94 & 99	94	94 & 119	139 or 145

* For Swatch Identification refer to Page B, etc.

† Not applicable to Convertible

1966 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
82	63C, 63D, 76B, 76D	Light blue crinkle vinyl and medium blue rosette pattern vinyl	57, 68 & 154	57	57 & 68	137
84	63C, 63D, 76B, 76D	Medium emberglo crinkle vinyl and dark emberglo rosette pattern vinyl	89, 93 & 161	89	89 & 91	145
85	63C, 63D, 76B, 76D	Red crinkle vinyl and red rosette pattern vinyl	71, 80 & 160	71	71 & 80	139 or 202
86	63C, 63D, 76B, 76D	Black crinkle vinyl and black rosette pattern vinyl	55, 65 & 153	55	55 & 65	136
87	63C, 63D, 76B, 76D	Light aqua crinkle vinyl and medium aqua rosette pattern vinyl	81, 85 & 157	81	81 & 85	143
88	63C, 63D, 76B, 76D	Light ivy gold crinkle vinyl and medium ivy gold rosette pattern vinyl	76, 156 & 185	76	76 & 185	140
91	57F, 63F	Light silver mink cologne vinyl and light silver mink shadow stripe pattern cloth	125, 134 & 168	125	9 & 15	144
92	57F, 63F	Dark blue cologne vinyl and dark blue shadow stripe pattern cloth	111, 129 & 163	111	5 & 12	138
92A	57F, 63F	Dark blue cologne vinyl and dark blue shadow stripe pattern cloth	111, 129 & 163	111	5 & 12	138
93	57F, 63F	Burgundy cologne vinyl and burgundy shadow stripe pattern cloth	122, 131 & 167	122	7 & 16	142
96	57F, 63F	Black cologne vinyl and black shadow stripe pattern cloth	109, 162 & 173	109	4 & 11	136
97	57F, 63F	Light aqua cologne vinyl and light aqua shadow stripe pattern	123, 132 & 165	123	8 & 14	143
98	57F, 63F	Light ivy gold cologne vinyl and light ivy gold shadow stripe pattern cloth	121, 130 & 164	121	6 & 13	140
9D	57F, 63F	Parchment cologne vinyl and parchment shadow stripe pattern cloth	127, 135 & 166	127	10 & 17	145
121	54E, 62E	Light blue crinkle vinyl and medium blue lennox pattern cloth (Code 12-See Note 1)				
151	54E, 62E	Red crinkle vinyl and red lennox pattern cloth (Code 15-See Note 1)				
1D1	54E, 62E	Parchment crinkle vinyl and parchment lennox pattern cloth (Code 1D-See Note 1)				
321	54B, 62B	Light blue crinkle vinyl and medium blue athens pattern cloth (Code 32-See Note 1)				
351	54B, 62B	Red crinkle vinyl and red athens pattern cloth (Code 35-See Note 1)				
371	54B, 62B	Light aqua crinkle vinyl and medium aqua athens pattern cloth (Code 37-See Note 1)				
3D1	54B, 62B	Parchment crinkle vinyl and light parchment athens pattern cloth (Code 3D-See Note 1)				
511	54A, 57B, 63B	Light silver mink crinkle vinyl and light silver mink olympia pattern cloth (Code 51-See Note 1)				
521	54A, 57B, 63B	Light blue crinkle vinyl and light blue olympia pattern cloth (Code 52-See Note 1)				
551	54A, 57B, 63B	Red crinkle vinyl and red olympia pattern cloth (Code 55-See Note 1)				
561	54A	Black crinkle vinyl and black olympia pattern cloth (Code 56-See Note 1)				

* For Swatch Identification refer to Page B, etc. † Not applicable to Convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31912-3) refer to this code in the 1966 Soft Trim Section. For replacement of Back covers (64416-7 and 66600) and Cushion covers (62900 and 63804) contact your Service Representative. All other parts are included in the 1966 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
571	54A, 57B, 63B	Light aqua crinkle vinyl and light aqua olympia pattern cloth (Code 57-See Note 1)				
581	54A, 57B, 63B	Light ivy gold crinkle vinyl and light ivy gold olympia pattern cloth(Code 58-See Note 1)				
5D1	54A, 57B, 63B, 71A, 71B, 71C, 71E	Parchment crinkle vinyl and parchment olympia pattern cloth (Code 5D-See Note 1)				
911	57F, 63F	Light silver mink cologne vinyl and light silver mink pin seal pattern cloth(Code 91-See Note 1)				
921	57F, 63F	Dark blue cologne vinyl and dark blue pin seal pattern cloth (Code 92-See Note 1)				
931	57F, 63F	Burgundy cologne and burgundy pin seal pattern cloth (Code 93-See Note 1)				
961	57F, 63F	Black cologne vinyl and black pin seal pattern cloth (Code 96-See Note 1)				
971	57F, 63F	Light aqua cologne vinyl and light aqua pin seal pattern cloth (Code 97-See Note 1)				
981	57F, 63F	Light ivy gold cologne vinyl and light ivy gold pin seal pattern cloth(Code 98-See Note 1)				
9D1	57F, 63F	Parchment cologne vinyl and parchment pin seal pattern cloth (Code 9D-See Note 1)				
B2	63C, 63D, 76B, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with blue	94 & 96	94	94 & 96	145
B3	63C, 63D, 76B, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with burgundy	94 & 96	94	94 & 96	145
B4	63C, 63D, 76B, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with emberglo	94 & 96	94	94 & 96	145
B6	63C, 63D, 76B, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with black	94 & 96	94	94 & 96	145
B7	63C, 63D, 76B, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with aqua	94 & 96	94	94 & 96	145
B8	63C, 63D, 76B, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with ivy gold	94 & 96	94	94 & 96	145
B9	63C, 63D, 76B, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with palomino	94 & 96	94	94 & 96	145
F2, 3,4,6, 7,8,9	63F	White vinyl and white cloth				
K2	63C, 63D, 76B, 76D	Light blue crinkle vinyl and medium blue rosette pattern vinyl	57, 68 & 154	57	57 & 68	137
K6	63C, 63D, 76B, 76D	Black crinkle vinyl and black rosette pattern vinyl	55, 65 & 153	55	55 & 65	136
N2	71D	Light blue crinkle vinyl and light blue match stick pattern vinyl	57	57	57 & 114	137 or 139
N5	71D	Red crinkle vinyl and red match stick pattern vinyl	71	71	71 & 117	139 or 202
ND	71D	Parchment crinkle vinyl and parchment match stick pattern vinyl	94	94	94 & 120	139 or 145

* For Swatch Identification refer to Page B, etc. † Not applicable to Convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31912-3) refer to this code in the 1966 Soft Trim Section. For replacement of Back covers (64416-7 and 66600) and Cushion covers (62900 and 63804) contact your Service Representative. All other parts are included in the 1966 Soft Trim Section.

1966 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
S2	63C, 63D, 76B, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with blue	94 & 96	94	94 & 96	145
S3	63C, 63D, 76B, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with burgundy	94 & 96	94	94 & 96	145
S4	63C, 63D, 76B, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with emberglo	94 & 96	94	94 & 96	145
S6	63C, 63D, 76B, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with black	94 & 96	94	94 & 96	145
S7	63C, 63D, 76B, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with aqua	94 & 96	94	94 & 96	145
S8	63C, 63D, 76B, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with ivy gold	94 & 96	94	94 & 96	145
S9	63C, 63D, 76B, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with palomino	94 & 96	94	94 & 96	145
V2	57F	Blue vinyl and blue cloth				
V2A	57F	Dark blue vinyl and dark blue cloth				
V5	57F, 63F	Red vinyl and red cloth				
V6	57F	Black vinyl and black cloth				
V7	57F	Aqua vinyl and aqua cloth				
V8	57F	Ivy gold vinyl and ivy gold cloth				
VD	57F	Parchment vinyl and parchment cloth				
X5	54E	Red crinkle vinyl and red match stick pattern vinyl	71	71	71 & 117	139 or 202
XD	54E	Parchment crinkle vinyl and parchment match stick pattern vinyl	94	94	94 & 120	145
Y5	54B	Red crinkle vinyl and red parnay stripe pattern vinyl	71 & 182	71	71 & 116	139
YD	54B	Parchment crinkle vinyl and parchment parnay stripe pattern vinyl	94 & 99	94	94 & 119	145
Z6	54A	Black crinkle vinyl and black venetian pattern vinyl	55 & 63	55	55 & 63	139
ZD	54A	Parchment crinkle vinyl and parchment venetian pattern vinyl	75 & 94	94	75 & 94	145
FAIRLANE (B)						
0D	54A	Parchment crinkle vinyl and parchment morocco vinyl (Police and Taxi)	94	94	171	145
11	54A	Black vinyl and black cloth				
12	54A, 62A	Light blue crinkle vinyl and medium blue panama pattern cloth	57	57	27 & 57	137
15	54A, 62A	Red crinkle vinyl and red panama pattern cloth	71	71	28 & 71	139 or 202
1D	54A, 62A	Parchment crinkle vinyl and parchment panama pattern cloth	94	94	29 & 94	145
22	71D	Light blue crinkle vinyl and light blue bar pattern vinyl	57	57	57 & 180	137
25	71D	Red crinkle vinyl and red bar pattern vinyl	71	71	71 & 179	139 or 202
2D	71D	Parchment crinkle vinyl and parchment bar pattern vinyl	94	94	94 & 178	145
32	54B, 62B, 63B	Medium blue crinkle vinyl and dark blue cordon pattern cloth	58 & 152	58	58 & 189	137
32A	54B, 62B, 63B	Medium blue crinkle vinyl and dark blue cordon pattern cloth	58 & 152	58	58 & 189	137
35	54B, 62B, 63B	Red crinkle vinyl and red cordon pattern cloth	71 & 152	71	71 & 190	139 or 202
35A	54B, 62B, 63B	Red crinkle vinyl and red cordon pattern cloth	71 & 152	71	71 & 190	139 or 202
37	54B, 62B, 63B	Light aqua crinkle vinyl and light aqua cordon pattern cloth	81 & 152	81	81 & 192	143
37A	54B, 62B, 63B	Light aqua crinkle vinyl and light aqua cordon pattern cloth	81 & 152	81	81 & 192	143

* For Swatch Identification refer to Page B, etc. † Not applicable to Convertible

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE (B) - continued						
38	54B, 62B, 63B	Light ivy gold crinkle vinyl and light ivy gold cordon pattern cloth	76 & 152	76	76 & 191	140
38A	54B, 62B, 63B	Light ivy gold crinkle vinyl and light ivy gold cordon pattern cloth	76 & 152	76	76 & 191	140
3D	54B, 62B, 63B	Parchment crinkle vinyl and parchment cordon pattern cloth	94 & 152	94	94 & 177	145
3DA	54B, 62B, 63B	Parchment crinkle vinyl and parchment cordon pattern cloth	94 & 152	94	94 & 177	145
42	54B, 62B, 63B, 71B, 71E, 76B	Medium blue crinkle vinyl and medium blue walrus vinyl	58 & 152	58	58, 187 & 188	137
44	63B, 76B	Medium emberglo crinkle vinyl and medium emberglo walrus vinyl	89 & 152	89	89, 90 & 92	145
45	54B, 62B, 63B, 71B, 71E, 76B	Red crinkle vinyl and red walrus vinyl	71 & 152	71	71, 72 & 74	139 or 202
46	54B, 62B, 63B, 71B, 71E, 76B	Black crinkle vinyl and black walrus vinyl	55 & 152	55	55, 64 & 66	136 or 139
47	54B, 62B, 63B, 71B, 71E, 76B	Medium aqua crinkle vinyl and light aqua walrus vinyl	81 & 152	84	83, 84 & 183	143
48	54B, 62B, 63B, 76B	Light ivy gold crinkle vinyl and light ivy gold walrus vinyl	76 & 152	76	76, 78 & 186	140
4D	54B, 62B, 63B, 71B, 71E, 76B	Parchment crinkle vinyl and parchment walrus vinyl	94 & 152	94	94, 95 & 97	145
82	63C, 63D, 76C, 76D	Medium blue crinkle vinyl and medium blue rosette pattern vinyl	58 & 68	58	58 & 68	137
84	63C, 63D, 76C, 76D	Medium emberglo crinkle vinyl and medium emberglo rosette pattern vinyl	89 & 91	89	89 & 91	145
85	63C, 63D, 76C, 76D	Red crinkle vinyl and red rosette pattern vinyl	71 & 73	71	71 & 73	139 or 202
86	63C, 63D, 76C, 76D	Black crinkle vinyl and black rosette pattern vinyl	55 & 65	55	55 & 65	136
87	63C, 63D, 76C, 76D	Light aqua crinkle vinyl and medium aqua rosette pattern vinyl	81 & 85	81	81 & 85	143
88	63C, 63D, 76C, 76D	Light ivy gold crinkle vinyl and medium ivy gold rosette pattern vinyl	76 & 185	76	76 & 185	140
8D	63D, 76C, D	Parchment all vinyl				
121	54A, 62A	Light blue crinkle vinyl and medium blue athens pattern cloth (Code 12-See Note 1)				
151	54A, 62A	Red crinkle vinyl and red athens pattern cloth (Code 15-See Note 1)				
1D1	54A, 62A	Parchment crinkle vinyl and parchment athens pattern cloth (Code 1D-See Note 1)				
321	54B, 62B	Medium blue crinkle vinyl and dark blue wixom pattern cloth (Code 32-See Note 1)				
351	54B, 62B	Red crinkle vinyl and red wixom pattern cloth (Code 35-See Note 1)				
371	54B, 62B	Light aqua crinkle vinyl and medium aqua wixom pattern cloth (Code 37-See Note 1)				
381	54B, 62B	Light ivy gold crinkle vinyl and medium ivy gold wixom pattern cloth (Code 38-See Note 1)				
3D1	54B, 62B	Parchment crinkle vinyl and parchment wixom pattern cloth (Code 3D-See Note 1)				

* For Swatch Identification refer to Page B, etc. † Not applicable to Convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in 1966 Soft Trim Section. For replacement of Back covers (64416-7 and 66600) and Cushion covers (62900 and 63804) contact your Service Representative. All other parts are included in the 1966 Soft Trim Section.

1966 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEADLINING
				BOLSTER	CUSHION and BACK	
FAIRLANE (B) - continued						
421	54B, 62B	Medium blue crinkle all vinyl (Code 42-See Note 1)				
422	62B	Medium blue crinkle vinyl and dark blue glendale pattern vinyl (Code 42-See Note 1)				
451	62B	Red crinkle all vinyl (Code 45 -See Note 1)				
4D1	62B, 71B, 71E	Parchment crinkle all vinyl (Code 4D-See Note 1)				
B2	63C, 63D, 76C, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with blue	94 & 96	94	94 & 96	145
B3	63C, 63D, 76C, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with burgundy	94 & 96	94	94 & 96	145
B4	63C, 63D, 76C, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with emberglo	94 & 96	94	94 & 96	145
B6	63C, 63D, 76C, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with black	94 & 96	94	94 & 96	145
B7	63C, 63D, 76C, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with aqua	94 & 96	94	94 & 96	145
B8	63C, 63D, 76C, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with ivy gold	94 & 96	94	94 & 96	145
B9	63C, 63D, 76C, 76D	Parchment crinkle vinyl and parchment rosette pattern vinyl with palomino	94 & 96	94	94 & 96	145
MUSTANG (F)						
22	63A, 65A, 76A	Light blue crinkle vinyl and medium blue rosette pattern vinyl	58	57	57 & 68	137
22A	65A, 76A	Light blue crinkle vinyl and medium blue crinkle vinyl	58	57	57 & 58	137
25	63A, 65A, 76A	Red crinkle vinyl and red rosette pattern vinyl	71	71	71 & 73	139 or 202
25A	65A, 76A	Red crinkle all vinyl	71	71	71	139 or 202
26	63A, 65A, 76A	Black crinkle vinyl and black rosette pattern vinyl	55	55	55 & 65	136
26A	65A, 76A	Black crinkle all vinyl	55	55	55	136
27	63A, 65A, 76A	Light aqua crinkle vinyl and medium aqua rosette pattern vinyl	84	81	81 & 85	143
27A	65A, 76A	Light aqua crinkle vinyl and medium aqua crinkle vinyl	84	81	81 & 84	143
2DA	65A, 76A	Parchment crinkle all vinyl	94	94	94	145
32	65C, 76C	Light blue crinkle vinyl and medium blue rosette pattern vinyl	58	57	57 & 68	137
35	65C, 76C	Red crinkle vinyl and red rosette pattern vinyl	71	71	71 & 73	139 or 202
36	65C, 76C	Black crinkle vinyl and black rosette pattern vinyl	55	55	55 & 65	136
62	63B, 65B, 76B	White crinkle vinyl and light blue crinkle vinyl	61	57	57 & 61	137
62A	65B	White crinkle vinyl and light blue crinkle vinyl	61	57	57 & 61	137
64	63B, 65B, 76B	Parchment crinkle vinyl and medium emberglo crinkle vinyl	94	89	89 & 94	145
64A	65B	Parchment crinkle vinyl and medium emberglo crinkle vinyl	94	89	89 & 94	145
65	63B, 65B, 76B	Red crinkle all vinyl	71	71	71	139 or 202
65A	65B	Red crinkle all vinyl	71	71	71	139 or 202
66	63B, 65B, 76B	Black crinkle all vinyl	55	55	55	136
66A	65B	Black crinkle all vinyl	55	55	55	136
67	63B, 65B, 76B	White crinkle vinyl and light aqua crinkle vinyl	61	81	61 & 81	143
67A	65B	White crinkle vinyl and light aqua crinkle vinyl	61	81	61 & 81	143
68	63B, 65B, 76B	White crinkle vinyl and light ivy gold crinkle vinyl	61	76	61 & 76	140
68A	65B	White crinkle vinyl and light ivy gold crinkle vinyl	61	76	61 & 76	140

* For Swatch Identification refer to Page B, etc. † Not applicable to Convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in 1966 Soft Trim Section. For replacement of Back covers (64416-7 and 66600) and Cushion covers (62900 and 63804) contact your Service Representative. All other parts are included in the 1966 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
MUSTANG (F) - continued						
C2	65C, 76C	Parchment crinkle vinyl and parchment rosette pattern vinyl with blue	94	94	94 & 96	145
C3	65C, 76C	Parchment crinkle vinyl and parchment rosette pattern vinyl with burgundy	94	94	94 & 96	145
C4	65C, 76C	Parchment crinkle vinyl and parchment rosette pattern vinyl with emberglo	94	94	94 & 96	145
C6	65C, 76C	Parchment crinkle vinyl and parchment rosette pattern vinyl with black	94	94	94 & 96	145
C7	65C, 76C	Parchment crinkle vinyl and parchment rosette pattern vinyl with aqua	94	94	94 & 96	145
C8	65C, 76C	Parchment crinkle vinyl and parchment rosette pattern vinyl with ivy gold	94	94	94 & 96	145
C9	65C, 76C	Parchment crinkle vinyl and parchment rosette pattern vinyl with palomino	94	94	94 & 96	145
D2	63A, 65A, 76A	Parchment crinkle vinyl and parchment rosette pattern vinyl with blue	94	94	94 & 96	145
D2A	65A, 76A	Parchment crinkle all vinyl with blue	94	94	94	145
D3	63A, 65A, 76A	Parchment crinkle vinyl and parchment rosette pattern vinyl with burgundy	94	94	94 & 96	145
D3A	65A, 76A	Parchment crinkle all vinyl with burgundy	94	94	94	145
D4	63A, 65A, 76A	Parchment crinkle vinyl and parchment rosette pattern vinyl with emberglo	94	94	94 & 96	145
D4A	65A, 76A	Parchment crinkle all vinyl with emberglo	94	94	94	145
D6	63A, 65A, 76A	Parchment crinkle vinyl and parchment rosette pattern vinyl with black	94	94	94 & 96	145
D6A	65A, 76A	Parchment crinkle all vinyl with black	94	94	94	145
D7	63A, 65A, 76A	Parchment crinkle vinyl and parchment rosette pattern vinyl with aqua	94	94	94 & 96	145
D7A	65A, 76A	Parchment crinkle all vinyl with aqua	94	94	94	145
D8	63A, 65A, 76A	Parchment crinkle vinyl and parchment rosette pattern vinyl with ivy gold	94	94	94 & 96	145
D8A	65A, 76A	Parchment crinkle all vinyl with ivy gold	94	94	94	145
D9	63A, 65A, 76A	Parchment crinkle vinyl and parchment rosette pattern vinyl with palomino	94	94	94 & 96	145
D9A	65A, 76A	Parchment crinkle all vinyl with palomino	94	94	94	145
F2	63B, 65B, 76B	Parchment crinkle all vinyl with blue	94	94	94	145
F2A	65B	Parchment crinkle all vinyl with blue	94	94	94	145
F3	63B, 65B, 76B	Parchment crinkle all vinyl with burgundy	94	94	94	145
F3A	65B	Parchment crinkle all vinyl with burgundy	94	94	94	145
F4	63B, 65B, 76B	Parchment crinkle all vinyl with emberglo	94	94	94	145
F4A	65B	Parchment crinkle all vinyl with emberglo	94	94	94	145
F6	63B, 65B, 76B	Parchment crinkle all vinyl with black	94	94	94	145
F6A	65B	Parchment crinkle all vinyl with black	94	94	94	145
F7	63B, 65B, 76B	Parchment crinkle all vinyl with aqua	94	94	94	145
F7A	65B	Parchment crinkle all vinyl with aqua	94	94	94	145
F8	63B, 65B, 76B	Parchment crinkle all vinyl with ivy gold	94	94	94	145
F8A	65B	Parchment crinkle all vinyl with ivy gold	94	94	94	145
F9	63B, 65B, 76B	Parchment crinkle all vinyl with palomino	94	94	94	145
F9A	65B	Parchment crinkle all vinyl with palomino	94	94	94	145
THUNDERBIRD (S)						
12	63A, 76	Dark blue crinkle vinyl and dark blue sierra pattern cloth	59 & 155	59	49 & 59	103
12	63C	Dark blue crinkle vinyl and dark blue sierra pattern cloth	59 & 155	59	49 & 59	195
12	63D	Dark blue crinkle vinyl and dark blue sierra pattern cloth	59, 155 & 193	59	49 & 59	195

* For Swatch Identification refer to Page B, etc.

† Not applicable to Convertible

1966 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
THUNDERBIRD (S) - continued						
12A	63A, 76	Dark blue crinkle vinyl and dark blue sierra pattern cloth	59 & 155	59	49 & 59	103
12A	63C	Dark blue crinkle vinyl and dark blue sierra pattern cloth	59 & 155	59	49 & 59	195
12A	63D	Dark blue crinkle vinyl and dark blue sierra pattern cloth	59, 155 & 193	59	49 & 59	195
16	63A, 76	Black crinkle vinyl and black sierra pattern cloth	55 & 153	55	48 & 55	102
16	63C	Black crinkle vinyl and black sierra pattern cloth	55 & 153	55	48 & 55	194
16	63D	Black crinkle vinyl and black sierra pattern cloth	55, 153 & 193	55	48 & 55	194
1D	63A, 76	Parchment crinkle vinyl and parchment sierra pattern cloth	94 & 159	94	50 & 94	108
1D	63C	Parchment crinkle vinyl and parchment sierra pattern cloth	94 & 159	94	50 & 94	196
1D	63D	Parchment crinkle vinyl and parchment sierra pattern cloth	94, 159 & 193	94	50 & 94	196
21	63A, 76	Light silver mink crinkle all vinyl	62 & 158	62	62	105
21	63C	Light silver mink crinkle all vinyl	62 & 158	62	62	200
21	63D	Light silver mink crinkle all vinyl	62, 158 & 193	62	62	200
22	63A, 76	Dark blue crinkle all vinyl	59 & 155	59	59	103
22	63C	Dark blue crinkle all vinyl	59 & 155	59	59	138 or 195
22	63D	Dark blue crinkle all vinyl	59, 155 & 193	59	59	138 or 195
23	63A, 76	Burgundy crinkle all vinyl	79 & 160	79	79	106
23	63C	Burgundy crinkle all vinyl	79 & 160	79	79	199
23	63D	Burgundy crinkle all vinyl	79, 160 & 193	79	79	199
24	63A, 76	Medium emberglo crinkle all vinyl	89 & 161	89	89	108
24	63C	Medium emberglo crinkle all vinyl	89 & 161	89	89	196
24	63D	Medium emberglo crinkle all vinyl	89, 161 & 193	89	89	196
25	63A, 76	Red crinkle all vinyl	71 & 160	71	71	104 or 203
25	63C	Red crinkle all vinyl	71 & 160	71	71	184 or 202
25	63D	Red crinkle all vinyl	71, 160 & 193	71	71	184 or 202
26	63A, 76	Black crinkle all vinyl	55 & 153	55	55	102
26	63C	Black crinkle all vinyl	55 & 153	55	55	194
26	63D	Black crinkle all vinyl	55, 153 & 193	55	55	194
27	63A, 76	Light aqua crinkle all vinyl	81 & 157	81	81	107
27	63C	Light aqua crinkle all vinyl	81 & 157	81	81	198
27	63D	Light aqua crinkle all vinyl	81, 157 & 193	81	81	198
28	63A, 76	Light ivy gold crinkle all vinyl	76 & 156	76	76	141
28	63C	Light ivy gold crinkle all vinyl	76 & 156	76	76	197
28	63D	Light ivy gold crinkle all vinyl	76, 156 & 193	76	76	197
42	63A, 76	Dark blue crinkle vinyl and dark blue sierra pattern cloth	59 & 155	59	49 & 59	103
42	63C	Dark blue crinkle vinyl and dark blue sierra pattern cloth	59 & 155	59	49 & 59	195
42	63D	Dark blue crinkle vinyl and dark blue sierra pattern cloth	59, 155 & 193	59	49 & 59	195

* For Swatch Identification refer to Page B, etc. † Not applicable to Convertible

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
THUNDERBIRD (S) - continued						
42A	63A, 76	Dark blue crinkle vinyl and dark blue sierra pattern cloth	59 & 155	59	49 & 59	103
42A	63C	Dark blue crinkle vinyl and dark blue sierra pattern cloth	59 & 155	59	49 & 59	195
42A	63D	Dark blue crinkle vinyl and dark blue sierra pattern cloth	59, 155 & 193	59	49 & 59	195
46	63A, 76	Black crinkle vinyl and black sierra pattern cloth	55 & 153	55	48 & 55	102
46	63C	Black crinkle vinyl and black sierra pattern cloth	55 & 153	55	48 & 55	194
46	63D	Black crinkle vinyl and black sierra pattern cloth	55, 153 & 193	55	48 & 55	194
4D	63A, 76	Parchment crinkle vinyl and parchment sierra pattern cloth	94 & 159	94	50 & 94	108
4D	63C	Parchment crinkle vinyl and parchment sierra pattern cloth	94 & 159	94	50 & 94	196
4D	63D	Parchment crinkle vinyl and parchment sierra pattern cloth	94, 159 & 193	94	50 & 94	196
51	63A, 76	Light silver mink crinkle all vinyl	62 & 158	62	62	105
51	63C	Light silver mink crinkle all vinyl	62 & 158	62	62	200
51	63D	Light silver mink crinkle all vinyl	62, 158 & 193	62	62	200
52	63A, 76	Dark blue crinkle all vinyl	59 & 155	59	59	103
52	63C	Dark blue crinkle all vinyl	59 & 155	59	59	138 or 195
52	63D	Dark blue crinkle all vinyl	59, 155 & 193	59	59	138 or 195
53	63A, 76	Burgundy crinkle all vinyl	79 & 160	79	79	106
53	63C	Burgundy crinkle all vinyl	79 & 160	79	79	199
53	63D	Burgundy crinkle all vinyl	79, 163 & 193	79	79	199
54	63A, 76	Medium emberglo crinkle all vinyl	89 & 161	89	89	108
54	63C	Medium emberglo crinkle all vinyl	89 & 161	89	89	196
54	63D	Medium emberglo crinkle all vinyl	89, 161 & 193	89	89	196
55	63A, 76	Red crinkle all vinyl	71 & 160	71	71	104 or 203
55	63C	Red crinkle all vinyl	71 & 160	71	71	184 or 202
55	63D	Red crinkle all vinyl	71, 160 & 193	71	71	184 or 202
56	63A, 76	Black crinkle all vinyl	55 & 153	55	55	102
56	63C	Black crinkle all vinyl	55 & 153	55	55	194
56	63D	Black crinkle all vinyl	55, 153 & 193	55	55	194
57	63A, 76	Light aqua crinkle all vinyl	81 & 157	81	81	107
57	63C	Light aqua crinkle all vinyl	81 & 157	81	81	198
57	63D	Light aqua crinkle all vinyl	81, 157 & 193	81	81	198
58	63A, 76	Light ivy gold crinkle all vinyl	76 & 156	76	76	141
58	63C	Light ivy gold crinkle all vinyl	76 & 156	76	76	197
58	63D	Light ivy gold crinkle all vinyl	76, 156 & 193	76	76	197
62	63A, 76	Dark blue crinkle all leather	59 & 155	59	59	103
62	63C	Dark blue crinkle all leather	59 & 155	59	59	195
62	63D	Dark blue crinkle all leather	59, 155 & 193	59	59	195

* For Swatch Identification refer to Page B, etc.

† Not applicable to Convertible

1966 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

THUNDERBIRD (S) - continued

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
65	63A, 76	Red crinkle all leather	71 & 160	71	71	104 or 203
65	63C	Red crinkle all leather	71 & 160	71	71	184 or 202
65	63D	Red crinkle all leather	71, 160 & 193	71	71	184 or 202
66	63A, 76	Black crinkle all leather	55 & 153	55	55	102
66	63C	Black crinkle all leather	55 & 153	55	55	194
66	63D	Black crinkle all leather	55, 153 & 193	55	55	194
B2	63A, 76	Parchment crinkle all vinyl with blue	94	94	94	108
B2	63C	Parchment crinkle all vinyl with blue	94	94	94	196
B2	63D	Parchment crinkle all vinyl with blue	94 & 193	94	94	196
B3	63A, 76	Parchment crinkle all vinyl with burgundy	94	94	94	108
B3	63C	Parchment crinkle all vinyl with burgundy	94	94	94	196
B3	63D	Parchment crinkle all vinyl with burgundy	94 & 193	94	94	196
B4	63A, 76	Parchment crinkle all vinyl with emberglo	94	94	94	108
B4	63C	Parchment crinkle all vinyl with emberglo	94	94	94	196
B4	63D	Parchment crinkle all vinyl with emberglo	94 & 193	94	94	196
B6	63A, 76	Parchment crinkle all vinyl with black	94	94	94	108
B6	63C	Parchment crinkle all vinyl with black	94	94	94	196
B6	63D	Parchment crinkle all vinyl with black	94 & 193	94	94	196
B7	63A, 76	Parchment crinkle all vinyl with aqua	94	94	94	108
B7	63C	Parchment crinkle all vinyl with aqua	94	94	94	196
B7	63D	Parchment crinkle all vinyl with aqua	94 & 193	94	94	196
B8	63A, 76	Parchment crinkle all vinyl with ivy gold	94	94	94	108
B8	63C	Parchment crinkle all vinyl with ivy gold	94	94	94	196
B8	63D	Parchment crinkle all vinyl with ivy gold	94 & 193	94	94	196
B9	63A, 76	Parchment crinkle all vinyl with palomino	94	94	94	108
B9	63C	Parchment crinkle all vinyl with palomino	94	94	94	196
B9	63D	Parchment crinkle all vinyl with palomino	94 & 193	94	94	196
G1	63A, 76	White crinkle all vinyl with silver mink	61	61	61	104
G1	63C	White crinkle all vinyl with silver mink	61	61	61	184
G1	63D	White crinkle all vinyl with silver mink	61 & 193	61	61	184
G2	63A, 76	White crinkle all vinyl with blue	61	61	61	104
G2	63C	White crinkle all vinyl with blue	61	61	61	184
G2	63D	White crinkle all vinyl with blue	61 & 193	61	61	184
G3	63A, 76	White crinkle all vinyl with burgundy	61	61	61	104
G3	63C	White crinkle all vinyl with burgundy	61	61	61	184
G3	63D	White crinkle all vinyl with burgundy	61 & 193	61	61	184
G4	63A, 76	White crinkle all vinyl with emberglo	61	61	61	104
G4	63C	White crinkle all vinyl with emberglo	61	61	61	184
G4	63D	White crinkle all vinyl with emberglo	61 & 193	61	61	184
G6	63A, 76	White crinkle all vinyl with black	61	61	61	104
G6	63C	White crinkle all vinyl with black	61	61	61	184
G6	63D	White crinkle all vinyl with black	61 & 193	61	61	184
G7	63A, 76	White crinkle all vinyl with aqua	61	61	61	104
G7	63C	White crinkle all vinyl with aqua	61	61	61	184
G7	63D	White crinkle all vinyl with aqua	61 & 193	61	61	184
G8	63A, 76	White crinkle all vinyl with ivy gold	61	61	61	104
G8	63C	White crinkle all vinyl with ivy gold	61	61	61	184
G8	63D	White crinkle all vinyl with ivy gold	61 & 193	61	61	184

* For Swatch Identification refer to Page B, etc. † Not applicable to Convertible

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
THUNDERBIRD (S) - continued						
G9	63A, 76	White crinkle all vinyl with palomino	61	61	61	104
G9	63D	White crinkle all vinyl with palomino	61 & 193	61	61	184
G9	63C	White crinkle all vinyl with palomino	61	61	61	184
K2	63A, 76	Parchment crinkle all vinyl with blue	94	94	94	108
K2	63C	Parchment crinkle all vinyl with blue	94	94	94	196
K2	63D	Parchment crinkle all vinyl with blue	94 & 193	94	94	196
K3	63A, 76	Parchment crinkle all vinyl with burgundy	94	94	94	108
K3	63C	Parchment crinkle all vinyl with burgundy	94	94	94	196
K3	63D	Parchment crinkle all vinyl with burgundy	94 & 193	94	94	196
K4	63A, 76	Parchment crinkle all vinyl with emberglo	94	94	94	108
K4	63C	Parchment crinkle all vinyl with emberglo	94	94	94	196
K4	63D	Parchment crinkle all vinyl with emberglo	94 & 193	94	94	196
K6	63A, 76	Parchment crinkle all vinyl with black	94	94	94	108
K6	63C	Parchment crinkle all vinyl with black	94	94	94	196
K6	63D	Parchment crinkle all vinyl with black	94 & 193	94	94	196
K7	63A, 76	Parchment crinkle all vinyl with aqua	94	94	94	108
K7	63C	Parchment crinkle all vinyl with aqua	94	94	94	196
K7	63D	Parchment crinkle all vinyl with aqua	94 & 193	94	94	196
K8	63A, 76	Parchment crinkle all vinyl with ivy gold	94	94	94	108
K8	63C	Parchment crinkle all vinyl with ivy gold	94	94	94	196
K8	63D	Parchment crinkle all vinyl with ivy gold	94 & 193	94	94	196
K9	63A, 76	Parchment crinkle all vinyl with palomino	94	94	94	108
K9	63C	Parchment crinkle all vinyl with palomino	94	94	94	196
K9	63D	Parchment crinkle all vinyl with palomino	94 & 193	94	94	196
L2	63A, 76	Parchment crinkle all leather with blue	94	94	94	108
L2	63D	Parchment crinkle all leather with blue	94 & 193	94	94	196
L2	63C	Parchment crinkle all leather with blue	94	94	94	196
L3	63A, 76	Parchment crinkle all leather with burgundy	94	94	94	108
L3	63C	Parchment crinkle all leather with burgundy	94	94	94	196
L3	63D	Parchment crinkle all leather with burgundy	94 & 193	94	94	196
L4	63A, 76	Parchment crinkle all leather with emberglo	94	94	94	108
L4	63C	Parchment crinkle all leather with emberglo	94	94	94	196
L4	63D	Parchment crinkle all leather with emberglo	94 & 193	94	94	196
L6	63A, 76	Parchment crinkle all leather with black	94	94	94	108
L6	63C	Parchment crinkle all leather with black	94	94	94	196
L6	63D	Parchment crinkle all leather with black	94 & 193	94	94	196
L7	63A, 76	Parchment crinkle all leather with aqua	94	94	94	108
L7	63C	Parchment crinkle all leather with aqua	94	94	94	196
L7	63D	Parchment crinkle all leather with aqua	94 & 193	94	94	196
L8	63A, 76	Parchment crinkle all leather with ivy gold	94	94	94	108
L8	63C	Parchment crinkle all leather with ivy gold	94	94	94	196
L8	63D	Parchment crinkle all leather with ivy gold	94 & 193	94	94	196
L9	63A, 76	Parchment crinkle all leather with palomino	94	94	94	108
L9	63C	Parchment crinkle all leather with palomino	94	94	94	196
L9	63D	Parchment crinkle all leather with palomino	94 & 193	94	94	196
P1	68A, 76	White crinkle all vinyl with silver mink	61	61	61	104
P1	63C	White crinkle all vinyl with silver mink	61	61	61	184
P1	63D	White crinkle all vinyl with silver mink	61 & 193	61	61	184

* For Swatch identification refer to Page B, etc. † Not applicable to Convertible

1966 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
THUNDERBIRD (S) - continued						
P2	63A, 76	White crinkle all vinyl with blue	61	61	61	104
P2	63C	White crinkle all vinyl with blue	61	61	61	184
P2	63D	White crinkle all vinyl with blue	61 & 193	61	61	184
P3	63A, 76	White crinkle all vinyl with burgundy	61	61	61	104
P3	63C	White crinkle all vinyl with burgundy	61	61	61	184
P3	63D	White crinkle all vinyl with burgundy	61 & 193	61	61	184
P4	63A, 76	White crinkle all vinyl with emberglo	61	61	61	104
P4	63C	White crinkle all vinyl with emberglo	61	61	61	184
P4	63D	White crinkle all vinyl with emberglo	61 & 193	61	61	184
P6	63A, 76	White crinkle all vinyl with black	61	61	61	104
P6	63C	White crinkle all vinyl with black	61	61	61	184
P6	63D	White crinkle all vinyl with black	61 & 193	61	61	184
P7	63A, 76	White crinkle all vinyl with aqua	61	61	61	104
P7	63C	White crinkle all vinyl with aqua	61	61	61	184
P7	63D	White crinkle all vinyl with aqua	61 & 193	61	61	184
P8	63A, 76	White crinkle all vinyl with ivy gold	61	61	61	104
P8	63C	White crinkle all vinyl with ivy gold	61	61	61	184
P8	63D	White crinkle all vinyl with ivy gold	61 & 193	61	61	184
P9	63A, 76	White crinkle all vinyl with palomino	61	61	61	104
P9	63C	White crinkle all vinyl with palomino	61	61	61	184
P9	63D	White crinkle all vinyl with palomino	61 & 193	61	61	184
BRONCO (U)						
1	96, 97, 98	Light silver mink match stick vinyl and light silver mink crinkle vinyl		86	86 or 201	139
6	96, 97, 98	Light silver mink match stick vinyl and light silver mink crinkle vinyl		86	86 or 201	139
7	96, 97, 98	Light silver mink match stick vinyl and light silver mink crinkle vinyl		86	86 or 201	139
9	96, 97, 98	Parchment crinkle all vinyl		94	94	145
FALCON (X)						
12	54A, 62A	Light blue crinkle vinyl and medium blue mesa pattern cloth	56	56	19 & 110	137
15	54A, 62A	Red crinkle vinyl and red mesa pattern cloth	69	69	20 & 118	139 or 202
1D	54A, 62A	Parchment crinkle vinyl and parchment mesa pattern cloth	94	94	21 & 128	145
22	71A	Light blue crinkle vinyl and light blue bar pattern vinyl	56	57	57 & 180	137
25	71A	Red crinkle vinyl and red bar pattern vinyl	69	71	71 & 179	139 or
26	66A	Black crinkle vinyl and black bar pattern vinyl	55	55	55 & 181	139
2D	66A, 71A	Parchment crinkle vinyl and parchment bar pattern vinyl	94	94	94 & 178	145
32	54B, 62B	Medium blue crinkle vinyl and medium blue shuttle pattern cloth	58 & 147	58	22, 58 & 147	137
35	54B, 62B	Red crinkle vinyl and red shuttle pattern cloth	71 & 150	71	23, 71 & 150	139 or 202

* For Swatch Identification refer to Page B, etc. † Not applicable to Convertible

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1966 TRIM SCHEME CODES - continued

AS LISTED ON PATENT PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FALCON (X) - continued						
37	54B, 62B	Light aqua crinkle vinyl and medium aqua shuttle pattern cloth	81 & 151	81	25, 81 & 151	143
38	54B, 62B	Light ivy gold crinkle vinyl and light ivy gold shuttle pattern cloth	60 & 149	76	24, 76 & 149	140
3D	54B, 62B	Parchment crinkle vinyl and parchment shuttle pattern cloth	94 & 148	94	26, 94 & 148	145
42	54, 62A, 62B, 66B, 71B	Medium blue crinkle all vinyl	58 & 147	58	58 & 147	137
45	54, 62A, 62B, 66B, 71B	Red crinkle all vinyl	71 & 150	71	71 & 150	139 or 202
46	54B, 62B, 66B, 71B	Black crinkle all vinyl	55 & 146	55	55 & 146	136 or 139
47	54B, 62B, 71B	Light aqua crinkle vinyl and medium aqua crinkle vinyl	81 & 151	81	81, 84 & 151	143
4D	54B, 62B, 66B, 71B	Parchment crinkle all vinyl	94 & 148	94	94 & 148	145
82	62C, 66D	Medium blue crinkle all vinyl	58 & 147	58	58 & 147	137
85	62C, 66D	Red crinkle all vinyl	71 & 150	71	71 & 150	139 or 202
86	62C, 66D	Black crinkle all vinyl	55 & 146	55	55 & 146	136 or 139
87	62C	Light aqua crinkle vinyl and medium aqua crinkle vinyl	81 & 151	81	81, 84 & 151	143
88	62C	Light ivy gold crinkle vinyl and medium ivy gold crinkle vinyl	60 & 149	60	60, 76 & 149	140
8D	62C, 66D	Parchment crinkle all vinyl	94 & 148	94	94 & 148	145
121	54A, 62A	Light blue crinkle vinyl and medium blue stockton pattern cloth (Code 12-See Note 1)				
151	54A, 62A	Red crinkle vinyl and red stockton pattern cloth (Code 15-See Note 1)				
1D1	54A, 62A	Parchment crinkle vinyl and parchment lennox pattern cloth (Code 1D-See Note 1)				
321	54B, 62B	Medium blue crinkle vinyl and medium blue bristol pattern cloth (Code 32-See Note 1)				
351	54B, 62B	Red crinkle vinyl and red bristol pattern cloth (Code 35-See Note 1)				
371	54B, 62B	Light aqua crinkle vinyl and medium aqua bristol pattern cloth (Code 37-See Note 1)				
381	54B, 62B	Light ivy gold crinkle vinyl and medium ivy gold bristol pattern cloth (Code 38-See Note 1)				
3D1	54B, 62B	Parchment crinkle vinyl and light parchment bristol pattern cloth (Code 3D-See Note 1)				

* For Swatch Identification refer to Page B, etc. † Not applicable to Convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in 1966 Soft Trim Section. For replacement of Back covers (64416-7 and 66600) and Cushion covers (62900 and 63804) contact your Service Representative. All other parts are included in the 1966 Soft Trim Section.

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
COLORS →			LENGTH	_1 SILVER MINK	_2 BLUE	_3 BURGUNDY	_4 EMBERGLO	_5 RED	_7 AQUA	_8 IVY GOLD	_9 PALOMINO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
02344-5 PANEL - COWL TRIM																	
A(except 57F, 63F)	R	C7AZ 6202344			A1B												1
B, X	R	C7OZ 6202344			B1B			B1D				B1A					1
	L	C7OZ 6202345			B1B			B1D				B1A					1
		350075-S13(UU88)	Screw-washer head, cross recess-No. 8-15 x 3/4"														2
F(63A, 65A, 65C)	R	C7ZZ 6502344			A1B			A1D				A1A					1
	L	C7ZZ 6502345			A1B			A1D				A1A					1
	R	C6ZZ 6502344							FAK				FAG				1
	L	C6ZZ 6502345							FAK				FAG				1
F(63B, 65B)	L	C5ZZ 6502345										AGG					1
	L	C5ZZ 6502345-AGC	White and blue- trim code 62, 62A														1
F(76A, 76C)	R	C7ZZ 7602344			A1B			A1D				A1A					1
	L	C7ZZ 7602345											A1U				1
	L	C6ZZ 7602345						FAF	FAK								1
F		350075-S13(UU88)	Screw-washer head, cross recess-No. 8-15 x 3/4"														4
02600 WINDLACE - DOOR OPENING and QUARTER PILLAR. Also Refer to Group 281A74-5																	
F(63, 65A, 65C)-Front body pillar, roof rail and quarter pillar		C6ZZ 6502906	72"									AAB					#
F(76)-Front body pillar and quarter pillar																	#
F(65B)-Front body pillar and roof rail																	#
03598-9 PAD - FRONT BODY UPPER PILLAR																	
F(63, 65)	R	C7WY6503598										A1A					1
	L	C7WY6503599										A1A					1
04104-5 VISOR - LESS ARM and BRACKET - PADDED																	
A(exc. 76)		C5AZ 6204104												EAB	*GAB		2
		C6AZ 6204104			HAK							HBF	HBC				2
A(76)		C5AZ 7604104			CAD							CAB					2
B(except 76), X		C6OZ 6204104			CAC			BAK	CAF	CAE		BAJ	CAD	CAB			2
B(76)		C6OZ 7604104			AAC			AAK	AAF	AAE		AAJ	AAD				2
F(63, 65)		C5ZZ 6504104			EFD							EFB		EFC			2
		C6ZZ 6504104						BBB					DAH				2
F(76)		C6ZZ 7604104			DAH			DAK				DAJ					2
S(63A)		C5SZ 6304104		BAE	BAD							BAC	BBB	BAG			2
U		C6TZ 9604104		BAB													2
04290 PAD - INSTRUMENT PANEL																	
A		C6AZ 6204290				DBF	DBD	•	DBC								1
		C5AZ 6204290			BAE					BAH	BAG	BAB	♦			†BAK	1
F		C6ZZ 6504290			BAD	BAC		•	BAG			BAB					1
U		C6TZ 9604290										AAB					1
X		C6DZ 6204290			BAC	BAB		•			BAD		♦				1
045C84 PAD and RETAINER - INSTRUMENT CLUSTER																	
A- W/padded instrument panel		C5AZ 62045C84			AAE					AAH	AAG	AAB	♦				1
		C6AZ 62045C84				CBF		•									1
A		353803-S8(UU95)	Screw-pan head, cross recess-No. 6-20 x 3/8"														2
		45243-S7-8(M178)	Nut-hex. -No. 10-24														1
		★380081-S2	Screw-truss head, cross recess-No. 8-18 x 1/2"														3
13000-1 CARPET - FRONT FLOOR																	
A(54, 57B, 62, 63B, 71, 76A)-W/3 speed or auto. trans.		C6AZ 6213000			GAC	GAB		•	GAD								1
F(63, 65)		C5ZZ 6513000			AAD												1
F(76)		C5ZZ 7613000										AAB					1

* Beige - Trim Code 04 † Green - Trim Code 03 # As required - cut to fit ♦ Use Palomino • Use Burgundy

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER		
			_1	_2	_3	_4	_5	_7	_8	_9							
COLORS →			SILVER MINK	BLUE	BURGUNDY	EMBERGLO	RED	AQUA	IVY GOLD	PALOMINO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE		
13000 MAT - FRONT FLOOR (Mats listed are Black, flecked with the color shown)																	
A(54, 62, 71)		C6AZ 6213000									KAB						1
B(54, 62, 71)		C6OZ 5413000									AAH						1
		C7OZ 6213000		AAC			AAB										1
U		D3BZ 1013010									A						1
X(54, 62, 66, 71)		C6DZ 6213000									AAH						1
13010 MAT - FRONT FLOOR - Refer to Group 13000																	
13046 MAT - REAR FLOOR (Mats listed are Black, flecked with the color shown)																	
X(54)		C6DZ 5413046									AAH						1
X(71)		C9DZ 7113046									GBA						1

MODEL	PART NUMBER LESS SUFFIX	RUBBER OR VINYL	FULL WIDTH OR TWIN	COLORS and APPLICABLE SUFFIXES											
				AQUA/TURQ.	BLACK	BLUE	GINGER	GREEN	GREY GOLD	IVY GOLD	NUGGET GOLD	RED/BURG.	WHITE	OTHER	OTHER
13086 MAT - FRONT FLOOR															
A, B, F, S, X	C6AZ 6213086	R	FW		A	C						D			
U ‡	C9TZ 8113086	R	FW		A	B						C			
F	C5ZZ 6513086	R	T		C								A		
	D0ZZ 6513086	R	T			C									
A, B, F, S, X ‡	C9AZ 6213086	V	FW		AB									♦AC	ØY
13106 MAT - REAR FLOOR															
A	C5AZ 6313106	R	FW										L		
A, B, F, S, X	C6AZ 6213106	R	FW		A	C						D	B		
F	C5ZZ 6513106	R	T		C	D									
S	C4SZ 6313106	R	T		E							C	D		
	D0SZ 6313106	R	T			B									
A, B, F, S, X ‡	C9AZ 6213106	V	FW			AA									ØY

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER		
			_1	_2	_3	_4	_5	_7	_8	_9							
COLORS →			SILVER MINK	BLUE	BURGUNDY	EMBERGLO	RED	AQUA	IVY GOLD	PALOMINO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE		
13176 MAT - REAR FLOOR REAR																	
B(71)		C6OZ 7113176									AAB						1
X(71)- Less jute pad		C6DZ 7113176									BAB						1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES												QTY.
23942-3 PANEL ASSY. - FRONT DOOR TRIM															
TRIM CODES →				64, 64A			F2, F2A	F3, F3A	F4, F4A	F6, F6A	F7, F7A	F8, F8A	F9, F9A		
F(63B, 65B, 76B)	R	C6ZZ 6523942		BGE			BGE	BGE	BGE	BGE	BGE	BGE	BGE		1
F(63B, 65B, 76B)		380552-S102(GG139E)	Clip-trim												14
TRIM CODES →			26, 26A	36											
F(63A, 65A, C, 76A, C)	R	C6ZZ 6523942	ACG	ACG											1
	L	C6ZZ 6523943	ACG	ACG											1

♦ Tan Ø Clear ‡ Cut to form twin mats if so desired

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
COLORS →			LENGTH	—1 SILVER MINK	—2 BLUE	—3 BURGUNDY	—4 EMBERGLO	—5 RED	—7 AQUA	—8 IVY GOLD	—9 PALOMINO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
24046 INSERT - FRONT DOOR ARM REST FINGER TIP PLATE																	
F(63B,65B,76B),S		C5SZ 6324046										AAB					2
24100 PAD - DOOR ARM REST - INCLUDES ATTACHING PARTS																	
A(54A,57B,63B, 71,76A)- Front door		C6AZ 5424100	13"		ABH		ABB	ACB	ABK	ABJ			ABE				2
		C6MY5424100	13"	ABC													2
		C6OZ 6324100	13"			ABF											2
		C5AZ 6224100	13"									BAG					2
A(57F, 63F)- Front door		C6AZ 5424100	13"				ABB	ACB	ABK	ABJ			ABE				2
		C6MY5424100	13"	ABC	ACA												2
		C6OZ 6324100	13"			ABF											2
		C5AZ 6224100	13"									BAG					2
A(54B,E,62,63C,D, 72,76)- Front door		C5AZ 6224100	9 1/2"									AAG			*AAJ	†AAK	2
A(54A, 57B, 71A,E)- rear door																	2
A(63C,D,76B,D,)- Quarter																	2
		C6AZ 6224100	9 1/2"	CBH	CBE	CCB	CBJ	CCC	CBG	CBF			CCA				2
A(57F)- Rear door A(63F)-Quarter		C5AZ 6224100	9 1/2"		ABB							AAG					2
																	2
		C6AZ 6224100	9 1/2"	CBH		CCB	CBJ	CCC	CBG	CBF			CCA				2
A(54B,E,71B,C,D)- Rear door A(62, 63B)-Quarter		C5AZ 6231718	6"									AAG					2
																	2
		C6AZ 6231718	6"		BBE			BCC					BCA				2
B(63C,D,76B,D)- Front door		C6AZ 5424100	13"				ABB	ACB	ABK	ABJ			ABE				2
		C5AZ 6224100	13"									BAG					2
		C6OZ 5424100	13"		ACC												2
		C6OZ 6324100	13"			ABF											2
B(54A, 62A, 71D)- Front door		C5AZ 6224100	9 1/2"									AAG					2
		C6AZ 6224100	9 1/2"		CBE	CCB	CBJ	CCC	CBG	CBF			CCA				2
B(54B, 62B, 63, 71B,E,76)- Front door		C5AZ 6224100	9 1/2"									AAG					2
		C6AZ 6224100	9 1/2"			CCB	CBJ	CCC	CBG	CBF			CCA				2
		C6OZ 6224100	9 1/2"		CCD												2
B(54A,71D) - Rear door B(62A)-Quarter		C6AZ 6231718	6"		BBE			BCC					BCA				2
																	2
B(54B, 71B, E)- Rear door B(62B, 63)-Quarter		C5AZ 6231718	6"		AAC												2
																	2
B(76B)- Front door																	2
		C6AZ 6231718	6"					BCC					BCA				2

* Beige - Trim Code 04 † Green - Trim Code 03

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
			—1	—2	—3	—4	—5	—7	—8	—9							
COLORS →			LENGTH	SILVER MINK	BLUE	BURGUNDY	EMBERGLO	RED	AQUA	IVY GOLD	PALOMINO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
24100 PAD - DOOR ARM REST - INCLUDES ATTACHING PARTS - continued																	
F(63A, 65A, C, 76A, C)-Front door		C5ZZ 6524100	10"		AFC							AFA					2
		C6ZZ 6524100	10"					AGA	AFK				AFJ				2
F(65)-Quarter		C6AZ 6231718	6"										BCA				2
X(54A, 62A, 71A)-Front door		C5AZ 6224100	9 1/2"									AAG					2
		C6AZ 6224100	9 1/2"		CBE			CCC	CBG	CBF			CCA				2
X(54B, 62B, C, 66, 71B)-Front door		C5AZ 6224100	9 1/2"									AAG					2
		C6AZ 6224100	9 1/2"					CCC	CBG	CBF			CCA				2
		C6OZ 6224100	9 1/2"		CCD												2
X-Front door X(71)-Rear door X(62)-Quarter		C6AZ 6231718	6"		BBE			BCC					BCA				2 2 2
24142 PLATE - FRONT DOOR ARM REST FINGER TIP																	
F(63B, 65B, 76B), S		C5ZZ 6524142										AAB					2
24144-5 BASE - DOOR ARM REST - INCLUDES ATTACHING PARTS																	
A-Front door A(54, 57, 71)-Rear door A(62, 63)-Quarter		C5AZ 6224144	12 5/8"												%A		2 2 2
A(54, 62, 71)-Front door A(62, 63)-Quarter		C5AZ 6224144	9 1/2"												%B		2 2
B(63C, D, 76C, D)-Front door	R	C6OZ 6324144	12 5/8"												%A		1
	L	C6OZ 6324145	12 5/8"												%A		1
B(63C, D)-Quarter		C5AZ 6224144	9 1/2"												%B		2
B(54A, 62A, 71D)-Front door B(54A, 71D)-Rear door B(62A)-Quarter		C5AZ 6224144	9 1/2"		AAC												2 2 2
		C6AZ 6224144	9 1/2"										DBD				2
		C5OZ 6224144	9 1/2"									AAG					2
		C6OZ 6224144	9 1/2"						DBC	DBE							2
B(54B, 62B, 63B, 71B, E, 76B)-Front door B(54B, 71B, E)-Rear door B(62B, 63B)-Quarter		C6AZ 6224144	9 1/2"		DBB								DBD				2 2 2
		C6OZ 6224144	9 1/2"						DBC	DBE							2
		C5OZ 6224144	9 1/2"									AAG					2
F(63A, 65A, C, 76A, C)-Front door		C5ZZ 6524144	9 3/4"												%A		2
F(65)-Quarter		C5AZ 6224144	9 1/4"												%B		2

% Chrome

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
COLORS →			LENGTH	—1 SILVER MINK	—2 BLUE	—3 BURGUNDY	—4 EMBERGLO	—5 RED	—7 AQUA	—8 IVY GOLD	—9 PALOMINO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
24144-5 BASE - DOOR ARM REST - INCLUDES ATTACHING PARTS - continued																	
X-Front door X(71)-Rear door X(62)-Quarter		C5OZ 6224144	9 1/4"									AAG					2 2 2
		C6AZ 6224144	9 1/4"		DBB								DBD				2
		C6OZ 6224144	9 1/4"						DBC	DBE							2
24346-7 PANEL - CENTER BODY PILLAR FINISH																	
A(54, 71)	R	C5AZ 5424346			AAD												1
	L	C5AZ 5424347			AAD												1
A(54, 71)		380560-S(GG287)	Clip-trim														12
24452-3 CAP - CENTER BODY PILLAR FINISH																	
B(54, 71), X(54, 71)		C6OZ 5424452													$A		2
		★380911-S	Screw-oval head, cross recess-No. 8-18 x 3/4"														2

24452-3 CAP - QUARTER PILLAR FINISH - Refer to Group 281A38-9

27578 BASE - REAR DOOR ARM REST - Refer to Group 24144

281A38-9 CAP - QUARTER PILLAR FINISH																	
B(71), X(71)-"Before 2/21/65"		★															
B(71), X(71)-"From 2/21/65"	R	C6OZ 71281A38													$A		1
	L	C6OZ 71281A39													$A		1
X(66)	R	C6DZ 66281A38													$A		1
281A74-5 COVER - QUARTER LATCH PILLAR FLANGE - Also refer to Groups 02600 and 24544-5																	
B(62A), X(62A)	R	C6OZ 62281A74			AAC												1
	L	C6OZ 62281A75			AAC												1
B(62B), X(62B, C)	R	C6OZ 62281A74			BBC												1
	L	C6OZ 62281A75			BBC												1
B(63)	L	C6OZ 63281A75						AAB		AAG							1
B(76)	L	C6OZ 76281A75			AAC												1
31486-7 PANEL - QUARTER LOWER FRONT TRIM																	
F(63)	R	C5ZZ 6331486											$A				1
31718 PAD - QUARTER ARM REST - Refer to Group 24100																	

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
45406-7 COVER - LUGGAGE COMPARTMENT FLOOR SIDE				
A(54A, 57)	R	C6AZ 5445406-AAB	Turquoise burtex	1
A(54A,57,63,76)	L	C6AZ 5445407-AAB	Turquoise burtex	1
S(63)	R	C6SZ 6345406-BAE	Grey burtex	1
	L	C6SZ 6345407-BAE	Grey burtex	1
45456 COVER - LUGGAGE COMPARTMENT FLOOR				
B(54, 62, 63)		C6OZ 6245456-AAB	Grey rubber	1
F(63)		C6ZZ 6345456-AAB	Grey rubber	1
F(65)		C6ZZ 6545456-AAB	Grey rubber	1
F(76)		C6ZZ 7645456-AAB	Grey rubber	1
45476 COVER - LUGGAGE COMPARTMENT FLOOR CENTER				
A(54, 57, 62)		C6AZ 6245476-AAB	Turquoise burtex	1
A(63, 76)		C6AZ 6345476-AAB	Turquoise burtex	1
45546 COVER - LUGGAGE COMPARTMENT FLOOR CENTER				
S(63)		C6SZ 6345546-BAE	Grey burtex	1

$ Prime - Paint to match

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
			_1	_2	_3	_4	_5	_7	_8	_9							
COLORS →			SILVER MINK	BLUE	BURGUNDY	EMBERGLO	RED	AQUA	IVY GOLD	PALOMINO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
46656 PANEL - PACKAGE TRAY TRIM																
A(54,62)-W/o folding rear seat		C5AZ6246656		CAD												1
F(65A,C)		C5ZZ6546656		BAD							BAB					1
		C6ZZ6546656					BAJ									1
F(65B)		C5ZZ6546656									CAB					1
46668 PANEL - PACKAGE TRAY TRIM - Refer to Group 46656																

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
51338 WEATHERSTRIP - FOLDING TOP NO.1 BOW				
A(76)		C5AZ7651338-BAB	Black	1
		C5AZ7651338-BAD	Blue	1
B(76)		C6OZ7651338-BAB	Black	1
		C6OZ7651338-BAC	White	1
F(76)		C5ZZ7651338-BFA	Black	1
51416 MOULDING - FOLDING TOP NO.4 BOW OUTSIDE - INCLUDES RETAINER				
A(76), B(76), F(76), S(76)		C5SZ 7651416-BAJ	White-59" long-cut to fit	1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
			_1	_2	_3	_4	_5	_7	_8	_9							
COLORS →			SILVER MINK	BLUE	BURGUNDY	EMBERGLO	RED	AQUA	IVY GOLD	PALOMINO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
51916 HEADLINING - ROOF																
F(65)		C5ZZ6551916									AGG					1
S(63C, D) - "Before 12/1/65"	R	C6SZ6351966		AAJ	•AAC			BAK	AAF			AAB	AAD			1
	L	C6SZ6351967			•AAC	AAG		AAK	AAF	AAE		AAB	AAD			1
S(63C,D)- "From 12/1/65"	R	C6SZ6351966		AAJ	ΔCBA			BAK	AAF			AAB	AAD			1
	L	C6SZ6351967			ΔCBA	AAG		AAK	AAF	AAE		AAB	AAD			1
U(98)-Front		D3BZ1051916									A					1
U(98)-Rear		D3BZ1051918									A					1
51966-7 HEADLINING - ROOF - Refer to Group 51916																
51996 PANEL - ROOF REAR TRIM -Refer to Group 51916																

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
52500 WINDOW - FOLDING TOP BACK CURTAIN				
A(76)		C5AZ7652500-DAB	Glass window-used with Black tops	1
		C5AZ7652500-DAE	Glass window-used with Blue tops	1
		C5AZ7652500-DAC	Glass window-used with White tops	1
B(76)		C7OZ7652500-AAB	Vinyl window-used with Black tops	1
		C7OZ7652500-AAE	Vinyl window-used with Blue tops	1
		C7OZ7652500-AAC	Vinyl window-used with White tops	1
		C7OZ7652500-BAB	Glass window-used with Black tops	1
		C7OZ7652500-BAE	Glass window-used with Blue tops	1
		C7OZ7652500-BAC	Glass window-used with White tops	1
F(76)		C5ZZ7652500-DAB	Used with all tops	1
52700 TOP - FOLDING - LESS BACK CURTAIN and BOWS				
F(76)		C5ZZ7652700-BAB	Black	1
		C5ZZ7652700-BAC	White	1

• Medium Δ Light

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
53700 COVER - ROOF OUTSIDE				
A(57)		C5AZ 5753700-AAC	Black	1
		C5AZ 5753729-A	Retainer (includes rivets)	2
		C5AZ 57537A02-A	Pad-front	2
A(57B)		C5AZ 57537A00-A	Pad-rear	1
		C5AZ 5753740-B	Pad-side	2
A(57F)		C5AZ 5753740-A	Pad-side	2
A(57, 63), B(62), F(65), S(63C, D), X(62)		C3AZ 19562-B	Sealer-black (5 oz. tube)	AR
		C3AZ 19562-A	Sealer-white (5 oz. tube)	AR
B(62), X(62)		C6OZ 6253729-A	Retainer-front (includes rivets)	2
		C6OZ 62537A06-A	Retainer-rear (includes rivets)	2
B(63)		C6GY 6353700-AAC	White	1
		C7OZ 6353700-AAE	Parchment	1

537A00-2 PAD - ROOF OUTSIDE COVER LOWER REAR - Refer to Group 53700

53740 PAD - ROOF OUTSIDE COVER FRONT SIDE - Refer to Group 53700

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
COLORS →			—1 SILVER MINK	—2 BLUE	—3 BURGUNDY	—4 EMBERGLO	—5 RED	—7 AQUA	—8 IVY GOLD	—9 PALOMINO		BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
54486 CONTAINER - FOLDING TOP DUST HOOD																
B(76), F(76)		D0OZ 7654486										A01					1

BODY TYPE	R/L	KIT PART NUMBER LESS COVER
60032-3 BACK KIT - REAR SEAT - CONSISTS of SPRING, PADS, WIRE and INSTRUCTION SHEET - SHIPPED K.D.		
A(54)-w/o folding rear seat		C5AZ 6260032-A
A(57F)		C5AZ 5760032-A
A(62B, E)		C5AZ 6260032-A
A(63C, D)		C5AZ 6360032-C
A(63F)		C5AZ 6360032-B
B(71)		C9OZ 7160032-A
B(76)		C6OZ 7660032-A
F(63)		C5ZZ 6360032-B
F(65)		C5ZZ 6560032-C
F(76A)		C5ZZ 7660032-B
X(71)		C9OZ 7160032-A

IMPORTANT

When a complete Cushion Assembly is required, order BOTH group 60050 Kit plus group 62900 Cover with applicable suffix for desired trim code.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES
60050-1 CUSHION KIT - FRONT SEAT - CONSISTS of SPRING, PADS, WIRE and INSTRUCTION SHEET - SHIPPED K.D.				
B(54, 62, 63B, 71, 76) Less H/D spring		C7OZ 6260050-A		
B(54A, 62) Includes H/D spring		C6OZ 6260050-D		
F(63, 65A, B, 76A, B)	R	C5ZZ 6560050-B		
	L	C5ZZ 6560051-A		
U(full width seat)		C6TZ 9660050-A		

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES
60050-1 CUSHION KIT - FRONT SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued				
TRIM CODES →				6 | 7
U (bucket seat)	R	C6TZ 9660050-C	C6TZ 9662900	ADB | ADB
	L	C5ZZ 6560051-A	C6TZ 9662900	ADB | ADB
TRIM CODES →				9
U (bucket seat)	R	C6TZ 9660050-D		
	L			
X(54,62A,B,66A,B, 71)		C7OZ 6260050-A		
X(62C,66D)		C6OZ 6360050-A		

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	
60080 CUSHION KIT - REAR SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D.			
A(54B,E)		C7AZ 5460080-A	
A(63B,F)		C7AZ 6360080-A	
A(71A,E)		C5AZ 7160080-C	
A(76)		C5AZ 7660080-B	
B(62A) Less H/D spring		C6DZ 6260080-A	
B(62A) Includes H/D spring		C6DZ 6260080-B	
B(71D),X(71A)		C6OZ 7160080-A	
F(63)		C5ZZ 6360080-B	
F(65)		C7ZZ 6560080-A	
S		C4SZ 6360080-A	
60090 CUSHION KIT - AUXILIARY SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D.			
A(71A,C)		C5AZ 7160090-A	
B(71)		C6OZ 71607A60-A	Base
		C6OZ 7166856-A	Pad
60136-7 BACK KIT - FRONT SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D.			
A(54,57B,71)		C5AZ 5460136-B	
A(57F)		C5AZ 5760136-A	
A(63C,D,76B,D)	R	C5AZ 6360136-C	
A(63F)	R	C5AZ 6360136-B	
B(62A)- Includes H/D spring	R	C6OZ 6260136-D	
	L	C6OZ 6260137-D	
F(63A,65A,76A)	R	C5ZZ 6560136-B	
	L	C5ZZ 6560137-B	
F(65C,76C)	R	C5ZZ 6560136-C	
	L	C5ZZ 6560137-C	
U- Full width seat		C6TZ 9660136-A	
U-Bucket seat		C5ZZ 6560137-B	

				QTY.
607A60 BASE - AUXILIARY SEAT CUSHION				
B(71)		C6OZ 71607A60-A		1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES	QTY.
60762-3 PANEL - FRONT SEAT BACK REAR TRIM PANEL INSERT				
TRIM CODES →			26, 26A | 36 | 66, 66A	
F		C6ZZ 6560762	AGG | AGG | AGG	2
F		358575-S3(GG137)	Clip-trim	18

62900 COVER - FRONT SEAT CUSHION -Refer to Group 60050

63804 COVER - REAR SEAT CUSHION - Refer to Group 60080

63822 COVER - AUXILIARY SEAT CUSHION -Refer to Group 60090

64416-7 COVER - FRONT SEAT BACK - Refer to Group 60136-7

66600-1 COVER - REAR SEAT BACK - Refer to Group 60032-3

66640 COVER - AUXILIARY SEAT BACK - Refer to Group 60096

THE SOFT TRIM SECTION INCLUDES ONLY THOSE ITEMS WHICH WERE AVAILABLE FOR SERVICE AT THE TIME OF PRINTING. ITEMS NOT SHOWN IN THE CATALOG MUST BE IMPROVISED OR PROCURED LOCALLY.

INSTRUCTIONS

Determine correct Group Number by referring to an appropriate illustration in the Interior Trim Section of the Illustration Catalog, Form AF 7635-B or to the Soft Trim Index of this catalog. Identify Model, Body Type and Trim Code by referring to 1967 Warranty Plate Codes as shown in the General Information Section.

The 1967 Soft Trim Section consists of: (1) Trim Scheme Codes and Swatches (Pages A1, A2, A3, B, etc.). (2) Listing of Soft Trim Parts for all Ford (A), Fairlane (B), Mustang (F), Thunderbird (S), Bronco (U) and Falcon (X) models. (Pages 1 to end).

TRIM SCHEME CODES and SWATCHES

Consists of: (1) Listing of Trim Scheme Codes arranged in order of model, i.e. Ford, Fairlane, etc. (2) Colored Swatches identified by a number beside the swatch.

How to use: (1) Identify Model, Body Type and Trim Code and apply this information to listing of Trim Scheme Codes. (2) Determine Swatch Identification Numbers and refer to Colored Swatches on page B, etc. (3) Locate appropriate swatches to verify the color and/or pattern of the principle materials used in the unit.

Colored Swatch pages are primarily for verification of color and/or patternand do not indicate the type or weight of material.

For example, to determine which Swatches make up Trim Code 3B on Ford Four Door Sedan refer to page A1, A2, etc,

As shown on page A1 (Ford) Trim Code 3B indicates: (1) Body types (54B, 62B). (2) Trim scheme description (Light blue crinkle vinyl and medium blue ellipse pattern cloth). (3) Door and Quarter material (swatch no. 178 & 33), bolster material (swatch no. 178), cushion and back material (no. 33, 163 & 178) and headlining material (swatch no. 35).

SOFT TRIM PARTS for ALL MODELS

Consists of: (1) Parts cataloged by trim code and color (e.g. Group 02344-5, 24346-7, etc.). (2) Parts cataloged by trim code only (e.g. Groups 23942-3, 62900, etc.). (3) Miscellaneous parts (e.g. Groups 47042, 53700. etc.).

PARTS CATALOGED BY COLOR: (1) Identify Model, Body Type and Color of desired part. (2) Determine Group Number of part. (3) Locate appropriate Trim code and Color listed at top of page. Second character of trim code generally applicable to each color is also shown above the color as an additional aid. When color of part is in doubt refer to the list of Trim Codes and Colored Swatch pages for further identification. (4) Match Color with Model and Body Type to select desired part number.

For example, should a Red Rear Floor Carpet (Group 13046) be desired for a Mustang Two Door Hard top: (1) Refer to Group 13046. (2) Read list of Colors above title to find Red. (3) Read down to find F(65). (4) Part number shown is C7ZZ 6513046 and suffix in "Red" column is A1D.

PARTS CATALOGED BY TRIM CODE: (1) Identify Model, Body Type and Trim Code. (2) Determine Group Number of part. (3) Locate appropriate Trim Code (listing of Trim Codes precedes each Body Type. (4) Match Model and Body Type with Trim Code to select part number.

For example, should a R.H. Front Door Trim Panel (Group 23942-3) be required for a Mustang Two Door Hardtop, Trim Code 4A (1) Refer to Group 23942-3. (2) Read down to locate F(65C). (3) Read trim codes (listed numerically) to find Trim Code 4A. (4) Part number shown is C7ZZ 6523942 and suffix listed is A2A.

3 DIGIT TRIM CODES

Parts for 3 digit trim codes ending with an alphabet (e.g. 15A) are listed with parts cataloged by trim code.

Parts for 3 digit trim codes ending with a numeral (e.g. 151) are not cataloged. Refer to the listing of trim codes to determine which parts are available through service. For parts which are not available for service contact your Service Representative, who will process in accordance with General ICC bulletin No. 7526.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1967 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A)						
1B	54E, 62E	Light blue crinkle vinyl and medium blue lennox pattern cloth	33 & 178	178	25, 33 & 40	180
1B1	54E	Light blue crinkle vinyl and medium blue milford pattern cloth (Code 1B-See Note 3)				
1B1	62E	Light blue crinkle vinyl and dark blue eaton pattern cloth (Code 1B-See Note 1) (Code 32-Body Type 62B-See Note 2)				
1B2	62E	Light blue crinkle vinyl and light blue venetian pattern vinyl (Code 1B-See Note 1) (Code 62-Body Type 62B-See Note 2)				
1B3	62E	Light blue crinkle vinyl and medium blue athens pattern cloth (Code 1B-See Note 3)				
1B4	62E	Light blue crinkle vinyl and medium blue milford pattern cloth (Code 1B-See Note 3)				
1D	54E, 62E	Red crinkle vinyl and red lennox pattern cloth	127&128	128	123, 127 & 133	129
1D1	54E, 62E	Red crinkle vinyl and red eaton pattern cloth (Code 1D-See Note 1) (Code 35-Body Type 54B, 62B-See Note 2)				
1D2	54E	Red crinkle vinyl and red venetian pattern vinyl (Code 1D-See Note 1) (Code 65-Body Type 54B-See Note 2)				
1D2	62E	Red crinkle vinyl and red milford pattern cloth (Code 1D-See Note 3)				
1D3	54E	Red crinkle vinyl and red milford pattern cloth (Code 1D-See Note 3)				
1D3	62E	Red crinkle vinyl and red lennox pattern cloth (Code 1D-See Note 6) (Code 6D-Body Type 62B-See Note 1)				
1U	54E, 62E	Pastel parchment crinkle vinyl and parchment lennox pattern cloth	102&151	151	98, 102 & 151	104
1U1	54E, 62E	Pastel parchment crinkle vinyl and light parchment milford pattern cloth (Code 1U-See Note 3)				
3B	54B, 62B	Light blue crinkle vinyl and medium blue corinthian pattern cloth	33 & 178	178	33, 163 & 178	180
3B1	54B	Light blue crinkle vinyl and light blue olympia pattern cloth (Code 3B-See Note 1) (Code 52-Body Type 54A-See Note 2)				
3B1	62B	Light blue crinkle vinyl and medium blue clinton pattern cloth (Code 3B-See Note 3)				
3B2	54B	Light blue crinkle vinyl and medium blue clinton pattern cloth (Code 3B-See Note 3)				
3G	54B, 62B	Light ivy gold crinkle vinyl and medium ivy gold corinthian pattern cloth	75 & 76	75	75, 76 & 164	78
3G1	54B	Light ivy gold crinkle vinyl and light ivy gold olympia pattern cloth (Code 3G-See Note 1) (Code 58-Body Type 54A-See Note 2)				
3G1	62B	Light ivy gold crinkle vinyl and medium ivy gold clinton pattern cloth (Code 3G-See Note 3)				
3G2	54B	Light ivy gold crinkle vinyl and medium ivy gold clinton pattern cloth (Code 3G-See Note 3)				
3K	54B, 62B	Dark aqua crinkle vinyl and medium aqua corinthian pattern cloth	56 & 185	185	56, 165 & 185	186
3K1	54B	Light aqua crinkle vinyl and light aqua olympia pattern cloth (Code 3K-See Note 1) (Code 57-Body Type 54A-See Note 2)				
3K1	62B	Dark aqua crinkle vinyl and medium aqua clinton pattern cloth (Code 3K-See Note 3)				
3K2	54B	Dark aqua crinkle vinyl and medium aqua clinton pattern cloth (Code 3K-See Note 3)				

* For Swatch Identification refer to Page B, etc.

† Not applicable to Convertible

NOTE - For explanation of notes refer to Page A14

1967 TRIM SCHEME CODES - continued

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
3U	54B, 62B	Pastel parchment crinkle vinyl and parchment corinthian pattern cloth	102&151	151	102, 151 & 166	104
3U1	54B, 62B	Pastel parchment crinkle vinyl and medium parchment clinton pattern cloth (Code 3U-See Note 3)				
5A	54A, 57B, 63B	Charcoal black crinkle vinyl and charcoal black fremont pattern cloth	6 & 118	6	3 & 6	173
5A1	54A, 57B	Black crinkle vinyl and black venetian pattern vinyl (Code 5A-See Note 1) (Code 66-Body Type 54A, 57B-See Note 2)				
5A1	63B	Charcoal black crinkle vinyl and charcoal black lycoming pattern cloth (Code 5A-See Note 3)				
5A2	54A, 57B	Charcoal black crinkle vinyl and charcoal black lycoming pattern cloth (Code 5A-See Note 3)				
5B	54A, 57B, 63B	Light blue crinkle vinyl and medium blue fremont	118&178	178	24,33 & 178	180
5B1	54A, 57B	Light blue crinkle vinyl and light blue venetian pattern vinyl (Code 5B-See Note 1) (Code 62-Body Type 54A, 57B-See Note 2)				
5B1	63B	Light blue crinkle vinyl and medium blue lycoming pattern cloth (Code 5B-See Note 3)				
5B2	54A, 57B	Light blue crinkle vinyl and medium blue lycoming pattern cloth(Code 5B-See Note 3)				
5G	54A, 57B, 63B	Light ivy gold crinkle vinyl and medium ivy gold fremont pattern cloth	75 & 118	75	70, 75 & 76	78
5G1	54A, 57B, 63B	Light ivy gold crinkle vinyl and medium ivy gold lycoming pattern cloth (Code 5G-See Note 3)				
5K	54A, 57B, 63B	Light aqua crinkle vinyl and medium aqua fremont pattern cloth	118&185	185	56,148 & 185	186
5K1	54A, 57B	Light aqua crinkle vinyl and medium aqua lycoming pattern cloth (Code 5K-See Note 3)				
5K1	63B	Light aqua crinkle vinyl and light aqua venetian pattern vinyl (Code 5K-See Note 1) (Code 67-Body Type 63B-See Note 2)				
5K2	63B	Light aqua crinkle vinyl and medium aqua lycoming pattern cloth (Code 3K-See Note 3)				
5U	54A, 57B, 63B, 71A-B-C-E	Pastel parchment crinkle vinyl and parchment fremont pattern cloth	118&151	151	96&151	104
5U1	54A, 57B, 63B, 71A-B-C-E	Pastel parchment crinkle vinyl and medium parchment lycoming pattern cloth (Code 5U-See Note 3)				
6A	54A, 57B, 63B, 76A	Charcoal black crinkle all vinyl	6 & 118	6	6	173
6B	54A-B, 57B, 62B, 63B, 71A-B-C-E, 76A	Light blue crinkle all vinyl	118&178	178	33&178	180
6D	54B, 57B, 62B, 63B, 71A-B-C-E, 76A	Red crinkle all vinyl	118, 127 & 128	128	127&128	129
6F	71A-B-C-E	Medium saddle crinkle vinyl and medium saddle haircell vinyl	89&118	89	89&147	88
6G	71A-B-C-E	Light ivy gold crinkle all vinyl	75&118	75	75 & 76	78
6K	71A-B-C-E, 76A	Light aqua crinkle all vinyl	118&185	185	56&185	186
6U	54A, 57B, 63B, 71A-B-C-E, 76A	Pastel parchment crinkle all vinyl	118&151	151	151	104
7B	71B-C	Light blue crinkle vinyl and light blue parnay stripe vinyl	33&178	178	33,44& 178	180

* For Swatch Identification refer to Page B, etc.

† Not applicable to Convertible

NOTE - For explanation of notes refer to Page A14

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1967 TRIM SCHEME CODES - continued

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
7B1	71B	Light blue crinkle vinyl and light blue venetian pattern vinyl (Code 7B-See Note 1) (Code 62-Body Type 71-See Note 2)				
7D	71B-C	Dark red crinkle vinyl and red parnay stripe vinyl	127&128	128	127, 128 & 194	129
7D1	71B	Red crinkle vinyl and red venetian pattern vinyl (Code 7D-See Note 1) (Code 65-Body Type 71-See Note 2)				
7K	71B-C	Light aqua crinkle vinyl and light aqua parnay stripe vinyl	56 & 185	185	56,64 & 185	186
7K1	71B, C	Light aqua crinkle vinyl and light aqua venetian pattern vinyl (Code 7K-See Note 1) (Code 67-Body Type 71-See Note 2)				
7U	71B-C	Pastel parchment crinkle vinyl and light parchment parnay stripe vinyl	102&151	151	102, 111 & 151	104
8A	63C, 76B	Charcoal black crinkle all vinyl	6 & 160	6	6	173
8B	63C, 76B	Light blue crinkle all vinyl	160 & 178	178	178	180
8D	63C, 76B	Red crinkle all vinyl	127, 128 & 160	128	128	129
8F	63C, 76B	Medium saddle crinkle vinyl and medium saddle haircell vinyl	89 & 160	89	89 & 147	88
8U	63C, 76B	Pastel parchment crinkle all vinyl with black	151&160	151	151	104
9A	54C, 57F	Charcoal black crinkle vinyl and charcoal black heath tricot pattern cloth	5, 6, 14 & 118	6	1 & 5	173
9AA	54C, 57F	Charcoal black crinkle vinyl and charcoal black heath tricot pattern cloth	5, 6, 15 & 118	6	1 & 5	173
9AB	54C, 57F	Charcoal black crinkle vinyl and charcoal black heath tricot pattern cloth	5, 6, 15 & 118	6	1 & 5	173
9A1	54C	Charcoal black crinkle vinyl and charcoal black bangor pattern cloth (Code 9AB-See Note 3)				
9A1	57F	Charcoal black crinkle vinyl and charcoal black heath tricot pattern cloth	6, 14 & 118	6	1 & 5	173
9A3	57F	Charcoal black crinkle vinyl and charcoal black bangor pattern cloth (Code 9AB-See Note 3)				
9B	54C, 57F	Dark blue crinkle vinyl and dark blue bangor pattern cloth	33, 47, 118&167	33	167&176	36
9BA	54C, 57F	Dark blue crinkle vinyl and dark blue bangor pattern cloth	33, 118, 167&183	33	167&176	36
9BB	54C, 57F	Dark blue crinkle vinyl and dark blue bangor pattern cloth	33, 118, 167&183	33	167&176	36
9B1	57F	Dark blue crinkle vinyl and dark blue bangor pattern cloth	33, 47 & 118	33	167&176	36
9D	54C, 57F	Dark red crinkle vinyl and dark red bangor pattern cloth	118, 127, 142&168	127	121&168	130
9DA	54C, 57F	Dark red crinkle vinyl and dark red bangor pattern cloth	118, 127, 143&168	127	121&168	130
9DB	54C, 57F	Dark red crinkle vinyl and dark red bangor pattern cloth	118, 127, 143&168	127	121&168	130
9D1	57F	Dark red crinkle vinyl and dark red bangor pattern cloth	118, 127 & 142	127	121&168	130
9G	54C, 57F	Dark ivy gold crinkle vinyl and dark ivy gold bangor pattern cloth	77, 86, 118&169	77	73 & 169	78
9GA	54C, 57F	Dark ivy gold crinkle vinyl and dark ivy gold bangor pattern cloth	77, 118, 169&188	77	73&169	78

* For Swatch Identification refer to Page B, etc. † Not applicable to Convertible

NOTE - For explanation of notes refer to Page A14

1967 TRIM SCHEME CODES - continued

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
9GB	54C, 57F	Dark ivy gold crinkle vinyl and dark ivy gold bangor pattern cloth	77, 118, 169&188	77	73&169	78
9G1	57F	Dark ivy gold crinkle vinyl and dark ivy gold bangor pattern cloth	77, 86 & 118	77	73&169	78
9K	54C, 57F	Light aqua crinkle vinyl and light aqua heath tricot pattern cloth	54, 66, 118&185	185	54&184	186
9KA	54C, 57F	Light aqua crinkle vinyl and light aqua heath tricot pattern cloth	54, 67, 118&185	185	54&184	186
9KB	54C, 57F	Light aqua crinkle vinyl and light aqua heath tricot pattern cloth	54, 67, 118&185	185	54&184	186
9K1	57F	Light aqua crinkle vinyl and light aqua heath tricot pattern cloth	66, 118 & 185	185	54&184	186
9L	54C, 57F	Light silver crinkle vinyl and light silver heath tricot pattern cloth	18, 118, 145&170	18	16 & 145	19
9LA	54C, 57F	Light silver crinkle vinyl and light silver heath tricot pattern cloth	18, 20, 145&170	18	16&145	19
9LB	54C, 57F	Light silver crinkle vinyl and light silver heath tricot pattern cloth	18, 20, 145&170	18	16&145	19
9L1	57F	Light silver crinkle vinyl and light silver heath tricot pattern cloth	18, 118 & 170	18	16&145	19
9U	54C, 57F	Pastel parchment crinkle vinyl and light parchment heath tricot pattern cloth	118, 151 & 171	151	93 & 144	104
9UA	54C, 57F	Pastel parchment crinkle vinyl and light parchment heath tricot pattern cloth	118, 151 & 190	151	93&144	104
9UB	54C, 57F	Pastel parchment crinkle vinyl and light parchment heath tricot pattern cloth	118, 151 & 190	151	93&144	104
9U1	54C, 57F	Pastel parchment crinkle vinyl and light parchment bangor pattern cloth (Code 9UB-See Note 3)				
CB	54B	Light blue crinkle vinyl and light blue parnay stripe vinyl	33&178	178	33, 44 & & 178	180
CU	54B	Pastel parchment crinkle vinyl and light parchment parnay stripe vinyl	102&151	151	102, 111 & 151	104
DB	54E	Light blue crinkle vinyl and dark blue hartford pattern vinyl	33&178	178	33, 40 & 46	180
DU	54E	Pastel parchment crinkle vinyl and light parchment hartford pattern cloth	102&151	151	102, 113 & 115	104
E1	54C, 57F	Charcoal black crinkle vinyl and charcoal black heath tricot pattern cloth	5, 6, 14 & 118	6	1 & 5	173
E1A	54C, 57F	Charcoal black crinkle vinyl and charcoal black heath tricot pattern cloth	5, 6, 15 & 118	6	1 & 5	173
E1B	54C, 57F	Charcoal black crinkle vinyl and charcoal black heath tricot pattern cloth	5, 6, 15 & 118	6	1 & 5	173
E11	54C	Charcoal black crinkle vinyl and charcoal black bangor pattern cloth (Code E1B-See Note 3)				
E11	57F	Charcoal black crinkle vinyl and charcoal black heath tricot pattern cloth	6, 14 & 118	6	1 & 5	173
E13	57F	Charcoal black crinkle vinyl and charcoal black bangor pattern cloth(Code E1B-See Note 3)				

* For Swatch Identification refer to Page B, etc. † Not applicable to Convertible

NOTE - For explanation of notes refer to Page A14

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1967 TRIM SCHEME CODES - continued

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
E2	54C, 57F	Dark blue crinkle vinyl and dark blue bangor pattern cloth	33, 47, 118&167	33	167&176	36
E2A	54C, 57F	Dark blue crinkle vinyl and dark blue bangor pattern cloth	33, 118, 167&183	33	167&176	36
E2B	54C, 57F	Dark blue crinkle vinyl and dark blue bangor pattern cloth	33, 118, 167&183	33	167&176	36
E21	57F	Dark blue crinkle vinyl and dark blue bangor pattern cloth	33, 47 & 118	33	167&176	36
E9	54C, 57F	Pastel parchment crinkle vinyl and light parchment heath tricot pattern cloth	118, 151 & 171	151	93 & 144	104
E9A	54C, 57F	Pastel parchment crinkle vinyl and light parchment heath tricot pattern cloth	118, 151 & 190	151	93&144	104
E9B	54C, 57F	Pastel parchment crinkle vinyl and light parchment heath tricot pattern cloth	118, 151 & 190	151	93&144	104
E91	54C, 57F	Pastel parchment crinkle vinyl and light parchment bangor pattern cloth (Code E9B-See Note 3)				
F1	54C	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 14 & 118	6	5 & 6	173
F1	54C, 57F	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 14 & 118	6	5	173
F1A	54C	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 15 & 118	6	5 & 6	173
F1A	57F	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 14 & 118	6	5 & 6	173
F1B	54C	Charcoal black crinkle vinyl and charcoal black heath tricot pattern cloth	5, 6, 15 & 118	6	5 & 6	173
F1B	57F	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 15 & 118	6	5 & 6	173
F1C	57F	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 15 & 118	6	5 & 6	173
F11	57F	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	6, 14 & 118	6	5 & 6	173
G1	63J	Charcoal black crinkle vinyl and charcoal black heath tricot pattern cloth	5, 6, 14 & 118	6	1 & 5	173
G1A	63J	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 15 & 118	6	1 & 5	173
G1B	63J	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 15 & 118	6	1 & 5	173
G11	63J	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	6, 14 & 118	6	1 & 5	173
G13	63J	Charcoal black crinkle vinyl and charcoal black bangor pattern cloth (Code G1B-See Note 3)				
G2	63J	Dark blue crinkle vinyl and dark blue bangor pattern cloth	33, 47, 118&167	33	167&176	36
G2A	63J	Dark blue crinkle vinyl and dark blue bangor pattern cloth	33, 118, 167&183	33	167&176	36
G2B	63J	Dark blue crinkle vinyl and dark blue bangor pattern cloth	33, 118 & 183	33	167&176	36
G21	63J	Dark blue crinkle vinyl and dark blue bangor pattern cloth	33, 47 &118	33	167&176	36

* For Swatch Identification refer to Page B, etc. † Not applicable to Convertible

NOTE - For explanation of notes refer to Page A14

1967 TRIM SCHEME CODES - continued

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
G9	63J	Pastel parchment crinkle vinyl and light parchment heath tricot pattern cloth	118, 151 & 171	151	93 & 144	104
G9A	63J	Pastel parchment crinkle vinyl and light parchment heath tricot pattern cloth	118, 151 & 190	151	93&144	104
G9B	63J	Pastel parchment crinkle vinyl and light parchment heath tricot pattern cloth	118, 151 & 190	151	93&144	104
G91	63J	Pastel parchment crinkle vinyl and light parchment bangor pattern cloth (Code G9B-See Note 3)				
H1	63J	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 14 & 118	6	5	173
H1A	63J	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 14 & 118	6	5 & 6	173
H1B	63J	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 15 & 118	6	5 & 6	173
H1C	63J	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 15 & 118	6	5 & 6	173
H11	63J	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	6, 14 & 118	6	5 & 6	173
JB	54A	Light blue crinkle all vinyl	118&178	178	33&178	180
JU	54A	Pastel parchment crinkle all vinyl	118&151	151	151	104
KA	63C, 76B	Black all vinyl				
LB	54B	Blue vinyl and blue cloth				
MB	54A	Blue vinyl and blue cloth				
NB	71D	Light blue crinkle vinyl and dark blue hartford pattern vinyl	33&178	178	33, 40 & 46	180
ND	71D	Red crinkle vinyl and red hartford pattern vinyl	127&128	128	127, 133 & 196	129
ND1	71D	Red crinkle vinyl and red parnay stripe pattern vinyl (Code ND-See Note 1) (Code 75-See Note 2)				
NU	71D	Pastel parchment crinkle vinyl and light parchment hartford pattern vinyl	102, 151	151	102, 113 & 115	104
OE	54B-E, 62B-E	Medium beige crinkle vinyl and light beige morocco vinyl	103	103	114	103 or 154
PU	63C	Pastel parchment crinkle vinyl and light parchment heath tricot pattern cloth	118, 151 & 171	151	93	104
PUA	63C	Pastel parchment crinkle vinyl and light parchment heath tricot pattern cloth	118, 151 & 190	151	93	104
PUB	63C	Pastel parchment crinkle vinyl and light parchment heath tricot pattern cloth	118, 151 & 190	151	93	104
PU1	63C	Pastel parchment crinkle vinyl and light parchment bangor pattern cloth (Code PUB-See Note 3)				
RA	63C, 76B	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 14 & 118	6	5	173
RAA	63C, 76B	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 14 & 118	6	5 & 6	173
RAB	63C, 76B	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 15 & 118	6	5 & 6	173
RAC	63C, 76B	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 15 & 118	6	5 & 6	173

* For Swatch Identification refer to Page B, etc. † Not applicable to Convertible

NOTE - For explanation of notes refer to Page A14

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1967 TRIM SCHEME CODES - continued

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
RA1	63C, 76B	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	6, 14 & 118	6	5 & 6	173
RB	63C, 76B	Dark blue crinkle vinyl and dark blue heath tricot pattern vinyl	33, 47, 118&167	33	167&177	36
RBA	63C, 76B	Dark blue crinkle vinyl and dark blue heath tricot pattern vinyl	33, 47, 118&167	33	33, 167 & 177	36
RBB	63C, 76B	Dark blue crinkle vinyl and dark blue heath tricot pattern vinyl	33, 118, 167&183	33	33, 167 & 177	36
RBC	63C, 76B	Dark blue crinkle vinyl and dark blue heath tricot pattern vinyl	33, 118, 167&183	33	3, 167 & 177	36
RB1	63C, 76B	Dark blue crinkle vinyl and dark blue heath tricot pattern vinyl	33, 47 & 118	33	33, 67 & 177	36
RD	63C, 76B	Dark red crinkle vinyl and dark red heath tricot pattern vinyl	118, 127, 142&168	127	168&192	130
RDA	63C, 76B	Dark red crinkle vinyl and dark red heath tricot pattern vinyl	118, 127, 142&168	127	127, 168 & 192	130
RDC	63C, 76B	Dark red crinkle vinyl and dark red heath tricot pattern cloth	118, 127	127	127, 168	130
RDB	63C, 76B	Dark red crinkle vinyl and dark red heath tricot pattern vinyl	118, 127, 143&168	127	127, 168 & 192	130
RD1	63C, 76B	Dark red crinkle vinyl and dark red heath tricot pattern vinyl	118, 127 & 142	127	127, 168 & 192	130
RF	63C, 76B	Medium saddle crinkle vinyl and medium saddle haircell vinyl	89, 91 , & 118	89	89 & 147	88
RFA	63C, 76B	Medium saddle crinkle vinyl and medium saddle haircell vinyl	89, 118 & 189	89	89&147	88
RFB	63C, 76B	Medium saddle crinkle vinyl and medium saddle haircell vinyl	89, 118 & 189	89	89&147	88
RU	63C, 76B	Pastel parchment crinkle all vinyl	14, 118 & 151	151	151	104
RUA	63C, 76B	Pastel parchment crinkle all vinyl	15, 118 & 151	151	151	104
RUB	63C, 76B	Pastel parchment crinkle all vinyl	15, 118 & 151	151	151	104
SA, SAA, SA1	63C, 76B	Black all vinyl				
UA	54C	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 14 & 118	6	5 & 6	173
UA	57F	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 14 & 118	6	5	173
UAA	54C	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 15 & 118	6	5 & 6	173
UAA	57F	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 14 & 118	6	5 & 6	173
UAB	57F	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 15 & 118	6	5 & 6	173
UAC	54C, 57F	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 15 & 118	6	5 & 6	173
UA1	57F	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	6, 14 & 118	6	5 & 6	173
UU	54C, 57F	Pastel parchment crinkle all vinyl	118, 151 & 171	151	151	104

* For Swatch Identification refer to Page B, etc.

† Not applicable to Convertible

1967 TRIM SCHEME CODES - continued

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
UUA	54C, 57F	Pastel parchment crinkle all vinyl	118, 151 & 190	151	151	104
UUB	54C, 57F	Pastel parchment crinkle all vinyl	118, 151 & 190	151	151	104
VU	63C	Pastel parchment crinkle vinyl light parchment fremont pattern cloth	151&160	151	96 & 151	104
WA	63J	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 14 & 118	6	5	173
WAA	63J	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 14 & 118	6	5 & 6	173
WAB	63J	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 15 & 118	6	5 & 6	173
WAC	63J	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	5, 6, 15 & 118	6	5 & 6	173
WA1	63J	Charcoal black crinkle vinyl and charcoal black heath tricot pattern vinyl	6, 14 & 118	6	5 & 6	173
WU	63J	Pastel parchment crinkle all vinyl	118, 151 & 171	151	151	104
WUA	63J	Pastel parchment crinkle all vinyl	118, 151 & 190	151	151	104
WUB	63J	Pastel parchment crinkle all vinyl	118, 151 & 190	151	151	104
ZA	63J	Charcoal black crinkle vinyl and charcoal black heath tricot pattern cloth	5, 6, 14 & 118	6	1 & 5	173
ZAA	63J	Charcoal black crinkle vinyl and charcoal black heath tricot pattern cloth	5, 6, 15 & 118	6	1 & 5	173
ZAB	63J	Charcoal black crinkle vinyl and charcoal black heath tricot pattern cloth	5, 6, 15 & 115	6	1 & 5	173
ZA1	63J	Charcoal black crinkle vinyl and charcoal black heath tricot pattern cloth	6, 14 & 118	6	1 & 5	173
ZA3	63J	Charcoal black crinkle vinyl and charcoal black bangor pattern cloth (Code ZAB-See Note 3)				
ZB	63J	Dark blue crinkle vinyl and dark blue bangor pattern cloth	33, 47, 118&167	33	167&176	36
ZBA	63J	Dark blue crinkle vinyl and dark blue bangor pattern cloth	33, 118, 167&183	33	167&176	36
ZBB	63J	Dark blue crinkle vinyl and dark blue bangor pattern cloth	33, 118, 167&183	33	167&176	36
ZB1	63J	Dark blue crinkle vinyl and dark blue bangor pattern cloth	33, 47 & 118	33	167&176	36
ZD	63J	Dark red crinkle vinyl and dark red bangor pattern cloth	118, 127, 142&168	127	121&168	130
ZDA	63J	Dark red crinkle vinyl and dark red bangor pattern cloth	118, 127 143&168	127	121&168	130
ZDB	63J	Dark red crinkle vinyl and dark red bangor pattern cloth	118, 127, 143&168	127	121&168	130
ZD1	63J	Dark red crinkle vinyl and dark red bangor pattern cloth	118, 127 & 142	127	121&168	130
ZG	63J	Dark ivy gold crinkle vinyl and dark ivy gold bangor pattern cloth	77, 86, 118&169	77	73 & 169	78

* For Swatch Identification refer to Page B, etc.

† Not applicable to Convertible

NOTE - For explanation of notes refer to Page A14

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1967 TRIM SCHEME CODES - continued

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
ZGA	63J	Dark ivy gold crinkle vinyl and dark ivy gold bangor pattern cloth	77, 118 169&188	77	73&169	78
ZGB	63J	Dark ivy gold crinkle vinyl and dark ivy gold bangor pattern cloth	77, 118, 169&188	77	73&169	78
ZG1	63J	Dark ivy gold crinkle vinyl and dark ivy gold heath tricot pattern cloth	77, 86 & 118	77	73 & 169	78
ZK	63J	Light aqua crinkle vinyl and light aqua heath tricot pattern cloth	54, 66, 118&185	185	54 & 184	186
ZKA	63J	Light aqua crinkle vinyl and light aqua heath tricot pattern cloth	54, 67, 118&185	185	54&184	186
ZKB	63J	Light aqua crinkle vinyl and light aqua heath tricot pattern cloth	54, 67, 118&185	185	54&184	186
ZK1	63J	Light aqua crinkle vinyl and light aqua heath tricot pattern cloth	66, 118 & 185	185	54 & 184	186
ZL	63J	Light silver crinkle vinyl and light silver heath tricot pattern cloth	18, 118, 145&170	18	16 & 145	19
ZLA	63J	Light silver crinkle vinyl and light silver heath tricot pattern cloth	18, 20, 118&145	18	16&145	19
ZLB	63J	Light silver crinkle vinyl and light silver heath tricot pattern cloth	18, 20, 118&145	18	16&145	19
ZL1	63J	Light silver crinkle vinyl and light silver heath tricot pattern cloth	18, 118 & 170	18	16 & 145	19
ZU	63J	Pastel parchment crinkle vinyl and light parchment heath tricot pattern cloth	118, 151 & 171	151	93 & 144	104
ZUA	63J	Pastel parchment crinkle vinyl and light parchment heath tricot pattern cloth	118, 151 & 190	151	93&144	104
ZUB	63J	Pastel parchment crinkle vinyl and light parchment heath tricot pattern cloth	118, 151 & 190	151	93&144	104
ZU1	63J	Pastel parchment crinkle vinyl and light parchment bangor pattern cloth (Code ZUB-See Note 3)				
FAIRLANE (B)						
1B	54A, 62A	Light blue crinkle vinyl and medium blue athens pattern cloth	178	178	23, 42 &178	180
1B1	54A, 62A	Light blue crinkle vinyl and medium blue oneida pattern cloth (Code 1B-See Note 3)				
1D	54A, 62A	Red crinkle vinyl and red athens pattern cloth	128	128	122, 128 & 136	129
1D1	54A	Red crinkle vinyl and red wixom pattern cloth (Code 1D-See Note 3)				
1D1	62A	Red crinkle vinyl and red athens pattern cloth (Code 1D-See Note 1) (Code 35-Body Type 62A-See Note 2)				
1U	54A, 62A	Pastel parchment crinkle vinyl and light parchment athens pattern cloth	151	151	97, 109 & 151	104
1U1	54A, 62A	Pastel parchment crinkle vinyl and light parchment oneida pattern cloth (Code 1U-See Note 3)				
2B	66A, 71D	Light blue crinkle vinyl and dark blue cane pattern vinyl	178	178	42, 45 & 178	180
2D	66A, 71D	Red crinkle vinyl and red cane pattern vinyl	128	128	128, 136 & 195	129
2U	66A, 71D	Pastel parchment crinkle vinyl and light parchment cane pattern vinyl	151	151	109, 112 & 151	104

* For Swatch Identification refer to Page B, etc.

† Not applicable to Convertible

NOTE - For explanation of notes refer to Page A14

1967 TRIM SCHEME CODES - continued

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE (B) - continued						
3B	54B, 62B, 63B	Light blue crinkle vinyl and dark blue wixom pattern cloth	118&178	178	28, 33 & 178	180
3B1	54B, 62B, 63B	Light blue crinkle vinyl and dark blue ferron pattern cloth (Code 3B-See Note 3)				
3G	54B, 62B, 63B	Light ivy gold crinkle vinyl and medium ivy gold wixom pattern cloth	75 & 118	75	72, 75 & 76	78
3G1	54B	Light ivy gold crinkle and medium ivy gold ferron pattern cloth (Code 3G-See Note 3)				
3G1	63B	Light ivy gold crinkle vinyl and light ivy gold walrus vinyl (Code 3G-See Note 1) (Code 48-Body Type 63B-See Note 2)				
3G2	63B	Light ivy gold crinkle vinyl and light ivy gold walrus vinyl (Code 48-Body Type 63B-See Note 4)				
3G3	62B, 63B	Light ivy gold crinkle vinyl and medium ivy gold ferron pattern cloth (Code 3G-See Note 3)				
3K	54B, 62B, 63B	Light aqua crinkle vinyl and medium aqua wixom pattern cloth	118&185	185	52, 56 &185	186
3K1	54B	Medium aqua crinkle vinyl and light aqua walrus vinyl (Code 3K-See Note 1) (Code 47-Body Type 54B-See Note 2)				
3K1	62B, 63B	Light aqua crinkle vinyl and medium aqua ferron pattern cloth (Code 3K-See Note 3)				
3K2	54B	Light aqua crinkle vinyl and medium aqua ferron pattern cloth(Code 3K-See Note 3)				
3U	54B, 62B, 63B	Pastel parchment crinkle vinyl and light parchment wixom pattern cloth	118&151	151	101, 102 & 151	104
3U1	54B, 62B, 63B	Pastel parchment crinkle vinyl and light parchment ferron pattern cloth(Code 3U-See Note 3)				
371	54A	Light aqua crinkle vinyl and light aqua cordon pattern cloth (Code 3K-See Note 1) (Code 37-Body Type 54B-See Note 2)				
381	54A	Light ivy gold crinkle vinyl and light ivy gold cordon pattern cloth (Code 3G-See Note 1) (Code 38-Body Type 54B-See Note 2)				
4A	63B, 76B	Charcoal black crinkle vinyl and charcoal black glendale pattern vinyl	6 & 118	6	6 & 11	173
4AA	63B, 76B	Charcoal black crinkle vinyl and charcoal black glendale pattern vinyl	6 & 118	6	6 &172	173
4B	54B, 62B, 63B, 66B, 71B-E, 76B	Light blue crinkle vinyl and dark blue glendale pattern vinyl	118&178	178	33, 43 & 178	180
4D	63B, 66B, 71B-E, 76B	Red crinkle vinyl and red glendale pattern vinyl	118&128	128	128&193	129
4G	63B, 66B, 71B-E, 76B	Light ivy gold crinkle vinyl and medium ivy gold glendale pattern vinyl	75 & 118	75	75, 76 & 81	78
4K	63B, 76B	Light aqua crinkle vinyl and dark aqua glendale pattern vinyl	118&185	185	56, 63 & 185	186
4U	54B, 62B, 63B, 66B, 71B-E, 76B	Pastel parchment crinkle vinyl and light parchment glendale pattern vinyl	118&151	151	102, 110 & 151	104
461	63B	Black crinkle vinyl and black walrus vinyl (Code 4A-See Note 1) (Code 46-Body Type 63B-See Note 2)				
462	63B	Black crinkle vinyl and black walrus vinyl (Code 46-Body Type 63B-See Note 4)				
8A	63C-D, 66D, 76C-D	Charcoal black crinkle vinyl and charcoal black rosette pattern vinyl	6 & 175	6	6 & 175	173
8B	63C-D, 66D, 76C-D	Light blue crinkle vinyl and dark blue rosette pattern vinyl	150&178	178	33, 37 150&178	180

* For Swatch Identification refer to Page B, etc.

† Not applicable to Convertible

NOTE - For explanation of notes refer to Page A14

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1967 TRIM SCHEME CODES - continued

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE (B) - continued						
8D	63C-D, 66D, 76C-D	Red crinkle vinyl and red rosette pattern vinyl	128&141	128	128, 131 & 141	129
8F	63C-D, 66D, 76C-D	Medium saddle crinkle vinyl and medium saddle rosette pattern vinyl	89 & 90	89	89, 90, 147&153	88
8G	63C-D, 66D, 76C-D	Light ivy gold crinkle vinyl and medium ivy gold rosette pattern vinyl	75 & 85	75	75, 76, 79 & 85	78
8K	63C-D, 66D, 76C-D	Light aqua crinkle vinyl and dark aqua rosette pattern vinyl	65&185	185	56, 59, 65 & 185	186
8U	63C-D, 66D, 76C-D	Pastel parchment crinkle vinyl and pastel parchment rosette pattern vinyl with black	116&151	151	105, 116 & 151	104
OU	54A	Pastel parchment crinkle vinyl and light parchment morocco pattern vinyl	151	151	114	104
MUSTANG (F)						
2A	63A, 65A, 76A	Charcoal black crinkle all vinyl	6	6	6	173
2B	63A, 65A, 76A	Light blue crinkle vinyl and dark blue crinkle vinyl	33	178	33&178	180
2D	63A, 65A, 76A	Red crinkle all vinyl	128	128	128	129
2D1	65A	Red crinkle all vinyl (Code 2D-See Note 1) (Code 6D-Body Type 65B-See Note 5)				
2F	63A, 65A, 76A	Medium saddle haircell all vinyl	89	147	89 & 147	88
2F1	65A	Medium saddle haircell all vinyl (Code 2F-See Note 1) (Code 6F-Body Type 65B-See Note 5)				
2G	63A, 65A, 76A	Light ivy gold crinkle vinyl and medium ivy gold crinkle vinyl	76	75	75 & 76	78
2G1	65A	Light ivy gold crinkle vinyl and medium ivy gold crinkle vinyl (Code 2G-See Note 1) (Code 6G-Body Type 65B-See Note 5)				
2K	63A, 65A, 76A	Light aqua crinkle vinyl and dark aqua crinkle vinyl	56	185	56&185	186
2K1	65A	Light aqua crinkle vinyl and dark aqua crinkle vinyl (Code 2K-See Note 1) (Code 6K-Body Type 65B-See Note 5)				
2U	63A, 65A, 76A	Pastel parchment crinkle all vinyl	151	151	151	104
2U1	65A	Pastel parchment crinkle all vinyl (Code 2U-See Note 1) (Code 6U-Body Type 65B-See Note 5)				
4A	65C, 76C	Charcoal black crinkle all vinyl	6	6	6	173
4B	65C	Blue all vinyl				
4D	65C	Red all vinyl				
4U	65C, 76C	Pastel parchment crinkle all vinyl	151	151	151	104
4U1	65C	Pastel parchment crinkle all vinyl (Code 4U-See Note 1) (Code 6U-Body Type 65B-See Note 5)				
5A	63B, 65B	Charcoal black crinkle vinyl and charcoal black knitted vinyl	6	6	13	173
5U	63B, 65B	Pastel parchment crinkle vinyl and pastel parchment knitted vinyl	151	151	117 & 159	104
6A	63B, 65B, 76B	Charcoal black crinkle all vinyl	6	6	6	173
6B	63B, 65B, 76B	Light blue crinkle vinyl and dark blue crinkle vinyl	33	178	33, 34 & 178	35
6D	63B, 65B, 76B	Red crinkle all vinyl	128	128	128&157	129
6F	63B, 65B, 76B	Medium saddle haircell all vinyl	89	147	147&156	88
6G	63B, 65B, 76B	Light ivy gold crinkle vinyl and medium ivy gold crinkle vinyl	76	75	75, 76 & 155	78
6K	63B, 65B, 76B	Light aqua crinkle vinyl and dark aqua crinkle vinyl	56	185	56, 158 & 186	186
6U	63B, 65B, 76B	Pastel parchment crinkle all vinyl	151	151	151&159	104
7A	63A, 65A	Charcoal black crinkle vinyl and charcoal black knitted vinyl	6	6	13	173
7U	63A, 65A	Pastel parchment crinkle vinyl and pastel parchment knitted vinyl	151	151	117 & 159	104

* For Swatch Identification refer to Page B, etc.

† Not applicable to Convertible

NOTE - For explanation of notes refer to Page A14

1967 TRIM SCHEME CODES - continued

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
THUNDERBIRD (S)						
2A	57B, 65	Charcoal black crinkle all vinyl	6 & 14	6	6	173
2AA	57B, 65	Charcoal black crinkle all vinyl	6 & 15	6	6	173
2B	57B, 65	Dark blue crinkle all vinyl	33 & 47	33	33	36
2BA	57B, 65	Dark blue crinkle all vinyl	33&183	33	33	36
2D	65	Red crinkle all vinyl	128&142	128	128	129
2DA	65	Red crinkle all vinyl	128&143	128	128	129
2F	57B, 65	Light saddle haircell all vinyl	89 & 91	147	147	88
2FA	57B, 65	Light saddle haircell all vinyl	89&189	147	147	88
2G	65	Light ivy gold crinkle all vinyl	75 & 86	75	75	78
2GA	65	Light ivy gold crinkle all vinyl	75&188	75	75	78
2K	65	Light aqua crinkle all vinyl	55 & 66	55	55	58
2KA	65	Light aqua crinkle all vinyl	55 & 67	55	55	58
2U	57B, 65	Pastel parchment crinkle all vinyl with black	14 & 151	151	151	104
2UA	57B, 65	Pastel parchment crinkle vinyl with black	15 & 159	159	159	104
8A	57B, 65	Charcoal black crinkle vinyl and charcoal black bangor pattern cloth	6, 15 & 118	6	2	173
8B	57B, 65	Dark blue crinkle vinyl and dark blue bangor pattern cloth	33, 118 & 183	33	176	36
8D	57B, 65	Burgundy crinkle vinyl and burgundy bangor pattern cloth	118, 127 & 143	127	121	130
8G	57B, 65	Light ivy gold crinkle vinyl and light ivy gold bangor pattern cloth	75, 118 & 188	75	73	78
8GA	57B, 65	Light ivy gold crinkle vinyl and light ivy gold bangor pattern cloth	75, 118 & 188	75	73	78
8K	65	Light aqua crinkle vinyl and light aqua bangor pattern cloth	67, 118 & 185	185	53	58
8L	65	Light silver crinkle vinyl and light silver bangor pattern cloth	18, 20 & 118	18	17	19
8U	57B, 65	Pastel parchment crinkle vinyl and light parchment bangor pattern cloth	118, 151 & 190	151	94	104
HA	57B, 65	Charcoal black crinkle all leather	6, 15 & 118	6	6	173
FALCON (X)						
1B	54A, 62A	Light blue crinkle vinyl and medium blue stockton pattern cloth	179	179	27, 34	180
1B1	54A, 62A	Light blue crinkle vinyl and medium blue carmel pattern cloth (Code 1B-See Note 3)				
1D	54A, 62A	Red crinkle vinyl and red stockton pattern cloth	126	126	124, 126 & 132	129
1U	54A, 62A	Pastel parchment crinkle vinyl and light parchment stockton pattern cloth	151	151	100, 102 & 106	104
1U1	54A, 62A	Pastel parchment crinkle vinyl and medium blue carmel pattern cloth (Code 1U-See Note 3)				
2B	71A	Light blue crinkle vinyl and dark blue cane pattern vinyl	174	178	42,45 & 178	180
2D	71A	Red crinkle vinyl and red cane pattern vinyl	126	128	128, 136 & 195	129
2U	71A	Pastel parchment crinkle vinyl and light parchment cane pattern vinyl	151	151	109, 112 & 151	104
3B	54B, 62B	Light blue crinkle vinyl and medium blue bristol pattern cloth	41 & 178	178	22,41, 42 & 178	180
3B1	54B, 62B	Light blue crinkle vinyl and medium blue ferron pattern cloth (Code 3B-see Note 3)				

* For Swatch Identification refer to Page B, etc.

† Not applicable to Convertible

NOTE - For explanation of notes refer to Page A14

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1967 TRIM SCHEME CODES - continued

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FALCON (X) - continued						
3G	54B, 62B	Light ivy gold crinkle vinyl and light ivy gold sorrel pattern cloth	75 & 83	75	75, 82, 83 & 161	78
3G1	54B, 62B	Light ivy gold crinkle vinyl and light ivy gold ferron pattern cloth (Code 3G-see Note 3)				
3K	54B, 62B	Light aqua crinkle vinyl and medium aqua bristol pattern cloth	61& 185	185	50,61, 62& 185	186
3K1	54B, 62B	Light aqua crinkle vinyl and medium aqua ferron pattern cloth (Code 3K-See Note 3)				
3U	54B, 62B	Pastel parchment crinkle vinyl and light parchment bristol pattern cloth	107&151	151	95, 107, 108&151	104
3U1	54B, 62B	Pastel parchment crinkle vinyl and light parchment ferron pattern cloth (Code 3U-See Note 3)				
4D	71B	Red crinkle all vinyl	128&135	128	128, 135 & 136	129
4K	71B	Light aqua crinkle vinyl and dark aqua crinkle vinyl	61& 185	185	56,61, 62& 185	186
4B	54B, 62B, 71B	Light blue crinkle vinyl and dark blue crinkle vinyl	41& 178	178	33,41, 42& 178	180
4U	54B, 62B, 71B	Pastel parchment crinkle all vinyl	107&151	151	107, 108 & 151	104
8A	62C	Charcoal black crinkle all vinyl	6 & 9	6	6, 9& 10	173
8B	62C	Light blue crinkle vinyl and dark blue crinkle vinyl	41& 178	178	33, 41, 42& 178	180
8D	62C	Red crinkle all vinyl	128&135	128	128, 135 & 136	129
8U	62C	Pastel parchment crinkle all vinyl with black	107&151	151	107, 108 & 151	104
BRONCO (U)						
1	96, 97, 98	Pastel parchment crinkle vinyl and light parchment crinkle vinyl	116	151	146&151	104
7	96, 97, 98	Pastel parchment crinkle vinyl and pastel parchment rosette pattern vinyl	116	151	116&151	104
9	96, 97, 98	Pastel parchment crinkle vinyl and pastel parchment rosette pattern vinyl	116	151	116&151	104

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1967 Soft Trim Section.

NOTE 2- For replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) refer to this code in the 1966 Soft Trim Section.

NOTE 3 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1967 Soft Trim Section. For replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1967 Soft Trim Section.

NOTE 4 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3), Cushion covers and Back covers (62900, 63804, 66416-7 and 66600) refer to this code in the 1966 Soft Trim Section. All other parts are included in the 1967 Soft Trim Section.

NOTE 5 - For replacement of Quarter trim panels (31012-3) refer to this code in the 1967 Soft Trim Section.

NOTE 6 - For replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) refer to this code in the 1967 Soft Trim Section.

* For Swatch Identification refer to Page B, etc.

† Not applicable to Convertible

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →				SECOND CHARACTER OF TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
COLORS →			LENGTH	B or 2 BLUE	D RED	D BURGUNDY	E BEIGE	F SADDLE	G IVY GOLD	K AQUA	L SILVER (GREY)	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
02344-5 PANEL - COWL TRIM																	
A(54,57,62, 63B-C,71,76)	R	C7AZ 6202344		A1B													1
	L	C8AZ 6202345										A1A					1
A(57F,63C-J,76)	L	C8AZ 6202345										A1A					1
A		351746-S13(UU89)	Screw washer head, cross recess-No.8-15 x 1 1/4"														2
B,X-w/stereo-includes radio speaker grille	L	C9OZ 5402345			B2D												1
B,X-W/o stereo	R	C7OZ 6202344		B1B	A1D							B1A					1
	L	C7OZ 6202345		B1B	B1D							B1A					1
B,F,S,X		350075-S13(UU88)	Screw-washer head, cross recess-No.8-15 x 3/4"														AR
F(63,65)	R	C7ZZ 6502344		A1B	A1D			A1F	A1G	A1K		A1A	A1U				1
	L	C7ZZ 6502345		A1B	A1D				A1G	A1K		A1A	A1U				1
F(76)	R	C7ZZ 7602344		A1B	A1D							A1A					1
	L	C7ZZ 7602345										A1A	A1U				1
S-W/cut pile-w/vinyl trims only	R	C7SZ 5702344						C7F									1
02600 WINDLACE - DOOR OPENING and QUARTER PILLAR - Also refer to Groups 24544-5 and 281A74-5																	
A(54,71)-Rear door			Refer to Group 24544-5														
A(57,63)-Front body pillar and roof rail			Refer to Group 51654-5														
A(57)-Rear door			Serviced in assembly-refer to Group 31012-3														
B(54,71),X(54,71)-Rear door			Refer to Group 24544-5														
F(63,65)-Front body pillar, roof rail and quarter pillar F(76)-Front body pillar & quarter pillar		C6ZZ 6502906	72"		AAC				AAG								#
		C7ZZ 6502906	72"									ABA					#
S-Front body pillar			Serviced in assembly - refer to Group 02344-5														
S(65)-Quarter pillar	R	C7SZ 6531290	25"			A2D											1
	L	C7SZ 6531291	25"			A2D											1
		★381633-S2	Clip														2
S(57)-Rear door			Refer to Group 24544-5														
03598-9 PAD - FRONT BODY UPPER PILLAR																	
A(54,62,71)	R	C7AZ 6203598											E1U				1
A(57,63)	L	C7AZ 6303599										A1A					1
	L	C8AZ 6303599		C1B													1
A		52720-S8(U380)	Screw-pan head, tapping-No.8-15 x 3/8"														2
F(63,65)	R	C7WY 6503598		A1B	A1D							A1A					1
	L	C7WY 6503599										A1A					1
F		351775-S100(GG122-A)	Clip-trim														8
04104 VISOR - LESS ARM and BRACKET - PADDED																	
A(57B,62,63B-C, 71)		C7AZ 6204104		A1B	A1D			A1F	A1G	A1K	A1L	A1A	A1U				2
A(54C,57F,63C-J)		C7AZ 6204104		A2B	A2D			A1F		A1K	A1L	A1A	A1U				2
A(76)		C7AZ 7604104		△A1B	△A1D			A1F	△A1G	A1K		A1A	A1U				2
		C7AZ 7604104		▲A2B	▲A2D				▲A2G								2
B(54,62,63,66,71),X		C7OZ 6204104		A1B					A1G	A1K		A1A	A1U				2
B(76)		C7OZ 7604104		AAC	BAK			A1F	B1G	BAF		A1A	A1U				2
		C6OZ 7604104			AAK				AAE	AAF							2
F(63,65)		C7ZZ 6504104		B1B	B1D			B1F	B1G	B1K		B1A	B1U				2
F(76)		C7ZZ 7604104		B1B	B1D			B1F				B1A	B1U				2
S-W/o roof console-"Before 11/18/66"		C7SZ 6504104		D1B	D1D			D1F		D1K	D1L	D1A	D1U				2
S-W/o roof console-"From 11/18/66"		C7SZ 6504104		D1B	D1D			D1F	D1G	D1K	D1L	D1A	D1U				2

As required - cut to fit △ Dark ▲ Light

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →				SECOND CHARACTER OF TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
COLORS →			LENGTH	_B or 2 BLUE	_D RED	_D BURGUNDY	_E BEIGE	_F SADDLE	_G IVY GOLD	_K AQUA	_L SILVER (GREY)	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
04104 VISOR - LESS ARM and BRACKET - PADDED - continued																	
S-W/roof console-19 1/2" long-"Before 9/15/66"		C7SZ 6504104		B1B	E1D	B2D		B1F	B1G	B1K	B1L	B1A	B1U				2
S(57)-W/roof console-"From 9/15/66"		C7SZ 6504104		B1B	E1D	B2D		B1F	B1G	B1K	B1L	B1A	B1U				2
S(65)-W/roof console-22" long-"From 9/15/66"		C7SZ 6504104		E1B	E1D	E2D			E1G	E1K		E1A	E1U				2
U		C7TZ9604104											BBU				2
04290 PAD - INSTRUMENT PANEL UPPER																	
A		C7AZ 6204290		A1B	A1D			A1F	A1G	A1K	A1L	A1A	A1U				1
B		C7OZ 6204290		A1B	A1D			A1F	A1G	A1K		A1A	A1U				1
F		C7ZZ 6504290		A1B	A1D			A1F	A1G	A1K		A1A					1
S		C7SZ 6504290		A1B	A1D	•		A1F	A1G	A1K		A1A	A1U				1
U		C7TZ 9604290										CBA	CBU				1
X		C7DZ 6204290		A1B	A1D				A1G	A1K		A1A	A1U				1
04292 PAD - INSTRUMENT PANEL LOWER																	
F		C7ZZ 6504292		A1B	A1D			A1F	A1G	A1K		A1A	A1U				1
044E88 PAD - INSTRUMENT PANEL FINISH PANEL																	
S		C7SZ 65044E88										A1A					1
		52742-S8(U385)	Screw-pan head, tapping-No. 8-15 x 3/4"														2
		53038-S13(U280)	Screw-oval head, tapping-No. 8-15 x 3/4"														1
		45132-S32(M125)	Nut-spring-No. 8-15														2
13000 MAT - FRONT FLOOR (Mats listed are Black, flecked with the color shown)																	
A(54, 62, 71)-3/32"thick-w/3/S/T or A/T		C7AZ 6213000										C1A					1
B(54, 62, 66, 71), X-3/32" thick		C7OZ 6213000		AAC	AAB							AAH					1
B(54, 62)		C6OZ 5413000										AAH					1
U		D3BZ1013010										A					1
13000-1 CARPET - FRONT FLOOR																	
A(54, 57, 62, 63B-J, 71, 76A)-Loop pile -W/column shift		C7AZ 6213000								A1K		A1A	A1U				1
A(54C, 57F, 63J)-cut pile-w/column shift		C7AZ 6313000		C1B	C1D				C1G	C1K							1
A(63C, 76B)-Loop pile	R	C7AZ 6313000		A1B	A1D							A1A					1
	L	C7AZ 6313001		A1B	A1D							A1A					1
B(54, 62, 63B, 66A-B, 71)-W/column shift		C7OZ 6213000										B1A					1
B(63C-D, 66D)-w/3/S/T-col. shift																	1
F(63, 65)		C7ZZ 6513000										A1A					1
F(76)		C7ZZ 7613000		A1B	A1D			A1F		A1K							1
S(57)-Loop pile	R	C7SZ 5713000		C1B				C1F				C1A					1
	L	C7SZ 5713001		B1B				B1F				B1A					1
S(57)-Cut pile	R	C7SZ 5713000		B2B	B2D	•			B2G	B2K	B2L	B2A	B1U				1
	L	C7SZ 5713001		A2B	A2D	•			A2G	A2K	A2L	A2A	A1U				1
S(65)-Front & rear floor-loop pile	R	C7SZ 6513000			B1D	•		B1F	B1G	B1K		B1A					1
	L	C7SZ 6513001		B1B	B1D	•		B1F	B1G	B1K		B1A					1
S(65)-Front & rear floor-cut pile	R	C7SZ 6513000		F2B	F2D	•			F2G			F2A	F1U				1
	L	C7SZ 6513001		F2B	F2D	•			F2G			F2A	F1U				1
X-W/column shift		C7OZ 6213000						B1F		B1K		B1A	B1U				1
X-W/floor shift		C7OZ 6213000		C1B	C1D			C1F	C1G	C1K		C1A					1

• Use red

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
COLORS →			B or 2 BLUE	D RED	D BURGUNDY	E BEIGE	F SADDLE	G IVY GOLD	K AQUA	L SILVER (GREY)	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
13010 MAT - FRONT FLOOR - Refer to Group 13000																
13017 MAT - FRONT FLOOR REAR																
B(66)		C7OZ6613017									A1A					1
13042 CARPET - AUXILIARY FLOOR FRONT																
F(63)		C7ZZ 6313042	ABB								ABA					1
13046 CARPET - REAR FLOOR																
A(54)- Loop pile-w/full width frt. seat		C7AZ 5413046	C1B	C1D				C1G	C1K	C1L	C1A	C1U				1
A(54C)-Cut pile-w/full width frt. seat		C7AZ 5413046	F1B					F1G	F1K	F1L	F1A	F1U				1
A(54C)-Loop pile-w/split front seat		C7AZ 5413046	E1B								E1A	E1U				1
A(54C)-Cut pile-w/split front seat		C7AZ 5413046	G1B								G1A	G1U				1
A(57)- Loop pile-w/full width frt. seat		C7AZ 5713046	B1B	B1D				B1G	B1K	B1L	B1A	B1U				1
A(57F)-Cut pile-w/full width frt. seat		C7AZ 5713046	A1B	A1D				A1G	A1K	A1L	A1A	A1U				1
A(57F)-w/split front seat		C7AZ 5713046	C1B								C1A	C1U				1
A(62)		C7AZ 6213046	D1B	D1D				D1G	D1K			D1U				1
A(63B-J, 76A)-Loop pile-w/full width frt. seat		C7AZ 6313046		ABD				ABG	ABK	ABL		ABU				1
A(63J)-Cut pile-w/full width frt. seat		C7AZ 6313046	C1B	C1D				C1G	C1K	C1L	C1A	C1U				1
A(63J)-w/split front seat		C7MY 6313046	A1B								A1A					1
A(63C, 76B)-Loop pile		C7AZ 6313046	A1B	A1D			A1F	A1G	A1K		A1A	A1U				1
		C7AZ 6313046										ABC				1
A(63C, 76B)-cut pile		C7AZ 6313046	B1B	B1D			B1F				B1A	B1U				1
B(54), X(54)		C7OZ 5413046		ZBD					ZBK							1
B(62,63B), X(62A-B)		C7OZ 6213046	SBB	SBD			SBF	SBG	SBK		SBA	SBU				1
B(63C-D), X(62C)		C7OZ 6313046	FBB	FBD			FBF	FBG	FBK		FBA	FBU				1
B(71), X(71)		C7OZ 7113046						TBG	TBK							1
B(76)		C7OZ 7613046					GBF									1
F(63)		C7ZZ 6313046	A1B	A1D			A1F	A1G	A1K		A1A	†				1
F(65)		C7ZZ 6513046		A1D			A1F		A1K		A1A	†				1
F(76)		C7ZZ 7613046	B1B	B1D			B1F	B1G	B1K		B1A	†				1
S(57)-Cut pile		C7SZ 5713046	B2B	B2D	•			B2G	B2K	B2L	B2A	B1U				1
S(57)- Loop pile		C7SZ 5713046	G1B				G1F				G1A					1
S(65)			Serviced in assembly - refer to Group 13000-1													
A(54)-3/32" thick		C7AZ 5413046									A1A					1
A(62)-Less jute pad		C7AZ 6213054									A1A					1
B(54)		C6OZ 5413046	AAC	AAB							HAH					1
		C7OZ 5413046										VBU				1
B(62)		C6OZ 6213046	AAC	AAB												1
		C7OZ 6213046										RBU				1
13046 MAT - REAR FLOOR (Mats listed are Black, flecked with the color shown)																
B(66)		C7OZ 6613046		YBD												1
B(66)		D0OZ 6613046	P													1
B(71)		C6OZ 7113046		AAB												1
		C7OZ 7113046										SBU				1
U		C7TZ 9813054										A1U				1
X(54)		C6DZ 5413046									AAH					1
X(62)		C6DZ 6213046									AAH					1
X(71)		C9DZ 7113046									GBA					1
13054 CARPET - REAR FLOOR - Refer to Group 13046																
13054 MAT - REAR FLOOR - Refer to Group 13046																

• Use red † Use saddle

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

MODEL	PART NUMBER LESS SUFFIX	RUBBER OR VINYL	FULL WIDTH OR TWIN	COLORS and APPLICABLE SUFFIXES: AQUA/TURQ.	BLACK	BLUE	GINGER	GREEN	GREY GOLD	IVY GOLD	NUGGET GOLD	RED/BURG.		WHITE	OTHER	OTHER
13086 MAT - FRONT FLOOR																
A, B, F, S, X	C6AZ 6213086	R	FW		A	C						D				
U †	C9TZ 8113086	R	FW		A	B						C				
F	C5ZZ 6513086	R	T		C									A		
	D0ZZ 6513086	R	T			C										
	D0SZ 6313086	R	T		A	B				D		C		F		
A, B, F, X †	C9AZ 6213086	V	FW		AB										∅Y	•AC
13106 MAT - REAR FLOOR																
A, B, X †	C7AZ 6313106	R	FW												♦B	
†	C5AZ 6313106	R	FW											L		
A, B, F, S, X	C6AZ 6213106	R	FW		A	C						D		B		
F	C5ZZ 6513106	R	T		C	D										
S	C4SZ 6313106	R	T		E	-						C		D		
	D0SZ 6313106	R	T			B										
A, B, F, X †	C9AZ 6213106	V	FW			AA										∅Y

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES — SECOND CHARACTER OF TRIM CODE: _B or 2 BLUE	_D RED	_D BURGUNDY	_E BEIGE	_F SADDLE	_G IVY GOLD	_K AQUA	_L SILVER (GREY)	ALL CODES BLACK	ALL CODES PARCHMENT	ALL CODES WHITE	OTHER SEE FOOTNOTE	OTHER SEE FOOTNOTE	QTY.
13144-5 RETAINER - REAR FLOOR MAT																	
B(54,71), X(54,71)	R	C7DZ 5413144									A1A						1
	L	C7DZ 5413145									A1A						1
13176 MAT - REAR FLOOR REAR																	
B(71)		C6OZ 7113176									AAB						1
X(71)		C6DZ 7113176			AAC												1
		C7DZ 7113176										ABU					1
22656 HANDLE - FRONT DOOR PULL - INCLUDES ATTACHING PARTS																	
S		C7SZ 6522656		ABB	ABD			ABF	ABG	ABK	ABL	ABA	ABU				2
		351476-S13 (UU58H)	Screw-oval head, tapping-1/4"-14 x 2"														8

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES: 2A	4A	5A	6A	7A										QTY.
23942-3 PANEL ASSY. - FRONT DOOR TRIM																	
F(63, 65, 76)	R	C7ZZ 6523942	A2A	A2A	A6A	A6A	A2A										1
	L	C7ZZ 6523943	A2A	A2A			A2A										1
F(63A, 65A-C, 76A-C)		375553-S100	Clip-trim														32
F(63B, 65B, 76B)		380552-S102 (GG139E)	Clip-trim														32
		350075-S13 (UU88)	Screw-oval, washer head-No. 8-18 x 3/4"														2

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES — SECOND CHARACTER OF TRIM CODE: LENGTH	_B or 2 BLUE	_D RED	_D BURGUNDY	_E BEIGE	_F SADDLE	_G IVY GOLD	_K AQUA	_L SILVER (GREY)	ALL CODES BLACK	ALL CODES PARCHMENT	ALL CODES WHITE	OTHER SEE FOOTNOTE	OTHER SEE FOOTNOTE	QTY.
24046 INSERT - FRONT DOOR ARM REST FINGER TIP PLATE																	
F(63B, 65B, 76B)		C7ZZ 6324046										ABA					2
24140-1 REST - DOOR ARM - INCLUDES ATTACHING PARTS																	
A(54A-C, 57B, 63B-C, 71AE, 76) Front door		C7AZ 5424140	12"	ΔA1B	A1D			A1F	A1G	A1K	A1L	A1A	A1U				2
		C7AZ 5424140	12"	▲A2B	A2D				A2G								2
A(54A-C, 57B, 71A-E)- Rear door	R	C7AZ 5427540	12 3/4"	B1B	B1D			B1F		B1K	B1L	B1A	B1U				1
	L	C7AZ 5427541	12 3/4"	B1B				B1F	B1G	B1K	B1L	B1A	B1U				1
	R	C7AZ 5427540	12 3/4"	B2B	B2D				B2G								1
	L	C7AZ 5427541	12 3/4"	B2B					B2G								1
A(54B-E, 62, 71B-C-D)- Front door		C7AZ 6224140	9 1/2"	A1B	A1D		A1E		A1G	A1K			A1U				2
		C7MY 6224140	9 1/2"					A1F									2

∅ Clear • Tan † Cut to form twin mats if so desired ♦ Silver (Grey) Δ Light ▲ Dark

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
COLORS →			LENGTH	_B or 2 BLUE	_D RED	_D BURGUNDY	_E BEIGE	_F SADDLE	_G IVY GOLD	_K AQUA	_L SILVER (GREY)	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
24140-1 REST - DOOR ARM - INCLUDES ATTACHING PARTS - continued																	
A(54B-E, 71B-C-D)-Rear door	R	C7AZ 6231600	9"	B1B	B1D			B1F	B1G	B1K		B1A	B1U				1
	L	C7AZ 6231601	9"	B1B	B1D		B1E	B1F	B1G	B1K		B1A	B1U				1
A(57F, 63J)-Front door		C7AZ 5424140	12"	A2B	A2D			A1F	A2G	A1K	A1L	A1A	A1U				2
A(57F)-Rear door	R	C7AZ 5427540	12 3/4"	B2B	B2D			B1F	B2G	B1K	B1L	B1A	B1U				1
	L	C7AZ 5427541	12 3/4"	B2B	B2D			B1F	B2G	B1K	B1L	B1A	B1U				1
A(62, 63B-C)-Quarter	R	C7AZ 6231600	9"	B1B	B1D			B1F	B1G	B1K		B1A	B1U				1
	L	C7AZ 6231601	9"	B1B	B1D		B1E	B1F	B1G	B1K		B1A	B1U				1
A(63J)-Quarter	R	C7AZ 5427540	12 3/4"	B2B	B2D			B1F	B2G	B1K	B1L	B1A	B1U				1
	L	C7AZ 5427541	12 3/4"	B2B	B2D			B1F	B2G	B1K	B1L	B1A	B1U				1
B(54, 62, 63B, 66A-B, 71, 76B), X-Front door		C7AZ 6224140	9 1/2"	A1B	A1D				A1G	A1K			A1U				2
		C7OZ 6224140	9 1/2"									A1A					2
B(54, 71), X(54, 71)-Rear door	R	C7AZ 6231600	9"	B1B	B1D			B1F	B1G	B1K		B1A	B1U				1
B(62, 63B), X(62)-Quarter																	1
	L	C7AZ 6231601	9"	B1B	B1D			B1F	B1G	B1K		B1A	B1U				1
B(63C-D, 66D, 76C-D-Front door		C7AZ 5424140	12"	A2B	A1D			A1F				A1A	A1U				2
		C7OZ 5424140	12"						B3G	B2K							2
B(63C-D)-Quarter	R	C7OZ 6231600	9"	C2B					C2G	C2K							1
	L	C7OZ 6231601	9"	C2B					C2G	C2K							1
	R	C7AZ 6231600	9"		B1D			B1F				B1A	B1U				1
	L	C7AZ 6231601	9"		B1D			B1F				B1A	B1U				1
F(63A, 65A-C, 76A-C) Front door		C7ZZ 6524140	11"	A2B	A1D			A1F	A2G	A2K		A1A	A1U				2
		C7AZ 6224146-A	Nut-sleeve														4
F(63B, 65B, 76B)			Serviced in assembly - refer to Group 23942-3														
S(57)-Front door			Serviced in assembly-refer to Group 23942-3														
S(57)-Rear door			Serviced in assembly-refer to Group 27406-7														
S(65)-Front door	R		Serviced in assembly-refer to Group 23942-3														
	L	C7SZ 6524141		C2B	C2D	C3D		C2F	C2G	C2K		C2A	C2U				1
S(65)-Quarter	R	C7SZ 6531600		A2B	A2D	A3D		A2F	A2G	A2K		A2A	A2U				1
	L	C7SZ 6531601		A2B	A2D	A3D		A2F	A2G	A2K		A2A	A2U				1
U		C7AZ 6224140	9 1/2"										A1U				2
24148 PLATE - FRONT DOOR ARM REST																	
F(63B, 65B, 76B)			Serviced in assembly-refer to Group 23942-3														
24346-7 PANEL - CENTER BODY PILLAR INSIDE FINISH																	
A(54, 71)	R	C7AZ 5424346											$A				1
	L	C7AZ 5424347											$A				1
		52344-S13(U292)	Screw-oval head, tapping-No. 8-15 x 1/2"														6
A(57)	L	C7AZ 5724347										A1A					1
A(57)		52023-S8(U210)	Screw-flat head, tapping-No. 10-12 x 3/4"														4
S(57)-W/cut pile-lower	R	C7SZ 5724346											A1U				1
S(57)-W/loop pile-lower	R	C7SZ 5724346											C1U				1
	L	C7SZ 5724347											C1U				1
S(57)		53038-S13(U280)	Screw-oval head, tapping-No. 8-15 x 3/4"														4
S(57)-Upper			Refer to Group 24356-7														
24452 CAP - CENTER BODY PILLAR FINISH																	
B(54, 71), X(54, 71)		C6OZ 5424452													$A		2
		380911-S13 (UU66E)	Screw-oval head, tapping-No. 8-18 x 3/4"														2
24486-7 WINDLACE - CENTER BODY PILLAR FRONT - Refer to Group 02600																	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES															QTY.
TRIM CODES →				SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
COLORS →			LENGTH	_B or 2 BLUE	_D RED	_D BURGUNDY	_E BEIGE	_F SADDLE	_G IVY GOLD	_K AQUA	_L SILVER (GREY)	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
24544-5 WINDLACE - REAR DOOR OPENING - Also Refer to Group 281A74-5																		
A(54)	R	C7AZ 5424544	74" △B1B△B1D				B1E		△B1G	B1K	B1L	B1A	B1U					1
	L	C7AZ 5424545	74" △B1B△B1D				B1E		△B1G	B1K	B1L	B1A	B1U					1
	R	C7AZ 5424544	74" ▲B2B▲B2D						▲B2G									1
	L	C7AZ 5424545	74" ▲B2B▲B2D						▲B2G									1
A(71)	R	C7AZ 7124544	82"		A1D			A1F	A1G	A1K			A1U					1
	L	C7AZ 7124545	82"	A1B	A1D			A1F	A1G	A1K			A1U					1
B(54), X(54)	R	C7OZ 5424544	77"	ABD	ABC				ABG	ABH			A1U					1
	L	C7OZ 5424545	77"	ABD	ABC				ABG	ABH			A1U					1
B(71)	R	C7OZ 7124544	106"	ABD	ABC				ABG				A1U					1
	L	C7OZ 7124545	106"	ABD	ABC				ABG				A1U					1
S(57)		C7SZ 5724544		H1B	H1D	•		H1F	H1G	H1K	H1L	H1A	H1U					2
X(71)	R	C7DZ 7124544	81"	AAD	AAC					AAF			A1U					1
	L	C7DZ 7124545	81"	AAD	AAC					AAF			A1U					1
255A30-1 COVER - REAR DOOR OUTSIDE UPPER EXTENSION																		
S(57)	R	C7SZ 57255A30		AAD				AAG					ABE	AAC				1
	L	C7SZ 57255A31		AAD				AAG					ABE	AAC				1
274A34-5 PANEL - REAR DOOR UPPER EXTENSION - INSIDE TRIM																		
S(57)	R	C7SZ 57274A34		E8B	E8D	•		B2F	E8G	E8K	E8L		E8U					1
	L	C7SZ 57274A35		E8B	E8D	•		B2F	E8G	E8K	E8L	E8A	E8U					1
		★53417-S2	Screw-flat head, tapping-No. 8-15 x 3/8"															2
		371520-S3(GG99B)	Clip-trim															2
		★371904-S3	Clip-trim															2
27540-1 REST - REAR DOOR ARM - Refer to Group 24140-1																		
281A38-9 CAP - QUARTER PILLAR FINISH																		
B(66)	R	C6DZ 66281A38															$A	1
	L	C6DZ 66281A39															$A	1
B(71), X(71)	R	C6OZ 71281A38														$A		1
	L	C6OZ 71281A39														$A		1
281A74-5 COVER - QUARTER LATCH PILLAR FLANGE - Also refer to Groups 02600 and 24544-5																		
B(62), X(62)	R	C6OZ 62281A74		AAC														1
	L	C6OZ 62281A75		AAC														1
	R	C7OZ 62281A74										CBA						1
	L	C7OZ 62281A75										CBA						1
		350075-S13(UU88)	Screw-round, washer head, tapping-No. 8-15 x 1/2"															2
B(76)	L	C7OZ 76281A75										CBA						1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
31012-3 PANEL ASSY. - QUARTER TRIM																	
TRIM CODES →			5B	5G	6B	JB	MB										
A(54A)	R	C7AZ 5431012	A1B	A1G	A1B	A1B	A1B										1
	L	C7AZ 5431013	A1B	A1G	A1B	A1B	A1B										1
TRIM CODES →			3B	3G	6B	CB	LB										
A(54B)	R	C7AZ 5431012	A1B	A1G	A1B	A1B	A1B										1
	L	C7AZ 5431013	A1B	A1G	A1B	A1B	A1B										1
TRIM CODES →			1B	DB													
A(54E)	R	C7AZ 5431012	A1B	A1B													1
	L	C7AZ 5431013	A1B	A1B													1
A(54)		★380508-S13	Screw & washer-oval head, tapping-No. 8-18 x 1 1/2"														2
TRIM CODES →			9G, 9GA, 9GB, 9G1														
A(57F)	L	C7AZ 5731013	A2G														1
F(63)			Refer to Group 31486-7														
TRIM CODES →			1B	3B	4B												
X(54A, B)	R	C8DZ 5431012	BAC	BAC	BAC												1
	L	C8DZ 5431013	BAC	BAC	BAC												1
X(54)		★52734-S13	Screw-pan head, tapping-No. 8-15 x 5/8"														2

$ Paint to match △ Light ▲ Dark • Use red

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
COLORS →			_B or 2 BLUE	_D RED	_D BURGUNDY	_E BEIGE	_F SADDLE	_G IVY GOLD	_K AQUA	_L SILVER (GREY)		BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
31112-3 PANEL - QUARTER UPPER REAR TRIM																	
F(63)	R	C7ZZ 6331112													$A		1
	L	C7ZZ 6331113													$A		1
		52742-S8(U385)	Screw-pan head, cross recess-No. 8-15 x 3/4"														4
		53038-S13(U280)	Screw-oval head, cross recess-No. 8-15 x 3/4"														2
31222-3 PANEL - QUARTER LOWER REAR TRIM																	
F(63)	R	C7ZZ 6331222											$A				1
	L	C7ZZ 6331223											$A				1
		★378434-S	Bumper														2
		52742-S8(U385)	Screw-pan head, tapping-No. 8-15 x 3/4"														2
31290-1 WINDLACE - QUARTER PILLAR - Refer to Group 02600																	
31330-1 PANEL - QUARTER PILLAR TRIM																	
X(71)	R	C7DZ7131330		B1B													1
	L	C7DZ7131331		B1B													1
		52344-S13(U292)	Screw-oval head, tapping-No. 8-15 x 1/2"														4
31364-5 COVER - QUARTER TRIM PANEL LOWER - Also Refer to Group 13046																	
F(63)	R	C7ZZ 6331364		B1B	B1D			B1F	B1G	B1K		B1A					1
	L	C7ZZ 6331365		B1B	B1D			B1F	B1G	B1K		B1A					1
31486-7 PANEL - QUARTER LOWER FRONT TRIM																	
F(63)	R	C8ZZ 6331486											$A				1
	L	C8ZZ 6331487											$A				1
		For folding seat add escutcheon - Refer to Group 613B26-7 in Body Section															
		For fixed seat add hole cover - Refer to Group 613A96-7 in Body Section															
		371492-S2(BB569)	Bolt and washer-hex. head-1/4"-20 x 3/4"														8
		53060-S13(U283)	Screw-oval head, tapping-No. 8-15 x 1"														4
		354394-S2(MM187)	Nut-retainer-1/4"-20														4
31600-1 REST - QUARTER ARM - Refer to Group 24140-1																	
40374 PANEL - BACK PANEL LOWER TRIM																	
B(66)-Before 12/12/66		C7OZ 6640374								C1K							1
B(66)- From 12/12/66		C7OZ 6640374								B1K							1
42456 PAD - BACK WINDOW LOWER GARNISH MOULDING																	
A(54, 62)-cut to fit		C7OZ 6202606		CBD	CBC				CBG	CBH		C1A	C1U				1
45406-7 COVER - LUGGAGE COMPARTMENT FLOOR SIDE - Refer to Group 45456																	

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
45416-7 LINING BOARD - LUGGAGE COMPARTMENT SIDE				
A(63J) -From 11/15/66	L	C7AZ 6345417-A1C	Turquoise	1
A(54C, 57F, 63J)		379870-S2(GG139G)	Clip	4
		380660-S2(UU141)	Screw-round, washer head, tapping-No. 8-18 x 1/2"	4
S	R	C7SZ 6545416-A1P	Grey	1
	L	C7SZ 6545417-A1P	Grey	1
		380660-S2(UU141)	Screw-round, washer head, tapping-No. 8-18 x 1/2"	1
45444 LINING BOARD - LUGGAGE COMPARTMENT FRONT				
A(54, 57, 62, 63, 76), B(54, 62, 63, 76), F, X		★	Dealer to improvise	
S		C7SZ 6545444-A	Grey	1
		350754-S8(UU86)	Screw-pan head, tapping-No. 10-12 x 1/2"	3
45455 COVER - LUGGAGE COMPARTMENT FLOOR CENTER - Refer to Group 45456				
45456 COVER - LUGGAGE COMPARTMENT FLOOR				
A(54, 57, 62, 63)		C7AZ 6245476-A1C	Turquoise burtex-rear	1
A(54A, 57B, 63B-C)	R	C7MY 5445406-A1C	Turquoise burtex-side	1
A(54A, 57B, 63B-C, 76)	L	C7MY 5445407-A1C	Turquoise burtex-side	1
A(54C, 57F, 63J)	R	C7AZ 5445406-A1C	Turquoise burtex-side	1
	L	C7AZ 5445407-A1C	Turquoise burtex-side	1
A(54C, 57F, 63C-J)		C7AZ 6345518-A1C	Turquoise burtex-front	1
A(76)		C7AZ 7645476-C1C	Turquoise carpet-rear	1
A(76A)		C7AZ 7645518-A1C	Turquoise burtex-front	1
A(76B)		C7AZ 7645518-B1C	Turquoise burtex-front	1

$ Paint to match

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
45456 COVER - LUGGAGE COMPARTMENT FLOOR - continued				
B(54, 62, 63)	R	C7OZ 6245474-BAB	Grey-side	1
	L	C7OZ 6245475-BAB	Grey-side	1
		C7OZ 6247196-AAB	Grey-center	1
B(76)	R	C7OZ 7645474-AAB	Grey-side	1
	L	C7OZ 7645475-AAB	Grey-side	1
		C7OZ 7647196-AAB	Grey-center	1
F(63)		C7ZZ 6345456-A1P	Grey burtex	1
F(65)		C7ZZ 6545456-A1P	Grey burtex	1
F(76)		C7ZZ 7645456-A1P	Grey burtex	1
F	L		Filler-refer to Group 11228 in Body Section	
S		C7SZ 6545476-B1P	Grey-burtex-rear	1
S		C7SZ 6545455-A1P	Grey burtex-front	1
		C7SZ 6547196-A1P	Grey burtex-center	1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
			SECOND CHARACTER OF TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
TRIM CODES →			_B or 2	__D	__D	__E	__F	__G	__K	__L						
COLORS →			BLUE	RED	BUR-GUNDY	BEIGE	SAD-DLE	IVY GOLD	AQUA	SILVER (GREY)	BLACK	PARCH-MENT	WHITE	SEE FOOT-NOTE	SEE FOOT-NOTE	
45466-7 COVER - QUARTER WHEELHOUSE																
A(54)-w/folding rear seat	R	C7AZ 5445466		AJB								AJU				1
	L	C7AZ 5445467		AJB								AJU				1

45474-5 COVER - LUGGAGE COMPARTMENT FLOOR - Refer to Group 45456

45476 COVER - LUGGAGE COMPARTMENT FLOOR REAR - Refer to Group 45456

45494 COVER - LUGGAGE COMPARTMENT FLOOR CENTER - Refer to Group 45456

45518 COVER - LUGGAGE COMPARTMENT FLOOR FRONT - Refer to Group 45456

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
45520-1 LINING BOARD - LUGGAGE COMPARTMENT REAR				
S	R	C7SZ 6545520-A1P	Grey	1
	L	C7SZ 6545521-A1P	Grey	1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
			SECOND CHARACTER OF TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
TRIM CODES →			_B or 2	__D	__D	__E	__F	__G	__K	__L						
COLORS →			BLUE	RED	BUR-GUNDY	BEIGE	SAD-DLE	IVY GOLD	AQUA	SILVER (GREY)	BLACK	PARCH-MENT	WHITE	SEE FOOT-NOTE	SEE FOOT-NOTE	
46562 REINFORCEMENT - PACKAGE TRAY TRIM PANEL END																
F(65)- w/overlapping trim panel (31012-3)-		C7ZZ 6546562		A1B	A1D			A1F	A1G	A1K						2
46656 PANEL - PACKAGE TRAY TRIM																
A(54A-B-E, 62)		C7AZ 6246656			A1D				A1G	A1K						1
A(54C)		C7AZ 5446656		A2B	A2D				A2G	A2K	A2L	A2A	A2U			1
A(57B,F)-w/speaker		C7AZ 5746656		B1B	B1D			B1F	B1G	B1K	B1L	B1A	B1U			1
A(57B)-w/o speaker		C7AZ 5746656			A1D					A1K			A1U			1
A(57)-w/forced air ventilation		C5AZ 5746668												$A		1
A(63)		C7MY6346656		H1B	H1D			H1F	H1G		H1L	H1A	H1U			1
B(54)		C7OZ 5446656		AAB	AAD				AAG	AAK			AAU			1
B(62), X(62)-w/speakers		C7OZ 6246656		A1B	A1D				A1G	A1K		A1A	A1U			1
B(62), X(62)-w/o speakers		C7OZ 6246656		ABB	ABD				ABG	ABK		ABA	ABU			1
B(63)		C7OZ 6346656		CBB	CBD			CBF	CBG	CBK		CBA	CBU			1
F(65)		C7ZZ 6546656						A1F		A1K		A1A				1
X(54)-w/speaker		C7DZ 5446656		A1B	A1D				A1G	A1K			A1U			1
X(54)-w/o speakers		C7DZ 5446656		ABB	ABD				ABG	ABK			ABU			1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
			B or 2	D	D	E	F	G	K	L							
COLORS →			BLUE	RED	BURGUNDY	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
46668 PANEL - PACKAGE TRAY TRIM - Refer to Group 46656																
46868 COVER - PACKAGE TRAY STRAINER																
A(54)-w/folding rear seat		C7AZ5446868	AJB									AJU				1
		95460-S8(H10)	Fastener-socket													9
		353504-S(HH4)	Fastener-button													9
47196 COVER - LUGGAGE COMPARTMENT FLOOR CENTER - Refer to Groups 45455 and 45474-5																

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
51338 WEATHERSTRIP - FOLDING TOP NO. 1 BOW				
A(76)		C5AZ7651338-BAB	Black	1
		C5AZ7651338-BAD	Blue	1
B(76)		C6OZ7651338-BAB	Black	1
		C6OZ7651338-BAC	White	1
F(76)		C5ZZ7651338-BFA	Black	1
		C5ZZ7651338-BFC	White	1
51416 MOULDING - FOLDING TOP NO. 4 BOW OUTSIDE - INCLUDES RETAINER				
A(76), B(76)		C3AZ7651416-D	Black-59" long-cut to fit	1
F(76)		C5SZ7651416-BAJ	White-59" long-cut to fit	1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
			B or 2	D	D	E	F	G	K	L							
COLORS →			BLUE	RED	BURGUNDY	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
51654-5 PAD - ROOF SIDE INNER RAIL																
A(63B-C)	R	C7AZ6351654									B1A					1
51916 HEADLINING - ROOF																
A(54C)		C7AZ5451916	A9B													1
B(62), X(62)		C6OZ6251916	ABC	BCF				ADJ	ADH							1
F(63)		C7ZZ6351916									A2A					1
F(65)		C5ZZ6551916									AGG					1
S(65) Before 2/1/67	R	C7SZ6551944	A1B	A1D	C2D			A1G	A1K		A1A	A1U				1
	L	C7SZ6551945	A1B	A1D	C2D				A1K		A1A	A1U				1
S(65) From 2/1/67	R	C7SZ6551944							D2K		D2A	D2U				1
	L	C7SZ6551945	D2B						D2K							1
U(98)-Front		D3BZ1051916										A				1
U(98)-Rear		D3BZ1051918										A				1
U(98)		371215-S8(HH39)	Screw-washer head, cross recess-No. 10-12 x 3/4"													16

51944-5 HEADLINING - ROOF - Refer to Group 51916
51966 PANEL - ROOF TRIM - Refer to Group 51916
51996 PANEL - ROOF REAR TRIM - Refer to Group 51916

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
52500 WINDOW - FOLDING TOP BACK CURTAIN				
A(76)		C7AZ7652500-BAB	Vinyl window-used with Black tops	1
		C7AZ7652500-BAC	Vinyl window-used with White tops	1
		C7AZ7652500-AAE	Glass window-used with Blue tops	1
		C7AZ7652500-AAC	Glass window-used with White tops	1
B(76)		C7OZ7652500-AAB	Vinyl window-used with Black tops	1
		C7OZ7652500-AAE	Vinyl window-used with Blue tops	1
		C7OZ7652500-AAC	Vinyl window-used with White tops	1
		C7OZ7652500-BAB	Glass window-used with Black tops	1
		C7OZ7652500-BAE	Glass window-used with Blue tops	1
		C7OZ7652500-BAC	Glass window-used with White tops	1

$ Paint to match

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
52500 WINDOW - FOLDING TOP BACK CURTAIN - continued				
F(76)		C7ZZ 7652500-AAB	Glass window-used with Black tops	1
		C7ZZ 7652500-AAC	Glass window-used with White tops	1
		C7ZZ 7652500-BAB	Vinyl window-used with Black tops	1
		C7ZZ 7652500-BAC	Vinly window-used with White tops	1
52700 TOP - FOLDING - LESS BACK CURTAIN and BOWS				
F(76)		C7ZZ 7652700-AAB	Black	1
53278 ZIPPER - FOLDING TOP BACK CURTAIN				
A(76)		C5AZ 7653278-AAB	Black-used with all tops	1
53740 PAD - ROOF OUTSIDE COVER FRONT SIDE				
S(57)		C7SZ 5753740-A		2

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER
			_B or 2	__D	__D	__E	__F	__G	__K	__L						
COLORS →			BLUE	RED	BUR-GUNDY	BEIGE	SAD-DLE	IVY GOLD	AQUA	SILVER (GREY)	BLACK	PARCH-MENT	WHITE	SEE FOOT-NOTE	SEE FOOT-NOTE	
54486 CONTAINER - FOLDING TOP DUST HOOD																
A(76), B(76), F(76)		D0OZ 7654486									A01					1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES			QTY.
60032 BACK ASSY. - REAR SEAT - INCLUDES COVER						
TRIM CODES →			1	7	9	
U		C7TZ 9660032	BDD	BDD	BDD	1

BODY TYPE	R/L	KIT PART NUMBER LESS COVER
60032-3 BACK KIT - REAR SEAT - CONSISTS of SPRING, PADS, WIRE and INSTRUCTION SHEET - SHIPPED K.D.		
A(54A, B, E)		C5AZ 6260032-A
A(57F)		C5AZ 5760032-A
A(62B, E)		C5AZ 6260032-A
A(63)		C7AZ 6360032-C
B(71B-E)		C9OZ 7160032-A
B(76)		C6OZ 7660032-A
F(63)		C5ZZ 6360032-B
F(65)		C5ZZ 6560032-C
S(57B)		C7SZ 5760032-B
X(71A, B)		C9OZ 7160032-A

IMPORTANT

When a complete Cushion Assembly is required, order BOTH a basic 60050 or 60051 Kit plus a basic 62900 or 62901 Cover with applicable suffix for desired trim code.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES												
60050-1 CUSHION KIT - FRONT SEAT - CONSISTS of SPRING, PADS, WIRE and INSTRUCTION SHEET - SHIPPED K.D.																
A-Split bench	R	C7AZ 6360050-C														
	L	C7AZ 6360051-B														
B(54, 62, 63B, 71, 76B)		C7OZ 6260050-A														
TRIM CODES →				2B	2D	2U										
B(66A, B)		C7OZ 6260050-A	C7DZ 6662900	A2B	A2D	A2U										
TRIM CODES →				2A	6A											
F(63A, B, 65A, B, 76, A, B)	R	C7ZZ 6360050-A	C7ZZ 6562900	A2A	A2A											
	L	C7ZZ 6360051-A	C7ZZ 6562900	A2A	A2A											
TRIM CODES →																
F(65C, 76C)		C7ZZ 6560050-A														
S(57B, 65)	Δ	C7SZ 6560050-A														
U-Full width seat		C6TZ 9660050-A														
TRIM CODES →				9												
U-Bucket seat	R	C7TZ 9660050-A	C7TZ 9662900	ADD												
	L	C7TZ 8160051-A	C7TZ 9662900	ADD												
TRIM CODES →																
X(54, 62A, B, 71A, B)		C7OZ 6260050-A														

Δ R.H. or L.H.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													
60080 CUSHION ASSY. - REAR SEAT - INCLUDES COVER																	
TRIM CODES →				1	7	9											
U		C7TZ 9660080		BDD	BDD	BDD											1

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	
60080 CUSHION KIT - REAR SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D.			
A(54B)		C7AZ 5460080-A	
A(54C,57B,F)		C7AZ 5760080-B	
A(62B,E)		C5AZ 6260080-B	
A(63)		C7AZ 6360080-A	
A(71A,B,C,E)		C5AZ 7160080-C	
A(76A,B)		C5AZ 7660080-B	
B(62A)		C6DZ 6260080-A	
B(71D)		C6OZ 7160080-A	
F(63A,B)		G5ZZ 6360080-B	
F(65)		C7ZZ 6560080-A	
F(76)		C7ZZ 7660080-A	
X(62A)		C6OZ 6260080-A	
X(71A)		C6OZ 7160080-A	
60090 CUSHION KIT - AUXILIARY SEAT - CONSISTS of SPRINGS,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D.			
A(71A,C)		C5AZ 7160090-A	AGU
B(71)		C6OZ 71607A60-A	Base
		C6OZ 7166856-A	Pad

IMPORTANT

When a complete Back Assembly is required, order BOTH a basic 60096 Kit plus a basic 66640 Cover with applicable suffix for desired trim code.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													
60096 BACK KIT - AUXILIARY SEAT CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. - -Also Refer to Group 60103																	
TRIM CODES →				5U	6F	6K	6U	7K	7U								
A(71)			C7AZ 7166640	AGU	AGF		AGU		AGU								
			C6AZ 7166640			AGH		AGH									

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
60103 COVER and PAD ASSY. - AUXILIARY SEAT BACK -Also Refer to Group 60096																	
TRIM CODES →			4B	4D	4G	4U											
B(71B-E)		C7OZ 7160103	A4B	A4D	A4G	A4U											1
TRIM CODES →			2B	2D	2U												
B(71D)		C7OZ 7160103	A2B	A2D	A2U												1

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	
60136-7 BACK KIT - FRONT SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D.			
A(54A,B,E, 57B,71D)		C5AZ 5460136-B	
A(54C,57F)		C5AZ 5760136-A	
-Split bench	R	C7AZ 6360136-A	
	L	C7AZ 6360137-A	
A(63C,76B)	Δ	C7AZ 6360136-C	
A(63J)	R	C5AZ 6360136-B	
-Split bench	R	C7AZ 6360136-A	
	L	C7AZ 6360137-A	

Δ R.H. or L.H.

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	KIT PART NUMBER LESS COVER
60136-7 BACK KIT - FRONT SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued		
B(62,66A,B,76B)	R	C6OZ 6260136-A
F(63A,B,65A, B,76)	R	C7ZZ 6560136-A
	L	C7ZZ 6560137-A
F(65C,76C)	L	C7ZZ 6560137-B
U-Full width seat		C6TZ 9660136-A
U-Bucket seat	Δ	C7ZZ 6560137-A
X(62A,B)	R	C6OZ 6260136-A

62900 COVER - FRONT SEAT CUSHION - Refer to Group 60050-1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
644A16 FLAP - FRONT SEAT BACK CENTER ARM REST																
TRIM CODES →			E1, E1A, E1B	E9, E9A, E9B	F1, F1A, F1B, F1C											
A(54C)		C7AZ 63644A16	AG1	AG9	AG1											2
TRIM CODES →			E1, E1A, E1B, E11	E9, E9A, E9B	F1, F1A, F1B, F1C, F11											
A(57F)		C7AZ 63644A16	AG1	AG9	AG1											2
TRIM CODES →			G1, G1A, G1B, G11	G9, G9A, G9B	H1, H1A, H1B, H1C, H11											
A(63J)		C7AZ 63644A16	AG1	AG9	AG1											2

66640 COVER - AUXILIARY SEAT BACK - Refer to Group 60096

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
			SECOND CHARACTER OF TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
TRIM CODES →			B or 2	D	D	E	F	G	K	L						
COLORS →			BLUE	RED	BURGUNDY	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
668A06 PAD - REAR SEAT BACK FLOOR SAFETY																
A(71)		C7AZ 71668A06					BBF	BBA				BBU				1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
668A16 COVER - REAR SEAT BACK CENTER FILLER																
TRIM CODES →			2A	2B	2D	2F	2G	2K	2U	8A	8B	8D	8G, 8GA	8U	HA	
S(65)		C7SZ 65668A16	A2A	A2B	A2D	A2F	A2G	A2K	A2U	A8A	A8B	A8D	A8G	A8U	AHA	1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
			SECOND CHARACTER OF TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
TRIM CODES →			B or 2	D	D	E	F	G	K	L						
COLORS →			BLUE	RED	BURGUNDY	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
67112 REST - REAR SEAT ARM - INCLUDES ATTACHING PARTS																
U		C7UZ 8967112										ABU				2

Δ R.H. or L.H.

THE SOFT TRIM SECTION INCLUDES ONLY THOSE ITEMS WHICH WERE AVAILABLE FOR SERVICE AT THE TIME OF PRINTING. ITEMS NOT SHOWN IN THE CATALOG MUST BE IMPROVISED OR PROCURED LOCALLY.

INSTRUCTIONS

Determine correct Group Number by referring to an appropriate illustration in the Interior Trim Section of the Illustration Catalog, Ford AF 7635-B or to the Soft Trim Index of this catalog. Identify Model, Body Type and Trim Code by referring to 1968 Warranty Plate Codes as shown in the General Information Section.

The 1968 Soft Trim Section consists of: (1) Trim Scheme Codes and Swatches (Pages A1, A2, A3, B, etc.), (2) Listing of Soft Trim Parts for all Ford (A), Fairlane (B), Mustang (F), Thunderbird (S), Bronco (U) and Falcon (X) models. (Pages 1 to end.)

TRIM SCHEME CODES and SWATCHES

Consists of: (1) Listing of Trim Scheme Codes arranged in order of model, i.e. Ford, Fairlane, etc.
(2) Colored Swatches identified by a number beside the swatch.

How to use: (1) Identify Model, Body Type and Trim Code and apply this information to listing of Trim Scheme Codes. (2) Determine Swatch Identification Numbers and refer to Colored Swatches on page B, etc. (3) Locate appropriate swatches to verify the color and/or pattern of the principal materials used in the unit.

Colored Swatch pages are primarily for verification of color and/or pattern and do not indicate the type or weight of material.

For example, to determine which Swatches make up Trim Code 3B on Ford Four Door Sedan refer to page A1, A2, etc.

As shown on page A1 (Ford) Trim Code 3B indicates: (1) Body types (54C, 57F, 65A). (2) Trim scheme description (Dark blue crinkle vinyl and dark blue astoria pattern cloth). (3) Door and quarter material (swatch No. 16 & 101), bolster material (swatch No. 16), cushion and back material (swatch No. 114) and headlining material (swatch No. 15).

SOFT TRIM PARTS FOR ALL MODELS

Consists of: (1) Parts cataloged by trim code and color (e.g. Groups 02344-5, 24346-7, etc.).
(2) Parts cataloged by trim code only (e.g. Groups 23942-3, 62900, etc.).
(3) Miscellaneous parts (e.g. Groups 47042, 53700, etc.).

PARTS CATALOGED BY COLOR: (1) Identify Model, Body Type and Color of desired part. (2) Determine Group Number of part. (3) Locate appropriate Trim code and Color listed at top of page. Second character of trim code generally applicable to each color is also shown above the color as an additional aid. When color of part is in doubt refer to the list of Trim Codes and Colored Swatch pages for further identification. (4) Match color with Model and Body Type to select desired part number.

For example, should a Black Rear Floor Carpet (Group 13046) be desired for a Ford Four Door Hard top: (1) Refer to Group 13046: (2) Read list of Colors above title to find Black. (3) Read down to find A(54). (4) Part number shown is C7AZ 5413046 and suffix in "Black" column is A1A.

PARTS CATALOGED BY TRIM CODE: (1) Identify Model, Body Type and Trim Code. (2) Determine Group Number of part. (3) Locate appropriate Trim Code (listing of Trim Codes precedes each Body Type. (4) Match Model and Body Type with Trim Code to select part number.

For example, should a L.H. Front Door Trim Panel (Group 23942-3) be required for a Ford Four Door Sedan, Trim Code 5B: (1) Refer to Group 23942-3. (2) Read down to locate A(54A). (3) Read trim codes (listed numerically) to find Trim Code 5B. (4) Part number shown is C8AZ 5423943 and suffix listed is A5B.

3 DIGIT TRIM CODES

Parts for 3 digit trim codes ending with an alphabet (e.g. 15A) are listed with parts cataloged by trim code.

Parts for 3 digit trim codes ending with a numeral (e.g. 151) are not cataloged. Refer to the listing of trim codes to determine which parts are available through service. For parts which are not available for service contact your Service Representative, who will process in accordance with General ICC bulletin No. 7526.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and	
FORD (A)						
1B	54E, 62E	Light blue crinkle vinyl and medium blue milford pattern cloth	14, 22	14	109	12
1B1	54E, 62E	Light blue crinkle vinyl and medium blue lennox pattern cloth (Code 1B - See Note 1)				
1B2	54E, 62E	(Code 1B - See Note 1)				
1D	54E	Red vinyl and red cloth				
1U	54E, 62E	Pastel parchment crinkle vinyl and light parchment milford pattern cloth	72, 83	72	140	74
1U1	54E, 62E	Pastel parchment crinkle vinyl and light parchment lennox pattern cloth (Code 1U - See Note 1)				
1U2	54E, 62E	Pastel parchment crinkle vinyl and light parchment clinton pattern cloth (Code 1U - See Note 2) (Code 2U - See Note 3)				
1U3	54E, 62E	(Code 1U - See Note 1)				
1U4	54E	(Code 1U - See Note 1)				
2B	54B, 62B	Light blue crinkle vinyl and medium blue clinton pattern cloth	14	14	108	12
2B1	54B, 62B	(Code 2B - See Note 1)				
2G	54B, 62B	Light ivy gold crinkle vinyl and medium ivy gold clinton pattern cloth	51	51	123	50
2G1	54B, 62B	(Code 2G - See Note 1)				
2G2	54B, 62B	(See Note 4)				
2U	54B, 62B	Pastel parchment crinkle vinyl and light parchment clinton pattern cloth	72	72	136	74
2U1	54B, 62B	(Code 2U - See Note 1)				
2U2	54B, 62B	(Code 2U - See Note 1)				
3A	54C, 57F, 65A	Charcoal black crinkle vinyl and charcoal black astoria pattern cloth	3, 101	3	102	2
3AA	54C, 57F, 65A	Charcoal black crinkle vinyl and charcoal black astoria pattern cloth	3, 101	3	102	2
3A1	54C, 57F, 65A	(See Note 4)				
3A2	54C, 57F, 65A	(Code 3AA - See Note 1)				
3B	54C, 57F, 65A	Dark blue crinkle vinyl and dark blue astoria pattern cloth	16, 101	16	114	15
3BA	54C, 57F, 65A	Dark blue crinkle vinyl and dark blue astoria pattern cloth	16, 101	16	114	15
3B1	54C, 57F, 65A	(See Note 4)				
3D	54C, 57F, 65A	Dark red crinkle vinyl and dark red astoria pattern cloth	31, 101	31	117	42
3DA	54C, 57F, 65A	Dark red crinkle vinyl and dark red astoria pattern cloth	31, 101	31	117	42
3D1	54C, 57F, 65A	(See Note 4)				
3G	54C, 57F, 65A	Dark ivy gold crinkle vinyl and dark ivy gold astoria pattern cloth	54, 101	54	128	53
3GA	54C, 57F, 65A	Dark ivy gold crinkle vinyl and dark ivy gold astoria pattern cloth	54, 101	54	128	53
3G1	54C, 57F, 65A	(Code 3GA - See Note 1)				

* For swatch identification refer to Page B, etc. † Not applicable to Convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1968 Soft Trim Section. For replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1968 Soft Trim Section.

NOTE 2 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in 1968 Soft Trim Section

NOTE 3 - For replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) refer to this code in the 1968 Soft Trim Section.

NOTE 4 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) and replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1968 Soft Trim Section.

1968 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		†HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
3K	54C, 57F, 65A	Light aqua crinkle vinyl and dark aqua astoria pattern cloth	65, 101	65	132	64
3KA	54C, 57F, 65A	Light aqua crinkle vinyl and dark aqua astoria pattern cloth	65, 101	65	132	64
3K1	54C, 57F, 65A	(See Note 4)				
3K2	54C, 57F, 65A	(Code 3KA - See Note 1)				
3Y	54C, 57F, 65A	Light nugget gold crinkle vinyl and light nugget gold astoria pattern cloth	94, 101	94	142	93
3YA	54C, 57F, 65A	Light nugget gold crinkle vinyl and light nugget gold astoria pattern cloth	94, 101	94	142	93
3Y1	54C, 57F, 65A	(See Note 4)				
4A	63C, 76B	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3	3	9	2
4A1	63C	(See Note 4)				
4B	63C, 76B	Light blue crinkle vinyl and light blue kiwi pattern vinyl	14	14	26	12
4B1	63C	(See Note 4)				
4D	63C, 76B	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31	31	37	42
4D1	63C	(See Note 4)				
4G	63C, 76B	Light ivy gold crinkle vinyl and light ivy gold kiwi pattern vinyl	51	51	57	50
4U	63C, 76B	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	72	72	84	74
4Y	63C, 76B	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94	94	96	93
4Y1	63C	(See Note 4)				
5A	54A, 57B, 63B, 65C	Charcoal black crinkle vinyl and charcoal black lycoming pattern cloth	1, 3	3	105	2
5A1	63B, 65C	(Code 5A - See Note 1)				
5A2	54A, 57B, 63B	(See Note 4)				
5B	54A, 57B, 63B, 65C	Light blue crinkle vinyl and medium blue lycoming pattern cloth	1, 14	14	107	12
5B1	63B, 65C	(Code 5B - See Note 1)				
5B2	54A, 57B, 63B	(See Note 4)				
5G	54A, 57B, 63B, 65C	Light ivy gold crinkle vinyl and medium ivy gold lycoming pattern cloth	1, 51	51	122	50
5G1	63B, 65C	(Code 5G - See Note 1)				
5K	54A, 57B, 63B, 65C	Light aqua crinkle vinyl and medium aqua lycoming pattern cloth	1, 65	65	134	64
5K1	63B, 65C	(Code 5K - See Note 1)				
5K2	54A, 57B, 63B, 65C	(See Note 4)				

* For swatch identification refer to Page B, etc. † Not applicable to Convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1968 Soft Trim Section. For replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1968 Soft Trim Section.

NOTE 4 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) and replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1968 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		†HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
5Y	54A, 57B, 63B, 65C	Light nugget gold crinkle vinyl and light nugget gold lycoming pattern cloth	1, 94	94	144	93
5Y1	63B, 65C	(Code 5Y - See Note 1)				
5Y2	54A, 57B, 63B, 65C	(See Note 4)				
6A	54A, 57B, 63B, 65C, 71B-C, 76A	Charcoal black crinkle and charcoal black kiwi pattern vinyl	3	3	9	2
6AA	71B-C	Charcoal black crinkle and charcoal black kiwi pattern vinyl	3	3	9	2
6A1	54A, 57B, 63B, 65C, 71B-C	(See Note 4)				
6A2	63B	(Code 6A - See Note 1)				
6B	54A-B-E, 57B, 63B, 65C, 71B-C, 76A	Light blue crinkle vinyl and light blue kiwi pattern vinyl	14	14	26	12
6BA	71B-C	Light blue crinkle vinyl and light blue kiwi pattern vinyl	14	14	26	13
6B1	54A, 57B, 63B, 65C, 71B-C	(See Note 4)				
6D	57B, 63B, 65C, 71B-C, 76A	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31	31	37	42
6DA	71B-C	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31	31	37	42
6D1	57B, 63B, 65C, 71B-C	(See Note 4)				
6G	57B, 63B, 65C, 71B-C, 76A	Light ivy gold crinkle vinyl and light ivy gold kiwi pattern vinyl	51	51	57	50
6GA	71B-C	Light ivy gold crinkle vinyl and light ivy gold kiwi pattern vinyl	51	51	57	50
6U	54A-B-E, 57B, 63B, 65C, 71B-C, 76A	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl	72	72	84	74
6UA	71B-C	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl	72	72	84	74
6Y	57B, 63B, 65C, 76A	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94	94	96	93
6Y1	57B, 63B, 65C	(See Note 4)				
7B	71H-J	Light blue crinkle vinyl and dark blue tiber pattern vinyl	14	14	27	12
7B1	71H-J	Light blue crinkle vinyl and dark blue tiber pattern vinyl (Code 7B - See Note 1)				
7D	71H-J	Dark red crinkle vinyl and dark red tiber pattern vinyl	31	31	34	42
7D1	71H, J	(See Note 4)				
7G	71H-J	Light ivy gold crinkle vinyl and medium ivy gold tiber pattern vinyl	51	51	59	50
7G1	71H-J	(Code 7G - See Note 1)				
7U	71H-J	Pastel parchment crinkle vinyl and light parchment tiber pattern vinyl	72	72	91	74
7U1	71H-J	Pastel parchment crinkle vinyl and light parchment tiber pattern vinyl (Code 7U - See Note 1)				

* For swatch identification refer to Page B, etc. † Not applicable to Convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1968 Soft Trim Section. For replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1968 Soft Trim Section.

NOTE 4 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) and replacement of cushion covers (62900 and 63804) and back covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1968 Soft Trim Section.

1968 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
9A	54C, 57F, 65A-(Full width seat)	Charcoal black fontana pattern vinyl and charcoal black cimarron pattern cloth	11, 101 & 147	3	103 & 104	2
9AA	54C, 57F, 65A-(Full width seat)	Charcoal black fontana pattern vinyl and charcoal black cimarron pattern cloth	11, 101 & 147	3	103 & 104	2
9A1	54C, 57F, 65A-(Full width seat)	Charcoal black fontana pattern vinyl and charcoal black cimarron pattern cloth (Code 9A - See Note 1)				
9A2	54C, 57F, 65A-(Full width seat)	(See Note 4)				
9B	54C, 57F, 65A-(Full width seat)	Dark blue fontana pattern vinyl and dark blue cimarron pattern cloth	30, 101 & 149	16	115 & 116	15
9BA	54C, 57F, 65A-(Full width seat)	Dark blue fontana pattern vinyl and dark blue cimarron pattern cloth	30, 101 & 149	16	115 & 116	15
9B1	54C, 57F, 65A-(Full width seat)	Dark blue fontana pattern vinyl and dark blue cimarron pattern cloth (Code 9B - See Note 1)				
9B2	54C, 57F, 65A-(Full width seat)	(See Note 4)				
9D	54C, 57F, 65A-(Full width seat)	Dark red fontana pattern vinyl and dark red cimarron pattern cloth	40, 101 & 151	31	118 & 119	42
9DA	54C, 57F, 65A-(Full width seat)	Dark red fontana pattern vinyl and dark red cimarron pattern cloth	40, 101 & 151	31	118 & 119	42
9D1	54C, 57F, 65A-(Full width seat)	Dark red fontana pattern vinyl and dark red cimarron pattern cloth (Code 9D - See Note 1)				
9D2	54C, 57F, 65A	(See Note 4)				
9G	54C, 57F, 65A-(Full width seat)	Dark ivy gold fontana pattern vinyl and dark ivy gold cimarron pattern cloth	63, 101 & 153	54	129 & 130	53
9GA	54C, 57F, 65A-(Full width seat)	Dark ivy gold fontana pattern vinyl and dark ivy gold cimarron pattern cloth	63, 101 & 153	54	129 & 130	53
9G1	54C, 57F, 65A-(Full width seat)	Dark ivy gold fontana pattern vinyl and dark ivy gold cimarron pattern cloth (Code 9G - See Note 1)				
9K	54C, 57F, 65A-(Full width seat)	Light aqua fontana pattern vinyl and light aqua bangor pattern cloth	69, 101 & 155	65	131 & 133	64
9KA	54C, 57F, 65A-(Full width seat)	Light aqua fontana pattern vinyl and light aqua bangor pattern cloth	69, 101 & 155	65	131 & 133	64
9K1	54C, 57F, 65A-(Full width seat)	Light aqua fontana pattern vinyl and light aqua bangor pattern cloth (Code 9K - See Note 1)				
9K2	54C, 57F, 65A (Full width seat)	(See Note 4)				
9Y	54C, 57F, 65A-(Full width seat)	Light nugget gold fontana pattern vinyl and light nugget gold bangor pattern cloth	98, 101 & 157	94	141 & 143	93
9YA	54C, 57F, 65A-(Full width seat)	Light nugget gold fontana pattern vinyl and light nugget gold bangor pattern cloth	98, 101 & 157	94	141 & 143	93
9Y1	54C, 57F, 65A-(Full width seat)	Light nugget gold fontana pattern vinyl and light nugget gold bangor pattern cloth (Code 9Y - See Note 1)				
9Y2	54C, 57F, 65A (Full width seat)	(See Note 4)				

* For swatch identification refer to Page B, etc. † Not applicable to Convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1968 Soft Trim Section. For replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1968 Soft Trim Section.

NOTE 4 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) and replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1968 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		†HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
BB	54B	Light blue crinkle vinyl and light blue kiwi pattern vinyl	14	14	26	12
BB1	54B	(See Note 4)				
BG	54B	Light ivy gold crinkle vinyl and light ivy gold kiwi pattern vinyl	51	51	57	50
BU	54B	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl	72	72	84	74
EA	57F, 65A- (Split seat)	Charcoal black fontana pattern vinyl and charcoal black cimarron pattern cloth	11, 101 & 147	3	103, 104	2
EAA	57F, 65A- (Split seat)	Charcoal black fontana pattern vinyl and charcoal black cimarron pattern cloth	11, 101 & 147	3	103, 104	2
EA1	57F, 65A- (Split seat)	Charcoal black fontana pattern vinyl and charcoal black cimarron pattern cloth (Code EA - See Note 1)				
EA2	57F, 65A (Split seat)	(See Note 4)				
EB	57F, 65A- (Split seat)	Dark blue fontana pattern vinyl and dark blue cimarron pattern cloth	30, 101 & 149	16	115, 116	15
EBA	57F, 65A- (Split seat)	Dark blue fontana pattern vinyl and dark blue cimarron pattern cloth	30, 101 & 149	16	115, 116	15
EB1	57F, 65A- (Split seat)	Dark blue fontana pattern vinyl and dark blue cimarron pattern cloth (Code EB - See Note 1)				
EB2	57F, 65A (Split seat)	(See Note 4)				
ED	57F, 65A- (Split seat)	Dark red fontana pattern vinyl and dark red cimarron pattern cloth	40, 101 & 151	31	118, 119	42
EDA	57F, 65A- (Split seat)	Dark red fontana pattern vinyl and dark red cimarron pattern cloth	40, 101 & 151	31	118, 119	42
ED1	57F, 65A- (Split seat)	Dark red fontana pattern vinyl and dark red cimarron pattern cloth (Code ED - See Note 1)				
ED2	57F, 65A (Split seat)	(See Note 4)				
EG	57F, 65A- (Split seat)	Dark ivy gold fontana pattern vinyl and dark ivy gold cimarron pattern cloth	63, 101 & 153	54	129, 130	53
EGA	57F, 65A- (Split seat)	Dark ivy gold fontana pattern vinyl and dark ivy gold cimarron pattern cloth	63, 101 & 153	54	129, 130	53
EG1	57F, 65A (Split seat)	Dark ivy gold fontana pattern vinyl and dark ivy gold cimarron pattern cloth (Code EG - See Note 1)				
EK	57F, 65A- (Split seat)	Light aqua fontana pattern vinyl and light aqua bangor pattern cloth	69, 101 & 155	65	131, 133	64
EKA	57F, 65A- (Split seat)	Light aqua fontana pattern vinyl and light aqua bangor pattern cloth	69, 101 & 155	65	131, 133	64
EK1	57F, 65A- (Split seat)	Light aqua fontana pattern vinyl and light aqua bangor pattern cloth (Code EK - See Note 1)				
EK2	57F, 65A (Split seat)	(See Note 4)				
EY	57F, 65A- (Split seat)	Light nugget gold fontana pattern vinyl and light nugget gold bangor pattern cloth	98, 101 & 157	94	141, 143	93
EYA	57F, 65A- (Split seat)	Light nugget gold fontana pattern vinyl and light nugget gold bangor pattern cloth	98, 101 & 157	94	141, 143	93

* For swatch identification refer to Page B, etc. † Not applicable to Convertible

Note 1 - For replacement of door and quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1968 Soft Trim Section. For replacement of cushion covers (62900 and 63804) and back covers (64416-7 and 66600) contact your service representative. All other parts are included in the 1968 Soft Trim Section.

Note 4 - For replacement of door and quarter trim panels (23942-3, 27406-7 and 31012-3) and replacement of cushion covers (62900 and 63804) and back covers (64416-7 and 66600) contact your service representative. All other parts are included in the 1968 Soft Trim Section.

1968 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		†HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
EY1	57F, 65A- (Split seat)	Light nugget gold fontana pattern vinyl and light nugget gold bangor pattern cloth (Code EY-See Note 1)				
EY2	57F, 65A (Split seat)	(See Note 4)				
FA	71A-E	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3, 101	3	9	2
FAA	71A-E	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3, 101	3	9	2
FA1	71A-E	(See Note 4)				
FB	71A-E	Dark blue crinkle vinyl and dark blue kiwi pattern vinyl	16, 101	16	29	12
FBA	71A-E	Dark blue crinkle vinyl and dark blue kiwi pattern vinyl	16, 101	16	29	12
FBB	71A-E	Light blue crinkle vinyl and light blue kiwi pattern vinyl	14, 101	14	26	12
FB1	71A-E	(See Note 4)				
FD	71A-E	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31, 101	31	37	42
FDA	71A-E	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31, 191	31	37	42
FD1	71A-E	(See Note 4)				
FG	71A-E	Dark ivy gold crinkle vinyl and dark ivy gold kiwi pattern vinyl	54, 101	54	62	50
FGA	71A-E	Dark ivy gold crinkle vinyl and dark ivy gold kiwi pattern vinyl	54, 101	54	62	50
FGB	71A-E	Light ivy gold crinkle vinyl and light ivy gold kiwi pattern vinyl	51, 101	51	57	50
FU	71A-E	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl	72, 101	72	84	74
FUA	71A-E	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl	72, 101	72	84	74
FY	71A-E	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94, 101	94	96	93
FYA	71A-E	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94, 101	94	96	93
FY1	71A-E	(See Note 4)				
LE	54B-E, 62B-E- (Police & Taxi)	Medium parchment crinkle vinyl and light parchment morocco pattern vinyl	81, 90	81	79	77
LEA	54B-E, 62B-E (Police & Taxi)	Medium parchment crinkle vinyl and light parchment morocco pattern vinyl	81, 78	81	79	77
LE1	54B-E, 62B-E (Police & Taxi)	(Code LEA - See Note 1)				
LE2	54B-E, 62B-E (Police & Taxi)	(Code LEA - See Note 5)				
LE3	54B-E, 62B-E (Police & Taxi)	(See Note 4)				
NB	71D	Light blue crinkle vinyl and light blue pinta pattern vinyl	22, 14	14	21, 23	12
NB1	71D	(See Note 4)				
NU	71D	Pastel parchment crinkle vinyl and light parchment pinta pattern vinyl	72, 83	72	82, 89	74

* For swatch identification refer to Page B, etc. † Not applicable to Convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1968 Soft Trim Section. For replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1968 Soft Trim Section.

NOTE 4 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) and replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1968 Soft Trim Section.

NOTE 5 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) contact your service representative For replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) refer to this code in the 1968 Soft Trim Section. All other parts are included in the 1968 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		†HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
RA	63C, 76B	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3	3	9	2
RAA	63C, 76B	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3	3	9	2
RA1	63C	(See Note 4)				
RB	63C, 76B	Light blue crinkle vinyl and light blue kiwi pattern vinyl	14	14	26	12
RBA	63C, 76B	Light blue crinkle vinyl and light blue kiwi pattern vinyl	14	14	26	12
RB1	63C	(See Note 4)				
RD	63C, 76B	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31	31	37	42
RDA	63C, 76B	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31	31	37	42
RG	63C, 76B	Light ivy gold crinkle vinyl and light ivy gold kiwi pattern vinyl	51	51	57	50
RGA	63C, 76B	Light ivy gold crinkle vinyl and light ivy gold kiwi pattern vinyl	51	51	57	50
RK	63C, 76B	Light aqua crinkle vinyl and light aqua kiwi pattern vinyl	65	65	68	64
RKA	63C, 76B	Light aqua crinkle vinyl and light aqua kiwi pattern vinyl	65	65	68	64
RK1	63C	(See Note 4)				
RU	63C, 76B	Pastel parchment crinkle vinyl and pastel parchment kiwi vinyl-with black	72	72	84	74
RUA	63C, 76B	Pastel parchment crinkle vinyl and pastel parchment kiwi vinyl-with black	72	72	84	74
RY	63C, 76B	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94	94	96	93
RYA	63C, 76B	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94	94	96	83
RY1	63C	(See Note 4)				
FAIRLANE/TORINO (B)						
1B	54A, 65A	Light blue crinkle vinyl and medium blue oneida pattern cloth	14	14	111	12
1B2	54A, 65A	(Code 1B - See Note 1)				
1G	54A, 65A	Light ivy gold crinkle vinyl and medium ivy gold oneida pattern cloth	51	51	125	50
1G1	54A, 65A	(Code 1G - See Note 1)				
1G2	54A, 65A	(Code 1G - See Note 1)				
1U	54A, 65A	Pastel parchment crinkle vinyl and light parchment oneida pattern cloth	75	75	137	74
2A	66A, 71D	Charcoal black crinkle vinyl and charcoal black gates pattern vinyl	3	3	8	2
2A1	66A	(See Note 4)				
2B	66A, 71D	Light blue crinkle vinyl and light blue gates pattern vinyl	14	14	24	12
2B1	66A	(See Note 4)				
2U	66A, 71D	Pastel parchment crinkle vinyl and light parchment gates pattern vinyl-with black	75	75	92	74

* For swatch identification refer to Page B, etc. † Not applicable to Convertible

Note 1 - For replacement of door and quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1968 Soft Trim Section. For replacement of cushion covers (62900 and 63804) and back covers (64416-7 and 66600) contact your service representative. All other parts are included in the 1968 Soft Trim Section.

Note 4 - For replacement of door and quarter trim panels (23942-3, 27406-7 and 31012-3) and replacement of cushion covers (62900 and 63804) and back covers (64416-7 and 66600) contact your service representative. All other parts are included in the 1968 Soft Trim Section.

1968 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE/TORINO (B) - continued						
3A	54B, 63B, 65B	Charcoal black crinkle vinyl and charcoal black ferron pattern cloth	3, 10 & 100	3	106	2
3AA	54B, 63B, 65B	Charcoal black crinkle vinyl and charcoal black ferron pattern cloth	3, 100	3	106	2
3A1	54B, 63B, 65B	(Code 3A-see Note 1)				
3B	54B, 63B, 65B	Light blue crinkle vinyl and medium blue ferron pattern cloth	14, 28 & 100	14	110	12
3BA	54B, 63B, 65B	Light blue crinkle vinyl and medium blue ferron pattern cloth	14, 100	14	110	12
3B1	54B, 63B, 65B	(Code 3B-see Note 1)				
3G	54B, 63B, 65B	Light ivy gold crinkle vinyl and medium ivy gold ferron pattern cloth	65, 70 & 100	65	124	50
3GA	54B, 63B, 65B	Light ivy gold crinkle vinyl and medium ivy gold ferron pattern cloth	65, 100	65	124	50
3G1	54B, 63B, 65B	(Code 3G-see Note 1)				
3K	54B	Light aqua crinkle vinyl and medium aqua ferron pattern cloth	51, 60 & 100	51	135	64
3KA	54B	Light aqua crinkle vinyl and medium aqua ferron pattern cloth	51, 100	51	135	64
3K1	54B	(Code 3K-see Note 1)				
3Y	54B, 63B, 65B	Light nugget gold crinkle vinyl and light nugget gold ferron pattern cloth	94, 95 & 100	94	145	93
3YA	54B, 63B, 65B	Light nugget gold crinkle vinyl and light nugget gold ferron pattern cloth	94, 100	94	145	93
3Y1	54B, 63B, 65B	(Code 3Y-see Note 1)				
4A	71B	Charcoal black crinkle vinyl and charcoal black clarion knitted vinyl	3, 10 & 100	3	5	2
4AA	71B	Charcoal black crinkle vinyl and charcoal black clarion knitted vinyl	3, 100	3	5	2
4B	71B	Light blue crinkle vinyl and dark blue clarion knitted vinyl	14, 28 & 100	14	18	12
4BA	71B	Light blue crinkle vinyl and dark blue clarion knitted vinyl	14, 100	14	18	12
4U	71B	Pastel parchment crinkle vinyl and pastel parchment clarion knitted vinyl-with black	75, 88 & 100	75	73	74
4UA	71B	Pastel parchment crinkle vinyl and pastel parchment clarion knitted vinyl-with black	75, 100	75	73	74
5A	54B, 63B, 65B, 66B, 71B, 76B	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3, 10 & 100	3	9	2
5AA	54B, 63B, 65B, 66B, 71B, 76B	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3, 100	3	9	2
5B	54A, B, 63B, 65B, 66B, 71B, 76B	Light blue crinkle vinyl and dark blue kiwi pattern vinyl	14, 28 & 100	14	29	12
5BA	54A, B, 63B, 65B, 66B, 71B, 76B	Light blue crinkle vinyl and dark blue kiwi pattern vinyl	14, 100	14	29	12
5BA	65A	Light blue crinkle vinyl and dark blue kiwi pattern vinyl	14	14	29	12

* For swatch identification refer to Page B, etc. † Not applicable to Convertible

NOTE - 1 For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1968 Soft Trim Section. For replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1968 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE/TORINO (B) - continued						
5D	63B, 65B, 66B, 71B, 76B	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31, 38 & 100	31	37	42
5DA	63B, 65B, 66B, 71B, 76B	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31, 100	31	37	42
5K	63B, 65B	Light aqua crinkle vinyl and dark aqua kiwi pattern vinyl	65, 70 & 100	65	71	64
5KA	63B, 65B	Light aqua crinkle vinyl and dark aqua kiwi pattern vinyl	65, 100	65	71	64
5U	54A, B, 63B, 65B, 66B, 71B, 76B	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	75, 88 & 100	75	87	74
5UA	54A, B, 63B, 65B, 66B, 71B, 76B	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	75, 100	75	87	74
5UA	65A	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl	75	75	87	74
5Y	63B, 65B	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94, 95 & 100	94	96	93
5YA	63B, 65B	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94, 100	94	96	93
6A	63D, 65D, 66D, 76D	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3	3	9	2
6B	63D, 65D, 66D, 76D	Light blue crinkle vinyl and dark blue kiwi pattern vinyl	14	14	29	12
6D	63D, 65D, 66D, 76D	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31	31	37	42
6K	63D, 65D	Light aqua crinkle vinyl and dark aqua kiwi pattern vinyl	65	65	71	64
6U	63D, 65D, 66D, 76D	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	75	75	87	74
6Y	63D, 65D	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94	94	96	93
7A	54C, 65C	Charcoal black crinkle vinyl and charcoal black cimarron pattern cloth	3, 7 & 146	3	104	12
7B	54C, 65C	Dark blue crinkle vinyl and dark blue cimarron pattern cloth	16, 19 & 148	16	116	15
7D	54C, 65C	Dark red crinkle vinyl and dark red cimarron pattern cloth	31, 33 & 150	31	119	42
7G	54C, 65C	Light ivy gold crinkle vinyl and light ivy gold bangor pattern cloth	51, 58 & 152	51	121	50
7K	54C, 65C	Light aqua crinkle vinyl and light aqua bangor pattern cloth	65, 67 & 154	65	131	64
7Y	54C, 65C	Light nugget gold crinkle vinyl and light nugget gold bangor pattern cloth	94, 97 & 100	94	141	93
8A	63D, 65D, 66D, 76D	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3	3	9	2
8AA	63D, 65D, 66D, 76D	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3	3	9	2
8A1	63D, 65D, 66D	(See Note 4)				

* For swatch identification refer to Page B, etc.

† Not applicable to Convertible

NOTE 4 - For replacement of door and quarter trim panels (23942-3, 27406-7 and 31012-3) and replacement of cushion covers (62900 and 63804) and back covers (64416-7 and 66600) contact your service representative. All other parts are included in the 1968 Soft Trim Section.

1968 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		†HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE/TORINO (B) - continued						
8B	63D, 65D, 66D, 76D	Light blue crinkle vinyl and dark blue kiwi pattern vinyl	14	14	29	12
8BA	63D, 65D, 66D, 76D	Light blue crinkle vinyl and dark blue kiwi pattern vinyl	14	14	29	12
8B1	63D, 65D, 66D	(See Note 4)				
8D	63D, 65D, 66D, 76D	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31	31	37	42
8DA	63D, 65D, 66D, 76D	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31	31	37	42
8D1	63D, 65D, 66D	(See Note 4)				
8G	63D, 65D	Light ivy gold crinkle vinyl and medium ivy gold kiwi pattern vinyl	51	51	61	50
8GA	63D, 65D	Light ivy gold crinkle vinyl and medium ivy gold kiwi pattern vinyl	51	51	61	50
8K	63D, 65D	Light aqua crinkle vinyl and dark aqua kiwi pattern vinyl	65	65	71	64
8KA	63D, 65D	Light aqua crinkle vinyl and dark aqua kiwi pattern vinyl	65	65	71	64
8K1	63D, 65D	(See Note 4)				
8U	63D, 65D, 66D, 76D	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	75	75	87	74
8UA	63D, 65D, 66D, 76D	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	75	75	87	74
8Y	63D, 65D	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94	94	96	93
8YA	63D, 65D	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94	94	96	93
8Y1	63D, 65D	(See Note 4)				
9A	71E	Charcoal black crinkle all vinyl	3	3	3	2
9A1	71E	(See Note 4)				
9B	71E	Light blue crinkle all vinyl	14	14	14	12
9B1	71E	(See Note 4)				
9D	71E	Dark red crinkle all vinyl	31	31	31	42
9D1	71E	(See Note 4)				
9U	71E	Pastel parchment crinkle all vinyl-with black	75	75	75	93
9Y	71E	Light nugget gold crinkle all vinyl	94	94	94	74
9Y1	71E	(See Note 4)				
BU	66A, 71D	Pastel parchment crinkle vinyl and light parchment gates pattern vinyl	75	75	92	74
CB	65A	Light blue crinkle vinyl and dark blue kiwi pattern vinyl	14	14	29	12
CU	65A	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	75	75	87	74
DU	71B	Pastel parchment crinkle vinyl and pastel parchment clarion knitted vinyl	75, 88 & 100	75	73	74
DUA	71B	Pastel parchment crinkle vinyl and pastel parchment clarion knitted vinyl	75, 100	75	73	74

* For swatch identification refer to Page B, etc. † Not applicable to Convertible

Note 4 - For replacement of door and quarter trim panels (23942-3, 27406-7 and 31012-3) and replacement of cushion covers (62900 and 63804) and back covers (64416-7 and 66600) contact your service representative. All other parts are included in the 1968 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE/TORINO (B) - continued						
EU	54A, B, 63B, 65B, 66B, 71B, 76B	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl	75, 88 & 100	75	87	74
EUA	54A, B, 63B, 65B, 66B, 71B, 76B	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl	75, 100	75	87	74
FU	63D, 65D, 66D, 76D	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl	75	75	87	74
HA	63E, 65E, 66B, 76E	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3, 10 & 100	3	9	2
HAA	63E, 65E, 66B, 76E	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3, 10 & 100	3	9	2
HAB	63E, 65E, 66B, 76E	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3, 100	3	9	2
HA1	63E, 65E	(See Note 4)				
HA1	66B	(Code HAB - See Note 1)				
HB	63E, 65E, 66B, 76E	Light blue crinkle vinyl and dark blue kiwi pattern vinyl	14, 28 & 100	14	29	12
HBA	63E, 65E, 66B, 76E	Light blue crinkle vinyl and dark blue kiwi pattern vinyl	14, 28 & 100	14	29	12
HBB	63E, 65E, 66B, 76E	Light blue crinkle vinyl and dark blue kiwi pattern vinyl	14, 100	14	29	12
HB1	63E, 65E)	(See Note 4)				
HB1	66B	(CODE HBB - See Note 1)				
HD	63E, 65E, 66B, 76E	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31, 38 & 100	31	37	42
HDA	63E, 65E, 66B, 76E	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31, 38 & 100	31	37	42
HDB	63E, 65E, 66B, 76E	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31, 100	31	37	42
HD1	63E, 65E	(See Note 4)				
HD1	66B	(Code HDB - See Note 1)				
HG	63E, 65E	Light ivy gold crinkle vinyl and medium ivy gold kiwi pattern vinyl	51, 60 & 100	51	61	50
HGA	63E, 65E	Light ivy gold crinkle vinyl and medium ivy gold kiwi pattern vinyl	51, 60 & 100	51	61	50
HGB	63E, 65E	Light ivy gold crinkle vinyl and medium ivy gold kiwi pattern vinyl	51, 100	51	61	50
HK	63E, 65E	Light aqua crinkle vinyl and dark aqua kiwi pattern vinyl	65, 70 & 100	65	61	64
HKA	63E, 65E	Light aqua crinkle vinyl and dark aqua kiwi pattern vinyl	65, 70 & 100	65	61	64
HKB	63E, 65E	Light aqua crinkle vinyl and dark aqua kiwi pattern vinyl	65, 100	65	61	64
HK1	63E, 65E	(See Note 4)				
HU	63E, 65E, 66B, 76E	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	75, 88 & 100	75	87	74
HUA	63E, 65E, 66B, 76E	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	75, 88 & 100	75	87	74

* For swatch identification refer to Page B, etc. † Not applicable to Convertible

Note 1 - For replacement of door and quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1968 Soft Trim Section. For replacement of cushion covers (62900 and 63804) and back covers (64416-7 and 66600) contact your service representative. All other parts are included in the 1968 Soft Trim Section.

Note 4 - For replacement of door and quarter trim panels (23942-3, 27406-7 and 31012-3) and replacement of cushion covers (62900 and 63804) and back covers (64416-7 and 66600) contact your service representative. All other parts are included in the 1968 Soft Trim Section.

1968 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE/TORINO (B) - continued						
HUB	63E, 65E, 66B, 76E	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	75, 100	75	87	74
HY	63E, 65E	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94, 95 & 100	94	96	93
HYA	63E, 65E	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94, 95 & 100	94	96	93
HYB	63E, 65E	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94, 100	94	96	93
HY1	63E, 65E	(See Note 4)				
JU	71E	Pastel parchment crinkle all vinyl	75	75	75	74
KU	63E, 65E, 66B, 76E	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl	75, 88 & 100	75	87	74
KUA	63E, 65E, 66B, 76E	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl	75, 88 & 100	75	87	74
KUB	63E, 65E, 66B, 76E	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl	75, 100	75	87	74
LU	63D, 65D, 66D, 76D	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl	75	75	87	74
LUA	63D, 65D, 66D, 76D	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl	75	75	87	74
MU	65A	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl	75	75	87	74
MUSTANG (F)						
2A	63A, 65A, 76A	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3	3	9	2
2AA	63A, 65A, 76A	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3	3	9	2
2B	63A, 65A, 76A	Light blue crinkle vinyl and dark blue kiwi pattern vinyl	16	14	29	12
2BA	63A, 65A, 76A	Light blue crinkle vinyl and dark blue kiwi pattern vinyl	16	14	29	12
2D	63A, 65A, 76A	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31	31	37	42
2DA	63A, 65A, 76A	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31	31	37	42
2F	63A, 65A, 76A	Medium saddle crinkle vinyl and medium saddle kiwi pattern vinyl	44	44	47	43
2FA	63A, 65A, 76A	Medium saddle crinkle vinyl and medium saddle kiwi pattern vinyl	44	44	47	43
2G	63A, 65A, 76A	Light ivy gold crinkle vinyl and medium ivy gold kiwi pattern vinyl	48	51	61	50
2GA	63A, 65A, 76A	Light ivy gold crinkle vinyl and medium ivy gold kiwi pattern vinyl	48	51	61	50
2K	63A, 65A, 76A	Light aqua crinkle vinyl and dark aqua kiwi pattern vinyl	66	65	71	64
2KA	63A, 65A, 76A	Light aqua crinkle vinyl and dark aqua kiwi pattern vinyl	66	65	71	64
2U	63A, 65A, 76A	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	72	72	84	74
2UA	63A, 65A, 76A	Pastel parchment crinkle vinyl and pastel parchment kiwi	72	72	84	74

* For swatch identification refer to Page B, etc. † Not applicable to Convertible

NOTE 4 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) and replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1968 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

MUSTANG (F) - continued

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
2Y	63A, 65A, 76A	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94	94	96	93
2YA	63A, 65A, 76A	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94	94	96	93
5A	63B, 65B	Charcoal black crinkle vinyl and charcoal black clarion knitted vinyl	3, 9	3	5	2
5AA	63B, 65B	Charcoal black crinkle vinyl and charcoal black clarion knitted vinyl	3, 9	3,	5	2
5B	63B, 65B	Light blue crinkle vinyl and dark blue clarion knitted vinyl	14, 29	14	18	12
5BA	63B, 65B	Light blue crinkle vinyl and dark blue clarion knitted vinyl	14, 29	14	18	12
5D	63B, 65B	Dark red crinkle vinyl and dark red clarion knitted vinyl	31, 37	31	41	42
5DA	63B, 65B	Dark red crinkle vinyl and dark red clarion knitted vinyl	31, 37	31	41	42
5U	63B, 65B	Pastel parchment crinkle vinyl and pastel parchment clarion knitted vinyl-with black	72, 84	72	73	74
5UA	63B, 65B	Pastel parchment crinkle vinyl and pastel parchment clarion knitted vinyl-with black	72, 84	72	73	74
6A	63B, 65B, 76B	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3, 9	3	9	2
6AA	63B, 65B, 76B	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3, 9	3	9	2
6B	63B, 65B, 76B	Light blue crinkle vinyl and dark blue kiwi pattern vinyl	14, 29	14	29	12
6BA	63B, 65B, 76B	Light blue crinkle vinyl and dark blue kiwi pattern vinyl	14, 29	14	29	12
6D	63B, 65B, 76B	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31, 37	31	37	42
6DA	63B, 65B, 76B	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31, 37	31	37	42
6F	63B, 65B, 76B	Medium saddle crinkle vinyl and medium saddle kiwi pattern vinyl	44, 47	44	47	43
6FA	63B, 65B, 76B	Medium saddle crinkle vinyl and medium saddle kiwi pattern vinyl	44, 47	44	47	43
6G	63B, 65B, 76B	Light ivy gold crinkle vinyl and medium ivy gold kiwi pattern vinyl	51, 61	51	61	50
6GA	63B, 65B, 76B	Light ivy gold crinkle vinyl and medium ivy gold kiwi pattern vinyl	51, 61	51	61	50
6K	63B, 65B, 76B	Light aqua crinkle vinyl and dark aqua kiwi pattern vinyl	65, 71	65	71	64
6KA	63B, 65B, 76B	Light aqua crinkle vinyl and dark aqua kiwi pattern vinyl	65, 71	65	71	64
6U	63B, 65B, 76B	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	72, 84	72	84	74
6UA	63B, 65B, 76B	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	72, 84	72	84	74
6Y	63B, 65B, 76B	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94, 96	94	96	43
6YA	63B, 65B, 76B	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94, 96	94	96	43
7A	63A, 65A	Charcoal black crinkle vinyl and charcoal black clarion knitted vinyl	3	3	5	2
7AA	63A, 65A	Charcoal black crinkle vinyl and charcoal black clarion knitted vinyl	3	3	5	2

* For swatch identification refer to Page B, etc.

† Not applicable to Convertible

1968 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
MUSTANG (F) - continued						
7B	63A, 65A	Light blue crinkle vinyl and dark blue clarion knitted vinyl	16	14	18	12
7BA	63A, 65A	Light blue crinkle vinyl and dark blue clarion knitted vinyl	16	14	18	12
7D	63A, 65A	Dark red crinkle vinyl and dark red clarion knitted vinyl	31	31	41	42
7DA	63A, 65A	Dark red crinkle vinyl and dark red clarion knitted vinyl	31	31	41	42
7U	63A, 65A	Pastel parchment crinkle vinyl and pastel parchment clarion knitted vinyl-with black	72	72	73	74
7UA	63A, 65A	Pastel parchment crinkle vinyl and pastel parchment clarion knitted vinyl-with black	72	72	73	74
8A	63C, 65C	Charcoal black crinkle vinyl and charcoal black clarion knitted vinyl	3	3	5	2
8AA	63C, 65C	Charcoal black crinkle vinyl and charcoal black clarion knitted vinyl	3	3	5	2
8B	63C, 65C	Light blue crinkle vinyl and dark blue clarion knitted vinyl	16	14	18	12
8BA	63C, 65C	Light blue crinkle vinyl and dark blue clarion knitted vinyl	16	14	18	12
8D	63C, 65C	Dark red crinkle vinyl and dark red clarion knitted vinyl	31	31	41	42
8DA	63C, 65C	Dark red crinkle vinyl and dark red clarion knitted vinyl	31	31	41	42
8U	63C, 65C	Pastel parchment crinkle vinyl and pastel parchment clarion knitted vinyl-with black	72	72	73	74
8UA	63C, 65C	Pastel parchment crinkle vinyl and pastel parchment clarion knitted vinyl-with black	72	72	73	74
9A	63D, 65D	Charcoal black crinkle vinyl and charcoal black clarion knitted vinyl	3, 9	3	5	2
9AA	63D, 65D	Charcoal black crinkle vinyl and charcoal black clarion knitted vinyl	3, 9	3	5	2
9B	63D, 65D	Light blue crinkle vinyl and dark blue clarion knitted vinyl	14, 29	14	18	12
9BA	63D, 65D	Light blue crinkle vinyl and dark blue clarion knitted vinyl	14, 29	14	18	12
9D	63D, 65D	Dark red crinkle vinyl and dark red clarion knitted vinyl	31, 37	31	41	42
9DA	63D, 65D	Dark red crinkle vinyl and dark red clarion knitted vinyl	31, 37	31	41	42
9U	63D, 65D	Pastel parchment crinkle vinyl and pastel parchment clarion knitted vinyl-with black	72, 84	72	73	74
9UA	63D, 65D	Pastel parchment crinkle vinyl and pastel parchment clarion knitted vinyl-with black	72, 84	72	73	74
THUNDERBIRD (S)						
1A	65A-B	Charcoal black crinkle vinyl and charcoal black fontana pattern cloth	11, 147	11	103, 104	2
1AA	65A-B	Charcoal black crinkle vinyl and charcoal black fontana pattern cloth	11, 147	11	103, 104	2
1B	65A-B	Dark blue crinkle vinyl and dark blue fontana pattern cloth	30, 149	16	115, 116	15
1BA	65A-B	Dark blue crinkle vinyl and dark blue fontana pattern cloth	30, 149	16	115, 116	15
1D	65A-B	Dark red crinkle vinyl and dark red fontana pattern cloth	40, 151	31	118, 119	42
1DA	65A-B	Dark red crinkle vinyl and dark red fontana pattern cloth	40, 151	31,	118, 119	42

* For swatch identification refer to Page B, etc. † Not applicable to Convertible

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		†HEAD-LINING
				BOLSTER	CUSHION and BACK	
THUNDERBIRD (S) - continued						
1G	65A-B	Dark ivy gold crinkle vinyl and dark ivy gold fontana pattern cloth	63, 153	54	129, 130	53
1GA	65A-B	Dark ivy gold crinkle vinyl and dark ivy gold fontana pattern cloth	63, 153	54	129, 130	53
1K	65A-B	Light aqua crinkle vinyl and light aqua fontana pattern cloth	69, 155	65	131, 133	64
1KA	65A-B	Light aqua crinkle vinyl and light aqua fontana pattern cloth	69, 155	65	131, 133	64
1Y	65A-B	Light nugget gold crinkle vinyl and light nugget gold fontana pattern vinyl	98, 157	94	141, 143	93
1YA	65A-B	Light nugget gold crinkle vinyl and light nugget gold fontana pattern vinyl	98, 157	94	141, 143	93
2A	57B, 65A-B	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3	3	9	2
2AA	57B, 65A-B	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3	3	9	2
2AB	57B, 65A-B	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3	3	9	2
2B	57B, 65A-B	Dark blue crinkle vinyl and dark blue kiwi pattern vinyl	16	16	29	15
2BA	57B, 65A-B	Dark blue crinkle vinyl and dark blue kiwi pattern vinyl	16	16	29	15
2BB	57B, 65A-B	Dark blue crinkle vinyl and dark blue kiwi pattern vinyl	16	16	29	15
2D	65A-B	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31	31	37	42
2DA	65A-B	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31	31	37	42
2DB	65A-B	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31	31	37	42
2F	57B, 65A-B	Medium saddle crinkle vinyl and medium saddle kiwi pattern vinyl	44, 46	44	47	43
2FA	57B	Medium saddle crinkle vinyl and medium saddle kiwi pattern vinyl	44, 46	44	47	43
2FA	65A-B	Medium saddle crinkle vinyl and medium saddle kiwi pattern vinyl	44, 99	44	47	43
2FB	57B	Medium saddle crinkle vinyl and medium saddle kiwi pattern vinyl	44, 46	44	47	43
2FB	65A-B	Medium saddle crinkle vinyl and medium saddle kiwi pattern vinyl	44, 99	44	47	43
2FC	57B	Medium saddle crinkle vinyl and medium saddle kiwi pattern vinyl	44, 46	44	47	43
2FC	65A-B	Medium saddle crinkle vinyl and medium saddle kiwi pattern vinyl	44, 99	44,	47	43
2G	65A-B	Dark ivy gold crinkle vinyl and dark ivy gold kiwi pattern vinyl	54	54	62	53
2GA	65A-B	Dark ivy gold crinkle vinyl and dark ivy gold kiwi pattern vinyl	54	54	62	53
2GB	65A-B	Dark ivy gold crinkle vinyl and dark ivy gold kiwi pattern vinyl	54	54	62	53
2K	65A-B	Light aqua crinkle vinyl and light aqua kiwi pattern vinyl	65, 66	65	68	64
2KA	65A-B	Light aqua crinkle vinyl and light aqua kiwi pattern vinyl	65, 66	65	68	64
2KB	65A-B	Light aqua crinkle vinyl and light aqua kiwi pattern vinyl	65, 66	65	68	64
2U	57B, 65A-B	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	3, 72	72	84	74
2UA	57B, 65A-B	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	3, 72	72	84	74
2UB	57B, 65A-B	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	3, 72	72	84	74
2Y	57B, 65A-B	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94, 99	94	96	93
2YA	57B, 65A-B	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94, 99	94	96	93
2YB	57B, 65A-B	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94, 99	94	96	93

* For swatch identification refer to Page B, etc.

† Not applicable to Convertible

1968 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
THUNDERBIRD (S) - continued						
3A	57C	Charcoal crinkle vinyl and charcoal black fontana pattern cloth	11, 147	3	103, 104	2
3AA	57C	Charcoal crinkle vinyl and charcoal black fontana pattern cloth	11, 147	3	103, 104	2
3B	57C	Dark blue crinkle vinyl and dark blue fontana pattern cloth	30, 149	16	115, 116	15
3BA	57C	Dark blue crinkle vinyl and dark blue fontana pattern cloth	30, 149	16	115, 116	15
3D	57C	Dark red crinkle vinyl and dark red fontana pattern cloth	40, 151	31	118, 119	42
3DA	57C	Dark red crinkle vinyl and dark red fontana pattern cloth	40, 151	31	118, 119	42
3G	57C	Dark ivy gold crinkle vinyl and dark ivy gold fontana pattern cloth	63, 153	54	129, 130	53
3GA	57C	Dark ivy gold crinkle vinyl and dark ivy gold fontana pattern cloth	63, 153	54	129, 130	53
3K	57C	Light aqua crinkle vinyl and light aqua fontana pattern cloth	69, 155	65	131, 133	64
3KA	57C	Light aqua crinkle vinyl and light aqua fontana pattern cloth	69, 155	65	131, 133	64
3Y	57C	Light nugget gold crinkle vinyl and light nugget gold fontana pattern cloth	98, 157	94	141, 143	93
3YA	57C	Light nugget gold crinkle vinyl and light nugget gold fontana pattern cloth	98, 157	94	141, 143	93
4A	57C, 65C-D	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3	3	9	2
4AA	57C, 65C-D	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3	3	9	2
4AB	57C, 65C-D	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3	3	9	2
4B	57C, 65C-D	Dark blue crinkle vinyl and dark blue kiwi pattern vinyl	16	16	29	15
4BA	57C, 65C-D	Dark blue crinkle vinyl and dark blue kiwi pattern vinyl	16	16	29	15
4BB	57C, 65C-D	Dark blue crinkle vinyl and dark blue kiwi pattern vinyl	16	16	29	15
4F	57C, 65C-D	Medium saddle crinkle vinyl and medium saddle kiwi pattern vinyl	44, 46	44	47	43
4FA	57C	Medium saddle crinkle vinyl and medium saddle kiwi pattern vinyl	44, 46	44	47	43
4FA	65C-D	Medium saddle crinkle vinyl and medium saddle kiwi pattern vinyl	44, 99	44	47	43
4FB	57C	Medium saddle crinkle vinyl and medium saddle kiwi pattern vinyl	44, 46	44	47	43
4FB	65C-D	Medium saddle crinkle vinyl and medium saddle kiwi pattern vinyl	44, 99	44	47	43
4FC	57C	Medium saddle crinkle vinyl and medium saddle kiwi pattern vinyl	44, 46	44	47	43
4FC	65C-D	Medium saddle crinkle vinyl and medium saddle kiwi pattern vinyl	44, 99	44	47	43
4U	57C, 65C-D	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	3, 72	72	84	74
4UA	57C, 65C-D	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	3, 72	72	84	74
4UB	57C, 65C-D	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	3, 72	72	84	74
4Y	57C, 65C-D	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94, 99	94	96	93
4YA	57C, 65C-D	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern vinyl	94, 99	94	96	93
4YB	57C, 65C-D	Light nugget gold crinkle vinyl and light nugget gold kiwi pattern cloth	94, 99	94	06	93
8A	57B, 65A-B	Charcoal black crinkle vinyl and charcoal black leather	3, 147	3	6	2
8AA	57B, 65A-B	Charcoal black crinkle vinyl and charcoal black leather	3, 147	3	6	2
8F	57B, 65A-B	Medium saddle crinkle vinyl and medium saddle leather	44, 158	44	45	43
8FA	57B, 65A-B	Medium saddle crinkle vinyl and medium saddle leather	44, 157	44	45	43
8FB	57B, 65A-B	Medium saddle crinkle vinyl and medium saddle leather	44, 157	44	45	43
BRONCO (U)						
1	96, 97, 98	Pastel parchment crinkle vinyl and light parchment matchstick pattern vinyl	159	75	80	74
9	96, 97, 98	Pastel parchment crinkle vinyl and pastel parchment rosette pattern vinyl	159	75	159	74
94	96, 97, 98	Pastel parchment crinkle vinyl and pastel parchment rosette pattern vinyl	159	75	159	74
9U	96, 97, 98	Pastel parchment crinkle vinyl and pastel parchment rosette pattern vinyl	159	75	159	74

* For swatch identification refer to Page B, etc. † Not applicable to Convertible

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1968 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FALCON (X)						
1B	54A, 62A	Light blue crinkle vinyl and light blue carmel pattern cloth	13	14, 20	113	12
1B1	54A, 62A	(Code 1B - See Note 1)				
1G	54A, 62A	Light ivy gold crinkle vinyl and medium ivy gold carmel pattern cloth	49	51, 56	127	50
1G1	54A, 62A	(Code 1G - See Note 1)				
1U	54A, 62A	Pastel parchment crinkle vinyl and pastel parchment carmel pattern cloth	75	75,86	139	74
1U1	54A, 62A	(Code 1U - See Note 1)				
2A	71A	Charcoal black crinkle vinyl and charcoal black gates pattern vinyl	3	3	8	2
2B	71A	Light blue crinkle vinyl and light blue gates pattern vinyl	13	14	24	12
2U	71A	Pastel parchment crinkle vinyl and light parchment gates pattern vinyl -with black	75	75	92	74
3B	54B, 62B	Light blue crinkle vinyl and light blue mercer pattern cloth	14, 17	14	112	12
3B1	54B, 62B	(Code 3B - See Note 1)				
3G	54B, 62B	Light ivy gold crinkle vinyl and medium ivy gold mercer pattern cloth	51, 52	51	126	50
3GA	54B, 62B	(Code 3G - See Note 1)				
3U	54B, 62B	Pastel parchment crinkle vinyl and light parchment mercer pattern vinyl	75, 76	75	138	74
3U1	54B, 62B	(Code 3U - See Note 1)				
4A	54B, 62B, 71B	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3, 4	3	9	2
4B	54B, 62B, 71B	Light blue crinkle vinyl and dark blue kiwi pattern vinyl	14, 17	14	29	12
4D	71B	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31, 32	31	37	42
4U	54B, 62B, 71B	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	75, 76	75	87	74
8A	62C	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3, 4	3	9	2
8AA	62C	Charcoal black crinkle vinyl and charcoal black kiwi pattern vinyl	3, 4	3	9	2
8B	62C	Light blue crinkle vinyl and dark blue kiwi pattern vinyl	14, 17	14	29	12
8BA	62C	Light blue crinkle vinyl and dark blue kiwi pattern vinyl	14, 17	14	29	12
8D	62C	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31, 32	31	37	42
8DA	62C	Dark red crinkle vinyl and dark red kiwi pattern vinyl	31, 32	31	37	42
8U	62C	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	75, 76	75	87	74
8UA	62C	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl-with black	75, 76	75	87	74
BU	71A	Pastel parchment crinkle vinyl and light parchment gates pattern vinyl	75	75	92	74
DU	54B, 62B, 71B	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl	75, 76	75	87	74
HU	62C	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl	75, 76	75	87	74
HUA	62C	Pastel parchment crinkle vinyl and pastel parchment kiwi pattern vinyl	75, 76	75	87	74

* For swatch identification refer to Page B, etc. † Not applicable to Convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1968 Soft Trim Section. For replacement of Cushion covers (62900 and 63804) and Back covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1968 Soft Trim Section.

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
COLORS →			LENGTH	B BLUE	D RED	E BEIGE	F SADDLE	G IVY GOLD	K AQUA	L SILVER (GREY)	P GREY	Y NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
02344-5 PANEL - COWL TRIM																	
A	L	C8AZ 6202345											A1A				1
B, X-w/stereo - includes radio speaker grille	R	C8OZ 5402344										B1Y					1
	L	C8OZ 5402345		♦B2B	B2D												1
B, X- w/o stereo	R	C8OZ 5402344										A1Y	A1A				1
	L	C8OZ 5402345			A2D								A1A				1
	R	C8OZ 5402344		♦A2B													1
	L	C8OZ 5402345		♦A2B													1
F(63,65)	R	C7ZZ 6502344		A1B			A1F	A1G	A1K				A1A	A1U			1
	L	C7ZZ 6502345		A1B				A1G	A1K				A1A	A1U			1
F(76)	R	C7ZZ 7602344		A1B									A1A				1
	L	C7ZZ 7602345											A1A	A1U			1
S-w/o carpet	R	C8SZ 6502344		B1B				B1G					B1A				1
	L	C8SZ 6502345			B1D			B1G					B1A				1
02348-9 PANEL - COWL TRIM - Refer to Group 02344-5																	
02600 WINDLACE - DOOR OPENING and QUARTER PILLAR -Also refer to Groups 24544-5 and 281A74-5																	
B(54, 71), X(54, 71)-frt. door opening	R	C8OZ 5402606								B2U				B2U			1
B(63)-front door opening		C8OZ 6302606		A1B	A1D								A1A				2
B(65) -front door opening		C8OZ 6502606		◊A1B				A1G					A1A				2
B(66)-front door opening	R	C8OZ 6302606		A1B	A1D								A1A				1
	L	C8OZ 6602607		A1B	A1D									A1U			1
B(63, 65, 66, 76)-quarter lock pillar		C8OZ 6331290		◊A1B	A1D			A1G	A1K			A1Y	A1A	A1U			2
		C8OZ 6331290		♦A2B													2
F(63, 65)-frt. body pillar, roof rail and quarter pillar F(76)-frt. body pillar and quarter pillar		C8ZZ 6502906	72"										ACA				# # ...
S-front body pillar			Serviced in assembly-refer to group 02344-5														
S(65)-qtr. pillar-"Before 2/19/68"	L	C8SZ 6531291			A1D								B1A				1
"From 2/19/68"	L	C8SZ 6531291											B1A				1
S(57)-ctr. body pillar			Refer to Group 24486-7														
03598-9 PAD - FRONT BODY UPPER PILLAR																	
A(54, 62, 71)	R	C7AZ 6203598												♦E1U			1
A(57, 63, 65)	R	C8AZ 6303598											C1A				1
B(54, 71), X	R	C8OZ 5403598		◊A1B				A1G					A1A				1
	L	C8OZ 5403599		◊A1B									A1A				1
B(63, 65, 66)	L	C8OZ 6303599											A1A				1
F(63, 65)	R	C7WY 6503598		A1B													1
	L	C7WY 6503599											A1A				1
	R	C8ZZ 6503598			♦C3D		♦C3F					C1Y		C2U			1
	L	C8ZZ 6503599			♦C3D		♦C3F					C1Y		C2U			1

◊ Light ♦ Dark # As required - cut to fit ♠ Pastel

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

SOFT TRIM

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
COLORS →				—B BLUE	—D RED	—E BEIGE	—F SAD-DLE	—G IVY GOLD	—K AQUA	—L SILVER (GREY)	—P GREY	—Y NUG-GET GOLD	BLACK	PARCH-MENT	WHITE	SEE FOOT-NOTE	
04104 VISOR - LESS ARM and BRACKET - PADDED																	
A(54,57,62,63,65,71)		C8AZ 6204104		◊B2B				♦CDG	B1K			CBY		◊C3U			2
		C7AZ 6204104		◊A2B	A2D								A1A	♣A1U			2
		C8AZ 6204104						◊D2G									2
A(76)		C8AZ 7604104							B1K			B1Y		B1U			2
		C7AZ 7604104		A2B	A2D			A2G					A1A				2
B(54,63,65,66,71), X		C8OZ 6204104			E2D			E2G				E1Y	E1A	E1U			2
		C8OZ 6204104		♦E2B													2
		C9OZ 5404104		C1B					C1K								2
B(76)		C8OZ 7604104		D2B	D2D			D2G	D2K			D1Y		D2U			2
"Before 1/2/68"		C7OZ 7604104											A1A				2
"From 1/2/68"		C8OZ 7604104											C2A				2
F(63,65)		C8ZZ 6504104		◊A1B	A1D			◊A1G	A1K			A1Y					2
		C7ZZ 6504104					B1F						B1A	B1U			2
		C8ZZ 6504104		♦A2B				♦A2G									2
F(76)		C8ZZ 7604104		A1B	A1D		A1F	A1G	A1K			A1Y					2
		C7ZZ 7604104											B1A				2
S-w/o roof console		C8SZ 6504104		D1B	D1D		D1F	D1G	D1K			A1Y	D1A	D1U			2
S-w/roof console		C8SZ 6504104		B1B	B1D		B1F	B1G	B1K			FBY	B1A	B1U			2
U		C7TZ 9604104												BBU			2
04282 PAD - INSTRUMENT PANEL UPPER																	
A		C8AZ 6204282		C1B	C1D			C1G	C1K			C1Y	C1A	C1U			1
B		C8OZ 5404282		D1B	D1D			D1G	D1K			D1Y	D1A	D1U			1
F-"Before 11/1/67"		C8ZZ 6504282		DCB	DCD		B2F	DCG	B2K			B2Y	DCA				1
F-"From 11/1/67"		C8ZZ 6504282		B2B	B2D		B2F	B2G	B2K			B2Y	B2A				1
S		C8SZ 6504282		B1B	B1D		B1F	B1G	B1K			B1Y	B1A				1
U		C8TZ 9604282											B1A				1
X		C8DZ 6204282		B1B	B1D			B1G					B1A	B1U			1
B, F, X		C8OZ 5404278-A	Clip-instrument panel pad retainer														AR
04290 PAD - INSTRUMENT PANEL UPPER - Refer to Group 04282																	
04292 PAD - INSTRUMENT PANEL LOWER																	
F-w/o stereo tape		C7ZZ 6504292		A1B			A1F	A1G	A1K				A1A				1
		C8ZZ 6504292			ACD							ABY		ACU			1
F-w/stereo tape		C8ZZ 6504292		B1B	B1D		B1F	B1G	B1K			B1Y	B1A	B1U			1
044A90 PAD - CONSOLE PANEL FRONT																	
A		C8AZ 63044A90			A1D			A1G					A1A	A1U			1
045E06 PAD - CONSOLE PANEL TOP UPPER																	
F-w/o warning lamps		C8ZZ 65045E06		A1B									A1A				1
F-w/warning lamps		C8ZZ 65045E06					B1F						B1A				1
045E28 PAD - CONSOLE PANEL OPENING																	
A-w/tachometer		C8AZ 63045E28			A1D								A1A				1
045A58 PAD - INSTRUMENT PANEL LOWER																	
A		C8AZ 62045A58		B1B	B1D			B1G	B1K			B1Y	B1A	B1U			1
U		C8TZ 96045A58											A1A				1
04602 PAD - CONSOLE PANEL ARM REST																	
S		C8SZ 6504602		A1B	A1D		A1F	A1G	A1K			A1Y	A1A				1
04620 PAD - CONSOLE PANEL																	
B		C9OZ 6304620		A1B	A1D				A1K			A1Y	A1A				1

◊ Light ♦ Dark ♣ Pastel

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
COLORS →				—B BLUE	—D RED	—E BEIGE	—F SADDLE	—G IVY GOLD	—K AQUA	—L SILVER (GREY)	—P GREY	—Y NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
13000-1 CARPET - FRONT FLOOR																	
A(54, 57, 62, 63, 65, 71, 76)-loop pile-w/column shift-bench seat		C7AZ 6213000							A1K				A1A	A1U			1
		C8AZ 6213000										BAY					1
B, X-loop pile-w/column shift		C8OZ 5413000											A1A				1
F(63, 65)-loop pile		C8ZZ 6513000											A1A				1
13000 MAT - FRONT FLOOR																	
A(54, 62, 71)-3/32" thick-w/column shift		C7AZ 6213000											C1A				1
B(54, 65, 66, 71)-1/8" thick		C8OZ 5413000		C1B						C1L				C1U			1
		C9OZ 5413000											CCA				1
U		D3BZ 1013010											A				1
		D2BZ 1013010												B			1
X-1/8" thick		C8DZ 5413000											C1A				1
13010 MAT - FRONT FLOOR - Refer to Group 13000																	
13017 MAT - FRONT FLOOR REAR																	
B(66)		C7OZ 6613017											A1A				1
13042 CARPET - AUXILIARY FLOOR FRONT																	
F(63)		C7ZZ 6313042		ABB			ABF		ABK				ABA				1
13046 CARPET - REAR FLOOR																	
A(62, 65A)		C7AZ 6213046							D1K								1
X(62A-B)		C8OZ 6313046		A1B				A1G					A1A				1
X(62C)		C8OZ 6313046											B1A				1
13046 MAT - REAR FLOOR																	
A(54, 71B-E)-3/32" thick		C7AZ 5413046											A1A				1
B(66)		D0OZ 6613046		P													1
U		C8TZ 9813054												A1U			1
X(54)		C6DZ 5413046											AAH				1
X(62)		C6DZ 6213046											AAH				1
X(71)		C6DZ 7113046											CAH				1
13054 MAT - REAR FLOOR - Refer to Group 13046																	

MODEL	PART NUMBER LESS SUFFIX	RUBBER OR VINYL	FULL WIDTH OR TWIN	COLORS and APPLICABLE SUFFIXES												
				AQUA/TURQ.	BLACK	BLUE	GINGER	GREEN	GREY GOLD	IVY GOLD	NUGGET GOLD	RED/BURG.		WHITE	OTHER	OTHER
13086 MAT - FRONT FLOOR																
A, B, F, X	C9AZ 6213086	V	FW		AB										•AC	◊Y
U †	C9TZ 8113086	R	FW		A	B						C				
F	C5ZZ 6513086	R	T		C	D								A		
	D0ZZ 6513086	R	T			C										
	D0SZ 6313086	R	T		A	B				D		C		F		
13106 MAT - REAR FLOOR																
A, B, X	C7AZ 6313106	R	FW												ΔB	
	C5AZ 6313106	R	FW											L		
A, B, F, S, X	C6AZ 6213106	R	FW		A	C						D		B		
F	C5ZZ 6513106	R	T		C	D										
S	C4SZ 6313106	R	T		E							C		D		
	D0SZ 6313106	R	T			B				C						
A, B, F, X †	C9AZ 6213106	V	FW			AA										◊Y

† Cut to form twin rear mats if desired Δ Silver (Grey) • Tan ◊ Clear

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

SOFT TRIM

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →				SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
				—B	—D	—E	—F	—G	—K	—L	—P	—Y					
COLORS →				BLUE	RED	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
13144-5 RETAINER - REAR FLOOR MAT																	
B(54,71)	R	C8OZ 5413144		A1B									A1A				1
	L	C8OZ 5413145		A1B									A1A				1
X(54,71)	R	C7DZ 5413144											A1A				1
	L	C7DZ 5413145											A1A			–	1
U			Refer to Group 13144 in Body Parts Catalog														
13176 MAT - REAR FLOOR REAR																	
A(71)		C5AZ 7113176											AAB				1
B(71)		C6OZ 7113176											AAB				1
X(71A)		C6DZ 7113176											BAB				1
X(71B)		C7DZ 7113176												ABU			1
22666 HANDLE - DOOR PULL																	
F(63B,D,65B,D,76B)		C7WY 6526656		A1B	A1D		A1F	◊A1G	◊A1K				A1A				2
		C8ZZ 6526656						♦A2G	♦A2K			A1Y					2
S-front door		C8SZ 6522666		A1B	A1D			A1G				A1Y	A1A				2
rear door																	2

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
23942-3 PANEL ASSY. - FRONT DOOR TRIM																	
TRIM CODES →			5B	6B, 6BA													
A(54A,71B,C)	L	C8AZ 5423943	A5B	A5B													1
TRIM CODES →			5A	6A													
A(63B,65C,76A)	L	C8AZ 6323943	A5A	A5A													1
TRIM CODES →			2B	7B	8B												
			2BA	7BA	8BA												
F(63,65,76)	R	C8ZZ 6523942	A2B	A2B	A2B												1
	L	C8ZZ 6523943	A2B	A2B	A2B												1
TRIM CODES →			9														
U	R	D3BZ 1023942	ASU														1
	L	C8TZ 9723943	A8D														1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →				SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
				—B	—D	—E	—F	—G	—K	—L	—P	—Y					
COLORS →				BLUE	RED	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
24140-1 REST - DOOR ARM - INCLUDES ATTACHING PARTS																	
A-front door	R	C8AZ 6224140		♦A1B	A1D			◊A1G	A1K			A1Y	A1A				1
	L	C8AZ 6224141		♦A1B	A1D			◊A1G	A1K			A1Y	A1A				1
	R	C8AZ 6224140		◊A2B				♦A2G						◊A3U			1
	L	C8AZ 6224141		◊A2B				♦A2G						◊A3U			1
	R	C8MY 6224140												♦A2U			1
	L	C8MY 6224141												♦A2U			1
A(54,57,71)-rear door	R	C8AZ 5427540		A1B	A2D			◊A1G	A1K			A1Y	A1A				1
	L	C8AZ 5427541		◊A1B	A2D			◊A1G	A1K			A1Y	A1A				1
	R	C8AZ 5427540		♦A2B				♦A3G						◊A2U			1
	L	C8AZ 5427541		♦A2B				♦A3G						◊A2U			1
	R	C8MY 5427540						•A2G						♦A3U			1
	L	C8MY 5427541						•A2G						♦A3U			1

◊ Light ♦ Dark ♠ Pastel • Medium

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES															QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER		
COLORS →			SIZE (INC.)	B BLUE	D RED	E BEIGE	F SADDLE	G IVY GOLD	K AQUA	L SILVER (GREY)	P GREY	Y NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE		
24140-1 REST - DOOR ARM - INCLUDES ATTACHING PARTS - continued																		
A(62,63,65)-qtr.		C8AZ 6231600		◊A1B	A1D			◊A1G	A1K			A1Y	A1A					2
		C8AZ 6231600		♦A2B				♦A2G						◊A3U				2
		C8MY 6231600						•A3G						♦A2U				2
B-front door	R	C8AZ 5427540		◊A1B	A2D			◊A1G	◊A1K			A1Y	A1A	B1U				1
	L	C8AZ 5427541		◊A1B	A2D			◊A1G	◊A1K			A1Y	A1A	B1U				1
	R	C8AZ 5427540		♦A2B														1
	L	C8AZ 5427541		♦A2B														1
	R	C8MY 5427540						•A2G	♦A2K									1
	L	C8MY 5427541						•A2G	♦A2K									1
B(54,71)-rear door	R	C8OZ 5427540		◊A1B				◊A1G	◊A1K			A1Y						1
	L	C8OZ 5427541		◊A1B				◊A1G	◊A1K			A1Y						1
	R	C8OZ 5427540		♦A2B				•A2G	♦A2K									1
	L	C8OZ 5427541		♦A2B				•A2G	♦A2K									1
	R	C8TZ 8127540			C2D								C1A	C1U				1
	L	C8TZ 8127541			C2D								C1A	C1U				1
B(63,65)-qtr.		C8OZ 6331600		◊A1B	A2D			◊A1G	◊A1K			A1Y	A1A	A1U				2
		C8OZ 6331600		♦A2B				•A2G	♦A2K									2
F(63A,C,65A,76A)-front door	R	C8ZZ 6524140	15 x 2 1/2	D1B	D2D		D1F	D1G	D1K			D1Y	D1A	D2U				1
	L	C8ZZ 6524141		D1B	D2D		D1F	D1G	D1K			D1Y	D1A	D2U				1
F(63B,D,65B,D, 76B)-front door	R	C8ZZ 6524140	15 1/2 x 4 1/2	C2B	C2D		C1F	C2G	C2K			C1Y	C1A	C2U				1
	L	C8ZZ 6524141		C2B	C2D		C1F	C2G	C2K			C1Y	C1A	C2U				1
S(57)-front door	R	C8SZ 5724140		A1B	A1D		A1F	A1G	A1K					A2U				1
	L	C8SZ 5724141			A1D		A1F	A1G	A1K					A2U				1
	R	C9SZ 5724140										B1Y	B1A					1
	L	C9SZ 5724141		B1B								B1Y	B1A					1
S(57)-rear door	R	C8SZ 5727540			A1D		A1F		A1K					A2U				1
	L	C8SZ 5727541			A1D		A1F		A1K			A1Y		A2U				1
	R	C9SZ 5727540		B1B				B1G				B1Y	B1A					1
	L	C9SZ 5727541		B1B				B1G					B1A					1
S(65)-front door	R	C8SZ 6524140			A1D		A1F		†A1K			A1Y		Δ				1
	L	C8SZ 6524141			A1D		A1F		A1K			A1Y		Δ				1
	R	C9SZ 6524140		†B1B				†B1G					†B1A					1
	L	C9SZ 6524141		A1B				A1G					A1A					1
S(65)-quarter	R	C8SZ 6531600					B1F		B1K			B1Y		Δ				1
	L	C8SZ 6531601					B1F		B1K			B1Y		Δ				1
	R	D0SZ 6531600		B	D			F					C					1
	L	D0SZ 6531601		B	D			F					C					1
U	R	C8TZ 8127540												C1U				1
	L	C8TZ 8127541												C1U				1
X-front door	R	C8AZ 5427540		A1B	A2D			A1G					A1A	B1U				1
	L	C8AZ 5427541		A1B	A2D			A1G					A1A	B1U				1
X(54,71)-rear door	R	C8OZ 5427540		A1B				A1G										1
	L	C8OZ 5427541		A1B				A1G										1
	R	C8TZ 8127540			C2D								C1A	C1U				1
	L	C8TZ 8127541			C2D								C1A	C1U				1
X(62)-quarter		C8OZ 6331600		A1B	A2D			A1G					A1A	A1U				2
24346-7 PANEL - CENTER BODY PILLAR INSIDE FINISH																		
A(54,71)	R	C7AZ 5424346														$A		1
	L	C7AZ 5424347														$A		1

◊ Light ♦ Dark • Medium Δ Use Black ♦ Pastel $ Paint to match

† The switch plate must also be changed-use C9LY 14528-A on units with power windows without vacuum door latches, or C9LY 14527-A on units with power windows and vacuum door latch, or C9SZ 14A020-A blank plate.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

SOFT TRIM

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →				SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
				—B	—D	—E	—F	—G	—K	—L	—P	—Y					
COLORS →				BLUE	RED	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
24452-3 CAP - CENTER BODY PILLAR FINISH																	
X(54,71)		C6OZ 5424452														$A	2
B(54,71)	R	C8OZ 5424452														$A	1
	L	C8OZ 5424453														$A	1
24546-7 PAD - CENTER BODY PILLAR UPPER																	
S(57)	R	D1SZ 5724546											E				1
26656 HANDLE - DOOR PULL - Refer to Group 22666																	
27540-1 REST - REAR DOOR ARM - Refer to Group 24140-1																	
281A38-9 CAP - QUARTER PILLAR FINISH																	
B(71), X(71)	R	C6OZ 71281A38														$A	1
	L	C6OZ 71281A39														$A	1
281A74-5 COVER - QUARTER LATCH PILLAR FLANGE - Also refer to Groups 02600 and 24544-5																	
A(63,65)	R	C8AZ 63281A74		$A2K					A2K			▲	A2A	$A2K			1
	L	C8AZ 63281A75										▲	A2A				1
B(63,65)	R	C8OZ 63281A74			A2D				A1K			A1Y	A1A				1
	L	C8OZ 63281A75		◊A1B	A2D				A1K			A1Y	A1A				1
	R	C8OZ 63281A74		♦A2B													1
	L	C8OZ 63281A75		♦A2B													1
X(62)	R	C8DZ 62281A74			A1D												1
	L	C8DZ 62281A75			A1D												1
	R	C7OZ 62281A74											CBA				1
	L	C7OZ 62281A75											CBA				1
	R	C6OZ 62281A74		AAC				AAG									1
	L	C6OZ 62281A75		AAC				AAG									1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
31012-3 PANEL ASSY. - QUARTER TRIM																	
TRIM CODES →			1B	2B	2G	5B	5G	6B									
A(54)	R	C7AZ 5431012	A1B	A1B	A1G	A1B		A1B									1
	L	C7AZ 5431013	A1B	A1B	A1G	A1B	A1G	A1B									1
TRIM CODES →			5B	5G	6B	6G											
A(57B)	R	C8AZ 5731012	A1B	A1G	A1B	A1G											1
TRIM CODES →			5Y														
A(63B)	L	C8AZ 6331013	A6Y														1
A(71)-plastic panel	R		Rear - refer to Group 47042														
TRIM CODES →			1B														
B(54A)	R	C8OZ 5431012	A1B														1
	L	C8OZ 5431013	A1B														1
TRIM CODES →			3A, 3AA	3B, 3BA	3K, 3KA	3Y, 3YA	5A, 5AA	5B, 5BA									
B(54B)	R	C8OZ 5431012	A1A	A1B	A1K	A1Y	A1A	A1B									1
	L	C8OZ 5431013	A1A	A1B		A1Y	A1A	A1B									1
TRIM CODES →			7A		7K	7Y											
B(54C)	R	C8OZ 5431012	A1A		A1K	A1Y											1
	L	C8OZ 5431013	A1A			A1Y											1
B(71)			Refer to Group 31136-7														
F(63)			Refer to Group 31486-7														

$ Paint to match ◊ Light ♦ Dark ▲ Use Black

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES					QTY.
31012-3 PANEL ASSY. - QUARTER TRIM - continued								
TRIM CODES →			1B	3B	4A	4B		
X(54)	R	C8DZ 5431012	BAC	BAC	B1A	BAC		1
	L	C8DZ 5431013	BAC	BAC	B1A	BAC		1
X(71)			Refer to Group 31136-7					

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—G	—K	—L	—P	—Y					
COLORS →			BLUE	RED	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
31112-3 PANEL - QUARTER UPPER REAR TRIM																
F(63)	R	C7ZZ 6331112													$A	1
	L	C7ZZ 6331113													$A	1
31113 PANEL - QUARTER REAR TRIM																
B(71)	R		Refer to Group 47042													
	L	C8OZ 7131113										D1A				1
31136-7 PANEL - QUARTER FRONT TRIM																
B(71)	R	C7OZ 7131136										E1A				1
X(71)	R	C7DZ 7131136		AAC												1
	L	C7DZ 7131137											ABU			1
31222-3 PANEL - QUARTER LOWER REAR TRIM																
F(63)	R	C7ZZ 6331222											$A			1
	L	C7ZZ 6331223											$A			1
31290-1 WINDLACE - QUARTER PILLAR - Refer to Group 02600																
31330-1 PANEL - QUARTER PILLAR TRIM																
B(66)	R	C8OZ 6631330			A1D											1
	L	C8OZ 6631331											A1U			1
X(71)	R	C8DZ 7131330			B1D							B1A				1
	L	C8DZ 7131331			B1D							B1A				1
	R	C7DZ 7131330		B1B												1
	L	C7DZ 7131331		B1B												1
31364-5 COVER - QUARTER TRIM PANEL LOWER - Also refer to Group 13046																
F(63)	R	C8ZZ 6331364		A1B	A1D		A1F	A1G	A1K		A1Y	A1A				1
31486-7 PANEL - QUARTER LOWER FRONT TRIM																
F(63-exc.GT350/500)	R	C8ZZ 6331486													$A	1
	L	C8ZZ 6331487													$A	1
F(63-GT350/500)	R	S8MS 6331486										A646				1
	L	S8MS 6331487										A646				1
	R	S8MS 6331486				A647										1
	L	S8MS 6331487				A647										1
31486-7 PANEL ASSY. - QUARTER TRIM																
F(76-GT350/500)	R	S8MS 7631486										A646				1
	L	S8MS 7631487										A646				1
	L	S8MS 6331487				A647										1
31600-1 REST - QUARTER ARM - Refer to Group 24140-1																

$ Paint to match

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R, L	PART NUMBER	DESCRIPTION	QTY.
31750-1 COVER - QUARTER WHEELHOUSE - IN LUGGAGE COMPARTMENT				
S(57)	R	C8SZ 5731750-ACP	Grey	1
	L	C8SZ 6531751-BCP	Grey	1
S(65)	R	C8SZ 6531750-BCP	Grey	1
	L	C8SZ 6531751-BCP	Grey	1
44867 COVER - LUGGAGE COMPARTMENT FLOOR REAR - Refer to Group 45456				
45416-7 LINING BOARD - LUGGAGE COMPARTMENT SIDE				
A(54C, 57F, 65A)	R	C8AZ 5445416-A1P	Grey	1
	L	C8AZ 5445417-A1P	Grey	1
S	R	C8SZ 6545416-ACP	Grey	1
	L	C8SZ 6545417-ACP	Grey	1
45422 COVER - LUGGAGE COMPARTMENT SIDE				
S	R	C8SZ 6545422-BCP	Grey	1
	L		Refer to Group 45416-7	
45444 LININGBOARD - LUGGAGE COMPARTMENT FRONT				
A,B,F,X			Dealer improvise	
S		C7SZ 6545444-A	Grey	—
		350754-S8(UU86)	Screw-pan head, tapping-No.10-12 x 1/2"	
45455 COVER - LUGGAGE COMPARTMENT FLOOR - Refer to Group 45456				
45456 COVER - LUGGAGE COMPARTMENT FLOOR				
A(54A,B,E,62)		C8AZ 6244867-A1P	Grey rubber-rear	1
A(54B.E,62B.E)		C8AZ 6245476-A1P	Grey carpet-rear	1
A(54C,57,63,65)		C8AZ 6345476-A1P	Grey carpet-rear	1
A(54C, 57F, 65A)		C8AZ 6545518-A1P	Grey carpet-front	1
B(54, 65)		C8OZ 5445494-A1P	Grey burtex	1
B(63)		C8OZ 6345494-A1P	Grey burtex	1
F(63)		C8ZZ 6345494-B2P	Grey carpet-center	1
F(65)		C8ZZ 6545494-B2P	Grey carpet-center	1
F(76)		C8ZZ 7645494-BCP	Grey carpet-center	1
S		C8SZ 6545476-A2P	Grey carpet-rear	1
S		C8SZ 6545455-BCP	Grey-side	1
S		C8SZ 6547196-A2P	Grey-center	1
X(54, 62)		C8DZ 6245494-A1P	Grey burtex	1
45476 COVER - LUGGAGE COMPARTMENT FLOOR REAR - Refer to Group 45456				
45494 COVER - LUGGAGE COMPARTMENT FLOOR CENTER - Refer to Group 45456				
45518 COVER - LUGGAGE COMPARTMENT FLOOR FRONT - Refer to Group 45456				
45520-1 LINING BOARD - LUGGAGE COMPARTMENT REAR				
S	R	C8LY 6545520-ACP	Grey	1
	L	C8LY 6545521-ACP	Grey	1
46656 PANEL - PACKAGE TRAY TRIM - Refer to Group 46668				

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—G	—K	—L	—P	—Y					
COLORS →			BLUE	RED	BEIGE	SAD-DLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUG-GET GOLD		BLACK	PARCH-MENT	WHITE	SEE FOOT-NOTE	
46668 PANEL - PACKAGE TRAY TRIM																	
A(54, 62)-w/o spkrs.		C8AZ 6246668		A1B	A1D								A1A				1
A(57,65)-w/spkrs.		C8AZ 5746668		D1B									D1A				1
A(57,65)-w/o spkrs.		C8AZ 5746668		C1B			C1G						C1A				1
		C8MY 5746668			C1D												1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
COLORS →			—B BLUE	—D RED	—E BEIGE	—F SADDLE	—G IVY GOLD	—K AQUA	—L SILVER (GREY)	—P GREY	—Y NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
46668 PANEL - PACKAGE TRAY TRIM - continued																
A(63)-w/speakers		C8AZ 6346668										A1A				1
A(63)-w/o spkrs.		C8AZ 6346668			B1D			B1G				B1A				1
A(63)		Retainer - refer to Group 54460 in Body Section														
B(63)		C8OZ 6346656										B1A				1
B(65)		C9OZ 6546668		CCB	CCD			CCG								1
F(65)		C8ZZ 6546656										A1A				1
S(57)		C8SZ 5746668											$C			1
S(65)		C8SZ 6546668											$B			1
46868 COVER - PACKAGE TRAY STRAINER																
A(54)-w/folding rear seat		C7AZ 5446868											AJU			1
47042 COVER - SPARE WHEEL WELL																
A(71)-Plastic Panel		C8AZ 7147042		C1B	C2D							C1A				1
B(71)		C8OZ 7147042		A1B	A1D						A1Y	A1A	A1U			1
47196 COVER - LUGGAGE COMPARTMENT FLOOR CENTER - Refer to Group 45456																

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
51338 WEATHERSTRIP -FOLDING TOP NO. 1 BOW				
A(76)		C5AZ 7651338-BAB	Black	1
		C5AZ 7651338-BAD	Blue	1
		C8AZ 7651338-AAB	Parchment	1
F(76)		C5ZZ 7651338-BFA	Black	1
51416 MOULDING - FOLDING TOP NO. 4 BOW OUTSIDE - INCLUDES RETAINER				
A(76), B(76), F(76)		C3AZ 7651416-D	Black-59" long-cut to fit	1
		C8AZ 7651416-A1U	Parchment-59" long-cut to fit	1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
COLORS →			—B BLUE	—D RED	—E BEIGE	—F SADDLE	—G IVY GOLD	—K AQUA	—L SILVER (GREY)	—P GREY	—Y NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
51654-5 PAD - ROOF SIDE INNER RAIL																
A(57)	R	C8AZ 5751654					♦A1G					A1A				1
	L	C8AZ 5751655										A1A				1
A(65)	R	C8AZ 6551654										A1A				1
	L	C8AZ 6551655										A1A				1
51916 HEADLINING - ROOF																
A(54, 62)		C7AZ 5451916	◊A9B													1
B(71)		C8OZ 7151916	A5B									A5A				1
F(65)		C8ZZ 6551916	A2B													1
U(98)-front		D3BZ 1051916											A			1
U(98)-rear		D3BZ 1051918											A			1
X(71)		C8OZ 7151916	A5B									A5A				1

$ Paint to match ♦ Dark ◊ Light

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

SOFT TRIM

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—G	—K	—L	—P	—Y						
COLORS →			BLUE	RED	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUGGET GOLD		BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
51966 PANEL - ROOF TRIM - Refer to Group 51916																	
51996 PANEL - ROOF REAR TRIM - Refer to Group 51916																	
52018-9 COVER - ROOF SIDE REAR TRIM																	
A(57F, 65)	R	C8AZ 5752018											E1A				1
	L	C8AZ 5752019											E1A				1

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
52500 WINDOW - FOLDING TOP BACK CURTAIN				
A(76)		C7AZ 7652500-AAB	Glass window-used with Black Tops	1
		C7AZ 7652500-AAE	Glass window-used with Blue tops	1
		C8AZ 7652500-AAF	Glass window-used with Parchment tops	1
B(76)		C8OZ 7652500-AAB	Glass window-used with Black tops	1
		C8OZ 7652500-AAE	Glass window-used with Blue tops	1
		C8OZ 7652500-AAF	Glass window-used with Parchment tops	1
F(76)		C7ZZ 7652500-BAB	Vinyl window-used with Black tops	1
		C8ZZ 7652500-BAF	Vinyl window-used with Parchment tops	1
		C8ZZ 7652500-AAF	Glass window-used with Parchment tops	1
52700 TOP - FOLDING - LESS BACK CURTAIN and BOWS				
F(76)		C7ZZ 7652700-AAB	Black	1
53700 COVER - ROOF OUTSIDE				
F(65)		C7ZZ 6553700-AAE	Parchment	1
X(62)		C7OZ 6253700-AAE	Parchment	1
537A02 PAD - ROOF OUTSIDE COVER REAR SIDE				
S(57)		C7SZ 57537A02-A		1
53740 PAD - ROOF OUTSIDE COVER FRONT SIDE				
S(57)		C7SZ 5753740-A		1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES															QTY.
60032 BACK ASSY. - REAR SEAT - INCLUDES COVER																		
TRIM CODES →			1	9	94	9U												
U-w/exposed seam		C8TZ 9660032	B3D	B3D	B3D	B3D												1
U-w/o exposed seam		C8TZ 9660032	C3D	C3D	C3D	C3D												1

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	
60032-3 BACK KIT - REAR SEAT - CONSISTS of SPRING, PADS, WIRE and INSTRUCTION SHEET - SHIPPED K.D.			
A(54A, B, E, 62B, E)		C5AZ 6260032-B	
A(54C)		C7AZ 5460032-B	
A(57B, F, 65C)		C5AZ 5760032-C	
A(57F, 65A)		C5AZ 5760032-D	
A(63B, C)		C7AZ 6360032-C	
F(63)		C5ZZ 6360032-B	
F(65)		C5ZZ 6560032-C	
S(57B, C)		D0SZ 5760032-B	
S(65)	L	C8SZ 6560033-A	

IMPORTANT

When a complete Cushion Assembly is required, order BOTH a basic 60050 or 60051 Kit plus a basic 62900 or 62901 Cover with applicable suffix for desired trim code.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES
60050-1 CUSHION KIT-FRONT SEAT-CONSISTS OF of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.				
A(57F, 65A)-split bench seats	R	C8AZ 5760050-B		
	L	C8AZ 5760051-A		
B-bench seat		C8OZ 6560050-A		
B-bucket seat	R	C8OZ 6360050-B		
	L	C8OZ 6360051-A		
		TRIM CODES →		2A / 6A
F	R	C8ZZ 6560050-A	C8ZZ 6562900	A2A / A2A
	L	C8ZZ 6560051-A	C8ZZ 6562900	A2A / A2A
		TRIM CODES →		
F(63C, D, 65C, D)		C8ZZ 6560050-B		
S(57B, 65A, B)		C8SZ 6560050-B		
S(57C, 65C, D)		C8SZ 6560050-A		
U-full width seat		C6TZ 9660050-A		
U-bucket seat	L	C8ZZ 6560051-A		
X-bench seat		C8OZ 6560050-A		
X-split bench seats	R	C8OZ 6360050-B		
	L	C8OZ 6360051-A		

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES				QTY.
60080 CUSHION ASSY. - REAR SEAT - INCLUDES COVER							
TRIM CODES →			1	9	94	9U	
U-w/exposed seam		C8TZ 9660080	B3D	B3D	B3D	B3D	1
U-w/o exposed seam		C8TZ 9660080	C3D	C3D	C3D	C3D	1

BODY TYPE	R/L	KIT PART NUMBER LESS COVER
60080 CUSHION KIT - REAR SEAT - CONSISTS of SPRING, PADS, WIRE and INSTRUCTION SHEET-SHIPPED K.D.		
A(57B, F)		C7AZ 5760080-B
A(63, 65A, C)		C8AZ 6360080-A
A(71)		C5AZ 7160080-C
A(76A, B)		C5AZ 7660080-B
B(63B, D, E, 65B, D, E)		D0OZ 6360080-A
B(65A)		C8OZ 6560080-A
B(76)		C6OZ 7660080-C
F(63)		C5ZZ 6360080-B
S(57B, C)		C8SZ 5760080-A
X(62)		C6DZ 6260080-A
X(71A)		C6OZ 7160080-C
X(71B)		C6OZ 7160080-D

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES
60090 CUSHION KIT-AUXILIARY SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET- SHIPPED K.D.				
B(71)		C6OZ 7166856-A	Pad	
		C6OZ 71607A60-A	Base	

BODY TYPE	R/L	KIT PART NUMBER LESS COVER
60136-7 BACK KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET- SHIPPED K.D.		
A(54, 57B, F)-bench seat		C8AZ 5460136-A
A(63C, 76B)	R	C8AZ 6360136-A
A(71)-bench seat		C8AZ 7160136-A

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER		
60136-7 BACK KIT-FRONT SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued				
B(54)-bench seat		C8OZ 5460136-A		
B(63, 65, 66, 76)-bench seat	R	C8OZ 6560136-A		
	L	C8OZ 6560137-A		
B(63, 65, 66, 76)-bucket seat	R	C8OZ 6360136-A		
	L	C8OZ 6360137-A		
F(63A,B, 65A,B,76)	R	C8ZZ 6560136-B		
	L	C8ZZ 6560137-B		
F(63C,D, 65C,D)	R	C8ZZ 6560136-A		
	L	C8ZZ 6560137-A		
U-full width seat -bucket seat-w/exposed seam		C6TZ 9660136-A		
	Δ	C8ZZ 6560137-B		
X(54)		C8OZ 5460136-A		
X(62)-bench seat	R	C8OZ 6560136-A		
	L	C8OZ 6560137-A		
X(62)-bucket seat	R	C8OZ 6360136-A		
	L	C8OZ 6360137-A		

62900 COVER - FRONT SEAT CUSHION - Refer to Group 60050-1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
			__B	__D	__E	__F	__G	__K	__L	__P	__Y						
COLORS →			BLUE	RED	BEIGE	SAD-DLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUG-GET GOLD	BLACK	PARCH-MENT	WHITE	SEE FOOT-NOTE		
63500 BUTTON - FRONT and REAR SEAT CUSHION and BACK																	
A(54C, 57F, 65A)-front seat back		C8AZ 5463500									A1Y						8
A(54C, 57F, 65A)-rear seat back																	8
S-front seat back		C8VY 5363500	A2B	A2D			A2G				A2Y	A2A					10
S-front seat cushion																	6
S(57)-rear seat back																	4
S(65)-rear seat back																	12
S(57)-rear seat cushion																	6
S(65)-rear seat cushion																	18

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES	QTY.
644A16 FLAP - FRONT SEAT BACK CENTER ARM REST				
TRIM CODES →			EA, EAA	
A(57F, 65A)		C7AZ 63644A16	AG1	2

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
			__B	__D	__E	__F	__G	__K	__L	__P	__Y						
COLORS →			BLUE	RED	BEIGE	SAD-DLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUG-GET GOLD	BLACK	PARCH-MENT	WHITE	SEE FOOT-NOTE		
67112 REST - REAR SEAT ARM - INCLUDES ATTACHING PARTS																	
U		C8TZ 9667112											A1U				2
672A02-3 REST - AUXILIARY SEAT SHOULDER - INCLUDES ATTACHING PARTS																	
A(71A,C,J)	R	C8AZ 71672A02			ABD								ACU				1

Δ R.H. or L.H.

THE SOFT TRIM SECTION INCLUDES ONLY THOSE ITEMS WHICH WERE AVAILABLE FOR SERVICE AT THE TIME OF PRINTING. ITEMS NOT SHOWN IN THIS CATALOG MUST BE IMPROVISED OR PROCURED LOCALLY.

INSTRUCTIONS

Determine correct Group Number by referring to an appropriate illustration in the Interior Trim Section of the Illustration Catalog, Ford AF 7635-B or to the Soft Trim Index of this catalog. Identify Model, Body Type and Trim Code by referring to 1969 Warranty Plate Codes as shown in the General Information Section.

The 1969 Soft Trim Section consists of: (1) Trim Scheme Codes and Swatches (Pages A1, A2, A3, B, etc.). (2) Listing of Soft Trim Parts for all Ford (A), Fairlane/Torino (B), Mustang (F), Thunderbird (S), Bronco (U), and Falcon (X) models. (Pages 1 to end).

TRIM SCHEME CODES and SWATCHES

Consists of: (1) Listing of Trim Scheme Codes arranged in order of model, i.e. Ford, Fairlane, etc.
(2) Colored Swatches identified by a number beside the swatch.

How to use: (1) Identify Model, Body Type and Trim Code and apply this information to listing of Trim Scheme Codes. (2) Determine Swatch Identification Numbers and refer to Colored Swatches on page B, etc. (3) Locate appropriate swatches to verify the color and/or pattern of the principle materials used in the unit.

Colored Swatch pages are primarily for verification of color and/or pattern and do not indicate the type or weight of material.

For example, to determine which Swatches make up Trim Code 3B on Ford Four Door Sedan refer to page A1, A2, etc.

As shown on page A1 (Ford) Trim Code 3B indicates: (1) Body types (54B, 62B).
(2) Trim scheme description (Light blue corinthian vinyl and light blue decka pattern cloth).
(3) Door and Quarter material (swatch No. 26), bolster material (swatch No. 26), cushion and back material (swatch No. 113) and headlining material (swatch No. 19).

SOFT TRIM PARTS FOR ALL MODELS

Consists of: (1) Parts cataloged by trim code and color (e.g. Groups 02344-5, 24346-7, etc.).
(2) Parts cataloged by trim code only (e.g. Groups 23942-3, 62900, etc.).
(3) Miscellaneous parts (e.g. Groups 47042, 53700, etc.).

PARTS CATALOGED BY COLOR: (1) Identify Model, Body Type and Color of desired part. (2) Determine Group Number of part. (3) Locate appropriate Trim code and Color listed at top of page. Second character of trim code generally applicable to each color is also shown above the color as an additional aid. When color of part is in doubt refer to the list of Trim Codes and Colored Swatch pages for further identification. (4) Match Color with Model and Body Type to select desired part number.

For example, should a Blue Rear Floor Carpet (Group 13046) be desired for a Mustang Two Door Hard Top: (1) Refer to Group 13046. (2) Read list of Colors above title to find Blue. (3) Read down to find F(65). (4) Part number shown is C9ZZ 6513046 and suffix in "Blue" column is A1B.

PARTS CATALOGED BY TRIM CODE: (1) Identify Model, Body Type and Trim Code. (2) Determine Group Number of part. (3) Locate appropriate Trim Code (listing of Trim Codes precedes each Body Type). (4) Match Model and Body Type with Trim Code to select part number.

For example, should a R.H. Front Door Trim Panel (Group 23942-3) be required for a Fairlane Four Door Sedan, Trim Code 3Y: (1) Refer to Group 23942-3. (2) Read down to locate B(54B). (3) Read trim codes to find Trim Code 3Y. (4) Part number shown is C9OZ 5423942 and suffix listed is A3Y.

3 DIGIT TRIM CODES

Parts for 3 digit trim codes ending with an alphabet (e.g. 1BA) are listed with parts cataloged by trim code. Parts for 3 digit trim codes ending with a numeral (e.g. 1B1) are not cataloged. Refer to the listing of trim codes to determine which parts are available through service. For parts which are not available for service contact your Service Representative, who will process in accordance with General ICC bulletin No. 7526.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1969 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		†HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A)						
1A	54E, 62E	Black vinyl and black cloth				
1B	54E, 62E	Light blue vinyl and light blue cloth				
1Y	54E, 62E	Light nugget vinyl and light nugget cloth				
3A, 3AA, 3AB	54B, 62B	Charcoal black corinthian vinyl and charcoal black decka pattern cloth	11	11	109	17
3A9	54B, 62B	(Code 3AB - See Note 1)				
3B, 3BA, 3BB	54B, 62B	Light blue corinthian vinyl and light blue decka pattern cloth	26	26	113	19
3B9	54B, 62B	(Code 3BB - See Note 1)				
3G, 3GA, 3GB	54B, 62B	Dark ivy gold corinthian vinyl and dark ivy gold decka pattern cloth	54	54	131	49
3G9	54B, 62B	(Code 3GB - See Note 1)				
3Y, 3YA, 3YB	54B, 62B	Light nugget gold corinthian vinyl and light nugget gold decka pattern cloth	92	92	146	82
3Y9	54B, 62B	(Code 3YB - See Note 1)				
5A, 5AA, 5AB	54A, C, 57, 63B, 65A, C- (Full width seat)	Charcoal black corinthian vinyl and charcoal black sunda pattern cloth	11, 100	11	106	17
5A8	54A, C, 57, 63B, 65A, C- (Full width seat)	(Code 5AB - See Note 1)				
5A9	54A, C, 57, 63B, 65A, C- (Full width seat)	(Code 5AB - See Note 1)				
5B, 5BA, 5BB	54A, C, 57, 63B, 65A, C- (Full width seat)	Light blue corinthian vinyl and light blue sunda pattern cloth	26, 100	26	111	19
5B9	54A, C, 57, 63B, 65A, C- (Full width seat)	(Code 5BB - See Note 1)				
5G, 5GA, 5GB	54A, C, 57, 63B, 65A, C- (Full width seat)	Dark ivy gold corinthian vinyl and dark ivy gold sunda pattern cloth	54, 100	54	128	49
5G8	54A, C, 57, 63B, 65A, C- (Full width seat)	(Code 5GB - See Note 1)				
5G9	54A, C, 57, 65B, 65A, C- (Full width seat)	(Code 5GB - See Note 1)				
5K, 5KA, 5KB	54A, C, 57, 63B, 65A, C- (Full width seat)	Light aqua corinthian vinyl and light aqua sunda pattern cloth	61, 100	61	135	60
5K9	54A, C, 57, 63B, 65A, C- (Full width seat)	(Code 5KB - See Note 1)				
5Y, 5YA, 5YB	54A, C, 57, 63B, 65A, C- (Full width seat)	Light nugget gold corinthian vinyl and light nugget gold sunda pattern cloth	92, 100	92	143	82
5Y9	54A, C, 57, 63B, 65A, C- (Full width seat)	(Code 5YB - See Note 1)				
6A, 6AA, 6AB	54A, C, 57, 63, 65A, C, 71B, C, 76- (Full width seat)	Charcoal black corinthian vinyl and charcoal black kiwi pattern vinyl	11, 100	11	10	17
6B, 6BA, 6BB	54A, C, 57, 63, 65A, C, 71B, C, 76- (Full width seat)	Light blue corinthian vinyl and light blue kiwi pattern vinyl	26, 100	26	27	19
6D, 6DA, 6DB	54A, C, 57, 63, 65A, C, 71B, C, 76- (Full width seat)	Dark red corinthian vinyl and dark red kiwi pattern vinyl	44, 100	44	43	38
6G, 6GA, 6GB	54A, C, 57, 63, 65A, C, 71B, C- (Full width seat)	Dark ivy gold corinthian vinyl and dark ivy gold kiwi pattern vinyl	54, 100	54	56	49

* For swatch identification refer to Page B, etc. † Not applicable to convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7, and 31012-3) refer to this code in the 1969 Soft Trim Section. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1969 Soft Trim Section.

1969 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		†HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
6W,6WA, 6WB	54A, C, 57, 63, 65A, C, 76- (Full width seat)	White corinthian vinyl and white kiwi pattern vinyl-with black	75, 100	75	74	76
6Y,6YA, 6YB	54A, C, 57, 63, 65A, C, 71B, C, 76 (Full width seat)	Light nugget gold corinthian vinyl and light nugget gold kiwi pattern vinyl	92, 100	92	94	82
7A,7AA, 7AB	71H, J	Charcoal black corinthian vinyl and charcoal black tiber pattern vinyl	11	11	8	17
7A1	71H, J	(Code 7AA - See Note 1)				
7B,7BA, 7BB	71H, J	Light blue corinthian vinyl and light blue tiber pattern vinyl	26	26	24	19
7B1	71H, J	(Code 7BA - See Note 1)				
7G,7GA, 7GB	71H, J	Dark ivy gold corinthian vinyl and dark ivy gold tiber pattern vinyl	54	54	53	49
7G1	71H, J	(Code 7GA - See Note 1)				
7Y,7YA, 7YB	71H, J	Light nugget gold corinthian vinyl and light nugget gold tiber pattern vinyl	92	92	90	82
7Y1	71H, J	(Code 7YA - See Note 1)				
8A	63, 65C, 76- (Bucket seat)	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11, 100	11	3	17
8B	63, 65C, 76- (Bucket seat)	Light blue corinthian vinyl and light blue clarion knitted vinyl	26, 100	26	20	19
8D	63, 65C, 76- (Bucket seat)	Dark red corinthian vinyl and dark red clarion knitted vinyl	44, 100	44	39	38
8G	63, 65C-(Bucket seat)	Dark ivy gold corinthian vinyl and dark ivy gold clarion knitted vinyl	54, 100	54	51	49
8W	63, 65C, 76- (Bucket seat)	White corinthian vinyl and white clarion knitted vinyl-with black	75, 100	75	72	76
8Y	63, 65C, 76- (Bucket seat)	Light nugget gold corinthian vinyl and light nugget gold clarion knitted vinyl	92, 100	92	86	82
9A,9AA, 9AB	54C, 57F, 65A- (Full width seat)	Charcoal black corinthian vinyl with charcoal black cimarron and lagoon pattern cloth	13, 100 & 149	11	102, 104	17
9A1	54C, 57F- (Full width seat)	(Code 9AA - See Note 1)				
9B,9BA, 9BB	54C, 57F, 65A- (Full width seat)	Dark blue corinthian vinyl with dark blue cimarron and lagoon pattern cloth	35, 100 & 151	32	117, 120	29
9B1	54C, 57F- (Full width seat)	(Code 9BA - See Note 1)				
9D,9DA, 9DB	54C, 57F, 65A- (Full width seat)	Dark red corinthian vinyl with dark red cimarron and lagoon pattern cloth	46, 100 & 153	44	121, 122	38

* For swatch identification refer to Page B, etc. † Not applicable to convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7, and 31012-3) refer to this code in the 1969 Soft Trim Section. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1969 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1969 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		†HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
9D1	54C, 57F- (Full width seat)	(Code 9DA - See Note 1)				
9G,9GA, 9GB	54C, 57F, 65A- (Full width seat)	Dark ivy gold corinthian vinyl with dark ivy gold cimarron and lagoon pattern cloth	57,100 & 155	54	125,126	49
9G1	54C, 57F- (Full width seat)	(Code 9GA - See Note 1)				
9K,9KA, 9KB	54C, 57F, 65A- (Full width seat)	Light aqua corinthian vinyl with light aqua heath tricot and lagoon pattern cloth	63,100 & 157	61	133,134	60
9K1	54C, 57F- (Full width seat)	(Code 9KA - See Note 1)				
9K2	54C, 57F- (Full width seat)	(Code 9KA - See Note 1)				
9Y,9YA, 9YB	54C, 57F, 65A- (Full width seat)	Light nugget gold corinthian vinyl with light nugget gold heath tricot and lagoon pattern cloth	95,100 & 159	92	138,141	82
9Y1	54C, 57F- (Full width seat)	(Code 9YA - See Note 1)				
CA,CAA, CAB	54C, 57F- (Reclining seat)	Charcoal black corinthian vinyl and charcoal black covert pattern cloth	11, 16 & 100	11	107	17
CA1	54C, 57F- (Reclining seat)	(See Note 2)				
CA2	57F	(Code CAB - See Note 3)				
CB,CBA, CBB	54C, 57F - (Reclining seat)	Dark blue corinthian vinyl and dark blue covert pattern cloth	32, 37 & 100	32	119	29
CB1	54C, 57F- (Reclining seat)	(See Note 2)				
CD,CDA, CDB	54C, 57F- (Reclining seat)	Dark red corinthian vinyl and dark red covert pattern cloth	44, 48 & 100	14	124	38
CD1	54C, 57F- (Reclining seat)	(See Note 2)				
CG,CGA, CGB	54C, 57F- (Reclining seat)	Dark ivy gold corinthian vinyl and dark ivy gold covert pattern cloth	54, 59 & 100	54	129	49
CG1	54C, 57F- (Reclining seat)	(See Note 2)				

* For swatch identification refer to Page B, etc. † Not applicable to convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7, and 31012-3) refer to this code in the 1969 Soft Trim Section. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1969 Soft Trim Section.

NOTE 2 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) and replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1969 Soft Trim Section.

NOTE 3 - For replacement of Door Trim panels (23942-3 and 27406-7) contact your Service Representative. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) refer to this code in the 1969 Soft Trim Section. All other parts are included in the 1969 Soft Trim Section.

1969 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		†HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
CK,CKA, CKB	54C, 57F- (Reclining seat)	Light aqua corinthian vinyl and light aqua covert pattern cloth	61, 64 & 100	61	136	60
CK1	54C, 57F- (Reclining seat)	(See Note 2)				
CY,CYA, CYB	54C, 57F- (Reclining seat)	Light nugget gold corinthian vinyl and light nugget gold covert pattern cloth	92, 97 & 100	92	144	82
CY1	54C, 57F- (Reclining seat)	(See Note 2)				
CY2	54C, 57F	(Code CYB - See Note 3)				
DA,DAA, DAB	54C, 57F, 65A- (Full width seat)	Charcoal black corinthian vinyl and charcoal black covert pattern cloth	11, 16 & 100	11	107	17
DA1	54C, 57F, 65A- (Full width seat)	(Code DAA - See Note 1)				
DA2	54C, 57F, 65A- (Full width seat)	(See Note 2)				
DA3	65A- (Full width seat)	(Code DAA - See Note 1)				
DA3	57F	(Code DAB - See Note 3)				
DB,DBA, DBB	54C, 57F, 65A- (Full width seat)	Dark blue corinthian vinyl and dark blue covert pattern cloth	32, 37 & 100	32	119	29
DB1	54C, 57F, 65A- (Full width seat)	(Code DBA - See Note 1)				
DB2	54C, 57F, 65A- (Full width seat)	(See Note 2)				
DD,DDA, DDB	54C, 57F, 65A- (Full width seat)	Dark red corinthian vinyl and dark red covert pattern cloth	44, 48 & 100	44	124	38
DD1	54C, 57F, 65A- (Full width seat)	(Code DDA - See Note 1)				
DD2	54C, 57F, 65A- (Full width seat)	(See Note 2)				
DG,DGA, DGB	54C, 57F, 65A- (Full width seat)	Dark ivy gold corinthian vinyl and dark ivy gold covert pattern cloth	54, 59 & 100	54	129	49

* For swatch identification refer to Page B, etc. † Not applicable to convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7, and 31012-3) refer to this code in the 1969 Soft Trim Section. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1969 Soft Trim Section.

NOTE 2 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) and replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1969 Soft Trim Section.

NOTE 3 - For replacement of Door Trim panels (23942-3 and 27406-7) contact your Service Representative. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) refer to this code in the 1969 Soft Trim Section. All other parts are included in the 1969 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1969 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		†HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
DG1	54C, 57F, 65A- (Full width seat)	(Code DGA - See Note 1)				
DG2	54C, 57F, 65A- (Full width seat)	(See Note 2)				
DKA, DKB	54C, 57F, 65A- (Full width seat)	Light aqua corinthian vinyl and light aqua covert pattern cloth	61, 64 & 100	61	136	60
DK1	54C, 57F, 65A- (Full width seat)	(Code DKA - See Note 1)				
DK2	54C, 57F, 65A- (Full width seat)	(See Note 2)				
DYA, DYB	54C, 57F, 65A- (Full width seat)	Light nugget gold corinthian vinyl and light nugget gold covert pattern cloth	92, 97 & 100	92	144	82
DY1	54C, 57F, 65A- (Full width seat)	(Code DYA - See Note 1)				
DY2	54C, 57F, 65A- (Full width seat)	(See Note 2)				
DY3	54C, 57F, 65A- (Full width seat)	(See Note 2)				
DY3	54C, 57F	(Code DYB - See Note 3)				
EA, EAA, EAB	54C, 57F, 65A- (Split seat)	Charcoal black corinthian vinyl with charcoal black cimarron and lagoon pattern cloth	13, 100 & 149	11	102, 104	17
EB, EBA, EBB	54C, 57F, 65A- (Split seat)	Dark blue corinthian vinyl with dark blue cimarron and lagoon pattern cloth	35, 100 & 151	32	117, 120	29
ED, EDA, EDB	54C, 57F, 65A- (Split seat)	Dark red corinthian vinyl with dark red cimarron and lagoon pattern cloth	46, 100 & 153	44	121, 122	38
EG, EGA, EGB	54C, 57F, 65A- (Split seat)	Dark ivy gold corinthian vinyl with dark ivy gold cimarron and lagoon pattern cloth	57, 100 & 155	54	125, 126	49
EK, EKA, EKB	54C, 57F, 65A- (Split seat)	Light aqua corinthian vinyl with light aqua heath tricot and lagoon pattern cloth	63, 100 & 157	61	133, 134	60
EY, EYA, EYB	54C, 57F, 65A- (Split seat)	Light nugget gold corinthian vinyl with light nugget gold heath tricot and lagoon pattern cloth	95, 100 & 159	92	138, 141	82

* For swatch identification refer to Page B, etc. † Not applicable to convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7, and 31012-3) refer to this code in the 1969 Soft Trim Section. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1969 Soft Trim Section.

NOTE 2 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) and replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1969 Soft Trim Section.

NOTE 3 - For replacement of Door Trim panels (23942-3 and 27406-7) contact your Service Representative. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) refer to this code in the 1969 Soft Trim Section. All other parts are included in the 1969 Soft Trim Section.

1969 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		†HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
FA,FAA, FAB	71A, E- (Full width seat)	Charcoal black corinthian vinyl and charcoal black kiwi pattern vinyl	10, 11 & 100	11	10	17
FB,FBA, FBB	71A, E- (Full width seat)	Light blue corinthian vinyl and light blue kiwi pattern vinyl	26, 27 & 100	26	27	19
FB1	71A, E	(Code FBB - See Note 3)				
FD,FDA, FDB	71A, E- (Full width seat)	Dark red corinthian vinyl and dark red kiwi pattern vinyl	43, 44 & 100	44	43	38
FG,FGA, FGB	71A, E- (Full width seat)	Dark ivy gold corinthian vinyl and dark ivy gold kiwi pattern vinyl	54, 56 & 100	54	56	49
FG1	71A, E	(Code FGB - See Note 3)				
FY,FYA, FYB	71A, E- (Full width seat)	Light nugget gold corinthian vinyl and light nugget gold kiwi pattern vinyl	92, 94 & 100	92	94	82
GA,GAA, GAB	71A, E- (Reclining seat)	Charcoal black corinthian vinyl and charcoal black kiwi pattern vinyl	10, 11 & 100	11	10	17
GB,GBA, GBB	71A, E- (Reclining seat)	Light blue corinthian vinyl and light blue kiwi pattern vinyl	26, 27 & 100	26	27	19
GB1	71A, E	(Code GBB - See Note 3)				
GD,GDA, GDB	71A, E- (Reclining seat)	Dark red corinthian vinyl and dark red kiwi pattern vinyl	43, 44 & 100	44	43	38
GG,GGA, GGB	71A, E- (Reclining seat)	Dark ivy gold corinthian vinyl and dark ivy gold kiwi pattern vinyl	54, 56 & 100	54	56	49
GG1	71A, E	(Code GGB - See Note 3)				
GY,GYA, GYB	71A, E- (Reclining seat)	Light nugget gold corinthian vinyl and light nugget gold kiwi pattern vinyl	92, 94 & 100	92	94	82
HA,HAA, HAB	71A, E- (Reclining seat)	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	10, 11 & 100	11	3	17
HY,HYA, HYB	71A, E- (Reclining seat)	Light nugget gold corinthian vinyl and light nugget gold clarion knitted vinyl	92, 94 & 100	92	86	82
JA,JAA, JAB	54A, C, 57, 71B, C- (Reclining seat)	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11, 100	11	3	17
JW,JWA, JWB	54A, C, 57- (Reclining seat)	White corinthian vinyl and white clarion knitted vinyl- with black	75, 100	75	72	76
JY,JYA, JYB	71B, C- (Reclining seat)	Light nugget gold corinthian vinyl and light nugget gold clarion knitted vinyl	92, 100	92	86	82
KA,KAA, KAB	71A, E- (Full width seat)	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	10, 11 & 100	11	3	17
KY,KYA, KYB	71A, E- (Full width seat)	Light nugget gold corinthian vinyl and light nugget gold clarion knitted vinyl	92, 94 & 100	92	86	82
LE,LEA, LEB	54B, E, 62B, E- (Police & taxi)	Medium parchment corinthian vinyl and light parchment morocco vinyl	69	71	67	70

* For swatch identification refer to Page B, etc. † Not applicable to convertible

NOTE 3 - For replacement of Door Trim panels (23942-3 and 27406-7) contact your Service Representative. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) refer to this code in the 1969 Soft Trim Section. All other parts are included in the 1969 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1969 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
MA,MAA	71A, E-(Full width seat)	Charcoal black corinthian vinyl and black watchplaid pattern cloth	11, 16 & 100	11	161	17
MA,MAA	71B, C-(Full width seat)	Charcoal black corinthian vinyl and black watchplaid pattern cloth	11, 100	11	161	17
NA,NAA, NAB	54E, 62E, 71D	Charcoal black corinthian vinyl and charcoal black pinta vinyl	11	11	7	17
NB,NBA, NBB	54E, 62E, 71D	Light blue corinthian vinyl and light blue pinta vinyl	26	26	23	19
NY,NYA, NYB	54E, 62E, 71D	Light nugget gold corinthian vinyl and light nugget gold pinta vinyl	92	92	89	82
PA,PAA, PAB	54B, 62B	Charcoal black corinthian vinyl and charcoal black pinta vinyl	11	11	7	17
PB,PBA, PBB	54B, 62B	Light blue corinthian vinyl and light blue pinta vinyl	26	26	23	19
PY,PYA, PYB	54B, 62B	Light nugget gold corinthian vinyl and light nugget gold pinta vinyl	92	92	89	82
TA,TAA	71A, E-(Reclining seat)	Charcoal black corinthian vinyl and black watchplaid pattern cloth	11, 16 & 100	11	161	17
TA,TAA	71B, C-(Reclining seat)	Charcoal black corinthian vinyl and black watchplaid pattern cloth	11, 100	11	161	17
WA,WAA, WAB	54A, C, 57, 63, 65A, C, 71B, C-(Full width seat)	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11, 100	11	3	17
WW,WWA, WWB	54A, C, 57, 63, 65A, C-(Full width seat)	White corinthian vinyl and white clarion knitted vinyl-with black	75, 100	75	72	76
WY,WYA, WYB	71B, C-(Full width seat)	Light nugget gold corinthian vinyl and light nugget gold clarion knitted vinyl	92, 100	92	86	82
YA,YAA, YAB	54C, 57F-(Reclining seat)	Charcoal black corinthian vinyl with charcoal black cimarron and lagoon pattern cloth	13, 100 & 149	11	102, 104	17
YB,YBA, YBB	54C, 57F-(Reclining seat)	Dark blue corinthian vinyl with dark blue cimarron and lagoon pattern cloth	35, 100 & 151	32	117, 120	29
YD,YDA, YDB	54C, 57F-(Reclining seat)	Dark red corinthian vinyl with dark red cimarron and lagoon pattern cloth	46, 100 & 153	44	121, 122	38
YG,YGA, YGB	54C, 57F-(Reclining seat)	Dark ivy gold corinthian vinyl with dark ivy gold cimarron and lagoon pattern cloth	57, 100 & 155	54	125, 126	49
YK,YKA, YKB	54C, 57F-(Reclining seat)	Light aqua corinthian vinyl with light aqua heath tricot and lagoon pattern cloth	63, 100 & 157	61	133, 134	60
YY,YYA, YYB	54C, 57F-(Reclining seat)	Light nugget gold corinthian vinyl with light nugget gold heath tricot and lagoon pattern cloth	95, 100 & 159	92	138, 141	82

* For swatch identification refer to Page B, etc.

† Not applicable to convertible

1969 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE/TORINO (B)						
1A	54A, 63B, 65A	Charcoal black corinthian vinyl with charcoal black kiwi vinyl and oneida pattern cloth	11	11	10 & 103	17
1A9	54A, 63B, 65A	(Code 1A - See Note 1)				
1B	54A, 63B, 65A	Light blue corinthian vinyl with light blue kiwi vinyl and medium blue oneida pattern cloth	26	26	27 & 116	19
1B1	54A, 63B, 65A	(See Note 2)				
1Y	54A, 63B, 65A	Light nugget gold corinthian vinyl with light nugget gold kiwi vinyl and oneida pattern cloth	92	92	94 & 140	82
2A	66A, 71D	Charcoal black corinthian vinyl with charcoal black corinthian and gates vinyl	11	11	9, 11	17
2B	66A, 71D	Light blue corinthian vinyl with light blue corinthian and gates vinyl	26	26	25, 26	19
2B1	66A	(See Note 2)				
2Y	66A, 71D	Light nugget gold corinthian vinyl with light nugget gold corinthian and gates vinyl	92	92	91, 92	82
3A	54B, 63B, 65B	Charcoal black corinthian vinyl and charcoal black samara pattern cloth	11, 100	11	11, 108	17
3A1	63B, 65B	(See Note 2)				
3A9	54B, 63B, 65B	(Code 3A - See Note 1)				
3B	54B, 63B, 65B	Light blue corinthian vinyl and light blue samara pattern cloth	26, 100	26	26, 112	19
3B1	63B, 65B	(See Note 2)				
3B9	54B, 63B, 65B	(Code 3B - See Note 1)				
3G	54B, 63B, 65B	Dark ivy gold corinthian vinyl and dark ivy gold samara pattern cloth	54, 100	54	54, 130	49
3G9	54B, 63B, 65B	(Code 3G - See Note 1)				
3K	54B	Light aqua corinthian vinyl and light aqua samara pattern cloth	61, 100	61	61, 137	60
3K1	54B	(See Note 2)				
3Y	54B, 63B, 65B	Light nugget gold corinthian vinyl and light nugget gold samara pattern cloth	92, 100	92	92, 145	82
3Y1	54B, 63B, 65B	(See Note 2)				
3Y9	54B, 63B, 65B	(Code 3Y - See Note 1)				
4AA	71B	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11, 100	11	3, 11	17
4YA	71B	Light nugget gold corinthian vinyl and light nugget gold clarion knitted vinyl	92, 100	92	86, 92	82
5A	54B, 63B, 65B, 66B, 71B, 76B	Charcoal black corinthian vinyl and charcoal black kiwi vinyl	11, 100	11	10, 11	17
5AA	54A, 65A	Charcoal black corinthian vinyl and charcoal black kiwi vinyl	11	11	10, 11	17
5A1	63B, 65B, 66B	(See Note 2)				
5B	54B, 63B, 65B, 66B, 71B, 76B	Light blue corinthian vinyl and light blue kiwi vinyl	26, 100	26	26, 27	19
5BA	54A, 65A	Light blue corinthian vinyl and light blue kiwi vinyl	26	26	26, 27	19
5B1	66B	(See Note 2)				
5D	63B, 65B, 66B, 71B, 76B	Dark red corinthian vinyl and dark red kiwi vinyl	44, 100	44	43, 44	38
5D1	66B	(See Note 2)				

* For swatch identification refer to Page B, etc. † Not applicable to convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7, and 31012-3) refer to this code in the 1969 Soft Trim Section. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1969 Soft Trim Section.

NOTE 2 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) and replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1969 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1969 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE/TORINO (B) - continued						
5G	63B, 65B	Dark ivy gold corinthian vinyl and dark ivy gold kiwi vinyl	54, 100	54	54, 56	49
5G1	63B, 65B	(See Note 2)				
5K	63B, 65B	Light aqua corinthian vinyl and light aqua kiwi vinyl	61, 100	61	61, 62	60
5K1	63B, 65B	(See Note 2)				
5W	63B, 65B, 76B	White corinthian vinyl and white kiwi vinyl-with black	75, 100	75	74, 75	76
5Y	54B, 63B, 65B, 66B, 76B	Light nugget gold corinthian vinyl and light nugget gold kiwi vinyl	92, 100	92	92, 94	82
5YA	54A, 65A	Light nugget gold corinthian vinyl and light nugget gold kiwi vinyl	92	92	92, 94	82
5Y1	63B, 65B	(See Note 2)				
6A	63F, 65F, 66C, 76F	Charcoal black corinthian vinyl and charcoal black kiwi vinyl	11	11	10, 11	17
6AA	63F, 65F, 66C, 76F	Charcoal black corinthian vinyl and charcoal black kiwi vinyl	11	11	10, 11	17
6A1	63F, 65F, 66C, 76F	(See Note 2)				
6B	63F, 65F, 66C, 76F	Light blue corinthian vinyl and light blue kiwi vinyl	26	26	26, 27	19
6BA	63F, 65F, 66C, 76F	Light blue corinthian vinyl and light blue kiwi vinyl	26	26	26, 27	19
6B1	63F, 65F, 66C, 76F	(See Note 2)				
6D	63F, 65F, 66C, 76F	Dark red corinthian vinyl and dark red kiwi vinyl	44	44	43, 44	38
6DA	63F, 65F, 66C, 76F	Dark red corinthian vinyl and dark red kiwi vinyl	44	44	43, 44	38
6D1	66C	(See Note 2)				
6G	63F, 65F	Dark ivy gold corinthian vinyl and dark ivy gold kiwi vinyl	54	54	54, 56	49
6GA	63F, 65F	Dark ivy gold corinthian vinyl and dark ivy gold kiwi vinyl	54	54	54, 56	49
6G1	63F, 65F	(See Note 2)				
6K	63F, 65F	Light aqua corinthian vinyl and light aqua kiwi vinyl	61	61	61, 62	60
6KA	63F, 65F	Light aqua corinthian vinyl and light aqua kiwi vinyl	61	61	61, 62	60
6K1	63F, 65F	(See Note 2)				
6W	63F, 65F, 76F	White corinthian vinyl and white kiwi vinyl-with black	75	75	74, 75	76
6WA	63F, 65F, 76F	White corinthian vinyl and white kiwi vinyl-with black	75	75	74, 75	76
6Y	63F, 65F, 66C	Light nugget gold corinthian vinyl and light nugget gold kiwi vinyl	92	92	92, 94	82
6YA	63F, 65F, 66C	Light nugget gold corinthian vinyl and light nugget gold kiwi vinyl	92	92	92, 94	82
6Y1	63F, 65F	(See Note 2)				
7A, 7AA	54C, 65C	Charcoal black corinthian vinyl with charcoal black lagoon and cimarron pattern cloth	11, 148	11	102, 104	17
7A9	54C, 65C	(Code 7AA - See Note 1)				
7B, 7BA	54C, 65C	Dark blue corinthian vinyl with dark blue lagoon and cimarron pattern cloth	32, 150	32	117, 120	29
7B9	54C, 65C	(Code 7BA - See Note 1)				
7D, 7DA	54C, 65C	Dark red corinthian vinyl with dark red lagoon and cimarron pattern cloth	44, 152	44	121, 122	38
7D9	54C, 65C	(Code 7DA - See Note 1)				
7G, 7GA	54C, 65C	Dark ivy gold corinthian vinyl with dark ivy gold lagoon and cimarron pattern cloth	54, 154	54	125, 126	49
7G9	54C, 65C	(Code 7GA - See Note 1)				
7K, 7KA	54C, 65C	Light aqua corinthian vinyl with light aqua lagoon and heath tricot pattern cloth	61, 156	61	133, 134	60
7K9	54C, 65C	(Code 7KA - See Note 1)				
7Y, 7YA	54C, 65C	Light nugget gold corinthian vinyl with light nugget gold lagoon and heath tricot pattern cloth	92, 158	92	138, 141	82
7Y9	54C, 65C	(Code 7YA - See Note 1)				

* For swatch identification refer to Page B, etc. † Not applicable for convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7, and 31012-3) refer to this code in the 1969 Soft Trim Section. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1969 Soft Trim Section.

NOTE 2 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) and replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1969 Soft Trim Section.

1969 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE/TORINO (B) - continued						
8A	63D, 65D, 66D, 76D	Charcoal black corinthian vinyl and charcoal black kiwi vinyl	11	11	10	17
8AA	63D, 65D, 66D, 76D	Charcoal black corinthian vinyl and charcoal black kiwi vinyl	11	11	10	17
8A1	63D, 65D, 66D, 76D	(See Note 2)				
8B	63D, 65D, 66D, 76D	Light blue corinthian vinyl and light blue kiwi vinyl	26	26	27	19
8BA	63D, 65D, 66D, 76D	Light blue corinthian vinyl and light blue kiwi vinyl	26	26	27	19
8B1	63D, 65D, 66D, 76D	(See Note 2)				
8D	63D, 65D, 66D, 76D	Dark red corinthian vinyl and dark red kiwi vinyl	44	44	43	38
8DA	63D, 65D, 66D, 76D	Dark red corinthian vinyl and dark red kiwi vinyl	44	44	43	38
8D1	63D, 65D	(See Note 2)				
8G	63D, 65D	Dark ivy gold corinthian vinyl and dark ivy gold kiwi vinyl	54	54	56	49
8GA	63D, 65D	Dark ivy gold corinthian vinyl and dark ivy gold kiwi vinyl	54	54	56	49
8K	63D, 65D	Light aqua corinthian vinyl and light aqua kiwi vinyl	61	61	62	60
8KA	63D, 65D	Light aqua corinthian vinyl and light aqua kiwi vinyl	61	61	62	60
8K1	63D, 65D	(See Note 2)				
8W	63D, 65D, 76D	White corinthian vinyl and white kiwi vinyl-with black	75	75	74	76
8WA	63D, 65D, 76D	White corinthian vinyl and white kiwi vinyl-with black	75	75	74	76
8Y	63D, 65D, 66D	Light nugget gold corinthian vinyl and light nugget gold kiwi vinyl	92	92	94	82
8YA	63D, 65D, 66D	Light nugget gold corinthian vinyl and light nugget gold kiwi vinyl	92	92	94	82
9A, 9AA	71E	Charcoal black corinthian vinyl and charcoal black kiwi vinyl	11	11	10, 11	17
9B, 9BA	71E	Light blue corinthian vinyl and light blue kiwi vinyl	26	26	26, 27	19
9D, 9DA	71E	Dark red corinthian vinyl and dark red kiwi vinyl	44	44	43, 44	38
9Y, 9YA	71E	Light nugget gold corinthian vinyl and light nugget gold kiwi vinyl	92	92	92, 94	82
BA	54A	Black all vinyl				
BB	54A	Blue all vinyl				
BY	54A	Nugget all vinyl				
CA	63E, 65E	Charcoal black corinthian vinyl and charcoal black kiwi vinyl	11	11	10	17
CA1	63E, 65E	(See Note 2)				
CB	63E, 65E	Light blue corinthian vinyl and light blue kiwi vinyl	26	26	27	19
CB1	65E	(See Note 2)				
CY	63E, 65E	Light nugget gold corinthian vinyl and light nugget gold kiwi vinyl	92	92	94	82
DA	63E, 65E	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11	11	3	17
EA	63B, 65B	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11, 100	11	3, 11	17
EW	63B, 65B	White corinthian vinyl and white clarion knitted vinyl	75, 100	75	72, 75	76
FD	63B, F, 65B, F	Dark red corinthian vinyl and dark red spectrum pattern cloth	44	44	162	38
FDA	63B, F, 65B, F	Dark red corinthian vinyl and dark red spectrum pattern cloth	44	44	162	38
FY	63B, F, 65B, F	Light nugget gold corinthian vinyl and light nugget gold spectrum pattern cloth	92	92	163	82
FYA	63B, F, 65B, F	Light nugget gold corinthian vinyl and light nugget gold spectrum pattern cloth	92	92	163	82
HA	63E, 65E, 66B, 76E	Charcoal black corinthian vinyl and charcoal black kiwi vinyl	11, 100	11	10	17
HA1	63E, 65E	(See Note 2)				
HB	63E, 65E, 66B, 76E	Light blue corinthian vinyl and light blue kiwi vinyl	26, 100	26	27	19
HD	63E, 65E, 66B, 76E	Dark red corinthian vinyl and dark red kiwi vinyl	44	44	43	38
HD1	63E, 65E	(See Note 2)				

* For swatch identification refer to Page B, etc. † Not applicable to convertible

NOTE 2 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) and replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1969 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1969 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE/TORINO (B) - continued						
HG	63E, 65E	Dark ivy gold corinthian vinyl and dark ivy gold kiwi vinyl	54, 100	54	56	49
HK	63E, 65E	Light aqua corinthian vinyl and light aqua kiwi vinyl	61, 100	61	62	60
HW	63E, 65E, 76E	White corinthian vinyl and white kiwi vinyl-with black	75, 100	75	74	76
HY	63E, 65E, 66B	Light nugget gold corinthian vinyl and light nugget gold kiwi vinyl	92, 100	92	94	82
JA,JAA	71B	Charcoal black corinthian vinyl and black watchplaid pattern cloth	11, 100	11	11 & 161	17
KA,KAA	71E	Charcoal black corinthian vinyl and black watchplaid pattern cloth	11, 148	11	11 & 161	17
NA,NAA	71E	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11	11	3	17
NY,NYA	71E	Light nugget gold corinthian vinyl and light nugget gold clarion knitted vinyl	92	92	86	82
QA	63D, 65D	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11	11	3	17
QAA	63D, 65D	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11	11	3	17
QA1	63D, 65D	(See Note 2)				
QW	63D, 65D	White corinthian vinyl and white clarion knitted vinyl-with black	75	75	72	76
QWA	63D, 65D	White corinthian vinyl and white clarion knitted vinyl-with black	75	75	72	76
UD	63B, 65B	Dark red corinthian vinyl and red spectrum stripe pattern cloth	44	44	162	
UY	63B, 65B	Light nugget gold corinthian vinyl and nugget gold spectrum stripe pattern cloth	92	92	163	
VA	63E, 65E	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11, 100	11	3	17
VW	63E, 65E	White corinthian vinyl and white clarion knitted vinyl-with black	75, 100	75	72	76
WA	63F, 65F	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11	11	3	17
WAA	63F, 65F	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11	11	3	17
WA1	63F, 65F	(See Note 2)				
WW	63F, 65F	White corinthian vinyl and white clarion knitted vinyl	75	75	72	76
WWA	63F, 65F	White corinthian vinyl and white clarion knitted vinyl	75	75	72	76
MUSTANG (F)						
1A	65E	Charcoal black corinthian vinyl and charcoal black hopsack pattern cloth	11, 99 & 148	11	110	17
1AA	65E	Charcoal black corinthian vinyl and charcoal black hopsack pattern cloth	11, 100 & 148	11	110	17
1B	65E	Light blue corinthian vinyl and light blue hopsack pattern cloth	26, 99 & 150	26	114	19
1BA	65E	Light blue corinthian vinyl and light blue hopsack pattern cloth	26, 100 & 150	26	114	19

* For swatch identification refer to Page B, etc. † Not applicable to convertible

NOTE 2 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) and replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1969 Soft Trim Section.

1969 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
MUSTANG (F) - continued						
1G	65E	Dark ivy gold corinthian vinyl and dark ivy gold hopsack pattern cloth	54, 99 & 154	54	132	49
1GA	65E	Dark ivy gold corinthian vinyl and dark ivy gold hopsack pattern cloth	54, 100 & 154	54	132	49
1Y	65E	Light nugget gold corinthian vinyl and light nugget gold hopsack pattern cloth	92, 99 & 158	92	147	82
1YA	65E	Light nugget gold corinthian vinyl and light nugget gold hopsack pattern cloth	92, 100 & 158	92	147	82
2A	63A, 65A, 76A	Charcoal black corinthian vinyl and charcoal black kiwi vinyl	11	11	10	17
2B	63A, 65A 76A	Light blue corinthian vinyl and light blue kiwi vinyl	26	26	27	19
2D	63A, 65A, 76A	Dark red corinthian vinyl and dark red kiwi vinyl	44	44	43	38
2G	63A, 65A, 76A	Dark ivy gold corinthian vinyl and dark ivy gold kiwi vinyl	54	54	56	49
2Y	63A, 65A, 76A	Light nugget gold corinthian vinyl and light nugget gold kiwi vinyl	92	92	94	82
3A	63C	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11, 99 & 148	11	3 & 11	17
3AA	63C	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11, 100 & 148	11	3, 11	17
3D	63C	Dark red corinthian vinyl and dark red clarion knitted vinyl	44, 99 & 152	44	39, 44	38
3DA	63C	Dark red corinthian vinyl and dark red clarion knitted vinyl	44, 100 & 152	44	39, 44	38
3D1	63C	(Code 3D - See Note 1)				
3W	63C	White corinthian vinyl and white clarion knitted vinyl	75, 99 & 148	75	72	76
3WA	63C	White corinthian vinyl and white clarion knitted vinyl	75, 100 & 148	75	72	76
3W1	63C	(Code 3W - See Note 1)				
4A	63A, 65A	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11	11	3	17
4D	63A, 65A	Dark red corinthian vinyl and dark red clarion knitted vinyl	44	44	39	38
4D1	63A	(Code 4D - See Note 1)				

* For swatch identification refer to Page B, etc. † Not applicable to convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1969 Soft Trim Section. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1969 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1969 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
MUSTANG (F) - continued						
5A	63B, 65B	Charcoal black corinthian vinyl with charcoal black ruffino and clarion knitted vinyl	11, 99 & 148	11	3 & 6	17
5AA	63B, 65B	Charcoal black corinthian vinyl with charcoal black ruffino and clarion knitted vinyl	11, 100 & 148	11	3, 6	17
5B	63B, 65B	Light blue corinthian vinyl with light blue ruffino and clarion knitted vinyl	26, 99 & 150	26	20, 22	19
5BA	63B, 65B	Light blue corinthian vinyl with light blue ruffino and clarion knitted vinyl	26, 100 & 150	26	20, 22	19
5D	63B, 65B	Dark red corinthian vinyl and dark red ruffino and clarion knitted vinyl	44, 99 & 152	44	39, 42	38
5DA	63B, 65B	Dark red corinthian vinyl and dark red ruffino and clarion knitted vinyl	44, 100 & 152	44	39, 42	38
5G	63B, 65B	Dark ivy gold corinthian vinyl with dark ivy gold ruffino and clarion knitted vinyl	54, 99 & 154	54	51, 52	49
5GA	63B, 65B	Dark ivy gold corinthian vinyl with dark ivy gold ruffino and clarion knitted vinyl	54, 100 & 154	54	51, 52	49
5W	63B, 65B	White corinthian vinyl with white ruffino and clarion knitted vinyl-with black	75, 99	75	72, 73	76
5WA	63B, 65B	White corinthian vinyl with white ruffino and clarion knitted vinyl-with black	75, 100	75	72, 73	76
5Y	63B, 65B	Light nugget gold corinthian vinyl with light nugget gold ruffino and clarion knitted vinyl	92, 99	92	86, 88	82
5YA	63B, 65B	Light nugget gold corinthian vinyl with light nugget gold ruffino and clarion knitted vinyl	92, 100	92	86, 88	82
6A	76A	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11	11	3	17
6D	76A	Dark red corinthian vinyl and dark red clarion knitted vinyl	11	44	39	38
7A	76B	Charcoal black corinthian vinyl with charcoal black ruffino and corinthian vinyl	11, 99 & 148	11	6 & 11	17
7AA	76B	Charcoal black corinthian vinyl with charcoal black ruffino and corinthian vinyl	11, 100 & 148	11	6, 11	17

* For swatch identification refer to Page B, etc.

† Not applicable for convertible

1969 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
MUSTANG (F) - continued						
7B	76B	Light blue corinthian vinyl with light blue ruffino and corinthian vinyl	26, 99 & 150	26	22, 26	19
7BA	76B	Light blue corinthian vinyl with light blue ruffino and corinthian vinyl	26, 100 & 150	26	22, 26	19
7D	76B	Dark red corinthian vinyl with dark red ruffino and corinthian vinyl	44, 99 & 152	44	42, 44	38
7DA	76B	Dark red corinthian vinyl with dark red ruffino and corinthian vinyl	44, 100 & 152	44	42, 44	38
7G	76B	Dark ivy gold corinthian vinyl with dark ivy gold ruffino and corinthian vinyl	54, 99 & 154	54	52, 54	49
7GA	76B	Dark ivy gold corinthian vinyl with dark ivy gold ruffino and corinthian vinyl	54, 100 & 154	54	52, 54	49
7W	76B	White corinthian vinyl with white ruffino and corinthian vinyl-with black	75, 99 & 148	75	73, 75	76
7WA	76B	White corinthian vinyl with white ruffino and corinthian vinyl-with black	75, 100 & 148	75	73, 75	76
7Y	76B	Light nugget gold corinthian vinyl with light nugget gold ruffino and corinthian vinyl	92, 99 & 158	92	88, 92	82
7YA	76B	Light nugget gold corinthian vinyl with light nugget gold ruffino and corinthian vinyl	92, 100 & 158	92	88, 92	82
8A,8AA	65C	Charcoal black corinthian vinyl with charcoal black ruffino and clarion knitted vinyl	11	11	3& 6	17
8B,8BA	65C	Light blue corinthian vinyl with light blue ruffino and clarion knitted vinyl	26	26	20, 22	19
8D,8DA	65C	Dark red corinthian vinyl with dark red ruffino and clarion knitted vinyl	44	44	39, 42	38
8Y,8YA	65C	Light nugget gold corinthian vinyl with light nugget gold ruffino and clarion knitted vinyl	92	92	86, 88	82
9A	65D	Charcoal black corinthian vinyl with charcoal black ruffino and clarion knitted vinyl	11, 99 & 148	11	3, 6	17
9AA	65D	Charcoal black corinthian vinyl with charcoal black ruffino and clarion knitted vinyl	11, 100 & 148	11	3, 6	17
9B	65D	Light blue corinthian vinyl with light blue ruffino and clarion knitted vinyl	26, 99 & 150	26	20, 22	19
9BA	65D	Light blue corinthian vinyl with light blue ruffino and clarion knitted vinyl	26, 100 & 150	26	20, 22	19
9D	65D	Dark red corinthian vinyl with dark red ruffino and clarion knitted vinyl	44, 99 & 152	44	39, 42	38
9DA	65D	Dark red corinthian vinyl with dark red ruffino and clarion knitted vinyl	44, 100 & 152	44	39, 42	38

* For swatch identification refer to Page B, etc. † Not applicable for convertible

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1969 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		†HEAD-LINING
				BOLSTER	CUSHION and BACK	
MUSTANG (F) - continued						
9Y	65D	Light nugget gold corinthian vinyl with light nugget gold ruffino and clarion knitted vinyl	92, 99 & 158	92	86, 88	82
9YA	65D	Light nugget gold corinthian vinyl with light nugget gold ruffino and clarion knitted vinyl	92, 100 & 158	92	86, 88	82
DA	63B, 65B	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11, 99 & 148	11	3	17
DAA	63B, 65B	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11, 100 & 148	11	3	17
DD	63B, 65B	Dark red corinthian vinyl and dark red clarion knitted vinyl	44, 99 & 152	39	44	38
DDA	63B, 65B	Dark red corinthian vinyl and dark red clarion knitted vinyl	44, 100 & 152	39	44	38
DDI	63B	(Code DD - See Note 1)				
DW	63B, 65B	White corinthian vinyl and white clarion knitted vinyl - with black	75, 99 & 148	75	72	76
DWA	63B, 65B	White corinthian vinyl and white clarion knitted vinyl- with black	75, 100 & 148	75	72	76
DWI	63B	(Code DW - See Note 1)				
FA	76B	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11, 99 & 148	11	3	17
FAA	76B	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	11, 100 & 148	11	3	17
FD	76B	Dark red corinthian vinyl and dark red clarion knitted vinyl	44, 99 & 152	39	44	38
FDA	76B	Dark red corinthian vinyl and dark red clarion knitted vinyl	44, 100 & 152	39	44	38
FW	76B	White corinthian vinyl and white clarion knitted vinyl- with black	75, 99 & 148	75	72	76
FWA	76B	White corinthian vinyl and white clarion knitted vinyl- with black	75, 100 & 148	75	72	76
THUNDERBIRD (S)						
1A	57B, 65A, B	Charcoal black corinthian vinyl and charcoal black cimarron pattern cloth	11, 15 & 149	11	102	17
1B	57B, 65A, B	Dark blue corinthian vinyl and dark blue cimarron pattern cloth	32, 36 & 151	32	120	29
1D	57B, 65A, B	Dark red corinthian vinyl and dark red cimarron pattern cloth	44, 47 & 153	44	121	38
1Y	57B, 65A, B	Light nugget gold corinthian vinyl and light nugget gold heath tricot pattern cloth	92, 96 & 159	92	138	82

* For swatch identification refer to Page B, etc. † Not applicable for convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1969 Soft Trim Section. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1969 Soft Trim Section.

1969 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
THUNDERBIRD (S) - continued						
2A,2AA	65A, B	Charcoal black corinthian vinyl with charcoal black caribou and rosette vinyl	11, 12	11	2, 12	17
2B,2BA	65A, B	Dark blue corinthian vinyl with dark blue caribou and rosette vinyl	32, 33	32	31, 33	29
2D,2DA	65A, B	Dark red corinthian vinyl with dark red caribou and rosette vinyl	44, 45	44	41, 45	38
2G,2GA	65A, B	Dark ivy gold corinthian vinyl with dark ivy gold caribou and rosette vinyl	54, 55	54	50, 55	49
2W,2WA	65A, B	White corinthian vinyl with white caribou and rosette vinyl-. with black	11, 80	79	77, 80	76
2Y,2YA	65A, B	Light nugget gold corinthian vinyl with light nugget gold caribou and rosette vinyl	93, 98	92	84, 93	82
3A	57C, 65C, D	Charcoal black corinthian vinyl and charcoal black cimarron pattern cloth	11, 15 & 149	11	102	17
3B	57C, 65C, D	Dark blue corinthian vinyl and dark blue cimarron pattern cloth	32, 36 & 151	32	120	29
3D	57C	Dark red corinthian vinyl and dark red cimarron pattern cloth	44, 47 & 153	44	121	38
3G	57C, 65C, D	Dark ivy gold corinthian vinyl and dark ivy gold cimarron pattern cloth	54, 58 & 155	54	125	49
3Y	57C, 65C, D	Light nugget gold corinthian vinyl and light nugget gold heath tricot pattern cloth	92, 96 & 159	92	138	82
4A,4AA	57C, 65C, D	Charcoal black corinthian vinyl with charcoal black caribou and rosette vinyl	11, 12	11	2, 12	17
4B,4BA	57C, 65C, D	Dark blue corinthian vinyl with dark blue caribou and rosette vinyl	32, 33	32	31, 33	29
4D,4DA	57C, 65C, D	Dark red corinthian vinyl with dark red caribou and rosette vinyl	44, 45	44	41, 45	38
4W,4WA	57C, 65C, D	White corinthian vinyl with white caribou and rosette vinyl-with black	11, 80	79	77, 80	76
4Y,4YA	65C, D	Light nugget gold corinthian vinyl with light nugget gold caribou and rosette vinyl	93, 98	92	84, 93	82
4Y,4YA	57C	Light nugget gold corinthian vinyl with light nugget gold caribou and rosette vinyl	92, 93	92	84, 93	82
8A,8AA	57B, 65A, B	Charcoal black corinthian vinyl and charcoal black leather	11, 149	11	4	17
8W,8WA	57B, 65A, B	White corinthian vinyl and white leather-with black	79, 149	79	78	76

* For swatch identification refer to Page B, etc. † Not applicable for convertible

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1969 TRIM SCHEME CODES

AS LISTED ON WARRANTY PLATE

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
BRONCO (U)						
3	96, 97, 98	Pastel parchment corinthian vinyl and light parchment matchstick vinyl	65	66	68	160
9	96, 97, 98	Pastel parchment corinthian vinyl and pastel parchment rosette vinyl	65	66	65	160
94	96, 97, 98	Pastel parchment corinthian vinyl and pastel parchment rosette vinyl	65	66	65	160
9U	96, 97, 98	Pastel parchment corinthian vinyl and pastel parchment rosette vinyl	65	66	65	160
FALCON (X)						
1A	54A, 62A	Charcoal black corinthian vinyl with charcoal black nimbus and cadence vinyl	11	11	5, 14	17
1B	54A, 62A	Light blue corinthian vinyl with medium blue nimbus and light blue cadence vinyl	18	26	21, 28	19
1D	54A, 62A	Dark red corinthian vinyl with dark red nimbus and cadence vinyl	44	44	166, 167	38
1Y	54A, 62A	Light nugget gold corinthian vinyl with light nugget gold nimbus and cadence vinyl	81	92	85, 87	82
2A	71A	Charcoal black corinthian vinyl and charcoal black gates vinyl	11	11	9	17
2B	71A	Light blue corinthian vinyl and light blue gates vinyl	18	26	25	19
2Y	71A	Light nugget gold corinthian vinyl and light nugget gold gates vinyl	81	92	91	82
3A	54B, 62B	Charcoal black corinthian vinyl and charcoal black fremont pattern cloth	1, 11	11	11, 101	17
3B	54B, 62B	Light blue corinthian vinyl and medium blue fremont pattern cloth	26, 30	26	26, 115	19
3Y	54B, 62B	Light nugget gold corinthian vinyl and light nugget gold fremont pattern cloth	83, 92	92	92, 139	82
4A	54B, 62B, 71B	Charcoal black corinthian vinyl and charcoal black kiwi vinyl	1, 11	11	10, 11	17
4B	54B, 62B, 71B	Light blue corinthian vinyl and dark blue kiwi vinyl	26, 30	26	26, 34	19
4D	54B, 62B, 71B	Dark red corinthian vinyl and dark red kiwi vinyl	40, 44	44	43, 44	38
4Y	54B, 62B, 71B	Light nugget gold corinthian vinyl and light nugget gold kiwi vinyl	83, 92	92	92, 94	82
8A	62C	Charcoal black corinthian vinyl and charcoal black kiwi vinyl	1, 11	11	10, 11	17
8B	62C	Light blue corinthian vinyl and dark blue kiwi vinyl	26, 30	26	26, 34	19
8D	62C	Dark red corinthian vinyl and dark red kiwi vinyl	40, 44	44	43, 44	38
8Y	62C	Light nugget gold corinthian vinyl and light nugget gold kiwi vinyl	83, 92	92	92, 94	82

* For swatch identification refer to Page B, etc.

† Not applicable to convertible

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
COLORS →			LENGTH	—B BLUE	—D RED	—E BEIGE	—F SADDLE	—G IVY GOLD	—K AQUA	—L SILVER (GREY)	—P GREY	—Y NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
02344-5 PANEL - COWL TRIM																	
A-w/A/C	L	C9AZ 6202345											B1A				1
A-w/o A/C	R	C9AZ 6202344		A1B									A1A				1
	L	C9AZ 6202345											B1A				1
B-w/o stereo	R	C8OZ 5402344		♦A2B								A1Y	A1A				1
	L	C8OZ 5402345		♦A2B	A2D								A1A				1
	L	C9OZ 5402345		◊A3B													1
B-w/stereo-includes radio-speaker grille	R	C8OZ 5402344										B1Y					1
	L	C8OZ 5402345		♦B2B	B2D												1
	R	C9OY 5402344		◊A3B				A2G	A3K								1
	L	C9OY 5402345		◊A3B				A2G	A3K								1
F	R	C9ZZ 6502344		B1B	B1D			B1G	B1K			B1Y	B1A				1
	L	C9ZZ 6502345		B1B	B1D			B1G				B1Y	B1A				1
S	R	C8SZ 6502344		B1B				B1G					B1A				1
	L	C8SZ 6502345			B1D			B1G	B1K				B1A				1
X	R	C8OZ 5402344		A2B									A1A				1
	L	C8OZ 5402345		A2B	A2D								A1A				1
02600 WINDLACE - DOOR OPENING and QUARTER PILLAR																	
B(63)-frt. door		C9OZ 6302606											BCA				2
B(65)-frt. door		C9OZ 6502606											CCA				2
B(63, 65, 66, 76)-quarter lock pillar	R	C9OZ 6331290		◊DDB	DCD							DCY	DCA				1
	L	C9OZ 6331291		◊A3B	A2D			A2G				A2Y	A2A		A1W		1
F(63)-frt. body pillar, roof rail, rear door		C9ZZ 6302906	73"		B1D										B1W		2
		D0ZZ 6502906											F				2
F(65)-frt.body pillar, roof rail, rear door		D0ZZ 6502906	75"										F				2
F-qtr. lock pillar	R	C9ZZ 6531290											A1A				1
	L	D0ZZ 6531291											E				1
S-frt. body pillar			Serviced in assembly - refer to Group 02344-5														
S(57)-center body pillar			Refer to Group 24486-7														
S(57)-rr. door			Refer to Group 24544-5														
S(65)-quarter lock pillar	R	C9SZ 6531290			FCD			FCG							FBW		1
	L	C9SZ 6531291			FCD			FCG				FCY			FBW		1
	R	D0SZ 6531290		F								D	E				1
	L	D0SZ 6531291		F									E				1
X(54)-rear door			Refer to Group 24544-5														
04104 VISOR - LESS ARM and BRACKET																	
A(54,57,62,63,65,71)		C9AZ 6204104		A2B		C1U		A1G									2
		D0AZ 6204104			G				B			D	H		C		2
A(76)		C9AZ 7604104		A2B	A1D							A1Y	A1A				2
B(54,63,65,66,71),X		C8OZ 6204104		♦E2B	E2D							E1Y	E1A				2
		C9OZ 5404104		◊C1B				CCG	C1K						C1W		2
B(76)		C9OZ 7604104		A3B	A2D							A3Y	A2A				2

◊ Light ♦ Dark

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			__B	__D	__E	__F	__G	__K	__L	__P	__Y					
COLORS →			BLUE	RED	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
04104 VISOR - LESS ARM and BRACKET - continued																
F(63, 65)		C9ZZ 6504104	A1B	A1D			A1G				A1Y	A1A		A1W		2
F(76)		C9ZZ 7604104	A2B	A1D			A1G				A1Y	A1A				2
S-w/o roof console		C8SZ 6504104	D1B	D1D			D1G				A1Y	D1A				2
		C9SZ 6504104												CBW		2
S-w/roof console		C8SZ 6504104	B1B	B1D			B1G				FBY	B1A				2
		C9SZ 6504104												BBW		2
U-"Before 12/2/68"		C9TZ 9604104											BEU			2
U-"From 12/2/68"		C9TZ 9704104											A1U			2
04282 PAD - INSTRUMENT PANEL UPPER																
A		C9AZ 6204282	♦A1B	A1D			A1G	A1K			A1Y	A1A				1
		C9AZ 6204282	◊C1B													1
B		C9OZ 5404282	♦A1B	A1D			A1G	A2K			A3Y	A1A				1
		C9OZ 5404282	◊A2B													1
		381747-S(MM191B)	Nut													1
		381765-S2(MM275E)	Nut													7
		381969-S2(UU89A)	Screw													7
		382228-S(GG337)	Clip													1
F-w/o integral A/C		C9ZZ 6504282		A1D			A1G				A1Y	A1A				1
		D0ZZ 6504282	A													1
F-w/integral A/C		C9ZZ 6504282		B1D			B1G				B1Y	B1A				1
		D0ZZ 6504282	D													1
S		C8SZ 6504282	B1B	B1D			B1G				B1Y	B1A				1
U		C9TZ 9604282										BCA				1
X		C8DZ 6204282	B1B									B1A				1
		C9DZ 6204282		JCD							JBY					1
B,F,X		C8OZ 5404278-A	Clip - instrument panel pad retainer													AR
04602 PAD - CONSOLE PANEL ARM REST																
S		C8SZ 6504602	A1B	A1D			A1G					A1A				1
		C9SZ 6504602									C3Y					1
04620 PAD - CONSOLE PANEL																
B		C9OZ 6304620	A1B	A1D			A1G	A1K			A1Y	A1A		A1W		1
13000 MAT - FRONT FLOOR																
A(54,62,71)		C9AZ 6213000										C1A				1
B(54,65,66,71)		C8OZ 5413000	C1B						C1L							1
		C9OZ 5413000									CBY	CCA				1
U		D3BZ 1013010										A				1
		D2BZ 1013010											B			1
X(54,62,71)		C8OZ 5413000	C1B						C1L							1
		C8DZ 5413000										C1A				1
		C9OZ 5413000									CBY					1
13000-1 CARPET - FRONT FLOOR																
A-loop pile-w/column shift-bench seat		C9AZ 6213000	A1B	A1D			A1G	A1K			A1Y	A1A				1
A(54C,57F, 65A)-cut pile-w/col. shift		C9AZ 5413000	A1B				A1G					A1A				1
B, X-w/column shift		C9OZ 5413000	NBB								NCY	NBA				1
13010 MAT - FRONT FLOOR -Refer to Group 13000																
13017 MAT - FRONT FLOOR REAR																
B(66)		C7OZ 6613017										A1A				1
130A34 CARPET - AUXILIARY FLOOR REAR																
F(63)-w/folding rear seat		C8ZZ 63130A34										A1A				1

◊ Light ♦ Dark

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—G	—K	—L	—P	—Y					
COLORS →			BLUE	RED	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
13042 CARPET - AUXILIARY FLOOR FRONT																
F(63)		C7ZZ 6313042	ABB									ABA				1
13046 CARPET - REAR FLOOR																
A(71)-loop pile		C9AZ 7113046	A1B				A1G					A1A				1
X(54)		C7OZ 5413046	ZBB									ZBA				1
13046 MAT - REAR FLOOR																
A(54)-w/jute pad		C9AZ 5413046										B1A				1
B(66)		D0OZ 6613046	P									R				1
U		C8TZ 9813054											A1U			1
13049 CARPET - AUXILIARY FLOOR																
A(71)		C9AZ 7113049					A1G				A1Y	A1A				1
A(71)		370464-S100(HH34)	Stud													4
13054 MAT - REAR FLOOR -Refer to Group 13046																

MODEL		PART NUMBER LESS SUFFIX	RUBBER OR VINYL	FULL WIDTH OR TWIN	COLORS and APPLICABLE SUFFIXES											
					AQUA/ TURQ.	BLACK	BLUE	GINGER	GREEN	GREY GOLD	IVY GOLD	NUGGET GOLD	RED/ BURG.	WHITE	OTHER	OTHER
13086 MAT - FRONT FLOOR																
A		C9AZ 6213086	R	T		A								J		
		D0AZ 6213046	R	T			B		D							
	†	C9AZ 6513086	R	FW		A							C	J		
	†	D0AZ 6513086	R	FW			D		B							
A, B, F, S		C6AZ 6213086	R	FW		A	C						D			
B, X	†	C9OZ 5413086	R	FW	E								C			
U	†	C9TZ 8113086	R	FW		A	B						C			
F		C5ZZ 6513086	R	T		C								A		
		D0ZZ 6513086	R	T			C									
S		D0SZ 6313086	R	T		A	B				D		C	F		
A, B, F, S, X	†	C9AZ 6213086	V	FW		‡R	‡S				‡U		‡T	‡V		
	†	C9AZ 6213086	V	FW		◊AB						◊AC				∅Y
A, B, F, S, X		C9AZ 6213086-L	Black/Red Paisley Vinyl													
13088 MAT - FRONT AND REAR FLOOR																
A, B, F, L, P, S, X		D0DZ 6213088	V	T		‡A	‡B		‡F				‡D			
		D2AZ 6213088	V	T											∅A	
13106 MAT - REAR FLOOR																
A	†	C9AZ 6513106	R	FW	E	A								J		
	†	D0AZ 6513106	R	FW			D		B							
B, X	†	C9OZ 5413106	R	FW		A							C			
A		C9AZ 6213106	R	T		A							C	J		
		D0AZ 6213106	R	T	C		B		D							
A, B, F, S, X		C6AZ 6213106	R	FW		A	C						D	B		
F		C5ZZ 6513106	R	T		C										
		D0ZZ 6513106	R	T			C									
S		C4SZ 6313106	R	T		E							C	D		
		D0SZ 6313106	R	T			B				C					
A, B, F, S, X	†	C9AZ 6213106	V	FW		‡R	‡S				‡U			‡V		
	†	C9AZ 6213106	V	FW			◊AA									∅Y

† Cut to form twin mats if so desired ◊ Transparent ‡Opaque ∅ Clear

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
COLORS →			—B BLUE	—D RED	—E BEIGE	—F SADDLE	—G IVY GOLD	—K AQUA	—L SILVER (GREY)	—P GREY	—Y NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
13144-5 RETAINER - REAR FLOOR MAT																
B(54, 71)	R	C9OZ 5413144									ABY					1
	L	C9OZ 5413145									ABY					1
	R	C8OZ 5413144	A1B									A1A				1
	L	C8OZ 5413145	A1B									A1A				1
X(54, 71)	R	C7DZ 5413144										A1A				1
	L	C7DZ 5413145										A1A				1
13176 MAT - REAR FLOOR REAR																
A(71)		C9AZ 7113182										A1A				1
B(71)		C6OZ 7113176										AAB				1
X(71)		C6DZ 7113176										BAB				1
13182 MAT - REAR FLOOR REAR -Refer to Group 13176																
22666 HANDLE - DOOR PULL																
S-front door		C8SZ 6522666		A1B	A1D			A1G			A1Y	A1A				2

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
23942-3 PANEL ASSY. - FRONT DOOR TRIM																
TRIM CODES →			5A, 5AA, 5AB	5G, 5GA 5GB	6A, 6AA, 6AB	6G, 6GA, 6GB	JA, JAA, JAB	WA, WAA, WAB								
A(54, C)	L	C9AZ 5423943	A6A	A6G	A6A	A6G	A6A	A6A								1
TRIM CODES →			5A, 5AA, 5AB	5B, 5BA, 5BB	5G, 5GA, 5GB	5Y, 5YA, 5YB	6A, 6AA, 6AB	6B, 6BA, 6BB	6G, 6GA, 6GB	6W, 6WA, 6WB	6Y, 6YA, 6YB					
A(63B, C)	R	C9AZ 6323942	A5A	A5B	A5G	A5A	A5B	A5G	A6W							1
	L	C9AZ 6323943	A5A	A5B	A5G	A5Y	A5A	A5B	A5G	A6W	A5Y					1
TRIM CODES →			8A,	8B,	8G	8W	8Y	WA, WAA, WAB	WW, WWA, WWB							
A(63B, C)	R	C9AZ 6323942	A5A	A5B	A5G	A6W	A5A	A6W								1
	L	C9AZ 6323943	A5A	A5B	A5G	A6W	A5Y	A5A	A6W							1
TRIM CODES →			5AA, 5AB	5BA, 5BB	5GA, 5GB	5YA, 5YB	6AA, 6AB	6BA, 6BA	6GA, 6GB	6WA, 6WB	6YA, 6YB					
A(65A)	R	C9AZ 6323942	A5A	A5B	A5G	A5A	A5B	A5G	A6W							1
	L	C9AZ 6323943	A5A	A5B	A5G	A5Y	A5A	A5B	A5G	A6W	A5Y					1
TRIM CODES →			9B, 9BA, 9BB	9D, 9DA, 9DB	9K, 9KA, 9KB	9Y, 9YA, 9YB										
A(65A)	R	C9YZ 6523942	AEB	AED	AEK	AEY										1
	L	C9YZ 6523943	AED	AEG	AEK	AEY										1
TRIM CODES →			EB, EBA, EBB	ED, EDA, EDB	EK, EKA, EKB	EY, EYA, EYB	WAA, WAB	WAA, WWB								
A(65A)	R	C9YZ 6523942	AEB	AED	AEK	AEY										1
	L	C9YZ 6523943	AED	AEK	AEY											1
	R	C9AZ 6323942	A5A	A6W												1
	L	C9AZ 6323943	A5A	A6W												1
TRIM CODES →			5A, 5AA, 5AB	5B, 5BA, 5BB	5G, 5GA, EGB	5Y, 5YA, 5YB	6A, 6AA, 6AB	6B, 6BA, 6BB	6G, 6GA, 6GB	6W, 6WA, 6WB	6Y, 6YA, 6YB	WA, WAA, WAB	WW, WWA, WWB			
A(65C)	R	C9AZ 6323942	A5A	A5B	A5G	A5A	A5B	A5G	A6W	A5A	A6W					1
	L	C9AZ 6323943	A5A	A5B	A5G	A5Y	A5A	A5B	A5G	A6W	A5Y	A5A	A6W			1

† Cut to form twin mats if so desired ◊ Transparent ‡Opaque ∅ Clear

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES															QTY.
23942-3 PANEL ASSY. - FRONT DOOR TRIM - continued																		
TRIM CODES →			FG, FGA, FGB	GG, GGA, GGB														
A(71A,E)	L	C9AZ 5423943	AFG	AFG														1
TRIM CODES →			6A, 6AA, 6AB	6G, 6GA, 6GB	JA, JAA, JAB	MA, MAA	TA, TAA	WA, WAA, WAB										
A(71B,C)	L	C9AZ 5423943	A6A	A6G	A6A	A6A	A6A	A6A										1
TRIM CODES →			6A, 6AA, 6AB	6B, 6BA, 6BB	6W, 6WA, 6WB	6Y, 6YA, 6YB	8A	8B	8D	8W	8Y							
A(76A,B)	R	C9AZ 6323942	A5A	A5B	A6W	A5A	A5B	A6D	A6W									1
	L	C9AZ 6323943	A5A	A5B	A6W	A5Y	A5A	A5B	A6D	A6W	A5Y							1
TRIM CODES →			1A	1Y														
B(63B,66B)	R	C9OZ 6523942	B2A	B2Y														1
	L	C9OZ 6523943	B2Y															1
TRIM CODES →			FD, FDA	FY, FYA														
B(63B)	L	C9OZ 6323943	CJD	CJY														1
TRIM CODES →			8A, 8AA	8W, 8WA	QA, QAA	QW, QWA												
B(63D,65D,66,76D)	R	C9OZ 6323942	CJA	CJA														1
	L	C9OZ 6323943	CJA	CJW	CJA	CJW												1
TRIM CODES →			CA	DA														
B(63E,66E)	R	C9OZ 6523942	B2A	B2A														1
TRIM CODES →			6A, 6AA	6W, 6WA	6Y, 6YA	WA, WAA	WW, WWA											
B(63F,65F,66,76F)	R	C9OZ 6323942	CJA	CJA														1
	L	C9OZ 6323943	CJA	CJW	CJY	CJA	CJW											1
TRIM CODES →			1A	5AA														
B(65A)	R	C9OZ 6523942	B2A	B2A														1
TRIM CODES →			2A	2B	2D	4A	4D											
F(63A,65A)	R	C9ZZ 6523942	A2A	A2A														1
	L	C9ZZ 6523943	A2A	A2B	A2D	A2A	A2D											1
TRIM CODES →			5A	5AA	5D	5W												
F(63B,65B)	R	C9ZZ 6523942	A5A	B5A														1
	L	C9ZZ 6523943	A5A	B5A	A5D	A5W												1
TRIM CODES →			DA	DAA	DD	DW												
F(63B,65B)	R	C9ZZ 6523942	A5A	B5A														1
	L	C9ZZ 6523943	A5A	B5A	A5D	A5W												1
TRIM CODES →			3A	3AA	3D	3W												
F(63C)	R	C9ZZ 6523942	A5A	B5A														1
	L	C9ZZ 6523943	A5A	B5A	A5D	A5W												1
TRIM CODES →			8A, 8AA	8B, 8BA	8D, 8DA													
F(65C)	R	C9ZZ 6523942	A2A															1
	L	C9ZZ 6523943	A2A	A2B	A2D													1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
23942-3 PANEL ASSY. - FRONT DOOR TRIM - continued																	
TRIM CODES →			9A	9AA	9D												
F(65D)	R	C9ZZ 6523942	A5A	B5A													1
	L	C9ZZ 6523943	A5A	B5A	A5D												1
TRIM CODES →			1A	1AA													
F(65E)	R	C9ZZ 6523942	A5A	B5A													1
	L	C9ZZ 6523943	A5A	B5A													1
TRIM CODES →			2A	2B	2D	6A	6D										
F(76A)	R	C9ZZ 6523942	A2A	A2A													1
	L	C9ZZ 6523943	A2A	A2B	A2D	A2A	A2D										1
TRIM CODES →			7A	7AA	7A	7W											
F(76B)	R	C9ZZ 6523942	A5A	B5A													1
	L	C9ZZ 6523943	A5A	B5A	A5D	A5W											1
TRIM CODES →			FA	FAA	FD	FW											
F(76B)	R	C9ZZ 6523942	A5A	B5A													1
	L	C9ZZ 6523943	A5A	B5A	A5D	A5W											1
TRIM CODES →			9														
U	R	D3BZ 1023942	ASU														1
	L	C8TZ 9723943	A8D														1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—G	—K	—L	—P	—Y						
COLORS →			BLUE	RED	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUGGET GOLD		BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
24046 INSERT - FRONT DOOR REST FINGER TIP PLATE																	
F(63B, C, 65B, D, E, 76B)	R	C9ZZ 6524046		A1B	A1D			A1G				A1Y	A1A		A1W		1
	L	C9ZZ 6524047		A1B	A1D			A1G				A1Y	A1A		A1W		1
24140-1 REST - DOOR ARM - Includes attaching parts																	
A-front door	R	C9AZ 6224140		♦A1B	A1D	A1U		A1G	A1K			A1Y	A1A		A1W		1
	L	C9AZ 6224141		♦A1B	A1D	A1U		A1G	A1K			A1Y	A1A		A1W		1
	R	C9AZ 6224140		◊A2B													1
	L	C9AZ 6224141		◊A2B													1
A(54,57,71)-rear door	R	C9AZ 5427540		♦A1B	A1D	A1U		A1G	A1K			A1Y	A1A		A1W		1
	L	C9AZ 5427541		♦A1B	A1D	A1U		A1G	A1K			A1Y	A1A		A1W		1
	R	C9AZ 5427540		◊A2B													1
	L	C9AZ 5427541		◊A2B													1
A(62,63,65,76)-quarter		C9AZ 6231600		♦B1B	B1D	B1U		B1G	B1K			B1Y	B1A		B1W		2
		C9AZ 6231600		◊B2B													2
B-front door	R	C8AZ 5427540		◊A1B					A1K			A1Y	A1A				1
	L	C8AZ 5427541		◊A1B					A1K			A1Y	A1A				1
	R	C8AZ 5427540		♦A2B													1
	L	C8AZ 5427541		♦A2B													1
	R	C9OZ 5427540			CED			CFG							CBW		1
	L	C9OZ 5427541			CED			CFG							CBW		1
B(54,71)-rear door	R	C8OZ 5427540		◊A1B					A1K			A1Y					1
	L	C8OZ 5427541		◊A1B					A1K			A1Y					1
	R	C9OZ 5427540			CDD												1
	L	C9OZ 5427541			CDD			CDG									1
	R	C8TZ 8127540		♦C2B									C1A				1
	L	C8TZ 8127541		♦C2B									C1A				1
B(63,65)-quarter		C8OZ 6331600		◊A1B					A1K			A1Y	A1A				2
		C8OZ 6331600		♦A2B													2
		C9OZ 6331600			ADD			ADG							ABW		2

◊ Light ♦ Dark

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES — SECOND CHARACTER OF TRIM CODE: —B BLUE	—D RED	—E BEIGE	—F SAD-DLE	—G IVY GOLD	—K AQUA	—L SILVER (GREY)	—P GREY	—Y NUG-GET GOLD	ALL CODES BLACK	ALL CODES PARCH-MENT	ALL CODES WHITE	OTHER SEE FOOT-NOTE	QTY.
24140-1 REST - DOOR ARM - continued - Includes attaching parts																
F(63A, 65A, C, 76A)-front door	R	C9ZZ 6524140	◊A1B	A2D			A3G				A1Y	A1A				1
	L	D0ZZ 6524141										E				1
	L	C9ZZ 6524141	◊A1B	A2D			A3G				A1Y					1
	R	C9ZZ 6524140	♦A3B													1
	L	C9ZZ 6524141	♦A3B													1
F(63B, 65B, D, 76B)			Serviced in assembly-refer to Group 23942-3													
F(65E)-quarter	R	C9WY 6531600	A1B								A1Y	A1A				1
	L	C9WY 6531601	A1B								A1Y	A1A				1
	R	C9WZ 6531600					B4G									1
	L	C9WZ 6531601					B4G									1
S(57)-front door-"Before 12/15/68"	R	C8SZ 5724140	A1B				A1G									1
	R	C9SZ 5724140		GCD							B1Y	B1A		B1W		1
	L	C9SZ 5724141	B1B	B2D			B1G				B1Y	B1A		B1W		1
S(57)-front door-"From 12/15/68"	R	C9SZ 5724140	B1B	B2D			B1G				B1Y	B1A		B1W		1
	L	C9SZ 5724141	B1B	B2D			B1G				B1Y	B1A		B1W		1
S(57)-rear door-"Before 12/15/68"	R	C8SZ 5727540	A1B				A1G					A1A				1
	R	C9SZ 5727540		B2D							B1Y			B1W		1
	L	C9SZ 5727541	B1B	B2D			B1G				B1Y	B1A		B1W		1
S(57)-rear door-"From 12/15/68"	R	C9SZ 5727540	B1B	B2D			B1G				B1Y	B1A		B1W		1
	L	C9SZ 5727541	B1B	B2D			B1G				B1Y	B1A		B1W		1
S(65)-front door "Before 12/15/68"	R	C9SZ 6524140	•B1B				•B1G				•B3Y	•B1A				1
	L	C9SZ 6524141	A1B				A1G				HDY	A1A				1
S(65)-front door-"From 12/15/68"	R	C9SZ 6524140	B1B	B2D			B1G				B3Y	B1A				1
	L	C9SZ 6524141	A1B	A2D			A1G				A3Y	A1A				1
S(65)-quarter	R	D0SZ 6531600	B	D			F					C				1
	L	D0SZ 6531601	B	D			F					C				1
	R	C9SZ 6531600									JCY					1
	L	C9SZ 6531601									JCY					1
U	R	C9TZ 8127540											CDU			1
	L	C9TZ 8127541											CDU			1
X-front door	R	C8AZ 5427540	A1B								A1Y	A1A				1
	L	C8AZ 5427541	A1B								A1Y	A1A				1
	R	C9OZ 5427540		CED												1
	L	C9OZ 5427541		CED												1
X(54,71)-rear door	R	C8OZ 5427540	A1B								A1Y					1
	L	C8OZ 5427541	A1B								A1Y					1
	R	C9OZ 5427540		CDD												1
	L	C9OZ 5427541		CDD												1
	R	C8TZ 5427540										C1A				1
	L	C8TZ 5427541										C1A				1
X(62)-quarter		C8OZ 6331600	A1B								A1Y	A1A				2
		C9OZ 6331601		ADD												2
243A34-5 WINDLACE - CENTER BODY PILLAR-REAR - Refer to Group 24486-7																

• When used on vehicles built before 12/15/68 the switch plate must also be changed-C9LY 14528-A on units with power windows without vacuum door locks, or C9LY 14527-A on units with power windows and vacuum door locks, or C9SZ 14A020-A blank plate. ◊ Light ♦ Dark

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—G	—K	—L	—P	—Y						
COLORS →			BLUE	RED	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE		
24346-7 PANEL - CENTER BODY PILLAR INSIDE FINISH																	
A(54, 71)	R	D0AZ 5424346														$A	1
	L	D0AZ 5424347														$A	1
A(57)	R	C9AZ 5724346						B1K			B1Y	B1A		B1W			1
	L	C9AZ 5724347						B1K			B1Y	B1A					1
S(57)-loop pile-lower	R	C9SZ 5724346		C2B								C2A					1
	L	C9SZ 5724347		C2B								C2A					1
S(57)-cut pile-lower	R	C9SZ 5724346		B1B			B1G					B1A					1
	L	C9SZ 5724347		B1B								B1A					1
S(57)-upper	R	C8SZ 5724546		A1B							A1Y						1
	R	D1SZ 5724546										E					1
	L	C8SZ 5724547		A1B							A1Y	A1A					1
24452-3 CAP - CENTER BODY PILLAR FINISH																	
A		Refer to Group 517B26-7 in Body Section															
B(54, 71)	R	C8OZ 5424452														$A	1
	L	C8OZ 5424453														$A	1
X(54, 71)		C6OZ 5424452														$A	2
24486-7 WINDLACE - CENTER BODY PILLAR -Also refer to Groups 02600, 24544-5 and 281A74-5																	
A(54, 71)-front	R	C9AZ 5424486										A1A					1
	L	C9AZ 5424487										A1A					1
A(54, 71)-rear	R	C9AZ 54243A34		A1B								A1A					1
	L	C9AZ 54243A35										A1A					1
S(57)		D0SZ 5724486		E	D						A	C					2
24544-5 WINDLACE - REAR DOOR OPENING -Also refer to Groups 02600, 24486-7 and 281A74-5																	
A(54)		Refer to Group 31012-3															
A(71)	R	C9AZ 7124544										A1A					1
	L	C9AZ 7124545										A1A					1
S(57)	R	D0SZ 5724544		E								C					1
	L	D0SZ 5724545		E							A	C					1
X(54)	R	C9OZ 5424544		BEB	BED						B2Y	BDA					1
	L	C9OZ 5424545		BEB	BED						B2Y	BDA					1
24546-7 PAD - CENTER BODY PILLAR UPPER - Refer to Group 24346-7																	
255A30-1 COVER - REAR DOOR OUTSIDE UPPER EXTENSION																	
S(57)	R	C9SZ 57255A30										BDB		BAC			1
	L	C9SZ 57255A31										BDB		BAC			1
26656 HANDLE - DOOR PULL -Refer to Group 22666																	
27540-1 REST - REAR DOOR ARM - Refer to Group 24140-1																	
281A38-9 CAP - QUARTER PILLAR FINISH																	
B(71), X(71)	R	C6OZ 71281A38														$A	1
	L	C6OZ 71281A39														$A	1

@ Light # Dark $ Paint to match

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
COLORS →			—B BLUE	—D RED	—E BEIGE	—F SADDLE	—G IVY GOLD	—K AQUA	—L SILVER (GREY)	—P GREY	—Y NUGGET GOLD		BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
281A74-5 COVER - QUARTER LATCH PILLAR FLANGE - Also refer to Groups 02600 and 24544-5																	
A(63,65,76)	R	C9AZ 63281A74	@B1B	B1D			B1G	B1K			B1Y		B1A				1
	R	D0AZ 63281A74													E		1
	L	C9AZ 63281A75	@B1B	B1D			B1G	B1K			B1Y		B1A		B1W		1
	R	C9AZ 63281A74	#B2B														1
	L	C9AZ 63281A75	#B2B														1
B(63, 65)	R	C8OZ 63281A74		A2D				A1K			A1Y		A1A				1
	L	C8OZ 63281A75	@A1B	A2D				A1K			A1Y		A1A				1
	R	C8OZ 63281A74	#A2B														1
	L	C8OZ 63281A75	#A2B														1
	R	C9OZ 63281A74					BCG								A1W		1
	L	C9OZ 63281A75					BCG								A1W		1
X(62)	R	C6OZ 62281A74	AAC														1
	L	C6OZ 62281A75	AAC														1
	R	C7OZ 62281A74											CBA				1
	L	C7OZ 62281A75											CBA				1
	R	C8DZ 62281A74		A1D													1
	L	C8DZ 62281A75		A1D													1
	R	C9OZ 62281A74									A1Y						1
	L	C9OZ 63281A75									A1Y						1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
31004-5 PANEL - QUARTER FRONT TRIM																
TRIM CODES →			ALL													
F(76-GT350/500)	R	C9ZZ 7631004	$D													1
	L	C9ZZ 7631005	$D													1
COLORS →			AQUA	BEIGE	BLACK	BLUE	GREY	IVY GOLD	NUGGET GOLD	PARCHMENT	RED	SADDLE (BROWN)	SILVER (GREY)	WHITE		
31012-3 PANEL ASSY. - QUARTER TRIM																
A(54)	R	C9AZ 5431012		B1U	B1A											1
	L	C9AZ 5431013		B1U	B1A				B1Y							1
A(71)	R		Front-Refer to Group 31136-7													
	R		Rear-Refer to Group 47042													
	L	C9AZ 7131013			C1A	C1B		C1G	C1Y		C1D					1
B(54)	R	C8OZ 5431012	A1K		A1A	@A1B			A1Y							1
	L	C8OZ 5431013			A1A	@A1B			A1Y		A2D					1
B(71)			Refer to Group 31136-7													
X(54)	R	C8DZ 5431012		BAC	B1A											1
	L	C8DZ 5431013		BAC	B1A											1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES	QTY.
A(54,57,71)			Cataloged by color at the beginning of this group	
B(54,71)			Cataloged by color at the beginning of this group	
B(76)			Refer to Group 31148-9	
F(63)			Refer to Group 31486-7	
TRIM CODES →			ALL	
F(65)	R	C9ZZ 6531012	$A	1
	L	C9ZZ 6531013	$A	1

$ Paint to match @ Light # Dark

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
31012-3 PANEL ASSY. - QUARTER TRIM - continued																	
TRIM CODES →			1A	1B	8A, 8AA	8W, 8WA											
S(57B)	R	C9SZ 5731012	CDA	CDB	CDA	CDW											1
	L	C9SZ 5731013	CDA	CDB	CDA	CDW											1
TRIM CODES →			3A	3B	3D	3Y	4A, 4AA	4B, 4BA	4D, 4DA	4W, 4WA	4Y, 4YA						
S(57C)	R	C9SZ 5731012	CDA	CDB	CED	CDY	CDA	CDB	CED	CDW	CDY						1
	L	C9SZ 5731013	CDA	CDB	CED	CDY	CDA	CDB	CED	CDW	CDY						1
X(54)			Cataloged by color at the beginning of this group														

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—G	—K	—L	—P	—Y					
COLORS →			BLUE	RED	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
31112-3 PANEL - QUARTER UPPER REAR TRIM																
F(63)-w/fixed seat	R	C9ZZ 6331112													$A	1
	L	C9ZZ 6331113													$A	1
F(63)-w/fold down seat	R	D0ZZ 6331112													$B	1
	L	D0ZZ 6331113													$B	1
31113 PANEL - QUARTER REAR TRIM																
B(71)	R		Refer to Group 47042													
	L	C8OZ 7131113										D1A				1
31136-7 PANEL - QUARTER FRONT TRIM																
A(71)	R	C9AZ 7131136					C1G					C1A				1
	L		Refer to Group 31013													
B(71)	R	C7OZ 7131136										E1A				1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
31148-9 PANEL - QUARTER REAR TRIM																
TRIM CODES →			5A	5D	5W	6A, 6AA	6D, 6DA	6W, 6WA	8A, 8AA	8D, 8DA	8W, 8WA	HA	HD	HW		
B(76)	R	D0OZ 7631148	AGA	AGD	ARW	AGA	AGD	ARW	AGA	AGD	ARW	AGA	AGD	ARW		1
	L	D0OZ 7631149	AGA	AGD	ARW	AGA	AGD	ARW	AGA	AGD	ARW	AGA	AGD	ARW		1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—G	—K	—L	—P	—Y					
COLORS →			BLUE	RED	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
311A92-3 CAP - QUARTER WINDOW																
F(63)	R	C9ZZ 63311A92										A1A				1
31222-3 PANEL - QUARTER LOWER REAR TRIM																
F(63)	R	C9ZZ 6331222													$A	1
	L	C9ZZ 6331223													$A	1
31290-1 WINDLACE - QUARTER PILLAR - Refer to Group 02600																
31330-1 PANEL - QUARTER PILLAR TRIM																
X(71)	R	C8DZ 7131330			B1D							B1A				1
	L	C8DZ 7131331			B1D							B1A				1
	R	C7DZ 7131330		B1B												1
	L	C7DZ 7131331		B1B												1
	L	C9DZ 7131331									BBY					1

@ Light $ Paint to match

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—G	—K	—L	—P	—Y						
COLORS →			BLUE	RED	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUGGET GOLD		BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
31406 STRAP - REAR DOOR ASSIST																	
A(54)		C9AZ 5431406											ABA				2
31486-7 PANEL - QUARTER LOWER FRONT TRIM																	
F(63-exc. Shelby-GT 350/500)	R	C9ZZ 6331486														$A	1
	L	C9ZZ 6331487														$A	1
F(63-Shelby-GT 350/500)	R	C9ZZ 6331486											$A1W		A1W		1
	L	C9ZZ 6331487											$A1W		A1W		1
31600-1 REST - QUARTER ARM - Refer to Group 24140-1																	

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
31750-1 COVER - QUARTER WHEELHOUSE - IN LUGGAGE COMPARTMENT				
S	R	C8SZ 5731750-ACP	Grey	1
	L	C8SZ 6531751-BCP	Grey	1
44867 COVER - LUGGAGE COMPARTMENT FLOOR REAR - Refer to Group 45455-6				
45416-7 LINING BOARD - LUGGAGE COMPARTMENT SIDE				
S	R		Refer to Group 45422	
	L	C9SZ 6545417-C3P	Grey	1
45422 COVER - LUGGAGE COMPARTMENT SIDE				
S-"From 9/10/68"	R	C9SZ 6545422-B2P	Grey	1
	L		Refer to Group 45416-7	
45444 LININGBOARD - LUGGAGE COMPARTMENT FRONT				
A,B,F,X			Dealer improvise	
S		C7SZ 6545444-A	Grey	1
		350754-S8(UU86)	Screw-pan head, tapping-No.10-12 x 1/2"	3
45455-6 COVER - LUGGAGE COMPARTMENT FLOOR				
A(54A,C,57,63,65)		C9AZ 5444867-A1P	Grey rubber-rear	1
A(54B,E,62)		C9AZ 6244867-A1P	Grey rubber-rear	1
A(54A,C,57,63,65)		C9AZ 5445476-A1P	Grey carpet-rear	1
A(54B,E,62)		C9AZ 6245476-A1P	Grey carpet-rear	1
A(76)		C9AZ 7645476-A1P	Grey carpet-rear	1
B(54,65)		C8OZ 5445494-A1P	Grey burtex	1
B(63)		C8OZ 6345494-A1P	Grey burtex	1
F(63)-without folding seat		C9ZZ 6345494-B1P	Grey rubber	1
F(63)-w/folding seat		C9ZZ 6345494-A1P	Grey rubber	1
F(65A,B,C,D)		C9ZZ 6545494-A1P	Grey rubber	1
F(65E)		C9ZZ 6545494-C1P	Grey	1
F(76)		C9ZZ 7645494-A1P	Grey rubber	1
S		C9SZ 6545455-A2P	Grey carpet-front	1
S		C8SZ 6545476-A2P	Grey carpet-rear	1
S		C9SZ 6547196-BCP	Grey carpet-center	1
X(54,62)		C8DZ 6245494-A1P	Grey burtex	1
45476 COVER - LUGGAGE COMPARTMENT FLOOR REAR - Refer to Group 45455-6				
45494 COVER - LUGGAGE COMPARTMENT FLOOR CENTER - Refer to Group 45455-6				
45520-1 LINING BOARD - LUGGAGE COMPARTMENT REAR				
S	R	C9SZ 6545520-ADP	Grey	1
	L	C9SZ 6545521-BDP	Grey	1
45522-3 LINING BOARD - LUGGAGE COMPARTMENT SIDE				
F(GT350/500)	R	C9ZZ 6545522-A	Saddle grain	1
	L	C9ZZ 6545523-A	Saddle grain	1
46656 PANEL - PACKAGE TRAY TRIM -Refer to Group 46668				

$ Paint to match

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—G	—K	—L	—P	—Y						
COLORS →			BLUE	RED	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUGGET GOLD		BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
46668 PANEL - PACKAGE TRAY TRIM																	
A(54,62)-with speakers		C9AZ 5446668											A1A				1
A(63)-w/o speakers		C9AZ 6346668											A1A				1
B(63)		C9OZ 6346668											FCA				1
B(65) - "Before 1/15/69"		C9OZ 6546668		CCB			CCG						CCA				1
B(65)- "From 1/15/69"		C9OZ 6546668											A2A				1
B(65)			Welt-front edge package tray-Refer to Group 02600														
F(63)		C9ZZ 6346656											B1A				1
F(65)-w/o speakers		C9ZZ 6546668											C1A				1
S(57) - "Before 12/16/68"		C8SZ 5746668														$C	1
S(57)- "From 12/16/68"		C9SZ 5746668														$A	1
S(65)		C8SZ 6546668														$B	1
47042 COVER - SPARE WHEEL WELL																	
A(71)		C9AZ 7147042		A1B	A1D			A1G				A1Y	A1A				1
B(71)		C8OZ 7147042		A1B	A1D							A1Y	A1A				1
X(71)		C9DZ 714702										A1Y					1
47196 COVER - LUGGAGE COMPARTMENT FLOOR CENTER: - Refer to Group 45455-6																	
51338 WEATHERSTRIP - FOLDING TOP NO.1 BOW																	
A(76)		C9AZ 7651338		A1B									A1A		A1W		1
F(76)		C9ZZ 7651338											A1A		A1W		1
51416 MOULDING - FOLDING TOP NO.4 BOW OUTSIDE - INCLUDES RETAINER																	
A(76)		C9ZZ 7651416											A1A		A1W		1
B(76)		C9OZ 7651416											A1A		A1W		1
F(76)		C9ZZ 7651416											A1A		A1W		1
51752-3 MOULDING - ROOF SIDE INNER FRONT																	
A(54, 71)	R	C9AZ 5451752						A1K							A1W		1
	L	C9AZ 5451753						A1K							A1W		1
		C9AZ 6251752		A1B			A1G					A1Y	A1A				2
A(57)- "Before 2/3/69"		C9AZ 5751752		◊A1B			A1G	A1K				A1Y					2
		C9AZ 6551752			A1D								A1A		A1W		2
A(57)- "From 2/3/69"		C9AZ 5751752			B2D		B2G	B2K				B2Y	B2A		B2W		2
		C9AZ 5751752		♦B4B													2
A(62)		C9AZ 6251752		A1B			A1G					A1Y	A1A				2
A(63)	#	C9AZ 6551752			A1D			A1K				A1Y	A1A		A1W		2
A(65)- "Before 4/1/69"		C9AZ 6551752			A1D			A1K				A1Y	A1A		A1W		2
A(65)- "From 4/1/69"	R	C9AZ 6551752		◊B3B								B2Y	B2A		B2W		1
	L	C9AZ 6551753		◊B3B			B2G	B2K				B2Y	B2A		B2W		1
	L	C9AZ 6551753		♦B4B													1
S(57)	R	C7SZ 5751752														$ C	1
	L	C7SZ 5751753														$ C	1
S(65A, C)	R	C8SZ 6551752														$ A	1
	L	C8SZ 6551753														$ A	1
S(65B, D)	R	C9SZ 6551752														$ A	1
	L	C9SZ 6551753														$ A	1
51754-5 MOULDING - ROOF SIDE INNER REAR																	
A(54)	R	C9AZ 5451754		◊A1B	A1D			A1G	A1K			A1Y	A1A		A1W		1
	L	C9AZ 5451755		◊A1B	A1D			A1G	A1K			A1Y	A1A		A1W		1
	R	C9AZ 5451754		♦A2B													1
	L	C9AZ 5451755		♦A2B													1

Cut to fit ◊ Light ♦ Dark $ Paint to match

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →				SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
COLORS →				—B BLUE	—D RED	—E BEIGE	—F SADDLE	—G IVY GOLD	—K AQUA	—L SILVER (GREY)	—P GREY	—Y NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
51754-5 MOULDING - ROOF SIDE INNER REAR - continued																	
A(57)- "Before 3/3/69"		C9AZ 5751754			A1D												2
		C9AZ 6551752		♦A2B													2
		C9AZ 6551752		◊A1B				A1G	A1K			A1Y	A1A		A1W		2
A(57)- "From 3/3/69"		C9AZ 5751752		♦B4B													2
		C9AZ 5751752		◊B3B	B2D			B2G	B2K			B2Y	B2A		B2W		2
A(63)	R	C9AZ 6351754		◊A2B	A1D			A1G				A1Y	A1A		A1W		1
	R	C9AZ 6351754		♦A1B													1
	L	C9AZ 6351755		◊A2B	A1D			A1G	A1K			A1Y	A1A		A1W		1
A(71)		C9AZ 7151754			A1D												2
		C9AZ 6251752		◊A1B				A1G				A1Y	A1A				2
		C9AZ 7151754		♦A2B													2
S(65A, C)	R	C7SZ 6551754														$ B	1
	L	C7SZ 6551755														$ B	1
S(65B, D)	R	C9SZ 6551754														$ A	1
	L	C9SZ 6551755														$ A	1
51916 HEADLINING - ROOF																	
A(54, 62)		C9AZ 5451916				A1E						A6Y	A6A				1
A(65)		C9AZ 6551916						A5G					A5A				1
A(71)		C9AZ 7151916										A6Y	A6A				1
B(66)		D0OZ 6651916		B5B									B5A				1
B(71)		C8OZ 7151916		A5B									A5A				1
F(63)		C9ZZ 6351916											A2A				1
F(65)		C9ZZ 6551916		A2B									A2A				1
U(98) - front		D3BZ 1051916												A			1
U(98) - rear		D3BZ 1051918												A			1
X(71)		C8OZ 7151916		A5B									A5A				1
51966 PANEL - ROOF TRIM -Refer to Group 51916																	
51996 PANEL - ROOF REAR TRIM - Refer to Group 51916																	
52018-9 COVER - ROOF SIDE REAR TRIM																	
A(65)	R	C9AZ 6552018						A1G									1
	L	C9AZ 6552019						A1G					A1A				1
F(63)	R	C9ZZ 6352018			A1D								A1A		A1W		1
	L	C9ZZ 6352019			A1D								A1A		A1W		1

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
52500 WINDOW - FOLDING TOP BACK CURTAIN				
A(76)		C9AZ 7652500-AAB	Glass window-used with Black tops	1
		C9AZ 7652500-AAC	Glass window-used with White tops	1
		C9AZ 7652500-AAE	Glass window-used with Blue tops	1
		C9AZ 7652500-BAB	Vinyl window-used with Black tops	1
		C9AZ 7652500-BAC	Vinyl window-used with White tops	1
B(76)		C9OZ 7652500-AAB	Glass window-used with Black tops	1
		C9OZ 7652500-AAC	Glass window-used with White tops	1
		C9OZ 7652500-AAE	Glass window-used with Blue tops	1
F(76)		C9ZZ 7652500-AAB	Glass window-used with Black tops	1
		C9ZZ 7652500-AAC	Glass window-used with White tops	1
		C9ZZ 7652500-A01	Vinyl window-used with Black tops	1
		C9ZZ 7652500-A02	Vinyl window-used with White tops	1
52700 TOP - FOLDING - LESS BACK CURTAIN and BOWS				
A(76)		C9AZ 7652700-AAB	Black	1
		C9AZ 7652700-AAC	White	1
F(76)		C9ZZ 7652700-AAB	Black	1
		C9ZZ 7652700-AAC	White	1
52874-5 CASE - FOLDING TOP SIDE QUARTER				
A(76)		C9AZ 7652874-AAB	Black-used with all tops	2
53278 ZIPPER - FOLDING TOP BACK CURTAIN				
A(76)		C9AZ 7653278-AAB	Black-used with all tops	1

◊ Light ♦ Dark $ Paint to match

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
53700 COVER - ROOF OUTSIDE				
S(57)		C9SZ 5753700-ADB	Black	1
		C9SZ 5753700-AAC	White	1
S(65)		C9SZ 6553700-A01	Black	1
537A02 PAD - ROOF OUTSIDE COVER - REAR SIDE				
S(57)		C7SZ 57537A02-A		1
53740 PAD - ROOF OUTSIDE COVER - FRONT SIDE				
S(57)		C7SZ 5753740-A		2
S(65)		C9SZ 6553740-A	Rubber	2
54212-3 CASE - FOLDING TOP BACK STAY PAD				
A(76)		C9AZ 7654212-AAB	Black-used with all tops	2

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—G	—K	—L	—P	—Y						
COLORS →			BLUE	RED	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)	GREY	NUGGET GOLD		BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
54400 HOOD - FOLDING TOP DUST																	
A(76)		C9AZ 7654400		A1D									A1A				1
54486 CONTAINER - FOLDING TOP DUST HOOD																	
A(76), B(76)		D0OZ 7654486											A01				1
54600 COMPARTMENT - FOLDING TOP - REAR																	
A(76)		C9AZ 7654600											AAB				1
54640 COVER - FOLDING TOP COMPARTMENT - UPPER FRONT																	
A(76)		C9AZ 7654640											AAB				1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES	QTY.
60032 BACK ASSY. - REAR SEAT - INCLUDES COVER				
TRIM CODES →			All	
U		D3BZ 1060032	ARU	1

BODY TYPE	R/L	KIT PART NUMBER LESS COVER
60032-3 BACK KIT- REAR SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.		
A(54,57,62)		C9AZ 6260032-A
A(71)		C9AZ 7160032-A
A(76)		C9AZ 7660032-A
B(54)		C8OZ 5460032-A
B(71)		C9OZ 7160032-A
B(76)		C6OZ 7660032-A
F(63)		C5ZZ 6360032-B
F(65)		C5ZZ 6560032-C
S(57B)		C9SZ 5760032-B
S(57C)		D0SZ 5760032-A
S(65A,B,C,D)-vinyl trims	L	C8SZ 6560033-A
X(71A,B)		C9OZ 7160032-A

IMPORTANT

When a complete Cushion Assembly is required, order BOTH a basic 60050 Kit plus a basic 62900 Cover with applicable suffix for desired trim code.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60050-1 CUSHION KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED-K.D.															
TRIM CODES →				5B, 5BA, 5BB	5G, 5GA, 5GB	5Y, 5YA, 5YB	6G, 6GA, 6GB								
A ‡			C9AZ 6362900	A5B	A5G	A5Y	A6G								
TRIM CODES →															
A-Bench-reclining		C9AZ 5460050-A													
A-Bucket	R	C9AZ 6360050-A													
B-Bucket	R	C8OZ 6360050-B													
	L	C8OZ 6360051-A													
B-Bench		C8OZ 6560050-A													

‡ Remove center pivot bracket and fold under pivot bracket as required.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													
60050-1 CUSHION KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued																	
TRIM CODES →				1A	1B	1Y											
B(54,63B,65A,B) ‡		C8OZ 6560050-A	C9OZ 6562900	A1A	A1B	A1Y											
TRIM CODES →																	
F-w/o luxury decor	Δ R	C9ZZ 6560050-B															
	Δ L	C9ZZ 6560051-A															
	▲ R	C9ZZ 6360050-A															
	▲ L	C9ZZ 6360051-A															
F-w/luxury decor	Δ	C9ZZ 6560050-C															
	Δ L	C9ZZ 6560051-B															
	▲ R	C9ZZ 6360050-A															
	▲ L	C9ZZ 6360051-A															
S(57C,65C,D)-bench-non-reclining		C9SZ 6560050-A															
S(57C,65C,D) bench-reclining		C9SZ 6560050-B															
S(57B,65A,B)-bucket-non-reclining	‡	C9SZ 6560050-D															
S(57B,65A,B)-bucket-reclining	R	C9SZ 6560050-C															
	L	C9SZ 6560050-D															
TRIM CODES →				3													
U-full width seat		C6TZ 9660050-A	D3BZ 1062900	ARU													
TRIM CODES →																	
U-bucket seats	R	C9TZ 9660050-A	D3BZ 1062900	ARU													
	L	C9TZ 9660051-A	D3BZ 1062900	ARU													
TRIM CODES →																	
X-bench seat		C8OZ 6560050-A															
X-bucket seat	R	C8OZ 6360050-B															
	L	C8OZ 6360051-A															

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES	QTY.
60080 CUSHION ASSY. - REAR SEAT - INCLUDES COVER				
TRIM CODES →			All	
U		C9TZ 9660080	DDD	1

IMPORTANT

When a complete Cushion Assembly is required, order BOTH a basic 60080 Kit plus a basic 63804 Cover with applicable suffix for desired trim code.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													
60080 CUSHION KIT-REAR SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.																	
A(54A,C,57B,F)		C9AZ 5460080-B															
A(54B,E)		C9AZ 5460080-A															
A(63B,C,65A,C,76)		C9AZ 6360080-A															
A(71A,B,C,E)		C9AZ 7160080-B															
A(71D,H,J)		C9AZ 7160080-A															
TRIM CODES →				1B	5AA	5BA											
B(54A)			C9OZ 5463804	A1B	A5A	A5B											
TRIM CODES →				3A	3B	3G	5A	5B									
B(54B)			C9OZ 5463804	A3A	A3B	A3G	A5A	A5B									
TRIM CODES →																	
B(65A)		C8OZ 6560080-A															
B(63B,D,E,F,65B,D,E,F)		D0OZ 6360080-A															
B(71B,D,E)		C6OZ 7160080-E															
F(63)		C5ZZ 6360080-B															
S(57B,C)		D0SZ 5760080-A															
X(62A)		C6DZ 6260080-A															
X(62B,C)		C6DZ 6260080-B															
X(71)		C6OZ 7160080-E															

‡ Remove center pivot bracket and fold under pivot bracket as required. Δ Low back bucket seat ▲ Hi-back bucket seat

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R / L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES
60090 CUSHION KIT-AUXILIARY SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.				
A(71)		C9AZ 7160090-A		
B(71)		C6OZ 7166856-A	Pad	
		C6OZ 71607A60-A	Base	
60096 BACK KIT-AUXILIARY SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-				
A(71)		C9AZ 7160096-A		

IMPORTANT

When a complete Back Assembly is required, order BOTH a basic 60136 or 60137 Kit plus a basic 64416 or 64417 Cover with applicable suffix for desired trim code.

60136-7 BACK KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.				
A(54,57)-exc. Brougham-w/o headrest		C9AZ 5460136-C		
-w/headrest		C9AZ 5460136-E		
A(54,57)-Brougham -w/o headrest		C9AZ 5760136-F		
-w/headrest		C9AZ 5760136-G		
A(54C, 57F)- split bench-reclining-w/headrest	L	C9AZ 5760137-A		
	L	C9AZ 6560137-A		
A(54C, 57F)-full bench-reclining-w/headrest	L	C9AZ 5760137-A		
	L	C9AZ 6260137-C		
A(62B,E,63B,65C)	L	C9AZ 6260137-C		
A(65A)-full bench- -w/o headrest	R	C9AZ 5760137-B		
	L	C9AZ 6560137-B		
-w/headrest	L	C9AZ 6260137-A		
	R	C9AZ 6560136-A		
	L	C9AZ 6560137-A		
A(65A)-split bench-reclining-w/headrest	L	C9AZ 5760137-A		
	L	C9AZ 6560137-A		
A(71)-full bench -w/o headrest		C9AZ 7160136-B		
-w/headrest		C9AZ 7160136-A		
		C9AZ 7160136-D		
A(71)-full bench -reclining, w/headrest	L	C9AZ 6260137-C		
A(76A,B)	L	C9AZ 6260137-C		
B(54A)-w/headrest		C9OZ 5460136-A		
-w/o headrest		C9OZ 5460136-B		
B-Bench-w/headrest	R	C9OZ 6560136-A		
	L	C9OZ 6560137-A		
-w/o headrest	R	C9OZ 6560136-B		
	L	C9OZ 6560137-B		
B-Bucket-w/headrest	R	C9OZ 6360136-A		
	L	C9OZ 6360137-A		
-w/o headrest	R	C9OZ 6360136-B		
	L	C9OZ 6360137-B		

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES
60136-7 BACK KIT - FRONT SEAT - CONSISTS of SPRING, PADS, WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued				
F-w/o luxury decor-w/headrest	ΔR	C9ZZ 6560136-A		
	ΔL	C9ZZ 6560137-A		
-w/o headrest	ΔR	C9ZZ 6560136-F		
	ΔL	C9ZZ 6560137-F		
F	▲R	C9ZZ 6360136-A		
	▲L	C9ZZ 6360137-A		
F-w/luxury decor -w/headrest	ΔR	C9ZZ 6560136-C		
-w/o headrest	ΔR	C9ZZ 6560136-D		
	ΔL	C9ZZ 6560137-D		
F-bench seat -w/ headrest	R	C9ZZ 6560136-B		
	L	C9ZZ 6560137-B		
-w/o headrest	R	C9ZZ 6560136-E		
	L	C9ZZ 6560137-E		
S(57,65)-w/head rest-non/recl.	†	C9SZ 6560136-A		
-w/o headrest non/recl.	†	C9SZ 6560136-C		
-w/hd. rest-recl.	R	C9SZ 6560136-B		
	L	C9SZ 6560136-A		
TRIM CODES →				3
U-full width seat	†	C6TZ 9660136-A	C9TZ 9664416	CCD
TRIM CODES →				94 / 9U
U-bucket seat	†	C9ZZ 6560137-A	C9TZ 9664416	A3D / A3D
TRIM CODES →				
X(54)-w/headrest		C9OZ 5460136-A		
-w/o headrest		C9OZ 5460136-B		
X(62)-w/headrest	R	C9OZ 6560136-A		
	L	C9OZ 6560137-A		
-w/o headrest	R	C9OZ 6560136-B		
	L	C9OZ 6560137-B		

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES	QTY.
60762-3 PANEL - FRONT SEAT BACK REAR TRIM PANEL INSERT				
TRIM CODES →			1A, 1AA / 2A / 3A, 3AA / 4A / 5A, 5AA / 6A / 7A, 7AA / 8A, 8AA / 9A, 9AA / DA, DAA / FA, FAA	
F(63,65,76)		D0ZZ 6560762	F / F / F / F / F / F / F / F / F / F / F	
S			Refer to Group 61616-7 in Body Section	

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
COLORS →			LENGTH	—B BLUE	—D RED	—E BEIGE	—F SADDLE	—G IVY GOLD	—K AQUA	—L SILVER (GREY)	—P GREY	—Y NUGGET GOLD	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
611A08 HEAD REST ASSY. - FRONT SEAT BACK - INCLUDES GUIDE RODS																	
A,B,F,S,X-sewn-adjustable		C9AZ 63611A08	11"	◊A1B	A1D			A1G	A1K			A1Y	A1A		A1W		2
		C9AZ 63611A08	11"	♦A2B													2
A,B,X-sewn-adjustable		C9VZ 53611A08	13"	◊B1B	B1D			◊B1G	B1K			B1Y	B1A		B2W		2
		C9VZ 53611A08	13"	♦B2B				♦B2G									2
A,B,X-moulded-adjustable		C9AZ 62611A08	13"	♦B2B	B1D				B1K			B1Y	B1A		B1W		2

ΔLow back bucket seat ▲ Hi-back bucket seat † R.H. or L.H. ◊ Light ♦ Dark

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

SOFT TRIM

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER OF TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
			_B or 2	_D	_D	_E	_F	_G	_K	_L							
COLORS →			BLUE	RED	BURGUNDY	BEIGE	SADDLE	IVY GOLD	AQUA	SILVER (GREY)		BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
61218-9 BOOT - ROLL BAR																	
F(63-GT350/500)	L	C9ZZ 6361219													$A1W		1
F(76-GT350/500)	R	C9ZZ 7661218														$A	1
	L	C9ZZ 7661219														$A	1
62900 COVER - FRONT SEAT CUSHION - Refer to Group 60050-1																	
63500 BUTTON - FRONT and REAR SEAT CUSHION and BACK																	
A-triangle		C9AZ 5464824		C2B	C1D			C1G	C1K			C1Y	C1A				
-front seat back																	AR
-rear seat back																	AR
A-rectangle		C9AZ 5464824		◊A1B													
		C9AZ 5464824		♦A2B													
-front seat back																	AR
-rear seat back																	AR
B(54C, 65C)		C9OZ 5463522											A1A				
-front seat back																	AR
-rear seat back																	AR
S(57C)-w/vinyl trim																	
-front seat back		C9SZ 6563500		A9B	A4D							A6Y	A6A				AR
S(57C)-w/cloth trim, S(57B, 65)																	
-front seat back		C9SZ 6563500		A9B	A4D			A9G				A6Y	A6A				AR
-front seat cushion																	AR
-rear seat back																	AR
-rear seat cushion																	AR
63522 ORNAMENT - FRONT and REAR SEAT BACK - Refer to Group 63500																	
63804 COVER - REAR SEAT CUSHION - Refer to Group 60080																	
63822 COVER - AUXILIARY SEAT CUSHION - Refer to Group 60090																	
64416-7 COVER - FRONT SEAT BACK - Refer to Group 60136-7																	

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES						QTY.
644A16 FLAP - FRONT SEAT BACK CENTER ARM REST									
TRIM CODES →			9A, 9AA, 9AB	9D, 9DA, 9DB	EA, EAA, EAB	ED, EDA, EDB	YA, YAA, YAB	YD, YDA, YDB	
A(54C, 57F)		C9AZ 54644A16	A9A	A9D					1
		C9AZ 65644A16			AEA	AED	AEA	AED	1
TRIM CODES →			9A, 9AA, 9AB	9D, 9DA, 9DB	EA, EAA, EAB	ED, EDA, EDB	YA, YAA, YAB	YD, YDA, YDB	
A(65A)		C9AZ 65644A16	AEA	AED	AEA	AED	AEA	AED	2
64824 ORNAMENT - FRONT and REAR SEAT BACKS - Refer to Group 63500									
66600-1 COVER - REAR SEAT BACK - Refer to Group 60032-3									
66640 COVER - AUXILIARY SEAT BACK - Refer to Group 60096									
67112 REST - REAR SEAT ARM - INCLUDES ATTACHING PARTS									
TRIM CODES →			All						
U		C8TZ 9667112	A1U						2
67286 FLAP - REAR SEAT BACK CENTER ARM REST									
TRIM CODES →			1A	1B	1D	3A	3B	8A, 8AA	
S(65)		C9SZ 6567286	BDA	BDB	BCD	BDA	BDB	BDA	1
67299 COVER - REAR SEAT BACK CENTER ARM REST OPENING									
TRIM CODES →			1A	1B	1D	3A	3B	3D	8A, 8AA
S(57, 65)		C9SZ 5767299	AKA	AKB	AKD	AKA	AKB	AKD	AKA	1

† R.H. or L.H. ◊ Light ♦ Dark $ Paint to match

THE SOFT TRIM SECTION INCLUDES ONLY THOSE ITEMS WHICH WERE AVAILABLE FOR SERVICE AT THE TIME OF PRINTING. ITEMS NOT SHOWN IN THE CATALOG MUST BE IMPROVISED OR PROCURED LOCALLY.

INSTRUCTIONS

Determine correct Group Number by referring to an appropriate illustration in the Interior Trim Section of the Illustration Catalog, Ford AF 7635-B or to the Soft Trim Index of this catalog. Identify Model, Body Type and Trim Code by referring to 1970 Certification Label Codes as shown in the General Information Section.

The 1970 Soft Trim Section consists of: (1) Trim Scheme Codes and Swatches (Pages A1, A2, A3, B, etc.). (2) Listing of Soft Trim Parts for all Ford (A), Fairlane/Torino (B), Mustang (F), Maverick (P), Thunderbird (S), Bronco (U), and Falcon (X) models. (Pages 1 to end).

TRIM SCHEME CODES and SWATCHES

Consists of: (1) Listing of Trim Scheme Codes arranged in order of model, i.e. Ford, Fairlane/Torino, etc.
(2) Colored Swatches identified by a number beside the swatch.

How to use: (1) Identify Model, Body Type and Trim Code and apply this information to listing of Trim Scheme Codes. (2) Determine Swatch Identification Numbers and refer to Colored Swatches on page B, etc. (3) Locate appropriate swatches to verify the color and/or pattern of the principle materials used in the unit.

Colored Swatch pages are primarily for verification of color and/or pattern and do not indicate the type or weight of material.

For example, to determine which Swatches make up Trim Code 3B on Ford Four Door refer to page A1, A2, etc.

As shown on page A1 (Ford) Trim Code 3B indicates: (1) Body types (54B, 62B).
(2) Trim scheme description (Medium blue corinthian vinyl and medium blue oneida pattern cloth).
(3) Door and Quarter material (swatch No. 27), bolster material (swatch No. 27), cushion and back material (swatch No. 136) and headlining material (swatch No. 19).

SOFT TRIM PARTS FOR ALL MODELS

Consists of: (1) Parts cataloged by trim code and color (e.g. Groups 02344-5, 24346-7, etc.).
(2) Parts cataloged by trim code only (e.g. Groups 23942-3, 62900, etc.).
(3) Miscellaneous parts (e.g. Groups 47042, 53700, etc.).

PARTS CATALOGED BY COLOR: (1) Identify Model, Body Type and Color of desired part. (2) Determine Group Number of part. (3) Locate appropriate Trim code and Color listed at top of page. Second character of trim code generally applicable to each color is also shown above the color as an additional aid. When color of part is in doubt refer to the list of Trim Codes and Colored Swatch pages for further identification. (4) Match Color with Model and Body Type to select desired part number.

For example, should a Blue Rear Floor Carpet (Group 13046) be desired for a Mustang Two Door Hard top: (1) Refer to Group 13046. (2) Read list of Colors above title to find Blue. (3) Read down to find F(65). (4) Part number shown is D0ZZ 6513046 and suffix in "Blue" column is A.

PARTS CATALOGED BY TRIM CODE: (1) Identify Model, Body Type and Trim Code. (2) Determine Group Number of part. (3) Locate appropriate Trim Code (listing of Trim Codes precedes each Body Type. (4) Match Model and Body Type with Trim Code to select part number.

For example, should a R.H. Front Door Trim Panel (Group 23942-3) be required for a Fairlane/Torino Four Door Sedan, Trim Code 3B: (1) Refer to Group 23942-3. (2) Read down to locate B(54B). (3) Read trim codes to find Trim Code 3B. (4) Part number shown is D0OZ 5423942 and suffix listed is A2B.

3 DIGIT TRIM CODES

Parts for 3 digit trim codes ending with an alphabet (e.g. 1BA) are listed with parts cataloged by trim code.

Parts for 3 digit trim codes ending with a numeral (e.g. 1B1) are not cataloged. Refer to the listing of trim codes to determine which parts are available through service. For parts which are not available for service contact your Service Representative, who will process in accordance with General ICC bulletin No. 7526.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A)						
1A	54E	Black vinyl and black cloth				
1B	54E	Medium blue vinyl and medium blue cloth				
1Y	54E	Light nugget vinyl and light nugget cloth				
3A	54B	Charcoal black corinthian vinyl and charcoal black oneida pattern cloth	10	10	128	18
3A9	54B	(Code 3A - See Note 1 on page A5)				
3B	54B	Medium blue corinthian vinyl and medium blue oneida pattern cloth	27	27	136	19
3B9	54B	(Code 3B - See Note 1 on page A5)				
3G	54B	Medium ivy green corinthian vinyl and medium ivy green oneida pattern cloth	73	73	152	66
3G9	54B	(Code 3G - See Note 1 on page A5)				
3Y	54B	Light nugget gold corinthian vinyl and light nugget gold oneida pattern cloth	109	109	174	102
3Y9	54B	(Code 3Y - See Note 1 on Page A5)				
4A	65M	Black vinyl and black cloth				
4B	65M	Medium blue vinyl and medium blue cloth				
4G	65M	Medium ivy green vinyl and medium ivy green cloth				
4Y	65M	Light nugget vinyl and light nugget cloth				
5A	54A, C, 57B, F, 63B, 65A, C	Charcoal black corinthian vinyl and charcoal black tampico pattern cloth	10, 84	10	121	18
5A1	54A, 57B, 63B, 65C	(Code 5A - See Note 1 on page A5)				
5B	54A, C, 57B, F, 63B, 65A, C	Medium blue corinthian vinyl and medium blue tampico pattern cloth	27, 84	27	132	19
5G	54A, C, 57B, F, 63B, 65A, C	Medium ivy green corinthian vinyl and medium ivy green tampico pattern cloth	73, 84	73	153	66
5K	54A, C, 57B, F, 63B, 65A, C	Light aqua corinthian vinyl and light aqua tampico pattern cloth	83, 84	83	161	79
5Y	54A, C, 57B, F, 63B, 65A, C	Light nugget gold corinthian vinyl and light nugget gold tampico pattern cloth	84, 109	109	168	102
6A	54A, C, 57B, F, 63B, C, 65A, C, 71B, C, 76	Charcoal black corinthian vinyl and charcoal black kiwi vinyl	10, 84	10	8	18
6B	54A, C, 57B, F, 63B, C, 65A, C, 71B, C, 76	Medium blue corinthian vinyl and medium blue kiwi vinyl	27, 84	27	33	19
6D	54A, C, 57B, F, 63B, C, 65A, C, 71B, C, 76	Dark red corinthian vinyl and dark red kiwi vinyl	41, 84	41	40	43
6F	63B, C, 65A, C, 71B, C, 76	Medium ginger corinthian vinyl and medium ginger kiwi vinyl	65, 84	65	64	57
6G	54A, C, 57B, F, 71B, C	Medium ivy green corinthian vinyl and medium ivy green kiwi vinyl	73, 84	73	74	66
6W	54A, C, 57B, F, 63B, C, 65A, C, 76	White corinthian vinyl and white kiwi vinyl - with black	84, 98	98	97	93
6Y	54A, C, 57B, F, 63B, C, 65A, C	Light nugget gold corinthian vinyl and light nugget gold kiwi vinyl	84, 109	109	114	102
7A	71H, J	Charcoal black corinthian vinyl and charcoal black tiber vinyl	10	10	7	18
7B	71H, J	Medium blue corinthian vinyl and medium blue tiber vinyl	27	27	25	19
7F	71H, J	Medium ginger corinthian vinyl and medium ginger tiber vinyl	65	65	56	57
7G	71H, J	Medium ivy green corinthian vinyl and medium ivy green tiber vinyl	73	73	71	66
8A	63B, C, 65C, 76	Charcoal black corinthian vinyl and charcoal black clarion knit vinyl	10, 84	10	3	18

* For swatch identification refer to Page B, etc. † Not applicable to convertible

1970 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
8AA	63B, C, 65C, 76	Charcoal black corinthian vinyl and charcoal black clarion knit vinyl	10, 84	10	3	18
8B	63B, C, 65C, 76	Medium blue corinthian vinyl and medium blue clarion knit vinyl	27, 84	27	22	19
8BA	63B, C, 65C, 76	Medium blue corinthian vinyl and medium blue clarion knit vinyl	27, 84	27	22	19
8D	63B, C, 65C, 76	Dark red corinthian vinyl and dark red clarion knit vinyl	41, 84	41	46	43
8DA	63B, C, 65C, 76	Dark red corinthian vinyl and dark red clarion knit vinyl	41, 84	41	46	43
8F	63B, C, 65C, 76	Medium ginger corinthian vinyl and medium ginger clarion knit vinyl	65, 84	65	55	57
8FA	63B, C, 65C, 76	Medium ginger corinthian vinyl and medium ginger clarion knit vinyl	65, 84	65	55	57
8G	63B, C, 65C	Medium ivy green corinthian vinyl and medium ivy green clarion knit vinyl	73, 84	73	69	66
8GA	63B, C, 65C	Medium ivy green corinthian vinyl and medium ivy green clarion knit vinyl	73, 84	73	69	66
8W	63B, C, 65C, 76	White corinthian vinyl and white clarion knit vinyl - with black	84, 98	98	95	93
8WA	63B, C, 65C, 76	White corinthian vinyl and white clarion knit vinyl - with black	84, 98	98	95	93
9A	54C, 57F, 65A	Charcoal black corinthian vinyl with charcoal black castile and cimarron pattern cloth	2, 84, 201	10	118, 123	18
9B	54C, 57F, 65A	Medium blue corinthian vinyl with medium blue castile and cimarron pattern cloth	21, 84, 203	27	130, 222	19
9D	54C, 57F, 65A	Dark red corinthian vinyl with dark red castile and cimarron pattern cloth	45, 84, 206	41	141, 144	43
9G	54C, 57F, 65A	Medium ivy green corinthian vinyl with medium ivy green castile and cimarron pattern cloth	68, 84, 210	73	151, 154	66
9K	54C, 57F, 65A	Light aqua corinthian vinyl with light aqua heidelberg and fontana pattern cloth	83, 84, 212	83	159, 162	79
9K9	54C, 57F	(Code 9K - See Note 3 on page A5)				
9K9	65A	(Code 9K - See Note 4 on page A5)				
9Y	54C, 57F, 65A	Light nugget gold corinthian vinyl with light nugget gold heidelberg and fontana pattern cloth	84, 109, 214	109	165, 169	102
9Y9	54C, 57F	(Code 9Y - See Note 3 on page A5)				
9Y9	65A	(Code 9Y - See Note 4 on page A5)				
AA	65M	Black all vinyl				
AB	65M	Medium blue all vinyl				
AY	65M	Light nugget all vinyl				
BA	71B, C	Charcoal black corinthian vinyl and charcoal black clarion knit vinyl	10, 84	10	3	18
BY	71B, C	Light nugget gold corinthaln vinyl and light nugget gold clarion knit vinyl	84, 109	109	105	102
DA	54C, 57F, 65A	Charcoal black corinthian vinyl and charcoal black covert pattern cloth	9, 10, 84	10	117	18
DA1	54C, 57F, 65A	(Code DA - See Note 1 on page A5)				
DA9	54C, 57F, 65A	(Code DA - See Note 2 on page A5)				
DB	54C, 57F, 65A	Medium blue corinthian vinyl and medium blue covert pattern cloth	26, 27, 84	27	129	19
DB9	54C, 57F, 65A	(Code DB - See Note 2 on page A5)				

* For swatch identification refer to Page B, etc. † Not applicable to convertible

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
DD	54C, 57F, 65A	Dark red corinthian vinyl and dark red covert pattern cloth	41, 47, 84	41	140	43
DD1	54C, 57F, 65A	(Code DD - See Note 1 on page A5)				
DD9	54C,57F,65A	(Code DD - See Note 2 on page A5)				
DG	54C, 57F, 65A	Medium ivy green corinthian vinyl and medium ivy green covert pattern cloth	72, 73, 84	73	150	66
DG9	54C,57F,65A	(Code DG - See Note 2 on page A5)				
DK	54C, 57F, 65A	Light aqua corinthian vinyl and light aqua covert pattern cloth	82, 83, 84	83	158	79
DK1	54C, 57F, 65A	(Code DK - See Note 1 on Page A5)				
DK9	54C,57F,65A	(Code DK - See Note 2 on page A5)				
DY	54C, 57F, 65A	Light nugget gold corinthian vinyl and light nugget gold covert pattern cloth	84, 108, 109	109	164	102
DY1	54C, 57F, 65A	(Code DY - See Note 1 on page A5)				
DY9	54C,57F,65A	(Code DY - See Note 2 on page A5)				
EA	54C, 57F, 65A	Charcoal black corinthian vinyl with charcoal black castile and cimarron pattern cloth	2, 84, 201	10	118, 123	18
EG	54C, 57F, 65A	Medium ivy green corinthian vinyl with medium ivy green castile and cimarron pattern cloth	68, 84, 210	73	151, 154	66
EY	54C, 57F, 65A	Light nugget gold corinthian vinyl with light nugget gold heidelberg and fontana pattern cloth	84, 104, 214	109	165, 169	102
EY9	54C,57F,65A	(Code EY - See Note 4 on page A5)				
FA	71A, E	Charcoal black corinthian vinyl and charcoal black kiwi vinyl	8, 10, 84	10	8	18
FB	71A, E	Medium blue corinthian vinyl and medium blue kiwi vinyl	27, 33, 84	27	33	19
FD	71A, E	Dark red corinthian vinyl and dark red kiwi vinyl	40, 41, 84	41	40	43
FF	71A, E	Medium ginger corinthian vinyl and medium ginger kiwi vinyl	64, 65, 84	65	64	57
FG	71A, E	Medium ivy green corinthian vinyl and medium ivy green kiwi vinyl	73, 74, 84	73	74	66
HA	71A, B, C, E	Charcoal black corinthian vinyl and charcoal black clarion knit vinyl	8, 10, 84	10	3	18
HY	71A, B, C, E	Light nugget gold corinthian vinyl and light nugget gold clarion knit vinyl	84, 109, 114	109	105	102
JA	54A, C, 57B, F, 63B, C, 65A, C	Charcoal black corinthian vinyl and charcoal black clarion knit vinyl	10, 84	10	3	18
JAA	54A, C, 57B, F, 63B, C, 65A, C	Charcoal black corinthian vinyl and charcoal black clarion knit vinyl	10, 84	10	3	18
JW	54A, C, 57B, F, 63B, C 65A, C	White corinthian vinyl and white clarion knit vinyl - with black	84, 98	98	95	93
JWA	54A, C, 57B, F, 63B, C, 65A, C	White corinthian vinyl and white clarion knit vinyl - with black	84, 98	98	95	93
KA	71A, B, C, E	Charcoal black corinthian vinyl and charcoal black clarion knit vinyl	8, 10, 84	10	3	18
KY	71A, B, C, E	Light nugget gold corinthian vinyl and light nugget gold clarion knit vinyl	84, 109, 114	109	105	102
KY1	71A, E	(Code KY - See Note 1 on page A5)				
LE	54B, E	Medium beige corinthian vinyl and light beige morrocco vinyl	89, 92	92	88	90
MA	71B, C	Charcoal black corinthian vinyl with black and white watchplaid pattern cloth	10, 84	10	124	18

* For swatch identification refer to Page B, etc.

† Not applicable to convertible

1970 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
MA1	71B, C	(Code MA - See Note 1 on page A5)				
MD	71B, C	Dark red corinthian vinyl with red and black watchplaid pattern cloth	41, 84	41	147	43
NA	54E, 71D	Charcoal black corinthian vinyl and charcoal black pinta vinyl	10	10	6	18
NB	54E, 71D	Medium blue corinthian vinyl and medium blue pinta vinyl	27	27	26	19
NY	54E, 71D	Light nugget gold corinthian vinyl and light nugget gold pinta vinyl	109	109	107	102
PA	54B	Charcoal black corinthian vinyl and charcoal black pinta vinyl	10	10	6	18
PB	54B	Medium blue corinthian vinyl and medium blue pinta vinyl	27	27	26	19
PY	54B	Light nugget gold corinthian vinyl and light nugget gold pinta vinyl	109	109	107	102
RA	71A, E	Charcoal black corinthian vinyl with black and white watchplaid pattern cloth	9, 10, 84	10	124	18
RA1	71A, E	(Code RA - See Note 1)				
RD	71A, E	Dark red corinthian vinyl with red and black watchplaid pattern cloth	41, 47, 84	41	147	43
SA	71B, C	Charcoal black corinthian vinyl with black and white watchplaid pattern cloth	10, 84	10	124	18
SA1	71B, C	(Code SA - See Note 1)				
SD	71B, C	Dark red corinthian vinyl with red and black watchplaid pattern cloth	41, 84	41	147	43
TA	71A, E	Charcoal black corinthian vinyl with black and white watchplaid pattern cloth	9, 10, 84	10	124	18
TA1	71A, E	(Code TA - See Note 1)				
TD	71A, E	Dark red corinthian vinyl with red and black watchplaid pattern cloth	41, 47, 84	41	147	43
WA	71B, C	Charcoal black corinthian vinyl and charcoal black clarion knit vinyl	10, 84	10	3	18
WY	71B, C	Light nugget gold corinthian vinyl and light nugget gold clarion knit vinyl	84, 109	109	105	102
WY1	71B, C	(Code WY - See Note 1)				
YA	54C, 57F	Charcoal black corinthian vinyl with charcoal black castile and cimarron pattern cloth	2, 84, 201	10	118, 123	18
YG	54C, 57F	Medium ivy green corinthian vinyl with medium ivy green castile and cimarron pattern cloth	68, 84, 210	73	151, 154	66
YY	54C, 57F	Light nugget gold corinthian vinyl with light nugget gold heidelberg and fontana pattern cloth	84, 104, 214	109	165, 169	102

* For swatch identification refer to Page B, etc. † Not applicable to convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1970 Soft Trim Section.
For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1970 Soft Trim Section.

NOTE 2 - For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) refer to this code in the 1970 Soft Trim Section.
For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) contact your Service Representative. All other parts are included in the 1970 Soft Trim Section.

NOTE 3 - For replacement of Door trim panels (23942-3 and 27406-7), Cushion Covers (62900 and 63804) and Back Covers (64416 and 66600) refer to this code in the 1970 Soft Trim Section. All other parts are included in the 1970 Soft Trim Section.

NOTE 4 - For replacement of Door trim panels (23942-3 and 27406-7 Cushion Covers (62900 and 63804) and Rear Seat Back covers (66600) refer to this code in the 1970 Soft Trim Section.
For replacement of Front Seat Back Covers (64416-7) contact your Service Representative. All other parts are included in the 1970 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE/TORINO (B)						
2A	54A, 62A, 71D	Charcoal black corinthian vinyl and charcoal black glendale vinyl	10	10	13	1
2B	54A, 62A, 71D	Medium blue corinthian vinyl and medium blue glendale vinyl	27	27	29	20
2F	71D	Medium ginger corinthian vinyl and medium ginger glendale vinyl	65	65	58	60
2Y	54A, 62A	Light nugget gold corinthian vinyl and light nugget gold glendale vinyl	109	109	111	103
3A	54B, 63H, 65B	Charcoal black corinthian vinyl and charcoal black glacier pattern cloth	10	10	122	1
3A1	54B, 63H, 65B	(Code 3A - See Note 1 on page A10)				
3B	54B, 63H, 65B	Medium blue corinthian vinyl and medium blue glacier pattern cloth	27	27	133	20
3Y	54B, 63H, 65B	Light nugget gold corinthian vinyl and light nugget gold glacier pattern cloth	109	109	170	103
5A	71B	Charcoal black corinthian vinyl and charcoal black tourchon vinyl	10	10	15	1
5A1	71B	(Code 5A - See Note 1 on page A10)				
5B	71B	Medium blue corinthian vinyl and medium blue tourchon vinyl	27	27	31	20
5F	71B	Medium ginger corinthian vinyl and medium ginger tourchon vinyl	65	65	61	60
6A	63F, 76F	Charcoal black corinthian vinyl and charcoal black ruffino vinyl	10	10	5, 10	1
6B	63F, 76F	Medium blue corinthian vinyl and medium blue ruffino vinyl	27	27	23, 27	20
6D	63F, 76F	Dark red corinthian vinyl and dark red ruffino vinyl	41	41	39, 41	44
6F	63F, 76F	Medium ginger corinthian vinyl and medium ginger ruffino vinyl	65	65	63, 65	60
6G	63F	Medium ivy green corinthian vinyl and medium ivy green ruffino vinyl	73	73	70, 73	67
6W	63F	White corinthian vinyl and white ruffino vinyl - with black	98	98	96, 98	94
7A	54C, 57C, 63C, 65C	Charcoal black corinthian vinyl and charcoal black covert pattern cloth	10	10	117	1
7B	54C, 57C, 63C, 65C	Medium blue corinthian vinyl and medium blue covert pattern cloth	27	27	129	20
7G	54C, 57C, 63C, 65C	Medium ivy green corinthian vinyl and medium ivy green covert pattern cloth	73	73	150	67
7Y	54C, 57C, 63C, 65C	Light nugget gold corinthian vinyl and light nugget gold covert pattern cloth	109	109	164	103

* For swatch identification refer to Page B, etc. † Not applicable to convertible

1970 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE/TORINO (B) - continued						
8A	63C, 65C	Charcoal black corinthian vinyl with charcoal black turin knit and corinthian vinyl	10	10	10, 16	1
8B	63C, 65C	Medium blue corinthian vinyl with medium blue turin knit and corinthian vinyl	27	27	27, 32	20
8D	63C, 65C	Dark red corinthian vinyl with dark red turin knit and corinthian vinyl	41	41	41, 50	44
8F	63C, 65C	Medium ginger corinthian vinyl with medium ginger turin knit and corinthian vinyl	65	65	62, 65	60
8G	63C, 65C	Medium ivy green corinthian vinyl with medium ivy green turin knit and corinthian vinyl	73	73	73, 219	67
8W	63C, 65C	White corinthian vinyl with white turin knit and corinthian vinyl - with black	98	98	98, 101	94
9A	71E	Charcoal black corinthian vinyl and charcoal black ruffino vinyl	5, 10, 200	10	2, 10	1
9B	71E	Medium blue corinthian vinyl and medium blue ruffino vinyl	23, 27, 202	27	23, 27	20
9D	71E	Dark red corinthian vinyl and dark red ruffino vinyl	39, 41, 205	41	39, 41	44
9F	71E	Medium ginger corinthian vinyl and medium ginger ruffino vinyl	63, 65	65	63, 65	60
9G	71E	Medium ivy green corinthian vinyl and medium ivy green ruffino vinyl	70, 73, 209	73	70, 73	67
AA	71E	Charcoal black corinthian vinyl and black watchplaid pattern cloth	5, 10	10	10, 124	1
AA1	71E	(Code AA - See Note 1 on page A10)				
AD	71E	Dark red corinthian vinyl and dark red watchplaid pattern cloth	39, 41	41	41, 147	44
BA	71C	Charcoal black corinthian vinyl and black watchplaid pattern cloth	10	10	10, 124	1
BA1	71C	(Code BA - See Note 1 on page A10)				
BD	71C	Dark red corinthian vinyl and dark red watchplaid pattern cloth	41	41	41, 147	44
CA	63H	Charcoal black corinthian vinyl with charcoal black turin knit and corinthian vinyl	10	10	10, 16	1
CB	63H	Medium blue corinthian vinyl with medium blue turin knit and corinthian vinyl	27	27	27, 32	20
CD	63H	Dark red corinthian vinyl with dark red turin knit and corinthian vinyl	41	41	41, 50	44
CF	63H	Medium ginger corinthian vinyl with medium ginger turin knit and corinthian vinyl	65	65	62, 65	60
DD	63C, 65C	Dark red corinthian vinyl and dark red spectrum stripe pattern cloth	41	41	41, 139	44
DD1	65C	(Code DD - See Note 1 on page A10)				
DF	63C, 65C	Medium ginger corinthian vinyl and light nugget gold spectrum stripe pattern cloth	65	65	65, 173	60
DF1	65C	(Code DF - See Note 1 on page A10)				

* For swatch identification refer to Page B, etc. † Not applicable to convertible

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE/TORINO (B) - continued						
ED	63F	Dark red corinthian vinyl and dark red spectrum stripe pattern cloth (Aluminum trim panel mouldings)	41	41	41, 139	44
ED1	63F	(Code ED - See Note 1 on page A10)				
EF	63F	Medium ginger corinthian vinyl and light nugget gold spectrum stripe pattern cloth (Aluminum trim panel mouldings)	65	65	65, 173	60
EF1	63F	(Code EF - See Note 1 on page A10)				
GA	66B, C, 71C	Charcoal black corinthian vinyl and charcoal black ruffino vinyl	10	10	5	1
GB	66B, C, 71C	Medium blue corinthian vinyl and medium blue ruffino vinyl	27	27	23	20
GD	66B, C, 71C	Dark red corinthian vinyl and dark red ruffino vinyl	41	41	39	44
GF	66B, C, 71C	Medium ginger corinthian vinyl and medium ginger ruffino vinyl	65	65	63	60
GW	66B, C	White corinthian vinyl and white ruffino vinyl - with black	98	98	96	94
HA	57E, 65E	Charcoal black corinthian vinyl with charcoal black castile and cimarron pattern cloth	2, 10, 200	10	118, 123	1
HB	57E, 65E	Medium blue corinthian vinyl with medium blue castile and cimarron pattern cloth	21, 27, 202	27	222, 130	20
HD	57E, 65E	Dark red corinthian vinyl with dark red castile and cimarron pattern cloth	41, 45 205	41	141, 144	44
HG	57E, 65E	Medium ivy green corinthian vinyl with medium ivy green castile and cimarron pattern cloth	68, 73, 209	73	151, 154	67
HY	57E, 65E	Light nugget gold corinthian vinyl with light nugget gold heidelberg and fontana pattern cloth	104, 109, 213	109	165, 169	103
JA	54C, 57C, 63C, 65C	Charcoal black corinthian vinyl and charcoal black ruffino vinyl	10	10	5, 10	1
JB	54C, 57C, 63C, 65C	Medium blue corinthian vinyl and medium blue ruffino vinyl	27	27	23, 27	20
JD	54C, 57C, 63C, 65C	Dark red corinthian vinyl and dark red ruffino vinyl	41	41	39, 41	44
JF	63C, 65C	Medium ginger corinthian vinyl and medium ginger ruffino vinyl	65	65	63, 65	60
JG	63C, 65C	Medium ivy green corinthian vinyl and medium ivy green ruffino vinyl	73	73	70, 73	67
JY	54C, 57C	Light nugget gold corinthian vinyl and light nugget gold ruffino vinyl	109	109	106, 109	103
JW	63C, 65C	White corinthian vinyl and white ruffino vinyl - with black	98	98	96, 98	94
KA	54C, 57C, 63C, 65C	Charcoal black corinthian vinyl and charcoal black turin knit vinyl	10	10	16, 10	1
KY	54C, 57C	Light nugget gold corinthian vinyl and light nugget gold turin knit vinyl	109	109	109, 113	103
KW	63C, 65C	White corinthian vinyl and white turin knit vinyl - with black	98	98	98, 101	94
NA	71E	Charcoal black corinthian vinyl and charcoal black turin knit vinyl	5, 10, 200	10	10, 16	1
NF	71E	Medium ginger corinthian vinyl and medium ginger turin knit vinyl	63, 65	65	62, 65	60
PD	63H	Dark red corinthian vinyl and dark red spectrum stripe pattern cloth	41	41	41, 139	44
PD1	63H	(Code PD - See Note 1 on page A10)				

* For swatch identification refer to Page B, etc. † Not applicable to convertible

1970 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE/TORINO (B) - continued						
PF	63H	Medium ginger corinthian vinyl and light nugget gold spectrum stripe pattern cloth	65	65	65, 173	60
PF1	63H	(Code PF - See Note 1 on page A10)				
QA	66B, C, E	Charcoal black corinthian vinyl with charcoal black turin knit and corinthian vinyl	10	10	10, 16	1
QB	66B, C, E	Medium blue corinthian vinyl with medium blue turin knit and corinthian vinyl	27	27	27, 32	20
QD	66B, C, E	Dark red corinthian vinyl with dark red turin knit and corinthian vinyl	41	41	41, 50	44
QW	66B, C, E	White corinthian vinyl with white turin knit and corinthian vinyl - with black	98	98	98, 101	94
RA	63H	Charcoal black corinthian vinyl and charcoal black ruffino vinyl	10	10	5, 10	1
RB	63H	Medium blue corinthian vinyl and medium blue ruffino vinyl	27	27	23, 27	20
RD	63H	Dark red corinthian vinyl and dark red ruffino vinyl	41	41	39, 41	44
RF	63H	Medium ginger corinthian vinyl and medium ginger ruffino vinyl	65	65	63, 65	60
TA	66E	Charcoal black corinthian vinyl and charcoal black turin knit vinyl	10	10	10, 16	1
TB	66E	Medium blue corinthian vinyl and medium blue turin knit vinyl	27	27	27, 32	20
TD	66E	Dark red corinthian vinyl and dark red turin knit vinyl	41	41	50, 41	44
TG	66E	Medium ivy green corinthian vinyl and medium ivy green turin knit vinyl	73	73	73, 219	67
TY	66E	Light nugget gold corinthian vinyl and light nugget gold turin knit vinyl	109	109	109, 113	103
UA	66A	Charcoal black corinthian vinyl and charcoal black tourchon vinyl	10	10	10, 15	1
UB	66A	Medium blue corinthian vinyl and medium blue tourchon vinyl	27	27	27, 31	20
UY	66A	Light nugget gold corinthian vinyl and light nugget gold tourchon vinyl	109	109	109, 112	103
VA	71C	Charcoal black corinthian vinyl and charcoal black turin knit vinyl	10	10	10, 16	1
VF	71C	Medium ginger corinthian vinyl and medium ginger turin knit vinyl	65	65	62, 65	60
WA	63F	Charcoal black corinthian vinyl and charcoal black turin knit vinyl (Aluminum trim panel mouldings)	10	10	10, 16	1
WW	63F	White corinthian vinyl and white turin knit vinyl-with black- (Aluminum trim panel mouldings)	98	98	98, 101	94

* For swatch identification refer to Page B, etc. † Not applicable to convertible

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
FAIRLANE/TORINO (B) - continued						
YA	63F, 76F	Charcoal black corinthian vinyl and charcoal black turin knit (Aluminum trim panel mouldings)	10	10	10, 16	1
YB	63F, 76F	Medium blue corinthian vinyl and medium blue turin knit vinyl (Aluminum trim panel mouldings)	27	27	27, 32	20
YD	63F, 76F	Dark red corinthian vinyl and dark red turin knit vinyl-(Aluminum trim panel mouldings)	41	41	41, 50	44
YF	63F	Medium ginger corinthian vinyl and medium ginger turin knit vinyl (Aluminum trim panel mouldings)	65	65	62, 75	60
YG	63F	Medium ivy green corinthian vinyl and medium ivy green turin knit vinyl (Aluminum trim panel mouldings)	73	73	73, 219	67
YW	63F, 76F	White corinthian vinyl and white turin knit vinyl-with black-(Aluminum trim panel mouldings)	98	98	98, 101	94
MUSTANG (F)						
3A	63C	Charcoal black corinthian vinyl with charcoal black clarion knit and corinthian vinyl	10, 84, 200	10	3, 10	18
3B	63C	Medium blue corinthian vinyl with medium blue clarion knit and corinthian vinyl	27, 84, 202	27	22, 27	19
3E	63C	Vermillion corinthian vinyl with vermillion clarion knit and corinthian vinyl	54, 84, 200	54	52, 54	51
3F	63C	Medium ginger corinthian vinyl with medium ginger clarion knit and corinthian vinyl	65, 84, 207	65	55, 65	57
3G	63C	Medium ivy green corinthian vinyl with medium ivy green clarion knit and corinthian vinyl	73, 84 209	73	69, 73	66
3W	63C	White corinthian vinyl with white clarion knit and corinthian vinyl - with black	84, 98 200	98	95, 98	93
AA	65E	Charcoal black corinthian vinyl and black houndstooth pattern cloth	10, 84, 200	10	126	18
AA1	65E	(Code AA - See Note 1 on page A12)				
AB	65E	Medium blue corinthian vinyl and medium blue houndstooth pattern cloth	27, 84, 202	27	135	19
AB1	65E	(Code AB - See Note 1 on page A12)				

* For swatch identification refer to Page B, etc. † Not applicable to convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1970 Soft Trim Section.

For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1970 Soft Trim Section.

1970 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
MUSTANG (F) - continued						
AE	65E	Vermillion corinthian vinyl and vermillion houndstooth pattern cloth	54, 84, 200	54	148	51
AE1	65E	(Code AE - See Note 1 on page A12)				
AF	65E	Medium ginger corinthian vinyl and medium ginger houndstooth pattern cloth	65, 84, 207	65	149	57
AF1	65E	(Code AF - See Note 1 on Page A12)				
AG	65E	Medium ivy green corinthian vinyl and medium ivy green houndstooth pattern cloth	73, 84, 209	73	135	66
AG1	65E	(Code AG - See Note 1 on page A12)				
BA	63A, 65A, 76A	Charcoal black corinthian vinyl and charcoal black ruffino vinyl	10	10	5	18
BAA	63A, 65A, 76A	Charcoal black corinthian vinyl and charcoal black ruffino vinyl	10	10	5	18
BA1	63A	(Code BA - See Note 1 on Page A12)				
BB	63A, 65A, 76A	Medium blue corinthian vinyl and medium blue ruffino vinyl	27	27	23	19
BBA	63A, 65A, 76A	Medium blue corinthian vinyl and medium blue ruffino vinyl	27	27	23	19
BE	63A, 65A, 76A	Vermillion corinthian vinyl and vermillion ruffino vinyl	54	54	53	51
BEA	63A, 65A, 76A	Vermillion corinthian vinyl and vermillion ruffino vinyl	54	54	53	51
BF	63A, 65A, 76A	Medium ginger corinthian vinyl and medium ginger ruffino vinyl	65	65	63	57
BFA	63A, 65A, 76A	Medium ginger corinthian vinyl and medium ginger ruffino vinyl	65	65	63	57
BG	63A, 65A, 76A	Medium ivy green corinthian vinyl and medium ivy green ruffino vinyl	73	73	70	66
BGA	63A, 65A, 76A	Medium ivy green corinthian vinyl and medium ivy green ruffino vinyl	73	73	70	66
BW	63A, 65A, 76A	White corinthian vinyl and white ruffino vinyl - with black	98	98	96	93
BWA	63A, 65A, 76A	White corinthian vinyl and white ruffino vinyl - with black	98	98	96	93
BW1	63A	(Code BW - See Note 1 on page A12)				
CE	63B, 76B	Vermillion corinthian vinyl and vermillion spectrum stripe vinyl	54	54	54, 139	51
CE1	63B, 76B	(Code CE - See Note 1 on page A12)				
CF	63B, 76B	Medium ginger corinthian vinyl and medium ginger spectrum stripe vinyl	65	65	65, 173	57
CF1	63B, 76B	(Code CF - See Note 1 on page A12)				
EA	63B, 76B	Charcoal black corinthian vinyl with charcoal black clarion knit and ruffino vinyl	10, 84, 200	10	35	18
EA1	63B, 76B	(Code EA - See Note 1 on page A12)				
EB	63B, 76B	Medium blue corinthian vinyl with medium blue clarion knit and ruffino vinyl	27, 84, 202	27	22, 23	19
EB1	63B, 76B	(Code EB - See Note 1 on page A12)				

* For swatch identification refer to Page B, etc. † Not applicable to convertible

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
MUSTANG (F) - continued						
EG	63B, 76B	Medium ivy green corinthian vinyl with medium ivy green clarion knit and corinthian vinyl	73, 84, 209	73	69, 70	66
EG1	63B, 76B	(Code EG - See Note 1)				
EW	63B, 76B	White corinthian vinyl with white clarion knit and corinthian vinyl - with black	84, 98, 200	98	95, 96	93
EW1	63B, 76B	(Code EW - See Note 1)				
TA	63B, 65B	Charcoal black corinthian vinyl with charcoal black clarion knit and corinthian vinyl	10	10	3, 5	18
TAA	63B, 65B	Charcoal black corinthian vinyl with charcoal black clarion knit and corinthian vinyl	10	10	3, 5	18
TA1	63B, 65B	(Code TAA - See Note 1)				
TB	63B, 65B	Medium blue corinthian vinyl with medium blue clarion knit and corinthian vinyl	27	27	22, 23	19
TBA	63B, 65B	Medium blue corinthian vinyl with medium blue clarion knit and corinthian vinyl	27	27	22, 23	19
TB1	63B, 65B	(Code TBA - See Note 1)				
TG	63B, 65B	Medium ivy green corinthian vinyl with medium ivy green clarion knit and corinthian vinyl	73	73	69, 70	66
TGA	63B, 65B	Medium ivy green corinthian vinyl with medium ivy green clarion knit and corinthian vinyl	73	73	69, 70	66
TG1	63B, 65B	(Code TGA - See Note 1)				
TW	63B, 65B	White corinthian vinyl with white clarion knit and corinthian vinyl - with black	98	98	95, 96	93
TWA	63B, 65B	White corinthian vinyl with white clarion knit and corinthain vinyl - with black	98	98	95, 96	93
TW1	63B, 65B	(Code TWA - See Note 1)				
UE	63B, 65B	Vermilion corinthian vinyl and vermilion spectrum stripe vinyl	54	54	54, 139	51
UEA	63B, 65B	Vermillion corinthian vinyl and vermillion spectrum stripe vinyl	54	54	54, 139	51
UE1	63B, 65B	(Code UE - See Note 1)				
UF	63B, 65B	Medium ginger corinthian vinyl and medium ginger spectrum stripe and corinthian vinyl	65	65	65, 173	57
UFA	63B, 65B	Medium ginger corinthian vinyl and medium ginger spectrum stripe and corinthian vinyl	65	65	65, 173	57
UF1	63B, 65B	(Code UF - See Note 1)				

* For swatch identification refer to Page B, etc. † Not applicable to convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1970 Soft Trim Section.
For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1970 Soft Trim Section.

1970 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
MAVERICK (P)						
1A	62A	Charcoal black corinthian vinyl and charcoal black akron vinyl	10	10	10, 12	1
1B	62A	Medium blue corinthian vinyl medium blue akron vinyl	27	27	27, 28	20
1D	62A	Dark red corinthian vinyl and dark red akron vinyl	41	41	41, 48	44
1Y	62A	Light nugget gold corinthian vinyl and light nugget gold akron vinyl	109	109	109, 110	103
2A	62A	Charcoal black corinthian vinyl with white and black brigadoon plaid cloth	10	10	10, 125	1
2A9	62A	(Code 2A - see Note 1)				
2B	62A	Medium blue corinthian vinyl with medium blue and black brigadoon plaid cloth	27	27	27, 134	20
2B9	62A	(Code 2B - see Note 1)				
2D	62A	Dark red corinthian vinyl with dark red and black brigadoon plaid cloth	41	41	41, 48	44
2D9	62A	(Code 2D - see Note 1)				
2Y	62A	Light nugget gold corinthian vinyl with light nugget gold and black brigadoon plaid cloth	109	109	109, 172	103
3A	62A	Charcoal black corinthian vinyl and charcoal black grande pattern cloth	10, 14	10	10, 119	1
3B	62A	Medium blue corinthian vinyl and medium blue grande pattern cloth	14, 27	27	27, 131	20
3D	62A	Dark red corinthian vinyl and dark red grande pattern cloth	14, 41	41	41, 142	44
3Y	62A	Light nugget gold corinthian vinyl and light nugget gold grande pattern cloth	14, 109	109	109, 166	103
5A	62A	Charcoal black corinthian vinyl and charcoal black clarion knitted vinyl	10, 14	10	3, 10	1
5B	62A	Medium blue corinthian vinyl and medium blue clarion knitted vinyl	14, 27	27	22, 27	20
5D	62A	Dark red corinthian vinyl and dark red clarion knitted vinyl	14, 41	41	41, 46	44
5Y	62A	Light nugget gold corinthian vinyl and light nugget gold clarion knitted vinyl	14, 109	109	105, 109	103
FD	62A	Dark red corinthian vinyl and dark red spectrum stripe cloth	41	41	41, 139	44
FD1	62A	(Code FD - See Note 1)				
FY	62A	Light nugget gold corinthian vinyl and light nugget gold spectrum stripe cloth	109	109	109, 173	103
FY1	62A	(Code FY - See Note 1)				

* For swatch identification refer to Page B, etc. † Not applicable to convertible

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1970 Soft Trim Section.

For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1970 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
THUNDERBIRD (S)						
1A	65A, B	Charcoal black corinthian vinyl and charcoal black lambeth pattern cloth	10, 127 201	10	10, 127	1
1AA	65A, B	Charcoal black corinthian vinyl and charcoal black lambeth pattern cloth	10, 127 201	10	10, 127	1
1B	65A, B	Dark blue corinthian vinyl and dark blue lambeth pattern cloth	36, 138, 204	36	26, 138	34
1BA	65A, B	Dark blue corinthian vinyl and dark blue lambeth pattern cloth	36, 138, 204	36	26, 138	34
1D	65A, B	Dark red corinthian vinyl and dark red lambeth pattern cloth	41, 146, 206	41	41, 146	44
1DA	65A, B	Dark red corinthian vinyl and dark red lambeth pattern cloth	41, 146, 206	41	41, 146	44
1F	65A, B	Medium ginger corinthian vinyl and medium ginger lambeth pattern cloth	65, 175, 208	65	65, 175	60
1FA	65A, B	Medium ginger corinthian vinyl and medium ginger lambeth pattern cloth	65, 175, 208	65	65, 175	60
1G	65A, B	Dark ivy green corinthian vinyl and dark ivy green lambeth pattern cloth	77, 157, 211	77	77, 157	75
1GA	65A, B	Dark ivy green corinthian vinyl and dark ivy green lambeth pattern cloth	77, 157, 211	77	77, 157	75
2A	65A, B	Charcoal black corinthian vinyl with charcoal black caribou and clarion knit vinyl	10, 11	10	3, 11	1
2B	65A, B	Dark blue corinthian vinyl with dark blue caribou and clarion knit vinyl	36, 37	36	35, 37	34
2G	65A, B	Dark ivy green corinthian vinyl with dark ivy green caribou and clarion knit vinyl	77, 78	77	76, 78	75
2W	65A, B	White corinthian vinyl with white caribou and clarion knit vinyl - with black	98, 99	98	95, 99	94
3A	65C, D	Charcoal black corinthian vinyl and charcoal black intrigue pattern cloth	10, 201	10	120	1
3A1	65C, D	(Code 3A - see Note 1 on page A15)				
3B	65C, D	Dark blue corinthian vinyl and dark blue intrigue pattern cloth	36, 204	36	137	34
3D	65C, D	Dark red corinthian vinyl and dark red intrigue pattern cloth	41, 206	41	143	44
3D1	65C, D	(Code 3D - see Note 1 on page A15)				
3F	65C, D	Medium ginger corinthian vinyl and medium ginger intrigue pattern cloth	65, 208	65	223	60
3G	65C, D	Dark ivy green corinthian vinyl and dark ivy green intrigue pattern cloth	77, 211	77	156	75
3Y	65C, D	Light nugget gold corinthian vinyl and light nugget gold intrigue pattern cloth	109, 214	109	167	103

* For swatch identification refer to Page B, etc.

† Not applicable to convertible

1970 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
THUNDERBIRD (S) - continued						
4A	57C, 65C, D	Charcoal black corinthian vinyl with charcoal black caribou and clarion knit vinyl	10, 11	10	3, 11	1
4B	57C, 65C, D	Dark blue corinthian vinyl with dark blue caribou and caribou and clarion knit vinyl	36, 37	36	35, 37	34
4G	57C, 65C, D	Dark ivy green corinthian vinyl with dark ivy green caribou and clarion knit vinyl	77, 78	77	76, 78	75
4W	57C, 65C, D	White corinthian vinyl with white caribou and clarion knit vinyl	98, 99	98	95, 99	94
5A	57B	Charcoal black corinthian vinyl and charcoal black intrigue pattern cloth	10, 201	10	120	1
5AA	57B	Charcoal black corinthian vinyl and charcoal black intrigue pattern cloth	10, 201	10	120	1
5B	57B	Dark blue corinthian vinyl and dark blue intrigue pattern cloth	36, 204	36	137	34
5BA	57B	Dark blue corinthian vinyl and dark blue intrigue pattern cloth	36, 204	36	137	34
5D	57B	Dark red corinthian vinyl and dark red intrigue pattern cloth	41, 206	41	143	44
5DA	57B	Dark red corinthian vinyl and dark red intrigue pattern cloth	41, 206	41	143	44
5G	57B	Dark ivy green corinthian vinyl and dark ivy green intrigue pattern cloth	77, 211	77	156	75
5GA	57B	Dark ivy green corinthian vinyl and dark ivy green intrigue pattern cloth	77, 211	77	156	75
5Y	57B	Light nugget gold corinthian vinyl and light nugget gold intrigue pattern cloth	109, 214	109	167	103
5YA	57B	Light nugget gold corinthian vinyl and light nugget gold intrigue pattern cloth	109, 214	109	167	103
5Z	57B	Dark tobacco corinthian vinyl and dark tobacco intrigue pattern cloth	116, 215	116	176	115
5ZA	57B	Dark tobacco corinthian vinyl and dark tobacco intrigue pattern cloth	116, 215	116	176	115
5Z1	57B	(Code 5Z - see Note 1)				
6A	57B	Charcoal black corinthian vinyl and charcoal black leather	10, 201	10	4	1
6D	57B	Dark red corinthian vinyl and dark red leather	41, 206	41	38	44
6Z	57B	Dark tobacco corinthian vinyl and dark tobacco leather	116, 215	116	176	115
8A	65A, B	Charcoal black corinthian vinyl and charcoal black leather	10, 201	10	4	1
8D	65A, B	Dark red corinthian vinyl and dark red leather	41, 206	41	143	44
8F	65A, B	Medium ginger corinthian vinyl and medium ginger leather	65, 208	65	223	60

* For swatch identification refer to Page B, etc. † Not applicable to convertible

Note 1 - For replacement of Door and Quarter Trim Panels (23942-3, 27406-7 and 31012-3) refer to this code in 1970 Soft Trim. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) contact your Service Representative. All other parts are included in the 1970 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1970 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		† HEAD-LINING
				BOLSTER	CUSHION and BACK	
BRONCO (U)						
3	97, 98	Pastel parchment corinthian vinyl and light parchment akron vinyl	86	87	91	85
9	97, 98	Pastel parchment corinthian vinyl and pastel parchment rosette vinyl	86	87	86	85
94	97, 98	Pastel parchment corinthian vinyl and pastel parchment rosette vinyl	86	87	86	85
9U	97, 98	Pastel parchment corinthian vinyl and pastel parchment rosette vinyl	86	87	86	85
FALCON (X)						
1A	54A, 62A	Charcoal black corinthian vinyl with charcoal black nimbus and cadence vinyl	10	10	178, 180	18
1B	54A, 62A	Light blue corinthian vinyl with medium blue nimbus and light blue cadence vinyl	181	27	183, 186	182
1D	54A, 62A	Dark red corinthian vinyl with dark red nimbus and cadence vinyl	41	44	189, 191	188
1Y	54A, 62A	Light nugget gold corinthian vinyl with light nugget gold nimbus and cadence vinyl	192	109	194, 195	102
2A	71A	Charcoal black corinthian vinyl and charcoal black gates vinyl	10	10	179	18
2B	71A	Light blue corinthian vinyl and light blue gates vinyl	181	27	184	182
2Y	71A	Light nugget gold corinthian vinyl and light nugget gold gates vinyl	192	109	196	102
3A	54B, 62B	Charcoal black corinthian vinyl and charcoal black fremont pattern cloth	10, 177	10	10, 197	18
3B	54B, 62B	Light blue corinthian vinyl and medium blue fremont pattern cloth	27, 187	27	27, 198	182
3Y	54B, 62B	Light nugget gold corinthian vinyl and light nugget gold fremont pattern cloth	109, 193	109	109, 199	102
4A	54B, 62B, 71B	Charcoal black corinthian vinyl and charcoal black kiwi vinyl	10, 177	10	8, 10	18
4B	54B, 62B, 71B	Light blue corinthian vinyl and dark blue kiwi vinyl	27, 187	27	27, 216	182
4D	54B, 62B, 71B	Dark red corinthian vinyl and dark red kiwi vinyl	41, 190	41	40, 41	188
4Y	54B, 62B, 71B	Light nugget gold corinthian vinyl and light nugget gold kiwi vinyl	109, 193	109	109, 114	102

* For swatch identification refer to Page B, etc. † Not applicable to convertible

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →				SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
				B	D	E	F	G	K	P	Y	Z					
COLORS →			LENGTH	BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
02344-5 PANEL - COWL TRIM																	
A-w/o integral A/C	R	C9AZ 6202344											A1A				1
	L	C9AZ 6202345											B1A				1
	R	D0AZ 6202344		D	B		A	E	F		C						1
	L	D0AZ 6202345		A	B		C	D	E		F						1
A-w/integral A/C	R	D0AZ 6202344		H	J		K	L	N		M		G				1
	L	D0AZ 6202345		A	B		C	D	E		F						1
	L	C9AZ 6202345											B1A				1
B-w/o stereo	R	D0OZ 6502344		A	E		D	B			F		C				1
	L	D0OZ 6502345		A	E		D	B			F		C				1
B-w/stereo	R	D0OZ 6502344		G	L		K	H			M		J				1
	L	D0OZ 6502345		G	L		K	H			M		J				1
F	R	C9ZZ 6502344											B1A				1
	L	C9ZZ 6502345											B1A				1
	R	D0ZZ 6502344		A			C	B									1
	L	D0ZZ 6502345		A			C	B									1
P	R	D1DZ 6202344		A									B				1
	L	D1DZ 6202345		A									B				1
	R	D0DZ 6202344			E												1
S	R	C8SZ 6502344											B1A				1
	L	C8SZ 6502345											B1A				1
	R	D0SZ 6502344		D	B		A	E			C	F					1
	L	D0SZ 6502345		D	B		A	E			C	F					1
X	R	C8OZ 5402344		A2B									A1A				1
	L	C8OZ 5402345		A2B	A2D								A1A				1
02600 WINDLACE - DOOR OPENING and QUARTER PILLAR - Also refer to Groups 24486-7, 24544-5 and 281A74-5																	
B(54)-front door			Refer to Group 51222-3 in Body Section														
B(57)-front door		D0OZ 5702606		B									D				2
B(65)-front door		C8OZ 6502606											A1A				2
		D0OZ 6502606		C			A								D		2
B(66)-front door		D0OZ 6602606		C			A								D		2
B(71)-front door	R	D0OZ 7102606		B	E		A	C					D				1
	L	D0OZ 7102607		B	E		A	C					D				1
B(76)-front door	R	D0OZ 7602606					A										1
	L	D0OZ 7602607					A										1
F(63,65)-frt. body pillar, roof rail, rear door opening		D0ZZ 6502906	75"				B						F				2
F(76)-front door		D0ZZ 7602600	34"										D				2
F-quarter lock pillar	R	D0ZZ 6531290											E				1
	L	D0ZZ 6531291											E				1
P-front door			Refer to Group 51222-3 in Body Section														
S-frt. body pillar			Serviced in assembly - Refer to Group 02344-5														
S(57)-center body pillar			Refer to Group 24486-7														
S(57)-rear door			Refer to Group 24544-5														
S(65)-quarter lock pillar	R	D0SZ 6531290		F	B		A	C			D		E				1
	L	D0SZ 6531291		F	B		A	C			D		E				1
	R	D0SY 6531290													B		1
	L	D0SY 6531291													B		1
X(54,71)-rear door			Refer to Group 24544-5														

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			B	D	E	F	G	K	P	Y	Z					
COLORS →			BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
03598-9 PAD - FRONT BODY UPPER PILLAR - Refer to Group in Body Section																
04104 VISOR - LESS ARM and BRACKET																
A(54,57,62,63,65,71)		D0AZ 6204104	E	G		F	A	B		D		H	J	C		2
A(76)		D0AZ 7604104				D										2
		D1AZ 7604104	B	C								A				2
B(54,57,62,63,65,66,71)		D0OZ 5404104	C	G		F	D			A		B		E		2
B(76)		D0OZ 7604104	B	D		A						C				2
F(63,65)		D0ZZ 6504104	D		A	E	B					F		C		2
F(76)		D0ZZ 7604104	A			C	B					D				2
P(62)		D0DZ 6204104	C	D						A		B				2
S(57)-w/o roof console		D0SZ 5704104	G	E			F			A	R	B		T		2
S(57)-with roof console		D0SZ 5704104	N	M			P			J	S	L		U		2
S(65)		D0SZ 6504104	G	E		D	F			A		B		C		2
U		C9TZ 9704104											A1U			2
X		C8OZ 6204104		E2D						E1Y		E1A				2
		C9OZ 5404104	C1B													2
04282 PAD - INSTRUMENT PANEL																
A		D0AZ 6204282	A	F		C	D	E		G		B				1
B		D0OZ 6504282	A	D		E	C			F		B				1
F-w/o Integral A/C		C9ZZ 6504282										A1A				1
		D0ZZ 6504282	A			B	C									1
F-w/Integral A/C		C9ZZ 6504282										B1A				1
		D0ZZ 6504282	D			E	F									1
P		D0DZ 6204282		D						E						1
		D3DZ 6204282	A									D				1
S		D0SZ 6504282	D	C		B	F			E	G	A				1
U		C9TZ 9604282										BCA				1
X		C9DZ 6204282		JCD						JBY						1
		C8DZ 6204282	B1B									B1A				1
A, B, F, X		C8OZ 5404278-A	Clip-Instrument panel pad retainer													AR
044F62 COVER - CONSOLE PANEL SIDE																
S(65A, B)-cut pile		D0SZ 65044F62	B	C		D				F		A				1
S(65A, B)-loop pile		D0SZ 65044F62	H									G				1
044D90 PAD - CONSOLE PANEL TOP - Refer to Group in Body Section																
04602 PAD - CONSOLE PANEL ARM REST																
S(65A, B)		D0SZ 6504602	F	B		C	D					A				1
04620 PAD - CONSOLE PANEL																
B		D0OZ 6304620	D	B		A	E									1
		D1OZ 6504620										C				1
13000-1 CARPET - FRONT FLOOR																
A-loop pile-w/column shift-bench seat		D0AZ 6213000	A	E		B	D			F		N				1
A(54C, 57F, 65A)-cut pile-w/column shift		C9AZ 5413000	A1B									A1A				1
		D0AZ 5413000					B			D						1
B(exc.76)-w/column shift		D0OZ 6513000	A			B	D					E				1
B(54C,57,63,65,66)-4 speed trans.-floor or console mounted		D0OZ 6513000	H			J						M				1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—G	—K	—P	—Y	—Z					
COLORS →			BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
13000-1 CARPET - FRONT FLOOR - continued																
B(63F, 65C)-bucket seat-5 pc. assy. carpet-w/column shift		D0OZ 6513000	BA			BB						BD				1
B(63F, H, 65C)-bucket seat-5 pc. assy. carpet-4 speed trans.		D0OZ 6513000	AN			AR						AT				1
B(63F, H, 65C)-bucket seat-5 pc. assy. carpet-A/T on console		D0OZ 6513000	AG			AH						AK				1
B(76)-w/column shift		D0OZ 7613000				B						C				1
B(76)-w/4 speed trans. floor or console mounted		D0OZ 7613000				F						G				1
B(76)-bucket seat-5 pc. assy. carpet-w/column shift		D0OZ 7613000										R				1
B(76)-bucket seat-5 pc. assy. carpet-4 speed trans.-floor or console mounted		D0OZ 7613000										AA				1
B(76)-bucket seat 5 pc. assy. carpet-A/T on console		D0OZ 7613000										V				1
F(63, 65)		D0ZZ 6513000										D				1
P(62)		D0DZ 6213000										G				1
S-loop pile-bench seat-w/o console		D0SZ 6513000	D									A				1
S-cut pile-bench seat-w/o console		D0SZ 6513000	K	H		F					E	G				1
S-loop pile-bucket seat-w/console	R	D0SZ 6513000	R									M				1
	L	D0SZ 6513001	D				E					A				1
S-cut pile-bucket seat-w/console	R	D0SZ 6513000	Z	W		U						V				1
	L	D0SZ 6513001	L	J		G	M					H				1
X		C9OZ 5413000	NBB	NBD						NCY		NBA				1
13000 MAT - FRONT FLOOR																
A(54, 62, 71)		C9AZ 6213000										C1A				1
B(54, 62, 65, 66, 71)		D0OZ 6513000	AB							AC		AD				1
P(62)		D0DZ 6213000	A									L				1
U		D1BZ 1013010											A			1
		D3BZ 1013010										A				1
X(54, 62, 71)		C8OZ 5413000	C1B												$C1L	1
		C8DZ 5413000										C1A				1
		C9OZ 5413000								CBY						1
13010 MAT - FRONT FLOOR - Refer to Group 13000																
13017 MAT - FRONT FLOOR REAR																
B(66)		C7OZ 6613017										A1A				1

$ Silver (grey)

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—G	—K	—P	—Y	—Z						
COLORS →			BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO		BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
130A34 CARPET - AUXILIARY FLOOR REAR																	
F(63)-w/folding rear seat		C8ZZ 63130A34											A1A				1
		D0ZZ 63130A34				A											1
13042 CARPET - AUXILIARY FLOOR FRONT																	
F(63)		C7ZZ 6313042	ABB										ABA				1
		D0ZZ 6313042				A											1
13046 CARPET - REAR FLOOR																	
A(71)-loop pile		D0AZ 7113046				B	D										1
B(54)		D1OZ 5413046	D										E				1
B(57)		D1OZ 5713046	C										D				1
B(63,65)-bench seat		D1OZ 6513046	H			J							K				1
B(66)-bench seat		D1OZ 6613046	H			J							K				1
B(66)-bucket seat		D1OZ 6613046	E			F							G				1
B(71)		D1OZ 7113046	C			D							E				1
B(76)		D0OZ 7613046				B							D				1
P(62)		D0DZ 6213046											G				1
S-loop pile		D0SZ 6513046	K										J				1
S-cut pile		C9SZ 6513046	B3B										B3A				1
X(54)		C7OZ 5413046	ZBB										ZBA				1
X(71)		C7GY 7113046											T1A				1
13046 MAT - REAR FLOOR																	
A(54)-w/jute pad		C9AZ 5413046											B1A				1
B(54)		D0OZ 5413046	H										J				1
B(62,65)		D0OZ 6513046				N				P							1
		D1OZ 6513046	L										M				1
B(66)		D0OZ 6613046	P										R				1
B(71)		D0OZ 7113046	G										H				1
U		C8TZ 9813054												A1U			1
X(62)		C6OZ 6213046	AAC														1
		C9OZ 6513046								ABY						AABL	1
13049 CARPET - AUXILIARY FLOOR																	
A(71)		D0AZ 7113049	A			B	C						D				1
		370464-S100(HH34) Stud															4
13054 MAT - REAR FLOOR - Refer to Group 13046																	

MODEL	PART NUMBER LESS SUFFIX	RUBBER OR VINYL	FULL WIDTH OR TWIN	COLORS and APPLICABLE SUFFIXES												
				AQUA/TURQ.	BLACK	BLUE	GINGER	GREEN	GREY GOLD	IVY GOLD	NUGGET GOLD	RED/BURG.		WHITE	OTHER	OTHER
13086 MAT - FRONT FLOOR																
A †	D0AZ 6513086	R	FW			D		B								⊕A
†	C9AZ 6513086	R	FW		A									J		
A, B, F, P, S, X	C6AZ 6213086	R	FW		A	C						D				
B, X †	C9OZ 5413086	R	FW									C				
U †	C9TZ 8113086	R	FW		A	B						C				
A	D0AZ 6213086	R	T			B		D								⊕A
	C9AZ 6213086	R	T		A							C		J		
F	C5ZZ 6513086	R	T		C											
	D0ZZ 6513086	R	T			C		A								⊕B
S	D0SZ 6313086	R	T		A	B				D	E	C		F		
A, B, F, P, S, X †	C9AZ 6213086	V	FW		‡R	‡S				‡U		‡T		‡V		
†	C9AZ 6213086	V	FW		◊AB					◊AC					Ø Y	

Δ Silver (grey) $ Paint to match † Cut to form twin mats if so desired ◊ Transparent Ø Clear ⊕ Brown
‡ Opaque

MODEL	PART NUMBER LESS SUFFIX	RUBBER OR VINYL	FULL WIDTH OR TWIN	COLORS and APPLICABLE SUFFIXES: AQUA/TURQ.	BLACK	BLUE	GINGER	GREEN	GREY GOLD	IVY GOLD	NUGGET GOLD	RED/BURG.		WHITE	OTHER	OTHER
13088 MAT - FRONT and REAR FLOOR																
A, B, F, L, P, S, X	D0DZ 6213088	V	T		‡A	‡B		‡F				‡D				
	D2AZ 6213088	V	T												◊A	
13106 MAT - REAR FLOOR																
A †	C9AZ 6513106	R	FW		A							C		J		
†	D0AZ 6513106	R	FW			D		B								⊕A
B, X †	C9OZ 5413106	R	FW		A							C				
A	C9AZ 6213106	R	T		A							C		J		
	D0AZ 6213106	R	T			B		D								⊕A
A, B, F, S, X	C6AZ 6213106	R	FW		A	C						D		B		
F	C5ZZ 6513106	R	T		C											
	D0ZZ 6513106	R	T			C		A								⊕B
S	C4SZ 6313106	R	T		E							C		D		
	D0SZ 6313106	R	T			B				C	A					
A, B, F, S, X †	C9AZ 6213106	V	FW		‡R	‡S				‡U				‡V		
†	C9AZ 6213106	V	FW			◊AA										◊Y

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES: SECOND CHARACTER of TRIM CODE —B BLUE	—D RED	—E VERMILION	—F GINGER	—G IVY GREEN	—K AQUA	—P GREY	—Y NUGGET GOLD	—Z TOBACCO	ALL CODES BLACK	ALL CODES PARCHMENT	ALL CODES WHITE	OTHER SEE FOOTNOTE	QTY.
13144-5 RETAINER - REAR FLOOR MAT																
B(54)	R	D0OZ 5413144													$A	1
	L	D0OZ 5413144													$A	1
B(71)	R	C8OZ 5413144	A1B									A1A				1
	L	C8OZ 5413145	A1B									A1A				1
	R	C9OZ 5413144								ABY						1
	L	C9OZ 5413145								ABY						1
X(54, 71)	R	C7DZ 5413144										A1A				1
	L	C7DZ 5413145										A1A				1
13176 MAT - REAR FLOOR REAR (IN WELL)																
A(71)		C9AZ 7113182										A1A				1
B(71)		C6OZ 7113176										AAB				1
X(71)		C6DZ 7113176										BAB				1

13182 MAT - REAR FLOOR REAR - Refer to Group 13176

22666 HANDLE - DOOR PULL															
S-front door	D0VY 6522666	JB	BB		FB	KB	AB	DB	CB	GB	HB		EB		2
S(57)-rear door															2

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES: 5A	5B	5G	5Y	6A	6B	6D	6G	6Y	JA, JAA					QTY.
23942-3 PANEL ASSY. - FRONT DOOR TRIM																	
TRIM CODES →			5A	5B	5G	5Y	6A	6B	6D	6G	6Y	JA, JAA					
A(54A, C)	R	D0AZ 5423942		A5B	A5G	A5Y		A5B		A5G	A5Y						1
	L	D0AZ 5423943	A5A	A5B	A5G	A5Y	A5A	A5B	A6D	A5G	A5Y	A5A					1
TRIM CODES →			5B	5G	5Y	6B	6G	6Y									
A(57B, F)	R	D0AZ 5723942		A5G			A5G										1
	L	D0AZ 5723943	A5B	A5G	A5Y	A5B	A5G	A5Y									1

Δ Silver (grey) $ Paint to match † Cut to form twin mats if so desired ◊ Transparent Ø Clear ⊕ Brown ‡ Opaque

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

23942-3 PANEL ASSY. - FRONT DOOR TRIM - continued

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										QTY.
TRIM CODES →			5A	5B	5G	5Y	6A	6B	6D	6F	6W	6Y	
A(63B,C,65A,C)	R	D0AZ 6323942	A5A	A5B		A5Y	A5A	A5B		A6F	A6W	A5Y	1
	L	D0AZ 6323943	A5A	A5B	A5G	A5Y	A5A	A5B	A6D	A6F	A6W	A5Y	1
TRIM CODES →			8A, 8AA	8B, 8BA	8D, 8DA	8F, 8FA	8G, 8GA	8W, 8WA	JA, JAA	JW, JWA			
A(63B,C,65A,C)	R	D0AZ 6323942	A5A	A5B		A6F		A6W	A5A	A6W			1
	L	D0AZ 6323943	A5A	A5B	A6D	A6F	A5G	A6W	A5A	A6W			1
TRIM CODES →			6A	6B	6D	6F	6G	BA	BY	FF	FG		
A(71)	R	D0AZ 5423942		A5B			A5G		A5Y		AFG		1
	L	D0AZ 5423943	A5A	A5B	A6D	A6F	A5G	A5A	A5Y	AFF	AFG		1
TRIM CODES →			MA	MD	SA	SD	WA	WY					
A(71B,C)	R	D0AZ 5423942						A5Y					1
	L	D0AZ 5423943	A5A	A6D	A5A	A6D	A5A	A5Y					1
TRIM CODES →			6A	6B	6D	6F	6W	8A, 8AA	8B, 8BA	8D, 8DA	8F, 8FA	8W, 8WA	
A(76)	R	D0AZ 6323942	A5A	A5B		A6F	A6W	A5A	A5B		A6F	A6W	1
	L	D0AZ 6323943	A5A	A5B	A6D	A6F	A6W	A5A	A5B	A6D	A6F	A6W	1
TRIM CODES →			2A	2B	2Y	3A	3B	3Y					
B(54A,B)	R	D0OZ 5423942	A2A	A2B		A2A	A2B						1
	L	D0OZ 5423943	A2A	A2B	A2Y	A2A	A2B	A2Y					1
TRIM CODES →			7A	7B	7Y	JA	JB	KA					
B(54C)	R	D0OZ 5423942	A7A	A7B	A7Y	A7A	A7B	A7A					1
	L	D0OZ 5423943	A7A	A7B	A7Y	A7A	A7B	A7A					1
TRIM CODES →			7A	7B	JA	JB	KA						
B(57C)	R	D0OZ 5723942	A7A	A7B	A7A	A7B	A7A						1
	L	D0OZ 5723943	A7A	A7B	A7A	A7B	A7A						1
TRIM CODES →			2A	2B									
B(62A)	R	D0OZ 6223942	A2A	A2B									1
	L	D0OZ 6223943	A2A	A2B									1
TRIM CODES →			7A	7B	7G	8A	8B	8G	JA	JB	JG	KA	
B(63C)	R	D0OZ 6523942	A8A		A8G	A8A		A8G	A8A		A8G	A8A	1
	L	D0OZ 6523943	A8A	A8B		A8A	A8B		A8A	A8B		A8A	1
TRIM CODES →			6A	6F	6W	EF	WA	WW	YA	YF	YW		
B(63F)	R	D0OZ 6523942	A6A				A6A		A6A				1
	L	D0OZ 6523943	A6A	A6F	A6W	A6F	A6A	A6W	A6A	A6F	A6W		1
TRIM CODES →			3A	3B	3Y	CA	CB	CF	PF	RA	RB	RF	
B(63H)	R	D0OZ 6523942	A3A	A3B		A3A	A3B	A3F	A3F	A3A	A3B	A3F	1
	L	D0OZ 6523943	A3A	A3B	A3Y	A3A	A3B	A3F	A3F	A3A	A3B	A3F	1
TRIM CODES →			3A	3B	3Y								
B(65B)	R	D0OZ 6523942	A3A	A3B									1
	L	D0OZ 6523943	A3A	A3B	A3Y								1
TRIM CODES →			7A	7B	7G	8A	8B	8G	JA	JB	JG	KA	
B(65C)	R	D0OZ 6523942	A8A		A8G	A8A		A8G	A8A		A8G	A8A	1
	L	D0OZ 6523943	A8A	A8B		A8A	A8B		A8A	A8B		A8A	1
TRIM CODES →			5A	5B									
B(71B)	R	D0OZ 7123942	A5A	A5B									1
	L	D0OZ 7123943	A5A	A5B									1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
23942-3 PANEL ASSY. - FRONT DOOR TRIM - continued																
TRIM CODES →			BA	GA	GB	GF	VA	VF								
B(71C)	R	D0OZ 7123942	AGA	AGA	AGB	AGF	AGA	AGF								1
	L	D0OZ 7123943	AGA	AGA	AGB	AGF	AGA	AGF								1
TRIM CODES →			2A	2B												
B(71D)	R	D0OZ 7123942	A5A	A5B												1
	L	D0OZ 7123943	A5A	A5B												1
TRIM CODES →			6A	6F	YA	YW										
B(76F)	R	D0OZ 6523942	A6A		A6A											1
	L	D0OZ 6523943	A6A	A6F	A6A	A6W										1
TRIM CODES →			BA	BAA	BB	BBA	BE	BEA	BF	BFA	BG	BGA	BW	BWA		
F(63A, 65A, 76A)	R	D0ZZ 6523942	A2A	B2A		B2B		B2E		B2F	A2G	B2G		B2W		1
	L	D0ZZ 6523943	A2A	B2A	A2B	B2B	A2E	B2E	A2F	B2F	A2G	B2G	A2W	B2W		1
TRIM CODES →			3A	3F	CF	EA	TA	TG								
F(63)	R	D0ZZ 6523942	A5A			A5A	A2A	A2G								1
	L	D0ZZ 6523943	A5A	A5F	A5F	A5A	A2A	A2G								1
TRIM CODES →			AA	AF	TA	TG										
F(65)	R	D0ZZ 6523942	A5A	A2A	A2G											1
	L	D0ZZ 6523943	A5A	A5F	A2A	A2G										1
TRIM CODES →			CF	EA												
F(76B)	R	D0ZZ 6523942		A5A												1
	L	D0ZZ 6523943	A5F	A5A												1
TRIM CODES →			1A	1B	1D	1Y	2A	2B	2D	2Y	FD	FY				
P(62A)	R	D0DZ 6223942	A1A	A1B		A1Y	A1A	A1B		A1Y		A1Y				1
	L	D0DZ 6223943	A1A	A1B	A1D	A1Y	A1A	A1B	A1D	A1Y	A1D	A1Y				1
TRIM CODES →			4A	4B	4W	5A, 5AA	5B, 5BA	5D, 5DA	5Z, 5ZA	6A	6D	6Z				
S(57)	R	D0SZ 5723942	A4A	A4B	A4W	A5A	A5B	A5D	A5Z	A5A	A5D	A5Z				1
	L	D0SZ 5723943	A4A	A4B	A4W	A5A	A5B	A5D	A5Z	A5A	A5D	A5Z				1
TRIM CODES →			2A	2B	2W	8A	8D	8F	1AA	1BA	1FA					
S(65A, B)	R	D0SZ 6523942	A2A	A2B	A2W	A3A	A3D	A3F	B1A	B1B	B1F					1
	L	D0SZ 6523943	A2A	A2B	A2W	A3A	A3D	A3F	B1A	B1B	B1F					1
TRIM CODES →			3A	3B	3D	3F	4A	4B	4W							
S(65C, D)	R	D0SZ 6523942	A3A	A3B	A3D	A3F	A2A	A2B	A2W							1
	L	D0SZ 6523943	A3A	A3B	A3D	A3F	A2A	A2B	A2W							1
TRIM CODES →			All													
U	R	D3BZ 1023942	ASU													1
	L	C8TZ 9723943	A8D													1
TRIM CODES →			1A	1B	1Y	3A	3B	3Y	4A	4B	4D	4Y				
X(54)	R	C9DZ 5423942	BBA	BBB	BBY	BEA	BEB	BEY	BEA	BEB	BED	BEY				1
	L	C9DZ 5423943	BBA	BBB	BBY	BEA	BEB	BEY	BEA	BEB	BED	BEY				1
TRIM CODES →			1A	1B	1Y	3A	3B	3Y	4A	4B	4D	4Y				
X(62)	R	C9DZ 6223942	BBA	BBB	BBY	BJA	BJB	BJY	BJA	BJB	BJD	BJY				1
	L	C9DZ 6223943	BBA	BBB	BBY	BJA	BJB		BJA	BJB	BJD					1
TRIM CODES →			2A	2B	2Y	4A	4B	4D	4Y							
X(71)	R	C9DZ 5423942	BBA	BBB	BBY	BEA	BEB	BED	BEY							1
	L	C9DZ 5423943	BBA	BBB	BBY	BEA	BEB	BED	BEY							1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES															QTY.
TRIM CODES →				SECOND CHARACTER of TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER	
				—B	—D	—E	—F	—G	—K	—P	—Y	—Z						
COLORS →			LENGTH	BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO		BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
24046 INSERT - FRONT DOOR ARM REST FINGER TIP PLATE																		
F(63B,C,65B,E,76B)		D0ZZ 6524046		FA		BA	CA	DA						GA		EA		2
24100 PAD - DOOR ARM REST - INCLUDES ATTACHING PARTS																		
A(54,57,71)-front and rear door		D0AZ 5424100		D	H		A	F	B		C			G		E	⊕J	4
A(63,65,76)-front door		D0AZ 6224100		D	H		A	F	B		C			G		E		2
A(63,65,76)-quarter		D0OZ 6224100		E	G		A	C			D			F		B		2
		D0AZ 6224100							K									2
B-front, rear door and quarter		D0OZ 6224100		E	G		A	C			D			F		B		4
F			Refer to Group 24140-1															
P(62)		D0OZ 6224100	3 5/8"	E	G						D			F				2
S			Refer to Group 24140-1															
X			Refer to Group 24140-1															
24140-1 REST - DOOR ARM - INCLUDES ATTACHING PARTS																		
A			Refer to Groups 24100 and 24144															
B			Refer to Groups 24100 and 24144															
F(63,65A,B,76)-front door	R	D0ZZ 6524140		B		F	A	D						E		C		1
	L	D0ZZ 6524141		B		F	A	D						E		C		1
F(63B,65B,E,76B)			Serviced in Assembly - Refer to Group 23942-3															
P			Refer to Group 24100 and 24144															
S(57)-front door	R	D0SZ 5724140		E	C			F			D	A		B		G		1
	L	D0SZ 5724141		E	C			F			D	A		B		G		1
S(57)-rear door	R	D0SZ 5727540		B	D			F			E	A		C		G		1
	L	D0SZ 5727541		B	D			F			E	A		C		G		1
S(65)-front door	R	D0SZ 6524140		D	C		B	E			F			A				1
	L	D0SZ 6524141		D	C		B	E			F			A				1
	R	D0SY 6524140														E		1
	L	D0SY 6524141														E		1
S(65)-quarter	R	D0SZ 6531600		B	D		A	F			E			C		G		1
	L	D0SZ 6531601		B	D		A	F			E			C		G		1
U	R	D0TZ 1024140													B			1
	L	D0TZ 1024141													B			1
X-front door	R	C8AZ 5427540		A1B							A1Y			A1A				1
	L	C8AZ 5427541		A1B							A1Y			A1A				1
	R	C9OZ 5427540			CED													1
	L	C9OZ 5427541			CED													1
X(54,71)-rear door	R	C8OZ 5427540		A1B							A1Y							1
	L	C8OZ 5427541		A1B							A1Y							1
	R	C9OZ 5427540			CDD													1
	L	C9OZ 5427541			CDD													1
	R	C8TZ 8127540												C1A				1
	L	C8TZ 8127541												C1A				1
X(62)-quarter		C8OZ 6331600		A1B							A1Y			A1A				2
		C9OZ 6331600			ADD													2

⊕ Beige

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER		
			B	D	E	F	G	K	P	Y	Z						
COLORS →			BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE		
24144 BASE - DOOR ARM REST - INCLUDES ATTACHING PARTS																	
A(54,57,71)-front and rear door		D0AZ 5424144			J		G	F	K		C		A	D	H		4
		D1AZ 5724144		B												$H	2
A(63,65,76)-front door		D0AZ 6224144		B	J		F	E	H		C		A		G		2
		D0AZ 6324144														$E	2
A(63,65,76)-quarter		D0AZ 6231604						E	H		C		A	D	G		2
		D0OZ 6231604			A												2
		D0AZ 6331604														$A	2
		D3OZ 6531604		B			F										2
B-front and rear door		D0OZ 6224144						C							B		4
		D0DZ 6224144									J					$F	4
		D3DZ 6224144		L	•		M						K				4
B-quarter		D0AZ 6231604						E			C		A		G		2
		D0OZ 6231604			A												2
		D0AZ 6331604														$A	2
		D3OZ 6531604		B			F										2
F			Serviced in Assembly - Refer to Group 24140-1														
P(62)		D0DZ 6224144									J						2
		D3DZ 6224144		L	•								K				2
S			Serviced in Assembly - Refer to Group 24140-1														
X			Serviced in Assembly - Refer to Group 24140-1														
243A34-5 WINDLACE - CENTER BODY PILLAR REAR - Refer to Group 24486-7																	
24346-7 PANEL - CENTER BODY PILLAR INSIDE FINISH																	
A(54, 71)-lower	R	D0AZ 5424346														*A	1
	L	D0AZ 5424347														*A	1
A(57) - "Before 1/2/70"	R	C9AZ 5724346							B1K		B1Y		B1A				1
	L	C9AZ 5724347							B1K		B1Y		B1A				1
	R	D0AZ 5724346		A	D			C							B		1
	L	D0AZ 5724347		A	D			C							B		1
A(57) - "From 1/2/70"	R	D1AZ 5724346		E	H								G		F		1
	L	D1AZ 5724347		E	H								G		F		1
	R	D0AZ 5724346						G	K		L						1
	L	D0AZ 5724347						G	K		L						1
B(57)	R	D0OZ 5724346		BA	EA			CA			AA		DA				1
	L	D0OZ 5724347		BA	EA			CA			AA		DA				1
S(57)-loop pile-lower	R	C9SZ 5724346		C2B									C2A				1
	L	C9SZ 5724347		C2B									C2A				1
	R	D0SZ 5724346						G									1
	L	D0SZ 5724347						G									1
S(57)-cut pile-lower	R	C9SZ 5724346		B1B									B1A				1
	L	C9SZ 5724347		B1B									B1A				1
	R	D0SZ 5724346			J			D			C	H					1
	L	D0SZ 5724347			J			D			C	H					1
S(57)-upper	R	D1SZ 5724546											E				1

$ Chrome * Paint to Match • Use Black

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—G	—K	—P	—Y	—Z					
COLORS →			BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
24452-3 CAP - CENTER BODY PILLAR FINISH																
A(54,71)			Refer to Group 517B26-7 in Body Section													
B(54)			Refer to Group 52208 in Body Section													
B(71)	R	C8OZ 5424452													$A	1
	L	C8OZ 5424453													$A	1
X(54,71)		C6OZ 5424452													$A	2
24486-7 WINDLACE - CENTER BODY PILLAR - Also refer to Groups 02600, 24544-5 and 281A74-5																
A(54,71)-front	R	C9AZ 5424486										A1A				1
	L	C9AZ 5424487										A1A				1
	R	D0AZ 5424486		B	E		A	D						C		1
	L	D0AZ 5424487		B	E		A	D						C		1
A(54,71)-rear	R	C9AZ 54243A34										A1A				1
	L	C9AZ 54243A35										A1A				1
	R	D0AZ 54243A34		B	E									C		1
	R	D1AZ 54243A34				C										1
	L	D0AZ 54243A35		B	E		A							C		1
S(57)		D0SZ 5724486		E	D					A	B	C		G		2
24544-5 WINDLACE - REAR DOOR OPENING - Also refer to Groups 02600, 24486-7 and 281A74-5																
A(54)			Serviced in Assembly - Refer to Group 31012-3													
A(71)	R	C9AZ 7124544										A1A				1
	L	C9AZ 7124545										A1A				1
	R	D0AZ 7124544		C	F		A									1
	L	D0AZ 7124545		C	F		A									1
B(54)			Refer to Group 513A68-9 in Body Section													
B(71)	R	D0OZ 7124544		B			A					D				1
	L	D0OZ 7124545		B			A					D				1
S(57)	R	D0SZ 5724544		E	D						B	C		G		1
	L	D0SZ 5724545		E	D						B	C		G		1
X(54)	R	C9OZ 5424544								B2Y						1
	L	C9OZ 5424545								B2Y						1
X(71)	R	C9DZ 7124544								A1Y		ACA				1
	L	C9DZ 7124545								A1Y		ACA				1
24546-7 PAD - CENTER BODY PILLAR UPPER - Refer to Group 24346-7																
255A30-1 COVER - REAR DOOR OUTSIDE UPPER EXTENSION																
S(57)	R	C9SZ 57255A30										BDB		BAC		1
	L	C9SZ 57255A31										BDB		BAC		1
	R	D0SZ 57255A30		B43											†B07	1
	L	D0SZ 57255A31		B43											†B07	1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
27406-7 PANEL ASSY. - REAR DOOR TRIM																
TRIM CODES →			5B	5G	6B	6G										
A(54A,C)	R	D0AZ 5427406	A6B	A5G	A6B	A5G										1
	L	D0AZ 5427407		A5G		A5G										1
TRIM CODES →			6B	6G	FG	HY	KY									
A(71)	R	D0AZ 5427406	A6B	A5G	AFG											1
	L	D0AZ 5427407		A5G		AKY	AKY									1
TRIM CODES →			2A	2B	3A	3B	7A	7B	JA	JB	KA					
B(54)	R	D0OZ 5427406	A2A	A2B	A2A	A2B	A7A	A7B	A7A	A7B	A7A					1
	L	D0OZ 5427407	A2A	A2B	A2A	A2B	A7A	A7B	A7A	A7B	A7A					1

$ Paint to Match † Brown

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
27406-7 PANEL ASSY. - REAR DOOR TRIM - continued																	
TRIM CODES →			7A	7B	JA	JB	KA										
B(57C)	R	D00Z 5727406	A7A	A7B	A7A	A7B	A7A										1
	L	D00Z 5727407	A7A	A7B	A7A	A7B	A7A										1
TRIM CODES →			2A	2B	5A	5B	BA	GA	GB	GF	VA	VF					
B(71)	R	D0OZ 7127406	A5A	A5B	A5A	A5B	AGA	AGA	AGB	AGF	AGA	AGF					1
	L	D0OZ 7127407	A5A	A5B	A5A	A5B	AGA	AGA	AGB	AGF	AGA	AGF					1
TRIM CODES →			4A	4B	4W	5A, 5AA	5B, 5BA	5D, 5DA	5Z, 5ZA	6A	6D	6Z					
S(57)	R	D0SZ 5727406	A4A	A4B	A4W	A5A	A5B	A5D	A5Z	A5A	A5D	A5Z					1
	L	D0SZ 5727407	A4A	A4B	A4W	A5A	A5B	A5D	A5Z	A5A	A5D	A5Z					1
TRIM CODES →			1A	1B	1Y	3A	3B	3Y	4A	4B	4D	4Y					
X(54)	R	C9DZ 5427406	BBA	BBB	BBY	BEA	BEB	BEY	BEA	BEB	BED	BEY					1
	L	C9DZ 5427407	BBA	BBB	BBY	BEA	BEB	BEY	BEA	BEB	BED	BEY					1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—G	—K	—P	—Y	—Z					
COLORS →			BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
274A34-5 PANEL - REAR DOOR UPPER EXTENSION																
S(57)	R	D0SZ 57274A34		B3B	B4D						B5Z	B3A		B2W		1
	L	D0SZ 57274A35		B3B	B4D						B5Z	B3A		B2W		1
27540-1 REST - REAR DOOR ARM - Refer to Groups 24100, 24140-1 and 24144																
281A38-9 CAP - QUARTER PILLAR FINISH																
B(71), X(71)	R	C6OZ 71281A38													$A	1
	L	C6OZ 71281A39													$A	1
281A74-5 COVER - QUARTER LATCH PILLAR FLANGE - Also refer to Groups 02600 and 24544-5																
A(63, 65, 76)	R	C9AZ 63281A74						B1K		B1Y		B1A				1
	L	C9AZ 63281A75						B1K		B1Y		B1A				1
	R	D0AZ 63281A74		B	D		A							E		1
	L	D0AZ 63281A75		B	D		A							E		1
B(63, 65)	R	D0OZ 65281A74		C			A					F		D		1
	L	D0OZ 65281A75		C			A					F		D		1
B(76)	R	D0OZ 76281A74					A					D		C		1
	L	D0OZ 76281A75					A					D		C		1
X(62)	R	C6OZ 62281A74		AAC												1
	L	C6OZ 62281A75		AAC												1
	R	C7OZ 62281A74										CBA				1
	L	C7OZ 62281A75										CBA				1
	R	C8DZ 62281A74			A1D											1
	L	C8DZ 62281A75			A1D											1
	R	C9OZ 62281A74								A1Y						1
	L	C9OZ 62281A75								A1Y						1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
31004-5 PANEL - QUARTER FRONT TRIM																	
TRIM CODES →			6A	6F	YA												
B(76)	R	D0OZ 7631004	A6A	A6F	A6A												1
	L	D0OZ 7631005	A6A	A6F	A6A												1
TRIM CODES →			All														
F(76 -Shelby GT350/500)	R	C9ZZ 7631004	$D														1
	L	C9ZZ 7631005	$D														1

$ Paint to Match

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

31012-3 PANEL ASSY. - QUARTER TRIM

			COLORS →	AQUA	BLACK	BLUE	GINGER	GREY	IVY GREEN	NUGGET GOLD	PARCH-MENT	RED	TOB-ACCO	VERMI-LION	WHITE			QTY.
A(54)	R	C9AZ 5431012			B1A						B1U							1
	L	C9AZ 5431013			B1A					B1Y	B1U							1
	R	D0AZ 5431012				A			C			D			B			1
	L	D0AZ 5431013				A			C			D			B			1
A(71)	R		Front - Refer to Group 31136-7															
	R		Rear - Refer to Group 47042															
	L	C9AZ 7131013			C1A					C1Y								1
	L	D0AZ 7131013				B	A		C			D						1
B(54,57)	R	D0OZ 5431012								$B								1
	L	D0OZ 5431013								$B								1
X(54)	R	C8DZ 5431012			B1A	BAC												1
	L	C8DZ 5431013			B1A	BAC												1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
A(54,57,71)			Cataloged by color at the beginning of this group													
TRIM CODES →			5A	6A	8A, 8AA	JA, JAA										
A(65A,C)	R	D0AZ 6531012	A5A	A5A	A5A	A5A										1
TRIM CODES →			4A	4B	4G	4Y	AA	AB	AY							
A(65M)	R	D0YB 6531012	A3A	A3B	A3G	A3Y	A3A	A3B	A3Y							1
	L	D0YB 6531013	A3A	A3B	A3G	A3Y	A3A	A3B	A3Y							1
TRIM CODES →			6A	6B	6D	6F	6W	8A, 8AA	8B, 8BA	8D, 8DA	8F, 8FA	8W, 8WA				
A(76)	L	D0AZ 7631013	A6A	A6B	A6D	A6F	A6W	A6A	A6B	A6D	A6F	A6W				1
B(54,57)			Cataloged by color at the beginning of this group													
TRIM CODES →			7A	7B	8A	8B	8F	8W								
B(63C)	R	D0OZ 6331012	A8A	A8B	A8A	A8B	AJF	A8W								1
	L	D0OZ 6331013	A8A	A8B	A8A	A8B	AJF	A8W								1
TRIM CODES →			DF	JA	JB	JF	JW	KA	KW							
B(63C)	R	D0OZ 6331012	AJF	A8A	A8B	AJF	A8W	A8A	A8W							1
	L	D0OZ 6331013	AJF	A8A	A8B	AJF	A8W	A8A	A8W							1
TRIM CODES →			6A	6B	6F	EF	WA	YA	YB	YF						
B(63F)	R	D0OZ 6331012	A6A	A6B	A6F	A6F	A6A	A6A	A6B	A6F						1
	L	D0OZ 6331013	A6A	A6B	A6F	A6F	A6A	A6A	A6B	A6F						1
TRIM CODES →			3A	3B	CA	CB	CF	PF	RA	RB	RF					
B(63H)	R	D0OZ 6331012	A3A	A3B	A3A	A3B	A3F	A3F	A3A	A3B	A3F					1
	L	D0OZ 6331013	A3A	A3B	A3A	A3B	A3F	A3F	A3A	A3B	A3F					1
TRIM CODES →			3A	3B	7A	7B	8A	8B	8F	8W						
B(65)	R	D00Z 6531012	A3A	A3B	A8A	A8B	A8A	A8B	A8F	A8W						1
	L	D00Z 6531013	A3A	A3B	A8A	A8B	A8A	A8B	A8F	A8W						1
TRIM CODES →			DD	DF	JA	JB	JF	JW	KA	KW						
B(65C)	R	D0OZ 6531012	ADD	A8F	A8A	A8B	A8F	A8W	A8A	A8W						1
	L	D0OZ 6531013	ADD	A8F	A8A	A8B	A8F	A8W	A8A	A8W						1
B(71)			Refer to Group 31136-7													
B(76)			Refer to Group 31148-9													

$ Paint to match

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
31012-3 PANEL ASSY. - QUARTER TRIM - continued																	
F(63)			Refer to Group 31486-7														
TRIM CODES →			All														
F(65)	R	C9ZZ 6531012	$A														1
	L	C9ZZ 6531013	$A														1
TRIM CODES →			1A	1B	1D	1Y	2A	2B	2D	2Y							
P(62)	R	D0DZ 6231012			D				D								1
	L	D0DZ 6231013				A				A							1
	R	D1DZ 6231012	G	E		H	G	E		H							1
	L	D1DZ 6231013	G	E	F		G	E	F								1
TRIM CODES →			3A	3B	3D	3Y	5A	5B	5D	5Y	FD	FY					
P(62)	R	D0DZ 6231012			D				D		D						1
	L	D0DZ 6231013				A				A		A					1
	R	D1DZ 6231012	G	E		H	G	E		H		H					1
	L	D1DZ 6231013	G	E	F		G	E	F		F						1
TRIM CODES →			4A	4B	4W	5A, 5AA	5B, 5BA	5D, 5DA	5G, 5GA	SY, SYA	SZ, AZA	6A	6D	6Z			
S(57B)	R	C9SZ 5731012	CDA	CDB	CDW	CDA	CDB	CED		CDY		CDA	CED				1
	L	C9SZ 5731013	CDA	CDB	CDW	CDA	CDB	CED		CDY		CDA	CED				1
	R	D0SZ 5731012							C5G		C5Z			C5Z			1
	L	D0SZ 5731013							C5G		C5Z			C5Z			1
TRIM CODES →			1AA	1BA	1FA	2A	2B	2W	8A	8D	8F						
S(65A, B)	R	D0SZ 6531012	B1A	B1B	B1F	A2A	A2B	A2W	A3A	A3D	A3F						1
	L	D0SZ 6531013	B1A	B1B	B1F	A2A	A2B	A2W	A3A	A3D	A3F						1
TRIM CODES →			3A	3B	3D	3F	4A	4B	4W								
S(65C, D)	R	D0SZ 6531012	A3A	A3B	A3D	A3F	A2A	A2B	A2W								1
	L	D0SZ 6531013	A3A	A3B	A3D	A3F	A2A	A2B	A2W								1
X(54)			Cataloged by color at the beginning of this group														
TRIM CODES →			1A	1B	1Y	3A	3B	3Y	4A	4B	4D	4Y					
X(62)	R	C9DZ 6231012	BBA	BBB	BBY	BJA	BJB	BJY	BJA	BJB	BJD	BJY					1
	L	C9DZ 6231013	BBA	BBB	BBY	BJA	BJB	BJY	BJA	BJB	BJD	BJY					1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—G	—K	—P	—Y	—Z					
COLORS →			BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
31112-3 PANEL - QUARTER UPPER REAR TRIM																
F(63)-w/o folding rear seat	R	D0ZZ 6331112													$A	1
	L	D0ZZ 6331113													$A	1
F(63)-w/folding rear seat	R	D0ZZ 6331112													$B	1
	L	D0ZZ 6331113													$B	1
31113 PANEL - QUARTER REAR TRIM																
B(71)	R		Refer to Group 47042													
	L	C8OZ 7131113										D1A				1
	L	D0OZ 7131113		C			A									1
31136-7 PANEL - QUARTER FRONT TRIM																
A(71)	R	C9AZ 7131136										C1A				1
	R	D0AZ 7131136		B	D		A	C								1
	L		Refer to Group 31013													
B(71)	R	C7OZ 7131136										E1A				1
	R	D0OZ 7131136		B			A									1
	L	D0OZ 7131137		B			A									1
X(71)	L	C9DZ 7131137										ACA				1

$ Paint to Match

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
31148-9 PANEL - QUARTER REAR TRIM																	
TRIM CODES →			6A, 6AA	6F, 6FA	YA, YAA	YW, YWA											
B(76F)	R	D0OZ 7631148	A6A	A6F	A6A	ARW											1
	L	D0OZ 7631149	A6A	A6F	A6A	ARW											1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
COLORS →			B BLUE	D RED	E VERMILION	F GINGER	G IVY GREEN	K AQUA	P GREY	Y NUGGET GOLD	Z TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
31222-3 PANEL - QUARTER LOWER REAR TRIM																
F(63)	R	C9ZZ 6331222													$A	1
	L	C9ZZ 6331223													$A	1
31290-1 WINDLACE - QUARTER PILLAR - Refer to Group 02600																
31330-1 PANEL - QUARTER PILLAR TRIM																
X(71)	R	C7DZ 7131330		B1B												1
	L	C7DZ 7131331		B1B												1
	R	C8DZ 7131330			B1D							B1A				1
	L	C8DZ 7131331			B1D							B1A				1
	R	C9DZ 7131330								BBY						1
	L	C9DZ 7131331								BBY						1
31342-3 COVER - QUARTER PILLAR TRIM PANEL - UPPER																
B(62)	R	D0OZ 6231342		B								D				1
	L	D0OZ 6231343		B						A		D				1
31406 STRAP - REAR DOOR ASSIST																
A(54)		C9AZ 5431406										ABA				2
31486-7 PANEL - QUARTER LOWER FRONT TRIM																
F(63-exc. Shelby GT350/500)	R	C9ZZ 6331486													$A	1
	L	C9ZZ 6331487													$A	1
F(63-Shelby GT350/500)	R	C9ZZ 6331486										$A1W		A1W		1
	L	C9ZZ 6331487										$A1W		A1W		1
31600-1 REST - QUARTER ARM - Refer to Group 24140-1																
31750-1 COVER - QUARTER WHEELHOUSE - IN LUGGAGE COMPARTMENT																
S	R	D0SZ 5731750							A							1
	L	D0SZ 6531751							A							1
40374 PANEL - BACK PANEL LOWER TRIM																
B(66)		D0OZ 6640374		D			B					E		A		1
44867 COVER - LUGGAGE COMPARTMENT FLOOR REAR - Refer to Group 45455-6																

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
45422-3 COVER - LUGGAGE COMPARTMENT SIDE				
S(65)	R	D0SZ 6545422-A	Grey	1
	L	D0SZ 6545423-A	Grey	1
45444 LINING BOARD - LUGGAGE COMPARTMENT FRONT				
A, B, F, P, X		★	Dealer Improvise	
S		C7SZ 6545444-A		1

$ Paint to Match

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
45455-6 COVER - LUGGAGE COMPARTMENT FLOOR				
A(54A, C, 57,63,65)		D0AZ 5445476-A	Grey carpet - rear	1
A(54A,C,57,63, 65)		D0AZ 5444867-A	Grey rubber - rear	1
A(54B,E,65M)		D0AZ 6245476-A	Grey carpet - rear	1
A(54B,E,65M)		D0AZ 6244867-A	Grey rubber - rear	1
B(54, 57, 62, 63, 65)		D0OZ 5445494-A	Grey burtex - w/o evaporative emission system	1
		D0OZ 5445494-B	Grey burtex - w/evaporative emission system	1
B(76)		D0OZ 7645494-A	Grey burtex - w/o evaporative emission system	1
		D0OZ 7645494-B	Grey burtex - w/evaporative emission system	1
F(63)-w/o folding seat		C9ZZ 6345494-B1P	Grey rubber - w/o evaporative emission system	1
		D0ZZ 6345494-A	Grey rubber - w/evaporative emission system	1
F(63)-w/folding seat		C9ZZ 6345494-A1P	Grey rubber - w/o evaporative emission system	1
F(65A, B)		C9ZZ 6545494-A1P	Grey rubber - w/o evaporative emission system	1
		D0ZZ 6545494-B	Grey rubber - w/evaporative emission system	1
F(65E)		C9ZZ 6545494-C1P	Grey rubber - w/o evaporative emission system	1
F(76)		C9ZZ 7645494-A1P	Grey rubber - w/o evaporative emission system	1
P(62)		D0DZ 6245494-A	Grey plaid rubber - cut hole for California evaporative emission system	1
		D0DZ 6245494-B	Dark grey rubber - cut hole for California evaporative emission system	1
S		D0SZ 6545455-A	Grey carpet - front - w/o evaporative emission system	1
		D0SZ 6545455-B	Grey carpet - front - w/evaporative emission system	1
		D0SZ 6545476-A	Grey carpet - rear	1
		C9SZ 6547196-BCP	Grey carpet - center	1
X(54, 62)		C8DZ 6245494-A1P	Grey burtex	1

45476 COVER - LUGGAGE COMPARTMENT FLOOR REAR - Refer to Group 45455-6

45494 COVER - LUGGAGE COMPARTMENT FLOOR CENTER - Refer to Group 45455-6

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
45522-3 LINING BOARD - LUGGAGE COMPARTMENT BACK				
F(GT350/500)	R	C9ZZ 6545522-A	Saddle grain	1
	L	C9ZZ 6545523-A	Saddle grain	1
S	R	D0SZ 6545522-A	Grey	1
	L	D0SZ 6545523-A	Grey	1

46656 PANEL - PACKAGE TRAY TRIM - Refer to Group 46668

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES — SECOND CHARACTER of TRIM CODE														QTY.
TRIM CODES →				—B	—D	—E	—F	—G	—K	—P	—Y	—Z	ALL CODES	ALL CODES	ALL CODES	OTHER	
COLORS →				BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
46668 PANEL - PACKAGE TRAY TRIM																	
A(54)-w/speakers		C9AZ 5446668											A1A				1
		D1AZ 5446668			E												1
A(54)-w/o speakers		D0AZ 6246668		B							E		F				1
A(63)-w/speakers		C9AZ 6346668											B1A				1
A(65)-w/speakers		D0AZ 6546668											J				1
A(65)-w/o speakers		D0AZ 6546668											G				1
B(54, 57, 62, 63, 65)-w/speakers		D0OZ 5446668		C									B				1
B(54, 57, 62, 65)-w/o speakers		D0OZ 6546668		L			H	U			K		G				1
B(63)-w/speakers		D0OZ 6346668		J			K										1
B(63)-w/o speakers		D0OZ 6346668		A			C										1
F(63)		C9ZZ 6346656											B1A				1
F(65)		C9ZZ 6546668											C1A				1
		D0ZZ 6546668						C									1
P(62)		D2DZ 6246668														$C	1
S(57)		C9SZ 5746668														$A	1
S(65)		D0SZ 6546668														$A	1
X(62)		C8DZ 6246656		B2B	B2D								B2A				1
		C9DZ 6246656									BBY						1

$ Paint to Match

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER		
			B	D	E	F	G	K	P	Y	Z						
COLORS →			BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE		
47042 COVER - SPARE WHEEL WELL																	
A(71)		C9AZ 7147042								A1Y		A1A					1
		D0AZ 7147042	B	D		A	C										1
B(71)		C8OZ 7147042										A1A					1
		D0OZ 7147042	B			A											1
X(71)		C8DZ 7147042	A1B	A1D								A1A					1
		C9DZ 7147042									A1Y						1
47196 COVER - LUGGAGE COMPARTMENT FLOOR CENTER - Refer to Group 45455-6																	
501A42 TONNEAU COVER KIT - INCLUDES STORAGE CONTAINER																	
B(66)		D1OZ 66501A42										B		A			1
502A82 COVER and PANEL - ROOF OUTSIDE																	
S(57)-w/sun roof		D0SZ 57502A82	B				D					A		C	#E		1
S(65)-w/sun roof		D0SZ 65502A82	C				D					A		B	#E		1
51338 WEATHERSTRIP - FOLDING TOP NO.1 BOW																	
A(76)		C9AZ 7651338										A1A		A1W			1
B(76)		C6OZ 7651338										BAB		BAC			1
F(76)		C9ZZ 7651338										A1A		A1W			1
51416 MOULDING - FOLDING TOP NO.4 BOW OUTSIDE - INCLUDES RETAINER																	
A(76), B(76), F(76)		C9ZZ 7651416										A1A		A1W			1
51752-3 MOULDING - ROOF SIDE INNER FRONT																	
A(54, 71)	R	C9AZ 5451752						A1K									1
	L	C9AZ 5451753						A1K									1
		C9AZ 6251752								A1Y		A1A					2
	R	D0AZ 5451752	D	E		A	B						C				1
	L	D0AZ 5451753	D	E		A	B						C				1
A(57) †	R	D0AZ 5751752													$A		1
	L	D0AZ 5751753													$A		1
A(63) †	R	D0AZ 6351752													$A		1
	L	D0AZ 6351753													$A		1
A(65) †	R	D0AZ 6551752													$A		1
	L	D0AZ 6551753													$A		1
B(63) †	R	D0OZ 6351752													$A		1
	L	D0OZ 6351753													$A		1
S(57)	R	C7SZ 5751752													$C		1
	L	C7SZ 5751753													$C		1
S(65)	R	D0SZ 6551752													$A		1
	L	D0SZ 6551753													$A		1
51754-5 MOULDING - ROOF SIDE INNER REAR																	
A(54)	R	C9AZ 5451754						A1K		A1Y		A1A					1
	L	C9AZ 5451755						A1K		A1Y		A1A					1
	R	D0AZ 5451754	B	C			A							D			1
	L	D0AZ 5451755	B	C			A							D			1
A(57)		Serviced in assembly - refer to Group 51752-3															
A(63) †	R	D0AZ 6351754													$A		1
	L	D0AZ 6351755													$A		1
A(71)		C9AZ 7151754								A1Y		A1A					1
		D0AZ 7151754	E	D		A	B										1
B(63) †	R	D0OZ 6351754													$A		1
	L	D0OZ 6351755													$A		1
S(65)	R	D0SZ 6551754													$A		1
	L	D0SZ 6551755													$A		1

$ Paint to Match † Includes attaching parts # Brown

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			B	D	E	F	G	K	P	Y	Z					
COLORS →			BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
51916 HEADLINING - ROOF																
A(54)		C9AZ 5451916								A6Y		A6A	ALE			1
		D0AZ 5451916					A3G									1
A(65)		C9AZ 6551916										A5A				1
A(71)		C9AZ 7151916								A6Y		A6A				1
		D0AZ 7151916				AFF	AFG									1
B(54, 57)		D0OZ 5451916	A5B									A5A				1
B(63)		D0OZ 6351916	A6B			A6F						A6A		A6W		1
B(62, 65)		D0OZ 6251916	A3B			A3F						A3A		A3W		1
B(66)		D0OZ 6651916	B5B									B5A		B2W		1
B(71)		D0OZ 7151916	B5B			B9F						B5A				1
F(63)		C9ZZ 6351916										A2A				1
F(65)		C9ZZ 6551916										A2A				1
P(62)		D0DZ 6251916		A1D						A1Y						1
		D3DZ 6251916	A4B									A4A				1
S(57)-w/o sun roof		D0SZ 5751916	A3B	A9D							A5Z	A9A		A2W		1
S(57)-w/sun roof-cut to fit																1
S(65)-w/o sun roof		D0SZ 6551916	A2B	A2D		A8F						A2A		A8W		1
S(65)-w/sun roof-cut to fit																1
U(98)-front		D3BZ 1051916											A			1
U(98)-rear		D3BZ 1051918											A			1
X(71)		C8OZ 7151916	A5B									A5A				1

51966 PANEL - ROOF TRIM - Refer to Group 51916

51996 PANEL - ROOF REAR TRIM - Refer to Group 51916

BODY TYPE	R/L	PART NUMBER	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			B	D	E	F	G	K	P	Y	Z					
COLORS →			BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
52018-9 COVER - ROOF SIDE REAR TRIM																
B(66)	R	D0OZ 6652018	C			F						B		E		1
	L	D0OZ 6652019	C			F						B		E		1
F(63)	R	D0ZZ 6352018										F				1
	L	D0ZZ 6352019					B					F				1
S(57)	R	D0SZ 5752018	G	E							H	B		C		1
	L	D0SZ 5752019	G	E							H	B		C		1
S(65)	R	D0SZ 6552018	B2B	B2D		B1F						B2A		B7W		1
	L	D0SZ 6552019	B2B	B2D		B1F						B2A		B7W		1

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
52500 WINDOW - FOLDING TOP BACK CURTAIN				
A(76)		C9AZ 7652500-AAB	Glass window - used with Black tops	1
		C9AZ 7652500-AAC	Glass window - used with White tops	1
		C9AZ 7652500-BAB	Vinyl window - used with Black tops	1
		C9AZ 7652500-BAC	Vinyl window - used with White tops	1
B(76)		D0OZ 7652500-A	Glass window - used with Black tops	1
		D0OZ 7652500-B	Glass window - used with White tops	1
F(76)		C9ZZ 7652500-AAB	Glass window - used with Black tops	1
		C9ZZ 7652500-AAC	Glass window - used with White tops	1
		C9ZZ 7652500-A01	Vinyl window - used with Black tops	1
		C9ZZ 7652500-A02	Vinyl window - used with White tops	1
52700 TOP - FOLDING - LESS BACK CURTAIN and BOWS				
A(76)		C9AZ 7652700-AAB	Black	1
		C9AZ 7652700-AAC	White	1
B(76)		D0OZ 7652700-A01	Black	1
		D0OZ 7652700-A02	White	1
F(76)		C9ZZ 7652700-AAB	Black	1
		C9ZZ 7652700-AAC	White	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
52874-5 CASE - FOLDING TOP SIDE QUARTER				
A(76)		C9AZ 7652874-AAB	Black - used with all tops	2
B(76)	R	D0OZ 7652874-A01	Black - used with all tops	1
	L	D0OZ 7652875-A01	Black - used with all tops	1
53278 ZIPPER - FOLDING TOP BACK CURTAIN				
A(76)		C9AZ 7653278-AAB	Black - used with all tops	1
53700 COVER - ROOF OUTSIDE				
B(54, 57)		D0OZ 5453700-A01	Black	1
		D0OZ 5453700-A09	Beige	1
		D0OZ 5453700-A03	Blue	1
		D0OZ 5453700-A02	White	1
B(62,63,65)		D0OZ 6553700-A01	Black	1
		D0OZ 6553700-A09	Beige	1
		D0OZ 6553700-A03	Blue	1
		D0OZ 6553700-A02	White	1
B(66)		D0OZ 6653700-A01	Black	1
		D0OZ 6653700-A02	White	1
S(57)		C9SZ 5753700-ADB	Black	1
		C9SZ 5753700-AAC	White	1
X(62)		C6OZ 6253700-AAB	Black	1
		C6OZ 6253700-AAC	White	1
537A02 PAD - ROOF OUTSIDE COVER - REAR SIDE				
S(57)		C7SZ 57537A02-A		2
S(65)		D0SZ 65537A02-A		2
53740 PAD - ROOF OUTSIDE COVER - FRONT SIDE				
S(57)		C7SZ 5753740-A		2
S(65)		D0SZ 6553740-A		2
54212-3 CASE - FOLDING TOP BACK STAY PAD				
A(76)		C9AZ 7654212-AAB	Black - used with all tops	2
B(76)	R	D0OZ 7654212-A01	Black - used with all tops	1
	L	D0OZ 7654213-A01	Black - used with all tops	1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			__B	__D	__E	__F	__G	__K	__P	__Y	__Z					
COLORS →			BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
54400 HOOD - FOLDING TOP DUST																
A(76)		C9AZ 7654400			A1D		A6F					A1A				1
B(76)		D0OZ 7654400										A6A		ARW		1
54486 CONTAINER - FOLDING TOP DUST HOOD																
A(76), B(76)		D0OZ 7654486										A01				1
54600 COMPARTMENT - FOLDING TOP - REAR																
A(76)		C9AZ 7654600										AAB				1
54602 TRIM - FOLDING TOP COMPARTMENT																
B(76)		D0OZ 7654602										A01				1
54640 COVER - FOLDING TOP COMPARTMENT - UPPER FRONT																
A(76)		C9AZ 7654640										AAB				1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES	QTY.
60032 BACK ASSY. - REAR SEAT - INCLUDES COVER				
TRIM CODES →			All	
U		D3BZ 1060032	ARU	1

IMPORTANT

When a complete Back Assembly is required, order BOTH a basic 60032 Kit plus a basic 66600 or 66601 Cover with applicable suffix for desired trim code.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES								
60032-3 BACK KIT- REAR SEAT-CONSISTS of SPRINGS,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.												
A(54)		D0AZ 5460032-A										
A(57)		D0AZ 5460032-A										
A(71)		C9AZ 7160032-A										
A(76)		C9AZ 7660032-A										
		TRIM CODES →		2A	2B							
B(54A)		C8OZ 5460032-A	D0OZ 5466600	A2A	A2B							
		TRIM CODES →										
B(54B,C,57C,E)		C8OZ 5460032-A										
		TRIM CODES →		2A	2B							
B(62A)			D0OZ 6266600	A2A	A2B							
		TRIM CODES →		3B								
B(63H,65B)			D0OZ 6566600	A3B								
		TRIM CODES →										
B(71B,E)		C9OZ 7160032-A										
		TRIM CODES →		2A	2B	GA	GB	GF				
B(71C,D)		C9OZ 7160032-A	D0OZ 7166600	A2A	A2B	AGA	AGB	AGF				
		TRIM CODES →										
B(76F)		C6OZ 7660032-A										
F(63)		C5ZZ 6360032-B										
F(65)		C5ZZ 6560032-C										
		TRIM CODES →		2A								
P(62)		D0DZ 6260032-A	D0DZ 6266600	A2A								
		TRIM CODES →		5A, 5AA	5B, 5BA	5D, 5DA	5Z, 5ZA					
S(57B)		D0SZ 5760032-B	D0SZ 5766600	A5A	A5B	A5D	A5Z					
		TRIM CODES →		4A	4B	4W						
S(57C)		D0SZ 5760032-A	D0SZ 5766600	A4A	A4B	A4W						
		TRIM CODES →		1A, 1AA	1B, 1BA	1F, 1FA	2A	2B	2W			
S(65A,B)	R	D0SZ 6560032-B	D0SZ 6566600	A1A	A1B	A1F						
	L		D0SZ 6566601	A1A	A1B	A1F						
	R		D0SZ 6566600				A2A	A2B	A2W			
	L	D0SZ 6560033-A	D0SZ 6566601				A2A	A2B	A2W			
		TRIM CODES →		3A	3B	3D	3F	4A	4B	4W		
S(65C,D)	R	D0SZ 6560032-B	D0SZ 6566600	A3A	A3B	A3D	A3F					
	L		D0SZ 6566601	A3A	A3B	A3D	A3F					
	R		D0SZ 6566600					A2A	A2B	A2W		
	L	D0SZ 6560033-A	D0SZ 6566601					A2A	A2B	A2W		
		TRIM CODES →		2A	2B	2Y						
X(71A)		C9OZ 7160032-A	C9DZ 7166600	A2A	A2B	A2Y						
		TRIM CODES →										
X(71B)		C9OZ 7160032-A										

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

IMPORTANT

When a complete Cushion Assembly is required, order BOTH a basic 60050 Kit plus a basic 62900 Cover with applicable suffix for desired trim code.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES						
60050-1 CUSHION KIT - FRONT SEAT- CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D.										
TRIM CODES →				5A	5B	5G	5K	5Y	6B	6G
A(54A,C)	•		D0AZ 6362900	A5A	A5B	A5G	A5K	A5Y	A6B	
			D0AZ 5462900							A6G
TRIM CODES →				3B	3G	3Y				
A(54B)	•		D0AZ 6262900	A3B	A3G	A3Y				
TRIM CODES →										
A(54C)-reclining		D0AZ 5460050-A								
TRIM CODES →				1A	1B	1Y				
A(54E)			D0AB 5462900	A1A	A1B	A1Y				
TRIM CODES →				5A	5B	5G	5K	5Y	6B	6G
A(57B,F)	•		D0AZ 6362900	A5A	A5B	A5G	A5K	A5Y	A6B	
			D0AZ 5462900							A6G
TRIM CODES →				5A	5B	5G	5K	5Y	6B	6F
A(63B,C) -non/reclining			D0AZ 6362900	A5A	A5B	A5G	A5K	A5Y	A6B	A6F
-reclining		D0AZ 5460050-A	D0AZ 6362900	A5A	A5B	A5G	A5K	A5Y	A6B	A6F
TRIM CODES →				8W						
A(63B,C)	R	D0AZ 6360050-A	D0AZ 6362900	A8W						
	L	D0AZ 6360051-A	D0AZ 6362900	A8W						
TRIM CODES →				5A	5B	5G	5K	5Y	6B	6F
A(65A,C) -non/reclining			D0AZ 6362900	A5A	A5B	A5G	A5K	A5Y	A6B	A6F
-reclining		D0AZ 5460050-A	D0AZ 6362900	A5A	A5B	A5G	A5K	A5Y	A6B	A6F
TRIM CODES →				8W						
A(65C)	R	D0AZ 6360050-A	D0AZ 6362900	A8W						
	L	D0AZ 6360051-A	D0AZ 6362900	A8W						
TRIM CODES →				4B	4G	4Y				
A(65M)		D0AZ 5460050-A	D0AZ 6262900	A3B	A3G	A3Y				
TRIM CODES →										
A(71)-reclining		D0AZ 5460050-A								
TRIM CODES →				6B	6F	6G				
A(71B,C)	•		D0AZ 6362900	A6B	A6F					
			D0AZ 5462900			A6G				
TRIM CODES →				6B	6F					
A(76) -non/reclining			D0AZ 6362900	A6B	A6F					
-reclining		D0AZ 5460050-A	D0AZ 6362900	A6B	A6F					
TRIM CODES →				8W						
A(76)	R	D0AZ 6360050-A	D0AZ 6362900	A8W						
	L	D0AZ 6360051-A	D0AZ 6362900	A8W						
TRIM CODES →										
B-bucket seat	R	D0OZ 6360050-B								
	L	D0OZ 6360051-A								
TRIM CODES →				2A	2B	3A	3B	3Y		
B(54)	•	D0OZ 6560050-A	D0OZ 6262900	A2A	A2B	A3A	A3B	A3Y		
TRIM CODES →										
B(54C,57C,E)		D0OZ 6560050-A								
TRIM CODES →				2A	2B					
B(62A,71D)		D0OZ 6560050-A	D0OZ 6262900	A2A	A2B					
TRIM CODES →				3A	3B	3Y				
B(63C,F,H)		D0OZ 6360050-A	D0OZ 6562900	A3A	A3B	A3Y				

• Remove center pivot bracket and fold under pivot bracket cover as required.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES							
60050-1 CUSHION KIT - FRONT SEAT- CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D.-continued											
TRIM CODES →				3A	3B	3Y					
B(65B,C)		D0OZ 6560050-A	D0OZ 6562900	A3A	A3B	A3Y					
TRIM CODES →				GA	GB	GF	TA	TB	UA	UB	
B(66,71,76)		D0OZ 6560050-A	D0OZ 6562900	AGA	AGB	AGF	ATA	ATB	AUA	AUB	
TRIM CODES →				BA, BAA							
F	R	D0ZZ 6560050-B	D0ZZ 6562900	A2A							
TRIM CODES →				1A	2A						
P(62A)		D0DZ 6260050-A	D0DZ 6262900	A1A	A2A						
TRIM CODES →				5AA	5BA	5DA	5ZA				
S(57B) -non/reclining	R	C9LY 6560050-A	D0SZ 5762900	B5A	B5B	B5D	B5Z				
-reclining	R	D0SZ 5760050-C	D0SZ 5762900	B5A	B5B	B5D	B5Z				
	L	C9LY 6560051-A	D0SZ 5762901	B5A	B5B	B5D	B5Z				
TRIM CODES →				4A	4B	4W					
S(57C) -non/reclining	•	D0SZ 5760050-A	D0SZ 6562900	A4A	A4B	A4W					
-reclining		D0SZ 5760050-B	D0SZ 6562900	A4A	A4B	A4W					
TRIM CODES →				1A, 1AA	1B, 1BA	1F, 1FA	2A	2B	2W		
S(65A, B) -non/reclining	R		D0SZ 6562900	A1A	A1B	A1F	A2A	A2B	A2W		
-reclining	R	D0SZ 6560050-B	D0SZ 6562900	A1A	A1B	A1F	A2A	A2B	A2W		
	L		D0SZ 6562900	A1A	A1B	A1F	A2A	A2B	A2W		
TRIM CODES →				3A	3B	3D	3F	4A	4B	4W	
S(65C, D) -non/reclining		D0SZ 5760050-A	D0SZ 6562900	A3A	A3B	A3D	A3F	A4A	A4B	A4W	
-reclining		D0SZ 5760050-B	D0SZ 6562900	A3A	A3B	A3D	A3F	A4A	A4B	A4W	
TRIM CODES →				3	9	94	9U				
U-bench		C6TZ 9660050-A	C9TZ 9662900	CCD							
		C6TZ 9660050-A	D0BZ 1062900		B8D						
-bucket	R	D0BZ 1060050-A	D3BZ 1062900			ARU	ARU				
	L	D0BZ 1060051-A	D3BZ 1062900			ARU	ARU				
TRIM CODES →				3A	3B	3Y	4A	4B	4D	4Y	
X(54,62)	•	D0OZ 6560050-A	C9DZ 6262900	A3A	A3B	A3Y	A4A	A4B	A4D	A4Y	
TRIM CODES →				2A	2B	2Y					
X(71A)	•	D0OZ 6560050-A	C9OZ 7162900	A2A	A2B	A2Y					
TRIM CODES →				4A	4B	4D	4Y				
X(71B)	•	D0OZ 6560050-A	C9DZ 6262900	A4A	A4B	A4D	A4Y				

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES	QTY.
60080 CUSHION ASSY. - REAR SEAT - INCLUDES COVER				
TRIM CODES →		All		
U		C9TZ 9660080	DDD	

IMPORTANT

When a complete Cushion Assembly is required, order BOTH a basic 60080 Kit plus a basic 63804 Cover with applicable suffix for desired trim code.

60080 CUSHION KIT-REAR SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.															
TRIM CODES →															
A(54)		C9AZ 5460080-B													
A(54C)		C8OZ 5460080-E													
TRIM CODES →				1A	1B	1Y									
A(54E)		C9AZ 5460080-A	D0AB 5463804	A1A	A1B	A1Y									
TRIM CODES →															
A(57)		C9AZ 5460080-B													
A(63B,C)		C9AZ 6360080-A													
A(65A)		C9AZ 6360080-A													

• Remove center pivot bracket and fold under pivot bracket cover as required.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES							
60080 CUSHION KIT - REAR SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued											
		TRIM CODES →		8W							
A(65C)		C9AZ 6360080-A	D0AZ 6363804	A8W							
		TRIM CODES →		4A	4B	4G	4Y	AA	AB	AY	
A(65M)		C9AZ 6360080-A	D0AB 6563804	A4A	A4B	A4G	A4Y	AAA	AAB	AAY	
		TRIM CODES →									
A(71A,B,C,E)		C9AZ 7160080-A									
A(71D,H,J)		C9AZ 7160080-B									
A(76)		C9AZ 6360080-A									
		TRIM CODES →		2A	2B						
B(54A)			D0OZ 5463804	A2A	A2B						
		TRIM CODES →		2A	2B						
B(62A)		C8OZ 6560080-A	D0OZ 6263804	A2A	A2B						
		TRIM CODES →									
B(63F)		D0OZ 6360080-A									
		TRIM CODES →		3Y							
B(63H,65B,E)		D0OZ 6360080-A	D0OZ 6563804	A3Y							
		TRIM CODES →		5A	AA	BA	GA	GB	GF		
B(71B,C,E)		C6OZ 7160080-F	D0OZ 7163804	A5A	AAA	AAA	AGA	AGB	AGF		
		TRIM CODES →		2A	2B						
B(71D)		C6OZ 7160080-E	D0OZ 7163804	A2A	A2B						
		TRIM CODES →									
F(63)		C5ZZ 6360080-B									
		TRIM CODES →		2A	2B						
P(62A)		D0DZ 6260080-A	D0DZ 6263804	A2A	A2B						
		TRIM CODES →		4A	4B	4W	5A, 5AA	5B, 5BA	5D, 5DA	5Z, 5ZA	
S(57)		D0SZ 5760080-A	D0SZ 5763804	A4A	A4B	A4W	A5A	A5B	A5D	A5Z	
		TRIM CODES →		1A, 1AA	1B, 1BA	1F, 1FA	2A	2B	2W		
S(65A,B)			D0SZ 6563804	A1A	A1B	A1F					
		D0SZ 6560080-A	D0SZ 6563804				A2A	A2B	A2W		
		TRIM CODES →		3A	3B	3D	3F	4A	4B	4W	
S(65C,D)		D0SZ 6560080-A	D0SZ 6563804	A3A	A3B	A3D	A3F	A2A	A2B	A2W	
		TRIM CODES →									
X(54A)		C8OZ 5460080-C									
X(54B)		C8OZ 5460080-D									
		TRIM CODES →		1A	1B	1Y					
X(62A)		C6DZ 6260080-A	C9DZ 6263804	A1A	A1B	A1Y					
		TRIM CODES →		3A	3B	3Y	4A	4B	4D	4Y	
X(62B)		C9DZ 6260080-B	C9DZ 6263804	A3A	A3B	A3Y	BEA	BEB	BED	BEY	
		TRIM CODES →									
X(71)		C6OZ 7160080-E									

IMPORTANT

When a complete Cushion Assembly is required, order BOTH a basic 60090 Kit plus a basic 63822 Cover with applicable suffix for desired trim code.

60090 CUSHION KIT-AUXILIARY SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.											
		TRIM CODES →		FA	FB	FD	FF	HA			
A(71A)		C9AZ 7160090-A	D0AZ 7163822	AFA	AFB	AFD	AFF	AFH			
		TRIM CODES →		KA	RA	RD	TA	TD			
A(71A)		C9AZ 7160090-A	D0AZ 7163822	AFA	AFA	AFD	AFA	AFD			
		TRIM CODES →		6A	6B	6D	6F	BA			
A(71C)		C9AZ 7160090-A	D0AZ 7163822	AFA	AFB	AFD	AFF	AFA			
		TRIM CODES →		MA	MD	SA	SD	WA			
A(71C)		C9AZ 7160090-A	D0AZ 7163822	AFA	AFD	AFA	AFD	AFA			
		TRIM CODES →		7A	7B	7F					
A(71J)		C9AZ 7160090-A	D0AZ 7163822	AFA	AFB	AFF					
		TRIM CODES →									
B(71)		C6OZ 71607A60-A	Base								
		C6OZ 7166856-A	Pad								

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES

IMPORTANT

When a complete Back Assembly is required, order BOTH a basic 60096 Kit plus a basic 66640 Cover with applicable suffix for desired trim code.

60096 BACK KIT - AUXILIARY SEAT- CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.

| | | |

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60136-7 BACK KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued															
	TRIM CODES →			5A	5B										
B(71B)			D0OZ 5464416	A5A	A5B										
	TRIM CODES →			BA	GA	GB	GF								
B(71C)			D0OZ 5464416	AAA	AGA	AGB	AGF								
	TRIM CODES →			2A	2B										
B(71D)			D0OZ 5464416	A2A	A2B										
	TRIM CODES →			AA	NA	NF									
B(71E)			D0OZ 5464416	AAA	ANA	ANF									
	TRIM CODES →														
F(63,65,76)	L	D0ZZ 6360137-A													
	TRIM CODES →			2B											
P(62A) - "Before 4/17/69"	R	D0DZ 6260136-A	D0DZ 6264416	A2B											
	L	D0DZ 6260137-B													
P(62A)- "From 4/17/69"	R	D0DZ 6260136-B	D0DZ 6264416	A2B											
	L	D0DZ 6260137-B													
	TRIM CODES →			4A	4B	4W	5A, 5AA	5B, 5BA	5D, 5DA	5G, 5GA					
S(57) -non/reclining	‡	D0SZ 6560136-A	D0SZ 6564416	A2A	A2B	A2W	A3A	A3B	A3D	A3G					
-reclining	R	D0SZ 6560136-C	D0SZ 6564416	A2A	A2B	A2W	A3A	A3B	A3D	A3G					
	TRIM CODES →			1A, 1AA	1B, 1BA	1F, 1FA	2A	2B	2W						
S(65A,B)			D0SZ 6564416	A1A	A1B	A1F	B2A	B2B	B2W						
	TRIM CODES →														
S(65A,B) -non/reclining	‡	D0SZ 6560136-E													
-reclining	R	D0SZ 6560136-F													
	TRIM CODES →			3A	3B	3D	3F	3G	4A	4B	4W				
S(65C,D) -non/reclining	‡	D0SZ 6560136-A	D0SZ 6564416	A3A	A3B	A3D	A3F	A3G	A2A	A2B	A2W				
-reclining	R	D0SZ 6560136-C	D0SZ 6564416	A3A	A3B	A3D	A3F	A3G	A2A	A2B	A2W				
	TRIM CODES →			3											
U-full width seat		C6TZ 9660136-A	C9TZ 9664416	CCD											
	TRIM CODES →			94	9U										
U-bucket seat		D0TZ 1060136-A	C9TZ 9664416	A3D	A3D										
		D0TZ 1060137-A	C9TZ 9664416	A3D	A3D										
	TRIM CODES →														
X(54A,B)		C9OZ 5460136-A													
	TRIM CODES →			1A	1B	1Y									
X(62A)	R	D0OZ 6560136-A	C9DZ 6264416	A1A	A1B	A1Y									
	L	D0OZ 6560137-A	C9DZ 6264417	A1A	A1B	A1Y									
	TRIM CODES →			3A	3B	3Y	4A	4B	4D	4Y					
X(62B)	R	D0OZ 6560136-A	C9DZ 6264416	A3A	A3B	A3Y	A4A	A4B	A4D	A4Y					
	L	D0OZ 6560137-A	C9DZ 6264417	A3A	A3B	A3Y	A4A	A4B	A4D	A4Y					
	TRIM CODES →			2A	2B	2Y									
X(71A)			C9OZ 7164416	A2A	A2B	A2Y									

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
TRIM CODES →			B	D	E	F	G	K	P	Y	Z					
COLORS →			BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
60579 CARPET - REAR SEAT BACK FLOOR																
F(63)-w/folding rear seat		D0ZZ 6360579				A										1

‡ R.H. or L.H.

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
60762-3 PANEL - FRONT SEAT BACK REAR TRIM PANEL INSERT																	
TRIM CODES →			8A, 8AA	8B, 8BA	8D, 8DA	8F, 8FA	8G, 8GA	8W, 8WA									
A(63B, C, 65C, 76)		D0WY 6560762		A4B			A4G	A2W									2
		C9WY 6560762	ABA		ABD												2
		C8WY 6560762				A2F											2
TRIM CODES →			8A	8B	8D	8F	8G	8W	CA	CB	CD	CF					
B(63, 65)		C9WY 6560762	ABA		ABD				ABA		ABD						2
		D0WY 6560762		A4B		A9F	A4G	A2W		A4B		A9F					2
TRIM CODES →			QA	QB	QD	QW	YA	YB	YD	YF	YG	YW					
B(63, 65, 66, 76)		C9WY 6560762	ABA		ABD		ABA		ABD								2
		D0WY 6560762		A4B		A2W		A4B		A9F	A4G	A2W					2
TRIM CODES →			3A	3W	AA	BA, BAA	BW, BWA	EA	EW	TA, TAA	TW, TWA						
F(63, 65, 76)		D0ZZ 6560762	F	D	F	F	D	F	D	F	D						2
S			Refer to Group 61616-7 in Body Section														

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
				SECOND CHARACTER of TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER
TRIM CODES →				B	D	E	F	G	K	P	Y	Z					
COLORS →			LENGTH	BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
611A08 HEAD REST ASSY. - FRONT SEAT BACK - INCLUDES GUIDE RODS																	
A, B-sewn adjustable - full width seat		C9VZ 53611A08	13"		B1D				B1K		B1Y		B1A				2
		D0VZ 53611A08	13"	C9B			C3F	C3G						C2U	C1W		2
A-split seat		D0AZ 54611A08	11"	D	H		A	F	B		C		G		E		2
F		C9AZ 63611A08											A1A				2
P(62)-sewn adjustable		C9AZ 63611A08	11"		A1D						A1Y		A1A				2
		D0DZ 63611A08	11"	B9B													2
S		D0SZ 65611A08		G	E		A	F			B	C	D				2
		D0SY 65611A08													C		2
61218-9 BOOT - ROLL BAR																	
F(63-Shelby GT350/500)	L	C9ZZ 6361219													A1W		1
F(76-Shelby GT350/500)	R	C9ZZ 7661218														$A	1
	L	C9ZZ 7661219														$A	1
618C54 COVER - FRONT SEAT TRACK SIDE																	
B-w/bucket seats		D0OZ 65618C54		A			B						D				
62900 COVER - FRONT SEAT CUSHION - Refer to Group 60050-1																	
63500 BUTTON - FRONT and REAR SEAT CUSHION and BACK - INCLUDES ATTACHING PARTS																	
A-round-cloth covered		D0AZ 5463500		H				G									AR
A-round-vinyl covered	†	D0AZ 5463500		C				F					E				AR
A-round-vinyl covered	‡	D0AZ 5463500						S									AR
B(54C, 57, 63C, E, F, 65C, 71C, E, 76F)		C9OZ 5463522											A1A				AR
		D0OZ 5463522		B9B			B3F	B3G									AR
S-rear seat back		D0SZ 5763500		C				D					B		A		4
S-front seat back		D0LY 6563500		N	L			P			A						4
		D3LY 6563500					BH					BF	BL		BG		4

† Not used with Trim Codes beginning with 9, D, E or Y ‡ Used with Trim Codes beginning with 9, D, E or Y

$ Paint to match

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—G	—K	—P	—Y	—Z					
COLORS →			BLUE	RED	VERMILION	GINGER	IVY GREEN	AQUA	GREY	NUGGET GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	
63522 **BUTTON - FRONT and REAR SEAT BACK** - Refer to Group 63500																
63804 **COVER - REAR SEAT CUSHION** - Refer to Group 60080																
63822 **COVER - AUXILIARY SEAT CUSHION** - Refer to Group 60090																
64416-7 **COVER - FRONT SEAT BACK** - Refer to Group 60136-7																
644A16 **FLAP - FRONT SEAT BACK CENTER ARM REST**																
TRIM CODES →			9A	9D	EA	YA										
A(54C, 57F)		C9AZ 54644A16	A9A	A9D												1
		C9AZ 65644A16			AEA	AEA										2
TRIM CODES →			9A	9B	9D	EA										
A(65A)		D0AY 65644A16		A4B												2
		C9AZ 65644A16	AEA		AED	AEA										2

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES							QTY.
644A18 **COVER - FRONT SEAT BACK CENTER ARM REST**										
TRIM CODES →			3A	3B	3D	3F	4A	4B	4W	
S(57C, 65C, D)		D0SZ 65644A18	A3A	A3B	A3D	A3F	A4A	A4B	A4W	1
64824 **BUTTON or ORNAMENT - FRONT and REAR SEAT BACK and CUSHION** - Refer to Group 63500										
66600-1 **COVER REAR SEAT BACK** - Refer to Group 60032-3										
66640 **COVER - AUXILIARY SEAT BACK** - Refer to Group 60096										
668A16 **COVER - REAR SEAT BACK CENTER FILLER**										
TRIM CODES →			1A	1D	1F	2A	2B	2W		
S(65)		D0SZ 65668A16	A1A	A1D	A1F	A2A	A2B	A2W		1
TRIM CODES →			3A	3B	3D	3F	4A	4B	4W	
S(65)		D0SZ 65668A16	A3A	A3B	A3D	A3F	A2A	A2B	A2W	1
67112 **REST - REAR SEAT ARM - INCLUDES ATTACHING PARTS**										
TRIM CODES →			All							
U		D0UZ 1267112	A							2
67286 **FLAP - REAR SEAT BACK CENTER ARM REST**										
TRIM CODES →			5A, 5AA	5B, 5BA	5D, 5DA	5Z, 5ZA	6A	6D	6Z	
S(57)		D0SZ 5767286	A1A	A1B	A3D	A5Z	A1A	A3D	A5Z	1
TRIM CODES →			1A, 1AA	1B, 1BA	1D, 1DA	1F, 1FA	1G, 1GA	3A	3B	3D	3F	3G	8A	8D	8F	
S(65)		C9SZ 6567286	BDA	BDB	BCD			BDA	BDB	BCD			BDA	BCD		1
		D0SZ 6567286				B1F	B1G				B1F	B1G			B1F	1
67299 **COVER - REAR SEAT BACK CENTER ARM REST OPENING**										
TRIM CODES →			1A, 1AA	1B, 1BA	1D, 1DA	1F, 1FA	1G, 1GA	3A	3B	3D	3F	3G				
S(57, 65)		C9SZ 5767299	AKA	AKB	AKD			AKA	AKB	AKD						1
		D0SZ 5767299				A1F					A1F					1
		D0LY 5767299					AFG					AFG				1
TRIM CODES →			5A, 5AA	5B, 5BA	5D, 5DA	5G, 5GA	5Y, 5YA	5Z, 5ZA	6A	6D	6Z	8A	8D	8F		
S(57, 65)		C9SZ 5767299	AKA	AKB	AKD		AEY		AKA	AKD		AKA	AKD			1
		D0SZ 5767299						A5Z			A5Z			A1F		1
		D0LY 5767299				AFG										1
67354 **COVER - REAR SEAT BACK CENTER ARM REST**										
TRIM CODES →			5A, 5AA	5B, 5BA	5D, 5DA	5Z, 5ZA				
S(57)		D0SZ 5767354	A5A	A5B	A5D	A5Z				1
TRIM CODES →			1A, 1AA	1B, 1BA	1D, 1DA	1F, 1FA	3A	3B	3D	3F						
S(65)		D0SZ 6567354	A1A	A1B	A1D	A1F	A3A	A3B	A3D	A3F						1

INSTRUCTIONS

The Soft Trim Section includes only those items which were available for service at the time of printing. Items not shown in the catalog must be improvised or procured locally.

Determine correct Group Number by referring to an appropriate illustration in the Interior Trim Section of the Illustration Catalog, Ford FP 7635-B or to the Soft Trim Index of this catalog. Identify Model, Body Type and Trim Code by referring to 1971 Certification Label Codes as shown in the General Information Section.

The 1971 Soft Trim Section consists of. (1) Trim Scheme Codes and Swatches (Pages A1, A2, A3, B, etc.). (2) Listing of Soft Trim Parts for all Ford (A), Torino (B), Mustang (F), Pinto (L), Maverick (P), Thunderbird (S) and Bronco (U) models. (Pages 1 to end)

TRIM SCHEME CODES and SWATCHES

Consists of: (1) Listing of Trim Scheme Codes arranged in order of model, i.e. Ford, Torino etc.
(2) Colored Swatches identified by a number beside the swatch.

How to use: (1) Identify Model, Body Type and Trim Code and apply this information to listing of Trim Scheme Codes. (2) Determine Swatch Identification Numbers and refer to Colored Swatches on page B, etc. (3) Locate appropriate swatches to verify the color and/or pattern of the principle materials used in the unit.

Colored Swatch pages are primarily for verification of color and/or pattern and do not indicate the type or weight of material.

For example, to determine which Swatches make up Trim Code 3B on Ford Four Door Sedan refer to page A2.

As shown on page A2 (Ford) Trim Code 3B indicates (1) Body types (54D)
(2) Trim scheme description (Medium blue vinyl and medium blue cloth).
(3) Door and Quarter material (swatch No. 12), bolster material (swatch No. 12), cushion and back material (swatch No. 12 & 170) and headlining material (swatch No. 98).

SOFT TRIM PARTS FOR ALL MODELS

Consists of: (1) Parts cataloged by trim code and color (e.g. Groups 02344-5, 24346-7, etc.).
(2) Parts cataloged by trim code only (e.g. Groups 23942-3, 62900, etc.).
(3) Miscellaneous parts (e.g. Groups 47042, 53700, etc.).

PARTS CATALOGED BY COLOR: (1) Identify Model, Body Type and Color of desired part. (2) Determine Group Number of part. (3) Locate appropriate Trim code and Color listed at top of page. Second character of trim code generally applicable to each color is also shown above the color as an additional aid. When color of part is in doubt refer to the list of Trim Codes and Colored Swatch pages for further identification. (4) Match Color with Model and Body Type to select desired part number.

For example, should a Blue Rear Floor Carpet (Group 13046) be desired for a Mustang Two Door Hard Top: (1) Refer to Group 13046. (2) Read list of colors above title to find Blue. (3) Read down to find F(65). (4) Part number shown is D1ZZ 6513046 and suffix in "Blue" column is B.

PARTS CATALOGED BY TRIM CODE: (1) Identify Model, Body Type and Trim Code. (2) Determine Group Number of part. (3) Locate appropriate Trim Code (listing of Trim Codes precedes each Body Type. (4) Match Model and Body Type with Trim Code to select part number.

For example, should a R.H. Front Door Trim Panel (Group 23942-3) be required for a Torino Four Door Sedan, Trim Code 2B (1) Refer to Group 23942-3. (2) Read down to locate B(54A). (3) Read trim codes to find Trim Code 2B (4) Part number shown is D0OZ 5423942 and suffix listed is A2B.

3 DIGIT TRIM CODES

Parts for 3 digit trim codes ending with an alphabet (e.g. 1BA) are listed with parts cataloged by trim code. Parts for 3 digit trim codes ending with a numeral (e.g. 1B1) are not cataloged. Refer to the listing of trim codes to determine which parts are available through service. For parts which are not available for service contact your Service Representative, who will process in accordance with General ICC bulletin No. 7526.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A)						
1A	54B	Black vinyl and black cloth	3	3	3&169	1
1B	54B	Medium blue vinyl and medium blue cloth	12	12	12&170	98
1Y	54B	Light grey gold vinyl and light grey gold cloth	46	46	46&172	44
2A	65D	Black all vinyl	3&130	3	2&3	1
2B	65D	Medium blue all vinyl	12&30	12	11&12	98
2R	65D	Medium green all vinyl	42&130	42	41&42	39
2Y	65D	Light grey gold all vinyl	46&130	46	45&46	44
3A	54D,65D	Black vinyl and black cloth	3	3	3&169	1
3A1	54D	(Code 3A - see Note 1 on page A9)				
3B	54D,65D	Medium blue vinyl and medium blue cloth	12	12	12&170	98
3B1	54D,65D	(Code 3B - see Note 1 on page A9)				
3R	54D,65D	Medium green vinyl and medium green cloth	42	42	42&171	39
3Y	54D,65D	Light grey gold vinyl and light grey gold cloth	46	46	46&172	44
4A	54F,57F,65F	Black vinyl and black cloth	3&130	3	3&219	1
4A1	54F,57F,65F	(Code 4A - see Note 1 page A9)				
4B	54F,57F,65F	Medium blue vinyl and medium blue cloth	12&130	12	12&222	98
4B1	54F,57F,65F	(Code 4B - see Note 1 page A9)				
4F	54F,57F,65F	Medium ginger vinyl and medium ginger cloth	29&130	29	29&225	26
4R	54F,57F,65F	Medium green vinyl and medium green cloth	42&130	42	42&223	39
4Y	54F,57F,65F	Light grey gold vinyl and light grey gold cloth	46&130	46	46&206	44
5A	54F,57F,65F	Black vinyl and black cloth	3&130	3	3&154	1
5A2	54F,57F	Refer to body type 54A,57B trim code 5A in the 1970 Soft Trim Section for Seat Covers(62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3),refer to body type 54F,57F trim code 5A in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
5A2	65F	(Code 5A - see Note 1 page A9)				
5A3	54F,57F	(Code 5A - see Note 1 page A9)				
5B	54F,57F,65F	Medium blue vinyl and medium blue cloth	12&130	12	12&205	98
5B1	54F,57F	Refer to body type 54A, 57B trim code 5B in the 1970 Soft Trim Section for Seat Covers(62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3),refer to body type 54F,57F trim code 5B in the 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
5F	54F,57F,65F	Medium ginger vinyl and medium ginger cloth	29&130	29	29&218	26
5R	54F,57F,65F	Medium green vinyl and medium green cloth	42&130	42	42&206	39
5Y	54F,57F,65F	Light grey gold vinyl and light grey gold cloth	46&130	46	46&207	44
7A	71D	Black all vinyl	3	3	3&89	1
7A1	71D	Refer to body type 71H trim code 7A in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 71D trim code 7A in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				

* For swatch identification refer to Page B, etc.

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - CONTINUED						
7B	71D	Medium blue all vinyl	12	12	12&95	98
7B1	71D	Refer to body type 71H trim code 7B in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 71D trim code 7B in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
7F	71D	Medium ginger all vinyl	29	29	29&116	26
7F1	71D	Refer to body type 71H trim code 7F in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 71D trim code 7F in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
7R	71D	Medium green all vinyl	42	42	42&135	39
8A	65F	Black all vinyl	3&130	3	3&90	1
8A1	65F	Refer to body type 65C trim code 8AA in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3) refer to body type 65E trim code 8A in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
8D	65F	Dark red all vinyl	23&130	23	23&113	22
8D1, 8D2	65F 65F	Refer to body type 65C trim code 8DA in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 65F trim code 8D in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
8W	65F	White all vinyl with black appointments	21&130	19	19&111	16
8W1	65F	Refer to body type 65C trim code 8WA in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 65F trim code 8W in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
9A	53K,57K	Black vinyl and black cloth	130,195, &213	3	3,91,147 &159	1
9AA	53K,57K	Black vinyl and black cloth	130,195 & 213	3	3,91,147 & 159	1
9A1	53K,57K	Refer to body type 54C,57F trim code 9A in the 1970 Soft Trim Section for Seat Covers(62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 53K,57K trim code 9A in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
9A2	53K,57K	(Code 9A - See Note 1 on Page A9)				
9B	53K,57K	Medium blue vinyl and medium blue cloth	130,198 &214	12	12,97,148 &160	98

* For swatch identification refer to Page B, etc.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - CONTINUED						
9BA	53K,57K	Medium blue vinyl and medium blue cloth	130,198 & 213	12	12,97,148 & 160	98
9B1	53K,57K	Refer to body type 54C,57F trim code 9B in the 1970 Soft Trim Section for Seat Covers(62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 53K,57K trim code 9B in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
9D	53K,57K	Dark red vinyl and dark red cloth	130,215 &217	23	23,114, 149&161	22
9DA	53K,57K	Dark red vinyl and dark red cloth	130,215 & 217	23	23,114, 149&161	22
9D1	53K,57K	Refer to body type 54C,57F trim code 9D in the 1970 Soft Trim Section for Seat Covers(62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 53K,57K trim code 9D in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
9F	53K,57K	Medium ginger vinyl and medium ginger cloth	119,130 &199	29	29,121, 150&162	26
9FA	53K,57K	Medium ginger vinyl and medium ginger cloth	119,130 & 199	29	29,121, 150&162	26
9R	53K,57K	Medium green vinyl and medium green cloth	130,133 &201	42	42,139, 151&163	39
9RA	53K,57K	Medium green vinyl and medium green cloth	130,133 & 201	42	42,139, 151&163	39
9Y	53K,57K	Light grey gold vinyl and light grey gold cloth	130,203 &216	46	46,146, 152&164	44
9YA	53K,57K	Light grey gold vinyl and light grey gold cloth	130,203 & 216	46	46,146, 152&164	44
BA	71H	Black all vinyl	88,130 &197	3	3,88&90	1
BAA	71H	Black all vinyl	88,130 & 197	3	3,88&90	1
BF	71H	Medium ginger all vinyl	82,120 &130	29	29,117 &120	26
BF8	71H	(Code BF - See Note 1 on page A9)				
BR	71H	Medium green vinyl	83,130 &138	42	42,136 &138	39
BR8	71H	(Code BR - See Note 1 on page A9)				
DA	53H,57H,65H	Black vinyl and black cloth	3,130 &209	3	3&189	1
DAA	53H,57H,65H	Black all vinyl	2,3&130	3	2&3	1
DA1	53H,57H,65H	(Code DA see Note 1 page A9)				
DA2	53H,57H,65H	(Code DA see Note 1 page A9)				
DA9	53H,57H,65H	(Code DA - See Note 1 on page A9)				
DB	53H,57H,65H	Medium blue vinyl and medium blue cloth	12,130 &210	12	12&190	98
DBA	53H,57H,65H	Medium blue all vinyl	11,12& 130	12	11&12	98

* For swatch identification refer to Page B, etc.

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - CONTINUED						
DB1	53H,57H,65H	(Code DB see note 1 page A9)				
DB2	53H,57H,65H	(Code DB see Note 1 page A9)				
DB9	53H,57H,65H	(Code DB - See Note 1 on page A9)				
DD	53H,57H,65H	Dark red vinyl and dark red cloth	23,130 &115	23	23&191	22
DDA	53H,57H,65H	Dark red all vinyl	14,23 & 130	23	14&23	22
DD1	53H,57H,65H	(Code DD see Note 1 page A9)				
DD2	53H,57H,65H	(Code DD see Note 1 page A9)				
DD9	53H,57H,65H	(Code DD - See Note 1 on page A9)				
DF	53H,57H,65H	Medium ginger vinyl and medium ginger cloth	29,130 &212	29	29&193	26
DFA	53H,57H,65H	Medium ginger all vinyl	28,29 & 130	29	28&29	26
DR	53H,57H,65H	Medium green vinyl and medium green cloth	42,130 &140	42	42&192	39
DRA	53H,57H,65H	Medium green all vinyl	41,42& 130	42	41&42	39
DR9	53H,57H,65H	(Code DR - See Note 1 on page A9)				
DY	53H,57H,65H	Light grey gold vinyl and light grey gold cloth	46,130 &211	46	46&194	44
DYA	53H,57H,65H	Light gold all vinyl	45,46& 130	46	45&46	44
DY1	53H,57H,65H	(Code DY see note 1 page A9)				
DY9	53H,57H,65H	(Code DY - See Note 1 on page A9)				
EA	53K,57K,65K	Black vinyl and black cloth	130,195 &213	3	3,91, 147&159	1
EA1	53K,57K,65K	(Code EA - See Note 1 on Page A9)				
EAA	53K,57K,65K	Black vinyl and black cloth	130,195 & 213	3	3,91, 147&159	1
EB	53K,57K,65K	Medium blue vinyl and medium blue cloth	130,198 &214	12	12,97, 148&160	98
EBA	53K,57K,63K	Medium blue vinyl and medium blue cloth	130,198 & 214	12	12,97, 148&160	98
ED	53K,57K,65K	Dark red vinyl and dark red cloth	130,215 &217	23	23,114, 149&161	22
EDA	53K,57K,65K	Dark red vinyl and dark red cloth	130,215 & 217	23	23,114, 149&161	22
EF	53K,57K,65K	Medium ginger vinyl and medium ginger cloth	119,130 & 199	29	29,121, 150&162	26
ER	53K,57K,65K	Medium green vinyl and medium green cloth	130,133 &201	42	42,139, 151&163	39
ERA	53K,57K,65K	Medium green vinyl and medium green cloth	130,133 & 201	42	42,139, 151&163	39
EY	53K,57K,65K	Light grey gold vinyl and light grey gold cloth	130,203 &216	46	46,146, 152&164	44
EYA	53K,57K,65K	Light grey gold vinyl and light grey gold cloth	130,203 & 216	46	46,146, 152&164	44

* For swatch identification refer to Page B, etc.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - CONTINUED						
FA	53H,57H,65H,71H,76H	Black all vinyl	2,3&130	3	2&3	1
FA1	53H,57H	Refer to body type 54A,57B trim code FA in the 1970 Soft Trim Section for Seat Covers(62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3),refer to body type 53H,57H trim code FA in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
FA1	71H	Refer to body type 71A trim code FA in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3),refer to body type 71H trim code FA in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
FB	53H,57H,65H,71H,76H	Medium blue all vinyl	11,12&130	12	11&12	98
FB1	53H,57H	Refer to body type 54A,57B trim code FB in the 1970 Soft Trim Section for Seat Covers(62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3),refer to body type 53H,57H trim code FB in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
FB1	71H	Refer to body type 71A trim code FB in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 71H trim code FB in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
FD	53H,57H,65H,71H,76H	Dark red all vinyl	14,23&130	23	14&23	22
FD1	53H,57H	Refer to body type 54A,57B trim code 6D in the 1970 Soft Trim Section for Seat Covers(62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 53H,57H trim code FD in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
FD1	71H	Refer to body type 71A trim code FD in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3); refer to body type 71H trim code FD in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
FF	53H,57H,65H,71H	Medium ginger all vinyl	28,29&130	29	28&29	26
FF1	71H	Refer to body type 71A trim code FF in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 71H trim code FF in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
FR	53H,57H,65H,71H,76H	Medium green all vinyl	41,42&130	42	41&42	39
FW	53H,57H,65H,76H	White all vinyl with black appointments	21,112&130	19	18&19	16

* For swatch identification refer to Page B, etc.

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - CONTINUED						
FW1	53H,57H	Refer to body type 54A,57B trim code 6W in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 53H,57H trim code FW in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
FY	53H,57H,65H	Light grey gold all vinyl	45,46& &130	46	45&46	44
GA	65H,76H	Black all vinyl	2,3&130	3	2 & 3	1
GA1	65H	Refer to body type 65C trim code 8AA in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 65H trim code GA in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
GA1	76H	Refer to body type 76 trim code 8AA in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 76H trim code GA in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
GD	65H,76H	Dark red all vinyl	14,23& 130	23	14 & 23	22
GD1, GD2	65H	Refer to body type 65C trim code 8DA in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 65H trim code GD in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
GD1	76H	Refer to body type 76 trim code 8DA in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 76H trim code GD in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
GW	65H,76H	White all vinyl with black appointments	21,112& 130	19	18 & 19	16
GW1	65H	Refer to body type 65C trim code 8WA in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 65H trim code GW in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
GW1	76H	Refer to body type 76 trim code 8WA in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 76H trim code GW in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				

* For swatch identification refer to Page B, etc.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - CONTINUED						
LU	54D	Light beige all vinyl	105	108	104&108	106
LU1	54D	Refer to body type 54B trim code LE in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 54D trim code LU in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
NA	54B,D,71B	Black all vinyl	3	3	2,3&86	1
NA1	54B	Refer to body type 54E trim code NA in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 54B trim code NA in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
NA1	71B	Refer to body type 71D trim code NA in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 71B trim code NA in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
NB	54B,71B	Medium blue all vinyl	12	12	11,12&92	98
NB1	54B	Refer to body type 54E trim code NB in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 54B trim code NB in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
NB1	71B	Refer to body type 71D trim code NB in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 71B trim code NB in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
NR	54B,71B	Medium green all vinyl	42	42	41,42&134	39
RA	71F	Black vinyl and black cloth	3&130	3	3&52	1
RA1	71F	Refer to body type 71A trim code RA in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 71F trim code RA in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
RAA	71F	Black vinyl and black cloth	3&130	3	3&52	1
RD	71F	Dark red vinyl and red cloth	23&130	23	23&53	22
RD1	71F	Refer to body type 71A trim code RD in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 71F trim code RD in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
RDA	71F	Dark red vinyl and red cloth	23&130	23	23&53	22

* For swatch identification refer to Page B, etc.

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - CONTINUED						
VA	71H	Black vinyl and black cloth	2,3&130	3	3&52	1
VA1	71H	Refer to body type 71A trim code RA in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 71H trim code VA in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
VAA	71H	Black vinyl and black cloth	2,3&130	3	3&52	1
VD	71H	Dark red vinyl and red cloth	2,3&130	23	23&53	22
VD1	71H	Refer to body type 71A trim code RD in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 71H trim code VD in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
VDA	71H	Dark red vinyl and red cloth	2,3&130	23	23&53	22
WA	54F,57F,65F,71F	Black all vinyl	3&130	3	2&3	1
WA1	71F	Refer to body type 71B trim code 6A in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 71F trim code WA in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
WB	54F,57F,65F,71F	Medium blue all vinyl	12&30	12	11&12	98
WB1	71F	Refer to body type 71B trim code 6B in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 71F trim code WB in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
WD	54F,57F,65F,71F	Dark red all vinyl	23&130	23	14&23	22
WD1	71F	Refer to body type 71B trim code 6D in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 71F trim code WD in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
WF	54F,57F,65F,71F	Medium ginger all vinyl	29&130	29	28&29	26
WF1	71F	Refer to body type 71B trim code 6F in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 71F trim code WF in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				

* For swatch identification refer to Page B, etc.

Note 1 - For replacement of Door and Quarter Trim Panels (23942-3,27406-7 and 31012-3), refer to this code in the 1971 Soft Trim Section.

For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600), contact your Service Representative. All other parts are included in the 1971 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - CONTINUED						
WR	54F,57F,65F,71F	Medium green all vinyl	42&130	42	41&42	39
WW	54F,57F,65F	White all vinyl with black appointments	21&130	19	18&19	16
WY	54F,57F,65F	Light grey gold all vinyl	46&130	46	45&46	44
ZA	65K	Black vinyl and black cloth	130,195 &213	3	91,147 &159	1
ZA1	65K	(Code ZA - See Note 1 Page 9)				
ZAA	65K	Black vinyl and black cloth	130,195 & 213	3	91,147 & 159	1
ZB	65K	Medium blue vinyl and medium blue cloth	130,198 &214	12	97,148 &160	98
ZBA	65K	Medium blue vinyl and medium blue cloth	130,198 & 214	12	97,148 & 160	98
ZD	65K	Dark red vinyl and dark red cloth	130,215 &217	23	114,149 &161	22
ZDA	65K	Dark red vinyl and dark red cloth	130,215 & 217 & 199	23	114,149 & 161 & 162	22
ZF	65K	Medium ginger vinyl and medium ginger cloth	119,130 &199	29	121,150 &162	26
ZFA	65K	Medium ginger vinyl and medium ginger cloth	119,130	29	121,150	26
ZR	65K	Medium green vinyl and medium green cloth	130,133 &201	42	139,151 &163	39
ZRA	65K	Medium green vinyl and medium green cloth	130,133 & 201	42	139,151 & 163	39
ZY	65K	Light grey gold vinyl and light grey gold cloth	130,203 &216	46	146,152 &164	44
ZYA	65K	Light grey gold vinyl and light grey gold cloth	130,203 & 216	46	146,152 & 164	44
TORINO (B)						
1A	65C	Black all vinyl with red appointments	3	3	23&38	1
1F	65C	Medium ginger all vinyl with yellow appointments	3,29	29	28,29 & 127	26
1R	65C	Medium green all vinyl with lime appointments	3,42	42	41,42 & 226	39
2A	54A,65A,71D	Black all vinyl	3	3	3&87	1
2A1	65A	Refer to body type 62A trim code 2A in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 65A trim code 2A in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				

* For swatch identification refer to Page B, etc.

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
TORINO (B) - CONTINUED						
2A1	71D	Refer to body type 71B trim code 5A in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3),refer to body type 71D trim code 2A in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
2B	54A,65A,71D	Medium blue all vinyl	12	12	12&93	9
2B1	65A	Refer to body type 62A trim code 2A in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3),refer to body type 65A trim code 2A in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
2B1	71D	Refer to body type 71B trim code 5B in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3),refer to body type 71D trim code 2A in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
2Y	54A,65A,71D	Light grey gold all vinyl	46	46	46&145	44
6A	63F,76F	Black all vinyl	3	3	2&3	1
6A1	63F	Refer to body type 63E trim code WA in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3),refer to body type 63F trim code 6A in 1970 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
6A1	76F	Refer to body type 76F trim code 6A in 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600) and Door trim panels (23942-3 and 31012-3). All other parts are included in the 1971 Soft Trim Section.				
6B	63F	Medium blue all vinyl	3,12	12	11&12	9
6E	63F,76F	Medium vermilion all vinyl	3,38	38	37&38	35
6F	63F,76F	Medium ginger all vinyl	3,29	29	28&29	26
6F1	63F	(Code 6F - See Note 6 Page A16)				
6F1	76F	Refer to body type 76F trim code 6F in 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600) and Door trim panels (23942-3 and 31012-3). All other parts are included in the 1971 Soft Trim Section.				
6R	63F,76F	Medium green all vinyl	3,42	42	40&42	39
6W	63F,76F	White all vinyl with black appointments	3,21	19	18&19	16
6W1	63F	Refer to body type 63F trim code WW in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3),refer to body type 63F trim code 6W in 1970 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				

* For swatch identification refer to Page B, etc.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
TORINO (B) - CONTINUED						
7A	54C,57C,63C,65C	Black vinyl and black cloth	3	3	3&64	1
7A1	57C	Refer to body type 57E trim code HA in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3),refer to body type 57C trim code 7A in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
7A1	65C	Refer to body type 65E trim code HA in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3),refer to body type 65C trim code 7A in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
7A1	54C,57C,63C,65C	(Code 7A see Note 6 page A16)				
7B	54C,57C,63C,65C	Medium blue vinyl and medium blue cloth	12	12	12&65	9
7B1	57C	Refer to body type 57E trim code HB in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3),refer to body type 57C trim code 7B in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
7B1	65C	Refer to body type 65E trim code HB in the 1970 Soft Trim Section for Seat covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3),refer to body type 65C trim code 7B in 1971 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
7B1	54C,57C,63C,65C	(Code 7B see Note 6 page A16)				
7R	54C,57C,63C,65C	Medium green vinyl and medium green cloth	42	42	42&66	39
7R1	54C,57C,63C,65C	(Code 7R see Note 6 page A16)				
7Y	54C,57C,63C,65C	Light grey gold vinyl and light grey gold vinyl	46	46	46&67	44
7Y1	54C,57C,63C,65C	(Code 7Y see Note 6 page A16)				
8A	63C,65C	Black all vinyl	3	3	3&8	1
8B	63C,65C	Medium blue all vinyl	12	12	12&96	9
8E	63C,65C	Medium vermillion all vinyl	38	38	38&128	35
8F	63C,65C	Medium ginger all vinyl	29	29	29&118	26
8R	63C,65C	Medium green all vinyl	42	42	42&137	39
8W	63C,65C	White all vinyl with black appointments	21	19	19&20	16
9A	71E	Black all vinyl	3,109	3	2&3	1
9B	71E	Medium blue all vinyl	12,109	12	11&12	9
9E	71E	Medium vermillion all vinyl	38,109	38	37&38	35
9F	71E	Medium ginger all vinyl	29,109	29	28&29	26
9R	71E	Medium green all vinyl	42,109	42	41&42	39
AA	71E	Black vinyl and black cloth	3,109	3	3&52	1
AA1	71E	(See Note 3 on page A16)				
AA2	71E	(See Note 1 on page A16)				
AE	71E	Medium vermillion vinyl and red cloth	38,109	38	38&53	35

* For swatch identification refer to Page B, etc.

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
TORINO (B) - CONTINUED						
BA	71C	Black vinyl and black cloth	3	3	3&52	1
BA1	71C	(See Note 4 on page A16)				
BA2	71C	(See Note 2 on page A16)				
BE	71C	Medium vermilion vinyl and red cloth	38	38	38&53	35
CA	63H	Black all vinyl	3	3	3&8	1
CB	63H	Medium blue all vinyl	12	13	12&96	9
CE	63H	Medium vermilion all vinyl	38	38	38&128	35
CF	63H	Medium ginger all vinyl	29	29	29&118	26
DB	63C,65C	Medium blue vinyl and blue cloth	12	12	12&79	9
DE	63C,65C	Medium vermilion vinyl and red cloth	38	38	38&57	35
DF	63C,65C	Medium ginger vinyl and nugget gold cloth	29	29	29&58	26
DR	63C,65C	Medium green vinyl and green cloth	42	42	42&80	39
EB	63F	Medium blue vinyl and blue cloth	3,12	12	12&79	9
EE	63F	Medium vermilion vinyl and red cloth	3,38	38	38&57	35
EF	63F	Medium ginger vinyl and nugget gold	3,29	29	29&58	26
ER	63F	Medium green vinyl and green cloth	3,42	42	42&80	39
GA	66B,C,71C	Black all vinyl	3	3	2&3	1
GA1	66C	Refer to body type 66C trim code GA in 1970 Soft Trim Section for Seat covers (62900,63804,64416-7 and 66600) and Door trim panels (23942-3 and 31012-3). All other parts are included in the 1971 Soft Trim Section.				
GB	66B,C,71C	Medium blue all vinyl	12	12	11&12	9
GB1	66C	Refer to body type 66C trim code GB in 1970 Soft Trim Section for Seat covers (62900,63804,64416-7 and 66600) and Door trim panels (23942-3 and 31012-3). All other parts are included in the 1971 Soft Trim Section.				
GE	66B,C,71C	Medium vermilion all vinyl	38	38	37&38	35
GF	66B,C,71C	Medium ginger all vinyl	29	29	28&29	26
GF1	66C	Refer to body type 66C trim code GF in 1970 Soft Trim Section for Seat covers (62900,63804,64416-7 and 66600) and Door trim panels (23942-3 and 31012-3). All other parts are included in the 1971 Soft Trim Section.				
GR	66B,C,71C	Medium green all vinyl	42	42	41&42	39
HA	57E,65E	Black vinyl and black cloth	3,109 &197	3	3&185	1
HB	57E,65E	Medium blue vinyl and medium blue cloth	12,81 &109	12	12&186	9
HR	57E,65E	Medium green vinyl and medium green cloth	42,83 &109	42	42&187	39
HY	57E,65E	Light grey gold vinyl and light grey gold cloth	46,84 &109	46	46&188	44

* For swatch identification refer to Page B, etc

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
TORINO (B) - CONTINUED						
JA	54C,57C,63C,65C	Black all vinyl	3	3	2&3	1
JA1	54C,57C	Refer to body type 54C,57C trim code JA in 1970 Soft Trim Section for Seat covers (62900,63804,64416-7 and 66600) and Door trim panels (23942-3 and 31012-3). All other parts are included in the 1971 Soft Trim Section.				
JA1	63C,65C	Refer to body type 63F trim code 6A in the 1970 Soft Trim Section for Seat covers (62900,63804,64416-7 and 66600) For Door trim panels (23942-3 and 31012-3),refer to body type 63C,65C trim code 8A in 1970 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
JB	54C,57C,63C,65C	Medium blue all vinyl	12	12	11&12	9
JB1	54C,57C	Refer to body type 54C,57C trim code JB in 1970 Soft Trim Section for Seat covers (62900,63804,64416-7 and 66600) and Door trim panels (23942-3 and 31012-3). All other parts are included in the 1971 Soft Trim Section.				
JB1	63C,65C	Refer to body type 63F trim code 6B in the 1970 Soft Trim Section for Seat covers (62900,63804,64416-7 and 66600) For Door trim panels (23942-3 and 31012-3),refer to body type 63C,65C trim code 8B in 1970 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
JE	63C,65C	Medium vermilion all vinyl	38	38	37&38	1
JF	63C,65C	Medium ginger all vinyl	29	29	28&29	26
JF1	63C,65C	Refer to body type 63F trim code 6F in the 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3),refer to body type 63C,65C trim code 8F in 1970 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
JR	54C,57C,63C,65C	Medium green all vinyl	42	42	41&42	39
JW	63C,65C	White with black appointments all vinyl	21	19	18&19	16
JW1	63C,65C	Refer to body type 63F trim code 6W in the 1970 Soft Trim Section for Seat covers (62900,63804,64416-7 and 66600). For Door trim panels (23942-3 and 31012-3), refer to body type 63C,65C trim code 8W in 1970 Soft Trim Section. All other parts are included in the 1971 Soft Trim Section.				
JY	54C,57C	Light grey gold all vinyl	46	46	45&46	44
KA	54C,57C,63C,65C, 66A,B,C	Black all vinyl	3	3	3&8	1
KA1	54C,57C	Refer to body type 54C,57C trim code.KA in 1970 Soft Trim Section for Seat covers (62900,63804,64416-7 and 66600) and Door trim panels (23942-3 and 31012-3). All other parts are included in the 1971 Soft Trim Section.				

* For swatch identification refer to Page B, etc.

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
TORINO (B) - CONTINUED						
KW	63C,65C,66A,B,C	White all vinyl with black appointments	21	19	19&20	16
KY	54C,57C	Light grey gold all vinyl	46	46	46&50	44
NA	71E	Black all vinyl	3,109	3	3&8	35
NA1	71E	(See Note 5 on page A16)				
PB	63H	Medium blue vinyl and blue cloth	12	12	12&79	9
PE	63H	Medium vermilion vinyl and red cloth	38	38	38&57	35
PF	63H	Medium ginger vinyl and nugget gold cloth	29	29	29&58	26
QA	66B,C,E	Black all vinyl	3	3	3&8	1
QF	66B,C,E	Medium ginger all vinyl	29	29	29&118	26
QR	66B,C,E	Medium green all vinyl	42	42	42&137	39
QW	66B,C,E	White all vinyl with black appointments	21	19	19&20	16
RA	63H	Black all vinyl	3	3	2&3	1
RB	63H	Medium blue all vinyl	12	12	11&12	9
RE	63H	Medium vermilion all vinyl	38	38	37&38	35
RF	63H	Medium ginger all vinyl	29	29	28&29	26
TA	66E	Black all vinyl	3	3	3&208	1
TA1	66E	Refer to body type 66E trim code TA in 1970 Soft Trim Section for Seat covers (62900,63804,64416-7 and 66600) and Door trim panels (23942-3 and 31012-3). All other parts are included in the 1971 Soft Trim Section.				
TB	66E	Medium blue all vinyl	12	12	10&12	9
TB1	66E	Refer to body type 66E trim code TB in 1970 Soft Trim Section for Seat covers (62900,63804,64416-7 and 66600) and Door trim panels (23942-3 and 31012-3). All other parts are included in the 1971 Soft Trim Section.				
TE	66E	Medium vermilion all vinyl	38	38	36&38	35
TF	66E	Medium ginger all vinyl	29	29	24&29	26
TR	66E	Medium green all vinyl	42	42	40&42	39
UA	66A	Black all vinyl	3	3	3&5	1
UA1	66A	Refer to body type 66A trim code UA in 1970 Soft Trim Section for Seat Covers (62900,63804,64416-7 and 66600) and Door trim panels (23942-3 and 31012-3). All other parts are included in the 1971 Soft Trim Section.				
UB	66A	Medium blue all vinyl	12	12	12&94	9
UB1	66A	Refer to body type 66A trim code UB in 1970 Soft Trim Section for Seat covers (62900,63804,64416-7 and 66600) and Door trim panels (23942-3 and 31012-3). All other parts are included in the 1971 Soft Trim Section.				
UY	66A	Light grey gold all vinyl	46	46	46&48	44
VA	71C	Black all vinyl	3	3	3&8	1
WA	63F	Black all vinyl	3	3	3&8	1
WW	63F	White all vinyl with black appointments	3,21	19	19&20	16

* For swatch identification refer to Page B, etc.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
TORINO (B) - CONTINUED						
YA	63F,76F	Black all vinyl	3	3	3&8	1
YB	63F	Medium blue all vinyl	3,12	12	12&96	9
YE	63F,76F	Medium vermilion all vinyl	3,38	38	38&128	35
YF	63F	Medium ginger all vinyl	3,29	29	29&118	26
YR	63F	Medium green all vinyl	3,42	42	42&137	39
YW	63F,76F	White all vinyl with black appointments	3,21	19	19&20	16
ZB	66A,B,C	Medium blue vinyl and blue cloth	12	12	12&79	9
ZE	66A,B,C	Vermilion vinyl and red cloth	38	38	38&57	35
ZF	66A,B,C	Medium ginger vinyl and ginger cloth	29	29	27&58	26
ZR	66A,B,C	Medium green vinyl and green cloth	42	42	42&80	39

NOTE 1 - For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) refer to Trim Code AA (Fairlane/Torino - body type 71E) in the 1970 Soft Trim Section. For replacement of Door trim panels (23942-3 and 27406-7) refer to Trim Code AA in the 1971 Soft Trim Section.

NOTE 2 - For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) refer to Trim Code AA (Fairlane/Torino-Body Type 71E) in the 1970 Soft Trim Section. For replacement of Door Trim panels (23942-3 and 27406-7) refer to Trim Code BA in the 1971 Soft Trim Section.

NOTE 3 - For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) refer to Trim Code KAA (Fairlane/Torino Body Type 71E) in the 1969 Soft Trim Section. For replacement of Door Trim panels (23942-3 and 27406-7) refer to Trim Code AA in the 1971 Soft Trim Section.

NOTE 4 - For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) refer to Trim Code KAA (Fairlane/Torino Body Type 71C) in the 1969 Soft Trim Section. For replacement of Door Trim Panels (23942-3 and 27406-7) refer to Trim Code BA in the 1971 Soft Trim Section.

NOTE 5 - For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) refer to Trim Code NA (Fairlane/Torino-body type 71E) in the 1970 Soft Trim Section. For replacement of Door trim panels (22942-3 and 22406-7) refer to Trim Code NA in the 1971 Soft Trim Section.

NOTE 6 - For replacement of Door and Quarter Trim Panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1971 Soft Trim Section. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600), contact your Service Representative. All other parts are included in the 1971 Soft Trim Section.

MUSTANG (F)						
1A	63,65D,76D	Black all vinyl	3	3	2&3	1
1B	63,65D,76D	Medium blue all vinyl	12	12	11&12	9
1E	63,65D,76D	Medium vermilion all vinyl	38	38	37&38	35
1F	63,65D	Medium ginger all vinyl	29	29	28&29	26
1R	63,65D,76D	Medium green all vinyl	42	42	41&42	39
1W	63,65D,76D	White all vinyl with black appointments	19	19	18&19	16
2B	63D,65D	Medium blue vinyl and medium blue cloth	12	12	12&59	9
2E	63D,65D	Medium vermilion vinyl and medium vermilion cloth	38	38	38&62	35
2F	63D,65D	Medium ginger vinyl and medium ginger cloth	29	29	29&61	26
2R	63D,65D	Medium green vinyl and medium green cloth	42	42	42&63	39
3A	63D,65D	Black all vinyl	3	3	3&131	1
3W	63D,65D	White all vinyl with black appointments	19	19	17&19	16

* For swatch identification refer to Page B, etc.

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
MUSTANG (F) - CONTINUED						
4A	65F	Black vinyl and black cloth	3,130 &197	3	3&173	1
4B	65F	Medium blue vinyl and medium blue cloth	12,81 &130	12	12&174	9
4E	65F	Medium vermillion vinyl and medium vermillion cloth	38,130 &197	38	38&178	35
4F	65F	Medium ginger vinyl and medium ginger cloth	29,82 &130	29	29&177	26
4R	65F	Medium green vinyl and medium green cloth	42,83 &130	42	42&179	39
5A	63	Black all vinyl	3,130 &197	3	3,124 &208	1
5B	63	Medium blue all vinyl	12,81 &130	12	10,12 &125	9
5E	63	Medium vermillion all vinyl	38,130 &197	38	36,38 &221	35
5F	63	Medium ginger all vinyl	29,82 &130	29	24,29 &122	26
5FA	63	Medium ginger all vinyl	38,130& 197	29	29,117& 122	35
5R	63	Medium green all vinyl	42,183 &130	42	40,42 &132	39
5W	63	White all vinyl with black appointments	19,130 &197	19	17,19 &124	16
5WA	63	White all vinyl with black appointment	19,130& 197	12	12&46	16
BB	63D	Medium blue vinyl and medium blue cloth	12,81 &130	12	12&59	9
BE	63D,76D	Medium vermillion vinyl and medium vermillion cloth	38,130 &197	38	38&62	35
BF	63D,76D	Medium ginger ginyl and medium ginger cloth	29,82 &130	29	29&61	26
BR	63D	Medium green vinyl and medium green cloth	42,83 &130	42	42&63	39
CA	63D,76D	Black all vinyl	3,130 &197	3	3&208	1
CB	76D	Medium blue all vinyl	12,81 &130	12	10&12	9
CE	76D	Medium vermillion all vinyl	38,130 &197	38	36&38	35
CF	76D	Medium ginger all vinyl	29,82 &130	29	24&29	26
CFA	76D	Medium ginger all vinyl	38,130& 197	29	29&117	35
CR	76D	Medium green all vinyl	42,83 &130	42	40&42	39
CW	63D,76D	White all vinyl with black appointments	19,130 &197	19	17&19	16

* For swatch identification refer to Page B, etc.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
MAVERICK (P)						
1A	54A,62	Black all vinyl	3	3	3&7	1
1A1	54A	(Code 1A - See Note 1)				
1Y	54A,62	Light grey gold all vinyl	43	43	43&49	44
1Y1	54A	(Code 1Y - See Note 1)				
2A	54A,62A	Black vinyl and black cloth	3	3	3&72	1
2A1	54A	(Code 2A - See Note 1)				
2B	54A,62A	Medium blue vinyl and medium blue cloth	12	12	12&73	9
2B1	54A	(Code 2B - See Note 1)				
2Y	54A,62A	Light grey gold vinyl and light grey gold cloth	43	43	43&74	44
2Y1	54A	(Code 2Y - See Note 1)				
3A	54A	Black vinyl and black cloth	3&4	3	3&68	1
3A1	54A	(Code 3A - See Note 1)				
3B	54A	Medium blue vinyl and medium blue cloth	4&12	12	12&69	9
3B1	54A	(Code 3B - See Note 1)				
3E	62	Medium vermilion vinyl and medium vermilion cloth	4&38	38	38&70	35
3E1	62	(Code 3E - See Note 1)				
3Y	54A,62	Light grey gold vinyl and light grey gold cloth	4&43	43	43&71	44
3Y1	54A,62	(Code 3Y - See Note 1)				
4A	62A	Black all vinyl	3	3	3&75	1
4B	62A	Medium blue all vinyl	12	12	12&76	9
4E	62A	Medium vermilion all vinyl	38	38	38&77	35
4Y	62A	Light grey gold all vinyl	43	43	43&78	44
5A	54A,62	Black all vinyl	3&4	3	3&75	1
5A1	54A,62	(Code 5A - See Note 1)				
5A9	54A,62	(Code 5A - See Note 2)				
5B	54A,62	Medium blue all vinyl	4&12	12	12&76	9
5B1	54A,62	(Code 5B - See Note 1)				
5B9	54A,62	(Code 5B - See Note 2)				
5E	54A,62	Medium vermilion all vinyl	4&38	38	38&77	35
5E1	54A,62	(Code 5E - See Note 1)				
5E9	54A.62	(Code 5E - See Note 2)				
5Y	54A,62	Light grey gold all vinyl	4&43	43	43&78	44
5Y1	54A,62	(Code 5Y - See Note 1)				
5Y9	54A,62	(Code 5Y - See Note 2)				

NOTE 1 - For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600) refer to this code in the 1971 Soft Trim Section. For replacement of Door trim panels (23942-3 and 27406-7) contact your Service Representative. All other parts are included in the 1971 Soft Trim Section.

NOTE 2 - For replacement of Door and Quarter Trim Panels (23942-3, 27406-7 and 31012-3), refer to this code in the 1971 Soft Trim Section. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600), contact your Service Representative. All other parts are included in the 1971 Soft Trim Section.

* For swatch identification refer to Page B, etc.

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
MAVERICK (P) - CONTINUED						
8A	62	Black all vinyl	3&4	3	3&75	1
8A1	62	(Code 8A - See Note 1 Page 18)				
8A9	62	(Code 8A - See Note 2 on page A18)				
8B	62	Medium blue all vinyl	4&12	12	12&76	9
8B1	62	(Code 8B - See Note 1 Page 18)				
8B9	62	(Code 8B - See Note 2 on page A18)				
8E	62	Medium vermilion all vinyl	4&38	38	38&77	35
8E1	62	(Code 8E - See Note 1 Page 18)				
8E9	62	(Code 8E - See Note 2 on page A18)				
8Y	62	Light grey gold all vinyl	4&43	43	43&78	44
8Y1	62	(Code 8Y - See Note 1 Page 18)				
8Y9	62	(Code 8Y - See Note 2 on page A18)				
9E	62	Medium vermilion vinyl and medium vermilion cloth	4&38	38	38&70	35
9E1	62	(Code 9E - See Note 1 Page 18)				
9Y	62	Light grey gold vinyl and light grey gold cloth	4&43	43	43&71	44
9Y1	62	(Code 9Y - See Note 1 Page 18)				
PINTO (L)						
1A, 1AA	62B,64B	Black all vinyl	3	3	3&86	1
1B, 1BA	62B,64B	Medium blue all vinyl	12	12	12&92	9
1R, 1RA	62B,64B	Medium green all vinyl	42	42	42&134	39
2A, 2AA	62B,64B	Black vinyl and black cloth	3	3	3&165	1
2B, 2BA	62B,64B	Medium blue vinyl and medium blue cloth	12	12	12&166	9
2F, 2FA	62B,64B	Medium ginger vinyl and medium ginger cloth	29	29	29&167	26
2R, 2RA	62B,64B	Medium green vinyl and medium green cloth	42	42	42&168	39
3A, 3AA	62B,64B	Black all vinyl	3	3	3&208	1
3A1	62B,64B	(Code 3A - See Note 1 page A19)				
3B, 3BA	62B,64B	Medium blue all vinyl	12	12	10&12	9
3B1	62B,64B	(Code 3B - See Note 1 page A19)				
3F, 3FA	62B,64B	Medium ginger all vinyl	29	29	24&29	26
3FB	62B,64B	Medium ginger all vinyl	29	29	29&117	26
3R, 3RA	62B,64B	Medium green all vinyl	42	42	40&42	39
3RB	62B,64B	Medium green vinyl	42	42	42&136	39

* For swatch identification refer to Page B, etc.

NOTE 1 - For replacement of Door Trim Panels (23942-3 and 31012-3), refer to this code in the 1971 Soft Trim Section. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416, 672A18 and 672A20-1), contact your Service Representative. All other parts are included in the 1971 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1971 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
THUNDERBIRD (S)						
2A	65A,B	Black all vinyl	3&85	3	85&208	1
2B	65A,B	Dark blue all vinyl	13&100	13	99&100	98
2R	65A,B	Dark green all vinyl	43&143	43	142&145	141
2W	65A,B	White all vinyl with black appointments	19&110	19	17&110	16
4A	57C,65C,D	Black all vinyl	3&85	3	3&85	1
4B	57C,65C,D	Dark blue all vinyl	13&100	13	13&100	98
4R	57C,65C,D	Dark green all vinyl	43&143	43	43&143	141
4W	57C,65C,D	White all vinyl with black appointments	19&110	19	19&110	16
8A	65A,B	Black all vinyl	3&195	6	3&6	1
8D	65A,B	Dark red all vinyl	23&217	15	15	22
8F	65A,B	Medium ginger all vinyl	29&199	30	24&30	26
AA	65A,B	Black vinyl and black cloth	3,173 &195	3	3,123 &173	1
AB	65A,B	Dark blue vinyl and dark blue cloth	13,175 &196	13	13,126 &175	98
AD	65A,B	Dark red vinyl and dark red cloth	23,176 &217	23	23,38 &176	22
AF	65A,B	Medium ginger vinyl and medium ginger cloth	29,177 &199	29	29,127 &177	26
AR	65A,B	Dark green vinyl and dark green cloth	43,180 &202	43	43,129 &180	141
CA	65C,D	Back vinyl and black cloth	3&195	3	3&153	1
CB	65C,D	Dark blue vinyl and dark blue cloth	13&196	13	13&154	98
CD	65C,D	Dark red vinyl and dark red cloth	23&217	23	23&155	22
CF	65C,D	Medium ginger vinyl and medium yellow cloth	29&199	29	29&156	26
CR	65C,D	Dark green vinyl and dark green cloth	43&202	43	43&158	141
CY	65C,D	Light grey gold vinyl and light grey gold cloth	46&203	46	46&51	44
EA	57B	Black vinyl and black cloth	3&195	3	3&153	1
EB	57B	Dark blue vinyl and dark blue cloth	13&196	13	13&154	98
ED	57B	Dark red vinyl and dark red cloth	23&217	23	23&155	22
ER	57B	Dark green vinyl and dark green cloth	43&202	43	43&158	141
EY	57B	Light grey gold vinyl and light grey gold cloth	46&203	46	46&51	44
EZ	57B	Dark tobacco vinyl and dark tobacco cloth	200&220	31	31&157	32
FA	57B	Black all vinyl	3&195	6	3&6	1
FD	57B	Dark red all vinyl	23&217	15	15	22
FZ	57B	Dark tobacco all vinyl	200&220	34	33&34	32
BRONCO (U)						
3	97,98	Light parchment all vinyl	102	103	107	
9	97,98	Light parchment all vinyl	102	103	107	
94	97,98	Light parchment all vinyl	102	103	107	
9U	97,98	Light parchment all vinyl	102	103	107	

* For swatch identification refer to Page B, etc.

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER		
			B	D	E	F	K	P	R	V	Z						
COLORS →			BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE		
02344-5 PANEL - COWL TRIM																	
A-w/o integral A/C -Before 6/14/71	R	C9AZ 6202344										A1A					1
	R	D0AZ 6202344		D	B		A										1
	R	D1AZ 6502344							G	H							1
	L	D1AZ 6502345		H	L		J		G	M		K					1
-From 6/14/71	R	D2AZ 6502344		B	D				A	F		C					1
	L	D2AZ 6502345		B	D				A	F		C					1
	R	D1AZ 6502344					C										1
	L	D1AZ 6502345					C										1
A-w/integral A/C -Before 6/14/71	R	D1AZ 6502344		B	E		C		A	F		D					1
	L	D1AZ 6502345		B	E		C		A	F		D					1
-From 6/14/71	R	D2AZ 6502344		H	K				G	M		J					1
	L	D2AZ 6502345		H	K				G	M		J					1
	R	D0AZ 6202344					A										1
	L	D1AZ 6502345					J										1
B-w/o stereo	R	D0OZ 6502344		A			D					C					1
	L	D0OZ 6502345		A			D					C					1
	R	D1OZ 6502344							A	B							1
	L	D1OZ 6502345							A	B							1
B-w/stereo	R	D0OZ 6502344		G			K					J					1
	L	D0OZ 6502345		G			K					J					1
	R	D1OZ 6502344							C	D							1
	L	D1OZ 6502345							C	D							1
F	R	D1ZZ 6502344		B			C		A			D					1
	L	D1ZZ 6502345		B			C		A			D					1
L	R	D1FZ 6202344		B			C										1
	L	D1FZ 6202345		B					A			D					1
	R	D2FZ 6202344							B			E					1
	L	D4FZ 6202345					F										1
P	R	D1DZ 6202344		A						C		B					1
	L	D1DZ 6202345		A						C		B					1
S	R	C8SZ 6502344										B1A					1
	L	C8SZ 6502345										B1A					1
	R	D0SZ 6502344		D	B		A				F						1
	L	D0SZ 6502345		D	B		A				F						1
	R	D1SZ 6502344							A	B							1
	L	D1SZ 6502345							A	B							1
02600 WINDLACE - DOOR OPENING and QUARTER PILLAR - Also Refer to Groups 24486-7, 24544-5 and 281A74-5																	
B(54)-front door opening			Refer to Group 51222-3 in Body Section														
B(54)-rear door opening			Refer to Group 513A68-9 in Body Section														
B(57)-front door opening		D0OZ 5702606		B								D					2
		D1OZ 5702606							A	B							2
B(65)-front door opening		D0OZ 6502606		C			A							D			2
		D1OZ 6502606				B			A	D		C					2
B(66)-front door opening		D0OZ 6602606		C			A							D			2
		D1OZ 6602606				B			A	D		C					2
B(71)-front door opening	R	D0OZ 7102606		B			A					D					1
	L	D0OZ 7102607		B			A					D					1
	R	D1OZ 7102606				B			A	D							1
	L	D1OZ 7102607				B			A	D							1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	LENGTH	SECOND CHARACTER of TRIM CODE: B BLUE	D RED	E VERMILION	F GINGER	K AQUA	P GREY	R GREEN	V GREY GOLD	Z TOBACCO	ALL CODES BLACK	ALL CODES PARCHMENT	ALL CODES WHITE	OTHER SEE FOOT NOTE	QTY.
02600 WINDLACE - DOOR OPENING and QUARTER PILLAR - continued																	
B(76)-frt.body pillar	R	D0OZ 7602606					A										1
	L	D0OZ 7602607					A										1
	R	D1OZ 7602606								A			B				1
	L	D1OZ 7602607								A			B				1
F-qtr.lock pillar	R	D1ZZ 6531290		C		D	A			B			F		E		1
	L	D1ZZ 6531291		C		D	A			B			F		E		1
P-front door opening			Refer to Group 51222-3 in Body Section														
S-front body pillar			Serviced in assembly - refer to Group 02344-5														
S(57)-center body pillar			Refer to Group 24486-7														
S(57)-rear door opening			Refer to Group 24544-5														
S(65)-quarter lock pillar	R	D0SY 6531290													B		1
	L	D0SY 6531291													B		1
	R	D0SZ 6531290		F	B		A						E				1
	L	D0SZ 6531291		F	B		A						E				1
	R	D1SZ 6531290								A	B						1
	L	D1SZ 6531291								A	B						1
04104 VISOR - LESS ARM and BRACKET																	
A(except 76) -Before 6/14/71		D1AZ 6204104			E		D			C	F		A	G	H		2
		D4OZ 6504104		B													2
-From 6/14/71		D2AZ 6504104		B	F		E			C	G		A	J	D		2
A(76)		D1AZ 7604104		B	C					D			A				2
B(except 76)		D1OZ 5404104				F					G		A		D		2
		D4OZ 6504104		B						C							2
		D3OZ 6504104					F										2
B(76)		D1OZ 7604104					B			A			C				2
F(except 76)		D1ZZ 6504104		B		F	E			C			A		D		2
F(76)	R	D1ZZ 7604104		B		▲	C			A			D		▲		1
	L	D1ZZ 7604105		B		▲	C			A			D		▲		1
L		D1FZ 6204104					D			B							2
		D4FZ 6204104		B									A				2
P		D1DZ 6204104		B		C					D		A				2
S-w/warning lights		D1SZ 5704104	19 1/2"	N	M					L	P	R	K		J		2
S(57,65B,D)-w/o warning lights		D1SZ 5704104	22 1/2"	G	D		H			C	F	E	A		B		2
S(65A,C)-w/o warning lights		D1SZ 6504104	22 1/2"	G	E		B			D	F		C		A		2
U		C9TZ 9704104											A1U				2
04282 PAD - INSTRUMENT PANEL																	
A-w/o integral A/C		D1AZ 6504282		B	E		D			A	F		C				1
A-w/integral A/C		D1AZ 6504282		H	L		K			G	M		J				1
B		D0OZ 6504282		A			E						B				1
		D1OZ 6504282								A	B						1
F-incl. mldg. on forward edge		D1ZZ 6504282		B			H			A			C				1
F-less mldg. on forward edge		D1ZZ 6504282		F			H			E			G				1
L		D1FZ 6204282								A							1
		D3FZ 6204282		A			D						C				1
P		D1DZ 6204282									A						1
		D3DZ 6204282											D				1

▲ Use Black

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER		
			B	D	E	F	K	P	R	Y	Z						
COLORS →			BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE		
04282 PAD - INSTRUMENT PANEL - continued																	
S		D0SZ 6504282		D	C		B				G	A					1
		D1SZ 6504282							A	B							1
U		C9TZ 9604282										BCA					1
044F62 COVER - CONSOLE PANEL SIDE																	
S(65A, B)-cut pile		D0SZ 65044F62		B	C		D					A					1
		D1SZ 65044F62							A								1
S(65A, B)-loop pile		D0SZ 65044F62		H								G					1
		D1SZ 65044F62							B								1
04602 PAD - CONSOLE PANEL ARM REST																	
S(65A, B)		D1SZ 6504602							A								1
		D0SZ 6504602		F	B		C					A					1
04620 PAD - CONSOLE PANEL																	
B		D1OZ 6504620		B			A		D			C					1
13000-1 CARPET - FRONT FLOOR																	
A-w/bucket seats	R	D1AZ 6513000			P							N					1
	L	D1AZ 6513001			B							A					1
A-loop pile-w/full width seat - Before 6/14/71		D1AZ 6513000		B	E		C		A	F		D					1
From 6/14/71		D2AZ 6513000		H	L				G	M		J					1
A-cut pile-w/full width seat - Before 6/14/71		D1AZ 6513000		H	L		J		G	M		K					1
From 6/14/71		D2AZ 6513000		A	E				C	F		B					1
B(exc.76)-w/bucket seats & column shift		D0OZ 6513000		BA			BB					BD					1
		D1OZ 6513000							C								1
B(exc.76)-w/full width seat & column shift		D0OZ 6513000		A			B					E					1
		D1OZ 6513000							A	B							1
B-w/bucket seats & console-A/T		D0OZ 6513000		AG			AH					AK					1
		D1OZ 6513000							E								1
B-w/bucket seats & 4/S/T		D0OZ 6513000		AN			AR					AT					1
		D1OZ 6513000							G								1
B-w/full width seat & 4/S/T		D0OZ 6513000		H			J					M					1
		D1OZ 6513000							J	K							1
B(76)-w/bucket seats & column shift		D0OZ 7613000										R					1
B(76)-w/bucket seats & 4/S/T		D0OZ 7613000										AA					1
B(76)-w/full width seat & column shift		D0OZ 7613000					B					C					1
		D1OZ 7613000							A								1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—K	—P	—R	—Y	—Z					
COLORS →			BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE	
13000-1 CARPET - FRONT FLOOR - continued																
B(76)-w/full width seat & 4/S/T		D0OZ 7613000				F						G				1
		D1OZ 7613000							E							1
B(76)-w/bucket seats & console-A/T		D0OZ 7613000										V				1
F(63D,65)-includes heel pad on driver side		D1ZZ 6513000		B	E		C			A			D			1
F(63D,R)-includes heel pad on pass. and driver side		D1ZZ 6313000		*A		C	*D			*E			▲B			1
		D1ZZ 6313000											♦C			1
F(76)		D1ZZ 7613000		B	E		C			A			D			1
L-front & rear		D1FZ 6213000		B			C			A			D			1
P-w/column shift		D1DZ 6213000		D							F		E			1
P-w/floor shift		D1DZ 6213000		G							J		H			1
S-loop pile w/ bucket seats	R	D0SZ 6513000		R									M			1
	L	D0SZ 6513001		D									A			1
	R	D1SZ 6513000							D							1
	L	D1SZ 6513001							B							1
S-cut pile-w/bucket seats	R	D0SZ 6513000		Z	W		U						V			1
	L	D0SZ 6513001		L	J		G						H			1
	R	D1SZ 6513000							A							1
	L	D1SZ 6513001							A							1
S-loop pile -w/full width seat		D0SZ 6513000		D									A			1
		D1SZ 6513000							E							1
S-cut pile-w/full width seat		D0SZ 6513000		K	H		F				E	G				1
		D1SZ 6513000							B	C						1
13000 MAT - FRONT FLOOR																
A(54,71)-Before 6/14/71		D1AZ 5413000										A				1
From 6/14/71		D2AZ 5413000										A				1
B(54,65,66,71)-1/16" thick		D0OZ 6513000		AB								AD				1
		D1OZ 6513000								L						1
B(54,65,66,71)-1/8" thick		D0GZ 5413000										A				1
L-front & rear		D1FZ 6213000		G					F			E				1
P-w/floor shift		D1DZ 6213000		S						U		T				1
P-w/column shift		D1DZ 6213000		A						C		B				1
U		D1BZ 1013010											A			1
		D3BZ 1013010										A				1
13010 MAT - FRONT FLOOR - Refer to Group 13000																
13017 MAT - FRONT FLOOR REAR																
B(66)		C7OZ 6613017										A1A				1
130A34 CARPET - AUXILIARY FLOOR REAR																
F(63)		D1ZZ 63130A34		B			C			A			D			1
13042 CARPET - AUXILIARY FLOOR FRONT																
F		D1ZZ 6313042							A							1
		D0ZZ 6313042					A									1
		C7ZZ 6313042										ABA				1

♦ Black carpet with Vermilion heel pad ▲ Includes Gray heel pad * Heel pad same color as carpet

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →				SECOND CHARACTER of TRIM CODE										ALL CODES	ALL CODES	ALL CODES	OTHER
				B	D	E	F	K	P	R	Y	Z					
COLORS →				BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE	
13046 CARPET - REAR FLOOR																	
A(53H,57)-cut pile-Before 6/14/71		D1AZ 5713046		G	L		H			K	M		J				1
From 6/14/71		D2AZ 5713046		G	L					J	M		H				1
		D1AZ 5713046					H										1
A(53H,54)-loop pile-Before 6/14/71		D1AZ 5413046		B	E		C			A	F		D				1
From 6/14/71		D2AZ 5413046		B	E					A	F		C				1
		D1AZ 5413046					C										1
A(53K)-cut pile-Before 6/14/71		D1AZ 5313046		A	E		B			D	F		C				1
From 6/14/71		D2AZ 5313046		A	E					C	F		B				1
		D1AZ 5313046					B										1
A(57)-loop pile-Before 6/14/71		D1AZ 5713046		B	E		C			A	F		D				1
From 6/14/71		D2AZ 5713046		B	E					A	F		C				1
		D1AZ 5713046					C										1
A(65)-cut pile-Before 6/14/71		D1AZ 6513046		N	T		P			S	U		R				1
From 6/14/71		D2AZ 6513046		A	E					C	F		B				1
		D1AZ 6513046					P										1
A(65)-loop pile-w/full width seat		D1AZ 6513046		B	E		C			A	F		D				1
A(65,76)-loop pile-w/bucket seats-Before 6/14/71		D1AZ 6513046		H	L		J			G	M		K				1
From 6/14/71		D2AZ 6513046		H	L					G	M		J				1
		D1AZ 6513046					J										1
A(76)-loop pile-w/full width seat		D1AZ 6513046		B	E					A			D				1
A(71)-loop pile-Before 6/14/71		D1AZ 7113046		B	E		C			A			D				1
From 6/14/71		D2AZ 7113046		B	E					A			C				1
		D1AZ 7113046					C										1
B(54)		D1OZ 5413046		D						B	C		E				1
B(57)		D1OZ 5713046		C						A	B		D				1
B(63,65,76)-w/full width seat		D1OZ 6513046		H			J			B	C		K				1
B(63,65)-w/bucket seats		D1OZ 6513046		N			P			S			R				1
B(66)-w/bucket seats		D1OZ 6613046		E			F			D			G				1
B(66)-w/full width seat		D1OZ 6613046		H			J			B			K				1
B(71)		D1OZ 7113046		C			D			B			E				1
B(76)-w/bucket seats		D0OZ 7613046					B						D				1
		D1OZ 7613046								A							1
F(63)		D2ZZ 6313046		G	K		H			F			J				1
F(65)		D1ZZ 6513046		B			C			A			D				1
		D1WY 6513046			E												1
F(76)		D1ZZ 7613046		B	E		C			A			D				1
L			Serviced in assembly - refer to Group 13000														

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
TRIM CODES →			B	D	E	F	K	P	R	Y	Z					
COLORS →			BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE	
13046 CARPET - REAR FLOOR - continued																
P(54)		D1DZ 5413046	D							F		E				1
P(62)		D1DZ 6213046	D							F		E				1
S-loop pile		D0SZ 6513046	K									J				1
		D1SZ 6513046							A							1
S-cut pile		D1SZ 6513046	M	K		J			B	E	H	L				1
13046 MAT - REAR FLOOR																
A(54)-incl.jute pad-Before 6/14/71		D1AZ 5413046										G				1
A(54)-less jute pad-From 6/14/71		D1AZ 5413054										A				1
		D2AZ 5413054										A				1
A(71)-Before 6/14/71		D1AZ 7113046										F				1
From 6/14/71		D2AZ 7113046										F				1
		D2AZ 5413046										G				1
B(54)		D1OZ 5413046	F							A		G				1
B(65)		D1OZ 6513046	L							A		M				1
B(66)		D1OZ 6613046	L							A		M				1
B(71)		D1OZ 7113046	F							A		G				1
L		Serviced in assembly - refer to Group 13000														
P(54)		D1DZ 5413046	A							C						1
P(62)		D1DZ 6213046								C		B				1
U		C8TZ 9813054											A1U			1
13049 CARPET - AUXILIARY FLOOR																
A(71)-front		D1AZ 7113049	C	D		E			B			A				1
A(71)-rear		D1AZ 7113065	C	D		E			B			A				1
13054 MAT - REAR FLOOR - Refer to Group 13046																
130A58 CARPET - LUGGAGE COMPARTMENT ACCESS DOOR																
F(63)		D1ZZ 6313A58	B			C			A			D				1
13065 CARPET - AUXILIARY FLOOR REAR - Refer to Group 13049																

MODEL	PART NUMBER LESS SUFFIX	RUBBER OR VINYL	FULL WIDTH OR TWIN	COLORS and APPLICABLE SUFFIXES												
				AQUA/TURQ.	BLACK	BLUE	GINGER	GREEN	GREY GOLD	IVY GOLD	NUGGET GOLD	RED/BURG.		WHITE	OTHER	OTHER
13086 MAT - FRONT FLOOR																
A †	C9AZ 6513086	R	FW		A							C		J		
†	D0AZ 6513086	R	FW			D		B								⊕A
A, B, F, L, P, S	C6AZ 6213086	R	FW		A	C						D				
A	C9AZ 6213086	R	T		A							C		J		
A	D0AZ 6213086	R	T			B										⊕A
F	C5ZZ 6513086	R	T		C									A		
	D0ZZ 6513086	R	T			C		A								⊕B
L	D1FZ 6213086	R	T		B	A		D						C		
S	D0SZ 6313086	R	T		A	B				D	E	C		F		
A, B, F, L, P, S †	C9AZ 6213086	V	FW		‡R	‡S				‡U		‡T		‡V		
	C9AZ 6213086	V	FW		◊AB					◊AC						∅Y
U	C9TZ 8113086	R	FW		A	B						C				
13088 MAT - FRONT and REAR FLOOR																
A,B,F,L,P,S,X	D0DZ 6213088	V	T			‡B		‡F				‡D				
	D2AZ 6213088	V	T												∅A	

† Cut to form twin front mats if desired ◊ Transparent ‡ Opaque ∅ Clear ⊕ Brown

MODEL	PART NUMBER LESS SUFFIX	RUBBER OR VINYL	FULL WIDTH OR TWIN	COLORS and APPLICABLE SUFFIXES: AQUA TURQ.	BLACK	BLUE	GINGER	GREEN	GREY GOLD	IVY GOLD	NUGGET GOLD	RED/BURG.		WHITE	OTHER	OTHER
13106 MAT - REAR FLOOR																
A †	C9AZ 6513106	R	FW		A							C		J		
†	D0AZ 6513106	R	FW			D										⊕A
B †	C9OZ 5413106	R	FW		A											
A	C9AZ 6213106	R	T		A							C		J		
	D0AZ 6213106	R	T			B										⊕A
	C6AZ 6213106	R	FW		A	C						D		B		
F	D0ZZ 6513106	R	T			C		A								⊕B
	C5ZZ 6513106	R	T		C											
L	D1FZ 6213106	R	T		B	A			D					C		
S	D0SZ 6313106	R	T			B				C	A					
	C4SZ 6313106	R	T		E							C		D		
A, B, F, L, P, S †	C9AZ 6213106	V	FW			◊AA									⌀Y	
	C9AZ 6213106	V	FW		‡R	‡S				‡U				‡V		
13144-5 RETAINER - REAR FLOOR MAT																
B(54)	R D0OZ 5413144														$A	1
	L D0OZ 5413145														$A	1
B(71)	R C9OZ 5413144														$ABY	1
	L C9OZ 5413145														$ABY	1
P(54)	D3DZ 5413144														$A	2
13176 MAT - REAR FLOOR (IN WELL)																
A(71)	C9AZ 7113182											A1A				1
B(71)	D1OZ 7113182											A				1
13182 MAT - REAR FLOOR REAR - Refer to Group 13176																
22666-7 HANDLE - DOOR PULL																
F	R D1ZZ 6522666				B		C	D			E			A	F	1
	L D1ZZ 6522667				B		C	D			E			A	F	1
S-front and rear door	D0VY 6522666				JB	BB		FB		DB				HB	EB •CB	4
	D1VY 6522666										A	B				4

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES	QTY.
23942-3 PANEL ASSY. - FRONT DOOR TRIM				
		TRIM CODES →	DA | DAA | DB | DBA | DD | DDA | DF | DFA | DR | DRA | DY | DYA	
A(53H)	R	D1AZ 5323942	ADA | BFA | ADB | BFB | ADD | BFD | ADF | BFF | ADR | BFR | ADY | BFY	1
	L	D1AZ 5323943	ADA | BFA | ADB | BFB | ADD | BFD | ADF | BFF | ADR | BFR | ADY | BFY	1
		TRIM CODES →	FA | FB | FD | FF | FR | FW | FY	
A(53H)	R	D1AZ 5323942	BFA | BFB | BFD | BFF | BFR | BFW | BFY	1
	L	D1AZ 5323943	BFA | BFB | BFD | BFF | BFR | BFW | BFY	1
		TRIM CODES →	9A | 9AA | 9B | 9BA | 9D | 9DA | 9F | 9FA | 9R | 9RA | 9Y | 9YA	
A(53K)	R	D1AZ 5323942	A9A | B9A | A9B | B9B | A9D | B9D | A9F | B9F | A9R | B9R | A9Y | B9Y	1
	L	D1AZ 5323943	A9A | B9A | A9B | B9B | A9D | B9D | A9F | B9F | A9R | B9R | A9Y | B9Y	1
		TRIM CODES →	EA | EAA | EB | EBA | ED | EDA | EF | ER | ERA | EY | EYA	
A(53K)	R	D1AZ 5323942	A9A | B9A | A9B | B9B | A9D | B9D | B9F | A9R | B9R | A9Y | B9Y	1
	L	D1AZ 5323943	A9A | B9A | A9B | B9B | A9D | B9D | B9F | A9R | B9R | A9Y | B9Y	1
		TRIM CODES →	1A | 1B | 1Y | 3A | 3B | 3R | 3Y | LU | NA | NB | NY	
A(54B,D)	R	D1AZ 5423942	ANA | ANB | ANY | ANA | ANB | ANR | ANY | ALU | ANA | ANB | ANY	1
	L	D1AZ 5423943	ANA | ANB | ANY | ANA | ANB | ANR | ANY | ALU | ANA | ANB | ANY	1
		TRIM CODES →	4A, 4AA | 4B, 4BA | 4F, 4FA | 4R, 4RA | 4Y, 4YA | 5A | 5B | 5F | 5R | 5Y	
A(54F)	R	D1AZ 5423942	A5A | A5B | A5F | A5R | A5Y | A5A | A5B | A5F | A5R | A5Y	1
	L	D1AZ 5423943	A5A | A5B | A5F | A5R | A5Y | A5A | A5B | A5F | A5R | A5Y	1
		TRIM CODES →	WA | WB | WD | WF | WR | WW | WY	
A(54F)	R	D1AZ 5423942	A5A | A5B | AWD | A5F | A5R | AWW | A5Y	1
	L	D1AZ 5423943	A5A | A5B | AWD | A5F | A5R | AWW | A5Y	1

$ Paint to match • Nugget Gold ◊ Transparent ‡ Opaque ⊕ Brown
† Cut to form twin mats if so desired ⌀ Clear

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
23942-3 PANEL ASSY. - FRONT DOOR TRIM - continued																	
TRIM CODES →			4A, 4AA	4B, 4BA	4F, 4FA	4R, 4RA	4Y, 4YA	5A	5B	5F	5R	5Y					
A(57F)	R	D1AZ 5723942	A5A	A5B	A5F	A5R	A5Y	A5A	A5B	A5F	A5R	A5Y					1
	L	D1AZ 5723943	A5A	A5B	A5F	A5R	A5Y	A5A	A5B	A5F	A5R	A5Y					1
TRIM CODES →			WA	WB	WD	WF	WR	WW	WY								
A(57F)	R	D1AZ 5723942	A5A	A5B	AWD	A5F	A5R	AWW	A5Y								1
	L	D1AZ 5723943	A5A	A5B	AWD	A5F	A5R	AWW	A5Y								1
TRIM CODES →			DA	DAA	DB	DBA	DD	DDA	DF	DFA	DR	DRA	DY	DYA			
A(57H)	R	D1AZ 5723942	ADA	BFA	ADB	BFB	ADD	BFD	ADF	BFF	ADR	BFR	ADY	BFY			1
	L	D1AZ 5723943	ADA	BFA	ADB	BFB	ADD	BFD	ADF	BFF	ADR	BFR	ADY	BFY			1
TRIM CODES →			FA	FB	FD	FF	FR	FW	FY								
A(57H)	R	D1AZ 5723942	BFA	BFB	BFD	BFF	BFR	BFW	BFY								1
	L	D1AZ 5723943	BFA	BFB	BFD	BFF	BFR	BFW	BFY								1
TRIM CODES →			9A	9AA	9B	9BA	9D	9DA	9F	9FA	9R	9RA	9Y	9YA			
A(57K)	R	D1AZ 5723942	A9A	B9A	A9B	B9B	A9D	B9D	A9F	B9F	A9R	B9R	A9Y	B9Y			1
	L	D1AZ 5723943	A9A	B9A	A9B	B9B	A9D	B9D	A9F	B9F	A9R	B9R	A9Y	B9Y			1
TRIM CODES →			EA	EAA	EB	EBA	ED	EDA	EF	ER	ERA	EY	EYA				
A(57K)	R	D1AZ 5723942	A9A	B9A	A9B	B9B	A9D	B9D	B9F	A9R	B9R	A9Y	E^Y				1
	L	D1AZ 5723943	A9A	B9A	A9B	B9B	A9D	B9D	B9F	A9R	B9R	A9Y	B9Y				1
TRIM CODES →			2A	2B	2R	2Y	3A	3B	3R	3Y							
A(65D)	R	D1AB 6523942	02A	02B	02R	02Y	02A	02B	02R	02Y							
	L	D1AB 6523943	02A	02B	02R	02Y	02A	02B	02R	02Y							
TRIM CODES →			4A, 4AA	4B, 4BA	4F, 4FA	4R, 4RA	4Y, 4YA	5A	5B	5F	5R	5Y	8A	8D	8W		
A(65F)	R	D1AZ 6523942	A5A	A5B	A5F	A5R	A5Y	A5A	A5B	A5F	A5R	A5Y	A5A	AWD	AWW		1
	L	D1AZ 6523943	A5A	A5B	A5F	A5R	A5Y	A5A	A5B	A5F	A5R	A5Y	A5A	AWD	AWW		1
TRIM CODES →			WA	WB	WD	WF	WR	WW	WY								
A(65F)	R	D1AZ 6523942	A5A	A5B	AWD	A5F	A5R	AWW	A5Y								1
	L	D1AZ 6523943	A5A	A5B	AWD	A5F	A5R	AWW	A5Y								1
TRIM CODES →			DA	DAA	DB	DBA	DD	DDA	DF	DFA	DR	DRA	DY	DYA			
A(65H)	R	D1AZ 6523942	ADA	AFA	ADB	AFB	ADD	AFD	ADF	AFF	ADR	AFR	ADY	AFY			1
	L	D1AZ 6523943	ADA	AFA	ADB	AFB	ADD	AFD	ADF	AFF	ADR	AFR	ADY	AFY			1
TRIM CODES →			FA	FB	FD	FF	FR	FW	FY								
A(65H)	R	D1AZ 6523942	AFA	AFB	AFD	AFF	AFR	AFW	AFY								1
	L	D1AZ 6523943	AFA	AFB	AFD	AFF	AFR	AFW	AFY								1
TRIM CODES →			GA	GD	GW												
A(65H)	R	D1AZ 6523942	AFA	AFD	AFW												1
	L	D1AZ 6523943	AFA	AFD	AFW												1
TRIM CODES →			EA	EAA	EB	EBA	ED	EDA	EF	ER	ERA	EY	EYA				
A(65K)	R	D1AZ 6523942	AZA	BZA	AZB	BZB	AZD	BZD	BZF	AZR	BZR	AZY	BZY				1
	L	D1AZ 6523943	AZA	BZA	AZB	BZB	AZD	BZD	BZF	AZR	BZR	AZY	BZY				1
TRIM CODES →			ZA	ZAA	ZB	ZBA	ZD	ZDA	ZF	ZFA	ZR	ZRA	ZY	ZYA			
A(65K)	R	D1AZ 6523942	AZA	BZA	AZB	BZB	AZD	BZD	AZF	BZF	AZR	BZR	AZY	BZY			1
	L	D1AZ 6523943	AZA	BZA	AZB	BZB	AZD	BZD	AZF	BZF	AZR	BZR	AZY	BZY			1
TRIM CODES →			NA	NB	NR												
A(71B)	R	D1AZ 5423942	ANA	ANB	ANR												1
	L	D1AZ 5423943	ANA	ANB	ANR												1
TRIM CODES →			7A	7B	7F	7R											
A(71D)	R	D1AZ 5423942	ANA	ANB	A7F	ANR											1
	L	D1AZ 5423943	ANA	ANB	A7F	ANR											1
TRIM CODES →			RA, RAA	RD, RDA	WA	WB	WD	WF	WR								
A(71F)	R	D1AZ 5423942	A5A	AWD	A5A	A5B	AWD	A5F	A5R								1
	L	D1AZ 5423943	A5A	AWD	A5A	A5B	AWD	A5F	A5R								1
TRIM CODES →			BA	BAA	BF	BR	FA	FB	FD	FF	FR	VA, VAA	VD, VDA				
A(71H)	R	D1AZ 7123942	ABA	BBA	ABF	ABR	AFA	AFB	AFD	AFF	AFR	AFA	AFD				1
	L	D1AZ 7123943	ABA	BBA	ABF	ABR	AFA	AFB	AFD	AFF	AFR	AFA	AFD				1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
23942-3 PANEL ASSY. - FRONT DOOR TRIM - continued																	
TRIM CODES →			FA	FB	FD	FR	FW	GA	GD	GW							
A(76H)	R	D1AZ 6523942	AFA	AFB	AFD	AFR	AFW	AFA	AFD	AFW							1
	L	D1AZ 6523943	AFA	AFB	AFD	AFR	AFW	AFA	AFD	AFW							1
TRIM CODES →			2A	2B	2Y	7A	7B	7R	7Y	JA	JB	JR	JY	KA	KY		
B(54)	R	D0OZ 5423942	A2A	A2B		A7A	A7B			A7A	A7B			A7A			1
	L	D0OZ 5423943	A2A	A2B		A7A	A7B			A7A	A7B			A7A			1
	R	D1OZ 5423942			B2Y			B7R	B7Y			B7R	B7Y		B7Y		1
	L	D1OZ 5423943			B2Y			B7R	B7Y			B7R	B7Y		B7Y		1
TRIM CODES →			7A	7B	7R	7Y	JA	JB	JR	JY	KA	KY					
B(57C)	R	D0OZ 5723942	A7A	A7B			A7A	A7B			A7A						1
	L	D0OZ 5723943	A7A	A7B			A7A	A7B			A7A						1
	R	D1OZ 5723942			B7R	B7Y			B7R	B7Y		B7Y					1
	L	D1OZ 5723943			B7R	B7Y			B7R	B7Y		B7Y					1
TRIM CODES →			HA	HB	HR	HY											
B(57E)	R	D1OZ 5723942	AHA	AHB	AHR	AHY											1
	L	D1OZ 5723943	AHA	AHB	AHR	AHY											1
TRIM CODES →			7A	7B	7R	7Y	8A	8B	8E	8F	8R	8W					
B(63C)	R	D1OZ 6523942	A8A	A8B	A8R	A8Y	A8A	A8B	A8E	A8F	A8R	A8W					1
	L	D1OZ 6523943	A8A	A8B	A8R	A8Y	A8A	A8B	A8E	A8F	A8R	A8W					1
TRIM CODES →			JA	JB	JE	JF	JR	JW	KA	KW							
B(63C)	R	D1OZ 6523942	A8A	A8B	A8E	A8F	A8R	A8W	A8A	A8W							1
	L	D1OZ 6523943	A8A	A8B	A8E	A8F	A8R	A8W	A8A	A8W							1
TRIM CODES →			6A	6B	6E	6F	6R	6W	WA	WW	YA	YB	YE	YF	YR	YW	
B(63F,76F)	R	D1OZ 6323942	A6A	A6B	A6E	A6F	A6R	A6W	A6A	A6W	A6A	A6B	A6E	A6F	A6R	A6W	1
	L	D1OZ 6323943	A6A	A6B	A6E	A6F	A6R	A6W	A6A	A6W	A6A	A6B	A6E	A6F	A6R	A6W	1
TRIM CODES →			CA	CB	CE	CF	RA	RB	RE	RF							
B(63H)	R	D0OZ 6523942	A3A	A3B		A3F	A3A	A3B		A3F							1
	L	D0OZ 6523943	A3A	A3B		A3F	A3A	A3B		A3F							1
	R	D1OZ 6523942			B3E				B3E								1
	L	D1OZ 6523943			B3E				B3E								1
TRIM CODES →			1A	1F	1R	2A	2B	2Y									
B(65A,C)	R	D1OZ 6323942	A1A	A1F	A1R												1
	L	D1OZ 6323943	A1A	A1F	A1R												1
	R	D1OZ 6523942						B3Y									1
	L	D1OZ 6523943						B3Y									1
	R	D0OZ 6523942				A3A	A3B										1
	L	D0OZ 6523943				A3A	A3B										1
TRIM CODES →			7A	7B	7R	7Y	8A	8B	8E	8F	8R	8W					
B(65C)	R	D1OZ 6523942	A8A	A8B	A8R	A8Y	A8A	A8B	A8E	A8F	A8R	A8W					1
	L	D1OZ 6523943	A8A	A8B	A8R	A8Y	A8A	A8B	A8E	A8F	A8R	A8W					1
TRIM CODES →			HA	HB	HR	HY	JA	JB	JE	JF	JR	JW	KA	KW			
B(65C,E)	R	D1OZ 6523942	AHA	AHB	AHR	AHY	A8A	A8B	A8E	A8F	A8R	A8W	A8A	A8W			1
	L	D1OZ 6523943	AHA	AHB	AHR	AHY	A8A	A8B	A8E	A8F	A8R	A8W	A8A	A8W			1
TRIM CODES →			UA	UB	UY	ZB	ZE	ZF	ZR								
B(66A)	R	D1OZ 6623942	AGA	AGB	AGY	AGB	AGE	AGF	AGR								1
	L	D1OZ 6623943	AGA	AGB	AGY	AGB	AGE	AGF	AGR								1
TRIM CODES →			GA	GB	GE	GF	GR	QA	QF	QR	QW	ZB	ZE	ZF	ZR		
B(66B,C)	R	D1OZ 6623942	AGA	AGB	AGE	AGF	AGR	AGA	AGF	AGR	AGW	AGB	AGE	AGF	AGR		1
	L	D1OZ 6623943	AGA	AGB	AGE	AGF	AGR	AGA	AGF	AGR	AGW	AGB	AGE	AGF	AGR		1
TRIM CODES →			QA	QF	QR	QW	TA	TB	TE	TF	TR						
B(66E)	R	D1OZ 6623942	AGA	AGF	AGR	AGW	AGA	AGB	AGE	AGF	AGR						1
	L	D1OZ 6623943	AGA	AGE	AGR	AGW	AGA	AGB	AGE	AGF	AGR						1
TRIM CODES →			2A	2B	2Y	BA	BE	GA	GB	GE	GF	GR	VA				
B(71C,D)	R	D0OZ 7123942	A5A	A5B		AGA		AGA	AGB		AGF		AGA				1
	L	D0OZ 7123943	A5A	A5B		AGA		AGA	AGB		AGF		AGA				1
	R	D1OZ 7123942			B5Y		BGE			BGE		BGR					1
	L	D1OZ 7123943			B5Y		BGE			BGE		BGR					1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
23942-3 PANEL ASSY. - FRONT DOOR TRIM - continued																
TRIM CODES →			9A	9B	9E	9F	9R	AA	AE	NA						
B(71E)	R	D1OZ 7123942	A9A	A9B	A9E	A9F	A9R	A9A	A9E	A9A						1
	L	D1OZ 7123943	A9A	A9B	A9E	A9F	A9R	A9A	A9E	A9A						1
TRIM CODES →			1A	1B	1E	1F	1R	1W	2B	2E	2F	2R	3A	3W		
F(63,65,76)	R	D1ZZ 6523942	A1A	A1B	A1E	A1F	A1R	A1W	A1B	A1E	A1F	A1R	A1A	A1W		1
	L	D1ZZ 6523943	A1A	A1B	A1E	A1F	A1R	A1W	A1B	A1E	A1F	A1R	A1A	A1W		1
TRIM CODES →			4A	4B	4E	4F	4R	5A	5B	5E	5F	5R	5W			
F(63,65)	R	D1ZZ 6523942	A5A	A5B	A5E	A5F	A5R	A5A	A5B	A5E	A5F	A5R	A5W			1
	L	D1ZZ 6523943	A5A	A5B	A5E	A5F	A5R	A5A	A5B	A5E	A5F	A5R	A5W			1
TRIM CODES →			BB	BE	BF	BR	CA	CB	CE	CF	CR	CW				
F(63,76)	R	D1ZZ 6523942	A5B	A5E	A5F	A5R	A5A	A5B	A5E	A5F	A5R	A5W				1
	L	D1ZZ 6523943	A5B	A5E	A5F	A5R	A5A	A5B	A5E	A5F	A5R	A5W				1
TRIM CODES →			1A, 1AA	1B, 1BA	1R, 1RA	2A, 2AA	2B, 2BA	2F, 2FA	2R, 2RA	3A, 3AA	3B, 3BA	3F, 3FA, 3FB	3R, 3RA, 3RB			
L	R	D1FZ 6223942	A1A	A1B	A1R	A2A	A2B	A2F	A2R	A2A	A2B	A2F	A2R			1
	L	D1FZ 6223943	A1A	A1B	A1R	A2A	A2B	A2F	A2R	A2A	A2B	A2F	A2R			1
TRIM CODES →			1A	1Y	2A	2B	2Y	3A	3B	3Y	5A	5B	5E	5Y		
P(54A)	R	D1DZ 5423942	A2A	A2Y	A2A	A2B	A2Y	A5A	A5B	A5Y	A5A	A5B	A5E	A5Y		1
	L	D1DZ 5423943	A2A	A2Y	A2A	A2B	A2Y	A5A	A5B	A5Y	A5A	A5B	A5E	A5Y		1
TRIM CODES →			GA	GB	GE											
P(54A)	R	D1DZ 5423942	A2A	A2B	A2A											1
	L	D1DZ 5423943	A2A	A2B	A2A											1
TRIM CODES →			1A	1Y	2A	2B	2Y	4Y	GA	GB	GE					
P(62)	R	D0DZ 6223942	A1A		A1A	A1B			A1A	A1B	A1A					1
	L	D0DZ 6223943	A1A		A1A	A1B			A1A	A1B	A1A					1
	R	D1DZ 6223942		A1Y			A1Y	A1Y								1
	L	D1DZ 6223943		A1Y			A1Y	A1Y								1
TRIM CODES →			3E	3Y	5A	5B	5E	5Y	8A	8B	8E	8Y	9E	9Y		
P(62) - "Before 2/1/71"	R	D1DZ 6223942	B5E	B3Y	A3A	B3B	B5E	B3Y	A3A	B3B	B5E	B3Y	B5E	B3Y		1
	L	D1DZ 6223943	A5E	B3Y	B3A	B3B	B5E	B3Y	B3A	B3B	B5E	B3Y	B5E	B3Y		1
- "From 2/1/71"	R	D1DZ 6223942	B5E	B3Y	B3A	B3B	B5E	B3Y	B3A	B3B	B5E	B3Y	B5E	B3Y		1
	L	D1DZ 6223943	B5E	B3Y	B3A	B3B	B5E	B3Y	B3A	B3B	B5E	B3Y	B5E	B3Y		1
TRIM CODES →			4A	4B	4R	4W	EA	EB	ED	ER	EY	EZ	FA	FD	FZ	
S(57B,C)	R	D0SZ 5723942	A4A	A4B		A4W	A5A	A5B	A5D			A5Z	A5A	A5D	A5Z	1
	L	D0SZ 5723943	A4A	A4B		A4W	A5A	A5B	A5D			A5Z	A5A	A5D	A5Z	1
	R	D1SZ 5723942			A4R					AER	AEY					1
	L	D1SZ 5723943			A4R					AER	AEY					1
TRIM CODES →			2A	2B	2R	2W	8A	8D	8F	AA	AB	AD	AF	AR		
S(65A,B)	R	D0SZ 6523942	A2A	A2B		A2W	A3A	A3D	A3F	B1A	B1B		B1F			1
	L	D0SZ 6523943	A2A	A2B		A2W	A3A	A3D	A3F	B1A	B1B		B1F			1
	R	D1SZ 6523942			A2R							BAD		BAR		1
	L	D1SZ 6523943			A2R							BAD		BAR		1
TRIM CODES →			4A	4B	4R	4W	CA	CB	CD	CF	CR	CY				
S(65C,D)	R	D0SZ 6523942	A2A	A2B		A2W	A3A	A3B	A3D	A3F						1
	L	D0SZ 6523943	A2A	A2B		A2W	A3A	A3B	A3D	A3F						1
	R	D1SZ 6523942			A2R						ACR	ACY				1
	L	D1SZ 6523943			A2R						ACR	ACY				1
TRIM CODES →			All													
	R	D3BZ 1023942	A5U													1
	L	C8TZ 9723943	A8D													1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	LENGTH	SECOND CHARACTER of TRIM CODE: B BLUE	D RED	E VERMILION	F GINGER	K AQUA	P GREY	R GREEN	Y GREY GOLD	Z TOBACCO	ALL CODES BLACK	ALL CODES PARCHMENT	ALL CODES WHITE	OTHER SEE FOOT NOTE	QTY.
24056 BUTTON - FRONT DOOR ARM REST PLUG																	
S		D1SZ 6524056													$A		1
24100-1 PAD - DOOR ARM REST - INCLUDES ATTACHING PARTS																	
A(53,54,57,71)-front and rear door		D0AZ 5424100	10 1/2"	D	H		A						G		E		4
		D1AZ 5424100	10 1/2"							B	C			A			4
A(65,76)-front door		D0AZ 6224100	13 1/4"	D	H		A						G		E		2
		D1AZ 6224100	13 1/4"							A	B						2
A(65,76)-qtr.		D0OZ 6224100	8 1/2"	E	G		A						F		B		2
		D1DZ 6224100	8 1/2"							C	B						2
B(54,57,63C,F,H,65A,C,E,66,71)-front,rear door and qtr.		D0OZ 6224100	8 1/2"	E			A						F		B		4
		D1DZ 6224100	8 1/2"			A				C	B						4
B(63C,F,65C,E,66B,C,E,76)-front door	R	D1OZ 6524100	10 1/2"	C		D	A			B	G		F		E		1
	L	D1OZ 6524101	10 1/2"	C		D	A			B	G		F		E		1
F(63R,65F)			Serviced in assembly-refer to Group 23942-3														
F(63D,65D,76)	R	D1OZ 6524100		C		D	A			B			F		E		1
	L	D1OZ 6524101		C		D	A			B			F		E		1
L			Refer to Group 24140-1														
P(54)-front and rear door		D1DZ 6224100	8 1/2"			A					B						4
		D0OZ 6224100	8 1/2"	E									F				4
P		D0OZ 6224100	8 1/2"	E									F				2
		D1DZ 6224100	8 1/2"			A					B						2
	R	D1OZ 6524100	10 1/2"	C		D					G		F				1
	L	D1OZ 6524101	10 1/2"	C		D					G		F				1
S			Refer to Group 24140-1														
24140-1 REST - DOOR ARM - INCLUDES ATTACHING PARTS																	
A,B			Refer to Groups 24100 and 24144														
L		D1FZ 6224140		B			C			A			D				2
P			Refer to Groups 24100 and 24144														
S(57)-front door	R	D0SZ 5724140		E	C							A	B		G		1
	L	D0SZ 5724141		E	C							A	B		G		1
	R	D1SZ 5724140								A	B						1
	L	D1SZ 5724141								A	B						1
S(57)-rear door	R	D1SZ 5727540								A	B						1
	L	D1SZ 5727541								A	B						1
	R	D0SZ 5727540		B	D							A	C		G		1
	L	D0SZ 5727541		B	D							A	C		G		1
S(65)-front door	R	D0SZ 6524140		D	C		B						A				1
	L	D0SZ 6524141		D	C		B						A				1
	R	D0SY 6524140													E		1
	L	D0SY 6524141													E		1
	R	D1SZ 6524140									B						1
	L	D1SZ 6524141									B						1
	R	D1SY 6524140								A							1
	L	D1SY 6524141								A							1
S(65)-qtr.	R	D0SZ 6531600					A										1
	L	D0SZ 6531601					A										1
	R	D1SZ 6531600		F	E					A	B		D		C		1
	L	D1SZ 6531601		F	E					A	B		D		C		1
U	R	D0TZ 1024140												B			1
	L	D0TZ 1024141												B			1

$ Paint to match

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			B	D	E	F	K	P	R	Y	Z					
COLORS →			BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE	
24144 BASE - DOOR ARM REST - INCLUDES ATTACHING PARTS																
A(53,54,57,71)-front and rear door		D1AZ 5724144	B	E						▲G		A	AA	C	♦H	4
		D1OZ 5724144								● A						4
		D3DZ 6224144				F			H							4
A(65,76)-front door -Before 4/1/71		D0AZ 6224144	B	J		F						A		G	♦E	2
		D0AZ 6324144													⊕E	2
		D1AZ 6224144							A	B						2
-From 4/1/71		D1AZ 6224144								C						2
A(65,76)-qtr.		D0AZ 6231604										A		G		2
		D1AZ 6231604			C				A	B						2
		D0OZ 6231604		A												2
		D0AZ 6331604													⊕A	2
		D3OZ 6531604	B			F										2
B(54,57C,63H,65A, 66A,71C,D) -front door B(54,57,71)-rear door		D0OZ 6224144				C								B		2
		D3DZ 6224144	L						R			K				2
		D1DZ 6224144			A				C	B						2
B(57E,71E)-front door		D0DZ 6224144													⊕F	2
B(63C,65C)-"Before 12/1/70"		D1AZ 5724144								G						2
B(63C,65C)-front door-"From 12/1/70"		D1OZ 5724144								A						2
B(63C,65C)-front door		D1AZ 5724144	B		K							A		C		2
		D3DZ 6224144				F			H							2
B(63C,H,65A,C)-qtr.		D0AZ 6231604	B			F						A		G		2
		D1AZ 6231604			C				A	B						2
B(63F,65E,66B,C, E,76)-front door		D1AZ 5724144													⊕H	2
B(63F,65E)-qtr.		D0AZ 6331604													⊕A	2
F(63D,65D,76)		D1AZ 5724144	B	E	K							A		C		2
		D3DZ 6224144				F			H							2
P		D3DZ 6224144	L									K				AR
		D1DZ 6224144			A					B						AR
		D1AZ 5724144													⊕H	2
S			Serviced in assembly - Refer to Group 24140-1													
243A34-5 WINDLACE - CENTER BODY PILLAR - REAR - Refer to Group 24486-7																
24346-7 PANEL - CENTER BODY PILLAR INSIDE FINISH																
A(53,54,71)-upper			Serviced in assembly - Refer to Group 24300-1 in Body Section													
A(53,54,71)-lower	R	D0AZ 5424346													$A	1
	L	D0AZ 5424347													$A	1
A(57)-lower	R	D1AZ 5724346		E	H		C			D	J		G		F	1
	L	D1AZ 5724347		E	H		C			D	J		G		F	1
B(57)	R	D0OZ 5724346		BA									DA			1
	L	D0OZ 5724347		BA									DA			1
	R	D1OZ 5724346								A	B					1
	L	D1OZ 5724347								A	B					1
S(57)-upper	R	D1SZ 5724546		G	F					A	B	C	E		D	1
	L	D1SZ 5724547		G	F					A	B	C	E		D	1

♦ Bright finish plastic $ Paint to match ⊕ Chrome ▲ Light ● Dark

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	LENGTH (INCHES)	SECOND CHARACTER of TRIM CODE: B BLUE	D RED	E VERMILION	F GINGER	K AQUA	P GREY	R GREEN	Y GREY GOLD	Z TOBACCO	ALL CODES BLACK	ALL CODES PARCHMENT	ALL CODES WHITE	OTHER SEE FOOT NOTE	QTY.
24346-7 PANEL - CENTER BODY PILLAR INSIDE FINISH - continued																	
S(57)-loop pile-lower	R	C9SZ 5724346		C2B									C2A				1
	L	C9SZ 5724347		C2B									C2A				1
	R	D1SZ 5724346								C							1
	L	D1SZ 5724347								C							1
S(57)-cut pile-lower	R	C9SZ 5724346		B1B									B1A				1
	L	C9SZ 5724347		B1B									B1A				1
	R	D0SZ 5724346			J							H					1
	L	D0SZ 5724347			J							H					1
	R	D1SZ 5724346								A	B						1
	L	D1SZ 5724347								A	B						1
24452-3 CAP - CENTER BODY PILLAR FINISH																	
A(54,71)			Refer to Group 517B26-7 in Body Section														
B(54)			Refer to Group 52208 in Body Section														
B(71)	R	C8OZ 5424452														$A	1
	L	C8OZ 5424453														$A	1
24486-7 WINDLACE - CENTER BODY PILLAR - Also Refer to Groups 02600, 24344-5 and 281A74-5																	
A(53)-front	R	D1AZ 5324486	42 1/8	C	E		A			B	F		D				1
-"Before 1/4/71"	L	D1AZ 5324487	42 1/8		E						F						1
	L	D1AZ 5424486	42 3/4	E			C			D			G				1
	R	D1AZ 5424486	42 1/8												F		1
	L	D1AZ 5424487	42 1/8												F		1
-"From 1/4/71"		D1AZ 5424486	42 3/4	E	H		C			D	J		G		F		2
A(53)-rear	R	D1AZ 53243A34	41 3/4	C	E		A			B	F		D				1
-"Before 1/4/71"	L	D1AZ 53243A35	41 3/4	C	E		A			B	F		D				1
	R	D1AY 53243A34	41 3/4												B		1
	L	D1AY 53243A35	41 3/4												B		1
-"From 1/4/71"		D1AZ 54243A34	42 3/8	E	H		C			D	J		G		F		2
A(54,71)-front	R	C9AZ 5424486	42 3/4										A1A				1
-"Before 1/4/71"	L	C9AZ 5424487	42 3/4										A1A				1
	R	D0AZ 5424486	42 3/4	B	E		A								C		1
	L	D0AZ 5424487	42 3/4	B	E		A								C		1
	R	D1AZ 5424486	42 3/4							A	B						1
	L	D1AZ 5424487	42 3/4							A	B						1
-"From 1/4/71"		D1AZ 5424486	42 3/4	E	H		C			D	J		G		F		2
A(54,71)-rear	R	C9AZ 54243A34	42 3/8										A1A				1
-"Before 1/4/71"	L	C9AZ 54243A35	42 3/8										A1A				1
	R	D0AZ 54243A34	42 3/8	B	E		A								C		1
	L	D0AZ 54243A35	42 3/8	B	E		A								C		1
	R	D1AZ 54243A34	42 3/8							D	J						1
	L	D1AZ 54243A35	42 3/8							A	B						1
-"From 1/4/71"		D1AZ 54243A34	42 3/8	E	H		C			D	J		G		F		2
S(57)		D0SZ 5724486		E	D							B	C		G		2
		D1SZ 5724486								A	B						2
24544-5 WINDLACE - REAR DOOR OPENING - Also Refer to Groups 02600, 24486-7 and 281A74-5																	
A(54)			Serviced in assembly - Refer to Group 31012-3														
A(71)	R	C9AZ 7124544											A1A				1
	L	C9AZ 7124545											A1A				1
	R	D0AZ 7124544		C	F		A										1
	L	D0AZ 7124545		C	F		A										1
	R	D1AZ 7124544								A							1
	L	D1AZ 7124545								A							1
B(54)			Refer to Group 513A68-9 in Body Section														

$ Paint to match

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			LENGTH	SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER
				—B	—D	—E	—F	—K	—P	—R	—Y	—Z				
COLORS →				BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE	
24544-5 WINDLACE - REAR DOOR OPENING - continued - Also refer to Groups 02600, 24486 -7 and 281A74-5																
B(71)	R	D0OZ 7124544		B			A						D			1
	L	D0OZ 7124545		B			A						D			1
	R	D1OZ 7124544				B				A	C					1
	L	D1OZ 7124545				B				A	C					1
S(57)	R	D0SZ 5724544		E	D							B	C		G	1
	L	D0SZ 5724545		E	D							B	C		G	1
	R	D1SZ 5724544								A	B					1
	L	D1SZ 5724545								A	B					1

24546-7 PAD - CENTER BODY PILLAR UPPER - Refer to Group 24346-7

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
255A30-1 COVER - REAR DOOR OUTSIDE UPPER EXTENSION				
S(57)	R	C9SZ 57255A30-BDB	Black	1
	L	C9SZ 57255A31-BDB	Black	1
	R	D0SZ 57255A30-B43	Blue	1
	L	D0SZ 57255A31-B43	Blue	1
	R	D0SZ 57255A30-B07	Brown	1
	L	D0SZ 57255A31-B07	Brown	1
	R	D1SZ 57255A30-A35	Gold	1
	L	D1SZ 57255A31-A35	Gold	1
	R	C9SZ 57255A30-BAC	White	1
	L	C9SZ 57255A31-BAC	White	1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
27406-7 PANEL ASSY. - REAR DOOR TRIM																
TRIM CODES →			DA	DAA	DB	DBA	DD	DDA	DF	DFA	DR	DRA	DY	DYA		
A(53H)	R	D1AZ 5327406	ADA	BFA	ADB	BFB	ADD	BFD	ADF	BFF	ADR	BFR	ADY	BFY		1
	L	D1AZ 5327407	ADA	BFA	ADB	BFB	ADD	BFD	ADF	BFF	ADR	BFR	ADY	BFY		1
TRIM CODES →			FA	FB	FD	FF	FR	FW	FY							
A(53H)	R	D1AZ 5327406	BFA	BFB	BFD	BFF	BFR	BFW	BFY							1
	L	D1AZ 5327407	BFA	BFB	BFD	BFF	BFR	BFW	BFY							1
TRIM CODES →			9A	9AA	9B	9BA	9D	9DA	9F	9FA	9R	9RA	9Y	9YA		
A(53K)	R	D1AZ 5327406	A9A	B9A	A9B	B9B	A9D	B9D	A9F	B9F	A9R	B9R	A9Y	B9Y		1
	L	D1AZ 5327407	A9A	B9A	A9B	B9B	A9D	B9D	A9F	B9F	A9R	B9R	A9Y	B9Y		1
TRIM CODES →			EA	EAA	EB	EBA	ED	EDA	EF	ER	ERA	EY	EYA			
A(53K)	R	D1AZ 5327406	A9A	B9A	A9B	B9B	A9D	B9D	B9F	A9R	B9R	A9Y	B9Y			1
	L	D1AZ 5327407	A9A	B9A	A9B	B9B	A9D	B9D	B9F	A9R	B9R	A9Y	B9Y			1
TRIM CODES →			1A	1B	1Y	3A	3B	3R	3Y	LU	NA	NB	NY			
A(54B,D)	R	D1AZ 5427406	ANA	ANB	ANY	ANA	ANB	ANR	ANY	ALU	ANA	ANB	ANY			1
	L	D1AZ 5427407	ANA	ANB	ANY	ANA	ANB	ANR	ANY	ALU	ANA	ANB	ANY			1
TRIM CODES →			4A, 4AA	4B, 4BA	4F, 4FA	4R, 4RA	4Y, 4YA	5A	5B	5F	5R	5Y				
A(54F)	R	D1AZ 5427406	A5A	A5B	A5F	A5R	A5Y	A5A	A5B	A5F	A5R	A5Y				1
	L	D1AZ 5427407	A5A	A5B	A5F	A5R	A5Y	A5A	A5B	A5F	A5R	A5Y				1
TRIM CODES →			WA	WB	WD	WF	WR	WW	WY							
A(54F)	R	D1AZ 5427406	A5A	A5B	AWD	A5F	A5R	AWW	A5Y							1
	L	D1AZ 5427407	A5A	A5B	AWD	A5F	A5R	AWW	A5Y							1
TRIM CODES →			4A, 4AA	4B, 4BA	4F, 4FA	4R, 4RA	4Y, 4YA									
A(57F)	R	D1AZ 5727406	A5A	A5B	A5F	A5R	A5Y									1
	L	D1AZ 5727407	A5A	A5B	A5F	A5R	A5Y									1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
27406-7 PANEL ASSY. - REAR DOOR TRIM - continued																
TRIM CODES →			5A	5B	5F	5R	5Y	WA	WB	WD	WF	WR	WW	WY		
A(57F)	R	D1AZ 5727406	A5A	A5B	A5F	A5R	A5Y	A5A	A5B	AWD	A5F	A5R	AWW	A5Y		1
	L	D1AZ 5727407	A5A	A5B	A5F	A5R	A5Y	A5A	A5B	AWD	A5F	A5R	AWW	A5Y		1
TRIM CODES →			DA	DAA	DB	DBA	DD	DDA	DF	DFA	DR	DRA	DY	DYA		
A(57H)	R	D1AZ 5727406	ADA	BFA	ADB	BFB	ADD	BFD	ADF	BFF	ADR	BFR	ADY	BFY		1
	L	D1AZ 5727407	ADA	BFA	ADB	BFB	ADD	BFD	ADF	BFF	ADR	BFR	ADY	BFY		1
TRIM CODES →			FA	FB	FD	FF	FR	FW	FY							
A(57H)	R	D1AZ 5727406	BFA	BFB	BFD	BFF	BFR	BFW	BFY							1
	L	D1AZ 5727407	BFA	BFB	BFD	BFF	BFR	BFW	BFY							1
TRIM CODES →			9A	9AA	9B	9BA	9D	9DA	9F	9FA	9R	9RA	9Y	9YA		
A(57K)	R	D1AZ 5727406	A9A	B9A	A9B	B9B	A9D	B9D	A9F	B9F	A9R	B9R	A9Y	B9Y		1
	L	D1AZ 5727407	A9A	B9A	A9B	B9B	A9D	B9D	A9F	B9F	A9R	B9R	A9Y	B9Y		1
TRIM CODES →			EA	EAA	EB	EBA	ED	EDA	EF	ER	ERA	EY	EYA			
A(57K)	R	D1AZ 5727406	A9A	B9A	A9B	B9B	A9D	B9D	B9F	A9R	B9R	A9Y	B9Y			1
	L	D1AZ 5727407	A9B	B9A	A9B	B9B	A9D	B9D	B9F	A9R	B9R	A9Y	B9Y			1
TRIM CODES →			7A	7B	7F	7R	NA	NB	NR							
A(71B,D)	R	D1AZ 5427406	ANA	ANB	A7F	ANR	ANA	ANB	ANR							1
	L	D1AZ 5437407	ANA	ANB	A7F	ANR	ANA	ANB	ANR							1
TRIM CODES →			RA, RAA	RD, RDA	WA	WB	WD	WF	WR							
A(71F)	R	D1AZ 5427406	A5A	AWD	A5A	A5B	AWD	A5F	A5R							1
	L	D1AZ 5427407	A5A	AWD	A5A	A5B	AWD	A5F	A5R							1
TRIM CODES →			BA	BAA	BF	BR	FA	FB	FD	FF	FR	VA, VAA	VD, VDA			
A(71H)	R	D1AZ 7127406	ABA	BBA	ABF	ABR	AFA	AFB	AFD		AFR	AFA	AFD			1
	L	D1AZ 7127407	ABA	BBA	ABF	ABR	AFA	AFB	AFD	AFF	AFR	AFA	AFD			1
TRIM CODES →			2A	2B	2Y	7A	7B	7R	7Y	JA	JB	JR	JY	KA	KY	
B(54A,C)	R	D0OZ 5427406	A2A	A2B		A7A	A7B			A7A	A7B			A7A		1
	L	D0OZ 5427407	A2A	A2B		A7A	A7B			A7A	A7B			A7A		1
	L	D1OZ 5427406			A2Y			A7R	A7Y			A7R	A7Y		A7Y	1
	L	D1OZ 5427407			A2Y			A7R	A7Y			A7R	A7Y		A7Y	1
TRIM CODES →			7A	7B	7R	7Y	JA	JB	JR	JY	KA	KY				
B(57C)	R	D0OZ 5727406	A7A	A7B			A7A	A7B			A7A					1
	L	D0OZ 5727407	A7A	A7B			A7A	A7B			A7A					1
	R	D1OZ 5727406			A7R	A7Y			A7R	A7Y		A7Y				1
	L	D1OZ 5727407			A7R	A7Y			A7R	A7Y		A7Y				1
TRIM CODES →			HA	HB	HR	HY										
B(57E)	R	D1OZ 5727406	AHA	AHB	AHR	AHY										1
	L	D1OZ 5727407	AHA	AHB	AHR	AHY										1
TRIM CODES →			2A	2B	2Y	BA	BE	GA	GB	GE	GF	GR	VA			
B(71C,D)	R	D0OZ 7127406	A5A	A5B		AGA		AGA	AGB		AGF		AGA			1
	L	D0OZ 7127407	A5A	A5B		AGA		AGA	AGB		AGF		AGA			1
	R	D1OZ 7127406			A5Y		AGE			AGE		AGE				1
	L	D1OZ 7127407			A5Y		AGE			AGE		AGE				1
TRIM CODES →			9A	9B	9E	9F	9R	AA	AE	NA						
B(71E)	R	D1OZ 7127406	A9A	A9B	A9E	A9F	A9R	A9A	A9E	A9A						1
	L	D1OZ 7127407	A9A	A9B	A9E	A9F	A9R	A9A	A9E	A9A						1
TRIM CODES →			1A	1Y	2A	2B	2Y	3A	3B	3Y	5A	5B	5E	5Y		
P(54A)	R	D1DZ 5427406	A2A	A2Y	A2A	A2B	A2Y	A5A	A5B	A5Y	A5A	A5B	A5E	A5Y		1
	L	D1DZ 5427407	A2A	A2Y	A2A	A2B	A2Y	A5A	A5B	A5Y	A5A	A5B	A5E	A5Y		1
TRIM CODES →			4A	4B	4R	4W	EA	EB	ED	ER	EY	EZ	FA	FD	FZ	
S(57B,C)	R	D0SZ 5727406	A4A	A4B		A4W	A5A	A5B	A5D			A5Z	A5A	A5D	A5Z	1
	L	D0SZ 5727407	A4A	A4B		A4W	A5A	A5B	A5D			A5Z	A5A	A5D	A5Z	1
	R	D1SZ 5727406			A4R					AER	AEY					1
	L	D1SZ 5727407			A4R					AER	AEY					1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—K	—P	—R	—Y	—Z					
COLORS →			BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE	
274A34-5 PANEL - REAR DOOR UPPER EXTENSION																
S(57)	R	D0SZ 57274A34	B3B	B4D							B5Z	B3A		B2W		1
	L	D0SZ 57274A35	B3B	B4D							B5Z	B3A		B2W		1
	R	D1SZ 57274A34							AER	AEY						1
	L	D1SZ 57274A35							AER	AEY						1
27540-1 REST - REAR DOOR ARM - Refer to Groups 24100, 24140-1, 24144 and 24486-7																
281A38-9 CAP - QUARTER PILLAR FINISH																
B(71)	R	C6OZ 71281A38													$A	1
	L	C6OZ 71281A39													$A	1
281A74-5 COVER - QUARTER LATCH PILLAR FLANGE - Also Refer to Groups 02600 and 24544-5																
A(65,76)-w/o attaching flange	R	C9AZ 63281A74										B1A				1
	L	C9AZ 63281A75										B1A				1
	R	D0AZ 63281A74	B	D		A								E		1
	L	D0AZ 63281A75	B	D		A								E		1
A(65,76)-w/ attaching flange	R	D1AZ 63281A74	D	E		C			A	B		G		F		1
	L	D1AZ 63281A75	D	E		C			A	B		G		F		1
B(63,65)	R	D0OZ 65281A74	C			A						F		D		1
	L	D0OZ 65281A75	C			A						F		D		1
	R	D1OZ 65281A74			B				A	C						1
	L	D1OZ 65281A75			B				A	C						1
B(66)	R	D1OZ 66281A74	C		D	A			B	G		F		E		1
	L	D1OZ 66281A75	C		D	A			B	G		F		E		1
B(76)	R	D0OZ 76281A74				A						D		C		1
	L	D0OZ 76281A75				A						D		C		1
	R	D1OZ 76281A74			B				A							1
	L	D1OZ 76281A75			B				A							1
31004-5 PANEL - QUARTER FRONT TRIM																
B(76)	R	D0OZ 7631004				A6F						A6A				1
	L	D0OZ 7631005				A6F						A6A				1
	R	D1OZ 7631004			A6E				A6R					A6W		1
	L	D1OZ 7631005			A6E				A6R					A6W		1
31012-3 PANEL ASSY. - QUARTER TRIM																
A(53,57)	R	D1AZ 5731012	C	F		A			B	G		E		D		1
	L	D1AZ 5731013	C	F		A			B	G		E		D		1
A(54)	R	C9AZ 5431012										B1A	B1U			1
	L	C9AZ 5431013										B1A	B1U			1
	R	D0AZ 5431012	A	D										B		1
	L	D0AZ 5431013	A	D										B		1
	R	D1AZ 5431012				C			A	B						1
	L	D1AZ 5431013				C			A	B						1
A(71)	R		Front - Refer to Group 31136-7													
	R		Rear - Refer to Group 47042													
w/o storage compt.	L	C9AZ 7131013										C1A				1
	L	D0AZ 7131013	B	D		A										1
	L	D1AZ 7131013							A							1
w/storage compt.	L	D1AY 7131013	C	A		D			B			E				1
B(54,57)	R	D1OZ 5431012								$B						1
	L	D1OZ 5431013								$B						1
B(71)			Refer to Group 31136-7													
P(54)	R	D1DZ 5431012	B		A					D		C				1
	L	D1DZ 5431013	B		A					D		C				1
S(57)	R	C9SZ 5731012	CDB	CED								CDA		CDW		1
	L	C9SZ 5731013	CDB	CED								CDA		CDW		1
	R	D0SZ 5731012								C5Z						1
	L	D0SZ 5731013								C5Z						1
	R	D1SZ 5731012						DEY	DER							1
	L	D1SZ 5731013						DEY	DER							1

$ Paint to match

31012-3 PANEL ASSY. - QUARTER TRIM - continued

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
A(53,54,57,71)			Cataloged by color at the beginning of this group														
TRIM CODES →			2A	2B	2R	2Y	3A	3B	3R	3Y							
A(65D)	R	D1AB 6531012	02A	02B	02R	02Y	02A	02B	02R	02Y							1
	L	D1AB 6531013	02A	02B	02R	02Y	02A	02B	02R	02Y							1
TRIM CODES →			4A, 4AA	4B, 4BA	4F, 4FA	4R, 4RA	4Y, 4YA	5A	5B	5F	5R	5Y	8A	8D	8W		
A(65F)	R	D1AZ 6531012	A5A	A5B	A5F	A5R	A5Y	A5A	A5B	A5F	A5R	A5Y	A5A	AWD	AWW		1
	L	D1AZ 6531013	A5A	A5B	A5F	A5R	A5Y	A5A	A5B	A5F	A5R	A5Y	A5A	AWD	AWW		1
TRIM CODES →			WA	WB	WD	WF	WR	WW	WY								
A(65F)	R	D1AZ 6531012	A5A	A5B	AWD	A5F	A5R	AWW	A5Y								1
	L	D1AZ 6531013	A5A	A5B	AWD	A5F	A5R	AWW	A5Y								1
TRIM CODES →			DA	DAA	DB	DBA	DD	DDA	DF	DFA	DR	DRA	DY				
A(65H)	R	D1AZ 6531012	ADA	AFA	ADB	AFB	ADD	AFD	ADF	AFF	ADR	AFR	ADY				1
	L	D1AZ 6531013	ADA	AFA	ADB	AFB	ADD	AFD	ADF	AFF	ADR	AFR	ADY				1
TRIM CODES →			FA	FB	FD	FF	FR	FW	FY								
A(65H)	R	D1AZ 6531012	AFA	AFB	AFD	AFF	AFR	AFW	AFY								1
	L	D1AZ 6531013	AFA	AFB	AFD	AFF	AFR	AFW	AFY								1
TRIM CODES →			GA	GD	GW												
A(65H)	R	D1AZ 6531012	AFA	AFD	AFW												1
	L	D1AZ 6531013	AFA	AFD	AFW												1
TRIM CODES →			EA	EAA	EB	EBA	ED	EDA	EF	ER	ERA	EY	EYA				
A(65K)	R	D1AZ 6531012	AZA	BZA	AZB	BZB	AZD	BZD	BZF	AZR	BZR	AZY	BZY				1
	L	D1AZ 6531013	AZA	BZA	AZB	BZB	AZD	BZD	BZF	AZR	BZR	AZY	BZY				1
TRIM CODES →			ZA	ZAA	ZB	ZBA	ZD	ZDA	ZF	ZFA	ZR	ZRA	ZY	ZYA			
A(65K)	R	D1AZ 6531012	AZA	BZA	AZB	BZB	AZD	BZD	AZF	BZF	AZR	BZR	AZY	BZY			1
	L	D1AZ 6531013	AZA	BZA	AZB	BZB	AZD	BZD	AZF	BZF	AZR	BZR	AZY	BZY			1
TRIM CODES →			FA	FB	FD	FR	FW	GA	GD	GW							
A(76H)	R	D1AZ 7631012	AFA	AFB	AFD	AFR	AFW	AFA	AFD	AFW							1
	L	D1AZ 7631013	AFA	AFB	AFD	AFR	AFW	AFA	AFD	AFW							1
B(54,57,71)			Cataloged by color at the beginning at this group														
TRIM CODES →			7A	7B	7R	7Y	8A	8B	8E	8F	8R	8W					
B(63C)	R	D0OZ 6331012	A8A	A8B			A8A	A8B		AJF		A8W					1
	L	D0OZ 6331013	A8A	A8B			A8A	A8B		AJF		A8W					1
	R	D1OZ 6331012			A8R	A8Y			A8E		A8R						1
	L	D1OZ 6331013			A8R	A8Y			A8E		A8R						1
TRIM CODES →			JA	JB	JE	JF	JR	JW	KA	KW							
B(63C)	R	D0OZ 6331012	A8A	A8B		AJF		A8W	A8A	A8W							1
	L	D0OZ 6331013	A8A	A8B		AJF		A8W	A8A	A8W							1
	R	D1OZ 6331012			A8E		A8R										1
	L	D1OZ 6331013			A8E		A8R										1
TRIM CODES →			6A	6B	6E	6F	6R	6W	WA	WW	YA	YB	YE	YF	YR	YW	
B(63F)	R	D0OZ 6331012	A6A	A6B		A6F			A6A		A6A	A6B		A6F			1
	L	D0OZ 6331013	A6A	A6B		A6F			A6A		A6A	A6B		A6F			1
	R	D1OZ 6331012			A6E		A6R	A6W		A6W			A6E		A6R	A6W	1
	L	D1OZ 6331013			A6E		A6R	A6W		A6W			A6E		A6R	A6W	1
TRIM CODES →			CA	CB	CE	CF	RA	RB	RE	RF							
B(63H)	R	D0OZ 6331012	A3A	A3B		A3F	A3A	A3B		A3F							1
	L	D0OZ 6331013	A3A	A3B		A3F	A3A	A3B		A3F							1
	R	D1OZ 6331012			A3E				A3E								1
	L	D1OZ 6331013			A3E				A3E								1
TRIM CODES →			2A	2B	2Y												
B(65A)	R	D0OZ 6531012	A3A	A3B													1
	L	D0OZ 6531013	A3A	A3B													1
	R	D1OZ 6531012			A3Y												1
	L	D1OZ 6531013			A3Y												1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
31012-3 PANEL ASSY. - QUARTER TRIM - continued																
TRIM CODES →			1A	1F	1R	7A	7B	7R	7Y	8A	8B	8E	8F	8R	8W	
B(65C)	R	D0OZ 6531012				A8A	A8B			A8A	A8B		A8F		A8W	1
	L	D0OZ 6531013				A8A	A8B			A8A	A8B		A8F		A8W	1
	R	D1OZ 6531012	A1A	A1F	A1R			A8R	A8Y			A8E		A8R		1
	L	D1OZ 6531013	A1A	A1F	A1R			A8R	A8Y			A8E		A8R		1
TRIM CODES →			JA	JB	JE	JF	JR	JW	KA	KW						
B(65C)	R	D0OZ 6531012	A8A	A8B		A8F		A8W	A8A	A8W						1
	L	D0OZ 6531013	A8A	A8B		A8F		A8W	A8A	A8W						1
	R	D1OZ 6531012			A8E		A8R									1
	L	D1OZ 6531013			A8E		A8R									1
TRIM CODES →			HA	HB	HR	HY										
B(65E)	R	D1OZ 6531012	AHA	AHB	AHR	AHR										1
	L	D1OZ 6531013	AHA	AHB	AHR	AHY										1
B(76)			Refer to Group 31148-9													
F(63)			Refer to Group 31486-7													
TRIM CODES →			1A	1B	1E	1F	1R	1W	2B	2E	2F	2R	3A	3W		
F(65D)	R	D1ZZ 6531012	F	C	D	A	B	E	C	D	A	B	F	E		1
	L	D1ZZ 6531013	F	C		A	B	E	C		A	B	F	E		1
TRIM CODES →			4A	4B	4E	4F	4R									
F(65F)	R	D1ZZ 6531012	F	C	D	A	B									1
	L	D1ZZ 6531013	F	C		A	B									1
TRIM CODES →			1A	1B	1E	1R	1W	CA	CB	CE	CF	CR	CW			
F(76D)	R	D1ZZ 7631012	F	C	D	B	E	F	C	D	A	B	E			1
	L	D1ZZ 7631013	F	C	D	B	E	F	C	D	A	B	E			1
TRIM CODES →			1A, 1AA	1B, 1BA	1R, 1RA	2A, 2AA	2B, 2BA	2F, 2FA	2R, 2RA	3A, 3AA	3B, 3BA	3F, 3FA, 3FB	3R, 3RA, 3RB			
L(62B)-w/folding rear seat-smooth surface	R	D1FZ 6231012	M	L	K	M	L	J	K	M	L	J	K			1
	L	D1FZ 6231013	H	G	F	H	G	E	F	H	G	E	F			1
w/folding rear seat-textured surface	R	D2FZ 6231012	H	G	F	H	G	E	F	H	G	E	F			1
	L	D2FZ 6231013	H	G	F	H	G		F	H	G		F			1
	L	D3FZ 6231013						H				H				1
-w/o folding rear seat-smooth surface	R	D1FZ 6231012	D	B	A	D	B	N	A	D	B	N	A			1
	L	D1FZ 6231013	D	B	A	D	B	J	A	D	B	J	A			1
w/o folding rear seat-textured surface	R	D2FZ 6231012	D	C	B	D	C	A	B	D	C	A	B			1
	L	D2FZ 6231013	D	C	B	D	C	A	B	D	C	A	B			1
TRIM CODES →			1A, 1AA	1B, 1BA	1R, 1RA	2A, 2AA	2B, 2BA	2F, 2FA	2R, 2RA	3A, 3AA	3B, 3BA	3F, 3FA, 3FB	3R, 3RA			
L(64)	R	D1FZ 6431012	D	C	B	D	C	A	B	D	C	A	B			1
	L	D1FZ 6431013	D	C	B	D	C	A	B	D	C	A	B			1
P(54)			Cataloged by color at the beginning of this group													
TRIM CODES →			1A	1Y	2A	2B	2Y	3E	3Y	4A	4B	4E	4Y			
P(62A)	R	D1DZ 6231012	G	H	G	E	H	F	H	G	E	F	H			1
	L	D1DZ 6231013	G	H	G	E	H	F	H	G	E	F	H			1
TRIM CODES →			5A	5B	5E	5Y	8A	8B	8E	8Y	9E	9Y	GA	GB	GE	
P(62A,D)	R	D1DZ 6231012	G	E	F	H	G	E	F	H	F	H	G	E	F	1
	L	D1DZ 6231013	G	E	F	H	G	E	F	H	F	H	G	E	F	1
S(57)			Cataloged by color at the beginning of this group													

31012-3 PANEL ASSY. - QUARTER TRIM - continued

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			2A	2B	2R	2W	8A	8D	8F	AA	AB	AD	AF	AR		
S(65A)	R	D0SZ 6531012	A2A	A2B		A2W	A3A	A3D	A3F	B1A	B1B		B1F			1
	L	D0SZ 6531013	A2A	A2B		A2W	A3A	A3D	A3F	B1A	B1B		B1F			1
	R	D1SZ 6531012			D2R							EAD		EAR		1
	L	D1SZ 6531013			D2R							EAD		EAR		1
TRIM CODES →			2A	2B	2R	2W	8A	8D	8F	AA	AB	AD	AF	AR		
S(65B)	R	D1SZ 6531012	A2A	A2B	A2R	A2W	A8A	A8D	A8F	AAA	AAB	AAD	AAF	AAR		1
	L	D1SZ 6531013	A2A	A2B	A2R	A2W	A8A	A8D	A8F	AAA	AAB	AAD	AAF	AAR		1
TRIM CODES →			4A	4B	4R	4W	CA	CB	CD	CF	CR	CY				
S(65C)	R	D0SZ 6531012	A2A	A2B		A2W	A3A	A3B	A3D	A3F						1
	L	D0SZ 6531013	A2A	A2B		A2W	A3A	A3B	A3D	A3F						1
	R	D1SZ 6531012			D2R						DCR	DCY				1
	L	D1SZ 6531013			D2R						DCR	DCY				1
TRIM CODES →			4A	4B	4R	4W	CA	CB	CD	CF	CR	CY				
S(65D)	R	D1SZ 6531012	A2A	A2B	A2R	A2W	A8A	ACB	A8D	A8F	ACR	ACY				1
	L	D1SZ 6531013	A2A	A2B	A2R	A2W	A8A	ACB	A8D	A8F	ACR	ACY				1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
TRIM CODES →			—B	—D	—E	—F	—K	—P	—R	—Y	—Z					
COLORS →			BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE	
310A32-3 EXTENSION - QUARTER TRIM PANEL UPPER																
F(63, 65)	R	D1ZZ 65310A32		C		D	A			B			F		E		1
	L	D1ZZ 65310A33		C		D	A			B			F				1
	L	D3ZZ 65310A33													E		1
31106 FILLER - QUARTER TRIM PANEL																
F(63)		D1ZZ 6331106		A1B		A1E	A1F			A1R			A1A		A1W		2
31112-3 PANEL - QUARTER UPPER REAR TRIM																
F(63)-w/o folding rear seat	R	D1ZZ 6331112		C		D	A			B			F		E		1
	L	D1ZZ 6331113		C		D	A			B			F		E		1
F(63)-w/folding rear seat	R	D1ZZ 6331112		J		K	G			H			M		L		1
	L	D1ZZ 6331113		J		K	G			H			M		L		1
31113 PANEL - QUARTER REAR TRIM																
B(71)	R	Refer to Group 47042														
	L	C8OZ 7131113											D1A				1
	L	D0OZ 7131113		C			A										1
	L	D1OZ 7131113				A				B	C						1
31136-7 PANEL - QUARTER FRONT TRIM																
A(71)	R	C9AZ 7131136											C1A				1
	R	D0AZ 7131136		B	D		A										1
	R	D1AZ 7131136								A							1
	L	Refer to Group 31013															
B(71)	R	C7OZ 7131136											E1A				1
	R	D0OZ 7131136		B			A										1
	L	D0OZ 7131137		B			A										1
	R	D1OZ 7131136				A				B	C						1
	L	D1OZ 7131137				A				B	C						1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
31148-9 PANEL - QUARTER REAR TRIM																
TRIM CODES →			6A	6E	6F	6R	6W	YA	YE	YW						
B(76F)	R	D0OZ 7631148	A6A		A6F		ARW	A6A		ARW						1
	L	D0OZ 7631149	A6A		A6F		ARW	A6A		ARW						1
	R	D1OZ 7631148		A6E		A6R			A6E							1
	L	D1OZ 7631149		A6E		A6R			A6E							1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

SOFT TRIM

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			B	D	E	F	K	P	R	Y	Z					
COLORS →			BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE	
312A28-9 PLATE - QUARTER TRIM PANEL ACCESS HOLE COVER																
L(64)	R	D1FZ 64312A28							B							1
	L	D1FZ 64312A29							B							1
	R	D3FZ 64312A28		E			B					D				1
	L	D3FZ 64312A29		E			B					D				1
31290-1 WINDLACE - QUARTER PILLAR - Refer to Group 02600																
31406 STRAP - REAR DOOR ASSIST																
A(54)		C9AZ 5431406										ABA				2
31486-7 PANEL - QUARTER LOWER FRONT TRIM																
F(63)-w/o folding seat	R	D1ZZ 6331486		C		D	A			B			F		E	1
	L	D1ZZ 6331487		C		D	A			B			F		E	1
F(63)-w/folding seat	R	D1ZZ 6331486		J		K	G			H			M		L	1
	L	D1ZZ 6331487		J		K	G			H			M		L	1
31600-1 REST - QUARTER ARM - Refer to Group 24140-1																
31604 BASE - QUARTER ARM REST - Refer to Group 24144																
31750-1 COVER - QUARTER WHEELHOUSE - IN LUGGAGE COMPARTMENT																
S	R	D1SZ 5731750						A								1
	L	D1SZ 5731751						A								1
40374 PANEL - BACK PANEL LOWER TRIM																
B(66)		D0OZ 6640374		D			B						E		A	1
		D1OZ 6640374				B				A	C					1
L(64)	R	D1FZ 6440374		C			A			B			D			1
	L	D1FZ 6440375		C			A			B			D			1
44867 COVER - LUGGAGE COMPARTMENT FLOOR REAR - Refer to Group 45455-6																
45416-7 LINING BOARD - LUGGAGE COMPARTMENT SIDE - Refer to Group 45422-3																

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
45422-3 COVER - LUGGAGE COMPARTMENT SIDE				
S	R	D1SZ 6545416-A	Grey	1
S(57, 65B, D)	L	D1SZ 5745423-A	Grey	1
S(65A, C)	L	D1SZ 6545423-A	Grey	1
45444 LINING BOARD - LUGGAGE COMPARTMENT FRONT				
A, B, F, P		★	Dealer improvise	
S		C7SZ 6545444-A	Grey	1
45455-6 COVER - LUGGAGE COMPARTMENT FLOOR				
A(53, 54F, 57, 65F, H, K)		D1AZ 6545476-A	Grey burtex - rear	1
A(53, 57H, K, 65H, K)		D1AZ 6544867-A	Grey rubber - rear	1
A(54, 57F, 65D, F)		D0AZ 6244867-A	Grey rubber - rear	1
A(54B, D, 57F, 65F)		D1AZ 5445476-A	Grey burtex - rear	1
A(54B)		D0AZ 6245476-A	Grey carpet - rear	1
A(76H)		D1AZ 7645476-A	Grey burtex	1
B(54, 57, 63, 65)		D0OZ 5445494-A	Grey burtex	1
B(76)		D0OZ 7645494-A	Grey burtex - w/o evaporative emission system	1
B(76)		D0OZ 7645494-B	Grey burtex - w/ evaporative emission system	1
F		★	Painted - refer to Paint Section for complete part number	
F(65)		D2ZZ 6545494-A	Grey burtex	1
L(62)		D1FZ 6245494-B	Black rubber	1

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
45455-6 COVER - LUGGAGE COMPARTMENT FLOOR - continued				
L(64)- Before 5/17/71		D1FZ 6445455-E	Black carpet	1
		D1FZ 6445455-C	Blue carpet	1
		D1FZ 6445455-D	Ginger carpet	1
		D1FZ 6445455-B	Green carpet	1
		370464-S100(HH34)	Stud fastner-2-15 x 3/8"	2
L(64)- From 5/17/71		D1FZ 6445455-M	Black carpet	1
		D1FZ 6445455-K	Blue carpet	1
		D1FZ 6445455-L	Ginger carpet	1
		D1FZ 6445455-J	Green carpet	1
P		★	Painted - refer to Paint Section for complete part number	
S		D1SZ 6545455-A	Grey carpet - front	1
		D1SZ 6547196-A	Grey carpet - center	1
		D1SZ 6545476-A	Grey carpet - rear	1
45476 COVER - LUGGAGE COMPARTMENT FLOOR REAR - Refer to Group 45455-6				
45494 COVER - LUGGAGE COMPARTMENT FLOOR CENTER - Refer to Group 45455-6				
45522-3 LINING BOARD - LUGGAGE COMPARTMENT SIDE				
S	R	D1SZ 6545522-A	Grey	1
	L	D1SZ 6545523-A	Grey	1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			__B	__D	__E	__F	__K	__P	__R	__Y	__Z					
COLORS →			BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE	
46668 PANEL - PACKAGE TRAY TRIM																
A(53,57)- w/o speakers		D1AZ 5746668	H			K			G							1
A(53,57)- w/speakers		D1AZ 5746668	B	D		C			E	F		A				1
A(54) -w/speakers		D1AZ 5446668	B	E		D			A	F		C				1
A(54)-w/o speakers		D0AZ 6246668	B									F				1
		D1AZ 6246668				C			A	B						1
A(65)-w/o speakers		D1AZ 6546668	G	J		M			F	K		H				1
A(65)-w/rear seat speakers		D1AZ 6546668	B	D		L			A	E		C				1
B(54,57,65)-w/rear seat speakers		D0OZ 5446668	C									B				1
		D1OZ 5446668				A			B	C						1
B(54,57,65)-w/o rear seat speakers		D0OZ 6546668	L			H						G				1
		D1OZ 6546668							A	B						1
B(63)-w/rear seat speakers		D0OZ 6346668	J			K										1
		D1OZ 6346668							C	D						1
B(63)-w/o rear seat speakers		D0OZ 6346668	A			C										1
		D1OZ 6346668							A	B						1
F(63)		D1ZZ 6346668	B			D			A							1
		D3ZZ 6346668										A				1
F(65)		D1ZZ 6546668	B			D						C				1
P(54)		D2DZ 5446668													$C	1
P(62)		D2DZ 6246668													$C	1
L(62)		D1FZ 6246668				D						C				1
		D5FZ 6246668													$B	1
S(57)		C9SZ 5746668													$A	1
S(65A,C)		D0SZ 6546668													$A	1
S(65B,D)		D1SZ 6546668													$A	1

$ Paint to match

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

SOFT TRIM

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			__B	__D	__E	__F	__K	__P	__R	__Y	__Z					
COLORS →			BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE	
47042 COVER - SPARE WHEEL WELL																
A(71)		C9AZ 7147042										A1A				1
		D0AZ 7147042	B	D		A										1
		D1AZ 7147042							A							1
B(71)		C8OZ 7147042										A1A				1
		D0OZ 7147042	B			A										1
		D1OZ 7147042			A				B	C						1
47196 COVER - LUGGAGE COMPARTMENT FLOOR CENTER - Refer to Group 45455-6																
501A42 TONNEAU COVER KIT - INCLUDES STORAGE CONTAINER																
B(66)		D1OZ 66501A42										B		A		1
502A82 COVER and PANEL ROOF OUTSIDE																
S-w/sun roof		D1SZ 65502A82													$A	1
51338 WEATHERSTRIP - FOLDING TOP NO.1 BOW																
A(76)		C9AZ 7651338										A1A		A1W		1
B(76)		C6OZ 7651338										BAB		BAC		1
F(76)		D1ZZ 7651338						A						B		1
51416 MOULDING - FOLDING TOP NO.4 BOW OUTSIDE - INCLUDES RETAINER																
A(76), B(76), F(76)		C9ZZ 7651416										A1A		A1W		1
51752-3 MOULDING - ROOF SIDE INNER FRONT																
A(53)	R	D0MY 5351752													$A	1
	L	D0MY 5351753													$A	1
A(54,71)		C9AZ 6251752										A1A				2
	R	D0AZ 5451752		D	E		A							C		1
	L	D0AZ 5451753		D	E		A							C		1
	R	D1AZ 5451752							A	B						1
	L	D1AZ 5451753							A	B						1
A(57)	R	D1AZ 5751752													$A	1
	L	D1AZ 5751753													$A	1
A(65) ♦	R	D1AZ 6551752													$A	1
	L	D1AZ 6551753													$A	1
B(63) ♦	R	D0OZ 6351752													$A	1
	L	D0OZ 6351753													$A	1
F(63) ♦	R	D1ZZ 6351752													$A	1
	L	D1ZZ 6351753													$A	1
F(65) ♦	R	D1ZZ 6551752													$A	1
	L	D1ZZ 6551753													$A	1
S(57)	R	C7SZ 5751752													$C	1
	L	C7SZ 5751763													$C	1
S(65A,C)	R	D0SZ 6551752													$A	1
	L	D0SZ 6551753													$A	1
S(65B,D)	R	C9SZ 6551752													$A	1
	L	C9SZ 6551753													$A	1
51754-5 MOULDING - ROOF SIDE INNER REAR																
A(53)	R	D1AZ 5351754													$A	1
	L	D1AZ 5351755													$A	1
A(54)	R	C9AZ 5451754										A1A				1
	L	C9AZ 5451755										A1A				1
	R	D0AZ 5451754		B	C									D		1
	L	D0AZ 5451755		B	C									D		1
	R	D1AZ 5451754					A		B	C						1
	L	D1AZ 5451755					A		B	C						1
A(65)	R	D1AZ 6551754										$A				1
	L	D1AZ 6551755										$A				1
A(71)		C9AZ 7151754										A1A				2
		D0AZ 7151754		E	D		A									2
		D1AZ 7151754							A							2

$ Paint to match ♦ Includes attaching parts

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			—B	—D	—E	—F	—K	—P	—R	—Y	—Z					
COLORS →			BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE	
51754-5 MOULDING - ROOF SIDE INNER REAR - continued																
B(63) ♦	R	D0OZ 6351754													$A	1
	L	D0OZ 6351755													$A	1
F(63) ♦	R	D1ZZ 6351754													$A	1
	L	D1ZZ 6351755													$A	1
F(65) ♦	R	D3ZZ 6551754	B		G	K			J			F		H		1
	L	D3ZZ 6551755	B		G	K			J			F		H		1
S(65A,C)	R	D0SZ 6551754													$A	1
	L	D0SZ 6551755													$A	1
S(65B,D)	R	C9SZ 6551754													$A	1
	L	C9SZ 6551755													$A	1
519A02 HEADLINING - ROOF SLIDING PANEL																
S		D1SZ 65519A02	B	C		D			E	G	H	A		F		1
51916 HEADLINING - ROOF																
A(53,57)		D1AZ 5351916	ADB	ADD		ADF			ADR	ADY		ADA		AWW		1
A(54)		D1AZ 5451916	A9B	A6D		A6F			A6R	A6Y		A6A		A6W		1
		C9AZ 5451916													•ALE	1
A(65)		D1AZ 6551916	AWB	AWD		A5F			AWR	AWY		AWA		AWW		1
A(71)		D1AZ 7151916	AWB	AWD		AWF			AFR			AFA				1
B(54,57)		D0OZ 5451916	A5B									A5A				1
		D1OZ 5451916							A5R	A5Y						1
B(63)		D0OZ 6351916	A6B			A6F						A6A		A6W		1
		D1OZ 6351916			A6E				A6R	A6Y						1
B(65)		D0OZ 6251916	A3B			A3F						A3A		A3W		1
		D1OZ 6251916			A3E				A3R	A3Y						1
B(66)		D1OZ 6651916			AQE	A3F			AQR	A6Y				AQW		1
		D0OZ 6651916	B5B									B5A				1
B(71)		D1OZ 7151916			A5E				A5R	A5Y						1
		D0OZ 7151916	B5B			B9F						B5A				1
F(63)		D1ZZ 6351916	A1B		A1E	A1F			A1R			A1A		A1W		1
F(65)		D1ZZ 6551916	A1B		A1E	A1F			A1R			A1A		A1W		1
L		D1FZ 6251916	A1B						A1R			A1A				1
		D3FZ 6251916				A8F										1
P(54)		D1DZ 5451916	A5B		A5E					A5Y						1
		D3DZ 5451916										A4A				1
P(62)		D0DZ 6251916														1
		D1DZ 6251916			B3E					B1Y						1
		D3DZ 6251916	A4B									A4A				1
S(57)		D0SZ 5751916	A3B	A9D							A5Z	A9A		A2W		1
		D1SZ 5751916							AER	AEY						1
S(65A,C)		D0SZ 6551916	A2B	A2D		A8F						A2A		A8W		1
		D1SZ 6551916							B2R	BCY						1
S(65B,D)		D1SZ 6551916	A2B	AAD		AAF			A2R	ACY		A2A		A2W		1
U(98)-front		D3BZ 1051916											A			1
-rear		D3BZ 1051918											A			1
51966 PANEL - ROOF TRIM - Refer to Group 51916																
51996 PANEL - ROOF REAR TRIM - Refer to Group 51916																
52018-9 COVER - ROOF SIDE REAR TRIM																
A(53,57)	R	D1AZ 5752018	B	E		D			C	F		A		G		1
	L	D1AZ 5752019	B	E		D			C	F		A		G		1
A(65)	R	D1AZ 6552018	B	F		E			C	G		A		D		1
	L	D1AZ 6552019	B	F		E			C	G		A		D		1
B(66)	R	D0OZ 6652018	C			F						B		E		1
	C	D0OZ 6652019	C			F						B		E		1
	R	D1OZ 6652018			B				A	C						1
	L	D1OZ 6652019			B				A	C						1

• Beige $ Paint to match ♦ Includes attaching parts

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			B	D	E	F	K	P	R	Y	Z					
COLORS →			BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE	
52018-9 COVER - ROOF SIDE REAR TRIM - continued																
F(63)	R	D1ZZ 6352018	B		F	E			C					D		1
	R	D3ZZ 6352018										A				1
	L	D1ZZ 6352019	B		F	E			C			A		D		1
S(57)	R	D0SZ 5752018	G	E							H	B		C		1
	L	D0SZ 5752019	G	E							H	B		C		1
	R	D1SZ 5752018							A	B						1
	L	D1SZ 5752019							A	B						1
S(65A,C)	R	D0SZ 6552018	B2B	B2D		B1F						B2A		B7W		1
	L	D0SZ 6552019	B2B	B2D		B1F						B2A		B7W		1
	R	D1SZ 6552018							D2R	DCY						1
	L	D1SZ 6552019							D2R	DCY						1
S(65B,D)	R	D1SZ 6552018	A2B	AAD		AAF			A2R	ACY		A2A		A2W		1
	L	D1SZ 6552019	A2B	AAD		AAF			A2R	ACY		A2A		A2W		1

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
52500 WINDOW - FOLDING TOP BACK CURTAIN				
A(76)		C9AZ 7652500-BAB	Vinyl window - used with Black tops	1
		C9AZ 7652500-BAC	Vinyl window - used with White tops	1
		C9AZ 7652500-AAB	Glass window - used with Black tops	1
		C9AZ 7652500-AAC	Glass window - used with White tops	1
B(76)		D0OZ 7652500-A	Use with Black tops	1
		D0OZ 7652500-B	Use with White tops	1
F(76)		D3ZZ 7652500-A	Use with Black tops	1
		D3ZZ 7652500-B	Use with White tops	1
52700 TOP - FOLDING - LESS BACK CURTAIN and BOWS				
A(76)		C9AZ 7652700-AAB	Black	1
		C9AZ 7652700-AAC	White	1
B(76)		D0OZ 7652700-A02	White	1
		D1OZ 7652700-A01	Black	1
F(76)		D1ZZ 7652700-A01	Black	1
		D1ZZ 7652700-A02	White	1
52874-5 CASE - FOLDING TOP SIDE QUARTER				
A(76)		D1AZ 7652874-A	Black - used with all tops	2
B(76)	R	D0OZ 7652874-A01	Black - used with all tops	1
	L	D0OZ 7652875-A01	Black - used with all tops	1
F(76)	R	D1ZZ 7652874-A01	Black - used with all tops	1
	L	D1ZZ 7652875-A01	Black - used with all tops	1
53278 ZIPPER - FOLDING TOP BACK CURTAIN				
A(76)		C9AZ 7653278-AAB	Black - used with all tops	1
B(76)		D1OZ 7653278-A	Black - used with all tops	1
F(76)		D1ZZ 7653278-A	Black - used with all tops	1
53700 COVER - ROOF OUTSIDE				
A(53,57)		D1AZ 5353700-B	Black	1
		D1AZ 5353700-D	Blue	1
		D1AZ 5353700-A	Brown	1
		D1AZ 5353700-E	Green	1
		D1AZ 5353700-C	White	1
A(54)		D1AZ 5453700-B	Black	1
		D1AZ 5453700-D	Blue	1
		D1AZ 5453700-A	Brown	1
		D1AZ 5453700-E	Green	1
		D1AZ 5453700-C	White	1
A(65)		D1AZ 6553700-A	Black	1
		D1AZ 6553700-C	Blue	1
		D1AZ 6553700-E	Brown	1
		D1AZ 6553700-D	Green	1
		D1AZ 6553700-B	White	1

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
53700 COVER - ROOF OUTSIDE - continued				
A(71)		D1AZ 7153700-A11	Black	1
		D1AZ 7153700-A0W	Ginger	1
B(54,57)		D0OZ 5453700-A01	Black	1
		D0OZ 5453700-A03	Blue	1
		D1OZ 5453700-A	Green	1
		D0OZ 5453700-A09	Tan	1
		D0OZ 5453700-A02	White	1
B(63,65)		D0OZ 6553700-A01	Black	1
		D0OZ 6553700-A03	Blue	1
		D1OZ 6553700-A7A	Brown	1
		D1OZ 6553700-A	Green	1
		D0OZ 6553700-A09	Tan	1
		D0OZ 6553700-A02	White	1
B(66)		D0OZ 6653700-A01	Black	1
		D0OZ 6653700-A02	White	1
F(63)		D1ZZ 6353700-A	Black	1
		D1ZZ 6353700-C	Blue	1
		D1ZZ 6353700-E	Brown	1
		D1ZZ 6353700-D	Green	1
		D1ZZ 6353700-B	White	1
F(65)		D1ZZ 6553700-A	Black	1
		D1ZZ 6553700-C	Blue	1
		D1ZZ 6553700-E	Brown	1
		D1ZZ 6553700-D	Green	1
		D1ZZ 6553700-B	White	1
L		D1FZ 6253700-A	Black	1
		D1FZ 6253700-B	White	1
P(54)		D1DZ 5453700-A1A	Black	1
		D1DZ 5453700-A4A	Gold and Black	1
		D1DZ 5453700-A6A	Green and White	1
		D1DZ 5453700-A8A	Red and Black	1
		D1DZ 5453700-A2A	White	1
P(62)		D1DZ 6253700-A1A	Black	1
		D1DZ 6253700-A8A	Gold and Black	1
		D1DZ 6253700-AGA	Green and White	1
		D1DZ 6253700-A4A	Red and Black	1
		D1DZ 6253700-A2A	White	1
S(57)		C9SZ 5753700-ADB	Black	1
		D1SZ 5753700-A43	Blue	1
		D1SZ 5753700-A07	Brown	1
		D1SZ 5753700-A35	Green	1
		C9SZ 5753700-AAC	White	1
S(65A,C)		D1SZ 6553700-B01	Black	1
		D1SZ 6553700-B03	Blue	1
		D1SZ 6553700-B07	Brown	1
		D1SZ 6553700-B15	Green	1
		D1SZ 6553700-B02	White	1
S(65B,D)		C9SZ 6553700-A01	Black	1
		D1SZ 6553700-A03	Blue	1
		D1SZ 6553700-A07	Brown	1
		D1SZ 6553700-A05	Green	1
		D1SZ 6553700-A02	White	1
53701 COVER - ROOF SLIDING PANEL OUTSIDE				
S-w/sun roof		D1SZ 6553701-A	Black	1
		D1SZ 6553701-C	Blue	1
		D1SZ 6553701-D	Brown	1
		D1SZ 6553701-E	Green	1
		D1SZ 6553701-B	White	1
537A02 PAD - ROOF OUTSIDE COVER - REAR SIDE				
S(57)		C7SZ 57537A02-A		1
S(65A,C)		D0SZ 65537A02-A		1
S(65B,D)		C9SZ 65537A02-A		1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
53740 PAD - ROOF OUTSIDE COVER - FRONT SIDE				
S(57)		C7SZ 5753740-A		2
S(65A,C)		D0SZ 6553740-A		2
S(65B,D)		C9SZ 6553740-A		2
54212-3 CASE - FOLDING TOP BACK STAY PAD				
A(76)		C9AZ 7654212-AAB	Black	1
		D1AZ 7654212-B	White	1
B(76)	R	D0OZ 7654212-A01	Black - used with all tops	1
	L	D0OZ 7654213-A01	Black - used with all tops	1
F(76)	R	D1ZZ 7654212-A01	Black-used with all tops	1
	L	D1ZZ 7654213-A01	Black-used with all tops	1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
TRIM CODES →			_B	_D	_E	_F	_K	_P	_R	_Y	_Z					
COLORS →			BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE	
54400 HOOD - FOLDING TOP DUST																
A(76)		D1AZ 7654400		A3B	A1D					A1R			A1A		A2W	1
B(76)		D0OZ 7654400					A6F						A6A		ARW	1
		D1OZ 7654400				A6E				A6R						1
F(76)		D1ZZ 7654400				A1E				A1R			A1A			1
		D3ZZ 7654400		ACB			ACF								ACW	1
54486 CONTAINER - FOLDING TOP DUST HOOD																
A(76), B(76), F(76)		D0OZ 7654486										A01				1
54600 COMPARTMENT - FOLDING TOP - REAR																
A(76)		C9AZ 7654600										AAB				1
54602 TRIM - FOLDING TOP COMPARTMENT																
B(76)		D0OZ 7654602										A01				1
F(76)		D1ZZ 7654602										A				1
54640 COVER - FOLDING TOP COMPARTMENT - UPPER FRONT																
A(76)		C9AZ 7654640										AAB				2

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES	QTY.
60032 BACK ASSY. - REAR SEAT - INCLUDES COVER				
TRIM CODES →		All		
U		D3BZ 1060032	ARU	1

IMPORTANT

When a complete Back Assembly is required, order BOTH a basic 60032 Kit plus a basic 66600 or 66601 Cover with applicable suffix for desired trim code.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60032-3 BACK KIT- REAR SEAT -CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.															
TRIM CODES →				DA, DAA	DB, DBA	DD, DDA	DF, DFA	DR, DRA	DY, DYA						
A(53H)		D1AZ 5360032-A	D1AZ 5366600	ABA	ADB	ADD	ADF	ADR	ADY						
TRIM CODES →				FA	FB	FD	FF	FR	FW	FY					
A(53H)		D1AZ 5360032-A	D1AZ 5366600	AFA	AFB	AFD	AFF	AFR	AFW	AEY					
TRIM CODES →				9A, 9AA	9B, 9BA	9D, 9DA	9F, 9FA	9R, 9RA	9Y, 9YA						
A(53K)		D1AZ 5360032-A	D1AZ 5366600	A9A	A9B	A9D	A9F	A9R	A9Y						
TRIM CODES →				EA, EAA	EB, EBA	ED, EDA	EF	ER, ERA	EY, EYA						
A(53K)		D1AZ 5360032-A	D1AZ 5366600	A9A	A9B	A9D	A9F	A9R	A9Y						
TRIM CODES →				1A	1B	1Y									
A(54A,B)		D1AZ 5360032-A	D1AB 5466600	01A	01B	01Y									

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
60032-3 BACK KIT- REAR SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued														
		TRIM CODES →		HA	HB	HR	HY							
B(57E)		C8OZ 5460032-A	D1OZ 5766600	AHA	AHB	AHR	AHY							
		TRIM CODES →		7A	7B	7R	7Y	8A	8B	8E	8F	8R	8W	
B(63C)			D1OZ 6566600	A7A	A7B	A7R	A7Y	AYA	AYB	AYE	AYF	AYR	AYW	
		TRIM CODES →		JA	JB	JE	JF	JR	JW	KA	KW			
B(63C)			D1OZ 6566600	A8A	A8B	A8E	A8F	A8R	A8W	AWA	AWW			
		TRIM CODES →		6A	6B	6E	6F	6R	6W	WA	WW			
B(63F)			D1OZ 6566600	A8A	A8B	A8E	A8F	A8R	A8W	AWA	AWW			
		TRIM CODES →		YA	YB	YE	YF	YR	YW					
B(63F)			D1OZ 6566600	AYA	AYB	AYE	AYF	AYR	AYW					
		TRIM CODES →		CA	CB	CE	CF	RA	RB	RE	RF			
B(63H)			D1OZ 6566600	AYA	AYB	AYE	AYF	A8A	A8B	A8E	A8F			
		TRIM CODES →		2A	2B	2Y								
B(65A)			D1OZ 6266600			A2Y								
			D0OZ 6266600	A2A	A2B									
		TRIM CODES →		1A	1F	1R								
B(65C)			D1OZ 6566600	A1A	A1F	A1R								
		TRIM CODES →		7A	7B	7R	7Y	8A	8B	8E	8F	8R	8W	
B(65C)			D1OZ 6566600	A7A	A7B	A7R	A7Y	AYA	AYB	AYE	AYF	AYR	AYW	
		TRIM CODES →		JA	JB	JE	JF	JR	JW	KA	KW			
B(65C)			D1OZ 6566600	A8A	A8B	A8E	A8F	A8R	A8W	AWA	AWW			
		TRIM CODES →		HA	HB	HR	HY							
B(65E)			D1OZ 6566600	AHA	AHB	AHR	AHY							
		TRIM CODES →		BA	BE	GA	GB	GE	GF	GR	VA			
B(71C)		C9OZ 7160032-A	D0OZ 7166600			AGA	AGB		AGF					
		C9OZ 7160032-A	D1OZ 7166600	AAA	AAE			AGE		AGR	ANA			
		TRIM CODES →		2A	2B	2Y								
B(71D)		C9OZ 7160032-A	D0OZ 7166600	A2A	A2B									
		C9OZ 7160032-A	D1OZ 7166600			A2Y								
		TRIM CODES →		9A	9B	9E	9F	9R	AA	AE	NA			
B(71E)		C9OZ 7160032-A	D1OZ 7166600	A9A	A9B	A9E	A9F	A9R	AAA	AAE	ANA			
		TRIM CODES →		6A	6E	6F	6R	6W	YA	YE	YW			
B(76F)		C6OZ 7660032-A	D1OZ 7666600	A6A	A6E	A6F	A6R	A6W	AYA	AYE	AYW			
		TRIM CODES →		1A	1B	1E	1F	1R	1W	2B	2E	2F	2R	
F(63)		C5ZZ 6360032-B	D1ZZ 6366600		A1B	A1E	A1F	A1R	A1W	A2B	A2E	A2F	A2R	
		C5ZZ 6360032-B	D3ZZ 6366600	AAA										
		TRIM CODES →		5A	5B	5E	5F	5FA	5R	5W				
F(63)		C5ZZ 6360032-B	D1ZZ 6366600	A5A	A5B	A5E	A5F		A5R	A5W				
		C5ZZ 6360032-B	D2ZZ 6366600					A5F						
		TRIM CODES →		3A	3W	BB	BE	BF	BR	CA	CW			
F(63D)		C5ZZ 6360032-B	D1ZZ 6366600	A3A	A3W	A2B	A2E	A2F	A2R	A3A	A3W			
		TRIM CODES →		1A	1B	1E	1F	1R	1W					
F(65D)		D3ZZ 6560032-A	D1ZZ 6566600	A1A	A1B	A1E	A1F	A1R	A1W					
		TRIM CODES →		2B	2E	2F	2R	3A	3W					
F(65D)		D3ZZ 6560032-A	D1ZZ 6566600	A2B	A2E	A2F	A2R	A3A	A3W					
		TRIM CODES →		4A	4B	4E	4F	4R						
F(65F)		D3ZZ 6560032-A	D1ZZ 6566600	A4A	A4B	A4E	A4F	A4R						
		TRIM CODES →		1A	1B	1E	1R	1W						
F(76D)		D3ZZ 7660032-A	D1ZZ 7666600	A1A	A1B	A1E	A1R	A1W						
		TRIM CODES →		CA	CB	CE	CF	CR	CW					
F(76D)		D3ZZ 7660032-A	D1ZZ 7666600	ACA	ACB	ACE	ACF	ACR	ACW					
L				Refer to Groups 672A18 (upper) and 672A20-1 (lower)										
		TRIM CODES →		1A	1Y	2A	2B	2Y	3A	3B	3Y			
P(54A)		D1DZ 5460032-A	D1DZ 5466600	A1A	A1Y	A2A	A2B	A2Y	A3A	A3B	A3Y			
		TRIM CODES →		5A	5B	5E	5Y	GA	GB	GE				
P(54A)		D1DZ 5460032-A	D1DZ 5466600	A5A	A5B	A5E	A5Y	AGA	AGB	AGE				
		TRIM CODES →		1A	1Y	2A	2B	2Y	3E	3Y				
P(62)		D0DZ 6260032-A	D1DZ 6266600	A1A	A1Y	A2A	A2B	A2Y	A3E	A3Y				
		TRIM CODES →		5A	5B	5E	5Y	8A	8B	8E	8Y	9E	9Y	
P(62)		D0DZ 6260032-A	D1DZ 6266600	A5A	A5B	A5E	A5Y	A5A	A5B	A5E	A9Y	A3E	A3Y	

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
60032-3 BACK KIT- REAR SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued														
		TRIM CODES →		3A	3B	3R	3Y	LU	NA	NB	NY			
A(54B,D)		D1AZ 5360032-A	D1AZ 5466600	A3A	A3B	A3R	A3Y		ANA	ANB	ANY			
		D1AZ 5360032-A	D1AZ 6266600					ALU						
		TRIM CODES →		4A, 4AA	4B, 4BA	4F, 4FA	4R, 4RA	4Y, 4YA	5A	5B	5F	5R	5Y	
A(54F)		D1AZ 5360032-A	D1AZ 5466600	A4A	A4B	A4Y	A4R	A4Y	A5A	A5B	A5F	A5R	A5Y	
		TRIM CODES →		WA	WB	WD	WF	WR	WW	WY				
A(54F)		D1AZ 5360032-A	D1AZ 5466600	AWA	AWB	AWD	AWF	AWR	AWW	AWY				
		TRIM CODES →		4A, A4A	4B, A4B	4F, A4F	4R, A4R	4Y, A4Y	5A	5B	5F	5R	5Y	
A(57F)		D1AZ 5360032-A	D1AZ 5466600	A4A	A4B	A4F	A4R	A4Y	A5A	A5B	A5F	A5R	A5Y	
		TRIM CODES →		WA	WB	WD	WF	WR	WW	WY				
A(57F)		D1AZ 5360032-A	D1AZ 5466600	AWA	AWB	AWD	AWF	AWR	AWW	AWY				
		TRIM CODES →		DA, DAA	DB, DBA	DD, DDA	DF, DFA	DR, DRA	DY, DYA					
A(57H)		D1AZ 5360032-A	D1AZ 5366600	ADA	ADB	ADD	ADF	ADR	ADY					
		TRIM CODES →		FA	FB	FD	FF	FR	FW	FY				
A(57H)		D1AZ 5360032-A	D1AZ 5366600	AFA	AFB	AFD	AFF	AFR	AFW	AFY				
		TRIM CODES →		9A, 9AA	9B, 9BA	9D, 9DA	9F, 9FA	9R, 9RA	9Y, 9YA					
A(57K)		D1AZ 5360032-A	D1AZ 5366600	A9A	A9B	A9D	A9F	A9R	A9Y					
		TRIM CODES →		EA, EAA	EB, EBA	ED, EDA	EF	ER, ERA	EY, EYA					
A(57K)		D1AZ 5360032-A	D1AZ 5366600	A9A	A9B	A9D	A9F	A9R	A9Y					
		TRIM CODES →		2A	2B	2R	2Y	3A	3B	3R	3Y			
A(65D)		D1AZ 6560032-A	D1YB 6566600	06A	06B	06R	06Y	03A	03B	03R	03Y			
		TRIM CODES →		4A, 4AA	4B, 4BA	4F, 4FA	4R, 4RA	4Y, 4YA	5A	5B	5F	5R	5Y	
A(65F)		D1AZ 6560032-A	D1AZ 6566600	A4A	A4B	A4F	A4R	A4Y	A5A	A5B	A5F	A5R	A5Y	
		TRIM CODES →		8A	8D	8W	WA	WB	WD	WF	WR	WW	WY	
A(65F)		D1AZ 6560032-A	D1AZ 6566600	AGA	AGD	AGW	AWA	AWB	AWD	AWF	AWR	AWW	AWY	
		TRIM CODES →		DA, DAA	DB, DBA	DD, DDA	DF, DFA	DR, DRA	DY, DYA					
A(65H)		D1AZ 6560032-A	D1AZ 6566600	ADA	ADB	ADD	ADF	ADR	ADY					
		TRIM CODES →		FA	FB	FD	FF	FR	FW	FY	GA	GD	GW	
A(65H)		D1AZ 6560032-A	D1AZ 6566600	AFA	AFB	AFD	AFF	AFR	AFW	AFY	AGA	AGD	AGW	
		TRIM CODES →		EA, EAA	EB, EBA	ED, EDA	EF	ER, ERA	EY, EYA					
A(65K)		D1AZ 6560032-A	D1AZ 6566600	AZA	AZB	AZD	AZF	AZR	AZY					
		TRIM CODES →		ZA, ZAA	ZB, ZBA	ZD, ZDA	ZF, ZFA	ZR, ZRA	ZY, ZRY					
A(65K)		D1AZ 6560032-A	D1AZ 6566600	AZA	AZB	AZD	AZF	AZR	AZY					
		TRIM CODES →		7A	7B	7F	7R	NA	NB	NR				
A(71B,D)		C9AZ 7160032-A	D1AZ 7166600	A7A	A7B	A7F	A7R	ANA	ANB	ANR				
		TRIM CODES →		RA	RAA	RD	RDA	WA	WB	WD	WF	WR		
A(71F)		C9AZ 7160032-A	D1AZ 7166600	AVA	BVA	AVD	BVD	AWA	AWB	AWD	AWF	AWR		
		TRIM CODES →		BA	BAA	BF	BR	FA	FB	FD	FF	FR		
A(71H)		C9AZ 7160032-A	D1AZ 7166600	ABA	BBA	ABF	ABR	AFA	AFB	AFD	AFF	AFR		
		TRIM CODES →		VA	VAA	VD	VDA							
A(71H)		C9AZ 7160032-A	D1AZ 7166600	AVA	BVA	AVD	BVD							
		TRIM CODES →		FA	FB	FD	FR	FW	GA	GD	GW			
A(76H)		C9AZ 7660032-A	D1AZ 7666600	AFA	AFB	AFD	AFR	AFW	AGA	AGD	AGW			
		TRIM CODES →		2A	2B	2Y								
B(54A)		C8OZ 5460032-A	D0OZ 5466600	A2A	A2B									
		C8OZ 5460032-A	D1OZ 5466600			A2Y								
		TRIM CODES →		7A	7B	7R	7Y	JA	JB	JR	JY	KA	KY	
B(54C,57C)		C8OZ 5460032-A	D1OZ 5466600	A7A	A7B	A7R	A7Y	AJA	AJB	AJR	AJY	AKA	AKY	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES									
60032-3 BACK KIT- REAR SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued													
	TRIM CODES →			GA	GB	GE							
P(62)		D0DZ 6260032-A	D1DZ 6266600	AGA	AGB	AGE							
	TRIM CODES →			FA	FD	FZ	EA	EB	ED	ER	EY	EZ	
S(57B)		D0SZ 5760032-B	D0SZ 5766600				A5A	A5B	A5D			A5Z	
		D0SZ 5760032-B	D1SZ 5766600	AFA	AFD	AFD				AER	AEY		
	TRIM CODES →			4A	4B	4R	4W						
S(57C)		D0SZ 5760032-A	D0SZ 5766600	A4A	A4B		A4W						
		D0SZ 5760032-A	D1SZ 5766600			A4R							
	TRIM CODES →			2A	2B	2R	2W	8A	8D	8F			
S(65A,B)	R		D0SZ 6566600	A2A	A2B		A2W						
	L	D0SZ 6560033-A	D0SZ 6566601	A2A	A2B		A2W						
	R		D1SZ 6566600			A2R		A8A	A8D	A8F			
	L	D0SZ 6560033-A	D1SZ 6566601			A2R		A8A	A8D	A8F			
	TRIM CODES →			AA	AB	AD	AF	AR					
S(65A,B)	R	D0SZ 6560032-B	D0SZ 6566600	A1A	A1B		A1F						
	L		D0SZ 6566601	A1A	A1B		A1F						
	R	D0SZ 6560032-B	D1SZ 6566600			AAD		AAR					
	L		D1SZ 6566601			AAD		AAR					
	TRIM CODES →			4A	4B	4R	4W						
S(65C,D)	R		D0SZ 6566600	A2A	A2B		A2W						
	L	D0SZ 6560033-A	D0SZ 6566601	A2A	A2B		A2W						
	R		D1SZ 6566600			A2R							
	L	D0SZ 6560033-A	D1SZ 6566601			A2R							
	TRIM CODES →			CA	CB	CD	CF	CR	CY				
S(65C,D)	R	D0SZ 6560032-B	D0SZ 6566600	A3A	A3B	A3D	A3F						
	L		D0SZ 6566601	A3A	A3B	A3D	A3F						
	R	D0SZ 6560032-B	D1SZ 6566600					ACR	ACY				
	L		D1SZ 6566601					ACR	ACY				

IMPORTANT

When a complete Cushion Assembly is required, order BOTH a basic 60050 Kit plus a basic 62900 Cover with applicable suffix for desired trim code.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES									
60050-1 CUSHION KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.													
	TRIM CODES →			DA, DAA	DB, DBA	DD, DDA	DF, DFA	DR, DRA	DY, DYA				
A(53H) ♦		D1AZ 5460050-A	D1AZ 6562900	ADA	ADB	ADD	ADF	ADR	ADY				
	TRIM CODES →			FA	FB	FD	FF	FR	FW	FY			
A(53H) ♦		D1AZ 5460050-A	D1AZ 6562900	AFA	AFB	AFD	AFF	AFR	AFW	AFY			
	TRIM CODES →			9A, 9AA	9B 9BA	9D, 9DA	9F 9FA	9R, 9RA	9Y 9YA				
A(53K)		D1AZ 5460050-A	D1AZ 5362900	A9A	A9B	A9D	A9F	A9R	A9Y				
	TRIM CODES →			EA, EAA	EB, EBA	ED, EDA	EF	ER, ERA	EY, EYA				
A(53K)	R	D1AZ 6560050-A	D1AZ 6562900	AEA	AEB	AED	BEF	AER	AEY				
	L	D1AZ 6560051-A	D1AZ 6562901	AEA	AEB	AED	BEF	AER	AEY				
	TRIM CODES →			1A	1B	1Y							
A(54A,B)		D1AZ 5460050-A	D1AB 5462900	01A	01B	01Y							
	TRIM CODES →			3A	3B	3R	3Y	LU	NA	NB	NY		
A(54B,D)		D1AZ 5460050-A	D1AZ 5462900	A3A	A3B	A3R	A3Y	ALU	ANA	ANB	ANY		
	TRIM CODES →			4A, 4AA	4B, 4BA	4F, 4FA	4R, 4RA	4Y, 4YA	5A	5B	5F	5R	5Y
A(54F) ♦		D1AZ 5460050-A	D1AZ 6562900	A4A	A4B	A4F	A4R	A4Y	A5A	A5B	A5F	A5R	A5Y
	TRIM CODES →			WA	WB	WD	WF	WR	WW	WY			
A(54F)		D1AZ 5460050-A	D1AZ 5462900	AWA	AWB	AWD	AWF	AWR	AWW	AWY			

♦ Remove center pivot bracket and fold under pivot bracket cover as required

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
60050-1 CUSHION KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued														
		TRIM CODES →		4A, 4AA	4B, 4BA	4F, 4FA	4R, 4RA	4Y, 4YA	5A	5B	5F	5R	5Y	
A(57F)		D1AZ 5460050-A	D1AZ 6562900	A4A	A4B	A4F	A4R	A4Y	A5A	A5B	A5F	A5R	A5Y	
		TRIM CODES →		WA	WB	WD	WF	WR	WW	WY				
A(57F)		D1AZ 5460050-A	D1AZ 5462900	AWA	AWB	AWD	AWF	AWR	AWW	AWY				
		TRIM CODES →		DA, DAA	DB, DBA	DD, DDA	DF, DFA	DR, DRA	DY, DYA					
A(57H) ♦		D1AZ 5460050-A	D1AZ 6562900	ADA	ADB	ADD	ADF	ADR	ADY					
		TRIM CODES →		FA	FB	FD	FF	FR	FW	FY				
A(57H) ♦		D1AZ 5460050-A	D1AZ 6562900	AFA	AFB	AFD	AFF	AFR	AFW	AFY				
		TRIM CODES →		9A, 9AA	9B, 9BA	9D, 9DA	9F, 9FA	9R, 9RA	9Y, 9YA					
A(57K)		D1AZ 5460050-A	D1AZ 5362900	A9A	A9B	A9D	A9F	A9R	A9Y					
		TRIM CODES →		EA, EAA	EB, EBA	ED, EDA	EF	ER, ERA	EY, EYA					
A(57K)	R	D1AZ 6560050-A	D1AZ 6562900	AEA	AEB	AED	BEF	AER	AEY					
	L	D1AZ 6560051-A	D1AZ 6562901	AEA	AEB	AED	BEF	AER	AEY					
		TRIM CODES →		2A	2B	2R	2Y	3A	3B	3R	3Y			
A(65D)		D1AZ 6560050-B	D1YB 6562900	06A	06B	06R	06Y	03A	03B	03R	03Y			
		TRIM CODES →		4A, 4AA	4B, 4BA	4F, 4FA	4R, 4RA	4Y, 4YA						
A(65F)		D1AZ 6560050-B	D1AZ 6562900	A4A	A4B	A4F	A4R	A4Y						
		TRIM CODES →		5A	5B	5F	5R	5Y	8A	8D	8W			
A(65F)		D1AZ 6560050-B	D1AZ 6562900	A5A	A5B	A5F	A5R	A5Y						
	R	D0AZ 6360050-A	D1AZ 6562900						AGA	AGD	AGW			
	L	D0AZ 6360051-A	D1AZ 6562900						AGA	AGD	AGW			
		TRIM CODES →		WA	WB	WD	WF	WR	WW	WY				
A(65F)		D1AZ 6560050-B	D1AZ 6562900	AWA	AWB	AWD	AWF	AWR	AWW	AWY				
		TRIM CODES →		DA, DAA	DB, DBA	DD, DDA	DF, DFA	DR, DRA	DY, DYA					
A(65H)		D1AZ 6560050-B	D1AZ 6562900	ADA	ADB	ADD	ADF	ADR	ADY					
		TRIM CODES →		FA	FB	FD	FF	FR	FW	FY	GA	GD	GW	
A(65H)		D1AZ 6560050-B	D1AZ 6562900	AFA	AFB	AFD	AFF	AFR	AFW	AFY				
	R	D0AZ 6360050-A	D1AZ 6562900								AGA	AGD	AGW	
	L	D0AZ 6360051-A	D1AZ 6562900								AGA	AGD	AGW	
		TRIM CODES →		EA, EAA	EB, EBA	ED, EDA	EF	ER, ERA	EY, EYA					
A(65K)	R	D1AZ 6560050-A	D1AZ 6562900	AEA	AEB	AED	BEF	AER	AEY					
	L	D1AZ 6560051-A	D1AZ 6562901	AEA	AEB	AED	BEF	AER	AEY					
		TRIM CODES →		ZA, ZAA	ZB, ZBA	ZD, ZDA	ZF, ZFA	ZR, ZRA	ZY, ZYA					
A(65K)-reclining		D1AZ 6560050-A	D1AZ 6562900	AZA	AZB	AZD	AZF	AZR	AZY					
-non/reclining		D1AZ 6560050-C	D1AZ 6562900	AZA	AZB	AZD	AZF	AZR	AZY					
		TRIM CODES →		NA	NB	NR								
A(71B)		D1AZ 5460050-A	D1AZ 5462900	ANA	ANB	ANR								
		TRIM CODES →		7A	7B	7F	7R							
A(71D)		D1AZ 5460050-A	D1AZ 5462900	A7A	A7B	A7F	A7R							
		TRIM CODES →		RA	RAA	RD	RDA	WA	WB	WD	WF	WR		
A(71F)		D1AZ 5460050-A	D1AZ 5362900	AVA	BVA	AVD	BVD							
		D1AZ 5460050-A	D1AZ 5462900					AWA	AWB	AWD	AWF	AWR		
		TRIM CODES →		BA	BAA	BF	BR	FA	FB	FD	FF	FR		
A(71H) ♦		D1AZ 5460050-A	D1AZ 6562900					AFA	AFB	AFD	AFF	AFR		
		D1AZ 5460050-A	D1AZ 7162900	ABA	BBA	ABF	ABR							
		TRIM CODES →		VA	VAA	VD	VDA							
A(71H)		D1AZ 5460050-A	D1AZ 5362900	AVA	BVA	AVD	BVD							

♦ Remove center pivot bracket and fold under pivot bracket cover as required

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES									
60050-1 CUSHION KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D. - continued													
		TRIM CODES →		FA	FB	FD	FR	FW	GA	GD	GW		
A(76H)		D1AZ 6560050-B	D1AZ 6562900	AFA	AFB	AFD	AFR	AFW					
	R	D0AZ 6360050-A	D1AZ 6562900						AGA	AGD	AGW		
	L	D0AZ 6360051-A	D1AZ 6562900						AGA	AGD	AGW		
		TRIM CODES →		2A	2B	2Y							
B(54A) ♦		D1OZ 5460050-A	D0OZ 6262900	A2A	A2B								
		D1OZ 5460050-A	D1OZ 6262900			A2Y							
		TRIM CODES →		7A	7B	7R	7Y	JA	JB	JR	JY	KA	KY
B(54C,57C)		D1OZ 5460050-A	D1OZ 5462900					AJA	AJB	AJR	AJY	AKA	AKY
		D1OZ 5460050-A	D1OZ 6562900	A7A	A7B	A7R	A7Y						
		TRIM CODES →		HA	HB	HR	HY						
B(57E) ♦		D1OZ 5460050-A	D1OZ 6562900	AHA	AHB	AHR	AHY						
		TRIM CODES →		7A	7B	7R	7Y	8A	8B	8E	8F	8R	8W
B(63C) ♦		D1OZ 6360050-A	D1OZ 6562900	A7A	A7B	A7R	A7Y						
	R	D0GY 6560050-A	D1OZ 6562900					A8A	A8B	A8E	A8F	A8R	A8W
	L	D0GY 6560051-A	D1OZ 6562900					A8A	A8B	A8E	A8F	A8R	A8W
		TRIM CODES →		JA	JB	JE	JF	JR	JW	KA	KW		
B(63C)		D1OZ 6360050-A	D0OZ 6562900							AWA			
		D1OZ 6360050-A	D1OZ 6562900	A6A	A6B	A6E	A6F	A6R	A6W		AWW		
		TRIM CODES →		6A	6B	6E	6F	6R	6W	WA	WW		
B(63F)		D1OZ 6360050-A	D0OZ 6562900							AWA	AWW		
		D1OZ 6360050-A	D1OZ 6562900	A6A	A6B	A6E	A6F	A6R	A6W				
		TRIM CODES →		YA	YB	YE	YF	YR	YW				
B(63F)	R	D0GY 6560050-A	D1OZ 6562900	A8A	A8B	A8E	A8F	A8R	A8W				
	L	D0GY 6560051-A	D1OZ 6562900	A8A	A8B	A8E	A8F	A8R	A8W				
		TRIM CODES →		CA	CB	CE	CF	RA	RB	RE	RF		
B(63H)		D1OZ 6360050-A	D1OZ 6562900					A6A	A6B	A6E	A6F		
		D0GY 6560050-A	D1OZ 6562900	A8A	A8B	A8E	A8F						
		D0GY 6560051-A	D1OZ 6562900	A8A	A8B	A8E	A8F						
		TRIM CODES →		2A	2B	2Y							
B(65A)		D1OZ 6560050-A	D0OZ 6262900	A2A	A2B								
		D1OZ 6560050-A	D1OZ 6262900			A2Y							
		TRIM CODES →		1A	1F	1R							
B(65C)		D1OZ 6560050-A	D1OZ 6562900	A6A	A6F	A6R							
		TRIM CODES →		7A	7B	7R	7Y	8A	8B	8E	8F	8R	8W
B(65C)		D0GY 6560050-A	D1OZ 6562900	A7A	A7B	A7R	A7Y						
	R	D0GY 6560050-A	D1OZ 6562900					A8A	A8B	A8E	A8F	A8R	A8W
	L	D0GY 6560051-A	D1OZ 6562900					A8A	A8B	A8E	A8F	A8R	A8W
		TRIM CODES →		JA	JB	JE	JF	JR	JW	KA	KW		
B(65C)		D1OZ 6560050-A	D1OZ 6562900	A6A	A6B	A6E	A6F	A6R	A6W		AWW		
		D1OZ 6560050-A	D0OZ 6562900							AWA			
		TRIM CODES →		HA	HB	HR	HY						
B(65E)		D1OZ 6560050-A	D1OZ 6562900	AHA	AHB	AHR	AHY						
		TRIM CODES →		UA	UB	UY	ZB	ZE	ZF	ZR			
B(66A)		D1OZ 6560050-A	D0OZ 6562900	AUA	AUB								
		D1OZ 6560050-A	D1OZ 6562900			AUY	ADB	ADE	ADF	ADR			
		TRIM CODES →		GA	GB	GE	GF	GR	QA	QF	QR	QW	
B(66B,C)		D1OZ 6560050-A	D0OZ 6562900	AGA	AGB		AGF						
		D1OZ 6560050-A	D1OZ 6562900			AGE		AGR					
	R	D0GY 6560050-A	D1OZ 6562900						A8A	A8F	A8R	A8W	
	L	D0GY 6560051-A	D1OZ 6562900						A8A	A8F	A8R	A8W	
		TRIM CODES →		ZB	ZE	ZF	ZR						
B(66B,C)		D1OZ 6560050-A	D1OZ 6562900	ADB	ADE	ADF	ADR						
		TRIM CODES →		QA	QF	QR	QW	TA	TB	TE	TF	TR	
B(66E)		D1OZ 6560050-A	D0OZ 6562900					ATA	ATB				
		D1OZ 6560050-A	D1OZ 6562900							ATE	ATF	ATR	
	R	D0GY 6560050-A	D1OZ 6562900	A8A	A8F	A8R	A8W						
	L	D0GY 6560051-A	D1OZ 6562900	A8A	A8F	A8R	A8W						

♦ Remove center pivot bracket and fold under pivot bracket cover as required

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES									
60050-1 CUSHION KIT - FRONT SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued													
		TRIM CODES →		BA	BE	GA	GB	GE	GF	GR	VA		
B(71C)		D1OZ 5460050-A	D1OZ 5462900	AAA	AAE			AGE		AGR	ANA		
	♦	D1OZ 5460050-A	D0OZ 6562900			AGA	AGB		AGF				
		TRIM CODES →		2A	2B	2Y							
B(71D)	♦	D1OZ 5460050-A	D0OZ 6262900	A2A	A2B								
		D1OZ 5460050-A	D1OZ 6262900			A2Y							
		TRIM CODES →		9A	9B	9E	9F	9R	AA	AE	NA		
B(71E)		D1OZ 5460050-A	D1OZ 5462900						AAA	AAE	ANA		
		D1OZ 5460050-A	D1OZ 5762900	A9A	A9B	A9E	A9F	A9R					
		TRIM CODES →		6A	6E	6F	6R	6W	YA	YE	YW		
B(76F)		D1OZ 6560050-A	D1OZ 6562900	A6A	A6E	A6F	A6R	A6W					
	R	D0GY 6560050-A	D1OZ 6562900						A8A	A8E	A8W		
	L	D0GY 6560051-A	D1OZ 6562900						A8A	A8E	A8W		
		TRIM CODES →		1A	1B	1E	1F	1R	1W	2B	2E	2F	2R
F(63)		D1DZ 6560050-A	D1ZZ 6562900	A1A	A1B	A1E	A1F	A1R	A1W	A2B	A2E	A2F	A2R
		TRIM CODES →		3A	3W	BB	BE	BF	BR	CA	CW		
F(63D)		D1DZ 6560050-A	D1ZZ 6562900	ACA	ACW	A2B	A2E	A2F	A2R	ACA	ACW		
		TRIM CODES →		5A	5B	5E	5F	5FA	5R	5W			
F(63)		D1DZ 6560050-A	D1ZZ 6362900	A5A	A5B	A5E	A5F	AGF	5R	5W			
		TRIM CODES →		1A	1B	1E	1F	1R	1W				
F(65D)		D1DZ 6560050-A	D1ZZ 6562900	A1A	A1B	A1E	A1F	A1R	A1W				
		TRIM CODES →		2B	2E	2F	2R	3A	3W				
F(65D)		D1DZ 6560050-A	D1ZZ 6562900	A2B	A2E	A2F	A2R	ACA	ACW				
		TRIM CODES →		4A	4B	4E	4F	4R					
F(65F)		D1DZ 6560050-A	D1ZZ 6562900	A4A	A4B	A4E	A4F	A4R					
		TRIM CODES →		1A	1B	1E	1F	1R	1W				
F(76D)		D1DZ 6560050-A	D1ZZ 6562900	A1A	A1B	A1E	A1F	A1R	A1W				
		TRIM CODES →		CA	CB	CE	CF	CFA	CR	CW			
F(76D)		D1DZ 6560050-A	D1ZZ 6562900	ACA	ACB	ACE	ACF		ACR	ACW			
		D1DZ 6560050-A	D2ZZ 6562900					ACF					
		TRIM CODES →		1A, 1AA	1B, 1BA	1R, 1RA	2A, 2AA	2B, 2BA	2F, 2FA	2R, 2RA			
L w/o sensor w/sensor		Service details	D2FZ 6262900	BAA	BAB	BAR	BBA	BBB	BBF	BBR			
	‡	D1FZ 62632A22-A		Pad and spring									
	R	D2FZ 62632A22-A		Pad and spring									
	L	D1FZ 62632A22-A		Pad and spring									
		D1FZ 6260336-A		Frame									
		TRIM CODES →		3A, 3AA	3B, 3BA	3F, 3FA	3FB	3R, 3RA	3RB				
L -w/o sensor -w/sensor		Service details	D1FZ 6262900	A3A	A3B	A3F		A3R					
		Service details	D2FZ 6262900				A3F		A3R				
	‡	D1FZ 62632A22-A		Pad and spring									
	R	D2FZ 62632A22-A		Pad and spring									
	L	D1FZ 62632A22-A		Pad and spring									
		D1FZ 6260336-A		Frame									
		TRIM CODES →		1A	1Y	2A	2B	2Y	3A	3B	3Y		
P(54A)		D1DZ 5460050-A	D1DZ 5462900	A1A	A1Y	A2A	A2B	A2Y	A3A	A3B	A3Y		
		TRIM CODES →		5A	5B	5E	5Y	GA	GB	GE			
P(54A)		D1DZ 5460050-A	D1DZ 5462900	A5A	A5B	A5E	A5Y	AGA	AGB	AGE			
		TRIM CODES →		1A	1Y	2A	2B	2Y	3E	3Y			
P(62)		D1DZ 6260050-A	D1DZ 6262900			A2A	A2B	A2Y	A3E	A3Y			
		D0DZ 6260050-B	D1DZ 6262900	A1A	A1Y								
		TRIM CODES →		5A	5B	5E	5Y	8A	8B	8E	8Y	9E	9Y
P(62)		D1DZ 6560050-A	D1DZ 6262900					A4A	A4B	A4E	A4Y	A9E	A9Y
		D1DZ 6260050-A	D1DZ 6262900	A5A	A5B	A5E	A5Y						
		TRIM CODES →		GA	GB	GE							
P(62)		D1DZ 6260050-A	D1DZ 6262900	AGA	AGB	AGE							

♦ Remove center pivot bracket and fold under pivot bracket cover as required ‡ R.H. or L. H.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES									
60050-1 CUSHION KIT - FRONT SEAT- CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D.-continued													
TRIM CODES →				FA	FD	FZ	EA	EB	ED	ER	EY	EZ	
S(57B)-non/reclining	R	D1SZ 5760050-A	D0SZ 5762900				B5A	B5B	B5D			B5Z	
	R	D1SZ 5760050-A	D1SZ 5762900	AFA	AFD	AFZ				BER	BEY		
	L	D1SZ 5760051-A	D0SZ 5762901				B5A	B5B	B5D			B5Z	
	L	D1SZ 5760051-A	D1SZ 5762901	AFA	AFD	AFZ				BER	BEY		
-reclining	R	D1SZ 5760050-C	D0SZ 5762900				B5A	B5B	B5D			B5Z	
	R	D1SZ 5760050-C	D1SZ 5762900	AFA	AFD	AFZ				BER	BEY		
TRIM CODES →				4A	4B	4R	4W	CA	CB	CD	CF	CR	CY
S(57C,65C,D) -non/reclining		D0SZ 5760050-A	D0SZ 6562900	A4A	A4B		A4W	A3A	A3B	A3D	A3F		
		D0SZ 5760050-A	D1SZ 6562900			A4R						ACR	ACY
-reclining		D1SZ 6560050-D	D0SZ 6562900	A4A	A4B		A4W	A3A	A3B	A3D	A3F		
		D1SZ 6560050-D	D1SZ 6562900			A4R						ACR	ACY
TRIM CODES →				2A	2B	2R	2W	8A	8D	8F			
S(65A,B)			D0SZ 6562900	A2A	A2B		A2W						
			D1SZ 6562900			A2R		A8A	A8D	A8F			
TRIM CODES →				AA	AB	AD	AF	AR					
S(65A,B)			D0SZ 6562900	A1A	A1B		A1F						
			D1SZ 6562900			AAD		AAR					
TRIM CODES →				3	9	94	9U						
U		C6TZ 9660050-A	C9TZ 9662900	CCD									
		C6TZ 9660050-A	D0BZ 1062900		B8D								
	R	D0BZ 1060050-A	D3BZ 1062900			ARU	ARU						
	L	D0BZ 1060051-A	D3BZ 1062900			ARU	ARU						

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES	QTY.
60080 CUSHION ASSY. - REAR SEAT - INCLUDES COVER				
TRIM CODES →		All		
U		C9TZ 9660080	DDD	1

IMPORTANT

When a complete Cushion Assembly is required, order BOTH a basic 60080 Kit plus a basic 63804 Cover with applicable suffix for desired trim code.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES									
60080 CUSHION KIT - REAR SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D.													
TRIM CODES →				DA, DAA	DB, DBA	DD, DDA	DF, DFA	DR, DRA	DY, DYA				
A(53H)		D1MY 5760080-A	D1AZ 5363804	ADA	ADB	ADD	ADF	ADR	ADY				
TRIM CODES →				FA	FB	FD	FF	FR	FW	FY			
A(53H)		D1MY 5760080-A	D1AZ 5363804	AFA	AFB	AFD	AFF	AFR	AFW	AFY			
TRIM CODES →				EA, EAA	EB, EBA	ED, EDA	EF	ER, ERA	EY, EYA				
A(53K)		D1MY 5760080-A	D1AZ 5363804	A9A	A9B	A9D	A9F	A9R	A9Y				
TRIM CODES →				9A, 9AA	9B, 9BA	9D, 9DA	9F, 9FA	9R, 9RA	9Y, 9YA				
A(53K)		D1MY 5760080-A	D1AZ 5363804	A9A	A9B	A9D	A9F	A9R	A9Y				

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
60080 CUSHION KIT - REAR SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued														
		TRIM CODES →		1A	1B	1Y								
A(54B,D)		D1MY 5760080-A	D1AB 5463804	01A	01B	01Y								
		TRIM CODES →		3A	3B	3R	3Y	LU	NA	NB	NY			
A(54B,D)		D1MY 5760080-A	D1AZ 5463804	A3A	A3B	A3R	A3Y	ALU	ANA	ANB	ANY			
		TRIM CODES →		4A, 4AA	4B, 4BA	4F, 4FA	4R, 4RA	4Y, 4YA	5A	5B	5F	5R	5Y	
A(54F)		D1MY 5760080-A	D1AZ 5463804	A4A	A4B	A4F	A4R	A4Y	A5A	A5B	A5F	A5R	A5Y	
		TRIM CODES →		WA	WB	WD	WF	WR	WW	WY				
A(54F)		D1MY 5760080-A	D1AZ 5463804	AWA	AWB	AWD	AWF	AWR	AWW	AWY				
		TRIM CODES →		4A, 4AA	4B, 4BA	4F, 4FA	4R, 4RA	4Y 4YA	5A	5B	5F	5R	5Y	
A(57F)		D1MY 5760080-A	D1AZ 5463804	A4A	A4B	A4F	A4R	A4Y	A5A	A5B	A5F	A5R	A5Y	
		TRIM CODES →		WA	WB	WD	WF	WR	WW	WY				
A(57F)		D1MY 5760080-A	D1AZ 5463804	AWA	AWB	AWD	AWF	AWR	AWW	AWY				
		TRIM CODES →		DA, DAA	DB, DBA	DD, DDA	DF, DFA	DR, DRA	DY, DYA					
A(57H)		D1MY 5760080-A	D1AZ 5363804	ADA	ADB	ADD	ADF	ADR	ADY					
		TRIM CODES →		FA	FB	FD	FF	FR	FW	FY				
A(57H)		D1MY 5760080-A	D1AZ 5363804	AFA	AFB	AFD	AFF	AFR	AFW	AFY				
		TRIM CODES →		EA, EAA	EB, EBA	ED, EDA	EF	ER, ERA	EY EYA					
A(57K)		D1MY 5760080-A	D1AZ 5363804	A9A	A9B	A9D	A9F	A9R	A9Y					
		TRIM CODES →		9A, 9AA	9B, 9BA	9D, 9DA	9F, 9FA	9R, 9RA	9Y, 9YA					
A(57K)		D1MY 5760080-A	D1AZ 5363804	A9A	A9B	A9D	A9F	A9R	A9Y					
		TRIM CODES →		2A	2B	2R	2Y	3A	3B	3R	3Y			
A(65D)		D1AZ 6560080-A	D1YB 6563804	06A	06B	06R	06Y	03A	03B	03R	03Y			
		TRIM CODES →		4A, 4AA	4B, 4BA	4F, 4FA	4R, 4RA	4Y, 4YA						
A(65F)		D1AZ 6560080-A	D1AZ 6563804	A4A	A4B	A4F	A4R	A4Y						
		TRIM CODES →		5A	5B	5F	5R	5Y	8A	8D	8W			
A(65F)		D1AZ 6560080-A	D1AZ 6563804	A5A	A5B	A5F	A5R	A5Y	AGA	AGD	AGW			
		TRIM CODES →		WA	WB	WD	WF	WR	WW	WY				
A(65F)		D1AZ 6560080-A	D1AZ 6563804	AWA	AWB	AWD	AWF	AWR	AWW	AWY				
		TRIM CODES →		DA, DAA	DB, DBA	DD, DDA	DF, DFA	DR, DRA	DY, DYA					
A(65H)		D1AZ 6560080-A	D1AZ 6563804	ADA	ADB	ADD	ADF	ADR	ADY					
		TRIM CODES →		FA	FB	FD	FF	FR	FW	FY	GA	GD	GW	
A(65H)		D1AZ 6560080-A	D1AZ 6563804	AFA	AFB	AFD	AFF	AFR	AFW	AFY	AGA	AGD	AGW	
		TRIM CODES →		ZA, ZAA	ZB, ZBA	ZD, ZDA	ZF, ZFA	ZR, ZRA	ZY, ZYA					
A(65K)		D1AZ 6560080-A	D1AZ 6563804	AZA	AZB	AZD	AZF	AZR	AZY					
		TRIM CODES →		EA, EAA	EB, EBA	ED, EDA	EF	ER, ERA	EY, EYA					
A(65K)		D1AZ 6560080-A	D1AZ 6563804	AZA	AZB	AZD	AZF	AZR	AZY					
		TRIM CODES →		NA	NB	NR								
A(71B)		C9AZ 7160080-A	D1AZ 7163804	ANA	ANB	ANR								
		TRIM CODES →		7A	7B	7F	7R							
A(71D)		C9AZ 7160080-A	D1AZ 7163804	A7A	A7B	A7F	A7R							
		TRIM CODES →		RA	RAA	RD	RDA	WA	WB	WD	WF	WR		
A(71F)		C9AZ 7160080-B	D1AZ 7163804	AVA	BVA	AVD	BVD	AWA	AWB	AWD	AWF	AWR		
		TRIM CODES →		BA	BAA	BF	BR	FA	FB	FD	FF	FR		
A(71H)		C9AZ 7160080-B	D1AZ 7163804	ABA	BBA	ABF	ABR	AFA	AFB	AFD	AFF	AFR		
		TRIM CODES →		VA	VAA	VD	VDA							
A(71H)		C9AZ 7160080-B	D1AZ 7163804	AVA	BVA	AVD	BVD							

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES									
60080 CUSHION KIT - REAR SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued													
		TRIM CODES →		FA	FB	FD	FR	FW	GA	GD	GW		
A(76H)		C9AZ 6360080-A	D1AZ 7663804	AFA	AFB	AFD	AFR	AFW	AGA	AGD	AGW		
		TRIM CODES →		2A	2B	2Y							
B(54A)			D0OZ 5463804	A2A	A2B								
			D1OZ 5463804			A2Y							
		TRIM CODES →		7A	7B	7R	7Y	JA	JB	JR	JY	KA	KY
B(54C,57C)			D1OZ 5463804	A7A	A7B	A7R	A7Y	AJA	AJB	AJR	AJY	AKA	AKY
		TRIM CODES →		HA	HB	HR	HY						
B(57E)			D1OZ 5763804	AHA	AHB	AHR	AHY						
		TRIM CODES →		7A	7B	7R	7Y	8A	8B	8E	8F	8R	8W
B(63C)		D0OZ 6360080-A	D1OZ 6563804	A7A	A7B	A7R	A7Y	AYA	AYB	AYE	AYF	AYR	AYW
		TRIM CODES →		JA	JB	JE	JF	JR	JW	JY	KA	KW	
B(63C)		D0OZ 6360080-A	D1OZ 6563804	A8A	A8B	A8E	A8F	A8R	A8W		AWA	AWW	
		TRIM CODES →		6A	6B	6E	6F	6R	6W	WA	WW		
B(63F)		D0OZ 6360080-A	D1OZ 6563804	A8A	A8B	A8E	A8F	A8R	A8W	AWA	AWW		
		TRIM CODES →		YA	YB	YE	YF	YR	YW				
B(63F)		D0OZ 6360080-A	D1OZ 6563804	AYA	AYB	AYE	AYF	AYR	AYW				
		TRIM CODES →		CA	CB	CE	CF	RA	RB	RE	RF		
B(63H)		D0OZ 6360080-A	D1OZ 6563804	AYA	AYB	AYE	AYF	A8A	A8B	A8E	A8F		
		TRIM CODES →		2A	2B	2Y							
B(65A)		C8OZ 6560080-A	D1OZ 6263804			A2Y							
		C8OZ 6560080-A	D0OZ 6263804	A2A	A2B								
		TRIM CODES →		1A	1F	1R							
B(65C)		D0OZ 6360080-A	D1OZ 6563804	A8A	A8F	A8R							
		TRIM CODES →		7A	7B	7R	7Y	8A	8B	8E	8F	8R	8W
B(65C)		D0OZ 6360080-A	D1OZ 6563804	A7A	A7B	A7R	A7Y	AYA	AYB	AYE	AYF	AYR	AYW
		TRIM CODES →		JA	JB	JE	JF	JR	JW	KA	KW		
B(65C)		D0OZ 6360080-A	D1OZ 6563804	A8A	A8B	A8E	A8F	A8R	A8W	AWA	AWW		
		TRIM CODES →		HA	HB	HR	HY						
B(65E)			D1OZ 6563804	AHA	AHB	AHR	AHY						
		TRIM CODES →		BA	BE	GA	GB	GE	GF	GR	VA		
B(71C)		C6OZ 7160080-E	D0OZ 7163804			AGA	AGB		AGF				
		C6OZ 7160080-E	D1OZ 7163804	AAA	AAE			AGE		AGR	ANA		
		TRIM CODES →		2A	2B	2Y							
B(71D)		C6OZ 7160080-F	D0OZ 7163804	A2A	A2B								
		C6OZ 7160080-F	D1OZ 7163804			A2Y							
		TRIM CODES →		9A	9B	9E	9F	9R	AA	AE	NA		
B(71E)		C6OZ 7160080-E	D1OZ 7163804	A9A	A9B	A9E	A9F	A9R	AAA	AAE	ANA		
		TRIM CODES →		6A	6E	6F	6R	6W	YA	YE	YW		
B(76F)			D1OZ 7663804	A6A	A6E	A6F	A6R	A6W	AYA	AYE	AYW		
		TRIM CODES →		1A	1B	1E	1F	1R	1W	2B	2E	2F	2R
F(63)		C5ZZ 6360080-B	D1ZZ 6363804	A1A	A1B	A1E	A1F	A1R	A1W	A2B	A2E	A2F	A2R
		TRIM CODES →		3A	3W	BB	BE	BF	BR	CA	CW		
F(63D)		C5ZZ 6360080-B	D1ZZ 6363804	A3A	A3W	A2B	A2E	A2F	A2R	A3A	A3W		
		TRIM CODES →		5A	5B	5E	5F	5FA	5R	5W			
F(63)		C5ZZ 6360080-B	D1ZZ 6363804	A5A	A5B	A5E	A5F		A5R	A5W			
		C5ZZ 6360080-B	D2ZZ 6363804					A5F					
		TRIM CODES →		1A	1B	1E	1F	1R	1W				
F(65D)		D3ZZ 6560080-A	D1ZZ 6563804	A1A	A1B	A1E	A1F	A1R	A1W				
		TRIM CODES →		2B	2E	2F	2R	3A	3W				
F(65D)		D3ZZ 6560080-A	D1ZZ 6563804	A2B	A2E	A2F	A2R	A3A	A3W				
		TRIM CODES →		4A	4B	4E	4F	4R					
F(65F)		D3ZZ 6560080-A	D1ZZ 6563804	A4A	A4B	A4E	A4F	A4R					
		TRIM CODES →		1A	1B	1E	1F	1R	1W				
F(76D)		D1ZZ 7660080-A	D1ZZ 7663804	A1A	A1B	A1E	A1F	A1R	A1W				
		TRIM CODES →		CA	CB	CE	CF	CFA	CR	CW			
F(76D)		D1ZZ 7660080-A	D1ZZ 7663804	ACA	ACB	ACE	ACF		ACR	ACW			
		D1ZZ 7660080-A	D2ZZ 7663804					ACF					

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60080 CUSHION KIT - REAR SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued															
		TRIM CODES →		1A, 1AA	1B, 1BA	1R, 1RA	2A, 2AA	2B, 2BA	2F, 2FA	2R, 2RA	3A, 3AA	3B, 3BA	3F, 3FA	3R, 3RA	
L		Service details	D1FZ 6263804	A1A	A1B	A1R	A2A	A2B	A2F	A2R	A3A	A3B	A3F	A3R	
-w/folding seats		D1FZ 6263840-C		Pad and spring											
-w/o folding seats		D1FZ 6263840-A		Pad and spring											
		TRIM CODES →		1A	1Y	2A	2B	2Y	3A	3B	3Y				
P(54A)		D1DZ 5460080-A	D1DZ 5463804	A1A	A1Y	A2A	A2B	A2Y	A3A	A3B	A3Y				
		TRIM CODES →		5A	5B	5E	5Y	GA	GB	GE					
P(54A)		D1DZ 5460080-A	D1DZ 5463804	A5A	A5B	A5E	A5Y	AGA	AGB	AGE					
		TRIM CODES →		1A	1Y	2A	2B	2Y	3E	3Y					
P(62)		D0DZ 6260080-A	D1DZ 6263804	A1A	A1Y	A2A	A2B	A2Y	A3E	A3Y					
		TRIM CODES →		5A	5B	5E	5Y	8A	8B	8E	8Y	9E	9Y		
P(62)		D0DZ 6260080-A	D1DZ 6263804	A5A	A5B	A5E	A5Y	A5A	A5B	A5E	A5Y	A3E	A3Y		
		TRIM CODES →		GA	GB	GE									
P(62)		D0DZ 6260080-A	D1DZ 6263804	AGA	AGB	AGE									
		TRIM CODES →		FA	FD	FZ	EA	EB	ED	ER	EY	EZ			
S(57B)		D0SZ 5760080-A	D0SZ 5763804				A5A	A5B	A5D			A5Z			
		D0SZ 5760080-A	D1SZ 5763804	AFA	AFD	AFZ				AER	AEY				
		TRIM CODES →		4A	4B	4R	4W								
S(57C)		D0SZ 5760080-A	D0SZ 5763804	A4A	A4B		A4W								
		D0SZ 5760080-A	D1SZ 5763804			A4R									
		TRIM CODES →		2A	2B	2R	2W	8A	8D	8F					
S(65A,B)			D0SZ 6563804	A2A	A2B		A2W								
			D1SZ 6563804			A2R		A8A	A8D	A8F					
		TRIM CODES →		AA	AB	AD	AF	AR							
S(65A,B)			D0SZ 6563804	A1A	A1B		A1F								
			D1SZ 6563804			AAD		AAR							
		TRIM CODES →		4A	4B	4R	4W	CA	CB	CD	CF	CR	CY		
S(65C,D)			D0SZ 6563804	A2A	A2B		A2W	A3A	A3B	A3D	A3F				
			D1SZ 6563804			A2R						ACR	ACY		

IMPORTANT

When a complete Cushion Assembly is required, order BOTH a basic 60090 Kit plus a basic 63822 Cover with applicable suffix for desired trim code.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60090 CUSHION KIT-AUXILIARY SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.															
		TRIM CODES →		7A	7B	7F	7R								
A(71D)		C9AZ 7160090-A	D0AZ 7163822	AFA	AFB	AFF									
		C9AZ 7160090-A	D1AZ 7163822				AFR								
		TRIM CODES →		RA, RAA	RD, RDA	WA	WB	WD	WF	WR					
A(71F)		C9AZ 7160090-A	D0AZ 7163822	AFA	AFD	AFA	AFB	AFD	AFF						
		C9AZ 7160090-A	D1AZ 7163822							AFR					
		TRIM CODES →		BA	BF	BR	FA	FB	FD	FF	FR				
A(71H)		C9AZ 7160090-A	D0AZ 7163822	AFA	AFF		AFA	AFB	AFD	AFF					
		C9AZ 7160090-A	D1AZ 7163822			AFR					AFR				
		TRIM CODES →		VA, VAA	VD, VDA										
A(71H)		C9AZ 7160090-A	D0AZ 7163822	AFA	AFD										
		TRIM CODES →		BA	BE	GA	GB	GE	GF	GR	VA				
B(71C)		Service details	D1OZ 7163822	A6A	A6E	A6A	A6B	A6E	A6F	A6R	A6A				
		TRIM CODES →		9A	9B	9E	9F	9R	AA	AE	NA				
B(71E)		Service details	D1OZ 7163822	A6A	A6B	A6E	A6F	A6R	A6A	A6E	A6A				
B(71)		C6OZ 71607A60-A	Base												
		C6OZ 7166856-A	Pad												

IMPORTANT

When a complete Cushion Assembly is required, order BOTH a basic 60096 Kit plus a basic 66640 Cover with applicable suffix for desired trim code.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60096 BACK KIT - AUXILIARY SEAT- CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.															
TRIM CODES →				7A	7B	7F	7R								
A(71D)		C9AZ 7160096-A	D0AZ 7166640	AFA	AFB	AFF									
		C9AZ 7160096-A	D1AZ 7166640				AFR								
TRIM CODES →				RA, RAA	RD, RDA	WA	WB	WD	WF	WR					
A(71F)		C9AZ 7160096-A	D0AZ 7166640	AFA	AFD	AFA	AFB	AFD	AFF						
		C9AZ 7160096-A	D1AZ 7166640							AFR					
TRIM CODES →				BA	BF	BR	FA	FB	FD	FF	FR	VA, VAA	VD, VDA		
A(71H)		C9AZ 7160096-A	D0AZ 7166640	AFA	AFF		AFA	AFB	AFD	AFF		AFA	AFD		
		C9AZ 7160096-A	D1AZ 7166640			AFR					AFR				
B(71)				Refer to Group 60103											

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES												QTY.
60103 COVER and PAD ASSY. - AUXILIARY SEAT BACK															
TRIM CODES →			BA	BE	GA	GB	GE	GF	GR	VA					
B(71C)		D1OZ 7160103	A6A	A6E	A6A	A6B	A6E	A6F	A6R	A6A					1
TRIM CODES →			9A	9B	9E	9F	9R	AA	AE	NA					
B(71E)		D1OZ 7160103	A6A	A6B	A6E	A6F	A6R	A6A	A6E	A6A					1

IMPORTANT

When a complete Back Assembly is required, order BOTH a basic 60136 or 60137 Kit plus a basic 64416 or 64417 Cover with applicable suffix for desired trim code.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60136-7 BACK KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.															
TRIM CODES →				DA, DDA	DB, DBA	DD, DDA	DF, DFA	DR, DRA	DY, DYA						
A(53H)		D1AZ 5460136-A	D1AZ 5364416	ADA	ADB	ADD	ADF	ADR	ADY						
TRIM CODES →				FA	FB	FD	FF	FR	FW	FY					
A(53H)		D1AZ 5460136-A	D1AZ 5364416	AFA	AFB	AFD	AFF	AFR	AFW	AFY					
TRIM CODES →				9A, 9AA	9B, 9BA	9D, 9DA	9F, 9FA	9R, 9RA	9Y, 9YA						
A(53K)		D1AZ 5760136-A	D1AZ 5364416	A9A	A9B	A9D	A9F	A9R	A9Y						
TRIM CODES →				EA, EAA	EB, EBA	ED, EDA	EF	ER, ERA	EY, EYA						
A(53K)	R	D1AZ 6560136-D	D1AZ 6564416	AZA	AZB	AZD	AZF	AZR	AZY						
	L	D1AZ 6560137-B	D1AZ 6564416	AZA	AZB	AZD	AZF	AZR	AZY						
TRIM CODES →				1A	1B	1Y									
A(54B,D)		D1AZ 5460136-A	D1AB 5464416	01A	01B	01Y									
TRIM CODES →				3A	3B	3R	3Y	LU	NA	NB	NY				
A(54B,D)		D1AZ 5460136-A	D1AZ 5464416	A3A	A3B	A3R	A3Y	ALU	ANA	ANB	ANY				
TRIM CODES →				4A, 4AA	4B, 4BA	4F, 4FA	4R, 4RA	4Y, 4YA	5A	5B	5F	5R	5Y		
A(54F)		D1AZ 5460136-A	D1AZ 5464416	A4A	A4B	A4F	A4R	A4Y	A5A	A5B	A5F	A5R	A5Y		
TRIM CODES →				WA	WB	WD	WF	WR	WW	WY					
A(54F)		D1AZ 5460136-A	D1AZ 5464416	AWA	AWB	AWD	AWF	AWR	AWW	AWY					
TRIM CODES →				4A, 4AA	4B, 4BA	4F, 4FA	4R, 4RA	4Y, 4YA							
A(57F)		D1AZ 5460136-A	D1AZ 5464416	A4A	A4B	A4F	A4R	A4Y							
TRIM CODES →				5A	5B	5F	5R	5Y							
A(57F)		D1AZ 5460136-A	D1AZ 5464416	A5A	A5B	A5F	A5R	A5Y							

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
60136-7 BACK KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued														
		TRIM CODES →		WA	WB	WD	WF	WR	WW	WY				
A(57F)		D1AZ 5460136-A	D1AZ 5464416	AWA	AWB	AWD	AWF	AWR	AWW	AWY				
		TRIM CODES →		DA, DAA	DB, DBA	DD, DDA	DF, DFA	DR, DRA	DY, DYA					
A(57H)		D1AZ 5460136-A	D1AZ 5364416	ADA	ADB	ADD	ADF	ADR	ADY					
		TRIM CODES →		FA	FB	FD	FF	FR	FW	FY				
A(57H)		D1AZ 5460136-A	D1AZ 5364416	AFA	AFB	AFD	AFF	AFR	AFW	AFY				
		TRIM CODES →		9A, 9AA	9B, 9BA	9D, 9DA	9F, 9FA	9R, 9RA	9Y, 9YA					
A(57K)		D1AZ 5760136-A	D1AZ 5364416	A9A	A9B	A9D	A9F	A9R	A9Y					
		TRIM CODES →		EA, EAA	EB, EBA	ED, EDA	EF	ER, ERA	EY, EYA					
A(57K)	R	D1AZ 6560136-D	D1AZ 6564416	AZA	AZB	AZD	AZF	AZR	AZY					
	L	D1AZ 6560137-B	D1AZ 6564416	AZA	AZB	AZD	AZF	AZR	AZY					
		TRIM CODES →		2A	2B	2R	2Y	3A	3B	3R	3Y			
A(65D)	R	D1AZ 6560136-A	D1YB 6564416	06A	06B	06R	06Y	03A	03B	03R	03Y			
	L	D1AZ 6560137-A	D1YB 6564417	06A	06B	06R	06Y	03A	03B	03R	03Y			
		TRIM CODES →		4A, 4AA	4B, 4BA	4F, 4FA	4R, 4RA	4Y, 4YA						
A(65F)	R	D1AZ 6560136-A	D1AZ 6564416	A4A	A4B	A4F	A4R	A4Y						
	L	D1AZ 6560137-A	D1AZ 6564417	A4A	A4B	A4F	A4R	A4Y						
		TRIM CODES →		5A	5B	5F	5R	5Y						
A(65F)	R	D1AZ 6560136-A	D1AZ 6564416	A5A	A5B	A5F	A5R	A5Y						
	L	D1AZ 6560137-A	D1AZ 6564417	A5A	A5B	A5F	A5R	A5Y						
		TRIM CODES →		8A	8D	8W	WA	WB	WD	WF	WR	WW	WY	
A(65F)	R	D0AZ 6360136-A	D1AZ 6564416	AGA	AGD	AGW								
	L	D0AZ 6360137-A	D1AZ 6564416	AGA	AGD	AGW								
A(65F)	R	D1AZ 6560136-A	D1AZ 6564416				AWA	AWB	AWD	AWF	AWR	AWW	AWY	
	L	D1AZ 6560137-A	D1AZ 6564417				AWA	AWB	AWD	AWF	AWR	AWW	AWY	
		TRIM CODES →		DA, DAA	DB, DBA	DD, DDA	DF, DFA	DR, DRA	DY, DYA					
A(65H) -non/reclining	R	D1AZ 6560136-A	D1AZ 6564416	ADA	ADB	ADD	ADF	ADR	ADY					
	L	D1AZ 6560137-A	D1AZ 6564417	ADA	ADB	ADD	ADF	ADR	ADY					
		TRIM CODES →		FA	FB	FD	FF	FR	FW	FY	GA	GD	GW	
A(65H)	R	D0AZ 6360136-A	D1AZ 6564416								AGA	AGD	AGW	
	L	D0AZ 6360137-A	D1AZ 6564416								AGA	AGD	AGW	
-non/reclining	R	D1AZ 6560136-A	D1AZ 6564416	AFA	AFB	AFD	AFF	AFR	AFW	AFY				
	L	D1AZ 6560137-A	D1AZ 6564417	AFA	AFB	AFD	AFF	AFR	AFW	AFY				
		TRIM CODES →		EA, EAA	EB, EBA	ED, EDA	EF, EFA	ER, ERA	EY, EYA					
A(65K)-reclining	R	D1AZ 6560136-D	D1AZ 6564416	AZA	AZB	AZD	AZF	AZR	AZY					
-non/reclining	R	D1AZ 6560136-B	D1AZ 6564416	AZA	AZB	AZD	AZF	AZR	AZY					
	L	D1AZ 6560137-B	D1AZ 6564416	AZA	AZB	AZD	AZF	AZR	AZY					
		TRIM CODES →		ZA, ZAA	ZB, ZBA	ZD, ZDA	ZF, ZFA	ZR, ZRA	ZY, ZYA					
A(65K)-reclining	R	D1AZ 6560136-D	D1AZ 6564416	AZA	AZB	AZD	AZF	AZR	AZY					
-non/reclining	R	D1AZ 6560136-B	D1AZ 6564416	AZA	AZB	AZD	AZF	AZR	AZY					
	L	D1AZ 6560137-B	D1AZ 6564416	AZA	AZB	AZD	AZF	AZR	AZY					
		TRIM CODES →		NA	NB	NR								
A(71B)		D1AZ 5460136-A	D1AZ 5464416	ANA	ANB	ANR								
		TRIM CODES →		7A	7B	7F	7R							
A(71D)		D1AZ 5460136-A	D1AZ 5464416	A7A	A7B	A7F	A7R							
		TRIM CODES →		RA	RAA	RD	RDA	WA	WB	WD	WF	WR		
A(71F)		D1AZ 5460136-A	D1AZ 5364416	AVA	BVA	AVD	BVD							
		D1AZ 5460136-A	D1AZ 5464416					AWA	AWB	AWD	AWF	AWR		

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
60136-7 BACK KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued														
		TRIM CODES →		BA	BAA	BF	BR	FA	FB	FD	FF	FR		
A(71H)		D1AZ 5460136-A	D1AZ 5364416					AFA	AFB	AFD	AFF	AFR		
		D1AZ 5460136-A	D1AZ 7164416	ABA	BBA	ABF	ABR							
		TRIM CODES →		VA	VAA	VD	VDA							
A(71H)		D1AZ 6560136-C	D1AZ 5364416	AVA	BVA	AVD	BVD							
		TRIM CODES →		FA	FB	FD	FR	FW	GA	GD	GW			
A(76H)	R	D0AZ 6360136-A	D1AZ 6564416						AGA	AGD	AGW			
	L	D0AZ 6360137-A	D1AZ 6564416						AGA	AGD	AGW			
	R	D1AZ 6560136-A	D1AZ 6564416	AFA	AFB	AFD	AFR	AFW						
	L	D1AZ 6560137-A	D1AZ 6564417	AFA	AFB	AFD	AFR	AFW						
		TRIM CODES →		2A	2B	2Y								
B(54A)		C9OZ 5460136-A	D1OZ 5464416			A2Y								
		C9OZ 5460136-A	D0OZ 5464416	A2A	A2B									
		TRIM CODES →		7A	7B	7R	7Y	JA	JB	JR	JY	KA	KY	
B(54C)		C9OZ 5460136-A	D1OZ 5464416	A7A	A7B	A7R	A7Y	AJA	AJB	AJR	AJY	AKA	AKY	
		TRIM CODES →		7A	7B	7R	7Y	JA	JB	JR	JY	KA	KY	
B(57C)		C9OZ 5460136-A	D1OZ 5464416	A7A	A7B	A7R	A7Y	AJA	AJB	AJR	AJY	AKA	AKY	
		TRIM CODES →		HA	HB	HR	HY							
B(57E)		C9OZ 5460136-A	D1OZ 5764416	AHA	AHB	AHR	AHY							
		TRIM CODES →		7A	7B	7R	7Y	8A	8B	8E	8F	8R	8W	
B(63C)	R	D0OZ 6560136-A	D1OZ 6564416	A7A	A7B	A7R	A7Y							
	L	D0OZ 6560137-A	D1OZ 6564417	A7A	A7B	A7R	A7Y							
	R	D0AZ 6360136-A	D1OZ 6564416					A8A	A8B	A8E	A8F	A8R	A8W	
	L	D0AZ 6360137-A	D1OZ 6564416					A8A	A8B	A8E	A8F	A8R	A8W	
		TRIM CODES →		JA	JB	JE	JF	JR	JW	KA	KW			
B(63C)	R	D0OZ 6560136-A	D1OZ 6564416	A6A	A6B	A6E	A6F	A6R	A6W	AWA	AWW			
	L	D0OZ 6560137-A	D1OZ 6564417	A6A	A6B	A6E	A6F	A6R	A6W	AWA	AWW			
		TRIM CODES →		6A	6B	6E	6F	6R	6W	WA	WW			
B(63F)	R	D0OZ 6560136-A	D1OZ 6564416	A6A	A6B	A6E	A6F	A6R	A6W	AWA	AWW			
	L	D0OZ 6560137-A	D1OZ 6564417	A6A	A6B	A6E	A6F	A6R	A6W	AWA	AWW			
		TRIM CODES →		YA	YB	YE	YF	YR	YW					
B(63F)	R	D0AZ 6360136-A	D1OZ 6564416	A8A	A8B	A8E	A8F	A8R	A8W					
	L	D0AZ 6360137-A	D1OZ 6564416	A8A	A8B	A8E	A8F	A8R	A8W					
		TRIM CODES →		CA	CB	CE	CF	RA	RB	RE	RF			
B(63H)	R	D0AZ 6360136-A	D1OZ 6564416	A8A	A8B	A8E	A8F							
	L	D0AZ 6360137-A	D1OZ 6564416	A8A	A8B	A8E	A8F							
	R	D0OZ 6560136-A	D1OZ 6564416					A6A	A6B	A6E	A6F			
	L	D0OZ 6560137-A	D1OZ 6564417					A6A	A6B	A6E	A6F			
		TRIM CODES →		2A	2B	2Y								
B(65A)	R	D0OZ 6560136-A	D0OZ 6264416	A2A	A2B									
	L	D0OZ 6560137-A	D0OZ 6264417	A2A	A2B									
	R	D0OZ 6560136-A	D1OZ 6264416			A2Y								
	L	D0OZ 6560136-A	D1OZ 6264417			A2Y								
		TRIM CODES →		1A	1F	1R								
B(65C)	R	D0OZ 6560136-A	D1OZ 6564416	A1A	A1F	A1R								
	L	D0OZ 6560137-A	D1OZ 6564417	A1A	A1F	A1R								
		TRIM CODES →		7A	7B	7R	7Y	8A	8B	8E	8F	8R	8W	
B(65C)	R	D0OZ 6560136-A	D1OZ 6564416	A7A	A7B	A7R	A7Y							
	L	D0OZ 6560137-A	D1OZ 6564417	A7A	A7B	A7R	A7Y							
	R	D0AZ 6360136-A	D1OZ 6564416					A8A	A8B	A8E	A8F	A8R	A8W	
	L	D0AZ 6360137-A	D1OZ 6564416					A8A	A8B	A8E	A8F	A8R	A8W	
		TRIM CODES →		JA	JB	JE	JF	JR	JW	KA	KW			
B(65C)	R	D0OZ 6560136-A	D1OZ 6564416	A6A	A6B	A6E	A6F	A6R	A6W	AWA	AWW			
	L	D0OZ 6560137-A	D1OZ 6564417	A6A	A6B	A6E	A6F	A6R	A6W	AWA	AWW			

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES									
60136-7 BACK KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued													
		TRIM CODES →		HA	HB	HR	HY						
B(65E)	R	D0OZ 6560136-A	D1OZ 6564416	AHA	AHB	AHR	AHY						
	L	D0OZ 6560137-A	D1OZ 6564417	AHA	AHB	AHR	AHY						
		TRIM CODES →		UA	UB	UY	ZB	ZE	ZF	ZR			
B(66A)	R	D0OZ 6560136-A	D1OZ 6564416			AUY	ADB	ADE	ADF	ADR			
	L	D0OZ 6560137-A	D1OZ 6564417			AUY	ADB	ADE	ADF	ADR			
	R	D0OZ 6560136-A	D0OZ 6564416	AUA	AUB								
	L	D0OZ 6560137-A	D0OZ 6564417	AUA	AUB								
		TRIM CODES →		GA	GB	GE	GF	GR	QA	QF	QR	QW	
B(66B,C)	R	D0OZ 6560136-A	D1OZ 6564416			AGE		AGR					
	L	D0OZ 6560137-A	D1OZ 6564417			AGE		AGR					
	R	D0OZ 6560136-A	D0OZ 6564416	AGA	AGB		AGF						
	L	D0OZ 6560137-A	D0OZ 6564417	AGA	AGB		AGF						
	R	D0AZ 6360136-A	D1OZ 6564416						A8A	A8F	A8R	A8W	
	L	D0AZ 6360137-A	D1OZ 6564416						A8A	A8F	A8R	A8W	
		TRIM CODES →		ZB	ZE	ZF	ZR						
B(66B,C)	R	D0AZ 6360136-A	D1OZ 6564416	ADB	ADE	ADF	ADR						
	L	D0AZ 6360137-A	D1OZ 6564416	ADB	ADE	ADF	ADR						
		TRIM CODES →		QA	QF	QR	QW	TA	TB	TE	TF	TR	
B(66E)	R	D0OZ 6560136-A	D1OZ 6564416							ATE	ATF	ATR	
	L	D0OZ 6560137-A	D1OZ 6564417							ATE	ATF	ATR	
	R	D0AZ 6360136-A	D1OZ 6564416	A8A	A8F	A8R	A8W						
	L	D0AZ 6360137-A	D1OZ 6564416	A8A	A8F	A8R	A8W						
	R	D0OZ 6560136-A	D0OZ 6564416					ATA	ATB				
	L	D0OZ 6560137-A	D0OZ 6564417					ATA	ATB				
		TRIM CODES →		BA	BE	GA	GB	GE	GF	GR	VA		
B(71C)		C9OZ 5460136-A	D1OZ 5464416	AAA	AAE			AGE		AGR	ANA		
		C9OZ 5460136-A	D0OZ 5464416			AGA	AGB		AGF				
		TRIM CODES →		2A	2B	2Y							
B(71D)		C9OZ 5460136-A	D1OZ 5464416			A2Y							
		C9OZ 5460136-A	D0OZ 5464416	A2A	A2B								
		TRIM CODES →		9A	9B	9E	9F	9R	AA	AE	NA		
B(71E)		C9OZ 5460136-A	D1OZ 5464416						AAA	AAE	ANA		
		C9OZ 5460136-A	D1OZ 5764416	A9A	A9B	A9E	A9F	A9R					
		TRIM CODES →		6A	6E	6F	6R	6W	YA	YE	YW		
B(76F)	R	D0AZ 6360136-A	D1OZ 6564416						A8A	A8E	A8W		
	L	D0AZ 6360137-A	D1OZ 6564416						A8A	A8E	A8W		
	R	D0OZ 6560136-A	D1OZ 6564416	A6A	A6E	A6F	A6R	A6W					
	L	D0OZ 6560137-A	D1OZ 6564417	A6A	A6E	A6F	A6R	A6W					
		TRIM CODES →		1A	1B	1E	1F	1R	1W	2B	2E	2F	2R
F(63)-before 6/15/71-w/center latch		D1ZZ 6560136-B	D1ZZ 6564416		A1B	A1E				A2G	A2E	A2F	A2R
		D1ZZ 6560136-B	D2ZZ 6564416	BAA			BAF	BAR	BAW				
-from 6/15/71-w/outboard latch		D3ZZ 6560136-A	D1ZZ 6564416		A1B	A1E				A2G	A2E	A2F	A2R
		D3ZZ 6560136-A	D2ZZ 6564416	BAA			BAF	BAR	BAW				
		TRIM CODES →		5A	5B	5E	5F	5FA	5R	5W			
F(63)-before 6/15/71-w/center latch		D1ZZ 6560136-B	D1ZZ 6364416	A5A	A5B	A5E	A5F		A5R	A5W			
		D1ZZ 6560136-B	D2ZZ 6364416					BGF					
-from 6/15/71-w/outboard latch		D3ZZ 6560136-A	D1ZZ 6364416	A5A	A5B	A5E	A5F		A5R	A5W			

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES							
60136-7 BACK KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued											
TRIM CODES →				3A	3W	BB	BE	BF	BR	CA	CW
F(63D)-before 6/15/71-w/center latch		D1ZZ 6560136-B	D1ZZ 6564416	ACA	ACW	A2B	A2E	A2F	A2R	ACA	ACW
-from 6/15/71--w/outboard latch		D3ZZ 6560136-A	D1ZZ 6564416	ACA	ACW	A2B	A2E	A2F	A2R	ACA	ACW
TRIM CODES →				1A	1B	1E	1F	1R	1W		
F(65D)-before 6/15/71-w/center latch		D1ZZ 6560136-B	D1ZZ 6564416		A1B	A1E					
		D1ZZ 6560136-B	D2ZZ 6564416	BAA			BAF	BAR	BAW		
-from 6/15/71-w/outboard latch		D3ZZ 6560136-A	D1ZZ 6564416		A1B	A1E					
		D3ZZ 6560136-A	D2ZZ 6564416	BAA			BAF	BAR	BAW		
TRIM CODES →				2B	2E	2F	2R	3A	3W		
F(65D)-before 6/15/71-w/center latch		D1ZZ 6560136-B	D1ZZ 6564416	A2B	A2E	A2F	A2R	ACA	ACW		
-from 6/15/71-w/outboard latch		D3ZZ 6560136-A	D1ZZ 6564416	A2B	A2E	A2F	A2R	ACA	ACW		
TRIM CODES →				4A	4B	4E	4F	4R			
F(65F)-before 6/15/71-w/center latch		D1ZZ 6560136-B	D1ZZ 6564416	A4A	A4B	A4E	A4F	A4R			
-from 6/15/71-w/outboard latch		D3ZZ 6560136-A	D1ZZ 6564416	A4A	A4B	A4E	A4F	A4R			
TRIM CODES →				1A	1B	1E	1F	1R	1W		
F(76D)-before 6/15/71-w/center latch		D1ZZ 6560136-B	D1ZZ 6564416		A1B	A1E					
		D1ZZ 6560136-B	D2ZZ 6564416	BAA			BAF	BAR	BAW		
-from 6/15/71-w/outboard latch		D3ZZ 6560136-A	D1ZZ 6564416		A1B	A1E					
		D3ZZ 6560136-A	D2ZZ 6564416	BAA			BAF	BAR	BAW		
TRIM CODES →				CA	CB	CE	CF	CFA	CR	CW	
F(76D) -before 2/1/71		D1ZZ 6560136-A	D1ZZ 6564416	ACA	ACB	ACE	ACF		ACR	ACW	
-from 2/1/71 to 6/15/71-w/center latch		D1ZZ 6560136-B	D1ZZ 6564416	ACA	ACB	ACE	ACF		ACR	ACW	
		D1ZZ 6360136-B	D2ZZ 6564416					ACF			
-from 6/15/71-w/outboard latch		D3ZZ 6560136-A	D1ZZ 6564416	ACA	ACB	ACE	ACF		ACR	ACW	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
60136-7 BACK KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued														
TRIM CODES →				1A, 1AA	1B, 1BA	1R, 1RA	2A, 2AA	2B, 2BA	2F, 2FA	2R, 2RA				
L		Service details	D2FZ 6264416	BAA	BAB	BAR	BBA	BBB	BBF	BBR				
		D1FZ 6264810-A	Pad and springs											
-before 5/3/71		D1FZ 6261018-A	Frame											
-from 5/3/71		D1FZ 6261018-B	Frame											
TRIM CODES →				3FB	3RB									
L		Service details	D2FZ 6264416											
		Service details	D2FZ 6264416	BCF	BCR									
		D1FZ 6264810-A	Pad & springs											
-before 5/3/71		D1FZ 6261018-A	Frame											
-from 5/3/71		D1FZ 6261018-B	Frame											
TRIM CODES →				1A	1Y	2A	2B	2Y	3A	3B	3Y			
P(54A)		D1DZ 5460136-A	D1DZ 5464416	A1A	A1Y	A2A	A2B	A2Y	A3A	A3B	A3Y			
TRIM CODES →				5A	5B	5E	5Y	GA	GB	GE				
P(54A)		D1DZ 5460136-A	D1DZ 5464416	A5A	A5B	A5E	A5Y	AGA	AGB	AGE				
TRIM CODES →				1A	1Y	2A	2B	2Y	3E	3Y				
P(62)	R	D0DZ 6260136-B	D1DZ 6264416	A1A	A1Y	A2A	A2B	A2Y	A3E	A3Y				
	L	D0DZ 6260137-B	D1DZ 6264417	A1A	A1Y	A2A	A2B	A2Y	A3E	A3Y				
TRIM CODES →				5A	5B	5E	5Y	8A	8B	8E	8Y	9E	9Y	
P(62)	R	D0DZ 6260136-B	D1DZ 6264416	A5A	A5B	A5E	A5Y							
	L	D0DZ 6260137-B	D1DZ 6264417	A5A	A5B	A5E	A5Y							
P(62)-before 2/1/71		D1ZZ 6560136-A	D1DZ 6264416					A4A	A4B	A4E	A4Y	A9E	A9Y	
-from 2/1/71 to 6/15/71-w/center latch		D1ZZ 6560136-B	D1DZ 6264416					A4A	A4B	A4E	A4Y	A9E	A9Y	
-from 6/15/71-w/outboard latch		D1ZZ 6560136-C	D1DZ 6264416					A4A	A4B	A4E	A4Y	A9E	A9Y	
TRIM CODES →				GA	GB	GE								
P(62)	R	D0DZ 6260136-B	D1DZ 6264416	AGA	AGB	AGE								
	L	D0DZ 6260137-B	D1DZ 6264417	AGA	AGB	AGE								
TRIM CODES →				EA	EB	ED	ER	EY	EZ	FA	FD	FZ		
S(57B)	‡		D1SZ 6564416	BEA	BEB	BED	BER	BEY	BEZ	B8A	B8D	BFZ		
TRIM CODES →				4A	4B	4R	4W							
S(57C)	R	D0SZ 6560136-C	D0SZ 6564416	A2A	A2B		A2W							
-reclining														
-non/reclining	‡	D0SZ 6560136-A	D0SZ 6564416	A2A	A2B		A2W							
-reclining	R	D0SZ 6560136-C	D1SZ 6564416			A4R								
-non/reclining	‡	D0SZ 6560136-A	D1SZ 6564416			A4R								
TRIM CODES →				2A	2B	2R	2W	8A	8D	8F				
S(65A,B)	‡		D0SZ 6564416	B2A	B2B		B2W							
	‡		D1SZ 6564416			B2R		B8A	B8D	B8F				
TRIM CODES →				AA	AB	AD	AF	AR						
S(65A,B)	‡		D0SZ 6564416	A1A	A1B		A1F							
	‡		D1SZ 6564416			AAD		AAR						

‡ R.H. or L.H.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES									
60136-7 BACK KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued													
TRIM CODES →				4A	4B	4R	4W	CA	CB	CD	CF	CR	CY
S(65C,D) -reclining	R	D0SZ 6560136-C	D0SZ 6564416	A2A	A2B		A2W	A3A	A3B	A3D	A3F		
	R	D0SZ 6560136-C	D1SZ 6564416			A4R						ACR	ACY
-non/reclining	‡	D0SZ 6560136-A	D0SZ 6564416	A2A	A2B		A2W	A3A	A3B	A3D	A3F		
	‡	D0SZ 6560136-A	D1SZ 6564416			A4R						ACR	ACY
TRIM CODES →				3	9	94	9U						
U	R	D0TZ 1060136-A	C9TZ 9664416			A3D	A3D						
	L	D0TZ 1060137-A	C9TZ 9664416			A3D	A3D						
		C6TZ 9660136-A	C9TZ 9664416	CCD									
		C6TZ 9660136-A	D1BZ 1064416		B8D								

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
			__B	__D	__E	__F	__K	__P	__R	__Y	__Z					
COLORS →			BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE	
60579 CARPET - REAR SEAT BACK FLOOR																
F(63)		D0ZZ 6360579				A										1
		D1ZZ 6360579	B						A			C				1

60579 MAT - STORAGE COMPARTMENT FLOOR - Refer to Accessories Section

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
60762-3 PANEL - FRONT SEAT BACK REAR TRIM PANEL INSERT																
TRIM CODES →			EA, EAA	EB, EBA	ED, EDA	EF, EFA	ER, ERA	EY, EYA	EZ, EZC							
A(53K,57K) -fine grain vinyl	R	D1AZ 6560762	AZA	AZB	AZD		AZR	AZY								1
	L	D1AZ 6560763	AZA	AZB	AZD		AZR	AZY								1
-floral pattern vinyl	R	D1AZ 6560762	BZA	BZB	BZD	BZF	BZR	BZY	BZZ							1
	L	D1AZ 6560763	BZA	BZB	BZD	BZF	BZR	BZY	BZZ							1
TRIM CODES →			8A	8D	8W											
A(65F)		C9WY 6560762	ABA	ABD												2
		D0WY 6560762			A2W											2
TRIM CODES →			GA	GD	GW											
A(65H)		C9WY 6560762	ABA	ABD												2
		D0WY 6560762			A2W											2
TRIM CODES →			EA, EAA	EB, EBA	ED, EDA	EF, EFA	ER, ERA	EY, EYA	ZA, ZAA	ZB, ZBA	ZD, ZDA	ZF, ZFA	ZR, ZRA	ZY, ZYA	EZ, EZC	
A(65K) -fine grain vinyl	R	D1AZ 6560762	AZA	AZB	AZD		AZR	AZY	AZA	AZB	AZD	AZF	AZR	AZT		1
	L	D1AZ 6560763	AZA	AZB	AZD		AZR	AZY	AZA	AZB	AZD	AZF	AZR	AZY		1
-floral pattern vinyl	R	D1AZ 6560762	BZA	BZB	BZD	BZF	BZR	BZY	BZA	BZB	BZD	BZF	BZR	BZY	BZZ	1
	L	D1AZ 6560763	BZA	BZB	BZD	BZF	BZR	BZY	BZA	BZB	BZD	BZF	BZR	BZY	BZZ	1
TRIM CODES →			GA	GD	GW											
A(76H)		C9WY 6560762	ABA	ABD												2
		D0WY 6560762			A2W											2
TRIM CODES →			8A	8B	8E	8F	8R	8W	CA	CB	CE	CF				
B(63,65)		D1OZ 6560762			A9E		A1R				A9E					2
		C9WY 6560762	ABA						ABA							2
		D0WY 6560762		A4B		A9F		A2W		A4B		A9F				2

‡ R.H. or L.H.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
60762-3 PANEL - FRONT SEAT BACK REAR TRIM PANEL INSERT - continued																	
TRIM CODES →			QA	QF	QR	QW	YA	YB	YE	YF	YR	YW					
B(63,66,76)		D1OZ 6560762			A1R				A9E		A1R						2
		C9WY 6560762	ABA				ABA										2
		D0WY 6560762		A9F		A2W		A4B		A9F		A2W					2
TRIM CODES →			1A	1B	1E	1F	1R	1W	2B	2E	2F	2R	3A	3W			
F(63,65,76)		D1ZZ 6560762	F	C	D	A	B	E	C	D	A	B	F	E			2
TRIM CODES →			BB	BE	BF	BR	CA	CB	CE	CF	CR	CW					
F(63,76)		D1ZZ 6560762	C	D	A	B	F	C	D	A	B	E					2
TRIM CODES →			4A	4B	4E	4F	4R	5A	5B	5E	5F	5R	5W				
F(63,65)		D1ZZ 6560762	F	C	D	A	B	F	C	D	A	B	E				2
TRIM CODES →			1A, 1AA	1B, 1BA	1R, 1RA	2A, 2AA	2B, 2BA	2F, 2FA	2R, 2RA	3A, 3AA	3B, 3BA	3F, 3FA	3R, 3RA				
L-before 5/3/71		D1ZZ 6560762	F	C	B	F	C	A	B	F	C	A	B				2
L-from 5/3/71	R	D1FZ 6260762	D	C	B	D	C	A	B	D	C	A	B				1
	L	D1FZ 6260763	D	C	B	D	C	A	B	D	C	A	B				1
TRIM CODES →			4A	4B	4E	4Y	8A	8B	8E	8Y	9E	9Y					
P(62)		D1ZZ 6560762	F	C	D	G	F	C	D	G	D	G					2
S			Refer to Group 61616-7 in Body Section														
TRIM CODES →			All														
U		D1TZ 1060762	A														2

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →				SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	
				__B	__D	__E	__F	__K	__P	__R	__Y	__Z					
COLORS →			STUD LENGTH	BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE	
611A08 HEAD REST ASSY. - FRONT SEAT BACK - INCLUDES GUIDE RODS																	
A,B		D1AZ 65611A08		B	G		C			D	E		A	H	F		2
		D1OZ 65611A08				A											2
S		D1AZ 65611A08					C				E		A		F		2
		D1AY 65611A08		B	G					C							2
P		D1DZ 62611A08		B		C					D		A				2
618C54 COVER - FRONT SEAT TRACK SIDE																	
B-w/bucket seats		D0OZ 65618C54		A			B						D				2
		D1OZ 65618C54								A	B						2
62900-1 COVER - FRONT SEAT CUSHION - Refer to Group 60050-1																	
63500 BUTTON - FRONT and REAR SEAT CUSHION and BACK																	
A(53K,57K, 65K,71H)		D1MY 6563500	1/4"	B9B	B7D		B3F			B8R	B9Y	B4Z	BCA				AR
		D1AZ 6563500	5/8"	A9B	A7D		A3F			A8R	A9Y		A6A				AR
B(57E,65E,71E)		D1OZ 6563500														$A	4
B(66E)		C9OZ 5463522											A1A				AR
		D0OZ 5463522		B9B			B3F			B3G							AR
F(63R)		D1ZZ 6564824														$A	2
F(63D,65D,76D)		D1ZZ 6564824														$B	4
S		D0LY 6563500	3/4"	N													4
		D1VZ 6563500	3/4"								C						4
		D0SZ 5763500	1 3/8"	C									B		A		AR
		D1SZ 5763500	1 3/8"							A							AR
		D3LY 6563500	7/8"		BD		BH			BE		BF	BL		BG		4
63522 BUTTON - FRONT and REAR SEAT BACK - Refer to Group 63500																	
63804 COVER - REAR SEAT CUSHION - Refer to Group 60080																	
63822 COVER - AUXILIARY SEAT CUSHION - Refer to Group 60090																	
63840 PAD and SPRING - Refer to Group 60080																	

$ Chrome plated

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES												QTY.
64416-7 COVER - FRONT SEAT BACK - Refer to Group 60136-7															
644A16 FLAP - FRONT SEAT BACK CENTER ARM REST															
TRIM CODES →			9A, 9AA	9B, 9BA	9D, 9DA	9F, 9FA	9R, 9RA	9Y, 9YA							
A(53K,57K)		C9AZ 54644A16	A9A		A9D										1
		D0AY 54644A16		A4B		A4F									1
		D1AZ 54644A16					A9R	A9Y							1
644A18 COVER - FRONT SEAT BACK CENTER ARM REST															
TRIM CODES →			9A, 9AA	9B, 9BA	9D, 9DA	9F, 9FA	9R, 9RA	9Y, 9YA	EA, EAA	EB, EBA	ED, EDA	EF,	ER, ERA	EY, EYA	
A(53K,57K)	R	D1AZ 65644A18							AEA	AEB	AED	CEF	AER	AEY	1
	L	D1AZ 65644A19							CEA	CEB	CED	CEF	CER	CEY	1
		D1MZ 53644A18	A9A	A9B	A9D	A9F	A9R	A9Y							2
TRIM CODES →			EA, EAA	EB, EBA	ED, EDA	EF,	ER, ERA	EY, EYA	ZA, ZAA	ZB, ZBA	ZD, ZDA	ZF, ZFA	ZR, ZRA	ZY, ZYA	
A(65K)	R	D1AZ 65644A18	AEA	AEB	AED	CEF	AER	AEY							1
	L	D1AZ 65644A19	CEA	CEB	CED	CEF	CER	CEY							1
		D1MZ 65644A18							BZA	BZB	BZD	BZF	BZR	BZY	2
TRIM CODES →			FA	FD	FZ	EA	EB	ED	ER	EY	EZ				
S(57B)		D1SZ 57644A18	AFA	AFD	AFZ	AEA	AEB	AED	AER	AEY	AEZ				1
TRIM CODES →			4A	4B	4R	4W	CA	CB	CD	CF	CR	CY			
S(57C,65C,D)		D0SZ 65644A18	A4A	A4B		A4W	A3A	A3B	A3D	A3F					1
		D1SZ 65644A18			A4R						ACR	ACY			1
64824 BUTTON or ORNAMENT - FRONT and REAR SEAT BACK and CUSHION - Refer to Group 63500															
66600-1 COVER REAR SEAT BACK - Refer to Group 60032-3															
66640 COVER - AUXILIARY SEAT BACK - Refer to Group 60096															
668A16 COVER - REAR SEAT BACK CENTER FILLER															
TRIM CODES →			2A	2B	2R	2W	8A	8D	8F	AA	AB	AD	AF	AR	
S(65A,B)		D0SZ 65668A16	A2A	A2B		A2W				A1A		A1D	A1F		1
		D1SZ 65668A16			A2R		A8A	A8D	A8F					AAR	1
		D0AZ 65668A16									A1B				1
TRIM CODES →			4A	4B	4R	4W	CA	CB	CD	CF	CR	CY			
S(65C,D)		D0SZ 65668A16	A2A	A2B		A2W	A3A	A3B	A3D	A3F					1
		D1SZ 65668A16			A4R						ACR	ACY			1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES												QTY.
			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER
TRIM CODES →			B	D	E	F	K	P	R	Y	Z				
COLORS →			BLUE	RED	VERMILION	GINGER	AQUA	GREY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOT NOTE
67112 REST - REAR SEAT ARM - INCLUDES ATTACHING PARTS															
U		D1UZ 1267112				A			C			B			2
		D0UZ 1267112		B									A		2

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES												QTY.
672A18 BACK ASSY. - REAR SEAT - UPPER - INCLUDES COVER															
TRIM CODES →			1A	1AA	1B	1BA	1R	1RA							
L(62)-folding		D1FZ 62672A18	C1A	D1A	C1B	D1B	C1R	D1R							1
non-folding		D1FZ 62672A18	A1A	A1A	A1B	A1B	A1R	A1R							1
TRIM CODES →			2A	2AA	2B	2BA	2F	2FA	2R	2RA					
L(62)-folding		D1FZ 62672A18	D2A	E2A	D2B	E2B	D2F	E2F	D2R	E2R					1
non-folding		D1FZ 62672A18	B2A	B2A	B2B	B2B	B2F	B2F	B2R	B2R					1
TRIM CODES →			3A	3AA	3B	3BA	3F	3FA	3FB	3R	3RA	3RB			
L(62)-folding		D1FZ 62672A18	D3A	E3A	D3B	E3B	D3F	E3F		D3R	E3R				1
		D2FZ 62672A18							D3F			D3R			1
non-folding		D1FZ 62672A18	B3A	B3A	B3B	B3B	B3F	B3F		B3R	B3R				1
		D2FZ 62672A18							B3F			B3R			1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
672A18 BACK ASSY. - REAR SEAT - UPPER - INCLUDES COVER - continued																	
TRIM CODES →			1A	1AA	1B	1BA	1R	1RA	2A	2AA	2B	2BA	2F	2FA	2R	2RA	
L(64)		D1FZ 64672A18	A1A	B1A	A1B	B1B	A1R	B1R	B2A	C2A	B2B	C2B	B2F	C2F	B2R	C2R	1
TRIM CODES →			3A	3AA	3B	3BA	3F	3FA	3FB	3R	3RA	3RB					
L(64)		D1FZ 64672A18	B3A	C3A	B3B	C3B	B3F	C3F		B3R	C3R						1
		D2FZ 64672A18							B3F			B3R					1
672A20-1 BACK ASSY. - REAR SEAT - LOWER - INCLUDES COVER																	
TRIM CODES →			1A, 1AA	1B, 1BA	1R 1RA	2A, 2AA	2B, 2BA	2F, 2FA	2R, 2RA								
L(62)	R	D1FZ 62672A20	A1A	A1B	A1R	B2A	B2B	B2F	B2R								1
	L	D1FZ 62672A21	A1A	A1B	A1R	B2A	B2B	B2F	B2R								1
TRIM CODES →			3A, 3AA	3B, 3BA	3F, 3FA	3FA 3FB	3R, 3RA	3RB									
L(62)	R	D1FZ 62672A20	B3A	B3B	B3F		B3R										1
	L	D1FZ 62672A21	B3A	B3B	B3F		B3R										1
	R	D2FZ 62672A20				B3F		B3R									1
	L	D2FZ 62672A21				B3F		B3R									1
TRIM CODES →			1A, 1AA	1B, 1BA	1R, 1RA	2A, 2AA	2B, 2BA	2F, 2FA	2R, 2RA								
L(64)	R	D1FZ 64672A20	A1A	A1B	A1R	B2A	B2B	B2F	B2R								1
	L	D1FZ 64672A21	A1A	A1B	A1R	B2A	B2B	B2F	B2R								1
TRIM CODES →			3A, 3AA	3B, 3BA	3F, 3FA	3FA, 3FB	3R, 3RA	3RB									
L(64)	R	D1FZ 64672A20	B3A	B3B	B3F		B3R										1
	L	D1FZ 64672A21	B3A	B3B	B3F		B3R										1
	R	D2FZ 64672A20				B3F		B3R									1
	L	D2FZ 64672A21				B3F		B3R									1
67286 FLAP - REAR SEAT BACK CENTER ARM REST																	
TRIM CODES →			EA	EB	ED	ER	EY	EZ	FA	FD	FZ						
S(57B)		D1SZ 5767286				AER	AEY		A6A	A6D	A6Z						1
		D0SZ 5767286	A1A	A1B	A3D			A5Z									1
TRIM CODES →			8A	8D	8F	AA	AB	AD	AF	AR							
S(65A, B)		D1SZ 6567286	B8A	B8D	B8F					BAR							1
		C9SZ 6567286				BDA	BDB	BCD									1
		D0SZ 6567286							B1F								1
TRIM CODES →			CA	CB	CD	CF	CR	CY									
S(65C, D)		C9SZ 6567286	BDA	BDB	BCD												1
		D0SZ 6567286				B1F											1
		D1SZ 6567286					BAR	BCY									1
67299 COVER - REAR SEAT BACK CENTER ARM REST OPENING																	
TRIM CODES →			EA	EB	ED	ER	EY	EZ	FA	FD	FZ						
S(57B)		C9SZ 5767299	AKA	AKB	AKD												1
		D0SZ 5767299						A5Z									1
		D1SZ 5767299				AAR	ACY		ABA	ABD	ABZ						1
TRIM CODES →			8A	8D	8F	AA	AB	AD	AF	AR							
S(65A, B)		D1SZ 5767299	ABA	ABD	ABF					AAR							1
		C9SZ 5767299				AKA	AKB	AKD									1
		D0SZ 5767299							A1F								1
TRIM CODES →			CA	CB	CD	CF	CR	CY									
S(65C, D)		C9SZ 5767299	AKA	AKB	AKD												1
		D0SZ 5767299				A1F											1
		D1SZ 5767299					AAR	ACY									1
67354 COVER - REAR SEAT BACK CENTER ARM REST																	
TRIM CODES →			EA	EB	ED	ER	EY	EZ	FA	FD	FZ						
S(57B)		D0SZ 5767354	A5A	A5B	A5D			A5Z									1
		D1SZ 5767354				AER	AEY		AFA	AFD	AFZ						1
TRIM CODES →			8A	8D	8F	AA	AB	AD	AF	AR							
S(65A, B)		D1SZ 6567354	A8A	A8D	A8F					AAR							1
		D0SZ 6567354				A1A	A1B	A1D	A1F								1
TRIM CODES →			CA	CB	CD	CF	CR	CY									
S(65C, D)		D1SZ 6567354					ACR	ACY									1
		D0SZ 6567354	A3A	A3B	A3D	A3F											1

INSTRUCTIONS

Determine correct Group Number by referring to an appropriate illustration in the Interior Trim Section of the Illustration Catalog, Ford FP 7635-B or to the Soft Trim Index of this catalog. Identify Model, Body Type and Trim Code by referring to 1972 Certification Label Codes as shown in the General Information Section.

The 1972 Soft Trim Section consists of: (1) Trim Scheme Codes and Swatches (Pages A1, A2, A3, B, etc.). (2) Listing of Soft Trim Parts for all Ford (A), Torino (B), Mustang (F), Pinto (L), Maverick (P), Thunderbird (S) and Bronco (U) models. (Pages 1 to end)

TRIM SCHEME CODES and SWATCHES

Consists of: (1) Listing of Trim Scheme Codes arranged in order of model, i.e. Ford, Torino etc.
(2) Colored Swatches identified by a number beside the swatch.

How to use: (1) Identify Model, Body Type and Trim Code and apply this information to listing of Trim Scheme Codes. (2) Determine Swatch Identification Numbers and refer to Colored Swatches on Page B, etc. (3) Locate appropriate swatches to verify the color and/or pattern of the principle materials used in the unit.

Colored Swatch pages are primarily for verification of color and/or pattern and do not indicate the type or weight of material.

For example, to determine which Swatches make up Trim Code AB on Ford Four Door Sedan refer to page A2, A3 etc.

As shown on page A2 (Ford) Trim Code AB indicates (1) Body types (54B)
(2) Trim scheme description (Medium blue vinyl and medium blue cloth).
(3) Door and Quarter material (swatch No. 1), bolster material (swatch No. 1), cushion and back material (swatch No. 8, 38 and 185) and headlining material (swatch No. 101).

SOFT TRIM PARTS FOR ALL MODELS

Consists of: (1) Parts cataloged by trim code and color (e.g. Groups 02344-5, 24346-7, etc.).
(2) Parts cataloged by trim code only (e.g. Groups 23942-3, 62900, etc.).
(3) Miscellaneous parts (e.g. Groups 47042, 53700, etc.).

PARTS CATALOGED BY COLOR. (1) Identify Model, Body Type and Color of desired part. (2) Determine Group Number of part. (3) Locate appropriate Trim code and Color listed at top of page. Second character of trim code generally applicable to each color is also shown above the color as an additional aid. When color of part is in doubt refer to the list of Trim Codes and Colored Swatch pages for further identification. (4) Match Color with Model and Body Type to select desired part number.

For example, should a Blue Rear Floor Carpet (Group 13046) be desired for a Mustang Two Door Hard Top. (1) Refer to Group 13046 (2) Read list of colors above title to find Blue. (3) Read down to find F(65). (4) Part number shown is D2ZZ 6513046 and suffix in "Blue" column is B.

PARTS CATALOGED BY TRIM CODE. (1) Identify Model, Body Type and Trim Code. (2) Determine Group Number of part. (3) Locate appropriate Trim Code (listing of Trim Codes precedes each Body Type. (4) Match Model and Body Type with Trim Code to select part number.

For example, should a R.H. Front Door Trim Panel (Group 23942-3) be required for a Torino Four Door Sedan, Trim Code AB (1) Refer to Group 23942-3. (2) Read down to locate B(53B). (3) Read trim codes to find Trim Code AB (4) Part number shown is D2OZ 5323942 and suffix listed is AAB.

3 DIGIT TRIM CODES

Parts for 3 digit trim codes ending with an alphabet (e.g. 1BA) are listed with parts cataloged by trim code. Parts for 3 digit trim codes ending with a numeral (e.g. 1B1) are not cataloged. Refer to the listing of trim codes to determine which parts are available through service. For parts which are not available for service contact your Service Representative, who will process in accordance with General ICC bulletin No. 7526.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A)						
AA, AAA, AAC	54B	Black vinyl and black cloth	64	64	6,37&189	5
AA9	54B	(Code AA - see Note 1, Page A6)				
AB, ABA, ABC	54B	Medium blue vinyl and medium blue cloth	1	1	8,38&185	101
AB9	54B	(Code AB - see Note 1, Page A6)				
AY, AYA, AYC	54B	Light grey gold vinyl and light grey gold cloth	142	142	25,52 & 105	13
AY9	54B	(Code AB - see Note 1, Page A6)				
BA, BAA, BAC, BAD, BAE	71H	Black all vinyl	64,93 & 204	64	35&202	5
BB, BBC, BBD, BBE	71H	Medium blue all vinyl	41,82 & 204	1	34,41	101
BF, BFA, BFC, BFD, BFE	71H	Medium ginger all vinyl	33,199 & 204	60	32&33	102
BR, BRA, BRC, BRD, BRE	71H	Medium green all vinyl	23,69 & 204	56	23&47	14
DA, DAA, DAC	53H,57H,65H	Black vinyl and black cloth	6,64&204	64	6&176	5
DA1	53H,57H,65H	(Code DA - see Note 1, Page A6)				
DA2	53H,57H,65H	(Code DA - see Note 1, Page A6)				
DB, DBA, DBC	53H,57H,65H	Medium blue vinyl and medium blue cloth	1,8&204	1	8&175	101
DB2	53H,57H,65H	(Code DB - see Note 1, Page A6)				
DD, DDA, DDC	53H,57H,65H	Dark red vinyl and dark red cloth	7,36&204	36	7&177	98
DD1	53H,57H,65H	(Code DD - see Note 1, Page A6)				
DD2	53H,57H,65H	(Code DD - see Note 1, Page A6)				
DF, DFA, DFC	53H,57H,65H	Medium ginger vinyl and medium ginger cloth	60,63 & 204	60	63&174	102
DR, DRA, DRC	53H,57H,65H	Medium green vinyl and medium green cloth	54,56 & 204	56	54&179	14
DY, DYA, DYC	53H,57H,65H	Light grey gold vinyl and light grey gold cloth	52,142 & 204	142	52&178	13
DY1	53H,57H,65H	(Code DY - see Note 1, Page A6)				
DY3	53H,57H,65H	(Code DY - see Note 1, Page A6)				

* For swatch identification refer to Page B, etc.

1972 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
EA	53K,57K,65K	Black vinyl and black cloth	104,151 & 204	64	89&171	5
EA3	53K,57K,65K	(Code EA - see Note 2, Page A6)				
EB	53K,57K,65K	Medium blue vinyl and medium blue cloth	112,150 & 204	1	170&188	101
EB3	53K,57K,65K	(Code EB - see Note 2, Page A6)				
ED	53K,57K,65K	Dark red vinyl and dark red cloth	109,130 & 204	36	76&173	98
ED3	53K,57K,65K	(Code ED - see Note 2, Page A6)				
ER	53K,57K,65K	Medium green vinyl and medium green cloth	137,196 & 204	56	165&169	14
ER3	53K,57K,65K	(Code ER - see Note 2, Page A6)				
EY	53K,57K,65K	Light grey gold vinyl and light grey gold cloth	106,135 & 204	142	73&172	13
EZ	53K,57K,65K	Dark tobacco vinyl and dark tobacco cloth	103,145 & 204	16	166&168	51
EZ1	53K,57K,65K	(Code EZ - see Note 3, Page A6)				
FA, FAA, FAC, FAD, FAE	53H,57H,65H, 71H,76H	Black all vinyl	6,64 & 204	64	6	5
FB, FBA, FBC, FBD, FBE	53H,57H,65H, 71H,76H	Medium blue all vinyl	1,8&204	1	8	101
FD, FDA, FDC, FDD, FDE	53H,57H,65H, 71H,76H	Dark red all vinyl	7,36 & 204	36	7	98
FF, FFA, FFC, FFD, FFE	53H,57H,65H,71H	Medium ginger all vinyl	60,63 & 204	60	63	102
FR, FRA, FRC, FRD, FRE	53H,57H,65H, 71H,76H	Medium green all vinyl	54,56 & 204	56	54	14
FW, FWA, FWC	65H,76H	White all vinyl with black appointments	161,194 & 204	12	59	5
FW1	76H	(Code FW - see Note 2, Page A6)				
FY, FYA, FYC	53H,57H,65H	Light grey gold all vinyl	52,142 & 204	142	52	13
HA, HAA, HAC	54D,65D	Black vinyl and black cloth	64	64	39,64&94	5
HA9	54D	(Code HA - see Note 1, Page A6)				
HB, HBA, HBC	54D,65D	Medium blue vinyl and medium blue cloth	1	1	1,40&95	101
HB9	54D	(Code HB - see Note 1, Page A6)				

* For swatch identification refer to Page B, etc.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
HR, HRA, HRC	54D,65D	Medium green vinyl and medium green cloth	56	56	24,56&70	14
HR9	54D	(Code HR - see Note 1, Page A6)				
HY, HYA, HYC	54D,65D	Light grey gold vinyl and light grey gold cloth	142	142	71&142	13
HY9	54D	(Code HY - see Note 1, Page A6)				
JA, JAA, JAC, JAD, JAE	71D	Black all vinyl	64	64	39&64	5
JB, JBA, JBC, JBD, JBE	71D	Medium blue all vinyl	1	1	1 & 40	101
JF, JFA, JFC, JFD, JFE	71D	Medium ginger all vinyl	60	60	30,60	102
JR, JRA, JRC, JRD, JRE	71D	Medium green all vinyl	56	56	24,56	14
KA, KAA, KAB, KAC	54F,57F,65F	Black vinyl and black cloth	64&204	64	6&111	5
KA1	54F,57F,65F	(Code KA - see Note 1, Page A6)				
KA2	54F,57F	(Code KA - see Note 1, Page A6)				
KA9	54F,57F,65F	(Code KA - see Note 1, Page A6)				
KB, KBA, KBC	54F,57F,65F	Medium blue vinyl and medium blue cloth	1&204	1	8 & 90	101
KB1	54F,57F,65F	(Code KB - see Note 1, Page A6)				
KB2	54F,57F	(Code KB - see Note 1, Page A6)				
KB9	54F,57F,65F	(Code KB - see Note 1, Page A6)				
KF, KFA, KFC	54F,57F,65F	Medium ginger vinyl and medium ginger cloth	60&204	60	63&75	102
KF2	54F,57F	(Code KF - see Note 1, Page A6)				
KF9	54F,57F,65F	(Code KF - see Note 1, Page A6)				
KR, KRA, KRC	54F,57F,65F	Medium green vinyl and medium green cloth	56&204	56	54&67	14
KR1	54F,57F,65F	(Code KR - see Note 1, Page A6)				
KR2	54F,57F	(Code KR - see Note 1, Page A6)				
KR9	54F,57F,65F	(Code KR - see Note 1, Page A6)				
KY, KYA, KYC	54F,57F,65F	Light grey gold vinyl and light grey gold cloth	142&204	142	52&68	13

* For swatch identification refer to Page B, etc.

1972 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
KY1	54F,57F,65F	(Code KY - see Note 1, Page A6)				
KY2	54F,57F	(Code KY - see Note 1, Page A6)				
KY9	54F,57F,65F	(Code KY - see Note 1, Page A6)				
LU, LUA, LUC	54B,D	Beige all vinyl	148	147	149	146
MA, MAA, MAC	65D	Black all vinyl	64	64	6	5
MB, MBA, MBC	65D	Medium blue all vinyl	1	1	8	101
MR, MRA, MRC	65D	Medium green all vinyl	56	56	54	14
MY, MYA, MYC	65D	Light grey gold all vinyl	142	142	52	13
NA, NAA, NAC	54B,D,71B	Black all vinyl	64	64	6&37	5
NB, NBA, NBC	54B,D,71B	Medium blue all vinyl	1	1	8&38	101
NR	71B	Medium green all vinyl	56	56	54&138	14
NY, NYA, NYC	54B,D	Light grey gold all vinyl	142	142	25&52	13
NY3	54B,D	(Code NY - see Note 1, Page A6)				
RA, RAA, RAC, RAD, RAE	71F	Black vinyl and black cloth	64&204	64	6&81	5
VA, VAA, VAC, VAD, VAE	71H	Black vinyl and black cloth	6,64,204	64	6&81	5
WA, WAA, WAC, WAD, WAE	54F,57F,65F,71F	Black all vinyl	64&204	64	6	5
WA2	54F,57F,71F	(Code WA - see Note 1, Page A6)				
WB, WBA, WBC, WBD, WBE	54F,57F,65F,71F	Medium blue all vinyl	1&204	1	8	101
WB1	54F,57F,65F	(Code WB - see Note 1, Page A6)				
WB2	54F,57F	(Code WB - see Note 1, Page A6)				

* For swatch identification refer to Page B, etc.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
FORD (A) - continued						
WD, WDA, WDC, WDD, WDE	54F,57F,65F,71F	Dark red all vinyl	36&204	36	7	98
WD1	54F,57F,65F	(Code WD - see Note 1)				
WD2	54F,57F	(Code WD - see Note 1)				
WF, WFA, WFC, WFD, WFE	54F,57F,65F,71F	Medium ginger all vinyl	60&204	60	63	102
WF1	54F,57F,65F	(Code WF - see Note 1)				
WF2	54F,57F	(Code WF - see Note 1)				
WR, WRA, WRC, WRD, WRE	54F,57F,65F,71F	Medium green all vinyl	56&204	56	54	14
WR1	54F,57F,65F	(Code WR - see Note 1)				
WR2	54F,57F	(Code WR - see Note 1)				
WW, WWA, WWC	65F	White all vinyl with black appointments	194&204	12	59	50
WW1	65F	(Code WW - see Note 1)				
WY, WYA, WYC	54F,57F,65F	Light grey gold all vinyl	142&204	142	52	13
WY1	54F,57F,65F	(Code WY - see Note 1)				
WY2	54F,57F	(Code WY - see Note 1)				
ZA, ZAC	53K,57K,65K	Black vinyl and black cloth	104,151 & 204	64	89&171	5
ZB, ZBC	53K,57K,65K	Medium blue vinyl and medium blue cloth	112,150 & 204	1	170&188	101
ZB3	53K,57K,65K	(Code ZB - see Note 2)				
ZD, ZDC	53K,57K,65K	Dard red vinyl and dark red cloth	109,130 & 204	36	76&173	98
ZD3	53K,57K,65K	(Code ZD - see Note 2)				
ZR, ZRC	53K,57K,65K	Medium green vinyl and medium green cloth	137,196 & 204	56	165&169	14
ZR3	53K,57K,65K	(Code ZR - see Note 2)				
ZY, ZYC	53K,57K,65K	Light grey gold vinyl and light grey gold cloth	106,135 & 204	142	73&172	13
ZZ, ZZC	53K,57K,65K	Dark tobacco vinyl and dark tobacco cloth	103,145 & 204	16	166&168	51
ZZ1	53K,57K,65K	(Code ZZ - see Note 3)				

* For swatch identification refer to Page B, etc.

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3), refer to this code in the 1972 Soft Trim Section. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600), contact your Service Representative. All other parts are included in the 1972 Soft Trim Section.

NOTE 2 - For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416 and 66600) refer to this code in the 1972 Soft Trim Section. For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) contact your Service Representative. All other parts are included in the 1972 Soft Trim Section.

NOTE 3 - For replacement of Cushion Covers (62900 and 63804), Back Covers (64416 and 66600), Door and Quarter trim panels (23942-3, 27406-7 and 31012-3) refer to this code in the 1972 Soft Trim Section. For replacement of Front Seat Back Panel (60762-3) contact your service representative. All other parts are included in the 1972 Soft Trim Section.

1972 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
TORINO (B)						
AA, AAA	53B,65B,71B	Black all vinyl	64	64	3&64	5
AB, ABA	53B,65B,71B	Medium blue all vinyl	1	1	1&153	101
AR, ARA	53B,65B,71B	Medium green all vinyl	56	56	56&136	14
BA, BAA	53D,65D	Black vinyl and black cloth	64	64	64&96	5
BA5	65D	(Code BA - see Note 1, Page A10)				
BB, BBA	53D,65D	Medium blue vinyl and medium blue cloth	1	1	1&97	101
BB5	65D	(Code BB - see Note 1, Page A10)				
BR, BRA	53D,65D	Medium green vinyl and medium green cloth	56	56	56&107	14
BR5	65D	(Code BR - see Note 1, Page A10)				
BY, BYA	53D,65D	Light grey gold vinyl and medium grey gold cloth	142	142	72&142	13
BZ, BZA	53D,65D	Tobacco vinyl and tobacco cloth	16	16	16&66	51
CA, CAA	53B,53D,65B,65D, 71D	Black all vinyl	64	64	6&64	5
CA5	65B,D	(Code CA - see Note 1, Page A10)				
CB, CBA	53B,53D,65B,65D, 71D	Medium blue all vinyl	1	1	1&8	101
CB5	65B,D	(Code CB - see Note 1, Page A10)				
CF, CFA	53B,53D,65B,65D, 71D	Ginger all vinyl	60	60	60&63	102
CF5	65D	(Code CF - see Note 1, Page A10)				
CL	65D	White all vinyl with blue appointments	12	12	12&59	50
CR, CRA	53B,53D,65B,65D, 71D	Medium green all vinyl	56	56	54&56	14
CR5	65B,D	(Code CR - see Note 1, Page A10)				
CW, CWA	65D	White all vinyl with black appointments	12	12	12&59	50
C5	65D	White all vinyl with green appointments	12	12	12&59	50
C9	65D	White all vinyl with tobacco appointments	12	12	12&59	50
DA	65D	Black vinyl and black cloth	64	64	64&192	5
DA1	65D	(Code DA - see Note 1, Page A10)				
DA2	65D	(Code DA - see Note 1, Page A10)				
DA3	65D	(Code DA - see Note 1, Page A10)				
DA5	65D	(Code DA - see Note 1, Page A10)				
DF	65D	Ginger vinyl and ginger cloth	60	60	60&164	102
DF1	65D	(Code DF - see Note 1, Page A10)				
DF2	65D	(Code DF - see Note 1, Page A10)				
DF3	65D	(Code DF - see Note 1, Page A10)				
DF5	65D	(Code DF - see Note 1, Page A10)				

* For swatch identification refer to Page B, etc.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
TORINO (B) - continued						
EA	63R,65R,97R	Black vinyl and black cloth	64&203	64	64&192	5
EA1	63R,65R	(Code EA - see Note 1, Page A10)				
EA2	63R,65R	(Code EA - see Note 1, Page A10)				
EA3	63R,65R,97R	(Code EA - see Note 1, Page A10)				
EA5	63R,65R,97R	(Code EA - see Note 1, Page A10)				
EF	63R,65R,97R	Ginger vinyl and ginger cloth	60&61	60	60&164	102
EF1	63R,65R	(Code EF - see Note 1, Page A10)				
EF2	63R,65R	(Code EF - see Note 1, Page A10)				
EF3	63R,65R,97R	(Code EF - see Note 1, Page A10)				
EF5	63R,65R,97R	(Code EF - see Note 1, Page A10)				
FA	63R,65R,97R	Black all vinyl	64&203	64	6&64	5
FA5	63R,65R,97R	(Code FA - see Note 1, Page A10)				
FB	63R,65R,97R	Medium blue all vinyl	1	1	1&8	101
FB5	63R,65R	(Code FB - see Note 1, Page A10)				
FF	63R,65R,97R	Ginger all vinyl	60&61	60	60&63	102
FF5	63R,65R,97R	(Code FF - see Note 1, Page A10)				
FL	63R,65R,97R	White all vinyl with blue appointments	12	12	12&59	50
FR	63R,65R,97R	Medium green all vinyl	56	56	54&56	14
FR5	63R,65R,97R	(Code FR - see Note 1, Page A10)				
FW	63R,65R,97R	White all vinyl with black appointments	12	12	12&59	50
F5	63R,65R,97R	White all vinyl with green appointments	12	12	12&59	50
F9	63R,65R,97R	White all vinyl with tobacco appointments	12	12	12&59	50
GA	71K	Black all vinyl	64	64	6&64	5
GB	71K	Medium blue all vinyl	1	1	1&8	101
GF	71K	Ginger all vinyl	60	60	60&63	102
GR	71K	Medium green all vinyl	56	56	54&56	14
HA	71K	Black all vinyl	64	64	35&64	5
HF	71K	Ginger all vinyl	60	60	32&60	102
JA	71D	Black all vinyl	64	64	35&64	5
JF	71D	Ginger all vinyl	60	60	32&60	102
KA	65D	Black all vinyl	64	64	35&64	5
KAC	65D	Black all vinyl	64	64	35&64	5
KB	65D	Medium blue all vinyl	1	1	1&34	101
KBC	65D	Medium blue all vinyl	1	1	1&34	101
KF	65D	Ginger all vinyl	60	60	32&60	102
KFC	65D	Ginger all vinyl	60	60	32&60	102
KL	65D	White all vinyl with blue appointments	12	12	12&46	50
KLC	65D	White all vinyl with blue appointments	12	12	12&46	50
KR	65D	Medium green all vinyl	56	56	47&56	14
KRC	65D	Medium green all vinyl	56	56	47&56	14
KW	65D	White all vinyl with black appointments	12	12	12&46	50
KWC	65D	White all vinyl with black appointments	12	12	12&46	50
K5	65D	White all vinyl with green appointments	12	12	12&46	50
K5C	65D	White all vinyl with green appointments	12	12	12&46	50
K9	65D	White all vinyl with tobacco appointments	12	12	12&46	50
K9C	65D	White all vinyl with tobacco appointments	12	12	12&46	50
MA	63R,65R,97R	Black all vinyl	64&203	64	35&64	5
MAC	63R,65R,97R	Black all vinyl	64&203	64	35&64	5

* For swatch identification refer to Page B, etc.

1972 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
TORINO (B) - continued						
MB	63R,65R,97R	Medium blue all vinyl	1	1	1&34	101
MBC	63R,65R,97R	Medium blue all vinyl	1	1	1&34	101
MF	63R,65R,97R	Ginger all vinyl	60&61	60	32&60	102
MFC	63R,65R,97R	Ginger all vinyl	60&61	60	32&60	102
ML	63R,65R,97R	White all vinyl	12	12	12&46	50
MLC	63R,65R,97R	White all vinyl	12	12	12&46	50
MR	63R,65R,97R	Medium green all vinyl	56	56	47&56	14
MRC	63R,65R,97R	Medium green all vinyl	56	56	47&56	14
MW	63R,65R,97R	White all vinyl with black appointments	12	12	12&46	50
MWC	63R,65R,97R	White all vinyl with black appointments	12	12	12&46	50
M5	63R,65R,97R	White all vinyl with green appointments	12	12	12&46	50
M5C	63R,65R,97R	White all vinyl with green appointments	12	12	12&46	50
M9	63R,65R,97R	White all vinyl with tobacco appointments	12	12	12&46	50
M9C	63R,65R,97R	White all vinyl with tobacco appointments	12	12	12&46	50
NA	53D,65D,97D,K	Black vinyl and black cloth	64,93 & 198	64	64&124	5
NAA	53D,65D,97D,K	Black vinyl and black cloth		64	64&124	5
NB	53D,65D,97D,K	Medium blue vinyl and medium blue cloth	1,82&123	1	1&123	101
NBA	53D,65D,97D,K	Medium blue vinyl and medium blue cloth		1	1&123	101
NR	53D,65D,97D,K	Medium green vinyl and medium green cloth	56,69 131	56	56&121	14
NRA	53D,65D,97D,K	Medium green vinyl and medium green cloth		56	56&121	14
NY	53D,65D,97D,K	Light grey gold vinyl and light grey gold cloth	132,142 & 205	142	122&142	13
NYA	53D,65D,97D,K	Light grey gold vinyl and light grey gold cloth		142	122&142	13
NZ	53D,65D,97D,K	Tobacco vinyl and tobacco cloth	16,143 & 199	18	16,18 & 120	51
NZA	53D,65D,97D,K	Tobacco vinyl and tobacco cloth		18	16,18 & 120	51
QA, QAA	97D	Black vinyl and black cloth	64	64	64&96	5
QA5	97D	(Code QA - see Note 1, Page A10)				
QB, QBA	97D	Medium blue vinyl and medium blue cloth	1	1	1&97	101
QB5	97D	(Code QB - see Note 1, Page A10)				
QR, QRA	97D	Medium green vinyl and medium green cloth	56	56	56&107	14
QR5	97D	(Code QR - see Note 1, Page A10)				
QY, QYA	97D	Light grey gold vinyl and light grey gold cloth	142	142	72&142	13
QZ, QZA	97D	Tobacco vinyl and tobacco cloth	16	16	16&66	51
RA	97K	Black all vinyl	64	64	6&64	5
RA5	97K	(Code RA - see Note 1, Page A10)				
RB	97K	Medium blue all vinyl	1	1	1&8	101
RB5	97K	(Code RB - see Note 1, Page A10)				
RF	97K	Ginger all vinyl	60	60	60&63	102
RF5	97K	(Code RF - see Note 1, Page A10)				
RL	97K	White all vinyl with blue appointments	12	12	12&59	50

* For swatch identification refer to Page B, etc.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
TORINO (B) - continued						
RR	97K	Medium green all vinyl	56	56	54&56	14
RR5	97K	(Code RF - see Note 1)				
RW	97K	White all vinyl with black appointments	12	12	12&59	50
R5	97K	White all vinyl with green appointments	12	12	12&59	50
R9	97K	White all vinyl with tobacco appointments	12	12	12&59	50
SA	97D,K	Black all vinyl	64	64	35&64	5
SAC	97D,K	Black all vinyl	64	64	35&64	5
SB	97D,K	Medium blue all vinyl	1	1	1&34	101
SBC	97D,K	Medium blue all vinyl	1	1	1&34	101
SF	97D,K	Ginger all vinyl	60	60	32&60	102
SFC	97D,K	Ginger all vinyl	60	60	32&60	102
SL	97D,K	White all vinyl with blue appointments	12	12	12&46	50
SR	97D,K	Medium green all vinyl	56	56	47&56	50
SRC	97D,K	Medium green all vinyl	56	56	47&56	50
SW	97D,K	White all vinyl with black appointments	12	12	12&46	50
S5	97D,K	White all vinyl with green appointments	12	12	12&46	50
S9	97D,K	White all vinyl with tobacco appointments	12	12	12&46	50
UA, UAA	97D	Black all vinyl	64	64	6&64	5
UA5	97D	(Code UA - see Note 1)				
UB, UBA	97D	Medium blue all vinyl	1	1	1&8	101
UB5	97D	(Code UB - see Note 1)				
UF, UFA	97D	Ginger all vinyl	60	60	60&63	102
UF5	97D	(Code UF - see Note 1)				
UL, ULA	97D	White all vinyl with blue appointments	12	12	12&59	50
UR, URA	97D	Medium green all vinyl	56	56	54&56	14
UR5	97D	(Code UR - see Note 1)				
UW, UWA	97D	White all vinyl with black appointments	12	12	12&59	50
U5, U5A	97D	White all vinyl with green appointments	12	12	12&59	50
U9, U9A	97D	White all vinyl with tobacco appointments	12	12	12&59	50
VA	97D,K	Black all vinyl and black cloth	64	64	64&192	5
VA3	97D,K	(Code VA - see Note 1)				
VA5	97D,K	(Code VA - see Note 1)				
VF	97D,K	Ginger all vinyl and ginger cloth	60	60	60&164	102
VF3	97D,K	(Code VF - see Note 1)				
VF5	97D,K	(Code VF - see Note 1)				

* For swatch identification refer to Page B, etc.

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3), refer to this code in the 1972 Soft Trim Section. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600), contact your Service Representative. All other parts are included in the 1972 Soft Trim Section.

1972 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
MUSTANG (F)						
AA, AAB	63D,R,65D	Black all vinyl	64	64	6 & 64	5
AAE	63D, R, 65D	Black all vinyl	64	64	6 & 64	5
AA1	63D,R,65D	(Code AA - see Note 1, Page A13)				
AB, ABB	63D,R,65D	Medium blue all vinyl	1	1	1 & 8	101
ABE	63D, R, 65D	Medium blue all vinyl	1	1	1 & 8	101
AB1	63D,R,65D	(Code AB - see Note 1, Page A13)				
AE, AEB	63D,R,65D	Vermilion all vinyl	53	53	53&139	15
AEE	63D, R, 65D	Vermilion all vinyl	53	53	53&139	15
AE1	63D,R,65D	(Code AE - see Note 1, Page A13)				
AF, AFB	63D,R,65D	Medium ginger all vinyl	60	60	60&63	102
AFE	63D, R, 65D	Medium ginger all vinyl	60	60	60&63	102
AF1	63D,R,65D	(Code AF - see Note 1, Page A13)				
AR, ARB	63D,R,65D	Medium green all vinyl	56	56	54&56	14
ARE	63D, R, 65D	Medium green all vinyl	56	56	54&56	14
AR1	63D,R,65D	(Code AR - see Note 1, Page A13)				
AW, AWB	63D,R,65D	White all vinyl with black appointments	12	12	12&59	50
AWE	63D, R, 65D	White all vinyl with black appointments	12	12	12&59	50
AW1	63D,R,65D	(Code AW - see Note 1, Page A13)				
CA, CAA, CAB	76D	Black all vinyl	64,93,204	64	⊕ 3&208	5
CAE	76D	Black all vinyl	64, 93 & 204	64	35&64	5
CB, CBA, CBB	76D	Medium blue all vinyl	1,82&204	1	⊕ 10&12	101
CBE	76D	Medium blue all vinyl	1, 82 & 204	1	1 & 34	101
CE, CEA, CEB	76D	Vermilion all vinyl	53,93,204	53	⊕ 36&38	15
CEE	76D	Vermilion all vinyl	53, 93 & 204	53	49&33	15
CF, CFA, CFB	76D	Medium ginger all vinyl	60, 162 & 204	60	⊕ 24&29	102
CFE	76D	Medium ginger all vinyl	60, 162 & 204	60	32&60	102
CR, CRA, CRB	76D	Medium green all vinyl	56,69,204	56	40&42	14
CRE	76D	Medium green all vinyl	56, 69 & 204	56	47&56	14

* For swatch identification refer to Page B, etc. ⊕ Refer to these numbers in the 1971 Color Swatch Pages.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and	
MUSTANG (F) - continued						
CR1	76D	(Code CR - see Note 1, Page A13)				
CW, CWA, CWB	76D	White all vinyl with black appointments	12,93,204	12	⊕ 17&19	50
CWE	76D	White all vinyl with black appointments	12, 93 & 204	12	12&46	50
FA. FAB	65F	Black vinyl and black cloth	64, 93 & 204	64	64&117	5
FAE	65F	Black vinyl and black cloth	64, 93 & 204	64	64&117	5
FB, FBB	65F	Medium blue vinyl and medium blue cloth	1,82&204	1	1&119	101
FBE	65F	Medium blue vinyl and medium blue cloth	1,82&204	1	1&119	101
FE, FEB	65F	Vermilion Vinyl and vermilion cloth	53, 93 & 204	53	53&118	15
FEE	65F	Vermilion vinyl and vermilion cloth	53, 93 & 204	53	53&118	15
FF, FFB	65F	Medium ginger vinyl and medium ginger cloth	60, 162 & 204	60	60&116	102
FFE	65F	Medium ginger vinyl and medium ginger cloth	60, 162 & 204	60	60&116	102
FR, FRB	65F	Medium green vinyl and medium green cloth	56, 69 & 204	56	56&115	14
FRE	65F	Medium green vinyl and medium green cloth	56, 69 & 204	56	56&115	14
GA, GAA. GAB	63D,R	Black all vinyl	64,93,204	64	⊕ 3&208	5
GAE	63D,R	Black all vinyl	64, 93 & 204	64	35, 64 & 127	5
GB, GBA, GBB	63D,R	Medium blue all vinyl	1,82&204	1	⊕ 10&12	101
GBE	63D,R	Medium blue all vinyl	1, 82 & 204	1	1, 34 & 128	101
GE, GEA, GEB	63D,R	Vermilion all vinyl	53,93,204	53	⊕ 36&38	15
GEE	63D,R	Vermilion all vinyl	53, 93 & 204	53	49, 53 & 152	15
GF. GFB	63D,R	Medium ginger all vinyl	60, 162 & 204	60	⊕ 24&29	102
GFE	63D,R	Medium ginger all vinyl	60, 162 & 204	60	32, 60 & 129	102
GR, GRA, GRB	63D,R	Medium green all vinyl	56,69,204	56	⊕ 40, 42	14

* For swatch identification refer to Page B, etc. ⊕ Refer to these numbers in the 1971 Color Swatch Pages.

1972 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
MUSTANG (F) - continued						
GRE	63D, R	Medium green all vinyl	56, 69 & 204	56	47, 56 & 141	14
GR1	63D, R	(Code GR - see Note 1)				
GW, GWA, GWB	63D, R	White all vinyl with black appointments	12, 93, 204	12	⊕ 17&19	50
GWE	63D, R	White all vinyl with black appointments	12, 93 & 204	12	12, 46 & 127	50
HB	63D, 65D	Blue all vinyl with white and vermilion appointments	12			50
HBE	63D, 65D	Blue all vinyl with white and vermilion appointments	12			50
JB	63D, 65D	Blue all vinyl with white and vermilion appontments	12			50
JBE	63D, 65D	Blue all vinyl with white and vermilion appointments	12			50
PINTO (L)						
AA, AAC, AAD, AAE	62B, 64B, 73B	Black all vinyl	64	64	37&64	5
AB, ABC, ABD, ABE	62B. 64B, 73B	Medium blue all vinyl	1	1	1 & 38	101
AF, AFC, AFD, AFE	62B, 64B, 73B	Medium ginger all vinyl	60	60	60 & 200	102
AL, ALC, ALD, ALE	62B, 64B	White all vinyl with blue appointments	194	12	12 & 38	50
AR, ARC, ARD, ARE	62B, 64B, 73B	Medium green all vinyl	56	56	56&138	14
AS, ASC, ASD, ASE	62B, 64B	White all vinyl with ginger appointments	194	12	12 & 200	50
AT, ATC, ATD, ATE	62B, 64B, 73B	Medium beige all vinyl	209	209	208 & 209	210

* For swatch identification refer to Page B, etc. ⊕ Refer to these numbers in the 1971 Color Swatch Pages.

NOTE 1 - For replacement of Door and Quarter trim panels(23942-3, 27406-7 and 31012-3), refer to this code in the 1972 Soft Trim Section. For replacement of Cushion Covers (62900 and 63804) and Back Covers (64416-7 and 66600), contact your Service Representative. All other parts are included in the 1972 Soft Trim Section.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
PINTO (L) - continued						
AW, AWC, AWD, AWE	62B,64B	White all vinyl with black appointments	194	12	12	50
A5, A5C, A5D, A5E	62B,64B	White all vinyl with green appointments	194	12	12 & 138	50
BA, BAC, BAD, BAE	62B,64B,73B	Black vinyl and black cloth	64	64	64&181	5
BA1	62B,64B,73B	(Code BA - see Note 1, Page A16)				
BB, BBC, BBD, BBE	62B,64B,73B	Medium blue vinyl and medium blue cloth	1	1	1 & 180	101
BF, BFC, BFD, BFE	62B,64B,73B	Medium ginger vinyl and medium ginger cloth	60	60	60&114	102
BL, BLC, BLD, BLE	62B,64B	White vinyl and white cloth with blue appointments	194	12	12 & 180	50
BR, BRC, BRD, BRE	62B,64B,73B	Medium green vinyl and medium green cloth	56	56	56&113	14
BS, BSC, BSD, BSE	62B,64B	White vinyl and white cloth with ginger appointments	194	12	12 & 114	50
BT, BTC, BTD, BTE	62B,64B,73B	Medium beige vinyl and medium beige cloth	209	209	207 & 209	210
BW, BWC, BWD, BWE	62B,64B	White vinyl and white cloth with black appointments	194	12	12 & 181	50
B5, B5C, B5D, B5E	62B,64B	White vinyl and white cloth with green appointments	194	12	12 & 113	50
CA, CAC, CAD, CAE	62B,64B,73B	Black all vinyl	64	64	35&64	5

* For swatch identification refer to Page B, etc.

1972 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
PINTO (L) - continued						
CB, CBC, CBD, CBE	62B, 64B, 73B	Medium blue all vinyl	1	1	1 & 34	101
CF, CFC, CFD, CFE	62B, 64B, 73B	Medium ginger all vinyl	60	60	32&60	102
CL, CLC, CLD, CLE	62B, 64B	White all vinyl with blue appointments	194	12	12 & 34	50
CR, CRC, CRD, CRE	62B, 64B, 73B	Medium green all vinyl	56	56	47&56	14
CS, CSC, CSD, CSE	62B, 64B	White all vinyl with ginger appointments	194	12	12 & 32	50
CT, CTC, CTD, CTE	62B, 64B, 73B	Medium beige all vinyl	209	209	201 & 209	210
CW, CWC, CWD, CWE	62B, 64B	White all vinyl with black appointments	194	12	12 & 35	50
C5, C5C, C5D, C5E	62B, 64B	White all vinyl with green appointments	194	12	12 & 47	50
DA	62B, 64B, 73B	Black all vinyl	64			5
DAE	62B, 64B, 73B	Black all vinyl	64			5
DB	62B, 64B, 73B	Medium blue all vinyl	1			101
DBE	62B, 64B, 73B	Medium blue all vinyl	1			101
DF	62B, 64B, 73B	Medium ginger all vinyl	60			102
DFE	62B, 64B, 73B	Medium ginger all vinyl	60			102
DL	62B, 64B	White all vinyl with blue appointments	194			50
DR	62B, 64B, 73B	Medium green all vinyl	56			14
DS	62B, 64B	White all vinyl with ginger appointments	194			50
DT, DTE	62B, 64B, 73B	Light beige all vinyl	209			210
DW	62B, 64B	White all vinyl with black appointments	194			50
D5	62B, 64B	White all vinyl with green appointments	194			50
EA	62B, 64B, 73B	Black vinyl and black cloth	64	64	64&181	5
EB	62B, 64B, 73B	Medium blue vinyl and medium blue cloth	1	1	1 & 180	101

* For swatch identification refer to Page B, etc.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
PINTO (L) - continued						
EC	62B, 64B	Medium orange vinyl and medium orange cloth		192⊕	⊕ 192&155	191⊕
EF	62B, 64B, 73B	Medium ginger vinyl and medium ginger cloth	60	60	60&114	102
EG	62B, 64B	Medium avocado vinyl and medium avocado cloth		69⊕	69&157⊕	313⊕
EL	62B, 64B	White vinyl and white cloth with blue appointments	194	12	12&180	50
ER	62B, 64B, 73B	Medium green vinyl and medium green cloth	56	56	56	14
ET	62B, 64B, 73B	Light beige vinyl and light beige cloth	209	209	207&209	210
ES	62B, 64B	White vinyl and white cloth with ginger appointments	194	12	12&114	50
EW	62B, 64B	White vinyl and white cloth with black appointments	194	12	12&182	50
E5	62B, 64B	White vinyl and white cloth with green appointments	194	12	12	50
FA	62B, 64B, 73B	Black all vinyl	64	64	64	5
FB	62B, 64B, 73B	Medium blue all vinyl	1	1	1	101
FF	62B, 64B, 73B	Medium ginger all vinyl	60	60	60	102
FR	62B, 64B, 73B	Medium green all vinyl	56	56	56	14
FT	62B, 64B, 73B	Light beige all vinyl	209	209	209	210
FW	62B, 64B	White all vinyl with black appointments	194	12	12&64	50
FL	62B, 64B	White all vinyl with blue appointments	194	12	12 & 1	50
FS	62B, 64B	White all vinyl with ginger appointments	194	12	12&60	50
F5	62B, 64B	White all vinyl with green appointments	194	12	12	50
GB	64B	White vinyl and blue cloth with vermilion accent welts and blue appointments	194	12	12&119	101
GBE	64B	White vinyl and blue cloth with vermilion accent welts and blue appointments	194	12	12&119	101
HB	64B	White and blue all vinyl with vermilion accent welts and blue appointments	194	12	8 & 12	101
HBE	64B	White and blue all vinyl with vermilion accent welts and blue appointments	194	12	8 & 12	101
KB	64B	White vinyl and blue cloth with vermilion accent welts and blue appointments	194			101
JB	64B	White and blue all vinyl with vermilion accent welts and blue appointments	194			101
MAVERICK (P)						
AA, AAA	54A, 62A, D	Black all vinyl	64	64	3 & 64	5
AY	54A, 62A, D	Light grey gold all vinyl	142	142	55&142	13
BA	54A, 62A	Black vinyl and black cloth	64	64	64&78	5
BB	54A, 62A	Medium blue vinyl and medium blue cloth	1	1	1 & 77	101
BF	54A, 62A	Medium ginger vinyl and medium ginger cloth	60	60	60&215	102
BT	54A, 62A	Light Beige vinyl and medium beige cloth	209	209	209 & 204	210
BY	54A, 62A	Light grey gold vinyl and light grey gold cloth	142	142	85&142	13
CA, CAA	54A	Black vinyl and black cloth	4 & 64	64	64 & 80	5
CB	54A	Medium blue vinyl and medium blue cloth	1 & 4	1	1 & 79	101
CE	62A, D	Vermilion vinyl and vermilion cloth	4 & 53	53	53&84	15
CY	54A, 62A, D	Light grey gold vinyl and light grey gold cloth	4 & 142	142	83&142	13

NOTE 1 - For replacement of Door and Quarter trim panels (23942-3, 27406-7 and 31012-3), refer to this code in the 1972 Soft Trim Section. For replacement of Cushion Covers (62900 and 63804) and Back Covers (672A18 and 672A20, 1) contact your service representative. All other parts are included in the 1972 Soft Trim Section.

* For swatch identification refer to Page B, etc. ⊕ Refer to these numbers in the 1973 Color Swatch Pages.

1972 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
MAVERICK (P) - continued						
EA	54A,62A,D	Black all vinyl	4&64	64	35&64	5
EAA	54A	Black all vinyl	4&64	64		5
EB	54A,62A,D	Medium blue all vinyl	1&4	1	1&34	101
EBA	54A	Medium blue all vinyl	1&4	1		101
EE	54A,62A,D	Vermilion all vinyl	4&53	53	53&49	15
EEA	54A	Vermilion all vinyl	4&53	53		15
EY	54A,62A,D	Light grey gold all vinyl	4&142	142	48&142	13
FA	62A,D	Black all vinyl	4&64	64	35&64	5
FAA	62A,D	Black all vinyl	4&64	64		5
FB	62A,D	Medium blue all vinyl	1&4	1	1&34	101
FBA	62A,D	Medium blue all vinyl	1&4	1		101
FE	62A,D	Vermilion all vinyl	4&53	53	49&53	15
FEA	62A,D	Vermilion all vinyl	4&53	53		15
FY	62A,D	Light grey gold all vinyl	4&142	142	48&142	13
GE	62A,D	Vermilion vinyl and vermilion cloth	4&53	53	49&53	15
GY	62A,D	Light grey gold vinyl and light grey gold cloth	4&142	142	48&142	13
HA	54A,62A,D	Black all vinyl	64	64	6	5
HB	54A,62A,D	Medium blue all vinyl	1	1	8	101
HF	54A,62A,D	Medium ginger all vinyl	60	60	63	102
HT	54A,62A,D	Light beige all vinyl	209	209	211	210
JA	54A,62A,D	White vinyl and black cloth	64	64	64&181	5
JB	54A,62A,D	Medium blue vinyl and blue cloth	1	1	1&180	101
JF	54A,62A,D	Medium ginger vinyl and ginger cloth	60	60	60&114	102
JT	54A,62A,D	Light beige vinyl and beige cloth	209	209	207&209	210
KA	54A,62A,D	Black all vinyl	64	64	6	5
KB	54A,62A,D	Medium blue all vinyl	1	1	8	101
KF	54A,62A,D	Medium ginger all vinyl	60	60	63	102
KL	62A,D	White all vinyl with blue appointments	194	12	59	50
KS	62A,D	White all vinyl with ginger appointments	194	12	59	50
KT	54A,62A,D	Light beige all vinyl	209	209	211	210
KW	62A,D	White all vinyl with black appointments	194	12	59	50
K6	62A,D	White all vinyl with beige appointments	194	12	59	50
LA	62A,D	Black all vinyl	64	64	6	5
LF	62A,D	Ginger all vinyl	60	60	63	102
LL	62A,D	White all vinyl with blue appointments	194	12	59	101
LS	62A,D	White all vinyl with ginger appointments	194	12	59	102
LW	62A,D	White all vinyl with black appointments	194	12	59	50
L6	62A,D	White all vinyl white beige appointments	194	12	59	210
NA	62D	Black vinyl and black cloth	64	64	64&181	5
NB	62D	Medium blue vinyl and blue cloth	1	1	1&180	101
NF	62D	Medium ginger vinyl and ginger cloth	60	60	60&114	102
NT	62D	Light beige vinyl and beige cloth	209	209	207&209	210
PU	54A, 62A	Light tan all vinyl	217	217	217	
QB	62A	Blue all vinyl with white and vermilion appointments				
RB	62A	Blue all vinyl with white and vermilion appointments				

* For swatch identification refer to Page B, etc.

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

1972 TRIM SCHEME CODES

AS LISTED ON CERTIFICATION LABEL

CODE	BODY TYPE	TRIM SCHEME	*CONSISTS of SWATCH IDENTIFICATION NUMBERS			
			DOORS and QTR'S.	SEATS		HEAD-LINING
				BOLSTER	CUSHION and BACK	
THUNDERBIRD (S)						
GA	65K	Black vinyl and black cloth	64,91 & 104	64	91,92 & 158	5
GB	65K	Dark blue vinyl and dark blue cloth	2,190 & 197	2	157,187 & 197	183
GD	65K	Dark red vinyl and dark red cloth	36,109 & 191	36	53,108 & 191	98
GF	65K	Ginger vinyl and ginger cloth with tobacco appointments	60,103 & 193	60	159,186 & 193	102
GR	65K	Dark green vinyl and dark green cloth	57,167 & 195	57	163,167 & 184	140
HA, HAA	65K	Black vinyl and black cloth	64,89 & 104	64	64&89	5
HB, HBA	65K	Dark blue vinyl and dark blue cloth	2,45 & 190	2	2&88	183
HD, HDA	65K	Dark red vinyl and dark red cloth	36,76 & 109	36	36&76	98
HR, HRA	65K	Dark green vinyl and dark green cloth	57,74 & 195	57	57&74	140
HZ, HZA	65K	Tobacco vinyl and tobacco cloth	16,103 & 166	16	16&166	51
KA, KAA	65K	Black leather and black vinyl	11,64 & 104	11	11&65	5
KB, KBA	65K	Dark blue leather and dark blue vinyl	2,45 & 190	45	44&45	183
KD, KDA	65K	Dark red leather and dark red vinyl	9,36 & 109	9	9&10	98
KF, KFA	65K	Ginger leather and ginger vinyl with tobacco appointments	58,60 & 103	58	58&100	102
KL, KLA	65K	White leather and white vinyl with blue appointments	12,27	27	27&28	183
KR, KRA	65K	Dark green leather and dark green vinyl	20,57 & 195	20	20&21	140
KW, KWA	65K	White leather and white vinyl with black appointments	12,27	27	27&28	5
KZ, KZA	65K	Tobacco leather and tobacco vinyl	16,17 & 103	17	17&99	51
K5, K5A	65K	White leather and white vinyl with green appointments	12,27	27	27&28	140
K9, K9A	65K	White leather and white vinyl with tobacco appointments	12,27	27	27&28	51
BRONCO (U)						
3	97,98	Pastel parchment all vinyl	154	155	154&155	206
84	98	Ginger				
B	98	Blue all vinyl				
C	98	Ginger all vinyl				
G	98	Avocado all vinyl				

* For swatch identification refer to Page B, etc.

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
			_B or L	_D or N	___E	___F	___H	_R or 5	_Y or 8	_Z or 9						
COLORS →			BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
02344-5 PANEL - COWL TRIM																
A-w/o integral A/C	R	D2AZ 6502344	B	D		E		A	F	E	C					1
	L	D2AZ 6502345	B	D		E		A	F	E	C					1
-w/integral A/C	R	D2AZ 6502344	H	K		L		G	M	L	J					1
	L	D2AZ 6502345	H	K		L		G	M	L	J					1
B	R	D2OZ 6502344	B			•		A	E	D	C					1
	L	D2OZ 6502345	B			•		A	E	D	C					1
F-"Before 6/21/72"	R	D2ZZ 6502344	B			C		A			D					1
	L	D2ZZ 6502345	B			C		A			D					1
-"From 6/21/72"	R	D3ZZ 6502344	B			D		F			A					1
	L	D3ZZ 6502345	B			D		F			A					1
L-"Before 3/1/72"	R	D1FZ 6202344	B			C										1
	L	D1FZ 6202345	B					A			D					1
	R	D2FZ 6202344						B			E					1
	L	D2FZ 6202345												ΔA		1
	R	D3FZ 6202344												ΔC		1
	L	D4FZ 6202345				H										
-"From 3/1/72"	R	D2FZ 6202344	C			D		B			E					1
	L	D1FZ 6202345	B					A			D					1
	R	D3FZ 6202344												ΔC		1
	L	D4FZ 6202345				H								ΔG		1
	R	D4FZ 6202344												♦E	◊A	1
	L	D4FZ 6202345												♦E	◊A	1
P-"Before 12/1/71"	R	D1DZ 6202344	A		▲				C		B					1
	L	D1DZ 6202345	A		▲				C		B					1
	R	D2DZ 6202344				A									ΔB	1
	L	D2DZ 6202345				A									ΔB	1
-"From 12/1/71 to 5/1/72"	R	D2DZ 6202344	C			F			E		D			$H	ΔG	1
	L	D2DZ 6202345	C			F			E		D			$H	ΔG	1
-"From 5/1/72"	R	D3FZ 6202344	E			F					D					1
	L	D3FZ 6202345	E			F					D					1
S-"Before 2/21/72"	R	D2SZ 6502348	F	G		•		H		J	E					1
	L	D2SZ 6502349	F	G		•		H		J	E					1
-"From 2/21/72"	R	D3SZ 6302344	B	C				D		E	A					1
	L	D3SZ 6302345	B	C				D		E	A					1
A		382413-S9(UU148A)	Screw washer head-No.8-18 x 3/4"													2
F		381801-S2(UU148)	Screw washer head-No. 8-18 x 1/2"													4
02348-9 PANEL - COWL TRIM - Refer to Group 02344-5																
02600 WINDLACE - DOOR OPENING and QUARTER PILLAR - Also refer to Groups 24486-7, 24544-5 and 281A74-5																
B(63,65)	R	D2OZ 6531290	C			A		B	G	F	E		D			1
	L	D2OZ 6531291	C			A		B	G	F	E		D			1
F	R	D1ZZ 6531290	C		D	A		B			F		E			1
	L	D1ZZ 6531291	C		D	A		B			F		E			1
L		D2FZ 7331290	C			A		B			D				ΔE	2
P		Refer to Group 51222-3 and 513A68-9 in Body Section														
S	R	D2SZ 6531290	F	E		A		D		G	C		B			1
	L	D2SZ 6531291	F	E		A		D		G	C		B			1
03598-9 PAD - FRONT BODY UPPER PILLAR - Refer to Group in Body Section																

Δ Beige ▲ Use Black • Use Tobacco ♦ Avocado ◊ Orange $ Tan

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
			_B or L	_D or N	_E	_F	_H	_R or 5	_Y or 8	_Z or 9							
COLORS →			BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
04104-5 VISOR - LESS ARM and BRACKET - PADDED																	
A(53,54,57,65,71)-w/o mirror		D3AZ 6504105			D								G				2
		D3AZ 6504104				D				G	A						2
		D2AZ 6504104		B				C	G							$J	2
A(53,54,57,65,71) -w/mirror -"Before 6/19/72"		D2SZ 6504104		G	E		C		D		F	A		B			1
A(53,54,57,65,71)-w/mirror -"From 6/19/72"		D2AZ 6504104		M					N								1
		D2SY 6504104								A							1
		D3SZ 6504104			D		B				E	A		G			1
A(76)		D1AZ 7604104		B	C				D			A		⁂			2
B		D2OZ 6504104		B			E		C	G	F	A		D			2
F(63,65)		D1ZZ 6504104		B		F	E		C			A		D			2
F(76)	R	D1ZZ 7604104		B		⁂	C		A			D		⁂			1
	L	D1ZZ 7604105		B		⁂	C		A			D		⁂			1
L-"Before 6/19/72"		D1FZ 6204104					D		B								2
		D2FZ 6204104												A	♦C		2
		D4FZ 6204104		B								A					2
		D3FZ 6204104													$E	◊G	2
-"From 6/19/72"		D3FZ 6204104		B			D							C	◊G	♦F	2
		D3FZ 6204104													$E		2
		D4FZ 6204104										A					2
P		D1DZ 6204104		B		C				D		A					2
		D2DZ 6204104					F							E	♦H	$G	2
S-w/mirror	R	D3SZ 6504104		F	D		B		C		E	A		G			1
	L	D3AZ 6504105			D									G			1
	L	D3AZ 6504104		L			D		K		G	A					1
U		C9TZ 9704104											A1U				2
04282 PAD - INSTRUMENT PANEL																	
A-w/integral A/C		D1AZ 6504282		H	L				G	M		J		⁂			1
		D2AZ 6504282					•				B						1
-w/o integral A/C		D1AZ 6504282		B	E				A	F		C		⁂			1
		D2AZ 6504282					•				A						1
B		D2GZ 6504282		A			•		B	E	D	C					1
F		D1ZZ 6504282		F		⁂	H		E			G		⁂			1
L-"Before 5/29/72"		D1FZ 6204282							A								1
		D2FZ 6204282													◊B		1
		D3FZ 6204282		A			D					C			$B		1
-"From 5/29/72"		D3FZ 6204282		A			D					C			◊E	$B	1
P		D3DZ 6204282		A		⁂	E					D			♦F		1
		D1DZ 6204282								A							1
		D2DZ 6204282														$C	1
S-"Before 4/24/72"		D2SZ 6504282		E	B		•		C		D	A		⁂			1
-"From 4/24/72"		D3SZ 6504282		E	B				C		D	A					1
U		C9TZ 9604282										BCA					1
		D3BZ 1004282		C			B									◊D	1
044F62 COVER - CONSOLE PANEL SIDE																	
S		D2SZ 65044F62		C	E		A		D		A	B					1
044D90 PAD - CONSOLE PANEL TOP - Refer to Group in Body Section																	

⁂ Use Black $ Beige ♦ Orange ◊ Avocado • Tan • Use Tobacco

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY
TRIM CODES →			SECOND CHARACTER of TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
			_B or L	_D or N	___E	___F	___H	_R or 5	_Y or 8	_Z or 9						
COLORS →			BLUE	RED	VER-MIL-ION	GIN-GER	CRAN-BERRY	GREEN	GREY GOLD	TOB-ACCO	BLACK	PARCH-MENT	WHITE	SEE FOOT-NOTE	SEE FOOT NOTE	
13000 CARPET - FRONT FLOOR																
A-loop pile		D2AZ 6513000	H	L		•		G	M	K	J					1
A-cut pile		D2AZ 6513000	A	E				C	F	D	B					1
B-bench seat and column shift -"Before 7/11/72"		D2OZ 6513000	B			•		A	E	D	C					1
-"From 7/11/72"		D3OZ 6513000	G			•		F		J	H					1
B-bench seat and floor shift -"Before 7/1/72"		D2OZ 6513000	G			•		F	K	J	H					1
-"From 7/1/72"		D3OZ 6513000	B			•		A		D	C					1
B-bucket seat floor shift		D2OZ 6513000	AL			•		AK	AP	AN	AM					1
-bucket seat column shift		D2OZ 6513000	T			•		S	W	V	U					1
F(63)		D2ZZ 6313000			▲C											1
		D3ZZ 6313000	A			D		E			B					1
F(65) -"Before 7/1/72"		D1ZZ 6513000	B	E	D	C		A			D					1
-"From 7/1/72"		D3ZZ 6513000	B			C		A			D				◊E	1
F(76) -"Before 7/1/72"		D1ZZ 7613000	B	E	D	C		A			D					1
-"From 7/1/72"		D3ZZ 7613000	B			C					D					1
L-"Before 10/1/71"		D1FZ 6213000	B			C		A			D					1
		D2FZ 6213000													$R	
-"From 10/1/71 to 11/8/71"		D2FZ 6213000	B			C		A			D				$S	1
-"From 11/8/71 to 12/1/71"		D2FZ 6213000	U			V		T			W				$S	1
-"From 12/1/71 to 3/1/72"		D2FZ 6213000	J			K		H			L				$Z	1
-"From 3/1/72"		D2FZ 6213000	AG			AH		AF			AJ			◊AM	♦AL	1
		D2FZ 6213000												△AK		1
P-w/column shift		D1DZ 6213000	D		⁂				F		E					1
		D2DZ 6213000				C								♦K	$D	1
-w/floor shift		D1DZ 6213000	G		⁂				J		H					1
		D2DZ 6213000				G								♦J	$H	1
S-"Before 3/27/72"		D2SZ 6513000	H	L		•		M	G	K	F					1
-"From 3/27/72"		D3SZ 6513000	D	C				A		E	B					1
U		D3BZ 1013000	A			C									◊B	1
13000 MAT - FRONT FLOOR																
A(54,71)		D2AZ 5413000									A					1
B-w/floor shift		D2OZ 6513000	AA					AB			AC					1
-w/column shift		D2OZ 6513000	X					Y			AJ			△Z		1
L-front & rear- "Before 2/1/72"		D1FZ 6213000	G					F			E					1
-front & rear- "From 2/1/72"		D2FZ 6213000						AE								1
		D3FZ 6213000	G			K					F			$H		1
P-w/floor shift		D1DZ 6213000	S		⁂				U		T					1
		D2DZ 6213000				A									$B	1
-w/column shift		D1DZ 6213000	A		⁂				C		B					1
		D2DZ 6213000				E									$F	1
U-"Before 4/3/72"		D3BZ 1013010									A					1
		D1BZ 1013010										A				1
		D2BZ 1013010				A										1
-"From 4/3/72"		D3BZ 1013010									A					1
		D2BZ 1013010				A						B				1

▲ Black carpet with Vermilion heel pad ♦ Tan ◊ Avocado ♦ Orange • Use Tobacco ⁂ Use Black $ Beige

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER		
			_B or L	_D or N	_E	_F	_H	_R or 5	_Y or 8	_Z or 9							
COLORS →			BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOT NOTE		
13010 MAT - FRONT FLOOR - Refer to Group 13000																	
13017 MAT - FRONT FLOOR REAR																	
B(97)		D3OZ 9713017									A						1
130A34 CARPET - AUXILIARY FLOOR REAR																	
F		D1ZZ 63130A34		B		D	C		A			D					1
13042 CARPET - AUXILIARY FLOOR FRONT																	
F		D1ZZ 6313042							A								1
		D0ZZ 6313042					A										1
		C7ZZ 6313042		ABB		▲					ABA						1
13046 CARPET - REAR FLOOR																	
A(53)-cut pile		D2AZ 5313046		N	T		•		R	U	S	P					1
A(53,54)-loop pile		D2AZ 5413046		S	V		•		R	W	U	T					1
A(57)-cut pile		D2AZ 5713046		AB	AF		•		AD	AG	AE	AC					1
A(57)-loop pile		D2AZ 5713046		AJ	AM		•		AH	AN	AL	AK					1
A(65)-cut pile		D2AZ 6513046		AB	AF		•		AD	AG	AE	AC					1
A(65;76)-loop pile		D2AZ 6513046		AK	AN		•		AJ	AR	AM	AL					1
A(71)		D2AZ 7113046		P	T				N		S	R					1
B(53)		D2OZ 5313046		T					S	W	V	U					1
B(63,65)		D2OZ 6513046		AD					AC	AG	AF	AE					1
B(71)		D2OZ 7113046		AC					AB		AE	AD					1
B(97)		D2OZ 9713046		X					W	AA	Z	Y					1
F(63)		D2ZZ 6313046		G	K		H		F			J					1
F(65)		D2ZZ 6513046		G	K		H		F			J					1
F(76)		D2ZZ 7613046		G	K		H		F			J					1
L			Serviced in assembly - refer to Group 13000-1 Carpet														
P(54) -"Before 12/1/71"		D2DZ 5413046		D		▲	J			F		E				ΔK	1
-"From 12/1/71"		D2DZ 5413046		M			N			F		P			ØR	ΔL	1
P(62)		D2DZ 6213046		D		▲	J			F		E			ØL	ΔK	1
S		D3SZ 6513046		D	C				A		E	B					1
U		D3BZ 1013046		A			C								♦B		1
13046 MAT - REAR FLOOR																	
A(54B,D) -"Before 12/1/71"		D2AZ 5413046										G					1
-"From 12/1/71 to 5/1/72"		D2AZ 5413046										P					1
-"From 5/1/72"		D2AZ 5413046										Y					1
A(54B,D)- Police & taxi -"Before 12/1/71"		D2AZ 5413054										A					1
-"From 12/1/71"		D2AZ 5413054										B					1
A(71) -"Before 12/1/71"		D2AZ 7113046										F					1
-"From 12/1/71 to 5/1/72"		D2AZ 7113046										M					1
-"From 5/1/72"		D2AZ 7113046										W					1
B(53B) -"Before 5/1/72"		D2OZ 5313046		F					G			$H					1
-"From 5/1/72"		D2OZ 5313046							P			R					1

▲ Use Black • Use Tobacco Δ Beige Ø Tan ♦ Avocado $ Charcoal

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUM	SECOND CHARACTER of TRIM CODE													QTY.
TRIM CODES →				B or L	D or N	E	F	H	R or 5	Y or 8	Z or 9	C		ALL CODES	OTHER	OTHER	
COLORS →				BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	Bl	ARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
13046 MAT - REAR FLOOR - continued																	
B(53B)-Police & taxi -"Before 8/15/72"		D2OZ 5313046										M					1
-"From 8/15/72"		D2OZ 5313046										Z					1
B(65B) -"Before 5/1/72"		D2OZ 6513046		N					P			•R					1
-"From 5/1/72"		D2OZ 6513046		Y								AB					1
B(65B)-Police & taxi		D2OZ 6513046										X					1
B(71B) -"Before 5/1/72"		D2OZ 7113046										T					1
-"L		D3OZ 7113046		G													1
-"From 5/1/72"		D2OZ 7113046							Y								1
		D3OZ 7113046		G													1
B(71)-Police & taxi		D2OZ 7113046										AA					1
B(97D) -"Before 12/1/71"		D2OZ 9713046		F					G								1
		D3OZ 9713046										F					1
-"From 12/1/71		D3OZ 9713046		G					H			F					1
L			Serviced in assembly - refer to Group 13000 Mats														
P(54)		D2DZ 5413046		A			G			C		B				ΔH	1
P(62)		D2DZ 6213046		A			G			C		B				ΔH	1
U-"Before 6/19/72"		C8TZ 9813054											A1U				1
		D2BZ 1013054					A										1
13049 CARPET - AUXILIARY FLOOR																	
A(71)-front		D2AZ 7113049		K	L		•		J		G	H					1
-rear		D2AZ 7113065		D	E		•		C		F	B					1
-full length		D2AZ 7113049		N	S		•		M		R	P					1
B(71D,K)		D2OZ 7113049		B					A		D	C					1
L		D2FZ 7313049		W			X		V			Y				ΔZ	1
13054 MAT - REAR FLOOR - Refer to Group 13046																	
13065 CARPET - AUXILIARY FLOOR REAR - Refer to Group 13049																	

• Gray and Black Δ Beige ● Use Tobacco

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

MODEL	R/L	PART NUMBER LESS SUFFIX	RUBBER OR VINYL	FULL WIDTH OR TWIN	COLORS and APPLICABLE SUFFIXES: AQUA/TURQ.	BLACK	BLUE	GINGER	GREEN	GREY GOLD	IVY GOLD	NUGGET GOLD	RED/BURG.		WHITE	OTHER	OTHER
13086-7 MAT - FRONT FLOOR																	
A, B, F, L, P, S		†C9AZ 6213086	V	FW		◊AB					◊AC					∅Y	
		C9AZ 6213086	V	FW		‡R	‡S				‡U		‡T		‡V		
A,B,F w/carpet insert		D3AZ 6513086	R	T		A				F			B				
		D4AZ 6513086	R	T			C		B								⊕A
A,B,F,L,P,S		C6AZ 6213086	R	FW		A	C						D				
A		C9AZ 6213086	R	T		A							C		J		
		D0AZ 6213086	R	T			B		D								⊕A
		†C9AZ 6513086	R	FW		A							C		J		
		†D0AZ 6513086	R	FW			D		B								⊕A
B		D2OZ 6213086	R	T		A	B		F						G		⊕C
F		C5ZZ 6513086	R	T		C											
		D0ZZ 6513086	R	T			C	B	A								
L		D1FZ 6213086	R	T		B	A		D						C		
L,P--w/carpet insert		D3DZ 6213086	R	T		A				F			B				
		D4DZ 6213086	R	T			C		B								⊕A
S	R	D2SZ 6513086				A	E		C				B			▲D	
	L	D2SZ 6513087				A	E		C				B			▲D	
U		C9TZ 8113086	R	FW		A	B						C				
13088 MAT - FRONT and REAR FLOOR																	
A,B,F,L,P,S,X		D0DZ 6213088	V	T		‡A	‡B		‡F				‡D				
		D2AZ 6213088	V	T													∅A
13106 MAT - REAR FLOOR																	
A,B,F,L,P,S		†C9AZ 6213106	V	F		‡R	‡S				‡U				‡V		
		†C9AZ 6213606	V	F			◊AA									∅Y	
A,B,F,L,P-- w/carpet insert		D3AZ 6513106	R	T		A				F			B				
		D4AZ 6513106	R	T			C		B								⊕A
A,B,F,L,P,S		C6AZ 6213106	R	FW		A	C						D		B		
A		C9AZ 6213106	R	T		A							C		J		
		D0AZ 6213106	R	T			B		D								⊕A
		†C9AZ 6513106	R	FW		A							C		J		
		†D0AZ 6513106	R	FW			D		B								⊕A
B		D2OZ 6213106	R	T		A	B		F						G		⊕C
F		C5ZZ 6513106	R	T		C											
		D0ZZ 6513106	R	T			C		A								⊕B
L		D1FZ 6213106	R	T		B	A		D						C		
S		%D2SZ 6513106				A	E		C				B			▲D	

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES — SECOND CHARACTER of TRIM CODE: _B or L BLUE	_D or N RED	_E VERMILION	_F GINGER	_H CRANBERRY	_R or 5 GREEN	_Y or 8 GREY GOLD	_Z or 9 TOBACCO	ALL CODES BLACK	ALL CODES PARCHMENT	ALL CODES WHITE	OTHER SEE FOOTNOTE	OTHER SEE FOOTNOTE	QTY.
13144-5 RETAINER - REAR FLOOR MAT																
B(63,65)	R	D2OZ 6513144											$A			1
	L	D2OZ 6513145											$A			1
P(54)		D3DZ 5413144							$A							2
13176 MAT - REAR FLOOR (IN WELL)																
A(71)		C9AZ 7113182									A1A					1
B(71)		D2OZ 7113182									A					1
13182 MAT - REAR FLOOR REAR - Refer to Group 13176																

● Use Tobacco Δ Beige ‡ Opaque ◊ Transparent ∅ Clear ⊕ Brown ▲ Tobacco % R.H. or L.H.
† Cut to form twin mats if so desired $ Paint to match

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →				SECOND CHARACTER of TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
				B or I	D or N	E	F	H	R or 5	Y or 8	Z or 9						
COLORS →				BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
22666-7 HANDLE - DOOR PULL																	
F(63, 65F, 76D)	R	D1ZZ 6522666		B		C	D		E			A		F			1
	L	D1ZZ 6522667		B		C	D		E			A		F			1
S		D0VY 6522666		JB	BB		FB					HB		EB			2
		D1VY 6522666							A								2
		D2VY 6522666									A						2
237A14 BUTTON - DOOR TRIM																	
S-cloth		D2SZ 65237A14		C	B				D		E	A					AR
-vinyl		D2SZ 65237A14		G	H		J		K		L	F					AR
23724-5 INSERT - DOOR TRIM																	
B(63R, 65R, 97R)	R	D2OZ 6323724		AEB			AEF		AER			AEA		AEW			1
	L	D2OZ 6323725		AEB			AEF		AER			AEA		AEW			1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
23942-3 PANEL ASSY. - FRONT DOOR TRIM																	
TRIM CODES →			DA, DAC	DAA	DB, DBC	DBA	DD, DDC	DDA	DF, DFC	DFA	DR, DRC	DRA	DY, DYC	DYA			
A(53H)	R	D1AZ 5323942		BFA		BFB		BFD		BFF		BFR		BFY			1
	L	D1AZ 5323943		BFA		BFB		BFD		BFF		BFR		BFY			1
	R	D2AZ 5323942	AFA		AFB		AFD		AFF		AFR		AFY				1
	L	D2AZ 5323943	AFA		AFB		AFD		AFF		AFR		AFY				1
TRIM CODES →			FA, FAC	FAA	FB, FBC	FBA	FD, FDC	FDA	FF, FFC	FFA	FR, FRC	FRA	FY, FYC	FYA			
A(53H)	R	D1AZ 5323942		BFA		BFB		BFD		BFF		BFR		BFY			1
	L	D1AZ 5323943		BFA		BFB		BFD		BFF		BFR		BFY			1
	R	D2AZ 5323942	AFA		AFB		AFD		AFF		AFR		AFY				1
	L	D2AZ 5323943	AFA		AFB		AFD		AFF		AFR		AFY				1
TRIM CODES →			EA	EB	ED	ER	EY	EZ	ZA, ZAC	ZB, ZBC	ZD, ZDC	ZR, ZRC	ZY, ZYC	ZZ, ZZC			
A(53K) -"Before 2/15/72"	R	D2AZ 5323942	BZA		BZD	BZR	AZY	BZZ	BZA		BZD	BZR	AZY	BZZ			1
	L	D2AZ 5323943	BZA	BZB	BZD	BZR	AZY	AZZ	BZA	BZB	BZD	BZR	AZY	AZZ			1
TRIM CODES →			EA	EB	ED	ER	EY	EZ	ZA	ZB	ZD	ZR	ZY	ZZ			
A(53K) -"From 2/15/72"	R	D2AZ 5323942	BZA		BZD	BZR	BZY	BZZ	BZA		BZD	BZR	BZY	BZZ			1
	L	D2AZ 5323943	BZA	BZB	BZD	BZR	BZY	BZZ	BZA	BZB	BZD	BZR	BZY	BZZ			1
TRIM CODES →			AA, AAC	AAA	AB, ABC	ABA	AY, AYC	AYA	LU, LUC	LUA	NA, NAC	NAA	NB, NBC	NBA	NY, NYC	NYA	
A(54B)	R	D1AZ 5423942		ANA		ANB		ANY		ALU		ANA		ANB		ANY	1
	L	D1AZ 5423943		ANA		ANB		ANY		ALU		ANA		ANB		ANY	1
	R	D2AZ 5423942	ANA		ANB		ANY		ALU		ANA		ANB		ANY		1
	L	D2AZ 5423943	ANA		ANB		ANY		ALU		ANA		ANB		ANY		1
TRIM CODES →			HA, HAC	HAA	HB, HBC	HBA	HR, HRC	HRA	HY, HYC	HYA							
A(54D)	R	D1AZ 5423942		ANA		ANB		ANR		ANY							1
	L	D1AZ 5423943		ANA		ANB		ANR		ANY							1
	R	D2AZ 5423942	ANA		ANB		ANR		ANY								1
	L	D2AZ 5423943	ANA		ANB		ANR		ANY								1
TRIM CODES →			LU, LUC	LUA	NA, NAC	NAA	NB, NBC	NBA	NY, NYC	NYA							
A(54D)	R	D1AZ 5423942		ALU		ANA		ANB		ANY							1
	L	D1AZ 5423943		ALU		ANA		ANB		ANY							1
	R	D2AZ 5423942	ALU		ANA		ANB		ANY								1
	L	D2AZ 5423943	ALU		ANA		ANB		ANY								1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
23942-3 PANEL ASSY. - FRONT DOOR TRIM - continued																	
TRIM CODES →			KA, KAB, KAC	KAA	KB, KBC	KBA	KF, KFC	KFA	KR, KRC	KRA	KY, KYC	KYA					
A(54F)	R	D1AZ 5423942		A5A		A5B		A5F		A5R		A5Y					1
	L	D1AZ 5423943		A5A		A5B		A5F		A5R		A5Y					1
	R	D2AZ 5423942	AWA		AWB		AWF		AWR		AWY						1
	L	D2AZ 5423943	AWA		AWB		AWF		AWR		AWY						1
TRIM CODES →			WA, WAC	WAA	WB, WBC	WBA	WD, WDC	WDA	WF, WFC	WFA	WR, WRC	WRA	WY, WYC	WYA			
A(54F)	R	D1AZ 5423942		AWW		A5B		AWD		A5F		A5R		A5Y			1
	L	D1AZ 5423943		AWW		A5B		AWD		A5F		A5R		A5Y			1
	R	D2AZ 5423942	AWA		AWB		AWD		AWF		AWR		AWY				1
	L	D2AZ 5423943	AWA		AWB		AWD		AWF		AWR		AWY				1
TRIM CODES →			KA, KAC	KAA	KB, KBC	KBA	KF, KFC	KFA	KR, KRC	KRA	KY, KYC	KYA					
A(57F)	R	D1AZ 5723942		A5A		A5B		A5F		A5R		A5Y					1
	L	D1AZ 5723943		A5A		A5B		A5F		A5R		A5Y					1
	R	D2AZ 5723942	AWA		AWB		AWF		AWR		AWY						1
	L	D2AZ 5723943	AWA		AWB		AWF		AWR		AWY						1
TRIM CODES →			WA, WAC	WAA	WB, WBC	WBA	WD, WDC	WDA	WF, WFC	WFA	WR, WRC	WRA	WY, WYC	WYA			
A(57F)	R	D1AZ 5723942		A5A		A5B		AWD		A5F		A5R		A5Y			1
	L	D1AZ 5723943		A5A		A5B		AWD		A5F		A5R		A5Y			1
	R	D2AZ 5723942	AWA		AWB		AWD		AWF		AWR		AWY				1
	L	D2AZ 5723943	AWA		AWB		AWD		AWF		AWR		AWY				1
TRIM CODES →			DA, DAC	DAA	DB, DBC	DBA	DD, DDC	DDA	DF, DFC	DFA	DR, DRC	DRA	DY, DYC	DYA			
A(57H)	R	D1AZ 5723942		A5A		A5B		AWD		A5F		A5R		A5Y			1
	L	D1AZ 5723943		A5A		A5B		AWD		A5F		A5R		A5Y			1
	R	D2AZ 5723942	AFA		AFB		AFD		AFF		AFR		AFY				1
	L	D2AZ 5723943	AFA		AFB		AFD		AFF		AFR		AFY				1
TRIM CODES →			FA, FAC	FAA	FB, FBC	FBA	FD, FDC	FDA	FF, FFC	FFA	FR, FRC	FRA	FY, FYC	FYA			
A(57H)	R	D1AZ 5723942		A5A		A5B		AWD		A5F		A5R		A5Y			1
	L	D1AZ 5723943		A5A		A5B		AWD		A5F		A5R		A5Y			1
	R	D2AZ 5723942	AFA		AFB		AFD		AFF		AFR		AFY				1
	L	D2AZ 5723943	AFA		AFB		AFD		AFF		AFR		AFY				1
TRIM CODES →			EA	EB	ED	ER	EY	EZ	ZA, ZAC	ZB, ZBC	ZD, ZDC	ZR, ZRC	ZY, ZYC	ZZ, ZZC			
A(57K) -"Before 2/15/72"	R	D2AZ 5723942	AZA	AZB	AZD	BZR	AZY	BZZ	AZA	AZB	AZD	BZR	AZY	BZZ			1
	L	D2AZ 5723943	BZA	BZB	AZD	BZR	AZY	BZZ	BZA	BZB	AZD	BZR	AZY	BZZ			1
-"From 2/15/72"	R	D2AZ 5723942	BZA	BZB	BZD	BZR	BZY	BZZ	BZA	BZB	BZD	BZR	BZY	BZZ			1
	L	D2AZ 5723943	BZA	BZB	BZD	BZR	BZY	BZZ	BZA	BZB	BZD	BZR	BZY	BZZ			1
TRIM CODES →			HA, HAC	HAA	HB, HBC	HBA	HR, HRC	HRA	HY, HYC	HYA							
A(65D)	R	D1AB 6523942		02A		02B		02R		02Y							1
	L	D1AB 6523943		02A		02B		02R		02Y							1
	R	D2AZ 6523942	AHA		AHB		AHR		AHY								1
	L	D2AZ 6523943	AHA		AHB		AHR		AHY								1
TRIM CODES →			MA, MAC	MAA	MB, MBC	MBA	MR, MRC	MRA	MY, MYC	MYA							
A(65D)	R	D1AB 6523942		02A		02B		02R		02Y							1
	L	D1AB 6523943		02A		02B		02R		02Y							1
	R	D2AZ 6523942	AHA		AHB		AHR		AHY								1
	L	D2AZ 6523943	AHA		AHB		AHR		AHY								1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
23942-3 PANEL ASSY. - FRONT DOOR TRIM - continued																	
TRIM CODES →			KA, KAB, KAC	KAA	KB, KBC	KBA	KF, KFC	KFA	KR, KRC	KRA	KY, KYC	KYA					
A(65F)	R	D1AZ 6523942		A5A		A5B		A5F		A5R		A5Y					1
	L	D1AZ 6523943		A5A		A5B		A5F		A5R		A5Y					1
	R	D2AZ 6523942	AWA		AWB		AWF		AWR		AWY						1
	L	D2AZ 6523943	AWA		AWB		AWF		AWR		AWY						1
TRIM CODES →			WA, WAC	WAA	WB, WBC	WBA	WD, WDC	WDA	WF, WFC	WFA	WR, WRC	WRA	WY, WYC	WYA	WW, WWC	WWA	
A(65F)	R	D1AZ 6523942		A5A		A5B		AWD		A5F		A5R		A5Y		AWW	1
	L	D1AZ 6523943		A5A		A5B		AWD		A5F		A5R		A5Y		AWW	1
	R	D2AZ 6523942	AWA		AWB		AWD		AWF		AWR		AWY		AWW		1
	L	D2AZ 6523943	AWA		AWB		AWD		AWF		AWR		AWY		AWW		1
TRIM CODES →			DA, DAC	DAA	DB, DBC	DBA	DD, DDC	DDA	DF, DFC	DFA	DR, DRC	DRA	DY, DYC	DYA			
A(65H)	R	D1AZ 6523942		AFA		AFB		AFD		AFF		AFR		AFY			1
	L	D1AZ 6523943		AFA		AFB		AFD		AFF		AFR		AFY			1
	R	D2AZ 6523942	AFA		AFB		AFD		AFF		AFR						1
	L	D2AZ 6523943	AFA		AFB		AFD		AFF		AFR		AFY				1
TRIM CODES →			FA, FAC	FAA	FB, FBC	FBA	FD, FDC	FDA	FF, FFC	FFA	FR, FRC	FRA	FY, FYC	FYA	FW, FWC	FWA	
A(65H)	R	D1AZ 6523942		AFA		AFB		AFD		AFF		AFR		AFY		AFW	1
	L	D1AZ 6523943		AFA		AFB		AFD		AFF		AFR		AFY		AFW	1
	R	D2AZ 6523942	AFA		AFB		AFD		AFF		AFR						1
	L	D2AZ 6523943	AFA		AFB		AFD		AFF		AFR		AFY		AFW		1
TRIM CODES →			EA	EB	ED	ER	EY	EZ	ZA, ZAC	ZB, ZBC	ZD, ZDC	ZR, ZRC	ZY, ZYC	ZZ, ZZC			
A(65K) -"Before 2/15/72"	R	D2AZ 6523942	BZA	AZB	AZD	AZR	AZY	AZZ	BZA	AZB	AZD	AZR	AZY	AZZ			1
	L	D2AZ 6523943	AZA	AZB	AZD	AZR	AZY	AZZ	AZA	BZB	AZD	AZR	AZY	AZZ			1
-"From 2/15/72"	R	D2AZ 6523942	BZA	BZB	BZD	BZR	BZY	BZZ	BZA	BZB	BZD	BZR	BZY	BZZ			1
	L	D2AZ 6523943	BZA	BZB	BZD	BZR	BZY	BZZ	BZA	BZB	BZD	BZR	BZY	BZZ			1
TRIM CODES →			NA, NAC	NAA	NB, NBC	NBA	NR, NRC	NRA									
A(71B)	R	D1AZ 5423942		ANA		ANB		ANR									1
	L	D1AZ 5423943		ANA		ANB		ANR									1
	R	D2AZ 5423942	ANA		ANB		ANR										1
	L	D2AZ 5423943	ANA		ANB		ANR										1
TRIM CODES →			JA, JAC, JAD, JAE	JAA	JB, JBC, JBD, JBE	JBA	JF, JFC, JFD, JFE	JFA	JR, JRC, JRD, JRE	JRA							
A(71D)	R	D1AZ 5423942		ANA		ANB		AJF		ANR							1
	L	D1AZ 5423943		ANA		ANB		AJF		ANR							1
	R	D2AZ 5423942	ANA		ANB		AJF		ANR								1
	L	D2AZ 5423943	ANA		ANB		AJF		ANR								1
TRIM CODES →			RA, RAC, RAD, RAE	RAA	WA, WAC, WAD, WAE	WAA	WB, WBC, WBD, WBE	WBA	WD, WDC, WDD, WDE	WDA	WF, WFC, WFD, WFE	WFA	WR, WRC, WRD, WRE	WRA	WY, WYC,		
A(71F)	R	D1AZ 5423942		A5A		A5A		A5B		AWD		A5F		A5R			1
	L	D1AZ 5423943		A5A		A5A		A5B		AWD		A5F		A5R			1
	R	D2AZ 5423942	AWA		AWA		AWB		AWD		AWF		AWR		AWY		1
	L	D2AZ 5423943	AWA		AWA		AWB		AWD		AWF		AWR		AWY		1
TRIM CODES →			BA, BAC, BAD, BAE	BAA	BB, BBC, BBD, BBE	BF, BFC, BFD, BFE	BFA	BR, BRC, BRD, BRE	BRA								
A(71H)	R	D1AZ 7123942		ABA			ABF		ABR								1
	L	D1AZ 7123943		ABA			ABF		ABR								1
	R	D2AZ 7123942	ABA		ABB	ABF		ABR									1
	L	D2AZ 7123943	ABA		ABB	ABF		ABR									1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

23942-3 PANEL ASSY. - FRONT DOOR TRIM - continued

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			FA, FAC, FAD, FAE	FAA	FB, FBC, FBD, FBE	FBA	FD, FDC, FDD, FDE	FDA	FF, FFC, FFD, FFE	FFA	FR, FRC, FRD, FRE	FRA	VA, VAC, VAD, VAE	VAA			
A(71H)	R	D1AZ 7123942		AFA		AFB		AFD		AFF		AFR		AFA			1
	L	D1AZ 7123943		AFA		AFB		AFD		AFF		AFR		AFA			1
	R	D2AZ 7123942	AFA		AFB		AFD		AFF		AFR		AFA				1
	L	D2AZ 7123943	AFA		AFB		AFD		AFF		AFR		AFA				1
TRIM CODES →			FA, FAC	FAA	FB, FBC	FBA	FD, FDC	FDA	FR, FRC	FRA	FW, FWC	FWA					
A(76H)	R	D1AZ 6523942		BFA		BFB		BFD		BFR		BFW					1
	L	D1AZ 6523943		BFA		BFB		BFD		BFR		BFW					1
	R	D2AZ 6523942	AFA		AFB		AFD		AFR								1
	L	D2AZ 6523943	AFA		AFB		AFD		AFR		AFW						1
TRIM CODES →			AA, AAA	AB, ABA	AR, ARA												
B(53B, 71D)	R	D2OZ 5323942		AAB													1
	L	D2OZ 5323943		AAB	AAR												1
	R	D3OZ 5323942	AAA		AAR												1
	L	D3OZ 5323943	AAA														1
TRIM CODES →			BA, BAA	BB, BBA	BR, BRA	BY, BYA	BZ, BZA	CA, CAA	CB, CBA	CF, CFA	CR, CRA	JA	JF				
B(53, 71D) -"Before 1/3/72"	R	D2OZ 5323942	ACA	ACB	ACR	ACY	ACZ	ACA	ACB	ACF	ACR	ACA	ACF				1
	L	D2OZ 5323943	ACA	ACB	ACR	ACY	ACZ	ACA	ACB	ACF	ACR	ACA	ACF				1
-"From 1/3/72"	R	D2OZ 5323942				ABY											1
	L	D2OZ 5323943				ABY											1
	R	D3OZ 5323942	ABA	ABB	ABR		ABZ	ABA	ABB	ABF	ABR	ABA	ABF				1
	L	D3OZ 5323943	ABA	ABB	ABR		ABZ	ABA	ABB	ABF	ABR	ABA	ABF				1
TRIM CODES →			NA	NAA	NB	NBA	NR	NRA	NY	NYA	NZ	NZA					
B(53D)	R	D2OZ 5323942	ANA	BNA	ANB	BNB	ANR	BNR	ANY	BNY	ANZ	BNZ					1
	L	D2OZ 5323943	ANA	BNA	ANB	BNB	ANR	BNR	ANY	BNY	ANZ	BNZ					1
TRIM CODES →			EA	EF	FA	FB	FF	FL	FR	FW	F5	F9					
B(63R, 65R, 97R)	R	D2OZ 6323942	A9A	A2F	A9A		A2F	A1W		A1W	A1W	A1W					1
	R	D3OZ 6323942				D			B								1
	L	D2OZ 6323943	A9A	A2F	A9A	A9B	A2F	A1W	A8R	A1W	A1W	A1W					1
TRIM CODES →			MA, MAB, MAC	MB, MBB, MBC	MF, MFB, MFC	ML, MLB, MLC	MR, MRB, MRC	MW, MWB, MWC	M5, MSB, MSC	M9, M9B, M9C							
B(63R, 65R, 97R)	R	D2OZ 6323942	A9A		A2F	A1W		A1W	A1W	A1W							1
	R	D3OZ 6323942		D			B										1
	L	D2OZ 6323943	A9A	A9B	A2F	A1W	A8R	A1W	A1W	A1W							1
TRIM CODES →			AA	AB	AR	CA	CB	CR									
B(65B)	R	D2OZ 6523942	AAA	AAB	AAR	ABA	ABB	ABR									1
	L	D2OZ 6523943	AAA	AAB	AAR	ABA	ABB	ABR									1
TRIM CODES →			BA	BB	BR	BY	BZ	CA	CB	CF	CL	CR	CW	C5	C9		
B(65D)	R	D2OZ 6523942	ABA	ABB	ABR	ABY	ABZ	ABA	ABB	ABF	ABW	ABR	ABW	ABW	ABW		1
	L	D2OZ 6523943	ABA	ABB	ABR	ABY	ABZ	ABA	ABB	ABF	ABW	ABR	ABW	ABW	ABW		1
TRIM CODES →			DA	DF	KA, KAB, KAC	KB, KBB, KBC	KF, KFB, KFC	KL, KLB, KLC	KR, KRB, KRC	KW, KWB, KWC	K5, K5B, K5C	K9, K9B, K9C					
B(65D)	R	D2OZ 6523942	ABA	ABF	ABA	ABB	ABF	ABW	ABR	ABW	ABW	ABW					1
	L	D2OZ 6523943	ABA	ABF	ABA	ABB	ABF	ABW	ABR	ABW	ABW	ABW					1
TRIM CODES →			NA	NAA	NB	NBA	NR	NRA	NY	NYA	NZ	NZA					
B(65D)	R	D2OZ 6523942	ANA	BNA	ANB	BNB	ANR	BNR	ANY	BNY	ANZ	BNZ					1
	L	D2OZ 6523943	ANA	BNA	ANB	BNB	ANR	BNR	ANY	BNY	ANZ	BNZ					1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
23942-3 PANEL ASSY. - FRONT DOOR TRIM - continued																	
TRIM CODES →			GA	GB	GF	GR	HA	HF									
B(71K) -"Before 1/3/72"	R	D2OZ 7123942	AGA	AGB	AGF	AGR	AGA	AGF									1
-"From 1/3/72"	L	D2OZ 7123943	AGA	AGB	AGF	AGR	AGA	AGF									1
	R	D3OZ 7123942	AGA	AGB	AGF	AGR	AGA	AGF									1
	L	D2OZ 7123943	BGA	BGB	BGF		BGA	BGF									1
	L	D3OZ 7123943				AGR											1
TRIM CODES →			QA, QAA	QB, QBA	QR, QRA	QY, QYA	QZ, QZA	RA	RB	RF	RL	RR	RW	R5	R9		
B(97D,K)	R	D2OZ 9723942		AQB	AQR	AQY	AQZ		AQB	AQF	AQW	AQR	AQW	AQW	AQW		1
	L	D2OZ 9723943				AQY	AQZ			AQF	AQW		AQW	AQW	AQW		1
	R	D3OZ 9723942	AQA					AQA									1
	L	D3OZ 9723943	AQA	AQB	AQR			AQA	AQB			AQR					1
TRIM CODES →			SA, SAB, SAC	SB, SBB, SBC	SF, SFB, SFC	SL	SR, SRB, SRC	SW	S5	S9	VA	VF					
B(97D,K)	R	D2OZ 9723942		AQB	AQF	AQW	AQR	AQW	AQW	AQW		AQF					1
	L	D2OZ 9723943			AQF	AQW		AQW	AQW	AQW		AQF					1
	R	D3OZ 9723942	AQA								AQA						1
	L	D3OZ 9723943	AQA	AQB			AQR				AQA						1
TRIM CODES →			UA, UAA	UB, UBA	UF, UFA	UL, ULA	UR, URA	UW, UWA	U5, U5A	U9, U9A							
B(97D)	R	D2OZ 9723942		AQB	AQF	AQW	AQR	AQW	AQW	AQW							1
	L	D2OZ 9723943			AQF	AQW		AQW	AQW	AQW							1
	R	D3OZ 9723942	AQA														1
	L	D3OZ 9723943	AQA	AQB			AQR										1
TRIM CODES →			NA	NAA	NB	NBA	NR	NRA	NY	NYA	NZ	NZA					
B(97D,K)	R	D2OZ 6523942	ANA	BNA	ANB	BNB	ANR	BNR	ANY	BNY	ANZ	BNZ					1
	L	D2OZ 6523943	ANA	BNA	ANB	BNB	ANR	BNR	ANY	BNY	ANZ	BNZ					1
TRIM CODES →			AA, AAB, AAE	AB, ABB, ABE	AE, AEB, AEE	AF, AFB, AFE	AR, ARB, ARE	AW, AWB, AWE	GA, GAB, GAE	GB, GBB, GBE	GE, GEB, GEE	GF, GFB, GFF	GR, GRB, GRE	GW, GWB, GWE	HB, HBE	JB, JBE	
F(63) -w/remote control mirror	R	D1ZZ 6523942	A1A	A1B	A1E	A1F	A1R	A1W	A5A	A5B	A5E	A5F	A5R	A5W	A1W	A1W	1
	L	D1ZZ 6523943	A1A	A1B	A1E	A1F	A1R	A1W	A5A	A5B	A5E	A5F	A5R	A5W	A1W	A1W	1
-w/o remote control mirror -"Before 12/1/71"	L	D1ZZ 6323943							A5A	A5B	A5E	A5F	A5R	A5W			1
-w/o remote control mirror -"From 12/1/71"	L	D2ZZ 6323943							AGA	AGB	AGE	AGF	AGR	AGN			1
TRIM CODES →			AA, AAB, AAE	AB, ABB, ABE	AE, AEB, AEE	AF, AFB, AFE	AR, ARB, ARE	AW, AWB, AWE	HB, HBE	JB, JBE							
F(65D)	R	D1ZZ 6523942	A1A	A1B	A1E	A1F	A1R	A1W	A1W	A1W							1
	L	D1ZZ 6523943	A1A	A1B	A1E	A1F	A1R	A1W	A1W	A1W							1
TRIM CODES →			FA, FAB, FAE	FB, FBB, FBE	FE, FEB, FEE	FF, FFB, FFE	FR, FRB, FRE										
F(65F)	R	D1ZZ 6523942	A5A	A5B	A5E	A5F	A5R										1
	L	D1ZZ 6523943	A5A	A5B	A5E		A5R										1
	L	D3ZZ 6523943				AGF											1
TRIM CODES →			CA, CAB, CAE	CB, CBB, CBE	CE, CEB, CEE	CF, CFB, CFE	CR, CRB, CRE	CW, CWB, CWE									
F(76D) -w/remote control mirror	R	D1ZZ 6523942	A5A	A5B	A5E	A5F	A5R	A5W									1
	L	D1ZZ 6523943	A5A	A5B	A5E		A5R	A5W									1
	L	D3ZZ 6523943				AGF											1
-w/o remote control mirror	L	D2ZZ 6323943	AGA	AGB	AGE	AGF	AGR	AGW									1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
23942-3 PANEL ASSY. - FRONT DOOR TRIM - continued																	
TRIM CODES →			AA, AAC, AAD, AAE	AB, ABC, ABD, ABE	AF, AFC, AFD, AFE	AL, ALC, ALD, ALE	AR, ARC, ARD, ARE	AS, ASC, ASD, ASE	AT, ATC, ATD, ATE	AW, AWC, AWD, AWE	A5, A5C, A5D, A5E						
L	R	D1FZ 6223942	A1A	A1B			A1R										1
	L	D1FZ 6223943	A1A	A1B			A1R										1
	R	D2FZ 6223942			A1F	ABW		ABW	ABT	ABW	ABW						1
	L	D2FZ 6223943			A1F	ABW		ABW	ABT	ABW	ABW						1
TRIM CODES →			BA, BAC, BAD, BAE	BB, BBC, BBD, BBE	BF, BFC, BFD, BFE	BL, BLC, BLD, BLE	BR, BRC, BRD, BRE	BS, BSC, BSD, BSE	BT, BTC, BTD, BTE	BW, BWC, BWD, BWE	B5, B5C, B5D, B5E						
L	R	D1FZ 6223942	A2A	A2B	A2F		A2R										1
	L	D1FZ 6223943	A2A	A2B	A2F		A2R										1
	R	D2FZ 6223942				ACW		ACW	ACT	ACW	ACW						1
	L	D2FZ 6223943				ACW		ACW	ACT	ACW	ACW						1
TRIM CODES →			CA, CAC, CAD, CAE	CB, CBC, CBD, CBE	CF, CFC, CFD, CFE	CL, CLC, CLD, CLE	CR, CRC, CRD, CRE	CS, CSC, CSD, CSE	CT, CTC, CTD, CTE	CW, CWC, CWD, CWE	C5, C5C, C5D, C5E						
L	R	D1FZ 6223942	A2A	A2B	A2F		A2R										1
	L	D1FZ 6223943	A2A	A2B	A2F		A2R										1
	R	D2FZ 6223942				ACW		ACW	ACT	ACW	ACW	ACW	ACW				1
	L	D2FZ 6223943				ACW		ACW	ACT	ACW	ACW	ACW	ACW				1
TRIM CODES →			DA, DAA, DAE	DB, DBE	DF DFE	DL	DR	DS	DT, DTE	DW	D5						
L	R	D2FZ 6223942					ADR										1
	L	D2FZ 6223943					ADR										1
	R	D3FZ 6223942			DAF	DAW		DAW	AAT	DAW	DAW						1
	L	D3FZ 6223943			AAF	DAW		DAW	DAT	DAW	DAW						1
	R	D4FZ 6223942	AAA	AAB													1
	L	D4FZ 6223943	AAA	AAB													1
TRIM CODES →			EA	EB	EC	EF	EG	EL	ER	ET	ES	EW	E5				
L	R	D2FZ 6223942	BBA	BBB	BBC	BBF	BBG	BBW	BER	BBT	BBW	BBW	BBW				1
	L	D2FZ 6223943	BBA		BBC	BBF	BBG	BBW	BER	BBT	BBW	BBW	BBW				1
TRIM CODES →			FA	FB	FF	FL	FR	FS	FT	FW	F5	GB, GBE	HB, HBE	JB	KB		
L	R	D2FZ 6223942	BBA	BBB	BBF	BBW	BER	BBW	BBT	BBW	BBW	ACW	ACW				1
	L	D2FZ 6223943	BBA		BBF	BBW	BER	BBW	BBT	BBW	BBW	ACW	ACW				1
	R	D3FZ 6223942												DAW	DAW		1
	L	D3FZ 6223943												DAW	DAW		1
TRIM CODES →			AA, AAA	AY	BA	BB	BF	BT	BY	CA, CAA	CB	CY					
P(54A)	R	D1DZ 5423942	A2A	A2Y	A2A	A2B			A2Y	A5A	A5B	A5Y					1
	L	D1DZ 5423943	A2A	A2Y	A2A	A2B			A2Y	A5A	A5B	A5Y					1
	R	D2DZ 5423942					A2F	A2T									1
	L	D2DZ 5423943					A2F	A2T									1
TRIM CODES →			EA, EAA	EB, EBA	EE, EEA	EY	HA	HB	HF	HT							
P(54A)	R	D1DZ 5423942	A5A	A5B	A5E	A5Y	A2A	A2B									1
	L	D1DZ 5423943	A5A	A5B	A5E	A5Y	A2A	A2B									1
	R	D2DZ 5423942							A2F	A5T							1
	L	D2DZ 5423943							A2F	A5T							1
TRIM CODES →			JA	JB	JF	JT	KA	KB	KF	KT	PU						
P(54A)	R	D2DZ 5423942	A5A	A5B	A5F	A5T	A5A	A5B	A5F	A5T							1
	L	D2DZ 5423943	A5A	A5B	A5F	A5T	A5A	A5B	A5F	A5T							1
	R	D3DZ 5423942									APU						1
	L	D3DZ 5423943									APU						1

23942-3 PANEL ASSY. - FRONT DOOR TRIM - continued

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			AA, AAA	AY	BA	BB	BF	BT	BY	CE	CY	EA	EB	EE	EY		
P(62)	R	D0DZ 6223942	A1A	A1Y	A1A	A1B			A1Y								1
	L	D0DZ 6223943	A1A	A1Y	A1A	A1B			A1Y								1
	R	D2DZ 6223942					A1F	A1T									1
	L	D2DZ 6223943					A1F	A1T									1
	R	D1DZ 6223942								B5E	B3Y	B3A	B3B	B5E	B3Y		1
	L	D1DZ 6223943								B5E	B3Y	B3A	B3B	B5E	B3Y		1
TRIM CODES →			FA, FAA	FB, FBA	FE, FEA	FY	GE	GY	HA	HB	HF	HT	JA	JB	JF	JT	
P(62)	R	D0DZ 6223942							A1A	A1B							1
	L	D0DZ 6223943							A1A	A1B							1
	R	D1DZ 6223942	B3A	B3B	B5E	B3Y	B5E	B3Y									1
	L	D1DZ 6223943	B3A	B3B	B5E	B3Y	B5E	B3Y									1
	R	D2DZ 6223942									A1F	A1T	A3A	A3B	A3F	A3T	1
	L	D2DZ 6223943									A1F	A1T	A3A	A3B	A3F	A3T	1
TRIM CODES →			KA	KB	KF	KL	KT	KS	KW	K6	LA	LF	LL	LS	LW	L6	
P(62)	R	D2DZ 6223942	A3A	A3B	A3F	A3W	A3T	A3W	A3W	A3W	A3A	A3F	A3W	A3W	A3W	A3W	1
	L	D2DZ 6223943	A3A	A3B	A3F	A3W	A3T	A3W	A3W	A3W	A3A	A3F	A3W	A3W	A3W	A3W	1
TRIM CODES →			NA	NB	NF	NT	PU	RB	QB								
P(62)	R	D0DZ 6223942	A1A	A1B													1
	L	D0DZ 6223943	A1A	A1B													1
	R	D2DZ 6223942			A1F	A1T		ARB	ARB								1
	L	D2DZ 6223943			A1F	A1T		ARB	ARB								1
	R	D3DZ 6223942					APU										1
	L	D3DZ 6223943					APU										1
TRIM CODES →			GA	GB	GD	GF	GR	HA, HAA	HB, HBA	HD, HDA	HR, HRA	HZ, HZA					
S	R	D2SZ 6523942	DGA	DGB	DGD	DGF	DGR	EHA	EHB	EHD	EHR	EHZ					1
	L	D2SZ 6523943	DGA	DGB	DGD	DGF	DGR	EHA	EHB	EHD	EHR	EHZ					1
TRIM CODES →			KA, KAA	KB, KBA	KD, KDA	KF, KFA	KL, KLA	KR, KRA	KW, KWA	KZ, KZA	K5, K5A	K9, K9A					
S	R	D2SZ 6523942	EKA	EKB	EKD	EKF	EWW	EKR	EWW	EKZ	EWW	EWW					1
	L	D2SZ 6523943	EKA	EKB	EKD	EKF	EWW	EKR	EWW	EKZ	EWW	EWW					1
TRIM CODES →			LA	LF	LL	LR	LW	L5	L9								
S	R	D2SY 6523942	GLA	GLF	GLW	GLR	GLW	GLW	GLW								1
	L	D2SY 6523943	GLA	GLF	GLW	GLR	GLW	GLW	GLW								1
TRIM CODES →			3	84	B	C	G										
U-"Before 4/10/72"	R	D3BZ 1023942	ASU														1
	L	C8TZ 9723943	A8D														1
-"From 4/10/72"	R	D2TZ 9723942		ATF													1
	L	D2TZ 9723943		ATF													1
	R	D3BZ 1023942	ASU		AAB	AAF	AAG										1
	L	D3BZ 1023943	ASU		AAB	AAF	AAG										1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →				SECOND CHARACTER of TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
				_B or L	_D or N	__E	__F	__H	_R or 5	_Y or 8	_Z or 9						
COLORS →			LENGTH	BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
24100-1 PAD - DOOR ARM REST - INCLUDES ATTACHING PARTS																	
A(53,54,57,71)-front & rear door		D0AZ 5424100	10 1/2"	D	H		A					G					2
		D1AZ 5424100	10 1/2"						B	C					▲A		2
		D2AZ 5424100	10 1/2"								A						2
A(65,76)-front door		D0AZ 6224100	13 1/4"	D	H		A					G		E			2
		D1AZ 6224100	13 1/4"						A	B							2
		D2AZ 6224100	13 1/4"								A						2

▲ Beige

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	LENGTH	SECOND CHARACTER of TRIM CODE: _B or L BLUE	_D or N RED	_E VERMILION	_F GINGER	_H CRANBERRY	_R or 5 GREEN	_Y or 8 GREY GOLD	_Z or 9 TOBACCO	ALL CODES BLACK	ALL CODES PARCHMENT	ALL CODES WHITE	OTHER SEE FOOTNOTE	OTHER SEE FOOTNOTE	QTY.
24100-1 PAD - DOOR ARM REST - INCLUDES ATTACHING PARTS - continued																	
A(65,76)-quarter		D0OZ 6224100	8 1/2"	E	G		A					F		B			2
		D1DZ 6224100	8 1/2"							B							2
		D2AZ 6524100	8 1/2"						A								2
		D2OZ 6224100	8 1/2"								A						2
B(53,71)-rear door		D2OZ 5324100		C			A		B	F	E	D					2
B(53,65D,71)-front and quarter		D0OZ 6224100	8 1/2"	E			A					F		B			2
		D1DZ 6224100	8 1/2"						C	B							2
		D2OZ 6224100	8 1/2"								A						2
B(65B,97D,K)-front door	R	D1OZ 6524100	10 1/2"	C			A		B	G		F		E			1
	L	D1OZ 6524101	10 1/2"	C			A		B	G		F		E			1
	R	D2OZ 6524100	10 1/2"								A						1
	L	D2OZ 6524101	10 1/2"								A						1
F(63R,65F)			Serviced in assembly - refer to 23942-3														
F(63D,65D,76D)	R	D1OZ 6524100	10 1/2"	C		D	A		B			F		E			1
	L	D1OZ 6524101	10 1/2"	C		D	A		B			F		E			1
L			Refer to Group 24140-1														
P		D1DZ 6224100	8 1/2"			A				B							4
		D0OZ 6224100	8 1/2"	E			A					F		B			4
		D2DZ 6224100	8 1/2"												▲A	$B	4
P	R	D1OZ 6524100	10 1/2"	C		D	A			G		F		E			1
	L	D1OZ 6524101	10 1/2"	C		D	A			G		F		E			1
P	R	D2DZ 6524100	10 1/2"													▲A	1
	L	D2DZ 6524101	10 1/2"													▲A	1
S-door-"Before 3/6/72"	R	D2SZ 6524100		F	E		A		D		G	C		B			1
	L	D3SZ 6524101		F	E		B		D		G	C					1
	L	D2SZ 6524101												B			1
"From 3/6/72"	R	D3SZ 6524100		F	E		B		D		G	C					1
	L	D3SZ 6524101		F	E		B		D		G	C					1
S-quarter-"Before 3/6/72"	R	D2SZ 6531718		C	B		E		D		F	A		G			1
	L	D2SZ 6531719		C	B		E		D		F	A		G			1
-"From 3/6/72"	R	D3SZ 6531718		F	E		B		D		G	C		A			1
	L	D3SZ 6531719		F	E		B		D		G	C		A			1
24140-1 REST - DOOR ARM - INCLUDES ATTACHING PARTS																	
A,F,P,S,U-pad			Refer to Groups 24100-1 and 24144														
P(63R,65R,97R)-front door	R	D2OZ 6324140		AEB			AEF					AEA		AEW			1
	R	D3OZ 6324140							D								1
	L	D3OZ 6324141					C										1
	L	D2OZ 6324141		AEB					AER			AEA		AEW			1
B(63R,65R)-quarter		D1GY 6531600		C			A		B			F		E			2
L-"Before 4/3/72"		D1FZ 6224140		B			C		A			D					2
		D2FZ 6224140												B		▲A	2
-"From 4/3/72"	R	D3FZ 6224140		T			P		D			S		U	▲V	◊R	1
	L	D3FZ 6224141		P			L		D			N		R	▲S	◊M	1
	R	D3FZ 6224140														♦N	1
	L	D3FZ 6224141														♦K	1
L,P		D2FZ 6224146-A	Clip														2
P	R	D3FZ 6224140														$W	1
	L	D3FZ 6224141														$T	1
U-"Before 9/19/72"	R	D0TZ 1024140											B				1
	L	D0TZ 1024141											B				1
	R	D1TZ 1024140					A										1
	L	D3UZ 1124141					B										1
-"From 9/19/72"	R	D3UZ 1124140		C			B						G			◊F	1
	L	D3UZ 1124141		C			B						G			◊F	1

♦ Orange ▲ Beige ◊ Avocado $ Tan

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
			_B or L	_D or N	___E	___F	___H	_R or 5	_Y or 8	_Z or 9							
COLORS →			BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO		BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
24144 BASE - DOOR ARM REST - INCLUDES ATTACHING PARTS																	
A(53,54,57,71)-front & rear door		D1AZ 5724144	B	E								A		C	▲AA	ΔH	4
		D1OZ 5724144							A								4
		D3DZ 6224144				F		H									4
A(65,76)-front door		D0AZ 6224144	B	J		F						A		G			2
		D1AZ 6224144						A	C								2
		D0AZ 6324144														ΔE	2
A(65,76)-quarter		D0AZ 6231604										A		G			2
		D1AZ 6231604						A	D								2
		D0OZ 6231604		A													2
		D0AZ 6331604														ΔA	2
		D3OZ 6531604	B			F											2
B(53,71)-front & rear door		D1DZ 6224144							B								4
		D3DZ 6224144	L					R		P	K					ΔF	4
		D0OZ 6224144				C											4
B(65,97)-front door		D1AZ 5724144	B									A		C		ΔH	2
		D1OZ 5724144							A								2
		D3DZ 6224144				F		H		K							2
B(65)-quarter		D0AZ 6231604										A		G			2
		D1AZ 6231604						A	D								2
		D0AZ 6331604														ΔA	2
		D2OZ 6231604								A							2
		D3OZ 6531604	B			F											2
F(63D,65D,76D)		D1AZ 5724144	B	E	K							A		C			2
		D3DZ 6224144				F		H									2
L		Refer to Group 24140															
P		D3DZ 6224144	L								K						4
		D2DZ 6224144				B			A					C		▲D	4
		D1AZ 5724144														ΔH	2
		D1DZ 6224144			A												4
S-"Before 3/13/72"	R	D2SZ 6524144	E	G		A		F		C	D						1
	R	D3SZ 6524144												B			1
	L	D3SZ 6524145	E	G		A		F		C	D			B			1
-"From 3/13/72"	R	D3SZ 6524144	E	G		A		F		C	D			B			1
	L	D3SZ 6524145	E	G		A		F		C	D			B			1
243A34-5 WINDLACE - CENTER BODY PILLAR - REAR - Refer to Group 24486-7																	
24346-7 PANEL - CENTER BODY PILLAR INSIDE FINISH																	
A(53,54,71)-upper		Serviced in assembly - refer to Group 24300-1 in Body Section															
A(53,54,71)-lower	R	D0AZ 5424346												BA			1
	L	D0AZ 5424347												BA			1
A(57)-lower	R	D1AZ 5724346	E	H		C		D	J								1
	L	D1AZ 5724347	E	H		C		D	J								1
	R	D2AZ 5724346								A	B						1
	L	D2AZ 5724347								A	B						1
B(53,71)	R	D2OZ 5324346	C			A		B	F	E	D						1
	L	D2OZ 5324347	C			A		B	F	E	D						1
24486-7 WINDLACE - CENTER BODY PILLAR - Also Refer to Groups 02600, 24344-5 and 281A74-5																	
A(53,54,71)-front		D1AZ 5424486	E	H		C		D	J		G						2
		D2AZ 5424486								A							2
A(53,54,71)-rear		D1AZ 54243A34	E	H		C		D	J		G						2
		D2AZ 54243A34								A							2
B(53,71)		D2OZ 5324486	C			A		B	F	E	D						4
24544-5 WINDLACE - REAR DOOR OPENING - Also Refer to Groups 02600, 24486-7 and 281A74-5																	
A(71)	R	C9AZ 7124544									A1A						1
	L	C9AZ 7124545									A1A						1
	R	D1AZ 7124544						A									1
	L	D1AZ 7124545						A									1
	R	D0AZ 7124544	C	F		A											1
	L	D0AZ 7124545	C	F		A											1

Δ Chrome ▲ Beige ⊟ Paint to match

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
27406-7 PANEL ASSY. - REAR DOOR TRIM																	
TRIM CODES →			DA, DAC	DAA	DB, DBC	DBA	DD, DDC	DDA	DF, DFC	DFA	DR, DRC	DRA	DY, DYC	DYA			
A(53H)	R	D1AZ 5327406		BFA		BFB		BFD		BFF		BFR		BFY			1
	L	D1AZ 5327407		BFA		BFB		BFD		BFF		BFR		BFY			1
	R	D2AZ 5327406	AFA		AFB		AFD		AFF		AFR		AFY				1
	L	D2AZ 5327407	AFA		AFB		AFD		AFF		AFR		AFY				1
TRIM CODES →			FA, FAC	FAA	FB, FBC	FBA	FD, FDC	FDA	FF, FFC	FFA	FR, FRC	FRA	FY, FYC	FYA			
A(53H)	R	D1AZ 5327406		BFA		BFB		BFD		BFF		BFR		BFY			1
	L	D1AZ 5327407		BFA		BFB		BFD		BFF		BFR		BFY			1
	R	D2AZ 5327406	AFA		AFB		AFD		AFF		AFR		AFY				1
	L	D2AZ 5327407	AFA		AFB		AFD		AFF		AFR		AFY				1
TRIM CODES →			EA	EB	ED	ER	EY	EZ	ZA, ZAC	ZB, ZBC	ZD, ZDC	ZR, ZRC	ZY, ZYC	ZZ, ZZC			
A(53K)	R	D2AZ 5327406	AZA	AZB	AZD	AZR	AZY	AZZ	AZA	AZB	AZD	AZR	AZY	AZZ			1
	L	D2AZ 5327407	AZA	AZB	AZD	AZR	AZY	AZZ	AZA	AZB	AZD	AZR	AZY	AZZ			1
TRIM CODES →			AA, AAC	AAA	AB, ABC	ABA	AY, AYC	AYA	LU, LUC	LUA	NA, NAC	NAA	NB, NBC	NBA	NY, NYC	NYA	
A(54B)	R	D1AZ 5427406		ANA		ANB		ANY		ALU		ANA		ANB		ANY	1
	L	D1AZ 5427407		ANA		ANB		ANY		ALU		ANA		ANB		ANY	1
	R	D2AZ 5427406	ANA		ANB		ANY		ALU		ANA		ANB		ANY		1
	L	D2AZ 5427407	ANA		ANB		ANY		ALU		ANA		ANB		ANY		1
TRIM CODES →			HA, HAC	HAA	HB, HBC	HBA	HR, HRC	HRA	HY, HYC	HYA							
A(54D)	R	D1AZ 5427406		ANA		ANB		ANR		ANY							1
	L	D1AZ 5427407		ANA		ANB		ANR		ANY							1
	R	D2AZ 5427406	ANA		ANB		ANR		ANY								1
	L	D2AZ 5427407	ANA		ANB		ANR		ANY								1
TRIM CODES →			LU, LUC	LUA	NA, NAC	NAA	NB, NBC	NBA	NY, NYC	NYA							
A(54D)	R	D1AZ 5427406		ALU		ANA		ANB		ANY							1
	L	D1AZ 5427407		ALU		ANA		ANB		ANY							1
	R	D2AZ 5427406	ALU		ANA		ANB		ANY								1
	L	D2AZ 5427407	ALU		ANA		ANB		ANY								1
TRIM CODES →			KA, KAB, KAC	KAA	KB, KBC	KBA	KF, KFC	KFA	KR, KRC	KRA	KY, KYC	KYA					
A(54F)	R	D1AZ 5427406		A5A		A5B		A5F		A5R		A5Y					1
	L	D1AZ 5427407		A5A		A5B		A5F		A5R		A5Y					1
	R	D2AZ 5427406	AWA		AWB		AWF		AWR		AWY						1
	L	D2AZ 5427407	AWA		AWB		AWF		AWR		AWY						1
TRIM CODES →			WA, WAC	WAA	WB, WBC	WBA	WD, WDC	WDA	WF, WFC	WFA	WR, WRC	WRA	WY, WYC	WYA			
A(54F)	R	D1AZ 5427406		AWW		A5B		AWD		A5F		A5R		A5Y			1
	L	D1AZ 5427407		AWW		A5B		AWD		A5F		A5R		A5Y			1
	R	D2AZ 5427406	AWA		AWB		AWD		AWF		AWR		AWY				1
	L	D2AZ 5427407	AWA		AWB		AWD		AWF		AWR		AWY				1
TRIM CODES →			KA, KAB, KAC	KAA	KB, KBC	KBA	KF, KFC	KFA	KR, KRC	KRA	KY, KYC	KYA					
A(57F)	R	D1AZ 5727406		A5A		A5B		A5F		A5R		A5Y					1
	L	D1AZ 5727407		A5A		A5B		A5F		A5R		A5Y					1
	R	D2AZ 5727406	AWA		AWB		AWF		AWR		AWY						1
	L	D2AZ 5727407	AWA		AWB		AWF		AWR		AWY						1

27406-7 PANEL ASSY. - REAR DOOR TRIM - continued

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES												QTY.
TRIM CODES →			WA, WAC	WAA	WB, WBC	WBA	WD, WDC	WDA	WF, WFC	WFA	WR, WRC	WRA	WY, WYC	WYA	
A(57F)	R	D1AZ 5727406		A5A		A5B		AWD		A5F		A5R		A5Y	1
	L	D1AZ 5727407		A5A		A5B		AWD		A5F		A5R		A5Y	1
	R	D2AZ 5727406	AWA		AWB		AWD		AWF		AWR		AWY		1
	L	D2AZ 5727407	AWA		AWB		AWD		AWF		AWR		AWY		1
TRIM CODES →			DA, DAC	DAA	DB, DBC	DBA	DD, DDC	DDA	DF, DFC	DFA	DR, DRC	DRA	DY, DYC	DYA	
A(57H)	R	D1AZ 5727406		A5A		A5B		AWD		A5F		A5R		A5Y	1
	L	D1AZ 5727407		A5A		A5B		AWD		A5F		A5R		A5Y	1
	R	D2AZ 5727406	AFA		AFB		AFD		AFF		AFR		AFY		1
	L	D2AZ 5727407	AFA		AFB		AFD		AFF		AFR		AFY		1
TRIM CODES →			FA, FAC	FAA	FB, FBC	FBA	FD, FDC	FDA	FF, FFC	FFA	FR, FRC	FRA	FY, FYC	FYA	
A(57H)	R	D1AZ 5727406		A5A		A5B		AWD		A5F		A5R		A5Y	1
	L	D1AZ 5727407		A5A		A5B		AWD		A5F		A5R		A5Y	1
	R	D2AZ 5727406	AFA		AFB		AFD		AFF		AFR		AFY		1
	L	D2AZ 5727407	AFA		AFB		AFD		AFF		AFR		AFY		1
TRIM CODES →			EA	EB	ED	ER	EY	EZ	ZA, ZAC	ZB, ZBC	ZD, ZDC	ZR, ZRC	ZY, ZYC	ZZ, ZZC	
A(57K)	R	D2AZ 5727406	AZA	AZB	AZD	AZR	AZY	AZZ	AZA	AZB	AZD	AZR	AZY	AZZ	1
	L	D2AZ 5727407	AZA	AZB	AZD	AZR	AZY	AZZ	AZA	AZB	AZD	AZR	AZY	AZZ	1
TRIM CODES →			NA, NAC	NAA	NB, NBC	NBA	NR, NRC	NRA							
A(71B)	R	D1AZ 5427406		ANA		ANB		ANR							1
	L	D1AZ 5427407		ANA		ANB		ANR							1
	R	D2AZ 5427406	ANA		ANB		ANR								1
	L	D2AZ 5427407	ANA		ANB		ANR								1
TRIM CODES →			JA, JAC, JAD, JAE	JAA	JB, JBC, JBD, JBE	JBA	JF, JFC, JFD, JFE	JFA	JR, JRC, JRD, JRE	JRA					
A(71D)	R	D1AZ 5427406		ANA		ANB		AJF		ANR					1
	L	D1AZ 5427407		ANA		ANB		AJF		ANR					1
	R	D2AZ 5427406	ANA		ANB		AJF		ANR						1
	L	D2AZ 5427407	ANA		ANB		AJF		ANR						1
TRIM CODES →			RA, RAC, RAD, RAE	RAA	WA, WAC, WAD, WAE	WAA	WB, WBC, WBD, WBE	WBA	WD, WDC, WDD, WDE	WDA	WF, WFC, WFD, WFE	WFA	WR, WRC, WRD, WRE	WRA	WY, WYC
A(71F)	R	D1AZ 5427406		A5A		A5A		A5B		AWD		A5F		A5R	1
	L	D1AZ 5427407		A5A		A5A		A5B		AWD		A5F		A5R	1
	R	D2AZ 5427406	AWA		AWA		AWB		AWD		AWF		AWR		AWY	1
	L	D2AZ 5427407	AWA		AWA		AWB		AWD		AWF		AWR		AWY	1
TRIM CODES →			BA, BAC, BAD, BAE	BAA	BB, BBC, BBD, BBE	BF, BFC, BFD, BFE	BFA	BR, BRC, BRD, BRE	BRA						
A(71H)	R	D1AZ 7127406		ABA			ABF		ABR						1
	L	D1AZ 7127407		ABA			ABF		ABR						1
	R	D2AZ 7127406	ABA		ABB	ABF		ABR							1
	L	D2AZ 7127407	ABA		ABB	ABF		ABR							1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
27406-7 PANEL ASSY. - REAR DOOR TRIM - continued																
TRIM CODES →			FA, FAC, FAD, FAE	FAA	FB, FBC, FBD, FBE	FBA	FD, FDC, FDD, FDE	FDA	FF, FFC, FFD, FFE	FFA	FR, FRC, FRD, FRE	FRA	VA, VAC, VAD, VAE	VAA		
A(71H)	R	D1AZ 7127406		AFA		AFB		AFD				AFR		AFA		1
	L	D1AZ 7127407		AFA		AFB		AFD		AFF		AFR		AFA		1
	R	D2AZ 7127406	AFA		AFB		AFD		AFF		AFR		AFA			1
	L	D2AZ 7127407	AFA		AFB		AFD		AFF		AFR		AFA			1
TRIM CODES →			AA, AAA	AB, ABA	AR, ARA	CA	CB	CR								
B(53B, 71B)	R	D2OZ 5327406	AAA	AAB	AAR			ACR								1
	L	D2OZ 5327407	AAA	AAB	AAR		ACB									1
	R	D3OZ 5327406				ABA	ABB									1
	L	D3OZ 5327407				ABA		ABR								1
TRIM CODES →			BA, BAA	BB, BBA	BR, BRA	BY, BYA	BZ, BZA	CA, CAA	CB, CBA	CF, CFA	CR, CRA	JA,	JF,			
B(53D, 71D)	R	D2OZ 5327406			ACR	ACY	ACZ				ACR					1
	L	D2OZ 5327407		ACB		ACY	ACZ		ACB							1
	R	D3OZ 5327406	ABA	ABB				ABA	ABB	ABF		ABA	ABF			1
	L	D3OZ 5327407	ABA		ABR			ABA		ABF	ABR	ABA	ABF			1
TRIM CODES →			NA	NAA	NB	NBA	NR	NRA	NY	NYA	NZ	NZA				
B(53D)	R	D2OZ 5327406	ANA	BNA	ANB	BNB	ANR	BNR	ANY	BNY	ANZ	BNZ				1
	L	D2OZ 5327407	ANA	BNA	ANB	BNB	ANR	BNR	ANY	BNY	ANZ	BNZ				1
TRIM CODES →			GA	GB	GF	GR	HA	HF								
B(71K)	R	D2OZ 7127406			AGF			AGF								1
	L	D2OZ 7127407				AGR										1
	R	D3OZ 7127407	AGA	AGB		AGR	AGA									1
	L	D3OZ 7127407	AGA	AGB	AGF		AGA	AGF								1
TRIM CODES →			AA, AAA	AY	BA	BB	BF	BT	BY	CA, CAA	CB	CY				
P(54A)	R	D1DZ 5427406	A2A	A2Y	A2A	A2B			A2Y	A5A	A5B	A5Y				1
	L	D1DZ 5427407	A2A	A2Y	A2A	A2B			A2Y	A5A	A5B	A5Y				1
	R	D2DZ 5427406					A2F	A2T								1
	L	D2DZ 5427407					A2F	A2T								1
TRIM CODES →			EA, EAA	EB, EBA	EE, EEA	EY	HA	HB	HF	HT						
P(54A)	R	D1DZ 5427406	A5A	A5B	A5E	A5Y	A2A	A2B								1
	L	D1DZ 5427407	A5A	A5B	A5E	A5Y	A2A	A2B								1
	R	D2DZ 5427406							A2F	A5T						1
	L	D2DZ 5427407							A2F	A5T						1
TRIM CODES →			JA	JB	JF	JT	KA	KB	KF	KT	PU					
P(54A)	R	D2DZ 5427406	A5A	A5B	A5F	A5T	A5A	A5B	A5F	A5T	APU					1
	L	D2DZ 5427407	A5A	A5B	A5F	A5T	A5A	A5B	A5F	A5T	APU					1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER
TRIM CODES →			_B or L	_D or N	_E	_F	_H	_R or 5	_Y or 8	_Z or 9						
COLORS →			BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO		BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE
281A74-5 COVER - QUARTER LATCH PILLAR FLANGE - Also Refer to Groups 02600, 24544-5 and 24486-7																
A(65, 76)	R	C9AZ 63281A74										B1A				1
	R	D1AZ 63281A74		D	E		C		A	B		G		F		1
	L	D1AZ 63281A75		D	E		C		A	B		G		F		1
	R	D2AZ 63281A74									A					1
	L	D2AZ 63281A75									A					1
B(97)	R	D2OZ 97281A74										$A				1
	L	D2OZ 97281A75										$A				1

$ Paint to match

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
			_B or L	_D or N	_E	_F	_H	_R or 5	_Y or 8	_Z or 9						
COLORS →			BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOT NOTE	
31012-3 PANEL ASSY. - QUARTER TRIM																
A(53,57)	R	D1AZ 5731012		C	F		A		B	G		E				1
	L	D1AZ 5731013		C	F		A		B	G		E				1
	R	D2AZ 5731012									A					1
	L	D2AZ 5731013									A					1
A(54)	R	C9AZ 5431012									B1A			▲B1U		1
	L	C9AZ 5431013									B1A			▲B1U		1
	R	D0AZ 5431012		A	D											1
	L	D0AZ 5431013		A	D											1
	R	D1AZ 5431012					C		A	B						1
	L	D1AZ 5431013					C		A	B						1
A(71)	R		Front - Refer to Group 31136-7													
	R		Rear - Refer to Group 47042													
-w/S/compt.- "Before 12/1/71"	L	D1AY 7131013		C	A		D		B			E				1
-w/o S/compt.- "Before 12/1/71"	L	D0AZ 7131013		B	D		A									1
	L	D1AZ 7131013							A							1
	L	C9AZ 7131013									C1A					1
-w/S/compt.- "From 12/1/71"	L	D2AZ 7131013		H	F		J		G			K				1
-w/o S/compt.- "From 12/1/71"	L	D2AZ 7131013		D	E		A		B			C				1
B(53)	R	D2OZ 5331012								F	E	D				1
	L	D2OZ 5331013								F	E	D				1
	R	D3OZ 5331012		D			A		B							1
	L	D3OZ 5331013		D			A		B							1
B(71)	R	D2OZ 7131012					A		B							1
	L	D2OZ 7131013					A									1
	R	D3OZ 7131012		B								A				1
	L	D3OZ 7131013		B					D			A				1
L(73)	R	D2FZ 7331012							B							1
	L	D2FZ 7331013							B							1
	R	D3FZ 7131012		D			A					C		▲E		1
	L	D3FZ 7131013		D			A					C		▲E		1
P(54) -"Before 12/6/71"	R	D2DZ 5431012				C	E			D					▲F	1
	L	D2DZ 5431013				C	E			D					▲F	1
	R	D3DZ 5431012		C								B				1
	L	D3DZ 5431013		C								B				1
-"From 12/6/71"	R	D2DZ 5431012								D				•J		1
	L	D2DZ 5431013								D				•J		1
	R	D1DZ 5431012				A										1
	L	D1DZ 5431013				A										1
	R	D3DZ 5431012		C			A					B		▲D		1
	L	D3DZ 5431013		C			A					B		▲D		1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
A(53,54,57,71)			Listed by color at the beginning of this group													
TRIM CODES →			HA, HAC	HAA	HB, HBC	HBA	HR, HRC	HRA	HY, HYC	HYA						
A(65D)	R	D1AB 6531012		02A		02B		02R		02Y						1
	L	D1AB 6531013		02A		02B		02R		02Y						1
	R	D2AZ 6531012	AHA		AHB		AHR		AHY							1
	L	D2AZ 6531013	AHA		AHB		AHR		AHY							1

▲ Beige • Tan

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
31012-3 PANEL ASSY. - QUARTER TRIM - continued																	
TRIM CODES →			MA, MAC	MAA	MB, MBC	MBA	MR, MRC	MRA	MY, MYC	MYA							
A(65D)	R	D1AB 6531012		02A		02B		02R		02Y							1
	L	D1AB 6531013		02A		02B		02R		02Y							1
	R	D2AZ 6531012	AHA		AHB		AHR		AHY								1
	L	D2AZ 6531013	AHA		AHB		AHR		AHY								1
TRIM CODES →			KA, KAB, KAC	KAA	KB, KBC	KBA	KF, KFC	KFA	KR, KRC	KRA	KY, KYC	KYA					
A(65F)	R	D1AZ 6531012		A5A		A5B		A5F		A5R		A5Y					1
	L	D1AZ 6531013		A5A		A5B		A5F		A5R		A5Y					1
	R	D2AZ 6531012	AWA		AWB		AWF		AWR		AWY						1
	L	D2AZ 6531013	AWA		AWB		AWF		AWR		AWY						1
TRIM CODES →			WA, WAC	WAA	WB, WBC	WBA	WD, WDC	WDA	WF, WFC	WFA	WR, WRC	WRA	WY, WYC	WYA	WW, WWC	WWA	
A(65F)	R	D1AZ 6531012		A5A		A5B		AWD		A5F		A5R		A5Y		AWW	1
	L	D1AZ 6531013		A5A		A5B		AWD		A5F		A5R		A5Y		AWW	1
	R	D2AZ 6531012	AWA		AWB		AWD		AWF		AWR		AWY		AWW		1
	L	D2AZ 6531013	AWA		AWB		AWD		AWF		AWR		AWY		AWW		1
TRIM CODES →			DA, DAC	DAA	DB, DBC	DBA	DD, DDC	DDA	DF, DFC	DFA	DR, DRC	DRA	DY, DYC	DYA			
A(65H)	R	D1AZ 6531012		ADA		ADB		ADD		ADF		ADR		ADY			1
	L	D1AZ 6531013		ADA		ADB		ADD		ADF		ADR		ADY			1
	R	D2AZ 6531012	AFA		AFB		AFD		AFF		AFR		AFY				1
	L	D2AZ 6531013	AFA		AFB		AFD		AFF		AFR		AFY				1
TRIM CODES →			FA, FAC	FAA	FB, FBC	FBA	FD, FDC	FDA	FF, FFC	FFA	FR, FRC	FRA	FY, FYC	FYA	FW, FWC	FWA	
A(65H)	R	D1AZ 6531012		ADA		ADB		ADD		ADF		ADR		ADY		ADW	1
	L	D1AZ 6531013		ADA		ADB		ADD		ADF		ADR		ADY		ADW	1
	R	D2AZ 6531012	AFA		AFB		AFD		AFF		AFR		AFY		AFW		1
	L	D2AZ 6531013	AFA		AFB		AFD		AFF		AFR		AFY		AFW		1
TRIM CODES →			EA	EB	ED	ER	EY	EZ	ZA, ZAC	ZB, ZBC	ZD, ZDC	ZR, ZRC	ZY, ZYC	ZZ, ZZC			
A(65K)	R	D2AZ 6531012	AZA	AZB	AZD	AZR	AZY	AZZ	AZA	AZB	AZD	AZR	AZY	AZZ			1
	L	D2AZ 6531013	AZA	AZB	AZD	AZR	AZY	AZZ	AZA	AZB	AZD	AZR	AZY	AZZ			1
TRIM CODES →			FA, FAC	FAA	FB, FBC	FBA	FD, FDC	FDA	FR, FRC	FRA	FW, FWC	FWA					
A(76H)	R	D1AZ 7631012		AFA		AFB		AFD		AFR		AFW					1
	L	D1AZ 7631013		AFA		AFB		AFD		AFR		AFW					1
	R	D2AZ 7631012	AFA		AFB		AFD		AFR		AFW						1
	L	D2AZ 7631013	AFA		AFB		AFD		AFR		AFW						1
B(53,71)			Listed by color at the beginning of this group														
TRIM CODES →			EA	EF	FA	FB	FF	FL	FR	FW	F5	F9					
B(63R)	R	D2OZ 6331012	E	A	E	C	A	D	B	D	D	D					1
	L	D2OZ 6331013	E	A	E	C	A	D	B	D	D	D					1
TRIM CODES →			MA, MAB, MAC	MB, MBB, MBC	MF, MFB, MFC	ML, MLB, MLC	MR, MRB, MRC	MW, MWB, MWC	M5, M5B, M5C	M9, M9B, M9C							
B(63R)	R	D2OZ 6331012	E	C	A	D	B	D	D	D							1
	L	D2OZ 6331013	E	C	A	D	B	D	D	D							1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
31012-3 PANEL ASSY. - QUARTER TRIM - continued																	
TRIM CODES →			AA	AB	AR	CA	CB	CR									
B(65B)	R	D2OZ 6531012	AAA	AAB	AAR	ACA		ACR									1
	L	D2OZ 6531013	AAA	AAB	AAR	ACA	ACB	ACR									1
TRIM CODES →			BA, BAA	BB, BBA	BR, BRA	BY, BYA	BZ, BZA	CA	CB	CF	CL	CR	CW	C5	C9		
B(65D)	R	D2OZ 6531012	ABA	ABB	ABR	ABY	ABZ	ABA	ABB	ABF	ABW	ABR	ABW	ABW	ABW		1
	L	D2OZ 6531013	ABA	ABB	ABR	ABY	ABZ	ABA	ABB	ABF	ABW	ABR	ABW	ABW	ABW		1
TRIM CODES →			DA	DF	KA, KAB, KAC	KB, KBB, KBC	KF, KFB, KFC	KL, KLB, KLC	KR, KRB, KRC	KW, KWB, KWC	K5, K5B, K5C	K9, K9B, K9C					
B(65D)	R	D2OZ 6531012	ABA	ABF	ABA	ABB	ABF	ABW	ABR	ABW	ABW	ABW					1
	L	D2OZ 6531013	ABA	ABF	ABA	ABB	ABF	ABW	ABR	ABW	ABW	ABW					1
TRIM CODES →			NA	NAA	NB	NBA	NR	NRA	NY	NYA	NZ	NZA					
B(65D)	R	D2OZ 6531012	ANA	BNA	ANB	BNB	ANR	BNR	ANY	BNY	ANZ	BNZ					1
	L	D2OZ 6531013	ANA	BNA	ANB	BNB	ANR	BNR	ANY	BNY	ANZ	BNZ					1
TRIM CODES →			EA	EF	FA	FB	FF	FL	FR	FW	F5	F9					
B(65R)	R	D2OZ 6531012		AFF			AFF	AFW	AFR	AFW	AFW	AFW					1
	R	D3UZ 6531012	AFA		AFA	AFB											1
	L	D2OZ 6531013	AFA	AFF	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW					1
TRIM CODES →			MA, MAB, MAC	MB, MBB, MBC	MF, MFB, MFC	ML, MLB, MLC	MR, MRB, MRC	MW, MWB, MWC	M5, M5B, M5C	M9, M9B, M9C							
B(65R)	R	D2OZ 6531012			AFF	AFW	AFR	AFW	AFW	AFW							1
	R	D3OZ 6531012	AFA	AFB													1
	L	D2OZ 6531013	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW							1
TRIM CODES →			AA, AAB, AAE	AB, ABB, ABE	AE, AEB, AEE	AF, AFB, AFE	AR, ARB, ARE	AW, AWB, AWE	HB, HBE	JB, JBE							
F(65D) -"Before 12/1/71"	R	D1ZZ 6531012	F	C	D	A	B	E									1
	L	D1ZZ 6531013	F	C		A	B	E									1
-"From 12/1/71 to 5/8/72"	R	D2ZZ 6531012		C	D	A	B	E	E	E							1
	R	D3ZZ 6531012	A														1
	L	D2ZZ 6531013	F	C	D	A	B	E	E	E							1
-"From 5/8/72"	R	D3ZZ 6531012	A	B	H	F	G	C	C	C							1
	L	D3ZZ 6531013	A	B	H	F	G	C	C	C							1
TRIM CODES →			FA, FAB, FAE	FB, FBB, FBE	FE, FEB, FEE	FF, FFB, FFE	FR, FRB, FRE										
F(65F) -"Before 12/1/71"	R	D1ZZ 6531012	F	C	D	A	B										1
	L	D1ZZ 6531013	F	C		A	B										1
-"From 12/1/71 to 5/8/72"	R	D2ZZ 6531012		C	D	A	B										1
	R	D3ZZ 6531012	A														1
	L	D2ZZ 6531013	F	C	D	A	B										1
-"From 5/8/72"	R	D3ZZ 6531012	A	B	H	F	G										1
	L	D3ZZ 6531013	A	B	H	F	G										1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

31012-3 PANEL ASSY. - QUARTER TRIM - continued

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES															QTY.
TRIM CODES →			CA, CAB, CAE	CB, CBB, CBE	CE, CEB, CEE	CF, CFB, CFE	CR, CRB, CRE	CW, CWB, CWE										
F(76D)-"Before 12/1/71"	R	D1ZZ 7631012	F	C	D	A	B	E										1
	L	D1ZZ 7631013	F	C	D	A	B	E										1
-"From 12/1/71"	R	D2ZZ 7631012	C	D	E	A	B	F										1
	L	D2ZZ 7631013		D	E		B	F										1
	L	D3ZZ 7631013	E			B												1
TRIM CODES →			AA, AAC, AAD, AAE	AB, ABC, ABD, ABE	AF, AFC, AFD, AFE	AL, ALC, ALD, ALE	AR, ARC, ARD, ARE	AS, ASC, ASD, ASE	AT, ATC, ATD, ATE	AW, AWC, AWD, AWE	A5, A5C, A5D, A5E							
L(62B)-w/folding rear seat-" Before 9/1/71"	R	D2FZ 6231012	H	G	E	T	F	T		T	T							1
	L	D2FZ 6231013	H	G		T	F	T		T	T							1
	L	D3FZ 6231013			H													1
-"From 9/1/71 to 12/1/71"	R	D2FZ 6231012	H	G	E	T	F	T	W	T	T							1
	L	D2FZ 6231013	H	G		T	F	T	W	T	T							1
	L	D3FZ 6231013			H													1
-"From 12/1/71"	R	D2FZ 6231012	M	L	J	AD	K	AD	AB	AD	AD							1
	L	D2FZ 6231013	M	L	J	AE	K	AE	AC	AE	AE							1
-w/o folding rear seat-" Before 9/1/71"	R	D2FZ 6231012	D	C	A	U	B	U		U	U							1
	L	D2FZ 6231013	D	C	A	U	B	U		U	U							1
-"From 9/1/71 to 12/1/71"	R	D2FZ 6231012	D	C	A	U	B	U		U	U							1
	L	D2FZ 6231013	D	C	A	U	B	U	V	U	U							1
-"From 12/1/71"	R	D2FZ 6231012	S	R	N	AC	P	AC	AA	AC	AC							1
	L	D2FZ 6231013				AD	P	AD	AB	AD	AD							1
	L	D3FZ 6231013	D	E	B													1
TRIM CODES →			BA, BAC, BAD, BAE	BB, BBC, BBD, BBE	BF, BFC, BFD, BFE	BL, BLC, BLD, BLE	BR, BRC, BRD, BRE	BS, BSC, BSD, BSE	BT, BTC, BTD, BTE	BW, BWC, BWD, BWE	B5, B5C, B5D, B5E							
L(62B)-w/folding rear seat-"Before 9/1/71"	R	D2FZ 6231012	H	G	E	T	F	T		T	T							1
	L	D2FZ 6231013	H	G		T	F	T		T	T							1
	L	D3FZ 6231013			H													1
-"From 9/1/71" to 12/1/71"	R	D2FZ 6231012	H	G	E	T	F	T	W	T	T							1
	L	D2FZ 6231013	H	G		T	F	T	W	T	T							1
	L	D3FZ 6231013			H													1
-"From 12/1/71"	R	D2FZ 6231012	M	L	J	AD	K	AD	AB	AD	AD							1
	L	D2FZ 6231013	M	L	J	AE	K	AE	AC	AE	AE							1
-w/o folding rear seat-"Before 9/1/71"	R	D2FZ 6231012	D	C	A	U	B	U		U	U							1
	L	D2FZ 6231013	D	C	A	U	B	U		U	U							1
-"From 9/1/71 to 12/1/71"	R	D2FZ 6231012	D	C	A	U	B	U		U	U							1
	L	D2FZ 6231013	D	C	A	U	B	U	V	U	U							1
-"From 12/1/71"	R	D2FZ 6231012	S	R	N	AC	P	AC	AA	AC	AC							1
	L	D2FZ 6231013				AD	P	AD	AB	AD	AD							1
	L	D3FZ 6231013	D	E	B													1

31012-3 PANEL ASSY. - QUARTER TRIM - continued

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			CA, CAC, CAD, CAE	CB, CBC, CBD, CBE	CF, CFC, CFD, CFE	CL, CLC, CLD, CLE	CR, CRC, CRD, CRE	CS, CSC, CSD, CSE	CT, CTC, CTD, CTE	CW, CWC, CWD, CWE	C5, C5C, C5D, C5E						
L(62B)-w/folding rear seat-"Before 9/1/71"	R	D2FZ 6231012	H	G	E	T	F	T		T	T						1
	L	D2FZ 6231013	H	G		T	F	T		T	T						1
	L	D3FZ 6231013			H												1
-"From 9/1/71 to 12/1/71"	R	D2FZ 6231012	H	G	E	T	F	T	W	T	T						1
	L	D2FZ 6231013	H	G		T	F	T	W	T	T						1
	L	D3FZ 6231013			H												1
-"From 12/1/71"	R	D2FZ 6231012	M	L	J	AD	K	AD	AB	AD	AD						1
	L	D2FZ 6231013	M	L	J	AE	K	AE	AC	AE	AE						1
TRIM CODES →			CA, CAC, CAD, CAE	CB, CBC, CBD, CBE	CF, CFC, CFD, CFE	CL, CLC, CLD, CLE	CR, CRC, CRD, CRE	CS, CSC, CSD, CSE	CT, CTC, CTD, CTE	CW, CWC, CWD, CWE	C5, C5C, C5D, C5E						
L(62B)-w/o folding rear seat-"Before 9/1/71"	R	D2FZ 6231012	D	C	A	U	B	U		U	U						1
	L	D2FZ 6231013	D	C	A	U	B	U		U	U						1
-"From 9/1/71 to 12/1/71"	R	D2FZ 6231012	D	C	A	U	B	U		U	U						1
	L	D2FZ 6231013	D	C	A	U	B	U	V	U	U						1
-"From 12/1/71"	R	D2FZ 6231012	S	R	N	AC	P	AC	AA	AC	AC						1
	L	D2FZ 6231013				AD	P	AD	AB	AD	AD						1
	L	D3FZ 6231013	D	E	B												1
TRIM CODES →			DA, DAE	DB, DBE	DF, DFE	DL	DR	DS	DT, DTE	DW	D5						
L(62B)-w/folding rear seat	R	D2FZ 6231012	M	L	J	AD	K	AD	W	AD	AD						1
	L	D2FZ 6231013	M	L	J	AE	K	AE	W	AE	AE						1
-w/o folding rear seat	R	D2FZ 6231012	S	R	N	AC	P	AC		AC	AC						1
	L	D2FZ 6231013				AD	P	AD	V	AD	AD						1
	L	D3FZ 6231013	D	E	B												1
TRIM CODES →			EA	EB	EC	EF	EG	EL	ER	ES	ET	EW	E5				
L(62B)-w/folding rear seat	R	D2FZ 6231012	M	L	Z	J	Y	AD	K	AD	W	AD	AD				1
	L	D2FZ 6231013	M	L	AA	J		AE	K	AE	W	AE	AE				1
	L	D3FZ 6231013					J										1
-w/o folding rear seat	R	D2FZ 6231012	S	R	X	N	W	AC	P	AC		AC	AC				1
	L	D2FZ 6231013			Y		X	AD	P	AD	V	AD	AD				1
	L	D3FZ 6231013	D	E		B											1
TRIM CODES →			FA	FB	FF	FL	FR	FS	FT	FW	F5						
L(62B)-w/folding rear seat	R	D2FZ 6231012	M	L	J	AD	K	AD	W	AD	AD						1
	L	D2FZ 6231013	M	L	J	AE	K	AE	W	AE	AE						1
-w/o folding rear seat	R	D2FZ 6231012	S	R	N	AC	P	AC		AC	AC						1
	L	D2FZ 6231013				AD	P	AD	Y	AD	AD						1
	L	D3FZ 6231013	D	E	B												1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
31012-3 PANEL ASSY. - QUARTER TRIM - continued																
TRIM CODES →			AA, AAC, AAD, AAE	AB, ABC, ABD, ABE	AF, AFC, AFD, AFE	AL, ALC, ALD, ALE	AR, ARC, ARD, ARE	AS, ASC, ASD, ASE	AT, ATC, ATD, ATE	AW, AWC, AWD, AWE	A5, A5C, A5D, A5E					
L(64)-"Before 12/1/71"	R	D1FZ 6431012	D	C	A		B									1
	R	D2FZ 6431012				E		E	N	E	E					1
	L	D1FZ 6431013	D	C	A		B									1
	L	D2FZ 6431013				E		E	N	E	E					1
-"From 12/1/71"	R	D2FZ 6431012		D	A	F	B	F	P	F	F					1
	L	D2FZ 6431013	C	D		F	B	F	P	F	F					1
	R	D3FZ 6431012	F													1
	L	D3FZ 6431013			C											1
TRIM CODES →			BA, BAC, BAD, BAE	BB, BBC, BBD, BBE	BF, BFC, BFD, BFE	BL, BLC, BLD, BLE	BR, BRC, BRD, BRE	BS, BSC, BSD, BSE	BT, BTC, BTD, BTE	BW, BWC, BWD, BWE	B5, B5C, B5D, B5E					
L(64)-"Before 12/1/71"	R	D1FZ 6431012	D	C	A		B									1
	L	D1FZ 6431013	D	C	A		B									1
	R	D2FZ 6431012				E		E	N	E	E					1
	L	D2FZ 6431013				E		E	N		E					1
-"From 12/1/71"	R	D2FZ 6431012		D	A	F	B	F	P	F	F					1
	L	D2FZ 6431013	C	D		F	B	F	P	F	F					1
	R	D3FZ 6431012	F													1
	L	D3FZ 6431013			C											1
TRIM CODES →			CA, CAC, CAD, CAE	CB, CBC, CBD, CBE	CF, CFC, CFD, CFE	CL, CLC, CLD, CLE	CR, CRC, CRD, CRE	CS, CSC, CSD, CSE	CT, CTC, CTC, CTE	CW, CWC, CWD, CWE	C5, C5C, C5D, C5E	GB GBE	HB HBE			
L(64)-"Before 12/1/71"	R	D1FZ 6431012	D	C	A		B									1
	R	D2FZ 6431012				E		E	N	E	E	E	E			1
	L	D1FZ 6431013	D	C	A		B									1
	L	D2FZ 6431013				E		E	N	E	E	E	E			1
-"From 12/1/71"	R	D2FZ 6431012		D	A	F	B	F	P	F	F	F	F			1
	L	D2FZ 6431013	C	D		F	B	F	P	F	F	F	F			1
	R	D3FZ 6431012	F													1
	L	D3FZ 6431013			C											1
TRIM CODES →			DA, DAE	DB, DBE	DF, DFE	DL	DR	DS	DT, DTE	DW	D5					
L(64)	R	D2FZ 6431012		D	A	F	B	F	P	F	F					1
	L	D2FZ 6431013	C	D		F	B	F	P	F	F					1
	R	D3FZ 6431012	F													1
	L	D3FZ 6431013			C											1
TRIM CODES →			EA	EB	EC	EF	EG	EL	ER	ES	ET	EW	E5			
L(64)	R	D2FZ 6431012		D	S	A	R	F	B	F	P	F	F			1
	L	D2FZ 6431013	C	D	S		R	F	B	F	P	F	F			1
	R	D3FZ 6431012	F													1
	L	D3FZ 6431013				C										1
TRIM CODES →			FA	FB	FF	FL	FR	FS	FT	FW	F5	JB	KB			
L(64)	R	D2FZ 6431012		D	A	F	B	F	P	F	F	F	F			1
	L	D2FZ 6431013	C	D		F	B	F	P	F	F	F	F			1
	R	D3FZ 6431012	F													1
	L	D3FZ 6431013			C											1
L(64)		★55937-SW														2
L(73)			Listed by color at the beginning of this group													
P(54)			Listed by color at the beginning of this group													
TRIM CODES →			AA, AAA	AY	BA	BB	BF	BT	BY	CE	CY					
P(62)	R	D2DZ 6231012	A	D	A	B		G	D	C	D					1
	R	D3DZ 6231012					B									1
	L	D2DZ 6231013	A	D	A	B	F	G	D	C	D					1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
31012-3 PANEL ASSY. - QUARTER TRIM - continued																	
TRIM CODES →			EA	EB	EE	EY	FA, FAA	FB, FBA	FE, FEA	FY	GE	GY					
P(62)	R	D2DZ 6231012	A	B	C	D	A	B	C	D	C	D					1
	L	D2DZ 6231013	A	B	C	D	A	B	C	D	C	D					1
TRIM CODES →			HA	HB	HF	HT	JA	JB	JF	JT							
P(62)	R	D2DZ 6231012	A	B		G	A	B	F	G							1
	R	D3DZ 6231012			B												1
	L	D2DZ 6231013	A	B	F	G	A	B	F	G							1
TRIM CODES →			KA	KB	KF	KL	KS	KT	KW	K6							
P(62)	R	D2DZ 6231012	A	B		E	E	G	E	E							1
	R	D3DZ 6231012			B												1
	L	D2DZ 6231013	A	B	F	E	E	G	E	E							1
TRIM CODES →			LA	LF	LL	LS	LW	L6	NA	NB	NF	NT	PU	RB	QB		
P(62)	R	D2DZ 6231012	A		E	E	E	E	A	B		G	H	E	E		1
	R	D3DZ 6231012		B							B						1
	L	D2DZ 6231013	A	F	E	E	E	E	A	B	F	G	H	E	E		1
TRIM CODES →			GA	GB	GD	GF	GR	HA, HAA	HB, HBA	HD, HDA	HR, HRA	HZ, HZA					
S	R	D2SZ 6531012	CGA	CGB	CGD	CGF	CGR	DHA	DHB	DHD	DHR	DHZ					1
	L	D2SZ 6531013	CGA	CGB	CGD	CGF	CGR	DHA	DHB	DHD	DHR	DHZ					1
TRIM CODES →			KA, KAA	KB, KBA	KD, KDA	KF, KFA	KL, KLA	KR, KRA	KW, KWA	KZ, K2A	K5, K5A	K9, K9A					
S	R	D2SZ 6531012	DKA	DKB	DKD	AKF	AKW	DKR	AKW	DKZ	AKW	AKW					1
	L	D2SZ 6531013	DKA	DKB	DKD	AKF	AKW	DKR	AKW	DKZ	AKW	AKW					1
TRIM CODES →			LA	LF	LL	LR	LW	L5	L9								
S	R	D2SZ 6531012	ELA	ELF	ELW	ELR	ELW	ELW	ELW								1
	L	D2SZ 6531013	ELA	ELF	ELW	ELR	ELW	ELW	ELW								1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER
TRIM CODES →			_B or L	_D or N	___E	___F	___H	_R or 5	_Y or 8	_Z or 9						
COLORS →			BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO		BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOT NOTE
310A32-3 EXTENSION - QUARTER TRIM PANEL UPPER																
F(65)	R	D1ZZ 65310A32		C		D	A		B			F		E		1
	L	D1ZZ 65310A33		C		D	A		B			F		E		1
31070-1 PANEL - QUARTER TRIM LOWER																
S-"Before 2/21/72"	R	D2SZ 6531070		E	G		A		F		C	D		B		1
	L	D2SZ 6531071		E	G		A		F		C	D		B		1
-"From 2/21/72"	R	D3SZ 6531070		E	G		A		F		C	D		B		1
	L	D3SZ 6531071		E	G		A		F		C	D		B		1
31112-3 PANEL - QUARTER UPPER REAR TRIM																
F(63)-w/folding rear seat- "Before 3/6/72"	R	D1ZZ 6331112		J		K	G		H			M		L		1
	L	D1ZZ 6331113		J		K	G		H			M		L		1
-w/folding rear seat-"From 3/6/72"	R	D3ZZ 6331112		L		N	H		J			K		G		1
	L	D3ZZ 6331113		L			H		J			K		G		1
-w/o folding rear seat- "Before 4/26/72"	R	D1ZZ 6331112		C		D	A		B			F		E		1
	L	D1ZZ 6331113		C		D	A		B			F		E		1
-w/o folding rear seat- "From 4/26/72"	R	D3ZZ 6331112		D			A		B			C		F		1
	L	D3ZZ 6331113		D		E	A		B			C		F		1
31116-7 FILLER ASSY. - QUARTER PANEL TO REAR SEAT																
S-"Before 2/27/72"	R	D2SZ 6531116		A0B	A7D		A3F		A0R		A8Z	A6A		A1W		1
	L	D2SZ 6531117		A0B	A7D		A3F		A0R		A8Z	A6A		A1W		1
-"From 2/27/72"	R	D3SZ 6531116		G	A		C		E		F	D		B		1
	L	D3SZ 6531117		G	A		C		E		F	D		B		1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
			_B or L	_D or N	__E	__F	__H	_R or 5	_Y or 8	_Z or 9						
COLORS →			BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
31136-7 PANEL - QUARTER FRONT TRIM																
A(71)- "Before 12/1/71"	R	D0AZ 7131136		B	D		A									1
	R	D1AZ 7131136						A								1
	R	C9AZ 7131136									C1A					1
"From 12/1/71"	R	D2AZ 7131136		D	E		A	B			C					1
	L		Refer to Group 31012-3													
312A28-9 PLATE - QUARTER TRIM PANEL ACCESS HOLE COVER																
L(64)	R	D1FZ 64312A28						B								1
	L	D1FZ 64312A29						B								1
	R	D3FZ 64312A28		E		B					D		A	♦F	∡G	1
	L	D3FZ 64312A29		E		B					D		A	♦F	∡G	1
	R	D3FZ 64312A28												†C		1
	L	D3FZ 64312A29												†C		1
31290-1 WINDLACE -- QUARTER PILLAR - Refer to Group 02600																
31406 STRAP - REAR DOOR ASSIST																
A(54)		C9AZ 5431406									ABA					2
B(53)		C9AZ 5431406									ABA					2
31486-7 PANEL - QUARTER LOWER FRONT TRIM																
F(63)-w/o folding rear seat-"Before 12/1/71"	R	D1ZZ 6331486		C		D	A		B			F		E			1
	L	D1ZZ 6331487		C		D	A		B			F		E			1
-"From 12/1/71 to 5/8/72"	R	D2ZZ 6331486		D		E	A		B					F			1
	R	D3ZZ 6331486										C					1
	L	D2ZZ 6331487		D		E	A		B			C		F			1
-"From 5/8/72"	R	D3ZZ 6331486		D		E	A		B			C		F			1
	L	D3ZZ 6331487		D		E	A		B			C		F			1
F(63)w/folding rear seat-"Before 12/1/71"	R	D1ZZ 6331486		J		K	G		H			M		L			1
	L	D1ZZ 6331487		J		K	G		H			M		L			1
-"From 12/1/71 to 3/15/72"	R	D2ZZ 6331486		K		L	G		H			J		M			1
	L	D2ZZ 6331487		K		L	G		H			J		M			1
-"From 3/15/72"		D3ZZ 6331486		K		L	G		H			J		M			1
		D3ZZ 6331487		K		L	G		H			J		M			1
31600-1 REST - QUARTER ARM - Refer to Group 24140-1																
31604 BASE - QUARTER ARM REST - Refer to Group 24144																
31718-9 PAD - QUARTER ARM REST - Refer to Group 24100																
40374-5 PANEL - BACK PANEL LOWER TRIM																
B(97D)		D2OZ 9740374									A					1
B(97K,R)		D2OZ 9740374									B					1
L(64)- "Before 6/1/72"	R	D1FZ 6440374		C			A		B		D					1
	L	D1FZ 6440375		C			A		B		D					1
	R	D2FZ 6440374											B	†A	♦C	1
	L	D2FZ 6440375											B	†A	♦C	1
	R	D2FZ 6440374												∡D		1
	L	D2FZ 6440375												∡D		1
-"From 6/1/72"	R	D3FZ 6440374		F			C				E		A	†G	♦D	1
	L	D3FZ 6440375		F			C				E		A	†G	♦D	1
	R	D3FZ 6440374													∡B	1
	L	D3FZ 6440375													∡B	1
40704 COVER - TAILGATE CARPET INSIDE																
U		D3BZ 1040704		A			C							♦B		1

† Beige ♦ Avocado ∡ Orange

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
45026 COVER - LUGGAGE COMPARTMENT SPARE WHEEL				
S		D2LZ 6545026-A	Grey	1
U-with E78 x 15 or G78 x 15 tire		D2BZ 1045026-B	White	1
U-with L78 x 15 tire		D2BZ 1045026-A	White	1
45226-7 COVER - LUGGAGE COMPARTMENT FLANGE				
S	R	D2SZ 6545226-A	Grey carpet	1
	L	D2SZ 6545227-A	Grey carpet	1
45422-3 COVER - LUGGAGE COMPARTMENT SIDE				
S	R	D2SZ 6545422-A	Grey	1
	L	D2SZ 6545423-A	Grey	1
45455-6 COVER - LUGGAGE COMPARTMENT FLOOR				
A(54,57F,65D,F)		D0AZ 6244867-A	Grey rubber	1
A(54,57F,65F)		D1AZ 5445476-A	Grey burtex - rear	1
A(53,57H,K,65H,K)		D1AZ 6544867-A	Grey rubber	1
A(53,57H,K,65H,K)		D1AZ 6545476-A	Grey burtex - rear	1
A(76H)		D1AZ 7645476-A	Grey burtex	1
B(53,63R,65D,K)-Full		D2OZ 6545494-A	Grey burtex	1
B(53,63,65)-Partial		D2OZ 6545494-B	Grey burtex	1
F(65F)		D2ZZ 6545494-A	Grey burtex	1
L(62)- "Before 7/3/72"		D1FZ 6245494-B	Black rubber	1
-"From 7/3/72"		D3FZ 6245455-A	Black rubber	1
L(64)-w/o A70 x 13 tires		D2FZ 6445455-G	Avocado carpet	1
		D2FZ 6445455-A	Beige carpet	1
		D1FZ 6445455-M	Black carpet	1
		D1FZ 6445455-K	Blue carpet	1
		D1FZ 6445455-L	Ginger carpet	1
		D1FZ 6445455-J	Green carpet	1
		D2FZ 6445455-H	Orange carpet	1
		370464-S100(HH34)	Stud fastener-No. 8 x 15 x 3/8"	2
L(64)-w/ A70 x 13 tires		D2FZ 6445455-J	Avocado carpet	1
		D2FZ 6445455-B	Beige carpet	1
		D2FZ 6445455-F	Black carpet	1
		D2FZ 6445455-D	Blue carpet	1
		D2FZ 6445455-E	Ginger carpet	1
		D2FZ 6445455-C	Green carpet	1
		D2FZ 6445455-K	Orange carpet	1
P		D2DZ 6245494-A	Grey	1
S		D2SZ 6545455-A	Grey carpet	1

45476 COVER - LUGGAGE COMPARTMENT FLOOR REAR - Refer to Group 45455-6

45494 COVER - LUGGAGE COMPARTMENT FLOOR CENTER - Refer to Group 45455-6

45522-3 LINING BOARD - LUGGAGE COMPARTMENT SIDE

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
S		D2SZ 6545522-A	Grey	1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
			_B or L	_D or N	___E	___F	___H	_R or 5	_Y or 8	_Z or 9						
COLORS →			BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
46404 PANEL - LIFT GATE TRIM INSIDE																
L(73)		D3FZ 7346404	D			A					C			ΔB	◊E	1

◊ Beige

Δ Avocado

May, 1975

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER		
			_B or L	_D or N	___E	___F	___H	_R or 5	_Y or 8	_Z or 9							
COLORS →			BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE		
46668 PANEL - PACKAGE TRAY TRIM																	
A(53,57)-w/rear seat speakers		D1AZ 5746668	B	D				E	F		A						1
		D2AZ 5746668				Δ				A							1
-w/o rear seat speakers		D1AZ 5746668	H					G									1
		D2AZ 5746668				Δ				B							1
A(54)-w/rear seat speakers		D1AZ 5446668	B	E				A	F		C						1
		D2AZ 5446668				Δ				A							1
-w/o rear seat speakers		D0AZ 6246668	B								F						1
		D1AZ 6246668						A	B								1
		D2AZ 5446668				Δ				B							1
A(65)-w/rear seat speakers - "Before 3/22/72"		D1AZ 6546668	B	D				A	E		C						1
		D2AZ 6546668				Δ				B							1
-w/rear seat speakers- "From 3/22/72"		D2AZ 6546668	D	F		Δ		C	H	G	E						1
-w/o rear seat speakers- "Before 3/22/72"		D1AZ 6546668	G	J				F	K		H						1
		D2AZ 6546668				Δ				A							1
-w/o rear seat speakers- "From 3/22/72"		D2AZ 6546668	K	M		Δ		J	P	N	L						1
B(53,65)-w/rear seat speakers		D2OZ 6546668	B			Δ		A	E	D	C						1
-w/o rear seat speakers		D2OZ 6546668	T			Δ		S	X	V	U						1
B(63)-w/rear seat speakers		D2GY 6346668	G					F	K	J	H						1
-w/o rear seat speakers		D2GY 6346668	B					A	E	D	C						1
F(63)		D3ZZ 6346668									A						1
F(65)		D1ZZ 6546668	B			D					C						1
L(62)		D1FZ 6246668				D					C						1
		D5FZ 6246668												$B			1
P(54)		D2DZ 5446668												$C			1
		D2DZ 5446668												⍲D			1
P(62)		D2DZ 6246668												$C			1
		D2DZ 6246668												⍲E			1
S-w/rear seat speakers- "Before 4/10/72"		D2LY 6546668	D	C		Δ		F		E	B						1
-w/rear seat speakers- "From 4/10/72"		D3LZ 6546668	C	B		Δ		E		D	A						1
-w/o rear seat speakers- 'Before 4/10/72"		D2SZ 6546668	C	B		Δ		E		D	A						1
-w/o rear seat speakers- "From 4/10/72"		D3SZ 6546668	C	B		Δ		E		D	A						1

$ Paint to match Δ Use Tobacco ⍲ Tan

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE									ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
			_B or L	_D or N	_E	_F	_H	_R or 5	_Y or 8	_Z or 9							
COLORS →			BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
46689 ABSORBER PACKAGE TRAY STRAINER SOUND																	
S		D2SZ 6546689-A															1
47042 COVER - SPARE WHEEL WELL																	
A(71)		C9AZ 7147042									A1A						1
		D1AZ 7147042						A									1
		D0AZ 7147042	B	D		A											1
B(71)		D2OZ 7147042	C			A		B			D						1
L(73)		D2FZ 7347042-A															1
501A42 TONNEAU COVER KIT - INCLUDES STORAGE CONTAINER																	
B(97)		D2OZ 97501A42									B		A				1
502A82 PANEL - ROOF OUTSIDE SLIDING LESS COVER																	
A(exc.71)-w/sun roof		D2AZ 65502A82-A															1
A(71)-w/sun roof		D2AZ 71502A82-A															1
S-w/sun roof		D2SZ 65502A82-A															1
51338 WEATHERSTRIP - FOLDING TOP NO.1 BOW																	
F(76)		D1ZZ 7651338											B	♦A			1
51416 MOULDING - FOLDING TOP NO.4 BOW OUTSIDE - INCLUDES RETAINER																	
A(76)		C9ZZ 7651416									A1A		A1W				1
F(76)		C9OZ 7651416											A1W				1
51752-3 MOULDING - ROOF SIDE INNER FRONT																	
A(53)	R	D0MY 5351752												$A			1
	L	D0MY 5351753												$A			1
A(54,71)	*	C9AZ 6251752									A1A						2
	R	D0AZ 5451752	D	E		A											1
	L	D0AZ 5451753	D	E		A											1
	R	D1AZ 5451752						A	B								1
	L	D1AZ 5451753						A	B								1
A(57)	R	D1AZ 5751752												$A			1
	L	D1AZ 5751753												$A			1
A(65)	R	D1AZ 6551752												$A			1
	L	D1AZ 6551753												$A			1
B(53) -"Before 5/1/72"	R	D2OZ 5351752	D			A		B	F	E	C						1
	L	D2OZ 5351753	D			A		B	F	E	C						1
-"From 5/1/72"	R	D2OZ 5351752												$G			1
	L	D2OZ 5351753												$G			1
B(63) -"Before 5/1/72"	R	D2OZ 6351752	E			B		C	G	F	D		A				1
	L	D2OZ 6351753	E			B		C	G	F	D		A				1
-"From 5/1/72"	R	D2OZ 6351752												$H			1
	L	D2OZ 6351753												$H			1
B(65)	R	D2OZ 6551752												$A			1
	L	D2OZ 6551753												$A			1
B(71) -"Before 5/1/72"	R	D2OZ 7151752	D			A		B			C						1
	L	D2OZ 7151753	D			A		B			C						1
-"From 5/1/72"	R	D2OZ 7151752												$E			1
	L	D2OZ 7151753												$E			1
B(97)	R	D2OZ 9751752												$A			1
	L	D2OZ 9751753												$A			1
F(63)	R	D1ZZ 6351752												$A			1
	L	D1ZZ 6351753												$A			1
F(65)	R	D1ZZ 6551752												$A			1
	L	D1ZZ 6551753												$A			1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
			_B or L	_D or N	___E	___F	___H	_R or 5	_Y or 8	_Z or 9						
COLORS →			BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
51752-3 MOULDING - ROOF SIDE INNER FRONT - continued																
L(73)	R	D3FZ 7351752	B			D		C			A			▲E		1
	L	D3FZ 7351753	B			D		C			A			▲E		1
S	R	D2SZ 6551752												$A		1
	L	D2SZ 6551753												$A		1
51754-5 MOULDING - ROOF SIDE INNER REAR																
A(53)	R	D1AZ 5351754												$A		1
	L	D1AZ 5351755												$A		1
A(54)	R	C9AZ 5451754									A1A					1
	L	C9AZ 5451755									A1A					1
	R	D0AZ 5451754	B	C												1
	L	D0AZ 5451755	B	C												1
	R	D1AZ 5451754				A		B	C							1
	L	D1AZ 5451755				A		B	C							1
A(65)	R	D1AZ 6551754												$A		1
	L	D1AZ 6551755												$A		1
A(71)		D0AZ 7151754	E	D		A										2
		D1AZ 7151754						A								2
B(53)- "Before 5/1/72"	R	Refer to Group 51752-3														
	L															
-"From 5/1/72"	R	D2OZ 5351754									A					1
	L	D2OZ 5351755									A					1
	R	D3OZ 5351754	H			J		M	K	L						1
	L	D3OZ 5351755	H			J		M	K	L						1
B(65) -"Before 3/6/72"	R	D2OZ 6551754												$A		1
	L	D2OZ 6551755												$A		1
-"From 3/6/72"	R	D3OZ 6551754												$A		1
	L	D3OZ 6551755												$A		1
F(63)- "Before 3/6/72"	R	D1ZZ 6351754												$A		1
	L	D1ZZ 6351755												$A		1
-"From 3/6/72"	R	D3ZZ 6351754	B		H	L		K			G		J			1
	L	D3ZZ 6351755	B		H	L		K			G		J			1
F(65)	R	D3ZZ 6551754	B		G	K		J			F		H			1
	L	D3ZZ 6551755	B		G	K		J			F		H			1
S "Before 5/22/72"	R	D2SZ 6551754												$A		1
	L	D2SZ 6551755												$A		1
-"From 5/22/72"	R	D3SZ 6551754	B			F		G		E	A		C			1
	L	D3SZ 6551755	B			F		G		E	A		C			1
518A54 COVER - SLIDING ROOF PANEL FLANGE																
L(62,64)		D2FZ 62518A54	B			F		C			A		D	▲H	◊G	1
		D2FZ 62518A54													ΔE	1
519A02 HEADLINING - ROOF SLIDING PANEL																
A		D2AZ 65519A02	H	J		D		E	G	A	F		B		▲C	1
L(62,64)		D2FZ 62519A02	B4B			B8F		B5R			B4A		B5W	ΔB7C	▲B6T	1
		D2FZ 62519A02													◊B2G	1
S		D2SZ 65519A02	B	C		D		E		G	A		F			1
51916 HEADLINING - ROOF																
A(53,57)		D1AZ 5351916	ADB	ADD		ADF		ADR	ADY		ADA		AWW			1
		D1AY 5351916								A5Z						1
A(54)		D1AZ 5451916	A9B	A6D		A6F		A6R	A6Y		A6A		A6W			1
		C9AZ 5451916												▲ALE		1

$ Paint to match ▲ Beige Δ Orange ◊ Avocado

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →			SECOND CHARACTER of TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
			_B or L	_D or N	__E	__F	__H	_R or 5	_Y or 8	_Z or 9						
COLORS →			BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
51916 HEADLINING - ROOF - continued																
A(65) - "Before 7/3/72"		D1AZ 6551916	AWB	AWD		A5F		AWR	AWY		AWA		AWW			1
		D1AY 6551916								AZZ						1
-"From 7/3/72"		D3AZ 6551916	A4B			A8F		A5R		A2Z	A4A					1
A(71)		D1AZ 7151916	AWB	AWD		AWF		AFR			AFA					1
B(53)		D2OZ 5351916						ACR	ACY	ACZ						1
		D3OZ 5351916	A4B			A8F					A4A					1
B(63)		D2OZ 6351916	ACB			ACF		ACR	ACY	ACZ	ACA					1
-"Before 7/3/72"		D2OZ 6351916											ACW			1
-"From 7/3/72"		D3OZ 6351916											G			1
B(65) - -"Before 7/3/72"		D2OZ 6551916				ACF		ACR	ACY	ACZ	ACA		ACW			1
		D3OZ 6551916	A4B													1
-"From 7/3/72"		D2OZ 6551916				ACF		ACR	ACY	ACZ	ACA					1
		D3OZ 6551916	A4B										A			1
B(71)		D2OZ 7151916	ACB			ACF					ACA					1
		D3OZ 7151916						C								1
B(97)		D2OZ 9751916	ACB			ACF		ACR	ACY	ACZ	ACA					1
-"Before 7/3/72"		D2OZ 9751916											ACW			1
-"From 7/3/72"		D3OZ 9751916											G			1
F(63)		D1ZZ 6351916	A1B		A1E	A1F		A1R			A1A		A1W			1
F(65)		D1ZZ 6551916	A1B		A1E	A1F					A1A		A1W			1
-"Before 7/3/72"		D1ZZ 6551916						A1R								1
-"From 7/3/72"		D3ZZ 6551916						A								1
L(62,64) - w/o sun roof- "Before 4/3/72"		D2FZ 6251916	A1B			A2F		A1R			A1A		A5W	▲A1T		1
-"From 4/3/72 to 7/3/72"		D2FZ 6251916						C5R							◊A2G	1
		D3FZ 6251916	A4B			A8F					A4A		A5W	▲A6T	△A7C	1
-"From 7/3/72"		D3FZ 6251916	A4B			A8F					A4A		A5W	▲A6T	◊A2G	1
		D3FZ 6251916													△A7C	1
		D2FZ 6251916						C5R								1
L(62,64) - w/sun roof- "Before 7/3/72"		D2FZ 6251916	B4B					B5R			B4A			▲B6T		1
		D3FZ 6251916				B8F							B5W	◊B2G	△B7C	1
-"From 7/3/72"		D3FZ 6251916	B4B			B8F					B4A		B5W	▲B6T	◊B2G	1
		D3FZ 6251916													△B7C	1
L(73) - "Before 4/3/72"		D2FZ 7351916	AAB			AAF		AAR			AAA				▲AAT	1
-" From 4/3/72"		D2FZ 7351916	A4B					A5R			A4A				△A6T	1
		D3FZ 7351916				A8F										1
P(54)		D1DZ 5451916	A5B		A5E				A5Y							1
		D3DZ 5451916				A8F					A4A			♦APU	▲A6T	1
P(62)		D1DZ 6251916			B3E				B1Y							1
		D2DZ 6251916											A1W	♦APU		1
		D3DZ 6251916	A4B			A8F					A4A				△A6T	1
S		D2SZ 6551916	AFB	AFD		AFF		AFR		AFZ	AFA		AFW			1
U-front	R	D3BZ 1051916										A				1
-rear-	L	D3BZ 1051918										A				1

♦ Tan ▲ Beige △ Orange ◊ Avocado

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX		TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →				SECOND CHARACTER of TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
				_B or L	_D or N	___E	___F	___H	_R or 5	_Y or 8	_Z or 9						
COLORS →				BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
52018-9 COVER - ROOF SIDE REAR TRIM																	
A(53,57)	R	D1AZ 5752018		B	E		D		C	F		A					1
	L	D1AZ 5752019		B	E		D		C	F		A					1
	R	D2AZ 5752018									A						1
	L	D2AZ 5752019									A						1
A(65)	R	D1AZ 6552018		B	F		E		C	G		A		D			1
	L	D1AZ 6552019		B	F		E		C	G		A		D			1
	R	D2AZ 6552018									A						1
	L	D2AZ 6552019									A						1
B(65)	R	D2OZ 6552018		B			E		C	G	F	A		D			1
	L	D2OZ 6552019		B			E		C	G	F	A		D			1
F(63)	R	D1ZZ 6352018		B		F	E		C					D			1
	R	D3ZZ 6352018										A					1
	L	D1ZZ 6352019		B		F	E		C			A		D			1
S-"Before 5/8/72"	R	D2SZ 6552018		D	E		F		G		C	A		B			1
	L	D2SZ 6552019		D	E		F		G		C	A		B			1
-"From 5/8/72"	R	D3SZ 6552018		C			G		D		E	A		F			1
	L	D3SZ 6352019		C			G		D		E	A		F			1
A		383033-S100 (GG139DB)	Clip														2

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
52500 WINDOW - FOLDING TOP BACK CURTAIN				
A(76)		C9AZ 7652500-AAB	Used with Black tops	1
		C9AZ 7652500-AAC	Used with White tops	1
F(76)		D3ZZ 7652500-A	Used with Black tops	1
		D3ZZ 7652500-B	Used with White tops	1
52700 TOP - FOLDING - LESS BACK CURTAIN and BOWS				
A(76)		C9AZ 7652700-AAB	Black	1
		C9AZ 7652700-AAC	White	1
F(76)		D1ZZ 7652700-A01	Black	1
		D1ZZ 7652700-A02	White	1
52874-5 CASE - FOLDING TOP SIDE QUARTER				
A(76)		D1AZ 7652874-A	Black - used with all tops	2
F(76)	R	D1ZZ 7652874-A01	Black - used with all tops	1
	L	D1ZZ 7652875-A01	Black - used with all tops	1
53278 ZIPPER - FOLDING TOP BACK CURTAIN				
A(76)		C9AZ 7653278-AAB	Black - used with all tops	1
F(76)		D1ZZ 7653278-A	Black - used with all tops	1
53700 COVER - ROOF OUTSIDE				
A(53,57)		D1AZ 5353700-B	Black	1
		D1AZ 5353700-D	Blue	1
		D1AZ 5353700-A	Brown	1
		D1AZ 5353700-E	Green	1
		D1AZ 5353700-C	White	1
A(54)		D1AZ 5453700-B	Black	1
		D1AZ 5453700-D	Blue	1
		D1AZ 5453700-A	Brown	1
		D1AZ 5453700-E	Green	1
		D1AZ 5453700-C	White	1
A(65)		D1AZ 6553700-A	Black	1
		D1AZ 6553700-C	Blue	1
		D1AZ 6553700-E	Brown	1
		D1AZ 6553700-D	Green	1
		D1AZ 6553700-B	White	1
A(71)		D1AZ 7153700-A11	Black	1
		D1AZ 7153700-A0W	Ginger	1

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
53700 COVER - ROOF OUTSIDE - continued				
B(53)		D4OZ 5353700-A	Black	1
		D2OZ 5353700-C	Blue	1
		D4OZ 5353700-C	Brown	1
		D2OZ 5353700-D	Green	1
		D2OZ 5353700-B	White	1
B(63)		D2OZ 6353700-A	Black	1
		D2OZ 6353700-C	Blue	1
		D2OZ 6353700-E	Brown	1
		D2OZ 6353700-D	Green	1
		D2OZ 6353700-B	White	1
B(65)		D4OZ 6553700-H	Black	1
		D2OZ 6553700-C	Blue	1
		D4OZ 6553700-K	Brown	1
		D2OZ 6553700-D	Green	1
		D2OZ 6553700-B	White	1
B(97)		D2OZ 9753700-A	Black	1
		D2OZ 9753700-D	Brown	1
		D2OZ 9753700-C	Green	1
		D2OZ 9753700-B	White	1
F(63)		D1ZZ 6353700-A	Black	1
F(65)		D1ZZ 6553700-A	Black	1
		D1ZZ 6553700-C	Blue	1
		D1ZZ 6553700-E	Brown	1
		D1ZZ 6553700-D	Green	1
		D1ZZ 6553700-B	White	1
L(62,64)- "Before 4/3/72"		D2FZ 6253700-F	Avocado	1
		D1FZ 6253700-A	Black	1
		D2FZ 6253700-E	Orange	1
		D1FZ 6253700-B	White	1
-"From 4/3/72"		D2FZ 6253700-D	Avocado	1
		D2FZ 6253700-A	Black	1
		D2FZ 6253700-G	Brown	1
		D2FZ 6253700-H	Green	1
		D2FZ 6253700-C	Orange	1
		D2FZ 6253700-B	White	1
P(54)- "Before 3/1/72"		D1DZ 5453700-A1A	Black	1
		D2DZ 5453700-A3A	Blue	1
		D2DZ 5453700-A0W	Ginger	1
		D1DZ 5453700-A4A	Gold and Black	1
		D1DZ 5453700-A8A	Red and Black	1
		D1DZ 5453700-A2A	White	1
-"From 3/1/72"		D1DZ 5453700-A1A	Black	1
		D2DZ 5453700-C	Blue	1
		D4DZ 5453700-A0T	Brown	1
		D2DZ 5453700-E	Copper	1
		D2DZ 5453700-B	Green	1
		D2DZ 5453700-A	White	1
P(62)- "Before 3/1/72"		D1DZ 6253700-A1A	Black	1
		D2DZ 6253700-A3A	Blue	1
		D2DZ 6253700-A0W	Ginger	1
		D1DZ 6253700-A8A	Gold and Black	1
		D1DZ 6253700-A4A	Red and Black	1
		D1DZ 6253700-A2A	White	1
"From 3/1/72"		D1DZ 6253700-A1A	Black	1
		D2DZ 6253700-C	Blue	1
		D2DZ 6253700-D	Brown	1
		D2DZ 6253700-E	Copper	1
		D2DZ 6253700-B	Green	1
		D2DZ 6253700-A	White	1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER	DESCRIPTION	QTY.
53700 COVER - ROOF OUTSIDE - continued				
S		D2SZ 6553700-A	Black	1
		D2SZ 6553700-C	Blue	1
		D2SZ 6553700-F	Brown	1
		D2SZ 6553700-E	Copper	1
		D2SZ 6553700-D	Green	1
		D2SZ 6553700-B	White	1
53701 COVER - ROOF SLIDING PANEL OUTSIDE				
A-w/sun roof		D2AZ 6553701-A	Black	1
		D2AZ 6553701-C	Blue	1
		D2AZ 6553701-D	Brown	1
		D2AZ 6553701-E	Green	1
		D2AZ 6553701-B	White	1
S-w/sun roof		D2SZ 6553701-A	Black	1
		D2SZ 6553701-C	Blue	1
		D2SZ 6553701-F	Brown	1
		D2SZ 6553701-E	Copper	1
		D2SZ 6553701-D	Green	1
		D2SZ 6553701-B	White	1
537A02 PAD - ROOF OUTSIDE COVER - REAR SIDE				
S		D2SZ 65537A02-A		2
53740 PAD - ROOF OUTSIDE COVER - FRONT SIDE				
S		D2SZ 6553740-A		2
54212-3 CASE - FOLDING TOP BACK STAY PAD				
A(76)		D1AZ 7654212-A	Black	1
		D1AZ 7654212-B	White	1
F(76)	R	D1ZZ 7654212-A01	Black	1
	L	D1ZZ 7654213-A01	Black	1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
			SECOND CHARACTER of TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
TRIM CODES →			_B or L	_D or N	__E	__F	__H	_R or 5	_Y or 8	_Z or 9						
COLORS →			BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
54400 HOOD - FOLDING TOP DUST																
A(76)		C9AZ 7654400			A1D						A1A					1
		D1AZ 7654400		A3B				A1R					A2W			1
F		D1ZZ 7654400			A1E			A1R			A1A					1
		D3ZZ 7654400		ACB		ACF							ACW			1
54486 CONTAINER - FOLDING TOP DUST HOOD																
A(76)		D0OZ 7654486								A01						1
F(76)		D3ZZ 7654486									A01					1
54600 COMPARTMENT - FOLDING TOP - REAR																
A(76)		C9AZ 7654600									AAB					1
54602 TRIM - FOLDING TOP COMPARTMENT																
F(76)		D1ZZ 7654602									A					1
54640 COVER - FOLDING TOP COMPARTMENT - UPPER FRONT																
A(76)		C9AZ 7654640									AAB					1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES															QTY.
60032 BACK ASSY. - REAR SEAT - INCLUDES COVER																		
TRIM CODES →			3	8	84	B	C	G										
U		D3BZ 1060032	ARU			AAB	AAF	AAG										1
		D2BZ 9660032		ATF	ATF													1

IMPORTANT

When a complete Back Assembly is required, order BOTH a basic 60032 Kit plus a basic 66600 or 66601 Cover with applicable suffix for desired trim code.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES									
60032-3 BACK KIT - REAR SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D.													
TRIM CODES →				DA, DAA, DAC	DB, DBA, DBC	DD, DDA, DDC	DF, DFA, DFC	DR, DRA, DRC	DY, DYA, DYC				
A(53H)		D1AZ 5360032-A	D2AZ 5366600	ADA	ADB	ADD	ADF	ADR	ADY				
TRIM CODES →				FA, FAA, FAC	FB, FBA, FBC	FD, FDA, FDC	FF, FFA, FFC	FR, FRA, FRC	FY, FYA, FYC				
A(53H)		D1AZ 5360032-A	D1AZ 5366600	AFA	AFB	AFD	AFF	AFR	AFY				
TRIM CODES →				EA	EB	ED	ER	EY	EZ				
A(53K)		D1AZ 5360032-A	D1AZ 5366600	A9A	A9B	A9D	A9R	A9Y					
		D1AZ 5360032-A	D2AZ 5366600						AZZ				
TRIM CODES →				ZA, ZAC	ZB, ZBC	ZD, ZDC	ZR, ZRC	ZY, ZYC	ZZ, ZZC				
A(53K)		D1AZ 5360032-A	D1AZ 5366600	A9A	A9B	A9D	A9R	A9Y					
		D1AZ 5360032-A	D2AZ 5366600						AZZ				
TRIM CODES →				AA, AAA, AAC	AB, ABA, ABC	AY, AYA, AYC	LU, LUA, LUC	NA, NAA, NAC	NB, NBA, NBC	NY, NYA, NYC			
A(54B)		D1AZ 5360032-A	D1AZ 5466600					ANA	ANB	ANY			
		D1AZ 5360032-A	D1AB 5466600	O1A	O1B	O1Y							
		D1AZ 5360032-A	D1AZ 6266600				ALU						
TRIM CODES →				HA, HAA, HAC	HB, HBA, HBC	HR, HRA, HRC	HY, HYA, HYC	LU, LUA, LUC	NA, NAA, NAC	NB, NBA, NBC	NY, NYA, NYC		
A(54D)		D1AZ 5360032-A	D1AZ 5466600	A3A	A3B	A3R	A3Y		ANA	ANB	ANY		
		D1AZ 5360032-A	D1AZ 6266600					ALU					
TRIM CODES →				KA, KAA, KAB, KAC	KB, KBA, KBC	KF, KFA, KFC	KR, KRA, KRC	KY, KYA, KYC					
A(54F,57F)		D1AZ 5360032-A	D1AZ 5466600	A4A	A4B	A4F	A4R	A4Y					
TRIM CODES →				WA, WAA, WAC	WB, WBA, WBC	WD, WDA, WDC	WF, WFA, WFC	WR, WRA, WRC	WY, WYA, WYC				
A(54F,57F)		D1AZ 5360032-A	D1AZ 5466600	AWA	AWB	AWD	AWF	AWR	AWY				
TRIM CODES →				DA, DAA, DAC	DB, DBA, DBC	DD, DDA, DDC	DF, DFA, DFC	DR, DRA, DRC	DY, DYA, DYC				
A(57H)		D1AZ 5360032-A	D2AZ 5366600	ADA	ADB	ADD	ADF	ADR	ADY				

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
60032-3 BACK KIT - REAR SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. -continued														
		TRIM CODES →		FA, FAA, FAC	FB, FBA, FBC	FD, FDA, FDC	FF, FFA, FFC	FR, FRA, FRC	FY, FYA, FYC					
A(57H)		D1AZ 5360032-A	D1AZ 5366600	AFA	AFB	AFD	AFF	AFR	AFY					
		TRIM CODES →		EA	EB	ED	ER	EY	EZ					
A(57K)		D1AZ 5360032-A	D1AZ 5366600	A9A	A9B	A9D	A9R	A9Y						
		D1AZ 5360032-A	D2AZ 5366600						AZZ					
		TRIM CODES →		ZA, ZAC	ZB, ZBC	ZD, ZDC	ZR, ZRC	ZY, ZYC	ZZ, ZZC					
A(57K)		D1AZ 5360032-A	D1AZ 5366600	A9A	A9B	A9D	A9R	A9Y						
		D1AZ 5360032-A	D2AZ 5366600						AZZ					
		TRIM CODES →		HA, HAA, HAC	HB, HBA, HBC	HR, HRA, HRC	HY, HYA, HYC	MA, MAA, MAC	MB, MBA, MBC	MR, MRA, MRC	MY, MYA, MYC			
A(65D)		D1AZ 6560032-A	D1AZ 6566600					AWA	AWB	AWR	AWY			
		D1AZ 6560032-A	D1YB 6566600	A3A	A3B	A3R	A3Y							
		TRIM CODES →		KA, KAA, KAB, KAC	KB, KBA, KBC	KF, KFA, KFC	KR, KRA, KRC	KY, KYA, KYC						
A(65F)		D1AZ 6560032-A	D1AZ 6566600	A4A	A4B	A4F	A4R	A4Y						
		TRIM CODES →		WA, WAA, WAC	WB, WBA, WBC	WD, WDA, WDC	WF, WFA, WFC	WR, WRA, WRC	WY, WYA, WYC	WW, WWA, WWC				
A(65F)		D1AZ 6560032-A	D1AZ 6566600	AWA	AWB	AWD	AWF	AWR	AWY	AWW				
		TRIM CODES →		DA, DAA, DAC	DB, DBA, DBC	DD, DDA, DDC	DF, DFA, DFC	DR, DRA, DRC	DY, DYA, DYC					
A(65H)		D1AZ 6560032-A	D2AZ 6566600	ADA	ADB	ADD	ADF	ADR	ADY					
		TRIM CODES →		FA, FAA, FAC	FB, FBA, FBC	FD, FDA, FDC	FF, FFA, FFC	FR, FRA, FRC	FY, FYA, FYC	FW, FWA, FWC				
A(65H)		D1AZ 6560032-A	D1AZ 6566600	AFA	AFB	AFD	AFF	AFR	AFY	AFW				
		TRIM CODES →		EA	EB	ED	ER	EY	EZ					
A(65K)		D1AZ 6560032-A	D1AZ 6566600	AZA	AZB	AZD	AZR	AZY						
		D1AZ 6560032-A	D2AZ 6566600						AZZ					
		TRIM CODES →		ZA, ZAC	ZB, ZBC	ZD, ZDC	ZR, ZRC	ZY, ZYC	ZZ, ZZC					
A(65K)		D1AZ 6560032-A	D1AZ 6566600	AZA	AZB	AZD	AZR	AZY						
		D1AZ 6560032-A	D2AZ 6566600						AZZ					
		TRIM CODES →		NA, NAA, NAC	NB, NBA, NBC	NR, NRA, NRC								
A(71B) -"Before 6/1/72"		C9AZ 7160032-A	D2AZ 7166600	ANA	ANB	ANR								
-"From 6/1/72"		D2AZ 7160032-A	D2AZ 7166600	ANA	ANB	ANR								
		TRIM CODES →		JA, JAA, JAC, JAD, JAE	JB, JBA, JBC, JBD, JBE	JF, JFA, JFC, JFD, JFE	JR, JRA, JRC, JRD, JRE							
A(71D) -"Before 6/1/72"		C9AZ 7160032-A	D2AZ 7166600	AJA	AJB	AJF	AJR							
-"From 6/1/72"		D2AZ 7160032-A	D2AZ 7166600	AJA	AJB	AJF	AJR							

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60032-3 BACK KIT - REAR SEAT - CONSIST of SPRINGS, PADS, WIRE and INSTRUCTION SHEET - SHIPPED K.D. -continued															
		TRIM CODES →		RA, RAA, RAC, RAD, RAE	WA, WAA, WAC, WAD, WAE	WB, WBA, WBC, WBD, WBE	WD, WDA, WDC, WDD, WDE	WE, WFA, WFC, WFD, WFE	WR, WRA, WRC, WRD, WRE						
A(71F)		C9AZ 7160032-A	D1AZ 7166600	BVA	AWA	AWB	AWD	AWF	AWR						
-"Before 6/1/72"															
-"From 6/1/72"		D2AZ 7160032-A	D2AZ 7166600	BVA	AWA	AWB	AWD	AWF	AWR						
		TRIM CODES →		BA, BAA, BAC, BAD, BAE	BB, BBC, BBD, BBE	BF, BFA, BFC, BFD, BFE	BR, BRA, BRC, BRD, BRE	FA, FAA, FAC, FAE	FB, FBA, FBC, FBD, FBE	FD, FDA, FDC, FDD, FDE	FF, FFA, FFC, FFD, FFE	FR, FRA, FRC, FRD, FRE	VA, VAA, VAC, VAD, VAE		
A(71H)		C9AZ 7160032-A	D1AZ 7166600					AFA	AFB	AFD	AFF	AFR	BVA		
-"Before 6/1/71"															
		C9AZ 7160032-A	D2AZ 7166600	ABA	ABB	ABF	ABR								
-"From 6/1/72"		D2AZ 7160032-A	D1AZ 7166600					AFA	AFB	AFD	AFF	AFR	BVA		
		D2AZ 7160032-A	D2AZ 7166600	ABA	ABB	ABF	ABR								
		TRIM CODES →		FA, FAA, FAC	FB, FBA, FBC	FD, FDA, FDC	FR, FRA, FRC	FW, FWA, FWC							
A(76H)		C9AZ 7660032-A	D1AZ 7666600	AFA	AFB	AFD	AFR	AFW							
		TRIM CODES →		AA, AAA	AB, ABA	AR, ARA	CA	CB	CR						
B(53B)		D2OZ 6560032-A	D2OZ 6566600	AAA	AAB	AAR	ACA	ACB	ACR						
		TRIM CODES →		BA, BAA	BB, BBA	BR, BRA	BY, BYA	BZ, BZA	CA, CAA	CB, CBA	CF, CFA	CR, CRA			
B(53D)		D2OZ 6560032-A	D2OZ 6566600	ABA	ABB	ABR	ABY	ABZ	ACA	ACB	ACF	ACR			
		TRIM CODES →		NA, NAA	NB, NBA	NR, NRA	NY, NYA	NZ, NZA							
B(53D)		D2OZ 6560032-A	D2OZ 6566600	ANA	ANB	ANR	ANY	ANZ							
		TRIM CODES →		EA	EF	FA	FB	FF	FL	FR	FW	F5	F9		
B(63R)		D2OZ 6560032-A	D2OZ 6566600	ADA	ADF	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW		
		TRIM CODES →		MA, MAB, MAC	MB, MBB, MBC	MF, MFB, MFC	ML, MLB, MLC	MR, MRB, MRC	MW, MWB, MWC	M5, M5B, M5C	M9, M9B, M9C				
B(63R)		D2OZ 6560032-A	D2OZ 6566600	AKA	AKB	AKF	AKW	AKR	AKW	AKW	AKW				
		TRIM CODES →		AA	AB	AR	CA	CB	CR						
B(65B)		D2OZ 6560032-A	D2OZ 6566600	AAA	AAB	AAR	ACA	ACB	ACR						
		TRIM CODES →		BA	BB	BR	BY	BZ							
B(65D)		D2OZ 6560032-A	D2OZ 6566600	ABA	ABB	ABR	ABY	ABZ							
		TRIM CODES →		CA	CB	CF	CL	CR	CW	C5	C9				
B(65D)		D2OZ 6560032-A	D2OZ 6566600	ACA	ACB	ACF	ACW	ACR	ACW	ACW	ACW				
		TRIM CODES →		DA	DF	KA, KAB, KAC	KB, KBB, KBC	KF, KFB, KFC	KL, KLB, KLC	KR, KRB, KRC	KW, KWB, KWC	K5, K5B, K5C	K9, K9B, K9C		
B(65D)		D2OZ 6560032-A	D2OZ 6566600	ADA	ADF	AKA	AKB	AKF	AKW	AKR	AKW	AKW	AKW		
		TRIM CODES →		NA, NAA	NB, NBA	NR, NRA	NY, NYA	NZ, NZA							
B(65D)		D2OZ 6560032-A	D2OZ 6566600	ANA	ANA	ANR	ANY	ANZ							
		TRIM CODES →		EA	EF	FA	FB	FF	FL	FR	FW	F5	F9		
B(65R)		D2OZ 6560032-A	D2OZ 6566600	ADA	ADF	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW		
		TRIM CODES →		MA, MAB, MAC	MB, MBB, MBC	MF, MFB, MFC	ML, MLB, MLC	MR, MRB, MRC	MW, MWB, MWC	MS, M5B, M5C	M9, M9B, M9C				
B(65R)		D2OZ 6560032-A	D2OZ 6566660	AKA	AKB	AKF	AKW	AKR	AKW	AKW	AKW				

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60032-3 BACK KIT - REAR SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. -continued															
		TRIM CODES →		AA, AAA	AB, ABA	AR, ARA									
B(71B)		D2OZ 7160032-A	D2OZ 7166600	AAA	AAB	AAR									
		TRIM CODES →		CA, CAA	CB, CBA	CF, CFA	CR, CRA	JA	JF						
B(71D)		D2OZ 7160032-A	D2OZ 7166600	ACA	ACB	ACF	ACR	AHA	AHF						
		TRIM CODES →		GA	GB	GF	GR	HA	HF						
B(71K)		D2OZ 7160032-A	D2OZ 7166600	AGA	AGB	AGF	AGR	AHA	AHF						
		TRIM CODES →		AA, AAB, AAE	AB, ABB, ABE	AE, AEB, AEE	AF, AFB, AFE	AR, ARB, ARE	AW, AWB, AWE						
F(63)		C5ZZ 6360032-B	D1ZZ 6366600		A1B	A1E	A1F	A1R	A1W						
		C5ZZ 6360032-B	D3ZZ 6366600	AAA											
		TRIM CODES →		GA, GAE	GAA, GAB	GB, GBE	GBA, GBB	GE, GEE	GEA, GEB	GF, GFB	GFE				
F(63)		C5ZZ 6360032-B	D1ZZ 6366600	A5A		A5B		A5E			A5F				
		C5ZZ 6360032-B	D2ZZ 6366600		A5A		A5B		A5E	A5F					
		TRIM CODES →		GR, GRE	GRA, GRB	GW, GWE	GWA, GWB	HB, HBE	JB, JBE						
F(63)		C5ZZ 6360032-B	D1ZZ 6366600	A5R		A5W									
		C5ZZ 6360032-B	D2ZZ 6366600		A5R		A5W	AHB	AJB						
		TRIM CODES →		AA, AAB, AAE	AB, ABB, ABE	AE, AEB, AEE	AF, AFB, AFE	AR, ARB, ARE	AW, AWB, AWE	HB, HBE					
F(65D)		D3ZZ 6560032-A	D1ZZ 6566600	A1A	A1B	A1E	A1F	A1R							
		D3ZZ 6560032-A	D3ZZ 6566600						AAW						
		D1ZZ 6360032-A	D2ZZ 6566600							AHB					
		TRIM CODES →		FA, FAB, FAE	FB, FBB, FBE	FE, FEB, FEE	FF, FFB, FFE	FR, FRB, FRE							
F(65F)		D3ZZ 6560032-A	D1ZZ 6566600	A4A	A4B	A4E	A4F	A4R							
		TRIM CODES →		CA, CAE	CAA, CAB	CB, CBE	CBA, CBB	CE, CEE	CEA, CEB	CR, CRE	CRA, CRB	CW, CWE	CWA, CWB		
F(76D)		D3ZZ 7660032-A	D1ZZ 7666600	ACA		ACB		ACE		ACR		ACW			
		D3ZZ 7660032-A	D2ZZ 7666600		ACA		ACB		ACE		ACR		ACW		
L				Refer to Groups 672A18 (Upper) & 672A20-1 (Lower)											
		TRIM CODES →		AA, AAA	AY	BA	BB	BF	BT	BY	CA, CAA	CB	CY		
P(54A)		D2DZ 5460032-A	D1DZ 5466600	A1A	A1Y	A2A	A2B			A2Y	A3A	A3B	A3Y		
		D2DZ 5460032-A	D2DZ 5466600					ABF	ABT						
		TRIM CODES →		EA, EAA	EB, EBA	EE, EEA	EY								
P(54A)		D2DZ 5460032-A	D2DZ 5466600	A5A	A5B	A5E	A5Y								
		TRIM CODES →		HA	HB	HF	HT	JA	JB	JF	JT				
P(54A)		D2DZ 5460032-A	D2DZ 5466600	AHA	AHB	AHF	AHT	AJA	AJB	AJF	AJT				
		TRIM CODES →		KA	KB	KF	KT								
P(54A)		D2DZ 5460032-A	D2DZ 5466600	AHA	AHB	AHF	AHT								
		TRIM CODES →		PU											
P(54A)		D2DZ 5460032-B	D2DZ 5466600	APU											
		TRIM CODES →		AA, AAA	AY	BA	BB	BF	BT	BY	CE	CY			
P(62)		D2DZ 6260032-A	D1DZ 6266600	A1A	A1Y										
		D2DZ 6260032-A	D2DZ 6266600			A2A	A2B	ABF	ABT	A2Y	A3E	A3Y			
		TRIM CODES →		EA	EB	EE	EY								
P(62)		D2DZ 6260032-A	D2DZ 6266600	A5A	A5B	A5E	A5Y								
		TRIM CODES →		FA, FAA	FB, FBA	FE, FEA	FY	GE	GY						
P(62)		D2DZ 6260032-A	D2DZ 6266600	A5A	A5B	A5E	A5Y	A3E	A3Y						

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60032-3 BACK KIT - REAR SEAT - CONSISTS of SPRING, PADS, WIRE and INSTRUCTION SHEET - SHIPPED K.D.-continued															
		TRIM CODES →		HA	HB	HF	HT	JA	JB	JF	JT				
P(62)		D2DZ 6260032-A	D2DZ 6266600	AHA	AHB	AHF	AHT	AJA	AJB	AJF	AJT				
		TRIM CODES →		KA	KB	KF	KL	KS	KT	KW	K6				
P(62)		D2DZ 6260032-A	D2DZ 6266600	AHA	AHB	AHF	AKW	AKW	AHT	AKW	AKW				
		TRIM CODES →		LA	LF	LL	LS	LW	LQ						
P(62)		D2DZ 6260032-A	D2DZ 6266600	AHA	AHF	AKW	AKW	AKW	AKW						
		TRIM CODES →		NA	NB	NF	NT	RB							
P(62)		D2DZ 6260032-A	D2DZ 6266600	AJA	AJB	AJF	AJT	ARB							
		TRIM CODES →		PU											
P(62)		D2DZ 6260032-B	D2DZ 5466600	APU											
		TRIM CODES →		GA	GB	GD	GF	GR							
S		D2SZ 6560032-A	D2SZ 6566600	AGA	AGB	AGD	AGF	AGR							
		TRIM CODES →		HA, HAA	HB, HBA	HD, HDA	HR, HRA	HZ, HZA							
S		D2SZ 6560032-C	D2SZ 6566600	AHA	AHB	AHD	AHR	AHZ							
		TRIM CODES →		KA, KAA	KB, KBA	KD, KDA	KF, KFA	KL, KLA							
S		D2SZ 6560032-C	D2SZ 6566600	AKA	AKB	AKD	AKF	AKW							
		TRIM CODES →		KR, KRA	KW, KWA	KZ, KZA	K5, KSA	K9, K9A							
S		D2SZ 6560032-C	D2SZ 6566600	AKR	AKW	AKZ	AKW	AKW							
		TRIM CODES →		LA	LF	LL	LR	LW	L5	L9					
S		D2SZ 6560032-C	D2SZ 6566600	ALA	ALF	ALW	ALR	ALW	ALW	ALW					

IMPORTANT

When a complete Cushion Assembly is required, order BOTH a basic 60050 Kit plus a basic 62900 Cover with applicable suffix for desired trim code

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60050-1 CUSHION KIT - FRONT SEAT - CONSISTS of SPRING, PADS, WIRE and INSTRUCTION SHEET - SHIPPED K.D.															
		TRIM CODES →		DA, DAA	DAC	DB, DBA	DBC	DD, DDA	DDC	DF, DFA	DFC				
A(53H) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	ADA	BDA	ADB	BDB	ADD	BDD	ADF	BDF				
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	ADA	BDA	ADB	BDB	ADD	BDD	ADF	BDF				
-"From 6/1/72"		D2AZ 6560030-L	D2AZ 6562900	ADA	BDA	ADB	BDB	ADD	BDD	ADF	BDF				
		TRIM CODES →		DR, DRA	DRC	DY, DYA	DYC								
A(53H) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	ADR	BDR	ADY	BDY								
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	ADR	BDR	ADY	BDY								
-"From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	ADR	BDR	ADY	BDY								
		TRIM CODES →		FA, FAA	FAC	FB, FBA	FBC	FD, FDA	FDC	FF, FFA	FFC				
A(53H) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	AFA	BFA	AFB	BFB	AFD	BFD	AFF	BFF				
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	AFA	BFA	AFB	BFB	AFD	BFD	AFF	BFF				
-"From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	AFA	BFA	AFB	BFB	AFD	BFD	AFF	BFF				
		TRIM CODES →		FR, FRA	FRC	FY, FYA	FYC								
A(53H) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	AFR	BFR	AFY	BFY								
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	AFR	BFR	AFY	BFY								
-"From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	AFR	BFR	AFY	BFY								

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60050-1 CUSHION KIT - FRONT SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. -continued															
		TRIM CODES →		EA	EB	ED	ER	EY	EZ						
A(53K,57K,65K) -"Before 12/1/71"	R	D2AZ 6560050-B	D2AZ 6562900	AEA	AEB	AED	AER	AEY	AEZ						
	L	D2AZ 6560051-A	D2AZ 6562901	AEA	AEB	AED	AER	AEY	AEZ						
-"From 12/1/71 to 6/1/72"	R	D2AZ 6560050-G	D2AZ 6562900	AEA	AEB	AED	AER	AEY	AEZ						
	L	D2AZ 6560051-A	D2AZ 6562901	EAE	AEB	AED	AER	AEY	AEZ						
-"From 6/1/72"	R	D2AZ 6560050-J	D2AZ 6562900	AEA	AEB	AED	AER	AEY	AEZ						
	L	D2AZ 6560051-B	D2AZ 6562901	AEA	AEB	AED	AER	AEY	AEZ						
		TRIM CODES →		ZA,	ZAC	ZB,	ZBC	ZD,	ZDC						
A(53K,57K,65K) -"Before 12/1/71"		D2AZ 6560050-C	D2AZ 6562900	AZA	BZA	AZB	BZB	AZD	BZD						
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-E	D2AZ 6562900	AZA	BZA	AZB	BZB	AZD	BZD						
-"From 6/1/72"		D2AZ 6560050-K	D2AZ 6562900	AZA	BZA	AZB	BZB	AZD	BZD						
		TRIM CODES →		ZR	ZRC	ZY	ZYC	ZZ	ZZC						
A(53K,57K,65K) -"Before 12/1/71"		D2AZ 6560050-C	D2AZ 6562900	AZR	BZR	AZY	BZY	AZZ	BZZ						
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-E	D2AZ 6562900	AZR	BZR	AZY	BZY	AZZ	BZZ						
-"From 6/1/72"		D2AZ 6560050-K	D2AZ 6562900	AZR	BZR	AZY	BZY	AZZ	BZZ						
		TRIM CODES →		AA, AAA	AAC	AB, ABA	ABC	AY, AYA	AYC	LU, LUA	LUC				
A(54B) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 5462900	AAA	BAA	AAB	BAB	AAY	BAY	ALU	BLU				
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 5462900	AAA	BAA	AAB	BAB	AAY	BAY	ALU	BLU				
-"From 6/1/72"		D2AZ 6560050-L	D2AZ 5462900	AAA	BAA	AAB	BAB	AAY	BAY	ALU	BLU				
		TRIM CODES →		NA, NAA	NAC	NB, NBA	NBC	NY, NYA	NYC						
A(54B) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 5462900	ANA	BNA	ANB	BNB	ANY	BNY						
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 5462900	ANA	BNA	ANB	BNB	ANY	BNY						
-"From 6/1/72"		D2AZ 6560050-L	D2AZ 5462900	ANA	BNA	ANB	BNB	ANY	BNY						
		TRIM CODES →		HA, HAA	HAC	HB, HBA	HBC	HR, HRA	HRC	HY, HYA	HYC	LU, LUA	LUC		
A(54D) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 5462900	AHA	BHA	AHB	BHB	AHR	BHR	AHY	BHY	ALU	BLU		
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 5462900	AHA	BHA	AHB	BHB	AHR	BHR	AHY	BHY	ALU	BLU		
-"From 6/1/72"		D2AZ 6560050-L	D2AZ 5462900	AHA	BHA	AHB	BHB	AHR	BHR	AHY	BHY	ALU	BLU		
		TRIM CODES →		NA, NAA	NAC	NB, NBA	NBC	NY, NYA	NYC						
A(54D) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 5462900	ANA	BNA	ANB	BNB	ANY	BNY						
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 5462900	ANA	BNA	ANB	BNB	ANY	BNY						
-"From 6/1/72"		D2AZ 6560050-L	D2AZ 5462900	ANA	BNA	ANB	BNB	ANY	BNY						
		TRIM CODES →		KA, KAA, KAB	KAC	KB, KBA	KBC	KF, KFA	KFC						
A(54F,57F) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	AKA	BKA	AKB	BKB	AKF	BKF						
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	AKA	BKA	AKB	BKB	AKF	BKF						
-"From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	AKA	BKA	AKB	BKB	AKF	BKF						

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60050-1 CUSHION KIT - FRONT SEAT - CONSISTS of SPRING, PADS, WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued															
		TRIM CODES →		KR, KKA	KRC	KY, KYA	KYC								
A(54F,57F) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	AKR	BKR	AKY	BKY								
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	AKR	BKR	AKY	BKY								
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	AKR	BKR	AKY	BKY								
		TRIM CODES →		WA, WAA	WAC	WB, WBA	WBC	WD, WDA	WDC	WF, WFA	WFC				
A(54F,57F) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	AWA	BWA	AWB	BWB	AWD	BWD	AWF	BWF				
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	AWA	BWA	AWB	BWB	AWD	BWD	AWF	BWF				
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	AWA	BWA	AWB	BWB	AWD	BWD	AWF	BWF				
		TRIM CODES →		WR, WRA	WRC	WY, WYA	WYC								
A(54F,57F) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	AWR	BWR	AWY	BWY								
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	AWR	BWR	AWY	BWY								
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	AWR	BWR	AWY	BWY								
		TRIM CODES →		DA, DAA	DAC	DB, DBA	DBC	DD, DDA	DDC	DF, DFA	DFC				
A(57H) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	ADA	BDA	ADB	BDB	ADD	BDD	ADF	BDF				
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	ADA	BDA	ADB	BDB	ADD	BDD	ADF	BDF				
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	ADA	BDA	ADB	BDB	ADD	BDD	ADF	BDF				
		TRIM CODES →		DR, DRA	DRC	DY, DYA	DYC								
A(57H) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	ADR	BDR	ADY	BDY								
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	ADR	BDR	ADY	BDY								
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	ADR	BDR	ADY	BDY								
		TRIM CODES →		FA, FAA	FAC	FB, FBA	FBC	FD, FDA	FDC	FF, FFA	FFC				
A(57H) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	AFA	BFA	AFB	BFB	AFD	BFD	AFF	BFF				
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	AFA	BFA	AFB	BFB	AFD	BFD	AFF	BFF				
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	AFA	BFA	AFB	BFB	AFD	BFD	AFF	BFF				
		TRIM CODES →		FR, FRA	FRC	FY, FYA	FYC								
A(57H) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	AFR	BFR	AFY	BFY								
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	AFR	BFR	AFY	BFY								
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	AFR	BFR	AFY	BFY								
		TRIM CODES →		HA, HAA	HAC	HB, HBA	HBC	HR, HRA	HRC	HY, HYA	HYC				
A(65D) -"Before 12/1/71"		D2AZ 6560050-D	D2YY 6562900	AHA	BHA	AHB	BHB	AHR	BHR	AHY	BHY				
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2YY 6562900	AHA	BHA	AHB	BHB	AHR	BHR	AHY	BHY				
-" From 6/1/72"		D2AZ 6560050-L	D2YY 6562900	AHA	BHA	AHB	BHB	AHR	BHR	AHY	BHY				

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60050-1 CUSHION KIT - FRONT SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. -continued															
			TRIM CODES →	MA, MAA	MAC	MB, MBA	MBC	MR, MRA	MRC	MY, MYA	MYC				
A(65D) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	AWA	BWA	AWB	BWB	AWR	BWR	AWY	BWY				
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	AWA	BWA	AWB	BWB	AWR	BWR	AWY	BWY				
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	AWA	BWA	AWB	BWB	AWR	BWR	AWY	BWY				
			TRIM CODES →	KA, KAA, KAB	KAC	KB, KBA	KBC	KF, KFA	KFC	KR, KRA	KRC	KY, KYA	KYC		
A(65F) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	AKA	BKA	AKB	BKB	AKF	BKF	AKR	BKR	AKY	BKY		
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	AKA	BKA	AKB	BKB	AKF	BKF	AKR	BKR	AKY	BKY		
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	AKA	BKA	AKB	BKB	AKF	BKF	AKR	BKR	AKY	BKY		
			TRIM CODES →	WA, WAA	WAC	WB, WBA	WBC	WD, WDA	WDC	WF, WFA	WFC				
A(65F) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	AWA	BWA	AWB	BWB	AWD	BWD	AWF	BWF				
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	AWA	BWA	AWB	BWB	AWD	BWD	AWF	BWF				
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	AWA	BWA	AWB	BWB	AWD	BWD	AWF	BWF				
			TRIM CODES →	WR, WRA	WRC	WW, WWA	WWC	WY, WYA	WYC						
A(65F) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	AWR	BWR	AWW	BWW	AWY	BWY						
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	AWR	BWR	AWW	BWW	AWY	BWY						
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	AWR	BWR	AWW	BWW	AWY	BWY						
			TRIM CODES →	DA, DAA	DAC	DB, DBA	DBC	DD, DDA	DDC	DF, DFA	DFC				
A(65H) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	ADA	BDA	ADB	BDB	ADD	BDD	ADF	BDF				
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	ADA	BDA	ADB	BDB	ADD	BDD	ADF	BDF				
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	ADA	BDA	ADB	BDB	ADD	BDD	ADF	BDF				
			TRIM CODES →	DR, DRA	DRC	DY, DYA	DYC								
A(65H) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	ADR	BDR	ADY	BDY								
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	ADR	BDR	ADY	BDY								
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	ADR	BDR	ADY	BDY								
			TRIM CODES →	FA, FAA	FAC	FB, FBA	FBC	FD, FDA	FDC	FF, FFA	FFC				
A(65H) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	AFA	BFA	AFB	BFB	AFD	BFD	AFF	BFF				
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	AFA	BFA	AFB	BFB	AFD	BFD	AFF	BFF				
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	AFA	BFA	AFB	BFB	AFD	BFD	AFF	BFF				
			TRIM CODES →	FR, FRA	FRC	FW, FWA	FWC	FY, FYA	FYC						
A(65H) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	AFR	BFR	AFW	BFW	AFY	BFY						
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	AFR	BFR	AFW	BFW	AFY	BFY						
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	AFR	BFR	AFW	BFW	AFY	BFY						

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60050-1 CUSHION KIT - FRONT SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. -continued															
TRIM CODES →				NA, NAA	NAC	NB, NBA	NBC	NR, NRA	NRC						
A(71B)		D2AZ 6560050-D	D2AZ 5462900	ANA	BNA	ANB	BNB	ANR	BNR						
-"Before 12/1/71"															
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 5462900	ANA	BNA	ANB	BNB	ANR	BNR						
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	ANA	BNA	ANB	BNB	ANR	BNR						
TRIM CODES →				JA, JAA	JAC, JAD, JAE	JB, JBA	JBC, JBD, JBE	JF, JFA	JFC, JFD, JFE	JR, JRA	JRC, JRD, JRE				
A(71D)		D2AZ 6560050-D	D2AZ 5462900	AJA	BJA	AJB	BJB	AJF	BJF	AJR	BJR				
-"Before 12/1/71"															
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 5462900	AJA	BJA	AJB	BJB	AJF	BJF	AJR	BJR				
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 5462900	AJA	BJA	AJB	BJB	AJF	BJF	AJR	BJR				
TRIM CODES →				RA, RAA	RAC, RAD, RAE	WA, WAA	WAC, WAD, WAE	WB, WBA	WBC, WBD, WBE	WD, WDA	WDC, WDD, WDE				
A(71F)		D2AZ 6560050-D	D2AZ 6562900			AWA	BWA	AWB	BWB	AWD	BWD				
-"Before 12/1/71"		D2AZ 6560050-D	D2AZ 5362900	AVA	BVA										
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900			AWA	BWA	AWB	BWB	AWD	BWD				
		D2AZ 6560050-F	D2AZ 5362900	AVA	BVA										
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900			AWA	BWA	AWB	BWB	AWD	BWD				
		D2AZ 6560050-L	D2AZ 5362900	AVA	BVA										
TRIM CODES →				WF, WFA	WFC	WR, WRA	WRC								
A(71F)		D2AZ 6560050-D	D2AZ 6562900	AWF	BWF	AWR	BWR								
-"Before 12/1/71"															
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	AWF	BWF	AWR	BWR								
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	AWF	BWF	AWR	BWR								
TRIM CODES →				BA, BAA	BAC, BAD, BAE	BB, BBA	BBC, BBD, BBE	BF, BFA	BFC, BFD, BFE	BR, BRA	BRC, BRD, BRE				
A(71H)		D2AZ 6560050-D	D2AZ 7162900	ABA	BBA	ABB	BBB	ABF	BBF	ABR	BBR				
-"Before 12/1/71"															
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 7162900	ABA	BBA	ABB	BBB	ABF	BBF	ABR	BBR				
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 7162900	ABA	BBA	ABB	BBB	ABF	BBF	ABR	BBR				
TRIM CODES →				FA, FAA	FAC, FAD, FAE	FB, FBA	FBC, FBD, FBE	FD, FDA	FDC, FDD, FDE	FF	FFC, FFD, FFE				
A(71H)		D2AZ 6560050-D	D2AZ 6562900	AFA	BFA	AFB	BFB	AFD	BFD	AFF	BFF				
-"Before 12/1/71"															
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	AFA	BFA	AFB	BFB	AFD	BFD	AFF	BFF				
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	AFA	BFA	AFB	BFB	AFD	BFD	AFF	BFF				

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60050-1 CUSHION KIT - FRONT SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued															
TRIM CODES →				FR	FRC, FRD, FRE	VA, VAA	VAC, VAD, VAE								
A(71H) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	AFR	BFR										
		D2AZ 6560050-D	D2AZ 5362900			AVA	BVA								
-"From 12/1/71 to 6/1/72"		D2AZ 6260050-F	D2AZ 6562900	AFR	BFR										
		D2AZ 6260050-F	D2AZ 5362900			AVA	BVA								
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	AFR	BFR										
		D2AZ 6560050-L	D2AZ 5362900			AVA	BVA								
TRIM CODES →				FA, FAA	FAC	FB, FBA	FBC	FD, FDA	FDC	FR, FRA	FRC	FW, FWA	FWC		
A(76H) -"Before 12/1/71"		D2AZ 6560050-D	D2AZ 6562900	AFA	BFA	AFB	BFB	AFD	BFD	AFR	BFR	AFW	BFW		
-"From 12/1/71 to 6/1/72"		D2AZ 6560050-F	D2AZ 6562900	AFA	BFA	AFB	BFB	AFD	BFD	AFR	BFR	AFW	BFW		
-" From 6/1/72"		D2AZ 6560050-L	D2AZ 6562900	AFA	BFA	AFB	BFB	AFD	BFD	AFR	BFR	AFW	BFW		
TRIM CODES →				AA, AAA	AB, ABA	AR, ARA	CA	CB	CR						
B(53B) -"Before 12/1/71"		D2OZ 5360050-A	D2OZ 6562900	AAA	AAB	AAR	ACA	ACB	ACR						
-"From 12/1/71"		D2OZ 5360050-C	D2OZ 6562900	AAA	AAB	AAR	ACA	ACB	ACR						
TRIM CODES →				BA, BAA	BB, BBA	BR, BRA	BY, BYA	BZ, BZA	CA, CAA	CB, CBA	CF, CFA	CR, CRA			
B(53D) -"Before 12/1/71"		D2OZ 5360050-A	D2OZ 6562900	ABA	ABB	ABR	ABY	ABZ	ACA	ACB	ACF	ACR			
-"From 12/1/71"		D2OZ 5360050-C	D2OZ 6562900	ABA	ABB	ABR	ABY	ABZ	ACA	ACB	ACF	ACR			
TRIM CODES →				NA, NAA	NB, NBA	NR, NRA	NY, NYA	NZ, NZA							
B(53D)		D3OZ 6560050-B	D2OZ 6562900	ANA	ANB	ANR	ANY	ANZ							
TRIM CODES →				EA	EF	FA	FB	FF	FL	FR	FW	F5	F9		
B(63R)-w/sensor		D3OZ 6560050-C	D2OZ 6562900	ADA	ADF	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW		
-w/o sensor		D2OZ 6560050-A	D2OZ 6562900	ADA	ADF	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW		
TRIM CODES →				MA, MAB	MAC	MB, MBB	MBC	MF, MFB	MFC	ML, MLB	MLC	MR, MRB	MRC	MW, MRW	
B(63R)	R	Service details	D2OZ 6562900	AKA	BKA	AKB	BKB	AKF	BKF	AKW	BKW	AKR	BKR	AKW	
	L	Service details	D2OZ 6562901	AKA	BKA	AKB	BKB	AKF	BKF	AKW	BKW	AKR	BKR	AKW	
		D3OZ 6560050-A		Spring and pad assy.											
-"Before 7/3/72"	R	D2SZ 6560336-A		Frame											
	L	D2SZ 6560337-A		Frame											
-"From 7/3/72"	R	D3SZ 6560336-A		Frame											
	L	D3SZ 6560337-A		Frame											
TRIM CODES →				MWC	M5, M5B	M5C	M9, M9B	M9C							
B(63R)	R	Service details	D2OZ 6562900	BKW	AKW	BKW	AKW	BKW							
	L	Service details	D2OZ 6562901	BKW	AKW	BKW	AKW	BKW							
		D3OZ 6560050-A		Spring and pad assy.											
-"Before 7/3/72"	R	D2SZ 6560336-A		Frame											
	L	D2SZ 6560337-A		Frame											
-"From 7/3/72"	R	D3SZ 6560336-A		Frame											
	L	D3SZ 6560337-A		Frame											
TRIM CODES →				AA	AB	AR	CA	CB	CR						
B(65B)-w/sensor		D3OZ 6560050-C	D2OZ 6562900	AAA	AAB	AAR	ACA	ACB	ACR						
-w/o sensor		D2OZ 6560050-A	D2OZ 6562900	AAA	AAB	AAR	ACA	ACB	ACR						

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
60050-1 CUSHION KIT -FRONT SEAT- CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D. -continued														
		TRIM CODES →		BA	BB	BR	BY	BZ						
B(65D)-w/sensor		D3OZ 6560050-C	D2OZ 6562900	ABA	ABB	ABR	ABY	ABZ						
-w/o sensor		D2OZ 6560050-A	D2OZ 6562900	ABA	ABB	ABR	ABY	ABZ						
		TRIM CODES →		CA	CB	CF	CL	CR	CW	C5	C9	DA	DF	
B(65D)-w/sensor		D3OZ 6560050-C	D2OZ 6562900	ACA	ACB	ACF	ACW	ACR	ACW	ACW	ACW	ADA	ADF	
-w/o sensor		D2OZ 6560050-A	D2OZ 6562900	ACA	ACB	ACF	ACW	ACR	ACW	ACW	ACW	ADA	ADF	
		TRIM CODES →		KA, KAB	KAC	KB, KBB	KBC	KF, KFB	KFC	KL, KLB	KLC			
B(65D)	R	Service details	D2OZ 6562900	AKA	BKA	AKB	BKB	AKF	BKF	AKW	BKW			
	L	Service details	D2OZ 6562901	AKA	BKA	AKB	BKB	AKF	BKF	AKW	BKW			
		D3OZ 6560050-A		Spring and pad assy.										
-"Before 7/3/72"	R	D2SZ 6560336-A		Frame										
	L	D2SZ 6560337-A		Frame										
-"From 7/3/72"	R	D3SZ 6560336-A		Frame										
	L	D3SZ 6560337-A		Frame										
		TRIM CODES →		KR, KRB	KRC	KW, KWB	KWC	K5, K5B	K5C	K9, K9B	K9C			
B(65D)	R	Service details	D2OZ 6462900	AKR	BKR	AKW	BKW	AKW	BKW	AKW	BKW			
	L	Service details	D2OZ 6562901	AKR	BKR	AKW	BKW	AKW	BKW	AKW	BKW			
		D3OZ 6560050-A		Spring and pad assy.										
"Before 7/3/72"	R	D2SZ 6560336-A		Frame										
	L	D2SZ 6560337-A		Frame										
"From 7/3/72"	R	D3SZ 6560336-A		Frame										
	L	D3SZ 6560337-A		Frame										
		TRIM CODES →		NA, NAA	NB, NBA	NR, NRA	NY, NYA	NZ, NZA						
B(65D)		D3OZ 6560050-B	D2OZ 6562900	ANA	ANB	ANR	ANY	ANZ						
		TRIM CODES →		EA	EF	FA	FB	FF	FL	FR	FW	F5	F9	
B(65R)-w/sensor		D3OZ 6560050-C	D2OZ 6562900	ADA	ADF	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW	
-w/o sensor		D2OZ 6560050-A	D2OZ 6562900	ADA	ADF	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW	
		TRIM CODES →		MA, MAB	MAC	MB, MBB	MBC	MF, MFB	MFC	ML, MLB	MLC			
B(65R)	R	Service Details	D2OZ 6562900	AKA	BKA	AKB	BKB	AKF	BKF	AKW	BLW			
	L	Service details	D2OZ 6562901	AKA	BKA	AKB	BKB	AKF	BKF	AKW	BKW			
		D3OZ 6560050-A		Spring and pad assy.										
"Before 7/3/72"	R	D2SZ 6560336-A		Frame										
	L	D2SZ 6560337-A		Frame										
"From 7/3/72"	R	D3SZ 6560336-A		Frame										
	L	D3SZ 6560337-A		Frame										
		TRIM CODES →		MR, MRB	MRC	MW, MWB	MWC	M5, M5B	M5C	M9, M9B	M5C			
B(65R)	R	Service details	D2OZ 6562900	AKR	BKR	AKW	BKW	AKW	BKW	AKW	BKW			
	L	Service details	D2OZ 6562901	AKR	BKR	AKW	BKW	AKW	BKW	AKW	BKW			
		D3OZ 6560050-A		Spring and pad assy.										
"Before 7/3/72"	R	D2SZ 6560336-A		Frame										
	L	D2SZ 6560337-A		Frame										
"From 7/3/72"	R	D3SZ 6560336-A		Frame										
	L	D3SZ 6560337-A		Frame										
		TRIM CODES →		AA	AB	AR								
B(71B)		D2OZ 5360050-A	D2OZ 6562900	AAA	AAB	AAR								
		TRIM CODES →		CA	CB	CF	CR	JA	JF					
B(71D)		D2OZ 5360050-A	D2OZ 6562900	ACA	ACB	ACF	ACR							
		D2OZ 5360050-A	D2OZ 7162900					AHA	AHF					
		TRIM CODES →		GA	GB	GF	GR	HA	HF					
B(71K)		D2OZ 5360050-A	D2OZ 7162900	AGA	AGB	AGF	AGR	AHA	AHF					

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES									
60050-1 CUSHION KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTIONS-SHIPPED K.D. - continued													
TRIM CODES →				QA, QAA	QB, QBA	QR, QRA	QY, QYA	QZ, QZA					
B(97D)		D2OZ 9760050-A	D2OZ 6562900	ABA	ABB	ABR	ABY	ABZ					
TRIM CODES →				UA, UAA	UB, UBA	UF, UFA	UL, ULA	UR, URA	UW, UWA	U5, U5A	U9, U9A	VA	VF
B(97D)		D2OZ 9760050-A	D2OZ 6562900	ACA	ACB	ACF	ACW	ACR	ACW	ACW	ACW	ADA	ADF
TRIM CODES →				SA, SAB	SAC	SB, SBB	SBC	SF, SFB	SFC	SL			
B(97D,K)	R	Service details	D2OZ 6562900	AKA	BKA	AKB	BKB	AKF	BKF	AKW			
	L	Service details	D2OZ 6562901	AKA	BKA	AKB	BKB	AKF	BKF	AKW			
		D2OZ 6560050-C		Spring and pad assy.									
"Before 7/3/72"	R	D2SZ 6560336-A		Frame									
	L	D2SZ 6560337-A		Frame									
"From 7/3/72"	R	D3SZ 6560336-A		Frame									
	L	D3SZ 6560337-A		Frame									
TRIM CODES →				SR, SRB	SRC	SW	S5	S9					
B(97D, K)	R	Service details	D2OZ 6562900	AKR	BKR	AKW	AKW	AKW					
	L	Service details	D2OZ 6562901	AKR	BKR	AKW	AKW	AKW					
		D2OZ 6560050-C		Spring and pad assy.									
"Before 7/3/72"	R	D2SZ 6560336-A		Frame									
	L	D2SZ 6560337-A		Frame									
"From 7/3/72"	R	D3SZ 6560336-A		Frame									
	L	D3SZ 6560337-A		Frame									
TRIM CODES →				NA, NAA	NB, NBA	NR, NRA	NY, NYA	NZ, NZA					
B(97D, K)		D3OZ 6560050-B	D2OZ 6562900	ANA	ANB	ANR	ANY	ANZ					
TRIM CODES →				RA	RB	RF	RL	RR	RW	R5	R9	VA	VF
B(97K)		D2OZ 9760050-A	D2OZ 6562900	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW	ADA	ADF
TRIM CODES →				EA	EF	FA	FB	FF	FL	FR	FW	F5	F9
B(97R)		D2OZ 9760050-A	D2OZ 6562900	ADA	ADF	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW
TRIM CODES →				MA, MAB	MAC	MB, MBB	MBC	MF, MFB	MFC	ML, MLB	MLC		
B(97R)	R	Service details	D2OZ 6562900	AKA	BKA	AKB	BKB	AKF	BKF	AKW	BKW		
	L	Service details	D2OZ 6562901	AKA	BKA	AKB	BKB	AKF	BKF	AKW	BKW		
		D2OZ 6560050-C		Spring and pad assy.									
"Before 7/3/72"		D2SZ 6560336-A		Frame									
		D2SZ 6560337-A		Frame									
"From 7/3/72"	R	D3SZ 6560336-A		Frame									
	L	D3SZ 6560337-A		Frame									
TRIM CODES →				MR, MRB	MRC	MW, MWB	MWC	M5, M5B	M5C	M9, M9B	M9C		
B(97R)	R	Service details	D2OZ 6562900	AKR	BKR	AKW	BKW	AKW	BKW	AKW	BKW		
	L	Service details	D2OZ 6562901	AKR	BKR	AKW	BKW	AKW	BKW	AKW	BKW		
		D2OZ 6560050-C		Spring and pad assy.									
"Before 7/3/72"		D2SZ 6560336-A		Frame									
		D2SZ 6560337-A		Frame									
"From 7/3/72"	R	D3SZ 6560336-A		Frame									
	L	D3SZ 6560337-A		Frame									
TRIM CODES →				AA, AAB	AAE	AB, ABB	ABE	AE, AEB	AEE	AF, AFB	AFE		
F(63)-w/sensor		D2DZ 6560050-A	D2ZZ 6562900	AAA	BAA	AAB	BAB	AAE	BAE	AAF	BAF		
-w/o sensor		D1DZ 6560050-A	D2ZZ 6562900	AAA	BAA	AAB	BAB	AAE	BAE	AAF	BAF		
TRIM CODES →				AR, ARB	ARE	AW, AWB	AWE						
F(63)-w/sensor		D2DZ 6560050-A	D2ZZ 6562900	AAR	BAR	AAW	BAW						
-w/o sensor		D1DZ 6560050-A	D2ZZ 6562900	AAR	BAR	AAW	BAW						

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
60050-1 CUSHION KIT -FRONT SEAT- CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D. -continued														
TRIM CODES →				GA	GAA, GAB	GAE	GB	GBA, GBB	GBE	GE	GEA, GEB	GEE	GF	GFE
F(63)-w/o sensor		D1DZ 6560050-A	D1ZZ 6362900	A5A			A5B			A5E				
-w/sensor		D2DZ 6560050-A	D2ZZ 6362900		A5A			A5B			A5E		AGF	
			D2ZZ 6562900			AGA			AGB			AGE		AGF
TRIM CODES →				GR	GRA, GRB	GRE	GW	GWA, GWB	GWE	HB	HBE			
F(63)-w/o sensor		D1DZ 6560050-A	D1ZZ 6362900	A5R			A5W							
-w/sensor		D2DZ 6560050-A	D2ZZ 6362900		A5R			A5W						
			D2ZZ 6562900			AGR			AGW	AHB	BHB			
TRIM CODES →				AA, AAB	AAE	AB, ABB	ABE	AE, AEB	AEE	AF, AFB	AFE			
F(65D)-w/sensor		D2DZ 6560050-A	D2ZZ 6562900	AAA	BAA	AAB	BAB	AAE	BAE	AAF	BAF			
-w/o sensor		D1DZ 6560050-A	D2ZZ 6562900	AAA	BAA	AAB	BAB	AAE	BAE	AAF	BAF			
TRIM CODES →				AR, ARB	ARE	AW, AWB	AWE	HB	HBE					
F(65D)-w/sensor		D2DZ 6560050-A	D2ZZ 6562900	AAR	BAR	AAW	BAW	AHB	BHB					
-w/o sensor		D1DZ 6560050-A	D2ZZ 6562900	AAR	BAR	AAW	BAW	AHB	BHB					
TRIM CODES →				FA, FAB	FAE	FB, FBB	FBE	FE, FEB	FEE	FF, FFB	FFE	FR, FRB	FRE	
F(65F)-w/sensor		D2DZ 6560050-A	D2ZZ 6562900	AFA	BFA	AFB	BFB	AFE	BFE	AFF	BFF	AFR	BFR	
-w/o sensor		D1DZ 6560050-A	D2ZZ 6562900	AFA	BFA	AFB	BFB	AFE	BFE	AFF	BFF	AFR	BFR	
TRIM CODES →				CA	CAA	CAB	CAE	CB	CBA	CBB	CBE			
F(76)-w/o sensor		D1DZ 6560050-A	D1ZZ 6562900	ACA				ACB						
		D1DZ 6560050-A	D2ZZ 6562900		ACA	CCA	BCA		ACB	CCB	BCB			
-w/sensor		D2DZ 6560050-A	D1ZZ 6562900	ACA				ACB						
		D2DZ 6560050-A	D2ZZ 6562900		ACA	CCA	BCA		ACB	CCB	ACB			
TRIM CODES →				CE	CEA	CEB	CEE	CF	CFA	CFB	CFE			
F(76)-w/o sensor		D1DZ 6560050-A	D1ZZ 6562900	ACE				ACF						
		D1DZ 6560050-A	D2ZZ 6562900		ACE	CCE	BCE		ACF	CCF	BCF			
-w/sensor		D2DZ 6560050-A	D1ZZ 6562900	ACE				ACF						
		D2DZ 6560050-A	D2ZZ 6562900		ACE	CCE	BCE		ACF	CCF	BCF			
TRIM CODES →				CR	CRA	CRB	CRE	CW	CWA	CWB	CWE			
F(76)-w/o sensor		D1DZ 6560050-A	D1ZZ 6562900	ACR				ACW						
		D1DZ 6560050-A	D2ZZ 6562900		ACR	CCR	BCR		ACW	CCW	BCW			
-w/sensor		D2DZ 6560050-A	D1ZZ 6562900	ACR				ACW						
		D2DZ 6560050-A	D2ZZ 6562900		ACR	CCR	BCR		ACW	CCW	BCW			
TRIM CODES →				AA, AAC, AAD	AAE	AB, ABC, ABD	ABE	AF, AFC, AFD	AFE					
L		Service details	D2FZ 6262900	BAA	CAA	BAB	CAB	BAF	CAF					
-w/sensor- "Before 12/1/71"		D2FZ 62632A22-A		Pad										
-w/sensor- "From 12/1/71 to 4/3/72"		D2FZ 62632A22-B		Pad										
" From 4/3/72" -w/o sensor		D2FZ 6260050-A												
		D1FZ 62632A22-A		Pad										
		D2FZ 6260336-A		Frame										

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES

60050-1 CUSHION KIT - FRONT SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued

		TRIM CODES →		AL, ALC, ALD	ALE	AR, ARC, ARD	ARE	AS, ASC, ASD	ASE				
L		Service details	D2FZ 6262900	BAL	CAL	BAR	CAR	BAS	CAS				
-w/sensor- "Before 12/1/71"		D2FZ 62632A22-A		Pad									
-w/sensor- "From 12/1/71 to 4/3/72"		D2FZ 62632A22-B		Pad									
" From 4/3/72" -w/o sensor		D2FZ 6260050-A											
		D1FZ 62632A22-A		Pad									
		D2FZ 6260336-A		Frame									
		TRIM CODES →		AT, ATC, ATD	ATE	AW, AWC, AWD	AWE	A5, A5C, A5D	A5E				
L		Service details	D2FZ 6262900	BAT	CAT	BAW	CAW	BA5	CA5				
-w/sensor- "Before 12/1/71"		D2FZ 62632A22-A		Pad									
-w/sensor- "From 12/1/71 to 4/3/72"		D2FZ 62632A22-B		Pad									
" From 4/3/72" -w/o sensor		D2FZ 6260050-A											
		D1FZ 62632A22-A		Pad									
		D2FZ 6260336-A		Frame									
		TRIM CODES →		BA, BAC, BAD	BAE	BB, BBC, BBD	BBE	BF, BFC, BFD	BFE				
L		Service details	D2FZ 6262900	BBA	CBA	BBB	CBB	BBF	CBF				
-w/sensor- "Before 12/1/71"		D2FZ 62632A22-A		Pad									
-w/sensor- "From 12/1/71 to 4/3/72"		D2FZ 62632A22-B		Pad									
" From 4/3/72" -w/o sensor-		D2FZ 6260050-A											
		D1FZ 62632A22-A		Pad									
		D2FZ 6260336-A		Frame									
		TRIM CODES →		BL, BLC, BLD	BLE	BR, BRC, BRD	BRE	BS, BSC, BSD	BSE				
L		Service details	D2FZ 6262900	BBL	CBL	BBR	CBR	BBS	CBS				
-w/sensor "Before 12/1/71"		D2FZ 62632A22-A		Pad									
-w/sensor- "From 12/1/71 to 4/3/72"		D2FZ 62632A22-B		Pad									
" From 4/3/72" -w/o sensor-		D2FZ 6260050-A											
		D1FZ 62632A22-A		Pad									
		D2FZ 6260336-A		Frame									
		TRIM CODES →		BT, BTC, BTD	BTE	BW, BWC, BWD	BWE	B5, B5C, B5D	B5E				
L		Service details	D2FZ 6262900	BBT	CBT	BBW	CBW	BB5	CB5				
-w/sensor "Before 12/1/71"		D2FZ 62632A22-A		Pad									
-w/sensor- " From 12/1/71 to 4/3/72"		D2FZ 62632A22-B		Pad									
" From 4/3/72" -w/o sensor-		D2FZ 6260050-A											
		D1FZ 62632A22-A		Pad									
		D2FZ 6260336-A		Frame									

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES									
60050-1 CUSHION KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued													
TRIM CODES →				CA, CAD	CAC	CAE	CB, CBD	CBC	CBE	CF, CFD	CFC	CFE	
L		Service details	D2FZ 6262900	BCA	BAC	CCA	A3B	BCB	CCB	A3F	BCF	CCF	
-w/sensor- "Before 12/1/71"		D2FZ 62632A22-A		Pad									
-w/sensor- "From 12/1/71 to 4/3/72"		D2FZ 62632A22-B		Pad									
" From 4/3/72" -w/o sensor		D2FZ 6260050-A											
		D1FZ 62632A22-A		Pad									
		D2FZ 6260336-A		Frame									
TRIM CODES →				CL, CLD	CLC	CLE	CR, CRD	CRC	CRE				
L		Service details	D2FZ 6262900	ACL	BCL	CCL	A3R	BCR	CCR				
-w/sensor- "Before 12/1/71"		D2FZ 62632A22-A		Pad									
-w/sensor- "From 12/1/71 to 4/3/72"		D2FZ 62632A22-B		Pad									
" From 4/3/72" -w/o sensor		D2FZ 6260050-A											
		D1FZ 62632A22-A		Pad									
		D2FZ 6260336-A		Frame									
TRIM CODES →				CS, CSD	CSC	CSE	CT, CTD	CTC	CTE	CW, CWD	CWC	CWE	
L		Service Details	D2FZ 6262900	ACS	BCS	CCS	ACT	BCT	CCT	ACW	BCW	CCW	
-w/sensor- "Before 12/1/71"		D2FZ 62632A22-A		Pad									
-w/sensor- "From 12/1/71 to 4/3/72"		D2FZ 62632A22-B		Pad									
" From 4/3/72" -w/o sensor		D2FZ 6260050-A											
		D1FZ 62632A22-A		Pad									
		D2FZ 6260336-A		Frame									
TRIM CODES →				C5, C5D	C5C	C5E	GB	GBE	HBE				
L		Service details	D2FZ 6262900	AC5	BC5	CC5	AGB	BGB	BHB				
-w/sensor- "Before 12/1/71		D2FZ 62632A22-A		Pad									
-w/sensor "From 12/1/71 to 4/3/72"		D2FZ 62632A22-B		Pad									
" From 4/3/72" -w/o sensor		D2FZ 6260050-A											
		D1FZ 62632A22-A		Pad									
		D2FZ 6260336-A		Frame									
TRIM CODES →				DA	DAA, DAE	DB	DBE	DF	DFE	DL	DR	DS	DT	DTE
L		D2FZ 6260050-A	D2FZ 6262900	ADA		ADB		ADF		ADL	ADR	ADS	ADT	
		D2FZ 6260050-A	D3FZ 6262900		AAA		AAB		AAF					AAT
TRIM CODES →				DW	D5									
L		D2FZ 6260050-A	D2FZ 6262900	ADW	AD5									

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
60050-1 CUSHION KIT - FRONT SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued														
		TRIM CODES →		EA	EB	EC	EF	EG	EL	ER	ES	ET	EW	E5
L		D2FZ 6260050-A	D2FZ 6262900						AEL	AER	AES		AEW	AE5
		D3FZ 6260050-A	D3FZ 6262900	ABA	ABB	ABC	ABF	ABG				ABT		
		TRIM CODES →		FA	FB	FF	FL	FR	FS	FT	FW	F5	JB	KB
L		D2FZ 6260050-A	D2FZ 6262900				AFL	AFR	AFS		AFW	AF5	AJB	AKB
		D2FZ 6260050-A	D3FZ 6262900	ACA	ACB	ACF				ACT				
		TRIM CODES →		AA, AAA	AY	BA	BB	BF	BT	BY	CA, CAA	CB	CY	
P(54A)-w/o sensor		D2DZ 5460050-A	D1DZ 5462900	A1A	A1Y	A2A	A2B			A2Y	A3A	A3B	A3Y	
		D2DZ 5460050-A	D2DZ 5462900					ABF	ABT					
-w/sensor		D2DZ 5460050-B	D1DZ 5462900	A1A	A1Y	A2A	A2B			A2Y	A3A	A3B	A3Y	
		D2DZ 5460050-B	D2DZ 5462900					ABF	ABT					
		TRIM CODES →		EA, EAA	EB, EBA	EE, EEA	EY							
P(54A)-w/o sensor		D2DZ 5460050-A	D2DZ 5462900	A5A	A5B	A5E	A5Y							
-w/o sensor		D2OZ 5460050-B	D2DZ 5462900	A5A	A5B	A5E	A5Y							
		TRIM CODES →		HA	HB	HF	HT	JA	JB	JF	JT			
P(54A)-w/o sensor		D2DZ 5460050-A	D2DZ 5462900	AHA	AHB	AHF	AHT	AJA	AJB	AJF	AJT			
-w/sensor		D2DZ 5460050-B	D2DZ 5462900	AHA	AHB	AHF	AHT	AJA	AJB	AJF	AJT			
		TRIM CODES →		KA	KB	KF	KT							
P(54A)-w/o sensor		D2DZ 5460050-A	D2DZ 5462900	AHA	AHB	AHF	AHT							
-w/sensor		D2DZ 5460050-B	D2DZ 5462900	AHA	AHB	AHF	AHT							
		TRIM CODES →		PU										
P(54A)	R	D2DZ 5460050-C	D3DZ 6262900	APU										
	L	D2DZ 5460051-A	D3DZ 6262900	APU										
		TRIM CODES →		AA, AAA	AY	BA	BB	BF	BT	BY	CE	CY		
P(62)		D2DZ 6260050-A	D1DZ 6262900	A1A	A1Y	A2A	A2B			A2Y	A3E	A3Y		
		D2DZ 6260050-A	D2DZ 6262900					ABF	ABT					
		TRIM CODES →		EA	EB	EE	EY							
P(62)		D2DZ 6260050-A	D2DZ 6262900	A5A	A5B	A5E	A5Y							
		TRIM CODES →		FA, FAA	FB, FBA	FE, FEA	FY	GE	GY					
P(62)-		D1DZ 6560050-A	D2DZ 6262900	A4A	A4B	A4E	A4Y	A9E	A9Y					
" Before 12/1/71"														
" From 12/1/71 to 4/3/72"		D2DZ 6560050-A	D2DZ 6262900	A4A	A4B	A4E	A4Y	A9E	A9Y					
" From 4/3/72"	R	D2DZ 6260050-C	D2DZ 6262900	A4A	A4B	A4E	A4Y	A9E	A9Y					
	L	D2DZ 6260051-A	D2DZ 6262900	A4A	A4B	A4E	A4Y	A9E	A9Y					
		TRIM CODES →		HA	HB	HF	HT	JA	JB	JF	JT			
P(62)		D2DZ 6260050-A	D2DZ 6262900	AHA	AHB	AHF	AHT	AJA	AJB	AJF	AJT			
		TRIM CODES →		KA	KB	KF	KL	KS	KT	KW	K6			
P(62)		D2DZ 6260050-A	D2DZ 6262900	AHA	AHB	AHF	AKW	AKW	AHT	AKW	AKW			

60050-1 CUSHION KIT - FRONT SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
	TRIM CODES →			LA	LF	LL	LS	LW	L6	PU				
P(62)- "Before 12/1/71"		D1DZ 6560050-A	D2DZ 6262900	ALA	ALF	ALW	ALW	ALW	ALW					
		D1DZ 6560050-A	D3DZ 6262900							APU				
"From 12/1/71 to 4/3/72"		D2DZ 6560050-A	D2DZ 6262900	ALA	ALF	ALW	ALW	ALW	ALW					
		D2DZ 6560050-A	D3DZ 6262900							APU				
"From 4/3/72"	R	D2DZ 6260050-C	D2DZ 6262900	ALA	ALF	ALW	ALW	ALW	ALW					
	L	D2DZ 6260051-A	D2DZ 6262900	ALA	ALF	ALW	ALW	ALW	ALW					
	R	D2DZ 6260050-C	D3DZ 6262900							APU				
	L	D2DZ 6260051-A	D3DZ 6262900							APU				
	TRIM CODES →			NA	NB	NF	NT	RB						
P(62)		D2DZ 6260050-A	D2DZ 6262900	AJA	AJB	AJF	AJT	ARB						
	TRIM CODES →			GA	GB	GD	GF	GR						
S-"Before 10/15/71"	R	Service details	D2SZ 6562900	CGA	CGB	CGD	CGF	BGR						
	L	Service details	D2SZ 6562901	CGA	CGB	CGD	CGF	CGR						
-"From 10/15/71"	R	Service details	D2SZ 6562900	CGA	CGB	CGD	CGF	CGR						
	L	Service details	D2SZ 6562901	CGA	CGB	CGD	CGF	CGR						
-with sensor -"Before 9/16/71"	R	D2SZ 6560050-D		Spring and pad assy.										
	L	D2SZ 6560051-B		Spring and pad assy.										
-"From 9/16/71"	R	D3OZ 6560050-A		Spring and pad assy.										
	L	D2OZ 6560051-A		Spring and pad assy.										
-w/o reclining seat	R	D2SZ 6560336-A		Frame										
-"Before 7/3/72"	L	D3SZ 6560337-A		Frame										
-"From 7/3/72"	R	D3SZ 6560336-A		Frame										
	L	D3SZ 6560337-A		Frame										
-w/reclining seat -"Before 9/16/71"	R	D2SZ 6560336-C		Frame										
-"From 9/16/71"	R	D3SZ 6560336-B		Frame										
	TRIM CODES →			HA, HAA	HB, HBA	HD, HDA	HR, HRA	HZ, HZA						
S-w/reclining seat	R	D2SZ 6560050-C	D2SZ 6562900	CHA	CHB	CHD	CHR	CHZ						
	L	D2SZ 6560051-A	D2SZ 6562901	CHA	CHB	CHD	CHR	CHZ						
S-w/o reclining seat	R	D2SZ 6560050-B	D2SZ 6562900	CHA	CHB	CHD	CHR	CHZ						
	L	D2SZ 6560051-A	D2SZ 6562901	CHA	CHB	CHD	CHR	CHZ						
	TRIM CODES →			KA, KAA	KB, KBA	KD, KDA	KF, KFA	KL, KLA	KR, KRA	KW, KWA	KZ, KZA	K5, K5A	K9, K9A	
S-w/reclining seat-	R	D2SZ 6560050-C	D2SZ 6562900	CKA		CKD	CKF	CKL	CKR	CKW	CKZ	CK5		
	R	D2SZ 6560050-C	D3SZ 6562900		AKB								AK9	
	L	D2SZ 6560051-A	D2SZ 6562901			CKD		CKL		CKW				
	L	D2SZ 6560051-A	D3SZ 6562901	AKA	AKB		AKF		AKR		AKZ	AK5	AK9	

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

60050-1 CUSHION KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES									
TRIM CODES →				KA, KAA	KB, KBA	KD, KDA	KF, KFA	KL, KLA	KR, KRA	KW, KWA	KZ, KZA	K5, K5A	K9, K9A
S-w/o reclining seat	R	D2SZ 6560050-B	D2SZ 6562900	CKA		CKD	CKF	CKL	CKR	CKW	CKZ	CK5	
	R	D2SZ 6560050-B	D3SZ 6562900		AKB								AK9
	L	D2SZ 6560051-A	D2SZ 6562901			CKD		CKL		CKW			
	L	D2SZ 6560051-A	D3SZ 6562901	AKA	AKB		AKF		AKR		AKZ	AK5	AK9
TRIM CODES →				LA	LF	LL	LR	LW	L5	L9			
S		D2SZ 6560050-E	D2SZ 6562900	ALA	ALF	ALW	ALR	ALW	ALW	ALW			
TRIM CODES →				3	8	84	B	C	G				
U	R	D0BZ 1060050-A	D3BZ 1062900	ARU			AAB	AAF	AAG				
	L	D0BZ 1060051-A	D3BZ 1062900	ARU			AAB	AAF	AAG				
	R	D0BZ 1060050-A	D2BZ 1062900		ATF	ATF							
	L	D0BZ 1060051-A	D2BZ 1062900		ATF	ATF							

60080 CUSHION ASSY. - REAR SEAT - INCLUDES COVER

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES							QTY.
TRIM CODES →			3	8	84	B	C	G		
U- "Before Ser. P00,001"		C9TZ 9660080	DDD							1
"From Ser. P00,001"		D3BZ 1060080	ARU							1
		D2BZ 9660080		ATF	ATF					1
		D3BZ 1060080				AAB	AAF	AAG		1

IMPORTANT

When a complete Cushion Assembly is required, order BOTH a basic 60080 Kit plus a basic 63804 Cover with applicable suffix for desired trim code.

60080 CUSHION KIT - REAR SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
TRIM CODES →				DA, DAA, DAC	DB, DBA, DBC	DD, DDA, DDC	DF, DFA, DFC	DR, DRA, DRC	DY, DYA, DYC						
A(53H)		D2AZ 5360080-A	D2AZ 5363804	ADA	ADB	ADD	ADF	ADR	ADY						
TRIM CODES →				FA, FAA, FAC	FB, FBA, FBC	FD, FDA, FDC	FF, FFA, FFC	FR, FRA, FRC	FY, FYA, FYC						
A(53H)		D2AZ 5360080-A	D2AZ 5363804	AFA	AFB	AFD	AFF	AFR	AFY						
TRIM CODES →				EA	EB	ED	ER	EY	EZ						
A(53K,57K)		D2AZ 5360080-A	D2AZ 5363804	AZA	AZB	AZD	AZR	AZY	AZZ						
TRIM CODES →				ZA, ZAC	ZB, ZBC	ZD, ZDC	ZR, ZRC	ZY, ZYC	ZZ, ZZC						
A(53K,57K)		D2AZ 5360080-A	D2AZ 5363804	AZA	AZB	AZD	AZR	AZY	AZZ						
TRIM CODES →				AA, AAA, AAC	AB, ABA, ABC	AY, AYA, AYC	LU, LUA, LUC	NA, NAA, NAC	NB, NBA, NBC	NY, NYA, NYC					
A(54B)		D2AZ 5460080-A	D2AZ 5463804	AAA	AAB	AAY	ALU	ANA	ANB	ANY					

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60080 CUSHION KIT - REAR SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued															
	TRIM CODES →			HA, HAA, HAC	HB, HBA, HBC	HR, HRA, HRC	HY, HYA, HYC	LU, LUA, LUC	NA, NAA, NAC	NB, NBA, NBC	NY, NYA, NYC				
A(54D)		D2AZ 5460080-A	D2AZ 5463804	AHA	AHB	AHR	AHY	ALU	ANA	ANB	ANY				
	TRIM CODES →			KA, KAA, KAB, KAC	KB, KBA, KBC	KF, KFA, KFC	KR, KRA, KRC	KY, KYA, KYC	WA, WAA, WAC	WB, WBA, WBC	WD, WDA, WDC	WF, WFA, WFC	WR, WRA, WRC	WY, WYA, WYC	
A(54F,57F)		D2AZ 5360080-A	D2AZ 5463804	AKA	AKB	AKF	AKR	AKY	AWA	AWB	AWD	AWF	AWR	AWY	
	TRIM CODES →			DA, DAA, DAC	DB, DBA, DBC	DD, DDA, DDC	DF, DFA, DFC	DR, DRA, DRC	DY, DYA, DYC						
A(57H)		D2AZ 5360080-A	D2AZ 5363804	ADA	ADB	ADD	ADF	ADR	ADY						
	TRIM CODES →			FA, FAA, FAC	FB, FBA, FBC	FD, FDA, FDC	FF, FFA, FFC	FR, FRA, FRC	FY, FYA, FYC						
A(57H)		D2AZ 5360080-A	D2AZ 5363804	AFA	AFB	AFD	AFF	AFR	AFY						
	TRIM CODES →			HA, HAA, HAC	HB, HBA, HBC	HR, HRA, HRC	HY, HYA, HYC	MA, MAA, MAC	MB, MBA, MBC	MR, MRA, MRC	MY, MYA, MYC				
A(65D) - " Before 6/1/72"		D2AZ 6560080-A	D2AZ 6563804					AWA	AWB	AWR	AWY				
		D2AZ 6560080-A	D2YY 6563804	AHA	AHB	AHR	AHY								
" From 6/1/72"		D2AZ 6560080-B	D2AZ 6563804					AWA	AWB	AWR	AWY				
		D2AZ 6560080-B	D2YY 6563804	AHA	AHB	AHR	AHY								
	TRIM CODES →			KA, KAA, KAB, KAC	KB, KBA, KBC	KF, KFA, KFC	KR, KRA, KRC	KY, KYA, KYC							
A(65F) - " Before 6/1/72"		D2AZ 6560080-A	D2AZ 6563804	AKA	AKB	AKF	AKR	AKY							
" From 6/1/72"		D2AZ 6560080-B	D2AZ 6563804	AKA	AKB	AKF	AKR	AKY							
	TRIM CODES →			WA, WAA, WAC	WB, WBA, WBC	WD, WDA, WDC	WF, WFA, WFC	WR, WRA, WRC	WY, WYA, WYC	WW, WWA, WWC					
A(65F)- " Before 6/1/72"		D2AZ 6560080-A	D2AZ 6563804	AWA	AWB	AWD	AWF	AWR	AWY	AWW					
" From 6/1/72"		D2AZ 6560080-B	D2AZ 6563804	AWA	AWB	AWD	AWF	AWR	AWY	AWW					
	TRIM CODES →			DA, DAA, DAC	DB, DBA, DBC	DD, DDA, DDC	DF, DFA, DFC	DR, DRA, DRC	DY, DYA, DYC						
A(65H) - " Before 6/1/72"		D2AZ 6560080-A	D2AZ 6563804	ADA	ADB	ADD	ADF	ADR	ADY						
" From 6/1/72"		D2AZ 6560080-B	D2AZ 6563804	ADA	ADB	ADD	ADF	ADR	ADY						
	TRIM CODES →			FA, FAA, FAC	FB, FBA, FBC	FD, FDA, FDC	FF, FFA, FFC	FR, FRA, FRC	FY, FYA, FYC	FW, FWA, FWC					
A(65H) - " Before 6/1/72"		D2AZ 6560080-A	D2AZ 6563804	AFA	AFB	AFD	AFF	AFR	AFY	AFW					
" From 6/1/72"		D2AZ 6560080-B	D2AZ 6563804	AFA	AFB	AFD	AFF	AFR	AFY	AFW					
	TRIM CODES →			EA	EB	ED	ER	EY	EZ						
A(65K) - " Before 6/1/72"		D2AZ 6560080-A	D2AZ 6563804	AZA	AZB	AZD	AZR	AZY	AZZ						
" From 6/1/72"		D2AZ 6560080-B	D2AZ 6563804	AZA	AZB	AZD	AZR	AZY	AZZ						

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
60080 CUSHION KIT-REAR SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued														
	TRIM CODES →			ZA, ZAC	ZB, ZBC	ZD, ZDC	ZR, ZRC	ZY, ZYC	ZZ, ZZC					
A(65K)- "Before 6/1/72"		D2AZ 6560080-A	D2AZ 6563804	AZA	AZB	AZD	AZR	AZY	AZZ					
"From 6/1/72"		D2AZ 6560080-B	D2AZ 6563804	AZA	AZB	AZD	AZR	AZY	AZZ					
	TRIM CODES →			NA, NAA, NAC	NB, NBA, NBC	NR, NRA, NRC	JA, JAA, JAC, JAD, JAE	JB, JBA, JBC, JBD, JBE	JF, JFA, JFC, JFD, JFE	JR, JRA, JRC, JRD, JRE				
A(71B, D)		D2AZ 7160080-A	D2AZ 7163804	ANA	ANB	ANR	AJA	AJB	AJF	AJR				
	TRIM CODES →			RA, RAA, RAC, RAD, RAE	WA, WAA, WAC, WAD, WAE	WB, WBA, WBC, WBD, WBE	WD, WDA, WDC, WDD, WDE	WF, WFA, WFC, WFD, WFE	WR, WRA, WRC, WRD, WFE					
A(71F)		D2AZ 7160080-A	D2AZ 7163804	AVA	AWA	AWB	AWD	AWF	AWR					
	TRIM CODES →			BA, BAA, BAC, BAD, BAE	BB, BBA, BBC, BBD, BBE	BF, BFA, BFC, BFD, BFE	BR, BRA, BRC, BRD, BRE	FA, FAA, FAC, FAD, FAE	FB, FBA, FBC, FBD, FBE	FD, FDA, FDC, FDD, FDE	FF, FFA, FFC, FFD, FFE	FR, FRA, FRC, FRD, FRE	VA, VAA, VAC, VAD, VAE	
A(71H)		D2AZ 7160080-A	D2AZ 7163804	ABA	ABB	ABF	ABR	AFA	AFB	AFD	AFF	AFR	AVA	
	TRIM CODES →			FA, FAA, FAB	FB, FBA, FBC	FD, FDA, FDC	FR, FRA, FRC	FW, FWA, FWC						
A(76H)		D2AZ 7660080-A	D2AZ 7663804	AFA	AFB	AFD	AFR	AFW						
	TRIM CODES →			AA, AAA	AB, ABA	AR, ARA	CA	CB	CR					
B(53B)- "From 12/1/71"		D2OZ 6560080-D	D2OZ 6563804	AAA	AAB	AAR	ACA	ACB	ACR					
"Before 12/1/71"		D2OZ 6560080-A	D2OZ 6563804	AAA	AAB	AAR	ACA	ACB	ACR					
	TRIM CODES →			BA, BAA	BB, BBA	BR, BRA	BY, BYA	BZ, BZA	CA, CAA	CB, CBA	CF, CFA	CR, CRA		
B(53D)		D2OZ 6560080-C	D2OZ 6563804	ABA	ABB	ABR	ABY	ABZ	ACA	ACB	ACF	ACR		
	TRIM CODES →			NA, NAA	NB, NBA	NR, NRA	NY, NYA	NZ, NZA						
B(53D)		D2OZ 6560080-C	D2OZ 6563804	ANA	ANB	ANR	ANY	ANZ						
	TRIM CODES →			EA	EF	FA	FB	FF	FL	FR	FW	F5	F9	
B(63R)		D2OZ 6560080-B	D2OZ 6563804	ADA	ADF	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW	
	TRIM CODES →			MA, MAB, MAC	MB, MBB, MBC	MF, MFB, MFC	ML, MLB, MLC	MR, MRB, MRC	MW, MWB, MWC	M5, M5B, M5C	M9, M9B, M9C			
B(63R)		D2OZ 6560080-B	D2OZ 6563804	AKA	AKB	AKF	AKW	AKR	AKW	AKW	AKW			
	TRIM CODES →			AA	AB	AR	CA	CB	CR					
B(65B) -"Before 12/1/71"		D2OZ 6560080-A	D2OZ 6563804	AAA	AAB	AAR	ACA	ACB	ACR					
" From 12/1/71"		D2OZ 6560080-D	D2OZ 6563804	AAA	AAB	AAR	ACA	ACB	ACR					
	TRIM CODES →			BA	BB	BR	BY	BZ						
B(65D)		D2OZ 6560080-C	D2OZ 6563804	ABA	ABB	ABR	ABY	ABZ						
	TRIM CODES →			CA	CB	CF	CL	CR	CW	C5	C9			
B(65D)		D2OZ 6560080-C	D2OZ 6563804	ACA	ACB	ACF	ACW	ACR	ACW	ACW	ACW			
	TRIM CODES →			DA	DF	KA, KAB, KAC	KB, KBB, KBC	KF, KFB, KFC	KL, KLB, KLC	KR, KRB, KRC	KW, RWB, KWC	K5, K5B, K5C	K9, K9B, K9C	
B(65D)		D2OZ 6560080-B	D2OZ 6563804	ADA	ADF	AKA	AKB	AKF	AKW	AKR	AKW	AKW	AKW	

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60080 CUSHION KIT - REAR SEAT - CONSISTS of SPRING, PADS, WIRE and INSTRUCTION SHEET - SHIPPED K.D. -continued															
TRIM CODES →				NA, NAA	NB, NBA	NR, NRA	NY, NYA	NZ, NZA							
B(65D)		D2OZ 6560080-B	D2OZ 6563804	ANA	ANB	ANR	ANY	ANZ							
TRIM CODES →				EA	EF	FA	FB	FF	FL	FR	FW	F5	F9		
B(65R)		D2OZ 6560080-B	D2OZ 6563804	ADA	ADF	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW		
TRIM CODES →				MA, MAB, MAC	MB, MBB, MBC	MF, MFB, MFC	ML, MLB, MLC	MR, MRB, MRC	MW, MWB, MWC	MS, M5B, M5C	M9, M9B, M9C				
B(65R)		D2OZ 6560080-B	D2OZ 6563804	AKA	AKB	AKF	AKW	AKR	AKW	AKW	AKW				
TRIM CODES →				AA, AAA	AB, ABA	AR, ARA									
B(71B)		D2OZ 7160080-B	D2OZ 7163804	AAA	AAB	AAR									
TRIM CODES →				CA, CAA	CB, CBA	CF, CFA	CR, CRA	JA	JF						
B(71D)		D2OZ 7160080-C	D2OZ 7163804	ACA	ACB	ACF	ACR	AHA	AHF						
TRIM CODES →				GA	GB	GF	GR	HA	HF						
B(71K)		D2OZ 7160080-C	D2OZ 7163804	AGA	AGB	AGF	AGR	AHA	AHF						
TRIM CODES →				AA, AAB, AAE	AB, ABB, ABE	AE, AEB, AEE	AF, AFB, AFE	AR, ARB, ARE	AW, AWB, AWE						
F(63)		D2ZZ 6360080-A	D1ZZ 6363804	A1A	A1B	A1E	A1F	A1R	A1W						
TRIM CODES →				GA, GAE	GAA, GAB	GB, GBE	GBA, GBB	GE, GEE	GEA, GEB	GF, GFB, GFE	GR, GRE	GRA, GRB	GW, GWE	GWA, GWB	
F(63)		D2ZZ 6360080-A	D1ZZ 6363804	A5A		A5B		A5E			A5R		A5W		
		D2ZZ 6360080-A	D2ZZ 6363804		A5A		A5B		A5E	A5F		A5R		A5W	
TRIM CODES →				AA, AAB, AAE	AB, ABB, ABE	AE, AEB, AEE	AF, AFB, AFE	AR, ARB, ARE	AW, AWB, AWE						
F(65D) -"Before 12/1/71"		D3ZZ 6560080-A	D2ZZ 6563804		AAB	AAE	AAF	AAR	AAW						
		D3ZZ 6560080-A	D3ZZ 6563804	AAA											
-"From 12/1/71"		D3ZZ 6560080-B	D2ZZ 6563804		AAB	AAE	AAF	AAR	AAW						
		D3ZZ 6560080-B	D3ZZ 6563804	AAA											
TRIM CODES →				FA, FAB, FAE	FB, FBB, FBE	FE, FEB, FEE	FF, FFB, FFE	FR, FRB, FRE	HB	JB					
F(65F) -"Before 12/1/71"		D3ZZ 6560080-A	D2ZZ 6563804	AFA	AFB	AFE	AFF	AFR							
-"From 12/1/71"		D3ZZ 6560080-B	D2ZZ 6563804	AFA	AFB	AFE	AFF	AFR	AHB						
TRIM CODES →				CA, CAE	CAA	CAB	CB, CBE	CBA	CBB	CE, CEE	CEA	CEB			
F(76) "Before 12/1/71"		D1ZZ 7660080-A	D1ZZ 7663804	ACA			ACB			ACE					
		D1ZZ 7660080-A	D2ZZ 7663804		ACA	ACA		ACB	ACB		ACE	ACE			
"From 12/1/72"		D2ZZ 7660080-B	D1ZZ 7663804	ACA			ACB			ACE					
		D2ZZ 7660080-B	D2ZZ 7663804		ACA	BCA		ACB	BCB		ACE	BCE			
TRIM CODES →				CF, CFE	CFB	CR, CRE	CRA	CRB	CW, CWE	CWA	CWB				
F(76) "Before 12/1/71"		D1ZZ 7660080-A	D1ZZ 7663804			ACR			ACW						
		D1ZZ 7660080-A	D2ZZ 7663804	ACF	ACF		ACR	ACR		ACW	CWB				
"From 12/1/71"		D2ZZ 7660080-B	D1ZZ 7663804			ACR			ACW						
		D2ZZ 7660080-B	D2ZZ 7663804	ACF	BCF		ACR	BCR		ACW	BWR				

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
60080 CUSHION KIT - REAR SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued														
		TRIM CODES →		AA, AAC, AAD, AAE	AB, ABC, ABD, ABE	AF, AFC, AFD, AFE	AL, ALC, ALD, ALE	AR, ARC, ARD, ARE	AS, ASC, ASD, ASE	AT, ATC, ATD, ATE	AW, AWC, AWD, AWE	A5, AJC, A5D, A5E		
L		Service details	D1FZ 6263804	A1A	A1B			A1R						
		Service details	D2FZ 6263804			AAF	AAL		AAS	AAT	AAW	AA5		
-w/folding seats		D1FZ 6263840-C		Pad and spring										
-w/o folding seats- "Before 4/3/72"		D1FZ 6263840-A		Pad and spring										
"From 4/3/72"		D2FZ 6263840-C		Pad and spring										
		TRIM CODES →		BA, BAC, BAD, BAE	BB, BBC, BBD, BBE	BF, BFC, BFD, BFE	BL, BLC, BLD, BLE	BR, BRC, BRD, BRE	BS, BSC, BSD, BSE	BT, BTC, BTD, BTE	BW, BWC, BWD, BWE	B5, B5C, B5D, B5E		
L		Service details	D1FZ 6263804	A2A	A2B	A2F		A2R						
		Service details	D2FZ 6263804				ABL		ABS	ABT	ABW	AB5		
-w/folding seats		D1FZ 6263840-C		Pad and spring										
-w/o folding seats- "Before 4/3/72"		D1FZ 6263840-A		Pad and spring										
"From 4/3/72"		D2FZ 6263840-C		Pad and spring										
		TRIM CODES →		CA, CAC, CAD, CAE	CB, CBC, CBD, CBE	CF, CFC, CFD, CFE	CL, CLC, CLD, CLE	CR, CRC, CRD, CRE	CS, CSC, CSD, CSE	CT, CTC, CTD, CTE	CW, CWC, CWD, CWE	C5, C5C, C5D, C5E	GB, GBE	
L		Service details	D2FZ 6263804	A3A	A3B	A3F	ACL	A3R	ACS	ACT	ACW	AC5	AGB	
-w/folding seats		D1FZ 6263840-C		Pad and spring										
-w/o folding seats- "Before 4/3/72"		D1FZ 6263840-A		Pad and spring										
"From 4/3/72"		D2FZ 6263840-C		Pad and spring										
		TRIM CODES →		DA	DAA, DAE	DB	DBE	DF	DFE	DL	DR	DS	DT	DTE
L		Service details	D2FZ 6263804	ADA		ADB		ADF		ADL	ADR	ADS	ADT	
		Service details	D3FZ 6263804		AAA		AAB		AAF					AAT
		D2FZ 6263840-C		Pad and spring										
		TRIM CODES →		DW	D5									
L		Service details	D2FZ 6263804	ADW	AD5									
		D2FZ 6263840-C		Pad and spring										
		TRIM CODES →		EA	EB	EC	EF	EG	EL	ER	ES	ET	EW	E5
L		Service details	D2FZ 6263804						AEL	AER	AES		AEW	AE5
		Service details	D3FZ 6263804	ABA	ABB	ABC	ABF	ABG				ABT		
		D2FZ 6263840-C		Pad and spring										
		TRIM CODES →		FA	FB	FF	FL	FR	FS	FT	FW	F5	JB	KB
L		Service details	D2FZ 6263804				AFL	AFR	AFS		AFW	AF5	AJB	AKB
		Service details	D3FZ 6263804	ACA	ACB	ACF				ACT				
		D2FZ 6263840-C		Pad and spring										
		TRIM CODES →		AA, AAA	AY	BA	BB	BF	BT	BY	CA, CAA	CB	CY	
P(54A)		D2OZ 5460080-A	D1DZ 5463804	A1A	A1Y	A2A	A2B			A2Y	A3Y	A3B	A3Y	
		D2DZ 5460080-A	D2DZ 5463804					ABF	ABT					
		TRIM CODES →		EA, EAA	EB, EBA	EE, EEA	EY							
P(54A)		D2DZ 5460080-A	D2DZ 5463804	A5A	A5B	A5E	A5Y							
		TRIM CODES →		HA	HB	HF	HT	JA	JB	JF	JT			
P(54A)		D2DZ 5460080-A	D2DZ 5463804	AHA	AHB	AHF	AHT	AJA	AJB	AJF	AJT			
		TRIM CODES →		KA	KB	KF	KT	PU						
P(54A)		D2DZ 5460080-A	D2DZ 5463804	AHA	AHB	AHF	AHT							
		D2DZ 5460080-B	D2DZ 5463804					APU						
		TRIM CODES →		AA	AY	BA	BB	BF	BT	BY	CE	CY		
P(62)		D2DZ 6260080-A	D2DZ 6263804	A1A	A1Y	A2A	A2B	ABF	ABT	A2Y	A3E	A3Y		

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES									
60080 CUSHION KIT-REAR SEAT-CONSIST of SPRING,PADS,WIRE and INSTRUCTION SHEET- SHIPPED K.D.- continued													
		TRIM CODES →		EA	EB	EE	EY	FA, FAA	FB, FBA	FE, FEA	FY	GE	GY
P(62)		D2DZ 6260080-A	D2DZ 6263804	A5A	A5B	A5E	A5Y	A5A	A5B	A5E	A5Y	A3E	A3Y
		TRIM CODES →		HA	HB	HF	HT	JA	JB	JF	JT		
P(62)		D2DZ 6260080-A	D2DZ 6263804	AHA	AHB	AHF	AHT	AJA	AJB	AJF	AJT		
		TRIM CODES →		KA	KB	KF	KL	KS	KT	KW	K6		
P(62)		D2DZ 6260080-A	D2DZ 6263804	AHA	AHB	AHF	AKW	AKW	AHT	AKW	AKW		
		TRIM CODES →		LA	LF	LL	LS	LW	L6				
P(62)		D2DZ 6260080-A	D2DZ 6263804	AHA	AHF	AKW	AKW	AKW	AKW				
		TRIM CODES →		NA	NB	NF	NT	PU	RB				
P(62)		D2DZ 6260080-A	D2DZ 6263804	AJA	AJB	AJF	AJT		ARB				
		D2DZ 6260080-B	D3DZ 6263804					APU					
		TRIM CODES →		GA	GB	GD	GF	GR					
S		D2SZ 6560080-B	D2SZ 6563804	AGA	AGB	AGD	AGF	AGR					
		TRIM CODES →		HA, HAA	HB, HBA	HD, HDA	HR, HRA	HZ, HZA					
S		D2SZ 6560080-A	D2SZ 6563804	AHA	AHB	AHD	AHR	AHZ					
		TRIM CODES →		KA, KAA	KB, KBA	KD, KDA	KF, KFA	KL, KLA	KR, KRA	KW, KWA	KZ, KZA	K5, K5A	K9, K9A
S		D2SZ 6560080-A	D2SZ 6563804	AKA	AKB	AKD	AKF	AKW	AKR	AKW		AKW	AKW
		D2SZ 6560080-A	D3SZ 6563804								AKZ		
		TRIM CODES →		LA	LF	LL	LR	LW	L5	L9			
S		D2SZ 6560080-A	D2SZ 6563804	ALA	ALF	ALW	ALR	ALW	ALW	ALW			

IMPORTANT

When a complete Cushion Assembly is required, order BOTH a basic 60090 Kit plus a basic 63822 Cover with applicable suffix for desired trim code.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES								
60090 CUSHION KIT-AUXILIARY SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.												
		TRIM CODES →		JA, JAA, JAC	JAD	JAE	JB, JBA, JBC	JBD	JBE	JF, JFA, JFC	JFD	JFE
A(71D)		C9AZ 7160090-A	D0AZ 7163822	AFA			AFB			AFF		
		C9AZ 7160090-A	D2AZ 7163822		AFA	BFA		AFB	BFB		AFF	BFF
		TRIM CODES →		JR, JRA, JRC	JRD	JRE						
A(71D)		C9AZ 7160090-A	D1AZ 7163822	AJR								
		C9AZ 7160090-A	D2AZ 7163822		AFR	BFR						
		TRIM CODES →		RA, RAA, RAC	RAD	RAE	WA, WAA WAC	WAD	WAE	WB, WBA WBC	WBD	WBE
A(71F)		C9AZ 7160090-A	D0AZ 7163822	AVA			AFA			AFB		
		C9AZ 7160090-A	D2AZ 7163822		AFA	BFA		AFA	BFA		AFB	BFB
		TRIM CODES →		WD, WDA, WDC	WDD	WDE	WF, WFA, WFC	WFD	WFE	WR, WRA, WRC	WRD	WRF
A(71F)		C9AZ 7160090-A	D0AZ 7163822	AFD			AFF					
		C9AZ 7160090-A	D1AZ 7163822							AFR		
		C9AZ 7160090-A	D2AZ 7163822		AFD	BFD		AFF	BFF		AFR	BFR

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES								
60090 CUSHION KIT-AUXILIARY SEAT-CONSISTS of SPRING,PADS, WIRE and INSTRUCTION SHEET-SHIPPED K.D. - continued												
TRIM CODES →				BA, BAA, BAC	BAD	BAE	BB, BBA, BBC	BBD	BBE	BF, BFA, BFC	BFD	BFE
A(71H)		C9AZ 7160090-A	D0AZ 7163822	AFA			AFB			AFF		
		C9AZ 7160090-A	D2AZ 7163822		AFA	BFA		AFB	BFB		AFF	BFF
TRIM CODES →				BR, BRA, BRC	BRD	BRE	FA, FAA, FAC	FAD	FAE	FB, FBA, FBC	FBD	FBE
A(71H)		C9AZ 7160090-A	D1AZ 7163822	AFR								
		C9AZ 7160090-A	D0AZ 7163822				AFA			AFB		
		C9AZ 7160090-A	D2AZ 7163822		AFR	BFR		AFA	BFA		AFB	BFB
TRIM CODES →				FD, FDA, FDC	FDD	FDE	FF, FFA, FFC	FFD	FFE	FR, FRA, FRC	FRD	FRE
A(71H)		C9AZ 7160090-A	D0AZ 7163822	AFD			AFF					
		C9AZ 7160090-A	D1AZ 7163822							AFR		
		C9AZ 7160090-A	D2AZ 7163822		AFD	BFD		AFF	BFF		AFR	BFR
TRIM CODES →				VA, VAA, VAC	VAD	VAE						
A(71H)		C9AZ 7160090-A	D0AZ 7163822	AFA								
		C9AZ 7160090-A	D2AZ 7163822		AFA	BFA						
TRIM CODES →				CA	CB	CF	CR	JA	JF			
B(71D)		Service details	D2OZ 7163822				ACR					
		Service details	D3OZ 7163822	ACA	ACB	ACF		ACA	ACF			
		D2OZ 71607A60-A		Base								
		D2OZ 7166856-A		Pad								
TRIM CODES →				GA	GB	GF	GR	HA	HF			
B(71K)		Service details	D2OZ 7163822				ACR					
		Service details	D3OZ 7163822	ACA	ACB	ACF		ACA	ACF			
		D2OZ 71607A60-A		Base								
		D2OZ 7166856-A		Pad								
60096 BACK KIT - AUXILIARY SEAT- CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.												
TRIM CODES →				JA, JAA, JAC	JAD	JAE	JB, JBA, JBC	JBD	JBE	JF, JFA, JFC	JFD	JFE
A(71D)		C9AZ 7160096-A	D0AZ 7166640	AFA			AFB			AFF		
		C9AZ 7160096-A	D2AZ 7166640		AFA	BFA		AFB	BFB		AFF	BFF
TRIM CODES →				JR, JRA, JRC	JRD	JRE						
A(71D)		C9AZ 7160096-A	D1AZ 7166640	AFR								
		C9AZ 7160096-A	D2AZ 7166640		AFR	BFR						
TRIM CODES →				RA, RAA, RAC	RAD	RAE	WA, WAA, WAC	WAD	WAE	WB, WBA, WBC	WBD	WBE
A(71F)		C9AZ 7160096-A	D0AZ 7166640	AFA			AFA			AFB		
		C9AZ 7160096-A	D2AZ 7166640		AFA	BFA		AFA	BFA		AFB	BFB
TRIM CODES →				WD, WDA, WDC	WDD	WDE	WF, WFA, WFC	WFD	WFE	WR, WRA, WRC	WRD	WRE
A(71F)		C9AZ 7160096-A	D0AZ 7166640	AFD			AFF					
		C9AZ 7160096-A	D1AZ 7166640							AFR		
		C9AZ 7160096-A	D2AZ 7166640		AFD	BFD		AFF	BFF		AFR	BFR
TRIM CODES →				BA, BAA, BAC	BAD	BAE	BB, BBA, BBC	BBD	BBE	BF, BFA, BFC	BFD	BFE
A(71H)		C9AZ 7160096-A	D0AZ 7166640	AFA			AFB			AFF		
		C9AZ 7160096-A	D2AZ 7166640		AFA	BFA		AFB	BFB		AFF	BFF

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES

60096 BACK - AUXILIARY SEAT - CONSISTS of SPRING, PADS, WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued

TRIM CODES →				BR, BRA, BRC	BRD	BRE	FA, FAA, FAC	FAD	FAE	FB, FBA, FBC	FBD	FBE		
A(71H)		C9AZ 7160096-A	D1AZ 7166640	AFR										
		C9AZ 7160096-A	D0AZ 7166640				AFA			AFB				
		C9AZ 7160096-A	D2AZ 7166640		AFR	BFR		AFA	BFA		AFB	BFB		
TRIM CODES →				FD, FDA, FDC	FDD	FDE	FF, FFA, FFC	FFD	FFL	FR, FRA, FRC	FRD	FRE		
A(71H)		C9AZ 7166096-A	D0AZ 7166640	AFD			AFF							
		C9AZ 7160096-A	D1AZ 7166640							AFR				
		C9AZ 7160096-A	D2AZ 7166640		AFD	BFD		AFF	BFF		AFR	BFR		
TRIM CODES →				VA, VAA, VAC	VAD	VAC								
A(71H)		C9AZ 7160096-A	D0AZ 7166640	AFA										
		C9AZ 7160096-A	D2AZ 7166640		AFA	BFA								

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES							QTY.

60103 COVER and PAD ASSY. - AUXILIARY SEAT BACK

TRIM CODES →			CA	CB	CF	CR	JA	JF							
B(71D)		D2OZ 7160103				ACR									1
		D3OZ 7160103	ACA	ACB	ACF		ACA	ACF							1
TRIM CODES →			GA	GB	GF	GR	HA	HF							
B(71K)		D2OZ 7160103				ACR									1
		D3OZ 7160103	ACA	ACB	ACF		ACA	ACF							1

IMPORTANT

When a complete Back Assembly is required, order BOTH a basic 60136 or 60137 Kit plus a basic 64416 or 64417 Cover with applicable suffix for desired trim code.

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES

60136-7 BACK KIT - FRONT SEAT - CONSISTS of SPRING, PADS, WIRE and INSTRUCTION SHEET - SHIPPED K.D.

TRIM CODES →				DA, DAA, DAC	DB, DBA, DBC	DD, DDA, DDC	DF, DFA, DFC	DR, DRA, DRC	DY, DYA, DYC						
A(53H)		D2AZ 5460136-A	D2AZ 5364416	CDA	CDB	CDD	CDF	CDR	CDY						
TRIM CODES →				FA, FAA, FAC	FB, FBA, FBC	FD, FDA, FDC	FF, FFA, FFC	FR, FRA, FRC	FY, FYA, FYC						
A(53H)		D2AZ 5460136-A	D2AZ 5364416	BFA	BFB	BFD	BFF	BFR	BFY						
TRIM CODES →				EA	EB	ED	ER	EY	EZ						
A(53K,57K,65K) -w/reclining seat	R	D1AZ 6560136-D	D1AZ 6564416	AZA	AZB	AZD	AZR	AZY							
-w/o reclining seat	R	D1AZ 6560136-B	D1AZ 6564416	AZA	AZB	AZD	AZR	AZY							
	L	D1AZ 6560137-B	D1AZ 6564416	AZA	AZB	AZD	AZR	AZY							
-w/reclining seat	R	D1AZ 6560136-D	D2AZ 6564416						AZZ						
-w/o reclining seat	R	D1AZ 6560136-B	D2AZ 6564416						AZZ						
	L	D1AZ 6560137-B	D2AZ 6564417						AZZ						
TRIM CODES →				ZA, ZAC	ZB, ZBC	ZD, ZDC	ZR, ZRC	ZY, ZYC	ZZ, ZZC						
A(53K,57K,65K) -w/reclining seat	R	D1AZ 6560136-D	D1AZ 6564416	AZA	AZB	AZD	AZR	AZY							
-w/o reclining seat	R	D1AZ 6560136-B	D1AZ 6564416	AZA	AZB	AZD	AZR	AZY							
	L	D1AZ 6560137-B	D1AZ 6564416	AZA	AZB	AZD	AZR	AZY							
-w/reclining seat	R	D1AZ 6560136-D	D2AZ 6564416						AZZ						
-w/o reclining seat	R	D1AZ 6560136-B	D2AZ 6564416						AZZ						
	L	D1AZ 6560137-B	D2AZ 6564417						AZZ						

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
60136-7 BACK KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued														
TRIM CODES →				AA, AAA	AAC	AB, ABA	ABC	AY, AYA	AYC	LU, LUA	LUC			
A(54B)		D2AZ 5460136-A	D2AZ 5464416	A1A	BAA	A1B	BAB	A1Y	BAY	ALU	BLU			
TRIM CODES →				NA, NAA	NAC	NB, NBA	NBC	NY, NYA	NYC					
A(54B)		D2AZ 5460136-A	D2AZ 5464416	ANA	BNA	ANB	BNB	ANY	BNY					
TRIM CODES →				HA, HAA	HAC	HB, HBA	HBC	HR, HRA	HRC	HY, HYA	HYC	LU, LUA	LUC	
A(54D)		D2AZ 5460136-A	D2AZ 5464416	AHA	BHA	AHB	BHB	AHR	BHR	AHY	BHY	ALU	BLU	
TRIM CODES →				NA, NAA	NAC	NB, NBA	NBC	NY, NYA	NYC					
A(54D)		D2AZ 5460136-A	D2AZ 5464416	ANA	BNA	ANB	BNB	ANY	BNY					
TRIM CODES →				KA, KAA	KAB	KAC	KB, KBA	KBC	KF, KFA	KFC	KR, KRA	KRC	KY, KYA	KYC
A(54F,57F)		D2AZ 5460136-A	D2AZ 5464416	AKA	BKA	CKA	AKB	BKB	AKF	BKF	AKR	BKR	AKY	BKY
TRIM CODES →				WA, WAA	WAC	WB, WBA	WBC	WD, WDA	WDC	WF, WFA	WFC			
A(54F,57F)		D2AZ 5460136-A	D2AZ 5464416	AWA	BWA	AWB	BWB	AWD	BWD	AWF	BWF			
TRIM CODES →				WR, WRA	WRC	WY, WYA	WYC							
A(54F,57F)		D2AZ 5460136-A	D2AZ 5464416	AWR	BWR	AWY	BWY							
TRIM CODES →				DA, DAA, DAC	DB, DBA, DBC	DD, DDA, DDC	DF, DFA, DFC	DR, DRA, DRC	DY, DYA, DYC					
A(57H)		D2AZ 5460136-A	D2AZ 5364416	CDA	CDB	CDD	CDF	CDR	CDY					
TRIM CODES →				FA, FAA, FAC	FB, FBA, FBC	FD, FDA, FDC	FF, FFA, FFC	FR, FRA, FRC	FY, FYA, FYC					
A(57H)		D2AZ 5460136-A	D2AZ 5364416	BFA	BFB	BFD	BFF	BFR	BFY					
TRIM CODES →				HA, HAA, HAC	HB, HBA, HBC	HR, HRA, HRC	HY, HYA, HYC	MA, MAA, MAC	MB, MBA, MBC	MR, MRA, MRC	MY, MYA, MYC			
A(65D)	R	D2AZ 6560136-A	D1AZ 6564416					AWA	AWB	AWR	AWY			
	L	D2AZ 6560137-A	D1AZ 6564417					AWA	AWB	AWR	AWY			
	R	D2AZ 6560136-A	D1YB 6564416	O3A	O3B	O3R	O3Y							
	L	D2AZ 6560137-A	D1YB 6564417	O3A	O3B	O3R	O3Y							
TRIM CODES →				KA, KAA, KAC	KAB	KB, KBA, KBC	KF, KFA, KFC	KR, KRA, KRC	KY, KYA, KYC					
A(65F)	R	D2AZ 6560136-A	D1AZ 6564416	A4A		A4B	A4F	A4R	A4Y					
	L	D2AZ 6560137-A	D1AZ 6564417	A4A		A4B	A4F	A4R	A4Y					
	R	D2AZ 6560136-A	D2AZ 6564416		A4A									
	L	D2AZ 6560137-A	D2AZ 6565517		A4A									
TRIM CODES →				WA, WAA, WAC	WB, WBA, WBC	WD, WDA, WDC	WF, WFA, WFC	WR, WRA, WRC	WY, WYA, WYC	WW, WWA, WWC				
A(65F)	R	D2AZ 6560136-A	D1AZ 6564416	AWA	AWB	AWD	AWF	AWR	AWY	AWW				
	L	D2AZ 6560137-A	D1AZ 6564417	AWA	AWB	AWD	AWF	AWR	AWY	AWW				
TRIM CODES →				DA, DAA, DAC	DB, DBA, DBC	DD, DDA, DDC	DF, DFA, DFC	DR, DRA, DRC	DY, DYA, DYC					
A(65H)	R	D2AZ 6560136-A	D2AZ 6564416	ADA	ADB	ADD	ADF	ADR	ADY					
	L	D2AZ 6560137-A	D2AZ 6564417	ADA	ADB	ADD	ADF	ADR	ADY					

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60136-7 BACK KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.- continued															
		TRIM CODES →		FA, FAA, FAC	FB, FBA, FBC	FD, FDA, FDC	FF, FFA, FFC	FR, FRA, FRC	FY, FYA, FYC	FW, FWA, FWC					
A(65H)	R	D2AZ 6560136-A	D1AZ 6564416	AFA	AFB	AFD	AFF	AFR	AFY	AFW					
	L	D2AZ 6560137-A	D1AZ 6564417	AFA	AFB	AFD	AFF	AFR	AFY	AFW					
		TRIM CODES →		NA, NAA	NAC	NB, NBA	NBC	NR, NRA	NRC						
A(71B)		D2AZ 5460136-A	D2AZ 5464416	ANA	BNA	ANB	BNB	ANR	BNR						
		TRIM CODES →		JA, JAA	JAC, JAD, JAE	JB, JBA	JBC, JBD, JBE	JF, JFA	JFC, JFD, JFE	JR, JRA	JRC, JRD, JRE				
A(71D)		D2AZ 5460136-A	D2AZ 5464416	AJA	BJA	AJB	BJB	AJF	BJF	AJR	BJR				
		TRIM CODES →		RA, RAA, RAC, RAD, RAE	WA, WAA	WAC, WAD, WAE	WB, WBA	WBC, WBD, WBE	WD, WDA	WDC, WDD, WDE	WF, WFA	WFC, WFD, WFE	WR, WRA	WRC, WRD, WRE	
A(71F)		D2AZ 5460136-A	D2AZ 5364416	BVA											
		D2AZ 5460136-A	D2AZ 5464416		AWA	BWA	AWB	BWB	AWD	BWD	AWF	BWF	AWR	BWR	
		TRIM CODES →		BA, BAA	BAC, BAD, BAE	BB	BBC, BBD, BBE	BF, BFA	BFC, BBD, BBE	BR, BRA	BBC, BBD, BBE				
A(71H)		D2AZ 5460136-A	D2AZ 7164416	ABA	BBA	ABB	BBB	ABF	BBF	ABR	BBR				
		TRIM CODES →		FA, FAA, FAC, FAD, FAE	FB, FBA, FBC, FBD, FBE	FD, FDA, FDC, FDD, FDE	FF, FFA, FFC, FFD, FFE	FR, FRA, FRC, FRD, FRE	VA, VAA, VAC, VAD, VAE						
A(71H)		D2AZ 5460136-A	D2AZ 5364416	BFA	BFB	BFD	BFF	BFR	BVA						
		TRIM CODES →		FA, FAA, FAC	FB, FBA, FBC	FD, FDA, FDC	FR, FRA, FRC	FW, FWA, FWC							
A(76H)	R	D2AZ 6560136-A	D1AZ 6564416	AFA	AFB	AFD	AFR	AFW							
	L	D2AZ 6560137-A	D1AZ 6564417	AFA	AFB	AFD	AFR	AFW							
		TRIM CODES →		AA	AAA	AB	ABA	AR	ARA	CA	CB	CR			
B(53B)		D2OZ 5360136-D	D2OZ 5364416	AAA	BAA	AAB	BAB	AAR	BAR	ACA	ACB	ACR			
		TRIM CODES →		BA	BAA	BB	BBA	BR	BRA	BY	BYA	BZ	BZA		
B(53D)		D2OZ 5360136-D	D2OZ 5364416	ABA	BBA	ABB	BBB	ABR	BBR	ABY	BBY	ABZ	BBZ		
		TRIM CODES →		CA	CAA	CB	CBA	CF	CFA	CR	CRA				
B(53D)		D2OZ 5360136-D	D2OZ 5364416	ACA	BCA	ACB	BCB	ACF	BCF	ACR	BCR				
		TRIM CODES →		NA, NAA	NB, NBA	NR, NRA	NY, NYA	NZ, NZA							
B(53D)		Service details	D2OZ 6564416	ANA	ANB	ANR	ANY	ANZ							
"Before 5/1/72"		D2OZ 6560136-B		Spring and pad											
"From 5/1/72"		D3GY 6560136-A		Spring and pad											
	R	D2SZ 6561018-A		Frame											
	L	D2SZ 6561019-A		Frame											
		TRIM CODES →		EA	EF	FA	FB	FF	FL	FR	FW	F5	F9		
B(63R)		Service details	D2OZ 6564416	ADA	ADF	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW		
		Service details	D2OZ 6564417	ADA	ADF	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW		
	R	D2OZ 6360136-B													
	L	D2OZ 6360137-B													
	R	D2OZ 6560136-C													
	L	D2OZ 6560137-B													

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
60136-7 BACK KIT - FRONT SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued														
		TRIM CODES →		MA, MAC	MAB	MB, MBC	MBB	MF, MFC	MFB	ML, MLC	MLB			
B(63R)		Service details	D2OZ 6564416	AKA	BKA	AKB	BKB	AKF	BKF	AKW	BKW			
"Before 5/1/72"		D2OZ 6560136-B		Spring and pad										
"From 5/1/72"		D3GY 6560136-A		Spring and pad										
	R	D2SZ 6561018-A		Frame										
	L	D2SZ 6561019-A		Frame										
		TRIM CODES →		MR, MRC	MRB	MW, MWC	MWB	M5, M5C	M5B	M9, M9C	M9B			
B(63R)		Service details	D2OZ 6564416	AKR	BKR	AKW	BKW	AKW	BKW	AKW	BKW			
"Before 5/1/72"		D2OZ 6560136-B		Spring and pad										
"From 5/1/72"		D3GY 6560136-A		Spring and pad										
	R	D2SZ 6561018-A		Frame										
	L	D2SZ 6561019-A		Frame										
		TRIM CODES →		AA	AB	AR	CA	CB	CR					
B(65B)	R	D2OZ 6560136-C	D2OZ 6564416	AAA	AAB	AAR	ACA	ACB	ACR					
	L	D2OZ 6560137-B	D2OZ 6564417	AAA	AAB	AAR	ACA	ACB	ACR					
		TRIM CODES →		BA	BAA	BB	BBA	BR	BRA	BY	BYA	BZ	BZA	
B(65D)	R	D2OZ 6560136-C	D2OZ 6564416	ABA	BBA	ABB	BBB	ABR	BBR	ABY	BBY	ABZ	BBZ	
	L	D2OZ 6560137-B	D2OZ 6564417	ABA	BBA	ABB	BBB	ABR	BBR	ABY	BBY	ABZ	BBZ	
		TRIM CODES →		CA	CAA	CB	CBA	CF	CFA	CL	CR	CRA		
B(65D)	R	D2OZ 6560136-C	D2OZ 6564416	ACA	BCA	ACB	BCB	ACF	BCF	ACW	ACR	BCR		
	L	D2OZ 6560137-B	D2OZ 6564417	ACA	BCA	ACB	BCB	ACF	BCF	ACW	ACR	BCR		
		TRIM CODES →		CW	CWA	C5	C9	DA	DF					
B(65D)	R	D2OZ 6560136-C	D2OZ 6564416	ACW	BCW	ACW	ACW	ADA	ADF					
	L	D2OZ 6560137-B	D2OZ 6564417	ACW	BCW	ACW	ACW	ADA	ADF					
		TRIM CODES →		KA, KAC	KAB	KB, KBC	KBB	KF, KFC	KFB	KL, KLC	KLB			
B(65D)		Service details	D2OZ 6564416	AKA	BKA	AKB	BKB	AKF	BKF	AKW	BKW			
"Before 5/1/72"		D2OZ 6560136-B		Spring and pad										
"From 5/1/72"		D3GY 6560136-A		Spring and pad										
	R	D2SZ 6561018-A		Frame										
	L	D2SZ 6561019-A		Frame										
		TRIM CODES →		KR, KRC	KRB	KW, KWC	KWB	K5, K5C	K5B	K9, K9C	K9B			
B(65D)		Service details	D2OZ 6564416	AKR	BKR	AKW	BKW	AKW	BKW	AKW	BKW			
"Before 5/1/72"		D2OZ 6560136-B		Spring and pad										
"From 5/1/72"		D3GY 6560136-A		Spring and pad										
	R	D2SZ 6561018-A		Frame										
	L	D2SZ 6561019-A		Frame										
		TRIM CODES →		NA, NAA	NB, NBA	NR, NRA	NY, NYA	NZ, NZA						
B(65D)		Service details	D2OZ 6564416	ANA	ANB	ANR	ANY	ANZ						
"Before 5/1/72"		D2OZ 6560136-B		Spring and pad										
"From 5/1/72"		D3GY 6560136-A		Spring and pad										
	R	D2SZ 6561018-A		Frame										
	L	D2SZ 6561019-A		Frame										
		TRIM CODES →		EA	EF	FA	FB	FF	FL	FR	FW	F5	F9	
B(65R)	R	D2OZ 6360136-B	D2OZ 6564416	ADA	ADF	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW	
	L	D2OZ 6360137-B	D2OZ 6564417	ADA	ADF	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW	
		TRIM CODES →		MA, MAC	MAB	MB MBC	MBB	MF, MFC	MFB	ML, MLC	MLB			
B(65R)		Service details	D2OZ 6564416	AKA	BKA	AKB	BKB	AKF	BKF	AKW	BKW			
"Before 5/1/72"		D2OZ 6560136-B		Spring and pad										
"From 6/1/72"		D3GY 6560136-A		Spring and pad										
	R	D2SZ 6561018-A		Frame										
	L	D2SZ 6561019-A		Frame										

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES									
60136-7 BACK KIT-FRONT SEAT-CONSISTS of SPRINGS,PADS,WIRE and INSTRUCTION SHEET- SHIPPED K.D.- continued													
TRIM CODES →				MR, MRC	MRB	MW, MWC	MWB	M5, M5C	M5B	M9, M9C	M9B		
B(65R)		Service details	D2OZ 6564416	AKR	BKR	AKW	BKW	AKW	BKW	AKW	BKW		
"Before 5/1/72"		D2OZ 6560136-B		Spring and pad									
"From 5/1/72"		D3GY 6560136-A		Spring and pad									
	R	D2SZ 6561018-A		Frame									
	L	D2SZ 6561019-A		Frame									
TRIM CODES →				AA	AAA	AB	ABA	AR	ARA				
B(71B)		D2OZ 5360136-D	D2OZ 5364416	AAA	BAA	AAB	BAB	AAR	BAR				
TRIM CODES →				CA	CAA	CB	CBA	CF	CFA	CR	CRA	JA	JF
B(71D)		D2OZ 5360136-D	D2OZ 5364416	ACA	BCA	ACB	BCB	ACF	BCF	ACR	BCR		
		D2OZ 5360136-D	D2OZ 7164416									AHA	AHF
TRIM CODES →				GA	GB	GF	GR	HA	HF				
B(71K)		D2OZ 5360136-D	D2OZ 7164416	AGA	AGB	AGF	AGR	AHA	AHF				
TRIM CODES →				QA	QAA	QB	QBA	QR	QRA	QY	QYA	QZ	QZA
B(97D)	R	D2OZ 6560136-C	D2OZ 6564416	ABA	BBA	ABB	BBB	ABR	BBR	ABY	BBY	ABZ	BBZ
	L	D2OZ 6560137-B	D2OZ 6564417	ABA	BBA	ABB	BBB	ABR	BBR	ABY	BBY	ABZ	BBZ
TRIM CODES →				UA	UAA	UB	UBA	UF	UFA	UL	ULA	UR	URA
B(97D)	R	D2OZ 6560136-C	D2OZ 6564416	ACA	BCA	ACB	BCB	ACF	BCE	ACW	BCW	ACR	BCR
	L	D2OZ 6560137-B	D2OZ 6564417	ACA	BCA	ACB	BCB	ACF	BCF	ACW	BCW	ACR	BCR
TRIM CODES →				UW	UWA	US	U5A	U9	U9A	VA	VF		
B(97D)	R	D2OZ 6560136-C	D2OZ 6564416	ACW	BCW	ACW	BCW	ACW	BCW	ADA	ADF		
	L	D2OZ 6560137-B	D2OZ 6564417	ACW	BCW	ACW	BCW	ACW	BCW	ADA	ADF		
TRIM CODES →				NA, NAA	NB, NBA	NR, NRA	NY, NYA	NZ, NZA					
B(97D,K)		Service details	D2OZ 6564416	ANA	ANB	ANB	ANY	ANZ					
"Before 5/1/72"		D2OZ 6560136-B		Spring and pad									
"From 5/1/72"		D3GY 6560136-A		Spring and pad									
	R	D2SZ 6561018-A		Frame									
	L	D2SZ 6561019-A		Frame									
TRIM CODES →				SA, SAC	SAB	SB, SBC	SBB	SF, SFC	SFB	SL			
B(97D,K)		Service details	D2OZ 6564416	AKA	BKA	AKB	BKB	AKF	BKF	AKW			
"Before 5/1/72"		D2OZ 6560136-B		Spring and pad									
"From 5/1/72"		D3GY 6560136-A		Spring and pad									
	R	D2SZ 6561018-A		Frame									
	L	D2SZ 6561019-A		Frame									
TRIM CODES →				SR, SRC	SRB	SW	S5	S9					
B(97D,K)		Service details	D2OZ 6564416	AKR	BKR	AKW	AKW	AKW					
"Before 5/1/72"		D2OZ 6560136-B		Spring and pad									
"From 5/1/72"		D3GY 6560136-A		Spring and pad									
	R	D2SZ 6561018-A		Frame									
	L	D2SZ 6561019-A		Frame									
TRIM CODES →				RA	RB	RF	RL	RR	RW	R5	R9	VA	VF
B(97K)	R	D2OZ 6360136-A	D2OZ 6564416	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW	ADA	ADF
	L	D2OZ 6360137-A	D2OZ 6564417	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW	ADA	ADF
TRIM CODES →				EA	EF	FA	FB	FF	FL	FR	FW	F5	F9
B(97R)	R	D2OZ 6360136-A	D2OZ 6564416	ADA	ADF	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW
	L	D2OZ 6360137-A	D2OZ 6564417	ADA	ADF	AFA	AFB	AFF	AFW	AFR	AFW	AFW	AFW
TRIM CODES →				MA, MAC	MAB	MB, MBC	MBB	MF, MFC	MFB	ML, MLC	MLB		
B(97R)		Service details	D2OZ 6564416	AKA	BKA	AKB	BKB	AKF	BKF	AKW	BKW		
"Before 5/1/72"		D2OZ 6560136-B		Spring and pad									
"From 5/1/72"		D3GY 6560136-A		Spring and pad									
	R	D2SZ 6561018-A		Frame									
	L	D2SZ 6561019-A		Frame									

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
60136-7 BACK KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET-SHIPPED K.D.-continued														
		TRIM CODES →		MR, MRC	MRB	MW, MWC	MWB	M5, M5C	M5B	M9 M9C	M9B			
B(97R)		Service details	D2OZ 6564416	AKR	BKR	AKW	BKW	AKW	BKW	AKW	BKW			
"Before 5/1/72"		D2OZ 6560136-B		Spring and pad										
"From 5/1/72"		D3GY 6560136-A		Spring and pad										
	R	D2SZ 6561018-A		Frame										
	L	D2SZ 6561019-A		Frame										
		TRIM CODES →		AA	AAB	AAE	AB	ABB	ABE	AE	AEB	AEE		
F(63)		D3ZZ 6560136-A	D1ZZ 6564416	A1A			A1B			A1E				
		D3ZZ 6560136-A	D2ZZ 6564416		BAA	CAA		BAB	CAB		BAE	CAE		
		TRIM CODES →		AF	AFB	AFE	AR	ARB	ARE	AW	AWB	AWE		
F(63)		D3ZZ 6560136-A	D1ZZ 6564416	A1F			A1R			A1W				
		D3ZZ 6560136-A	D2ZZ 6564416		BAF	CAF		BAR	CAR		BAW	CAW		
		TRIM CODES →		GA	GAA	GAB	GAE	GB	GBA	GBB	GBE			
F(63)		D3ZZ 6560136-A	D1ZZ 6364416	A5A				A5B						
		D3ZZ 6560136-A	D2ZZ 6364416		A5A	BGA			A5B	BGB				
		D3ZZ 6560136-A	D2ZZ 6564416				AGA				AGB			
		TRIM CODES →		GE	GEA	GEB	GEE	GF	GFB	GFE				
F(63)		D3ZZ 6560136-A	D1ZZ 6364416	A5E										
		D3ZZ 6560136-A	D2ZZ 6364416		A5E	BGE		BGF	BGF					
		D3ZZ 6560136-A	D2ZZ 6564416				AGE			AGF				
		TRIM CODES →		GR	GRA	GRB	GRE	GW	GWA	GWB	GWE	HB	HBE	
F(63)		D3ZZ 6560136-A	D1ZZ 6364416	A5R				A5W						
		D3ZZ 6560136-A	D2ZZ 6364416		A5R	BGR			A5W	BGW				
		D3ZZ 6560136-A	D2ZZ 6564416				AGR				AGW	AHB	BHB	
		TRIM CODES →		AA	AAB	AAE	AB	ABB	ABE	AE	AEB	AEE		
F(65D)		D3ZZ 6560136-A	D1ZZ 6564416				A1B			A1E				
		D3ZZ 6560136-A	D2ZZ 6564416	BAA	BAA	CAA		BAB	CAB		BAE	CAE		
		TRIM CODES →		AF	AFB	AFE	AR	ARB	ARE	AW	AWB	AWE	HB	HBE
F(65D)		D3ZZ 6560136-A	D2ZZ 6564416	BAF	BAF	CAF	BAR	BAR	CAR	BAW	BAW	CAW	AHB	BHB
		TRIM CODES →		FA	FAB	FAE	FB	FBB	FBE	FE	FEB	FEE		
F(65F)		D3ZZ 6560136-A	D1ZZ 6564416	A4A			A4B			A4E				
		D3ZZ 6560136-A	D2ZZ 6564416		BFA	CFA		BFB	CFB		BFE	CFE		
		TRIM CODES →		FF	FFB	FFE	FR	FRB	FRE					
F(65F)		D3ZZ 6560136-A	D1ZZ 6564416	A4F			A4R							
		D3ZZ 6560136-A	D2ZZ 6564416		BFF	CFF		BFR	CFR					
		TRIM CODES →		CA, CAA	CAB	CAE	CB, CBA	CBB	CBE	CE, CEA	CEB	CEE		
F(76D)		D3ZZ 6560136-A	D1ZZ 6564416	ACA			ACB			ACE				
		D3ZZ 6560136-A	D2ZZ 6564416		BCA	CCA		BCB	CCB		BCE	CCE		
		TRIM CODES →		CF, CFA	CFB	CFE	CR, CRA	CRB	CRE	CW, CWA	CWB	CWE		
F(76D)		D3ZZ 6560136-A	D1ZZ 6564416	ACF			ACR			ACW				
		D3ZZ 6560136-A	D2ZZ 6564416		BCF	CCF		BCR	CCR		BCW	CCW		
		TRIM CODES →		AA, AAC, AAE	AAD	AB, ABC, ABE	ABD	AF, AFC, AFE	AFD					
L		Service details	D2FZ 6264416	BAA	CAA	BAB	CAB	BAF	CAF					
		D1FZ 6261018-B		Frame										
"Before 4/3/72"		D1FZ 6264810-A		Spring and pad										
"From 4/3/72"		D2FZ 6264810-A		Spring and pad										

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES											
60136-7 BACK KIT - FRONT SEAT - CONSISTS of SPRING, PADS, WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued															
TRIM CODES →				AL, ALC, ALE	ALD	AR, ARC, ARE	ARD	AS, ASC, ASE	ASD						
L		Service details	D2FZ 6264416	BAL	CAL	BAR	CAR	BAS	CAS						
		D1FZ 6261018-B		Frame											
"Before 4/3/72"		D1FZ 6264810-A		Spring and pad											
"From 4/3/72"		D3FZ 6264810-A		Spring and pad											
TRIM CODES →				AT, ATC, ATE	ATD	AW, AWC, AWE	AWD	A5, A5C, A5E	A5D						
L		Service details	D2FZ 6264416	BAT	CAT	BAW	CAW	BA5	CA5						
		D1FZ 6261018-B		Frame											
"Before 4/3/72"		D1FZ 6264810-A		Spring and pad											
"From 4/3/72"		D3FZ 6264810-A		Spring and pad											
TRIM CODES →				BA, BAC, BAE	BAD	BB, BBC, BBE	BBD	BF, BFC, BFE	BFD						
L		Service details	D2FZ 6264416	BBA	CBA	BBB	CBB	BBF	CBF						
		D1FZ 6261018-B		Frame											
"Before 4/3/72"		D1FZ 6264810-A		Spring and pad											
"From 4/3/72"		D3FZ 6264810-A		Spring and pad											
TRIM CODES →				BL, BLC, BLE	BLD	BR, BRC, BRE	BRD	BS, BSC, BSE	BSD						
L		Service details	D2FZ 6264416	BBL	CBL	BBR	CBR	BBS	CBS						
		D1FZ 6261018-B		Frame											
"Before 4/3/72"		D1FZ 6264810-A		Spring and pad											
"From 4/3/72"		D3FZ 6264810-A		Spring and pad											
TRIM CODES →				BT, BTC, BTE	BTD	BW, BWC, BWE	BWD	B5, B5C, B5E	B5D						
L		Service details	D2FZ 6264416	BBT	CBT	BBW	CBW	BB5	CB5						
		D1FZ 6261018-B		Frame											
"Before 4/3/72"		D1FZ 6264810-A		Spring and pad											
"From 4/3/72"		D3FZ 6264810-A		Spring and pad											
TRIM CODES →				CA, CAC, CAE	CAD	CB, CBC, CBE	CBD	CF, CFC, CFE	CFD						
L		Service details	D2FZ 6264416	BCA	CCA	BCB	CCB	BCF	CCF						
		D1FZ 6261018-A		Frame											
"Before 4/3/72"		D1FZ 6264810-A		Spring and pad											
"From 4/3/72"		D3FZ 6264810-A		Spring and pad											
TRIM CODES →				CL, CLC, CLE	CLD	CR, CRC, CRE	CRD	CS, CSC, CSE	CSD	CT, CTC, CTE	CTD				
L		Service details	D2FZ 6264416	BCL	CCL	BCR	CCR	BC5	CCS	BCT	CCT				
		D1FZ 6261018-B		Frame											
"Before 4/3/72"		D1FZ 6264810-A		Spring and pad											
"From 4/3/72"		D3FZ 6264810-A		Spring and pad											

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
60136-7 BACK KIT-FRONT SEAT-CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued														
TRIM CODES →				CW, CWC, CWE	CWD	CS, C5C, C5E	C5D	GB, GBE						
L		Service details	D2FZ 6264416	BCW	CCW	BC5	CC5	AGB						
		D1FZ 6261018-B		Frame										
"Before 4/3/72"		D1FZ 6264810-A		Spring and pad										
"From 4/3/72"		D3FZ 6264810-A		Spring and pad										
TRIM CODES →				DA	DAA DAE	DB	DBE	DF	DFE	DL	DR	DS	DT	DTE
L		Service details	D2FZ 6264416	ADA		ADB		ADF		ADL	ADR	ADS	ADT	
		Service details	D3FZ 6264416		AAA		AAB		AAF					AAT
		D3FZ 6264810-A		Spring and pad										
		D1FZ 6261018-B		Frame										
TRIM CODES →				DW	D5									
L		Service details	D2FZ 6264416	ADW	AD5									
		D3FZ 6264810-A		Spring and pad										
		D1FZ 6261018-B		Frame										
TRIM CODES →				EA	EB	EC	EF	EG	EL	ER	ES	ET	EW	E5
L		Service details	D2FZ 6264416						AEL	AER	AES		AEW	AE5
		Service details	D3FZ 6264416	ABA	ABB	ABC	ABF	ABG				ABT		
		D3FZ 6264810-A		Spring and pad										
		D1FZ 6261018-B		Frame										
TRIM CODES →				FA	FB	FF	FL	FR	FS	FT	FW	F5	GB, GBE	
L		Service details	D2FZ 6264416				AFL	AFR	AFS		AFW	AF5	AGB	
		Service details	D3FZ 6264416	ACA	ACB	ACF				ACT				
		D3FZ 6264810-A		Spring and pad										
		D1FZ 6261018-B		Frame										
TRIM CODES →				JB	KB									
L		Service details	D2FZ 6264416	AJB	AKB									
		D3FZ 6264810-A		Spring and pad										
		D1FZ 6261018-B		Frame										
TRIM CODES →				AA, AAA	AY	BA	BB	BF	BT	BY	CA, CAA	CB	CY	
P(54)		D1DZ 5460136-A	D1DZ 5464416	A1A	A1Y	A2A	A2B			A2Y	A3A	A3B	A3Y	
		D1DZ 5460136-A	D2DZ 5464416					A2F	A2T					
TRIM CODES →				EA	EB	EE	EY							
P(54)		D1DZ 5460136-A	D2DZ 5464416	A5A	A5B	A5E	A5Y							
TRIM CODES →				HA	HB	HF	HT	JA	JB	JF	JT			
P(54)		D1DZ 5460136-A	D2DZ 5464416	AHA	AHB	AHF	AHT	AJA	AJB	AJF	AJT			
TRIM CODES →				KA	KB	KF	KT							
P(54)		D1DZ 5460136-A	D2DZ 5464416	AHA	AHB	AHF	AHT							
TRIM CODES →				PU										
P(54)	R	D2DZ 5460136-A	D2DZ 6264416	APU										
	L	D2DZ 5460137-A	D2DZ 6264416	APU										

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES										
60136-7 BACK KIT - FRONT SEAT - CONSISTS of SPRING,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued														
		TRIM CODES →		AA, AAA	AY	BA	BB	BF	BT	BY	CE	CY		
P(62)	R	D0DZ 6260136-B	D1DZ 6264416	A1A	A1Y	A2A	A2B			A2Y	A3E	A3Y		
	L	D0DZ 6260137-B	D1DZ 6264417	A1A	A1Y	A2A	A2B			A2Y	A3E	A3Y		
	R	D0DZ 6260136-B	D2DZ 6264416					A2F	A2T					
	L	D0DZ 6260137-B	D2DZ 6264417					A2F	A2T					
		TRIM CODES →		EA	EB	EE	EY							
P(62)	R	D0DZ 6260136-B	D2DZ 6264416	A5A	A5B	A5E	A5Y							
	L	D0DZ 6260137-B	D2DZ 6264416	A5A	A5B	A5E	A5Y							
		TRIM CODES →		FA, FAA	FB, FBA	FE, FEA	FY	GE	GY					
P(62)		D1ZZ 6560136-C	D2DZ 6264416	A4A	A4B	A4E	A4Y	A9E	A9Y					
		TRIM CODES →		HA	HB	HF	HT	JA	JB	JF	JT			
P(62)	R	D0DZ 6260136-B	D2DZ 6264416	AHA	AHB	AHF	AHT	AJA	AJB	AJF	AJT			
	L	D0DZ 6260137-B	D2DZ 6264417	AHA	AHB	AHF	AHT	AJA	AJB	AJF	AJT			
		TRIM CODES →		KA	KB	KF	KL	KS	KT	KW	K6			
P(62)	R	D0DZ 6260136-B	D2DZ 6264416	AHA	AHB	AHF	AKW	AKW	AHT	AKW	AKW			
	L	D0DZ 6260137-B	D2DZ 6264417	AHA	AHB	AHF	AKW	AKW	AHT	AKW	AKW			
		TRIM CODES →		LA	LF	LL	LS	LW	L6					
P(62)		D1ZZ 6560136-C	D2DZ 6264416	ALA	ALF	ALW	ALW	ALW	ALW					
		TRIM CODES →		NA	NB	NF	NT	RB						
P(62)	R	D0DZ 6260136-B	D2DZ 6264416	AJA	AJB	AJF	AJT	ARB						
	L	D0DZ 6260136-B	D2DZ 6264417	AJA	AJB	AJF	AJT	ARB						
		TRIM CODES →		PU										
P(62)	R	D2DZ 6260136-A	D2DZ 6264416	APU										
	L	D2DZ 6260137-A	D2DZ 6264416	APU										
		TRIM CODES →		GA	GB	GD	GF	GR						
S		Service details	D2SZ 6564416	AGA	AGB	AGD	AGF	AGR						
		D2SZ 6560136-A		Spring and pad										
-w/reclining seat	R	D2SZ 6561018-B		Frame										
-w/o reclining seat	R	D2SZ 6561018-A		Frame										
	L	D2SZ 6561019-A		Frame										

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	KIT PART NUMBER LESS COVER	COVER PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES

60136-7 BACK KIT - CONSISTS of SPRINGS,PADS,WIRE and INSTRUCTION SHEET - SHIPPED K.D. - continued

				TRIM CODES →	HA, HAA	HB, HBA	HD, HDA	HR, HRA	HZ, HZA
S		Service details	D2SZ 6564416		AHA	AHB	AHD	AHR	AHZ
		D3SZ 6560136-B			Spring and pad				
-w/reclining seat	R	D2SZ 6561018-C			Frame				
-w/o reclining seat "Before 10/15/71"	R	D2LY 6561018-A			Frame				
	L	D2LY 6561019-A			Frame				
-w/reclining seat	R	D2SZ 6561018-C			Frame				
-w/o reclining seat "From 10/15/71"	R	D2SZ 6561018-D			Frame				
	L	D2SZ 6561019-B			Frame				

				TRIM CODES →	KA, KAA	KB, KBA	KD, KDA	KF, KFA	KL, KLA	KR, KRA	KW, KWA	KZ, KZA	K5, K5A	K9, K9A
S		Service details	D2SZ 6564416				AKD	AKF	AKW	AKR	AKW	AKZ	AKW	AKW
		Service details	D3SZ 6564416		AKA	AKB								
		D3SZ 6560136-B			Spring and pad									
-w/reclining seat	R	D2SZ 6561018-C			Frame									
-w/o reclining seat "Before 10/15/71"	R	D2LY 6561018-A			Frame									
	L	D2LY 6561019-A			Frame									
-w/reclining seat	R	D2SZ 6561018-C			Frame									
-w/o reclining seat "From 10/15/71"	R	D2SZ 6561018-D			Frame									
	L	D2SZ 6561019-B			Frame									

				TRIM CODES →	LA	LF	LL	LR	LW	L5	L9
S		Service details	D2SZ 6564416		ALA	ALF	ALW	ALR	ALW	ALW	ALW
		D2SZ 6560136-A			Spring and pad						
-w/reclining seat	R	D2SZ 6561018-B			Frame						
-w/o reclining seat	R	D2SZ 6561018-A			Frame						
	L	D2SZ 6561019-A			Frame						

				TRIM CODES →	3	8	84
U-"Before Ser. P00,001"	R	D0TZ 1060136-A	C9TZ 9664416		A3D		
	L	D0TZ 1060137-A	C9TZ 9664416		A3D		
-"From Ser. P00,001"	R	D0TZ 1060136-A	D2BZ 1064416			ATF	ATF
	L	D0TZ 1060137-A	D2BZ 1064416			ATF	ATF
	R	D0TZ 1060136-A	D3BZ 1064416		ARU		
	L	D0TZ 1060137-A	D3BZ 1064416		ARU		

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
			SECOND CHARACTER of TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
TRIM CODES →			_B or L	_D or N	_E	_F	_H	_R or 5	_Y or 8	_Z or 9						
COLORS →			BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	

60579 CARPET - REAR SEAT BACK FLOOR

F(63)		D1ZZ 6360579		B					A			C				1
		D0ZZ 6360579					A									1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
60762-3 PANEL - FRONT SEAT BACK REAR TRIM PANEL INSERT																
TRIM CODES →			EA	EB	ED	ER	EY	EZ	ZA	ZB	ZD	ZR	ZY	ZZ		
A(53K,57K,65K)	R	D1AZ 6560762	BZA	BZB	BZD	BZR	BZY		BZA	BZB	BZD	BZR	BZY			1
	L	D1AZ 6560763	BZA	BZB	BZD	BZR	BZY		BZA	BZB	BZD	BZR	BZY			1
	R	D2AZ 6560762						AZZ						AZZ		1
	L	D2AZ 6560763						AZZ						AZZ		1
TRIM CODES →			EA	EF	FA	FB	FF	FL	FR	FW	F5	F9				
B(63R,97R)		D2OZ 6560762	C		C	B			A							2
		D2OY 6560762		A			A	B		B	B	B				2
TRIM CODES →			MA, MAB, MAC	MB, MBB, MBC	MF, MFB, MFC	ML, MLB, MLC	MR, MRB, MRC	MW, MWB, MWC	M5, M5B, M5C	M9, M9B, M9C						
B(63R,97R)		D2OZ 6560762	C	B			A									2
		D2OY 6560762			A	B		B	B	B						2
TRIM CODES →			AA	AB	AR											
B(65B)		D2OZ 6560762	C	B	A											2
TRIM CODES →			BA, BAA	BB, BBA	BR, BRA	BY, BYA	BZ, BZA	CA	CB	CF	CL	CR	CW	C5	C9	
B(65D)		D2OZ 6560762	C	B	A	E	D	C	B			A				2
		D2OY 6560762								A	B		B	B	B	2
TRIM CODES →			DA	DF	KA, KAB, KAC	KB, KBB, KBC	KF, KFB, KFC	KL, KLB, KLC	KR, KWB, KWC	KW, K5B, K5C	K5, K9B, K9C	K9,				
B(65D)		D2OZ 6560762	C		C	B			A							2
		D2OY 6560762		A			A	B		B	B	B				2
TRIM CODES →			NA, NAA	NB, NBA	NR, NRA	NY, NYA	NZ, NZA									
B(65D)		D2OZ 6560762	C	B	A	E	D									2
TRIM CODES →			AA	AB	AR	QA	QB	QR	QY	QZ						
B(97D)		D2OZ 6560762	C	B	A	C	B	A	E	D						2
TRIM CODES →			UA	UB	UF	UL	UR	UW	U5	U9						
B(97D)		D2OZ 6560762	C	B			A									2
		D2OY 6560762			A	B		B	B	B						2
TRIM CODES →			NA, NAA	NB, NBA	NR, NRA	NY, NYA	NZ, NZA	RA	RB	RF	RL	RR	RW	R5	R9	
B(97D,K)		D2OZ 6560762	C	B	A	E	D	C	B			A				2
		D2OY 6560762								A	B		B	B	B	2
TRIM CODES →			SA, SAB, SAC	SB, SBB, SBC	SF, SFB, SFC	SL	SR, SRB, SRC	SW	S5	S9						
B(97D,K)		D2OZ 6560762	C	B			A									2
		D2OY 6560762			A	B		B	B	B						2
TRIM CODES →			AA, AAE	AB, ABE	AE, AEE	AF, AFE	AR, ARE	AW, AWE	GA, GAE	GB, GBE	GE, GEE	GF, GFE	GR, GRE	GW, GWE		
F(63)	R	D1FZ 6260762	D				B		D				B			1
	L	D1FZ 6260763				A	B					A	B			1
	R	D2ZZ 6260762			A			B			A			B		1
	L	D2ZZ 6260763			A			B			A			B		1
	R	D3ZZ 6560762		F		B				F						1
	L	D3ZZ 6560763	E	F					E	F						1
TRIM CODES →			AA, AAE	AB, ABE	AE, AEE	AF, AFE	AR, ARE	AW, AWE								
F(65D)	R	D1FZ 6260762	D				B									1
	L	D1FZ 6260763				A	B									1
	R	D2ZZ 6260762			A			B								1
	L	D2ZZ 6260763			A			B								1
	R	D3ZZ 6560762		F		B										1
	L	D3ZZ 6560763	E	F												1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
60762-3 PANEL - FRONT SEAT BACK REAR TRIM PANEL INSERT - continued																
TRIM CODES →			FA, FAE	FB, FBE	FE, FEE	FF, FFE	FR, FRE									
F(65F)	R	D1FZ 6260762	D				B									1
	L	D1FZ 6260763				A	B									1
	R	D2ZZ 6260762			A											1
	L	D2ZZ 6260763			A											1
	R	D3ZZ 6560762		F		B										1
	L	D3ZZ 6560763	E	F												1
TRIM CODES →			CA, CAE	CB, CBE	CE, CEE	CF, CFE	CR, CRE	CW, CWE								
F(76D)	R	D1FZ 6260762	D				B									1
	L	D1FZ 6260763				A	B									1
	R	D2ZZ 6260762			A			B								1
	L	D2ZZ 6260763			A			B								1
	R	D3ZZ 6560762		F		B										1
	L	D3ZZ 6560763	E	F												1
F		375553-S(GG232J)	Clip													4
TRIM CODES →			AA, AAC, AAD, AAE	AB, ABC, ABD, ABE	AF, AFC, AFD, AFE	AR, ARC, ARD, ARE	BA, BAC, BAD, BAE	BB, BBC, BBD, BBE	BF, BFC, BFD, BFE	BL, BLC, BLD, BLE	BR, BRC, BRD, BRE	BS, BSC, BSD, BSE	BT, BTC, BTD, BTE	BW, BWC, BWD, BWE	B5, B5C, B5D, B5E	
L	R	D1FZ 6260762	D			B	D				B					1
	L	D1FZ 6260763			A	B			A		B					1
	R	D2FZ 6260762											B			1
	L	D2FZ 6260763											B			1
	R	D2ZZ 6260762								B		B		B	B	1
	L	D2ZZ 6260763								B		B		B	B	1
	R	D3ZZ 6560762		F	B			F	B							1
	L	D3ZZ 6560763	E	F			E	F								1
TRIM CODES →			CA, CAC, CAD, CAE	CB, CBC, CBD, CBE	CF, CFC, CFD, CFE	CL, CLC, CLD, CLE	CR, CRC, CRD, CRE	CS, CSC, CSD, CSE	CT, CTC, CTD, CTE	CW, CWC, CWD, CWE	C5, C5C, C5D, C5E					
L	R	D1FZ 6260762	D				B									1
	L	D1FZ 6260763			A		B									1
	R	D2FZ 6260762							B							1
	L	D2FZ 6260763							B							1
	R	D2ZZ 6260762				B		B		B	B					1
	L	D2ZZ 6260763				B		B		B	B					1
	R	D3ZZ 6560762		F	B											1
	L	D3ZZ 6560763	E	F												1
TRIM CODES →			DA, DAE	DB, DBE	DF, DFE	DL	DR	DS	DT, DTE	DW	D5					
L	R	D1FZ 6260762	D				B									1
	L	D1FZ 6260763			A		B									1
	R	D2FZ 6260762							B							1
	L	D2FZ 6260763							B							1
	R	D2ZZ 6260762				B		B		B	B					1
	L	D2ZZ 6260763				B		B		B	B					1
	R	D3ZZ 6560762		F	B											1
	L	D3ZZ 6560763	E	F												1
TRIM CODES →			EA	EB	EC	EF	EG	EL	ER	ES	ET	EW	E5			
L	R	D1FZ 6260762	D						B							1
	L	D1FZ 6260763				A			B							1
	R	D2FZ 6260762			C		D				B					1
	L	D2FZ 6260763			C		D				B					1
	R	D2ZZ 6260762						B		B		B	B			1
	L	D2ZZ 6260763						B		B		B	B			1
	R	D3ZZ 6560762		F		B										1
	L	D3ZZ 6560763	E	F												1

60762-3 PANEL - FRONT SEAT BACK REAR TRIM PANEL INSERT - continued

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES														QTY.
TRIM CODES →			FA	FB	FF	FL	FR	FS	FT	FW	F5						
L	R	D1FZ 6260762	D				B										1
	L	D1FZ 6260763			A		B										1
	R	D2FZ 6260762							B								1
	L	D2FZ 6260763							B								1
	R	D2ZZ 6260762				B		B		B	B						1
	L	D2ZZ 6260763				B		B		B	B						1
	R	D3ZZ 6560762		F	B												1
	L	D3ZZ 6560763	E	F													1
TRIM CODES →			GB, GBE	HB, HBE	JB	KB											
L	R	D2ZZ 6260762	B	B	B	B											1
	L	D2ZZ 6260763	B	B	B	B											1
L		375553-S(GG272J)	Clip														4
TRIM CODES →			BA	BB	BF	BT	FA, FAA	FB, FBA	FE, FEA	FY	GE	GY					
P(62)	R	D1FZ 6260762	D				D										1
	L	D1FZ 6260763			A												1
	R	D2FZ 6260762				B											1
	L	D2FZ 6260763				B											1
	R	D2ZZ 6260762							A		A						1
	L	D2ZZ 6260763							A		A						1
	R	D2DZ 6260762								A		A					1
	L	D2DZ 6260763								A		A					1
	R	D3ZZ 6560762		F	B			F									1
	L	D3ZZ 6560763	E	F			E	F									1
TRIM CODES →			HA	HB	HF	HT	JA	JB	JF	JT							
P(62)	R	D1FZ 6260762	D				D										1
	L	D1FZ 6260763			A				A								1
	R	D2FZ 6260762				B				B							1
	L	D2FZ 6260763				B				B							1
	R	D3ZZ 6560762		F	B			F	B								1
	L	D3ZZ 6560763	E	F			E	F									1
TRIM CODES →			KA	KB	KF	KL	KS	KT	KW	K6	LA	LF	LL	LS	LW	L6	
P(62)	R	D1FZ 6260762	D								D						1
	L	D1FZ 6260763			A							A					1
	R	D2FZ 6260762				A	A	B	A	A			A	A	A	A	1
	L	D2FZ 6260763				A	A	B	A	A			A	A	A	A	1
	R	D3ZZ 6560762		F	B							B					1
	L	D3ZZ 6560763	E	F							E						1
TRIM CODES →			NA	NB	NF	NT											
P(62)	R	D1FZ 6260762	D														1
	L	D1FZ 6260763			A												1
	R	D2FZ 6260762				B											1
	L	D2FZ 6260763				B											1
	R	D3ZZ 6560762		F	B												1
	L	D3ZZ 6560763	E	F													1
TRIM CODES →			PU														
P		D3DZ 6260762	A														2
P		375553-S(GG232J)	Clip														4
TRIM CODES →			3, 34	4	84	B	C	G									
U		D2TZ 1060762		A	A												2
		D3BZ 1060762				C	A	B									2
-"Before Ser. P40,001"		D1TZ 1060762	A														2
-'From Ser. P40,001"		D3BZ 1060762	D														2

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	LENGTH (INCHES)	SECOND CHARACTER of TRIM CODE: _B or L BLUE	_D or N RED	_E VERMILION	_F GINGER	_H CRANBERRY	_R or 5 GREEN	_Y or 8 GREY GOLD	_Z or 9 TOBACCO	ALL CODES BLACK	ALL CODES PARCHMENT	ALL CODES WHITE	OTHER SEE FOOTNOTE	OTHER SEE FOOTNOTE	QTY.
TRIM CODES →																	
COLORS →																	
61018-9 FRAME ASSY. - Refer to Group 60136-7																	
611A08 HEAD REST ASSY. - FRONT SEAT BACK - INCLUDES GUIDE RODS																	
A		D1AZ 65611A08		B	G		C		D	E		A	H	F			2
P		D2DZ 62611A08		A9B			A2F					A6A		A1W	⁂A	△A5T	2
		D1DZ 62611A08				C				D							2
S-cloth- "Before 3/6/72"		D2LZ 65611A08			C						E	A					2
		D3SZ 65611A08		B					M			A					1
S-cloth- "From 3/6/72"		D3SZ 65611A08		B	L				M		C	A					2
S-vinyl- "Before 3/6/72"		D2LZ 65611A08			G		H							F			2
		D3SZ 65611A08		J					H		K	G					2
S-vinyl- " From 3/6/72"		D3SZ 65611A08		J			E		H		K	G		F			2
		D4SY 65611A08			J												2
611A70 SHIELD - FRONT SEAT BELT CUSHION																	
A		D2AZ 65611A70		C	B				D		E	A	F				2
62900-1 COVER - FRONT SEAT CUSHION - Refer to Group 60050-1																	
63218-9 PANEL - FRONT SEAT CUSHION TRIM REAR																	
B(53,71)-split bench or bucket	R	D2OZ 5363218		C			A		B	F	E	D					1
	L	D2OZ 5363219		C			A		B	F	E	D					1
B(63,65,97)-split bench or bucket	R	D2OZ 6563218		B			F		A	E	D	G		C			1
	L	D2OZ 6563219		B			F		A	E	D	G		C			1
B(53,65)- full bench		D2GZ 6563218		C			A		B	G	F	E		D			1
63500 BUTTON - FRONT and REAR SEAT CUSHION and BACK - INCLUDES ATTACHING PARTS																	
A-high back seats		D1MY 6563500		B9B	B7D				B8R	B9Y		B6A					1
		D2VY 6563500									L						1
A-low back seats		D1AZ 6563500		A9B	A7D		A3F		A8R	A9Y		A6A					1
		D2AZ 6563500									A82						1
B *		D2OZ 6563500		B			G		C	D	E	A		F			1
B ▲		D1MY 6563500		B9B			B3F		B8R			B6A		B1W			AR
F(63D,65D,F,76D)		D1ZZ 6564824													$B		1
F(63R)		D1ZZ 6564824													$A		1
S-w/bucket seats-cloth-front seat back		D2SZ 6563500	1 1/2	BR	BS		BT		BU			BP					2
-cloth-front seat cushion		D2SZ 6563500	2	R	S		T		U			P					2
-cloth-rear seat cushion & back		D2SZ 6563500	5/8	BK	BL		BM		BN			BJ					4

$ Chrome ▲ Use with Trim Codes beginning with D, E, F, G, H, J and V * Use with Trim codes beginning with B, C and Q
⁂ Tan △ Beige

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	LENGTH (INCHES)	SECOND CHARACTER of TRIM CODE: _B or L BLUE	_D or N RED	_E VERMILION	_F GINGER	_H CRANBERRY	_R or 5 GREEN	_Y or 8 GREY GOLD	_Z or 9 TOBACCO	ALL CODES BLACK	ALL CODES PARCHMENT	ALL CODES WHITE	OTHER SEE FOOTNOTE	OTHER SEE FOOT NOTE	QTY.
63500 BUTTON - FRONT and REAR SEAT CUSHION and BACK - INCLUDES ATTACHING PARTS - continued																	
S-w/split bench seats-cloth-front seat back		D2SZ 6563500	5/16	CJ	CU				CV		CR	CH					8
-cloth-front seat cushion		D2SZ 6563500	1 3/8	BW	CF				CG		CC	BV					8
		D2SZ 6563500	1 1/2	DB	DL				DM		DH	DA					8
-cloth-rear seat back		D2SZ 6563500	1/2	AJ	AU				AV		AR	AH					12
-cloth-rear seat cushion		D2SZ 6563500	7/8	AX	BG				BH		BD	AW					8
S-w/split bench seats-vinyl-front seat back		D2SZ 6563500	5/16	CT	CK		CM		CP		CS	CN		CL			8
-vinyl-front seat cushion		D2SZ 6563500	1 3/8	CE	BX		BZ		CB		CD	CA					8
		D2SZ 6563500	1 1/2	DK	DC		DE		DG		DJ	DF					8
		D5VY 6063500												BW			8
-vinyl-rear seat back		D2SZ 6563500	1/2	AT	AK		AM		AP		AS	AN		AL			12
-vinyl-rear seat cushion		D2SZ 6563500	7/8	BF	AY		BA		BC		BE	BB		AZ			8

63804 COVER - REAR SEAT CUSHION - Refer to Group 60080

63822 COVER - AUXILIARY SEAT CUSHION - Refer to Group 60090

63840 PAD and SPRING - Refer to Group 60080

64416-7 COVER - FRONT SEAT BACK - Refer to Group 60136-7

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
644A18-9 COVER - FRONT SEAT BACK CENTER ARM REST																
TRIM CODES →			EA	EB	ED	ER	EY	EZ	ZA	ZB	ZD	ZR	ZY	ZZ		
A(53K,57K,65K)	R	D1AZ 65644A18	AEA	AEB	AED	AER	AEY									1
	L	D1AZ 65644A19	CEA	CEB	CED	CER	CEY									1
	R	D2AZ 65644A18						AEZ								1
	L	D2AZ 65644A19						AEZ								1
		D1MZ 65644A18							BZA	BZB	BZD	BZR	BZY			2
		D2AZ 65644A18												AZZ		2
TRIM CODES →			NA, NAA	NB, NBA	NR, NRA	NY, NYA	NZ, NZA									
B(53D,65D,97D,K)		D2OZ 65644A18	ANA	ANB	ANR	ANY	ANZ									1
TRIM CODES →			HA	HAA	HB	HBA	HD	HDA	HR	HRA	HZ	HZA				
S		D2SZ 65644A18	AHA	BHA	AHB	BHB	AHD	BHD	AHR	BHR	AHZ	BHZ				1
TRIM CODES →			KA	KAA	KB	KBA	KD	KDA	KF	KFA	KL	KLA	KR	KRA		
S		D2SZ 65644A18	AKA	BKA	AKB	BKB	AKD	BKD	AKF	BKF	AKW	BKW	AKR	BKR		1
TRIM CODES →			KW	KWA	KZ	KZA	K5	K5A	K9	K9A						
S		D2SZ 65644A18	AKW	BKW	AKZ	BKZ	AKW	BKW	AKW	BKW						1
TRIM CODES →			LA	LF	LL	LR	LW	L5	L9							
S		D2SZ 65644A18	ALA	ALF	ALW	ALR	ALW	ALW	ALW							1

64824 BUTTON or ORNAMENT - FRONT and REAR SEAT CUSHION and BACK - Refer to Group 63500

66640 COVER - AUXILIARY SEAT BACK - Refer to Group 60096

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN
FINAL ISSUE

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES, COLORS and APPLICABLE PART NUMBER SUFFIXES													QTY.
TRIM CODES →				SECOND CHARACTER of TRIM CODE								ALL CODES	ALL CODES	ALL CODES	OTHER	OTHER	
				_B or L	_D or N	___E	___F	___H	_R or 5	_Y or 8	_Z or 9						
COLORS →				BLUE	RED	VERMILION	GINGER	CRANBERRY	GREEN	GREY GOLD	TOBACCO	BLACK	PARCHMENT	WHITE	SEE FOOTNOTE	SEE FOOTNOTE	
67112 REST - REAR SEAT ARM - INCLUDES ATTACHING PARTS																	
U		D0UZ 1267112											A				2
		D3UZ 1267112		B													2

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
672A18 BACK ASSY. - REAR SEAT - UPPER - INCLUDES COVER																
TRIM CODES →			AA, AAC, AAD, AAE	AAB	AB, ABC, ABD, ABE	ABB	AF, AFC, AFD, AFE	AFB	AL, ALC, ALD, ALE	ALB	AR, ARC, ARD, ARE	ARB				
L(62)-folding		D1FZ 62672A18	D1A		D1B						D1R					1
		D2FZ 62672A18		GAA		GAB	CAF	GAF	DAL	GAL		GAR				1
-non/folding		D1FZ 62672A18	A1A		A1B						A1R					1
		D2FZ 62672A18					AAF		AAL							1
TRIM CODES →			AS, ASC, ASD, ASE	ASB	AT, ATC, ATD, ATE	ATB	AW, AWC, AWD, AWE	AWB	A5, A5C, A5D, A5E	A5B						
L(62)-folding		D2FZ 62672A18	DAS	GAS	C1T	GAT	DAW	GAW	DA5	GA5						1
-non/folding		D2FZ 62672A18	AAS		AAT		AAW		AA5							1
TRIM CODES →			BA, BAC, BAD, BAE	BB, BBC, BBD, BBE	BF, BFC, BFD, BFE	BL, BLC, BLD, BLE	BR, BRC, BRD, BRE	BS, B5C, B5D, BSE	BT, BTC, BTD, BTE	BW, BWC, BWD, BWE	B5, B5C, B5D, B5E					
L(62)-folding		D1FZ 62672A18	E2A	E2B	E2F		E2R									1
		D2FZ 62672A18				EAL		EAS	D2T	EAW	EAS					1
-non/folding		D1FZ 62672A18	B2A	B2B	B2F		B2R									1
		D2FZ 62672A18				BAL		BAS	B2T	BAW	BA5					1
TRIM CODES →			CA, CAC, CAD, CAE	CAB	CB, CBC, CBD, CBE	CBB	CF, CFC, CFD, CFE	CFB	CL, CLC, CLD, CLE	CLB	CR, CRC, CRD, CRE	CRB				
L(62)-folding		D2FZ 62672A18	D3A	GCB	D3B	GCB	D3F	GCF	FAL	GCL	D3R	GCR				1
-non/folding		D2FZ 62672A18	B3A		B3B		B3F		CAL		B3R					1
TRIM CODES →			CS, CSC, CSD, CSE	CSB	CT, CTC, CTD, CTE	CTB	CW, CWC, CWD, CWE	CWB	C5, C5C, C5D, C5E	C5B						
L(62)-folding		D2FZ 62672A18	FAS	GCS	D3T	GCT	FAW	GCW	FAS	GC5						1
-non/folding		D2FZ 62672A18	CAS		B3T		CAW		CA5							1
TRIM CODES →			DA	DAE	DB	DBE	DF	DFE	DL	DR	DS	DT	DTE	DW	D5	
L(62)-folding		D2FZ 62672A18	GDA		GDB		GDF		GDL	GDR	GDS	GDT		GDW	GD5	1
		D3FZ 62672A18		BAA		BAB		BAF					BAT			1
-non folding		D2FZ 62672A18	EDA		EDB		EDF		EDL	EDR	EDS	EDT		EDW	ED5	1
		D3FZ 62627A18		AAA		AAB		AAF					AAT			1

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
672A18 BACK ASSY. - REAR SEAT - UPPER - INCLUDES COVER - continued																
TRIM CODES →			EA	EB	EC	EF	EG	EL	ER	ES	ET	EW	E5			
L(62)-folding		D2FZ 62672A18	HEA	HEB	HEC	HEF	HEG	HEL	HER	HES	HET	HEW	HE5			1
-non folding		D2FZ 62672A18	FEA	FEB	FEC	FEF	FEG	FEL	FER	FES	FET	FEW	FE5			1
TRIM CODES →			FA	FB	FF	FL	FR	FS	FT	FW	F5					
L(62)-folding		D2FZ 62672A18	HFA	HFB	HFF	HFL	HFR	HFS	HFT	HFW	HF5					1
-non folding		D2FZ 62672A18	FFA	FFB	FFF	FFL	FFR	FFS	FFT	FFW	FF5					1
TRIM CODES →			AA, AAC, AAD, AAE	AAB	AB, ABC, ABD, ABE	AAB	AF, AFC, AFD, AFE	AFB	AL, ALC, ALD, ALE	ALB	AR, ARC, ARD, ARE	ARB	AS, ASC, ASD, ASE	ASB		
L(64,73)		D1FZ 64672A18	B1A		B1B						B1R					1
		D2FZ 64672A18		DAA		DAB	AAF	DAF	AAL	DAL		DAR	AAS	DAS		1
TRIM CODES →			AT, ATC, ATD, ATE	ATB	AW, AWC, AWD, AWE	AWB	A5, A5C, A5D, A5E	A5B	BA, BAC, BAD, BAE	BAB	BB, BBC, BBD, BBE	BBB	BF, BFC, BFD, BFE	BFB		
L(64,73)		D1FZ 64672A18							C2A		C2B		C2F			1
		D2FZ 64672A18	A1T	DAT	AAW	DAW	AA5	DA5		DBA		DBB		DBF		1
TRIM CODES →			BL, BLL, BLD, BLE	BLB	BR, BRC, BRD, BRE	BRB	BS, BSC, BSD, BSE	BSB	BT, BTC, BTD, BTE	BTB	BW, BWC, BWD, BWE	BWB	B5, B5C, B5D, B5E	B5B		
L(64,73)		D1FZ 64672A18			C2R											1
		D2FZ 64672A18	BAL	DBL		DBR	BAS	DBS	B2T	DBT	BAW	DBW	BAS	DB5		1
TRIM CODES →			CA, CAC, CAD, CAE	CAB	CB, CBC, CBD, CBE	CBB	CF, CFC, CFD, CFE	CFB	CL, CLC, CLD, CLE	CLB	CR, CRC, CRD, CRE	CRB	CS, CSC, CSD, CSE	CSB		
L(64,73)		D2FZ 64672A18	B3A	DCA	B3B	DCB	B3F	DCF	CAL	DCL	B3R	DCR	CAS	DCS		1
TRIM CODES →			CT, CTC, CTD, CTE	CTB	CW, CWC, CWD, CWE	CWB	C5, C5C, C5D, C5E	C5B	GB GBE							
L(64,73)		D2FZ 64672A18	B3T	DCT	CAW	DCW	CA5	DC5	BGB							1
TRIM CODES →			DA	DAE	DB	DBE	DF	DFE	DL	DR	DS	DT	DTE	DW	D5	
L(64,73)		D2FZ 64672A18	CDA		CDB		CDF		CDL	CDR	CDS	CDT		CDW	CD5	1
		D3FZ 64672A18		AAA		AAB		AAF					AAT			1
TRIM CODES →			EA	EB	EC	EF	EG	EL	ER	ES	ET	EW	E5			
L(64,73)		D2FZ 64672A18	DEA	DEB	DEC	DEF	DEG	DEL	DER	DES	DET	DEW	DE5			1
TRIM CODES →			FA	FB	FF	FL	FR	FS	FT	FW	F5	JB	KB			
L(64,73)		D2FZ 64672A18	DFA	DFB	DFF	DFL	DFR	DFS	DFT	DFW	DF5	DJB	DKB			1

COPYRIGHT © 1975 — FORD MOTOR COMPANY — DEARBORN, MICHIGAN

BODY TYPE	R/L	PART NUMBER LESS SUFFIX	TRIM CODES AND APPLICABLE PART NUMBER SUFFIXES													QTY.
672A20-1 BACK ASSY. - REAR SEAT - LOWER - INCLUDES COVER																
TRIM CODES →			AA, AAC, AAD, AAE	AB, ABC, ABD, ABE	AF, AFC, AFD, AFE	AL, ALC, ALD, ALE	AR, ARC, ARD, ARE	AS, ASC, ATD, ASE	AT, ATC, ATD, ATE	AW, AWC, AWD, AWE	A5, A5C, A5D, A5E					
L(62) -"Before 9/1/71"	R	D1FZ 62672A20	A1A	A1B			A1R									1
	L	D1FZ 62672A21	A1A	A1B			A1R									1
-"From 9/1/71"	R	D2FZ 62672A20	AAA	AAB	AAF	AAL	AAR	AAS	AAT	AAW	AA5					1
	L	D1FZ 62672A21	A1A	A1B			A1R									1
	L	D2FZ 62672A21			AAF	AAL		AAS	A1T	AAW	AA5					1
TRIM CODES →			BA, BAC, BAD, BAE	BB, BBC, BBD, BBE	BF, BFC, BFD, BFE	BL, BLC, BLD, BLE	BR, BRC, BRD, BRE	BS, BSC, BSD, BSE	BT, BTC, BTD, BTE	BW, BWC, BWD, BWE	B5, B5C, B5D, B5E					
L(62) -"Before 9/1/71"	R	D1FZ 62672A20	B2A	B2B	B2F		B2R									1
	L	D1FZ 62672A21	B2A	B2B	B2F		B2R									1
-"From 9/1/71"	R	D2FZ 62672A20	ABA	ABB	ABF	BAL	ABR	BAS	BBT	BAW	BA5					1
	L	D2FZ 62672A21				BAL		BAS	B2T	BAW	BA5					1
	L	D1FZ 62672A21	B2A	B2B	B2F		B2R									1
TRIM CODES →			CA, CAC, CAD, CAE	CB, CBC, CBD, CBE	CF, CFC, CFD, CFE	CL, CLC, CLD, CLE	CR, CRC, CRD, CRE	CS, CSC, CSD, CSE	CT, CTC, CTD, CTE	CW, CWC, CWD, CWE	C5, C5C, C5D, C5E					
L(62) -"Before 9/1/71"	R	D2FZ 62672A20	ACA	ACB	B3F		B3R									1
	L	D2FZ 62672A21	B3A	B3B	B3F		B3R									1
-"From 9/1/71"	R	D2FZ 62672A20	ACA	ACB		CAL		CAS	BCT	CAW	CA5					1
	R	D1FZ 62672A20			B3F		B3R									1
	L	D2FZ 62672A21	B3A	B3B	B3F	CAL	B3R	CAS	B3T	CAW	CA5					1
TRIM CODES →			AA, AAC, AAD, AAE	AB, ABC, ABD, ABE	AF, AFC, AFD, AFE	AL, ALC, ALD, ALE	AR, ARC, ARD, ARE	AS, ASC, ASD, ASE	AT, ATC, ATD, ATE	AW, AWC, AWD, AWE	A5, A5C, A5D, A5E					
L(64,73) -"Before 9/1/71"	R	D1FZ 64672A20	A1A	A1B			A1R									1
	L	D1FZ 64672A21	A1A	A1B			A1R									1
-"From 9/1/71"	R	D2FZ 64672A20			AAF	AAL		AAS	AAT	AAW	AA5					1
	L	D2FZ 64672A21			A1F	AAL		AAS	A1T	AAW	AA5					1
	R	D1FZ 64672A20	A1A	A1B			A1R									1
	L	D1FZ 64672A21	A1A	A1B			A1R									1
TRIM CODES →			BA, BAC, BAD, BAE	BB, BBC, BBD, BBE	BF, BFC, BFD, BFE	BL, BLC, BLD, BLE	BR, BRC, BRD, BRE	BS, BSC, BSD, BSE	BT, BTC, BTD, BTE	BW, BWC, BWD, BWE	B5, B5C, B5D, B5E					
L(64,73) -"Before 9/1/71"	R	D1FZ 64672A20	B2A	B2B	B2F		B2R									1
	L	D1FZ 64672A21	B2A	B2B	B2F		B2R									1
-"From 9/1/71"	R	D2FZ 64672A20				BAL		BAS	BBT	BAW	BA5					1
	L	D2FZ 64672A21				BAL		BAS	B2T	BAW	BA5					1
	R	D1FZ 64672A20	B2A	B2B	B2F		B2R									1
	L	D1FZ 64672A21	B2A	B2B	B2F		B2R									1
TRIM CODES →			CA, CAC, CAD, CAE	CB, CBC, CBD, CBE	CF, CFC, CFD, CFE	CL, CLC, CLD, CLE	CR, CRC, CRD, CRE	CS, CSC, CSD, CSE	CT, CTC, CTD, CTE	CW, CWC, CWD, CWE	C5, C5C, C5D, C5E	GB, GBE				
L(64,73) -"Before 9/1/71"	R	D2FZ 64672A20	ACA	ACB	ACF		ACR									1
	L	D2FZ 64672A21	B3A	B3B	B3F		B3R									1
-"From 9/1/71"	R	D2FZ 64672A20	ACA	ACB	ACF	CAL	ACR	CAS	BCT	CAW	CA5	BGB				1
	L	D2FZ 64672A21	B3A	B3B	B3F	CAL	B3R	CAS	B3T	CAW	CA5	BGB				1